

## SUBJECT INDEX, VOLUME 79, 1994

- <sup>27</sup>Al, 261  
Al-rich intermetallic compounds, 185  
 $\text{Al}_2\text{O}_3$ , 789  
 $\text{AuAgTe}_3$ , 570  
 $\text{Au}(\text{Te}, \text{Ti})$ , 1210  
 $(\text{Au}, \text{Pb})_3\text{TeO}_2$ , 570  
 $\text{Au}_4\text{Pb}_3\text{Te}_2\text{O}_{11}$ , 570  
Aegirine, 340  
Akatoreite, 185  
Akermanite, 848  
Albite, 1042  
Albite + jadeite + quartz, 1153  
Albite + quartz +  $\text{H}_2\text{O}$ , 316  
Albite-quartz-sanidine-sillimanite- $\text{H}_2\text{O}$ , 504  
Algebraic analysis, 1166 [erratum]  
Alkali silicate, 31  
Allanite, 1176  
Amphibole, 443, 862, 909, 1110  
Analcime, 1025  
Analysis, chemical (mineral)  
    aegirine, 340  
    allanite, 1176  
    amphibole, 862  
    apatite, 892  
    aragonite, 819  
    augite, 668  
    barberiite, 381  
    bementite, 91  
    biotite, 63, 154, 973  
    brianite, 375  
    calcite, 513, 526, 819  
    carbonate, 745  
    carlosruizite, 1003  
    chavesite, 385  
    chladiite, 375  
    chlorapatite, 375  
    clinoferrosilite, 1032  
    clinopyroxene, 397, 461  
    colusite, 750  
    cordierite, 973  
    cryptomelane, 80  
    cummingtonite, 862  
    curetonite, 545  
    diopside, 240  
    dolomite, 513  
    epidote, 1176  
Analysis, chemical (mineral), *cont.*  
    ferri-eckermannite, 443  
    fetiasite, 996  
    fuenzalidaite, 1003  
    garnet, 154, 397, 973  
    grunerite, 862  
    heulandite, 675  
    hibbingite, 555  
    hollandite, 80  
    hyalophane, 221  
    illite, 644  
    illite-smectite, 644  
    johnnnesite, 991  
    leakeite, 443  
    lizardite, 1194  
    maghemite, 654  
    magnesio-katophorite, 148  
    magnesite, 397  
    magnetite, 654  
    microcline, 221  
    monetite, 385  
    mullite, 983  
    muscovite, 536, 793  
    olivine, 461  
    panethite, 375  
    pargasite, 261  
    parsettensite, 426  
    penkvilksite, 1185  
    phlogopite, 148, 289  
    piemontite, 1176  
    plagioclase, 352 [erratum], 973  
    pyroxene, 796  
    scapolite, 878  
    staurolite, 154  
    tuzlaite, 562  
    whitlockite, 375  
Analysis, chemical (rock)  
    basaltic glasses, 161  
    calc-silicate rock, 526  
    glasses, 353, 585  
    metadolerite, 526  
    norite, 796  
    pantellerite, 353  
    rhyolite, 353  
Analytical techniques, 745, 1227  
Ankerite, 332  
Annite, 51  
Anorthite, 24, 134, 478  
Anorthosite, 113  
Anthony, John Williams, Memorial of, 782  
Antimonselite, 387, 1214 [erratum]  
Apatite, 892  
Aragonite, 215, 819  
Arizona, 175  
Atomic force microscopy, 107  
Augite, 668  
Awards  
    Distinguished Public Service Medal, acceptance of, 777  
    Distinguished Public Service Medal, presentation of, 775  
    Mineralogical Society of America Award, acceptance of, 773  
    Mineralogical Society of America Award, presentation of, 772  
    Roebling Medal, acceptance of, 770  
    Roebling Medal, presentation of, 768  
<sup>11</sup>B, 819  
 $(\text{Bi}, \text{Pb}, \text{Pd})\text{Te}$ , 387  
 $(\text{Bi}, \text{Au})_4\text{S}_5$ , 1210  
 $\text{Bi}_5\text{AuS}_4$ , 1210  
 $(\text{Bi}, \text{Pb})_5\text{AuS}_3$ , 1210  
 $(\text{Bi}, \text{Pb})_5\text{AuS}_4$ , 1210  
 $(\text{Bi}, \text{Au}, \text{Pb})_6\text{S}_3$ , 1210  
 $(\text{Bi}, \text{Pb})_6\text{AuS}_3$ , 1210  
 $(\text{Bi}, \text{Pb})_6\text{AuS}_4$ , 1210  
 $\beta\text{-Mg}_2\text{SiO}_4$ , 1021  
Barberiite, 381  
Basaltic glasses, 161  
Baumhauerite, 302  
Bellbergite, 570  
Bellite (= P-Si-Cr-bearing mimetite), 570  
Bementite, 91  
Benyacarite, 763  
Biotite, 63, 154, 909, 973  
Bismutocolumite, 570  
Bolivia, 892  
Borodaevite, 763  
Bosnia, 221, 562  
Brazil, 15, 80, 289, 385, 892

- Brianite, 375  
 Brianyoungite, 1009  
 Britholite-(Ce), 570  
 Britholite-(Y), 570  
 British Columbia, 43  
 Brucite, 193  
 Buie, Bennet Frank, Memorial of, 781
- Ca analogue, 1009  
 Ca-Ce fluorocarbonates, 185  
 $\text{CaO-Al}_2\text{O}_3-\text{SiO}_2$ , 134  
 $\text{CaO-H}_2\text{O}$ , 1223  
 $\text{CaO-MgO-FeO-SiO}_2$ , 1123  
 $\text{CaO-SiO}_2$ , 1219  
 $\text{CaO-SiO}_2\text{-CO}_2$ , 1135  
 $\text{CaSiO}_3$ , 1219  
 Cl, 353  
 $(\text{Co}, \text{Ni}, \text{Fe}, \text{Cu})\text{AsS}$ , 1210  
 $(\text{Cu}, \text{Fe})(\text{Fe}, \text{Mo})_4\text{S}_8$ , 763  
 $\text{Cu}_3(\text{Bi}, \text{Tl})\text{S}_4$ , 1210  
 Calcite, 15, 205, 215, 332, 513, 526, 819, 1227  
 Calcite + graphite, 951  
 Calcite-quartz, 1135  
 Calc-silicate rock, 526  
 Calorimetry, 485, 1099, 1110  
 Cameroon, 838  
 Canary Islands, 269  
 Carbonate, 745  
 Carbonatite, 1135  
 Carlosruizite, 1003  
 Cathodoluminescence, 1167  
 Chalcedony, 452  
 Chalcocite, 308  
 Chalcogenides, 1159  
 Chavesite, 385  
 Chile, 1003  
 China, 397  
 Chladniite, 375  
 Chlorapatite, 375  
 Chlorite, 107  
 Chrysotile, 43  
 Clinobirnessite, 1210  
 Clinofersilite, 1032  
 Clinomimetite, 185  
 Clinopyroxene, 397, 461, 938  
 Coesite, 397  
 Colusite, 750  
 Compressibility measurements  
     albite, 1042  
     calcite, 15  
     cristobalite, 1, 9  
 Compressibility measurements, *cont.*  
     dolomite, 15  
      $\text{MgGeO}_3$ , 197  
     magnesite, 15  
     montmorillonite, 683  
     neighborite, 615  
     orthoenstatite, 405  
 Computer program, 1207  
 Connecticut, 951  
 Contact metamorphism, 719  
 Cordierite, 200, 801, 973  
 Cordylite-(Ce), 763  
 Corundum, 789  
 Crete, 1042  
 Cristobalite, 1, 9  
 Crush, 1207  
 Cryptomelane, 80  
 Crystal growth  
     apatite, 892  
     cryptomelane, 80  
     diopside, 240  
     hausmannite, 80  
     illite, 700  
     kyanite, 1153  
     manganosite, 80  
     perovskite, 197  
     plagioclase, 885  
     topaz, 1167  
 Crystal structure  
     albite, 1042  
     allanite, 1176  
     amphibole, 862  
     annite, 51  
     aragonite, 215  
     augite, 668  
      $\beta\text{-Mg}_2\text{SiO}_4$ , 1021  
     bementite, 91  
     biotite, 63  
     brucite, 193  
     calcite, 205, 215  
     carlosruizite, 1003  
     chalcedony, 452  
     chlorite, 107  
     clinoferrosilite, 1032  
     colusite, 750  
     cordierite, 200  
     cristobalite, 9  
     cummingtonite, 862  
     curetonite, 545  
     ferri-eckermannite, 443  
     fetiasite, 996  
     fuenzalidaite, 1003  
     grunerite, 862  
 Crystal structure, *cont.*  
     heulandite, 675  
     hollandite, 168  
     johnnnesite, 991  
     kombatite, 550  
     leakeite, 443  
     lithiophorite, 370  
     lizardite, 1194  
     majorite, 581  
     maricopaite, 175  
     "moganite," 452  
     mordenite, 175  
     mullite, 983  
     neighborite, 615  
     orthoenstatite, 405  
     parsettensite, 426, 438  
     penkvilksite, 1185  
     perovskite, 615  
     piemontite, 1176  
     pinchite, 1199  
     pyroxene, 838  
     quartz, 452  
     stilpnomelane, 438  
     topaz, 401  
     tridymite, 606  
     tuzlaite, 562  
     wadsleyite, 1021  
 Crystal synthesis  
     annite, 51  
     anorthite, 24  
     aragonite, 819  
     calcite, 819  
     clinoferrosilite, 1032  
     diopside, 240  
     majorite, 581  
     mullite, 983  
     orthopyroxene, 633  
     pargasite, 261  
     Sr-bearing feldspar, 24  
     siderite, 921  
     sylvite, 712  
 Cummingtonite, 862  
 Curetonite, 545
- Deanesmithite, 1009  
 Dietzeite, 185  
 Digenite, 308  
 Diopside, 240, 848  
 Discredited minerals  
     bellite (= P-Si-Cr-bearing mimetite), 570  
     chavesite, 385

Dispersion method, 1204  
 Distinguished Public Service Medal  
     acceptance of, 777  
     presentation of, 775  
 Djurleite, 308  
 Dolomite, 15, 332, 513  
 DTA, TGA  
     chrysotile, 43  
     cordierite, 801  
     portlandite, 1223  
     siderite, 921  
     talc, 692  
     tridymite, 606  
     tuzlaite, 562  
  
 Edoylerite, 1009  
 EELS, 411  
 Electrical properties  
     chalcocite, 308  
     djurleite, 308  
 Electron diffraction  
     amphibole, 909  
     biotite, 63, 909  
     chalcedony, 452  
     chalcocite, 308  
     chladniite, 375  
     colusite, 750  
     cryptomelane, 80  
     digenite, 308  
     djurleite, 308  
     hausmannite, 80  
     hibbingite, 555  
     maghemite, 654  
     magnetite, 654  
     manganosite, 80  
     mica, 63  
     "moganite," 452  
     parsettensite, 426  
     perovskite, 73  
     quartz, 452  
     talc, 909  
 Electron gas modeling, 215  
 Electron microscopy  
     amphibole, 909, 1110  
     annite, 51  
     barberite, 381  
     baumhauerite, 302  
     bementite, 91  
     biotite, 63, 909  
     chalcedony, 452  
     chalcocite, 308  
     colusite, 750

Electron microscopy, *cont.*  
     cryptomelane, 80  
     digenite, 308  
     djurleite, 308  
     EELS, 411  
     halite, 353  
     hausmannite, 80  
     heulandite, 675  
     illite, 700  
     illite-smectite, 644  
     maghemite, 654  
     magnetite, 654  
     manganosite, 80  
     mica, 63  
     "moganite," 452  
     mullite, 983  
     obsidian, 353  
     olivine, 904  
     parsettensite, 426  
     perovskite, 73  
     quartz, 452  
     talc, 909  
 Epidote, 1176  
 EPR spectroscopy, 221  
 Errata  
     algebraic analysis, 1166  
     antimonselite, 1214  
     plagioclase, 352  
 Ershovite, 1009  
 Exchange reactions, 938  
 Expansivity measurements  
     meionite, 478  
     montmorillonite, 683  
     scapolite, 478, 878  
 Experimental petrology, 585  
     anorthite, 134, 478  
     CaSiO<sub>3</sub>, 1219  
     calcite-quartz, 1135  
     clinopyroxene, 938  
     experimental techniques, 1145,  
        1150, 1153  
     fluid inclusions, 1125  
     garnet, 938  
     granite, 504  
     grossular, 478  
     high-pressure techniques, 145  
     kyanite, 478  
     manganese oxides, 80  
     mantle metasomatism, 148  
     meionite, 478  
     piston-cylinder assembly, 145  
     pyrope, 497  
     scapolite, 478

Experimental petrology, *cont.*  
     talc, 692  
     wollastonite, 134  
 Experimental techniques, 1145,  
    1150, 1153  
  
 Fe-Mg, 633  
 Fe-O, 654  
 Fe<sub>5</sub>Si<sub>2</sub>, 185  
 Feldspar, 221  
 Ferdisilicate, 185  
 Ferri-eckermannite, 443  
 Ferrihydrite, 763  
 Fetiasite, 996  
 Fiedlerite-1A, 1009  
 Fiedlerite-2M<sub>1</sub>, 1009  
 Florida, 250  
 Fluid inclusions, 712, 1125  
 Francolite, 809  
 Fuenzalidaite, 1003  
  
 Gaidonnayite, 1009  
 Garnet, 154, 397, 581, 938, 973  
 Garnet + biotite, 154, 737  
 Garnet + clinopyroxene, 938  
 Garnet inclusions, 960  
 Gatehouseite, 185  
 Geobarometry, 120, 973  
     garnet inclusions, 960  
     muscovite + biotite, 793  
     olivine-clinopyroxene, 461  
 Geochemistry  
     aegirine, 340  
     amphibole, 909  
     apatite, 892  
     biotite, 909  
     olivine, 904  
     silicate melts, 353  
     Zr, 838  
 Geothermometry, 120, 973  
     calcite, 513  
     calcite + graphite, 951  
     clinopyroxene, 461  
     dolomite, 513  
     garnet + biotite, 154, 737  
     garnet + clinopyroxene, 938  
     garnet inclusions, 960  
     hematite-ilmenite, 485  
     muscovite + biotite, 793  
     olivine, 461  
     pyroxene + olivine, 1123

- Germanocolusite, 387  
 Germany, 221, 606  
 Glass transition, 1125  
 Glasses, 353, 585  
 Granite, 504, 536  
 Greenland, 340  
 Griffiths, John C., Memorial of, 779  
 Grossular, 478  
 Grunerite, 862
- <sup>1</sup>H, 261  
 Halite, 353  
 Haplogranite, 504  
 Harrisonite, 1009  
 Hausmannite, 80  
 Hematite, 921  
 Hematite-ilmenite, 485  
 Henderson, Edward P., Memorial of, 579  
 Hennomartinite, 763  
 Hercegovina, 562  
 Heulandite, 675  
 Hibbingite, 555  
 High-pressure phases  
     Al<sub>2</sub>O<sub>3</sub>, 789  
     aragonite, 215  
     augite, 668  
     CaSiO<sub>3</sub>, 1219  
     calcite, 15  
     clinoferrosilite, 1032  
     coesite, 397  
     corundum, 789  
     cristobalite, 1, 9  
     (Mg,Fe)SiO<sub>3</sub> perovskite, 1215  
     MgGeO<sub>3</sub>, 197  
     magnesite, 15, 397  
     majorite, 581  
     perovskite, 197, 589, 826  
     portlandite, 1223  
     pyrope, 497  
     silicate glasses, 31  
     silicate melts, 31  
     spinel, 589  
     stishovite, 31  
     topaz, 401  
     wadeite, 31  
 High-pressure techniques, 145  
 Hollandite, 80, 168  
 Hollandite-type mineral, 185  
 Hunchunite, 1210  
 Hungary, 250, 644
- Hyalophane, 221  
 Hydrothermal alteration, 536
- Igneous petrology  
     anorthosite, 113  
     basaltic glasses, 161  
     carbonatite, 1135  
     granite, 536  
     haplogranite, 504  
     oscillatory zoning, 885  
     pantellerite, 353  
     phonolite, 838  
     plagioclase, 113, 352 [erratum]  
     rhyolite, 353  
     silicate melts, 316, 589  
 Illite, 644, 700  
 Illite-smectite, 644  
 India, 443  
 Ingerson, Fred Earl, Memorial of, 1019  
 Ion microprobe, 1227  
 Iowaite, 1009  
 IR spectroscopy, 589  
     annite, 51  
     diopside, 240  
     fetiasite, 996  
     fluid inclusions, 712  
     francolite, 809  
     hibbingite, 555  
     (Mg,Fe)SiO<sub>3</sub> perovskite, 1215  
     olivine, 904  
     pargasite, 261  
 Ireland, 536  
 Irignite, 570  
 Italy, 63, 353, 381, 426, 750, 878, 960, 996, 1194
- Jianshuiite, 185  
 Johnninesite, 991
- K-U vanadate, 1210  
 K<sub>2</sub>(NH<sub>4</sub>)Mg<sub>3</sub>Cl<sub>9</sub> · 18H<sub>2</sub>O, 1210  
 K<sub>2</sub>O-SiO<sub>2</sub>, 31  
 K<sub>2</sub>Si<sub>4</sub>O<sub>9</sub>, 31  
 Kamphaugite-(Y), 387
- Kinetics  
     garnet + biotite, 737  
     glass transition, 1125  
     kyanite, 1153  
     montmorillonite, 683
- Kinetics, *cont.*  
     orthopyroxene, 930  
     talc, 692
- Kombatite, 550  
 Kornite, 763  
 Kuellmer, Frederick J., Memorial of, 393  
 Kyanite, 478, 1153
- LiFeO<sub>2</sub>, 274  
 Lautenthalite, 570  
 Lazurite, 763  
 Leakeite, 443  
 Leucite, 1025  
 Lithiophorite, 370  
 Lizardite, 1194  
 Lodestone, 654
- <sup>25</sup>Mg, 250  
 (Mg,Fe)SiO<sub>3</sub> perovskite, 1215  
 MgGeO<sub>3</sub>, 197  
 Mg<sub>3</sub>Al<sub>2</sub>Si<sub>3</sub>O<sub>12</sub>, 497  
 Mo<sub>3</sub>Se<sub>4</sub>, 570  
 Mo<sub>3</sub>Te<sub>4</sub>, 570  
 Madagascar, 250  
 Maghemite, 654  
 Magnesio-katophorite, 148  
 Magnesite, 15, 397  
 Magnesite-siderite, 332  
 Magnetic properties  
     annite, 51  
     lodestone, 654  
     maghemite, 654  
     magnetite, 654  
 Magnetite, 654  
 Maine, 793  
 Majorite, 581  
 Manganese oxides, 80  
 Manganoparawollastonite, 387  
 Manganosegelerite, 185  
 Manganosite, 80  
 Manitoba, 973  
 Mantle metasomatism, 148  
 Maricopaite, 175  
 Mechanical properties, 615  
 Megacyclite, 1009  
 Meionite, 478  
 Melt inclusions, 353  
 Melt structure  
     alkali silicate, 31  
     carbonatite, 1135

- Melt structure, *cont.*  
*K<sub>2</sub>Si<sub>4</sub>O<sub>9</sub>*, 31  
*Mg<sub>3</sub>Al<sub>2</sub>Si<sub>3</sub>O<sub>12</sub>*, 497  
*Na<sub>2</sub>Si<sub>4</sub>O<sub>9</sub>*, 31  
*SiO<sub>2</sub>-P<sub>2</sub>O<sub>5</sub>*, 785  
 silicate melts, 838, 848, 1125
- Memorials  
 Anthony, John Williams, 782  
 Buie, Bennet Frank, 781  
 Griffiths, John C., 779  
 Henderson, Edward P., 579  
 Ingerson, Fred Earl, 1019  
 Kuellmer, Frederick J., 393  
 Mikami, Harry M., 577  
 Milton, Charles, 190  
 Nolan, Thomas Brennan, 575  
 Shaub, Benjamin M., 1017  
 Wenden, Henry Edward, 392  
 Winchell, Horace, 1231  
 Wyart, Jean, 1015
- Metadolerite, 526
- Metamorphic petrology, 938  
 calcite, 526  
 calc-silicate rock, 526  
 contact metamorphism, 719  
 hydrothermal alteration, 536  
 metadolerite, 526  
 paragenesis, 397  
 pelitic gneiss, 973  
 pelitic schists, 793, 951, 960  
 siliceous dolomite, 513, 719
- Mexico, 401, 1167
- Mica, 63
- Microcline, 221
- Mikami, Harry M., Memorial of, 577
- Milton, Charles, Memorial of, 190
- Mineevite-(Y), 763
- Mineral energetics, 589
- Mineralogical Society of America  
 Award  
 acceptance of, 773  
 presentation of, 772
- Minnesota, 555
- "Moganite," 269, 452
- Monetite, 385
- Montana, 750, 909
- Montmorillonite, 683
- Moon, 796
- Mordenite, 175
- Mössbauer spectroscopy  
 annite, 51  
 diopside, 240  
*LiFeO<sub>2</sub>*, 274
- Mössbauer spectroscopy, *cont.*  
 muscovite, 793  
 periclase, 274  
 perovskite, 826  
 wüstite, 274
- Mozartite, 387
- Mullite, 983
- Muscovite, 536, 793
- Muscovite + biotite, 793
- NaCa<sub>2</sub>B<sub>9</sub>O<sub>14</sub>(OH)<sub>4</sub> · 2H<sub>2</sub>O*, 1210  
*NaCl-H<sub>2</sub>O-silicate melt*, 353  
*Na<sub>1.23</sub>Ca<sub>0.12</sub>Y<sub>1.28</sub>REE<sub>0.24</sub>F<sub>6</sub>*, 1210  
*Na<sub>2</sub>O-SiO<sub>2</sub>*, 31  
*Na<sub>2</sub>Si<sub>4</sub>O<sub>9</sub>*, 31  
*Na<sub>25</sub>BaREE<sub>2</sub>(CO<sub>3</sub>)<sub>11</sub>(HCO<sub>3</sub>)<sub>4</sub>(SO<sub>4</sub>)<sub>2</sub>-F<sub>2</sub>Cl*, 185  
*Ni-chalcophanite*, 387  
*(Ni,Fe,Rh)S*, 1210  
 Namibia, 550, 991
- Neelite, 387
- Neighborite, 615
- Neutron diffraction, 193
- Nevada, 545
- New Brunswick, 644
- New Jersey, 91
- New mineral data (abstracts)  
 akatoreite, 185  
 clinomimetite, 185  
 cordylite-(Ce), 763  
 dietzeite, 185  
 ferrihydrite, 763  
*fiedlerite-1A*, 1009  
*fiedlerite-2M<sub>1</sub>*, 1009  
 iowaite, 1009  
 iriginitite, 570  
 lazurite, 763  
 nealite, 387  
 parisite-(Ce)-4H, 763  
 scawtite, 387  
 stibiconite, 570  
 stilbite, 570  
 yingjiangite, 1210  
 znucalite, 1210
- New minerals (abstracts)  
 Al-rich intermetallic compounds, 185  
*AuAgTe<sub>3</sub>*, 570  
*Au(Te,Tl)*, 1210  
*(Au,Pb)<sub>3</sub>TeO<sub>2</sub>*, 570  
*Au<sub>4</sub>Pb<sub>3</sub>Te<sub>2</sub>O<sub>11</sub>*, 570  
 antimonselite, 387
- New minerals (abstracts), *cont.*  
*(Bi,Pb,Pd)Te*, 387  
*(Bi,Au)<sub>4</sub>S<sub>5</sub>*, 1210  
*Bi<sub>5</sub>AuS<sub>4</sub>*, 1210  
*(Bi,Pb)<sub>5</sub>AuS<sub>3</sub>*, 1210  
*(Bi,Pb)<sub>5</sub>AuS<sub>4</sub>*, 1210  
*(Bi,Au,Pb)<sub>6</sub>S<sub>3</sub>*, 1210  
*(Bi,Pb)<sub>6</sub>AuS<sub>3</sub>*, 1210  
*(Bi,Pb)<sub>6</sub>AuS<sub>4</sub>*, 1210  
*bellbergite*, 570  
*benyacarite*, 763  
*bismutocolumite*, 570  
*borodaevite*, 763  
*brianyoungite*, 1009  
*britholite-(Ce)*, 570  
*britholite-(Y)*, 570  
*Ca analogue*, 1009  
*Ca-Ce fluorocarbonates*, 185  
*(Co,Ni,Fe,Cu)AsS*, 1210  
*(Cu,Fe)(Fe,Mo)<sub>4</sub>S<sub>8</sub>*, 763  
*Cu<sub>3</sub>(Bi,Tl)S<sub>4</sub>*, 1210  
*clinobirnessite*, 1210  
*deanesmithite*, 1009  
*edoylerite*, 1009  
*ershovite*, 1009  
*Fe<sub>5</sub>Si<sub>2</sub>*, 185  
*ferdisilicate*, 185  
*gaidonnayite*, 1009  
*gatehouseite*, 185  
*germanocolusite*, 387  
*harrisonite*, 1009  
*hennomartinite*, 763  
*hollandite-type mineral*, 185  
*hunchunite*, 1210  
*jianshuiite*, 185  
*K-U vanadate*, 1210  
*K<sub>2</sub>(NH<sub>4</sub>)Mg<sub>3</sub>Cl<sub>9</sub> · 18H<sub>2</sub>O*, 1210  
*kamphaugite-(Y)*, 387  
*kornite*, 763  
*lautenthalite*, 570  
*Mo<sub>3</sub>Se<sub>4</sub>*, 570  
*Mo<sub>3</sub>Te<sub>4</sub>*, 570  
*manganoparawollastonite*, 387  
*manganosegelerite*, 185  
*megacyclite*, 1009  
*mineevite-(Y)*, 763  
*mozartite*, 387  
*NaCa<sub>2</sub>B<sub>9</sub>O<sub>14</sub>(OH)<sub>4</sub> · 2H<sub>2</sub>O*, 1210  
*Na<sub>1.23</sub>Ca<sub>0.12</sub>Y<sub>1.28</sub>REE<sub>0.24</sub>F<sub>6</sub>*, 1210  
*Na<sub>25</sub>BaREE<sub>2</sub>(CO<sub>3</sub>)<sub>11</sub>(HCO<sub>3</sub>)<sub>4</sub>(SO<sub>4</sub>)<sub>2</sub>-F<sub>2</sub>Cl*, 185  
*(Ni,Fe,Rh)S*, 1210  
*nickenichite*, 570

- New minerals (abstracts), *cont.*
- $\text{Os}_2\text{S}_3$ , 387
  - olympite, 570
  - orschallite, 570
  - P analogue of molybdoformacite, 1210
  - $(\text{Pd},\text{Ni})_{0.44}(\text{Te},\text{Sb})_{0.56}$ , 763
  - PdCuHg, 387
  - $(\text{Pd},\text{Cu})_2\text{Te}_3$ , 1210
  - $(\text{Pd},\text{Rh})_2(\text{Sb},\text{As})$ , 1210
  - $(\text{Pd},\text{Ag},\text{Ni})_3\text{Te}_4$ , 1210
  - $(\text{Pd},\text{Cu})_3\text{Sb}$ , 1210
  - $\text{Pd}_3\text{Hg}_2$ , 387
  - $(\text{Pd},\text{Ni})_4\text{As}_3$ , 1210
  - $(\text{Pd},\text{Pt})_4\text{Sb}_3$ , 1210
  - $(\text{Pd},\text{Cu})_9\text{SnTe}_2\text{S}_2$ , 387
  - PtCu<sub>5</sub>, 387
  - paranatisite, 763
  - parkinsonite, 1009
  - petitjeanite, 763
  - potassian fluor-richterite, 185
  - pringleite, 1009
  - qilianshanite, 763
  - $(\text{Rh},\text{Ir})\text{SbS}$ , 1210
  - $(\text{Rh},\text{Pt})_3(\text{Fe},\text{Ni})_3\text{S}_8$ , 1210
  - rabejacite, 570
  - ravatite, 387
  - REE analogue of hilairite, 185
  - rosenbergite, 763
  - ruitenbergite, 1009
  - Sb-cosalite, 570
  - seelite, 1009
  - shomikite-(Y), 763
  - stibiocolusite, 185
  - szenicsite, 1210
  - tetragonal Cu<sub>1.96</sub>S, 185
  - tetrarooseveltite, 1210
  - tiettaite, 1009
  - tounkite, 185
  - tsaregorodtsevite, 1009
  - tsnigriite, 387
  - unnamed Ca-Mg silicate, 570
  - unnamed layer silicate, 387
  - unnamed tetrahedrite-group mineral, 387
  - uranopolycrase, 763
  - vistepite, 1009
  - watanabeite, 1009
  - Y-Ca carbonate, 185
- New minerals (descriptions)
- barberiite, 381
  - carlosruizite, 1003
  - chladiite, 375
  - colusite, 750
  - dispersion method, 1204
  - fetiasite, 996
  - fuenzalidaite, 1003
  - heulandite, 675
  - tuzlaite, 562
- New minerals (descriptions), *cont.*
- fetiasite, 996
  - fuenzalidaite, 1003
  - hibbingite, 555
  - "moganite," 269
  - tuzlaite, 562
- New South Wales, 289
- New York, 692, 878
- New Zealand, 43, 250
- Nickenichite, 570
- NMR spectroscopy
- <sup>27</sup>Al, 261
  - akermanite, 848
  - analcime, 1025
  - aragonite, 819
  - calcite, 819
  - chrysotile, 43
  - diopside, 848
  - fluid inclusions, 712
  - francolite, 809
  - <sup>1</sup>H, 261
  - K<sub>2</sub>Si<sub>4</sub>O<sub>9</sub>, 31
  - leucite, 1025
  - <sup>25</sup>Mg, 250
  - <sup>29</sup>Si, 261
  - silicate glasses, 31
  - silicate melts, 848
  - stishovite, 31
  - wadeite, 31
- Nolan, Thomas Brennan, Memorial of, 575
- Norite, 796
- North Sea Basin, 712
- Nova Scotia, 644
- Os<sub>2</sub>S<sub>3</sub>, 387
- Obsidian, 353
- Olivine, 461, 904
- Olivine-clinopyroxene, 461
- Olympite, 570
- Ontario, 878
- Opal, 622
- Optical properties
- barberiite, 381
  - carlosruizite, 1003
  - chladiite, 375
  - colusite, 750
  - dispersion method, 1204
  - fetiasite, 996
  - fuenzalidaite, 1003
  - heulandite, 675
  - tuzlaite, 562
- Optical spectroscopy
- diopside, 240
  - $(\text{Mg},\text{Fe})\text{SiO}_3$  perovskite, 1215
- Order-disorder, 1053
- albite, 1042
  - amphibole, 862
  - analcime, 1025
  - ankerite, 332
  - anorthite, 24, 134
  - bementite, 91
  - biotite, 63
  - chalcocite, 308
  - colusite, 750
  - cordierite, 801
  - cummingtonite, 862
  - digenite, 308
  - djurleite, 308
  - dolomite, 332
  - Fe-Mg, 633
  - feldspar, 221
  - ferri-eckermannite, 443
  - garnet, 581
  - grunerite, 862
  - hematite-ilmenite, 485
  - LiFeO<sub>2</sub>, 274
  - leakeite, 443
  - leucite, 1025
  - lithiophorite, 370
  - majorite, 581
  - orthopyroxene, 930, 1068
  - pargasite, 261
  - penkvilksite, 1185
  - periclase, 274
  - potassium feldspar, 1084
  - Sr-bearing feldspar, 24
  - spinel, 1068
  - wüstite, 274
- Orschallite, 570
- Orthoenstatite, 405
- Orthopyroxene, 633, 930, 1068
- Oscillatory zoning, 885
- P analogue of molybdoformacite, 1210
- P-Si-Cr-bearing mimetite, 570
- $(\text{Pd},\text{Ni})_{0.44}(\text{Te},\text{Sb})_{0.56}$ , 763
- PdCuHg, 387
- $(\text{Pd},\text{Cu})_2\text{Te}_3$ , 1210
  - $(\text{Pd},\text{Rh})_2(\text{Sb},\text{As})$ , 1210
  - $(\text{Pd},\text{Ag},\text{Ni})_3\text{Te}_4$ , 1210
  - $(\text{Pd},\text{Cu})_3\text{Sb}$ , 1210
  - $\text{Pd}_3\text{Hg}_2$ , 387

- (Pd,Ni)<sub>4</sub>As<sub>3</sub>, 1210  
 (Pd,Pt)<sub>4</sub>Sb<sub>3</sub>, 1210  
 (Pd,Cu)<sub>9</sub>SnTe<sub>2</sub>S<sub>2</sub>, 387  
 PtCu<sub>5</sub>, 387  
 Panethite, 375  
 Pantellerite, 353  
 Paragenesis, 397  
 Paranatisite, 763  
 Pargasite, 261  
 Parisite-(Ce)-4*H*, 763  
 Parkinsonite, 1009  
 Parsettensite, 426, 438  
 Pelitic gneiss, 973  
 Pelitic schists, 793, 951, 960  
 Penkvilksite, 1185  
 Periclaste, 274  
 Perovskite, 73, 197, 589, 615, 826  
 Petitjeanite, 763  
 Phase equilibria  
     albite + jadeite + quartz, 1153  
     albite + quartz + H<sub>2</sub>O, 316  
     algebraic analysis, 1166 [erratum]  
     ankerite, 332  
     CaSiO<sub>3</sub>, 1219  
     calcite, 332  
     carbonatite, 1135  
     chalcogenides, 1159  
     clinoferrosilite, 1032  
     clinopyroxene, 461  
     cristobalite, 1  
     dolomite, 332  
     exchange reactions, 938  
     grossular, 478  
     haplogranite, 504  
     high-*T*, high-*P* measurements,  
     145  
     kyanite, 478  
     magnesite, 397  
     magnesite-siderite, 332  
     manganese oxides, 80  
     meionite, 478  
     montmorillonite, 683  
     NaCl-H<sub>2</sub>O-silicate melt, 353  
     olivine, 461  
     pelitic schists, 960  
     plagioclase, 352 [erratum]  
     portlandite, 1223  
     pyrope, 497  
     pyroxene + olivine, 1123  
     scapolite, 478  
     siderite, 921  
     siliceous dolomite, 719  
     wollastonite, 134  
 Phase transitions  
     Al<sub>2</sub>O<sub>3</sub>, 789  
     anorthite, 24  
     cristobalite, 1  
     Sr-bearing feldspar, 24  
 Phlogopite, 148, 289  
 Phonolite, 838  
 Piemontite, 1176  
 Pinchite, 1199  
 Piston-cylinder assembly, 145  
 Plagioclase, 113, 352 [erratum], 885,  
     951, 973  
 Portlandite, 1223  
 Potassian fluor-richterite, 185  
 Potassium feldspar, 1084  
 Pringleite, 1009  
 Pyrope, 497  
 Pyroxene, 796, 838  
 Pyroxene + olivine, 1123  
 Qilianshanite, 763  
 Quantum mechanical calculations,  
     904  
     Al<sub>2</sub>O<sub>3</sub>, 789  
     calcite, 205  
     cordierite, 200  
     corundum, 789  
     electron gas modeling, 215  
     francolite, 809  
 Quartz, 452  
 Quebec, 113, 862  
 Queensland, 526  
 (Rh,Ir)SbS, 1210  
 (Rh,Pt)<sub>3</sub>(Fe,Ni)<sub>3</sub>S<sub>8</sub>, 1210  
 Rabejacite, 570  
 Raman spectroscopy, 269  
 Ravatite, 387  
 REE  
     aegirine, 340  
     allanite, 1176  
     apatite, 892  
     piemontite, 1176  
     pyroxene, 796  
 REE analogue of hilairite, 185  
 Rhyolite, 353  
 Roebling Medal  
     acceptance of, 770  
     presentation of, 768  
 Rosenbergite, 763  
 Ruitenbergite, 1009  
 Russia, 221, 904, 1185  
 Sb-cosalite, 570  
<sup>29</sup>Si, 261  
 SiO<sub>2</sub>, 622  
 SiO<sub>2</sub> polymorphs, 269  
 SiO<sub>2</sub>-P<sub>2</sub>O<sub>5</sub>, 785  
 SiP<sub>2</sub>O<sub>7</sub>, 785  
 Sr-bearing feldspar, 24  
 Scapolite, 478, 878  
 Scawtite, 387  
 Seelite, 1009  
 Shaub, Benjamin M., Memorial of,  
     1017  
 Shomikite-(Y), 763  
 Siderite, 921  
 Silicate glasses, 31  
 Silicate melts, 31, 316, 353, 589,  
     838, 848, 1125  
 Silicate minerals, 1227  
 Siliceous dolomite, 513, 719  
 Software notice, 1207  
 South Africa, 289, 370  
 Spain, 15, 250  
 Spinel, 589, 1068  
 Stable isotopes  
     <sup>11</sup>B, 819  
     calcite, 526, 1227  
     calcite + graphite, 951  
     ion microprobe, 1227  
     metadolerite, 526  
     plagioclase, 951  
     silicate minerals, 1227  
 Staurolite, 154  
 Stibiconite, 570  
 Stibiocolusite, 185  
 Stilbite, 570  
 Stilpnomelane, 438  
 Stishovite, 31  
 Structure-energy calculations  
     β-Mg<sub>2</sub>SiO<sub>4</sub>, 1021  
     cristobalite, 9  
     LiFeO<sub>2</sub>, 274  
     lithiophorite, 370  
     periclase, 274  
     wadsleyite, 1021  
     wüstite, 274  
 Switzerland, 302, 996  
 Sylvite, 712  
 Systems (chemical)  
     albite-quartz-sanidine-sillimanite-  
     H<sub>2</sub>O, 504

- Systems (chemical), *cont.*
- CaO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>, 134
  - CaO-H<sub>2</sub>O, 1223
  - CaO-MgO-FeO-SiO<sub>2</sub>, 1123
  - CaO-SiO<sub>2</sub>, 1219
  - CaO-SiO<sub>2</sub>-CO<sub>2</sub>, 1135
  - cryptomelane, 80
  - Fe-O, 654
  - hausmannite, 80
  - hollandite, 80
  - K<sub>2</sub>O-SiO<sub>2</sub>, 31
  - MgGeO<sub>3</sub>, 197
  - Mg<sub>3</sub>Al<sub>2</sub>Si<sub>3</sub>O<sub>12</sub>, 497
  - manganosite, 80
  - Na<sub>2</sub>O-SiO<sub>2</sub>, 31
  - Szenicsite, 1210
- Talc, 692, 909
- Tetragonal Cu<sub>1.96</sub>S, 185
- Tetrarooseveltite, 1210
- Texas, 154, 1199
- Thermodynamic data, 120, 589
- anorthite, 24
  - calorimetry, 485, 1099, 1110
  - clinopyroxene, 461
  - hematite, 921
  - hematite-ilmenite, 485
  - meionite, 478
  - orthopyroxene, 633, 1068
  - pargasite, 261
  - potassium feldspar, 1084
  - Sr-bearing feldspar, 24
  - scapolite, 478, 878
  - siderite, 921
  - spinel, 1068
  - tremolite, 1110
  - tridymite, 606
  - tschermakite, 1110
- Tiettaite, 1009
- Topaz, 401, 1167
- Tounkite, 185
- Trace elements
- aegirine, 340
  - apatite, 892
  - ragonite, 819
  - basaltic glasses, 161
  - Cl, 353
  - calcite, 819
  - feldspar, 221
  - topaz, 1167
  - Zr, 838
- Tremolite, 1110
- Tridymite, 606
- Tsaregorodtsevite, 1009
- Tschermakite, 1110
- Tsnigrite, 387
- Tuzlaite, 562
- Unit-cell data
- albite, 1042
  - allanite, 1176
  - amphibole, 862, 1110
  - annite, 51
  - anorthite, 24
  - augite, 668
  - barberiite, 381
  - baumhauerite, 302
  - biotite, 63
  - carlosruizite, 1003
  - chalogenides, 1159
  - chladiite, 375
  - chlorite, 107
  - clinoferrosilite, 1032
  - colusite, 750
  - cristobalite, 1, 9
  - cummingtonite, 862
  - curetonite, 545
  - ferri-eckermannite, 443
  - fetiasite, 996
  - fuenzalidaite, 1003
  - grunerite, 862
  - hematite, 921
  - heulandite, 675
  - hibbingite, 555
  - hollandite, 168
  - johnnnesite, 991
  - kombatite, 550
  - LiFeO<sub>2</sub>, 274
  - leakeite, 443
  - lithiophorite, 370
  - lizardite, 1194
  - majorite, 581
  - maricopaite, 175
  - mullite, 983
  - orthoenstatite, 405
  - orthopyroxene, 633
  - pargasite, 261
  - parsettensite, 426
  - penkvilksite, 1185
  - periclase, 274
  - perovskite, 197
  - phlogopite, 289
  - piemontite, 1176
  - pinchite, 1199
- Unit-cell data, *cont.*
- potassium feldspar, 1084
  - Sr-bearing feldspar, 24
  - scapolite, 878
  - siderite, 921
  - tridymite, 606
  - tuzlaite, 562
  - wüstite, 274
- Unnamed Ca-Mg silicate, 570
- Unnamed layer silicate, 387
- Unnamed minerals
- Al-rich intermetallic compounds, 185
  - AuAgTe<sub>3</sub>, 570
  - Au(Te,Tl), 1210
  - (Au,Pb)<sub>3</sub>TeO<sub>2</sub>, 570
  - Au<sub>4</sub>Pb<sub>3</sub>Te<sub>2</sub>O<sub>11</sub>, 570
  - (Bi,Pb,Pd)Te, 387
  - (Bi,Au)<sub>4</sub>S<sub>5</sub>, 1210
  - Bi<sub>5</sub>AuS<sub>4</sub>, 1210
  - (Bi,Pb)<sub>5</sub>AuS<sub>3</sub>, 1210
  - (Bi,Pb)<sub>5</sub>AuS<sub>4</sub>, 1210
  - (Bi,Au,Pb)<sub>6</sub>S<sub>3</sub>, 1210
  - (Bi,Pb)<sub>6</sub>AuS<sub>3</sub>, 1210
  - (Bi,Pb)<sub>6</sub>AuS<sub>4</sub>, 1210
  - Ca analogue, 1009
  - Ca-Ce fluorocarbonates, 185
  - (Co,Ni,Fe,Cu)AsS, 1210
  - (Cu,Fe)(Fe,Mo)<sub>4</sub>S<sub>8</sub>, 763
  - Cu<sub>3</sub>(Bi,Tl)S<sub>4</sub>, 1210
  - Fe<sub>5</sub>Si<sub>2</sub>, 185
  - hollandite-type mineral, 185
  - K-U vanadate, 1210
  - K<sub>2</sub>(NH<sub>4</sub>)Mg<sub>3</sub>Cl<sub>9</sub> · 18H<sub>2</sub>O, 1210
  - Mo<sub>3</sub>Se<sub>4</sub>, 570
  - Mo<sub>3</sub>Te<sub>4</sub>, 570
  - NaCa<sub>2</sub>B<sub>9</sub>O<sub>14</sub>(OH)<sub>4</sub> · 2H<sub>2</sub>O, 1210
  - Na<sub>1.23</sub>Ca<sub>0.12</sub>Y<sub>1.28</sub>REE<sub>0.24</sub>F<sub>6</sub>, 1210
  - Na<sub>25</sub>BaREE<sub>2</sub>(CO<sub>3</sub>)<sub>11</sub>(HCO<sub>3</sub>)<sub>4</sub>(SO<sub>4</sub>)<sub>2</sub> · F<sub>2</sub>Cl, 185
  - Ni-chalcophanite, 387
  - (Ni,Fe,Rh)S, 1210
  - Os<sub>2</sub>S<sub>3</sub>, 387
  - P analogue of molybdoformacite, 1210
  - (Pd,Ni)<sub>0.44</sub>(Te,Sb)<sub>0.56</sub>, 763
  - PdCuHg, 387
  - (Pd,Cu)<sub>2</sub>Te<sub>3</sub>, 1210
  - (Pd,Rh)<sub>2</sub>(Sb,As), 1210
  - (Pd,Ag,Ni)<sub>3</sub>Te<sub>4</sub>, 1210
  - (Pd,Cu)<sub>3</sub>Sb, 1210
  - Pd<sub>3</sub>Hg<sub>2</sub>, 387
  - (Pd,Ni)<sub>4</sub>As<sub>3</sub>, 1210

- Unnamed minerals, *cont.*
- (Pd,Pt)₄Sb<sub>3</sub>, 1210
  - (Pd,Cu)<sub>9</sub>SnTe<sub>2</sub>S<sub>2</sub>, 387
  - PtCu<sub>5</sub>, 387
  - (Rh,Ir)SbS, 1210
  - (Rh,Pt)<sub>3</sub>(Fe,Ni)<sub>3</sub>S<sub>8</sub>, 1210
  - REE analogue of hilairite, 185
  - Sb-cosalite, 570
  - tetragonal Cu<sub>1.96</sub>S, 185
  - unnamed Ca-Mg silicate, 570
  - unnamed layer silicate, 387
  - unnamed tetrahedrite-group mineral, 387
  - Y-Ca carbonate, 185
  - Unnamed tetrahedrite-group mineral, 387
  - Uranopolycrase, 763
  - Utah, 513, 654, 1167
  - Virginia, 221
  - Vistepite, 1009
  - Wadeite, 31
  - Wadsleyite, 1021
  - Watanabeite, 1009
  - Wenden, Henry Edward, Memorial of, 392
  - Whitlockite, 375
  - Winchell, Horace, Memorial of, 1231
  - Wollastonite, 134
  - Wüstite, 274
  - Wyart, Jean, Memorial of, 1015
  - Wyoming, 683
  - XAS, 838
    - LiFeO<sub>2</sub>, 274
    - opal, 622
    - periclase, 274
    - SiO<sub>2</sub>, 622
    - SiO<sub>2</sub>-P<sub>2</sub>O<sub>5</sub>, 785
    - SiP<sub>2</sub>O<sub>7</sub>, 785
    - wüstite, 274  - XRD
    - albite, 1042
    - amphibole, 862
    - anorthite, 24
    - augite, 668
    - barberiite, 381
    - bementite, 91
    - calcite, 15
    - carlosruizite, 1003
    - chavesite, 385
    - chladniite, 375
    - cristobalite, 1
    - cryptomelane, 80
    - cummingtonite, 862
    - dolomite, 15
    - fetiasite, 996
    - fuenzalidaite, 1003  - XRD, *cont.*
    - grunerite, 862
    - hausmannite, 80
    - heulandite, 675
    - hollandite, 80
    - illite, 700
    - MgGeO<sub>3</sub>, 197
    - majorite, 581
    - manganosite, 80
    - maricopaite, 175
    - monetite, 385
    - montmorillonite, 683
    - parsettensite, 426
    - penkvilksite, 1185
    - phlogopite, 289
    - Sr-bearing feldspar, 24
    - siderite, 921
    - topaz, 401
    - tridymite, 606
    - tuzlaite, 562  - XRF
    - apatite, 892
    - topaz, 1167  - Y-Ca carbonate, 185
  - Yingjiangite, 1210
  - Zr, 838
  - Znucalite, 1210