

From Moyal, O. B. M.S. Thesis of California, 2nd  
1971

1109

## REFERENCES

- Aasen, G. A., D. A. Sweetnam, L. M. Lynch. 1998. Establishment of the wakasagi, *Hypomesus nipponensis*, in the Sacramento-San Joaquin estuary. **Calif. Fish. Game** 84:31-35.
- Aasen, K. D. and F. D. Henry, Jr. 1981. Spawning behavior and requirements of Alabama spotted bass, *Micropterus punctulatus henshalli*, in Lake Perris, Riverside County, California. **Calif. Fish, Game** 67: 118-125.
- Aceituno, M. E., and C. D. Vanicek. 1976. Life history studies of the Sacramento perch, *Archoplites interruptus*\_(Girard), in California. **Calif. Fish Game** 62:5-20.
- Aceituno, M. E., and S. J. Nicola. 1976. Distribution and status of the Sacramento perch, *Archoplites interruptus* (Girard), in California. **Calif. Fish Game** 62:246-254.
- Adams, P. B., T. E. Laidig, K. R. Silberberg, M. J. Bowers, B. M. Jarvis, K. M. Sakuma, K. Baltz, and D. W. Woodbury. 1996. Historic and current presence-absence data of coho salmon (*Oncorhynchus kisutch*) in the Central Valley Evolutionary Significant Unit. NMFS Southw. Fish. Sci Center Admin. Rpt. T-96-01: 24 pp
- Ahmed, S. S., A. L. Linden, and J. J. Cech, Jr. 1988. A rating system and annotated bibliography for the selection of appropriate indigenous fish species for mosquito and weed control. **Bull. Soc. Vector Ecol.** 13: 1-59.
- Akihito** and K. Sakamoto. 1989. Rexamination of the status of the striped goby. **Jap. J. Ichthyology** 36: 100-112.
- Alley, D. W. 1977a. The energetic significance of microhabitat selection by fishes in a foothill Sierra stream. Unpubl. M.S. thesis, UC Davis. 267 pp.
- Alley, D. W. 1977b. Significance of microhabitat selection for fishes in a Sierra foothill stream. Cal-

Neva **Wildl.** Trans. 1977: 27-33.

American Fisheries Society. 1987. Carp in North America. American Fisheries Soc., Bethesda, MD.  
84 pp.

American Fisheries Society 1991. List of common and scientific names of North American fishes.  
American Fish. Soc. , Bethesda, MD.

Anas, R. E. 1959. Three-year-old pink salmon. J. Fish. Res. Board Can. 16:91-94.

Anderson, C. A. 1936. Volcanic history of the Clear Lake area, California. Bull. Geol. Soc. Am.  
97:629-664.

Anderson. N. L., D. L. Woodward, and A. E. Colwell. 1986. Pestiferous dipterans and two recently  
introduced aquatic species at Clear Lake. Proc. **Calif.** Mosq. Vector Cont. Assn. 54: 163-167.

Andreasen, J. K. 1975. Systematics and status of the family Catostomidae in southern Oregon. Ph.D.  
Diss., Oreg. State Univ. 76 pp.

Anglin, D. R. 1994. Lower **Klamath** River instream flow study: scoping evaluation for the Yurok  
Indian Reservation. USFWS Lower Columbia River Fishery Resource Office, Vancouver,  
WA. 46 pp.

Applegate, R. L., and J. W. Mullan. 1967. Food of the black bullhead (*Ictalurus melas*) in a new  
reservoir. Proc. 20th Annu. Conf. Southeast Assoc. Game Fish Comm. :288-292.

Applegate, R. L., J. W. Mullan, and D. L. Morais. 1967. Food and growth of six centrarchids from  
shoreline areas of Bull Shoals Reservoir. Proc. 20th Annu. **Conf.** Southeast Assoc. Game Fish  
Comm: 469-482.

Arendt, J. D. and D. S. Wilson. 1997. Optomistic growth: competition and an ontogenetic niche-shift  
select for rapid growth in pumpkinseed sunfish (*Lepomis gibbosus*). Evolution 51: 1946-

1954.

- Arkush, K. D., M. A. Banks, D. Hedgecock, P. A. Siri, and S. Hamelberg. 1997. Winter-run chinook salmon broodstock program: progress report through April 1996. Interagency Ecol. Study Prog. Tech. Rpt. 49: 42 pp.
- Armour, C. and P. L. Herrgesell. 1985. Distribution and abundance of fishes in the San Francisco Bay estuary between 1980 and 1982. *Hydrobiol.* 129: 211-227.
- Armour, C. L. 1993. Evaluating temperature regimes for protection of **smallmouth** bass. **USDI** Fish and Wildlife Serv. Res. Publ. 191.
- Armour, C. L. 1994. Evaluating temperature regimes for protection of brown trout. **USDI** Nat. Biol. Survey Res. **Publ.** 201: 20 pp.
- Armstrong, J. L., D. A. Armstrong, and S. B. Mathews. 1995. Food habits of estuarine staghorn sculpin, *Leptocottus armatus*, with focus on consumption of juvenile Dungeness Crab, *Cancer magister*. *Fish. Bull.* 93: 456-470.
- Armstrong, R. H., and W. M. Morton. 1969. Revised annotated bibliography on the Dolly Varden char. Alaska Dep. Fish Game Res. Rep. 7: 108 pp.
- Avault, J. W., R. O. Smitherman, and E. W. Shell. 1966. Evaluation of eight species of fish for aquatic weed control. FAO World Symposium on Warmwater Pond Fish Culture. FR VII, E-3:1-14.
- Awise, J. C. 1976. Genetics of plate morphology in an unusual population of threespine sticklebacks (*Gasterosteus aculeatus*). *Genet. Res. Comb.* 27: 33-46.
- Awise, J. C., and F. J. Ayala. 1976. Genetic differentiation in speciose versus depauperate phylads: evidence from the California minnows. *Evolution* 30:46-58.

- Awise, J. C., J. J. Smith, and F. J. Ayala. 1975. Adaptive differentiation with little genic change between two native California minnows. *Evolution* 29:411-426.
- Ayres, W. O. 1854, 1855. [Descriptions of new species of fish from San Francisco from the Daily Placer and Transcript]. Reprinted in Proc. **Calif.** Acad. Sci.(1857) 1:1-77.
- Baerends, G. P., and J. M. Baerends-Van Roon. 1950. An introduction to the ethology of cichlid fishes. *Behaviour Suppl.* 11:1-292.
- Bagarinao, T. and R. D. Vetter. 1993. **Sulphide** tolerance and adaptation in the California killifish, *Fundulus parvipinnis*, a salt marsh resident. *J. Fish Biol.* 42: 729-748.
- Baggerman, B. 1957. An experimental study of the timing of breeding and migration in the **three-spined** stickleback. *Arch. Neerl. Zool.* 12:103-307.
- Baglin, R. E. , Jr. and L. G. Hill. 1977. Fecundity of white bass, *Morone chrysops* (Rafinesque), in Lake Texoma. *Amer. Midl. Nat.* 233-238.
- Bailey, H. C., C. Alexander, C. Digiorgio, M. Miller, S. I. Doroshov, and D. E. Hinton. 1994. The effect of agricultural discharge on striped bass (*Morone saxatilis*) in California's Sacramento-San Joaquin drainage. *Ecotoxicology* 3: 123-142.
- Bailey, R.M. 1980. Comments on the classification and nomenclature of lampreys- an alternative view. *Can. J. Fish. Aquat. Sci.* 37:1626-1629.
- Bailey, R.M. 1982. Reply to comment on Reeve M. Bailey's view of lamprey systematics. *Can. J. Fish. Aquat. Sci.* 39:1217-1220.
- Bailey, R. M., and C. E. Bond. 1963. Four new species of freshwater sculpins, genus *Coitus*, from western North America. *Occas. Pap. Mus. Zool. Univ. Mich.* 634: 25 pp.
- Bailey, R. M. and C. L. Hubbs. 1949. The black basses (*Micropterus*) of Florida, with description of

- a new species. *Mus.Zool. Univ. Mich. Occ. Paper* 516.
- Bailey, R. M., and T. Uyeno. 1964. Nomenclature of the blue chub and the tui chub, cyprinid fishes from western United States. *Copeia* 1964:238-239.
- Baker, F. B. 1995. Estimating the influence of temperature on the survival of chinook salmon smolts (*Oncorhynchus tshawytscha*) migrating through the Sacramento-San Joaquin River Delta of California. *Can. J. Fish. Aquat. Sci.* 52: 855-863.
- Baker, J. C. 1976. A contribution to the life history of the yellowfin goby (*Acanthogobius flavimanus*) in the San Francisco Bay-Delta area. M.S. thesis, CSU Sacramento. 37 pp.
- Baker, P. H. 1967. Distribution, size composition and relative abundance of the Lahontan speckled dace, *Rhinichthys osculus robustus* (Rutter), in Lake Tahoe. *Calif. Fish Game* 53:165-173.
- Baker, P. H., and A. J. Cordone. 1969. Distribution, size composition, and relative abundance of Piute sculpin, *Cottus beldingii* Eigenmann and Eigenmann, in Lake Tahoe. *Calif. Fish Game* 55:285-297.
- Baker, P.H. and F. Reynolds. 1986. Life history, habitat requirements, and status of coho salmon in California. Report to **Calif.** Fish and Game Commission, Calif.Dept. Fish, Game. 37 pp.
- Baker, S. C. 1996. Upper lethal temperature tolerance of fingerling black crappie. *J. Fish Biol.* 48: 1123-1129.
- Balling, S. S., T. Stoehr, and V. H. Resh. 1980. The effects of mosquito control recirculation ditches on the fish community of a San Francisco Bay salt marsh. **Calif.** *Fish Game* 66:25-34.
- Balon, E. K. 1995. The common carp, *Cyprinus carpio*: its wild origin, domestication in aquaculture, and selection as colored *nishikigoi*. *Guelph Ichthyology Rev.* 3: 1-56.
- Baltz, D. M. 1984. Life history variation among female surfperches (Perciformes: Embiotocidae).

- Envir. Biol. Fish. 10: 159-171.
- Baltz, D. M. and E. J. Loudenslager. 1984. Electrophoretic variation among subspecies of tule perch (*Hysteroecarpus traski*). Copeia 1984:223-227.
- Baltz, D. M., and P. B. Moyle. 1981. Morphometric analysis of the tule perch (*Hysteroecarpus traski*) populations in three isolated drainages. Copeia 1981:305-311.
- Baltz, D. M., and P. B. Moyle. 1982. Life history characteristics of tule perch (*Hysteroecarpus traski*) populations in contrasting environments. Environ. Biol. Fishes 7:229-242.
- Baltz, D. M. and P. B. Moyle. 1984. Segregation by species and size classes of rainbow trout, *Salmo gairdneri*, and Sacramento sucker, *Catostomus occidentalis*, in three California streams. Envir. Biol. Fish. 10:101-110.
- Baltz, D. M. and P. B. Moyle. 1993. Invasion resistance to introduced species by a native assemblage of California stream fishes. Ecol. App. 3:246-255.
- Baltz, D. M., P. B. Moyle, and N. J. Knight. 1982. Competitive interactions between benthic stream fishes, riffle sculpin, *Cottus gulosus*, and speckled dace, *Rhinichthys osculus*. Can. J. Fish. Aquat. Sci. 39:1502-1511.
- Baltz, D. M., B. Vondracek, L. R. Brown, and P. B. Moyle. 1987. Influence of temperature on microhabitat choice by fishes in a California stream. Trans. Amer. Fish. Soc. 116:12-20.
- Baltz, D. M., B. Vondracek, L. R. Brown, and P. B. Moyle. 1991. Seasonal changes in microhabitat selection by rainbow trout in a small stream. Trans. Amer. Fish. Soc. 120:166-176.
- Banks, M. A., V. K. Rashbrook, M. J. Calavetta, C. A. Dean, and D. Hedgecock. 1999. Microsatellite DNA variation in chinook salmon of California's Central Valley. Can J. Fish. Aquatic Sci (in press).

- Barlow, G. W. 1958a. High salinity mortality of desert pupfish *Cyprinodon macularius*. *Copeia* 1958:231-232.
- Barlow, G. W. 1958b. Daily movements of desert pupfish, *Cyprinodon macularius*, in shore pools of the Salton Sea, California. *Ecology* 39:580-587.
- Barlow, G. W. 1961a. Gobies of the genus *Giffichthys*, with comments on the sensory canals as a taxonomic tool. *Copeia* 1961:423-437.
- Barlow, G. W. 1961b. Social behavior of the desert pupfish *Cyprinodon macularius*, in the field and in the aquarium. *Amer. Midl. Nat.* 65:330-359.
- Barlow, G. W. 1963. Species structure of the gobiid fish *Gilchthys mirabihs* from coastal sloughs of the eastern Pacific. *Pacific Sci.* 17:47-72.
- Barlow, G. W., and V. **deVlaming**. 1972. Ovarian cycling in **longjaw** gobies, *Gilchthys mirabilis*, from the Salton Sea. *Calif Fish Game* 58:50-57.
- Barnes, B. V. 1993. The landscape ecosystem approach and conservation of endangered species. *Endangered Species Update* 10:13-25.
- Barnes, R. N. 1957. A study of the life history of the western roach, *Hesperoleucus symmetricus*. M.A. Thesis, Univ. Calif, Davis, 25 pp.

- Barnhart, R. A. 1986. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (Pacific Southwest)--steelhead. U.S. Fish **Wildl.** Serv. Biol. Rep. 82(11.60).
- Barnhart, R.A., M. J. Boyd, and J. E. Pequenat. 1992. The ecology of Humboldt Bay, California: an estuarine profile. USFWS Biol. Rpt. 1: 121 pp.
- Barracough, W. E. 1964. Contribution to the marine life history of the eulachon, *Thaleichthys pacificus*. J. Fish. Res. Board Can. 21:1333-1337.
- Barrett, J. C. , G. D. Grossman, and J. Rosenfield. 1992. Turbidity-induced changes in reactive distance of rainbow trout. Trans. Amer. Fish. Soc. 121: 437-443.
- Barrett, P. J. 1983. Systematics of fishes of the genus *Tilapia* (Perciformes: Cichlidae) in the lower Colorado River Basin. M. S. thesis, Arizona State Univ. 59 pp.
- Bartholomew, J. P. 1966. The effects of threadfin shad on white crappie growth in Isabella Reservoir, Kern County, California. **Calif.** Dep. Fish Game Inland Fish. Admin. Rep. 66-6: 11 pp.
- Bartley, D. M., B. Bentley, P. G. Olin, and G.A.E. Gall. 1992. Population genetic structure of coho salmon (*Oncorhynchus kisutch*) in California. **Calif.** Fish, Game 78: 88-104.
- Bartley, D. M., G. A. E. Gall, and B. Bentley. 1990. Biochemical and genetic detection of natural and artificial hybridization of chinook and coho salmon in Northern California. Trans. Amer. Fish. Soc. 119: 431-437.
- Bartley, D. M., G. A. E. Gall, and B. **Bentley**. **1985**. Preliminary description of the genetic structure of white sturgeon, *Acipenser transmontanus*, in the Pacific Northwest. Pp. 105-109 in **F. P. Binkowski** and S. I. Doroshov, eds., North American sturgeons: biology and aquaculture potential. Dordrecht: W. J. Junk.
- Baugh, T. M. 1981. Adapting Salt Creek pupfish (*Cyprinodon salinus*) to fresh water. Great Basin



- Nat. 41: 341-342.
- Baugh, T. M. 1982. Social behavior of the Salt Creek pupfish (*Cyprinodon salinus*) in aquaria. *J. Aquariculture* 2(2): 25-28.
- Baumgartner, J. V. 1995. Phenotypic, genetic, and environmental integration of morphology in a stream population of the threespine stickleback, *Gasterosteus aculeatus*. *Can. J. Fish. Aquat. Sci.* 52:1307-1317.
- Baumgartner, J. V. and M. A. Bell. 1984. Lateral plate morph variation in California populations of the threespine **stickleback**, *Gasterosteus aculeatus*. *Evolution* 38: 665-674.
- Baxter, R. D. 1998. **Osmeridae** of the Sacramento-San Joaquin estuary. Unpubl. ms., Calif. Dept of Fish and Game, Stockton.
- Baxter, R. D. 1999. Status of splittail in California. *Calif. Fish, Game* 85: 28-30.
- Baxter, R. D. , W. Harrell, and L. Grimaldo. 1996. 1995 splittail spawning investigations. *IEP Newsletter* 9(4):27-31.
- Bay, E. C. 1966. Adaptation studies with the Argentine pearl fish, *Cynolebias belottii*, for its introduction into California. *Copeia* 1966:839-846.
- Beamesderfer, R.C. P., D. L. Ward, and A. A. Nigro. 1996. Evaluation of the biological basis for a predator control program on northern squawfish (*Ptychocheilus oregonensis*) in the Columbia and Snake Rivers. *Can. J. Fish., Aquat. Sci.* 53: 2898-2908.
- Beamish, R. J. 1980. Adult biology of the river lamprey (*Lampetra ayersi*) and the Pacific lamprey (*Lampetra tridentata*) from the Pacific coast of Canada. *Can. J. Fish. Aquat. Sci.* 37:1906-1923.
- Beamish, R.J. 1987. Evidence that parasitic and nonparasitic life history types are produced by one

- population of lamprey. *Can. J. Fish., Aquat. Sci.* 44:1779-1782.
- Beamish, R.J. and C.M. Neville. 1992. The importance of size as an isolating mechanism in lampreys. *Copeia* 1992: 191-196.
- Beamish, R.J. and T.G. Northcote. 1989. Extinction of a population of anadromous parasitic lamprey, *Lampetra tridentata*, upstream of an impassable dam. *Can. J. Fish. Aquat. Sci.* 46:420-425.
- Beamish, R. J. and C. M. Neville. 1995, Pacific salmon and Pacific herring mortalities in the Fraser River plume caused by river lamprey (*Lampetra ayersi*). *Can. J. Fish. Aquat. Sci.* 52: 644-655.
- Beamish, R. J., and J. H. Youson. 1987. Life **history** and abundance of young adult *Lampetra ayersi* in the Fraser River and their possible impact on salmon and herring stocks in the Strait of Georgia. *Can. J. Fish. Aquat. Sci.* 44:525-537.
- Beck, W. R., and W. H. Massmann. 1951. Migratory behavior of the rainwater killifish, *Lucania parva*, in the York River, Virginia. *Copeia* 1951:176.
- Becker, G. C. 1983. *Fishes of Wisconsin*. University of Wisconsin Press, Madison. 1052 pp.
- Behnke, R. J. 1981. Systematic and zoogeographical interpretation of Great Basin trouts, 95-125 in R. S. Naiman and D. L. Soltz, eds., *Fishes in North American deserts*. John Wiley and Sons, New Jersey.
- Behnke, R. J. 1972. The systematics of salmonid fishes in recently glaciated lakes. *J. Fish. Res. Board Can.* 29:639-671.
- Behnke, R. J. 1992. Native trout of western North America. *Amer. Fish. Soc. Mono.* 6: 275 pp.
- Behnke, R. J. 1997. Evolution, systematics, and structure of *Oncorhynchus clarki clarki*. Pages 3-6

- in* J. D. Hall, P. A. Bisson, and R. E. Gresswell, eds. Sea-run cutthroat trout: biology, management and future conservation. Oregon Chap., Amer. Fish. Soc., Corvallis
- Beland, R. O. 1953a. The effect of channelization on the fishery of the lower Colorado River. *Calif Fish Game* 39:137-139.
- Beland, R. O. 1953b. Occurrence of two additional centrarchids in the lower Colorado River. **Calif.** *Fish Game* 39:149-151.
- Bell, R. R. 1960. Propagation of bait minnows in California. Calif Dep. Fish Game Inland Fish Admin. Rep. 56-11: 20 pp.
- Bell, M. A. 1976. Evolution of phenotypic diversity in *Gasterosteus aculeatus* superspecies on the Pacific coast of North America. *Syst. Zool.* 25: 211-227.
- Bell, M. A. 1978. Fishes of the Santa Clara River system, southern California. *Contrib. Sci. Nat. Hist. Mus. Los Angeles Co.* 295:1-20.
- Bell, M. A. 1979. Low-plate morph of the threespine **stickleback** breeding in saltwater. *Copeia* 1979: 529-533.
- Bell, M. A. 1981. Lateral plate polymorphism and ontogeny of the complete plate morph of threespine sticklebacks (*Gasterosteus aculeatus*). *Evolution* 35: 67-74.
- Bell, M. A. 1982b. Melanism in a high elevation population of *Gasterosteus aculeatus*. *Copeia* 1982:829-835.
- Bell, M. A. 1982a. Differentiation of adjacent stream populations of threespine sticklebacks. *Evolution* 36: 189-199.
- Bell, M. A. 1994. Paleobiology and evolution of threespine sticklebacks. Pages 438-471 *in* M. A. Bell and S. A. Foster, eds. The evolutionary biology of the threespine stickleback. Oxford:

Oxford Univ. Press.

Bell, M. A. and T. R. Haglund. **1978**. Selective predation on **threespine** sticklebacks (*Gasterosteus aculeatus*) by garter snakes. *Evolution* **32**: 304-319.

Bell, M. A., and K. E. Richkind. **1981**. Clinal variation of lateral plates in **threespine** stickleback fish. *Amer. Nat.* **117**:113-132.

Bell, R. R., and J. B. Kimsey. **1955**. Some considerations of the chemical treatment of the Monticello Reservoir basin, Napa County. *Calif. Dep. Fish Game Inland Fish. Admin. Rep. No. 55*. 7 pp.

Berekjikan, B. A. **1995**. The effects of hatchery and wild ancestry and experience on the relative ability of **steelhead** trout fry (*Oncorhynchus mykiss*) to avoid a **benthic** predator. *Can. J. Fish. Aquat. Sci.* **52**: 2476-2482.

Berg, W. J. **1987**. Evolutionary genetics of rainbow trout, *Parasalmo gairdnerii* (Richardson). Ph.D. **Diss.**, Univ. Calif., Davis.

Beinz, C. S. and J. S. Ziller. **1987**. Status of three **lacustrine** sucker species (*Catostomidae*). Report to US Fish & Wildlife Service, Sacramento. **39** pp.

Bennett, W. A. and L. Howard. **1997**. El Ninos and the decline of striped bass. **IEP** newsletter **10(4)**: 7-10.

Bennett, W. A. and L. Howard. **1999**. Climate change and the decline of striped bass. **IEP** newsletter **12(2)**: 53-56.

Bennett, W. A. and P. B. Moyle. **1996**. Where have all the fishes gone? Interactive factors producing fish declines in the Sacramento-San Joaquin estuary. Pages **519-541** in J. T. **Hollibaugh**, ed. San Francisco Bay: the Ecosystem. Pacific Division, **AAAS**

Bennett, W. A., D. J. Ostrach, and D. E. Hinton. **1995**. Larval striped bass condition in a drought-

- stricken estuary: evaluating pelagic food limitation. *Ecol. Apps.* 5: 680-692.
- Benson, S. B., and R. J. Behnke. 1961. *Salmo evermanni*, a synonym of *Salmo clarki henshawi*. *Calif Fish Game* 37:257-259.
- Beauchamp, D. A., B. C. Allen, R. C Richards, W. A. Wurtsbaugh, and C. R. Goldman. 1992. Lake trout spawning in Lake Tahoe: egg incubation in deepwater macrophyte beds. *N. Amer. J. Fish. Mgmt.* 12: 442-449.
- Beauchamp, D. A., P. E. Budy, B. C. Allen, and J. F. Godfrey. 1994. Timing, distribution, and abundance of kokanees spawning in a Lake Tahoe tributary. *Great Basin Nat.* 54: 130-141.
- Beukema, J. 1963. Experiments on the effects of the hunger state on the risk of prey of the three-spined stickleback. *Arch. Nees. Zool.* 15: 358-361.
- Bevelhimer**, M. S. and S. M. Adams. 1993. A bioenergetics analysis of diel vertical migration by kokanee salmon, *Oncorhynchus nerka*. *Can. J. Fish. Aquat. Sci.* 50: 2336-2349.
- Bills, F.T., and C.E. Bond. 1980. A new subspecies of tui chub (Pisces: Cyprinidae) from Cowhead Lake, California. *Copeia* 1980:320-322.
- Bilby, R. E., B. R. Fransen, P. A. Bisson, and J. K. Walter. 1998. Response of juvenile coho salmon (*Oncorhynchus kisutch*) and steelhead (*Oncorhynchus mykiss*) to the addition of salmon carcasses to two streams in southwestern Washington, USA. *Can. J. Fish. Aquat. Sci.* 55: 1909-1918.
- Bird, F. H. 1975. Biology of the blue and tui chubs in Easy and Paulina lakes, Oregon. Unpubl. M.S. Thesis, Oregon State Univ. 165 pp.
- Birdsong, R. S., E. O. Murdy, and F. L. Pezold. 1988. A study of the vertebral column and

median fin osteology in gobioid fishes with comments on gobioid relationships. *Bull. Mar. Sci.* 42: 174-214.

Birstein, V.J., W. E. Bemis, and J. R. Waldeman. 1997. The threatened status of acipenseriform fishes: a summary. *Environmental Biology of Fishes* 48: 427-435.

Birstein, V. J., R. Hanner, and R. DeSalle. 1997. Phylogeny of the Acipenseriformes: cytogenetic and molecular approaches. *Environmental Biology of Fishes* 48: 127-155.

Bisson, P. A. , K. Sullivan, and J. L. Nielsen. 1988. Channel hydraulics, habitat use, and body form of juvenile coho salmon, steelhead, and cutthroat trout in streams. *Trans. Amer. Fish. Soc.* 117: 262-273.

Bjornn, T. C. and D. W. Reiser. 1991. Habitat requirements of salmonids in streams. Pages 83-138 *in* W. R. Meehan, ed. Influences of forest and rangeland management of salmonid fishes and their habitats. *Amer. Fish. Soc. Spec. Pub.* 19. Bethesda MD.

✓ Black, J. B., R. T. Muth, and T. P. Nesler. 1993. Predation on fish larvae by adult red shiner, Yampa and Green rivers, Colorado. *Southw. Nat.* 38:397-399.

Black, M. 1995. Tragic remedies: a century of failed fishery policy on California's Sacramento River. *Pac. Hist. Rev.* 64: 37-70..

Blumer, L. S. 1985. The significance of biparental care in the brown bullhead, *Ictalurus nebulosus*. *Environmental Biology of Fishes* 12: 231-236.

Boccone, V. M. and T. J. Mills. 1979. Spawning behavior and spawning substrate preference of the Modoc sucker, *Catostomus microps* (Rutter). **Calif.** Dept. Fish, Game Inland Fisheries

- Endangered Species Program Spec. Publ. 79-2: 33pp.
- Boles, G. L. 1976. A range extension for the logperch, *Percina macrolepida*, in California. **Calif.** Fish Game 62: 154.
- Boles, G. L. 1990. Food habits of juvenile wild and hatchery steelhead trout, *Oncorhynchus mykiss*, in the Trinity River, California. CFG Inland Fish. Admin. Rpt. 90-10: 8 pp.
- Bolster, B. C. 1990. Five year status report, desert pupfish. Unpub. Rpt. **Calif.** Dept. Fish, Game, Sacramento. 12 pp.
- Bond, C. E. 1948. Fish management problems of Lake of the Woods. **Unpubl.** M.S. thesis, Oregon State Univ., Corvallis. 109 pp.
- Bond, C. E. 1973. Keys to Oregon freshwater fishes. Ore. State Univ. Agric. Exp. Stn. Tech. Bull. 58: 42 pp.
- Bond, C. E. 1963. Distribution and ecology of freshwater sculpins, genus *Cottus*, in Oregon. Ph.D. Dissertation, Univ. Mich., 198 pp.
- Bond, C. E. 1966. Endangered plants and animals of Oregon. Oregon State Univ. Agric. Exp. Stn. Spec. Rep. 205: 8 pp.
- Bond, C. E. 1973. Occurrence of the reticulate sculpin, *Cottus perplexus*, in California, with distributional notes on *Cottus gulosus* in Oregon and Washington. **Calif.** Fish Game 59:93-94.
- Bond, C. E., and T. T. Kahn. 1973. *Lampetra (Entosphenus) minima* n. sp., a dwarfed parasitic lamprey from Oregon. Copeia 1973:568-574.

- Bond, C. E., E. Rexstad, and R. M. Hughes. 1988. Habitat use of twenty-five common species of Oregon freshwater fishes. *Northwest Sci.* 62:223-232.
- Borgeson, D., and G. W. McCammon. 1967. White catfish, *ktalurus catus*, of the Sacramento-San Joaquin Delta. **Calif.** Fish Game 53:254-263.
- Borodin, A. L. 1984. The Red Book of the USSR: species of animals and plants in danger of extinction, Vol. 1. Moscow: Forest Industry. 2nd Edition.
- Botsford, L. W. and J. G. Brittnacher. 1998. Viability of Sacramento River **winter-run** chinook salmon. *Cons. Biol.* 12: 65-79.
- Botsford, L. W., B. Vondracek, T. C. Wainwright, A. L. Linden, R. G. Kope, D. E. Reed, and J. Cech, Jr. 1987. Population development of the mosquitofish, *Gambusia affinis*, in rice fields. *Env. Biol. Fish.* 20: 143-154.
- Bovee, K. D. 1978. Probability of use criteria for the family Salmonidae. Instream Flow Information Paper No. 4., U.S. Fish **Wildl.** Serv. FWS/OBS-78/07. 80 pp.
- Bowen, S. H. 1976. Mechanism for digestion of detrital bacteria by the cichlid fish *Sartharodon mossambica* (Peters). *Nature* 260: 137-138.
- Bozek, M. A., L. J. Paulson, and Gene R. Wilde. 1991. Spawning season of the razorback sucker, *Xyrauchen texanus*, in Lake Mojave, Arizona and Nevada. *J. Freshwater Ecol.* 6:61-73.
- Bradford, M. J. and G. C. Taylor. 1997. Individual variation in dispersal behaviour of newly emerged chinook salmon (*Oncorhynchus tshawytscha*) from the upper Fraser River, British Columbia. *Can. J. Fish. Aqua. Sci.* 54: 1585-1592.
- Branner, J. C. 1907. A drainage peculiarity of the Santa Clara Valley affecting fresh-water faunas. *J. Geol.* 15:1-10.



- Brauer, C. O. 1971. A study of the western sucker *Catostomus occidentalis* Ayres in lower Hat Creek, California. M.S. Thesis, **Calif.** State Univ., Humboldt, 41 pp.
- Breder, C. M., and D. E. Rosen. 1966. Modes of reproduction in fishes. Am. Mus. Nat. Hist., N.Y., 941 pp.
- Brennan, J.S. and G.M. Cailliet. 1991. Age determination and validation studies of white sturgeon, *Acipenser transmontanus*, in California. Pages 209-234 in P. Williot, ed. *Acipenser*. CEMAGREF, Bordeaux, France.
- Brett, J. R. 1952. Temperature tolerances of young Pacific salmon, *Oncorhynchus*. *J. Fish. Res. Board Can.* 9:264-323.
- Brice, J. C. 1953. Geology of Lower Lake Quadrangle, California. **Calif.** Div. Mines Bull. 166: 72 pp.
- Bridcut, E. E. and P. S. Giller. 1995. Diet variability and foraging strategies in brown trout (*Salmo trutta*): an analysis from subpopulations to individuals. *Can. J. Fish. Aquat. Sci.* 52: 2543-2552.
- Briggs, J. O. 1953. The behavior and reproduction of salmonid fishes in a small coastal stream. **Calif.** Dep. Fish Game Fish Bull. 94:1-62.
- Brittan, M., A. Albrecht, and J. Hopkirk. 1963. An oriental goby collected in the San Joaquin River delta near Stockton, California. *Calif. Fish Game* 49:302-304.
- Brittan, M., J. Hopkirk, J. Connors, and M. Martin. 1970. Explosive spread of the oriental goby, *Acanthogobius flavimanus* in the San Francisco Bay-Delta region of California. *Proc. Calif. Acad. Sci.* 38:207-214.
- Broadway, J. E. and P. B. Moyle. 1978. Aspects of the ecology of the prickly sculpin, *Cottus*

- asper Richardson, a persistent native species in Clear Lake, Lake County, California. *Env. Biol. Fish.* 3: 337-343.
- Brocksen, R. W. and R. E. Cole. 1972. Physiological responses of three species of fishes to various salinities. *J. Fish. Res. Bd. Canada* 29: 399-405.
- Brodour, R. D. and W. G. Pearcy. 1987. Diel feeding chronology, gastric evacuation, and estimated daily ration of juvenile coho salmon, *Oncorhynchus kisutch* (Walbaum), in the coastal marine environment. *J. Fish. Biol.* 31: 465-477.
- Broughton, J. M. 1994. Late Holocene resource intensification in the Sacramento Valley, California: the vertebrate evidence. *J. Arch. Sci.* 21:501-514.
- Browman, H. I. and W. J. O'Brien. 1992. The ontogeny of search behavior in the white crappie, *Pomoxis annularis*. *Env. Bio. Fish* 34: 181-195.
- Brown, B. E., and J. S. Dendy. 1961. Observations on the food habits of flathead and blue catfish in Arkansas. *Proc. 15th Annu. Conf. Southeast Assoc. Game Fish Comm.* :210-222.
- Brown, C. J. D. 1971. *Fishes of Montana*, Big Sky Books, Bozeman, Montana, 207 pp.
- Brown, J. A. 1984. Parental care and the ontogeny of predator-avoidance in two species of centrarchid fish. *Anim. Behav.* 32: 113-119.
- Brown, J. H. 1971. The desert pupfish. *Sci. Am.* 225:104-110.
- Brown, J. H., and C. R. Feldmeth. 1971. Evolution in constant and fluctuating environments: thermal tolerances of desert pupfish, *Cyprinodon*. *Evolution* 25:390-398.
- Brown, J. R., A. T. Beckenbach, and M. J. Smith. 1992. Influence of Pleistocene glaciations and human intervention upon mitochondrial DNA diversity in white sturgeon (*Acipenser transmontanus*) populations. *Can. J. Fish., Aquatic Sci.* 49: 358-367.

- Brown, J. H., and C. R. Feldmeth. 1971. Evolution in constant and fluctuating environments: Thermal tolerances of desert pupfish, *Cyprinodon*. *Evolution* 25:390-398.
- Brown, L. B. 1987. The fishes of the Eel River Drainage: A review and annotated bibliography. Unpubl. Rep., Dep. Wildl. Fish. Biol., Univ. Calif, Davis.
- Brown, L. B. 1988. Factors determining the distribution of three species of sculpin (*Cottus*) from the Pit River drainage, California. Ph.D. Diss., Univ. Calif., Davis.
- Brown, L. B. 1989. Temperature preferences and oxygen consumption of three species of sculpin (*Cottus*). *Env. Biol. Fish.* 26: 223-236.
- Brown, L. B. 1990. Age, growth, feeding, and behavior of Sacramento squawfish (*Ptychocheilus grandis*) in Bear Creek, Colusa County, California. *Southwestern Naturalist* 35: 249-260.
- Brown, L. B. 1991. Differences in habitat choice and behavior among three species of sculpin (*Coitus*). *Copeia* 1991: 810-818.
- Brown, L. B. 1998. Assemblages of fishes and their associations with environmental variables, lower San Joaquin River drainage, California. USGS Open File Rpt. 98-77: 20 pp.
- Brown, L. R. and A. M. Brasher. 1995. Effect of predation by Sacramento squawfish (*Ptychocheilus grandis*) on habitat choice of California roach (*Lavinia symmetricus*) and rainbow trout (*Oncorhynchus mykiss*) in artificial streams. *Can. J. Fish., Aquat. Sci.* 52:1639-1646.
- Brown, L. R., S. A. Matern, and P. B. Moyle. 1995. Comparative ecology of prickly sculpin, *Coitus asper*, and coastrange sculpin, *C. aleuticus*, in the Eel River, California. *Envir. Biol. Fish.* 42: 329-343.
- Brown, L. R. and P. B. Moyle. 1981. The impact of squawfish on salmonid populations: a review.

- N. Amer. J. Fish. Man. 1: 104-111.
- Brown, L. R. and P. B. Moyle.1991. Changes in habitat and microhabitat partitioning within an assemblage of stream fishes in response to predation by Sacramento squawfish (*Ptychocheilus grandis*). Can. J. Fish. Aquat. Sci. 43:849-856.
- Brown, L. B., and P. B. Moyle.1992. Native fishes of the San Joaquin drainage: Status of a remnant fauna and its habitats. Pages 89-98 *in* D. L. Williams, S. Byrne, and T. A. Rado, eds., Endangered and Sensitive Species of the San Joaquin Valley, California. California Energy Commission, Sacramento, California.
- Brown, L. R. and P. B. Moyle.1993. Distribution, ecology, and status of the fishes of the San Joaquin River drainage, California. **Calif.** Fish, Game 79:96-113
- Brown, L. R. and P. B. Moyle. 1996. Invading species in the Eel River, California: successes, failures, and relationships with resident species. Envir. Biol. Fish. 49:271-291.
- Brown, L. R., P. B. Moyle, W. A. Bennett, B. D. Quelvog. 1992. Implications of morphological variation among populations of California roach *Lavinia* symmetricus (Cyprinidae) for conservation policy. Biol. Cons. 62:1-10.
- Brown, L. R., P. B. Moyle, and R. M. Yoshiyama. 1994. Status of coho salmon (*Oncorhynchus kisutch*) in California. N. Amer. J. Fish. Man. 14: 237-261.
- Brown, M. W. 1939. A brief history and identification of three species of black bass now occurring in California. **Calif.** Fish Game 25:310-312.
- Bruton, M. N. and M. Gophen. 1992. The effect of environmental factors on the nesting and courtship behaviour of *Tilapia zillii* in Lake Kinneret (Israel). Hydrobiol. 239: 171-178.

- Bryan, J. E., and P. A. Larkin. 1972. Food specialization by individual trout. J. Fish. Res. Board Can. 29:1615-1624.
- Bryant, G. L. 1977. Fecundity and growth of tule perch, *Hysterocarpus traski*, in the lower Sacramento-San Joaquin Delta. **Calif.** Fish, Game 63: 140-156.
- Buchanan, D.V., R. M. Hooton, and J. R. Morin. 1981. Northern squawfish (*Ptychocheilus oregonensis*) predation on juvenile salmonids in sections of the Willamette River basin, Oregon. Canadian Journal of Fisheries and Aquatic Sciences 38: 360-364.
- Buddington, R. K. 1979. Digestion of an aquatic macrophyte by *Tilapia zillii* (Gervais). J. Fish. Biol. 15: 449-455.
- Buettner, M. E. and G. G. Scopetone. 1991. Distribution and information on the taxonomic status of the shortnose sucker (*Chasmistes brevirostris*) and Lost River sucker (*Deltistes luxatus*) in the Klamath River basin, California. USFWS (Reno) completion report for CDFG (FG-8304): 101 pp.
- Bundy, D. S. 1970. Reproduction and growth of the tule perch, *Hysterocarpus traskii* (Gibbons), with notes on its ecology. M.S. Thesis, Univ. of Pacific, Stockton, California, 52 pp.
- Bureau of Reclamation. 1983. Predation of anadromous fish in the Sacramento River, California. Central Valley Fish and Wildlife Management Study, Special Report. **USDI** -BR, Mid-Pacific Region, Sacramento. 77 pp.
- Burns, D. C. 1974. Feeding by mature steelhead in a spawning stream. **Calif.** Fish, Game 60:205-206.
- Burns, J. W. 1966. Various species accounts in A. Calhoun, Ed., Inland Fisheries Management, **Calif.** Dept. Fish Game, Sacramento.

- Burns, J. W. 1972. Some effects of logging and associated road construction on northern California streams. *Trans. Am. Fish. Soc.* 101:1-17.
- Bury, R. B. 1972. The effects of diesel **fuel** on a stream fauna. *Calif Fish Game* 58:291-295.
- Busack, C. A. and G. A. E. Gall. 1980. Ancestry of artificially propagated California rainbow trout strains. *Calif Fish, Game* 66: 17-24.
- Busack, C. A., G. H. Thorgaard, M. P. Bannon, and G. A. E. Gall. 1980. An electrophoretic, karyotypic and meristic characterization of the Eagle Lake trout, *Salmo gairdneri aquilarum*. *Copeia* 1980:418-424.
- Busbee, R. L. 1968. Piscivorous activities on the channel catfish. *Prog. Fish-Cult.* 30:32-38.
- Busby, M. S. and R. A. Barnhart. 1995. Potential food sources and feeding ecology of juvenile fall chinook salmon in California's Mattole River Lagoon. *Calif Fish, Game* 81: 133-146.
- Buth, D. G., and C. B. Crabtree. 1982. Genetic variability and population structure of *Catostomus santaanae* in the Santa Clara drainage. *Copeia* 1982:439-444.
- Buth, D. G., C. B. Crabtree, R. D. Orton, and W. J. Rainboth. 1984. Genetic differentiation between the freshwater subspecies of *Gasterosteus aculeatus* in southern California. *Biochem. Syst. and ecology* 12: 423-432.
- Buth, D. G., R. W. Murphy, and L. Ulmer. 1987. Population differentiation and introgressive hybridization of the flannelmouth sucker and of hatchery and native stocks of the razorback sucker. *Trans. Amer. Fish. Soc.* 116: 103-110.

- Butler, R. L., and D. P. Borgeson. 1965. California "catchable" trout fisheries. **Calif. Dep. Fish Game Fish Bull.** 127: 47 pp.
- Butler, V. L. 1996. Tui chub taphonomy and the importance of marsh resources in the western Great Basin of North America. *Amer. Antiquity* 61: 699-717.
- Byers, S. and G. L. Vinyard. 1990. The effects on the plankton community of filter-feeding Sacramento blackfish, *Orthodon microlepidotus*. *Oecologia* 83: 352-357.
- California Department of Fish and Game. 1980. At the crossroads 1980. A Report on California's endangered and rare fish and wildlife. State of California Resources Agency.
- California Department of Fish and Game. 1987a. Factors affecting striped bass abundance in the Sacramento-San Joaquin River System. DFG exhibit 25, State Water Res. Control Board 1987 Water Quality/Water Rights Proc. San Francisco Bay/Sacramento-San Joaquin Delta. 149 pp.
- California Department of Fish and Game 1987b. Final environmental impact report: white bass management program. CDFG, Sacramento. 153 pp.
- California Department of Fish and Game. 1990. Status and management of spring-run chinook salmon. Report to Fish and Game Comm. Sacramento.
- California Department of Fish and Game. 1991. Attachment to comments on the Northern Spotted Owl recovery plan. Appendix c. Consideration of other species and ecosystem concerns. Submitted to Secretary for Resources, California, November 26, 1991.
- California Department of Fish and Game. 1992a. Status report: California salmon. Report to Fish and Game Commission, Sacramento. 72 pp.

- California Department of Fish and Game. 1992b. Impact of water management on splittail in the Sacramento-San Joaquin estuary. State Water Resources Control Bd. hearing for setting interim standards for the Delta. WRINT-DFG-Exhibit 5. 7 pp.
- California Department of Fish and Game. 1998. A status review of the spring-run chinook salmon (*Oncorhynchus tshawytscha*) in the Sacramento River drainage. Sacramento. Candidate Species Report 98-01: ca. 150 pp.
- Calhoun, A. J. 1940. Note on a hybrid minnow, *Apocope X Rich4onius*. Copeia 1940:142-143.
- Calhoun, A. J. 1944. The food of the black-spotted trout (*Salmo clarki henshawi*) in two Sierra-Nevada lakes. Calif. Fish Game 30:80-85.
- Campagna, C. G. and J. J. Cech, Jr. 1981. Gill venilation and respiratory efficiency of Sacramento blackfish, *Orthodon microlepidotus* Ayres, in hypoxic environments. J. Fish. Biol. 19: 581-591.
- Campbell, E. A. and P. B. Moyle. 1991. Historical and recent population sizes of spring-run chinook salmon in California. Pages. 155-216 in T. Hassler, Ed., Northeast Pacific Chinook and Coho Salmon Workshop. Arcata, California. Amer. Fish. Soc.
- Campbell, J. B. 1882. Notes on the McCloud River, California, and some of its fishes. Bull. U.S. Fish. Comm. 1:44-46.
- Campbell, R. D. and B. A. Branson. 1978. Ecology and population biology of the black bullhead, *ktalurus melas* (Rafinesque) in central Kentucky. Tulane Stud. Zool., Bot. 20: 99-136.
- Capelli, M. H. 1997. Tidewater goby (*Eucyclogobius newberryi*) management in California estuaries. Proc. Calif. and the World Ocean Conf.: 1-18.



- Carl, G. C., and Clemens. 1953. The Freshwater Fishes of British Columbia. 2nd ed. B. C. Prov. Mus. Handb. 5: 136 pp.
- Carlander, K.D. 1969. Handbook of freshwater fishery biology. Vol. 1. Iowa State Univ. Press, Ames Ia. 752 pp.
- Carney, D. A. and L. M. Page. 1990. Meristic variation and zoogeography of the genus *Ptychocheilus* (Teleostei: Cyprinidae). Copeia 1990: 171-181.
- Carpelin, L. H. 1955. Tolerance of the San Francisco topsmelt, *Atherinops affinis affinis*, to conditions in salt-producing ponds bordering San Francisco Bay. Calif. Fish, Game 41: 279-284.
- Carter, J. G., V. A. Lamarra, and R. J. Ryel. 1986. Drift of larval fishes in the upper Colorado River. J. Freshw. Biol. 3: 567-577.
- Casteel, R. W. 1976. Fish remains in archaeology. San Francisco: Academic Press. 180 pp.
- Casteel, R. W., D. P. Adam, and J. D. Sims. 1977. Late Pleistocene and Holocene remains of *Hysterocarpus traski* (tule perch) from Clear Lake, California, and inferred Holocene temperature fluctuations. Quat. Res. 7: 133-143.
- Casteel, R. W., and J. H. Hutchison. 1973. *Orthodon* (Actinopterygii, Cyprinidae) from the Pliocene and Pleistocene of California. Copeia 1973:358-361.
- Castleberry, D. T., and J. J. Cech, Jr. 1986. Physiological responses of a native and an introduced desert fish to environmental stressors. Ecology 67:912-918.
- Castleberry, D. T. and J. J. Cech, Jr. 1993. Critical thermal maxima and oxygen minima of **five** fishes from the upper **Klamath** Basin. Calif. Fish, Game 78: 145-152.
- Castleberry, D. T., J. E. Williams, G. M. Sato, T. E. Hopkins, A. M. Brasher, and M. S. Parker.

1990. Status and management of Shoshone pupfish, *Cyprinodon nevadensis shoshone* (**Cyprinodontidae**), at Shoshone Spring, Inyo County, California. Bull. S. **Calif.** Acad. Sci. 89: 19-25.
- Catching, E. D. 1977. Age and growth of redeye bass in Shoal and Little Shoal creeks, Alabama. Proc. Ann. **Conf.** SE Assoc. Fish & Wildlife Agencies 32: 380-390
- Cavender, T. M. 1978. Taxonomy and distribution of bull trout, *Salvelinus confluentus*(Suckley), form the American Northwest. **Calif.** Fish, Game 64: 139-174.
- Cavender, T, M. 1980. Systematics of *Salvelinus* from the North Pacific basin. Pages 295-322 in E. K. Balon, ed. Charrs: salmonid fishes of the genus *Salvelinus*. Dr.W. Junk, The Hague, Netherlands.
- Caywood, M. L. 1974. Contributions to the life history of the splittail *Pogonichthys macrolepidotus* (Ayres). M.S. Thesis. Calif State Univ., Sacramento. 77 pp.
- Cech, J. J. Jr., and A. L. Linden. 1987. Comparative larvivorous performances of mosquitofish, *Gambusia affinis*, and juvenile Sacramento blackfish, *Orthodon microlepidotus*, in experimental paddies. J. Amer. Mosquito Cont. Assoc. 3:35-41.
- Cech, J. J. Jr., M. J. Massingill, and H. Stern. Growth of juvenile Sacramento blackfish, *Orthodon microlepidotus* (Ayres). *Hydrobiologia* 97: 75-80.
- Cech, J. J. Jr., S. J. Mitchell, and M. J. Massingill. 1979. Respiratory adaptations of Sacramento blackfish, *Orthodon microlepidotus* (Ayres) for hypoxia. *Comp. Biochem. Physiol.* 63A: 411-415.
- Cech, J. J. Jr., S. J. Mitchell, D. T. Castleberry, and M. McEnroe. 1990. Distribution of California stream fishes: influence of environmental temperature and hypoxia. *Envir. Biol.*

Fishes 29:95-105.

Chadwick, H. E. 1959. California sturgeon tagging studies. **Calif.** Fish, Game 45: 297-301.

Chadwick, H. E., C. E. von Geldern, and M. L. Johnson. 1966. White bass. Pages 412-422 *in* A. Calhoun, ed., Inland Fisheries Management. **Calif.** Dep. Fish Game, Sacramento.

Chapman, D. W. 1962. Aggressive behavior in juvenile coho salmon as a cause of emigration. J. Fish. Res. Board Can. 19:1047-1080.

Chapman, D. W., and R. C. Bjornn. 1969. Distribution of salmonids in streams, with special reference to food and feeding, 153-176. **In** T. G. Northcote, Ed., Symposium on salmon and trout in streams, H. R. MacMillan Lectures in Fisheries, Univ. British Columbia, Vancouver.

Chapman, F. A., J. P. Van Eenennaam, and S. I. Doroshov. 1996. The reproductive condition of white sturgeon, *Acipenser transmontanus*, in San Francisco Bay, California. Fishery Bull.

**94: 628-634.**

- I Chernoff, B., J. V. Conner, and C. F. Bryan. 1981. Systematics of the *Menida beryllina* complex (Pisces: Atherinidae) from the Gulf of Mexico and its tributaries. *Copeia* 1981: 319-335.
- Chiver, D. P. and R. J. F. Smith. 1995a. Chemical recognition of risky habitats is culturally transmitted among fathead minnows, *Pimephales promelas* (Osteichthyes, Cyprinidae). *Ethology* 99: 286-296.
- Chivers, D. P. and R. J. F. Smith. 1995b. Free-living fathead minnows rapidly learn to recognize pike as predators. *J. Fish. Biol.* 46: 949-954.
- Christophel, D. B. 1988. Contributions to the life history of the redear sunfish (*Lepomis microlophus*) in Rancho Seco Reservoir, Sacramento County, California. M. S. Thesis, CSU Sacramento.
- Chigbu, P. and T. H. Sibley. 1994. Relationship between abundance, growth, egg size, and fecundity in a landlocked population of longfin smelt, *Spirinchus thaleichthys*. *J. Fish Biol* 45: 1-15
- Clark, A. L. and W. D. Pearson. 1978. Early piscivory in postlarvae of the white bass. *Proc. Ann. Conf. SE Assoc. Fish and Wildf. Agencies* 32: 409-414.
- Clark, G. H. 1929. Sacramento-San Joaquin salmon (*Oncorhynchus tshawytscha*) fishery of California. *Calif. Dep. Fish Game Fish Bull.* 17:38-39.
- Clark, G. H. 1938. Weight and age determination of striped bass. *Calif. Fish, Game* 24: 176-177.
- Clellguest, W. 1985. Temperature tolerance of Florida and northern largemouth bass: effects of subspecies, fish size, and season. *Texas J. Sci.* 37: 75-84.

- Clemens, H. P., and K. F. Sneed. 1957. The spawning behavior of the channel catfish, *Ictalurus punctatus*. U.S. Fish Wildl. Serv. Spec. Sci. Rep. Fish. 29:1-11.
- Coble, D. W. 1975. Smallmouth bass. Pages 21-33 in R. H. Stroud, ed. Black bass biology and management. Sport Fishing Inst., Wash., D.C.
- Cochran, P. A. 1986. Attachment sites of parasitic lampreys: comparisons among species. Environ. Biol. Fishes 17:71-79.
- Cohen, A. N. and J. T. Carlton. 1998. Accelerating invasion rate in a highly invaded estuary. *Science* 279: 555-558.
- Coleman, G. A. 1929. A biological survey of the Salton Sea. *Calif. Fish Game* 15:218-227.
- Coleman, G. A. 1930. A biological survey of Clear Lake, Lake County. *Calif. Fish Game* 16:221-227.
- Collins, M. R. 1981. The feeding periodicity of striped mullet, *Mugil cephalus* L., in two Florida habitats. *J. Fish Biol.* 19: 307-315.
- Colwell, A. E., N. L. Anderson and D. L. Woodward. 1997. Monitoring of dipteran pests and associated organisms in Clear Lake (California). Proc. First Ann. Clear Lake Science and Management Symposium, UC Davis-CLERC: 15-32
- Constantz, G. D. 1981. Life history patterns of desert fishes, 237-290 in R. J. Naiman and D. L. Soltz, Eds., *Fishes in North American Deserts*. John Wiley, New York.
- Contreras, G. P. 1973. Distribution of the fishes of the Lost River System, California-Oregon, with a key to the species present. M.S. Thesis, Univ. Nev., Reno, 61 pp.
- / Contreras-MacBeath, T. and H. R. Espinoza. 1996. Some aspects of the reproductive strategy of *Poecihposis gracilis* (Osteichthyes: Poeciliidae) in the Cuautla River, Mexico. *J. Fresw.*

- Biol. 11: 327-338.
- Cook, S. F., Jr. 1964. The potential of two native California fish in the biological control of chironomid midges (Diptera: Chironomidae). *Mosq. News* 24:332-333.
- Cook, S. F., Jr. 1968. The potential role of fishery management in the reduction of chaoborid midge populations and water quality enhancement. **Calif. Vector Views** 15:63-70.
- Cook, S. F., Jr., J. D. Connors, and R. L. Moore. 1964. The impact of the fishery on the midges of Clear Lake, Lake County, California. *Ann. Entomol. Soc. Am.* 57:701-707.
- Cook, S. F., Jr., and R. L. Moore. 1970. Mississippi silversides, *Menidia audens* (Atherinidae), established in California. *Trans. Amer. Fish. Soc.* 99:70-73.
- Cook, S. F., Jr., R. L. Moore, and J. D. Connors. 1966. The status of the native fishes of Clear Lake, Lake County, California. *Wassmann J. Biol.* 24:141-160.
- Cooper, J. J. 1982. Observations on the reproduction and embryology of the Lahontan tui chub, *Gila bicolor*, in Walker Lake, Nevada. *Great Basin Naturalist* 42: 60-64.
- Cooper, J. J. 1983. Distributional ecology of native and introduced fishes in the Pit River system, northeastern California, with notes on the Modoc sucker. **Calif. Fish Game** 69:39-53.
- Cooper, J. J. 1985. Age, growth, and food habits of tui chub, *Gila bicolor*, in Walker Lake, Nevada. *Great Basin Naturalist* 45: 784-788.
- Coots, M. 1955. The Pacific lamprey, *Entosphenus tridentatus*, above Copco Dam, Siskiyou County, California. **Calif. Fish Game** 41:118-119.
- Coots, M. 1956. The yellow perch, *Perca flavescens* (Mitchill), in the **Klamath** River. *Calif. Fish Game* 42:219-228.

- Coots, M. 1965. Occurrences of the Lost River sucker, *Deltistes luxatus* (Cope), and shortnose sucker, *Chasmistes brevirostris* (Cope), in northern California. **Calif.** Fish Game 51:68-73.
- Cope, E.D. 1874. On the Plagopterinae and the ichthyology of Utah. Proc. Am. Philos. Soc. 14:129-139.
- Cope, E. D. 1879. The fishes of Klamath Lake, Oregon. Am. Nat. 13:784-785.
- Cope, E. D. 1883. On the fishes of the recent and Pliocene lakes of the western part of the Great Basin, and of the Idaho Pliocene lake. Proc. Phila. Acad. Nat. Sci., 35:134-166.
- Cope, E. D., and H. C. Yarrow. 1875. Report upon the collections of fishes made in portions of Nevada, Utah, Colorado, New Mexico, and Arizona during the years 1871, 1872, 1873, and 1874. Rep. Geog. Geol. Expl. Surv., N 100th Mer.??? (Wheeler Survey) 5:635-703.
- Cordone, A., and T. C. Frantz. 1966. The Lake Tahoe sport fishery. **Calif.** Fish Game 52:240-274.
- Cordone, A., S. Nicola, P. Baker, and T. Frantz. 1971. The kokanee salmon in Lake Tahoe. **Calif.** Fish Game 57:28-43.
- Cornelius, R. H. 1969. The systematics and zoogeography of *Rhinichthys osculus* (Girard) in Southern California. M.A. Thesis, **Calif.** State Univ., Fullerton, 194 pp.
- ✓ Costa-Pierce, B. A. and R. W. Doyle. 1997. Genetic identification and status of tilapia regional strains in southern California. Pages 1-17 in B. A. Costa-Pierce and J. E. Rakocy, eds. Tilapia aquaculture in the Americas. Vol 1. World Aquacult. Soc., Baton Rouge, LA
- Cote, I. M. and M. R. Gross. 1993. Reduced disease in offspring: a benefit of coloniality in sunfish. Behav. Ecol. Sociobiol. 33: 269-274.

- Courtois, L. A. 1973. The effects of temperature, availability of oxygen, and salinity upon the metabolism of the **longjaw mudsucker**, *Gillichthys mirabilis*. M.A. Thesis, Calif. State Univ., Hayward, 32 pp.
- Coutant, C. C. 1975. Responses of bass to natural and **artificial** temperature regimes. Pages 272-285 in H. Clepper, ed. Black bass biology and management. Sport Fishing Institute, Wash., D. C.
- Cowles, R. B. 1934. Notes on the ecology and breeding habits of the desert minnow, *Cyprinodon macularius* Baird and Girard. *Copeia* 1934:40-42.
- Cox, T. J. 1966. A behavioral and ecological study of the desert **pupfish** (*Cyprinodon macularius*) in **Quitobaquito** Springs, Organ Pipe Cactus National Monument, Arizona. Ph.D. Thesis, Univ. Ariz., Tucson, 102 pp.
- Cox, T. J. 1972. The food habits of the desert **pupfish** (*Cyprinodon macularius*) in the **Quitobaquito** Springs, Organ Pipe National Monument, Arizona. J. Ariz. Acad. Sci. 7:25-27.
- Crabtree, C. B. 1985. **Allozyme** variability in the tidewater **goby**, *Encyclogobius newberryi*, (Pisces, **Gobiidae**). *Isozyme Bull.* 18:70.
- Crabtree, C. B. and D. W. Buth. 1981. Gene duplication and **diploidization** in **tetraploid catostomid** fishes, *Catostomus fumeiventris* and *C. santaanae*. *Copeia* 1981: 705-708.
- Crawford, S. S. and E. K. Balon. 1994. Alternative life histories in the genus *Lucania*. 3. An **ecomorphological** explanation of **altricial** (*L. parva*) and **precocial** (*L. goodei*) species. *Env. Biol. Fish.* 41: 369-402.



- Crear, D., and I. Haydock. 1970. Laboratory rearing of the desert pupfish, *Cyprinodon macularius*. Fish. Bull. 69:151-156.
- Crosby, A. W. 1986. Ecological imperialism: the ecological expansion of Europe, 900-1900. Cambridge Univ Press, Cambridge.
- Cross, Frank B. 1967. Handbook of Fishes of Kansas. **Univ. Kans. Mus. Nat. Hist. Misc. Publ.** 45: 357 pp.
- Culver, G. B., and C. L. Hubbs. 1917. The fishes of the Santa Ma System streams in southern California. *Lorquina* 1:82-83.
- Curtis, B. 1934. The golden trout of Cottonwood Lakes (*Salmo aqua-bonita* Jordan). Trans. Am. Fish. Soc. 64:259-265.
- Curtis, B. 1942. The general situation and the biological effects of the introduction of alien fishes into California waters. **Calif. Fish Game** 28:2-8.
- Curtis, B. 1949. The warmwater game fishes of California. **Calif. Fish Game** 35:255-273.
- Daniels, R. A. 1987. Comparative life histories and microhabitat use in three sympatric sculpins (Cottidae:Cottus) in northeastern California. *Environ. Biol. Fishes* 19:93-110.
- Daniels, R. A. and L. A. Courtois. 1982. Status and proposed management of the rough sculpin, *Coitus asperimmus* Rutter, in California. **Calif. Dept. Fish, Game Inland Fish. End. Sp. Prog. Spec. Publ.** 82-1: 20 pp;
- Daniels, R. A. and P. B. Moyle. 1978. Biology, distribution, and status of *Cottus asperrimus* in the Pit River drainage, northeastern California. *Copeia* 1978:673-679.

- Daniels, R. A., and P. B. Moyle. 1983. Life history of splittail (**Cyprinidae: *Pogonichthys macrolepidotus***) in the Sacramento-San Joaquin estuary. NOAA Fishery Bull. 84:105-117.
- Daniels, R. A., and P. B. Moyle. 1984. Geographic variation and a taxonomic reappraisal of the marbled sculpin, *Coitus klamathensis*. Copeia 1984:949-959.
- Darling, J. D.S., M. L. Noble, and E. Shaw. 1980. Reproductive strategies in the surfperches. I. Multiple insemination in natural populations of the shiner perch, *Cymatogaster aggregata*. Evolution 34: 271-277.
- Danielsen, T. L. 1968. Differential predation on *Culex pipiens* and *Anopheles albimanus* mosquito larvae by two species of fish (*Gambusia affinis* and *Cyprinodon nevadensis*) and the effects of simulated reeds on predation. Ph.D. Thesis, Univ. Calif, Riverside.
- Danylchuk, A. J. and M. G. Fox. 1996. Size- and age-related variation in the seasonal timing of nesting activity, nest characteristics, and female choice of parental male pumpkinseed sunfish (*Lepomis gibbosus*). Can. J. Zool. 74: 1834-1840
- Darnell, R. M., and R. R. Meierotto. 1965. Diurnal periodicity in the black bullhead, *Ictalurus melas* (Rafinesque). Trans. Am. Fish. Soc. 94:1-8.
- Davies, R. W. and G. W. Thompson. 1976. Movements of mountain whitefish (*Prosopium williamsoni*) in the Sheep River watershed, Alberta. J. Fish. Res. Bd. Can. 33: 2395-2401.
- Davis, K. A. 1973. The food habits of redear sunfish in two central California farm ponds. M. S. Thesis, CSU Sacramento. 35 pp.

- Davis, S. P. 1963. Commercial freshwater fisheries of California. Calif. Fish Game 49:84-94.
- Deacon, J. E. 1988. The endangered woundfin and water management in the Virgin River, Arizona. Fisheries 13:18-29.
- Deacon, J. E. and W. G. Bradley. 1972. Ecological distribution of fishes of Moapa (Muddy) River in Clark County, Nevada. Trans. Amer. Fish Soc. 101: 408-468.
- Deacon, J. E. and J. E. Williams. 1984. Annotated list of the fishes of Nevada. Proc. Biol. Soc. Wash. 97: 103-118.
- Deacon, J. E. and C. D. Williams. 1991. Ash Meadows and the legacy of the Devil's Hole pupfish. Pages 69-92 in W. L. Minckley and J. E. Deacon, eds. Battle against extinction: native fish management in the American west. Tucson, Univ. Ariz. Press.
- Decker, L. M. 1989. Coexistence of two species of sucker, *Catostomus*, in Sagehen Creek, California and notes on their status in the western Lahontan Basin. Great Basin Nat. 49: 540-551.
- Decker, L. M. and D. C. Erman. 1992. Short-term seasonal changes in composition and abundance of fish in Sagehen Creek, California. Trans. Amer. Fish. Soc. 121: 297-306.
- DeHaven, R. W. 1977. Striped bass ecology in the American and Feather rivers, California. Unpubl. Rpt. 36 pp.
- Deinstadt, J. M. 1998. Survival, growth, and yield of brown trout stocked as fingerlings in Hot Creek, California. Calif Dept. Fish, Game Inland Fish. Admin. Rpt. 98-1: 21 pp.
- Deinstadt, J. M., E. J. Pratt, F. G. Hoover, and S. Sasaki. 1988. Survey of fish populations in southern California streams: 1987. Calif. Fish Game Inland Fish. Div. Admin. Rep. 88-5. 85 pp.

- Deinstadt, J. M., G. F. Sibbald, J. D. R. 1986. Survey of fish populations in streams of the Owens River drainage. Fish Game Inland Fish. Admin. Rep. No. 86-3. 71 pp.
- Dennison, S. G., and R. V. Bulkley. 1972. Reproductive potential of the black bullhead, *Ameiurus melas*, in Clear Lake, Iowa. Trans. Am. Fish. Soc. 101:483-487.
- Desmond, J. S., J. B. Zedler, and G. D. Williams. 1999. Fish use of tidal creek habitats in two southern California salt marshes. Ecol. Engin. (In press).
- Dethloff, G. 1998. Phd dissertation. Univ. Calif, Davis.
- Dettman, D. H. 1976. Distribution, abundance, and microhabitat segregation of rainbow trout and Sacramento squawfish in Deer Creek, California. Unpubl. M.S. thesis, University of California, Davis.
- deVlaming, V. L. 1971. Thermal selection behavior in the estuarine goby, *Gillichthys mirabilis* Cooper. J. Fish Biol. 1971:277-286.
- DeVries, D.R. and R.A. Stein. 1990. Manipulating shad to enhance sport fisheries in North America: an assessment. N. Amer. J. Fish. Mgmt. 10:209-223.
- DeVries, D.R., R.A. Stein, J.G. Miner, and G.G. Mittelbach. 1991. Stocking threadfin shad: consequences for young-of-year fishes. Trans. Amer. Fish.Soc. 120:368-381.
- DeWitt, J. W. 1954. A survey of the coast cutthroat trout, *Salmo clarki clarki* Richardson in California. Calif. Fish Game 40:329-335.
- Dickerson, B. E. and G. L. Vinyard. 1998a. Effects of high chronic temperatures and diel temperature cycles on the survival and growth of Lahontan cutthroat trout, *Oncorhynchus clarki henshawi*. Trans. Amer. Fish. Soc.

- Dickerson, B. E. and G. L. Vinyard. 1998b. Effects of high levels of total dissolved solids in Walker Lake, Nevada, on survival and growth of Lahontan cutthroat trout, *Oncorhynchus clarki henshawi*. Trans. Amer. Fish. Soc.
- Dietsch, E. L. 1959. The ecology and food habits of the sculpin (*Cottus beldingi*) in relation to the eastern brook trout (*Salvelinus fontinalis*). M.A. Thesis, Univ. Calif, Berkeley.
- Dill, W. A. 1938. The rough fish problem in California. Unpublished report, California Department of Fish & Game, Sacramento. 16 pp.
- Dill, W. A. 1944. The fishery of the lower Colorado River. **Calif.** Fish Game 30:109-211.
- Dill, W. A. 1946. A preliminary report on the fishery of Millerton Lake, California. **Calif.** Fish Game 32:49-70.
- Dill, W. A. and A. J. Cordone. 1997. History and status of introduced fishes in California, 1871-1996. **Calif.** Dep. Fish, Game Fish Bull. 178: 414 pp
- Dill, W. A., M. Coots, and P. A. Douglas. 1955. The status of the pumpkinseed, *Lepomis gibbosus* (Linne) in California. **Calif.** Dep. Fish Game 41:157-159.
- Dominey, W. J. 1980. Female mimicry in male bluegill sunfish- a genetic polymorphism? *Nature* 284: 546-548.
- Dominey, W. J. 1981. Anti-predator function of bluegill sunfish nesting colonies. *Nature* 290: 586-588.
- Dotsu, Y., and S. Mito. 1955. On the breeding habits, larvae, and young of a goby, *Acanthogobius flavimanus* (Temminck and Schlegel). *Jpn. J. Ichthyol.* 4:153-161.
- Douglas, P. A. 1952. Notes on the spawning of the humpback sucker, *Xyrauchen texanus* (Abbott). **Calif** Fish Game 38:149-155.

- Dowling, T. E. and B. D. DeMarais. 1993. Evolutionary significance of introgressive hybridization in cyprinid fishes. *Nature* 362:444-446.
- Dryfoos, R. L. 1965. The life history and ecology of the longfin smelt in Lake Washington. Ph.D. Thesis, Univ. Washington, 229 pp.
- Dunham, J. B. and W. L. Minckley. 1998. Allozymic variation in desert pupfish from natural and artificial habitats: genetic conservation in fluctuating populations. *Biol. Cons.* 84: 7-16.
- Dunham, J. B., G. L. Vinyard, and B. E. Rieman. 1998. Habitat fragmentation and extinction risk of Lahontan cutthroat trout. *N. Amer. J. Fish. Mgmt.* 17: 1126-1133.
- Dunham, J. B., M. M. Peacock, B. E. Rieman, R. E. Schroeter, and G. L. Vinyard. 1998. Distribution of a threatened trout: conservation implications of local and geographic variability in the distribution of stream-living Lahontan cutthroat trout. *Trans. Amer. Fish. Soc.*
- Dunn, P. L. 1981. Migration behavior and holding habitat of adult summer steelhead in Wooley Creek, California. M.S. Thesis, Humboldt State Univ. 83 pp.
- Ebert, V. W., and R. C. Summerfelt. 1969. Contributions to the life history of the Piute sculpin, *Cottus beldingii* Eigenmann and Eigenmann, in Lake Tahoe. *Calif. Fish Game* 55:100-120.
- Echelle, A. A. and T. E. Dowling. 1992. Mitochondrial DNA variation and evolution of the Death Valley pupfishes (*Cyprinodon*, Cyprinodontidae). *Evolution* 46: 193-206.
- Echelle, A. A. and A. F. Echelle. 1997. Patterns of abundance and distribution among members of a unisexual-bisexual complex of fishes (Atherinidae: *Menidia*). *Copeia* 1997: 249-259.

- Ecological Analysts, Inc. 1982. Fisheries studies at Millerton Lake, 1979-1982. PG&E, San Ramon CA. 75 pp.
- ECO Northwest. 1994. The potential economic consequences of critical habitat designation for the Lost River sucker and Shortnose sucker. Report for USFWS, Portland Field Office. 100 pp.
- Eddy, S., and J. C. Underhill. 1974. Northern Fishes, with Special Reference to the Upper Mississippi Valley. Univ. Minn. Press, Minneapolis, 414 pp.
- Edwards, E. A., G. Gebhart, and O. E. Maughan. 1983. Habitat suitability information: **smallmouth** bass. U. S. Fish and Wildlife Service **FWS/OBS-82/10.36**: 50 pp.
- Ehlinger, T. J. 1989. Foraging mode switches in the golden shiner, *Notemigonus crysoleucas*. *Can. J. Fish. Aquat. Sci.* 46: 1250-1254.
- Ehrenfeld, D.W. 1981. The arrogance of humanism. New York: Oxford Univ. Press
- Eigenmann, C. H., and R. S. Eigenmann. 1889. Description of a new species of *Cyprinodon*. *Proc. Calif. Acad. Sci.* 1:270.
- Eigenmann, C. L., and R. S. Eigenmann. 1893. Additions to the fauna of San Diego. *Proc. Calif. Acad. Sci.* 3(1890-1892):1-24.
- Eigenmann, R. S. 1891. Description of a new species, *Catostomus rex*, from Oregon. *Amer. Nat.* 25 (part 2): 667-668.
- Elliott, G. V., and T. M. Jenkins. 1972. Winter food of trout in three high elevation Sierra Nevada lakes. *Calif. Fish Game* 58:231-237.
- Elliott, G. V. 1976. Diel activity and feeding of schooled largemouth bass fry. *Trans. Amer. Fish. Soc.* 105: 624-627.

- Ellison, J. P. 1980. Diets of mountain whitefish, *Prosopium williamsoni* (Girard), and brook trout, *Salvelinus fontinalis* (Mitchill), in the Little Walker River, Mono County, California. **Calif. Fish, Game** 66: 96-104.
- Elser, J. J., C. Luecke, M. T. Brett, and C. R. Goldman. 1995. Effects of food web compensation after manipulation of rainbow trout in an oligotrophic lake. *Ecology* 76: 52-69.
- Elston, R. and B. Bachen. 1976. Diel feeding cycles and some effects of light on the feeding intensity of the Mississippi silverside, *Menidia audens*, in Clear Lake, California. *Trans. Amer. Fish. Soc.* 105: 84-88.
- Emig, J. W. 1966. Largemouth bass, Pages 332-353; **smallmouth** bass, Pages 354-365; bluegill, Pages 375-392; redear sunfish, Pages 392-398; brown bullhead, Pages 463-475, in A. Calhoun, ed., *Inland Fisheries Management*. Sacramento: **Calif.** Dept. Fish Game.
- Emig, J. W. 1969. The arctic grayling. **Calif.** Dep. Fish Game, *Inland Fish. Admin. Rep.* 69-5:31 pp.
- Emlen, J. M., R. R. Reisenbichler, A. M. McGie, and T. E. Nickelson. 1990. Density dependence at sea for coho salmon (*Oncorhynchus kisutch*). *Ca. J. Fish., Aquat. Sci.* 47: 1765-1772.
- Emmett, R. L., D. R. Miller, and T. H. Blahn. 1986. Food of juvenile chinook, *Oncorhynchus tshawytscha*, and coho, *O. kisutch*, salmon off northern Oregon and southern Washington coasts, May-September 1980. **Calif Fish, Game** 72: 38-46.
- Emmett, R. L., S. A. Hinton, S. L. Stone, and M. E. Monaco. 1991. Distribution and abundance of fishes and invertebrates in west coast estuaries. Volume 2: species life history summaries. *ELMR Rep.* 8. NOAA/NOS Strategic Env. Assess. Div., Rockville MD. 329 pp.



- Eng, L. L., D. Belk, and C. H. Eriksen. 1990. Californian Anostraca: distribution, habitat, and status. *J. Crustacean Biol.* 10: 247-277.
- ENTRIX, Inc. 1996. Results of fish passage monitoring at the Vern Freeman Diversion Facility, Santa Clara River, 1996. Project 324402. Report for United Water Conservation District, Santa Paula. 43 pp.
- Erkkila, L. F., J. W. Moffett, O. B. Cope, B. R. Smith, and R. S. Nelson. 1950. Sacramento-San Joaquin Delta fishery resources: effects of Tracy pumping plant and delta cross channel. U.S. Fish Wildl. Serv. Spec. Sci. Rep. Fish. 56: 109 pp.
- Erman, D. C. 1986. Long-term changes of fish populations in Sagehen Creek, California. *Trans. Amer. Fish. Soc.* 115: 682-692.
- Erman, D. C., E. D. Andrews, and M. Yoder-Williams. 1988. Effects of winter floods on fishes in the Sierra Nevada. *Can J. Fish. Aquat. Sci.* 45: 2195-2200.
- Erman, D. C., L. DeLain, and M. Myers. 1983. Limnological conditions and fish interactions in Lake Davis, California. Unpub. Rpt., Calif. Dept of Fish & Game. 100 pp.
- Eschmeyer, W. N., E. S. Herald, and H. Hammann. 1983, A field guide to Pacific coast fishes of North America. Houghton Mifflin, Boston. 336 pp.
- Etnier, D. A. 1968. Reproductive success of natural populations of hybrid sunfish in three Minnesota lakes. *Trans. Am. Fish. Soc.* 97:466-472.
- Etnier, D.A. and W. C. Starnes. 1993. The fishes of Tennessee. Univ. Tennessee Press, Knoxville. 681 pp.
- Evans, D. H. 1969. Life history studies of the Lahontan redbreast, *Richardsonius egregius*, in Lake Tahoe. *Calif. Fish Game* 55:197-222.

- Everest, F. H. 1973. Ecology and management of summer steelhead in the Rogue River. Oreg. State Game Comm. Fish. Res. Rep. No. 7, Proj. AFS-312. 48 pp.
- Everest, F. H., and D. W. Chapman. 1972. Habitat selection and spatial interaction by juvenile chinook salmon and steelhead trout in two Idaho streams. J. Fish. Res. Board Can. 29:91-100.
- Evermann, B. W. 1893. Description of a new sucker, *Pantosteus jordani*, from the upper Missouri basin. Bull. U.S. Fish. Comm. 12:51-56.
- Evermann, B. W. 1905. The golden trout of the southern high Sierras. Bull. U.S. Bur. Fish. 25:1-51.
- Evermann, B. W. 1916. Fishes of the Salton Sea. Copeia 34:61-63.
- Evermann, B. W., and A. C. Bryant. 1919. California trout. **Calif.** Fish Game 5:105-135.
- Evermann, B. W., and H. W. Clark. 1931. A distributional list of the species of freshwater fishes known to occur in California. **Calif.** Dept. Fish Game Fish Bull. 35: 67 pp.
- Evermann, B. W., and S. E. Meek. 1897. A report upon salmon investigations in the Columbia River basin and elsewhere on the Pacific coast in 1896. Bull. U.S. Fish. Comm. 17:15-84.
- Evermann, B. W., and C. Rutter. 1894. The fishes of the Colorado basin. Bull. U.S. Fish. Comm. 14:473-486.
- Faber, D. J. 1967. Limnetic larval fish in northern Wisconsin lakes. J. Fish. Res. Board Can. 24:927-937.
- Falter, M. A. and J. J. Cech, Jr. 1990. Maximum pH tolerance of three **Klamath** basin fishes. Copeia 1990: 1109-1111.

- Farley, D. 1972. A range extension of the logperch. **Calif.** Fish Game 58:248.
- Farringer, R. T., A. A. Echelle, and S.F. Lehtinen. 1979. Reproductive cycle of the red shiner, *Notropis lutrensis*, in central Texas and south central Oklahoma. Trans. Amer. Fish. Soc. 108: 271-276.
- Fausch, K. D. 1993. Experimental analysis of microhabitat selection by juvenile steelhead (*Oncorhynchus mykiss*) and coho salmon (*O. kisutch*) in a British Columbia stream. Can. J. Fish. Aquat. Sci. 50: 1198-1207
- Feldmeth, C. R., and J. P. Waggoner. 1972. Field measurements of tolerance to extreme hypersalinity in the California killifish, *Fundulus pampinnis*. Copeia 1972:592-594.
- Felley, J. 1980. Analysis of morphology and asymmetry in bluegill sunfish (*Lepomis macrochirus*) in the southeastern United States. Copeia 1980: 18-29.
- Feyrer, F. V. 1999. Food habits of common Suisun Marsh fishes in the Sacramento-San Joaquin estuary, California. M.S. thesis, CSU Sacramento. 53 pp.
- Feyrer, F. V. and R. D. Baxter. 1998. Splittail fecundity and egg size. Calif Fish, Game 84: 119-126.
- Fiedler, P. L., R. A. Leidy, R. D. Laven, N. Gershenz, and L. Saul. 1993. The contemporary paradigm in ecology and its implications for endangered species conservation. Endangered Species Update 10: 7-12.
- Fierstine, H. L., K. F. Kline, and G. R. Garmen. 1973. Fishes collected in **Morro** Bay, California, between January 1968 and December, 1970. Calif Fish Game 59:73-88.
- Fine, M. L., J. P. Friel, D. McElroy, C. B. King, K. E. Loesser, and S. Newton. 1997. Pectoral spine locking and sound production in the channel catfish, *Ictalurus punctatus*. Copeia

- 1997: 777-790.
- Finger, T. R. 1983. Interactive segregation among three species of sculpin (*Cottus*). *Copeia* 1982: 680-694.
- Fisher, F. W. 1973. Observations on the spawning of Mississippi silversides, *Menidia audens* Hay. **Calif. Fish Game** 59:315-316.
- Fisher, F. W. 1994. Past and present status of Central Valley salmon. *Cons. Biol.* 870-873.
- Fisk, L. O. 1972. Status of certain depleted inland fishes. **Calif. Dep. Fish Game Inland Fish. Admin. Rep. 72-1**: 13 pp.
- Fite, K. R. 1973. Feeding overlap between roach and juvenile steelhead in the Eel River. M.S. Thesis, **Calif. State Univ., Humboldt**, 38 pp.
- Fleming, I. A., and M. R. Gross. 1994. Breeding competition in a Pacific salmon (coho: *Oncorhynchus kisutch*): measures of natural and sexual selection. *Evolution* 48(3):637-657.
- Flint, R. A., W. L. Somer, and J. Trumbo. 1998. Silver King Creek Paiute cutthroat restoration 1991 through 1993. **Calif. Dept. Fish, Game Inland Fish Admin Rpt. 98-7**: 37 pp.
- Flittner, G. A. 1953. The composition and distribution of the fish populations in Sagehen Creek, Nevada-Sierra County, California. M.A. Thesis, Univ. Calif, Berkeley.
- Foerster, R. E. 1968. The sockeye salmon, *Oncorhynchus nerka*. *Fish. Res. Board Can. Bull.* 162: 422 pp.
- Foerster, R. E., and W. E. Ricker. 1942. The effect of reduction of predaceous fish on survival of young sockeye salmon at Cultus Lake. *J. Fish. Res. Board Can.* 51:315-336.

- Follett, W. I. 1928. A note on the squawfish and one of its relatives. **Calif.** Fish Game 14:282-285.
- Follett, W. I. 1937. Prey of the weasel and mink. *J. Mammal.* 18:365.
- Fong, S., and T. Takagi. 1979. Competition among four centrarchids in Clear Lake, Lake County, California. **Unpubl.** Rpt. UC Davis 41 pp.
- Foote, C. J. and G. S. Brown. 1998. Ecological relationship between freshwater sculpins (genus *Cottus*) and beach-spawning sockeye salmon (*Oncorhynchus nerka*) in Iliamna Lake, Alaska. *Can. J. Fish. Aquat. Sci.* 55: 1524-1533.
- Ford, T. 1977. Status summary report on the Modoc sucker. **Unpubl.** Rpt., Modoc Nat. Forest, Alturas Ca. 44 pp.
- Forney, J. L. 1961. Growth, movements, and survival of **smallmouth** bass (*Micropterus dolomieu*) in Oneida Lake, New York. *N.Y. Fish Game J.* 8:88-105.
- Fortune, J. D., Jr., A. R. Gerlach, and C. J. Hanel. 1966. A study to determine the feasibility of establishing salmon and steelhead in the upper Klamath basin. **Unpubl.** Rpt. Oregon St. Game Comm. 23 pp.
- Fowler, H. W. 1913. Notes on catostomid fishes. *Proc. Acad. Nat. Sci. Phila.* 65:45-71.
- Fox, M. G. 1998. Body size and reproductive allocation in a multiple spawning centrarchid. *Can. J. Fish, Aquat. Sci.* 55: 737-748.
- Fox, R. S. 1988. Growth of young-of-the-year Sacramento blackfish *Orthodon microlepidotus* (Ayres).. M.S. thesis. Humboldt State Univ. 211 pp.
- Fraley, J. J. and B. B. Shepard. 1989. Life history, ecology, and population status of migratory bull trout (*Salvelinus confluentus*) in the Flathead lake and river system, Montana.

- Northw. Sci. 63: 133-143.
- Franz, T.C. 1979-1981. Job Progress Reports: Lake Tahoe. F-20-R-16-17. Nevada Department of Wildlife. 82 pp.
- Frantz, T. C., and A. J. Cordone. 1967. Observations on deepwater plants in Lake Tahoe, California and Nevada. *Ecology* 48:709-714.
- Frantz, T. C., and A. J. Cordone. 1970. Food of lake trout in Lake Tahoe. **Calif.** *Fish Game* 56:21-35.
- Frey, H. W., Ed. 1971. California's Living Marine Resources and Their Utilization. **Calif.** Dep. Fish Game, 148 pp.
- Fritz, E. S. 1975. The life history of the California killifish, *Fundulus parvipinnis* Girard, in Anaheim Bay, California. Pages 91-106 in E. D. Lane and C. W. Hill, eds. The marine resources of Anaheim Bay. Cal. DFG Fish Bull. 165.
- Frost, W. E., and M. E. Brown. 1967. *The Trout*. Collins, London. 286 pp.
- Fry, D. H. 1936. Life history of *Hesperoleucas venustus* Snyder. **Calif.** *Fish, Game* 22:65-98.
- Fry, D. H. 1961. King salmon spawning stocks of the California Central Valley, 1940-1959. **Calif.** *Fish, Game* 47:55-71.
- Fry, D. H. 1967. A 1955 record of pink salmon, *Oncorhynchus gorbuscha*, spawning in the Russian River. **Calif.** *Fish Game* 53:210-211.

- Fry, D. H. **1973.** **Anadromous** fishes of California. **Calif.** Dep. Fish Game, Sacramento. **111** pp.
- Fryer, G. and T. D. **Iles.** **1972.** The **cichlid** fishes of the Great Lakes of Africa: biology and evolution. **TFH** Publications, Neptune City, N.J. **641** pp.
- Galat, D. L. and N. Vucinich. 1983a.** Food of larval **tui** chubs, *Gila bicolor*, in Pyramid Lake, Nevada. **Great Basin Naturalist** **43: 175-178.**
- Galat, D. L. and N. Vucinich. 1983b.** Food partitioning between young of the year of two **sympatric tui** chub morphs. **Trans. Am. Fish. Soc.** **112:486-497.**
- Gale, D. B., T. R. Hayden, L. S. Harris, and H. N. **Voight. 1998.** Assessment of **anadromous** fish stocks in Blue Creek, lower Klamath River, California, **1994-1996.** **Yurok** Tribal Fisheries Program, Habitat Assess., Biol. **Monit. Div. Tech. Rpt. 4: 101** pp.
- Gamradt, S. C. and L. B. Kats. 1996.** Effects of introduced crayfish and **mosquitofish** on California newts. **Cons. Biol.** **1155-1162.**
- Ganssle, D. 1966.** Fishes and **decapods** of San Pablo and Suisun Bay. Pages **64-94** in D. W. Kelley, ed., Ecological studies of the Sacramento-San Joaquin Estuary. Part **1.** **Calif.** Dept. Fish, Game Fish Bull. **133.**
- Garcia, A. **1986.** A study of the Eagle Lake rainbow trout (*Salmo gairdneri aquiliarum*). Dept. **Wildl. Fish. Biol. Unpubl. Rep., Univ. Calif, Davis. 28** pp.
- Gard, M. F. **1994.** Biotic and **abiotic** factors affecting native stream fishes in the south Yuba River, Nevada County, California. Ph.D. dissertation, Univ. **Calif. Davis. 179** pp.
- Gard, R., and G. A. **Flittner. 1974.** Distribution and abundance of fishes in **Sagehen** Creek, California. **J. Wildl. Manage.** **38:347-358.**
- Gard, R. and D. W. **Seegrist. 1965.** Persistence of the native rainbow trout type following

- introduction of hatchery trout. *Copeia* 1965: 182-185.
- Gartz, R. 1998. Density dependent growth and diet changes in young-of-the-year striped bass (*Morone saxatilis*) in the Sacramento-San Joaquin estuary. **IEP** newsletter 12 (1): 22-24.
- Geary, R. E. 1978. Life history of the Clear Lake hitch (*Lavinia exilicauda chi*). *M.S. Thesis*, Univ. **Calif.** Davis. 27 pp.
- Geary, R. E., and P. B. Moyle. 1980. Aspects of the ecology of the hitch, *Lavinia exilicauda* (Cyprinidae), a persistent native cyprinid in Clear Lake, California. *Southwest. Nat.* 25:385-390.
- Gerald, J. W. 1971. Sound production during courtship in six species of sunfish (Centrarchidae). *Evolution* 25:75-87.
- Gerking, S. D. 1953. Evidence for the concepts of home range and territory in stream fishes. *Ecology* 34:347-365.
- Gerking, S. D. 1981. The contribution of the desert pupfish (*Cyprinodon nevadensis*) to fish reproduction in stressful environments, 335-356 in R. J. Naiman and D.L. Soltz, eds., *Fishes in North American Deserts*. John Wiley, New York.
- Gerking, S. D. and R. M. Lee. 1983. Thermal limits for growth and reproduction in the desert pupfish, *Cyprinodon n. nevadensis*. *Physiol. Zool.* 56: 1-9
- Gerking, S. D., R. M. Lee, and J. B. Shrode. 1979. Effects of generation-long temperature acclimation on reproductive performance of the desert pupfish, *Cyprinodon n. nevadensis*. *Physiol. Zool.* 52:113-121.
- Gerstung, E. R. 1980. 1979 annual report of the Threatened Salmonids Project. **Unpubl. Rep.** Calif Dep. Fish Game, Sacramento.



- Gerstung, E. R. 1981. Status and management of the coast cutthroat trout (*Salmo clarki clarki*) in California. Cal-Neva **Wildl.** Trans. 1981:25-32.
- Gerstung, E. R. 1988. Status, life history, and management of Lahontan cutthroat trout. Amer. Fish. Soc. Symp. 4: 93-106.
- Gerstung, E. R. 1997. Status of coastal cutthroat trout in California. Pages 43-56 in J. D. Hall, P. A. Bisson, and R. E. Gresswell, eds. Sea-run cutthroat trout: biology, management and future conservation. Oregon Chap., Amer. Fish. Soc., Corvallis
- Giger, R. D. 1972. Ecology and management of coastal cutthroat trout in Oregon. Oregon State Game Comm. Fish. Res. Rep. 6: 61 pp.
- Gilbert, C. H. 1893. Pages 229-234 in Report on the fishes of the Death Valley expedition collected in southern California and Nevada in 1891, with descriptions of new species. North Am. Fauna No. 7.
- Gilbert, C., and B. W. Evermann. 1894. A report upon investigations in the Columbia River basin, with descriptions of four new species of fishes. Bull. U.S. Fish Comm. 14:169-204.
- Gilbert, C. H. 1898. The fishes of the Klamath Basin. Bull. U.S. Fish. Comm. 17:1-13.
- Gilbert, C. H., and N. B. Scofield. 1898. Notes on a collection of fishes from the Colorado Basin in Arizona. Proc. U.S. Natl. Mus. 20:487-499.
- Gill, T. N. 1861. Notes on some genera of fishes of the western coast of North America. Proc. Acad. Nat. Sci. Phila. 13:164-168.
- Gillooly, J. F. and J. R. Bayliss. 1999. Reproductive success and the energetic cost of parental care in male smallmouth bass. J. Fish Biol. 54: 573-584.
- Gingras, M. 1997. Mark/recapture experiments at Clifton Court Forebay to estimate pre-

- screening loss to juvenile fishes: 1976-1993. **IEP** Tech. Rpt. 55:22 pp.
- Girard, C. 1854. Descriptions of new fishes, collected by Dr. A. L. Heermann, naturalist attached to the survey of the Pacific Railroad Route, under Lieut. R. S. Williamson, U.S.A. Proc. Acad. Nat. Sci. Phila. 7:129-140.
- Girard, C. 1854. Description of *Sebastes ruber*, *Sebastes ruber* var. *parvus*, *Sebastes variabilis*, and *Centrarchus maculosus*. The Pacific 3:182.
- Girard, C. 1856. Researches upon the cyprinid fishes inhabiting the fresh waters of the United States of America west of the Mississippi Valley, from specimens in the Museum of the Smithsonian Institution. Proc. Acad. Nat. Sci. 1856:165-209.
- Girard, C. 1859. Ichthyological notes. Proc. Acad. Nat. Sci. Phila. 11: 56-68.
- Gleason, E. V. 1982a. A review of the life histories of striped bass (*Morone saxatilis*) and white bass (*M. chrysops*) hybrids and an evaluation of their suitability for stocking. CFG Inland Fish. Admin. Rpt. 82-9: 19 pp.
- Gleason, E. V. 1982b. A review of the life history of the red shiner, *Notropis lutrensis*, and a reassessment of its desirability for use as live bait in central and northern California. CFG Inland Fish. Admin. Rpt. 82-1: 16 pp.
- Gobalet, K. W. 1990. Prehistoric status of freshwater fishes of the Pajaro-Salinas River system of California. Copeia 1990:680-685.
- Gobalet, K. W. 1992. Colorado River fishes of Lake Cahuilla, Salton Basin, southern California: a cautionary tale for zooarchaeologists. Bull. So. Calif. Acad. Sci. 91: 70-83.
- Gobalet, K. W. 1994. Additional archaeological evidence for Colorado River fishes in the Salton Basin of Southern California. Bull. South. Calif Acad. Sci. 93:8-41.

- Gobalet, K.W. and G.L. Fenenga. 1993. Terminal Pleistocene-Early Holocene fishes From Tulare Lake, San Joaquin Valley, California with comments on the evolution of Sacramento squawfish (*Ptychocheilus grandis*: Cyprinidae). *Paleobios*, 15 (1): 1-8.
- Gobalet, K. W. and T. L. Jones. 1995. Prehistoric Native American fisheries of the Central California coast. *Trans. Amer. Fish. Soc.* 124:813-823.
- Gold, J. R. 1977. Systematics of western North American trout (*Salmo*), with notes on the redband trout of Sheepheaven Creek, California. *Can. J. Zool.* 55:1858-1873.
- Gold, J. R., and G. A. E. Gall. 1975. The taxonomic structure of six California high Sierra golden trout (*Salmo aquabonita*) populations. *Proc. Calif. Acad. Sci.* 40:243-263.
- Gold, J. R., and G. A. E. Gall. 1981. Systematics of golden trout, *Salmo aguabonita*, from the Sierra Nevada. *Calif. Fish, Game* 67: 204-230.
- Goldberg, S. R. 1977. Seasonal ovarian cycle of the tidewater goby, *Eucyclogobius newberryi* (Gobiidae). *Southwest. Nat.* 22:557-559.
- Gomez, R., and H. L. Lindsay. 1972. Occurrence of Mississippi silversides, *Menidia audens* (Hay) in Keystone Reservoir and the Arkansas River. *Proc. Okla. Acad. Sci.* 52:16-18.
- Goodson, L. F. 1965. Diets of four warmwater game fishes in a fluctuating, steep-sided California reservoir. *Calif. Fish Game* 51:259-269.
- Goodson, L. F. 1966. Crappie. Pages 312-332; Landlocked striped bass, Pages 402-411 in A. Calhoun, ed., *Inland fisheries management*. Sacramento: **Calif.** Dep. Fish Game.
- Goodyear, C. P., C. E. Boyd, and R. J. Beyers. 1972. Relationships between primary productivity and mosquitofish (*Gambusia affinis*) production in large microcosms. *Limnol. Oceanogr.* 17:445-450.

- Gosline, W. A. 1966. The limits of the fish family Serranidae, with notes on other lower percoids. Proc. **Calif. Acad. Sci.** 33:91-112.
- Gotshall, D. W., G. H. Allen, R. A. Barnhart. 1980. An annotated checklist of fishes from Humboldt Bay, California. **Calif. Fish Game** 66:220-232.
- Graham, R. J. and D. J. Orth. 1986. Effects of temperature and **streamflow** on time and duration of spawning by **smallmouth** bass. Trans. Amer. Fish. Soc. 115: 693-702.
- Grant, G. C. 1992. Selected life history aspects of Sacramento squawfish and hardhead in Pine Creek, Tehama County, California. M.S. thesis, CSU Chico. 86 pp.
- Grant, G. C. and P. E. Maslin. 1997. Movements and reproductive condition of hardhead and Sacramento squawfish in a small California stream. **Calif Fish & Game?**
- Greenbank, J. 1957. Aggregational behavior in a freshwater sculpin. *Copeia* 1957:157.
- Greenfield, D. W., and G. D. Deckert. 1973. Introgressive hybridization between *Gila* orcutti and *Hesperoleucus symmetricus* (Pisces: Cyprinidae) in the Cuyama River basin, California. II. Ecological Aspects. *Copeia* 1973:417-427.
- Greenfield, D. W., and T. Greenfield. 1972. Introgressive hybridization between *Gila* orcutti and *Hesperoleucus symmetricus* (Pisces: Cyprinidae) in the Cuyama River Basin, California. I. Meristics, morphometrics and breeding. *Copeia* 1972:849-859.
- Greenfield, D. W., S. T. Ross, and G. D. Deckert. 1970. Some aspects of the life history of the Santa Ana sucker, *Catostomus (Pantosteus) santaanae* (Snyder). **Calif. Fish Game** 56:166-179.
- Gregory, R. S. 1994. The influence of ontogeny, perceived risk of predation, and visual ability on the foraging behavior of juvenile chinook salmon. Pages 271-284 *in* D. J. Stouder, K.L.

- Fresh, and R. J. Feller, eds. Theory and application in fish feeding ecology. Univ. S. Carolina Press, Columbia SC.
- Gregory, R. S. and C. D. Levings. 1998. Turbidity reduces predation on migrating juvenile chinook salmon. *Trans. Amer. Fish. Soc.* 127: 275-285.
- Griffith, J.S. 1978. Effects of low temperature on the behavior and survival of threadfin shad, *Dorosoma petenense*. *Trans. Amer. Fish. Soc.* 107:63-70.
- Grimaldo, L., B. Ross, and D. Sweetnam. 1998. Preliminary results on the age and growth of delta smelt (*Hypomesus transpacificus*) from different areas of the estuary using otolith microstructure analysis. *IEP for Sacramento-San Joaquin Estuary Newsletter* 11(1): 25-28.
- Grinstead, B. G. 1969. The vertical distribution of the white crappie in the Buncombe Creek arm of Lake Texoma. *Univ. Okla. Fish. Res. Lab. Bull.* 3: 37 pp.
- Gross, M. R. 1979. Cuckoldry in sunfishes (*Lepomis*: Centrarchidae). *Can. J. Zool.* 57: 1507-1509.
- Gross, M. R. 1982. Sneakers, satellites and parentals: polymorphic mating strategies in North American sunfishes. *Z. Tierpsychol.* 60:1-26.
- Gross, M. R. 1991. Evolution of alternative reproductive strategies: frequency-dependent sexual selection in male bluegill sunfish. *Phil. Trans. R. Soc. Lond. B* 332: 59-66.
- Gross, M. R. and A. M. MacMillan. 1991. Predation and the evolution of colonial nesting in bluegill sunfish (*Lepomis macrochirus*). *Behav. Ecol. Sociobiol.* 8: 163-174
- Grost, R. T. , W. A. Hurbert, and T. A. Wesche. 1990. Redd site selection by brown trout in Douglas Creek, Wyoming. *J. Freshw. Ecol.* 5: 365-371.

- Groves, A. B., G. B. Collins, and P. S. Trefethen. 1968. Roles of olfaction and vision in choice of spawning site by homing adult chinook salmon (*Oncorhynchus tshawytscha*). J. Fish. Res. Board Can. 25:867-876.
- Gunter, G. 1942. A list of the fishes of the mainland of North and South America recorded from both freshwater and seawater. Am. Midl. Nat. 28:305-356.
- Guy, C. S. , R. M. Neumann, and D. W. Willis. 1992. Movement patterns of adult black crappie, *Pomoxis nigromaculatus*, in Brant Lake, South Dakota. J. Freshw. Biol. 7: 137-147.
- Haaker, P. L. 1979. Two Asiatic gobiid fishes, *Tridentiger trigonocephalus* and *Acanthogobius flavimanus*, in southern California. Bull. S. Calif. Acad. Sci. 78: 56-61.
- Haas, G. R. and J. D. McPhail. 1991. Systematics and distributions of Dolly Varden (*Salvelinus malma*) and bull trout (*S. confluentus*) in North America. Can.J. Fish. Aquat. Sci. 48: 2191-2211.
- Hagen, D. W. 1967. Isolating mechanisms in three-spine sticklebacks (*Gasterosteus*). J. Fish. Res. Board Can. 24:1637-1692.
- Hagen, D. W., and L. G. Gilbertson. 1972. Geographic variation and environmental selection in *Gasterosteus aculeatus* L. in the Pacific Northwest, America. Evolution 26:32-51.
- Haglund, T. R., and D. G. Buth. 1988. Allozymes of the unarmored threespine stickleback (*Gasterosteus aculeatus wilhamsoni*) and identification of the Shay Creek population. Isozyme Bull. 21:196.
- Hall, L. W. , Jr. 1991. A synthesis of water quality and contaminant data on early life history stages of striped bass, *Morone saxatilis*. Reviews in Aquatic Sci. 4: 261-288.

- Hallock, R. J., R. T. Elwell, and D. H. Fry. 1970. Migrations of adult king salmon (*Oncorhynchus tshawytscha*) in the San Joaquin Delta, as demonstrated by the use of sonic tags. **Calif. Dep. Fish Game Fish Bull.** 151: 92 pp.
- Hallock, R. J., and D. H. Fry. 1967. Five species of salmon, *Oncorhynchus*, in the Sacramento River, California. *Calif Fish Game* 53:5-22.
- Hallock, R. J., W. F. Van Woert, and L. Shapovalov. 1961. An evaluation of stocking of hatchery-reared steelhead rainbow trout (*Salmo gairdnerii gairdnerii*) in the Sacramento River system. *CFG Fish Bull* 114: 74 pp.
- Hamada, K. 1961. Taxonomic and ecological studies of the genus *Hypomesus* of Japan. *Mem. Fac. Fish. Hokkaido Univ.* 9:1-56.
- Hansen, D. F. 1951. Biology of the white crappie in Illinois. *Ill. Nat. Hist. Surv. Bull.* 25:211-265.
- Hansen, D. F. 1965. Further observations on nesting of white crappie. *Trans. Am. Fish. Soc.* 94:182-184.
- Hanson, J. A., and A. J. Cordone. 1967. Age and growth of lake trout, *Salvelinus namaycush* (Walbaum), in Lake Tahoe. *Calif Fish Game* 53:68-87.
- Hanson, J. A., and R. H. Wickwire. 1967. Fecundity and age at maturity of lake trout, *Salvelinus namaycush* (Walbaum), in Lake Tahoe. *Calif Fish Game* 53:154-164.
- Hard, J J., R. G. Kope, W. S. Grant, F.W. Waknitz, L. T. Parker, and R. S Waples. 1996. Status review of pink salmon from Washington, Oregon, and California. *USDC NOAA Tech. Memo. NMFS-NWFSC-25.* 131 pp.
- Hardisty, M. W., and I. C. Potter, eds. 1971. *The Biology of Lampreys*, Vol. 1. Academic Press, London, 423 pp.

- Hare, S. R., N. J. Mantua, and R. C. Francis. 1999. Inverse production regimes: Alaska and West Coast Pacific salmon. *Fisheries* (Bethesda) 24(1): 6-14.
- Harrington, R. W., and E. S. Harrington. 1961. Food selection among fishes invading a high subtropical salt marsh from onset of flooding through the progress of a mosquito brood. *Ecology* 42:646-666.
- Harry, R. R. 1951. The embryonic and early larval stages of the tui chub, *Siphatales bicolor* (Girard) from Eagle Lake, California. **Calif.** Fish Game 37:129-132.
- Hart, J. L. 1973. Pacific Fishes of Canada. Fish. Res. Board Can. Bull. 180: 740 pp.
- Hart, J. L. and J. L. McHugh. 1844. The smelts (Osmeridae) of British Columbia. Fish. Res. Bd. Canada Bull. 54: 27 pp.
- Hartman, G. F. 1965. The role of behavior in the ecology and interaction of underyearling coho salmon (*Oncorhynchus kisutch*) and steelhead trout (*Salmo gairdneri*). J. Fish. Res. Board Can. 22:1035-1081.
- Hartman, G. F., and C. A. Gill. 1968. Distribution of juvenile steelhead and cutthroat trout (*Salmo gairdneri* and *S. clarki clarki*) within streams of southwestern British Columbia. J. Fish. Res. Board Can. 25:33-48.
- Hartzell, L.L. 1992. Hunter-Gatherer Adaptive Strategies and Lacustrine Environments in the Buena Vista Lake Basin, Kern County, California. Ph.D. Dissertation (Anthropology) U.C. Davis.
- Harvey, B. C. 1986. Effects of suction gold dredging on fish and invertebrates in two California streams. N. Amer. J. Fish. Mgmt. 6: 401-409.
- Harvey, B. C. 1998. Influence of large woody debris on retention, immigration, and growth of



- coastal cutthroat trout (*Oncorhynchus clarki clarki*) in stream pools. *Can. J. Fish. Aquat. Sci.* 55: 1902-1098
- Harvey, B. C. and R. J. Nakamoto. 1996. Effects of steelhead density on growth of coho salmon in a small coastal California stream. *Trans. Amer. Fish. Soc.* 125: 237-243.
- Harvey, B. C. and R. J. Nakamoto. 1997. Habitat-dependent interactions between two size-classes of juvenile steelhead in a small stream. *Can. J. Fish. Aquat. Sci.* 54:27-31.
- Harwood, R. H. 1972. Diurnal feeding rhythm of *Notropis lutrensis* Baird and Girard. *Texas J. Sci.* 24:97-99.
- Hasler, a. D., E. S. Gardella, H. F. Henderson, and R. M. Horrall. 1969. Open-water orientation of white bass, *Roccus chrysops*, as determined by ultrasonic tracking methods. *J. Fish. Res. Bd. Canada* 26: 2173-2192.
- Hassler, T. J. 1987. Coho salmon. *U.S. Fish Wildl. Ser. Biol. Rept.* 82 (11.70): 19 pp.
- Hassler, T. J. 1988. Striped bass. *U. S. Fish Wild. Serv. Biol. Rept.* 82 (11.82): 29 pp.
- Hatch, J. T. 1988. Ontogenetic shifts in feeding habits of mixed cohort schools of larval golden shiners. *Verh. Internat. Verein. Limnol.* 23: 1704-1709.

- Hauser, W. J. 1969. Life history of the mountain sucker, *Catostomus platyrhynchus*, in Montana. Trans. Amer. Fish. Soc. 98:209-224.
- Hauser, W. J. 1975. An unusually fast growth rate for *Tilapia zillii*. Calif. Fish, Game 61: 54-56.
- Hauser, W. J. 1977. Temperature requirements of *Tilapia zillii*. Calif. Fish, Game 61:228-233.
- Hayden, T. R. and D. B. Gale. 1999. Juvenile salmonid emigration monitoring from the Hunter Creek Basin, lower Klamath River, California, 1996-1997. Yurok Tribal Fish. Prog. Habitat Assess, Biol. Monit. Div. Tech. Rpt. 6: 63 pp.
- Haynes, J. L. and R. C. Cashner. 1995. Life history and population dynamics of the western mosquitofish: a comparison of natural and introduced populations. J. Fish Biol. 46: 1026-1041.
- Hazel, C. R. 1969. Limnology of Upper **Klamath** Lake, Oregon, with emphasis on benthos. Ph.D. Diss. Oregon State Univ., Corvallis.
- Healey, M. C. 1991. Life history of chinook salmon (*Oncorhynchus tshawytscha*). Pages 311-394 in C. Groot and L. Margolis, eds. Pacific salmon life histories. Univ. B. C. Press, Vancouver, B. C.
- Heard, W. R. 1965. Limnetic cottid larvae and their utilization as food by juvenile sockeye salmon. Trans. Amer. Fish. Soc. 99:191-193.
- Heidinger, R. C. 1975. Life history and biology of the largemouth bass. Pages 11-20 in H. Clepper, ed. Black bass biology and management. Sport Fishing Institute, Wash., D. C.
- Heman, M. L., R. S. Campbell, and L. C. Redmond. 1969. Manipulation of fish populations through reservoir drawdowns. Trans. Am. Fish. Soc. 98:293-304.

- Hendricks, L. J. 1961. The threadfin shad, *Dorosoma petenense* (Gunther), 93-94; the striped mullet, *Mugil cephalus* Linnaeus, 95-103. In B. D. Walker, ed., The ecology of the Salton Sea, California, in relation to the sport fishery. **Calif.** Fish Game Fish Bull. 113.
- Hendrickson, D. A. and A. V. Romero. 1989. Conservation status of desert pupfish, *Cyprinodon macularius*, in Mexico and Arizona. *Copeia* 1989:478-483.
- Hendrickson, D. A. and J. E Brooks. 1991. **Transplaning** short-lived fishes in North American deserts: review, assessment, and recommendations. Pages 283-302 in W. L. Minckley and J. E. Deacon, eds. Battle against extinction: native fish mangement in the American west. Tucson, Univ. Ariz. Press.
- Hendrickson, S., and M. Hendrickson. 1993. Project kokanee- "good news for anglers." *Outdoor California*. July -August: 6-8.
- Herbold, B. 1987. Patterns of co-occurrence and resource use in a non-coevolved assemblage of fishes. Ph.D dissertation, UC Davis. 68 pp.
- Herbold, B. 1994. Habitat requirements of the delta smelt. IEP Newsletter, **Calif.** Dept. Water Resources. Winter, 1994.
- Herbold, B. , A. Jassby, and P.B. Moyle. 1992. Status and trends report on aquatic resources in the San Francisco estuary. USEPA San Francisco Estuary Project, San Francisco. 257 pp.
- Herbold, B. and P. B. Moyle.1986. Introduced species and vacant niches. *Amer. Nat.* 128:751-760.
- Hergenrader, G. L. 1969. Spawning behavior of *Perca flavescens* in aquaria. *Copeia* 1969:839-841.

- Heyne, T., B. Tribbey, and J. Smith. 1991. First record of Mozambique tilapia in the San Joaquin Valley, California. **Calif.** Fish, Game 77: 53-54.
- Hinds, N. E. A. 1952. Evolution of the California landscape. **Calif.** Div. Mines Bull. 158: 240 pp.
- Hinch, S. G. and N. C. Collins. 1991. Importance of diurnal and nocturnal nest defense in the energy budget of male smallmouth bass: insights from direct video observations. Trans. Amer. Fish. Soc. 120: 657-6623
- Hiscox, J. I. 1979. Feeding habits and growth of stocked salmonids in a California reservoir. **Calif.** Dept of Fish and Game Inland Fisheries Admin.Rpt. 79-3: 22 pp.
- Hiss, J. M. 1984. Diet of **age-O** steelhead trout and speckled dace in Willow Creek, Humboldt County, California. M.S. thesis, Humboldt State University. 51 pp.
- Hocutt, C. H., S. E. Seibold, R. M. Harrell, R. V. Jesien, and W. H. Bason. 1990. Behavioral observations of striped bass (*Morone saxatilis*) on the spawning grounds of the Choptank and Nanticoke rivers, Maryland, USA. J. Appl. Ichthyol. 6: 211-222.

- Hodges, C. A. 1966. Geomorphic history of Clear Lake, California. Ph.D. Thesis, Stanford Univ.
- Hokanson, K. E. F. , C. F. Kleiner, T. W. **Thorslund**. 1977. Effects of constant temperatures and **diel** temperature fluctuations on specific growth and mortality rates and **yeild** of juvenile rainbow trout, *Salmo gairdneri*. J. Fish. Res. Bd. Canada 34: 639-648.
- Holanov**, S.H. and J.C. Tash. 1978. Particulate and filter feeding in threadfin shad, *Dorosoma petenense* at different light intensities. J. Fish. Biol. 13:619-625.
- Holden, P. B. 1991. Ghosts of the Green River: impacts of Green River poisoning on management of native fishes. Pages 43-54 in W. L. Minckley and J. E. Deacon, eds. Battle against extinction: native fish management in the American West. Tucson: Univ. Ariz. Press.
- Holden, P. B., and C. B. Stalnaker. 1970. Systematic studies of the cyprinid genus *Gila* in the upper Colorado River basin. Copeia 1970:490-420.
- Holden, P. B., and C. B. Stalnaker. 1975. Distribution of fishes in the Dolores and Yampa River systems of the upper Colorado basin. Southwest. Nat. 19:403-412.
- Holway**, R. S. 1907. Physiographic changes bearing on the **faunal** relationships of the Russian and Sacramento Rivers, California. Science, n. s. 26:382-383.
- Hoogland, R., D. Morris, and N. Tinbergen. 1956. The spines of sticklebacks *Gasterosteus* and *Pygosteus*) as means of defense against predators (*Perca* and *Esox*). Behaviour 10:205-236.
- Hoopaugh, D. A. 1974. Status of redband trout (*Salmo* sp.) in California. CFG Inland Fish Admin. Rep. 74-7: 11 pp.
- Hooton, B.. 1997. Status of coastal cutthroat trout in Oregon. Pages 57-67 in J. D. Hall, P. A.

- Bisson, and R. E. Gresswell, eds. Sea-run cutthroat trout: biology, management and future conservation. Oregon Chap., Amer. Fish. Soc., Corvallis.
- Hoover, F. G. 1971. Status report on *Tilapia mossambica* (Peters) in southern California. **Calif.** Dep. Fish Game Inland Fish. Admin. Rep. 71-16: 31 pp.
- Hoover, F. G., and J. A. St. Amant. 1970. Establishment of *Tilapia mossambica* (Peters) in Bard Valley, Imperial County, California. **Calif.** Fish Game 56:70-71.
- Hopelain, J. S. 1998. Age, growth, and life history of Klamath River basin steelhead trout (*Oncorhynchus mykiss irideus*) as determined from scale analysis. CFG Inland Fish. Admin. Rpt. 98-3: 19 pp.
- Hopkirk, J. D. 1962. Morphological variation in the freshwater embiotocid *Hysteroecarpus traskii* Gibbons. M.A. Thesis, Univ. Calif, Berkeley, 159 pp.
- Hopkirk, J. D. 1973. Endemism in Fishes of the Clear Lake Region. Univ. **Calif.** Publ. Zool. 96: 160 pp.
- Hopkirk, J. D., and R. J. Behnke. 1966. Additions to the known native fish fauna of Nevada. *Copeia* 1966:134-136.
- Hoshino, N., T. Kinoshita, and Y. Kanno. 1993. Age, growth, and ecological characteristics of the goby, *Acanthogobius flavimanus*, in Hakodate Bay, Hokkaido, Japan. Bull. Fac. Fisheries, Hokkaido Univ. 44: 147-157.

- Houde, E. D. 1969. Distribution of larval walleyes and yellow perch in a bay of Oneida Lake and its relation to water currents and zooplankton. N.Y. Fish Game J. 16:184-205.
- House, F. 1999. Totem salmon. Boston: Beacon Press. 228 pp.
- Houston, A. H. 1982. Thermal effects upon fishes. National Research Council Canada **Publ.** 18566: 200 pp.
- Houston, J. J. 1988. Status of the green sturgeon, *Acipenser medirostris*, in Canada. Can. Field Nat. 102: 286-290.
- Howard, A. O. 1967. Evolution of the landscape of the San Francisco Bay Region. Univ. Calif Press, Berkeley. 72 pp.
- Howes, G. 1984. Phyletics and biogeography of the aspinine cyprinid fishes. Bull. Brit. Mus. Nat. Hist. (Zool.) 47:283-303.
- Howland, J. W. 1931. Studies on the Kentucky black bass (*Micropterus pseudaplites* Hubbs). Trans. Amer. Fish. Soc. 61:89-94.
- Hoy, J. B., E. E. Kaufmann, and A. G. O'Berg. 1972. A large-scale field test of *Gambusia affinis* and **Chlorpurifos** for mosquito control. Mosq. News 32:163-171.
- Hubbell, P. M. 1966. Pumpkinseed sunfish, Pages 402-404; warmouth, Pages 405-407 in A. Calhoun, ed., Inland Fisheries Management, Sacramento: **Calif.** Dept. Fish Game.
- Hubbs, C.L. 1925. The life cycle and growth of lampreys. Papers, Mich. Acad. Sci., Arts, Ltrs. 4:587-603.
- Hubbs, C. L. 1946. Wandering of pink salmon and other **salmonid** fishes into southern California. Calif Fish Game 32:81-86.

- Hubbs, C. L. 1953. *Eleotris picta* added to the fish fauna of California. **Calif. Fish Game** 39:69-76.
- Hubbs, C. L. 1954. Establishment of a forage fish, the red shiner (*Notropis lutrensis*), in the lower Colorado River system. **Calif. Fish Game** 40:287-294.
- Hubbs, C. L. 1961. Isolating mechanisms in the speciation of fishes. Pages 537-560 in F. Blair, ed. *Vertbrate Speciation*. Univ. Texas Press, Austin.
- Hubbs, C. L. 1967. Occurrence of the Pacific lamprey, *Entosphenus tridentatus*, off Baja California and in streams of southern California, with remarks on its nomenclature. *Trans. San Diego Nat. Hist. Soc.* 14:301-312.
- Hubbs, C. L. 1971. *Lampetra* (*Entosphenus*) *lethophaga*, new species, the nonparasitic derivative of the Pacific lamprey. *Trans. San Diego Nat. Hist. Soc.* 16:125-164.
- Hubbs, C. L., and R. M. Bailey. 1940. A revision of the black basses (*Micropterus* and *Huro*), with descriptions of four new forms. *Univ. Mich. Mus. Zool. Misc. Publ.* 48:1-51.
- Hubbs, C. L., W. I. Follett, and L. J. Dempster. 1979. List of the fishes of California. *Occas. Pap. Calif. Acad. Sci.* 133:1-51.
- Hubbs, C. L., L. C. Hubbs, and R. E. Johnson. 1943. Hybridization in nature between species of catostomid fishes. *Contr. Lab. Vert. Biol., Univ. Mich.* 22:1-69.
- Hubbs, C. L., and K. Lagler. 1958. *Fishes of the Great Lakes Region*. Univ. Mich. Press, Ann Arbor, 213 pp.
- Hubbs, C. L., and R. R. Miller. 1943. Mass hybridization between two genera of cyprinid fishes in the Mohave Desert, California. *Pap. Mich. Acad. Sci. Arts Lett.* 28:343-378.
- Hubbs, C. L., and R. R. Miller. 1948. *The Great Basin, with emphasis on glacial and postglacial*



- times. II. The zoological evidence: correlation between fish distribution and hydrographic history in the desert basins of western United States. *Bull. Univ. Utah* 38:18-166.
- Hubbs, C. L., and R. R. Miller 1951. *Catostomus arenarius*, a Great Basin fish, synonymized with *C. tahoensis*. *Copeia* 1951:299-300.
- Hubbs, C. L., and R. R. Miller. 1952. Hybridization in nature between the fish genera *Catostomus* and *Xyrauchen*. *Pap. Mich. Acad. Sci. Arts Lett.* 38:207-233.
- Hubbs, C. L., and R. R. Miller. 1965. Studies of cyprinodont fishes. XXII. Variation in *Lucania parva*, its establishment in western United States, and description of a new species from an interior basin in Coahuila, Mexico. *Univ. Mich. Mus. Zool. Misc. Publ.* 127: 104 pp.
- Hubbs, C. L., R. R. Miller and L. C. Hubbs. 1974. Hydrographic history and relict fishes of the northcentral Great Basin. *Mem. Calif Acad. Sci.* 7: 259 pp.
- Hubbs, C. L. and O. L. Wallis. 1948. The native fish fauna of Yosemite National Park and its preservation. *Yosemite Nat. Notes* 27:131-144.
- Hubbs, C. L., and I. C. Potter. 1971. Distribution, phylogeny and taxonomy, 1-65 in N. W. Hardisty and I. C. Potter, Eds., *The Biology of lampreys*, Vol. 1. Academic Press, London.
- Hubbs, Clark. 1947. Mixture of marine and freshwater fishes in the lower Salinas River, Calif *Copeia* 1947:147-149.
- Hubbs, Clark. 1968. An opinion on the effects of cichlid releases in North America. *Trans. Am. Fish. Soc.* 97:197-198.
- Hubbs, Clark. 1974. Review of J. D. **Hopkirk**. Endemism in Fishes of the Clear Lake Region. *Copeia* 1974:808-809.

- Hubbs, Clark. 1982. Life history dynamics of *Menidia beryllina* from Lake Texoma. Amer. Midl. Nat. 107: 1-12.
- Hubbs, Clark and H. H. Bailey. 1977. Effects of temperature on the termination of breeding season of *Menidia audens*. Southw. Nat. 22: 544-547.
- Hubbs, Clark, H. B. Sharp, and J. F. Schneider. 1971. Developmental rates of *Menida audens* with notes on salt tolerance. Trans. Am. Fish. Soc. 100:603-610.
- Huet, M. 1959. Profiles and biology of Western European streams as related to fish management. Trans. Am. Fish. Soc. 88:155-163.
- Hung, S.S.O. , P.B. Lutes, F.S. Conte, and T. Storebakken. 1989. Growth and feeding efficiency of white sturgeon (*Acipenser transmontanus*) subyearlings at different feeding rates. Aquacult. 80:147-153.
- Hunt, W. G., J. M. Jenkins, R. E. Jackman, and E. G. Thelander. 1988. Foraging ecology of Bald Eagles on a regulated river. J. Raptor Res. 26:243-256.
- Hunter, J. R. 1963. The reproductive behavior of the green sunfish, *Lepomis cyanellus*. Zoologica 48:13-24.
- Hurlbert, S. H., J. Zedler, and D. Fairbanks. 1972. Ecosystem alteration by mosquitofish (*Gambusia affinis*) predation. Science 175:639-641.
- Hurst, H., G. Bass, and C. Hubbs. 1975. The biology of the Guadalupe, Suwannee, and redeye basses. Pages 34-55 in H. Clepper, ed. Black bass biology and management. Sport Fishing Institute, Wash. D.C.
- Hutchinson, G. E. 1966. The Ecological Theatre and the Evolutionary Play. Yale Univ. Press, New Haven, 139 pp.

- Ihnat, J. M. and R. V. Bulkley. 1984. Influence of acclimation temperature and season on acute temperature preference of adult mountain whitefish, *Prosopium williamsoni*. *Env. Biol. Fish.* 11: 29-40.
- Imler, R. L., D. T. Weber, and O. L. Fyock. Survival, reproduction, age, growth, and food habits of Sacramento perch, *Archophytes interruptus* (Girard), in Colorado. *Trans. Amer. Fish. Soc.* 104: 232-236.
- Ikusemiju, K. 1975. Aspects of the ecology and life history of the sculpin, *Cottus aleuticus* (Gilbert) in Lake Washington. *J. Fish. Biol.* 7: 235-245.
- Itzkowitz, M. 1971. Preliminary study of the social behavior of male *Gambusia affinis* (Gaird and Girard) (Pisces: Poeciliidae) in aquaria. *Chesapeake Sci.* 12:219-224.
- Iwanaga, P. M. and J. D. Hall. 1973. Effects of logging on growth of juvenile coho salmon. USEPA Ecological Research Series EPA-R3-73-006. 35 pp.
- Jameson, R.J. and K.W. Kenyon. 1977. Prey of sea lions in the Rogue River, Oregon. *J. Mammal.* 58:672.
- Jassby, A. D., W. J. Kimmerer, S. G. Monismith, C. Armor, J. E. Cloern, T. M. Powell, J. R. Schubel, and T. J. Vendlinks. 1995. **Isolhaline** position as a habitat indicator for estuarine populations. *Ecol. App.* 5: 272-289.
- Jenkins, R. E. and N. M. Burkhead. 1994. Freshwater fishes of Virginia. American Fisheries Soc., Bethesda MD.

- Jenkins, T. M. 1969. Social structure, position choice and microdistribution of two trout species (*Salmo trutta* and *Salmo gairdneri*) resident in mountain streams. Anim. Behav. Monogr. 2:57-123.
- Jennings, M. R. and M. K. **Saiki**. 1990. Establishment of red shiner, *Notropis lutrensis*, in the San Joaquin Valley, California. Calif Fish and Game 76: 46-57.
- Jensen, P. T. 1957. An extension of the range of the long-finned smelt, *Spirinchus dilatatus*. Calif Fish Game 43:99.
- Jensen, P. T. 1972. King salmon, 44-51. In J. Skinner, Ed., Ecological Studies of the Sacramento-San Joaquin Estuary, Delta Fish **Wildl.** Prot. Stud. Rep. No. 8.
- Jhingran, V. G. 1948. A contribution to the biology of the **Klamath** black dace, *Rhinichthys osculus klamathensis* (Evermann and Meek). Ph.D. Thesis, Stanford Univ., 94 pp.
- Johannes, M. R. S., D. J. McQueen, T. J. Stewart, and J. R. Post. 1989. Golden shiner (*Notemigonus aysoleucas*) population abundance: correlation with food and predators. Can J. Fish. Aquat. Sci. 46: 810-817.
- Johannes, R. E., and P. A. Larkin. 1961. Competition for food between redbreast shiners (*Richardsonius balteatus*) and rainbow trout (*Salmo gairdneri*) in two British Columbia lakes. J. Fish. Res. Board Can. 18:203-220.
- John, K. R. 1963. The effect of torrential rains on the reproductive cycle of *Rhinichthys osculus* in the Chiricahua Mountains, Arizona. Copeia 1963:286-291.
- John, K. R. 1964. Survival of fish in intermittent streams of the Chiricahua Mountains, Arizona. Ecology 45:112-119.

- Johnson, D. W., and E. L. McClendon. 1970. Differential distribution of the striped mullet, *Mugil cephalus* Linnaeus. **Calif. Fish Game** 56:2138-139.
- Johnson, J. E. 1970. Age, growth, and population dynamics of threadfin shad, *Dorosoma petenense* (Gunther), in Central Arizona reservoirs. *Trans. Am. Fish. Soc.* 99:739-753.
- Johnson, J. E. 1971. Maturity and fecundity of threadfin shad, *Dorosoma petenense* (Gunther), in Central Arizona reservoirs. *Trans. Am. Fish. Soc.* 100:74-85.
- Johnson, J. H. 1995. Effects of prey density and short term food deprivation on the growth and survival of American shad larvae. *J. Fish. Biol.* 46: 872-879.
- Johnson, J. M. 1999. Fish use of a southern California salt marsh. M.S. thesis, San Diego St. Univ. 71 pp.
- Johnson, S.L. 1988. The effect of the 1983 El Nino on Oregon's coho (*Oncorhynchus kisutch*) and chinook (*Oncorhynchus tshawytscha*) salmon. *Fish. Res.* 6: 105-123.
- Johnson, S. R. 1976. Age and growth of hitch (*Lavinia exilicauda*) and blackfish (*Orthodon microlepidotus*) from San Luis Reservoir, Merced County, California. **Unpubl. Rept. Cal. Poly. SLO.** 18 pp.
- Jones, A. C. 1962. The biology of the euryhaline fish *Leptocottus armatus* Girard (Cottidae). *Univ. Calif. Publ. Zool.* 67:321-367.
- Jones, A. C. 1972. Contributions to the life history of the Piute sculpin in Sagehen Creek, California. **Calif. Fish Game** 58:285-290.
- Jones, W. E. 1980. Summer steelhead (*Salmo gairdneri*) in the Middle Fork Eel River and their relationship to environmental changes, 1966 through 1978. **Calif. Dep. Fish Game Mad. Fish. Branch Admin. Rep. No. 80-2.** 25 pp.

- Jonez, A., and R. C. Sumner. 1954. Lakes Mead and Mohave investigations. Nev. Fish Game Comm. Wildl. Restor. Div. mimeo, 174 pp.
- Jordan, D. S. 1879. Notes on a collection of fishes from Clackamus River, Oregon. Proc. U.S. Natl. Mus. 1:69-85.
- Jordan, D. S. 1893. A description of the golden trout of Kern River, California, *Salmo mykiss* *agua-bonita*. U. S. Nat. Mus. Proc. 15: 481-483.
- Jordan, D. S. 1894a. Notes on the fresh-water species of San Luis Obispo County, California. Bull. U.S. Fish. Comm. 19:191-192.
- Jordan, D. S. 1894b. Salmon and trout of the Pacific states. Calif State Bd. Fish Comm., 13th biennial report for the years 1893-1894. Sacramento.
- Jordan, D. S., and B. W. Evermann. 1896. Fishes of North and Middle America. Bull. U.S. Natl. Mus. 47(1-4): 3705 pp.
- Jordan, D. S., and B. W. Evermann. 1923. American Food and Game Fishes. Doubleday and Company, New York, 573 pp.
- Jordan, D. S., and C. H. Gilbert. 1882. Synopsis of the fishes of North America. Bull. U.S. Nat. Mus. 16:1-1018.
- Jordan, D. S., and C. H. Gilbert. 1894. List of fishes inhabiting Clear Lake, California. Bull. U.S. Fish Comm. 14:139-140.
- Jordan, D. S. and J. O. Snyder. 1908. *Acipenser mikadoi*
- Jubb, R. A. 1967. Freshwater Fishes of Southern Africa. A. A. Balkema, Capetown, pp. 159-163.
- Kaiser, J. 1999. Battle over a dying sea. Science 284: 28-30.

- Keast, A. 1966. Trophic interrelationships in the fish fauna of a small stream. Univ. Mich. Great Lakes Res. Div. **Publ.** 15:51-79.
- Keast, A. 1968a. Feeding biology of the black crappie, *Pomoxis nigromaculatus*. J. Fish. Res. Board Can. 24:285-297.
- Keast, A. 1968b. Feeding of some Great Lakes fishes at low temperatures. J. Fish. Res. Board Can. 24:1199-1218.
- Keast, A., and D. Webb. 1966. Mouth and body form relative to feeding ecology in the fish fauna of a small lake, Lake Opinicon, Ontario. J. Fish. Res. Board Can. 23:1845-1874.
- Keast, A., and L. Welsh. 1968. Daily feeding periodicities, food uptake rates, and dietary changes with hour of day in some lake fishes. J. Fish. Res. Board Can. 25:1133-1149.
- Kegley, S., L. Neumeister, and T. Martin. 1999. Disrupting the balance: ecological impact of pesticides in California. Californians for Pesticide Reform, San Francisco. 99 pp.
- Keen, W. H. 1982. Behavioral interactions and body size differences in competition for food among juvenile brown bullhead (*ktalurus nebulosus*). Canadian Journal of Fisheries and Aquatic Sciences 39: 316-320.
- Kelly, H. D. 1957. Preliminary studies on *Tilapia mossambica* Peters relative to experimental pond culture. Proc. 10th Annu. **Conf.** Southeast Assoc. Fish Comm.:139-149.
- Kendall, A. W., and F. J. Schwartz. 1968. Lethal temperature and salinity tolerances of the white catfish, *ktalurus catus*, from the Patuxent River, Maryland. Chesapeake Sci. 9:103-108.
- Kennedy, C. H. 1916. A possible enemy of the mosquito. **Calif.** Fish Game 2:179-182.
- Kennedy, J. L. 1983. Seasonal growth of the tui chub, *Gila bicolor*, in Pyramid Lake, Nevada. Great Basin Nat. 43:713-716.

- Kennedy, J. L. and P. A. Kucera. 1978. The reproductive ecology of the Tahoe sucker, *Catostomus tahoensis*, in Pyramid Lake, Nevada. *Great Basin Nat.* 38: 181-186.
- Kesner, W. D. and R. A. Barnhart. 1972. Characteristics of fall-run steelhead trout (*Salmo gairdneri gairdneri*) of the Klamath River system, with emphasis on the half-pounder. **Calif. Fish, Game** 58: 204-220.
- Keys, A. B. 1931. A study of the selective action of decreased salinity and of asphyxiation on the Pacific killifish, *Fundulus parvipinnis*. *Bull. Scripps Inst. Oceanogr. Univ. Calif.* 2:417-490.
- Kiesecker, J. M. and A. R. Blaustein. 1998. Effects of introduced bullfrogs and smallmouth bass on habitat use, growth, and survival of native red-legged frogs (*Rana aurora*). *Cons. Biol.* 12: 776-787
- Kikuchi, T. and Y. Yamashita. 1992. Seasonal occurrence of gobiid fish and their food habits in a small mud flat in **Amakusa**. **Publ. Amakusa Mar. Lab.** 11: 73-93.
- Kimmerer, W. 1997. Flow effects and density dependence in striped bass. *IEP newsletter* 10 (4): 11-15
- Kimsey, J. B. 1950. Some Lahontan fishes in the Sacramento River Drainage, California. **Calif. Fish Game** 36:438-439.
- Kimsey, J. B. 1954a. The introduction of the redeye black bass and the threadfin shad into California. **Calif. Fish Game** 40:203-204.
- Kimsey, J. B. 1954b. The life history of the tui chub, *Siphateles bicolor* (Girard), from Eagle Lake, California. **Calif. Fish Game** 40:395-410.
- Kimsey, J. B. 1957. The status of the redeye bass in California. **Calif. Dep. Fish Game** 43:99-100.



- Kimsey, J. B. 1960. Observations on the spawning of Sacramento hitch in a lacustrine environment. **Calif. Fish Game** 46:211-215.
- Kimsey, J. B., and R. R. Bell. 1955. Observations on the ecology of the largemouth black bass and the tui chub in Big Sage Reservoir, Modoc County. Calif Dep. Fish Game Inland Fish Admin. Rep. 55-75: 17 pp.
- Kimsey, J. B., and R. R. Bell. 1956. Notes on the status of the pumpkinseed sunfish, *Lepomis gibbosus*, in the Susan River, Lassen County, California. **Calif. Dept. Fish Game Inland Fish Admin. Rep.** 56-1: 20 pp.
- Kimsey, J. B., and L. O. Fisk. 1960. Keys to the freshwater and anadromous fishes of California. **Calif Fish Game** 46:453-479.
- Kimsey, J. B., and L. O. Fisk. 1964. Freshwater Nongame Fishes of California. Calif Dep. Fish Game, 54 pp.
- Kimsey, J. B., D. W. Kelley, R. Hagy, and G. McCammon. 1956. A survey of the fish populations of Pardee Reservoir, Amador/Calaveras counties. Calif Dep. Fish Game Inland Fish Admin. Rep. 56-18: 13 pp.
- Kinne, O. 1960. Growth, food intake, and food conversion in a euryplastic fish exposed to different temperatures and salinities. **Physiol. Zool.** 33:288-317.
- Kisanuki, T. T. 1980. Age and growth of the Humboldt sucker (*Catostomus occidentalis* *humboldtianus*) and the golden shiner (*Notemigonus crysoleucas*) from Ruth Reservoir, California. M.S. thesis, Humboldt State Univ. 67 pp.
- Kitchell, J. F., and J. T. Windell. 1970. Nutritional value of algae to bluegill sunfish, *Lepomis macrochirus*. **Copeia** 1970:186-190.

- Kjelson, M. A. 1971. Selective predation by a freshwater **planktivore**, the threadfin shad, *Dorosoma petenense*. Ph.D. Thesis, Zoology, Univ. Calif, Davis, 123 pp.
- Kjelson, M. A., P. F. Raquel, and F. W. Fisher. 1982. Life history of fall-run juvenile chinook salmon, *Oncorhynchus tshawytscha*, in the Sacramento-San Joaquin estuary, California. Pages 393-410 *in* V. S. Kennedy, ed. Estuarine comparisons. Academic Press, N. Y.
- Klingbeil, R. A., R. D. Sandell, and A. W. Wells. 1975. An annotated checklist of the elasmobranchs and teleosts of Anaheim Bay. Pages 79-90 *in* E. D. Lane and C. W. Hill, eds. The marine resources of Anaheim Bay. CDFG Fish Bull. 165.
- Knaggs, E. H. 1977. Status of the genus *Tilapia* in California's **estuarine** and marine waters. *California Wildlife Trans.* 1977: 60-67.
- Knapp, R. A. 1996. Non-native trout in natural lakes of the Sierra Nevada: an analysis of their distribution and impacts on native aquatic biota. Pages *In* Sierra Nevada Ecosystem Project Report: Final report to Congress, Vol. III. Davis: Univ. **Calif.** Centers for Water, **Wildland Res.**
- Knapp, R. A. and K. R. Matthews. 1996. Livestock grazing, golden trout, and streams in the Golden Trout Wilderness, California: impacts and management implications. *N. Amer. J. Fish. Mgmt.* 16: 805-820.
- Knapp, R. A. and V. T. Vredenburg. 1996. Spawning by California golden trout: characteristics of spawning fish, season and daily timing, redd characteristics, and microhabitat preferences. *Trans. Amer. Fish. Soc.* 125: 519-531.

- Knight, N. J. 1985. Microhabitats and temperature requirements of hardhead (*Mylopharodon conocephalus*) and Sacramento squawfish (*Ptychocheilus grandis*), with notes for some other native California stream fishes. Ph.D. Diss., Univ. Calif, Davis. 161 pp.
- Knudsen, D. and T. Mills. 1980. Copco Lake, Siskiyou County, fish sampling, spring 1980. File report, CDFG Endangered Species Project, Sacramento. 12 pp.
- Koch, D. L. 1973. Reproductive characteristics of the cui-ui lakesucker (*Chasmistes cujus* Cope) and its spawning behavior in Pyramid Lake, Nevada. *Trans. Am. Fish. Soc.* 102:145-149.
- Koch, D. L., and G. P. Contreras. 1973. Preliminary survey of the fishes of the Lost River System. *Desert Res. Inst. Ctr. Water Resour. Res. Prog. Rep.* 23: 45 pp.
- Kodric-Brown, A. 1977. Reproductive success and the evolution of breeding territories in pupfish (*Cyprinodon*). *Evolution* 31:750-766.
- Kodric-Brown, A. 1981. Variable breeding systems in pupfishes (Genus *Cyprinodon*): adaptations to changing environments, 205-236. I R. J. Naiman and D. L. Soltz, Eds., *Fishes in North American Deserts*. John Wiley, New York.
- Koehn, R. 1965. Development and ecological significance of nuptial tubercles of the red shiner, *Notropis lutrensis*. *Copeia* 1965:462-467.
- Kohlhorst, D.W. 1976. Sturgeon spawning in the Sacramento River in 1973, as determined by distribution of larvae. *Calif. Fish, Game* 62:32-40.
- Kohlhorst, D. W. 1999. Status of striped bass in the Sacramento-San Joaquin estuary. *Calif. Fish, Game* 85: 31-36.
- Kohlhorst, D.W., L. W. Botsford, J.S. Brennan, and G.M. Cailliet. 1991. Aspects of the structure and dynamics of an exploited central California population of white sturgeon (*A. aepenser*

- transmontanus). Pages 277-293 in P. Williot, ed. *Acipenser*. CEMAGREF. Bordeaux, France
- Kohlhorst, D.W., L.W. Miller, and J.J. Orsi. 1980. Age and growth of white sturgeon collected in the Sacramento-San Joaquin estuary, California: 1965-1970 and 1973-1976. **Calif. Fish, Game** 66: 83-95.
- Kondolf, G. M.** 1994. Livestock grazing and habitat for a threatened species: land-use decisions under scientific uncertainty in the White Mountains, USA. *Env. Mgmt.* 18: 501-509.
- Konecki, J. T. , C. A. Woody, and T. P. Quinn. 1995. Influence of temperature on incubation rates of coho salmon (*Oncorhynchus kisutch*) from ten Washington populations. *Northw. Sci.* 69: 126-132.
- Kope, R. G. and L. W. Botsford. 1990. Determination of factors affecting recruitment of chinook salmon *Oncorhynchus tshawytscha* in central California. *USDA Fish. Bull.* 88: 257-269.
- Koppleman, J. B. 1994. Hybridization between smallmouth bass, *Micropterus dolomieu*, and spotted bass, *M. punctulatus*, in the Missouri River system, Missouri. *Copeia* 1994: 204-209.
- Kottcamp, G. 1973. Variation, behavior and ecology of the prickly sculpin (*Cottus asper* Richardson) from the San Joaquin River, California. M.A. Thesis, **Calif. State Univ.**, Fresno, 56 pp.
- Kottcamp, G., and P. B. Moyle. 1972. Use of disposable beverage cans by fish in the San Joaquin Valley. *Trans. Am. Fish. Soc.* 101:566.
- Kramer, R. H., and L. L. Smith. 1960. Utilization of the nests of largemouth bass, *Micropterus salmoides*, by golden shiner, *Notemigonus aysoleucas*. *Copeia* 1960:73-74.

- Kramer, V. L. , R. Garcia, and A. E. **Colwell**. 1987. An evaluation of the mosquitofish, *Gambusia affinis*, and the inland silverside, *Menidia beryllina*, as mosquito control agents in California wild rice fields. J. Amer. Mosq. Cont. Assn. 3: 626-632.
- Kratz, K. and G. L. Vinyard. 1981. Mechanisms of prey selectivity in the Piute sculpin, *Coitus beldingi*. Cal-Neva Wildlife Transactions 1981: 11-18.
- Kresja, R. J. 1965. The systematics of the prickly sculpin, *Coitus asper*: an investigation of genetic and non-genetic variation within a polytypic species. Ph.D. Dissertation, Univ. British Columbia, 109 pp.
- Kresja, R. J. 1970. The systematics of the prickly sculpin, *Cottus asper*: an investigation of genetic and non-genetic variation within a polytypic species. Part I. Synonymy, nomenclatural history and distribution. Pac. Sci. 21:241-251.
- Kroeber, A. L., and S. A. Barrett. 1960. Fishing among the Indians of Northwestern California. Anthropol. Rec. Univ. **Calif.** 21: 270 pp.
- Krumholz, L. A. 1948. Reproduction in the western mosquitofish *Gambusia affinis affinis* (Baird and Girard) and its use in mosquito control. Ecol. Monogr. 18:1-43.
- Kubicek, P. F. and D. G. Price. 1976. An evaluation of water temperature and its effect on juvenile steelhead trout in geothermally active areas of Big Sulphur Creek. Cal-Neva Wildlife Trans. 1976: 1-24.
- Kukowski**, G. E. 1972. A checklist of the fishes of the Monterey Bay area including Elkhorn Slough, the San Lorenzo, Pajaro, and Salinas rivers. Moss Landing Mar. Lab. Tech. **Publ.** 72-2: 69 pp.
- LaBue, C. P. and M. A. Bell. 1993. Phenotypic manipulation by the cestode parasite

- Schistocephalus solidus* of its intermediate host, *Gasterosteus aculeatus*, the threespine stickleback. *Amer. Nat.* 142: 725-735.
- La Bounty, J. F., and J. E. Deacon. 1972. *Cyprinodon milleri*, a new species of pupfish (family Cyprinodontidae) from Death Valley, California. *Copeia* 1972:769-780.
- Lafferty, K. D. and C. J. Page. 1997. Predation on the endangered tidewater goby by the introduced African clawed frog, with notes on the frog's parasites. *Copeia* 1997: 589-592.
- Lambert, T. R. 1980. Status of redeye bass, *Micropterus coosae*, in the South Fork Stanislaus River, California. *Calif. Fish, Game* 66:240-242.
- La Rivers, I. 1962. Fishes and fisheries of Nevada. *Nev. Fish Game Comm.*, 782 pp.
- Lambou, V. W. 1965. Observations on the size distribution and spawning behavior of threadfin shad. *Trans. Am. Fish. Soc.* 94:385-386.
- Lanse, R. 1965. The occurrence of warmouth, *Chaenobryttus gulosus* (Cuvier), in the lower Colorado River. *Calif. Fish Game* 51:123.
- Larimore, R. W. 1957. Ecological life history of the warmouth (Centrarchidae). *Bull. Ill. Nat. Hist. Surv.* 27: 83 pp.
- Larson, J., J. McKeon, T. Salamunovich, and T. D. Hofstra. 1983. Water quality and productivity of the Redwood Creek estuary. Pp. 190-199 in C. Van Riper, L. D. Whittig, and M. L. Murphy, eds. *Proc. 1st Biennial Conf. Of Research in Calif. Nat. Parks*, UC Davis.
- Lau, S. and C. Boehm. 1991. A distribution survey of desert pupfish (*Cyprinodon macularius*) around the Salton Sea, California. Unpubl. Rpt. Project EF90XIII-1 Calif. Dept. Fish, Game, Sacramento. 21 pp.
- Lauder, G. V. 1983. Functional and morphological bases of trophic specialization in sunfishes

- (Teleostei, Centrarchidae). *J. Morph.* 178: 1-21.
- Lea, R. N., C. C. Swift, and R. J. Lavenberg. 1988. Records of *Mugil curema*, the white mullet, from southern California. *Bull. S. Calif. Acad. Sci* 87:31-34.
- Lee, D. S., C. R. Gilbert, C. H. Hocutt, R. E. Jenkins, D. E. McAllister, J. R. Stauffer, Jr. 1980. Atlas of North American Freshwater Fishes. N. C. Mus. Nat. Hist., Raleigh. 854 pp.
- Lee, R. M. and S. D. Gerking. 1980. Survival and reproductive performance of the desert pupfish, *Cyprinodon n. nevadensis* (Eigenmann and **Eigenmann**), in acid waters. *J. Fish Biol.* 17: 507-515.
- Leet, W. S., C. M. Dewees, and C. W. Haugen. 1992. California's living marine resources and their utilization. Calif Sea Grant **Publ.** UCSGEP-92-12. 257 pp.
- Leggett, W. C. 1973. The migrations of the shad. *Sci. Amer.* 228:92-100.
- Leggett, W.C. and J. E. Carscadden. 1978. Latitudinal variation in reproductive characteristics of American shad (*Alosa sapidissima*): evidence for population specific life history strategies in fish. *J. Fish. Res. Bd. Canada* 35: 1469-1478.
- Legner, E. F., T. W. Fisher, and R. A. Medved. 1973. Biological control of aquatic weeds in the lower Colorado River basin. *Proc. Annu. Conf. Calif Mosq. Contr. Assoc.* 41:115-117.
- Legner, E. F., and W. J. Hauser. 1973. Biological control of aquatic weeds in the lower Colorado River basin. *Annu. Rep. Univ. Calif, Davis*, 22 pp.
- Legner, E. F., and R. A. Medved. 1973. Predation of mosquitoes and chironomid midges in ponds by *Tilapia zillii* and *T. mossambica* (Teleostei: Cichlidae). *Proc. Annu. Conf. Calif Mosq. Contr. Assoc.* 41:119-121.
- Legner, E. F., R. A. Medved, and F. Pelsue. 1980. Changes in chironomid breeding patterns in a

- paved river channel following adaptation of cichlids of the *Tilapia mossambica-homorum* complex. Ann. Ent. Soc. Amer. 73: 293-299.
- Leidy, R. A. 1983. Distribution of fishes in streams of the Walnut Creek basin, California. Calif. Fish, Game 69: 23-32.
- Leidy, R. A. 1984. Distribution and ecology of stream fishes in the San Francisco Bay drainage. Hilgardia 52:1-175.
- Leipzig, P. and J. M. Deinstadt. 1997. Food habits of brown trout in the East Walker River, California. CFG Inland Fisheries Admin. Rpt. 97-11: 27 pp.
- Lemke, M. J. and S. H. Bowen. 1998. The nutritional value of organic detrital aggregate in the diet of fathead minnows. Freshw. Biol. 39: 447-453.
- Lever, C. 1996. Naturalized fishes of the world. Academic Press, San Diego: 408 pp.
- Levesque, R. C., and R. J. Reed. 1972. Food availability and consumption by young Connecticut River shad, *Alosa sapidissima*. J. Fish. Res. Board Can. 29:1495-1499.
- Lewis, S. L. 1969. Physical factors influencing fish populations in pools of a trout stream. Trans. Am. Fish. Soc. 98:14-19.
- Lewis, W. M., Jr. 1970. Morphological adaptations of cyprinodontoids for inhabiting oxygen deficient waters. Copeia 1970:319-326.
- Lewis, W. M., and S. Flickinger. 1967. Home range tendency of the largemouth bass (*Micropterus salmoides*). Ecology 48:1020-1023.
- Lewis, W. M., G. E. Gunning, E. Lyles, and W. L. Bridges. 1961. Food choice of largemouth bass as a function of availability and vulnerability of food items. Trans. Am. Fish. Soc. 90:277-280.



- Li, H. W. and P. B. Moyle. 1976. Feeding ecology of the Pit sculpin, *Coituspitensis*, in Ash Creek, California. *Bull. S. Calif. Acad. Sci.* 75: 111-118.
- Li, H. W., P. B. Moyle, and R. L. Garrett. 1976. Effects of the introduction of the Mississippi silverside (*Menidia audens*) on the growth of black crappie (*Pomoxis nigromaculatus*) and white crappie (*P. annularis*) in Clear Lake, California. *Trans. Amer. Fish. Soc.* 105:404-408.
- Limburg, K. E. and R. M. Ross. 1995. Growth and mortality rates of larval American shad, *Alosa sapidissima*, at different salinities. *Estuaries* 18: 335-340.
- Lindquist, A. W., C. D. Deonier, and J. E. Hanley. 1943. The relationship to fish of the Clear Lake gnat, Clear Lake, California. *Calif. Fish Game* 29:196-202.
- Lindstrom, S. 1996. Great Basin fisherfolk: optimal diet breadth modeling the Truckee River aboriginal subsistence fishery. Pages 114-179 in M. G. Plew, ed. Prehistoric hunter-gatherer fishing strategies. Boise: Boise State University.
- Liu, R. K. 1969. The comparative behavior of allopatric species (Teleostei-Cyprinodontidae: Cyprinodon). Ph.D diss., Univ. Calif, L.A. 185 pp.
- Lobon-Cervia, J., C. G. Utrilla, P. A. Rincon, and F. Amezcua. 1997. Environmentally induced spatio-temporal variations in the fecundity of brown trout *Salmo trutta* L.: tradeoffs between egg size and number. *Freshw. Biol.* 38: 277-288.
- Lockington, W. N. 1878. Report upon the food fishes of San Francisco. Rep. *Calif. Fish. Comm.* 1878-78:17-58.

- Loeb, H. A. 1964. Submergence of brown bullheads in bottom sediment. N.Y. Fish Game J. 11:119-124.
- Loggins, R. E. 1997. Comparison of four populations of California roach, *Lavinia symmetricus*, using RAPD markers. M.S. thesis, CSU Chico,. 58 pp.
- Lohr, S. C. and K. D. Fausch. 1996. Effects of green sunfish (*Lepomis cyanellus*) predation on survival and habitat use of plains killifish (*Fundulus zebrinus*). Southw. Nat. 41: 155-160.
- Loiselle, P. V. 1982. Male spawning-partner preference in an arena-breeding teleost *Cyprinodon macularius californiensis* Girard (Atherinomorpha: Cyprinodontidae). Amer. Nat. 120: 721-732.
- Lollock, D. L. 1968. An evaluation of the fishery resources of the Pajaro River Basin. Unpubl Rpt. Calif. Dep. Fish Game, Monterey. 60 pp.
- Long, C. W. 1968. Diel movement and vertical distribution of juvenile anadromous fish in turbine intakes. Fishery Bull., U.S. Fish Wildl. Serv. 66:599-609.
- Lonzarich, D. G. and J. J. Smith. 1997. Water chemistry and community structure of saline and hypersaline salt evaporation ponds in San Francisco Bay, California. Calif. Fish, Game 83: 89-104.
- Losbaugh, D. F. 1978. Prey selection by the black crappie (Centrarchidae: *Pomoxis nigromaculatus*). M. S. Thesis, Univ. Calif. Santa Barbara. 70 pp.
- Lott, J. 1998. Feeding habits of juvenile and adult delta smelt from the Sacramento-San Joaquin estuary. IEP for Sacramento-San Joaquin Estuary Newsletter 11(1): 14-19.
- Loud, L. L. 1929. Notes on the northern Piute. Univ. Calif. Publ. Arch. Ethnol. 25:152-164.
- Lougheed, V. L., B. Crosbie, and P. Chow-Fraser. 1997. Predictions on the effect of common

- carp (*Cyprinus carpio*) exclusion on water quality, **zooplankton**, and **submergent macrophytes** in a Great Lakes wetland. Can J. Fish., **Aquat. Sci.** **55**: 1189-1197.
- Love, M. **1996**. Probably more than you want to know about the fishes of the Pacific Coast, **2nd** ed. Really Big Books, Santa Barbara.
- Lowe, C. H., and W. G. Heath. **1969**. Behavioral and physiological responses to temperature in the desert **pupfish**, *Cyprinodon macularius*. **Physiol. Zool.** **42**:53-59.
- Lowe, C. H., D. S. Hinds, and E. A. Halpern. **1967**. Experimental **catostrophic** selection and tolerances to low oxygen concentrations in native Arizona freshwater fishes. **Ecology** **48**:1013-1017.
- Lowry, G. R. **1965**. Movement of cutthroat trout, *Salmo clarki clarki* (Richardson) in three Oregon coastal streams. **Trans. Am. Fish. Soc.** **94**:334-338.
- Lowry, G. R. **1966**. Production and food of cutthroat trout in three Oregon coastal streams. **J. Wildl. Manage.** **30**:754-767.
- Ludwig, H. R., jr. and J. A. Leitch. **1996**. **Interbasin** transfer of aquatic biota via anglers' bait buckets. **Fisheries** **21**(7): 14-18.
- Lundberg, J. G. **1982**. The comparative anatomy of the toothless **blindcat**, *Trogloglanis pattersoni* **Eigenmann**, with a **phylogenetic** analysis of **ictalurid** catfishes. **Misc. Pub. Mus. Zool. Univ. Mich** **163**: 1-85.
- Lukas, J. A. and D. J. Orth. **1995**. Factors affecting nesting success of **smallmouth** bass in a regulated Virginia stream. **Trans. Amer. Fish. Soc.** **124**: 726-735.
- Mabee, P. M. **1993**. **Phylogenetic** interpretation of **ontogenetic** change: sorting out the actual and **artefactual** in an empirical case study of **centrarchid** fishes. **Zool. J. Linn. Soc.** **107**: 175-

291.

- MacCrimmon, H. R. 1971. World distribution of rainbow trout (*Salmo gairdneri*). J. Fish. Res. Board Can. 28:663-704.
- MacCrimmon, H. R., and J. S. Campbell. 1969. World distribution of brook trout, *Salvelinus fontinalis*. J. Fish. Res. Board Can. 26:1699-1725.
- MacCrimmon, H. R., T. C. Marshall, and B. L. Gots. 1970. World distribution of brown trout, *Salmo trutta*: further observations. J. Fish. Res. Board Can. 27:811-818.
- MacKenzie, C. , L. S. Weiss-Glanz, and J. R. **Moring**. 1985. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (mid-Atlantic). American shad. USFWS Biol. Rept. 82 (11.37). 18 pp.
- Mager, R. C. 1996. Gametogenesis, reproduction, and artificial propagation of delta smelt, *Hypomesus transpacificus*. Unpubl. Ph.D. diss. Univ. **Calif.** Davis. 125 pp.
- Malcolm, J.R. 1992. Supporting information for a petition to list as endangered or threatened: Shay Creek stickleback, *Gasterosteus* sp. Pages 213-222 in P. B. Moyle and R. M. Yoshiyama. Fishes, aquatic diversity management areas, and endangered species: a plan to protect California's native aquatic biota. California Policy Seminar Report, University of California.
- Marchetti, M. P. 1998. Ecological effects of non-native fish species in low elevation streams of the Central Valley, California. Ph.D. dissertation, UC Davis. 84 pp.
- Marchetti, M. P. 1999. An experimental study of competition between native Sacramento perch (*Archoplites interruptus*) and introduced bluegill (*Lepomis macrochirus*). Invasion Biol. 1 (in press).

- Markham, J. L., D. L. Johnson, R. W. **Petering**. 1991. White crappie summer movements and habitat use in Delaware Reservoir, Ohio. *N. Amer. J. Fish. Mgmt.* 11: 504-512.
- Marine, K. R. 1997. Effects of elevated water temperature on some aspects of the physiological and ecological performance of juvenile chinook salmon (*Oncorhynchus tshawytscha*). M.S. Thesis, Univ. Calif, Davis. 63 pp.
- Markle, D. F. 1982. Evidence of bull trout x brook trout hybrids in Oregon. Pages 58-67 in P. J. Howell and D.V. Buchanan, eds. Proceedings of the Gearhart Mountain bull trout workshop. Oregon Chap. Amer. Fish. Soc. , Corvallis.
- Markley, M. H. 1940. Notes on the food habits and parasites of the stickleback *Gasterosteus aculeatus* (Linnaeus) in the Sacramento River, California. *Copeia* 1940:223-225.
- Marrin, D. L. 1980. Food selectivity and habitat use by introduced trouts and native nongame fishes in sub-alpine lakes. Unpubl. M.S. thesis, Univ. **Calif.** Berkeley. 87 pp.
- Marrin, D. L. 1983. Ontogenetic changes and intraspecific resource partitioning in the Tahoe sucker, *Catostomus tahoensis*. *Env. Biol. Fish* 8: 39-47.
- Marrin, D. L. and D. C. Erman. 1982. Evidence against competition between trout and nongame fishes in Stampede Reservoir, California. *N. Amer. J. Fish. Mgmt.* 2: 262-269.
- Marrin, D. L., D. C. Erman and B. Vondracek. 1984. Food availability, food habits, and growth of Tahoe sucker, *Catostomus tahoensis*, from a reservoir and a natural lake. *Calif. Fish, Game* 70:4-10.
- Marsh, P. C. 1985. Effect of incubation temperature on survival of embryos of native Colorado River fishes. *Southw. Nat.* 30:129-140.
- Marsh, P. C. and James E. Brooks. 1989. Predation by ictalurid catfishes as a deterrent to re-

- establishment of hatchery-reared razorback suckers. *Southw. Nat.* 34: 188-195.
- Marsh, P. C. and D. R. Langhorst. 1988. Feeding and fate of wild larval razorback sucker. *Env. Biol. Fish.* 21:59-67.
- Martel, G. 1996. Growth rate and influence of predation risk on territoriality in juvenile coho salmon (*Oncorhynchus kisutch*). *Can. J. Fish., Aquat. Sci.* 53: 660-669.
- Martin, B. A. 1997. Effects of ambient water quality on the endangered Lost River sucker (*Deltistes luxatus*) in Upper **Klamath** Lake, Oregon. Unpubl. M.S. thesis, Humboldt State Univ. 55 pp.
- Martin, B. A. and M. K. Saiki 1999. Effects of ambient water quality on the endangered Lost River sucker in Upper Klamath Lake, Oregon. *Trans. Amer. Fish. Soc.* (in press).
- Martin, J. A. 1995. Food habits of some estuarine fishes in a small seasonal central California lagoon. M. S. Thesis, San Jose State Univ. 48 pp.
- Martin, M. 1967. The distribution and morphology of the North American catostomid fishes of the Pit River system, California. M.A. Thesis, Sacramento State College. 60 pp.
- Martin, M. 1972. Morphology and variation of the Modoc sucker, *Catostomus microps* Rutter, with notes on feeding adaptations. **Calif.** *Fish Game* 58:277-284.
- Maslin, P., M. Lennox, J. Kindopp, and W. McKinney. 1997. Intermittent streams as rearing habitat for Sacramento River chinook salmon (*Oncorhynchus tshawytscha*). Unpubl. Rpt. CSU Chico. 89 pp.
- Matern, S. A. 1999. The invasion of the **shimofuri** goby (*Tridentiger bifasciatus*) into California: establishment, potential for spread, and likely effects. Ph.D. Diss. Univ. **Calif.** Davis. 167 pp.

- Matern, S. A. and K. J. Fleming. 1995. Invasion of a third Asian goby, *Tridentiger bifasciatus*, into California. **Calif. Fish, Game** 81: 71-76.
- Mathews, S. B. 1962. The ecology of the Sacramento perch, *Archoplites interruptus*, from selected areas of California and Nevada. M.A. Thesis, Univ. Calif, Berkeley, 93 pp.
- Mathews, S. B. 1965. Reproductive behavior of the Sacramento perch, *Archoplites interruptus*. *Copeia* 1965:224-228.
- Mathias, A. and R. J. F. Smith. 1992. Avoidance of areas marked with a chemical alarm substance by fathead minnows (*Pimephales promelas*) in a natural habitat. *Can J. Zool.* 70: 1473-1476.
- Mathur, D. 1972. Seasonal food habits of adult white crappie, *Pomoxis annularis* Rafinesque in Conowingo Reservoir. *Am. Midl. Nat.* 87:236-241.
- Mathur, D., and T. W. Robbins. 1971. Food habits and feeding chronology of young white crappie, *Pomoxis annularis* Rafinesque in Conowingo Reservoir. *Trans. Am. Fish. Soc.* 100:307-311.
- Matthews, K. R. 1996a. Diel movement and habitat use of California golden trout in the Golden Trout Wilderness, California. *Trans. Amer. Fish. Soc.* 125: 78-86.
- Matthews, K. R. 1996b. Habitat selection and movement patterns of California golden trout in degraded and recovering stream sections in the Golden Trout Wilderness, California. *N. Amer. J. Fish. Mgmt.* 16: 579-590.
- Matthews, K. R. and N. H. Berg. 1997. Rainbow trout responses to water temperature and dissolved oxygen in two southern California stream pools. *J. Fish. Biol.* 50: 50-67.
- Matthews, W. J. and L. G. Hill. 1977. Tolerance of the red shiner, *Notropis lutrensis* (Cyprinidae)

- to environmental parameters. *Southw. Nat.* 22: 89-98.
- Matthews, W. J. and L. G. Hill. 1979. Age-specific differences in the distribution of red shiners, *Notropis lutrensis*, over physiochemical ranges. *Amer. Midl. Nat.* 102: 366-372.
- Mayden, R. L. 1989. Phylogenetic studies of North American minnows, with emphasis on the genus *Cyprinella* (Teleostei, Cypriniformes). *Univ. Kansas Mus. Nat. Hist. Misc. Pub.* 80: 189 pp.
- Mayden, R.L., W.J. Rainboth, and D.G. Buth. 1991. Phylogenetic systematics of the cyprinid genera *Mylopharodon* and *Ptychocheilus* comparative morphology. *Copeia* 1991: 819-834.
- McAfee, W. B. 1966. Rainbow trout, 192-215; golden trout, 216-224; Eagle Lake rainbow trout, 221-225; Lahontan cutthroat trout, 225-230; Piute cutthroat trout, 231-233; eastern brook trout, 242-260; lake trout, 260-271; Dolly Varden trout, 271-274; landlocked king salmon, 294-295; mountain whitefish, 299-304. In A. Calhoun, Ed., *Inland Fisheries Management*, Sacramento: Calif Dept. Fish Game.
- McAllister, D. E. 1963. A revision of the smelt family, Osmeridae. *Bull. Natl. Mus. Can.* 191: 53 pp.
- McCabe, G. T., Jr. and C. A. Tracy. 1994. Spawning and early life history of white sturgeon, *Acipenser transmontanus*, in the lower Columbia River. *Fishery Bull.* 92: 760-772.
- McCabe, G. T., Jr., R. L. Emmett, and S. A. Hinton. 1993. Feeding ecology of juvenile white sturgeon (*Acipenser transmontanus*) in the lower Columbia River. *Northwest Sci.* 67: 170-180.
- McCall, J. N. 1992. Source of harpacticoid copepods in the diet of juvenile starry flounder. *Mar.*



- Ecol. Prog. Ser. 86: 41-50.
- McCammom, G. W., D. L. Faunce, and C. M. Seeley. 1964. Observations on the food of fingerling largemouth bass in Clear Lake, Lake County, California. **Calif. Fish Game** 50:158-169.
- McCammom, G. W., C. M. Seeley. 1961. Survival, mortality, and movements of white catfish and brown bullheads in Clear Lake, California. **Calif. Fish Game** 47:237-255.
- McCarragher, D. B. 1972. Survival of some freshwater fishes in the alkaline eutrophic waters of Nebraska. *J. Fish. Res. Board Can.* 28:1811-1814.
- McCarragher, D. B., and R. W. Gregory. 1970. Adaptability and status of introductions of Sacramento perch, *Archoplites interruptus*, in North America. *Trans. Amer. Fish. Soc.* 99:700-707.
- McCart, P., and N. Aspinwall. 1970. Spawning habits of the largescale sucker, *Catostomus macrocheilus*, at Slave Lake, British Columbia. *J. Fish. Res. Board Can.* 27:1154-1158.
- McCarthy, M. S. and W. L. Minckley. 1987. Age estimation from razorback sucker (Pisces: Catostomidae) from Lake Mohave, Arizona and Nevada. *J. Ariz.-Nev. Acad. Sci.* 21: 87-97.
- McClanahan, L. L., C. R. Feldmeth, J. Jones, and D. L. Soltz. 1986. Energetics, salinity, and temperature tolerance in the Mohave tui chub, *Gila bicolor mohavensis*. *Copeia* 1986: 45-52.
- McCoid, M.J. and J. A. St. Amant. 1980. Notes on the establishment of the rainwater killifish, *Lucania parva*, in California. **Calif. Fish, Game** 66: 124-125.

- McComita, T. S. 1967. Food habits of bigmouth and **smallmouth** buffalo in Lewis and Clark Lake and the Missouri River. *Trans. Am. Fish. Soc.* 96:70-74.
- McConnell, R. J., and G. R. Snyder. 1972. Key to field identification of anadromous juvenile salmonids in the Pacific Northwest. NOAA Tech. Rep. NMFS Circ. 366: 6 pp.
- McCrimmon, H. R. 1968. Carp in Canada. *Fish. Res. Board Can. Bull.* 165: 93 pp.
- McDonald, C. K. 1972. A key to the fishes of the family Gobiidae (Teleostomi) of California. *Bull. South. Calif. Acad. Sci.* 71:108-112.
- McDonough, T. A. and J. P. Buchanan. 1991. Factors affecting abundance of white crappies in Chickamauga Reservoir, Tennessee, 1970-1989. *N. Amer. J. Fish. Mgmt.* 11: 513-524.
- McDowall, R. M. , B. M. Clark, G. J. Wright, and T. G. Northcote. 1993. *Trans-2-cis-6-*nonadienal: the cause of cucumber odor in **osmerid** and retropinnid smelts. *Trans. Amer. Fish. Soc.* 122: 144-147.
- McEnroe, M. and J.J. Cech, Jr. 1987. Osmoregulation in white sturgeon:life history aspects. *Amer. Fish. Soc. Symposia* 1: 191-196.
- McEwan, D. 1988. Microhabitat selection and some aspects of life history of the Owens tui chub (*Gila bicolor snyderi*) in the Hot Creek headsprings, Mono County, California. Report, California Department of Fish & Game, Contract C-1467. 58 pp.
- McPhee, J. 1993. Water war. *New Yorker*, April 26: 120
- McKechnie, R. J. 1966. Spotted bass, Pages 366-370; golden shiner, Pages 488-492; logperch, Pages 530-531 *in* A. Calhoun, ed., *Inland Fisheries Management*, Sacramento: Calif Dep. Fish Game.

- McKechmie, R. J., and R. B. **Fenner**, 1971. Food habits of white sturgeon, *Acipenser transmontanus*, in San Pablo and Suisun bays, California. *Calif Fish Game* 57: 209-212.
- McKechmie, R. J., and R. C. Tharratt. 1966. Green sunfish, 399-402 in A. Calhoun, ed., *Inland Fisheries Management*. **Calif.** Dep. Fish Game, Sacramento.
- McLarney, W. O. 1968. Spawning habits and morphological variation in the coast range sculpin, *Coitus aleuticus* and the prickly sculpin, *Cottus asper*. *Trans. Amer. Fish. Soc.* 97:46-48.
- McMahon, T. E. and R. R. Miller. 1985. Status of the fishes of the Rio Sonoyra basin, Arizona and Sonora, Mexico. *Proc. Desert Fish. Council* 4 (1982): 53-59
- McMahon, T. E. and J. C. Tash. 1988. Experimental analysis of the roles of emigration in population regulation of desert pupfish. *Ecology* 69: 1871-1883
- McMahon, T. E. and S. H. Holanov. 1995. Foraging success of largemouth bass at different light intensities: implications for time and depth of feeding. *J. Fish Biol.* 46: 759-767
- McPeck, M. A. 1992. Mechanisms of sexual selection operating on body size in the mosquitofish (*Gambusia holbrooki*). *Behav. Ecol.* 3: 1-12.
- McPhail, J. O., and C. C. Lindsey. 1970. *Freshwater Fishes of Northwestern Canada and Alaska*. Fish. Res. Board Can. Bull. 173: 381 pp.
- Mearns, A. J. 1975. *Poecihopsis gracihs* (Heckel), newly introduced poeciliid fish in California. **Calif. Fish, Game** 61: 251-253.

- Meffe, G. K. 1986. Conservation genetics and the management of endangered fishes. *Fisheries* 11:14-23.
- Meffe, G. K. and M. L. Crump. 1987. Possible growth and reproductive benefits of cannibalism in the mosquitofish. *Amer. Nat.* 129: 203-212
- Meffe, G. K. and F. F. Snelson, Jr. , eds. Ecology and evolution of livebearing fishes (Poeciliidae). Prentice Hall, Englewood Cliffs, NJ.
- Meng, L. and J. J. Orsi. 1991. Selective predation by larval striped bass on native and introduced copepods. *Trans. Amer. Fish. Soc.* 120: 187-192.
- Meng, L., P. B. Moyle, and B. Herbold. 1994. Changes in abundance and distribution of native and introduced fishes of Suisun Marsh. *Transactions of the American Fisheries Society* 123:498-507.
- Meng, L. and P. B. Moyle. 1995. Status of splittail in the Sacramento-San Joaquin estuary. *Transactions of American Fisheries Society* 124: 538-549.
- Mense, J. B. 1967. Ecology of the Mississippi silverside, *Menidia audens* Hay in Lake Texoma. *Bull. Okla. Fish. Res. Lab.* 6:1-32.
- Merz, J. E. 1998. Juvenile chinook salmon feeding habits in the lower Mokolumne River, California. **Unpubl.** Rpt. E. Bay Muni. Utility Dist. , Lodi CA. 13 pp.
- Merz, J. E. and C. D. Vanicek. 1996. Comparative feeding habits of juvenile chinook salmon, steelhead, and Sacramento squawfish in the lower American River, California. **Calif.** Fish, Game 82: 149-159.
- Mesick, C. F. 1995. Response of brown trout to streamflow, temperature, and habitat restoration in a degraded stream. *Rivers* 5: 75-95.

- Messersmith, J. D. 1965. Southern range extension for chum and silver salmon. **Calif.** Fish Game 51:220.
- Messersmith, J. D. 1966. Fishes collected in Carquinez Strait in 1961-1962, 57-62 in D. W. Kelly, ed., Ecological studies of the Sacramento-San Joaquin Estuary, Part 1, **Calif.** Dept. Fish Game Fish Bull. 133.
- Michael, J. H. 1983. Contribution of cutthroat trout in headwater streams to the sea-run populations. **Calif.** Fish, Game 69: 68-76.
- Middaugh, D. P. , M. J. Hemmer, and Y. Lamadrid-Rose. 1986. Laboratory spawning cues in *Menidia beryllina* and *M. peninsulae* (Pisces:Atherinidae) with notes on survival and growth of larvae at different salinities. *Env. Biol. Fish.* 15: 107-117.
- Middaugh, D. P. and J. M. Shenker. 1988. Salinity tolerance of young topsmelt, *Atherinops affinis*, cultured in the laboratory. **Calif.** Fish, Game 74: 232-235.
- Middleton, M. J. 1982. The oriental goby, *Acanthogobius flavimanus* (Temmick and Schlegel), an introduced fish in the coastal waters of New South Wales, Australia. *J. Fish. Biol.* 21: 513-523.
- Miller, D. J., and R. N. Lea. 1972. Guide to the coastal marine fishes of California. **Calif.** Dept. Fish Game Fish Bull. 157: 235 pp.
- Miller, E. E. 1966. White catfish, Pages 430-440; channel catfish, Pages 440-463; black bullhead, Pages 476-479; yellow bullhead, Pages 479-480 in A. Calhoun, ed., Sacramento: Inland Fisheries Management. **Calif.** Dep. Fish Game, Sacramento.
- Miller, E. E. 1970. The age and growth of centrarchid fishes in Millerton and Pine Flat reservoirs, California. **Calif.** Dep. Fish Game Inland Fish. Admin. Rep. 71-4: 17 pp.

- Miller, K. D., and R. H. Kramer. 1971. Spawning and early life history of largemouth bass (*Micropterus salmoides*) in Lake Powell, Pages 73-83 in G. E. Hall, ed., Reservoir fisheries and limnology. Amer. Fish. Soc. Spec. **Publ.** 8.
- Miller, L. W. 1972a. White sturgeon population characteristics in the Sacramento-San Joaquin estuary as measured by tagging. **Calif.** Fish Game 58:94-101.
- Miller, L. W. 1972b. Migrations of sturgeon tagged in the Sacramento-San Joaquin estuary. Calif. Fish Game 58:102-106.
- Miller, L. W., and R. J. McKechnie. 1968. Observation of striped bass spawning in the Sacramento River. **Calif.** Fish Game 54:306-307.
- Miller, R. B. 1957. Permanence and size of home territory in stream-dwelling cutthroat trout. J. Fish. Res. Board Can. 14:687-691.
- Miller, R. G. 1951. The natural history of Lake Tahoe fishes. Ph.D. Thesis, Stanford Univ., 160 pp.
- Miller, R. R. 1938. Record of the fresh-water minnow *Apocope nevadensis* from southeastern California. Copeia 1938:147.
- Miller, R. R. 1939. Occurrence of the cyprinodont fish *Fundulus parvipinnis* in freshwater in San Juan Creek, southern California. Copeia 1939:168.
- Miller, R. R. 1943a. Further data on freshwater populations of the Pacific killifish, *Fundulus parvipinnis*. Copeia 1943:51-52.
- Miller, R. R. 1943b. *Cyprinodon salinus*, a new species of fish from Death Valley, California. Copeia 1943:69-78.

- Miller, R. R. 1943c. The status of *Cyprinodon macularius* and *Cyprinodon nevadensis*, two desert fishes of western North America. Univ. Mich. Mus. Zool. Occas. Pap. 473: 25 pp.
- Miller, R. R. 1945a. A new cyprinid fish from Southern Arizona, and Sonora, Mexico, with description of a new subgenus of *Gila* and a review of related species. Copeia 1945:104-110.
- Miller, R. R. 1945b. The status of *Lavinia ardesiaca*, a **cyprinid** fish from the Pajaro-Salinas Basin, California. Copeia 1945:197-204.
- Miller, R. R. 1946. *Gila cypha*, a remarkable new species of fish from the Colorado River in Grand Canyon, Arizona. Wash. Acad. Sci. J. 36:403-415.
- Miller, R. R. 1948. The cyprinodont fishes of the Death Valley System of eastern California and southwestern Nevada. Univ. Mich. Mus. **Zool. Misc. Publ.** 68: 155 pp.
- Miller, R. R. 1950. Notes on the cutthroat and rainbow trouts with the description of a new species from the Gila River, New Mexico. Occas. Pap. Mus. **Zool.**, Univ. Mich. 529:1-42.
- Miller, R. R. 1952. Bait fishes of the lower Colorado River from Lake Mead, Nevada, to Yuma, Arizona with a key for their identification. **Calif. Fish Game** 38:7-42.
- Miller, R. R. 1959. Origin and affinities of the freshwater fish fauna of western North America. Pages 187-222 in C. L. Hubbs, ed., Zoogeography, AAAS, Washington, D.C.
- Miller, R. R. 1960. The type locality of *Gasterosteus aculeatus williamsoni* and its significance in the taxonomy of Californian sticklebacks. Copeia 1960:348-350.

- Miller, R. R. 1961a. Man and the changing fish fauna of the American Southwest. Pap. Mich. Acad. Sci. Arts, Lett. 46:365-404.
- Miller, R. R. 1961b. Speciation rates in some freshwater fishes of western North America, 537-560. *In* F. Blair, ed., Vertebrate Speciation. Univ. Texas Press, Austin.
- Miller, R. R. 1963. Synonymy, characters, and variation of *Gila crassicauda*, a rare Californian minnow, with an account of its hybridization with *Lavinia exilicauda*. **Calif.** Fish Game 49:20-29.
- Miller, R. R. 1965. Quarternary freshwater fishes in western North America, 569-581. **In** H. E. Wright and D. G. Frey, eds., **The Quaternary** of the United States, Princeton Univ. Press, Princeton.
- Miller, R. R. 1968. Records of some native freshwater fishes transplanted into various waters of California, Baja California, and Nevada. **Calif.** Fish Game 54:170-179.
- Miller, R. R. 1972. Classification of the native trouts of Arizona with the description of a new species, *Salmo apache*. *Copeia* 1972:401-422.
- Miller, R. R. 1973. Two new fishes, *Gila bicolor snyderi* and *Catostomus fumeiventris*, from the Owens River Basin, California. *Occas. Pap. Mus. Zool. Univ. Mich.* 667:1-19.
- Miller, R. R. 1981. Coevolution of deserts and pupfishes (Genus *Cyprinodon*) in the American southwest, 39-94 *in* R. J. Naiman and D.L. Soltz, eds., *Fishes in North American deserts*. John Wiley, New York.
- Miller, R. R. and C. L. Hubbs. 1954. An erroneous record of the California killifish, *Fundulus parvipinnis*, from Cabo San Lucas, Baja California. *Copeia* 1954: 234- 235.



- Miller, R. R., and C. L. Hubbs. 1969. Systematics of *Gasterosteus aculeatus* with particular reference to intergradation and introgression along the Pacific Coast of North America: a commentary on a recent contribution. *Copeia* 1969:52-69.
- Miller, R. R., and E. P. Pister. 1971. Management of the Owens pupfish, *Cyprinodon radiosus*, in Mono County, California. *Trans. Am. Fish. Soc.* 100:502-509.
- Miller, R. R., and G. R. Smith. 1967. New fossil fishes from Plio-Pleistocene Lake Idaho. *Occas. Pap. Mus. Zool. Univ. Mich.* 654:1-24.
- Miller, R. R., and G. R. Smith. 1981. Distribution and evolution of *Chasmistes* (Pisces: Catostomidae) in western North America. *Occ. Papers Mus. Zool, Univ. Mich.* 696: 46 pp.
- Miller, R. V. 1967. Food of the threadfin shad, *Dorosoma petenense*, in Lake Chicot, Arkansas. *Trans. Am. Fish. Soc.* 96:243-246.
- Millikan, A. E. 1968. The life history and ecology of *Coitus asper* Richardson and *Coitus gulosus* (Girard) in Conner Creek, Washington. M.S. Thesis, Univ. Wash., 81 pp.
- Mills, T. J. 1979. High Rock Spring, Lassen County, with notes on the species comprising *Gila bicolor*, in California. Unpubl. Rep. **Calif.** Dep. Fish Game.
- Mills, T. J. 1980. Life history, status, and management of the Modoc sucker, *Catostomus microps* (Rutter) in California, with a recommendation for endangered classification. **Calif.** Dept. Fish, Game Inland Fish. Endangered Species Prog. Spec. Publ. 80-6. 35 pp.
- Mills, T. J. 1983. Utilization of the Eel River tributary streams by anadromous salmonids, Appendix *H.in* F. L. Reynolds, ed., 1983 Status Rep. Calif Wild and Scenic Rivers: Salmon and Steelhead Fisheries. Calif Dep. Fish Game. 57 pp.

- Mills, T. J. and K. A. Mamika. 1980. The thicktail chub, *Gila crassicauda*, an extinct California fish. **Calif.** Dept. Fish, Game Inland Fisheries Endangered Species Program Spec. **Publ.** 80-2: 20 pp
- Minckley, W. L. 1959. Fishes of the **Blue** River Basin, Kansas. Univ. Kansas Mus. Nat. Hist. **Publ.** 11:401-402.
- Minckley, W. L. 1973. Fishes of Arizona. Ariz. Dep. Fish Game, 292 pp.
- Minckley, W. L. 1982. Trophic interrelations among introduced fishes in the **lower** Colorado River, southwestern United States. **Calif.** Fish, Game 68: 78-89.
- Minckley, W. L. 1991a. Native fishes of the Grand Canyon: an obituary? Pages 124-177 *in* (no editor given) Colorado River ecology and dam management. National Academy Press, Washington, D. C.
- Minckley, W. L. 1991b. Native fishes of arid lands: a dwindling resource of the American Southwest. USDA Forest Service General Technical Report RM-206: 45 pp.
- Minckley, W. L., D. G. Buth, and R. L. Mayden. 1989. Origin of brood stock and allozyme variation in hatchery-reared bonytail, an endangered North American cyprinid fish. *Trans. Amer. Fish. Soc.* 118: 131-137.
- Minckley, W. L., and J. E. Deacon. 1959. Biology of flathead catfish in Kansas. *Trans. Am. Fish. Soc.* 88:344-355.
- Minckley, W. L., and J. E. Deacon. 1968. Southwestern fishes and the enigma of "endangered species." *Science* 159:1424-1431.**
- Minckley, W. L., D. A. Hendrickson, and C. E. Bond. 1986. Geography of western North American freshwater fishes: description and relationships to intercontinental tectonism.

- Pages 519-614 in C. H. Hocutt and E. O. Wiley, eds. The zoogeography of North American freshwater fishes. N.Y., Wiley.
- Minckley, W. L., P. C. Marsh, J. E. Brooks, J. E. Johnson, and B. L. Jensen. 1992. Management towards recovery of the razorback sucker. Pages 303-358 in W. L. Minckley and J. E. Deacon, eds. Battle against extinction: native fish management in the American west. Univ. Ariz. Press, Tucson.
- Minckley, W. L., G. K. Meffe, and D. L. Soltz 1991. Conservation and management of short-lived fishes: the cyprinodontids. Pages 247-282 in W. L. Minckley and J. E. Deacon, eds. Battle against extinction: native fish management in the American west. Univ. Ariz. Press, Tucson.
- Minshall, G. W., S. E. Jensen, and W. S. Platts. 1989. The ecology of stream and riparian habitats of the Great Basin Region: a community profile. U.S.Fish, **Wildl.** Serv. Biol. Rpt. 85(7.24). 142 pp.
- Mire, J. B. 1993. Behavioral ecology and conservation biology of the Owens pupfish, *Cyprinodon radiosus*. Ph.D. diss. Univ. Calif. Berkeley. 221 pp.
- Mire, J. B. and L. Millett. 1994. Size of mother does not determine size of eggs or fry in the Owens pupfish, *Cyprinodon radiosus*. Copeia 1994: 100-107.
- Mittelbach, G. G. 1983. Optimal foraging and growth in bluegill. Oecologia 59: 157-162
- Mittelbach, G. G. , C. W. Osenberg, and P. C. Wainwright. 1992. Variation in resource abundance affects diet and feeding morphology in the pumpkinseed sunfish (*Lepomis gibbosus*). Oecologia 90: 8-13.
- Mittelbach, G. G., A. M. Turner, D. J. Hall, J. E. Rettig, and C. W. Osenberg. 1995. Perturbation

and resilience: a long-term whole-lake study of predator extinction and reintroduction.

Ecology 76: 2347-2360

Modde, T., K. P. Burham, and E. J. Wick. 1996. Population status of the razorback sucker in the Middle Green River (U.S.A.). *Cons. Biol.* 10: 110-119.

Modde, T. and G. B. Haines. 1996. Brook stickleback (*Culea inconstans* [Kirtland 1841]), a new addition to the upper Colorado River basin fish fauna. *Great Basin Nat.* 56: 281-282.

Modde, T., A. T. Scholz, J. H. Williamson, G. B. Haines, B. D. Burdick, and F. K. Pfeifer. 1995. An augmentation plan for razorback sucker in the upper Colorado River basin. *Amer. Fish. Soc. Symp.* 15: 102-111.

Moffett, J. W., and S. H. Smith. 1950. Biological investigations of the fishery resources of Trinity River, California. U.S. Fish **Wildl.** Serv. Spec. Sci. Rep. Fish. 12: 71 pp.

Monaco, G. A., R. L. Brown, and G.A.E. Gall. 1981. Exploring the aquaculture potential of sub-surface agriculture drainage water. **Unpubl. Rpt.** Univ. **Calif.** Davis Aquaculture Program. 141 pp..

Moore, K. M. S. and S.V. Gregory. 1988. Summer habitat utilization and ecology of cutthroat trout **fry** (*Salmo clarki*) in Cascade Mountain streams. *Can. J. Fish. Aquat. Sci.* 45: 1921-1930.

Morris, R. W. 1960. Temperature, salinity, and southern limits of three species of Pacific cottid fishes. *Limnol. Oceanogr.* 5: 175-179.

Morrow, J.E. 1980. The freshwater fishes fishes of Alaska. Anchorage: Alaska Northwest **Publ.** Co. 248 pp.

Moser, M. L., A. F. Olson, and T. P. Quinn. 1991. Riverine and estuarine migratory behavior of

- coho salmon (*Oncorhynchus kisutch*)smolts. *Can. J. Fish. Aquat. Sci.* 48:1670-1678.
- Mount, J. F. 1995. California rivers and streams: the conflict between fluvial process and land use. Univ. **Calif.** Press, Berkeley. 359 pp.
- Moyle, J. B., and J. Kuehn. 1964. Carp, a sometimes villain, 635-642. **In** J. P. Linduska, Ed., *Waterfowl Tomorrow*. U.S. Dep. Interior, Washington, D.C.
- Moyle, P. B. 1969. Comparative behavior of young brook trout of domestic and wild origin. *Prog. Fish-Cult.* 31:51-56.
- Moyle, P. B. 1970. Occurrence of king (chinook) salmon in the Kings River, Fresno County. **Calif. Fish Game** 56:314-315.
- Moyle, P. B. 1973. Recent changes in the fish fauna of the San Joaquin River system. *Cal-Neva Wildl.* 1973:60-63.
- Moyle, P. B. 1976. Some effects of channelization on the fishes and invertebrates of Rush Creek, Modoc County, California. **Calif. Fish Game** 62:179-186.
- Moyle, P. B. 1980. Delta smelt, 123; hitch, 199; California roach, 200; Sacramento blackfish, 329; Clear Lake splittail, 345; Sacramento splittail, 346; Sacramento squawfish, 347; Modoc sucker, 384; Sacramento sucker, 385; Tahoe sucker, 391; Sacramento perch, 502; tule perch, 777; rough sculpin, 603; marbled sculpin, 815; Pit sculpin, 819 in D. S. Lee et al., eds., *Atlas of North American freshwater fishes*. N. C. Mus. Nat. Hist., Raleigh, NC.
- Moyle, P. B. 1984. America's carp. *Natural History* 93(9):42-51.
- Moyle, P. B. 1992. True smelts. Pages 75-78 in W. S. Leet, C. M. Dewees, and C. W. Haugen, eds. *California's marine resources and their utilization*. **Calif. Sea Grant Ext. Publ.** UCSGEP-92-12.

- Moyle, P. B. 1995. Conservation of native freshwater fishes in the Mediterranean type climate of California, USA: a review. *Biological Conservation* 72: 271-280.
- Moyle, P. B. and D. M. Baltz. 1985 Microhabitat use by an assemblage of California stream fishes: Developing criteria for instream flow determinations. *Trans. Amer. Fish. Soc.* 114:695-704.
- Moyle, P. B. and J. J. Cech, Jr. 1999. *Fishes: an introduction to ichthyology*. 4th ed. Saddle River, N.J.: Prentice Hall.
- Moyle, P. B., and R. A. Daniels. 1982. Fishes of the Pit River system, and Surprise Valley region. *Univ. Calif. Publ. Zool.* 115:1-82.
- Moyle, P. B., R. A. Daniels, B. Herbold, and D. M. Baltz. 1985. Patterns in distribution and abundance of a noncoevolved assemblage of estuarine fishes in California. *Fish. Bull.* 84:105-117.
- Moyle, P. B. and J. Ellison. 1991. A conservation-oriented classification system for California's inland waters. *California Fish and Game* 77:161-180.
- Moyle, P. B. , P. J. Foley, and R. M. Yoshiyama. 1992. Status of green sturgeon in California. Unpubl. Report, NOAA-NMFs, Terminal Island CA. 11 pp.
- Moyle, P. B. and B. Herbold. 1987 Life-history patterns and community structure in stream fishes of western North America: Comparisons with eastern North America and Europe. Page 25-32 in W. J. Matthews and D. C. Heins, eds. *Community and Evolutionary Ecology of North American Stream Fishes*. University of Oklahoma Press, Norman, Oklahoma.
- Moyle, P. B. and N. J. Holzhauser. 1978. Effects of the introduction of Mississippi silverside

- (Menidia audens)* and Florida largemouth bass (*Micropterus salmoides floridanus*) on the feeding habits of young-of-year largemouth bass in Clear Lake, California. **Trans. Amer. Fish. Soc.** 107:575-582.
- Moyle, P. B., and D. Koch, editors. 1975. Trout-Nongamefish relationships in streams. University of Nevada Center for Water Resources Miscellaneous Publication 17: 45 pp.
- Moyle, P. B., F. W. Fisher, and H. W. Li. 1974. Mississippi silversides and logperch in the Sacramento-San Joaquin River system. **Calif. Fish Game** 60:145-147.
- Moyle, P. B., B. Herbold, D. E. Stevens, and L. W. Miller. 1992. Life history and status of delta smelt in the Sacramento-San Joaquin Estuary, California. **Trans. Amer. Fish. Soc.** 77:67-77.
- Moyle, P. B. and N. J. Holzhauser. 1978. Effects of the introduction of Mississippi silverside (*Menidia audens*) and Florida largemouth bass (*Micropterus salmoides floridanus*) on the feeding habits of young-of-year largemouth bass in Clear Lake, California. **Trans. Amer. Fish. Soc.** 107:575-582.
- Moyle, P. B., T. Kennedy, D. Kuda, L. Martin, and G. Grant. 1991. Fishes of Bly Tunnel, Lassen County, California. **Great Basin Naturalist** 51: 267-270.
- Moyle, P. B. and H. W. Li. 1979. Community ecology and predator-prey relationships in warmwater streams. Pages 171-180 in H. W. Clepper, ed., **Predator-Prey Systems in Fisheries Management**. Sport Fishing Institute, Washington, D.C.
- Moyle, P. B., H. W. Li, and B. A. Barton. 1986. The Frankenstein effect: impact of introduced fishes on native fishes in North America. Pages 415-426 in R. H. Stroud, ed., **Fish culture in fisheries management**. American Fisheries Society, Bethesda,

Maryland.

- Moyle, P. B., and A. Marciochi. 1975. Biology of the Modoc sucker, *Catostomus microps* (Pisces: Catostomidae) in northeastern California. *Copeia* 1975:556-560.
- Moyle, P. B. and M. P. Marchetti. 1998. Applications of Indices of Biotic Integrity to California streams and watersheds. Pages 367-380. In T. P. Simon, editor. *Assessing the sustainability and biological integrity of water resources using fish assemblages*. CRC Press, Boca Raton FL.
- Moyle, P. B. , M. P. Marchetti, J. **Baldrige**, and T. L. Taylor. 1998. Fish health and diversity: justifying flows for a California stream. *Fisheries* (Bethesda) 23(7):6-15.
- Moyle, P. B., and M. Massingill. 1981. Hybridization between hitch, *Lepomis exilicauda*, and Sacramento blackfish, *Orthodon microlepidotus*, in San Luis Reservoir, California. **Calif. Fish Game** 67:196-198.
- Moyle, P. B., S. B. Mathews, and N. Bonderson. 1974. Feeding habits of the Sacramento perch, *Archoplites interruptus*. *Trans. Am. Fish. Soc.* 103:399-402.
- Moyle, P. B., and P. R. Moyle. 1995. Endangered fishes and economics: intergenerational obligations. *Environmental Biology of Fishes* 43: 29-37..
- Moyle, P. B., and R. D. Nichols. 1973. Ecology of some native and introduced fishes of the Sierra Nevada foothills in central California. *Copeia* 1973:478-490.
- Moyle, P. B., and R. Nichols. 1974. Decline of the native fish fauna of the Sierra-Nevada foothills, central California. *Amer. Midl. Nat.* 92:72-83.
- Moyle, P. B. and P. J. Randall. 1998. Evaluating the biotic integrity of watersheds in the Sierra Nevada, California. *Conservation Biology* 12: 1318-1326



- Moyle, P. B., and G. M. Sato. 1991. On the design of preserves to protect native fishes. Pages 155-169 *in* W.L. Minckley and J.E. Deacon, eds., *Battle against extinction: native fish management in the American West*. Tucson: Univ. Ariz. Press.
- Moyle, P. B. and J. J. Smith. 1995. Freshwater fishes of the Central California coast. Pages 17-22 *in* N. Chiariello and R. F. Dasmann, eds. *Symposium of biodiversity of the Central California Coast*. San Francisco: Assn. for Golden Gate Biosphere Reserve.
- Moyle, P. B., J. J. Smith, R. A. Daniels, and D. M. Baltz. 1982. Distribution and ecology of stream fishes of the Sacramento-San Joaquin Drainage System, California: a review. *Univ. Calif. Publ. Zool.* 115:225-256.
- Moyle, P. B. and B Vondracek. 1985. Structure and persistence of the fish assemblage in a small Sierra stream. *Ecology* 66:1-13.
- Moyle, P. B., B. Vondracek and G. D. Grossman. 1983. Response of fish populations in the North Fork of the Feather River, California to treatment with fish toxicants. *N. Amer. J. Fish Man.* 3:48-60.

- Moyle, P. B., and J. E. Williams. 1990. Loss of biodiversity in the temperate zone: decline of the native fish fauna of California. *Conserv. Biol.* 4: 275-284.
- Moyle, P. B., and R. M. Yoshiyama. 1992. Fishes, aquatic diversity management areas, and endangered species: a plan to protect California's native aquatic biota. California Policy Seminar, Berkeley CA. 222 pp.
- Moyle, P. Band R. M. Yoshiyama.1994. Protection of aquatic biodiversity in California: A five-tiered approach. *Fisheries* 19(2):6-18.
- Moyle, P. B., R. M. Yoshiyama, J. E. Williams, and E. D. **Wikramanayake**. 1995. Fish species of special concern of California. **Calif.** Dept. of Fish and Game, Sacramento. 2nd edition. 272 pp.
- Muir, W.D. , R.L. Emmett, and R.J. McConnell. 1988. Diet of juvenile and subadult white sturgeon in the lower Columbia River and its estuary. **Calif.** Fish Game 74: 49-54.
- Mukai, T., T. Sato, K. Naruse, K. Inaba, A. Shima, M. Morisawa. 1996. Genetic relationships of the genus *Tridentiger* (Pisces: Gobiidae) based on allozyme polymorphism. *Zool. Sci.* 13: 175-183.
- Mullan, J. W., and R. L. Applegate. 1968. Centrarchid food habits in a new and old reservoir during the following bass spawning. *Proc. 21st Annu. Conf. Southeast Assoc. Game Fish Comm.* :332-242.
- Mullan, J. W., and R. L. Applegate. 1970. Food habits of five centrarchids during the filling of Beaver Reservoir 1965-1966. U.S. Bur. Sport Fish. **Wildl.** Tech. Pap. 50: 16 pp.
- Mulligan, M. J. 1975. The ecology of fish populations in Mill Flat Creek: tributary to the Kings River. Unpub. M. S. Thesis, CSU Fresno. 135 pp.

- Munro, J. A., and W. A. Clemens. 1937. The American merganser in British Columbia and its relation to the fish population. *Biol. Board Can. Bull.* 6:1-50.
- Murphy, G. I. 1943. Sexual dimorphism in the minnows *Hesperoleucus* and *Rhinichthys*. *Copeia* 1943:187-188.
- Murphy, G. I. 1947. Notes on hardhead control in the East Fork of the Russian River, Mendocino County, California. **Calif.** Dep. Fish Game Inland Fish Admin. Rep. 47.
- Murphy, G. I. 1948a. A contribution to the life history of the Sacramento perch (*Archoplites interruptus*) in Clear Lake, Lake County, California. **Calif.** Fish Game 34:93-100.
- Murphy, G. I. 1948b. Notes on the biology of the Sacramento hitch (*Lavinia e. exilicauda*) of Clear Lake, California. **Calif.** Fish Game 34:101-110.
- Murphy, G. I. 1948c. Distribution and variation of the roach (*Hesperoleucus*) in the coastal region of California. M.A. Thesis, Univ. Calif, Berkeley.
- Murphy, G. I. 1949. The food of young largemouth bass (*Micropterus salmoides*) in Clear Lake, California. **Calif.** Fish Game 35:159-163.
- Murphy, G. I. 1950. The life history of the greaser blackfish (*Orthodon microlepidotus*) of Clear Lake, Lake County, California. **Calif.** Fish Game 36:119-133.
- Murphy, G. I. 1951. The fishery of Clear Lake, Lake County, California. **Calif.** Fish Game 37:439-484.
- Murphy, G. I. 1963. Trout survival in Taylor Creek, a tributary of Lake Tahoe, California. **Calif.** Fish Game 49:16-19.
- Murphy, G. I. and J. W. DeWitt. 1951. Notes on the fishes and fisheries of the lower Eel River, Humboldt County, California. **Calif.** Dept. Fish, Game Admin. Rpt. 51-9: 28 pp.

- Muth, R. T. and D. E. Snyder. 1995. Diets of young Colorado squawfish and other small fish in backwaters of the Green River, Colorado and Utah. *Southwestern Naturalist* 55: 95-104.
- Myers, G. S. 1965. *Gambusia*, the fish destroyer. *Aust. Zool.* 13:102.
- Myers, J. M. and 10 others. 1998. Status review of chinook salmon from Washington, Idaho, Oregon, and California. NOAA Tech. Memo. NMFS-NWFSC-35: 443 pp.
- Myrick, C. A. 1996. The application of bioenergetics to the control of fish populations below reservoirs: California stream fish swimming performances. M. S. Thesis, UC Davis, 35 pp.
- Naiman, R. J. 1975. Food habits of the Amargosa pupfish in a thermal stream. *Trans. Am. Fish. Soc.* 104:536-538.
- Naiman, R. J. 1976. Productivity of a herbivorous pupfish population (*Cyprinodon nevadensis*) in

a warm desert stream. *J. Fish. Biol.* 9:125-137.

Naiman, R. J., H. Decamps, and M. Pollock. 1993. The role of riparian corridors in maintaining regional biodiversity. *Ecol. Appl.* 3:209-212.

Naiman, R. J., S. D. **Gerking**, and T. D. Ratcliffe. 1973. Thermal environment of a Death Valley

- pupfish. *Copeia* 1973:366-369.
- Nakomoto, R. J., T. T. **Kisanuki**, and G. H. Goldsmith. 1995. Age and growth of **Klamath** River green sturgeon (*Acipenser medirostris*). USFWS, Arcata, **Unpubl. Rpt.** Project # 93-FP-13. 19 pp.
- NHI** (Natural Heritage Institute). 1992. Petition for listing under the Endangered Species Act: longfin smelt and Sacramento splittail. Submitted to U.S. Fish and Wildlife Service, Sacramento Field Office, November 5, 1992.
- National Marine Fisheries Service. 1996. Proposed endangered status for five ESUs of steelhead and proposed threatened status for five ESUs of steelhead in Washington, Oregon, Idaho, and California. *Federal Register* 61(155): 41541-41561.
- National Marine Fisheries Service. 1996. NMFS proposed recovery plan for the Sacramento River winter-run chinook salmon. NMFS SW Region, Long Beach, CA. 250+ pp.
- Needham, P. R., and R. Gard. 1959. Rainbow trout in Mexico and California, with notes on the cutthroat series. *Univ. Calif. Publ. Zool.* 67: 123 pp.
- Needham, P. R., and A. A. Hanson. 1935. U.S. Bur. Fish. mimeo, 55 pp.
- Needham, P. R., and A. C. Jones. 1959. Flow, temperature, solar radiation and ice in relation to activities of fishes in Sagehen Creek, California. *Ecology* 40:465-474.
- Needham, P. R., and T. M. Vaughan. 1952. Spawning of the Dolly Varden, *Salvelinus malma*, in Twin Creek, Idaho. *Copeia* 1952:197-199.
- Needham, P. R., and E. H. Vestal. 1938. Notes on growth of golden trout (*Salmo agua-bonita*) in two high sierra lakes. **Calif.** *Fish Game* 24:273-279.
- Nelson, S. M. and S. A. Flickinger. 1992. Salinity tolerance of Colorado squawfish, *Ptychocheilus*

- lucius* (Pisces: **Cyprinidae**). *Hydrobiologia* 246: 165-168.
- Netboy, A. 1974. The salmon: their fight for survival. Houghton **Mifflin** Co., Boston. 613 pp.
- Newsome, G. E. and J. Tompkins. 1985, Yellow perch egg masses deter predators. *Can J. Zool.* 64: 282-2884.
- Nickelson, T. E., J. D. Rodgers, S. L. Johnson, and M. F. Solazzi. 1992. Seasonal changes in habitat use by juvenile coho salmon (*Oncorhynchus kisutch*) in Oregon coastal streams. *Can J. Fish., Aquat. Sci.* 49: 783-789.
- Nickelson, T. E., M. F. **Solazzi**, J. D. Rodgers, and S. L. Johnson. 1992. Effectiveness of selected stream improvement techniques to create suitable summer and winter rearing habitat for juvenile coho salmon (*Oncorhynchus kisutch*) in Oregon coastal streams. *Can J. Fish., Aquat. Sci.* 49: 790-794.
- Nicola, S. J. 1974. The life history of the hitch, *Lavinia exilicauda* Baird and Girard, in Beardsley Reservoir, California. *Inland Fish. Admin. Rep.* 74-6:1-16.
- Nichols, F. H., J. K. Thompson, and L.R. Schemel 1990. Remarkable invasion of San Francisco Bay by the Asian Clam, *Potamocorbula amurensis*. II. Displacement of a former community. *Mar. Ecol. Prog. Series* 66:95-101.
- Nielsen, J. L. 1992a. Microhabitat specific foraging behavior, diet, and growth of juvenile coho salmon. *Trans. Amer. Fish. Soc.* 121: 617-634.
- Nielsen, J. L. 1992b. The role of cold-pool refugia in the freshwater fish assemblage in northern California rivers. Pages 79-88 *in* H. M . Kerner, ed. Proceedings of the symposium on biodiversity of northwestern California. UC Wildland Res. Center Rpt. 29.
- Nielsen, J. L. 1994. Invasive cohorts: impact of hatchery-reared coho salmon on the trophic,

- developmental, and genetic ecology of wild stocks. Pages 361-386 in D. L. Stouder, K. L. Fresh, and R. J. Feller, eds. Theory and application in fish feeding ecology. Univ. S. Carolina Press. Columbia, SC.
- Nielsen, J. L. et al. 1997 [TAFS southern steelhead]
- Nobriga, M. 1998a. Evidence of food limitation in larval delta smelt. IEP for Sacramento-San Joaquin Estuary Newsletter 11(1): 20-24.
- Nobriga, M. 1998b. Trends in the food habits of larval delta smelt, *Hypomesus transpacificus*, in the Sacramento-San Joaquin estuary, California, 1992-1994. M. S. thesis, CSU Sacramento. 49 pp.
- Noss, R. F. 1992. Issues of scale in conservation biology. Pages 239-250 in P. L. Fiedler and S. K. Jain, eds. Conservation Biology: the theory and practice of nature conservation, preservation, and management. New York: Chapman and Hall.
- Northcote, T. G. 1954. Observations on the comparative ecology of two species of fish, *Coitus asper* and *Cottus rhotheus* in British Columbia. Copeia 1954:25-28.
- Northcote, T. G., Ed. 1969. Symposium on Salmon and Trout in Streams. H. R. MacMillan Lectures in Fisheries. Inst. Fish. Univ. B.C., Vancouver, 388 pp.
- Northcote, T. G., and G. F. Hartman. 1959. A case of "schooling" behavior in the prickly sculpin, *Cottus asper* Richardson. Copeia 1959:158-159.
- Norton, B.G. 1987. Why preserve natural variety? Princeton, N.J.: Princeton Univ. Press. 280 pp.
- Oakeshott, G. B. 1971. California's Changing Landscapes. McGraw-Hill Book Company, N.Y. 388 pp.



- O'Brien, W. J., B. I. Evans, and G. L. Howick. 1986. A new view of the predation cycle of a planktivorous fish, white crappie, *Pomoxis annularis*. *Can. J. Fish. Aquat. Sci.* 43: 1894-1899
- Odemar, M. W. 1964. Southern range extension of the eulachon, *Thaleichthys pacificus*. *Calif. Fish Game* 50:304-307.
- Odenweller, D. B. 1975. The life history of the shiner surfperch, *Cymatogaster aggregata* Gibbons, in Anaheim Bay. Pages 107-115 in E. D. Lane and C. W. Hill, eds. *Calif Dept of Fish, Game Fish Bull.* 165.
- Odum, W. E. 1968. The ecological significance of fine particle selection by the striped mullet, *Mugil cephalus*. *Limnol. Oceanogr.* :13:92-98.
- Ogura, M. and Y. Ishida. 1995. Homing behavior and vertical movements of four species of Pacific salmon (*Oncorhynchus* spp.) in the central Bering Sea. *Can. J. Fish. Aquat. Sci.* 52: 532-540.
- Ohmart, R. D., B. W. Anderson, and W. C. Hunter. 1988. The ecology of the lower Colorado Rive from Davis Dam to the Mexico-United States international boundary: a community profile. *USFWS Biological Report* 85(7.19):296 pp.
- Okoth, D. O. and T. J. Hassler. 1985. Growth, food and habitat of age ) smallmouth bass in Clair Engle Reservoir, California. *Calif Fish, Game* 71: 76-87.
- Olson, M. D., and D. C. Erman. 1987. Distribution and abundance of mountain sucker, *Catostomus platyrhynchus*, in five California streams of the Western Lahontan Basin. Unpubl. Rpt., Calif Dep. Fish Game; Contract C-2057. 65 pp.

- Olson, M. D. 1988. Upstream changes in native fish abundance after reservoir impoundment in California streams of the Lahontan Basin. M.S. Thesis, Univ. Calif, Berkeley. 34 pp.
- Onuf, C. P. 1987. The ecology of Mugu Lagoon, California: an estuarine profile. USFWS Biol. Rpt. 85 (7.15). 122 pp.
- Orcutt, H. G. 1950. The life history of the starry flounder *Platichthys stellatus* (Pallas). **Calif.** Dept. Fish Game Fish Bull. 78: 64 pp.
- Oregon Dept. Fish and Wildlife. 1991. Status report. Columbia River fish runs and fisheries 1960-1990. 154 pp.
- Orians, G. H. 1993. Endangered at what level? *Ecol. Appl.* 3: 206-208.
- Osenberg, C. W., E. E. Werner, G. G. Mittelbach, and D. J. Hall. 1988. Growth patterns in bluegill (*Lepomis macrochirus*) and pumpkinseed (*L. gibbosus*) sunfish: environmental variation and the importance of ontogenetic niche shifts. *Can J. Fish. Aquat. Sci.* 45: 17-26
- Overton, C. K., G. L. Chandler, and J. A. Pisano. 1994. Northern/intermountain regions' fish habitat inventory: grazed, rested, and ungrazed reference stream reaches, Silver King Creek, California. USFS Intermountain Res. Stn. Gen. Tech. Rpt. INT-GTR-311. 27 pp.
- PG&E. 1985. Bald Eagle and Fish Study. Pit 3, 4 and 5 Project. Biosystems Analysis, Inc. and University of California, Davis. Final Report.
- Page, L.M. and B.M. Burr. 1991. A field guide to freshwater fishes, North America north of Mexico. Houghton **Mifflin**, Boston. 432 pp.
- Painter, R., L. Wixom, and M. Meinz. 1979. American shad management plan for the Sacramento River drainage. CDFG Anadromous Fish Conservation Act Project AFS-17, Job 5, Final Report. Sacramento. 17 pp.

- Panek, F. M. 1987. Biology and ecology of carp. Pages 1-16 in *Carp in North America*. American Fisheries Soc. , Bethesda, MD.
- Papoulias, D. and W. L. Minckley. 1992. Effects of food availability on survival and growth of larval razorback suckers in ponds. *Trans. Amer. Fish. Soc.* 121: 340-355.
- Parker, L. P., and H. A. Hanson. 1944. Experiments on transfer of adult salmon into Deer Creek, California. *J. Wildl. Manage.* 8:192-198.
- Parker, R. R. 1971. Size selective predation among juvenile salmonid fishes in a British Columbia inlet. *J. Fish. Res. Board Can.* 28:1503-1510.
- Parsons, J. W. 1953. Growth and habits of the redeye bass. *Trans. Amer. Fish. Soc.* 83:202-211.
- Parsons, J. W., and E. Crittenden. 1959. Growth of the redeye bass in Chipola River, Florida. *Trans. Amer. Fish. Soc.* 88:191-192.
- Patten, B. G. 1971. Spawning and fecundity of seven species of northwest American Cottus. *Am Midl. Nat.* 85:493-506.
- Patten, B. G., and D. T. Rodman. 1969. Reproductive behavior of the northern squawfish, *Ptychocheilus oregonensis*. *Trans. Am. Fish. Soc.* 98:108-111.
- Pauley, G. B., K. L. Bowers, and G. L. Thomas. 1988. Chum salmon. U.S. Fish and Wildlife Service Bio. Rpt. 82 (11.81). 17 pp.
- Pauley, G. B., K. Oshima, K. L. Bowers, and G. L. Thomas. 1989. Sea-run cutthroat trout. U.S. Fish and Wildlife Service Bio. Rpt. 82 (11.86). 21 pp.
- Payne, T. R. and Associates. 1998. Recovery of fish populations in the upper Sacramento River following the Cantara Spill of July 1991. 1997 Annual Report to **Calif.** Dept. Fish and Game: 88 pp.

Pearcy, W. G. 1992. Ocean ecology of north Pacific salmonids. Univ. Wash. Press, Seattle. 179 pp.

Pearsons, T. N., H. W. Li, and G. A. Lamberti. 1992. Influence of habitat complexity on resistance to flooding and resilience of stream fish assemblages. Trans. Amer. Fish. Soc. 121: 427-436.

Pease, R. W. 1965. Modoc country: a geographic time continuum of the California volcanic tableland. Univ. Calif. Publ. Geog. 17: 304 pp.

Peden, A. 1972. The function of gonopodial parts and behavioral pattern during copulation by *Gambusia* (Poeciliidae). Can. J. Zool. 50:955-968.

Pelzman, R. J. 1971. The blue catfish. Calif Dept. Fish Game Admin. Rep. 71-11: 7 pp.

Pelzman, R. J. 1973. A review of the life history of *Tilapia zillii* with a reassessment of its desirability in California. Calif. Dep. Fish Game Inland Fish. Admin. Rep. 74-1: 9 pp.

Perkins, D. L. and G. G. Scopettone. 1996. Spawning and migration of Lost River suckers (*Dehistes luxatus*) and shortnose suckers (*Chasmistes brevirostris*) in the Clear Lake drainage, Modoc County, California. Unpubl. Rpt. for Calif. Dept. Fish, Game (Contract FG1494) by Nat. Bio. Serv, Calif Field Office, Reno NV. 52 pp.

Perry, W. G. 1968. Distribution and relative abundance of blue catfish, *Ictalurus furcatus*, and channel catfish with relation to salinity. Proc. 21st Annu. Conf. Southeast Assoc. Game Fish Comm.: 436-444.

Perry, W. G., and J. W. Avault. 1969. Culture of blue, channel, and white catfish in brackish water ponds. Proc. 23rd Annu. Conf. Southeast Assoc. Game Fish Comm.: 1-15.

Pert, H. A. 1993. Winter food habits of coastal juvenile steelhead and coho salmon in Pudding

- Creek, Northern California. M.S. thesis, UC Berkeley. 65 pp.
- Peters, E. J., R. S. Holland, M. A. Callam, and D. L. **Bunnell**. 1989. Habitat utilization, preference and suitability index criteria for fish and aquatic invertebrates in the lower Platte River. Nebraska Game, Parks Tech. Series 17: 135 pp.
- Peterson, M. S. 1988. Comparative physiological ecology of centrarchids in hyposaline environments. *Can. J. Fish. Aquat. Sci.* 45: 827-833
- Peterson, M. S., D. E. Gustafson, and F. R. Moore. 1987. Orientation behaviour of *Lepomis macrochirus* Rafinesque to salinity fluctuations. *J. Fish. Biol.* 30: 451-458.
- Phelps, A. 1990. Ph.D. dissertation, Univ. Calif. Davis.
- Phelps, A. 1989. Distribution and abundance of tule perch, *Hysterocharpus traski*, in the Russian River, California. Unpubl. Rpt., Univ. Calif. Davis.
- Phelps, A. D. Bartley, and D. Hedgecock 1995. Electrophoretic evidence for multiple mating in tule perch. *Calif. Fish, Game* 81: 147-154.
- Pintler, H. E., and W. C. Johnson. 1958. Chemical control of rough fish in the Russian River drainage, California. *Calif. Fish Game* 44:91-124.
- Pisano, M. S., M. J. Inansci, and W. L. Minckley. 1983. Age and growth and length-weight relationship for flathead catfish, *Pylodictis olivaris*, from Coachella Canal, southeastern California. *Calif Fish, Game* 69:124-128.
- Pister, E. P. 1971. The Rare and Endangered Fishes of the Death Valley System. Desert Fishes Council, Bishop, Calif, 26 pp.

- Pister, E. P. 1974. Desert fishes and their habitats. *Trans. Am. Fish. Soc.* 103:531-540.
- Pister, E. P. 1990. Pure Colorado trout saved by California. *Outdoor California* 51(1): 12-15.
- Pister, E. P. 1991. The Desert Fishes Council: catalyst for change. Pages 55-68 in W. L. Minckley and J. E. Deacon, eds. *Battle against extinction: native fish management in the American west*. Univ. Ariz. Press, Tucson.
- Pister, E. P. 1993. Species in a bucket. *Natural History* 102 (1): 14-19.
- Platt, S. and J. Hauser. 1978. Optimum temperature for feeding and growth of *Tilapia zillii*. *Prog. Fish. Cult.* 40: 105-107.
- Pontius, R. W., and M. Parker. 1973. Food habits of the mountain whitefish, *Prosopium williamsoni* (Girard). *Trans. Amer. Fish. Soc.* 102:764-773.
- Porter, R. G. 1964. Food and feeding of staghorn sculpin (*Leptocottus armatus* Girard) and starry flounders (*Platichthys stellatus* Pallas) in euryhaline environments. M.S. Thesis, Humboldt State Coll., 84 pp.
- Powell, J. A. 1984. Observations of cleaning behavior in bluegill (*Lepomis macrochirus*), a centrarchid. *Copeia* 1984: 996-998.
- Prather, E. E. 1957. Preliminary experiments on winter feeding small fathead minnows. *Proc. 11th Annu Conf. Southeast Assoc. Game Fish Comm.* :249-253.
- Pratt, K. L. 1982. A review of bull trout life history. Pages 5-9 in P. J. Howell and D.V. Buchanan, eds. *Proceedings of the Gearhart Mountain bull trout workshop*. Oregon Chap. Amer. Fish. Soc. , Corvallis.
- Price, E. E., J. R. Stauffer, Jr., and M. C. Swift. 1985. Effect of temperature on growth of juvenile *Oreochromis mossambicus* and *Sarotherodon melanotheron*. *Env. Biol. Fish.* 13:

149-152.

Priegel, G. R. 1970. Food of the white bass, *Roccus chrysops*, in Lake Winnebago, Wisconsin.

Trans. Amer. Fish. Soc. 99:440-443.

Priegel, G. R. 1971. Age and rate of growth of the white bass in Lake Winnebago, Wisconsin.

Trans. Amer. Fish. Soc. 100:567-590.

Ptacek, M. B. and J. Travis. 1997. Mate choice in the sailfin molly, *Poecilia latipinna*. Evolution

51: 1217-1231

Puckett, L. E. 1975. The status of spring-run steelhead (*Salmo gairdneri*) of the Eel River

system. Sacramento: Calif. Dep. Fish Game Memo. Rpt. 22 pp.

Pycha, R. L. 1956. Progress report on white sturgeon studies. Calif. Fish Game 42:23-35.

Quinn, T. P., J. L. Nielsen, C. Gan, M. J. Unwin, R. Wilmot, C. Guthrie and F. M. Utter. 1996.

Origin and genetic structure of chinook salmon, *Oncorhynchus tshawytscha*, transplanted

from California to New Zealand: allozyme and mtDNA evidence. Fish. Bull. 94: 506-521.

Radtke, L. D. 1966. Distribution of smelt, juvenile sturgeon and starry flounder in the

Sacramento-San Joaquin Delta. Pages 115-119 in S. L. Turner and D. W. Kelley, eds.,

Ecological studies of the Sacramento-San Joaquin Delta, Part II, Calif. Fish Game Fish

Bull. 136.

Raney, E. 1952. The life history of the striped bass, *Roccus saxatilis* (Walbaum). Bull. Bingham

Oceanogr. Collect. Yale Univ. 14:5-97.

Ratallack, A. 1998. Striped bass: revitalizing a fishery. Outdoor California 59(4): 9-12.

Rawstron, R. R. 1964. Spawning of the threadfin shad, *Dorosoma petenense*, at low water

temperatures. Calif. Fish Game 50:58.

- Rawstron, R. R. 1967. Harvest, mortality, and movement of selected warmwater fishes in Folsom Lake, California. **Calif. Fish Game** 53:40-48.
- Reed, R. J. 1967. Observation of fishes associated with spawning salmon. *Trans. Am. Fish. Soc.* 96:62-66.
- Rees, B. 1958. Attributes of the mosquitofish in relation to mosquito control. *Proc. 26th Ann. Conf. Calif. Mosq. Contr. Assoc.* 71-75.
- Reeves, G. H. , F. H. Everest, and J. D. Hall. 1987. Interactions between reidside shiner (*Richardsonius balteatus*) and steelhead (*Salmo gairdneri*) in western Oregon: the influence of water temperature. *Can. J. Aquat. Sci. Fish* 44:1603-1613.
- Reeves, G. H., and J. R. Sedell. 1992. An ecosystem approach to the conservation and management of freshwater habitat for anadromous salmonids in the Pacific Northwest. *Trans. 57th N.A. Wildl. and Nat. Res. Conf.:* 408-415.
- Reeves, J. E. 1964. Age and growth of hardhead minnow, *Mylopharodon conocephalus* (Baird and Girard), in the American River basin of California, with notes on its ecology. M.S. Thesis, Univ. Calif, Berkeley, 90 pp.
- Reighard, J. 1920. The breeding behavior of the suckers and minnows. *Biol. Bull. Woods Hole*, 38:1-32.
- Reiman, B. E. and R. C. Beamesderfer. 1990. Dynamics of a northern squawfish population and the potential to reduce predation on juvenile salmonids in a Columbia River reservoir. *North American Journal of Fisheries Management* 10: 228-241
- Reimers, N. 1958. Conditions of existence, growth and longevity of brook trout in a small high-altitude lake of the eastern Sierra Nevada. **Calif. Fish, Game** 44:319-333.



- Reimers, N. 1979. A history of a stunted brook trout population in an alpine lake: a life span of 24 years. **Calif.** Fish, Game 65: 196-215.
- Reimers, P. E. 1973. The length of residence of juvenile fall chinook salmon in Sixes River, Oregon. Res. Rep. Fish Comm. Oreg. 4:1-43.
- Reimers, P. E., and C. E. Bond. 1967. Distribution of fishes in tributaries of the lower Columbia River. Copeia 1967:541-550.
- Reisner, M. 1986. Cadillac desert: the American West and its disappearing water. Viking Penguin, New York.
- Reist, J. D. 1983. Behavioral variation in pelvic phenotypes of brook **stickleback**, *Culea inconstans*, in response to predation by northern pike, *Esox lucius*. Env. Biol. Fish. 8: 255-267.
- Renfro, W. C. 1960. Salinity relations of some fishes in the Arkansas River, Texas. Tulane Stud. Zool. 8:83-91.
- Reznick, D. N. and B. Braun. 1987. Fat cycling in the mosquitofish (*Gambusia affinis*): fat storage as a reproductive adaptation. Oecologia 73: 401-413.
- Richards, J. E. and F. W. H. Beamish. 1981. Initiation of feeding and salinity tolerance in the Pacific lamprey, *Lampetra tridentata*. Marine Biol. 63: 73-77.
- Richards, J.E., R.J. Beamish. and F. W. H. Beamish. 1982. Descriptions and keys for **ammocoetes** of lampreys from British Columbia, Canada. CAn. J. Fish. Aquat. Sci, 39:1484-1495.
- Richards, C. and D.L. Soltz. 1986. Feeding of rainbow trout (*Salmo gairdneri*) and arroyo chubs (*Gila orcutti*) in a California mountain stream. Southwestern Nat.31:250-253.

- Richards, R. C., C. R. Goldman, E. Byron, and C. Levitan. 1991. The mysids and lake trout of Lake Tahoe: a 25-year history of changes in fertility, plankton, and fishery of an alpine lake. *Amer. Fish. Soc. Symp.* 9:30-38
- Richardson, M. J., F. G. Whoriskey, and L. H. Roy. 1995. Turbidity generation and biological impacts of an exotic fish, *Carassius auratus*, introduced into shallow seasonally anoxic ponds. *J. Fish Biol.* **47**:576-585.
- Richardson, W. M., J. A. St. Amant, L. J. Bottroff, and L. Parker. 1970. Introduction of blue catfish into California. *Calif. Fish Game* 56:311-312.
- Ricker, S. J. 1997. Evaluation of salmon and steelhead spawning habitat quality in the Shasta River Basin, 1997. *CFG Inland Fish. Admin. Rpt.* 97-9: 13 pp.
- Ridgway, M. S. 1988. Developmental stage of offspring and brood defense in smallmouth bass (*Micropterus dolomieu*). *Can. J. Zool.* 66: 1722-1728
- Ridgway, M. S., G. P. Goff, and M. H. A. Keenleyside. 1989. Courtship and spawning behavior in smallmouth bass (*Micropterus dolomieu*). *Amer. Midl. Nat.* 122: 209-231.
- Ridgway, M. S., J. A. MacClean, and J. C. MacLeod. 1991. Nest-side fidelity in a centrarchid fish, the **smallmouth** bass (*Micropterus dolomieu*). *Can. J. Zool.* 69: 3103-3105.
- Ridgway, M. S., B. J. Shuter, and E. E. Post 1991. The relative influence of body size and territorial behaviour on nesting asynchrony in male smallmouth bass *Micropterus dolomieu* (Pisces: Centrarchidae). *J. Anim. Ecol.* 60: 665-681..
- Ruggs, C. C. 1955. Reproduction of the white bass, *Morone chrysops*. *Invest. Indiana Lakes Streams* 4:87-110.

- Robins, C. R., R. M. Bailey, C. E. Bond, J. R. Brooker, E. A. Lachner, R. N. Lea and W. B. Scott. 1991. A list of common and scientific names of fishes from the United States and Canada (5th Ed.). Amer. Fish. Soc. Spec. Publ. No. 20. 183 pp.
- Robins, C. R., and R. R. Miller. 1957. Classification, variation, and distribution of the sculpins, genus *Coitus*, inhabiting pacific slope waters in California and southern Oregon, with a key to the species. **Calif.** Fish Game 43:213-233.
- Rochard, E., G. Castelnaud, and M. Lepage. 1990. Sturgeons (Pisces: Acipenseridae): threats and prospects. J. Fish. Biol. 37 (supp. A):123-132.
- Rockriver, A. K. C. 1998. Spatial and temporal distribution of larval fish in littoral habitats of the Central Valley, California. M. S. thesis, Sacramento State Univ. 83 pp.
- Rode, M. 1990. Bull trout, *Salvelinus confluentus* Suckley, in the McCloud River: status and recovery recommendations. CFG Inland Fisheries Admin. Rpt. 90-15: 43 pp.
- Roell, M. J. and D. J. Orth. 1993. Trophic basis of production of stream-dwelling **smallmouth** bass, rock bass, and flathead catfish in relation to invertebrate bait harvest. Trans. Amer. Fish. Soc. 122: 46-62
- Roelofs, T. D. 1983. Current status of California summer steelhead (*Salmo gairdneri*) stocks and habitat, and recommendations for their management. Rep. to USDA For. Serv. Reg. 5. 77 pp.
- Rogers, K. B., L. E. Bergsted, and E.P. Bergersen. 1996. Standard weight equation for mountain whitefish. N. Amer. J. Fish. Mgmt. 16:207-209.

- ogers, D. W. 1974. Chum salmon observations in four north coast streams. **Calif. Fish Game** 60:148.
- ohde, 1980 river lamprey
- oos, J. F., P. Gilhousen, S. R. Killick, and E. R. Zyblut. 1973. Parasitism on juvenile Pacific salmon (*Oncorhynchus*) and Pacific herring (*Clupea harengus pallasii*) in the Strait of Georgia by the river lamprey (*Lampetra ayresi*). *J. Fish. Res. Board Can.* 30:565-568.
- osato, P., and D. Ferguson. 1968. The toxicity of endrin-resistant mosquitofish to eleven species of vertebrates. *BioScience* 18:783-784.
- oscoe, T. J. 1993. Life history aspects of California roach (*Hesperoleucas symmetricus*) affected by changes in flow regime in the North Fork Stanislaus River, Calaveras Co., California. Unpubl. M.S. thesis, CSU Sacramento. 57 pp.
- osen, D. E., and R. M. Bailey. 1963. The poeciliid fishes (Cyprinodontiformes), their structure, zoogeography, and systematics. *Bull. Am. Mus. Nat. Hist.* 126:1-126.
- ross, S. T. 1973. The systematics of *Gasterosteus aculeatus* (Pisces:Gasterosteidae) in central and southern California. *Contrib. Sci. Nat. Hist. Mus. Los Angeles Co.* 243:1-20.
- wley, W. 1955. 1954 creel census, North Fork, Feather River. **Calif. Dep. Fish Game, Inland Fish. Admin. Rep.** 55. 17 pp.
- R iz-Campos, G. and S. Gonzalez-Guzman. 1996. First freshwater record of Pacific lamprey, *Lampetra tridentata*, from Baja California, Mexico. **Calif. Fish, Game** 82: 144-146.
- R ppert, J. R., R. T. Muth, and T. P. Nesler. 1993. Predation on fish larvae by adult red shiner, Yampa and Green rivers, Colorado. *Southwestern Naturalist* 38:397-399.

- Ru ter, C. 1903. Notes on fishes from streams and lakes of northeastern California not tributary to the Sacramento Basin. Bull. U.S. Fish Comm. 22:143-48.
- R an, J. H. and S.J. Nicola. 1976. Status of the Paiute cutthroat trout, *Salmo clarki seleneris* Snyder, in California. CFG Inland Fisheries Admin. Rpt. 76-3: 56 pp.
- R bock, J. T., H. F. Horton, and J. L. Fessler. 1975. Use of otoliths to separate juvenile steelhead trout from juvenile rainbow trout. Fish. Bull. 73:654-659.
- utter, C. 1908. The fishes of the Sacramento-San Joaquin basin, with a study of their distribution and variation. Bull. U.S. Bur. Fish. 27:103-152.
- abo, M. J. , E. J. Pert, and K. O. Winemiller. 1995. Agonistic behavior of juvenile largemouth and smallmouth bass. J. Freshw. Biol. 11: 115-118.
- ada, D. W. 1989. Status, distribution, and morphological variation of speckled dace in the Owens River system. Calif. Dept. of Fish & Game, Inland Fisheries Div. Report for contract FG7343. 77 pp.
- Sada, D. W., H. B. Britten, and P. F. Brussard. 1993. Morphometric and genetic differentiation among Death Valley System *Rhinichthys osculus*. Calif. Dept. of Fish & Game, Inland Fisheries Div. Report for contract FG0524. 51 pp.
- Sada, D. W., H. B. Britten, and P. F. Brussard. 1995. Desert aquatic ecosystems and the genetic and morphological diversity of Death Valley System speckled dace. Pages 350-359 in J. L. Nielsen, ed. Evolution and the aquatic ecosystem. AFS Symposium 17. American Fisheries Soc. Bethesda, MD.
- Sada, D. W. and J. E. Deacon. 1995. Spatial and temporal variability of pupfish (genus *Cyprinodon*) habitat and populations at Salt Creek and Cottonball Marsh, Death Valley

- National Park, California. Unpubl. Rpt., US Nat. Park Service (Agreement 8000-2-9003). 76 pp.
- Sada, D. W., K. Pindal, D. L. Threlhoff, and J. E. Deacon. 1997. Spatial and temporal variability of pupfish (genus *Cyprinodon*) habitat and populations at Saratoga Springs and the lower Amargosa River, Death Valley National Park, California. Unpubl. Rpt., US Nat. Park Service (Agreement 8000-2-9003). 99 pp.
- Sagar, P. M. and G. J. Glova. 1988. **Diel** feeding periodicity, daily ration and prey selection of a riverine population of juvenile chinook salmon, *Oncorhynchus tshawytscha* Walbaum. J. Fish Biol. 33: 643-653.
- Saiki, M. K. 1984. Environmental conditions and fish faunas in low elevation rivers on the irrigated San Joaquin Valley floor, California. Calif Fish Game 70:145-157.
- Saiki, M. K. 1997. Survey of small fishes and environmental conditions in Mugu Lagoon, California, and tidally influenced reaches of its tributaries. Calif Fish, Game 83: 153-167.
- Saiki, M. K., M. R. Jennings, and R. H. Wiedmeyer. 1992. Toxicity of agricultural subsurface drainwater from the San Joaquin Valley, California, to juvenile chinook salmon and striped bass. Trans. Amer. Fish. Soc. 121: 78-93.
- Saiki, M. K. and R. S. Ogle. 1995. Evidence of impaired reproduction by western mosquitofish inhabiting seleniferous agricultural drainwater. Trans. Amer. Fish. Soc. 124: 578-587.
- Saiki, M. K. and J. C. Tash. 1978. Unusual population dynamics in largemouth bass, *Micropterus salmoides* (Lacepede), caused by a seasonally fluctuating food supply. Amer. Midl. Nat. 100:116-125.

- St Amant, J. A. 1966a. Addition of *Tilapia mossambica* Peters to the California fauna. **Calif.** Fish Game 52:54-55.
- St Amant, J. A. 1966b. Progress report of the culture of *Tilapia mossambica* Peters hybrids in southern California. **Calif.** Fish Game Admin. Rep. 66-9: 25 pp.
- St Amant, J. A. 1970. Addition of Hart's rivulus, *Rivulus harti* (Boulenger) to the California fauna. **Calif.** Fish Game 56:138.
- St Amant, J. A., and F. G. Hoover. 1969. Addition of *Misgurnus anguillicaudatus* (Cantor) to the fish fauna of California. **Calif.** Fish Game 55:330-331.
- Amant, J. A., and S. Sasaki. 1971. Progress report on reestablishment of the Mohave chub, *Gila mohavensis* (Snyder) - an endangered species. **Calif.** Fish Game 57:307-308.
- Amant, J. A., and I. Sharp. 1971. Addition of *Xiphophorus variatus* (Meek) to the California fauna. **Calif.** Fish Game 57:128-129.
- Sksena, K. 1962. The post-hatching stages of the red shiner, *Notropis lutrensis*. *Copeia* 1962: 539-544.
- Snderson, S.L. and J. J. Cech, Jr. 1992. Energetic cost of suspension versus particulate feeding by juvenile Sacramento blackfish. *Trans. Amer. Fish. Soc.* 121: 149-157.
- Snderson, S.L. and J. J. Cech, Jr. 1995. Particle retention during respiration and particulate feeding in the suspension-feeding Sacramento blackfish, *Orthodon microlepidotus*. *Can. J. Fish. Aquat. Sci.* 52: 2534-2542.
- Snderson, S. L., J. J. Cech, Jr. and M. L. Patterson. 1991. Fluid dynamics in suspension-feeding blackfish. *Science* 251: 1346-1348.

- Sanford, J. R. 1975. The age and growth of the American shad, *Alosa sapidissima* in the Yuba River, 1969. M.S. thesis, CSU Sacramento. 45 pp.
- Saruwatari, T., J. A. Lopez, and T. W. Pietsch. 1997. A revision of the osmerid genus *Hypomesus* Gill (Teleostei: Salmoniformes), with description of a new species from the southern Kuril Islands. *Species Diversity* 2: 59-82.
- Sasaki, S. 1966. Distribution and food habits of king salmon, *Oncorhynchus tshawytscha*, and steelhead rainbow trout, *Salmo gairdnerii*, in the Sacramento-San Joaquin Delta. Pages 108-114 in J. L. Turner and D. W. Kelley, eds., *Ecological studies of the Sacramento-San Joaquin Delta. Part II. Fishes of the Delta.* CFG Fish Bull. 133.
- Savitz, J. and J. Janssen. 1982. Utilization of green sunfish and bluegills by largemouth bass: influence of ingestion time. *Trans. Amer. Fish. Soc.* 111: 462-464.
- Scalet, C. G. 1977. Summer food habits of sympatric stream populations of spotted bass, *Micropterus punctulatus*, and largemouth bass, *M. salmoides* (Osteichthyes: Centrarchidae). *Southw. Nat.* 21: 493-501
- Schaffter, R. G. 1997a. Growth of white catfish in California's Sacramento-San Joaquin Delta. *Calif. Fish, Game* 83:57-67.
- Schaffter, R. G. 1997b. White sturgeon spawning migrations and location of spawning habitat in the Sacramento River, California. *Calif. Fish, Game* 83: 1-20.
- Schaffter R. G. and D. W. Kohlhorst. 1997. Mortality rates of white catfish in California's Sacramento-San Joaquin Delta. *Calif. Fish, Game* 83:45-57.
- Schaffter R. G. and D. W. Kohlhorst. 1999. Status of white sturgeon in the Sacramento-San Joaquin estuary. *Calif. Fish, Game* 85:37-41.



- Schindler, D. E., J. R. Hodgson, and J. F. Kitchell. 1997. Density-dependent changes in individual foraging specialization of largemouth bass. *Oecologia* 110: 592-600
- Schlichting, D. L. 1988. Annual report, Feather River Hatchery, 1986-87. **Calif.** Dep. Fish Game Inland Fish. Admin. Rep. 88-10. 12 pp.
- Schluter**, D. and L. M. Nagel. 1995. Paralell speciation by natural selection. *Amer. Nat.* 146: 292-301.
- Schmidt, R. E. and T. Stillman. 1998. Evidence of potamodromy in an estuarine population of smallmouth bass (*Micropterus dolomieu*). *J. Freshw. Biol.* 13: 155-163.
- Schoenherr, A. A. 1979. Niche separation within a population of freshwater fishes in an irrigation drain near the Salton Sea, California. *Bull. South. Calif. Acad. Sci.* 78: 46-55.
- Schoenherr, A. A. 1985. Replacement of *Cyprinodon macularius* by *Tilapia zillii* in an irrigation drain near the Salton Sea. *Proc. Desert Fishes Council.* 13-15: 65-66.
- Schoenherr, A. A. 1988. A review of the life history and status of the desert pupfish, *Cyprinodon macularius*. *Bull. S. Calif. Acad. Sci.* 87: 104-134.
- Schoenherr, A. A. 1992. The effect of a flash flood on the Salt Creek, Riverside County, population of the endangered desert pupfish, *Cyprinodon macularius*. *Proc. Desert Fish Council* 12-13: 53-60
- Schreck, C. B., and R. J. Behnke. 1971. Trout of the upper Kern River Basin, California, with reference to systematics and evolution of western North American *Salmo*. *J. Fish. Res. Board Can.* 28:987-998.

- Schultz, L. P. 1930. The life history of *Lampetra planeri* Bloch, with a statistical analysis of the rate of growth of the larvae from western Washington. Occas. Pap. Mus. Zool. Univ. Mich. 221:1-39.
- Schulz, P. D. 1980. Fish remains. Pages 2 (1-18) in M. Praetzelis, A. Praetzelis, and M. R. Brown, eds. Historical archaeology at the Golden Eagle site. Anthropological Studies Center, Sonoma St. Univ.
- Schulz, P.D. 1995. [fish remains, Putah creek]. **Unpubl.** Report.
- Schulz, P. D., and D. D. Simons. 1973. Fish species diversity in a prehistoric central California Indian midden. **Calif.** Fish Game 59:107-113.
- Schwartz, D. P. and O. E. Maughn. 1984. The feeding preferences of *Tilapia aurea* (Steindacher) for five aquatic plants. Proc. Okla. Acad. Sci. 64: 14-16.
- Scofield, E. C. 1931. The striped bass of California (*Roccus lineatus*). **Calif.** Dept Fish, Game Fish Bull 29: 84 pp.
- Scofield, N. B. 1916. The humpback and dog salmon taken in San Lorenzo River. **Calif.** Fish Game 2:41.
- Scopetone, G. G. 1988. Growth and longevity of the cui-ui and other catostomids and cyprinids in western North America. Trans. Amer. Fish. Soc. 117: 301-307.
- Scopetone, G. G., J. E. Harvey, S. P. Shea, B. Nielsen, and P. H. Rissler. 1992. Ichthyofaunal survey and habitat monitoring of streams inhabited by the Modoc sucker (*Catostomus microps*). Unpubl. Rept. Nat. Biol. Surv., Reno NV. 51 pp.
- Scopetone, G. G. , S. Shea, and M. E. Buettner. 1994. Information on population dynamics and life history of shortnose sucker (*Chasmistes brevirostris*) and Lost River sucker (*Deltistes*

- luxatus) in Tule and Clear lakes. **Unpubl. Rept. Nat. Biol. Serv. (Reno):** 79 pp.
- coppetone, G. G. and G. Vinyard. 1991. Life history and management of four endangered suckers. Pages 303-358 in W. L. Minckley and J. E. Deacon, eds. *Battle against extinction: native fish management in the American West*. Univ. Ariz. Press, Tucson.
- Scott, W. B. 1967. *Freshwater Fishes of Eastern Canada*. Univ. Toronto Press, Toronto, 137 pp.
- Scott, W. B., and E. J. Crossman. 1973. *Freshwater Fishes of Canada*. Fish. Res. Bd. Can. Bull. 184: 966 pp.
- Scott et al. 1978. Orig of RBT in NZ Calif Fish & Game
- Seaburg, K. G., and J. B. Moyle. 1964. Feeding habits, digestion rates, and growth of some Minnesota warmwater fishes. *Trans. Amer. Fish. Soc.* 93:269-285..
- Seeley, C. M., and G. W. McCammon. 1966. Kokanee, Pages 274-294 in A. Calhoun, ed., *Inland Fisheries Management*. Calif. Dep. Fish Game, Sacramento.
- Seki, H., A. Hamada, T. Iwami, and R. J. LeBrasseur. 1981. Hobikiami sail trawling in Japan. *Fisheries* 6(6):2-15
- Setzler-Hamilton, E. M., J. A. Whipple, and B. Macfarlane. 1988. Striped bass populations in Chesapeake and San Francisco bays: two environmentally impacted estuaries. *Marine Poll. Bull.* 19: 466-477.
- Shao, B. 1997a. Effects of golden shiner (*Notemigonus crysoleucas*) nest association on host pumpkinseeds (*Lepomis gibbosus*): evidence for a non-parasitic relationship. *Behav. Ecol. Sociobiol.* 41: 399-406
- Shao, B. 1997b. Nest association of pumpkinseed, *Lepomis gibbosus*, and golden shiner, *Notemigonus aysoleucas*. *Environ Biol. Fishes* 50: 41-48.

- Sapovalov, L. 1941. The freshwater fish fauna of California. Proc. Sixth Pac. Sci. Congr. 3:441-446.
- Sapovalov, L. 1944. The tench in California. **Calif. Fish Game** 30:54-57.
- Sapovalov, L. and W. A. Dill. 1950. A check list of the freshwater and anadromous fishes of California. **Calif. Fish Game** 36:382-391.
- Sapovalov, L., W. A. Dill, and A. J. Cordone. 1959. A revised checklist of the freshwater and anadromous fishes of California. **Calif. Fish Game** 45:155-180.
- Sapovalov, L., and A. C. Taft. 1954. The life histories of the steelhead rainbow trout (*Salmo gairdneri gairdneri*) and silver salmon (*Oncorhynchus kisutch*). **Calif. Dep. Fish Game Fish Bull.** 98: 275 pp.
- Saw, E. and J. Allen. 1977. The productive behavior of the female shiner perch, *Cymatogaster aggregata*, family Embiotocidae. **Mar. Biol.** 40: 81-86.
- Saw, T., C. Jackson, D. Nehler, and M. Marshall. 1997. Klamath River (Iron Gate Dam to Seiad Creek) life stage periodicities for chinook, coho, and steelhead. Draft Report. USFWS Coastal **Calif. Fish and Wildlife Office**, Arcata. 54 pp.
- Helby, W. H. 1917. History of the introduction of food and game fishes into the waters of California. **Calif. Fish Game** 3:3-12.
- Heldon, A. L. 1968. Drift, growth, and mortality of juvenile sculpins in Sagehen Creek, California. **Trans. Am. Fish. Soc.** 97:495-496.
- Hepherd, B. G., Ed. 1989. Proceedings of the 1988 Northeast Pacific chinook and coho workshop. **Amer. Fish. Soc., North Pac. Int. Chap.**, Penticton, B.C. 284 pp.
- Hiraishi, Y. 1957. Feeding habits of pond smelt, *Hypomesus olidus*, and plankton succession in

Lake Suwa. Tokyo Bull. Freshw. Fish. Res. Lab. 7: 33-55.

Sloup, D. E. and L. G. Hill. 1997. Ecomorphological diet predictions: an assessment using inland silverside (*Menidia beryllina*) and longear sunfish (*Lepomis megalotis*) from Lake Texoma. Hydrobiologia 350: 87-98.

Shrode, J. B. 1975. Developmental temperature tolerance of a Death Valley pupfish (*Cyprinodon nevadensis*). Physiol. Zool. 48:378-389.

Shrode, J. B., and Gerking, S. D. 1977. Effects of constant and fluctuating temperatures on reproductive performance of a desert pupfish, *Cyprinodon n. nevadensis*. Physiol. Zool. 50:1-10.

Sholes, W. H. and R. J. Hallock. 1979. An evaluation of rearing fall-run chinook salmon, *Oncorhynchus tshawytscha*, to yearlings at Feather River Hatchery, with a comparison of returns from hatchery and downstream releases. Calif. Fish, Game 65: 239-255

Shultz, L. P. 1930. Notes on the species of *Coitus* in western Washington. Copeia 1930:14-15.

Siefert, R. E. 1968. Reproductive behavior, incubation and mortality of eggs, and postlarval food selection of white crappie. Trans. Amer. Fish. Soc. 97: 252-259.

Sigler, W. F. 1951. The life history and management of the mountain whitefish, *Prosopium williamsoni* (Girard) in Logan River, Utah. Utah State Ag. Coll. Bull. 347: 21 pp.

Sigler, W. F. 1958. The ecology and use of carp in Utah. Utah State Univ. Agric. Exp. Stn. Bull. 405: 63 pp.

Sigler, W. F., W. T. Helm, P. A. Kucera, S. Vigg, and G. W. Workman. 1983. Life history of the Lahontan cutthroat trout, *Salmo clarki henshawi*, in Pyramid Lake, Nevada. Great Basin Nat. 43: 1-29.

- Sigler, W. F. and R. R. Miller. 1963. Fishes of Utah. Utah Dept Fish, Game. 203 pp.
- Sigler, W. F., and J. W. Sigler. 1987. Fishes of the Great Basin: natural history. Univ. Nev. Press, Reno. 425 pp.
- Simon, D. C. and D. F. Markle. 1997. Interannual abundance of nonnative fathead minnows (*Pimephales promelas*) in upper **Klamath** Lake, Oregon. Great Basin Naturalist 57: 142-148.
- Simon, T. P. and J. B. Kaskey. 1992. Description of the eggs, larvae, and early juveniles of the bigscale logperch, *Percina macrolepida* Stevenson, from the west fork of the Trinity River Basin, Texas. SW Nat. 37: 28-34.
- Simonson, T. D. and W. A. Swenson. 1990. Critical stream velocity for young-of-year **smallmouth** bass in relation to habitat use. Trans. Amer. Fish. Soc. 119: 902-910.
- Simons, A. M. and R. L. Mayden. 1998. Phylogenetic relationships of the western North American phoxinins (Actinopterygii, Cyprinidae) as inferred from Mitochondrial 12S and 16S ribosomal RNA sequences. Molec. Phylo. Evol. 9: 308-329.
- Skillman, R. A. 1969. The population, organization, and dispersal of redear sunfish in Lake **Berryessa**. Ph.D. Thesis, Univ. Calif., Davis, 101 pp.
- Skinner, J. E. 1962. An historical view of the fish and wildlife resources of the San Francisco Bay area. Calif. Dep. Fish Game Water Projects Branch Rep. 1: 225 pp.
- Skinner, J. E. 1971. *Anguilla* recorded from California. Calif. Fish Game 57:75-79.
- Skinner, J. E. 1972. Ecological studies of the Sacramento-San Joaquin Estuary. Calif. Dep. Fish Game Delta Fish Wildl. Prot. Stud. Rep. 8: 94 pp.

- Slater, D. W. 1963. Winter-run chinook salmon in the Sacramento River, California with notes on water temperature requirements at spawning. Fish **Wildl.** Serv. Spec. Sci. Rep. Fish. No. 461.
- Smale, M. A. And C. F. Rabeni. 1995. Hypoxia and hyperthermia tolerances in headwater stream fishes. *Trans. Amer. Fish. Soc.* 124: 698-710.
- Smedley, S. C. 1952. Pink salmon in Prairie Creek, California. **Calif.** Fish Game 38:272.
- Smith, A. K. 1973. Development and application of spawning velocity and depth criteria for Oregon salmonids. *Trans. Am. Fish. Soc.* 102:312-316.
- Smith, C. L. and C. R. Powell. 1971. The summer fish communities of Brier Creek. Marshall County, Oklahoma. *Amer. Mus.* Nov. 2548:1-30.
- Smith, G.E. and M. E. Aceituno. 1987. Habitat preference criteria for brown, brook, and rainbow trout in Eastern Sierra Nevada streams. **Calif.** Dept. Fish, Game Stream **Eval.** Rpt. 87-2: 104 pp.
- Smith, G. R. 1966. Distribution and evolution of the North American catostomid fishes of the subgenus *Pantosteus*, genus *Catostomus*. *Univ. Mich. Mus. Zool. Misc. Publ.* 129:1-33.
- Smith, G. R. 1981. Late Cenozoic freshwater fishes of North America. *Ann. Rev. Ecol. Syst.* 12:163-193
- Smith, G. R. 1992. Phylogeny and biogeography of the Catostomidae, freshwater fishes from North America and Asia.. Pages 778-826 in R. L. Mayden, ed. Systematics, historical ecology, and North American freshwater fishes. Stanford Univ. Press, Stanford.
- Smith, J. J. 1977. Distribution, movements, and ecology of the fishes of the Pajaro River system, California. PhD. diss. Univ. Calif, Davis. 230 pp.

- Smith, J. J. 1982. Fishes of the Pajaro River system. Univ. **Calif. Publ. Zool.** 115:83-170.
- Smith, J. J. and H. W. Li. 1983. Energetic factors **influencing** foraging tactics of juvenile steelhead trout, *Salmo gairdneri*. Pages 173-180 in D. L. G. Noakes et al., eds. Predators and prey in fishes. The Hague: Dr. W. Junk.
- Smith, P. W., and L. M. Page. 1969. The food of spotted bass in streams of the Wabash River Drainage. *Trans. Amer. Fish. Soc.* 98:647-651.
- Snelson, F. F., Jr. 1982. Indeterminate growth in males of the sailfin molly, *Poecilia latipinna*. *Copeia* 1982: 296-304.
- Snelson**, F. F., Jr. 1984. Seasonal maturation and growth of males in a natural population of *Poecilia latipinna*. *Copeia* 1984: 252-255.
- Snelson, F. F., Jr. 1985. Size and morphological variation in males of the sailfin molly, *Poecilia latipinna*. *Env. Biol. Fish.* 13: 35-47.
- Snelson, F. F., Jr. And J. D. Wetherington. 1980. Sex ratio in the sailfin molly, *Poecilia latipinna*. *Evolution* 34: 308-319.
- Snider, W.M. and E. Gerstung. 1986. Instream flow requirements of the fish and wildlife resources of the Lower American River, Sacramento, California. CDFG Stream Evaluation Report 86-1: 32 pp.
- Snider, W. M. and A. Linden. 1981. Trout growth in California streams. CFG Inland Fish Admin. Rpt. 81-1: 11 pp.
- Snyder, D. E. 1983. Identification of catostomid larvae in Pyramid Lake and the Truckee River, Nevada. *Trans. Am. Fish. Soc.* 112:333-348.
- Snyder, G. 1990. The practice of the wild. San Francisco: North Point Press. 190 pp.



- Snyder, J. O. 1905. Notes on the fishes of the streams flowing into San Francisco Bay. Rep. U.S. Bur. Fish. 5:327-338.
- Snyder, J. O. 1908a. Relationships of the fish fauna of the lakes of southeastern Oregon. Bull. U.S. Bur. Fish. 27:69-102.
- Snyder, J. O. 1908b. Description of *Pantosteus santa-anae*, a new species of fish from the Santa **Ana** River, California. Proc. U.S. Natl. Mus. 34:33-34.
- Snyder, J. O. 1908c. The fishes of the coastal streams of Oregon and northern California. Bull. U.S. Bur. Fish. 27:153-189.
- Snyder, J. O. 1908d. The fauna of the Russian River, California, and its relation to that of the Sacramento. Science n.s. 27:269-271.
- Snyder, J. O. 1913. The fishes of the streams tributary to Monterey Bay, California. Bull. U.S. Bur. Fish. 32:49-72.
- Snyder, J. O. 1916. The fishes of the streams tributary to Tomales Bay, California. Bull. U.S. Bur. Fish. 34:375-381.
- Snyder, J. O. 1918. The fishes of the Lahontan system of Nevada and northeastern California. Bull. U.S. Bur. Fish. 35:31-86.
- Snyder, J. O. 1919a. An account of some fishes from the Owens River, California. Proc. U.S. Natl. Mus. 54:201-205.
- Snyder, J. O. 1919b. The fishes of Mohave River, California. Proc. U.S. Natl. Mus. 54:297-299.
- Snyder, J. O. 1931. Salmon of the Klamath River, California. **Calif.** Div. Fish, Game Fish Bull. 34: 129 pp.
- Snyder, J. O. 1933. Description of *Salmo seleneris*, a new California trout. Proc. **Calif.** Acad. Sci.

20(11): 471-472.

- Snyder, J. O. 1933. California trout. **Calif.** Fish Game 19:81-112.
- Snyder, R. J. 1984. Seasonal variation in the diet of the threespine stickleback, *Gasterosteus aculeatus*, in Contra Costa County, California. **Calif.** Fish, Game 70: 167-172.
- Snyder, R. J. 1990. Clutch size of anadromous and freshwater threespine sticklebacks: a reassessment. *Can. J. Zool.* 68: 2027-2030.
- Snyder, R. J. 1991a. Migration and life histories of the threespine stickleback: evidence for adaptive variation in growth rate between populations. *Env. Biol. Fish.* 31: 381-388.
- Snyder, R. J. 1991b. Quantitative genetic analysis of life histories in two freshwater populations of the threespine stickleback. *Copeia* 1991: 526-529.
- Snyder, R. J. and H. Dingle. 1989. Adaptive, genetically based differences in life history between estuary and freshwater threespine sticklebacks (*Gasterosteus aculeatus* L.). *Can. J. Zool.* 67: 2448-2454.
- Snyder, R. J. and H. Dingle. 1990. Effects of freshwater and marine overwintering environments on life histories of threespine sticklebacks: evidence for adaptive variation between anadromous and resident freshwater fish populations. *Oecologia* 84: 386-390.
- Soltz, D. L., and R.J. Naiman. 1978. The natural history of native fishes in the Death Valley system. *Nat. Hist. Mus. Los Angeles Co. Sci. Ser.* 30:1-76.
- Sommer, T., R. Baxter, and B. Herbold. 1997. Resilience of splittail in the Sacramento-San Joaquin estuary. *Trans. Amer. Fish. Soc.* 126: 961-976.
- Sorenson, P. W., J. R. Cardwell, T. Essington, and D. E. Weigel. 1995. Reproductive interactions between sympatric brook and brown trout in a small Minnesota stream. *Can. J. Fish. Aquat. Sci.* 52: 1958-1965.

- Soule, M. **1951**. Power development of the Kings River drainage, Fresno County, California. Rep. No. **3**, Junction development of the Kings River and its Middle and South Forks. **Calif.** Dep. Fish Game Inland Fish. Admin. Rep. **51**. **17** pp.
- Staley, C. S. **1980**. Life history aspects of the Sacramento **blackfish**, *Orthodon microlepidotus* (Ayres) in the Beach/Stone lakes basin, California.. M.S. thesis. **CSU Sacramento** **55** pp.
- Staley, J. **1966**. Brown trout. Pages. **233-242** in A. Calhoun, ed., Inland Fisheries Management. **Calif.** Dep. Fish Game, Sacramento.
- Stanley, S. E., P. B. Moyle, and H. B. Shaffer. **1995**. **Allozyme** analysis of delta smelt, *Hypomesus transpacificus*, and **longfin** smelt, *Spirinchus thaleichthys*, in the Sacramento-San Joaquin estuary. **Copeia** **1995**: **390-396**.
- Stauffer, J. R., Jr. Effects of salinity on preferred and lethal temperatures of the Mozambique **tilapia**, *Oreochromis mossambicus* (Peters). *Water Res. Bull.* **22**: **205-208**.
- Stauffer, J. R., Jr., J. M. Boltz, and S. E. Boltz. **1989**. Temperature preference of the **redbelly tilapia**, *Oreochromis zilli* (Gervais). *Arch. Hydrobiol.* **114**: **453-456**.
- Stauffer, J. R., Jr., C. H. **Hocutt**, and W. F. Goodfellow. **1985**. Effects of sex and maturity on preferred temperatures: a **proximate** factor for increased survival of young *Poecilia latipinna*? *Arch. Hyrdro.* **103**: **129-132**.
- Stearly, R. F. and G. R. Smith. **1993**. **Phylogeny** of Pacific trouts and salmon (Oncorhynchus) and genera of the family **Salmonidae**. *Trans. Amer. Fish. Soc.* **122**: **1-33**.
- Stearns, S. C. **1983**. The genetic basis of differences in life-history traits among six populations of **mosquitofish** (*Gambusia affinis*) that shared ancestors in **1905**. *Evolution* **37**: **618-627**.
- Stefferd, J. A. **1993**. Spawning season and **microhabitat** use by California golden trout

- (*Oncorhynchus mykiss aguabonita*) in the southern Sierra Nevada. Calif Fish, Game 79: 133-144.
- Stein, R. A., P. E. Reimers, and J. D. Hall. 1972. Social interaction between juvenile coho (*Oncorhynchus kisutch*) and fall chinook salmon (*O. tshawytscha*) in Sixes River, Oregon. J. Fish. Res. Board Can. 29:1737-1748.
- Steiner, W. P. 1996. A history of the salmonid decline in the Russian River. Potter Valley: Steiner Env. Consulting. 79 pp.
- Stephens, J. S. , Jr. 1990. Maximum salinity tolerance of the egg, larvae, and adult life stages of Salton Sea sport fish. Report to CDFG, Project F-51-R-1. 8 pp.
- Sterba, G. 1959. Freshwater Fishes of the World. Vista Books, London, 878 pp.
- Stevens, D. E. 1966a. Distribution and food habits of the American shad, *Alosa sapidissima*, in the Sacramento-San-Joaquin Estuary. Pages 97-107 in J. L. Turner and D. W. Kelley, eds., Ecological Studies of the Sacramento-San Joaquin Estuary, Part II, Fishes of the Delta. Calif Dep. Fish Game Fish Bull. 136.
- Stevens, D. E. 1966b. Food habits of striped bass (*Roccus saxatilis*) in the Sacramento-San Joaquin Delta. Pages 68-96 in J. L. Turner and D. W. Kelley, eds., Ecological Studies of the Sacramento-San Joaquin Estuary, Part II, Fishes of the Delta. Calif Dep. Fish Game Fish Bull. 136.
- Stevens, D. E. 1972. American **shad**/ Pages 52-54 in J. E. Skinner, ed., Ecological Studies of the Sacramento-San Joaquin Estuary. Calif Dep. Fish Game Delta Fish and Wildl. Prot. Stud. 8.

- Stevens, D. E., H. K. Chadwick, and R. E. Painter. 1987. American shad and striped bass in California's Sacramento-San Joaquin river system. *Amer. Fish. Soc. Symp.* 1:66-78.
- Stevens, D. E., D. W. Kohlhorst, L. W. Miller, and D. W. Kelley. 1985. The decline of striped bass in the Sacramento-San Joaquin estuary, California. *Trans. Amer. Fish. Soc.* 114: 12-30.
- Stevens, D. E., and L. W. Miller. 1970. Distribution and abundance of sturgeon larvae in the Sacramento-San Joaquin River system, **Calif. Fish Game** 56:80-86.
- Stevens, D. E., and L. W. Miller. 1983. Effects of river flow on abundance of young chinook salmon, American shad, longfin smelt, and Delta smelt in the Sacramento-San Joaquin river system. *North Am. Fish. Manage.* 3:425-437.
- Stevenson, M. M. 1971. *Percina macrolepida* (Pisces, Percidae, Etheostomatinea), a new percid fish of the subgenus *Percina* from Texas. *Southwest. Nat.* 16:65-83.
- Stevenson, M. M. and B. A. Thomson. 1978. Further distribution records for the bigscale logperch, *Percina macrolepida* (Osteichthyes: Percidae) from Oklahoma, Texas,
- Stier, D. J. and J. H. Crance. 1985. Habitat suitability index models and instream suitability curves: American shad. *USFWS Biol. Rpt.* 82 (10.88).
- Strange, E. M. 1995. Pattern and process in stream fish community organization: field study and simulation modeling. Ph.D. Diss., Univ. Calif. Davis.
- Strange, E. M., P. B. Moyle, and T. C. Foin. 1992. Interactions between stochastic and deterministic processes in stream fish community assembly. *Env. Biol. Fish.* 36:1-15.
- Stubbs, K. and R. White. 1993. Lost River (*Deltistes luxatus*) and shortnose (*Chasmistes brevirostris*) sucker recovery plan. U.S. Fish and Wildlife Service, Portland. 108 pp.

- Sturgess, J. A. 1976. Taxonomic status of *Percina* in California. **Calif.** Fish, Game 62: 79-81.
- Sturgess, J. A. and P. B. Moyle. 1978. Biology of rainbow trout (*Salmo gairdneri*), brown trout (*Salmo trutta*) and interior Dolly Varden (*Salvelinus confluentus*) in the McCloud River, California, in relation to management. Cal-Neva Wildlife 1978: 239-350.
- Sublette, J. E., M. D. Hatch, and M. Sublette. 1990. The fishes of New Mexico. Univ. New Mexico Press, Albuquerque. 393 pp.
- Svalastog, D. A note on maximum age of brown trout, *Salmo trutta* L. J. Fish. Biol. 38: 967-968.
- Swanson, C. and J. J. Cech, Jr. 1995. Environmental tolerances and requirements of the delta smelt, *Hypomesus transpacificus*. Final Report to **Calif.** Dept. of Water Resources. 77 pp.
- Swanson, C., J. J. Cech, Jr., and R. H. Piedrahita. 1996. Mosquitofish: biology, culture, and use in mosquito control. Mosq. , Vector Cont. Assn. Calif. , Elk Grove, CA. 87 pp.
- Swanson, C., T. Reid, and J. J. Cech, Jr. 1999. Environmental tolerances of native delta smelt (*Hypomesus transpacificus*) and introduced waksagi (*H. nipponensis*) in California. Unpubl. Ms.
- Swanson, C., P. S. Young, and J. J. Cech, Jr. 1998. Swimming performance and behavior of delta smelt: maximum performance and behavioral and kinematic limitations of swimming at submaximal velocities. J. Exp. Biol. 201: 333-345.
- Swe, W., and W. R. Dickinson. 1970. Sedimentation and thrusting of late Mesozoic rocks in the coast ranges near Clear Lake, California. Geol. Soc. Am. Bull. 81:165-187.
- Sweetnam, D. A. 1999. Status of delta smelt in the Sacramento-San Joaquin estuary. Calif. Fish. Game 85: 22-27
- Sweetnam, D. A. and D. E. Stevens. 1993. A status review of the delta smelt (*Hypomesus*

- transpacificus*) in California. Report to Fish and Game Commission, Candidate Species Rpt. 93-DS. 98 pp.
- Swenson, R. O. 1995. The reproductive behavior and ecology of the tidewater goby *Eucyclogobius newberryi* (Pisces: Gobiidae). PhD Dissertation, Univ. Calif. Berkeley. 230 pp.
- Swenson, R. O. 1997. Sex-role reversal in the tidewater goby, *Eucyclogobius newberryi*. *Enviro. Biol. Fish.* 50: 27-40.
- Swenson, R. O. 1999. The ecology, behavior, and conservation of the tidewater goby, *Eucyclogobius newberryi*. *Env. Biol. Fish.* (In press).
- Swenson, R. O. and A. T. McCray. 1996. Feeding ecology of the tidewater goby. *Trans. Amer. Fish. Soc.* 125: 956-970.
- Swift, C. 1965. Early development of the hitch, *Lavinia exilcauda*, of Clear Lake, California. *Calif Fish Game* 51:74-80.
- Swift, C. C. , P. Duangsitti, C. Clemente, K. Hasserd, and L. Valle. 1997. Biology and distribution of the tidewater goby, *Eucyclogobius newberryi*, on Vanderberg Air Force Base, Santa Barbara County, California. Final Report to USNBS: Cooperative Agreement 1445-007-94-8129. 121 pp.
- Swift, C. C., J. L. Nelson, C. Maslow, and T. Stein. 1989. Biology and distribution of the tidewater goby, *Eucyclogobius newberryi* (Pisces: Gobiidae) of California. Los Angeles Co. Mus. Nat. Hist. *Contribs. Science* 404:1-19.
- Swift, C. C., T. R. Haglund, M. Ruiz, and R. N. Fisher. 1993. The status and distribution of the freshwater fishes of southern California. *Bull. South. Calif Acad. Sci.* 92:101-167.



- Taft, A. C. 1938. Pink salmon in California. **Calif.** Fish Game 24:197-198.
- Taft, A. C., and G. I. Murphy. 1950. Life history of the Sacramento **squawfish** (*Ptychocheilus grandis*). **Calif.** Fish Game 36:197-164.
- Talbot, G. B. 1966. Estuarine and environmental requirements for striped bass, 37-42. **In** R. F. Smith, A. H. Swartz, and W. H. Massmann, eds., A Symposium on Estuarine Fisheries. Am. Fish. Soc. Spec. Publ. 3.
- Talbot, G. B., and J. E. Sykes. 1958. Atlantic coast migrations of American shad. Fish. Bull. 58:473-490.
- Tasto, R. N. 1975. Aspects of the biology of the Pacific staghorn sculpin, *Leptocottus armatus* Girard, in Anaheim Bay. **Calif.** Dept. Fish, Game Fish Bull 165: 123-135.
- Tarp, F. H. 1952. A revision of the family Embiotocidae (the surfperches). **Calif.** Dep. Fish Game Bull. 88: 99 pp.
- Tate, A. E. and L. A. Helfrich. 1998. Off-season spawning of sunshine bass (*Morone chrysops* x *M saxatilis*) exposed to 6- or 9-month phase-shifted photothermal cycles. Aquaculture 167: 67-83.
- Taucher, C. 1987. How to apply for a state fishing record. Outdoor **Calif.** 48(6): 18-19.
- Taylor, E. B. 1988. Water temperature and velocity as determinants of microhabitats of juvenile chinook and coho salmon in a laboratory stream channel. Trans. Amer. Fish. Soc. 117: 22-28.
- Taylor, E. B. 1990. Phenotypic correlates of life-history variation in juvenile chinook salmon, *Oncorhynchus tshawytscha*. J. Anim. Ecol. 59: 455-468.
- Taylor, E. B. 1991. Behavioural interactions and habitat use in juvenile chinook, *Oncorhynchus*

- tshawytscha*, and coho, *O. kisutch*, salmon. Anim. Behav. 42: 729-744.
- Taylor, F. R., R. R. Miller, J. W. Pedretti, and J. E. Deacon. 1988. Rediscovery of the Shoshone pupfish, *Cyprinodon nevadensis shoshone* (Cyprinodontidae), at Shoshone Springs, Inyo County, California. Bull. South. Calif Acad. Sci. 87:67-73.
- Taylor, J. N., D. B. Snyder, and W. R. Courtenay, Jr. 1986. Hybridization between two introduced, substrate-spawning tilapias (Pisces: Cichlidae) in Florida. Copeia 1986: 903-909.
- Taylor, T. L. 1993. A survey of 1992 brown trout spawning in Rush and Lee Vining creeks, Mono County, California. Unpubl. Rpt. Trihey and Assocs. 45 pp.
- Taylor, T. L., P. B. Moyle, and D. G. Price. 1982. Fishes of the Clear Lake Basin. Univ. Calif Publ. Zool. 115:171-224.
- Thomas, J. L. 1967. The diet of juvenile and adult striped bass, *Roccus saxatilis*, in the Sacramento-San Joaquin river system. Calif Fish Game 53:49-62.
- Thomas, J. W. and the Forest Ecosystem Management Assessment Team. In press. Forest ecosystem management: an ecological, economic, and social assessment. USDA Forest Service, Portland, Oregon.
- Thomson, J. M. 1963. Synopsis of biological data on the grey mullet, *Mugil cephalus* Linnaeus, 1758. CSIRO Fish. Synopsis 1: 65 pp.
- Thompson, G. E. and R. W. Davies. 1976. Observations on the age, growth, reproduction, and feeding of mountain whitefish (*Prosopium wilhamsom*) in the Sheep River, Alberta. Trans. Amer. Fish. Soc. 105:208-219.
- Tinbergen, N. 1953. Social behavior in animals. Methuen, London.

- Tippets, W. E., and P. B. Moyle. 1978. Epibenthic feeding by rainbow trout (*Salmo gairdneri*) in the McCloud River, California. *J. Anim. Ecol.* 47:549-559.
- Titus, R. G. 1990. Seasonal condition of Lahontan cutthroat trout at Heenan Lake, California, with fecundity and spawning-female size estimates. CFG Inland Fish. Admin. Rpt. 90-9: 12 pp.
- Titus, R. G, D. C. Erman, and W. M. Snider. 1994. History and status of steelhead in California coastal drainages south of San Francisco Bay. Unpubl. M.S.. 219+ pp.
- Todd, E. S. 1968. Terrestrial sojourns of the longjaw mudsucker, *Gillichthys mirabilis*. *Copeia* 1968:192-199.
- Todd, E. S., and A. W. Ebeling. 1966. Aerial respiration in the longjaw mudsucker *Gillichthys mirabilis*\_(*Teleostei*: Gobiidae). *Biol. Lab. Woods Hole* 130:265-288.
- Tomiyama, I. 1936. Gobiidae of Japan. *Jap. J. Zool.* 7: 37-112.
- Travanti, L. 1990. The effects of piscicidal treatment on the fish community of a northern California stream. M.S. thesis, CSU, Chico. 67 pp.
- Trenham, P. C., H. B. Shaffer, and P. B. Moyle. 1998. Biochemical identification and assessment of population subdivision in morphologically similar native and invading smelt species (*Hypomesus*) in the Sacramento-San Joaquin Estuary, California. *Trans. Amer. Fish. Soc.*
- Tres, J. A. 1992. Breeding biology of the arroyo chub, *Gila orcutti* (Pisces: Cyprinidae). Unpubl. M. S. Thesis, Calif. State Poly. Univ., Pomona. 73 pp.
- Trewavas, E. 1983. Tilapiine fishes of the genera *Sarotherondon*, *Oreochromis*, and *Dana/cilia*. British Museum (Natural History), London. 582 pp.
- Trexler, J. C. 1985. Variation in degree of viviparity in the sailfin molly, *Poecilia*

- latipinna*. *Copeia* 1985: 999-1004.
- Trexler, J. C. 1989. Phenotypic plasticity in poeciliid life histories. Pages 201-216 *in* G. K. Meffe and F. F. Snelson, Jr., eds. Ecology and evolution of livebearing fishes (Poeciliidae). Prentice Hall, Englewood Cliffs, N.J.
- Trexler**, J. C., R. C. Tempe, and J. Travis. Size-selective predation of sailfin mollies by two species of heron. *Oikos* 69: 250-258.
- Trihey and Associates, Inc. 1996a. Instream flow requirements for tribal trust species in the **Klamath** River. Trihey & Assocs. Concord, CA. 43 pp.
- Trihey** and Associates, Inc. 1996b. Lagunitas creek anadromous fish monitoring report, fall, 1996. 25 pp.
- Trotter, P. C. 1997. Sea-run cutthroat trout life history profile. Pages 7-15 *in* J. D. Hall, P. A. Bisson, and R. E. Gresswell, eds. Sea-run cutthroat trout: biology, management and future conservation. Oregon Chap., Amer. Fish. Soc., Corvallis
- Tucker, M.E., C. M. Williams, and R. R. Johnson. 1998. Abundance, food habits, and life history aspects of Sacramento squawfish and striped bass at the Red Bluff Diversion Complex, California, 1994-1996. Red Bluff Research Pumping Plant Report 4. USFWS, Red **Bluff**. 54 pp.
- Turner, B. J. 1983. Genic variation and differentiation of remnant natural populations of the desert pupfish, *Cyprinodon macularius*. *Evolution* 37: 690-700.
- Turner, B. J., and R. K. Liu. 1976. The subspecific identity of the introduced pupfish population at Zzyzx Spring, California. *Copeia* 1976:211-212.

- Turner, C. E., and H. T. Bilton. 1968. Another pink salmon (*Oncorhynchus gorbuscha*) in its third year. J. Fish. Res. Board Can. 25:1993-1996.
- Turner, J. L. 1966a. Distribution and food habits of ictalurid fishes in the Sacramento-San Joaquin Delta. Pages 130-143 in J. L. Turner and D. W. Kelley, eds., Ecological Studies of the Sacramento-San Joaquin Delta, Part II. Calif. Dep. Fish Game Fish Bull. 136.
- Turner, J. L. 1966b. Distribution and food habits of centrarchid fishes in the Sacramento-San Joaquin Delta. Pages 144-151 in J. L. Turner and D. W. Kelley, eds., Ecological Studies of the Sacramento-San Joaquin Delta, Part II. Calif. Dep. Fish Game Fish Bull. 136.
- Turner, J. L. 1966c. Distribution of cyprinid fishes in the Sacramento-San Joaquin Delta. Pages 154-159 in J. L. Turner and D. W. Kelley, Eds., Ecological Studies of the Sacramento-San Joaquin Delta, Part II. Calif. Dep. Fish Game Fish Bull. 136.
- Turner, J. L. 1966d. Distribution of threadfin shad, *Dorosoma petenense*, tule perch, *Hysterocarpus traskii*, and crayfish spp. in the Sacramento-San Joaquin Delta Pages 160-168 in J. L. Turner and D. W. Kelley, Eds., Ecological Studies of the Sacramento-San Joaquin Delta, Part II. Calif. Dep. Fish Game Fish Bull. 136.
- Turner, J. L. 1972. Striped bass. Pages 36-43 in J. E. Skinner, ed., Ecological Studies of the Sacramento-San Joaquin Estuary. Calif. Dep. Fish Game Delta Fish Wildl. Prot. Stud. Rep. 8.
- Turner, J.L. 1987. Effects of geographic distribution of larval striped bass in determining year class size of striped bass in the Sacramento-San Joaquin estuary. USBR Exhibit 100, SWRCB 1987 Water Quality/Water Rights Proceeding on the San Francisco Bay/Sacramento-San Joaquin Delta. 51 pp.

- Turner, J. L., and D. W. Kelley. 1966. Ecological studies of the Sacramento-San Joaquin Delta. **Calif. Dep. Fish Game Fish Bull.** 136:144-153.
- Turner, J. M. 1989. Age and growth of bluegill (*Lepomis macrochirus*) in the Sacramento-San Joaquin Delta, California. M.S. thesis, CSU Sacramento. 35 pp.
- Turner, P. R. and R. C. Summerfelt. 1971. Reproductive biology of the flathead catfish, *Pylodictis olivaris* (Rafinesque), in a turbid Oklahoma reservoir, Pages 107-119 in G. E. Hall, ed., Reservoir fisheries and limnology. Amer. Fish. Soc. Spec. Publ. 8.
- Tyus, H. M. 1991a. Ecology and management of Colorado squawfish. Pages 379-402 in W. L. Minckley and J. E. Deacon, eds. Battle against extinction: native fish management in the American West. University of Arizona Press, Tucson.
- Tyus, H. M. 1991b. Movements and habitat use of young Colorado squawfish in the Green River, Utah. *Journal of Freshwater Ecology* 6: 43-51.
- Tyus, H. M. and C. A. Karp. 1989. Habitat use and streamflow needs of rare and endangered fishes, Yampa River, Colorado. USFWS Biol. Rept. 89(14): 26 pp.
- Underwood, T. J. 1983. Age and growth of the western sucker (*Catostomus occidentalis*) in Whale Rock Reservoir, California. Unpub. senior thesis, Biol. Sci. Dept., CalPoly San Luis Obispo. 14 pp.
- U. S. Fish and Wildlife Service. 1984. Recovery plan for the **Mohave tui chub**, *Gila bicolor mohavensis*. USFWS, Portland OR, 56 pp.
- U. S. Fish and Wildlife Service. 1984. Recovery plan for Owens pupfish, *Cyprinodon radiosus*. USFWS , Portland, OR. 47 pp.
- U. S. Fish and Wildlife Service. 1996. Recovery plan for the the Sacramento/San Joaquin Delta

- native fishes. USFWS, Portland Oregon, 195 pp.
- U.S. Fish and Wildlife Service. 1994. Lahontan cutthroat trout, *Oncorhynchus clarki henshawi*, recovery plan. Portland, Or. 147 pp.
- U. S. Fish and Wildlife Service 1999. Determination of threatened status for the Sacramento splittail. Federal Reg. 64 (25):5963-5981.
- U.S. Heritage Conserv. Recreation Serv. 1980. Final environmental impact statement. Proposed designation of five California rivers in the national wild and scenic rivers system, Vol. 1. 322 pp.
- University of California-Mexus Border Water Project. 1999. Alternative futures for the Salton Sea. Issue Paper No. 1. 23 pp.
- Ursui, C. A. 1981. Behavioral, metabolic, and seasonal size comparisons of an introduced gobiid fish, *Acanthogobius flavimanus*, and a native cottid, *Leptocottus armatus*, from Upper Newport Bay, California. M.S. thesis, CSU Fullerton. 52 pp.
- Utoh, H. 1988. Life history and fishery of the smelt *Hypomesus transpacificus nipponensis* McAllister. Jap. J. Limnol. 49:296-299.
- Uyeno, T. 1966. Osteology and phylogeny of the American cyprinid fishes, allied to the genus *Gila*. Ph.D. Thesis, Univ. Mich.
- Vane-Wright, R. I., C. J. Humphries, and P. H. Williams. 1991. What to protect? - Systematics and the agony of choice. Biol. Cons. 55:235-254.
- Vanicek, C. D. 1970. Distribution of Green River fishes in Utah and Colorado following closure of Flaming George Dam. Southwest. Nat. 19:297-315.

- Vanicek, C. D. 1980. Decline of the Lake Greenhaven Sacramento perch population. **Calif. Fish Game** 66:178-183.
- Vanicek, C. D., and H. Kramer. 1969. Life **history** of the Colorado squawfish, *Ptychocheilus lucius*, and the Colorado chub, *Gila robusta*, in the Green River in Dinosaur National Monument, 1964-1966. *Trans. Am. Fish. Soc.* 98:192-208.
- Varley, M. E. 1967. *British Freshwater Fishes*. Fishing News Ltd., London, 198 pp.
- Vestal, E. H. 1942. Rough fish control in Gull Lake, Mono County, California. **Calif. Fish Game** 28:34-61.
- Vicker, C. E. 1973. Aspects of the life history of the Mojave chub, *Gila bicolor mohavensis* (Snyder) from Soda Lake, California. M.A. Thesis, **Calif.** State Univ., Fullerton, 27 pp.
- Vigg, S. 1978. Vertical distribution of adult fish in Pyramid Lake, Nevada. *Great Basin Naturalist* 38: 417-428.
- Vigg, S. 1980. Seasonal benthic distribution of adult fish in Pyramid Lake, Nevada. **Calif. Fish, Game** 66: 49-58.
- Vigg, S. 1981. Species composition and relative abundance of adult fish in Pyramid Lake, Nevada. *Great Basin Nat.* 41: 395-408.
- Vigg, S. and T. J. Hassler. 1982. Distribution and relative abundance of fish in Ruth Reservoir, California, in relation to environmental variables. *Great Basin Nat.* 42: 529-540.
- Villa, N. A. 1985. Life history of the Sacramento sucker, *Catostomus occidentalis*, in Thomes Creek, Tehama County, California. **Calif. Fish, Game** 71: 88-106.
- Vincent, D. T. 1968. The influence of some environmental factors on the distribution of fishes in upper **Klamath** Lake. M.S. Thesis, Oreg. State Univ., Corvallis.



- Vincent, R. E., and W. H. Miller. 1969. Altitudinal distribution of brown trout and other fishes in a headwater tributary of the south Platte River, Colorado. *Ecology* 50:464-466.
- Vinyard, G. L. 1982. Variable kinematics of Sacramento perch (*Archoplites interruptus*) capturing evasive and nonevasive prey. *Can. J. Fish. Aquat. Sci.* 39:208-211.
- Vinyard, G. L., R. W. Drenner, M. Gophen, U. Pollinger, D. L. Winkelman, K. D. Hambricht. 1988. An experimental study of the plankton community impacts of two omnivorous filter-feeding cichlids, *Tilapia gahlaea* and *Tilapia aurea*. *Can. J. Fish. Aquat. Sci.* 45: 685-690.
- Vladykov, V. D. 1973. *Lampetra pacifica*, a new nonparasitic species of lamprey (Petromyzontidae) from Oregon and California. *J. Fish. Res. Board Can.* 30:205-213.
- Vladykov, V. D., and W. I. Follett. 1958. Redescription of *Lampetra ayersii* (Gunther) of western North America, a species of lamprey (Petromyzontidae) distinct from *Lampetra fluviatilis* (Linnaeus) of Europe. *J. Fish. Res. Board Can.* 15:47-77.
- Vladykov, V. D., and W. I. Follett. 1962. The teeth of lampreys (Petromyzonidae): their terminology and use in a key to the holarctic genera. *J. Fish. Res. Board Can.* 24:1067-1075.
- Vladykov, V. D., and E. Kott. 1976. A new nonparasitic species of lamprey of the Genus *Entosphenus* Gill, 1862, (Petromyzonidae) from south central California. *Bull. South. Calif. Acad. Sci.* 75:60-67.
- Vladykov, V. D., and E. Kott. 1976. A second nonparasitic species of *Entosphenus* Gill, 1862 (Petromyzonidae) from Klamath River System, California. *Can. J. Zool.* 54:974-989.

- Vladykov, V. D., and E. Kott. 1979. A new parasitic species of the holarctic lamprey genus *Entosphenus* Gill, 1862 (Petromyzonidae) from **Klamath** River, in California and Oregon. *Can. J. Zool.* 57:808-823.
- Vladykov, V. D., and E. Kott. 1984. A second record for California and additional morphological information on *Entosphenus hubbsi* Vladykov and Kott 1976 (Petromyzonidae). *Calif Fish Game* 70:121-127.
- Vogel, D. A. and K. R. Marine. 1991. Guide to upper Sacramento River chinook salmon life **history**. U.S. Bur. Reclam. Cent. Valley Project and CH2M Hill, Redding CA. 55+ pp.
- Vogele, L. E. 1975a. Reproduction of spotted bass, *Micropterus punctulatus*, in Bull Shoals Reservoir, Arkansas. USFWS Tech. Paper 84: 21 pp.
- Vogele, L. E. 1975b. The spotted bass. Pages 21-33 in H. Clepper, ed. Black bass biology and management. Sport Fishing Institute, Wash. D.C.
- Voight, H. N. and T. R. Hayden. 1997. Direct observation of coastal cutthroat trout abundance and habitat utilization in the South Fork Smith River Basin, California.. Pages 175-176 in J. D. Hall, P. A. Bisson, and R. E. Gresswell, eds. Sea-run cutthroat trout: biology, management and future conservation. Oregon Chap., Amer. Fish. Soc., Corvallis
- Vondracek, B. 1987. Digestion rates and gastric evacuation times in relation to temperature of the Sacramento squawfish, *Ptychocheilus grandis*. *Fishery Bulletin* 85: 159-163.
- Vondracek, B., D. M. Baltz, L. R. Brown, and P. B. Moyle. 1988. Spatial, seasonal, and **diel** distribution of fishes in a California reservoir dominated by native fishes. *Fisheries Res.* 7:31-53.
- Vondracek, B. , J. J. Cech, Jr., and R. K. Buddington. 1989. Growth, growth efficiency, and

- assimilation efficiency of the Tahoe sucker in cyclic and constant temperature. *Env. Biol. Fish.* **24:151-156.**
- Vondracek, B. , J. J. Cech, Jr., and D. Longanecker. 1982.** Effect of cycling and constant temperatures on the respiratory metabolism of the Tahoe sucker, *Catostomus tahoensis* (Pisces: **Catostomidae**). *Comp. Biochem. Physiol* **73A:11-14.**
- Vondracek, B., W. A. Wurtsbaugh, and J. J. Cech, Jr. 1988.** Growth and reproduction of the **mosquitofish**, *Gambusia affinis*, in relation to temperature and ration level: consequences for life history. *Env. Biol. Fish.* **21: 45-57.**
- von **Geldern, C. E. 1964.** Distribution of white catfish, *Ictalurus catus*, and *Salmo gairdneri*, in Folsom Lake, California, as determined by gill netting from February through November, **1961.** *Calif Dep. Fish Game Inland Fish. Admin. Rep.* **64-15: 9 pp.**
- von **Geldern, C. E. 1965.** Evidence of American shad reproduction in a landlocked environment. *Calif Fish Game* **51:212-213.**
- von **Geldern, C. E. 1966.** The introduction of white bass (*Roccus chrysops*) into California. *Calif Fish Game* **52:303.**
- Von **Geldern, C. E., Jr. and D. F. Mitchill. 1975.** Largemouth bass and **threadfin** shad in **California.** Pages **436-449** in H. **Clepper**, ed. Black bass biology and management. Sport Fishing Institute, Wash., D.C.
- Vrat, V. 1949.** Reproductive behavior and development of eggs of the three **spined** stickleback (*Gasterosteus aculeatus*) of California. *Copeia* **1949:252-260.**
- Wainwright, P. C., C. W. **Osenberg**, and G. G. **Mittelbach. 1991.** **Trophic** polymorphism in the pumpkinseed (*Lepomis gibbosus* Linnaeus): effects of environment on **ontogeny.** *Funct.*

- Ecol. 5: 40-55.
- Waldman**, J., ed. 1998. Stripers: an angler's anthology. Ragged Mt. Press, Camden, ME. 162 pp.
- Waldvogel, J. 1988. Fall chinook salmon spawning escapement estimate for a tributary of the Smith River, California. 2nd Interim Rpt (1980-1987). UC Sea Grant Extension Prog. Rept 88-5: 21 pp.
- Wales, J. H. 1939. General report of investigations on the McCloud River drainage in 1938. **Calif.** Dep. Fish Game 25:272-309.
- Wales, J. H. 1946. The hardhead problem in the Sacramento River above Shasta Lake. **Calif.** Dep. Fish Game Inland Fish. Admin. Rep. 46-1: 4 pp.
- Wales, J. H. 1951. The decline of the Shasta River king salmon run. CFG, Redding.. Unpub. Rpt. 82 pp.
- Wales, J. H. 1957. Trout of California. CFG, Sacramento. 55 pp.
- Wales, J. H. 1962. Introduction of pond smelt from Japan into California. **Calif.** Fish Game 48:141-142.
- Walker, B. W., ed. 1961. The Ecology of the Salton Sea, California, in Relation to the Sport fishery. Calif Dep. Fish Game Fish Bull. 113: 204 pp.
- Walker, B. W., R. R. Whitney, and G. W. Barlow. 1961. The fishes of the Salton Sea. Pages 77-92 in B. W. Walker, ed., The Ecology of the Salton Sea, California, in Relation to the Sport fishery. Calif Dep. Fish Game Fish Bull. 113.
- Wallace, C. R. 1967. Observations on the reproductive behavior of black bullhead (*Ameiurus melas*). Copeia 1967:852-853.
- Wallace, M. and B. W. Collins. 1997. Variation in use of the **Klamath** River Estuary by juvenile

- chinook salmon. **Calif. Fish, Game** 83: 132-143.
- Walters, L. L. and E. F. Legner. 1980. Impact of desert pupfish, *Cyprinodon macularius*, and *Gambusia affinis affinis* on fauna in pond ecosystems. *Hilgardia* 48 (3): 1-18
- Walton, I. 1653. *The Compleat Angler*. Collier Books, New York, 191 pp. (reprint, 1965).
- Wang, J. C. S. 1982. Early life history and protection of the tidewater goby *Eucyclogobius newbenyi*: (Girard) in the Rodeo Lagoon of the Golden Gate National Recreation Area. Tech. Rep. #7, Natl. Park Serv. Contrib. No. SCSU/UCD 022/3. 24 pp.
- Wang, J. C. S. 1986. Fishes of the Sacramento-San Joaquin estuary and adjacent waters, California: A guide to the early life histories. Interagency Ecol. Stud. Program for the Sacramento-San Joaquin Estuary Tech. Rep. 9.
- Wang, J. C. S. 1991. Early life stages and early life history of the delta smelt, *Hypomesus transpacificus*, in the Sacramento-San Joaquin estuary, with comparison with the early life history of longfin smelt, *Spirinchus thaleichthys*. IEP Tech. Rept. 28: 52 pp.
- Wang, J. C. S. 1995. Observations of early life stages of splittail (*Pogonichthys macrolepidotus*) in the Sacramento-San Joaquin estuary, 1988 to 1994. Interagency Ecol. Stud. Program for the Sacramento-San Joaquin Estuary Tech. Rep. 43. 22 pp.
- Waples, R. S. 1991a. Definition of "species" under the Act: application to Pacific salmon. NOAA Tech. Memorandum NMFS F/NWC-194. 29 pp.
- Waples, R. S. 1991b. Genetic interactions between hatchery and wild salmonids: lessons from the Pacific Northwest. *Can. J. Fish. Aquat. Sci.* 48 (Suppl. 1): 124-133
- Ward, D. L. and R. A. Fritzsche. 1987. Comparison of meristic and morphometric characters among and within subspecies of the Sacramento sucker (*Catostomus occidentalis* Ayres).

- Calif. Fish, Game 73: 175-187.
- Warner, G. 1991. Remember the San Joaquin. Pages 61-69 *in* A. Lufkin, ed. California's salmon and steelhead: the struggle to restore an imperiled resource. Univ. Calif Press, Berkeley.
- Weatherley, A. H. 1959. Some features of the biology of the tench, *Tinca tinca* (Linnaeus) in Tasmania. J. Anim. Ecol. 28:73-87.
- Weaver, R. O. and C. D. Ziebell. 1976. Ecology and early life **history** of largemouth bass and bluegill in Imperial Reservoir, Arizona. Southw. Nat. 21: 145-149.
- Webber, L. B. and T. H. Suchanek, eds. 1998. Second Annual Clear Lake Science and Management Symposium. CLERC, Lakeport, CA. 138 pp.
- Webster, D. W. 1954. **Smallmouth** bass, *Micropterus dolomieu*, in Cayuga Lake. Part I. Life history and environment. Cornell Univ. Agric. Exp. Stat. Mem. 327: 38 pp.
- Week, L. E. 1982. Habitat selectivity of littoral zone fishes at Clear Lake, California. Inland Fish. Admin. Rpt. 82-7: 31 pp.
- Weigmann, D. D., J. R. Bayliss, and M. H. Hoff. 1992. Sexual selection and fitness variation in a population of smallmouth bass, *Micropterus dolomieu* (Pisces: Centrarchidae). Evolution 46: 1740-1753.
- Weisel, G. F. 1947. Breeding behavior and early development of the mudsucker, a gobiid fish of California. Copeia 1947:77-85.
- Welch, D. W. 1997. Anatomical specialization in the gut of Pacific salmon (*Oncorhynchus*): evidence for oceanic limits to salmon production? Can. J. Zool. 75: 936-942.

- Wells, A. W., and J. S. Diana. 1975. Survey of the freshwater fishes and their habitats in the coastal drainages of southern California. Rep. to **Calif.** Dep. Fish Game, Inland Fish. Branch from the L.A. County Mus. Nat. Hist. 360 pp.
- Werner, E. E. and D. J. Hall. 1977. Competition and habitat shift in two sunfishes (Centrarchidae). *Ecology* 58: 869-876.
- Werner, R. G. 1967. Introlacustrine movements of bluegill fry in Crane Lake, Indiana. *Trans. Am. Fish. Soc.* 96:416-420.
- Werner, R. G. 1969. Ecology of limnetic bluegill (*Lepomis macrochirus*) in Crane Lake, Indiana. *Am. Midl. Nat.* 81:164-181.
- Wheeler, A. 1969. The Fishes of the British Isles and northwest Europe. Mich. State Univ. Press, East Lansing, 613 pp.
- White, J. L. and B. C. Harvey. 1999. Habitat separation of prickly sculpin, *Coitus asper*, and coastrange sculpin, *Coitus aleuticus*, in the mainstem Smith River, Northwestern California. *Copeia* 1999: 371-375.
- White, M. D. 1993. Morphological characteristics of threespine stickleback (*Gasterosteus aculeatus*) from the Sweetwater River, San Diego County, California. *Western Proc.*, 73rd Ann. **Conf. Fish, Wildl. Agencies**: 219-224.
- Whitfield, A. K. and S. J. M. **Blaber**. 1979. The distribution of the freshwater cichlid *Sarotherodon mossambicus* in estuarine systems. *Env. Biol. Fish* 4: 77-81.
- Whittier, T. R., D. B. Halliwell, and S. G. Paulsen. 1997. **Cyprinid** distributions in Northeast U.S.A. lakes: evidence of regional-scale minnow diversity loss. *Can. J. Fish Aquat. Sci.* 54: 1593-1607

- Wigglesworth, K. A., and R. R. Rawstron. 1974. Exploitation, survival, growth and cost of stocked silver salmon in Lake **Berryessa**, California. Calif. Fish Game 60:36-43.
- Wigglesworth, K. A. 1975. Some life **history** aspects of the smelt (*Hypomesus **transpacificus** nipponensis*) in Lake Shastina, California. Unpubl. M.S. thesis, CSO Sacramento. 22 pp.
- Wilbur, R. L. 1969. The redear sunfish in Florida. Fla. Game Freshwater Fish Comm. Fish Bull. 5: 64 pp.
- Wilcox, T. P. and D. J. Hornbach. 1991. Macrobenthic community response to carp (*Cyprinus carpio*) foraging. J. Freshw. Ecol. 6: 171-183.
- Williams, C. D., T. P. Hardy, and J. E. Deacon. 1982. Distribution and status of fishes of the Amargosa River Canyon, California. Unpubl. Rep. to U.S. Fish Wildl. Ser., Endangered Species **Off.**, Sacramento, California. 115 pp.
- Williams, G. D. , J. S. Desmond, and J. B. Zedler. 1998. Extension of 2 nonindigenous fishes, *Acanthogobius **flavimanus*** and *Poecilia latipinnia*, into San Diego Bay marsh habitats. Calif. Fish, Game 84: 1-17.
- Williams, G. D. and J. B. Zedler. 1999. Fish assemblage composition in constructed and natural tidal marshes of Sab Diego Bay: relative influence of channel morphology and restoration history. Estuaries (in press).
- Williams, J. E. 1991. Preserves and **refuges** for native western fishes: history and management. Pages 171-190 in W.L. Minckley and J. E. Deacon, eds. Battle against extinction: native fish management in the American West. Univ. Arizona Press, Tucson.
- Williams, J. E., **and B. C. Bolster**. 1989. Observation on Salt Creek pupfish mortality during a flash flood. **Calif.** Fish Game 75:57-59.



- Williams, J. E., and D. W. Sada. 1985. Status of two endangered fishes, *Cyprinodon nevadensis mionectes* and *Rhinichthys osculus nevadensis*, from two springs in Ash Meadows, Nevada. *Southwest. Nat.* 30:475-484.
- Willsrud**, T. 1971. A study of the Tahoe sucker, *Catostomus tahoensis* Gill and Jordan. M.S. Thesis, San Jose State **Coll.**, 96 pp.
- Winn, H. E. 1958a. Comparative reproductive behavior and ecology of fourteen species of darters (Pisces-Percidae). *Ecol. Monogr.* 28:155-191
- Winn, H. E. 1958b. Observations on the reproductive habits of darters (Pisces-Percidae). *Am. Midl. Nat.* 59:190-212.
- Winn, H. E. 1960. Biology of the brook **stickleback**, *Eucalia inconstans*. *Amer. Midl. Nat.* 63:424-440.
- Winn, H. E., and R. R. Miller. 1954. Native post-larval fishes of the lower Colorado River Basin with a key to their identification. *Calif. Fish Game* 40:273-285.
- Winter, B. D. 1987. Racial identification of juvenile summer and winter **steelhead** and resident rainbow trout (*Salmo gairdneri* Richardson). *Calif. Dep. Fish Game, Inland Fish. Admin. Rep. No.* 87-1.
- Wood, C. C. and C. J. Foote. Evidence for sympatric genetic divergence of anadromous and nonadromous morphs of sockeye salmon (*Oncorhynchus nerka*). *Evolution* 50: 1265-1279.
- Wooten, M. C., K. T. Scribner, and M. H. Smith. 1988. Genetic variability and systematics of *Gambusia*, in the southeastern United States. *Copeia* 1988: 283-289.
- Wootton, R. J. 1976. The biology of **sticklebacks**. Academic Press, New York.

- Wootton, R. J. 1984. A functional biology of sticklebacks. Croom Helm, London.
- Wurtsbaugh, W. A. and J. J. Cech, Jr. 1983. Growth and activity of juvenile mosquitofish: temperature and ration effects. *Trans. Amer. Fish. Soc.* 112: 653-660.
- Wurtsbaugh, W. and H. Li. 1985. Diel migrations of a zooplanktivorous fish (*Menidia beryllina*) in relation to the distribution of its prey in a large eutrophic lake. *Limnol. Ocean.* 30: 565-576.
- Wydoski, R.S., and R.R. Whitney. 1979. Inland Fishes of Washington. University of Washington Press, Seattle. 220 pp.
- Wynne-Edwards, V. C. 1932. The breeding habits of the blackheaded minnow (*Pimephales promelas* Raf). *Trans. Am. Fish. Soc.* 62:382-383.
- Yamaguchi, M. 1996. 1996 range monitoring report, Modoc National Forest. Unpubl. Rept. Modoc Nat. Forest, Alturas, CA. 58 pp.
- Yoshiyama, R. M. , E. R. Gerstung, F. W. Fisher, and P. B. Moyle. 1996. Historical and present distribution of chinook salmon in the Central Valley drainage of California. Pages 309-362 in *Sierra Nevada Ecosystem Project: Final report to Congress* , Vol. III, assessments, commissioned reports, and background information. Davis: Univ. Calif., Centers for Water and **Wildland** Resources.
- Yoshiyama, R. M., F. W. Fisher, and P. B. Moyle. 1998. Historical abundance and decline of chinook salmon in the Central Valley region of California. *N. Amer.J. Fish. Mgmt* 18: 487-521.
- Young, C. 1991. Record size Colorado squawfish found in Utah. Newsletter for Recovery Program for the endangered fishes of the upper Colorado, Summer 1991. USFWS. p.6.

- Young, G. , C. L. Brown, R. S. **Nishioka**, L. C. Folmar, M. Andrews, J. R. **Kashman**, and H. A. Bern. **1994**. Histology, blood chemistry, and physiological status of normal and moribund striped bass involved in summer mortality ('die-off') in the Sacramento-San Joaquin Delta, California. *J. Fish Biol.* **44**: 491-512.
- Young, P. **S.** and J. J. **Cech, Jr.** **1996**, Environmental tolerances and requirements of **splittail**. *Trans. Amer. Fish. Soc.* **125**: 664-678.
- Young, K. L. and P. C. Marsh. **1990**. Age and growth of flathead catfish in four southwestern rivers. *Calif. Fish, Game* **76**: 224-233.
- Yowell**, D. W. and G. L. Vinyard. **1993**. An energy-based analysis of particulate-feeding and filter-feeding by blue **tilapia**, *Tilapia aurea*. *Env. Biol. Fish.* **36**: 65-72.
- Zastrow**, C. E., E. D. **Houde**, and E. H. Saunders. **1989**. Quality of striped bass (*Morone saxatilis*) eggs **om** relation to river source and female weight. Pages **34-42** *in* J.H. S. **Blaxter**, J. C. Gamble, and H. von **Westernhagen**, eds. The early life history of fish. Conseil Internat. pour **l'exploration** de la Mer.
- Zengel**. S. A. and E. P. Glenn. **1996**. Presence of the endangered desert **pupfish** (*Cyprinodon macularius*, Cyprinodontidae) in **Cienega** de Santa Clara, Mexico, following an extensive marsh dry-down. *Southw. Nat.* **41**:73-78.
- Ziebell**, C.D., J.C. **Tash**, and R.L. **Barefield**. **1986**. Impact of **threadfin** shad on **macrocrustacean** **zooplankton** in two Arizona lakes. *J. Freshwater Ecol.* **3**: 399-406.
- Ziller**, J. S. **1992**. Distribution and relative abundance of bull trout in the Sprague River **subbasin**, Oregon. Pages **18-29** *in* P. J. Howell and **D.V.** Buchanan, eds. Proceedings of the Gearhart Mountain bull trout workshop. Oregon Chap. Amer. Fish. Soc. , Corvallis.

Zwick, P. 1992. Stream habitat fragmentation -threat to biodiversity. *Biodiver. and Cons.* 1:80-97.

**Zydlewski, J.** and S. D. McCormick. 1997. The ontogeny of salinity tolerance in the American shad, *Alosa sapidissima*. *Can. J.Fish., Aquat. Sci.* 54: 182-189.