

Fungi from State Game Lands 295

Collected at the 2007, 54th Annual Peck Foray

List and identifications made by:

Walter Sturgeon, Richard Aaron, David Fischer, John Plischke III,
Kathie Hodge and Barrie Overton

Author citations are from Index Fungorum, current name given with complete citation (including reference) as indicated by the Index (not in alphabetical order)

A

- [Amanita abrupta](#) Peck, (1897), Saccardo's Syll. fung. XIV: 63; XIX: 44
[Amanita daucipes](#) (Mont.) Lloyd
[Amanita ceciliae](#) (Berk. & Broome) Bas, *Persoonia* 12(2): 192 (1983)
[Amanita virosa](#) (Fr.) Bertill., (1866)
[Amanita fulva](#) (Schaeff.) Fr., *Observ. mycol.* (Havniae) 1: 2 (1815)
[Amanita brunnescens](#) var. brunnescens G.F. Atk., *Proc. Amer. Phil. Society* 57: 354 (1918)
[Amanita rubescens](#) Pers., *Tent. disp. meth. Fung.*: 71 (1797)
[Amanita flavoconia](#) G.F. Atk., (1902)
[Amanita citrina](#) (Schaeff.) Pers., *Tent. disp. meth. Fung.*: 70 (1797)

[Artomyces pyxidatus](#) (Pers.) Jülich, *Bibliotheca Mycol.* 85: 399 (1982) [1981]

[Apiosporina morbosa](#) (Schwein.) Arx, *Acta bot. neerl.* 3: 86 (1954)

[Ampulloclitocybe clavipes](#) (Pers.) Redhead, Lutzoni, Moncalvo & Vilgalys, *Mycotaxon* 83: 36 (2002)

[Armillaria ostoyae](#) (Romagn.) Herink, *Symposium o Václavce Obecné Armillaria mellea (Vahl ex Fr.) Kumm.* (Brno): 42 (1973)
[Armillaria mellea](#) (Vahl) P. Kumm., *Führ. Pilzk.* (Zwickau): 134 (1871)

[Austroboletus gracilis](#) (Peck) Wolfe, *Bibliotheca Mycol.* 69: 69 (1980) [1979]

[Agaricus silvicola](#) (Vittad.) Peck, *Rep. N.Y. St. Mus. nat. Hist.*: 97 (1872) [1869]

[Aegerita](#) sp. Pers., *Syn. meth. fung.* (Göttingen): 684 (1801)

[Asterophora lycoperdoides](#) (Bull.) Ditmar, *J. Bot. (Schrader)* 3: 56 (1809)

B

- [Bisporella citrina](#) (Batsch) Korf & S.E. Carp., *Mycotaxon* 1(1): 58 (1974)

[Boletellus chrysenteroides](#) (Snell) Snell, (1941)

[Boletinellus meruloides](#) (Schwein.) Murrill, *Mycologia* **1**(1): 7 (1909)

[Boletus badius](#) (Fr.) Fr., *Trans. Am. phil. Soc.* **2**(4): 155 (1832)

[Boletus edulis](#) Bull., *Herbier de la France* **2**: tab. 60 (1782) [1781-82]

[Boletus subvelutipes](#) Peck

[Berkleasium concinnum](#) (Berk.) S. Hughes, *Can. J. Bot.* **36**: 740 (1958)

[Bovista pila](#) Berk. & M.A. Curtis, (1873)

C

[Calvatia cyathiformis](#) (Bosc) Morgan

[Chroogomphus ochraceus](#) (Kauffman) O.K. Mill., (1964)

[Chlorosplenium versiforme](#) (Pers.) P. Karst., *Mycoth. fenn.* (Helsinki) **1**: 102 (1870)

[Callistosporium luteo-olivaceum](#) (Berk. & M.A. Curtis) Singer, (1946)

[Clavulina coralloides](#) (L.) J. Schröt., *Krypt.-Fl. Schlesien* (Breslau) **3**(1): 443 (1888)

[Clitopilus prunulus](#) (Scop.) P. Kumm., *Führ. Pilzk.* (Zwickau): 23, 96 (1871)

[Cortinarius armillatus](#) (Alb. & Schwein.) Fr., *Epicr. syst. mycol.* (Upsaliae): 295 (1838)

[Cordyceps ophioglossoides](#) (Ehrh.) Link, *Handbuck zur Erkennung der Nutzbarsten und am Häufigsten Vorkommenden Gewächse* **3**: 347 (1833)

[Cordyceps stylophora](#) Berk. & Broome: 158 (1857)

[Cordyceps variabilis](#) Petch, (1937)

[Cyptotrama asprata](#) (Berk.) Redhead & Ginns, *Can. J. Bot.* **58**(6): 731 (1980)

[Crucibulum laeve](#) (Huds.) Kambly, *Gast. Iowa*: 167 (1936)

[Clavariadelphus pistillaris](#) (L.) Donk, *Meded. Bot. Mus. Herb. Rijks Univ. Utrecht* **9**: 72 (1933)

[Crepidotus applanatus](#) (Pers.) P. Kumm., *Führ. Pilzk.* (Zwickau): 74 (1871) **var. applanatus**

[Crepidotus crocophyllus](#) Berk.

[Chromosera cyanophylla](#) (Fr.) Redhead, Ammirati & Norvell, *Beih. Sydowia* **10**: 161 (1995)

[Chlorociboria aeruginosa](#) (Oeder) Seaver ex C.S. Ramamurthi, Korf & L.R. Batra, *Mycologia* **49**(6): 859 (1958) [1957]

[Chromelosporium fulvum](#) (Link) McGinty, Hennebert & Korf, in Hennebert & Korf, *Mycologia* **67**(2): 216 (1975)

[Cantharellus lateritius](#) (Berk.) Singer, *Lilloa* **22**: 729 (1949) [1951]

[Cantharellus cibarius](#) Fr., *Syst. mycol.* (Lundae) **1**: 318 (1821) var. **cibarius**

[Carcinomyces effibulatus](#) (Ginns & Sunhede) Oberw. & Bandoni, *Nordic Jl Bot.* **2**(5): 509 (1982)

[Coprinus quadrifidus](#) Peck, (1897)

[Coprinellus micaceus](#) (Bull.) Vilgalys, Hopple & Jacq. Johnson, in Redhead, Vilgalys, Moncalvo, Johnson & Hopple, *Taxon* **50**(1): 234 (2001)

[Chalciporus piperatus](#) (Bull.) Bataille, *Bull. Soc. Hist. nat. Doubs* **15**: 39 (1908)

[Chlorophyllum rhacodes](#) (Vittad.) Vellinga [as '*rachodes*'], *Mycotaxon* **83**: 416 (2002)

D

[Daedalea quercina](#) (L.) Pers., *Syn. meth. fung.* (Göttingen) **2**: 500 (1801)

[Daedaleopsis confragosa](#) (Bolton) J. Schröt., in Cohn, *Krypt.-Fl. Schlesien* (Breslau) **3**(1): 492 (1888)

[Daedaleopsis septentrionalis](#) (P. Karst.) Niemelä, *Karstenia* **22**: 11 (1982)

[Dacrymyces palmatus](#) (Schwein.) Burt [as '*Dacryomyces*'], *Ann. Mo. bot. Gdn* **8**: 379 (1921)

E

[Entoloma abortivum](#) (Berk. & M.A. Curtis) Donk, *Bull. Jard. Bot. Buitenz.*, 3 Sér. **18**: 157 (1949)

[Entoloma violaceum](#) (Murrill) Hongo & Izawa, (1994)

[Elaphomyces](#) sp. Nees, *Syn. pl. mycet.*: 68 (1820)

F

[Fomes fomentarius](#) (L.) J.J. Kickx, *Fl. Crypt. Flandres*: 237 (1867)

G

[Galerina marginata](#) (Batsch) Kühner, *Encyclop. Mycol.* **7**: 225 (1935)

[Ganoderma applanatum](#) (Pers.) Pat., *Hyménomyc. Eur.* (Paris): 143 (1887)

[Ganoderma tsugae](#) Murrill, *Bull. Torrey bot. Club* **29**: 601 (1902)

[Grifola frondosa](#) (Dicks.) Gray, *Nat. Arr. Brit. Pl.* (London) **1**: 643 (1821)

[Gomphus floccosus](#) (Schwein.) Singer, *Lloydia* **8**: 140 (1945)

[Gloeophyllum sepiarium](#) (Wulfen) P. Karst. [as 'Gleophyllum'], *Bidr. Känn. Finl. Nat. Folk* **37**: 79 (1882)

[Gymnopus dryophilus](#) (Bull.) Murrill, *N. Amer. Fl.* (New York) **9**: 362 (1916)

[Gymnopus butyraceus-trichopus](#) Murrill, (1938)

[Gymnopilus luteus](#) (Peck) Hesler, (1969)

[Gymnopilus spectabilis](#) sensu A.H. Smith (1949), auct.; fide Checklist of Basidiomycota of Great Britain and Ireland (2005), (= [Gymnopilus junonius](#))

H

[Hebeloma mesophaeum](#) (Pers.) QuéL., *Mém. Soc. Émul. Montbéliard*, Sér. 2 **5**: 128 (1872) var. [mesophaeum](#)

[Helminthosphaeria clavariarum](#) (Desm.) Fuckel, *Jb. nassau. Ver. Naturk.* **23-24**: 166 (1870) [1869-70]

[Helvella crispa](#) (Scop.) Fr., *Syst. mycol.* (Lundae) **2**(1): 14 (1822)

[Helvella macropus](#) (Pers.) P. Karst., *Bidr. Känn. Finl. Nat. Folk* **19**: 37 (1871) [1870]

[Hypocrea chlorospora](#) Berk. & M.A. Curtis, *Grevillea* **4**(no. 29): 14 (1875)

[Hypomyces chrysospermus](#) Tul. & C. Tul., *Annl. Sci. Nat., Bot.*, sér. 4 **13**: 16 (1860)

[Hypomyces hyalinus](#) (Schwein.) Tul. & C. Tul., *Annl. Sci. Nat., Bot.*, sér. 4 **13**: 11 (1860)

[Hypomyces lactifluorum](#) (Schwein.) Tul. & C. Tul., *Annl. Sci. Nat., Bot.*, sér. 4 **13**: 11 (1860)

[Hygrocybe miniata](#) (Fr.) P. Kumm., *Führ. Pilzk.* (Zwickau): 112 (1871)

[Hygrocybe laeta](#) (Pers.) P. Kumm., *Führ. Pilzk.* (Zwickau): 112 (1871)

[Hygrocybe conica](#) (Scop.) P. Kumm., *Führ. Pilzk.* (Zwickau): 111 (1871) var. [conica](#)

[Hygrocybe virginea](#) (Wulfen) P.D. Orton & Watling, *Notes R. bot. Gdn Edinb.* **29**(1): 132 (1969) var. [virginea](#)

[Hygrocybe pratensis](#) (Pers.) Bon, *Docums Mycol.* **7**(no. 25): 21 (1976) var. [pratensis](#)

[Hygrophorus erubescens](#) (Fr.) Fr., *Epicr. syst. mycol.* (Upsaliae): 322 (1838)

[Hygrophoropsis aurantiaca](#) (Wulfen) Maire, *L'Empoisonnem. Champ.*: 99 (1921)

[Hypholoma fasciculare](#) (Fr.) P. Kumm., *Führ. Pilzk.* (Zwickau): 21, 72 (1871)

[Hydnellum geogenium](#) (Fr.) Banker, *Mycologia* **5**(4): 203 (1913)

[Hydnellum concrescens](#) (Pers.) Banker, *Mem. Torrey bot. Club* **12**: 157 (1906)

[Hydnellum spongiosipes](#) (Peck) Pouzar, *Česká Mykol.* **14**: 130 (1960)

I

[Inocybe rimosa](#) (Bull.) P. Kumm., *Führ. Pilzk.* (Zwickau): 78 (1871)

[Irpe](#) [lacteus](#) (Fr.) Fr., *Elench. fung.* (Greifswald) **1**: 142 (1828)

K

[Kretzschmaria](#) [deusta](#) (Hoffm.) P.M.D. Martin, *Jl S. Afr. Bot.* **36**: 80 (1970)

L

[Lactarius](#) [detririmus](#) Gröger, *Westfälische Pilzbrie* **7**: 10 (1968)

[Lactarius](#) [griseus](#) Peck, *Report of the Regents of the University (of the State of New York) on the Condition of the State Cabinet of Natural History* **23**: 120 (1872)

[Lactarius](#) [pyrogalus](#) (Bull.) Fr., *Epicr. syst. mycol.* (Upsaliae): 339 (1838)

[Lactarius](#) [vinaceorufescens](#) A.H. Sm., *Brittonia* **12**: 334 (1960)

[Lactarius](#) [uvidus](#) (Fr.) Fr., *Epicr. syst. mycol.* (Upsaliae): 338 (1838)

[Lactarius](#) [lignyotus](#) Fr., *Nuovi Ann. Sci. Nat.*: 25 (1857)

[Lactarius](#) [deceptivus](#) Peck, (1900)

[Lactarius](#) [subpurpureus](#) Peck, *Rep. N.Y. St. Mus. nat. Hist.* **29**: 43 (1878)

[Lactarius](#) [helvus](#) (Fr.) Fr., *Epicr. syst. mycol.* (Upsaliae): 347 (1838)

[Lactarius](#) [tabidus](#) Fr., *Epicr. syst. mycol.* (Upsaliae): 346 (1838)

[Lactarius](#) [cinereus](#) Peck, *Rep. N.Y. St. Mus. nat. Hist.* **24**: 73 (1872)

[Laccaria](#) [amethystina](#) Cooke, *Grevillea* **12**(no. 63): 70 (1884)

[Laccaria](#) [laccata](#) (Scop.) Cooke, *Grevillea* **12**(no. 63): 70 (1884)

[Laccaria](#) [ochropurpurea](#) (Berk.) Peck, (1898)

[Leotia](#) [lubrica](#) (Scop.) Pers., *Comment. Fungis Clavaeform.*: 31 (1797)

[Lepiota](#) [felina](#) (Pers.) P. Karst., *Rysslands, Finlands och den Skandinaviska Halföns. Hattsvampar*: 10 (1879)

[Leucoagaricus](#) [naucinus](#) (Fr.) Singer, *Lilloa* **22**: 418 (1951) [1949]

[Lentinellus](#) [ursinus](#) (Fr.) Kühner, *Le Botaniste* **17**: 99 (1926)

[Lenzites](#) [elegans](#) (Spreng.) Pat., *Essai Tax. Hyménomyc.*: 89 (1900)

[Lycoperdon](#) [perlatum](#) Pers., *Observ. mycol.* (Lipsiae) **1**: 145 (1796)

[Lycoperdon](#) [pyriforme](#) Schaeff., *Fung. Bavar. Palat.* **4**: 128 (1774)

[Lycoperdon](#) [americanum](#) Demoulin, *Lejeunia*, n.s. **62**: 2 (1972)

[Lycoperdon](#) [subincarnatum](#) Peck, *Rep. N.Y. St. Mus. nat. Hist.* **24**: 83 (1872)

[Laetiporus](#) [sulphureus](#) (Bull.) Murrill, *Annls mycol.* **18**(1/3): 51 (1920)

[Lycogala](#) [epidendrum](#) (J.C. Buxb. ex L.) Fr., *Syst. mycol.* (Lundae) **3**(1): 80 (1829)

[Leccinum](#) [luteum](#) A.H. Sm., Thiers & Watling, (1967)

[Leccinum](#) [holopus](#) var. [americanum](#) A.H. Sm. & Thiers, *Boletes of Michigan* (Ann Arbor): 183 (1971)

[Leccinum](#) [scabrum](#) (Bull.) Gray, *Nat. Arr. Brit. Pl.* (London) **1**: 646 (1821)

M

[Marasmiellus opacus](#) (Berk. & M.A. Curtis) Singer, *Lilloa* **22**: 300 (1951) [1949]

[Marasmius strictipes](#) (Peck) Singer, (1943)

[Marasmius cohaerens](#) (Alb. & Schwein.) Cooke & Quél., *Clavis syn. Hymen. Europ.* (1878)

[Metatrichia vesparium](#) (Batsch) Nann.-Bremek. ex G.W. Martin & Alexop., *The Myxomycetes* (New York): 143 (1969)

[Macrolepiota gracilenta](#) (Krombh.) Wasser, *Ukr. bot. Zh.* **35**: 516 (1978)

[Megacollybia platyphylla](#) (Pers.) Kotl. & Pouzar, *Česká Mykol.* **26**: 220 (1972)

[Mycena pura](#) (Pers.) P. Kumm., *Führ. Pilzk.* (Zwickau): 107 (1871)

[Mycena inclinata](#) (Fr.) Quél., *Mém. Soc. Émul. Montbéliard*, Sér. 2 **5**: 105 (1872)

[Mycena luteopallens](#) Peck

[Mycena haematopus](#) (Pers.) P. Kumm., *Führ. Pilzk.* (Zwickau) (1871)

N

[Nolanea quadrata](#) (Berk. & M.A. Curtis) Sacc., *Syll. fung.* (Abellini) **5**: 723 (1887)

O

[Otidea onotica](#) (Pers.) Fuckel, *Jb. nassau. Ver. Naturk.* **23-24**: 330 (1870) [1869-70]

[Oxyporus populinus](#) (Schumach.) Donk, *Meddel. Bot. Mus. Herb. Rijhs Universit. Utrecht.* **9**: 204 (1933)

[Oligoporus fragilis](#) (Fr.) Gilb. & Ryvardeen, *Mycotaxon* **22**(2): 365 (1985)

[Ossicaulis lignatilis](#) (Pers.) Redhead & Ginns, *Trans. Mycol. Soc. Japan* **26**(3): 362 (1985)

P

[Panellus stipticus](#) (Bull.) P. Karst., *Rysslands, Finlands och den Skandinaviska Halföns. Hattsvampar* **14**: fig. 172 (1879)

[Paxillus involutus](#) (Batsch) Fr., *Epicr. syst. mycol.* (Upsaliae): 317 (1838)

[Pachyella adnata](#) (Berk. & M.A. Curtis) Pfister, (1973)

[Pachyella clypeata](#) (Schwein.) Le Gal, *Revue Mycol.*, Paris **18**: 123 (1953)

[Paecilomyces tenuipes](#) (Peck) Samson, *Stud. Mycol.* **6**: 49 (1974)

[Piptoporus betulinus](#) (Bull.) P. Karst., *Revue mycol.*, Toulouse **3**: 9 (1881)

[Phaeolus schweinitzii](#) (Fr.) Pat., *Essai Tax. Hyménomyc.*: 86 (1900)

[Phaeocalicium polyporaeum](#) (Nyl.) Tibell, **4**: 7 (no. 45) (1979)

[Phallus ravenelii](#) Berk. & M.A. Curtis

[Phellodon niger](#) (Fr.) P. Karst. [as '*nigrum*'], *Revue mycol.*, Toulouse **3**(9): 19 (1881)

[Pholiota squarrosoides](#) (Peck) Sacc., (1887)

[Pholiota aurivella](#) (Batsch) P. Kumm., *Führ. Pilzk.* (Zwickau): 83 (1871)

[Pholiota alnicola](#) (Fr.) Singer, *Lilloa* **22**: 516 (1951) [1949] **var. alnicola**

[Pholiota albocrenulata](#) (Peck) Sacc., *Syll. fung.* (Abellini) **5**: 760 (1887)

[Pseudoarmillariella ectypoides](#) (Peck) Singer [as '*ectyloides*'], *Mycologia* **48**: 725 (1956)

[Plicaturopsis crispa](#) (Pers.) D.A. Reid, *Persoonia* **3**: 150 (1964)

[Pleurotus ostreatus](#) (Jacq.) P. Kumm., *Führ. Pilzk.* (Zwickau): 24, 104 (1871)

[Pluteus cervinus](#) P. Kumm., *Führ. Pilzk.* (Zwickau): 99 (1871)

[Pluteus admirabilis](#) **var. admirabilis** Peck, *Ann. Rep. N.Y. state Mus.* **38**: 138 (1885)

[Pluteus petasatus](#) (Fr.) Gillet, *Hyménomycètes* (Alençon): 395 (1876)

[Postia caesia](#) (Schrad.) P. Karst., *Revue mycol.*, Toulouse **3**(9): 360 (1881)

[Polyporus leptcephalus](#) (Jacq.) Fr., *Syst. mycol.* (Lundae) **1**: 349 (1821)

[Polyporus radicans](#) Schwein., *Trans. Am. phil. Soc.* **4**(2): 155 (1832)

[Psathyrella delineata](#) (Peck) A.H. Sm., (1941)

[Psathyrella candolleana](#) (Fr.) Maire, *Bull. Soc. mycol. Fr.* **29**: 185 (1913)

[Pseudoclitocybe cvathiformis](#) (Bull.) Singer, *Mycologia* **48**: 725 (1956)

R

[Russula brevipes](#) Peck, (1890)

[Russula modesta](#) Peck

[Russula silvicola](#) Shaffer, *Beih. Nova Hedwigia* **51**: 229 (1975)

[Russula variata](#) Banning, (1905)

[Russula vinacea](#) Burl.

[Russula compacta](#) Frost, (1881)

[Russula granulata](#) Peck, (1899)

[Russula fragilis](#) Fr., *Epicr. syst. mycol.* (Upsaliae): 359 (1838) [1836]

[Russula grata](#) Britzelm., *Mém. Soc. Linn. Normandie* **9**: 239 (1898)

[Russula claroflava](#) Grove, *Midland Naturalist*: 265 (1888)

[Russula dissimulans](#) Shaffer, (1962)

[Russula decolorans](#) (Fr.) Fr., *Epicr. syst. mycol.* (Upsaliae): 361 (1838)

[Rhodocollybia maculata](#) (Alb. & Schwein.) Singer, *Schweiz. Z. Pilzk.* **17**: 71 (1939)

[Royoporus badius](#) (Pers.) A.B. De, *Mycotaxon* **65**: 471 (1997)

S

[Sarcodon fennicus](#) (P. Karst.) P. Karst., *Revue mycol.*, Toulouse **9**: 10 (1887)

[Sarcodon scabrosus](#) (Fr.) P. Karst., *Revue mycol.*, Toulouse **3**(9): 20 (1881)

[Scutellinia scutellata](#) (L.) Lambotte, *Mém. Soc. roy. Sci. Liège*, Série 2 **1**: 299 (1887)

[Spathulariopsis velutipes](#) (Cooke & Farl. ex Cooke) Maas Geest., *Proc. K. Ned. Akad. Wet.*, Ser. C, Biol. Med. Sci. **75**(3): 254 (1972)

[Stereum ostrea](#) (Blume & T. Nees) Fr., *Epicr. syst. mycol.* (Upsaliae): 547 (1838) [1836]

[Scleroderma areolatum](#) Ehrenb., *Sylv. mycol. berol.* (Berlin) **15**: 27 (1818)

[Scleroderma citrinum](#) Pers., *Syn. meth. fung.* (Göttingen) **1**: 153 (1801)

[Suillus americanus](#) (Peck) Snell, *Lloydia* **7**: 39 (1944)

[Suillus granulatus](#) (L.) Roussel, in Sipp. & Snell, *Fl. Calvados*, Edn 2 **1**: 34 (1796)

[Suillus punctipes](#) (Peck) Singer, *Farlowia* **2**: 277 (1945)

[Suillus placidus](#) (Bonord.) Singer, *Farlowia* **2**: 42 (1945)

[Suillus pictus](#) (Peck) A.H. Sm. & Thiers, : 31 (1964)

[Squamanita odorata](#) (Cool) Imbach, *Mitt. naturf. Ges. Luzern* **15**: 83 (1946)

[Strobilomyces floccopus](#) (Vahl) P. Karst., *Bidr. Känn. Finl. Nat. Folk* **37**: 16 (1882)

[Szyzygites megalocarpus](#) Ehrenb., *Sylv. mycol. berol.* (Berlin): 25 (1818)

T

[Trichaptum biforme](#) (Fr.) Ryvarden [as '*biformis*'], *Norw. Jl Bot.* **19**(3-4): 237 (1972)

[Trametes versicolor](#) (L.) Lloyd, *Mycol. Notes* (Cincinnati) **65**: 1045 (1921) [1920]

[Tricholoma sejunctum](#) (Sowerby) Qué!, *Mém. Soc. Émul. Montbéliard*, Sér. 2 **5**: 76 (1872)

[Thelephora palmata](#) (Scop.) Fr., *Syst. mycol.* (Lundae) **1**: 432 (1821)

[Tatraea macrospora](#) (Peck) Baral, in Baral, Galán, Krisai-Greilhuber, Matočec & Palmer, *Öst. Z. Pilzk.* **8**: 80 (1999)

[Tapinella atrotomentosa](#) (Batsch) Šutara, *Česká Mykol.* **46**(1-2): 50 (1992)

[Thysanophora canadensis](#) Stolk & Hennebert, *Persoonia* **5**(2): 189 (1968)

[**Tylopilus atronicotianus**](#) **Both**, *Bull. Buffalo Soc. nat. Sci.* **36**: 216 (1998)
[**Tylopilus felleus**](#) (**Bull.**) **P. Karst.**, *Revue mycol.*, Toulouse **3**: 16 (1881)
[**Tylopilus alboater**](#) (**Schwein.**) **Murrill**, *Mycologia* **1**(1): 16 (1909)
[**Tylopilus chromapes**](#) (**Frost**) **A.H. Sm. & Thiers**, (1968)
[**Tylopilus violatinctus**](#) **T.J. Baroni & Both**, *Bull. Buffalo Soc. nat. Sci.* **36**: 261 (1998)

[**Tubifera ferruginosa**](#) (**Batsch**) **J.F. Gmel.**, in Linnaeus, *K. svenska Vetensk-Akad. Handl.* **2**: 1472 (1791) [1792]

[**Tyromyces chioneus**](#) (**Fr.**) **P. Karst.**, *Revue mycol.*, Toulouse **3**(9): 17 (1881)

W

[**Wolfina aurantiopsis**](#) (**Ellis**) **Seaver**, (1937)

X

[**Xanthoconium separans**](#) (**Peck**) **Halling & Both**, *Bull. Buffalo Soc. nat. Sci.* **36**: 240 (1998)

[**Xeromphalina campanella**](#) (**Batsch**) **Maire**, *Icones selectae Fungorum*, **6** Texte general **6**: 236 (1934)

[**Xerula furfuracea**](#) (**Peck**) **Redhead, Ginns & Shoemaker**, *Mycotaxon* **30**: 362 (1987)

[**Xerula megalospora**](#) (**Clem.**) **Redhead, Ginns & Shoemaker**, *Mycotaxon* **30**: 374 (1987)