

# Psocid News

## The Psocidologists' Newsletter

No. 10 (Feb. 29, 2008)



*Metylophorus* sp. (Hokkaido, Japan)

### ADDITIONS AND CORRECTIONS (PART 7) TO LIENHARD & SMITHERS, 2002: "PSOCOPTERA (INSECTA) - WORLD CATALOGUE AND BIBLIOGRAPHY"

Charles Lienhard (Geneva Natural History Museum, Switzerland)

#### 1. Introduction

This is the seventh part of a series of "Additions and Corrections to the World Catalogue and Bibliography" published in "Psocid News" (Parts 1-6 in Psocid News no. 4-9). Please send me regularly copies of your papers on Psocoptera, and please inform me about errors that you find in the 2002-book (= Lienhard & Smithers, 2002). If papers which came to your notice are not treated in the "Additions", please send me the bibliographical references by e-mail. In the "Additions to the Bibliography", references to the papers which I have not yet seen are marked with "(Not seen)" or "(Only abstract seen)". Please send me a copy of these papers if you feel concerned. Only papers which I have seen are analysed for the "Additions to the Catalogue", or those where the matter they deal with is clearly indicated in the title or in the abstract. The other papers will be analysed in a future part of the "Additions to the Catalogue", as soon as a copy of them becomes available to me.

In general these "Additions" present the information in the style of the 2002-book, according to the criteria mentioned there (pp. ix-xli) and using the same abbreviations (cf. pp. xl-xli). Families (and higher categories, if mentioned) are listed according to Table 1 of the 2002-book, except for changes published since (see "Additions", Parts 1-6). For each family, newly published changes concerning supra-generic taxa are mentioned at the beginning of the family treatment, except for Psocidae, where subfamilies are treated separately. For genus-group names and species-group names already mentioned in the 2002-book only the author is cited, for new names the complete reference (author, year, page) is given in their first entry, where new genus-group names are marked with two asterisks (\*\*) and new species-group names with one asterisk (\*). For a name not mentioned in the 2002-Catalogue, but cited in a preceding part of the "Additions", author and year are mentioned [the complete reference can be found in the Part of the "Additions", where the name has been cited for the first time (= first entry of a new name)]. Genera are listed alphabetically within each family, except for Psocidae, where they are grouped according to subfamilies. Species are listed alphabetically within each genus. Species names are usually cited in the combination used in the 2002-book, if not an explicit change of combination (or a new synonymy) has been published since. Country names (in the "Additions to the Catalogue") and author names (in the "Additions to the Bibliography") are not printed in small capitals, as in the 2002-book, but in normal letters. The "Corrections" refer to the pages of the 2002-book and the changes proposed here are usually underlined.

No nomenclatural act is published in the "Additions to the Catalogue" because articles in "Psocid News" are not considered as published works under the rules of ICZN (cf. Editorial: Disclaimer). Sometimes recommendations to future revisers are given concerning nomenclatural acts which eventually should be published. Only some mandatory changes are made in the "Additions to the Catalogue" (e. g. adaptation of species name endings to the grammatical gender of the genus name).

Complete bibliographical references to publications cited in the present paper, which are not listed in Chapter 4 (Additions to the Bibliography), can be found in the World Bibliography (Lienhard & Smithers, 2002: 493-664) or in Parts 1 to 6 of the "Additions" (Psocid News, no. 4, 5, 6, 7, 8, 9).

## 2. List of countries mentioned in the "Additions and Corrections to the World Catalogue" (Parts 1-7)

Country checklists of Psocoptera species extracted from the 2002-World Catalogue are available at: <http://www.ville-ge.ch/mhng/psocoptera/page/ps-coun.htm>

All additional species records are mentioned in the "Additions and Corrections to the World Catalogue" and all countries mentioned in Parts 1 to 7 of these Additions are listed below, arranged according to the main geographical regions defined for the Catalogue (I-X), with a separate heading for fossils, recorded mainly from amber (A). This list is provided to facilitate computer searching for distributional references in the online version of the different parts which can be found on the PsocoNet Homepage: <http://insect3.agr.hokudai.ac.jp/psoco-web/psoco-net/index.html>

Part 1: published in Psocid News, no. 4: 2-24

Part 2: published in Psocid News, no. 5: 2-37

Part 3: published in Psocid News, no. 6: 1-23

Part 4: published in Psocid News, no. 7: 1-16

Part 5: published in Psocid News, no. 8: 1-18

Part 6: published in Psocid News, no. 9: 1-17

Part 7: published in Psocid News, no. 10 (= present issue)

(I) Austria (Parts 1, 3, 4, 5, 6), Belgium (Parts 3, 6), Croatia (Parts 6,7), Czech Republic (Parts 1, 4, 5, 6, 7), Egypt (Part 6), Finland (Part 1, 7), France (Parts 1, 3, 4, 6, 7), Germany (Parts 1, 3, 4, 5, 7), Great Britain (Parts 1, 3, 4, 5, 6, 7), Greece (Parts 5, 6), Hungary (Parts 1, 3), Iran (Part 6), Ireland (Part 6), Israel (Parts 4, 6), Italy (Parts 1, 3, 5, 6, 7), Lebanon (Parts 6, 7), Luxembourg (Parts 1, 3, 7), Netherlands (Parts 4, 7), Norway (Part 4), Portugal (Parts 6, 7), Russia (Part 6), Slovakia (Part 1), Spain (Parts 1, 5, 7), Switzerland (Parts 1, 3, 4, 6, 7), Turkey (Part 5), Ukraine (Part 6), Yemen (Part 4)

(II) Azores (Part 5), Canary Islands (Parts 1, 4, 5), Cape Verde Islands (Part 5), Gough Island (Parts 5, 6), Madeira (Part 5), Saint Helena (Part 5), Selvagens Islands (Part 1)

(III) Canada (Parts 4, 6, 7), USA (Parts 1, 4, 5, 6, 7)

(IV) Belize (Parts 1, 4, 6), Costa Rica (Parts 1, 6), Cuba (Part 6), Dominica (Parts 5, 6), Dominican Republic (Parts 4, 6, 7), Guatemala (Parts 1, 4, 7), Haiti (Parts 1, 4), Jamaica (Part 7), Mexico (Parts 1, 3, 4, 5, 6, 7), Nicaragua (Parts 1, 3, 4, 6, 7), Panama (Parts 4, 6), Puerto Rico (Parts 1, 7), Trinidad (Part 1)

(V) Argentina (Parts 3, 4), Bolivia (Parts 1, 5), Brazil (Parts 1, 4, 5, 6, 7), Chile (Parts 1, 4, 6), Colombia (Part 1), Ecuador (Parts 1, 6), Peru (Parts 1, 5, 6), Venezuela (Parts 1, 4, 6, 7)

(VI) Ghana (Part 4), Guinea (Part 1), Kenya (Part 4), Madagascar (Part 5), Malawi (Part 3), Namibia (Parts 1, 6, 7), South Africa (Parts 3, 6, 7), Tanzania (Parts 3, 4), Uganda (Part 6)

(VIII) Brunei (Parts 5, 6), China (Parts 2, 3, 5, 6, 7), Hong Kong (Part 5), India (Parts 3, 5, 6, 7), Indonesia (Parts 1, 3, 5, 6), Japan (Parts 1, 4, 6, 7), Kuril Islands (Part 4), Kyrgyzstan (Part 5), Laos (Parts 5, 6), Malaysia (Parts 1, 5, 6), Myanmar (Part 6), Nepal (Part 7), New Guinea (Parts 3, 5), Philippines (Parts 3, 5, 6), Russia (Part 1), SE-Asia (Part 7), Singapore (Part 5), Sri Lanka (Parts 4, 6), Taiwan (Parts 1, 6, 7), Thailand (Parts 1, 4, 5, 6), USSR (Part 4), Vietnam (Parts 4, 5, 6)

(IX) Australia (Parts 1, 4, 5, 6, 7), Lord Howe Island (Parts 4, 7), New Zealand (Parts 1, 4)

(X) Galapagos (Part 5)

(A) Amber and Copal (or other fossils) (Parts 1, 3, 5, 6, 7)

## 3. Additions to the Catalogue

### Psocoptera

Bastero Monserrat, 1989 (L. Navas, biography and bibliography). Azar, 2000 (A) (Amber from Lebanon, Cretaceous). Poinar & Milki, 2001 (A) (Amber from Lebanon, Cretaceous). Kalinovic *et al.*, 2006a (pest, control). Klausnitzer, 2006 (shows that faunistics of Psoc. are poorly studied in Central Europe). Schaefer, 2006 (keys to fauna of Germany). Alexander, 2007b (book review). Anonymous, 2007 (Great Britain, recording scheme). Delclos *et al.*, 2007 (A) (palaeontology, Cretaceous Amber from Spain). Huenefeld, 2007 (comparison with Zoraptera). Lienhard, 2007a (additions and corrections to the World Catalogue). New & Lienhard, 2007 (morphology, biology, systematics, biogeography, SE-Asia faunistics). Santos *et al.*, 2007 (Portugal, canopy fauna). Yoshizawa, 2007a (newsletter), 2007b (comparison with Zoraptera).

### Lepidopsocidae

Key to genera of Lepidopsocidae from SE-Asia (VIII): New & Lienhard, 2007: 62.

*Cyptophania* Banks. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 227.

*Echinopsocus* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 227.

*Echmepteryx* Aaron. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 227.

*Echmepteryx anomala* Smithers & Thornton. Lord Howe Island (IX): Smithers, 2007.

*Echmepteryx howensis* Smithers & Thornton. Lord Howe Island (IX): Smithers, 2007.

*Echmepteryx madagascariensis* (Kolbe). China (VIII): Hua Li-zhong, 2000. Lord Howe Island (IX): Smithers, 2007.

*Lepidopsocus* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 227.

*Lepium enderleini* Banks. China (VIII): Hua Li-zhong, 2000.  
*Lepolepis ceylonica* Enderlein. China (VIII): Hua Li-zhong, 2000.  
*Lepolepis trifasciata*\* Smithers, 2007: 12. Lord Howe Island (IX).  
*Nepticulomima* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 227.  
*Papuapsoocus* Mockford, 2005b. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 227.  
*Parasoa* Thornton. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 228.  
*Perientomum* Hagen. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 228.  
*Pteroxanium kelloggi* (Ribaga). Great Britain (I): Hollier, 1996.  
*Soa* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 228.

### Trogiidae

Key to genera of Trogiidae from SE-Asia (VIII): New & Lienhard, 2007: 69.  
*Cerobasis* Kolbe. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 228.  
*Cerobasis annulata* (Hagen). Lord Howe Island (IX): Smithers, 2007.  
*Cerobasis guestfalica* (Kolbe). Luxembourg (I): Schneider, 2007. Lord Howe Island (IX): Smithers, 2007.  
*Lepinotus inquilinus* Heyden. Croatia (I): Kalinovic *et al.*, 2006b (biol.). Lord Howe Island (IX): Smithers, 2007.  
*Lepinotus patruelis* Pearman. Luxembourg (I): Schneider, 2007.  
*Lepinotus reticulatus* Enderlein. Croatia (I): Kalinovic *et al.*, 2006b (biol.). USA (III): Throne *et al.*, 2006 (pest).  
*Trogium pulsatorium* (Linnaeus). Croatia (I): Kalinovic *et al.*, 2006b (biol.). Great Britain (I): Hollier, 1996. China (VIII): Hua Li-zhong, 2000.

### Psoquillidae

Key to genera of Psoquillidae from SE-Asia (VIII): New & Lienhard, 2007: 67.  
*Eosilla* Ribaga. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 228.  
*Psoquilla* Hagen. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 228.  
*Rhyopsocidus niger* (Smithers). Lord Howe Island (IX): Smithers, 2007.  
*Rhyopsocus* Hagen. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 228.

### Psyllipsocidae

Key to genera of Psyllipsocidae from SE-Asia (VIII): New & Lienhard, 2007: 73.  
*Dorypteryx domestica* (Smithers). Croatia (I): Kalinovic *et al.*, 2006b (biol.). Morph.: Kucerova, 2007 (nymphal instars).  
*Psocathropos* Ribaga. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 228.  
*Psocathropos cuttackae* (Behura & Dash). India (VIII): Srivastava, 2004.  
*Psocathropos lachlani* Ribaga. China (VIII): Hua Li-zhong, 2000. Lord Howe Island (IX): Smithers, 2007.  
*Psyllipsocus* Selys-Longchamps. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 228.  
*Psyllipsocus metamicropterus* (Enderlein). China (VIII): Hua Li-zhong, 2000.  
*Psyllipsocus ramburii* Selys-Longchamps. Croatia (I): Kalinovic *et al.*, 2006b (biol.). Anat.: Meyer-Rochow & Mishra, 2007 (pest control).  
*Psyllipsocus sauteri* (Enderlein). China (VIII): Hua Li-zhong, 2000.

### Prionoglarididae

Lienhard, 2007b: Definition of two tribes within the subfamily Speleketorinae (Sensitibillini and Speleketorini).  
*Afrotroglia*\*\* Lienhard, 2007b: 446. Gender: F. Type species: *Afrotroglia oryx* Lienhard.  
*Afrotroglia fabella*\* Lienhard, 2007b: 457. Namibia (VI).  
*Afrotroglia maraisi*\* Lienhard, 2007b: 453. Namibia (VI).  
*Afrotroglia oryx*\* Lienhard, 2007b: 446. South Africa (VI).  
*Sensitibilla* Lienhard. Genus definition: Lienhard, 2007b: 458.  
*Sensitibilla strinatii* Lienhard. Namibia (VI): Lienhard, 2007b (figs).  
*Sensitibilla brandbergensis*\* Lienhard, 2007b: 459. Namibia (VI).  
*Sensitibilla roessingensis*\* Lienhard, 2007b: 463. Namibia (VI).  
*Siamoglaris* Lienhard, 2004b. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 228.

### Troctopsocidae

Key to genera of Troctopsocidae from SE-Asia (VIII): New & Lienhard, 2007: 80.  
*Coleotroctellus* Lienhard. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 230. Key to species: Chan Mei-Ling & Yang Jeng-Tze, 2007: 365 (with several errors in couplets 5 to 7).  
*Coleotroctellus huisunensis*\* Chan Mei-Ling & Yang Jeng-Tze, 2007: 360. Taiwan (VIII). - NOTE: This is probably a synonym of *Coleotroctellus sui* (Li Fasheng).  
*Selenopsocus* Lienhard & Mockford. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 230.  
*Thaipsocus* Lienhard & Mockford. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 230.

### Amphientomidae

Key to genera of Amphientomidae from SE-Asia (VIII): New & Lienhard, 2007: 76.

*Ancylentomus apicidealbus* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Cymatopsocus* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 229.  
*Paramphientomum* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 229.  
*Paramphientomum nigriceps* Banks. China (VIII): Hua Li-zhong, 2000.  
*Paramphientomum yumyum* Enderlein. China (VIII): Hua Li-zhong, 2000.  
*Pseudoseopsis* Badonnel. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 229.  
*Seopsis* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 229.  
*Seopsis metodicra* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Stigmatopathus* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 229.  
*Stimulopalpus* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 229.  
*Stimulopalpus medifascus* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Syllysis* Hagen. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 229.  
*Tineomorpha* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 229.

### Liposcelididae

Key to genera of Liposcelididae from SE-Asia (VIII): New & Lienhard, 2007: 82.

*Belaphopsocus* Badonnel. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 230.  
*Belaphotroctes* Roesler. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 230.  
*Embidopsocus* Hagen. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 230.  
*Liposcelis* Motschulsky. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 230. Genus  
*Liposcelis* in China (VIII): Li Zhihong *et al.*, 1999a-e.  
*Liposcelis antennatoides* Li Zhihong & Li Fasheng. China (VIII): Li Zhihong *et al.*, 1999a-e.  
*Liposcelis bengalensis* Badonnel. India (VIII): Srivastava, 2004.  
*Liposcelis bostrychophila* Badonnel. Croatia (I): Kalinovic *et al.*, 2006b (biol.). Great Britain (I): Mikac, 2007  
(*Wolbachia* infection). China (VIII): Li Zhihong *et al.*, 1999a-e; Li Zhihong, 2001. Australia (IX): Mikac, 2007  
(*Wolbachia* infection); Nayak & Daghli, 2007 (pest control). Pest: Nayak, 2006 (control). Phys.: Cheng Wei-xia  
*et al.*, 2005; Dou *et al.*, 2006; Chai Yu-Xin *et al.*, 2007; Tao Hui-ying *et al.*, 2005.  
*Liposcelis bouillonii* Badonnel. China (VIII): Li Zhihong & Zhang Baofeng, 2000.  
*Liposcelis brunnea* Motschulsky. Croatia (I): Kalinovic *et al.*, 2006b (biol.). China (VIII): Li Zhihong *et al.*, 1999a-  
e; Li Zhihong, 2001.  
*Liposcelis corrodens* (Heymons). Croatia (I): Kalinovic *et al.*, 2006b (biol.). Morph.: Kossa *et al.*, 2002.  
*Liposcelis decolor* (Pearman). Croatia (I): Kalinovic *et al.*, 2006b (biol.). USA (III): Throne *et al.*, 2006 (pest). China  
(VIII): Li Zhihong *et al.*, 1999a-e; Li Zhihong, 2001; Cao Yang *et al.*, 2003 (pest). Australia (IX): Nayak &  
Daghli, 2007 (pest control). Pest: Nayak, 2006 (control).  
*Liposcelis divinatoria* (Müller). China (VIII): Lu Ja-Juan & Han Zhen-Chong, 2005 (pest).  
*Liposcelis edaphica* Lienhard. China (VIII): Li Zhihong & Zhang Baofeng, 2000; Li Zhihong, 2001.  
*Liposcelis elegantis* Li Fasheng & Li Zhihong. China (VIII): Li Zhihong *et al.*, 1999a-e.  
*Liposcelis entomophila* (Enderlein). Croatia (I): Kalinovic *et al.*, 2006b (biol.). Spain (I): Pascual-Villalobos, 2006  
(pest). USA (III): Throne *et al.*, 2006 (pest). China (VIII): Li Zhihong *et al.*, 1999a-e; Li Zhihong, 2001; Cao  
Yang *et al.*, 2003 (pest). Australia (IX): Nayak & Daghli, 2007 (pest control). Biol.: Cao Yang *et al.*, 2001 (life  
history). Pest: Nayak, 2006 (control). Phys.: Cheng Wei-xia *et al.*, 2005.  
*Liposcelis fasciata* (Enderlein). China (VIII): Li Zhihong *et al.*, 1999a-e; Hua Li-zhong, 2000.  
*Liposcelis mendax* Pearman. Croatia (I): Kalinovic *et al.*, 2006b (biol.). China (VIII): Li Zhihong *et al.*, 2000; Li  
Zhihong, 2001; Cao Yang *et al.*, 2003 (pest).  
*Liposcelis nigritibia* Li Fasheng & Li Zhihong. China (VIII): Li Zhihong *et al.*, 1999a-e.  
*Liposcelis paeta* Pearman. Croatia (I): Kalinovic *et al.*, 2006b (biol.). China (VIII): Li Zhihong *et al.*, 1999a-e; Li  
Zhihong, 2001; Cao Yang *et al.*, 2003 (pest). Australia (IX): Nayak & Daghli, 2007 (pest control). Pest: Nayak,  
2006 (control).  
*Liposcelis pallens* Badonnel. China (VIII): Li Zhihong *et al.*, 1999a-e.  
*Liposcelis pearmani* Lienhard. Croatia (I): Kalinovic *et al.*, 2006b (biol.). China (VIII): Li Zhihong *et al.*, 1999a-e; Li  
Zhihong, 2001.  
*Liposcelis pubescens* Broadhead. Croatia (I): Kalinovic *et al.*, 2006b (biol.).  
*Liposcelis rufa* Broadhead. China (VIII): Li Zhihong *et al.*, 2000; Li Zhihong, 2001.  
*Liposcelis ruficornata* Li Zhihong & Li Fasheng. China (VIII): Li Zhihong *et al.*, 1999a-e; Li Zhihong, 2001.  
*Liposcelis sculptilimacula* Li Zhihong & Li Fasheng. China (VIII): Li Zhihong *et al.*, 1999a-e (misspelled *L.*  
*sculptilis* Li & Li); Li Zhihong, 2001 (misspelled *L. sculptilis* Li & Li).  
*Liposcelis silvarum* (Kolbe). Czech Republic (I): Holusa, 2003. Finland (I): Kanervo & Varkonyi, 2007.  
*Liposcelis sinica* Li Zhihong & Li Fasheng. China (VIII): Li Zhihong *et al.*, 1999a-e.  
*Liposcelis tricolor* Badonnel. Croatia (I): Kalinovic *et al.*, 2006b (biol.). China (VIII): Dong Peng *et al.*, 2006  
(*Wolbachia* bacteria), 2007a (biol.), 2007b (*Wolbachia* bacteria).  
*Liposcelis yangi* Li Zhihong & Li Fasheng. China (VIII): Li Zhihong *et al.*, 1999a-e.  
*Liposcelis yunnaniensis* Li Fasheng & Li Zhihong. China (VIII): Li Zhihong *et al.*, 1999a-e.

### Pachytroctidae

Key to genera of Pachytroctidae from SE-Asia (VIII): New & Lienhard, 2007: 86.

*Nanopsocus* Pearman. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 230.  
*Pachytroctes* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 231.  
*Psacadium bilimbatum* Enderlein. China (VIII): Hua Li-zhong, 2000.  
*Psylloneura* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 231.  
*Tapinella* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 231.  
*Tapinella formosana* Enderlein. China (VIII): Hua Li-zhong, 2000.

#### **Sphaeropsocidae**

*Badonnelia titei* Pearman. USA (III): Mockford, 2006 (domestic).

#### **Epipsocidae**

Key to genera of Epipsocidae from SE-Asia (VIII): New & Lienhard, 2007: 91.

*Bertkauia lucifuga* (Rambur). Luxembourg (I): Schneider, 2007.

*Dicropsocus* Smithers & Thornton. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 231.

*Epipsocopsis* Badonnel. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 231.

*Epipsocus* Hagen. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 232.

*Epipsocus hageni* Banks. China (VIII): Hua Li-zhong, 2000.

*Heteroepipsocus* Li Fasheng. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 232.

#### **Dolabellopsocidae**

*Auroropsocus orientis* Eertmoed. China (VIII): Hua Li-zhong, 2000.

#### **Ptiloneuridae**

*Loneura jinoteгаensis*\* Garcia Aldrete, 2007: 100. Nicaragua (IV).

*Loneura mirandaensis*\* Garcia Aldrete, 2007: 100. Venezuela (V).

#### **Caeciliusidae**

Key to genera of Caeciliusinae from SE-Asia (VIII): New & Lienhard, 2007: 99.

Key to genera of Paracaeciliinae from SE-Asia (VIII): New & Lienhard, 2007: 105.

*Amphicaecilius daqingshanicus* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.

*Asiocaecilius* Mockford. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 232.

*Caecilius* Curtis. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 232.

*Caecilius* spec. Parasit.: Keller, 2007 (pathogenic Entomophthorales, Switzerland).

*Caecilius cerinifullus* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.

*Caecilius confusus* Banks. China (VIII): Hua Li-zhong, 2000.

*Caecilius fuscopterus* (Latreille). Finland (I): Kanervo & Varkonyi, 2007. France (I): Dauphin, 2007. Great Britain (I): Hollier, 1996; Alexander, 2005. Italy (I): Locatelli & Limonta, 2004. Luxembourg (I): Schneider, 2007.

*Caecilius medivittatus* Li Fasheng. China (VIII): Li Fasheng, 2004.

*Caecilius meridionalis* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.

*Caecilius psaronicircularis* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.

*Caecilius quadriglobis* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.

*Caecilius scalpratus* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.

*Caecilius similis* Banks. China (VIII): Hua Li-zhong, 2000.

*Caecilius trinatus* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.

*Coryphosmila* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 233.

*Coryphosmila dolabrata* (Hagen). China (VIII): Hua Li-zhong, 2000.

*Dypsocus* Hagen. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 233.

*Dypsocus fucosus* Thornton & Wong. India (VIII): Srivastava, 2004.

*Dypsocus minisculus* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.

*Dypsocus stenotalis* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.

*Dypsocus tappanensis* Okamoto. China (VIII): Hua Li-zhong, 2000.

*Enderleinella* Badonnel. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 233.

*Enderleinella obsoleta* (Stephens). Finland (I): Kanervo & Varkonyi, 2007. Great Britain (I): Hollier, 1996; Alexander, 2005. Italy (I): Locatelli & Limonta, 2004. Luxembourg (I): Schneider, 2007.

*Isophanes cyclostigma* Li Fasheng. China (VIII): Li Fasheng, 2004.

*Isophanes decipiens* Banks. China (VIII): Hua Li-zhong, 2000.

*Isophanes yangi* Li Fasheng. China (VIII): Li Fasheng, 2004.

*Isophanopsis* Badonnel. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 233.

*Maoriprocopsis* Mockford. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 233.

*Paracaecilius* Badonnel. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 233.

*Paracaecilius japanus* (Enderlein). China (VIII): Hua Li-zhong, 2000.

*Paracaecilius lemuris* Smithers. Lord Howe Island (IX): Smithers, 2007.

*Paracaecilius meniscoides* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.

*Pericaecilius* Mockford. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 233.

*Pericaecilius singularis* (Banks). China (VIII): Hua Li-zhong, 2000.

*Phymocaecilius fuscifascus* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Protodypsocus* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 233.  
*Stenocaecilius* Mockford. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 234.  
*Stenocaecilius quercus* (Edwards). Lord Howe Island (IX): Smithers, 2007.  
*Thorntoniella* Mockford. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 234.  
*Valenzuela* Navas. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 234.  
*Valenzuela aridus* (Hagen). China (VIII): Hua Li-zhong, 2000.  
*Valenzuela atricornis* (McLachlan). France (I): Dauphin, 2007. Italy (I): Locatelli & Limonta, 2004. Luxembourg (I): Schneider, 2007. Netherlands (I): Peeters & Hogenes, 1996.  
*Valenzuela burmeisteri* (Brauer). Czech Republic (I): Holusa, 2003. Finland (I): Kanervo & Varkonyi, 2007. France (I): Dauphin, 2007. Great Britain (I): Hollier, 1996. Luxembourg (I): Schneider, 2007. Netherlands (I): Peeters & Hogenes, 1996.  
*Valenzuela corsicus* (Kolbe). Italy (I): Locatelli & Limonta, 2004.  
*Valenzuela delicatulus* (Li Fasheng). China (VIII): Li Fasheng, 2004.  
*Valenzuela despaxi* (Badonnel). Czech Republic (I): Holusa, 2003. Finland (I): Kanervo & Varkonyi, 2007. Luxembourg (I): Schneider, 2007.  
*Valenzuela flavidus* (Stephens). Czech Republic (I): Holusa, 2003, 2005. Finland (I): Kanervo & Varkonyi, 2007. France (I): Dauphin, 2007. Great Britain (I): Hollier, 1996; Alexander, 2007a. Italy (I): Locatelli & Limonta, 2004. Luxembourg (I): Schneider, 2007. Parasit.: Keller, 2007 (pathogenic Entomophthorales, Switzerland).  
*Valenzuela flavidorsalis* (Okamoto). China (VIII): Hua Li-zhong, 2000.  
*Valenzuela fraternus* (Banks). China (VIII): Hua Li-zhong, 2000.  
*Valenzuela gonostigma* (Enderlein). China (VIII): Hua Li-zhong, 2000.  
*Valenzuela gynapterus* (Tetens). Finland (I): Kanervo & Varkonyi, 2007. Luxembourg (I): Schneider, 2007.  
*Valenzuela kansuensis* (Enderlein). China (VIII): Hua Li-zhong, 2000.  
*Valenzuela mueggenburgi* (Enderlein). China (VIII): Hua Li-zhong, 2000.  
*Valenzuela okamotoi* (Banks). China (VIII): Hua Li-zhong, 2000.  
*Valenzuela oyamai* (Enderlein). China (VIII): Hua Li-zhong, 2000.  
*Valenzuela piceus* (Kolbe). Czech Republic (I): Holusa, 2005. Finland (I): Kanervo & Varkonyi, 2007. France (I): Dauphin, 2007. Italy (I): Locatelli & Limonta, 2004.  
*Valenzuela plagioerythrinus* (Li Fasheng). China (VIII): Li Fasheng, 2004.  
*Valenzuela podacromelas* (Enderlein). China (VIII): Hua Li-zhong, 2000.  
*Valenzuela pteridii* (Smithers). Lord Howe Island (IX): Smithers, 2007.  
*Valenzuela quinarius* (Li Fasheng). China (VIII): Li Fasheng, 2004.  
*Valenzuela spiloerythrinus* (Li Fasheng). China (VIII): Li Fasheng, 2004.  
*Valenzuela stigmatus* (Okamoto). China (VIII): Hua Li-zhong, 2000.

#### Stenopsocidae

Key to genera of Stenopsocidae from SE-Asia (VIII): New & Lienhard, 2007: 111.

*Graphopsocus* Kolbe. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 236.  
*Graphopsocus cruciatus* (Linnaeus). Czech Republic (I): Holusa, 2003, 2005. Finland (I): Kanervo & Varkonyi, 2007. France (I): Dauphin, 2007. Great Britain (I): Hollier, 1996. Italy (I): Locatelli & Limonta, 2004. Luxembourg (I): Schneider, 2007. Netherlands (I): Peeters & Hogenes, 1996. China (VIII): Hua Li-zhong, 2000.  
*Malostenopsocus* Li Fasheng. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 236.  
*Malostenopsocus immaculatus* Li Fasheng. China (VIII): Li Fasheng, 2004.  
*Malostenopsocus mucronatus* Li Fasheng. China (VIII): Li Fasheng, 2004 (misspelled: *macronatus*).  
*Stenopsocus* Hagen. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 236.  
*Stenopsocus aphidiformis* Enderlein. China (VIII): Hua Li-zhong, 2000.  
*Stenopsocus bicoloratus* (Li Fasheng, 2002a). China (VIII): Li Fasheng, 2004.  
*Stenopsocus bicoloriceps* Enderlein. China (VIII): Hua Li-zhong, 2000.  
*Stenopsocus chusanensis* Navas. China (VIII): Hua Li-zhong, 2000.  
*Stenopsocus concisus* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Stenopsocus externus* Banks. China (VIII): Li Fasheng, 2004.  
*Stenopsocus immaculatus* (Stephens). Czech Republic (I): Holusa, 2005. Finland (I): Kanervo & Varkonyi, 2007. France (I): Dauphin, 2007. Great Britain (I): Hollier, 1996. Italy (I): Locatelli & Limonta, 2004. Luxembourg (I): Schneider, 2007. Netherlands (I): Peeters & Hogenes, 1996.  
*Stenopsocus lachlani* Kolbe. Czech Republic (I): Holusa, 2003. Finland (I): Kanervo & Varkonyi, 2007.  
*Stenopsocus makii* Takahashi. China (VIII): Hua Li-zhong, 2000.  
*Stenopsocus stigmaticus* (Imhoff & Labram). Czech Republic (I): Holusa, 2005. Italy (I): Locatelli & Limonta, 2004.  
*Stenopsocus tibialis* Banks. China (VIII): Hua Li-zhong, 2000.  
*Stenopsocus trisetus* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.

#### Amphipsocidae

Key to genera of Amphipsocinae from SE-Asia (VIII): New & Lienhard, 2007: 107.

*Amphipsocus* McLachlan. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 235.  
*Amphipsocus formosanus* Okamoto. China (VIII): Hua Li-zhong, 2000.

*Amphipsocus gibbosus* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Amphipsocus longgangiensis* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Amphipsocus parilis* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Amphipsocus sulciformis* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Calocaecilius* Mockford. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 235.  
*Dasypsocus* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 235.  
*Kodamaius* Okamoto. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 235.  
*Kodamaius brevicornis* Okamoto. China (VIII): Hua Li-zhong, 2000.  
*Kodamaius conostigmus* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Kodamaius cuboides* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Kolbia* Bertkau. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 235.  
*Kolbia fusconervosa* Enderlein. China (VIII): Hua Li-zhong, 2000.  
*Kolbia hummeli* Enderlein. China (VIII): Hua Li-zhong, 2000.  
*Kolbia quisquiliarum* Bertkau. Finland (I): Kanervo & Varkonyi, 2007. Great Britain (I): Alexander, 2006b; Saville *et al.*, 2007. Luxembourg (I): Schneider, 2007.  
*Matsumuraiella enderleini* Banks. China (VIII): Hua Li-zhong, 2000.  
*Taeniosigma* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 235.  
*Taeniosigma cacuminalium* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Taeniosigma campylodromum* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Taeniosigma ingens* Enderlein. China (VIII): Hua Li-zhong, 2000.  
*Taeniosigma platozona* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Taeniosigma reticularium* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Taeniosigma scariosum* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Tagalopsocus* Banks. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 236.

#### Lachesillidae

*Lachesilla* Westwood. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 240.  
*Lachesilla bernardi* Badonnel. Italy (I): Locatelli & Limonta, 2004.  
*Lachesilla greeni* (Pearman). Italy (I): Locatelli & Limonta, 2004.  
*Lachesilla pedicularia* (Linnaeus). Croatia (I): Kalinovic *et al.*, 2006b (biol.). Czech Republic (I): Holusa, 2003. Finland (I): Kanervo & Varkonyi, 2007. France (I): Dauphin, 2007. Great Britain (I): Alexander, 2006b. Italy (I): Locatelli & Limonta, 2004. Luxembourg (I): Schneider, 2007. Netherlands (I): Peeters & Hogenes, 1996.  
*Lachesilla quercus* (Kolbe). Finland (I): Kanervo & Varkonyi, 2007. Italy (I): Locatelli & Limonta, 2004. Luxembourg (I): Schneider, 2007. Netherlands (I): Peeters & Hogenes, 1996.

#### Ectopsocidae

Key to genera of Ectopsocidae from SE-Asia (VIII): New & Lienhard, 2007: 119.  
*Ectopsocopsis* Badonnel. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 238.  
*Ectopsocopsis biunciata* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Ectopsocopsis bulbiapicia* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Ectopsocopsis clavellata* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Ectopsocopsis cryptomeriae* (Enderlein). Italy (I): Locatelli & Limonta, 2004.  
*Ectopsocopsis daqingshanensis* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Ectopsocopsis xerophylla* Vishnyakova. Italy (I): Locatelli & Limonta, 2004.  
*Ectopsocus* McLachlan. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 238.  
*Ectopsocus axillaris* (Smithers). Great Britain (I): Saville *et al.*, 2007.  
*Ectopsocus bengalensis* Datta. India (VIII): Srivastava, 2004.  
*Ectopsocus briggsi* McLachlan. France (I): Dauphin, 2007. Great Britain (I): Hollier, 1996. Italy (I): Locatelli & Limonta, 2004. Netherlands (I): Peeters & Hogenes, 1996.  
*Ectopsocus insularis* Smithers & Thornton. Lord Howe Island (IX): Smithers, 2007.  
*Ectopsocus maindroni* Badonnel. Italy (I): Locatelli & Limonta, 2004.  
*Ectopsocus meridionalis* Ribaga. Italy (I): Locatelli & Limonta, 2004. Luxembourg (I): Schneider, 2007. China (VIII): Hua Li-zhong, 2000.  
*Ectopsocus petersi* Smithers. France (I): Dauphin, 2007. Lord Howe Island (IX): Smithers, 2007.  
*Ectopsocus pumilis* (Banks). China (VIII): Hua Li-zhong, 2000.  
*Ectopsocus richardsi* (Pearman). China (VIII): Hua Li-zhong, 2000.  
*Ectopsocus vachoni* Badonnel. Italy (I): Locatelli & Limonta, 2004.  
*Estipulaceus multiserratus* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Estipulaceus polyspilus* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.

#### Peripsocidae

Key to genera of Peripsocidae from SE-Asia (VIII): New & Lienhard, 2007: 124.  
*Diplopsocus* Li Fasheng & Mockford. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 240.  
*Diplopsocus fasciatus* (Thornton). China (VIII): Hua Li-zhong, 2000.



- Diplopsocus ningmingicus* Li Fasheng & Mockford. China (VIII): Li Fasheng, 2004.
- Peripsocus* Hagen. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 240.
- Peripsocus alboguttatus* (Dalman). Finland (I): Kanervo & Varkonyi, 2007. France (I): Dauphin, 2007. Great Britain (I): Saville *et al.*, 2007. Italy (I): Locatelli & Limonta, 2004. Luxembourg (I): Schneider, 2007.
- Peripsocus corollaris* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.
- Peripsocus didymus* Roesler. Finland (I): Kanervo & Varkonyi, 2007. France (I): Dauphin, 2007. Italy (I): Locatelli & Limonta, 2004. Luxembourg (I): Schneider, 2007. Netherlands (I): Peeters & Hogenes, 1996.
- Peripsocus hedinianus* Enderlein. China (VIII): Hua Li-zhong, 2000.
- Peripsocus lifashengi* Lienhard, 2003d. China (VIII): Li Fasheng, 2004 (as *P. orientalis* Li Fasheng, 2002a, which is a junior homonym of *P. orientalis* Garcia Aldrete, 1999).
- Peripsocus milleri* (Tillyard). France (I): Dauphin, 2007. Great Britain (I): Saville *et al.*, 2007. Lord Howe Island (IX): Smithers, 2007.
- Peripsocus parvulus* Kolbe. Czech Republic (I): Holusa, 2005. France (I): Dauphin, 2007. Great Britain (I): Saville *et al.*, 2007. Luxembourg (I): Schneider, 2007.
- Peripsocus pauliani* Badonnel. China (VIII): Hua Li-zhong, 2000.
- Peripsocus phaeopterus* (Stephens). Czech Republic (I): Holusa, 2003, 2005. France (I): Dauphin, 2007. Great Britain (I): Hollier, 1996. Italy (I): Locatelli & Limonta, 2004. Luxembourg (I): Schneider, 2007. Netherlands (I): Peeters & Hogenes, 1996.
- Peripsocus pseudoquercicola* Thornton. China (VIII): Hua Li-zhong, 2000.
- Peripsocus rhombicus* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.
- Peripsocus similis* Enderlein. China (VIII): Hua Li-zhong, 2000. Lord Howe Island (IX): Smithers, 2007.
- Peripsocus spinosus* Thornton. China (VIII): Hua Li-zhong, 2000.
- Peripsocus stenopterus* Thornton & Wong. China (VIII): Hua Li-zhong, 2000.
- Peripsocus subfasciatus* (Rambur). Czech Republic (I): Holusa, 2003, 2005. France (I): Dauphin, 2007. Italy (I): Locatelli & Limonta, 2004. Luxembourg (I): Schneider, 2007.
- Periterminalis* Li Fasheng. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 241.
- Turriperipsocus* Li Fasheng. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 241.

#### Calopsocidae

Key to genera of Calopsocidae from SE-Asia (VIII): New & Lienhard, 2007: 115.

- Callistoptera* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 237.
- Calopsocus* Hagen. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 237.
- Calosema* Thornton & Smithers. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 237.
- Cyclopsocus* Thornton & Smithers. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 237.
- Dendropsocus* Thornton & Smithers. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 238.
- Nemupsocus* New. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 238.
- Neurosema* McLachlan. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 238.
- Torrepsocus* Thornton & Smithers. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 238.

#### Trichopsocidae

- Trichopsocus brincki* Badonnel. Great Britain (I): Alexander, 2005; Saville *et al.*, 2007.
- Trichopsocus clarus* (Banks). Great Britain (I): Saville *et al.*, 2007.
- Trichopsocus dali* (McLachlan). France (I): Dauphin, 2007. Italy (I): Locatelli & Limonta, 2004.

#### Archipsocidae

- Key to genera of Archipsocidae from SE-Asia (VIII): New & Lienhard, 2007: 113.
- Archipsocopsis* Badonnel. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 236.
- Archipsocus* Hagen. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 236.
- Archipsocus recens* Enderlein. China (VIII): Hua Li-zhong, 2000.

#### Pseudocaeciliidae

- Key to genera of Pseudocaeciliinae from SE-Asia (VIII): New & Lienhard, 2007: 130.
- Key to genera of Zelandopsocinae from SE-Asia (VIII): New & Lienhard, 2007: 136.
- Pseudocaeciliidae* gen. spec. Smithers, 2007: 20 (description of nymph, adult not known). Lord Howe Island (IX).
- Allocaecilius* Lee & Thornton. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 243.
- Allocaecilius sinensis* Lee & Thornton. China (VIII): Hua Li-zhong, 2000.
- Allopsocus* Banks. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 243.
- Austropsocus* Smithers. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 243.
- Heterocaecilius* Lee & Thornton. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 243.
- Heterocaecilius anomalus* (Thornton). China (VIII): Hua Li-zhong, 2000.
- Heterocaecilius fasciatus* Lee & Thornton. China (VIII): Hua Li-zhong, 2000.
- Heterocaecilius longispinus* Lee & Thornton. China (VIII): Hua Li-zhong, 2000.
- Howeanum huberi* Smithers. Lord Howe Island (IX): Smithers, 2007.
- Levucaecilius* Smithers. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 244.



*Lobocaecilius* Lee & Thornton. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 244.  
*Mepleres* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 244.  
*Mepleres fasciatus* (Smithers & Thornton). Lord Howe Island (IX): Smithers, 2007.  
*Mepleres hollowayi* (Smithers & Thornton). Lord Howe Island (IX): Smithers, 2007.  
*Mepleres proboscideus* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Mauropsocus*\*\* Smithers, 2007: 19. Gender: M. Type species: *Mauropsocus monteithi* Smithers.  
*Mauropsocus monteithi*\* Smithers, 2007: 19. Lord Howe Island (IX).  
*Mepleres limbatus* (Enderlein). China (VIII): Hua Li-zhong, 2000.  
*Mepleres transversus* (Banks). China (VIII): Hua Li-zhong, 2000.  
*Mesocaecilius lepidus* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Mesocaecilius quadrimaculatus* Okamoto. China (VIII): Hua Li-zhong, 2000.  
*Neocaecilius* Li Fasheng. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 244.  
*Novopsocus* Thornton. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 244.  
*Ophiodopelma* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 244.  
*Ophiodopelma ornatipenne* Enderlein. China (VIII): Hua Li-zhong, 2000.  
*Phallocaecilius* Lee & Thornton. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 245.  
*Phallocaecilius hirsutus* (Thornton). China (VIII): Hua Li-zhong, 2000.  
*Platyocaecilius parallelivenius* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Pseudocaecilius* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 245.  
*Pseudocaecilius citricola* (Ashmead). China (VIII): Li Fasheng, 2004 (as *P. elutus*).  
*Pseudocaecilius formosanus* (Banks). China (VIII): Hua Li-zhong, 2000.  
*Trimerocaecilius becheti* Meinander. France (I): Dauphin, 2005, 2007.

### Philotarsidae

Key to subfamilies: Mockford, 2007: 109.

Key to genera of subfamily Philotarsinae, discussion of phylogeny and biogeography: Mockford, 2007.

Key to genera of Philotarsidae from SE-Asia (VIII): New & Lienhard, 2007: 126.

*Aaroniella* Mockford. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 242.

*Aaroniella badonneli* (Danks). France (I): Dauphin, 2007.

*Aaroniella grandiocula* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.

*Aaroniella howensis* Smithers & Thornton. Lord Howe Island (IX): Smithers, 2007.

*Aaroniella pulchra* Thornton. China (VIII): Hua Li-zhong, 2000.

*Aaroniella serialis* (Banks). China (VIII): Hua Li-zhong, 2000.

*Garcialdretia*\*\* Mockford, 2007: 129. Gender: F. Type species: *Garcialdretia veracruzensis* Mockford. Key to species: Mockford, 2007: 136.

*Garcialdretia boricuensis*\* Mockford, 2007: 134. Puerto Rico (IV).

*Garcialdretia chiapensis*\* Mockford, 2007: 133. Mexico (IV).

*Garcialdretia dardana* (Banks). Dominican Republic (IV): Mockford, 2007: 134 (**from** *Philotarsus*) (disc., figs).

*Garcialdretia jamaicensis* (Turner). Jamaica (IV): Mockford, 2007: 134 (**from** *Philotarsus*) (disc., figs).

*Garcialdretia jareviana* (Garcia Aldrete). Mexico (IV): Mockford, 2007: 131 (**from** *Haplophallus*) (disc., figs).

*Garcialdretia veracruzensis*\* Mockford, 2007: 129. Mexico (IV).

*Haplophallus* Thornton. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 242.

*Haplophallus orientalis* Thornton. China (VIII): Hua Li-zhong, 2000.

*Haplophallus tandus* Smithers & Thornton. Lord Howe Island (IX): Smithers, 2007.

*Philotarsopsis* Tillyard. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 242.

*Philotarsopsis antiqua* (Kolbe). Mockford, 2007: 138 (**from** *Philotarsus*).

*Philotarsus* Kolbe. Genus definition and key to the North and Middle American species: Mockford, 2007.

*Philotarsus arizonicus*\* Mockford, 2007: 117. USA (III).

*Philotarsus bullicornis* Enderlein. Mockford, 2007: 138 (generic position uncertain).

*Philotarsus californicus*\* Mockford, 2007: 115. USA (III).

*Philotarsus digitatus*\* Mockford, 2007: 125. Mexico (IV).

*Philotarsus incurvatus*\* Mockford, 2007: 126. Mexico (IV).

*Philotarsus kwakiutl* Mockford. Canada and USA (III): Mockford, 2007 (disc.).

*Philotarsus lobatus*\* Mockford, 2007: 123. Mexico (IV).

*Philotarsus longipennis*\* Mockford, 2007: 127. Guatemala (IV).

*Philotarsus mexicanus*\* Mockford, 2007: 121. Mexico (IV).

*Philotarsus nebulosus*\* Mockford, 2007: 122. Mexico (IV).

*Philotarsus parviceps* Roesler. Czech Republic (I): Holusa, 2005. France (I): Dauphin, 2007. Italy (I): Locatelli & Limonta, 2004. Canada (III): Mockford, 2007. USA (III): Mockford, 2007.

*Philotarsus picicornis* (Fabricius). Mockford, 2007: species not recorded from North America; all re-investigated North American (III) records for this species apply to *Philotarsus parviceps*. Czech Republic (I): Holusa, 2003. Finland (I): Kanervo & Varkonyi, 2007. France (I): Dauphin, 2007. Great Britain (I): Hollier, 1996. Italy (I): Locatelli & Limonta, 2004. Luxembourg (I): Schneider, 2007.

*Philotarsus potosinus*\* Mockford, 2007: 119. Mexico (IV).

## Elipsocidae

- Cuneopalpus cyanops* (Rostock). Finland (I): Kanervo & Varkonyi, 2007. Luxembourg (I): Schneider, 2007.  
*Elipsocus* spec. Finland (I): Kanervo & Varkonyi, 2007.  
*Elipsocus abdominalis* Reuter. Finland (I): Kanervo & Varkonyi, 2007. Great Britain (I): Alexander, 2006b. Italy (I): Locatelli & Limonta, 2004. Luxembourg (I): Schneider, 2007. Netherlands (I): Peeters & Hogenes, 1996.  
*Elipsocus hyalinus* (Stephens). France (I): Dauphin, 2007. Great Britain (I): Hollier, 1996; Alexander, 2007a. Italy (I): Locatelli & Limonta, 2004. Luxembourg (I): Schneider, 2007.  
*Elipsocus moebiusi* Tetens. Czech Republic (I): Holusa, 2003, 2005. Luxembourg (I): Schneider, 2007.  
*Elipsocus oligotrichus* Thornton. China (VIII): Hua Li-zhong, 2000.  
*Elipsocus pumilis* (Hagen). Great Britain (I): Hollier, 1996; Alexander, 2007a (misspelled *E. pusillus*, according to Alexander *in litt.*). Italy (I): Locatelli & Limonta, 2004. Luxembourg (I): Schneider, 2007.  
*Hemineura dispar* Tetens. Finland (I): Kanervo & Varkonyi, 2007. France (I): Dauphin, 2007.  
*Pentacladus marmoratus* Smithers & Thornton. Lord Howe Island (IX): Smithers, 2007.  
*Prionotodrilus parvus* (Smithers & Thornton). Lord Howe Island (IX): Smithers, 2007.  
*Proposocus pulchripennis* (Perkins). France (I): Dauphin, 2005, 2007. Great Britain (I): Saville *et al.*, 2007.  
*Reuterella helvimacula* (Enderlein). Czech Republic (I): Holusa, 2003. Finland (I): Kanervo & Varkonyi, 2007. Italy (I): Locatelli & Limonta, 2004.

## Mesopsocidae

- Mesopsocus* Kolbe. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 240.  
*Mesopsocus helveticus* Lienhard. Finland (I): Silfverberg, 2007.  
*Mesopsocus hongkongensis* Thornton. China (VIII): Hua Li-zhong, 2000.  
*Mesopsocus immunis* (Stephens). France (I): Dauphin, 2007.  
*Mesopsocus laticeps* (Kolbe). Czech Republic (I): Holusa, 2005. Finland (I): Kanervo & Varkonyi, 2007. Italy (I): Locatelli & Limonta, 2004. Luxembourg (I): Schneider, 2007. Netherlands (I): Peeters & Hogenes, 1996.  
*Mesopsocus unipunctatus* (Müller). Czech Republic (I): Holusa, 2003, 2005. Finland (I): Kanervo & Varkonyi, 2007. France (I): Dauphin, 2007. Italy (I): Locatelli & Limonta, 2004. Luxembourg (I): Schneider, 2007.

## Hemipsocidae

- Hemipsocus* Selys-Longchamps. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 245.  
*Hemipsocus chloroticus* (Hagen). China (VIII): Hua Li-zhong, 2000.  
*Metahemipsocus scitulus* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.

## Psocidae

### AMPHIGERONTIINAE

- Key to genera of Amphigerontiinae from SE-Asia (VIII): New & Lienhard, 2007: 150. - NOTE: *Elytropsocus* and *Kaindipsocus* are keyed under Psocinae: Ptyctini.  
*Amphigerontia* Kolbe. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 248. Key to species of North America North of Mexico: Mockford & Anonby, 2007: 712.  
*Amphigerontia bifasciata* (Latreille). Czech Republic (I): Holusa, 2003, 2005. Finland (I): Kanervo & Varkonyi, 2007. France (I): Dauphin, 2007. Italy (I): Locatelli & Limonta, 2004. Luxembourg (I): Schneider, 2007. Canada, USA (III): Mockford & Anonby, 2007 (descriptive notes).  
*Amphigerontia contaminata* (Stephens). Finland (I): Kanervo & Varkonyi, 2007. Italy (I): Locatelli & Limonta, 2004.  
*Amphigerontia diffusa* Navas. China (VIII): Hua Li-zhong, 2000.  
*Amphigerontia infernicola* (Chapman). USA (III): Mockford & Anonby, 2007 (descriptive notes).  
*Amphigerontia intermedia* (Tetens). Finland (I): Kanervo & Varkonyi, 2007. France (I): Dauphin, 2007. Italy (I): Locatelli & Limonta, 2004.  
*Amphigerontia jezoensis* Okamoto. China (VIII): Hua Li-zhong, 2000.  
*Amphigerontia longicauda*\* Mockford & Anonby, 2007: 708. USA (III).  
*Amphigerontia montivaga* (Chapman). Canada, USA (III): Mockford & Anonby, 2007 (descriptive notes).  
*Amphigerontia petiolata* (Banks). USA (III): Mockford & Anonby, 2007 (descriptive notes).  
*Anomaloblaste* Endang Sri Kentjonowati, Thornton & New, 2002. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 248.  
*Blaste* Kolbe. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 248.  
*Blaste conspurcata* (Rambur). France (I): Dauphin, 2005, 2007.  
*Blaste phrynae* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Blaste quadrimaculata* (Latreille). France (I): Dauphin, 2007.  
*Blastopsocus* Roesler. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 249.  
*Elytropsocus* Smithers & Thornton. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 250.  
*Euclismioides* Smithers & Thornton. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 250.  
*Indoblaste* Endang Sri Kentjonowati & Thornton. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 250.

*Kaindipsocus* Smithers & Thornton. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 250.  
*Javablaste* Endang Sri Kentjonowati, Thornton & New, 2002. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 250.  
*Neoblaste* Thornton. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 250.  
*Neopsocopsis hirticornis* (Reuter). Finland (I): Kanervo & Varkonyi, 2007.  
*Pentablaste flavida* (Li Fasheng). China (VIII): Li Fasheng, 2004.  
*Pentablaste minuscula* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Stylatopsocus biuncialis* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.

#### PSOCINAE

Key to genera of Cerastipsocini from SE-Asia (VIII): New & Lienhard, 2007: 154.  
 Key to genera of Metylophorini from SE-Asia (VIII): New & Lienhard, 2007: 157.  
 Key to genera of Psocini from SE-Asia (VIII): New & Lienhard, 2007: 159.  
 Key to genera of Ptyctini from SE-Asia (VIII): New & Lienhard, 2007: 161 (including also *Elytropsocus* and *Kaindipsocus*, which were assigned to Amphigerontiinae by Lienhard & Smithers, 2002; see above).  
*Atlantopsocus adustus* (Hagen). Great Britain (I): Alexander, 2007a.  
*Atrichadenotecnum* Yoshizawa. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 248.  
*Cerastipsocus sivorii* (Ribaga). Brazil (V): Requena *et al.*, 2007 (ethol., phenol.).  
*Clematoscenea* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 249.  
*Clematostigma* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 249.  
*Clematostigma hyalinum* (Okamoto). China (VIII): Hua Li-zhong, 2000.  
*Clematostigma subcostale* (Okamoto). China (VIII): Hua Li-zhong, 2000.  
*Conothoracalis guangxiica* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Conothoracalis perbella* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Copostigma* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 249. Monophyly of *Copostigma-Ptycta* complex: Bess & Yoshizawa, 2007.  
*Cycetes* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 249.  
*Javapsocus* Endang Sri Kentjonowati, Thornton & New, 2002. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 250.  
*Loensia* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 250.  
*Loensia fasciata* (Fabricius). Czech Republic (I): Holusa, 2003, 2005. France (I): Dauphin, 2007. Italy (I): Locatelli & Limonta, 2004. Luxembourg (I): Schneider, 2007.  
*Loensia pearmani* Kimmins. France (I): Dauphin, 2007.  
*Loensia variegata* (Latreille). France (I): Dauphin, 2007. Great Britain (I): Alexander, 2005. Luxembourg (I): Schneider, 2007.  
*Mecampsis undulata* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Metylophorus* Pearman. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 250.  
*Metylophorus medicornutus* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Metylophorus nebulosus* (Stephens). Czech Republic (I): Holusa, 2003, 2005. Finland (I): Kanervo & Varkonyi, 2007. France (I): Dauphin, 2007. Great Britain (I): Hollier, 1996. Italy (I): Locatelli & Limonta, 2004. Luxembourg (I): Schneider, 2007. Netherlands (I): Peeters & Hogenes, 1996. China (VIII): Hua Li-zhong, 2000.  
*Neopsocus rhenanus* Kolbe. France (I): Dauphin, 2007.  
*Oreopsocus montanus* (Kolbe). Italy (I): Locatelli & Limonta, 2004.  
*Psocidus* Pearman. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 251.  
*Psocidus femoratus* (McLachlan). China (VIII): Hua Li-zhong, 2000.  
*Psocidus flavonimbatus* (Rostock). Finland (I): Kanervo & Varkonyi, 2007; Silfverberg, 2007.  
*Psocidus formosanus* (Okamoto). China (VIII): Hua Li-zhong, 2000.  
*Psocidus sauteri* (Enderlein). China (VIII): Hua Li-zhong, 2000.  
*Psocidus strictus* Thornton. China (VIII): Hua Li-zhong, 2000.  
*Psocidus tacaoensis* (Enderlein). China (VIII): Hua Li-zhong, 2000.  
*Psococerastis* Pearman. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 251.  
*Psococerastis capitata* (Okamoto). China (VIII): Hua Li-zhong, 2000.  
*Psococerastis epunctata* Li Fasheng, 2004: 253 (**nomen nudum**). See *Psococerastis psaronipunctata* Li Fasheng.  
*Psococerastis ficivorella* (Okamoto). China (VIII): Hua Li-zhong, 2000.  
*Psococerastis gibbosa* (Sulzer). Czech Republic (I): Holusa, 2003, 2005. Finland (I): Kanervo & Varkonyi, 2007. France (I): Dauphin, 2007. Great Britain (I): Hollier, 1996. Italy (I): Locatelli & Limonta, 2004. Luxembourg (I): Schneider, 2007.  
*Psococerastis linearis* Li Fasheng. China (VIII): Li Fasheng, 2004.  
*Psococerastis nilae* Datta. India (VIII): Srivastava, 2004.  
*Psococerastis nubila* (Enderlein). India (VIII): Srivastava, 2004.  
*Psococerastis pingxiangensis* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Psococerastis platynota* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.  
*Psococerastis psaronipunctata* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004 [listed under the nomen nudum *P. epunctata*; however, according to the locality data, this could be the holotype female described by Li Fasheng

(2002a) as *P. psaronipunctata*].

*Psococerastis sinensis* Thornton. China (VIII): Hua Li-zhong, 2000.

*Psococerastis taprobanes* (Hagen). China (VIII): Hua Li-zhong, 2000.

*Psococerastis tokyoensis* (Enderlein). China (VIII): Hua Li-zhong, 2000

*Psocus* Latreille. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 252.

*Psocus bipunctatus* (Linnaeus). Great Britain (I): Saville *et al.*, 2007. Italy (I): Locatelli & Limonta, 2004.

*Ptycta* Enderlein. Genus definition: Bess & Yoshizawa, 2007. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 252. Monophyly of *Copostigma-Ptycta* complex: Bess & Yoshizawa, 2007.

*Ptycta johnsoni*\* Bess & Yoshizawa, 2007: 283. Japan (VIII).

*Ptycta micromaculata* Thornton, Lee & Chui. Redescription: Bess & Yoshizawa, 2007: 285. Japan (VIII).

*Ptycta parvidentata* Tsutsumi. Redescription: Bess & Yoshizawa, 2007: 285. Japan (VIII).

*Ptycta recava*\* Bess & Yoshizawa, 2007: 282. Japan (VIII).

*Setopsocus* Smithers & Thornton. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 252.

*Sigmatoneura* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 253.

*Sigmatoneura kolbei* (Enderlein). China (VIII): Hua Li-zhong, 2000.

*Sigmatoneura (Longifolia) macroloba* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.

*Sigmatoneura subcostalis* (Enderlein). China (VIII): Hua Li-zhong, 2000.

*Sundapsocus* Smithers. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 253.

*Symbiopsocus bicurris* (Li Fasheng). Li Fasheng, 2002a: p. 1410: figure 1264 is not correct; in the personal copy of Charles Lienhard it has been replaced by a photocopy of the correct version, which was sent to him in August 2007 by Fasheng Li.

*Trichadenotecnum* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 253. Yoshizawa, Lienhard & Thapa, 2007: Key to Nepalese species; remarks on *spiniserrulum* group; definition of three new species groups (*distinctum* group, *digitatum* group, *longimucronatum* group).

*Conothoracalis* Li Fasheng. **Synonymy:** Yoshizawa, Lienhard & Thapa, 2007: 4.

*Trichadenotecnum* spec. Nepal (VIII): Yoshizawa, Lienhard & Thapa, 2007: spec. 2 (female, figs, assigned to *spiniserrulum* group); spec. 5 (female, figs, assigned to *spiniserrulum* group); spec. 9 (female, figs, assigned to *distinctum* group); spec. 10 (female, figs, assigned to *longimucronatum* group).

*Trichadenotecnum adika* Endang Sri Kentjowati, Thornton & New, 2002. Yoshizawa, Lienhard & Thapa, 2007: 33 (assigned to *spiniserrulum* group).

*Trichadenotecnum ampullaceum* (Li Fasheng, 2002a). China (VIII): Li Fasheng, 2004.

*Trichadenotecnum arciforme* Thornton. China (VIII): Hua Li-zhong, 2000.

*Trichadenotecnum bannaense* (Li Fasheng, 2002a). Yoshizawa, Lienhard & Thapa, 2007: 33 (**from** *Loensia*) (assigned to *spiniserrulum* group).

*Trichadenotecnum bidens* Thornton. China (VIII): Hua Li-zhong, 2000.

*Trichadenotecnum corollatum* (Li Fasheng, 2002a). Yoshizawa, Lienhard & Thapa, 2007: 32 (**from** *Conothoracalis*) (assigned to *longimucronatum* group).

*Trichadenotecnum dactylinum* (Li Fasheng, 2002a). China (VIII): Li Fasheng, 2004.

*Trichadenotecnum danieli*\* Yoshizawa & Lienhard, *in:* Yoshizawa, Lienhard & Thapa, 2007: 11 (assigned to *spiniserrulum* group). Nepal (VIII).

*Trichadenotecnum depitarense*\* Yoshizawa & Lienhard, *in:* Yoshizawa, Lienhard & Thapa, 2007: 21 (assigned to *distinctum* group). Nepal (VIII).

*Trichadenotecnum digitatum* (Li Fasheng, 2002a). Yoshizawa, Lienhard & Thapa, 2007: 33 (assigned to *digitatum* group).

*Trichadenotecnum distinctum* Datta. Redescription of male terminalia and description of female: Yoshizawa, Lienhard & Thapa, 2007: 23 (assigned to *distinctum* group), Nepal (VIII). India (VIII): Srivastava, 2004.

*Trichadenotecnum dobhanense* New. Redescription of male terminalia: Yoshizawa, Lienhard & Thapa, 2007: 8 (assigned to *spiniserrulum* group). Nepal (VIII).

*Trichadenotecnum enneagonum* (Li Fasheng, 2002a). Yoshizawa, Lienhard & Thapa, 2007: 32 (**from** *Conothoracalis*) (assigned to *longimucronatum* group).

*Trichadenotecnum germanicum* Roesler. Finland (I): Kanervo & Varkonyi, 2007.

*Trichadenotecnum godavarensense* New. Description of male terminalia: Yoshizawa, Lienhard & Thapa, 2007: 15 (assigned to *spiniserrulum* group). Nepal (VIII). - NOTE: terminalia of the allotype male are excluded from the allotype, see *T. masoni*, below).

*Trichadenotecnum masoni* New (part.: terminalia of holotype male, excluded from holotype).  
[Not *Trichadenotecnum masoni* New, which is based on the holotype male excluding terminalia. See *T. masoni*, below].

*Trichadenotecnum gombakense* New & Lee. Yoshizawa, Lienhard & Thapa, 2007: 33 (assigned to *spiniserrulum* group).

*Trichadenotecnum guangxiicum* (Li Fasheng, 2002a). Yoshizawa, Lienhard & Thapa, 2007: 32 (**from** *Conothoracalis*) (assigned to *longimucronatum* group).

*Trichadenotecnum hengshanicum* (Li Fasheng, 2002a). Yoshizawa, Lienhard & Thapa, 2007: 33 (**from** *Loensia*) (assigned to *spiniserrulum* group).

*Trichadenotecnum incognitum* Roesler. Finland (I): Kanervo & Varkonyi, 2007.

*Trichadenotecnum inuuptum* Betz. Italy (I): Locatelli & Limonta, 2004.

- Trichadenotecnum isseii*\* Yoshizawa & Lienhard, *in*: Yoshizawa, Lienhard & Thapa, 2007: 4 (assigned to *spiniserrulum* group). Nepal (VIII).
- Trichadenotecnum jambiense* Endang Sri Kentjonowati & New, 2005. Yoshizawa, Lienhard & Thapa, 2007: 33 (assigned to *longimucronatum* group).
- Trichadenotecnum jinxiuense* (Li Fasheng, 2002a). Yoshizawa, Lienhard & Thapa, 2007: 33 (assigned to *spiniserrulum* group).
- Trichadenotecnum laticornutum* Endang Sri Kentjonowati, Thornton & New, 2002. Yoshizawa, Lienhard & Thapa, 2007: 33 (assigned to *spiniserrulum* group).
- Trichadenotecnum longimucronatum* (Li Fasheng). Yoshizawa, Lienhard & Thapa, 2007: 32 (**from** *Conothoracalis*) (assigned to *longimucronatum* group).
- Trichadenotecnum majus* (Kolbe). Czech Republic (I): Holusa, 2003, 2005. Finland (I): Kanervo & Varkonyi, 2007. France (I): Dauphin, 2007. Italy (I): Locatelli & Limonta, 2004. Luxembourg (I): Schneider, 2007. Netherlands (I): Peeters & Hogenes, 1996.
- Trichadenotecnum malickyi*\* Yoshizawa & Lienhard, *in*: Yoshizawa, Lienhard & Thapa, 2007: 26 (assigned to *digitatum* group). Nepal (VIII).
- Trichadenotecnum masoni* New. Yoshizawa, Lienhard & Thapa, 2007: 21 (assigned to *distinctum* group). Nepal (VIII). - NOTE: terminalia of the holotype male are excluded from the holotype, see *T. godavarensense*, above).  
*Trichadenotecnum godavarensense* New (part: allotype male terminalia).  
[Not *Trichadenotecnum godavarensense* New, which is based on the female holotype].
- Trichadenotecnum medium* Thornton. China (VIII): Hua Li-zhong, 2000.
- Trichadenotecnum multangulare* (Li Fasheng, 2002a). Yoshizawa, Lienhard & Thapa, 2007: 33 (assigned to *spiniserrulum* group).
- Trichadenotecnum multicuspidatum* (Li Fasheng, 2002a). Yoshizawa, Lienhard & Thapa, 2007: 33 (assigned to *spiniserrulum* group).
- Trichadenotecnum nepalense*\* Yoshizawa & Lienhard, *in*: Yoshizawa, Lienhard & Thapa, 2007: 19 (assigned to *distinctum* group). Nepal (VIII).
- Trichadenotecnum obsitum* (Enderlein). China (VIII): Hua Li-zhong, 2000.
- Trichadenotecnum octogonum* (Li Fasheng, 2002a). Yoshizawa, Lienhard & Thapa, 2007: 33 (**from** *Loensia*) (assigned to *spiniserrulum* group).
- Trichadenotecnum paradika* Endang Sri Kentjonowati & New, 2005. Yoshizawa, Lienhard & Thapa, 2007: 33 (assigned to *spiniserrulum* group).
- Trichadenotecnum perbellum* (Li Fasheng, 2002a). Yoshizawa, Lienhard & Thapa, 2007: 32 (**from** *Conothoracalis*) (assigned to *longimucronatum* group).
- Trichadenotecnum percussum* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.
- Trichadenotecnum pokhariense* New. Nepal (III): Yoshizawa, Lienhard & Thapa, 2007: 30 (incertae sedis, i.e. not assigned to species group)
- Trichadenotecnum proctum* Endang Sri Kentjonowati & New, 2005. Yoshizawa, Lienhard & Thapa, 2007: 33 (assigned to *longimucronatum* group).
- Trichadenotecnum quinarium* (Li Fasheng, 2002a). Yoshizawa, Lienhard & Thapa, 2007: 33 (**from** *Conothoracalis*) (assigned to *longimucronatum* group).
- Trichadenotecnum sclerotum* New. Redescription of male terminalia and description of female: Yoshizawa, Lienhard & Thapa, 2007: 13 (assigned to *spiniserrulum* group). Nepal (VIII).
- Trichadenotecnum sexpunctatum* (Linnaeus). Czech Republic (I): Holusa, 2003. France (I): Dauphin, 2007. Italy (I): Locatelli & Limonta, 2004. China (VIII): Hua Li-zhong, 2000.
- Trichadenotecnum shilinicum* (Li Fasheng, 2002a). Yoshizawa, Lienhard & Thapa, 2007: 33 (**from** *Conothoracalis*) (assigned to *longimucronatum* group).
- Trichadenotecnum suwai*\* Yoshizawa & Lienhard, *in*: Yoshizawa, Lienhard & Thapa, 2007: 9 (assigned to *spiniserrulum* group). Nepal (VIII).
- Trichadenotecnum turriforme* (Li Fasheng). Yoshizawa, Lienhard & Thapa, 2007: 33 (**from** *Conothoracalis*) (assigned to *longimucronatum* group).
- Trichadenotecnum unciforme* (Li Fasheng, 2002a). Yoshizawa, Lienhard & Thapa, 2007: 33 (**from** *Conothoracalis*) (assigned to *longimucronatum* group).

#### THYRSOPHORINAE

*Thyrsopsocopsis* Mockford, 2004d. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 253.

#### Psilopsocidae

*Psilopsocus* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 248.

#### Myopsocidae

Key to genera of Myopsocidae from SE-Asia (VIII): New & Lienhard, 2007: 140.

*Gyromyus gyrus* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.

*Gyromyus sanguensis* (New). China (VIII): Li Fasheng, 2004.

*Lichenomima* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 246.

*Lichenomima oxycera* Li Fasheng, 2002a. China (VIII): Li Fasheng, 2004.

- Lophopterygella* Enderlein. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 246.  
*Lophopterygella camelina* Enderlein. China (VIII): Hua Li-zhong, 2000.  
*Mouldsia* Smithers. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 246.  
*Myopsocus* Hagen. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 246.  
*Nimbopsocus australis* (Brauer). Lord Howe Island (IX): Smithers, 2007.  
*Nimbopsocus huttoni*\* Smithers, 2007: 23. Lord Howe Island (IX).  
*Smithersia* Thornton. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 247.  
*Thorntonodes* Lienhard, 2004f. Checklist and distribution of SE-Asia species (VIII): New & Lienhard, 2007: 248.  
*Thorntonodes bellulus* (Li Fasheng, 2002a). China (VIII): Li Fasheng, 2004.

#### 4. Additions to the Bibliography

NOTE: Complete bibliographical references to publications cited in the present paper, which are not listed here, can be found in the World Bibliography (Lienhard & Smithers, 2002: 493-664) or in Parts 1 to 6 of the "Additions" (Psocid News, no. 4, 5, 6, 7, 8, 9).

#### Remarks:

Each issue of "Psocid News" is separately quoted under Yoshizawa (ed.). Selected references to some particularly interesting contributions out of these newsletters can also be found under the authors' names.

Usually cross-references for all authors are made, as in the 2002-bibliography, except for papers with more than five authors which are merely cited as "first author *et al.*"; in cases of more than one editor, cross-references are usually only made for the first editor.

For a **subject bibliography** including these additions, see: <http://www.ville-ge.ch/mhng/psocoptera/page/ps-bibli.htm>

- Alexander, K. N. A. 2005. Barkflies (Psocoptera). *Devonshire Association for the Advancement of Science Literature and the Arts Reports and Transactions* 137: 358-359.  
 Alexander, K. N. A. 2006b. Psocoptera (Barkflies). *Devonshire Association for the Advancement of Science Literature and the Arts Reports and Transactions* 138: 343.  
 Alexander, K. N. A. 2007a. *Atlantopsocus adustus* (Hagen) (Psoc.: Psocidae) new to Britain from East Cornwall. *Entomologist's Record* 119: 76.  
 Alexander, K. N. A. 2007b. (Book Review). *British Journal of Entomology and Natural History* 20: 119-120.  
 Review of New, 2005a.  
 Alexander, K. N. A. 2007c. See Saville, B. *et al.* 2007.  
 Alfred, J. R. B. 2004. See Srivastava, V. D. 2004.  
 Anonby, J. A. 2007. See Mockford, E. L. & Anonby, J. A. 2007.  
 Anonymous 2007. Barkfly recording scheme. *British Journal of Entomology and Natural History* 20: 122-123.  
 Azar, D. 2000. Les ambres mésozoïques du Liban. *Thèse de Doctorat, Université Paris XI*, 164 pp. + 144 pp annexes. (Unpublished). (**Not seen**).  
 Bai Xuguang 2000. See Li Zhihong *et al.* 2000.  
 Bastero Monserrat, J. J. 1989. Longinos Navas científico jesuita. Universidad de Zaragoza, Zaragoza, 229 pp. [Complete scientific bibliography: pp. 105-131; Psoc. (taxa described by Navas listed): pp. 199-202, 225].  
 Bess, E. C. & Yoshizawa, K. 2007. Redefinition of *Ptycta* Enderlein (Psocodea: 'Psocoptera': Psocidae) and taxonomic revision of the Japanese species. *Entomological Science* 10(3): 279-290, 10 figs.  
 Bratton, J. H. 2007. See Saville, B. *et al.* 2007.  
 Buzatto, B. A. 2007. See Requena, G. S. *et al.* 2007.  
 Cao Yang 2000. See Li Zhihong *et al.* 2000.  
 Cao Yang, Guo Zhong-jian & Sun Guan-ying 2001. Study on the life history of *Liposcelis entomophila* (pp. 202-204). In: Hu Cui & Cheng Jia-an (eds). *Advances in Urban Entomology. Proceedings of the Sixth National Symposium on Urban Entomology. Zhejiang University Press*. (In Chinese, with English summary). (**Not seen**).  
 Cao Yang, Song Yi & Sun Guanying 2003. A survey of psocid species infesting stored grain in China and resistance to phosphine in field populations of *Liposcelis entomophila* (Enderlein) (Psocoptera: Liposcelididae) (pp. 662-667, 4 figs). *Proceedings of the 8th International Working Conference on Stored Product Protection*.  
 Chai Yu-Xin, Liu Guo-Ying & Wang Jin-Jun 2007. Toxicological and biochemical characterizations of AChE in *Liposcelis bostrychophila* Badonnel (Psocoptera: Liposcelididae). *Pesticide Biochemistry and Physiology* 88(2): 197-202. (**Only abstract seen**).  
 Chan Mei-Ling & Yang Jeng-Tze 2007. A new species, *Coleotroctellus huisunensis* (Psocoptera: Troctopsocidae), from Taiwan, with a key to species of *Coleotroctellus*. *Annals of the Entomological Society of America* 100(3): 359-365, 31 figs.  
 Chen Zhi-yong 2005. See Cheng Wei-xia *et al.* 2005.  
 Cheng Wei-xia, Wang Jin-jun & Chen Zhi-yong 2005. Comparison of the metabolisms of three energy sources in *Liposcelis bostrychophila* and *L. entomophila* (Psocoptera: Liposcelididae) under the impact of insecticides. *Zoological Research* 26(5): 545-550. (In Chinese, with English summary). (**Not seen**).

- Clemons, L. 2007. See Saville, B. *et al.* 2007.
- Daglish, G. J. 2007. See Nayak, M. K. & Daglish, G. J. 2007.
- Dauphin, P. 2005. *Trimerocaecilius becheti*, *Blaste conspurcata*, *Protopsocus pulchripennis*. In: La boîte à bonnes bêtes no 20. *Bulletin de la Société Linnéenne de Bordeaux*, Tome 140, (Nouvelle Série) no. 33(4): 323-325.
- Dauphin, P. 2007. Quelques données sur les Psocoptères (Psocoptera) de Gironde et des départements voisins. *Bulletin de la Société Linnéenne de Bordeaux*, Tome 142, (Nouvelle Série) no. 35(3): 281-286, 3 figs.
- Delclos, X. *et al.* 2007. Fossiliferous amber deposits from Cretaceous (Albian) of Spain. *Comptes Rendus Palevol* 6: 135-149. **(Only abstract seen)**.
- Ding Wei 2005. See Tao Hui-ying *et al.* 2005.
- Dong Peng, Wang Jin-Jun & Zhao Zhi-Mo 2006. Infection by *Wolbachia* bacteria and its influence on the reproduction of the stored-product psocid *Liposcelis tricolor*. *Journal of Insect Science* 2006: Article 24: 1-7, 4 figs. - NOTE: This reference replaces the following one mentioned in Part 6 of the Additions: Dong Peng, Wang Jin-Jun & Zhao Zhi-Mo [2005(?)].
- Dong Peng, Wang Jin-Jun, Jia Fu-Xian & Hu Fei 2007a. Development and reproduction of the psocid *Liposcelis tricolor* (Psocoptera: Liposcelididae) as a function of temperature. *Annals of the Entomological Society of America* 100(2): 228-235, 3 figs.
- Dong Peng, Wang Jin-Jun, Hu Fei & Jia Fu-Xian 2007b. Influence of *Wolbachia* infection on the fitness of the stored-product pest *Liposcelis tricolor* (Psocoptera: Liposcelididae). *Journal of Economic Entomology* 100(4): 1476-1481. **(Only abstract seen)**.
- Dou, W., Wang, J.-J. & Zhao, Z.-M. 2006. Toxicological and biochemical characterizations of GSTs in *Liposcelis bostrychophila* Badonnel (Psocoptera, Liposcelididae). *Journal of Applied Entomology* 130(4): 251-256. **(Not seen)**.
- Flinn, P. W. 2006. See Throne, J. E. *et al.* 2006.
- Garcia Aldrete, A. N. 2007. A pair of new sister species of *Loneura* from Nicaragua and Venezuela (Psocoptera: Ptiloneuridae). *Revista Mexicana de Biodiversidad* 78: 99-104, 15 figs.
- Ghally, S. E. 2002. See Kossa, F. I. *et al.* 2002.
- Giddens, C. 1996. See Hollier, J. A. 1996
- Gonseth, Y. 2006. Psocoptera (p. 84). In: Federal Office of the Environment (ed.). Invasive alien species in Switzerland. An inventory of alien species and their threat to biodiversity and economy in Switzerland. *Federal Office of the Environment, Bern*, 155 pp. (Some species of Psocoptera mentioned, based on Lienhard, 1994a). - NOTE: This is the same as Gonseth, 2005, which has already been analysed in detail for Part 6 of the Additions.
- Guo Zhong-jian 2001. See Cao Yang *et al.* 2001.
- Han Zhen-Chong 2005. See Lu Ja-Juan & Han Zhen-Chong 2005.
- Hogenes, W. 1996. See Peeters, T. M. J. & Hogenes, W. 1996.
- Hollier, J. A. 1996. Psocoptera (psocids), booklice and barklice (pp. 164-165). In: Giddens, C., Robbins, J. & Allen, N. (eds). The flora and fauna of Exmoor National Park, a natural history check-list. *Exmoor Natural History Society. Exmoor Books, Dulverton, Somerset*, X+342 pp.
- Holusa, O. 2003. Fauna of psocids (Insecta: Psocoptera) in the National Nature Reserve Mazak in the Moravskoslezské Beskydy Mts. (Beskydsky biogeographical region, Czech Republic). *Prace a studie Muzea Beskyd Prirodny Vedy* 13: 83-98, 3 figs.
- Holusa, O. 2005. Fauna of psocids (Insecta: Psocoptera) in the Natural Monument Kamenec in the Podbeskydska pahorkatina Hilly land (Podbeskydsky biogeographical region, Czech Republic). *Prace a studie Muzea Beskyd Prirodny Vedy* 15: 75-89, 1 fig.
- Hu Cui 2001. See Cao Yang *et al.* 2001 and Li Zhihong 2001.
- Hu Fei 2007. See Dong Peng *et al.* 2007a.
- Hu Fei 2007. See Dong Peng *et al.* 2007b.
- Hua Li-zhong 2000. List of Chinese Insects Vol. I, 448 pp. *Zhongshan (Sun Yat-sen) University Press, Guangzhou*. (Psoc.: Chapter 19: Order Psocoptera (Corrodentia, Copeognatha), pp. 216-219). (In English). - NOTE: This is a checklist of Chinese species based on data up to 1990, including China (s. str.), Taiwan and Hong Kong. The reference has already been mentioned in Part 3 of the Additions to the World Bibliography, without being analysed in detail. This checklist is here only mentioned for the 94 Chinese species (mainly recorded from Taiwan or Hong Kong) which are not treated in Li's monograph (Li Fasheng, 2002a).
- Huenefeld, F. 2007. The genital morphology of *Zorotypus hubbardi* Caudel 1918 (Insecta: Zoraptera: Zorotypidae). *Zoomorphology* 126(3): 135-151. **(Only abstract seen)**.
- Jia Fu-Xian 2007. See Dong Peng *et al.* 2007a.
- Jia Fu-Xian 2007. See Dong Peng *et al.* 2007b.
- Kalinovic, I., Rozman, V., Liska, A., 2006a. Prasne usi (Psocoptera) i njihovo suzbijanje u uskladistenim zrnatim proizvodima i pakiranim prehrambenim artiklima. (Psocids, Psocoptera and their control in stored grain products and in packaged food products). *Zbornik radova Seminara DDD i ZUPP* 2006, Zagreb, pp. 221-230. **(Not seen)**.
- Kalinovic, I., Rozman, V., Liska, A., 2006b. Significance and feeding of psocids (Liposcelididae, Psocoptera) with microorganisms (pp. 1087-1094, 10 figs). *Proceedings of the 9th International Working Conference on Stored Product Protection, 15-18 October 2006, Campinas, Sao Paulo, Brazil*.
- Kanervo, J. & Varkonyi, G. 2007. Occurrence of Psocoptera in boreal old-growth forests. *Entomologica Fennica* 18: 129-137, 1 fig.
- Keller, S. 2007. Arthropod-pathogenic Entomophthorales from Switzerland. III. First additions. *Sydowia* 59(1): 75-



113. (Psoc.: p. 78).

- Klausnitzer, B. 2006. Stiefkinder der Entomologie in Mitteleuropa. *Beiträge zur Entomologie* 56(2): 360-368.
- Kossa, F. I., Zalat, S. M., Ghally, S. E. & Mohammed, S. R. 2002. Morphology of *Liposcelis subfuscus* Broadhead and its importance in the phylogeny of the family Liposcelidae. *Journal of Union of Arab Biologists Cairo A Zoology* 17: 449-461. (**Not seen**).
- Kucerova, Z. 2007. Nymph's morphology of *Dorypteryx domestica* (Psocoptera). *Integrated Protection of Stored Products IOBC/wprs Bulletin* 30(2): 161-165, 2 figs.
- Li Fasheng 1999. See Li Zhihong *et al.* 1999a.
- Li Fasheng 1999. See Li Zhihong *et al.* 1999b.
- Li Fasheng 1999. See Li Zhihong *et al.* 1999c.
- Li Fasheng 1999. See Li Zhihong *et al.* 1999d.
- Li Fasheng 1999. See Li Zhihong *et al.* 1999e.
- Li Fasheng 2002b. Psocoptera (pp. 119-126). In: Huang Fusheng (ed.). Forest insects of the Hainan. *Science Press, Beijing*. (In Chinese, with English summary). - NOTE: This reference has already been cited and analysed in detail in Part 3 of the Additions to the World Bibliography, but the name of the editor was misspelled Fuang.
- Li Fasheng 2004. Psocoptera: Amphientomidae, Caeciliusidae, Stenopsocidae, Amphipsocidae, Hemipsocidae, Ectopsocidae, Philotarsidae, Pseudocaeciliidae, Peripsocidae, Myopsocidae and Psocidae (pp. 240-253). In: Yang Xingke (ed.). Insects from Mt. Shiwandashan Area of Guangxi. *China Forestry Publishing House, Beijing*, 700 pp. (In Chinese, with English summary). - NOTE: Throughout this paper the references to "Li, 2001" as the author of species names have to be replaced by "Li, 2002". These species have been described in Li's monograph on Chinese psocids (Li Fasheng, 2002a).
- Li Fujun 2000. See Li Zhihong *et al.* 2000.
- Li Zhihong 2001. Species and identification of store booklice in China (pp. 197-201, 2 figs). In: Hu Cui & Cheng Jian (eds). *Advances in Urban Entomology. Proceedings of the Sixth National Symposium on Urban Entomology. Zhejiang University Press*. (In Chinese, with English summary).
- Li Zhihong & Zhang Baofeng 2000. Description of *Liposcelis bouillonii* Badonnel and *L. edaphica* Lienhard as new records in China. *Plant Quarantine* 14(6): 326-329, 2 figs. (In Chinese, with English summary).
- Li Zhihong, Li Fasheng & Zhang Baofeng 1999. A taxonomic study on the genus *Liposcelis* from China I. Research history and development. *Plant Quarantine* 13(2): 77-79. (In Chinese). (= Li Zhihong *et al.* 1999a).
- Li Zhihong, Li Fasheng & Zhang Baofeng 1999. A taxonomic study on the genus *Liposcelis* from China II. Taxonomic methods and characters of *Liposcelis*. *Plant Quarantine* 13(3): 12-16, 2 figs. (In Chinese, with English summary). (= Li Zhihong *et al.* 1999b).
- Li Zhihong, Li Fasheng & Zhang Baofeng 1999. A taxonomic study on the genus *Liposcelis* from China III. Key and taxonomy. *Plant Quarantine* 13(4): 193-196, 3 figs. (In Chinese, with English summary). (= Li Zhihong *et al.* 1999c).
- Li Zhihong, Li Fasheng & Zhang Baofeng 1999. A taxonomic study on the genus *Liposcelis* from China IV. Some common storage pests of the genus *Liposcelis*. *Plant Quarantine* 13(5): 266-271, 4 figs. (In Chinese, with English summary). (= Li Zhihong *et al.* 1999d).
- Li Zhihong, Li Fasheng & Zhang Baofeng 1999. A taxonomic study on the genus *Liposcelis* from China V. Some common storage pests of the genus *Liposcelis* and plant quarantine. *Plant Quarantine* 13(6): 334-338, 3 figs. (In Chinese, with English summary). (= Li Zhihong *et al.* 1999e).
- Li Zhihong, Bai Xuguang, Cao Yang, Zhang Baofeng & Li Fujun 2000. Two new records of *Liposcelis* from China (Psocoptera: Liposcelididae). *Plant Quarantine* 14(4): 196-200, 4 figs. (In Chinese, with English summary). (= Li Zhihong *et al.* 2000).
- Lienhard, C. 2007a. Additions and Corrections (Part 6) to Lienhard & Smithers, 2002: "Psocoptera (Insecta) - World Catalogue and Bibliography" (pp. 1-17). In: Yoshizawa, K. (ed.). *Psocid News. The Psocidologists' Newsletter. No. 9 (February 28, 2007). Systematic Entomology, Faculty of Agriculture, Hokkaido University, Sapporo*, 17 pp.
- Lienhard, C. 2007b. Description of a new African genus and a new tribe of Speleketorinae (Psocodea: 'Psocoptera': Prionoglarididae). *Revue suisse de Zoologie* 114(3): 441-469, 9 figs, 1 plate.
- Lienhard, C. 2007c. See New, T. R. & Lienhard, C. 2007.
- Lienhard, C. 2007d. See Yoshizawa, K. *et al.* 2007.
- Limonta, L. 2004. See Locatelli, D. P. & Limonta, L. 2004.
- Liska, A. 2006. See Kalinovic, I. *et al.* 2006a, 2006b.
- Liu Guo-Ying 2007. See Chai Yu-Xin *et al.* 2007.
- Locatelli, D. P. & Limonta, L. 2004. Raccolte di Psocotteri in Lombardia. *Atti XIX Congresso nazionale italiano di Entomologia, Catania 10-15 giugno 2002*: 185-190.
- Lu Ja-Juan & Han Zhen-Chong 2005. Storage pests in the exportable down-filled clothing products. *Kunchong Zhishi* 42(5): 573-574. (In Chinese, with English summary). (Psoc.: *Troctes divinatorius* mentioned). (**Not seen**).
- Machado, G. 2007. See Requena, G. S. *et al.* 2007.
- Meyer, M. 2007. See Schneider, N. 2007.
- Meyer-Rochow, V. B. & Mishra, M. 2007. Structure and putative function of dark- and light-adapted as well as UV-exposed eyes of the food store pest *Psyllipsocus ramburi* Selys-Longchamps (Insecta: Psocoptera: Psyllipsocidae). *Journal of Insect Physiology* 53(2): 157-169. (**Only abstract seen**).
- Mikac, K. M. 2007. PCR confirms multiple *Wolbachia* strain infection in Australian and international populations of

- the invasive stored-product psocid *Liposcelis bostrychophila* Badonnel. *Journal of Stored Products Research* 43(4): 594-597. **(Only abstract seen).**
- Milki, R. 2001. See Poinar, G. O. Jr. & Milki, R. 2001.
- Mishra, M. 2007. See Meyer-Rochow, V. B. & Mishra, M. 2007.
- Mockford, E. L. 2006. First New World record for *Badonnelia titei* (Insecta: Psocoptera: Sphaeropsocidae). *The Great Lakes Entomologist* 38 (2005): 211-212.
- Mockford, E. L. 2007. Species of *Philotarsus* from North and Middle America and a new philotarsine genus from Mexico, Guatemala, and the Greater Antilles (Psocoptera: Philotarsidae: Philotarsinae). *Journal of the New York Entomological Society* 114(3): 108-139, 78 figs.
- Mockford, E. L. & Anonby, J. A. 2007. Taxonomy of the species of *Amphigerontia* (Psocoptera: Psocidae) of the Rocky Mountains of the United States and Canada. *Proceedings of the Entomological Society of Washington* 109(3): 700-714, 35 figs.
- Mohammed, S. R. 2002. See Kossa, F. I. *et al.* 2002.
- Nayak, M. K. 2006. Psocid and mite pests of stored commodities: small but formidable enemies (pp. 1061-1073). *Proceedings of the 9th International Working Conference on Stored Product Protection, 15-18 October 2006, Campinas, Sao Paulo, Brazil.*
- Nayak, M. K. & Daglish, G. J. 2007. Combined treatments of spinosad and chlorpyrifos-methyl for management of resistant psocid pests (Psocoptera: Liposcelididae) of stored grain. *Pest Management Science* 63(1): 104-109. **(Only abstract seen).**
- New, T. R. & Lienhard, C. 2007. The Psocoptera of tropical South-east Asia. *Fauna Malesiana Handbooks* 6, IX + 290 pp., 518 figs.
- Noqueira, A. J. A. 2007. See Santos, S. A. P. *et al.* 2007.
- Oldfield, G. M. E. 2007. See Saville, B. *et al.* 2007.
- Opit, G. P. 2006. See Throne, J. E. *et al.* 2006.
- Pascual-Villalobos, M. J. 2006. Psocids: weight losses of grain and biological control by pseudoscorpions (pp. 1083-1086). *Proceedings of the 9th International Working Conference on Stored Product Protection, 15-18 October 2006, Campinas, Sao Paulo, Brazil.*
- Peeters, T. M. J. & Hogenes, W. 1996. Psocoptera (Stofluizen) (pp. 163-165). In: Zuijlen, J. W. A. van, Peeters, T. M. J., Wielink, P. S. van, Eck, A. P. W. van & Bouvy, E. H. M. (eds). Brand-Stof. Een inventarisatie van de entomofauna van het natuurreservaat De Brand in 1990. *Insektenwerkgroep KNNV-afdeling Tilburg*. 228 pp.
- Pereira, J. A. 2007. See Santos, S. A. P. *et al.* 2007.
- Poinar, G. O. Jr. & Milki, R. 2001. Lebanese Amber. The oldest ecosystem in fossilized resin. *Oregon State University Press*, 96 pp. **(Not seen).**
- Requena, G. S., Buzatto, B. A. & Machado, G. 2007. Habitat use, phenology, and gregariousness of the neotropical psocopteran *Cerastipsocus sivorii* (Psocoptera: Psocidae). *Sociobiology* 49(3): 197-214. **(Only abstract seen).**
- Rozman, V. 2006. See Kalinovic, I. *et al.* 2006a, 2006b.
- Santos, S. A. P., Pereira, J. A., Torres, L. M. & Noqueira, A. J. A. 2007. Evaluation of the effects, on canopy arthropods, of two agricultural management systems to control pests in olive groves from north-east of Portugal. *Chemosphere* 67(1): 131-139. **(Only abstract seen).**
- Saville, B. [= R. E.], Alexander, K. N. A., Bratton, J. H., Clemons, L. & Oldfield, G. M. E. 2007. Additional notable British barkfly (Psocoptera) observation. *Entomologists Record* 119: 113-115.
- Schaefer, M. (ed.) 2006. Fauna von Deutschland: Ein Bestimmungsbuch unserer heimischen Tierwelt. 22nd revised edition. *Quelle & Meyer Verlag, Wiebelsheim*, XIV + 809 pp. (Psocoptera treated). **(Not seen).**
- Schneider, N. 2007. Staubläuse, psocoptères, Psocoptera (pp. 251-257). In: Meyer, M. & Carrières, E. (eds). Inventaire de la biodiversité dans la forêt Schnellert (Commune de Berdorf). *Ferrantia (Travaux scientifiques du Musée national d'histoire naturelle de Luxembourg)* 50, 384 pp.
- Silfverberg, H. 2007. Changes in the list of Finnish insects during 2001-2005. *Entomologica Fennica* 18: 82-101. (Psoc.: p. 83).
- Smithers, C. N. 2007. Lord Howe Island Psocoptera (Insecta). *Records of the Australian Museum* 59(1): 9-26, 24 figs.
- Song Yi 2003. See Cao Yang *et al.* 2003.
- Srivastava, V. D. 2004. Insecta: Psocoptera (pp. 165-168). In: Alfred, J. R. B. (ed.). Fauna of Manipur, part 2 (insects). *Zoological Survey of India, State Fauna Series* 10: v+625 pp.
- Sun Guan-ying 2001. See Cao Yang *et al.* 2001.
- Sun Guanying 2003. See Cao Yang *et al.* 2003.
- Tao Hui-ying, Wang Jin-jun, Ding Wei & Zhao Shuang 2005. Comparisons of acetylcholinesterase in the resistant and susceptible strains of *Liposcelis bostrychophila* Badonnel. *Xinan Nongye Daxue Xuebao* 27(2): 151-154. (In Chinese, with English summary). **(Not seen).**
- Thapa, V. K. 2007. See Yoshizawa, K. *et al.* 2007.
- Throne, J. E., Opit, G. P. & Flinn, P. W. 2006. Seasonal distribution of psocids in stored wheat (pp. 1095-1103). *Proceedings of the 9th International Working Conference on Stored Product Protection, 15-18 October 2006, Campinas, Sao Paulo, Brazil.*
- Torres, L. M. 2007. See Santos, S. A. P. *et al.* 2007.
- Varkonyi, G. 2007. See Kanervo, J. & Varkonyi, G. 2007.
- Wang Jin-jun 2005. See Cheng Wei-xia *et al.* 2005.
- Wang Jin-jun 2005. See Tao Hui-ying *et al.* 2005.

- Wang, J.-J. 2006. See Dou, W. *et al.* 2006.  
 Wang Jin-Jun 2006. See Dong Peng *et al.* 2006.  
 Wang Jin-Jun 2007. See Dong Peng *et al.* 2007a.  
 Wang Jin-Jun 2007. See Dong Peng *et al.* 2007b.  
 Wang Jin-Jun 2007. See Chai Yu-Xin *et al.* 2007.  
 Yang Jeng-Tze 2007. See Chan Mei-Ling & Yang Jeng-Tze 2007.  
 Yang Xingke 2004. See Li Fasheng 2004.  
 Yoshizawa, K. (ed.) 2007a. Psocid News. The Psocidologists' Newsletter. No. 9 (February 28, 2007). *Systematic Entomology, Faculty of Agriculture, Hokkaido University, Sapporo*, 17 pp.  
 Yoshizawa, K. 2007b. The Zoraptera problem: evidence for Zoraptera + Embiodea from the wing base. *Systematic Entomology* 32(2): 197-204, 2 figs.  
 Yoshizawa, K. 2007c. See Bess, E. C. & Yoshizawa, K. 2007.  
 Yoshizawa, K., Lienhard, C. & Thapa, V. K. 2007. Systematic study of the genus *Trichadenotecnum* in Nepal (Psocodea: 'Psocoptera': Psocidae). *Insecta Matsumurana, New Series* 63: 1-33, 21 figs.  
 Zalat, S. M. 2002. See Kossa, F. I. *et al.* 2002.  
 Zhang Baofeng 1999. See Li Zhihong *et al.* 1999a.  
 Zhang Baofeng 1999. See Li Zhihong *et al.* 1999b.  
 Zhang Baofeng 1999. See Li Zhihong *et al.* 1999c.  
 Zhang Baofeng 1999. See Li Zhihong *et al.* 1999d.  
 Zhang Baofeng 1999. See Li Zhihong *et al.* 1999e.  
 Zhang Baofeng 2000. See Li Zhihong & Zhang Baofeng 2000.  
 Zhang Baofeng 2000. See Li Zhihong *et al.* 2000.  
 Zhao Shuang 2005. See Tao Hui-ying *et al.* 2005.  
 Zhao, Z.-M. 2006. See Dou, W. *et al.* 2006.  
 Zhao Zhi-Mo 2006. See Dong Peng *et al.* 2006.  
 Zuijlen, J. W. A. van 1996. See Peeters, T. M. J. & Hogenes, W. 1996.

## 5. Corrections to Lienhard & Smithers, 2002

Page 581: The author Lizhong Hua should better be cited as Hua Lizhong (or Hua Li-zhong or Hua, L.).

## EDITORIAL

"Psocid News" publishes any kinds of topics (formal or informal) that may be interesting for psocidologists, but articles containing official nomenclatural acts (e.g. descriptions of new taxa, proposals of new combinations or new synonyms) will not be accepted for publication by the editor (see below).

Carbon copy of Psocid News (ISSN 1348-0359) is freely obtainable by request to the editor and also deposited at the following libraries: National Diet Library (Japan), Hokkaido University Library (Japan), Geneva Natural History Museum (Switzerland). Electronic version of Psocid News (ISSN 1348-1770) is available on World Wide Web at PsocoNet Homepage <<http://www.psocodea.org>> and National Diet Library Homepage <<http://www.ndl.go.jp/en/>>.

**Disclaimer.** "Psocid News" is not a published work within the meaning of ICZN.

**Next issue.** About Feb. 2009. Please let me have all contributions by Jan. 31 2009 if possible.

**Editorial address.** Psocid News is edited by Kazunori Yoshizawa at the Systematic Entomology, Faculty of Agriculture, Hokkaido University, Sapporo, 060-8589 JAPAN.

Telephone: +81-11-706-2424  
 Facsimile: +81-11-706-4939  
 E-mail: [psocid@res.agr.hokudai.ac.jp](mailto:psocid@res.agr.hokudai.ac.jp)  
 Web page: <http://www.psocodea.org>