

THE RHODODENDRON, CAMELLIA &
MAGNOLIA GROUP

2015
SEED LIST

www.rhodogroup-rhs.org

INSTRUCTIONS FOR ORDERING

Please read carefully – new ordering arrangements apply this year.

1. The 2015 Seed List will remain open throughout the year. Temporary closures will be announced on the website. Updates which reflect current stock and any additions will appear periodically on the website or can be requested by email.
2. In order that the Group can be seen to observe the conditions laid down by the Nagoya Treaty, the Convention on Biological Diversity (CBD), the Convention on Trade in Endangered Species of Wild Fauna & Flora (CITES), and other laws concerning biodiversity, it should be noted that seed in this list is supplied in good faith that it complies with these laws and on the express understanding that it is for the personal use of the member and must not be used for commercial purposes. It should also be noted that we offer the seed as named by the collector and therefore we cannot guarantee the produce.
3. The first figure(s) of the list number indicate the year of collection e.g. list numbers prefixed '6' were collected in 2006, '14' in 2014 and so on. This year the printed list is arranged in alphabetical order but will appear ***in alphabetical or year-by-year order*** as an Excel file online.
4. Rhododendron seed can be kept stored for 5 years or more if kept at a temperature of around 2°C or less, which ours is.
5. Please use the order form provided and include the item name as well as the List Number, in case of doubt or error.

The seeds are stored and numbered according to the year they were harvested† and it is essential that items are entered in LIST NUMBER ORDER. For example, all seeds with a number starting with 6 are listed first, then 7, then 8, then 9, 10, 11, 12, 13 up to 14 which represents seed collected in 2014. Do not fill your order form in alphabetical order. Remember that the seed list is available online in LIST NUMBER ORDER to help you do this. Order forms filled in incorrectly will be left until last or returned.

†Seed has been kindly donated by Bent Ernebjerg, from his 2009 and 2012 expeditions to Burma. These collections have been given 2013 codes but the prices reduced to reflect their true age. Similarly, two collections of seed made by Ole Jonny Larsen in 2013 have been given 2014 codes and the price reduced accordingly.

Continue your order on the back of the order form where necessary. Additional order forms can be downloaded from our website.

Orders may also be placed using a **fillable pdf file, available on the website** which may be emailed or printed and sent to the address below as required.

6. Any number of packets may be ordered (subject to a limit of one packet of any given seed list number). In an attempt to ensure that precious seed collections are distributed as far and as fairly as possible, the quantity of seed per packet will be determined by the amount available.
7. Please note that up to THREE packets of seed collected before 2011 (ie with 6, 7, 8, 9 and 10 prefixes) will be available free of charge, subject to availability and the limit of one packet per seed list number as above. Please include free seed choices in the normal way on the order form.
8. Orders will be dealt with in strict order of receipt, with preference given to those members who have donated seed in the current year. Additionally, the complete seed list will be emailed to members with active email addresses and appear on our website 3 working days after postal dispatch in the United Kingdom. Please be patient – orders will be processed as quickly as possible but return of post is not possible and after the main distribution period it may be a few weeks before they can be dealt with.
9. If the packet of your choice is sold out, we will automatically substitute a packet of the same species and from a similar altitude if available *unless you state that substitutes are not acceptable* by ticking the box on the order form. A list of the seed supplied will accompany your order, which will show details of any substitutes enclosed, but you are advised to keep a copy of your order as the original will be kept in case of queries.

10. Send your order by post or email to the address below with your credit/debit card details. **Please note that we are no longer able to accept cheque payments.** All credit card details are destroyed once the transaction is complete. For security, email card payments should be sent split into three or four separate emails. Please remember to include the card expiry date and security number – credit card payments cannot be processed without this information. Payment may also be made by PayPal, but wait to be emailed with a total amount before sending to rcmgpaypal@woodtown.net

11. Use the order form provided and send it to:

Mrs Julie Atkinson, 184 Crow Lane East, Newton-le-Willows, ST HELENS, Merseyside, WA12 9UA
or email: julie.soundgardenrhododendrons@hotmail.co.uk

12. Prices per packet are as follows:

14 code = **£3.00** (2013 collection **£2**)
13 code = **£2** (2012 collection **£1.50**) (2009 collection **50p**)
12 code = **£1.50** 11 code = **£1.00**
10, 9, 8, 7, 6 code = Up to **3** packets free, additional packets **50p**

Open-pollinated **rhododendron** seed clearly marked (OP) on the list will be charged at the full rate as above but will include a greater quantity of seed

13. An additional charge will be added for postage and packing as follows: UK – £2.50 EU – £3.00 Elsewhere – £4.50 (Airmail)

14. **SEED IMPORTATION REGULATIONS:** Overseas Members requesting seed are responsible for obtaining the necessary documentation to cover their order and for ensuring they do not apply for seed contravening current import legislation in their own countries. Any relevant paperwork should be submitted with the order and the instructions made clear. The Rhododendron, Camellia & Magnolia Group, acting in good faith, cannot be held liable for seeds impounded, confiscated or otherwise lost.

US MEMBERS ONLY: Full details of the USDA requirements are to be found at www.aphis.usda.gov under 'Plant Imports/Small Lots of Seed'. You will need to provide us with **two sets of order forms – one in List Number Order** for the convenience of the Seed Convenor and a second **one in alphabetical order** for the USDA requirements.

NOTES

1. (HP) = Hand pollinated (CP) = Controlled pollination (OP) = Open pollinated (WC) = Wild collected

2. Collectors' references:

AC Alan Clark – Sri Lanka – 2009

ACSN Alan Clark and Shelagh Newman – Yunnan 2007*

ACVG Alan Clark and Vaughan Gallavan – Vietnam 2006**

BE Bent Ernebjerg – Burma 2009, 2012 Details: www.greengene.dk/BE/Seedlist-2012-Burma.html

CDHM Peter Cox, Kelly Dodson, Steve Hootman, Sue Milliken – Sichuan 2010

CWT Alan Clark, Hannah Wilson and Jamie Taggart – NE Vietnam 2011

JN Jens Nielsen – Chongqing, Henan, Yunnan & Shaanxi 2011, Hunan, Jiangxi, Sichuan, Yunnan 2012

KR Keith Rushforth – various, including Arunachal Pradesh 2012

NN Jens Nielsen and Remi Nielsen 2009 – SW Guizhou, S Sichuan, NE Yunnan

OJL Ole Jonny Larsen – Austria 2012, SBBE Beima Shan Expedition 2013

TDA Timothy Atkinson – Sikkim and Bengal 2012, 2013

ZH-G Zha Hong-Guang, Kunming

3. To avoid confusion at a later date, if seed has a Collection Number, grow under that name rather than (or as well as) the RCM Group List Number.

4. Propagation and cultivation notes can be found on the Group website – www.rhodogroup-rhs.org

* May be listed as C&N elsewhere ** May be listed as C&G elsewhere

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
11011	<i>Abies spectabilis</i>		(Margaret Miles)
11537	<i>Abies spectabilis</i>	TDA064	As TDA050
10168	<i>Abutilon achrae</i>		(Chip Lima) hardy at least to -15C
13364	<i>Acer laevigata</i>	TDA577	Near to Himalayan Zoo in Darjeeling, 2700m, West Bengal, India
13383	<i>Acer rufinerve</i>		(Alastair Stevenson)
14001	<i>Acer rufinerve</i>		(Alastair Stevenson)
13384	<i>Acer shirasawanum</i>		(Alastair Stevenson)
14002	<i>Acer shirasawanum</i>		(Alastair Stevenson)
13366	<i>Aesculus indica</i>	TDA579	Above Mungpoo Village, 700-1000m, West Bengal, India
13197	<i>Allium species</i>	TDA410	Above Lachen Village, 3000m-3500m, North Sikkim
13198	<i>Allium species</i> (as TDA410)	TDA411	Above Lachen Village, 3000m-3500m, North Sikkim
13199	<i>Allium species</i> (as TDA410)	TDA412	Above Lachen Village, 3000m-3500m, North Sikkim
13200	<i>Allium species</i> (as TDA410)	TDA413	Above Lachen Village, 3000m-3500m, North Sikkim
13201	<i>Allium species</i> (as TDA410)	TDA414	Above Lachen Village, 3000m-3500m, North Sikkim
13099	<i>Alnus nepalensis</i>	TDA311	Gangtok 1800m
12196	<i>Alpinia sp.</i>		(Margaret Miles), Wild collected in Taiwan
13258	<i>Arunacus dioicus</i>	TDA471	Above Lachen Village, 3000m-3500m, North Sikkim
13254	<i>Aster sp.</i>	TDA467	Above Lachen Village, 3000m-3500m, North Sikkim
13255	<i>Aster sp.</i> (as TDA467)	TDA468	Above Lachen Village, 3000m-3500m, North Sikkim
12152	<i>Astilbe rivularis</i>	TDA189	Above 0.3 mile village near Mungpoo Village, Darjeeling, West Bengal 1750m
13297	<i>Astilbe rivularis</i>	TDA510	2nd half of 3rd mile, following on from previous year's collecting, 2000m, West Bengal, India
13317	<i>Begonia picta</i>	TDA530	2nd half of 3rd mile, following on from previous year's collecting, 2000m, West Bengal, India
13125	<i>Berberis concinna aff.</i>	TDA337	Yumthang 3500-4000m, North Sikkim
13127	<i>Berberis concinna aff.</i>	TDA339	Yumthang 3500-4000m, North Sikkim
13034	<i>Berberis insignis</i>	TDA245	Bersay Rhododendron Sanctuary, 2500m, South Sikkim
13042	<i>Berberis insignis</i>	TDA253	Bersay Rhododendron Sanctuary, 2500m, South Sikkim
9127	<i>Berberis jamesiana</i> (OP)		(Dan Ryan)
13264	<i>Berberis lycium aff.</i>	TDA477	Above Lachen Village, 3000m-3500m, North Sikkim
12003	<i>Berberis praecipua?</i>	KR10352	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), station 20 (28 34' 13.9' N, 94 09' 58.0' E, 1922m) by Yargap chu (Siyom chu); shrub 2-3m, evergreen
8120	<i>Berberis sp.</i>	KR9534	Deciduous shrub, 1-2m, fruit lozenge-shaped. Arunachal Pradesh state, Tawang, around Bangla Jang Gumpa campsite 4129m: near camp
12067	<i>Berberis sp.</i>	KR10508	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m)
13118	<i>Berberis sp.</i> , deciduous	TDA330	Yumthang 3500-4000m, North Sikkim
13086	<i>Berberis species</i>	TDA298	Bersay Rhododendron Sanctuary, 2500m, South Sikkim
13124	<i>Berberis virescens aff.</i>	TDA336	Great autumn colouring, Yumthang 3500-4000m, North Sikkim
10253	<i>Betula jacquemontii</i>		From cultivated plants
10024	<i>Betula utilis</i>	KR9988	INDIA: Arunachal Pradesh, Anjaw district, Hoot La campsite (27.46°11.9'N, 96.53°11.4'E, 3580m) via AA5 (27.45°51.6'N, 96.52°28.0'E, 3833m) to Hoot La Summit down (27.45°58.0'N, 96.52°03.2'E, 4081m) to AA6 Abies (27.46°06.2'N, 96.51°50.3'E, 3802m)
12146	<i>Betula utilis</i>	TDA146	Bersay Rhododendron Sanctuary, near scared lake growing with <i>R.falconeri</i> , <i>Berberis species</i> , south Sikkim
13338	<i>Buddleja asiatica aff.</i>	TDA551	Tiger Hill, 2500m, Darjeeling, West Bengal, India
9019	<i>Buddleja sp.</i> (ex KR7689) (OP)		(Dan Ryan)
14065	<i>Camellia brevistyla f. rubida</i> (pink flowered)		(Camellia Forest Nursery)
13409	<i>Camellia chekiangoleosa</i>		(Camellia Forest Nursery)
14066	<i>Camellia chekiangoleosa</i>		(Camellia Forest Nursery)
14067	<i>Camellia chrysanthoides</i> (tender)		(Camellia Forest Nursery)
14068	<i>Camellia costei</i>		(Camellia Forest Nursery)
14069	<i>Camellia cuspidata var. grandiflora</i>		(Camellia Forest Nursery) form from Hunan
14006	<i>Camellia forrestii</i>		(Steve Lyus)
14070	<i>Camellia handelii</i>		(Camellia Forest Nursery)
14071	<i>Camellia longicarpa</i>		(Camellia Forest Nursery)
14072	<i>Camellia minutiflora</i>		(Camellia Forest Nursery)
14073	<i>Camellia nitidissima x chrysanthoides</i>		(Camellia Forest Nursery) Clifford Parks hybrid
13410	<i>Camellia oleifera</i>		(Camellia Forest Nursery)
13412	<i>Camellia oleifera x sasanqua</i>		(Camellia Forest Nursery)
12402	<i>Camellia sasanqua</i>		(Camellia Forest Nursery)
13411	<i>Camellia sasanqua</i>		(Camellia Forest Nursery)

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
13413	Camellia sinensis large leaf		(Camellia Forest Nursery)
13414	Camellia sinensis small leaf		(Camellia Forest Nursery)
14074	Camellia yuhsienensis x sasanqua hybrids (including x vernalis)		(Camellia Forest Nursery)
13408	Camellia yunnanensis		(Tom Hudson) Garden origin from TH045 at Tregrehan
11099	Campanumoea javanica?	JN11017	Codonopsis relative with large magenta purple fruit. SE Shaanxi 2200m
13459	Cardiocrinum cordatum		(Barry Starling)
10159	Cardiocrinum giganteum		(D. Faulkner)
12182	Cardiocrinum giganteum		(Margaret Miles)
14007	Cardiocrinum giganteum		(Derek Faulkner)
11041	Cardiocrinum yunnanense		(John Marston) (Original plants from seed collected Sichuan, 2004)
13174	Carduus edelbergii	TDA387	Lachen Village, 2750m, North Sikkim
13225	Carduus edelbergii	TDA438	Above Lachen Village, 3000m-3500m, North Sikkim
10194	Cercis canadensis		(John Gregg)
13356	Chaerophyllum reflexum	TDA569	Tiger Hill, 2500m, Darjeeling, West Bengal, India
13365	Cinchona pubescens	TDA578	Above Mungpoo Village, 700-1000m, West Bengal, India
10027	Cirsium sp.	KR10049	INDIA: Arunachal Pradesh, Anjaw district, Hoot La campsite (27.46°11.9'N, 96.53°11.4'E, 3580m) via AA5 (27.45°51.6'N, 96.52°28.0'E, 3833m) to Hoot La Summit down (27.45°58.0'N, 96.52°03.2'E, 4081m) to AA6 Abies (27.46°06.2'N, 96.51°50.3'E, 3802m)
12085	Cirsium sp.	KR10533	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m)
13373	Clematis alpina 'Constance' (OP)		(Erhard Moser)
13375	Clematis alpina 'Frances Ravis' (OP)		(Erhard Moser)
13374	Clematis alpina 'Pink Flamingo' (OP)		(Erhard Moser)
10195	Clematis heracleifolia		(John Gregg)
11070	Clematis heracleifolia		(Erhard Moser)
10172	Clematis rehderiana		(Dan Ryan)
13226	Clematis sp.	TDA439	Above Lachen Village, 3000m-3500m, North Sikkim
13460	Clethra arborea		(Barry Starling)
12263	Clethra delavayi	JN12132	West Yunnan Weixi County 2900m. "yuana"? Few seed. Tree like habit, larger leaves and long flower spikes to 30 cm. Mekong-Salween divide.
12178	Clethra monostachya		(Margaret Miles)
12397	Clethra sp.	JN12418	Southeast Hunan Yizhang County 1700m. About 6 flower spikes per branch end, probably Clethra barbinervis.
14029	Clianthus puniceus rosea		(David & Margaret Rees) New Zealand
13092	Climber?	TDA304	Bersay Rhododendron Sanctuary, 2500m, South Sikkim
13153	Climber?	TDA366	Lachung Village, 2350m, North Sikkim
13253	Climber? Fleshy star fruits	TDA466	Above Lachen Village, 3000m-3500m, North Sikkim
13295	Codonopsis affinis	TDA508	2nd half of 3rd mile, following on from previous year's collecting, 2000m, West Bengal, India
13299	Codonopsis affinis	TDA512	2nd half of 3rd mile, following on from previous year's collecting, 2000m, West Bengal, India
12154	Codonopsis viridis	TDA173	Bersay Rhododendron Sanctuary, growing over mixed shrub 2500m, South Sikkim
12198	Cotoneaster		(Dan Ryan) Seed collected ex. 04059 AC5526
12005	Cotoneaster cf. simonsii	KR10354	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), station 20 (28 34' 13.9' N, 94 09' 58.0' E, 1922m) by Yargyap chu (Siyom chu); shrub 1m, upright habit, leaves small, ovate, apiculate, fruit orange-red
9020	Cotoneaster lucidus (OP)		(Dan Ryan) Garden origin
13087	Cotoneaster microphyllus	TDA299	Bersay Rhododendron Sanctuary, 2500m, South Sikkim
13088	Cotoneaster microphyllus	TDA300	Bersay Rhododendron Sanctuary, 2500m, South Sikkim
13236	Cotoneaster microphyllus	TDA449	Above Lachen Village, 3000m-3500m, North Sikkim
12150	Cotoneaster microphyllus	TDA122	Growing near Bersay trekking huts with Viburnum erubescens, R. falconeri, R. barbatum, R. arboruem ssp. arboreum, South Sikkim
13274	Crawfordia speciosa	TDA487	Above Lachen Village, 3000m-3500m, North Sikkim
12131	Cyatheaaceae	KR10745	INDIA: Arunachal Pradesh, West Siang, drive from Mechuka (Menchukha) (28 35' 57.0' N, 94 08' 20.9' E, 1922m) via 43 CRAWFORDIA (28 32' 29.9' N, 94 14' 17.1' E, 1653m) to Along (Aalo) - Toshi's Palace hotel at 28 09 51.9' N, 94 48' 00.0, 266m: tree fern
13172	Daphniphyllum himalayense	TDA385	Lachen Village, 2750m, North Sikkim
11103	Decaisnea fargesii	JN11012	SW Shaanxi 2100m
13146	Delphinium sp.	TDA359	Yumthang 3500-4000m, North Sikkim
11104	Desmodium sp.	JN11042	Possibly D. elegans . Midwest Yunnan 2850m
13269	Deutzia staminea/hookeriana?	TDA482	Above Lachen Village, 3000m-3500m, North Sikkim
9018	Drimys aromatica (OP)		(Dan Ryan) Garden origin
10192	Drimys aromatica (OP)		(Dan Ryan)

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
11013	<i>Ehretia thyrsoiflora</i>		(Margaret Miles)
13031	<i>Elsholtzia flava</i>	TDA242	Hilley village, 2500m, South Sikkim
13097	<i>Elsholtzia flava</i>	TDA309	Bersay Rhododendron Sanctuary, 2500m, South Sikkim
13206	<i>Elsholtzia flava</i>	TDA419	Above Lachen Village, 3000m-3500m, North Sikkim
13244	<i>Elsholtzia flava</i>	TDA457	Above Lachen Village, 3000m-3500m, North Sikkim
13100	<i>Engelhardia spicata</i>	TDA312	By roadside between Lachung and Gangtok, 1000m, East Sikkim
13102	<i>Engelhardia spicata</i> (as TDA312)	TDA314	By roadside between Lachung and Gangtok, 1000m, East Sikkim
11061	<i>Enkianthus cernuus rubens</i>		(Barry Stirling)
11084	<i>Enkianthus chinensis</i>		(Erhard Moser)
11090	<i>Enkianthus chinensis</i>		(Pam Hayward)
9071	<i>Enkianthus deflexus</i>	NN0930	Variable population here. NE Yunnan 1900m
12289	<i>Enkianthus deflexus</i>	JN12174	West Yunnan Lanping County 3200m. Scarlet red seed capsules. Mekong-Salween divide.
13248	<i>Enkianthus deflexus</i>	TDA461	Above Lachen Village, 3000m-3500m, North Sikkim
13240	<i>Enkianthus deflexus</i> (as TDA452)	TDA453	Above Lachen Village, 3000m-3500m, North Sikkim
13241	<i>Enkianthus deflexus</i> (as TDA452)	TDA454	Above Lachen Village, 3000m-3500m, North Sikkim
14042	<i>Enkianthus serrulatus</i>		(Barry Stirling)
9072	<i>Eulalia pallens?</i>	NN0951	Autumn flowering grass, dwarf clumping, about 50cm, new? SW Guizhou 1700m
11105	<i>Euonymus alatus</i> aff	JN11011	Strong upright leaders very corky winged. SW Shaanxi 2100m
11106	<i>Euonymus alatus</i> aff	JN11016	Strong upright leaders very corky winged. SE Shaanxi 2200m
11482	<i>Euonymus</i> sp.	CWT6485	Evergreen ? Shrub to 1.5m. Ban Khoang area, 15Km, N. of Sa Pa. 1500/1800m
13314	<i>Euonymus</i> sp. aff	TDA527	2nd half of 3rd mile, following on from previous year's collecting, 2000m, West Bengal, India
13181	<i>Evodia fraxinifolia</i>	TDA394	Above Lachen Village, 2850m-3000m, North Sikkim
13182	<i>Evodia fraxinifolia</i> (as TDA394)	TDA395	Above Lachen Village, 2850m-3000m, North Sikkim
10161	<i>Fuchsia excorticata</i>		(David & Margaret Rees) New Zealand
14061	<i>Gaultheria cuneata</i>		(Tony Schilling) Garden collected, NW Scotland
14062	<i>Gaultheria depressa</i>		(Tony Schilling) Garden collected, NW Scotland
13023	<i>Gaultheria fragrantissima</i>	TDA233	Hilley village, 2500m, South Sikkim
13107	<i>Gaultheria fragrantissima</i>	TDA319	Yumthang 3500-4000m, North Sikkim
13234	<i>Gaultheria fragrantissima</i>	TDA447	Above Lachen Village, 3000m-3500m, North Sikkim
13275	<i>Gaultheria fragrantissima</i>	TDA488	Above Lachen Village, 3000m-3500m, North Sikkim
14063	<i>Gaultheria itoana</i>		(Tony Schilling) Garden collected, NW Scotland
9017	<i>Gaultheria nummularioides</i> (OP)		(Dan Ryan) ex. wild collected Himalaya
9073	<i>Gaultheria</i> sp.	NN0953	Arching shrub to 50cm, axillary flower raceme. SW Guizhou 1800m
12070	<i>Gaultheria</i> sp.	KR10512	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9" N, 94 05' 34.6" E, 3616m) to Sinjong (Tokok) La 28 31' 54.0" N, 94 04' 57.3" E, 3725m, then to Beyond Sinjong La (28 32' 03.1" N, 94 04' 48.8" E, 3653m)
12094	<i>Gaultheria</i> sp.	KR10601	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 26 FALCONERA camp (28 33' 47.0" N, 94 05' 16.3" E, 2667m) via 25 (28 33' 55.9" N, 94 05' 12.1" E, 2585m), 24 (28 34' 12.0" N, 94 05' 13.7" E, 2490m), 24 Abies - 1st Abies seen
12100	<i>Gaultheria</i> sp.	KR10620	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), DamchinLa Camp 1 (28 38' 32.1" N, 94 07' 09.0" E, 2692m) via stations 31 (28 38' 37.2" N, 94 07' 17.7" E, 2783m), 32 FALCONERA (28 38' 58.9" N, 94 07' 05.2" E, 2940m)
12101	<i>Gaultheria</i> sp.	KR10621	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), DamchinLa Camp 1 (28 38' 32.1" N, 94 07' 09.0" E, 2692m) via stations 31 (28 38' 37.2" N, 94 07' 17.7" E, 2783m), 32 FALCONERA (28 38' 58.9" N, 94 07' 05.2" E, 2940m)
11108	<i>Gaultheria</i> sp.	JN11086	<i>leucocarpa</i> aff. Arching shrub to 60-90 cm. Raceme of white tinged pink fruit. Could be new. W Central Yunnan 2750m
11109	<i>Gentiana cephalantha</i>	JN11067	Flower clustered like <i>Campanula glomerata</i> on spreading stem. W Yunnan 3000m
11111	<i>Gentiana ternifolia</i>	JN11047	Autumn Gentian lvs 3-whorled. W Yunnan 3000m
13192	Grass	TDA405	Above Lachen Village, 3000m-3500m, North Sikkim
11286	<i>Hedychium</i> aff.	CWT6288	Leaves to 1.5m. Basal fruits. Ban Khoang area, 15Km, N. of Sa Pa. 1500/1800m
13298	<i>Hedychium auranticum</i> aff.	TDA511	2nd half of 3rd mile, following on from previous year's collecting, 2000m, West Bengal, India
11016	<i>Hedychium densiflorum</i>		(Margaret Miles)
12180	<i>Hedychium densiflorum</i>		(Margaret Miles)
11208	<i>Hedychium</i> sp.	CWT6210	Ginger lily, flower stems to 1.5m. Between Ha Giang and Tuyen, N.E. Vietnam 1020m
13305	<i>Hedychium spicatum</i>	TDA518	2nd half of 3rd mile, following on from previous year's collecting, 2000m, West Bengal, India
13306	<i>Hedychium spicatum</i> (as TDA519)	TDA519	2nd half of 3rd mile, following on from previous year's collecting, 2000m, West Bengal, India
13022	<i>Heracleum nepalense</i>	TDA232	Hilley village, 2500m, South Sikkim
13069	<i>Heracleum nepalense</i>	TDA281	Bersay Rhododendron Sanctuary, 2500m, South Sikkim
13185	<i>Heracleum nepalense</i>	TDA398	Above Lachen Village, 2850m-3000m, North Sikkim
13204	<i>Heracleum nepalense</i>	TDA417	Above Lachen Village, 3000m-3500m, North Sikkim

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
12056	Herb	KR10495	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m)
12058	Herb	KR10498	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m)
12080	Herb	KR10528	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m)
13036	Herb	TDA247	Bersay Rhododendron Sanctuary, 2500m, South Sikkim
13053	Herb	TDA265	Bersay Rhododendron Sanctuary, 2500m, South Sikkim
13093	Herb	TDA305	Bersay Rhododendron Sanctuary, 2500m, South Sikkim
13111	Herb	TDA323	Yumthang 3500-4000m, North Sikkim
13273	Herb	TDA486	Above Lachen Village, 3000m-3500m, North Sikkim
13303	Herb	TDA516	2nd half of 3rd mile, following on from previous year's collecting, 2000m, West Bengal, India
13321	Herb	TDA534	With bright purple fruits, 2nd half of 3rd mile, following on from previous year's collecting, 2000m, West Bengal, India
13322	Herb (as TDA534)	TDA535	2nd half of 3rd mile, following on from previous year's collecting, 2000m, West Bengal, India
13323	Herb (as TDA534)	TDA536	2nd half of 3rd mile, following on from previous year's collecting, 2000m, West Bengal, India
13324	Herb (as TDA534)	TDA537	2nd half of 3rd mile, following on from previous year's collecting, 2000m, West Bengal, India
13325	Herb (as TDA534)	TDA538	2nd half of 3rd mile, following on from previous year's collecting, 2000m, West Bengal, India
13214	Herb (Liliaceae?)	TDA427	Above Lachen Village, 3000m-3500m, North Sikkim
13119	Herb Compositae family	TDA331	Yumthang 3500-4000m, North Sikkim
13202	Herb Compositae family	TDA415	Above Lachen Village, 3000m-3500m, North Sikkim
13210	Herb?	TDA423	Above Lachen Village, 3000m-3500m, North Sikkim
10193	Hibiscus coccineus		(John Gregg)
13376	Hosta sieboldiana 'Frances Williams' (OP)		(Erhard Moser)
13247	Hydrangea heteromalla	TDA460	Above Lachen Village, 3000m-3500m, North Sikkim
13344	Hydrangea heteromalla (as TDA556)	TDA557	Tiger Hill, 2500m, Darjeeling, West Bengal, India
13063	Hypericum choisianum	TDA275	Bersay Rhododendron Sanctuary, 2500m, South Sikkim
13360	Hypericum choisianum	TDA573	Tiger Hill, 2500m, Darjeeling, West Bengal, India
9128	Hypericum pseudohenryi (OP)		(Dan Ryan)
10190	Hypericum pseudohenryi (OP)		(Dan Ryan)
10044	Hypericum tenuicaule?	KR9765	INDIA: Arunachal Pradesh, Anjaw district, Tongul [Kapong] (27.50'14.5'N, 96.51'22.3'E, 2525m) to Sayang Jang [SJ] (27.49'18.5'N, 96.51'58.4'E, 2773m): shrub, midway Tongul to SJ, one rogue capsule
12121	Hypericum uralum	KR10691	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from DamchinLa High Camp (28 40' 36.2' N, 94 07' 25.2' E, 3878m) via stations 39 (28 40' 22.0' N, 94 07' 23.5' E, 3602m), 38 (28 40' 17.3' N, 94 07' 22.7' E, 3497m), 37 (28 40' 12.4' N, 94 07' 21.
12183	Idesia polycarpa		(Margaret Miles), Wild collected in Taiwan
11113	Ilex fargesii	JN11020	Small tree, lanceolate lvs. Lots of berries. SE Shaanxi 2000m
9076	Ilex pernyi	NN0938	S Sichuan 2800m
12186	Ilex rotunda		(Margaret Miles), Wild collected in Taiwan
11356	Ilex sp.	CWT6358	12m. Spineless, red fruits. En route to Fan Si Pan from Tran Son Pass. 2600m.
13238	Inula cappa	TDA451	Above Lachen Village, 3000m-3500m, North Sikkim
13235	Inula grandiflora	TDA448	Above Lachen Village, 3000m-3500m, North Sikkim
13256	Inula grandiflora	TDA469	Above Lachen Village, 3000m-3500m, North Sikkim
13301	Inula grandiflora	TDA514	2nd half of 3rd mile, following on from previous year's collecting, 2000m, West Bengal, India
13158	Inula hookeri	TDA371	Not common in this area only one found, inside Singba 3500m, North Sikkim
13281	Iris sp.	TDA494	Kyongnosla reserve, 3780m, East Sikkim
13292	Iris sp.	TDA505	Kyongnosla reserve, 3780m, East Sikkim
13106	Juniperus recurva	TDA318	Below Singba, 3000m, North Sikkim
13109	Juniperus recurva	TDA321	Yumthang 3500-4000m, North Sikkim
13219	Juniperus recurva	TDA432	Above Lachen Village, 3000m-3500m, North Sikkim
13268	Juniperus recurva	TDA481	Above Lachen Village, 3000m-3500m, North Sikkim
13220	Juniperus recurva (as TDA432)	TDA433	Above Lachen Village, 3000m-3500m, North Sikkim
12073	Juniperus squamata	KR10517	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m)
13271	Juniperus squamata aff.	TDA484	Above Lachen Village, 3000m-3500m, North Sikkim
9135	Kalmia latifolia		Wild collected in RI USA, shiny leaves, 3m
13461	Kalmia polifolia		(Barry Starling)
13152	Larix griffithiana	TDA365	Lachung Village near monastery, 2350m, North Sikkim

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
14043	<i>Larix griffithii</i>		(Barry Starling)
13458	<i>Larix kongboense</i>		(Barry Starling)
14025	<i>Leptospermum scoparium</i>		(David & Margaret Rees) New Zealand
13337	<i>Leucosceptrum canum</i>	TDA550	Tiger Hill, 2500m, Darjeeling, West Bengal, India
9051	<i>Leucothoe davisiae</i>		(Ole Jonny Larsen) California
13167	<i>Ligularia amplexicaulis</i>	TDA380	Growing in a very wet area of landslide damage, Singba 3750m, North Sikkim
13190	<i>Ligularia amplexicaulis</i>	TDA403	Above Lachen Village, 3000m-3500m, North Sikkim
13334	<i>Ligularia amplexicaulis</i>	TDA547	2nd half of 3rd mile, following on from previous year's collecting, 2000m, West Bengal, India
13355	<i>Ligularia amplexicaulis</i>	TDA568	Tiger Hill, 2500m, Darjeeling, West Bengal, India
13208	<i>Ligularia fischeri</i>	TDA421	Above Lachen Village, 3000m-3500m, North Sikkim
13249	<i>Ligularia fischeri</i>	TDA462	Above Lachen Village, 3000m-3500m, North Sikkim
13259	<i>Ligularia fischeri</i>	TDA472	Above Lachen Village, 3000m-3500m, North Sikkim
13265	<i>Ligularia fischeri</i>	TDA478	Above Lachen Village, 3000m-3500m, North Sikkim
13266	<i>Ligularia fischeri</i> (as TDA478)	TDA479	Above Lachen Village, 3000m-3500m, North Sikkim
13267	<i>Ligularia fischeri</i> (as TDA478)	TDA480	Above Lachen Village, 3000m-3500m, North Sikkim
11114	<i>Ligularia</i> sp.	JN11019	1.5-2m flower spike . SE Shaanxi 2200m
11449	<i>Ligustrum</i> sp.	CWT6452	Evergreen? Purple black fruits. So Mi Ti Approx 25km S.E.of Sa Pa 1800m.
12190	<i>Lilium formosanum</i>		(Margaret Miles), Wild collected in Taiwan
9078	<i>Lobelia seguinii</i>	NN0949	Monocarpic, broad flower spike to 3.5m with long arching side branches, hardiness unknown. SW Guizhou 1300m
9079	<i>Lobelia</i> sp.	NN0937	Does not key out, probably monocarpic, straight flower spike to 2.5 m, should be hardy. S Sichuan 2800m
8036	<i>Luculia gratissima</i>	KR9222	Shrub to 5m, flowers deepish pink. Arunachal Pradesh state, between Changwint & Hayuliang, circa 600m, just west of summit
11228	<i>Luculia</i> sp.	CWT6230	White tinged pink flowers. To 2m. Between Dongvan & Meo Vac N.E. Vietnam 1384m.
11269	<i>Luculia</i> sp.	CWT6271	White tinged pink flowers. To 2m. Ban Khoang area, 15Km, N. of Sa Pa. 1500/1800m
11116	<i>Lyonia ovalifolia</i>	JN11083	Semi evergreen . W Central Yunnan 2800m
12272	<i>Lyonia ovalifolia</i>	JN12144	West Yunnan Weixi County 3300m. Long pointed tipped leaves. Mekong-Salween divide.
12381	<i>Lyonia ovalifolia</i>	JN12379	Southwest Hunan Chengbu County 1150m. Deciduous form.
9080	<i>Lyonia ovalifolia</i>	NN0916A	Variable population here, of this variable species, seed from floriferous plants. NE Yunnan 1750m
9081	<i>Lyonia ovalifolia</i>	NN0916B	From same population, but with large (c. 8mm) calyx. NE Yunnan 1750m
9082	<i>Lyonia ovalifolia</i>	NN0950	Small shrubs on recently burnt slope, very floriferous. SW Guizhou 1600m
11117	<i>Lyonia villosa</i>	JN11032	Deciduous, appears to be a good form of the species. S Chongqing 2100m
12275	<i>Lyonia villosa</i>	JN12147	West Yunnan Weixi County 3300m. Compact twiggy deciduous shrub with many short flower spikes. Mekong-Salween divide.
13378	<i>Magnolia baillonii</i>		(Thinakorn Komkris) Thailand
14003	<i>Magnolia campbelli</i>		(Alastair Stevenson)
12177	<i>Magnolia campbelli</i> alba		(Margaret Miles)
12007	<i>Magnolia doltsopa</i>	KR10356	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), station 20 (28 34' 13.9' N, 94 09' 58.0' E, 1922m) by Yargyap chu (Siyom chu); tree 6-8m
14005	<i>Magnolia hypoleuca</i>		(Steve Lyus)
13385	<i>Magnolia laevifolia</i> 'Velvet & Cream' (OP)		(Russell Beeson)
13393	<i>Magnolia</i> 'Mazeppa' (denudata x Anne Rosse) (OP)		(John Weagle)
13392	<i>Magnolia sieboldii</i> ex Korea (OP)		(John Weagle)
14020	<i>Magnolia wilsonii</i>		(Brian Rayment)
14004	<i>Magnolia</i> x <i>soulangeana</i> "Lennei"		(Steve Lyus)
13263	<i>Malus baccata</i>	TDA476	Above Lachen Village, 3000m-3500m, North Sikkim
14050	<i>Malus sikkimensis</i> (raised from WC seed)		Garden collected, Devon
13345	<i>Melastoma normale</i>	TDA558	Tiger Hill, 2500m, Darjeeling, West Bengal, India
11053	<i>Menziesia ciliicalyx</i> x <i>ferruginea</i> (glaucous) (OP)		(Barry Starling)
10163	<i>Metrosideros excelsa</i>		(David & Margaret Rees) New Zealand
14028	<i>Metrosideros excelsa</i>		(David & Margaret Rees) New Zealand
12192	<i>Miscanthus sinensis</i>		(Margaret Miles), Wild collected in Taiwan
14027	<i>Myosotodium hortensia</i>		(David & Margaret Rees) New Zealand
13386	<i>Myrica gale</i>		(Tony Schilling) Garden collected, NW Scotland
14060	<i>Myrica gale</i>		(Tony Schilling) Garden collected, NW Scotland
13081	<i>Neillia rubiflora</i>	TDA293	Bersay Rhododendron Sanctuary, 2500m, South Sikkim
13169	<i>Neillia rubiflora</i>	TDA382	Lachen Village, 2750m, North Sikkim
13183	<i>Neillia rubiflora</i>	TDA396	Above Lachen Village, 2850m-3000m, North Sikkim

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
13367	<i>Nephrolepis cordifolia</i>	TDA580	Above Mungpoo Village, 700-1000m, West Bengal, India
11468	<i>Osbeckia</i> sp.	CWT6471	Scandent shrub to 2m. Tran Son Pass, above Ban Khoang 1900 to 2000m.
13101	<i>Oxyspora paniculata</i>	TDA313	By roadside between Lachung and Gangtok, 1000m, East Sikkim
9085	<i>Pennisetum alopecuroides</i>	NN0960	SW Guizhou 1600m
13188	<i>Philadelphus tomentosus</i>	TDA401	Above Lachen Village, 3000m-3500m, North Sikkim
13203	<i>Philadelphus tomentosus</i>	TDA416	Above Lachen Village, 3000m-3500m, North Sikkim
13270	<i>Philadelphus tomentosus</i>	TDA483	Above Lachen Village, 3000m-3500m, North Sikkim
13290	<i>Phlomis bracteosa</i> aff.	TDA503	Kyongnosla reserve, 3780m, East Sikkim
13349	<i>Phlomis bracteosa</i> aff.	TDA562	Tiger Hill, 2500m, Darjeeling, West Bengal, India
12184	<i>Photinia niitakayamensis</i>		(Margaret Miles), Wild collected in Taiwan
14052	<i>Photinia niitakayamensis</i>		Garden collected, Hergest Croft (IDS Seed Day)
12126	<i>Photinia</i> sp.	KR10726	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), along road to Tato, 019 Mesic (28 33' 53.5' N, 94 11' 42.9' E, 2060m) to 42 CEPHALO (28 33' 28.8' N, 94 12' 12.2' E, 2057m): epiphytic shrub on <i>Michelia</i> 10722, fruit ripening to purplish
9053	<i>Phyllodoce tsugaefolia</i>		(Ole Jonny Larsen)
14044	<i>Picea glauca</i>		(Barry Starling)
12211	<i>Pieris formosa</i>	JN12014	South Sichuan Huidong County 3200m. Red calyx.
13170	<i>Pieris formosa</i>	TDA383	Lachen Village, 2750m, North Sikkim
13211	<i>Pieris formosa</i>	TDA424	Above Lachen Village, 3500m, North Sikkim
13212	<i>Pieris formosa</i>	TDA425	Above Lachen Village, 3000m-3500m, North Sikkim
13171	<i>Pieris formosa</i> (as TDA383)	TDA384	Lachen Village, 2750m, North Sikkim
14045	<i>Pinus cembrioides</i> v. <i>edulis</i>		(Barry Starling)
13024	<i>Piptanthus nepalensis</i>	TDA234	Hilley village, 2500m, South Sikkim
13048	<i>Piptanthus nepalensis</i>	TDA260	Bersay Rhododendron Sanctuary, 2500m, South Sikkim
13085	<i>Piptanthus nepalensis</i>	TDA297	Bersay Rhododendron Sanctuary, 2500m, South Sikkim
13089	<i>Piptanthus nepalensis</i>	TDA301	Bersay Rhododendron Sanctuary, 2500m, South Sikkim
12179	<i>Pittosporum daphniphyloides</i>		(Margaret Miles)
13066	<i>Pleione praecox</i>	TDA278	Growing on <i>R. arboreum</i> ssp. <i>arboreum</i> , Bersay Rhododendron Sanctuary
13205	<i>Potentilla atosanguinea</i>	TDA418	Above Lachen Village, 3000m-3500m, North Sikkim
13218	<i>Potentilla atosanguinea</i>	TDA431	Above Lachen Village, 3000m-3500m, North Sikkim
13357	<i>Potentilla atosanguinea</i>	TDA570	Tiger Hill, 2500m, Darjeeling, West Bengal, India
13377	<i>Primula</i> 'Inshriach Hybrids' (OP)		(Michael Warren) from plants ex Jack Drake's nursery, mixed colours
11119	<i>Primula poissonii</i>	JN11035	NE Yunnan 2800m, more robust than usual western Yunnan type
12226	<i>R. aganniphum</i>	JN12051	West Sichuan Baoxing County 4050m. Thinner indumentum northern type.
12249	<i>R. aganniphum</i>	JN12097	West Sichuan Yajiang County 4300m. Thinner indumentum northern type.
12324	<i>R. aganniphum</i>	JN12266	Southwest Sichuan Jiulong County 4200m. Thinner indumentum northern type.
12169	<i>R. albrechtii</i> (OP)		(Barry Starling)
12242	<i>R. ambiguum</i>	JN12085	West Sichuan Kangding County 3000m. Looks most like this taxa but could also be purple flowered <i>concinnum</i> .
12355	<i>R. ambiguum</i>	JN12322	Central Sichuan Emeishan County 2950m. Mostly 5-6 flowers per truss.
12259	<i>R. anthosphaerum</i>	JN12127	West Yunnan Weixi County 2950m.
12294	<i>R. anthosphaerum</i>	JN12187	Midwest Yunnan Heqing County 3200m.
11071	<i>R. anwheiense</i> (OP)		(Erhard Moser)
13002	<i>R. arboreum</i> ssp. <i>arboreum</i>	TDA212	Hilley village, 2500m, South Sikkim
13025	<i>R. arboreum</i> ssp. <i>arboreum</i>	TDA235	Hilley village, 2500m, South Sikkim
13027	<i>R. arboreum</i> ssp. <i>arboreum</i>	TDA237	Hilley village, 2500m, South Sikkim
13051	<i>R. arboreum</i> ssp. <i>arboreum</i>	TDA263	Bersay Rhododendron Sanctuary, 2500m, South Sikkim
13061	<i>R. arboreum</i> ssp. <i>arboreum</i>	TDA273	Bersay Rhododendron Sanctuary, 2500m, South Sikkim
13078	<i>R. arboreum</i> ssp. <i>arboreum</i>	TDA290	Bersay Rhododendron Sanctuary, 2500m, South Sikkim
12142	<i>R. arboreum</i> ssp. <i>arboreum</i>	TDA088	Hilley village below Bersay rhododendron Sanctuary, growing with <i>R. grande</i> and <i>R. griffithianum</i> 2500m, South Sikkim
12143	<i>R. arboreum</i> ssp. <i>arboreum</i>	TDA089	As TDA088
12144	<i>R. arboreum</i> ssp. <i>arboreum</i>	TDA110	As TDA088
12138	<i>R. arboreum</i> ssp. <i>cinnamomeum</i>	TDA096	Road to Hilley Village 2500m, South Sikkim
11094	<i>R. arboreum</i> ssp. <i>nilagiricum</i>		(Viru & Girija Viraraghavan) Kodaikanal, Palmi Hills, Western Ghats Mountains, Tamil Nadu, India (2300m)
12199	<i>R. arboreum</i> ssp. <i>zeylanicum</i>		(Jacky Bronnec) Horton Plains, Sri Lanka
10252	<i>R. arboreum</i> ssp. <i>zeylanicum</i>	AC	Wild collected by AC at Newara Eliya, Sri Lanka at 2000m
13282	<i>R. argipeplum</i>	TDA495	Kyongnosla reserve, 3780m, East Sikkim, little seed?
13400	<i>R. arizelum</i> (2009 collected) 50p	BE09-11	BURMA, Western border with Arunachal Pradesh, 3400m
13421	<i>R. arizelum</i> (2012 collected) £1.50	BE-12-06	BURMA, Northern border with Arunachal Pradesh, 2700m

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
12104	<i>R. arizelum</i> aff.	KR10624	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), DamchinLa Camp 1 (28 38' 32.1' N, 94 07' 09.0' E, 2692m) via stations 31 (28 38' 37.2' N, 94 07' 17.7' E, 2783m), 32 FALCONERA (28 38' 58.9' N, 94 07' 05.2' E, 2940m)
12105	<i>R. arizelum</i> aff.	KR10626	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), DamchinLa Camp 1 (28 38' 32.1' N, 94 07' 09.0' E, 2692m) via stations 31 (28 38' 37.2' N, 94 07' 17.7' E, 2783m), 32 FALCONERA (28 38' 58.9' N, 94 07' 05.2' E, 2940m)
12345	<i>R. augustinii</i>	JN12310	South Sichuan Puge County 3100m. Few seed.
12370	<i>R. augustinii</i>	JN12352	North Central Yunnan Luquan County 3100m. Small leaved form recalling yunnanense in general appearance and sunny drier habitat. Probably the southern limit of the species.
12174	<i>R. augustinii</i>	CDHM145 76	(Ken Cox)
13368	<i>R. aureum</i> (HP)		(Erhard Moser)
11072	<i>R. austrinum</i> , (OP, ex Georgia, USA)		(Erhard Moser)
13439	<i>R. beanianum</i> (2012 collected) £1.50	BE-12-29	BURMA, Northern border with Arunachal Pradesh, 3100m
13447	<i>R. beanianum</i> (2012 collected) £1.50	BE-12-41	BURMA, Northern border with Arunachal Pradesh, 34-3500m
13455	<i>R. beanianum</i> (2012 collected) £1.50	BE-12-50	BURMA, Northern border with Arunachal Pradesh, 3300m
13422	<i>R. beanianum</i> aff. (2012 collected) £1.50	BE-12-07	BURMA, Northern border with Arunachal Pradesh, 2900m
13440	<i>R. beanianum/pocophorum</i> var. <i>pocophorum</i> (2012 collected) £1.50	BE-12-30	BURMA, Northern border with Arunachal Pradesh, 3000m
13456	<i>R. beanianum?</i> (2012 collected) £1.50	BE-12-52	BURMA, Northern border with Arunachal Pradesh
13451	<i>R. beanianum?</i> /(citriniflorum) (2012 collected) £1.50	BE-12-45	BURMA, Northern border with Arunachal Pradesh, 34-3500m
12284	<i>R. beesianum</i>	JN12160	Midwest Yunnan Jianchuan County 3900m. Unusual broad leaves population, some approaching the leaf shape of <i>lacteum</i> .
12328	<i>R. beesianum</i>	JN12273	Southwest Sichuan Jiulong County 3950m.
12011	<i>R. boothii</i> (mishmiense)	KR10365	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), station 20 (28 34' 13.9' N, 94 09' 58.0' E, 1922m) by Yargyap chu (Siyom chu); shrub, epiphyte, either <i>amandum</i> or <i>BOOTHIA</i> , capsule with 6 cells, style bent downwards
12118	<i>R. boothii</i> (mishmiense)	KR10687	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from DamchinLa High Camp (28 40' 36.2' N, 94 07' 25.2' E, 3878m) via stations 39 (28 40' 22.0' N, 94 07' 23.5' E, 3602m), 38 (28 40' 17.3' N, 94 07' 22.7' E, 3497m), 37 (28 40' 12.4' N, 94 07' 21.
11513	<i>R. brachycarpum</i> Tigerstedtii Group (Selfed)		(Ole Jonny Larsen)
12351	<i>R. bureavii</i>	JN12318	South Sichuan Puge County 3900m. From same location as JN12314 but from higher elevation and with no/few glands and more indumentum of the typical more open indumentum of the eastern type.
12373	<i>R. bureavii</i>	JN12358	North Central Yunnan Luquan County 3800m. Typical open indumentum of the eastern (<i>cruentum</i>) type.
12348	<i>R. bureavii</i> aff.	JN12314	South Sichuan Puge County 3750m. <i>bureavioides</i> aff. - a very unusual form where the indumentum is largely replaced by glands, relative large leaves.
14077	<i>R. burtii</i> (<i>Vireya</i>) (HP)		(Pam Hayward)
10245	<i>R. calophytum</i> (OP)	OP34/10	(Muncaster Castle) will make a good understock for sp. within subsection <i>Falconera</i> , group A
12233	<i>R. calophytum</i> var. <i>openshawianum</i>	JN12067	West Sichuan Tianquan County 1800m. Smaller leaves and fewer flowers than <i>calophytum</i> .
13156	<i>R. camelliiflorum</i>	TDA369	Entrance to Singba, found growing on rocks, peeling brown bark, 3500m, North Sikkim
13157	<i>R. camelliiflorum</i> (as TDA369)	TDA370	Entrance to Singba, found growing on rocks, peeling brown bark, 3500m, North Sikkim
13283	<i>R. campanulatum</i>	TDA496	Kyongnosla reserve, 3780m, East Sikkim
13289	<i>R. campanulatum</i>	TDA502	Kyongnosla reserve, 3780m, East Sikkim
11522	<i>R. campylocarpum</i>	TDA022	As TDA023
13144	<i>R. campylocarpum</i> (as TDA356)	TDA357	Yumthang 3500-4000m, North Sikkim
13145	<i>R. campylocarpum</i> (as TDA356)	TDA358	Yumthang 3500-4000m, North Sikkim
12046	<i>R. campylocarpum</i> ssp. <i>caloxanthum?</i>	KR10458	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from 28 - Sinjong camp 2 at 28 32' 37.2' N, 94 05' 28.1' E, 3383m, via 28 (0810) 28 32' 15.5' N, 94 05' 36.7' E, 3458m, 29 Trilectorum (28 32' 10.9' E, 94 05' 36.3' E, 3548m) to 29 Sinjong Camp 3
10177	<i>R. campylogynum</i> Myrtilloides Group (HP selfed)		(Ole Jonny Larsen)
11511	<i>R. campylogynum</i> Myrtilloides Group (HP selfed)		(Ole Jonny Larsen)
10164	<i>R. camtschaticum</i>		(Mikkel Jorgensen)
12200	<i>R. camtschaticum</i> (OP)		(Mikkel Jorgensen)
14037	<i>R. canadense</i>		(John Weagle) Garden collected in Nova Scotia from native stand.
14076	<i>R. carneum</i> (Selfed)		(Pam Hayward)
13231	<i>R. ciliatum</i> (as TDA442)	TDA444	Above Lachen Village, 3000m-3500m, very boggy conditions several good shrubs growing closely, North Sikkim
13232	<i>R. ciliatum</i> (as TDA442)	TDA445	Above Lachen Village, 3000m-3500m, very boggy conditions several good shrubs growing closely, North Sikkim
13233	<i>R. ciliatum</i> (as TDA442)	TDA446	Above Lachen Village, 3000m-3500m, very boggy conditions several good shrubs growing closely, North Sikkim
13137	<i>R. cinnabarinum</i>	TDA349	Yumthang 3500-4000m, North Sikkim

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
13448	<i>R. citriniflorum</i> (2012 collected) £1.50	BE-12-42	BURMA, Northern border with Arunachal Pradesh, 34-3500m
13424	<i>R. citriniflorum/dichroanthum</i> ssp. <i>scyphocalyx</i> (2012 collected) £1.50	BE-12-09	BURMA, Northern border with Arunachal Pradesh, 3400-3500m
13450	<i>R. citriniflorum/dichroanthum?</i> (2012 collected) £1.50	BE-12-44	BURMA, Northern border with Arunachal Pradesh, 34-3500m
13453	<i>R. citriniflorum/dichroanthum?</i> (2012 collected) £1.50	BE-12-47	BURMA, Northern border with Arunachal Pradesh, 34-3500m
9091	<i>R. coeloneuron</i>	NN0926	Nice foliage and seems closely related to <i>R. denudatum</i> . This population was mostly growing in boggy condition near a stream. NE Yunnan 1800m
11073	<i>R. columbianum</i> (OP = <i>Ledum columbianum</i>)		(Erhard Moser)
12333	<i>R. concinnum</i>	JN12290	South Sichuan Mianning County 3500m. Yellow form? Densely scaled underside to leaves, few flowers seen were yellow. Others have reported this form from neighbouring County.
12237	<i>R. concinnum/ambiguum</i>	JN12080	West Sichuan Luding County 2950m. Flowers not seen.
12262	<i>R. coriaceum</i>	JN12131	West Yunnan Weixi County 2850m. Mekong-Salween divide.
12290	<i>R. coriaceum</i>	JN12175	West Yunnan Lanping County 3200m. Mekong-Salween divide.
10239	<i>R. coriaceum</i> (OP)	OP22/10	(Muncaster Castle) good for understock subsection <i>Falconera</i> , group B1
14008	<i>R. cowanianum</i> (HP selfed)		(Ole Jonny Larsen)
11360	<i>R. crassum</i>	CWT6362	Shrub 2.5m. En route to Fan Si Pan from Tran Son Pass. 2700m.
11421	<i>R. crassum</i>	CWT6424	Shrub 2.5m. San Sa Ho area. Approx 20km. S.E. of Sa Pa 3000m
13380	<i>R. cucullatum</i> aff. ex SBEC350 intrasibling (HP)		(Claus Staune)
12314	<i>R. cuneatum</i>	JN12249	Southwest Sichuan Muli County 3300m.
6359	<i>R. cyanocarpum</i>	ZH-G079	Tali Region, Yunnan 2800m
7174	<i>R. cyanocarpum</i> aff.	ACSN5904	Cangshan, west of Dali, Yunnan. Altitude 3100-4000m
12135	<i>R. dalhousiae</i>	TDA162	Bersay Rhododendron Sanctuary, growing as an epiphyte on <i>Lithocarpus pachyphylla</i> , 2600m, South Sikkim
12139	<i>R. dalhousiae</i>	TDA158	Bersay Rhododendron Sanctuary, growing as an epiphyte on <i>Lithocarpus pachyphylla</i> , 2600m, South Sikkim
12224	<i>R. danbaense</i> aff.	JN12047	West Sichuan Xiaojin County 3350m. Have seen isotype in Chinese herbarium and this is a good match, this differs from type specimen in smaller (almost no) calyx, also this collection has somewhat persistent bud scales (perulae). This species was introduced in early 80s as <i>bureauoides</i> by Warren Berg.
12232	<i>R. davidsonianum</i>	JN12065	West Sichuan Tianquan County 1450m. Leaves with denser scales.
12240	<i>R. davidsonianum</i>	JN12083	West Sichuan Luding County 2600m.
11126	<i>R. davidsonianum</i> aff.	JN11038	Quite compact with smaller broad dark scaled lvs. NE Yunnan 3200m
9094	<i>R. decorum</i>	NN0907	From typical habitat for this species, among evergreen oak scrub, quite an eastern population of this species S NE Yunnan 3000m
12239	<i>R. decorum</i>	JN12082	West Sichuan Luding County 2600m. Near northern limit of the species.
12288	<i>R. decorum</i>	JN12173	West Yunnan Lanping County 3150m. Seems more like <i>decorum</i> than <i>diaprepes</i> . Mekong-Salween divide.
12322	<i>R. decorum</i>	JN12263	Southwest Sichuan Jiulong County 3600m. Narrow leaved form from high elevation.
14039	<i>R. decorum</i> (HP from Group seed-raised plants)		(Dave Haddon)
11127	<i>R. decorum</i> aff.	JN11037	Compact round leaf type from top of mountain. NE Yunnan 3200m
12287	<i>R. delavayi</i>	JN12172	West Yunnan Lanping County 2900m. Relative thin indumentum in this collection. Mekong-Salween divide.
12368	<i>R. delavayi</i>	JN12350	North Central Yunnan Luquan County 3100m. Known to be quite hardy from this area.
12334	<i>R. denudatum</i>	JN12291	South Sichuan Mianning County 2900m.
12384	<i>R. discolor/maoerense</i> aff.	JN12388	Southwest Hunan Chengbu County 1650m. Differs from <i>discolor</i> in long rachis like and pedicel more densely glandular, but not long glandular hair like <i>maoerense</i> . c.10 flowers per truss.
12385	<i>R. discolor/maoerense</i> aff.	JN12390	Southwest Hunan Xinning County 1200m. Differs from <i>discolor</i> in long rachis like and pedicel more densely glandular, but not long glandular hair like <i>maoerense</i> . c.10 flowers per truss.
13405	<i>R. ecleceteum</i> aff. (green bud) (2009 collected) 50p	BE09-26	BURMA, Western border with Arunachal Pradesh, 3580m
13404	<i>R. ecleceteum</i> aff. (red bud) (2009 collected) 50p	BE09-25	BURMA, Western border with Arunachal Pradesh, 3580m
11074	<i>R. ecleceteum</i> , yellow, (OP)		(Erhard Moser)
12026	<i>R. edgeworthii</i>	KR10413	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from Yorko stupa (28 36' 25.8" N, 94 06' 14.2" E, 1937m) via station 21 (28 36' 05.9" N, 94 05' 44.2" E, 2067m), 22 (28 35' 45.6" N, 94 05' 35.3" E, 2100m)
13260	<i>R. edgeworthii</i>	TDA473	Above Lachen Village, 3000m-3500m, North Sikkim
13394	<i>R. edgeworthii</i> (2009 collected) 50p	BE09-02	BURMA, Western border with Arunachal Pradesh, 2600-2800m
13419	<i>R. edgeworthii</i> (2012 collected) £1.50	BE-12-04	BURMA, Northern border with Arunachal Pradesh, 2700m
13425	<i>R. edgeworthii</i> (2012 collected) £1.50	BE-12-10	BURMA, Northern border with Arunachal Pradesh, 2700m
13446	<i>R. edgeworthii</i> (2012 collected) £1.50	BE-12-40	BURMA, Northern border with Arunachal Pradesh, 2700m
13417	<i>R. edgeworthii</i> (P8) (2012 collected) £1.50	BE-12-01	BURMA, Northern border with Arunachal Pradesh, 2700m
11087	<i>R. elegantulum</i> (Reuthe form x Bovee form, HP)		(Claus Staune)

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
12356	<i>R. faberi</i>	JN12323	Central Sichuan Emeishan County 2950m. Leaves much smaller than prattii.
11136	<i>R. facetum</i>	JN11055	W Yunnan 2900m
11393	<i>R. facetum</i>	CWT6395	Tree to 5m. En route to Fan Si Pan from Tran Son Pass. 2400m.
12208	<i>R. facetum</i>		(Reidar Vigrestad) Bijiang, Yunnan 3100m
12376	<i>R. fastigiatum</i>	JN12363	North Central Yunnan Luquan County 4000m. Few seed.
14021	<i>R. ferrugineum</i>		(Mikkel Jorgensen)
13387	<i>R. ferrugineum</i> #1		(Mikkel Jorgensen) Col du mont joux, Aosta, Italy, 1960m
13388	<i>R. ferrugineum</i> #3		(Mikkel Jorgensen) Below Point Oilletta, Aosta, Italy, 2041m
13389	<i>R. ferrugineum</i> #6		(Mikkel Jorgensen) Below Valsavarenche, Aosta, Italy, 2200m
14009	<i>R. ferrugineum</i> (2012 collected £1.50)	OJL12-01	(Ole Jonny Larsen) Stubeithal, 2200m, Tirol, Austria
12281	<i>R. fictolacteum</i>	JN12155	Midwest Yunnan Jianchuan County 3700m. Seed of plants with many flowered truss.
10231	<i>R. formosum</i> iteophyllum Group (OP)	OP11/10	(Muncaster Castle) H3 hardy
13427	<i>R. formosum</i> var. <i>formosum</i> / <i>R. leptocarpum</i> (2012 collected) £1.50	BE-12-12	BURMA, Northern border with Arunachal Pradesh, 3500-3600m
13369	<i>R. fortunei</i> (HP)		(Erhard Moser)
14046	<i>R. fortunei</i> (OP)		(Barry Starling)
14040	<i>R. fortunei</i> ssp. <i>discolor</i> (HP from Group seed-raised plants)		(Dave Haddon)
9023	<i>R. fortunei</i> ssp. <i>fortunei</i>		Glendoick (HP)
8123	<i>R. fulgens</i>	KR9538	Shrub, 4-5m. Arunachal Pradesh state, Tawang, from Bangla Jang Gompa campsite 4129m down the BJ chu to 3306m, collections dropping down from 4000m to 3800m
11527	<i>R. fulgens</i>	TDA024	As TDA023
12280	<i>R. fulvum</i>	JN12154	Midwest Yunnan Jianchuan County 3500m. Few seed.
12299	<i>R. fulvum</i>	JN12207	Midwest Yunnan Eryuan County 3600m. Not recorded from this area before, growing with <i>fictolacteum</i> .
12170	<i>R. genestierianum</i> (OP)		(Ole Jonny Larsen)
13326	<i>R. grande</i>	TDA539	2nd half of 3rd mile, following on from previous year's collecting, 2000m, West Bengal, India
13339	<i>R. grande</i>	TDA552	Tiger Hill, 2500m, Darjeeling, West Bengal, India
13361	<i>R. grande</i>	TDA574	Tiger Hill, 2500m, Darjeeling, West Bengal, India
12137	<i>R. grande</i>	TDA098	Road to Hilley Village, 2500m, South Sikkim
12140	<i>R. grande</i>	TDA161	Bersay Rhododendron Sanctuary, mixed forest 2600m, South Sikkim
13362	<i>R. grande</i> (as TDA574)	TDA575	Tiger Hill, 2500m, Darjeeling, West Bengal, India
14047	<i>R. griersonianum</i> (OP but isolated)		(Barry Starling)
14010	<i>R. groenlandicum</i> (OP)		(Ole Jonny Larsen)
12283	<i>R. heliolepis</i>	JN12158	Midwest Yunnan Jianchuan County 3900m. High elevation collection.
10228	<i>R. heliolepis</i> var. <i>brevistylum</i> (OP)	OP07/10	(Muncaster Castle) usually comes true from seed
12372	<i>R. heliolepis</i> var. <i>fumidum</i>	JN12357	North Central Yunnan Luquan County 3800m. Mostly pinky purple flowers and less aromatic leaves. Occurring further east than <i>heliolepis</i> .
12313	<i>R. hemitrichotum</i>	JN12248	Southwest Sichuan Yanyuan County 3250m. Mostly white flowered, some tinged pink.
13165	<i>R. hodgsonii</i>	TDA378	Singba 3500m, North Sikkim
13286	<i>R. hodgsonii</i>	TDA499	Kyongnosla reserve, 3780m, East Sikkim
13166	<i>R. hodgsonii</i> (as TDA378)	TDA379	Singba 3500m, North Sikkim
13433	<i>R. horlickianum</i> ? (P10) (2012 collected) £1.50	BE-12-19	BURMA, Northern border with Arunachal Pradesh, 2700m
13444	<i>R. horlickianum</i> ? red buds (2012 collected) £1.50	BE-12-38	BURMA, Northern border with Arunachal Pradesh, 2800m
11076	<i>R. hunnewellianum</i> (OP)		(Erhard Moser)
12229	<i>R. hybrid</i> (<i>asterochnoum</i> x <i>oreodoxa</i>) (Wild collected)	JN12059	West Sichuan Baoxing County 3100m. No indumentum and small stigma.
14034	<i>R. hybrid</i> (<i>brachycarpum</i> Compact Form x <i>proteoides</i> R.151) x (<i>yakushmanum</i> x <i>proteoides</i>) (CP)		(John Weagle)
14036	<i>R. hybrid</i> (<i>brachycarpum</i> Roseum Group x <i>sanguineum</i> ssp. <i>didymum</i>) x <i>sanguineum</i> ssp. <i>didymum</i> DGEY (CP)		(John Weagle)
14035	<i>R. hybrid</i> (<i>brachycarpum</i> 'Tony Law' x <i>rex</i> ssp. <i>fictolacteum</i>) x <i>strigillosum</i> RSF 16/149 (CP)		(John Weagle)
13381	<i>R. hybrid</i> (<i>bureavioides</i> x <i>lanatoides</i>) (HP)		(Claus Staune)
13382	<i>R. hybrid</i> (<i>bureavioides</i> x <i>piercei</i>) (HP)		(Claus Staune)
14031	<i>R. hybrid</i> (<i>Francesca</i> x <i>Babylon</i>) (CP)		(John Weagle)
14056	<i>R. hybrid</i> ('Frank Mossman' sister seedling x <i>occidentale</i> 'Tatum's Yellow Standard') (HP)		(Dick Cavender, Oregon) Frank Mossman sister seedling parentage is 'Double Dig Twelve' x 'Leonard Frisbie'. 'Double Dig Twelve' is the only known tetraploid <i>R. occidentale</i> .

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
14033	R. hybrid (Great Eastern x strigillosum)		(John Weagle)
14058	R. hybrid (occidentale SM28-3 x occidentale 'Crescent City Double' (SM28-2) X occidentale 'Tatum's Yellow Standard') (HP)		(Dick Cavender, Oregon) Both parents are wild collected double forms of R. occidentale. See Group website www.rhodogroup-rhs.org/ for image of parent plants.
14057	R. hybrid (occidentale 'Tatum's Deep Pink' x occidentale 'Tatum's Yellow Standard') (HP)		(Dick Cavender, Oregon) Seed from two fine selected clones of R. occidentale, seed parent is a good deep pink, pollen parent has a particularly strong yellow flare. See Group website www.rhodogroup-rhs.org/ for image of parent plants.
6079	R. hybrid (petrocharis x pemakoense) (HP)		(M Leijdens)
13379	R. hybrid (saxicolium (ARS seed exchange 1993 #1611) x alba magnifica)		(Andrew Rouse)
9022	R. hybrid (sutchuenense x giraldii x sutchuenense)		Glendoick (HP)
9038	R. hybrid 'Golden Coach' x 'Antonio'		(Cameron Fleming)
11077	R. hybrid 'Lampion', orange/red (OP)		(Erhard Moser)
7346	R. hybrid oreodoxa x decorum ? (Wild collected)	ACSN6078	Huangmaogeng, Leibo county, Sichuan. Altitude 2500-2800m
11083	R. hybrid smirnowii x makinoi, F2		(Erhard Moser)
14030	R. hybrid 'Snowbird' (azalea) (OP but isolated)		(John Weagle)
10247	R. hybrid souliei x vernicosum (OP)	OP38/10	(Muncaster Castle) a natural hybrid
12168	R. hypoleucum (OP)		(Barry Starling)
11055	R. hypoleucum 'Teshio' (OP but does not cross)		(Barry Starling) syn. Ledum palustre v. diversipilosum 'Teshio'
12245	R. intricatum	JN12088	West Sichuan Kangding County 3750m.
11142	R. irroratum	JN11045	Midwest Yunnan 2800m
12296	R. irroratum	JN12189	Midwest Yunnan Eryuan County 3200m.
12366	R. irroratum	JN12348	North Central Yunnan Qujing County 2400m. Seen in flower, all cream and pale yellow mostly spotted with purple "ningyuenense".
9101	R. irroratum	NN0961	An eastern collection. SW Guizhou 1700m
11345	R. irroratum aff.	CWT6347	Tree to 6m. En route to Fan Si Pan from Tran Son Pass. 2600m.
10171	R. kawakamii (Pseudovireya) (HP)		(Pam Hayward)
13416	R. kawakamii (Pseudovireya) (HP)		(Pam Hayward)
12010	R. kendrickii	KR10359	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), station 20 (28 34' 13.9' N, 94 09' 58.0' E, 1922m) by Yargyap chu (Siyom chu); small tree, capsule narrow with long style, in forest, 2 collected
12302	R. lacteum	JN12212	Midwest Yunnan Eryuan County 3800m. This is from Delavay's type location and not Cangshan.
12377	R. latoucheae	JN12372	North Guangxi Xing'an County 800m. Variable species often found growing in very exposed conditions.
12380	R. latoucheae	JN12377	Southwest Hunan Chengbu County 1000m. Variable species often found growing in very exposed conditions.
12393	R. latoucheae	JN12412	Southeast Hunan Yanling County 1100m. Variable species often found growing in very exposed conditions.
13134	R. lepidotum/nivale?	TDA346	Yumthang 3500-4000m, North Sikkim
13135	R. lepidotum/nivale? (as TDA346)	TDA347	Yumthang 3500-4000m, North Sikkim
13136	R. lepidotum/nivale? (as TDA346)	TDA348	Yumthang 3500-4000m, North Sikkim
11351	R. leptocladon aff.	CWT6353	Shrub to 1m. En route to Fan Si Pan from Tran Son Pass. 2600m.
13341	R. lindleyi	TDA554	Tiger Hill, 2500m, Darjeeling, West Bengal, India
12406	R. ludwigianum (HP selfed)		(Pam Hayward) from Rhododendron Species Botanic Garden Collection
12167	R. luteiflorum (OP)		(Barry Starling)
13441	R. luteiflorum/Triflora + R. dendricola (2012 collected) £1.50	BE-12-32	BURMA, Northern border with Arunachal Pradesh, 2800-2900m
9104	R. lutescens	NN0935	Quite high elevation for this species. S Sichuan 2600m
14011	R. lutescens (HP selfed)		(Ole Jonny Larsen)
14022	R. luteum		(Mikkel Jorgensen)
10098	R. maddenii	KR9725	INDIA: Arunachal Pradesh, Anjaw district, Kapong ledge (27.50'53.0"N, 96.50'54.7"E, 2060m) via AA2-Tsuga (27.50'33.5"N, 96.51'09.6"E, 2309m), AA3 (27.50'34.3"N, 96.51'12.2"E, 2349m) to Tongul [Kapong] (27.50'14.5"N, 96.51'22.3"E, 2525m): shrub 6m, at AA3
10244	R. maddenii crassum var. chapaense (OP)	OP31/10	(Muncaster Castle) ex. AC collection NW Vietnam 1992, controversial distinct species chapaense
13418	R. maddenii hair on ribs (2012 collected) £1.50	BE-12-02	BURMA, Northern border with Arunachal Pradesh, 2700m
11148	R. maddenii ssp. crassum	JN11044	Midwest Yunnan 2800m
11149	R. maddenii ssp. crassum	JN11082	W Central Yunnan 2800m
13420	R. maddenii, hairs on ribs (2012 collected) £1.50	BE-12-05	BURMA, Northern border with Arunachal Pradesh, 2700m

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
10099	<i>R. maddenii</i> ?	KR9768A	INDIA: Arunachal Pradesh, Anjaw district, Tonglu [Kapong] (27.50'14.5"N, 96.51'22.3"E, 2525m) to Sayang Jang [SJ] (27.49'18.5"N, 96.51'58.4"E, 2773m): capsules in same envelope as 9768, presumably from nearby tree ??
12391	<i>R. mariesii</i>	JN12409	Southeast Hunan Yanling County 900m.
8016	<i>R. maximum</i> (Red picotee)		(Joe Bruso)
12171	<i>R. maximum</i> (White) (HP)		(Ole Jonny Larsen)
11512	<i>R. maximum</i> (White) (Selfed)		(Ole Jonny Larsen) Hardy, easily grown clone.
13423	<i>R. meddianum</i> var. <i>atrokermesinum</i> (2012 collected) £1.50	BE-12-08	BURMA, Northern border with Arunachal Pradesh, 3000m
14012	<i>R. mekongense</i> (HP selfed)		(Ole Jonny Larsen)
14032	<i>R. minus</i> Carolinianum Group ex Chamagne Garden (Selfed)		(John Weagle) Good pink form.
12379	<i>R. mitriforme</i> ?	JN12376	Southwest Hunan Chengbu County 1000m. Very similar to <i>ovatum</i> but with narrower leaves.
14038	<i>R. mucronulatum</i> var. <i>taquetii</i> (OP)		(John Weagle) At least 25% will come true
11056	<i>R. nipponicum</i> (OP but does not cross)		(Barry Stirling)
12165	<i>R. nipponicum</i> (OP but does not cross)		(Barry Stirling)
12343	<i>R. nitidulum</i> ?	JN12303	South Sichuan Mianning County 4050m. Few seed. Seem a fair match but some darker scales and maybe a few hairs on style.
11384	<i>R. obtusum</i> ?	CWT6386	1.5m. <i>R. saxicolum</i> ?. En route to Fan Si Pan from Tran Son Pass. 2400m.
14054	<i>R. occidentale</i> 'Tatum's Yellow Standard' (HP Selfed)		(Dick Cavender, Oregon) Selected <i>R. occidentale</i> clone with a particularly strong yellow flare. See Group website www.rhodogroup-rhs.org/ for image.
14055	<i>R. occidentale</i> 'Tatum's Yellow Standard' (OP)		(Dick Cavender, Oregon) Seed from a plant set among a group of 14 other selected <i>R. occidentale</i> clones. See Group website www.rhodogroup-rhs.org/ for image.
12187	<i>R. oldhamii</i>		(Margaret Miles), Wild collected in Taiwan
11078	<i>R. orbiculare</i> (OP)		(Erhard Moser)
12216	<i>R. oreodoxa</i>	JN12023	Central Sichuan Wenchuan County 3400m. This has a few glands on the capsule, but enough for var <i>fargesii</i> ?
12221	<i>R. oreodoxa</i>	JN12041	West Sichuan Xiaojin County 3350m. This has a few glands on capsule, but enough for var <i>fargesii</i> ?
12331	<i>R. oreodoxa</i>	JN12281	South Sichuan Mianning County 3400m. var <i>oreodoxa</i> no glands.
7349	<i>R. oreodoxa</i> aff.	ACSN6081	Huangmaogeng, Leibo county, Sichuan. Altitude 2500-2800m
7362	<i>R. oreodoxa</i> aff.	ACSN6094	Dafengding Shan, Sichuan. Altitude 2900m
11154	<i>R. oreodoxa</i> var. <i>fargesii</i>	JN11026	N Chongqing 2400m
9030	<i>R. oreodoxa</i> var. <i>fargesii</i>		Glendoick (HP)
7415	<i>R. oreodoxa</i> var. <i>fargesii</i> (as ACSN6146)	ACSN6147	Emei Shan, Sichuan. 2500-3000m
7419	<i>R. oreodoxa</i> var. <i>oreodoxa</i>	ACSN6151	Emei Shan, Sichuan. 2500-3000m
12251	<i>R. oreotrephes</i>	JN12101	West Sichuan Xiangcheng County 3800m.
12309	<i>R. oreotrephes</i>	JN12243	Northwest Yunnan Ninglang County 3700m.
12297	<i>R. pachypodium</i>	JN12193	Midwest Yunnan Eryuan County 2450m. From good size population growing on cliffs.
13370	<i>R. pachysanthum</i> (HP)		(Erhard Moser)
12227	<i>R. pachytrichum</i>	JN12057	West Sichuan Baoxing County 3300m.
12238	<i>R. pachytrichum</i>	JN12081	West Sichuan Luding County 2900m.
14014	<i>R. pentandrum</i> syn. <i>Menziesia pentandra</i>		(Ole Jonny Larsen)
14013	<i>R. pilosum</i> syn. <i>Menziesia pilosa</i>		(Ole Jonny Larsen)
11079	<i>R. planetum</i> (OP)		(Erhard Moser)
7325	<i>R. polylepis</i> aff.	ACSN6057	Pale pink 5-lobed flowers. Huangmaogeng, Leibo county, Sichuan. Altitude 2500-2800m
7337	<i>R. polylepis</i> aff.	ACSN6069	Pale pink 5-lobed flowers. Huangmaogeng, Leibo county, Sichuan. Altitude 2500-2800m
7339	<i>R. polylepis</i> aff.	ACSN6071	Pale pink 5-lobed flowers. Huangmaogeng, Leibo county, Sichuan. Altitude 2500-2800m
12217	<i>R. prattii</i>	JN12026	Central Sichuan Wenchuan County 3400m. Variable but only collected from plants with good truss.
12222	<i>R. prattii</i>	JN12045	West Sichuan Xiaojin County 3350m. Variable but only collected from plants with good truss.
14015	<i>R. proteoides</i> (2013 collected £2)	OJL13-01	(Ole Jonny Larsen) Sbbe, Beima Shan 4220m
12164	<i>R. proteoides</i> (closed pollination)		(Claus Staune)
12316	<i>R. pubescens</i>	JN12253	Southwest Sichuan Muli County 3200m.
11080	<i>R. purdomii</i> ex Quinling Mts., China (CP)		(Erhard Moser)
6368	<i>R. racemosum</i>	ZH-G065	Tali Region, Yunnan 3130m
7029	<i>R. racemosum</i>	ACSN5756	Laujun Shan, Yunnan. Altitude 3000m
11161	<i>R. racemosum</i>	JN11043	Midwest Yunnan 2800m
12256	<i>R. racemosum</i>	JN12110	Northwest Yunnan Zhongdian County 3500m.
14023	<i>R. racemosum</i>		(Mikkel Jorgensen)
13391	<i>R. racemosum</i> (ex ACSN6065) (HP selfed)		(Mikkel Jorgensen) From wild collected plant, Huangmaogeng, Sichuan

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
10176	<i>R. racemosum</i> (HP selfed)		(Ole Jonny Larsen)
7195	<i>R. rigidum</i> aff.	ACSN5925	Cangshan, west of Dali, Yunnan. Altitude 2600-3100m
14016	<i>R. roxieanum</i> (2013 collected £2)	OJL13-26	(Ole Jonny Larsen) Sbbe, Beima Shan 4220m
12342	<i>R. roxieanum</i> var. <i>cucullatum</i>	JN12301	South Sichuan Mianning County 4050m.
12353	<i>R. roxieanum</i> var. <i>cucullatum</i>	JN12320	South Sichuan Puge County 3950m. Type location.
6369	<i>R. rubiginosum</i>	ZH-G076	Tali Region, Yunnan 3120m
12310	<i>R. rubiginosum</i>	JN12244	Northwest Yunnan Ninglang County 3700m.
12347	<i>R. rubiginosum</i>	JN12313	South Sichuan Puge County 3300m. Very densely dark scaled underside to leaves.
12369	<i>R. rubiginosum</i>	JN12351	North Central Yunnan Luquan County 3100m. Eastern form.
12282	<i>R. rupicola</i>	JN12157	Midwest Yunnan Jianchuan County 3700m.
12206	<i>R. rupicola</i> var. <i>chryseum</i>		(Reidar Vigrestad) Ba La Laka, Yunnan 3600m
12207	<i>R. saluenense</i>		(Reidar Vigrestad) Sa La Laka, Yunnan 3800m
12205	<i>R. sanguineum</i> var. <i>haemaleum</i>		(Reidar Vigrestad) Ba La Laka, Yunnan 3800m
10182	<i>R. schlippenbachii</i>		(Ole Jonny Larsen)
9002	<i>R. schlippenbachii</i>		(Mikkel Jorgensen) Garden origin self pollinating and incompatible with other sp.
11058	<i>R. schlippenbachii</i> (OP but does not cross)		(Barry Starling)
11081	<i>R. schlippenbachii</i> (OP)		(Erhard Moser)
10250	<i>R. schlippenbachii</i> (selfed)		(Muncaster Castle) usually self-pollinating
11082	<i>R. scyphocalyx</i> (OP)		(Erhard Moser)
12279	<i>R. selense</i> ssp. <i>dasycladum</i>	JN12153	Midwest Yunnan Jianchuan County 3600m.
10224	<i>R. semnoides</i> aff. (OP)	OP01/10	(Muncaster Castle) will make a good understock for sp. within subsection Falconera, group A
11280	<i>R. serotinum</i> aff.	CWT6282	Shrub to 3m. White flowers. Ban Khoang area, 15Km, N. of Sa Pa. 1500/1800m
10110	<i>R. sidereum</i>	KR9772	INDIA: Arunachal Pradesh, Anjaw district, Tongul [Kapong] (27.50°14.5'N, 96.51°22.3'E, 2525m) to Sayang Jang [SJ] (27.49°18.5'N, 96.51°58.4'E, 2773m): tree 8m but to 15m in vicinity, nearer to Tongul
13445	<i>R. sidereum</i> ? (2012 collected) £1.50	BE-12-39	BURMA, Northern border with Arunachal Pradesh, 2700m
10243	<i>R. siderophyllum</i> (OP)	OP29/10	(Muncaster Castle)
12371	<i>R. sikangense</i> var. <i>exquisitum</i>	JN12354	North Central Yunnan Luquan County 3750m. Broader, shorter leaves than typical <i>sikangense</i> .
12321	<i>R. sikangense</i> var. <i>sikangense</i> (cookeanum)	JN12262	Southwest Sichuan Jiulong County 3550m. <i>cookeanum</i> maybe needs to have some status again, appear to have a hairier juvenile phase and seem very floriferous. Collected near Rock's type location.
12363	<i>R. simsii</i>	JN12345	North Central Yunnan Qujing County 2350m.
12276	<i>R. sinogrande</i> ex SBEC		Glendoick (HP)
10242	<i>R. sinogrande</i> var. <i>boreale</i> (OP)	OP28/10	(Muncaster Castle) will make a good understock for sp. within subsection Grandia, group B
12243	<i>R. souliei</i>	JN12086	West Sichuan Kangding County 3500m. Type area.
12339	<i>R. souliei</i>	JN12297	South Sichuan Mianning County 3900m. Flowers not seen but most like this species and have the glandular petiole. Probably easy to grow from this area.
12349	<i>R. souliei</i>	JN12315	South Sichuan Puge County 3800m. Recently introduced from this area and seem more easily cultivated than older collections from type area.
12396	<i>R. sp.</i>	JN12417	Southeast Hunan Yizhang County 1700m. sp. nov? Subsection <i>Fortunea</i> showing some similarity to JN12388 and 12390 but larger and more developed calyx. From open grassy hill tops, leaves c.20cm long, 12-17 flower truss long rachis (6-7cm in fruit) capsule and pedicel glandular. Looks an impressive plant.
13302	<i>R. sp. ?</i>	TDA515	2nd half of 3rd mile, following on from previous year's collecting, 2000m, West Bengal, India
10079	<i>R. sp. cf. campylocarpum</i>	KR9942	INDIA: Arunachal Pradesh, Anjaw district, Dong La (27.48°03.0'N, 96.52°35.4'E, 3092m) to Base of Hoot La (27.46°16.3'N, 96.53°12.4'E, 3530m) to Hoot la campsite (27.46°11.9'N, 96.53°11.4'E, 3580m): shrub, style glabrous, calyx to 10mm, cupular, lobed
6064	<i>R. sp. cf. delavayi</i>	KR8662	Shergoan 2365m
10075	<i>R. sp. cf. stewartianum</i> hybrid	KR9995	INDIA: Arunachal Pradesh, Anjaw district, Hoot La campsite (27.46°11.9'N, 96.53°11.4'E, 3580m) via AA5 (27.45°51.6'N, 96.52°28.0'E, 3833m) to Hoot La Summit down (27.45°58.0'N, 96.52°03.2'E, 4081m) to AA6 Abies (27.46°06.2'N, 96.51°50.3'E, 3802m)
10076	<i>R. sp. cf. stewartianum/campylocarpum</i> aff.	KR9997	INDIA: Arunachal Pradesh, Anjaw district, Hoot La campsite (27.46°11.9'N, 96.53°11.4'E, 3580m) via AA5 (27.45°51.6'N, 96.52°28.0'E, 3833m) to Hoot La Summit down (27.45°58.0'N, 96.52°03.2'E, 4081m) to AA6 Abies (27.46°06.2'N, 96.51°50.3'E, 3802m)
10078	<i>R. sp. cf. Subsect. Arborea?</i>	KR10078	INDIA: Arunachal Pradesh, Anjaw district, Krang Ti Campsite (27.46°32.5'N, 96.51°16.1'E, 3078m) to AA7 Campsite (27.48°28.3'N, 96.49°48.1'E, 2050m): shrub, on old landslip bank in first part of the descent, leaves felted, capsule slender, hairy
13428	<i>R. sp. lepidostylum/saluense/Trichoclada?</i> (2012 collected) £1.50	BE-12-13	BURMA, Northern border with Arunachal Pradesh, 3500-3600m
11336	<i>R. sp. Ovata?</i>	CWT6338	1.5m En route to Fan Si Pan from Tran Son Pass. 2600m.
11414	<i>R. sp. Ovata?</i>	CWT6417	Shrub to 50cm. San Sa Ho area. Approx 20km. S.E. of Sa Pa 3000m
13437	<i>R. sp. probably campylocarpum</i> ssp. <i>caloxanthum</i> (2012 collected) £1.50	BE-12-25	BURMA, Northern border with Arunachal Pradesh
13434	<i>R. sp. probably dendricola</i> (2012 collected) £1.50	BE-12-21	BURMA, Northern border with Arunachal Pradesh

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
13436	R. sp. probably dendricola (2012 collected) £1.50	BE-12-24	BURMA, Northern border with Arunachal Pradesh
13438	R. sp. probably maddenii ssp. crassum (2012 collected) £1.50	BE-12-26	BURMA, Northern border with Arunachal Pradesh
13431	R. sp. probably saluenense ssp. saluenense (2012 collected) £1.50	BE-12-16	BURMA, Northern border with Arunachal Pradesh, 3500-3600m
12255	R. sp. Section Pogonanthum	JN12105	Northwest Yunnan Zhongdian County 3350m. Remarkable population of many plants all growing on limestone cliffs, discovered in 1996 (JN220). Suspected from hybrid origin telmateium x trichostomum but now successors occupying different habitat than parents.
12378	R. sp. Subgenus Tsutsusi	JN12373	Southwest Hunan Chengbu County 900m.
12386	R. sp. Subgenus Tsutsusi	JN12393	Southwest Jiangxi Jinggangshan County 1200m. Very few seed. Upright habit, very small leaves and flowers.
11337	R. sp. Subsect. Arborea	CWT6339	Tree to 6m. En route to Fan Si Pan from Tran Son Pass. 2600m.
11338	R. sp. Subsect. Arborea	CWT6340	Tree to 6m. En route to Fan Si Pan from Tran Son Pass. 2600m.
11349	R. sp. Subsect. Arborea	CWT6351	Tree to 6m. En route to Fan Si Pan from Tran Son Pass. 2600m.
6308	R. sp. Subsect. Arborea	ACVG5705	Seed collected from 15-20 year old plant. No mature plants found, Hong Lien Son Mountain Range 2500 to 2900m
11168	R. sp. Subsect. Boothia	JN11080	Differs from sulfureum in very hairy leaf margin, could be something new. W Central Yunnan 2800m
12029	R. sp. Subsect. Falconera	KR10419	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from Yorko stupa (28 36' 25.8" N, 94 06' 14.2" E, 1937m) via station 21 (28 36' 05.9" N, 94 05' 44.2" E, 2067m), 22 (28 35' 45.6" N, 94 05' 35.3" E, 2100m)
7462	R. sp. Subsect. Falconera (OP)	OP42	(Alan Clark) Collected from plant of wild origin, location and current wild status as R. chapaense
12013	R. sp. Subsect. Falconera cf. arizelum	KR10372	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from Yorko stupa (28 36' 25.8" N, 94 06' 14.2" E, 1937m) via station 21 (28 36' 05.9" N, 94 05' 44.2" E, 2067m), 22 (28 35' 45.6" N, 94 05' 35.3" E, 2100m)
12034	R. sp. Subsect. Falconera cf. arizelum	KR10428	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from 26 - FALCONERA camp (28 33' 47.0" N, 94 05' 16.3" E, 2667m) via 26 (0805) at 28 33' 35.2" N, 94 05' 21.7" E, 2797m, 27 (28 33' 19.3" N, 94 05' 28.7" E, 2977m) to 28 - Sinjong camp 2
12036	R. sp. Subsect. Falconera cf. arizelum	KR10430	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from 26 - FALCONERA camp (28 33' 47.0" N, 94 05' 16.3" E, 2667m) via 26 (0805) at 28 33' 35.2" N, 94 05' 21.7" E, 2797m, 27 (28 33' 19.3" N, 94 05' 28.7" E, 2977m) to 28 - Sinjong camp 2
12039	R. sp. Subsect. Falconera cf. arizelum	KR10438	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from 26 - FALCONERA camp (28 33' 47.0" N, 94 05' 16.3" E, 2667m) via 26 (0805) at 28 33' 35.2" N, 94 05' 21.7" E, 2797m, 27 (28 33' 19.3" N, 94 05' 28.7" E, 2977m) to 28 - Sinjong camp 2
7278	R. sp. Subsect. Fortunea (Close to R. calophytum var. openshawianum or sp. nov.)	ACSN6007	Niu Jiao Ya , Zhaotang County. Altitude 2000m
7216	R. sp. Subsect. Heliolepidia	ACSN5946	Gangshan, west of Dali, Yunnan. Altitude 2600-3100m
7273	R. sp. Subsect. Heliolepidia	ACSN6002	Niu Jiao Ya , Zhaotang County. Altitude 2000m
10118	R. sp. Subsect. Heliolepidia	ACSN5773	Laujun Shan, Yunnan. Altitude 3800m
6332	R. sp. Subsect. Irrorata	ACVG5729	Evergreen tree to 3m, capsules tinted pink. East facing Mountain side above track to Ban Khoang Village 2000 to 2800m
6333	R. sp. Subsect. Irrorata	ACVG5730	Evergreen tree to 10m. East facing Mountain side above track to Ban Khoang Village 2000 to 2800m
11169	R. sp. Subsect. Irrorata	JN11087	Possibly hybrid with R delavayi. W Central Yunnan 2500m
11347	R. sp. Subsect. Irrorata	CWT6349	Tree to 6m. En route to Fan Si Pan from Tran Son Pass. 2600m.
11386	R. sp. Subsect. Irrorata	CWT6388	Tree to 6m. En route to Fan Si Pan from Tran Son Pass. 2400m.
11391	R. sp. Subsect. Irrorata	CWT6393	Tree to 6m. En route to Fan Si Pan from Tran Son Pass. 2400m.
11491	R. sp. Subsect. Irrorata	CWT6494	Mengtszense ? Ban Khoang area, 15Km, N. of Sa Pa. 1500/1800m
6280	R. sp. Subsect. Irrorata (agapetum?)	ACVG5677	Hong Lien Son Mountain Range 2200 to 2500m
11396	R. sp. Subsect. Irrorata ?	CWT6398	Tree to 10m. San Sa Ho area. Approx 20km. S.E. of Sa Pa 2400m
12098	R. sp. Subsect. Irrorata cf. kendrickii	KR10614	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), Yorko stupa (28 36' 25.8" N, 94 06' 14.2" E, 1937m) via Lapka's House (28 37' 50.4" N, 94 06' 25.0" E, 2105m), station 30 (28 38' 11.5" N, 94 06' 30.7" E, 2201m)
12117	R. sp. Subsect. Irrorata cf. kendrickii?	KR10686	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from DamchinLa High Camp (28 40' 36.2" N, 94 07' 25.2" E, 3878m) via stations 39 (28 40' 22.0" N, 94 07' 23.5" E, 3602m), 38 (28 40' 17.3" N, 94 07' 22.7" E, 3497m), 37 (28 40' 12.4" N, 94 07' 21.
7343	R. sp. Subsect. Lapponica	ACSN6075	Huangmaogeng, Leibo county, Sichuan. Altitude 2500-2800m
7347	R. sp. Subsect. Lapponica	ACSN6079	Huangmaogeng, Leibo county, Sichuan. Altitude 2500-2800m
7030	R. sp. Subsect. Lapponica polycladum ?	ACSN5757	Laujun Shan, Yunnan. Altitude 3800m
11413	R. sp. Subsect. Maddenia ?	CWT6416	Shrub to 1.5m. San Sa Ho area. Approx 20km. S.E. of Sa Pa 2900m
6289	R. sp. Subsect. not determined	ACVG5686	Shrub to 3m. Hong Lien Son Mountain Range 2200 to 2500m
6336	R. sp. Subsect. not determined	ACVG5733	Tree to 5m. East facing Mountain side above track to Ban Khoang Village 2000 to 2800m
11439	R. sp. Subsect. not yet determined	CWT6442	40cm. San Sa Ho area. Approx 20km. S.E. of Sa Pa 2900m
6272	R. sp. Subsect. Obtusum	ACVG5669	Shrub to 2m. Hong Lien Son Mountain Range 2200 to 2500m
6279	R. sp. Subsect. Parishia	ACVG5676	Hong Lien Son Mountain Range 2200 to 2500m
11346	R. sp. Subsect. Parishia	CWT6348	Tree to 6 m. En route to Fan Si Pan from Tran Son Pass. 2600m.

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
6268	R. sp. Subsect. Parishia	ACVG5665	Hong Lien Son Mountain Range 2200 to 2500m
6283	R. sp. Subsect. Parishia (facetum?)	ACVG5680	Leaves up to 25 cm long. Hong Lien Son Mountain Range 2200 to 2500m
10111	R. sp. Subsect. Taliensia	KR9836	INDIA: Arunachal Pradesh, Anjaw district, at Sayang Jang [SJ] (27.49'18.5"N, 96.51'58.4"E, 2773m) campsite and above on ridge to circa 3000m: on cliff edge at top of ridge, circa 3000m, shrub with lanate leaves, same as 9811
10124	R. sp. Subsect. Tephropepla	KR10077	INDIA: Arunachal Pradesh, Anjaw district, Krang Ti Campsite (27.46'32.5"N, 96.51'16.1"E, 3078m) to AA7 Campsite (27.48'28.3"N, 96.49'48.1"E, 2050m): shrub, on old landslip bank in first part of the descent
10125	R. sp. Subsect. Tephropepla	KR9833	INDIA: Arunachal Pradesh, Anjaw district, at Sayang Jang [SJ] (27.49'18.5"N, 96.51'58.4"E, 2773m) campsite and above on ridge to circa 3000m: on cliff edge side of ridge, circa 3000m, shrub 2-4m
10127	R. sp. Subsect. Thomsonia cf. faucium	KR9941	INDIA: Arunachal Pradesh, Anjaw district, Dong La (27.48'03.0"N, 96.52'35.4"E, 3092m) to Base of Hoot La (27.46'16.3"N, 96.53'12.4"E, 3530m) to Hoot la campsite (27.46'11.9"N, 96.53'11.4"E, 3580m): shrub 2-4m, common, nearer Dong La
12052	R. sp. Subsect. Thomsonia populare?	KR10490	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9" N, 94 05' 34.6" E, 3616m) to Sinjong (Tokok) La 28 31' 54.0" N, 94 04' 57.3" E, 3725m, then to Beyond Sinjong La
12074	R. sp. Subsect. Thomsonia populare?	KR10520	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9" N, 94 05' 34.6" E, 3616m) to Sinjong (Tokok) La 28 31' 54.0" N, 94 04' 57.3" E, 3725m, then to Beyond Sinjong La (28 32' 03.1" N, 94 04' 48.8" E, 3653m
12108	R. sp. Subsect. Thomsonia? & KR10630 R. tsariense trimoense aff. KW8288 Delei species	KR10629	NB MIXED SEED INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), DamchinLa Camp 1 (28 38' 32.1" N, 94 07' 09.0" E, 2692m) via stations 31 (28 38' 37.2" N, 94 07' 17.7" E, 2783m), 32 FALCONERA (28 38' 58.9" N, 94 07' 05.2" E, 2940m), 32 (28 39' 07.
13426	R. sp. Subsect. Trichoclada (2012 collected) £1.50	BE-12-11	BURMA, Northern border with Arunachal Pradesh, 3400-3500m
11166	R. sp. Subsect. Triflora	JN11010	Similar to above but one seen flower had long ciliate calyx. SW Shaanxi 2100m
12057	R. sp. Subsection Thomsonia	KR10497	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9" N, 94 05' 34.6" E, 3616m) to Sinjong (Tokok) La 28 31' 54.0" N, 94 04' 57.3" E, 3725m, then to Beyond Sinjong La (28 32' 03.1" N, 94 04' 48.8" E, 3653m: shrub, same as 10465, 10483, 10491 taxon, below pass
12340	R. sphaeroblastum	JN12298	South Sichuan Mianning County 4000m. Unusual form with thinner not woolly indumentum.
12375	R. sphaeroblastum var. wumengense	JN12360	North Central Yunnan Luquan County 4000m. This collection has a slight pellicle to the indumentum.
12176	R. spinuliferum	CDHM145 30	(Ken Cox)
12361	R. spinuliferum	JN12343	North Central Yunnan Qujing County 2200m.
12172	R. spinuliferum (Selfed)		(Ole Jonny Larsen)
13449	R. stewartianum aff. (2012 collected) £1.50	BE-12-43	BURMA, Northern border with Arunachal Pradesh, 34-3500m
13452	R. stewartianum aff. (2012 collected) £1.50	BE-12-46	BURMA, Northern border with Arunachal Pradesh, 34-3500m
13415	R. sumatranum (Vireya) (HP)		(Pam Hayward)
11341	R. tanastylum aff.	CWT6343	Tree to 6m. En route to Fan Si Pan from Tran Son Pass. 2600m.
11342	R. tanastylum aff.	CWT6344	Tree to 6m. En route to Fan Si Pan from Tran Son Pass. 2600m.
11343	R. tanastylum aff.	CWT6345	Tree to 6m. En route to Fan Si Pan from Tran Son Pass. 2600m.
11348	R. tanastylum aff.	CWT6350	Tree to 6m. En route to Fan Si Pan from Tran Son Pass. 2600m.
13435	R. tanastylum/ramsdenianum (2012 collected) £1.50	BE-12-22	BURMA, Northern border with Arunachal Pradesh, 2700m
12337	R. tatsienense	JN12294	South Sichuan Mianning County 3500m.
12311	R. telmateium	JN12245	Northwest Yunnan Ninglang County 3200m.
12398	R. telmateium	JN12419	Southwest Sichuan Yanyuan County 2700m. Unusually low elevation for this species and not really rhododendron habitat but growing well.
12274	R. tephropeplum	JN12146	West Yunnan Weixi County 3300m. Quite small leaves in this location. Mekong-Salween divide.
10229	R. tephropeplum (OP)	OP08/10	(Muncaster Castle) seldom sets seed in cultivation, should come true from seed
12234	R. tricanthum	JN12070	West Sichuan Tianquan County 2300m.
13429	R. trichocladum (2012 collected) £1.50	BE-12-14	BURMA, Northern border with Arunachal Pradesh, 3500-3600m
14017	R. trichocladum (HP selfed)		(Ole Jonny Larsen)
13402	R. trichocladum/mekongense (2009 collected) 50p	BE09-14	BURMA, Western border with Arunachal Pradesh, 3400m
13043	R. triflorum	TDA254	Bersay Rhododendron Sanctuary, 2500m, South Sikkim
13045	R. triflorum	TDA256	Bersay Rhododendron Sanctuary, 2500m, South Sikkim
13175	R. triflorum	TDA388	Lachen Village, 2750m, North Sikkim
13177	R. triflorum	TDA390	Above Lachen Village, 2850m-3000m, North Sikkim
13261	R. triflorum	TDA474	Above Lachen Village, 3000m-3500m, North Sikkim
12173	R. valentinianum (OP)		(Ole Jonny Larsen)
14075	R. valentinooides (R. valentinianum var. oblonglobatum) ex C&H7186 (OP)		(Pam Hayward) No registered hybrid of this species to date. In close proximity to other flowering maddenias, so could be interesting.
14041	R. vaseyi (HP from Group seed-raised plants)		(Dave Haddon)
11516	R. vaseyi (OP)		(Ole Jonny Larsen)

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
14018	<i>R. vaseyi</i> (OP)		(Ole Jonny Larsen)
11069	<i>R. vaseyi</i> (OP, incompatible with other species)		(Mikkel Jorgenson)
12244	<i>R. vernicosum</i>	JN12087	West Sichuan Kangding County 3500m. "sheltonii" a smaller leaved type; collected from plants growing fully exposed.
12250	<i>R. vernicosum</i>	JN12099	West Sichuan Xiangcheng County 3900m. Collection with large flower buds.
12308	<i>R. vernicosum</i>	JN12242	Northwest Yunnan Ninglang County 3750m.
9116	<i>R. vernicosum</i>	NN0937	S Sichuan 2800m
10249	<i>R. vernicosum</i> (OP)	OP41/10	(Muncaster Castle) this species is a successful understock
7353	<i>R. vernicosum</i> (Small leaf form)	ACSN6085	Huangmaogeng, Leibo county, Sichuan. Altitude 2500-2800m
14019	<i>R. viridescens</i> (HP selfed)		(Ole Jonny Larsen)
10151	<i>R. viscosum</i>		(Chip Lima) Wild collected in Rhode Island, USA
11068	<i>R. viscosum</i> (CP)		(Mikkel Jorgenson)
13142	<i>R. wallichii</i> aff.	TDA355	Yumthang 3500-4000m, North Sikkim
12202	<i>R. wardii</i> (CP)		(Mikkel Jorgenson)
11054	<i>R. wardii</i> (OP)		(Barry Starling)
12063	<i>R. wardii</i> ?	KR10503	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m)
12218	<i>R. watsonii</i>	JN12027	Central Sichuan Wenchuan County 3400m.
12332	<i>R. watsonii</i>	JN12282	South Sichuan Mianning County 3400m. Probably southern limit of the species, particular strong growing and larger leaves to c. 30 cm.
13129	<i>R. wightii</i> (as TDA340)	TDA341	Yumthang 3500-4000m, North Sikkim
13130	<i>R. wightii</i> (as TDA340)	TDA342	Yumthang 3500-4000m, North Sikkim
13131	<i>R. wightii</i> (as TDA340)	TDA343	Yumthang 3500-4000m, North Sikkim
12359	<i>R. wiltonii</i>	JN12326	Central Sichuan Emeishan County 2500m. Normal form with thinner indumentum underside to rugose leaves.
10235	<i>R. x agastum</i> (OP)	OP15/10	(Muncaster Castle) a natural hybrid between <i>arboreum</i> ssp. <i>delavayi</i> and <i>irroratum</i>
12257	<i>R. x alutaceum</i>	JN12125	Northwest Yunnan Zhongdian County 3700m. <i>roxieanum</i> x <i>phaeochrysum</i> hybrid.
11075	<i>R. x geraldii</i> (CP)		(Erhard Moser)
13371	<i>R. x planetum</i> (HP)		(Erhard Moser)
12323	<i>R. xichangense</i>	JN12265	Southwest Sichuan Jiulong County 3600m. New to cultivation recently described species. Good match on a specimen (not type) seen in a Chinese herbarium small pink flowered Triflora axillary buds on longer shoots with small rather like a <i>Scabrifolia</i> but no hairs.
12312	<i>R. yunnanense</i>	JN12246	Northwest Yunnan Ninglang County 3150m. Neat small quite densely scaled leaf form.
12320	<i>R. yunnanense</i>	JN12261	Southwest Sichuan Jiulong County 3300m. Larger leaves with hairy mid rib, so technically <i>augustinii</i> , but similar but hairless mid rib <i>yunnanense</i> nearby.
12367	<i>R. yunnanense</i>	JN12349	North Central Yunnan Qujing County 2400m. Great evergreen form with large, sometimes scented, very pale lavender flowers, but maybe not as hardy as other collections.
12166	<i>R. yunnanense</i> (OP)		(Barry Starling)
12408	<i>R. zaleucum</i> (ex F15685) (OP)		Hugh Mcallister
12129	<i>Rhamnus</i> cf. <i>cathartica</i>	KR10736	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), near station 42 (28 37' 13.4' N, 94 04' 11.4' E, 1960m) up the Yargyap chu beyond Segong village beside the chu: shrub 5m, fruit black, tenor of bush similar to <i>R. catharticus</i>
14024	<i>Rhopalostylis sapida</i>		(David & Margaret Rees) New Zealand
9120	<i>Rhus chinensis</i>	NN0917	Small tree, with broad crown. NE Yunnan 1750m
10130	<i>Rhus</i> sp.	KR9686	INDIA: Arunachal Pradesh, Anjaw district, Lapkrong (27.51'32.4"N, 96.49.53.6"E, 1495m) via AA1 (27.51'08.9"N, 96.50'35.0"E, 1835m) to Kapong ledge (27.50'53.0"N, 96.50'54.7"E, 2060m); shrub, Lapkrong to AA1
12001	<i>Rosa brunonii</i>	KR10350	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), station 20 (28 34' 13.9' N, 94 09' 58.0' E, 1922m) by Yargyap chu (Siyom chu); shrub 2-3m, evergreen climber to 5m, side of road on way into/out of Mechuka, 2 collected
13115	<i>Rosa sericea</i>	TDA327	Yumthang 3500-4000m, North Sikkim
9118	<i>Rosa sericea</i> ssp. <i>omeiensis</i> f. <i>pteracantha</i>	TDA151	Bersay Rhododendron Sanctuary, growing on unknown deciduous tree in Rhododendron falconeri forest, 2800m, South Sikkim
13067	<i>Rosa</i> sp.	TDA279	Bersay Rhododendron Sanctuary, 2500m, South Sikkim
9119	<i>Rosa</i> sp. (Climber)	NN0940	S Sichuan 2800m
12161	<i>Rosa</i> sp. (Climber)	NN0927	NE Yunnan 1800m
13221	<i>Rosa</i> sp. (huge red hips!)	TDA434	Above Lachen Village, 3000m-3500m, North Sikkim
13342	<i>Rubus acuminatus</i>	TDA555	Tiger Hill, 2500m, Darjeeling, West Bengal, India
13278	<i>Salix sikkimensis</i>	TDA491	Changu Lake, 3780m, East Sikkim
13280	<i>Salix sikkimensis</i>	TDA493	Changu Lake, 3780m, East Sikkim
8128	<i>Salix</i> sp.	KR9547	Tree, 5m. Arunachal Pradesh state, Tawang, from Bangla Jang Gompa campsite 4129m down the BJ chu to 3306m, collections dropping down from 4000m to 3800m

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
10133	Salix sp.	KR9989	INDIA: Arunachal Pradesh, Anjaw district, Hoot La campsite (27.46°11.9'N, 96.53°11.4'E, 3580m) via AA5 (27.45°51.6'N, 96.52°28.0'E, 3833m) to Hoot La Summit down (27.45°58.0'N, 96.52°03.2'E, 4081m) to AA6 Abies (27.46°06.2'N, 96.51°50.3'E, 3802m) and then
12079	Salix sp.	KR10527	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m
12112	Salix sp.	KR10651	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), DamchinLa Camp 1 (28 38' 32.1' N, 94 07' 09.0' E, 2692m) via stations 31 (28 38' 37.2' N, 94 07' 17.7' E, 2783m), 32 FALCONERA (28 38' 58.9' N, 94 07' 05.2' E, 2940m)
11216	Sambucus	CWT6218	Shrub to 2m. Small red fruits. Heavens gate near Ha Giang. 1150m.
13019	Sambucus adnata	TDA229	Hilley village, 2500m, South Sikkim
13032	Sambucus adnata	TDA243	Hilley village, 2500m, South Sikkim
13176	Sambucus shrub?	TDA389	Lachen Village, 2750m, North Sikkim
12132	Sambucus sp.	KR10748	INDIA: Arunachal Pradesh, West Siang, drive from Mechuka (Menchukha) (28 35' 57.0' N, 94 08' 20.9' E, 1922m) via 43 CRAWFORDIA (28 32' 29.9' N, 94 14' 17.1' E, 1653m) and 44 (28 32' 28.8' N, 94 14' 23.6' E, 1235m) to Along (Aalo) - Toshi's Palace hotel
14053	Schefflera taiwaniana		
13237	Senecio jacquemontianus	TDA450	Above Lachen Village, 3000m-3500m, North Sikkim
13372	Senecio subalpinus		(Erhard Moser) ex Tatra, Slovakia
11236	Shrub	CWT6238	Viburnum like leaves, to 1.5m. pink flowers. Sun La N.E. Vietnam 1463m.
12130	Shrub	KR10738	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), near station 42 (28 37' 13.4' N, 94 04' 11.4' E, 1960m) up the Yargyap chu beyond Segong village beside the chu: deciduous shrub 5-6m
13187	Shrub	TDA400	Yellow flowers and spiny stems found growing Above Lachen Village, 2850m-3000m, North Sikkim
13227	Shrub, deciduous	TDA440	Above Lachen Village, 3000m-3500m, North Sikkim
11250	Shrub. Malvaceae	CWT6252	To 1m. Small pink flowers. Sin Ho mountain. N.E Vietnam 500 - 950m.
13094	Shrub?	TDA306	Bersay Rhododendron Sanctuary, 2500m, South Sikkim
13095	Shrub?	TDA307	Bersay Rhododendron Sanctuary, 2500m, South Sikkim
13184	Shrub?	TDA397	Above Lachen Village, 2850m-3000m, North Sikkim
14059	Skimmia laureola ssp multinervia ex Schilling 2154		Savill Gardens
12031	Skimmia sp.	KR10424	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from 26 - FALCONERA camp (28 33' 47.0' N, 94 05' 16.3' E, 2667m) via 26 (0805) at 28 33' 35.2' N, 94 05' 21.7' E, 2797m, 27 (28 33' 19.3' N, 94 05' 28.7' E, 2977m) to 28 - Sinjong camp 2
13315	Smilax ferox	TDA528	2nd half of 3rd mile, following on from previous year's collecting, 2000m, West Bengal, India
14026	Sophora tetraptera		(David & Margaret Rees) New Zealand
12099	Sorbus insignis	KR10619	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), DamchinLa Camp 1 (28 38' 32.1' N, 94 07' 09.0' E, 2692m) via stations 31 (28 38' 37.2' N, 94 07' 17.7' E, 2783m), 32 FALCONERA (28 38' 58.9' N, 94 07' 05.2' E, 2940m)
10136	Spiraea arcuata?	KR10023	INDIA: Arunachal Pradesh, Anjaw district, Hoot La campsite (27.46°11.9'N, 96.53°11.4'E, 3580m) via AA5 (27.45°51.6'N, 96.52°28.0'E, 3833m) to Hoot La Summit down (27.45°58.0'N, 96.52°03.2'E, 4081m) to AA6 Abies (27.46°06.2'N, 96.51°50.3'E, 3802m) and then
10191	Spiraea fritshiana		(Dan Ryan)
12068	Spiraea japonica	KR10510	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m
13116	Spirea canescens	TDA328	Yumthang 3500-4000m, North Sikkim
14048	Styrax obassia		(Barry Starling)
13033	Synotis alata	TDA244	Bersay Rhododendron Sanctuary, 2500m, South Sikkim
13054	Synotis alata	TDA266	Bersay Rhododendron Sanctuary, 2500m, South Sikkim
13251	Thalictrum reniforme aff.	TDA464	Above Lachen Village, 3000m-3500m, North Sikkim
13072	Thalictrum sp.	TDA284	Bersay Rhododendron Sanctuary, 2500m, South Sikkim
13213	Thalictrum sp.	TDA426	Above Lachen Village, 3000m-3500m, North Sikkim
13242	Thalictrum sp.	TDA455	Above Lachen Village, 3000m-3500m, North Sikkim
13346	Thalictrum sp.	TDA559	Tiger Hill, 2500m, Darjeeling, West Bengal, India
13243	Thalictrum sp. (asTDA455)	TDA456	Above Lachen Village, 3000m-3500m, North Sikkim
13215	Thalictrum sp. (different from TDA424)	TDA428	Above Lachen Village, 3000m-3500m, North Sikkim
13252	Thalictrum sp. not TDA464	TDA465	Above Lachen Village, 3000m-3500m, North Sikkim
13309	Thalictrum virgatum	TDA522	2nd half of 3rd mile, following on from previous year's collecting, 2000m, West Bengal, India
13310	Thalictrum virgatum (as TDA522)	TDA523	2nd half of 3rd mile, following on from previous year's collecting, 2000m, West Bengal, India
13311	Thalictrum virgatum (as TDA522)	TDA524	2nd half of 3rd mile, following on from previous year's collecting, 2000m, West Bengal, India
13312	Thalictrum virgatum (as TDA522)	TDA525	2nd half of 3rd mile, following on from previous year's collecting, 2000m, West Bengal, India
11254	Tree	CWT6256	To 15m. Small orange fruits. Sin Ho mountain. N.E Vietnam 500 - 950m.
13091	Tree sp.?	TDA303	Bersay Rhododendron Sanctuary, 2500m, South Sikkim
13300	Tree, red, spicy smelling fruit	TDA513	2nd half of 3rd mile, following on from previous year's collecting, 2000m, West Bengal, India

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
11222	Tree. Evergreen?	CWT6224	To 10m. Between Dongvan & Meo Vac N.E. Vietnam 1047m.
11231	Tree. Evergreen?	CWT6233	To 5m. Photinia-like foliage Between Dongvan & Meo Vac N.E. Vietnam 1384m.
9054	<i>Tripetaleia paniculata</i>		(Ole Jonny Larsen) Japanese Ericaceae
12181	<i>Trochodendron aralioides</i>		(Margaret Miles)
13038	<i>Tsuga dumosa</i>	TDA249	Bersay Rhododendron Sanctuary, 2500m, South Sikkim
13041	<i>Tsuga dumosa</i>	TDA252	Bersay Rhododendron Sanctuary, 2500m, South Sikkim
13151	<i>Tsuga dumosa</i>	TDA364	Lachung Village near monastery, 2350m, North Sikkim
14064	<i>Vaccinium glauco-album</i>		(Tony Schilling) Garden collected, NW Scotland from plant raised from Schilling Nepal collection
13006	<i>Vaccinium nummularia</i>	TDA216	Hilley village, 2500m, South Sikkim
13178	<i>Vaccinium nummularia</i>	TDA391	Above Lachen Village, 2850m-3000m, North Sikkim
13316	<i>Vaccinium nummularia</i>	TDA529	2nd half of 3rd mile, following on from previous year's collecting, 2000m, West Bengal, India
13327	<i>Vaccinium nummularia</i>	TDA540	2nd half of 3rd mile, following on from previous year's collecting, 2000m, West Bengal, India
13350	<i>Vaccinium nummularia</i>	TDA563	Tiger Hill, 2500m, Darjeeling, West Bengal, India
13007	<i>Vaccinium nummularia</i> (as TDA216)	TDA217	Large drift growing on mound stretching approx 15m above Hilley village, 2500m, South Sikkim
13008	<i>Vaccinium nummularia</i> (as TDA216)	TDA218	Large drift growing on mound stretching approx 15m above Hilley village, 2500m, South Sikkim
13009	<i>Vaccinium nummularia</i> (as TDA216)	TDA219	Large drift growing on mound stretching approx 15m above Hilley village, 2500m, South Sikkim
13010	<i>Vaccinium nummularia</i> (as TDA216)	TDA220	Large drift growing on mound stretching approx 15m above Hilley village, 2500m, South Sikkim
13011	<i>Vaccinium nummularia</i> (as TDA216)	TDA221	Large drift growing on mound stretching approx 15m above Hilley village, 2500m, South Sikkim
13012	<i>Vaccinium nummularia</i> (as TDA216)	TDA222	Large drift growing on mound stretching approx 15m above Hilley village, 2500m, South Sikkim
13013	<i>Vaccinium nummularia</i> (as TDA216)	TDA223	Large drift growing on mound stretching approx 15m above Hilley village, 2500m, South Sikkim
13014	<i>Vaccinium nummularia</i> (as TDA216)	TDA224	Large drift growing on mound stretching approx 15m above Hilley village, 2500m, South Sikkim
13015	<i>Vaccinium nummularia</i> (as TDA216)	TDA225	Large drift growing on mound stretching approx 15m above Hilley village, 2500m, South Sikkim
13016	<i>Vaccinium nummularia</i> (as TDA216)	TDA226	Large drift growing on mound stretching approx 15m above Hilley village, 2500m, South Sikkim
13017	<i>Vaccinium nummularia</i> (as TDA216)	TDA227	Large drift growing on mound stretching approx 15m above Hilley village, 2500m, South Sikkim
13179	<i>Vaccinium nummularia</i> (as TDA391)	TDA392	Above Lachen Village, 2850m-3000m, North Sikkim
13180	<i>Vaccinium nummularia</i> (as TDA391)	TDA393	Above Lachen Village, 2850m-3000m, North Sikkim
13328	<i>Vaccinium nummularia</i> (as TDA540)	TDA541	2nd half of 3rd mile, following on from previous year's collecting, 2000m, West Bengal, India
13329	<i>Vaccinium nummularia</i> (as TDA540)	TDA542	2nd half of 3rd mile, following on from previous year's collecting, 2000m, West Bengal, India
13330	<i>Vaccinium nummularia</i> (as TDA540)	TDA543	2nd half of 3rd mile, following on from previous year's collecting, 2000m, West Bengal, India
13331	<i>Vaccinium nummularia</i> (as TDA540)	TDA544	2nd half of 3rd mile, following on from previous year's collecting, 2000m, West Bengal, India
13351	<i>Vaccinium nummularia</i> (as TDA563)	TDA564	Tiger Hill, 2500m, Darjeeling, West Bengal, India
13352	<i>Vaccinium nummularia</i> (as TDA563)	TDA565	Tiger Hill, 2500m, Darjeeling, West Bengal, India
13353	<i>Vaccinium nummularia</i> (as TDA563)	TDA566	Tiger Hill, 2500m, Darjeeling, West Bengal, India
13354	<i>Vaccinium nummularia</i> (as TDA563)	TDA567	Tiger Hill, 2500m, Darjeeling, West Bengal, India
11275	<i>Vaccinium</i> or <i>Gaultheria</i> sp.	CWT6277	Shrub to 2.5m. Ban Khoang area, 15Km, N. of Sa Pa. 1500/1800m
12017	<i>Vaccinium</i> sp.	KR10379	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from Yorko stupa (28 36' 25.8" N, 94 06' 14.2" E, 1937m) via station 21 (28 36' 05.9" N, 94 05' 44.2" E, 2067m), 22 (28 35' 45.6" N, 94 05' 35.3" E, 2100m)
13359	<i>Vaccinium vacciniaceum</i> aff.	TDA572	Tiger Hill, 2500m, Darjeeling, West Bengal, India
9126	<i>Veratrum grandiflorum</i> ?	NN0912	Flowers not seen but looks like this species with a white and green centre flower, grassy alpine meadow. S NE Yunnan 3700 m.
14049	<i>Viburnum betulifolium</i>		Garden collected, Devon
12127	<i>Viburnum cylindricum</i>	KR10727	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), along road to Tato, 019 Mesic (28 33' 53.5" N, 94 11' 42.9" E, 2060m) to 42 CEPHALO (28 33' 28.8" N, 94 12' 12.2" E, 2057m): shrub
14051	<i>Viburnum foetidum</i> ex ACE1083, ex National Collection		Garden collected, Devon
10173	<i>Viburnum</i> sp. ex. AC4554		(Dan Ryan)
9016	<i>Viburnum</i> sp. ex. AC4554 (OP)		(Dan Ryan) Black fruit
12148	<i>Viola biflora</i>	TDA094	Entrance to Hilley village, growing on wall by side of road 2500m, South Sikkim
12153	<i>Viola biflora</i>	TDA095	As TDA094
12147	<i>Zanthoxylum oxyphyllum</i>	TDA199	Above 1/3rd mile village near Munpoo village, Darjeeling, West Bengal 1750m