

AN ANNOTATED BIBLIOGRAPHY OF SLIPMOUTHS (PISCES : LEIOGNATHIDAE)

DANIEL PAULY

and

SANDRA WADE - PAULY

AN ANNOTATED BIBLIOGRAPHY
OF SLIPMOUTHS (PISCES : LEIOGNATHIDAE)

DANIEL PAULY
and
SANDRA WADE-PAULY

1981



INTERNATIONAL CENTER FOR LIVING AQUATIC RESOURCES MANAGEMENT
MANILA, PHILIPPINES

**An annotated bibliography of slipmouths
(Pisces: Leiognathidae)**

DANIEL PAULY

AND

SANDRA WADE-PAULY

Published by the International Center for Living Aquatic Resources
Management, MCC P.O. Box 1501, Makati, Metro Manila, Philippines

1981

Printed in Manila, Philippines

Pauly, D. and S. Wade-Pauly. 1981. An annotated bibliography of
slipmouths (Pisces: Leiognathidae). ICLARM Bibliographies 2,
62 p. International Center for Living Aquatic Resources
Management, Manila, Philippines

ISSN 0115-5997

Abstract

Pauly, D. and S. Wade-Pauly. 1981. An Annotated Bibliography of Slipmouths (Pisces: Leiognathidae). ICLARM Bibliographies 2, 62 p. International Center for Living Aquatic Resources Management, Manila, Philippines.

A bibliography of the fishes of the *Leiognathidae* family (slipmouth, pony-fishes, silver-bellies, etc.) is presented. A total of 941 references, most of which are annotated, are listed, covering all aspects of their biology, including fishery related aspects, physiology and anatomy (e.g., their bioluminescence) as well as their use as human food. Comprehensive subject and geographic indices are provided.

Introduction

Among the many taxa of demersal fishes caught by artisanal and commercial fishermen along the shores of the tropical Indo-Pacific, one family, the Leiognathidae, is particularly prominent. This is so especially in Southeast Asia, off the Indian subcontinent and off East Africa, where leiognathids generally account for one third or more of the catches made by trawlers.

The Leiognathidae, also known as slipmouths, silver bellies or pony fishes, are generally small and rather bony, the result being that they are considered as "trash-fish" throughout most of their range. They are, for this reason most often thrown overboard when caught by shrimping boats, and often remain unsorted and unreported even when caught by fishery research vessels.

There are, therefore, relatively few papers dealing specifically with the fishery biology of leiognathid fishes; most of the information available on this group is indirect, i.e., Leiognathidae are mentioned *en passant* in reports dealing with the biology of other fishes.

Yet leiognathids are important. Being extremely abundant, especially over the muddy grounds of estuaries, they provide the bulk of the food available to larger, more valuable fishes. They are also an important source of protein for domestic animals especially in Southeast Asia. Finally, in several countries, leiognathids, especially

the larger species (*Leiognathus equulus*, *L. splendens*), are consumed directly by people, and often represent one of the few sources of high quality protein available for mass consumption.

In addition to representing a considerable, if often neglected resource, the fishes of the family Leiognathidae share a feature which has attracted the attention of numerous scientists: they are bioluminescent, and emit downward-directed light which reduces their visibility from below. The adaptations involved here, and the symbiotic bacteria which actually produce the light have generated a considerable number of interesting papers.

However, much of the physiological work on leiognathid bioluminescence has been done by researchers who were most often unaware of the ecological information gathered on this group by fishery biologists. Similarly, much of the fishery-oriented work on these fishes was done by researchers who were often unaware of each other's work, mainly because much of the material available on Leiognathidae has not been formally published. This bibliography, we hope, will help alleviate this situation.

The collection of annotated references presented here began in early 1975, at the Ichthyological Department of the Senckenberg Museum and Forschungsinstitut,

Frankfurt am Main and continued at Kiel University (FRG), where most of the standard references were consulted (Zoologischer Anzeiger, Dean's Bibliography of Fishes, Zoological Records, Biological Abstracts, Aquatic Sciences and Fisheries Abstracts, etc.). In 1975 and 1976, libraries and colleagues' personal reprint collections in Indonesia, Thailand and Mauritius were consulted. A preliminary version of this bibliography was prepared in 1977 and expanded until December 1980 with additional references obtained from libraries in France, the U.S.A., the Philippines, Kenya, Great Britain, Australia and Italy.

Despite all efforts, we know that the bibliography is still incomplete, because we aimed at including everything even remotely related to the Leiognathidae, whether formally published or not.

The annotations to the references are very variable in length and information content. As a general rule, anno-

tations are longer for papers that are not published formally, and/or difficult to access, and shorter for papers published in books and journals available in major libraries. We have not seen approximately one third of the papers whose references are included here. Having little prospects of ever seeing these papers and checking their contents, and not knowing what would have been gained by omitting such unchecked references, we have included here all we had on the Leiognathidae, seen or unseen, and annotated as much as we could without fantasizing. While being the most risky option (for us), this might turn out to be the most helpful one (for the reader).

We would be very thankful to be informed of errors or glaring omissions, and will consider such comments in the synopsis of data on the fishes of the family Leiognathidae, which one of us (D.P.) has begun preparing.

Acknowledgments

Many people helped, in one form or the other, with the preparation of this bibliography, and we are thankful to all of them. We are particularly indebted to the following persons and institutions:

- The Senkenberg Museum and Forschungsinstitut (Frankfurt), for funding a preliminary search of the Leiognathidae literature in the Biological Abstracts.
- Dr. W. Klausewitz of the Senkenberg Museum and Forschungsinstitut (Frankfurt), for introducing one of us (D.P.) to the literature on tropical fishes.
- Professor G. Hempel, Institut für Meereskunde, Kiel, for funding the typing of a first version of this bibliography.
- Dr. J. Paxton (Australian Museum, Sydney) and Dr. Y. Haneda (Yokosuka City Museum, Japan) for many papers difficult to access.
- Mr. L. Nhwani (Inst. Mar. Sciences, Zanzibar, Tanzania) and Mr. P.S.B.R. James (College of Fisheries, Mangalore, India), for providing corrections and additions to the bibliography.
- Mrs. Leticia Dizon (ICLARM) for her typing of the final draft.
- and especially Mrs. Helen Randall (B.P. Bishop Museum, Hawaii) for checking and annotating the references to taxonomic works included here. (However, remaining errors are ours, not hers!)

- 001 Abe, T. 1939. A list of the fishes of the Palao Islands. *Palao Trop. Biol. Stn. Stud.* 4: 523-584. p. 557 lists *G. minuta*.
- 002 Abe, T. 1963. *Encyclopedia ichthyologica illustrated in colors with keys to the Japanese species.* Hokuryukan Co., Tokyo. 358 p. (In Japanese)
- 003 Abe, T. and Y. Haneda. 1972. Description of two new species of the ponyfish genus *Leiognathus* from Indonesia. *Sci. Rep. Yokosuka City Mus.* 19: 1-7.
L. hataii and *L. aureus*, nov. spp., from Ambon. These two new species should be attributed to the genus *Secutor* Gistel.
- 004 Agassiz, L. 1837. *Recherches sur les poissons fossiles.* Vol. 5. Neuchâtel.
p. 24 Skeleton of *Leiognathus fasciatus* (Plate B) under *E. setigera*.
- 005 Agassiz, L. 1846. *Nomenclator Zoologicus. Pisces.* Soloduri.
Emendation of *Leiognathus* to *Liognathus*.
- 006 Ahrens, G. 1965. Untersuchungen am Leuchtorgan von *Leiognathus klunzingeri* (Steindachner). *Z. Wiss. Zool.* 173 (1/2): 90-113.
Basic work on light organ of *L. klunzingeri*.
- 007 Akyüz, E. 1957. Observation on the Iskenderun red mullet (*Mullus barbatus*) and its environment. *Proc. Gen. Fish. Counc. Mediterr.* 4, Tech. Pap. 38: 305-326.
L. klunzingeri reported from Iskenderun Gulf, Turkey.
- 008 Al-Nasiri, S.K. and S.M. Shamsul Hoda. 1975. Survey of fish fauna of Shatt-al-arab from Abu-al-Khasib to Karmat Ali. *Bull. Basrah Nat. Hist. Mus.* 2: 36-46.
- 009 Angot, M. 1950. Poissons littoraux de Soalara. *Mém. Inst. Sci. Madagascar, Sér. A*, 4 (1): 175-196.
Lists among the Carangidae, *G. minuta*, *G. equulaeformis* and *E. edentula* from a poikilohaline biotope, with muddy waters.
- 010 Anon. 1915. List of Tamil names of fishes of the Madras Presidency. *In Papers from 1899*, relating chiefly to the development of the Madras Fisheries Bureau. *Bull. Madras Fish. Bur.* 1(1): 1-237.
Tamil names for 10 leiognathid species.
- 011 Anon. 1929, Liste des poissons de l'Indochine envoyés, par le Docteur Gilbert Tirant, au Muséum des Sciences Naturelles de Lyon, p. 167-175. *In Réimpression, Oeuvre ichthyologique de G. Tirant.* Serv. Océanogr. de l'Indochine 6^{ième} Note.
Lists under Carangidae: *E. brevirostris* C & V and *E. edentula* Bl., collected in Hué, 1882.
- 012 Anon. 1951. Annotated list of animals and plants of Mie Prefecture, Japan. The Committee of the Biological Survey of Mie Prefecture.
Lists *L. nuchalis* (T & S) and *L. rivulatus* (T & S).
- 013 Anon. 1958. A guide to the fisheries of Ceylon. *Fish. Res. Stn., Dep. Fish. Ceylon Bull.* No. 8. 72 p.
Leiognathidae (Singhalese: Karalla, Tamil: Karal) listed among the abundant resources in lagoons and inshore waters and contributing greatly to the sustenance fisheries.
- 014 Anon. 1962. Kerala Fisheries. Government Press, Trivandrum.
- 015 Anon. 1967. Results of the joint Thai-Malaysian-German trawling survey off the East Coast of the Malay Peninsula. *Mar. Fish. Lab., Bangkok/Fish. Res. Inst., Malaysia.* 64 p.
Catch data for leiognathids, per area and depth ranges. Species list.
- 016 Anon. 1968. Results of the exploratory trawling survey in the outer part of the Gulf of Thailand and in the South China Sea by R.V. *Fisheries Research 2*, Cruise No. 1/2511. Spec. Publ. SR 001. 79 p. Exploratory Fishing Unit, Department of Fisheries, Bangkok.
- 017 Anon. 1969a. [Annual Report of Phuket Marine Fisheries Station] 210 p. (In Thai)
Description and figures for *L. bindus*, *L. brevirostris*, *L. elongatus*, *L. equulus*, *L. leuciscus*, *L. smithursti*, *L. splendens* and *S. ruconius*.
- 018 Anon. 1969b. [Marine animals used as food by Thai people] Exploratory Fishing Division, Department of Fisheries, Bangkok. (In Thai)
Contains photos, descriptions and miscellaneous data reportedly of *Leiognathus daura*, *L. splendens*, *L. equulus*, *L. smithursti*, *L. sp.*, *Secutor insidiator* and *Gazza minuta*. Identifications seem questionable in a few cases.

- 019 Anon. 1969c. Marine fish production in India 1950-1968. Bull. Cent. Mar. Fish. Res. Inst., Mandapan Camp, India. 13. 144 p.
Catch and landings data including *Leiognathus* spp. and *Gazza*.
- 020 Anon. 1971. Offshore fishery development of the Republic of Viet-Nam, trawling survey in the South China Sea and the Gulf of Thailand. Annual Report prepared for the Food and Agricultural Organization of the United Nations (acting as executing agency for the United Nations Development Programme). FAO/FI:SF/VIE 3 Tech. 3. Kyokuyo Co., Ltd., Tokyo. 271 p.
Leiognathids mentioned.
- 021 Anon. 1972a. A review of the trawling industry in West-Malaysia. Proc. Indo-Pacific Fish. Council. 13(3): 541-545.
Leiognathidae comprise 2% of estimated fish landings in 1967 (= 1,057.79 tons).
- 022 Anon. 1972b. [Survey by the R.V. *Tabularasa* in the years 1971-72] Lembaga Penelitian Perikanan Laut. (In Indonesian)
Contains catch data for Leiognathidae.
- 023 Anon. 1973a. [Report of the North Sumatra Provincial Marine Fisheries Service] Annual Report. 50 p. (In Indonesian)
Contains catch and landing data for Leiognathidae.
- 024 Anon. 1973b. Report of exploratory operation of trawl in the Gulf of Siam and the Java Sea. Fish Res. Dev. Agency, Office of Fisheries, Busan, Korea. 131 p.
Leiognathus rivulatus reported in catch is a probable misidentification.
- 025 Anon. 1974a. [Annual Report 1973, East Java Provincial Fisheries Office] Jawa Timur. 119 p. (In Indonesian) (mimeo)
Contains landing data, by month, for Leiognathidae in East Java Province.
- 026 Anon. 1974b. Progress report No. 6. UNDP/FAO Pelagic Fishery project, India. 141 p.
- 027 Anon. 1975a. [A guide to the collection, interpretation and presentation of fisheries statistics. Book 1. Standard fisheries statistics] Directorate General of Fisheries. 207 p. (In Indonesian)
General description of Leiognathidae with a figure of *L. bindus* and sketches of the protrusile mouth.
- 028 Anon. 1975b. Report on cruise Nos. 1 and 2 of R/V *Dr. Fridtjof Nansen*. Indian Ocean Fish. Dev. Progr. Pelagic Fish Assessment, North Arabian Sea (subcontractor: Inst. of Mar. Res., Bergen, Norway). 89 p. (mimeo)
Catch data, by station and species (mainly *L. bindus*).
- 029 Anon. 1975c. The three bays multidisciplinary environmental project. Cleveland Bay, Halifax Bay, Bowling Green Bay. 1st Report. James Cook University of North Queensland (Australia). 102 p. (mimeo)
Leiognathus splendens and *L. bindus* reported (p. 80) dominant in numbers in trawl catches. Also reports (p. 82) of abundance of *E. novae-hollandiae* and *G. minuta*.
- 030 Anon. 1976a. R/V *Lemuru* Cruise 7501 (Jakarta-Belawan, 8-27 January 1975). Data and observations. Paper presented at the workshop on the fishery resources of the Malacca Strait, 29 March-2 April 1976, Jakarta, Indonesia. Working Paper no. 6. 14 p. South China Sea Fish. Dev. Coord. Progr., Manila.
- 031 Anon. 1976b. Report on cruise No. 3 of the R/V *Dr. Fridtjof Nansen*. Indian Ocean Fish. Dev. Progr. Pelagic Fish Assessment Survey, North Arabian Sea (subcontractor: Inst. of Mar. Res., Bergen, Norway) 49 p. (mimeo)
Gives catch data for leiognathids, *L. bindus* dominant.
- 032 Anon. 1976c. Status Report No. 1. Survey Results of *Dr. Fridtjof Nansen* 1975. Indian Ocean Fish. Dev. Progr. Pelagic Fish Assessment Survey, North Arabian Sea (subcontractor: Inst. of Mar. Res., Bergen, Norway) 30 p. (mimeo)
Catch data, by station and species (*L. bindus* mainly).
- 033 Anon. 1976d. Progress report No. 12. UNDP/FAO Pelagic Fishery project, India. 116 p.
- 034 Anon. 1976e. Progress report No. 13. UNDP/FAO Pelagic Fishery project, India. 107 p.
- 035 Anon. 1979. Demersal resources of the Gulf and Gulf of Oman. FAO/RAB/71/278/6. 44 p. FAO, Rome.

- Discusses the distribution of Leiognathidae in the Gulfs, in which they are the most abundant demersal fishes. Leiognathidae listed among the "unmarketable" or "non-commercial groups." Also presents data on seasonal and day/night differences in Leiognathidae catch rates. Standing stock of Leiognathidae estimated.
- 036 Anon. 1980. Marine Fisheries Research Department. Annual Report, 1979. Southeast Asian Fisheries Development Center, Singapore. 31 p.
List pony fish (*Leiognathus elongata*) among trash fish used for the production of fish-jelly.
- 037 Anon. 1980. The present state of mangrove ecosystems in Southeast Asia and the impact of pollution—Singapore. SCS/80/WP/94d. 76 p. South China Sea Fish. Dev. Coord. Progr., Manila.
p. 69 lists, among the fish species recorded from Singapore mangrove swamps: *G. minuta*, *L. brevisrostris*, *L. dussumieri*, *L. equulus* (which is also listed among the spp. important to sustenance fishermen) *L. fasciatus*, *L. ruconius*.
- 038 Anon. Undated. Common species of fish found in Tonga. (mimeo)
Lists *L. equulus*, gives body length (14 cm) and spawning period ("lay eggs in June").
- 039 Apparao, T. 1966. On some aspects of the biology of *Lactarius lactarius* (Schneider). Indian J. Fish. 13(2): 334-349.
Leiognathus spp. recorded in stomach contents.
- 040 Aprieto, V. and E. Viloso. 1977. Fishes caught by otter trawl in the Visayan Sea. Fish. Res. J. Philipp. 2(2): 40-49.
Lists leiognathid species caught.
- 041 Arifien, S. 1972. [Composition of the fish catch of lift nets from Tanjungpasir, Naga Bay, Tangesang] Bogor Agric. Inst., Indones. 66 p. Thesis. (In Indonesian)
Catch data and length frequencies for leiognathids caught by lift nets.
- 042 Arora, H.L. 1952. A contribution to the biology of the silver-belly, *Leiognathus splendens* (Cuvier). Proc. Indo-Pacific Fish. Council. 3, Tech. Pap. 4: 75-80.
First paper on the biology of *L. splendens*. Contains estimates of growth rate and size at first maturity, both of which may be underestimated (see Beck & Sudradjat, 1978).
- 043 Avery, A. 1950. Fish processing handbook for the Philippines. Res. Rep. U.S. Fish. Wildl. Serv. 26. 149 p.
Presents figures for *L. equulus*, *L. fasciatus*, *L. daura*, *S. ruconius* and *S. insidiator*. Discusses processing of leiognathids.
- 044 Baasch, H., P. Jarchau, H.V. Westernhagen and M. Zureck. 1976. Fischerei auf den Philippinen und Möglichkeiten ihrer Förderung. Projekt Nr. 7425127-000603, Fed. Min. Econ. Coop (BMZ) Bonn.
Mentions leiognathids among the important fish groups.
- 045 Badrudin. 1977. Catch rate distribution of pony-fishes—Leiognathidae, p. 22-23. In A. Dwiponggo (ed.) Peta Beberapa Sumber Perikanan Demersal (Dasar) Di Laut Jawa Dan Laut Cina Selatan. Marine Fisheries Research Institute. Jakarta.
Maps showing catch rates of Leiognathidae in the Java and South China Seas, 1975-76.
- 046 Baissac, J. de. 1952. Contribution à l'étude des poissons de l'Île Maurice. V. Proc. R. Soc. Arts Sci. Mauritius 1: 185-240.
Descriptions of *Leiognathus equulus*, *L. fasciatus*, *G. minuta* and another undetermined species.
- 047 Baissac, J. de. 1976. Poissons de Mer des Eaux de l'Île Maurice. Proc. R. Soc. Arts Sci. Mauritius 3: 191-226.
Lists from Mauritius: *S. insidiator* (Petite mangouste) *L. equulus* (sap-sap); *L. fasciatus* (sap-sap) *L. elongatus* (sap-sap long) and *G. minuta* (sap-sap les dents).
- 048 Bal, D.V. and L.B. Pradhan. 1945. Investigation of fish eggs and fish larvae from Bombay waters. First Progress Report, 1944-45. Govt. Central Press, Bombay.
Occurrence of eggs and larvae attributed to *L. fasciatus*.
- 049 Bal, D.V. and L.B. Pradhan. 1946. Investigation of fish eggs and fish larvae from Bombay waters. Second Progress Report, 1945-46. Govt. Central Press, Bombay.
Occurrence of eggs and larvae attributed to *L. fasciatus*.

- 050 Bal, D.V. and L.B. Pradhan. 1947. Investigation of fish eggs and fish larvae from Bombay waters. Third Progress Report, 1946-47. Govt. Central Press, Bombay.
Occurrence of eggs and larvae attributed to *L. fasciatus*.
- 051 Bal, D.V. and L.B. Pradhan. 1951. Occurrence of fish larvae and postlarvae in Bombay waters during 1944-47. J. Univ. Bombay New Ser. 20B. 15 p.
Occurrence of larvae and postlarvae attributed to *Leiognathus* and *Gazza* spp.
- 052 Balakrishnan, K.P. 1959. Marine zoology and fisheries in the Indian Ocean. I. Fish eggs and larvae of the Kerala Coast. Proc. 1st All Indian Congr. Zoology (Jabalpur).
Eggs and larvae attributed to *L. brevirostris*.
- 053 Balan, V. 1967. Biology of the silver-belly, *Leiognathus bindus* (Val.). Indian J. Fish. 1963 10A(1): 118-134. Also: Adv. Abstr. Contr. Fish. Aquat. Sci. India 1(1): 14-15.
Basic work on the biology of *L. bindus*. See Pauly and David (1980a & b) for interpretation of the length frequency data.
- 054 Baldwin, W.J. 1977. A review of the use of live baitfishes to capture skipjack tuna, *Katsuwonus pelamis*, in the Tropical Pacific Ocean, with emphasis on their behavior, survival and availability, p. 8-35. In R.S. Shomura (ed.) Collection of Tuna Baitfish Papers. NOAA Tech. Rep. NMFS Circ. 408. 167 p.
p. 11, and 25 discuss suitability of leiognathids, especially *G. minuta*, as live bait resource. Suggests low attraction rate, and reports of schooling behavior at or near surface.
- 055 Banasopit, T. and T. Wongratana. 1967. A check list of fishes in the reference collection maintained at the Marine Fisheries Laboratory. Contrib. Mar. Fish. Lab., Bangkok 7. 73 p.
p. 20 lists 13 species of Leiognathidae, with Thai, English and scientific names.
- 056 Banerji, S.K. and A.V.V. Satyarayana. 1958. A note on the general trend of marine fish catch in India. Indian J. Fish. 5: 195-200.
Gives 11,838 tons of Leiognathidae or 2.04% of the all-Indian catch for the period 1950-56.
- 057 Bapat, S.V. and D.V. Bal. 1952. The food of some young fishes from Bombay. Proc. Indian Acad. Sci. 35B(2): 78-92.
- 058 Bapat, S.V., N. Radhakrishnan and K.N. Rasachandra Kartha. 1972. A survey of the trawl fish resources of Karwar, India. Proc. Indo-Pacific Fish. Council. 13(3): 354-383.
Leiognathus, comprising 30.12% of the catch in the area, belongs to the principal trawl fish off Karwar.
- 059 Barnard, K.H. 1925. A monograph of the marine fishes of South Africa. Ann. S. Afr. Mus. 21: 1-1065.
Describes *L. equula*, *L. insidiator*, *G. minuta*. Mentions that members of the family ascend rivers, are consumed by people, but are of no commercial value.
- 060 Barnard, K.H. 1949. A pictorial guide to South African fishes. Maskew Miller Ltd., Capetown.
Describes "slimy" *Leiognathus equula* and "spotted slimy" *S. insidiator*.
- 061 Barus, H.R. 1968. [*Leiognathus* spp. caught by trawl off Batang, Central Java]. Bogor Agric. Inst., Indones. 20 p. Thesis. (In Indonesian)
About 60% of the catch consisted of *L. equulus*, *L. splendens*, *L. dussumieri*, *L. daura*, *S. insidiator* and *S. ruconius*.
- 062 Basheeruddin, S. and K.N. Nayar. 1962. A preliminary study of the juvenile fishes of the coastal waters off Madras City. Indian J. Fish. 8(1): 169-188.
Occurrence, size-range, major size group and food of young *L. insidiator*, *L. ruconius*, *L. splendens*, *L. fasciatus*, *L. equulus* and *G. minuta*.
- 063 Bassot, J.-M. 1966. On the comparative morphology of some luminous organs, p. 557-610. In F.H. Johnson and Y. Haneda (eds.) Bioluminescence in progress. Princeton Univ. Press, Princeton.
As per title, including observations on Leiognathidae.
- 064 Bassot, J.-M. 1975. Les organes lumineux a bactéries symbiotiques de quelques téléostéens léiognathides. Arch. Zool. Exp. Gen. 116(3): 359-373.
Describes light organ and bacterial symbionts in *L. equula*, *E. novae-hollandiae* and *S. ruconius*.

- 065 Bayoumi, A.R. 1972. Recent biological investigations in the Red Sea along the A.R.E. Coast. 1. On some demersal fishes of economic importance from the Red Sea with notes on migration of fish through the Suez Canal. Bull. Inst. Oceanogr. Fish., Cairo 2: 159-183.
General account, with brief synonymy for *Leiognathus bindus*.
- 066 Bean, T.H. and A.C. Weed. 1912. Notes on a collection of fishes from Java made by Omer Bryant and William Palmer in 1909, with description of a new species. Proc. U.S. Nat. Mus. 42: 587-611.
p. 120 *Gazza argentaria* (Majalibit Bay, Waigiu).
- 067 Beaufort, L.F. de. 1913. Fishes of the eastern part of the Indo-Australian Archipelago, with remarks on its zoogeography. Bijdr. Nederl. Dierk. 19: 95-163, 1 pl.
p. 120 *Gazza argentaria* (Majalibit Bay, Waigin).
- 068 Beck, U. and A. Sudrajat. 1978. Variation in size and composition of demersal trawl catches from the north coast of Java with estimated growth parameters for three important food-fish species. Contrib. Demersal Fish. Proj. Mar. Fish. Res. Inst., Jakarta 4: 1-80.
Discusses seasonal occurrence, depth distribution and growth of *Leiognathus splendens*, with L_{∞} (cm) = 15.6 and K (yearly) = 1.745; correcting data in Pauly (1977a).
- 069 Ben-Tuvia, A. 1953a. Fishes caught off Caesarea, on the Mediterranean Coast of Israel. Bull. Res. Council, Israel 2(4): 439-440.
Lists *L. klunzingeri*, states its Erythrean origin.
- 070 Ben-Tuvia, A. 1953b. Mediterranean fishes of Israel. Bull. Sea Fish. Res. Stn. Caesarea 8. 40 p.
p. 2, 24 *Leiognathus klunzingeri*; p. 25 *L. mediterraneus*. *L. klunzingeri*, which came from the Red Sea through the Suez Canal, reported common in the eastern Mediterranean up to the Turkish coast.
- 071 Ben-Tuvia, A. 1953c. New Erythrean fishes from the Mediterranean Coast of Israel. Nature 172: 464.
- 072 Ben-Tuvia, A. 1963. Systematics and ecology of Indo-Pacific fishes recently established in the eastern Mediterranean. Proc. Int. Congr. Zool., Wash., D.C. 16(1): 115.
Lists *L. klunzingeri*.
- 073 Ben-Tuvia, A. 1966. Red Sea fishes recently found in the Mediterranean. Copeia: 254-275.
Lists *L. klunzingeri*, with complete synonymy for Mediterranean records.
- 074 Ben-Tuvia, A. 1973. Man-made changes in the eastern Mediterranean and their effect on the fishery resources. Mar. Biol. 19: 197-203 also in J. Ichthyol. 1970: 179-185.
Lists *L. klunzingeri* among the Red Sea fishes having penetrated into the Mediterranean by means of a "Lessepsian" migration. *L. klunzingeri* now forms a main food item of *S. undosquamis*, also an immigrant.
- 075 Ben-Tuvia, A. 1978. Immigration of fishes through the Suez Canal. Fish. Bull. 76(1): 249-255.
- 076 Ben-Yami, M. and T. Glaser. 1974. The invasion of *Saurida undosquamis* (Richardson) into the Levant Basin—an example of biological effect of inter-oceanic canals. Fish. Bull. 72(2): 359-373.
Reports that *L. klunzingeri* forms an important food source of *Saurida undosquamis*. Discussion of ecology and interactions.
- 077 Berg, L.S. 1940. Classification of fishes, both recent and fossil. Trav. Inst. Zool. Acad. Sci., USSR 5(2): 87-517. Available in reprint edition from J.W. Edwards, Ann Arbor, Michigan, 1947. (Russian and English text)
- 078 Berg, L.S. 1955. [Classification of fishes both recent and fossil. 2nd ed.] Tr. Zool. Inst. Akad. Nauk, USSR 20: 1-286. (In Russian)
- 079 Berg, L.S. 1958. System der rezenten und fossilen Fischartigen und Fische. VEB, Verlag der Wissenschaften, Berlin. (German translation of 2nd Russian edition).
Lists the family "Liognathidae", consisting of Leiognathidae + Gerridae Jordan (same as in Berg 1940 and 1955).
- 080 Berg, S.E. 1971. Investigation on the bottom conditions and the possibilities for marine prawn and fish trawling on the north and east coast of Ceylon. Bull. Fish. Res. Stn., Ceylon 22: 53-88.

- Data on the seasonal abundance of Leiognathidae.
- 081 Bertin, L. 1958a. Glandes cutanées et organes lumineux, p. 459-481. In P. Grassé (ed.) *Traité de Zoologie*, Vol. 13, Masson et Cie, Paris.
- 082 Bertin, L. 1958b. Ecologie. p. 1885-1933. In P. Grassé (ed.) *Traité de Zoologie*, Vol. 13, Masson et Cie, Paris.
p. 1902 suggests that the light organs in *Equula* allow these to illuminate the water surrounding them.
- 083 Bertin, L. and C. Arambourg. 1958a. Systématique des poissons, p. 1967-1983. In P. Grassé (ed.) *Traité de Zoologie*, Vol. 13, Masson et Cie, Paris.
p. 1980 orders the Leiognathidae in the sub-order Percoidei.
- 084 Bertin, L. and C. Arambourg. 1958b. Super-ordre des Téléostéens (Teleostei), p. 2204-2500. In P. Grassé (ed.) *Traité de Zoologie*, Vol. 13, Masson et Cie, Paris.
p. 2390 lumps the Leiognathidae with the Lutjanidae and discusses the mechanism which makes the mouth slip.
- 085 Bhimachar, B.S. and G. Venkatamaran. 1952. A preliminary study of the fish populations along the Malabar Coast. *Proc. Natl. Inst. Sci. India* 18B(6): 627-655.
- 086 Bhimachar, B.S., S.K. Banerji and G. Venkatamaran. 1957. A study of the variability in the fish catches by successive hauls in the inshore waters off Calicut. *Indian J. Fish.* 4(1): 1-19.
Leiognathus spp. in the catches, *L. splendens* mentioned.
- 087 Bikov, V., editor. 1972. [Technico-chemical properties of ocean fishes] Food Industries Edition, Moscow. (In Russian)
p. 138-139 gives main body constituents and a figure of *Leiognathus rivulatus*.
- 088 Birtwistle, W. 1935. Annual Report of the Fisheries Department for 1934. Singapore S.S. & F.M.S. 22 p.
Landing data for "Kikek" (leiognathids).
- 089 Birtwistle, W. 1937. Annual Report of the Fisheries Department for 1936. Singapore S.S. & F.M.S. 29 p.
Landing data for "Kikek" (leiognathids).
- 090 Birtwistle, W. 1938. Annual Report of the Fisheries Department for 1937. Singapore S.S. & F.M.S. 43 p.
Landing data for "Kikek" (leiognathids).
- 091 Birtwistle, W. 1939. Annual Report of the Fisheries Department for 1938. Singapore S.S. & F.M.S. 39 p.
Landing data for "Kikek" (leiognathids).
- 092 Birtwistle, W. and C.F. Green. 1927. Report on the working of the S.T. Tongkol for the period 28 May to 31 December 1926. Government Printing Office, Singapore.
- 093 Birtwistle, W. and C.F. Green. 1928. Report on the working of the S.T. Tongkol for the year 1927. Government Printing Office, Singapore.
- 094 Blaber, S.J.M. 1980. Fish of the Trinity Inlet System of North Queensland with notes on the ecology of fish faunas in tropical Indo-Pacific estuaries. *Aust. J. Mar. Freshwater Res.* 31: 137-146.
Lists from Trinity Bay and estuary: *Equulites berbis*, *E. novaehollandiae*, *Gazza minuta*, *Leiognathus equulus*, *L. fasciata*, *Secutor insidiator*, *S. ruconius*, with indices of relative abundance and main food type (plankton and inv. benthos for all except *G. minuta*, where inv. benthos and fish are predominant).
- 095 Blaber, S.J.M. and A.K. Whitfield. 1976. Large scale mortality of fish at St. Lucia. *S. Afr. J. Sci.* 72(7): 218.
- 096 Blanc, M. and P. Fourmanoir. 1964. Études préliminaires des poissons de la côte Cambodgienne. *Cah. Pac.* 6: 33-46.
Reports *Leiognathus elongatus*, a new record for the Ream area, and *Leiognathus equulus*.
- 097 Blaxter, J.H.S. 1971. Light: fishes, p. 213-320. In O. Kinne (ed.) *Marine Ecology* Vol. I, Part 1, Wiley Interscience, London.
Mentions luminescence in leiognathids.
- 098 Bleeker, P. 1844. Bijdragen tot de geneeskundige Topographie van Batavia. *Generisch overzicht der Fauna. Nat. Geneesk. Arch. Ned. Ind.* 1: 551-553.
[This, and all other reference to Bleeker originate from the "Index" of Weber and Beaufort (1911, second reimpression 1964). All of Bleeker's fish papers are now available in reprint editions]

- (Asher, Amsterdam, Junk, Lochem, both Netherlands), the first of which contains an additional index which may list further papers with data on Leiognathidae.]
p. 553 *Equula, Gazza*.
- 099 Bleeker, P. 1845. Bijdragen tot de geneeskundige Topographie van Batavia. Generisch overzicht der Fauna. Continuatio. Nat. Geneesk. Arch. Ned. Ind. 2: 505-528.
p. 518 *Equula brevirostris, E. caballa, E. ensifera, E. filigera, E. gomorah, E. insidiatrix, Gazza equulaeformis*.
- 100 Bleeker, P. 1848. A contribution to the ichthyology of Sumbawa. J. Indones. Arch. 2(9): 632-639.
p. 633 *E. caballa*.
- 101 Bleeker, P. 1849. Bijdrage tot de kennis der ichthyologische fauna van het eiland Maudra, met beschrijving van eenigen nieuwe species. Verh. Batavia Gen. 22: 1-16.
p. 5 *Equula brevirostris, E. caballa, E. insidiatrix*.
- 102 Bleeker, P. 1850a. Bijdrage tot de kennis de Maenoiden van den Soenda-Molukschen Archipel. Verh. Batavia Gen. 23: 1-13.
- 103 Bleeker, P. 1850b. Bijdrage tot de kennis der ichthyologische fauna van Midden-en Oost-Java, met beschrijving van eenige nieuwe species. Verh. Batavia Gen. 23: 1-23.
p. 9 *Equula brevirostris, E. caballa, E. filigera, E. insidiatrix*.
- 104 Bleeker, P. 1851a. Fauna ichthyologicae Javae insularumque adjacentium genera et species novae. Nat. Tijdschr. Ned. Ind. 1: 98-108.
- 105 Bleeker, P. 1851b. Visschen van Banka. Nat. Tijdschr. Ned. Ind. 1: 159-161.
p. 160 *Equula gomorah*.
- 106 Bleeker, P. 1851c. Nieuwe bijdrage tot de kennis der ichthyologische fauna van Borneo, met beschrijving van eenige nieuwe soorten van zoetwater-visschen. Nat. Tijdschr. Ned. Ind. 1: 259-275.
p. 261 *Equula ensifera*.
- 107 Bleeker, P. 1851d. Over eenige nieuwe geslachten en soorten van Makreelachtige visschen van den Indischen Archipel. Nat. Tijdschr. Ned. Ind. 1: 341-372.
p. 371 *Equula gerroides*, p. 372 *E. bindoides, E. caballa, E. coma*.
- 108 Bleeker, P. 1851e. Derde bijdrage tot de kennis der ichthyologische fauna van Borneo, met beschrijving van eenige nieuwe soorten van zoetwater-visschen. Nat. Tijdschr. Ned. Ind. 2: 57-70.
p. 59 *Equula ensifera*.
- 109 Bleeker, P. 1851f. Vierde bijdrage tot de kennis der ichthyologische fauna van Borneo, met beschrijving van eenige nieuwe soorten van zoetwater-visschen. Nat. Tijdschr. Ned. Ind. 2: 193-208.
p. 195 *Equula ensifera*.
- 110 Bleeker, P. 1851g. Nieuwe bijdrage tot de kennis der ichthyologische fauna van Celebes. Nat. Tijdschr. Ned. Ind. 2: 209-224.
p. 213 *Equula bindoides, E. ensifera, E. gomorah, E. insidiatrix, E. oblonga, Gazza minuta*.
- 111 Bleeker, P. 1851h. Vijfde bijdrage tot de kennis der ichthyologische fauna van der Borneo, met beschrijving van eenige nieuwe soorten van zoetwater-visschen. Nat. Tijdschr. Ned. Ind. 2: 415-442.
p. 419 *Equula ensifera*.
- 112 Bleeker, P. 1851i. Bijdrage tot de kennis der ichthyologische fauna van Riouw. Nat. Tijdschr. Ned. Ind. 2: 469-497.
p. 471 *Equula filigera, Gazza minuta*.
- 113 Bleeker, P. 1852a. Bijdrage tot de kennis der ichthyologische fauna van Singapore. Nat. Tijdschr. Ned. Ind. 3: 51-86.
p. 57 *Equula caballa, E. dacer, E. filigera*; p. 58 *E. insidiatrix, Gazza minuta*.
- 114 Bleeker, P. 1852b. Bijdrage tot de kennis der ichthyologische fauna van Timor. Nat. Tijdschr. Ned. Ind. 3: 159-174.
p. 165 *Equula filigera*.
- 115 Bleeker, P. 1852c. Bijdrage tot de kennis der ichthyologische fauna van de Moluksche eilanden. Visschen van Amboina en Ceram. Nat. Tijdschr. Ned. Ind. 3: 229-309.
p. 237 *Equula ensifera*.
- 116 Bleeker, P. 1852d. Zesde bijdrage tot de kennis der ichthyologische fauna van Borneo. Visschen van Pamangkat, Bandjermassing, Braboekarta en Sampit. Nat. Tijdschr. Ned. Ind. 3: 407-442.
p. 412 *Equula ensifera, E. filigera, E. gerroides*.

- 117 Bleeker, P. 1852e. Bijdrage tot de kennis der ichthyologische fauna van het eiland Banka. Nat. Tijdschr. Ned. Ind. 3: 443-460.
p. 445 *Equula gomorah*, *E. lineolata*.
- 118 Bleeker, P. 1852f. Bijdrage tot de kennis der Ma-reelachtige visschen van den Soenda-Molukschen Archipel. Verh. Batavia Gen. 24: 1-93.
p. 79 *Equula filigera*; p. 80 *E. ensifera*; p. 81 *E. gerroides*, *E. coma*, *E. dacer*; p. 82 *E. gomorah*; p. 83 *E. bindoides*, *E. lineolata*; p. 84 *E. insidiatrix*, *E. oblonga*; p. 85 *E. interrupta*, *Gazza minuta*.
- 119 Bleeker, P. 1853a. Diagnostische beschrijvingen van nieuwe of weinig bekende vischsoorten van Sumatra. Tiental V-X. Nat. Tijdschr. Ned. Ind. 4: 243-302.
p. 259 *Gazza minuta*; p. 260 *G. tapeinosoma*; p. 261 *G. equulaeformis*.
- 120 Bleeker, P. 1853b. Nalezingen op de ichthyologie van Japan. Verh. Batavia Gen. 25: 1-56.
p. 38 *Equula lineolata*, *E. nuchalis*, *E. oblonga*, *E. rivulata*; p. 39 *E. gerroides*.
- 121 Bleeker, P. 1853c. Nalezingen op de ichthyologische fauna van Bengalen en Hindostan. Verh. Batavia Gen. 25: 1-164 with addendum in 1854, Verh. Batavia Gen. 26: 165-166.
p. 46 *Equula bindus*, *E. blochii*, *E. brevirostris*, *E. caballa*, *E. coma*, *E. dacer*, *E. dussumieri*, *E. ensifera*, *E. filigera*, *E. gomorah*, *E. insidiatrix*, *E. interrupta*, *E. oblonga*, *E. ruconius*, *Gazza minuta*.
- 122 Bleeker, P. 1854a. Visschen van Batjan. Nat. Tijdschr. Ned. Ind. 7: 133-135.
p. 134 *Equula ensifera*.
- 123 Bleeker, P. 1854b. Vijfde bijdrage tot de kennis der ichthyologische fauna van Celebes. Nat. Tijdschr. Ned. Ind. 7: 225-260.
p. 249 *Equula gracilis*.
- 124 Bleeker, P. 1854c. Eenige zoetwatervisschen, verzameld te Perdana en Tjibilong door den Heer Kalfsterman. Nat. Tijdschr. Ned. Ind. 7: 468-469.
p. 468 *Equula ensifera*.
- 125 Bleeker, P. 1854d. Vischsoorten van Java. Nat. Tijdschr. Ned. Ind. 7: 482-484.
p. 484 *Equula ensifera*.
- 126 Bleeker, P. 1855a. Over eenige visschen van den Diemensland. Verh. Akad. Amsterdam. 2: 1-30.
p. 11 *Equula serrulifera* Rich.
- 127 Bleeker, P. 1855b. Visschen van Tikoe, Sumatra's Westkust. Nat. Tijdschr. Ned. Ind. 8: 345.
p. 345 *Equula interrupta*, *Gazza equulaeformis*.
- 128 Bleeker, P. 1856-7. Bijdrage tot de kennis der ichthyologische fauna van Nias. Nat. Tijdschr. Ned. Ind. 12: 211-228.
p. 215 *Equula ensifera*, *E. filigera*, *E. gomorah*, *E. lineolata*, *Gazza tapeinosoma*.
- 129 Bleeker, P. 1858a. Elfde bijdrage tot de kennis der ichthyologische fauna van Borneo. Visschen van Sinkawang. Acta Soc. Sci. Indo-Neerl. 3: 1-4.
p. 2 *Equula ensifera*.
- 130 Bleeker, P. 1858b. Bijdrage tot de kennis der vischfauna van den Goram-Archipel. Nat. Tijdschr. Ned. Ind. 15: 197-218.
p. 200 *Equula filigera*, *Gazza equulaeformis*.
- 131 Bleeker, P. 1858-9a. Visschen van Tikoe verzameld door E.A. Ludeking. Nat. Tijdschr. Ned. Ind. 16: 26.
p. 26 *Equula ensifera*.
- 132 Bleeker, P. 1858-9b. Vischsoorten van Banjoe-wangi en Buitenzorg, verzameld door H. Zollinger, H. von Rosenberg en O.J.U.F. Huguenin. Nat. Tijdschr. Ned. Ind. 16: 47-48.
p. 48 *Equula ensifera*, *E. lineolata*, *Gazza tapeinosoma*.
- 133 Bleeker, P. 1858-9c. Vischsoorten gevangen bij Benkoelen en aangeboden door A.J.W. van Ophuysen. Nat. Tijdschr. Ned. Ind. 16: 243-244.
p. 243 *Equula interrupta*.
- 134 Bleeker, P. 1858-9d. Over eene nieuwe verzameling vischsoorten van Benkoelen van A.J.W. van Ophuysen. Nat. Tijdschr. Ned. Ind. 16: 273-275.
p. 274 *Equula gomorah*.
- 135 Bleeker, P. 1858-9e. Vischsoorten gevangen bij Japara, verzameld door S.A. Thurkow. Nat. Tijdschr. Ned. Ind. 16: 406-409.
p. 407 *Equula ensifera*, *E. gerroides*, *E. gomorah*, *Gazza tapeinosoma*.
- 136 Bleeker, P. 1858-9f. Vierde bijdrage tot de kennis der ichthyologische fauna van Timor. Visschen van

- Atapoepoe. Nat. Tijdschr. Ned. Ind. 17: 129-140.
p. 133 *Equula filigera*, *E. gomorah*, *E. oblonga*,
Gazza tapeinosoma.
- 137 Bleeker, P. 1858-9g. Derde bijdrage tot de kennis der ichthyologische fauna van Bali. Nat. Tijdschr. Ned. Ind. 17: 141-175.
p. 147 *Equula filigera*, *E. gomorah*, *E. gracilis*,
E. insidiatrix, *E. oblonga*, *Gazza equulaeformis*,
G. minuta, *G. tapeinosoma*.
- 138 Bleeker, P. 1859a. Enumeratio specierum piscium hucusque in Archipelago indico observatarum, etc. Acta Soc. Sci. Indo-Neerl. 6: i-xxxvi + 1-276.
Not indexed in Weber & Beaufort (1911), but lists Leiognathidae.
- 139 Bleeker, P. 1859b. Bijdrage tot de kennis der vischfauna van Bawean. Nat. Tijdschr. Ned. Ind. 18: 351-358.
p. 353 *Equula gomorah*, *Gazza tapeinosoma*.
- 140 Bleeker, P. 1859c. Negende bijdrage tot de kennis der vischfauna van Banka. Nat. Tijdschr. Ned. Ind. 18: 359-378.
p. 367 *Equula bindoides*, *E. dacer*, *E. ensifera*,
E. filigera, *E. gerroides*, *E. gomorah*, *E. lineolata*,
Gazza equulaeformis, *G. tapeinosoma*.
- 141 Bleeker, P. 1859d. Over eenige vischsoorten van de Zuidkust-wateren van Java. Nat. Tijdschr. Ned. Ind. 19: 329-352.
p. 331 *Equula bindoides*.
- 142 Bleeker, P. 1859e. Derde bijdrage tot de kennis der vischfauna van Soembawa. Nat. Tijdschr. Ned. Ind. 19: 434-440.
p. 437 *Equula bindoides*, *E. gomorah*, *E. interrupta*, *Gazza minuta*, *Gazza tapeinosoma*.
- 143 Bleeker, P. 1859-60a. Vischsoorten van Badjoa, verzameld door E. Netscher. Nat. Tijdschr. Ned. Ind. 20: 140-142.
p. 141 *Equula ensifera*, *E. insidiatrix*, *E. oblonga*,
Gazza equulaeformis.
- 144 Bleeker, P. 1859-60b. Soorten van visschen van Badjoa, verzameld van E. Netscher. Nat. Tijdschr. Ned. Ind. 20: 197-198.
p. 198 *Equula bindoides*, *E. oblonga*, *Gazza minuta*.
- 145 Bleeker, P. 1859-60c. Vischsoorten van Bali, verza-
meld door P.L. van Bloemen Waanders. Nat. Tijdschr. Ned. Ind. 20: 205-207.
p. 206 *Equula gomorah*, *E. gracilis*, *E. oblonga*,
Gazza tapeinosoma.
- 146 - Bleeker, P. 1859-60d. Visschen uit de omstreken van Tandjong aan de Samangka-baai, verzameld door den Heer Hunnius. Nat. Tijdschr. Ned. Ind. 20: 219-220.
p. 219 *Equula ensifera*.
- 147 Bleeker, P. 1859-60e. Nieuwe vischsoorten van Singapore, verzameld door Fr. Graff de Castelnau. Nat. Tijdschr. Ned. Ind. 20: 236-239.
p. 237 *Equula gomorah*.
- 148 Bleeker, P. 1859-60f. Vischsoorten van Bonthain, verzameld door J.L. de Zeeger. Nat. Tijdschr. Ned. Ind. 20: 332.
p. 332 *Equula ensifera*.
- 149 Bleeker, P. 1859-60g. Derde bijdrage tot de kennis der vischfauna van Singapore. Nat. Tijdschr. Ned. Ind. 20: 446-456.
p. 449 *Equula ensifera*, *E. gomorah*.
- 150 Bleeker, P. 1860a. Achtste bijdrage tot de kennis der vischfauna van Sumatra. Visschen van Benkoelen, Priaman, Tandjong, Palembang en Djambi. Acta Soc. Sci. Indo-Neerl. 8: 1-88.
p. 31 *Equula ensifera*, *E. filigera*, *E. gerroides*,
E. gomorah, *E. insidiatrix*, *E. interrupta*, *E. lineolata*,
Gazza equulaeformis, *G. minuta*, *G. tapeinosoma*.
- 151 Bleeker, P. 1860b. Negende bijdrage tot de kennis der vischfauna van Sumatra. Visschen uit de Lematang-Enim en van Benkoelen. Acta Soc. Sci. Indo-Neerl. 8: 1-12.
p. 2 *Gazza minuta*.
- 152 Bleeker, P. 1860c. Dertiende bijdrage tot de kennis der vischfauna van Borneo. Acta Soc. Sci. Indo-Neerl. 8: 1-64.
p. 14 *Equula ensifera*, *E. filigera*, *E. gerroides*.
- 153 Bleeker, P. 1860d. Dertiende bijdrage tot de kennis der vischfauna van Celebes. Visschen van Bonthain, Badjoa, Sindjai, Lagoesi en Pompenoea. Acta Soc. Sci. Indo-Neerl. 8: 1-60.
p. 40 *Equula bindoides*, *E. ensifera*, *E. filigera*,
E. gomorah, *E. gracilis*, *E. insidiatrix*, *E. lineolata*,
E. oblonga, *Gazza equulaeformis*, *G. minuta*, *G. tapeinosoma*.

- 154 Bleeker, P. 1861a. Over eenige vischsoorten van Benkoelen, verzameld door A.J.W. van Ophuysen. Nat. Tijdschr. Ned. Ind. 22: 65-66.
p. 65 *Gazza minuta*.
- 155 Bleeker, P. 1861b. Vierde bijdrage tot de kennis der vischfauna van Bali. Nat. Tijdschr. Ned. Ind. 22: 239-242.
p. 239 *Equula ensifera*.
- 156 Bleeker, P. 1861c. Mededeeling omtrent vischsoorten, nieuw voor de kennis der fauna van Singapoera. Versl. Akad. Amsterdam. 12: 28-63.
p. 53 *Gazza equulaeformis*, *G. tapeinosoma*;
p. 54 *Equula bindoides*, *E. ensifera*, *E. gerroides*, *E. gomorrah*, *E. interrupta*, *E. lineolata*, *E. oblonga*.
- 157 Bleeker, P. 1861d. Iets over de vischfauna van het eiland Pinang. Versl. Akad. Amsterdam. 12: 64-80.
p. 75 *Equula bindus*, *E. caballa*, *E. filigera*, *E. gomorrah*, *E. insidiatrix*, *E. oblonga*, *Gazza equulaeformis*.
- 158 Bleeker, P. 1862. Sixième mémoire sur la faune ichthyologique de l'île Batjan. Versl. Akad. Amsterdam 14: 99-112.
p. 110 *Equula ensifera*, *E. filigera*, *E. gomorrah*, *Gazza equulaeformis*, *G. tapeinosoma*.
- 159 Bleeker P. 1863a. Troisième mémoire sur la faune ichthyologique de l'île de Halmahera. Ned. Tijdschr. Dierk. 1:153-159.
p. 156 *Equula ensifera*, *E. filigera*, *Gazza equulaeformis*.
- 160 Bleeker, P. 1863b. Onzième notice sur la faune ichthyologique de l'île de Ternate. Ned. Tijdschr. Dierk 1: 228-238.
- 161 Bleeker, P. 1863b. Onzième notice sur la faune ichthyologique de l'île d'Obi. Ned. Tijdschr. Dierk. 1:239-245.
p. 242 *Gazza argentaria*, *G. equulaeformis*, *G. minuta*, *Leiognathus fasciatus*.
- 162 Bleeker, P. 1863c. Douzième notice sur la faune ichthyologique de l'île Timor. Ned. Tijdschr. Dierk. 1:262-276.
p. 270 *Gazza argentaria*, *Leiognathus fasciatus*, *L. oblongus*, *L. splendens*.
- 163 Bleeker, P. 1865a. Notice sur quelques poissons de la baie de Manille. Ned. Tijdschr. Dierk. 2:30-32.
p. 31 *Leiognathus equulus*, *L. splendens*.
- 164 Bleeker, P. 1865b. Quatrième notice sur la faune ichthyologique de l'île de Bourou. Ned. Tijdschr. Dierk. 2: 141-151.
p. 148 *Leiognathus edentulus*, *L. splendens*;
p. 149 *Gazza argentaria*.
- 165 Bleeker, P. 1865c. Sixième notice sur la faune ichthyologique de Siam. Ned. Tijdschr. Dierk. 2: 171-176.
p. 174 *Leiognathus splendens*, *L. gerroides*.
- 166 Bleeker, P. 1865d. Énumération des espèces de poissons actuellement connues de l'île de Céram. Ned. Tijdschr. Dierk. 2: 182-193.
p. 191 *Gazza argentaria*, *Leiognathus edentulus*, *L. splendens*.
- 167 Bleeker, P. 1865e. Énumération des espèces de poissons actuellement connues de l'île d'Amboine. Ned. Tijdschr. Dierk. 2: 270-293.
p. 290 *Gazza argentaria*, *G. equulaeformis*, *Leiognathus edentulus*, *L. fasciatus*, *L. insidiator*, *L. interruptus*, *L. leuciscus*, *L. lineolatus*, *L. oblongus*, *L. splendens*.
- 168 Bleeker, P. 1868a. Sixième notice sur la faune ichthyologique de l'île de Bintang. Versl. Akad. Amsterdam 2(2): 289-294.
p. 293 *Gazza argentaria*, *Leiognathus fasciatus*.
- 169 Bleeker, P. 1868b. Notice sur la faune ichthyologique de l'île de Waigiou. Versl. Akad. Amsterdam. 2(2): 295-301.
p. 297 *Leiognathus fasciatus*.
- 170 Bleeker, P. 1873a. Troisième notice sur la faune ichthyologique des îles Arou. Versl. Akad. Amsterdam 7(2): 35-39.
p. 37 *Leiognathus edentulus*, *L. fasciatus*, *L. splendens*.
- 171 Bleeker, P. 1873b. Mémoire sur la faune ichthyologique de Chine. Ned. Tijdschr. Dierk. 4: 113-154.
p. 132 *Leiognathus insidiator*, *L. interruptus*, *L. nuchalis*, *L. rivulatus*, *L. splendens*.
- 172 Bleeker, P. 1875. Recherches sur la faune de Madagascar et de ses dépendances d'après les découvertes de Francois P.L. Pollen et D.C. van Dam. 4^e Partie. Poissons de Madagascar et de l'île de la Réunion. Leide.

- p. 98 *Gazza minuta*, *Leiognathus dussumieri*, *L. edentulus*, *L. insidiator*, *L. parviceps*, *L. splendens*.
- 173 Bleeker, P. 1878. Quatrième mémoire sur la faune ichthyologique de la Nouvelle-Guinée. Arch. Neerl. Sci. Nat. 13: 35-66.
p. 50 *Gazza equulaeformis*.
- 174 Bleeker, P. 1879a. Contribution à la faune ichthyologique de l'île Maurice. Versl. Akad. Amsterdam. 18: 1-23.
p. 18 *Leiognathus edentulus*, *L. fasciatus*; p. 19 *Leiognathus (Aulostoma) chinense* Lac., *Leiognathus (Gazza) minuta*, *L. parviceps*, *L. splendens*.
- 175 Bleeker, P. 1879b. Énumération des espèces actuellement connues du Japon et description de trois espèces inédites. Versl. Akad. Amsterdam. 18: 1-33.
p. 16 *Leiognathus nuchalis*, *L. rivulatus*.
- 176 Blegvad, H. and B. Løppenthin. 1944. Fishes of the Iranian Gulf. Dan. Sci. Invest. Iran 3. 247 p.
Erroneously attributes light emission by *L. bindus* to ingested bioluminescent zooplankton.
- 177 Bloch, M.E. 1785-1797. Naturgeschichte der Ausländischen Fische. Berlin.
Part 1, pl. 428, *S. edentulus*; Part 8, p. 41-42, *Zeus insidiator* (type loc. Suratte); Part 9, p. 110, *Scomber minutus* (type loc. Malabar).
- 178 Bloch, M.E. and J.G. Schneider. 1801. M.E. Blochii, Systema Ichthyologiae. iconibus CX illustratum. Post obitum auctoris opus indicatum absoluit, correxit, interpolavit, Io. Gottlob Schneider, Saxo. Berolini. Sumtibus Auctoris Impressum.
p. 95 *Z. insidiator*; p. 96 *Z. argentarius* (type loc. Pacific Ocean).
- 179 Boeseman, M. 1947. Revision of the fishes collected by Burger and von Siebold in Japan. Zoöl. Meded. 28: 1-242.
p. 109-110 list and describe *L. nuchalis* and *L. rivulatus*.
- 180 Bograd-Zismann, L. 1965. The food of *Saurida undosquamis* in the Eastern Mediterranean in comparison with that in Japanese waters. Rapp. P.-V. Réun. Comm. Int. Explor. Sci. Mer. Méditerr. 18: 251-252.
Lists *L. klunzingeri*.
- 181 Boisvert, H., R. Chatelain and J.M. Bassot. 1967. Etude d'un *Photobacterium* isolé de l'organe lumineux de poissons Leiognathidae. Ann. Inst. Pasteur (Paris) 112(4): 520-524.
Describes *Photobacterium leiognathi*.
- 182 Bonnaterre, J.P. 1988. Tableau encyclopédique et méthodique... Ichthyologie. Paris, 4, 205 p.
Equula equula.
- 183 Borgstrom, G., editor. 1961-65. Fish as Food: Vol. I-IV. Academic Press, New York and London.
Leiognathus bindus and *L. equula* listed as common food fishes in India.
- 184 Borodin, N.A. 1930. Scientific results of the yacht "Ara" expedition during the years 1926 to 1930. Fishes. Bull. Vanderbilt Mar. Mus. 1(2): 39-64.
p. 294 *E. ruconia*.
- 185 Borodin, N.A. 1932. Scientific results of the yacht "Ara" world cruise July 1931-March 1932 in command of William K. Vanderbilt. Bull. Vanderbilt Mar. Mus. 1(3): 65-101.
p. 78 *E. ruconia*, *G. equuliformis*.
- 186 Botros, G.A. 1971. Fishes of the Red Sea, p. 221-348. In H. Barnes (ed.) Oceanography and marine biology annual review, Volume 9. George Allen and Unwin, London.
Lists under Scombridae: *E. berbis*, *E. equula*, *E. fasciata*, *E. klunzingeri*, *G. equulaeformis* and *G. argentaria*, with some data on their distribution.
- 187 Boulenger, G.A. 1904. Fishes (Teleostei). In S. Harmer, W. Herdman, T. Bridge and G.A. Boulenger (eds.) Hemicordata, Ascidian, Fishes. Macmillan and Co., London.
p. 663 lists *Equula* and *Gazza* among the Gerriidae and comments on osteology.
- 188 Branch, G.M. and J.R. Grindley. 1979. Ecology of Southern African estuaries. Part XI. Mngazana: a mangrove estuary in Transkei. S. Afr. J. Zool. 14(3): 149-170.
Reports a few *L. equulus* caught in the middle reach of the estuary in summer. Classify species as subtropical-tropical.
- 189 Breder, C.M. and D.E. Rosen. 1966. Modes of reproduction in fishes. Natural History Press, Garden City, New York.
Discusses only the paper of Fujita (1960).

- 190 Briggs, J.C. 1961. Emendated generic names in Berg's classification of fishes. *Copeia* (2): 161-166.
Points out that *Leiognathus* Lac. was changed by Agassiz (1846) into *Liognathus*, a usage continued by Berg (1940, 1958).
- 191 Budker, P. and P. Fourmanoir. 1954. Poissons de la Mer Rouge et du Golfe de Tadjoura (Missions Budker: 1938-39 et Chedeville: 1953). *Bull. Mus. Natl. Hist. Nat. Bot. Paris* 2(26): 322-325.
Reports *Leiognathus equulus*.
- 192 Burgess, W. and H.R. Axelrod. 1973. Pacific marine fishes. Book 1. Coastal waters of southern Japan and the Ryukyu Islands. TFH Publ., New Jersey.
p. 236 gives a color photo of *L. nuchilis* (= *L. nuchalis*).
- 193 Burgess, W. and H.R. Axelrod. 1974. Pacific marine fishes. Book 5. Taiwan and adjacent waters. TFH Publ., New Jersey.
p. 1164-1166 contain a brief discussion of Leiognathidae biology and drawings and photos reportedly of *L. equulus*, *L. rivulatus*, *Secutor ruconius*, *L. elongatus* and *L. dussumieri*. Fig. 90 is probably not *L. equulus* (cf. fig. 95). Figs. 91, 92 and 94 probably do not depict the same fish (reportedly *L. rivulatus*).
- 194 Butler, T.H. 1959. Report to the Government of Indonesia on marine fishery biology. FAO/UNDP (Tech. Assist.) Rep. Fish. 1057, 57 p. FAO, Rome.
Reports on the predominance of "*Leiognathus* sp." in trawl catches from the Java Sea. Proposes the construction of a fish meal plant at Kota Baru (southern Kalimantan) for processing the large *Leiognathus* catch made there. (The species was probably *L. splendens*.)
- 195 Bykhovskij, B.E. and L.F. Nagibina. 1971. [New and little known species of the genus *Haliotrema* Johnston et Tiegs, 1922 (Monogenoidea). 2.] *Zool. Zh.* 50: 25-40. (In Russian, English summary)
- 196 Bykhovskij, B.E. and L.F. Nagibina. 1976. [New species of the genus *Telegatrix*] *Biol. Morya, Vladivostok* 2: 10-15. (In Russian)
Gazza minuta reported as host.
- 197 Caces-Borja, P. 1966. Status of trawling data in the Philippines. *Proc. Indo-Pacific Fish. Council.* 12(2): 172-177.
Reports that slip-mouths are caught in littoral areas by small otter trawls rigged to a motorized dug-out.
- 198 Caces-Borja, P. 1974. On the ability of otter trawls to catch pelagic fish in Manila Bay. *Proc. Indo-Pacific Fish. Council.* 15(3): 376-386.
From 1957 to 1962 trawler catches consisted predominantly of leiognathids. Reduction of the c.p.u.e. to 1966, matched later by better nets and more powerful engines.
- 199 Caces-Borja, P. 1975. The biology of some important Philippine commercial fishes, p. 52-62. *In* Second Fisheries Forum, Philippine Council for Agriculture and Resources Research, Los Baños, Laguna, Philippines.
3-page review of various aspects of Leiognathidae biology, including identification, bioeconomics, population dynamics and food and feeding habits.
- 200 Caces-Borja, P., R. Bustillo and S. Ganaden. 1972. Further observations on the commercial trawl fishery of Manila Bay (1960-1962). *Proc. Indo-Pacific Fish. Council.* 13(3): 631-637.
Catch data of leiognathids show irregular monthly yields related to spawning migrations. Decrease of average catches from 12% in 1960 to 4.5% of total in 1962.
- 201 Canagaratnam, P. and J.C. Medcof. 1956. Ceylon's beach seine fishery. *Bull. Fish. Res. Stn., Ceylon* (4): 1-32.
Lists *L. ruconius*, *L. insidiator*, *L. lineolatus*, *L. splendens*, *L. equulus*, *L. dussumieri*, *G. minuta* among the catch.
- 202 Cantor, T.E. 1849. Catalogue of Malayan fishes. *J.R. Asiat. Soc. Bengal* 18(2): 983-1042. Reprinted as a separate volume, 1850.
Contains descriptions of *Equula*, *E. caballa*, *E. bindus*, *E. splendens*, *E. insidiatrix*, *E. longimana*, *Gazza*, *G. equulaeformis*.
- 203 Castelnau, F.L. 1872. Contributions to the ichthyology of Australia. *Proc. Zool. Acclim. Soc. Victoria* 2: 37-158.
p. 114 *E. caballa*.
- 204 Castillo, B.B. and F.B. Barenguel. 1975. Hydrobiological survey of Calatagan Peninsula, Balayan and Pagapas Bay, p. 29-82. *In* Third Fisheries Forum, Philippine Council for Agriculture and Resources Research, Los Baños, Laguna, Philippines.

- 205 Central Fisheries Dept. Pakistan. 1955. Marine fishes of Karachi and the coasts of Sind and Makran. Govt. of Pakistan Press, Karachi.
Lists and describes 5 species of *Leiognathidae*.
- 206 Chabanaud, P. 1926. Inventaire de la faune ichthyologique de l'Indochine, Première liste. Inst. Oceanogr. Indochine, première note.
Lists *L. equula* from Poulo-Condore.
- 207 Chabanaud, P. 1933. Sur divers poissons de la Mer Rouge et du Canal de Suez. Description de deux espèces nouvelles. Bull. Inst. Océanogr., Monaco 627: 1-12.
On *L. klunzingeri*, new to the Suez Canal.
- 208 Chabanaud, P. 1934. Poissons recueillis dans le Lac Timsah (Isthme de Suez) par M. le Professeur A. Gruvel, en 1933. Bull. Mus. Nat. Hist. 6: 156-160.
p. 158 records *L. klunzingeri* from Lake Timsah.
- 209 Chabanne, J. and R. Plante. 1969. [The benthic populations (endofauna, penaeid shrimps, fishes) of a bight of the North West Coast of Madagascar: ecology, biology and fishery] Cah. ORSTOM (Océanogr.) 7(1): 41-71. (In French)
Detailed length-frequency data for *L. equulus*, list *S. ruconius*, *L. equulus*, *L. leuciscus* and *G. minuta*.
- 210 Chacko, P.I. 1944a. On the bionomics of the *Leiognathidae*. Curr. Sci. 13(8): 214-215.
- 211 Chacko, P.I. 1944b. The silver bellies of Pamban. Proc. 31st Indian Sci. Congr. 31(3): 86 (Abstract).
G. minuta and *Leiognathus*, food and spawning.
- 212 Chacko, P.I. 1949. Food and feeding habits of the the fishes of the Gulf of Manaar. Proc. Indian Acad. Sci. 29B(3): 83-97.
Food of *L. bindus*, a zooplanktophage.
- 213 Chacko, P.I. 1950. Marine plankton from the waters around Krusadi Island. Proc. Indian Acad. Sci. 31B(3): 162-174.
- 214 Chacko, P.I. 1973. An appraisal of the fisheries resources of the coastal waters of Madras State, p. 258-260. In Proceedings of the Symposium on Living Resources of the Seas Around India. Spec. Publ. Cent. Mar. Fish. Res. Inst. Cochin.
Reports that silver-bellies make up 18%, on the average, of the landing of Madras State.
- 215 Chacko, P.I., J.G. Abraham, R. Srinivasan, N. Radhakrishnan Nair and R. Anantanarayanan. 1967. On the fish landings and fishery trend at Cape Comorin. Madras J. Fish. 3: 121-129.
Catch data for silver-bellies.
- 216 Chakraborty, D. 1973. An evaluation of marine resources of India, p. 229-240. In Proceedings of the Symposium on Living Resources of the Seas Around India. Spec. Publ. Cent. Mar. Fish. Res. Inst. Cochin.
Determines "trend lines" for *Leiognathus* and *Gazza* fisheries, and predicts catch for 1968 through 1972 (MS submitted in 1968).
- 217 Chaudhuri, B.L. 1923. Fauna of the Chilka Lake: Fish. Part 4. Mem. Indian Mus. 5(11): 711-736.
- 218 Chellappa, D.E. 1959. A note on the night-fishing operations from a Kelong. J. Mar. Biol. Assoc. India 1(1): 93-94.
Trial operations with a kelong (a lighted dip-net) off Mandapam. Catches of *Gazza minuta*.
- 219 Chervinsky, J. 1959. [A systematic and biological comparison between the lizard fish (*Saurida grandisquamis*) from the Mediterranean and the Red Sea] Fishermen's Bull., Haifa 19: 10-14. (In Hebrew, with English abstract)
Lists *L. klunzingeri* among food items.
- 220 Chevey, P. 1932. Inventaire de la faune ichthyologique de l'Indochine, Deuxième liste. Inst. Océanogr. Indochine 19^{ième} Note.
Lists under Gerridae: No. 522 *Secutor ruconius* and No. 523 *Leiognathus brevirostris*.
- 221 Chevey, P. 1934. Révision synonymique de l'oeuvre ichthyologique de G. Tirant. Inst. Océanogr. Indochine. 7^{ième} Note.
Assigns *E. brevirostris* to *Leiognathus brevirostris* and *E. edentula* to *L. equula*.
- 222 Chia-Jui, S. 1957. Parasite copepods from fishes of China. Part I. Cyclopoida. Acta Zool. Sinica 9(4): 297-328.
Gazza mentioned as host for various copepod species.
- 223 Chindambaram, K. and R.S. Venkatamaram. 1946. Tabular statements on the natural history of certain marine food-fishes of the Madras Presidency—West Coast. Govt. Press, Madras.

- p. 19-20 catch data for "silver bellies," by month, size ranges, food, breeding season, economic importance, etc.
- 224 Chilvers, R.M. 1974. A preliminary report on a bottom trawl survey of the north shelf region of the South China Sea, March 1972 to March 1973, p. 367-386. *In* P. Cheosakul et al. (eds.) *The Kuroshio III; proceedings of the third symposium on the results of the Cooperative Study of the Kuroshio and Adjacent Regions, 1973*. Bangkok, Thailand. Mongkol Karnpim Press and Publ., Bangkok.
Reports catch of *Leiognathus* spp. listed among the edible fish.
- 225 Chu, K.Y. 1959. A list of fishes from Pescadore Islands. *Rep. Inst. Fish. Biol. Taipei* 1(2): 14-23.
Leiognathus berbis recorded.
- 226 Chua, T.E. and Lai H.C. 1978. "Fishes," p. 49-87. *In* Chua T.E. and J.A. Mathias (eds.) *Coastal resources of West Sabah*. Penerbit Universiti Sains Malaysia, Pulau Pinang.
List from West Sabah *G. minuta*, *L. daura*, *L. equulus*, *L. splendens*, *S. insidiator* and *S. ruconius*. Catch and landing data given which suggest large-scale dumping of *Leiognathidae* at sea.
- 227 Cleaver, F.C. and B.M. Shimada. 1950. Japanese skipjack (*Katsuwonus pelamis*) fishing methods. *Commer. Fish. Rev.* 12(11): 1-27.
Reports of *Gazza minuta* as live bait.
- 228 Commerson, P. 1803. *In* Lacépède, *Histoire Naturelle de Poissons*. Vol. V.
p. 462 on *Halex*, syn. of *Leiognathus* Lac.
- 229 Conlu, P.V. 1977. A guide to Philippine flora and fauna. Vol. I. Fishes. *Nat. Sci. Res. Cent. Press*, University of the Philippines, Quezon City.
- 230 Cushing, D.H. 1971. Survey of resources in the Indian Ocean and Indonesian area. IOFC/DEV/71/2, 123 p. *Indian Ocean Fish. Comm. FAO*, Rome.
Discusses *leiognathids* as a resource (presumably based on Balan, 1963).
- 231 Cuvier, G.L. 1817. *Le règne animal distribué d'après son organisation, pour servir de base à l'histoire naturelle des animaux et d'introduction à l'anatomie comparée*. Poissons. 1st Edition. Vol. 2. *Mém. Mus. Hist. Nat. Paris*.
- 232 Cuvier, G.L. 1829. *Le règne animal distribué d'après son organisation, pour servir de base à l'histoire naturelle des animaux et d'introduction à l'anatomie comparée*. Poissons. 2nd Edition. Vol. 2. *Mém. Mus. Hist. Nat. Paris*.
- 233 Cuvier, G.L. and A. Valenciennes. 1835. *Histoire naturelle des poissons*. Vol. 10. F.G. Leurault, Paris.
p. 60-103 *Equula*; p. 66 E. porte-sabre (*E. ensifera*, *Scomber edentulus*, L. argenté); p. 73 E. poulain (*E. caballa*, nob. *Scomber equula*, Tottah-karah); p. 76 *E. coma* nob.; p. 77 E. de dussumieri (*E. dussumieri* nob.); p. 78 E. bindoo (*E. bindus*, nob); p. 79 E. ruconii (*E. Ruconius*, nob., C. Ruconius); p. 80 *E. gomorah* nob. (goomorah-karah, kotou-karé); p. 83 E. à museau court (*E. brevirostris*); p. 83 E. dager (*E. dacer*, Dacer-karah) p. 84 E. de Bloch (*E. blochii*, nob. *Z. notatus*); p. 85 E. chercheur (*E. berbis*, nob. *S. equula*) p. 85 E. alongé (*E. oblonga*, nob); p. 86 E. bariolé (*E. lineolata*); p. 87 E. à petite tête (*E. parviceps*, nob); p. 88 E nain (*E. minuta*, nob. *S. minutus*); p. 91 E. denté (*E. dentex*, nob. Sourou-pinankaré); p. 92 E. port-fil (*E. filigera*, nob.); p. 94 E. longue-épine (*E. longispinis*, nob.); p. 95 E. karah (*E. cara*, nob. karah); p. 96 E. à bandes (*E. fasciata*, nob. *Clupea* (*Clupea fasciata*); p. 98 E. rusé (*E. insidiatrix*, *Z. insidiator*); p. 103 E. à ligne latérale interrompue (*E. interrupta*, nob.)
- 234 Danil'Chenko, P.G. 1960. [Bony fishes of the Maikop beds of the Caucasus] *Akad. Nauk. SSSR Tr. Paleo. Inst. Moscow* 78: 1-208. Translation 1967 *Isr. Prog. Sci. Transl.* (In Russian)
Gives a figure and description of *Leiognathus* † *altipinnus*.
- 235 Datta, A.K. 1975. Observations on some biometric features of *Leiognathus splendens* (Cuvier). *J. Inland Fish. Soc. India* 6: 77-80.
- 236 Davidson, A. 1976. *Seafood of South-East Asia*. Federal Publications, Singapore.
Describes on page 88 the *Leiognathidae*, with names in various Southeast Asian languages. Suggests that *L. equulus* is considered the best pony-fish (in Thailand) and eaten fried or in fish soups. Also salted or dried.
- 237 Day, F. 1865. *The fishes of Malabar*. London.
- 238 Day, F. 1869. *On the fishes of Orissa*, p. 369-370.

- In Proc. Zool. Soc. London.*
E. ruconius.
- 239 Day, F. 1869. Remarks on some fishes in the Calcutta Museum. II, p. 548-560. *In Proc. Zool. Soc. London.*
- 240 Day, F. 1870. On the fishes of the Andaman Islands, p. 677-705. *In Proc. Zool. Soc. London.* p. 689-690 *Equula fasciata*, *E. dussumieri*, *E. rivulata*, *E. gerroides*, *E. splendens* and *Gazza equulaeformis*.
- 241 Day, F. 1875-1878. The fishes of India, being a natural history of the fishes known to inhabit the seas and fresh waters of India, Burma and Ceylon. Vols. 1 and 2 (Reprint edition 1958). Dawson, London.
Classic revision of Indian Leiognathidae covering *L. equulus*, *L. dussumieri*, *L. splendens*, *L. daura*, *L. bindus*, *L. blochii*, *L. lineolatus*, *S. insidiator*, *S. ruconius* and *G. minuta* with complete synonymy, descriptions and figures.
- 242 Day, F. 1888. Supplement to the fishes of India. Williams and Norgate, London.
p. 790 *Gazza argentaria*, *G. tapeinosoma*, *Equula dentex*.
- 243 Day, F. 1889. The fauna of British India, including Ceylon and Burma. Fishes. Vol. II. Taylor and Francis, London.
- 244 Day, J.H. 1969. A guide to marine life on South African shores. Balkema, Cape town.
p. 214 gives figures of *Gazza*, *Leiognathus* and *Secutor*. Range in S. Africa: *G. minuta*—Port Alfred to Inhambane; *L. equulus*—Port Alfred to Inhambane; *Secutor* spp.—East London to Inhambane.
- 245 Delsman, H.C. 1925. Fishes with protrusile mouths. *Treubia* 6: 98-106.
Describes the mechanisms of mouth protrusion in Leiognathidae.
- 246 Delsman, H.C. 1951. Dierenleven in Indonesie. N.V. Uitgeverij W. van Hoeve, Bandung.
- Description of the fishes of the family. Figure of *L. splendens*.
- 247 Delsman, H.C. and J.D.F. Hardenberg. 1934. De indische Zeevisschen en Zeevisscherij. Visser & Co., Batavia.
General description of Leiognathidae, notes on their ecology and biology.
- 248 Devadoss, P. and P.K. Mahadevan Pillai. 1973. Observations on the food of juveniles of *Psettodes erumei* (Bloch). *Indian J. Fish.* 20(2): 664-667.
Leiognathus spp. form between 4 and 8% of the food of juveniles.
- 249 De Vis, C.W. 1884. New Australian fishes in the Queensland Museum. *Proc. Linn. Soc. N.S.W.* 9: 537-547.
p. 542-544 *Equula dispar*, *E. longispina*, *E. argentea*, *E. decora*, *E. ovalis*, *E. simplex*, *E. asina* and *E. profunda*.
- 250 Dhamniyom, D. and S. Vadhanakul. 1970. Result of a trawling survey in the Inner Gulf of Thailand carried out by R.V. "ASA" from June 1968 to May 1969. Mimeographed report presented at the Symposium at the Marine Fisheries Lab., Bangkok, January 1970.
Gives catch data for Leiognathidae.
- 251 Dharma Raja, S.K. and Varughese Philipose. 1975. Trends in the yields of major exploited fisheries of the east coast of India. *Indian J. Fish.* 22(1/2): 187-197.
Gives a "yield trend" for silver-bellies.
- 252 Domantay, J.S. 1940. The fishery industries of Zamboanga. *Philipp. J. Sci.* 71: 81-112.
p. 100 *L. equulus*.
- 253 Domantay, J.S. 1940. The fishery industry of Margosatubig. *Philipp. J. Sci.* 72(4): 371-382.
p. 379 *L. equulus*.
- 254 Donaldo, S. 1979. Contributions to the biology of common slipmouth, *Leiognathus splendens* (Cuvier, 1829) caught from Manila Bay. Univ. of the Philipp. 55 p. M.S. thesis.

- Length-weight relationship, spawning season, maturation and fecundity, general biology.
- 255 Druzhinin, A.D. 1977. [The Pacific cornetfish *Fistularia petimba*, Family Fistulariidae, from the region of the Gulf of Aden.] *Vopr. Ikhtiol.* 17(3): 542-545. (In Russian)
- 256 Druzhinin, A.D. and U. Phone Hlaing. 1972. Observations on the trawl fishery of Southern Burma. *Proc. Indo-Pacific Fish. Council.* 13(3): 151-209.
Lists *L. splendens* and *L. bindus* among the species caught and gives length, weight, condition factor, ripeness and feeding intensity data for *L. equulus*.
- 257 Düncker, G. 1904. Die Fische der Malayischen Halbinsel. *Mitth. Naturh. Mus. Hamburg* 21: 133-207.
p. 157 *E. ruconius*.
- 258 Durand, J. and F. Le Poulain. 1949. La pêche le long des côtes cambodgiennes. 1^{ière} liste des poissons des côtes cambodgiennes. *Cybium* 3. 44 p. Reprinted (1961) as: Rapport préliminaire sur la pêche le long des côtes maritimes cambodgiennes. U.S.O.M.
List *Leiognathus equulus*, *L. splendens* and *L. brevirostris* from Kampuchean coast, with Vietnamese, Kampuchean and Chinese names. *Leiognathidae* listed among the 6th(!) quality fishes.
- 259 Ekman, S. 1953. Zoogeography of the sea. Sidgwick and Jackson, Ltd., London.
p. 69 lists the *Leiognathidae* among the animals presently confined to the Indo West Pacific but formerly existing also in the East Atlantic, as shown by one genus from the Miocene of Italy (but see Weiler, 1955).
- 260 Erazi, R.A. 1943. *Leiognathus mediterraneus* nov. sp. *C. R., Soc. Turque Sci. Phys. Nat.* 10(10): 49-53.
A synonym of *L. klunzingeri*.
- 261 Evermann, B.W. and A. Seale. 1907. Fishes of the Philippine Islands. *Bull. Bur. Fish.* 26: 49-110.
p. 67-69 describe Family *Equulidae*. List *L. virgatus*, *L. dussumieri*, *L. splendens*, *L. fasciatus*, *L. edentula*, *G. tapeinosoma*, *G. minuta*. Describe as new species: *L. stercorarius*, *L. edwardsi*.
- 262 FAO. 1972. Atlas of the living resources of the seas. Food and Agriculture Organization of the United Nations, Rome.
Map I.1. (by D.A. Cushing, West Central Pacific Demersal & Crustacean resources) shows the depth distribution of slipmouth (*Leiognathus*) at three transects.
- 263 FAO. 1978. Some scientific problems of multi-species fisheries. Report of the Expert Consultation on Management of Multispecies Fisheries. FAO Fish. Tech. Pap. 181. 42 p.
Catch/effort of Gulf of Thailand *Leiognathidae*, 1963-1975 (Fig. 5).
- 264 Fernando, E.F.W. 1972. Species composition of fish captured by trawlers in the Wadge Bank. *Proc. Indo-Pacific Fish. Council.* 13(3): 521-531.
L. fasciatus and *L. equulus* observed in the catches.
- 265 Firth, R. 1975. Malay fishermen, their peasant economy. W.W. Norton & Company, New York.
p. 385 lists "kikek" (*Leiognathus* sp.) under the fishes commonly caught by seines (pukat tarek).
- 266 Fischtal, J.H. 1964. Digenetic trematodes of fishes from Palawan Island, Philippines. I. Families Acanthocolpidae, Angiodictyidae, Cryptogonimidae, Fellodistomidae, and Gyliuchenicae. *J. Parasitol.* 50(2): 248-252.
- 267 Fisheries Division, Min. Agric. and Cooperatives, Kuala Lumpur, Malaysia. 1972. A review of the trawling industry in West Malaysia. *Proc. Indo-Pacific Fish. Council.* 13(3): 541-545.
Gives on p. 545 a landing of 1057.8 tons (1.8% of total) of *Leiognathidae* for 1967.
- 268 Forskål, P. 1775. *Descriptiones Animalium, Avium, Amphibiorum, Piscium, Insectorum, Vermium; quae in Itinere Orientali observavit Petrus Forskål.—Hauniae. Post mortem auctoris edidit Carsten Neibuhr. Havniae.*
p. 75 *Scomber equula* description.
- 269 Forster, J.R. 1844. *Descriptiones animalium quae in ad maris Australia terras per annos 1772, 1773, et 1774, suscepto collegit observavit et delineavit Henrico Lichtenstein. Berlin.*
p. 288 *Zeus argentarius*.
- 270 Fourmanoir, P. 1953. Notes sur la faune de la

- mangrove dans la region de Majunga: Crabes, Crevettes, Poissons. Nat. Malgache 5: 87-92.
Records *Secutor insidiator* from Madagascar.
- 271 Fourmanoir, P. 1957. Poissons téléostéens des eaux malgaches du Canal de Mozambique. Mém. Inst. Sci. Madagascar, Ser. F, 1:1-316.
Lists and describes: *Secutor insidiator*, which occurs down to 15 m, above mud; *L. equula* (up to 26 cm) same habitat, little food value; *L. leuciscus* and *Gazza minuta*.
- 272 Fourmanoir, P. 1961. List complémentaire des poissons du Canal de Mozambique. Mém. Inst. Sci. Madagascar, Ser. F. 4: 83-166.
Describes *S. ruconius*.
- 273 Fourmanoir, P. 1965. Liste complémentaire des poissons de Nha-Trang. Cah. ORSTOM (Océanogr.) No. Special: 1-114.
- 274 Fourmanoir, P. and A. Crosnier. 1963. Deuxième liste complémentaire des poissons du Canal de Mozambique. Cah. ORSTOM (Océanogr.) 6: 2-32.
Lists *Leiognathus elongatus* (Günther) from Nosy-Bé.
- 275 Fourmanoir, P. and P. Laboute. 1976. Poissons des mers tropicales: Nouvelle Calédonie, Nouvelles Hébrides. Les éditions du pacifique, Papeete-Tahiti.
p. 304-305 list *L. fasciatus* (21 cm), *L. equulus* (25 cm) which forms important schools in estuaries, over mud, at 2-20 m. depth *G. minuta* (18 cm).
- 276 Fowler, H.W. 1900. Contributions to the ichthyology of the tropical Pacific. Proc. Acad. Nat. Sci. Phila. 52: 493-528.
p. 502 *Equula* sp.; p. 526 *E. fasciata*.
- 277 Fowler, H.W. 1904. A collection of fishes from Sumatra. J. Acad. Nat. Sci. Phila. Ser. 2, 12: 495-560.
p. 513 *Equulites* subgen, nov. Type = *L. vermiculatus* sp. nov. pl.; p. 516 *Eubleekeria* subgen. nov. Type = *Equula splendens*, *L. spilotos* sp. nov. pl., *L. blochii*; p. 517 *Leiognathus*. *L. edentulus*, *Deveximentum* gen. nov. Type = *Zeus insidiator*, *G. tapeinosoma*, *G. minuta*.
- 278 Fowler, H.W. 1905. Some fishes from Borneo. Proc. Acad. Nat. Sci. Phila. Ser. 2, 57: 455-523.
p. 500 *Leiognathus edentulus*.
- 279 Fowler, H.W. 1918a. A list of Philippine fishes. Copeia (58): 62-65.
p. 53 *Gazza minuta*, *Leiognathus equula*, *L. splendens*, *L. fasciatus*.
- 280 Fowler, H.W. 1918b. New and little-known fishes from the Philippine Islands. Proc. Acad. Nat. Sci. Phila. 70: 2-71.
p. 15-17 describe as new species *Leiognathus philippinus*; p. 17 *L. fasciatus*.
- 281 Fowler, H.W. 1925a. Fishes from Natal, Zululand, and Portuguese East Africa. Proc. Acad. Nat. Sci. Phila. 77: 187-268.
p. 218-219 *Leiognathus equulus*, *Secutor ruconius*, *Gazza minuta*.
- 282 Fowler, H.W. 1925b. Fishes of Guam, Hawaii, Samoa and Tahiti. Bernice P. Bishop Mus. Bull. 22: 1-38.
p. 10 *L. edentulus* (Guam); p. 33 *L. fasciata* (Samoa).
- 283 Fowler, H.W. 1927. Notes on the Philippine fishes in the collection of the Academy. Proc. Acad. Nat. Sci. Phila. 79: 255-297.
p. 273 *Gazza minuta*, *G. equulaeformis*, *Leiognathus vermiculatus*, *L. virgatus*, *L. splendens*, *L. equula*, *L. daura*, *L. philippinus*, *L. stercorarius*, *L. fasciatus*, *Secutor insidiator*, *S. ruconius*.
- 284 Fowler, H.W. 1928a. The fishes of Oceania. Mém. Bernice P. Bishop Mus. 10: 1-540.
p. 153-154 *Leiognathus berbis*, *L. dussumieri*, *L. edentulus*, *L. equula*, *L. fasciatus*, *L. obscura*, *L. smithhursti*, *L. splendens*, *Secutor insidiator*, *Gazza minuta*, *G. equulaeformis*.
- 285 Fowler, H.W. 1928b. Further notes and descriptions of Bombay shore fishes. J. Bombay Nat. Hist. Soc. 33(1): 100-119.
Descriptions of *Leiognathus daura* and *L. fasciatus*. p. 111-112 lists *Gazza minuta*.
- 286 Fowler, H.W. 1929. Notes on Japanese and Chinese fishes. Proc. Acad. Nat. Sci. Phila. 81: 589-616.
p. 606-607 lists from China *L. equula*, *L. daura*, *L. virgatus* Fowler, *L. philippinus* Fowler, *S. ruconius*, and *S. insidiator* and *Gazza minuta*.
- 287 Fowler, H.W. 1931. The fishes of Oceania. Supplement 1. Mém. Bernice P. Bishop Mus. 11(5): 311-381.

- p. 327 *Leiognathus equula*, *L. fasciatus*, *Gazza minuta*.
- 288 Fowler, H.W. 1931. Studies of Hong Kong fishes no. 2. Hong Kong Nat. 2(4): 297-317.
p. 293 *L. virgatus*, *S. ruconius*, *S. insidiator*.
- 289 Fowler, H.W. 1932. Fishes obtained at Fiji in 1929. Occas. Pap. Bernice P. Bishop Mus. 9(20): 3-15.
p. 5 *L. equula*.
- 290 Fowler, H.W. 1934a. Fishes obtained by Mr. H.W. Bell-Marley chiefly in Natal and Zululand in 1929 to 1932. Proc. Acad. Nat. Sci. Phila. 86: 405-514.
p. 453 *Secutor insidiator*; p. 454 *S. ruconius*, *L. equula*, *G. minuta*.
- 291 Fowler, H.W. 1934b. The fishes of Oceania. Supplement 2. Mém. Bernice P. Bishop Mus. 11(6): 383-466.
p. 406 *Leiognathus edentulus*, *L. equula*, *L. fasciatus*, *L. smithursti*, *G. minuta*.
- 292 Fowler, H.W. 1934c. Zoological results of the Third de Schauensee Siamese Expedition. Part V—Additional fishes. Proc. Acad. Nat. Sci. Phila. 86: 67-163.
p. 70 list and figures of *L. equulus*, *L. blochii*, *S. insidiator*, *G. minuta*; p. 151 *L. splendens*, *L. blochii*.
- 293 Fowler, H.W. 1935a. South African fishes received from Mr. H.W. Bell Marley in 1935. Proc. Acad. Nat. Sci. Phila. 87: 361-408.
p. 382 *Gazza equulaeformis*.
- 294 Fowler, H.W. 1935b. Zoological results of the Third de Schauensee Siamese Expedition. Part VI—Fishes obtained in 1934. Proc. Acad. Nat. Sci. Phila. 87(1): 89-163.
p. 144 lists *Macilenticichthys berbis* (*L. edwardsi* as synonym, fig. 108); *Macilenticichthys leuciscus* (as similar to *L. stercorarius*, fig. 109); *L. fasciatus*, *L. equula*, *L. splendens*, *L. bindus*, fig. 110; *Secutor insidiator*, *Gazza equulaeformis*.
- 295 Fowler, H.W. 1936. A synopsis of the fishes of China. Part 6. The mackerels and related fishes. Family Carangidae, continued. Hong Kong Nat. 7(1): 61-80; Reprint edition (1972) Vol. I. Antiquariat Junk, Netherlands.
Lists from Chinese coast: *L. insidiator*, *S. ruconius*, *L. splendens*, *L. equulus*, *L. leuciscus*, *L. bre-*
virostris, *L. daura*, *L. bindus*, *L. rivulatus* and *G. minuta*.
- 296 Fowler, H.W. 1937. Zoological results of the Third de Schauensee Siamese Expedition. Part VIII—Fishes obtained in 1936. Proc. Acad. Nat. Sci. Phila. 89(1): 125-264.
p. 226 *Macilenticichthys berbis*; p. 228 *M. leuciscus*, *L. blochii*, *L. equula*, *L. splendens*, *L. daura* (fig. 225), *L. bindus*, *L. fasciatus* (fig. 226); *S. insidiator*, *S. ruconius*; p. 230 *G. equulaeformis*, *G. minuta*.
- 297 Fowler, H.W. 1938a. A list of the fishes known from Malaya. Malaya Fed. Fish. Dept. Fish. Bull. (1): 1-268.
p. 117 *L. dussumieri*.
- 298 Fowler, H.W. 1938b. The fishes of the George Vanderbilt South Pacific Expedition, 1937. Monogr. Acad. Nat. Sci. Phila. (2): 1-349.
Lists from Tahiti: *L. dussumieri*, *L. fasciatus*, *S. insidiator* and *G. minuta*.
- 299 Fowler, H.W. 1939a. Zoological results of the Third de Schauensee Siamese Expedition. Part IX—Additional fishes obtained in 1936. Proc. Acad. Nat. Sci. Phila. 91: 39-76.
p. 48 *L. dussumieri*, *L. fasciatus*, *S. ruconius*.
- 300 Fowler, H.W. 1939b. Zoological results of the Denison-Crockett South Pacific Expedition for the Academy of Natural Sciences of Philadelphia, 1937-38. Part III—The fishes. Proc. Acad. Nat. Sci. Phila. 91: 77-96.
p. 82 *G. minuta* (Sorong)
- 301 Fowler, H.W. 1939c. A collection of fishes from Rangoon, Burma. Notulae Nat. Acad. Sci. Phila. (17): 1-12.
p. 11 *L. dussumieri*.
- 302 Fowler, H.W. 1940a. Zoological results of the George Vanderbilt Sumatran Expedition, 1936-1939. Part II—The fishes. Proc. Acad. Nat. Sci. Phila. 91(1939): 369-398.
p. 388 *L. dussumieri* (Syn = *E. dussumieri*).
- 303 Fowler, H.W. 1940b. The fishes obtained by the Wilkes expedition 1938-1942. Proc. Amer. Phil. Soc. 82(5): 733-800.
p. 769 *L. splendens* (Manda, Fiji); *L. equula*, *L. blochii* (Philippines?), *S. insidiator* (Manila); *S. ruconius* (Singapore).

- 304 Fowler, H.W. 1944. Fishes obtained in the New Hebrides by Dr. Edward L. Jackson. Proc. Acad. Nat. Sci. Phila. 96: 155-199.
p. 190 lists *Aurigequula fasciata* (Malekula), *G. minuta* (Tana).
- 305 Fowler, H.W. 1949. The fishes of Oceania. Supplement 3. Mém. Bernice P. Bishop Mus. 12(2): 1-186.
Lists, with limited synonymy: *L. splendens*, *L. equula*, *L. dussumieri*, *L. fasciatus* and *Gazza minuta*.
- 306 Fowler, H.W. 1959. Fishes of Fiji. Gov. of Fiji, Suva, Fiji.
Lists *L. splendens*, *L. dussumieri*, *L. equulus*, *L. fasciatus* from Fiji Islands.
- 307 Fowler, H.W. and B.A. Bean. 1922. Fishes from Formosa and the Philippine Islands. Proc. U.S. Nat. Mus. 62(2448): 1-73.
p. 22-24 Descriptions of *L. virgatus*, *L. equula*, *L. leuciscus* and *Gazza argentarius*.
- 308 Fowler, H.W. and B.A. Bean 1927. Notes on fishes obtained in Sumatra, Java and Tahiti. Proc. U.S. Nat. Mus. 71(Art. 10): 1-15.
p. 5-6 list *L. equula*, *L. blochii*, *L. splendens*, *S. insidiator* and *S. ruconius* from Benkoelen.
- 309 Franz, B. 1910. Die Japanischen Knochenfische der Sammlungen Haberer und Doflein (Beiträge zur Naturgeschichte Ostasiens). Abh. Akad. Wiss. Math.-Phys. München. Kl. Suppl. -Bd. IV, Abh. 1: 1-135.
One specimen from Doflein's collection of *Equula nuchalis* reported from a depth of 80 m off Enoshima.
- 310 Frontier-Abou, D. 1969. Composition globale du muscle de quelque poissons comestibles de la côte Malgache. Cah. ORSTOM (Océanogr.) 7(1): 3-18. (with English and German abstracts)
Water, fat and protein content of *S. insidiator*, *L. equulus*.
- 311 Fujita, S. 1960. Egg development and prelarval stages of a silver-belly, *Leiognathus nuchalis* (Temminck and Schlegel). Bull. Jap. Soc. Sci. Fish. 26(11): 1091-1094.
As per title.
- 312 Fukiishi, A. 1971. [Fundamental studies on the shrimp drag. 1: Field experiments on the mesh selection of the net with 23 mm cod end] J. Shimonoseki Univ. Fish. 19: 65-80. (In Japanese, English summary)
Trawling experiments with *L. rivulatus* in the catch.
- 313 Fukuda, S. and Y. Hirami. 1955. Studies on vitamin B₁ in food. Part I. Vitamin B₁ content in eyeballs of fishes from Province of Tosa. J. Agric. Chem. Soc. Japan 29: 782-784.
On thiamine content in *L. argenteus*.
- 314 Gilchrist, J.D.F. and W.W. Thompson. 1908. Descriptions of fishes from the coast of Natal. Part 1. Ann. S. Afr. Mus. 6: 145-206.
p. 188 *E. edentula*.
- 315 Giltay, L. 1933. Résultats scientifiques du voyage aux Indes Orientales Néerlandaises de L.L.A.A.R.R. le Prince et la Princesse Léopold de Belgique. Mém. Mus. R. Hist. Nat. Belgique 5(3): 1-129.
Records *G. minuta* from Bali.
- 316 Gistel, J. 1848. Naturgeschichte des Thierreichs für höhere Schulen. Stuttgart.
Original description of the genus *Secutor*.
- 317 Gmelin, J.F. 1789. Caroli a Linné Systema Naturae per regna tria naturae, secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, loets. Regnum Animale (Fishes). Lipsial 1788-93.
- 318 Golvan, Y. -J. 1963. Catalogue systématique des noms de genres de poissons actuels. Ann. Parasitol. Hum. Comp. 37 (6 bis) fasc. Suppl.: 1-227.
- 319 Gomez, E.D. 1980. The present state of mangrove ecosystems in Southeast Asia and the impact of pollution—Philippines. SCS/80/WP/94c. 88 p. South China Sea Fish. Dev. Coord. Progr., Manila.
p. 27 "luminous perches" (Leiognathidae) listed among the frequent inhabitants of mangrove swamp areas of the Philippines. Pesticide levels for Manila Bay "common slipmouth" are, (in parts per billion) 0.306 for Gamma-BHC, 0.213 for Heptachlor and 0.041 for Aldrin.
- 320 Gonzales, F.R. 1977. Traditional fish processing in the Philippines, p. 315-317. In Proceedings of the Conference on the handling, processing and marketing of tropical fish. Tropical Products Institute, London.

- Lists slipmouths among the fish commonly sun-dried and a *Leiognathus* catch of 40,571 tons in 1973 for the whole of the Philippines.
- 321 Gopinath, K. 1946. Notes on the larval and post-larval stages of fishes found along the Trivandrum Coast. Proc. Natl. Inst. Sci. India 12(1): 7-21.
Larval stages of *Leiognathus blochii*.
- 322 Gopinath, K. 1947. Preliminary observations on the food of postlarval fishes, p. 130-131. In Proc. 33rd Indian Sci. Congress. Bangalore. (Abstract)
- 323 Gopinath, K. 1953. Some interesting methods of fishing in the backwater of Travancore. J. Bombay Nat. Hist. Soc. 51(2): 466-471.
Reports that leiognathid schools produce a "grating" sound by which they can be identified and located by the fishermen, who after "listening" catch them with gill nets. Even the size and type of activity of the schools can be "heard".
- 324 Gosline, W.A. 1971. Functional morphology and classification of teleostean fishes. University Press of Hawaii, Honolulu.
Leiognathidae ordered in the system (superfamily Percoidae).
- 325 Grant, E.M. 1965. Guide to fishes. Dept. of Harbours & Marine, Queensland. Gov't. Printers, Australia.
Mentions that Leiognathidae, being small are often mistaken for the young of valuable fishes in prawn trawl catches. Describes the Leiognathidae as abundant trash fish.
- 326 Grant, E.M. 1978. Guide to fishes. Dept. of Harbours & Marine. Brisbane, Australia. (4th edition).
Figures and descriptions for *Equula equula* and *Equulites moretonensis*; also mentions *Equulites bindus*.
- 327 Green, C.F. 1927. Report on the working of the S.T. "Tongkol" for the year 1927. Part 1. Singapore.
p. 5 gives catch data for "kekek" (*Equula*).
- 328 Greenwood, P.H., D. Rosen, S. Weitzmann and G. Meyers. 1966. Phyletic studies of teleostean fishes, with a provisional classification of living forms. Bull. Amer. Mus. Nat. Hist. 131: 339-456.
Leiognathidae listed as 288th family, remote from the Gerridae (296th).
- 329 Gregory, W.K. 1933. Fish skulls: a study of the evolution of natural mechanisms. Trans. Amer. Phil. Soc. (new series) 23(2): 75-481.
Mentions leiognathids.
- 330 Gudger, E.W. 1929. Nicolas Pike and his unpublished paintings of the fishes of Mauritius, Western Indian Ocean, with an index to the fishes. Bull. Amer. Mus. Nat. Hist. 58(9): 489-530.
Equula caballa and *E. fasciata*.
- 331 Gruvel, A. 1929. De l'influence du percement du canal de Suez sur la faune marine des côtes de Syrie. C. R. Acad. Sci. Colon. Paris 188: 1697-1699.
Mentions *L. klunzingeri*.
- 332 Gruvel, A. 1931. Les états de Syrie: Richesses marines et fluviales, exploitation actuelle (Poissons) Avenir Bibl. Faune Colon. Fr. 3. 453 p.
- 333 Gruvel, A. 1936. Contribution à l'étude de la biologie générale et de l'exploitation de la faune du Canal de Suez. Mém. Inst. Egypt. 29(1): 1-255.
L. klunzingeri of Suez Canal comes from Indo-Pacific area.
- 334 Gruvel, A. and P. Chabanaud. 1937. Mission A. Gruvel dans le Canal de Suez. II. Poissons. Mém. Inst. Egypt 35: 1-30.
Record of *L. klunzingeri*.
- 335 Guichenot, A. 1839. Dictionnaire pittoresque d'histoire naturelle Vol. 8.
- 336 Gulland, J.A. 1966. Manual of sampling and statistical methods for fisheries biology. Part I. Sampling methods. Sections 1-4. FAO Man. Fish. Sci. 3. 87 p.
p. 14 *Leiognathus splendens* used in computational example.
- 337 Gulland, J.A. 1971. The fish resources of the oceans, Fishing News (Books) Ltd., Surrey, England.

- 338 Günther, A. 1860. Catalogue of the Acanthopterygian fishes in the collection of the British Museum. Vol. II. British Museum. London.
Gives description and synonym for 20 species.
- 339 Günther, A. 1862a. Catalogue of the Acanthopterygian fishes in the collection of the British Museum. Vol. 4. British Museum. London.
- 340 Günther, A. 1862b. Descriptions of new species of reptiles and fishes in the collection of the British Museum, p. 188-194. *In Proc. Zool. Soc. London.*
- 341 Günther, A. 1873. Reptiles and fishes of the South Sea Islands, p. 409-430. *In J.L. Brenchley (ed.) Jottings during the cruise of H.M.S. "Curacao" in 1865.*
p. 410 *Gazza equulaeformis* (Solomons).
- 342 Günther, A. 1874. Description of new species of fishes in the British Museum. *Ann. Mag. Nat. Hist.* 14(4): 368-371.
p. 369 describes *E. elongata* (North Celebes).
- 343 Günther, A. 1876. Andrew Garrett's Fische der Südsee V. J. Mus. Godeffroy 11: 129-168.
p. 144-145 describes *Gazza equulaeformis* and *G. argentaria*, with one figure for *G. argentaria*; *E. fasciata*.
- 344 Günther, A. 1880a. An introduction to the study of fishes. Adam and Charles Black, Edinburgh. Reprint: Today and Tomorrow's Book Agency, New Delhi.
p. 449-450 presents a short discussion of Genus *Equula* with a figure of *E. edentula*. Mentions that this genus consist of 18 species of small Indo-Pacific fishes disappearing toward the coast of Japan and Australia.
- 345 Günther, A. 1880b. Report on the shore fishes collected by H.M.S. Challenger during the years 1873-76. Report on the scientific results of the voyage of H.M.S. Challenger, *Zoology* 1: 1-82.
p. 35 *E. fasciata* (Ovalan, Fiji).
- 346 Günther, A. 1886. *Handbuch der Ichthyologie*. Übersetzt von Dr. Gustav von Hayek, Wien.
German translation of Günther (1880a).
- 347 Gupta, R.C. and S.P. Gupta. 1978. 5 new trematodes of the genus *Lecithocladium* from marine fishes. *Folia Parasitol. (Prague)* 25(3): 223-229.
Gazza minuta as host.
- Haedrich, R.L. 1971. The pons moultioni, a significant character. *Copeia* (1): 167-169.
Leiognathidae: Name only.
- 349 Hafeezullah, M. 1971. Opecoelid trematods of marine fishes of India. *Parasitology* 62(2): 321-329.
On trematod parasites of *L. daura*.
- 350 Haines, A.K. 1979. An ecological survey of fish of the lower Purari River System, Papua New Guinea. Purari River (WABO) Hydroelectric Scheme Environmental Studies 6. 102 p. Office of Environment and Conservation, Central Government Office, Waigani, PNG.
Distribution and length ranges given for *Gazza achlamys*, *Secutor* sp. and *Equula equula* in the mangrove and river mouth. Some data on reproduction.
- 351 Hamaguchi et al. 1960. Studies in inorganic constituents in biological materials. XIV. *J. Chem. Soc. Japan* 81: 921-924.
Arsenic, Selenium and Thallium content in *L. nuchalis*.
- 352 Hamilton-Buchanan, F. 1822. An account of the fishes found in the River Ganges and its branches. Edinburgh and London.
- 353 Haneda, Y. 1938. On the luminous fishes of the South Sea Islands. *Kagakunanyo* 1(2): 21-27.
- 354 Haneda, Y. 1940. On the luminescence of the fishes belonging to the family Leiognathidae of the tropical Pacific. *Palao Trop. Biol. Sta. Stud.* 2(1): 29-39.
As per title.
- 355 Haneda, Y. 1950. Luminous organs of fish which emit light indirectly. *Pac. Sci.* 4(3): 214-227.
A discussion of leiognathid bioluminescence, with description of the light organs of various species and ecological notes.
- 356 Haneda, Y. 1967. Luminous fishes of Moreton Bay, Australia and adjacent waters. *Sci. Rep. Yokosuka City Mus.* (13): 25-27.
- 357 Haneda, Y. and F.H. Johnson. 1962. The photogenic organs of *Parapriacanthus beryciformes* Franz and other fish with the indirect type of luminescent systems. *J. Morphol.* 110(2): 187-198.

- 358 Haneda, Y., F.H. Johnson and O. Shimoraha. 1966. The origin of luciferin in the luminous duct of *Parapriacanthus ransonnet*, *Pempheris klunzingeri* and *Apogon ellioti*, p. 533-535. In F.H. Johnson and Y. Haneda (eds.) *Bioluminescence in Progress*. Princeton University Press, Princeton. Reports of structures similar to those of *Leiognathidae*, but without bacterial symbionts.
- 359 Haneda, Y. and F.I. Tsuji. 1972. The luminous organs of two species of leiognathid fishes recently found in Ambon, Indonesia. *Sci. Rep. Yokosuka City Mus.* 19: 7-11.
Description of the large light organs of *L. hatai* and *L. aureus*.
- 360 Haneda, Y. and F.I. Tsuji. 1976. The luminescent systems of pony fishes. *J. Morphol.* 150(2): 539-552.
A comprehensive review of recent data, especially on *L. elongatus*.
- 361 Haneda, Y. and F.I. Tsuji. 1976. Luminescent system of pony fishes. *Sci. Rep. Yokosuka City Mus.* 23: 79-90.
- 362 Hanumantha Rao, K. 1973. Observations on digenetic trematodes from the air bladder of catfishes. *J. Mar. Biol. Assoc. India* 15(2): 750-753.
- 363 Hardenberg, J.D.F. 1931. The fish fauna of the Rokan Mouth. *Treubia* 13(1): 81-168.
Lists *S. insidiator*, reported to be rare off the mouth of this river.
- 364 Hardenberg, J.D.F. 1939. The fish fauna of the Rokan Mouth. II. *Treubia* 14(3): 299-312.
Lists *S. insidiator*, *S. ruconius*, *L. splendens*, *L. bindus* and *L. berbis*.
- 365 Hardenberg, J.D.F. 1936. On a collection of fishes from the estuary and lower and middle course of the river Kapuaas (W. Borneo). *Treubia* 15(3): 225-254.
Gives descriptions of *L. brevirostris*, *S. ruconius*, *L. splendens*, *L. dussumieri* and *L. equulus*.
- 366 Hardenberg, J.D.F. 1937. Observations on fishes of the Kumai River. *Treubia* 16(1): 1-14.
Lists *S. insidiator* and *L. daura*.
- 367 Hardenberg, J.D.F. 1938. Some new or rare fishes of the Indo-Australian Archipelago. VI. *Treubia* 16(3): 311-320.
Describes *L. elongatus*.
- 368 Harder, W. 1964. Anatomie der Fische. In Demoll, Maier and Wundsch (eds.) *Handbuch der Binnenfischerei Mitteleuropas*, Vol. IIA. Schweizerbart'sche Verlagsbuchhandlung, Stuttgart.
Contains a figure of the gut convolutions in *L. nuchalis* (based on Suyehiro, 1942).
- 369 Harms, J.W. 1928. Bau und Entwicklung eines eigenartigen Leuchtorgans bei *Equula spec.* (Teleost.). *Z. Wiss. Zool.* 131(1): 157-179.
The first account of bioluminescence in the fam. *Leiognathidae*. According to Ahrens (1965), the species investigated was *L. splendens* and not *L. equulus* as given in Nicol (1969, fig. 4).
- 370 Harrington, A. 1975. Behavioral and anatomical observations on leiognathid luminescence. Manuscript, Alpha Helix Bioluminescence, Expedition, Indonesia.
As per title.
- 371 Hartsuiker, L. 1979. An outline of the exploitation of fish stocks in the NW part of the Gulf by small-scale and large-scale fisheries, mainly based on the market statistics of Kuwait. *FAO/RAB/71/278*. Appendix 5. 9 p. FAO, Rome.
Reports on catches made on dhows in Kuwait Bay, in which *Leiognathus* spp. belonged to the "main" species.
- 372 Harvey, E.N. 1940. *Living light*. Princeton University Press, Princeton.
p. 84 lists *Equula* among the fishes "in which the light is due to symbiotic bacteria which remain in the organ"; p. 34 quotes Harms (1928) who "found luminous bacteria in the open gland of the East Indian fish, *Equula*."
- 373 Harvey, E.N. 1952. *Bioluminescence*. Academic Press, New York.
- 374 Harvey, E.N. 1957. The luminous organs of fishes. Chapter 4, p. 345-366. In Margaret E. Brown (ed.) *The physiology of fishes*. Vol. 2. Behavior. Academic Press, New York.
Mentions luminous organs in *Leiognathus*, *Gazza* and *Secutor*.
- 375 Hasan, H. and M.R. Qureshi. 1967. A field key to the identification of fishes: Order Perciformes, family *Leiognathidae*. *Agric. Pak.* 18(3): 361-375.

- 376 Hastings, J.W. 1971. Light to hide by: ventral luminescence to camouflage the silhouette. *Science* 173: 1016-1017.
First attempt to apply the "counter-illumination hypothesis" to leionathids.
- 377 Hastings, J.W. and G. Mitchell. 1971. Endosymbiotic bioluminescent bacteria from the light organ of pony fish. *Biol. Bull. Mar. Biol. Lab. Woods Hole, Mass.* 141(2): 261-268.
As per title.
- 378 Hastings, J.W., A. Harrington and J.G. Morin. 1975. Endosymbiotic luminous bacteria of the pony fish. Manuscript, Alpha Helix Bioluminescence Expedition, Indonesia. 1 p.
MS describes current and planned work on bacteria.
- 379 Hastings, J.W., K. Neelson and J. Reichelt. 1976. The specificity of symbiosis: pony fish and luminous bacteria. Unpublished manuscript. 10 p.
Describes strain of bacteria isolated from the light organ of leionathids.
- 380 Hayasi, S. 1971. Stock assessment. IOFC/DEV/71/3. 34 p. *Indian Ocean Fish. Comm. FAO, Rome.*
Mentions the Leionathidae.
- 381 Helfman, G. and J.E. Randall. 1973. Palauan fish names. *Pac. Sci.* 27(2): 136-153.
Leionathidae (= deluai), *G. minuta* (= deluai), and *L. equulus* (= keyam).
- 382 Herald, E.S. 1961. *Living fishes of the world.* Doubleday, New York.
Brief discussions of leionathid habitat, biology, anatomy and bioluminescence.
- 383 Hendrie, M.S., W. Hodgkiss and J.M. Shewan. 1970. The identification, taxonomy and classification of luminous bacteria. *J. Gen. Microbiol.* 64: 151-169.
- 384 Henry, J. -P. and A.M. Michelson. 1970. Etudes de bioluminescence. Régulation de la bioluminescence bactérienne. *C. R. Acad. Sci. Paris* 170: 1947-1949.
- 385 Herald, E.S. 1970. Fische. *In* Knauer's Tierreich in Farben. Droemer Knauer, München/Zürich.
p. 157 German name for slipmouths: Schlüpfmäuler.
- 386 Herre, A.W. 1927. Fishery resources of the Philippine Islands. *Philipp. Dept. Agric. Commer., Pop. Bull.* 3: 1-74.
- 387 Herre, A. W. 1927. The fisheries of Lake Bombon and Lake Naujan: *Philipp. J. Sci.* 34: 287-306.
p. 296 *L. caballus*.
- 388 Herre, A.W.C.T. 1931a. A checklist of fishes recorded from the Solomon Islands. *J. Pan-Pac. Res. Inst.* 6(4): 4-9.
Lists *G. equulaeformis*.
- 389 Herre, A.W.C.T. 1931b. A checklist of the fishes recorded from the New Hebrides. *J. Pan-Pac. Res. Inst.* 6(4): 11-14.
Lists *L. fasciatus* and *G. minuta*.
- 390 Herre, A.W.C.T. 1932. A checklist of fishes recorded from Tahiti. *J. Pan-Pac. Res. Inst.* 7(1): 2-11.
Lists *L. equula*, *L. dussumieri*, *L. fasciatus*, *S. insidiator* and *G. minuta*.
- 391 Herre, A.W.C.T. 1932. Fishes from Kwantung Province and Hainan Island, China. *Lingnan Sci. J. (Canton)* 11(3): 423-443.
Records *S. ruconius* from the market of Tan Shaan and from Hainan.
- 392 Herre, A.W.C.T. 1933. A checklist of fishes from Dumaguete, Oriental Negros, P.I. and its immediate vicinity. *J. Pan-Pac. Res. Inst.* 8(4): 6-11.
Lists *L. equulus*, *S. insidiator*, *L. leuciscus*, *L. splendens* and *G. minuta*.
- 393 Herre, A.W.C.T. 1933. A checklist of fishes from Sandakan, British North Borneo. *J. Pan-Pac. Res. Inst.* 8(4): 2-5.
Lists *G. minuta*, *L. blochii*, *L. equulus*, *S. ruconius* and *L. splendens*.
- 394 Herre, A.W.C.T. 1934a. Hong Kong fishes collected in October-December. *Hong Kong Nat. Suppl.* 3: 26-36.
p. 29 *L. insidiatrix*.
- 395 Herre, A.W.C.T. 1934b. Notes on the fishes in the Zoological Museum of Stanford University. I. The fishes of the Herre Philippine Expedition of 1931. Privately published by the author. The Newspaper Enterprise Ltd., Hong Kong.
p. 36 *L. bindus*, *L. equulus*, *L. fasciatus*, *L. leuciscus*, *L. ruconius*, *L. splendens*, *L. stercorarius*, *G. achlamys*, *G. minuta*.

- 396 Herre, A.W.C.T. 1935. A checklist of the fishes of the Pelew Islands. J. Pan-Pac. Res. Inst. 10(2): 163-166.
p. 164 *L. equulus* from Palau.
- 397 Herre, A.W.C.T. 1936a. Fishes of the Crane Pacific expedition. Field Mus. Nat. Hist., Zool. Ser. 21 (353): 1-472.
p. 118 *L. dussumieri*, Mbureta River, Ovalau;
p. 118 *L. fasciatus*, Bushman Bay, Malekula.
- 398 Herre, A.W.C.T. 1936b. Notes on fishes in the Zoological Museum of Stanford University, V. New or rare Philippine fishes from the Herre 1933 Philippine expedition. Philipp. J. Sci. 59(3): 357-373.
Lists *L. brevirostris* (Manila Bay) and *L. lineolatus* (Iloilo).
- 399 Herre, A.W.C.T. 1939a. On a collection of fishes from Nanyo, the Japanese mandated islands. Annot. Zool. Jap. 18(4): 298-307.
p. 301 *L. equulus*, *L. fasciatus* from Gorrer (= Korrer).
- 400 Herre, A.W.C.T. 1939b. On a collection of littoral and freshwater fishes from the Andaman Islands: supplement. Rec. Indian Mus. 42(1): 1-8.
Lists *G. minuta*, *L. fasciatus* and *L. splendens*.
- 401 Herre, A.W.C.T. 1940a. On a collection of littoral and freshwater fishes from the Andaman Islands. Rec. Indian Mus. 41(4): 327-372.
p. 335 lists *L. equulus*.
- 402 Herre, A.W.C.T. 1940b. On a third collection of fish from Maungmagan Tavoy District, Lower Burma. Rec. Indian Mus. 41: 111-116.
Lists *L. brevirostris*, *L. equulus*, *L. insidiator*, *L. splendens* and *G. minuta*.
- 403 Herre, A.W.C.T. 1941a. A list of the fishes known from the Andaman Islands. Mém. Indian Mus. 13(Part 3): 331-403.
p. 352-353 list *G. minuta*, *L. daura*, *L. dussumieri*, *L. equulus*, *L. fasciatus*, *L. splendens*, *E. rivulata*.
- 404 Herre, A.W.C.T. 1941b. On a small collection of fish from the Mergui Archipelago. Rec. Indian Mus. 42(1): 9-14.
Lists *L. equulus*, *L. insidiator* and *L. splendens*.
- 405 Herre, A.W.C.T. 1945. Additions to the fish fauna of the Philippine Islands. Copeia 3: 146-149.
L. berbis.
- 406 Herre, A.W.C.T. 1953. Checklist of Philippine fishes. U.S. Fish. Wildl. Serv. Res. Rep. 20. 977 p.
p. 189-195 list 18 leiognathid species, with exhaustive synonymy.
- 407 Herre, A.W.C.T. 1958. Marine fishes in Philippine rivers and lakes. Philipp. J. Sci. 87(1): 65-88.
p. 79 lists *Leiognathus dussumieri*, *L. equulus*, and *L. splendens* among the fishes definitely recorded from freshwaters of the Philippines which return to the sea or brackish waters to spawn. Lists *L. insidiator*, *L. ruconius* from Lake Naujan.
- 408 Herre, A.W.C.T. and J. Mendoza. 1929. Baños culture in the Philippine Islands. Philipp. J. Sci. 38(4): 451-509.
Reports the following Leiognathidae spp. from Philippine milkfish ponds: *L. caballa*, *L. fasciatus*, and *L. splendens*.
- 409 Herre, A.W.C.T. and G.S. Myers. 1931. Fishes from southeastern China and Hainan. Lingnan Sci. J. (Canton) 10(2/3): 233-254.
p. 250 on *L. interruptus*.
- 410 Herre, A.W.C.T. and G.S. Myers. 1937. A contribution to the ichthyology of the Malay Peninsula. Bull. Raffles Mus. Singapore 13: 5-75.
p. 22-23 *L. blochi*, *L. daura*, *L. dussumieri*, *L. equula*, *L. ruconius*, *L. splendens*, *L. stercorarius* (distinguished from *L. elongatus*), *G. minuta*.
- 411 Herre, A.W. and A.F. Umali. 1948. English and local names of Philippine fishes. U.S. Fish. Wildl. Serv. Circ. 14. 128 p.
- 412 Herring, P., editor. 1978. Bioluminescence in action. Academic Press, N.Y. 570 p.
Includes exhaustive review of leiognathid bioluminescence.
- 413 Hilda, T.S. and W.T. Pereyra. 1964. Results of bottom trawling in the Indian Seas by R/V *Anton Bruun* in 1963. Proc. Indo-Pacific Fish. Council. 11(3): 156-171.
Catch data for Leiognathidae.
- 414 Hiyama, Y. and F. Yasuda. 1961. Nihon Suisan Gyofu. Tokyo. (In Japanese).

- 415 Honma, Y. 1952. A list of the fishes collected in the province of Echigo, including Sado Island. Jap. J. Ichthyol. 2(3): 138-145.
Lists *L. rivulatus*.
- 416 Hora, S.L. 1923. Fauna of the Chilka Lake. Fish. Part V. Mém. Indian Mus. 5: 739-769.
- 417 Hora, S.L. 1924. Fish of the Talé Sap. Peninsular Siam. Mém. Asiat. Soc. Bengal 6(1): 461-476.

Hornell, J. 1927. Administration report of the Department of Fisheries for the year ending 30th June 1923. Report No. 1 of 1924. Madras Fish. Bull. 18. 12 p.
Reports that leiognathids are given as a tonic to sick livestock, e.g., to elephants.
- 419 Houttuyn, M. 1764. Naturrylke Historie . . . volgens . . . den Heer Linnaeus. Met naauwkeurige afbeeldingen. 3 vols. Amsterdam.
Original description of *L. argenteus*.
- 420 Houttuyn, M. 1782. Beschrijving van Eenige Japansche Visschen. Verh. Holl. Maat. Wet. Haarlem 20(2): 311-350.
- 421 Hutomo, M. 1971. Notes on the fishes of Ambon, p. 23-31. In Preliminary report on Ambon survey 1970. Inst. Mar. Res. Natl. Inst. Oceanol., Indones. Inst. Sci.
p. 27 *Leiognathus insidiator*, local name included.
- 422 Hutomo, M. 1975. [Identification of our marine fishes. IV. The slipmouths] Lembaga Oseanol. Nas. Warta Oseana 2(4): 1-6. (In Indonesian).
Description and figures for 11 species.
- 423 Hutomo, M. and A. Martosewojo. 1977. The fish of the seagrass community on the west side of Burung Island (Pari Islands, Seribu Islands) and their variation in abundance. Penelit. Laut Indones. [Mar. Res. Indones.] 17: 1-6.
Lists *L. fasciatus* as ranking 18th in relative abundance, and occurred in June only, with 21 specimens ranging from 3.2 to 7.5 cm LS.
- 424 Intengan, C.L., L.G. Alejo, I. Conception, V.A. Corpus, R.D. Salud, I. del Rosario, R. Gomez and J. Henson. 1956. Composition of Philippine foods. Philipp. J. Sci. 85: 20-213.
Iron, niacin, riboflavin and thiamine content of *L. daura* and *L. equulus*.
- 425 IPFC/FAO. 1974. Proposed area statistical lists of aquatic animals and plants, Area 51, 57, 71 (Western Indian, Eastern Indian, Western Central Pacific). IPFC/FAO/74/11, Appendix XVI. 16 p. FAO, Thailand.
Leiognathus spp. and *Gazza* sp. are given "slipmouths" as official FAO common name.
- 426 IPFC/IOFC. 1975. Joint working party of experts on Indian Ocean and Western Pacific Fishery Statistics, Jakarta, Indonesia, 25-30 October 1975. FAO, Rome.
p. 45 Western Indian Ocean: ponyfishes, *Leiognathus* spp., *Gazza* sp. and Eastern Indian Ocean: slipmouth *Leiognathus* spp.
- 427 Isarankura, A.P. 1967. [Demersal Fish Research Project. 1967 Annual Report of Demersal Fish Research Unit] Division of Marine Fisheries, Department of Fisheries, Bangkok. 1-6. (In Thai)
- 428 Isarankura, A.P. 1971a. Assessment of stocks of demersal fish off the west coasts of Thailand and Malaysia. IOFC/DEV/71/20. 20 p. Indian Ocean Fish. Comm. FAO, Rome.
Mentions *Leiognathus* among the "good" fish, gives catch data for Leiognathidae.
- 429 Isarankura, A.P. 1971b. Present status of trawl fisheries resources in the Gulf of Thailand and the management program, p. 15-27. In Annual Report 1971. Demersal Fisheries Investigation Unit, Division of Research and Investigation, Department of Fisheries, Bangkok.
Lists *Leiognathus* spp. among those groups whose biology was to be studied.
- 430 Isarankura, A.P. 1971c. Present status of trawl fisheries resources in the Gulf of Thailand and the management program. Proc. Indo-Pacific Fish. Council. 14(2): 105-114.
Lists *Leiognathidae* spp. among the groups whose biology is to be studied.
- 431 Isarankura, A.P. 1972. Present status of trawl fisheries resources in the Gulf of Thailand and the management program, p. 450-464. In K. Sugawara (ed.) The Kuroshio II; proceedings of the second symposium on the results of the Cooperative Study of the Kuroshio and Adjacent Regions, Tokyo, Japan, September 28-October 1, 1970. Saikon Publ. Co., Tokyo.

- Lists *Leiognathus* spp. among the groups whose biology is to be studied.
- 432 Isarankura, A.P. 1976. Conventional and unconventional fisheries resources in Southeast Asia, p. 95-119. *In* K. Tiews (ed.) Proceedings of the international seminar on fisheries resources and their management in Southeast Asia, Berlin (West), 19 November-6 December 1974. Westkruez-Druckerei, Berlin.
Mentions *Leiognathus* spp. among the groups commonly caught.
- 433 Isarankura, A.P. and G. Kühlmorgen-Hille. 1966. Demersal fish resources investigations in the Gulf of Thailand. *Proc. Indo-Pacific Fish. Council.* 12(2): 162-171.
Mentions that *Leiognathus* sp. is being investigated by the Thai Demersal Fish Investigation Units.
- 434 Jakob, P. 1950. The bionomics of ribbon fishes (*Trichiurus* spp.) and their fishery on the West Coast of Madras Province. *J. Bombay Nat. Hist. Soc.* 48(2): 261-264.
Records *Leiognathus* spp. as food of ribbon fishes.
- 435 James, P.S.B.R. 1966. Notes on the biology of the butterfly ray, *Gymnura poecilura* (Shaw) from the Palk Bay and Gulf of Mannar. *Indian J. Fish.* 13(1-2): 150-157.
Remains of *Leiognathus* recorded from a few stomachs.
- 436 James, P.S.B.R. 1967. The ribbon-fishes of the Family Trichiuridae of India. *Mém. Biol. Assoc. India.* 1. 226 p.
Mentions Leiognathidae among the food items.
- 437 James, P.S.B.R. 1969. *Leiognathus leuciscus* (Günther) and *Leiognathus smithursti* (Ramsey & Ogilby) Family Leiognathidae—Pisces—two new records from the Indian Seas. *J. Mar. Biol. Assoc. India* 9(2): 300-302.
As per title.
- 438 James, P.S.B.R. 1971a. A new species of silver-belly, *Leiognathus jonesi* (Family Leiognathidae: Pisces) from the Indian Seas. *J. Mar. Biol. Assoc. India* 11(1/2): 316-319.
Description of *L. jonesi* which is closely allied to *L. splendens*.
- 439 James, P.S.B.R. 1971b. On the occurrence of a blue-green algae on fishes of the family Leiognathidae. *J. Mar. Biol. Assoc. India* 13(1): 1-3.
Occurrence of chroococcaceae growing on the bodies of *L. dussumieri*, *L. brevirostris*, *L. splendens*, *L. lineolatus* and *L. berbis*. The occurrence is common in the two former species.
- 440 James, P.S.B.R. 1973a. The fishery potential of silver bellies, p. 439-444. *In* Proceedings of the symposium on living resources of the seas around India. *Spec. Publ. Cent. Mar. Fish. Res. Inst., Cochin.*
A review of catch data from Indian waters.
- 441 James, P.S.B.R. 1973b. Sharks, rays and skates as a potential fishery resource off the east coast of India, p. 483-494. *In* Proceedings of the symposium on living resources of the seas around India. *Spec. Publ. Cent. Mar. Fish. Res. Inst., Cochin.*
Carcharhinus melanopterus reported to feed on silver bellies.
- 442 James, P.S.B.R. 1975. A systematic review of the fishes of the family Leiognathidae. *J. Mar. Biol. Assoc. India* 17(1): 139-172.
Most recent revision of the family Leiognathidae.
- 443 James, P.S.B.R. and C. Adolph. 1966. Observations on trawl fishing in the Palk Bay and Gulf of Mannar in the vicinity of Mandapan. *Indian J. Fish.* 12(2): 530-545.
Gives catch data for Leiognathidae. The newly described species, *L. jonesi*, is predominant.
- 444 James, P.S.B.R. and M. Badrudeen. 1969. On certain anomalies in the fishes of the family Leiognathidae. *J. Mar. Biol. Assoc. India* 10(1): 107-113.
Anomalies listed for *L. dussumieri*, *L. brevirostris*, *L. bindus*, *L. fasciatus*, *L. leuciscus* and *L. lineolatus*.
- 445 James, P.S.B.R. and M. Badrudeen. 1975. Biology and fishery of *Leiognathus brevirostris* (Valenciennes) from the Palk Bay and the Gulf of Mannar. *Indian J. Mar. Sci.* 4(1): 50-59.
- 446 James, P.S.B.R., S.L. Shanbhoge and T.R.C. Gupta. 1975. Estuarine fisheries resources of south Kanara District, p. 99-104. *In* R. Natarajan (ed.)

- Recent researches in estuarine biology. Hindustan Publishing Corp., Delhi.
p. 101 lists *Leiognathus brevirostris* and *L. daura* from the estuary's fish catch.
- 447 Jatsow, R. and H. Lenz. 1898. Fische von Ost-Afrika, Madagascar und Aldabra. Ab. Senckenb. Naturf. Ges. 21: 497-531.
- 448 Jayabalan, N., K. Dhevendaran and K. Ramamoorthi. 1978. Occurrence of symbiotic bioluminescent bacteria in Indian leiognathids. *Curr. Sci.* 47(17): 648-649.
As per title.
- 449 Jerdon, T.C. 1851. Ichthyological gleanings in Madras. *Madras J. Lit. Sci.* 17: 128-151.
p. 138 *L. splendens* and *E. dussumieri*.
- 450 Jhingran, V.G. 1973. Fish and fisheries of India. Hindustan Publishing Corp., Delhi.
Surveys fisheries of silver bellies, lists Leiognathidae occurring in India.
- 451 John, M.A. 1951. Pelagic fish eggs and larvae of the Madras Coast. *J. Zool. Soc. India* 3(1): 41-69.
- 452 Johnson, C.R. 1972. Biology and ecology of *Callionymus belcheri* (Pisces, Callionymidae). *Copeia* 3: 461-470.
Lists *L. moretonensis* Ogilby among the most abundant fishes occurring in Moreton Bay, Australia.
- 453 Johnson, F.H. and Y. Haneda, editors. 1966. Bioluminescence in progress. Princeton Univ. Press, Princeton.
Contains several papers mentioning or dealing specifically with leiognathid bioluminescence.
- 454 Johnstone, J. 1903. Report on the marine fishes (collected by Messrs. Annandale and Robinson on the Coast of Patani and Jhering). *Fasciculi Malayensis Zool.* Pt. 2: 293-302.
p. 294 *E. ruconius* pl. 2.
- 455 Jones, R. 1976. Mesh regulation in the demersal fisheries of the South China Sea Area. SCS/76/WP/34. 75 p. South China Sea Fish. Dev. Coord. Progr., Manila.
Gives from various areas catch data which includes Leiognathidae, and discusses the "trash fish" problem.
- 456 Jones, S. 1951. Bibliography of breeding habits and development of estuarine and marine fishes of India. *J. Zool. Soc. India* 3(1): 121-139.
- 457 Jones, S. 1966. A preliminary report on the commercial sea fisheries of the western sector of the IPFC. *Proc. Indo-Pacific Fish. Council.* 12, C66/Tech. Pap. 33. 28 p.
- 458 Jones, S. 1967. Two decades of marine fisheries research, p. 5-21. *In* 20th anniversary souvenir, Central Marine Fisheries Research Institute, Cochin.
- 459 Jones, S. 1969. Catalogue of fishes from the Laccadive Archipelago in the reference collection of the Central Marine Fisheries Research Institute. *Bull. Cent. Mar. Fish. Res. Inst.* 8: 1-32.
Lists *L. fasciatus* and *G. minuta*.
- 460 Jones, S. and Sujansingani, K.H. 1954. Fish and fisheries of the Chilka Lake with statistics of fish catches for the year 1948-1950. *Indian J. Fish.* 1(2): 256-344.
Mentions *Gazza minuta*, *L. equulus* and *L. blochii*.
- 461 Jordan, D.S. 1917-1920. The genera of fishes . . . In four parts: Stanford University, University Series.
Discuss authors of leiognathid genera, all included here.
- 462 Jordan, D.S. 1923. A classification of fishes including families and genera as far as known. Stanford Univ. Publ. Univ. Ser. Biol. Sci. 3(2): 77-243.
p. 186 Leiognathidae with the genera: *Leiognathus* Lacepede, *Halex* Commerson, *Equula* Cuvier, *Gazza* Rüppel, *Argylepes* Swainson, *Secutor* Gistel, *Deveximentum* Fowler, *Eubleekeria* Fowler, *Equulites* Fowler and *Aurigequula* Fowler.
- 463 Jordan, D.S. 1927. Fishes of the Pacific Ocean: shore fishes of Samoa. *J. Pan-Pac. Res. Inst.* 2(4): 3-11.
Lists *L. fasciatus*.
- 464 Jordan, D.S. 1963. The genera of fishes and a classification of fishes. Reprinted with a new foreword by G.S. Myers and a Comprehensive Index by H.M. Smith and L.P. Schultz. Stanford University Press, Stanford, California.
p. 686 Leiognathidae.

- 465 Jordan, D.S. 1925. Fishes. D. Appleton & Co., New York and London.
- 466 Jordan, D.S. and M.C. Dickerson. 1908. On a collection of fishes from Fiji with notes on certain Hawaiian fishes. Proc. U.S. Nat. Mus. 34: 603-617.
p. 610 *L. smithursti* and *L. edentulus* from Suva, Fiji.
- 467 Jordan, D.S. and B.W. Evermann. 1902. Notes on a collection of fishes from the Island of Formosa. Proc. U.S. Nat. Mus. 25(1289): 315-368.
p. 338 *L. edentulus*, *L. splendens*.
- 468 Jordan, D.S. and C.L. Hubbs. 1925. Records of fishes obtained by D.S. Jordan in Japan in 1922. Mém. Carnegie Mus. 10(2): 93-330.
p. 225 *L. nuchalis*, *L. rivulata*, *G. equulaeformis*.
- 469 Jordan, D.S. and C.M. Metz. 1913. A catalogue of the fishes known from the waters of Korea. Mém. Carnegie Mus. 6(1): 1-65.
p. 29 *L. argenteus* from Fusan.
- 470 Jordan, D.S. and R.E. Richardson. 1908. Fishes from the islands of the Philippine archipelago. U.S. Bull. Bur. Fish. 27: 233-287.
p. 252-253 describe *L. ensiferus*, *L. caballa*, *L. coma*; p. 254 lists *L. splendens*, *G. minuta*.
- 471 Jordan, D.S. and R.E. Richardson. 1910. Check-list of the species of fish known from the Philippine archipelago. Philipp. Bur. Sci. Monogr. Publ. Fishes 1. 78 p.
E. insidiator, *E. ruconia*, *G. minuta*, *G. tapeinosoma*, *L. caballus*, *L. ensiferus*, *L. coma*, *L. splendens*, *L. fasciatus*, *L. leuciscus*, *L. virgatus*, *L. stercorarius*, *L. edwardsi*.
- 472 Jordan, D.S. and A. Seale. 1905. List of fishes collected by Dr. Bashford Dean on the Island of Negros, Philippines. Proc. U.S. Nat. Mus. 28: 769-803.
p. 777 *E. minuta*.
- 473 Jordan, D.S. and A. Seale. 1906. The fishes of Samoa. Descriptions of species found in the Archipelago, with a provisional check-list of the fishes of Oceania. U.S. Bull. Bur. Fish. 25: 173-455.
Lists *S. insidiator*, *L. fasciatus* (common species), *L. obscurus*, *L. equulus*, *L. dussumieri*, *L. edentulus*, *L. smithursti*, *G. minuta*, *G. equulaeformis* and *G. argentaria*.
- 474 Jordan, D.S. and A. Seale. 1907. Fishes of the Islands of Luzon and Panay. U.S. Bull. Bur. Fish. 26: 1-48.
p. 15 *E. minuta*, *L. dussumieri* (in part only).
- 475 Jordan, D.S. and A. Seale. 1907. List of fishes collected at Hongkong by Captain William Finch, with description of five new species. Proc. Davenport Acad. Sci. 10: 1-17.
p. 8 *E. insidiator*.
- 476 Jordan, D.S. and J.O. Snyder. 1901. List of fishes collected in 1883 and 1885 by Pierre Louis Jouy and preserved in the United States National Museum, with descriptions of six new species. Proc. U.S. Nat. Mus. 23: 740-769.
p. 747 *L. argenteum*.
- 477 Jordan, D.S. and E.C. Starks. 1917. Notes on a collection of fishes from Ceylon, with descriptions of new species. Ann. Carnegie Mus. 11(344): 430-446.
p. 444-446 *L. equula*, *L. daura*, *L. insidiatrix* and description of *G. minuta*; p. 446-447, plate 45: description of new species *Gazza achlamys*.
- 478 Jordan, D.S., S. Tanaka, J.O. Snyder. 1913. A catalogue of the fishes of Japan. J. Coll. Sci. Imp. Univ. Tokyo 33(1): 1-497.
- 479 Joseph, B. 1974. Preliminary report on experimental fishing with purse seine and lampera nets for small pelagic fish varieties around Sri Lanka. Bull. Fish. Res. Stn., Ceylon 25(1/2): 1-13.
Lists *G. minuta*, *S. ruconius*, *S. insidiator*, *L. lineolatus*, *L. dussumieri* and *L. splendens* with size ranges and English and local names.
- 480 Jouan, H. 1867. Notes sur quelques poissons de mer observés à Hong Kong. Mém. Soc. Sci. Nat. Cherbourg 13: 241-282.
p. 266 *E. insidiatrix*.
- 481 Jouan, H. 1869-70. Notes sur les archipels des Comores et des Séchelles. Mém. Soc. Sci. Nat. Cherbourg 15. 106 p.
- 482 Kabata, Z. 1967. *Proclavellodes pillaii* gen. et sp. n. (Copepoda: Lernaeopodidae) from South India. J. Parasitol. 53(6): 1298-1301.
On *P. pillaii* from *Gazza minuta*.

- 483 Kailola, P.J. 1971. New records of fish from Papua. Papua New Guinea Agric. J. 22(2): 116-133.
First record of *Equulites berbis* from the territory of Papua.
- 484 Kailola, P.J. 1975. A catalogue of the fish reference collection at the Kanudi Fisheries Research Laboratory. Res. Bull. No. 16, 277 p. Dept. Agric., Stock Fish., Port Moresby.
p. 124-127 lists from PNG: *Equula equula*, *E. fasciata*, *Equulites berbis*, *E. bindus*, *E. novaehollandiae*, *Gazza achlamys*, *G. minuta*, *Leiognathus elongatus*, *L. rapsoni*, *L. splendens*, *Secutor insidiator* and *S. ruconius*. Also lists from other areas: *Leiognathus* sp. (Philippines), *L. aureus* (Ambon, Indonesia), *L. hatai* (Ambon), *L. nuchalis* and *L. rivulatus* (both Japan).
- 485 Kailola, P.J. and M.A. Wilson. 1978. The trawl fishes of the Gulf of Papua. Res. Bull. No. 20, 85 p. Dept. of Primary Ind., Port Moresby.
Gives various trawl data showing that Leiognathidae account for about 20% (in weight) of catch. Lists the following spp.: *G. minuta*, *L. bindus*, *L. equulus*, *L. fasciatus*, *L. novaehollandiae*, *L. rapsoni*, *L. splendens*, *S. insidiator* and *S. ruconius*.
- 486 Kaikini, A.S. 1960. The fisheries of Malwan. Indian J. Fish. 7(2): 348-368.
Reports of *Leiognathus* caught with beach seines from Malwan, near Bombay.
- 487 Kakuda, S. 1973. The marine fishes from the estuary of the Ashida River. J. Fac. Fish. Anim. Husb. Hiroshima Univ. 12(1): 83-87.
L. nuchalis listed among the resident fishes.
- 488 Kami, H.T., I.I. Ikehara and F.P. de Leon. 1968. Check-list of Guam fishes. Micronesica 4(1): 95-131.
Lists *Leiognathus equulus* and *Gazza achlamys* from Apra Harbour. Local name for both spp.: "Cajao".
- 489 Kamohara, T. 1967. Fishes of Japan in color. Hoi-kusha Publ. Corp., Ltd., Osaka.
On *L. equulus* and *L. rivulatus*, which spawn in June and May respectively.
- 490 Károli, J. 1882. Prodrömus piscium Asiae orientalis a Domino Joanne Xantus annis 1868-70 collectorum. Természeti Füzetek 5. Füzet, 1882: 147-187.
p. 161 *S. insidiator*.
- 491 Kartono, R.A. 1957. Comparison of fishing efficiency between longlines and "rawai", trawl and "dogol", and various types of "pajang". Proc. Indo-Pacific Fish. Council. 7, Tech. Pap. 19. 12 p.
- 492 Kawanabe, H., T.T. Saito, T. Sunaga and M. Azuma. Ecology and biological production of Lake Nakami and adjacent region. IV. Distribution of fishes and their food. Spec. Publ. Seto Mar. Biol. Lab., Ser. 2. Part 2 (415): 45-73.
- 493 Kearney, R.E., A.D. Lewis and B.R. Smith. 1972. Cruise Report *Tagula* 71-1. Survey of skipjack, tuna and bait resources in Papua New Guinea waters. Res. Bull. No. 8, 145 p. Dept. Agric., Stock Fish., Port Moresby.
Lists Leiognathidae among the potential bait-fish resources. Some catch data also given.
- 494 Keenleyside, M. 1979. Diversity and adaptation in fish behaviour. Springer Verlag, Berlin.
Discusses light emission of *L. equulus*, based on Hastings (1971).
- 495 Kendall, W.C. and E.L. Goldsborough. 1911. The shore fishes. (Reports on the scientific results of the expedition to the tropical Pacific in charge of Alexander Agassiz, by the U.S. Fish Comm. Steamer "Albatross" from August 1899 to March 1900). Mém. Mus. Comp. Zool. Harvard Coll. 26(7): 239-344.
p. 274 *L. splendens* (Suva, Fiji), *L. edentulus* (Suva), *L. fasciatus*.
- 496 Kesteven, G.L. and T.W. Burton. 1952. Fisheries survey report no. 1. Fish. Bull. 1. 119 p.
Leiognathus sp. said to comprise 2.4% of Singapore markets in handling in 1950.
- 497 Khalaf, K.T. 1961. The marine and fresh water fishes of Iraq. Ar-Rabitta Press, Baghdad.
p. 89-91 describe Leiognathidae, and one *Leiognathus* sp.
- 498 Khorona, D.K., M.L. Sarma and K.V. Giri. 1942. Investigations in the food value of fish and other marine products. Indian J. Med. Res. 30: 315-318.
Niacin content of a *Leiognathus* sp.
- 499 Kiener, A. 1963. Poissons, pêche et pisciculture a Madagascar. Cent. Tech. Forest. Trop. Publ. 24. 160 p.
Gives data on habits, fishery, local names, etc., of *L. equulus*, *L. dussumieri* and *G. minuta*.

- 500 Kiener, A. 1966. Contribution a l'étude écologique et biologique des eaux saumâtres malgaches. Les poissons euryhalins et leur rôle dans le développement des pêches. *Vie Milieu* 16(2C): 1013-1149.
List *G. minuta*, *L. dussumieri*, *L. equula* and *S. insidiator* among the euryhaline fishes occurring in Madagascar, with *L. equulus* penetrating deepest into fresh waters and being the most abundant leiognathid.
- 501 Kiener, A. and G. Richard-Vindard. 1972. Fishes of the continental waters of Madagascar, p. 477-499. In R. Battistini and G. Richard-Vindard (eds.) *Biogeography and ecology in Madagascar*. Dr. W. Junk BV Publ., The Hague.
p. 494 lists *Leiognathus equulus* among the euryhaline spp. caught in Kalomalala, east coast of Madagascar and p. 490 the Leiognathidae among the brackish water groups.
- 502 Kikuchi, T. 1966. An ecological study on animal communities of the *Zostera marina* belt in Tomioka Bay, Amakusa, Kyushu. *Publ. Amakusa Mar. Biol. Lab* 1(1): 106 p.
Gives various ecological data relating to *L. nuchalis*.
- 503 Kikuchi, T. 1968. Faunal list of the *Zostera marina* belt in Tomioka Bay, Amakusa, Kyushu. *Publ. Amakusa Mar. Biol. Lab.* 1(2): 163-192.
- 504 Kirtisinghe, P. 1964. A review of the parasitic copepods of fish recorded from Ceylon with description of additional forms. *Bull. Fish. Res. Stn., Ceylon* 17(1): 45-132.
Gazza minuta as a host for *Peniculus scomberi* and *Clavella uncinata*.
- 505 Klausewitz, W. and J. Nielsen. 1965. On Forsskål's collection of fishes in the Zoological Museum of Copenhagen. *Skr. Zool. Mus. Københ.* 22. 29 p.
p. 23 mentions two specimens of *Scomber equula* (plate 28) and designates Lectotype.
- 506 Klunzinger, C.B. 1870. Synopsis der Fische des Rothen Meeres. I. Percoiden-Mugiloiden. *Verh. Zool.-Bot. Ges. Wien* 20: 669-834.
- 507 Klunzinger, C.B. 1871. Synopsis der Fische des Rothen Meeres. II. Theil. *Verh. Zool.-Bot. Ges. Wien* 21: 441-668.
- 508 Klunzinger, C.B. 1880. Die von Müllersche Sammlung australischer Fische in Stuttgart. *Sitzb. Akad. Wiss. Wien* 80(1): 325-430.
- 509 Klunzinger, C.B. 1884. Die Fische des Rothen Meeres. Eine Kristische Revision mit Bestimmungstabellen. I. Theil. *Acanthopteri veri* Owen. *Denkschr. Akad. Wiss. Wien* 80(1): 325-430 and Schweizerbartsche Verlagshandlung, Stuttgart. 133 p. (Reprint edition: Dr. W. Junk BV Publ., The Hague, 1975).
Describes *L. fasciatus*, *L. equulus*, *L. splendens*, *L. berbis*, *G. minuta*, *G. argentaria* and *G. equulaeformis*.
- 510 Kner, R. 1865-1867. Reise der Österreichischen Fregatte "Novara" um die Erde in den Jahren 1857-59 unter den Befehlen des Commodore B. von Wüllersdorf-Urbain. *Zoologischer Theil. Fische*. 1. und 2. Abtheilung, Wein, 1865: 272 p. 3. Abtheilung, Wein, 1867: 275-433.
p. 166-170 descriptions of *E. ensifera*, *E. dussumieri*, *E. bindooides*, *E. splendens*, *E. insidiatrix*, *E. interrupta*, *G. minuta*.
- 511 Kosswig, C. 1950. Erythräische Fische im Mittelmeer und an der Grenze der Agäis. *Syllegomena Biologica. Festschrift Kleinschmidt Akad. Verlag, Leipzig*. 203-212.
L. klunzingeri from Suez to Rhodes.
- 512 Kotthaus, A. 1974. Fische des Indischen Ozeans. Ergebnisse der ichthyologischen Untersuchungen während der Expedition des Forschungsschiffes "Meteor" in den Indischen Ozean, Oktober 1964 bis 1965. A. Systematischer Teil 12 Percomorphi (5). *Meteor. Forsch. Ergebn.* (18): 44-54.
Gazza minuta and *Leiognathus equulus*: meristics and morphometrics.
- 513 Koumans, F.P. 1940. On a collection of fishes from East Java. *Zool. Meded.* 22: 257-264.
List *L. daura* and *L. brevirostris*.
- 514 Koumans, F.P. 1953. Biological results of the Snellius Expedition. XVI. The Pisces and Leptocardii. *Temminckia* 9: 177-275.
Lists (?) *Leiognathus splendens*, from Beo, Taland Island and *L. brevirostris* from Menado.
- 515 Kowtal, G.V. 1967. Occurrence and distribution of pelagic fish eggs and larvae in the Chilka Lake during the years 1964 and 1965. *Indian J. Fish.* 14(1/2): 198-214.

- Occurrence of *Leiognathus* eggs during a spawning season lasting about 6 months.
- 516 Krishnapillay, V., A.P. Valson and M. Rajendranathan Nair. 1956. Studies on the chemical quality of cured fish products from the west coast of India. *Indian J. Fish.* 3(1): 43-58.
- 517 Krishnamurthi, B. 1958. Fishery resources of the Rameswaran Islands. *Indian J. Fish.* 4(2): 229-253.
L. splendens reported as an important item in the catch of beach and boat seines, and gill nets.
- 518 Krishnamurthy, K. and M.J.P. Jelyaseelan. 1979. The early life history of fishes from Pichavaram mangrove ecosystem in India. ICES/ELH Symp/RA:15, 13 p. Early Life History Symposium, Int. Council. Explor. Sea, Woodshole, U.S.A.
Gazza minuta, *Leiognathus equulus*, *L. sp.*, *S. ruconius* and *S. insidiator* listed among the fishes occurring in Pichavaram (mangrove), with *L. equulus* also occurring there as adult. Jan-March and April-June given as spawning season for the two *Secutor* spp.
- 519 Kühlmorgen-Hille, G. 1968. An illustrated field key to the fish family Leiognathidae in the Gulf of Thailand. *Contrib. Mar. Fish. Lab. Bangkok.* 12. 7 p.
As per title.
- 520 Kühlmorgen-Hille, G. 1974. *Leiognathidae*. In W. Fischer and P.J.P. Whitehead (eds.) Vol. 2 FAO identification sheets for fishery purposes, Eastern Indian Ocean (Fishery Area 57) and Western Central Pacific (Fishery Area 71). FAO, Rome.
Contains descriptions, figures and aids to proper identification of 13 common species.
- 521 Kuroda, N. 1958. [On the life color of some fishes. VII] *Jap. J. Ichthyol.* 7(1): 25-31. (In Japanese, English summary).
- 522 Kuronuma, K. 1961. A check list of fishes of Vietnam. Div. Agric. and Nat. Resources, U.S. Operations Mission to Vietnam, Contract IV-153. 66 p.
Lists *G. minuta*, *L. berbis*, *L. brevirostris*, *L. equulus*, *L. fasciatus*, *L. splendens*, *S. insidiator* and *S. ruconius*.
- 523 Kuronuma, K., editor. 1974. Arabian Gulf fishery-oceanography survey by Umitika-Marui, etc. *Trans. Tokyo Univ. Fish.* 1: 1-118.
Gives catch data and distribution (in detail) of *L. equulus* and *L. lineolatus*.
- 524 Kuronuma, K. and Y. Abe. 1972. Fishes of Kuwait. Kuwait Institute for Scientific Research, Kuwait.
General description of the slipmouth morphology and ecology. Plate with *L. bindus* and *L. fasciatus* (?).
- 525 Kusaka, T. 1974. The Urohyal of fishes. Univ. of Tokyo Press, Tokyo.
Gives description and figure of the urohyal bone of *L. elongatus*, *L. equulus*, *L. rivulatus*, *L. nuchalis*, *Equulites novaehollandiae*, *Gazza minuta* and another unidentified species.
- 526 Kuthalingam, M.D.K. 1955. Food and feeding habits of juveniles and adults of four fishes of Madras. *J. Madras Univ.* 25B(3): 235-253.
Stomachs of 128 *Leiognathus ruconius* were examined. The food consisted mainly of small planktonic crustaceans.
- 527 Kuthalingam, M.D.K. 1958. The food and feeding habits of some young silver bellies. *J. Madras Univ.* 28B(1): 13-22.
As per title.
- 528 Kuthalingam, M.D.K. 1959. The life history and feeding habits of the tripod fish (*Triacanthus brevirostris* Tem. & Schl.) of the Indian Sea. *Treubia* 25(1): 159-164.
Lists *Leiognathus* sp. among the fishes of economic value preyed upon by adult tripod fishes.
- 529 Kuthalingam, M.D.K. 1965. Notes on some aspects of the fishery and biology of *Nemipterus japonicus* (Bloch) with special reference to feeding behavior. *Indian J. Fish.* 12A & B(2): 500-506.
Leiognathus spp. belong to the main food items.
- 530 Kuthalingam, M.D.K., P. Mazumdar and A.K. Chatterjee. 1973. Offshore fishery resources of the Bay of Bengal from Sandheads to Gopalpur, p: 333-364. In Proceedings of the symposium on living resources of the seas around India. Spec. Publ. Cent. Mar. Fish. Res. Inst., Cochin.

- Discusses leiognathid catch by research vessels, reports best catches from the month of November, suggests shoaling behavior. *L. splendens* and *S. insidiator* reported as most abundant, with *L. daura*, *L. brevisrostris* and *G. minuta* forming the rest of the bulk.
- 531 Kvaran, E. 1971. Marine fisheries potential in the Philippines and South East Asia. Philipp. Fish. Comm. Fish. Newsl.: 8-17.
Suggests that high fishing effort may have a negligible effect on recruitment of fishes such as *Leiognathus*.
- 532 Lacépède, B.G.E. 1803. Histoire naturelle des poissons. Vol. 4. Paris.
- 533 Lacépède, B.G.E. 1803. Histoire naturelle des poissons. Vol. 5. Paris.
p. 425, 460 *Clupea fasciata* (type loc. Mauritius).
- 534 Lagler, K.F. and S. Punpoka. 1965. Index to the families and major groups in Weber and Beaufort's "Fishes of the Indo-Australian Archipelago," Vol. I-XI, 1911-1962. Notes Fac. Fish., Kasetsart Univ., Bangkok 1: 1-4.
p. 360 ff. refers to the Leiognathidae in Vol. 6.
- 535 Lagler, K.F., J.E. Bardach, R.R. Miller and D.R.M. Passino. 1977. Ichthyology. 2nd edition. John Wiley & Sons, Inc., New York.
Mentions leiognathid bioluminescence.
- 536 Laird, M. 1950. *Henneguya vitiensis* n. sp., a Myxosporidian from a Fijian marine fish, *Leiognathus fasciatus* (Lac. 1803) J. Parasitol. 36: 285-292.
- 537 Lamboeuf, M. and E. J. Simmonds. 1979. Acoustic estimation of the biomass of the stock of small pelagic species in the Gulf and the Gulf of Oman, September 1977-October 1978 FAO/RAB/71/278/7 Part 3. 21 p. FAO, Rome.
Reports that "Leiognathidae and Gerridae which are demersal during the day, occur in midwater at night."
- 538 Latiff, M.S.B.S.A. 1971. A guide to trawl species in Penang waters. Min. Agric. Lands, Malaysia.
p. 31 key to trawl species; p. 32 descriptions and photos of *G. minuta*; p. 33 *L. equulus*; p. 34 *L. splendens*.
- 539 Lavelle, F., J.P. Henry and A.M. Michelson. 1970. Étude en milieu fluide et à basse température de la réaction d'émissions de bioluminescence de *Photobacterium leiognathi* C. R. Acad. Sci. Paris 270: 2126-2129.
- 540 Legasto, R.M., C.M. del Mundo and K. Carpenter. 1976. On the socio-economic survey and hydrobiological survey of Maqueda Bay, Villareal Bay and part of Zumarraga Channel for the proposed fish nurseries/reservation. Philipp. J. Fish. 13(1): 102-146.
Analysis of 6 trawl hauls containing *L. splendens* and other unspecified slipmouths, with length range given.
- 541 Le Mare, D.W. and Tham Ah Kow. 1954. On the inshore fish population of the Straits of Singapore.
List *Leiognathus* spp. among the most abundant species. Species list includes: *L. insidiator*, *L. ruconius*, *L. fasciatus*, *L. equulus*, *L. splendens*, *L. binus*, *L. berbis*, *L. lineolatus* and *G. minuta*.
- 542 Le Minh, Vien. 1968. Commercial ichthyofauna of the Gulf of Tonkin. J. Ichthyol. (Vopr. Ikhiol) 8(5): 655-667.
Gives distribution of *L. equulus* in the Indo-Pacific, and a maximum size of 23.0 mm; important in the Gulf of Tonkin, used for production of fish pastes. Lists *Therapon theraps* as predator of Leiognathidae.
- 543 Lewis, A.D., B.R. Smith and R.E. Kearney. 1974. Studies on tunas and baitfish in Papua New Guinea waters. II. Res. Bull. No. 11, 112 p. Dept. Agric., Stock Fish., Port Moresby.
p. 65 discusses the low bait potential of leiognathids.
- 544 Lichtenstein, M.H.C. 1844. Descriptiones animalium quae in itinere ad maris Australis terras per annos 1772-1774 suscepto, collegit, observavit et delineavit Joannes Reinoldus Forster. Berlin.
p. 96 *Zeus argentarius* (Tanna Isl.).
- 545 Liebmann, E. 1934. Contribution to the knowledge of Palestine sea fishes. Pt. 1. Rapp. Comm. Explor. Mediterr. Paris 8: 317-327.
- 546 Liem, D.S. and A.K. Haines. 1977. The ecological significance, and economic importance of the mangrove and estuarine communities of the Gulf Pro-

- vince, Papua New Guinea. Office of Environment and Conservation, Waigani (Port Moresby), Papua New Guinea. Purari River (WABO) Hydroelectric Scheme Environmental Studies 3. 35 p.
- Lists among the predominantly marine fishes occurring in the Purari-Kikori mangrove areas: *Gazza achlamys*, *Secutor* sp., *E. equula* and *E. berbis*.
- 547 Lin, S.Y. 1934. A study of Foochow fishes. Lingnan Sci. J. (Canton) 13(4): 671-691.
p. 676 *L. ruconius*.
- 548 Lindberg, G.U. and Z.V. Krasnyukova. 1969. Fishes of the Sea of Japan and adjacent waters of the Sea of Okhotsk and the Yellow Sea. Part 3. Teleostomi XXIX. Perciformes. Opred. Faune SSSR 99: 1-479. English ed. 1971. Israel Progr. Sci. Trans. Key to leiognathid spp. from Japanese waters. Describes *L. ruconius*, *L. elongatus*, *L. nuchalis*, *L. rivulatus*, *L. lineolatus* and *L. daura*.
- 549 Lindley, R.H. 1980. Cod-end escapement from a demersal trawl with particular reference to the Leiognathidae. Jabatan Perikanan Brunei, Brunei Fish. Dept. 19 p. (mimeo)
Detailed data on trawl selection of leiognathids.
- 550 Lindsay, C.C. 1963. Guide to families of Malaysian fishes. Dept. of Zoology, Univ. of Singapore. Key to Leiognathidae.
- 551 Longhurst, A. 1969. Species assemblage in tropical fisheries, p. 147-168. In Proceedings of the symposium on the oceanography and fishery resources of the tropical Atlantic. UNESCO, Paris.
Discusses the leiognathid niche in relation to that of the Sciaenidae and Gerridae.
- 552 Losse, G.F. 1964. A purse seine fishery in East African coastal waters. Proc. East Afr. Acad. 2: 88-91.
Reports that Leiognathidae are well represented in the catch (Zanzibar Channel), occasionally making 30 to 60% of the total catch from June to October. Species in order of abundance: *G. minuta*, *S. insidiator*, *L. spp.*
- 553 Losse, G.F. 1966. Fishes taken by purse-seines and dipnet in the Zanzibar Channel. East Afr. Agric. For. J. 32(1): 50-53.
Lists *G. minuta*, *S. insidiator* and *L. fasciatus*, which are abundant during the southeast monsoon.
- 554 Losse, G. and A. Dwippongo. 1977. Report on the Java Sea southeast monsoon trawl survey, June-December 1976. Contrib. Demersal Fish. Proj. Mar. Fish. Res. Inst., Jakarta 3. 119 p.
Gives catch rates for *L. splendens* and other Leiognathidae. Defines "inshore" and "offshore" in terms of *L. splendens* occurrence and non-occurrence respectively, with map.
- 555 Love, M. 1970. The chemical biology of fish, with a key to the chemical literature. Academic Press, London and New York.
Gives an index listing *L. argenteus*, *L. nuchalis*, *L. equulus*, *L. daura* and *L. sp.*, the substances analyzed and the references.
- 556 Luther, G. 1973. Observations on the biology and fishery of the Indian mackerel *Rastrelliger kargurta* (Cuvier) from Andaman Islands. Indian J. Fish. 20(2): 425-447.
Leiognathus listed among the occasional food items, together with other, mainly clupeoid fishes.
- 557 McAllister, D.E. 1966. The significance of ventral bioluminescence in fishes. J. Fish. Res. Board Can. 24(3): 537-554.
As per title, including Leiognathidae.
- 558 McCulloch, A.R. 1929. A check-list of the fishes recorded from Australia. Mem. Aust. Mus. 5: 1-534.
- 559 McCulloch, A.R. and G.P. Whitley. 1925. Fishes recorded from Queensland. Mem. Queensl. Mus. 8(2): 125-182.
- 560 Maclean, J. 1973. An analysis of the catch by trawlers in Moreton Bay (Qld.) during the 1966-67 prawning season. Proc. Linn. Soc. N.S.W. 98(1): 35-42.
Reports the "sixpence" *Leiognathus moretonensis* contribute < 0.1% of the catch, in weight.
- 561 Macleay, W. 1880. Note on some fishes from the Solomon Islands. Proc. Linn. Soc. N.S.W. 4(1): 60-65.
E. edentula.

- 562 Macleay, W. 1881. Descriptive catalogue of the fishes of Australia. Vol. 1. F.W. White, Sydney. p. 185 lists and describes *E. edentula* and *E. interrupta*.
- 563 Macleay, W. 1883. Contributions to a knowledge of the fishes of New Guinea. Part 4. Proc. Linn. Soc. N.S.W. 8(2): 252-82.
E. edentula (Normandy Is., New Guinea).
- 564 Macleay, W. 1883. Notes on a collection of fishes from the Burdekin and Mary River. Proc. Linn. Soc. N.S.W. 8: 199-213.
Equula recorded from lower course of Burdekin River.
- 565 Macleay, W. 1884. Supplement to descriptive catalogue of the fishes of Australia. Proc. Linn. Soc. N.S.W. 9: 2-64.
p. 25 lists and describes *E. splendens* and *E. edentula*.
- 566 Magnusson, J. 1972. On the trawl fishery in the Philippines. Proc. Indo-Pacific Fish. Council. 13(3): 597-604.
Reports on p. 601 that slipmouth (*Leiognathus*) are by far the most common species in the catch (about 1/3 with the gerreid *Pentaprion*).
- 567 Mahadevan, Pillay P.K. 1972. Fecundity and spawning habits of some silver bellies. Indian J. Fish. 19(1/2): 196-199.
- 568 Mahadevan, S. 1958. Report on the 'kaaral' (*Leiognathus* spp. and *Gazza minuta*) fishery of Rameswarm Island in the Gulf of Mannar and Palk Bay. Proc. 45th Indian Sci. Congr. Part III Abstract No. 91.
- 569 Malpas, A.H. 1926. Biological survey of the littoral waters of Ceylon. Ceylon J. Sci. Sect. C2: 13-165.
Gives miscellaneous biological data for 8 spp. of leiognathids.
- 570 Manacop, P.R. 1937. The fisheries of Lake Mainit and of Northern Surigao, including the Island of Dinagat and Siargao. Philipp. J. Sci. 64(4): 341-355.
"Danutan (*Leiognathidae*)" reported among "the principal species found in the lake."
- 571 Manacop, P.R. 1956. Commercial trawling in the Philippines. Philipp. J. Fish. 3(2): 117-183.
Leiognathus spp. reported to make the bulk of trawl catches in Manila Bay and other areas of the Philippines.
- 572 Mangalik, A. 1966.. [Food and feeding habits of two species of Leiognathidae, *L. splendens* (Cuv.) and *Gazza minuta* Bleeker] Bogor Agric. Inst., Indones. 30 p. Thesis. (In Indonesian)
Author thanks God for HE created the Leiognathidae, so even the poor people can afford to eat fish; *L. splendens* feeds mainly on copepods and benthic organisms, *G. minuta* on young fishes.
- 573 Marr; J.C. 1976. Fishery and resource management in Southeast Asia. RFF/PISFA Paper 7. 62 p. Resources for the Future, Washington, D.C.
Catch data of Leiognathidae, emphasize importance of this family.
- 574 Marshall, T.C. 1954. Revised and illustrated (version of): The commercial fishes and fisheries of Queensland, an essay by J. Douglas Ogilby. Dept. Harbors and Marine, Brisbane, Queensland.
Report of enormous catches of leiognathid, which are often mistaken for the young of valuable species.
- 575 Marshall, T.C. 1964. Fishes of the Great Barrier Reef and coastal waters of Queensland. Angus and Robertson, Sydney.
- 576 Martosubroto, P. 1973. [Studies on the demersal fisheries stock in the Malacca Strait and Jambi Bay.] Laporan Penelitian Perikanan Laut [Mar. Fish. Res. Rep.] 1: 1-33. (In Indonesian)
Catch data for Leiognathidae according to depth zone. Catch list includes *G. minuta*, *S. ruconius*, *L. brevirostris*, *L. splendens* and *L. equulus*.
- 577 Martosubroto, P. and D. Pauly. 1976. R/V *Mutiaria* IV survey data, November 1974 to July 1976. Contrib. Demersal Fish. Proj. Mar. Fish. Res. Inst. Jakarta 2. 136 p.
Gives rough estimates of leiognathid stock size and potential yield, by subareas (Western Indonesian waters). Contains also length frequency data for various Leiognathidae spp.
- 578 Marukawa, H. 1939. [Fisheries of the South Seas IV. Bait fishes for tuna and skipjack] South Sea Fish. 5(5): 4-10. (In Japanese. English translation South West Fisheries Center NMFS, NOAA, Honolulu).

- Mentions *G. minuta* as live bait, used only where other fishes are scarce.
- 579 Masuda, H., C. Araga and T. Yoshino. 1975. Coastal fishes of Southern Japan. Tokai Univ. Press, Tokyo.
p. 253 presents excellent color photos and descriptions of *L. nuchalis*, *L. equulus*, *L. rivulatus*, *L. leuciscus* and *L. fasciatus*.
- 580 Matsubora, K. 1955. [Fish morphology and hierarchy] Ishizuki-Shoten, Tokyo. (In Japanese).
- 581 Maxwell, C.N. 1921. Malayan fishes. J. Straits Br. Asiat. Soc., Singapore. 84: 179-278. Also Methodist Publ. House, Singapore.
- 582 Mees, G.F. 1959. Additions to the fish fauna of Western Australia—1. Fish. Bull. W. Aust. 9(1): 5-11.
Leiognathus fasciatus recorded.
- 583 Menasveta, D. 1970. Potential demersal fish resources of the Sunda Shelf, p. 525-555. In J.C. Marr (ed.) The Kuroshio: A symposium on the Japan current. East-West Center Press, Honolulu.
- 584 Menasveta, D., S. Shindo and S. Chullasorn. 1973. Pelagic fishery resources of the South China Sea and prospects for their development. SCS/DEV/73/6. 68 p. FAO, Rome.
- 585 Menasveta, P. 1976. Ecology of fish population in the coastal area of Bang Pra. MS presented at the Symposium on Mangrove Ecology, Phuket, Thailand, Jan. 1976.
Catch and length data for *L. elongatus*, *S. ruconius*, *L. sp.* and *L. splendens*.
- 586 Mendis, A.S. 1954. Fishes of Ceylon (a catalogue, key and bibliography) Bull. Fish. Res. Stn., Ceylon No. 2. 222 p.
p. 128-129 list under Liognathidae *G. minuta*, *G. achlamys*, *L. bindus*, *L. daura*, *L. equulus*, *L. fasciatus*, *L. insidiator*, *L. ruconius*, *L. splendens*.
- 587 Menon, A.G.K. and P.K. Talwar. 1972. Fishes of the Great Nicobar Expedition, 1966, with description of a new gobioid fish of the family Kraemeriidae Rec. Zool. Surv. India 66(1/4): 35-61.
Gives distribution, description and partial synonymy of *G. minuta*, *L. blochi*, *L. daura*, *L. dussumieri*, *L. equulus* and *S. insidiator*.
- 588 Menon, M.A.S. 1963. On a collection of fish from Lake Chilka, Orissa. Rec. Indian Mus. 59(1/2): 41-69.
Lists *L. daura*, *L. dussumieri*, *L. equulus*, *S. insidiator*, *L. blochii* and *G. minuta*.
- 589 Meyer, A.B. 1885. Catálogo de los peces recolectados en el archipelago de las Indias orientales durante los años 1870 á 1873. An. Soc. Esp. Hist. Nat. 14: 5-49.
p. 26 *G. argentaria*.
- 590 Michel, C. 1974. Notes on marine biology studies made in Mauritius. Bull. Mauritius Inst. 7(2). 284 p.
Lists *Equula dentex*, *E. ensifera* and *E. parviceps* recorded from Mauritius.
- 591 Migdalski, E.C. and G.S. Fichter. 1976. The fresh and salt water fishes of the world. Vineyard Books, New York.
Discusses the Leiognathidae (Genera *Leiognathus*, *Gazza* and *Secutor*) and depicts *L. equulus*. German edition of this book gives "Stülpmäuler" for slipmouths.
- 592 Minagawa, Q. et al. 1972. [Pesticide residues in dairy products and meat. III. Organochlorine pesticide residues in fishes and shellfishes.] Study Group of the Min. Health & Welfare for Pesticide Residues in Dairy Products and Meat. J. Food Hyg. Soc. Jap. 13(4): 317-325. (In Japanese, with English abstract).
- 593 Misra, K.S. 1959. An aid to commercial fishes. Rec. Indian Mus. 57: 255-259.
- 594 Mito, S. 1966. [Identification sheets of Japanese marine plankton] Soyo-sha Vol. 7. Tokyo. (In Japanese)
Describes (with figures) eggs and larvae of *Leiognathus nuchalis* and *L. rivulatus*.
- 595 Mito, S., M. Ukawa and M. Higuchi. 1973. Growth of some marine fish larvae hatched out from pelagic eggs. J. Mar. Biol. Assoc. India 15: 490-495.
Give data on the growth of larval *Leiognathus nuchalis*.

- 596 Moazzam, M. and S.H. Niaz Rizvi. 1980. Fish entrapment in the seawater intake of a power plant at Karachi coast. *Environ. Biol. Fish.* 5(7): 49-57.
S. insidiator, *G. minuta*, *L. daura*, *L. bindus* and *L. dussumieri* listed among the entrapped fishes, with length range.
- 597 Mohammed Shaari bin Sam Abdul Latif, G. Rauck, K.S. Ong and T.S. Peng. 1974. Demersal fish resources in Malaysian waters. 2. Trawl survey of the coastal waters off the west coast of Peninsular Malaysia (12th December 1970-22nd January 1971). *Min. Agric. Rural Dev., Malays. Fish. Bull.* 3: 41 p.
 Catch data for large-sized Leiognathidae, by depth range and bottom type.
- 598 Monkolprasit, S. 1966. Preliminary faunal data on marine tidal and sea shore habitats of Klong-Wan area, Thailand. *Bull. Kasetsart Univ. Fish. Res.* 3: 1-27.
 Lists from a market collection: *G. minuta*, *L. daura*, *L. elongatus*, *L. equulus*, *L. fasciatus*, *L. insidiator*, *L. lineolatus*, *L. splendens*. From the seashore are listed: *G. minuta*, *L. berbis*, *L. brevirostris*, *L. daura*, *L. equulus*, *L. insidiator*, *L. ruconius*, *L. splendens* and *L. spp.* many of which were juveniles.
- 599 Monkolprasit, S. 1973. The fishes of the leiognathid genus *Secutor* with the description of a new species from Thailand. *Bull. Kasetsart Univ. Fish. Res.* 6: 10-17.
 Description of *S. indicus* nov. sp., and comparison with *S. ruconius* and *S. insidiator*.
- 600 Monkolprasit, S. et al. 1971. [Systematics of Thai fishes] *Fac. Fish. Kasetsart Univ., Bangkok.* (In Thai) (mimeo).
 Gives a general description of leiognathids and a species list.
- 601 Monkolprasit, S. et al. 1972. [Guide to fish identification in Thai waters] *Fac. Fish. Kasetsart Univ., Bangkok.* (In English with title in Thai) (mimeo).
 Contains a key to three genera and seventeen species of Thai Leiognathidae.
- 602 Montalban, H.R., G. Blanco and I.A. Ronquillo. No date. Philippine fishes. *Philipp. Dept. Agric. Nat. Resources, Pop. Bull.* 46: 1-16.
 Gives figures for *L. equulus*, *L. fasciatus*, and *S. ruconius*.
- 603 Mori, T. 1928. A catalogue of the fishes of Korea. *J. Pan-Pac. Res. Inšt.* 3(3): 3-8.
 Lists *L. argentea* (Houttuyn) and *L. rivulatus* (T & Schl.) from Fusan.
- 604 Mori, T. 1952. Check list of the fishes of Korea. *Mem. Hyogo Univ. Agric.* 1(3): 1-228.
- 605 Mori, T. 1956. Fishes, San-in District. *Mem. Hyogo Univ. Agric.* 2(3): 1-62.
- 606 Morin, J.C., A. Harrington and J.W. Hastings. 1975. Protective illumination by the pony fish: a confirmation of the countershading hypothesis. *Alpha Helix Bioluminescence Expedition Indonesia.* (MS)
 Reports that the light emitted by *G. minuta* changes proportionately to that of a lamp placed above the fish.
- 607 Morin, J.G. 1975. Light for all reasons: versatility in the behavioral repertoire of the flashlight fish. *Science* 190: 74-76.
 Mentions luminescent camouflage in leiognathids.
- 608 Del Mundo, C.M., T.G. Pimentel, A.B. Olandez and A.M. Galicia. 1980. Preliminary report on the hydrobiological and fisheries survey of Asid Gulf, Masbate, March 14-28, 1980. *Bur. Fish. Aquat. Res. [Philippines] Tech. Pap. Ser.* 4(4). 12 p.
 Catch of a "bahau" (small trawl) analyzed, consisting of a *L. equulus* sample (N = 100, range 31-85 mm, all immature), a *S. ruconius* sample (N = 5, range 33-57 mm, all immature), and a sample of *Leiognathus* spp., all immature. Catch of fish corrals consisted of 9.90% Leiognathidae.
- 609 Mouneimne, N. 1977. Liste des poissons de la côte du Liban (Méditerranée Orientale). *Cybium* 3^{ième} Ser. (1): 37-66.
 Lists *L. klunzingeri*, mentioning its Red Sea origin.
- 610 Munro, I.S.R. 1955. The marine and freshwater fishes of Ceylon. *Dept. of External Affairs, Canberra.*
 A key to description, brief synonymy and figures of *S. ruconius*, *S. insidiator*, *L. splendens*, *L. dussumieri*, *L. fasciatus*, *L. equulus*, *L. brevirostris*, *L. daura*, *L. bindus*, *L. lineolatus*, *G. minuta* and *G. achlamys*.

- 611 Munro, I.S.R. 1958. The fishes of the New Guinea region: a check-list of the fishes of New Guinea. Fish. Bull. Ter. Papua New Guinea 1: 97-369. Also in Papua New Guinea Agric. J. 10(4): 97-369.
- 612 Munro, I.S.R. 1960. Handbook of Australian Fishes No. 33. Fish. News Lett. Aust. 19(6): 17-20.
- 613 Munro, I.S.R. 1964. Additions to the fish fauna of New Guinea. Papua New Guinea Agric. J. 16(4): 141-186.
Description of *L. rapsoni* nov. spec. Lists *L. bindus*, a new record for the New Guinea area.
- 614 Munro, I.S.R. 1967. The fishes of New Guinea. Dept. Agric., Stock Fish. Port Moresby, New Guinea.
p. 237-241 list, describe and figure *G. minuta*, *G. achlamys*, *S. ruconius*, *L. equulus*, *L. fasciatus*, *L. bindus*, *L. novaehollandiae*, *L. splendens*, and *L. rapsoni*.
- 615 Munro, I.S.R. 1968. Survey of the prawn resources of the Gulf of Carpentaria, January-August 1968. 74 p. (Unpublished MS).
Lists *Equulites novaehollandiae* and *Leiognathus* spp. among the dominant fishes in the trawl catches.
- 616 Murty, V. Sriramachandra. 1969. Catalogue of fishes (excluding from the Laccadives) in the reference collection of the Central Marine Fisheries Research Institute. Bull. Cent. Mar. Fish. Res. Inst., Cochin 10: 1-36.
Lists 15 leiognathid species.
- 617 Muthu, M.S., K.A. Narsimhan, G. Sudhakar Rao, Y. Appanna Sastry and P. Ramalingam. 1975. On the commercial trawl fisheries off Kakinada during 1967-70. Indian J. Fish. 22(1-2): 171-186.
Catch rates of Leiognathidae.
- 618 Nader, I.A. and S.Z. Jawdat. 1977. New records of fishes from Iraq. Bull. Biol. Res. Cent. (Baghdad) (8): 73-88.
- 619 Naeve, S.A., editor. 1939. Nomenclator Zoologicus. Vol. D-L.
Indicates first authors of *Deveximentum*, *Equula*, *Equulites*, *Leiognathus*, *Liognathus*.
- 620 Nagabhushanam, A.K. 1966. A survey of the off-shore demersal fisheries of the Andhra and Orissa Coast, with special reference to the biological data collected during 1960. Indian J. Fish. 13 (1/2): 359-379.
Catch and length data for *Secutor* and *Leiognathus* at 6 depth ranges.
- 621 Nagakura, K. and K. Sachithanathan. 1971. Proximate composition of 4 types of salted and dried fish in Ceylon. Bull. Tokai Reg. Fish. Res. Lab. 65: 75-80.
Also on *Secutor* sp.
- 622 Nair, R.V. 1947. Fish eggs and larvae of the Madras plankton. Proc. 33rd Indian Sci. Congr. (Bangalore) Part 3. 127 p. (Abstract)
Post-larvae of *Leiognathus ruconius*.
- 623 Nair, R.V. 1948. Leptocephali of the Gulf of Manaar. Proc. Indian Acad. Sci. 27B(4): 87-91.
- 624 Nair, R.V. 1952. Studies on some post-larval fishes of the Madras plankton. Proc. Indian Acad. Sci. 35B: 225-244.
Leiognathus ruconius: notes on post-larvae.
- 625 Nair, R.V. and S.K. Banerjee. 1965. A survey of the statistics of marine fish catch in India. Indian J. Fish. 12A & B(1): 135-236.
Catch data for *Leiognathus* and *Gazza*.
- 626 Nakamura, H. 1936. On the food habit of yellowfin tuna *Neothunnus macropterus* (Schlegel) from the Celebes Sea. Trans. Nat. Hist. Soc. Formosa, 26 (148) and Pac. Oceanic Fish. Inv. Transl. (17) (1949) Spec. Sci. Rep. Fish. No. 23. 8 p.
Leiognathids recorded as food items.
- 627 Narayanappa, G., D.A. Narasimha Raju and A.V.V. Satyanarayana. 1972. Certain observations on the otter trawl operations carried out in the inshore and deep waters off Kakinada. Proc. Indo-Pacific Fish. Council. 13(3): 450-455.
Silverbellies included in catch composition.
- 628 Nayan, S.G. 1958. A preliminary account of the fisheries of Vizhinjam. Indian J. Fish. 5(1): 32-55.
- 629 Nellen, W. 1973. Fischlarven des Indischen Ozeans. Ergebnisse der Fischbrutuntersuchungen während der ersten Expedition des Forschungsschiffes "Meteor" in den Indischen Ozean und den Per-sischen Golf, Oktober 1964 bis April 1965.

- "Meteor" Forsch. Reihe D(14): 1-68.
Quantitative occurrence data for "leiognathids."
- 630 Nellen, W. 1973. Kinds and abundance of fish larvae in the Arabian Sea and the Persian Gulf, p. 415-430. In B. Zeitzschel (ed.) Ecological studies, analysis and synthesis. Vol. 3. Biology of the Indian Ocean. Springer Verlag, Berlin.
Report of "Leiognathidae" in about 50% of the stations sorted.
- 631 Nelson, J.C. 1976. Fishes of the world. John Wiley & Sons, New York and London.
- 632 Neve, P. and Hamad al-Aïdi. 1972. Red Sea fishes: Check List No. 1. Bull. Mar. Res. Cent., Saudi Arabia No. 2. 20 p. and J. Saudi Arabian Nat. Hist. Soc. No. 5.
List *Leiognathus* sp. from the immediate vicinity of Jiddah. Common name for slipmouth reported as "Samak abu gurs" or "fish with a disc-like body."
- 633 Nicol, J.A.C. 1960. The biology of marine animals. Sir Isaac Pitman & Sons, Ltd., London.
Reports in *Gazza* and *Leiognathus* that a ring-shaped bioluminescent gland envelops the esophagus into which it opens.
- 634 Nicol, J.A.C. 1969. Bioluminescence, p. 355-400. In W.S. Hoar and D.J. Randall (eds.) Fish Physiology. Vol. 3. Academic Press, New York.
Depicts in fig. 4 the luminous organ of *L. equulus*, reportedly as based on Harms (1928). Probably a misunderstanding as Harms (1928) worked on *L. splendens*, as indicated by Ahrens (1965).
- 635 Nikolsky, G.V. 1963. The ecology of fishes. Academic Press, London and New York.
Reports of Coelenterates being eaten by leiognathids (based on Tham, Ah Kow, 1950).
- 636 Nishiwaki, S. and K. Koike. 1980. Fish fauna of the *Zostera* belt in Shimoda Bay and Nabeta Cove, the Izu Peninsula. Bull. Coll. Med. Tech. Nurs. Univ. Tsukuba 1: 1-10.
List *Leiognathus nuchalis*, ranging from 25 to 45 mm TL, a seasonal resident in *Zostera* beds.
- 637 Norman, J.R. 1929. Notes on the fishes of the Suez Canal. Proc. R. Zool. Soc. London 4: 615-616.
Lists *Leiognathus* (? *lineolatus*) among the fishes which migrated into the Mediterranean (prob. *L. klunzingeri*).
- 638 Norman, J.R. 1939. Fishes. Sci. Rep. John Murray Exped., 1933-1934, 7: 1-116.
- 639 Norman, J.R. 1966. A draft synopsis of the orders, families and genera of recent fishes and fish-like vertebrates: 285-286. Trustees, Br. Mus. Nat. Hist.
Gives synonymy of *Leiognathus* Lac. (type: *L. argenteus* Lac.).
- 640 Norman, J.R. and P.H. Greenwood. 1975. A history of fishes. 3rd ed. Ernest Benn, Ltd., London.
Orders the Leiognathidae systematically remote from the Gerridae.
- 641 Nyström, E. 1887. Redogörelse för den Japanska Fiskamlingen i. Upsala Universitets Zoologiska Museum. Bihang Svensk. Vetensk. Akad. Handl. 13(4): 1-54.
p. 36 *E. lineolata*.
- 642 Obruchev, D.V., editor. 1964. 1. Osnovy paleontologii. 2. Beschlyustnye, ryby [Fundamentals of Paleontology. 2. Agnathan, fishes] Izd. Nauka, Moskva 522 p. (In Russian). Also available from: Israel Progr. Sci. Transl. (1967).
p. 684 fam. Leiognathidae: description with occurrence in the fossil record from the Oligocene (of the Caucasus and Western Europe) to Recent. One fossil species (*Leiognathus* † *altipinnus*).
- 643 Ogilby, J.D. 1912. On some Queensland fishes. Mem. Queensl. Mus. 1: 26-65.
p. 58-60 *L. hastatus* nom. nov., *L. moretonensis* sp. nov.
- 644 Ogilby, J.D. 1916. The commercial fishes and fisheries of Queensland. Dept. Harbors and Marine, Brisbane, Queensland.
Report of enormous catches of leiognathid, which are often mistaken for the young of valuable species.
- 645 Ogilvie, H.W., A. Fraser-Brunner and D.L. Byrd. 1954. Report to the Government of Italy as the administering authority for the trust territory of Somalia on the exploratory fishery survey in Somalia 1952/53. Rep. FAO/ETAP 288. 91 p. FAO, Rome.

- Leiognathus* sp. among the food items found in stomach of *Euthynnus affinis affinis*.
- 646 Okada, Y. 1955. Fishes of Japan. Maruzen Co. Ltd., Tokyo.
p. 179 describes and figures *Leiognathus rivulata* (T & S).
- 647 Okada, Y., E. Uchida and K. Matsubara. 1938. Atlas of Japanese fishes. Tokyo.
- 648 Ommanney, F.D. 1962. Malayan offshore trawling grounds. The experimental and exploratory fishing cruises of the F.R.V. *Manihine* in Malayan and Borneo waters, 1955-56 with a note on temperatures and salinities in the Singapore street. Colonial Off. Fish. Publ. (18), H.M.S.O., London.
Lists *Leiognathus* sp. "kekek" among the second grade fish caught.
- 649 Ordoñez, J.A., F.M. Arce, R.A. Ganaden and N. Metrillo, Jr. 1974. Philippine estuarine research 1. On the hydro-biological and fisheries survey of Sorsogon Bay, Luzon Island, p. 435-463. In P. Cheosakul et al. (eds.) The Kuroshio III; proceedings of the third symposium on the results of the Cooperative Study of the Kuroshio and Adjacent Regions, 1973. Bangkok, Thailand. Mongkol Karnpim Press and Publ., Bangkok.
- 650 Ordoñez, J.A., J.S. Ginon and A.M. Maala. 1975. A report on the fishery-oceanographic observations in Tayabas Bay and adjacent waters (Cruise R 74-2), p. 140-159. In First Fisheries Forum, Philippine Council for Agriculture and Resources Research, Los Baños, Philippines.
Discuss catches, including of *Leiognathus* spp. Suggest that *L. bindus* was mostly immature (in March 1974).
- 651 Pai, M.V. and P.K. Mahadevan Pillai. 1973. Trawl fishery potential of the south-east coast of India, p. 261-279. In Proceedings of the symposium on living resources of the seas around India. Spec. Publ. Cent. Mar. Fish. Res. Inst., Cochin.
Discusses catch rates of leiognathids in different subareas.
- 652 Panikkar, N.K. and R.V. Nair. 1945. Progress report of the scheme of research on the fish eggs and larvae of the Madras plankton (1944-1945), Madras.
Describe the eggs of *Secutor ruconius*.
- 653 Paradise, W.E.J. and G.P. Whitley. 1927. Northern territory fishes. Mem. Queensl. Mus. 9: 76-106.
- 654 Pathansali, D., K.S. Ong, S.S. Latiff, and L.J. Carvalho. 1967. Preliminary results of trawling investigations off Penang. Proc. Indo-Pacific Fish. Council. 12(2): 181-207.
Reports the dominance of Leiognathidae in the catch, their low commercial value, and the feature that they are replaced by Gerridae (especially *Pentaptrion longimanus*) at greater depth ("ecological counterpart").
- 655 Pathansali, D., G. Rauck, A.A. Jothy, Mohammed Shaar Bin Sam Abdul Latiff and T.B. Curtin. 1974. Demersal fish resources in Malaysian waters. 1. Trawl survey of the coastal waters off the east coast of West Malaysia. Min. Agric. Fish. Malays. Fish. Bull 1. 46 p.
Gives catch data per depth and sub-area, mentioning that *L. equulus* and some *L. splendens* constitute most of the leiognathid catch (1.95% of total catch).
- 656 Pauly, D. 1977a. The Leiognathidae (Teleostei): their species, stocks and fisheries in Indonesia, with notes on the biology of *Leiognathus splendens* (Cuv.) Penelit. Laut Indones. [Mar. Res. Indones.] 19: 73-93.
As per title, but growth parameters for *L. splendens* ($L_{\infty} = 13$ cm and $K = 3.3$) are erroneous. (See Beck and Sudradjat, 1978).
- 657 Pauly, D. 1977b. The Leiognathidae (Teleosts): an hypothesis relating their mean depth occurrence to the intensity of their countershading bioluminescence. Penelit. Laut Indones. [Mar. Res. Indones.] 19: 137-146.
As per title.
- 658 Pauly, D. 1978a. A preliminary compilation of fish length growth parameters. Ber. Inst. Meereskunde (Kiel) No. 55. 200 p.
Gives growth parameters (L_{∞} and K) for 18 stocks and 6 species of Leiognathidae, all based on analysis of length frequencies.
- 659 Pauly, D. 1978b. A discussion of the potential use in fish population dynamics of the interrelationships between natural mortality, growth parameters and mean environmental temperature in 122 fish stocks. I.C.E.S. CM 1978/G:21. 36 p. Demersal Fish Committee, Int. Council. Explor. Sea, Copenhagen.
Estimation of $M = 1.8$ in *Leiognathus splendens*, when $LT_{\infty} = 14.3$ cm, $K = 1.04$, at a mean temperature of 28.5°C .

- 660 Pauly, D. 1979a. Gill size and temperature as governing factors in fish growth: a generalization on Von Bertalanffy's growth formula. Ber. Inst. Meereskunde (Kiel) No. 63. 156 p.
Gives in Table VIIIb growth parameters for *Leiognathus equulus* as estimated from data in Chabanne and Plante (1969).
- 661 Pauly, D. 1979b. Theory and management of tropical multispecies stocks: a review, with emphasis on the Southeast Asian demersal fisheries. ICLARM Studies and Reviews 1. 35 p. International Center for Living Aquatic Resources Management, Manila.
Discusses the stock dynamics of Leiognathidae as typical representative of "prey" fishes in the Gulf of Thailand. Yield-isopleth diagram for *Leiognathus splendens*.
- 662 Pauly, D. 1979c. Biological overfishing of tropical stocks. ICLARM Newsl. 2(3): 3-4.
Yield-isopleth diagram for *Leiognathus splendens*.
- 663 Pauly, D. 1980a. The use of a pseudo catch curve for the estimation of mortality rates in *Leiognathus splendens* (Pisces: Leiognathidae) in western Indonesian waters. Meeresforsch. 28(1): 56-60.
New method led to estimate of natural mortality $M \approx 1.8$.
- 664 Pauly, D. 1980b. On the interrelationships between natural mortality, growth parameters and mean environmental temperature in 175 fish stocks. J. Cons., Cons. Int. Explor. Mer. 39(3): 175-192.
L. splendens from Western Indonesia included among stocks used for derivation of general relationship. Parameters used were $L_{\infty} = 14$ cm (LT), $W_{\infty} = 64$ g, $K = 1.04$ and $M = 1.8$.
- 665 Pauly, D. and N. David. 1980a. An objective method for determining growth from length-frequency data. ICLARM Newsl. 3(3): 13-15.
Growth parameters of *L. bindus* ($L_{\infty} = 12.2$, $K = 1.3$) estimated by means of a new, computer-based method. Based on length-frequency data of Balan (1967).
- 666 Pauly, D. and N. David. 1980b. A BASIC program for the objective extraction of growth parameters from length-frequency data. I.C.E.S. CM 1980/D:7. 14 p. Statistics Committee, Int. Council. Explor. Sea, Copenhagen.
Same as in Pauly and David (1980a).
- 667 Pearson, J. and A.H. Malpas. 1926. A preliminary report on the possibilities of commercial trawling in the sea around Ceylon. Ceylon J. Sci. Sect. C2: 1-165.
On *L. bindus*, *L. edentula*, *L. fasciata*, *L. insidiatrix*, *L. lineolata*, *L. ruconius*, *L. splendens*, *G. minuta*; catch data, length, weight, food for both sexes.
- 668 Peiris, T.S.S. and J. Grero. 1973. Chemical analyses of some Sri Lanka fishes—3. Bull. Fish. Res. Stn., Ceylon 24(1/2): 1-12.
p. 7 figure of *G. minuta*, and analysis of its constituent parts (muscles, skin, head, viscera etc.); data are given for: % water, % ash, % fat, % protein and cal/100 g.
- 669 Pellegrin, J. 1914. Sur une collection de poissons de Madagascar. Bull. Soc. Zool. Fr. 39: 221-234.
p. 225 *E. dussumieri*.
- 670 Perez, E.R. and D.R. Yngente. 1979. Eureka for the protein content of some fish species. Fish. Today (Philippines) 2(3): 38-42.
Gives the protein content and the protein content per unit price for slipmouth as 11% and 18% respectively.
- 671 Perugia, A. 1889. Eleno dei pesci raccolti dal Dott. Elio Modigliano nelle isole di Nias e di Sumatra. Ann. Mus. Civ. Genova 7(2): 269-277.
p. 273 *E. lineolata*.
- 672 Peters, W.C.H. 1855. Übersicht der in Mossambique beobachteten Seefische. Monatsber. Akad. Wiss., Berlin. 428-466. and Arch. Naturgesch. 21. Jahrgang 1: 234-282.
p. 247 *E. dentex*.
- 673 Peters, W.C.H. 1868. Naturwissenschaftliche Reise nach Mossambique. Zoologie, Berlin.
- 674 Peters, W.C.H. 1868. Über die von Herrn Dr. F. Jagor in dem ostindischen Archipel gesammelten und dem K. zoologischen Museum übergebenen Fische. Monatsber. Dtsch. Akad. Wiss. Berl.: 254-281, 460-461.
- 675 Peters, W.C.H. 1868. Übersicht der während der von 1874 bis 1876 unter der Commando des Hr. Capitän z.S. Freiherrn von Schleinitz ausgeführten Reise S.M.S. *Gazelle* . . . Fische. Monatsber. Dtsch. Akad. Wiss. Berl.: 831-854.

- p. 836 *E. fasciata*, *G. minuta* (New Britain).
- 676 Phasuk, B. 1969. A study of demersal catches from the experimental trawlings in the Gulf of Thailand by R/V Fishery Research No. 1 during 1963-1965. Dept. of Fish. Publ. 5. 151 p.
- 677 Philippine Dept. of National Defense. 1973. 1972 National Economic Atlas of the Philippines. Dept. of Natl. Defense, Philippine Coast and Geodetic Survey, Manila.
Map 17 displays slipmouth fishing grounds throughout the Philippine archipelago.
- 678 Pillai, N. Krishna. 1973. Three new bomolochid parasitic on fishes of the Kerala coast. Indian J. Fish. 20(2): 487-496.
Description of *Nothobomolochus quadriceros* sp. nov. cop. from the inner surface of the opercle of *Gazza minuta*.
- 679 Pillai, P.K.M. 1972. Fecundity and spawning habits of some silver bellies. Indian J. Fish. 19 (1/2): 196-199.
Reports of a prolonged spawning period in *S. insidiator*, *S. ruconius* and *L. dussumieri* and a restricted spawning period in *G. minuta*.
- 680 Pillay, T.V.R. 1948. Marine fisheries of Kodinar in Kathiavar. J. Bombay Nat. Hist. Soc. 48(1): 47-61.
Lists *L. dussumieri*, *L. edentula* and *L. fasciatus* caught by drift nets.
- 681 Pillay, T.G. 1965. Brackish-water fishery resources. Bull. Fish. Res. Stn. Ceylon 18(2): 75-85.
L. equulus (Sinhalese: Maskarella) and *L. fasciatus* listed among the marine fishes occurring in brackish waters.
- 682 Pillay, T.V.R. 1967. Estuarine fisheries of the Indian Ocean coastal zone, p. 647-667. In Lauff (ed.) Estuaries. Amer. Assoc. Adv. Sci. Publ. 83.
L. brevirostris, *L. blochii*, *L. equulus*, *L. fasciatus*, *S. ruconius*, *S. insidiator* and *G. minuta* listed as common estuarine fishes in the Indian Ocean coastal zone.
- 683 Playfair, R.L. 1868. On a collection of fishes from Madagascar. Proc. Zool. Soc. London: 9-12.
- 684 Playfair, R.L. and A. Günther. 1866. The fishes of Zanzibar. Acanthopterygii by R.L. Playfair; Pharyngognathi, etc. by A. Günther. van Voorst, London.
p. 65 lists *Equula edentula* from Aden and Zanzibar and *Gazza equulaeformis* from Zanzibar.
- 685 Plessis, Y. and P. Fourmanoir. 1966. Mission d'étude des récifs corallien de Nouvelle Calédonie. Liste des poissons recoltés par Y. Plessis en 1961. Cah. Pac. (9): 123-147.
L. fasciatus listed.
- 686 Por, F.D. 1971. One hundred years of Suez Canal. A century of Lessepsian migrations: retrospects and new viewpoints. Syst. Zool. 20: 138-159.
Lists *L. klunzingeri*.
- 687 Por, F.D. 1978. Lesspsian migrations. Ecological studies No. 23, 228 p. Springer Verlag, Berlin.
Discuss migration and population dynamics of *L. klunzingeri* into and in the Mediterranean respectively.
- 688 Pownall, P.C. 1975. Marine fisheries. In Fisheries of Indonesia—Special Feature. Aust. Fish. 34(2): 2-30.
"Slipmouths" among the demersal species of commercial value.
- 689 Prabhu, M.S. 1955. Some aspects of the biology of the ribbonfish *Trichiurus haumela* (Forskål) Indian J. Fish. 2(1): 132-163.
Leiognathus spp. as food of *T. haumela*.
- 690 Prabhu, M.S. and R.M. Dawan. 1974. Marine fisheries resources in the 20 and 40 meter region off the Goa coast. Indian J. Fish. 21(1): 40-53.
Catch data for *Leiognathus* spp. including *L. splendens*, *L. bindus*, *L. insidiator*.
- 691 Prabhu, M.S., S. Ramamurthy, M.D.K. Kuthalingam and M.H. Dhulkhed. 1967. On the experimental fishing of Ullal (Mangalore). Indian J. Fish. 14 (1/2): 225-231.
Biological notes on *L. splendens*.
- 692 Probst, K. 1963. Meeresaquaristik. Teil III. Fische: 77 Lehrmeister Bücherei No. 75. Albrecht Philler Verlag, Minden.
Mentions the Leiognathidae, *L. klunzingeri*, and its lessepsian migration.
- 693 Qureshi, M.R. 1961. Pakistan's fisheries. Govt. Press, Karachi.

- Leiognathus* listed among the important genera of fishes in Pakistan.
- 694 Qureshi, M.R. 1964. A field guide to the identification of fishes, order Perciformes. Part 1. Suborder Percoidei (Families Lutjanidae, Lobotidae, Gerriidae). Scientist (Karachi) 7: 20-36.
- 695 Radhakrishnan, N. 1969. On the pelagic fishery resources off Vizhinjam on the South West coast of India III. Proc. Indian Sci. Congr. Assoc. 56 (3): 541.
Rate of growth of *Secutor ruconius*.
- 696 Radhakrishnan, N. 1973. Pelagic fisheries of Vizhinjam. Indian J. Fish. 20(2): 584-598.
Gives 1,264 tons as average annual catch of silver bellies for the entire South Kerala Coast.
- 697 Radhakrishnan, N. 1974. Demersal fisheries of Vizhinjam. Indian J. Fish. 21(1): 29-39.
Catch data for *Leiognathus* spp., and growth data for *Secutor ruconius* and *S. insidiator*.
- 698 Rajan, S. 1964. Environmental studies of the Chilka lake. I. Feeding spectrum of fishes. Indian J. Fish. 11(2): 521-532.
Mentions that *L. equulus* in the sample investigated had fed mainly on lamellibranchs, and that the fishes are generally benthophagous.
- 699 Ramsay, E.P. and J.D. Ogilby. 1886. A contribution to the knowledge of the fish fauna of New Guinea. Proc. Linn. Soc. N.S.W. 2nd Ser. 1. 11 p.
Original description of *L. smithursti* from Hood Lagoon, New Guinea. p. 8 lists *G. minuta* from Papua New Guinea.
- 700 Randall, J.E., G.R. Allen and W.F. Smith-Vaniz. 1971. Illustrated identification guide to commercial fishes. FI:DP/RAB/71/278/3. 221 p. Reg. Fish. Surv. Dev. Proj., Doha, Qatar.
p. 101 includes a figure of *Leiognathus bindus* from the Persian Gulf.
- 701 Ranisingh and P.K. Talwar. 1978. On a new species of silver belly, Leiognathidae (from the Bay of Bengal). Bull. Zool. Surv. India 1(3): 275-277.
- 702 Ranisingh and P.K. Talwar. 1978. On the little known pony fish, *Gazza achlamys* Jordan and Starks (Pisces: Leiognathidae) in the Indian waters. Curr. Sci. 47(23): 930-931.
- 703 Rao, G.N. Subba. 1967. Fish processing in the Indo-Pacific area. Reg. Stud. Indo-Pacific Fish. Counc. 4. 23 p.
Leiognathus sp. being dried in Burma. Called "nga-tanga." *Leiognathus* sp. raw material for fermented fish sauce in the Philippines.
- 704 Rao, K. Satyanarayana. 1967. Reproductive cycles and lipid levels in *Leiognathus splendens* (Cuvier). J. Mar. Biol. Assoc. India 9(2): 303-322.
Data indicate prolonged spawning period, with a peak in January and a secondary peak in June. Lipids are stored in the liver, intestine and lateral muscles prior to spawning period.
- 705 Rao, K. Srinivasa. 1967. Food and feeding habits of fishes from trawl catches in the Bay of Bengal with observations on diurnal variations in the nature of the feed. Indian J. Fish. 11(1): 277-314.
Gives food items for 5 leiognathid spp., items ordered according to "points" and time of the day.
- 706 Rao, K. Virabhadra. 1967. Exploratory fishing, p. 25-36. In Souvenir, 20th Anniversary, Central Marine Fisheries Research Institute, Cochin.
- 707 Rao, K. Virabhadra. 1969. Distribution pattern of the major exploited marine fishery resources of India. Bull. Cent. Mar. Fish. Res. Inst. 6. 69 p.
Discusses catch data of Leiognathidae.
- 708 Rao, K. Virabhadra. 1969. Trawl fishing in India. Proc. Indo-Pacific Fish. Counc. 13(3): 566-575.
p. 571 states that most of the high catch in the Palk Bay and Gulf of Manar area consists of small fishes, predominantly silver-bellies.
- 709 Rao, K. Virabhadra. 1973. Distribution pattern of the major exploited marine fishery resources of India, p. 18-101. In Proceedings of the symposium on living resources of the seas around India. Spec. Publ. Cent. Mar. Fish. Res. Inst., Cochin.
p. 43 discusses catch data of Leiognathidae.
- 710 Rapson, A.M. and C.R. McIntosh. 1971, 1972. Prawn surveys in Papua New Guinea. First ed. (1971): Biol. Ser. 10/5. Second ed. (1972). Res. Bull. No. 3. 98 p. Dept. Agric., Stock Fish., Port Moresby.
Lists Leiognathidae [genera *Gazza*, *Secutor*, *Equula*, *Equulites* and *Leiognathus*] among the fishes commonly associated with prawns (prawn "indicators"). Suggest that Leiognathidae complete for food with prawns.

- 711 Rau, N. and A. Rau. 1980. Commercial fishes of the Philippines. German Agency for Technical Cooperation (GTZ), Eschborn, Germany. 623 p. p. 306 description and drawings of *G. minuta*, *L. bindus*, *L. brevirostris*, *L. daura*, *L. elongatus*, *L. equulus*, *L. fasciatus*, *L. leuciscus*, *L. lineolatus*, *Leiognathus* sp. (as in Kühlmorgen-Hille, 1974) *L. splendens*, *S. insidiator* and *S. ruconius*.
Includes *L. rivulatus*, which would represent a first record from the Philippines and is a probable misidentification. Also, the remark "known from southern Japan, possibly occurring in the Philippines Wongratana, pers. comm. 1978" probably refers to *L. rivulatus*, not to *L. lineolatus* (see p. 314) which is known to occur in the Philippines.
- 712 Regan, C.T. 1907. Report on the marine fishes collected by Mr. J. Stanley Gardiner in the Indian Ocean. Trans. Linn. Soc. London (Zool.), Ser. 2. 12: 217-255.
- 713 Ritragasa, S. and S. Pramokchutima. 1970. The analysis of demersal fish trawl catches taken from the otterboard trawling survey in the Gulf of Thailand, 1968. Contrib. Mar. Fish. Lab., Bangkok 16. 61 p.
- 714 Regan, C.T. 1912. New fishes from Aldabra and Assumption, collected by Mr. J.C.F. Fryer. Trans. Linn. Soc. London (Zool.) Ser. 2. 15: 301-302.
- 715 Regan, C.T. 1913. The classification of the Percoid Fishes. Ann. Mag. Nat. Hist. 12: 111-115. Leiognathidae (Leiognathidae + Gerridae).
- 716 Regan, C.T. 1920. Freshwater fishes from Madagascar. Ann. Mag. Nat. Hist., Ser. 9, 5: 419-424. p. 420 *L. dussumieri*.
- 717 Reichelt, J.L. and P. Baumann. 1973. Taxonomy of the marine, luminous bacteria. Arch. Microbiol. 94: 283-330.
- 718 Reichelt, J.L. and P. Baumann. 1975. *Photobacterium mandapamensis* Hendrie et al., a later subjective synonym of *Photobacterium leiognathi* Boisvert et al. Int. J. Syst. Bacteriol. 25: 208-209.
- 719 Reichelt, J.L., K. Neilson and J.W. Hastings. 1977. The specificity of symbiosis: pony fish and luminescent bacteria. Arch. Mikrobiol. 112(2): 157-161.
- 720 Richardson, J. 1845. Report on the ichthyology of the seas of China and Japan. Rep. Brit. Assoc. Adv. Sci. 15th meeting: 187-320.
Lists *E. rivulata* and *E. nuchalis*.
- 721 Richardson, J. 1848. Fishes. In A. Adams. The zoology of the voyage of H.M.S. "Samarang"; under the command of Captain Sir Edward Belcher; during the years 1843-1846. London.
- 722 Richardson, J. and T.E. Gray. 1844. Ichthyology of the voyage of H.M.S. "Erebus" and "Terror". Edward Newman, London.
- 723 Ricker, W.E. 1973. Russian English dictionary for students of fisheries and aquatic biology. Bull. Fish. Res. Board Can. 183. 428 p.
Gives Russian equivalents for Leiognathidae and *Leiognathus*.
- 724 Ritragasa, S. 1976. Results of the studies on the status of demersal fish resources in the Gulf of Thailand, from trawling surveys, 1963-1972, p. 198-223. In K. Tiews (ed.) Proceedings of the international seminar on fisheries resources and their management in Southeast Asia. Berlin (West), 19 November-6 December 1974. Westkruez-Druckerei, Berlin.
Contains catch data for Leiognathidae, by sub-area and year.
- 725 Ritragasa, S., D. Dhamniyom and S. Sithichaikasem. 1968. An analysis of demersal fish catches taken from the otterboard trawling survey in the Gulf of Thailand, 1966. Contrib. Mar. Fish. Lab., Bangkok 11. 104 p.
- 726 Ritragasa, S., D. Dhamniyom and S. Sithichaikasem. 1969. [An analysis of demersal fish catches taken from the otterboard trawling survey in the Gulf of Thailand, 1967]. Contrib. Mar. Fish. Lab., Bangkok 15. 70 p.
- 727 Rofen, R.R. 1963. Handbook of the food fishes of the Gulf of Thailand. George Vanderbilt Foundation and Scripps Inst. of Oceanography. La Jolla, Calif.
p. 61-63 describes and gives figures of *L. equulus*, *L. splendens*, *L. fasciatus*, *L. brevirostris*, *L. daura*, *L. elongatus*, *S. ruconius*, *S. insidiator* and *G. minuta* with synonymy and common names.
- 728 Romer, A.S. 1966. Vertebrate paleontology. 3rd ed. Univ. Chicago Press, Chicago.

- Gives occurrence of Leiognathidae from the Oligocene-Miocene to recent.
- 729 Ronquillo, I.A. 1950. Anatomical evidence in cases of fish killed by explosive. Bull. Fish. Soc. Philipp. 1: 52-56.
Leiognathus sp. listed among the fishes commonly caught by the use of explosives.
- 730 Ronquillo, I.A. 1954. Food habit of tuna and dolphins based upon the examination of their stomach contents. Philipp. J. Fish. 2(1): 71-83.
 Quotes Nakamura (1936) who mentions *Leiognathus* as frequent food item of *Neothunnus macropterus*.
- 731 Ronquillo, I.A. 1972. Status of the round scad (*Decapterus* spp.) catch by purse seine, p. 417-423. In K. Sugawara (ed.) The Kuroshio II; proceedings of the second symposium on the results of the Cooperative Study of the Kuroshio and Adjacent Regions, Tokyo, Japan, September 28-October 1, 1970. Saikon Publ. Co., Tokyo.
 1968 Philippine leiognathid catch by bag nets (9,473 tons) and purse seine (2,344 tons).
- 732 Ronquillo, I.A. 1974. A review of the roundscad fishery in the Philippines. Proc. Indo-Pacific Fish. Counc. 15(3): 351-375.
Leiognathus spp. listed under the species caught by light fishing (bag net and purse seine).
- 733 Ronquillo, I.A. and P. Caces-Borja. 1968. Notes on the infestation of *Chanos chanos* by a parasitic isopod. Philipp. J. Fish. 8(1): 113-117.
 Notes that an isopod (*Ichthyoxenus jellinghausii*) infects several species of fishes, including slipmouths.
- 734 Ronquillo, I.A., P. Caces-Borja and A.N. Mines. 1972. Preliminary observations on the otter trawl fishery of Manila Bay. Proc. Indo-Pacific Fish. Counc. 13(3): 638-648.
 Catch data for Sapsap (= Slipmouth = Leiognathidae); discussion of changes in availability and species composition of catches.
- 735 Roxas, H.A. and C. Martin. 1937. A checklist of the fishes recorded from the Philippines. Tech. Bull. Dept. Agric. Commer. Philipp. 6. 314 p.
- 736 Ruamragsa, S. and A.P. Isarankura. 1965. An analysis of demersal catches taken from the experimental trawling operations in the Gulf of Thailand. Contrib. Mar. Fish. Lab., Bangkok 3. 51 p.
- 737 Ruby, E.G. and J.G. Morin. 1978. Specificity of symbiosis between deep sea fishes and psychrotrophic luminous bacteria. Deep-Sea Res. 25(2): 161-168.
- 738 Rüppell, E. 1828. Atlas zu der Reise in Nördlichen Afrika: Fische des Rothen Meeres. Frankfurt.
- 739 Rüppell, E. 1835. Neue Wirbeltiere zu der Fauna von Abyssinien gehörig. Fische des Rothen Meeres. Siegmund Schmerber, Frankfurt.
 p. 4 *Gazza equulaeformis* (type loc. Massua, Red Sea)
- 740 Russell, D. 1803. Descriptions and figures of 200 fishes collected at Vizagapatam on the coast of Coromandel. Vol. 1. London.
 p. 48 *E. splendens*; p. 49 *Zeus tottah karah*; p. 50 *E. bindus*; p. 51 *E. daura*.
- 741 Rutter, C. 1898. A collection of fishes obtained in Swatow, China, by Miss Adele M. Fielde. Proc. Acad. Nat. Sci. Phila.: 56-90.
 p. 73 *L. nuchalis*.
- 742 Sachithanathan, K. 1977. Dried fish production in Sri Lanka, p. 323-325. In Proceedings of the conference on the handling, processing and marketing of tropical fish. Tropical Products Institute, London.
 Lists *Leiognathus* sp. (pony fish, Sinhala: Karalla; Tamil: Karel) among the locally produced dried fish species, along with the following data: length of *Leiognathus* after drying: 7 cm, weight 1.9 g, sand content 10%, also refer to faecal contamination.
- 743 Saeger, J., P. Martosubroto and D. Pauly. 1976. First report of the Indonesian-German Demersal Fisheries Project (results of a trawl survey in the Sunda Shelf area). Mar. Fish. Res. Rep. (L.P.P.L.)/Contrib. Demersal Fish. Proj. 1: 1-46.
 Catch data of Leiognathidae.
- 744 Saetre, R. and R. de Paula e Silva. 1979. The marine fish resources of Mozambique. Reports of surveys with R/V Dr. Fridtjof Nansen. Serv. Invest. Pesq., Maputo and Inst. Mar. Res., Bergen. 179 p.
Gazza minuta, *Leiognathus elongatus*, *L. equulus*, *Secutor ruconius* and *S. insidiator* recorded from Mozambique coast. Various biological characteristics given (spawning season, circadian

- movements, etc.), as well as catch rate in various areas.
- 745 Samuel, C.T. 1968. Marine fisheries in India. M.S. S.T. Reddiar and Sons, India:
On Leiognathidae and their distribution.
- 746 Santos, L.M. 1975. Report on the species distribution of some commercially important fishes. *In* Fourth Fisheries Forum, Philippine Council for Agriculture and Resources Research, Los Baños, Philippines.
Presents occurrences lists including leiognathid species for different areas of the Philippines. Some identification help given (keys).
- 747 Saroeung, S. 1976. Quantitative studies of demersal fauna of the Khmer coastal water, p. 256-268. *In* K. Tiewes (ed.) Proceedings of the international seminar on fisheries resources and their management in Southeast Asia, Berlin (West), 18 November-6 December. Westkruez-Druckerei, Berlin.
Lists *Leiognathus* among the trash fish sent to meal plants or thrown overboard when boats are short of ice.
- 748 Satyanarayana, A.V.V., G. Narayanappa and D.A.N. Raju. 1972. On the comparative fishing experiments with a four-seam and a two-seam trawls on the East Coast. *Fish. Technol. Cochin* 9(2): 169-172.
Leiognathidae part of the catch.
- 749 Sauvage, H.E. 1891. Histoire naturelle de poissons. (being Vol. 16 of) A. Grandidier, Histoire physique, naturelle et politique de Madagascar. Paris.
Mentions *Equula parviceps*.
- 750 Saville-Kent, W. 1889. Food fishes of Queensland. Qld. Parliament Paper CA52-1889.
- 751 Saville-Kent, W. 1893. The Great Barrier Reef of Australia: its products and potentialities. W.H. Allen and Co., London.
p. 369 *E. asina* (listed only), *E. decora*, *E. argentea*.
- 752 Sawada, T. 1977. A dictionary of fish in Indonesia (with illustrations). Textbook No. 50. Japan International Cooperation Agency, Tokyo.
- 753 Schlegel, H. 1845. Pisces. *In* Von Siebold's Fauna Japonica. Parts 7-9. Leyden.
- 754 Schmeltz, J.D.E. 1864. Museum Godeffroy, Catalogue 1.
p. 9 *E. filigera* (South Seas).
- 755 Schmeltz, J.D.E. 1865. Museum Godeffroy, Catalogue 2.
p. 7 *E. filigera*.
- 756 Schmeltz, J.D.E. 1866. Museum Godeffroy, Catalogue 3.
p. 9 *E. fasciata* (Samoa).
- 757 Schmeltz, J.D.E. 1869. Museum Godeffroy, Catalogue 4.
p. 18 *G. minuta* (Kandavu); *E. fasciata* (Samoa; Viti Isl.).
- 758 Schmeltz, J.D.E. 1874. Museum Godeffroy, Catalogue 5.
p. 27 *E. fasciata* (Samoa, Viti, Tahiti); p. 28 *Gazza equulaeformis* (Rarotonga).
- 759 Schmeltz, J.D.E. 1879. Museum Godeffroy, Catalogue 7.
p. 46 *E. fasciata* (South Seas)
- 760 Schmidt, G.D. and R.E. Kuntz. 1969. Nematode parasites of Oceanica. V. Fauna new species from fishes of Palawan, P.I., with a proposal for *Oceanicucullanus* gen. nov. *Parasitology* 59(2): 389-396.
On a nematode parasite of *G. minuta*.
- 761 Schmidt, P.J. 1929. Fishes of the Riu-Kiu Islands. *Trans. Pac. Comm. Acad. Sci. USSR* 1: 19-156.
- 762 Schmidt, P.J. 1930. A list of the fishes of the Riu-Kiu Islands. *Bull. Acad. Leningrad* 1930: 541-548. Also *J. Pan-Pac. Res. Inst.* 5(4): 2-6.
Lists *L. edentulus*. Mentions that these islands are the northern limit for true tropical fishes.
- 763 Schmidt, P.J. 1931. A list of fishes collected in Japan by Dr. A Bunge and N. Grebnitzky. *Bull. Acad. Sci. USSR* 1: 101-122. (In English with Russian summary).
Lists *L. rivulatus*.
- 764 Schmidt, P.J. 1931. Fishes of Japan collected in 1901. *Trans. Pac. Comm. Acad. Sci.* 2: 1-176. (In English with Russian summary).
Lists *L. rivulatus*.

- 765 Schmidt, P.J. 1932. An additional list of the fishes of the Riu-Kiu Islands. *Trans. Pac. Comm. Acad. Sci.* 2: 177-185.
- 766 Schroeder, R.E. 1977. Preliminary results of the size-maturity survey of commercially important fishes of Honda Bay. *Philipp. J. Fish.* 15(2): 127-173.
Length-weight, size frequency and maturity data of *Leiognathus daura* from Honda Bay, Palawan.
- 767 Schroeder, R.E. 1980. Philippine shore fishes of the Western Sulu Sea. National Media Production Center, Manila, 266 p.
Excellent photos and descriptions of *L. equulus*, *L. smithursti*, *L. splendens*, *L. brevirostris*, *L. binudus*, *L. elongatus*, *G. minuta* and *S. insidiator*.
- 768 Schultz, L.P., E.S. Herald, E.A. Lachner, A.D. Welander and L.P. Woods. 1953. Fishes of the Marshall and Marianas Islands, Vol. 1. Families from Assymetroniidae through Siganidae. *Bull. U.S. Nat. Mus.* 202(1): 1-685.
Combine Leiognathidae + Gerridae to one family (Gerridae); lists *L. equula*.
- 769 Schultz, L.P., L.P. Woods and E.A. Lachner. 1966. Fishes of the Marshall and Marianas Islands. *Bull. U.S. Nat. Mus.* 202(3): 1-176.
Lists *Leiognathus equulus* in Addendum to Vol. 1.
- 770 Schuster, W.H. and R.R. Djajadiredja. 1950. [Fish culture in salt water ponds in Java.] *Kementerian Pertanian, Pengumuman* 2. 245 p. (In Indonesian, English summaries)
Mentions that *S. insidiator*, *L. equulus* and *G. minuta* are also caught in tidal ponds (for milkfish culture) as a result of deliberate stocking of tambak with "wild" fish larvae and juveniles.
- 771 Schuster, W.H. and R.R. Djajadiredja. 1952. Local common names of Indonesian fishes. Ministry of Agriculture, Laboratory for Inland Fisheries.
Gives Indonesian names for 7 species of Leiognathidae.
- 772 Scott, J.R. 1959. An introduction to the sea fishes of Malaya. Min. of Agriculture. Govt. Press, Kuala Lumpur.
Lists and describes *S. insidiator* (photo), *L. splendens*, *G. minuta* and *L. daura* (photo).
- 773 SEAFDEC. 1978. Fishery statistical bulletin for South China Sea area 1976. Southeast Asian Fisheries Development Center, Thailand.
Leiognathid catches, by countries and gears.
- 774 Seale, A. 1901. Report of a mission to Guam. Part 2. Fishes. *Occas. Pap. Bernice P. Bishop Mus.* 1(3): 61-128.
p. 74 *L. obscurus* Seale.
- 775 Seale, A. 1910. Fishes of Borneo, with descriptions of four new species. *Philipp. J. Sci.* 5(4D): 263-289.
Lists and describes *Leiognathus caballa*, *L. splendens*, *L. blochii*, *Secutor ruconius* and *Gazza minuta*.
- 776 Seale, A. 1914. Fishes of Hongkong. *Philipp. J. Sci.* 9(1D): 59-81.
Lists *Secutor insidiator*, *S. ruconius*, *Leiognathus edwardsi*, *L. virgatus* and *L. daura*.
- 777 Seale, A. and B.A. Bean. 1907. On a collection of fishes from the Philippine Islands, made by Maj. Edgar A. Mearns, Surgeon, U.S. Army, with descriptions of seven new species. *Proc. U.S. Nat. Mus.* 33: 229-248.
p. 242 *L. dussumieri*, *L. edentula*.
- 778 Seba, A. 1758. *Locupletissimi rerum naturalium thesauri accurata descriptio et iconibus, artificiosissimis expressio, per universam physicis historiam ... Ex toto terrarum orbe collegit, digessit, descripsit, et depingendum curavit Albertus Seba.* Fishes, Vol. III: 58-109.
Scomber flavescens.
- 779 Sekharan, K.V., M.S. Muthu, K. Venkata, Subba Rao, V. Ramamohana Rao, P. Mojumder and S. Reuben. 1973. Exploratory trawling on the continental shelf along the north-western part of the Bay of Bengal, p. 280-337. *In Proceedings of the symposium on living resources of the seas around India.* Spec. Publ. Cent. Mar. Fish. Res. Inst., Cochin.
Lists *Leiognathus* among the important fish caught.
- 780 Shaw, G. 1803. *General zoology or systematic natural history.* Vol. 4. G. Kearsley, London.
p. 587 *S. edentulus*; p. 594 *S. minuta*; p. 596 *S. equula*.

- 781 Shindo, S. 1973. General review of the trawl fishery and the demersal fish stocks of the South China Sea. FAO Fish Tech. Pap. 120. 49 p.
Includes *Leiognathidae* catch data.
- 782 Shiino, S.M. 1972. English and Japanese names of Japanese fishes with proposition of new names. Sci. Rep. Shina Marineland 1: 1-210.
As per title for *L. elongatus*, *L. equulus*, *L. lineolatus*, *L. nuchalis* and *L. rivulata*.
- 783 Shiino, S.M. 1976. List of common names of fishes of the world. Those prevailing among English speaking nations. Sci. Rep. Shina Marineland 4. 262 p.
p. 191-192 English and Japanese names for 19 species of the family *Leiognathidae*.
- 784 Shubnikov, D.A. and G.I. Tokareva. 1973. Material on fish resources on the Shelf of the Indian Peninsula, p. 84-96. In A.S. Bogdanov (ed.) Soviet fisheries investigations in the Indian Ocean. Israel Progr. for Sci. Transl., Jerusalem.
p. 94 catch data lists *L. commersoni*, *L. daura*, *L. splendens*, *L. fasciatus*, *L. leiognathus* and *S. insidiator*.
- 785 Shubnikov, D.A. and G.I. Tokareva. 1973. Some data on the ichthyofauna of the eastern part of the Bay of Bengal and the Andaman Sea, p. 97-126. In A.S. Bogdanov (ed.) Soviet fisheries investigations in the Indian Ocean. Israel Progr. for Sci. Transl., Jerusalem.
Leiognathids mentioned among the fishes of low commercial value. p. 104 catch list mentions *G. minuta*, *L. fasciatus*, *L. splendens* and *S. insidiator*.
- 786 Shuntov, V.I. 1971. Some data on the biology of fishes of the Arafura Sea and their environmental conditions. J. Ichthyol. (Vopr. Ikhtiol.) 11(1): 1-8.
Presence of *leiognathid* as related to seasonal upwelling.
- 787 Silas, E.G., editor. 1977. Issues on the occasion of the 5th session of the Indian Fishery Commission held at Cochin from 19th to 26th October 1977.
Sindermann, C.J. 1970. Principal diseases of marine fish and shellfish. Academic Press, New York and London.
p. 41 mentions infection of *L. fasciatus* by the myxosporidian *Henneguya vitiensis*, refers to Laird (1950).
- 789 Singh, R. and P.K. Talwar. 1978. On the little known pony fish, *Gazza aklamys* Jordan and Starks (Pisces: *Leiognathidae*) in the Indian waters. Curr. Sci. 47(23): 930-931.
Description of *G. aklamys*.
- 790 Sinoda, M., P.Y. Lim and S.M. Tan. 1978. Preliminary study of trash fish landed at Kangkar fish market in Singapore. Bull. Jap. Soc. Sci. Fish. 44(6): 595-600.
- 791 Sivalingam, S. 1969. Wadge Bank trawl fishery studies. III. Nature and composition of the resident population. Bull. Fish. Res. Stn. Ceylon 20: 27-38.
Leiognathus sp. listed under the "small fish" category.
- 792 Sivalingam, S. and J.C. Medcof. 1957. General features and productivity of the Wadge Bank Trawl Fishery. Bull. Fish. Res. Stn. Ceylon 6. 23 p.
- 793 Smith, H.M. and T.E.B. Pope. 1906. List of fishes collected in Japan in 1903, with descriptions of new genera and species. Proc. U.S. Nat. Mus. 31: 459-499.
p. 466 on *Leiognathus elongatus* from Kagoshima, Japan.
- 794 Smith, H.M. and A. Seale. 1906. Notes on a collection of fishes from the island of Mindanao, Philippine archipelago, with descriptions of new genera and species. Proc. Biol. Soc., Washington 19: 73-82.
p. 77 *E. minuta*.
- 795 Smith, I. 1978. An economic analysis of the structure and performance of the milkfish (*Chanos chanos* Forskål) fry industry in the Philippines and related aquaculture development policies. University of Hawaii, Honolulu, Hawaii, 307 p. Ph.D. dissertation.
Lists slipmouth (local name: lanay or laway-laway) among fishes found in milkfish fry catch or in pond harvest of marketable milkfish.
- 796 Smith, J.L.B. 1951. Thirteen noteworthy additions to the South-east African marine fauna. Ann. Mag. Nat. Hist. 12(4): 49-66.
L. elongatus from E. Africa.
- 797 Smith, J.L.B. 1965. The sea fishes of Southern Africa. 5th ed. Central News Agency, Ltd., South Africa.
Revision of South African *Leiognathidae*.

- 798 Smith, J.L.B. and M.M. Smith. 1963. The fishes of Seychelles. Dept. of Ichthyology, Rhodes Univ., Grahamstown.
Lists *G. minuta*, *L. equula*, *L. fasciatus* and *S. insidiator*, with figures.
- 799 Smith, M.M. and P.B.N. Jackson. 1975. Common and scientific names of the fishes of Southern Africa. Part 1: Marine fishes. Part 2: Freshwater fishes. Spec. Publ. J.L.B. Smith Inst. Ichthyol., Rhodes Univ. 14: 1-178.
p. 47 lists *G. minuta*; p. 48 lists *L. equulus*, *L. elongatus*, *S. insidiator*, *S. ruconius*.
- 800 Snyder, J.O. 1912. Japanese shore fishes collected by the United States Bureau of Fisheries Steamer "Albatross" expedition of 1906. Proc. U.S. Nat. Mus. 42: 399-450.
p. 412 lists *L. argenteus* from Suraga Market, Japan.
- 801 Soewito, S. 1961. [Trawl fishing with a trawl in Indonesian waters] Djawatan Perikanan Laut Pusat, Djakarta/Marine Fisheries Service. (In Indonesian).
50-60% of the catch consisting of Leiognathidae.
- 802 Sreenivasan, P.V. 1974. Observation on the food and feeding habits of the 'torpedo trevally' *Megalaspis cordyla* (Linnaeus) from Vizhinjam Bay. Indian J. Fish. 21(1): 76-84.
Leiognathus spp. and *Gazza minuta* recorded as main food items.
- 803 Srinivasan, R. 1966. On the production and nutritive value of fish meal from silver belly, *Leiognathus* sp. landings at Rameswaram, India. Proc. Indian Sci. Congr. 53: 380-381.
Leiognathus sp. used as poultry and cattle feed.
- 804 Starks, E.C. 1911. The osteology and relationships of *Leiognathus*, a genus of Scombroid fishes. Stanford Univ. Publ., Univ. Ser. 5: 5-15.
Osteology of *L. fasciatus*.
- 805 Starks, E.C. 1926. Bones of the ethmoid region of the fish skull. Stanford Univ. Publ. Ser. Biol. Sci. 5(3): 139-338.
p. 235 cranium of Samoan specimen of *L. fasciatus*.
- 806 Steindachner, F. 1879. Über einige neue und seltene Fischarten aus den k.-k. zoologischen Museum zu Wien, Stuttgart, und Warschau. Denkschr. Akad. Wiss. Wien 41(1): 1-52.
p. 11 *E. novae-hollandiae* sp. n.
- 807 Steindachner, F. 1880. Zoologischer Jahresbericht für 1879. 2: 1023-1082. W. Engelman, Leipzig.
p. 1060 description of *Parequula* n.g.
- 808 Steindachner, F. 1898. Über einige neue Fischarten aus dem Rothen Meere, gesammelt während der 1. und 2. österreichischen Expedition nach dem Rothen Meere in den Jahren 1895-1896 und 1897-1898. Sitzb. Akad. Wiss. Wien 107(1): 780-788.
On *Equula klunzingeri* nov. sp. from Suez.
- 809 Steindachner, F. 1902. Fische aus Südarabien und Sokotra. Denkschr. Akad. Wien 71: 123-168.
p. 144 *E. daura*.
- 810 Steindachner, F. 1906. Zur Fischfauna der Samoa-Inseln. Sitz. Akad. Wiss. Wien 115: 1369-1425.
p. 1383 *E. edentula*, *E. fasciata*.
- 811 Steinitz, H. 1967. A tentative list of immigrants via the Suez Canal. Isr. J. Zool. 16: 166-169.
- 812 Sudrajat, A. and U. Beck. 1978. Report on the Southern South China Sea demersal trawl survey June and July 1978. Contrib. Demersal Fish. Proj. Mar. Fish. Res. Inst., Jakarta 4: 81-140.
Present catch rates for Leiognathidae and *Leiognathus splendens*, with a map showing the catch rate of *L. splendens*.
- 813 Sujastani, T. 1980. The marine fishery resource of the North Coast of West Java, p. 65-69. In E.C.F. Bird and S. Soegiarto (eds.) Proceedings of the Jakarta workshop on coastal resource management.
Defines for the Java Sea an "inshore" fish community characterized by the presence of *L. splendens* and an "offshore" community defined by the presence of *L. elongatus*. Lists Leiognathidae under the fishes caught off the North Java Coast.
- 814 Sujastani, T., P. Martosubroto and D. Pauly. 1976. A review of the demersal fishery of Indonesia in the Malacca Strait, based on recent demersal

- surveys and catch and effort data, p. 23-47. In Report of the workshop on the fishery resources of the Malacca Strait. Part I. SCS/GEN/76/2. South China Sea Fish. Dev. Coord. Progr., Manila. Catch data for Leiognathidae.
- 815 Sulit, J.I., O.B. Navarro, R.C. San Juan and E.B. Caldito. 1953. Proximate chemical composition of various species of Philippine market fishes. Philipp. J. Fish. 2(1/2): 106-120.
p. 112 moisture, ash, protein, fat, carbohydrate and calorific content of *Leiognathus equulus* (large, medium and small).
- 816 Sumadhiharga, K. 1970. On the replacement of the trap nets by gill nets. Bogor Agric. Inst., Indones. 69 p. Thesis. (In Indonesian)
Mentions *Leiognathus* spp. as first or second (after *Stolephorus* spp.) most important species in lift-net catches.
- 817 Sundara Raj, B., editor. 1931. Fish statistics for 1927-28. Report No. II of 1930, Madras Fisheries Department. Madras Fish. Bull. 24: 105-197.
Catch data for Leiognathidae.
- 818 Sundara Raj, B., editor. 1939. Fish statistics for 1928-29, 1929-30 and 1930-31. Report Nos. II, III and IV of 1937, Madras Fisheries Department. Madras Fish. Bull. 27(2).
p. 96-97, 120-121, 151 and 155 catch data for Leiognathidae.
- 819 Suseelan, C. and K.V. Somasekharan Nair. 1969. Food and feeding habits of the demersal fishes of Bombay. Indian J. Fish. 16 (1/2): 56-74.
Leiognathus sp. as food of *Pseudosciaena diacanthus*.
- 820 Suvatti, C. 1936. Index to fishes of Siam. Bureau of Fisheries, Bangkok.
p. 119 *L. oblongus*.
- 821 Suvatti, C. 1950. Fauna of Thailand. Dept. of Fisheries, Bangkok.
Lists *L. berbis*, *L. bindus*, *L. blochi*, *L. daura*, *L. dussumieri*, *L. equulus*, *L. fasciatus*, *L. insidiator*, *L. leuciscus*, *L. splendens*, *G. equulaeformis* and *G. minuta*.
- 822 Suyehiro, Y. 1942. A study on the digestive system and feeding habits of fish. Jap. J. Zool. 10: 1-305.
- 823 Swainson, W. 1839. The natural history of fishes, amphibians and reptiles, or Monocardian animals. II. In Lardner's Cyclopaedia, London, Vol. 2. p. 247 on *Argyrlepes*, a synonym of *Leiognathus* Lac.
- 824 Talwar, P.K. and T.K. Sen. 1971. On some fishes from the Madras coast with description of a new species of the family Clinidae. Rec. Zool. Surv. India 65: 243-251.
Lists *Leiognathus bindus*, *L. blochii*, *L. dussumieri*, *L. equulus*, *L. lineolatus*, *L. splendens*, *S. ruconius* and *G. minuta*.
- 825 Tampi, P.R.S. 1959. The ecological and fisheries characteristics of a salt water lagoon near Mandapam. J. Mar. Biol. Assoc. India 1(2): 113-138.
G. minuta and *Leiognathus* spp. collected from lagoon.
- 826 Tamura, T. 1957. A study of visual perception in fish, especially on resolving power and accommodation. Bull. Jap. Soc. Sci. Fish. 22(9): 536-557.
Includes data on *Leiognathus*.
- 827 Tarbit, J. 1980. Demersal trawling in Seychelles waters. Fish. Div. Dept. Agric. and Land Use. Fish. Bull. No. 4, 84 p.
p. 75 lists *G. minuta*, *L. fasciatus*, *L. equulus*, *L. elongatus* and *L. leuciscus* (all "sap-sap") from Seychelles waters, the latter two being new distributional records.
- 828 Taylor, W.R. 1964. Fishes of Arnhem Land. Rec. Amer.-Aust. Sci. Exped. Arnhem Land. 4: 45-307.
p. 213-218 key to 5 leiognathid species of Arnhem Land (included in family Gerridae) with description and synonymy.
- 829 Tchaw-ren, C. 1960. Contributions to the fishes from Quemoy (Kinmen). Q. J. Taiwan Mus. 13: 191-213.
Key to genera and species of leiognathids from Quemoy.
- 830 Temminck, C.J. and H. Schlegel. 1842. Fauna Japonica. (Part 1R, Pisces), C.T.E. von Siebold (ed.).
Original description of *L. nuchalis*.
- 831 Thailand. Department of Fisheries. 1964. [Marine fishes of Thailand] Dept. of Fisheries, Bangkok. (In Thai).

- 832 Tham Ah Kow. 1950. The food and feeding relationships of the fishes of Singapore Straits. Colon. Off. Fishery Publ. 1(1). 35 p.
Gives data by month for *Gazza minuta*, *L. bindus* and *L. lineolatus*, with miscellaneous data for other *Leiognathus* spp.
- 833 Tham Ah Kow. 1954. On the inshore fish population of the Strait of Singapore. Indo-Pacific Fish. Council., 5th Session Doc. C54/Tech. 35. 12 p. and Proc. Indo-Pacific Fish. Council. 5(2): 168-176.
- 834 Tham Ah Kow. 1973. Sea fish, p. 202-226. In S.H. Chuang (ed.) Animal life and nature in Singapore. Singapore Univ. Press, Singapore.
Mentions that large "kekek" such as *L. equulus*, *L. fasciatus* and *L. splendens* are popular as food fish while the smaller ones are used as duck food. Leiognathidae are plankton feeders and commonly caught by kelong and beach seines. Bioluminescence and slime production mentioned.
- 835 Tham, Ah Kow. 1974. *Stolephorus* resources in the South China Sea. Proc. Indo-Pacific Fish. Council. 15(3): 182-191.
Gazza minuta mentioned as predator of *Stolephorus* in Singapore Strait.
- 836 Thiemmedh, J. 1966. Fishes of Thailand: their English, scientific and Thai names. (Reprint 1968) Bull. Kasetsart Univ. Fish. Res. (4): 1-212.
As per title for *G. minuta*, *L. daura*, *L. equulus*, *L. splendens*, *S. insidiator* and *S. ruconius*.
- 837 Thirumathi Gemma Evangeline, M.A. 1975. Hydrobiology of the estuaries and backwaters of Ramana-thapuram District, Tamilnadu, p. 193-211. In R. Natarajan (ed.) Recent researches in estuarine biology. Hindustan Publishing Corp., Delhi.
Lists *Leiognathus* among the fishes caught seasonally from Kottakudi estuary, and commonly from Malattar estuary.
- 838 Tholasilingham, T., K.C. George, M.G. Dayanandan, P. Karunakaran Nair and K. Nandakumaran. 1973. Exploratory trawl fishing and ground resources along the Kerala coast and adjacent waters, p. 241-257. In Proceedings of the symposium on the living resources of the seas around India. Spec. Publ. Cent. Mar. Fish. Res. Inst., Cochin.
Mention *Leiognathus* spp. among the common fishes caught at intermediate depth (22-35 m).
- 839 Tholasilingham, T., G. Venkataram and K.N. Krishnakartha. 1964. A study of the fishery and estimation of abundance of ground fish off Cochin. Indian J. Fish. 11(2): 709-734.
L. bindus comprises 1.3% of total catch. Catch data as related to depth for *L. bindus* and *L. splendens*.
- 840 Thoillièrre, V.J. 1857. Essai sur la faune de l'île de Woodlark ou Moiou, par le P. Montrouzier. Ichthyologie: 139-222. Ann. Soc. Hist. Nat. Lyons: 139-222.
Equula neb (type loc. Woodlark Island).
- 841 Thomas, P.A. 1969. Goat fishes (family Mullidae) of the Indian Seas. Mem. No. 3. Mar. Biol. Assoc., India.
Records *Leiognathus* from the stomach of *Upeneus tragula* and *U. vittatus* from the Mandapam Area, India.
- 842 Thomson, J.M. 1959. Some aspects of the ecology of Lake Macquarie, N.S.W., with regard to an alleged depletion of fish. IX. The fishes and their food. Aust. J. Mar. Freshwater Res. 10(3): 365-374.
Equulites moretonensis (spotted ponyfish) recorded from Lake Macquarie.
- 843 Thompson, J.C. and A. Scott. 1903. Copepoda. Ceylon Pearl Oysters Fisheries Report.
Report the parasitic copepod *Anchovella* (= *Clavella*) *uncinata* from the operculum folds of *Gazza minuta*.
- 844 Tiews, K. 1958. Research activities on marine fisheries biology in 1957. Philipp. J. Fish. 6(1): 71-105.
An account of biological work on Leiognathidae with some preliminary results.
- 845 Tiews, K. 1959. Report to the Government of the Republic of the Philippines on marine fishery resources. Rep. FAO/ETAP No. 1141: 1-88 and Philipp. J. Fish. 6(2): 107-208. 1962.
Results of research on the leiognathid stock in Manila and San Miguel Bay. Food, fecundity, etc. Mentions *Saurida* as predator of Leiognathidae, primarily of *L. insidiator*.
- 846 Tiews, K. 1962. Experimental trawl fishing in the Gulf of Thailand and its results regarding the possibilities of trawl fisheries development in Thailand. Veröff. Inst. Küst. Binnenfisch. 25: 1-53.

- 847 Tiews, K. 1965a. Bottom fish resource investigation in the Gulf of Thailand and an outlook on further possibilities to develop the marine fisheries in Southeast Asia. Arch. Fischereiwiss. 16(1): 67-108.
Remarks on leiognathid catches.
- 848 Tiews, K. 1965b. The German Fisheries Mission to Thailand (2nd project phase, 1962-1964). Veröff. Inst. Küst. Binnenfisch. 36: 1-32.
- 849 Tiews, K. 1966a. On the possibilities for further developments of the South East Asian fisheries. IPFC Curr. Aff. Bull. (47): 1-13. and Proc. of the Seventh Int. Congr. Nutrition 4: 3-11.
- 850 Tiews, K. 1966b. Third report to the Director General of the Department of Fisheries on marine fisheries research programming—Marine Fisheries Laboratory. Circ. Pap. Mar. Fish. Lab. Bangkok (2): 1-25. (In Thai and English).
Mentions *Leiognathus* as object of research.
- 851 Tiews, K. 1969a. Biological bases of fishery development with special regard to conditions in Southeast Asia, p. 157-162. In K. Tiews (ed.) Proceedings of the international seminar on possibilities and problems of fisheries development in Southeast Asia, September 10-30, 1968, Berlin.
Suggests that the Leiognathidae are plankton feeders.
- 852 Tiews, K. 1969b. Role and possibilities of the trawl net fishery in Southeast Asia, p. 319-323. In K. Tiews (ed.) Proceedings of the international seminar on possibilities and problems of fisheries development in Southeast Asia, September 10-30, 1968, Berlin.
Lists the Leiognathidae among the most important families in Southeast Asian waters.
- 853 Tiews, K. 1973. Fishery development and management in Thailand. Arch. Fischereiwiss. 24(1/3): 271-300.
Quantitative catch data, Gulf of Thailand, for leiognathids and other groups.
- 854 Tiews, K. and P. Caces-Borja. 1965. On the availability of fish of the family Leiognathidae Lacépède in Manila Bay and San Miguel Bay and on their accessibility to controversial fishing gears. Philipp. J. Fish. 7(1): 59-86.
Basic study on the Leiognathidae of Manila Bay.
- 855 Tiews, K., P. Divino, I.A. Ronquillo and J. Marques. 1972. On the food and feeding habits of eight species of *Leiognathus* found in Manila Bay and San Miguel Bay. Proc. Indo-Pacific Fish. Council. 13(3): 93-99.
As per title.
- 856 Tiews, K., A. Mines and I.A. Ronquillo. 1972. On the biology of *Saurida tumbil* (Bloch 1801) Family Synodontidae in Philippine Waters. Proc. Indo-Pacific Fish. Council. 13(3): 100-120.
Leiognathids, especially *L. insidiator* and *L. bindus*, being an important food item of *S. tumbil*.
- 857 Tiews, K., J.A. Ordoñez, and I.A. Ronquillo. 1972. On the benthos biomass and its seasonal variations in Manila Bay and San Miguel Bay and a comparison of their foraminiferan fauna. Proc. Indo-Pacific Fish. Council. 13(3): 121-138.
Mentions that certain genera of foraminiferans not found in benthos sample were recorded from the diet of *Leiognathus*.
- 858 Tiews, K., P. Sucondhmarn and A. Isarankura. 1967. On the changes in the abundance of demersal fish stocks in the Gulf of Thailand from 1963/1964 to 1966 as a consequence of the trawl fishery development. Contrib. Mar. Fish. Lab., Bangkok 8. 39 p. (In Thai and English).
Reports a decrease of 70%, from 1963 to 1966 in the catch/effort of Leiognathidae, while prices went up from 0.85 to 4.00 Baht/kg at Bangkok fish market. Note that only large *Leiognathus* (*L. equulus*) are used for human consumption.
- 859 Tillier, J.B. 1902. Le Canal de Suez et sa faune ichthyologique. Mém. Soc. Zool. Fr. 15: 279-318.
L. klunzingeri in Suez Canal.
- 860 Tomiyama, J. 1972. List of the fishes preserved in the Aitsu Marine Biological Station, Kumamoto University. Amakusa Rinkai Jinkkenjo Reikoku/Publ. Amakura Mar. Biol. Lab. 3(1): 1-21.
Lists *L. nuchalis* and *L. rivulatus*.

- 861 Tortonese, E. 1948. Ricerche zoologiche nel canale di Suez, II. Arch. Zool. Ital. 33: 275-292. On *L. klunzingeri*.
- 862 Tortonese, E. 1953. p. 390 In Hureau, J.C. and T. Monod (eds.) Check-list of the fishes of the north-eastern Atlantic and the Mediterranean (CLOFNAM) Unesco, Paris. *L. klunzingeri* from the Mediterranean.
- 863 Tortonese, E. 1975. Fauna d'Italia. Osteichthys (Pesci Ossei) Parte Seconda Edizioni Calderini. Bologna. p. 149-150 description of Leiognathidae and *Leiognathus*, record and description of *L. klunzingeri* from Lampredusa Island, Italy.
- 864 Tweedie, M.W.F. 1936. A list of the fishes in the collections of the Raffles Museum. Bull. Raffles Mus., Singapore 12: 16-28. Lists *L. blochii* from Singapore and *L. fasciatus* from the east coast of the Malay Peninsula.
- 865 Tweedie, M.W.F. 1940. Additions to the collection of fishes in the Raffles Museum. Bull. Raffles Mus., Singapore 16: 68-82. p. 76 *L. equulus*, *L. insidiator*, *L. ruconius* from Singapore and Selangor, Malaysia.
- 866 Uchida, K.S. and H. Yabe. 1939. The fish fauna of Saisyu-to (Quelpart Island) and its adjacent waters. J. Chosen Nat. Hist. Soc. 25: 3-16. Mentions *L. equulus*.
- 867 Uchida, K.S. et al. 1958. Studies on the eggs, larvae and juveniles of Japanese fishes. Ser. I, Kyushu Univ., Fac. Agric. Dept. Fish.
- 868 U Khin. 1948. Fisheries in Burma. Govt. Printing, Rangoon. p. 20 describes "silver-bellies"; gives figure of *L. splendens*, and Burmese names; reports that "it is caught in very large quantities."
- 869 Umali, A.F. 1932. The Japanese beam trawl used in Philippine waters. Philipp. J. Sci. 48(3): 389-410.
- 870 Umali, A.F. 1934. Fishing industry of southwestern Samar. Philipp. J. Sci. 54: 365-392. p. 371 *L. equulus*.
- 871 Umali, A.F. 1936. Edible fishes of Manila. Philipp. Dept. Agric. Commer., Pop. Bull. 6. 192 p.
- 872 Umali, A.F. 1937. The fishery industry of San Miguel Bay. Philipp. J. Sci. 63: 227-258. p. 234 *L. equulus*.
- 873 Umali, A.F. 1950. Key to the families of common commercial fishes in the Philippines. U.S. Fish. Wildl. Serv. Res. Rep. 21. 47 p. Key to the family Leiognathidae with figures. Leiognathidae (slipmouth) in the Philippines include: *Gazza minuta*, *L. bindus*, *L. daura*, *L. equulus*, *L. fasciatus*, *L. insidiator*, *L. ruconius* and *L. splendens*. Localities: throughout the Philippines, especially in bays, gulfs and straits with smooth bottoms.
- 874 Unar, M. 1968. The "Chantrang" Danish seine fishery of the North Coast of Java. Proc. Indo-Pacific Fish. Council. 13(3): 546-553. Reports that *Leiognathus* spp. comprise an average of 60% of the catch.
- 875 Unar, M. and M. Sachlan. 1960. A list of commercial fishes of Indonesia. Proc. Indo-Pacific Fish. Council. 8(2): 32-33. (Abstract). Lists *L. splendens*.
- 876 Uyengco, V., I. Lawax, P.R. Briones and R.S. Taruc. 1952. Mechanics of *bagoong* (fish paste) and *patis* (fish sauce) processing. Proc. Indo-Pacific Fish. Council. 4(II): 1-13. List *Leiognathus* among the fish used to make "patis."
- 877 Van der Elst, R.P. 1976. Game fish of the east coast of Southern Africa. I. The biology of the elf, *Pomatomus saltatrix* (Linnaeus) in the coastal waters off Natal. Ocean. Res. Inst. Invest. Rep. S. Afr. 44: 1-59. *Secutor insidiator* and *L. equulus* recorded as food items.
- 878 Van Rosendaal, A.M. and P.N. van Kampen. 1909. Verslag van de verrichtingen van het Onderzoekingsvaartuig "Gier" etc... Mededelingen van het visscherij-station te Batavia (3), Buitenzorg. Trawl catch data for Leiognathidae.
- 879 Vatanachai, S. 1972. The identification of fish eggs and fish larvae obtained from the survey cruise in the South China Sea. Proc. Indo-Pacific Fish. Council. 13(3): 111-143 and Third Symp. on Mar. Fish., Mar. Fish. Lab., Bangkok MF 72/10. 27 p.

- Nineteen larvae of *Leiognathus* spp. were collected (peak in April), one figure of *Leiognathus* larva. Identification key included.
- 880 Velasquez, C.C. 1959. Studies on the family Bucephalidae Poche, 1907, from Philippine food fishes. *J. Parasitol.* 45(2): 135-147.
- 881 Velasquez, C.C. 1975. Digenetic trematodes of Philippine fishes. Univ. of the Philipp. Press, Quezon City.
Leiognathidae (*G. minuta* and *Leiognathus* sp.) as host species and their parasites.
- 882 Venkataraman, G. 1960. Studies on the food and feeding relationships of the inshore fishes off Calicut on the Malabar Coast. *Indian J. Fish.* 7(2): 275-306.
 Detailed study of the food of 5 *Secutor* and *Leiognathus* spp. Mentions *Lactarius lactarius* as a predator of *Leiognathus* spp.
- 883 Venkataraman, G. and M. Badrudeen. 1974. On the diurnal variation in the catches of silverbellies in Palk Bay. *Indian J. Fish.* 21(1): 254-265.
- 884 Venkataraman, R.S. 1944. Food of ribbon fishes. *Curr. Sci.* 13(9): 239.
 Records *Leiognathus* spp. as food of ribbon fishes.
- 885 Venkataraman, R.S. and S.T. Chari. 1955. Trimethylamine oxide content of marine fishes. *Indian J. Fish.* 2(1): 37-40.
 Includes data for *L. bindus*.
- 886 Venkataraman, R.S. and S.T. Chari. 1957. Amino acid composition of some marine fishes. *Indian J. Med. Res.* 45(1): 77-80.
Leiognathus bindus contained all essential amino acids.
- 887 Vermeij, G.J. 1978. Biogeography and adaptations patterns of marine life. Harvard Univ. Press, Cambridge.
 p. 25 discusses possible effect of *Saurida undosquamis* predation on *L. klunzingeri* biomass in the Mediterranean.
- 888 Villadolid, D.V. 1937. The Fisheries of Lake Taal, Pansipit River and Balayan Bay, Batangas province, Luzon. *Philipp. J. Sci.* 63(2): 191-225.
 p. 215-217 *L. equulus*, *L.* spp. from Balayan Bay.
- 889 Villaluz, D.K. 1953. Fish farming in the Philippines. Bookman, Manila.
 List *Leiognathus caballus* (C. & V.) ("malaway") among the marine fishes known from Lake Naujan, northeastern Mindoro, Philippines.
- 890 Vinciguerra, D. 1889. Viaggio di Leonardo Fea in Burmania e regioni vicine: Pesci. *Ann. Mus. Civ. Storia Nat. Genova* (2) ser. 9: 129-362.
- 891 Viswanathan, R. and V.K. Pillai. 1956. Paper chromatography in fish taxonomy. *Proc. Indian Acad. Sci. Sect. B* 43(6): 334-339.
 Also on *Leiognathus* spp.
- 892 Voeltzkow, A. 1916. Flora und fauna der Comoren, p. 429-480. In A. Voeltzkow (ed.) *Reise in Ostafrika in den Jahren 1903-1905. Band III. E. Schweizerbartsche Verlag, Stuttgart.*
 p. 460 Equulidae, *Equula fasciata* C.V. from Mayotte, Mauritius, Seychelles.
- 893 Wallace, J.H. 1975. The estuarine fishes of the East Coast of South Africa. I. Species composition and length distribution in the estuarine and marine environment. II. Seasonal abundance and migrations. *Ocean. Res. Inst. Invest. Rep. S. Afr.* 40: 1-72.
 Discusses distribution, occurrence and abundance of *L. equulus*.
- 894 Wallace, J.H. 1975. The estuarine fishes of the East Coast of South Africa. III. Reproduction. *Ocean Res. Inst. Invest. Rep. S. Afr.* 41: 1-51.
 Gives miscellaneous data on reproduction of *L. equulus*.
- 895 Wallace, J.H. and R.P. van der Elst. 1975. The estuarine fishes of the East Coast of South Africa. IV. Occurrence of juveniles in estuaries. V. Ecology, estuarine dependence and status. *Ocean Res. Inst. Invest. Rep. S. Afr.* 42: 1-63.
 Brief discussion of *L. equulus* autecology.
- 896 Wang, K.F. 1935. Study of the teleost fishes of the coastal region of Shantung (Part II) *Contrib. Biol. Lab. Sci. Soc. China* 10(9): 393-481.
- 897 Warfel, H.E. and P.R. Manacop. 1950. Otter trawl explorations in Philippine waters. *U.S. Fish. Wildl. Serv. Res. Rep.* 25. 49 p.
 Catch data for leiognathids.

- 898 Weber, M. 1894. Die Süßwasser-Fische des Indischen Archipels. Zool. Ergebn. Reise Niederl Ost-Indien 2: 406-476.
p. 409 *E. dussumieri*.
- 899 Weber, M. 1911. Die Fischer der Aru- und Kei-Inseln. Ein Beitrag zur Zoogeographie dieser Inseln. Abhand. Senck. Naturf. Gesell. 34: 1-49.
p. 5 *E. ensifera*, *E. fasciata*, *E. splendens* from Aru Islands.
- 900 Weber, M. 1913. Siboga-Expeditie. Die Fische der Siboga Expedition. Leiden.
Lists *L. splendens*, *L. bindus*, *L. lineolatus*, *L. elongatus*, *S. insidiator*, *S. ruconius* and *G. minuta* with partial synonymy.
- 901 Weber, M. and L.F. de Beaufort. 1911. The fishes of the Indo-Australian Archipelago. Vol. 1. Index of the ichthyological papers of P. Bleeker. E.J. Brill, Leiden. Second edition (1964) with addenda and corrigenda.
As per title. (see Bleeker 1844)
- 902 Weber, M. and L.F. de Beaufort. 1931. The fishes of the Indo-Australian Archipelago. Vol. 6. E.J. Brill, Leiden.
Gives on p. 310-341 a full revision of the Leiognathidae (but including the Gerridae and lumping the genera *Secutor* and *Leiognathus*).
- 903 Weber, W. 1976. The influence of hydrographical factors on the spawning time of tropical fish, p. 269-281. In K. Tiews (ed.) Proceedings of the international seminar on fisheries resources and their management in Southeast Asia, Berlin (West), 19 November-6 December 1974. Westkruez-Druckerei, Berlin.
Leiognathus bindus included in discussion.
- 904 Weiler, W. 1955. Untersuchungen an Fischen aus dem Alttertiär der Umgebung von Basel Part II. Paläontologischer Teil. Eclogae Geol. Helv. 48(2): 430-447.
p. 434, pl. 17, fig. 2 original description of *L. † altapinnus*, first leiognathid fossil species.
- 905 West, W.Q.B. 1973. Fishery resources in the upper Bay of Bengal. IOFC/DEV/73/28. 44 p. Indian Ocean. Fish. Comm. FAO, Rome.
Estimates a *Leiognathus* spp. potential in the shelf areas off the northern coast of India of 22.6 x 10³ tons (out of 117 x 10³ total potential).
- 906 Wheeler, A. 1975. Fishes of the world: an illustrated dictionary. Macmillan Publ. Co., New York.
p. 230 discusses Leiognathidae in general and *Leiognathus equula*; p. 328 *Secutor ruconius*.
- 907 White, A. and M. Barwani. 1971. Common sea fishes of the Arabian Gulf and Gulf of Oman. Trucial States Council, Vol. 1.
p. 41-42 *L. equulus*, *L. daurus*, *L. bindus*, *L. lineolatus* and *L. elongatus*.
- 908 Whitehead, P.J.P. 1975. How fishes live. Elsevier-Phaidon, London.
p. 44 reports that a leiognathid of 6 cm can shoot its mouth outward and downward a centimeter or more.
- 909 Whitehouse, R.H. 1923. A statistical study of young fishes from Silavatturai Lagoon, Tuticorin. Madras Fish. Bull. 17: 49-103.
p. 97, 98, 99, 100 length frequency data on *E. edentula*; p. 101 *E. edentula*, *E. lineolata*, *E. oblonga*, *E. ruconius* and *G. equulaeformis* reported from lagoon; p. 76-78 discussion of catch comparison over time, estimates of growth.
- 910 Whitley, G.P. 1927. A check list of fishes recorded from Fijian waters. J. Pan-Pac. Res. Inst. 2(1): 3-8.
Lists *L. equula*, *L. splendens*, *L. smithursti*, *L. fasciatus* and *G. minuta*.
- 911 Whitley, G.P. 1928. A check-list of the fishes of the Santa Cruz Archipelago, Melanesia. J. Pan-Pac. Res. Inst. 3(1): 11-13.
p. 12 *Gazza minuta*, syn. *Equula dentex* (C & V).
- 912 Whitley, G.P. 1929. Studies in ichthyology No. 3. Rec. Aust. Mus. 17(3): 101-143.
On *L. devisi* (new name), description, figure and synonymy.
- 913 Whitley, G.P. 1932. Fishes. Sci. Rep. Gt. Barrier Reef Exped. Br. Mus. Nat. Hist. 4(9): 267-315.
- 914 Whitley, G.P. 1932. Some fishes of the family Leiognathidae. Mem. Queensl. Mus. 10: 99-116.
Attempted revision of the Leiognathidae, dealing with *Aurigequula longispinis*, *Equula asina*,

- E. smithursti*, *E. decora*, *E. argentea*, *L. devisi*, *Equulites hastatus*, *Leiognathus hastatus*, *E. moretonensis*, *L. moretonensis*, *Eubleekeria*, *Equula blochii*, *Eubleekeria ovalis*, *E. simplex*, *Nuchequula*, *Macilenticthys*, *M. popei*, *Leiognathus elongatus*, *Equula elongata*, *M. stercorarius*, *M. leuciscus*, *E. leuciscus*, *M. edwardsi*, *L. edwardsi*, *Secutor profundus*, *E. profundus*. Very confused.
- 915 Whitley, G.P. 1934. Supplement to the check-list of the fishes of New South Wales. In A.R. McCulloch (ed.) The fishes and fish-like animals of New South Wales. 3rd edition. R. Zool. Soc. N.S.W., Sydney.
- 916 Whitley, G.P. 1954. New locality records for some Australian fishes. Proc. R. Zool. Soc. N.S.W. for 1952-53: 23-30.
Equulites moretonensis, *Gazza dispar*, new West Australian records.
- 917 Whitley, G.P. 1966. Marine fishes. Vol. I. Jacaranda Pocket Guides. Jacaranda Press, Brisbane, Australia.
Description of Leiognathidae, with a figure of *Aurigequula longispinis*.
- 918 Widodo, J. 1976. A check-list of fishes collected by *Mutiara 4* from November 1974 to November 1975. Mar. Fish. Res. Rep. (L.P.P.L.)/Contrib. Demersal Fish. Proj. 1: 47-77.
L. bindus, *L. smithursti*, *L. splendens*, *L. lineolatus*, *L. elongatus*, *L. leuciscus*, *L. sp.* (see Kühlmorgen-Hille 1974) *G. minuta*, *S. insidiator*, *S. ruconius* from Western Indonesian waters (mainly Java Sea) with English and Indonesian common names and partial synonymy.
- 919 Wongratana, T. 1968. A check-list of fishes caught during the trawl surveys in the Gulf of Thailand and off the East Coast of the Malay Peninsula. Contrib. Mar. Fish. Lab., Bangkok. 13. 96 p.
Lists *G. minuta*, *L. bindus*, *L. brevirostris*, *L. daura*, *L. elongatus*, *L. equulus*, *L. fasciatus*, *L. leuciscus*, *L. smithursti*, *L. splendens*, *L. sp.*, *S. insidiator* and *S. ruconius*.
- 920 Wongratana, T. 1972. Contribution to the sea fishes from Thailand in the Biologische Anstalt Helgoland, Hamburg. MF 72/9. 121 p. In Third Symposium on Marine Fisheries. Marine Fish. Lab., Bangkok.
Lists and describes *L. daura*, *L. equulus* and *L. fasciatus*, with synonymy.
- 921 Yanai, T. 1950 [Fishes of Sanin District] Zool. Mag. 59 (1): 17-22 (In Japanese).
Lists *L. equulus*.
- 922 Zachman, N. 1973. Fisheries development and management in Indonesia. J. Fish. Res. Board Can. 30(12): 2335-2340.

Addenda

- 923 Anon. 1979. Trends in total marine fish production in India—1979. Mar. Fish. Infor. Serv. T. & E. Ser. 22: 1-19.
Detailed catch data for *Leiognathus* and *Gazza*, by state and year.
- 924 Buck, J.B. 1978. Function and evolution of bioluminescence, p. 419-460. In P.J. Herring (ed.) Bioluminescence in action. Academic Press, N.Y.
Evolution of bioluminescence in leiognathids.
- 925 Demetropoulos, A. and D. Neocleous. 1969. The fishes and crustaceans of Cyprus. Fish. Bull. Min. Agric. Nat. Res. Cyprus 1: 3-21.
Report *L. klunzingeri* from Cyprus.
- 926 Devadoss, P. and P.K. Mahadevan Pillai. 1973. Observations on the food of juveniles of *Psettodes erumei* (Bloch). Indian J. Fish. 20(2): 664-667.
Leiognathus spp. form between 4 and 8% of the food.
- 927 Devanesen, R.S. and K. Chidambaram. 1953. The common food fishes of the Madras state. Govt. Press, Madras.
p. 46-47 general description of Leiognathidae and their biology and fisheries.
- 928 Espejo, J.M. 1980. Philippine handbook on fish processing technology. Nat. Sci. Dev. Board Publ., Philippines. 109 p.

- 929 Far Sea Fisheries Research Laboratory. 1976. Colored illustrations of bottomfishes collected by Japanese trawlers. Vol. II. Japan Deep Sea Trawler Association, Tokyo. 188 p. (In Japanese)
p. 116 *Leiognathus* sp. from Seychelles (fig. and description); p. 90 *Secutor ruconius* and *Leiognathus equulus* from East Africa (figs. and description).
- 930 Herring, P.J. 1978. A classification of luminous organisms, p. 461-476. In P.J. Herring (ed.) *Bioluminescence in action*. Academic Press, N.Y. *Leiognathids* included.
- 931 Herring, P.J. and J.G. Morin. 1978. Bioluminescence in fishes, p. 273-329. In P.J. Herring (ed.) *Bioluminescence in action*. Academic Press, N.Y. Exhaustive review of *leiognathid* bioluminescence.
- 932 Lindberg, G.U. 1974. Fishes of the world. *Isr. Progr. Sci. Transl.*, Jerusalem.
p. 321 general remarks on *Leiognathidae*.
- 933 Qasim, S.Z. 1972. The dynamics of food and feeding habits of some marine fishes. *Indian J. Fish.* 19(1/2): 11-28.
L. insidiator and *L. bindus* included in discussion.
- 934 Qasim, S.Z. 1973. An appraisal of the studies on maturation and spawning in marine teleosts from the Indian waters. *Indian J. Fish.* 20(1): 166-181.
Discusses *L. bindus* and *L. splendens*, based on Balan (1963) and Rao Satyanarayana (1967).
- 935 SEAFDEC. 1979. Fishery statistical bulletin for South China Sea area. 1977. Southeast Asian Fisheries Development Center, Thailand.
- 936 SEAFDEC. 1980. Fishery statistical bulletin for South China Sea area. 1978. Southeast Asian Fisheries Development Center, Thailand.
- 937 Seale, A. 1908. The fishery resources of the Philippine Islands. Part I. Commercial fishes. *Philipp. J. Sci.* 3(6)Sect. A: 513-531.
p. 529 *L. splendens*.
- 938 Silas, E.G., S.K. Dharmaraja and K. Rengarajan. 1976. Exploited marine fishery resources of India. A synoptic survey with comments on potential resources. *Cent. Mar. Fish. Res. Inst., Cochin* 27: 1-25.
Include catch data of silverbellies.
- 939 Steindachner, F. 1893. *Ichthyologische Beiträge*. *Sitzb. Akad. Wiss. Wien.* 102(1): 215-243.
p. 236 *Equula ruconius*.
- 940 Tirant, G. 1883. Mémoire sur les poissons de la rivière de Hué. *Bull. Soc. Etudes Indochinoise*. Reprint (1929) as: Réimpression de l'Oeuvre *Ichthyologique* de G. Tirant. *Serv. Océanogr. Pêches de l'Indochine*. 6^{ième} Note: 7-32.
Lists under *Carangidae*: *E. brevirostris* C. & V. and *E. edentula* Bl. collected in 1882, in Hué.
- 941 Whitley, G.P. 1964. *Proc. Linn. Soc. N.S.W.* 89(1): 11-127.
p. 45 lists from Australia: *Gazza minuta*, *Equula equula*, *Equulites novaeollandiae*, *Equulites hastatus*, *Equulites moretoniensis*, *Equulites bindus*, *Aurigequula longispinis*, *Secutor profundus*, *Eubleekeria ovalis* and *Eubleekeria (Nuchequula nuchalis)*.

Subject Index

Note: This index also contains selected references to three commercially important species, *Leiognathus bindus*, *L. equulus* and *L. splendens*; all references to "Mediterranean and Suez Canal" pertain to *L. klunzingeri*, and all references to "paleontology" refer to *L. † altipinnis*. A detailed taxonomic index was not feasible because of the presently confused state of leiognathid taxonomy.

- Anatomy (incl. light organs)
003, 006, 063, 064, 081, 340, 348, 355, 357, 359,
360, 361, 368, 369, 370, 376, 412, 453, 634, 822,
931
- Aquaculture ponds, occurrence in
408, 770, 795
- Baitfish, use as
054, 227, 493, 543, 578
- Behavior (schooling, circadian rhythm, etc.)
054, 082, 355, 370, 376, 494, 537, 606, 744, 854,
883, 931
- Bioluminescence (general)
003, 006, 081, 082, 097, 176, 181, 230, 319, 353,
354, 355, 356, 357, 358, 359, 360, 361, 369, 370,
372, 373, 374, 376, 377, 378, 379, 382, 412, 448,
453, 494, 535, 539, 557, 606, 607, 633, 634, 657,
717, 718, 719, 737, 924, 930, 931
- Body constituents
087, 310, 313, 351, 498, 555, 621, 668, 670, 704,
815, 885, 886, 891
- Catch and landings
019, 021, 025, 044, 055, 056, 088, 089, 090, 091,
214, 215, 216, 223, 226, 230, 251, 267, 320, 337,
371, 440, 455, 460, 496, 573, 617, 625, 628, 661,
696, 697, 708, 731, 745, 773, 790, 814, 817, 818,
905, 923, 935, 936, 938
- Catch-per-effort, abundance
015, 016, 022, 023, 028, 029, 030, 031, 032, 035,
045, 058, 064, 068, 080, 086, 092, 093, 194, 197,
198, 200, 224, 226, 250, 262, 325, 327, 380, 413,
428, 432, 443, 452, 485, 500, 530, 537, 540, 541,
552, 553, 554, 560, 566, 570, 571, 574, 576, 577,
583, 597, 615, 617, 620, 627, 630, 644, 648, 649,
650, 651, 654, 655, 656, 661, 664, 667, 676, 677,
690, 706, 707, 709, 713, 724, 725, 726, 734, 736,
743, 744, 779, 781, 791, 792, 801, 812, 814, 816,
837, 838, 845, 846, 847, 853, 854, 858, 868, 874,
878, 883, 897
- Diseases, parasites and anomalies
195, 196, 222, 266, 347, 349, 362, 439, 444, 482,
504, 536, 678, 733, 760, 788, 843, 880, 881
- Ecology (habitat description, communities, competitors,
etc.)
007, 082, 188, 209, 247, 275, 355, 423, 492, 502,
523, 551, 585, 598, 636, 649, 650, 654, 655, 710,
786, 813, 854, 903
- Fishing gears and methods
015, 040, 041, 197, 201, 218, 226, 265, 312, 323,
455, 479, 486, 491, 517, 549, 552, 553, 568, 596,
608, 680, 729, 732, 748, 801, 816, 834, 869, 874
- Food for humans and domestic animals
036, 043, 059, 183, 236, 320, 418, 516, 542, 572,
703, 742, 747, 803, 834, 858, 876, 928
- Food and feeding habits
057, 062, 094, 176, 199, 211, 212, 223, 256, 322,
492, 526, 527, 569, 572, 635, 667, 698, 705, 710,
822, 832, 834, 835, 845, 851, 855, 857, 882, 933
- Growth and mortality
042, 053, 068, 095, 199, 209, 445, 595, 656, 658,
659, 660, 661, 663, 664, 665, 666, 695, 697, 909
- Leiognathus bindus*
017, 027, 028, 029, 031, 053, 055, 065, 107, 110,
118, 121, 138, 140, 141, 142, 144, 153, 156, 157,
176, 183, 202, 212, 231, 241, 256, 295, 296, 326,
340, 361, 406, 423, 442, 444, 450, 484, 485, 510,
512, 519, 520, 524, 541, 576, 586, 596, 600, 601,

Leiognathus bindus (cont'd.)

610, 611, 613, 616, 634, 638, 650, 658, 665, 666,
690, 700, 707, 711, 740, 745, 767, 771, 821, 824,
832, 854, 855, 893, 900, 901, 902, 903, 907, 918,
919, 933, 934, 941

Leiognathus equulus

011, 017, 018, 037, 038, 043, 046, 047, 055, 059,
060, 061, 062, 094, 096, 100, 101, 103, 113, 121,
138, 157, 163, 164, 166, 167, 170, 172, 174, 176,
177, 182, 183, 186, 188, 191, 193, 201, 202, 203,
206, 209, 221, 226, 231, 236, 241, 244, 252, 253,
256, 258, 261, 264, 268, 271, 275, 277, 278, 279,
281, 282, 283, 284, 286, 287, 289, 290, 291, 292,
294, 295, 296, 303, 305, 306, 307, 308, 310, 314,
326, 330, 338, 340, 350, 355, 365, 381, 387, 390,
392, 393, 395, 396, 399, 361, 401, 402, 403, 404,
406, 407, 408, 410, 423, 424, 442, 450, 460, 466,
467, 470, 471, 473, 477, 484, 485, 488, 489, 494,
495, 499, 500, 501, 505, 507, 509, 510, 512, 518,
519, 520, 522, 523, 525, 538, 541, 542, 546, 549,
555, 561, 562, 563, 565, 576, 579, 586, 587, 588,
593, 598, 600, 601, 602, 608, 610, 611, 616, 634,
655, 658, 660, 680, 681, 682, 684, 698, 707, 711,
727, 745, 762, 767, 768, 769, 770, 771, 775, 777,
780, 782, 797, 798, 799, 815, 821, 824, 827, 828,
834, 836, 839, 854, 855, 865, 866, 870, 872, 873,
877, 888, 889, 893, 894, 895, 901, 902, 906, 907,
909, 910, 913, 919, 921, 929, 940, 941

Leiognathus splendens

017, 018, 029, 042, 045, 055, 061, 062, 068, 086,
105, 110, 117, 118, 121, 128, 134, 135, 136, 137,
138, 139, 140, 142, 145, 147, 149, 150, 153, 156,
157, 158, 162, 163, 164, 165, 166, 167, 170, 171,
172, 174, 194, 201, 202, 205, 226, 231, 235, 240,
241, 246, 254, 256, 258, 261, 277, 279, 280, 283,
284, 292, 294, 295, 296, 303, 305, 306, 308, 338,
355, 364, 365, 369, 392, 393, 395, 340, 361, 400,
402, 403, 404, 406, 407, 408, 410, 423, 438, 439,
442, 448, 449, 450, 467, 470, 471, 479, 484, 485,
495, 507, 509, 510, 512, 514, 517, 519, 520, 522,
530, 538, 541, 549, 554, 565, 575, 576, 585, 586,
593, 598, 600, 601, 610, 611, 613, 616, 634, 655,
656, 658, 659, 663, 664, 690, 691, 704, 707, 711,
727, 740, 745, 767, 771, 772, 775, 784, 785, 812,
813, 821, 824, 828, 832, 836, 839, 854, 855, 868,
873, 874, 875, 899, 900, 901, 902, 910, 918, 919,
934, 937

Length/weight relationships

042, 053, 235, 254, 256, 766

Non-marine habitats (estuaries, lagoons, mangrove, rivers and lakes)

008, 009, 013, 059, 270, 319, 350, 363, 364, 365,
366, 387, 407, 416, 460, 487, 500, 501, 518, 546,
564, 570, 588, 681, 682, 825, 837, 889, 893, 894,
895, 898, 909

Osteology (incl. jaw mechanism)

004, 084, 187, 234, 245, 329, 525, 804, 805, 908

Paleontology (= ref. to *Leiognathus* † *altipinnis*)

234, 259, 642, 728, 904

Physiology (excl. light emission)

826

Pollution

037, 319, 351, 592, 596

Population dynamics

199, 440, 531, 661, 662, 687, 858, 887

Predators

039, 074, 076, 180, 212, 219, 248, 255, 434, 435,
436, 441, 528, 529, 542, 556, 626, 645, 689, 730,
802, 819, 841, 845, 856, 877, 882, 884, 887, 926

Reproduction (maturation, fecundity, etc.)

038, 042, 053, 189, 199, 200, 211, 223, 254, 350,
445, 456, 489, 518, 567, 569, 656, 679, 704, 744,
766, 845, 854, 894, 903, 934

Sound production

323

Symbiotic bacteria (*Photobacterium leiognathi*)

063, 064, 181, 340, 361, 372, 377, 378, 379, 383,
384, 412, 448, 453, 539, 717, 718, 719, 737, 924,
931

Taxonomy, general and distribution (systematics, descriptions, records, etc.)

002, 003, 005, 017, 018, 059, 060, 065, 083, 084,
176, 179, 190, 202, 205, 228, 231, 242, 243, 244,
259, 260, 268, 269, 314, 316, 317, 318, 324, 326,
328, 338, 339, 340, 341, 342, 343, 344, 346, 352,
367, 375, 419, 420, 422, 425, 426, 437, 438, 461,
462, 464, 473, 489, 505, 507, 509, 510, 512, 519,
520, 532, 533, 534, 538, 544, 548, 562, 579, 580,
581, 586, 587, 599, 600, 610, 611, 612, 613, 614,
619, 631, 639, 640, 641, 643, 646, 647, 656, 699,
701, 711, 715, 723, 727, 746, 767, 768, 772, 780,
789, 797, 798, 799, 806, 808, 809, 821, 854, 891,
901, 902, 912, 914, 929

Taxonomy, major revisions

223, 241, 243, 284, 295, 338, 406, 441, 520, 610,
614, 902, 914

Young stages (eggs, larvae, juveniles)

048, 049, 050, 051, 052, 062, 189, 311, 321, 322,
451, 456, 515, 594, 595, 622, 623, 624, 629, 630,
652, 867, 879

Geographic Index

Australia

029, 094, 126, 203, 249, 325, 326, 356, 452, 508,
558, 559, 560, 562, 564, 565, 574, 575, 582, 612,
643, 644, 653, 750, 751, 786, 828, 842, 912, 913,
914, 915, 916, 917, 941

Bangladesh

121, 241, 243, 352, 785

Burma

241, 243, 256, 301, 402, 403, 404, 703, 785, 868,
890

China (incl. Hong Kong and Taiwan)

171, 193, 222, 224, 225, 286, 288, 295, 307, 391,
394, 409, 467, 475, 480, 547, 741, 776, 829, 896

Comores

481, 892

India

010, 014, 019, 026, 033, 034, 039, 042, 048, 049,
050, 051, 052, 053, 056, 057, 058, 062, 085, 086,
121, 177, 183, 210, 211, 212, 213, 214, 215, 216,
217, 218, 223, 235, 237, 238, 239, 240, 241, 242,
243, 248, 251, 285, 321, 322, 323, 337, 349, 362,
400, 401, 416, 418, 434, 435, 436, 437, 438, 439,
440, 441, 442, 443, 444, 445, 446, 448, 449, 450,
451, 456, 457, 458, 459, 460, 482, 486, 498, 512,
515, 516, 517, 518, 526, 527, 528, 529, 530, 556,
567, 568, 587, 588, 593, 616, 617, 620, 622, 623,
624, 625, 627, 628, 651, 652, 665, 666, 678, 679,
680, 689, 690, 691, 695, 696, 697, 698, 701, 702,
704, 705, 706, 707, 708, 709, 740, 745, 748, 779,
784, 787, 789, 802, 803, 817, 818, 819, 825, 837,
838, 839, 841, 882, 883, 884, 885, 886, 905, 909,
923, 927, 933, 938

Indonesia

003, 022, 023, 024, 025, 027, 030, 041, 045, 061,
066, 067, 068, 098, 099, 100, 101, 102, 103, 104,
105, 106, 107, 108, 109, 110, 111, 112, 114, 115,
116, 117, 118, 119, 122, 123, 124, 125, 127, 128,
129, 130, 131, 132, 133, 134, 135, 136, 137, 138,
139, 140, 141, 142, 143, 144, 145, 146, 148, 150,
151, 152, 153, 154, 155, 157, 158, 159, 160, 161,
162, 164, 166, 167, 168, 169, 170, 194, 246, 247,
277, 278, 302, 308, 315, 342, 359, 363, 364, 365,
366, 367, 421, 422, 424, 491, 513, 514, 554, 572,
576, 577, 626, 656, 659, 663, 664, 671, 674, 688,
743, 752, 770, 771, 801, 806, 812, 813, 814, 816,
874, 875, 878, 898, 899, 900, 901, 902, 918, 922

Japan

002, 012, 120, 175, 179, 192, 309, 311, 312, 313,
351, 414, 415, 419, 420, 468, 478, 487, 489, 492,
502, 503, 521, 548, 579, 592, 594, 595, 636, 641,
646, 647, 720, 753, 763, 764, 782, 793, 800, 822,
830, 860, 867, 921

Kampuchea

096, 258, 747

Korea

469, 603, 604, 605, 866

Madagascar

009, 172, 209, 270, 271, 272, 274, 310, 447, 499,
500, 501, 660, 669, 683, 716, 749

Malaysia (eastern) and Brunei

226, 393, 549, 648, 657, 775

Malaysia (peninsular)

015, 021, 088, 089, 090, 091, 092, 093, 202, 257,
262, 265, 267, 297, 327, 410, 428, 454, 538, 550,
581, 597, 648, 654, 655, 772, 864, 865, 920

Mauritius

046, 047, 174, 330, 533, 590, 892

Mediterranean and Suez Canal (= ref. to *L. klunzingeri*)

007, 069, 070, 071, 072, 073, 074, 075, 076, 180,
207, 208, 219, 260, 331, 332, 333, 334, 511, 545,
609, 637, 686, 687, 692, 811, 859, 861, 862, 863,
887, 925, 926

Mossambique

281, 672, 673, 744, 796

Pacific Islands

001, 038, 054, 275, 276, 282, 284, 287, 289, 291,
298, 300, 303, 304, 305, 306, 341, 343, 345, 353,
354, 381, 388, 389, 390, 396, 397, 399, 463, 466,
473, 488, 495, 536, 544, 561, 578, 685, 754, 755,
756, 757, 758, 759, 761, 762, 765, 768, 769, 774,
810, 910, 911

Pakistan

028, 031, 032, 205, 375, 596, 693, 694

Papua New Guinea

173, 350, 483, 484, 485, 493, 543, 546, 563, 611,
613, 614, 615, 675, 699, 710, 786, 840

Persian Gulf and Gulf of Oman

008, 028, 031, 032, 035, 176, 371, 497, 523, 524,
537, 618, 700, 907

Philippines

040, 043, 044, 163, 197, 198, 199, 200, 204, 229,
252, 253, 254, 261, 266, 279, 280, 283, 303, 307,
319, 320, 386, 387, 392, 395, 398, 405, 406, 407,
408, 411, 424, 470, 471, 472, 474, 531, 540, 566,
570, 571, 589, 602, 608, 649, 650, 670, 677, 703,
711, 729, 731, 732, 733, 734, 735, 746, 760, 766,
767, 777, 794, 795, 815, 844, 845, 854, 855, 856,
857, 869, 870, 871, 872, 873, 876, 880, 881, 888,
889, 897, 928, 937

Red Sea

065, 186, 191, 207, 268, 505, 506, 507, 509, 632,
738, 739, 808

Seychelles

481, 798, 827, 892, 929

Singapore

036, 037, 113, 147, 149, 156, 303, 496, 541, 581,
790, 832, 833, 834, 835, 864, 865

Somalia

645

South Africa

059, 060, 095, 188, 244, 281, 290, 293, 314, 797,
799, 877, 893, 894, 895

Sri Lanka

013, 080, 201, 241, 243, 264, 337, 477, 479, 504,
569, 586, 610, 621, 667, 668, 681, 742, 791, 792,
843

Tanzania

447, 552, 553, 684

Thailand

016, 017, 018, 020, 024, 055, 165, 250, 262, 263,
292, 294, 296, 299, 417, 427, 428, 429, 430, 431,
433, 519, 585, 598, 599, 600, 601, 661, 676, 713,
724, 725, 726, 727, 736, 820, 821, 824, 831, 836,
846, 847, 848, 850, 853, 858, 919, 920

Vietnam

011, 020, 206, 220, 221, 273, 522, 542, 940

Yemen, South

028, 031, 032, 255, 512, 638, 684, 809