

June 5, 2009

In regards to: PSH90126

Health and Human Resources
Pinecrest Hospital
105 S. Eisenhower Drive
Beckley, WV 25801

Attention: Roberta Wagner

Dear Health and Human Resources:

Subject: Video Security System Bid

The enclosed items are representation of what Miller Communications, Inc. in regards to the Video Security System for Pinecrest Hospital.

A brief explanation of are bid is as follows: We are suggesting a full Network IP Based solution. With using this type of system, Cat5e network type cabling will be utilized for the entire system. By using this type of solution, conduit runs are not required by Fire Marshal standards. Utilizing this type of cabling will cut down installation costs and installation time will considerably be reduced thus less disturbance on the residents and staff.

This type of system from Panasonic is cutting edge technology and requires special manufacture certifications and training in which we have and is the type of system that the Video Security industry is heading towards. This would allow Pinecrest Hospital to maintain itself ahead of the technology realm in surveillance and recording.

The Network Video Recorder can record up to 64 cameras maximum with the ability to store up to nine 1 Terabyte hard drives internally in the unit itself. We would place this unit in the IS Office location. We will also strategically place the Network Power-over-Ethernet switches, which power the cameras as-well-as transport video back to the Recorder. These will be placed in the IS Office, the Chapel and various equipment closets that presently have some electrical equipment in them and at a couple of the Nurse's stations where needed. Utilizing this type of system requires no low-voltage power supplies, again thus eliminating the need for major conduit runs throughout the hospital. We would only need to utilize conduits where fire barriers are passed through.

For your convenience, we have included specification documents on all of the equipment we would be providing to you along with Professional References of present customers that we do business with in providing Video Surveillance and support.

If you would like a more detailed explanation or a demonstration of the systems that we provide, we would be accommodating to do so with coordination with you.

Thank you for the opportunity and hope that we may be able to do business together.

Respectfully,



Harold Smith
Security Systems Integrator
Miller Communications, Inc.
Phone: (304) 863-8595

RECEIVED

2009 JUN -9 P 7:47

PURCHASING DIVISION
STATE OF WV



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
PSH90126

PAGE
1

ADDRESS CORRESPONDENCE TO ATTENTION OF
ROBERTA WAGNER
304-558-0067

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

MILLER COMMUNICATIONS, INC.
 ONE WIRELESS WAY, . STE 100
 PARKERSBURG WV 26101

SHIP TO

HEALTH AND HUMAN RESOURCES
 PINECREST HOSPITAL
 105 SOUTH EISENHOWER DRIVE
 BECKLEY, WV
 25801 304-256-6614

A VETERAN-OWNED SMALL BUSINESS

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B	FREIGHT TERMS
04/16/2009	N30	company truck	destination	prepaid
BID OPENING DATE: 05/26/2009		06/09/2009	BID OPENING TIME	01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
001	5	EA		936-73	\$9890.00	\$9890.00
<p>DIGITAL VIDEO RECORDERS PER SPECIFICATIONS 1 DVR to handle up to 64 Cameras</p> <p>TO PROVIDE ALL LABOR, MATERIALS, EQUIPMENT AND OTHER INCIDENTALS RELATED TO THE INSTALLATION OF A NEW SECURITY CAMERA SYSTEM TO BE INSTALLED AT PINECREST HOSPITAL LOCATED AT 105 S. EISENHOWER DRIVE, BECKLEY, WV, 25801, PER THE ATTACHED SPECIFICATIONS.</p> <p>THIS IS A REBID OF PSH90063. INQUIRIES: WRITTEN QUESTIONS SHALL BE ACCEPTED THROUGH CLOSE OF BUSINESS ON 5/7/2009. QUESTIONS MAY BE SENT VIA USPS, FAX, COURIER OR E-MAIL. IN ORDER TO ASSURE NO VENDOR RECEIVES AN UNFAIR ADVANTAGE, NO SUBSTANTIVE QUESTIONS WILL BE ANSWERED ORALLY. IF POSSIBLE, E-MAIL QUESTIONS ARE PREFERRED. ADDRESS INQUIRIES TO: ROBERTA WAGNER</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE <i>Timothy Miller</i>	TELEPHONE 304-863-8595	DATE 6-04-09
TITLE President	FEIN 55-0465238	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**GENERAL TERMS & CONDITIONS
REQUEST FOR QUOTATION (RFQ) AND REQUEST FOR PROPOSAL (RFP)**

1. Awards will be made in the best interest of the State of West Virginia.
2. The State may accept or reject in part, or in whole, any bid.
3. All quotations are governed by the *West Virginia Code* and the *Legislative Rules* of the Purchasing Division.
4. Prior to any award, the apparent successful vendor must be properly registered with the Purchasing Division and have paid the required \$125 fee.
5. All services performed or goods delivered under State Purchase Order/Contracts are to be continued for the term of the Purchase Order/Contracts, contingent upon funds being appropriated by the Legislature or otherwise being made available. In the event funds are not appropriated or otherwise available for these services or goods, this Purchase Order/Contract becomes void and of no effect after June 30.
6. Payment may only be made after the delivery and acceptance of goods or services.
7. Interest may be paid for late payment in accordance with the *West Virginia Code*.
8. Vendor preference will be granted upon written request in accordance with the *West Virginia Code*.
9. The State of West Virginia is exempt from federal and state taxes and will not pay or reimburse such taxes.
10. The Director of Purchasing may cancel any Purchase Order/Contract upon 30 days written notice to the seller.
11. The laws of the State of West Virginia and the *Legislative Rules* of the Purchasing Division shall govern all rights and duties under the Contract, including without limitation the validity of this Purchase Order/Contract.
12. Any reference to automatic renewal is hereby deleted. The Contract may be renewed only upon mutual written agreement of the parties.
13. **BANKRUPTCY:** In the event the vendor/contractor files for bankruptcy protection, this Contract may be deemed null and void, and terminated without further order.
14. **HIPAA BUSINESS ASSOCIATE ADDENDUM:** The West Virginia State Government HIPAA Business Associate Addendum (BAA), approved by the Attorney General, and available online at the Purchasing Division's web site (<http://www.state.wv.us/admin/purchase/vrc/hipaa.htm>) is hereby made part of the agreement. Provided that, the Agency meets the definition of a Cover Entity (45 CFR §160.103) and will be disclosing Protected Health Information (45 CFR §160.103) to the vendor.
15. **WEST VIRGINIA ALCOHOL & DRUG-FREE WORKPLACE ACT:** If this Contract constitutes a public improvement construction contract as set forth in Article 1D, Chapter 21 of the West Virginia Code ("The West Virginia Alcohol and Drug-Free Workplace Act"), then the following language shall hereby become part of this Contract: "The contractor and its subcontractors shall implement and maintain a written drug-free workplace policy in compliance with the West Virginia Alcohol and Drug-Free Workplace Act, as set forth in Article 1D, Chapter 21 of the West Virginia Code. The contractor and its subcontractors shall provide a sworn statement in writing, under the penalties of perjury, that they maintain a valid drug-free work place policy in compliance with the West Virginia and Drug-Free Workplace Act. It is understood and agreed that this Contract shall be cancelled by the awarding authority if the Contractor: 1) Fails to implement its drug-free workplace policy; 2) Fails to provide information regarding implementation of the contractor's drug-free workplace policy at the request of the public authority; or 3) Provides to the public authority false information regarding the contractor's drug-free workplace policy."

INSTRUCTIONS TO BIDDERS

1. Use the quotation forms provided by the Purchasing Division.
2. **SPECIFICATIONS:** Items offered must be in compliance with the specifications. Any deviation from the specifications must be clearly indicated by the bidder. Alternates offered by the bidder as **EQUAL** to the specifications must be clearly defined. A bidder offering an alternate should attach complete specifications and literature to the bid. The Purchasing Division may waive minor deviations to specifications.
3. Complete all sections of the quotation form.
4. Unit prices shall prevail in case of discrepancy.
5. All quotations are considered F.O.B. destination unless alternate shipping terms are clearly identified in the quotation.
6. **BID SUBMISSION:** All quotations must be delivered by the bidder to the office listed below prior to the date and time of the bid opening. Failure of the bidder to deliver the quotations on time will result in bid disqualifications: Department of Administration, Purchasing Division, 2019 Washington Street East, P.O. Box 50130, Charleston, WV 25305-0130



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

**Request for
 Quotation**

RFQ NUMBER
PSH90126

PAGE
2

ADDRESS CORRESPONDENCE TO ATTENTION OF:
ROBERTA WAGNER 304-558-0067

VENDOR

RFO COPY
 TYPE NAME ADDRESS HERE
WIRELESS COMMUNICATIONS, INC.
ONE WIRELESS WAY - SUITE 100
PARKERSBURG, WV 26101

SHIP TO

HEALTH AND HUMAN RESOURCES
 PINECREST HOSPITAL
 105 SOUTH EISENHOWER DRIVE
 BECKLEY, WV
 25801 304-256-6614

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
04/16/2009				

BID OPENING DATE: 05/26/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25311 FAX: 304-558-4112 E-MAIL: ROBERTA.A.WAGNER@WV.GOV THE MODEL/BRAND/SPECIFICATIONS NAMED HEREIN ESTABLISH THE ACCEPTABLE LEVEL OF QUALITY ONLY AND ARE NOT INTENDED TO REFLECT A PREFERENCE OR FAVOR ANY PARTICULAR BRAND OR VENDOR. VENDORS WHO ARE BIDDING ALTERNATES SHOULD SO STATE AND INCLUDE PERTINENT LITERATURE AND SPECIFICATIONS. FAILURE TO PROVIDE INFORMATION FOR ANY ALTERNATES MAY BE GROUNDS FOR REJECTION OF THE BID. THE STATE RESERVES THE RIGHT TO WAIVE MINOR IRREGULARITIES IN BIDS OR SPECIFICATIONS IN ACCORDANCE WITH SECTION 148-1-4(F) OF THE WEST VIRGINIA LEGISLATIVE RULES AND REGULATIONS. EXHIBIT 5 WEST VIRGINIA CODE 21-1D-5 PROVIDES THAT: ANY SOLICITATION FOR A PUBLIC IMPROVEMENT CONSTRUCTION CONTRACT REQUIRES EACH VENDOR THAT SUBMITS A BID FOR THE WORK TO SUBMIT AT THE SAME TIME AN AFFIDAVIT OF COMPLIANCE WITH THE BID. THE ENCLOSED PURCHASING AFFIDAVIT MUST BE SIGNED AND SUBMITTED WITH THE BID AS EVIDENCE OF THE VENDOR'S COMPLIANCE WITH THE PROVISIONS OF ARTICLE 1D, CHAPTER 21 OF THE WEST VIRGINIA CODE. FAILURE TO SUBMIT THE SIGNED PURCHASING AFFIDAVIT WITH THE BID SHALL RESULT IN DISQUALIFICATION OF SUCH BID. NOTICE TO PROCEED: THIS CONTRACT IS TO BE PERFORMED						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
-----------	-----------	------

TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE
-------	------	-----------------------------------

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
PSH90126

PAGE
3

ADDRESS CORRESPONDENCE TO ATTENTION OF:
ROBERTA WAGNER 304-558-0067

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

MILLER COMMUNICATIONS, INC.
ONE WIRELESS WAY - SUITE 100
PARKERSBURG, WV 26101

SHIP TO

HEALTH AND HUMAN RESOURCES
 PINECREST HOSPITAL
 105 SOUTH EISENHOWER DRIVE
 BECKLEY, WV
 25801 304-256-6614

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
04/16/2009				

BID OPENING DATE: 05/26/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>WITHIN 120 CALENDAR DAYS AFTER THE NOTICE TO PROCEED IS RECEIVED.</p> <p>CANCELLATION: THE DIRECTOR OF PURCHASING RESERVES THE RIGHT TO CANCEL THIS CONTRACT IMMEDIATELY UPON WRITTEN NOTICE TO THE VENDOR IF THE MATERIALS OR WORKMANSHIP SUPPLIED ARE OF AN INFERIOR QUALITY OR DO NOT CONFORM WITH THE SPECIFICATIONS OF THE BID AND CONTRACT HERE IN.</p> <p>WAGE RATES: THE CONTRACTOR OR SUBCONTRACTOR SHALL PAY THE HIGHER OF THE U.S. DEPARTMENT OF LABOR MINIMUM WAGE RATES AS ESTABLISHED FOR RALEIGH COUNTY, PURSUANT TO WEST VIRGINIA CODE 21-5A, ET, SEQ. (PREVAILING WAGE RATES APPLY TO THIS PROJECT)</p> <p>ARBITRATION: ANY REFERENCES MADE TO ARBITRATION OR INTEREST FOR PAYMENTS DUE (EXCEPT FOR ANY INTEREST REQUIRED BY STATE LAW) CONTAINED IN THIS CONTRACT OR IN ANY AMERICAN INSTITUTE OF ARCHITECTS DOCUMENTS PERTAINING TO THIS CONTRACT ARE HEREBY DELETED.</p> <p>WORKERS' COMPENSATION: VENDOR IS REQUIRED TO PROVIDE A CERTIFICATE FROM WORKERS' COMPENSATION IF SUCCESSFUL.</p> <p>ALL OF THE ITEMS CHECKED BELOW WILL BE A REQUIREMENT OF THIS CONTRACT:</p> <p>(XX) INSURANCE: SUCCESSFUL VENDOR SHALL FURNISH PROOF OF COMMERCIAL GENERAL LIABILITY INSURANCE PRIOR TO ISSUANCE OF CONTRACT. UNLESS OTHERWISE SPECIFIED IN THE BID DOCUMENTS, THE MINIMUM AMOUNT OF INSURANCE COVERAGE REQUIRED IS \$250,000.</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
PSH90126

PAGE
4

ADDRESS CORRESPONDENCE TO ATTENTION OF
ROBERTA WAGNER 304-558-0067

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE

MILLER COMMUNICATIONS, INC.
ONE WIRELESS WAY - SUITE 100
PARKERSBURG, WV 26101

SHIP TO

HEALTH AND HUMAN RESOURCES
 PINECREST HOSPITAL
 105 SOUTH EISENHOWER DRIVE
 BECKLEY, WV
 25801 304-256-6614

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
04/16/2009				

BID OPENING DATE: 05/26/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>() BUILDERS RISK INSURANCE: SUCCESSFUL VENDOR SHALL FURNISH PROOF OF BUILDERS RISK - ALL RISK INSURANCE IN AN AMOUNT EQUAL TO 100% OF THE AMOUNT OF THE CONTRACT.</p> <p>(XX) BONDS: FIVE PERCENT (5%) OF THE TOTAL AMOUNT OF THE BID PAYABLE TO THE STATE OF WEST VIRGINIA, SHALL BE SUBMITTED WITH EACH BID AS A BID BOND. THE SUCCESSFUL BIDDER SHALL ALSO FURNISH A PERFORMANCE BOND AND LABOR/MATERIAL BOND FOR 100% OF THE AMOUNT OF THE CONTRACT. BONDS MAY BE PROVIDED IN THE FORM OF A CERTIFIED CHECK, IRREVOCABLE LETTER OF CREDIT, OR BOND FURNISHED BY A SOLVENT SURETY COMPANY AUTHORIZED TO DO BUSINESS IN THE STATE OF WEST VIRGINIA. A LETTER OF CREDIT SUBMITTED IN LIEU OF A BOND WILL ONLY BE ALLOWED FOR PROJECTS UNDER \$100,000. PERSONAL OR BUSINESS CHECKS ARE NOT ACCEPTABLE IN LIEU OF THE 5% BID BOND, PERFORMANCE BOND, OR LABOR AND MATERIAL BOND.</p> <p>() MAINTENANCE BOND: A TWO (2) YEAR MAINTENANCE BOND COVERING THE ROOFING SYSTEM WILL BE A REQUIREMENT OF THE SUCCESSFUL VENDOR.</p> <p>REV. 11/00</p> <p>EXHIBIT 7</p> <p>DOMESTIC ALUMINUM, GLASS & STEEL IN PUBLIC WORKS PROJECTS</p> <p>IN ACCORDANCE WITH WEST VIRGINIA CODE 5-19-1 ET., SEQ., EVERY CONTRACT FOR CONSTRUCTION, RECONSTRUCTION, ALTERATION, REPAIR, IMPROVEMENT OR MAINTENANCE OF PUBLIC WORKS, WHERE THE COST IS MORE THAN \$50,000 AND, IN THE CASE OF STEEL ONLY, WHERE THE COST OF STEEL IS MORE THAN \$50,000 OR WHERE MORE THAN 10,000 POUNDS OF</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
PSH90126

PAGE
5

ADDRESS CORRESPONDENCE TO ATTENTION OF:
ROBERTA WAGNER 304-558-0067

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE
MILLER COMMUNICATIONS, INC.
ONE WIRELESS WAY - SUITE 100
PARKERSBURG, WV 26101

SHIP TO

HEALTH AND HUMAN RESOURCES
 PINECREST HOSPITAL
 105 SOUTH EISENHOWER DRIVE
 BECKLEY, WV
 25801 304-256-6614

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
04/16/2009				

BID OPENING DATE: 05/26/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UCP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>STEEL ARE REQUIRED, THE STATE WILL ACCEPT ONLY ALUMINUM GLASS, OR STEEL PRODUCTS PRODUCED IN THE UNITED STATES. IN ADDITION, ITEMS OF MACHINERY OR EQUIPMENT PURCHASED FOR USE AT THE SITE OF PUBLIC WORKS SHALL BE MADE OF DOMESTIC ALUMINUM, GLASS OR STEEL, UNLESS THE COST OF THE PRODUCT IS LESS THAN \$50,000 OR LESS THAN 10,000 POUNDS OF STEEL ARE USED IN PUBLIC WORKS PROJECTS.</p> <p>FOREIGN MADE ALUMINUM, GLASS OR STEEL PRODUCTS MAY BE ACCEPTED ONLY IF THE COST OF DOMESTIC PRODUCTS IS FOUND TO BE UNREASONABLE. SUCH COST IS UNREASONABLE IF IT IS 20% OR MORE HIGHER THAN THE BID PRICE FOR FOREIGN MADE PRODUCTS. IF THE DOMESTIC ALUMINUM, GLASS OR STEEL PRODUCTS TO BE SUPPLIED OR PRODUCED IN A "SUBSTANTIAL LABOR SURPLUS AREA", AS DEFINED BY THE UNITED STATES DEPARTMENT OF LABOR, FOREIGN PRODUCTS MAY BE SUPPLIED ONLY IF DOMESTIC PRODUCTS ARE 30% OR MORE HIGHER IN PRICE THAN THE FOREIGN MADE PRODUCTS.</p> <p>IF, PRIOR TO THE AWARD OF A CONTRACT UNDER THE ABOVE PROVISIONS, THE SPENDING OFFICER OF THE SPENDING UNIT DETERMINES THAT THERE EXISTS A BID FOR LIKE FOREIGN ALUMINUM, GLASS OR STEEL THAT IS REASONABLE AND LOWER THAN THE LOWEST BID DOMESTIC PRODUCTS, THE SPENDING OFFICE MAY REQUEST, IN WRITING, A REEVALUATION AND REDUCTION IN THE LOWEST BID FOR SUCH DOMESTIC PRODUCTS. ALL VENDORS MUST INDICATE IN THEIR BID IF THEY ARE SUPPLYING FOREIGN ALUMINUM, GLASS OR STEEL.</p> <p>REV. 3/88</p> <p>EXHIBIT 9</p> <p>NOTICE FOR ISSUANCE & ACKNOWLEDGEMENT OF CONSTRUCTION PROJECT ADDENDA</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
PSH90126

PAGE
6

ADDRESS CORRESPONDENCE TO ATTENTION OF
ROBERTA WAGNER 304-558-0067

RFQ COPY
 TYPE NAME/ADDRESS HERE

VENDOR

MILLER COMMUNICATIONS, INC.
ONE WIRELESS WAY - SUITE 100
PARKERSBURG, WV 26101

SHIP TO

HEALTH AND HUMAN RESOURCES
 PINECREST HOSPITAL
 105 SOUTH EISENHOWER DRIVE
 BECKLEY, WV
 25801 304-256-6614

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
04/16/2009				

BID OPENING DATE: 05/26/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>THE ARCHITECT/ENGINEER AND/OR AGENCY SHALL BE REQUIRED TO ABIDE BY THE FOLLOWING SCHEDULE IN ISSUING CONSTRUCTION PROJECT ADDENDA FOR STATE AGENCIES:</p> <p>(1) THE ARCHITECT/ENGINEER SHALL PREPARE THE ADDENDUM AND A LIST OF ALL PARTIES THAT HAVE PROCURED DRAWINGS AND SPECIFICATIONS FOR THE PROJECT. THE ADDENDUM AND LIST SHALL BE FORWARDED TO THE BUYER IN THE STATE PURCHASING DIVISION. THE ARCHITECT/ENGINEER SHALL ALSO SEND A COPY OF THE ADDENDUM TO THE STATE AGENCY FOR WHICH THE CONTRACT IS ISSUED.</p> <p>(2) THE BUYER SHALL SEND THE ADDENDUM TO ALL INTERESTED PARTIES AND, IF NECESSARY, EXTEND THE BID OPENING DATE. ANY ADDENDUM SHOULD BE RECEIVED BY THE BUYER WITHIN FOURTEEN (14) DAYS PRIOR TO THE BID OPENING DATE.</p> <p>(3) ALL ADDENDA SHOULD BE FORMALLY ACKNOWLEDGED BY ALL BIDDERS AND SUBMITTED TO THE STATE PURCHASING DIVISION. THE SAME RULES AND REGULATIONS THAT APPLY TO THE ORIGINAL BIDDING DOCUMENT SHALL ALSO APPLY TO AN ADDENDUM DOCUMENT. THE ONLY EXCEPTION MAY BE FOR AN ADDENDUM THAT IS ISSUED FOR THE SOLE PURPOSE OF CHANGING A BID OPENING TIME AND/OR DATE.</p> <p>REV. 11/96</p> <p>EXHIBIT 10</p> <p>ADDENDUM ACKNOWLEDGEMENT</p> <p>I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
PSH90126

PAGE
8

ADDRESS CORRESPONDENCE TO ATTENTION OF
ROBERTA WAGNER 304-558-0067

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE
MILLER COMMUNICATIONS, INC.
ONE WIRELESS WAY - SUITE 100
PARKERSBURG, WV 26101

SHIP TO

HEALTH AND HUMAN RESOURCES
 PINECREST HOSPITAL
 105 SOUTH EISENHOWER DRIVE
 BECKLEY, WV
 25801 304-256-6614

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
04/16/2009				

BID OPENING DATE: 05/26/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UCP	CAT NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>WEST VIRGINIA STATE CODE 21-11-2 REQUIRES THAT ALL PERSONS DESIRING TO PERFORM CONTRACTING WORK IN THIS STATE MUST BE LICENSED. THE WEST VIRGINIA CONTRACTORS LICENSING BOARD IS EMPOWERED TO ISSUE THE CONTRACTORS LICENSE. APPLICATIONS FOR A CONTRACTORS LICENSE MAY B MADE BY CONTACTING THE WEST VIRGINIA DIVISION OF LABOR CAPITOL COMPLEX, BUILDING 3, ROOM 319, CHARLESTON, WV 25305. TELEPHONE: (304) 558-7890.</p> <p>WEST VIRGINIA STATE CODE 21-11-11 REQUIRES ANY PROSPECTIVE BIDDER TO INCLUDE THE CONTRACTORS LICENSE NUMBER ON THEIR BID.</p> <p>BIDDER TO COMPLETE:</p> <p>CONTRACTORS NAME: <i>Miller Communications, Inc.</i></p> <p>CONTRACTORS LICENSE NO.: <i>WV 14483</i></p> <p>THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FURNISH A COPY OF THEIR CONTRACTORS LICENSE PRIOR TO ISSUANCE OF A PURCHASE ORDER/CONTRACT</p> <p>APPLICABLE LAW.</p> <p>THE WEST VIRGINIA STATE CODE, PURCHASING DIVISION RULES AND REGULATIONS, AND THE INFORMATION PROVIDED IN THE "REQUEST FOR QUOTATION" ISSUED BY THE PURCHASING DIVISION IS THE SOLE AUTHORITY GOVERNING THIS PROCUREMENT.</p> <p>ANY INFORMATION PROVIDED IN SPECIFICATION MANUALS, OR ANY OTHER SOURCE, VERBAL OR WRITTEN, WHICH CONTRADICTS OR ALTERS THE INFORMATION PROVIDED FROM THE SOURCES AS DESCRIBED IN THE ABOVE PARAGRAPH IS VOID AND OF NO</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 PSH90126

PAGE
 7

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 ROBERTA WAGNER
 304-558-0067

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE
MILLER COMMUNICATIONS, INC.
ONE WIRELESS WAY - SUITE 100
PARKERSBURG, WV 26101

SHIP TO

HEALTH AND HUMAN RESOURCES
 PINECREST HOSPITAL
 105 SOUTH EISENHOWER DRIVE
 BECKLEY, WV
 25801 304-256-6614

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
04/16/2009	6/09/2009			

BID OPENING DATE: 05/26/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC. ADDENDUM NOS. NO. 1 NO. 2 NO. 3 NO. 4 NO. 5 I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF THE BIDS. VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING. SIGNATURE Miller Communications, Inc. COMPANY June 3, 2009 DATE REV. 11/96 CONTRACTORS LICENSE						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS		
SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER:
 PSH90126

PAGE:
 1

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 ROBERTA WAGNER
 304-558-0067

RFQ COPY

TYPE NAME/ADDRESS HERE
 Miller Communications, Inc.
 One Wireless Way, STE 100
 Parkersburg WV 26101

SHIP TO

HEALTH AND HUMAN RESOURCES
 PINECREST HOSPITAL
 105 SOUTH EISENHOWER DRIVE
 BECKLEY, WV
 25801 304-256-6614

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
05/28/2009				

BID OPENING DATE: 06/09/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
ADDENDUM NO. 3 1. QUESTIONS AND ANSWERS ARE ATTACHED. 2. ADDENDUM ACKNOWLEDGEMENT IS ATTACHED. THIS DOCUMENT SHOULD BE SIGNED AND RETURNED WITH YOUR BID. FAILURE TO SIGN AND RETURN MAY RESULT IN DISQUALIFICATION OF YOUR BID. EXHIBIT 10 REQUISITION NO.: PSH90126 ADDENDUM ACKNOWLEDGEMENT I HEREBY ACKNOWLEDGE RECEIPT OF THE FOLLOWING CHECKED ADDENDUM(S) AND HAVE MADE THE NECESSARY REVISIONS TO MY PROPOSAL, PLANS AND/OR SPECIFICATION, ETC. ADDENDUM NO.'S: NO. 1 .. X .. NO. 2 .. X .. NO. 3 .. X .. NO. 4 NO. 5 I UNDERSTAND THAT FAILURE TO CONFIRM THE RECEIPT OF THE ADDENDUM(S) MAY BE CAUSE FOR REJECTION OF BIDS. VENDOR MUST CLEARLY UNDERSTAND THAT ANY VERBAL REPRESENTATION MADE OR ASSUMED TO BE MADE DURING ANY						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
PSH90126

PAGE
9

ADDRESS CORRESPONDENCE TO ATTENTION OF
ROBERTA WAGNER 304-558-0067

VENDOR	RFQ COPY
	TYPE NAME/ADDRESS HERE

SHIP TO	HEALTH AND HUMAN RESOURCES
	PINECREST HOSPITAL
	105 SOUTH EISENHOWER DRIVE
	BECKLEY, WV 25801

304-256-6614

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
04/16/2009				

BID OPENING DATE: 05/26/2009 BID OPENING TIME: 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>EFFECT.</p> <p>BANKRUPTCY: IN THE EVENT THE VENDOR/CONTRACTOR FILES FOR BANKRUPTCY PROTECTION, THIS CONTRACT IS AUTOMATICALLY NULL AND VOID, AND IS TERMINATED WITHOUT FURTHER ORDER.</p> <p>REV. 1/2005</p> <p style="text-align: center;">NOTICE</p> <p>A SIGNED BID MUST BE SUBMITTED TO:</p> <p style="text-align: center;">DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION BUILDING 15 2019 WASHINGTON STREET, EAST CHARLESTON, WV 25305-0130</p> <p>PLEASE NOTE: A CONVENIENCE COPY WOULD BE APPRECIATED. THE BID SHOULD CONTAIN THIS INFORMATION ON THE FACE OF THE ENVELOPE OR THE BID MAY NOT BE CONSIDERED:</p> <p>SEALED BID</p> <p>BUYER: -----RW/FILE 22-----</p> <p>REQ. NO.: -----PSH90126-----</p> <p>BID OPENING DATE: -----06/09/2009-----</p> <p>BID OPENING TIME: -----1:30 PM-----</p> <p>PLEASE PROVIDE A FAX NUMBER IN CASE IT IS NECESSARY TO CONTACT YOU REGARDING YOUR BID:</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 PSH90126

PAGE
 2

ADDRESS CORRESPONDENCE TO ATTENTION OF
 ROBERTA WAGNER
 304-558-0067

RFQ COPY

TYPE NAME/ADDRESS HERE


MILLER COMMUNICATIONS, INC.
ONE WIRELESS WAY - SUITE 100
PARKERSBURG, WV 26101

SHIP TO

HEALTH AND HUMAN RESOURCES
 PINECREST HOSPITAL
 105 SOUTH EISENHOWER DRIVE
 BECKLEY, WV
 25801 304-256-6614

DATE PRINTED	TERMS OF SALE	SHIP VIA	FOB	FREIGHT TERMS
05/28/2009				

BID OPENING DATE: 06/09/2009 BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>ORAL DISCUSSION HELD BETWEEN VENDOR'S REPRESENTATIVES AND ANY STATE PERSONNEL IS NOT BINDING. ONLY THE INFORMATION ISSUED IN WRITING AND ADDED TO THE SPECIFICATIONS BY AN OFFICIAL ADDENDUM IS BINDING.</p> <p style="text-align: center;">  SIGNATURE MILLER COMMUNICATIONS, INC. COMPANY .. June 3, 2009 DATE </p> <p>REV. 11/96</p> <p style="text-align: center;">END OF ADDENDUM NO. 3</p>						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 PSH90126

PAGE
 10

ADDRESS CORRESPONDENCE TO ATTENTION OF
 ROBERTA WAGNER
 304-558-0067

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE
 MILLER COMMUNICATIONS, INC.
 ONE WHEELLESS WAY, STE 100
 PARKERSBURG WV 26101
 304-863-8595

SHIP TO

HEALTH AND HUMAN RESOURCES
 PINECREST HOSPITAL
 105 SOUTH EISENHOWER DRIVE
 BECKLEY, WV
 25801 304-256-6614

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
04/16/2009				

BID OPENING DATE:

05/26/2009

BID OPENING TIME 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
	FAX:			304-863-3786		
	PLEASE PRINT OR TYPE NAME OF PERSON TO CONTACT CONCERNING THIS QUOTE:					
				HAROLD SMITH		
0002	7 *EA 10			936-73	\$215.00	\$1505.00
	UNINTERRUPTIBLE POWER SUPPLY *Only need 7 with our system for 1 DVR/1 each of 6 network POE switches					
0003	6 *EA 8			936-73		\$1990.00
	16 CHANNEL POWER SUPPLY *Network POE Switches Various Sizes					
0004	53 EA			936-73	\$725.00	\$38425.00
	SONY SPE-110, OR EQUAL, VANDAL PROOF DOME CAMERA *IP based camera includes housing & Mount					
0005	10 EA			936-73	5-\$885.00 5-\$925.00	\$9050.00
	OUTDOOR CAMERA WITH 5-50 MM VARIFOCAL LENS *5=9-22mm lens/5=5-50mm lens NO WIRE CAMERA					

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
 PSH90126

PAGE
 11

ADDRESS CORRESPONDENCE TO ATTENTION OF:
 ROBERTA WAGNER
 304-558-0067

VENDOR

RFQ COPY
 TYPE NAME/ADDRESS HERE
MILLER COMMUNICATIONS, INC.
ONE WIRELESS WAY - SUITE 100
PARKERSBURG, WV 26101

SHIP TO

HEALTH AND HUMAN RESOURCES
 PINECREST HOSPITAL
 105 SOUTH EISENHOWER DRIVE
 BECKLEY, WV
 25801 304-256-6614

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
04/16/2009				

LINE	QUANTITY	UOP	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
006	10	EA		936-73	\$0.00	\$0.00
WEATHER PROOF HOUSING FOR OUTDOOR CAMERAS *Included with above cameras						
007	1	JB		936-73		\$17050.00
MOUNTING BRACKETS, CABLE AND CABLE TERMINATIONS						
008	1	JB		936-73		\$0.00
REQUIRED SOFTWARE FOR SECURITY SYSTEM *No software needed All is included						
009	1	JB		936-73		\$29000.00
LABOR COSTS						
010	1	LS		936-73		
ALL OTHER COSTS (PLEASE SPECIFY)						

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'



State of West Virginia
 Department of Administration
 Purchasing Division
 2019 Washington Street East
 Post Office Box 50130
 Charleston, WV 25305-0130

Request for Quotation

RFQ NUMBER
PSH90126

PAGE
12

ADDRESS CORRESPONDENCE TO ATTENTION OF:
ROBERTA WAGNER
304-558-0067

RFQ COPY

TYPE NAME/ADDRESS HERE
WILLET COMMUNICATIONS, INC.
ONE WIRELESS WAY - SUITE 100
PARKERSBURG, WV 26101

SHIP TO

HEALTH AND HUMAN RESOURCES
 PINECREST HOSPITAL
 105 SOUTH EISENHOWER DRIVE
 BECKLEY, WV
 25801 304-256-6614

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
04/16/2009				

BID OPENING DATE: 05/26/2009 BID OPENING TIME: 01:30PM

LINE	QUANTITY	UOP	CAT NO	ITEM NUMBER	UNIT PRICE	AMOUNT
***** THIS IS THE END OF RFQ PSH90126 ***** TOTAL:						\$106910.00

SEE REVERSE SIDE FOR TERMS AND CONDITIONS

SIGNATURE	TELEPHONE	DATE
TITLE	FEIN	ADDRESS CHANGES TO BE NOTED ABOVE

WHEN RESPONDING TO RFQ, INSERT NAME AND ADDRESS IN SPACE ABOVE LABELED 'VENDOR'

**REQUEST FOR QUOTATION
PSH90126**

1. GENERAL INFORMATION:

- 1.1. Request for Quotation to provide all labor, materials, equipment and anything incidental to the removal, legal disposal of specific security equipment, installation of new security equipment and components, security system startup, testing, and adjustments listed herein at Pinecrest Hospital 105 South Eisenhower Drive, Beckley, WV 25801.
- 1.2. All work will be in compliance with the Fire Marshal regulations and all other building codes and industry standards. Final payment will be withheld if installed components are not in compliance, or any portion of this overall project is not 100% complete. The award will be made to the overall low bid that complies with the specifications.
- 1.3. "Will", "must", and "shall" listed herein this document is a mandatory requirement.
- 1.4. The cameras, all mounting hardware, cabling, DVRs, networking equipment and miscellaneous hardware or software, as well as the connections, communications, and/or other interactions between the components, will be referred to as the security system throughout this document.

2. BIDDER REQUIREMENTS:

- 2.1. All qualified bidders, being familiar with and understanding the bidding documents and also having examined the site and being familiar with all local conditions affecting the project hereby propose to furnish all labor, material, equipment, supplies and to perform all work in accordance with the bidding documents within the time set forth below.
- 2.2. It is the bidder's responsibility to verify all field conditions and limitations prior to bidding. It is also the bidder's responsibility to notify the West Virginia Department of Health & Human Resources in writing, of conditions detrimental to proper and timely completion of the repair/upgrade. Do not proceed until nonconforming conditions have been corrected.
- 2.3. Mandatory Prebid Conference: (Agency Option)
A mandatory prebid conference shall be conducted on the date specified 5/5/9 at 11:00 a.m. Said conference will be held at Pinecrest Hospital, 105 S. Eisenhower Dr., Beckley, WV 25801, Room #B-109. All interested bidders are required to be present at this meeting. Failure to attend the mandatory prebid conference shall automatically result in disqualification. No one person can represent more than one vendor.

3. SCOPE OF WORK:

3.1. Pinecrest Hospital has a need to install surveillance cameras at various locations in the Hospital and outside the hospital. The locations are identified in the attached building diagrams. The security system cameras shall record at all times, this includes during backup times and when other cameras are being viewed. The system needs to provide the capability to view any camera or multiple cameras from any network attached PC. The system shall provide a means to backup the data obtained from the cameras from a central location.

3.2. Digital Video Recorders

- 3.2.1. A total of five (5) digital video recorders (DVR) will be required.
- 3.2.2. All storage for the camera system shall be digital.
- 3.2.3. All DVRs shall have a minimum of 1.0 TB of storage space. The hard drive shall have incident back up.
- 3.2.4. All DVRs shall provide the capability to backup data locally as well as the ability to backup to a central location. DVR storage space will be provided by the facility over the Pinecrest Hospital network and will be in the computer room located on Unit 1A.
- 3.2.5. All DVRs shall provide the capability to record from all channels simultaneously.
- 3.2.6. All DVRs shall be accessible from any PC connected to the DHHR network at Pinecrest Hospital.
- 3.2.7. All DVRs shall provide logon security in the form of user IDs and passwords.
- 3.2.8. Each DVR shall be connected to an Uninterruptible Power Supply (UPS). Each UPS shall be capable of supporting 1200VA, at minimum.
- 3.2.9. Five (5) DVRs shall operate with a Windows based system. Vendor must advise facility if additional computers for every DVR will be necessary.
- 3.2.10. The bidder must provide mounting equipment for the DVRs.

3.3. Data Backup

- 3.3.1. The camera system shall provide the capability to backup the data from each DVR to a central location – the Information System area which is located in room A-136.
- 3.3.2. The centralized backup shall be completed on DVD media. Pinecrest Hospital personnel will perform the backups on a facility determined backup schedule.

3.4. Cabling

- 3.4.1. All cables installed for the camera system shall be located in drop ceilings where available or in metal conduit.
- 3.4.2. All cables installed shall meet or exceed all pertinent building codes and regulations.

3.5. Indoor Cameras

- 3.5.1. Cameras installed inside Pinecrest Hospital shall be a Sony SPE-²⁶~~110~~ or a camera that is equal. The camera shall have a vandal proof dome. The camera shall be a color camera with an auto focusing lens. The camera lens shall have a minimum of 2.8 to 4.0 mm and a maximum 10 – 15 mm view.
- 3.5.2. Contractor shall furnish and install fifty-three (53) indoor cameras identified in

PLENUM

3.5.1.

- 3.5.3. Minimum camera resolution shall be 640 x 480.
 3.5.4. Camera frame rate shall be 6 fps at a minimum; frame rate per second above this will be acceptable.

3.6. Outdoor Cameras

- 3.6.1. Cameras installed on the exterior of Pinecrest Hospital shall provide a view of the parking lots and facility grounds. The cameras shall also have a 5- 50 mm varifocal lenses.
 3.6.2. All outdoor cameras shall be installed in a weather proof housing that has a heater and blower. The heater shall activate when the temperature reaches 0 degrees Fahrenheit and the blower shall activate when the temperature reaches 130 degrees Fahrenheit.
 3.6.3. Contractor shall furnish and install ten (10) outdoor cameras as identified in 3.6.1 and ten (10) weather proof housing as identified in 3.6.2.

3.7. Power Supplies

- 3.7.1. All cameras shall be connected to multi-channel power supplies.
 3.7.2. Five (5) 16 channel power supplies will be required.
 3.7.3. All power supplies shall be connected to an uninterruptible Power Supply (UPS) Each UPS shall be capable of supporting 1200VA, at minimum.

3.8. Miscellaneous Hardware

- 3.8.1. Mounting brackets for all cameras shall be provided by the contractor.
 3.8.2. Cable and cable terminations shall be provided by the contractor with a minimum of a 3' terminal length.
 3.8.3. Current wall and floor penetrations for cabling can be used, but the vendor shall replace any fire block that is removed. In addition, all new penetrations must be sleeved and fire blocked.
 3.8.4. Conduit and junction boxes shall be provided by the contractor.
 3.8.5. Any other miscellaneous hardware that is required to install a high quality functioning camera system at Pinecrest Hospital shall be provided by the contractor.

3.9. Computers and software

- 3.9.1. The contractor shall install and configure computer hardware required for the security system.
 3.9.2. The contractor shall provide required software for the security system. If the software must be installed on computers connected to the DHHR network the software will meet all Office of Technology compatibility requirements which shall be Windows XP or Windows Vista.
 3.9.3. The contractor shall train personnel identified by the owner on the use and administration of the security system.

- 3.10. Minor deviations from the stated specification not listed as mandatory (must, shall, or will) are acceptable to facilitate a competitive bidding atmosphere, provided the intent of the Request for Quotation or the effectiveness of the system is not compromised.

4. INSPECTION:

- 4.1. Contractor shall inspect existing conditions governing this work during pre-bid site inspection to determine conditions and extent of work required. No allowance will be made subsequently on behalf of the contractor for any error or negligence on his part in connection with this requirement.
- 4.2. The Contractor shall inspect all elements subject to movement or damage prior to commencing work.

5. Installation Plan (Shop Drawings):

Contractor shall provide an installation plan to owner for approval. The Installation Plan shall include a summary of work to be performed and normal configuration of devices and accessories that will be installed. The Installation Plan will include any deviations from the normal configuration of devices and accessories as explained in the summary. The Installation Plan shall include building drawings specifying products, product location, all identifying numbers of product (i.e. ~~serial number, IP address, etc.~~), accessories and installation methods for the scope of work as defined in Section 3. The Installation Plan shall include a project schematic that will include the data flow from the end devices to the storage devices as well as the interconnection between all devices. The Installation Plan shall include a bill of materials (BOM) that contains, but not limited to, quantity, vendor number, serial number, manufacture part number, description and list price of each item. The Installation Plan shall include an initial schedule for the project. Any deviations in the initial schedule shall be communicated to the owner and approved before changes take place. A notice to proceed will be issued indicating approval of the shop drawings.

AFTER
INSTALL

6. TEMPORARY FACILITIES:

- 6.1. The Owner will provide normal electrical supply from the currently installed electrical system in the building for the use of the contractor. However, the Owner provides no guarantee or warranty as to the systems condition or capabilities. The Contractor shall assure himself that the electrical system is adequate for his requirements or supply additional temporary electrical power at his own expense.
- 6.2. Any damage to the electrical system resulting from misuse or abuse to the existing electrical system shall be repaired or replaced by the contractor at no expense to the owner.

7. COORDINATION OF WORK:

- 7.1. The Contractor shall coordinate with Information Systems personnel and the maintenance supervisor for the proper relation of the work to the building structure and to the employees therein. In the event of conflict the building employees shall prevail.

7.2. The Contractor shall take all necessary precautions to protect the interior of the building from debris, dust or any residue occurring from the scope of work.

8. WARRANTY: (GUARANTEE)

8.1. The Contractor shall warrant to the Owner all materials and equipment will be new, and that all work will be of good quality, free from faults and defects in conformance with the contract documents. All work not conforming to these requirements may be considered defective.

8.2. All materials and equipment shall be of current year production of manufacturer and manufactured for commercial usage. Used, reconditioned or remanufactured equipment is not acceptable.

8.3. Successful bidder shall submit full commercial warranty information. The warranty information shall minimally contain the product warranty.

9. PERMITS:

The Contractor shall secure and pay for the building permit and for all other permits, governmental fees and licenses which are necessary for the proper execution and completion of the work as specified.

10. CLEAN UP:

The Contractor shall keep the work area as clean as possible during the entire progress of work, and shall be responsible to remove from the site, the packaging materials from his products and other debris as it accumulates. All items of equipment that are removed to allow the installation of new items will become the property of the contractor to dispose of at a landfill or location authorized to accept the items as waste or recycled parts.

11. WAGE RATES:

The Contractor and any sub-contractors shall pay the higher of the U.S. Department of Labor Minimum wage rates or of the West Virginia Department of Labor wage rates as established for Raleigh county pursuant to West Virginia Code 21-5-1, et seq. West Virginia Department of Labor Wage Rates are available at website: <http://www.wvsos.com/adlaw/wagerates/building06.htm>

12. PAYMENT SCHEDULE:

12.1. The Contractor shall submit to the Owner one original invoice when the contracted work is completed in its entirety upon inspection and approval by the owner.

12.2. The Owner reserves the right to refuse payment in the event the completed

work is not in accordance with industry standards or sub-standard in any way, or, if the amount requested is not within the agreed upon terms of the contract.

13. TERM OF WORK:

All work shall be complete within 120 calendar days from the approval of the installation plan/notice to proceed letter.

14. DELAYS AND EXTENSION OF TIME:

If the Contractor is delayed at any time in the progress of the work by any act or neglect of the Owner or by any employee of the Owner, or by any separate contractor employed by the Owner, or by changes in the work, or by labor disputes, fire, unusual delay in transportation, adverse weather conditions not reasonably anticipated, unavoidable casualties, or any other cause which the Owner determines may justify the delay, then the contract time may be extended by written approval of the Owner.

15. TOOLS AND EQUIPMENT STORAGE:

Contractor may set a trailer or temporary storage building on the site for all equipment and tools. The Contractor is responsible for his tools, equipment and materials.

16. SAFETY EQUIPMENT:

The Contractor shall provide safety barriers around work areas where heavy equipment may be in operation when placing materials in the building or as required by OSHA.

17. DAMAGES:

Any damages occurring to the building or property resulting from the contractor's performance of this work shall be the responsibility of the contractor to repair at his expense, either by using his own forces or that of an approved sub-contractor. The repair method and finished product will be subject to the approval of the owner.

18. SCHEDULE OF BID RESPONSES:

- 18.1.** Bidders shall submit one lump-sum bid for all the work under all the terms and conditions as described herein. In addition, please note that this project will be awarded to the vendor with the lowest total bid that meets all of the specifications.

Bid Schedule / Cost Proposal

Quantity	Description	Price for Each	Extended Amount
5 each *	Digital Video Recorders per specifications	<u>\$9890.00</u>	<u>\$ 9890.00</u>
10 each 7*	*1 DVR to handle up to 64 cameras Uninterruptible Power Supply	<u>\$215.00</u>	<u>\$ 1505.00</u>
5 each * *6	*Only need 7 with our system for 1 DVR/1 for each of 6 network POE Switches 16 channel Power Supply	<u>\$</u>	<u>\$ 1990.00</u>
53 each	Sony SPE-110 (or equal) vandal proof dome color camera with minimum 2.8-4mm to maximum 10-15mm auto focusing lens for indoor use	IP Based Camera includes housing & Mount <u>\$725.00</u>	<u>\$ 38,425.00</u>
10 each	Outdoor camera with 5 - 50 mm varifocal lens 5= 9-22mm lens/5=5-50 mm lens	5-\$885.00 <u>\$5-\$925.00</u>	<u>\$ 9050.00</u>
10 each*	Weather proof housing for outdoor cameras *Included with above cameras	<u>\$0.00</u>	<u>\$ 0.00</u>
1 job	Mounting brackets, cable and cable terminations with a minimum of 3' length, conduit and junction boxes, other miscellaneous hardware and network equipment.	<u>\$</u>	<u>\$ 17050.00</u>
1 job	Required software for security system *No software needed All is included	<u>\$</u>	<u>\$ 0.00</u>
1 job	Labor costs	<u>\$</u>	<u>\$ 29000.00</u>
	All other costs (please specify)	<u>\$</u>	<u>\$</u>
	Grand Total	<u>\$</u>	<u>\$ 106910.00</u>

STATE OF WEST VIRGINIA
Purchasing Division

PURCHASING AFFIDAVIT

VENDOR OWING A DEBT TO THE STATE:

West Virginia Code §5A-3-10a provides that: No contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and the debt owed is an amount greater than one thousand dollars in the aggregate.

PUBLIC IMPROVEMENT CONTRACTS & DRUG-FREE WORKPLACE ACT:

If this is a solicitation for a public improvement construction contract, the vendor, by its signature below, affirms that it has a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the *West Virginia Code*. The vendor **must** make said affirmation with its bid submission. Further, public improvement construction contract may not be awarded to a vendor who does not have a written plan for a drug-free workplace policy in compliance with Article 1D, Chapter 21 of the *West Virginia Code* and who has not submitted that plan to the appropriate contracting authority in timely fashion. For a vendor who is a subcontractor, compliance with Section 5, Article 1D, Chapter 21 of the *West Virginia Code* may take place before their work on the public improvement is begun.

ANTITRUST:

In submitting a bid to any agency for the state of West Virginia, the bidder offers and agrees that if the bid is accepted the bidder will convey, sell, assign or transfer to the state of West Virginia all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the state of West Virginia for price fixing and/or unreasonable restraints of trade relating to the particular commodities or services purchased or acquired by the state of West Virginia. Such assignment shall be made and become effective at the time the purchasing agency tenders the initial payment to the bidder.

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, limited liability company, partnership or person or entity submitting a bid for the same materials, supplies, equipment or services and is in all respects fair and without collusion or fraud. I further certify that I am authorized to sign the certification on behalf of the bidder or this bid.

LICENSING:

Vendors must be licensed and in good standing in accordance with any and all state and local laws and requirements by any state or local agency of West Virginia, including, but not limited to, the West Virginia Secretary of State's Office, the West Virginia Tax Department, West Virginia Insurance Commission, or any other state agencies or political subdivision. Furthermore, the vendor must provide all necessary releases to obtain information to enable the Director or spending unit to verify that the vendor is licensed and in good standing with the above entities.

CONFIDENTIALITY:

The vendor agrees that he or she will not disclose to anyone, directly or indirectly, any such personally identifiable information or other confidential information gained from the agency, unless the individual who is the subject of the information consents to the disclosure in writing or the disclosure is made pursuant to the agency's policies, procedures and rules. Vendor further agrees to comply with the Confidentiality Policies and Information Security Accountability Requirements, set forth in <http://www.state.wv.us/admin/purchase/privacy/noticeConfidentiality.pdf>.

Under penalty of law for false swearing (*West Virginia Code* §61-5-3), it is hereby certified that the vendor affirms and acknowledges the information in this affidavit and is in compliance with the requirements as stated.

Vendor's Name: Miller Communications, Inc.

Authorized Signature: *Timothy T. Miller* Date: 06/04/2009



**State of West Virginia
DRUG FREE WORKPLACE CONFORMANCE AFFIDAVIT
West Virginia Code §21-1D-5**

STATE OF WEST VIRGINIA

COUNTY OF WOOD, TO-WIT:

I, Scott O. Miller, after being first duly sworn, depose and state as follows:

1. I am an employee of Miller Communications, Inc.; and,
(Company Name)
2. I do hereby attest that Miller Communications, Inc.
(Company Name)

maintains a valid written drug free workplace policy and that such policy is in compliance with **West Virginia Code §21-1D-5**.

The above statements are sworn to under the penalty of perjury.


Miller Communications, Inc.
(Company Name)

By: *Scott O. Miller*
Scott O. Miller
Title: Corporate Treasurer

Date: 06-04-09

Taken, subscribed and sworn to before me this 4th day of June, 2009.

By Commission expires May 31, 2015



Janice A. Hutchins
(Notary Public)

THIS AFFIDAVIT MUST BE SUBMITTED WITH THE BID IN ORDER TO COMPLY WITH WV CODE PROVISIONS. FAILURE TO INCLUDE THE AFFIDAVIT WITH THE BID SHALL RESULT IN DISQUALIFICATION OF THE BID.

ATTACHMENT

P.O.# _____

This agreement constitutes the entire agreement between the parties, and there are no other terms and conditions applicable to the licenses granted hereunder.

Agreed

Scott With 6/04/09
Signature Date

Corporate Treasurer
Title

Miller Communications, Inc.
Company Name

Signature Date

Title

Agency/Division

WV-96
Rev. 10/07

AGREEMENT ADDENDUM

In the event of conflict between this addendum and the agreement, this addendum shall control:

1. **DISPUTES** - Any references in the agreement to arbitration or to the jurisdiction of any court are hereby deleted. Disputes arising out of the agreement shall be presented to the West Virginia Court of Claims.
2. **HOLD HARMLESS** - Any clause requiring the Agency to indemnify or hold harmless any party is hereby deleted in its entirety.
3. **GOVERNING LAW** - The agreement shall be governed by the laws of the State of West Virginia. This provision replaces any references to any other State's governing law.
4. **TAXES** - Provisions in the agreement requiring the Agency to pay taxes are deleted. As a State entity, the Agency is exempt from Federal, State, and local taxes and will not pay taxes for any Vendor including individuals, nor will the Agency file any tax returns or reports on behalf of Vendor or any other party.
5. **PAYMENT** - Any references to prepayment are deleted. Payment will be in arrears.
6. **INTEREST** - Should the agreement include a provision for interest on late payments, the Agency agrees to pay the maximum legal rate under West Virginia law. All other references to interest or late charges are deleted.
7. **RECOUPMENT** - Any language in the agreement waiving the Agency's right to set-off, counterclaim, recoupment, or other defense is hereby deleted.
8. **FISCAL YEAR FUNDING** - Service performed under the agreement may be continued in succeeding fiscal years for the term of the agreement, contingent upon funds being appropriated by the Legislature or otherwise being available for this service. In the event funds are not appropriated or otherwise available for this service, the agreement shall terminate without penalty on June 30. After that date, the agreement becomes of no effect and is null and void. However, the Agency agrees to use its best efforts to have the amounts contemplated under the agreement included in its budget. Non-appropriation or non-funding shall not be considered an event of default.
9. **STATUTE OF LIMITATION** - Any clauses limiting the time in which the Agency may bring suit against the Vendor, lessor, individual, or any other party are deleted.
10. **SIMILAR SERVICES** - Any provisions limiting the Agency's right to obtain similar services or equipment in the event of default or non-funding during the term of the agreement are hereby deleted.
11. **ATTORNEY FEES** - The Agency recognizes an obligation to pay attorney's fees or costs only when assessed by a court of competent jurisdiction. Any other provision is invalid and considered null and void.
12. **ASSIGNMENT** - Notwithstanding any clause to the contrary, the Agency reserves the right to assign the agreement to another State of West Virginia agency, board or commission upon thirty (30) days written notice to the Vendor and Vendor shall obtain the written consent of Agency prior to assigning the agreement.
13. **LIMITATION OF LIABILITY** - The Agency, as a State entity, cannot agree to assume the potential liability of a Vendor. Accordingly, any provision limiting the Vendor's liability for direct damages to a certain dollar amount or to the amount of the agreement is hereby deleted. Limitations on special, incidental or consequential damages are acceptable. In addition, any limitation is null and void to the extent that it precludes any action for injury to persons or for damages to personal property.
14. **RIGHT TO TERMINATE** - Agency shall have the right to terminate the agreement upon thirty (30) days written notice to Vendor. Agency agrees to pay Vendor for services rendered or goods received prior to the effective date of termination.
15. **TERMINATION CHARGES** - Any provision requiring the Agency to pay a fixed amount or liquidated damages upon termination of the agreement is hereby deleted. The Agency may only agree to reimburse a Vendor for actual costs incurred or losses sustained during the current fiscal year due to wrongful termination by the Agency prior to the end of any current agreement term.
16. **RENEWAL** - Any reference to automatic renewal is hereby deleted. The agreement may be renewed only upon mutual written agreement of the parties.
17. **INSURANCE** - Any provision requiring the Agency to insure equipment or property of any kind and name the Vendor as beneficiary or as an additional insured is hereby deleted.
18. **RIGHT TO NOTICE** - Any provision for repossession of equipment without notice is hereby deleted. However, the Agency does recognize a right of repossession with notice.
19. **ACCELERATION** - Any reference to acceleration of payments in the event of default or non-funding is hereby deleted.
20. **CONFIDENTIALITY** - Any provision regarding confidentiality of the terms and conditions of the agreement is hereby deleted. State contracts are public records under the West Virginia Freedom of Information Act.
21. **AMENDMENTS** - All amendments, modifications, alterations or changes to the agreement shall be in writing and signed by both parties. No amendment, modification, alteration or change may be made to this addendum without the express written approval of the Purchasing Division and the Attorney General.

ACCEPTED BY:

STATE OF WEST VIRGINIA

VENDOR

Spending Unit: _____

Company Name: Miller Communications, Inc.

Signed: _____

Signed: Scott O Miller

Title: _____

Title: Scott O. Miller

Date: _____

Date: Corporate Treasurer

June 4, 2009

CONTRACTOR LICENSE

Authorized by the

West Virginia Contractor Licensing Board

Number:
WV014483

Classification:

ELECTRICAL
LOW VOLTAGE SYSTEMS

MILLER COMMUNICATIONS INC
DBA AC AUDIG VIDEO/PAGING PLUS/SIGN LAN
ONE WIRELESS WAY STE 100
PARKERSBURG, WV 26101-9544

Date Issued

Expiration Date

MAY 17, 2009

MAY 17, 2010



**WEST VIRGINIA
CONTRACTOR
LICENSING
BOARD**

Timothy T. Miller
Authorized Company Signature

Michael A. Carl
Chair, West Virginia Contractor
Licensing Board

This license, or a copy thereof, must be posted in a conspicuous place at every construction site where work is being performed. This license number must appear in all advertisements, on all bid submissions and on all fully executed and binding contracts. This license cannot be assigned or transferred by licensee. Issued under provisions of West Virginia Code, Chapter 21, Article 11.



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
12/2/08

PRODUCER DON R PARKER 4545 EMERSON AVENUE PARKERSBURG, WV 26104-1209	THIS CERTIFICATION IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.	
	INSURERS AFFORDING COVERAGE	NAIC #
INSURED Miller Communications Inc DBA Paging Plus AC Audio Video & Sign Language 1 Wireless Way Suite 100 Parkersburg, WV 26101-7837	INSURER A: NATIONWIDE MUTUAL FIRE INS CO	23779
	INSURER B: NATIONWIDE MUTUAL INS CO	23787
	INSURER C:	
	INSURER D:	
	INSURER E:	


COVERAGES

THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. AGGREGATE LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR ADD'L LTR	INSRD	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS
B		GENERAL LIABILITY <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC	ACP GLO 5703313034	06/09/2008	06/09/2009	EACH OCCURRENCE \$ 2,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 100,000 MED EXP (Any one person) \$ 5,000 PERSONAL & ADV INJURY \$ 2,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000
		AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input checked="" type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS <input checked="" type="checkbox"/> NON-OWNED AUTOS <input checked="" type="checkbox"/> Symbol 19	ACP BA 5703313034	06/09/2008	06/09/2009	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$
		GARAGE LIABILITY <input type="checkbox"/> ANY AUTO				AUTO ONLY - EA ACCIDENT \$ OTHER THAN AUTO ONLY: EA ACC \$ AGG \$
		EXCESS/UMBRELLA LIABILITY <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> CLAIMS MADE <input type="checkbox"/> DEDUCTIBLE <input type="checkbox"/> RETENTION \$	ACP CAF 6703313034	06/09/2008	06/09/2009	EACH OCCURRENCE \$ 1,000,000 AGGREGATE \$ 1,000,000
		WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? If yes, describe under SPECIAL PROVISIONS below				<input type="checkbox"/> WC STATUTORY LIMITS <input type="checkbox"/> OTHER E.L. EACH ACCIDENT \$ E.L. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - POLICY LIMIT \$
		OTHER Garagekeepers	ACP GLO 5703313034	06/09/2008	06/09/2009	40,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES / EXCLUSIONS ADDED BY ENDORSEMENT / SPECIAL PROVISIONS

Policy includes Garagekeepers Liability coverage with a limit of \$40,000 for comprehensive and collision. Symbol 19 applies to mobile equipment subject to auto laws.

CERTIFICATE HOLDER	CANCELLATION SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING INSURER WILL ENDEAVOR TO MAIL 30 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO DO SO SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE INSURER, ITS AGENTS OR REPRESENTATIVES. AUTHORIZED REPRESENTATIVE 
---------------------------	---

THE AMERICAN INSTITUTE OF ARCHITECTS



AIA Document A310
Bid Bond

KNOW ALL MEN BY THESE PRESENTS, that we
MILLER COMMUNICATIONS, INC.
ONE WIRELESS WAY, SUITE 100, PARKERSBURG, WV 26101
as Principal, hereinafter called the Principal, and
First Sealord Surety, Inc.
789 East Lancaster Avenue, Suite 200 Villanova, PA 19085
a corporation duly organized under the laws of the State of PA
as Surety, hereinafter called the Surety, are held and firmly bound unto
PINECREST HOSPITAL-HEALTH AND HUMAN RESOURCES
105 S. EISENHOWER DRIVE BECKLEY, WV
as Obligee, hereinafter called the Obligee, in the sum of 5% not to exceed
TEN THOUSAND & 00/100 DOLLARS

Dollars(\$10,000.00),

for the payment of which sum well and truly to be made, the said Principal and the said Surety, bind ourselves, our heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these present.

WHEREAS, the Principal has submitted a bid for
INSTALL VIDEO SECURITY SYSTEM

NOW, THEREFORE, if the Obligee shall accept the bid of the Principal and the Principal shall enter into a Contract with the Obligee in accordance with the terms of such bid, and give such bond or bonds as may be specified in the bidding or Contract Documents with good and sufficient surety for the faithful performance of such Contract and for the prompt payment of labor and material furnished in the prosecution thereof, or in the event of the failure of the Principal to enter such Contract and give such bond or bonds, if the Principal shall pay to the Obligee the difference not to exceed the penalty hereof between the amount specified in said bid and such larger amount for which the Obligee may in good faith contract with another party to perform the Work covered by said bid, then this obligation shall be null and void, otherwise to remain in full force and effect.


Signed and sealed this 26 DAY OF MAY 2009

Janice A. Hutchins
(Witness)

MILLER COMMUNICATIONS, INC.
Timothy T. Miller (Principal) (Seal)
Timothy T. Miller (Title) President

Wendym. Lands
(Witness)

First Sealord Surety, Inc.
Dale E. Clark (Surety)
(Title)
Dale E. Clark ATTORNEY IN FACT



UNAUTHORIZED COPY UNAUTH

First Sealord Surety, Inc. Power of Attorney

Power No: CLT-0382-09-06294

KNOW ALL MEN BY THESE PRESENTS: That First Sealord Surety, Inc., a corporation of the Commonwealth of Pennsylvania, (hereinafter the "Company") has made, constituted and appointed, and by these presents does make, constitute and appoint **Dale E. Clark, Amy R. Waugh, Diane J. Gibson and/or Wendy M. Lands all of Charlotte, North Carolina** its true and lawful Attorney-in-Fact, to make, execute and deliver on its behalf insurance policies, surety bonds, undertakings and other instruments of a similar nature as follows:

***** NOT TO EXCEED FIVE MILLION DOLLARS (\$5,000,000.00)*****


Such insurance policies, surety bonds, undertakings and instruments for said purposes, when duly executed by the aforesaid Attorney-in-Fact, shall be binding upon the said Corporation as fully and to the same extent as if signed by the duly authorized officers of the Corporation and sealed with its corporate seal; and all the acts of said Attorney-in-Fact, pursuant to the authority hereby given, are hereby ratified and confirmed.

This appointment is made pursuant to the following By-Laws which were duly adopted by the Board of Directors of the said Corporation on April 7, 2003 with all Amendments thereto and are still in full force and effect:

"Article XII: Policies, Bonds, Recognitions, Stipulations, Consents of Surety, Underwriting Undertakings, and Instruments Relating Thereto.

Section 12-1. Insurance policies, bonds, recognitions, stipulations, consents of surety and underwriting undertakings of the Corporation, and releases, agreements and other writings relating in any way thereto or to any claim or loss thereunder, shall be signed in the name and on behalf of the Corporation: a) by the Chairman of the Board, the President or a Vice President, and by the Secretary or an Assistant Secretary; or b) by an Attorney-in-Fact for the Corporation appointed and authorized by the Chairman of the Board, the President, or a Vice President to make such signature; or c) by such other officers or representatives as the Board may from time to time determine. The seal of the Corporation shall if appropriate be affixed thereto by any such officer, Attorney-in-Fact or representative. The authority of such Attorney-in-Fact and Agents shall be as prescribed in the instrument evidencing their appointment. Any such appointment and all authority granted thereby may be revoked at any time by the Board of Directors or by any person empowered to make such appointment."

IN WITNESS WHEREOF, First Sealord Surety, Inc. has caused these presents to be duly signed and its corporate seal to be hereunto affixed and duly attested this 20th day of January, 2004.



(Seal)

Attest:

Gary L. Bragg, Secretary


First Sealord Surety, Inc.

By:

Joel D. Cooperman, Vice President

Commonwealth of Pennsylvania
County of Montgomery

On this 20th day of January, 2004, before me personally appeared Joel D. Cooperman, Vice President of First Sealord Surety, Inc., with whom I am personally acquainted, who, being by me duly sworn, said that he resides in the Commonwealth of Pennsylvania, that he is Vice President of First Sealord Surety, Inc., the corporation described in and which executed the foregoing instrument; that he knows the corporate seal of the said Corporation; that the seal affixed to said instrument is such corporate seal; that it was so affixed by order of the Board of Directors of said Corporation; and that he signed his name thereto as Vice President of said Corporation by like authority.



(Seal)



- Notary Public

CERTIFICATE

I, the undersigned Secretary of First Sealord Surety, Inc. do hereby certify that the original Power of Attorney of which the foregoing is a full, true and correct copy, is in full force and effect on the date of this Certificate and I do further certify that the Officer who executed the said Power of Attorney was one of the Officers authorized by the Board of Directors to appoint an Attorney-in-Fact as provided in Section 12-1 of the By-Laws of First Sealord Surety, Inc. This Certificate may be signed and sealed by facsimile under and by authority of the following provisions of the By-Laws of First Sealord Surety, Inc.:

"Section 12-2. The use of a printed facsimile of the corporate seal of the Corporation and of the signature of the Secretary or an Assistant Secretary on any certification of the correctness of a copy of an instrument executed by an authorized person pursuant to Article XII, Section 12-1 of the By-Laws appointing and authorizing an Attorney-in-Fact to sign in the name and on behalf of the Corporation surety bonds, underwriting undertakings, or other instruments described in said Section 12-1, with like effect as if such seal and such signature had been manually affixed and made."


In Witness Whereof, I have hereunto set my hand and affixed the corporate seal of the Corporation to these presents

this 26th day of May, 2009.

This power of attorney is void unless the Bond number is inserted in this paragraph (insert Bond # here 09-04456-BID), the bond number is the same number as on the original bond, and the bond number has been inserted by an officer or employee of the Company or by the agent.

(seal)

Gary L. Bragg, Secretary



High performance Network Disk Recorder for Megapixel i-Pro Network Cameras with 9 Serial ATA HDD slots

Key Features

- MPEG-4 and JPEG multi format
- Up to 64 network cameras can be connected without extra license fee and their images can be recorded simultaneously.
- 200 Mbps high throughput: Best match with Megapixel **i-Pro** Network Cameras
- Various Recording Modes: Manual, Schedule including Event (Pre/Post), Emergency. Schedule mode includes eight recording programs with individual recording mode for each camera, and 6 time schedules per day.
- Panasonic camera control: Pan/Tilt, Zoom, Focus, Brightness, Preset Position, Auto mode (depending on camera model).
- Audio from up to 64 **i-Pro** network cameras can be recorded and played back, G.726 (ADPCM) 32 kbps.
- Cameras can be assigned to one of the 8 groups for easier browsing.
- Flexible playback controls: Goto Date (Jump to specific time/date), Goto Last (Jump to 5 sec. ~ 5 min. before the record end).
- Various display modes: Spot, Quad (16 patterns), Spot Sequence, Quad Sequence (Live).
- Filtered search: Time & Date, Event Type, Camera number.
- VMD search: Motion in a specified area in the recorded images can quickly be searched (works with WJ-NT314).
- 2x, 4x Digital zoom (Live/Playback)
- Recorded images can be downloaded to a PC. Downloadable viewer software allows playback of images downloaded from the recorder.
- Various alarm sources include 32x Terminal inputs, 64x Camera alarms, Panasonic Alarm Protocol. Flexible alarm actions include Event recording, E-mail notification, Alarm message, Camera positioning, FTP image transfer, Terminal output, Panasonic alarm protocol output, Buzzer and LED.
- 2x built-in network interfaces (10Base-T / 100Base-TX / 1000Base-T) for camera recording and client access
- Up to 16 clients can monitor images and control WJ-ND400 simultaneously.
- FTP client function enables periodic live image transfer or recorded image transfer in response to an alarm.
- Performance measurement function for appropriate recording frame rate setup
- Images recorded in the SD memory card in **i-Pro** network cameras can be transferred to the recorder automatically even when the recorder is in recording status.


- Setup can be made with the user friendly browser GUI. Multilingual options include English / French / Spanish / Germany / Italian / Russian / Chinese / Japanese.
- User/Host authentication, 4 programmable user levels, 16 user priorities and User-Camera View/Control partitioning set up for sophisticated user management. Up to 32 user registrations
- Alteration detection and recorded data encryption for data security
- Multi-recorder-Multi-site-system can be made with optional WV-ASM100 i-Pro Management Software.
- Equipped with a 500 GB Serial ATA HDD. Up to 9 Serial ATA HDDs can be installed with the provided canisters. With hot plug support, the HDDs can be removed without interrupting the recording.
- HDD capacity is expandable up to 27 TB with 9 HDD slots in the main unit and five optional WJ-HDE400 Hard Disk Extension Units each with 9 HDD slots.
- Disk partitioning including Normal, Event, Pre-Event, Copy for flexible record management
- RAID5/6 redundant recording for data security
- Superior reliability with an embedded OS compared to PC-based system

Standard Accessories


• CD-ROM*	1 pc.	• Label	1 pc.
• Installation Guide	1 pc.	• Rack Mounting Bracket	2 pcs.
• Quick Reference Guide	1 pc.	• Rack Mounting Bracket fixing screw ...	6 pcs.
* The CD-ROM contains the operating instructions (PDFs)		• Handle for Rack Mounting Bracket ...	2 pcs.
		• Handle fixing screw for Rack Mounting Bracket	4 pcs.
The following are for installation:		• Washer	4 pcs.
• Power Cord (NTSC model)	1 pc.	• HDD canister	8 pcs.
• Power Cord (PAL model)	2 pcs.	• HDD fixing Screw for HDD canister ...	48 pcs.
• Key	2 pcs.		

Optional Accessory

Hard Disk Extension Unit
WJ-HDE400



NTSC WV-NF302 (12 V DC or PoE) **PAL** WV-NF302 (12 V DC or PoE)
<Smoke Dome Type> <Clear Dome Type>



Metal Body Day/Night Fixed Dome Network Camera featuring a 1.3 Megapixel CCD for superior image

Key Features

- Superior image of 1,280 x 960 pixels, enhancing its identification capability
- MPEG-4/JPEG digital signal output at VGA image size with up to 30 ips
- MPEG-4 and JPEG dual stream output for simultaneous real time monitoring and high resolution recording
- Progressive output ensures clear images with less motion blur and no tearing even when the subject is moving.
- High sensitivity: 1.5 lux at F1.3 (color, wide) when used with clear dome cover
- ABS (Adaptive Black Stretch) increases visibility of subjects in dark areas without degrading image quality in bright areas by analyzing the "illumination map/signal level distribution" and adjusting gamma correction for each area separately.
- Superior color reproduction by primary (RGB) color filter
- Up to 16x automatic electronic sensitivity enhancement
- Outdoor/Indoor selectable light control modes:
 - Electronic shutter and ALC lens iris control are automatically controlled depending on the mode and luminance level.
- 2.8 ~ 10 mm, 3.6x Varifocal lens built-in
- VMD (Video Motion Detector) with 4 programmable detection areas, 15 steps sensitivity level and 10 steps detection size
- Privacy Zone can mask up to 8 private areas, such as house windows and entrances/exits.
- 2x, 4x digital zoom controlled by browser
- Camera title display: Up to 20 alphanumeric characters on the browser, Up to 16 alphanumeric characters with three selectable character sizes embedded in the image
- Alarm sources including Terminal input, VMD and Panasonic alarm command can trigger actions such as SD memory recording, FTP image transfer, E-mail notification, Indication on browser, Alarm terminal output, and Panasonic protocol output.
- Full duplex bi-directional audio allows interactive communication between camera site and monitoring site.
- Image compression ratio can be changed by alarm so that higher quality image can be provided.
- Focus assist: Focus adjustment position is displayed on the screen making it simple to find the best focus position.
- Prioritized stream control: One of the video streams can be prioritized when multiple recorders or client PCs are accessing the camera so that the recorder or the client PC can maintain the frame rate.
- Multiscreen: Image from 16 cameras can be displayed in 4 different Quad screens or 16 split screen (JPEG only). 20 characters camera title is available for each camera.




- FTP client function enables periodic image data transfer or transfer upon alarm.
- SD Memory card slot for manual recording, alarm recording and backup upon network failure.
- MPEG-4 max bit rate/client and Total bit rate control allows flexible network traffic management. Frame rate priority mode controls bit rate and compression ratio to provide the best available frame rate.
- Alarm log, Manual REC log, FTP error log saved in the SD memory card is displayed on the browser GUI and can be downloaded to the client PC. Playback or Image data download through the log is also available.
- Multi-language GUI and setup menu: English, French, Italian, Spanish, German, Russian (PAL), English, French (NTSC), (Installation required except for English).
- Scheduling function for Alarm / VMD / Access permission
- IPv4/IPv6 protocol supported
- Analog Monitor output for easier installation
- Flexible power sources: Power over Ethernet (PoE) IEEE 802.3af or 12 V DC
- Three-way hinge (horizontal, vertical and swivel rotation) for flexible installation
- Various mounting options: Surface mount, Embedded mount (with optional WV-Q173), Mounting to a junction box (locally obtained)
- Heavy duty Metal body and polycarbonate dome cover ensure 24/7 operation.

Standard Accessories


• CD-ROM*	1 pc.	• Camera fixing screw (M3 x 6)	2 pcs. (incl. a spare screw)
• Installation Guide	1 pc.	• Cable tie	2 pcs. (incl. a spare tie)	
• Code Label	1 pc.			
The followings are for the installation.				
• Power cord plug	1 pc.			
• Audio cable	1 pc.			
• Camera mount bracket	1 pc.			

* Panasonic IP setting software, the viewer software, the operating instructions (PDF) and the setup instructions (PDF) are included on the CD-ROM.

Optional Accessories

Embedded Ceiling Mount Bracket WV-Q173 	Clear Dome Cover WV-NF5C (NTSC only) 	Smoke Dome Cover WV-NF5S (PAL only) 
---	---	--

NTSC WV-NW484S (24 V AC, 12 V DC or PoE) PAL WV-NW484S (24 V AC, 12 V DC or PoE)
<Smoke Dome Type> <Clear Dome Type>



Network camera designed for heavy duty use featuring *Super Dynamic III*

Key Features





- MPEG-4/JPEG digital signal output at VGA image size with up to 30 ips.
- MPEG-4 and JPEG dual stream output for simultaneous live monitoring and high resolution recording.
- Progressive output provides clear images even when the subject is moving.
- **Super Dynamic III** technology delivers 128x wider dynamic range compared to conventional cameras.
- High sensitivity with Day-Night function: 0.6 lux (Color), 0.08 lux (B/W) with clear dome cover.
- Adaptive Digital Noise Reduction: Selectable use of either 2D-DNR or 3D DNR ensures noise reduction in various conditions.
- Up to 32x automatic electronic sensitivity enhancement.
- Electronic shutter for anti flicker.
- 3.8 ~ 8.0 mm, 2x varifocal lens built-in.
- Auto Back Focus (ABF) ensures easy installation and stable focus in both color and B/W modes.
- Scene Change Detection alarms when lens is covered, spray painted, removed or defocused.
- Video Motion Detector with 4 programmable detection areas and 3 sensitivity levels.
- Auto image stabilizer for applications where vibration or wind is a concern.
- Flexible digital zoom and pan/tilt operation: Up to 3x variable digital zoom and pan/tilt can be set in the setup menu (effective both for analog and network video). 2x or 4x digital zoom and pan/tilt can be controlled by the browser GUI for network video.
- Camera title displays: Up to 16 (OSD) and 20 (on browser) alphanumeric characters.
- SD Memory card slot for alarm recording and backup upon network failure.
- Alarm sources include Terminal input, VMD and Panasonic alarm command, and can trigger actions including SD memory recording/FTP image transfer, E-mail notification, Alarm indication, Terminal output and Panasonic protocol output.
- Built-in network interface (10Base-T / 100Base-TX).
- Power over Ethernet (PoE) IEEE 802.3af.
- Multiscreen: Images from 8 cameras can be displayed in two separate Quad screens (JPEG only). 20 characters camera title is available for each camera.


- FTP client function enables periodic image data transfer or transfer upon alarm.
- Alarm e-mail notification
- Max bit rate/client for MPEG-4 (64 / 128 / 256 / 512 / 1,024 / 1,536 / 2,048 / 3,072 / 4,096 kbps) combined with Total bit rate control (64 / 128 / 256 / 512 / 1,024 / 2,048 / 4,096 kbps / Unlimited) allowing flexible network management.
- Supported Protocol: TCP/IP, UDP/IP, HTTP, FTP, SMTP, DHCP, DNS, DDNS, NTP, RTP and SNMP.
- Multi-language GUI and setup menu: English, French, Italian, Spanish, German, Russian (PAL), English, French (NTSC), (Installation required except for English).
- IP66 rated water and dust resistant. IEC60529 measuring standard compatible.
- Dehumidification device for use in various weather conditions.
- Vandal resistant mechanism for high reliability
- Three-way hinge (horizontal, vertical and swivel rotation) for easy installation
- Optional heater maintains operating temperature -30 °C ~ +50 °C (-22 °F ~ 122 °F) when operated by 24 V AC or PoE.

Standard Accessories

• CD-ROM* 1 pc.	• Mounting Bracket 1 pc.
• Operating instructions, Basic Manual ... 1 pc.	• Driver Bit 1 pc.
• Label (MAC address) 1 pc.	• Waterproof tape (butyl rubber tape) ... 1 pc.
The following are for installation.	
• 4-pin Alarm Cable 1 pc.	* The CD-ROM contains Panasonic IP Setup Software, viewer software "Network Camera View3", and Standard Operation Manual/Standard Setup Manual (PDF)
• RJ-45 female-female conversion connector 1 pc.	

Optional Accessories

Heater Unit WV-CW4H 	Embedded Ceiling Mount Bracket WV-Q169 	Clear Dome Cover WV-CW4C (NTSC only) 
		Smoke Dome Cover WV-CW4S (PAL only) 

**Full 24-port PoE Solution Plus Easy Browser-based Management**

NETGEAR ProSafe Smart Switches fill the gap between unmanaged and fully managed switches. The family of ProSafe Smart Switches is designed for growing businesses that want control over their network without the cost and complexity of a full Layer 2/Layer 3 management implementation. This PoE-capable Smart Switch, the FS728TP, provides power and data using built-in IEEE 802.3af PoE on all 24 ports. In addition, the FS728TP offers an intuitive Web-based management tool for quick and easy deployment and configuration making it ideal for deploying access points, VoIP phones and IP-based surveillance cameras. This switch is equipped with highly advanced features such as access control lists (ACL), 802.1x port authentication, enhanced QoS, rate limiting and IGMP snooping among others to provide a small and medium-sized business with a network that is geared for growth while providing scalability and reliability. With the utility of 24 10/100 Mbps ports, four copper 10/100/1000 Mbps ports and two combination (copper/hot-swappable small form-factor pluggable (SFP)) Gigabit ports for optional fiber connectivity, growing business networks, classrooms and workgroups can benefit from superior performance and keep up with expanding network needs. This high-performing switch features a non-blocking wire-speed architecture with an 12.8 Gbps switching capacity for maximum data throughput. All 28 RJ-45 ports automatically negotiate to the highest speed and support Auto Uplink™ technology to make the right link.

Full-featured, Flexible Power over Ethernet (PoE)

With a total power budget of 195 Watts, customers can choose to plug in up to 24 Ethernet or Fast Ethernet devices and mix in up to 24 802.3af IP-based devices. Power-over-Ethernet (PoE), optimizes the installation and power management of network devices such as wireless access points (AP), Voice over IP (VoIP) phones, and IP-based surveillance cameras. Power-over-Ethernet (IEEE 802.3af) capabilities reduce installation time and costs for many new network productivity devices. Free your wireless AP deployments and IP cameras from the restrictions of power outlet proximity using a standard Cat 5 UTP cable. Enable uninterrupted power supply for all your PoE devices by powering your switch from a UPS device.

Advanced Security

These switches also provide advanced features that provide more robust security to the SMBs. These include:

- 802.1x for authentication
- ACL filtering to permit or deny traffic based on MAC and IP addresses.

Advanced Quality of Service

Priority queuing ensures high-priority traffic gets delivered efficiently, even during congestion from high traffic bursts. Companies implementing network telephony or video conferencing, for example, need to be able to prioritize such voice and video traffic and other real-time applications over less latency-sensitive traffic to ensure reliability and quality. The ability to prioritize traffic ensures quality of latency-sensitive services and applications despite increasing traffic loads. The ProSafe FS728TP provides several advanced QoS features:

- 802.1p based prioritization
- Layer 3-based (DSCP) prioritization
- Rate limiting



- Port-based ingress and egress rate limiting
- SNTP
- Port mirroring support (many to one)
- Web-based configuration
- Configuration backup/restore
- Password access control
- RADIUS Support
- TACACS+ support
- Syslog
- Firmware upgradeable

Performance Specifications

- Forwarding modes: Store-and-forward
- Bandwidth: 12.8 Gbps
- Network latency: <20 μ s for 64-byte frames in store-and-forward mode for 100 Mbps to 100 Mbps transmission
- Buffer memory: 3MB per system
- Address database size: 8,000 media access control (MAC) addresses per system
- Addressing: 48-bit MAC address
- Mean time between failures (MTBF): 176,000 hours (~20 years)
- Acoustic noise: 49 dB

Modules

- AGM731F 1000BASE-SX SFP Module
- AGM732F 1000BASE-LX SFP Module
- AGM733 1000BASE-ZX SFP Module

Warranty

- NETGEAR Lifetime Warranty†

ProSupport™ Service Packs Available

- OnCall 24x7, Category 1
 - PMB0331-100 (US)
 - PMB0331 (non-US)
- XPressHW, Category 1
 - PRR0331

Package Contents

- 24-port PoE Smart Switch with Gigabit Ports (FS728TP)
- Rubber footpads
- Power cord
- Rack-mount kit
- Resource CD
- Installation guide
- Warranty/support information card
- Category 5 UTP cable

Ordering Information

- North America: FS728TP-100NAS
- Europe: FS728TP-100EUS
- Asia: FS728TP-100AUS
- Japan: FS728TP-100JPS

NETGEAR®


4500 Great America Parkway
Santa Clara, CA 95054 USA
1-888-NETGEAR (638-4327)
E-mail: info@NETGEAR.com
www.NETGEAR.com

© 2008 NETGEAR, Inc. NETGEAR, the NETGEAR Logo, NETGEAR Digital Entertainer Logo, Connect with Innovation, FrontView, IntelliFi, PowerShift, ProSafe, RAIDor, RAIDiator, X-RAID, RangeMax, ReadyNAS and Smart Wizard are trademarks of NETGEAR, Inc. in the United States and/or other countries. Other brand names mentioned herein are for identification purposes only and may be trademarks of their respective holder(s). Information is subject to change without notice. All rights reserved.

*Free basic installation support provided for 90 days from date of purchase. Advanced product features and configurations are not included in free basic installation support; optional premium support available.

†Lifetime warranty for product purchased after 05/01/2007. For product purchased before 05/01/2007, warranty is 5 years.

D-FS728TP-2

**Affordable Power over Ethernet Switching**

The ProSafe FS116P provides power and data from a single point, using Power over Ethernet (PoE) over a single Cat-5 cable. The sixteen Fast Ethernet ports can be used for any 10/100 Mbps link and eight of these ports can supply industry-standard IEEE 802.3af power. Advanced auto-sensing algorithm gives power only to 802.3af end devices, so no need to worry about damaging proprietary PoE or non-PoE equipment. In addition, it discontinues the power when PoE devices are disconnected. Easy and reliable, the ProSafe FS116P automatically determines PoE requirements, speed, duplex, and cable type using AutoUplink™.

The affordably priced ProSafe FS116P delivers PoE to any small business network that wants to simplify the installation of wireless access points and IP-based surveillance cameras. These devices are optimally installed on a ceiling or high on a wall, away from most electrical outlets. PoE eliminates the requirement for a dedicated electrical outlet to power these devices. This allows for flexibility in siting devices where AC power is difficult to access and lowers installation costs. Compact and flexible, the ProSafe FS116P is ideal for small business network that want to inexpensively use PoE to deploy wireless access points and IP-based network surveillance cameras

Flexible

Choose to plug in up to 16 Ethernet or Fast Ethernet devices and mix in up to eight 802.3af IP-based devices like wireless access points or IP-based network surveillance cameras. Place these 802.3af-compliant devices where they belong - high up on walls and ceiling for maximum coverage - or anywhere else you need them. Power and data are carried over standard Cat-5 cabling.

Plug and Play


The standards-based ProSafe FS116P senses and adjusts for network speed and cabling type automatically, for easy integration into your existing 10/100 Ethernet network. For PoE, the switch automatically detects 802.3af-compliant devices, and supplies power as needed. Front panel LEDs keep you informed of switch and PoE status.

Quiet and Compact

Engineered for compact convenience, it is only 1-inch high and 4-inches deep, with a durable metal case that is easily positioned on your desktop or a wall, using the included mounting hardware. The fan-less design quietly integrates in your small office environment.

Great Value

With data switching and Power over Ethernet integrated into one unit, the FS116P saves space, reduces cables and eliminates the requirement for dedicated electrical outlets - lowering installation costs, simplifying installation of PoE-capable devices, and eliminating the need for electricians or extension cords. All in all a great benefit for a modest price.



Affordable Power over Ethernet Switching

The ProSafe FS108P provides power and data from a single point, using Power over Ethernet (PoE) over a single Cat-5 cable. The eight Fast Ethernet ports can be used for any 10/100 Mbps link and four of these ports can supply industry-standard IEEE 802.3af power. Advanced auto-sensing algorithm gives power only to 802.3af end devices, so no need to worry about damaging proprietary PoE or non-PoE equipment. In addition, it discontinues the power when PoE devices are disconnected. Easy and reliable, the ProSafe FS108P automatically determines PoE requirements, speed, duplex, and cable type using Auto Uplink™.

The affordably priced ProSafe FS108P delivers PoE to any small business network that wants to simplify the installation of wireless access points and IP-based surveillance cameras. These devices are optimally installed on a ceiling or high on a wall, away from most electrical outlets. PoE eliminates the requirement for a dedicated electrical outlet to power these devices. This allows for flexibility in situating devices where AC power is difficult to access and lowers installation costs. Compact and flexible, the ProSafe FS108P is ideal for small business networks that need to inexpensively use PoE to deploy wireless access points and IP-based network surveillance cameras.

Flexible

Choose to plug in up to eight Ethernet or Fast Ethernet devices and mix in up to four 802.3af IP-based devices like wireless access points or IP-based network surveillance cameras. Place these 802.3af-compliant devices where they belong – high up on walls and ceiling for maximum coverage – or anywhere else you need them. Power and data are carried over standard Cat 5 cabling.

Plug and Play


The standards-based ProSafe FS108P senses and adjusts for network speed and cabling type automatically, for easy integration into your existing 10/100 Ethernet network. For PoE, the switch automatically detects 802.3af-compliant devices, and supplies power as needed. Front panel LEDs keep you informed of switch and PoE status.

Quiet and Compact

Engineered for compact convenience, it features a 9-inch, durable metal case that is easily positioned on your desktop or a wall, using the included mounting hardware. The fan-less design quietly integrates with your small office environment.

Great Value

With data switching and Power over Ethernet integrated into one unit, the FS108P saves space, reduces cables and eliminates the requirement for dedicated electrical outlets – lowering installation costs, simplifying installation of PoE-capable devices, and eliminating the need for electricians or extension cords. All in all, a great benefit for a modest price.







APC BACK-UPS 1200VA 120V


Part Number: BR1200



Output

Output Power Capacity	780 Watts / 1200 VA	
Max Configurable Power	780 Watts / 1200 VA	
Nominal Output Voltage	120V	
Output Connections	(2) NEMA 5-15R (Surge Protection)	
	(6) NEMA 5-15R (Battery Backup)	

Input

Nominal Input Voltage	120V	
Input Frequency	47 - 63 Hz	
Input Connections	NEMA 5-15P	
Cord Length	6 feet (1.83 meters)	
Input voltage range for main operations	88 - 148V	
Input voltage adjustable range	78 - 152V	

Maximum Depth	13.10 inches (333 mm)
Rack Height	2U
Net Weight	22.00 lbs. (10.00 kg)
Shipping Weight	23.00 lbs. (10.45 kg)
Shipping Height	17.90 inches (455 mm)
Shipping Width	8.00 inches (203 mm)
Shipping Depth	16.38 inches (416 mm)
Color	Beige
SCC Codes	1073130422627 4
Units per Pallet	36.00

Environmental

Operating Environment	32 - 104 °F (0 - 40 °C)
Operating Relative Humidity	0%
Operating Elevation	0-10000 feet (0-3000 meters)
Storage Temperature	23 - 113 °F (-5 - 45 °C)
Storage Relative Humidity	0%
Storage Elevation	0-50000 feet (0-15000 meters)
Audible noise at 1 meter from surface of unit	45.00 dBA
Online Thermal Dissipation	180.00 BTU/hr

Conformance

Regulatory Approvals	cUL Listed, FCC Part 15 Class B, FCC Part 68, UL 1449, UL 1778, UL Listed
Standard Warranty	3 years repair or replace
Equipment protection policy	Lifetime : \$150000

*Except where noted, all prices are Estimated Resale Price (ERP) - Without Tax/VAT. Pricing in other locations and sites may vary.

**The time to recharge to 90% of full battery capacity following a discharge to shutdown using a load rated for 1/2 the full load rating of the UPS.

Copyright © American Power Conversion Corp., all rights reserved

Panasonic System Solutions Company
Unit Company of Panasonic Corporation of North America
Three Panasonic Way, Secaucus, New Jersey 07094

LIMITED WARRANTY FOR SECURITY and VISION SYSTEMS EQUIPMENT

Panasonic System Solutions Company, Unit Company of Panasonic Corporation of North America ("Panasonic") will, at its sole option, repair or exchange this product with a new or a comparable refurbished product, free of charge, in the USA from the date of original purchase in the event of a defect in materials or workmanship, as follows:

Three Years Parts / Three Years Labor*

Fixed CCTV Cameras*, Unitized Dome Cameras*, CCVE Monitor*, Video Switchers, Video Multiplexers. All Micro Head, Single CCD Cameras, 3 CCD Cameras, including Camera Control Units, and Industrial / Medical Color and B/W Video Monitors

One Year Parts / One Year Labor*

Plasma Display Panels*, Video Tape Recorders (VTR / VCR)*, Hard Disk Recorders*, Expansion Units*, Digital Video Disc Recorder (DVD- RAM), Iris Recognition Products, Video Network / Transmission Equipment, Software, Lens, and Accessories

*Exceptions

Unitized Domed Cameras Electrical slip ring contacts, pan/tilt and lens motors and lens assemblies are limited to one year parts and labor warranty.

Video Tape Recorder (VTR/VCR) Video heads are limited to 180 days warranty. Preventative maintenance is not covered under warranty.

Hard Disk Recorders and Expansion Units The hard disk drives contained within the Hard Disk Recorders and Expansion Units are warranted as follows: Hard disk drives \leq 160 Gigabytes are limited to 180 days parts and labor warranty. Hard disk drives \geq 250 Gigabytes are limited to three years parts and one year labor warranty. Preventative maintenance is not covered under warranty. **Furthermore, Panasonic does not provide data recovery services and neither the cost of recovering data from the hard disk drives, nor the value of any data which cannot be recovered, is covered under warranty.**

CCD/Monitor/Plasma Display Panel Failures in camera CCD, monitor or plasma display panel picture elements (i.e., pixels) resulting from "image burn in" are not covered under warranty.

All Products Cooling fans are limited to one year parts and labor warranty.

Service

Carry-in or mail-in service in the USA can be obtained during the warranty period by bringing or shipping your product to any Panasonic Security Systems/Vision Systems Authorized Service center. To locate the nearest Panasonic Security Systems/Vision Systems Authorized Service center, please call toll free 1-800-526-6610 or visit our web site at:

<http://www.pasc.panasonic.com/WhereTo/FindService.asp?Pass=1>

This warranty is extended only to the original purchaser. A purchase receipt or other proof of date of original purchase will be required before warranty service is rendered. If you ship the product, carefully pack it and send it prepaid, adequately insured and preferably in its original carton. Attach a postage paid letter, detailing your complaint, to the outside of the carton.

This warranty covers failures due to defects in materials or workmanship which occur during normal use. It does not cover damage which occurs in shipment or failures which are caused by products not supplied by Panasonic or failures which result from alteration, accident, misuse, abuse, neglect, faulty installation, maladjustment of user controls, improper maintenance, modification or service by anyone other than an Authorized Panasonic Security Systems/Vision Systems Service center, or damage that is attributable to acts of God.

LIMITATIONS AND EXCLUSIONS

There are no express warranties except as listed above.

PANASONIC SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OF THIS PRODUCT, OR ARISING OUT OF ANY BREACH OF THIS WARRANTY. ALL EXPRESS AND IMPLIED WARRANTIES, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED TO THE WARRANTY PERIOD SET FORTH ABOVE. Some states do not allow the exclusion or limitation of implied warranties or liability for incidental or consequential damages, so the above limitations and exclusions may not apply to you. This warranty gives you specific legal rights. You may also have other rights that vary from state to state.

If a problem with your Panasonic Security Systems or Vision Systems Equipment develops during the warranty period, first contact your Panasonic dealer or Panasonic Service center. If the problem is not handled to your satisfaction, then write to the Panasonic National Service Manager at Panasonic System Solutions Company, 3 Panasonic Way 2H-4, Secaucus, New Jersey 07094.

Printed in Japan
V8UA0052E2

**One Wireless Way, Suite 100
Parkersburg, WV 26101**

**Tel: (304) 863-8595
Fax: (304) 863-3786**

To: Health and Human Resources, Pinecrest Hospital
Attn: Roberta Wagner
Phone: (304) 256-6614
Date: 6/5/2009

Warranties: Panasonic offers a THREE YEAR warranty on most of their products to include the Hard Drives in the Digital Recorder. Miller Communications offers a 90 day warranty on installation and on-site support and we also offer lifetime free phone support on any questions, problems or issues.

Qty	MODEL	DESCRIPTION
1	WJND400/5000	Panasonic I-Pro Network Digital Video Recorder, 5Tb Storage-(Can upgrade to 9Tb total), Up to 64 Cameras Maximum, 200mb Network Through-put, 3 NIC Cards, Linux Based Operating System with the following supported OS Systems: Microsoft® Windows Vista® Bussiness 32 bit / Microsoft® Windows® XP Home Edition SP2 / Microsoft® Windows® XP Professional SP2

Indoor Vandal Resistant Mini-dome Color Cameras

53	WVNF302	Panasonic I-Pro Vandal Resistant Megapixel Color Mini-dome Camera, Day/Night, 2.8-10mm Lens, Remotely Auto-Back Focus, Auto-iris, Vandal-proof Housing Included
----	---------	---

Outdoor Dome Cameras with Housing Included-Lens will be replaced at no cost for customers satisfaction of view

5	WV-NW484S	Panasonic I-Pro Network Vandal/Weather resistant, Color Mini-Dome Camera, MPEG4/JPEG SuperDynamic III & Day/Night Technology, Remotely Auto-Back Focus, Auto-Iris, Power-Over-Ethernet, Outdoor Weather-proof Housing included
5	WVNW484S09	Panasonic I-Pro Network Vandal/Weather resistant, Color Mini-Dome Camera, MPEG4/JPEG SuperDynamic III & Day/Night Technology, Remotely Auto-Back Focus, Auto-iris, Power-Over-Ethernet, 9~22mm Lens
3	FS728TP	Netgear Network Switch, 24-Port, 24 POE Ports, 4 Gigabit Ports
2	FS116P	Netgear Network Switch, 16-Port, 8 POE/8 Standard
1	FS108PNA	Netgear Network Switch, 8-Port, 4-POE Ports
7	BR1200	APC SMART UPS-Battery Backup/Surge Suppressor, 1200VA, Rack/Stand Mount
10	101354	Cat5e, 350Mhz, Plenum, Blue, 1000'
1	Misc	Misc, conduit, connectors, hotel, per diem, rentals, drawings, meetings, etc.
1	Labor	Installation, setup and in-service

Total \$ 106,910.00

Please feel free to contact me with any questions.

Harold Brink



Security Systems Integrator
Miller Communications, Inc.
harold@millercomm.com



COMMUNICATIONS
Professional Communications Services
Company Profile and History

Miller Communications Incorporated, located in Parkersburg, West Virginia (midway between Pittsburgh, PA. and Cincinnati, OH on the Ohio River) has been providing professional communications solutions for the Mid-Ohio Valley area since 1976, and we represent the major suppliers of leading edge equipment and technology. We provide custom design and engineering services and have a vast supplier base to locate application-specific equipment to meet customer needs. At Miller Communications, we strive to stay abreast of enhanced technological development, constantly upgrading our education, equipment and facilities to be ready for tomorrow's challenges. Technical expertise, specialized design, experience in E911 system integration, and dedicated customer support combine to make Miller Communications the value-added choice.

We serve more than fifteen hundred large and small customers who respect and trust our expertise in system planning, design, implementation and service. We can provide "Turn Key" solutions and are available to guide and assist our customers from initial system planning through on site training sessions on the newly installed equipment.

Our reputation has been built on our ability to successfully utilize the latest advancements in technology to provide communications solutions to meet each customer's specific needs.

**#1Wireless Way Suite 100
Parkersburg, WV 26101
Phone: 304-863-8595
Fax: 304-863-3786
www.millercomm.com**



Miller Communications,
Incorporated 7/01/76 in West
Virginia, is bondable and fully
insured.

Federal Employer
Identification # 55-056-5238

WV Contractors License
WV014483

Miller Communications can deliver a full line of services in the fields of Radio Frequency devices, E911 centers, Telemetry, CCTV Surveillance and IP Based Security Systems, Emergency Alert and Standard Paging Systems along with associated Radio Tower Maintenance, Telephone Systems, and Maintenance. We can adjust our scope of service to fit our customer's specific requirements.

Our technical staff combines a unique blend of engineering and state-of-the-art communication technology knowledge, talents and skills with service management, electrical, and construction experience and craftsmanship.



Professional References

Cabell County 911
Emergency Response Center
JR VanOoteghem
Systems Administrator
129 Gallaher Street
Huntington, WV 25705
(304) 526-8578
Cell: (304) 231-4094

E.I. DuPont, DeNemours
Washington Works Plant
Mark Papesh, MPW Engineer
MPW Engineer
Rt. 892, Washington, WV 26181
(304) 488-8467

Parkersburg High School
Don Brown, Parkersburg Police Dept.
Prevention Resource Officer
2101 Dudley Ave.
Parkersburg, WV 26101
(304) 420-9595

Williamstown High School
Pat Peters, Principal
219 W. 5th Street
Williamstown, WV 26187
(304) 375-6151

Marietta Municipal Court
Judge Janet Dyer-Welch
301 Putnam Street
Marietta, Oh 45750
(740) 373-4474

American Municipal Power-Ohio
Barry Mullen, Purchaser
16600 State Rt. 7
Marietta, Oh 45750
(740) 374-8913 x108

Edison Junior High School
Jean Mewshaw, Principal
1201 Hillcrest St.
Parkersburg, WV 26101
(304) 420-9525

VanDevender Junior High School
Mike DeRose, Asst. Principal
918 31st Street
Parkersburg, WV 26101
(304) 420-9645

Blennerhassett Junior High School
Steve Angel, Principal
444 Jewel Rd.
Parkersburg, WV 26101
(304) 863-3356

Jackson Junior High School
Richard Summers, Principal
1601 34th Street
Vienna, WV 26105
(304) 420-9551

Blennerhassett Elementary School
Melanie Cutright, Asst. Principal
444 Jewel Rd.
Parkersburg, WV 26101
(304) 863-5128

Martin Elementary School
Rhonda Lemon, Principal
1301 Hillcrest St.
Parkersburg, WV 26101
(304) 420-9625