



2 0 1 5



BOSS AUDIO SYSTEMS
3451 LUNAR COURT OXNARD, CA 93030
www.bossaudio.com • 800.999.1236

All specifications are subject to change without notice. Copyright© 2015 BOSS AUDIO SYSTEMS. iPod® and iPhone® are registered trademarks of Apple, Inc. registered in the U.S. and other countries.

Since 1987 BOSS AUDIO SYSTEMS has established its reputation as a worldwide manufacturer of consumer electronics by delivering the broadest selection of 12 volt aftermarket audio, video and marine products in the industry. Meeting the needs of every consumer, whether for car, boat, or all-terrain vehicle, BOSS AUDIO SYSTEMS designs and engineers products to exceed expectations. BOSS AUDIO SYSTEMS products showcase excellent performance, unmatched cosmetics, and affordability while offering the media-savvy features everybody talks about, for the future, now!

We'd like to thank our loyal customers, retailers and wholesalers for their continued support and commitment and assure you it is sincerely appreciated. For 2015, we will continue to pride ourselves in striving to be the best vendor partner in your business.



MOBILE ENTERTAINMENT EXCELLENCE | 2015

contents 2015

DVD RECEIVERS WITH MONITORS 5						
MULTIMEDIA RECEIVERS						
MULTIMEDIA RECEIVERS WITHOUT DISC PLAYERS						
RECEIVER/SPEAKER PACKAGE SYSTEMS	36					
MOBILE VIDEO						
VIDEO MONITORS AND DVD COMBO PLAYERS	39					
FLIP-DOWN MONITORS	40					
HEADREST MONITORS WITH DVD	41					
HEADREST MONITORS	42					
ACCESSORIES	44					
AMPLIFIERS	N					
	48					
PHANTOM AMPLIFIERS	50					
CHAOS AMPLIFIERS						
ARMOR AMPLIFIERS						
RIOT AMPLIFIERS	58					
AMPLIFIER SPECIFICATIONS						
CAPACITORS	68					
INSTALLATION ACCESSORIES						
INSTALLATION ACCESSORIES	72					
INSTALLATION ACCESSORIES PROCESSORS AND BASS GENERATORS EQUALIZERS	72 73					
INSTALLATION ACCESSORIES	72 73					
INSTALLATION ACCESSORIES PROCESSORS AND BASS GENERATORS EQUALIZERS	72 73					
INSTALLATION ACCESSORIES PROCESSORS AND BASS GENERATORS EQUALIZERS LOW PROFILE AMPLIFIED SUBWOOFERS	72 73 74					
INSTALLATION ACCESSORIES PROCESSORS AND BASS GENERATORS EQUALIZERS LOW PROFILE AMPLIFIED SUBWOOFERS SUBWOOFERS	72 73 74					
INSTALLATION ACCESSORIES PROCESSORS AND BASS GENERATORS EQUALIZERS LOW PROFILE AMPLIFIED SUBWOOFERS SUBWOOFERS ONYX SUBWOOFERS	72 73 74 77					
INSTALLATION ACCESSORIES	72 73 74 77 78					
INSTALLATION ACCESSORIES PROCESSORS AND BASS GENERATORS EQUALIZERS LOW PROFILE AMPLIFIED SUBWOOFERS. SUBWOOFERS ONYX SUBWOOFERS PHANTOM SUBWOOFERS ARMOR SUBWOOFERS	72 73 74 77 78 81					

LOUDSPEAKERS AND TWEETERS

	ONYX SERIES LOUDSPEAKERS	87
	PHANTOM LOUDSPEAKERS	88
	PHANTOM SKULL SERIES LOUDSPEAKERS	90
	PHANTOM GHOST SERIES LOUDSPEAKERS	92
	CHAOS ERUPT SERIES LOUDSPEAKERS	94
	CHAOS EXXTREME SERIES LOUDSPEAKERS	96
	RIOT SERIES LOUDSPEAKERS	100
	BRS SERIES LOUDSPEAKERS AND BOX SPEAKERS	101
	TWEETERS	102
	SPEAKERS AND TWEETERS SPECIFICATIONS	104
V	IARINE RECIEVERS/AMPLIFIERS AND LOUDSPEAKER	25
	MULTIMEDIA RECEIVERS	109
	RECEIVER AND SPEAKER PACKAGES	114
١	AMPLIFIERS	
	BLUETOOTH® AMPLIFIER AND SPEAKER SYSTEMS	118
	SUBWOOFERS	119
	LOUDSPEAKERS	120
	BOX SPEAKERS	123
	WAKETOWER SYSTEMS	124
	WIRELESS BLUETOOTH® SPEAKERS	126
	ACCESSORIES	127
3	OSS AUDIO PRODUCT DISPLAYS	128
3	OSS REBEL POWER SPORTS (OPPOSITE SIDE)	
	ALL TERRAIN SPEAKER AND AMPLIFIER SYSTEMS	
	AMPLIFIERS	
	MULTIMEDIA RECEIVERS	
	LOUDSPEAKERS	
	WAKETOWER SYSTEMS	
	ACCESSORIES	. 11



FEATURES

All BOSS AUDIO SYSTEMS Video and Multimedia units are loaded with features and capabilities that enhance and ease the user's experience. To assist in quickly spotting features available on each unit look for these icons throughout this catalog.



MP3 AUDIO OUTPUT



BUILT-IN NAVIGATION



WIRELESS MIRROR



BLUETOOTH® Enables Hands-free Incoming and Outgoing Calls



A2DP - Wireless Audio Streaming



USB PORT



SD MEMORY CARD PORT



FRONT AUX INPUT (Audio Only)



FRONT A/V INPUT



DETACHABLE FRONT PANEL



DIGITAL LIQUID CRYSTAL DISPLAY



TOUCHSCREEN CONTROL



RADIO DATA SYSTEM



WIRELESS REMOTE CONTROL



NO CD MECHANISM



TRUE DOUBLE-DIN FIT



A2DP A2DP AUDIO STREAMING

BOSS AUDIO SYSTEMS In-Dash Video and Multimedia units are Bluetooth®-Enabled which provides wireless audio streaming to the unit. The **Advanced Audio Distribution Profile** is the Bluetooth® format that allows for wireless transmission of stereo audio from an A2DP source (typically a phone or device) to an A2DP receiver (a Bluetooth® stereo system).





IN-DASH ELECTRONICS

As a leader in Mobile Entertainment, BOSS AUDIO SYSTEMS offers the broadest selection of mobile multimedia, and CD/MP3 enabling products in the industry. Recognizing breakthroughs throughout the industry BOSS AUDIO SYSTEMS continues to advance in all phases of technology, by offering the latest apps, connectivity, plus smart phone and iPhone® compatibility. This year's In-dash, single and double-DIN units offer AM/FM/CD/DVD capabilities displayed and controlled from our 3.2" to 13.1" TFT monitors. Units offering motorized panels, touch screen displays, Bluetooth® Audio Streaming and built in GPS complete the lineup of over 60 models. BOSS AUDIO SYSTEMS multimedia models will encompass all your entertainment needs at the most affordable price points.









WIRELESS REMOTE CONTROL



BV9386NV BV9980NV

PLAYBACK

DVD±R/RW Video

CD±R/RW Audio & Video

MP3 / WMA

BLUETOOTH® AUDIO STREAMING

Stream and Control your Favorite Music APPs

INPUTS & OUTPUTS

BLUETOOTH®HANDS-FREE

USB Port

SD Port

Aux-In

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Front, Rear, Sub Outputs

Video Output

Rear Camera Input

A/V Input

GENERAL

Wireless Remote Control

Steering Wheel Control Interface*

Detachable Front Panel

Switchable US & Europe Tuner Frequencies

RDS Tuner

80 85

Output Power: W x 4 CH















40





40

BUILT-IN





BUILT-IN NAVIGATION | BLUETOOTH®-ENABLED IN-DASH DOUBLE-DIN DVD/MP3 CD AM/FM RECEIVER

Featuring 6.2" (157mm) Widescreen TOUCHSCREEN Digital TFT Monitor


Navigation includes map coverage of all 50 States, Puerto Rico

PLUS pre-loaded POINTS-OF-INTEREST. Features TEXT-TO-SPEECH and Innovative Graphic User Interface.









MOTORIZED MONITOR



BV9980NV

BUILT-IN NAVIGATION | BLUETOOTH®-ENABLED IN-DASH SINGLE-DIN DVD/MP3 CD AM/FM RECEIVER

Featuring MOTORIZED 7" (178mm) Widescreen TOUCHSCREEN Digital TFT Monitor

Navigation includes map coverage of all 50 States and Puerto Rico. PLUS pre-loaded POINTS-OF-INTEREST. Features TEXT-TO-SPEECH and Innovative Graphic User Interface.



*Steering wheel interface control not applicable with all vehicles.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries. BOSS Audio Systems is not affiliated with Apple, Inc.

WITH MONITORS



BOSS Audio Systems B-LINK Technology allows your phone's screen to be duplicated on the receiver's larger screen. **B-LINK** enables you to clearly see your already familiar Navigation, Music, and Apps on a much bigger scale.



2-WAY CONTROL brings your Android phone's screen and control to the big screen! Enter an address to navigate, choose and select your favorite music, or control your apps right from the receiver. Store and charge your phone while you control it directly from your new BOSS Audio receiver. 2-Way functionality enables your phone to also control the receiver.



1-WAY CONTROL duplicates your iPhone's® screen, while you control the action directly from your phone. Equipped with a 1 Amp Charging Rear USB, you never need to worry about your phone's battery. Listen to music, while you navigate to new destinations, all on an easier to see big screen.

FOR A LIST OF DEVICE COMPATIBILITY WITH BOSS AUDIO B-LINK PRODUCTS PLEASE VISIT OUR WEBSITE www.bossaudio.com

CD±R/RW Audio & Video

MP3 / WMA



FFATURES











































PLAYBACK **BLUETOOTH®** DVD±R/RW Video **BLUETOOTH® AUDIO STREAMING**

Stream and Control your Favorite Music APPs

BLUETOOTH® HANDS-FREE

BLUETOOTH® PHONEBOOK SYNC

SCREEN MIRRORING

2-Way Control (Android)†

1-Way Control (iPhone®)‡

Digital Wired Connections Android and iOS Compatible

INPUTS & OUTPUTS

USB Port

Rear USB Charging (1A)

SD Port

Aux-In

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Front, Rear, Sub Outputs

Video Output

Rear Camera Input

GENERAL

Wireless Remote Control

Steering Wheel Control Interface*

Switchable US & Europe Tuner Frequencies

RDS Tuner

Output Power: 80 W x 4 CH



WIRFI FSS REMOTE CONTROL

[†]Additional cables are required based on your Android phone ‡A Lightning® Digital Connection is required for display, and is only used for screen duplication, control is accomplished from your phone

^{*}Steering wheel interface control not applicable with all vehicles

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries. BOSS Audio Systems is not affiliated with Apple.





BOSS Audio Systems B-LINK Technology

allows your phone's screen to be duplicated on the receiver's larger screen. B-Link enables you to clearly see your already familiar Navigation, Music, and Apps on a much bigger scale.



1-WAY CONTROL duplicates your phone's screen, while you control the action directly from your phone. Equipped with a 1 Amp Charging Rear USB, you never need to worry about your phone's battery. Listen to music, while you navigate to new destinations, all on an easier to see big screen.

FOR A LIST OF DEVICE COMPATIBILITY WITH BOSS AUDIO B-LINK PRODUCTS PLEASE VISIT OUR WEBSITE www.bossaudio.com

**Additional cables are required based on your Android phone

A Lightning® Digital Connection is required for display, and is only used for screen duplication, control is accomplished from your phone *Steering wheel interface control not applicable with all vehicles. iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries. BOSS Audio Systems is not affiliated with Apple

BVML9382

PLAYBACK

DVD±R/RW Video

CD±R/RW Audio & Video

MP3 / WMA

BLUETOOTH®

BLUETOOTH® AUDIO STREAMING

Stream and Control your Favorite Music APPs

BLUETOOTH® HANDS-FREE

BLUETOOTH® ID-3 TAG SUPPORT

SCREEN MIRRORING

1-Way Control**

Digital Wired Connections

Android and iOS Compatible

INPUTS & OUTPUTS

USB Port

Rear USB Charging (1A)

SD Port

Aux-In

Digital A/V Input

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Front, Rear, Sub Outputs

Video Output

Rear Camera Input

GENERAL

Wireless Remote Control

Steering Wheel Control Interface*

Switchable US & Europe **Tuner Frequencies**

RDS Tuner

Output Power: 80 W x 4 CH







FEATURES OVER 16 MILLION COLOR ILLUMINATION OPTIONS

TOUCHSCREEN MONITORS

DVD RECEIVERS

WITH MONITORS

FEATURES

BVML746

PLAYBACK

DVD±R/RW Video

CD±R/RW Audio & Video

MP3 / WMA

BLUETOOTH®

BLUETOOTH® AUDIO STREAMING Stream and Control your Favorite Music APPs

BLUETOOTH® HANDS-FREE

BLUETOOTH® ID-3 TAG SUPPORT

SCREEN MIRRORING

1-Way Control

Digital Wired Connections

Android and iOS Compatible

INPUTS & OUTPUTS

USB Port

Rear USB Charging

SD Port

Aux-In

Digital A/V Input

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Front, Rear, Sub Outputs

Video Output

Rear Camera Input

GENERAL

Wireless Remote Control

Detachable Front Panel

Steering Wheel Control Interface*

Switchable US & Europe Tuner Frequencies

Output Power: 85 W x 4 CH





FEATURES OVER 16 MILLION COLOR ILLUMINATION OPTIONS





















CORDS CITED







IN-DASH DOUBLE-DIN DVD/MP3 CD AM/FM RECEIVER

Featuring Detachable 4.6" (117mm) Widescreen TOUCHSCREEN Digital TFT monitor and a 7" (157mm) Motorized Widescreen TOUCHSCREEN Digital TFT Monitor



BOSS Audio Systems B-LINK Technology

ONE

WAY

allows your phone's screen to be duplicated on the receiver's larger screen. B-Link enables you to clearly see your already familiar Navigation, Music, and Apps on a much bigger scale.



1-WAY CONTROL duplicates your phone's screen, while you control the action directly from your phone. Equipped with a 1 Amp Charging Rear USB, you never need to worry about your phone's battery. Listen to music, while you navigate to new destinations, all on an easier to see big screen.

FOR A LIST OF DEVICE COMPATIBILITY WITH BOSS AUDIO B-LINK PRODUCTS PLEASE VISIT OUR WEBSITE www.bossaudio.com

**Additional cables are required based on your Android phone. A Lightning® Digital Connection is required for display, and is only used for screen duplication, control is accomplished from your phone *Steering wheel interface control not applicable with all vehicles. iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries. BOSS Audio Systems is not affiliated with Apple

BVML500

1-WAY CONTROL

WIRELESS SCREEN MIRRORING UNIT

Wirelessly Mirror Android and iOS® Devices with Automatic Device Recognition











BOSS Audio Systems AIR B-LINK Wireless Technology allows your phone's screen to be duplicated on the receiver's larger screen. AIR B-LINK enables you to clearly see your already familiar Navigation, Music, and Apps on a much bigger scale.



1-WAY CONTROL duplicates your phone's screen, while you control the action directly from your phone. Equipped with a 1 Amp Charging Rear USB, you never need to worry about your phone's battery. Listen to music, while you navigate to new destinations, all on an easier to see big screen.

FOR A LIST OF DEVICE COMPATIBILITY WITH BOSS AUDIO B-LINK PRODUCTS PLEASE VISIT OUR WEBSITE www.bossaudio.com

FEATURES

BVML500

SCREEN MIRRORING

1-Way Control

Auto Device Recognition

Wireless Connection

Android and iOS® Compatibility◊

Utilizes WiFi for High-speed Screen Image Transfer

INPUTS & OUTPUTS

USB Charging (1A)

Universal RCA A/V Output

INPUTS & OUTPUTS

Simple 3-Wire Connection









BVML500 AVERAGE SMART PHONE

SMALL COMPACT SIZE ALLOWS FOR EASY INSTALLATION

WITH MONITORS





























BV9759BD

BLUETOOTH®-ENABLED IN-DASH DOUBLE-DIN DVD/MP3 CD AM/FM RECEIVER

Featuring 7" (178mm) Widescreen TOUCHSCREEN Digital TFT Monitor

WIRELESS REMOTE CONTROL

FEATURES

BV9759BD

PLAYBACK DVD±R/RW Video CD±R/RW Audio & Video MP3 / WMA BLUETOOTH® AUDIO STREAMING Stream and Control your Favorite Music APPs

INPUTS & OUTPUTS

BLUETOOTH® HANDS-FREE

USB Port SD Port

Aux-In

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Front, Rear, Sub Outputs

Video Output

Rear Camera Input

A/V Input

GENERAL

Wireless Remote Control

Full Detachable Front Panel

Steering Wheel Control Interface*

Switchable US & Europe Tuner Frequencies

RDS Tuner

Output Power: 85 W x 4 CH



FULL DETACHABLE FRONT PANEL



MOTORIZED, SLIDE-DOWN FRONT PANEL

^{*}Steering wheel interface control not applicable with all vehicles. iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries. BOSS Audio Systems is not affiliated with Apple.























BLUETOOTH®-ENABLED

IN-DASH DOUBLE-DIN DVD/MP3 CD AM/FM RECEIVER

Featuring 7" (178mm) Widescreen TOUCHSCREEN Digital TFT Monitor



MOTORIZED, SLIDE-DOWN

FRONT PANEL



WIRELESS REMOTE CONTROL



















BV9755 IN-DASH DOUBLE-DIN DVD/MP3 CD AM/FM RECEIVER

Featuring 7" (178mm) Widescreen TOUCHSCREEN Digital TFT Monitor







WIRFLESS REMOTE CONTROL

FEATURES

BV9757B BV9755

PLAYBACK

DVD±R/RW Video

CD±R/RW Audio & Video

MP3 / WMA

BLUETOOTH® AUDIO STREAMING

Stream and Control your Favorite Music APPs

INPUTS & OUTPUTS

BLUETOOTH® HANDS-FREE

USB Ports (Front & Rear)

SD Port

Aux-In

Compatible with Audio Output of iPod°/iPhone°, Smartphones, and MP3 Players

Front, Rear, Sub Outputs

Video Output

Rear Camera Input

A/V Input

GENERAL

Wireless Remote Control

Steering Wheel Control Interface*

Switchable US & Europe Tuner Frequencies

RDS Tuner

Output Power: 85 W x 4 CH

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries. BOSS Audio Systems is not affiliated with Apple.

^{*}Steering wheel interface control not applicable with all vehicles.

WITH MONITORS





FEATURES

BV9372BI BV9368I

PLAYBACK

DVD±R/RW Video

CD±R/RW Audio & Video

MP3 / WMA

BLUETOOTH® AUDIO STREAMING

Stream and Control your Favorite Music APPs

INPUTS & OUTPUTS

BLUETOOTH® HANDS-FREE

USB Ports (Front & Rear)

SD Port

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Front, Rear, Sub Outputs

Video Output

Rear Camera Input

A/V Input

GENERAL

Wireless Remote Control

Full Detachable Front Panel

Steering Wheel Control Interface*


Switchable US & Europe **Tuner Frequencies**

RDS Tuner

Output Power: 80 W x 4 CH



FULL DETACHABLE FRONT PANEL



iPod® and iPhone® are registered trademarks of Apple, Inc. in the U.S. and other countries. BOSS Audio Systems is not affiliated with Apple.







VIDESCREEN





















BV9372BI

BLUETOOTH®-ENABLED

IN-DASH DOUBLE-DIN DVD/MP3 CD AM/FM RECEIVER

Featuring 6.2" (157mm) Widescreen TOUCHSCREEN Digital TFT Monitor





REMOTE CONTROL





























IN-DASH DOUBLE-DIN DVD/MP3 CD AM/FM RECEIVER

Featuring 6.2" (157mm) Widescreen TOUCHSCREEN Digital TFT Monitor



VIDESCREEN

REMOTE CONTROL





















BV9364B

BLUETOOTH®-ENABLED

IN-DASH DOUBLE-DIN DVD/MP3 CD AM/FM RECEIVER

Featuring 6.2" (157mm) Widescreen TOUCHSCREEN Digital TFT Monitor





WIRELESS REMOTE CONTROL















BV9356

IN-DASH DOUBLE-DIN DVD/MP3 CD AM/FM RECEIVER

Featuring 6.2" (157mm) Widescreen TOUCHSCREEN Digital TFT Monitor



WIRELESS REMOTE CONTROL





















BV9362BI BLUETOOTH®-ENABLED

IN-DASH DOUBLE-DIN DVD/MP3 CD AM/FM RECEIVER

Featuring 6.2" (157mm) Widescreen TOUCHSCREEN Digital TFT Monitor

FEATURES

BV9364B BV9356 BV9362BI

PLAYBACK

DVD±R/RW Video

CD±R/RW Audio & Video

MP3 / WMA

BLUETOOTH® AUDIO STREAMING

Stream and Control your Favorite Music APPs

INPUTS & OUTPUTS

BLUETOOTH® HANDS-FREE

USB Ports (Front & Rear)

SD Port

Aux-In

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Front, Rear, Sub Outputs

Video Output

Rear Camera Input

A/V Input

GENERAL

Wireless Remote Control

Steering Wheel Control Interface*

Switchable US & Europe Tuner Frequencies

RDS Tuner

Output Power: 80 W x 4 CH

*Steering wheel interface control not applicable with all vehicles.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries. BOSS Audio Systems is not affiliated with Apple

WITH MONITORS



DETACHABLE

FEATURES

BVS13.3B

PLAYBACK INPUTS & OUTPUTS GENERAL DVD±R/RW Video **BLUETOOTH® HANDS-FREE** Wireless Remote Control CD±R/RW Audio & Video USB Port Detachable Monitor/Face MP3 / WMA SD Port Steering Wheel Control Interface* **BLUETOOTH® AUDIO** Switchable US & Europe **STREAMING** Tuner Frequencies Compatible with Audio Output of Stream and Control your iPod®/iPhone®, Smartphones, and **RDS Tuner** Favorite Music APPs MP3 Players Output Power: 85 W x 4 CH Front, Rear, Sub Outputs Video Output Rear Camera Input A/V Input FEATURES OVER 16 MILLION COLOR ILLUMINATION OPTIONS

























DETACHABLE MONITOR/FACE

BVS10.1B | BLUETOOTH®-ENABLED IN-DASH SINGLE-DIN DVD/MP3 CD AM/FM RECEIVER

Featuring Detachable 10.1" (257mm) High Quality TOUCHSCREEN Digital TFT Monitor

1 2 / 1 0 / 1 2 0						
BVS10.1B						
PLAYBACK	INPUTS & OUTPUTS	GENERAL				
DVD±R/RW Video	BLUETOOTH® HANDS-FREE	Wireless Remote Control	OPEN MUTE EQ			
CD±R/RW Audio & Video	USB Port	Detachable Monitor/Face	VOL 2 led			
MP3 / WMA	SD Port ==	Steering Wheel Control Interface*	SRC BAND MI			
BLUETOOTH® AUDIO STREAMING Stream and Control your Favorite Music APPs	Aux-In Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players Front, Rear, Sub Outputs Video Output Rear Camera Input A/V Input	Switchable US & Europe Tuner Frequencies RDS Tuner Output Power: 85 W x 4 CH	OPEN MUTE O SRC BAND O SRC BAND FEATURES OVER 16 MILLION COLOR ILLUMINATION OPTIONS			
	PLAYBACK DVD±R/RW Video CD±R/RW Audio & Video MP3 / WMA BLUETOOTH® AUDIO STREAMING Stream and Control your	PLAYBACK DVD±R/RW Video CD±R/RW Audio & Video MP3 / WMA BLUETOOTH® HANDS-FREE USB Port SD Port Aux-In Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players Front, Rear, Sub Outputs Video Output Rear Camera Input	PLAYBACK DVD±R/RW Video CD±R/RW Audio & Video MP3 / WMA BLUETOOTH® HANDS-FREE USB Port SD Port Aux-In Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players Front, Rear, Sub Outputs Video Output Rear Camera Input GENERAL Wireless Remote Control Detachable Monitor/Face Steering Wheel Control Interface* Switchable US & Europe Tuner Frequencies RDS Tuner Output Power: 85 W x 4 CH			

WITH MONITORS

FEATURES

BV9986BI BV9982I

PLAYBACK

DVD±R/RW Video

CD±R/RW Audio & Video

BLUETOOTH® AUDIO STREAMING

Stream and Control your Favorite Music APPs

INPUTS & OUTPUTS

BLUETOOTH® HANDS-FREE

USB Ports (Front & Rear)

SD Port

Compatible with Audio Output of iPod°/iPhone°, Smartphones, and MP3 Players

Front, Rear, Sub Outputs

Video Output

Rear Camera Input

A/V Input

GENERAL

Wireless Remote Control

Full Detachable Front Panel


Steering Wheel Control Interface*

Switchable US & Europe **Tuner Frequencies**

Output Power: 85 W x 4 CH



FEATURES OVER 16 MILLION COLOR ILLUMINATION OPTIONS (BV9986BI ONLY)



*Steering wheel interface control not applicable with all vehicles.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries. BOSS Audio Systems is not affiliated with Apple.

























IN-DASH SINGLE-DIN DVD/MP3 CD AM/FM RECEIVER

Featuring Motorized 7" (178mm) Widescreen TOUCHSCREEN Digital TFT Monitor





IN-DASH SINGLE-DIN DVD/MP3 CD AM/FM RECEIVER

Featuring Motorized 7" (178mm) Widescreen TOUCHSCREEN Digital TFT Monitor



BV9979B

BLUETOOTH®-ENABLED

IN-DASH SINGLE-DIN DVD/MP3 CD AM/FM RECEIVER

Featuring Motorized 7" (178mm) Widescreen TOUCHSCREEN Digital TFT Monitor







WIRELESS REMOTE CONTROL

WIRELESS REMOTE CONTROL

BV9977 IN-DASH SINGLE-DIN DVD/MP3 CD AM/FM RECEIVER

Featuring Motorized 7" (178mm) Widescreen TOUCHSCREEN Digital TFT Monitor

FEATURES

BV9979B BV9977

PLAYBACK

DVD±R/RW Video

CD±R/RW Audio & Video

MP3 / WMA

BLUETOOTH® AUDIO STREAMING

Stream and Control your Favorite Music APPs

INPUTS & OUTPUTS

BLUETOOTH® HANDS-FREE

USB Port

SD Port

Aux-In

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Front, Rear, Sub Outputs

Video Output

Rear Camera Input

A/V Input

GENERAL

Wireless Remote Control

Full Detachable Front Panel

Steering Wheel Control Interface*

Switchable US & Europe Tuner Frequencies

RDS Tuner

Output Power: 85 W x 4 CH



FEATURES OVER 16 MILLION COLOR ILLUMINATION OPTIONS



*Steering wheel interface control not applicable with all vehicles.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries. BOSS Audio Systems is not affiliated with Apple.

WITH MONITORS

FEATURES

BV9967B BV9965

PLAYBACK

DVD±R/RW Video

CD±R/RW Audio & Video

MP3 / WMA

BLUETOOTH® AUDIO STREAMING

Stream and Control your Favorite Music APPs

INPUTS & OUTPUTS

BLUETOOTH® HANDS-FREE

USB Ports (Front & Rear)

SD Port

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Front, Rear, Sub Outputs

Video Output

Rear Camera Input

A/V Input

GENERAL

Wireless Remote Control


Full Detachable Front Panel

Steering Wheel Control Interface*

Switchable US & Europe **Tuner Frequencies**

RDS Tuner

Output Power: 85 W x 4 CH



MOTORIZED MONITOR

FULL DETACHABLE FRONT PANEL

*Steering wheel interface control not applicable with all vehicles.

iPod® and iPhone® are registered trademarks of Apple, Inc. in the U.S. and other countries. BOSS Audio Systems is not affiliated with Apple.

























BLUETOOTH®-ENABLED

IN-DASH SINGLE-DIN DVD/MP3 CD AM/FM RECEIVER

Featuring Motorized 7" (178mm) Widescreen TOUCHSCREEN Digital TFT Monitor





BV9965 IN-DASH SINGLE-DIN DVD/MP3 CD AM/FM RECEIVER

Featuring Motorized 7" (178mm) Widescreen TOUCHSCREEN Digital TFT Monitor



BV9976B BLUETOOTH®-ENABLED

IN-DASH SINGLE-DIN DVD/MP3 CD AM/FM RECEIVER

Featuring Motorized 7" (178mm) Widescreen TOUCHSCREEN Digital TFT Monitor















BV9973 IN-DASH SINGLE-DIN DVD/MP3 CD AM/FM RECEIVER

Featuring Motorized 7" (178mm) Widescreen TOUCHSCREEN Digital TFT Monitor

FEATURES

BV9976B BV9973

PLAYBACK

DVD±R/RW Video

CD±R/RW Audio & Video

MP3 / WMA

BLUETOOTH® AUDIO STREAMING

Stream and Control your Favorite Music APPs

INPUTS & OUTPUTS

BLUETOOTH® HANDS-FREE

USB Port

SD Port

Aux-In

Compatible with Audio Output of $i Pod^{\circ}/i Phone^{\circ}, Smartphones, and$ MP3 Players

Front, Rear, Sub Outputs

Video Output

Rear Camera Input

A/V Input

GENERAL

Wireless Remote Control

Steering Wheel Control Interface*

Switchable US & Europe Tuner Frequencies

RDS Tuner

Output Power: 85 W x 4 CH



FEATURES OVER 16 MILLION COLOR ILLUMINATION OPTIONS



*Steering wheel interface control not applicable with all vehicles.

iPod® and iPhone® are registered trademarks of Apple, Inc. in the U.S. and other countries. BOSS Audio Systems is not affiliated with Apple.

BLUETOOTH®)

ILLUMINATION

AUDIO STREAMING

WITH MONITORS

FEATURES

BV8974B

PLAYBACK

DVD±R/RW Video

CD±R/RW Audio & Video

MP3 / WMA

BLUETOOTH® AUDIO STREAMING

Stream and Control your Favorite Music APPs

INPUTS & OUTPUTS

BLUETOOTH® HANDS-FREE

USB Port

SD Port

Compatible with Audio Output of iPodo/iPhoneo, Smartphones, and

Front, Rear, Sub Outputs

Video Output

Rear Camera Input

A/V Input

GENERAL

Wireless Remote Control

Full Detachable Front Panel

Steering Wheel Control Interface*

Switchable US & Europe **Tuner Frequencies**

Output Power: 85 W x 4 CH





















WIRELESS REMOTE CONTROL

BV8974B BLUETOOTH®-ENABLED

IN-DASH SINGLE-DIN DVD/MP3 CD AM/FM RECEIVER

Featuring Motorized 7" (178mm) Widescreen TOUCHSCREEN Digital TFT Monitor



FEATURES OVER 16 MILLION COLOR ILLUMINATION OPTIONS

*Steering wheel interface control not applicable with all vehicles.

iPod® and iPhone® are registered trademarks of Apple, Inc. in the U.S. and other countries. BOSS Audio Systems is not affiliated with Apple.

Features a Single-DIN chassis with a Double-DIN front panel.





FULL DETACHABLE FRONT PANEL



MOTORIZED MONITOR





TOUGH (20 MULTIMEDIA DISC PLAYER WITH 7-INCH WIDESCREEN TFT MONITOR X 12:01 AM **3022** CARD USB DISC RADIO SWC AV-IN AUX-IN 0 ▲ 也 3022







BV8972 IN-DASH SINGLE-DIN DVD/MP3 CD AM/FM RECEIVER





Featuring Motorized 7" (178mm) Widescreen TOUCHSCREEN Digital TFT Monitor











Features a Single-DIN chassis with a Double-DIN









MOTORIZED MONITOR

FEATURES

BV8972

PLAYBACK

DVD±R/RW Video

CD±R/RW Audio & Video

MP3 / WMA

INPUTS & OUTPUTS

USB Port

SD Port

Aux-In

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Front, Rear, Sub Outputs

Video Output

Rear Camera Input

A/V Input

GENERAL

Wireless Remote Control

Full Detachable Front Panel

Steering Wheel Control Interface*

Switchable US & Europe Tuner Frequencies

Output Power: 85 W x 4 CH



FEATURES OVER 16 MILLION COLOR ILLUMINATION OPTIONS

*Steering wheel interface control not applicable with all vehicles.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries. BOSS Audio Systems is not affiliated with Apple.

FEATURES

BV8970B BV8968

PLAYBACK

DVD±R/RW Video

CD±R/RW Audio & Video

MP3 / WMA

BLUETOOTH® AUDIO STREAMING

Stream and Control your Favorite Music APPs

INPUTS & OUTPUTS

BLUETOOTH® HANDS-FREE

USB Port

SD Port

A I ...

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Front, Rear, Sub Outputs

Video Output

Rear Camera Input

A/V Input

GENERAL

Wireless Remote Control

Full Detachable Front Panel

Steering Wheel Control Interface*

Switchable US & Europe Tuner Frequencies

RDS Tuner

Output Power: 85 W x 4 CH







FEATURES OVER 16 MILLION COLOR ILLUMINATION OPTIONS

*Steering wheel interface control not applicable with all vehicles.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries. BOSS Audio Systems is not affiliated with Apple.



BV8970B

BLUETOOTH®-ENABLED IN-DASH SINGLE-DIN DVD/MP3 CD AM/FM RECEIVER

Featuring 7" (178mm) Widescreen TOUCHSCREEN Digital TFT Monitor



BA8368

IN-DASH SINGLE-DIN DVD/MP3 CD AM/FM RECEIVER

Featuring 7" (178mm) Widescreen TOUCHSCREEN Digital TFT Monitor

WIRELESS REMOTE CONTROL








FULL DETACHABLE






BV7464B and BV7460 units are Single-DIN chassis with a 1-1/2-DIN front panel.





FULL DETACHABLE FRONT PANEL



WITH MONITORS




BV7949B

BLUETOOTH®-ENABLED IN-DASH SINGLE-DIN DVD/MP3/CD AM/FM RECEIVER

Featuring 3.6" (91mm) Widescreen TOUCHSCREEN Digital TFT Monitor











WIRFLESS REMOTE CONTROL





















BV7348B BLUETOOTH®-ENABLED

IN-DASH SINGLE-DIN DVD/MP3/CD AM/FM RECEIVER Featuring 3.2" (81mm) Widescreen Digital TFT Monitor







DROP-DOWN FRONT PANEL






















REMOTE CONTROL



BV7345 IN-DASH DVD/MP3/CD AM/FM RECEIVER

Featuring 3.2" (81mm) Widescreen Digital TFT Monitor



IN-DASH SINGLE-DIN DVD/MP3/CD AM/FM RECEIVER

Featuring 3.2" (81mm) Widescreen Digital TFT Monitor

3022

AND MULTIMEDIA RECEIVERS



















WIRELESS REMOTE CONTROL

WIRFI FSS

REMOTE CONTROL

FEATURES

BV7335B BV7330 BV7332B

PLAYBACK

DVD±R/RW Video

CD±R/RW Audio & Video

MP3 / WMA

BLUETOOTH® AUDIO STREAMING

Stream and Control your Favorite Music APPs

INPUTS & OUTPUTS

BLUETOOTH® HANDS-FREE

USB Port

SD Port

Aux-In

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Front and Sub Outputs

Left, Right, Sub Outputs

Video Output

Rear Camera Input

A/V Input

GENERAL

Wireless Remote Control

Full Detachable Front Panel

Switchable US & Europe Tuner Frequencies

Output Power: 80 W x 4 CH



BLUETOOTH®-ENABLED









BV7335B

IN-DASH SINGLE-DIN DVD/MP3/CD AM/FM RECEIVER Featuring 3.2" (81mm) Widescreen Digital TFT Monitor



FULL DETACHABLE FRONT PANEL



DROP-DOWN FRONT PANEL











BLUETOOTH®-ENABLED



















IN-DASH SINGLE-DIN DVD/MP3/CD AM/FM RECEIVER Featuring 3.2" (81mm) Widescreen Digital TFT Monitor



DROP-DOWN FRONT PANEL



FULL DETACHABLE FRONT PANEL



WIRFLESS REMOTE CONTROL

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries. BOSS Audio Systems is not






























BLUETOOTH®-ENABLED IN-DASH SINGLE-DIN DVD/MP3/CD AM/FM RECEIVER







FULL DETACHABLE FRONT PANEL



















IN-DASH SINGLE-DIN DVD/MP3/CD AM/FM RECEIVER






MOBILE MULTIMEDIA PLAYER

WIRELESS REMOTE CONTROL







MULTIMEDIA

RECEIVERS





IN-DASH DOUBLE-DIN MP3-COMPATIBLE CD AM/FM RECEIVER

Featuring Full iPod® and iPhone® Control through USB (Compatible



FULL DETACHABLE FRONT PANEL



WIRELESS REMOTE CONTROL

FEATURES

870DBI 824UAB 822UA

PLAYBACK CD±R/RW Audio

BLUETOOTH® AUDIO STREAMING Stream and Control your Favorite Music APPs

INPUTS & OUTPUTS

BLUETOOTH® HANDS-FREE

USB Port

SD Port

Aux-In

Compatible with Audio Output of iPod°/iPhone°, Smartphones, and **MP3 Players**

Front Outputs

Rear Outputs

Sub Outputs

GENERAL

Wireless Remote Control

Detachable Front Panel

Switchable US & Europe Tuner Frequencies

RDS Tuner

Output Power: 80 W x 4 CH



BLUETOOTH®-ENABLED





WIRFLESS REMOTE CONTROL







FULL DETACHABLE

822UA IN-DASH DOUBLE-DIN MP3-COMPATIBLE CD AM/FM RECEIVER











IN-DASH SINGLE-DIN MP3-COMPATIBLE CD AM/FM RECEIVER



762BRGB



BLUETOOTH®-ENABLED



Featuring Multi-color Illumination Options











WIRFLESS REMOTE CONTROL











Featuring Multi-color Illumination Options



742RGB IN-DASH SINGLE-DIN MP3-COMPATIBLE CD AM/FM RECEIVER









WIRELESS REMOTE CONTROL



FEATURES MULTI-COLOR ILLUMINATION OPTIONS



FULL DETACHABLE CONTROL PANEL




















BLUETOOTH®-ENABLED IN-DASH SINGLE-DIN MP3-COMPATIBLE CD AM/FM RECEIVER



WIRFLESS REMOTE CONTROL



DROP-DOWN/FULL DETACHABLE CONTROL PANEL



FEATURES

PLAYBACK

CD±R/RW Audio

MP3 / WMA

BLUETOOTH® AUDIO STREAMING

Stream and Control your Favorite Music APPs

INPUTS & OUTPUTS

BLUETOOTH®HANDS-FREE

USB Port

SD Port

Aux-In

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Front and Rear Outputs

GENERAL

WIRELESS APP CONTROL

Wireless Remote Control

Full Detachable Front Panel Switchable US & Europe

Tuner Frequencies

RDS Tuner

Output Power: 60 W x 4 CH

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

Google, Google Play and Android are registered trademarks of Google, Inc., in the U.S. and other countries.


BOSS Audio Systems is not affiliated with Apple, Inc. or Google, Inc.

*Smartphone shown not included.

MULTIMEDIA

RECEIVERS





FULL DETACHABLE FRONT PANEL





746UAB





BLUETOOTH®-ENABLED

AM/FM RECEIVER



IN-DASH SINGLE-DIN MP3-COMPATIBLE CD









WIRELESS REMOTE CONTROL

FEATURES



PLAYBACK

CD±R/RW Audio

MP3 / WMA

MP3

BLUETOOTH® AUDIO STREAMING Stream and Control your Favorite Music APPs

INPUTS & OUTPUTS

BLUETOOTH® HANDS-FREE

USB Port

SD Port

Aux-In

Compatible with Audio Output of iPod°/iPhone°, Smartphones, and MP3 Players

Front Outputs

Front, Rear, Sub Outputs

GENERAL

Wireless Remote Control

Detachable Front Panel

Switchable US & Europe Tuner Frequencies

RDS Tuner

Output Power: 60 W x 4 CH





650UA



AM/FM RECEIVER






IN-DASH SINGLE-DIN MP3-COMPATIBLE CD









FULL DETACHABLE

WIRFLESS REMOTE CONTROL





648UA



AM/FM RECEIVER





IN-DASH SINGLE-DIN MP3-COMPATIBLE CD







FRONT PANEL

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries. BOSS Audio Systems is not affiliated with Apple.











637UA IN-DASH SINGLE-DIN MP3-COMPATIBLE CD AM FM RECEIVER













IN-DASH SINGLE-DIN MP3-COMPATIBLE CD AM/FM RECEIVER







WIRELESS REMOTE CONTROL



















WIRELESS REMOTE CONTROL



DETACHABLE FRONT PANEL

FEATURES

637UA 508UAB 506UA

PLAYBACK

CD±R/RW Audio

MP3

BLUETOOTH® AUDIO STREAMING

Stream and Control your Favorite Music APPs

INPUTS & OUTPUTS

BLUETOOTH®HANDS-FREE

USB Port SD Port

Aux-In

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Front Outputs

Front and Rear Outputs

GENERAL

Wireless Remote Control

Detachable Front Panel

Switchable US & Europe Tuner Frequencies

Output Power: W x 4 CH 50

60 50

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries. BOSS Audio Systems is not affiliated with Apple.

MULTIMEDIA

RECEIVERS WITHOUT DISC PLAYERS

FEATURES

BV9348B BV7280 BV7260B BV7254

PLAYBACK MP3 / WMA

BLUETOOTH® AUDIO STREAMING Stream and Control your Favorite Music APPs

INPUTS & OUTPUTS

BLUETOOTH® HANDS-FREE

USB Port

SD Port

Aux-In

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Front and Sub Outputs

Front Outputs

Video Output

Rear Camera Input

GENERAL

Wireless Remote Control

Detachable Front Panel

Steering Wheel Control Interface*

Switchable US & Europe Tuner Frequencies

RDS Tuner

Output Power: 80 W x 4 CH





REMOTE CONTROL



BLUETOOTH®-ENABLED

IN-DASH DOUBLE-DIN MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER

Featuring 6.2" (157mm) Widescreen TOUCHSCREEN Digital TFT Monitor









BV7280








Featuring 3.2" (81mm) Widescreen Digital TFT Monitor

IN-DASH SINGLE-DIN DIGITAL MEDIA AM/FM RECEIVER









FULL DETACHABLE FRONT PANEL









IN-DASH SINGLE-DIN DIGITAL MEDIA AM/FM RECEIVER Featuring 3.2" (81mm) Widescreen Digital TFT Monitor



WIRFI FSS REMOTE CONTROL











Featuring 3.2" (81mm) Widescreen TFT Digital Monitor





CD





iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries. BOSS Audio Systems is not affiliated with Apple.

^{*}Steering wheel interface control not applicable with all vehicles.





HANDS



REMOTE CONTROL



802UA : IN-DASH DOUBLE-DIN MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER























DIGITAL

MEDIA

635UAB BLUETOOTH®-ENABLED

IN-DASH SINGLE-DIN MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER

Featuring FULL TOUCHSCREEN LCD DISPLAY



SELECT 3 TOUCH SCREEN ILLUMINATION OPTIONS



FULL DETACHABLE TOUCHSCREEN FRONT PANEL



WIRELESS REMOTE CONTROL

























60



BLUETOOTH®-ENABLED IN-DASH SINGLE-DIN MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER **FEATURING BUILT-IN SPEAKERS**

FEATURES

812UAB 802UA 635UAB 630UASB

.....

PLAYBACK

BLUETOOTH® AUDIO STREAMING Stream and Control your Favorite Music APPs

INPUTS & OUTPUTS

BLUETOOTH®HANDS-FREE

USB Port SD Port

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Front Pre-Amp Output

GENERAL

Built-in High Quality Speakers

Wireless Remote Control Detachable Front Panel

Switchable US & Europe Tuner Frequencies

PC Board with Conformal Coating


Front Panel UV Coating

60 50 40 Output Power: W x 4 CH

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries. BOSS Audio Systems is not affiliated with Apple

MULTIMEDIA

RECEIVERS WITHOUT DISC PLAYERS



iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries. BOSS Audio Systems is not affiliated with Apple.

FULL DETACHABLE FRONT PANEL

(CD)

REMOTE CONTROL





BLUETOOTH®-ENABLED IN-DASH SINGLE-DIN MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER















610UA IN-DASH SINGLE-DIN MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER












FEATURES



PACKAGES

RECEIVER AND SPEAKER SYSTEMS

FEATURES 656BCK 654CK 647CK **PLAYBACK** CD±R/RW Audio BLUETOOTH® AUDIO STREAMING Stream and Control your Favorite Music APPs **INPUTS & OUTPUTS BLUETOOTH® HANDS-FREE** USB Port SD Port Aux-In Compatible with Audio Output of iPod®/iPhone®, Smartphones, and Front and Rear Outputs Front Outputs GENERAL Wireless Remote Control Detachable Face Switchable US & Europe

Tuner Frequencies RDS Tuner

SPEAKERS

Poly-Injection Cone Custom Grill

Output Power: W x 4 CH

6.5" 2-Way Full Range Speakers (1 Pair)

50 60









647CK RECEIVER AND SPEAKER SYSTEM PACKAGE

PACKAGE INCLUDES:

PACKAGE INCLUDES:

637UA - In-dash Single-DIN MP3-Compatible CD AM/FM Receiver PLUS - One Pair 6.5" 2-Way Full-Range Speakers



iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries. BOSS Audio Systems is not affiliated with Apple.





BOSS AUDIO SYSTEMS is recognized as a leader of mobile video. Products include 7" Headrests and Overhead (9", 10.1", 11.2" & 12.1") Monitors with and without built-in DVD players.

Doesn't it feel like we're spending more and more time in our cars commuting? Well, that further validates our slogan "Entertain Yourself". When it comes to our mobile video, you could also change that slogan to include "Entertaining Others" as well. Making your trips more pleasurable, and enjoying a seemingly faster ride, is what happens when you have one of the finest mobile video entertainment systems available today, in your car.

Featuring Built-in DVD Player with Black, Grey and Tan Housing/Monitor options. Includes two pairs of HP-32 Dual-channel Wireless Headphones



BV11.2MC

WIRELESS

REMOTE CONTROL

11.2" WIDESCREEN FLIP-DOWN TFT MONITOR

Featuring Built-in DVD Player with Black, Grey and Tan Housing/Monitor options. Includes two pairs of HP-32 Dual-channel Wireless Headphones

BV10.1MC

BOSS

10.1" WIDESCREEN FLIP-DOWN TFT MONITOR

Featuring Built-in DVD Player with Black, Grey and Tan Housing/Monitor options. Includes two pairs of HP-32 Dual-channel Wireless Headphones

FEATURES

BV12.1MCH BV11.2MC BV10.1MC

PLAYBACK DVD±R/RW Video CD±R/RW Audio & Video MP3 INPUTS & OUTPUTS

USB Port
SD Port
A/V Input/Output

FM Modulator

Digital Wired Connection

GENERAL 1024 x 600 Resolution Widescreen TFT Display Dual Channel IR Transmitter Interchangeable Colored Housings Wireless Remote Control

BV12.1MCH / BV11.2MC / BV10.1MC Flip-down Monitors Include:



TWO PAIRS OF HP-32 DUAL-CHANNEL WIRELESS HEADPHONES*



INTERCHANGEABLE HOUSING COLORS MAKES IT EASY TO MATCH ANY VEHICLES INTERIOR

*WARNING: This product contains DEHP, a phthalate chemical known to the State of California to cause birth defects and other reproductive harm. (Headphones only)

MONITORS

FLIP-DOWNS AND HEADRESTS



FEATURES

BV90BA BV90F

PLAYBACK

DVD±R/RW Video CD±R/RW Audio & Video MP3

INPUTS & OUTPUTS

USB Port

SD Port

A/V Input Connections

A/V Output

FM Modulator

GENERAL

1024 x 600 Resolution

Widescreen TFT Display

Dual Channel IR Transmitter

Dome Lights

Wireless Remote Control

Featuring Built-in DVD Player, Infrared Transmitter and FM Modulator. Housing color: Black



BV90F

9" WIDESCREEN FLIP-DOWN TFT MONITOR Featuring Built-in Infrared Transmitter. Housing color: Black

40



HIR7BGTA 7" UNIVERSAL HEADREST WITH DVD

Featuring pre-installed Widescreen TFT Video Monitor. Includes Black, Grey and Tan Interchangeable Pillow Covers



HIR7BGTM

7" UNIVERSAL HEADREST

Featuring pre-installed Widescreen TFT Video Monitor. Includes Black, Grey and Tan Interchangeable Pillow Covers VIDESCREE

FEATURES

HIR7BGTA HIR7BGTM

PLAYBACK

DVD±R/RW Video CD±R/RW Audio & Video MP3 / WMA

INPUTS & OUTPUTS

USB Port SD Port A/V Input Connections A/V Output

GENERAL

800 x 480 Resolution Widescreen TFT Diaplay Dual Channel IR Transmitter

Wireless Remote Control

HIR7BGTA / HIR7BGTM Headrests Include:



INTERCHANGEABLE LEATHER PILLOW COVER COLORS MAKES IT EASY TO MATCH ANY VEHICLES INTERIOR

MONITORS

HEADRESTS





HIR7BLK

7" UNIVERSAL HEADREST WITH BUILT-IN IR TRANSMITTER

Featuring Pre-installed Widescreen TFT Video Monitor. Sold individually. Pillow Cover: Black



WIRELESS REMOTE CONTROL



BV7HIR 7" HEADREST WIDESCREEN TFT VIDEO MONITOR

Features Built-in Dual-channel Infrared Audio Transmitter



WIRELESS REMOTE CONTROL

HEADREST COUNTERTOP DISPLAY

Our Countertop Headrest Display is the perfect way to demonstrate all BOSS AUDIO SYSTEMS Headrest Monitors.

The working display comes with a power supply to adequately power one monitor. The display includes a hook to hang a Wireless Headphone set for easy customer use.



FEATURES

HIR7BLK BV7HIR

800 x 480 Resolution Dual Channel IR Transmitter A/V Input Connections

Wireless Remote Control LED Backlit

Sun Visor Housing, Headrest Shroud

Dimensions: 16"(W) x 13"(D) x 10"(H)

Please contact your account manager for additional information regarding our FREE DISPLAY PURCHASE PROGRAM.

MOBILE VIDEO

ACCESSORIES



HP36RD

DUAL-CHANNEL FOLDABLE WIRELESS HEADPHONES*

For use with all Video Monitors with Infrared Transmission



TWO WIRELESS HEADPHONES*

Featuring Infrared Transmitter



FOLDABLE WIRELESS HEADPHONES*

For use with all Video Monitors with Infrared Transmission





DUAL-CHANNEL FOLDABLE WIRELESS HEADPHONES*

For use with all Video Monitors with Infrared Transmission



FOLDABLE WIRELESS HEADPHONES*

For use with all Video Monitors with Infrared Transmission



FOLDED POSITION



DUAL-CHANNEL FOLDABLE WIRELESS HEADPHONES*

Featuring Interchangeable Color Accent Caps



INTERCHANGEABLE COLOR ACCENT CAPS



FOLDED POSITION





MUSB35

UNIVERSAL USB/3.5mm AUXILIARY INTERFACE MOUNT

- Use with any Radio to Extend USB and Aux Inputs
- Dustproof, Water Resistant Rubber Cover
- UV Resistant
- USB /RCA 10ft (3m) Pass Through Extension Cable
- Cutout Diameter: 1-1/8" (29mm)



BV-AM5

ONE IN/FOUR OUT VIDEO SIGNAL AMPLIFIER Amplifies Video Signal to Maintain Picture Quality in Multi-Monitor Systems



The heart of your 12 Volt system is your power supply and speaker system. With six high performance amplifier lines, BOSS AUDIO SYSTEMS offers something for every category and budget. BOSS AUDIO SYSTEMS amplifiers provide a wide range of power output, and sizes to fit all potential space requirements and configuration combinations.



UBAC30

UNIVERSAL BLUETOOTH® AMPLIFIER CONTROLLER

Compatible with any Amplifier with RCA Inputs

MANY APPLICATIONS

- Motorcycles
- Boats
- ATVs / UTVs
- Golf Carts
- Snowmobiles

FEATURES

INPUTS & OUTPUTS

- BLUETOOTH® A2DP WIRELESS AUDIO STREAMING Stream and Control your Favorite Music APPs
- 2-Channel Stereo Line Out
- +12V Amplifier Remote Trigger
- 3.5mm Aux-Input

WEATHER RESISTANT

• IPX5* Weather Resistant Housing

CONTROLS

- Play / Pause
- Fast Forward / Rewind
- Volume Up/Down

GENERAL

- Blue Backlit Illumination
- Soft Touch Rubber Buttons
- Multi-mount System: Surface Mount or Handle Bar Clamp

 $^{^{*}\}mbox{IPXS-Water}$ projected by a nozzle (6.3mm) against enclosure from any direction shall have no harmful effects.

ONYX SERIES

Newly designed for 2015, ONYX Amplifiers are now better looking than ever. Designed to bring you every possible configuration needed, for any system set up. State-of-the-art circuitry and innovative power supply design optimizes efficiency while delivering tremendous power output with plenty of headroom. ONYX amplifiers are available in Class D and MOSFET Monoblocks and a bridgeable MOSFET four-channel.



FEATURES

DNX5500 DNX4500 DNX3500

Class D Topology

PMW MOSFET Power Supply

Low Level Inputs w/Pre-Amp Outputs

Variable Crossover: 50 Hz - 150 Hz

Variable Bass Boost: 0 dB to +18 dB

Variable Subsonic Filter: 15 - 40 Hz

Strapping Capable

1Ω Stable



REMOTE SUBWOOFER CONTROL



Features Remote Subwoofer Level Control 18-1/8" (L) x 10" (W) x 2-3/16" (H)

CLASS D CONNECTIONS DETAIL



DNX4500

4500 WATTS MAX POWER CLASS D MONOBLOCK POWER AMPLIFIER 1 Ω STABLE

Features Remote Subwoofer Level Control 15-1/4" (L) x 10" (W) x 2-3/16" (H)



DNX3500

3500 WATTS MAX POWER
CLASS D MONOBLOCK POWER AMPLIFIER
1 Ω STABLE

Features Remote Subwoofer Level Control 13" (L) x 10" (W) x 2-3/16" (H)

10N0BL0CK



MNX1800

1800 WATTS MAX POWER MONOBLOCK POWER AMPLIFIER

Features Remote Subwoofer Level Control 11-3/4" (L) x 10" (W) x 2-3/16" (H)



FNX2000

2000 WATTS MAX POWER 4 CHANNEL MOSFET POWER AMPLIFIER

Features Remote Subwoofer Level Control 15-5/8" (L) x 10" (W) x 2-3/16" (H)

FEATURES

MNX1800 FNX2000

Full-Range, Class A/B Topology

MOSFET Power Supply

Low and High Level Inputs

4/3/2 Channel

Variable Crossover

Variable Bass Boost





MONOBLOCK CONNECTIONS DETAIL



4 CHANNEL CONNECTIONS DETAIL

PHANTOM SERIES

New for 2015, PHANTOM amplifiers are sure to be a BIGGER hit than before. Each amplifier includes the new EDGE Backlit LED Illumination that will catch the attention of all eyes. This new line-up of thirteen new models, is guaranteed to cover any install application. PHANTOM is a full feature line-up that allows you to customize your system whether the need is power, or sound quality.



PD5000 PD4000 PD3000

Class D Topology

MOSFET Power Supply

Low Level Inputs w/Pre-Amp Outputs

Variable Crossover

Variable Bass Boost

Variable Subsonic Filter

Strapping Capable

1Ω Stable



REMOTE SUBWOOFER CONTROL



CLASS D CONNECTIONS DETAIL



PD4000

4000 WATTS MAX POWER
CLASS D MONOBLOCK POWER AMPLIFIER
1.0 STABLE

Features Remote Subwoofer Level Control 15" (L) \times 10-5/16" (W) \times 2-1/4" (H)



PD3000

3000 WATTS MAX POWER CLASS D MONOBLOCK POWER AMPLIFIER 1 Ω STABLE

Features Remote Subwoofer Level Control 13" (L) x 10-5/16" (W) x 2-1/4" (H)

BOSS PHANTOM 2500 WIRMS

PM2500

2500 WATTS MAX POWER MONOBLOCK POWER AMPLIFIER

Features Remote Subwoofer Level Control 14" (L) x 10-5/16" (W) x 2-1/4" (H)



PM1500

1500 WATTS MAX POWER MONOBLOCK POWER AMPLIFIER

Features Remote Subwoofer Level Control 10" (L) x 10-5/16" (W) x 2-1/4" (H)



PH1500M

1500 WATTS MAX POWER MONOBLOCK POWER AMPLIFIER

Features Remote Subwoofer Level Control 10" (L) x 9-1/2" (W) x 2-1/4" (H)

FEATURES

PM2500 PM1500 PH1500M

Full-Range, Class A/B Topology

MOSFET Power Supply

Low and High Level Inputs

Variable Crossover

Variable Bass Boost



REMOTE SUBWOOFER CONTROL





MONOBLOCK CONNECTIONS DETAIL

PLIFIERS

PHANTOM SERIES





PT3000 3000 WATTS MAX POWER 2 CHANNEL BRIDGEABLE POWER AMPLIFIER Features Remote Subwoofer Level Control 22" (L) x 10-5/16" (W) x 2-1/4" (H)

PT2200 2200 WATTS MAX POWER **2 CHANNEL BRIDGEABLE POWER AMPLIFIER** Features Remote Subwoofer Level Control 16" (L) x 10-5/16" (W) x 2-1/4" (H)



PT1600 | 1600 WATTS MAX POWER 2 CHANNEL BRIDGEABLE POWER AMPLIFIER Features Remote Subwoofer Level Control 14" (L) x 10-5/16" (W) x 2-1/4" (H)



PT1000 1000 WATTS MAX POWER **2 CHANNEL BRIDGEABLE POWER AMPLIFIER** Features Remote Subwoofer Level Control 9-1/2" (L) x 10-5/16" (W) x 2-1/4" (H)

FEATURES

PT3000 PT2200 PT1600 PT1000

Full-Range, Class A/B Topology

MOSFET Power Supply 2/1 Channel

Low and High Level Inputs

Variable Crossover

Variable Bass Boost



REMOTE SUBWOOFER CONTROL



2 CHANNEL CONNECTIONS DETAIL



PV3700 3700 WATTS MAX POWER **5 CHANNEL BRIDGEABLE POWER AMPLIFIER**

Features Remote Subwoofer Level Control 17-1/4" (L) x 10-5/16" (W) x 2-1/4" (H)



PF2600 2600 WATTS MAX POWER **4 CHANNEL BRIDGEABLE POWER AMPLIFIER**

Features Remote Subwoofer Level Control 17" (L) x 10-5/16" (W) x 2-1/4" (H)



PF2200 2200 WATTS MAX POWER

4 CHANNEL BRIDGEABLE POWER AMPLIFIER Features Remote Subwoofer Level Control 15-1/2" (L) x 10-5/16" (W) x 2-1/4" (H)



PF1800 1800 WATTS MAX POWER **4 CHANNEL BRIDGEABLE POWER AMPLIFIER**

Features Remote Subwoofer Level Control 13-1/2" (L) x 10-5/16" (W) x 2-1/4" (H)

FEATURES

PV3700 PF2600 PF2200 PF1800

Full-Range, Class A/B Topology MOSFET Power Supply 5/4/3/2 Channel 4/3/2 Channel Low and High Level Inputs Variable Crossover Variable Bass Boost



REMOTE SUBWOOFER CONTROL



CHAOS SERIES

The famous name continues but the new 2015 CHAOS amplifiers are the best design ever. Built to deliver clean solid power to your system with all the features to tweak the final sound output to your perfect listening preference. 11 models offer something for every application.



FEATURES

CHD4000 CHD3000

- Class D Topology
 - MOSFET Power Supply
- Low Level Inputs w/Pre-Amp Outputs
- Variable Crossover
- Variable Bass Boost
- Variable Subsonic Filter
- Strapping Capable
 - 1Ω Stable



REMOTE SUBWOOFER CONTROL



Features Remote Subwoofer Level Control

13-15/16" (L) x 10-5/16" (W) x 2-11/16" (H)

1Ω STABLE



CHD3000

3000 WATTS MAX POWER CLASS D MONOBLOCK POWER AMPLIFIER 1 Ω STABLE

Features Remote Subwoofer Level Control 12" (L) \times 10-5/16" (W) \times 2-11/16" (H)

ONOBLOCK





2000 WATTS MAX POWER MONOBLOCK POWER AMPLIFIER

Features Remote Subwoofer Level Control 12-3/4" (L) x 10-5/16" (W) x 2-11/16" (H)




CHM1500

1500 WATTS MAX POWER MONOBLOCK POWER AMPLIFIER

Features Remote Subwoofer Level Control 9-11/16" (L) x 10-5/16" (W) x 2-11/16" (H)

FEATURES

CHM2000 CHM1500





MONOBLOCK CONNECTIONS DETAIL

3072

CH2502

2500 WATTS MAX POWER 2 CHANNEL BRIDGEABLE POWER AMPLIFIER

Features Remote Subwoofer Level Control 14-5/8" (L) x 10-5/16" (W) x 2-11/16X" (H)



CH1602

1600 WATTS MAX POWER 2 CHANNEL BRIDGEABLE POWER AMPLIFIER

Features Remote Subwoofer Level Control 12-3/4" (L) x 10-5/16" (W) x 2-11/16" (H)



CH1202 : 1200 WATTS MAX POWER

2 CHANNEL BRIDGEABLE POWER AMPLIFIER

Features Remote Subwoofer Level Control 11-1/8" (L) x 10-5/16" (W) x 2-11/16" (H)



CH802

800 WATTS MAX POWER

2 CHANNEL BRIDGEABLE POWER AMPLIFIER

Features Remote Subwoofer Level Control 7-3/16" (L) x 10-5/16" (W) x 2-11/16" (H)

PLIFIERS

CHAOS SERIES

FEATURES

CH2502 CH1602 CH1202 CH802

Full-Range, Class A/B Topology

MOSFET Power Supply

2/1 Channel

Low and High Level Inputs

Variable LP Filter

Fixed High Pass Filter

Variable Bass Boost



REMOTE SUBWOOFER CONTROL





2 CHANNEL CONNECTIONS DETAIL



CXX152

200 WATTS MAX POWER 2 CHANNEL POWER AMPLIFIER

6-1/8" (L) x 9-13/16" (W) x 2-5/16" (H)

- Line Level and Speaker Level Inputs
- Variable Gain Control
- Power LED



CXX152 CONNECTIONS DETAIL



CH4500

2000 WATTS MAX POWER **4 CHANNEL BRIDGEABLE POWER AMPLIFIER**

Features Remote Subwoofer Level Control 15-13/16" (L) x 10-5/16" (W) x 2-11/16" (H)



CH4400

1600 WATTS MAX POWER

4 CHANNEL BRIDGEABLE POWER AMPLIFIER

Features Remote Subwoofer Level Control 12-3/4" (L) x 10-5/16" (W) x 2-11/16" (H)



CH4300 1200 WATTS MAX POWER

4 CHANNEL BRIDGEABLE POWER AMPLIFIER

Features Remote Subwoofer Level Control 12" (L) x 10-5/16" (W) x 2-11/16" (H)

COMPLETE SPECIFICATIONS AND **COMPARISONS-SEE PAGES 66-67**

FEATURES

CH4500 CH4400 CH4300

Full-Range, Class A/B Topology

PWM MOSFET Power Supply

4/3/2 Channel

Low and High Level Inputs

Variable LP Filter

Variable Bass Boost

Fixed High Pass Filter



REMOTE SUBWOOFER CONTROL







CXX354

400 WATTS MAX POWER 4 CHANNEL POWER AMPLIFIER 7-11/16" (L) x 9-13/16" (W) x 2-5/16" (H)

- Line Level and Speaker Level Inputs Variable Gain Control
- Power LED



CXX354 CONNECTIONS DETAIL

ARMOR SERIES

Why sacrifice performance for convenience when there are ARMOR car amplifiers? The design packs incredible performance into a slim line heat sink. The feature-rich performance and put-it-anywhere convenience have made the Armor series one of our best selling amps.



FEATURES

AR4000D AR3000D

- Class D Topology
- MOSFET Power Supply
- Low Level Inputs w/Pre-Amp Outputs
 - Variable Crossover
- Variable Bass Boost
 - Variable Subsonic Filter
 - Strapping Capable
- ¶ 1 Ω Stable





CLASS D CONNECTIONS DETAIL



AR3000D 3000 WATTS MAX POWER CLASS D MONOBLOCK POWER AMPLIFIER

1Ω STABLE Features Remote Subwoofer Level Control 12-5/16" (L) x 6-1/2" (W) x 2-9/16" (H)



AR2500M

2500 WATTS MAX POWER MONOBLOCK POWER AMPLIFIER

Features Remote Subwoofer Level Control 16-3/16" (L) x 6-1/2" (W) x 2-9/16" (H)



AR2000M

2000 WATTS MAX POWER MONOBLOCK POWER AMPLIFIER

Features Remote Subwoofer Level Control 13-1/8" (L) x 6-1/2" (W) x 2-9/16" (H)



AR1500M

1500 WATTS MAX POWER MONOBLOCK POWER AMPLIFIER

Features Remote Subwoofer Level Control 10-5/16" (L) x 6-1/2" (W) x 2-9/16" (H)

FEATURES

AR2500M AR2000M AR1500M

Class A/B Topology

MOSFET Power Supply

Low and High Level Inputs

Variable Crossover

Bass Boost



REMOTE SUBWOOFER CONTROL





MONOBLOCK CONNECTIONS DETAIL

ARMOR SERIES



AR3000.2

3000 WATTS MAX POWER
2 CHANNEL BRIDGEABLE POWER AMPLIFIER

Features Remote Subwoofer Level Control 18-5/8" (L) x 6-1/2" (W) x 2-9/16" (H)



AR1600.2

1600 WATTS MAX POWER 2 CHANNEL BRIDGEABLE POWER AMPLIFIER

Features Remote Subwoofer Level Control 13-1/8" (L) x 6-1/2" (W) x 2-9/16" (H)



AR1200.2

1200 WATTS MAX POWER

2 CHANNEL BRIDGEABLE POWER AMPLIFIER Features Remote Subwoofer Level Control

10-5/16" (L) x 6-1/2" (W) x 2-9/16" (H)

FEATURES

AR3000.2 AR1600.2 AR1200.2

Full-Range, Class A/B Topology

MOSFET Power Supply

2/1 Channel

Low and High Level Inputs

Variable Crossover

Variable Bass Boost



REMOTE SUBWOOFER CONTROL



2 CHANNEL CONNECTIONS DETAIL



AR2400.4

2400 WATTS MAX POWER 4 CHANNEL BRIDGEABLE POWER AMPLIFIER Features Remote Subwoofer Level Control

Features Remote Subwoofer Level Control 16-3/16" (L) x 6-1/2" (W) x 2-9/16" (H)



AR1600.4

0.4 1600 WATTS MAX POWER 4 CHANNEL BRIDGEABLE POWER AMPLIFIER

Features Remote Subwoofer Level Control 12-5/16" (L) x 6-1/2" (W) x 2-9/16" (H)

FEATURES

AR2400.4 AR1600.4

Full-Range, Class A/B Topology

MOSFET Power Supply

4/3/2 Channel

Low and High Level Inputs

Variable Crossover

Variable Bass Boost





4 CHANNEL CONNECTIONS DETAIL

RIOT SERIES

The RIOT SERIES is the perfect opening price point amplifier. RIOT offers great looks and superb performance at a most affordable price. These amplifiers are great for the first time car audio buyer wanting to add bass and enhanced sound to their system. RIOT amplifiers enter further proof, just why, BOSS AUDIO SYSTEMS is one of the largest providers of amplifiers in the world today.



FEATURES

R3400D R2400D



SUBWOOFER CONTROL



13-1/2" (L) x 10-7/16" (W) x 2-1/4" (H)





R2400D : 2400 WATTS MAX POWER CLASS D MONOBLOCK POWER AMPLIFIER $1\,\Omega\;\text{STABLE}$

Features Remote Subwoofer Level Control 11-1/2" (L) x 10-7/16" (W) x 2-1/4" (H)



R2000M

2000 WATTS MAX POWER MONOBLOCK POWER AMPLIFIER

Features Remote Subwoofer Level Control 15-1/2" (L) x 10-7/16" (W) x 2-1/4" (H)



R1600M

1600 WATTS MAX POWER MONOBLOCK POWER AMPLIFIER

Features Remote Subwoofer Level Control 12-11/32" (L) x 10-7/16" (W) x 2-1/4" (H)



R1100M

1100 WATTS MAX POWER MONOBLOCK POWER AMPLIFIER

Features Remote Subwoofer Level Control 9-1/8" (L) x 10-7/16" (W) x 2-1/4" (H)

FEATURES

R2000M R1600M R1100M

Class A/B Topology

MOSFET Power Supply

Low and High Level Inputs

Variable Crossover

Variable Bass Boost



REMOTE SUBWOOFER CONTROL





MONOBLOCK CONNECTIONS DETAIL

RIOT SERIES



R6002

1200 WATTS MAX POWER 2 CHANNEL BRIDGEABLE POWER AMPLIFIER

Features Remote Subwoofer Level Control 12-9/32" (L) x 10-7/16" (W) x 2-1/4" (H)



R4002

800 WATTS MAX POWER 2 CHANNEL BRIDGEABLE POWER AMPLIFIER

Features Remote Subwoofer Level Control 10-23/32" (L) x 10-7/16" (W) x 2-1/4" (H)



R3002

600 WATTS MAX POWER

2 CHANNEL BRIDGEABLE POWER AMPLIFIER Features Remote Subwoofer Level Control 9-5/32" (L) x 10-7/16" (W) x 2-1/4" (H)

FEATURES

R6002 R4002 R3002

Full-Range, Class A/B Topology

MOSFET Power Supply

2/1 Channel

Low and High Level Inputs

■ Variable Crossover

Variable Bass Boost



REMOTE SUBWOOFER CONTROL





2 CHANNEL CONNECTIONS DETAIL



R1002

200 WATTS MAX POWER 2 CHANNEL POWER AMPLIFIER

5-1/4" (L) x 9" (W) x 2" (H)

- Line Level and Speaker Level Inputs
- Variable Gain Control
- Power LED





R1002 CONNECTIONS DETAIL



R4004

1600 WATTS MAX POWER 4 CHANNEL BRIDGEABLE POWER AMPLIFIER Features Remote Subwoofer Level Control 5-7/16" (L) x 10-7/16" (W) x 2-1/4" (H)

1200 WATTS MAX POWER 4 CHANNEL BRIDGEABLE POWER AMPLIFIER

Features Remote Subwoofer Level Control 12-9/32" (L) x 10-7/16" (W) x 2-1/4" (H)



R2504

1000 WATTS MAX POWER 4 CHANNEL BRIDGEABLE POWER AMPLIFIER Features Remote Subwoofer Level Control

10-23/32" (L) x 10-7/16" (W) x 2-1/4" (H)

COMPLETE SPECIFICATIONS AND COMPARISONS-SEE PAGES 66-67

FEATURES

R4004 R3004 R2504

Full-Range, Class A/B Topology

MOSFET Power Supply

4/3/2 Channel

Low and High Level Inputs

Variable Crossover

Variable Bass Boost



REMOTE SUBWOOFER CONTROL





4 CHANNEL CONNECTIONS DETAIL



R1004

400 WATTS MAX POWER 4 CHANNEL POWER AMPLIFIER 7-3/4" (L) x 9" (W) x 2" (H)

- Line Level and Speaker Level Inputs
- Variable Gain Control
- Power LED





R1004 CONNECTIONS DETAIL

SPECIFICATIONS AND COMPARISONS

ONYX	POWER @ 4 Ω (RMS)	POWER @ 2 Ω (MAX)	POWER @ 1Ω (MAX)	BRIDGED POWER (4 Ω)	DIMENSIONS Length x Width x Height		
a	411 (KM3)	2 11 (MAX)	III (MAA)	POWER (411)	Length X Width X Height		
CLASS D MONOBLOCK	1275 \\\1	2750 \\\1	FF00.W1		10 1/0 10 2 3/16	(450)	
DNX5500	1375 W x 1	2750 W x 1	5500 W x 1	_	18-1/8" x 10" x 2-3/16"	(460mm x 254mm x 56mm)	
DNX4500	1125 W x 1	2250 W x 1	4500 W x 1	_	15-1/4" x 10" x 2-3/16"	(387mm x 254mm x 56mm)	
DNX3500	875 W x 1	1750 W x 1	3500 W x 1	- 1	13" x 10" x 2-3/16"	(330mm x 254mm x 56mm)	
MONOBLOCK							
MNX1800	900 W x 1	1800 W x 1	-		11-3/4" x 10" x 2-3/16"	(299mm x 254mm x 56mm)	
4-CHANNEL							
FNX2000	250 W x 4	500 W x 4	-	1000 W x 2	15-5/8" x 10" x 2-3/16"	(396mm x 254mm x 56mm)	
PHANTOM	POWER @	POWER @	POWER @	BRIDGED	DIMENSIONS		
	4 Ω (RMS)	2 Ω (MAX)	1Ω (MAX)	POWER (4 Ω)	Length x Width x Height		
CLASS D MONOBLOCK							
PD5000	1250 W x 1	2500 W x 1	5000 W x 1	_	18" x 10-5/16" x 2-1/4"	(457mm x 261mm x 57mm)	
PD4000	1000 W x 1	2000 W x 1	4000 W x 1	_	15" x 10-5/16" x 2-1/4"	(381mm x 261mm x 57mm)	
PD3000	750 W x 1	1500 W x 1	3000 W x 1	_	13" x 10-5/16" x 2-1/4"	(330mm x 261mm x 57mm)	
MONOBLOCK							
PM2500	1250 W x 1	2500 W x 1	_	_	14" x 10-5/16" x 2-1/4"	(356mm x 261mm x 57mm)	
PM1500	750 W x 1	1500 W x 1	_	_	10" x 10-5/16" x 2-1/4"	(254mm x 261mm x 57mm)	
PH1500M	750 W x 1	1500 W x 1	_	_	10" x 9-1/2" x 2-1/4"	(254mm x 241mm x 57mm)	
11130014	730 W X 1	1500 W X 1			10 X 3 1/2 X 2 1/4	(23411111)	
2-CHANNEL							
PT3000	750 W x 2	1500 W x 2	-	3000 W x 1	22" x 10-5/16" x 2-1/4"	(559mm x 261mm x 57mm)	
PT2200	550 W x 2	1100 W x 2	1	2200 W x 1	16" x 10-5/16" x 2-1/4"	(406mm x 261mm x 57mm)	
PT1600	400 W x 2	800 W x 2	_	1600 W x 1	14" x 10-5/16" x 2-1/4"	(356mm x 261mm x 57mm)	
PT1000	250 W x 2	500 W x 2	-	1000 W x 1	9-1/2" x 10-5/16" x 2-1/4"	(241mm x 261mm x 57mm)	
4-CHANNEL							
PF2600	325 W x 4	650 W x 4		1300 W x 2	17" x 10-5/16" x 2-1/4"	(432mm x 261mm x 57mm)	
PF2000	J2J W X 4	030 W X 4	_	1300 W X Z	1/ X 10-3/10 X 2-1/4	(43211111 X 20111111 X 3/11111)	
DECOMO	27E W v 4	FEO Wy 4		1100 \\/ \/ 2	1E 1/2" v 10 E /16" v 2 1/4"	(20.4mm v 26.1mm v E7mm)	
PF2200	275 W x 4	550 W x 4	_	1100 W x 2	15-1/2" x 10-5/16" x 2-1/4"	(394mm x 261mm x 57mm)	
PF2200 PF1800	275 W x 4 225 W x 4	550 W x 4 450 W x 4	-	1100 W x 2 900 W x 2	15-1/2" x 10-5/16" x 2-1/4" 13-1/2" x 10-5/16" x 2-1/4"	(394mm x 261mm x 57mm) (343mm x 261mm x 57mm)	
			-				
PF1800	225 W x 4 225 W x 4 +	450 W x 4 550 W x 4 +	- -	900 W x 2 1100 W x 2 +			
PF1800 5-CHANNEL	225 W x 4	450 W x 4	-	900 W x 2	13-1/2" x 10-5/16" x 2-1/4"	(343mm x 261mm x 57mm)	
PF1800 5-CHANNEL PV3700	225 W x 4 225 W x 4 + 750 W x 1	450 W x 4 550 W x 4 +	- - POWER @	900 W x 2 1100 W x 2 +	13-1/2" x 10-5/16" x 2-1/4"	(343mm x 261mm x 57mm)	
PF1800 5-CHANNEL	225 W x 4 225 W x 4 +	450 W x 4 550 W x 4 + 1500 W x 1	- - POWER @ 1Ω (MAX)	900 W x 2 1100 W x 2 + 750 W x 1	13-1/2" x 10-5/16" x 2-1/4" 17" x 10-5/16" x 2-1/4"	(343mm x 261mm x 57mm)	
PF1800 5-CHANNEL PV3700	225 W x 4 + 750 W x 1	450 W x 4 + 1500 W x 1		900 W x 2 1100 W x 2 + 750 W x 1 BRIDGED	13-1/2" x 10-5/16" x 2-1/4" 17" x 10-5/16" x 2-1/4" DIMENSIONS	(343mm x 261mm x 57mm)	
5-CHANNEL PV3700	225 W x 4 + 750 W x 1	450 W x 4 + 1500 W x 1		900 W x 2 1100 W x 2 + 750 W x 1 BRIDGED	13-1/2" x 10-5/16" x 2-1/4" 17" x 10-5/16" x 2-1/4" DIMENSIONS	(343mm x 261mm x 57mm)	
PF1800 5-CHANNEL PV3700 CHAOS CLASS D MONOBLOCK	225 W x 4 + 750 W x 1 POWER @ 4 Ω (RMS)	450 W x 4 + 1500 W x 1 POWER @ 2 Ω (MAX)	1Ω (MAX)	900 W x 2 1100 W x 2 + 750 W x 1 BRIDGED	13-1/2" x 10-5/16" x 2-1/4" 17" x 10-5/16" x 2-1/4" DIMENSIONS Length x Width x Height	(343mm x 261mm x 57mm) (432mm x 261mm x 57mm)	
PF1800 5-CHANNEL PV3700 CHAOS CLASS D MONOBLOCK CHD4000	225 W x 4 + 750 W x 1 POWER @ 4 \(\Omega \) (RMS)	450 W x 4 + 1500 W x 1 POWER @ 2 Ω (MAX)	1 Ω (MAX) 4000 W x 1	900 W x 2 1100 W x 2 + 750 W x 1 BRIDGED	13-1/2" x 10-5/16" x 2-1/4" 17" x 10-5/16" x 2-1/4" DIMENSIONS Length x Width x Height 13-15/16" x 10-5/16" x 2-11/16"	(343mm x 261mm x 57mm) (432mm x 261mm x 57mm) (354mm x 262mm x 68mm)	
PF1800 5-CHANNEL PV3700 CHAOS CLASS D MONOBLOCK CHD4000 CHD3000	225 W x 4 + 750 W x 1 POWER @ 4 \(\Omega \) (RMS) 1000 W x 1 750 W x 1	450 W x 4 + 1500 W x 1 POWER @ 2 Ω (MAX)	1 Ω (MAX) 4000 W x 1	900 W x 2 1100 W x 2 + 750 W x 1 BRIDGED	13-1/2" x 10-5/16" x 2-1/4" 17" x 10-5/16" x 2-1/4" DIMENSIONS Length x Width x Height 13-15/16" x 10-5/16" x 2-11/16"	(343mm x 261mm x 57mm) (432mm x 261mm x 57mm) (354mm x 262mm x 68mm)	
PF1800 5-CHANNEL PV3700 CHAOS CLASS D MONOBLOCK CHD4000 CHD3000 MONOBLOCK	225 W x 4 + 750 W x 1 POWER @ 4 \(\Omega \) (RMS)	450 W x 4 + 1500 W x 1 POWER @ 2 Ω (MAX) 2000 W x 1 1500 W x 1	1 Ω (MAX) 4000 W x 1	900 W x 2 1100 W x 2 + 750 W x 1 BRIDGED	13-1/2" x 10-5/16" x 2-1/4" 17" x 10-5/16" x 2-1/4" DIMENSIONS Length x Width x Height 13-15/16" x 10-5/16" x 2-11/16" 12" x 10-5/16" x 2-11/16"	(343mm x 261mm x 57mm) (432mm x 261mm x 57mm) (354mm x 262mm x 68mm) (305mm x 262mm x 68mm)	
PF1800 5-CHANNEL PV3700 CHAOS CLASS D MONOBLOCK CHD4000 CHD3000 MONOBLOCK CHM2000 CHM1500	225 W x 4 + 750 W x 1 POWER @ 4 \(\Omega \) (RMS) 1000 W x 1 750 W x 1	450 W x 4 + 1500 W x 1 POWER @ 2 Ω (MAX) 2000 W x 1 1500 W x 1	1 Ω (MAX) 4000 W x 1	900 W x 2 1100 W x 2 + 750 W x 1 BRIDGED	13-1/2" x 10-5/16" x 2-1/4" 17" x 10-5/16" x 2-1/4" DIMENSIONS Length x Width x Height 13-15/16" x 10-5/16" x 2-11/16" 12" x 10-5/16" x 2-11/16" 12-3/4" x 10-5/16" x 2-11/16"	(343mm x 261mm x 57mm) (432mm x 261mm x 57mm) (354mm x 262mm x 68mm) (305mm x 262mm x 68mm)	
PF1800 5-CHANNEL PV3700 CHAOS CLASS D MONOBLOCK CHD4000 CHD3000 MONOBLOCK CHM2000 CHM1500 2-CHANNEL	225 W x 4 + 750 W x 1 POWER @ 4 \(\Omega \) (RMS) 1000 W x 1 750 W x 1 1000 W x 1 750 W x 1	450 W x 4 + 1500 W x 1 POWER @ 2 Ω (MAX) 2000 W x 1 1500 W x 1 1500 W x 1	1 Ω (MAX) 4000 W x 1	900 W x 2 1100 W x 2 + 750 W x 1 BRIDGED POWER (4 Ω)	13-1/2" x 10-5/16" x 2-1/4" 17" x 10-5/16" x 2-1/4" DIMENSIONS Length x Width x Height 13-15/16" x 10-5/16" x 2-11/16" 12" x 10-5/16" x 2-11/16" 12-3/4" x 10-5/16" x 2-11/16" 9-11/16" x 10-5/16" x 2-11/16"	(343mm x 261mm x 57mm) (432mm x 261mm x 57mm) (354mm x 262mm x 68mm) (305mm x 262mm x 68mm) (324mm x 262mm x 68mm) (246mm x 262mm x 68mm)	
PF1800 5-CHANNEL PV3700 CHAOS CLASS D MONOBLOCK CHD4000 CHD3000 MONOBLOCK CHM2000 CHM1500 2-CHANNEL CH2502	225 W x 4 + 750 W x 1 POWER @ 4 Ω (RMS) 1000 W x 1 750 W x 1 1000 W x 1 750 W x 1	450 W x 4 + 1500 W x 1 POWER @ 2 Ω (MAX) 2000 W x 1 1500 W x 1 1500 W x 1 1250 W x 2	1 Ω (MAX) 4000 W x 1	900 W x 2 1100 W x 2 + 750 W x 1 BRIDGED POWER (4 Ω) 2500 W x 1	13-1/2" x 10-5/16" x 2-1/4" 17" x 10-5/16" x 2-1/4" DIMENSIONS Length x Width x Height 13-15/16" x 10-5/16" x 2-11/16" 12" x 10-5/16" x 2-11/16" 12-3/4" x 10-5/16" x 2-11/16" 9-11/16" x 10-5/16" x 2-11/16"	(343mm x 261mm x 57mm) (432mm x 261mm x 57mm) (354mm x 262mm x 68mm) (305mm x 262mm x 68mm) (324mm x 262mm x 68mm) (246mm x 262mm x 68mm)	
PF1800 5-CHANNEL PV3700 CHAOS CLASS D MONOBLOCK CHD4000 CHD3000 MONOBLOCK CHM2000 CHM1500 2-CHANNEL CH2502 CH1602	225 W x 4 + 750 W x 1 POWER @ 4 Ω (RMS) 1000 W x 1 750 W x 1 1000 W x 1 750 W x 1 625 W x 2 400 W x 2	450 W x 4 + 1500 W x 1 POWER @ 2 Ω (MAX) 2000 W x 1 1500 W x 1 1500 W x 1 1250 W x 2 800 W x 2	1Ω (MAX) 4000 W x 1 3000 W x 1	900 W x 2 1100 W x 2 + 750 W x 1 BRIDGED POWER (4 Ω) 2500 W x 1 1600 W x 1	13-1/2" x 10-5/16" x 2-1/4" 17" x 10-5/16" x 2-1/4" DIMENSIONS Length x Width x Height 13-15/16" x 10-5/16" x 2-11/16" 12" x 10-5/16" x 2-11/16" 12-3/4" x 10-5/16" x 2-11/16" 14-5/8" x 10-5/16" x 2-11/16" 14-5/8" x 10-5/16" x 2-11/16"	(343mm x 261mm x 57mm) (432mm x 261mm x 57mm) (354mm x 262mm x 68mm) (305mm x 262mm x 68mm) (324mm x 262mm x 68mm) (371mm x 262mm x 68mm) (374mm x 262mm x 68mm)	
PF1800 5-CHANNEL PV3700 CHAOS CLASS D MONOBLOCK CHD4000 CHD3000 MONOBLOCK CHM2000 CHM1500 2-CHANNEL CH2502 CH1602 CH1202	225 W x 4 + 750 W x 1 POWER @ 4 \(\Omega \) (RMS) 1000 W x 1 750 W x 1 1000 W x 1 750 W x 1 625 W x 2 400 W x 2 300 W x 2	450 W x 4 + 1500 W x 1 POWER @ 2 Ω (MAX) 2000 W x 1 1500 W x 1 1500 W x 1 1250 W x 2 800 W x 2 600 W x 2	1 Ω (MAX) 4000 W x 1	900 W x 2 1100 W x 2 + 750 W x 1 BRIDGED POWER (4 \(\Omega) \) 2500 W x 1 1600 W x 1 1200 W x 1	13-1/2" x 10-5/16" x 2-1/4" 17" x 10-5/16" x 2-1/4" DIMENSIONS Length x Width x Height 13-15/16" x 10-5/16" x 2-11/16" 12" x 10-5/16" x 2-11/16" 12-3/4" x 10-5/16" x 2-11/16" 14-5/8" x 10-5/16" x 2-11/16" 14-5/8" x 10-5/16" x 2-11/16" 12-3/4" x 10-5/16" x 2-11/16" 11-1/8" x 10-5/16" x 2-11/16"	(343mm x 261mm x 57mm) (432mm x 261mm x 57mm) (354mm x 262mm x 68mm) (305mm x 262mm x 68mm) (324mm x 262mm x 68mm) (371mm x 262mm x 68mm) (371mm x 262mm x 68mm) (324mm x 262mm x 68mm) (324mm x 262mm x 68mm) (324mm x 262mm x 68mm)	
PF1800 5-CHANNEL PV3700 CHAOS CLASS D MONOBLOCK CHD4000 CHD3000 MONOBLOCK CHM2000 CHM1500 2-CHANNEL CH2502 CH1602 CH1202 CH802	225 W x 4 + 750 W x 1 POWER @ 4 \(\overline{\text{RMS}} \) 1000 W x 1 750 W x 1 1000 W x 1 750 W x 1 625 W x 2 400 W x 2 300 W x 2 200 W x 2	450 W x 4 + 1500 W x 1 POWER @ 2 Ω (MAX) 2000 W x 1 1500 W x 1 1500 W x 1 1250 W x 2 800 W x 2 600 W x 2 400 W x 2	1Ω (MAX) 4000 W x 1 3000 W x 1	900 W x 2 1100 W x 2 + 750 W x 1 BRIDGED POWER (4 \(\Omega\)) 2500 W x 1 1600 W x 1 1200 W x 1 800 W x 1	13-1/2" x 10-5/16" x 2-1/4" 17" x 10-5/16" x 2-1/4" DIMENSIONS Length x Width x Height 13-15/16" x 10-5/16" x 2-11/16" 12" x 10-5/16" x 2-11/16" 12-3/4" x 10-5/16" x 2-11/16" 14-5/8" x 10-5/16" x 2-11/16" 12-3/4" x 10-5/16" x 2-11/16" 12-3/4" x 10-5/16" x 2-11/16" 1-1/8" x 10-5/16" x 2-11/16" 7-3/16" x 10-5/16" x 2-11/16"	(343mm x 261mm x 57mm) (432mm x 261mm x 57mm) (354mm x 262mm x 68mm) (305mm x 262mm x 68mm) (324mm x 262mm x 68mm) (371mm x 262mm x 68mm) (324mm x 262mm x 68mm) (324mm x 262mm x 68mm) (324mm x 262mm x 68mm) (183mm x 262mm x 68mm) (183mm x 262mm x 68mm)	
PF1800 5-CHANNEL PV3700 CHAOS CLASS D MONOBLOCK CHD4000 CHD3000 MONOBLOCK CHM2000 CHM1500 2-CHANNEL CH2502 CH1602 CH1202	225 W x 4 + 750 W x 1 POWER @ 4 \(\Omega \) (RMS) 1000 W x 1 750 W x 1 1000 W x 1 750 W x 1 625 W x 2 400 W x 2 300 W x 2	450 W x 4 + 1500 W x 1 POWER @ 2 Ω (MAX) 2000 W x 1 1500 W x 1 1500 W x 1 1250 W x 2 800 W x 2 600 W x 2	1Ω (MAX) 4000 W x 1 3000 W x 1	900 W x 2 1100 W x 2 + 750 W x 1 BRIDGED POWER (4 \(\Omega) \) 2500 W x 1 1600 W x 1 1200 W x 1	13-1/2" x 10-5/16" x 2-1/4" 17" x 10-5/16" x 2-1/4" DIMENSIONS Length x Width x Height 13-15/16" x 10-5/16" x 2-11/16" 12" x 10-5/16" x 2-11/16" 12-3/4" x 10-5/16" x 2-11/16" 14-5/8" x 10-5/16" x 2-11/16" 14-5/8" x 10-5/16" x 2-11/16" 12-3/4" x 10-5/16" x 2-11/16" 11-1/8" x 10-5/16" x 2-11/16"	(343mm x 261mm x 57mm) (432mm x 261mm x 57mm) (354mm x 262mm x 68mm) (305mm x 262mm x 68mm) (324mm x 262mm x 68mm) (371mm x 262mm x 68mm) (371mm x 262mm x 68mm) (324mm x 262mm x 68mm) (324mm x 262mm x 68mm) (324mm x 262mm x 68mm)	
PF1800 5-CHANNEL PV3700 CHAOS CLASS D MONOBLOCK CHD4000 CHD3000 MONOBLOCK CHM2000 CHM1500 2-CHANNEL CH2502 CH1602 CH1202 CH802	225 W x 4 + 750 W x 1 POWER @ 4 \(\overline{\text{RMS}} \) 1000 W x 1 750 W x 1 1000 W x 1 750 W x 1 625 W x 2 400 W x 2 300 W x 2 200 W x 2	450 W x 4 + 1500 W x 1 POWER @ 2 Ω (MAX) 2000 W x 1 1500 W x 1 1500 W x 1 1250 W x 2 800 W x 2 600 W x 2 400 W x 2	1Ω (MAX) 4000 W x 1 3000 W x 1	900 W x 2 1100 W x 2 + 750 W x 1 BRIDGED POWER (4 \(\Omega\)) 2500 W x 1 1600 W x 1 1200 W x 1 800 W x 1	13-1/2" x 10-5/16" x 2-1/4" 17" x 10-5/16" x 2-1/4" DIMENSIONS Length x Width x Height 13-15/16" x 10-5/16" x 2-11/16" 12" x 10-5/16" x 2-11/16" 12-3/4" x 10-5/16" x 2-11/16" 14-5/8" x 10-5/16" x 2-11/16" 12-3/4" x 10-5/16" x 2-11/16" 12-3/4" x 10-5/16" x 2-11/16" 1-1/8" x 10-5/16" x 2-11/16" 7-3/16" x 10-5/16" x 2-11/16"	(343mm x 261mm x 57mm) (432mm x 261mm x 57mm) (354mm x 262mm x 68mm) (305mm x 262mm x 68mm) (324mm x 262mm x 68mm) (371mm x 262mm x 68mm) (324mm x 262mm x 68mm) (324mm x 262mm x 68mm) (324mm x 262mm x 68mm) (183mm x 262mm x 68mm) (183mm x 262mm x 68mm)	
PF1800 5-CHANNEL PV3700 CHAOS CLASS D MONOBLOCK CHD4000 CHD3000 MONOBLOCK CHM2000 CHM1500 2-CHANNEL CH2502 CH1602 CH1202 CH802 CXX152	225 W x 4 + 750 W x 1 POWER @ 4 \(\overline{\text{RMS}} \) 1000 W x 1 750 W x 1 1000 W x 1 750 W x 1 625 W x 2 400 W x 2 300 W x 2 200 W x 2	450 W x 4 + 1500 W x 1 POWER @ 2 Ω (MAX) 2000 W x 1 1500 W x 1 1500 W x 1 1250 W x 2 800 W x 2 600 W x 2 400 W x 2	1Ω (MAX) 4000 W x 1 3000 W x 1	900 W x 2 1100 W x 2 + 750 W x 1 BRIDGED POWER (4 \(\Omega\)) 2500 W x 1 1600 W x 1 1200 W x 1 800 W x 1	13-1/2" x 10-5/16" x 2-1/4" 17" x 10-5/16" x 2-1/4" DIMENSIONS Length x Width x Height 13-15/16" x 10-5/16" x 2-11/16" 12" x 10-5/16" x 2-11/16" 12-3/4" x 10-5/16" x 2-11/16" 14-5/8" x 10-5/16" x 2-11/16" 12-3/4" x 10-5/16" x 2-11/16" 12-3/4" x 10-5/16" x 2-11/16" 1-1/8" x 10-5/16" x 2-11/16" 7-3/16" x 10-5/16" x 2-11/16"	(343mm x 261mm x 57mm) (432mm x 261mm x 57mm) (354mm x 262mm x 68mm) (305mm x 262mm x 68mm) (324mm x 262mm x 68mm) (371mm x 262mm x 68mm) (324mm x 262mm x 68mm) (324mm x 262mm x 68mm) (324mm x 262mm x 68mm) (183mm x 262mm x 68mm) (183mm x 262mm x 68mm)	
PF1800 5-CHANNEL PV3700 CHAOS CLASS D MONOBLOCK CHD4000 CHD3000 MONOBLOCK CHM2000 CHM1500 2-CHANNEL CH2502 CH1602 CH1202 CH802 CXX152 4-CHANNEL	225 W x 4 + 750 W x 1 POWER @ 4 \(\Omega \) (RMS) 1000 W x 1 750 W x 1 1000 W x 1 750 W x 1 625 W x 2 400 W x 2 300 W x 2 200 W x 2 50 W x 2	450 W x 4 + 1500 W x 1 POWER @ 2 Ω (MAX) 2000 W x 1 1500 W x 1 1500 W x 1 1250 W x 2 800 W x 2 600 W x 2 400 W x 2 100 W x 2	1Ω (MAX) 4000 W x 1 3000 W x 1	900 W x 2 1100 W x 2 + 750 W x 1 BRIDGED POWER (4 \(\Omega) \) 2500 W x 1 1600 W x 1 1200 W x 1 800 W x 1 -	13-1/2" x 10-5/16" x 2-1/4" 17" x 10-5/16" x 2-1/4" DIMENSIONS Length x Width x Height 13-15/16" x 10-5/16" x 2-11/16" 12" x 10-5/16" x 2-11/16" 12-3/4" x 10-5/16" x 2-11/16" 14-5/8" x 10-5/16" x 2-11/16" 12-3/4" x 10-5/16" x 2-11/16" 12-3/4" x 10-5/16" x 2-11/16" 1-1/8" x 10-5/16" x 2-11/16" 7-3/16" x 10-5/16" x 2-11/16" 6-1/8" x 9-13/16" x 2-5/16"	(343mm x 261mm x 57mm) (432mm x 261mm x 57mm) (354mm x 262mm x 68mm) (305mm x 262mm x 68mm) (324mm x 262mm x 68mm) (371mm x 262mm x 68mm) (324mm x 262mm x 68mm) (324mm x 262mm x 68mm) (183mm x 262mm x 68mm) (183mm x 262mm x 68mm) (185mm x 249mm x 59mm)	
PF1800 5-CHANNEL PV3700 CHAOS CLASS D MONOBLOCK CHD4000 CHD3000 MONOBLOCK CHM2000 CHM1500 2-CHANNEL CH2502 CH1602 CH1202 CH802 CXX152 4-CHANNEL CH4500	225 W x 4 + 750 W x 1 POWER @ 4 \(\Omega \) (RMS) 1000 W x 1 750 W x 1 1000 W x 1 750 W x 1 625 W x 2 400 W x 2 300 W x 2 200 W x 2 50 W x 2	450 W x 4 550 W x 4 + 1500 W x 1 POWER @ 2 Ω (MAX) 2000 W x 1 1500 W x 1 1500 W x 1 1250 W x 2 800 W x 2 600 W x 2 400 W x 2 100 W x 2	1Ω (MAX) 4000 W x 1 3000 W x 1	900 W x 2 1100 W x 2 + 750 W x 1 BRIDGED POWER (4 \(\Omega) \) 2500 W x 1 1600 W x 1 1200 W x 1 800 W x 1 - 1000 W x 2	13-1/2" x 10-5/16" x 2-1/4" 17" x 10-5/16" x 2-1/4" DIMENSIONS Length x Width x Height 13-15/16" x 10-5/16" x 2-11/16" 12" x 10-5/16" x 2-11/16" 12-3/4" x 10-5/16" x 2-11/16" 14-5/8" x 10-5/16" x 2-11/16" 12-3/4" x 10-5/16" x 2-11/16" 12-3/4" x 10-5/16" x 2-11/16" 13-13/16" x 10-5/16" x 2-11/16" 15-13/16" x 10-5/16" x 2-11/16"	(343mm x 261mm x 57mm) (432mm x 261mm x 57mm) (354mm x 262mm x 68mm) (305mm x 262mm x 68mm) (324mm x 262mm x 68mm) (371mm x 262mm x 68mm) (324mm x 262mm x 68mm) (324mm x 262mm x 68mm) (1324mm x 262mm x 68mm) (183mm x 262mm x 68mm) (185mm x 249mm x 59mm)	
PF1800 5-CHANNEL PV3700 CHAOS CLASS D MONOBLOCK CHD4000 CHD3000 MONOBLOCK CHM2000 CHM1500 2-CHANNEL CH2502 CH1602 CH1202 CH802 CXX152 4-CHANNEL CH4500 CH4400	225 W x 4 + 750 W x 1 POWER @ 4 \(\Omega \) (RMS) 1000 W x 1 750 W x 1 1000 W x 1 750 W x 1 625 W x 2 400 W x 2 300 W x 2 200 W x 2 50 W x 2 250 W x 4 200 W x 4	450 W x 4 550 W x 4 + 1500 W x 1 POWER @ 2 Ω (MAX) 2000 W x 1 1500 W x 1 1500 W x 1 1250 W x 2 800 W x 2 600 W x 2 400 W x 2 100 W x 2 500 W x 4 400 W x 4	1Ω (MAX) 4000 W x 1 3000 W x 1	900 W x 2 1100 W x 2 + 750 W x 1 BRIDGED POWER (4 \(\Omega\)) 2500 W x 1 1600 W x 1 1200 W x 1 800 W x 1 - 1000 W x 2 800 W x 2	13-1/2" x 10-5/16" x 2-1/4" 17" x 10-5/16" x 2-1/4" DIMENSIONS Length x Width x Height 13-15/16" x 10-5/16" x 2-11/16" 12" x 10-5/16" x 2-11/16" 12-3/4" x 10-5/16" x 2-11/16" 14-5/8" x 10-5/16" x 2-11/16" 12-3/4" x 10-5/16" x 2-11/16" 12-3/4" x 10-5/16" x 2-11/16" 7-3/16" x 10-5/16" x 2-11/16" 6-1/8" x 9-13/16" x 2-5/16" 15-13/16" x 10-5/16" x 2-11/16"	(343mm x 261mm x 57mm) (432mm x 261mm x 57mm) (354mm x 262mm x 68mm) (305mm x 262mm x 68mm) (324mm x 262mm x 68mm) (371mm x 262mm x 68mm) (324mm x 262mm x 68mm) (324mm x 262mm x 68mm) (183mm x 262mm x 68mm) (183mm x 262mm x 68mm) (155mm x 249mm x 59mm)	
PF1800 5-CHANNEL PV3700 CHAOS CLASS D MONOBLOCK CHD4000 CHD3000 MONOBLOCK CHM2000 CHM1500 2-CHANNEL CH2502 CH1602 CH1202 CH802 CXX152 4-CHANNEL CH4500 CH4400 CH4300	225 W x 4 + 750 W x 1 POWER @ 4 \(\overline{\text{RMS}} \) 1000 W x 1 750 W x 1 1000 W x 1 750 W x 1 1000 W x 2 400 W x 2 400 W x 2 50 W x 2 250 W x 4 200 W x 4 150 W x 4	450 W x 4 550 W x 4 + 1500 W x 1 POWER @ 2 Ω (MAX) 2000 W x 1 1500 W x 1 1500 W x 1 1250 W x 2 800 W x 2 600 W x 2 400 W x 2 100 W x 2 500 W x 4 400 W x 4 300 W x 4	1Ω (MAX) 4000 W x 1 3000 W x 1	900 W x 2 1100 W x 2 + 750 W x 1 BRIDGED POWER (4 \(\Omega\)) 2500 W x 1 1600 W x 1 1200 W x 1 800 W x 1 - 1000 W x 2 800 W x 2	13-1/2" x 10-5/16" x 2-1/4" 17" x 10-5/16" x 2-1/4" DIMENSIONS Length x Width x Height 13-15/16" x 10-5/16" x 2-11/16" 12" x 10-5/16" x 2-11/16" 12-3/4" x 10-5/16" x 2-11/16" 14-5/8" x 10-5/16" x 2-11/16" 14-5/8" x 10-5/16" x 2-11/16" 12-3/4" x 10-5/16" x 2-11/16" 7-3/16" x 10-5/16" x 2-11/16" 6-1/8" x 9-13/16" x 2-5/16" 15-13/16" x 10-5/16" x 2-11/16" 12-3/4" x 10-5/16" x 2-11/16" 12-3/4" x 10-5/16" x 2-11/16"	(343mm x 261mm x 57mm) (432mm x 261mm x 57mm) (354mm x 262mm x 68mm) (305mm x 262mm x 68mm) (324mm x 262mm x 68mm) (371mm x 262mm x 68mm) (324mm x 262mm x 68mm) (324mm x 262mm x 68mm) (183mm x 262mm x 68mm) (183mm x 262mm x 68mm) (155mm x 249mm x 59mm) (402mm x 262mm x 68mm) (324mm x 262mm x 68mm) (325mm x 262mm x 68mm) (325mm x 262mm x 68mm)	

ARMOR	POWER @ 4 Ω (RMS)	POWER @ 2 Ω (MAX)	POWER @ 1 Ω (MAX)	BRIDGED POWER (4 Ω)	DIMENSIONS Length x Width x Height		
CLASS D MONOBLOCK							
AR4000D	1600 W x 1	3000 W x 1	4000 W x 1	-	14-5/16" x 6-1/2" x 2-9/16"	(363mm x 165mm x 65mm)	
AR3000D	1200 W x 1	2200 W x 1	3000 W x 1	-	12-5/16" x 6-1/2" x 2-9/16"	(312mm x 165mm x 65mm)	
MONOBLOCK							
AR2500M	1400 W x 1	2500 W x 1	-	-	16-3/16" x 6-1/2" x 2-9/16"	(411mm x 165mm x 65mm)	
AR2000M	1000 W x 1	2000 W x 1	-	-	13-1/8" x 6-1/2" x 2-9/16"	(333mm x 165mm x 65mm)	
AR1500M	700 W x 1	1500 W x 1	<u> </u>	A	10-5/16" x 6-1/2" x 2-9/16"	(262mm x 165mm x 65mm)	
	7	, \					
2-CHANNEL	// /						
AR3000.2	480 W x 2	1500 W x 2		3000 W x 1	18-5/8" x 6-1/2" x 2-9/16"	(472mm x 165mm x 65mm)	
AR1600.2	260 W x 2	800 W x 2	-	1600 W x 1	13-1/8" x 6-1/2" x 2-9/16"	(333mm x 165mm x 65mm)	
AR1200.2	230 W x 2	600 W x 2	-	1200 W x 1	10-5/16" x 6-1/2" x 2-9/16"	(262mm x 165mm x 65mm)	
4-CHANNEL							
AR2400.4	240 W x 4	600 W x 4	-	1200 W x 2	16-3/16" x 6-1/2" x 2-9/16"	(412mm x 165mm x 65mm)	
AR1600.4	160 W x 4	400 W x 4	-	800 W x 2	12-5/16" x 6-1/2" x 2-9/16"	(312mm x 165mm x 65mm)	\leq
DIOT	POWER @	POWER @	POWER @	BRIDGED	DIMENSIONS		
RIOT	4 Ω (RMS)	2 Ω (MAX)	1Ω (MAX)	POWER (4 Ω)	Length x Width x Height		
CLASS D MONOBLOCK							
R3400D	1050 W x 1	2000 W x 1	3400 W x 1	-	13-1/2" x 10-7/16" x 2-1/4"	(343mm x 264mm x 57mm)	
R2400D	650 W x 1	1600 W x 1	2400 W x 1	-	11-1/2" x 10-7/16" x 2-1/4"	(292mm x 264mm x 57mm)	
MONOBLOCK							
R2000M	500 W x 1	2000 W x 1	-	-	15-1/2" x 10-7/16" x 2-1/4"	(394mm x 264mm x 57mm)	
R1600M	350 W x 1	1600 W x 1	-	-	12-11/32" x 10-7/16" x 2-1/4"	(312mm x 264mm x 57mm)	
R1100M	250 W x 1	1100 W x 1	-	_	9-1/8" x 10-7/16" x 2-1/4"	(231mm x 241mm x 57mm)	
2-CHANNEL							
R6002	200 W x 2	600 W x 2	_	1200 W x 1	12-9/32" x 10-7/16" x 2-1/4"	(312mm x 264mm x 57mm)	
R4002	150 W x 2	400 W x 2	_	800 W x 1	10-23-32" x 10-7/16" x 2-1/4"	(272mm x 264mm x 57mm)	
R3002	125 W x 2	300 W x 2	_	600 W x 1	9-5/32" x 10-7/16" x 2-1/4"	(234mm x 264mm x 57mm)	
R1002	50 W x 2	100 W x 2	_	-	5-1/4" x 9" x 2"	(133mm x 229mm x 51mm)	
KIOOZ	30 W X 2	100 W X Z			31/4 \	(13311111 × 22311111 × 3111111)	
4-CHANNEL							
R4004	150 W x 4	400 W x 4	-	800 W x 2	15-7/16" x 10-7/16" x 2-1/4"	(391mm x 264mm x 57mm)	
R3004	110 W x 4	300 W x 4	-	600 W x 2	12-9/32" x 10-7/16" x 2-1/4"	(312mm x 264mm x 57mm)	
R2504	90 W x 4	250 W x 4	-	500 W x 2	10-23/32" x 10-7/16" x 2-1/4"	(272mm x 264mm x 57mm)	
R1004	50 W x 4	100 W x 4	_	_	7-3/4" x 9" x 2"	(197mm x 229mm x 51mm)	

CAPACITORS







CPRD3.5 3.5 FARAD CAPACITOR (Red Finish)

CPBL3.5 3.5 FARAD CAPACITOR

(Blue Finish)

GAPZGR POWER CAPACITOR



CPRD2 2 FARAD CAPACITOR

(Red Finish)

FEATURES

Digital Voltage Display and Blue Illumination

Audible Warning Tone for Reverse Polarity, Voltage Overload and Low Battery Voltage

CPBK2 2 FARAD CAPACITOR

(Black Finish)

CAP2CR 2 FARAD CAPACITOR

(Chrome Finish)

INSTALLATION

ACCESSORIES

KIT10

4 GAUGE AMPLIFIER INSTALLATION KIT

- 20 ft. 4 GA Red Power Cable
- Competition High-Quality Fuse Holder
- Gold Plated AGU Fuse
- 3 ft. 4 GA Black Ground Cable
- 16 Ft. 18 GA Blue Turn-On Wire
- 30 ft. 16 GA OFC Speaker Wire
- 17 ft. High Performance RCA
- 6 ft. Split Loom Tubing
- (20) 4" Wire Ties
- (3) Rubber Grommets
- # 10 Gold-Plated Ring Terminal
- 5/16" Gold-Plated Ring Terminal
- 1/4" Gold-Plated Ring Terminal
- (4) Gold-Plated Speaker Terminals



KIT2

8 GAUGE AMPLIFIER INSTALLATION KIT


- 20 ft. 8 GA Red Power Cable
- Competition High Quality Fuse Holder
- 3 ft. 8 GA Black Ground Cable
- 16 ft. 18 GA Blue Turn-On Wire
- 20 ft. High Performance Blue RCA
- 30 ft. Speaker Wire
- 6 ft. Split Loom Tubing
- (20) 4" Wire Ties
- (3) Rubber Grommets
- # 10 Ring Terminal
- 5/16" Ring Terminal
- 1/4" Ring Terminal





10 GAUGE AMPLIFIER INSTALLATION KIT

- 20 ft. 10 GA Red Power Cable
- 3 ft. 10 GA Black Ground Cable
- 16 ft. 18 GA Blue Turn-On Wire
- 17 ft. High Performance RCA
- 6 ft. Split Loom Tubing
- (8) 4" Wire Ties
- (3) Rubber Grommets
- # 10 Ring Terminal
- 5/16" Ring Terminal
- 1/4" Ring Terminal



PROCESSORS

BASS GENERATORS AND EQUALIZERS

FEATURES

BG300 BG200

Maximum Bass Control Dash-Mount Remote Controls Subsonic Filter and Bass Level Illuminated Knobs Red "Eyes" LEDs Display Bass Restoration Activity LED Display of Bass Restoration Activity Parametric Bass Control PFM Subsonic Filter Balanced Inputs Bass Output Control PWM High Headroom Power Supply Output Level: 10V Frequency Response: 10Hz - 100kHz THD: 0.003%

> Signal-to-Noise Ratio: >130dB Balanced Input Noise Rejection: 60dB

FEATURES

BX55 BX45 BX35

Inputs: Front, Rear and Subwoofer Outputs: Front, Rear and Subwoofer Independent Gain Controls for each Channel Frequency Multiplier: x1 or x20 Frequency Multiplier (x1 or x5) on High Pass Output Selectable Crossover Frequencies Dual Input Selector Subwoofer: 45Hz-4.2kHz Subwoofer: 40Hz-400Hz Low Pass (bandpass): 300Hz-4.6kHz Rear High Pass: 65Hz-4.5kHz Rear High Pass: 50kHz-1.5kHz Front High Pass: 65Hz-4.5kHz Front High Pass: 50Hz-7.5kHz Low Pass: 32Hz-250Hz High Pass: 40Hz-400Hz Variable Bass Boost, 0 - +18dB Variable Bass Boost, 0 - +12dB Slope Rate: 12dB/Octave Bass Boost Frequency Selector: 25-250Hz Bass Boost On/Off Switch with Frequency Selector: 40Hz, 80Hz or 120Hz Selectable Crossover Slope: 6dB/Octave or 12dB/Octave Parallel input switch (feeding multiple channels from one input) Phase Shift, Stereo/Mono Signal-to-Noise Ratio: >110dB Signal-to-Noise Ratio: >90dB Remote Subwoofer Level Control Low Pass Input Selector: Direct or Front/Rear Mix Remote On/Off Power Control LED Power Indicator Subwoofer Phase Switch



BG300

BASS GENERATOR

Featuring Remote Subwoofer Level Control 9" (L) x 6-3/8" (W) x 1-5/8" (H)



3055

BG200

BASS GENERATOR

Featuring Remote Subwoofer Level Control 6-5/8" (L) x 5-3/4" (W) x 1-1/2" (H)



2/3-WAY ELECTRONIC CROSSOVER Featuring Remote Subwoofer Level Control 8-3/4" (L) x 7-7/16" (W) x 1-1/2" (H)



SOLE

BX45 2/3-WAY ELECTRONIC CROSSOVER

Featuring Remote Subwoofer Level Control 7-1/8" (L) x 7-3/8" (W) x 1-1/2" (H)



BX35 3-WAY ELECTRONIC CROSSOVER 8-3/4" (L) x 7-3/8" (W) x 1-1/2" (H)



AVA1210 7-BAND PREAMP EQUALIZER Featuring Subwoofer Output



EQ1208 4-BAND PREAMP EQUALIZER

Featuring Subwoofer Output and Dual-Color Illumination



AVA1404

7-BAND PREAMP EQUALIZER

Featuring LED Power Meter and Subwoofer Output



AVA1204

7-BAND EQUALIZER

Featuring LED Power Meter and Subwoofer Output



AVA1202 7-BAND EQUALIZER

Featuring LED Power Meter


SPECIFICATIONS	BANDS	INPUTS	SUBWOOFER OUTPUT	SUBWOOFER LEVEL CONTROL	PRE-AMP/ AMPLIFIED	LED POWER METER	NIGHT ILLUMINATION
AVA1210	7	RCA	•	•	PRE-AMP	-	•
EQ1208	4	RCA	•	•	PRE-AMP	-	•
AVA1404	7	RCA/SPEAKER	•	•	AMPLIFIED	•	•
AVA1204	7	RCA/SPEAKER	•	•	PRE-AMP	•	•
AVA1202	7	RCA/SPEAKER	-	-	PRE-AMP	•	•
							73

LOW PROFILE

AMPLIFIED SUBWOOFERS

Amplified Subwoofer PLUS
Two Amplified Speaker Outputs

These 3 low profile amplified subwoofer enclosures are perfect for a system that needs more bass, yet lacks extra space. Durable, thin and powerful in design, perfect for small amplified enclosure solutions.



FEATURES

BASS1300.3

- Full Range, Class A/B
 - PWM MOSFET Power Supply
- RCA Low Level Input
- High Level Input
 - Green & Red LED Power Status Indicator
 - Phase Selector Switch: 0 or 180°
- Adjustable Input Sensitivity: 0.2V-6V
- 0 to +12dB Variable Bass Boost (@45Hz)
- Subsonic Filter (20-50Hz)
- Low Pass Filter (20-150Hz)
 - Soft Delay Remote Turn-on
 - Thermal, Short and Overload
 - Protection Circuits
- Blue Illumination

74



REMOTE SUBWOOFER CONTROL



BASS1300.3

1300 WATTS MAX POWER 800 WATTS 8" LOW PROFILE AMPLIFIED SUBWOOFER PLUS 250 WATTS x 2 AMPLIFIED SPEAKER OUTPUTS Featuring Remote Subwoofer Level Control

SPECIFICATIONS	RMS POWER	MAX POWER	WOOFER DIAMETER	WEIGHT	DIMENSIONS Length x Width x Height
BASS1300.3	400 W x 1 + 125 W x2	800 W x 1 + 250 W x2	8"	11.2 lbs.	9-1/2" x 14-1/4" x 3" (241mm x 362mm x 76mm)



FEATURES

BASS1400 BASS800

RCA Low Level Input

High Level Input

Green & Red LED Power Status Indicator

Phase Selector Switch: 0 or 180 $^{\circ}$

Adjustable Input Sensitivity: 0.2V-6V

0 to +12dB Variable Bass Boost (@45Hz)

Subsonic Filter (20-50Hz)

Low Pass Filter (20-150Hz)

Soft Delay Remote Turn-on

Thermal, Short and Overload

Protection Circuits



REMOTE SUBWOOFER CONTROL

BASS1400

10" LOW PROFILE AMPLIFIED SUBWOOFER

Featuring Remote Subwoofer Level Control

BASS800

800 WATTS MAX POWER 8" LOW PROFILE AMPLIFIED SUBWOOFER

Featuring Remote Subwoofer Level Control



BOSS AUDIO SYSTEMS has been building and delivering subwoofers for over 27 years. If you're looking for the perfect subwoofer for your sound system, you'll find it here in the 2015 catalog. Our engineers design all of the percussion needed to make your favorite music come alive with perfection. Whether you're building a great wall of subs, or simply need a little bottom end BOSS AUDIO SYSTEMS offers all the choices necessary to satisfy your particular taste.







PHANTOM SERIES

Low frequency sound reproduction is the first thing you'll notice when you hear a super-sub. The percussion you feel is the second, and in the case of our PHANTOM Subwoofers maybe even the third. Combine that with extraordinary cosmetics and our PHANTOM Subwoofers will guarantee you a position in the winner's circle.

















SPECIFICATIONS AND COMPARISONS

						· • •	AND CC	-	
ONYX	POWER HANDLING (MAX)	IMPEDANCE	RESONANT FREQUENCY (Fs)	Qts	Qes	Qms	EQUIVELENT COMPLIANCE (Vas)	SENSITIVITY @ 1W / 1m	MOUNTING DEPTH
NX120DVC	2600 W	DUAL 4 Ω	31 Hz	0.831	0.991	5.15	2.832 ft³	86 dB	5-15/16" (150mm)
PHANTOM	POWER HANDLING (MAX)	IMPEDANCE	RESONANT FREQUENCY (Fs)	Qts	Qes	Qms	EQUIVELENT COMPLIANCE (Vas)	SENSITIVITY @ 1W / 1m	MOUNTING DEPTH
P128DC	2400 W	DUAL 4 Ω	38 Hz	1.397	1.77	6.626	2.01 ft ³	84 dB	7-1/8" (180mm)
P156DVC	2500 W	DUAL 4 Ω	38 Hz	0.82	0.91	7.84	7.41 ft³	87 dB	7-3/4" (197mm)
P126DVC	2300 W	DUAL 4 Ω	31 Hz	0.517	0.577	4.99	2.472 ft ³	84 dB	6-3/4" (172mm)
P106DVC	2100 W	DUAL 4 Ω	40 Hz	0.69	0.79	5.49	1.59 ft³	88 dB	6-3/8" (163mm)
P12DVC	2000 W	DUAL 4 Ω	42 Hz	1.05	1.3	5.82	2.75 ft³	86 dB	6-1/8" (155mm)
P10DVC	1800 W	DUAL 4 Ω	44 Hz	0.994	1.16	6.99	1.14 ft³	86 dB	5-1/2" (140mm)
P120F	1400 W	4 Ω	44 Hz	1.08	1.37	5.14	1.56 ft³	86 dB	3-7/8" (98mm)
P100F	1200 W	4 Ω	48 Hz	0.92	1.11	5.18	1.32 ft³	85 dB	3-3/8" (86mm)
D12F	1000 W	4 Ω	35 Hz	0.82	0.95	5.9	2.16 ft³	87 dB	3-7/8" (99mm)
D10F	800 W	4 Ω	47 Hz	0.81	0.94	5.7	0.67 ft³	82 dB	3-3/8" (87mm)



ARMOR	POWER HANDLING (MAX)	IMPEDANCE	RESONANT FREQUENCY (Fs)	Qts	Qes	Qms	Vas (ft³)	SENSITIVITY @ 1W / 1m	MOUNTING DEPTH
AR12D	2400 W	DUAL 4 Ω	37 Hz	1.05	1.369	4.48	1.81 ft ³	85 dB	5-1/8" (130mm)
AR10D	2200 W	DUAL 4 Ω	44 Hz	1.129	1.44	5.24	1.154 ft³	85 dB	4-7/8" (125mm)
CHAOS	POWER HANDLING (MAX)	IMPEDANCE	RESONANT FREQUENCY (Fs)	Qts	Qes	Qms	EQUIVELENT COMPLIANCE (Vas)	SENSITIVITY @ 1W / 1m	MOUNTING DEPTH
CH12DVC	1800 W	DUAL 4 Ω	32 Hz	0.67	1.89	10.1	1.72 ft³	86 dB	5-5/16" (135mm)
CH10DVC	1500 W	DUAL 4 Ω	35 Hz	0.58	1.92	8.5	0.72 ft ³	84 dB	4-5/8" (117mm)
CX122	1400 W	4 Ω	27 Hz	0.49	0.57	3.37	3.04 ft ³	87 dB	4-3/4" (121mm) 4-3/4" (121mm)
CXX12	1000 W	4 Ω	32 Hz	1.43	1.69	9.35	4.18 ft ³	85 dB	
CXX10	800 W	4 Ω	38 Hz	1.18	1.32	7.55	2.09 ft ³	87 dB	3-3/4" (95mm)
CXX8	600 W	4 Ω	46 Hz	1.58	1.99	7.8	0.87 ft ³	83 dB	3-7/16" (86mm)
CX12	800 W	4 Ω	32 Hz	1.43	1.69	9.35	4.18 ft ³	85 dB	4-3/4" (121mm)
CX10	600 W	4 Ω	38 Hz	1.18	1.32	7.55	2.09 ft ³	87 dB	3-3/4" (95mm)
CX8	400 W	4 Ω	46 Hz	1.58	1.99	7.8	0.87 ft ³	83 dB	3-7/16" (86mm)

LOUDSPEAKERS AND TWEETERS

In keeping with company philosophy, BOSS AUDIO SYSTEMS makes full range speakers to fit virtually any application and budget. Built with aluminum voice coil formers, and butyl rubber surrounds for superior power handling, maximum durability, and the best possible sound quality... it's easy to see why BOSS AUDIO SYSTEMS are revered throughout the marketplace.

The classic style and unparalleled performance of the ONYX (NX) Series are a rare combination indeed. The custom designed poly injected cones and regimented linear travel provide an accuracy of sound production transporting the exact sonic experience the artist intended in the recording studio, directly into your vehicle.

FEATURES

Poly Injection Cone
Aluminum Voice Coil
Custom Tooled Grill

NX694 800 WATTS MAX POWER 6"x 9" 4-WAY SPEAKER







X654 400 WATTS MAX POWER 6.5" 4-WAY SPEAKER















COMPLETE SPECIFICATIONS AND COMPARISONS-SEE PAGES 104-107

NX424 250 WATTS MAX POWER 4" 4-WAY SPEAKER

PHANTOM SERIES

FEATURES

Diecast Aluminum Frame Electroplate Injection Cone Aluminum Voice Coil Custom Tooled Grill For maximum strength in speaker construction, nothing compares to a die-cast aluminum frame. The Electroplate Injection Cones (EIC) coupled with our rigid die-cast construction offer you the best sound quality, linear travel, and constructive durability in the industry today. The PHANTOM 4-way speaker systems are designed to be the very best.





P65.4C 400 WATTS MAX POWER 6.5" 4-WAY SPEAKER

FEATURES

Diecast Aluminum Frame Electroplate Injection Cone Aluminum Voice Coil Custom Tooled Grill

P55.4C 300 WATTS MAX POWER 5.25" 4-WAY SPEAKER



P45.4C 250 WATTS MAX POWER 4" 4-WAY SPEAKER



COMPLETE SPECIFICATIONS AND COMPARISONS-SEE PAGES 104-107

PHANTOM SKULL SERIES

PHANTOM Loudspeakers utilize high quality poly injection cones with rubber surrounds for top performance. A custom tooled bridge houses midranges and tweeters for outstanding mid and high frequency response. Custom feature to the PHANTOM loudspeakers provide extra visual excitement when SKULL eyes light up to the beat of the music.






FEATURES

Poly Injection Cone

Aluminum Voice Coil

Custom Tooled Removable Skull Cover

Illuminated Eyes that flash to the beat of the music







600 WATTS MAX POWER

6" x 9" 3-WAY SPEAKER

SKULL

K652 300 WATTS MAX POWER 6.5" 2-WAY SPEAKER











SK422

250 WATTS MAX POWER



FEATURES

Poly Injection Cone

Aluminum Voice Coil

Custom Tooled Removable Skull Cover

Illuminated Eyes that flash to the beat of the music (Except SK65)

> 400 WATTS MAX POWER 6.5" COMPONENT SYSTEM

PHANTOM GHOST SERIES

Nothing so clean, so accurate, so pure, and so much fun...has ever found its way from the BOSS AUDIO SYSTEMS development team to an automobile, until now. With a custom designed grill sure to shock, this series of coaxial speakers (5-1/4", 6-1/2" and 6"x 9") will look fierce, and sound fiercer.



PG693 550 WATTS MAX POWER 6" x 9" 3-WAY SPEAKER

FEATURES

Poly Injection Cone Aluminum Voice Coil Custom Tooled Removable Skull Cover







PG553 250 WATTS MAX POWER 5.25" 3-WAY SPEAKER



FEATURES

Poly Injection Cone

Aluminum Voice Coil

Custom Tooled Removable Skull Cover

CHAOS ERUPT SERIES

The CHAOS ERUPT full-range speakers are the perfect complement to any aftermarket install application. With a custom poly injection cone, and rubber surround the CHAOS ERUPT Series provides the most accurate sound reproduction for the value in the industry today.









CER462 | 220 WATTS MAX POWER 4" x 6" 2-WAY SPEAKER




CER433 500 WATTS MAX POWER 4" x 10" 3-WAY SPEAKER





















CER60CK 400 WATTS MAX POWER 6.5" 2-WAY COMPONENT SYSTEM

CER422 200 WATTS MAX POWER 4" 2-WAY SPEAKER

FEATURES

Poly Injection Cone Aluminum Voice Coil Custom Tooled Grill

COMPLETE SPECIFICATIONS AND COMPARISONS-SEE PAGES 104-107

CHAOS EXXTREME SERIES

Just one look and you'll know why they're called CHAOS EXXTREME. The red metallic poly injection cone delivers clear sound while the rubber surround provides smooth response and durability.





CH6552

200 WATTS MAX POWER 6.5" DUO-FIT 2-WAY SPEAKER

Replaces Existing 5.25" or 6.5" Speaker

300 WATTS MAX POWER 6.5" 3-WAY SPEAKER

CH6520 : 250 WATTS MAX POWER 6.5" 2-WAY SPEAKER

CH6500 | 200 WATTS MAX POWER 6.5" SLIM-MOUNT 2-WAY SPEAKER

FEATURES

Poly Injection Cone Aluminum Voice Coil Custom Tooled Grill

COMPLETE SPECIFICATIONS AND COMPARISONS-SEE PAGES 104-107

CHAOS EXXTREME SERIES







CH4330 **400 WATTS MAX POWER** 4" x 10" 3-WAY SPEAKER









CH4230 | 225 WATTS MAX POWER 4" 3-WAY SPEAKER

CH4220

200 WATTS MAX POWER 4" 2-WAY SPEAKER



FEATURES

Poly Injection Cone Aluminum Voice Coil Custom Tooled Grill

COMPLETE SPECIFICATIONS AND COMPARISONS-SEE PAGES 104-107

RIOT SERIES AND BRS SERIES



4" 3-WAY SPEAKER



Multiple Mounting Options

TWEETERS

BULLET SERIES AND DOME SERIES







TW50 | 500 WATTS MAX POWER **5" BULLET TWEETER** SOLD INDIVIDUALLY

TW35 300 WATTS MAX POWER **3" BULLET TWEETER** SOLD IN PAIRS

BULLET TWEETERS FEATURES

Strontium Magnet



TW30 | 250 WATTS MAX POWER 3" BULLET TWEETER SOLD IN PAIRS

TW25 | 250 WATTS MAX POWER 1" SILK-DOME TWEETER Featuring a Dome Grill



TW20 | 250 WATTS MAX POWER MICRO-DOME CHROME TWEETER Featuring a Dome Grill



DOME SERIES



DOME SERIES



SPECIFICATIONS AND COMPARISONS

		_	I LUII IU/	THON.	י שווא נ	COMI AINI	
ONYX	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3dB)	SYSTEM SENSITIVTY @ 1W / 1m	MIDRANGE	TWEETER(S)	MOUNTING DEPTH
NX694	800 W	4 Ω	45 Hz-20 kHz	92 dB	2" CONE	1" x 2 MYLAR DOME	3-1/4" (83mm)
NX654	400 W	4 Ω	65 Hz-20 kHz	90 dB	1-1/4" CONE	3/4" x 2 MYLAR DOME	2-1/4" (57mm)
NX524	300 W	4 Ω	85 Hz-20 kHz	90 dB	1-1/4" CONE	1/2" x 2 MYLAR DOME	2-1/4" (57mm)
NX424	250 W	4 Ω	85 Hz-20 kHz	90 dB	1-1/4" CONE	1/2" x 2 MYLAR DOME	2" (51mm)
PHANTOM	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3dB)	SYSTEM SENSITIVTY @ 1W / 1m	MIDRANGE	TWEETER(S)	MOUNTING DEPTH
P69.4C	800 W	4 Ω	40 Hz-20 kHz	95 dB	2" CONE	1/2" x 2 PIEZO	3-7/16" (87mm)
P65.4C	400 W	4 Ω	65 Hz-22 kHz	94 dB	1-1/4" CONE	3/4" x 2 PIEZO	2-3/8" (61mm)
P55.4C	300 W	4 Ω	85 Hz-20 kHz	93 dB	1-1/4" CONE	1/2" x 2 PIEZO	2-1/16" (53mm)
P45.4C	250 W	4 Ω	85 Hz-20 kHz	93 dB	1-1/4" CONE	1/2" x 2 PIEZO	2" (51mm)
PC65.2C	500 W	4 Ω	65 Hz-22 kHz	94 dB	1-1/4" CONE	1" DOME	2-3/8" (61mm)
DULANTONA	POWER			SYSTEM			
PHANTOM SKULL	HANDLING (PEAK)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3dB)	SENSITIVTY @ 1W / 1m	MIDRANGE	TWEETER(S)	MOUNTING DEPTH
SK694	700 W	4 Ω	40 Hz-20 kHz	92 dB	2-1/2" CONE	3/4" & 1/2" PIEZO	3-9/16" (91mm)
SK693	600 W	4 Ω	45 Hz-20 kHz	92 dB	1" CONE	1/2" PIEZO	3-1/2" (89mm)
SK653	350 W	4 Ω	65 Hz-20 kHz	90 dB	1" CONE	1/2" PIEZO	2-5/16" (58mm)
SK652	300 W	4 Ω	65 Hz-20 kHz	90 dB	1	1" MYLAR DOME	2-5/16" (58mm)
SK573	350 W	4 Ω	85 Hz-20 kHz	90 dB	-	1" MYLAR DOME	2-3/16" (56mm)
SK553	275 W	4 Ω	85 Hz-20 kHz	90 dB	-	1" MYLAR DOME	1-15/16" (48mm)
SK422	250 W	4 Ω	85 Hz-20 kHz	90 dB	-	1" MYLAR DOME	1-5/8" (41mm)
SK65	400 W	4 Ω	65 Hz-22 kHz	94dB	-	1" NEODYMIUM SOFT DOME	2-7/16" (61mm)
104							
	1	I.	I .	1		1	T. Control of the Con

PHANTOM GHOST	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3dB)	SYSTEM SENSITIVTY @ 1W / 1m	MIDRANGE	TWEETER(S)	MOUNTING DEPTH
PG693	550 W	4 Ω	45 Hz - 20 kHz	92 dB	2" MYLAR CONE	3/4" PIEZO	3-1/16" (78mm)
PG653	350 W	4 Ω	65 Hz - 20 kHz	90 dB	2" MYLAR DOME	1/2" PIEZO	2-1/8" (54mm)
PG553	250 W	4 Ω	85 Hz - 20 kHz	90 dB	1/2" MYLAR DOME	1/2" PIEZO	1-11/16" (43mm)
CHAOS ERUPT	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3dB)	SYSTEM SENSITIVTY @ 1W / 1m	MIDRANGE	TWEETER(S)	MOUNTING DEPTH
CER693	500 W	4 Ω	50 Hz - 20 kHz	92 dB	2" CONE	3/4" PIEZO	3-1/8" (79mm)
CER653	350 W	4 Ω	100 Hz - 18 kHz	90 dB	-	1" DOME; 1/2" PIEZO	2-1/8" (54mm)
CER652	300 W	4 Ω	100 Hz - 18 kHz	90 dB	-	1" DOME	2-1/16" (53mm)
CER573	300 W	4 Ω	100 Hz - 18 kHz	91 dB	2" CONE	1" DOME	2-1/16" (53mm)
CER553	250 W	4 Ω	100 Hz - 18 kHz	90 dB		1" DOME; 1/2" PIEZO	1-3/4" (45mm)
CER462	220 W	4 Ω	100 Hz - 18 kHz	90 dB	-	1" DOME	1-3/4" (45mm)
CER433	500 W	4 Ω	100 Hz - 18 kHz	90 dB	-	2" DOME; 1" DOME	2-3/8" (61mm)
CER422	200 W	4 Ω	100 Hz - 18 kHz	90 dB	-	1" DOME	1-11/16" (43mm)
CER322	140 W	4 Ω	100 Hz - 18 kHz	88 dB	-	1" DOME	1-3/8" (36mm)
CER60CK	400 W	4 Ω	60 Hz - 20 kHz	92 dB	-	1" CONE	2-3/8" (61mm)
							105

SPECIFICATIONS AND COMPARISONS

			71 ECII IC7		J / (1 1 D		
CHAOS EXXTREME	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3dB)	SYSTEM SENSITIVTY @ 1W / 1m	MIDRANGE	TWEETER(S)	MOUNTING DEPTH
CH6950	600 W	4 Ω	45 Hz-20 kHz	93 dB	2-1/2" CONE	1" DOME; 1/2" x 2 PIEZO	3-1/8" (79mm)
СН6940	500 W	4 Ω	50 Hz-20 kHz	92 dB	2-1/2" CONE	1" DOME; 1/2" PIEZO	3-1/8" (79mm)
CH6930	400 W	4 Ω	50 Hz-20 kHz	92 dB	2" CONE	3/4" PIEZO	3-1/8" (79mm)
CH6920	350 W	4 Ω	50 Hz-20 kHz	92 dB	-	2" DOME	2/15-16" (74mm)
CH6530	300 W	4 Ω	100 Hz-18 kHz	90 dB	-	1" DOME; 1/2" PIEZO	2-1/8" (54mm)
CH6552	200 W	4 Ω	100 Hz-18 kHz	90 dB	-	1" DOME	1-9/16" (41mm)
CH6520	250 W	4 Ω	100 Hz-18 kHz	90 dB	-	1" DOME	2-1/8" (54mm)
CH6500	200 W	4 Ω	100 Hz-18 kHz	90 dB	-	1" DOME	1-3/4" (45mm)
СНЕСК	350 W	4 Ω	60 Hz-20 kHz	92 dB	-	1" CONE	2-3/8" (61mm)
CH5730	300 W	4 Ω	100 Hz-18 kHz	90 dB	_	1" DOME; 1/2" PIEZO	2-1/16" (53mm)
CH5720	225 W	4 Ω	100 Hz-18 kHz	90 dB	-	1" DOME	2-1/16" (53mm)
CH5530	225 W	4 Ω	100 Hz-18 kHz	90 dB	-	1" DOME; 1/2" PIEZO	1-3/4" (45mm)
CH5520	200 W	4 Ω	100 Hz-18 kHz	90 dB	-	1" DOME	1-3/4" (45mm)
CH4630	250 W	4 Ω	100 Hz-18 kHz	90 dB	-	1" DOME; 1/2" PIEZO	1-3/4" (45mm)
CH4620	200 W	4 Ω	100 Hz-18 kHz	90 dB	-	1" DOME	1-3/4" (45mm)
CH4330	400 W	4 Ω	100 Hz-18 kHz	90 dB	-	2" DOME; 1" DOME	2-3/8" (61mm)
CH4230	225 W	4 Ω	100 Hz-18 kHz	90 dB	-	1" DOME	1-11/16" (43mm)
CH4220	200 W	4 Ω	100 Hz-18 kHz	90 dB	-	1" DOME	1-11/16" (43mm)
CH3220	140 W	4 Ω	100 Hz-18 kHz	88 dB	-	1" DOME	1-3/8" (36mm)
RIOT	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3dB)	SYSTEM SENSITIVTY @ 1W / 1m	MIDRANGE	TWEETER(S)	MOUNTING DEPTH
R94	500 W	4 Ω	50 Hz-20 kHz	92 dB	2-1/2" CONE	1" DOME	3-1/8" (79mm)
R63	300 W	4 Ω	100 Hz-18 kHz	92 dB	1" CONE	1/2" PIEZO	2-3/16" (56mm)
R53	200 W	4 Ω	100 Hz-18 kHz	90 dB	1" CONE	1/2" PIEZO	2" (51mm)
R43	200 W	4 Ω	100 Hz-18 kHz	90 dB	1" CONE	1/2" PIEZO	1-3/4" (45mm)
106							

BRS SERIES	POWER HAN	DLING (M	AX)	SYSTEM I	MPEDANCE	FREQU	JENCY	/ RESPONSE (±3dl	3)	MOUNTIN	G DEPTH	
BRS69	120) W		4	ΙΩ		50	Hz-20 kHz		3" (76mm)		
BRS65	80	W		4	ΙΩ		100	Hz-18 kHz		1-7/8" (48mm)		
BRS5768	80	W		4	4 Ω		100 Hz-18 kHz			2-1/4" (57mm)		
BRS52	60 W		4	4 Ω		100 Hz-18 kHz			1-7/8" (48mm)			
BRS46	50	W		4	ΙΩ		100 Hz-18 kHz			1-3/4" (45mm)		
BRS40	50	W		4	ΙΩ		100	Hz-18 kHz		1-3/4" (45r	mm)	
BRS35	50	W		4	4 Ω		100 Hz-18 kHz			1-3/4" (45r	mm)	
BOX SPEAKERS	POWER HANDLING (MAX)	SYST IMPEDA		-		SYSTEM SENSITIVI @ 1W / 1n	IVTY		EETER(S)	MOUNTING OPTIONS		
AVA6200	80 W	4 Ω	4 Ω 100 Hz-2l		20 kHz	90 dB		2-1/2" DOME		PIEZO	-	
MR4.3W/B	200 W	4 ۱	l	80 Hz-1	8 kHz 85 d			1" MYLAR DOME		-	Swivel Brackets	
												_
BULLET TWEETERS	l I		SYSTEM IPEDANCE	FREQU RESPONS		S۱	/STEM SENSITIVT @ 1W / 1m	Υ	MOUNTIN	G OPTIONS		
TW50	500 W			4-8 Ω	2-25 kHz			108/107 dB		Flush		
TW35	300 W			4 Ω	5-20 kHz		102 dB			Flush		
TW30	250 W			4 Ω	2.5-21 kHz		93 dB			Flush		
DOME TWEETERS	POWER HAN (MAX)			SYSTEM IPEDANCE	FREQU RESPONS		S۱	/STEM SENSITIVT @ 1W / 1m	γ	MOUNTIN	G OPTIONS	
TW25	250 W			4 Ω	2-20	kHz		93 dB		Surface / F	Flush / Angle	
TW20	250 W			4 Ω	5-20	kHz		102 dB		Surface / F	Flush / Swivel	
TW19	250 W			4 Ω	2.5-21	kHz		93 dB		Surface / F	Flush / Swivel	
TW18	200 W			4 Ω	5-20	kHz		102 dB		Surface / F	Flush / Swivel	
TW17	200 W			4 Ω	5-20	kHz		102 dB		Surface / A	Angle	
TW15	250 W			4 Ω	2.5-21	kHz		93 dB		Aurface / Flush / Angle		
TW12	200 W			4 Ω	5-20	kHz		94 dB		Surface / Flush		
												107

MARINE RECEIVERS, AMPLIFIERS AND LOUDSPEAKERS

Welcome to BOSS MARINE 2015. Offering the largest selection of quality marine grade products for the watercraft and outdoor vehicle industry.

All BOSS Marine products are loaded with features and capabilities to enhance and ease the users experience while integrating high-tech, state-of-the-art waterproofing materials and special UV-protection coatings for plastic surfaces, coated circuit boards and connections to provide resistance to corrosion.









MR2180UA

IN-DASH SINGLE-DIN FIT WITH 1-1/2-DIN FRONT PANEL MARINE MP3/CD AM/FM RECEIVER











MR2180UA is a Single-DIN chassis with a 1-1/2-DIN front panel. Access to CD deck is accessed through the drop-down front panel.

FEATURES

MR2180UA

PLAYBACK

CD±R/RW

MP3 / WMA

INPUTS & OUTPUTS

USB Port

Rear Aux-In

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Rear and Sub Pre-Amp Outputs

GENERAL

IPX6

Wireless Remote Control

Switchable US & Europe Tuner Frequencies

RDS Tuner

Zero Current Draw Memory (Retains Radio Preset Memory in case of Vehicle Battery Disconnect)

PC Board with Conformal Coating

Front Panel UV Coating

Output Power: 80 W x 4 CH



MRF90

MARINE FLOATING WATERPROOF REMOTE CONTROL

Optional RC Unit for use with MR2180UA. Sold separately.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries. BOSS Audio Systems is not affiliated with Apple.

*IPX6-Protected against high pressure water stream from any angle. It is not intended to be submersed completely in water.

MULTIMEDIA RECEIVERS









FEATURES

MR762BRGB

PLAYBACK

CD±R/RW Audio

MP3 / WMA

BLUETOOTH® AUDIO STREAMING

Stream and Control your Favorite Music APPs

INPUTS & OUTPUTS

BLUETOOTH®HANDS-FREE

USB Port

SD Port

Aux-Ir

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Front Pre-Amp Output

GENERAL

WIRELESS APP CONTROL

Wireless Remote Control

Full Detachable Front Panel

Switchable US & Europe Tuner Frequencies

RDS Tuner

PC Board with Conformal Coating

Front Panel UV Coating

Output Power: 60 W x 4 CH

 $iPod^{\circ}$ and $iPhone^{\circ}$ are registered trademarks of Apple, Inc., in the U.S. and other countries.

Google, Google Play and Android are registered trademarks of Google, Inc., in the U.S. and other countries.

BOSS Audio Systems is not affiliated with Apple, Inc. or Google, Inc.

*Smartphone shown not included.



MR762BRGB : BLUETOOTH®-ENABLED

IN-DASH SINGLE-DIN MARINE MP3-COMPATIBLE CD AM/FM RECEIVER

Featuring Multi-color Illumination Options



FULL CONTROL WIRELESSLY FROM YOUR SMARTPHONE*







APP AVAILABLE NOW FOR DOWNLOAD ON GOOGLE PLAY STORE

FEATURES MULTI-COLOR ILLUMINATION OPTIONS


















FULL DETACHABLE CONTROL PANEL






MR752UAB BLUETOOTH®-ENABLED IN-DASH SINGLE-DIN MARINE MP3-COMPATIBLE CD AM/FM RECEIVER



WIRFI FSS REMOTE CONTROL



DROP-DOWN/FULL DETACHABLE CONTROL PANEL



















MR648W


IN-DASH SINGLE-DIN MARINE MP3-COMPATIBLE CD AM/FM **RECEIVER** (WHITE Finish)



MR648S : IN-DASH SINGLE-DIN MARINE MP3-COMPATIBLE CD AM/FM **RECEIVER** (SILVER Finish)



WIRFI FSS REMOTE CONTROL



FULL DETACHABLE FRONT PANEL



FEATURES

MR752UAB MR648W MR648S

PLAYBACK

CD±R/RW Audio MP3 / WMA

BLUETOOTH® AUDIO STREAMING

Stream and Control your Favorite Music APPs

INPUTS & OUTPUTS

BLUETOOTH®HANDS-FREE

USB Port

SD Port

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Front and Rear Outputs

Front Pre-Amp Output

GENERAL

WIRELESS APP CONTROL

Wireless Remote Control

Full Detachable Front Panel

Switchable US & Europe

Tuner Frequencies

RDS Tuner

PC Board with Conformal Coating

Front Panel UV Coating

Output Power: 60 W x 4 CH

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

Google, Google Play and Android are registered trademarks of Google, Inc., in the U.S. and other countries.


BOSS Audio Systems is not affiliated with Apple, Inc. or Google, Inc.

*Smartphone shown not included.

MULTIMEDIA RECEIVERS







FULL DETACHABLE FRONT PANEL

























IN-DASH SINGLE-DIN MARINE MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER (WHITE Finish)

MR1308UABK

BLUETOOTH®-ENABLED IN-DASH SINGLE-DIN MARINE MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER (BLACK Finish)





















WIRELESS. REMOTE CONTROL


MR1306UA IN-DASH SINGLE-DIN MARINE MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER (WHITE Finish)

FEATURES

FREE

DIGITAL

MR1308UAB MR1308UABK MR1306UA



RECEIVER AND SPEAKER PACKAGES

MCK762BRGB.6





















MR762BRGB | BLUETOOTH®-ENABLED

IN-DASH SINGLE-DIN MARINE MP3-COMPATIBLE CD AM/FM RECEIVER





MRGB65

6.5"-200 WATTS 2-WAY MARINE LOUDSPEAKERS (PAIR)



MRANT10

MARINE DIPOLE ANTENNA

















MCK752WB.64

MR752UAB | BLUETOOTH®-ENABLED

IN-DASH SINGLE-DIN MARINE MP3-COMPATIBLE CD AM/FM RECEIVER





MR6W

6.5"-180 WATTS 2-WAY MARINE LOUDSPEAKERS (2 PAIRS)



MRANT10

MARINE DIPOLE **ANTENNA**





















AUDIO OUTPUT USB **MCK752WB.6** R.D.S

MR752UAB | BLUETOOTH®-ENABLED

IN-DASH SINGLE-DIN MARINE MP3-COMPATIBLE CD AM/FM RECEIVER







MR6W

6.5"-180 WATTS 2-WAY MARINE LOUDSPEAKERS (PAIR)



MRANT10

MARINE DIPOLE **ANTENNA**



MCK1440W.64













FC

MR1440U

IN-DASH SINGLE-DIN MARINE MP3-COMPATIBLE CD AM/FM RECEIVER





MR6W

6.5"-180 WATTS 2-WAY MARINE LOUDSPEAKERS (2 PAIRS)



MRANT10

MARINE DIPOLE



MCK1440W.6

MR1440U



IN-DASH SINGLE-DIN MARINE MP3-COMPATIBLE CD AM/FM RECEIVER















MR6W 6.5"-180 WATTS 2-WAY MARINE LOUDSPEAKERS (PAIR)



MRANT10

MARINE DIPOLE



MCK648W.6



















6.5"-180 WATTS 2-WAY MARINE LOUDSPEAKERS (PAIR)



MRANT10

MARINE DIPOLE ANTENNA



35AC 3.5mm STEREO

AUXILIARY CABLE





IN-DASH SINGLE-DIN MARINE MP3-COMPATIBLE CD AM/FM RECEIVER







MCKGB350W.6















MGR350B | BLUETOOTH®-ENABLED (AUDIO STREAMING)

IN-DASH MARINE GUAGE DIGITAL MEDIA AM/FM RECEIVER









MR6W

6.5" - 180 WATT 2-WAY MARINE LOUDSPEAKERS (PAIR)



MRANT10

MARINE DIPOLE



MCKGB350B.6

















MARINE DIPOLE ANTENNA



MGR350B | BLUETOOTH®-ENABLED (AUDIO STREAMING)

IN-DASH MARINE GUAGE DIGITAL MEDIA AM/FM RECEIVER











6.5" - 180 WATT 2-WAY MARINE LOUDSPEAKERS





MCK1308WB.64











SP







MR1308UAB | BLUETOOTH®-ENABLED

IN-DASH SINGLE-DIN MARINE MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER







MR6W

6.5" - 180 WATT 2-WAY MARINE LOUDSPEAKERS (2 PAIRS)



MRANT10

MARINE DIPOLE **ANTENNA**



MCK1308WB.6















MR1308UAB | BLUETOOTH®-ENABLED

IN-DASH SINGLE-DIN MARINE MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER







MR6W

6.5" - 180 WATT 2-WAY MARINE LOUDSPEAKERS (PAIR)



MRANT10

MARINE DIPOLE



MCK1306W.64

MR1306UA

DIGITAL



IN-DASH SINGLE-DIN MARINE MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER













MR6W 6.5" - 180 WATT 2-WAY MARINE LOUDSPEAKERS



MRANT10

MARINE DIPOLE ANTENNA



MCK1306W.6















(PAIR)



MRANT10

MARINE DIPOLE






IN-DASH SINGLE-DIN MARINE MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER












AMPLIFIERS

MR1950 / MR1200PA / MR1000 and MR800 Amplifiers feature a unique rubber door, which tightly seals all control panel openings when not in use. It also uses in-line weatherproof connectors for all input and output connections, which are run through grommeted openings in end panels.



FEATURES





MR202 END PANELS DETAIL

FEATURES

MR404 MR202

- Variable Sensitivity
- Low and High Level Inputs
 - Conformal Coated PCB
 - 4 ga Power Terminals





BLUETOOTH® AMPLIFIER/SPEAKER SYSTEMS AND SUBWOOFERS

ASK904B.64 BLUETOOTH® AMPLIFIER AND SPEAKER SYSTEM



PACKAGE INCLUDES:

MC900B – BLUETOOTH®-ENABLED | 500 WATTS MAX POWER ALL-TERRAIN AMPLIFIER SYSTEM

with Multi-function Remote Controller (See BOSS Rebel Power Sports Section pg. 7 for more information)

MR6W - 6.5" - 180 WATTS MAX POWER | 2-WAY MARINE LOUDSPEAKER (2 Pairs)

MUSB35 - UNIVERSAL USB/3.5MM AUXILIARY INTERFACE MOUNT

WP10 - WATERPROOF PHONE POUCH



BLUETOOTH®-ENABLED 500 WATTS MAX POWER AMPLIFIER SYSTEM

with Multi-function Remote Controller 7-3/4" (L) x 3-3/4" (W) x 1-11/16" (H)

• BLUETOOTH® AUDIO STREAMING

Stream and Control your Favorite Music APPs

- 4 CH Full Range Amplifier
- Easy Pairing with Auto Re-connect
- Weather Resistant
- For all 12-Volt Applications
- Compatible with Audio Output of iPod®/iPhone®, Smartphones and MP3 Players

180 WATTS MAX POWER 6.5" 2-WAY MARINE LOUDSPEAKER

- · Poly Injection Cone
- Dual Cone
- Aluminum Voice Coil

UNIVERSAL USB/3.5mm AUXILIARY INTERFACE MOUNT

- Use with any Radio with Rear USB/RCA Innuts
- Dustproof, Water Resistant Rubber Cover
- UV Resistant
- USB /RCA 10ft (3m) Pass Through Extension Cable
- 1-1/2" Through Hole Mount-Requires 1-1/8" (29mm) Cutout

ASK902B.6 BLUETOOTH® AMPLIFIER AND SPEAKER SYSTEM



PACKAGE INCLUDES:

MC900B – BLUETOOTH®-ENABLED | 500 WATTS MAX POWER ALL-TERRAIN AMPLIFIER SYSTEM

with Multi-function Remote Controller

(See BOSS Rebel Power Sports Section pg. 7 for more information)

MR6W - 6.5" - 180 WATTS MAX POWER | 2-WAY MARINE LOUDSPEAKER (1 Pair)

MUSB35 - UNIVERSAL USB/3.5MM AUXILIARY INTERFACE MOUNT

WP10 - WATERPROOF PHONE POUCH



BLUETOOTH®-ENABLED 500 WATTS MAX POWER AMPLIFIER SYSTEM

with Multi-function Remote Controller 7-3/4" (L) x 3-3/4" (W) x 1-11/16" (H)

• BLUETOOTH® AUDIO STREAMING

Stream and Control your Favorite Music APPs

- 4 CH Full Range Amplifier
- Easy Pairing with Auto Re-connect
- Weather Resistant
- For all 12-Volt Applications
- Compatible with Audio Output of iPod®/iPhone®, Smartphones and MP3 Players

180 WATTS MAX POWER 6.5" 2-WAY MARINE LOUDSPEAKER

- Poly Injection Cone
- Dual Cone
- Aluminum Voice Coil

UNIVERSAL USB/3.5mm AUXILIARY INTERFACE MOUNT

- Use with any Radio with Rear USB/RCA Inputs
- Dustproof, Water Resistant Rubber Cover
- UV Resistant
- USB /RCA 10ft (3m) Pass Through Extension Cable
- 1-1/2" Through Hole Mount-Requires 1-1/8" (29mm) Cutout



SPECIFICATIONS	POWER HANDLING (MAX)	IMPEDANCE	RESONANT FREQUENCY (Fs)	Qts	Qes	Qms	EQUIVELANT COMPLIANCE (Vas)	SENSITIVITY @ 1 W/ 1 m	MOUNTING DEPTH
MR121	800 W	4 Ω	40 Hz	0.95	1.121	4.972	2.24 ft ³	87 dB	5-1/16" (128mm)
MR101	600 W	4 Ω	33 Hz	0.55	0.583	6.702	1.234 ft ³	85 dB	4-1/2" (115mm)
MR105	1000 W	4 Ω	43 Hz	0.328	0.365	3.365	1.15 ft ³	88 dB	4-1/8" (105mm)
									119

LOUDSPEAKERS



7.5" 2-WAY MARINE LOUDSPEAKER

Featuring Poly Injection Cone, Aluminum Voice Coil and Removable Tweeters

Removable Tweeters can be used as Components

MR652C 350 WATTS MAX POWER 6.5" 2-WAY MARINE LOUDSPEAKER

Featuring Poly Injection Cone, Aluminum Voice Coil and Removable Tweeters

Removable Tweeters can be used as Components



MR752C and MR652C can be mounted as a component system. Tweeters are removable from the grille housing and able to be mounted separately giving an optimum sound stage.



					100	
SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SENSITIVTY @1W/1m	TWEETER(S)	MOUNTING DEPTH
MR752C	400 W	4 Ω	40 Hz-20 kHz	90 dB	1" MYLAR DOME	2-3/4" (70mm)
MR652C	350 W	4 Ω	60 Hz-20 kHz	92 dB	1" MYLAR DOME	2-7/16" (62mm)
120						



MR695 400 WATTS MAX POWER 6" x 9" 2-WAY MARINE LOUDSPEAKER Featuring Poly Injection Cone



MR695 and MR650 Loudspeakers feature an Outboard Crossover which is contoured on its inner surface to mount securely to the rear housing.



MR650 250 WATTS MAX POWER
6.5" 2-WAY MARINE LOUDSPEAKER
Featuring Poly Injection Cone



MR690 350 WATTS MAX POWER 6" x 9" 2-WAY MARINE LOUDSPEAKER Featuring Poly Injection Cone

SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SENSITIVTY @1W/1m	TWEETER(S)	MOUNTING DEPTH	
MR695	400 W	4 Ω	40 Hz - 18 kHz	90 dB	1" MYLAR DOME	3-3/8" (86mm)	
MR650	250 W	4 Ω	60 Hz - 18 KHz	90 dB	1" MYLAR DOME	2-9/16" (65mm)	
MR690	350 W	4 Ω	60 Hz - 20 kHz	92 dB	1" MYLAR DOME	3-3/8" (86mm)	
							12

LOUDSPEAKERS



MRGB65 **200 WATTS MAX POWER** 6.5" 2-WAY MARINE LOUDSPEAKER
(WHITE Finish) Featuring Multi-color Illumination Options WIRELESS RF **MULTI**

200 WATTS MAX POWER

REMOTE CONTROL

RGB feature allows for control of LED light functions. Choose from having a constant one color illumination of choice or to rotate between multiple colors in a strobe or fade mode.

ILLUMINATION

- 20 Multi-color Illumination Options
- 19 Dynamic Illumination Patterns
- Speed and Brightness Controls
- Interconnect Lighting Control (Allows adding more speakers all controlled by a single remote control)

200 WATTS MAX POWER

MR60W (WHITE)

MR60B

(BLACK) MR50W

150 WATTS MAX POWER 5.25" 2-WAY MARINE LOUDSPEAKER

6.5" 2-WAY MARINE LOUDSPEAKER



FEATURES

MRGB65/ MRGB65S MR60W/B MR50W/B

Polypropylene Cone Poly Injection Cone Aluminum Voice Coil Multi-color Illumination Remote Control



MRGB65S



REMOTE CONTROL





SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SENSITIVTY @1W/1m	TWEETER(S)	MOUNTING DEPTH
MRGB65/MRGB65S	200 W	4 Ω	70 Hz - 20 kHz	88 dB	1" MYLAR DOME	2-9/16" (65mm)
MR60W/MR60B	200 W	4 Ω	80 Hz - 20 kHz	90 dB	1" MYLAR DOME	2-5/8" (67mm)
MR50W/MR50B	150 W	4 Ω	80 Hz - 20 kHz	89 dB	1" MYLAR DOME	2-3/16" (56mm)
177						





Poly Injection Cone Dual Cone Aluminum Voice Coil

MR4.3W (WHITE) MR4.3B (BLACK)

200 WATTS MAX POWER 4" 3-WAY INDOOR/OUTDOOR **BOX SPEAKER** SOLD IN PAIRS

Included Brackets allow for Multiple Mounting Options





MR12

100 WATTS MAX POWER

2-WAY MARINE BOX SPEAKER Featuring Selectable 4 Ω or 8 Ω Impedance. SOLD IN PAIRS





MR30 200 WATTS MAX POWER 2-WAY MARINE BOX SPEAKER

Featuring Selectable 4 Ω or 8 Ω Impedance. SOLD IN PAIRS



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SENSITIVTY @ 1 W/ 1 m	TWEETER(S)	MOUNTING DEPTH MOUNTING OPTIONS	
MR6W/MR6B	180 W	4 Ω	120 Hz - 18 KHz	90 dB	-	2-1/8" (54mm)	
MR4.3W/MR4.3B	200 W	4 Ω	100 Hz - 20 kHz	85 dB	1-1/2" MID 3/4" DOME	Swivel Brackets	
MR30	200 W	4 or 8 Ω	65 Hz - 20 kHz	87 dB	1" MYLAR DOME	Swivel Brackets	
MR12	100 W	4 or 8 Ω	100 Hz - 20 kHz	83 dB	1" MYLAR DOME	Swivel Brackets	
						123	

WAKETOWER SYSTEMS



Our Waketower Speaker Systems are built to deliver superior performance in the toughest conditions. Polypropylene cones and rubber surrounds are impervious to moisture. A blast of salt water will not hurt these speakers. A protective coating is applied to block UV rays, maintaining material integrity and keeping the speakers looking new.





1000 WATTS MAX POWER 3-WAY MARINE WAKETOWER SPEAKER SYSTEM

Featuring 8" Midbass and 5-1/4" Midrange Speakers and 1" Bullet Tweeter. 20-9/16" (L) x 11-5/16" (W) x 14" (H)

SOLD IN PAIRS

FULLY





MRWT8W (WHITE) MRWT8B (BLACK)

(BLACK)

MRWT8C
(CHROME)

700 WATTS MAX POWER

8" 2-WAY MARINE WAKETOWER SPEAKER SYSTEMFeaturing Poly Injection Cone and High-Temperature Voice Coil

SOLD INDIVIDUALLY

FULLY

Also Available in 6.5" Models

MRWT6W (WHITE) MRWT6B (BLACK) MRWT6C 500 WATTS MAX POWER 6.5" 2-WAY MARINE WAK

6.5" 2-WAY MARINE WAKETOWER SPEAKER SYSTEMFeaturing Poly Injection Cone and High-Temperature Voice Coil

SOLD INDIVIDUALLY

MRWT6C	FULLY
(CHROME)	

SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SENSITIVTY @ 1 W/ 1 m	MIDRANGE	TWEETER(S)	MOUNTING BRACKET
ROCKER	1000 W	4 Ω	40 Hz - 20 kHz	94 dB	5-1/4"	1" BULLET	2-3" Diameter
MRWT8W/B/C	700 W	4 Ω	40 Hz - 20 kHz	91 dB	-	1" BULLET	2-3" Diameter
MRWT6W/B/C	500 W	4 Ω	60 Hz - 20 KHz	94 dB	-	1" BULLET	2-3" Diameter
124							



MRWT69RGB

600 WATTS MAX POWER 6" x 9" 2-WAY MARINE WAKETOWER SPEAKER SYSTEM

Featuring Poly Injection Cone and Aluminum Voice Coil. SOLD INDIVIDUALLY



RGB feature allows for control of LED light functions. Choose from having a constant one color illumination of choice or to rotate between multiple colors in a strobe or fade mode.

- 20 Multi-color Illumination Options
- 19 Dynamic Illumination Patterns
- Speed and Brightness Controls
- Interconnect Lighting Control (Allows adding more waketowers all controlled by a single remote control)

(WHITE) MRWT69 (BLACK)

550 WATTS MAX POWER

6" x 9" 4-WAY MARINE WAKETOWER SPEAKER SYSTEM

Featuring Poly Injection Cone and Aluminum Voice Coil. SOLD INDIVIDUALLY

MRWT40

400 WATTS MAX POWER 4" 2-WAY MARINE WAKETOWER/UTV ROLL BAR SPEAKER SYSTEM

Featuring Poly Injection Cone and Aluminum Voice Coil and Quick-fit Terminal Design for Easy Installation SOLD IN PAIRS

MÄRINIZED

SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SENSITIVTY @ 1 W/ 1 m	MIDRANGE	TWEETER(S)	MOUNTING BRACKET
MRWT69RGB	600 W	4 Ω	65 Hz - 20 kHz	89 dB	-	1" PEI DOME	2-3" Diameter
MRWT69/W	550 W	4 Ω	40 Hz - 20 kHz	95 dB	2-1/2"	1" x 2 DOME	2-3" Diameter
MRWT40	400 W	4 Ω	130 Hz - 20 kHz	94 dB	4"	1" DOME	1-1/4-2" Diameter
							125

WIRELESS BLUETOOTH® SPEAKERS AND ACCESSORIES

With an IPX4* water resistant exterior, the BOSS Marine Bluetooth® portable speaker is the perfect audio device for all action sports and outdoor enthusiasts to take anywhere.

It's rugged, shock absorbent, and has a certified water resistant exterior. These lightweight MRBT200 and MRBT140 speakers are built for the outdoors and aquatic environment.

FEATURES

MRBT200 MRBT140

Water Resistant Construction
Auto Pairing
NFC (Near Field Communication)
BLUETOOTH® AUDIO STREAMING
Stream and Control your Favorite
Music APPs
BLUETOOTH® HANDS-FREE
Built-in Microphone
Track Control
Volume Control
USB Cable (Included)
USB Charging
3.5mm Aux-In (Aux Cable Included)
Up to 8 hours of Playback

NFC (Easy Pairing) for Android® Phones

Li-ion Rechargeable Battery Range: Up to 33 ft (10 m) Carabineer Clip





MRBT200 BLUI

BLUETOOTH®-ENABLED

PORTABLE MARINE SPEAKER SYSTEM

(BLUE Speaker Grill Finish) 7" x 2-3/4" - (178mm x 70mm)

MRBT140 BL

BLUETOOTH®-ENABLED PORTABLE MARINE SPEAKER SYSTEM

(Silver Speaker Grill Finish) 7" x 2-3/4" - (178mm x 70mm)



MRC10 **UNIVERSAL MARINE RADIO COVER**

Featuring Spring Activated Flip-up Cover

- Poly-carbonate Tinted Front Panel
- UV-stabilized ABS Plastic Housing
- Impact-resistant ABS
- Includes Stainless Steel, Rust-proof Mounting Hardware
- Sealed with an EVA Gasket

UNIVERSAL MARINE WATERPROOF RADIO COVER MRH7

- Poly-carbonate Tinted Front Panel
- UV-stabilized ABS Plastic Housing
- Impact-resistant ABS
- Sealed with Heavy Duty Gasket
- Adjustable Universal Mounting Bracket
- External Wiring for Power, Speakers and Preamp





MRC5B (BLACK)

MRC5 (WHITE)

UNIVERSAL MARINE RADIO COVER • Poly-carbonate Tinted Front Panel

- UV-stabilized ABS Plastic Housing
- Impact-resistant ABS
- Sealed with Heavy Duty Gasket



MRANT12W

MARINE RUBBER ANTENNA (WHITE Finish)

MRANT12

MARINE RUBBER ANTENNA (BLACK Finish)



UNIVERSAL USB/3.5mm AUXILIARY INTERFACE MOUNT

- Use with any Radio to Extend USB and Aux Inputs
- Dustproof, Water Resistant Rubber Cover
- UV Resistant
- USB /RCA 10ft (3m) Pass Through
- Extension Cable

WHITE SURROUND

• Cutout Diameter: 1-1/8" (29mm)



BVC10 UNIVERSAL VOLUME CONTROL

- 3.5mm In/out
- Contoured for Handlebars
- Can be used with gloves







35AC 3.5mm AUXILIARY CABLE 39.37" (1m) Length



PRODUCT DISPLAYS

BOSS AUDIO SYSTEMS

Because an in-store display is the most efficient way to demo product, BOSS AUDIO SYSTEMS engineering has redesigned our display to look better, sound better, sell better, and present more audio and video units than in previous years. We will custom build each display to your specific product selection.



Our full-component display is set to house four in-dash receivers/DVD players and an equalizer of your choice.

The upper section of the display is built to house two flip down monitors or headrests. New for 2015 our countertop head rest display will showcase our 7", 8", and 9" head rests (with or without DVD).

In the center section, which houses the receivers, EQ, and DVD unit you'll have room to select one pair of speakers, ($6" \times 9"$, 6-1/2", 5-1/4") and for 2015 a pair of 4" as well. The bottom section positions the two 12" subwoofers, at a studio-monitor angle designed to optimize the listening field at 4 or 5 feet.

In the section below the speakers, you may choose three or four amplifiers to supply all the audio power needed.


For systems with multiple monitors we use a BV-AM5 to boost the video signal. For radio reception we'll install a MRANT-10 (AM/FM antenna) and an antenna splitter (for the multiple receivers).

Your BOSS AUDIO SYSTEMS in-store display will be delivered with all products installed. To have your display plug-in-ready, a power supply will also be installed at an additional cost.

Please contact your account manager for additional information concerning our display purchase program.

FULL COMPONENT DISPLAY

36" (W) x 31-1/8" (D) x 80" (H)



HEADREST COUNTERTOP DISPLAY

16" (W) x 13" (D) x 10" (H)



PRODUCT DISPLAYS

BOSS MARINE

We offer an in-store display to show off and demonstrate the unique features of MARINE products. You can order the display system in one of three configurations shown here.



FULL FLOOR DISPLAY

40" (W) x 27" (D) x 75" (H)


- Head Units/Speakers Module
- Amplifier Module
- · Subwoofer Module
- Waketower Display Bar
- Display Side Panels
- "Wave" Decorative Accent Panels




DUAL MODULE COUNTERTOP DISPLAY

40" (W) x 19" (D) x 42" (H)


- Head Units/Speakers Module
- Amplifier Section Mounted above Head Units/Speakers Module
- "Wave" Decorative Accent Panels












SINGLE MODULE COUNTERTOP DISPLAY

40" (W) x 19" (D) x 23" (H)

- Head Units/Speakers Module
- "Wave" Decorative Accent Panels





FEATURES

ATV30BRGB

- Fully Marinized
 - 450W Max Power
 - BLUETOOTH® AUDIO STREAMING
- Stream and Control your Favorite Music APPs
- In-line Multi-function Control
- Remote Control for LED Lights
- Easy Paring with Auto Re-connect
- Multi-color Illumination Options
- Waterproof Poly Injection Cone

- Soft Dome Diaphragm High Performance Tweeter
- 3.5mm Aux-In
- Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players
- Speakers Powered by a High Performance Internal Class A/B Amplifier
- Plug and Play for Easy Installation
- Includes (2) Heavy Duty Zip Ties and (2) Heavy Duty Straps with Velcro® for any Mounting Position
- Ideal for ATV/UTV, Jet Ski or Snowmobile



POWER SPORTS

SPEAKER AND AMPLIFIER SYSTEMS





Soft Dome Diaphragm High Performance Tweeter

3.5mm Aux-In

Bluetooth® gives you the freedom for your device to be played wirelessly. The Multi Function Control or "MFC" is a remote control for the amplifier and all sources. It functions as a source, volume, track, pairing, and On/Off control.





• BLUETOOTH® AUDIO STREAMING

Stream and Control your Favorite Music APPs

- Weatherproof
- 3" Chrome Speakers (2 Pairs)4 CH Compact Amplifier3.5mm Aux Input

- Volume Control
- Adjustable Brackets





OWER SPORTS

SPEAKER AND AMPLIFIER SYSTEMS

MC420B (SILVER) **MCBK420B** (BLACK)

BLUETOOTH®-ENABLED **600 WATTS MAX POWER ALL-TERRAIN SPEAKER** AND AMPLIFIER SYSTEM

• BLUETOOTH® AUDIO STREAMING

Stream and Control your Favorite Music APPs

- · Weatherproof
- 3" Chrome Speakers
- 2 CH Compact Amplifier
- 3.5mm Aux Input
- Volume Control
- Adjustable Brackets



MC400 (SILVER) **MCBK400**

(BLACK)

600 WATTS MAX POWER ALL-TERRAIN SPEAKER AND AMPLIFIER SYSTEM

- Weatherproof
- 3" Chrome Speakers
- 2 CH Compact Amplifier
- 3.5mm Aux Input Volume Control
- Adjustable Brackets



MC300

400 WATTS MAX POWER ALL-TERRAIN SPEAKER AND AMPLIFIER SYSTEM

Includes optional Black Grilles

- Weatherproof
- 2.5" Chrome Speakers
- 3.5mm Aux Input
- Volume Control
- · Handlebar Mount



ALL SPEAKER AND AMPLIFIER SYSTEMS ARE COMPATIBLE WITH AUDIO OUTPUT OF iPod®/iPhone®, SMARTPHONES AND MP3 PLAYERS



MC900B

BLUETOOTH®-ENABLED **500 WATTS MAX POWER ALL-TERRAIN AMPLIFIER SYSTEM**

with Illuminated Multi-function Controller 7-3/4" (L) x 3-3/4" (W) x 1-11/16" (H)

With Bluetooth® Audio Streaming and Aux-In, a head-unit is not needed.

- BLUETOOTH® AUDIO STREAMING
- Stream and Control your Favorite Music APPs
- Easy Pairing with Auto Re-connect
- Weather Resistant
- For all 12-Volt Applications
- Compatible with Audio Output of iPod®/iPhone®, Smartphones and MP3 Players
- 4 CH Full Range Amplifier
- 1 Pair Pre-Amp Outputs
- USB Charging (1A)
- Aux-In
- Slim Compact Footprint



BR1000

1000 WATTS MAX POWER **4-CHANNEL BRIDGEABLE MARINE POWER AMPLIFIER**

Features Remote Subwoofer Level Control 12-3/4" (L) x 7-3/8" (W) x 2-1/4" (H)

- Full-Range, Class A/B
- Variable Crossovers
- MOSFET Power Supply
- Variable Bass Boost
- 4/3/2 Channel
- Sealed Control Panels • Low and High Level Inputs • Conformal Coated PCB



BR800

800 WATTS MAX POWER 2-CHANNEL BRIDGEABLE MARINE POWER **AMPLIFIER**

Features Remote Subwoofer Level Control 8-3/4" (L) x 7-1/4" (W) x 2-1/4" (H)

- Full-Range, Class A/B
- MOSFET Power Supply
- 2/1 Channel
- Low and High Level Inputs Conformal Coated PCB
- Variable Crossovers
- Variable Bass Boost
- Sealed Control Panels



200 WATTS MAX POWER COMPACT ALL-TERRAIN AMPLIFIER 3-15/16" (L) x 4-11/16" (W) x 2-13/16" (H)

- Monoblock
- · Low and High Level Inputs
- Variable LP Crossover
- Fuse Protected



100 WATTS MAX POWER COMPACT ALL-TERRAIN AMPLIFIER 3-15/16" (L) x 3-1/8" (W) x 1-7/8" (H)

- Full Range
- · Low and High Level Inputs
- Fixed HP/ LP Crossover
- Fuse Protected





OWER SPORTS

MULTIMEDIA RECEIVERS AND SPEAKERS

FEATURES

MGR350B MR1360UAB 630UASB MR1308UABK

PLAYBACK

MP3 / WMA

BLUETOOTH® AUDIO STREAMING

Stream and Control your Favorite Music APPs

INPUTS & OUTPUTS

BLUETOOTH®HANDS-FREE

USB Port

SD Port

Aux-In

Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players

Front Pre-Amp Output

Rear/Sub Pre-Amp Output

GENERAL

IPX6

(Retains Radio Preset Memory in case of Vehicle Battery Disconnect)

Output Power: W x 4 CH

IPX4 USB Charging (1A) Weather Band Tuner Built-in High Quality Speakers Wireless Remote Control Waterproof Wireless Remote Control Full Detachable Front Panel Switchable US & Europe Tuner Frequencies **RDS Tuner** PC Board with Conformal Coating Front Panel UV Coating Polished Stainless Steel Bezel Zero Current Draw Memory Cutout Diameter: 3" (76 mm)

iPod® and iPhone® are registered trademarks of Apple, Inc. in the U.S. and other countries. BOSS Audio Systems is not affiliated with Apple.

50

*IPX6-Protected against high pressure water stream from any angle. It is not intended to be submersed completely in water.

**IPX4-Protected against splashing water from any angle. It is not intended to be submersed completely in water.





IN-DASH SINGLE-DIN MARINE MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER

FEATURING BUILT-IN SPEAKERS









REMOTE CONTROL

WIRELESS REMOTE CONTROL FRONT PANEL















MR1308IJARK

BLUETOOTH®-ENABLED IN-DASH SINGLE-DIN MARINE MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER

60 50 40





MR50B

6.5" 2-WAY MARINE LOUDSPEAKER



150 WATTS MAX POWER



MR6B 180 WATTS MAX POWER 6.5" 2-WAY MARINE



LOUDSPEAKER

5.25" 2-WAY MARINE LOUDSPEAKER MARINE BLUETOOTH®) **AUDIO** RATED ^{ULLY}AINIZEO **HANDS**

MRBT200

BLUETOOTH®-ENABLED

PORTABLE MARINE SPEAKER SYSTEM

(BLUE Speaker Grill Finish) 7" x 2-3/4" - (178mm x 70mm)

MRBT140

BLUETOOTH®-ENABLED

PORTABLE MARINE SPEAKER SYSTEM

(Silver Speaker Grill Finish) 7" x 2-3/4" – (178mm x 70mm)

*IPX4-Protected against splashing water from any angle. It is not intended to be submersed completely in water.

NFC (EASY PAIRING) FOR



FEATURES

MR60B MR50B MR6B

Poly Injection Cone

Dual Cone

Aluminum Voice Coil

FEATURES

MRBT200 MRBT140

Water Resistant Construction Auto Pairing

NFC (Near Field Communication)

BLUETOOTH® AUDIO STREAMING Stream and Control your Favorite Music APPs

BLUETOOTH® HANDS-FREE

Built-in Microphone

Track Control

Volume Control

USB Cable (Included)

USB Charging

3.5mm Aux-In (Aux Cable Included)

Up to 8 hours of Playback

Li-ion Rechargeable Battery

Range: Up to 33 ft (10 m)

Carabineer Clip

SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SENSITIVTY @ 1 W/ 1 m	MIDRANGE	TWEETER(S)	MOUNTING DEPTH	
MR60B	200 W	4 Ω	80 Hz - 20 kHz	90 dB	-	1" MYLAR DOME	2-5/8" (67mm)	
MR50B	150 W	4 Ω	80 Hz - 20 kHz	89 dB	-	1" MYLAR DOME	2-3/16" (56mm)	
MR6B	180 W	4 Ω	120 Hz - 18 KHz	90 dB	-	1" MYLAR DOME	2-1/8" (54mm)	
	in the contract						. 7	q



POWER SPORTS

WAKETOWER SPEAKERS AND ACCESSORIES



400 WATTS MAX POWER 4" 2-WAY MARINE WAKETOWER/UTV ROLL BAR SPEAKER SYSTEM

Featuring Poly Injection Cone and Aluminum Voice Coil and Quick-fit Terminal Design for Easy Installation SOLD IN PAIRS

FULLY

SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SENSITIVTY @ 1 W/ 1 m	MIDRANGE	TWEETER(S)	MOUNTING DEPTH
MRWT69	550 W	4 Ω	40 Hz - 20 kHz	95 dB	2-1/2"	1" x 2 DOME	2-3" Diameter
MRWT6B/C	500 W	4 Ω	60 Hz - 20 KHz	94 dB	-	1" BULLET	2-3" Diameter
MRWT40	400 W	4 Ω	130 Hz - 20 KHz	94 dB	4"	1" DOME	1-1/4-2" Diameter
10							1000



MRC5B

UNIVERSAL MARINE RADIO COVER

- Polycarbonate Tinted Front Panel
- · UV-stabilized ABS Plastic Housing
- Impact-resistant ABS
- Sealed with a Heavy Duty Gasket



MARINE RUBBER **ANTENNA**



UBAC30

UNIVERSAL BLUETOOTH® AMPLIFIER CONTROLLER

Compatible with any Amplifier with RCA Inputs

- BLUETOOTH® A2DP WIRELESS AUDIO STREAMING
 Stream and Control your Favorite Music APPs
 2-Channel Stereo RCA Line Out
 +12V Amplifier Remote Trigger

- 3.5mm Aux-InputIPX5* Weather Resistant Housing



UNIVERSAL VOLUME CONTROL

- 3.5mm In/out
- Contoured for HandlebarsCan be used with gloves

MUSB35 **UNIVERSAL USB/3.5mm AUXILIARY INTERFACE MOUNT**


- Use with any Radio to Extend USB and Aux Inputs
- Dustproof, Water Resistant Rubber Cover
- UV Resistant
- USB /RCA 10ft (3m) Pass Through Extension Cable
- Cutout Diameter: 1-1/8" (29mm)



MRANT10 MARINE DIPOLE ANTENNA

35AC 3.5mm AUXILIARY CABLE

39.37" (1m) Length



^{*}IPX5-Water projected by a nozzle (6.3mm) against enclosure from any direction shall have no harmful effects.





BOSS AUDIO SYSTEMS
3451 LUNAR COURT OXNARD, CA 93030
www.bossaudio.com • 800.999.1236

All specifications are subject to change without notice. Copyright© 2015 BOSS AUDIO SYSTEMS. iPod® and iPhone® are registered trademarks of Apple, Inc. registered in the U.S. and other countries.