

*atlantica* Boschma, 1927  
*bourdoni* Boschma, 1960  
*carcini* Thompson, 1836  
*gerberi* Bonnier, 1887  
*gibbsi* (Hesse, 1867)  
*inflata* Leuckart, 1859  
*lobata* Boschma, 1965  
*triangularis* Anderson, 1862

## Stomatopoda

Compiled by Jacob van der Land

The ERMS list was derived from URMO which is based on Müller (1993) and corrected by P. Noël.

### References

Müller, H.-G., 1993. *World Catalogue and Bibliography of the Recent Stomatopoda*. Müller Wissenschaft. Verlag, Wetzlar.  
 [also on floppy disk]

### Order Stomatopoda

#### Family Bathysquillidae

*Bathysquilla*  
*microps* (Manning, 1961)

A

#### Family Coronidae

*Coronida*  
*bradyi* (A. Milne Edwards, 1869)

A

#### Family Euryssquillidae

*Euryssquilla*  
*galathea* Manning, 1977

A

*Manningia*  
*posteli* Manning, 1977

A

#### Family Lysiosquillidae

*Lysiosquilla*  
*hoevenii* (Herklotz, 1851)  
*monodi* Manning, 1977

A

*Lysiosquilloides*  
*aulacorhynchus* (Cadenat, 1957)

A

#### Family Nannosquillidae

*Allosquilla*  
*africana* (Manning, 1970)

A M

*Bigelowina*  
*septemspinosa* (Miers, 1881)

A

*Nannosquilloides*  
*occultus* (Giesbrecht, 1910)

A M

*Platysquilla*  
*eusebia* (Risso, 1816)

A M

*Platysquilloides*  
*lillyae* (Manning, 1977)

A M

#### Family Parasquillidae

*Parasquilla*  
*ferussaci* (Roux, 1828)

A M

*Pseudosquillopsis*  
*cerisii* (Roux, 1828)

A M

#### Family Protosquillidae

*Protosquilla*  
*folini* (A. Milne-Edwards, 1867)

A

#### Family Squillidae

*Alima*  
*hyalina* Leach, 1817

A

*Erugosquilla*  
*massavensis* (Kossmann, 1880)

M

#### Rissoides

*africanus* (Manning, 1974)  
*calypso* (Manning, 1974)  
*desmaresti* (Risso, 1816)

A

*pallidus* (Giesbrecht, 1910)

A M

#### Squilla

*mantis* (Linnaeus, 1758)

A M

## Euphausiacea

Compiled by Jacob van der Land

The European list was based on Brinton *et al.* The list has not been checked by an expert on the European species.

### References

Brinton E., M.D. Ohman, A.W. Townsend, M.D. Knith & A.L. Bridgeman. Euphausiids of the World Ocean. ETI CD-Rom.

### Order Euphausiacea

#### Family Bentheuphausiidae

*Bentheuphausia*  
*amblyops* G.O. Sars, 1885

A M

#### Family Euphausiidae

*Euphausia*  
*americana* Hansen, 1911  
*brevis* Hansen, 1905  
*gibboidea* Ortmann, 1893  
*hanseni* Zimmer, 1915  
*hemigibba* Hansen, 1910  
*krohni* (Brandt, 1851)  
*mutica* Hansen, 1905  
*pseudogibba* Ortmann, 1893

A M

A M

A

A M

A M

A

*Meganyctiphanes*

*norvegica* (M. Sars, 1857)

A M

*Nematobrachion*

*boopis* (Calman, 1905)  
*flexipes* (Ortmann, 1893)  
*sexspinosum* Hansen, 1911

A M

A M

A M

*Nematozelis*

*atlantica* Hansen, 1910  
*megalops* G.O. Sars, 1883  
*micros* G.O. Sars, 1883  
*tenella* G.O. Sars, 1883

A M

A M

A M

*Nyctiphanes*

*couchi* (Bell, 1853)

A M

*Stylocheiron*

*abbreviatum* G.O. Sars, 1883  
*affine* Hansen, 1910  
*carinatum* G.O. Sars, 1883  
*elongatum* G.O. Sars, 1883

A M

A M

A M

*longicorne* G.O. Sars, 1883

A M

*maximum* Hansen, 1908

A M

*robustum* Brinton, 1962

A M

*suhmi* G.O. Sars, 1883

A M

*Thysanoessa*

*gregaria* G.O. Sars, 1883  
*inermis* (Krøyer, 1846)  
*longicaudata* (Krøyer, 1846)

A M

A M

A M

*parva* Hansen, 1905

A M

*raschii* (M. Sars, 1864)

A M

*Thysanopoda*

*acutifrons* Holt & Tattersall, 1905  
*aequalis* Hansen, 1905  
*cornuta* Illig, 1905  
*cristata* G.O. Sars, 1883  
*egregia* Hansen, 1905  
*microphthalmia* G.O. Sars, 1885  
*monacantha* Ortmann, 1893  
*obtusifrons* G.O. Sars, 1883  
*pectinata* Ortmann, 1893  
*tricuspidata* Milne-Edwards, 1837

A M

A M

A M

A M

A M

A M

A M

A M

A M

A M

## Decapoda

Compiled by Michael Türkay

The present list of European Decapoda has been adapted from a database which was compiled by myself before the project started. In 1999 a comprehensive list of European decapods was published by d'Udekem d'Acoz

and it was decided to make the present list as much compatible with that source as possible, because subsequent researchers will definitively base themselves on the published list containing also distribution and literature records. The present list thus also follows the classification used by d'Udekem d'Acoz (1999) on the family and generic level, however with some exceptions. The generic system of Pérez-Farfante & Kensley (1997) has been used for the Penaeoid shrimps rather than the one in d'Udeken d'Acoz (1999). The hippolytid genera *Eualus* and *Thoralus* are still separated, because if the mandible palpus character is removed as a primary one, the whole shrimp classification gets disputable. I do not think that such a discussion is possible at the present level of knowledge. In stenopodoid shrimps two families (viz. Spongicolidae and Stenopodidae) have been recognised instead of one, which is in accordance with Holthuis (1993). For the Callianassidae the classification of Sakai (1999b) has been used. The system proposed by d'Udekem d'Acoz (1999) for the polybiine genera of Portunidae has not been used, as I cannot see any progress in lumping all the genera together. Before such major changes are implemented a thorough revision must take place and the arguments be fully exposed and discussed. For the time being a certain "conservatism" seems to be more prudent.

On the species level all species known only from the Suez-Canal have been excluded in order to stick to a merely European framework. Also all species with doubtful identity have been excluded, as well as such that have been recorded only once a long time ago close to harbours and never have been found again. The following table gives a list of such species, also ones known from other sources, with the reason for their exclusion.

*Metapenaeopsis vaillanti* (Nobili, 1904) - Only Suez Canal; *Penaeus chinensis* (Osbeck, 1765) - Potential aquaculture species; *Penaeus monodon* Fabricius, 1798 - Potential aquaculture species; *Pasiphaea princeps* Smith, 1884 - Questionable records at abt. 25°N; *Plesionika holthuiisi* Crosnier & Forest, 1968 - Probably a misidentification; *Hippolyte orientalis* Heller, 1862 - Only Suez-Canal; *Gasconella parvula* De Saint Laurent, 1985 - *Nomen nudum*, invalid name; *Palaeomon pacificus* (Stimpson, 1860) - Only Suez Canal; *Jasus lalandii* (H. Milne-Edwards, 1837) - Single record, not established; *Homarus americanus* H. Milne-Edwards, 1837 - Probably escaped commercial specimens, not established; *Thenus orientalis* (Lund, 1793) - Single record from Rijeka port; *Paguristes perspicax* Nobili, 1906 - Only Suez Canal; *Galathea pygmaea* H. Milne-Edwards & Bouvier, 1894 - *incertae sedis*; *Munidopsis convexa* Noël, 1992 - *Nomen nudum*, invalid name; *Petrolisthes bosci* (Audouin, 1826) - Old record (1832) probable misidentification of *Pisidia*; *Dorippe frascone* (Herbst, 1795) - Only Suez-Canal; *Ebalia granulata* (Rüppell, 1830) - Only Suez-Canal; *Phlyra globosa* (Bosc, 1801) - Old record (1832) probabale misidentification of *Ilia*; *Schizophrys aspera* (H. Milne-Edwards, 1834) - Only Suez-Canal; *Liocarcinus subcorrugatus* (A. Milne-Edwards, 1861) - Doubtfully from Suez-Canal; *Portunus sanguinolentus* (Herbst, 1793) - Single record from Rijeka port; *Chaceon maritae* (Manning & Holthuis, 1981) - Only doubtful records; *Actaeodes hirsutissimus* (Rüppell, 1830) - Only Suez-Canal; *Actaea savignii* (H. Milne-Edwards, 1834) - Only

Suez-Canal; *Macromedaeus voeltzkowi* (Lenz, 1905) - Single record from English Channel (1913), not established; *Parapilumnus malardi* (De Man, 1913) - Single record from English Channel (1913), not established; *Parapilumnus truncatospinosus* (De Man, 1913) - Single record from English Channel (1913), not established; *Pilumnus longicornis* Hilgendorf, 1879 - Single record from English Channel (1913), not established; *Pilumnus savignyi* Heller, 1861 - Only Suez Canal; *Plagusia chabrus* (Linnaeus, 1758) - Single record from Marseille Port (1872); *Metopograpsus messor* (Forskal, 1775) - Only Suez Canal; *Macrobrachium depressus* (Rüppell, 1830) - Only Suez Canal; *Ocypode saratan* (Forskal, 1775) - Only Suez Canal; *Uca coarctata* (H. Milne-Edwards, 1852) - Single records from Adriatic and Black Seas; *Dotilla sulcata* (Forskål, 1775) - Only Suez Canal; *Serenella leachii* (Audouin, 1826) - Only Suez Canal; *Platymaia wyvillethomsoni* Miers, 1886 - Single record Adriatic Sea (1918); *Parthenope notialis* Manning & Holthuis, 1981 - Specimen from Cape Bojador (ca. 26°N) of unclear identity; because of new publications some species names had to be changed and new species had to be added: Galil (1999) recorded *Melicertus hathor* (Burkenroad, 1959) as a new Lessepsian migrant; and Sakai (1999b) described *Callianassa whitei* as a new species from the Adriatic Sea. Sakai (1999a) examined the classical collection of J. F. W. Herbst kept at the Berlin Museum and in consequence some names of well known European crabs had to be changed: *Pisa corallina* is now *P. hirticornis*, *Liocarcinus arcuatus* is now *L. navigator*, and *Xantho incisus* is now *X. hydrophilus*.

#### References

- Most of the references cited in this introduction can be found in d'Udekem d'Acoz (1999), the newer ones are cited here separately.
- Galil, B. S. (1999): *Melicertus hathor* Burkenroad, 1959 - a Red Sea penaeid prawn new to the Mediterranean. - *Crustaceana*, 72(9): 1226-1228.
- Sakai, K. (1999a): J. F. W. Herbst-Collection of decapod Crustacea of the Berlin Zoological Museum with remarks on certain species. - *Naturalists, Tokushima biol. Lab.*, 6: 1-45.
- Sakai, K. (1999b): Synopsis of the family Callianassidae, with keys to subfamilies, genera and species, and the description of new taxa (Crustacea: Decapoda: Thalassinidea). - *Zool. Verh.*, 326: 1-152.
- d'Udekem d'Acoz, C. (1999): Inventaire et distribution des crustacés décapodes de l'Atlantique nord-oriental, de la Méditerranée et des eaux continentales adjacentes au nord de 25°N. - *Patrimoines naturels* (M.N.H.N./S.P.N.), 40: I-X, 1-383; Paris.

#### Order Decapoda

##### Family Aristeidae

- Aristaeopsis edwardsiana* (Johnson, 1867)
- Aristeomorpha foliacea* (Risso, 1827)
- Aristeus antennatus* (Risso, 1816)
- Hepomadus tener* Smith, 1884
- Plesiopenaeus armatus* (Bate, 1881)

##### Family Benthesicymidae

- Benthogenmema intermedia* (Bate, 1888)
- Benthesicymus bartletti* Smith, 1882

- brasiliensis* Bate, 1881  
*iridescens* Bate, 1881  
*laciniatus* Rathbun, 1906  
*longipes* Bouvier, 1906  
**Benthonectes**  
*filipes* Smith, 1885  
**Gennadas**  
*brevirostris* Bouvier, 1905  
*capensis* Calman, 1925  
*elegans* (Smith, 1882)  
*scutatus* Bouvier, 1906  
*tinayrei* Bouvier, 1906  
*valens* (Smith, 1884)
- Family Solenoceridae**  
*Hymenopenaeus*  
*aphoticus* Burkenroad, 1936  
*chacei* Crosnier & Forest, 1969  
*debilis* Smith, 1882  
*Solenocera*  
*africana* Stebbing, 1917  
*crassicornis* (H. Milne Edwards, 1837)  
*membranacea* (Risso, 1816)
- Family Penaeidae**  
*Funchalia*  
*danae* Burkenroad, 1940  
*villosa* (Bouvier, 1908)  
*woodwardi* Johnson, 1867  
*Marsupenaeus*  
*japonicus* (Bate, 1888)  
*Melicertus*  
*hathor* (Burkenroad, 1959)  
*kerathurus* (Forskål, 1775)  
*Metapenaeopsis*  
*aegyptia* Galil & Golani, 1990  
*mogiensis* Rathbun, 1902 subsp. *consobrina* (Nobili, 1904)  
*Metapenaeus*  
*monoceros* (Fabricius, 1798)  
*stebbingi* Nobili, 1904  
*Parapenaeus*  
*longirostris* (Lucas, 1846)  
*Pelagopenaeus*  
*balboae* (Faxon, 1893)  
*Penaeopsis*  
*serrata* Bate, 1881  
*Penaeus*  
*semisulcatus* De Haan, 1844  
*Trachysalambria*  
*curvirostris* (Stimpson, 1860)
- Family Sicyoniidae**  
*Sicyonia*  
*carinata* (Brünnich, 1768)
- Family Sergestidae**  
*Petalidium*  
*obesum* (Krøyer, 1855)  
*Sergestes*  
*arachnipodus* (Cocco, 1832)  
*arcticus* Krøyer, 1855  
*armatus* Krøyer, 1855  
*atlanticus* H. Milne-Edwards, 1830  
*cornutus* Krøyer, 1855  
*edwardsii* Krøyer, 1855  
*nudus* Illig, 1914  
*pectinatus* Sund, 1920  
*sargassi* Ortmann, 1893  
*vigilax* Stimpson, 1860
- Sergia*  
*grandis* (Sund, 1920)  
*japonica* (Bate, 1881)  
*robusta* (Smith, 1882)  
*splendens* (Sund, 1920)  
*tenuiremis* (Krøyer, 1855)
- Family Luciferidae**  
*Lucifer*
- hanseni* Nobili, 1905  
*typus* H. Milne-Edwards, 1837
- Family Stenopodidae**  
*Odontozona*  
*addaia* Pretus, 1990  
*edwardsi* (Bouvier, 1908)  
*minoica* Dounas & Koukouras, 1989  
*Richardina*  
*fredericci* Lo Bianco, 1903  
*spinicina* A. Milne-Edwards, 1881  
*Stenopus*  
*spinosus* Risso, 1827
- Family Spongicolidae**  
*Spongicoloides*  
*evolutus* (Bouvier, 1905)  
*koehleri* (Caullery, 1896)  
*profundus* Hansen, 1908
- Family Pasiphaeidae**  
*Eupasiphae*  
*gilesii* (Wood-Mason, 1892)  
*serrata* (Rathbun, 1902)  
*Glyphus*  
*marsupialis* Filhol, 1884  
*Leptocheila*  
*aculeoaudata* Paulson, 1875  
*pugnax* De Man, 1916  
*Parapasiphae*  
*compta* Smith, 1884  
*cristata* Smith, 1884  
*sulcatifrons* Smith, 1884  
*Pasiphaea*  
*hoplocerca* Chace, 1940  
*liocerca* Chace, 1940  
*multidentata* Esmark, 1866  
*sivado* (Risso, 1816)  
*tarda* (Krøyer, 1845)  
*Psathyrocaris*  
*fragilis* Wood Mason, 1893  
*infirma* Alcock & Anderson, 1894
- Family Alvinocarididae**  
*Chorocaris*  
*chacei* (Williams & Rona, 1986)  
*Mirocaris*  
*fortunata* (Martin & Christiansen, 1995)  
*Rimicaris*  
*exoculata* Williams & Rona, 1986
- Family Bresiliidae**  
*Bresilia*  
*atlantica* Calman, 1896  
*corsicana* Forest & Cals, 1977  
*Kirnasia*  
*nesini* Burukovsky, 1988  
*siedlecki* Burukovsky, 1988
- Family Ophelophoridae**  
*Acanthephyra*  
*brevirostris* Smith, 1885  
*curtirostris* Wood Mason, 1891  
*eximia* Smith, 1884  
*pelagica* (Risso, 1816)  
*purpurea* A. Milne-Edwards, 1881  
*stylorostratis* (Bate, 1888)  
*tenuipes* (Bate, 1888)  
*Ephyrina*  
*benedicti* Smith, 1885  
*bifida* Stephensen, 1923  
*sigueirai* Crosnier & Forest, 1973  
*Heterogenys*  
*microphthalmia* (Smith, 1885)  
*Hymenodora*  
*acanthitelsonis* Wasmer, 1972  
*glacialis* (Buchholz, 1874)  
*gracilis* Smith, 1886  
*Janicella*

- spinicauda* (A. Milne-Edwards, 1883)
- Kemphyra**
- corallina* (A. Milne-Edwards, 1883)
- Meningodora**
- compsa* (Chace, 1940)
  - miccyla* (Chace, 1940)
  - mollis* Smith, 1882
  - vesca* (Smith, 1886)
- Notostomus**
- croshneri* Macpherson, 1984
  - distirus* Chace, 1940
  - elegans* A. Milne-Edwards, 1881
  - robustus* Smith, 1884
- Oplophorus**
- spinosus* (Brullé, 1839)
- Systaspis**
- braueri* subsp. *braueri* (Balss, 1914)
  - cristata* Faxon, 1893
  - debilis* (A. Milne-Edwards, 1881)
  - pellucida* (Filhol, 1885)
- Family Nematocarcinidae**
- Nematocarcinus**
- ensifer* (Smith, 1882)
  - exilis* (Bate, 1888)
  - gracilipes* Filhol, 1884
- Nigmatellinus**
- acanthitelsonis* (Pequegnat, 1970)
- Family Pandalidae**
- Bitias**
- stocki* Fransen, 1990
- Chlorotocus**
- crassicornis* (Costa, 1871)
- Dichelopandalus**
- bonnieri* Caullery, 1896
- Heterocarpus**
- ensifer* subsp. *ensifer* A. Milne-Edwards, 1881
  - grimaldii* A. Milne-Edwards & Bouvier, 1900
  - laevigatus* Bate, 1888
- Pandalina**
- brevirostris* (Rathke, 1843)
  - profunda* Holthuis, 1946
- Pandalus**
- borealis* subsp. *borealis* Krøyer, 1838
  - latirostris* Rathbun, 1902
  - montagui* Leach, 1814
  - propinquus* Sars, 1870
- Physetocaris**
- microphthalmia* Chace, 1940
- Plesionika**
- acanthonotus* (Smith, 1882)
  - antigai* Zariquey-Alvarez, 1955
  - edwardsii* (Brandt, 1851)
  - ensis* (A. Milne-Edwards, 1881)
  - geniculatus* (A. Milne-Edwards, 1883)
  - giglioli* (Senna, 1902)
  - heterocarpus* (Costa, 1871)
  - martia* subsp. *martia* (A. Milne-Edwards, 1883)
  - narval* (Fabricius, 1787)
  - rossignoli* Crosnier & Forest, 1968
  - williamsi* Forest, 1974
- Stylopandalus**
- richardi* (Coutière, 1905)
- Family Ogyrididae**
- Ogyrides**
- njobergi* (Balss, 1921)
  - rariospina* Holthuis, 1951
- Family Hippolytidae**
- Bythocaris**
- akidopleura* Fransen, 1994
  - curvirostris* Kobjakova, 1957
  - elegans* Bryazgin, 1982
  - grumanti* Burukovsky, 1966
  - leucopsis* Sars, 1880
  - payeri* (Heller, 1875)
- simplicirostris* Sars, 1870
- Caridion**
- gordoni* (Bate, 1858)
  - steveni* Lebour, 1930
- Cryptocheles**
- pygmaea* Sars, 1870
- Eualus**
- belcheri* (Bell, 1855)
  - drachi* Noël, 1978
  - gaimardii* (H. Milne-Edwards, 1837)
  - lebourae* Holthuis, 1951
  - occultus* (Lebour, 1936)
  - pusiolus* (Krøyer, 1841)
- Hippolyte**
- coeruleescens* (Fabricius, 1775)
  - garciaraso* D'Udekem d'Acoz, 1996
  - holthuiisi* Zariquey-Alvarez, 1953
  - inermis* Leach, 1815
  - lagarderei* D'Udekem d'Acoz, 1995
  - leptocerus* (Heller, 1863)
  - leptometrae* Ledoyer, 1969
  - niezabitowskii* D'Udekem d'Acoz, 1996
  - prideauxiana* Leach, 1817
  - sapphica* D'Udekem d'Acoz, 1993
  - varians* Leach, 1814
- Latreutes**
- fucorum* (Fabricius, 1798)
- Lebbeus**
- groenlandicus* (Fabricius, 1775)
  - polaris* (Sabine, 1824)
- Leontocaris**
- lar* Kemp, 1906
- Ligur**
- ensiferus* (Risso, 1816)
- Lysmata**
- grabhami* (Gordon, 1935)
  - intermedia* (Kingsley, 1878)
  - nilita* Dohrn & Holthuis, 1950
  - olavo* Fransen, 1991
  - seticaudata* (Risso, 1816)
  - unicornis* Holthuis & Maurin, 1952
- Merhippolyte**
- ancistrotota* Crosnier & Forest, 1973
- Spirontocaris**
- lilljeborgii* (Danielssen, 1859)
  - phippsii* (Krøyer, 1841)
  - spinus* (Sowerby, 1805)
- Thor**
- amboinensis* (De Man, 1888)
- Thoralus**
- cranchii* (Leach, 1817)
  - sollaudi* (Zariquey-Cenarro, 1935)
- Trachycaris**
- restricta* (A. Milne-Edwards, 1878)
- Family Alpheidae**
- Alpheopsis**
- africana* Holthuis, 1952
- Alpheus**
- dentipes* Guérin-Méneville, 1832
  - edwardsii* (Audouin, 1826)
  - glaber* (Olivier, 1792)
  - lobidens* De Haan, 1849
  - macrocheles* (Hailstone, 1835)
  - migrans* Lewinsohn & Holthuis, 1978
  - platydactylus* Coutière, 1897
  - rapacida* De Man, 1908
  - talismani* Coutière, 1898
- Athanas**
- amazonae* Holthuis, 1951
  - grimaldii* Coutière, 1911
  - nitescens* (Leach, 1814)
- Automate**
- branchialis* Holthuis & Gottlieb, 1958
- Salmoneus**
- jarli* (Holthuis, 1951)

- sketi* Fransen, 1992
- Synalpheus**
- gambareloides* (Nardo, 1847)
  - tumidomanus* Paulson, 1875 subsp. *africanus* Crosnier & Forest, 1965
- Family Gnathophyllidae**
- Gnathophyllum*
    - americanum* Guérin-Méneville, 1855
    - elegans* (Risso, 1816)
- Family Processidae**
- Processa*
    - acutirostris* Nouvel & Holthuis, 1957
    - canaliculata* Leach, 1815
    - edulis* subsp. *edulis* (Risso, 1816)
    - edulis* (Risso, 1816) subsp. *arcassonensis* (Nouvel & Holthuis, 1957)
    - edulis* (Risso, 1816) subsp. *crassipes* (Nouvel & Holthuis, 1957)
    - elegantula* Nouvel & Holthuis, 1957
    - intermedia* Holthuis, 1951
    - macrodactyla* Holthuis, 1952
    - macrophthalma* Nouvel & Holthuis, 1957
    - modica* subsp. *modica* Williamson & Rochanaburanon, 1979
    - modica* Williamson & Rochanaburanon, 1979 subsp. *carolii* Williamson & Rochanaburanon, 1979
    - nouveli* subsp. *nouveli* Al-Adhub & Williamson, 1975
    - nouveli* Al-Adhub & Williamson, 1975 subsp. *holthuisi* Al-Adhub & Williamson, 1975
    - parva* Holthuis, 1951
    - pontica* (Sowinsky, 1882)
    - robusta* Nouvel & Holthuis, 1957
- Family Bathypalaemonellidae**
- Bathypalaemonella*
    - serratipalma* Pequegnat, 1970
- Family Palaemonidae**
- Balssia*
    - gasti* (Balss, 1921)
    - noeli* Bruce, 1998  - Brachycarpus*
    - biunguiculatus* (Lucas, 1846)  - Leander*
    - tenuicornis* (Say, 1818)  - Palaemon*
    - adspersus* Rathke, 1837
    - elegans* Rathke, 1837
    - longirostris* subsp. *longirostris* H. Milne-Edwards, 1837
    - longirostris* H. Milne-Edwards, 1837 subsp. *garciacaudi* Zariquey-Alvarez, 1968
    - serratus* (Pennant, 1777)
    - xiphias* Risso, 1816  - Palaemonella*
    - atlantica* Holthuis, 1951
    - rotumana* (Borradaile, 1898)  - Palaemonetes*
    - antennarius* (H. Milne-Edwards, 1837)
    - mesogenitor* Sollaard, 1912
    - mesopotamicus* Pesta, 1913
    - turcorum* Holthuis, 1961
    - varians* (Leach, 1814)
    - zariqueyi* Sollaard, 1939  - Periclimenes*
    - aegylios* Grippo & d'Udekem d'Acoz, 1996
    - amethysteus* (Risso, 1827)
    - calmani* Tattersal, 1921
    - eleutheriou* Koukouras & Tütükay, 1996
    - granulatus* Holthuis, 1950
    - kornii* (Lo Bianco, 1903)
    - sagittifer* (Norman, 1861)
    - scriptus* (Risso, 1822)
    - wirtzi* d'Udekem d'Acoz, 1996  - Pontonia*
    - domestica* Gibbes, 1850
- flavomaculata* Heller, 1864
- pinnophylax* (Otto, 1821)
- Tuleariocaris**
- neglecta* Chace, 1969
- Typton**
- gnathophylloides* Holthuis, 1951
  - spongicola* O.G. Costa, 1844
- Family Rhynchocinetidae**
- Cinetorhynchus*
    - rigens* (Gordon, 1936)
- Family Stylodactylidae**
- Styloceratulus*
    - serratus* A. Milne-Edwards, 1881
- Family Amphionidae**
- Amphionides*
    - reynaudi* (H. Milne-Edwards, 1833)
- Family Crangonidae**
- Aegaeon*
    - cataphractus* (Olivier, 1792)
    - lacazei* (Gourret, 1887)  - Argis*
    - dentata* (Rathbun, 1902)  - Crangon*
    - allmanni* Kinahan, 1857
    - crangon* (Linnaeus, 1758)  - Metacrangon*
    - jacquetii* subsp. *jacquetii* (A. Milne-Edwards, 1881)  - Parapontophilus*
    - abyssi* (Smith, 1884)
    - gracilis* (Smith, 1882)
    - talismanni* (Crosnier & Forest, 1973)  - Philocheras*
    - bispinosus* (Hailstone, 1835) subsp. *neglectus* (Sars, 1883)
    - bispinosus* subsp. *bispinosus* (Hailstone, 1835)
    - echinulatus* (Sars, 1861)
    - fasciatus* (Risso, 1816)
    - monacanthus* (Holthuis, 1961)
    - sculptus* (Bell, 1847)
    - trispinosus* (Hailstone, 1835)  - Pontophilus*
    - norvegicus* (Sars, 1861)
    - spinosis* (Leach, 1815)  - Sabinea*
    - hystric* (A. Milne-Edwards, 1881)
    - sarsi* Smith, 1879
    - septemcarinata* (Sabine, 1824)  - Sclerocrangon*
    - boreas* (Phipps, 1774)
    - ferox* (Sars, 1877)

**Family Glyphocrangonidae**

    - Glypocrangon*
      - atlantica* Chace, 1939
      - longirostris* (Smith, 1882)
      - sculpta* (Smith, 1882)

**Family Enoplometopodidae**

    - Enoplometopus*
      - antillensis* Lütken, 1865
      - callistus* Intés & Le Loeuff, 1970

**Family Nephropidae**

    - Homarus*
      - gammarus* (Linnaeus, 1758)    - Nephrops*
      - norvegicus* (Linnaeus, 1758)    - Nephropsis*
      - atlantica* Norman, 1882

**Family Polychelidae**

    - Polycheles*
      - crucifer* (Willemoes-Suhm, 1874)
      - granulatus* Faxon, 1893
      - typhlops* subsp. *typhlops* Heller, 1862
      - validus* (A. Milne-Edwards, 1880)

*Stereomastis*

- grimaldii* (Bouvier, 1905)  
*nana* (Smith, 1884)  
*sculpta* subsp. *sculpta* (Smith, 1880)  
**Willemoesia**  
*forceps* A. Milne-Edwards, 1880  
*leptodactyla* (Willemoes-Suhm, 1873)
- Family Palinuridae**  
*Palinurus*  
*elephas* (Fabricius, 1787)  
*mauritanicus* Gruvel, 1911  
*Panulirus*  
*echinatus* Smith, 1869  
*ornatus* (Fabricius, 1798)  
*regius* De Brito Capello, 1864
- Family Scyllaridae**  
*Scyllarides*  
*latus* (Latreille, 1803)  
*Scyllarus*  
*arcutus* (Linnaeus, 1758)  
*caparti* Holthuis, 1952  
*posteli* Forest, 1963  
*pygmaeus* (Bate, 1888)
- Family Axiidae**  
*Axius*  
*stirynchus* Leach, 1815  
*Calocarides*  
*coronatus* (Trybom, 1904)  
*Levantocaris*  
*hornungae* Galil & Clark, 1993
- Family Calocarididae**  
*Calastacus*  
*laevis* de Saint Laurent, 1972  
*Calocaris*  
*macandreae* Bell, 1846
- Family Laomediidae**  
*Jaxea*  
*nocturna* Nardo, 1847
- Family Callianassidae**  
*Callianassa*  
*acanthura* Caroli, 1946  
*candida* (Olivier, 1792)  
*subterranea* (Montagu, 1808)  
*truncata* Giard & Bonnier, 1890  
*tyrrhena* (Petagna, 1792)  
*whitei* Sakai, 1999  
*Calliapagrops*  
*charcoti* de Saint Laurent, 1973  
*Calliax*  
*lobata* (de Gaillande & Lagardère, 1966)  
*Paraglypturus*  
*punica* (de Saint Laurent & Manning, 1982)
- Family Ctenochelidae**  
*Gourretia*  
*denticulata* (Lutze, 1937)
- Family Upogebiidae**  
*Gebiacantha*  
*talismani* (Bouvier, 1915)  
*Upogebia*  
*deltaura* (Leach, 1815)  
*mediterranea* Noël, 1992  
*pusilla* (Petagna, 1792)  
*stellata* (Montagu, 1808)  
*tipica* (Nardo, 1868)
- Family Parapaguridae**  
*Oncopagurus*  
*bicristatus* (A. Milne-Edwards, 1880)  
*Paragiopagurus*  
*ruticheles* (A. Milne-Edwards, 1891)  
*Parapagurus*  
*abyssorum* (Filhol, 1885)  
*alaminos* Lemaire, 1986  
*nudus* (A. Milne-Edwards, 1891)
- pilosimanus* Smith, 1879  
*Strobopagurus*  
*gracilipes* (A. Milne-Edwards, 1891)  
*Sympagurus*  
*acinops* Lemaire, 1898
- Family Diogenidae**  
*Calcinus*  
*paradoxus* Bouvier, 1922  
*tubularis* (Linnaeus, 1767)  
*Clibanarius*  
*aequabilis* Dana, 1851  
*erythropus* (Latreille, 1818)  
*Dardanus*  
*arrosor* (Herbst, 1796)  
*calidus* (Risso, 1827)  
*Diogenes*  
*pugilator* (Roux, 1829)  
*Paguristes*  
*eremita* (Linnaeus, 1767)  
*marocanus* A. Milne-Edwards & Bouvier, 1891  
*rubropictus* A. Milne-Edwards & Bouvier, 1892  
*streaensis* Pastore, 1984  
*syrtensis* De Saint Laurent, 1971
- Family Paguridae**  
*Anapagurus*  
*adriaticus* Garcia-Gomez, 1994  
*alboranensis* Garcia-Gomez, 1994  
*bicorniger* A. Milne-Edwards & Bouvier, 1892  
*breviaculeatus* Fenizia, 1937  
*chiroacanthus* (Lilljeborg, 1856)  
*curvidactylus* Chevreux & Bouvier, 1892  
*hyndmanni* (Bell, 1845)  
*laevis* (Bell, 1845)  
*longispina* A. Milne-Edwards & Bouvier, 1900  
*petiti* Dechancé & Forest, 1962  
*pusillus* Henderson, 1888  
*smythi* Ingle, 1993  
*Catapaguroides*  
*iris* Bouvier, 1922  
*megalops* A. Milne-Edwards & Bouvier, 1892  
*microps* A. Milne-Edwards & Bouvier, 1892  
*Cestopagurus*  
*timidus* (Roux, 1830)  
*Michelopagurus*  
*atlanticus* (Bouvier, 1922)  
*richardi* (Bouvier, 1922)  
*Nematopagurus*  
*longicornis* A. Milne-Edwards & Bouvier, 1892  
*Pagurus*  
*alatus* Fabricius, 1775  
*anachoretus* Risso, 1827  
*bernhardus* (Linnaeus, 1758)  
*carneus* (Pocock, 1889)  
*chevreuxi* (Bouvier, 1896)  
*cuanensis* Bell, 1845  
*excavatus* (Herbst, 1791)  
*forbesii* Bell, 1845  
*irregularis* (A. Milne-Edwards & Bouvier, 1892)  
*prideaux* Leach, 1815  
*pubescens* Krøyer, 1838  
*pubescentulus* (A. Milne-Edwards & Bouvier, 1892)  
*Spiropagurus*  
*elegans* Miers, 1881
- Family Lithodidae**  
*Lithodes*  
*maja* (Linnaeus, 1758)  
*Neolithodes*  
*grimaldii* (A. Milne-Edwards & Bouvier, 1894)  
*Paralithodes*  
*camtschatcica* (Tilesius, 1815)  
*Paralomis*  
*bouvieri* Hansen, 1908  
*microps* Filhol, 1884  
*spectabilis* Hansen, 1908

**Family Chirostyliidae**

- Eumunida*  
*bella* de Saint Laurent & Macpherson, 1990  
*Gastropytchus*  
*formosus* (Filhol, 1884)  
*Uroptychus*  
*bouvieri* Caullery, 1896  
*concolor* (A. Milne-Edwards & Bouvier, 1894)  
*maroccanus* Türkay, 1976  
*rubrovittatus* (A. Milne-Edwards, 1881)

**Family Galatheidae**

- Galathea*  
*agassizii* A. Milne-Edwards, 1880  
*bolivari* Zariquey-Alvarez, 1950  
*cenarroi* Zariquey-Alvarez, 1968  
*dispersa* Bate, 1859  
*faiali* Nunes-Ruivo, 1961  
*intermedia* subsp. *intermedia* Lilljeborg, 1851  
*intermedia* Lilljeborg, 1851 subsp. *parroceli* Gourret, 1887  
*machadoi* Barrois, 1888  
*nexa* Embleton, 1834  
*rufipes* A. Milne-Edwards & Bouvier, 1894  
*squamifera* Leach, 1814  
*strigosa* (Linnaeus, 1767)

*Munida*

- curvimanus* A. Milne-Edwards & Bouvier, 1894  
*intermedia* A. Milne-Edwards & Bouvier, 1899  
*microphthalma* A. Milne-Edwards, 1880  
*perarmata* A. Milne-Edwards & Bouvier, 1894  
*rugosa* (Fabricius, 1775)  
*rutllanti* Zariquey-Alvarez, 1952  
*sanctipauli* Henderson, 1885  
*sarsi* Huus, 1935  
*speciosa* von Martens, 1878  
*subcaeca* Bouvier, 1922  
*tenuimana* Sars, 1872
- Munidopsis*  
*abyssorum* A. Milne-Edwards & Bouvier, 1897  
*acuta* (A. Milne-Edwards, 1881)  
*acutispina* Benedict, 1902  
*allae* Khodkina & Duri\_, 1989  
*antonii* (Filhol, 1884)  
*bairdii* (Smith, 1884)  
*bermudezi* Chace, 1939  
*crassa* Smith, 1885  
*curvirostra* Whiteaves, 1874  
*livida* (Perrier, 1886)  
*marionis* (A. Milne-Edwards, 1882)  
*parfaii* (A. Milne-Edwards & Bouvier, 1894)  
*polymorpha* Koelbel, 1892  
*rostrata* (A. Milne-Edwards, 1880)  
*serricornis* (Lovén, 1853)  
*similis* Smith, 1885  
*subsquamosa* Henderson, 1885  
*sundi* Sivertsen & Holthuis, 1956  
*thieli* Türkay, 1975  
*vaillanti* (A. Milne-Edwards, 1881)

**Family Porcellanidae**

- Pisidia*  
*blutelia* (Risso, 1816)  
*longicornis* (Linnaeus, 1767)  
*longimana* (Risso, 1816)
- Porcellana*  
*platycheles* (Pennant, 1777)

**Family Albuneidae**

- Albunea*  
*carabus* (Linnaeus, 1758)  
*paretii* Guérin-Méneville, 1853

**Family Homolodromiidae**

- Dicranodromia*  
*mahieuxii* A. Milne-Edwards, 1883  
*pequegnati* Guinot, 1995

**Family Homolidae**

- Homola*  
*barbata* (Fabricius, 1793)  
*Homologenus*  
*boucheti* Guinot & Richer de Forges, 1995  
*Paromola*  
*cuvieri* (Risso, 1816)

**Family Latreilliidae**

- Latreillia*  
*elegans* subsp. *elegans* Roux, 1830

**Family Dromiidae**

- Dromia*  
*marmorea* Forest, 1974  
*nodosa* A. Milne-Edwards & Bouvier, 1898  
*personata* (Linnaeus, 1758)  
*spinirostris* Miers, 1881

**Family Cymonomidae**

- Cymonomus*  
*granulatus* (Norman, 1873)  
*normani* Lankester, 1903

**Family Raninidae**

- Notopus*  
*dorsipes* (Linnaeus, 1758)

**Family Dorippidae**

- Ethusa*  
*mascarone* (Herbst, 1785)  
*microphthalmalma* Smith, 1881  
*rosacea* A. Milne-Edwards & Bouvier, 1897
- Ethusina*  
*alba* (Filhol, 1884)  
*talismani* A. Milne-Edwards & Bouvier, 1897
- Medorippa*  
*lanata* (Linnaeus, 1767)

**Family Calappidae**

- Acanthocarpus*  
*brevispinis* Monod, 1946
- Calappa*  
*granulata* (Linnaeus, 1758)  
*pelii* Herklots, 1851  
*rissiana* Pastore, 1995  
*turkayana* Pastore, 1995
- Cryptosoma*  
*cristatum* Brullé, 1837

**Family Matutidae**

- Ashtoret*  
*lunarit* (Forskål, 1775)

**Family Leucosiidae**

- Ebalia*  
*affinis* Miers, 1881  
*cranchii* Leach, 1817  
*deshayesi* Lucas, 1846  
*edwardsii* Costa, 1838  
*fragifera* Miers, 1881  
*granulosa* H. Milne-Edwards, 1837  
*nux* A. Milne-Edwards, 1883  
*tuberculata* Miers, 1881  
*tuberosa* (Pennant, 1777)  
*tumefacta* (Montagu, 1808)

- Ilia*  
*nucleus* (Linnaeus, 1758)  
*spinosa* Miers, 1881

- Ixa*  
*monodi* Holthuis & Gottlieb, 1956

- Leucosia*  
*signata* Paulson, 1875

- Meroeryptus*  
*boletifer* A. Milne-Edwards & Bouvier, 1894  
*obsoletus* A. Milne-Edwards & Bouvier, 1898

- Myra*  
*fugax* (Fabricius, 1798)

**Family Majidae**

- Acanthonyx*  
*brevifrons* A. Milne-Edwards, 1869

- lunulatus* (Risso, 1816)
- Achaeus**
- cranchii* Leach, 1817
  - gracilis* O.G. Costa, 1839
- Chionoecetes**
- opilio* (Fabricius, 1788)
- Dorhynchus**
- thomsoni* Thomson, 1873
- Ergasticus**
- clouei* A. Milne-Edwards, 1882
- Eury nome**
- aspera* (Pennant, 1777)
  - spinosa* Hailstone, 1835
- Herbstia**
- condyliata* (Fabricius, 1787)
  - rubra* A. Milne-Edwards, 1869
- Hyas**
- araneus* (Linnaeus, 1758)
  - coarctatus* subsp. *coarctatus* Leach, 1815
- Hyastenus**
- hilgendorfi* De Man, 1887
- Inachus**
- aguiarii* De Brito Capello, 1876
  - communissimus* Rizza, 1839
  - dorsettensis* (Pennant, 1777)
  - grallator* Manning & Holthuis, 1981
  - guentheri* (Miers, 1879)
  - leptochirus* Leach, 1817
  - nanus* Manning & Holthuis, 1981
  - parvirostris* (Risso, 1816)
  - phalangium* (Fabricius, 1775)
  - thoracicus* Roux, 1830
- Libinia**
- dubia* H. Milne-Edwards, 1834
- Lissa**
- chiragra* (Fabricius, 1775)
- Macropodia**
- czernjawskii* (Brandt, 1880)
  - deflexa* Forest, 1978
  - hesperiae* Manning & Holthuis, 1981
  - intermedia* Bouvier, 1940
  - linaresi* Forest & Zariquey-Alvarez, 1964
  - longipes* (A. Milne-Edwards & Bouvier, 1899)
  - longirostris* (Fabricius, 1775)
  - parva* Van Noort & Adema, 1985
  - rostrata* (Linnaeus, 1761)
  - tenuirostris* (Leach, 1814)
- Maja**
- brachydactyla* Balss, 1922
  - crispata* Risso, 1827
  - goltziana* d'Oliveira, 1888
  - squinado* (Herbst, 1788)
- Micippa**
- thalia* (Herbst, 1803)
- Micropisa**
- ovata* Stimpson, 1858
- Pisa**
- armata* (Latreille, 1803)
  - carinimana* Miers, 1879
  - hirticornis* (Herbst, 1804)
  - muscosa* (Linnaeus, 1758)
  - nodipes* (Leach, 1815)
  - tetraodon* (Pennant, 1777)
- Rochinia**
- carpenteri* (Thomson, 1873)
  - crassa* (A. Milne-Edwards, 1879)
  - rizzoana* (Roux, 1828)
- Stenorhynchus**
- lanceolatus* (Brullé, 1837)
- Family Parthenopidae**
- Heterocrypta*
- marionis* A. Milne-Edwards, 1881
- Parthenope*
- angulifrons* Latreille, 1825
  - expansa* (Miers, 1879)
- macrochelos* (Herbst, 1790)
- massena* (Roux, 1830)
- miersii* (A. Milne-Edwards & Bouvier, 1898)
- Family Corystidae**
- Corystes*
- cassivelalaunus* (Pennant, 1777)
- Family Atelecyclidae**
- Atelecyclus*
- rotundatus* (Olivi, 1792)
  - undecimdentatus* (Herbst, 1793)
- Family Cancridae**
- Cancer*
- bellianus* Johnson, 1861
  - pagurus* Linnaeus, 1758
- Family Pirimelidae**
- Pirimela*
- denticulata* (Montagu, 1808)
- Sirpus*
- ponticus* Vereshchaka, 1989
  - zariqueyi* Gordon, 1953
- Family Thiidae**
- Thia*
- scutellata* (Fabricius, 1793)
- Family Portunidae**
- Bathynectes*
- longipes* (Risso, 1816)
  - maravigna* (Prestandrea, 1839)
- Callinectes*
- danae* Smith, 1869
  - sapidus* Rathbun, 1896
- Carcinus*
- aestuarii* Nardo, 1847
  - maenas* (Linnaeus, 1758)
- Charybdis*
- helleri* (A. Milne-Edwards, 1867)
  - longicollis* Leene, 1938
- Laleonectes*
- vocans* (A. Milne-Edwards, 1878)
- Liocarcinus*
- bolivari* (Zariquey-Alvarez, 1948)
  - corrugatus* (Pennant, 1777)
  - depurator* (Linnaeus, 1758)
  - holstus* (Fabricius, 1798)
  - maculatus* (Risso, 1827)
  - marmoreus* (Leach, 1814)
  - macleayi* (Barnard, 1947)
  - navigator* subsp. *navigator* (Herbst, 1794)
  - navigator* (Herbst, 1794) subsp. *rondeletii* (Risso, 1816)
  - pusillus* (Leach, 1815)
  - vernalis* (Risso, 1827)
  - zariqueyi* (Gordon, 1968)
- Macropipus*
- rugosus* (Doflein, 1904)
  - tuberculatus* (Roux, 1830)
- Necora*
- puber* (Linnaeus, 1767)
- Polybius*
- henslowii* Leach, 1820
- Portumnus*
- latipes* (Pennant, 1777)
  - lysianassa* (Herbst, 1796)
- Portunus*
- hastatus* (Linnaeus, 1767)
  - inaequalis* (Miers, 1881)
  - pelagicus* (Linnaeus, 1758)
  - sayi* (Gibbes, 1850)
- Thalamita*
- gloriensis* Crosnier, 1962
  - poissonii* (Audouin, 1826)
- Xaiva*
- biguttata* (Risso, 1816)
- Family Geryonidae**

- Chaceon**  
*affinis* (A. Milne-Edwards & Bouvier, 1894)  
*gordonae* (Ingle, 1985)  
*inglei* Manning & Holthuis, 1989  
*mediterraneus* Manning & Holthuis, 1989
- Geryon**  
*longipes* A. Milne-Edwards, 1882  
*trispinosus* (Herbst, 1803)
- Zariquiey**  
*inflatus* Manning & Holthuis, 1989
- Family Panopeidae**  
*Dyspanopeus*  
*sayi* (Smith, 1869)  
*Panopeus*  
*africanus* A. Milne-Edwards, 1867
- Rhithropanopeus**  
*harrisi* (Gould, 1841)
- Family Trapeziidae**  
*Coralliope*  
*parvula* (A. Milne-Edwards, 1869)
- Domecia**  
*acanthophora* (Desbonne & Schramm, 1867) subsp.  
*africana* Guinot, 1964
- Family Xanthidae**  
*Atergatis*  
*roseus* (Rüppell, 1830)  
*Daira*  
*perlata* (Herbst, 1790)  
*Euryozius*  
*bouvieri* (A. Milne-Edwards, 1869)  
*Glyptoxanthus*  
*cavernosus* (A. Milne-Edwards, 1878)
- Microcassiope**  
*minor* (Dana, 1852)
- Monodaeus**  
*couchi* (Couch, 1851)  
*guinotae* Forest, 1976  
*rouxi* (Capart, 1951)
- Nanocassiope**  
*melanodactyla* (A. Milne-Edwards, 1867)
- Paractaea**  
*monodi* Guinot, 1969
- Paragaleone**  
*longicrura* (Nardo, 1868)
- Paraxanthias**  
*eriphoides* (A. Milne-Edwards, 1867)
- Platypodiella**  
*picta* (A. Milne-Edwards, 1869)
- Progeryon**  
*paucidens* Bouvier, 1922
- Xantho**  
*granulicarpus* Forest, 1953  
*hydrophilus* (Herbst, 1790)  
*pilipes* A. Milne-Edwards, 1867  
*poressa* (Olivi, 1792)  
*sexdentatus* (Miers, 1881)
- Family Eriphiidae**  
*Eriphia*  
*verrucosa* (Forskål, 1775)
- Globopilumnus**  
*africanus* (A. Milne-Edwards, 1867)
- Sphaerozus**  
*nitidus* Stimpson, 1858
- Family Pilumnidae**  
*Heteropanope*  
*laevis* (Dana, 1852)
- Pilumnopeus**  
*vauquelinii* (Audouin, 1826)
- Pilumnus**  
*hirsutus* Stimpson, 1858  
*hirtellus* (Linnaeus, 1761)  
*inermis* A. Milne-Edwards & Bouvier, 1894  
*spinifer* H. Milne-Edwards, 1834  
*vilosissimus* (Rafinesque, 1814)
- Family Pilumnoididae**  
*Pilumnoides*  
*inglei* Guinot & Macpherson, 1987
- Family Bythograeidae**  
*Segonzacia*  
*mesatlantica* (Williams, 1988)
- Family Carcinoplacidae**  
*Carcinoplax*  
*barnardi* Capart, 1951
- Family Euryplacidae**  
*Eucrate*  
*crenata* De Haan, 1835
- Machaerus**  
*atlanticus* (Miers, 1881)
- Family Gonoplacidae**  
*Goneplax*  
*rhombooides* (Linnaeus, 1758)
- Family Grapsidae**  
*Brachynotus*  
*atlanticus* Forest, 1957  
*foresti* Zariquiey-Alvarez, 1968  
*gemmellari* (Rizza, 1839)  
*sedentatus* (Risso, 1827)
- Eriocheir**  
*sinensis* H. Milne-Edwards, 1853
- Euchirograpsus**  
*liguricus* H. Milne-Edwards, 1853
- Grapsus**  
*adscencionis* (Osbeck, 1765)
- Hemigrapsus**  
*penicillatus* (De Haan, 1835)
- Pachygrapsus**  
*marmoratus* (Fabricius, 1787)  
*maurus* (Lucas, 1846)  
*transversus* (Gibbes, 1850)
- Percnon**  
*gibbesi* (H. Milne-Edwards, 1853)
- Plagusia**  
*depressa* (Fabricius, 1775)  
*tuberculata* Lamarck, 1818
- Planes**  
*cyaneus* Dana, 1851  
*minutus* (Linnaeus, 1758)
- Family Ocypodidae**  
*Macrophthalmus*  
*graeffei* A. Milne-Edwards, 1873
- Ocypode**  
*cursor* (Linnaeus, 1758)
- Uca**  
*tangeri* (Eyraud, 1835)
- Family Pinnotheridae**  
*Afropinnotheres*  
*monodi* Manning, 1993
- Asthenognathus**  
*atlanticus* Monod, 1933
- Nepinnotheres**  
*pinnotheres* (Linnaeus, 1758)
- Pinnotheres**  
*ascidicola* Hesse, 1872  
*marioni* Gourret, 1887  
*pectunculi* Hesse, 1872  
*pisum* (Linnaeus, 1767)
- Family Palicidae**  
*Palicus*  
*caronii* (Roux, 1830)
- Family Cryptochiridae**  
*Detocarcinus*  
*balssi* (Monod, 1956)