

HPI : Office PC



HP ProDesk 400 G7 Microtower

HPI-55R74PA#AKL



HP ProDesk 400 G7 Microtower

HPI-55R72PA#AKL



HP ProDesk 400 G7 Microtower

HPI-59D88PA#AKL

Processor	Intel Core i7 10700 8C 65W CPU	Intel Core i3 10100 3.6GHz 4C 65W CPU	Intel Core i5 10500 3.1GHz 6C 65W CPU
Cache			
Memory Std.	8GB (1x8GB) DDR4 2933 DIMM Memory	4GB (1x4GB) DDR4 2666 DIMM Memory	8GB (1x8GB) DDR4 2666 DIMM Memory
Chipset	Intel® Q470	Intel® Q470	Intel® Q470
Harddisk	2TB 7200RPM SATA 3.5in	1TB 7200RPM SATA-6G 3.5in	512GB M.2 2280 PCIe NVMe Solid State Drive
Optical Drive	DVD-Writer ODD	DVD-Writer ODD	9.5mm DVD-Writer
Wireless	Realtek RTL8822CE ac 2x2 +Bluetooth 5 WW	Realtek RTL8822CE ac 2x2 +Bluetooth 5 WW	
Audio			
Graphic	AMD Radeon R7 430 2GB LP DP VGA PCIe x16	Intel® UHD Graphics 630	Intel® UHD Graphics 630
Expandable			
Keyboard & Mouse	Value Wired Keyboard & USB Hardened Optical Wired Mouse	Value Wired Keyboard & USB Hardened Optical Wired Mouse	HP USB 320K Keyboard THAI & HP Wired 320M Mouse
Monitor			
OS	Windows 10 Home 64 Plus Single Language APAC EM PPP	Windows 10 Home 64 Single Language APAC EM PPP	Windows 10 Pro 64
Warranty	3 Year on site	3 Year on site	3 Year on site
SRP (inc. VAT)	27,720.-	15,990.-	25,390.-



HP 280 Pro G8 Microtower

HPI-5C141PA#AKL



HP 280 Pro G8 Microtower

HPI-5C142PA#AKL

Processor	Intel Core i3-10105 3.70G 6MB 4 cores	Intel Core i5-10505 3.2 GHZ 12MB 6 cores
Cache		
Memory Std.	4GB (1x4GB) DDR4 2666 UDIMM NECC (2400) Memory	8GB (1x8GB) DDR4 2933 DIMM Memory
Chipset	Intel® H570	Intel® H570
Harddisk	1TB 7200RPM SATA-6G 3.5in	1TB 7200RPM SATA-6G 3.5in
Optical Drive	9.5mm DVD-Writer	9.5mm DVD-Writer
Wireless	Realtek RTL8821CE ac 1x1 +Bluetooth 4.2 LE WW	Realtek RTL8821CE ac 1x1 +Bluetooth 4.2 LE WW
Audio		
Graphic	Intel® UHD Graphics 630	Intel® UHD Graphics 630
Expandable		
Keyboard & Mouse	"USB Business Slim Wired Keyboard THAI HP USB Hardened Optical Wired Mouse"	"USB Business Slim Wired Keyboard THAI HP USB Hardened Optical Wired Mouse"
Monitor		
OS	Windows 11 Home 64 Single Language APAC EM PPP	Windows 11 Home 64 Single Language APAC EM PPP
Warranty	3 Year on site	3 Year on site
SRP (inc. VAT)	14,740.-	18,280.-

Office PC

2

HPI : ThinClient



Part#	Specification	Processor	Flash ROM	RAM	WiFi	VDI Protocol	I/O Port	Warranty	SRP (inc.vat)
HP Zero Client									
2EZ54AA#AKL	t310 G2/Ethernet/AA	TERA2321 PCoIP Zero Client	32M	512M	No	PCoIP	1 DVI-I, 1DP	'3/3/3	15,515.-
210R5AA#AKL	t430v2/SZ/ TC	"Intel® Celeron® Processor N4020; 1.1 - 2.8 GHz dual-core processor	16GB	2GB	No	RDP, Citrix, VMware	1HDMI,1DP,1USB 2.0,1USB Type C	3/3/3	8,390.-
HP ThinPro OS (Linux)									
211Q0AA#AKL	t430v2/TP/ TC	"Intel® Celeron® Processor N4020; 1.1 - 2.8 GHz dual-core processor	16GB	2GB	No	RDP, Citrix, VMware	1HDMI,1DP,1USB 2.0,1USB Type C	'3/3/3	8,390.-
211R3AA#AKL	t430v2/TP/W TC	"Intel® Celeron® Processor N4020; 1.1 - 2.8 GHz dual-core processor	16GB	2GB	Yes	RDP, Citrix, VMware	1HDMI,1DP,1USB 2.0,1USB Type C	'3/3/3	9,190.-
1X6E9AA#AKL	t540/TP/16GF/4GR TC	AMD Ryzen R1000; 1.5-2.8GHz 3400 CPU	16GB	4GB	No		3x USB-A3.1 Gen1, 1x USB-C 3.1 Gen1, 2x Display Port 1.2, 2x USB-A 2.0	'3/3/3	12,600.-
2Z011PA#AKL	t638/TP/16GF/4GR	Intel Celeron® Processor J4125 2.0 – 2.7 GHz; 4 cores	16GB	4GB	No	PCoIP, RDP, Citrix, VMware	"6 x USB-A, 1 x parallel port, 2 x serial port, 1 x VGA, 1 x HDMI, 1 x RJ45"	'3/3/3	12,000.-
2Z012PA#AKL	t638/TP/16GF/4GR/W	Intel Celeron® Processor J4125 2.0 – 2.7 GHz; 4 cores	16GB	4GB	Yes	PCoIP, RDP, Citrix, VMware	"6 x USB-A, 1 x parallel port, 2 x serial port, 1 x VGA, 1 x HDMI, 1 x RJ45"	'3/3/3	12,500.-
7NN44AA#AKL	t640/TP/16GF/4GR	AMD Ryzen R1505G;2.4-3.3GHz,1MB cache, 2 cores	16GB	4GB	No	Citrix® HDX; Microsoft RFX/RDP; VMware Horizon® View™ through RDP/PCoIP, and Blast Extreme	3 USB 3.1 Gen 1, 1 USB 3.1 Type-C™, 1 USB 3.1 Type-C™ Gen 2, 2 USB 2.0, 3Display Port	'3/3/3	15,515.-
7NL34AA#AKL	t740/TP/16GF/8GR	AMD Ryzen Embedded V1756B ;3.25-3.60 GHz, 2MB cache, 4 cores	16GB	8GB	No	Citrix® HDX; Microsoft RFX/RDP; VMware Horizon® View™ through RDP/PCoIP, and Blast Extreme	3 USB 3.1 Gen 1, 1 USB 3.1 Type-C™, 1 USB 3.1 Type-C™ Gen 2, 2 USB 2.0, 4 DisplayPort™ 1.2	'3/3/3	19,474.-
HP ThinClient Windows 10 IoT Ent. (W19 is Win10IOT 2019 or RS5)									
277V2AA#AKL	t430v2/W19/W TC	Intel® Celeron® Processor N4020; 1.1 - 2.8 GHz dual-core processor	32GB	4GB	Yes	RDP, Citrix, VMware	1HDMI,1DP,1USB 2.0,1USB Type C	'3/3/3	12,900.-
2Y7S3PA#AKL	t540/W19/32GF/4GR/W	AMD Ryzen R1000; 1.5-2.8GHz 3400 CPU	32GB	4GB	Yes		"3x USB-A3.1 Gen 1, 1x USB-C 3.1 Gen1, 2x Display Port 1.2, 2x USB-A 2.0, 1x VGA"	'3/3/3	13,500.-
2Y7S5PA#AKL	t540/W19/32GF/8GR/W	AMD Ryzen R1000; 1.5-2.8GHz 3400 CPU	32GB	8GB	Yes		"3x USB-A3.1 Gen 1, 1x USB-C 3.1 Gen1, 2x Display Port 1.2, 2x USB-A 2.0, 1x VGA"	'3/3/3	14,300.-
1X7R3AA#AKL	t540/W19/64GF/8GR TC	AMD Ryzen R1000; 1.5-2.8GHz 3400 CPU	64GB	8GB	Yes		"3x USB-A3.1 Gen 1, 1x USB-C 3.1 Gen1, 2x Display Port 1.2, 2x USB-A 2.0"	'3/3/3	14,900.-
2Y7S7PA#AKL	t540/W19/64GF/8GR/W	AMD Ryzen R1000; 1.5-2.8GHz 3400 CPU	64GB	8GB	Yes		"3x USB-A3.1 Gen 1, 1x USB-C 3.1 Gen1, 2x Display Port 1.2, 2x USB-A 2.0, 1x VGA"	'3/3/3	15,500.-
2Y7T0PA#AKL	t540/W19/128GF/8GR/W	AMD Ryzen R1000; 1.5-2.8GHz 3400 CPU	128GB	8GB	Yes		"3x USB-A3.1 Gen 1, 1x USB-C 3.1 Gen1, 2x Display Port 1.2, 2x USB-A 2.0, 1x VGA"	'3/3/3	17,490.-
2Z013PA#AKL	t638/W19/64GF/8GR	Intel Celeron® Processor J4125 2.0 – 2.7 GHz; 4 cores	64GB	8GB	No	PCoIP, RDP, Citrix, VMware	"6 x USB-A, 1 x parallel port,2 x serial port, 1 x VGA, 1 x HDMI, 1 x RJ45"	'3/3/3	14,200.-
2Z272PA#AKL	t638/W19/64GF/8GR/W	Intel Celeron® Processor J4125 2.0 – 2.7 GHz; 4 cores	64GB	8GB	YEs	PCoIP, RDP, Citrix, VMware	"6 x USB-A, 1 x parallel port, 2 x serial port, 1 x VGA, 1 x HDMI, 1 x RJ45"	'3/3/3	15,000.-
7NN46AA#AKL	t640/W19/64GF/8GR	AMD Ryzen R1505G;2.4-3.3GHz,1MB cache, 2 cores	64GB	8GB	No	Citrix® HDX; Microsoft RFX/RDP; VMware Horizon® View™ through RDP/PCoIP, and Blast Extreme	3 USB 3.1 Gen 1, 1 USB 3.1 Type-C™, 1 USB 3.1 Type-C™ Gen 2, 2 USB 2.0, 3Display Port	'3/3/3	16,490.-
7NN47AA#AKL	t640/W19/64GF/8GR/W	AMD Ryzen R1505G;2.4-3.3GHz,1MB cache, 2 cores	64GB	8GB	Yes	Citrix® HDX; Microsoft RFX/RDP; VMware Horizon® View™ through RDP/PCoIP, and Blast Extreme	3 USB 3.1 Gen 1, 1 USB 3.1 Type-C™, 1 USB 3.1 Type-C™ Gen 2, 2 USB 2.0, 3Display Port	'3/3/3	17,490.-
7NN06AA#AKL	t740/W19/64GF/8GR	AMD Ryzen Embedded V1756B ;3.25-3.60 GHz, 2MB cache, 4 cores	64GB	8GB	No	Citrix® HDX; Microsoft RFX/RDP; VMware Horizon® View™ through RDP/PCoIP, and Blast Extreme	3 USB 3.1 Gen 1, 1 USB 3.1 Type-C™, 1 USB 3.1 Type-C™ Gen 2, 2 USB 2.0, 4 DisplayPort™ 1.2	'3/3/3	22,900.-
mt22 ThinClient									
9UZ48AA#AKL	mt22/W19/128F/8G/W/ Camera/3-3-0	Intel® Celeron™ 5205U processor with Intel® UHD Graphics 620 (1.9 GHz base frequency, 2 MB L3 cache, 2 cores)1,2,3,4,5	128F	8GB	Yes	Citrix ICA/HDX; Microsoft RFX/RDP; VMware Horizon View™ through RDP/PCoIP, and BlastExtreme (Protocols are dependent on operating system installed.)	1 USB-C 3.1 gen1 Type-C port, 2 USB 3.0 Type-A ports, 1 RJ-45, 1 VGA, 1 HDMI, SD Card Reader, Combo Audio Jack, AC Power Adapter (4.5 mm Barrel)	'3/3/0	19,900.-
1L9N5AA#AKL	mt46/TP/128F/4G/Wifi6/ Camara/ FHD/3-3-0	AMD Ryzen™ 3-PRO 4450U APU with Radeon™ Graphics (2.5 GHz base clock, up to 3.8 GHz max boost clock, 4 MB L3 cache, 4 cores) 3,4,5	128F	4GB	Yes	Citrix® ICA/HDX; Microsoft RFX/RDP; VMware Horizon® View™ through RDP/PCoIP, and Blast Extreme (Protocols are dependent on operating system installed.)	2 USB Type-C® 3.1 Gen2(Altmode) / 1 USB 3.1 Gen1port / 1 USB 3.1 Gen 1 (1 charging) / 1 HDMI 2.0 [6] / 1 headphone/microphone combo / 1 AC power / 1 SIM card slot [40] / 1 Smartcard reader	'3/3/0	22,000.-
1L6Z3AA#AKL	mt46/W19/128F/8G/Wifi6/Camara/ FHD/3-3-0	AMD Ryzen™ 3-PRO 4450U APU with Radeon™ Graphics (2.5 GHz base clock, up to 3.8 GHz max boost clock, 4 MB L3 cache, 4 cores) 3,4,5	128F	8GB	Yes			'3/3/0	27,000.-
1L5Z8AA#AKL	mt46/W19/128F/8G/Wifi6/IR Camara/ FHD/3-3-0	AMD Ryzen™ 3-PRO 4450U APU with Radeon™ Graphics (2.5 GHz base clock, up to 3.8 GHz max boost clock, 4 MB L3 cache, 4 cores) 3,4,5	128F	8GB	Yes			'3/3/0	36,200.-

Office PC

3

HPI : ThinClient



Part#	Specification	Detail Description	Operating Systems	Screen Size	Warranty	SRP (inc.vat)
Operating Systems						
CTOrp901	Intel Pentium G4400 3.3G	Intel Pentium G4400 3.3G /4GB RAM/500GB SATA	POSReady 7 32bit OS THAI	15.6" Wide Touch Screen(16:9)	3/3/3	58,422.-
CTOEngageOne01	Intel Celeron 3965U with Intel Graphics 610	Celeron 2.2GHz/4GB RAM/512 GB SATA SSD	Windows 10 Pro 64	14"diagonal FHD anti glare touch screen (1920x1080)	3/3/3	50,000.-
CTOEngageOne02	Intel Core i3-7100U with Intel Graphics 620	Core i3-7100/8GB RAM/128 M2 SATA	Windows 10 Pro 64	14"diagonal FHD anti glare touch screen (1920x1080)	3/3/3	52,900.-
37N45PA#AKL	Intel® Celeron® G5900E	HP Engage One Pro AiO C5900E 8GB/128 PC	Windows 10 IoT 64 Enterprise LTSC 2019 Entry for Retail	15.6" diagonal, FHD (1920 x 1080) IPS, 400 nits	3/3/3	39,200.-
37P31PA#AKL	Intel® Pentium® G6400E	HP Engage One Pro AiOPentG6400E8GB/128PC	Windows 10 IoT 64 Enterprise LTSC 2019 Value for Retail	15.6" diagonal, FHD (1920 x 1080) IPS, 400 nits	3/3/3	54,500.-
37N22PA#AKL	Intel® Core™ i3-10100E	HP Engage One Pro AiO i3-10300E8GB/256PC	Windows 10 IoT 64 Enterprise LTSC 2019 Value for Retail	15.6" diagonal, FHD (1920 x 1080) IPS, 400 nits	3/3/3	58,000.-
37N02PA#AKL	Intel® Core™ i3-10100E	HP Engage One Pro AiO i3-10300E8GB/256PC	Windows 10 IoT 64 Enterprise LTSC 2019 Value for Retail	19.5"diagonal, FHD (1920 x 1080), IPS, 450 nits	3/3/3	46,500.-
HP Engage Go Convertible System						
CTOEngage-Go01	Intel® Pentium® 4410Y with Intel® HD Graphics 615	Pentium 4410Y/4GB/W10/128SSD	Windows 10 Pro 64	12.3 WUXGA	3/3/3	79,900.-
CTOEngage-Go02	Intel® Core™ m3-7Y30 with Intel® HD Graphics 615	Intel Core m3-7Y30/4GB/W10/128SSD	Windows 10 Pro 64	12.3 WUXGA	3/3/3	84,000.-
HP rPOS Modular						
CTOFlexPro01	HP Engage Flex Pro i5 8500	i5-8500/8GB RAM/500GB SATA/ USB Keyboard/Mouse/DVDRW	Windows 10 Pro 64 THAI		3/3/3	39,500.-
CTOFlex-ProC01	HP Engage Flex Pro-C i7 8700	i7-8700/8GB RAM/512 SSD/USB Keyboard/Mouse	Windows 10 Pro 64 THAI		3/3/3	48,000.-
CTPMP9G4	HP MP9 G4 Desktop Mini PC	i5-8500T/8GB RAM/256 SSD/ W10Pro/USB Keyboard and Mouse	Windows 10 Pro 64 THAI		3/3/3	30,900.-
rPOS Accessoires						
Part#	Detail Description		Supported Model	SRP (inc.vat)		
BW867AA	HP Flip Top Cash Drawer		All RPOS models	9,523.00		
Z1Z36AA	HP Linear Barcode Scanner		All RPOS models	4,280.00		
FK182AA#AKL	International Cash Drawer THAI		All RPOS models	7,811.00		
QT457AA#AB4	Standard Duty Cash Drawer		All RPOS models	4,173.00		
E8E45AA#AB4	USB Standard Duty Cash Drawer		All RPOS models	6,955.00		
FK218AA#AKL	HP POS MSR Keyboard (Vista) THAI		All RPOS models	5,243.00		
BM476AA	HP SerialUSB Thermal Receipt Printer		All RPOS models	12,305.00		
BM477AA	HP PUSB Y Cable		All RPOS models	1,380.30		
1RL95AA	HP ElitePOS Top Mount 2 x 20 CFD		Engage One	8,025.00		
1RL97AA	HP ElitePOS 2D Barcode Scanner		Engage One	8,025.00		
1RL98AA	HP ElitePOS Finger Print Reader		Engage One	6,206.00		
1RL96AA	HP ElitePOS Serial USB Thermal Printer		Engage One	9,095.00		
1RM02AA#AKL	HP Engage One Printer USB Cable + Pwr Adpter		Engage One	1,490.00		
1RM03AA#AKL	HP Engage One Printer Serial Cable + Pwr Adptr		Engage One	1,990.00		
1RM05AA	HP Engage One Printer Serial Cable + PUSB Pw only		Engage One	1,990.00		
1UN11AA#AKL	HP Engage One Basic I/O Connectivity Base (Black) - For EngageOne		Engage One	8,900.00		
1UN12AA#AKL	HP Engage One Advanced I/O Connectivity Base (Black) - For EngageOne		Engage One	9,900.00		
3GS18AA	HP Engage One Top Mount 2 x 20 CFD (White)		Engage One	8,025.00		
3GS20AA	HP Engage One 2D Barcode Scanner (White)		Engage One	8,025.00		
3GS21AA	HP Engage One Biometric Finger Print Reader (White)		Engage One	6,206.00		
3GS16AA#AKL	HP Engage One Basic I/O Connectivity Base (White) - For EngageOne		Engage One	9,500.00		
3GS17AA#AKL	HP Engage One Advanced I/O Connectivity Base (White) - For EngageOne		Engage One	10,500.00		
3GS19AA	HP Engage One Serial USB Thermal Printer (White)		Engage One	9,095.00		
3WV53AA#AKL	HP Engage One W Printer USB Cable + PSU (White)		Engage One	1,490.00		
3WV54AA#AKL	HP Engage One W Printer Serial Cable +PSU (White)		Engage One	1,990.00		
3WV55AA	HP Engage One W Printer PUSB Y Cable (White)		Engage One	1,790.00		
5FW23AA	HP Engage One W Printer Serial+PUSB Pwr only (White)		Engage One	2,200.00		
N3R61AA	HP RP9 Integrated Bar Code Scanner-Side		RP9	9,523.00		
N3R63AA	HP RP9 Integrated Single-Head MSR		RP9	3,531.00		
N3R64AA	HP RP9 Integrated Fingerprint Reader		RP9	5,778.00		
P5A55AA	HP RP9 Integrated 2x20 Display Top w/Arm		RP9	9,523.00		
P5A56AA	HP RP9 Integrated 7 NT CFD Top w/Arm		RP9	13,375.00		
4AK33AA#AKL	HP Value Thermal Receipt Printer		All RPOS models	5,500.00		
4AK34AA#AB4	HP Value Barcode Scanner		All RPOS models	2,900.00		
4AK35AA#AB4	HP Value Cash Drawer		All RPOS models	2,900.00		
M1F94AA#AKL	HP L5015tm Touch Monitor		Display	17,900.00		

Office PC

4

LENOVO : Office PC



M70q Tiny

LNV-11DT007KTA



M70q Tiny

LNV-11DT007MTA



M70t TW

LNV-11EVS0BM00

Processor	CORE i3-10100T (6M CACHE , 3.0 GHz up to 3.8 GHz)	CORE i5-10500T (12M CACHE , 2.3 GHz up to 3.8 GHz)	CORE i3-10100 (6M CACHE , 3.6 GHz up to 4.3 GHz)
Core / Threads	4 / 8	6 / 12	4 / 8
Cache	6 MB Intel® Smart Cache	12 MB Intel® Smart Cache	6 MB Intel® Smart Cache
Memory Std/Max	4GB DDR4 2666 SODIMM (max 64 GB , Dimm 2 Slots)	8GB DDR4 2666 SODIMM (max 64 GB , Dimm 2 Slots)	4GB DDR4 2666 UDIMM (max 128 GB , Dimm 4 Slots)
Chipset	Intel H470 Chipset	Intel H470 Chipset	Intel H470 chipset
Harddisk	256GB SSD M.2 2280 NVME TLC OP	256GB SSD M.2 2280 NVME TLC OP	1TB HD 7200RPM 3.5
Optical	None	None	SLIM DVD RAMBO 9.0MM
WLAN	Intel Wi-Fi 6 AX201 (dual band),Wi-Fi + Bluetooth 5.1 combo adapter, 2x2	Intel Wi-Fi 6 AX201 (dual band),Wi-Fi + Bluetooth 5.1 combo adapter, 2x2	None
Audio	Realtek ALC233VB / optional internal speaker (1.5 watt)	Realtek ALC233VB / optional internal speaker (1.5 watt)	High Definition (HD) Audio, Realtek® ALC623-CG codec
Graphic	UHD Intel® 630	UHD Intel® 630	Intel UHD Graphics 630
Expandable	1 x USB 3.2 Gen 2 (Always On and fast charge), 1 x USB 3.2 Type-C Gen 1, head- phone / microphone combo jack (3.5mm) 1x USB 3.2 Gen 2, 3x USB 3.2 Gen 1, 1x ethernet (RJ-45), 1x DP, 1x HDMI , USB- KB-Mouse	1 x USB 3.2 Gen 2 (Always On and fast charge), 1 x USB 3.2 Type-C Gen 1, head- phone / microphone combo jack (3.5mm) 1x USB 3.2 Gen 2, 3x USB 3.2 Gen 1, 1x ethernet (RJ-45), 1x DP, 1x HDMI	2x USB 3.2 Gen 1 ,2x USB 3.2 Gen 2 ,1x USB-C 3.2 Gen 1 ,1x headphone / micro- phone combo jack (3.5mm),1x microphone (3.5mm), 4x USB 2.0 ,1x serial (9-pin) ,1x Ethernet (RJ-45), 1x HDMI ,1x line-out (3.5mm),2x DisplayPort , 3 in 1 Card Reader , USB-Mouse-KB
OS	DOS	DOS	DOS
Warranty	3Y Onsite	3Y Onsite	3Years Onsite
SRP (inc. VAT)	15,400.-	19,800.-	13,900.-



M70t TW

LNV-11EVS0BJ00



M70t TW

LNV-11EVS0BK00



M70t TW

LNV-11EV0047TA

Processor	CORE i3-10100 (6M CACHE , 3.6 GHz up to 4.3 GHz)	CORE i5-10400 (12M CACHE , 2.9 GHz up to 4.3 GHz)	CORE i5-10500 (12M CACHE , 3.1 GHz up to 4.5 GHz)
Core / Threads	4 / 8	6 / 12	6 / 12
Cache	6 MB Intel® Smart Cache	12 MB Intel® Smart Cache	12 MB Intel® Smart Cache
Memory Std/Max	4GB DDR4 2666 UDIMM (max 128 GB , Dimm 4 Slots)	8GB DDR4 666 UDIMM (max 128 GB , Dimm 4 Slots)	8GB DDR4 2666 UDIMM (max 128 GB , Dimm 4 Slots)
Chipset	Intel H470 chipset	Intel H470 chipset	Intel H470 chipset
Harddisk	256GB SSD M.2 2280 NVME TLC OP	1TB HD 7200RPM 3.5	1TB HD 7200RPM 3.5
Optical	SLIM DVD RAMBO 9.0MM	SLIM DVD RAMBO 9.0MM	SLIM DVD RAMBO 9.0MM
WLAN	Realtek RTL8822CE, 802.11ac Dual Band 2x2 Wi-Fi + Bluetooth 5.0, M.2 card	None	None
Audio	High Definition (HD) Audio, Realtek® ALC623-CG codec	High Definition (HD) Audio, Realtek® ALC623-CG codec	High Definition (HD) Audio, Realtek® ALC623-CG codec
Graphic	Intel UHD Graphics 630	Intel UHD Graphics 630	Intel UHD Graphics 630
Expandable	2x USB 3.2 Gen 1 ,2x USB 3.2 Gen 2 ,1x USB-C 3.2 Gen 1 ,1x headphone / micro- phone combo jack (3.5mm),1x microphone (3.5mm), 4x USB 2.0 ,1x serial (9-pin) ,1x Ethernet (RJ-45), 1x HDMI ,1x line-out (3.5mm),2x DisplayPort , 3 in 1 Card Reader , USB-Mouse-KB	2x USB 3.2 Gen 1 ,2x USB 3.2 Gen 2 ,1x USB-C 3.2 Gen 1 ,1x headphone / micro- phone combo jack (3.5mm),1x microphone (3.5mm), 4x USB 2.0 ,1x serial (9-pin) ,1x Ethernet (RJ-45), 1x HDMI ,1x line-out (3.5mm),2x DisplayPort , 3 in 1 Card Reader , USB-Mouse-KB	2x USB 3.2 Gen 1 ,2x USB 3.2 Gen 2 ,1x USB-C 3.2 Gen 1 ,1x headphone / micro- phone combo jack (3.5mm),1x microphone (3.5mm), 4x USB 2.0 ,1x serial (9-pin) ,1x Ethernet (RJ-45), 1x HDMI ,1x line-out (3.5mm),2x DisplayPort , 3 in 1 Card Reader , USB-Mouse-KB
OS	DOS	DOS	DOS
Warranty	3Years Onsite	3Years Onsite	3Years Onsite
SRP (inc. VAT)	14,600.-	18,000.-	18,700.-

Office PC

LENOVO : Office PC



M70t TW

LNV-11EVS0BP00



M70t TW

LNV-11EVS0BU00



M70t TW

LNV-11EVS0BQ00

Processor	CORE i5-10400 (12M CACHE , 2.9 GHz up to 4.3 GHz)	CORE i5-10400F (12M CACHE , 2.9 GHz up to 4.3 GHz)	Intel® Core™ i7-10700 (16M CACHE , 2.9 GHz up to 4.8 GHz)
Core / Threads	6 / 12	6 / 12	8 / 16
Cache	12 MB Intel® Smart Cache	12 MB Intel® Smart Cache	16 MB Intel® Smart Cache
Memory Std/Max	8GB DDR4 666 UDIMM (max 128 GB, Dimm 4 Slots)	8GB DDR4 666 UDIMM (max 128 GB, Dimm 4 Slots)	8GB DDR4 2933 UDIMM (max 128 GB, Dimm 4 Slots)
Chipset	Intel H470 chipset	Intel H470 chipset	Intel H470 chipset
Harddisk	256GB SSD M.2 2280 NVME TLC OP	256GB SSD M.2 2280 NVME TLC OP	2TB HD 7200RPM 3.5
Optical	SLIM DVD RAMBO 9.0MM	SLIM DVD RAMBO 9.0MM	SLIM DVD RAMBO 9.0MM
WLAN	Realtek RTL8822CE, 802.11ac Dual Band 2x2 Wi-Fi + Bluetooth 5.0, M.2 card	Realtek RTL8822CE, 802.11ac Dual Band 2x2 Wi-Fi + Bluetooth 5.0, M.2 card	Realtek RTL8822CE, 802.11ac Dual Band 2x2 Wi-Fi + Bluetooth 5.0, M.2 card
Audio	High Definition (HD) Audio, Realtek® ALC623-CG codec	High Definition (HD) Audio, Realtek® ALC623-CG codec	High Definition (HD) Audio, Realtek® ALC623-CG codec
Graphic	Intel UHD Graphics 630	NVIDIA® GeForce® GT 730 2GB GDDR5 1x VGA, 1x HDMI 1.4	NVIDIA® GeForce® GT 730 2GB GDDR5 1x VGA, 1x HDMI 1.4
Expandable	2x USB 3.2 Gen 1 ,2x USB 3.2 Gen 2 ,1x USB-C 3.2 Gen 1 ,1x headphone / microphone combo jack (3.5mm),1x microphone (3.5mm), 4x USB 2.0 ,1x serial (9-pin) ,1x Ethernet (RJ-45), 1x HDMI ,1x line-out (3.5mm),2x DisplayPort , 3 in 1 Card Reader , USB-Mouse-keyboard	2x USB 3.2 Gen 1 ,2x USB 3.2 Gen 2 ,1x USB-C 3.2 Gen 1 ,1x headphone / microphone combo jack (3.5mm),1x microphone (3.5mm), 4x USB 2.0 ,1x serial (9-pin) ,1x Ethernet (RJ-45), 1x HDMI ,1x line-out (3.5mm),2x DisplayPort , 3 in 1 Card Reader , USB-Mouse-keyboard	2x USB 3.2 Gen 1 ,2x USB 3.2 Gen 2 ,1x USB-C 3.2 Gen 1 ,1x headphone / microphone combo jack (3.5mm),1x microphone (3.5mm), 4x USB 2.0 ,1x serial (9-pin) ,1x Ethernet (RJ-45), 1x HDMI ,1x line-out (3.5mm),2x DisplayPort , 3 in 1 Card Reader , USB-Mouse-keyboard
OS	DOS	DOS	DOS
Warranty	3Years Onsite	3Years Onsite	3Years Onsite
SRP (inc. VAT)	18,500.-	19,700.-	26,900.-



V55t-15ARE

LNV-11KGS01300



V55t-15ARE

LNV-11KGS01800



V55t-15ARE

LNV-11KGS01600

Processor	AMD Ryzen™ 3 4300G (6MB Cache , 3.8 GHz up to 4.0 GHz)	AMD Ryzen™ 5 4600G (11MB Cache , 3.7 GHz up to 4.2 GHz)	AMD Ryzen™ 5 4600G (11MB Cache , 3.7 GHz up to 4.2 GHz)
Core / Threads	4 / 8	6 / 12	6 / 12
Cache	6MB Cache	11MB Cache	11MB Cache
Memory Std/Max	4GB DDR4 3200 UDIMM (max 32 GB, Dimm 2 Slots)	8GB DDR4 3200 UDIMM (max 32 GB, Dimm 2 Slots)	8GB DDR4 3200 UDIMM (max 32 GB, Dimm 2 Slots)
Chipset	AMD B500 chipset	AMD B500 chipset	AMD B500 chipset
Harddisk	256GB SSD M.2 2242 NVME TLC	256GB SSD M.2 2242 NVME TLC	256GB SSD M.2 2242 NVME TLC
Optical	SLIM DVD RAMBO 9.0MM	SLIM DVD RAMBO 9.0MM	SLIM DVD RAMBO 9.0MM
WLAN	Realtek RTL8822CE, 802.11ac Dual Band 2x2 Wi-Fi + Bluetooth 5.0, M.2 card	Realtek RTL8822CE, 802.11ac Dual Band 2x2 Wi-Fi + Bluetooth 5.0, M.2 card	Realtek RTL8822CE, 802.11ac Dual Band 2x2 Wi-Fi + Bluetooth 5.0, M.2 card
Audio	High Definition (HD) Audio, Realtek® ALC662 codec	High Definition (HD) Audio, Realtek® ALC662 codec	High Definition (HD) Audio, Realtek® ALC662 codec
Graphic	Radeon™ Graphics	Radeon™ Graphics	Radeon™ Graphics
Expandable	2x USB 2.0 ,2x USB 3.2 Gen 1 ,1x microphone (3.5mm), 1x headphone (3.5mm),2x USB 2.0,1x Ethernet (RJ-45) ,1x HDMI 1.4 out ,1x VGA, 1x microphone (3.5mm), USB-Keyborad-mouse , 7 in 1 Card Reader	2x USB 2.0 ,2x USB 3.2 Gen 1 ,1x microphone (3.5mm), 1x headphone (3.5mm),2x USB 2.0,1x Ethernet (RJ-45) ,1x HDMI 1.4 out ,1x VGA, 1x microphone (3.5mm), USB-Keyborad-mouse , 7 in 1 Card Reader	2x USB 2.0 ,2x USB 3.2 Gen 1 ,1x microphone (3.5mm), 1x headphone (3.5mm),2x USB 2.0,1x Ethernet (RJ-45) ,1x HDMI 1.4 out ,1x VGA, 1x microphone (3.5mm), USB-Keyborad-mouse , 7 in 1 Card Reader
OS	DOS	DOS	Windows 10 Home 64
Warranty	3 years onsite	3 years onsite	3 years onsite
SRP (inc. VAT)	12,600.-	16,900.-	18,700.-

Office PC

6

LENOVO : Office PC



V55t-15ARE
LNV-11KGS01500



V50t-13IMB
LNV-11EDS06C00

Processor	AMD Ryzen™ 7 4700G (12MB Cache , 3.6 GHz up to 4.4 GHz)	CORE i3-10100 (6M CACHE , 3.6 GHz up to 4.3 GHz)
Core / Threads	8 / 16	4 / 8
Cache	12MB Cache	6 MB Intel® Smart Cache
Memory Std/Max	8GB DDR4 3200 UDIMM (max 32 GB, Dimm 2 Slots)	4GB DDR4 2666 UDIMM (max 32 GB, Dimm 2 Slots)
Chipset	AMD B500 chipset	Intel B460 chipset
Harddisk	512GB SSD M.2 2242 NVME TLC	256GB SSD M.2 2280 NVME TLC OP
Optical	SLIM DVD RAMBO 9.0MM	SLIM DVD RAMBO 9.0MM
WLAN	Realtek RTL8822CE, 802.11ac Dual Band 2x2 Wi-Fi + Bluetooth 5.0, M.2 card	Realtek RTL8822CE, 802.11ac Dual Band 2x2 Wi-Fi + Bluetooth 5.0, M.2 card
Audio	High Definition (HD) Audio, Realtek® ALC662 codec	High Definition (HD) Audio, Realtek® ALC623-CG codec
Graphic	Radeon™ Graphics	Intel UHD Graphics 630
Expandable	2x USB 2.0 ,2x USB 3.2 Gen 1 ,1x microphone (3.5mm), 1x headphone (3.5mm),2x USB 2.0,1x Ethernet (RJ-45) ,1x HDMI 1.4 out ,1x VGA ,1x microphone (3.5mm), USB-Keyborad-mouse , 7 in 1 Card Reader	4x USB 3.2 Gen 1 , 1x headphone / microphone combo jack (3.5mm) , 1x microphone (3.5mm), 4x USB 2.0 ,1x VGA ,1x HDMI-out 1.4 ,1x DisplayPort 1.4 ,1x serial (9-pin) ,1x Ethernet (RJ-45) , 3 IN 1 CARD READER , USB mouse-keyboard
OS	DOS	DOS
Warranty	3 years onsite	3 Years Onsite
SRP (inc. VAT)	22,700.-	14,000.-

LENOVO : All in One



M70a AIO
LNV-11E2S03000



M70a AIO
LNV-11E2002TTA



V50a-22IMB AIO
LNV-11FN006WTA

Processor	Intel Pentium Gold G6400 (12MB Cache , 4.0 GHz)	Intel® Core™ i5-10400 (12MB Cache , 2.9 GHz up to 4.3 GHz)	CORE i3-10100T (6M Cache , 3.0 up to 3.8 GHz)
Core / Threads	2 / 4	6 / 12	4 / 8
Cache	4MB Cache	12MB Cache	6 MB Intel® Smart Cache
Memory Std/Max	4GB DDR4 2666 SODIMM (max 64 GB, Dimm 2 Slots)	8GB DDR4 2666 SODIMM (max 64 GB, Dimm 2 Slots)	8GB DDR4 2666 SODIMM (MAX 32 GB , SO-DIMM 2 Slots)
Chipset	Intel H470 chipset	Intel H470 chipset	Intel B460 Chipset
Harddisk	256GB SSD M.2 2280 NVME TLC OP	256GB SSD B258M.2 2280 NVME TLC OP	1TB HD 7200RPM 2.5 7MM
Optical	SLIM DVD RAMBO 9.0MM	SLIM DVD RAMBO 9.0MM	Slim DVD Rambo 9mm
WLAN	Realtek RTL8822CE, 802.11ac Dual Band 2x2 Wi-Fi + Bluetooth 5.0, M.2 card	Realtek RTL8822CE, 802.11ac Dual Band 2x2 Wi-Fi + Bluetooth 5.0, M.2 card	11ac, M.2 Card, Wi-Fi + Bluetooth 5.0 combo adapter, 2x2
Audio	High Definition (HD) Audio, Realtek® ALC233 codec	High Definition (HD) Audio, Realtek® ALC233 codec	High Definition (HD) Audio, Realtek ALC233, two internal speakers (3W x 2)
Graphic	UHD Intel® 610	Intel UHD Graphics 630	Intel UHD Graphics 630
Expandable	4x USB 3.2 Gen 1 ,1x DisplayPort ,1x Ethernet (RJ-45) ,1x USB 3.2 Gen 1 ,1x USB 3.2 Gen 2 ,1x USB-C 3.2 Gen 1 ,1x headphone / microphone combo jack (3.5mm) , 1080P CAMERA DUAL MIC , USB-keyboard-mouse , 3 in 1 Card reader	4x USB 3.2 Gen 1 ,1x DisplayPort ,1x Ethernet (RJ-45) ,1x USB 3.2 Gen 1 ,1x USB 3.2 Gen 2 ,1x USB-C 3.2 Gen 1 ,1x headphone / microphone combo jack (3.5mm) , 1080P CAMERA DUAL MIC , USB-keyboard-mouse , 3 in 1 Card reader	1 USB 3.1 Type-C Gen 1 , 2 x USB 3.1 Gen 1 , 3 x USB 2.0, ethernet (RJ-45),HDMI-in, HDMI-out , USB 2.0, one headphone / microphone combo jack (3.5mm), 3-in-1 card reader
OS	DOS	DOS	DOS
Display	21.5" FHD (1920x1080) 250 nit	21.5" FHD (1920x1080) 250 nit	21.5" (546.1mm), FHD (1920x1080), LED backlight,
Warranty	3 years onsite	3 years onsite	3 years onsite
SRP (inc. VAT)	17,900.-	23,600.-	19,900.-

Office PC

LENOVO : All in One



V50a-22IMB AIO

LNV-11FN006XTA



V50a-22IMB AIO

LNV-11FNA0BRTA



V50a-22IMB AIO

LNV-11FN0071TA

Processor	CORE i3-10100T (6M Cache , 3.0 up to 3.8 GHz)	CORE i3-10100T (6M Cache , 3.0 up to 3.8 GHz)	CORE i5-10400T (12M Cache , 2.0 up to 3.6 GHz)
Core / Threads	4 / 8	4 / 8	6 / 12
Cache	6 MB Intel® Smart Cache	6 MB Intel® Smart Cache	12 MB Intel® Smart Cache
Memory Std/Max	8GB DDR4 2666 SODIMM (MAX 32 GB , SO-DIMM 2 Slots)	8GB DDR4 2666 SODIMM (Max 32GB , 2 x DDR4 SO-DIMM slots)	8GB DDR4 2666 SODIMM (MAX 32 GB , SO-DIMM 2 Slots)
Chipset	Intel B460 Chipset	Intel B460 chipset	Intel B460 Chipset
Harddisk	256GB SSD M.2 2280 NVME TLC OP	256GB SSD M.2 2280 NVME TLC OP	256GB SSD M.2 2280 NVME TLC OP
Optical	Slim DVD Rambo 9mm	SLIM DVD RAMBO 9.0MM	Slim DVD Rambo 9mm
WLAN	11ac, M.2 Card, Wi-Fi + Bluetooth 5.0 combo adapter, 2x2	Intel Wireless-AC 9260, 802.11ac Dual Band 2x2 Wi-Fi + Bluetooth 5.0, M.2 card	Intel Wireless-AC 9260, 802.11ac Dual Band 2x2 Wi-Fi + Bluetooth 5.0, M.2 card
Audio	High Definition (HD) Audio, Realtek ALC233, two internal speakers (3W x 2)	High Definition (HD) Audio, Realtek® ALC233 codec	High Definition (HD) Audio, Realtek ALC233, two internal speakers (3W x 2)
Graphic	Intel UHD Graphics 630	Intel UHD Graphics 630	UHD Intel® 630
Expandable	1 USB 3.1 Type-C Gen 1, 2 x USB 3.1 Gen 1, 3 x USB 2.0, ethernet (RJ-45),HDMI-in, HDMI-out , USB 2.0, one headphone / microphone combo jack (3.5mm), 3-in-1 card reader	1080P Camera, 1x USB 2.0, 3 x USB 3.2 Gen 1, 1x HDMI-out 1.4, 1x HDMI-in, 1x Ethernet (RJ-45), 2x USB 2.0, 1x card reader, 1x headphone / microphone combo jack (3.5mm), 3 in 1 Card reader, USB-Mouse-KB	1080p camera , 1 USB 3.1 Type-C Gen 1, 2 x USB 3.1 Gen 1, 3 x USB 2.0, ethernet (RJ-45),HDMI-in, HDMI-out , USB 2.0, one headphone / microphone combo jack (3.5mm), 3-in-1 card reader , USB mouse-Keyboard
OS	21.5" (546.1mm), FHD (1920x1080), LED backlight,	21.5" FHD (1920x1080) IPS 250 nits	21.5" FHD (1920x1080) IPS 250 nits Anti-glare
Display	DOS	DOS	DOS
Warranty	3 years onsite	3 years onsite	3 years onsite
SRP (inc. VAT)	20,200.-	20,200.-	23,000.-



V50a-22IMB AIO

LNV-11FNA0BSTA



V50a-22IMB AIO

LNV-11FN0073TB

Processor	Intel® Core™ i5-10400T (12M Cache , 2.0 up to 3.6 GHz)	CORE i5-10400T (12M Cache , 2.0 up to 3.6 GHz)
Core / Threads	6 / 12	6 / 12
Cache	12 MB Intel® Smart Cache	12 MB Intel® Smart Cache
Memory Std/Max	8GB DDR4 2666 SODIMM (Max 32GB , 2 x DDR4 SO-DIMM slots)	8GB DDR4 2666 SODIMM (MAX 32 GB , SO-DIMM 2 Slots)
Chipset	Intel B460 chipset	Intel B460 Chipset
Harddisk	256GB SSD M.2 2280 NVME TLC OP	256GBSSD M.2 2280 NVME TLC OP
Optical	SLIM DVD RAMBO 9.0MM	Slim DVD Rambo 9mm
WLAN	Intel Wireless-AC 9260, 802.11ac Dual Band 2x2 Wi-Fi + Bluetooth 5.0, M.2 card	11ac, M.2 Card, Wi-Fi + Bluetooth 5.0 combo adapter, 2x2
Audio	High Definition (HD) Audio, Realtek® ALC233 codec	High Definition (HD) Audio, Realtek ALC233, two internal speakers (3W x 2)
Graphic	Intel UHD Graphics 630	Intel UHD Graphics 630
Expandable	1080P Camera, 1x USB 2.0, 3 x USB 3.2 Gen 1, 1x HDMI-out 1.4, 1x HDMI-in, 1x Ethernet (RJ-45), 2x USB 2.0, 1x card reader, 1x headphone / microphone combo jack (3.5mm), 3 in 1 Card reader, USB-Mouse-KB	1 USB 3.1 Type-C Gen 1, 2 x USB 3.1 Gen 1, 3 x USB 2.0, ethernet (RJ-45),HDMI-in, HDMI-out , USB 2.0, one headphone / microphone combo jack (3.5mm), 3-in-1 card reader
OS	21.5" FHD (1920x1080) IPS 250 nits	21.5" (546.1mm), FHD (1920x1080), LED backlight,
Display	DOS	Windows 10 Professional 64
Warranty	3 years onsite	3 years onsite
SRP (inc. VAT)	23,000.-	27,400.-

Office PC

8

ACER : Commercial Monitor

***หมายเหตุ: ไม่มี Price Protection



V176LBD (SQUARE)
ACR-UMBV6SS007



V226HQLBD
ACR-UMWV6ST001



V247Y
ACR-UMQV7ST001



V277
ACR-UMHV7ST002

Display size	LCD 17"	LCD/LED 21.5" wide screen	23.8" FHD with ZeroFrame Design	27" FHD with ZeroFrame Design
Resolution	1280x1024 @75Hz	1920x1080 @60Hz	1920x1080 @75Hz	1920x1080 @75Hz
Brightness	250 cd/m2	250 cd/m2,	250 nits	250 nits
Contrast	100,000,000:1 (ACM)	100,000,000:1 (ACM)	100,000,000:1 Max	100,000,000:1 Max
Response time	5ms		4 ms	4 ms
Speaker	No	No	2Wx2	2Wx2
Color	Black	Black		
Input	VGA (Analog D-Sub), DVI	VGA+DVI (DVI w/HDCP) HDMI	VGA+HDMI+DisplayPort All cable included!!	VGA+HDMI+DisplayPort All cable included!!
Panel	Non Glare	Non Glare	In-Plane Switching (IPS)	In-Plane Switching (IPS)
Remark	No Price protection			
SRP (inc. VAT)	6,290.-	6,690.-	7,890.-	9,290.-

ACER : Office PC



VM4670G
ACR-UDVT7ST005



VM4670G
ACR-DTVT7ST00K



VM4670G
ACR-UDVT7ST004

Processor	Intel® Core™ i3-10100 (3.6GHz up to 4.3GHz, 6M Cache) 4C/8T	Intel® Core™ i5-10500 (3.1GHz up to 4.5GHz, 12M Cache) 6C/12T	Intel® Core™ i5-10500 (3.1GHz up to 4.5GHz, 12M Cache) 6C/12T
Operating System	Endless OS	Endless OS	Endless OS
Memory	4GB DDR4 3200 UNB-DIMM	4GB DDR4 2666 UNB-DIMM	8GB DDR4 2666 UNB-DIMM
HDD	1TB 3.5" 7200rpm SATA3	1TB 3.5" 7200rpm SATA3	2TB 3.5" 7200rpm SATA3
Optical Drive	16X DVD-RW	16X DVD-RW	16X DVD-RW
Display & Graphics	Intel® UHD Graphics 630	Intel® UHD Graphics 630	Intel® UHD Graphics 630
Graphic Card	None	None	None
Audio	5.1-channel surround sound	5.1-channel surround sound	5.1-channel surround sound
Network	Onboard Ethernet LAN and Wireless LAN 802.11ax + BT 5	Onboard Ethernet LAN and Wireless LAN 802.11ax + BT 5.0 up to 5.1	Onboard Ethernet LAN and Wireless LAN 802.11ax + BT 5
Commercial Features	TPM v2.0 (Trusted Platform Module)	TPM (Trusted Platform Module)	TPM v2.0 (Trusted Platform Module)
I/O Expansions	PCIe x16 slot: 2, PCIe x1 slot: 1, PCI slot: 1	PCIe x16 slot: 2, PCIe x1 slot: 1, PCI slot: 1	PCIe x16 slot: 2, PCIe x1 slot: 1, PCI slot: 1
I/O Port	4x USB3.2 Gen2, 2x USB3.2 Gen1, 1x USB3.2 Gen1 Type-C, 2x USB2.0 2x Serial, 1x Parallel, 1x VGA, 1x HDMI, 1x Display, RJ-45, 2x PS/2 Multi-in-1 card reader	4x USB3.2 Gen2, 2x USB3.2 Gen1, 1x USB3.2 Gen1 Type-C, 2x USB2.0 2x Serial, 1x Parallel, 1x VGA, 1x HDMI, 1x Display, RJ-45, 2x PS/2 Multi-in-1 card reader	4x USB3.2 Gen2, 2x USB3.2 Gen1, 1x USB3.2 Gen1 Type-C, 2x USB2.0 2x Serial, 1x Parallel, 1x VGA, 1x HDMI, 1x Display, RJ-45, 2x PS/2 Multi-in-1 card reader
Keyboard & Mouse	USB keyboard and mouse	USB keyboard and mouse	USB keyboard and mouse
Power Supply	300W 80PLUS up to Platinum	300W 80PLUS# Platinum	300W 80PLUS up to Platinum
Warranty	3 Years Part&Labor Include onsite NBD Thailand (G114V)	3 Years Part&Labor Include onsite NBD Thailand (G114V)	3 Years Part&Labor Include onsite NBD Thailand (G114V)
SRP (inc. VAT)	17,790.-	21,490.-	21,390.-

Office PC

ACER : Office PC



VM4670G
ACR-UDVT7ST00C



VM4670G
ACR-UDVT7ST00V



VM4670G
ACR-UDVT7ST00U



VM4670G
ACR-UDVT7ST010

Processor	Intel® Core™ i5-10500 (3.1GHz up to 4.5GHz, 12M Cache) 6C/12T	Intel® Core™ i5-10600 (3.3GHz up to 4.8GHz, 12M Cache) 6C/12T	Intel® Core™ i7-10700 (2.9GHz up to 4.8GHz, 16M Cache) 8C/16T	Intel® Core™ i7-10700 (2.9GHz up to 4.8GHz, 16M Cache) 8C/16T
Operating System	Windows 10 Pro 64-bit	Windows 10 Pro 64-bit	Endless OS	Windows 10 Pro 64-bit
Memory	8GB DDR4 2666 UNB-DIMM	8GB DDR4 2666 UNB-DIMM	8GB DDR4 2666 UNB-DIMM	8GB DDR4 2666 UNB-DIMM
HDD	1TB 3.5" 7200rpm SATA3 + 256GB SSD M.2 NVMe	1TB 3.5" 7200rpm SATA3 + 256GB SSD M.2 NVMe	2TB 3.5" 7200rpm SATA3	2TB 3.5" 7200rpm SATA3 + 512GB SSD M.2 NVMe
Optical Drive	16X DVD-RW	16X DVD-RW	16X DVD-RW	16X DVD-RW
Display & Graphics	Intel® UHD Graphics 630	Intel® UHD Graphics 630	Intel® UHD Graphics 630	Intel® UHD Graphics 630
Graphic Card	None	None	None	None
Audio	5.1-channel surround sound	5.1-channel surround sound	5.1-channel surround sound	5.1-channel surround sound
Network	Onboard Ethernet LAN and Wireless LAN 802.11ax + BT 5	Onboard Ethernet LAN and Wireless LAN 802.11ax + BT 5	Onboard Ethernet LAN and Wireless LAN 802.11ax + BT 5	Onboard Ethernet LAN and Wireless LAN 802.11ax + BT 5.0 up to 5.1
Commercial Features	TPM v2.0 (Trusted Platform Module)	TPM v2.0 (Trusted Platform Module)	TPM v2.0 (Trusted Platform Module)	TPM (Trusted Platform Module)
I/O Expansions	PCIe x16 slot: 2, PCIe x1 slot: 1, PCI slot: 1	PCIe x16 slot: 2, PCIe x1 slot: 1, PCI slot: 1	PCIe x16 slot: 2, PCIe x1 slot: 1, PCI slot: 1	PCIe x16 slot: 2, PCIe x1 slot: 1, PCI slot: 1
I/O Port	4x USB3.2 Gen2, 2x USB3.2 Gen1, 1x USB3.2 Gen1 Type-C, 2x USB2.0 2x Serial, 1x Parallel, 1x VGA, 1x HDMI, 1x Display, RJ-45, 2x PS/2 Multi-in-1 card reader	4x USB3.2 Gen2, 2x USB3.2 Gen1, 1x USB3.2 Gen1 Type-C, 2x USB2.0 2x Serial, 1x Parallel, 1x VGA, 1x HDMI, 1x Display, RJ-45, 2x PS/2 Multi-in-1 card reader	4x USB3.2 Gen2, 2x USB3.2 Gen1, 1x USB3.2 Gen1 Type-C, 2x USB2.0 2x Serial, 1x Parallel, 1x VGA, 1x HDMI, 1x Display, RJ-45, 2x PS/2 Multi-in-1 card reader	4x USB3.2 Gen2, 2x USB3.2 Gen1, 1x USB3.2 Gen1 Type-C, 2x USB2.0 2x Serial, 1x Parallel, 1x VGA, 1x HDMI, 1x Display, RJ-45, 2x PS/2 Multi-in-1 card reader
Keyboard & Mouse	Wireless keyboard and mouse	USB keyboard and mouse	USB keyboard and mouse	USB keyboard and mouse
Power Supply	300W 80PLUS up to Platinum	300W 80PLUS up to Platinum	300W 80PLUS up to Platinum	300W 80PLUS# Platinum
Warranty	3 Years Part&Labor Include onsite NBD Thailand (G114V)	3 Years Part&Labor Include onsite NBD Thailand (G114V)	3 Years Part&Labor Include onsite NBD Thailand (G114V)	3/3/1 TH
SRP (inc. VAT)	30,590.-	29,290.-	28,790.-	37,490.-



VM4670G
ACR-UDVT7ST00R



VN4670G
ACR-UDVSZST00C



VN4680G
ACR-DTVUSST00G

Processor	Intel® Core™ i7-10700 (2.9GHz up to 4.8GHz, 16M Cache) 8C/16T	Intel® Core™ i3-10100 (3.6GHz up to 4.3GHz, 6M Cache) 4C/8T	Intel® Core™ i5-11500 (2.7GHz up to 4.6GHz, 12M Cache) 6C/12T
Operating System	Windows 10 Pro 64-bit	Windows 10 Pro 64-bit	No Windows
Memory	8GB DDR4 3200 UNB-DIMM	4GB DDR4 2666 SO-DIMM	8GB DDR4 3200 UNB-DIMM
HDD	2TB 3.5" 7200rpm SATA3 + 512GB SSD M.2 NVMe	256GB SSD M.2 NVMe	512GB SSD M.2 NVMe
Optical Drive	16X DVD-RW	None	None
Display & Graphics	Intel® UHD Graphics 630	Intel® UHD Graphics 630	Intel® UHD Graphics 750
Graphic Card	NVIDIA® GT720 2GB UEFI DVI/HDMI ATX VIRTUAL	None	None
Audio	5.1-channel surround sound	5.1-channel surround sound	5.1-channel surround sound
Network	Onboard Ethernet LAN and Wireless LAN 802.11ax + BT 5	Onboard Ethernet LAN and Wireless LAN 802.11ax + BT 5	Onboard Ethernet LAN and Wireless LAN 802.11ax + BT 5
Commercial Features	TPM v2.0 (Trusted Platform Module)	TPM v2.0 (Trusted Platform Module)	TPM v2.0 (Trusted Platform Module)
I/O Expansions	PCIe x16 slot: 2, PCIe x1 slot: 1, PCI slot: 1	PCIe x16 slot: 1	PCIe x16 slot: 1
I/O Port	4x USB3.2 Gen2, 2x USB3.2 Gen1, 1x USB3.2 Gen1 Type-C, 2x USB2.0 2x Serial, 1x Parallel, 1x VGA, 1x HDMI, 1x Display, RJ-45, 2x PS/2 Multi-in-1 card reader	4x USB3.2 Gen1, 1x USB3.2 Gen2, 1x Type C 1x Display, 1x HDMI, 1x RJ-45, + 1x VGA	Front: 1x USB3 Gen2, 1x USB3 Gen 1, 1x USB3 Gen2 Type C Rear: 2x USB3 Gen1, 2x USB2.0, 1x VGA, 1x HDMI, 1x Display, RJ-45 VESA mounting kit
Keyboard & Mouse	Wireless keyboard and mouse	USB Keyboard + Mouse	USB Keyboard + Mouse
Power Supply	300W 80PLUS up to Platinum	90W	3-pin 90 W AC adapter
Warranty	3 Years Part&Labor Include onsite NBD Thailand (G114V)	3 Years Part&Labor Include onsite NBD Thailand (G114V)	3 Years Part&Labor 1 onsite
SRP (inc. VAT)	39,690.-	22,590.-	23900.-

Office PC

10

ACER : Office PC



VN4680G

ACR-UDVUSST007



VX4230G

ACR-DTVTUST009



VZ4870G

ACR-UDVTQST00Y

Processor	Intel® Core™ i5-11500 (2.7GHz up to 4.6GHz, 12M Cache) 6C/12T	AMD Ryzen™ 3 3200G (3.6GHz up to 4.0GHz, 4M Cache) 4C/4T	Intel® Core™ i5-10500 (3.1GHz up to 4.5GHz, 12M Cache) 6C/12T
Operating System	Windows 10 Pro	Endless OS	Windows 10 Pro 64-bit
Memory	8GB DDR4 3200 UNB-DIMM	4GB DDR4 2666 UNB-DIMM	8GB DDR4 2666 SO-DIMM
HDD	512GB SSD M.2 NVMe	1TB 3.5" 7200rpm SATA3	512GB SSD M.2 NVMe
Optical Drive	None	8X DVD-RW	8X DVD-RW
Display & Graphics	Intel® UHD Graphics 750	Radeon™ Vega 8 Graphics	Size: 23.8", 16:9, 1920x1080 IPS, 250nits
Graphic Card	None	None	Intel® UHD Graphics 630
Audio	5.1-channel surround sound	5.1-channel surround sound	Built-in stereo speakers
Network	Onboard Ethernet LAN and Wireless LAN 802.11ax + BT 5	Onboard Ethernet LAN and Wireless LAN 802.11ac + BT 5.0	Onboard Ethernet LAN and Wireless LAN 802.11ax + BT 5
Commercial Features	TPM v2.0 (Trusted Platform Module)	TPM v2.0 (Trusted Platform Module)	TPM v2.0 (Trusted Platform Module)
I/O Expansions	PCIe x16 slot: 1	PCIe x16 slot: 1, PCIe x1 slot: 2, PCI slot: 1	PCIe x16 slot: 1
I/O Port	Front: 1x USB3 Gen2, 1x USB3 Gen 1, 1x USB3 Gen2 Type C Rear: 2x USB3 Gen1, 2x USB2.0, 1x VGA, 1x HDMI, 1x Display, RJ-45 VESA mounting kit	Front: 2x USB3.1 Gen2, 2x USB3.1 Gen 1, SD Card Reader Rear: 4x USB3.1 Gen1, 2x USB2.0 2x Serial, 1x Parallel, 1x VGA, 1x HDMI, 1x Display, RJ-45	2x USB3.2 Gen1, 3x USB3.2 Gen2, 1x Type C 1x Serial, 1x VGA, 1x DP, 1x RJ-45, 1x HDMI (in) Integrated 2.0 MP Full HD high-sense webcam
Keyboard & Mouse	USB Keyboard + Mouse	USB Keyboard + Mouse	USB Keyboard + Mouse
Power Supply	3-pin 90 W AC adapter	250W	3-pin at least 134.9 W AC adapter
Warranty	3 Years Part&Labor 1 onsite	3/3/1 TH	3 Years Part&Labor 1 onsite
SRP (inc. VAT)	22,900.-	15,4900.-	38,490.-



VZ4880G

ACR-DQVUYST002

NEW!



VEZ2740G

ACR-DQVUKST008



VEZ2740G

ACR-DQVULST00C

Processor	Intel® Core™ i5-11500 (2.7GHz up to 4.6GHz, 12M Cache) 6C/12T	Intel® Core™ i3-1115G4 processor	Intel® Core™ i5-1135G7 processor
Operating System	No Windows	UEFI Shell OS	UEFI Shell OS
Memory	8GB DDR4 3200 SO-DIMM	8GB DDR4 3200 SO-DIMM	8GB DDR4 3200 SO-DIMM
HDD	512GB SSD M.2 NVMe	256GB SSD M.2 NVMe + 1TB 2.5" 5400rpm	512GB SSD M.2 NVMe + 1TB 2.5" 5400rpm
Optical Drive	8X DVD-RW	None	None
Display & Graphics	Size: 23.8", 16:9, 1920x1080 IPS, 250nits	Size: 23.8", 16:9, 1920x1080 IPS, 250nits	Size: 23.8", 16:9, 1920x1080 IPS, 250nits
Graphic Card	Intel® UHD Graphics 630	Intel® UHD Graphics	Intel® Iris® Xe Graphics
Audio	Built-in stereo speakers	Built-in stereo speakers	Built-in stereo speakers
Network	Onboard Ethernet LAN and Wireless LAN 802.11ax + BT 5	Onboard Ethernet LAN and Wireless LAN 802.11ax + BT 5	Onboard Ethernet LAN and Wireless LAN 802.11ax + BT 5
Commercial Features	TPM v2.0 (Trusted Platform Module)	Kensington lock slot	Kensington lock slot
I/O Expansions	PCIe x16 slot: 1	M.2 slot (for SSD): 1, M.2 slot (for WLAN): 1	M.2 slot (for SSD): 1, M.2 slot (for WLAN): 1
I/O Port	2x USB3.2 Gen1, 2x USB3.2 Gen2, 1x USB2.0, 1x USB3.2 Gen2x2 Type C 1x Serial, 1x VGA, 1x DP, 1x RJ-45, 1x HDMI (in) Integrated 2.0 MP Full HD high-sense webcam	1xUSB 2.0, Built-in SD card reader 1xUSB 3 Gen1, 2xUSB 3 Gen 2, 1xHDMI out Integrated 1.0 MP HD webcam with 2 stereo microphones	1xUSB 2.0, Built-in SD card reader 1xUSB 3 Gen1, 2xUSB 3 Gen 2, 1xHDMI out Integrated 1.0 MP HD webcam with 2 stereo microphones
Keyboard & Mouse	USB Keyboard + Mouse	USB Keyboard + Mouse	USB Keyboard + Mouse
Power Supply	3-pin 135 W AC adapter	3-pin 65 W AC adapter	3-pin 65 W AC adapter
Warranty	3 Years Part&Labor 1 onsite	3 Years Part&Labor 1 onsite	3 Years Part&Labor 1 onsite
SRP (inc. VAT)	27,790	26,890 .-	30,990.-

DELL : Office PC



3080Micro
SNS38MC007



3080Micro
SNS38MC008



3080Micro
SNS38MC005

CPU	4GB (1X4GB) 2666MHz DDR4 Non-ECC	4GB (1X4GB) 2666MHz DDR4 Non-ECC	8GB (1X8GB) 2666MHz DDR4 Non-ECC
Chipset	2.5" 1TB 7200rpm SATA Hard Disk Drive	2.5" 1TB 7200rpm SATA Hard Disk Drive	M.2 256GB PCIe NVMe Class 35 Solid State Drive+2.5 inch 1TB 7200rpm Hard Disk Drive
OS	None	None	None
RAM	No Monitor	No Monitor	No Monitor
HDD	Intel® UHD Graphics 630	Intel® UHD Graphics 630	Intel® UHD Graphics 630
Optical drive	Intel® Wi-Fi 6 AX200 2x2 (Gig+) + Bluetooth 5	Intel® Wi-Fi 6 AX200 2x2 (Gig+) + Bluetooth 5	Intel 3165 802.11ac dual band 1x1 + Bluetooth 4.2
Display	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)
Graphic	65W AC adapter	65W AC adapter	65W AC adapter
Wireless/BT	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 3.2 Gen1 Type-A ports (front) 2 USB 3.2 Gen1 Type-A ports (rear) 1 USB 2.0 port (rear) 1 USB 2.0 port with Smart Power on (rear) 1 Universal Audio Jack (front) 1 Line-out audio port (front, retaksable) 1 DisplayPort 1.4 port (rear) 1 HDMI 1.4 port (rear) +1 VGA Port (added for SNS)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 3.2 Gen1 Type-A ports (front) 2 USB 3.2 Gen1 Type-A ports (rear) 1 USB 2.0 port (rear) 1 USB 2.0 port with Smart Power on (rear) 1 Universal Audio Jack (front) 1 Line-out audio port (front, retaksable) 1 DisplayPort 1.4 port (rear) 1 HDMI 1.4 port (rear) +1 VGA Port (added for SNS)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 3.2 Gen1 Type-A ports (front) 2 USB 3.2 Gen1 Type-A ports (rear) 1 USB 2.0 port (rear) 1 USB 2.0 port with Smart Power on (rear) 1 Universal Audio Jack (front) 1 Line-out audio port (front, retaksable) 1 DisplayPort 1.4 port (rear) 1 HDMI 1.4 port (rear) +1 VGA Port (added for SNS)"
Mouse&KB	"1 M.2 2230 slot for wireless 1 M.2 2230/2280 slot for storage 1 SATA slot - 1x2.5" HDD"	"1 M.2 2230 slot for wireless 1 M.2 2230/2280 slot for storage 1 SATA slot - 1x2.5" HDD"	"1 M.2 2230 slot for wireless 1 M.2 2230/2280 slot for storage 1 SATA slot - 1x2.5" HDD"
PowerSupply	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
Ports	21.5" (546.1mm), FHD (1920x1080), LED backlight, IPS	21.5" (546.1mm), FHD (1920x1080), LED backlight,	21.5" (546.1mm), FHD (1920x1080), LED backlight,
Expansion slot	DOS	DOS	DOS
Warranty	3 years onsite	3 years onsite	3 years onsite
SRP (inc. VAT)	11,990.-	16,991.-	18,990.-



3080Micro
SNS38MC006



3080MT
SNS38MT001



3080MT
SNS38MT002

CPU	Intel® Core™ i5-10500T (6 Cores/12MB/12T/2.3GHz up to 3.8GHz/35W)	Intel® Core™ i3-10100 (4 Cores/6MB/8T/3.6 GHz up to 4.3GHz/65W)	Intel® Core™ i3-10100 (4 Cores/6MB/8T/3.6 GHz up to 4.3GHz/65W)
Chipset	Intel® B460 Chipset	Intel® B460 Chipset	Intel® B460 Chipset
OS	Window10Pro 64 bit	Ubuntu Linux	Window10Pro 64 bit
RAM	8GB (1X8GB) 2666MHz DDR4 Non-ECC	4GB (1X4GB) 2666MHz DDR4 Non-ECC	4GB (1X4GB) 2666MHz DDR4 Non-ECC
HDD	M.2 256GB PCIe NVMe Class 35 Solid State Drive+2.5 inch 1TB 7200rpm Hard Disk Drive	3.5 inch 1TB 7200rpm SATA Hard Disk Drive	3.5 inch 1TB 7200rpm SATA Hard Disk Drive
Optical drive	None	8x DVD+/-RW 9.5mm Optical Disk Drive	8x DVD+/-RW 9.5mm Optical Disk Drive
Display	No Monitor	No Monitor	No Monitor
Graphic	Intel® UHD Graphics 630	Intel® UHD Graphics 630	Intel® UHD Graphics 630
Wireless/BT	Intel 3165 802.11ac dual band 1x1 + Bluetooth 4.2	None	None
Mouse&KB	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)
PowerSupply	65W AC adapter	260W up to 85% Efficient PSU (80 PLUS Bronze)	260W up to 85% Efficient PSU (80 PLUS Bronze)
Ports	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 3.2 Gen1 Type-A ports (front) 2 USB 3.2 Gen1 Type-A ports (rear) 1 USB 2.0 port (rear) 1 USB 2.0 port with Smart Power on (rear) 1 Universal Audio Jack (front) 1 Line-out audio port (front, retaksable) 1 DisplayPort 1.4 port (rear) 1 HDMI 1.4 port (rear) +1 VGA Port (added for SNS)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 2.0 Type-A ports (front) 2 USB 3.2 Gen 1 Type-A port (front) 2 USB 2.0 ports with Smart Power on (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal Audio Jack (front) 1 Line-out audio port (rear, retaksable) 1 DisplayPort 1.4 (rear) 1 HDMI 1.4b port (rear) + 1 VGA port (added for SNS)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 2.0 Type-A ports (front) 2 USB 3.2 Gen 1 Type-A port (front) 2 USB 2.0 ports with Smart Power on (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal Audio Jack (front) 1 Line-out audio port (rear, retaksable) 1 DisplayPort 1.4 (rear) 1 HDMI 1.4b port (rear) + 1 VGA port (added for SNS)"
Expansion slot	"1 M.2 2230 slot for wireless 1 M.2 2230/2280 slot for storage 1 SATA slot - 1x2.5" HDD"	"1 full-height PCIe x16 Gen 3 slot 2 full-height PCIe x1 Gen 3 slot 1 M.2 2230 slot for wireless 1 M.2 2230/2280 slot for storage 3 SATA slots"	"1 full-height PCIe x16 Gen 3 slot 2 full-height PCIe x1 Gen 3 slot 1 M.2 2230 slot for wireless 1 M.2 2230/2280 slot for storage 3 SATA slots"
Warranty	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	23,990.-	12,990.-	17,990.-

Office PC

12

DELL : Office PC



3080MT
SNS38MT003



3080MT
SNS38MT004



3080MT
SNS38MT005

CPU	Intel® Core™ i5-10500 (6 Cores/12MB/12T/3.1 GHz up to 4.5GHz/65W)	Intel® Core™ i5-10500 (6 Cores/12MB/12T/3.1 GHz up to 4.5GHz/65W)	Intel® Core™ i5-10500 (6 Cores/12MB/12T/3.1 GHz up to 4.5GHz/65W)
Chipset	Intel® B460 Chipset	Intel® B460 Chipset	Intel® B460 Chipset
OS	Ubuntu Linux	Window10Pro 64 bit	Ubuntu Linux
RAM	4GB (1X4GB) 2666MHz DDR4 Non-ECC	4GB (1X4GB) 2666MHz DDR4 Non-ECC	8GB (1X8GB) 2666MHz DDR4 Non-ECC
HDD	3.5 inch 1TB 7200rpm SATA Hard Disk Drive	3.5 inch 1TB 7200rpm SATA Hard Disk Drive	3.5 inch 1TB 7200rpm SATA Hard Disk Drive
Optical drive	8x DVD+/-RW 9.5mm Optical Disk Drive	8x DVD+/-RW 9.5mm Optical Disk Drive	8x DVD+/-RW 9.5mm Optical Disk Drive
Display	No Monitor	No Monitor	No Monitor
Graphic	Intel® UHD Graphics 630	Intel® UHD Graphics 630	Intel® UHD Graphics 630
Wireless/BT	None	None	None
Mouse&KB	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)
PowerSupply	260W up to 85% Efficient PSU (80 PLUS Bronze)	260W up to 85% Efficient PSU (80 PLUS Bronze)	260W up to 85% Efficient PSU (80 PLUS Bronze)
Ports	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 2.0 Type-A ports (front) 2 USB 3.2 Gen 1 Type-A port (front) 2 USB 2.0 ports with Smart Power on (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal Audio Jack (front) 1 Line-out audio port (rear, retaksable) 1 DisplayPort 1.4 (rear) 1 HDMI 1.4b port (rear) + 1 VGA port (added for SNS)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 2.0 Type-A ports (front) 2 USB 3.2 Gen 1 Type-A port (front) 2 USB 2.0 ports with Smart Power on (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal Audio Jack (front) 1 Line-out audio port (rear, retaksable) 1 DisplayPort 1.4 (rear) 1 HDMI 1.4b port (rear) + 1 VGA port (added for SNS)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 2.0 Type-A ports (front) 2 USB 3.2 Gen 1 Type-A port (front) 2 USB 2.0 ports with Smart Power on (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal Audio Jack (front) 1 Line-out audio port (rear, retaksable) 1 DisplayPort 1.4 (rear) 1 HDMI 1.4b port (rear) + 1 VGA port (added for SNS)"
Expansion slot	"1 full-height PCIe x16 Gen 3 slot 2 full-height PCIe x1 Gen 3 slot 1 M.2 2230 slot for wireless 1 M.2 2230/2280 slot for storage 3 SATA slots"	"1 full-height PCIe x16 Gen 3 slot 2 full-height PCIe x1 Gen 3 slot 1 M.2 2230 slot for wireless 1 M.2 2230/2280 slot for storage 3 SATA slots"	"1 full-height PCIe x16 Gen 3 slot 2 full-height PCIe x1 Gen 3 slot 1 M.2 2230 slot for wireless 1 M.2 2230/2280 slot for storage 3 SATA slots"
Warranty	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	15,990.-	20,990.-	16,991.-



3080MT
SNS38MT006



3080MT
SNS38MT008



3080MT
SNS38MT009

CPU	Intel® Core™ i5-10500 (6 Cores/12MB/12T/3.1 GHz up to 4.5GHz/65W)	Intel® Core™ i5-10500 (6 Cores/12MB/12T/3.1 GHz up to 4.5GHz/65W)	Intel® Core™ i5-10500 (6 Cores/12MB/12T/3.1 GHz up to 4.5GHz/65W)
Chipset	Intel® B460 Chipset	Intel® B460 Chipset	Intel® B460 Chipset
OS	Window10Pro 64 bit	Ubuntu	Window10Pro 64 bit
RAM	8GB (1X8GB) 2666MHz DDR4 Non-ECC	8GB (1X8GB) 2666MHz DDR4 Non-ECC	8GB (1X8GB) 2666MHz DDR4 Non-ECC
HDD	3.5 inch 1TB 7200rpm SATA Hard Disk Drive	3.5 inch 2TB 7200rpm SATA Hard Disk Drive	M.2 256GB PCIe NVMe Class 35 Solid State Drive + 3.5 inch 1TB 7200rpm SATA Hard Disk Drive
Optical drive	8x DVD+/-RW 9.5mm Optical Disk Drive	8x DVD+/-RW 9.5mm Optical Disk Drive	8x DVD+/-RW 9.5mm Optical Disk Drive
Display	No Monitor	No Monitor	No Monitor
Graphic	Intel® UHD Graphics 630	Intel® UHD Graphics 630	Intel® UHD Graphics 630
Wireless/BT	None	None	None
Mouse&KB	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)
PowerSupply	260W up to 85% Efficient PSU (80 PLUS Bronze)	260W up to 85% Efficient PSU (80 PLUS Bronze)	260W up to 85% Efficient PSU (80 PLUS Bronze)
Ports	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 2.0 Type-A ports (front) 2 USB 3.2 Gen 1 Type-A port (front) 2 USB 2.0 ports with Smart Power on (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal Audio Jack (front) 1 Line-out audio port (rear, retaksable) 1 DisplayPort 1.4 (rear) 1 HDMI 1.4b port (rear) + 1 VGA port (added for SNS)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 2.0 Type-A ports (front) 2 USB 3.2 Gen 1 Type-A port (front) 2 USB 2.0 ports with Smart Power on (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal Audio Jack (front) 1 Line-out audio port (rear, retaksable) 1 DisplayPort 1.4 (rear) 1 HDMI 1.4b port (rear) + 1 VGA port (added for SNS)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 2.0 Type-A ports (front) 2 USB 3.2 Gen 1 Type-A port (front) 2 USB 2.0 ports with Smart Power on (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal Audio Jack (front) 1 Line-out audio port (rear, retaksable) 1 DisplayPort 1.4 (rear) 1 HDMI 1.4b port (rear) + 1 VGA port (added for SNS)"
Expansion slot	"1 full-height PCIe x16 Gen 3 slot 2 full-height PCIe x1 Gen 3 slot 1 M.2 2230 slot for wireless 1 M.2 2230/2280 slot for storage 3 SATA slots"	"1 full-height PCIe x16 Gen 3 slot 2 full-height PCIe x1 Gen 3 slot 1 M.2 2230 slot for wireless 1 M.2 2230/2280 slot for storage 3 SATA slots"	"1 full-height PCIe x16 Gen 3 slot 2 full-height PCIe x1 Gen 3 slot 1 M.2 2230 slot for wireless 1 M.2 2230/2280 slot for storage 3 SATA slots"
Warranty	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	21,990.-	17,990.-	24,990.-

Office PC

DELL : Office PC



3080SFF
SNS38SF001



3080SFF
SNS38SF002



3080SFF
SNS38SF003

CPU	Intel® Core™ i3-10100 (4 Cores/6MB/8T/3.6 GHz up to 4.3GHz/65W)	Intel® Core™ i3-10100 (4 Cores/6MB/8T/3.6 GHz up to 4.3GHz/65W)	Intel® Core™ i5-10500 (6 Cores/12MB/12T/3.1 GHz up to 4.5GHz/65W)
Chipset	Intel® B460 Chipset	Intel® B460 Chipset	Intel® B460 Chipset
OS	Ubuntu Linux	Window10Pro 64 bit	Ubuntu Linux
RAM	4GB (1X4GB) 2666MHz DDR4 Non-ECC	4GB (1X4GB) 2666MHz DDR4 Non-ECC	8GB (1X8GB) 2666MHz DDR4 Non-ECC
HDD	3.5 inch 1TB 7200rpm SATA Hard Disk Drive	3.5 inch 1TB 7200rpm SATA Hard Disk Drive	3.5 inch 1TB 7200rpm SATA Hard Disk Drive
Optical drive	8x DVD+/-RW 9.5mm Optical Disk Drive	8x DVD+/-RW 9.5mm Optical Disk Drive	8x DVD+/-RW 9.5mm Optical Disk Drive
Display	No Monitor	No Monitor	No Monitor
Graphic	Intel® UHD Graphics 630	Intel® UHD Graphics 630	Intel® UHD Graphics 630
Wireless/BT	None	None	None
Mouse&KB	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)
PowerSupply	200W up to 85% Efficient PSU (80 PLUS Bronze)	200W up to 85% Efficient PSU (80 PLUS Bronze)	200W up to 85% Efficient PSU (80 PLUS Bronze)
Ports	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 2.0 Type-A ports (front) 2 USB 3.2 Gen 1 Type-A ports (front) 2 USB 2.0 Type-A ports with Smart Power On (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal Audio Jack (front) 1 DisplayPort 1.4 port (rear) 1 HDMI 1.4b port (rear) 1 Line-out audio port (rear, retaksable) + 1 VGA port (added for SNS)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 2.0 Type-A ports (front) 2 USB 3.2 Gen 1 Type-A ports (front) 2 USB 2.0 Type-A ports with Smart Power On (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal Audio Jack (front) 1 DisplayPort 1.4 port (rear) 1 HDMI 1.4b port (rear) 1 Line-out audio port (rear, retaksable) + 1 VGA port (added for SNS)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 2.0 Type-A ports (front) 2 USB 3.2 Gen 1 Type-A ports (front) 2 USB 2.0 Type-A ports with Smart Power On (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal Audio Jack (front) 1 DisplayPort 1.4 port (rear) 1 HDMI 1.4b port (rear) 1 Line-out audio port (rear, retaksable) + 1 VGA port (added for SNS)"
Expansion slot	"1 half-height PCIe x16 Gen 3 slot 1 half-height PCIe x1 Gen 3 slot 1 M.2 2230 slot for wireless 1 M.2 2230/2280 slots for storage 2 SATA slots - 1x3.5" HDD or 1x2.5" HDD, 1 slim ODD"	"1 half-height PCIe x16 Gen 3 slot 1 half-height PCIe x1 Gen 3 slot 1 M.2 2230 slot for wireless 1 M.2 2230/2280 slots for storage 2 SATA slots - 1x3.5" HDD or 1x2.5" HDD, 1 slim ODD"	"1 half-height PCIe x16 Gen 3 slot 1 half-height PCIe x1 Gen 3 slot 1 M.2 2230 slot for wireless 1 M.2 2230/2280 slots for storage 2 SATA slots - 1x3.5" HDD or 1x2.5" HDD, 1 slim ODD"
Warranty	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	12,990.-	17,990.-	16,991.-



3080SFF
SNS38SF004



3080SFF
SNS38SF006



5080MT
SNS58MT001

CPU	Intel® Core™ i5-10500 (6 Cores/12MB/12T/3.1 GHz up to 4.5GHz/65W)	Intel® Core™ i5-10500 (6 Cores/12MB/12T/3.1 GHz up to 4.5GHz/65W)	Intel® Core™ i5-10500 (6 Cores, 12 MB Cache, 12 Threads, 3.1 GHz up to 4.5 GHz, 65 W)
Chipset	Intel® B460 Chipset	Intel® B460 Chipset	Intel® Q470 Chipset
OS	Window10Pro 64 bit	Window10Pro 64 bit	Window10Pro 64 bit
RAM	8GB (1X8GB) 2666MHz DDR4 Non-ECC	8GB (1X8GB) 2666MHz DDR4 Non-ECC	8GB (1X8GB) 2666MHz DDR4 Non-ECC
HDD	3.5 inch 1TB 7200rpm SATA Hard Disk Drive	M.2 256GB PCIe NVMe Class 35 Solid State Drive + 1TB 7200rpm SATA 2.5" HDD	3.5 inch 1TB 7200rpm SATA Hard Disk Drive
Optical drive	8x DVD+/-RW 9.5mm Optical Disk Drive	8x DVD+/-RW 9.5mm Optical Disk Drive	8x DVD+/-RW 9.5mm Optical Disk Drive
Display	No Monitor	No Monitor	Intel® UHD Graphics 630
Graphic	Intel® UHD Graphics 630	Intel® UHD Graphics 630	None
Wireless/BT	None	None	USB Keyboard + Mouse
Mouse&KB	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)	Dell MS116 Wired Mouse Black + Dell Entry Keyboard KB216 Black (Thailand)	260W up to 85% efficient Power Supply (80Plus Bronze)
PowerSupply	200W up to 85% Efficient PSU (80 PLUS Bronze)	200W up to 85% Efficient PSU (80 PLUS Bronze)	2 DisplayPort + 1 VGA, 1 RJ-45, +1 Serial port adapter
Ports	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 2.0 Type-A ports (front) 2 USB 3.2 Gen 1 Type-A ports (front) 2 USB 2.0 Type-A ports with Smart Power On (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal Audio Jack (front) 1 DisplayPort 1.4 port (rear) 1 HDMI 1.4b port (rear) 1 Line-out audio port (rear, retaksable) + 1 VGA port (added for SNS)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 2 USB 2.0 Type-A ports (front) 2 USB 3.2 Gen 1 Type-A ports (front) 2 USB 2.0 Type-A ports with Smart Power On (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal Audio Jack (front) 1 DisplayPort 1.4 port (rear) 1 HDMI 1.4b port (rear) 1 Line-out audio port (rear, retaksable) + 1 VGA port (added for SNS)"	"10 External USB : 1 USB 2.0 port (front) 1 USB 2.0 port with PowerShare (front) 1 USB 3.2 Gen 1 Type-A port (front) 1 USB 3.2 Gen 2 Type-C port (front) 4 USB 3.2 Gen 1 Type-A ports (rear) 2 USB 2.0 ports with Smart Power On (rear)"
Expansion slot	"1 half-height PCIe x16 Gen 3 slot 1 half-height PCIe x1 Gen 3 slot 1 M.2 2230 slot for wireless 1 M.2 2230/2280 slots for storage 2 SATA slots - 1x3.5" HDD or 1x2.5" HDD, 1 slim ODD"	"1 half-height PCIe x16 Gen 3 slot 1 half-height PCIe x1 Gen 3 slot 1 M.2 2230 slot for wireless 1 M.2 2230/2280 slots for storage 2 SATA slots - 1x3.5" HDD or 1x2.5" HDD, 1 slim ODD"	"1 full-height Gen 3 PCIe x16 slot, 1 full-height Gen 3 PCIe x4 slot openend, 2 full-height PCIe x1 slots 1 M.2 2230 slot for Wi-Fi and Bluetooth card, 1 M.2 2230 slot for SSD 1 M.2 2280 slot for SSD/Intel Optane 4 SATA slots for 3.5-inch HDD, 2.5-inch HDD/SSD"
Warranty	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	21,990.-	24,990.-	22,990.-

Office PC

14

DELL : Office PC



5080MT
SNS58MT002



5080SFF
SNS58SF001



5080SFF
SNS58SF002

CPU	Intel® Core™ i7-10700 (8 Cores, 16 MB Cache, 16 Threads, 2.9 GHz upto 4.8 GHz, 65W)	Intel® Core™ i5-10500 (6 Cores, 12 MB Cache, 12 Threads, 3.1 GHz up to 4.5 GHz, 65 W)	Intel® Core™ i7-10700 (8 Cores, 16 MB Cache, 16 Threads, 2.9 GHz upto 4.8 GHz, 65W)
Chipset	Intel® Q470 Chipset	Intel® Q470 Chipset	Intel® Q470 Chipset
OS	Window10Pro 64 bit	Window10Pro 64 bit	Window10Pro 64 bit
RAM	8GB (1X8GB) 2933MHz DDR4 Non-ECC	8GB (1X8GB) 2666MHz DDR4 Non-ECC	8GB (1X8GB) 2933MHz DDR4 Non-ECC
HDD	3.5 inch 1TB 7200rpm SATA Hard Disk Drive	3.5 inch 1TB 7200rpm SATA Hard Disk Drive	3.5 inch 1TB 7200rpm SATA Hard Disk Drive
Optical drive	8x DVD+/-RW 9.5mm Optical Disk Drive	8x DVD+/-RW 9.5mm Optical Disk Drive	8x DVD+/-RW 9.5mm Optical Disk Drive
Display	AMD Radeon R5 430, 2GB, FH (DP/DP)	Intel® UHD Graphics 630	Intel® UHD Graphics 630
Graphic	None	None	None
Wireless/BT	USB Keyboard + Mouse	USB Keyboard + Mouse	USB Keyboard + Mouse
Mouse&KB	260W up to 85% efficient Power Supply (80Plus Bronze)	200W up to 85% efficient Power Supply (80Plus Bronze)	200W up to 85% efficient Power Supply (80Plus Bronze)
PowerSupply	2 DisplayPort, + 1 VGA, 1 RJ-45	2 DisplayPort, + 1 VGA, 1 RJ-45	2 DisplayPort + 1 VGA, 1 RJ-45
Ports	"10 External USB : 1 USB 2.0 port (front) 1 USB 2.0 port with PowerShare (front) 1 USB 3.2 Gen 1 Type-A port (front) 1 USB 3.2 Gen 2 Type-C port (front) 4 USB 3.2 Gen 1 Type-A ports (rear) 2 USB 2.0 ports with Smart Power On (rear)"	"10 External USB : 1 USB 2.0 Type-A port with PowerShare (front) 1 USB 3.2 Gen 1 Type-A port (front) 1 USB 2.0 port (front) 1 USB 3.2 Gen 2 Type-C port (front) 2 USB 2.0 Type-A ports with Smart Power On (rear) 4 USB 3.2 Gen 1 Type-A ports (rear)"	"10 External USB : 1 USB 2.0 Type-A port with PowerShare (front) 1 USB 3.2 Gen 1 Type-A port (front) 1 USB 2.0 port (front) 1 USB 3.2 Gen 2 Type-C port (front) 2 USB 2.0 Type-A ports with Smart Power On (rear) 4 USB 3.2 Gen 1 Type-A ports (rear)"
Expansion slot	"1 full-height Gen 3 PCIe x16 slot, 1 full-height Gen 3 PCIe x4 slot openend, 2 full-height PCIe x1 slots 1 M.2 2230 slot for Wi-Fi and Bluetooth card, 1 M.2 2230 slot for SSD 1 M.2 2280 slot for SSD/Intel Optane 4 SATA slots for 3.5-inch HDD, 2.5-inch HDD/SSD"	"1 full-height Gen 3 PCIe x16 slot, 1 full-height Gen 3 PCIe x4 slot openend, 2 full-height PCIe x1 slots 1 M.2 2230 slot for Wi-Fi and Bluetooth card, 1 M.2 2230 slot for SSD 1 M.2 2280 slot for SSD/Intel Optane 4 SATA slots for 3.5-inch HDD, 2.5-inch HDD/SSD"	"1 full-height Gen 3 PCIe x16 slot, 1 full-height Gen 3 PCIe x4 slot openend, 2 full-height PCIe x1 slots 1 M.2 2230 slot for Wi-Fi and Bluetooth card, 1 M.2 2230 slot for SSD 1 M.2 2280 slot for SSD/Intel Optane 4 SATA slots for 3.5-inch HDD, 2.5-inch HDD/SSD"
Warranty	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	29,990.-	22,990.-	27,990.-



7080MT
SNS78MT001



7080MT
SNS78MT002



7080SFF
SNS78SF001

CPU	Intel® Core™ i5-10500 (6 Cores, 12 MB Cache, 12 Threads, 3.1 GHz up to 4.5 GHz, 65 W)	Intel® Core™ i7-10700 (8 Cores, 16 MB Cache, 16 Threads, 2.9 GHz upto 4.8 GHz, 65W)	Intel® Core™ i5-10500 (6 Cores, 12 MB Cache, 12 Threads, 3.1 GHz up to 4.5 GHz, 65 W)
Chipset	Intel® Q470 Chipset	Intel® Q470 Chipset	Intel® Q470 Chipset
OS	Window10Pro 64 bit	Window10Pro 64 bit	Window10Pro 64 bit
RAM	8GB (1X8GB) 2666MHz DDR4 Non-ECC	8GB (1X8GB) 2933MHz DDR4 Non-ECC	8GB (1X8GB) 2666MHz DDR4 Non-ECC
HDD	3.5 inch 1TB 7200rpm SATA Hard Disk Drive	3.5 inch 1TB 7200rpm SATA Hard Disk Drive	M.2 256GB PCIe NVMe Class 35 Solid State Drive + 3.5 inch 1TB 7200rpm SATA Hard Disk Drive
Optical drive	8x DVD+/-RW 9.5mm Optical Disk Drive	8x DVD+/-RW 9.5mm Optical Disk Drive	8x DVD+/-RW 9.5mm Optical Disk Drive
Display	Intel® UHD Graphics 630	AMD Radeon™ R5 430, 2GB, FH (DP/DP)	Intel® UHD Graphics 630
Graphic	None	None	None
Wireless/BT	USB Keyboard + Mouse	USB Keyboard + Mouse	USB Keyboard + Mouse
Mouse&KB	260W up to 85% efficient Power Supply (80Plus Bronze)	260W up to 85% efficient Power Supply (80Plus Bronze)	200W up to 85% efficient Power Supply (80Plus Bronze)
PowerSupply	2 DisplayPort, 2 PS/2, 1 RJ-45, + 1 HDMI + 1 Serial and Parallel Port PCIe Card (Full Height)	2 DisplayPort, 2 PS/2, 1 RJ-45 + 1 HDMI	2 DisplayPort, 2 PS/2, 1 RJ-45, + 1 HDMI
Ports	"10 External USB: 1 USB 3.2 Gen 2 Type-C port (front) 1 USB 3.2 Gen 2 Type-A port (front) 1 USB 2.0 port with PowerShare (front) 1 USB 2.0 port (front) 1 USB 3.2 Gen 2 Type-A port (rear) 3 USB 3.2 Gen 1 Type-A ports (rear) 2 USB 2.0 ports with Smart Power On (rear)"	"10 External USB: 1 USB 3.2 Gen2 Type-C port (front) 1 USB 3.2 Gen 2 Type-A port (front) 1 USB 2.0 port with PowerShare (front) 1 USB 2.0 port (front) 1 USB 3.2 Gen 2 Type-A port (rear) 3 USB 3.2 Gen 1 Type-A ports (rear) 2 USB 2.0 ports with Smart Power On (rear)"	"10 External USB: 1 USB 3.2 Gen 2 Type-C port (front) 1 USB 3.2 Gen 1 port (front) 1 USB 2.0 port with PowerShare (front) 1 USB 2.0 port (front) 1 USB 3.2 Gen 2 Type-A ports (rear) 2 USB 2.0 ports with Power On (rear) 3 USB 3.2 Gen 1 Type-A port (rear)"
Expansion slot	"1 full-height Gen 3 PCIe x16 slot, 1 full-height PCIe x16 (wired x4) slot 1 full-height PCI-32 slot, 1 full-height PCIe x1 slot 1 M.2 2230 slot for Wi-Fi and Bluetooth card, 1 M.2 2230/2280 slot for SSD/Intel Optane 1 M.2 2280 slot for SSD/Intel Optane 4 SATA slots for 3.5-inch HDD, 2.5-inch HDD/SSD, and slim Optical Drive"	"1 full-height Gen 3 PCIe x16 slot, 1 full-height PCIe x16 (wired x4) slot 1 full-height PCI-32 slot, 1 full-height PCIe x1 slot 1 M.2 2230 slot for Wi-Fi and Bluetooth card, 1 M.2 2230/2280 slot for SSD/Intel Optane 1 M.2 2280 slot for SSD/Intel Optane 4 SATA slots for 3.5-inch HDD, 2.5-inch HDD/SSD, and slim Optical Drive"	"1 half-height PCIe x16 Gen 3 slot 1 half-height PCIe x4 Gen 3 slot 1 M.2 2230 slot for Wi-Fi and Bluetooth card 1 M.2 2230/2280 slots for SSD/Intel Optane 1 M.2 2280 slot for PCIe SSD 3 SATA slots for 3.5-inch HDD, 2.5-inch HDD/SSD, and slim Optical Drive"
Warranty	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	23,990.-	30,990.-	25,990.-

Office PC

15

DELL : Office PC



7080SFF
SNS78SF002



3090Ultra
SNS39UL001



7090Ultra
SNS79UL001

CPU	Intel® Core™ i7-10700 (8 Cores, 16 MB Cache, 16 Threads, 2.9 GHz upto 4.8 GHz, 65W)	Intel Core i5-1145G7 Processor (4 Core, up to 4.4GHz, 8M Cache)	Intel Core i5-1145G7 Processor (4 Core, up to 4.4GHz, 8M Cache)
Chipset	Intel® Q470 Chipset		
OS	Window10Pro 64 bit	Window10Pro 64 bit	Window10Pro 64 bit
RAM	8GB (1X8GB) 2933MHz DDR4 Non-ECC	8GB 1X8GB DDR4 3200MHz Non-ECC	16GB 1X16GB DDR4 3200MHz Non-ECC
HDD	M.2 256GB PCIe NVMe Class 40 Solid State Drive + 3.5 inch 1TB 7200rpm SATA Hard Disk Drive	M.2 256GB PCIe NVMe Class 35 Solid State Drive	M.2 512GB PCIe NVMe Class 35 Solid State Drive
Optical drive	8x DVD+/-RW 9.5mm Optical Disk Drive	None	None
Display	Intel® UHD Graphics 630	None	None
Graphic	None	USB Keyboard + Mouse	USB Keyboard + Mouse
Wireless/BT	USB Keyboard + Mouse	Intel Wi-Fi 6 AX201, Dual-band 2x2 802.11ax with MU-MIMO + Bluetooth 5.1	Intel Wi-Fi 6 AX201, Dual-band 2x2 802.11ax with MU-MIMO + Bluetooth 5.1
Mouse&KB	200W up to 85% efficient Power Supply (80Plus Bronze)	Dell Wireless Keyboard and Mouse (Thai) KM636 Black	Dell Wireless Keyboard and Mouse (Thai) KM636 Black
PowerSupply	2 DisplayPort, 2 PS/2, 1 RJ-45, + 1 HDMI	65W AC adapter	65W AC adapter
Ports	"10 External USB: 1 USB 3.2 Gen 2 Type-C port (front) 1 USB 3.2 Gen 1 port (front) 1 USB 2.0 port with PowerShare (front) 1 USB 2.0 port (front) 1 USB 3.2 Gen 2 Type-A ports (rear) 2 USB 2.0 ports with Power On (rear) 3 USB 3.2 Gen 1 Type-A port (rear)"	Side ports 1 USB 3.2 Gen 2 Type-A port with PowerShare 1 USB 3.2 Gen 2 Type-A port 1 Headset/Universal Audio Jack Rear ports 2 USB 3.2 Gen 2 Type-A with SmartPower On 1 USB 3.2 Gen 2 Type-C port with DisplayPort Alt Mode/ Power delivery 1 DisplayPort 1.4 + + HBR2 1 RJ45 Network Connector 1 4.50 mm x 2.90 mm DC-in port 1 4.50 mm x 2.90 mm DC-in port"	Side ports 1 USB 3.2 Gen 2 Type-A port with PowerShare, 1 USB 4™ Type-C® with DisplayPort Alt Mode/Thunderbolt™ 4.0, 1 Headset/ Universal Audio Jack Rear ports 2 USB 3.2 Gen 2 Type-A with SmartPower On 1 USB 3.2 Gen 2 Type-C port with DisplayPort Alt Mode/Power delivery 1 RJ45 Network Connector 1 4.50 mm x 2.90 mm DC-in port 1 DisplayPort 1.4 + + HBR2 port"
Expansion slot	"1 half-height PCIe x16 Gen 3 slot 1 half-height PCIe x4 Gen 3 slot 1 M.2 2230 slot for Wi-Fi and Bluetooth card 1 M.2 2230/2280 slots for SSD/Intel Optane 1 M.2 2280 slot for PCIe SSD 3 SATA slots for 3.5-inch HDD, 2.5-inch HDD/SSD, and slim Optical Drive"	OptiPlex Ultra Height Adjustable Stand (Pro1) for 19"-27" displays	OptiPlex Ultra Height Adjustable Stand (Pro1) for 19"-27" displays
Warranty	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	30,990.-	23,990.-	28,990.-

Office PC

16

DELL : Monitor

P/N	Product Description	SRP (inc.VAT)
SNSC2422HE	Dell Collaboration USB-C Hub Monitor - C2422HE, FHD, USB-C with RJ45, Built-in Cam/Speaker/Mic, HW LBL	9,590
SNSC2722DE	Dell Collaboration USB-C Hub Monitor - C2722DE, QHD, USB-C with RJ45, Built-in Cam/Speaker/Mic, HW LBL	14,390
SNSC3422WE	Dell Collaboration USB-C Hub Monitor - C3422WE, WQHD, Curved, USB-C with RJ45 Built-in Cam/Speaker/Mic, HW LBL	22,090
SNSC5519Q	Dell Conference Room Monitor - C5519Q	33,900
SNSC5518QT	Dell Conference Room Touch Monitor - C5518QT	96,900
SNSC7520QT	Dell Conference Room Touch Monitor - C7520QT	159,900
SNSC8621QT	Dell Conference Room Touch Monitor - C8621QT	269,801
SNSE1715S	Dell Monitor E1715S, 17.0" 1280x1024, TN, DP+VGA	3,790
SNSE1920H	Dell Monitor E1920H, 18.5" 1366x768, TN, DP+VGA	2,690
SNSE1916HV	Dell Monitor E1916HV, 18.5" 1366x768, TN, VGA only	2,590
SNSE2020H	Dell Monitor E2020H, 19.5" 1600x900, TN, DP+VGA	2,890
SNSE2016HV	Dell Monitor E2016HV, 19.5" 1600x900, TN, VGA only	2,690
SNSE2220H	Dell Monitor E2220H, 21.5" 1920x1080, TN, DP+VGA	3,190
SNSE2216HV	Dell Monitor E2216HV, 22.0" 1920x1080, TN, VGA only	3,090
SNSE2219HN	Dell Monitor E2219HN, 21.5" 1920x1080, IPS, HDMI+VGA	3,190
SNSE2318H	Dell Monitor E2318H, 23.0" 1920x1080, IPS, DP+VGA	3,490
SNSE2420H	Dell Monitor E2420H, 23.8" 1920x1080, IPS, DP+VGA	3,790
SNSE2420HS	Dell Monitor E2420HS, 23.8" 1920x1080, IPS, HDMI+VGA, low-cost HAS with Audio	3,990
SNSE2720H	Dell Monitor E2720H, 27.0" 1920x1080, IPS, DP+VGA	4,790
SNSE2720HS	Dell Monitor E2720HS, 27.0" 1920x1080, IPS, HDMI+VGA, low-cost HAS with Audio	4,890
SNSP1917S	Dell Professional Monitor P1917S, 19.0" 1280x1024, IPS	6,390
SNSP2018H	Dell Professional Monitor P2018H, 19.5" 1600x900, TN	4,890
SNSP2217	Dell Professional Monitor P2217, 22.0" 1680x1050, TN	5,790
SNSP2219H	Dell Professional Monitor P2219H, 21.5" 1920x1080, IPS, Ultrathin bezel	5,590
SNSP2319H	Dell Professional Monitor P2319H, 23.0" 1920x1080, IPS, Ultrathin bezel	6,190
SNSP2421	Dell Professional Monitor P2421, 23.8" 1920x1200, IPS, 16:10, Ultrathin bezel	6,890
SNSP2421D	Dell Professional Monitor P2421D, 23.8" 2560x1440, IPS, Ultrathin bezel	9,791
SNSP2418HT	Dell Professional Touch Monitor P2418HT, 23.8" 1920x1080, IPS, Non glossy, Ultrathin bezel	9,590
SNSP2418HZm	Dell Professional Monitor for Video Conference P2418HZm, 23.8" 1920x1080, IPS, IR Integrated Camera/Mic for MS Hello	6,990
SNSP2419H	Dell Professional Monitor P2419H, 23.8" 1920x1080, IPS, Ultrathin bezel	5,890
SNSP2419H_WOST	Dell Professional Monitor P2419H Without Stand, 23.8" 1920x1080, IPS, Ultrathin bezel	5,290
SNSP2419HC	Dell Professional USB-C Monitor P2419HC, 23.8" 1920x1080, IPS, Ultrathin bezel	6,690
SNSP2419HC_WOST	Dell Professional USB-C Monitor P2419HC Without Stand, 23.8" 1920x1080, IPS, Ultrathin bezel	6,190
SNSP2719H	Dell Professional Monitor P2719H, 27.0" 1920x1080, IPS, Ultrathin bezel	7,090
SNSP2721Q	Dell Professional 4K Monitor P2721Q, 27.0" 4K 3840x2160, IPS, Ultrathin bezel, USB-C PD 65W	13,390
SNSP3421W	Dell Professional Monitor P3421W, 34.0" 3440x1440, Curved(3800R), USB-C PD 65W, connects 2 clients PBP	19,490
SNSU2419H	Dell UltraSharp Monitor U2419H, 23.8" FHD 1920x1080, InfinityEdge	6,990
SNSU2421HE	Dell UltraSharp Monitor U2421HE, 23.8" FHD 1920x1080, InfinityEdge, USB-C PD 65W, RJ45	8,990
SNSU2421E	Dell UltraSharp Monitor U2421E, 24.0" 16:10 WUXGA 1920x1200, InfinityEdge, USB-C PD 90W, RJ-45	10,990
SNSU2520D	Dell UltraSharp Monitor U2520D, 25.0" QHD 2560x1440, InfinityEdge, VESA HDR 400, USB-C PD 90W	14,490
SNSU2720Q	Dell UltraSharp 4K Monitor U2720Q, 27.0" 4K 3840x2160, InfinityEdge, VESA HDR 400, USB-C PD 90W	20,491
SNSU2719D	Dell UltraSharp Monitor U2719D, 27.0" QHD 2560x1440, InfinityEdge	11,990
SNSU2721DE	Dell UltraSharp Monitor U2721DE, 27.0" QHD 2560x1440, InfinityEdge, USB-C PD 65W, RJ45	14,390
SNSU3219Q	Dell UltraSharp 4K Monitor U3219Q, 31.5" UHD 3840x2160, InfinityEdge, VESA HDR 400, USB-C PD 90W	30,890
SNSU3421WE	Dell UltraSharp Curved Monitor U3421W, 34.0" WQHD 3440x1440, USB-C PD 90W, RJ45	24,790
SNSU3821DW	Dell UltraSharp Curved Monitor U3821DW, 37.5" WQHD+, USB C PD 90W, RJ45	41,891
SNSU4021QW	Dell UltraSharp Curved Monitor U4021QW, 40.0" WUHD, TBT3 PD 90W, RJ45	54,991
SNSU4320Q	Dell UltraSharp 4K Monitor U4320Q, 42.5" 4K 3840x2160, connects up to 4 clients PBP, USB-C PD 90W	32,890
SNSUP2716D	Dell UltraSharp PremierColor Monitor UP2716D, 27.0" QHD 2560x1440, 3SNB	19,190
SNSUP3017	Dell UltraSharp PremierColor Monitor UP3017, 30.0" WQXGA 2560x1600	36,890
SNSUP3221Q	Dell UltraSharp PremierColor 4K Monitor UP3221Q, 31.5" UHD 3840x2160, TBT3 PD 90W, Built-in colorimeter, CalMAN	126,890

DELL : All in One



Optiplex 3280
SNS328A001



Optiplex 3280
SNS328A002



Optiplex 3280
SNS328A003

Free	Free DVD RW External	Free DVD RW External	Free DVD RW External
Display	"21.5-inch, FHD, 1920 x 1080, 60 Hz, Anti-glare, WLED, Non-touch, Narrow Bezel, 72% NTSC typical, 250 Nits, IPS, Wide Viewing Angle, Camera"	"21.5-inch, FHD, 1920 x 1080, 60 Hz, Anti-glare, WLED, Non-touch, Narrow Bezel, 72% NTSC typical, 250 Nits, IPS, Wide Viewing Angle, Camera"	3280 AIO 21.5" FHD 1920x1080 IPS No Touch Anti-Glare, Camera
CPU	Intel® Pentium® Gold G6400T (2 Cores, 4 MB Cache, 4 Threads, 3.4 GHz, 35 W)	Intel® Core™ i3-10100T (4 Cores, 6 MB Cache, 8 Threads, 3.0 GHz up to 3.8 GHz, 35 W)	Intel® Core™ i5-10500T (6 Cores, 12 MB Cache, 12 Threads, 2.3 GHz up to 3.8 GHz, 35 W)
Chipset	Intel® B460 Chipset	Intel® B460 Chipset	Intel® B460 Chipset
OS	Ubuntu	Ubuntu	Win10Pro 64 bit
RAM	4GB (1X4GB) 2666MHz DDR4 Non-ECC	4GB (1X4GB) 2666MHz DDR4 Non-ECC	8GB (1X8GB) 2666MHz DDR4 Non-ECC
HDD	2.5 inch 1TB 7200rpm Hard Disk Drive	2.5 inch 1TB 7200rpm Hard Disk Drive	2.5 inch 1TB 7200rpm Hard Disk Drive
Optical drive	External DVD (Dell USB Slim DVD+/-RW Drive-DW316)	External DVD (Dell USB Slim DVD+/-RW Drive-DW316)	None
Graphic	Intel® UHD Graphics 610	Intel® UHD Graphics 630	Intel® UHD Graphics 630
Wireless/BT	Qualcomm QCA61x4a 802.11ac dual band 2x2 + Bluetooth 5.0	Qualcomm QCA61x4a 802.11ac dual band 2x2 + Bluetooth 5.0	Intel 3165 802.11ac dual band 1x1 + Bluetooth 4.2
Mouse&KB	USB Mouse&Keyboard	USB Mouse&Keyboard	Dell Wireless Keyboard and Mouse (Thai) KM636 Black
PowerSupply	130W external power supply	130W external power supply	130W external power supply
I/O Port	"1 RJ-45 port 10/100/1000 Mbps (rear) 1 USB 3.2 Gen 1 Type-C port (side) 1 USB 3.2 Gen 1 Type-A port with PowerShare (side) 2 USB 2.0 ports with Smart Power On (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal audio port (side) , 1 Line-out audio port (rear) 1 DP++ 1.4/HDCP 2.3 port (rear)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 1 USB 3.2 Gen 1 Type-C port (side) 1 USB 3.2 Gen 1 Type-A port with PowerShare (side) 2 USB 2.0 ports with Smart Power On (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal audio port (side) , 1 Line-out audio port (rear) 1 DP++ 1.4/HDCP 2.3 port (rear)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 1 USB 3.2 Gen 1 Type-C port (side) 1 USB 3.2 Gen 1 Type-A port with PowerShare (side) 2 USB 2.0 ports with Smart Power On (rear) 2 USB 3.2 Gen 1 Type-A ports (rear) 1 Universal audio port (side) , 1 Line-out audio port (rear) 1 DP++ 1.4/HDCP 2.3 port (rear)"
Stand Type	Basic Stand	Basic Stand	Basic Stand
Warranty	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	15,990.-	17,990.-	25,990.-



Optiplex 5480
SNS548A001



Optiplex 5480
SNS548A002



Optiplex 5480
SNS548A003

Display	23.8" FHD 1920x1080 IPS Non-Touch Anti-Glare, Camera, Bronze PSU	23.8" FHD 1920x1080 IPS Non-Touch Anti-Glare, Camera, Bronze PSU	23.8" FHD 1920x1080 IPS Touch Anti-Glare, IR Camera, Platinum PSU
CPU	Intel® Core™ i5-10500T (6 Cores, 12 MB Cache, 12 Threads, 2.3 GHz up to 3.8 GHz, 35 W)	Intel® Core™ i5-10500T (6 Cores, 12 MB Cache, 12 Threads, 2.3 GHz up to 3.8 GHz, 35 W)	Intel® Core™ i5-10500T (6 Cores, 12 MB Cache, 12 Threads, 2.3 GHz up to 3.8 GHz, 35 W)
Chipset	Intel® Q470 Chipset	Intel® Q470 Chipset	Intel® Q470 Chipset
OS	Win10Pro 64 bit	Win10Pro 64 bit	Win10Pro 64 bit
RAM	8GB 1X8GB DDR4 2666MHz Non-ECC	8GB 1X8GB DDR4 2666MHz Non-ECC	8GB 1X8GB DDR4 2666MHz Non-ECC
HDD	2.5 inch 1TB 7200rpm Hard Disk Drive	M.2 256GB PCIe NVMe Class 35 Solid State Drive	M.2 256GB PCIe NVMe Class 40 Solid State Drive + 2.5 inch 1TB 7200rpm Hard Disk Drive
Optical drive	None	None	None
Graphic	Intel® UHD Graphics 630	Intel® UHD Graphics 630	Intel® UHD Graphics 630
Wireless/BT	Intel Wi-Fi 6 AX201, Dual-band 2x2 802.11ax with MU-MIMO + Bluetooth 5.0	Intel Wi-Fi 6 AX201, Dual-band 2x2 802.11ax with MU-MIMO + Bluetooth5.0	Intel Wi-Fi 6 AX201, Dual-band 2x2 802.11ax with MU-MIMO + Bluetooth5.0
Mouse&KB	Dell Wireless Keyboard and Mouse (Thai) KM636 Black	Dell Wireless Keyboard and Mouse (Thai) KM636 Black	Dell Wireless Keyboard and Mouse (Thai) KM636 Black
PowerSupply	80 PLUS internal Power Supply Unit (PSU); 155 W typical 85% Efficient PSU (80 PLUS Bronze)	80 PLUS internal Power Supply Unit (PSU); 155 W typical 85% Efficient PSU (80 PLUS Bronze)	80 PLUS internal Power Supply Unit (PSU); 220 W typical 92% Efficient PSU (80 PLUS Platinum)
I/O Port	"1 RJ-45 port 10/100/1000 Mbps (rear) 1 USB 3.2 Gen 2 Type-C port (side) 1 USB 3.2 Gen 1 Type-A port with PowerShare (side) 2 USB 2.0 ports with Smart Power On (rear) 2 USB 3.2 Gen 2 Type-A ports (rear) 1 Universal audio jack (side), 1 Line-out audio port (rear) 1 DP++ 1.4/HDCP 2.3 port (rear)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 1 USB 3.2 Gen 2 Type-C port (side) 1 USB 3.2 Gen 1 Type-A port with PowerShare (side) 2 USB 2.0 ports with Smart Power On (rear) 2 USB 3.2 Gen 2 Type-A ports (rear) 1 Universal audio jack (side), 1 Line-out audio port (rear) 1 DP++ 1.4/HDCP 2.3 port (rear)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 1 USB 3.2 Gen 2 Type-C port (side) 1 USB 3.2 Gen 1 Type-A port with PowerShare (side) 2 USB 2.0 ports with Smart Power On (rear) 2 USB 3.2 Gen 2 Type-A ports (rear) 1 Universal audio jack (side), 1 Line-out audio port (rear) 1 DP++ 1.4/HDCP 2.3 port (rear)"
Stand Type	Height Adjustable Stand	Height Adjustable Stand	Height Adjustable Stand
Warranty	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	28,990.-	29,990.-	34,990.-

Office PC

DELL : All in One



Optiplex 5480
SNS548A005



Optiplex 7480
SNS748A001



Optiplex 7480
SNS748A003

Display	23.8" FHD 1920x1080 IPS Non-Touch Anti-Glare, IR Camera, Discrete Graphics, Platinum PSU	23.8" FHD 1920x1080 IPS Non-Touch Anti-Glare, Camera, Bronze PSU	23.8" FHD 1920x1080 IPS Non-Touch Anti-Glare, IR Camera, Bronze PSU
CPU	Intel® Core™ i7-10700 (8 Cores, 16 MB Cache, 16 Threads, 2.9 GHz upto 4.8 GHz, 65W)	Intel® Core™ i5-10500 (6 Cores, 12 MB Cache, 12 Threads, 3.1 GHz up to 4.5 GHz, 65 W)	Intel® Core™ i7-10700 (8 Cores, 16 MB Cache, 16 Threads, 2.9 GHz upto 4.8 GHz, 65W)
Chipset	Intel® Q470 Chipset	Intel® Q470 Chipset	Intel® Q470 Chipset
OS	Win10Pro 64 bit	Win10Pro 64 bit	Win10Pro 64 bit
RAM	16GB 1X816GB DDR4 Non-ECC, 2933MHz for i7	8GB 1X8GB DDR4 2666MHz Non-ECC	16GB 2X8GB DDR4 2933 MHz Non-ECC
HDD	M.2 512GB PCIe NVMe Class 35 Solid State Drive	M.2 256GB PCIe NVMe Class 40 Solid State Drive + 2.5 inch 1TB 7200rpm Hard Disk Drive	M.2 256GB PCIe NVMe Solid State Drive + 2.5 inch 1TB 7200rpm Hard Disk Drive
Optical drive	None	None	None
Graphic	NVIDIA GeForce GTX 1050-K1, 3GB	Intel® UHD Graphics 630	Intel® UHD Graphics 630
Wireless/BT	Intel Wi-Fi 6 AX201, Dual-band 2x2 802.11ax with MU-MIMO + Bluetooth5.0	Intel Wi-Fi 6 AX201, Dual-band 2x2 802.11ax with MU-MIMO + Bluetooth5.0	Intel Wi-Fi 6 AX201, Dual-band 2x2 802.11ax with MU-MIMO + Bluetooth5.0
Mouse&KB	Dell Wireless Keyboard and Mouse (Thai) KM636 Black	Dell Wireless Keyboard and Mouse (Thai) KM636 Black	Dell Wireless Keyboard and Mouse (Thai) KM636 Black
PowerSupply	80 PLUS internal Power Supply Unit (PSU); 220 W typical 92% Efficient PSU (80 PLUS Platinum)	80 PLUS internal Power Supply Unit (PSU), 220 W typical 92% Efficient PSU (80 PLUS Platinum)	80 PLUS internal Power Supply Unit (PSU), Bronze 160W PSU
I/O Port	"1 RJ-45 port 10/100/1000 Mbps (rear) 1 USB 3.2 Gen 2 Type-C port (side) 1 USB 3.2 Gen 1 Type-A port with PowerShare (side) 2 USB 2.0 ports with Smart Power On (rear) 2 USB 3.2 Gen 2 Type-A ports (rear) 1 Universal audio jack (side), 1 Line-out audio port (rear) 1 DP++ 1.4/HDCP 2.3 port (rear)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 1 USB 3.2 Gen 2 Type-C port (side) 1 USB 3.2 Gen 1 Type-A port with PowerShare (side) 2 USB 3.2 Gen 2 Type-A ports with Smart Power On (rear) 2 USB 3.2 Gen 2 Type-A ports (rear) 1 Line-out audio port (rear), 1 Universal audio jack (side) 1 DP++ 1.4/HDCP 2.3 port (rear) 1 HDMI In port (rear), 1 HDMI Out port (rear)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 1 USB 3.2 Gen 2 Type-C port (side) 1 USB 3.2 Gen 1 Type-A port with PowerShare (side) 2 USB 3.2 Gen 2 Type-A ports with Smart Power On (rear) 2 USB 3.2 Gen 2 Type-A ports (rear) 1 Line-out audio port (rear), 1 Universal audio jack (side) 1 DP++ 1.4/HDCP 2.3 port (rear) 1 HDMI In port (rear), 1 HDMI Out port (rear)"
Stand Type	Height Adjustable Stand	Height Adjustable Stand	Height Adjustable Stand
Warranty	3Yr Pro Support	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	44,990.-	32,990.-	41,990.-



Optiplex 7780
SNS778A003



Optiplex 7780
SNS778A004

Display	27" FHD 1920x1080 IPS Touch Anti-Glare, IR Camera, Platinum PSU	27" FHD 1920x1080 IPS Non-Touch Anti-Glare, Camera, Platinum PSU
CPU	Intel® Core™ i7-10700 (8 Cores, 16 MB Cache, 16 Threads, 2.9 GHz upto 4.8 GHz, 65W)	Intel® Core™ i7-10700 (8 Cores, 16 MB Cache, 16 Threads, 2.9 GHz upto 4.8 GHz, 65W)
Chipset	Intel® Q470 Chipset	Intel® Q470 Chipset
OS	Win10Pro 64 bit	Win10Pro 64 bit
RAM	16GB 2X8GB DDR4 2933 MHz Non-ECC	16GB 1X16GB DDR4 2933 MHz Non-ECC
HDD	M.2 256GB PCIe NVMe Solid State Drive + 2.5 inch 1TB 7200rpm Hard Disk Drive	M.2 512GB PCIe NVMe Solid State Drive
Optical drive	None	None
Graphic	Intel® UHD 630 Graphics	Intel® UHD 630 Graphics
Wireless/BT	Intel Wi-Fi 6 AX201, Dual-band 2x2 802.11ax with MU-MIMO + Bluetooth5.0	Intel Wi-Fi 6 AX201, Dual-band 2x2 802.11ax with MU-MIMO + Bluetooth5.0
Mouse&KB	Dell Wireless Keyboard and Mouse (Thai) KM636 Black	Dell Wireless Keyboard and Mouse (Thai) KM636 Black
PowerSupply	80 PLUS internal Power Supply Unit (PSU), 220 W typical 92% Efficient PSU (80 PLUS Platinum)	80 PLUS internal Power Supply Unit (PSU), 220 W typical 92% Efficient PSU (80 PLUS Platinum)
I/O Port	"1 RJ-45 port 10/100/1000 Mbps (rear) 1 USB 3.2 Gen 2 Type-C port (side) 1 USB 3.2 Gen 1 Type-A port with PowerShare (side) 2 USB 3.2 Gen 2 Type-A ports with Smart Power On (rear) 2 USB 3.2 Gen 2 Type-A ports (rear) 1 Line-out audio port (rear), 1 Universal audio jack (side) 1 DP++ 1.4/HDCP 2.3 port (rear) 1 HDMI In port (rear), 1 HDMI Out port (rear)"	"1 RJ-45 port 10/100/1000 Mbps (rear) 1 USB 3.2 Gen 2 Type-C port (side) 1 USB 3.2 Gen 1 Type-A port with PowerShare (side) 2 USB 3.2 Gen 2 Type-A ports with Smart Power On (rear) 2 USB 3.2 Gen 2 Type-A ports (rear) 1 Line-out audio port (rear), 1 Universal audio jack (side) 1 DP++ 1.4/HDCP 2.3 port (rear) 1 HDMI In port (rear), 1 HDMI Out port (rear)"
Stand Type	Height Adjustable Stand	Height Adjustable Stand
Warranty	3Yr Pro Support	3Yr Pro Support
SRP (inc. VAT)	49,990.-	43,990.-

Office PC

18