



THE NEW DIRECTION FOR TOTAL DOCUMENT SOLUTIONS.



2017 Kyocera Product Catalog
Version 2



To provide agencies a seamless approach to Multi-Functional Device (MFD) ownership, State Print & Mail offers a new solution. The vision is designed to save agencies money, increase the level of customer service, simplify procurement of MFDs, and migrate to a true managed print solution.

NEW PARTNERSHIP ADVANTAGES

- 360 Office Solutions will service agencies at the Capitol complex and state-wide
- Expanded selections of MFDs as well as competitive pricing
- Utilizing software
 - track networked MFDs
 - streamlining maintenance and billing
 - detect toner levels, equipment jams and other maintenance problems
- Opportunity to have audits performed by 360 Office Solutions on current usages per MFD, providing valuable information on the possibility of reducing an agency's environmental footprint (less equipment) while lowering their print costs

GOALS OF A MANAGED PRINT PROGRAM

- Optimize and manage the State's leased printing and imaging devices, such as printers, fax machines, copiers, and scanners, by consolidating as many functions as possible into MFDs
- Provide significant cost savings by reducing the number of individual and network devices
- Encourage State of Montana participation in a cooperative purchasing effort. Increased participation equates to even more cost savings for the State
- Streamline the equipment procurement, IT setup, maintenance, and the service quality response process
- Establish a seamless and central management of the State's print infrastructure that provides agencies with a more direct customer service experience and an increased ability through 360 Office Solutions to monitor cost performance

Contact Ryan Betcher, Program Manager from State Print & Mail regarding questions about this exciting new opportunity.

rbetcher@mt.gov | 406-444-1833

CATALOG USAGE

- The catalog is broken into 6 machine categories, 3 color and 3 black only. To accommodate a variety of customers, there are additional products at the end of the catalog. Each category will have a base configuration and is illustrated for convenience. From the base unit, agencies can add or subtract accessories to better fit its needs. The total monthly lease or purchase price will be based on the accessories chosen for the machine. The total lease cost and click charge (per impression cost) will then be combined and billed to the agency monthly. Toner, service and maintenance on leased or purchased MFDs under this contract are included in the click charge.
- Each MFD placed by 360 Office Solutions will be assigned a unique A-number to be utilized when placing service calls. To facilitate the monitoring (i.e. toner levels, machine status and billing) any MFD placed should be connected to the State's network if possible. MFDs not connected to the State's network will require a key contact per device location responsible for submitting monthly meter readings and placing service calls.
- Pricing in this catalog is intended as a reference guide only, please contact Ryan Betcher 406-444-1833 to review current lease rates.



› PRINT › COPY › SCAN › FAX

ECOSYS FS-C8520MFP

COLOR MULTIFUNCTIONAL
SYSTEM



**ECONOMICAL.
ECOLOGICAL.
ECOSYS
TECHNOLOGY.**



For workgroups that require a high level of functionality and ease-of-use, the KYOCERA ECOSYS FS-C8520MFP delivers color document imaging that is budget friendly and virtually worry-free. Our unique ECOSYS technology brings increased operating life and advanced reliability in an environmentally efficient multifunctional device. Offering one of the lowest total costs per print, it's the smart choice for eco-friendly, cost-conscious offices.

- › Up to 20 pages per minute in Color and Black
- › Print, Copy, Scan and optional Fax
- › Business Application Capable
- › Paper Capacity up to 1,600 sheets
- › Easy To Install and Operate
- › Minimal Service Intervention Required
- › Long Life Components Provide Efficiency and Reliability
- › Easy-to-Use Color Touch Screen Control Panel





Machine #1

Model: FS-C8520MFP
 Speed: 20/20 ppm (Color/B&W)
 Monthly Volume: 30,000
 Resolution: 600 x 600 dpi
 Item Number: 1102MZ2US0

TASKalfa C8520MFP (Machine 1)

Total Copy Agreement	
0.04926	Color
0.00892	B&W

Base Configuration

MODEL	Item No.	DESCRIPTION	State of Montana Price	State of Montana 36 Month Lease
TASKalfa C8520	1102MZ2US0	20/20 PPM/B/W & Color	\$1,575.14	\$50.11
Fax System (U)	1505JR2US0	Fax Board	\$241.43	\$7.68
Copier Stand	855D200598	Copier Stand	\$209.94	\$6.68
Total			\$2,026.52	\$64.46

Description: Take greater command of your business with a lower total cost of ownership. Designed with you in mind, the ECOSYS FS-C8520MFP & FS-C8525MFP Color multifunctional systems with SMARTtech (Simple Management and Replacement Technology) assures simple-to-operate and simple-to-manage MFP functionality. Offering affordable business color, it is ideal for virtually every busy office and workgroup. And thanks to Kyocera's SMARTtech design, when service is required interruption to your business activities is minimal, to ensure maximum uptime when you need it most. Now your business can print, copy, scan all in color or fax when needed...all within your budget thanks to one of the lowest Total Cost of Ownerships' in its class.



Machine #1: ECOSYS FS-C8520MFP / ECOSYS FS-C8525MFP

MAINFRAME

INCLUDED WITH BID

MODEL	Item No.	DESCRIPTION	State of Montana Price	State of Montana 36 Month Lease
TASKalfa C8520	1102MZ2US0	20/20 PPM/B/W & Color	\$1,575.14	\$50.11
TASKalfa C8525	1102MY2US0	25/25 PPM/B/W & Color	\$1,722.95	\$54.81


ACCESSORIES

MODEL	Item No.	DESCRIPTION	State of Montana Price	State of Montana 36 Month Lease
PF-470	1203NP2US0	Additional 500 Sheet Paper Feeder	\$201.01	\$6.39
PF-471	1203NN2US0	Additional 2 X 500 Sheet Paper Feeder	\$299.08	\$9.51
DF-470	1205JS0UN0	500 Sheet Document Finisher	\$287.85	\$9.16
AK-470	1703NS0UN0	Bridge unit for Installation of DF-470	\$61.80	\$1.97
Fax System (U)	1505JR2US0	Fax Board	\$241.43	\$7.68
IB-50	1505JV0UN0	Gigabit Ethernet Board	\$287.32	\$9.14
Copier Stand	855D200598	Copier Stand	\$209.94	\$6.68
CF-4G	855D200615	Compact Flash Req for HyPass Apps	\$34.69	\$1.10
SD-144-G1(A)	855D200296	1 GB SDRAM Memory	\$422.85	\$13.45
Card Reader Holder(B)	1709AD0UN0	HID Card Reader Holder (B)	\$57.46	\$1.83

Machine #1: ECOSYS FS-C8520MFP / ECOSYS FS-C8525MFP



Product Configuration



ECOSYS

KYOCERA's objective is to manufacture superior products with a low Total Cost of Ownership (TCO) and minimize the impact on the environment. ECOSYS printers incorporate a patented long life drum which is separate from the toner container, eliminating drum replacement when toner is depleted – and reducing landfill waste. ECOSYS printers provide a printing solution that incorporates long life consumables and one of the lowest costs per print. The operating costs of traditional cartridge-based printers can easily exceed many times the original purchase price during the life of the product. Evaluate your printer costs today.

BASIC SPECIFICATIONS

Configuration: 20/20 ppm Color Multifunctional Printer with standard network print, copy and scan. Standard Document Processor, Duplex and 600 Sheet Paper Capacity. Optional Fax/ Network Fax, Finishing and Paper Handling

Pages per Minute: 20/20ppm (Letter); 10/9ppm Legal; 10/8 ppm Ledger

Ready Time: 23 seconds or less

First Page Out:

Print: 11 seconds or less (mono), 14 seconds or less (color);

Copy: 11.7 seconds or less (mono), 13.6 seconds or less (color)

Control Panel Display: 4.3" Touch Screen

Resolution: Print / Copy: 600 x 600 dpi; Scan: 600 x 600 dpi / 8 bit color depth

Memory: Standard 1.5 GB RAM upgradeable to 2 GB

Duplex: Standard Duplex

Electrical Requirements: 120V, 60Hz, 12A

Dimensions / Weight: 23.3" W x 23.3" D x 29.5" H (mainframe) / 176.4 lbs

PAPER SUPPLY

Standard Paper Sources: Standard 500 Sheet Drawer, 100 Sheet Multipurpose Tray (MPT)

Optional Paper Sources: 500 x 2 Sheet Drawer (PF-471); 500 Sheet + Cabinet Drawer (PF-470)

Paper Capacity: Standard: 600 Sheets; Maximum: 1,600 Sheets

Paper Size: 5.5" x 8.5" - 11" x 17" (Statement - Ledger)

Paper Weight: Drawers: 16 lb Bond - 140 lb Index (60 - 256gsm); MPT: 16 lb Bond - 140 lb Index (60 - 256gsm)

Input Materials: Drawers: Plain paper, Recycled paper; MPT: Plain paper, Recycled paper, Thin paper, Thick paper, Cover stock, Card stock, Envelopes

PRINTER SPECIFICATIONS

Controller: PowerPC 464 800MHz

PDL / Emulations: PRESCRIBE, PCL6 (PCL XL and 5c), KPD13 (PS3), XPS

Print Resolution: 600 x 600 dpi, 8 bit Color Depth

Fonts: 101 Fonts (93 PS3/PCL, 8 Vista)

Windows® OS Compatibility: Windows XP/2003/Vista/2008/7/8

Mac OS Compatibility: OS 10.x

HARNESS THE POWER OF YOUR TASKalfa MFP WITH CUSTOMIZED BUSINESS APPLICATIONS



KYOCERA CLOUD CONNECT: Easily print from and scan directly to the cloud while on the go from select KYOCERA MFPs



KYOCERA MOBILE PRINT: Simply and conveniently print files, web pages, and images using your smartphone or tablet.



DMS LINK: Simplify document workflow through digital imaging, distribution, retrieval and long-time archival.



PINPOINT SCAN: Scan from your MFP to your PC with added speed, functions and versatility.



SHAREPOINT CONNECTOR: Enhance collaboration utilizing your KYOCERA MFPs and your existing Microsoft SharePoint Server.

Novell OS Compatibility: Novell NetWare 3.x/4.x/5.x/6.x

UNIX OS Compatibility: Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR)

Interfaces: Standard: 10/100/1000 BaseTX; High Speed USB 2.0, USB Host (2); Optional: 10/100/1000BaseTX

Network Print and Supported Protocols: AppleTalk, IPsec, LDAP over SSL, SMNPv3, Kerberos, NTLM, 802.1x, TCP/IP, NetBEUI, HTTPS, Supports IPv4 and IPv6

Drivers/PPDs: KX Driver, Mini Driver, PPD for Mac, PPD for Linux/UNIX

Utilities: KYOCERA Business Applications, KYOCERA Net Admin, KYOCERA Net Viewer, PDF DirectPrint, Status Monitor, Command Center RX

SCAN SPECIFICATIONS

Scan Type: Color and B&W Scanner

Scan Speed (Letter): 200/300 dpi: 40 ipm; 600 dpi: 20 ipm

Scan Resolutions: 600 dpi, 400 dpi, 300 dpi, 200, 200 x 100 dpi, 200 x 400 dpi

File Formats: B&W: PDF (1.4/A)/TIFF/XPS; Color: PDF (1.4/A)/JPG/TIFF/XPS

Connectivity / Supported Protocols: 10/100/1000 BaseTX / TCP/IP

Scanning Functions: Scan to e-Mail, Scan to Folder (SMB), Scan to FTP, Scan to USB

Scanning Features: Duplex Scan, Continuous Scan, File Separation, Mixed Size Scan, Color Selection, File Name Entry, Job Finish Notice

COPY SPECIFICATIONS

Image Mode: Text, Photo, Text/Photo, Graphic/Map, Printer Output

Continuous Copy: 1-999/ Auto Reset to 1

Additional Features: Auto Color Select, Auto Magnification, Auto Paper Select, Margin Shift, Mixed Size Originals, EcoPrint, Image Rotate, Electronic Sort, Split Copy, Job Interrupt, Favorites, Shortcuts, Job Finish Notice

Job Management: 100 Department Codes, 100 User Authentication (20 Customizable User Logins)

Magnification / Zoom: Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25-400% Zoom in 1% Increments

Document Box: Job Box for RAM-based Private Print, Removable Memory for Print-from and Scan-to

FAX SPECIFICATIONS

OPTIONAL FAX SYSTEM (U)

Compatibility: ITU-T Group 3

Transmission Speed / Modem: Less than 3 seconds per page / 33.6 Kbps

Fax Transmission Selection: Normal/Fine/Ultra Fine/Super Fine

Fax Memory: Standard 9.5 MB

Fax Memory Capacity: Up to 700 pages

Network Fax Reception: Supports SMB Folder Reception

Fax Functions: Duplex Transmission/Reception, Dual Access, 200 Address list, 100 One Touch, 50 Groups, Broadcast, Fax Block (25 Numbers), Fax Reports, Fax Box (Polling and Sub-Address Boxes)

DOCUMENT PROCESSOR

Type / Capacity: Standard Reversing Document Processor (RADF) / 50 Sheets

Copy Scan Speed: Up to 40 Originals per Minute

Acceptable Originals: 5.5" x 8.5" - 11" x 17" (Statement - Ledger); Simplex: 16 lb Bond - 90 lb Index (45 - 160gsm), Duplex: 16 - 32 lb Bond (60 - 220gsm)

OPTIONAL 500 SHEET FINISHER DF-470

Stack / Staple Capacity: Stack: 500 Sheets / Staple 50 Sheets (Letter), 30 Sheets (Legal/Ledger)

Paper Size: Letter, Legal, Ledger

Paper Weight: 16 lb Bond - 140 lb Index (60 - 256gsm)

Edge Staple Position: 3 Positions

CONSUMABLES

Toner: Black: 12,000 pages* (ships with 3,000 pages)

CMY: 6,000 pages* (ships with 1,500 pages)

Waste Toner Box: 7,500 pages

Maintenance Kit: MK- 896A / MK-896B: 200,000 pages; MK-470: 300,000

ADDITIONAL OPTIONS

AK-470 (Bridge Unit for Finisher), **IB-50** Gigabit NIC (Dual NIC), Card Authentication Kit (B), 500 MB Memory Upgrade, Cabinet, Card Reader Holder (B), CF Card for Business Applications

* In accordance with ISO 19798

Specifications and design are subject to change without notice. For the latest on connectivity visit www.kyoceradocumentsolutions.com/us. ECOSYS, DMS Link and PinPoint Scan are trademarks of the KYOCERA Companies. Other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc.
Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA
©2013 KYOCERA Document Solutions America, Inc.





› PRINT › COPY › SCAN › FAX

TASKalfa 3252ci

COLOR MULTIFUNCTIONAL
SYSTEM

POWERFUL COLOR PERFORMANCE... CONNECTING PEOPLE AND INFORMATION.



The TASKalfa 3252ci puts Color and B&W imaging at your fingertips...taking your business to the next level. From a single device, effortlessly print, scan, and copy via the system's intuitive, tablet-like color touch screen. As a flexible document processing hub, the versatile TASKalfa 3252ci incorporates a vast array of cutting-edge functionality to streamline document workflow and maximize office efficiency. Combined with Kyocera's award-winning ultra-reliability, unique long-life technology and business application integration, the TASKalfa 3252ci is the ideal solution for growing businesses.

- › Vivid Color and B&W Imaging up to 32 Pages per Minute
- › Exceptional Print Quality at up to 1200 dpi
- › Scalable Paper Capacity for Longer Job Runs

- › Flexible Media Support and Paper Sizes up to 12" x 48"
- › Customizable 9" Color Touch Screen with Intuitive, Tablet-like Home Screen
- › Robust Portfolio of Business Applications that Can Optimize Your Document Workflow
- › Advanced Finishing Options for Professional Output, including a Space-Saving 500-Sheet Internal Finisher
- › Optional Fiery Controller for Complex Color Workflows
- › Standard USB Host Interface for On-the-Go Printing and Scanning
- › Efficient Color Scanning up to 160 ipm
- › Convenient Wireless Printing and Scanning
- › Apple AirPrint™, Google Cloud Print™ and KYOCERA Mobile Print Compatible for a Mobile Printing Solution





Machine #2

Model: TASKalfa 3252ci
 Speed: 32/32 ppm (Color/B&W)
 Monthly Volume: 120,000
 Resolution: 1,200 x 1,200 dpi
 Item Number: 1102RL2US0

TASKalfa 3252ci (Machine 2)

Total Copy Agreement	
0.04636	Color
0.00591	B&W

Base Configuration

MODEL	Item No.	DESCRIPTION	State of Montana Price	State of Montana 36 Month Lease
TASKalfa 3252ci (Machine 2)	1102RL2US0	32/32 Color/B/W MFP	\$2,021.14	\$64.29
DP-7100	1203R76US0	140 Sheet Reversing Automatic Document Processor	\$0.00	\$0.00
FAX System 12	1503RK2US0	Fax System 12 Fax Board	\$427.91	\$13.61
Copier Stand	855D200731	Copier Stand	\$240.26	\$7.64
Total			\$2,689.31	\$85.55

Description: The TASKalfa 3252ci provides high-quality A4/A3 colour output and maximum flexibility for your office. Whether printing, copying or scanning, our advanced technology delivers perfect document management and production. With a wide range of paper-handling and modular finishing options, this multifunctional device can be relied upon to comfortably handle all of your office document requirements.



Machine #2: TASKalfa 3252ci

MAINFRAME

INCLUDED WITH BID

MODEL	Item No.	DESCRIPTION	State of Montana Price	State of Montana 36 Month Lease
TASKalfa 3252ci (Machine 2)	1102RL2US0	32/32 Color/B/W MFP	\$2,021.14	\$64.29


ACCESSORIES

MODEL	Item No.	DESCRIPTION	State of Montana Price	State of Montana 36 Month Lease
PLATEN COVER TYPE(E)	1202H70UN0	PLATEN COVER TYPE(E)	\$76.98	\$2.45
DP-7100	1203R76US0	140 Sheet Reversing Automatic Document Processor	\$0.00	\$0.00
DP-7110	1203R86US0	270 Sheet Dual Scan Document Processor	\$277.49	\$8.83
DF-7120	1203RJ6US0	1,000 Sheet Finisher	\$503.86	\$16.03
DF-7110	1203RW2US0	4,000 Sheet Finisher	\$817.94	\$26.02
AK-7100	1703RG0UN0	Attachment kit for DF-7120 / DF-7110	\$116.33	\$3.70
PH-7A	1203NK2US0	2/3 Hole Punch Unit for DF-7110/7120	\$219.20	\$6.97
BF-730	1203ND0UN0	Booklet Folder (requires DF-7110)	\$490.76	\$15.61
MT-730	1203N00UN1	7 Bin Mailbox for DF-7110	\$327.18	\$10.41
JS-7100	1203RN0UN0	Job Separator	\$62.16	\$1.98
PF-7120	1203RL2US0	3,000 Sheet Side Large Capacity Tray - Letter	\$464.05	\$14.76
PF-7100	1203RB2US0	Dual 500 Sheet Paper Trays	\$421.52	\$13.41
PF-7110	1203RC2US0	Dual 1,500 Sheet Trays	\$451.50	\$14.36
Banner Guide 10	1203RP0UN0	MPT Guide attachment to assist the feeding of banner paper.	\$225.38	\$7.17
FAX System 12	1503RK2US0	Fax System 12 Fax Board	\$427.91	\$13.61
Internet FAX Kit (A)*	1703MC0UN0	Internet Fax Kit (requires Fax 12)	\$119.96	\$3.82
Printing System 15	1503RM0KLO	EFI FIERY Controller with Spot-On	\$3,316.60	\$105.50
Printing System Interface Kit	1503RYDKLO	Interface kit for Printing System(15),	\$545.29	\$17.35
Data Security Kit	1603MS0UN0	Hard Drive Encryption/Overwrite Kit	\$219.05	\$6.97
IB-50 Gigabit EtherNet Board	1505JV0UN0	Gigabit EtherNet Board for Dual NIC	\$428.96	\$13.65
IB-51 Wireless LAN NIC	1505J50UN0	Wireless LAN NIC (Long Communication Distance)	\$321.11	\$10.21
UG-34	1503NX0UN0	Optional Emulation for IBM Prorinter,Epson LQ850,Diabro 630	\$407.15	\$12.95
Scan extension kit	1603P10UN0	Searchable PDF Kit	\$436.24	\$13.88
Keyboard Holder 10	1709AN0UN0	Keyboard Tray Kit	\$82.40	\$2.62
DT-730(B)	1902LC0UN2	Original Hard Copy Holder	\$32.71	\$1.04
Copier Stand	855D200731	Copier Stand	\$240.26	\$7.64

Machine #2: TASKalfa 3252ci



3252ci Product Configuration



TASKalfa 3252ci

BASIC SPECIFICATIONS

Configuration: Color Multifunctional System – Print/Scan/Copy/Optional Fax

Pages Per Minute:

Color and Black – Letter: 32 ppm, Legal: 19 ppm, Ledger: 16 ppm, 12" x 18": 16 ppm (print only)

Warm Up Time: 18 Seconds or Less (Power On)

First Page Out:

Copy: 5.3 Seconds or Less Black, 7.0 Seconds or Less Color
Print: 5.9 Seconds or Less Black, 7.7 Seconds or Less Color

Display: 9" Color Touch Screen Control Panel

Resolution: 600 x 600 dpi; 9600 dpi x 600 dpi; 1200 x 1200 dpi

Memory / Hard Disk Drive: 4GB RAM / 320GB HDD Standard

Duplex: Standard Stackless Duplex Supports Statement to 12" x 18", 14 lb Bond – 166 lb Index (52 – 300gsm)

Standard Output Tray: Statement – 12" x 18" / 500 sheets; up to 12" x 48" Banner (Single Sheet)

Electrical Requirements: 120V, 60Hz, 12A; 220-240V, 50Hz, 7.2A

Typical Electricity Consumption (TEC): 120V: 1.6 kWh/week; 220V: 1.5 kWh/week

Dimensions: 23.70" W x 26.18" D x 31.10" H

Weight: 202.83 lbs

Maximum Monthly Duty Cycle: 125,000 Pages per Month

PAPER SUPPLY

Standard Paper Sources: Dual 500 Sheet Trays, 150 Sheet MPT, Auto Selection / Switching

Optional Paper Sources: Dual 500 Sheet Trays (PF-7100), Dual 1,500-sheet Trays (PF-7110); Side LCT: 3,000 Sheet Capacity Tray (PF-7120)¹

Paper Capacity: Standard: 1,150 Sheets; Maximum: 7,150 Sheets

Paper Size:

Tray 1 – 5.5" x 8.5" – 8.5" x 14" (Statement to Legal); Tray 2 – 5.5" x 8.5" – 12" x 18", Custom Size; PF-7100: 5.5" x 8.5" – 12" x 18"; PF-7110, PF-7120: 8.5" x 11"; MPT: 5.5" x 8.5" – 12" x 18" (Multiple Sheets); Up to 12" x 48" Banner (Single Sheet)

Paper Weight: Trays / MPT: 14 lb Bond – 166 lb index (52 – 300gsm)

Input Materials: Standard/Optional Drawer: Plain Paper, Bond Paper, Recycled Paper, Envelopes; MPT: Plain Paper, Bond Paper, Recycled Paper, Cardstock, Transparencies, Labels, Envelopes

SECURITY SPECIFICATIONS

Standard: Local Authentication, Network Authentication (IPsec, HTTPS, LDAP over SSL, SNMPv3); Secure Print (IPP over SSL); Scan to Email (POP3/SMTP over SSL); Scan to FTP (FTP over SSL); Scan to SMB/PC/USB; FTP over SSL

Optional: Data Security Kit (E): HDD Overwrite Mode, HDD Data Encryption

PRINT SPECIFICATION

Standard Controller: Freescale QorIQ T1024 (Dual Core) / 1.0GHz

PDLs / Emulations: PRESCRIBE, PCL6 (PCL-XL / PCL5c), KPDL3 (PS3), XPS, OPEN XPS; Optional (UG-34): IBM ProPrinter, Line Printer, LQ-850

Print Resolution: Up to 1200 x 1200 dpi

Fonts: 136 KPDL3, 93 PCL6, 8 Windows Vista, 1 Bitmap

OS Compatibility: Windows: XP/Vista/7/8/8.1/10/Server 2003/Server 2008/Server 2008 R2/Server 2012/Server 2012 R2; Novell NetWare 3.x/4.x/5.x/6.x; Mac OS 10.x; AirPrint Enabled; Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR)

Mobile Printing: Apple AirPrint™, Google Cloud Print™, KYOCERA Mobile Print

Interfaces: Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 4 USB Host Interfaces, 2 Expansion Slots
Optional: 10/100/1000BaseTX (IB-50 for Dual NIC), IEEE 802.11 b/g/n (IB-51 for Wireless LAN Interface)

Network Print and Supported Protocols: TCP/IP, NetBEUI, IPv4, IPv6, IPsec, HTTP, LPD, FTP, IPP, RawPort, LLD, SNMP, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD Scan/Print

Drivers: KX Driver, PCL Mini Driver, KPDL Mini Driver, KX Driver for XPS, Network Fax Driver, TWAIN Driver, WIA Driver, PPD for MAC, PPD for Linux

Utilities: KYOCERA Net Admin, KYOCERA Net Viewer, PDF Direct Print, Command Center RX

SCAN SPECIFICATIONS

Scan Type: Color and Black & White Scanner

Scan Resolution: 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi, 200 x 400 dpi

File Formats: TIFF (MMR compression), PDF (MMR compression), PDF (high compression), OpenXPS, XPS, JPEG

PDF Extension: Searchable PDF (OCR) Option

Scan Speeds (mono/color, @300 dpi):

DP-7120: Simplex: 48 ipm B&W / 48 ipm Color;

Duplex: 15 ipm B&W / 15 ipm Color

DP-7100: Simplex: 80 ipm B&W / 80 ipm Color;

Duplex: 48 ipm B&W / 48 ipm Color

DP-7110: Simplex: 80 ipm BW / 80 ipm Color;

Duplex: 160 ipm B&W / 160 ipm Color

Connectivity / Supported Protocols: 10/100/1000BaseTX, TCP/IP, Hi-Speed USB 2.0

Scanning Functions: Scan to Folder (SMB), Scan to Email, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN Scan

Original Size: Through DP: Statement to Ledger (5.5" x 8.5" – 11" x 17"); Glass: Up to 11" x 17"

Drivers: TWAIN/WIA Driver

COPY SPECIFICATIONS

Copy Resolution: 600 x 600 dpi

Image Mode: Text, Photo, Text/Photo, Graphic/Map

Continuous Copy: 1 – 999 / Auto Reset to 1

Additional Features: Auto Magnification, Auto Paper Select, Auto Start, Auto Drawer Change, Interrupt Copy

Job Management: 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy

Color Adjustment: One Touch, Hue, Auto Exposure, Sharpness

Magnification / Zoom: Full Size, 4 Reduction, 4 Enlargement
Preset Ratios, 25 – 400% in 1% Step Increments

Document Box: Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System)

OPTIONAL DOCUMENT PROCESSORS²

Type / Capacity:

DP-7120: Reversing Automatic Document Processor / 50 Sheets

DP-7100: Reversing Automatic Document Processor / 140 Sheets

DP-7110: Dual Scan Document Processor / 270 Sheets

Acceptable Originals: 5.5" x 8.5" – 11" x 17"

Acceptable Weights:

DP-7120: Simplex: 13 lb Bond - 90 lb Index (45 – 160gsm);

Duplex: 16 lb - 32 lb Bond (50 - 120gsm)

DP-7100: Simplex: 13 lb Bond – 90 lb Index (45 – 160gsm);

Duplex: 16 lb – 32 lb Bond (50 – 120gsm)

DP-7110: Simplex: 13 lb Bond – 120 lb Index (35 – 220gsm);

Duplex: 16 lb – 120 lb Index (50 – 220gsm)

OPTIONAL FAX SPECIFICATIONS

Fax Type: Fax System 12

Compatibility / Data Compression: G3 Fax / MMR, MR, MH, JBIG

Transmission Speed / Modem Speed: Less than 3 seconds / 33.6 Kbps

Fax Memory: Standard 170 MB

Driver: Network Fax Driver

Fax Functions: Network Fax, Duplex Transmission and Reception, Encrypted Transmission and Reception, Polling Transmission and Reception, Broadcast

OUTPUT & FINISHING OPTIONS

OPTIONAL 500 SHEET INTERNAL FINISHER DF-7100³

Stack / Staple Capacity: 500 Sheets / 50 Sheets
(up to 24 lb Bond [90gsm])

Paper Size: 5.5" x 8.5" – 12" x 18"

Paper Weight: 14 lb Bond – 166 lb Index (52 – 300gsm)

Edge Staple Position: 3 Positions: Front 1 Staple, Edge 1 Staple, Face 2 Staples

Optional Punch: PH-7100 2 and 3 Hole Punch Unit, Supports

5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)

Dimensions: 19.60" W x 20.98" D x 6.73" H

OPTIONAL 1,000 SHEET FINISHER DF-7120^{3,4}

Stack / Staple Capacity: Main Tray: 1,000 Sheets / 50 Sheets
(up to 24 lb Bond [90gsm])

Paper Size: 5.5" x 8.5" – 12" x 18"

Paper Weight: 14 lb Bond – 166 lb Index (52 – 300gsm)

Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center Bind

Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports

5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)

Dimensions: 21.57" W x 24.35" D x 41.34" H

OPTIONAL 4,000 SHEET FINISHER DF-7110^{3,4}

Stack / Staple Capacity: Main Tray (A): 4,000 Sheets;
Sub Tray (B): 200 Sheets / 65 Sheets (up to 24 lb Bond [90gsm])

Paper Size: 5.5" x 8.5" – 12" x 18"

Paper Weight: 14 lb Bond – 166 lb Index (52 – 300gsm)

Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center Bind

Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports

5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)

Dimensions: 23.91" W x 26.32" D x 41.78" H

Optional Booklet Folder / Tri-fold Unit: BF-730 Booklet Folder supports 8.5" x 11", 8.5" x 14", 11" x 17"; Fold booklet staple: 16 lb – 24 lb Bond (60 – 90gsm) 16 sheets; 25 lb – 28 lb Bond (91 – 105gsm) 13 sheets; Fold booklet no staple: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 32 lb Bond – 110 lb Cover (121 – 256gsm) 1 sheet; Trifold supports 8.5" x 11" only: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 16 lb – 28 lb Bond (60 – 105gsm) 1 sheet

Optional Multi-Bin Mailbox MT-730(B): MT-730(B) includes 7 Trays; Supports 16 lb Bond – 90 lb Index (60 – 163gsm); Stack Capacity per bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"

ADDITIONAL OPTIONS

Bridge Unit Attachment Kit (AK-7100), Banner Guide 10, Internet Fax Kit (A), Card Authentication Kit (B), Gigabit NIC (IB-50), Wireless LAN IEEE 802.11b/g/n (IB-51), ThinPrint (UG-33), Emulation (UG-34), Document Tray (DT-7100), Scan Extension Kit (A) for Searchable PDF/OCR, Keyboard Holder 10, Data Security Kit (E), EFI Fiery Printing System, Numeric Keypad (NK-7110), Job Separator (JS-7100)

¹ Requires PF-7100 or PF-7110

² Only 1 Document Processor can be installed

³ Only 1 Output Option can be installed

⁴ Requires Bridge Unit Attachment Kit (AK-7100)

⁵ Requires DF-7110

ONLY FROM KYOCERA

KYOCERA Document Solutions is a global leader in the digital imaging industry, with an award-winning line of document solutions that consistently set the standard for high performance, superior image quality, enhanced workflow applications, ease-of-use and durability.

Looking to streamline your document workflow? KYOCERA offers a robust portfolio of Business Applications that seamlessly and securely integrate with our MFPs. To learn more about which Business Applications are right for your business, visit the Solutions section on our website.

Specifications and design are subject to change without notice. For the latest on connectivity visit www.kyoceradocumentsolutions.com/us
MAC and AirPrint are trademarks of Apple, Inc.
TASKalfa, PRESCRIBE, KX Driver, and Command Center RX are the trademarks of The Kyocera Companies.
Other trademarks are the property of their respective owners.



KYOCERA Document Solutions America, Inc.
Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA
©2016 KYOCERA Document Solutions America, Inc.
IC# 855D400451



› PRINT › COPY › SCAN › FAX

TASKalfa 6052ci

COLOR MULTIFUNCTIONAL
SYSTEM



POWERFUL COLOR PERFORMANCE... CONNECTING INFORMATION AND WORKFLOW.



The TASKalfa 6052ci delivers vibrant high-impact color, along with the exceptional workflow efficiency your office environment needs to keep information moving. With an unrivaled feature-set, and professional finishing options, the TASKalfa 6052ci handles the most demanding print, scan, and copy jobs with ease. Add to that Kyocera's award-winning ultra-reliability and unique long-life technology, and you have a powerful document solution that achieves superior performance and proven productivity across your enterprise.

- › Vivid Imaging up to 55 Pages per Minute in Color and 60 Pages per Minute in Black
- › Exceptional Print Quality at up to 1200 dpi
- › Scalable Paper Capacity for Longer Job Runs
- › Flexible Media Support and Paper Sizes up to 12" x 48"
- › Customizable 9" Color Touch Screen with Intuitive, Tablet-like Home Screen
- › Robust Portfolio of Business Applications for Enhanced Capabilities, such as Scan Distribution to Back-end Applications and Document Management Systems
- › Advanced Finishing Options for Professional Output, including a 4,000-sheet External Finisher and optional Booklet Folding
- › Optional EFI® Fiery Controller for Complex Color Workflows
- › Standard USB Host Interface for On-the-Go Printing and Scanning
- › Efficient Color Scanning up to 180 ipm
- › Convenient Wireless Printing and Scanning
- › Apple AirPrint®, Google Cloud Print™ and KYOCERA Mobile Print Compatible for a Mobile Printing Solution





Machine #3

Model: TASKalfa 6052ci
 Speed: 55/60 ppm (Color/B&W)
 Monthly Volume: 250,000
 Resolution: 1,200 x 1,200 dpi
 Item Number: 1102ND2US0

TASKalfa 6052ci (Machine 3)

Total Copy Agreement	
0.0452	Color
0.00562	B&W

Base Configuration

MODEL	Item No.	DESCRIPTION	State of Montana Price	State of Montana 36 Month Lease
TASKalfa 6052ci (Machine 3)	1102ND2US0	55/60 Color/B/W MFP	\$3,512.08	\$111.72
DP-7100	1203R76US0	140 Sheet Reversing Automatic Document Processor	\$0.00	\$0.00
FAX System 12	1503RK2US0	Fax System 12 Fax Board	\$427.91	\$13.61
Copier Stand	855D200731	Copier Stand	\$240.26	\$7.64
Total			\$4,180.25	\$132.98

Description: The TASKalfa 6052ci delivers vibrant high-impact color, along with the exceptional workflow efficiency your office environment needs to keep information moving. With an unrivaled feature-set, and professional finishing options, the TASKalfa 6052ci handles the most demanding print, scan, and copy jobs with ease. Add to that Kyocera's award-winning ultra-reliability and unique long-life technology, and you have a powerful document solution that achieves superior performance and proven productivity across your enterprise. Vivid Imaging up to 55 Pages per Minute in Color and 60 Pages per Minute in Black > Exceptional Print Quality at up to 1200 dpi > Scalable Paper Capacity for Longer Job Runs > Flexible Media Support and Paper Sizes up to 12" x 48" > Customizable 9" Color Touch Screen with Intuitive, Tablet-like Home Screen.



Machine #3: TASKalfa 6052ci

MAINFRAME

INCLUDED WITH BID

MODEL	Item No.	DESCRIPTION	State of Montana Price	State of Montana 36 Month Lease
TASKalfa 3552ci	1102TH2US0	35/35 Color/B/W MFP	\$2,625.52	\$83.52
TASKalfa 4052CI	1102RM2US0	40/40 Color/B/W MFP	\$2,625.52	\$83.52
TASKalfa 5052ci	1102RN2US0	50/50 Color/B/W MFP	\$3,029.71	\$96.38
TASKalfa 6052ci (Machine 3)	1102ND2US0	55/60 Color/B/W MFP	\$3,512.08	\$111.72


ACCESSORIES

MODEL	Item No.	DESCRIPTION	State of Montana Price	State of Montana 36 Month Lease
PLATEN COVER TYPE(E)	1202H70UN0	PLATEN COVER TYPE(E)	\$76.98	\$2.45
DP-7100	1203R76US0	140 Sheet Reversing Automatic Document Processor	\$0.00	\$0.00
DP-7110	1203R86US0	270 Sheet Dual Scan Document Processor	\$277.49	\$8.83
DF-7120	1203RJ6US0	1,000 Sheet Finisher	\$503.86	\$16.03
DF-7110	1203RW2US0	4,000 Sheet Finisher	\$817.94	\$26.02
AK-7100	1703RG0UN0	Attachment kit for DF-7120 / DF-7110	\$116.33	\$3.70
PH-7A	1203NK2US0	2/3 Hole Punch Unit for DF-7110/7120	\$219.20	\$6.97
BF-730	1203ND0UN0	Booklet Folder (requires DF-7110)	\$490.76	\$15.61
MT-730	1203N00UN1	7 Bin Mailbox for DF-7110	\$327.18	\$10.41
JS-7100	1203RN0UN0	Job Separator	\$62.16	\$1.98
PF-7120	1203RL2US0	3,000 Sheet Side Large Capacity Tray - Letter	\$464.05	\$14.76
PF-7100	1203RB2US0	Dual 500 Sheet Paper Trays	\$421.52	\$13.41
PF-7110	1203RC2US0	Dual 1,500 Sheet Trays	\$451.50	\$14.36
Banner Guide 10	1203RP0UN0	MPT Guide attachment to assist the feeding of banner paper.	\$225.38	\$7.17
FAX System 12	1503RK2US0	Fax System 12 Fax Board	\$427.91	\$13.61
Internet FAX Kit (A)*	1703MC0UN0	Internet Fax Kit (requires Fax 12)	\$119.96	\$3.82
Printing System 15	1503RM0KLO	EFI FIERY Controller with Spot-On	\$3,316.60	\$105.50
Printing System Interface Kit	1503RY0KLO	Interface kit for Printing System(15),	\$545.29	\$17.35
Data Security Kit	1603MS0UN0	Hard Drive Encryption/Overwrite Kit	\$219.05	\$6.97
IB-50 Gigabit EtherNet Board	1505JV0UN0	Gigabit EtherNet Board for Dual NIC	\$428.96	\$13.65
IB-51 Wireless LAN NIC	1505J50UN0	Wireless LAN NIC (Long Communication Distance)	\$321.11	\$10.21
UG-34	1503NX0UN0	Optional Emulation for IBM Prorinter,Epson LQ850,Diabro 630	\$407.15	\$12.95
Scan extension kit	1603P10UN0	Searchable PDF Kit	\$436.24	\$13.88
Keyboard Holder 10	1709AN0UN0	Keyboard Tray Kit	\$82.40	\$2.62
DT-730(B)	1902LC0UN2	Original Hard Copy Holder	\$32.71	\$1.04
Copier Stand	855D200731	Copier Stand	\$240.26	\$7.64

Machine #3: TASKalfa 6052ci



6052ci Product Configuration



TASKalfa 6052ci

BASIC SPECIFICATIONS

Configuration: Color Multifunctional System – Print/Scan/Copy/Optional Fax

Pages Per Minute:

Black – Letter: 60 ppm, Legal: 36 ppm, Ledger: 30 ppm, 12" x 18": 30 ppm (print only)
Color – Letter: 55 ppm, Legal: 33 ppm, Ledger: 27 ppm, 12" x 18": 27 ppm (print only)

Warm Up Time: 17 Seconds or Less (Power On)

First Page Out:

Copy: 3.4 Seconds or Less Black, 4.4 Seconds or Less Color
Print: 3.8 Seconds or Less Black, 5.1 Seconds or Less Color
Display: 9" Color Touch Screen Control Panel

Resolution: 600 x 600 dpi; 9600 dpi x 600 dpi; 1200 x 1200 dpi

Memory / Hard Disk Drive: 4GB RAM / 8GB SSD / 320GB HDD Standard

Duplex: Standard Stackless Duplex Supports Statement to 12" x 18", 14 lb Bond – 166 lb Index (52 – 300gsm)

Standard Output Tray: Statement – 12" x 18" / 500 sheets; up to 12" x 48" Banner (Single Sheet)

Electrical Requirements: 120V, 60Hz, 12A; 220-240V, 50Hz, 7.2A

Typical Electricity Consumption (TEC): 120V: 3.2 kWh/week; 220V: 3.1 kWh/week

Dimensions: 23.70" W x 26.18" D x 31.10" H

Weight: 202.83 lbs

Maximum Monthly Duty Cycle: 250,000 Pages per Month

PAPER SUPPLY

Standard Paper Sources: Dual 500 Sheet Trays, 150 Sheet MPT, Auto Selection / Switching

Optional Paper Sources: Dual 500 Sheet Trays (PF-7100), Dual 1,500-sheet Trays (PF-7110); Side LCT: 3,000 Sheet Capacity Tray (PF-7120)¹

Paper Capacity: Standard: 1,150 Sheets; Maximum: 7,150 Sheets

Paper Size:

Tray 1 – 5.5" x 8.5" – 8.5" x 14" (Statement to Legal); Tray 2 – 5.5" x 8.5" – 12" x 18", Custom Size; PF-7100: 5.5" x 8.5" – 12" x 18"; PF-7110, PF-7120: 8.5" x 11"; MPT: 5.5" x 8.5" – 12" x 18" (Multiple Sheets); Up to 12" x 48" Banner (Single Sheet)

Paper Weight: Trays / MPT: 14 lb Bond – 166 lb Index (52 – 300gsm)

Input Materials: Standard/Optional Drawer: Plain Paper, Bond Paper, Recycled Paper, Envelopes; MPT: Plain Paper, Bond Paper, Recycled Paper, Cardstock, Transparencies, Labels, Envelopes

SECURITY SPECIFICATIONS

Standard: Local Authentication, Network Authentication (IPsec, HTTPS, LDAP over SSL, SNMPv3); Secure Print (IPP over SSL); Scan to Email (POP3/SMTP over SSL); Scan to FTP (FTP over SSL); Scan to SMB/PC/USB; FTP over SSL

Optional: Data Security Kit (E): HDD Overwrite Mode, HDD Data Encryption

PRINT SPECIFICATION

Standard Controller: Freescale QorIQ T1024 (Dual Core) / 1.2GHz

PDs / Emulations: PRESCRIBE, PCL6 (PCL-XL / PCL5c), KPD L3 (P53), XPS, OPEN XPS; Optional (UG-34): IBM ProPrinter, Line Printer, LQ-850

Print Resolution: Up to 1200 x 1200 dpi

Fonts: 136 KPD L3, 93 PCL6, 8 Windows Vista, 1 Bitmap

OS Compatibility: Windows: XP/Vista/7/8/8.1/10/Server 2003/Server 2008/Server 2008 R2/Server 2012/Server 2012 R2;

Novell NetWare 3.x/4.x/5.x/6.x; Mac OS 10.x; AirPrint Enabled; Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR)

Mobile Printing: Apple AirPrint®, Google Cloud Print™, KYOCERA Mobile Print

Interfaces: Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0,

4 USB Host Interfaces, 2 Expansion Slots

Optional: 10/100/1000BaseTX (IB-50 for Dual NIC), IEEE 802.11 b/g/n (IB-51 for Wireless LAN Interface)

Network Print and Supported Protocols: TCP/IP, NetBEUI, IPv4, IPv6, IPsec, HTTP, LPD, FTP, IPP, RawPort, LLTD, SNMP, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD Scan/Print

Drivers: KX Driver, PCL Mini Driver, KPD L Mini Driver, KX Driver for XPS, Network Fax Driver, TWAIN Driver, WIA Driver, PPD for MAC, PPD for Linux

Utilities: KYOCERA Net Admin, KYOCERA Net Viewer, PDF Direct Print, Command Center RX

SCAN SPECIFICATIONS

Scan Type: Color and Black & White Scanner

Scan Resolution: 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi, 200 x 400 dpi

File Formats: TIFF (MMR compression), PDF (MMR compression), PDF (high compression), OpenXPS, XPS, JPEG

PDF Extension: Searchable PDF (OCR) Option

Scan Speeds (mono/color, @300 dpi):

DP-7100: Simplex: 80 ipm B&W / 80 ipm Color;

Duplex: 48 ipm B&W / 48 ipm Color

DP-7110: Simplex: 100 ipm BW / 100 ipm Color;

Duplex: 180 ipm B&W / 180 ipm Color

Connectivity / Supported Protocols: 10/100/1000BaseTX, TCP/IP, Hi-Speed USB 2.0

Scanning Functions: Scan to Folder (SMB), Scan to Email, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN Scan

Original Size: Through DP: Statement to Ledger (5.5" x 8.5" – 11" x 17"); Glass: Up to 11" x 17"

Drivers: TWAIN/WIA Driver

COPY SPECIFICATIONS

Copy Resolution: 600 x 600 dpi

Image Mode: Text, Photo, Text/Photo, Graphic/Map

Continuous Copy: 1 – 999 / Auto Reset to 1

Additional Features: Auto Magnification, Auto Paper Select, Auto Start, Auto Drawer Change, Interrupt Copy, Positive / Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Text Stamp, Bates Stamp, Blank Page Skip

Job Management: 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy

Color Adjustment: One Touch, Hue, Auto Exposure, Sharpness

Magnification / Zoom: Full Size, 4 Reduction, 4 Enlargement
Preset Ratios, 25 – 400% in 1% Step Increments

Document Box: Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System)

OPTIONAL DOCUMENT PROCESSORS²

Type / Capacity:

DP-7100: Reversing Automatic Document Processor / 140 Sheets

DP-7110: Dual Scan Document Processor / 270 Sheets

Acceptable Originals: 5.5" x 8.5" – 11" x 17"

Acceptable Weights:

DP-7100: Simplex: 13 lb Bond – 90 lb Index (45 – 160gsm);

Duplex: 16 lb – 32 lb Bond (50 – 120gsm)

DP-7110: Simplex: 13 lb Bond – 120 lb Index (35 – 220gsm);

Duplex: 16 lb – 120 lb Index (50 – 220gsm)

OPTIONAL FAX SPECIFICATIONS

Fax Type: Fax System 12

Compatibility / Data Compression: G3 Fax / MMR, MR, MH, JBIG

Transmission Speed / Modem Speed: Less than 3 seconds / 33.6 Kbps

Fax Memory: Standard 170 MB

Driver: Network Fax Driver

Fax Functions: Network Fax, Duplex Transmission and Reception, Encrypted Transmission and Reception, Polling Transmission and Reception, Broadcast

OUTPUT & FINISHING OPTIONS

OPTIONAL 500 SHEET INTERNAL FINISHER DF-7100³

Stack / Staple Capacity: 500 Sheets / 50 Sheets

(up to 24 lb Bond [90gsm])

Paper Size: 5.5" x 8.5" – 12" x 18"

Paper Weight: 14 lb Bond – 166 lb Index (52 – 300gsm)

Edge Staple Position: 3 Positions: Front 1 Staple, Edge 1 Staple, Face 2 Staples

Optional Punch: PH-7100 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)

Dimensions: 19.60" W x 20.98" D x 6.73" H

OPTIONAL 1,000 SHEET FINISHER DF-7120^{3,4}

Stack / Staple Capacity: Main Tray: 1,000 Sheets / 50 Sheets (up to 24 lb Bond [90gsm])

Paper Size: 5.5" x 8.5" – 12" x 18"

Paper Weight: 14 lb Bond – 166 lb Index (52 – 300gsm)

Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center Bind

Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)

Dimensions: 21.57" W x 24.35" D x 41.34" H

OPTIONAL 4,000 SHEET FINISHER DF-7110^{3,4}

Stack / Staple Capacity: Main Tray (A): 4,000 Sheets;

Sub Tray (B): 200 Sheets / 65 Sheets (up to 24 lb Bond [90gsm])

Paper Size: 5.5" x 8.5" – 12" x 18"

Paper Weight: 14 lb Bond – 166 lb Index (52 – 300gsm)

Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center Bind

Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)

Dimensions: 23.91" W x 26.32" D x 41.78" H

Optional Booklet Folder / Tri-fold Unit⁵: BF-730 Booklet Folder supports 8.5" x 11", 8.5" x 14", 11" x 17"; Fold booklet staple: 16 lb – 24 lb Bond (60 – 90gsm) 16 sheets; 25 lb – 28 lb Bond (91 – 105gsm) 13 sheets; Fold booklet no staple: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 32 lb Bond – 110 lb Cover (121 – 256gsm) 1 sheet; Trifold supports 8.5" x 11" only: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 16 lb – 28 lb Bond (60 – 105gsm) 1 sheet

Optional Multi-Bin Mailbox⁶: MT-730(B) includes 7 Trays;

Supports 16 lb Bond – 90 lb Index (60 – 163gsm); Stack

Capacity per bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11";

50 Sheets: 8.5" x 14", 11" x 17"

ADDITIONAL OPTIONS

Bridge Unit Attachment Kit (AK-7100), Banner Guide 10, Internet Fax Kit (A), Card Authentication Kit (B), Gigabit NIC (IB-50),

Wireless LAN IEEE802.11b/g/n (IB-51), ThinPrint (UG-33),

Emulation (UG-34), Document Tray (DT-7100), Scan Extension

Kit (A) for Searchable PDF/OCR, Keyboard Holder 10, Data Security

Kit (E), EFI Fiery Printing System, Numeric Keypad (NK-7110), Job

Separator (JS-7100)

¹ Requires PF-7100 or PF-7110

² Only 1 Document Processor can be installed

³ Only 1 Output Option can be installed

⁴ Requires Bridge Unit Attachment Kit (AK-7100)

⁵ Requires DF-7110

ONLY FROM KYOCERA

KYOCERA Document Solutions is a global leader in the digital imaging industry, with an award-winning line of document solutions that consistently set the standard for high performance, superior image quality, enhanced workflow applications, ease-of-use and durability.

Looking to streamline your document workflow? KYOCERA offers a robust portfolio of Business Applications that seamlessly and securely integrate with our MFPs. To learn more about which Business Applications are right for your business, visit the Solutions section on our website.

Specifications and design are subject to change without notice. For the latest on connectivity visit www.kyoceradocumentsolutions.com/us MAC and AirPrint are trademarks of Apple, Inc. Google Cloud Print is a trademark of Google, Inc. TASKalfa, PRESCRIBE, KX Driver, and Command Center RX are the trademarks of The Kyocera Companies. All other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc.
Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA
©2016 KYOCERA Document Solutions America, Inc.
IC# 855D400447





› PRINT › COPY › COLOR SCAN › FAX

ECOSYS M3550idn

BLACK & WHITE MULTIFUNCTIONAL
PRINTER



ECONOMICAL.
ECOLOGICAL.
ECOSYS
TECHNOLOGY.



The **ECOSYS M3550idn** is a one-stop solution that streamlines document workflows while keeping your bottom line in check. Bringing multifunctional power and mobility to corporate workgroups, it combines crisp 52 ppm black and white output with fax and color scanning. A 7" customizable and tablet-like color touch screen redefines job efficiency by enabling easy storage of routine tasks as well as quick access to business applications that bring added capabilities to your document workflows. As importantly, ECOSYS long life consumables and an impressive drum yield deliver the economical and ecological solution making this device the smart choice for your business.

- › Fast Output Speed of 52 Pages per Minute
- › Standard Print, Copy, Color Scan and Fax
- › Standard 75 Sheet Document Processor
- › KYOCERA Business Applications Capable
- › Standard 7" Color Touch Screen with Tablet-Like Home Screen
- › ECOSYS Long Life Consumables
- › Standard USB Host Interface for On-the-Go Printing and Scanning
- › Wireless Printing Capable
- › Apple AirPrint™ Enabled for a Mobile Printing Solution





Machine #4

Model: ECOSYS M3550idn
 Speed: 52 ppm (B&W)
 Monthly Volume: 250,000
 Resolution: 600 x 600 dpi
 Item Number: 1102NX2US0

ECOSYS M3550idn (Machine 4)

Total Copy Agreement	
0.00522	B&W

Base Configuration

MODEL	Item No.	DESCRIPTION	State of Montana Price	State of Montana 36 Month Lease
M3550idn 52PPM	1102NM2US0	52 PPM /B/W Network Printer	\$1,224.47	\$38.95

Description: The ECOSYS M3550idn is a one-stop solution that streamlines document workflows while keeping your bottom line in check. Bringing multifunctional power and mobility to corporate workgroups, it combines crisp 52 ppm black and white output with fax and color scanning.



Machine #4: ECOSYS M3550idn

MAINFRAME

INCLUDED WITH BID

MODEL	Item No.	DESCRIPTION	State of Montana Price	State of Montana 36 Month Lease
M3550idn 52PPM	1102NM2US0	52 PPM /B/W Network Printer	\$1,224.47	\$38.95


ACCESSORIES

MODEL	Item No.	DESCRIPTION	State of Montana Price	State of Montana 36 Month Lease
PF-320	1203NY7US0	Additional 500 Sheet Tray	\$91.24	\$2.90

Machine #4: ECOSYS M3550idn



M3550idn Product Configuration



ECOSYS TECHNOLOGY

KYOCERA's objective is to manufacture superior products with a low Total Cost of Ownership (TCO) and minimize the impact on the environment. ECOSYS printers incorporate a patented long life drum which is separate from the toner container, eliminating drum replacement when toner is depleted – and reducing landfill waste. ECOSYS printers provide a printing solution that incorporates long life consumables and one of the lowest costs per print. The operating costs of traditional cartridge-based printers can easily exceed many times the original purchase price during the life of the product.

BASIC SPECIFICATIONS

Configuration: Black & White Multifunctional Printer - Print / Color Scan / Copy / Fax
Pages per Minute: Letter: 52 ppm, Legal: 42 ppm, A4: 50 ppm
Warm Up Time: 21 seconds or less from main power on
First Page Out: Copy: 8 Seconds or less; Print: 8 Seconds or less
Display: 7" Color Touch Screen Control Panel
Resolution / Bit Depth: 600 x 600 dpi, 1,800 x 600 multi bit interpolated resolution
Memory: Standard 1 GB, Upgradable to 2 GB
Hard Disk Drive: Optional HD-6 (32 GB SSD); Optional HD-7 (128 GB SSD)
Duplex: Standard Stackless Duplex Supports Statement to Legal (5.5" x 8.5" - 8.5" x 14"), 16 - 32 lb Bond (60-120gsm)
Standard Output Tray: Statement - Legal; 500 Sheets
Dimensions / Weight: 18.7" W x 17.9" D x 23.2" H / 51.4 lbs
Maximum Monthly Duty Cycle: 250,000 Pages per Month

POWER CONSUMPTION

Electrical Requirements: 120V, 60Hz, 10.4A; 220-240V, 50/60Hz, 5.2A
Maximum (including options): 120V: 1,342 W; 220-240V: 1,418 W
Printing: 120V: 809 W; 220-240V: 777 W
Ready Mode: 120V: 66.1 W; 220-240V: 70.8 W
Sleep Mode: 120V: 2.6 W; 220-240V: 2.4 W
Power Off: 120V: 0.5 W; 220-240V: 0.5 W

PAPER SUPPLY

Standard Paper Sources: Single 500 Sheet Drawer, 100 Sheet Multipurpose Tray
Optional Paper Sources: Up to four (4) optional 500 Sheet Paper Drawers (PF-320) can be added
Paper Capacity: Standard: 600 Sheets; Maximum: 2,600 Sheets
Paper Size: Drawers: 5.5" x 8.5" - 8.5" x 14" (Statement to Legal); MPT: 2.8" x 5.8" - 8.5" x 14"
Paper Weight: Standard Drawer: 16 - 32 lb Bond (60-120gsm); MPT: 16 lb Bond - 120 lb Index (60-220gsm)
Input Materials:
 Standard Drawer: Plain Paper, Bond Paper, Recycled Paper;
 Optional Drawers: Plain Paper, Bond Paper, Recycled Paper, Envelopes;
 MPT: Cardstock, Transparencies, Labels, Envelopes





SECURITY SPECIFICATIONS

Standard: Local Authentication, Network Authentication, IPsec, SNMPv3, IEEE802.1x, IPP over SSL/TLS, HTTP over SSL/TLS, FTP over SSL/TLS, SMTP over SSL/TLS, POP3 over SSL/TLS, Enhanced WSD over SSL/TLS, LDAP over SSL/TLS
Optional: Data Security Kit (E), HDD Overwrite Mode, HDD Data Encryption

Specifications and design are subject to change without notice. For the latest on connectivity visit www.kyoceradocumentsolutions.com/us. ECOSYS, PinPoint Scan, DMS Link, HomePOINT and AccuSender are trademarks of the KYOCERA Companies. Mac and AirPrint are trademarks of Apple, Inc. Other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc.
 Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA
 ©2015 KYOCERA Document Solutions America, Inc.
 IC #855D40049

HARNESS THE POWER OF YOUR ECOSYS MULTIFUNCTIONAL PRINTER WITH CUSTOMIZED BUSINESS APPLICATIONS

-  **PINPOINT SCAN:** Scan from your MFP to your PC with added speed, functions and versatility.
-  **DMS LINK:** Simplify document workflow through digital imaging, distribution, retrieval and long-time archival.
-  **KYOCERA HOMEPOINT:** Securely browse document folders from any networked KYOCERA MFP.
-  **ACCUSENDER:** A simple, secure way to send large scanned documents to multiple destinations via e-mail from select KYOCERA MFPs.

PRINT SPECIFICATIONS

Standard Controller: PowerPC 4655 / 667MHz
PDLS / Emulations: PRESCRIBE, PCL6 (PCL5e/PCLXL), KPDL3 (PS3), XPS
Fonts: 93 Scalable Fonts for PCL/Postscript, 136 Fonts for KPDL3(PS3), 8 Fonts for Windows Vista, 1 Bitmap Font
Windows OS Compatibility: Windows XP/Vista/7/8/8.1/Server 2003/Server 2008/Server 2008 R2/Server 2012/Server 2012 R2
Mac OS Compatibility: Mac OS 10.5 and later, AirPrint Enabled
Interfaces: Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 2 USB Host Interfaces, 1 Expansions Slot; Optional: 10/100/1000BaseTX (IB-50 for Dual NIC); Optional IEEE 802.11 b/g/n (IB-51 for Wireless LAN Interface)
Network Print and Supported Protocols: TCP/IP, IPv4, IPv6; HTTP, LPD, FTP, IPP, RawPort, LLTD, SNMP, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD
Drivers: KX Driver, Mini Driver, KX Driver for XPS, Network Fax Driver, PPD for MAC, PPD for Linux
Utilities: KYOCERA Net Admin, KYOCERA Net Viewer, KYOCERA Net Direct Print, Command Center RX
Document Box: Job Box for RAM based Private Print, Proof and Hold, Job Storage*, Quick Copy*, Removable Memory for Print-From / Scan-To USB
PDF Extension: High Compression PDF, PDF/A, Encrypted PDF

SCAN SPECIFICATIONS

Scan Type: Color and Black & White Scanner
Scan Resolution: 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x100dpi
File Formats:
 Black and White: TIFF, XPS, PDF;
 Color: TIFF, JPEG, XPS, PDF
Scan Speeds: Mono: 300 dpi - 62 ipm Simplex; 27 ipm Duplex; 600 dpi - 42 ipm Simplex; 18 ipm Duplex;
 Color: 300 dpi - 42 ipm Simplex; 18 ipm Duplex; 600 dpi - 21 ipm Simplex; 9 ipm Duplex
Connectivity / Supported Protocols: 10/100/1000BaseTX, TCP/IP; Hi-Speed USB 2.0
Scanning Functions: Scan to Folder (SMB), Scan to e-Mail, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN/WIA Scan
Original Size: Through DP: Statement to Legal (5.5" x 8.5" - 8.5" x 14"); Glass: up to 8.5" x 14"
Drivers: TWAIN Driver, WIA Driver

COPY SPECIFICATIONS

Image Mode: Text, Photo, Text/Photo, Graphic/Map
Continuous Copy: 1-999 / Auto Reset to 1
Additional Features: Auto Magnification, Auto Paper Select, Auto Start, Auto Drawer Change, Priority Copy, Job Programs

Job Management: 100 Department Codes, Job Programs, Shortcut Keys
Magnification / Zoom: Full Size, 7 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1% step increments

DOCUMENT PROCESSOR

Type / Capacity: Standard Reversing Automatic Document Processor / 75 Sheets
Acceptable Originals: 5.5" x 8.5" - 8.5" x 14"
Acceptable Weights: Simplex: 13 - 32 lb Bond (50-120gsm), Duplex 13 - 32 lb Bond (50-120gsm)

FAX SPECIFICATIONS

Compatibility / Data Compression: ITU-T Group 3 / MH, MR, MMR, JBIG
Transmission Speed / Modem Speed: 3 Seconds or less per page / 33.6 kbps
Fax Memory: 3.5 MB
Driver: Network Fax Driver
Fax Functions: Duplex Transmission/Reception, One Touch Dial (100 numbers), FAX/TEL Switching, Sequential Broadcast (up to 100 parties), Quick Dial (200 numbers), Fax Reports

PAPER HANDLING OPTIONS

Up to four (4) PF-320 Drawers can be installed

PF-320 PAPER FEEDER

Paper Capacity: 500 Sheets
Paper Size / Weight: Letter, Legal, A4, A5, B5 / 16 - 32 lb Bond (60-120gsm)
Dimensions / Weight: 14.96" W x 16.14" D x 4.76" H / 8.82 lbs (380 x 410 x 121 mm / 4.0 kg)

PT-320 FACE UP TRAY

Paper Capacity: 250 Sheets
Paper Size / Weight: 8.5" x 11", 8.5" x 14" / Oficio2, A4, A5, B5, A6, Folio
Dimensions / Weight: 9.84" W x 12.99" D x 2.76" H / 0.63 lbs

ADDITIONAL OPTIONS

Memory: 1 GB via 144 pin DDR3 SDRAM DIMM
HDD: HD-6: 32 GB SSD; HD-7: 128 GB SSD
SD Card: SDHC Card - 32G: 32 GB SD**;
 SDHC Card - 16G: 16 GB SD**
Wireless LAN: IB-51: IEEE 802.11 b/g/n
Additional NIC: IB-50 Gigabit NIC
Security: Data Security Kit (E), Card Authentication Kit (B)

*Optional HDD or Optional SD Card Required for Job Storage and Quick Copy
 **Optional SD Card Required for HyPAS Business Applications





› PRINT › COPY › SCAN › FAX

TASKalfa 4002i

BLACK & WHITE
MULTIFUNCTIONAL SYSTEM

POWERFUL PERFORMANCE... CONNECTING INFORMATION AND WORKFLOW.



The TASKalfa 4002i Black and White MFP is ideal for workgroups seeking to automate print, copy, and color scan workflows, while maximizing productivity. Offering superior performance and intuitive functionality, the TASKalfa 4002i transforms business processes, with support for a wide range of paper sizes and media types. Designed to make quick work of demanding applications, the scalable TASKalfa 4002i supports optional Finishers to automate cumbersome manual tasks, and expandable paper supply to ensure uninterrupted operation. Add to that Kyocera's award-winning ultra-reliability and unique long-life technology, and you have a powerful document solution that delivers superior performance and proven productivity.

- › Crisp Black and White Output up to 40 Pages per Minute
- › Exceptional Print Quality at up to 1200 dpi

- › Scalable Paper Capacity for Longer Job Runs
- › Flexible Media Support and Paper Sizes up to 12" x 48"
- › Customizable 9" Color Touch Screen with Intuitive, Tablet-like Home Screen
- › Robust Portfolio of Business Applications for Enhanced Capabilities, such as Scan Distribution to Back-end Applications and Document Management Systems
- › Advanced Finishing Options for Professional Output, including a Space-saving 500-sheet Internal Finisher
- › Standard USB Host Interface for On-the-Go Printing and Scanning
- › Efficient Color Scanning up to 180 ipm
- › Convenient Wireless Printing and Scanning
- › Apple AirPrint®, Google Cloud Print™ and KYOCERA Mobile Print Compatible for a Mobile Printing Solution





Machine #5

Model: TASKalfa 4002i
 Speed: 40 ppm (B&W)
 Monthly Volume: 175,000
 Resolution: 1,200 x 1,200 dpi
 Item Number: 1102SA2US0

TASKalfa 4002i (Machine 5)

Total Copy Agreement	
0.00464	B&W

Base Configuration

MODEL	Item No.	DESCRIPTION	State of Montana Price	State of Montana 36 Month Lease
TASKalfa 4002i (Machine 5)	1102SA2US0	40 B/W MFP	\$1,713.97	\$54.52
DP-7100	1203R76US0	140 Sheet Reversing Automatic Document Processor	\$0.00	\$0.00
Fax System 12	1503RK2US0	Fax System 12 Fax Board	\$427.91	\$13.61
Copier Stand	855D200731	Copier Stand	\$240.26	\$7.64
Total			\$2,382.14	\$75.78

Description: The TASKalfa 4002i Black and White MFP is ideal for workgroups seeking to automate print, copy, and color scan workflows, while maximizing productivity. Offering superior performance and intuitive functionality, the TASKalfa 4002i transforms business processes, with support for a wide range of paper sizes and media types. Designed to make quick work of demanding applications, the scalable TASKalfa 4002i supports optional Finishers to automate cumbersome manual tasks, and expandable paper supply to ensure uninterrupted operation. Add to that Kyocera's award-winning ultra-reliability and unique long-life technology, and you have a powerful document solution that delivers superior performance and proven productivity.



Machine #5: TASKalfa 4002i

MAINFRAME

INCLUDED WITH BID

MODEL	Item No.	DESCRIPTION	State of Montana Price	State of Montana 36 Month Lease
TASKalfa 4002i (Machine 5)	1102SA2US0	40 B/W MFP	\$1,713.97	\$54.52
TASKalfa 5002i	1102RJ2US0	50 B/W MFP	\$1,821.47	\$57.94


ACCESSORIES

MODEL	Item No.	DESCRIPTION	State of Montana Price	State of Montana 36 Month Lease
PLATEN COVER TYPE(E)	1202H70UN0	PLATEN COVER TYPE(E)	\$86.04	\$2.74
DP-7100	1203R76US0	140 Sheet Reversing Automatic Document Processor	\$0.00	\$0.00
DP-7110	1203R86US0	270 Sheet Dual Scan Document Processor	\$277.49	\$8.83
DF-7120	1203RV2US0	1,000 Sheet Finisher	\$503.86	\$16.03
DF-7110	1203RW2US0	4,000 Sheet Finisher	\$817.94	\$26.02
AK-7100	1703RG0UN0	Attachment kit for DF-7120 / DF-7110	\$116.33	\$3.70
PH-7A	1203NK2US0	2/3 Hole Punch Unit for DF-7110/7120	\$219.20	\$6.97
BF-730	1203ND0UN0	Booklet Folder (requires DF-7110)	\$490.76	\$15.61
MT-730(B)	1203N00UN1	7 Bin Mailbox (requires DF-7110)	\$327.18	\$10.41
JS-7100	1203RN0UN0	Job Separator	\$62.16	\$1.98
PF-7120	1203RL2US0	3000 Sheet Side Deck	\$464.05	\$14.76
PF-7100	1203R82US0	Dual 500 Sheet Paper Trays	\$421.52	\$13.41
PF-7110	1203RC2US0	Dual 1,500 Sheet Paper Trays	\$451.50	\$14.36
Banner Guide 10	1203RP0UN0	MPT Guide attachment to assist the feeding of banner paper.	\$225.38	\$7.17
Fax System 12	1503RK2US0	Fax System 12 Fax Board	\$427.91	\$13.61
Internet FAX Kit (A)*	1703MC0UN0	Internet Fax Kit (requires Fax 12)	\$119.96	\$3.82
Data Security Kit (E)	855D200600	Hard Drive Encryption/Overwrite Kit	\$219.05	\$6.97
IB-50	1505JV0UN0	Gigabit Ethernet Board for Dual NIC	\$428.96	\$13.65
IB-51	1505J50UN0	Wireless LAN NIC (Long Communication Distance)	\$321.11	\$10.21
UG-34	1503NX0UN0	Optional Emulation for IBM Printer, Epson LQ850, Diabro 630	\$407.15	\$12.95
Scan extension kit(A)	1603P10UN0	Searchable PDF Kit	\$436.24	\$13.88
Keyboard Holder 10	1709AN0UN0	Keyboard Tray Kit	\$82.40	\$2.62
Copier Stand	855D200731	Copier Stand	\$240.26	\$7.64

Machine #5: TASKalfa 4002i



4002i Product Configuration



TASKalfa 4002i

BASIC SPECIFICATIONS

Configuration: Black & White Multifunctional System – Print/Scan/Copy/Optional Fax
Pages Per Minute: Letter: 40 ppm, Legal: 24 ppm, Ledger: 20 ppm, 12" x 18": 20 ppm (print only)
Warm Up Time: 17 Seconds or Less (Power On)
First Page Out:
Copy: 4.5 Seconds or Less
Print: 5.1 Seconds or Less
Display: 9" Color Touch Screen Control Panel
Resolution / Bit Depth: 600 x 600 dpi; 9600 dpi x 600 dpi; 1200 x 1200 dpi
Memory / Hard Disk Drive: 4GB RAM / 8GB SSD / 320GB HDD Standard
Duplex: Standard Stackless Duplex Supports Statement to 12" x 18", 14 lb Bond – 166 lb Index (52 – 300gsm)
Standard Output Tray: Statement – 12" x 18" / 500 sheets; up to 12" x 48" Banner (Single Sheet)
Electrical Requirements: 120V, 60Hz, 12A; 220-240V, 50Hz, 7.2A
Typical Electricity Consumption (TEC): 120V: 1.9 kWh/week; 220V: 1.8 kWh/week
Dimensions: 23.70" W x 26.18" D x 31.10" H
Weight: 180.78 lbs
Maximum Monthly Duty Cycle: 175,000 Pages per Month

PAPER SUPPLY

Standard Paper Sources: Dual 500 Sheet Trays, 150 Sheet MPT, Auto Selection/Switching
Optional Paper Sources: Dual 500 Sheet Trays (PF-7100), Dual 1,500 Sheet Trays (PF-7110); Side LCT: 3,000 Sheet Capacity Tray (PF-7120)¹
Paper Capacity: Standard: 1,150 Sheets; Maximum: 7,150 Sheets
Paper Size:
Tray 1 – 5.5" x 8.5" – 8.5" x 14" (Statement to Legal); Tray 2 – 5.5" x 8.5" – 12" x 18", Custom Size; PF-7100: 5.5" x 8.5" – 12" x 18"; PF-7110, PF-7120: 8.5" x 11"; MPT: 5.5" x 8.5" – 12" x 18" (Multiple Sheets); Up to 12" x 48" Banner (Single Sheet)
Paper Weight: Trays / MPT: 14 lb Bond – 166 lb Index (52 – 300gsm)
Input Materials: Standard/Optional Drawer: Plain Paper, Bond Paper, Recycled Paper, Envelopes; MPT: Plain Paper, Bond Paper, Recycled Paper, Cardstock, Transparencies, Labels, Envelopes

SECURITY SPECIFICATIONS

Standard: Local Authentication, Network Authentication (IPsec, HTTPS, LDAP over SSL, SNMPv3); Secure Print (IPP over SSL); Scan to Email (POP3/SMTP over SSL); Scan to FTP (FTP over SSL); Scan to SMB/PC/USB; FTP over SSL
Optional: Data Security Kit (E): HDD Overwrite Mode, HDD Data Encryption

PRINT SPECIFICATION

Standard Controller: Freescale QorIQ T1024 (Dual Core) / 1.2GHz PDLs / Emulations: PRESCRIBE, PCL6 (PCL-XL / PCL5), KPDL3 (PS3), XPS, OPEN XPS; Optional (UG-34): IBM ProPrinter, Line Printer, LQ-850
Print Resolution: Up to 1200 x 1200 dpi
Fonts: 136 KPDL3, 93 PCL6, 8 Windows Vista, 1 Bitmap
OS Compatibility: Windows: XP/Vista/7/8/8.1/10/Server 2003/Server 2008/Server 2008 R2/Server 2012/Server 2012 R2; Novell NetWare 3.x/4.x/5.x/6.x; Mac OS 10.x; AirPrint Enabled; Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR)
Mobile Printing: Apple AirPrint®, Google Cloud Print™, KYOCERA Mobile Print

Interfaces: Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 4 USB Host Interfaces, 2 Expansion Slots
Optional: 10/100/1000BaseTX (IB-50 for Dual NIC), IEEE 802.11 b/g/n (IB-51 for Wireless LAN Interface)
Network Print and Supported Protocols: TCP/IP, NetBEUI, IPv4, IPv6, IPsec, HTTP, LPD, FTP, IPP, RawPort, LLTD, SNMP, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD Scan/Print
Drivers: KX Driver, PCL Mini Driver, KPDL Mini Driver, KX Driver for XPS, Network Fax Driver, TWAIN Driver, WIA Driver, PPD for MAC, PPD for Linux
Utilities: KYOCERA Net Admin, KYOCERA Net Viewer, PDF Direct Print, Command Center RX

SCAN SPECIFICATIONS

Scan Type: Color and Black & White Scanner
Scan Resolution: 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi, 200 x 400 dpi
File Formats: TIFF (MMR compression), PDF (MMR compression), PDF (high compression), OpenXPS, XPS, JPEG
PDF Extension: Searchable PDF (OCR) Option
Scan Speeds (mono/color, @300 dpi):
DP-7100: Simplex: 80 ipm B&W / 80 ipm Color; Duplex: 48 ipm B&W / 48 ipm Color
DP-7110: Simplex: 100 ipm B&W / 100 ipm Color; Duplex: 180 ipm B&W / 180 ipm Color
Connectivity / Supported Protocols: 10/100/1000BaseTX, TCP/IP, Hi-Speed USB 2.0
Scanning Functions: Scan to Folder (SMB), Scan to Email, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN Scan
Original Size: Through DP: Statement to Ledger (5.5" x 8.5" – 11" x 17"); Glass: Up to 11" x 17"
Drivers: TWAIN/WIA Driver

COPY SPECIFICATIONS

Copy Resolution: 600 x 600 dpi
Image Mode: Text, Photo, Text/Photo, Graphic/Map
Continuous Copy: 1 – 999 / Auto Reset to 1
Additional Features: Auto Magnification, Auto Paper Select, Auto Start, Auto Drawer Change, Interrupt Copy, Positive / Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Text Stamp, Bates Stamp, Blank Page Skip
Job Management: 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy
Color Adjustment: One Touch, Hue, Auto Exposure, Sharpness
Magnification / Zoom: Full Size, 4 Reduction, 4 Enlargement
Pre-set Ratios: 25 – 400% in 1% Step Increments
Document Box: Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System)

OPTIONAL DOCUMENT PROCESSORS²

Type / Capacity:
DP-7100: Reversing Automatic Document Processor / 140 Sheets
DP-7110: Dual Scan Document Processor / 270 Sheets
Acceptable Originals: 5.5" x 8.5" – 11" x 17"
Acceptable Weights:
DP-7100: Simplex: 13 lb Bond – 90 lb Index (45 – 160gsm); Duplex: 16 lb – 32 lb Bond (50 – 120gsm)
DP-7110: Simplex: 13 lb Bond – 120 lb Index (35 – 220gsm); Duplex: 16 lb – 120 lb Index (50 – 220gsm)

OPTIONAL FAX SPECIFICATIONS

Fax Type: Fax System 12
Compatibility / Data Compression: G3 Fax / MMR, MR, MH, JBIG
Transmission Speed / Modem Speed: Less than 3 seconds / 33.6 Kbps

Fax Memory: Standard 170 MB
Driver: Network Fax Driver
Fax Functions: Network Fax, Broadcast, Duplex Transmission / Reception, Encrypted Transmission/Reception, Polling Transmission/Reception

OUTPUT & FINISHING OPTIONS

OPTIONAL 500 SHEET INTERNAL FINISHER DF-7100³
Stack / Staple Capacity: 500 Sheets / 50 Sheets (up to 24 lb Bond [90gsm])
Paper Size: 5.5" x 8.5" – 12" x 18"
Paper Weight: 14 lb Bond – 166 lb Index (52 – 300gsm)
Edge Staple Position: 3 Positions: Front 1 Staple, Edge 1 Staple, Face 2 Staples
Optional Punch: PH-7100 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)
Dimensions: 19.60" W x 20.98" D x 6.73" H
OPTIONAL 1,000 SHEET FINISHER DF-7120^{3,4}
Stack / Staple Capacity: Main Tray: 1,000 Sheets / 50 Sheets (up to 24 lb Bond [90gsm])
Paper Size: 5.5" x 8.5" – 12" x 18"
Paper Weight: 14 lb Bond – 166 lb Index (52 – 300gsm)
Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center Bind
Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)
Dimensions: 21.57" W x 24.35" D x 41.34" H

OPTIONAL 4,000 SHEET FINISHER DF-7103⁴
Stack / Staple Capacity: Main Tray (A): 4,000 Sheets; Sub Tray (B): 200 Sheets / 65 Sheets (up to 24 lb Bond [90gsm])
Paper Size: 5.5" x 8.5" – 12" x 18"
Paper Weight: 14 lb Bond – 166 lb Index (52 – 300gsm)
Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center Bind
Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)
Dimensions: 23.91" W x 26.32" D x 41.78" H
Optional Booklet Folder / Tri-fold Unit: BF-730 Booklet Folder supports 8.5" x 11", 8.5" x 14", 11" x 17"; Fold booklet staple: 16 lb – 24 lb Bond (60 – 90gsm) 16 sheets; 25 lb – 28 lb Bond (91 – 105gsm) 13 sheets; Fold booklet no staple: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 32 lb Bond – 110 lb Cover (121 – 256gsm) 1 sheet; Trifold supports 8.5" x 11" only: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 16 lb – 28 lb Bond (60 – 105gsm) 1 sheet
Optional Multi-Bin Mailbox⁵: MT-730(B) includes 7 Trays; Supports 16 lb Bond – 90 lb Index (60 – 163gsm); Stack Capacity per bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"

ADDITIONAL OPTIONS

Bridge Unit Attachment Kit (AK-7100), Banner Guide 10, Internet Fax Kit (A), Card Authentication Kit (B), Gigabit NIC (IB-50), Wireless LAN IEEE802.11b/g/n (IB-51), ThinPrint (UG-33), Emulation (UG-34), Document Tray (DT-7100), Scan Extension Kit (A) for Searchable PDF/OCR, Keyboard Holder 10, Data Security Kit (E), Numeric Keypad (NK-7110), Job Separator (JS-7100)

¹ Requires PF-7100 or PF-7110
² Only 1 Document Processor can be installed
³ Only 1 Output Option can be installed
⁴ Requires Bridge Unit Attachment Kit (AK-7100)
⁵ Requires DF-7110

ONLY FROM KYOCERA

KYOCERA Document Solutions is a global leader in the digital imaging industry, with an award-winning line of document solutions that consistently set the standard for high performance, superior image quality, enhanced workflow applications, ease-of-use and durability.

Looking to streamline your document workflow? KYOCERA offers a robust portfolio of Business Applications that seamlessly and securely integrate with our MFPs. To learn more about which Business Applications are right for your business, visit the Solutions section on our website.

Specifications and design are subject to change without notice. For the latest on connectivity visit www.kyoceradocumentsolutions.com/us
MAC and AirPrint are trademarks of Apple, Inc.
Google Cloud Print is a trademark of Google, Inc.
TASKalfa, PRESCRIBE, KX Driver, and Command Center RX are the trademarks of The Kyocera Companies.
All other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc.
Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA
©2016 KYOCERA Document Solutions America, Inc.
IC# 855D400455





› PRINT › COPY › SCAN › FAX

TASKalfa 6002i

BLACK & WHITE
MULTIFUNCTIONAL SYSTEM

POWERFUL PERFORMANCE... CONNECTING INFORMATION AND WORKFLOW.



The TASKalfa 6002i is a best-in-class Black and White MFP that combines print, copy, and color scan functionality into one powerful platform. To ensure that your organization runs at peak efficiency, the TASKalfa 6002i offers an unmatched array of standard features, professional finishing options, and host of customizable business applications that further streamline workflow. Add to that Kyocera's award-winning ultra-reliability and unique long-life technology, and proven leadership in technology innovation, and the TASKalfa 6002i will transform end-to-end document processes...and drive bottom-line business growth.

- › Crisp Black and White Output up to 60 Pages per Minute
- › Exceptional Print Quality at up to 1200 dpi
- › Scalable Paper Capacity for Longer Job Runs

- › Flexible Media Support and Paper Sizes up to 12" x 48"
- › Customizable 9" Color Touch Screen with Intuitive, Tablet-like Home Screen
- › Robust Portfolio of Business Applications for Enhanced Capabilities, such as Scan Distribution to Back-end Applications and Document Management Systems
- › Advanced Finishing Options for Professional Output, including a 4,000-sheet External Finisher and optional Booklet Folding
- › Standard USB Host Interface for On-the-Go Printing and Scanning
- › Efficient Color Scanning up to 180 ipm
- › Convenient Wireless Printing and Scanning
- › Apple AirPrint®, Google Cloud Print™ and KYOCERA Mobile Print Compatible for a Mobile Printing Solution





Machine #6

Model: TASKalfa 6002i
 Speed: 60 ppm (B&W)
 Monthly Volume: 250,000
 Resolution: 1,200 x 1,200 dpi
 Item Number: 1102NK2US0

TASKalfa 6002i (Machine 6)

Total Copy Agreement	
0.00464	B&W

Base Configuration

MODEL	Item No.	DESCRIPTION	State of Montana Price	State of Montana 36 Month Lease
TASKalfa 6002i (Machine 6)	1102NK2US0	60 B/W MFP	\$2,734.85	\$87.00
DP-7100	1203R76US0	140 Sheet Reversing Automatic Document Processor	\$0.00	\$0.00
Fax System 12	1503RK2US0	Fax System 12 Fax Board	\$427.91	\$13.61
Copier Stand	855D200731	Copier Stand	\$240.26	\$7.64
Total			\$3,403.02	\$108.25

Description: The TASKalfa 6002i is a best-in-class Black and White MFP that combines print, copy, and color scan functionality into one powerful platform. To ensure that your organization runs at peak efficiency, the TASKalfa 6002i offers an unmatched array of standard features, professional finishing options, and host of customizable business applications that further streamline workflow. Add to that Kyocera's award-winning ultra-reliability and unique long-life technology, and proven leadership in technology innovation, and the TASKalfa 6002i will transform end-to-end document processes... and drive bottom-line business growth



Machine #6: TASKalfa 6002i

MAINFRAME

INCLUDED WITH BID

MODEL	Item No.	DESCRIPTION	State of Montana Price	State of Montana 36 Month Lease
TASKalfa 6002i (Machine 6)	1102NK2US0	60 B/W MFP	\$2,734.85	\$87.00


ACCESSORIES

MODEL	Item No.	DESCRIPTION	State of Montana Price	State of Montana 36 Month Lease
PLATEN COVER TYPE(E)	1202H70UN0	PLATEN COVER TYPE(E)	\$86.04	\$2.74
DP-7100	1203R76US0	140 Sheet Reversing Automatic Document Processor	\$0.00	\$0.00
DP-7110	1203R86US0	270 Sheet Dual Scan Document Processor	\$277.49	\$8.83
DF-7120	1203RV2US0	1,000 Sheet Finisher	\$503.86	\$16.03
DF-7110	1203RW2US0	4,000 Sheet Finisher	\$817.94	\$26.02
AK-7100	1703RG0UN0	Attachment kit for DF-7120 / DF-7110	\$116.33	\$3.70
PH-7A	1203NK2US0	2/3 Hole Punch Unit for DF-7110/7120	\$219.20	\$6.97
BF-730	1203ND0UN0	Booklet Folder (requires DF-7110)	\$490.76	\$15.61
MT-730(B)	1203N00UN1	7 Bin Mailbox (requires DF-7110)	\$327.18	\$10.41
JS-7100	1203RN0UN0	Job Separator	\$62.16	\$1.98
PF-7120	1203RL2US0	3000 Sheet Side Deck	\$464.05	\$14.76
PF-7100	1203RB2US0	Dual 500 Sheet Paper Trays	\$421.52	\$13.41
PF-7110	1203RC2US0	Dual 1,500 Sheet Paper Trays	\$451.50	\$14.36
Banner Guide 10	1203RP0UN0	MPT Guide attachment to assist the feeding of banner paper.	\$225.38	\$7.17
Fax System 12	1503RK2US0	Fax System 12 Fax Board	\$427.91	\$13.61
Internet FAX Kit (A)*	1703MC0UN0	Internet Fax Kit (requires Fax 12)	\$119.96	\$3.82
Data Security Kit (E)	855D200600	Hard Drive Encryption/Overwrite Kit	\$219.05	\$6.97
IB-50	1505JV0UN0	Gigabit EtherNet Board for Dual NIC	\$428.96	\$13.65
IB-51	1505J50UN0	Wireless LAN NIC (Long Communication Distance)	\$321.11	\$10.21
UG-34	1503NX0UN0	Optional Emulation for IBM Prorinter, Epson LQ850, Diabro 630	\$407.15	\$12.95
Scan extension kit(A)	1603P10UN0	Searchable PDF Kit	\$436.24	\$13.88
Keyboard Holder 10	1709AN0UN0	Keyboard Tray Kit	\$82.40	\$2.62
Copier Stand	855D200731	Copier Stand	\$240.26	\$7.64

Machine #6: TASKalfa 6002i



6002i Product Configuration



TASKalfa 6002i

BASIC SPECIFICATIONS

Configuration: Black & White Multifunctional System – Print/Scan/Copy/Optional Fax
Pages Per Minute: Letter: 60 ppm, Legal: 36 ppm, Ledger: 30 ppm, 12" x 18": 30 ppm (print only)
Warm Up Time: 17 Seconds or Less (Power On)
First Page Out:
Copy: 3.4 Seconds or Less
Print: 3.8 Seconds or Less
Display: 9" Color Touch Screen Control Panel
Resolution / Bit Depth: 600 x 600 dpi; 9600 dpi x 600 dpi; 1200 x 1200 dpi
Memory / Hard Disk Drive: 4GB RAM/ 8GB SSD / 320GB HDD Standard
Duplex: Standard Stackless Duplex Supports Statement to 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)
Standard Output Tray: Statement – 12" x 18" / 500 sheets; up to 12" x 48" Banner (Single Sheet)
Electrical Requirements: 120V, 60Hz, 12A; 220-240V, 50Hz, 7.2A
Typical Electricity Consumption (TEC): 120V: 3.0 kWh/week; 220V: 3.0 kWh/week
Dimensions: 23.70" W x 26.18" D x 31.10" H
Weight: 180.78 lbs
Maximum Monthly Duty Cycle: 250,000 Pages per Month

PAPER SUPPLY

Standard Paper Sources: Dual 500 Sheet Trays, 150 Sheet MPT, Auto Selection/Switching
Optional Paper Sources: Dual 500 Sheet Trays (PF-7100), Dual 1,500 Sheet Trays (PF-7110); Side LCT: 3,000 Sheet Capacity Tray (PF-7120)¹
Paper Capacity: Standard: 1,150 Sheets; Maximum: 7,150 Sheets
Paper Size:
Tray 1 – 5.5" x 8.5" – 8.5" x 14" (Statement to Legal); Tray 2 – 5.5" x 8.5" – 12" x 18", Custom Size; PF-7100: 5.5" x 8.5" – 12" x 18"; PF-7110, PF-7120: 8.5" x 11"; MPT: 5.5" x 8.5" – 12" x 18" (Multiple Sheets); Up to 12" x 48" Banner (Single Sheet)
Paper Weight: Trays / MPT: 14 lb Bond – 166 lb Index (52 – 300gsm)
Input Materials: Standard/Optional Drawer: Plain Paper, Bond Paper, Recycled Paper, Envelopes; MPT: Plain Paper, Bond Paper, Recycled Paper, Cardstock, Transparencies, Labels, Envelopes

SECURITY SPECIFICATIONS

Standard: Local Authentication, Network Authentication (IPsec, HTTPS, LDAP over SSL, SNMPv3); Secure Print (IPP over SSL); Scan to Email (POP3/SMTP over SSL); Scan to FTP (FTP over SSL); Scan to SMB/PC/USB; FTP over SSL
Optional: Data Security Kit (E): HDD Overwrite Mode, HDD Data Encryption

PRINT SPECIFICATION

Standard Controller: Freescale QorIQ T1024 (Dual Core) / 1.2GHz
PDLs / Emulations: PRESCRIBE, PCL6 (PCL-XL / PCL5), KPDL3 (PS3), XPS, OPEN XPS; Optional (UG-34): IBM ProPrinter, Line Printer, LQ-850
Print Resolution: Up to 1200 x 1200 dpi
Fonts: 136 KPDL3, 93 PCL6, 8 Windows Vista, 1 Bitmap
OS Compatibility: Windows: XP/Vista/7/8/8.1/10/Server 2003/Server 2008/Server 2008 R2/Server 2012/Server 2012 R2; Novell NetWare 3.x/4.x/5.x/6.x; Mac OS 10.x; AirPrint Enabled; Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR)
Mobile Printing: Apple AirPrint®, Google Cloud Print™, KYOCERA Mobile Print

Interfaces: Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 4 USB Host Interfaces, 2 Expansion Slots
Optional: 10/100/1000BaseTX (IB-50 for Dual NIC), IEEE 802.11 b/g/n (IB-51 for Wireless LAN Interface)
Network Print and Supported Protocols: TCP/IP, NetBEUI, IPv4, IPv6, IPsec, HTTP, LPD, FTP, IPP, RawPort, LLTD, SNMP, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD Scan/Print
Drivers: KX Driver, PCL Mini Driver, KPDL Mini Driver, KX Driver for XPS, Network Fax Driver, TWAIN Driver, WIA Driver, PPD for MAC, PPD for Linux
Utilities: KYOCERA Net Admin, KYOCERA Net Viewer, PDF Direct Print, Command Center RX

SCAN SPECIFICATIONS

Scan Type: Color and Black & White Scanner
Scan Resolution: 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi, 200 x 400 dpi
File Formats: TIFF (MMR compression), PDF (MMR compression), PDF (high compression), OpenXPS, XPS, JPEG
PDF Extension: Searchable PDF (OCR) Option
Scan Speeds (mono/color, @300 dpi):
DP-7100: Simplex: 80 ipm B&W / 80 ipm Color; Duplex: 48 ipm B&W / 48 ipm Color
DP-7110: Simplex: 100 ipm B&W / 100 ipm Color; Duplex: 180 ipm B&W / 180 ipm Color
Connectivity / Supported Protocols: 10/100/1000BaseTX, TCP/IP, Hi-Speed USB 2.0
Scanning Functions: Scan to Folder (SMB), Scan to Email, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN Scan
Original Size: Through DP: Statement to Ledger (5.5" x 8.5" – 11" x 17"); Glass: Up to 11" x 17"
Drivers: TWAIN/WIA Driver

COPY SPECIFICATIONS

Copy Resolution: 600 x 600 dpi
Image Mode: Text, Photo, Text/Photo, Graphic/Map
Continuous Copy: 1 – 999 / Auto Reset to 1
Additional Features: Auto Magnification, Auto Paper Select, Auto Start, Auto Drawer Change, Interrupt Copy, Positive / Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Text Stamp, Bates Stamp, Blank Page Skip
Job Management: 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy
Color Adjustment: One Touch, Hue, Auto Exposure, Sharpness
Magnification / Zoom: Full Size, 4 Reduction, 4 Enlargement Preset Ratios, 25 – 400% in 1% Step Increments
Document Box: Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System)

OPTIONAL DOCUMENT PROCESSORS²

Type / Capacity:
DP-7100: Reversing Automatic Document Processor / 140 Sheets
DP-7110: Dual Scan Document Processor / 270 Sheets
Acceptable Weights:
DP-7100: Simplex: 13 lb Bond – 90 lb Index (45 – 160gsm); Duplex: 16 lb – 32 lb Bond (50 – 120gsm)
DP-7110: Simplex: 13 lb Bond – 120 lb Index (35 – 220gsm); Duplex: 16 lb – 120 lb Index (50 – 220gsm)

OPTIONAL FAX SPECIFICATIONS

Fax Type: Fax System 12
Compatibility / Data Compression: G3 Fax / MMR, MR, MH, JBIG
Transmission Speed / Modem Speed: Less than 3 seconds / 33.6 Kbps

Fax Memory: Standard 170 MB
Driver: Network Fax Driver
Fax Functions: Network Fax, Broadcast, Duplex Transmission/ Reception, Encrypted Transmission/Reception, Polling Transmission/Reception

OUTPUT & FINISHING OPTIONS

OPTIONAL 500 SHEET INTERNAL FINISHER DF-7100³
Stack / Staple Capacity: 500 Sheets / 50 Sheets (up to 24 lb Bond [90gsm])
Paper Size: 5.5" x 8.5" – 12" x 18"
Paper Weight: 14 lb Bond – 166 lb Index (52 – 300gsm)
Edge Staple Position: 3 Positions: Front 1 Staple, Edge 1 Staple, Face 2 Staples
Optional Punch: PH-7100 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)
Dimensions: 19.60" W x 20.98" D x 6.73" H

OPTIONAL 1,000 SHEET FINISHER DF-7120^{4,5}
Stack / Staple Capacity: Main Tray: 1,000 Sheets / 50 Sheets (up to 24 lb Bond [90gsm])
Paper Size: 5.5" x 8.5" – 12" x 18"
Paper Weight: 14 lb Bond – 166 lb Index (52 – 300gsm)
Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center Bind
Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)
Dimensions: 21.57" W x 24.35" D x 4.134" H

OPTIONAL 4,000 SHEET FINISHER DF-7110^{4,6}
Stack / Staple Capacity: Main Tray (A): 4,000 Sheets; Sub Tray (B): 200 Sheets / 65 Sheets (up to 24 lb Bond [90gsm])
Paper Size: 5.5" x 8.5" – 12" x 18"
Paper Weight: 14 lb Bond – 166 lb Index (52 – 300gsm)
Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center Bind
Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)
Dimensions: 23.91" W x 26.32" D x 4.178" H

Optional Booklet Folder / Tri-fold Unit⁷: BF-730 Booklet Folder supports 8.5" x 11", 8.5" x 14", 11" x 17"; Fold booklet staple: 16 lb – 24 lb Bond (60 – 90gsm) 16 sheets; 25 lb – 28 lb Bond (91 – 105gsm) 13 sheets; Fold booklet no staple: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 32 lb Bond – 110 lb Cover (121 – 256gsm) 1 sheet; Trifold supports 8.5" x 11" only: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 16 lb – 28 lb Bond (60 – 105gsm) 1 sheet
Optional Multi-Bin Mailbox⁸: MT-730(B) includes 7 Trays; Supports 16 lb Bond – 90 lb Index (60 – 163gsm); Stack Capacity per bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"

ADDITIONAL OPTIONS

Bridge Unit Attachment Kit (AK-7100), Banner Guide 10, Internet Fax Kit (A), Card Authentication Kit (B), Gigabit NIC (IB-50), Wireless LAN IEEE802.11b/g/n (IB-51), ThinPrint (UG-33), Emulation (UG-34), Document Tray (DT-7100), Scan Extension Kit (A) for Searchable PDF/OCR, Keyboard Holder 10, Data Security Kit (E), Numeric Keypad (NK-7110), Job Separator (JS-7100)

¹ Requires PF-7100 or PF-7110

² Only 1 Document Processor can be installed

³ Only 1 Output Option can be installed

⁴ Requires Bridge Unit Attachment Kit (AK-7100)

⁵ Requires DF-7110

ONLY FROM KYOCERA

KYOCERA Document Solutions is a global leader in the digital imaging industry, with an award-winning line of document solutions that consistently set the standard for high performance, superior image quality, enhanced workflow applications, ease-of-use and durability.

Looking to streamline your document workflow? KYOCERA offers a robust portfolio of Business Applications that seamlessly and securely integrate with our MFPs. To learn more about which Business Applications are right for your business, visit the Solutions section on our website.

Specifications and design are subject to change without notice. For the latest on connectivity visit www.kyoceradocumentsolutions.com/us
MAC and AirPrint are trademarks of Apple, Inc.
Google Cloud Print is a trademark of Google, Inc.
TASKalfa, PRESCRIBE, KX Driver, and Command Center RX are the trademarks of The Kyocera Companies.
All other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc.
Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA
©2016 KYOCERA Document Solutions America, Inc.
IC# 855D400453





› PRINT › COPY › SCAN › FAX

ECOSYS FS-6525MFP

BLACK & WHITE
MULTIFUNCTIONAL PRINTER



**ECONOMICAL.
ECOLOGICAL.
ECOSYS
TECHNOLOGY.**



For workgroups that require a high level of functionality and ease-of-use, the KYOCERA ECOSYS **FS-6525MFP** delivers document imaging that is budget friendly and virtually worry-free. Our unique ECOSYS technology brings increased operating life and advanced reliability in an environmentally efficient multifunctional device. Offering one of the lowest total costs per print, it's the smart choice for eco-friendly, cost-conscious offices.

- › Up To 25 Pages Per Minute
- › Print, Copy, Color Scan and Optional Fax
- › Business Application Capable
- › Paper Capacity up to 1,600 sheets
- › Easy To Install and Operate
- › Minimal Service Intervention Required
- › Long Life Components Provide Efficiency and Reliability
- › Easy-to-Use Color Touch Screen Control Panel



ECOSYS FS-6525MFP / ECOSYS FS-6530MFP

Total Copy Agreement	
0.00892	B&W

ECOSYS FS-6525MFP / ECOSYS FS-6530MFP

MAINFRAME


MODEL	Item No.	DESCRIPTION	State of Montana Price	State of Montana 36 Month Lease
TASKalfa 6525	1102MX2US0	25 PPM/B/W	\$943.48	\$30.01
TASKalfa 6530	1102MW2US0	30 PPM/B/W	\$1,184.73	\$37.69

Description: For workgroups that require a high level of functionality and ease-of-use, the KYOCERA ECOSYS FS-6525/6530MFP delivers document imaging that is budget friendly and virtually worry-free. Our unique ECOSYS technology brings increased operating life and advanced reliability in an environmentally efficient multifunctional device. Offering one of the lowest total costs per print, it's the smart choice for eco-friendly, cost-conscious offices.

MODEL	Item No.	DESCRIPTION	State of Montana Price	State of Montana 36 Month Lease
PF-470	1203NP2US0	Additional 500 Sheet Paper Feeder	\$212.18	\$6.75
PF-471	1203NN2US0	Additional 2 X 500 Sheet Paper Feeder	\$315.70	\$10.04
DF-470	1205JS0UN0	500 Sheet Document Finisher	\$303.85	\$9.67
AK-470	1703NS0UN0	Bridge unit for Installation of DF-470	\$65.23	\$2.08
Fax System (U)	1505JR2US0	Fax Board	\$246.11	\$7.83
IB-50	855D200598	Gigabit Ethernet Board	\$303.27	\$9.65
Stand Riser	855D200599	Stand Riser if only Cabinet	\$120.17	\$3.82
SD-144-1G(A)	855D200296	1 GB SDRAM Memory	\$446.33	\$14.20
CF-4G	855D200615	Compact Flash Req for HyPass Apps	\$36.63	\$1.17
Copier Stand	855D200598	Copier Stand	\$214.01	\$6.81
Card Reader Holder(B)	1709AD0UN0	HID Card Reader Holder (B)	\$60.66	\$1.93

ECOSYS 6525 / ECOSYS 6530

Product Configuration



Stand and Riser not shown.

ECOSYS FS-6525MFP

ECOSYS

KYOCERA's objective is to manufacture superior products with a low Total Cost of Ownership (TCO) and minimize the impact on the environment. ECOSYS printers incorporate a patented long life drum which is separate from the toner container, eliminating drum replacement when toner is depleted – and reducing landfill waste. ECOSYS printers provide a printing solution that incorporates long life consumables and one of the lowest costs per print. The operating costs of traditional cartridge-based printers can easily exceed many times the original purchase price during the life of the product. Evaluate your printer costs today.

BASIC SPECIFICATIONS

Configuration: 25 ppm B&W Multifunctional Printer with standard network print, copy and color scan. Standard Document Processor, Duplex and 600 Sheet Paper Capacity. Optional Fax/Network Fax, Finishing and Paper Handling

Pages per Minute: Letter: 25 ppm; Legal: 12 ppm; Ledger: 12 ppm

Warm Up Time: 20 seconds or less (Power On)

First Page Out:

Copy: 7.8 seconds or less

Print: 8 seconds or less

Display: 4.3" Touch Screen

Memory: Standard 1 GB RAM upgradeable to 2 GB

Duplex: Standard Duplex

Electrical Requirements: 120V, 60Hz, 10.9A

Dimensions / Weight:

23.3" W x 23.3" D x 27.3" H (DP mainframe) / 115.1 lbs

PAPER SUPPLY

Standard Paper Sources:

Standard 500 Sheet Drawer, 100 Sheet Multipurpose Tray (MPT)

Optional Paper Sources:

500 x 2 Sheet Drawer (PF-471); 500 Sheet + Cabinet Drawer (PF-470)

Paper Capacity:

Standard: 600 Sheets

Maximum: 1,600 Sheets

Paper Size: 5.5" x 8.5" - 11" x 17" (Statement - Ledger)

Paper Weight:

Drawers: 16 - 43 lb. Bond (60 - 163gsm)

MPT: 16 lb. Bond - 140 lb. Index (45 - 256gsm)

Input Materials:

Drawers: Plain paper, Recycled paper

MPT: Plain paper, Recycled paper, Cover stock, Card stock, Envelopes

SECURITY SPECIFICATIONS

Standard: Local Authentication, Network Authentication (IPsec, HTTPS, LDAP over SSL, SNMPv3); Secure Print (IPP over SSL); Scan to e-mail (POP3/SMTP over SSL); Scan to FTP (FTP over SSL); Scan to SMB/PC/USB; SSL

PRINTER SPECIFICATIONS

Controller: PowerPC 464 800MHz

PDLs / Emulations:

PRESCRIBE, PCL6 (PCL XL and 5e), KPDL3 (PS3), XPS

Print Resolution: 600 x 600 dpi, Fast 1200 Mode (1800 x 600)

Fonts: 101 PCL Fonts, 136 PS Fonts, 8 Vista Fonts

Windows® OS Compatibility: Windows XP/2003/Vista/2008/7/8

Mac OS Compatibility: OS 10.x

Novell OS Compatibility: Novel NetWare 3.x/4.x/5.x/6.x

UNIX OS Compatibility: Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR)

Interfaces:

Standard: 10/100/1000BaseTX; High Speed USB 2.0, USB Host (2);

Optional: 10/100/1000BaseTX (B-50) (for dual NIC)

Network Print and Supported Protocols:

TCP/IP, IPX/SPX, AppleTalk, NetBEUI, IPsec, HTTP, LDAP over SSL, SMNPv3, Kerberos, NTLM, 802.1x. Supports IPv4 and IPv6

Drivers / PPDs:

KX Driver, Mini Driver, PPD for Mac, PPD for Linux/UNIX

Utilities: KYOCERA Business Applications, KYOCERA Net Admin, KYOCERA Net Viewer, PDF Direct Print, Status Monitor

SCAN SPECIFICATIONS

Scan Type: Color and B&W Scanner

Scan Speed (Letter):

200 & 300dpi: B&W - 40 IPM, Color - 20 IPM;

400 & 600 dpi: B&W - 20 IPM, Color - 10 IPM

Scan Resolutions: 600dpi, 400dpi, 300 dpi, 200dpi, 200x 100dpi, 200x 400dpi

File Formats: PDF (1.4, /A) / JPG / TIFF / XPS

Connectivity / Supported Protocols: 10/100/1000BaseTX, TCP/IP

Scanning Functions: Scan to e-Mail, Scan to Folder (SMB),

Scan to FTP, Scan to USB

Scanning Features: Duplex Scan, Continuous Scan

COPY SPECIFICATIONS

Image Mode: Text, Photo, Text/Photo, Auto, Manual, Printed Document, Map

Continuous Copy: 1-999/ Auto Reset to 1

Additional Features: Auto Magnification, Auto Paper Select

Job Management: 100 Department Codes, 100 User Authentication (20 Customizable User Logins)

HARNESS THE POWER OF YOUR ECOSYS PRINTER WITH CUSTOMIZED BUSINESS APPLICATIONS



DMS LINK: Simplify document workflow through digital imaging, distribution, retrieval and long-time archival.



PINPOINT SCAN: Scan from your MFP to your PC with added speed, functions and versatility.



ACCESS LOCK: Give specific MFP user groups or departments access to only the device functions they require.



KYOCERA MOBILE PRINT: Simply and conveniently print files, web pages, and images using your smartphone or tablet.



SHAREPOINT CONNECTOR: Enhance collaboration utilizing your KYOCERA MFPs and your existing Microsoft SharePoint Server.

Magnification / Zoom: Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25-400% Zoom in 1% Increments

Document Box: Supports USB Memory for Print/Scan; Private print

FAX SPECIFICATIONS

Fax Type: Optional Fax System (U)

Compatibility: ITU-T Group 3

Transmission Speed / Modem: Less than 3 seconds per page / 33.6Kbps

Fax Transmission Selection: Normal/Fine/Ultra Fine/Super Fine

Fax Memory: Standard 9.5MB (No optional FAX RAM memory)

Fax Memory Capacity: Up to 700 pages

Network Fax Reception: Supports SMB Reception

Fax Functions: Duplex Transmission/Reception, Dual Access, 100 One Touch, 50 Groups, Broadcast, Fax Block (25 N numbers), Fax Reports, Fax Box

DOCUMENT PROCESSOR

Type / Capacity:

Standard Reversing Document Processor (RADF) / 50 Sheets

Acceptable Originals:

5.5" x 8.5" - 11" x 17" (Statement - Ledger);

Simplex: 16 lb Bond - 90 lb Index (45 - 160gsm);

Duplex: 16-43 lb Bond (60 - 163gsm)

OPTIONAL 500 SHEET FINISHER: DF-470

Stack / Staple Capacity: Stack: 500 Sheets / Staple 50 Sheets (Letter), 30 Sheets (Legal/Ledger)

Paper Size: Letter, Legal, Ledger

Paper Weight: 16 lb Bond - 140 lb Index (45 - 256gsm)

Edge Staple Position: 3 Positions

CONSUMABLES

Toner: 15,000 pages* (Ships with 3,000 Pages)

Waste Toner Box: 7,500 pages

Maintenance Kit: MK-470: 300,000 pages

ADDITIONAL OPTIONS

AK-470 (Bridge Unit for Finisher), **IB-50** Gigabit NIC, Card Authentication Kit (B), 1 GB Memory Upgrade, Cabinet, Card Reader Holder (B), CF Card for Business Applications

* In accordance with ISO 19752

Specifications and design are subject to change without notice. For the latest on connectivity visit www.kyoceradocumentsolutions.com/us. ECOSYS, DMS Link, PinPoint Scan and AccessLock are trademarks of the KYOCERA Companies. Other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc.
Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA
©2013 KYOCERA Document Solutions America, Inc.
IC# 855Da00333



PowerPC™





› PRINT › COPY › SCAN › FAX

ECOSYS M6535cidn

COLOR MULTIFUNCTIONAL
PRINTER



ECONOMICAL.
ECOLOGICAL.
ECOSYS
TECHNOLOGY.



The **ECOSYS M6535cidn** color multifunctional printer elevates desktop power and flexibility to the next level. Superior output at speeds up to 37 pages per minute in black and color, plus productivity enhancing business applications power document imaging across the workgroup. Print, copy, scan and fax capabilities from a single device bring added convenience, streamlining hardware requirements in a small footprint. A tablet-like color touch screen adds effortless operation at the device while optional wireless printing and standard Apple AirPrint™ capabilities address the needs of a mobile workforce. The result is a document solution that is highly efficient yet still budget conscious.

- › Fast Output Speed of 37 Pages per Minute Black and Color
- › Standard Color Print, Copy, Scan and Black & White Fax

- › Standard 75 Sheet Document Processor
- › KYOCERA Business Applications Capable
- › Standard 7" Color Touch Screen with Tablet-Like Home Screen
- › Optional Manual Stapler for up to 20 Sheets
- › ECOSYS Long Life Consumables
- › Standard USB Host Interface for On-the-Go Printing and Scanning
- › Wireless Printing Capable
- › Apple AirPrint™ Enabled for a Mobile Printing Solution



ECOSYS M6535cidn / ECOSYS M6035cidn

Total Copy Agreement	
0.10431	Color
0.01449	B&W

ECOSYS M6535cidn / ECOSYS M6035cidn

MAINFRAME

MODEL	Item No.	DESCRIPTION	State of Montana Price	State of Montana 36 Month Lease
ECOSYS M6035cidn	1102PB2US0	32/32 Color MFP	\$846.89	\$26.94
ECOSYS M6535cidn	1102PC2US0	37/37 Color MFP	\$960.88	\$30.57

Description: The ECOSYS M6535cidn color multifunctional network printer takes desktop power and flexibility to the next level, with the addition of productivity enhancing business applications - all in a small footprint. Workgroups of all sizes will benefit from outstanding business color output at speeds up to 37 pages per minute in black and color, plus the convenience of one device for your print, copy, scan and fax needs. Full integration with KYOCERA business applications plus optional wireless printing capabilities makes it the ideal choice for a complete document solution that is both highly efficient and budget conscious.

MODEL	Item No.	DESCRIPTION	State of Montana Price	State of Montana 36 Month Lease
PF-5100	1203PK0KLO	Additional 500 Sheet Tray	\$122.69	\$3.90
MS-5100 Stapler	1903R90UN0	Manual Stapler	\$107.96	\$3.43

ECOSYS M6535cidn / ECOSYS M6035cidn



Product Configuration



Card Authentication Kit (B)



IB-51



IB-50



HD-6/HD-7



1GB DDR3 DIMM



**16GB or 32GB
SD Card**

**Up to Three (3) PF-5100's
can be added**



MS-5100 Manual Stapler

ECOSYS M6535cidn

ECOSYS TECHNOLOGY

KYOCERA's objective is to manufacture superior products with a low Total Cost of Ownership (TCO) and minimize the impact on the environment. ECOSYS printers incorporate a patented long life drum which is separate from the toner container, eliminating drum replacement when toner is depleted – and reducing landfill waste. ECOSYS printers provide a printing solution that incorporates long life consumables and one of the lowest costs per print. The operating costs of traditional cartridge-based printers can easily exceed many times the original purchase price during the life of the product.

BASIC SPECIFICATIONS

Configuration: Color Multifunctional Printer - Print / Scan / Copy / Fax

Pages per Minute: Letter: 37 ppm, Legal: 30 ppm, A4: 35 ppm

Warm Up Time: 25 seconds or less from main power on

First Page Out:

Copy: 9 seconds Black, 11 seconds Color;

Print: 7 seconds Black, 8.5 seconds Color

Display: 7" Color Touch Screen Control Panel

Resolution: 600 x 600 dpi, 9,600 x 600 multi bit interpolated resolution

Memory: Standard 1 GB, Upgradable to 2 GB

Hard Disk Drive:

Optional HD-6 (32 GB SSD);

Optional HD-7 (128 GB SSD)

Duplex: Standard Stackless Duplex Supports Statement to Legal (5.5" x 8.5" - 8.5" x 14"), 16 lb Bond - 90 lb Index (60-163gsm)

Standard Output Tray: 250 Sheets

Dimensions / Weight: 18.7" W x 22.0" D x 24.3" H / 78 lbs

Maximum Monthly Duty Cycle: 100,000 Pages per Month

POWER CONSUMPTION

Electrical Requirements: 120V, 60Hz, 10.3A; 220-240V, 50/60Hz, 5.6A

Typical Energy Consumption: 120V: 2.15 KWh/week; 220-240V: 2.01 KWh/week

Maximum (including options): 120V: 1,326 W; 220-240V: 1,340 W

Printing: 120V: 596 W; 220-240V: 537 W

Copying: 120V: 607 W; 220-240V: 551 W

Ready Mode: 120V: 73 W; 220-240V: 73 W

Sleep Mode: 120V: 2 W; 220-240V: 2.1 W

Power Off: 120V: 0.3 W; 220-240V: 0.3 W

PAPER SUPPLY

Standard Paper Sources: Single 250 Sheet Drawer, 100 Sheet Multipurpose Tray

Paper Capacity: Standard: 350 Sheets; Maximum: 1,850 Sheets

Paper Size: Drawers: 5.5" x 8.5" - 8.5" x 14" (Statement to Legal) MPT: 2.8" x 5.8" - 8.5" x 14"

Paper Weight:

Standard Drawer: 16 lb Bond - 90 lb Index (60-163gsm);

Optional Drawers / MPT: 16 lb Bond - 120 lb Index (60-220gsm)

Input Materials: Standard Drawer: Plain Paper, Bond Paper, Recycled Paper; Optional Drawers: Plain Paper, Bond Paper, Recycled Paper, Coated, Envelopes, Labels;

MPT: Cardstock Transparencies, Labels, Envelopes

Specifications and design are subject to change without notice.

For the latest on connectivity visit www.kyoceradocumentsolutions.com/us.

ECOSYS, PinPoint Scan, SharePoint Connector and DMConnect are trademarks of the KYOCERA Companies.

Mac and AirPrint are trademarks of Apple, Inc.

All other trademarks are the property of their respective owners

KYOCERA Document Solutions America, Inc.


Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA

©2015 KYOCERA Document Solutions America, Inc.


IC# 855D400434

HARNESS THE POWER OF YOUR ECOSYS PRINTER WITH CUSTOMIZED BUSINESS APPLICATIONS

 **PINPOINT SCAN:** Scan from your MFP to your PC with added speed, functions and versatility.

 **SHAREPOINT CONNECTOR:** Enhance collaboration utilizing your KYOCERA MFPs and your existing Microsoft SharePoint Server.

 **DMCONNECT:** Transforms your MFP into an on-ramp for routing documents to any folder in your DMS.

 **APPLE AIRPRINT:** Driverless printing from iOS and OS X products to select KYOCERA devices.

SECURITY SPECIFICATIONS

Standard: Local Authentication, Network Authentication, IPsec, SNMPv3, IEEE802.1x, IPP over SSL/TLS, HTTPS, FTP over SSL/TLS, SMTP over SSL/TLS, POP3 over SSL/TLS, Enhanced WSD over SSL/TLS, LDAP over SSL/TLS

Optional: Data Security Kit (E) (HDD/SSD Overwrite Mode, HDD/SSD Data Encryption), **UG-33** (ThinPrint over SSL/TLS)

PRINT SPECIFICATIONS

Standard Controller: PowerPC 4655 / 1GHz

PDLs / Emulations: PRESCRIBE, PCL6 (PCLXL/PCL5c), KPDL3 (PS3 compatible), XPS

Fonts: 93 Scalable Fonts for PCL/Postscript, 93 Fonts for KPDL3(PS3), 8 Fonts for Windows Vista, 1 Bitmap Font, PDF417

Windows OS Compatibility: Windows XP/Vista/7/8/8.1/Server 2003/Server 2008/Server 2008 R2/Server 2012/Server 2012 R2

Mac OS Compatibility: Mac OS 10.5 and later, AirPrint Enabled Interfaces: Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 2 USB Host Interfaces, 1 Expansions Slot; Optional: 10/100/1000BaseTX (IB-50 for Dual NIC); Optional IEEE 802.11 b/g/n (IB-51 for Wireless LAN Interface)

Network Print and Supported Protocols: TCP/IP, IPv4, IPv6; HTTP, LPD, FTP, IPP, RawPort, LLTD, SNTP, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD Scan/Print

Drivers: KX Driver, Mini Driver, KX Driver for XPS, Network Fax Driver, TWAIN Driver, WIA Driver, Mac Driver, PPD for Linux

Utilities: KYOCERA Net Admin, KYOCERA Net Viewer, KYOCERA Net Direct Print, Command Center RX

Document Box: Job Box for RAM based Private Print, Proof and Hold, Job Storage*, Quick Copy*

PDF Extension: High Compression PDF, Encrypted PDF, PDF/A

SCAN SPECIFICATIONS

Scan Type: Color and Black & White Scanner

Scan Resolution: 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200x400 dpi, 200x100 dpi

File Formats:

Black and White: TIFF, XPS, Open XPS, PDF, PDF/A, Encrypted PDF; Color: TIFF, JPEG, XPS, Open XPS, PDF, PDF/A, Encrypted PDF, High Compression PDF

Scan Speeds:

Mono: 300 dpi - 60 ipm Simplex; 26 ipm Duplex;

600 dpi - 40 ipm Simplex; 17 ipm Duplex;

Color: 300 dpi - 40 ipm Simplex; 17 ipm Duplex;

600 dpi - 20 ipm Simplex; 9 ipm Duplex

Scanning Functions: Scan to Folder (SMB), Scan to e-Mail, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN/WIA Scan

Original Size:

Through DP: Statement to Legal (5.5" x 8.5" - 8.5" x 14"); Glass: up to 8.5" x 14"

Drivers: TWAIN Driver, WIA Driver

COPY SPECIFICATIONS

Image Mode: Text, Photo, Text/Photo, Map, Printed Document mode

Continuous Copy: 1-999 / Auto Reset to 1

Additional Features: Auto Start, Auto Drawer Change

Job Management: 100 Department Codes, Job Programs, Shortcut Keys

Magnification / Zoom: 25 - 400% in 1% step increments

DOCUMENT PROCESSOR

Type / Capacity: Standard Reversing Automatic Document Processor / 75 Sheets

Acceptable Originals: 4.13" x 5.8" - 8.5" x 14"

Acceptable Weights: Simplex: 13 - 32 lb Bond (50-120gsm), Duplex 13 lb Bond - 32 lb Bond (50-120gsm)

FAX SPECIFICATIONS

Compatibility / Data Compression: ITU-T Group 3 / MH, MR, MMR, JBIG

Transmission Speed / Modem Speed: 3 Seconds or less per page / 33.6 kbps

Fax Memory: 3.5 MB

Driver: Network Fax Driver

Fax Functions: Duplex Transmission/Reception, One Touch Dial (100 numbers), FAX/TEL Switching, Sequential Broadcast (up to 100 parties), Quick Dial (200 numbers), Fax Reports

PAPER HANDLING OPTIONS

Up to three (3) PF-5100 Drawers can be installed

PF-5100 PAPER FEEDER

Paper Capacity: 500 Sheets

Paper Size / Weight: Letter, Legal, Statement, A4, A5, B5, Envelope, Custom / 16 lb Bond - 120 lb Index (60-220gsm)

Dimensions / Weight: 15.4" W x 21.0" D x 4.6" H / 9.1 lbs

ADDITIONAL OPTIONS

Memory: 1 GB 144 pin DDR3 SDRAM DIMM

HDD: Optional HD-6 (32 GB SSD), Optional HD-7 (128 GB SSD)

Wireless LAN: IB-51: IEEE 802.11 b/g/n

Additional NIC: IB-50 Gigabit NIC

Security: Card Authentication Kit(B), Data Security Kit(E)

Finishing: MS-5100: Manual Stapler (up to 20 Sheets)

SD Card:** 16 / 32 GB

*Optional HDD or Optional SD Card Required for Job Storage and Quick Copy

**Optional SD Card Required for HyPAS Business Applications





› PRINT › COPY › SCAN › FAX

TASKalfa 7002i

BLACK & WHITE
MULTIFUNCTIONAL SYSTEM

POWERFUL PERFORMANCE... CONNECT AND COLLABORATE.



The TASKalfa 7002i is an advanced Black-and-White MFP that offers the best of all worlds – outstanding ease of use, extraordinary image quality, fast throughput and exceptional durability. This versatile system is ideal for busy workgroups that require the flexibility to communicate in hardcopy and digital form. Print at up to 70 pages per minute. Scan at up to 220 images per minute. To further streamline processes, the customizable TASKalfa 7002i can be equipped with added paper drawers, professional finisher and integrated plug-and-play Kyocera business applications. Combined with ultra-reliability and long-life technology, Kyocera takes the end-user experience, and your business, to another level.

- › Crisp Black-and-White Output up to 70 Pages per Minute
- › Exceptional Print Quality up to 1200 dpi
- › Standard 4,150-sheet Paper Capacity, Expandable to 7,650 Sheets
- › Flexible Media Support and Paper Sizes up to 12" x 48"
- › Customizable 9" Color Touch Screen with Tablet-like Home Screen
- › Advanced Finishing Options for Professional Output, including a 4,000-sheet External Finisher and Optional Booklet Folding
- › Efficient High-speed Color Scanning up to 220 ipm
- › Standard USB Host Interface for On-the-Go Printing and Scanning
- › Convenient Wireless Printing and Scanning
- › Apple AirPrint®, Google Cloud Print™ and KYOCERA Mobile Print Compatible for Anytime, Anywhere Connectivity
- › Standard Near Field Communication (NFC) for Android and Wi-Fi Direct Provides Added Smart Device Convenience
- › KYOCERA Fleet Services, a secure cloud-based monitoring system, optimizes device uptime and reduces costs



TASKalfa 7002i / TASKalfa 8002i

Total Copy Agreement

TASKalfa 7002i / TASKalfa 8002i

0.00684

B&W

MAINFRAME

MODEL	Item No.	DESCRIPTION	State of Montana Price	State of Montana 36 Month Lease
TASKalfa 7002i	1102N82US0	70 B&W MFP	\$4,612.57	\$146.73
TASKalfa 8002i	1102N72US0	80 B/W MFP	\$5,859.56	\$186.40

Description: The TASKalfa 8002i is a high-performance Black-and-White MFP that powers through your most demanding print, copy, scan and optional fax tasks with exceptional speed and accuracy. Designed for unmatched ease of use, striking image quality, and incredible efficiency, the high-volume TASKalfa 8002i processes print and scan jobs at up to 80 pages per minute and 220 images per minute, respectively. Equip the scalable TASKalfa 8002i with added paper drawers, advanced finishing and plug-and-play Kyocera business applications. With ultra-reliability and unique long life technology, the TASKalfa 8002i enables users to connect and collaborate in today's fast-paced, mobile workplace.

MODEL	Item No.	DESCRIPTION	State of Montana Price	State of Montana 36 Month Lease
DF-7110	1203RW2US0	4,000 Sheet Finisher	\$817.94	\$26.02
PF-7130	1203S02US0	500 Sheet Side Multi MediaTray	\$273.20	\$8.69
MT-730(B)	1203N00UN1	7 Bin Mailbox (requires DF-7110)	\$327.18	\$10.41
PH-7A	1203NK2US0	2/3 Hole Punch Unit for DF-7110	\$219.20	\$6.97
BF-730	1203ND0UN0	Booklet Folder (requires DF-7110)	\$490.76	\$15.61
PF-7120	1203RL2US0	3000 Sheet Side Deck	\$464.05	\$14.76
PF-730(B)	1203NJ7US1	Dual 500 Sheet Paper Tray Side Deck (Requires PF-7130)	\$421.52	\$13.41
PF-740(B)	1203NF7US1	Dual 1,500 Sheet Paper Tray Side Deck (Requires PF-7130)	\$451.50	\$14.36
Banner Guide (A)	1202K90UN0	MPT Guide attachment to assist the feeding of banner paper.	\$225.38	\$7.17
Fax System 12	1503RK2US0	Fax System 12 Fax Board	\$427.91	\$13.61
Internet FAX Kit (A)	1703MC0UN0	Internet Fax kit (Requires Fax System 12)	\$119.96	\$3.82
Data Security Kit (E)	855D200600	Hard Drive Encryption/Overwrite Kit	\$219.05	\$6.97
IB-50	1505JV0UN0	Gigabit EtherNet Board for Dual NIC	\$428.96	\$13.65
IB-51	1505J50UN0	Wireless LAN NIC (Long Communication Distance)	\$321.11	\$10.21
UG-34	1503NX0UN0	Optional Printer Emulation	\$407.15	\$12.95
Keyboard Holder 10	1709AN0UN0	Keyboard Tray Kit	\$82.40	\$2.62

TASKalfa 7002i / TASKalfa 8002i



Product Configuration



TASKalfa 7002i

BASIC SPECIFICATIONS

Configuration: Black and White Multifunctional System – Print/Scan/Copy/Optional Fax

Pages Per Minute:

Letter: 70 ppm, Legal: 42 ppm, Ledger: 35 ppm, 12" x 18": 35 ppm (print only)

Warm Up Time: 30 Seconds or Less (Power On)

First Page Out:

Copy: 5.2 Seconds or Less

Print: 5.8 Seconds or Less

Display: 9" Color Touch Screen Control Panel

Resolution: 600 x 600 dpi; 9600 dpi x 600 dpi; 1200 x 1200 dpi

Memory / Hard Disk Drive: 4.5 GB RAM / 8 GB SSD / 320 GB HDD Standard

Duplex: Standard Stackless Duplex Supports Statement to 12" x 18", 14 lb Bond – 166 lb Index (52 – 300gsm)

Standard Output Tray: Statement – 12" x 18" / 270 Sheets; up to 12" x 48" Banner (Single Sheet)

Electrical Requirements: 120V, 60Hz, 12A; 220-240V, 50Hz, 7.2A

Typical Electricity Consumption (TEC): 120V: 4.7 kWh/week; 220V: 4.5 kWh/week

Dimensions: 26.97" W x 31.10" D x 41.45" H

Weight: 330 lbs

Maximum Monthly Duty Cycle: 400,000 Pages per Month

PAPER SUPPLY

Standard Paper Sources: Dual 500 Sheet Trays, Dual 1,500 Sheet Trays, 150 Sheet MPT, Auto Selection / Switching

Optional Paper Sources: Dual 500 Sheet Trays (PF-730[B]), Dual 1,500 Sheet Trays (PF-740[B]); Side LCT: 3,000 Sheet Capacity Tray (PF-7120); 500 Sheet Multi-Media Paper Feeder (PF-7130)

Paper Capacity: Standard: 4,150 Sheets; Maximum: 7,650 Sheets

Paper Size: Tray 1 – 5.5" x 8.5" – 12" x 18" (Statement to 12" x 18"); Tray 2 – 5.5" x 8.5" – 12" x 18", Custom Size; PF-7100: 5.5" x 8.5" – 12" x 18"; PF-7100: 5.5" x 8.5" – 12" x 18"; PF-7200: 8.5" x 11" – 12" x 18"; MPT: 5.5" x 8.5" – 12" x 18" (Multiple Sheets); up to 12" x 48" Banner (Single Sheet)

Paper Weight: Trays / MPT: 16 lb Bond – 166 lb Index (60 – 300gsm)

Input Materials: Standard/Optional Drawer: Plain Paper, Bond Paper, Recycled Paper, Envelopes; MPT: Plain Paper, Bond Paper, Recycled Paper, Cardstock, Transparencies, Labels, Envelopes

SECURITY SPECIFICATIONS

Standard: Local Authentication, Network Authentication (IPsec, HTTPS, LDAP over SSL, SNMPv3); Secure Print (IPP over SSL); Scan to Email (POP3/SMTP over SSL); Scan to FTP (FTP over SSL); Scan to SMB/PC/USB; FTP over SSL

Optional: Data Security Kit (E): HDD Overwrite Mode, HDD Data Encryption

PRINT SPECIFICATIONS

Standard Controller: Freescale QorIQ T1042 (Dual Core) / 1.2GHz

PDIs / Emulations: PRESCRIBE, PCL6 (PCL-XL / PCL5), KPDL3 (PS3), PDF, OpenXPS, XPS, PPMML; Optional (UG-34): IBM ProPrinter, Line Printer, LQ-850

Print Resolution: Up to 1200 x 1200 dpi

Fonts: 136 KPDL3, 93 PCL6, 8 Windows Vista, 1 BitMap

OS Compatibility: Windows: XP/Vista/7/8/8.1/10/Server 2003/Server 2008/Server 2008 R2/Server 2012/Server 2012 R2; Novell NetWare 3.x/4.x/5.x/6.x; Mac OS 10.x; AirPrint Enabled; Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR)

Mobile Printing: Apple AirPrint®, Google Cloud Print™, KYOCERA Mobile Print

Interfaces: Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 4 USB Host Interfaces, 2 Expansion Slots, Wireless LAN (communication distance 98.5 feet)

Optional: 10/100/1000BaseTX (IB-50 for Dual NIC), IEEE 802.11b/g/n IB-51 for Wireless LAN Interface (communication distance 328.1 feet)

Network Print and Supported Protocols: TCP/IP, FTP, LPR, NetBEUI, IPv4, IPv6, IPsec, SSL, HTTP, LPD, IPP, RawPort, LLTD, SNT, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD Scan/Print
Drivers: KX Driver, KX (XPS) Driver, PCL Mini Driver, KPDL Mini Driver, Network Fax Driver, TWAIN Driver, WIA Driver, Status Monitor, Novell NDPS, Common Profile, Output to PDF, Security Watermark, Color Optimizer, Linux SANE Driver, Linux Driver, Mac Driver, Windows Inbox Driver, KX PRESCRIBE Macro Generator
Utilities: KYOCERA Net Direct Print, File Management Utility, KYOCERA Print Center, KYOCERA Net Admin, KYOCERA Net Viewer, Quick Setup, KYOCERA Net Manager(Pro), KYOCERA Net Manager (Basic), ID Register, Software Management Service, Upgrade Studio, Web Package Builder, Web Package Maker, Removal Tool, Wi-Fi Setup Tool

SCAN SPECIFICATIONS

Scan Type: Color and Black & White Scanner

Scan Resolution: 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi, 200 x 400 dpi

File Formats: TIFF (MMR compression), PDF (MMR compression), PDF (high compression), OpenXPS, XPS, JPEG

PDF Extension: Searchable PDF (OCR)

Scan Speeds (mono/color, @300 dpi):

Simplex: 120 ipm B&W / Color

Duplex: 220 ipm B&W / Color

Connectivity / Supported Protocols: 10/100/1000BaseTX, TCP/IP, Hi-Speed USB 2.0

Scanning Functions: Scan to Folder (SMB), Scan to Email, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN Scan

Original Size: Through DP: Statement to Ledger (5.5" x 8.5" – 11" x 17"); Glass: Up to 11" x 17"

Drivers: TWAIN Driver / KM-WSDL / WSD

COPY SPECIFICATIONS

Copy Resolution: 600 x 600 dpi

Image Mode: Text, Photo, Text/Photo, Graphic/Map

Continuous Copy: 1 – 9,999 / Auto Reset to 1

Additional Features: Auto Magnification, Auto Paper Select, Auto Start, Auto Drawer Change, Interrupt Copy, Positive / Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Text Stamp, Bates Stamp, Blank Page Skip

Job Management: 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy

Color Adjustment: One Touch, Hue, Auto Exposure, Sharpness

Magnification / Zoom: Full Size, 4 Reduction, 4 Enlargement Preset Ratios, 25 – 400% in 1% Increments

Document Box: Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System)

STANDARD DOCUMENT PROCESSOR

Type / Capacity: Dual Scan Document Processor / 270 Sheets

Acceptable Originals: 5.5" x 8.5" – 11" x 17"

Acceptable Weights:

Simplex: 16 lb Bond – 68 lb Index (60 – 256gsm)

Duplex: 13 lb – 32 lb Bond (50 – 120gsm)

OPTIONAL FAX SPECIFICATIONS

Fax Type: Fax System 12

Compatibility / Data Compression: G3 Fax / MMR, MR, MH, JBIG

Transmission Speed / Modem Speed: Less than 3 Seconds per Page / 33.6 Kbps

Fax Memory: Standard 170 MB

Driver: Network Fax Driver

Fax Functions: Network Fax, Duplex Transmission and Reception, Encrypted Transmission and Reception, Polling Transmission and Reception, Broadcast

OPTIONAL 4,000 SHEET FINISHER DF-7110*

Stack / Staple Capacity: Main Tray (A): 4,000 Sheets; Sub Tray (B): 200 Sheets / 65 Sheets (up to 24 lb Bond [90gsm])

Paper Size: 5.5" x 8.5" – 12" x 18"

Paper Weight: 14 lb Bond – 166 lb Index (52 – 300gsm)

Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center Bind

Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)

Dimensions: 23.91" W x 26.32" D x 41.78" H

Optional Booklet Folder / Tri-fold Unit: BF-730 Booklet Folder supports 8.5" x 11", 8.5" x 14", 11" x 17"; Fold booklet staple: 16 lb – 24 lb Bond (60 – 90gsm) 16 sheets; 25 lb – 28 lb Bond (91 – 105gsm) 13 sheets; Fold booklet no staple: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 32 lb Bond – 110 lb Cover (121 – 256gsm) 1 sheet; Tri-fold Unit supports 8.5" x 11" only: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 16 lb – 28 lb Bond (60 – 105gsm) 1 sheet

Optional Multi-bin Mailbox: MT-730(B) Includes 7 Trays; Supports 16 lb Bond – 90 lb Index (60 – 163gsm); Stack Capacity per Bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"

ADDITIONAL OPTIONS

Banner Guide (A), Internet Fax Kit (A), Card Authentication Kit (B), Gigabit NIC (IB-50), IEEE 802.11b/g/n (IB-51), ThinPrint (UG-33), Emulation (UG-34), Keyboard Holder 10, Key Counter, Key Counter Attachment Kit, Copy Tray (D), Data Security Kit (E), Numeric Keypad (NK-7110)

* Requires PF-7130

† Only 1 Output Option can be installed

‡ Requires DF-7110

ONLY FROM KYOCERA

KYOCERA Document Solutions is a global leader in the digital imaging industry, with an award-winning line of document solutions that consistently set the standard for high performance, superior image quality, enhanced workflow applications, ease-of-use and durability.

Looking to streamline your document workflow? Kyocera offers a robust portfolio of business applications that seamlessly and securely integrate with our MFPs. To learn more about which business applications are right for your business, visit the Solutions section on our website.

Specifications and design are subject to change without notice.

For the latest on connectivity, please visit www.kyoceradocumentsolutions.com/us.

MAC and AirPrint are trademarks of Apple, Inc. Google Cloud Print is a trademark of Google, Inc.

TASKalfa, PRESCRIBE, KX Driver, and Command Center RX are the trademarks of the Kyocera Companies.

All other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc.

Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA

©2017 KYOCERA Document Solutions America, Inc.

IC# 855D400489





› PRINT › COPY › SCAN › FAX

TASKalfa 8002i

BLACK & WHITE
MULTIFUNCTIONAL SYSTEM

POWERFUL PERFORMANCE... CONNECT AND COLLABORATE.



The TASKalfa 8002i is a high-performance Black-and-White MFP that powers through your most demanding print, copy, scan and optional fax tasks with exceptional speed and accuracy. Designed for unmatched ease of use, striking image quality, and incredible efficiency, the high-volume TASKalfa 8002i processes print and scan jobs at up to 80 pages per minute and 220 images per minute, respectively. Equip the scalable TASKalfa 8002i with added paper drawers, advanced finishing and plug-and-play Kyocera business applications. With ultra-reliability and unique long life technology, the TASKalfa 8002i enables users to connect and collaborate in today's fast-paced, mobile workplace.

- › Crisp Black-and-White Output up to 80 Pages per Minute
- › Exceptional Print Quality up to 1200 dpi
- › Standard 4,150-sheet Paper Capacity, Expandable to 7,650 Sheets
- › Flexible Media Support and Paper Sizes up to 12" x 48"
- › Customizable 9" Color Touch Screen with Tablet-like Home Screen
- › Advanced Finishing Options for Professional Output, including a 4,000-sheet External Finisher and Optional Booklet Folding
- › Efficient High-speed Color Scanning up to 220 ipm
- › Standard USB Host Interface for On-the-Go Printing and Scanning
- › Convenient Wireless Printing and Scanning
- › Apple AirPrint®, Google Cloud Print™ and KYOCERA Mobile Print Compatible for Anytime, Anywhere Connectivity
- › Standard Near Field Communication (NFC) for Android and Wi-Fi Direct Provides Added Smart Device Convenience
- › KYOCERA Fleet Services, a secure cloud-based monitoring system, optimizes device uptime and reduces costs



TASKalfa 8002i

BASIC SPECIFICATIONS

Configuration: Black and White Multifunctional System – Print/Scan/Copy/Optional Fax

Pages Per Minute:

Letter: 80 ppm, Legal: 48 ppm, Ledger: 40 ppm, 12" x 18": 40 ppm (print only)

Warm Up Time: 30 Seconds or Less (Power On)

First Page Out:

Copy: 4.7 Seconds or Less

Print: 5.4 Seconds or Less

Display: 9" Color Touch Screen Control Panel

Resolution: 600 x 600 dpi; 9600 dpi x 600 dpi; 1200 x 1200 dpi

Memory / Hard Disk Drive: 4.5 GB RAM / 8 GB SSD / 320 GB HDD Standard

Duplex: Standard Stackless Duplex Supports Statement to 12" x 18", 14 lb Bond – 166 lb Index (52 – 300gsm)

Standard Output Tray: Statement – 12" x 18" / 270 Sheets; up to 12" x 48" Banner (Single Sheet)

Electrical Requirements: 120V, 60Hz, 12A; 220-240V, 50Hz, 7.2A

Typical Electricity Consumption (TEC): 120V: 4.7 kWh/week; 220V: 4.5 kWh/week

Dimensions: 26.97" W x 31.10" D x 41.45" H

Weight: 330 lbs

Maximum Monthly Duty Cycle: 450,000 Pages per Month

PAPER SUPPLY

Standard Paper Sources: Dual 500 Sheet Trays, Dual 1,500 Sheet Trays, 150 Sheet MPT, Auto Selection / Switching

Optional Paper Sources: Dual 500 Sheet Trays (PF-730[B]), Dual 1,500 Sheet Trays (PF-740[B]); Side LCT: 3,000 Sheet Capacity Tray (PF-7120); 500 Sheet Multi-Media Paper Feeder (PF-7130)

Paper Capacity: Standard: 4,150 Sheets; Maximum: 7,650 Sheets

Paper Size:

Tray 1 – 5.5" x 8.5" – 12" x 18" (Statement to 12" x 18"); Tray 2 – 5.5" x 8.5" – 12" x 18", Custom Size; PF-7100: 5.5" x 8.5" – 12" x 18"; PF-7100: 5.5" x 8.5" – 12" x 18"; PF-7200: 8.5" x 11" – 12" x 18"; MPT: 5.5" x 8.5" – 12" x 18" (Multiple Sheets); up to 12" x 48" Banner (Single Sheet)

Paper Weight: Trays / MPT: 16 lb Bond – 166 lb Index (60 – 300gsm)

Input Materials: Standard/Optional Drawer: Plain Paper, Bond Paper, Recycled Paper, Envelopes; MPT: Plain Paper, Bond Paper, Recycled Paper, Cardstock, Transparencies, Labels, Envelopes

SECURITY SPECIFICATIONS

Standard: Local Authentication, Network Authentication (IPsec, HTTPS, LDAP over SSL, SNMPv3); Secure Print (IPP over SSL); Scan to Email (POP3/SMTTP over SSL); Scan to FTP (FTP over SSL); Scan to SMB/PC/USB; FTP over SSL

Optional: Data Security Kit (E): HDD Overwrite Mode, HDD Data Encryption

PRINT SPECIFICATIONS

Standard Controller: Freescale QorIQ T1042 (Dual Core) / 1.2GHz

PDLs / Emulations: PRESCRIBE, PCL6 (PCL-XL / PCL5), KPDL3 (PS3), PDF, OpenXPS, XPS, PPM; Optional (UG-34): IBM ProPrinter, Line Printer, LQ-850

Print Resolution: Up to 1200 x 1200 dpi

Fonts: 136 KPDL3, 93 PCL6, 8 Windows Vista, 1 BitMap

OS Compatibility: Windows: XP/Vista/7/8/8.1/10/Server 2003/Server 2008/Server 2008 R2/Server 2012/Server 2012 R2; Novell NetWare 3.x/4.x/5.x/6.x; Mac OS 10.x; AirPrint Enabled; Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR)

Mobile Printing: Apple AirPrint®, Google Cloud Print™, KYOCERA Mobile Print

Interfaces: Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 4 USB Host Interfaces, 2 Expansion Slots, Wireless LAN (communication distance 98.5 feet)

Optional: 10/100/1000BaseTX (IB-50 for Dual NIC), IEEE 802.11b/g/n IB-51 for Wireless LAN Interface (communication distance 328.1 feet)

Network Print and Supported Protocols: TCP/IP, FTP, LPR, NetBEUI, IPv4, IPv6, IPsec, SSL, HTTP, LPD, IPP, RawPort, LLTD, SNMP, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD Scan/Print
Drivers: KX Driver, KX (XPS) Driver, PCL Mini Driver, KPDL Mini Driver, Network Fax Driver, TWAIN Driver, WIA Driver, Status Monitor, Novell NDP, Common Profile, Output to PDF, Security Watermark, Color Optimizer, Linux SANE Driver, Linux Driver, Mac Driver, Windows Inbox Driver, KX PRESCRIBE Macro Generator
Utilities: KYOCERA Net Direct Print, File Management Utility, KYOCERA Print Center, KYOCERA Net Admin, KYOCERA Net Viewer, Quick Setup, KYOCERA Net Manager(Pro), KYOCERA Net Manager (Basic), ID Register, Software Management Service, Upgrade Studio, Web Package Builder, Web Package Maker, Removal Tool, Wi-Fi Setup Tool

SCAN SPECIFICATIONS

Scan Type: Color and Black & White Scanner

Scan Resolution: 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi, 200 x 400 dpi

File Formats: TIFF (MMR compression), PDF (MMR compression), PDF (high compression), OpenXPS, XPS, JPEG

PDF Extension: Searchable PDF (OCR)

Scan Speeds (mono/color, @300 dpi):

Simplex: 120 ipm B&W / Color

Duplex: 220 ipm B&W / Color

Connectivity / Supported Protocols: 10/100/1000BaseTX, TCP/IP, Hi-Speed USB 2.0

Scanning Functions: Scan to Folder (SMB), Scan to Email, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN Scan
Original Size: Through DP: Statement to Ledger (5.5" x 8.5" – 11" x 17"); Glass: Up to 11" x 17"

Drivers: TWAIN Driver / KM-WSDL / WSD

COPY SPECIFICATIONS

Copy Resolution: 600 x 600 dpi

Image Mode: Text, Photo, Text/Photo, Graphic/Map

Continuous Copy: 1 – 9,999 / Auto Reset to 1

Additional Features: Auto Magnification, Auto Paper Select, Auto Start, Auto Drawer Change, Interrupt Copy, Positive / Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Text Stamp, Bates Stamp, Blank Page Skip

Job Management: 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy

Color Adjustment: One Touch, Hue, Auto Exposure, Sharpness

Magnification / Zoom: Full Size, 4 Reduction, 4 Enlargement
Preset Ratios, 25 – 400% in 1% Increments

Document Box: Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System)

STANDARD DOCUMENT PROCESSOR

Type / Capacity: Dual Scan Document Processor / 270 Sheets

Acceptable Originals: 5.5" x 8.5" – 11" x 17"

Acceptable Weights:

Simplex: 16 lb Bond – 68 lb Index (60 – 256gsm)

Duplex: 13 lb – 32 lb Bond (50 – 120gsm)

OPTIONAL FAX SPECIFICATIONS

Fax Type: Fax System 12

Compatibility / Data Compression: G3 Fax / MMR, MR, MH, JBIG
Transmission Speed / Modem Speed: Less than 3 Seconds per Page / 33.6 Kbps

Fax Memory: Standard 170 MB

Driver: Network Fax Driver

Fax Functions: Network Fax, Duplex Transmission and Reception, Encrypted Transmission and Reception, Polling Transmission and Reception, Broadcast

OPTIONAL 4,000 SHEET FINISHER DF-7110²

Stack / Staple Capacity: Main Tray (A): 4,000 Sheets;

Sub Tray (B): 200 Sheets / 65 Sheets (up to 24 lb Bond [90gsm])

Paper Size: 5.5" x 8.5" – 12" x 18"

Paper Weight: 14 lb Bond – 166 lb Index (52 – 300gsm)

Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center Bind

Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)

Dimensions: 23.91" W x 26.32" D x 41.78" H

Optional Booklet Folder / Tri-fold Unit³: BF-730 Booklet Folder supports 8.5" x 11", 8.5" x 14", 11" x 17"; Fold booklet staple: 16 lb – 24 lb Bond (60 – 90gsm) 16 sheets; 25 lb – 28 lb Bond (91 – 105gsm) 13 sheets; Fold booklet no staple: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; Tri-fold Unit supports 8.5" x 11" only: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 16 lb – 28 lb Bond (60 – 105gsm) 1 sheet

Optional Multi-bin Mailbox³: MT-730(B) Includes 7 Trays;

Supports 16 lb Bond – 90 lb Index (60 – 163gsm); Stack

Capacity per Bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11";

50 Sheets: 8.5" x 14", 11" x 17"

ADDITIONAL OPTIONS

Banner Guide (A), Internet Fax Kit (A), Card Authentication Kit (B), Gigabit NIC (IB-50), IEEE 802.11b/g/n (IB-51), ThinPrint (UG-33), Emulation (UG-34), Keyboard Holder 10, Key Counter, Key Counter Attachment Kit, Copy Tray (D), Data Security Kit (E), Numeric Keypad (NK-7110)

¹ Requires PF-7130

² Only 1 Output Option can be installed

³ Requires DF-7110

ONLY FROM KYOCERA

KYOCERA Document Solutions is a global leader in the digital imaging industry, with an award-winning line of document solutions that consistently set the standard for high performance, superior image quality, enhanced workflow applications, ease-of-use and durability.

Looking to streamline your document workflow? Kyocera offers a robust portfolio of business applications that seamlessly and securely integrate with our MFPs. To learn more about which business applications are right for your business, visit the Solutions section on our website.

Specifications and design are subject to change without notice.

For the latest on connectivity, please visit www.kyoceradocumentsolutions.com/us.

MAC and AirPrint are trademarks of Apple, Inc. Google Cloud Print is a trademark of Google, Inc.

TASKalfa, PRESCRIBE, KX Driver, and Command Center RX are the trademarks of the Kyocera Companies.

All other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc.

Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA

©2017 KYOCERA Document Solutions America, Inc.

IC# 855D400488





› PRINT › COPY › SCAN › FAX

TASKalfa 7052ci

COLOR MULTIFUNCTIONAL
SYSTEM

POWERFUL COLOR PERFORMANCE... CONNECT AND COLLABORATE.



The TASKalfa 7052ci is a versatile Color MFP that combines intuitive walk-up copy, scan and optional fax functions with flexible desktop and mobile printing tools. The high speed, single-pass scanner quickly routes documents to virtually any destination—email, network folder, USB drive, etc. Equally impressive engine speeds deliver output at up to 65 pages per minute in color and 70 pages per minute in black-and-white. Customize the TASKalfa 7052ci with optional paper drawers, advanced finishing, popular EFI® Fiery Controller and Kyocera's plug-and-play business applications. Fully scalable and ultra-reliable, the TASKalfa 7052ci turns cumbersome processes into seamless efficiency.

- › Vibrant Imaging up to 65 Pages per Minute in Color and 70 Pages per Minute in Black-and-White
- › Exceptional Print Quality up to 1200 dpi
- › Standard 4,150-sheet Paper Capacity, Expandable to 7,650 Sheets
- › Flexible Media Support and Paper Sizes up to 12" x 48"
- › Customizable 9" Color Touch Screen with Tablet-like Home Screen
- › Advanced Finishing Options for Professional Output, including a 4,000-sheet External Finisher and Optional Booklet Folding
- › Optional EFI® Fiery Controller for Advanced Color Workflows
- › Efficient High-speed Color Scanning up to 220 ipm
- › Standard USB Host Interface for On-the-Go Printing and Scanning
- › Convenient Wireless Printing and Scanning
- › Apple AirPrint®, Google Cloud Print™ and KYOCERA Mobile Print Compatible for Anytime, Anywhere Connectivity
- › Standard Near Field Communication (NFC) for Android and Wi-Fi Direct Provides Added Smart Device Convenience
- › KYOCERA Fleet Services, a secure cloud-based monitoring system, optimizes device uptime and reduces cost

 **KYOCERA**
Document Solutions

TASKalfa 7052ci / TASKalfa 8052ci

Total Copy Agreement

TASKalfa 7052ci / TASKalfa 8052ci

0.06375	Color
0.00811	B&W

MODEL	Item No.	DESCRIPTION	State of Montana Price	State of Montana 36 Month Lease
TASKalfa 7052ci	1102RP2US0	65/70 Color/B/W MFP	\$6,637.77	\$211.15
TASKalfa 8052ci	1102NH2US0	70/80 Color/B/W MFP	\$7,965.33	\$253.38

Description: The TASKalfa 8052ci is a powerful Color MFP that tackles the most demanding print, copy, scan and optional fax tasks with ease. Designed as a high-volume document processing hub, the TASKalfa 8052ci delivers vibrant, crisp output at up to 70 pages per minute in color and 80 pages per minute in black-and-white. Fully-customizable, the TASKalfa 8052ci supports added paper drawers, professional in-line finishing, advanced EFI® Fiery Controller and Kyocera's robust suite of integrated business applications. The TASKalfa 8052ci covers all the bases...user-friendly operation, exceptional scalability, ultra-reliability and unique long-life Kyocera technology.

MODEL	Item No.	DESCRIPTION	State of Montana Price	State of Montana 36 Month Lease
DP-7110	1203R86US0	4,000 Sheet Finisher	\$817.94	\$26.02
PH-7A	1203NK2US0	2/3 Hole Punch Unit for DF-7110	\$219.20	\$6.97
BF-730	1203ND0UN0	Booklet and Tri Folding Unit for DF-7110	\$490.76	\$15.61
MT-730(B)	1203N00UN1	7 Bin Mailbox for DF-7110	\$327.18	\$10.41
PF-7120	1203RL2US0	3,000 Sheet Side Large Capacity Tray - Letter	\$464.05	\$14.76
PF-7130	1203S02US0	500 Sheet Side Multi-Media Tray	\$273.20	\$8.69
PF-730(B)	1203NJ7US1	Dual 500 Sheet Paper Tray Side Deck (Requires PF	\$421.52	\$13.41
PF-740(B)	1203NF7US1	Dual 1,500 Sheet Paper Tray Side Deck (Requires I	\$451.50	\$14.36
Data Security Kit (E)	855D200600	Hard Drive Encryption/Overwrite Kit	\$219.05	\$6.97
Fax System 12	1503RK2US0	Fax System 12 Fax Board	\$427.91	\$13.61
Internet FAX Kit (A)*	1703MC0UN0	Internet Fax Kit (requires Fax 12)	\$119.96	\$3.82
DT-730	1902LC0UN2	Original Hard Copy Holder	\$32.71	\$1.04
COPY TRAY(D)	1902LF0UN1	Copy Tray	\$32.71	\$1.04
Keyboard Holder 10	1709AN0UN0	Keyboard Tray Kit	\$82.40	\$2.62
IB-50	1505JV0UN0	Gigabit EtherNet Board for Dual NIC	\$428.96	\$13.65
IB-51	1505J50UN0	Wireless LAN NIC	\$321.11	\$10.21
UG-34	1503NX0UN0	Optional Printer Emulation	\$407.15	\$12.95
Printing System (16)	1503RX0KL0	EFI fiery Controller	\$5,273.60	\$167.76
Printing System Interface Kit	1503RY0KL0	Interface Kit for Printing System (16)	\$545.29	\$17.35



Office Solutions

Smart answers everywhere you turn.

SMART ANSWERS... EVERYWHERE YOU TURN

The 360 team offers everything you need for the office, from furniture to technology and business machines to office supplies.



TECHNOLOGY + BUSINESS MACHINES

- Managed print solutions
- Ricoh, Kyocera and HP printers & copiers
- Factory trained, certified technicians
- Easy toner order process



OFFICE FURNITURE

- Hundreds of furniture brands to select from
- Solutions for any budget, any style—including healthcare, government, education, and business furniture
- Expert design and space planning services
- Certified installation and removal of furniture



OFFICE SUPPLIES

- Over 60,000 products, 10,000 of them recycled and recyclable
- Dependable, friendly drivers that know you and your delivery preferences
- Free delivery with no minimums
- Easy online ordering



CLEANING & BREAKROOM

- Coffee programs for any size business from Keurig & BUNN
- Paper goods—napkins, paper plates, plastic utensils to keep you stocked
- Cleaning Supplies—from paper towels to disinfectants
- Cleaning Equipment—scrubbers, squeegees, mops, buckets, brooms, ladders, vacuums, and carts


360 Office Solutions Points of Contact:

Daryl Olsen
 360 Office Solutions
 Local: 406.449.3012
 Fax: 406.442.5022
 DarylO@360-os.com

Patrick Brownback
 360 Office Solutions
 Local: 406.449.3012
 Fax: 406.442.5022
 PatrickB@360-os.com

360 OFFICE SOLUTIONS LOCATIONS

Billings, MT : 406.248.7881
 Bozeman, MT : 406.585.1730
 Butte, MT : 406.782.4057
 Helena, MT : 406.449.3012



Toll Free : 800.227.5133 | 360-os.com





EXCEPTIONAL FUNCTIONALITY. POWERFUL PRODUCTS.

EXPANDED SELECTIONS
OF MFDs AS WELL AS
COMPETITIVE PRICING

STREAMLINE EQUIPMENT
PROCUREMENT, IT SETUP,
MAINTENANCE, AND
SERVICE PROCESS

SOFTWARE DETECTS
TONER LEVELS,
EQUIPMENT JAMS, AND
OTHER MAINTENANCE
PROBLEMS



Contact Ryan Betcher, Program Manager from State Print & Mail
regarding questions about this exciting new opportunity.

rbetcher@mt.gov | 406-444-1833

IN A BIND?

(yes, we do that too)

- MAIL PREP & DISTRIBUTION
- DESIGN SERVICES
- POSTERS & SIGNS
- UV COATING
- COLOR COPIES + MUCH MORE

STATE PRINT & MAIL DOAGSDPrintServices@mt.gov | 1698 A Street, Helena MT 59601 | **Print** 406-444-3053 | **Mail** 406-444-2600