



BOSCH



PROFESSIONAL BLUE POWER TOOLS FOR TRADE AND INDUSTRY Range 2020-21



DELIVERING USER CONVENIENCE at every step



BOSCH GO 2.0 DRIVEN BY A WINNING LEGACY




reddot design award





BE Connected is a simple way for users, channel partners and products to stay connected.


Avail the best-in-class Bosch products with all the benefits of user loyalty programmes and seamless After Sales Service.




Scan the QR code on the label of your power tool




Register on BE Connected and get benefited



Receive e-warranty instantly



Get product information, tutorial videos, customer reviews and more



You can even get discount coupons!



Simply scan and enjoy a world of benefits

BENEFITS

Anti-Counterfeit

Certified Bosch-made products only

Scope of Supply Check

Real-time data on inventory

Warranty Certificate

Quality products with certified assurances

Survey User Data

Make informed choices and decisions

Promotions / Coupons

Win exciting rewards and prizes

Warranty Extension

Maximize performance and product lifecycle

Communication/Promo

Stay up to date with the latest from Bosch

Where to Buy / Offline

Locate the nearest Bosch dealer to you

Fleet Management

Manage your entire portfolio of products

Product Info (Video)

Valuable demos and tutorials on the product

Reviews

Share your valuable experience with us and your peers

Loyalty Programme


Build a long, sustainable relationship with Bosch

CORDLESS MATLAB BOSCH

BOSCH BRUSHLESS TECHNOLOGY
Cordless, Brushless,
Cost Less, Worry Less!

2X lifetime
Up to 30% longer runtime

Thanks to EC brushless motor





SCREWDRIVER

Bosch GO Solo Professional

*Product available till stock last



Technical Specifications

HSN code	84672900
Part no.	0 601 9H2 0F0
Battery voltage	3.6 V
Torque max. (hard/soft)	5 / 2.5 Nm
No-load speed	360 rpm
Weight incl. battery	0.28 kg

Scope of supply:
Small plastic box;
1 PH2 screw bit; USB cable

MRP: ₹ 3,240



SCREWDRIVER

New! Bosch GO 2.0 Professional



Technical Specifications

HSN code	84672100
Part no.	0 601 9H2 1L1
Battery voltage	3.6 V
Torque, max. (hard/soft)	5 / 2.5 Nm
No-load speed	360 rpm
Electronic brake	Yes
Smart Stop	Yes
Tool holder	¼" Inter HEX

Scope of supply:
1 USB cable;
PH1 & PH2 screw bit

MRP: ₹ 4,720



DRILL DRIVER

New! GSR 120-Li (Single Battery) Professional



Technical Specifications

HSN code	84672100
Part no.	0 601 9G8 0F1
Battery voltage	12 V
No-load speed	0-400 / 0-1,500 rpm
Torque, max. (hard/soft)	30 / 14 Nm
Max screw dia	7 mm
Chuck size	10 mm
Drilling in wood/metal	20 / 10 mm
Weight incl. battery	0.97 kg

Scope of supply:
1 x 12V 2 Ah battery;
1 Charger

MRP: ₹ 5,800



DRILL DRIVER



Technical Specifications

HSN code	84672100
Part no.	0 601 9G8 0F0
Battery voltage	12 V
No-load speed (1 st /2 nd)	0 - 400 / 0 - 1500 rpm
Torque (Hard/Soft)	30 / 14 Nm
Max. screw diameter	7 mm
Max. drilling (wood/steel)	20 / 10 mm
Chuck size	10 mm
<i>Scope of supply:</i>	
2 x 12V 1.5 Ah Li-ion Batteries, 1 Charger, Carry Case, Accessory set, 6 metal drill bit, 4 wood drill bit, 10 screw driver bit and 1 screw driver bit holder	

MRP: ₹ 9,400

GSR 120 Li Professional



1

CORDLESS

SCREWDRIVER



Technical Specifications

HSN code	84672100
Part no.	0 601 9G9 0K0
Battery voltage	12 V
No-load speed	0-420 / 0-1,600 rpm
Torque, max. (hard/soft)	30 / 18 Nm
Max. Screw diameter	8 mm
Max. drilling (wood/steel)	20 / 10 mm

Scope of supply:
2 x 2.0Ah,
AL 1240CV,
Carrying Case

MRP: ₹ 15,880

New! GSR 12V-30 Professional



DRILL DRIVER



Technical Specifications

HSN code	84672100
Part no.	0 601 9F6 0K0
Battery voltage	12 V
No-load speed (1 st /2 nd)	0 - 400 / 0 - 1300 rpm
Torque (Hard/Soft)	30 / 15 Nm
Max. screw diameter	7 mm
Max. drilling (wood/steel)	19 / 10 mm
Chuck size	10 mm

Scope of supply:
Drill chuck adapter GFA 12-B;
Off-set angle adapter GFA 12-E;
Angle adapter GFA 12-W;
Hex adapter; 1 Charger;
2 x 2 Ah Li-ion Battery; Carry case

MRP: ₹ 21,920

GSR 12 V-15 FC Professional



DRILL DRIVER



*Product available till stock last



Technical Specifications

HSN code	84672100
Part no.	0 601 9D4 0K2
Battery voltage	12 V
No-load speed (1 st /2 nd)	0 - 400 / 0 - 1300 rpm
Torque (Hard/Soft)	20 / 18 Nm
Max. screw diameter	7 mm
Max. drilling (wood/steel)	25 / 10 mm
Chuck size	10 mm

Scope of supply:
Carry case; 2 x 2.0 Ah batteries;
Quick charger

MRP: ₹ 16,500

GSR 12 V-EC Professional



DRILL DRIVER

GSR 180-Li Professional



Technical Specifications

HSN code	84672100
Part no.	0 601 9F8 1K0
Battery voltage	18 V
No-load speed (1 st /2 nd)	0 - 450 / 0 - 1700 rpm
Torque (Hard/Soft)	54 / 21 Nm
Max. screw diameter	10 mm
Max. drilling (wood/steel)	35 / 10 mm
Chuck size	13 mm



Scope of supply:
2 x 1.5 Ah Li-ion batteries;
1 charger; Carry case

MRP: ₹ 14,580



DRILL DRIVER

GSR 18 V-EC Professional



*Product available till stock last

Technical Specifications

HSN code	84672100
Part no.	0 601 9E8 1K0
Battery voltage	18 V
Torque, max. (hard/soft)	60 / 31 Nm
No-load speed (1 st gear/2 nd gear)	0 - 600 / 0 - 1900 rpm
Drill spindle thread	1/2"
Torque settings	20+1
Max. screw diameter	10 mm
Bit holder	Three-jaw chuck



Scope of supply:
Carry case; 1 charger;
2 x 2.0 Ah Li-ion batteries

MRP: ₹ 28,580



DRILL DRIVER

New! GSR 18V-50 Professional



Technical Specifications

HSN code	84672100
Part no.	0 601 9H5 0K0
Battery voltage	18 V
No-load speed	0 - 460 / 0 - 1800 rpm
Torque, max. (hard/soft)	50 / 28 Nm
Max. drilling (wood/steel)	35 / 13 mm
Max. screw diameter	10 mm



Scope of supply:
Carry case; 1 charger;
2 x 2.0 Ah Li-ion batteries

MRP: ₹ 21,420



IMPACT DRILL DRIVERS

GSB 120 Kit Professional



Technical Specifications

HSN code	84672100
Part no.	0 601 9G8 1K2
Battery voltage	12 V
No-load speed (1 st /2 nd)	0 - 400 / 0 - 1500 rpm
Torque (Hard/Soft)	30 / 14 Nm
Impact Rate	0 - 18,750 bpm
Max. drilling (wood/steel/masonry)	20 / 10 / 8 mm
Weight with Battery	1.1 kg



Scope of supply:
Carry case; 1 Charger;
2 x 1.5 Ah Li-ion battery;
Accessory set

MRP: ₹ 10,800



IMPACT DRILL DRIVERS



Technical Specifications

HSN code	84672100
Part no.	0 601 9F8 3K0
Battery voltage	18 V
No-load speed (1 st /2 nd)	0 - 450 / 0 - 1700 rpm
Torque (Hard/Soft)	54 / 21 Nm
Max. screw diameter	10 mm
Max. drilling (wood/steel/masonry)	35 / 10 / 8 mm
Chuck size	13 mm

Scope of supply:
2 x 1.5 Ah Li-ion batteries;
1 charger; Carry case

MRP: ₹ 15,340

GSB 180-Li Professional



1

CORDLESS

IMPACT WRENCH



Technical Specifications

HSN code	84672100
Part no.	0 601 9F0 0K1
Battery voltage	12 V
No-load speed (1 st /2 nd)	0 - 1300 / 0 - 2600 rpm
Torque (Hard)	100 Nm
Max. screw diameter	8 mm
Rated impact rate	0 - 1900/0 - 3200 bpm
Bit holder	1/4" hexagon socket

Scope of supply:
2 x 2.0 Ah batteries,
1 charger, 1 carry case

MRP: ₹ 12,910

GDR 120 Li Professional



IMPACT WRENCH



Technical Specifications

HSN code	84672100
Part no.	0 601 9E0 0F6
Battery voltage	12 V
No-load speed (1 st /2 nd)	1200 / 2600 rpm
Torque (Hard)	110 Nm
Max. screw diameter	M4 - M12
Rated impact rate	0 - 3100 bpm
Bit holder	1/4" internal hexagon

Scope of supply:
Carry case; 2 x 2Ah batteries;
1 charger

MRP: ₹ 22,470

GDR 12 V-EC Professional



IMPACT WRENCH



Technical Specifications

HSN code	84672900
Part no.	0 601 9G6 1K0
Battery voltage	18 V
Max torque	250 Nm
No-load speed	0 - 2,400 min
Impact rate	0 - 3,300 bpm
Tool holder	1/2" Square
Nut diameter	M10~ M18

Scope of supply:
2 x 3 Ah Li-ion batteries;
1 charger; Carry case

MRP: ₹ 26,910

GDS 250 Li Professional



IMPACT WRENCH

GDS 18 V-EC 250 Professional



Technical Specifications

HSN code	84672100
Part no.	0 601 9D8 1F0
No-load speed	0 - 2400 rpm
Torque, max. (hard screwdriving applications)	250 Nm
Rated impact rate	0 - 2500 bpm
Battery voltage	18 V
Toolholder	1/2" external square
Nut dia.	M 10 - M 18
Weight incl. battery	1.85 kgs.

Scope of supply:
2 x 4 Ah Li-ion batteries;
1 charger; Carry case

MRP: ₹ 44,600



IMPACT WRENCH

GDS 18 V-LI HT Professional



Technical Specifications

HSN code	84672100
Part no.	0 601 9A1 3F2
Battery voltage	18 V
Torque max.	650 Nm
No-load speed	0 - 1900 rpm
Rated impact rate	0 - 2100 bpm
Screw diameter	M 12 - M 20
Tool holder	1/2" external square
Weight	3 kgs.

Scope of supply:
2 x 4 Ah Li-ion batteries;
1 charger; Carry case

MRP: ₹ 70,960



IMPACT WRENCH

GDx 18 V-EC Professional



*Product available till stock last

Technical Specifications

HSN code	84672100
Part no.	0 601 9B9 1F0
Torque max.	185 Nm
No-load speed	0 - 2,800 rpm
Rated impact rate	0 - 3200 bpm
Screw diameter	M 6 - M 16
Bit holder	1/4" Internal Hex socket + 1/2" External square
Battery voltage	18 V

Scope of supply:
2 x 4 Ah Li-ion batteries;
1 charger; Carry case

MRP: ₹ 37,790



ROTARY HAMMER 1-2 KG

GBH 180-Li (Brushless) Professional



Technical Specifications

HSN code	84672900
Part no.	0 601 911 1F0
Impact force	2.0 J
Drilling capacity	20 mm
No-load speed	0 - 1800 rpm
Impact rate	0 - 4550 bpm
Brushless motor	Yes
LED light	Yes
Weight (bare tool)	2.4 kg

Scope of supply:
1 charger;
2 x 4 Ah Li-ion batteries

MRP: ₹ 30,540



ROTARY HAMMER 3 KG



*Product available till stock last



Technical Specifications

HSN code	84672100
Part no.	0 611 906 003
Max. impact energy	3,2 J
Impact rate at rated speed	0 - 4,200 bpm
Rated speed	0 - 940 rpm
Battery voltage	36 V
Drilling dia. in concrete with hammer drill bits	4 - 28 mm
Max. drilling dia. in steel/wood	13/30 mm
Weight incl. battery	4.5 kgs.

Scope of supply:
Carry case; Depth stop;
Auxiliary handle; Charger;
2 x 4.0 Ah Li-Ion batteries

MRP: ₹ 76,290

GBH 36-V-28 Professional



1

CORDLESS

VACUUM CLEANER



Technical Specifications

HSN code	85081100
Part no.	0 601 9C6 2K1
Battery Voltage	18 V
Container volume	0.7 l
Filter surface area	55 cm ²
Weight excl. battery	1.3 kgs.

Scope of supply:
1 x 3.0 Ah battery;
Charger;
4 accessories

MRP: ₹ 14,680

GAS 18 V-1-Li KIT Professional



ANGLE GRINDER



Technical Specifications

HSN code	84672900
Part no.	0 601 9J4 0K1
Battery Voltage	18 V
Grinding spindle thread	M10
No-load speed	9,000 rpm
Weight w/o battery	2.0 kg

Scope of supply:
2 x 5.0 Ah Battery;
1 Charger; Handle;
Keyless protection guard;
Clamping unit

MRP: ₹ 34,320

GWS 18V-10 KIT Professional



BATTERY

GBA 12 V 2.0 Ah Professional



Technical Specifications

HSN code	85076000
Part no.	1 600 A00 F6X
Battery voltage	12 V
Battery capacity	2 Ah
Weight	175 g

Suitable for

- 10.8 V
- 12.0 V

Bosch cordless tools range
(Tubular battery version)

MRP: ₹ 3,045

BATTERY

GBA 18 V 2.0 Ah Professional



Technical Specifications

HSN code	85076000
Part no.	1 600 A00 1CG
Battery voltage	18 V
Battery capacity	2 Ah
Weight	300 g

Suitable for

- All 18 V

Bosch cordless tools range

MRP: ₹ 4,900

BATTERY

GBA 18 V 4.0 Ah Professional



Technical Specifications

HSN code	85076000
Part no.	1 600 A00 163
Battery voltage	18 V
Battery capacity	4 Ah
Weight	600 g

Suitable for

- All 18 V

Bosch cordless tools range

MRP: ₹ 7,440

CHARGER

GAL 12 V-40 Professional



Technical Specifications

HSN code	85044030
Part no.	1 600 A01 B8X
Charge current A	4
Charging time min	24 min
Input voltage(s) V	230
Model	Li-Ion quick charger
Weight, approx.	0.4 kg

Suitable for charging of

- 10.8 V
- 12.0 V

Bosch tubular batteries

MRP: ₹ 2,800

CHARGER

GAL 1860 CV Professional

2



*Product available till stock last

Technical Specifications

HSN code	85044030
Part no.	1 600 A00 1DH
Charge current A	6
Charging time min	45 min
Input voltage(s) V	230
Country version	EU
Model	Li-Ion quick charger
Charge monitoring	Constant-Current, Constant-Voltage charging control
Weight, approx.	0.765 kg

MRP: ₹ 4,250

Suitable for charging of

- 14.4 V
- 18.0 V

Bosch batteries

CHARGER

GAL 18V-40 Professional


CHARGERS/
BATTERIES

COMING
SOON



BOSCH HAMMER

DEMOLITION
HAMMERS



DEMOLITION HAMMER < 5 KG

GSH 500 Professional

3



Technical Specifications

HSN code	84672100
Part no.	0 611 338 6F0
Input Power	1100 W
Impact Rate at rated speed	2900 bpm
Impact Energy	7.8 J
Toolholder	17 Hex mm
Side Handle	Straight Handle
Weight	5.5 kgs.

Scope of supply:
Auxiliary handle;
1 Chisel; Carry case

MRP: ₹ 21,040



DEMOLITION HAMMER < 5 KG

New! GSH 500 MAX Professional



Technical Specifications

HSN code	84672100
Part no.	0 611 338 7F0
Input Power	1100 W
Impact Rate at rated speed	2900 bpm
Impact Energy	7.8 J
Toolholder	SDS MAX
Side Handle	Straight Handle
Weight	5.7 kgs.

Scope of supply:
Auxiliary handle;
1 Chisel, Carry case

MRP: ₹ 27,075



DEMOLITION HAMMER < 5 KG

GSH 5 Professional




Technical Specifications

HSN code	84672100
Part no.	0 611 337 0K0
Rated power input	1100 W
Impact energy	7.5 J
Rated speed	2850 bpm
Weight without cable	5.6 kgs.

*with vario lock feature for chisel adjustment

Scope of supply:
Pointed chisel; Carry case;
Cleaning cloth; Grease tube;
Straight handle

MRP: ₹ 36,100



DEMOLITION HAMMER < 11 KG

GSH 11 E Professional



Technical Specifications

HSN code	84672100
Part no.	0 611 316 8F0
Power input	1500 W
Impact rate	900 - 1890 bpm
Impact energy	16.8 J
Weight	10.1 kgs.

Scope of supply:
Auxiliary handle; Carry case;
Grease tube; RTec pointed chisel

MRP: ₹ 46,490



DEMOLITION
HAMMERS

DEMOLITION HAMMER < 11 KG


GSH 11 VC Professional



Technical Specifications

HSN code	84672100
Part no.	0 611 336 000
Power input	1700 W
Impact energy	23 J
Impact rate at rated speed	900 - 1700 bpm
Weight without cable	11.4 kgs.

Scope of supply:
Auxiliary handle; Carrying case;
Grease tube; Machine cloth;
Pointed chisel



MRP: ₹ 76,820



DEMOLITION HAMMER > 16 KG

GSH 16-30 Professional



Technical Specifications

HSN code	84672100
Part no.	0 611 335 1F0
Power input	1750 W
Impact rate	1300 bpm
Impact energy	41 J
Weight	16.5 kgs.

Scope of supply:
Carrying handle; Trolley;
Grease tube; Machine cloth;
Pointed chisel



MRP: ₹ 1,12,790



DEMOLITION HAMMER > 27 KG

GSH 27 VC Professional



Technical Specifications

HSN code	84672100
Part no.	0 611 30A 000
Rated power input	2000 W
Impact energy	62 J
Impact rate at rated speed	1000 bpm
Weight	29.5 kgs.

Scope of supply:
Paper box;
Plastic Bags



MRP: ₹ 2,28,840



ROTARY HAMMER 1-2 KG



*Product available till stock last



Technical Specifications

HSN code	84672100
Part no.	0 611 258 3F2
Rated power input	550
Impact energy	1.7 J
Impact rate at rated speed	0 - 3960
Rated speed	0 - 1550
Drilling dia. in concrete	4 - 20 mm
Max. drilling dia. in steel	13 mm
Max. drilling dia. in wood	30 mm
Weight	2.3 kgs.

Scope of supply:
Auxiliary Handle; Depth Gauge; **MRP: ₹ 8,090**
Carry case

GBH 200 Professional



ROTARY HAMMER 1-2 KG



*Product available till stock last



Technical Specifications

HSN code	84672100
Part no.	0 611 250 655
Drilling dia. in concrete	4 - 22 mm
Drilling dia. in steel	13 mm
Drilling dia. in wood	30 mm
Core bits masonry	68 mm
Power input	620 W
No-load speed	0 - 1000 rpm
Single impact energy	0 - 2.2 J
Weight	2.3 kgs.

Scope of supply:
Auxiliary Handle; Depth Gauge; **MRP: ₹ 11,730**
Carry case

GBH 2-22 E Professional



ROTARY HAMMER 1-2 KG



*Product available till stock last



Technical Specifications

HSN code	84672100
Part no.	0 611 250 755
Drilling dia. in concrete	4 - 22 mm
Drilling dia. in steel	13 mm
Drilling dia. in wood	30 mm
Core bits masonry	68 mm
Power input	620 W
No-load speed	0 - 1000 rpm
Single impact energy	2.2 J
Weight	2.3 kgs.

Scope of supply:
Auxiliary Handle; Depth Gauge; **MRP: ₹ 12,140**
Carry case

GBH 2-22 RE Professional



ROTARY HAMMER + SDS ADAPTOR DRILL CHUCK



+Extra!

+ SDS Adaptor 13 mm
Drill Chuck



Technical Specifications

HSN code	84672100
Part no.	0 611 272 1K6
Power input	790 W
Impact Energy	2.7 J
Drilling Capacity	24 mm
No-load speed	1300 rpm
Impact Rate	4,200 bpm
Weight	2.8 kgs.

Scope of supply:
13 mm Drill chuck;
SDS, Adapter;
Carry Case

MRP: ₹ 13,810

*Available in Promo Version only

GBH 2-24 DRE Professional





+Extra!

+ GWS 750
Angle Grinder

*Product
available till
stock last



Technical Specifications - GBH 2-24 DRE

HSN code	84672100
Part no.	0 611 272 1K7
Power input	790 W
Impact Energy	2.7 J
Drilling Capacity	4 - 24 mm
No-load speed	1300 rpm
Impact Rate	4,200 bpm
Weight	2.8 kgs.

Scope of supply:
Carry case

Technical Specifications + GWS 750

HSN code	84672100
Power input	750 W
No-load speed	11,000 rpm
Disc Dia.	100 mm

Scope of supply:
Carry case

*Available in Promo Version only

MRP: ₹ 17,170



ROTARY HAMMER 1-2 KG

GBH 2-26 E Professional



Technical Specifications

HSN code	84672100
Part no.	0 611 251 655
Drilling dia. in concrete	4 - 26 mm
Drilling dia. in steel	13 mm
Drilling dia. in wood	30 mm
Core bits masonry	68 mm
Power input	800 W
No-load speed	0 - 900 rpm
Single impact energy	0 - 3 J
Weight	2.7 kgs.

Scope of supply:
Auxillary Handle;
Depth Gauge; Carry case

MRP: ₹ 15,750



ROTARY HAMMER 1-2 KG

GBH 2-26 RE Professional




Technical Specifications

HSN code	84672100
Part no.	0 611 251 755
Drilling dia. in concrete	4 - 26 mm
Drilling dia. in steel	13 mm
Drilling dia. in wood	30 mm
Core bits masonry	68 mm
Power input	800 W
No-load speed	0 - 900 rpm
Single impact energy	0 - 3 J
Weight	2.7 kgs.

Scope of supply:
Auxillary Handle; Depth Gauge;
Carry case

MRP: ₹ 16,050



ROTARY HAMMER 1-2 KG

GBH 2-26 DRE Professional



Technical Specifications


HSN code	84672100
Part no.	0 611 253 755
Drilling dia. in concrete	4 - 26 mm
Drilling dia. in steel	13 mm
Drilling dia. in wood	30 mm
Core bits masonry	68 mm
Power input	800 W
No-load speed	0 - 900 rpm
Single impact energy	2.7 J
Weight	2.7 kgs.

Scope of supply:
Auxiliary Handle; Depth Gauge; **MRP: ₹ 17,300**
Carry case



ROTARY HAMMER 1-2 KG

GBH 2-28 DV Professional



Technical Specifications

HSN code	84672100
Part no.	0 611 267 1F0
Drilling dia. in concrete	4 - 28 mm
Drilling dia. in steel	13 mm
Drilling dia. in wood	30 mm
Core dia. masonry	68 mm
Rated power input	850 W
No-load speed	0 - 1300 rpm
Impact rate at rated speed	0 - 5100 bpm
Impact energy	0 - 3.2 J
Weight	2.9 kgs.

Scope of supply:
Auxiliary Handle; Depth Gauge; **MRP: ₹ 19,550**
Carry case




ROTARY HAMMER 3 KG

GBH 3-28 DRE Professional



*Product available till stock last



Technical Specifications

HSN code	84672100
Part no.	0 611 23A 0K0
Drilling dia. in concrete	4 - 28 mm
Drilling dia. in steel	13 mm
Core bits masonry	82 mm
Power input	800 W
No-load speed	0 - 900 rpm
Single impact energy	0 - 3.5 J
Weight	3.5 kgs.

Scope of supply:
Auxiliary Handle; Carry case; **MRP: ₹ 28,100**
Depth stop



ROTARY HAMMER 4 KG

GBH 4-32 DFR Professional



Technical Specifications

HSN code	84672100
Part no.	0 611 332 1F0
Drilling dia. in concrete	6 - 32 mm
Drilling dia. in steel	13 mm
Drilling dia. in wood	32 mm
Power input	900 W
No-load speed	0 - 800 rpm
Impact rate	0 - 3,600 bpm
Impact energy	4.2 J
Weight	4.7 kgs.

Scope of supply:
Auxiliary Handle; Carry case; **MRP: ₹ 32,610**
Depth stop;
SDS-plus quick-change chuck



ROTARY HAMMER 5 KG AND MORE

GBH 5-40 D Professional



Technical Specifications

HSN code	84672100
Part no.	0 611 269 0K0
Drilling dia. in concrete	12 - 40 mm
Rated power input	1,100 W
Impact energy	8.5 J
Impact rate at rated speed	1500 - 2900 bpm
Rated speed	170 - 340 rpm
No-load speed	0 - 760 rpm
Weight	6.8 kgs.



Scope of supply:
Carrying cases; Cleaning cloth;
Grease tube; Auxiliary handle **MRP: ₹ 48,620**




ROTARY HAMMER 5 KG

GBH 8-45 DV Professional



Technical Specifications

HSN code	84672100
Part no.	0 611 265 0K0
Rated power input	1500 W
Impact energy	12.5 J
Impact rate at rated speed	1380 - 2760 bpm
Rated speed	0 - 305 rpm
Drilling dia. concrete, hammer drill bits	12 - 45 mm
Optimum range of applications in concrete with hammer drill bits	20 - 40 mm
Drilling dia. in concrete with breakthrough drill bits	80 mm
Weight without cable	8.9 kgs.



Scope of supply:
Grease tube; Cleaning cloth;
Carrying case **MRP: ₹ 87,740**




ROTARY HAMMER 12 KG

GBH 12-52 DV Professional



Technical Specifications

HSN code	84672900
Part no.	0 611 2660 000
Input Power	1700 W
Max. impact energy	19 J
Impact rate at rated speed	1750 - 2150 bpm
Rated speed	0 - 220 rpm
Drilling dia. in concrete with hammer drill bits	12 - 52 mm
Weight	11.9 kgs.



Scope of supply:
Carrying case, Grease tube; **MRP: ₹ 1,05,080**
Machine cloth;
Auxiliary handle



DIAMOND DRILL



Technical Specifications

HSN code	84672100
Part no.	0 601 189 800
Rated power input	2000 W
Drilling range	180 mm
Suitability	Wet drilling in concrete
Concrete, possible range	180 mm
Masonry, possible range	180 mm
Vibration emission value ah	4.8 m/s ²
Weight without cable	5.2 kgs.

Scope of supply:
Adapter dust extraction;
Ball valve; Carry case

MRP: ₹ 1,54,750

GDB 180 WE Professional



DIAMOND DRILL



Technical Specifications

HSN code	84672100
Part no.	0 601 190 100
Drilling diameter	180 mm
Working length, Z-axis	455 mm
Column length	767 mm
Drill stroke	514 mm
Weight	9.5 kgs.

MRP: ₹ 1,15,040

GCR 180 Professional



DIAMOND DRILL



Technical Specifications

HSN code	84672100
Part no.	0 601 189 900
Rated power input	3200 W
Drilling range	350 mm
Suitability	Wet drilling in concrete
Concrete, possible range	350 mm
Weight without cable	11.9 kgs.

Scope of supply:
Water coupling

MRP: ₹ 2,33,700

GDB 350 WE Professional



DIAMOND DRILL



Technical Specifications

HSN code	84672100
Part no.	0 601 190 200
Drilling diameter	350 mm
Working length, Z-axis	550 mm
Column length	955 mm
Drill stroke	580 mm
Weight	12.6 kgs.

Scope of supply:
Adapter for GDB 350 WE
diamond drill

MRP: ₹ 1,57,090

GCR 350 Professional



DIAMOND/STONE CUTTER

GDC 120 Professional



Technical Specifications

HSN code	84672900
Part no.	0 601 393 0F1
Rated power input	1200 W
No-load speed	12000 rpm
Tool blade	4 inch
Cutting depth (at 90°)	34 mm
Cord length	1.5 m
Net weight	2.5 kgs.



MRP: ₹ 4,650



DIAMOND/STONE CUTTER

GDC 121 Professional



Technical Specifications

HSN code	84672900
Part no.	0 601 393 1F1
Rated power input	1250 W
No-load speed	12000 rpm
Tool blade	5 inch
Depth of cut	40 mm
Cord length	1.5 m
Net weight	3 kgs.



MRP: ₹ 5,160



DIAMOND/STONE CUTTER

New! GDC 155 Professional



Technical Specifications

HSN code	84672900
Part no.	0 601 3A0 2F0
Rated power input	1,550 W
No-load speed	8,600 rpm
Max. cutting disc diameter	150 / 155 mm
Max. cutting depth	45 / 47 mm
Weight	3.7 kg



MRP: ₹ 6,350



BLOWER



Technical Specifications

HSN code	84145920
Part no.	0 601 980 5F0
Power input	620 W
No-load speed	16000 rpm
Volumetric flow rate	3.5 m³/min
Standard Accessories	1 Nozzle
Weight without cable	1.7 kgs.

MRP: ₹ 3,540

GBL 620 Professional



6

BLOWER



Technical Specifications

HSN code	85081100
Part no.	0 601 980 4F5
Input power	820 W
No-load speed	16000 rpm
Flow rate	4.5 m³/min
Weight	2.25 kgs.

Scope of supply:
50 mm nozzle,
Extension nozzle, Borehole
nozzle, Dust bag

MRP: ₹ 5,850

GBL 82-270 Professional



HEAT GUN



Technical Specifications

HSN code	84672900
Part no.	0 601 94D 0F0
Power input	1800 W
Max Temperature	60 / 350 / 550°C
Air Flow Rate	350 / 350 / 550 lpm
Over-heat protection	Yes
Weight	0.75 kg

Scope of supply:
Reducing nozzle

MRP: ₹ 3,060

GHG 180 Professional



HEAT GUN



Technical Specifications

HSN code	84672900
Part no.	0 601 2A6 2K0
Power input	2,000 W
Temperature range	50-630°C
Adjustable temperature steps	Yes
Air flow rate	150 - 500 litre/min
Durability	600 h
Weight	0.65 kg

Scope of supply:
Glass protection nozzle,
Surface nozzle, Welding glove,
Reduction nozzle,
Reflection nozzle

MRP: ₹ 9,110

GHG 20-63 Professional



HEAT GUN



Technical Specifications

HSN code	84672900
Part no.	0 601 2A6 400
Power input	2,000 W
Temperature max	50-630°C
Adjustable temp steps	Yes
Air flow rate	~ 150 / 500 litre/min
Infinitely variable airflow control	No
Durability	500-750 h
Weight	0.55 kg

Scope of supply:
Glass protection nozzle

MRP: ₹ 10,130

GHG 20-60 Professional



METAL SURFACE FINISH



Technical Specifications

HSN code	84672900
Part no.	0 601 3A2 0F0
Power	950 W
Variable Speed	600 - 2,100 rpm
Grinding spindle thread	M14
Stick pad diameter	ø165 mm
Max. accessory diameter	180 mm
Weight	2.3 kgs.

Scope of supply:
Sponge pad; Stick pad;
M14 & M16 adaptor; Wrench;
Aux handle; Aux plate

MRP: ₹ 9,490

GPO 950 Professional



METAL SURFACE FINISH



*Product available till stock last



Technical Specifications

HSN code	84672900
Part no.	0 601 389 0F0
No-load speed	750 - 3000 rpm
Grinding spindle thread	M 14
Rubber sanding plate	180 mm
Power input	1250 W
Weight	2.5 kgs.

*Package doesn't contain polishing pad

Scope of supply:
M14/M16 adaptor;
Auxiliary handle; Spacer disc;
Auxiliary D-handle; Wrench

MRP: ₹ 14,470

GPO 12 CE Professional



METAL SURFACE FINISH



Technical Specifications

HSN code	84672900
Part no.	0 601 389 0F1
No-load speed	750 - 3000 rpm
Grinding spindle thread	M 14
Rubber sanding plate	180 mm
Power input	1250 W
Weight	2.5 kgs.

Scope of supply:
M14/M16 adaptor;
Auxiliary handle; Spacer disc;
Auxiliary D-handle;
Wrench; Polishing pads

MRP: ₹ 15,250

GPO 12 CE (Promo) Professional



RECIPSAW

New! GSA 120 Professional

6



Technical Specifications

HSN code	84672200
Part no.	0 601 681 0K0
Power input	1,200 W
Stroke rate	0 - 3,000 per min.
Stroke length	29 mm
Blade change	SDS
Max. cutting depth in wood	220 mm
Max. cutting depth in metal	20 mm
Weight	3.7 kg

Scope of supply:

1 x reciprocating saw blade
S 1126 BEF, Allen key

MRP: ₹ 15,400



VACUUM CLEANER

New! GAS 15 PS Professional



Technical Specifications

HSN code	85081100
Part no.	0 601 9E5 1K0
Power input	1100 W
Container (gross/net)	15/8 L
Max. Airflow	53 L/Sec
Max. Vacuum Pressure	270 mbar
Weight	6 kgs.

* Tool Socket for connecting Power Tools.

Scope of supply:

Crevice nozzle; Carton box;
3m anti-static hose; Elbow;
Tubes (2pcs); Plastic bags;
Floor nozzle set

MRP: ₹ 17,080



VACUUM CLEANER

GAS 12-25 Professional



Technical Specifications

HSN code	85081100
Part no.	0 601 97C 0F0
Power input	1250 W
Vacuum Pressure	200 mbar
Air Flow	63 L/Sec
Dust Tank Capacity Gross	25 L
Tank Capacity Net Dry/Wet	21/16 L
Main Filter Class	H13 HEPA

Scope of supply:

3M Hose; Elbow; Crevice nozzle,
Floor nozzle set; Adapter;
Tubes (2 pcs);
Plastic bags (5 pcs)

MRP: ₹ 20,150



VACUUM CLEANER

GAS 35 L SFC Professional



Technical Specifications

HSN code	85081100
Part no.	0 601 9C3 060
Max. power input (Turbine)	1380 W
Container volume, gross	35 l
Container volume, net	23 l
Container volume, net, water	19.2 l
Filter surface area	6,150 cm ²
Max. volume flow rate (Turbine)	74 l/sec
Max. vacuum pressure (Turbine)	254 mbar
Weight	11.6 kgs.

Scope of supply:

Brown box; Hose with BIA
nozzle 3 m, 35 mm diameter;
Elbow; Crevice nozzle;
Floor nozzle set; Disposal bag;
Tool sleeve; SFC+ module

MRP: ₹ 65,640



*Tool Socket for connecting Power Tools.



SPECIALITY
TOOLS

VACUUM CLEANER

GAS 55 M AFC Professional



Technical Specifications

HSN code	85081100
Part no.	0 601 9C3 360
Max. power input (Turbine)	1380 W
Container volume, gross	55 l
Container volume, net	43 l
Container volume, net, water	40 l
Filter surface area	6.150 cm ²
Max. volume flow rate (Turbine)	74 l/sec
Max. vacuum pressure (turbine)	254 mbar
Weight	16.2 kgs.

*Tool Socket for connecting Power Tools.

Scope of supply:
5 m anti-static hose; Elbow; **MRP: ₹ 1,00,260**
Crevice nozzle; Floor nozzle set;
Disposal bag; Tool sleeve



OSCILLATING TOOL

GOP 30-28 Professional



Technical Specifications

HSN code	84672900
Part no.	0 601 237 0F0
Rated power input	300 W
No-load oscillation	8.000 – 20.000 opm
Oscillation angle on left and right	1.4°
Weight	1.5 kgs.

Scope of supply: **MRP: ₹ 20,140**
Carrying case; 1 set sanding sheet, Grit 2x80, Grit 2x120, Grit 1x240; Starlock BIM segment saw blade ACZ 85 EB, Wood & Metal; Starlock BIM plunge cut saw blade AIZ 32 APB, Wood & Metal, Curved-Tec; Starlock sanding plate AVZ 93 G Professional



WALL CHASER

GNF 35 CA Professional



*Product available till stock last



Technical Specifications

HSN code	84672900
Part no.	0 601 621 703
Adjustable groove depth	0 - 35 mm
Groove width	3 - 39 mm
Disc diameter	150 mm
Power input	1400 W
No-load speed	9300 rpm
Weight	4.1 kgs.

Scope of supply:
Break-out tool; Two-hole spanner, Carrying cases; Round nut; Backing flange; 3 spacers 4 mm; **MRP: ₹ 61,600**
4 spacers 6 mm



STIRRER

GVC 22 EX Professional



*Product available till stock last



Technical Specifications

HSN code	84678920
Part no.	0 601 283 1F1
Input Power	2200 W
Voltage	220/230 V
Vibration per minute	20000 vpm
Diameter of vibrator head	35 mm
Hose Length	3.5 m
Relation Power/weight	550
Weight	4 kgs.

*Tool comes with 1 No. 3.5m x 35mm nose with needle

Scope of supply: **MRP: ₹ 98,150**
Needle 3.5 m with
35 mm diameter





ROTARY & IMPACT DRILLS



ROTARY DRILL

New! GBM 350 Professional

7

DRILLS



Technical Specifications

HSN code	84672100
Part no.	0 601 1A9 5F1
Power input	350 W
No-load speed	0 - 2800 rpm
Drilling capacity steel	10 mm
Drilling capacity wood	20 mm
Electronic switch	Yes
Reversible	Yes
Weight	1.2 kg

Scope of supply:
Keyed chuck 10 mm

MRP: ₹ 2,605



ROTARY DRILL

GBM 13 RE Professional



Technical Specifications

HSN code	84672100
Part no.	0 601 477 5F0
Power input	600 W
No-load speed	0 - 2600 rpm
Chuck capacity	1.5 - 13 mm
Drilling dia. in steel	13 mm
Drilling dia. in aluminium	13 mm
Drilling dia. in wood	30 mm
Weight	1.7 kgs.

Scope of supply:
Keyed chuck 13 mm

MRP: ₹ 5,370



ROTARY DRILL

GBM 13-2 Professional



Technical Specifications

HSN code	84672100
Part no.	0 601 169 055
Power input	550 W
No-load speed	0 - 1000/1900 rpm
Chuck capacity	1 - 13 mm
Drilling dia. in steel	13/8 mm
Drilling dia. in aluminium	20/12 mm
Drilling dia. in wood	32/20 mm
Weight	1.9 kgs.

Scope of supply:
Auxiliary handle; Depth stop;
Keyed chuck

MRP: ₹ 10,480



ROTARY DRILL / STIRRER

GBM 1600 RE Professional



Technical Specifications

HSN code	84672100
Part no.	0 601 1B0 0K0
Power input	850 W
No-load speed	0 - 630 rpm
Rated torque	11 Nm
Lock-on Button	Yes
Stirrer capacity	160 mm
Wood Drilling	40 mm
Metal Drilling	16 mm
Weight	3 kg

Scope of supply:
Auxiliary handle

MRP: ₹ 12,630



ROTARY DRILL



*Product available till stock last



Technical Specifications

HSN code	84672100
Part no.	0 601 121 103
Power input	1050 W
Drilling dia. in steel	23 / 13 mm
Drilling dia. in aluminium	28 / 18 mm
Drilling dia. in wood	50 / 35 mm
Weight	3.7 kgs.

Scope of supply:
Auxiliary handle

MRP: ₹ 66,830

GBM 23-2 Professional



ROTARY DRILL



*Product available till stock last



Technical Specifications

HSN code	84672100
Part no.	0 601 130 203
Power input	1500 W
No-load speed	210 / 330 / 470 / 740 rpm
Drilling dia. in steel	32 mm
Drilling dia. in aluminium	50 mm
Drilling dia. in wood	70 mm
Weight	7.3 kgs.

Scope of supply:
Carry case; Drift;
Auxiliary handle

MRP: ₹ 82,860

GBM 32-4 Professional



ROTARY DRILL



*Product available till stock last



Technical Specifications

HSN code	84679900
Part no.	0 601 193 003
Power input	95 W
Magnet retention force	25 kN
Clamping flange diameter	65 mm
Working length, Z-axis	223 mm
Twist drill bit diameter	32 mm
Weight	26.0 kgs.

Scope of supply:
Carry case

MRP: ₹ 1,88,980

GMB 32 Professional



ROTARY DRILL



Technical Specifications

HSN code	84672100
Part no.	0 601 1B4 0F0
Power input	1,200 W
No-load speed	50-255 / 100-510 rpm
Annular cutter	Ø 50 mm
Max. twist drill	Ø 23 mm
Max. thread	M16
Magnetic force	14,000 N
Weight	14.7 kg

Scope of supply:
Carry case; MT2 drill drift; Hey key; Safety Strap, Reduction sleeve; Pilot pin, Adaptor for annular cutter, Cooling tank with hose; cooling tank holder

MRP: ₹ 95,330

New! GBM 50-2 Professional



IMPACT DRILL < 500W



Technical Specifications

HSN code	84672100
Part no.	0 601 216 1FK
Input Power	450 W
Impact Rate	0-41600 bpm
No-load speed	0-2600 rpm
Max. Drill Capacity: Concrete	10 mm
Max. Drill Capacity: Steel	8 mm
Max. Drill Capacity: Wood	20 mm
Weight	1.5 kg

MRP: ₹ 3,100

GSB 450 Professional



IMPACT DRILL < 500W



Technical Specifications

HSN code	84672100
Part no.	0 601 216 1FL
Input Power	450 W
Impact Rate	0-41600 bpm
No-load speed	0-2600 rpm
Max. Drill Capacity: Concrete	10 mm
Max. Drill Capacity: Steel	8 mm
Max. Drill Capacity: Wood	20 mm
Weight	1.5 kg

Scope of supply:

4 Pcs Concrete Drill Bits, 4 Pcs Metal Drill Bits, 10 Pcs Screw-driver Bits, 4 Pcs Wood Drill Bits

MRP: ₹ 3,830



IMPACT DRILL < 500W



Technical Specifications

HSN code	84672100
Part no.	0 601 216 1FD
Input Power	500 W
Impact Rate	0 - 47.000 bpm
No-load speed	0 - 3150 rpm
Max. Drill Capacity: Concrete	13 mm
Max. Drill Capacity: Steel	10 mm
Max. Drill Capacity: Wood	25 mm
Weight	1.5 kgs.

MRP: ₹ 3,520

GSB 501 Professional



IMPACT DRILL 1G > 500W



Technical Specifications

HSN code	84672100
Part no.	0 601 217 1F3
Rated input power	600 W
No-load speed	0 - 2,800 rpm
Impact rate at no-load speed	0 - 44,800 bpm
Chuck capacity	13 mm
Weight	1.8 kg

Scope of supply:

Auxiliary Handle; Depth Gauge; Keyed chuck 13 mm

MRP: ₹ 5,620

GSB 13 RE Professional



IMPACT DRILL 1G > 500W



Technical Specifications

HSN code	84672100
Part no.	0 601 228 1K0
Rated input power*	750 W
No-load speed	0 - 3,250 rpm
Chuck capacity	13 mm
Impact rate at no-load speed	0 - 48,500 bpm
Weight	1.8 kg

Scope of supply:
Auxiliary handle; Chuck key;
Depth gauge

MRP: ₹ 8,840

GSB 16 RE Professional



IMPACT DRILL 2G CLAM



Technical Specifications

HSN code	84672100
Part no.	0 601 1A2 1F1
Power input	800 W
No-load speed(1 st /2 nd Gear)	1100/3000 rpm
Impact Rate	48,000 bpm
Max. Drilling dia.(1 st /2 nd gear)	
Brickwork	20/16 mm
Steel	13/6 mm
Wood	40/25 mm
Weight	2.6 kgs.

Scope of supply:
Auxiliary handle; Chuck key;
Depth gauge

MRP: ₹ 13,470

GSB 20-2 RE Professional



IMPACT DRILL < 500W



Technical Specifications

HSN code	84672100
Part no.	0 601 216 1F4
Power input	500 W
No-load speed	0 - 2600 rpm
Impact rate at no-load speed	0 - 41600 bpm
Drilling dia. in masonry wall	10 mm
Drilling dia. in steel	8 mm
Drilling dia. in wood	20 mm
Chuck capacity	1 - 10 mm
Weight	1.5 kgs.

Scope of supply:
Keyed chuck 10 mm;
100 pcs accessory set

MRP: ₹ 6,030

GSB 10 RE Kit Professional



IMPACT DRILL 1G > 500W



Technical Specifications

HSN code	84672100
Part no.	0 601 217 1F6
Power input	600 W
No-load speed	0 - 2800 rpm
Impact rate	48000 bpm
Drilling dia. in masonry	13 mm
Drilling dia. in wood	25 mm
Drilling dia. in steel	10 mm
Weight	1.6 kgs.

Scope of supply:
Auxiliary Handle; Depth Gauge;
Keyed chuck 13 mm;
100 pcs accessory set

MRP: ₹ 7,500

GSB 13 RE Kit Professional



IMPACT DRILL 1G > 500W

GSB 550 (XL Kit) Professional

7




Technical Specifications

HSN code	84672100
Part no.	0 601 1A1 5F3
Input power	550 W
Rated power input	0 - 2,800 rpm
Impact rate	0 - 41,800 bpm
Drilling capacity in concrete	13 mm
Drilling capacity steel/wood	10/25 mm

Scope of supply:

5 x masonry drill bits; 5 x wood drill bits;
8 x hex keys; 10 x CRV bits 50 mm;
18 x sockets; 7 x wrenches; Magnetic
bit holder; Cutter; Hammer; Cross
screwdriver; Flat screwdriver; Pliers;
Long nose pliers; Adapter; Socket wrench;
Screw set; Wall plug set

MRP: ₹ 7,500



DRILLS

IMPACT DRILL 1G > 500W

GSB 550 (Freedom Kit) Professional



Technical Specifications

HSN code	84672100
Part no.	0 601 1A1 5F1
Input power	550 W
Rated power input	0 - 2,800 rpm
Impact rate	0 - 41,800 bpm
Drilling capacity in concrete	13 mm
Drilling capacity steel/wood	10/25 mm


Scope of supply:

4 x masonry drill bits;
4 x wood drill bits;
2 x PH2 screw bits; Screw set;
Wall plug set

MRP: ₹ 5,470



CHOPSAWS



**HEAVY
DUTY**

BENCH TOP CUT-OFF SAW



Technical Specifications

HSN code	84672200
Part no.	0 601 B37 3F0
Input power	2200 W
No-load speed	3800 rpm
Disc dia.	355 mm
Cutting capacity rectangle	100 x 196 mm
Cutting capacity square	119 x 119 mm
Cutting capacity round	129 x 129 mm
Cutting capacity L-profile	130 x 130 mm
Weight	14 kg

Scope of supply:
Cutting disc

MRP: ₹ 14,010

GCO 220 Professional



BENCH TOP CUT-OFF SAW



Technical Specifications

HSN code	84672200
Part no.	0 601 B37 1F0
Input power	2400 W
Cutting capacity rectangle	100 x 196 mm
Cutting capacity square	119 x 119 mm
Cutting capacity L-profile	130 x 130 mm
No-load speed	3,800 rpm
Disc dia.	355 mm
Weight	17.5 kgs.

Scope of supply:
Cutting disc

MRP: ₹ 17,220

GCO 14-24 Professional



BENCH TOP CUT-OFF SAW



Technical Specifications

HSN code	84672200
Part no.	0 601 B37 2F0
Rated power input	2,400 W
No-load speed	3,800 rpm
Saw blade diameter	355 mm
Saw blade bore	25.4 mm
Cutting capacity at rectangle	100 x 196 mm
Cutting capacity at square	119 x 119 mm
Cutting capacity at L-profile	130 x 130 mm
Weight	18.1 kg

Scope of supply:
Cutting disc

MRP: ₹ 18,800

GCO 14-24J (Soft-Start) Professional



SMALL ANGLE GRINDER 4"

GWS 600 Professional



Technical Specifications

HSN code	84672900
Part no.	0 601 375 05F
Power input	670 W
No-load Speed	11000 rpm
Grinding Spindle Thread	M10
Disc dia.	100 mm
Weight	1.8 kgs

Scope of supply:
Auxiliary handle; Guard;
Round nut; Pin spanner;
Clamping flange

MRP: ₹ 3,110



SMALL ANGLE GRINDER 4"

GWS 750-100 Professional



Technical Specifications

HSN code	84672900
Part no.	0 601 394 0F0
Power input	750 W
Disc dia.	100 mm
No Load Speed	11000 rpm
Spindle dia	M10
Weight	1.8 kgs

Scope of supply:
Auxiliary handle; Guard;
Round nut; Pin spanner;
Clamping flange

MRP: ₹ 4,210



MINI GRINDER 4" + 3 GRINDING DISCS

GWS 750-100 Professional



+ 4" Grinding Discs (3 No.) - 100 x 6 x 16 mm



*Limited Period Offer

Technical Specifications

HSN code	84672900
Part no.	0 601 394 0F2
Power input	750 W
Disc dia.	100 mm
No Load Speed	11000 rpm
Weight	1.8 kgs

*with carton box


Scope of supply:
3 Nos 100mm Grinding disc,
Auxiliary handle; Guard;
Round nut; Pin spanner;
Clamping flange

MRP: ₹ 4,195



SMALL ANGLE GRINDER 4"

GWS 900-100 Professional



Technical Specifications

HSN code	84672900
Part no.	0 601 396 0F0
Rated power input	900 W
Disc dia.	100 mm
No load Speed	11000 rpm
Spindle Dia	M10
Weight	1.8 kgs.

Scope of supply:
Wrench; Protective guard;
Auxiliary handle

MRP: ₹ 5,140



SMALL ANGLE GRINDER 5"

GWS 6-125 Professional



Technical Specifications

HSN code	84672900
Part no.	0 601 375 15A
Rated power input	670 W
No-load speed	11000 rpm
Grinding spindle thread	M14
Disc dia.	125 mm
Weight without cable	1.9 kgs.

Scope of supply:
Auxiliary handle; Guard;
Round nut; Pin spanner;
Clamping flange

MRP: ₹ 4,700



SMALL ANGLE GRINDER 5"

New! GWS 900-125 S Professional



Technical Specifications

HSN code	84672900
Part no.	0 601 396 1K2
Rated input power	900 W
No-load speed	2800 - 1100 rpm
Disc diameter	125 mm
Grinding spindle thread	M14
Weight	1.9 kg

Scope of supply:
Wrench;
Protective guard;
Auxiliary handle

MRP: ₹ 6,750



SMALL ANGLE GRINDER 5"

GWS 14-125 CI Professional



Technical Specifications

HSN code	84672900
Part no.	0 601 824 2F1
Power input	1,400 W
No-load Speed	11000 rpm
Grinding spindle thread	M14
Disc dia.	125 mm
Weight without cable	2.2 kgs.

Scope of supply:
Auxiliary handle; Guard;
Round nut; Pin spanner;
Clamping flange

MRP: ₹ 9,290



SMALL ANGLE GRINDER 5"

GWS 18-125 L Professional



Technical Specifications

HSN code	84672900
Part no.	0 601 7A3 0K0
Power input	1800 W
No-load Speed	11500 rpm
Grinding spindle thread	M14
Disc dia.	125 mm
Weight without cable	2.5 kgs.

Scope of supply:
Wrench; Protective guard;
Auxiliary handle

MRP: ₹ 16,360



SMALL ANGLE GRINDER - CONCRETE

GBR 15 CAG Professional



Technical Specifications

HSN code	84672900
Part no.	0 601 776 001
Rated power input	1500 W
No-load speed	9300 rpm
Grinding spindle thread	M14
Grinding head, diameter	125 mm
Weight	2.6 kgs.

*Tool comes with 1 No. Bosch Concrete grinding wheel

Scope of supply:

Clamp key; Carry case;
Diamond grinding head;
3 x replacement brush rings

MRP: ₹ 61,620



LARGE ANGLE GRINDER 7"

GWS 2000-180 Professional



*Product available till stock last



Technical Specifications

HSN code	84672900
Part no.	0 601 8B7 0F0
Power input	2000 W
No-load speed	8500 rpm
Grinding spindle thread	M 14
Disc dia.	180 mm
Weight without cable	5.3 kgs.

Scope of supply:

Auxillary handle; Guard;
Round nut; Pin spanner;
Clamping flange

MRP: ₹ 9,080



LARGE ANGLE GRINDER 7"

GWS 22-180 Professional



Technical Specifications

HSN code	84672900
Part no.	0 601 881 AK0
Rated power input	2200 W
No-load speed	8500 rpm
Grinding spindle thread	M14
Disc dia.	180 mm
Weight without cable	5 kgs.

Scope of supply:

Auxillary handle; Guard;
Round nut; Pin spanner;
Clamping flange

MRP: ₹ 12,580



LARGE ANGLE GRINDER 7"

New! GWS 2200-180 Professional



Technical Specifications

HSN code	84672900
Part no.	0 601 8C0 0F0
Rated power input	2200 W
No-Load speed	8,500 rpm
Grinding spindle	M14
Disc dia.	180 mm
Weight	5.5 kgs

Scope of supply:

Auxillary handle; Guard;
Round nut; Pin spanner;
Clamping flange

MRP: ₹ 10,870



LARGE ANGLE GRINDER 7"

GWS 24-180 H Professional



Technical Specifications

HSN code	84672900
Part no.	0 601 853 455
Power input	2400 W
No-load speed	8500 rpm
Grinding spindle thread	M14
Disc dia.	180 mm
Weight without cable	4.9 kgs.

Scope of supply:
Auxillary handle; Guard;
Round nut; Pin spanner;
Clamping flange

MRP: ₹ 15,830



LARGE ANGLE GRINDER 7"

GWS 26-180 H Professional



Technical Specifications

HSN code	84672900
Part no.	0 601 855 100
Rated power input	2600 W
No-load speed	8500 rpm
Grinding spindle thread	M14
Disc dia.	180 mm

Scope of supply:
Auxillary handle; Guard;
Round nut; Pin spanner;
Clamping flange

MRP: ₹ 22,150



LARGE ANGLE GRINDER 9"

GWS 20-230 Professional



Technical Specifications

HSN code	84672900
Part no.	0 601 850 155
Power input	2000 W
No-load speed	6500 rpm
Grinding spindle thread	M14
Disc dia.	230 mm

Scope of supply:
Auxillary handle; Guard;
Round nut; Pin spanner;
Clamping flange

MRP: ₹ 14,270



*Product available till stock last



LARGE ANGLE GRINDER 9"

New! GWS 2200-230 Professional



Technical Specifications

HSN code	84672900
Part no.	0 601 8C0 1F0
Rated power input	2200 W
No-Load speed	6500 rpm
Grinding spindle	M14
Disc diameter	230 mm
Weight	5.5 kgs

Scope of supply:
Auxillary handle; Guard;
Round nut; Pin spanner;
Clamping flange

MRP: ₹ 11,825



LARGE ANGLE GRINDER 9"

GWS 22-230 Professional



Technical Specifications

HSN code	84672900
Part no.	0 601 882 AFO
Power input	2200 W
No-load speed	6500 rpm
Grinding spindle thread	M 14
Disc dia.	230 mm
Weight without cable	5.3 kgs.

Scope of supply:
Auxiliary Handle; Guard;
Round nut; Pin Spanner;
Clamping Flange

MRP: ₹ 13,430



LARGE ANGLE GRINDER 9"

GWS 24-230 H Professional



Technical Specifications

HSN code	84672900
Part no.	0 601 854 455
Power input	2,400 W
No-load speed	6500 rpm
Grinding spindle thread	M 14
Disc dia.	230 mm
Weight without cable	6 kgs.

Scope of supply:
Auxiliary Handle; Guard;
Round nut; Pin Spanner;
Clamping Flange

MRP: ₹ 16,600



LARGE ANGLE GRINDER 9"

GWS 26-230 H Professional



Technical Specifications

HSN code	84672900
Part no.	0 601 856 100
Power input	2600 W
No-load speed	6500 rpm
Grinding spindle thread	M 14
Disc dia.	230 mm
Weight without cable	5.2 kgs.

Scope of supply:
Auxiliary Handle; Guard;
Round nut; Pin Spanner;
Clamping Flange

MRP: ₹ 22,540



LARGE ANGLE SANDER

GWS 22 U Professional



*Product
available till
stock last

Technical Specifications

HSN code	84672900
Part no.	0 601 8A1 0FO
Power input	2200 W
No-load speed	5700 rpm
Disc diameter	180 mm
Shaft size	M 14
Weight	4.3 kgs.

Scope of supply:
Auxiliary Handle; Round nut;
Rubber plate; Sanding disc;
Two Pin wrench

MRP: ₹ 16,350



STRAIGHT GRINDER

GGG 3000 L Professional



Technical Specifications

HSN code	84672900
Part no.	0 601 224 0F0
Power input	300 W
No-load speed	0 - 28000 rpm
Collet chuck dia. max	8 mm
Spindle collar dia.	41 mm
Weight without cable	1.5 kgs.

Scope of supply:
Collet chuck; Lock nut;
Spanner

MRP: ₹ 8,570



STRAIGHT GRINDER

GGG 5000 L Professional



Technical Specifications

HSN code	84672900
Part no.	0 601 224 1F0
Power input	500 W
No-load speed	33000 rpm
Collet chuck dia. max.	8 mm
Spindle collar dia.	41 mm
Weight without cable	1.4 kgs.

Scope of supply:
Collet chuck;
2 x single head open
end wrench

MRP: ₹ 10,370



STRAIGHT GRINDER

GGG 28 LCE Professional



Technical Specifications

HSN code	84672900
Part no.	0 601 221 100
Power input	650 W
No-load speed	10000 - 28000 rpm
Toolholder	Up to 8 mm
Weight without cable	1.6 kgs.

Scope of supply:
Clamping unit;
13 mm spanner;
19 mm spanner

MRP: ₹ 23,590



BT GRINDERS

GBG 35-15 Professional



Technical Specifications

HSN code	84672900
Part no.	0 601 27A 3F0
Power input	350 W
No load speed	3000 rpm
Disc diameter	150 mm
Grinding disc width	20 mm
Grinding disc bore	20 mm
Weight	10 kg

Scope of supply:
Grinding wheel, Normal grit, Grit 24;
Grinding wheel, Normal grit, Grit 60

MRP: ₹ 11,040



BT GRINDERS



Technical Specifications

HSN code	84672900
Part no.	0 601 27A 4F0
Power input	600 W
No load speed (50/60Hz)	3000 rpm
Disc diameter	200 mm
Weight	17 kg
Grinding disc width	25 mm
Grinding disc bore	32 mm

Scope of supply: **MRP: ₹ 17,270**
Grinding wheel, Normal grit, Grit 24;
Grinding wheel, Normal grit, Grit 60

GBG 60-20 Professional



NIBBLER



*Product available till stock last



Technical Specifications

HSN code	84672900
Part no.	0 601 530 103
Max. cutting depth in steel	2 mm
Max. cutting depth in aluminium	2.5 mm
Cutting width	6 mm
Power input	500 W
No-load stroke rate	2400 spm
Weight	2.0 Kgs.

Scope of supply: **MRP: ₹ 70,690**
Allen key WAF 2.5; Die plate;
Punch

GNA 2.0 Professional



NIBBLER



*Product available till stock last



Technical Specifications

HSN code	84672900
Part no.	0 601 533 103
Max. cutting depth in steel	3.5 mm
Max. cutting depth in aluminium	4 mm
Cutting width	6 mm
Power input	620 W
No-load stroke rate	1000 spm
Weight	3.5 kgs.

Scope of supply: **MRP: ₹ 1,39,560**
Allen key WAF 4;
Auxiliary handle;
Die plate; Punch;
Supporting arm

GNA 3.5 Professional



SHEAR/CUTTER



*Product available till stock last



Technical Specifications

HSN code	84672900
Part no.	0 601 506 103
Max. cutting depth in steel	2.8 mm
Max. cutting depth in aluminium	3.5 mm
Power input	500 W
No-load stroke rate	2400 spm
Weight	2.7 Kgs.

Scope of supply: **MRP: ₹ 63,900**
Allen key WAF 2.5;
Allen key WAF 5;
Blade; Alignment gauge

GSC 2.8 Professional



IMPACT WRENCH

GDS 18 E Professional

10



Technical Specifications

HSN code	84672100
Part no.	0 601 444 000
Power input	500 W
Torque Max (Hard/Soft)	250/160 Nm
Rated speed	500 - 1300 rpm
Tool Holder	1/2" Sq. Drive
Bolt dia.	Max. M18
Weight without cable	3.2 kgs.

MRP: ₹ 53,800



IMPACT WRENCH

GDS 30 Professional



Technical Specifications


HSN code	84672100
Part no.	0 601 435 103
Power input	920 W
Torque Max (Hard /Soft)	1000 / 500 Nm
Rated speed	860 rpm
Tool Holder	1" Sq. Drive
Bolt dia.	Max. M30
Weight	7.3 kgs.

Scope of supply:
Auxiliary handle;
Hanging loop

MRP: ₹ 1,16,190



WOODWORKING



CIRCULAR SAW

New! GKS 140 Professional



Technical Specifications

HSN code	84672200
Part no.	0 601 6B3 0F0
Power input	1400 W
Blad diameter/bore size	184 / 20 mm
No-load speed	6000 rpm
Max. depth of cut at 0°	64+/-1
Cutting Depth at 90°	64 mm
Cutting Depth at 45°	45 mm

Scope of supply:
Parallel guide;
Circular Saw Blade
Allen Key

MRP: ₹ 9,060



CIRCULAR SAW

GKS 190 Professional



Technical Specifications

HSN code	84672200
Part no.	0 601 623 0F1
Power input	1400 W
No-load speed	5500 rpm
Saw blade bore	20 mm
Saw blade dia.	184 mm
Cutting depth (90°)	67 mm
Cutting depth (45°)	48 mm
Weight without cable	4.1 kgs.

Scope of supply:
Allen key WAF 5; Parallel guide;
Saw blade

MRP: ₹ 12,290



CIRCULAR SAW

GKS 235 Turbo Professional



Technical Specifications

HSN code	84672200
Part no.	0 601 5A2 0F0
Power input	2050 W
No-load speed	0 - 5300 rpm
Saw blade bore	25 mm
Saw blade dia.	235 mm
Cutting depth (90°)	85 mm
Cutting depth (45°)	65 mm
Weight without cable	7.6 kgs.

Scope of supply:
Allen key; Wrench;
Saw blades

MRP: ₹ 15,880



JIGSAW

GST 650 Professional



Technical Specifications

HSN code	84672200
Part no.	0 601 5A8 0F0
Power input	450 W
No-load speed	800 - 3100 rpm
Max. cutting depth in wood	65 mm
Max. cutting depth in aluminium	10 mm
Max. cutting depth in metal	3 mm
Weight	1.9 kg

Scope of supply:
1 Wood blade; 1 Allen key

MRP: ₹ 4,810



JIGSAW

GST 700 Promo Professional



Technical Specifications

HSN code	84672200
Part no	0 601 2A7 0F1
Power input	500 W
Stroke rate	1,450 - 3,200 spm
Cutting depth in wood	70 mm
Stroke length	20 mm
Weight	2.1 kgs.

Scope of supply:
Wood blade T111C; Softbag;
1 hex key; Dust Cover;
3 Foam

MRP: ₹ 8,300



JIGSAW

GST 85 PBE Professional



Technical Specifications

HSN code	84672200
Part no.	0 601 587 65B
Power input	580 W
No-load stroke rate	500 - 3100 spm
Cutting depth in wood	85 mm
Cutting depth in aluminium	20 mm
Cutting depth in non-alloyed steel	10 mm
Weight without cable	2.4 kgs.

Scope of supply:
1 anti-splinter guard;
3 x saw blades; Carry case

MRP: ₹ 18,000



JIGSAW

GST 150 BCE Professional



Technical Specifications

HSN code	84672200
Part no.	0 601 513 0F0
Power input	780 W
No-load stroke rate	500 - 3100 spm
Cable length	4 m
Stroke height	26 mm
Cutting depth in wood	150 mm
Cutting depth in aluminium	20 mm
Cutting depth in non-alloyed steel	10 mm
Weight without cable	2.7 kgs.

Scope of supply:
Dust extraction set; Anti-splinter guard;
Carry case; Glide shoe; 3 x saw blades

MRP: ₹ 21,560



TABLE SAW

GTS 10 J Professional



Technical Specifications

HSN code	84672200
Part no.	0 601 B30 5K1
No-load speed	3650 rpm
Table size	642 x 634 mm
Saw blade diameter	254 mm
Cutting height 90° (mm)	79 mm
Saw bore diameter (mm)	30 mm
Max Cutting on right	635 (mm)
Max Cutting on left	255 (mm)
Weight	27 kg

Scope of supply:
Angle guide;
Dust extraction adapter;
Parallel guide; Push stick;
Saw blade 254 x 30 mm

MRP: ₹ 82,250



MITER SAW




Technical Specifications

HSN code	84672200
Part no.	0 601 B29 0K0
Power input	1700 W
Cutting capacity, 0°:	89 mm
Cutting capacity, 45° incline:	67 mm
No-load speed:	4800 rpm
Saw blade diameter:	255 mm
Saw blade bore:	25.4 mm
Weight	14.1 kgs.

Scope of supply:
Allen key; Saw blade;
Wrench; Carton box

MRP: ₹ 28,370

GCM 10 MX Professional



PLANER



Technical Specifications

HSN code	84672900
Part no.	0 601 596 0F0
Power input	650 W
No-load speed	16500 rpm
Planing width	82 mm
Max. cutting depth	2.6 mm
Weight	2.8 kgs.

Scope of supply:
Allen key; Parallel guide;
Sharpening device for HSS blade;
Setting gauge for HSS blade

MRP: ₹ 8,910

GHO 6500 Professional



PLANER



Technical Specifications

HSN code	84672900
Part no.	0 601 594 060
Power input	710 W
Adjustable rebating depth	0 - 9 mm
No-load speed	16,500 rpm
Cutting Width	82 mm
Cutting Depth Max.	1 mm
Weight without cable	2.5 kgs.

Scope of supply:
Guide bracket;
Single-ended open-jaw spanner;
Stop bracket

MRP: ₹ 9,890

GHO 10-82 Professional



PLANER



Technical Specifications

HSN code	84672900
Part no.	0 601 5A4 301
Power input	710 W
No-load Speed	16,500 rpm
Recess	9 mm
Cutting Width	82 mm
Max. Cutting Depth	2.6 mm
Weight	3 kg

Scope of supply:
Dust box; Parallel guide;
Auxiliary blade

MRP: ₹ 12,140

GHO 26-82 D Professional



RANDOM ORBIT SANDER

GEX 125-1 AE Professional



Technical Specifications

HSN code	84672900
Part no.	0 601 387 5F2
Sanding pad dia.	125 mm
No-load speed	7,500 - 12,000 rpm
Orbital stroke rate	15,000 - 24,000 opm
Eccentricity	1.25 mm
Power input	250 W
Oscillating circuit dia.	2.5 mm
Weight	1.3 kgs.

Scope of supply:
Dust box; Sanding disc

MRP: ₹ 8,140



RANDOM ORBIT SANDER

GEX 150 AC Professional



Technical Specifications

HSN code	84672900
Part no.	0 601 372 768
Sanding plate diameter	150 mm
No-load speed	4500 - 12000 rpm
Orbital stroke rate	9000 - 24000 opm
Eccentricity	2 mm
Power input	340 W
Oscillating circuit diameter	4 mm
Weight without cable	2.1 kgs.

Scope of supply:
Dust extraction adapter;
Adapter; Sanding paper G80

MRP: ₹ 16,870



ORBITAL SANDER

New! GSS 140 Professional




Technical Specifications

HSN code	84672900
Part no.	0 601 2A8 0F0
Power input	220 W
No-load speed	14,000 rpm
No-load orbital stroke rate	28,000 opm
Orbital diameter	1.5 mm
Sanding sheet dimension	114 x 140 mm
Sanding plate dimension	101 x 112 mm
Weight	1.2 kg

Scope of supply:
Wood Sanding paper 3 pcs

MRP: ₹ 3,650



ORBITAL SANDER

GSS 2300 Professional



Technical Specifications

HSN code	84672900
Part no.	0 601 298 0F0
Power input	190 W
No-load speed	12000 rpm
Sanding Sheet Size	230 mm x 93 mm
Sanding Plate Size	182 mm x 92 mm
Weight	1.5 kgs.

Scope of supply:
Carton box;
3 Sanding sheets

MRP: ₹ 6,770



ROUTER



Technical Specifications

HSN code	84672900
Part no.	0 601 6A0 0F0
Power input	550 W
No-load speed	33,000 rpm
Bit size	6 1/4" mm
Weight	1.4 kg

Scope of supply:
Parallel guide; Roller guide;
Template guide; Spinners;
Straight bit

MRP: ₹ 6,530

GKF 550 Professional



ROUTER



*Product available till stock last



Technical Specifications

HSN code	84672900
Part no.	0 603 26C A00
Power input	1400 W
Power output	650 W
Toolholder (supplied)	6 mm
No-load speed	11,000 - 28,000 rpm
Maximum router cage stroke	55 mm
Weight	3.5 kgs.

Scope of supply:
Dust extraction adapter;
Open ended spanner;
Template guide; Plastic case;
Straight bit; Parallel guide;
Centring pin; 3 collets

MRP: ₹ 13,100

POF 1400 ACE Professional



SCREWDRIVER



*Product available till stock last



Technical Specifications

HSN code	84672100
Part no.	0 601 445 000
Power input	701 W
Torque, max. (soft screwdriving applications)	20 Nm
Toolholder	1/4" internal hexagon
No-load speed	0 - 2500 rpm
Self-drilling screw dia.	6 mm
Weight without cable	1.5 kgs.

Scope of supply:
Carry case; Depth stop;
Magnetic universal holder;
Screwdriver bit; Belt clip

MRP: ₹ 19,530

GSR 6-25 TE Professional





STORAGE SOLUTIONS

STORAGE BOXES

i-BOXX 53

12



Technical Specifications

HSN code	39231090
Part number	1 600 A00 1RV
Material	Plastic
Application	For use with L-Boxx 3D
Weight	1.8 lb

Scope of supply:
Thin drawer for L-BOXX-3D

MRP: ₹ 1,783



STORAGE BOXES

i-BOXX 72



Technical Specifications

HSN code	39231090
Part number	1 600 A00 1RW
Material	Plastic
Application	For use with L-Boxx-3D
Weight	1.94 lb

Scope of supply:
Thin drawer for L-BOXX-3D

MRP: ₹ 1,878



STORAGE BOXES

L-BOXX 102 Professional



Technical Specifications

HSN code	39231090
Part number	1 600 A01 2FZ
Material	ABS
Suitable for	All types of power tools
Weight	1.8 kg



MRP: ₹ 2,467



STORAGE BOXES

L-BOXX 136 Professional



Technical Specifications

HSN code	39231090
Part number	1 600 A01 2G0
Material	ABS
Application	For use with L-Boxx-3D
Weight	2.2 kg

MRP: ₹ 2,562



STORAGE BOXES

L-BOXX 238 Professional



Technical Specifications

HSN code	39231090
Part number	1 600 A01 2G2
Material	ABS
Weight	2.8 kg

MRP: ₹ 3,512



STORAGE BOXES

L-BOXX 374 Professional



Technical Specifications

HSN code	39231090
Part number	1 600 A01 2G3
Material	ABS
Suitable for	All types of power tools
Weight	3.0 kg

MRP: ₹ 4,670



STORAGE BOXES

L-BOXX Mini Professional



Technical Specifications

HSN code	39231090
Part number	1 600 A00 7SF
Material	PP
Maximum load	1.5 kg
Weight	0.3 kg

MRP: ₹ 758



STORAGE BOXES

L-BOXX 306 Professional



Technical Specifications

HSN code	39231090
Part number	1 600 A00 1RU
Material	ABS
Product Type	LS-BOXX Tool Storage
Weight	3.85 kg

MRP: ₹ 5,885



STORAGE BOXES

LT-BOXX 170 Professional

12



Technical Specifications

HSN code	39231090
Part number	1 600 A00 222
Material	ABS
Weight	2.3 kg

MRP: ₹ 4,025



STORAGE BOXES

LT-BOXX 272 Professional



Technical Specifications

HSN code	39231090
Part number	1 600 A00 223
Material	ABS

MRP: ₹ 5,125



TOOL BAG

TOOL BAG - 48 x 28 x 30



Technical Specifications

HSN code	39231090
Part number	1 600 A00 3BJ
Length	480 mm
Width	300 mm
Height	280 mm
Weight	1.5 kg

MRP: ₹ 2,164



TOOL BAG

TOOL BAG - 55 x 35 x 35



Technical Specifications

HSN code	39231090
Part number	1 600 A00 3BK
Length	550 mm
Width	350 mm
Height	350 mm

MRP: ₹ 2,490





HIGH-PRESSURE CLEANERS

HIGH-PRESSURE CLEANERS

HIGH-PRESSURE WASHER

GHP 5-13 C Professional

13



Technical Specifications

HSN code	84248990
Part no.	0 600 910 0F0
Absorbed power	2300 Watts
Maximum pressure	140 bar
Working pressure	130 bar
Maximum flow rate	520 l/h
Auto-stop	Yes
Pump system	Crankshaft
Working position	Horizontal
Motor type	Induction
Voltage / Frequency	220-240v and 50hz
Hose length	8 m
Electric cable	5 m
Pressure adjustment (flow)	Yes
Weight	16.5 kgs.

Scope of supply:
Variably adjustable fan spray lance

MRP: ₹ 59,640



HIGH-PRESSURE WASHER

GHP 5-65 Professional



Technical Specifications

HSN code	84248990
Part no.	0 600 910 5F0
Motor power	2,400 W
Maximum Pressure	160 bar
Maximum Flow rate	520 l/h
Hose length	8 m
Auto Stop	Yes
Integrated detergent	Yes
Pump system	Wobble Plate
Weight	23.5 kgs.

Scope of supply:
Bosch gun; Roto nozzle;
Hose coupling;
Adjustable 3-in-1 lance
(stainless steel); Water filter

MRP: ₹ 67,490



HIGH-PRESSURE WASHER

GHP 5-75 X Professional



Technical Specifications

HSN code	84248990
Part no.	0 600 910 8F0
Motor power	2,600 W
Maximum pressure	185 bar
Maximum flow rate	570 l/h
Hose length	10 m
Auto-stop	Yes
Integrated detergent	Yes
Pump system	Wobble Plate
Weight	28.2 kgs.

MRP: ₹ 1,00,740



HIGH-PRESSURE WASHER

GHP 8-15 XD Professional



Technical Specifications

HSN code	84248990
Part no.	0 600 910 3F0
Input power	4000 W
Maximum flow rate	800 l/h
Maximum pressure	160 bar
Working pressure	150 bar
Hose length	15 m
Auto-stop	Yes
Pump system	Wobble plate
Working position	Horizontal
Weight	40.6 kgs.

MRP: ₹ 1,31,600



Symbols and their meaning.



Guide rail
For precise cuts.



"Plus-clean" system
Electromagnetic filter cleaning for clean filter surfaces and lasting suction power.



Removable cable



Handle



Carrying case



Slim Grip
Slim Grip



Spindle lock
Faster, easier disc tool changing.



High Torque



Adjustable cutter clearance
Screw to adjust the cutter clearance according to sheet thickness.



L-BOXX
Intelligent system for transport and storage.



2 in 1 dual tool holder
Easily switch between screwdriving and bolting applications



Bosch SDS System
Fast, tool-free changing of application tools.



Bosch SDS-pro System
For fast, tool-free changing of grinding discs.



SDS-plus toolholder
Optimum power transfer. For Rotary Hammers in the 2 – 4kg class.



SDS-max toolholder
Optimum power transfer. For Rotary Hammers and Demolition Hammers from the 5kg class onwards.



Electronic
Speed preselection for adjusting to suit any application.



Constant Electronic
Power booster for heavy loads. Constant speed, even under load.



Torque Control
Torque preselection for uniform screwdriving of a large number of screws.



Anti-Rotation
Interruption of power transfer.



Overload clutch



Forward/reverse rotation
For inserting and removing screws.



Lithium-ion technology
No self-discharge. No memory effect.



Anti-rotation protective guard
Stands firm, even if the disc breaks.



Brake system
The brake reduces the run-out time of the disc by up to 80%.



Kick-Back Stop
More protection: the tool shuts down when jammed.



Restart protection
Prevents the tool from automatically starting up after a power cut.



Dust extraction
Directly into the integral dust bag on the machine and/or using an all-purpose dust extractor.



Direct cooling
For high overload capability and a long service life.



Starting current limitation
For a safe start.




Saw blade pendulum action
Adjustable 3-stage or 4-stage saw blade pendulum action.



Inox
For a perfect finish on stainless steel



Easy-Fit
A perfect fit for paper with hook and loop fastening and for rolls of paper.



Fine depth adjustment
Scale accurate to 1/10 mm for precise routing work.



Turbo Blower
Blower for optimum view of the cutting line.



Double Insulation



1 Speed



Light Weight



Auto-Lock
For fastest possible tool changes with one hand.



Turbo Power
More power for faster working.



Woodrazor
Extremely sharp blades and an exact fit.



Laser class 3R
Laser class for various measuring tools.



Laser class 2
Laser class for measuring tools.



Bosch Wood Protection System
For preventing damage.



Bosch Full Force Technology
For eliminating wasted power and space.



Vibration Control
Patented vibration damping system.

Part Number	Category	Model Number	HSN Code	MRP ₹
CORDLESS				
06019H20F0	Screwdriver	Bosch GO Solo	84672900	3,240
06019H21L1	Screwdriver	New! Bosch GO 2.0	84672900	4,720
06019G80F1	Screwdriver	New! GSR 120-Li (Single Battery)	84672100	5,800
06019G80F0	Drill Driver	GSR 120 Li	84672100	9,400
06019G90K0	Screwdriver	New! GSR 12V-30	84672100	15,880
06019F60K0	Drill Driver	GSR 12V-15 FC	84672100	21,920
06019D40K2	Drill Driver	GSR 12 V-EC	84672100	16,500
06019F81K0	Drill Drivers	GSR 180-Li	84672100	14,580
06019E81K0	Drill Drivers	GSR 18 V-EC	84672100	28,580
06019H50K0	Drill Drivers	New! GSR 18V-50	84672100	21,420
06019G81K2	Impact Drills DRIVERS	GSB 120 Kit	84672100	10,800
06019F83K0	Impact Drills	GSB 180-Li	84672100	15,340
06019F00K6	Impact Driver	GDR 120-LI	84672100	12,910
06019E00F6	Impact Driver	GDR 12 V-EC	84672100	22,470
06019G61K0	Impact Driver	GDS 250-Li	84672900	26,910
06019D81F0	Impact Wrench	GDS 18 V-EC 250	84672100	44,600
06019A13F2	Impact Wrench	GDS 18 V-Li HT	84672100	70,960
06019B91F0	Impact Wrench	GDX 18 V-EC	84672900	37,790
06119111F0	Rotary Hammers 1-2 Kg	GBH 180-Li (Brushless)	84672900	30,540
0611906003	Rotary Hammers 3 Kg	GBH 36-V-28	84672900	76,290
06019C62K1	Vacuum Cleaners	GAS 18V-1	85081100	14,680
06019J40K1	Angle Grinder	GWS 18V-10	84672900	34,320

BATTERY				
1600A00F6X	Battery-Pack	GBA 12V 2.0Ah	85076000	3,045
1600A001CG	Battery-Pack	Freedom 2.0Ah 18V	85076000	4,900
1600A00163	Battery-Pack	GBA 18 V 4.0 Ah M-C	85076000	7,440
1600A01B8X	Charger	GAL 12V-40	85044030	2,800
1600A001DH	Charger	GAL 1860 CV	85044030	4,250

DEMOLITION HAMMERS				
06113385F0	Demolition Hammer < 5 Kg	GSH 500	84672100	21,040
06113387F0	Demolition Hammer < 5 Kg	New! GSH 500 MAX	84672100	27,075
06113370K0	Demolition Hammer < 5 Kg	GSH 5	84672100	36,100
06113168F0	Demolition Hammer < 11 Kg	GSH 11 E	84672100	46,490
0611336000	Demolition Hammer < 11 Kg	GSH 11 VC	84672100	76,820
06113351F0	Demolition Hammer > 16 Kg	GSH 16-30	84672100	1,12,790
061130A000	Demolition Hammer > 27 Kg	GSH 27 VC	84672100	2,28,840

ROTARY HAMMERS				
06112583F2	Rotary Hammer 1 - 2 Kg	GBH 200	84672100	8,090
0611250655	Rotary Hammer 1 - 2 Kg	GBH 2-22 E	84672100	11,730
0611250755	Rotary Hammer 1 - 2 Kg	GBH 2-22 RE	84672100	12,140
06112721K6	Rotary Hammer + SDS Adaptor Drill Chuck	GBH 2-24 DRE + Key Chuck	84672100	13,810
06112721K7	Rotary Hammer + Angle Grinder	GBH 2-24 DRE + GWS 750	84672100	17,170
0611251655	Rotary Hammers 1 - 2 Kg	GBH 2-26 E	84672100	15,750
0611251755	Rotary Hammers 1 - 2 Kg	GBH 2-26 RE	84672100	16,050
0611253755	Rotary Hammers 1 - 2 Kg	GBH 2-26 DRE	84672100	17,300
06112671F0	Rotary Hammers 1 - 2 Kg	GBH 2-28 DV	84672100	19,550
061123A0K0	Rotary Hammers 3 Kg	GBH 3-28 DRE	84672100	28,100
06113321F0	Rotary Hammers 4 Kg	GBH 4-32 DFR	84672100	32,610
06112690K0	Rotary Hammer 5 Kg and more	GBH 5-40 D	84672100	48,620
06112650K0	Rotary Hammer 5 Kg and more	GBH 8-45 DV	84672100	87,740
0611266000	Rotary Hammer 5 Kg and more	GBH 12-52 DV	84672100	1,05,080

Part Number	Category	Model Number	HSN Code	MRP ₹
DIAMOND TECHNOLOGY				
0601189800	Diamond Drills	GDB 180 WE	84672100	1,54,750
0601190100	Diamond Drills	GCR 180	84672100	1,15,040
0601189900	Diamond Drills	GDB 350 WE	84672100	2,33,700
0601190200	Diamond Drills	GCR 350	84679900	1,57,090
06013930F1	Stone Cutter	GDC 120	84672900	4,650
06013931F1	Stone Cutter	GDC 121	84672900	5,160
06013A02F0	Stone Cutter	New! GDC 155	84672900	6,350
SPECIALITY TOOLS				
06019805F0	Blower	GBL 620	84145920	3,540
06019804F5	Blower	GBL 82-270	85081100	5,850
060194D0F0	Heat Gun	GHG 180	84672900	3,060
06012A62K0	Heat Gun	GHG 20-63	84672900	9,110
06012A6400	Heat Gun	GHG 20-60	84672900	10,130
06013A20F0	Metal Surface Polisher	GPO 950	84672900	9,490
06013890F0	Metal Surface Polisher	GPO 12 CE	84672900	14,470
06013890F1	Metal Surface Polisher	GPO 12 CE (Promo)	84672900	15,250
06016810K0	Recipsaw	New! GSA 120	84672900	15,400
06019E51K0	Vacuum Cleaner	New! GAS 15 PS	85081100	17,080
060197C0F0	Vacuum Cleaner	GAS 12-25	85081100	20,150
06019C3060	Vacuum Cleaner	GAS 35 L SFC	85081100	65,640
06019C3360	Vacuum Cleaner	GAS 55 M AFC	85081100	1,00,260
06012370F0	Oscillating Tools	GOP 30-28	84672900	20,140
0601621703	Wall Chaser	GNF 35 CA	84672900	61,600
06012831F1	Stirrers	GVC 22 EX	84678920	98,150
DRILLS				
06011A95F1	Rotary Drill	New! GBM 350	84672100	2,605
06014775F0	Rotary Drill	GBM 13 RE	84672100	5,370
0601169055	Rotary Drill	GBM 13-2	84672100	10,480
06011B00K0	Rotary Drill	GBM 1600 RE	84672100	12,630
0601121103	Rotary Drill	GBM 23-2	84672100	66,830
0601130203	Rotary Drill	GBM 32-4	84672100	82,860
0601193003	Rotary Drill	GMB 32	84679900	1,88,980
06011B40F0	Rotary Drill	New! GBM 50-2	84679900	95,330
06012161FK	Impact Drill	GSB 450	84672100	3,100
06012161FL	Impact Drill	GSB 450 + Wrap Set	84672100	3,830
06012161FD	Impact Drill	GSB 501	84672100	3,520
06012171F3	Impact Drill	GSB 13 RE	84672100	5,620
06012281K0	Impact Drill	GSB 16 RE	84672100	8,840
06011A21F1	Impact Drill	GSB 20-2 RE	84672100	13,470
06012161F4	Impact Drill	GSB 10 RE Kit	84672100	6,030
06012171F6	Impact Drill	GSB 13 RE Kit	84672100	7,500
06011A15F3	Impact Drill	GSB 550 (XL Kit)	84672100	7,500
06011A15F1	Impact Drill	GSB 550 (Freedom Kit)	84672100	5,470
CHOPSAWS				
0601B370F0	Bench Top Cut-off Saw	GCO 220	84672200	14,010
0601B371F0	Bench Top Cut-off Saw	GCO 14-24	84672200	17,220
0601B372F0	Bench Top Cut-off Saw	GCO 14-24 J	84672200	18,800
GRINDERS				
060137505F	Mini Grinder 4"	GWS 600	84672900	3,110
06013940F0	Mini Grinder 4"	GWS 750-100	84672900	4,210
06013940K9	Mini Grinder 4" + 3 Grinding Discs	GWS 750-100 + 3 x Gr	84672900	4,195
06013960F0	Mini Grinder 4"	GWS 900-100	84672900	5,140
060137515A	Mini Grinder 5"	GWS 6-125	84672900	4,700
06013961K2	Mini Grinder 5"	New! GWS 900-125 S	84672900	6,750
06018242F1	Mini Grinder 5"	GWS 14-125 CI	84672900	9,290
06017A30K0	Mini Grinder 5"	GWS 18-125 L	84672900	16,360
0601776001	Concrete Grinder	GBR 15 CAG	84672900	61,620
06018B70F0	Large Angle Grinder 7"	GWS 2000-180	84672900	9,080
0601881AK0	Large Angle Grinder 7"	GWS 22-180	84672900	12,580
06018C00F0	Large Angle Grinder 7"	New! GWS 2200-180	84672900	10,950

Part Number	Category	Model Number	HSN Code	MRP ₹
GRINDERS				
0601853455	Large Angle Grinder 7"	GWS 24-180	84672900	15,830
0601855100	Large Angle Grinder 7"	GWS 26-180 H	84672900	22,150
0601850155	Large Angle Grinder 9"	GWS 20-230	84672900	14,270
06018C10F0	Large Angle Grinder 9"	GWS 2200-230	84672900	11,825
0601882AF0	Large Angle Grinder 9"	GWS 22-230	84672900	13,430
0601854455	Large Angle Grinder 9"	GWS 24-230	84672900	16,600
0601856100	Large Angle Grinder 9"	GWS 26-230 H	84672900	22,540
06018A10F0	Large Angle Sander	GWS 22 U	84672900	16,350
METALWORKING				
06012240F0	Straight Grinder	GGs 3000 L	84672900	8,570
06012241F0	Straight Grinder	GGs 5000 L	84672900	10,370
0601221100	Straight Grinder	GGs 28 LCE	84672900	23,590
060127A3F0	Bench Grinder	GBG 35-15	84672900	11,040
060127A4F0	Bench Grinder	GBG 60-20	84672900	17,270
0601530103	Nibblers	GNA 2.0	84672900	70,690
0601533103	Nibblers	GNA 3.5	84672900	1,39,560
0601506103	Shears/Cutters	GSC 2.8	84672900	63,900
0601444000	Impact Wrench	GDS 18 E	84672100	53,800
0601435103	Impact Wrench	GDS 30	84672100	1,16,190
WOODWORKING				
06016B30F0	Circular Saw	New! GKS 140	84672200	9,060
06016230F1	Circular Saw	GKS 190	84672200	12,290
06015A20F0	Circular Saw	GKS 235 Turbo	84672200	15,880
06015A80F0	Jigsaw	GST 650	84672200	4,810
06012A70F1	Jigsaw	GST 700 Promo	84672200	8,300
060158765B	Jigsaw	GST 85 PBE	84672200	18,000
06015130F0	Jigsaw	GST 150 BCE	84672200	21,560
0601B305K1	Table Saw	GTS 10 J	84672200	82,250
0601B290K0	Miter Saw	GCM 10 MX	84672200	28,370
06015960F0	Planer	GHO 6500	84672900	8,910
0601594060	Planer	GHO 10-82	84672900	9,890
06015A4301	Planer	GHO 26-28 D	84672900	12,140
06013875F2	Random Orbit Sander	GEX 125-1 AE	84672900	8,140
0601372768	Random Orbit Sander	GEX 150 AC	84672900	16,870
06012A80F0	Orbital Sander	New! GSS 140	84672900	3,650
06012980F0	Orbital Sander	GSS 2300	84672900	6,770
06016A00F0	Router	GKF 550	84672900	6,530
060326CA00	Router	POF 1400 ACE	84672900	13,100
0601445000	Screwdriver	GSR 6-25 TE	84672100	19,530

STORAGE BOXES				
1600A001RV	Storage Boxes	i-BOXX 53	39231090	1,783
1600A001RW	Storage Boxes	i-BOXX 72	39231090	1,878
1600A012FZ	Storage Boxes	L-BOXX 102	39231090	2,467
1600A012G0	Storage Boxes	L-BOXX 136	39231090	2,562
1600A012G2	Storage Boxes	L-BOXX 238	39231090	3,512
1600A012G3	Storage Boxes	L-BOXX 374	39231090	4,670
1600A007SF	Storage Boxes	L-BOXX Mini	39231090	758
1600A001RU	Storage Boxes	L-BOXX 306	39231090	5,885
1600A00222	Storage Boxes	LT-BOXX 170	39231090	4,025
1600A00223	Storage Boxes	LT-BOXX 272	39231090	5,125
1600A003BJ	Tool Bag	TOOL BAG - 48 x 28 x 30	39231090	2,164
1600A003BK	Tool Bag	TOOL BAG - 55 x 35 x 35	39231090	2,490

HIGH-PRESSURE CLEANERS				
06009100F0	High-pressure Washer	GHP 5-13 C	84248990	59,640
06009105F0	High-pressure Washer	GHP 5-65	84248990	67,490
06009108F0	High-pressure Washer	GHP 5-75 X	84248990	1,00,740
06009103F0	High-pressure Washer	GHP 8-15 XD	84248990	1,31,600

WARRANTY TERMS AND CONDITIONS

Power Tools from Bosch are guaranteed against all material and manufacturing defects for a period of 6 months from the date of purchase* for Professional tools and 1 year from the date of purchase* for Professional Heavy Duty Tools.

In the event of failure of the tools due to material and manufacturing defects, we undertake to repair the tools free of charge, provided we are satisfied that,

- ▶ The power tool has not been tampered with.
- ▶ Failure has occurred due to manufacturing / material defect.
- ▶ The power tool has been purchased from an accredited dealer.
- ▶ The claim has been referred to one of the Bosch Authorized Service Centres along with the power tool, guarantee card and original tool purchase receipt or invoice.

This warranty does not cover

- ▶ All normal wear and tear parts like carbon brush, bearings, o-rings etc.
- ▶ Installation to wrong voltage, over load and wrong application.
- ▶ Use other than in accordance to handling instructions.
- ▶ Unauthorized repair carried out.
- ▶ Damage due to any unit caused by accident, misuse, wilful damage, and normal wear, claims arising from loss, fire or other calamities caused by nature or in any way being tampered with.

*Check with Local Bosch representative for Hot Air Gun Warranty.




6 months warranty from the date of purchase*



1 year warranty from the date of purchase*









Bosch Limited, Power Tools Division

PA-AT Complex, Hosur Road, Adugodi
Bangalore - 560030

 www.facebook.com/BoschPTIndia



Customer Contact Center

1800 425 8665

Email: bpt@in.bosch.com

www.bosch-pt.co.in

Edition: April 2020