


Sturlite **XK**[®]

PRODUCT MANUAL SEPL 21/22 E02



FO**CUSED**
 & intelligent
everyday solutions

Sturlite  [®]
LED LIGHTING





The Power of Light

Light affects how we feel, influences the way we respond to the world around us and has a major impact on our decision-making process.

At Sturlite, we have the breadth of products, the solution controls and the end-to-end services to help you take full advantage of today's advanced LED lighting solution.

This catalogue explains the critical role lighting plays in illuminating settings, creating a mood that makes people feel comfortable from the moment they arrive, meeting the lighting requirements for many different activities and ultimately, delivering an ambience that makes people feel comfortable in their surroundings.



Transform your

SPACES

The **RIGHT LIGHT** for every space

From warm and cozy to cool and invigorating to enhanced clarity, our series of lighting fixtures provide the optimal lighting for the right spaces in your home.



Enhanced Energy

Our Natural, vibrant light provides exceptional color contrast and boldness. Its perfect for energising moments and active spaces. Its optimal for playrooms, home offices, laundry rooms, and even outside.





Enhanced Clarity

Our Cool day lighting filters out dulling yellow light to give you incredible color contrast and whiter whites for exceptional clarity. It's perfect for your kitchen or any other space where clarity matters.

Enhanced Comfort

Our Warm Lighting provides the optimal light for comfortable moments and cozy spaces. It's perfect for bedrooms, family rooms and dining rooms



More Possibilities with

Light





Panel Lights	01-21
Surface Lights & Square Panels	22-31
Downlights	32-38
Mini Fittings	39-43
Walllight/Bulkheads	44-53
Battens, Bulbs & T-Bulbs	54-71
Track Lights	72-76
Spot Lights	77-89
Rope Lights & Strip Lights	90-103
Flood Lights	104-107
Street Lights	108-110
Solar Flood Lights & Street Lights	111-116
High-Bay Fittings	117-120

CONTENTS



LED PANEL LIGHTS



HYPHER X Get more





HYPER X LED PANEL LIGHT



AC
220-240V

CCT
WH/WW/NW

FORM
RD/SQ

IP20



Ra 90

2 YEAR GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	PRICE
HYPERX-10W	10W	1100	>0.9	Ø70 or 2.75"	Ø93X37	60	780
HYPERX-15W	15W	1650	>0.9	Ø95 or 3.75"	Ø120X37	60	1035
HYPERX-22W	22W	2420	>0.9	Ø142 or 5.6"	Ø170X37	40	1560

- 1** Modern, Unobtrusive Design
- 2** Full translucent cover providing homogeneous light effect
- 3** Driver with Inbuilt Protection
- 4** High performance LED's with 110 Lm/W

*All sizes are in mm or inches


PONG

Say bye-bye to ceiling damage



Twist & Fit





PONG MODULAR LED DOWNLIGHT



AC
220-240V

CCT
WH

FORM
RD/SQ

IP20



Ra 90

2 YEAR GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	PRICE
PONG-8W	8W	800	>0.9	Ø108 or 4"	Ø122X43.5	20	540
PONG-15W	15W	1500	>0.9	Ø158 or 6"	Ø172X43.5	20	840
PONG-22W	22W	2200	>0.9	Ø196 or 8"	Ø210X43.5	20	1075

1 Ease of replacement without damaging the false ceiling

2 Flexibility of changing ambience with same housing

3 Industry best lighting at 100 Lm/W

4 High colour rendering with CRI>90

*All sizes are in mm or inches



TIC TAC

Designed to adjust anywhere

ADJUSTABLE
CLIPS



TIC TAC LED PANEL LIGHT



AC
220-240V

CCT
WH/WW

FORM
RD/SQ

IP20



Ra 90

2 YEAR GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	PRICE
TICTAC-12W	12W	1320	>0.9	Ø75-100 or 3-4"	Ø120X30	40	835
TICTAC-18W	18W	1980	>0.9	Ø75-150 or 3-6"	Ø170X32	20	1320
TICTAC-24W	24W	2640	>0.9	Ø75-200 or 3-8"	Ø223X32	20	1845

- 1** Adjustable clips for various false ceiling size
- 2** Full translucent cover providing homogeneous light effect
- 3** Build to resist yellowing & chipping
- 4** High performance LED's with 110 Lm/w

*All sizes are in mm or inches



DEX

Simply great light



DEX RECESS-BACKLIT LED PANEL LIGHT



AC
220-240V

CCT
NW/WH/WW

FORM
RD/SQ

IP20



Ra 90

2 YEAR GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	PRICE
DEX PANEL-8W	8W	880	>0.9	Ø110 or 4"	Ø116X116X35	40	390
DEX PANEL-15W	15W	1650	>0.9	Ø160 or 6"	Ø166X166X35	40	655
DEX PANEL-22W	22W	2420	>0.9	Ø210 or 8"	Ø218X218X35	20	980



High performance LED's with 110 Lm/w



High quality poly carbonate body



Wide voltage range & surge protection




Good color quality with CRI>90

DEX 3 IN 1

All in one lighting for every mood



DEX RECESS-BACKLIT 3 IN 1 LED PANEL LIGHT

SMD	AC 220-240V	3in1 CCT NW/WW/WH	FORM RD/SQ	IP20	 120°	Ra 90	2 YEAR GUARANTEE
------------	----------------	----------------------	---------------	------	--	-------	------------------

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	PRICE
DEX-10W-3CCT	10W	1100	>0.9	Ø110 or 4"	Ø116X116X35	40	490
DEX-15W-3CCT	15W	1650	>0.9	Ø160 or 6"	Ø166X166X35	40	790

- 1** High performance LED's with 110 Lm/w
- 2** High quality poly carbonate body
- 3** Wide voltage range & surge protection
- 4** Good color quality with CRI>90

*All sizes are in mm or inches





Create a **Relaxing** Environment

Sturlite panel lights offers a warm, soft white light, perfect for comfortable moments & cosy spaces.

Use our Panel lights in spaces like bedrooms, family rooms & dining rooms.

Benefits

1. Beautiful, soft, balanced light without glare
2. High color quality
3. Reduced maintenance cycles



EVOC Best in class performance standard



EVOC LED PANEL LIGHT



AC
220-240V

CCT
NW/WH/WW

FORM
RD/SQ

IP20



Ra 85

2 YEAR GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	PRICE
EVOC-3W	3W	300	>0.5	Ø75 or 3"	Ø90X40	60	325
EVOC-6W	6W	600	>0.5	Ø100 or 4"	Ø118X40	60	435
EVOC-10W	10W	1000	>0.9	Ø125 or 5"	Ø142X40	60	550
EVOC-15W	15W	1500	>0.9	Ø150 or 6"	Ø168X40	40	720
EVOC-20W	20W	2000	>0.9	Ø198 or 8"	Ø220X40	40	1040

1 High grade pc-aluminium housing

2 Brightest edge lit panel with efficacy upto 100 Lm/w

3 Driver with inbuilt protection

4 Good color quality with CRI>85

*All sizes are in mm or inches

ECO LYF

Minimilistic & Efficient



ECO LYF LED PANEL LIGHT



AC
220-240V

CCT
NW/WH/WW

FORM
RD/SQ

IP20



Ra 80

2 YEAR GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	PRICE
ECOLYF-4W	4W	400	>0.5	Ø75 or 3"	Ø85X20	60	275
ECOLYF-8W	8W	800	>0.5	Ø100 or 4"	Ø120X20	60	410
ECOLYF-12W	12W	1200	>0.9	Ø126 or 5"	Ø146X20	40	535
ECOLYF-15W	15W	1500	>0.9	Ø150 or 6"	Ø174X20	40	630
ECOLYF-22W	22W	2200	>0.9	Ø205 or 8"	Ø225X20	20	830
ECOLYF-30W	30W	3000	>0.9	Ø280 or 11"	Ø300X40	10	1780



High quality aviation grade aluminium



High performance LED's with 100 Lm/w




2.5KV surge protection



Anti light leak design

ECO LYF 3 IN 1

Choose your Moments



ECO LYF 3 IN 1 LED PANEL LIGHT



AC
220-240V

CCT
3CCT

FORM
RD/SQ

IP20



Ra 80

2 YEAR GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	PRICE
ECOLYF-8W-3CCT	8W	800	>0.9	Ø100 or 4"	Ø120X20	40	565
ECOLYF-15W-3CCT	15W	1500	>0.9	Ø150 or 6"	Ø174X20	40	810

- 1** High Quality Aviation Grade Aluminium
- 2** High Performance LED's with 100Lm/W
- 3** 2.5Kv Surge Protection & Inrush Protection
- 4** Anti Light Leak Design
- 5** Bright, Uniform Soft Lighting

*All sizes are in mm or inches

INVERTER PANEL

Be emergency ready



INVERTER RECESS-BACKLIT LED PANEL LIGHT

SMD	AC 220-240V	CCT WH	FORM RD/SQ	IP20		Ra 90	1 YEAR GUARANTEE
-----	----------------	-----------	---------------	------	--	-------	------------------

PRODUCT CODE	TYPE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	PRICE
INVERTER PANEL-10W	RECESS	10W	1100	>0.9	Ø 110 or 4"	Ø116X116X35	20	940
INVERTER PANEL-15W	RECESS	15W	1650	>0.9	Ø 160 or 6"	Ø166X166X35	20	1245

- 1** High quality poly carbonate housing
- 2** High performance LED's with 110 Lm/w
- 3** Powerful Long Lithium Battery 2200 mAh upto 500 Charging Cycles
- 4** Wide Voltage Range & Surge Protection

IKON

More brightness, More savings



IKON LED PANEL LIGHT



AC
220-240V

CCT
WH/WW

FORM
RD/SQ

IP20



Ra 80

2 YEAR GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	PRICE
IKON-8W	8W	800	>0.9	Ø100 or 4"	Ø120X20	40	365
IKON-12W	12W	1200	>0.9	Ø126 or 5"	Ø146X20	40	525
IKON-15W	15W	1500	>0.9	Ø150 or 6"	Ø174X20	40	590
IKON-22W	22W	2200	>0.9	Ø205 or 8"	Ø225X20	20	845

1 Driver with inbuilt protection

2 Full transparent cover providing homogeneous light effect

3 25,000 burning hours


4 Wide voltage & surge protection

*All sizes are in mm or inches




KOLORS


Create instant ambience for any occasion




ORANGE



BLUE



PINK



GREEN

KOLORS ADJUSTABLE DOUBLE COLOR PANEL LIGHT



AC
220-240V

CCT
WH

FORM
RD

IP20



120°



Ra 80

2 YEAR GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	PRICE
KOLORS-6+3W	6+3W	600+240	>0.6	Ø60-100 or 2.4"-4"	Ø110x110x13	60	600
KOLORS-12+4W	12+4W	1200+320	>0.9	Ø75-160 or 3"-6.3"	Ø170x170x13	40	1005



- 1** Adjustable Clips for Various False Ceiling Size
- 2** High Performance LED's With 100lm/w
- 3** High Grade PC-Aluminium Housing
- 4** Pressure Diecast Housing with robust Polycarbonate Cover
- 5** Sleek light effect for rich ambience

*All sizes are in mm or inches



SAPPHIRE


Simplicity of style | Colourful frame




Blue



Green



Pink



3 in 1

SAPPHIRE DOUBLE COLOR PANEL LIGHT



AC
220-240V

CCT
WH

FORM
RD/SQ

IP20



Ra 80

1 YEAR GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	PRICE
SAPPHIRE-3+3W	3+3W	240+210	>0.6	Ø75 or 3"	Ø85X20	60	375
SAPPHIRE-6+3W	6+3W	480+210	>0.9	Ø100 or 4"	Ø120X20	60	775
SAPPHIRE-12+4W	12+4W	960+280	>0.9	Ø150 or 5"	Ø174X20	40	1020

1 High quality aviation grade aluminium

2 High Performance LED with 80Lm/w

3 2.5KV surge protection

4 Rich light effect for the perfect ambience

*All sizes are in mm or inches



LED SURFACE LIGHTS & SQUARE PANELS

S-FIT

The shape you know with
the performance you need



S-FIT LED SURFACE LIGHT



AC
220-240V

CCT
NW/WH/WW

FORM
RD/SQ

IP20



Ra 80

2 YEAR GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	PRICE
SFIT-8W	8W	800	>0.9	Ø95X95X23	40	550
SFIT-12W	12W	1200	>0.9	Ø120X120X23	40	700
SFIT-15W	15W	1500	>0.9	Ø145X145X23	20	870
SFIT-22W	22W	2200	>0.9	Ø170X170X23	20	1105
SFIT-30W	30W	3000	>0.9	Ø220X220X23	20	1710

1 High grade PC outer & aluminium heat sink back

2 High performance LED's with 100 Lm/w

3 Driver with inbuilt protection

4 2.5Kv surge protection



DEX

Simply great light



DEX LED SURFACE LIGHT



AC
220-240V

CCT
WH/WW/NW

FORM
RD/SQ

IP20



Ra 90

2 YEAR GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	PRICE
DEX SURFACE-8W	8W	880	>0.9	Ø116X116X35	40	500
DEX SURFACE-15W	15W	1650	>0.9	Ø166X166X35	40	795
DEX SURFACE-22W	22W	2420	>0.9	Ø218X218X35	20	1230

1

High performance LED's with 110 Lm/w

2

High quality poly carbonate body

3

Wide voltage range & surge protection

4

Good color quality with CRI>90

S-TWIST

Twist for a bright & efficient lighting experience



S-TWIST LED SURFACE LIGHT



AC
220-240V

CCT
WH/WW

FORM
RD

IP20



Ra 80

2 YEAR GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	PRICE
STWIST-7W	7W	700	>0.9	Ø85X45	60	500
STWIST-9W	9W	900	>0.9	Ø110X45	60	610
STWIST-15W	15W	1500	>0.9	Ø170X45	40	945
STWIST-20W	20W	2000	>0.9	Ø185X45	40	1510



Replacement for angle batten technology



High performance LED's with 100 Lm/w



Driver with Inbuilt Protection



Surge & inrush current protected driver

*All sizes are in mm or inches

S-TWIST 3 in 1

Lighting for every mood



White



Neutral White



Warm White

S-TWIST 3in1 LED SURFACE LIGHT



AC
220-240V

3in1 CCT
WH/WW/NW

FORM
RD

IP20



Ra 80

2 YEAR GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	PRICE
STWIST-15W-3CCT	15W	1500	>0.9	Ø170X45	40	1070

1 Replacement for angle batten technology

2 High performance LED's with 100 Lm/w

3 Driver with Inbuilt Protection

4 Surge & inrush current protected driver

*All sizes are in mm or inches

ACER

Versatile LED lighting system



ACER SQUARE 2X2 LED PANEL



AC
220-240V

CCT
WH

FORM
SQ

IP20



Ra 75


2 YEAR GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	PRICE
ACER-48W	48W	4800	>0.9	Ø595X595	5	2650

- 1** Suitable for grid ceiling
- 2** Comfortable glare free light
- 3** Sleek & seamless profile adds to overall visual appearance
- 4** High luminous efficiency at 100 Lm/w

REGAL

Best in class visual comfort



SMD	AC 220-240V	CCT NW/WH/WW	FORM SQ	IP20	 120°	Ra 80	2 YEAR GUARANTEE
-----	----------------	-----------------	------------	------	--	-------	------------------

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	PRICE
REGAL-48W REGAL-48W-SPRING SET	48W Recess-Spring	4800 -	>0.9 -	Ø595X595 -	5 -	3180 120

- 1** Higher light transmission rate
- 2** Low indirect glare
- 3** High color rendering with CRI>80
- 4** Efficacy of >100 Lm/w ensures maximum savings

*All sizes are in mm or inches

The clear choice of Workspace

The new Sturlite Regal panel range of LED products can be used to replace functional luminaires in general lighting applications. The process of selecting, installing & maintaining is so easy - it's a simple switch.

Benefits

Best in class lighting

Integrated Technology

Significant reduction in
payback cost

Sustainable Performance





LED DOWNLIGHTS & MINI FITTINGS



OPAL

The perfect light for every room



OPAL LED DOWNLIGHT

SMD	AC 220-240V	CCT/WH/WW/NW RD/BL/GN/PK	FORM RD	IP20	 120°	Ra 80	2 YEAR GUARANTEE
-----	----------------	-----------------------------	------------	------	---	-------	------------------

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	PRICE
OPAL-10W	10W	1000	>0.9	Ø72 or 3"	Ø105X105X55	100	295

- 1** Compact design with aluminium body for excellent heat dissipation
- 2** High yellowing & non yellowing polycarbonate diffuser
- 3** High voltage protection upto 440V & 4KV surge protection
- 4** Industry best efficacy upto 100 Lm/w


*All sizes are in mm or inches



LEAF

Energy smart downlights

Also available in
3 in 1



LEAF LED DOWLIGHT



AC
220-240V

FORM
RD

IP20



Ra 80

1 YEAR GUARANTEE

PRODUCT CODE	POWER	COLOR	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	PRICE
LEAF-3W	3W	WH/WW/NW RD/BL/GN/PK	270	>0.9	Ø50 or 2"	Ø75X35	100	125
LEAF-7W	7W	WH/WW/NW RD/BL/GN/PK	679	>0.9	Ø73 or 2.9"	Ø110X35	100	220
LEAF-7W-3CCT- 6K-4K-3K	7W	WH/WW/NW (3 in 1)	679	>0.9	Ø73 or 2.9"	Ø110X35	100	340

1 Compact poly carbonate housing

2 High performance LED's with 100 Lm/w

3 Driver with Inbuilt Protection

4 2.5Kv surge & inrush protection

EYRA

Light for your moments



EYRA LED DOWNLIGHT



AC
220-240V

CCT/WH/WW
RD/BL/GN/PK

FORM
RD

IP20



Ra 80

1 YEAR GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	PRICE
EYRA-7W	7W	700	>0.9	Ø75 or 3"	Ø105X45X60	100	255










- 1** Full transparent cover providing homogenous light effect
- 2** High performance LED's with 100 Lm/w
- 3** High color rendering index >80
- 4** 2.5Kv surge & inrush protection
- 5** Bright, uniform soft lighting

*All sizes are in mm or inches

TWILITE

Turn on your moments



-  White + Pink
-  White + Warm white
-  Blue + White
-  Blue + Warm White
-  Green + Warm White
-  White + Blue
-  Green + White
-  Warm white + White
-  Pink + White

TWILITE 2 IN 1 LED DOWNLIGHT



AC
220-240V

FORM
RD

IP20



Ra 80

1 YEAR GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	PRICE
TWILITE-7+3W	7W + 3W	7W 630LM 3W 270LM	>0.9	Ø75 or 3"	Ø110X35	100	500

1 Change the look instantly at the click of a button

2 High performance LED's with 100 Lm/w

3 2.5 Kv surge & inrush protection

4 Driver with inbuilt protection

MINI FITTINGS

Elements that invite & impress



LEAF 3W DOWNLIGHT PANEL

SMD	AC 220-240V	CCT/WH/WW/NW RD/BL/GN/PK	FORM RD	IP20	 120°	Ra 75	1 YEAR GUARANTEE
------------	----------------	-----------------------------	------------	------	---	-------	------------------

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	PRICE
LEAF-3W	3W	270	>0.9	Ø45 or 1.77"	Ø70X35	100	125



REX 3W DOWNLIGHT PANEL

SMD	AC 220-240V	CCT/WH/WW RD/BL/GN/PK	FORM RD	IP20	 120°	Ra 75	1 YEAR GUARANTEE
------------	----------------	--------------------------	------------	------	--	-------	------------------

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	PRICE
REX-3W	3W	270	>0.9	Ø48 or 1.9"	Ø80X46	100	155

*All sizes are in mm or inches



TRINKETS 3W DOWNLIGHT COB



AC
220-240V

CCT/AMBER/WH
WW/RD/BL/GN/PK

FORM
RD

IP20



Ra 75

1 YEAR GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	PRICE
TRINKETS COB TILT-3W	3W	270	>0.9	Ø52 or 2.05"	Ø75X35	100	250

Available in



White



Warm White



Neutral White



TRINKETS 3W 3 in 1 SPOTLIGHT COB



AC
220-240V

3CCT
(WH/WW/NW)

FORM
RD

IP20



Ra 75

1 YEAR GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	PRICE
TRINKETS COB TILT- 3W-3CCT	3W	270	>0.9	Ø52 or 2.05"	Ø75X35	100	325



PRIUS 3W SPOTLIGHT COB

COB	AC 220-240V	CCT/WH/WW RD/BL/GN/PK	FORM RD	IP20	 35°	Ra 80	1 YEAR GUARANTEE
------------	----------------	--------------------------	------------	------	---	-------	------------------

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	PRICE
PRIUS-3W	3W	270	>0.6	Ø67 or 1.8"	Ø67X45X32	100	235




TRINKETS 3W SPOTLIGHT COB

COB	AC 220-240V	CCT/WH/WW/NW RD/BL/GN/PK	FORM RD	IP20	 35°	Ra 80	1 YEAR GUARANTEE
------------	----------------	-----------------------------	------------	------	---	-------	------------------

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	PRICE
TRINKETS BUTTON-3W	3W	270	>0.6	Ø30 or 1.18"	Ø40X30	200	205

*All sizes are in mm or inches



EVA 3W SPOTLIGHT COB



AC
220-240V

CCT/WH/WW/NW
RD/BL/GN/PK

FORM
RD

IP20



Ra 75

1 YEAR GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	PRICE
EVA-3W	3W	210	>0.6	Ø36 or 1.4"	Ø42x16	200	150



JASPER 1W SPOTLIGHT COB



AC
220-240V

CCT/WH/WW/NW
RD/BL/GN/PK

FORM
RD

IP20



Ra 75

1 YEAR GUARANTEE


PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	PRICE
JASPER-1W	1W	80	>0.6	Ø26 or 1.02"	Ø38x23	200	110




LAURA 3W SPOTLIGHT COB

SMD	AC 220-240V	CCT/WH/WW RD/BL/GN/PK	FORM RD	IP20	 60°	Ra 75	1 YEAR GUARANTEE
------------	----------------	--------------------------	------------	------	--	-------	------------------

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	PRICE
LAURA-3W	3W	80	>0.9	Ø 32 or 1.25"	Ø 32X45X28.5	200	150



SPRYNGS CABINET LIGHT

SMD	AC 220-240V	CCT/WH/WW/NW RD/BL/GN/PK	FORM RD	IP20	 120°	Ra 80	1 YEAR GUARANTEE
------------	----------------	-----------------------------	------------	------	---	-------	------------------

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	PRICE
SPRYNGS-3W	3W	240	>0.9	Ø 68X88X13.5	100	145

*All sizes are in mm or inches



LED WALL LIGHTS/ BULKHEAD

AVA

Versatile lighting solution



AVA LED WALL LIGHT/BULKHEAD



AC
220-240V

CCT
WH/WW

IP65



Ra 75

1 YEAR GUARANTEE

PRODUCT CODE	POWER	FORM	LUMENS	PF	DIMENSION	BOX QTY	PRICE
AVA-12W	12W	SQ	1080	>0.9	Ø220X101X60	40	775
AVA-15W	15W	RD	1350	>0.9	Ø178X58.5X60	30	970


- 1** Bright, soft uniform light
- 2** High voltage protection till 380V
- 3** IP65 protection & IK08 impact resistance
- 4** Long lifetime of 25,000 hours
- 5** Versatile solution can be wall mounted on ceiling & wall

ASTER

Sturdy & reliable lighting solution



10W & 20W Bulkhead
also available in



ASTER LED WALL LIGHT/ BULKHEAD



AC
220-240V

HOUSING
GREY/WHITE

FORM
SQ

IP65



Ra 75

1 YEAR GUARANTEE


PRODUCT CODE	POWER	COLOR	LUMENS	PF	DIMENSION	BOX QTY	PRICE
ASTER-10W	10W	WH/WW	1000	>0.9	Ø170X70X60	50	325
ASTER-10W	10W	RD/BL/GR	1000	>0.9	Ø170X70X60	50	350
ASTER-20W	20W	WH/WW	1000	>0.9	Ø212X98X60	50	465
ASTER-20W	20W	RD/BL/GR	1000	>0.9	Ø212X98X60	50	500

- 1** Visual comfort through diffused natural lighting
- 2** High voltage protection till 440V
- 3** 4KV Surge Protection
- 4** Pressure diecast housing with robust polycarbonate cover
- 5** High ingress protection - IP65

*All sizes are in mm or inches

DUET

Sturdy & reliable lighting solution



DUET LED WALL LIGHT/BULKHEAD



AC
220-240V

CCT
WH/WW

FORM
SQ

IP65



Ra 75

1 YEAR GUARANTEE

PRODUCT CODE	PATTERN	POWER	LUMENS	PF	DIMENSION	BOX QTY	PRICE
DUET-18W-4LINE	4 LINE	18W	1440	>0.6	Ø200X160X60	20	1190
DUET-18W-4SQUARE	4 SQUARE	18W	1440	>0.6	Ø200X160X60	20	1190
DUET-18W-2MOON	2 MOON	18W	1440	>0.6	Ø200X160X60	20	1190

- 1** Bright, soft & uniform light
- 2** High voltage protection till 380V
- 3** 2.5 Kv surge protection
- 4** Water resistance body
- 5** Versatile solution can be mounted on ceiling & wall




ALTIMA

Innovative modular design
& easy installation



ALTIMA LED WALL LIGHT/ BULKHEAD

SMD	AC 220-240V	CCT WH/WW	FORM SQ	IP65	 120°	Ra 75	1 YEAR GUARANTEE
------------	----------------	--------------	------------	------	---	-------	------------------

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	PRICE
ALTIMA-12W	12W	960	>0.9	Ø190X100	20	745


- 1** Bright, soft & uniform light
- 2** High voltage protection till 380V
- 3** 2.5 Kv surge protection
- 4** Water resistance body
- 5** Versatile solution can be mounted on ceiling & wall

*All sizes are in mm or inches



K-TYPE

Bring Imagination to light





WL KTYPE 2X3 WALLLIGHT



AC
220-240V

CCT
WW

IP65



Ra 75

1 YEAR GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	PRICE
KTYPE-2X3W	6W (3WX2)	2X300	>0.9	Ø145x78x61	40	925

- 1** High power high lumen output led
- 2** Effective thermal management using aluminium casting
- 3** Constant current Driver
- 4** Glare free light distribution

IVON

Extending The Home Feel Onto The Street





IVON LED GATELIGHT



AC
220-240V

CCT
WH/WW

IP65




Ra 80

1 YEAR GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	PRICE
IVON-20W	20W	2000	>0.9	Ø160X160X280	18	2500

- 1** Decorate and brighten up your home's entrance area with an elegant & Aesthetic appealing design
- 2** Lampshade adopts clear Polycarbonate acrylic, providing high lumen output
- 3** High Efficiency LED Ensures Optimal Output & Maintenance Free Long Service Life
- 4** High Grade polycarbonate Housing with good heat dissipation



LED BATTENS, BULBS & T-BULB

CREATE THE PERFECT SPACE YOU NEED

MIRAI

SONNET

OPUS

ZEV

NURO





LED BATTENS

100Lm/W | Wide 440V Range | 4KV Surge Protection | CRI>80

AC
220-240V

IP20



Ra 80

4KV SURGE

440V range
for 2 Hours

2 YEAR GUARANTEE

MIRAI LED BATTEN

PRODUCT CODE	POWER	COLOR	LUMENS	PF	DIMENSION	BOX QTY	PRICE
MIRAI-5W	5W	WW/WH/NW	500	>0.9	Ø300X37	50	260
MIRAI-10W	10W	WW/WH/NW	1000	>0.9	Ø600X37	50	305
MIRAI-22W	22W	WW/WH/NW	2000	>0.9	Ø1135X37	50	347
MIRAI-22W	22W	RD/BL/GN/PK	2000	>0.9	Ø1135X37	50	525

VIVID LED BATTEN

PRODUCT CODE	POWER	COLOR	LUMENS	PF	DIMENSION	BOX QTY	PRICE
VIVID-20W	20W	WH	2000	>0.9	Ø1135X37	50	344

AMAZE LED BATTEN

PRODUCT CODE	POWER	COLOR	LUMENS	PF	DIMENSION	BOX QTY	PRICE
AMAZE-24W	24W	WH	2400	>0.9	Ø1135X37	50	400

ORA LED BATTEN

PRODUCT CODE	POWER	COLOR	LUMENS	PF	DIMENSION	BOX QTY	PRICE
ORA-25W	25W	WH	2500	>0.9	Ø1135X37	50	430

OPUS LED BATTEN

PRODUCT CODE	POWER	COLOR	LUMENS	PF	DIMENSION	BOX QTY	PRICE
OPUS-30W	30W	WH	3000	>0.9	Ø1185X37	50	620

22W MIRAI
also Available in






ZEV LED BATTEN

PRODUCT CODE	POWER	COLOR	LUMENS	PF	DIMENSION	BOX QTY	PRICE
ZEV-28W	28W	WH	2800	>0.9	Ø1185X37	50	495



NURO LED BATTEN

PRODUCT CODE	POWER	COLOR	LUMENS	PF	DIMENSION	BOX QTY	PRICE
NURO-40W	40W	WH	4000	>0.9	Ø1200X37	25	890




SONNET LED BATTEN

PRODUCT CODE	POWER	COLOR	LUMENS	PF	DIMENSION	BOX QTY	PRICE
SONNET-45W	45W	WH	4500	>0.9	Ø1200X37	25	1160

INVERTER BATTEN

Be emergency ready



INVERTER LED BATTEN



AC
220-240V

IP20



Ra 80


4KV SURGE

440V range
for 2 Hours

1 YEAR GUARANTEE

PRODUCT CODE	POWER	COLOR	LUMENS	PF	DIMENSION	BOX QTY	PRICE
INVERTER-10W	10W	WH	1000	>0.9	Ø600X37	50	825
INVERTER-20W	20W	WH	2000	>0.9	Ø1190X37	50	1160

CIVIC 3 in 1



CIVIC 3in1 LED BATTEN



AC
220-240V

IP20



Ra 80

4KV SURGE


440V range
for 2 Hours

2 YEAR GUARANTEE

PRODUCT CODE	POWER	COLOR	LUMENS	PF	DIMENSION	BOX QTY	PRICE
CIVIC-20W-3CCT	22W	3CCT	2640	>0.9	Ø1190X37	25	675

ZEPHYR LED PROFILE LIGHT

A path way to style & performance



ZEPHYR LED PROFILE LIGHT



AC
220-240V

IP20



Ra 80

1 YEAR GUARANTEE

PRODUCT CODE	POWER	COLOR	PF	DIMENSION	BOX QTY	PRICE
ZEPHYR-5W	5W	WH/WW/NW	>0.9	Ø 300X17X7mm	100	565
ZEPHYR-5W	5W	RD/BL/GN/PK	>0.9	Ø 300X17X7mm	100	635
ZEPHYR-10W	10W	WH/WW/NW	>0.9	Ø 600X17X7mm	100	935
ZEPHYR-10W	10W	RD/BL/GN/PK	>0.9	Ø 600X17X7mm	100	1035

- 1** Unique Aesthetic design with Sleek & seamless Profile
- 2** Easy to mount & simple Plug and Play installation
- 3** High Grade Aluminium Extrusion for longer service life
- 4** Even Light Distribution, with Glare free light

*All sizes are in mm or inches

POD CLASSIC

Enhance your decor for a more vibrant space



POD CLASSIC LED BULB

SMD	AC 220-240V	IP20	CCT WH/YLW/RD GN/BLU/PK/OR	 240°	Ra 80	1 YEAR GUARANTEE
-----	----------------	------	----------------------------------	---	-------	------------------


PRODUCT CODE	POWER	PF	DIMENSION	BOX QTY	PRICE
POD B22-0.5W	0.5W	<0.5	Ø 70X45	120	56

POD

MULTI COLOR LED BULB



POD MULTI COLOR LED BULB

SMD	AC 220-240V	IP20	CCT RD/GN/YLW SB/VL/WH	 240°	Ra 80	1 YEAR GUARANTEE
-----	----------------	------	------------------------------	---	-------	------------------


PRODUCT CODE	POWER	PF	DIMENSION	BOX QTY	PRICE
POD B22-0.5W-RGB	0.5W	<0.5	Ø70X45	120	115

POD

PLUG & PLAY LED BULB



POD PLUG & PLAY LED BULB

SMD	AC 220-240V	IP20	CCT WH/YLW/RD GN/ BLU/PK/OR	 240°	Ra 80	1 YEAR GUARANTEE
-----	----------------	------	-----------------------------------	---	-------	------------------

PRODUCT CODE	POWER	PF	DIMENSION	BOX QTY	PRICE
POD PLUG-0.5W	0.5W	<0.5	Ø70X45	120	110

POD

MULTI COLOR PLUG & PLAY LED BULB



POD MULTI COLOR PLUG& PLAY LED BULB

SMD	AC 220-240V	IP20	CCT RD/GN/YLW SB/VL/WH	 240°	Ra 80	1 YEAR GUARANTEE
-----	----------------	------	------------------------------	---	-------	------------------

PRODUCT CODE	POWER	PF	DIMENSION	BOX QTY	PRICE
POD PLUG-0.5W-RGB	0.5W	<0.5	Ø70X45	120	140

POD

MOTION SENSOR PLUG & PLAY LED BULB



with motion
sensor



POD MOTION SENSOR LED PLUG & PLAY LED BULB

SMD	AC 220-240V	IP20	CCT WH/BLU	 240°	Ra 80	1 YEAR GUARANTEE
-----	----------------	------	---------------	---	-------	------------------


PRODUCT CODE	POWER	PF	DIMENSION	BOX QTY	PRICE
POD PLUG-MOTION-0.5W	0.5W	<0.5	Ø70X45	120	145

LIV BULB

Soft, bright light



LIV LED BULB

SMD	AC 220-240V	IP20	 180°	Ra 80	4KV SURGE	440V range for 2 Hours	B22 BASE	1 YEAR GUARANTEE
-----	----------------	------	---	-------	-----------	---------------------------	-------------	---------------------

PRODUCT CODE	POWER	COLOUR	PF	DIMENSION	BOX QTY	PRICE
LIV-3.5	3.5W	WH	>0.9	Ø85X45	100	170
LIV-5W	5W	WH	>0.9	Ø93X50	100	172
LIV-7.5W	7.5W	WH	>0.9	Ø93X50	100	178
LIV-10W	10W	WH	>0.9	Ø110X60	100	180
LIV-12W	12W	WH	>0.9	Ø110X60	100	300
LIV-16W	16W	WH	>0.9	Ø133X70	50	347
LIV-21W	21W	WH	>0.9	Ø152X80	50	492
LIV-24W	24W	WH	>0.9	Ø152X80	50	601
LIV-27W	27W	WH	>0.9	Ø186X95	50	677

- 1** High brightness LED of 105Lm/W
- 2** 180° wide beam angle coverage
- 3** Aluminium die-cast housing for good heat dissipation
- 4** Wide voltage range of 440V & 4 KV Surge protection

*All sizes are in mm or inches

INVERTER BULB

Emergency LED Bulb



INVERTER LED BULB



AC
220-240V

IP20



Ra 80

4KV SURGE

440V range
for 2 Hours

B22
BASE

1 YEAR
GUARANTEE

PRODUCT CODE	POWER	COLOR	LUMENS	PF	DIMENSION	BATTERY BACKUP	BOX QTY	PRICE
INVERTER BULB-9W-6K-2HR	9W	WH	900	>0.9	Ø70X70X140	2.0 Hours	50	555
INVERTER BULB-9W-6K-3.5HR	9W	WH	900	>0.9	Ø70X70X140	3.5 Hours	50	610
INVERTER BULB-10W-6K-7HR	10W	WH	1000	>0.9	Ø70X70X140	7.0 Hours	50	680
INVERTER BULB-12W-6K-5HR	12W	Wh	1200	>0.9	Ø80X80X160	5.0 Hours	25	790
INVERTER BULB-14W-6K-8HR	14W	Wh	1400	>0.9	Ø80X80X160	8.0 Hours	25	875

1

High power backup

2

Powerful lithium battery

3

Long battery life
500+ charging cycle

4

Wide voltage range of 440V
& 4 KV Surge protection

BLOOM

Feel good | Work better



BLOOM LED HIGH WATTAGE BULB



AC
220-240V

IP20



Ra 80

4KV SURGE

440V range
for 2 Hours

B22
BASE

1 YEAR
GUARANTEE

PRODUCT CODE	POWER	COLOR	LUMENS	PF	DIMENSION	BOX QTY	PRICE
BLOOM-30W	30W	WH/WW	3000	>0.9	Ø100X100X183	10	845
BLOOM-40W	40W	WH/WW	4000	>0.9	Ø120X120X226	10	1160
BLOOM-50W	50W	WH/WW	5000	>0.9	Ø120X120X226	10	1215



Wide coverage with
240° beam angle



High performance
LED's with 100 Lm/w



Wide voltage range
of 440V & 4 KV
Surge protection



Robust design with
aluminium die cast body

*All sizes are in mm or inches

AURORA BULB

Create a cool, energising ambience



AURORA HIGH WATTAGE BULB

SMD	AC 220-240V	IP20	 240°	Ra 80	4KV SURGE	440V range for 2 Hours	B22 BASE	1 YEAR GUARANTEE
-----	----------------	------	--	-------	-----------	---------------------------	-------------	---------------------

PRODUCT CODE	POWER	COLOUR	LUMENS	PF	DIMENSION	BOX QTY	PRICE
AURORA-20W	20W	WH/WW	2100	>0.9	Ø138X80	20	475
AURORA-30W	30W	WH/WW	3000	>0.9	Ø156X100	20	685
AURORA-40W	40W	WH/WW	4000	>0.9	Ø181X120	20	925
AURORA-50W	50W	WH/WW	5000	>0.9	Ø209X140	20	1195
AURORA-60W	60W	WH/WW	6000	>0.9	Ø209X140	10	1400

- 1** High brightness LED of 100Lm/W
- 2** 240° wide beam angle coverage
- 3** Aluminium die-cast housing for good heat dissipation
- 4** Wide voltage range of 440V & 4 KV Surge protection

REVV

See the right color



REVV LED MIRROR LIGHT



AC
220-240V

IP20



Ra 80

1 YEAR GUARANTEE

PRODUCT CODE	POWER	COLOR	LUMENS	PF	DIMENSION	BOX QTY	PRICE
REVV-9W	9W	WH/WW/NW	810	>0.6	Ø316X35X76	20	1290
REVV-9W-3CCT	9W	3in1	810	>0.6	Ø316X35X76	20	1365
REVV-18W	18W	WH/WW/NW	1620	>0.6	Ø632X35X76	20	1960
REVV-18W-3CCT	18W	3in1	1620	>0.6	Ø632X35X76	20	2045

1 Bright, soft & uniform light

2 High performance LED with 100 Lm/w

3 60X better than traditional fluorescent tubes

4 Non-yellowing & high efficiency polycarbonate diffuser

*All sizes are in mm or inches

LYNES

Set up Dynamic & Vibrant Spaces



LYNES LED LINEAR LIGHT



AC
220-240V

WH

FORM
RD

IP20



Ra80

2 YEAR SERVICE
WARRANTY

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	PRICE
LYNES-48W	48W	3840	>0.9	Ø 75X50X120	10	4635


- 1** Special translucent diffuser for soft bright light
- 2** Low power, high efficacy, long life LED
- 3** Optimal design providing clean & minimalistic look
- 4** Optimum light output of 100Lm/w

ASPIRE T-BULB

The right light for every space



Multi Angle Rotation



Wider Light Spread



ASPIRE LED T-BULB

SMD	AC 220-240V	IP20	 240°	Ra 80	4KV SURGE	440V range for 2 Hours	B22 BASE	1 YEAR GUARANTEE
------------	----------------	------	--	-------	-----------	---------------------------	-------------	---------------------

PRODUCT CODE	POWER	COLOR	LUMENS	PF	BOX QTY	PRICE
ASPIRE-30W	30W	WH	3000	>0.9	24	695

- 1** High brightness LED of 100Lm/W
- 2** Wider light spread construction
- 3** Bright, soft & uniform light
- 4** Wide voltage range of 440V & 4 KV Surge protection

*All sizes are in mm or inches



LED TRACK LIGHTS

AIR MAX

Enhancing retail space





AIR MAX LED TRACKLIGHT

SMD	AC 220-240V	IP20	38°	Ra 80	BODY BLACK/WHITE	2 YEAR SERVICE WARRANTY
------------	----------------	------	-----	-------	---------------------	----------------------------

PRODUCT CODE	POWER	COLOR	LUMENS	PF	DIMENSION	BOX QTY	PRICE
AIRMAX TRACK-20W	20W	NW/WH/WW	1800	>0.9	Ø100X70	20	1325
AIRMAX TRACK-30W	30W	NW/WH/WW	2700	>0.9	Ø100X70	20	1515

- 1** Great rendering of colors & whites & excellent color consistency
- 2** High luminous flux at 90 Lm/w
- 3** Attractive design that blends in with store architecture
- 4** Integrated fan design, providing consistent cooling to the module

*All sizes are in mm or inches

VESTA

An unrivaled combination of
light quality & efficiency



VESTA LED WALL LIGHT



AC
220-240V

CCT
WH/WW/NW

BODY
BLACK/WHITE

IP20



Ra 90

2 YEAR
SERVICE WARRANTY

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	PRICE
VESTA WALL-3W	3W	240	>0.9	Ø83X60X110	40	595
VESTA WALL-6W	6W	489	>0.9	Ø98X60X120	40	810
VESTA WALL-9W	9W	810	>0.9	Ø106X60X1130	20	935
VESTA WALL-16W	16W	1600	>0.9	Ø102X75X252	10	1565
VESTA WALL-30W	30W	3000	>0.9	Ø140X118X282	10	2745
VESTA WALL-50W	50W	5000	>0.9	Ø160X118X310	10	3810



VESTA LED TRACK LIGHT



AC
220-240V

CCT/NW
WH/WW

BODY
BLACK/WHITE

IP20



Ra 90

2 YEAR
SERVICE WARRANTY

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	PRICE
VESTA TRACK-9W	9W	810	>0.9	Ø141X58X140	20	945
VESTA TRACK-16W	16W	1600	>0.9	Ø181X77X280	10	1520
VESTA TRACK-30W	30W	3000	>0.9	Ø198X100X300	10	2760
VESTA TRACK-50W	50W	5000	>0.9	Ø198X118X323	10	3830

VESTA LED TRACK RAIL

BODY
BLACK/WHITE

IP20

1 YEAR
SERVICE WARRANTY

PRODUCT CODE	LENGTH	COLOR	BOX QTY	PRICE
VESTA-1M TRACK RAIL	1M	WH/BLK	30	415
VESTA-2M TRACK RAIL	2M	WH/BLK	30	815



- 1** Superior light quality
Great rendering
of colors & whites
- 2** High luminous
flux at 100 Lm/w
- 3** Attractive design that
blends in with
store architecture
- 4** High color rendering
CRI>90



LED SPOT LIGHTS



AXON

Unique design, Uniquely inspiring





AXON LED SPOTLIGHT



AC
220-240V

IP20

FORM
RD

CCT
WH/WW

Ra 80

2 YEAR GUARANTEE

PRODUCT CODE	POWER	LUMENS	BEAM	PF	CUT-OUT	DIMENSION	BOX QTY	PRICE
AXON-6W	6W	540	35°	>0.6	Ø70 or 2.75"	Ø80X70X35	50	415
AXON-9W	9W	810	45°	>0.6	Ø80 or 3.35"	Ø100X85X37	50	550
AXON-12W	12W	1080	60°	>0.6	Ø115 or 4.53"	Ø130X155X45	50	820

1 Clear & well defined beams

2 Wide voltage range & surge protection

3 Metal sink back for good heat dissipation

4 Long life COB LED's



S-AXIS

Striking design,
Graceful versatility





S-AXIS LED SPOT LIGHT



AC
220-240V

CCT
WH/WW

FORM
RD

IP20



Ra 85

2 YEAR GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	PRICE
SAXIS-3W	3W	285	>0.6	Ø40 or 1.6"	Ø54X18	100	440
SAXIS-6W	6W	570	>0.6	Ø55 or 2.5"	Ø75X36	40	755
SAXIS-10W	10W	950	>0.9	Ø75 or 3"	Ø96X36	40	1015
SAXIS-15W	15W	1425	>0.9	Ø115 or 4.5"	Ø140X36	40	1475
SAXIS-20W	20W	1900	>0.9	Ø145 or 6.7"	Ø170X36	20	1970
SAXIS-30W	30W	2850	>0.9	Ø195 or 8.85"	Ø225X42	20	2625

- 1** High quality aviation grade aluminium
- 2** High performance LED chip
- 3** 2.5 KV surge protection
- 4** Clean & well defined beams
- 5** Excellent color consistency

*All sizes are in mm or inches



PRIUS

Energy efficient LED downlight





PRIUS LED SPOTLIGHT



AC
220-240V

CCT
WH/WW

FORM
RD

IP20

Ra 80

2 YEAR GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	CUT OUT	BOX QTY	PRICE
PRIUS-3W	3W	270	>0.6	Ø67X45X32	Ø67 or 1.8"	100	235
PRIUS-7W	7W	630	>0.6	Ø105X75X51	Ø55 or 3"	100	405

1 Wide voltage & surge protection

2 Metal sink back for good heat dissipation

3 Long life COB LED's

4 Clean & well defined beams

*All sizes are in mm or inches

MIZO

Inspired , Beautiful Light



MIZO LED SPOTLIGHT



AC
220-240V

CCT
WH/WW/NW

FORM
RD

IP20



Ra 80

2 YEAR GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	CUT OUT	BOX QTY	PRICE
MIZO-7W	7W	770	>0.9	Ø85x85x55	Ø50mm	50	690
MIZO-10W	10W	1100	>0.9	Ø85x85x55	Ø65mm	50	755
MIZO-16W	16W	1760	>0.9	Ø110x110x65	Ø80mm	20	1330
MIZO-25W	25W	2750	>0.9	Ø140x140x85	Ø115mm	20	1745
MIZO-35W	35W	3850	>0.9	Ø160x160x85	Ø135mm	20	2205

- 1 Remarkable spaces with high quality light
- 2 Clean and robust design blends discreetly in to the store
- 3 High energy efficiency with high density aluminium die casting molding
- 4 High color rendering index and easy to install

FUSION

High Quality Light Design To Last for Years



FUSION LED SPOTLIGHT

COB	AC 220-240V	CCT WH/WW/NW	FORM RD	IP20	24°	Ra 80	Finish Rosegold/Ashgrey	2 YEAR GUARANTEE
------------	----------------	-----------------	------------	------	-----	-------	----------------------------	------------------



PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	CUT OUT	BOX QTY	PRICE
FUSION-7W	7W	770	>0.9	Ø65x65x60	Ø50mm	50	1080
FUSION-12W	12W	1320	>0.9	Ø85x85x80	Ø70mm	50	1480

- 1** Deep recess For Visual Comfort
- 2** Durable & Impact resistant Die-casting Aluminium Housing
- 3** Decorative Metallic Finishing
- 4** Long Life Span Upto 30000 Hours


*All sizes are in mm or inches

ADOR

Functional, Stylish & Efficient



ADOR LED SURFACE DOWNLIGHT

COB	AC 220-240V	CCT WH/WW/NW	IP20	 45°	Ra 80	Housing Black/White	Reflector Finish Rosegold/Gold	2 YEAR GUARANTEE
------------	----------------	-----------------	------	---	-------	------------------------	-----------------------------------	---------------------

PRODUCT CODE	POWER	FORM	LUMENS	PF	DIMENSION	BOX QTY	PRICE
ADOR-16W-RD	16W	RD	1600	>0.9	Ø150X75	30	1925
ADOR-16W-SQ	16W	SQ	1600	>0.9	Ø140X75	30	1925

- 1** Decorative metallic finishing
- 2** Durable & Impact resistant Die-casting Aluminium Housing
- 3** Wide Voltage Range & Surge Protection upto 4.0kV
- 4** Designed for the comfort of your Eyes

*All sizes are in mm or inches

STRAVA

Make your space stand out





STRAVA LED SURFACE SPOT LIGHT

COB

AC
220-240V

CCT
WH/WW

FORM
SQ

IP20




Ra 85

2 YEAR GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	PRICE
STRAVA-10W	10W	950	>0.9	Ø70X19	40	730
STRAVA-15W	15W	1425	>0.9	Ø11X22	40	1130
STRAVA-20W	20W	1900	>0.9	Ø142X26	20	1555

- 1** High quality aviation grade aluminium
- 2** High performance LED
- 3** 2.5 KV surge protection
- 4** Clean & well defined beams
- 5** Excellent color consistency


*All sizes are in mm or inches



LED ROPE & STRIP LIGHTS


HELIX

Bring life to your space



Yellowing Resistance

Sturlite silicone coating



Other thermal coating



Excellent Stability



UV



45°C



RAIN



-20°C

HELIX 5050-60 LED ROPE LIGHT



IP65

INPUT VOLT
12V

LENGTH IN MTR
100

1 YEAR GUARANTEE

PRODUCT CODE	LED'S	COLOR	PF	LENGTH	WATT/MTR	PRICE
HELIX-5050-60 HELIX-ROPE CORD	60 CONNECTOR	WH/WW/BL -	>0.9 -	100 -	12W -	26500 245

1 60 LED'S per meter

2 3 Chip

3 Double PCB


4 14 LM per LED

PYXIS


High performance lighting



Yellowing Resistance



Excellent Stability




PYXIS 3030-96 LED ROPE LIGHT

SMD	IP65	INPUT VOLT 12V	LENGTH IN MTR 90	1 YEAR GUARANTEE
-----	------	-------------------	---------------------	------------------

PRODUCT CODE	LED'S	COLOR	PF	LENGTH	WATT/MTR	PRICE
PYXIS-3030-96	96	WH/WW/NW	>0.9	90	8.5W	29620
PYXIS-ROPE CORD	CORD	-	-	-	-	1065

- 1** 96 LED'S per meter
- 2** Clear Silicone
- 3** Double PCB
- 4** 45 LM per LED

*All sizes are in mm or inches



RAYSTAR

Enhance your home, Enhance your style

RAYSTAR LED ROPE LIGHT-SMD-5050-60-LED-8MM




PRODUCT CODE	LED'S	COLOR	PF	LENGTH(MTR.)	WATT/MTR	PRICE
RAYSTAR-5050-60-RGB	60	RGB	>0.9	80	9	12035
8MM-RGB-ROPE CORD WITH PRESS SWITCH	CONNECTOR WITHOUT REMOTE	-	-	-	-	255
8MM-RGB-ROPE CORD WITH REMOTE	CONNECTOR WITH REMOTE	-	-	-	-	375

RAYSTAR LED ROPE LIGHT-SMD-5730-120-LED-10MM



PRODUCT CODE	LED'S	COLOR	PF	LENGTH(MTR.)	WATT/MTR	PRICE
RAYSTAR-5730-120	120	WH/WW/BL	>0.9	80	6	8775
RAYSTAR-5730-120	120	RD/GN	>0.9	80	6	9415
RAYSTAR-5730-120	120	PK	>0.9	80	6	9730
10MM-ROPE CORD	CONNECTOR	-	-	-	-	60

RAYSTAR LED ROPE LIGHT-SMD-5730-72-LED-8MM



PRODUCT CODE	LED'S	COLOR	PF	LENGTH(MTR.)	WATT/MTR	PRICE
RAYSTAR-5730-72	72	WH/WW/BL	>0.9	80	5	6865
RAYSTAR-5730-72	72	RD/GN	>0.9	80	5	7340
RAYSTAR-5730-72	72	PK	>0.9	80	5	7820

RAYSTAR LED ROPE LIGHT-SMD-3014-100-LED-4MM



PRODUCT CODE	LED'S	COLOR	PF	LENGTH(MTR.)	WATT/MTR	PRICE
RAYSTAR-3014-96	100	WH/WW/BL	>0.9	80	4	6195
RAYSTAR-3014-96	100	RD/GN	>0.9	80	4	6825
RAYSTAR-3014-96	100	PK	>0.9	80	4	7145
	CONNECTOR	-	-	-	-	50

*All sizes are in mm or inches

**Experience
new lighting**



RAYSTAR



RAYSTAR 2835-100 LED NEON ROPELIGHT

SMD	IP65	INPUT VOLT 12V	LENGTH IN MTR 45	COLORS WH/WW/RD/BL/GN PK/AMBER/ICE BLUE
------------	------	-------------------	---------------------	---

PRODUCT CODE	LED'S	PF	WATT/MTR	PRICE
NEON-2835-100	60	>0.9	7.5W	6995
NEON-ROPE CORD	CORD	-	8MM	85

- 1** 100 LED'S per meter
- 2** Clear Silicone
- 3** Double PCB
- 4** 25 LM per LED

TWNK

Enrich your ambience



TWNK 4040 -60-LED STRIP LIGHT

SMD	INPUT VOLT 12V	20 LUMENS/LED	LENGTH IN MTR - 5	IP20	 120°	Ra 90	1 YEAR GUARANTEE
-----	-------------------	------------------	----------------------	------	---	-------	------------------

PRODUCT CODE	WATT 5 MTR	COLOR	PF	BOX QTY.	PRICE
TWNK-4040-60	60W	WH/WW/BI/NW	>0.9	100	600
TWNK-4040-60	60W	RD/GN/IB/AM/PK	>0.9	100	625
TWNK-4040-60	60W	RGB	>0.9	100	760

- 1** Exceptionally low power consumption
- 2** Flexible & easy installation with heat sink tape
- 3** 20 lumens per LED
- 4** Fluctuation proof
- 5** High color rendering with CRI>90

SPARC

Beautifying your world



SPARC 4040 -60-LED STRIP LIGHT



IP20

INPUT
VOLT 12V

LENGTH IN
MTR 5



18
LUMENS/LED

Ra 90

1 YEAR GUARANTEE


PRODUCT CODE	WATT 5 MTR	COLOR	PF	BOX QTY.	PRICE
SPARC-4040-60	60W	WH/WW/NW/BL	>0.9	100	440
SPARC-4040-60	60W	RD/GN/PK/ AMBER	>0.9	100	465

- 1** Exceptionally low power consumption
- 2** Flexible & easy installation with 3M tape
- 3** 18 Lumens per LED
- 4** Fluctuation proof
- 5** High color rendering with CRI>90

*All sizes are in mm or inches





SMD	IP20	INPUT VOLT 12V	LENGTH IN MTR 5	 120°	24 LUMENS/LED	Ra 90	1 YEAR GUARANTEE
------------	------	----------------	-----------------	--	---------------	-------	------------------

TWNK 2835-120 LED STRIP LIGHT

PRODUCT CODE	WATT 5 MTR	COLOR	PF	BOX QTY.	PRICE
TWNK-2835-120	60W	WH/WW/BL/NW	>0.9	5	615

TWNK 2835-240 LED STRIP LIGHT

PRODUCT CODE	WATT 5 MTR	COLOR	PF	BOX QTY.	PRICE
TWNK-2835-240	90W	WH/WW/BL/NW	>0.9	5	1480

TWNK 2025-300 LED STRIP LIGHT

PRODUCT CODE	WATT 5 MTR	COLOR	PF	BOX QTY.	PRICE
TWNK-2025-300	90W	WH/WW/BL/NW	>0.9	5	1700

*All sizes are in mm or inches

CUT

If desired, you may cut along marked lines



UPGRADED ADHESIVE

Stick adhesive to any clean and dry surface




CLIP

Use mounting clips, if needed to make power surface wire and strips stable




FRONT & BACK VIEW

Hassle free application



UNIVERSAL DRIVER



BASIC

LED STRIP DRIVER

1 YEAR GUARANTEE

PRODUCT CODE	POWER	WATT 5 MTR	INPUT VOLT	BOX QTY	PRICE
2AMP-BASIC	2AMPS	12V-24W	AC85-265V	100	225
5AMP-BASIC	5AMPS	12V-60W	AC85-265V	100	480
10AMP-BASIC	10AMPS	12V-120W	AC85-265V	50	845
15AMP-BASIC	15AMPS	12V-180W	AC85-265V	30	1455
RGB-STRIP REMOTE SET	RGB REMOTE	12V-60W	AC85-265V	100	220

PRIME

LED UNIVERSAL DRIVER SMPS

1 YEAR GUARANTEE

PRODUCT CODE	POWER	WATT 5 MTR	INPUT VOLT	BOX QTY	PRICE
2AMP-SMPS	2AMPS(SMPS)	12V-24W	AC85-265V	100	500
3AMP-SMPS	3AMPS(SMPS)	12V-36W	AC85-265V	100	595
5AMP-SMPS	5AMPS(SMPS)	12V-60W	AC85-265V	100	765
10AMP-SMPS	10AMPS(SMPS)	12V-120W	AC85-265V	100	1070
12.5AMP-SMPS	12.5AMPS(SMPS)	12V-150W	AC85-265V	50	1290
16.5AMP-SMPS	16.5AMPS(SMPS)	12V-200W	AC85-265V	50	1650
25AMP-SMPS	25AMPS(SMPS)	12V-300W	AC85-265V	30	1760
33.5AMP-SMPS	33.5AMPS(SMPS)	12V-400W	AC85-265V	30	2330



LED FLOOD & STREET LIGHTS

AVIOR

A Flood lighting solution with precise optical control



AVIOR FLOOD LIGHT

SMD	AC 220-240V	CCT WH/WW	 75°	Ra80	IP66	4KV SURGE	440V range for 2 hours	2 YEARS GUARANTEE
-----	----------------	--------------	--	------	------	--------------	---------------------------	----------------------

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY.	PRICE
AVIOR-50W	50W	5500	>0.9	Ø 240X160X32	10	1985
AVIOR-100W	100W	11000	>0.9	Ø 300X204X32	10	3500
AVIOR-150W	150W	16500	>0.9	Ø 362X243X32	5	5360
AVIOR-200W	200W	22000	>0.9	Ø 402X261X40	5	6750

- Highly efficient upto 110 Lm/w
- High surge protection: 4KV
- High performance symmetrical optics
- Pressure die cast housing for good heat dissipation & increase of service life
- Anti dust/ anti fog system

STADIA

For every project where light really matters



STADIA LED FLOOD LIGHT

SMD	AC 220-240V	120°	Ra80	IP66	4KV SURGE	440V range for 2 hours	2 YEARS GUARANTEE
-----	----------------	------	------	------	--------------	---------------------------	----------------------

PRODUCT CODE	POWER	LUMENS	COLOR	PF	DIMENSION	BOX QTY	PRICE
STADIA-50W	50W	5500	WH/WW	>0.9	Ø 292X140X31	10	1810
STADIA-50W	50W	5500	RD/BL/GN	>0.9	Ø 292X140X31	10	1945
STADIA-100W	100W	11000	WH/WW	>0.9	Ø 364X186X31	10	3120
STADIA-100W	100W	11000	RD/BL/GN	>0.9	Ø 364X186X31	10	3355
STADIA-150W	150W	16500	WH	>0.9	Ø 380X180X31	5	4610

- 1** Highly efficient upto 110 Lm/w
- 2** Wide voltage range of 440V
- 3** High surge protection: 4KV
- 4** Robust, high quality finish
- 5** Pressure die cast housing for good heat dissipation & increase of service life

*All sizes are in mm or inches

SPEKTR

Durable & robust, ideal for environmentally demanding locations



SPEKTR LED FLOOD LIGHT

SMD	AC 220-240V	CCT WH/WW	 120°	Ra80	IP66	4KV SURGE	440V range for 2 hours	2 YEARS GUARANTEE
-----	----------------	--------------	--	------	------	--------------	---------------------------	----------------------

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	PRICE
SPEKTR-10W	10W	1100	>0.9	Ø 110X120X52	40	910
SPEKTR-20W	20W	2200	>0.9	Ø 182X184X42	30	1425
SPEKTR-30W	30W	3300	>0.9	Ø 235X248X62	20	1835
SPEKTR-50W	50W	5500	>0.9	Ø 275X285X64	10	2610
SPEKTR-100W	100W	11000	>0.9	Ø 292X292X68	5	3985
SPEKTR-150W	150W	16500	>0.9	Ø 287X287X84	5	6095
SPEKTR-200W	200W	22000	>0.9	Ø 362X333X85	5	7310
SPEKTR-300W	300W	33000	>0.9	Ø 423X384X87	1	17235
SPEKTR-400W	400W	44000	>0.9	Ø 423X384X87	1	20155
SPEKTR-500W	500W	55000	>0.9	Ø 510X510X111	1	22515


- 1** Highly efficient upto 110 Lm/w
- 2** High surge protection: 4KV
- 3** Over voltage protection & under voltage protection
- 4** Pressure die cast housing for good heat dissipation & increase of service life

MYCRA

Cost effective & high performance streetlight



MYCRA LED STREET LIGHT

SMD	AC 220-240V	CCT WH	 120°	Ra80	IP66	4KV SURGE	440V range for 2 hours	2 YEARS GUARANTEE
-----	----------------	-----------	---	------	------	--------------	---------------------------	----------------------

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	PRICE
MYCRA-24W	24W	2400	>0.9	Ø312X106	25	1265
MYCRA-36W	36W	3600	>0.9	Ø360X128	15	1625
MYCRA-50W	50W	5000	>0.9	Ø414X163	12	2325

- 1** High performance LED's with 100Lm/w
- 2** High surge protection: 4KV
- 3** Corrosion resistant coating
- 4** Pressure die cast housing for good heat dissipation & increase of service life
- 5** Highly integrated components & housing for slim size

*All sizes are in mm or inches

DYNAMIQ

Robust design, superior performance



DYNAMIQ LED STREET LIGHT

SMD	AC 220-240V	CCT WH/WW	120°	Ra80	IP66	4KV SURGE	440V range for 2 hours	2 YEARS GUARANTEE
-----	----------------	--------------	------	------	------	--------------	---------------------------	----------------------

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY.	PRICE
DYNAMIQ-18W	18W	1980	>0.9	Ø 270X85X42	20	1060
DYNAMIQ-24W	24W	2640	>0.9	Ø 329X111X42	20	1570
DYNAMIQ-36W	36W	3960	>0.9	Ø 370X152X57	20	1990
DYNAMIQ-50W	50W	5500	>0.9	Ø 373X160X60	10	2495
DYNAMIQ-72W	72W	7920	>0.9	Ø 395X198X70	10	3560
DYNAMIQ-100W	100W	11000	>0.9	Ø 395X198X70	10	4280
DYNAMIQ-150W	150W	16500	>0.9	Ø 467X238X72	5	6940
DYNAMIQ-200W	200W	22000	>0.9	Ø 467X238X72	5	8345


- 1** High performance LED's with 110 Lm/w
- 2** High surge protection: 4KV
- 3** Corrosion resistant coating
- 4** Pressure die cast housing for good heat dissipation & increase of service life

ASTEOR

Built to last, designed to save



ASTEOR LED STREET LIGHT

SMD	AC 220-240V	CCT WH/WW	 120°	Ra80	IP66	4KV SURGE	440V range for 2 hours	2 YEARS GUARANTEE
------------	----------------	--------------	---	------	------	--------------	---------------------------	----------------------

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	PRICE
ASTEOR-20W	20W	2200	>0.9	Ø 300X103X46	20	1325
ASTEOR-24W	24W	2640	>0.9	Ø 300X103X46	20	1375
ASTEOR-30W	30W	3300	>0.9	Ø 340X124X47	20	1590
ASTEOR-36W	36W	3460	>0.9	Ø 340X124X47	20	1650
ASTEOR-50W	50W	5500	>0.9	Ø 391X145X50	20	2275
ASTEOR-100W	100W	11000	>0.9	Ø 450X170X56	10	3830
ASTEOR-150W	150W	16500	>0.9	Ø 580X206X85	5	6835

- 1** High performance LED's with 110 Lm/w
- 2** High surge protection: 4KV
- 3** Corrosion resistant coating
- 4** Pressure die cast housing for good heat dissipation & increase of service life

*All sizes are in mm or inches



SOLAR FLOOD LIGHT & STREET LIGHTS

SF100 SERIES

A whole lot of science that delivers quality light



SF100 SERIES LED SOLAR FLOODLIGHT



SOLAR WITHOUT
MOTION SENSOR

CCT
WH



Ra70

IP65

1 YEAR
SERVICE WARRANTY

PRODUCT CODE	POWER	LUMENS	PF	BATTERY	DIMENSION FOR FLOODLIGHT	DIMENSION FOR SOLAR PANEL	BOX QTY.	PRICE
SF100-20W-6K	20W	2400	>0.9	3.2V 12AH	Ø200X250X55	Ø350X235X18	10	3675

1 High Grade
Aluminium Body

2 Multi Functional
Intelligent Remote
Control

3 Large Capacity
Battery

4 High Brightness
LED

SX200 SERIES

Bringing the night scene to life



SX200 SERIES LED SOLAR STREETLIGHT

SMD	SOLAR WITHOUT MOTION SENSOR	CCT WH	120°	Ra 70	IP66	1 YEAR SERVICE WARRANTY
-----	-----------------------------	--------	------	-------	------	-------------------------

PRODUCT CODE	POWER	LUMENS	BATTERY	PF	DIMENSION	BOX QTY	PRICE
SX200-24W-6K	24W	2280	3.2V 12AH	>0.9	Ø95X335X60	4	7705
SX200-50W-6K	50W	4750	3.2V 18AH	>0.9	Ø130X385X65	1	9905

- 1** Polycrystalline solar panel
- 2** Large capacity lithium battery
- 3** High photoelectric conversion, fast charging
- 4** Multi-functional intelligent remote control

*All sizes are in mm or inches

SX350 SERIES

A Luminaire with visual power



SX350 SERIES LED SOLAR STREETLIGHT



SOLAR WITHOUT
MOTION SENSOR

CCT
WH



120°

Ra 70

IP66

1 YEAR
SERVICE WARRANTY

PRODUCT CODE	POWER	LUMENS	PF	BATTERY	DIMENSION	BOX QTY.	PRICE
SX350-60W-6K	60W	4200	>0.9	3.2V 12AH	Ø208X398X46	6	7350

1 Polycrystalline solar panel

2 Large capacity lithium battery

3 High photoelectric conversion, fast charging

4 Multi functional intelligent remote control

SX400 SERIES

All In One Solar street Light



SX400 SERIES LED SOLAR FLOODLIGHT



SOLAR WITH
MOTION SENSOR

CCT
WH



Ra70

IP67

1 YEAR
SERVICE WARRANTY

PRODUCT CODE	POWER	LUMENS	PF	BATTERY	DIMENSION	BOX QTY.	PRICE
SX400-15W-6K	15W	1425	>0.9	3.2V 12AH	Ø250X497X60	10	5770
SX400-20W-6K	20W	1900	>0.9	3.2V 18AH	Ø250X633X60	5	7130

- 1** Inbuilt polycrystalline solar panel
- 2** High grade ABS housing
- 3** High photoelectric conversion, fast charging
- 4** With inbuilt motion sensor for auto on/off



LED HIGH-BAY FITTINGS



ENDURA

Robust & superior aesthetics circular highbay suitable for versatile applications



ENDURA LED HIGH BAY LIGHT

SMD	AC 85-300V	CCT WH	 120°	Ra 95	IP66	2 YEAR GUARANTEE
-----	---------------	-----------	---	-------	------	------------------

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY.	PRICE
ENDURA-50W-6K	50W	5000	>0.9	Ø250X250X140	8	4005
ENDURA-100W-6K	100W	10000	>0.9	Ø300X300X155	6	5595
ENDURA-150W-6K	150W	15000	>0.9	Ø350X350X155	4	7425

- 1** High quality white light with controlled light distribution
- 2** Corrosion resistant coating
- 3** Best in class SMD LED's provide high lumen output, which contributes upto 55% energy saving
- 4** Housing with good heat dissipation & increase of service life

*All sizes are in mm or inches

BETTER BRIGHTER SPACES



FOR THE

BRIGHTER


SIDE OF LIFE



EXPLORE OUR WIDE RANGE OF WIRES & CABLES



Multicore



Submersible



UG Cables



SWITCHING TO LED HAS NEVER BEEN SIMPLER

The Sturlite Ledinaire range features a selection of popular LED luminaries that are energy efficient and reliable, at a price you can afford. We keep our prices competitive by focusing on those runner types that are most in demand, while keeping the packaging and service straightforward. Evidently you can be sure the product reliability achieves our high quality standards



Affordable Lighting
from the reputed
name in LED



Smart and
energy efficient



Quality you can trust
You get exactly you
see on the box



Using
BIS Approved
Control Gear

