

CONTENTS





KITCHEN

6

| Kitchen Ware | 6 |
|----------------|----|
| Kitchen Aids | 14 |
| Kitchen Scales | 20 |



BATHROOM

36

| Body Analyser Scales | 36 |
|----------------------------|----|
| Bathroom Scales | 40 |
| Mechanical Bathroom Scales | 48 |



LIFE

50

| Wellbeing | 50 |
|-----------|----|
| Time | 54 |
| Climate | 60 |



For little and big darlings: Family things from snuutje.

From joyful hanging nests to your favourite alarm clock – beautiful and practical things with much sense of family can also be found in the snuutje brochure 2020. New on board: our sleep trainer for the little ones.

85 YEARS ANNIVERSARY SCHNELLWAR Danies ! 29. Tel 434532





Precision is our goal. Our customers are the benchmark.

As a factory for steelyard scales and slicing machines, ADE started in turbulent times in St. Pauli – in the heart of Hamburg. Shop owners and merchants come one after the other, first-class service is the specialty.

Today, ADE Germany GmbH is an international manufacturer and partner for hotels and restaurants as well as customers in the medical and consumer goods sector. Our profession is precision – represented not only by our scales, slicing machines and kitchen appliances, but also by measuring instruments for the medical sector or weather stations for daily use at home.

With great passion we develop and produce products since 1935, which meet our expectations and benchmark: well thought through, solid and absolutely precise. You can rely on it sightlessly, at any time and with every move. 85 years of experience have taught us one thing above all: Special are often things that accompany us every day and the people with whom we achieve our daily goal together.

Our conviction was and still is: Staying on due course, even against the current, always thinking one step ahead – for you, our customers. To this we are bound by our tradition as a brand manufacturer, but above all by your trust in us.

FOR THIS WE THANK YOU!







Perfectly prepared!

INSPIRED BY PROFESSIONAL CHEFS

85 years of know-how – ADE started as a reliable partner for the hotel and catering business, developed slicing machines and scales for professional demands. In close cooperation with chefs, an assortment was created that is growing year by year.

In 2020, in addition to our gourmet version of the electric food slicer, the portfolio will be enriched by an entry-level model for demanding private households. Whether professional or private kitchen: our products combine quality with user-friendliness and offer the best conditions for effortless cooking! Fresh ingredients, preferably regional and seasonal, are more important than ever before, because good and healthy nutrition has long been more than just a trend.

The ADE product range comprises many practical kitchen assistants that are required when preparing delicious food. From uni-

waffle and sandwich maker: fluffy Belgian
waffles and individually composed sandwiches for every taste.

as
r.

versal cutters to citrus juicers. The youngest

member of the kitchen aid family is the 2-in-1



Enjoy fresher

Our multi-slicers bring a little more enjoyment to the kitchen every day. Whether bread, cold cuts or vegetables - freshly sliced food just always tastes better!





Compact and versatile – with two knives for the daily portion of freshness

| CASING | ABS plastics; feed plate / carriage aluminium; knife stainless steel twist grip, toggle switch (safety moment and continuous switch) | |
|-----------|--|--|
| OPERATION | | |
| FUNCTIONS | compact, handy design; incl. 2 knives (serrated and smooth) made of stainless steel; screw cap for easy knife removal for cleaning or changing of knives without additional tools; aluminum blade; smooth-running food carriage (removable); | |

alustainless steel knives; collection tray for cut product; finely adjustable cutting thickness 0 - 23 mm; firm stand thanks to rubberised suction cups

KNIFE DIAMETER Ø 170 mm

ROUND / SQUARE CUTTING SURFACE

Ø 145 mm / 180 x 145 mm

| WEIGHT | POWER | SIZE IN MM | |
|---------|-----------|-----------------|--|
| 2.72 kg | 100 watts | 368 x 252 x 259 | |







Smooth knife ideal for ham, roast meat, etc.



Serrated knife ideal for bread, cheese, vegetables, etc.



ELECTRIC FOOD SLICER

Perfect slices – from Parma ham to cheese, wafer-thin or finger-thick

ASING aluminium, painted "milan white"

OPERATION grip, knob, press buttons

FUNCTIONS air-cooled, brush-free motor; easy slides (foldable) with large food tray; blade drive with double ball bearings; profiled multi-use blade made of special steel; set different widths: 0–15 mm; integrated grinding apparatus; blade protection sickle; protection for hands and thumbs with safety holder; firm stand with rubber feet

KNIFE DIAMETER Ø 220 mm

ROUND / SQUARE CUTTING







KA 1806 milan white



The integrated, pre-set knife sharpener means ideal slices at the press of a button.

The **double ball-bearing mounted blade drive** means the blade runs evenly and quietly – even when cutting delicate foods, each slice is whole.

The **multi-use blade** is made from hard chrome-plated special steel with a two-level profile that minimises contact between the blade and the food.

- The blade doesn't warm up − this protects the food's aroma
- Nothing gets stuck: perfect slices without sticking or ripping.



All-round talent

With the meat grinder, we launch our taste campaign for culinaric pleasure – for delicious lasagne and crispy kofta. Self-processed fresh ingredients are inimitably delicious, whether as minced meat, sausage or shortbread biscuits.



ELECTRIC MEAT GRINDER

Powerful and versatile – 2,000 watts of peak power in a first-class aluminium casing

| CASING | aluminium, black l | acquered | |
|-------------------------------|--------------------|--|----------------------|
| OPERATION | rotary knob, bayor | net cap | |
| FUNCTIONS | two-piece cutting | e motor; two adjustal set consisting of a kn using four rubberised | ife and a perforated |
| ACCESSORIES | | ted discs (3, 5 and 8 n t, pastry attachment | nm), sausage spout, |
| NOMINAL/ MAXIMUM OUTPUT | MEAT OUTPUT | SIZE IN MM | WEIGHT |
| 800 / 2,000 watts | 2.5 kg / min. | 370 x 195 x 320 | 5.9 kg |







ELECTRIC GRATER

Crushing without pre-cutting – ideal for vegetables, fruits, hard cheese or nuts

| CASING | stainless steel and ABS plastics | |
|-------------------------------|---|----------|
| OPERATION | press button, bayo | onet cap |
| FUNCTIONS | slicing, rasping, grating different foods (e.g. hard cheese, nuts, carrots, apples, cucumbers, etc.); non-slip footing using rubberised feet; integrated cable rewind | |
| ACCESSORIES | four drum inserts (fine grater, fine rasp, coarse rasp, fine edge), rammer | |
| NOMINAL/ MAXIMUM OUTPUT | SIZE IN MM | WEIGHT |
| 200 / 500 watts | 205 x 150 x 283 | 1.48 kg |





ELECTRIC JUICE AND CITRUS PRESS

Start your day right – with freshly-pressed juice

| CASING | motor unit ma | de from stainless steel cs, glass carafe | |
|-------------|---|---|---|
| CARAFE | glass, 1 l | | |
| OPERATION | press the juicer ball (press sensor) | | |
| FUNCTIONS | lemons, grapef automatic start sieve attachme container with | fruit (recommended for fruit, lemons, etc.); powe t-stop and automatic lef ent to filter out pulp and drop stop; all parts can dishwasher safe | rful motor with t-right operation; seeds; juice spout |
| ACCESSORIES | attachment; gl | (small and large); juice sp ass carafe with measure for protection from dus | ments (750 ml, 25 oz); |
| POWER | TOTAL WEIGHT | TOTAL SIZE IN MM | SIZE OF MOTOR UNIT IN MM |
| 60 watts | 2.19 kg | 205 x 150 x 351 | Ø 140 x 152 |





The **glass carafe** with delicious, fresh orange juice looks great on the lovingly laid Sunday breakfast table.





SMOOTHIE MAKER WITH SPICE AND COFFEE GRINDER

Strong and multi-functional – grind, chop, purée and mix anything – from smoothie to pesto

| CASING | stainless steel, ABS | plastics |
|-----------------------------|---|--|
| OPERATION | push button | |
| FUNCTIONS | juices; grinding, cru dry food; grinding (| vegetables, mixing smoothies, shakes and ishing and mixing; suitable for moist and degree dependent of grinding time; firm erised feet; integrated cable rewind |
| FOUR-LEAVE BLADE | insert with four-leave blade suitable as attachment for drinking bottle and mug | |
| DRINK BOTTLE | J . | go" with leak-proof flip-lid; tritan ood-grade, 600 ml, weight 0.13 kg |
| MUG | mug "mason jar" including screw lid with opening for a straw; glass / metall, 600 ml, dishwasher safe, weight 0.47 kg | |
| GRINDING CONTAINER | for grinding and ch etc.; grinding conta suitable for crushin | with a 2-fold beater knife, 300 ml, suitable opping dry food such as coffee, pepper, iner with a 4-fold universal knife, 300 ml, g and mixing fresh herbs, pesto, etc.; Il for tight sealing during grinding |
| POWER | ROTATIONS SPEED | WEIGHT |
| 300 watts | 27.000 RPM | 5.03 kg |
| SIZE OF MOTOR UNIT IN MM | MAX. TOTAL SIZE | |
| Ø 117 x 144 | Ø 117 x 346 | |
| | | |



ELECTRIC SPICE AND COFFEE GRINDER

Technical specifications see "Smoothie Maker with spice and coffee grinder"

| SCOPE OF DELIVERY | motor unit, grinding container "Duo", grinding container "Quattro", lid with silicone seal for tight sealing during grinding |
|----------------------|--|
| SIZE TOTAL IN MM | WEIGHT |
| Ø 117 x 238 | 1.53 kg |



KA 1805 stainless steel



KA 1823 stainless steel

ACCESSORIES-SET "SMOOTHIE"

Supplement for base grinder KA 1805 to prepare smoothies & Co.

Technical specifications see

"Smoothie Maker with spice and coffee grinder"

| SCOPE OF DELIVERY | drinking bottle | leave blade suitable as 'to go" with leak-proof t uding screw lid with op | flip-lid and mug |
|----------------------|-----------------|---|------------------|
| SIZE DRINKING | WEIGHT | SIZE MUG | WEIGHT |
| BOTTLE | DRINKING | IN MM | MUG |
| IN MM | BOTTLE | | |
| Ø 75 x 250 | 0.13 kg | 120 x 85 x 153 | 0.47 kg |







2-IN-1 WAFFLE AND SANDWICH MAKER

All-rounder for baking and toasting – for sweet and savoury snacks

CASING

ABS plastics

FUNCTIONS

interchangeable plates, preparation of waffles or sandwiches; plates with high quality non-stick coating for low-fat preparation and easy cleaning; thermostat for even distribution of heat; temperature indicator; locking system, vertical installation for space-saving storage; non-slip feet with cable winder; practical carrying handle

cable willuer, practical carrying haridi

POWER

WEIGHT

SIZE IN MM

600 watts 1.19

1.19 kg

138 x 222 x 92



KG 2006-1 white



KG 2006-2 red



KG 2006-3 black










KITCHEN AIDS





BBQ-THERMOMETER WITH TWO TEMPERATURE PROBES

Perfect pleasure – cooking time and doneness points in view

CASING stainless steel and ABS plastics TEMPERATURE stainless steel, insertion depth 160 mm; PROBES heat-resistant cables, length of each cable 1 m DISPLAY/SIZE LCD touch colour display, backlit, 33 x 14 mm OPERATION touch, switch integrated timer function; acoustic temperature alarm **FUNCTIONS** when reaching the target temperature; selection of preset meats (beef, lamb, veal, pork, chicken, turkey, mince, fish) and core temperatures according to cooking levels or individual temperature specification; 5 cooking levels:

rare, medium rare, medium, medium well, well; magnetic

TEMPERATURE UNITS SIZE IN MM °C,°F -20°-250°C 90 x 74 x 26

suspension and foot



BBQ 1903 stainless steel white



REMOTE BBQ-THERMOMETER

Perfectly cooked with remote temperature control

| CASING | ABS plastics | | |
|--------------------|--|-----------------------------|--|
| TEMPERATURE PROBES | stainless steel, insertion depth of 160 mm, heat resistant cable, length of cable 1 m | | |
| BASE STATION | LCD touch display, 80 x 53 mm | | |
| OPERATION | touch | | |
| RECEIVER | LCD, 20 x 12 mm, belt clip, LED receiving indicator light | | |
| FUNCTIONS | and receive tion of pres to degrees the base sta turkey, min | ation; meat types: beef, la | erature is reached; selec- temperatures according al temperature settings on amb, veal, pork, chicken, neness: rare, medium rare |
| TEMPERATURE | UNITS | SIZE BASE STATION IN MM | SIZE RECEIVER |
| | | | |







KITCHEN AIDS

BBQ-THERMOMETER

Excellent steaks guaranteed – preset cooking levels lead to perfect results

CASING ABS plastics TEMPERATURE stainless steel, insertion depth of 160 mm PROBES heat resistant cable, length of cable 1 m DISPLAY/SIZE LCD touch colour display, illuminated, 50 x 50 mm **OPERATION** touch **FUNCTIONS** integrated timer function, audible temperature alarm when

the target temperature is reached; selection of preset meat types and core temperatures according to degrees of doneness or individual temperature settings; meat types: beef, lamb, veal, pork, chicken, turkey, mincemeat; 5 degrees of doneness: rare, medium rare, medium, medium well, well; stand and magnetic suspension

TEMPERATURE UNITS SIZE IN MM °C, °F -20° – 250°C 76 x 76 x 25





BBQ-THERMOMETER

The classic – accuracy well-done

| CASING | stainless steel (SS340), heat resistant (0°–300°C) | | |
|---------------------|---|-------|------------|
| TEMPERATURE PROBES | stainless steel, insertion depth of 120 mm | | |
| FUNCTIONS | display of core and oven temperature in °C; clip for mounting in the oven; clear dial with illustration of recommended core temperatures for poultry, pork, lamb, veal and beef | | |
| TEMPERATURE MEAT | TEMPERATURE OVEN | UNITS | SIZE IN MM |
| 55°−90 °C | 50°-300°C | °C | 78 x 145 |







MECHANICAL KITCHEN TIMER

Viewing quality – always precisely on the dot with a remaining time indicator

| CASING | brushed stainless steel, ABS plastics, rubberised | | |
|-------------------|--|--|--|
| DISPLAY | round dial, time-remaining indicator | | |
| OPERATION | wind-up mechanism | | |
| FUNCTIONS | acoustic signal after elapsed time; red, clearly visible indi- cator for remaining time; convenient magnetic suspension | | |
| TIME CDA DIJATION | LINUTS CITE IN MAN | | |



stainless steel

black

59 min.





Ø 78 x 31

TD 1702 stainless steel red

TD 1703 stainless steel white

MECHANICAL KITCHEN TIMER

Classic short-term timer with wind-up system

| CASING | brushed stainless steel, ABS plastics | | |
|-----------------|--|------------|--|
| DISPLAY | round dial | | |
| OPERATION | wind-up mechanism | | |
| FUNCTIONS | acoustic signal after elapsed time; convenient magnetic suspension | | |
| TIME GRADUATION | UNITS | SIZE IN MM | |
| 59 min. | min. | Ø 96 x 36 | |







KITCHEN AIDS

MECHANICAL KITCHEN TIMER

Good and proper – for perfect timing in kitchen and householdt

| CASING | ABS plastics, rubberised | | |
|-----------|--|--|--|
| DISPLAY | round dial, time-remaining indicator | | |
| OPERATION | wind-up mechanism | | |
| FUNCTIONS | acoustic signal after elapsed time; red, clearly visible indi- cator for remaining time; convenient magnetic suspension | | |

TIME GRADUATION UNITS SIZE IN MM Ø 60 x 35 59 min. min.



green





red







FRIDGE AND FREEZER THERMOMETER

Freshness check – save electricity with the right settings

| CASING | ABS plastics | | |
|---------------|--|--------------|--|
| OPERATION | press buttons | | |
| DISPLAY/SIZE | LCD, 46 x 35 mm | | |
| FUNCTIONS | temperature indicator: °C and °F with MIN/MAX; simple to turn on and off (on/off button); stand, hang with a magnet, suction cup or hook | | |
| TEMPERATURE | UNITS | SIZE IN MM | |
| - 20° – 60 °C | °C °F | 60 x 98 x 15 | |







DIGITAL KITCHEN TIMER WITH TILT START

In the blink of an eye – classic timer function plus 3 preset countdowns

CASING ABS plastics

DISPLAY/SIZE LCD, 38 × 38 mm, white backlit

DPERATION buttons, tilting

FUNCTIONS time display; visual signal after the lapse of time, optional additional acoustic alarm and/or vibration alarm; start of preset countdowns (1/3/5 minutes) by tilting or programming individual timer time by pressing a button

 TIME
 UNITS
 SIZE

 GRADUATION
 IN MM

 1/3/5 min.
 min./sec.
 Ø 67 x 28 x 67

 99 min./59 sec.
 Winter the control of the control









DIGITAL KITCHEN TIMER

Flatscreen – the world's thinnest timer

| CASING | ABS plastics, rubberised | |
|--------------|--|--|
| DISPLAY/SIZE | LCD, 82 x 32 mm | |
| OPERATION | press buttons | |
| FUNCTIONS | display time; acoustic signal after elapsed time; stopwatch function; convenient magnetic suspension | |

TIME GRADUATION UNITS SIZE IN MM
99 min./59 sec. min./sec. 101 x 70 x 11


9:48













SHIRLEY

Vintage for the kitchen – 50s-style bowl scale

| BOWL | stainless steel, polished, 0.8 l | | |
|--------------|---|-----------------|-------|
| DISPLAY/SIZE | highly readable full-view dial, Ø 95 mm | | |
| OPERATION | mechanical | | |
| FUNCTIONS | dishwasher-safe weighing bowl; massive weighing mechanism made of metal; manually adjustable zeroing (tare) | | |
| CAPACITY | GRADUATION | SIZE IN MM | UNITS |
| 5 kg | 20 g | 207 x 207 x 201 | g, kg |



KG 1900-1

mint

KG 1900-2

red





KM 1900-2 red

KM 1900-3 black



The perfect seasoning – freshly ground at the push of a button

| CASING | ABS plastics and stainless steel push button | | |
|---------------|---|--|--|
| OPERATION | | | |
| FUNCTIONS | infinite adjustment from fine to coarse; powerful electric motor for fast grinding throughput; durable ceramic grinder; grinder base lighting; transparent plastic filling bin; grinder lid WEIGHT | | |
| SIZE IN MM | | | |
| Ø 58 x 205 | 0.25 kg | | |









NEW



With the **steplessly adjustable** degree of grinding and **automatic lighting**, seasoning to taste is easy and perfect.

ANNA

Grand old lady – nostalgic scale with bowl in charming country house style with 8 kg weighing capacity

| BOWL | polished stainless steel, 2.5 l | | |
|--------------|--|-------------|-------|
| DISPLAY/SIZE | clear full view dial, Ø 135 mm | | |
| OPERATION | mechanical | | |
| FUNCTIONS | weighing bowl dishwasher-safe; massive metal weighing mechanism; manually adjustable zero position (tare function) | | |
| CAPACITY | GRADUATION | SIZE IN MM | UNITS |
| 8 kg | 50 g | Ø 245 x 283 | g, kg |





TOSCA

Chic in bowl – decorative stainless steel weighing bowl

| BOWL | stainless steel, 2 l | | |
|--------------|--|-----------------|---------------------|
| DISPLAY/SIZE | LCD, Ø 60 mm, blue lit | | |
| OPERATION | push buttons | | |
| FUNCTIONS | dishwasher-safe weighing bowl; tare function (tare); over- load indicator; battery level indicator; automatic power-off | | |
| CAPACITY | GRADUATION | SIZE IN MM | UNITS |
| 5 kg | 1 g | 248 x 290 x 140 | g, ml, lb.oz, fl.oz |







HANNA

Splendid prospects for stainless steel – rust-free, hygienic and sustainable

| BOWL | brushed stainless steel, 2.25 l | | |
|--------------|---|-------------|---------------------|
| DISPLAY/SIZE | LCD, 50 x 25 mm, blue lit | | |
| OPERATION | sensor touch | | |
| FUNCTIONS | weighing bowl dishwasher-safe; add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off | | |
| CAPACITY | GRADUATION | SIZE IN MM | UNITS |
| 5 kg | 1g | Ø 238 x 155 | g, ml, lb.oz, fl.oz |





ANGELINA

Digital bowl scale – with extra large mixing bowl

| BOWL | ABS plastics, 3 l | | |
|--------------|---|-------------|-------|
| DISPLAY/SIZE | LCD, 45 x 15 mm | | |
| OPERATION | press buttons | | |
| FUNCTIONS | weighing bowl dishwasher-safe; add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off | | |
| CAPACITY | GRADUATION | SIZE IN MM | UNITS |
| 5 kg | 1 g | Ø 220 x 120 | g, oz |









FRANCA

With one click – removable measuring cup for simultaneous weighing and measuring

| 3 kg | 1 g | 105 x 145 x 125 | g, ml, fl.oz, lb.oz | |
|---------------|---|-----------------|---------------------|--|
| CAPACITY | GRADUATION | SIZE IN MM | UNITS | |
| FUNCTIONS | Tare function (tare); additionally weighs the volume of liquids; overload indicator; battery level indicator; automatic power-off | | | |
| OPERATION | push buttons | push buttons | | |
| DISPLAY/SIZE | LCD, 29 x 29 mm, in handle | | | |
| MEASURING CUP | PP-plastics, 1 l | | | |





REBECCA

A clever connection – weighing station with measuring cup

| MEASURING CUP | shatterproof polycarbonate, dishwasher safe, measuring scale (ml/cup), 1 l | | | |
|---------------|---|-----------------|----------------|--|
| DISPLAY/SIZE | LED, 40 x 28 mm, | red digits | <u>.</u> | |
| OPERATION | sensor touch | sensor touch | | |
| FUNCTIONS | auto tare (automatic zeroing when setting up the measuring cup); tare function (tare); additionally weighs the volume of water and milk (ml/cup); suitable for weighing even without a measuring cup; overload indicator; battery status indicator; automatic power-off | | | |
| CAPACITY | GRADUATION | SIZE IN MM | UNITS | |
| 3 kg | 1 g | 172 x 145 x 180 | g, oz, ml, cup | |









ANJA

Well rounded – stainless steel kitchen scale with temperature indicator

| WEIGHING SURFACE | stainless steel | | | |
|------------------|--|------------|----------|--|
| DISPLAY/SIZE | LCD, 43 x 20 mm press buttons | | | |
| OPERATION | | | | |
| FUNCTIONS | ambient temperature indication in standby mode; add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off | | | |
| CAPACITY | GRADUATION | SIZE IN MM | UNITS | |
| 5 kg | 1 g | Ø 165 x 22 | g, lb.oz | |









MILA

Compact and functional – easy care kitchen scale with convenient wall mounting

| WEIGHING SURFACE | brushed stainless steel | | | |
|------------------|--|-------------------------------|---------------------|--|
| DISPLAY/SIZE | LCD, 56 x 26 mm | LCD, 56 x 26 mm press buttons | | |
| OPERATION | press buttons | | | |
| FUNCTIONS | anti-fingerprint-coating; volume mode for water and milk; suspension device; add and weigh feature (tare function); overload indicator; battery level indicator; automatic power-off | | | |
| CAPACITY | GRADUATION | SIZE IN MM | UNITS | |
| 5 kg | 1 g | 150 x 221 x 18 | g, ml, fl.oz, lb.oz | |
| | | | | |



anthracite



LADINA

For big tasks – king-size kitchen scale with 15 kg maximum load

| WEIGHING SURFACE | brushed stainless steel, size similar to DIN A4 |
|------------------|---|
| | |

DISPLAY/SIZE LED, 61 x 20 mm, mirrored, white digits

OPERATION

FUNCTIONS anti-fingerprint-coating; add and weigh feature

(tare function); auto-hold function; overload indicator; battery status indicator; automatic power-off

CAPACITY GRADUATION SIZE IN MM UNITS 15 kg 310 x 265 x 25







DENISE

Smart stainless steel scale with extra-low profile: 10 mm only

| WEIGHING SURFACE | brushed stainless steel |
|------------------|---|
| DISPLAY/SIZE | LCD, 60 x 35 mm |
| OPERATION | press buttons |
| FUNCTIONS | add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off |

| CAPACITY | GRADUATION | SIZE IN MM | UNITS |
|----------|------------|----------------|----------|
| 5 kg | 1 g | 160 x 225 x 11 | g, lb.oz |







CLEO

One for all – simple and beautiful for every kitchen style

| WEIGHING SURFACE | safety glass LCD, 62 x 28 mm press buttons add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off | | |
|------------------|--|----------------|---------------------|
| DISPLAY/SIZE | | | |
| OPERATION | | | |
| FUNCTIONS | | | |
| CAPACITY | GRADUATION | SIZE IN MM | UNITS |
| 5 kg | 1 g | 188 x 218 x 18 | g, ml, lb.oz, fl.oz |





JULIA

Cool and clean – hygienic glass surface in a clear design

| WEIGHING SURFACE | safety glass | | | |
|------------------|--|----------------|---------------------|--|
| DISPLAY/SIZE | LCD, 53 x 25 mm | | | |
| OPERATION | sensor touch | sensor touch | | |
| FUNCTIONS | tare function; overload indicator; battery status indicator; automatic power-off | | | |
| CAPACITY | GRADUATION | SIZE IN MM | UNITS | |
| 5 kg | 1 g | 230 x 150 x 20 | g, ml, lb.oz, fl.oz | |







FRANZI

Compact kitchen scale for private cooking workshops

| WEIGHING SURFACE | safety glass | | | |
|------------------|--|----------------|---------------------|--|
| DISPLAY/SIZE | LCD, 58 x 27 mm press buttons add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off | | | |
| OPERATION | | | | |
| FUNCTIONS | | | | |
| CAPACITY | GRADUATION | SIZE IN MM | UNITS | |
| 5 kg | 1 g | 182 x 178 x 23 | g, ml, lb.oz, fl.oz | |






RAMONA

Environmentally friendly beauty – scale surface made of real bamboo

| WEIGHING SURFACE | bamboo | | |
|------------------|---|----------------|---------------------|
| DISPLAY/SIZE | LCD, 90 x 30 mm, blue lit | | |
| OPERATION | sensor touch | | |
| FUNCTIONS | add and weigh feature (tare function); overload indi- cator; battery status indicator; automatic power-off | | |
| CAPACITY | GRADUATION | SIZE IN MM | UNITS |
| 5 kg | 1 g | 180 x 230 x 20 | g, ml, fl.oz, lb.oz |









LEONIE

Perfectly shaped – extremely flat plastic body, appearing seamless

| WEIGHING SURFACE | ABS plastics LCD, 65 x 29 mm sensor touch add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off | | |
|------------------|---|---------------|------------------|
| DISPLAY/SIZE | | | |
| OPERATION | | | |
| FUNCTIONS | | | |
| CAPACITY | GRADUATION | SIZE IN MM | UNITS |
| 5 kg | 1 g | 170 x 220 x 9 | kg, g, oz, lb:oz |





grey



black





ALESSA

Metallic is trend – extremely flat scale in shimmering aluminium look

| WEIGHING SURFACE | aluminium alloy | | |
|------------------|--|----------------|------------------|
| DISPLAY/SIZE | LCD, 51 x 23 mm, blue lit | | |
| OPERATION | sensor touch | | |
| FUNCTIONS | tare function; overload indicator; battery status indicator; automatic power-off | | |
| CAPACITY | GRADUATION | SIZE IN MM | UNITS |
| 5 kg | 1 g | 200 x 151 x 11 | g, kg, lb.oz, oz |









SLIM

Colourful kitchen scale of slender shape – only 12 mm in height

| WEIGHING SURFACE | safety glass | | |
|------------------|---|----------------|---------------------|
| DISPLAY/SIZE | LCD, 55 x 25 mm | | |
| OPERATION | sensor touch add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off | | |
| FUNCTIONS | | | |
| CAPACITY | GRADUATION | SIZE IN MM | UNITS |
| 5 kg | 1 g | 150 x 230 x 15 | g, ml, lb.oz, fl.oz |





LILOU

The fantastic world of baking – young kitchen scale with a romantic design for trendy kitchens

| WEIGHING SURFACE | safety glass LCD, 65 x 28 mm | | |
|------------------|--|----------------|---------------------|
| DISPLAY/SIZE | | | |
| OPERATION | press buttons | | |
| FUNCTIONS | add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off | | |
| CAPACITY | GRADUATION | SIZE IN MM | UNITS |
| 5 kg | 1 g | 170 x 230 x 14 | g, ml, lb.oz, fl.oz |



KE 1501 coloured





JACKIE

Glass scale with trendy lifestyle print – for more cosiness in the kitchen

| WEIGHING SURFACE | safety glass | | |
|------------------|--|----------------|----------------------------|
| DISPLAY/SIZE | LCD, 46 x 23 mm | | |
| OPERATION | sensor touch | | |
| FUNCTIONS | add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off | | |
| CAPACITY | GRADUATION | SIZE IN MM | UNITS |
| 5 kg | 1 g | 145 x 200 x 17 | g, ml, oz, lb.oz, fl.oz |









NEW

INKA

Glass scale with trendy lifestyle print – for more cosiness in the kitchen

| CAPACITY | GRADUATION | SIZE IN MM | UNITS |
|--------------|--|------------|-------|
| | | | |
| FUNCTIONS | add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off | | |
| OPERATION | sensor touch | | |
| DISPLAY/SIZE | LCD, 46 x 23 mm | | |
| | safety glass | | |





ENI

Spoon with a brain – dispense the smallest quantities to 0.1 gram precision

| SPOON SCALES | ABS plastics | | |
|--------------|---|---------------|------------------|
| DISPLAY/SIZE | LCD, 33 x 13 mm | | |
| OPERATION | press buttons | | |
| FUNCTIONS | spoon for weighing high-quality spices, fine herbs and tiny amounts; measuring scales in spoon for 15 – 45 ml/1 – 3 tablespoons; detachable spoon attachment; tare function; hold function; totalling function up to 3,000 g; overload indicator; battery status indicator; automatic power-off | | |
| CAPACITY | GRADUATION | SIZE IN MM | UNITS |
| 300 g | 0.1 g | 65 x 250 x 30 | g, oz / ml, tbsp |





blue



KE 1808-2 green

DIGITAL POCKET SCALE

Small but capable – six weight units, with precise weight determination

| WEIGHING SURFACE | brushed stainless steel | | |
|------------------|--|----------------|----------------------------|
| DISPLAY/SIZE | LCD, 36 x 18 mm, blue lit | | |
| OPERATION | press buttons | | |
| FUNCTIONS | add and weigh feature (tare function); on/off switch for display illumination; overload indicator; battery status indicator; automatic power-off | | |
| CAPACITY | GRADUATION | SIZE IN MM | UNITS |
| 110 g | 0.01 g | 100 x 130 x 20 | g, ct, gn, oz, ozt, dwt |







LUGGAGE SCALES

DIGITAL LUGGAGE SCALE

Weighing without battery – thanks to environmentally friendly dynamo technology

| CASING | ABS plastics | | |
|-----------|--|---------------|--------|
| DISPLAY | LCD, 24 x 20 mm | | |
| OPERATION | press button | | |
| FUNCTIONS | strap length 180 mm; automatic hold function; tare function; overload indicator; charging level indicator; automatic power-off | | |
| CAPACITY | GRADUATION | SIZE IN MM | UNITS |
| 50 kg | 50 g | 148 x 33 x 40 | kg, lb |









The dynamo principle: simply shaking and weighing with kinetic energy – at any time.

DIGITAL LUGGAGE SCALE

Weight in hand – elegant luggage scale with blue backlit display

| CASING | stainless steel, ABS plastics | | |
|--------------|---|---------------|---------------|
| DISPLAY/SIZE | LCD, 30 x 13 mm, blue lit | | |
| OPERATION | press button | | |
| FUNCTIONS | belt length 210 mm; automatic hold function; add and weigh feature (tare function); overload indicator; battery status indicator; automatic power-off | | |
| CAPACITY | GRADUATION | SIZE IN MM | UNITS |
| 50 kg | 100 g | 147 x 30 x 46 | g, kg, oz, lb |









Pleasant ambience

PURE COMFORT

The bathroom has long since transformed from a pure functional room into an oasis of wellness!

Where you can find the portion of cosiness that turns a soothing bath or a refreshing shower into a relaxing break now and then.

The ADE personal and body analysis scales pick up on current bathroom trends and offer the right addition in terms of style and technology. Our range corresponds to diverse consumer preferences. While some simply want to control their weight,

others want information about body water, muscle gain, body fat percentage or the calculation of their BMI.

No compromises are made when it comes to precision, but every visual wish is ful-filled. Whether glass, marble or a nostalgic retro look, cosy hut magic with a dark wood look or sustainable bamboo wood: the right scale for every dream bathroom.





BODY ANALYSER SCALES

BARBARA

Robust and sustainable – weighing surface made of FSC-certified bamboo

| WEIGHING SURFACE | bamboo wood | bamboo wood | |
|------------------|---|----------------------------------|------------|
| DISPLAY/SIZE | LCD, 83 x 45 mm, | LCD, 83 x 45 mm, white digits | |
| ANALYSIS | body fat, body water and muscle mass in precise 0.1% steps | | |
| CALCULATION | bone mass in pre | bone mass in precise 100 g steps | |
| MEMORY SPACE | 10 users | | |
| OPERATION | tap-on technolog | y, sensor touch | |
| FUNCTIONS | overload indicato automatic power | r; battery status indic -off | ator; |
| CAPACITY | GRADUATION | SIZE IN MM | UNITS |
| 150 kg | 100 g | 300 x 300 x 34 | kg, lb, st |





BA 914 bamboo

TABEA

Pretty slim – extra flat body analyser scale: only 17 mm in height

| WEIGHING SURFACE | safety glass | | |
|------------------|---------------------------------------|--|------------|
| DISPLAY/SIZE | LCD, 74 x 35 mm | LCD, 74 x 35 mm | |
| ANALYSIS | | body fat, body water and muscle mass in precise 0.1% steps | |
| CALCULATION | | bone mass in precise 100 g steps; daily calorie requirement (BMR) | |
| MEMORY SPACE | 12 users | | |
| OPERATION | step-on technology, sensor touch | | |
| FUNCTIONS | overload indicato automatic power- | r; battery status indic -off | ator; |
| CAPACITY | GRADUATION | SIZE IN MM | UNITS |
| 180 kg | 100 g | 300 x 300 x 17 | kg, lb, st |









Top rating from the "Stiftung Warentest" consumer research and testing organisation: Mark "Good".



BODY ANALYSER SCALE

With data management in our feel-good app FITvigo. More information see fitvigo.de

| WEIGHING SURFACE | safety glass | | |
|------------------|--|------------------|------------|
| DISPLAY/SIZE | LCD, Ø 70 mm | | |
| ANALYSIS | body fat, body water and muscle mass in precise 0.1 % steps | | |
| CALCULATION | bone mass in precise 100 g steps, BMI* | | |
| MEMORY SPACE | 8 users | | |
| OPERATION | step-on technolo | gy, sensor touch | |
| FUNCTIONS | reliable and rapid data transfer to the FITvigo App via Blue- tooth; overload indicator; battery status indicator; automat power-off; bluetooth reach 10 m | | 9 |
| CAPACITY | GRADUATION | SIZE IN MM | UNITS |
| 180 kg | 100 g | 310 x 310 x 24 | kg, lb, st |







*Displayed and evaluated in conjunction with the FITvigo App.

MALOU


Precious and smart – seven vital values for better wellbeing

| WEIGHING SURFACE | safety glass | | |
|------------------|---|-------------------------------|------------|
| DISPLAY/ SIZE | LCD, 80 x 39 mm, | LCD, 80 x 39 mm, white digits | |
| ANALYSIS | body fat, body water and muscle mass in precise 0.1% increments | | |
| CALCULATION | bone mass percentage in 100 g increments, BMR (calories needed), BMI | | |
| MEMORY SPACE | 10 users | | |
| OPERATION | step-on technology, sensor touch | | |
| FUNCTIONS | overload indicator, battery status indicator, automatic power-off | | ator, |
| CAPACITY | GRADUATION | SIZE IN MM | UNITS |
| 180 kg | 100 g | 330 x 330 x 20 | kg, lb, st |





BATHROOM SCALES





KIRA

Noble and environmentally friendly – weighing without battery

WEIGHING SURFACE safety glass

DISPLAY/SIZE LCD, 60 x 35 mm

OPERATION charge, step-on

FUNCTIONS charging with dynamo principle; overload indicator; charge level indicator; automatic power-off

CAPACITY GRADUATION SIZE IN MM UNITS

150 kg 100 g 300 x 300 x 25 kg, lb



BE 2008 white



MARTINA

Pretty eco-friendly – weighing surface made of genuine FSC-certified bamboo

| WEIGHING SURFACE | bamboo wood | | |
|------------------|------------------------------|---------------------------------|------------|
| DISPLAY/SIZE | LCD, 83 x 45 mm, illuminated | | |
| OPERATION | tap-on technolog | tap-on technology | |
| FUNCTIONS | overload indicator | or; battery status ind r-off | icator; |
| CAPACITY | GRADUATION | SIZE IN MM | UNITS |
| 150 kg | 100 g | 300 x 300 x 34 | kg, lb, st |



BE 925 bamboo



BATHROOM SCALES

HOLLY

Hut magic for bathroom – weighing surface with a rustic wood look

WEIGHING SURFACE Safety glass with plastic coating LCD, 72 x 31 mm

OPERATION step-on technology

FUNCTIONS overload indicator; battery status indicator; automatic power-off

 CAPACITY
 GRADUATION
 SIZE IN MM
 UNITS

 180 kg
 100 g
 300 x 300 x 20
 kg, lb, st







YLVIE

Transparent lightness – noble black and white with a glass weighing surface

| WEIGHING SURFACE | safety glass | | |
|------------------|---------------------------------------|--------------------------------|--------|
| DISPLAY/SIZE | LCD, 74 x 28 mm | LCD, 74 x 28 mm | |
| OPERATION | step-on technolog | step-on technology | |
| FUNCTIONS | overload indicato automatic power- | r; battery status indic off | ator; |
| CAPACITY | GRADUATION | SIZE IN MM | UNITS |
| 180 kg | 100 g | 300 x 300 x 18 | kg, lb |







GINA

Hello, I am speaking to you – talking bathroom scale with extra-high weighing capacity

| WEIGHING SURFACE | safety glass | |
|------------------|---|--|
| DISPLAY/SIZE | LCD, 75 x 30 mm | |
| OPERATION | step-on technology | |
| FUNCTIONS | announcement of weight via integrated loudspeaker, 5 languages: German, English, French, Spanish, Italian; overload indicator; battery status indicator; automatic power-off | |

| CAPACITY | GRADUATION | SIZE IN MM | UNIIS |
|----------|------------|----------------|--------|
| 250 kg | 100 g | 310 x 310 x 26 | kg, lb |





Also ideal for elderly people

KATHARINA

The Great – the extra-large XXL display will not miss a single gramme

| WEIGHING SURFACE | safety glass | | |
|------------------|--|--------------------------------|------------|
| DISPLAY/SIZE | XXL LCD, 106 x 91 mm | | |
| OPERATION | step-on technolog | step-on technology | |
| FUNCTIONS | overload indicator automatic power- | ; battery status indica off | ator; |
| CAPACITY | GRADUATION | SIZE IN MM | UNITS |
| 180 kg | 100 g | 300 x 300 x 23 | kg, lb, st |





Also ideal for elderly people

BATHROOM SCALES

LINETTE

Elegant and precise – glass scales with BMI calculation

| WEIGHING SURFACE | safety glass | | |
|------------------|--------------------|--|-------------------------------------|
| DISPLAY/SIZE | black LCD, 74 x 46 | mm, white digits | |
| DATA | BMI | | |
| MEMORY SPACE | 12 users | | |
| OPERATION | step-on technolo | gy, buttons on the sid | de |
| FUNCTIONS | | ation in 50 g incrementicator; automatic pov | nts; overload indicator; ver-off |
| CAPACITY | GRADUATION | SIZE IN MM | UNITS |
| 180 kg | 50 g | 333 x 303 x 23 | kg, lb, st |





LILIAN

Classic and precise – glass scales with BMI calculator

| WEIGHING SURFACE | safety glass | | |
|------------------|--------------------|--|-------------------------------------|
| DISPLAY/SIZE | white LCD, 74 x 46 | 6 mm, black digits | |
| DATA | BMI | | |
| MEMORY SPACE | 12 users | | |
| OPERATION | step-on technolo | gy, buttons on the sid | de |
| FUNCTIONS | | ation in 50 g increme icator; automatic pov | nts; overload indicator; ver-off |
| CAPACITY | GRADUATION | SIZE IN MM | UNITS |
| 180 kg | 50 g | 333 x 303 x 23 | kg, Ib |





ADE



AURORA

Marble living trend – classic and elegant in white or black

WEIGHING SURFACE safety glass

DISPLAY/SIZE LCD, 73 x 28 mm

OPERATION step-on technology

FUNCTIONS overload and battery status indicator; automatic power-off

CAPACITY GRADUATION SIZE IN MM UNITS

180 kg 100 g 300 x 300 x 20 kg, lb, st



BE 1711 marble/white



BE 1712 marble/black





BATHROOM SCALES

LEEVKE

FUNCTIONS

Classy – attractive bathroom scale with elegant silver surface and a weighing capacity of 180 kg

| WEIGHING SURFACE | safety glass |
|------------------|--------------------|
| DISPLAY/SIZE | LCD, 72 x 34 mm |
| OPERATION | step-on technology |

overload and battery status indicator; automatic power-off

| CAPACITY | GRADUATION | SIZE IN MM | UNITS |
|----------|------------|----------------|------------|
| 180 kg | 100 g | 300 x 300 x 16 | kg, lb, st |





OLIVIA

Energetic – glass scale with a classic transparent surface

GRADUATION

100 g

| WEIGHING SURFACE | safety glass |
|------------------|---|
| DISPLAY/SIZE | LCD, 62 x 27 mm |
| OPERATION | step-on technology |
| FUNCTIONS | overload indicator; battery status indicator; automatic power-off |

SIZE IN MM

280 x 280 x 24

kg, lb, st



180 kg





SUKI

Transparent lightness – futuristic construction under a glass weighing surface

WEIGHING SURFACE safety glass DISPLAY/SIZE

OPERATION step-on technology FUNCTIONS

overload indicator; battery status indicator; automatic power-off

LED, 83×74 mm, black background with white digits

CAPACITY GRADUATION SIZE IN MM UNITS 180 kg 100 g 300 x 300 x 17 kg, lb



black



IRIS

Weighing with ambience – light up your weight

| WEIGHING | SURFACE | safety glass |
|----------|---------|--------------|
| | | |

DISPLAY/SIZE LED, \emptyset 60 mm, illuminated, white digits OPERATION step-on technology

FUNCTIONS round weighing surface; blue LED illumination of the inner weighing surface during weighing; overload and battery

status indicator; automatic power-off

CAPACITY GRADUATION SIZE IN MM UNITS 180 kg 100 g Ø 330 x 27 kg, lb





BATHROOM SCALES

VICTORIA

Mechanical bathroom scale with nostalgic design

 WEIGHING SURFACE
 robust metal body, scratch-resistant finish, non-slip rubberised

 DISPLAY
 big and clear full view dial

 FUNCTIONS
 manually adjustable zero position

 CAPACITY
 GRADUATION
 SIZE IN MM
 UNITS

 136 kg
 1 kg
 285 x 430 x 83
 kg









NINA

Small and great – simple weight determination

WEIGHING SURFACE
DISPLAY
easy to read partial view dial
FUNCTIONS
manually adjustable zeroing









Fresh classics

They are more popular than ever – mechanical bathroom scales are in fashion. Without batteries, but with lots of charm and fresh colours, they look good in any bathroom.







FELICITAS

Mechanical bathroom scale with eye catcher – it's the lifted round dial

WEIGHING SURFACE stainless steel, non-slip rubberised

DISPLAY lifted full view dial

FUNCTIONS manually adjustable zero position

 CAPACITY
 GRADUATION
 SIZE IN MM
 UNITS

 160 kg
 1 kg
 275 x 345 x 113
 kg



BM 702 black



BM 702-1 mint



BM 702-3 red



BM 702-4 petrol







Live Better

OF LIGHT, AIR AND GOOD SLEEP



Leave the everyday hustle and bustle behind, catch your breath, relax, regain your strength at night and face your daily life filled with energy – in your own home this works best. That is why we have integrated products into our "Life" category that will simply do your personal balance good.


Picnic by the lake or better relax on the sofa? Our weather stations will help you decide! Hygrometers and air monitors provide information on the indoor climate and our air purifier ensures fresh and clean indoor air.

The aroma diffuser helps you relax with the perfect mixture of light and fragrance. And

the wake-up light not only ensures that you fall asleep relaxed, but also that you wake up gently. Speaking of waking up: In addition to various digital and mechanical alarm clocks, there is also a cool all-rounder that combines alarm clock, night light and bedside lamp.



WELLBEING



AROMA DIFFUSER

Light and fragrance – inspiration and relaxation for the home and office

CASING

ABS plastics, wood look

OPERATION

press buttons, mains operation

CONTAINER

300 ml

FUNCTIONS

fine cold mist via high frequency vibrations; pleasant fragrance mist with the use of essential oils; two adjustable mist levels (continuous, interval); continuous operation or sleep timer (1, 3, and 6 hours); mood lighting (7 different colours) with adjustable light intensity in 2 levels and selectable colour change mode; automatic power-off when filling level is too low; mains adapter included

EFFECTIVE AREA

OPERATION TIME

SIZE IN MM

up to 30 m²

6-10 hours depending on the mist level Ø 168 x 130



HM 1902 white-wood





5-FILTER AIR PURIFIER

Breathe easy – whilst impurities are filtered from your room air.

| CASING | ABS plastics | |
|--|---|---|
| OPERATION | sensor touch, mains operation | |
| pre-filter to protect against coarse dirt and dust p EPA (E11) and activated carbon filter to protect ag dust, pollen and allergens; activated carbon filter harmful or irritating gasses (ozone); integrated, ad UV-C lamp with ioniser eliminates micro-organism bacteria and fungus) and bad smells | | activated carbon filter to protect against fine and allergens; activated carbon filter against lating gasses (ozone); integrated, adjustable th ioniser eliminates micro-organisms (viruses, |
| FUNCTIONS | three settings and a sleep timer (2, 4 and 8 hours); operates quietly: 30 dB (lowest setting / night mode) – 50 dB (highest setting); interchangeable 3-in-1 filter with filter change display, UV-C lamp, ioniser | |
| EFFECTIVE AREA | WEIGHT | SIZE IN MM |
| up to 12 m ² / 30 m ³ air | 1.17 kg | 191 x 250 x 135 |
| | | |





WAKE-UP LIGHT

Greet the day gently – wake up to a simulated sunrise, music or nature sounds

| CASING | ABS plastics |
|-----------------|--|
| DISPLAY/SIZE | LED, 51 x 36 mm, 4 brightness levels |
| OPERATION | press buttons, sensor touch, mains operation |
| FUNCTIONS | sun and moonrise simulation 30 minutes before acoustic alarm; alarm clock using preset radio stations or 6 natural sounds, with snooze function; FM reception with automatic station search; mood lighting (7 different colours) with adjustable light intensity; adjustable sleep timer for illumination (15, 30, 45, 60 minutes); perpetual calendar with date and day display (7 languages); USB cable and mains adapter included |
| TIME GRADUATION | SIZE IN MM |
| hours, minutes | 170 x 124 x 160 |
| | |





ADE



TIME



SMART 3-IN-1 ALARM CLOCK WITH LED LIGHT

Time is upside down – alarm clock, night light and bedside lamp in one

CASING ABS plastics with soft-touch surface

DISPLAY/SIZE LCD, Ø 50 mm

OPERATION push buttons, shake, turn over

INSTRUMENTS thermomet
FUNCTIONS 12/24 h disp

12/24 h display; alarm clock with dual alarm and snooze function, snooze function at the push of a button, shake or turn over; display illumination by pressing a button or by moving the alarm clock, 3 brightness levels, automatic power-off after 10 seconds; integrated light, dimmable – mobile night light or bedside lamp; function displays for alarm times, snooze and display illumination; battery level indicator; USB charging cable included

TIME GRADUATION

hours, minutes 80 x 115 x 80







SIZE IN MM





The **dimmable LED light** is automatically activated, when the alarm clock is upside down.



DIGITAL ALARM CLOCK WITH INDUCTION CHARGING FOR SMARTPHONES

Practical all-rounder with temperature display and alarm function

| CASING | ABS plastics | |
|--------------|---|--|
| DISPLAY/SIZE | LCD, 132 x 46 mm | |
| OPERATION | push buttons, sensor touch | |
| INSTRUMENTS | thermometer | |
| FUNCTIONS | 12/24 h display; temperature display in °C or °F; permanent time display or alternating time and temperature display; alarm clock with dual alarm | |

permanent time display or alternating time and temperature display; alarm clock with dual alarm and snooze function; wireless induction charging for smartphones; lighting with three brightness levels; mains adapter included

mains adapter includes


SIZE IN MM

hours, minutes 142 x 95 x 60



INDICATOR







DIGITAL ALARM CLOCK WITH TEMPERATURE DISPLAY

Practical all-rounder with snooze and weekend function

| CASING | ABS plastics |
|--------------|--|
| DISPLAY/SIZE | LCD, 81 x 43 mm |
| OPERATION | push buttons, sensor touch |
| INSTRUMENTS | thermometer |
| FUNCTIONS | 12/24 h display; temperature display in °C or °F; perpetual calendar with date and weekday display; alarm time display; alarm clock with snooze function and weekend mode; display illumination via sensor touch |

TIME GRADUATION SIZE IN MM hours, minutes 108 x 38 x 71







TIME

RADIO-CONTROLLED ALARM CLOCK WITH TEMPERATURE INDICATOR

Small and comfortable – dual-alarm with sensor snooze button

| CASING | ABS plastics, bambo | oo wood | |
|-----------------|-----------------------|--|--------------|
| DISPLAY/SIZE | LCD, 51 x 44 mm, w | nite lit | |
| OPERATION | press buttons, senso | or touch | |
| INSTRUMENTS | DCF radio signal, the | ermometer | |
| FUNCTIONS | perpetual calendar | 12/24 hour time display; indoor temperature indicator; perpetual calendar with date and time indicators 7 languages); alarm clock with snooze function | |
| TIME GRADUATION | TEMPERATURE | UNITS | SIZE IN MM |
| hours, minutes | -10° – 50 °C | °C, °F | 72 x 72 x 37 |





RADIO-CONTROLLED ALARM CLOCK WITH TEMPERATURE AND DATE INDICATORS

Easy snoozing – thanks to an extra-large snooze button

| CASING | ABS plastics, bamboo wood | |
|--------------|--|--|
| DISPLAY/SIZE | LCD, 128 x 44 mm, white lit | |
| OPERATION | press buttons | |
| INSTRUMENTS | DCF radio signal, thermometer | |
| FUNCTIONS | 12/24 hour time display; indoor temperature indicator; perpetual calendar with date and time indicators; indication of lunar phases; alarm clock with snooze function; automatic and manual time setting | |









RADIO-CONTROLLED CLOCK WITH XXL DIGITS

Indication of lunar phases, temperature, and date included

| CASING | ABS plastics, bamboo wood | | |
|-----------------|--|--|----------------|
| DISPLAY/SIZE | LCD, 165 x 93 mm | | |
| OPERATION | press buttons | | |
| INSTRUMENTS | DCF radio signal, the | rmometer | |
| FUNCTIONS | 12/24 hour time disp perpetual calendar v indication of lunar p function; for hanging | vith date and time hases; alarm clock v | indicators; |
| TIME GRADUATION | TEMPERATURE | UNITS | SIZE IN MM |
| hours, minutes, | -10°- 60°C | °C, °F | 229 x 161 x 28 |





seconds

XL RADIO WALL CLOCK WITH THERMOMETER/HYGROMETER

For a good view – high-contrast and extra-large display with illumination

| CASING | ABS plastics | |
|--------------|---|--|
| DISPLAY/SIZE | LCD, 193 x 109 mm, backlit | |
| OPERATION | push buttons, sensor touch | |
| INSTRUMENTS | DCF radio clock, thermometer, hygrometer | |
| FUNCTIONS | 12/24 h display; temperature display; perpetual calendar with date and weekday display (7 languages); alarm clock with dual alarm and snooze function; automatic and manual time setting; for hanging and standing installation | |

UNITS

°C, °F

SIZE IN MM

225 x 33 x 145



hours, minutes, seconds

TIME GRADUATION TEMPERATURE

0°- 50°C



TIME

QUARTZ ALARM CLOCK WITH NIGHT LIGHT SENSOR

Night & day – a good start to your day with elegant black

| CASING | ABS plastics |
|--------------|---|
| CLOCK FACE | minute division |
| TIME SETTING | manual |
| OPERATION | knob, slide switch |
| FUNCTIONS | light sensor for gentle dial illumination in the dark; quartz mechanism; whisper quiet sweep pointer; manual clock and alarm time setting; alarm ON/OFF via slide switch; alarm clock with snooze function; |

silicone foot for secure stand

hours, minutes, seconds

TIME GRADUATION SIZE IN MM

Ø 115 x 36



black





RADIO ALARM WITH TEMPERATURE INDICATOR

No more annoying ticking – thanks to the super silent sweep clockwork

| CASING | ABS plastics | |
|--------------|--|--|
| CLOCK FACE | minute division | |
| DISPLAY/SIZE | LCD, 18 x 8 mm | |
| TIME SETTING | manual, automatic | |
| INSTRUMENTS | DCF radio clock, thermometer | |
| OPERATION | push buttons, sensor touch | |
| FUNCTIONS | indoor temperature and date display, alternating every 20 seconds; alarm clock with snooze function; automatic and manual time setting; alarm ON / OFF | |

via slide switch; display illuminaton

TIME GRADUATION UNITS SIZE IN MM Ø 81 x 40 hours, minutes, seconds









QUARTZ ALARM CLOCK WITH NIGHT LIGHT SENSOR

Pretty maritime – whisper-quiet and softly lit

| CASING | ABS plastics | |
|--------------|--|--|
| CLOCK FACE | minute division | |
| TIME SETTING | manual | |
| OPERATION | knob, slide switch | |
| FUNCTIONS | light sensor softly backlights the clock face in the | |

dark, nightlight button (duration 10 sec.); quartz mechanism; whisper quiet sweep pointer; set time and alarm manually; alarm ON / OFF with a sliding switch; alarm with snooze function; firm stand with silicone feet

TIME GRADUATION SIZE IN MM

hours, minutes, Ø 105 x 38 seconds







CLIMATE





WEATHER STATION WITH RADIO-CONTROLLED RAIN GAUGE

Smart garden friend – rain measurement for optimal irrigation

| BASE STATION | ABS plastics, battery operation, desktop model | | |
|--------------------------------------|---|-----------------------|--------------------------------------|
| RAIN OUTDOOR SENSOR | ABS plastics, weatherproof, battery operation | | |
| DISPLAY/SIZE | LCD display, 111 x 61 mm, backlit | | |
| OPERATION | press buttons | | |
| INSTRUMENTS | thermometer, rain gauge | | |
| FUNCTIONS | measuring and display of the precipitation (current / today), calculating and history of the precipitation for 1 h / 24 h / 7 days / month / year and total precipitation; temperature display (indoor and outdoor / trend display / memory); radio clock with alarm and snooze functions; perpetual calendar; batteries included | | |
| PRECIPITATION/ TEMPERATURE | UNITS WEATHER | STATION SIZE IN MM | RAIN OUTDOOR SENSOR SIZE IN MM |
| 0 – 9999 mm -4° – 60 °C (outdoor) | mm/Inch °C/°F | 150 x 95 x 43 | 180 x 110 x 130 |





0°-50 °C (indoor)

WS 1907 black

WEATHER STATION WITH WIRELESS OUTDOOR SENSOR

Smart and clear – large LED display and smartphone charging function included

WEATHER STATION

desktop and wall mounted model

OUTDOOR SENSOR

TRANSMISSION

RANGE

DISPLAY/SIZE

OPERATION

INSTRUMENTS

FUNCTIONS

ABS plastics, with batteries and mains adapter,

ABS plastics, weather-resistant, battery operation

up to 60 m in an open area

LED colour display, five brightness levels, 167 x 93 mm

press buttons

barometer, hygrometer, thermometer, DCF radio clock

barometric weather forecast; barometric pressure indicator (12 h); temperature and hygrometer indicator (indoor and outdoor / trend indicators / memory function); indication of lunar phases; frost alert; temperature alert (outdoor); DCF radio clock with alarm and snooze function; outdoor sensor with indication of temperature and hygrometer; perpetual calendar (7 languages); coupling of up to 3 outdoor sensors; USB connection for smartphone charging; batteries and mains adapter included

TEMPERATURE/ HUMIDITY

-20°-60°C 20 - 95 %

°C, °F, RH (%),

UNITS

mb/hPa,

SIZE WEATHER STATION IN MM 205 x 130 x 31

SIZE OUTDOOR SENSOR IN MM 50 x 97 x 32

inHg/mmHg



WS 1704 black





CLIMATE

WEATHER STATION WITH WIRELESS OUTDOOR SENSOR

At a glance – keep an eye on all important weather information

WEATHER STATION

ABS plastics, bamboo wood, with batteries and

OUTDOOR SENSOR

DISPLAY/SIZE

OPERATION

RANGE

INSTRUMENTS

FUNCTIONS

mains adapter, desktop model

ABS plastics, weather-resistant, battery operation

up to 60 m in an open area

LED colour display, 125 x 80 mm, two brightness levels

press buttons

barometer, hygrometer, thermometer, DCF radio clock

barometric weather forecast; barometric pressure indicator (12 h); temperature and hygrometer indicator (indoor and outdoor / trend indicators / memory function); indication of lunar phases: frost alert: temperature alert (outdoor): DCF radio clock with alarm and snooze function; perpetual calendar (8 languages); batteries and mains adapter included

165 x 122 x 53

TEMPERATURE/ HUMIDITY

-20° - 60°C 20 - 95 %

UNITS

SIZE WEATHER STATION IN MM

SIZE OUTDOOR SENSOR IN MM

°C, °F, RH (%), mb/hPa,

inHg/mmHg

40 x 23 x 92







WS 1703 bamboo



WS 1914 with interchangeable frame black and walnut

Frame change

Do you want something new? The weather station WS 1914, identical in construction to WS 1503 and WS 1703, with interchangeable frames makes every change of scenery easy with one click. Choose your favourite decor* - done!





WS 1914 with interchangeable frame bamboo and mint





* Various decors and colours only available for minimum order quantity.



Technology at its best

Always know what time it is, even at night? No turning round, getting up or groping around on the bedside table in the dark – the large LED projection turns the ceiling into an XXL display.





WEATHER STATION WITH PROJECTION AND WIRELESS OUTDOOR SENSOR

Weather forecast plus thermo-hygrometer with LED ceiling projection

| BASE STATION | ABS plastics, mains operation, desktop model | |
|----------------|---|--|
| OUTDOOR SENSOR | ABS plastics, battery operation | |
| RANGE | 60 m in an open area | |
| DISPLAY/SIZE | backlit LCD display, 94 x 63 mm, three brightness levels, additional projection display | |
| OPERATION | press buttons | |
| INSTRUMENTS | hygrometer, thermometer, DCF radio clock | |

animated weather forecast; humidity and temperature display (indoor and outdoor / trend display); radio clock with dual alarm and snooze function; perpetual calendar; 180° rotatable projection display; batteries and mains adapter included

| TEMPERATURE/ HUMIDITY | UNITS | BASE STATION SIZE IN MM | OUTDOOR SENSOR |
|--------------------------|----------------|----------------------------|----------------|
| -0° – 50 °C | °C, °F, RH (%) | 168 x 99 x 39 | 93 x 40 x 23 |
| 20 - 95 % | | | |



ADE





FUNCTIONS

CLIMATE



AIR QUALITY MONITOR WITH THERMO- / HYGROMETER

On the safe side – display of CO₂ and pollution levels (TVOC)

CASING ABS plastics

DISPLAY/SIZE LCD display, 63 x 57 mm

OPERATION press buttons, sensor touch

press battons, sensor toden

INSTRUMENTS hygrometer, thermometer, swiss pollutant sensor

display of CO₂ levels, pollution levels (TVOC), air humidity and temperature (indoor); comfort display based on

SIZE IN MM

various icons; batteries included

CO₂ LEVELS/ POLLUTION LEVELS/ TEMPERATURE/ HUMIDITY

FUNCTIONS

400 – 60.000 ppm 0.005 – 9.999 mg/m³ -9.9° – 50°C 20 – 97%

ppm, mg/m³, °C, 81 x 81 x

RH (%)

UNITS



WS 1908 white







THERMO- / HYGROMETER WITH BAMBOO FRONT

For a healthy indoor climate – monitoring of temperature and air humidity

CASING ABS plastics, bamboo wood, battery operation, desktop model

DISPLAY/SIZE LCD, 74 x 52 mm

OPERATION press buttons

INSTRUMENTS hygrometer, thermometer

FUNCTIONS indication of three differe

indication of three different degrees of humidity (too dry, optimal, too damp); temperature indicator with MIN/MAX; air humidity indicator with MIN/MAX

TEMPERATURE/ UNITS SIZE IN MM HUMIDITY

°C, °F, RH (%) 100 x 81 x 13



0°-50°C

20 - 95%



ADE

THERMO- / HYGROMETER WITH MOULD ALARM

On the safe side – mould warning at too-high air humidity

CASING ABS plastics, battery operation, desktop and wall mounted model

DISPLAY/SIZE LCD, 65 x 95 mm

OPERATION press buttons

INSTRUMENTS hygrometer, thermometer

visual mould alert; temperature and hygrometer indicator (indoor / memory); programmable upper / lower relative air humidity with alarm at too-high air humidity; 12-hour humidity record; dew point indicator: 0° – 50 °C; indication of five different degrees of humidity (too dry, dry, particul degrees to a degree.)

dry, optimal, damp, too damp)

TEMPERATURE/ HUMIDITY

FUNCTIONS

UNITS SIZE IN MM

0°-50°C 20-95% °C, °F, RH (%) 82 x 136 x 21





WS 1700 white

WS 1701 black

CLIMATE

ANALOGUE THERMO- / HYGROMETER

Without battery – classic indoor temperature and humidity display

CASING brushed stainless steel, tempered glass, desktop and wall mounted model

analogue, Ø 115 mm DISPLAY/SIZE INSTRUMENTS hygrometer, thermometer

humidity display; temperature display

TEMPERATURE/ UNITS SIZE IN MM HUMIDITY -30° − 50 °C °C, RH (%) 126 x 65 x 135



20 - 100 %

FUNCTIONS





ANALOGUE THERMO- / HYGROMETER

Without battery – classic indoor temperature and humidity display

| CASING | ABS plastics with real wood frame, glass, |
|--------|---|
| | desktop and wall mounted model |

DISPLAY/SIZE analogue, 74 x 74 mm INSTRUMENTS hygrometer, thermometer

FUNCTIONS humidity display; temperature display

| TEMPERATURE/ HUMIDITY | UNITS | SIZE IN MM |
|--------------------------|------------|----------------|
| -30° − 50 °C | °C, RH (%) | 100 x 26 x 101 |
| 20 - 100 % | | |










PINO, THE SLEEP COACH LEARNING BEDTIMES WITH FUN



I SNUUTJe LOW GERMAN FOR DARLING

snuutje.de



ade-germany.de



Distribution ADE HOME Waagen-Schmitt GmbH