

The Flora of Bitlis River Valley

Abdullah ALTIOK, Lütfi BEHÇET

Yüzüncü Yıl University, Faculty of Science and Arts, Department of Biology, 06580 Van - TURKEY

Received: 30.06.2004

Accepted: 24.05.2005

Abstract: This paper describes a floristic study of Bitlis river basin. The research was carried out from 2001 and 2003 to 2150 vascular plant specimens were collected. After the identification of the specimens, the flora was determined to include 925 taxa (at specific and infraspecific ranks) belonging to 770 species, 386 genera and 85 families. One hundred and seventy-nine taxa were defined as new records for the B9 square. The endemism rate of the area is 6.8% based on 63 taxa. The largest families are Asteraceae (109 taxa), Fabaceae (101 taxa) and Poaceae (77 taxa). The largest genera are *Trifolium* L. (27), *Astragalus* L. (22) and *Silene* L. (18). The phytogeographic elements are represented in the study area as follows: Irano-Turanian 292 (31.8%), Mediterranean 81 (8.7%) and Euro-Siberian 46 (4.9%). When the flora of the area is analysed by Raunkiaer's life form system, the results are as follows: hemicryptophytes 345 (37.3%), therophytes 308 (33.3%), chamaephytes 103 (11.1%), cryptophytes 101 (10.9%) and phanerophytes 68 (7.35%). The descriptions of 29 species in our study were different in terms of some characteristics from the descriptions in the Flora of Turkey and in some cases from the flora of neighbouring countries.

Key Words: Flora, Bitlis, Turkey

Bitlis Çayı Vadisi Florası

Özet: Bitlis Çayı Havzasının Florası bu çalışmada sunulmuştur. 2001-2003 yılları arasında gerçekleştirilen bu araştırma esnasında 2150 vasküler bitki örneği toplandı. toplanan örneklerin teşhis sonucu 770 tür, 386 cins ve 85 familyaya ait toplam 925 takson belirlendi. 179 taksonun B9 karesi için yeni kayıt olduğu ortaya kondu. Alandan 63 endemik taksonun (% 6.8) yayılışı kaydedildi. En büyük üç familya; Asteraceae (109 takson), Fabaceae (101 takson) ve Poaceae (77 takson)'dır. En büyük cinsler; *Trifolium* L. (27), *Astragalus* L. (22) ve *Silene* L. (18)'dır. Araştırma alanında fitocoğrafik elementlerin dağılımı şöyledir; İran - Turan elementi 292 (% 31.8), Akdeniz elementi 81 (% 8.7), Avrupa-Sibirya elementi 46 (% 4.9). Raunkiaer hayat formu kriterine göre florayı oluşturan bitkilerin hayat formu dağılımı şöyledir; hemikriptofit 345 (% 39.2), terofit 308 (% 30.9), kamefit 103 (% 11.1), kriptofit 101 (% 10.9), ve fanerofit 68 (% 7.35). Verilen türlerin 29'unda, Türkiye florası ve komşu ülke floraslarında verilen betimlerden farklı, bazı özellikler kaydedildi.

Anahtar Sözcükler: Flora, Bitlis, Türkiye

Introduction

The study area is between Bitlis and Baykan (Siirt) in the SE part of East Anatolia, situated in the Irano-Turanian phytogeographic region. The area is located in B9 square according to the grid system adopted in the Flora of Turkey (Davis 1965-1985).

The research area is bordered in the north-east by Rahva plain, in the west by the Meydan Mountains, in the east by the Şatak Mountains and in the south-west by Baykan province (Figure 1). Bitlis river is the main river in the study area. Other important rivers in the basin are the Kümüs, Hersan and Mutki, which drain into Bitlis river. The mountain chains extending on both sides of Bitlis river are the eastern part of the Taurus mountain

range and are named the Bitlis massif in the geological literature. The other important altitudes in the basin are the Kalem (2418 m), Kambos (2370 m), Şeyhhabib (2385 m) and Nabat (2363 m) mountains and the Berge (1574 m) and Şihzerayık (1511 m) hills. The altitude of the area is between 800 m at Baykan and 2658 m at the Şikirin hill summit.

The mountains are among the old metamorphic massif of Turkey. The Bitlis massif, extending in a NW-SE direction, is composed of metamorphic schistes. The Paleozoic Bitlis massif was created by the Caledonian and heronian orogenesis (Atalay, 1983). The east partern of the study area was covered by lava, which erupted from Nemrut volcano.




Figure 1. Geographic map of the study area.

The large soil group in the study area is limeless brown soils. The undulating and partly flat lands of Bitlis Mountain have limeless brown forest soil, which developed under the oak communities. Most of the high mountain area has lithosol. Rahva plain is covered by volcanic regosols. Colluvial and alluvial soils are also present locally in the riverside and small plains.

The climate of the research area was examined using data from the meteorology stations in Bitlis and Baykan (DM?GM, 1994). Due to the differences in topography the climate is not the same all over the study area. The climate indicates transition region characteristics in the

study area (between the continental climate of East Anatolia and warm Mediterranean climate).

Based on data obtained according to the precipitation-temperature quotient of Emberger (1955), the area bioclimatically has a humid, very cold (Bitlis) and cold (Baykan) type of Mediterranean climate (Table 1).

The natural vegetation formation of the area is oak-juniper forest (*Quercus infectoria* Olivier subsp. *boissieri* (Reut.) O.Schwarz is dominant taxon in this vegetation at altitudes of 1300-2200 m. *Q. libani* Olivier accompanies *Q. infectoria* in some places. *Juniperus oxycedrus* L. subsp. *oxycedrus* is a subdominant species widely

Table 1. Climatic data from the meteorological stations.

Station	h	P	M	m	Q	PE	PE/M	Precip. regime	Bioclimate
Bitlis	1573	1238.1	22.8	-6.5	150.29	32.9	1.44	A.Sp.W.Sm	Humid very cold
Baykan	1050	991.9	30.6	-1.0	109.06	6.6	0.54	W.Sp.A.Sm	Humid cold

h- altitude in m; P-mean annual precipitation in mm; M-mean temperature (°C) for the hottest month; m- mean temperature (°C) for the coldest month; Q-Emberger's pluviometric quotient: 2000 P/M²-m²; PE-Summer rainfall; PE/M-Emberger's index of xericity; A- Autumn; Sp-Spring; W-Winter; Sm-Summer.

distributed in the area. *Q. brantii* Olivier is spread on the southern slopes of the area at 1000-1500 m altitudes). However some parts of the forest have been destroyed and degenerated in various ways. Hence the anthropogenic steppes are widespread on the mountain area where natural forests are destroyed.

The steppe formation is dominant in the area where shrubs are destroyed and which has become bare (almost without trees). Most of the plant cover is xerophilous grassland; here chamaephytes and caespitose hemicryptophytes (usually members of *Lamiaceae*, *Fabaceae*, *Plumbaginaceae* and *Poaceae*) are dominant.

Hydrophytic vegetation is found on streamside areas such as Bitlis: İçmeli, Hersan, Ağaçköprü and Narlıdere streams in the study area. *Agrimonia eupatoria* L., *Barbarea minor* K.Koch var. *minor*, *B. minor* K.Koch var. *robusta* Cullen & Coode, *B. vulgaris* R.Br., *Calamagrostis parsana* (Bur.) Dogan, *Capsella bursa-pastoris* (L.) Medik., *Cardamine tenera* C.C.Gmel., *Chenopodium album* L. subsp. *album* var. *album*, *Epilobium hirsutum* L. *E. roseum* Schreb. subsp. *subsessile* (Boiss.) P.H.Raven, *Erophila verna* (L.) Chevall. subsp. *verna*, *Filipendula ulmaria* (L.) Maxim., *Hypericum perforatum* L., *Lathyrus pratensis* L., *Lotus corniculatus* L. var. *tenuifolius* L., *Lytrum salicaria* L., *Nasturtium officinale* R.Br., *Phragmites australis* (Cav.) Trin. ex. Steud., *Poa pratensis* L., *Potentilla reptans* L., *Ranunculus sprunerianus* Boiss., *R. trichophyllus* Chaix, *Rubus caesius* L., *R. idaeus* L., *R. sanctus* Schreb., *Stellaria media*, *Tamarix smyrnensis* Bunge, *Trifolium arvense* L. var. *arvense*, *T. hybridum* L. var. *hybridum*, *T. pratense* L. var. *americanum* Harz, *T. repens* L. var. *repens*, *T. stellatum* L. var. *stellatum*, *Veronica anagallis-aquatica* L. are commonly found in this formation.

Arabis caucasica Willd. subsp. *caucasica*, *A. caucasica* subsp. *brevifolia* (DC.) Cullen, *Rosularia sempervivum* (M.Bieb.) A.Berger subsp. *persica* (Boiss.) Eggli, *R.*

semperfivum (M.Bieb.) A.Berger subsp. *kurdica* Eggli, *Scrophularia cinerascens* Boiss., *Sedum album* L., *Stachys lavandulifolia* Vahl. var. *lavandulifolia* are commonly found in the rocky parts of the research area.

Materials and Methods

The materials of the study are 2150 vascular plant specimens collected from 2001 to 2003. These specimens were identified using the Flora of Turkey (Davis, 1965-1985; Davis et al., 1988; Güner et al., 2000), the other floras (Rechinger et al., 1965-1977; Townsend & Evan, 1966-1985; Zohary, 1966-1986; Tutin et al., 1964-1981; Komarov & Shishkin, 1933-1964) and some revisions (Aytaç, 1997; Dönmez & Yıldırımlı, 2000; Ekici & Ekim, 2004).

The order of plant taxa follows that of the Flora of Turkey (Davis, 1965-1988). The floristic list is given as an appendix. The list first gives the localities of the taxa (the area lies entirely within the B9 square, which is omitted from the citation), followed by habitats, altitudes, collection dates, collectors' names, numbers, their phytogeographical regions and endemism. The authors of the plant names were checked (Brummitt & Powell, 1992). The floristic list includes cultivated plants in the area too. Cultivated plants are indicated by an asterisk (*). The symbol (▲) in front of a plant name indicates a new record for the B9 square. All the specimens are kept at the VANF. The abbreviations used in the text and the floristic list are as follows: E: East; END.: Endemic; E. Medit.: East Mediterranean; Medit: Mediterranean; Euro-Sib.: Euro-Siberian; Eux.: Euxin; H. Eux.: Hyrcano-Euxin; Ir.-Tur.: Irano-Turanian; T.: Therophyte, Hk.: Hemicryptophyte, Kr.: Cryptophyte, Ka.: Chamaephyte, Fa.: Phanerophyte N: North; S: South; W: West; AA: Abdullah ALTIOK; Behçet: Lütfi BEHÇET; VANF: Yüzüncü Yıl University Department of Biology Herbarium in Van.

Discussion

At the end of the study, of the 2150 vascular plant specimens collected from the area, 772 species (925 taxa) and 386 genera belonging to 85 families were established. Four species are non-flowering vascular plants. Two species belong to *Gymnospermae*, while the other 920 taxa were *Angiospermae*. Seven hundred and seventy-one taxa of *Angiospermae* are included in *Dicotyledones* and 149 taxa are included in *Monocotyledones*.

The distribution of the taxa area into the large taxonomical groups in the study is shown in Table 2.

The species of the study area, categorised according to phytogeographic region, can be listed as follows: Irano-Turanian elements 293 (31.8%), Mediterranean elements 81 (8.7%) and Euro-Siberian elements 46 (5 H.Eux., 3 Eux.) (4.9%). The remaining 506 (54.6%) taxa are multi-regional or of unknown phytogeographic origin.

Table 2. The dispersion of taxa into the large taxonomical groups.

	Number of Families	Number of Genera	Number of Taxa
<i>Pteridophyta</i>	3	3	4
<i>Spermatophyta</i>	82	383	912
<i>Gymnospermae</i>	2	2	2
<i>Dicotyledones</i>	71	313	771
<i>Monocotyledones</i>	9	68	149
Total	85	386	926

The Irano-Turanian elements in the area are more common than other phytogeographic region elements, because the area located in the Irano-Turanian phytogeographic region. The presence of Mediterranean elements in the research area in second place shows that the moderate Mediterranean climate has an important effect on the area. The low number of Mediterranean elements determined previous floristic studies (Table 3)

Table 3. The comparison of the distribution of phytogeographical elements and endemism ratio (%) in the study area and neighbouring regions (abbreviation are below the table).

The studies	Irano-Turanian	Euro-Siberian	Mediterranean	Multi-regional or unknown phytogeographic region	Endemism ratio
Bitlis Str.	31.8	4.8	8.7	54.6	6.8
Hizan	34.9	6.2	4.7	54.2	7.9
Süphan	37	8.7	2	52.3	8.5
Kurubaş	44	7	1	47	7
Toprakkale	44	4.4	4.8	46.8	4
Çakmak	33.9	20	2.6	37.2	6.5
Terc.Bağır.	25	10.7	4.4	59.9	6.5
Munzur	45.7	8	4.4	41.9	19.9
Çiçek	12.6	29.6	1	56.8	3
Allahuekber	37	41.3	1.6	20.1	4.6
Iğdır	44.4	7.7	3.5	44.4	1.4

Abbreviations:

- Bitlis st: The flora of Bitlis Stream Basin
 Hizan: Hizan (Bitlis) Florası (Altan & Behçet, 1995)
 Süphan: Süphan Dağı (Bitlis) Florası (Behçet, 1989)
 Kurubaş: Kurubaş Geçidi (Van) Florası (Öztürk & Behçet 1998)
 Toprakkale: Toprakkale (Van) Florası (Öğün & Altan, 1992)
 Çakmak: Çakmak Dağları (Ağrı) Florası (Gümüş, 1992)
 Terc.-Bağır.: Tercan Çevresi ve Şengül (Erzincan) ve Bağırbaşa (Tunceli) Dağlarının Florası (Kaya, 1996)
 Munzur: Munzur Dağları (Erzincan-Tunceli) Florası (Yıldırım, 1995)
 Çiçek: Çiçek Dağı (Posof-Kars) Florası (Demirkuş, 1994)
 Allahuekber: Allahuekber Dağları (Erzurum) Florasına Katkılar (Tatlı, 1989)
 Iğdır: Iğdır Ovası (Iğdır) Florasına Katkılar (Tatlı & Atlan, 1987)

in East Anatolia compared to our area shows the existence of this effect.

This is due to the fact that this region is located in the transition zone between East Anatolia and South Anatolia.

The life forms (according to classification by Raunkiaer (1934) based on the location of overwintering, perennating parts) are represented in the area as follows: hemicryptophytes 345 (37.3%), therophytes 308 (33.3%), chamaephytes 103 (11.1%), cryptophytes (also called geophytes) 101 (10.9%), phanerophytes 68 (7.35%). According to Raunkiaer (Akman & Ketenoglu, 1992) the biological spectrum is an indicator of climate and the total flora of Mediterranean countries contain 30% hemicryptophytes and 40% therophytes, whereas other countries (far from the Mediterranean) contain 50% hemicryptophytes, 30% cryptophytes and 20% therophytes. According to the data of life forms, the influence of the Mediterranean climate is important in the area.

The largest families based on their species number in the area are *Asteraceae* (109 spp.), *Fabaceae* (101 spp.) *Poaceae* (77 spp.), *Lamiaceae* (65 spp.) and *Brassicaceae* (53 spp.). In comparison with the Flora of Turkey (Davis et al., 1988), the order of the families is approximately the same as that in this study. The 10 largest families according to number of species are shown in Table 4.

The richest genera are *Trifolium* L. (27), *Astragalus* L. (22) and *Silene* L. (18). The Mediterranean region is the main centre of distribution of the *Trifolium* (Zohary,

Table 4. Species totals of largest families found in the area.

Families	Genera	Species
<i>Asteraceae</i>	56	109 (11.7%)
<i>Fabaceae</i>	20	101 (10.9%)
<i>Poaceae</i>	40	77 (8.3%)
<i>Lamiaceae</i>	21	65 (7.0%)
<i>Brassicaceae</i>	28	53 (5.7%)
<i>Rosaceae</i>	17	44 (4.8%)
<i>Caryophyllaceae</i>	16	40 (4.3%)
<i>Scrophulariaceae</i>	8	35 (3.8%)
<i>Liliaceae</i>	11	34 (3.7%)
<i>Apiaceae</i>	19	32 (3.5%)
Other Families	150	316 (36.1%)

1987). Furthermore, the high number of *Trifolium* found in our study area indicates that this area is under the influence of the Mediterranean climate. Following *Trifolium*, the genus *Astragalus* is represented by 22 taxa. The reason that *Astragalus* is second is that it is the largest genus of flowering plants. It has a total of c. 2500 species in the world (Ekici & Ekim, 2004). This genus is also relatively widespread in Turkey. *Silene* is also relatively widespread throughout Turkey. The genera with the largest number of species in the research area are shown in Table 5.

Table 5. Species totals of the largest genera in the study area.

Genus	Number of Species
<i>Trifolium</i>	27 (2.9%)
<i>Astragalus</i>	22 (2.4%)
<i>Silene</i>	18 (1.9%)
<i>Veronica</i>	16 (1.7%)
<i>Ranunculus</i>	14 (1.5%)
<i>Allium</i>	11 (1.2%)
<i>Centaurea</i>	11 (1.2%)
<i>Vicia</i>	11 (1.2%)
<i>Bromus</i>	10 (1.1%)
<i>Salvia</i>	10 (1.1%)

The number of endemic taxa in the study area is 63 and the endemism rate is 6.8%. The proportion of endemism in the area is low (6.8%), below the average of Turkey (33.5%) (Ekim, 1990).

Some morphological characters different from those given in the flora of Turkey (Davis, 1965-1985) were observed in some specimens. These properties are given in Table 6.

Acknowledgements

We would like to thank M.G. Pimenov (Moscow State University, Russia), Kit Tan (University of Copenhagen, Denmark), I.C. Hedge (Edinburgh, UK), F. Sales (Coimbra, Portugal), M. Koyuncu (Yüzüncü Yıl University-Van) and M. Vural (Gazi University, Ankara) for identifying some of the samples.

Table 6. Some of the taxa in the Bitlis River Basin have taxonomic properties different from those in the Flora of Turkey.

Taxa	Flora of Turkey	Bitlis River Basin
<i>Aethionema froedini</i> Rech.f. AA 1841	Plant much branched Petal (length) 4-6 mm	Plant sometimes simple (not branched) Petal (length) 2.5-3 mm
<i>Apium nodiflorum</i> (L.) Lag. Behçet 6761	Bract (length) 4-14 mm Bracteole (length) 2.5-6 mm	Bract (length) 10-25 mm Bracteole (length) 5-15 mm
<i>Aristolochia bottae</i> Jaub & Spach AA 2268	Ovary tomentose hairy	Ovary glabrous
<i>Arrhenatherum palaestinum</i> Boiss. Behçet 6838	Lower lemma glabrous	Lower lemma pilose at base and on margin
<i>Astragalus altanii</i> Hub.-Mor. AA2466	Stipule (length) to 2 cm Pedicel to 5 mm Standard (length) to 20-25 mm	Stipule to 3 cm Pedicel to 10 mm Standard (length) to 27 mm
<i>A. cinereus</i> Willd. AA 2395	Leaflet (length) 8-12 mm	Leaflet (length) to 25 mm
<i>A. fabaceus</i> M.Bieb. AA 2131	Leaflets 5-10 pairs Stipule (length) 20 mm Bract (length) 7-10 mm Calyx teeth (length) 3 mm Standard (length) 22-25 mm	Leaflets sometimes 3-4 pairs Stipules (length) to 27 mm Bract (length) to 18 mm Calyx teeth (length) to 5 mm Standard (length) to 30 mm
<i>A. gevashensis</i> Chamb. et Mathews AA 1765	Bract linear	Bract ovate-ovate lanceolate
<i>A.lycius</i> Boiss. AA 2182	Plant 20-35 cm	Plant to 60 cm
<i>Atraphaxis billardieri</i> Jaub. & Spach var. <i>billardieri</i> AA 2602	Stamen number 8	Stamen number 6
<i>Bromus sterilis</i> L. AA 2516	Anther (length) 1 mm Spikelet (length) 20-30(-36) mm	Anther (length) 1.2-1.3 mm Spikelet (length) to 40 mm
<i>Dianthus libanotis</i> Labill. AA 1637	Leaves 4-8 mm broad Calyx (length) 36-39 mm	Also there are leaves 16 mm broad Calyx (length) to 43 mm
<i>Eremopoa songarica</i> (Schrenk) Roskov AA 1077	Leaves 10-70 x 0.4-2 mm Anther (length) 0.3-0.7(-0.9)mm	Leaves to 150 x 6 mm Anther (length) to 1.3 mm
<i>Inula salicina</i> L. AA 2876	Plant 20-60 cm Leaves (length) 2.5-6 cm	Plant to 125 cm Leaves (length) to 10 cm
<i>Lathyrus setifolius</i> L. Behçet 6852	Peduncle without arista	Peduncle with 0.3-0.5 mm arista
<i>Linaria confertiflora</i> Benth. AA 2758	Leaves (length) 15-35 mm	Leaves (length) to 70 mm
<i>Onobrychis caput-galli</i> (L.) Lam. AA 2166	Ovary glabrous	Ovary pilose
<i>Onobrychis kotschyana</i> Fenzl AA 2676	Plant 20-45 cm Leaflets 8-12 x 2-3 mm	Plant to 60 cm Leaflets 10-20 x 0.5-1.5mm
<i>Pennisetum orientale</i> Rich. AA 2350	Stem (culm) glabrous	Stem hairy
<i>Phagnalon kotschyi</i> Sch.Bip. ex. Boiss. AA 1764	Stems and leaves white tomentose	Stems glabrous above, sparsely glandular lower parts, leaves glabrous
<i>Phleum pratense</i> L. AA 1640	Panicl (length) 1-6.2(-11) cm	Panicle (length) to 19.5 cm
<i>Pisum sativum</i> L. subsp. <i>elatius</i> (M.Bieb.) Aschers & Graebn. AA 2168	Stem 60-200 cm	Stem 15-20 cm
<i>Prunella vulgaris</i> L. AA 2658	Plant 6-40 cm	Plant to 65 cm

Table 6. (Continued).

<i>Rostraria berythea</i> (Boiss. & Black) Holub AA 2372	Palea longer than lemma	Palea shorter than lemma
<i>Stellaria media</i> (L.)Vill. subsp. <i>media</i> AA186	Stems rooting at the nodes	Stems not rooting at the nodes
<i>Trifolium ambiguum</i> M.Bieb. AA 2631	Leaves (length) 3,5 cm	Leaves (length) to 5 cm
<i>T. speciosum</i> Willd AA 2163	Calyces glabrous	Calyces hairy
<i>T. subterraneum</i> L.AA 2051	Calyces of sterile flowers with linear teeth	Calyces of sterile flowers not divided into linear teeth
<i>Verbascum bornmuellerianum</i> Hub.-Mor. AA 3013	Bracts shorter than calyces	Bracts longer than calyces

References

- Akman Y & Ketenöglü O (1992). *Vejetasyon Ekolojisi ve Araştırma Metodları*. Ankara : A Ü Fen Fak Yayın No: 146.
- Altan Y & Behçet L (1995). Hizan (Bitlis) Flora. *Turk J of Botany* 19(3): 331-344.
- Atalay İ (1983). *Muş Ovası ve Çevresinin Jeomorfolojisi ve Toprak Coğrafyası*. İzmir: Ege Üniv Edeb Fak Yayınları No: 24.
- Aytaç, Z (1997) The revision of the section *Dasyphyllum* Bunge of the genus *Astragalus* L. of Turkey. *Tr J of Botany* 21: 31-57.
- Behçet L (1989). Süphan Dağı (Bitlis) Flora. YY Üniv Fen Bil Enst D 1(1): 29-38.
- Brummitt RK & Powell CE (eds) (1992). *Authors of Plant Names*. Kew: Royal Botanic Gardens.
- Davis PH (1965-1985). *Flora of Turkey and the East Aegean Islands* vol. 1-9. Edinburgh: Edinburgh University Press.
- Davis PH, Mill RR & Tan K. (eds) (1988). *Flora of Turkey and the East Aegean Islands* vol. 10. Edinburgh: Edinburgh University Press.
- Demirkuş N (1994). Çiçek Dağı ve Çevresinin (Posof-Kars) Flora Üzerine Bir Araştırma. *Hacettepe Üniv Fen ve Müh Bil Der* 15: 1-47.
- DMIGM (1984). *Ortalama Ekstrem ve Yağış ve Yağış Değerleri Bülteni*. Ankara: Devlet Meteoroloji İşleri Gn. Müd. Yayıni.
- Dönmez AA, Yıldırımlı Ş (1999). *Cerasus brachypetala* Boiss. var. *brachypetala* (*Rosaceae*) a new variety for the flora of Turkey. *Ot Sistemik Botanik Dergisi*. 6 (1): 13-16.
- Dönmez AA, Yıldırımlı Ş (2000). Taxonomy of the Genus *Prunus* L. (*Rosaceae*) in Turkey. *Tr J of Botany* 24: 187-2002.
- Ekici M & Ekim T (2004). Revision of the section *Hololeuce* Bunge of the Genus *Astragalus* L. (*Leguminosae*) in Turkey. *Tr J of Botany* 28: 307-347.
- Ekim T (1990). Bitkiler, in: Kence A, (ed.) *Türkiye'nin Biyolojik Zenginlikleri*. Ankara: Türkiye Çevre Sorunları Vakfı Yayınevi, 69-118.
- Emberger L (1955). Une Classification biogeographiques des climats. *Recueil des travaux des laboratoires de botanique, géologie et zoologie de la Faculté des sciences de l'université de Montpellier. Serie botanique* 7: 3-43.
- Gümüş I (1992). Çakmak Dağları (B9 Ağrı) Florasına Giriş. *Doğa Tr J of Botany* 16(1): 54-70.
- Güler A, Özhatay N, Ekim T & Başer KHC (eds) (2000). *Flora of Turkey and the East Aegean Islands*. vol. 11. Edinburgh: Edinburgh University Press.
- Kaya Y (1996). Tercan Çevresi ile Şengül (Erzincan) ve Bağırbaba (Tunceli) Dağlarının Flora. *Tr J of Botany* 20(1): 75-98.
- Komarov VL & Shishkin BK (eds) (1933-1964). *Flora of USSR* (English translation) vols. 1-30. Moscow and Leningrad: Akademiya Nauk SSSR.
- Öztürk F & Behçet L (1998). Kurubaş Geçidi (Van) Flora. *Ot Sistemik Botanik Dergisi* 6(1): 39-56.
- Öğün E & Altan Y (1992). Toprakkale (Van) Flora. *Yüzüncü Yıl Üniv Fen Bil Enst D* 1(2): 201-211.
- Raunkiaer C (1934). *The life forms of plants and statistical plant geography*. Oxford: Clarendon Press.
- Rechinger KH (ed) (1965-1977). *Flora Iranica*. Graz-Austria: Akademische Drucku: Verlagsanstalt.
- Tatlı A (1989). Allahuekber Dağları (Erzurum) Florasına Katkılar. *Doğa Tr J of Botany* 13(3): 355-374.
- Tatlı A & Altan Y (1987). İğdır Ovası Florasına Katkılar. *Doğa Tr J of Botany* 13(1): 102-108.
- Townsend CC & Evan G (eds) (1966-1985). *Flora of Iraq*. Vols. 2,3,4,8,9. Bagdad: Ministry of Agriculture, Republic of Iraq.
- Tutin TG, Heywood VH, Burges NA, Valentine DH, Walters SM & Webb DA (eds) (1964-1981). *Flora Europaea*. Vols. 1-5 Cambridge: Cambridge Univ Press.
- Yıldırımlı Ş (1995). Munzur Dağları (Erzincan-Tunceli) Flora. *Ot Sistemik Botanik Dergisi* 2(1): 1-78.
- Zohary M (1966-1986). *Flora Palaestina*. Vols. 1-4 Jerusalem: Academic Press.

APPENDIX

THE FLORISTIC LIST

PTERIDOPHYTA

EQUISETACEAE

Equisetum ramosissimum Desf.

Bitlis: Tatlıkaynak village, stream bank, 1550 m, 09.06.2002, AA 2494, Hk.

E. arvense L.

Bitlis: Şeyhabib Mountain, humid places, 1500 m, 25.07.2002, AA 2722 Kr.

ASPLENIACEAE

Ceterach officinarum DC.

Bitlis: Doğanlı village, Kalem Mountain, humid rocky places, 1900 m, 06.06.2003, AA 3015, Hk.

ATHYRIACEAE

Cystopteris fragilis (L.) Bernh.

Bitlis: Doğanlı village, Kalem Mountain, humid rocky places, 1900 m, 06.06.2003, AA 3016, Hk.

SPERMATOPHYTA

GYMNOSPERMAE

PINACEAE

Pinus sylvestris L.

Siirt: Baykan surrounding, forest, 815 m, 07.06.2003, AA 3018, Fa.

CUPRESSACEAE

Juniperus oxycedrus L. subsp. *oxycedrus*

Bitlis: Ağaçköprü village surrounding, brushwood, 1450 m, 04.07.2001, AA 1417.
Siirt: Baykan, Obalı village surrounding, forest, 810 m, 30.03.2002, AA 1878, Fa.

ANGIOSPERMAE

DICOTYLEDONES

RANUNCULACEAE

Nigella orientalis L.

Bitlis: Kalem Mountain, Doğanlı village, 1800 m, open degraded forest, 06.06.2003, Behçet 6752, Hk

Delphinium dolichostachyum
Chowdhuri & P.H.Davis

Bitlis: Savaştepe hill, rocky places, 2200 m, 13.08.2002, AA 2779. Bitlis: western slopes of Kambos hill, steppe, 1600 m, 05.07.2001, AA 1440, END., Ir.-Tur., Kr.

D. kurdicum Boiss. & Hohen.

Bitlis: W of Kambos hill, steppe, 1600 m, 01.08.2001, AA 1730, Ir.-Tur., Kr.

D. macrostachyum Boiss. ex Huth.

Bitlis: Kayalı hill, steppe, 1600 m, 24.07.2001, AA 1679, Ir.-Tur., Kr.

D. peregrinum L.

Bitlis: Narlidere village surrounding, steppe, 1050 m, 16.07.2001, AA 1798, Med., T.

Consolida oliveriana (DC.) Schröd.

Bitlis: in the castle, steppe, 1580 m, 22.07.2001, AA 1654, Ir.-Tur., T.

Anemone coronaria L.

Siirt: Baykan town surrounding, forest, 820 m, 07.04.2002, AA 1899, Med., Kr.

Adonis aestivalis L. subsp. *parviflora*
(Fisch. ex DC.) E.A.Busch

Siirt: Baykan Obalı village, Çemçavuş district, open forest, 850 m, 07.05.2002, AA 2176, T.

Ranunculus poluninii P.H.Davis

Bitlis: Şeyhabib Mountain, steppe, 2000 m, 09.09.2002, AA 2875, Ir.-Tur., Kr.

R. repens L.

Bitlis: Kalem Mountain, Doğanlı village surrounding, 1800 m, steppe, 06.06.2003, AA 2986, Kr.

R. sprunerianus Boiss.

Bitlis: Sarıkonak village, degraded forest, 1550 m, 17.05.2002, AA 2246; around local health service building, meadow, 1630 m, 09.04.2001, AA 1032, Med., Kr.

R. illyricus L. subsp. *illyricus*

Bitlis: MYO surrounding, steppe, 1700 m, 03.06.2002, AA 2447, Kr.

R. cadmicus Boiss.

Bitlis: İçmeli village, rocky crevices, 1500 m, 04.05.2003, AA 2930; Tatlıkaynak village surrounding, humid places, 1550 m, 18.05.2002, AA 2282, Kr.

R. asiaticus L.

Bitlis: Tanrıyar village, open forest, 1000 m, 22.04.2002, AA 2013; Siirt: Baykan town surrounding, open forest, 820 m, 08.05.2002, AA 2214, Ir.-Tur., Kr.

R. macrorhynchus Boiss. subsp. *trigonocarpus* (Boiss.) P.H.Davis

Bitlis: Deliktaş district, open forest, 1450 m, 18.05.2002, AA 2279, Ir.-Tur., Kr.

R. millefolius Banks & Sol. subsp. *millefolius*

Siirt: Baykan town surrounding, open forest, 820 m, 07.04.2002, AA 1900, Kr.

R. isthmicus Boiss. subsp. *stepporum*
P.H.Davis

Bitlis: around Yenice Karakol, open forest, 900 m, 15.04.2002, AA 1970, Ir.-Tur., Kr.

R. cornutus DC.

Siirt: Baykan town surrounding, open forest, 820 m, 07.05.2002, AA 2151, Hk.

R. chius DC.

Bitlis: Kalem Mountain, Doğanlı village, 1800 m, open forest, 06.06.2003, AA 2987, T.

R. arvensis L.

Bitlis: Çayırköy district, steppe, 1550 m, 30.05.2001, AA 1206, around Yenice Karakol, humid places, 900 m, 09.06.2002, AA 2499, T.

R. kochii Ledeb.

Bitlis: around local health service building, brushwood, 1630 m, 09.04.2001, AA 1029, Ir-Tur., Kr.

R. trichophyllum Chaix

Bitlis: Şeyhabib Mountain, in the water, 2000 m, 09.03.2002, AA 2852, Kr.

Ceratocephalus falcatus (L.) Pers.

Bitlis: Deliktaş district, open forest, 1450 m, 30.04.2002, AA 2120, T.

Aquilegia olympica Boiss.

Bitlis: Kalem Mountain, Doğanlı village surrounding, 1800 m, open forest, 06.06.2003, AA 2988, T.

Thalictrum minus L. var. *majus*
(Crantz) Crép.

Bitlis: around local government building, steppe, 1670 m, 02.07.2002, AA 2682, Hk.

PAEONIACEAE

Paeonia mascula (L.) Mill. subsp. *mascula*

Bitlis: Döşkaya village, humid places, 1500 m, 18.06.2002, AA 2562, Hk.

P. mascula (L.) Mill. subsp. *arietina*
(Anders.) Cullen & Heywood

Bitlis: Yamaköy surrounding, brushwood, 1510 m, 20.04.2001, AA 1106, Hk.

- BERBERIDACEAE**
- Leontice leontopetalum* L. subsp. *ewersmannii* (Bunge) Coode
Siirt: Baykan, Obalı village surrounding, rocky places, 850 m, 07.05.2002, AA 2141, Kr.
- PAPAVERACEAE**
- Papaver orientale* L. var. *orientale*
Bitlis: Döşkaya village surrounding, steppe, 1200 m, 01.07.2002, AA 2633, Hk.
- P. fugax* Poir. var. *fugax*
Bitlis: Kambos Mountain, steppe, 1850 m, 17.06.2002, AA 2518, Hk.
- P. cylindricum* Cullen
Bitlis: Kambos Mountain, steppe, 1880 m, 05.07.2001, AA 1528, Ir.-Tur., Hk.
- P. glaucum* Boiss. & Hausskn.
Siirt: Baykan town surrounding, steppe, 800 m, 08.05.2002, AA 2196, Ir.-Tur., T.
- P. macrostomum* Boiss. & É.Huet ex Boiss.
Bitlis: Deliktaş village surrounding, steppe, 1435 m, 03.07.2001, AA 1281.
Bitlis: Kambos Mountain hill, steppe, 1880 m, 05.07.2001, AA 1518, Ir.-Tur., T.
- P. syriacum* Boiss. & Blanche
Siirt: Baykan town surrounding, steppe, 850 m, 08.05.2002, AA 2215, T.
- P. dubium* L.
Bitlis: Alaniçi village surrounding, meadow, 950 m, 14.04.2002, AA 1924, T.
- P. clavatum* Boiss. & Hausskn. ex Boiss.
Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6800, END., T.
- Hypecoum imperbe* Sibth. et Sm.
Siirt: Baykan, Obalı village, Çemçavuş district, steppe, 850 m, 16.03.2002, AA 1846, T.
- Corydalis integrifolia* Barbey & Fors.-Major
Siirt: Yarımca village surrounding, open forest, 1200 m, 14.04.2002, AA 1992.
Bitlis: Şikeri hill, steppe, 1700 m, 04.05.2003, AA 2922, Kr.
- C. rutifolia* (Sibth. & Sm.) DC. subsp. *kurdica* Cullen & P.H.Davis
- Bitlis: Şikeri hill, open forest, 1750 m, 04.05.2003, AA 2928, END., Ir.-Tur., Kr.
- C. oppositifolia* DC. subsp. *oppositifolia*
Bitlis: Arapköprü village surrounding, steppe, 1540 m, 09.04.2001, AA 1044, END., Kr.
- Fumaria cilicica* Hausskn.
Bitlis: city center surrounding, steppe, 1615 m, 09.04.2001, AA 1018, T.
- F. microcarpa* Boiss. ex Hausskn.
Bitlis: Döşkaya village surrounding, steppe, 1500 m, 01.07.2001, AA 2630, T.
- F. schleicheri* Soy.-Will.
Bitlis: Alaniçi village surrounding, brushwood, 950 m, 15.04.2002, AA 1968, Euro-Sib. elm, T.
- F. parviflora* Lam.
Bitlis: Karınca village surrounding, brushwood, 1500 m, 17.05.2002, AA 2224, T.
- F. asepala* Boiss.
Bitlis: Tabakhane district, steppe, 1540 m, 20.04.2001, AA 1095; Deliktaş village surrounding, steppe, 1437 m, 30.05.2001, AA 1224, Ir.-Tur., T.
- BRASSICACEAE (CRUCIFERAE)**
- Conringia perfoliata* (C.A.Mey.) E.A.Busch
Bitlis: Narlıdere village district, brushwood, 1100 m, 22.04.2002, AA 2018b
- Lepidium ruderale* L.
Bitlis: Deliktaş district, steppe, 1435 m, 03.07.2001, AA 1326, T..
- L. graminifolium* L.
Bitlis: Direktaş village surrounding, steppe, 1700 m, 17.06.2002, AA 2553, Hk.
- Cardaria draba* (L.) Desv. subsp. *draba*
Bitlis: around local health service building, steppe, 1625 m, 09.04.2001, AA 1004, Hk.
- Isatis bitlisica* P.H.Davis
Bitlis: Kambos Mountain, rocky places, 2000 m, 17.06.2002, AA 2526, END., Ir.-Tur., Hk..
- I. buschiana* Schischk.
Bitlis: Kalem Mountain, Doğanlı village surrounding, 1800 m, open forest, 06.06.2003, Behçet 6765, Ir.-Tur., Hk
- Sameraria stylophora* (Jaub. & Spach)
Boiss.
- Bitlis: Kalem Mountain, Doğanlı village surrounding, steppe, 1900 m, 06.06.2003, AA 3002, Ir.-Tur., T.
- Aethionema heterocarpum* J.Gay
Siirt: Baykan town, Baniçarpiran plain, meadow, 830 m, 07.04.2002, AA 1890; Baykan town surrounding, meadow, 800 m, 08.05.2002, AA 2198, T..
- Ae. froedinii* Rech.f.
Bitlis: Kalem Mountain, Doğanlı village surrounding, steppe, 1800 m, 06.06.2003, Behçet 6776, END., Ir.-Tur., T.
- Ae. speciosum* Boiss. & Huet. subsp. *speciosum*
Bitlis: İqmeli village surrounding, rocky places, 1550 m, 09.06.2002, AA 2478, Ir.-Tur., Hk.
- Ae. capitatum* Boiss. & Ball
Bitlis: Kambos Mountain, steppe, 1700 m, 17.06.2002, AA 2509, END., Hk.
- Ae. armenum* Boiss.
Bitlis: the place for dumping garbage and its surroundings, steppe, 1535 m, 20.04.2001, AA 1084, Ir.-Tur., Hk.
- Ae. grandiflorum* Boiss. & Hohen.
Bitlis: Deliktaş district, steppe, 1435 m, 30.05.2001, AA 1239, Ir.-Tur., Ka.
- Thlaspi arvense* L.
Siirt: Baykan town surrounding, meadow, 800 m, 16.03.2002, AA 1830, T.
- Capsella bursa-pastoris* (L.) Medik.
Bitlis: Terek Mountain, humid places, 1700 m, 17.05.2002, AA 2235, T.
- Neslia paniculata* (L.) Desv.
Bitlis: Alaniçi village surrounding, brushwood, 950 m, 04.05.2003, AA 2941, T.
- Fibigia clypeata* (L.) Medik.
Bitlis: Alaniçi village surrounding, brushwood, 950 m, 04.05.2003, AA 2939; Kalem Mountain, Doğanlı village surrounding open forest, 1800 m, 06.06.2003, Behçet 6796, Hk.
- F. macrocarpa* (Boiss.) Boiss.
Bitlis: Alaniçi village surrounding, rocky places, 850 m, 09.06.2002, AA 2467, Hk.
- Alyssum desertorum* Staph. var. *desertorum*
Siirt: Baykan, Obalı village surrounding, steppe, 820 m, 16.03.2002, AA 1858b, T.

A. minus (L.) Rothm. var. minus

Bitlis: Radyoling station surrounding, steppe, 1740 m, 09.04.2001, AA 1013., T.

A. hirsutum M.Bieb.

Siirt: Baykan, Obalı village surrounding, steppe, 820 m, 16.03.2002, AA 1858, T.

A. ochroleucum Boiss. & Huet

Bitlis: limestone quarry surrounding, steppe, 1450 m, 15.05.2001, AA 1165, END., Ka.

A. filiforme Nyár

Bitlis: Tanrıyar village, rocky places-brushwood, 1800 m, 05.08.2002, AA 2741, END., Ir.-Tur., Hk..

Erophila verna (L.) Chevall. subsp. verna

Siirt: Baykan, Obalı village, Çemçavuş district, steppe, 820 m, 16.03.2002, AA 1851, T.

E. verna (L.) Chevall. subsp. macrocarpa (Boiss. & Heldr.) Walters

Siirt: Baykan town, Baniçarpiran district, meadow, 830 m, 07.04.2002, AA 1893, T.

Arabis caucasica Willd. subsp. caucasica

Bitlis: Deliklitaş village surrounding, meadow, 1435 m, 10.04.2001, AA 1002, Hk.

A. caucasica Willd. subsp. brevifolia (DC.) Cullen

Bitlis: İçmeli village surrounding, rocky places, 1400 m, 04.05.2003, AA 2931, E. Med. (mt.) ..

A. montbretiana Boiss.

Bitlis: Kalem Mountain, Doğanlı village surrounding, open forest, 1800 m, 06.06.2003, Behçet 6804, Ir.-Tur., T.

Turritis glabra L.

Bitlis: Kambos Mountain, rocky places, 2000 m, 17.06.2002, AA 2541, T.

Nasturtium officinale R. Br.

Bitlis: Zeydan district surrounding, streamsides, 1550 m, 22. 07.2001, AA 1647., Kr.

Barbarea vulgaris R.Braga

Bitlis: Değirmenaltı village, meadow, 1700 m, 03.06.2002, AA 2445, Hk.

B. minor K.Koch var. minor

Bitlis: around local health service building, meadow, 1540 m, 22.04.2001, AA 1076, Ir. - Tur., Hk.

B. minor K.Koch var. robusta Cullen & Coode

Bitlis: Berge hill, meadow, 1550 m, 30.04.2002, AA 2103, END., Hk.

Cardamine tenera C.C.Gmel.

Bitlis: S of Kambos Mountain, wet places, 1800 m, 17.06.2002, AA 2558; around Köy Hizmetleri building, humid areas, 1650 m, 03.06.2002, AA 2426, H.Eux.?, Hk..

C. hirsuta L.

Bitlis: Terek Mountain, steppe, 1700 m, 17.05.2002, AA 2228, T.

Drabopsis verna K.Koch

Bitlis: around local health service building, meadow, 1630 m, 09.04.2001, AA 1031; Deliktaş village, steppe 1450 m, 30.04.2002, AA 2122, Ir.-Tur., T.

Aubrieta parviflora Boiss.

Bitlis: Alaniçi village surrounding, rocky places, 1200 m, 04.05.2003, AA 2971, Ir.-Tur., Hk.

Matthiola longipetala (Vent.) DC. subsp. bicornis (Sibth. & Sm.) P.W.Ball

Siirt: Baykan, Obalı village surrounding, steppe, 850 m, 07.04.2002, AA 1912, T.

Hesperis scabrida Boiss.

Bitlis: Kalem Mountain, Doğanlı village surrounding, steppe, 1900 m, 06.06.2003, Behçet 6787, Hk.

H. pendula DC.

Bitlis: Alaniçi village surrounding, open forest, 1000 m, 15.04.2002, AA 2971, Hk.

Anchonium elichrysifolium (DC.) Boiss. subsp. villosum Cullen & Coode

Bitlis: Tabanözü district, open forest, 2000 m, 13.08.2002, AA2783, END., Ir. - Tur., Hk.

Erysimum goniocaulon Boiss.

Bitlis: Kalem Mountain, Doğanlı village surrounding, open forest, 1800 m, 06.06.2003, Behçet 6767, Hk.

E. passgalense Boiss.

Bitlis: Kalem Mountain, Doğanlı village surrounding, 1800 m, open forest, 06.06.2003, Behçet 6873, Hk..

E. uncinatifolium Boiss.

Bitlis: place for dumping garbage and its surroundings, 1450 m, 20.04.2001, AA 1080, END., Hk.

E. crassipes Fisch. & C.A.Mey.

Bitlis: around Köy Hizmetleri building, steppe, 1615 m, 15.05.2001, AA 1149, Hk.

E. eginense Hausskn. ex Bornm.

Bitlis: Kambos Mountain, steppe, 2000 m, 17.06.2002, AA 2529; Aşaği Nabat Mountain, steppe, 1750 m, 26.05.2002, AA 2411, END., Hk.

Alliaria petiolata (M.Bieb.) Cavara & Grande

Bitlis: Hersan district, steppe, 1550 m, 29.04.2002, AA 2095; Kalem Mountain, Doğanlı village surrounding, steppe, 1900 m, 06.06.2003, AA 3003, Ir.-Tur., Hk.

Parlatoria cakiloidea Boiss.

Bitlis: Kalem Mountain, Doğanlı village surrounding, steppe, 1900 m, 06.06.2003, Behçet 6855, T.

Sisymbrium officinale (L.) Scop.

Bitlis: Kalem Mountain, Doğanlı village surrounding, 1800 m, steppe, 06.06.2003, Behçet 6872, T.

S. altissimum L.

Bitlis: Harabe hill, steppe, 1590 m, 20.04.2001, AA 1061, Ir. - Tur., T.

S. loeselii L.

Bitlis: eastern slopes of Kambos Mountain, steppe, 2000 m, 05.07.2001, AA 1506. Bitlis Castle, steppe, 1550 m, 15.05.2001, AA 1124, T..

Descurania sophia (L.) Webb ex Prantl

Bitlis: around the city centre, roadsides, 1550 m, 30.05.2001, AA 1219, T.

Arabidopsis thaliana (L.) Heynh.

Bitlis: Hersan district surrounding, steppe, 1550 m, 29.04.2002, AA 2089, T.

CAPPARACEAE

Cleome ornithopodioides L.

Bitlis: Narlıdere village surrounding, humid places, 1150 m, 16.07.2001, AA 1613, T.

RESEDAEAE

Reseda lutea L. var. lutea

Bitlis: Deliklitaş village, steppe, 1437 m, 30.05.2001, AA 1234, Hk..

CISTACEAE

Helianthemum nummularium (L.) Mill. subsp. nummularium

Siirt: Baykan town, YİBO surrounding, steppe, 820 m, 07.04.2002, AA 1886, T.

- H. ledifolium** (L.) Mill. var. *ledifolium*
Bitlis: the place for dumping garbage and its surroundings, meadows, 1450 m, 20.04.2001, AA 1072, T.
- H. ledifolium** (L.) Mill. var. *lasiocarpum* (Willk.) Bornm.
Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6788, T.
- H. ledifolium** (L.) Mill. var. *microcarpum* Willk.
Bitlis: Arapköprü village surrounding, steppe, 1550 m, 09.04.2001, AA 1041, T.
- VIOLACEAE**
- Viola odorata** L.
Bitlis: İçmeli village surrounding, under forest, 1400 m, 04.05.2003, AA 2933, T.
- V. modesta** Fenzl
Siirt: Baykan town surrounding, meadow, 800 m, 16.03.2002, AA 1828, T.
- PONTULACACEAE**
- Portulaca oleracea** L.
Bitlis: İçmeli village surrounding, fields, 1550 m, 24.07.2001, AA 1703, T.
- CARYOPHYLLACEAE**
- Arenaria serpyllifolia** L.
Bitlis: Yenice village, humid places, 950 m, 14.04.2002, AA 1999; Deliktaş village meadow, 1435 m, 20.04.2001, AA 1071, T.
- A. cucubaloides** Sm.
Bitlis: Kurudere village, steppe, 1200 m, 01.07.2002, AA 2632, Ir.-Tur., Hk.
- A. gypsophilloides** L. Mant var. *glabra* Fenzl
Bitlis: Saime hill, steppe, 1800 m, 18.06.2002, AA 2580; Şeyhabib Mountain, steppe, 1800 m, 25.07.2002, AA 2714, Ir.-Tur., Hk.
- Minuartia juniperina** (L.) Maire & Petitm.
Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6849, Ka.
- M. hybrida** (Vill.) Schischk. subsp. *hybrida*
Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6758, T.
- Stellaria media** (L.) Vill. subsp. *media*
Bitlis: Yamaköy surrounding, meadows, 1510 m, 20.04.2001, AA 1115. Siirt: Baykan town surrounding, meadows, 800 m, 30.03.2002, AA 1861, Hk.
- S. media** (L.) Vill. subsp. *pallida* (Dumort.) Asch. & Graebn.
Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6756, Hk.
- S. persica** Boiss.
Bitlis: Bitlis Castle, steppe, 1560 m, 15.05.2001, AA 1139, Hk
- S. kotschyana** Fenzl
Bitlis: Şeyhabib Mountain, rocky places-steppe, 1800 m, 05.08.2002, AA 2749, Hk.
- S. cilicia** Boiss. & Ball
Bitlis: Bitlis Castle, steppe, 1560 m, 15.05.2001, AA 1132, T.
- Cerastium dichotomum** L. subsp. *dichotomum*
Bitlis: Yamaköy surrounding, meadows, 1510 m, 20.04.2001, AA 1112, T.
- C. glomeratum** Thuill.
Bitlis: Herson district surrounding, steppe, 1550 m, 29.04.2002, AA 2095b, T.
- C. brachypetalum** Perss. subsp. *roeseri* (Boiss. & Heldr.) Nyman
Bitlis: Yamaköy surrounding, brushwood, 1510 m, 20.04.2001, AA 1105, T.
- Holosteum umbellatum** L. var. *umbellatum*
Siirt: Baykan town surrounding, meadow, 805 m, 16.03.2002, AA 1830a, T.
- Moenchia mantica** (L.) Bartl. subsp. *mantica*
Bitlis: Tatlikaynak village, steppe, 1550 m, 18.05.2002, AA 2286, T.
- Sagina maritima** Don
Bitlis: Değirmenaltı village surrounding, humid places, 1700 m, 22.07.2002, AA 1646, T.
- Telephium imperati** L. subsp. *orientale* (Boiss.) Nyman
Bitlis: Şeyhabib Mountain, rocky places-brushwood, 1750 m, 05.08.2002, AA 2761, Hk.
- Dianthus floribundus** Boiss.
Bitlis: Dörtağaç village surrounding, steppe, 1700 m, 02.07.2002, AA 2680, Ir.-Tur., Hk.
- D. libanotis** Labill.
Bitlis: Zeydan district, steppe, 1560 m, 22.07.2001, AA 1637, Ir.-Tur., Hk.
- D. orientalis** Adams
Bitlis: E of Kambos Hill, steppe, 1800 m, 05.07.2001, AA 1460, Hk.
- D. masmenaeus** Boiss. var. *masmenaeus*
Bitlis: Şeyhabib Mountain, steppe, 1800 m, 05.08.2002, AA 2765. Bitlis: Kambos Hill, steppe, 1500 m, 01.08.2001, AA 1490, Hk.
- Petrorhagia alpina** (Hablitz) Ball & Heywood subsp. *olympica* (Boiss.) Ball & Heywood
Bitlis: Doğanlı village surrounding, Kalem Mountain, steppe, 1800 m, 06.06.2003, AA 3009, Hk.
- Velezia rigida** L.
Bitlis: Karınca village surrounding, steppe, 1600 m, 01.07.2002, AA 2652, T.
- Saponaria prostrata** Willd. subsp. *prostrata*
Siirt: Baykan town surrounding, open forest, 810 m, 07.04.2002, AA 1906, Hk.
- Gypsophylla ruscifolia** Boiss.
Bitlis: Deliktaş village district, steppe, 1435 m, 17.06.2002, AA 2512, Ir.-Tur., Ka.
- G. bitlisensis** W.F.Barker
Bitlis: Değirmenaltı village surrounding, steppe, 1700 m, 02.07.2002, AA 2672, END., Ir.-Tur., T.
- Vaccaria pyramidata** Medik. var. *pyramidata*
Bitlis: Kilise village, fields, 1650 m, 02.07.2002, AA 2694, T.
- Silene italicica** (L.) Pers.
Bitlis: Karınca village surrounding, steppe, 1600 m, 01.07.2002, AA 2629, Hk.
- S. capitellata** Boiss.
Bitlis: Yamaköy surrounding, steppe, 1510 m, 20.04.2001, AA 1102 END., Ir.-Tur., Hk.
- S. chlorifolia** Sm.
Bitlis: A. Nabat hill, steppe, 1950 m, 24.07.2001, AA 1684, Ir.-Tur., Hk.
- S. sclerophylla** Chowdhuri
Bitlis: Değirmenaltı village surrounding, steppe, 1700 m, 02.07.2002, AA 2776, END. Ir.-Tur., Hk.

- S. cappadocica* Boiss. & Heldr.
Bitlis: Döskaya village, steppe, 1550 m, 18.06.2002, AA 2613, Ir.-Tur., Hk.
- S. spergulifolia* (Desf.) M.Bieb.
Bitlis: Deliktaş village district, open forest, 1435 m, 30.05.2001, AA 1192, Ir.-Tur., Hk.
- S. ampullata* Boiss.
Bitlis Castle, steppe, 1550 m, 15.05.2001, AA 1145, Ir.-Tur., Ka.
- S. odontopetala* Fenzl
Bitlis: A. Nabat hill, steppe, 1950 m, 24.07.2001, AA 1675, Hk.
- S. vulgaris* (Moench) Garcke var. *vulgaris*
Bitlis: Deliktaş village surrounding, brushwood, 1510 m, 30.05.2001, AA 1175, Hk.
- S. lucida* Chowdhuri
Bitlis: Kambos Mountain, brushwood, 1850 m, 05.07.2001, AA 1437, END., Ir.-Tur., Hk.
- S. caryophylloides* (Poir.) Otth subsp. *caryophylloides*
Bitlis Castle, steppe, 1550 m, 15.05.2001, AA 1120, Ir.-Tur., Hk.
- S. compacta* Fisch.
Bitlis: Kambos Mountain, rocky places, 2000 m, 17.06.2002, AA 2544, Hk.
- S. alba* (Mill.) Krause subsp. *divaricata* (Reichb.) Walters
Bitlis: Deliktaş village, brushwood, 1435 m, 30.05.2001, AA 1192, Hk.
- S. noctiflora* L.
Bitlis: Deliktaş village surrounding, brushwood, 1510 m, 30.05.2001, AA 1181, Hk.
- S. rigidula* Sibth. & Sm.
Siirt: Baykan town surrounding, open forest, 820 m, 16.03.2002, AA 1857, E. Med., Hk.
- S. aegyptiaca* (L.) L.f. subsp. *ruderalis* Coode & Cullen
Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6771, T.
- S. dichotoma* Ehrh. subsp. *dichotoma*
Bitlis: Kambos hill surrounding, steppe, 1800 m, 05.07.2001, AA 1481, Hk.
- S. conoidea* L.
Bitlis: Tatlıkaynak surrounding, steppe, 1550 m, 18.05.2002, AA 2272, T.
- Cucubalis baccifer* L.
Bitlis: İçmeli village surrounding, streamside, 1550 m, 24.07.2001, AA 1697, Hk.
- ILLECEBRACEAE**
- Herniaria glabra* L.
Siirt: Baykan, Obalı village surrounding, streamsides, 850 m, 08.08.2002, AA 2815b, T.
- H. hirsuta* L.
Siirt: Baykan, Obalı village surrounding, streamsides, 850 m, 08.08.2002, AA 2815a, T.
- Paronchia kurdica* Boiss. subsp. *montis-munzur* Chaudhuri
Siirt: Baykan town surrounding, steppe, 820 m, 08.05.2002, AA 2184, Ka.
- P. kurdica* Boiss. subsp. *kurdica* var. *kurdica*
Bitlis: Kambos Mountain, steppe, 2000 m, 17.06.2002, AA 2528, Ka.
- POLYGONACEAE**
- Atraphaxis billardieri* Jaub. & Spach var. *billardieri*
Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6824, Ka.
- Rheum ribes* L.
Siirt: Baykan, Çemçavuş district, rocky places, 850 m, 07.05.2002, AA 2170, Ir.-Tur., Hk..
- Polygonum alpinum* All.
Bitlis: around Köy Hizmetleri building, brushwood, 1650 m, 03.06.2002, AA 2424, Euro-Sib., Hk.
- P. salicifolium* Brouss. ex Willd.
Bitlis: Kurudere village surrounding, humid places, 1250 m, 25.08.2001, AA 1810, Hk.
- P. lapathifolium* L.
Bitlis: Şetek village, humid places, 1550 m, 05.10.2001, AA 1776, T.
- P. setosum* J. Jacq.
Bitlis: Tabanözü village surrounding, steppe-rocky places, 2000 m, 13.08.2002, AA 2773, Ir.-Tur., Ka.
- P. cognatum* Meisn.
Bitlis: Değirmenaltı village surrounding, steppe, 1700 m, 03.06.2002, AA 2460, Hk.
- P. mesembicum* Chrtek
Bitlis: Sarıkonak village, sandy areas, 1620 m, 05.10.2001, AA 1778, T.
- P. arenastrum* Bor
Bitlis: Seyhhabib Mountain, sandy places, 2200 m, 09.09.2002, AA 2889, T.
- P. aviculare* L.
Bitlis: around Köy Hizmetleri building, steppe, 1610 m, 03.06.2001, AA 1254, T.
- Rumex acetosella* L.
Bitlis: Seyhhabib Mountain, steppe-rocky places, 2200 m, 09.09.2002, AA 2867, Hk.
- R. scutatus* L.
Bitlis: Bitlis Castle, steppe, 1480 m, 15.05.2001, AA 1117, Hk.
- R. tuberosus* L. subsp. *horizontalis* (K.Koch) Rech.
Bitlis: the places for dumping garbage and its surroundings, steppe, 1535 m, 20.04.2001, AA 1089, Kr.
- R. patientia* L.
Bitlis: Deliktaş village, brushwood, 1435 m, 03.07.2001, AA 1324; Kambos hill, brushwood, 1880 m, 05.07.2001, AA 1515, Hk.
- R. angustifolius* Campd. subsp. *macranthus* (Boiss.) Rech.
Bitlis: İçmeli village surrounding, steppe, 1500 m, 09.06.2002, AA 2490, Ir.-Tur., Hk.
- R. pulcher* L.
Bitlis: Şikerin Hill, brushwood, 2300 m, 25.05.2002, AA 2328, Hk.
- CHENOPODIACEAE**
- Chenopodium botrys* L.
Bitlis: Kambos hill, steppe, 1880 m, 05.07.2001, AA 1529; Seyhhabib Mountain, sandy places, 2000 m, 09.09.2002, AA 2888, T.
- C. album* L. subsp. *album* var. *album*
Bitlis: İçmeli village surrounding, streamsides, 1550 m, 24.07.2001, AA 1698, T.
- Noaea mucronata* (Forssk.) Asch. & Schweinf. subsp. *tournefortii* (Spach) Aellen
Bitlis: Kambos Mountain, steppe, 2300 m, 08.08.2001, AA 1755, Ka.

AMARANTHACEAE

Amaranthus chlorostachys Willd.

Bitlis: Şeyhabib Mountain, humid areas, 2200 m, 09.09.2002, AA 2890, Ir.-Tur., T.

TAMARICACEAE

Tamarix smyrnensis Bunge

Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6848, Fa.

HYPERICACEAE (GUTTIFERAE)

Hypericum amblysepalum Hochst.

Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, B 6851, Hk.

H. lysimachioides Boiss. & Noë var. *lysimachioides*

Bitlis: İçmeli village surrounding, steppe, 1500 m, 26.05.2002, AA 2394, Ir.-Tur., Ka.

H. lysimachioides Boiss. & Noë var. *spathulatum* Robson

Bitlis: Kambos Mountain surrounding, rocky places, 1900 m, 17.06.2002, AA 2550, Ir.-Tur., Ka.

H. hyssopifolium Chaix subsp. *microcalycinum* (Boiss. & Heldr.) Boiss.

Bitlis: Ağaçköprü village surrounding, brushwood, 1850 m, 04.07.2001, AA 1382, Ir.-Tur., Hk.

H. scabrum L.

Bitlis: around Köy Hizmetleri building, steppe, 1610 m, 15.05.2001, AA 1163; Nabat Mountain, steppe, 1800 m, 26.05.2002, AA 2412, Ir.-Tur., Ka.

H. venustum Fenzl

Bitlis: the place for dumping and its surroundings, 1450 m, 30.05.2001, AA 1171; Şeyhabib Mountain, rocky places, 1400 m, 25.07.2002, AA 2711, Hk.

H. armenum Jaub. & Spach

Bitlis: Doğanlı village, Kalem Mountain, brushwood, 2000 m, 06.06.2003, AA 3012, Ir.-Tur., Hk.

H. perforatum L.

Bitlis: Zeydan district surrounding, humid places, 1550 m, 22.07.2001, AA 1648, Hk.

H. triquetrifolium Turra

Bitlis: Aşağı Nabat hill, steppe, 1550 m, 24.07.2001, AA 1682, Hk.

MALVACEAE

Hibiscus trionum L.

Bitlis: Şeyhabib Mountain, wet places, 1800 m, 09.09.2002, AA 2916, T.

Malva neglecta Wallr.

Bitlis: Karınca village surrounding, steppe, 1600 m, 01.07.2002, AA 2651, T.

Alcea apterocarpa (Fenzl) Boiss.

Bitlis: İçmeli village surrounding, steppe, 1500 m, 24.07.2001, AA 1711, END., Ir.-Tur., Ka.

A. hohenackeri (Boiss. & Huet) Boiss.

Bitlis: Kambos hill, steppe, 1880 m, 05.07.2001, AA 1517, Hk.

Althaea cannabina L.

Bitlis: Sarıkonak village surrounding, brushwood, 1560 m, 06.08.2001, AA 1751, Hk.

LINACEAE

Linum mucronatum Bertol subsp. *mucronatum*

Bitlis: Bitlis Castle, rocky areas, 1480 m, 15.05.2001, AA 1118, Ir.-Tur., Ka.

L. mucronatum Bertol subsp. *orientale* (Boiss.) P.H.Davis

Siirt: Baykan town surrounding, rocky places, 820 m, 08.05.2002, AA 2181, Ka.

L. triflorum P.H.Davis

Bitlis: Şeyhabib Mountain, rocky places, 2200 m, 09.09.2002, AA 2874, END., Ir.-Tur., Hk.

L. nodiflorum L.

Bitlis: Nabat Mountain, rocky places, 1750 m, 26.05.2002, AA 2378, Med., T.

L. strictum L. var. *strictum*

Bitlis: Aşağı Nabat Mountain, rocky places, 1800 m, 25.05.2002, AA 2347b, T.

L. pubescens Banks & Sol. subsp. *pubescens*

Siirt: Baykan town surrounding, steppe, 820 m, 08.05.2002, AA 2212, E. Med., T.

L. meletonis Hand.-Mazz.

Bitlis: Kurudere village surrounding, steppe, 1400 m, 01.07.2002, AA 2634, Ir.-Tur., Hk.

L. *catharticum* L

Bitlis: Saime hill, steppe, 1800 m, 18.06.2002, AA 1740, Euro-Sib., T.

GERANIACEAE

Geranium lucidum L.

Bitlis: Doğanlı village, Kalem Mountain, rocky places, 1800 m, 06.06.2003, Behçet 6854, T.

G. rotundifolium L.

Bitlis: in the industrial region, rocky places, 1500 m, 29.04.2002, AA 2086, T.

G. molle L. subsp. *molle*

Siirt: Baykan, Obalı village surrounding, rocky places, 850 m, 07.04.2002, AA 1913, T.

G. columbinum L.

Bitlis: Narlıdere village surrounding, humid places, 1200 m, 16.07.2001, AA 1602, T.

G. libanoticum Schenk

Bitlis: the place for dumping garbage and its surroundings, brushwood, 1535 m, 20.04.2001, AA 1085, Kr.

G. collinum Steph. ex Willd.

Bitlis: Sarıkonak village surrounding, brushwood, humid place, 1600 m, 08.08.2002, AA 2833, Hk.

G. libani P. H. Davis

Bitlis: Taç district, steppe, 1605 m, 09.04.2001, AA 1037, E. Med. (mt.), Kr.

G. pyreanicum Burm.f.

Bitlis: Deliktaş village, brushwood, 1435 m, 30.05.2001, AA 1226; Alaniçi village surrounding, rocky places, 850 m, 09.06.2002, AA 2473, Hk.

Erodium cicutarium (L.) L'Hér. subsp. *cicutarium*

Bitlis: Deliktaş village, steppe, 1435 m, 30.05.2001, AA 1249, T.

E. cicutarium (L.) L'Hér. subsp. *bipinnatum* (Cav.) Tourlet

Siirt: Baykan, Obalı village surrounding, steppe, 850 m, 16.03.2002, AA 1845, T.

ZYGOPHYLLACEAE

Tribulus terrestris L.

Bitlis: Sarıkonak village surrounding, steppe, 1620 m, 23.09.2001, AA 1795 Şeyhabib Mountain, humid roadsides, 2000 m, 09.09.2002, AA 2902, Ir.-Tur., T.

ACERACEAE

Acer monspessulanum L. subsp.
ibericum (M.Bieb.) Yalt.

Bitlis: around Karinca patrol station house, rocky places, 1500 m, 15.07.2001, AA 1538, Fa.

A. monspessulanum L. subsp.
cinerascens (Boiss.) Yalt.

Bitlis: Sarikonak village surrounding, brushwood, 1650 m, 15.07.2001, AA 1593, Ir.-Tur., Fa.

A. negundo L.

Bitlis: around Köy Hizmetleri buildings, brushwood-rocky places, 1650 m, 03.06.2002, AA 2449, Fa.

VITACEAE

**Vitis vinifera* L.

Bitlis: İçmeli village surrounding, garden, 1500 m, 26.05.2002, AA 2382, Fa.

RHAMNACEAE

Paliurus spina-christi Mill.

Bitlis: Kambos Mountain surrounding, brushwood, 1820 m, 05.07.2001, AA 1466; Ağaçköprü district, steppe, 1400 m, 25.05.2002, AA 2339, Fa.

Frangula alnus Mill. subsp. *pontica* (Boiss.) P.H.Davis & Yalt.

Bitlis: Kilise village surrounding, brushwood, 1650 m, 02.07.2002, AA 2698, END., Fa.

Rhamnus catharticus L.

Bitlis: Karinca village surrounding, rocky places, 1500 m, 15.07.2001, AA 1534, Euro-Sib., Fa.

ANACARDIACEAE

Rhus coriaria L. Bitlis: Deliktaş village surrounding, brushwood, 1440 m, 03.07.2001, AA 1308, Fa.

Pistacia eurycarpa Yalt.

Bitlis: Narlıdere village surrounding, rocky places, 1150 m, 16.07.2001, AA 1611; Şeyhabib Mountain, forest-rocky places, 1600 m, 05.08.2002, AA 2763, Ir.-Tur., Fa.

P. khinjuk Stocks

Bitlis: Sarikonak village surrounding, brushwood, 1650 m, 15.07.2001, AA 1592, Ir.-Tur., Fa.

CELASTRACEAE

Euonymus latifolius (L.) Mill. subsp.
latifolius

Bitlis: Şeyhabib Mountain, rocky places, 2100 m, 09.09.2002, AA 2896, Euro-Sib., Fa.

A. yueksekovae Matthews

Bitlis: Bitlis Castle, steppe, 1580 m, 05.15.2001, AA 1140, END., Ir.-Tur., Ka.

A. brachycalyx Fischer

Bitlis: Şeyhabib Mountain, steppe, 2000 m, 09.03.2002, AA 2903, Ir.-Tur., Ka.

A. gevashensis Champ. & Matthews

Bitlis: Ağaköprü village, steppe, 1350, 08.08.2001, AA 1765, END., Ir.-Tur., Ka.

A. amblolepis Fisch.

Bitlis: Kambos hill, steppe, 1600 m, 05.07.2001, AA 1426. Bitlis: Döskaya village, steppe, 1500 m, 18.06.2002, AA 2586, Ir.-Tur., Ka.

A. lagurus Willd.

Bitlis: around Köy Hizmetleri surrounding, steppe, 1650 m, 01.07.2002, AA 2668, Ir.-Tur., Ka.

A. macrocephalus Willd. subsp.
finitimus (Bunge) D.F.Chamb.

Bitlis: W slopes of Kambos hill, steppe, 1600 m, 05.07.2001, AA 1469, Ir.-Tur., Ka.

A. lineatus Lam. var. *lineatus*

Bitlis: Deliktaş district, open forest, 1500 m, 18.05.2002, AA 2283, Hk.

A. adunciformis Boiss.

Bitlis: Deliktaş district, steppe, 1450 m, 30.05.2001, AA 1236, END., Ka.

A. canescens DC.

Bitlis: Harabe hill, steppe, 1590 m, 20.04.2001, AA 1060, END., Ir-Tur., Hk.,

A. lycius Boiss.

Siirt: Baykan district, brushwood, 700 m, 08.05.2002, AA 2182, END., Ka.

A. xylobasis Freyn & Bornm. var.
angustus (Freyn & Sint.) Freyn & Bornm.

Bitlis: Alaniçi village district, steppe, 850 m, 01.07.2002, AA 2643, END., Ir.-Tur., Hk..

A. fragrans Willd.

Bitlis: around radio-link station surrounding, steppe, 1740 m, 09.04.2001, AA 1012. Ir.-Tur., Hk.

A. latifolius Lam.

Siirt: Baykan, Obalı village surrounding, open forest, 700 m, 07.05.2002, AA 2127, Ir.-Tur., Hk.

A. campylosema Boiss. subsp. *nigrifilis* Hub.-Mor. & Chamb.

- Bitlis: Alaniçi village surrounding, steppe, 850 m, 01.07.2002, AA 2643, END., Ir-Tur., Hk.
- A. cinereus* Willd.
Bitlis: Kalem Mountain, Doğanlı village surrounding, steppe, 1800 m, Behçet 6815, END., Ir.-Tur., Hk.
- Glycyrrhiza glabra* L. var. *glabra*
Bitlis: Ağaçköprü village, streamsides, 1350, 03.07.2001, AA 1365, Ka.
- G. echinata* L.
Bitlis: Sarıkonak village, steppe, 1550 m, 15.07.2001, AA 1575, Ka.
- Cicer anatolicum* Alef.
Bitlis: Değirmenaltı village, rocky places, 1700 m, 02.07.2002, AA 2673, Ir.-Tur., Hk.
- C. pinnatifidum* Jaub. & Spach
Bitlis: Tanrıyar village, rocky places, 1700 m, 04.05.2003, AA 2956, Hk.
- Vicia cracca* L. subsp. *tenuifolia* (Roth) Gaudin
Bitlis: İçmeli village, humid places, 1500 m, 26.05.2002, AA 2371, Hk.
- V. cracca* L. subsp. *stenophylla* Vel.
Bitlis: Kambos hill, rocky places, 1600 m, 05.07.2001, AA 1488; Döşkaya village, rocky places, 1600 m, 18.06.2002, AA 2600, Hk.
- V. canescens* Labill. subsp. *leucomalla* (Bornm.) P.H.Davis
Bitlis: Alaniçi village, steppe, 950 m, 01.07.2002, AA 2644; around Köy Hizmetleri building, steppe, 1615 m, 03.07.2001, AA 1257, END., Ir.-Tur., Hk.
- V. hyrcanica* Fisch. & C.A.Mey.
Siirt Baykan town surrounding, rocky places, 820 m, 08.05.2002, AA 2204, Ir.-Tur., Hk.
- V. peregrina* L.
Bitlis: Kalem Mountain, Doğanlı village surrounding, open forest, 1800 m, 06.06.2003, Behçet 6763, T.
- V. anatolica* Turrill
Bitlis: Kalem Mountain, Doğanlı village surrounding, open forest, 1800 m, 06.06.2003, AA 2993, Ir.-Tur., T.
- V. cuspidata* Boiss.
Bitlis: Kalem Mountain, Doğanlı village surrounding, steppe, 2000 m, 06.06.2003, Behçet 6764, Med., T.
- V. sativa* L. subsp. *sativa*
Bitlis: Sarıkonak village surrounding, brushwood, 1600 m, 23.04.2002, AA 2072, T.
- V. sativa* L. subsp. *nigra* (L.) Ehrh. var. *segetalis* (Thuill.) Ser. ex DC.
Bitlis: Tanrıyar village district, rocky places, 1000 m, 22.04.2002, AA 2012, T.
- V. narbonensis* L. var. *narbonensis*
Bitlis: Kalem Mountain, Doğanlı village surrounding, 1800 m, open forest, 06.06.2003, AA 2992, T.
- V. galilaea* Plitmann & Zoh.
Bitlis: Kalem Mountain, Doğanlı village surrounding, 1800 m, open forest, 06.06.2003, AA 2991, T.
- Lens orientalis* (Boiss.) Hand.- Mazz.
Bitlis: Kalem Mountain, Doğanlı village surrounding, 1800 m, open forest, 06.06.2003, Behçet 6770, T.
- Lathyrus pratensis* L.
Bitlis: Değirmenderesi stream, meadow, 1650 m, 22.07.2001, AA 1639, Euro-Sib., Hk.
- L. rotundifolius* Willd. subsp. *miniatus* (M. Bieb. ex Stev.) P. H. Davis
Bitlis: Yamköy district, brushwood, 1510 m, 20.04.2001, AA 1101, Hk.
- L. roseus* Stev.
Bitlis: İçmeli village, brushwood, 1500 m, 26.05.2002, AA 2365; Deliktaş district, brushwood, 1450 m, 30.05.2001, AA 1196, H.-Eux., Ka.
- L. setifolius* L.
Bitlis: Kalem Mountain, Doğanlı village surrounding, 2000 m, open forest, 06.06.2003, Behçet 6852, Med., T.
- L. cicera* L.
Bitlis: Alaniçi village, steppe, 950 m, 14.04.2002, AA 1948, T.
- L. chloranthus* Boiss.
Bitlis: İçmeli village, under tree, 1500 m, 24.07.2001, AA 1717, Ir.-Tur., T.
- Pisum sativum* L. subsp. *sativum* var. *arvense* (L.) Poir.
Bitlis: Alaniçi village, rocky places, 950 m, 04.05.2003, AA 2972; Kalem Mountain, W of Doğanlı village, 1900 m, rocky places, 06.06.2003, Behçet 6797, T.
- P. sativum* L. subsp. *elatius* (M.Bieb.) Asch. & Graebn. var. *elatius*
- Siirt: Baykan, Obalı village surrounding, rocky places, 850 m, 07.05.2002, AA 2168; Baykan town surrounding, rocky places, 810 m, 08.05.2002, AA 2189, Med., T.
- Ononis spinosa* L. subsp. *leiosperma* (Boiss.) Sirj.
Bitlis: Sarıkonak village district, open forest, 1550 m, 15.07.2001, AA 1561; Karınca village steppe, 1300 m, 15.07.2001, AA 2645, Hk.
- Trifolium repens* L. var. *repens*
Bitlis: Deliktaş district, meadow, 1450 m, 03.07.2001, AA 1248, Hk.
- T. ambiguum* M. Bieb.
Bitlis: Kurudere village, meadow, 1200 m, 01.07.2002, AA 2631, Hk.
- T. hybridum* L. var. *hybridum*
Bitlis: E of Kambos hill, meadow, 1600 m, 05.07.2001, AA 1524, Hk.
- T. nigrescens* Viv. subsp. *petrisavii* (Clem.) Holmboe
Bitlis: Terek Mountain, steppe, 1600 m, 17.05.2002, AA 2227, T.
- T. speciosum* Wiild.
Siirt Baykan town surrounding, open forest, 820 m, 08.05.2002, AA 2163, Euro-Sib., T.
- T. campestre* Schreb.
Bitlis: Karınca village surrounding, steppe, 1600 m, 17.05.2002, AA 2226, T.
- T. spumosum* L.
Siirt: Baykan town surrounding, meadow, 820 m, 08.05.2002, AA 2222, Med. T.
- T. argutum* Sol.
Bitlis: İçmeli village, humid places, 1500 m, 26.05.2002, AA 2374a, T.
- T. fragiferum* L. var. *pulchellum* Lange
Bitlis: Narlidere village, 1050 m, humid places, 16.07.2001, AA 1605, Hk.
- T. physodes* Stev. ex M.Bieb. var. *physodes*
Bitlis: Kalem Mountain, Doğanlı village surrounding, 1800 m, open forest, 06.06.2003, Behçet 6753, Med., Hk.
- T. resupinatum* L. var. *microcephalum* Zoh.
Bitlis: meadows, 1540 m, 30.05.2001, AA 1211, Hk.

- T. resupinatum L. var. resupinatum**
Bitlis: Deliktaş village, meadow, 1500 m, 18.05.2002, AA 2285, T.
- T. tormentosum L.**
Bitlis: Sarıkonak village, steppe, 1550 m, 18.05.2002, AA 2253. Siirt Baykan town surrounding, steppe, 820 m, 07.05.2002, AA 2134, T.
- T. pratense L. var. americanum Harz**
Bitlis: E of Kambos hill, meadow, 1680 m, 05.07.2001, AA 1511; Şetek village, humid places, 1550 m, 05.10.2001, AA 1775, Hk.
- T. diffusum Ehrh.**
Bitlis: Ağaçköprü village, steppe, 1350 m, 09.06.2002, AA 2505; Kalem Mountain, Doğanlı village surrounding, 1800 m, steppe, 06.06.2003, AA 2995, T.
- T. trichocephalum M.Bieb.**
Bitlis: Ağaçköprü village, meadow, 1350 m, 04.07.2001, AA 1361, Hk.
- T. stellatum L. var. stellatum**
Bitlis: Alaniçi village, meadow, 950 m, 15.04.2002, AA 1982b, T.
- T. stellatum L. var. xanthium (Freyn) Bald.**
Siirt: Baykan town surrounding, steppe, 820 m, 08.05.2002, AA 2217. Bitlis: Kalem Mountain, Doğanlı village surrounding, 1800 m, open forest, 06.06.2003, Behçet 6837, Med., T.
- T. bocconei Savi**
Bitlis: Direktaşı village, steppe, 1400 m, 25.05.2002, AA 2305, T.
- T. hirtum All.**
Bitlis: Direktaşı village, steppe, 1400 m, 25.05.2002, AA 2307, Med., T.
- T. arvense L. var. arvense**
Bitlis: around Köy Hizmetleri building, humid places, 1615 m, 15.05.2001, AA 1150, T.
- T. angustifolium L. var. angustifolium**
Bitlis: İçmeli village, steppe, 1500 m, 25.05.2002, AA 2338, T.
- T. purpureum Loisel. var. pamphylicum (Boiss. & Heldr.) Zoh.**
Bitlis: Kalem Mountain, Doğanlı village surrounding, 1800 m, open forest, 06.06.2003, Behçet 6775, Med., T.
- T. leucanthum M.Bieb.**
Bitlis: Kalem Mountain, Doğanlı village surrounding, 1800 m, open forest, 06.06.2003, Behçet 6836, T.
- T. pauciflorum d'Urv.**
Bitlis: Tatlıkaynak village, meadow, 1550 m, 18.05.2002, AA 2291. Siirt: Baykan town surrounding, meadow, 820 m, 08.05.2002, AA 2208, Med., T.
- T. pilulare Boiss.**
Siirt: Baykan town surrounding, steppe, 820 m, 08.05.2002, AA 2185. Bitlis: Aşağı Nabat Mountain, steppe, 1750 m, 25.05.2002, AA 2353, T.
- T. subterraneum L.**
Bitlis: Karınca village surrounding, meadow, 1500 m, 23.04.2002, AA 2051, T.
- Trigonella mesopotamica Hub.-Mor.**
Siirt: Baykan town surrounding, steppe, 820 m, 08.05.2002, AA 2186, T.
- T. monantha C.A.Mey. subsp. monantha**
Siirt: Baykan, Obalı village surrounding, open forest, 850 m, 07.05.2002, AA 2152, Ir.-Tur., T.
- T. strangulata Boiss.**
Bitlis: Kalem Mountain, Doğanlı village surrounding, 1800 m, open forest, 06.06.2003, Behçet 6783, T.
- T. monspeliacia L.**
Bitlis: Ağaçköprü village district, steppe, 1450 m, 25.05.2002, AA 2303, Med., T.
- Medicago lupulina L.**
Bitlis: Harebe hill, steppe, 1600 m, 20.04.2001, AA 1064, Hk.
- M. radiata L.**
Siirt: Baykan town surrounding, steppe, 850 m, 08.05.2002, AA 2220, Ir.-Tur., T.
- M. arabica (L.) Huds.**
Siirt: Baykan town surrounding, steppe, 820 m, 07.05.2002, AA 2133, T.
- M. minima (L.) Bartal var. minima**
Bitlis: Tanrıyar village district, steppe, 1000 m, 22.04.2002, AA 2033, T.
- M. rigidula (L.) All. var. rigidula**
Bitlis: Direktaşı district, steppe, 1400 m, 25.05.2002, AA 2306, T.
- M. sativa L. var. sativa**
Bitlis: Sarıkonak village, brushwood, 1550 m, 15.07.2001, AA 1577, Hk.
- M. sativa L. var. coerulea (Less. ex Ledeb.) Schmalh.**
Bitlis: Narlıdere village, 1050 m, brushwood, 25.07.2002, AA 2701, Hk.
- M. coronata (L.) Bartal**
Bitlis: Aşağı Nabat Mountain, steppe, 1750 m, 26.05.2002, AA 2410, Med., T.
- Lotus corniculatus L. var. tenuifolius L.**
Bitlis: Sarıkonak village, open forest, 1550 m, 15.07.2001, AA 1586. Bitlis: İçmeli village, humid places, 1500 m, 24.07.2001, AA 1696, Hk.
- L. gebelia Vent. var. gebelia**
Bitlis: Ağaçköprü village, steppe, 1350 m, 17.06.2002, AA 2503; Kalem Mountain, Doğanlı village surrounding, 1800 m, open forest, 06.06.2003, AA 2994, Hk.
- Hymenocarpus circinatus (L.) Savi**
Siirt: Baykan, Obalı village surrounding, steppe, 850 m, 07.05.2002, AA 2167, Med., T.
- Coronilla orientalis Mill. var. orientalis**
Bitlis: Deliktaş district, steppe, 1450 m, 30.05.2001, AA 1235, Ka.
- C. varia L. subsp. varia**
Bitlis: East of Kambos hill, brushwood, 2000 m, 17.06.2002, AA 2538; Şeyhabib Mountain, brushwood, 2000 m, 09.03.2002, AA 2898, Hk.
- Onobrychis cornuta (L.) Desv.**
Siirt: Baykan, Obalı village, Çemçavuş district, steppe, 850 m, 07.05.2002, AA 2136, Ka.
- O. caput-galli (L.) Lam.**
Siirt: Baykan, Obalı village surrounding, steppe, 850 m, 07.05.2002, AA 2166, Med., T.
- O. carduchorum C.C.Towns.**
Bitlis: W of Kambos hill, steppe, 1600 m, 05.07.2001, AA 1433, Ir.-Tur., Hk.
- O. kotschyana Fenzl**
Bitlis: Değirmenaltı village, steppe, 1700 m, 02.07.2002, AA 2676, Hk.
- O. tournefortii (Willd.) Desv.**
Siirt: Baykan, Obalı village, Çemçavuş district, open forest, 850 m, 07.05.2002, AA 2175, END., Hk.
- Alhagi mannifera Desv.**
Siirt: Baykan, Obalı village surrounding, open forest, 850 m, 08.08.2002, AA 2818, Ka.

ROSACEAE

Prunus spinosa L.

Siirt: Baykan town surrounding, under forest, 820 m, 16.03.2002, AA 1822, END., Ir.-Tur., Fa.

**P. x domestica* L.

Bitlis: Hersan district, brushwood, 1550 m, 29.04.2002, AA 2082. Bitlis: Deliktaş district, brushwood, 1450 m, 03.07.2001, AA 1301, Fa.

P. divaricata Ledeb. subsp. *divaricata*

Bitlis: Deliktaş district, brushwood, 1450 m, 03.07.2001, AA 1278, Fa.

Cerasus brachypetala Boiss. var. *brachypetala* (This variety was given as a new record for Turkey by Dönmez and Yıldırımlı, (1999))

Bitlis: eastern slopes of Kambos Mountain, rocky places, 1900 m, 17.06.2002, AA 2548, Ir.-Tur., Ka.

C. brachypetala Boiss. var. *bornmuelleri*

Bitlis: Deliktaş village surrounding, open forest, 1500 m, 18.05.2002, AA 2276, Ir.-Tur., Ka.

C. microcarpa (C.A.Mey.) Boiss. subsp. *tortuosa* (Boiss. & Hausskn.) Browicz

Bitlis: Ağaçköprü village, brushwood, 1450 m, 03.07.2001, AA 1368, Ir.-Tur., Fa.

C. vulgaris Mill.

Bitlis: Narlıdere village, forest, 1050 m, 23.04.2002, AA 2022; Berge hill, open forest, 1570 m, 30.04.2002, AA 2085, Fa.

C. mahaleb (L.) Mill. var. *mahaleb*

Bitlis: Sarıkonak village surrounding, forest, 1600 m, 23.08.2002, AA 1578, Fa.

Amygdalus communis L.

Bitlis: Sarıkonak village surrounding, steppe, 1600 m, 23.04.2002, AA 2070, Fa.

A. arabica Oliv.

Bitlis: Alaniçi village district, open forest, 950 m, 04.05.2002, AA 2953; Kalem Mountain, Doğanlı village surrounding, 1800 m, open forest, 06.06.2003, Behçet 6755, Ir.-Tur., Ka.

Filipendula ulmaria (L.) Maxim.

Bitlis: Şeyhabib Mountain, brushwood, 1700 m, 25.07.2002, AA 2719, Euro-Sib., Hk.

Rubus idaeus L.

Bitlis: Tanrıyar village surrounding, streamsides, 1200 m, 05.08.2002, AA 2762, Fa.

R. caesius L.

Bitlis: W of Kambos hill, streamsides, 1900 m, 05.07.2001, AA 1519, Fa.

R. sanctus Schreb.

Bitlis: W of Kambos hill, streamsides 1600 m, 05.07.2001, AA 1462, Fa.

R. canescens DC. var. *canescens*

Bitlis: Değirmenaltı village surrounding, brushwood, 1700 m, 02.07.2002, AA 2692, Fa.

Potentilla bifurca L.

Bitlis: Kurudere village surrounding, steppe, 1600 m, 01.07.2002, AA 2640, Hk.

P. inclinata Vill.

Bitlis: around Karınca Karakol, steppe, 1500 m, 01.07.2002, AA 1677; Ağaçköprü village, steppe, 1650 m, 04.07.2002, AA 1405, Hk.

P. recta L.

Bitlis: İçmeli village, steppe, 1500 m, 25.05.2002, AA 2491, Hk.

P. anatolica Peşmen

Bitlis: İçmeli village, steppe, 1500 m, 25.05.2002, AA 2343; Şeyhabib Mountain, brushwood, 1700 m, 09.03.2002, AA 2918, END., Ir.-Tur., Hk.

P. pannosa Boiss. & Hausskn.

Bitlis: SW of Kambos Mountain wet places, 1850 m, 05.07.2001, AA 1498, Ir.-Tur., Hk.

P. reptans L.

Bitlis: Deliktaş district, wetland, 1450 m, 03.07.2001, AA 1321, Hk.

Geum urbanum L.

Bitlis: Dörtağaç village, steppe, 1700 m, 03.06.2002, AA 2442, Hk.

Agrimonia eupatoria L.

Bitlis: SW of Kambos Mountain, brushwood, 1440 m, 05.07.2001, AA 1455.

Bitlis: Kilise village surrounding, brushwood, 1650 m, 02.07.2002, AA 2695, Kr.

Sanguisorba minor Scop. subsp. *minor*

Bitlis: Deliktaş surrounding, steppe, 1435 m, 03.07.2001, AA 1306; Arapköprü district surrounding, steppe, 1540 m, 09.04.2001, AA 1043, Hk.

S. minor Scop. subsp. *muricata* (Spach) Briq.

Siirt: Baykan, Obalı village, Çemçavuş district, steppe, 850 m, 30.03.2002, AA 2147, Hk.

Alchemilla pseudocartalinica Juz.

Bitlis: Değirmenaltı village surrounding, humid places, 1700 m, 03.06.2002, AA 2427; Deliktaş village, humid places, 1550 m, 17.07.2001, AA 1623, Hk.

Rosa foetida J. Herrm.

Bitlis: around Köy Hizmetleri building, brushwood, 1615 m, 15.05.2001, AA 1153, Fa.

R. montana Chaix subsp. *woronowii* (Lonacz.) O.Nilsson

Bitlis: Nabat Mountain, rocky places, 2000 m, 24.07.2001, AA 1666, Fa.

R. canina L.

Bitlis: Sarıkonak village surrounding, brushwood, 1600 m, 21.10.2001, AA 1817, Fa.

R. dumalis Bechst. var. subsp. *boissieri* (Crép.) O.Nilsson

Bitlis: S of Terek Mountain, brushwood, 1700 m, 17.05.2002, AA 2231; around Köy Hizmetleri building, brushwood, 1615 m, 07.03.2001, AA 1259, Fa.

Cotoneaster nummularia Fisch. & C.A.Mey.

Bitlis: Şetek village surrounding, in forest, 1600 m, 05.10.2001, AA 1774, Fa.

Crataegus orientalis Pallas ex M.Bieb. var. *orientalis*

Bitlis: Sarıkonak village surrounding, forest, 1600 m, 21.08.2001, AA 1816; Deliktaş district, steppe, 1450 m, 03.07.2001, AA 1352, Fa.

C. szovitsii Pojark.

Bitlis: Sarıkonak village surrounding, forest, 1600 m, 21.10.2001, AA 1812, Ir.-Tur., Fa.

C. aronia (L.) Bosc. ex DC. var. *aronia*

Bitlis: Narlıdere village surrounding, slopes, 1050 m, 16.07.2001, AA 1610, Fa.

C. atrosanguinea Pojark.

Bitlis: Hersan district, in garden, 1545 m, 26.07.2002, AA 2862, Ir.-Tur., Fa.

C. curvisepala Lindm.

Bitlis: Sarıkonak village surrounding, in forest, 1600 m, 21.10.2001, AA 1815, Fa.

C. monogyna J.Jacq. subsp. *monogyna*

Bitlis: place for dumping garbage and its surroundings, brushwood, 1450 m, 20.04.2001, AA 1075; Deliktaş district, brushwood, 1450 m, 03.07.2001, AA 1305 Fa.

C. monogyna J.Jacq. subsp. *azarella*
(Gris) Franco

Bitlis: Deliktaş district, brushwood, 1450 m, 30.05.2001, AA 1223, Fa.

C. pseudoheterophylla Pojark.

Bitlis: Deliktaş district, in forest, 1450 m, 18.05.2002, AA 2258, Ir.-Tur., Fa.

Sorbus umbellata (Desf.) Fritsch var. *umbellata*

Bitlis: Aşağı Nabat Mountain, rocky places, 1800 m, 24.07.2001, AA 1664, Fa.

S. torminalis (L.) Crantz var. *torminalis*

Bitlis: Kalem Mountain, Doğanlı village surrounding, 1900 m, in forest, 06.06.2003, AA 3001, Fa.

**Cydonia oblonga* Mill.

Bitlis: Sarıkonak village, in garden, 1550 m, 23.04.2002, AA 2078, Fa.

Malus sylvestris Mill. subsp. *orientalis*
(A.Uglitzk.) Browicz var. *orientalis*

Siirt: Baykan town surrounding, in garden, 820 m, 16.03.2002, AA 1836.
Bitlis: Sarıkonak village, in garden, 1600 m, 23.04.2002, AA 2038, Fa.

Pyrus syriaca Boiss. var. *syriaca*

Bitlis: Hersan district, in garden, 1540 m, 26.07.2002, AA 2861, Fa.

PUNICACEAE

Punica granatum L.

Bitlis: Tatlıkaynak village, in garden, 1500 m, 26.05.2002, AA 2387, Fa.

LYTHRACEAE

Lythrum salicaria L.

Bitlis: Değirmenaltı Stream, wet places, 1650 m, 22.07.2001, AA 1662; Yenice village, streamsides, 950 m, 25.08.2001, AA 1805, Euro-Sib., Hk.

ONAGRACEAE

Circaeа lutetiana L.

Bitlis: İçmeli village, under tree, 1500 m, 24.07.2001, AA 1706, Hk.

Epilobium angustifolium L.

Bitlis: Dörtağaç village streamsides, 1700 m, 02.07.2002, AA 2690; Değirmenaltı, village surrounding, brushwood, 22.07.2001, AA 1628, Hk.

E. hirsutum L.

Bitlis: around Köy Hizmetleri building, humid places, 1610 m, 22.07.2001, AA 1642, Hk.

E. montanum L.

Bitlis: around Karınca Karakol, wet places, 1300 m, 15.07.2001, AA 1555, Euro-Sib., Kr.

E. lanceolatum Seboth & Mauri

Bitlis: Deliktaş district, brushwood, 1450 m, 03.07.2001, AA 1347, Hk.

E. roseum Schreb. subsp. *subsessile*
(Boiss.) P.H.Raven

Bitlis: Şeyhabib Mountain, wet places, 2000 m, 09.09.2002, AA 2878, Kr.

E. minutiflorum Hausskn.

Bitlis: South-eastern slopes of Kambos Mountain, brushwood, 1640 m, 05.07.2001, AA 1507; Ağaköprü village, brushwood, 1650 m, 04.07.2002, AA 1369, Ir.-Tur., Hk.

CUCURBITACEAE

Bryonia aspera Stev. ex Ledeb.

Bitlis: Sarıkonak village surrounding, brushwood, 1600 m, 18.06.2002, AA 2597, Hk.

DATISCACEAE

Datisca cannabina L.

Bitlis: Şeyhabib Mountain, streamsides, 1900 m, 09.09.2002, AA 2879, Hk.

CRASSULACEAE

Umbilicus erectus DC.

Bitlis: Kambos hill surrounding, brushwood, 1800 m, 05.07.2001, AA 1501; Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6869, Hk.

Rosularia sempervivum (M.Bieb.) A.Berger subsp. *sempervivum*

Bitlis: Saime hill, rocky places, 1850 m, 18.06.2002, AA 2593, Ir.-Tur., Hk.

Rosularia sempervivum (M.Bieb.) A.Berger subsp. *libanotica* (Labill.) Eggli

Bitlis: Kambos Mountain, rocky places, 1900 m, 05.07.2001, AA 1439, Hk.

Rosularia sempervivum (M.Bieb.) A.Berger subsp. *kurdica* Eggli

Bitlis: Saime hill rocky places, 1850 m, 18.06.2002, AA 2608. Ir. - Tur., Hk.

Sedum album L.

Bitlis: Kambos Mountain, rocky, humid places, 2000 m, 17.06.2002, AA 2561; Şeyhabib Mountain, rocky places, 1800 m, 05.08.2002, AA 2733, Hk.

S. sempervivoides M. Bieb.

Bitlis: Kambos hill, rocky places, 1830 m, 05.07.2001, AA 1451; Şeyhabib Mountain, steppe-rocky places, 1800 m, 05.08.2002, AA 2743, Hk.

S. pallidum M. Bieb. var. *pallidum*

Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6825; Siirt: Baykan town surrounding, rocky places, 800 m, 08.05.2002, AA 2811, T.

SAXIFRAGACEAE

Saxifraga sibirica L. subsp. *mollis* (Sm.) Matthews

Bitlis: Bitlis Castle, wet places-meadow, 1550 m, 15.05.2001, AA 1141, Kr.

S. tridactylites L.

Bitlis: Industrial site surrounding, steppe, 1530 m, 29.04.2002, AA 2091, T.

APIACEAE (UMBELLIFERAE)

Eryngium falcatum Delar.

Bitlis: Narlıdere village surrounding, steppe, 1050 m, 25.07.2001, AA 2700; Aşağı Nabat Mountain, steppe, 1800 m, 25.05.2002, AA 2351, Med., Hk.

E. pyramidale Boiss. & Hausskn.

Bitlis: Kalem Mountain, Doğanlı village surrounding, open forest, 1800 m, 06.06.2003, Behçet 6831, Ir.-Tur., Hk.

E. billardieri Delar.

Bitlis: Şeyhabib Mountain, steppe, 2000 m, 09.03.2002, AA 2911, Ir.-Tur., Hk.

Lagoecia cuminoides L.

Bitlis: Aşağı Nabat Mountain, steppe, 1750 m, 25.05.2002, AA 2327, Med., T.

Chaerophyllum crinitum Boiss.

Bitlis: Değirmenaltı village, steppe, 1700 m, 03.06.2002, AA 2432, Ir.-Tur., Kr.

Grammosciadium macrodon Boiss.

Bitlis: Deliktaş district, steppe, 1450 m, 18.05.2001, AA 2257, Ir.-Tur., Hk.

G. platycarpum Boiss. & Hausskn.

Bitlis: Industrial site surrounding, steppe, 1530 m, 29.04.2002, AA 2098, Ir.-Tur., Hk.

- Scandix pecten-veneris* L.
Bitlis: Çayırköy district, steppe, 1570 m, 30.05.2001, AA 1198, T.
- Smyrnium olusatrum* L.
Bitlis: Deliktaş district, steppe, 1450 m, 30.04.2002, AA 2116, Med., Hk.
- S. cordifolium* Boiss.
Bitlis: Narlıdere village, 1050 m, brushwood, 22.04.2002, AA 2008, Ir.-Tur., Hk.
- Bunium paucifolium* DC. var. *paucifolium*
Siirt: Baykan town surrounding, brushwood, 820 m, 17.05.2002, AA 2221, END., Ir.-Tur., Kr.
- B. paucifolium* DC. var. *brevipes* (Freyn & Sint.) Hedge & Lamond
Bitlis: Yamköy surrounding, steppe, 1510 m, 20.04.2001, AA 1108, END., Ir.-Tur., Kr.
- Pimpinella peregrina* L.
Bitlis: south-eastern slopes of Kambos Mountain, brushwood, 1640 m, 05.07.2001, AA 1499, Hk.
- P. kotschyana* Boiss.
Bitlis: south-eastern slopes of Kambos Mountain, brushwood, 1640 m, 05.07.2001, AA 1459, Ir.-Tur., Ka.
- P. tragium* Vill. subsp. *pseudotragium* (DC.) Matthews
Bitlis: Narlıdere village, brushwood, 1050 m, 25.07.2002, AA 2725, Ir.-Tur., Hk.
- P. anthriscoides* Boiss. subsp. *anthriscoides*
Bitlis: Kambos hill, rocky places-steppe, 2000 m, 01.08.2001, AA 1731, Ir.-Tur., Hk.
- P. peucedanifolia* Fisch. ex Ledeb.
Bitlis: Ağaçköprü village, brushwood, 1450 m, 04.07.2001, AA 1386, Hk.
- Sium sisarum* L. var. *lancifolium* (M.Bieb.) Thell.
Bitlis: İçmeli village, under tree, 1500 m, 24.07.2001, AA 1709, Hk.
- Prangos pabularia* Lindl.
Bitlis: south-eastern slopes of Kambos Mountain, steppe, 1640 m, 05.07.2001, AA 1427, Ir.-Tur., Hk. Appr.: M.G.Pimenov.
- P. peucedanifolia* Fenzl
Bitlis: Nabat Mountain, steppe, 1800 m, 26.05.2002, AA 2388, Ir.-Tur., Hk.
- P. uechtritzii* Boiss. & Hausskn.
Bitlis: Deliktaş district, brushwood, 1450 m, 30.05.2001, AA 1179, END., Ir.-Tur., Hk.
- Bupleurum kurdicum* Boiss.
Bitlis: Kalem Mountain, Doğanlı village surrounding, 1800 m, open forest, 06.06.2003, Behçet 6761, Ir.-Tur., T.
- Apium nodiflorum* (L.) Lag.
Bitlis: İçmeli village district, streamside, 1500 m, 24.07.2001, AA 1700, Hk.
- Malabala lasiocarpa* Boiss.
Bitlis: Deliktaş district, brushwood, 1450 m, 30.05.2001, AA 1194; Kurudere village surrounding, brushwood, 1300 m, 23.04.2002, AA 2037, END., Ir.-Tur., Kr.
- Ainsworthia trachycarpa* Boiss.
Bitlis: Direktaşı district, steppe, 1400 m, 25.05.2002, AA 2313; Tanrıyar village surrounding, brushwood, 1500 m, 04.05.2003, AA 2949, Med., Hk. Det.: M.G.Pimenov.
- Torilis arvensis* (Huds.) Link subsp. *neglecta* (Spreng.) Thell.
Bitlis: Kalem Mountain, Doğanlı village surrounding, 1800 m, open forest, 06.06.2003, Behçet 6759, T.
- T. leptophylla* (L.) Reichb.
Bitlis: Deliktaş district, steppe, 1550 m, 18.05.2002, AA 2265, T.
- Turgenia latifolia* (L.) Hoffm.
Bitlis: Dörtağaç village, brushwood, 1700 m, 02.07.2002, AA 2679, T.
- Lisaea strigosa* (Banks & Sol.) Eig
Bitlis: Deliktaş district, steppe, 1450 m, 03.07.2001, AA 1293, Ir.-Tur., T.
- **Daucus carota* L.
Bitlis: Sarıkonak village district, brushwood, 1550 m, 08.08.2002, AA 2821, Hk.
- D. guttatus* Sm.
Bitlis: Sarıkonak village, brushwood, 1550 m, 15.07.2001, AA 1573, Hk.
- Orlaya daucoides* (L.) Greuter
Bitlis: eastern slopes of Kalem Mountain, open forest, 1800 m, 06.06.2003, AA 3007, Med., T.
- CORNACEAE**
Cornus sanguinea L. subsp. *australis* (C.A.Mey.) Jav.
- Bitlis: Ağaçköprü village surrounding, brushwood, 1510 m, 26.07.2001, AA 1724; Kambos Mountain, rocky places, 1900 m, 17.06.2002, AA 2549, Euro-Sib., Fa.
- CAPRIFOLIACEAE**
Lonicera nummulariifolia Jaub. & Spach subsp. *nummulariifolia*
Bitlis: Şeyhabib Mountain, rocky places, 1800 m, 05.08.2002, AA 2766, Fa.
- VALERIANACEAE**
Valeriana phu L.
Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6795, Kr.
- V. sisymbriifolia* Vahl
Bitlis: Alaniçi village surrounding, brushwood, 950 m, 04.05.2003, AA 2937, Ir.-Tur., Kr.
- Centranthus longiflorus* Stev. subsp. *longiflorus*
Bitlis: north of Kambos Mountain, rocky places-steppe, 2050 m, 30.08.2002, AA 2784, Ir.-Tur., Hk.
- Valerianella dactylophylla* Boiss. & Hohen.
Bitlis: Deliktaş village surrounding, brushwood, 1510 m, 30.05.2001, AA 1187; Değirmenaltı village surrounding, steppe, 1700 m, 03.06.2002, AA 2454, T.
- V. carinata* Lois.
Bitlis: Tatlıkaynak village surrounding, steppe, 1510 m, 18.05.2002, AA 2296, T.
- V. coronata* (L.) DC.
Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6801, T.
- V. vesicaria* (L.) Moench
Siirt: around Baykan town centre, steppe, 810 m, 08.08.2002, AA 2191, T.
- DIPSACACEAE**
Cephalaria setosa Boiss. & Hohen.
Bitlis: Sarıkonak village surrounding, brushwood, 1650 m, 15.07.2001, AA 1587, Ir.-Tur., T.
- C. syriaca* (L.) Schrad.
Bitlis: Kambos Mountain, steppe, 1900 m, 05.07.2001, AA 1487, T.

- C. speciosa** Boiss. & Kotschy
 Bitlis: Doğanlı village, Kalem Mountain, steppe, 1800 m, 06.06.2003, AA 3011, END. Ir.-Tur., Hk.
- C. procera** Fisch. & Lall
 Bitlis: S of Nabat Mountain, steppe, 1800 m, 24.07.2001, AA 1670, Ir.-Tur., Hk.
- Scabiosa argentea** L.
 Bitlis: around Köy Hizmetleri building, steppe, 1610 m, 03.07.2001, AA 1277; Direktaş village, steppe, 1550 m, 17.07.2001, AA 1624b, Hk.
- S. bicolor** Kotschy
 Bitlis: Deliktaş village, brushwood, 1435 m, 03.07.2001, AA 1316; Saime hill, steppe, 1750 m, 18.06.2002, AA 2577, Ir.-Tur., T.
- S. calocephala** Boiss.
 Bitlis: Tatlıkaynak village surrounding, humid places, 1550 m, 09.06.2002, AA 2493, Ir.-Tur., T.
- S. rotata** M. Bieb.
 Bitlis: Ağaçköprü village surrounding, brushwood, 1850 m, 04.07.2001, AA 1375, Ir.-Tur., T.
- Pterocephalus plumosus** (L.) Coult.
 Bitlis: Nabat Mountain, steppe, 1800 m, 26.05.2002, AA 2380, T.
- P. pyrethrifolius** Boiss. & Hohen.
 Bitlis: Kambos hill, rocky places, 1800 m, 05.07.2001, AA 1424. Bitlis: Kuriş hill, rocky places, 2000 m, 15.07.2001, AA 1541, Ir.-Tur., Ka.
- ASTERACEAE (COMPOSITAE)**
- ***Helianthus annuus** L.
 Bitlis: Ağaçköprü village surrounding, road edge, 1500 m, 26.07.2001, AA 1725, T.
- Xanthium spinosum** L.
 Bitlis: Deliktaş village, steppe, 1450 m, 03.07.2001, AA 1314, Gen. yay., T.
- X. strumarium** L. subsp. *cavanillesii* (Schouw) D. Löve & P. Dansereau
 Bitlis: Sarıkonak village, steppe, 1550 m, 21.10.2001, AA 1820, T.
- Chrysophthalmum montanum** (DC.) Boiss.
 Bitlis: S of Kambos hill, brushwood, 1800 m, 05.07.2001, AA 1480, Ir.-Tur., Ka.
- Inula salicina** L.
 Bitlis: Şeyhabib Mountain, steppe, 2200 m, 09.09.2002, AA 2876, Euro-Sib., Hk.
- I. oculus-christi** L.
 Bitlis: north of Kambos hill, steppe, 2000 m, 30.08.2002, AA 1501, Euro-Sib., Hk.
- I. thapsoides** (M.Bieb. ex Willd.) Sprengel subsp. *australis* Grierson
 Bitlis: slopes of Kuriş hill, brushwood, 1500 m, 15.07.2001, AA 1568, Hk.
- Pulicaria dysenterica** (L.) Bernh.
 Bitlis: Narlidere village, wet places, 1050 m, 25.08. 2002, AA 1802, Hk.
- Phagnalon kotschyi** Sch. Bip. ex. Boiss.
 Bitlis: Kambos Mountain, rocky places, 2200 m, 08.08.2001, AA 1764, Ka. Appr.: Kit Tan.
- Helichrysum plicatum** DC. subsp. *plicatum*
 Bitlis: eastern slopes of Kambos Mountain, steppe, 2000 m, 05.07.2001, AA 1489, Ka.
- H. plicatum** DC. subsp. *pseudoplicatum* (Nábelek) P.H.Davis & Kupicha
 Bitlis: Deliktaş district, steppe, 1435 m, 03.07.2001, AA 1295, Hk.
- H. arenarium** (L.) Moench subsp. *aucherii* (Boiss.) P.H.Davis & Kupicha
 Bitlis: İğmeli village, steppe, 1500 m, 09.06.2002, AA 2489, END.?, Ir.-Tur., Ka.
- Filago pyramidata** L.
 Bitlis: Aşağı Nabat hill, steppe, 1850 m, 25.05.2002, AA 2333a, T.
- Logfia arvensis** (L.) Holub
 Siirt: Baykan town centre surrounding, steppe, 820 m, 08.05.2002, AA 2200, T.
- Bombycilaena erecta** (L.) Smoljan.
 Bitlis: Aşağı Nabat hill, steppe, 1850 m, 25.05.2002, AA 2333b, T.
- Erigeron acer** L. subsp. *acer*
 Bitlis: Zeydan district, steppe, 1550 m, 22.07.2001, AA 1625, Hk.
- Conyza canadensis** (L.) Cronquist
 Bitlis: Kambos hill, steppe, 2000 m, 30.08.2002, AA 2807, T.
- Bellis perennis** L.
 Siirt: Baykan town centre surrounding, meadow, 820 m, 08.04.2002, AA 1910, Hk.
- Senecio mollis** Willd.
 Bitlis: Zeydan district, wet places, 1550 m, 22.07.2001, AA 1651, Ir.-Tur., Hk.
- S. eriospermus** DC. var. *eriospermus*
 Bitlis: Döskaya village, steppe, 1500 m, 18.06.2002, AA 2615, Ir.-Tur., Hk.
- S. othonnae** M. Bieb.
 Bitlis: southern slopes of Şeyhabib Mountain, steppe, 2200 m, 05.08.2002, AA 2753, Euro-Sib., Hk.
- S. vernalis** Waldst. & Kit Tan
 Bitlis: Bitlis Castle, steppe, 1550 m, 15.05.2001, A 1142. Bitlis: Deliktaş district, brushwood, 1450 m, 30.05.2001, AA 1177, T.
- Tussilago farfara** L.
 Bitlis: Sarıkonak village, wet slopes, 1550 m, 23.04.2002, AA 2065, Euro-Sib., Hk.
- Eupatorium cannabinum** L.
 Bitlis: Sarıkonak village, steppe, 1650 m, 23.09.2001, AA 1796, Euro-Sib., Hk.
- Anthemis tinctoria** L. var. *tinctoria*
 Bitlis: Ağaçköprü village surrounding, brushwood, 1850 m, 04.07.2001, AA 1393, Hk.
- A. tinctoria** L. var. *pallida* DC.
 Bitlis: Ağaçköprü village district, steppe, 1450 m, 15.05.2001, AA 1156, Hk.
- A. coelopoda** Boiss. var. *bourgaei* Boiss.
 Bitlis: Kalem Mountain, Doğanlı village surrounding, steppe, 1900 m, 06.06.2003, Behçet 6840, T.
- A. austriaca** J.Jacq.
 Bitlis: Tanrıyar village surrounding, open forest, 1200 m, 04.05.2003, AA 2955, T.
- A. wiedemanniana** Fisch. & C.A.Mey.
 Bitlis: steppe, 1450 m, 20.04.2001, AA 1069, END., T.
- Achillea vermicularis** Trin.
 Bitlis: northern slopes of Kambos hill, steppe, 2000 m, 05.07.2001, AA 1493, Ir.-Tur., Hk.
- A. millefolium** L. subsp. *pannonica* (Scheele) Hayek
 Bitlis: Şeyhabib Mountain, steppe, 2200 m, 09.09.2002, AA 2706, Euro-Sib., Hk.
- A. biebersteinii** Afan.
 Bitlis: Bitlis Castle, steppe, 1550 m, 15.05.2001, AA 1129, Ir.-Tur., Hk.
- Tanacetum cilicum** (Boiss.) Grierson
 Bitlis: Döskaya village, steppe, 1500 m, 18.06.2002, AA 2627, Med., Hk.

T. balsamita L. subsp. *balsamitoides* (Sch.Bip.) Grierson

Bitlis: southern slopes of Şeyhabib Mountain, steppe, 2200 m, 09.09.2002, AA 2707; slopes of Şikirin hill, steppe, 2550 m, 24.07.2001, AA 1678, Hk.

T. parthenium (L.) Sch.Bip.

Bitlis: Çayırköy district brushwood, 1550 m, 30.05.2001 AA 1203, Hk.

T. zahlibrickneri (Náb.) Grierson

Bitlis: İçmeli village, steppe, 1500 m, 09.06.2002, AA 2485, Ir.-Tur., Hk.

T. chilioiphllum (Fisch. & C.A.Mey.) Sch. Bip. var. *chilioiphllum*

Bitlis: western slopes of Kambos hill, steppe, 2000 m, 17.06.2002, AA 2519, Hk.

T. tomentellum (Boiss.) Grierson

Bitlis: Karınca village surrounding, rocky places, 1300 m, AA 1546, Hk. *Tripleurospermum oreades* (Boiss.) Rech.f. var. *tchihatchewii* (Boiss.) E.Hossain

Bitlis: around Köy Hizmetleri building, steppe, 1615 m, 15.05.2001, AA 1154, Hk.

T. transcaucasicum (Manden.) Pobed.

Siirt: Baykan, Obalı village, meadow, 850 m, 16.03.2002, AA 1855, Hk.

Artemisia vulgaris L.

Bitlis: Şeyhabib Mountain, steppe, 1700 m, 09.09.2002, AA 2883, T.

A. absinthium L.

Bitlis: Saime hill, steppe, 1800 m, 18.06.2002, AA 2619; eastern slopes of Kambos Mountain, steppe, 2000 m, 05.07.2001, AA 1443, Ka.

Gundelia tournefortii L. var. *tournefortii*

Bitlis: Nabat hill, steppe, 1750 m, 25.05.2002, AA 2385, Hk.

Cousinia aintabensis Boiss. & Hausskn.

Bitlis: Nabat Mountain, steppe, 1800 m, 26.05.2002, AA 2386, Ir.-Tur., Hk.

C. eriocephala Boiss. & Hausskn.

Bitlis: Sarıkonak village, steppe, 1550 m, 17.05.2002, AA 2576, END., Ir.-Tur., Hk.

Cirsium elodes M.Bieb.

Bitlis: Narlidere village surrounding, wet places, 1150 m, 25.08.2001, AA 1806, Ir.-Tur., Hk.

C. arvense (L.) Scop. subsp. *vestitum* (Wimm. & Grab.) Petrak

Bitlis: around Köy Hizmetleri building, steppe, 1615 m, 03.07.2001, AA 1265, Hk.

Picnomon acarna (L.) Cass.

Bitlis: Kurudere village surrounding, roadsides, 1600 m, 25.08.2001, AA 1809, Med., T.

Notobasis syriaca (L.) Cass.

Bitlis: Kalem Mountain, Doğanlı village surrounding, steppe, 1900 m, 06.06.2003, Behçet 6754, Med., T. Det.: M Vural.

Carduus pycnocephalus L. subsp. *breviphyllarius* P.H.Davis

Bitlis: Bitlis Castle, steppe, 1550 m, 15.05.2001, AA 1121, Ir.-Tur.?, Hk.

Serratula cerinthifolia (Sm.) Boiss.

Bitlis: Narlidere village, rocky places, 1050 m, 16.07.2001, AA 1608, Ir.-Tur., Hk.

S. oligocephala DC.

Bitlis: Kalem Mountain, Doğanlı village surrounding, steppe, 1800 m, B 6757, END., Ir.-Tur., Hk.

Centaurea aggregata Fisch. & C.A.Mey. ex DC. subsp. *aggregata*

Bitlis: Direktaşı village surrounding, steppe, 1550 m, 08.08.2001, AA 1758, Ka.

C. virgata Lam.

Bitlis: Deliktaş district, steppe, 1450 m, 03.07.2001, AA 1285, Ka.

C. saligna (K.Koch) Wagenitz

Bitlis: Nabat hill, steppe, 2000 m, 24.07.2001, AA 1663, END., Ir.-Tur., Hk.

C. spectabilis (Fisch. & C.A.Mey.) Sch.Bip. var. *spectabilis*

Bitlis: Deliktaş district, steppe, 1450 m, 03.07.2001, AA 1344, Ir.-Tur., Hk.

C. spectabilis (Fisch. & C.A.Mey.) Sch.Bip. var. *araneosa* (Boiss.) Wagenitz

Bitlis: Deliktaş district, steppe, 1450 m, 03.07.2001, AA 1285, Hk.

C. behen L.

Bitlis: Karınca village surrounding, streambeds, 1600 m, 15.07.2002, AA 1570, Ir.-Tur., Hk.

C. solstitialis L. subsp. *solstitialis*

Bitlis: Deliktaş district, steppe, 1450 m, 03.07.2001, AA 1356, T.

C. iberica Trev. ex Sprengel

Bitlis: MYO surrounding, brushwood, 1650 m, 15.05.2001, AA 1146, Hk.

C. urvillei DC. subsp. *nimrodis* (Boiss. & Hausskn.) Wagenitz

Bitlis: Aşağı Nabat hill, steppe, 1800 m, 25.05.2002, AA 2349, Ir.-Tur., Hk.

C. persica Boiss.

Bitlis: Deliktaş district, steppe, 1450 m, 03.07.2001, AA 1285, Ir.-Tur., Hk.

C. triumfettii All.

Bitlis: Place for dumping garbage and its surroundings, steppe, 1450 m, 20.04.2001, AA 1088. Siirt: Baykan, Yarımca village surrounding, steppe, 1200 m, 15.04.2002, AA 2004, Hk.

Zoegea leptaurea L.

Bitlis: Kalem Mountain, Doğanlı village surrounding, steppe, 1900 m, 06.06.2003 Behçet 6772, Ir.-Tur., T.

Crupina vulgaris Cass.

Bitlis: Ağaçköprü village, steppe, 1450 m, 04.07.2001, AA 1418, T.

C. crupinastrum (Moris) Vis.

Bitlis: Aşağı Nabat hill, steppe, 1750 m, 25.05.2002, AA 2322, T.

Cnicus benedictus L. var. *benedictus*

Siirt: Baykan Obalı village Çemçavuş district, meadow, 850 m, 07.05.2002, AA 2160, , T.

Carthamus lanatus L.

Bitlis: Tanrıyar village surrounding, steppe, 1200 m, 05.08.2002, AA 2754, T.

Xeranthemum annuum L.

Bitlis: northern slopes of Kambos Mountain, steppe, 1540 m, 05.07.2001, AA 1457; Deliktaş surrounding, steppe, 1435 m, 03.07.2001, AA 1323, T.

Siebera pungens (Lam.) J.Gay

Bitlis: Ağaçköprü village, steppe, 1450 m, 08.08.2001, AA 1767, Ir.-Tur., T.

Chardinia orientalis (L.) Kuntze

Siirt: Baykan, Obalı village Çemçavuş district, steppe, 850 m, 07.05.2002, AA 2155, Ir.-Tur., T.

Echinops pungens Trautv. var. *pungens*

Bitlis: Sarıkonak village, steppe, 1550 m, 08.08.2002, AA 2828, Ir.-Tur., Hk.

E. pungens Trautv. var. *adenoclados* Hedge

Bitlis: Direktaşı village, steppe, 1550 m, 08.08.2001, AA 1757, END. Ir.-Tur., Hk.

Cichorium intybus L.

Bitlis: eastern slopes of Kambos Mountain, steppe, 2000 m, 05.07.2002, AA 1509, Ir.-Tur., Hk.

Scorzonera cana (C.A.Mey.) Hoffm. var. *jacquiniana* (W.Koch) D.F.Chamb.

Bitlis: Alaniçi village surrounding, steppe, 950 m, 01.07.2002, AA 2638, Hk.

S. mollis M.Bieb. subsp. *mollis*

Bitlis: Berge hill, open forest, 1570 m, 30.04.2002, AA 2101, Kr.

S. semicana DC.

Siirt: Baykan, Obalı village surrounding, open forest, 850 m, 07.05.2002, AA 2171, END.?, Ir.-Tur., Kr.

S. latifolia (Fisch. & C.A.Mey.) DC.

Bitlis: northern slopes of Kambos hill, rocky places-steppe, 2000 m, 30.08.2002, AA 2786, Ir.-Tur., Ka.

S. veratrifolia Fenzl

Bitlis: Kambos Mountain, brushwood, 1900 m, 05.07.2001, AA 1483, Ir.-Tur., Hk.

Tragopogon longirostris Bisch. ex Sch. Bip. var. *longirostris*

Bitlis: Tanriyar village surrounding, open forest, 1600 m, 04.05.2003, AA 2962, Hk.

Leontodon crispus Vill. subsp. *asper* (Waldst. & Kit Tan) Rohl. var. *setulosus* (E.C.Hall) Kupicha

Bitlis: Deliktaş surrounding, steppe, 1435 m, 03.07.2001, AA 1315, Hk.

Picris strigosa M.Bieb.

Bitlis: Nabat Mountain, steppe, 1900 m, 24.07.2002, AA 1686, Ir.-Tur., Hk.

P. pauciflora Willd.

Bitlis: İçmeli village district, steppe, 1500 m, 26.05.2002, AA 2375; Kalem Mountain, Doğanlı village surrounding, steppe, 1800 m, 06.06.2003, Behçet 6816, Med., T.

P. kotschyi Boiss.

Siirt: Baykan, town surrounding, steppe, 820 m, 08.05.2002, AA 2190. Bitlis: Nabat hill, steppe, 1750 m, 25.05.2002, AA 2383, T.

Hedypnois cretica (L.) Dum.Cours.

Siirt: Baykan town, Obalı village surrounding, steppe, 850 m, 07.05.2002, AA 2158, Med., T.

Rhagadiolus stellatus (Gaertner) var. *leiocarpus* DC.

Bitlis: Kalem Mountain, Doğanlı village surrounding, open forest, 1900 m, 06.06.2003, AA 3004, Med., T.

R. stellatus (Gaertner) var. *edulis*

Bitlis: Sarıkonak village district, open forest, 1550 m, 23.04.2002, AA 2073, T.

R. angulosus (Jaub. & Spach) Kupicha

Siirt: Baykan, Obalı village, steppe, 850 m, 07.05.2002, AA 2154, Ir.-Tur., T.

Sonchus asper (L.) Hill subsp. *glaucescens* (Jordan) Ball

Bitlis: Alaniçi village surrounding, wet places, 950 m, 14.04.2002, AA 1945, Hk.

S. oleraceus L.

Bitlis: Deliktaş surrounding, brushwood, 1435 m, 03.07.2001, AA 1327, Hk.

Reichardia glauca Matthews

Bitlis: Ağaçköprü village, steppe, 1450, 01.08.2001, AA 1739, Ir.-Tur., Hk.

Hieracium umbellatum L.

Bitlis: Seyhhabib Mountain, steppe, 2000 m, 09.03.2002, AA 2914, Hk.

Pilosella x fallax (Willd.) Arv.-Touv.

Bitlis: around Köy Hizmetleri building, steppe, 1615 m, 01.07.2001, AA 2671; Ağaçköprü village, steppe, 1450 m, 04.07.2001, AA 1408, Hk.

Cicerbita mulgedioides (Sch.Bip. ex Vis. & Pancik) Beauverd

Bitlis: Ağaçköprü village, brushwood, 1450 m, 25.05.2002, AA 2363, Hk.

Cephalorrhynchus rechingeranus Tuisl

Bitlis: Sarıkonak village, steppe, 1550 m, 18.06.2002, AA 2599, Ir.-Tur., Kr.

Steptorhampus tuberosus (Jacq.) Grossh.

Bitlis: Kalem Mountain, Doğanlı village surrounding, open forest, 1900 m, 06.06.2003, AA 3005, Kr.

Lactuca georgica Grossh.

Bitlis: northern slopes of Kambos hill, rocky places-steppe, 2000 m, 30.08.2002, AA 2800a; Karınca village surrounding, rocky places, 1600 m, 15.07.2001, AA 1543, H-Eux., Hk.

L. serriola L.

Bitlis: northern slopes of Kambos hill, steppe, 2000 m, 30.08.2002, AA 2800b, Euro-Sib., Hk.

Scariola viminea (L.) F.W.Schmidt

Bitlis: Kambos Mountain, steppe, 2100 m, 08.08.2001, AA 1760, Ka.

Lapsana communis L. subsp. *intermedia* (M.Bieb.) Hayek

Bitlis: Sarıkonak village, open forest, 1550 m, 17.05.2002, AA 2251, Hk.

Taraxacum montanum (C.A.Meyer) DC.

Bitlis: around Karıncalı Karakol, steppe, 1400 m, 15.07.2002, AA 1569, Hk.

T. crepidiforme DC. subsp. *crepidiforme*

Siirt: Baykan town surrounding, meadow, 820 m, 30.03.2002, AA 1882, Ir.-Tur., Hk.

T. scaturiginosum G.E.Haglund

Bitlis: Seferbey district., steppe, 1550 m, 03.06.2002, AA 2458, Hk.

Crepis pulchra L. subsp. *pulchra*

Bitlis: eastern slopes of Kambos Mountain, steppe, 2000 m, 17.06.2002, AA 2524, Hk.

C. alpina L.

Bitlis: Sarıkonak village, steppe, 1550 m, 17.05.2002, AA 2252, T.

C. foetida L. subsp. *foetida*

Siirt: Baykan Obalı village, Çemçavuş district, meadow, 850 m, 16.03.2002, AA 1835, Hk.

C. foetida L. subsp. *rhoeadifolia* (M.Bieb.) Celak.

Bitlis: Şetek village, steppe, 1600 m, 05.08.2001, AA 1773; Şeyhhabib Mountain, steppe, 1700 m, 09.09.2002, AA 2899, T.

C. foetida L. subsp. *commutata* (Spreng.) Babc.

Bitlis: Kalem Mountain, Doğanlı village surrounding, steppe, 1900 m, 06.06.2003, Behçet 6866, T.

C. sancta (L.) Babc. subsp. *obovata*

Bitlis: southern slopes of Terek Mountain, steppe, 1700 m, 17.05.2002, AA 2236, T.

CAMPANULACEAE

Campanula glomerata L. subsp. *hispida* (Witasek) Hayek

Bitlis: Kambos Mountain, brushwood, 1900 m, 17.06.2002, AA 2546, Euro-Sib., Hk.

- C. involucrata** Aucher ex A.DC.
- Bitlis: İçmeli village surrounding, steppe, 1500 m, 25.05.2002, AA 2359, Ir.-Tur., Hk.
- C. sclerotricha** Boiss.
- Bitlis: around Köy Hizmetleri building, wet places, 1615 m, 22.07.2001, AA 1643, Ir.-Tur., Hk.
- C. stricta** L. var **stricta**
- Bitlis: Dörtağaç village, brushwood, 1700 m, 02.07.2002, AA 2691, Ir.-Tur., Ka.
- C. reuterana** Boiss. & Ball
- Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6843, Ir.-Tur., T.
- C. stevenii** M.Bieb. subsp. **stevenii**
- Bitlis: Değirmenaltı village, steppe, 1700 m, 03.06.2002, AA 2455, H. Eux., Hk.
- C. stevenii** M.Bieb. subsp. **beauverdiana** (Fomin) Rech.f. & Schiman-Czeika
- Bitlis: Dörtağaç village, steppe, 1700 m, 03.06.2002, AA 2439, Ir.-Tur., Hk.
- C. flaccidula** Vakte
- Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6865, T.
- Asyneuma amplexicaule** (Willd.) Hand.-Mazz. subsp. **amplexicaule**
- Bitlis: Kambos Mountain, steppe, 1880 m, 05.07.2001, AA 1523, Hk.
- A. limonifolium** (L.) Janch. subsp. **limonifolium**
- Bitlis: eastern slopes of Kambos hill, steppe, 1850 m, 05.07.2003, AA 1523, Hk.
- A. rigidum** (Willd.) Grossh. subsp. **rigidum**
- Bitlis: around Köy Hizmetleri building, wet places, 1615 m, 22.07.2001, AA 1641, Ir.-Tur., Hk.
- A. pulchellum** (Fisch. & C.A.Mey.) Bornm.
- Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6750, Ir.-Tur., Hk.
- Legousia falcata** (Ten.) Fritsch
- Bitlis: slopes of Şikirin hill, steppe, 2300 m, 25.05.2002, AA 2326, Med., T.
- L. speculum-veneris** (L.) Chaix
- Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6857, Med., T.
- L. pentagonia** (L.) Thell.
- Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6858, E. Med., T.
- PRIMULACEAE**
- Primula auriculata** Lam.
- Bitlis: Kambos Mountain, streamsides, 1800 m, 17.06.2002, AA 2557, Ir.-Tur., Kr.
- Lysimachia vulgaris** L.
- Siirt: Baykan, Obalı village surrounding, streamsides, 850 m, 08.08.2002, AA 2810, Hk.
- L. dubia** Sol.
- Bitlis: Kurudere village surrounding, humid places, 1200 m, 16.07.2001, AA 1595, E. Med., T.
- Anagallis arvensis** L. var. **caerulea** (L.) Gouan
- Bitlis: İçmeli village surrounding, rocky places, 1500 m, 09.06.2002, AA 2489, T.
- OLEACEAE**
- Fraxinus angustifolia** Vahl subsp. **angustifolia**
- Bitlis: Sarikonak village surrounding, forest, 1650 m, 08.08.2002, AA 2823, Fa.
- F. angustifolia** Vahl subsp. **syriaca** (Boiss.) Yalt.
- Bitlis: Nabat Mountain, steppe, 1800 m, 24.07.2001, AA 1720, Ir.-Tur., Fa.
- ASCLEPIADACEAE**
- Vincetoxicum tmoleum** Boiss.
- Bitlis: Kambos hill surrounding, brushwood, 1820 m, 05.07.2001, AA 1464, Ir.-Tur., Hk.
- Cionura erecta** (L.) Griseb.
- Bitlis: slopes of Kambos hill, brushwood, 1840 m, 05.07.2001, AA 1461; Sarikonak village surrounding, brushwood, 1550 m, 21.10.2001, AA 1814, E. Med., Fa.
- GENTIANACEAE**
- Blackstonia perfoliata** (L.) Huds. subsp. **serotina** (W.Koch & Reichb.) Vollm.
- Bitlis: Narlıdere village surrounding, wet places, 1200 m, 16.07.2001, AA 1607, T.
- Centaurium erythraea** Rafn subsp. **erythraea**
- Bitlis: Narlıdere village surrounding, wet places, 1200 m, 16.07.2001, AA 1599, T.
- C. erythraea** Rafn subsp. **rumeicum** (Velen) Melderis
- Bitlis: around Municipal building, streamsides, 1670 m, 02.07.2002, AA 2686, Med., T.
- Gentiana olivieri** Griseb.
- Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6790, Ir.-Tur., Hk.
- CONVOLVULACEAE**
- Convolvulus lineatus** L.
- Bitlis: Şeyhabib Mountain, rocky places, 1850 m, 05.08.2002, AA 2736, Ka.
- C. arvensis** L.
- Bitlis: Kambos hill, steppe, 1840 m, 05.07.2001, AA 1497; Saima hill, steppe, 1800 m, 18.06.2002, AA 2594, Hk.
- C. galaticus** Rostan ex Choisy
- Bitlis: İçmeli village surrounding, steppe, 1450 m, 24.07.2001, AA 1690, END. Ir.-Tur., Ka.
- C. betonicifolius** Mill. subsp. **peduncularis** (Boiss.) Paris
- Bitlis: Şeyhabib Mountain, brushwood-steppe, 1600 m, 05.08.2002, AA 2760, Ir.-Tur., Hk.
- Calystegia silvatica** (Kit Tan) Griseb.
- Bitlis: slopes of Kambos Mountain, wet places, 1830 m, 05.07.2001, AA 1441, Hk.
- CUSCUTACEAE**
- Cuscuta campestris** Yunck.
- Bitlis: Sarikonak village, steppe, 1650 m, 08.08.2002, AA 2830, T. This species grows on *Galium verum* subsp. *glabrescens*.
- C. planiflora** Ten.
- Bitlis: Kambos hill, steppe, 1800 m, 05.07.2001, AA 1445, T. This species grows on *Veronica orientalis* subsp. *orientalis*.
- C. monogyna** Vahl subsp. **monogyna**
- Bitlis: southern slopes of Şeyhabib Mountain, wet places, 1600 m, 05.08.2002, AA 2755, T. This subspecies grows on *Agrimonia eupatoria*.

BORAGINACEAE

Heliotropium circinatum Griseb.

Bitlis: Narlıdere village surrounding, roadsides, 1050 m, 06.08.2001, AA 1742, Ir.-Tur., T.

H. dolosum De Not.

Bitlis: Deliktaş village surrounding, steppe, 1435 m, 03.07.2001, AA 1289, T.

Asperugo procumbens L.

Bitlis: around Yenice Karakol, steppe, 900 m, 14.04.2002, AA 1918, Euro-Sib., T.

Myosotis stricta Link ex Roem. & Schult.

Bitlis: around limestone quarry, steppe, 1450 m, 15.05.2001, AA 1167, Euro-Sib., T.

M. sparsiflora Mikan ex Pohl

Bitlis: Tanrıyar village surrounding, moist places, 1000 m, 22.04.2002, AA 2036, Euro-Sib., T.

M. amoena (Rupr.) Boiss.

Bitlis: Bitlis Castle, steppe, 1560 m, 15.05.2001, AA 1143, Eu., Hk.

Paracaryum cristatum (Schreb.) Boiss. subsp. *carduchorum* R.R.Mill

Bitlis: A. Nabat Mountain, steppe, 1700 m, 26.05.2002, AA 2416, Ir.-Tur., Hk.

Lithospermum officinale L.

Bitlis: Kambos hill, rocky places, 2000 m, 17.06.2002, AA 2540, Euro.-Sib., Hk.

Buglossoides arvensis (L.) Johnston

Bitlis: Taş district, moist places, 1550 m, 09.04.2001, AA 1039; Deliktaş village surrounding, steppe, 1450 m, 30.04.2002, AA 2118, T.

Onosma albo-roseum Fisch. & C.A.Mey. subsp. *roseum*

Siirt: Baykan, Obalı village surrounding, brushwood, 820 m, 30.03.2002, AA 1871, Hk.

Cerinthe minor L. subsp. *auriculata* (Ten.) Domac

Bitlis: around Köy Hizmetleri building, steppe, 1610 m, 15.05.2001, AA 1164, Hk.

Sympyrum kurdicum Boiss. & Hausskn.

Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6801, Ir.-Tur., Hk.

Anchusa leptophylla Roem. & Schult. subsp. *incana* (Ledeb.) D.F.Chamb.

Bitlis: around Municipal building, steppe, 1670 m, 02.07.2002, AA 2682, END., Ir.-Tur., Hk.

A. limbata Boiss. & Heldr.

Siirt: Baykan town, Obalı village, Çemçavuş district, steppe, 850 m, 30.03.2002, AA 1868, E. Med., Hk.

Nonea ventricosa (Sm.) Griseb.

Siirt: Baykan town surrounding, open forest, 810 m, 16.03.2002, AA 1839, Med., T.

Alkanna orientalis (L.) Boiss. var. *orientalis*

Bitlis: around Köy Hizmetleri building, steppe, 1610 m, 03.07.2001, AA 1258, Ir.-Tur., Hk.

A. froedinii Rech.f.

Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6809, END., Ir.-Tur., Hk.

A. kotschyana DC.

Bitlis: Yamköy village surrounding, steppe, 1500 m, 20.04.2001, AA 1111, END. E. Med., Hk.

Trichodesma incanum (Bunge) A.DC.

Bitlis: Karınca village surrounding, steppe, 1600 m, 01.07.2002, AA 2647, Ir.-Tur., Hk.

SOLANACEAE

Solanum alatum Moench

Bitlis: Deliktaş village, wet fields, 1435 m, 03.07.2001, AA 1331b, T.

S. dulcamara L.

Bitlis: Deliktaş village, wet places, 1435 m, 03.07.2001, AA 1331a. Siirt: Baykan town YİBO surrounding, wet places, 815 m, 30.03.2002, Euro.-Sib., Hk.

Physalis alkekengi L.

Bitlis: Sarıkonak village surrounding, open forest, 1650 m, 08.08.2002, AA 2826, Kr.

Hyoscyamus reticulatus L.

Bitlis: Kambos hill surrounding, steppe, 1800 m, 05.07.2001, AA 1494, Ir.-Tur., T.

SCROPHULARIACEAE

Verbascum orientale (L.) All.

Bitlis: Tanrıyar village surrounding, brushwood, 1200 m, 04.05.2003, AA 2958, E. Med., T.

V. bornmuellerianum Hub.-Mor.

Bitlis: Doğanlı village, Kalem Mountain, steppe, 1800 m, 06.06.2003, AA 3013, Ir.-Tur., Hk.

V. oreophilum K.Koch var. *oreophilum*

Bitlis: Şeyhabib Mountain, brushwood, 2000 m, 09.09.2002, AA 2837, END., Ir.-Tur., Hk.

V. murbeckianum Hub.-Mor.

Bitlis: Doğanlı village, Kalem Mountain, brushwood, 1900 m, 06.06.2003, AA 3014, END., Ir.-Tur., Hk.

V. kurdicum Hub.-Mor.

Bitlis: İçmeli village surrounding, steppe, 1510 m, 25.05.2002, AA 2342, END., Ir.-Tur., Ka.

Scrophularia ilvensis K.Koch

Bitlis: İçmeli village, steppe, 1510 m, 24.07.2001, AA 1716, Ir.-Tur., T.

S. nachtschevanica Grossh.

Siirt: Baykan Obalı village surrounding, rocky places, 830 m, 07.05.2002, AA 2128, Ir.-Tur., T.

S. cinerascens Boiss.

Bitlis: Yamaköy village surrounding, brushwood, 1510 m, 20.04.2001, AA 1113, Hk.

S. xanthoglossa Boiss. var. *decipiens* (Boiss. & Kotschy) Boiss.

Bitlis: Alaniçi village surrounding, humid places, 950 m, 15.04.2002, AA 1950, Ir.-Tur., Hk.

Anarrhinum orientale Benth.

Bitlis: slopes of Kambos Mountain, steppe, 1620 m, 05.07.2001, AA 1463; Şetek village surrounding, rocky places, 1500 m, 05.10.2001, AA 1768, Ir.-Tur., Hk.

Linaria chalepensis (L.) Mill. var. *chalepensis*

Bitlis: Tanrıyar village surrounding, open forest, 1200 m, 04.05.2003, AA 2960, E. Med., T.

L. kurdica Boiss. & Hohen. subsp. *kurdica*

Bitlis: Şeyhabib Mountain, rocky places, 2100 m, 05.08.2002, AA 2737, Ir.-Tur., Ka.

L. confertiflora Benth.

Bitlis: Tanrıyar village surrounding, streambeds, 1400 m, 05.08.2002, AA 2758, END., Ir.-Tur., Ka.

- L. simplex* (Willd.) DC.
Bitlis: Tanrıyar village surrounding, open forest, 1200 m, 04.05.2003, AA 2961, Med., T.
- L. pelisseriana* (L.) Mill.
Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6786, Med., T.
- Veronica bozakmanii* M.A.Fisch.
Bitlis: around Agricultural Directorate building, steppe, 1615 m, 09.04.2001, AA 1027, Ir.-Tur., T.
- V. syriaca* Roem. & Schult.
Bitlis: around Industrial Site, humid places, 1530 m, 29.04.2002, AA 2097, E. Med., T.
- V. viscosa* Boiss.
Bitlis: Tanrıyar village surrounding, moist areas, 1200 m, 04.05.2003, AA 2957, Ir.-Tur., T.
- V. cf. arvensis* L.
Bitlis: Bitlis Castle, steppe, 1550 m, 15.05.2001, AA 1126a, Euro-Sib., T.
- V. biloba* Schreb.
Bitlis: around Köy Hizmetleri building, meadow, 1650 m, 15.05.2001, AA 1158, Ir.-Tur., T.
- V. intercedens* Bornm.
Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6864, Ir.-Tur., T.
- V. polita* Fr.
Siirt: Baykan town surrounding, meadow, 810 m, 16.03.2002, AA 1824, T.
- V. persica* Poir.
Siirt: Baykan Obalı village surrounding, meadow, 850 m, 16.03.2002, AA 1856, T.
- V. cymbalaria* Bodard
Bitlis: Alaniçi village surrounding, wet places, 950 m, 04.05.2003, AA 2936a, Med., T.
- V. triloba* (Opiz) Kerner
Bitlis: Alaniçi village surrounding, wet places, 950 m, 04.05.2003, AA 2936b, T.
- V. hederifolia* L.
Siirt: southern of Baykan town, meadow, 810 m, 16.03.2002, AA 1831b, T.
- V. anagallis-aquatica* L.
Bitlis: Tanrıyar village surrounding, streamsides, 1200 m, 04.05.2003, AA 1930, Kr.
- V. michauxii* Lam.
Bitlis: Narlıdere village surrounding, humid places, 1200 m, 16.07.2001, AA 1600, Ir.-Tur., T.
- V. anagaloides* Guss.
Bitlis: Karınca village surrounding, wet places, 1500 m, 15.07.2001, AA 1554, T.
- V. beccabunga* L.
Bitlis: Şeyhhabib Mountain, brushwood, 1800 m, 25.07.2002, AA 2915, Kr.
- V. orientalis* Mill. subsp. *orientalis*
Bitlis: Deliktaş village surrounding, brushwood, 1510 m, 30.05.2001, AA 1182, Ka.
- Euphrasia pectinata* Ten.
Bitlis: around Municipal building, moist places, 1670 m, 02.07.2002, AA 2687, Euro-Sib., T.
- Odontites aucheri* Boiss.
Bitlis: southern slopes of Nabat Mountain, 1850 m, 24.07.2001, AA 1674, Ir.-Tur., T.
- Parantucellia viscosa* (L.) Caruel
Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, AA 3006, Med., T.
- Bungea trifida* (Vahl) C.A.Mey.
Bitlis: slopes of Saime hill, steppe, 1800 m, 18.06.2002, AA 2584, Hk.
- ### ACANTHACEAE
- Acanthus dioscoridis* L. var. *dioscoridis*
Bitlis: Şeyhhabib Mountain, brushwood-rocky places, 1600 m, 25.07.2002, AA 2709; Deliktaş village surrounding, brushwood, 1440 m, 03.07.2001, AA 1345, Hk.
- ### GLOBULARIACEAE
- Globularia trichosantha* Fisch. & C.A.Mey.
Bitlis: Berge hill, open forest, 1550 m, 30.04.2002, AA 2109; Saime hill, rocky places, 1800 m, 18.06.2002, AA 2605, Ka.
- G. dumulosa* O.Schwarz
Siirt: Yarımca village surrounding, steppe, 1200 m, 14.04.2001, AA 1991, END., E. Med. (mt.), Ka.
- ### VERBENACEAE
- Verbena officinalis* L.
Bitlis: Şetek village, humid places, 1550 m, 05.10.2001, AA 1777, Hk.
- ### LAMIACEAE (LABIATAE)
- Ajuga chamaepitys* (L.) Schreb. subsp. *chia* (Schreb.) Arcang. var. *chia*
Bitlis: Bitlis Castle, steppe, 1550 m, 22.07.2001, AA 1630, Hk.
- A. chamaepitys* (L.) Schreb. subsp. *chia* (Schreb.) Arcang. var. *ciliata*
Brig.
Bitlis: around Köy Hizmetleri building, steppe, 1650 m, 03.06.2002, AA 2450, Hk.
- Teucrium orientale* L. var. *puberulens* Ekim
Bitlis: Dörtağaç village, steppe, 1700 m, 01.07.2002, AA 2678, Ir.-Tur., Hk.
- T. orientale* L. var. *glabrescens* Hausskn. ex Bornm.
Bitlis: Şeyhhabib Mountain, brushwood, 1800 m, 25.07.2002, AA 2732. Ir.-Tur., Ka.
- T. scordium* L. subsp. *scordioides* (Schreb.) Maire et Petitm.
Bitlis: Sarıkonak village, humid places, 1650 m, 01.09.2001, AA 2787, Euro-Sib. Ka.
- T. chamaedrys* L. subsp. *syspirense* (K.Koch) Rech.f.
Bitlis: Kalem Mountain, steppe, 1900 m, 06.06.2003, Behçet 6792, Ir.-Tur., Ka.

T. chamaedrys L. subsp. *sinuatum* (Celak.) Rech.f.

Bitlis: Deliktaş surrounding, brushwood, 1440 m, 03.07.2001, AA1307, Ir.-Tur., Ka.

T. polium L.

Bitlis: around Köy Hizmetleri building, steppe, 1610 m, 03.07.2001, AA 1275; Bitlis: Direktaşı village, steppe, 1550, 06.08.2001, AA 1759, Ka.

Scutelleria megalaspis Rech.f.

Bitlis: Döskaya village, steppe, 1550 m, 18.06.2002, AA 2622; southern slopes of Kambos Mountain, steppe, 1800 m, 04.07.2001, AA 1428, Ir.-Tur., Ka.

S. orientalis L. subsp. *orientalis*

Bitlis: Kambos Mountain, steppe, 1800 m, 25.05.2002, AA 2330, Ir.-Tur., Ka.

S. orientalis L. subsp. *sosnowskyi* (Takht.) Fed.

Siirt: Baykan town surrounding, steppe, 800 m, 30.04.2002, AA 2130, Ir.-Tur., Ka.

S. orientalis L. subsp. *bornmuelleri* (Housskn. ex Bornm.) J.R.Edm.

Bitlis: Şikirin hill, steppe, 2500 m, 13.08.2002, AA 2771; Döskaya village, steppe, 1500 m, 18.06.2002, AA 2570, Ir.-Tur., Ka.

S. albida L. subsp. *colchica* (Rech.f.) J.R.Edm.

Bitlis: Kalem Mountain, open forest, 2000 m, 06.06.2003, Behçet 6841, Ka.

Phlomis lanceolata Boiss. & Hoken

Bitlis: Ağaçköprü surrounding, brushwood, 1450 m, 04.07.2001, AA 1394, Ir.-Tur., Ka.

P. kurdica Rech.f.

Bitlis: Deliktaş surrounding, steppe, 1440 m, 03.07.2001, AA 1298, Ir.-Tur., Ka.

Lamium garganicum L. subsp. *reniforme* (Montbret & Aucher ex Benth.) R.R.Mill

Bitlis: Sarıkonak village, open forest, 1600 m, 23.04.2002, AA 2047, Hk.

L. amplexicaule L.

Siirt: Baykan, Yarımca village surrounding, brushwood, 1000 m, 14.04.2002, AA 1939, Euro-Sib., T.

L. macrodon Boiss. & Huet

Bitlis: Berge hill, open forest, 1550 m, 23.04.2002, AA 2099, Ir.-Tur., T.

L. album L.

Bitlis: place for dumping garbage and its surroundings, brushwood, 1450 m, 20.04.2001, AA 1087, Euro-Sib., Hk.

Marrubium parviflorum Fisch. & C.A.Mey. subsp. *parviflorum*

Bitlis: Karınca village surrounding, steppe, 1600 m, 01.07.2002, AA 2657; eastern slopes of Kambos hill, steppe, 1560 m, 05.07.2001, AA 1521, Ir.-Tur., Hk.

M. astracanicum J.Jacq. subsp. *astracanicum*

Bitlis: Döskaya village, steppe, 1500 m, 18.06.2002, AA 2568, Hk.

Sideritis libanotica Labill. subsp. *kurdica* (Bornm.) Hub.-Mor.

Bitlis: Şeyhabib Mountain, brushwood, 1700 m, 25.07.2002, AA 2727; Ağaçköprü village, steppe, 1350 m, 04.07.2001, AA 1410, Ir.-Tur., Hk.

Stachys lavandulifolia Vahl var. *lavandulifolia*

Bitlis: Döskaya village, steppe, 1500 m, 18.06.2002, AA 2571; Yumurtatepe surrounding, steppe, 1650 m, 03.06.2002, AA 2456, Ir.-Tur., Ka.

S. lavandulifolia Vahl var. *brachyodon* Boiss.

Bitlis: south-western slopes of Kambos hill, steppe, 1660 m, 05.07.2001, AA 1533, Ir.-Tur., Ka.

S. spectabilis Choisy ex DC.

Bitlis: Berge hill, humid places, 1500 m, 01.08.2001, AA 1738; Sarıkonak village, humid places, 1650 m, 01.09.2001, AA 1790b, Ir.-Tur., Hk.

S. palustris L.

Bitlis: İçmeli village surrounding, steppe, 1450 m, 14.07.2001, AA 2688, Ka.

S. laetivirens Kotschy & Boiss. ex. Rech.f.

Bitlis: south-eastern slopes of Kambos Mountain, steppe, 1440 m, 05.08.2001, AA 1458; Kalem Mountain, Doğanlı village surrounding, open forest, 1900 m, 06.06.2003, Behçet 6784b, END., Ir.-Tur., Ka.

S. iberica M. Bieb. subsp. *georgica* Rech.f.

Bitlis: Tabanözü district, steppe, 1900 m, 13.08.2002, AA 2770; Saime hill, steppe, 1800 m, 18.06.2002, Ir.-Tur., Ka.

S. annua (L.) L. subsp. *annua* var. *lycaonia* Bahattacharjee

Bitlis: around Köy Hizmetleri building, steppe, 1650 m, 02.07.2001, AA 2670; Nabat Mountain, steppe, 1800 m, 26.05.2002, AA 2402. Ir.-Tur., Ka.

S. satureoides Montbret & Aucher ex Benth.

Bitlis: Nabat hill, open forest, 1750 m, 25.05.2002, AA 2319, Ir.-Tur., Ka.

Melissa officinalis L. subsp. *officinalis*

Bitlis: southern slopes of Kambos Mountain, brushwood, 1630 m, 05.07.2001, AA 1453, Ka.

Nepeta italicica L.

Bitlis: Aşağınabat Mountain, open forest, 1750 m, 25.05.2002, AA 2318; Yenice village surrounding, humid places, 900 m, 09.06.2002, AA 2498, Ka.

N. nuda L. subsp. *albiflora* (Boiss.) Gams

Bitlis: Şeyhabib Mountain, brushwood, 1700 m, AA 2726, Ka.

N. transcaucasica Grossh.

Bitlis: Kambos hill, steppe, 1380 m, 05.07.2001, AA 1510; Dörtağaç village, steppe, 1700 m, 03.06.2002, AA 2441. Bitlis: Kurudere village surrounding, steppe, 1100 m, 01.07.2002, AA 2641 Ir.-Tur., Hk.

N. trachnitica Post

Bitlis: Kalem Mountain, open forest, 2000 m, 06.06.2003, AA 2984, Ir.-Tur., Hk.

N. fissa C.A.Mey.

Bitlis: summit of Kambos Mountain, steppe, 2300 m, 08.08.2001, AA 1754; Kambos Mountain, steppe, 2000 m, 30.08.2002, AA 2787, Ir.-Tur., Ka.

Lallmannia peltata (L.) Fisch. & C.A.Mey.

Bitlis: Çayırköy district, brushwood, 1570 m, 30.05.2001, AA 1199; Kalem Mountain, open forest, 06.06.2003, AA 2983, Ir.-Tur., T.

L. iberica (M.Bieb.) Fisch. & C.A.Mey.

Siirt: Baykan town surrounding, brushwood, 850 m, 08.05.2002, AA 2180, T.

Prunella vulgaris L.

Bitlis: Şeyhabib Mountain, humid places, 2000 m, 09.03.2002, AA 2893, Hk.

P. orientalis Bornm.

Bitlis: Sarıkonak village surrounding, humid places, 1600 m, 15.07.2001, AA 1562, Hk.

Origanum acutidens (Hand.-Mazz.) Ietsw.

Bitlis: Deliktaş district, brushwood, 1435 m, 30.05.2001, AA 1179, END.?, Ir.-Tur., Ka.

O. vulgare L. subsp. *gracile* (K.Koch) Ietsw.

Bitlis: around Köy Hizmetleri building, steppe, 1610 m, 03.07.2001, AA 1253; Değirmenaltı village surrounding, steppe, 1700 m, 02.07.2002, AA 2674, Ir.-Tur., Hk.

Clinopodium vulgare L. subsp. *arundinatum* (Boiss.) Nyman

Bitlis: Sarıkonak village, steppe, 1550 m, 15.07.2001, AA 1571, Ka.

Micromeria myrtifolia Boiss. & Hohen

Bitlis: Alaniçi village surrounding, rocky places, 950 m, 09.06.2002, AA 2476, Med., Hk.

Acinos rotundifolius Pers.

Bitlis: Çayırköy district, steppe, 1510 m, 30.05.2001, AA 1207, T.

Thymus fallax Fisch. & C.A.Mey.

Bitlis: Kambos Mountain, rocky places, 2100 m, 30.08.2002, AA 2795; Saime hill, steppe, 1800 m, AA 2618, Ir.-Tur., Ka.

T. transcaucasicus Ronniger

Bitlis: Tatlıkaynak district, rocky places, 1500 m, 09.06.2002, AA 2483, Ka.

T. kotschyanus Boiss. & Hohen. var. *eriophorus* (Ronniger) Jalas

Bitlis: Şeyhhabib Mountain, rocky places, 2200 m, 09.09.2002, AA 2881, Ir.-Tur. Ka.

T. kotschyanus Boiss. & Hohen. var. *kotschyanus*

Bitlis: Şeyhhabib Mountain, rocky places, 1800 m, 05.08.2002, AA 2734, Ir.-Tur., Ka.

T. migricus Klokov & Des.-Shost

Bitlis: around Karıncalı patrol, rocky places, 1400 m, 15.07.2001, AA 1540, Ir.-Tur. Ka.

T. fedtschenkoi Ronniger var. *handelii* (Ronniger) Jalas

Bitlis: Kalem Mountain, Doğanlı village surrounding, steppe, 1800 m, 06.06.2003, AA 2990, END., Ir-Tur., Ka.

Cyclotrichium stamineum (Boiss. & Hohen) Manden. & Scheng.

Bitlis: Şeyhhabib Mountain, rocky places, 1700 m, 05.08.2002, AA 2759, Ir.-Tur. Ka.

Mentha longifolia (L.) Huds. subsp. *typhoides* (Briq.) Harley var. *typhoides*

Bitlis: Şetek village, humid places, 1550 m, 05.10.2001, AA 1770, Hk.

Ziziphora clinopodioides Lam.

Bitlis: Zeydan district, steppe, 1550 m, 22.07.2001, AA 1632, Ka.

Z. capitata L.

Siirt: Baykan town surrounding, open forest, 820 m, 07.05.2002, AA 2157, Ir.-Tur., T.

Salvia trichoclada Benth.

Bitlis: Alaniçi village surrounding, brushwood, 950 m, 04.05.2003, AA 2940; east of Kalem Mountain, open forest, 2000 m, 06.06.2003, AA 2981, Ir.-Tur., Ka.

S. multicaulis Vahl

Siirt: Baykan, Obalı village, steppe, 850 m, 07.04.2002, AA 1911; Aşağınabat Mountain, steppe, 1750 m, AA 2398, Ir.-Tur., Ka.

S. viridis L.

Siirt: Baykan, Obalı village surrounding, open forest, 850 m, 07.05.2002, AA 2178, Med., T.

S. palaestina Benth.

Bitlis: eastern slopes of Kalem Mountain, open forest, 2000 m, 06.06.2003, Behçet 6851b, Ir.-Tur., Hk. Det.: I.C.Hedge.

S. brachyantha (Bordz.) Pobed.

Bitlis: Şeyhhabib Mountain, steppe, 2000 m, 09.09.2002, AA 2864, Ir.-Tur., Hk.

S. poculata Nábelek

Bitlis: eastern slopes of Kambos Mountain, steppe, 2000 m, 17.06.2002, AA 2530; eastern slopes of Kalem Mountain, steppe, 2000 m, 06.06.2003, Behçet 6867, Ir.-Tur., Hk.

S. macrochlamys Boss. et Kotschy

Bitlis: southern slopes of Kambos Mountain, steppe, 1560 m, 04.07.2001, AA 1431, Ka.

S. sclarea L.

Bitlis: Ağaçköprü village surrounding, brushwood, 1450 m, 04.07.2001, AA 1411, Ka.

S. verticillata L. subsp. *verticillata*

Bitlis: Ağaçköprü village surrounding, brushwood, 1450 m, 04.07.2001, AA 1391; Değirmenaltı stream, steppe, 1650 m, 22.07.2001, AA 1627, Ka.

S. frigida Boiss.

Bitlis: Aşağı Nabat hill, steppe, 1950 m, 24.07.2001, AA 1668, Ir.-Tur., Hk.

PLUMBAGINACEAE

Plumbago europaea L.

Bitlis: Aşağı Nabat hill, steppe, 1950 m, 24.07.2001, AA 1685; Sarıkonak village surrounding, humid places, 1650 m, 01.09.2001, AA 1789, Euro-Sib., Hk.

Acantholimon acerosum (Willd.) Boiss. var. *acerosum*

Bitlis: around Karıncalı patrol, steppe, 1400 m, 15.07.2001, AA 2656; Kambos hill, steppe, 1800 m, 05.07.2001, AA 1525, Ir.-Tur., Ka.

PLANTAGINACEAE

Plantago major L. subsp. *major*

Bitlis: Şeyhhabib Mountain, wet places, 1950 m, 09.09.2002, AA 2892, Hk.

P. major L. subsp. *intermedia* (Gilib.) Lange

Bitlis: İçmeli village surrounding, streamsides, 1450 m, 24.07.2001, AA 1701, Hk.

P. lanceolata L.

Bitlis: roadsides, 1535 m, 20.04.2001, AA 1091, Hk.

THYMELAEACEAE

Daphne mucronata Royle

Bitlis: Zeydan district, brushwood, 1550 m, 22.07.2001, AA 1636, Ir.-Tur., Fa.

ELAEAGNACEAE

Elaeagnus angustifolia L.

Bitlis: Ağaçköprü village, brushwood, 1450 m, 17.06.2002, AA 2502, Fa.

SANTALACEAE

Thesium arvense Horv.

Bitlis: around Agricultural Directorate building, steppe, 1615 m, 09.04.2001, AA 1024, Euro-Sib., Hk.

T. impressum Steud. ex A.DC.

Bitlis: Şeyhhabib Mountain, steppe-rocky places, 2000 m, 09.09.2002, AA 2873, Ir.-Tur., Hk.

LORANTHACEAE

Loranthus europaeus J.Jacq.

Bitlis: Sarıkonak village surrounding, forest, 1650 m, 21.10.2001, AA 1819, Fa. This species grows on *Quercus infectoria* subsp. *boissieri*.

ARISTOLOCHIACEAE

Aristolochia bottae Jaub. & Spach

Bitlis: Çayırköy village surrounding, rocky places, 1550 m, 18.05.2002, AA 2268, Ir.-Tur., Hk.

EUPHORBIACEAE

Andrachne telephiooides L.

Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6811, Ka.

Euphorbia chamaesyce L.

Bitlis: Tanrıyar village surrounding, roadsides, 1020 m, 06.08.2001, AA 1741, T.

E. palustris L.

Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6802, Euro-Sib., Hk.

E. helioscopia L.

Siirt: Baykan Baniçarpiran plain, rocky places, 830 m, 07.04.2002, AA 1896, T.

E. aulacosperma Boiss.

Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6773, T.

E. falcata L. subsp. *falcata* var. *galilaea* (Boiss.) Boiss.

Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6821, G.T.

E. denticulata Lam.

Siirt: Yarımca village surrounding, brushwood, 1200 m, 15.04.2002, AA 2005, Ir.-Tur., Hk.

E. cheiradenia Boiss. & Hohen.

Bitlis: Ağaçköprü village surrounding, steppe, 1550 m, 04.07.2001, AA 1412, Ir.-Tur., Ka.

URTICACEAE

Urtica dioica L.

Bitlis: Şeyhhabib Mountain, wet places, 2000 m, 09.09.2002, AA 2909, Euro-Sib., Hk.

Parietaria judaica L.

Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6768, Ka.

P. officinalis L.

Bitlis: around Köy Hizmetleri building, steppe, 1615 m, 03.07.2001, AA 1263, Euro-Sib., Hk.

MORACEAE

Morus alba L.

Bitlis: Kambos hill, field edges, 1880 m, 05.07.2001, AA 1466, Fa.

M. nigra L.

Bitlis: Ağaçköprü village surrounding, streamsides, 1550 m, 24.07.2001, AA 1693, Fa.

Ficus carica L. subsp. *rupestris* (Hausskn.) Browicz

Bitlis: Kambos hill, brushwood, 1820 m, 05.07.2001, AA 1465, Ir.-Tur., Fa.

ULMACEAE

Celtis tournefortii Lam.

Bitlis: Yavuzlar district, forest, 1650 m, 05.10.2001, AA 1779a, Fa.

C. glabrata Steven ex Planch.

Bitlis: Yavuzlar district, forest, 1650 m, 05.10.2001, AA 1779b, Fa.

FAGACEAE

Quercus infectoria Olivier subsp. *boissieri* (Reut.) O.Schwarz

Bitlis: Kurudere village surrounding, brushwood, 1200 m, 16.07.2001, AA 1595; Sarıkonak village surrounding, forest, 1650 m, 17.05.2002, AA 2249, Fa.

Q. brantii Lindl.

Bitlis: Sarıkonak village surrounding, brushwood, 1650 m, 15.07.2001, AA 1583, Ir.-Tur., Fa.

Q. libani Olivier

Bitlis: Sarıkonak village surrounding, forest, 1600 m, 08.08.2002, AA 2820, Fa.

BETULACEAE

Alnus glutinosa (L.) Gaertn. subsp. *glutinosa*

Bitlis: Kurudere village surrounding, streamsides, 1000 m, 01.08.2001, AA 1729, Fa.

SALICACEAE

Salix caprea L.

Bitlis: Ağaçköprü village district, streamsides, 1450 m, 29.04.2002, AA 2087, Euro-Sib., Fa.

S. cinerea L.

Bitlis: Sarıkonak village surrounding, streamsides, 1650 m, 21.10.2001, AA 1821, Euro-Sib., Fa.

Populus tremula L.

Bitlis: Narlıdere village surrounding, streamsides, 1200 m, 23.04.2002, AA 2025, Euro-Sib., Fa.

RUBIACEAE

Sherardia arvensis L.

Siirt: Baykan town surrounding, steppe, 810 m, 07.04.2002, AA 2907, Med.?, T.

Crucianella gilanica Trin. subsp. *kotschy* (Ehrh.) Ehrh.

Bitlis: Ağaçköprü village surrounding, brushwood, 1850 m, 04.07.2001, AA 1414; Şeyhhabib Mountain, steppe-rocky places, 2200 m, 09.09.2002, AA 2866, Ir.-Tur., Ka.

C. kurdistanica Malin.

Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6850, Ir.-Tur., T.

C. exasperata Fisch. & C.A.Mey.

Bitlis: Sarıkonak village, steppe, 1650 m, 15.07.2001, AA 1589, Ir.-Tur., T.

Asperula xylorrhiza Nábelek

Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6808, Ir.-Tur., Ka.

A. orientalis Boiss. & Hohen.

Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6820, Ir.-Tur., T.

A. arvensis L.

Bitlis: Deliktaş district, steppe, 1435 m, 30.05.2001, AA 1243, Med., T.

Galium humifusum M.Bieb.

Bitlis: Ağaçköprü village surrounding, brushwood, 1850 m, 04.07.2001, AA 1379, Hk.

G. verum L. subsp. *glabrescens* Ehrend.

Bitlis: Ağaçköprü village surrounding, steppe, 1850 m, 04.07.2001, AA 1398, Ir.-Tur.?, Ka.

- G. consanguineum* Boiss.
Bitlis: Deliktaş district, brushwood, 1435 m, 03.07.2001, AA 1318, Ir.-Tur., Hk.
- G. kurdicum* Boiss. & Hohen.
Bitlis: Aşağı Nabat Mountain, rocky area 1800 m, 24.07.2001, AA 1673, Ir.-Tur., Hk.
- G. nabelekii* Ehrend. & Schönb.-Tem.
Bitlis: Deliktaş district, brushwood, 1435 m, 03.07.2001, AA 1300, Ir.-Tur., Hk.
- G. spurium* L. subsp. *spurium*
Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6826, Euro-Sib., T.
- G. samuelssonii* Ehrh. var. *pseudadhaerens* Ehrh.
Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6760, E. Med., T.
- G. haussknechtii* Ehrend.
Bitlis Çayırköy district, steppe, 1550 m, 18.07.2002, AA 2267, Ir.-Tur., T.
- G. penicillatum* Boiss.
Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6781, E. Med., T.
- G. verticillatum* Danthonie ex Lam.
Bitlis: Alaniçi village surrounding, meadow, 950 m, 14.04.2002, AA 1937, Med., T.
- Callipeltis cucullaria* (L.) Steven
Siirt: Baykan town surrounding, steppe, 820 m, 08.05.2002, AA 2206. Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6793, Ir.-Tur., T.
- Cruciata taurica* (Pallas & Willd.) Ehrh.
Bitlis: Kambos hill surrounding, brushwood, 1830 m, 05.07.2001, AA 1435; Yenice patrol, steppe, 900 m, 14.04.2002, AA 1928, Ir.-Tur., Ka.
- C. pedemontana* (Bellardi) Ehrh.
Siirt: Baykan, Baniçarpiran plain, meadow, 830 m, 07.04.2002, AA 1891, T.
- Rubia tenuifolia* d'Urv. subsp. *doniettii* (Griesb.) Ehrend. & Schönb.-Tem.
Bitlis: Narlıdere village, rocky places, 1150 m, 16.07.2001, AA 1609, E. Med., Hk.
- MONOCOTYLEDONES**
- ARACEAE**
- Arum elongatum* Steven subsp. *detruncatum* (C.A.Mey. ex Schott)
Bitlis: Tanrıyar village surrounding, brushwood, 1200 m, 04.05.2003, AA 2976. Siirt: Baykan, Obalı village surrounding, streamsides, 850 m, 07.05.2002, AA 2161, Kr.
- LILIACEAE**
- Eremurus spectabilis* M.Bieb.
Bitlis: Kambos Mountain, rocky places, 1820 m, 17.06.2001, AA 2250, Ir.-Tur., Kr.
- **Allium cepa* L.
Bitlis: İçmeli village surrounding, streamsides, 1450 m, 24.05.2002, AA 2340, Kr.
- A. paniculatum* L. subsp. *paniculatum*
Bitlis: eastern slopes of Kambos hill, steppe, 1500 m, 01.08.2001, AA 1732a, Med., Kr. Det.: M.Koyuncu.
- A. pseudoflavum* Vved.
Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6805, Ir.-Tur., Kr.
- A. pseudoampeloprasum* Miscz. ex Grossh.
Bitlis: Karınca village surrounding, steppe, 1600 m, 01.07.2002, AA 2648, Ir.-Tur., Kr. Det.: M.Koyuncu.
- A. trachycoleum* Wendelbo
Bitlis: Tanrıyar village surrounding, steppe, 1400 m, 05.08.2002, AA 2748, Ir.-Tur., Kr. Det.: M.Koyuncu.
- A. scorodoprasum* L. subsp. *rotundum* (L.) Stearn
Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, AA 3017, Med., Kr.
- A. vineale* L.
Siirt: Baykan, Yarımca village surrounding, steppe, 1000 m, 14.04.2002, AA 1936, Kr.
- A. affine* Ledeb.
Bitlis: eastern slopes of Kambos Hill, steppe, 1500 m, 01.08.2001, AA 1732b, Med., Kr. Det.: M.Koyuncu.
- A. akaka* S.G. Gmel.
Siirt: Baykan town surrounding, open forest, 820 m, 07.05.2002, AA 2123, Ir.-Tur., Kr.
- A. orientale** Boiss.
- Bitlis: Narlıdere village, open forest, 1150 m, 22.04.2002, AA 2011, E. Med., Kr.
- A. kharputense* Freyn & Sint.
Bitlis: Döşkaya village surrounding, steppe, 1550 m, 18.06.2002, AA 2614, Ir.-Tur., Kr.
- Scilla siberica* Haw. subsp. *armena* (Grossh.) Mordak
Bitlis: Kurudere village, streamsides, 1200 m, 23.04.2002, AA 2046, Ir.-Tur., Kr.
- Puschkinia scilloides* Adams
Bitlis: Şikeri hill, rocky areas, 1700 m, 04.05.2003, AA 2923, Ir.-Tur.?, Kr.
- Ornithogalum sphaerocarpum* Kerner
Bitlis: Karınca village surrounding, steppe, 1600 m, 01.07.2002, AA 2653, Kr.
- O. arcuatum* Steven
Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6782, Ir.-Tur., Kr.
- O. oligophyllum* E.D.Clarke
Bitlis: İçmeli village, open forest, 1450 m, 24.05.2002, AA 2358, Kr.
- O. nutans* L.
Bitlis: Ünalı village, open forest, 1600 m, 30.04.2002, AA 2112, E. Med., Kr.
- Muscaria comosum* (L.) Mill.
Bitlis: Çayırköy district, brushwood, 1560 m, 30.05.2001, AA 1213, Med., Kr.
- M. armeniacum* Leichtlin ex Baker
Bitlis: around Agricultural Directorate building, brushwood, 1615 m, 09.04.2001, AA 1021, Kr.
- Bellevallia longistyla* (Miscz.) Grossh.
Bitlis: Alaniçi village surrounding, open forest, 1200 m, 04.05.2003, AA 2967, Ir.-Tur., Kr.
- B. pycnantha* (K.Koch) Losinsk.
Bitlis: Deliktaş village, open forest, 1435 m, 30.04.2002, AA 2113, Ir.-Tur., Kr.
- Hyacinthella siirtensis* Mathew
Siirt: Baykan town surrounding, open forest, 820 m, 16.03.2002, AA 1850, END., Ir.-Tur., Kr.
- Fritillaria minuta* Boiss. & Noë
Bitlis: Narlıdere village, open forest, 1150 m, 23.04.2002, AA 2023.

F. minima Rix

Bitlis: around local surgery building brushwood, 1650 m, 09.04.2001, AA 1014, END., Ir.-Tur., Kr.

F. caucasica J.F.Adams

Siirt: Baykan town surrounding, open forest, 850 m, 30.03.2002, AA 1879, H.-Eux., Kr.

Tulipa armena Boiss. var. armena

Siirt: Baykan, Obalı village surrounding, open forest, 850 m, 07.05.2002, AA 2138, Ir.-Tur., Kr.

T. sintenisii Baker

Bitlis: Ünalı village, open forest, 1600 m, 30.04. 2002, AA 2111, END., Ir.-Tur., Kr. Det.: M.Koyuncu.

Gagea gageoides (Zucc.) Vved.

Bitlis: Indusrtrial site surrounding, rocky places, 1500 m, 29.04.2002, AA 2090, Ir.-Tur., Kr.

G. reticulata (Pallas) Schult. & Schult.f.

Siirt: Baykan town, YİBO surrounding, wet places, 820 m, 07.04.2002, AA 1883, Ir.-Tur., Kr.

G. bulbifera (Palas) Schult. & Schult.f.

Bitlis: Kurudere village, rocky places, 1200 m, 23.04.2002, AA 2075, Euro.- Sib., Kr.

G. luteoides Stapf

Bitlis: Şikirin hill, rocky areas, 1700 m, 04.05.2003, AA 2924, Kr.

G. peduncularis (J. & C.Presl) Pascher

Siirt: Baykan, Obalı village surrounding, open forest, 850 m, 16.03.2002, AA 1842, Med., Kr.

G. villosa (M.Bieb.) Duby var. hermonis Dafni & Heyn

Bitlis: Kurudere village, rocky places, 1200 m, 23.04.2002, AA 2074, Ir.-Tur.?, Kr.

AMARYLLIDACEAE

Ixiolirion tataricum (Pallas) Herbert subsp. montanum (Labill.) Takht.

Siirt: Baykan town centre surrounding, field edge, 810 m, 08.05.2002, AA 2179.

Bitlis: Tatlıkaynak village surrounding, steppe, 1550 m, 18.05.2002, AA 2302, Ir.-Tur., Kr.

IRIDACEAE

Iris reticulata M.Bieb. subsp. reticulata

Bitlis: Şikirin hill, steppe, 1800 m, 04.05.2003, AA 2978, Ir.-Tur., Kr.

I. reticulata M.Bieb. subsp. bakeriana (Foster) Mathew & Wendelbo

Bitlis: Şikirin hill,steppe, 1800 m, 04.05.2003, AA 2978, Ir.-Tur., Kr.

I. aucheri (Baker) Sealy

Bitlis: Şikirin hill, stony areas, 1700 m, 04.05.2003, AA 2920, Ir.-Tur., Kr.

I. pseudocaucasica Grossh.

Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, AA 3008, Hk. Det.: M.Koyuncu.

I. persica L.

Bitlis: Tanrıyar village surrounding, sandy places, 1000 m, 22.04.2002, AA 2028, Ir.-Tur., Kr.

Crocus cancellatus Herb. subsp. damascenus (Herb.) Mathew

Bitlis: Sarıkonak village surrounding, steppe, 1680 m, 21.10.2001, AA 1813, Ir.-Tur., Kr.

Gladiolus kotschyanus Boiss.

Bitlis: Kambos Mountain, rocky places, 2000 m, 17.06.2002, AA 2539, Ir.-Tur., Kr.

G. atroviolaceus Boiss.

Siirt: Baykan, Obalı village surrounding, rocky places, 850 m, 07.05.2002, AA 2143, Ir.-Tur., Kr.

ORCHIDACEAE

Limodorum abortivum (L.) Sw.

Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6751, Kr.

Ophrys holoserica (Burm.f.) Greuter subsp. holoserica

Bitlis: Doğanlı village, Kalem Mountain, open forest, 1800 m, 06.06.2003, Behçet 6891, Med., Kr.

Orchis tridentata Scop.

Bitlis: Alaniçi village surrounding, open forest, 1200 m, 04.05.2003, AA 2968; Tanrıyar village, meadow, 1050 m, 15.04.2002, AA 2007, Med., Kr.

O. anatolica Boiss.

Bitlis: Alaniçi village surrounding, open forest, 1200 m, 04.05.2003, AA 2969, E. Med., Kr.

O. masculata (L.) L. subsp. pinetorum (Boiss. & Kotschy) E.G.Camus

Bitlis: around limestone quarry, brushwood, 1490 m, 30.05.2001, AA 1169, E. Med., Kr.

Dactylorhiza iberica (M.Bieb. ex Willd.) Soó

Bitlis: Aşağı Nabat Mountain, open forest, 1750 m, 26.05.2002, AA 2368, Kr.

D. romana (Sebastine) Soó subsp. romana

Bitlis: aroun MYO, meadow, 1650 m, 09.04.2001, AA 1005, Kr.

D. romana (Seb.) Soó subsp. georgica (Klinge) Soó ex Renz & Taub.

Bitlis: around Yenice patrol, open forest, 900 m, 15.04.2002, AA 1989, Eu. , Kr.

D. umbrosa (Kar. & Kir.) Nevski

Bitlis: Deliktaş village, open forest, 1450 m, 17.05.2002, AA 2274, Ir.-Tur., Kr.

DIOSCORACEAE

Tamus communis L. subsp. communis

Bitlis: around Yenice patrol, brushwood, 900 m, 15.04.2002, AA 1957; Sarıkonak village surrounding, stony areas-brushwood, 1650 m, 08.08.2002, AA 2824, Kr.

JUNCACEAE

Juncus inflexus L.

Bitlis: Kambos hill, wet places, 1800 m, 05.07.2001, AA 1485, Hk.

J. bufonius L.

Bitlis: İçmeli village, streamsides, 1500 m, 25.05.2002, AA 2492, T.

J. articulatus L.

Bitlis: Alaniçi village surrounding, rocky places, 850 m, 09.06.2002, AA 2468, Euro-Sib., Hk.

J. alpinus K. Koch

Bitlis: Şeyhabib Mountain, wet places, 1800 m, 09.09.2002, AA 2859, Eu. ?, Hk.

CYPERACEAE

Cyperus longus L.

Bitlis: Deliktaş village district, streamsides, 1435 m, 03.07.2001, AA 1334; Şeyhabib Mountain, meadows 2100 m, 09.09.2002, AA 2841, Kr.

- C. glaber L.**
- Bitlis: Narlıdere village surrounding, humid places, 1200 m, 25.08.2001, AA 1797b, T.
- C. fuscus L.**
- Bitlis: Narlıdere village surrounding, humid places, 1200 m, 25.08.2001, AA 1797a, Euro.-Sib., T.
- Fimbristylis annua (All.) Roem. & Schult.**
- Bitlis: Narlıdere village surrounding, humid places, 1200 m, 16.07.2001, AA 1603, T.
- Eleocharis palustris (L.) Roem. & Schult.**
- Bitlis: Tatlıkaynak village, humid places, 1550 m, 18.05.2002, AA 2294, Hk.
- E. mitracarpa Steud.**
- Bitlis: Alaniçi village surrounding, humid places, 950 m, 09.06.2002, AA 2496, Hk.
- Schoenoplectus lacustris (L.) Palla subsp. *tabernaemontani* (C.C.Gmel.) A. & D.Löve**
- Bitlis: Ağaçköprü village surrounding, streamsides, 1500 m, 30.08.2002, AA 2802, Kr.
- Bolboschoenus maritimus (L.) Palla var. *maritimus***
- Bitlis: Ağaçköprü village surrounding, streamsides, 1500 m, 30.08.2002, AA 2803, Kr.
- Scirpoides holoschoenus (L.) Soják**
- Bitlis: Değirmenaltı village, humid places, 1700 m, 03.06.2002, AA 2461, Hk.
- Carex spicata Huds.**
- Bitlis: Tatlıkaynak village, humid places, 1550 m, 18.05.2002, AA 2271, Euro.-Sib., Hk.
- C. stenophylla Wahlenb. subsp. *stenophylloides* (V.I.Krecz.) T.V.Egorova**
- Bitlis: around Yenice patrol, meadow, 900 m, 15.04.2002, AA 1955; Alaniçi village surrounding, meadow, 950 m, 04.05.2003, AA 2942, Ir.-Tur., Hk.
- C. melanostachya M.Bieb. ex Willd.**
- Bitlis: Dörtağaç village, humid places, 1700 m, 03.06.2002, AA 2429, Hk.
- C. flacca Schreb. subsp. *flacca***
- Bitlis: Deliktaş village, humid places, 1465 m, 18.05.2002, AA 2277, Euro.-Sib., Hk.
- C. supina Willd. ex Wahlenb.**
- Siirt: Baykan town surrounding, wet places, 820 m, 07.04.2002, AA 1909, Euro.-Sib., Hk.
- POACEAE (GRAMINEAE)**
- Elymus panormitanus (Parl.) Tzvelev**
- Bitlis: Ağaçköprü village, under forest, 1450, 03.07.2001, AA 1380, Med., Hk.
- E. elongatus (Host) Runemark subsp. *turcicus* (McGuire) Melderis**
- Bitlis: southern slopes of Şeyhabib Mountain, steppe, 2200 m, 09.09.2002, AA 2868, Kr.
- E. hispidus (Opiz) Melderis subsp. *barbulatus* (Schur) Melderis**
- Bitlis: Kalem Mountain, Doğanlı village surrounding, wet places, 1900 m, 06.06.2003, AA 2998, Kr.
- Heteranthelium piliferum (Sol.) Hochst.**
- Bitlis: Döskaya village, steppe, 1550 m, 18.06.2002, AA 2610; Kalem Mountain, Doğanlı village surrounding, 1800 m, steppe, 06.06.2003, Behçet 6839, Ir.-Tur., T.
- Aegilops cylindrica Host**
- Bitlis: western slopes of Kambos hill, steppe, 1600 m, 05.07.2001, AA 2514, Ir.-Tur., T.
- A. triuncialis L. subsp. *triuncialis***
- Bitlis: Aşağı Nabat Mountain, steppe, 1800 m, 25.05.2002, AA 2336, T.
- Triticum turgidum L.**
- Bitlis: Deliktaş district, fields, 1450 m, 03.07.2001, AA 1320, T.
- Secale montanum Guss.**
- Bitlis: around Köy Hizmetleri building, field, 1615 m, 03.07.2001, AA 1270, Hk.
- Hordeum violaceum Boiss. & Huet**
- Bitlis: Kurudere village, steppe, 1200 m, 01.07.2002, AA 2635, Ir.-Tur., Hk.
- H. marinum Huds. var. *pubescens* (Guss.) Nevski**
- Bitlis: western slopes of Kambos hill, steppe, 2000 m, 17.06.2002, AA 2513, Euro-Sib., T.
- H. murinum L. subsp. *murinum***
- Bitlis: limestone quarry, steppe, 1450 m, 15.05.2001, AA 1166. Siirt: Baykan town surrounding, steppe, 820 m, 08.05.2002, AA 2159, T.
- H. murinum L. subsp. *leporinum* (Link) Arc. var. *leporinum***
- Bitlis: Kalem Mountain, Doğanlı village surrounding, 1800 m, steppe, 06.06.2003, Behçet 6834, Ir.-Tur., Hk.
- H. bulbosum L.**
- Bitlis: Dörtağaç village district, steppe, 1700 m, 03.06.2002, AA 2435, Kr.
- H. distichon L.**
- Bitlis: western slopes of Kambos hill, steppe, 1600 m, 05.07.2001, AA 1505, T.
- Taeniatherum caput-medusae (L.) Nevski subsp. *crinitum* (Schreb.) Melderis**
- Bitlis: Ağaçköprü village, steppe, 1350 m, 25.05.2002, AA 2337; Döskaya village, steppe, 1500 m, 18.06.2002, AA 2612, Ir.-Tur.? T.
- Bromus japonicus Thunb. subsp. *japonicus***
- Bitlis: Kalem Mountain, Doğanlı village surrounding, 1800 m, open forest, 06.06.2003, Behçet 6791, T.
- B. japonicus Thunb. subsp. *anatolicus* (Boiss. & Heldr.) Pénzes**
- Bitlis: south-eastern slopes of Kambos Mountain, steppe, 1440 m, 17.06.2002, AA 2523, T.
- B. macrocladus Boiss.**
- Bitlis: Şeyhabib Mountain, brushwood, 1700 m, 25.07.2002, AA 2857, END., Med., T.
- B. scorpiarius L.**
- Bitlis: Kalem Mountain, Doğanlı village surrounding, open forest, 1900 m, 06.06.2003, Behçet 6835a, T.
- B. lanceolatus Roth**
- Bitlis: Ağaçköprü village, steppe, 1650 m, 25.05.2002, AA 2315, T.
- B. danthoniae Trin.**
- Bitlis: Zeydan district, steppe, 1550 m, 22.07.2001, AA 1631, T.
- B. tectorum L. subsp. *tectorum***
- Bitlis: Döskaya village, steppe, 1550 m, 18.06.2002, AA 2611; Alaniçi village surrounding, steppe, 950 m, 14.04.2002, AA 1947, T. Det.: F. Sales.
- B. sterilis L.**
- Bitlis: south-eastern slopes of Kambos Mountain, steppe, 1440 m, 05.08.2001, AA 2516, T. Appr.: F. Sales.

- B. tomentellus** Boiss.
Bitlis: south-eastern slopes of Şikirin hill, steppe, 2300 m, 13.08.2002, AA 2775, Ir.-Tur., Hk.
- B. erectus** Huds.
Bitlis: around Karıncalı patrol, steppe, 1300 m, 01.07.2002, AA 2628, Hk.
- Avena barbata** Pott ex Link subsp. *barbata*
Bitlis: Direktaşı village surrounding, steppe, 1435 m, 25.05.200, AA 2311, Med., T.
- A. fatua** L. var. *fatua*
Bitlis: Deliktaş surrounding, field edges, 1435 m, 03.07.2001, AA 1338, T.
- Helictotrichon pratense** (L.) Besser ex Schult. & Schult.f.
Bitlis: Kalem Mountain, Doğanlı village surrounding, 1800 m, steppe, 06.06.2003, AA 2999, Euro-Sib., Hk.
- Arrhenatherum palaestinum** Boiss.
Bitlis: Kalem Mountain, Doğanlı village surrounding, 1800 m, steppe, 06.06.2003, Behçet 6838, Med., Kr.
- Trisetum thospiticum** Chrték
Bitlis: Ağaçköprü village, steppe, 1350 m, 09.06.2002, AA 2500, END., Ir.-Tur., Hk.
- Rostraria berythea** (Boiss. & Black) Holub.
Bitlis: Kalem Mountain, Doğanlı village surrounding, 1800 m, steppe, 06.06.2003, Behçet 6829; İçmeli village, steppe, 1500 m, 25.05.2002, AA 2372, Med.?, T.
- R. hispida** (Savi) Doğan
Bitlis: southern slopes of Torek Mountain steppe, 1700 m, 17.05.2002, AA 2233, Med., T.
- R. cristata** (L.) Tzvelev *cristata*
Bitlis: Kalem Mountain, Doğanlı village surrounding, 1800 m, steppe, 06.06.2003, Behçet 6829, T.
- Koeleria cristata** (L.) Pers.
Bitlis: Kalem Mountain, Doğanlı village surrounding, 1800 m, steppe, 06.06.2003, Behçet 6845, Hk.
- Calamagrostis parsana** (Bor) Doğan
Bitlis: Deliktaş district, wet places, 1450 m, 03.07.2001, AA 1355, Ir.-Tur., Hk.
- Polypogon viridis** (Gouan) Breistr.
Bitlis: around Karınca patrol, humid places, 1300 m, 15.07.2001, AA 1549, Euro-Sib., Hk.
- P. maritimus** Willd. subsp. *maritimus*
Bitlis: Ağaçköprü village, steppe, 1650 m, 04.07.2002, AA 1366, Euro-Sib., T.
- P. monspeliensis** (L.) Desf.
Bitlis: Deliktaş district, wet places, 1450 m, 03.07.2001, AA 1330, T.
- Milium vernale** M.Bieb. subsp. *vernale*
Bitlis: Berge hill, open forest, 1570 m, 30.04.2002, AA 2009, Med.? T.
- Zingeria pisidica** (Boiss.) Tutin
Bitlis: Deliktaş district, steppe, 1435 m, 18.05.2002, AA 2292, Ir.-Tur.?, T.
- Alopecurus arundinaceus** Poir.
Bitlis: Dideban hill, brushwood, 1650 m, 03.06.2002, AA 2419; Deliktaş district, steppe, 1435 m, 20.04.2001, AA 1079, Euro-Sib., Hk.
- A. myosuroides** Huds. var. *myosuroides*
Bitlis: Tanrıyar village, steppe, 1000 m, 23.04.2002, AA 2020, Euro-Sib., T.
- A. utriculatus** Sol. subsp. *utriculatus*
Bitlis: Alaniçi village, steppe, 950 m, 04.05.2003, AA 2945, Ir.-Tur., T.
- A. utriculatus** Sol. subsp. *anthoxanthoides* (Boiss.) Doğan
Bitlis: Kalem Mountain, Doğanlı village surrounding, steppe, 2000 m, 06.06.2003, AA 3000. Siirt: Baykan, Obalı village, steppe, 850 m, 07.04.2002, AA 1914, Med., T.
- Phleum pratense** L.
Bitlis: Değirmen stream, meadow, 1640 m, 22.07.2001, AA 1640, Euro-Sib., Hk.
- P. subulatum** (Savi) Aschers. & Graebn. subsp. *subulatum*
Bitlis: Saime hill, steppe, 1800 m, 18.06.2002, AA 2595, T.
- P. paniculatum** Huds. subsp. *ciliatum* (Boiss.) Doğan
Bitlis: İçmeli village, steppe, 1500 m, 26.05.2002, AA 2370, Ir.-Tur., T.
- Vulpia muralis** (Kunth) Nees
Bitlis: southern slopes of Torek Mountain, steppe, 1700 m, 17.05.2002, AA 2237, Med., T.
- Lolium multiflorum** Lam. subsp. *multiflorum*
Bitlis: south-eastern slopes of Kambos Mountain, steppe, 1540 m, 17.06.2002, AA 2511, T.
- L. persicum** Boiss. & Hohen ex Boiss.
Bitlis: Kalem Mountain, Doğanlı village surrounding, steppe, 1900 m, 06.06.2003, Behçet 6778, Ir.-Tur., T.
- L. rigidum** Gaudin var. *rigidum*
Bitlis: İçmeli village, steppe, 1500 m, 26.05.2002, AA 2373, T.
- Psilurus incurvus** (Gouan) Schinz & Thell.
Bitlis: Sarıkonak village, steppe, 1550 m, 17.05.2002, AA 2240, T.
- Poa pratensis** L.
Bitlis: İnönü district, meadow, 1550 m, 20.04.2001, AA 1066, Hk.
- P. bulbosa** L.
Bitlis: Deliktaş district, steppe, 1435 m, 18.05.2002, AA 2281; Tanrıyar village, steppe, 1000 m, 04.05.2003, AA 2955, Hk.
- Eremopoa multiradiata** (Trautv.) Roshev.
Bitlis: Dörtağaç village, steppe, 1700 m, 03.06.2002, AA 2438, Ir.-Tur., T.
- E. songarica** (Schrenk) Roshev.
Bitlis: place for dumping garbage and its surroundings, wet places, 1530 m, AA 1077, Ir.-Tur., T.
- Dactylis glomerata** L. subsp. *glomerata*
Bitlis: Sarıkonak village surrounding, steppe, 1600 m, 17.05.2002, AA 2243, Euro-Sib., Hk.
- D. glomerata** L. subsp. *hispanica* (Roth) Nyman
Bitlis: Aşağı, Nabat hill, steppe, 1750 m, 25.05.2002, AA 2345, Hk.
- Cynosurus cristatus** L.
Bitlis: Direktaşı village, steppe, 1550 m, 17.07.2001, AA 1619, Euro-Sib., Hk.
- C. echinatus** L.
Bitlis: Ağaçköprü village, steppe, 1350, 04.07.2001, AA 1416, Med. T.
- Briza humilis** M.Bieb.
Siirt: Baykan town surrounding, steppe, 820 m, 08.05.2002, AA 2197, T.

- B. minor L.**
Bitlis: Alaniçi village, steppe, 950 m, 09.06.2002, AA 2470, T.
- Echinaria capitata (L.) Desf.**
Siirt: Baykan Obalı village Çemçavuş district, steppe, 850 m, 30.03.2002, AA 1864, T.
- Melica persica Kunth subsp. jacquemontii (Decne. ex Jacquem.) P.H.Davis**
Bitlis: eastern slopes of Kambos Mountain, steppe, 2000 m, 17.06.2002, AA 2534, Ir.-Tur., Hk.
- M. persica Kunth subsp. inaequiglumis (Boiss.) Bor**
Bitlis: Kalem Mountain, Doğanlı village surrounding, steppe, 1900 m, 06.06.2003, AA 2996, Hk.
- Stipa bromoides (L.) Dörfel.**
Bitlis: Kalem Mountain, Doğanlı village surrounding, 1800 m, rocky places, 06.06.2003, Behçet 6863, Med., Hk.
- S. ehrenbergiana Trin. & Rupr.**
Bitlis: Sarıkonak village, steppe, 1550 m, 18.06.2002, AA 2572, Ir.-Tur., Hk.
- Piptatherum holciforme (M.Bieb.) Roem. & Schult. subsp. holciforme var. holciforme**
Bitlis: Kalem Mountain, Doğanlı village surrounding, steppe, 1900 m, 06.06.2003, Behçet 6798; Tabanözü district, wet places, 2000 m, 13.08.2002, AA 2774, Hk.
- Eragrostis minor Host**
Bitlis: southern slopes of Şeyhhabib Mountain, steppe, 2200 m, 09.09.2002, AA 2886, T.
- Crypsis acuminata Trin. subsp. acuminata**
Bitlis: Tanrıyar village surrounding, streamsides, 1200 m, 05.07.2002, AA 2746, T.
- C. schoenoides (L.) Lam.**
Bitlis: Ağaçköprü village, roadsides, 1350 m, 26.07.2001, AA 1722, T.
- Echinochloa crus-galli (L.) P.Beauv.**
Siirt: Baykan, Obalı village, streamsides, 850 m, 05.08.2002, AA 2811, T.
- Digitaria sanguinalis (L.) Scop.**
Bitlis: Sarıkonak village surrounding, wet places, 1600 m, 23.04.2002, AA 1794, T.
- Setaria viridis (L.) P. Beauv.**
Bitlis: Ünaldi village, humid places, 1600 m, 01.09.2001, AA 1782, T.
- Pennisetum orientale Rich.**
Bitlis: Aşağı Nabat hill, steppe, 1750 m, 25.05.2002, AA 2350, Ir.-Tur., Hk.
- Sorghum halepense (L.) Pers. var. halepense**
Bitlis: Sarıkonak village, humid places, 1550 m, 01.09.2001, AA 1793; Kalem Mountain, Doğanlı village surrounding, wet places, 1900 m, 06.06.2003, AA 2997, Hk.
- Bothriochloa ischaemum (L.) Keng**
Bitlis: Şeyhhabib Mountain, steppe, 2200 m, 09.09.2002, AA 2869, Hk.