

# **ALSTERWORTHIA INTERNATIONAL**

**THE  
SUCCULENT ASPHODELACEAE  
JOURNAL**



*Aloe 'Oik' I.S.I. 2013-15*

## Contents

Aloe 'Oik' I.S.I. 2013-15 .....	1
Aloes and a Haworthia distributed by the I.S.I, 2013.....	2-6
Haworthia Species List - SANBI Web Site List.....	6-23
Generic Concepts in the Alooideae Part 3 - The Phylogenetic Story Gordon. D. Rowley.....	24-26
An usual method for propagating Drimia haworthioides in the East Indian climate. Soumen Aditya .....	27
User's Guide to the International Code of Nomenclature...(Melbourne Code) .....	28
Haworthia Study - Updated Information .....	28

# Aloes and a Haworthia distributed by the I.S.I, 2013.


The full list of I.S.I. offerings for 2013, and also those for previous years, may be viewed at  
<http://www.huntington.org/BotanicalDiv/ISI2013/catalogintro.html>

The complete 2013 list was also published in the March-April USA Cactus & Succulent Journal.

The ISI no longer exports plants but some ISI items are now available in Europe from Succulent Tissue Culture  
<http://www.succulent-tissue-culture.com/EN>

The text is by John Trager.

*Aloe 'Brown Betty'*



## ISI 2013-11. *Aloe 'Brown Betty'*.

Four of Karen Zimmerman's dwarf "Fantasy" aloe hybrids have been introduced to date: 'Dragon,' DZ' and 'Gargoyle' in 2010 and 'Princess Jack' in 2011. Her hybridization work continues to reveal new combinations of pattern, colour and toothiness.

*Aloe 'Brown Betty'* is a selection from the cross of Kelly Griffin's (KG) # 5 hybrid with Nathan Wong's 'Aumakua Mano', making it a sibling of *Aloe 'Gargoyle'*. The parentage of those parents is too elaborate to detail here or even to have been fully recorded. In any case, 'Brown Betty', in winter, is reddish-brown splashed with cream, like some delicious dessert. Some of the white spots surround pinkish-tipped teeth. In summer the brownish parts go green. Rooted plants from tissue culture of HBG 109996. \$15.

*Aloe 'Camelion'*



## ISI 2013-12. *Aloe 'Chameleon'*.

This second Zimmerman hybrid for 2013 is named for its chameleon-like, seasonal colour shifts. In summer, its rough, tuberculate, toothy leaves display diffusely intergrading shades of green with patches of translucent white, as if glazed with sugar icing. The leaf edges are darker green, offsetting the white-toothed, irregularly-serrate margins like those on the keeled heads of some chameleons. In late winter, the plants take on shades of pink and white, the serrate margins standing out even more next to the darker brownish edges. The parentage, like that of *Aloe 'Brown Betty'*, is from seed of KG # 5, but with pollen from *Aloe 'Paul Hutchison'*, a dwarf clumper with toothy leaves selected by Dick Wright. Rooted plants from tissue-culture of HBG 109997. \$15.

## ISI 2013-13. *Aloe 'Evil Twin'*.

Many years ago, in 1975, Shannon Lyons hybridized *Aloe sinkatana* with *A. harlana*. Fast



**Aloe 'Evil Twin', Huntington Botanical Gardens**



**Aloe 'Kujo', Huntington Botanical Gardens**

forward to 2011 when we finally decided to accession (assign database numbers) the five remaining plants from this cross that had been growing in the lower Desert Garden for decades. Of these, three had subcapitate racemes of dusky orange flowers, while two had yellow flowers. Of the yellow-flowered, one had subcapitate racemes while the other stood out for its capitate inflorescences of bright yellow flowers. This latter plant was singled out some years earlier for propagation and distribution. Gary Lyons chose to call it *Aloe* 'Sophie', after his and Shannon's daughter. We attempted to initiate this plant in tissue culture from an offset of a plant growing in our nursery, but it succumbed to fungal contamination. A second attempt was made from a young inflorescence of a plant in the garden which was successfully initiated. However, some confusion in labelling resulted in the yellow imposter (Sophie's evil twin if you will) inserting herself into the initiation process. Rather than discard the resulting crop, we have decided to introduce both of the yellow flowered siblings with the real 'Sophie' to be introduced at a later date. Rooted plants from tissue culture of HBG 78549. \$8.

#### ***ISI 2013-14. Aloe 'Kujo'.***

The 'Sophie' saga described above continues. After that selection was made, Gary Lyons, selected one of Sophie's orange-flowered siblings to be named after the




human Sophie's brother, Jacob. Kujo is his stage name as a world-class break dancer of international acclaim. We had initially thought to introduce the aloes simultaneously so as not to unnecessarily stoke any sibling rivalry, but in the end the elder is the first to be honoured with his own namesake aloe cultivar. Rooted plants from tissue culture of HBG 78546. \$8.

#### ***ISI 2013-15. Aloe 'Oik'. Photograph front cover.***

This is the third and last of the Zimmerman hybrids to be introduced in 2013. It has fairly short, triangular, bluish to greenish leaves, depending on the season, covered with irregular, broad, often multi-pointed and therefore ragged-looking, pinkish-red teeth on the margins, while the surface teeth are conical or merged to form raised dashes. Leaf apices are often bilaterally compressed with jagged teeth reminiscent of some medieval weapon. The plant's parentage is 'Confetti' (an earlier un-introduced Zimmerman hybrid) x KZ # 1 (*A. divaricata* x *parvula*). The "oik", in its mildest connotation, is British for a rambunctious child. Rooted plants from tissue culture of HBG 109998. \$15.

#### ***ISI 2013-16. Aloe veseyi Reynolds.***

This cliff-dwelling aloe is restricted in habitat and



rare in cultivation. Its pendent stems bear loose rosettes of slender, glaucous-green leaves with elongated white spots. It is said to have yellow to red flowers, but only the yellow is known in cultivation. Described in 1959 by Reynolds, it is his type collection that has been tissue cultured for this introduction: HBG 25907, G. W. Reynolds 8659. It was collected from Kalombo Falls, Northern Province, Zambia, where it grows hanging from rocks and vertical cliff-faces at altitudes of 840-1500 m. \$7.

**ISI 2013-22. *Haworthia* 'Three-Cornered Hat'.**

Most hybridizers eventually graduate beyond the F1 generation, the initial cross of two species. This is because the F1s so often express a muddied combination of characteristics of the two parents; F2s liberate us into purer realms of fantasy. Occasionally, however, F1s are quite attractive and well worth cultivating. *Haworthia* 'Three-cornered Hat' is a cross of *H. koelmaniorum*, perhaps with *H. viscosa*, made by Bob Kent's trained hummingbird. Bob gave the plant to Steven Hammer, who in turn shared it with us; the present name, a reference to its three-ranked leaves and de Falla's 1917 ballet, El Sombrerode Tres Picos, was already attached. In this slow-growing hybrid, leaves can stack one upon another up to six deep, and are glossy, coppery-brown, covered with concolorous tubercles. Another notable feature, though not necessarily a selling point, is the elongated inflorescence. One specimen, once extracted from the overhanging branches through which it had scrambled in our



John Trager demonstrates the 2.6 metre length of the elongated inflorescence of *Haworthia* 'Three Cornered Hat'

greenhouse, measured an astonishing 2.6 m long! Pride goeth before the fall. Rooted plants of HBG 110000, from tissue culture. \$10.



*Haworthia* 'Three-Cornered-Hat. Karen Zimmerman

**Photograph credits.**

*Aloe* 'Brown Betty' Karen Zimmerman. Hunt. Bot. Gdn.

*Aloe* 'Camelion' Carole Karen Zimmerman

*Aloe* 'Evil Twin' John N. Trager. Hunt Bot. Gdn.

*Aloe* 'Kujo' John N. Trager

*Aloe* 'Oik' Karen Zimmerman

*Aloe* 'Veseyi' John B. Miller, Institute of Aloe Studies.

## Haworthia Species List - SANBI Web Site List.

From time to time each author produces his own plant list based on his species concept. Each list represents that author's personal views in that it promotes that author's species concept and the species he derives from it.

Species lists may also be produced independently by professional bodies. These are independent assessments listing the published species they accept. They consider only species validly published under the provisions of the International Code of Nomenclature.... (I.C.N.).

One highly respected on-line-list of Plants of Southern Africa is produced and kept up to date by the South African National Biodiversity Institute (SANBI).

**Plants of Southern Africa – an online check list. This comprehensive list is free. Go to:**

1. <http://posa.sanbi.org/searchspp.php>
2. From the opening page titled "Plants of Southern Africa - an on line check list" select "Asphodeaceae", from the Family list then
2. From the Genus list select "Haworthia" (or whatever genus interest you), then
  4. From Pick the Type of Results you would like to see select "full species details & include synonymous taxa", then click search
5. This will produce a full list of the species SANBI accept. with synonyms
  6. Select "save as" to save the full details on your computer.
7. Click on the left arrow at the top left corner to repeat the procedure for another genus.  
The list is updated every two months and is free to download whenever you wish.

**The SANBI Haworthia list follows.**

- Haworthia aegrota Poelln.** = *Haworthia herbacea* var. *herbacea*
- Haworthia agavoidea Zantner & Poelln.** = *Haworthia sordida* var. *sordida*
- Haworthia agnis L.Battista**
- Haworthia albanensis Schonland** = *Haworthia angustifolia* var. *angustifolia*
- Haworthia albicans (Haw.) Haw.** = *Haworthia marginata*
- Haworthia albicans (Haw.) Haw. var. virescens (Haw.) Baker** = *Haworthia marginata*
- Haworthia altilinea Haw.**
- Haworthia altilinea Haw. var. limpida** = *Haworthia mucronata* var. *inconfluens*
- Haworthia altilinea Haw. var. limpida forma inconfluens Poelln.** = *Haworthia mucronata* var. *inconfluens*
- Haworthia altilinea Haw. var. morrisiae Poelln.** = *Haworthia mucronata* var. *morrisiae*
- Haworthia altilinea Haw. var. morrisiae Poelln.** = *Haworthia mucronata* var. *morrisiae*
- Haworthia angolensis Baker** = *Chortolirion angolense*
- Haworthia angustifolia Haw.** = *Haworthia angustifolia* var. *altissima*, *Haworthia angustifolia* var. *angustifolia*,
- Haworthia angustifolia var. baylissii,**
- Haworthia angustifolia var. paucifolia**
- Haworthia angustifolia Haw. forma baylissii (C.L.Scott)**
- M.B.Bayer** = *Haworthia angustifolia* var. *baylissii*
- Haworthia angustifolia Haw. var. angustifolia**
- Aloestenophylla* Schult. & J.H.Schult. (2000. Glen & Hardy. FSA 5:1-167.)
- Haworthia albanensis* Schonland (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)
- Haworthia angustifolia* Haw. p.p. (PRECIS convention, not of compiler.)
- Haworthia angustifolia* Haw. var. *grandis* G.G.S (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)
- Haworthia angustifolia Haw. var. baylissii (C.L.Scott)**
- M.B.Bayer**
- Haworthia angustifolia* Haw. forma *baylissii* (C.L.Scott) M.B.Bayer (1999. Bayer. Haworthia revisited.)
- Haworthia angustifolia* Haw. p.p. (PRECIS convention, not of compiler.)
- Haworthia baylissii* C.L.Scott (1999. Bayer. Haworthia revisited.)
- Haworthia angustifolia Haw. var. denticulifera Poelln.** = *Haworthia chloracantha* var. *denticulifera*
- Haworthia angustifolia Haw. var. grandis G.G.Sm.** = *Haworthia angustifolia* var. *angustifolia*
- Haworthia angustifolia Haw. var. liliputana Uitewaal** = *Haworthia chloracantha* var. *denticulifera*
- Haworthia angustifolia Haw. var. paucifolia G.G.Sm.**
- Haworthia angustifolia* Haw. p.p. (PRECIS convention, not of compiler.)
- Haworthia arachnoidea (L.) Duval** = *Haworthia arachnoidea* var. *arachnoidea*, *Haworthia arachnoidea* var. *aranea*, *Haworthia arachnoidea* var. *namaquensis*, *Haworthia arachnoidea* var. *nigricans*, *Haworthia arachnoidea* var. *scabriplina*, *Haworthia arachnoidea* var. *setata*
- Haworthia arachnoidea (L.) Duval sensu Pole-Evans** = *Haworthia cooperi* var. *cooperi*
- Haworthia arachnoidea (L.) Duval sensu Pole Evans** = *Haworthia cooperi* var. *cooperi*
- Haworthia arachnoidea (L.) Duval var. arachnoidea**
- Aloe arachnoidea* Thunb. (2000. Glen & Hardy. FSA 5:1167.) *Aloe pumila* L. p.p. (PRECIS convention, not of compiler.)
- Aloe pumila* L. var. *arachnoidea* L. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)
- Haworthia arachnoidea* (L.) Duval p.p. (PRECIS convention, not of compiler.)
- Haworthia arachnoidea* (L.) Duval var. *minor* Haw. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)
- Haworthia pallida* Haw. var. *paynei* (L.Bolus L.Bolus (1985. Scott. Genus *Haworthia* 150.)
- Haworthia arachnoidea (L.) Duval var. arana (A.Berger)**
- M.B.Bayer**
- Haworthia arachnoidea* (L.) Duval p.p. (PRECIS convention, not of compiler.)
- Haworthia aranea* (A.Berger) M.B.Bayer (1999. Bayer. Haworthia revisited.)
- Haworthia bolusii* Baker var. *aranea* A.Berger (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)
- Haworthia arachnoidea (L.) Duval var. minor Haw.** = *Haworthia arachnoidea* var. *arachnoidea*
- Haworthia arachnoidea (L.) Duval var. Namaquensis M.B.Bayer**
- Haworthia arachnoidea* (L.) Duval p.p. (PRECIS convention, not of compiler.)
- Haworthia arachnoidea (L.) Duval var. nigricans (Haw.) M.B.Bayer**
- Haworthia arachnoidea* (L.) Duval p.p. (PRECIS convention, not of compiler.)
- Haworthia helmiae* Poelln. (2002. Bayer. Haworthiad 16:62-71.)
- Haworthia setata* Haw. var. *nigricans* Haw. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)
- Haworthia unicolor* Poelln. var. *venteri* Bayer (1999. Bayer. Haworthia revisited.) *Haworthia venteri* Poelln. (1999. Bayer. Haworthia revisited.)
- Haworthia arachnoidea (L.) Duval var. scabriplina M.B.Bayer**
- Haworthia arachnoidea* (L.) Duval p.p. (PRECIS convention, not of compiler.)
- Haworthia arachnoidea (L.) Duval var. setata (Haw.) M.B.Bayer**
- Aloe setosa* Schult. & J.H.Schult. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)
- Haworthia arachnoidea* (L.) Duval p.p. (PRECIS convention, not of compiler.)
- Haworthia gigas* Poelln. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)
- Haworthia setata* Haw. (1999. Bayer. Haworthia revisited.)
- Haworthia setata* Haw. var. *major* Haw. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)
- Haworthia setata* Haw. var. *media* Haw. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)
- Haworthia arachnoidea (L.) Duval var. xiphiophyll (Baker) M.B.Bayer** = *Haworthia decipiens* var. *xiphiophylla*
- Haworthia aranea (A.Berger) M.B.Bayer** = *Haworthia arachnoidea* var. *aranea*
- Haworthia archeri W.F.Barker ex M.B.Bayer** = *Haworthia marumiana* var. *archeri*, *Haworthia marumiana* var. *dimorpha*
- Haworthia archeri W.F.Barker ex M.B.Bayer var. archeri** = *Haworthia marumiana* var. *archeri*
- Haworthia archeri W.F.Barker ex M.B.Bayer var. dimorpha M.B.Bayer** = *Haworthia marumiana* var. *Dimorpha*
- Haworthia aristata Haw.**
- Aloe denticulata* (Haw.) Schult. & J.H.Schult. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)
- Haworthia denticulata* Haw. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)
- Haworthia setata* Haw. var. *subinermis* Poelln. (1998. Breuer. The world of Haworthia 1.)
- Haworthia armstrongii Poelln.** = *Haworthia glauca* var. *herrei* forma *herrei*
- Haworthia asperiuscula Haw.** = *Haworthia viscosa* var. *viscosa*
- Haworthia asperiuscula Haw. var. patagiata G.G.Sm.** = *Haworthia viscosa* var. *viscosa*
- Haworthia asperiuscula Haw. var. subintegra G.G.Sm.** = *Haworthia viscosa* var. *viscosa*
- Haworthia atrofusca G.G.Sm.** = *Haworthia magnifica* var. *atrofusca*
- Haworthia atrovirens (DC.) Haw.** = *Haworthia herbacea* var. *herbacea*
- Haworthia attenuata (Haw.) Haw.** = *Haworthia attenuata* var. *attenuata*, *Haworthia attenuata* var. *radula*

- Haworthia attenuata (Haw.) Haw. forma britteniae (Poelln.) M.B.Bayer** = *Haworthia attenuata* var. *attenuata*
- Haworthia attenuata (Haw.) Haw. forma clariperla (Haw.) M.B.Bayer** = *Haworthia attenuata* var. *attenuata*
- Haworthia attenuata (Haw.) Haw. var. attenuata**
- Aloe attenuata Haw. (2000. Glen & Hardy. FSA 5:1-167.)  
Aloe radula Ker Gawl. (2000. Glen & Hardy. FSA 5:1-167.)  
*Haworthia attenuata* (Haw.) Haw. forma *britteniae* (Poelln.) M.B.Bayer (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Haworthia attenuata* (Haw.) Haw. forma *clariperla* (Haw.) M.B.Bayer (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Haworthia attenuata* (Haw.) Haw. p.p. (PRECIS convention, not of compiler.)  
*Haworthia attenuata* (Haw.) Haw. var. *britteniae* Poelln. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Haworthia attenuata* (Haw.) Haw. var. *clariperla* (Haw.) Baker (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Haworthia attenuata* (Haw.) Haw. var. *deltoidea* R.S.Farden (1982. Bayer. New *Haworthia* Handb. 124.)  
*Haworthia attenuata* (Haw.) Haw. var. *inusitata* R.S.Farden (1982. Bayer. New *Haworthia* Handb. 124.)  
*Haworthia attenuata* (Haw.) Haw. var. *linearis* R.S.Farden (1982. Bayer. New *Haworthia* Handb. 124.)  
*Haworthia attenuata* (Haw.) Haw. var. *minissima* R.S.Farden (1982. Bayer. New *Haworthia* Handb. 124.)  
*Haworthia attenuata* (Haw.) Haw. var. *odonoghueana* R.S.Farden (1982. Bayer. New *Haworthia* Handb. 124.)  
*Haworthia attenuata* (Haw.) Haw. var. *uitewaaliana* R.S.Farden (1982. Bayer. New *Haworthia* Handb. 124.)  
*Haworthia britteniae* Poelln. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Haworthia fasciata* (Willd.) Haw. var. *caespitosa* A.Berger (1982. Bayer. New *Haworthia* Handb. 124.)
- Haworthia attenuata (Haw.) Haw. var. *britteniae* Poelln.** = *Haworthia attenuata* var. *attenuata*
- Haworthia attenuata (Haw.) Haw. var. *clariperla* (Haw.) Baker** = *Haworthia attenuata* var. *attenuata*
- Haworthia attenuata (Haw.) Haw. var. *deltoidea* R.S.Farden** = *Haworthia attenuata* var. *attenuata*
- Haworthia attenuata (Haw.) Haw. var. *inusitata* R.S.Farden** = *Haworthia attenuata* var. *attenuata*
- Haworthia attenuata (Haw.) Haw. var. *linearis* R.S.Farden** = *Haworthia attenuata* var. *attenuata*
- Haworthia attenuata (Haw.) Haw. var. *minissima* R.S.Farden** = *Haworthia attenuata* var. *attenuata*
- Haworthia attenuata (Haw.) Haw. var. *odonoghueana* R.S.Farden** = *Haworthia attenuata* var. *attenuata*
- Haworthia attenuata (Haw.) Haw. var. *radula* (Jacq.) M.B.Bayer**
- Aloe radula Jacq. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
Aloe subulata Salm-Dyck (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Haworthia attenuata* (Haw.) Haw. p.p. (PRECIS convention, not of compiler.)  
*Haworthia radula* (Jacq.) Haw. (1999. Bayer. *Haworthia* revisited.)  
*Haworthia radula* (Jacq.) Haw. var. *pluriperlanta* Haw. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)
- Haworthia attenuata (Haw.) Haw. var. *uitewaaliana* R.S.Farden** = *Haworthia attenuata* var. *attenuata*
- Haworthia azurea M.Hayashi**
- Haworthia badia Poelln.** = *Haworthia mirabilis* var. *badia*
- Haworthia batesiana Uitewaal** = *Haworthia marumiana* var. *batesiana*
- Haworthia batteniae C.L.Scott** = *Haworthia bolusii* var. *blackbeardiana*
- Haworthia bayeri J.D.Venter & S.A.Hammer**
- Haworthia correcta* sensu C.L.Scott (1999. Bayer. *Haworthia* revisited.)  
*Haworthia willowmorensis* sensu C.L.Scott (1999. Bayer. *Haworthia* revisited.)
- Haworthia baylissii C.L.Scott** = *Haworthia angustifolia* var. *baylissii*
- Haworthia beanii G.G.Sm.** = *Haworthia viscosa* var. *viscosa*
- Haworthia beanii G.G.Sm. var. minor G.G.Sm.** = *Haworthia viscosa* var. *viscosa*
- Haworthia bicarinata (Haw.) Parr** = *X Astroworthia X bicarinata*
- Haworthia bijliana Poelln.** = *Haworthia mucronata* var. *inconfluens*
- Haworthia bijliana Poelln. var. *joubertii* Poelln.** = *Haworthia mucronata* var. *inconfluens*
- Haworthia blackbeardiana Poelln.** = *Haworthia bolusii* var. *blackbeardiana*
- Haworthia blackbeardiana Poelln. var. major Poelln.** = *Haworthia bolusii* var. *blackbeardiana*
- Haworthia blackburniae W.F.Barker** = *Haworthia blackburniae*, *Haworthia blackburniae* var. *derustensis*, *Haworthia blackburniae* var. *graminifolia*
- Haworthia blackburniae W.F.Barker var. blackburniae**
- Haworthia blackburniae* W.F.Barker p.p. (PRECIS convention, not of compiler.)
- Haworthia blackburniae W.F.Barker var. derustensis M.B.Bayer**
- Haworthia blackburniae* W.F.Barker p.p. (PRECIS convention, not of compiler.)
- Haworthia blackburniae W.F.Barker var. graminifolia (G.G.Sm.) M.B.Bayer**
- Haworthia blackburniae* W.F.Barker p.p. (PRECIS convention, not of compiler.)  
*Haworthia graminifolia* G.G.Sm. (1999. Bayer. *Haworthia* revisited.)
- Haworthia bolusii Baker** = *Haworthia bolusii* var. *blackbeardiana*, *Haworthia bolusii* var. *bolusii*, *Haworthia bolusii* var. *pringlei*
- Haworthia bolusii Baker var. aranea A.Berger** = *Haworthia arachnoidea* var. *aranea*
- Haworthia bolusii Baker var. blackbeardiana (Poelln.) M.B.Bayer**
- Haworthia batteniae* C.L.Scott (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Haworthia blackbeardiana* Poelln. (1982. Bayer. New *Haworthia* Handb.)  
*Haworthia blackbeardiana* Poelln. var. *major* Poelln. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Haworthia bolusii* Baker p.p. (PRECIS convention, not of compiler.)  
*Haworthia inermis* Poelln. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)
- Haworthia bolusii Baker var. *bolusii***
- Haworthia bolusii* Baker p.p. (PRECIS convention, not of compiler.)
- Haworthia bolusii Baker var. *pringlei* (C.L.Scott) M.B.Bayer**
- Haworthia bolusii* Baker p.p. (PRECIS convention, not of compiler.) *Haworthia decipiens* Poelln. var. *pringlei* C.L.Scott (2002. Bayer. *Haworthiad* 16:62-71).  
*Haworthia pringlei* C.L.Scott (2002. Bayer. *Haworthiad* 16:62-71.)
- Haworthia bolusii Baker var. *semiviva* Poelln.** = *Haworthia semiviva*
- Haworthia breueri M.Hayashi**
- Haworthia brevis Haw.** = *Haworthia minima* var. *minima*
- Haworthia britteniae Poelln.** = *Haworthia attenuata* var. *attenuata*
- Haworthia bronkhorstii M.Hayashi**
- Haworthia browniana Poelln.** = *Haworthia fasciata*
- Haworthia bruynsii M.B.Bayer**
- Haworthia bullulata (Jacq.) Parr** = *Astroloba bullulata*
- Haworthia caespitosa Poelln.** = *Haworthia turgida* var. *turgida*
- Haworthia caespitosa Poelln. forma subplana Poelln.** = *Haworthia turgida* var. *turgida*

- Haworthia caespitosa Poelln. forma subproliferans**  
Poelln. = *Haworthia turgida* var. *turgida*
- Haworthia carrissoi Resende** = *Haworthia glauca* var. *glauca*
- Haworthia chalwinii Marloth & A.Berger** = *Haworthia coarctata* var. *coarctata* forma *coarctata*
- Haworthia chloracantha Haw.** = *Haworthia chloracantha* var. *chloracantha*, *Haworthia chloracantha* var. *denticulifera*, *Haworthia chloracantha* var. *subglaucia*
- Haworthia chloracantha Haw. var. chloracantha**  
Aloe *chloracantha* (Haw.) Schult. & J.H.Schult. (2000. Glen & Hardy. FSA 5:1-167.)  
*Haworthia chloracantha* Haw. p.p. (PRECIS convention, not of compiler.)
- Haworthia chloracantha Haw. var. denticulifera (Poelln.) M.B.Bayer**  
*Haworthia angustifolia* Haw. var. *denticulifera* Poelln. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Haworthia angustifolia* Haw. var. *liliputana* Uitewaal (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Haworthia chloracantha* Haw. p.p. (PRECIS convention, not of compiler.)
- Haworthia chloracantha Haw. var. subglaucia Poelln.**  
*Haworthia chloracantha* Haw. p.p. (PRECIS convention, not of compiler.)
- Haworthia clariperla Haw.** = *Haworthia attenuata* var. *attenuata*
- Haworthia coarctata Haw.** = *Haworthia coarctata* var. *adelaidensis*, *Haworthia coarctata* var. *coarctata* forma *coarctata*, *Haworthia coarctata* var. *coarctata* forma *greenii*, *Haworthia coarctata* var. *tenuis*
- Haworthia coarctata Haw. subsp. *adelaidensis* (Poelln. M.B.Bayer)** = *Haworthia coarctata* var. *adelaidensis*
- Haworthia coarctata Haw. subsp. *coarctata*** = *Haworthia coarctata* var. *coarctata* forma *greenii*, *Haworthia coarctata* var. *tenuis*
- Haworthia coarctata Haw. subsp. *coarctata* var. *greenii* (Baker) M.B.Bayer** = *Haworthia coarctata* var. *coarctata* forma *greenii*
- Haworthia coarctata Haw. subsp. *coarctata* var. *tenuis* (G.G.Sm.) M.B.Bayer** = *Haworthia coarctata* var. *tenuis*
- Haworthia coarctata Haw. var. *adelaidensis* (Poelln. M.B.Bayer)**  
*Haworthia coarctata* Haw. p.p. (PRECIS convention, not of compiler.)  
*Haworthia coarctata* Haw. subsp. *adelaidensis* (Poelln.) M.B.Bayer (1999. Bayer. Haworthia revisited.)  
*Haworthia reinwardtii* (Salm-Dyck) Haw. var. *adelaidensis* Poelln. (1999. Bayer. Haworthia revisited.)  
*Haworthia reinwardtii* (Salm-Dyck) Haw. var. *bellula* G.G.Sm. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Haworthia reinwardtii* (Salm-Dyck) Haw. var. *riebeekensis* G.G.Sm. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)
- Haworthia coarctata Haw. var. *coarctata* = *Haworthia coarctata* var. *coarctata* forma *coarctata*, *Haworthia coarctata* var. *coarctata* forma *greenii***
- Haworthia coarctata Haw. var. *coarctata* forma *coarctata***  
Aloe *coarctata* (Haw.) Schult. & J.H.Schult. (2000. Glen & Hardy. FSA 5:1-167.)  
*Haworthia chalwinii* Marloth & A.Berger (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Haworthia coarctata* Haw. var. *haworthia* Resende (PRECIS convention, not of compiler.)  
*Haworthia coarctata* Haw. p.p. (PRECIS convention, not of compiler.)  
*Haworthia coarctata* Haw. var. *coarctata* p.p. (PRECIS convention, not of compiler.)
- Bayer. Haworthia revisited.)**
- Haworthia coarctata Haw. var. *coarctata* forma *greenii* (Baker) M.B.Bayer**  
Haworthia *coarctata* Haw. p.p. (PRECIS convention, not of compiler.)  
Haworthia *coarctata* Haw. subsp. *coarctata* p.p. (PRECIS convention, not of compiler.)  
Haworthia *coarctata* Haw. subsp. *coarctata* var. *greenii* (Baker) M.B.Bayer (1999. Bayer. Haworthia revisited.)  
Haworthia *coarctata* Haw. var. *coarctata* p.p. (PRECIS convention, not of compiler.)  
Haworthia *greenii* Baker (1999. Bayer. Haworthia revisited.)  
Haworthia *greenii* Baker forma minor Resende (1998. Breuer. The world of Haworthia 1.)  
Haworthia *peacockii* Baker (1999. Bayer. Haworthia revisited.)
- Haworthia coarctata Haw. var. *haworthia* Resende = *Haworthia coarctata* var. *coarctata* forma *coarctata***
- Haworthia coarctata Haw. var. *haworthia* Resende forma *major* Resende** = *Haworthia coarctata* var. *coarctata* forma *coarctata*
- Haworthia coarctata Haw. var. *krausii* Resende** = *Haworthia coarctata* var. *coarctata* forma *coarctata*
- Haworthia coarctata Haw. var. *tenuis* (G.G.Sm.) M.B.Bayer**  
Haworthia *coarctata* Haw. p.p. (PRECIS convention, not of compiler.)  
Haworthia *coarctata* Haw. subsp. *coarctata* p.p. PRECIS convention, not of compiler.)  
Haworthia *coarctata* Haw. subsp. *coarctata* var. *tenuis* (G.G.Sm.) M.B.Bayer (1999. Bayer. Haworthia revisited.)  
Haworthia *reinwardtii* (Salm-Dyck) Haw. var. *tenuis* G.G.Sm. (1999. Bayer. Haworthia revisited.)
- Haworthia comptoniana G.G.Sm. = *Haworthia emelyae* var. *comptoniana***
- Haworthia concava Haw.** = *Haworthia cymbiformis* var. *cymbiformis*
- Haworthia concinna Haw.** = *Haworthia viscosa* var. *viscosa*
- Haworthia congesta (Salm-Dyck) Parr** = *Astroloba congesta*
- Haworthia cooperi Baker** = *Haworthia cooperi* var. *cooperi*, *Haworthia cooperi* var. *dielsiana*, *Haworthia cooperi* var. *doldii*, *Haworthia cooperi* var. *gordoniana*, *Haworthia cooperi* var. *gracilis*, *Haworthia cooperi* var. *isabellae*, *Haworthia cooperi* var. *picturata*.
- Haworthia cooperi Baker var. *cooperi***  
Haworthia *arachnoidea* (L.) Duval sensu Pole-Evans in FPSA 7: t.248 (1982. Bayer. New Haworthia Handb.)  
Haworthia *cooperi* Baker p.p. (PRECIS convention, not of compiler.)  
Haworthia *vittata* Baker (1976. Bayer. Haworthia Handb. 184.)
- Haworthia cooperi Baker var. *dielsiana* (Poelln.) M.B.Bayer**  
Haworthia *cooperi* Baker p.p. (PRECIS convention, not of compiler.)  
Haworthia *dielsiana* Poelln. (1999. Bayer. Haworthia revisited.)  
Haworthia *joeayae* C.L.Scott (1999. Bayer. Haworthia revisited.)
- Haworthia cooperi Baker var. *gordoniana* (Poelln. M.B.Bayer)**  
Haworthia *cooperi* Baker p.p. (PRECIS convention, not of compiler.)  
Haworthia *gordoniana* Poelln. (1999. Bayer. Haworthia revisited.)
- Haworthia cooperi Baker var. *gracilis* (Poelln.) M.B.Bayer**  
Haworthia *cooperi* Baker p.p. (PRECIS convention, not of compiler.)  
Haworthia *gracilis* Poelln. p.p. (PRECIS convention, not of compiler.)  
Haworthia *gracilis* Poelln. var. *Gracilis* (2002. Bayer. Haworthiad 16:62-71.)
- Haworthia cooperi Baker var. *isabellae* (Poelln.) M.B.Bayer**  
Haworthia *cooperi* Baker p.p. (PRECIS convention, not of compiler.)  
Haworthia *gracilis* Poelln. p.p. (PRECIS convention, not of compiler.)

- Haworthia gracilis* Poelln. var. *isabellae* (Poelln. M.B.Bayer (2002. Bayer. Haworthiad 16:62-71.)  
*Haworthia isabellae* Poelln. (2002. Bayer Haworthiad 16:62-71.)
- Haworthia cooperi* Baker var. *leightonii* (G.G.Sm.) M.B.Bayer = *Haworthia leightonii* var. *leightonii***
- Haworthia cooperi* Baker var. *picturata* (M.B.Bayer) M.B.Bayer**
- Haworthia cooperi* Baker p.p. (PRECIS convention, not of compiler.)  
*Haworthia gracilis* Poelln. p.p. (PRECIS convention, not of compiler.)  
*Haworthia gracilis* Poelln. var. *picturata* M.B.Bayer (2002. Bayer. Haworthiad 16:62-71.)
- Haworthia cooperi* Baker var. *pilifera* (Baker) M.B.Bayer**
- Haworthia cooperi* Baker p.p. (PRECIS convention, not of compiler.)  
*Haworthia obtusa* Haw. var. *pilifera* (Baker) Uitewaal (1999. Bayer. Haworthia revisited.)  
*Haworthia pilifera* Baker (1999. Bayer. Haworthia revisited.)  
*Haworthia pilifera* Baker var. *dielsiana* (Poelln.) M.B.Bayer (PRECIS convention, not of compiler.)  
*Haworthia pilifera* Baker var. *dielsiana* (Poelln.) M.B.Bayer *forma acuminata* Poelln. (1999. Bayer. Haworthia revisited.)  
*Haworthia stayneri* Poelln. (1999. Bayer. Haworthia revisited.)  
*Haworthia stayneri* Poelln. var. *salina* Poelln. (1999. Bayer. Haworthia revisited.)
- Haworthia cooperi* Baker var. *tenera* (Poelln.) M.B.Bayer**
- Haworthia cooperi* Baker p.p. (PRECIS convention, not of compiler.)  
*Haworthia gracilis* Poelln. p.p. (PRECIS convention, not of compiler.)  
*Haworthia gracilis* Poelln. var. *tenera* (Poelln.) M.B.Bayer (2002. Bayer. Haworthiad 16:62-71.)  
*Haworthia tenera* Poelln. (2002. Bayer. Haworthiad 16:62-71.)  
*Haworthia translucens* (Aiton f.) Haw. p.p. (PRECIS convention, not of compiler.)  
*Haworthia translucens* (Aiton f.) Haw. subsp. *tenera* (Poelln.) M.B.Bayer (2002. Bayer. Haworthiad 16:62-71.)
- Haworthia cooperi* Baker var. *truncata* (H.Jacobsen) M.B.Bayer**
- Haworthia cooperi* Baker p.p. (PRECIS convention, not of compiler.)  
*Haworthia obtusa* Haw. var. *pilifera* (Baker) Uitewaal forma *truncata* H.Jacobsen (1999. Bayer. Haworthia revisited.)
- Haworthia cooperi* Baker var. *venusta* (C.L.Scott) M.B.Bayer**
- Haworthia cooperi* Baker p.p. (PRECIS convention, not of compiler.)  
*Haworthia venusta* C.L.Scott (1999. Bayer. Haworthia revisited.)
- Haworthia cooperi* Baker var. *viridis* (M.B.Bayer) M.B.Bayer**
- Haworthia cooperi* Baker p.p. (PRECIS convention, not of compiler.)  
*Haworthia gracilis* Poelln. p.p. (PRECIS convention, not of compiler.)  
*Haworthia gracilis* Poelln. var. *viridis* M.B.Bayer (2002. Bayer. Haworthiad 16:62-71.)
- Haworthia cordifolia* Haw. = *Haworthia viscosa* var. *viscosa***  
***Haworthia correcta* Poelln. = *Haworthia emelyae* var. *emelyae***  
***Haworthia correcta* sensu C.L.Scott = *Haworthia bayeri***  
***Haworthia crausii* M.Hayashi**  
***Haworthia cymbiformis* (Haw.) Duval = *Haworthia cymbiformis* var. *cymbiformis*, *Haworthia cymbiformis* var. *incurvula*, *Haworthia cymbiformis* var. *obtusa*, *Haworthia cymbiformis* var. *ramosa*, *Haworthia cymbiformis* var. *reddii*, *Haworthia cymbiformis* var. *setulifera***  
***Haworthia cymbiformis* (Haw.) Duval var. *angustata* Poelln. = *Haworthia cymbiformis* var. *cymbiformis***  
***Haworthia cymbiformis* (Haw.) Duval var. *angustata* Poelln. forma *subarmata* Poelln. = *Haworthia cymbiformis* var. *cymbiformis***  
***Haworthia cymbiformis* (Haw.) Duval var. *brevifolia* Poelln. = *Haworthia transiens***  
***Haworthia cymbiformis* (Haw.) Duval var. *compacta* Triebner**
- = *Haworthia cymbiformis* var. *cymbiformis***  
***Haworthia cymbiformis* (Haw.) Duval var. *cymbiformis***
- Aloe cymbaefolia* Schrad. (2000. Glen & Hardy. FSA 5:1167.)  
*Aloe cymbiformis* Haw. (2000. Glen & Hardy. FSA 5:1-167.)  
*Aloe hebes* Schult. & J.H.Schult. (2000. Glen & Hardy. FSA 5:1-167.)  
*Aloe planifolia* (Haw.) Schult. & J.H.Schult. (2000. Glen & Hardy. FSA 5:1-167.)  
*Haworthia concava* Haw. (1982. Bayer. New Haworthia Handb. 124.)  
*Haworthia cymbiformis* (Haw.) Duval p.p. (PRECIS convention, not of compiler.)  
*Haworthia cymbiformis* (Haw.) Duval var. *angustata* Poelln. (1982. Bayer. New Haworthia Handb. 124.)  
*Haworthia cymbiformis* (Haw.) Duval var. *angustata* Poelln. forma *subarmata* Poelln. (1982. Bayer. New Haworthia Handb. 124.)  
*Haworthia cymbiformis* (Haw.) Duval var. *compacta* Triebner (1982. Bayer. New Haworthia Handb. 124.)  
*Haworthia cymbiformis* (Haw.) Duval var. *planifolia* (Haw.) Baker (2000. Glen & Hardy. FSA 5:1-167.)  
*Haworthia cymbiformis* (Haw.) Duval var. *umbraticola* (Poelln.) M.B.Bayer (2000. Glen & Hardy. FSA 5:1-167.)  
*Haworthia lepida* G.G.Sm. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia planifolia* Haw. (2000. Glen & Hardy. FSA 5:1-167.)  
*Haworthia planifolia* Haw. var. *planifolia* (PRECIS convention, not of compiler.)  
*Haworthia planifolia* Haw. var. *exulata* Poelln. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia planifolia* Haw. var. *incrassata* Poelln. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia planifolia* Haw. var. *longifolia* Triebner & Poelln. (1982. Bayer. New Haworthia Handb. 124.)  
*Haworthia planifolia* Haw. var. *longifolia* Triebner & Poelln. forma *calochlora* Triebner & Poelln. (1982. Bayer. New Haworthia Handb. 124.)  
*Haworthia planifolia* Haw. var. *planifolia* forma *agavoidea* Triebner & Poelln. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia planifolia* Haw. var. *planifolia* forma *alta* Triebner & Poelln. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia planifolia* Haw. var. *planifolia* forma *olivacea* Triebner & Poelln. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia planifolia* Haw. var. *planifolia* forma *robusta* Triebner & Poelln. (1982. Bayer. New Haworthia Handb. 124.)  
*Haworthia planifolia* Haw. var. *poellnitziiana* Resende (1998. Breuer. The world of Haworthia 1.)  
*Haworthia planifolia* Haw. var. *sublaevis* Poelln. (1976. Bayer. Haworthia Handb. 184.)
- Haworthia cymbiformis* (Haw.) Duval var. *cymbiformis* forma *ramosa* (G.G.Sm.) M.B.Bayer = *Haworthia cymbiformis* var. *ramose***
- Haworthia cymbiformis* (Haw.) Duval var. *incurvula* (Poelln.) M.B.Bayer**
- Haworthia cymbiformis* (Haw.) Duval p.p. (PRECIS convention, not of compiler.)  
*Haworthia incurvula* Poelln. (1976. Bayer. Haworthia Handb.)
- Haworthia cymbiformis* (Haw.) Duval var. *multifolia* Triebner = *Haworthia transiens***
- Haworthia cymbiformis* (Haw.) Duval var. *obesa* Poelln. = *Haworthia cymbiformis* var. *setulifera***
- Haworthia cymbiformis* (Haw.) Duval var. *obtusa* (Haw.) Baker**
- Haworthia cymbiformis* (Haw.) Duval p.p. (PRECIS convention, not of compiler.)  
*Haworthia hilliana* Poelln. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia obtusa* Haw. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia umbraticola* Poelln. (1976. Bayer. Haworthia Handb. 184.)
- Haworthia cymbiformis* (Haw.) Duval var. *planifolia* (Haw.) Baker = *Haworthia cymbiformis* var. *cymbiformis***
- Haworthia cymbiformis* (Haw.) Duval var. *ramosa* (G.G.Sm.) M.B.Bayer**
- Haworthia cymbiformis* (Haw.) Duval p.p. (PRECIS convention, not of compiler.)  
*Haworthia cymbiformis* (Haw.) Duval var. *cymbiformis* forma *ramosa* (G.G.Sm.) M.B.Bayer (1999. Bayer. Haworthia

- revisited.)  
*Haworthia ramosa* G.G.Sm. (1999. Bayer. Haworthia revisited.)
- Haworthia cymbiformis (Haw.) Duval var. reddii (C.L.Scott) M.B.Bayer**  
*Haworthia cymbiformis* (Haw.) Duval p.p. (PRECIS convention, not of compiler.)  
*Haworthia reddii* C.L.Scott (1999. Bayer. Haworthia revisited.)
- Haworthia cymbiformis (Haw.) Duval var. setulifera (Poelln.) M.B.Bayer**  
*Haworthia cymbiformis* (Haw.) Duval p.p. (PRECIS convention, not of compiler.)  
*Haworthia cymbiformis* (Haw.) Duval var. *obesa* Poelln. (1999. Bayer. Haworthia revisited.)  
*Haworthia planifolia* Haw. var. *setulifera* Poelln. (1999. Bayer. Haworthia revisited.)
- Haworthia cymbiformis (Haw.) Duval var. transiens (Poelln.) M.B.Bayer = Haworthia transiens**  
*Haworthia cymbiformis* (Haw.) Duval var. *translucens* Triebner & Poelln. = *Haworthia transiens*
- Haworthia cymbiformis (Haw.) Duval var. umbraticol (Poelln.) M.B.Bayer = Haworthia cymbiformis var. cymbiformis**  
*Haworthia decipiens* Poelln. = *Haworthia decipiens* var. *cyanea*, *Haworthia decipiens* var. *decipiens*, *Haworthia decipiens* var. *minor*, *Haworthia decipiens* var. *xiphiophylla*
- Haworthia decipiens Poelln. var. cyanea M.B.Bayer**  
*Haworthia decipiens* Poelln. p.p. (PRECIS convention, not of compiler.)
- Haworthia decipiens Poelln. var. decipiens**  
*Haworthia decipiens* Poelln. p.p. (PRECIS convention, not of compiler.)
- Haworthia decipiens Poelln. var. minor M.B.Bayer**  
*Haworthia decipiens* Poelln. p.p. (PRECIS convention, not of compiler.)
- Haworthia decipiens Poelln. var. pringlei C.L.Scott = Haworthia bolusii var. pringlei**  
*Haworthia decipiens* Poelln. var. *virella* M.B.Bayer = *Haworthia virella*
- Haworthia decipiens Poelln. var. xiphiophylla (Baker) M.B.Bayer**  
*Haworthia arachnoidea* (L.) Duval var. *xiphiophylla* (Baker) M.B.Bayer (2002. Bayer. Haworthiad 16:62-71.)  
*Haworthia decipiens* Poelln. p.p. (PRECIS convention, not of compiler.)  
*Haworthia longiaristata* Poelln. (2002. Bayer. Haworthiad 16:62-71.)  
*Haworthia xiphiophylla* Baker (2002. Bayer. Haworthiad 16:62-71.)
- Haworthia dekenahii G.G.Sm. var. argenteo-maculosa G.G.Sm. = Haworthia pygmaea var. argenteo-maculosa**  
*Haworthia dekenahii* G.G.Sm. var. *dekenahii* = *Haworthia magnifica* var. *dekenahii*
- Haworthia deltoidea (Hook.f.) Parr = Astroloba congesta**  
**Haworthia deltoidea (Hook.f.) Parr var. intermedia (A.Berger) Parr = Astroloba congesta**
- Haworthia denticulata Haw. = Haworthia aristata**
- Haworthia devriesii Breuer**
- Haworthia dielsiana Poelln. = Haworthia cooperi var. dielsiana**
- Haworthia distincta N.E.Br. = Haworthia venosa subsp. venosa**
- Haworthia divergens M.B.Bayer = Haworthia monticola var. monticola**
- Haworthia diversifolia Poelln. = Haworthia nigra var. diversifolia**
- Haworthia dodsoniana (Uitewaal) Parr = Astroloba herrei**
- Haworthia egregia (Poelln.) Parr = Astroloba bullulata**
- Haworthia egregia (Poelln.) Parr var. egregia = Astroloba bullulata**
- Haworthia egregia (Poelln.) Parr var. fardeniana (Uitewaal) Parr = Astroloba bullulata**
- Haworthia eilyae Poelln. = Haworthia glauca var. herrei forma herei**
- Haworthia eilyae Poelln. var. eilyae = Haworthia glauca var. herrei forma herei**
- Haworthia eilyae Poelln. var. zantneriana Resende = Haworthia glauca var. herrei forma herei**
- Haworthia elizeae Breuer**
- Haworthia emelyae Poelln. = Haworthia emelyae var. comptoniana, Haworthia emelyae var. emelyae, Haworthia emelyae var. major, Haworthia emelyae var. multifolia**
- Haworthia emelyae Poelln. var. beukmannii = Haworthia mirabilis var. beukmannii**
- Haworthia emelyae Poelln. var. comptoniana (G.G.Sm.) J.D.Venter & S.A.Hammer**  
*Haworthia comptoniana* G.G.Sm. (1997. Venter & Hammer. Cact. Succ. J. (Los Angeles) 69:75-77.)  
*Haworthia emelyae* Poelln. p.p. (PRECIS convention, not of compiler.)
- Haworthia emelyae Poelln. var. emelyae**  
*Haworthia correcta* Poelln. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia emelyae* Poelln. p.p. (PRECIS convention, not of compiler.)
- Haworthia emelyae Poelln. var. major (G.G.Sm.) M.B.Bayer**  
*Haworthia emelyae* Poelln. p.p. (PRECIS convention, not of compiler.)  
*Haworthia magnifica* Poelln. var. *major* (G.G.Sm.) M.B.Bayer (1997. Bayer. Aloe 34:4-6.)  
*Haworthia maraisii* Poelln. var. *major* (G.G.Sm.) M.B.Bayer (1997. Bayer. Aloe 34:4-6.)  
*Haworthia schuldtiana* Poelln. var. *major* G.G.Sm. (1946. Smith. JI S. Afr. Bot. 12:1-14.)
- Haworthia emelyae Poelln. var. multifolia M.B.Bayer**  
*Haworthia emelyae* Poelln. p.p. (PRECIS convention, not of compiler.)
- Haworthia engleri Dinter = Haworthia venosa subsp. tessellata**
- Haworthia enigma M.Hayashi**
- Haworthia erecta Haw. = Haworthia minima var. minima**
- Haworthia esterhuizenii M.Hayashi**
- Haworthia fallax Poelln. = Haworthia coarctata var. coarctata forma coarctata**
- Haworthia fasciata (Willd.) Haw.**  
*Aloe fasciata* (Willd.) Haw. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Aloe fasciata* (Willd.) Haw. var. *major* Salm-Dyck (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Aloe fasciata* (Willd.) Haw. var. *minor* Salm-Dyck (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Aloe subfasciata* Salm-Dyck (1998. Breuer. The world of Haworthia 1.)  
*Apicaria fasciata* Willd. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Haworthia browniana* Poelln. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Haworthia fasciata* (Willd.) Haw. var. *fasciata* (PRECIS convention, not of compiler.)  
*Haworthia fasciata* (Willd.) Haw. *forma browniana* (Poelln.) M.B.Bayer (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Haworthia fasciata* (Willd.) Haw. *forma fasciata* (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Haworthia fasciata* (Willd.) Haw. var. *fasciata* *forma ovato lanceolata* Poelln. (1982. Bayer. New Haworthia Handb. 124.)  
*Haworthia fasciata* (Willd.) Haw. var. *fasciata* *forma sparsa* Poelln. (1982. Bayer. New Haworthia Handb. 124.)  
*Haworthia fasciata* (Willd.) Haw. var. *fasciata* *forma vanstadensis* Poelln. (1982. Bayer. New Haworthia Handb. 124.)  
*Haworthia fasciata* (Willd.) Haw. var. *fasciata* *forma variabilis* Poelln. (1982. Bayer. New Haworthia Handb. 124.)  
*Haworthia fasciata* (Willd.) Haw. var. *subconfluens* Poelln. (1998. Breuer. The world of Haworthia 1.)  
*Haworthia subfasciata* (Salm-Dyck) Baker (1998. Breuer. The world of Haworthia 1.)
- Haworthia fasciata (Willd.) Haw. *forma browniana* (Poelln.) M.B.Bayer = Haworthia fasciata**
- Haworthia fasciata (Willd.) Haw. *forma fasciata* = Haworthia fasciata**
- Haworthia fasciata (Willd.) Haw. var. *caespitosa* A.Berger = Haworthia attenuata var. *attenuata***
- Haworthia fasciata (Willd.) Haw. var. *fasciata* = Haworthia fasciata**
- Haworthia fasciata (Willd.) Haw. var. *fasciata* *forma ovato-***

- lanceolata* Poelln. = *Haworthia fasciata*  
*Haworthia fasciata* (Willd.) Haw. var. *fasciata forma sparsa*  
 Poelln. = *Haworthia fasciata*  
*Haworthia fasciata* (Willd.) Haw. var. *fasciata forma vanstadensis* Poelln. = *Haworthia fasciata*  
*Haworthia fasciata* (Willd.) Haw. var. *fasciata forma variabilis*  
 Poelln. = *Haworthia fasciata*  
*Haworthia fasciata* (Willd.) Haw. var. *subconfluens* Poelln. =  
*Haworthia fasciata*  
*Haworthia floribunda* Poelln. = *Haworthia floribunda* var.  
*dentata*, *Haworthia floribunda* var. *floribunda*, *Haworthia floribunda* var. *major*  
*Haworthia floribunda* Poelln. var. *dentata* M.B.Bayer  
*Haworthia floribunda* Poelln. p.p. (PRECIS convention, not of compiler.)  
***Haworthia floribunda* Poelln. var. *floribunda***  
*Haworthia floribunda* Poelln. p.p. (PRECIS convention, not of compiler.)  
***Haworthia floribunda* Poelln. var. *major* M.B.Bayer**  
*Haworthia floribunda* Poelln. p.p. (PRECIS convention, not of compiler.)  
***Haworthia foliolosa* (Haw.) Haw. = *Astroloba foliolosa***  
***Haworthia fouchei* Poelln. = *Haworthia retusa* var. *retusa***  
***Haworthia fulva* G.G.Sm. = *Haworthia coarctata* var. *coarctata forma coarctata***  
***Haworthia geraldii* C.L.Scott**  
***Haworthia gigas* Poelln. = *Haworthia arachnoidea* var. *setata***  
***Haworthia glabrata* (Salm-Dyck) Baker**  
*Aloe glabrata* Sal - Dyck (2000. Glen & Hardy. FSA 5:1-167.)  
***Haworthia glauca* Baker = *Haworthia glauca* var. *glauca*,  
*Haworthia glauca* var. *herrei forma herrei***  
***Haworthia glauca* Baker var. *glauca***  
*Haworthia carrisoi* Resende (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Haworthia glauca* Baker p.p. (PRECIS convention, not of compiler.)  
***Haworthia glauca* Baker var. *herrei (Poelln.) M.B.Bayer***  
*Haworthia armstrongii* Poelln. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Haworthia eilyae* Poelln. (PRECIS convention, not of compiler.)  
*Haworthia eilyae* Poelln. var. *eilyae* (1976. Bayer. Haworthia Handb.)  
*Haworthia eilyae* Poelln. var. *zantneriana* Resende (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia glauca* Baker p.p. (PRECIS convention, not of compiler.)  
*Haworthia glauca* Baker var. *herrei (Poelln.) M.B.Bayer* p.p. (PRECIS convention, not of compiler.)  
*Haworthia herrei* Poelln. (1976. Bayer. Haworthia Handb.)  
*Haworthia herrei* Poelln. var. *depauperata* Poelln. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia jacobseniana* Poelln. (1976. Bayer. Haworthia Handb.)  
*Haworthia jonesiae* Poelln. (1976. Bayer. Haworthia Handb.)  
***Haworthia globosiflora* G.G.Sm. = *Haworthia nortieri* var. *globosiflora***  
***Haworthia gordoniiana* Poelln. = *Haworthia cooperi* var. *gordoniiana***  
***Haworthia gracilis* Poelln. = *Haworthia cooperi* var. *gracilis*,  
*Haworthia cooperi* var. *isabellae*, *Haworthia cooperi* var. *picturata*, *Haworthia cooperi* var. *tenera*, *Haworthia cooperi* var. *viridis*, *Haworthia herbacea* var. *herbacea***  
***Haworthia gracilis* Poelln. var. *gracilis* = *Haworthia cooperi* var. *gracilis***  
***Haworthia gracilis* Poelln. var. *isabellae* (Poelln.) M.B.Bayer = *Haworthia cooperi* var. *isabellae***  
***Haworthia gracilis* Poelln. var. *picturata* M.B.Bayer = *Haworthia cooperi* var. *picturata***  
***Haworthia gracilis* Poelln. var. *tenera* (Poelln.) M.B.Bayer = *Haworthia cooperi* var. *tenera***  
***Haworthia gracilis* Poelln. var. *viridis* M.B.Bayer = *Haworthia cooperi* var. *viridis***  
***Haworthia graminifolia* G.G.Sm. = *Haworthia blackburniae* var. *graminifolia***  
***Haworthia granata* (Willd.) Haw. = *Haworthia minima* var. *Minima***  
***Haworthia granata* (Willd.) Haw. var. *polyphylla* Haw. = *Haworthia minima* var. *minima***  
***Haworthia granulata* Marloth = *Haworthia venosa* subsp. *granulata***  
***Haworthia greenii* Baker = *Haworthia coarctata* var. *coarctata forma greenii***  
***Haworthia greenii* Baker forma minor Resende = *Haworthia coarctata* var. *coarctata forma greenii***  
***Haworthia greenii* Baker var. *silvicola* G.G.Sm. = *Haworthia coarctata* var. *coarctata forma coarctata***  
***Haworthia guttata* Uitewaal = *Haworthia reticulata* var. *reticulata***  
***Haworthia haageana* Poelln. = *Haworthia reticulata* var. *subregularis***  
***Haworthia haageana* Poelln. var. *subreticulata* Poelln. = *Haworthia reticulata* var. *subregularis***  
***Haworthia habdomadis* Poelln. = *Haworthia mucronata* var. *habdomadis*, *Haworthia mucronata* var. *inconfluens*, *Haworthia mucronata* var. *morrisiae***  
***Haworthia habdomadis* Poelln. var. *habdomadis* = *Haworthia mucronata* var. *habdomadis***  
***Haworthia habdomadis* Poelln. var. *inconfluens* (Poelln.) M.B.Bayer = *Haworthia mucronata* var. *inconfluens***  
***Haworthia habdomadis* Poelln. var. *morrisiae* (Poelln.) M.B.Bayer = *Haworthia mucronata* var. *morrisiae***  
***Haworthia harlandiana* Parr = *Astroloba herrei***  
***Haworthia hayashi* M.Hayashi**  
***Haworthia heidelbergensis* G.G.Sm. = *Haworthia heidelbergensis* var. *heidelbergensis*, *Haworthia heidelbergensis* var. *minor*, *Haworthia heidelbergensis* var. *scabra*, *Haworthia heidelbergensis* var. *toonensis***  
***Haworthia heidelbergensis* G.G.Sm. var. *heidelbergensis***  
*Haworthia heidelbergensis* G.G.Sm. p.p. (PRECIS convention, not of compiler.)  
***Haworthia heidelbergensis* G.G.Sm. var. *minor* M.B.Bayer**  
*Haworthia heidelbergensis* G.G.Sm. p.p. (PRECIS convention, not of compiler.)  
***Haworthia heidelbergensis* G.G.Sm. var. *scabra* M.B.Bayer**  
*Haworthia heidelbergensis* G.G.Sm. p.p. (PRECIS convention, not of compiler.)  
***Haworthia heidelbergensis* G.G.Sm. var. *toonensis* M.B.Bayer**  
*Haworthia heidelbergensis* G.G.Sm. p.p. (PRECIS convention, not of compiler.)  
***Haworthia helmiæ* Poelln. = *Haworthia arachnoidea* var. *nigricans***  
***Haworthia hemicrypta* (M.B.Bayer) M.Hayashi**  
***Haworthia herbacea* (Mill.) Stearn = *Haworthia herbacea* var. *flaccida*, *Haworthia herbacea* var. *herbacea*, *Haworthia herbacea* var. *lupula*, *Haworthia herbacea* var. *paynei***  
***Haworthia herbacea* (Mill.) Stearn var. *flaccida* M.B.Bayer**  
***Haworthia herbacea* (Mill.) Stearn var. *herbacea***  
*Aloe arachnoidea* Thunb. var. *pellucens* Salm-Dyck (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Aloe atrovirens* DC. (2000. Glen & Hardy. FSA 5:1-167.)  
*Aloe bradlyana* Jacq. (2000. Glen & Hardy. FSA 5:1-167.)  
*Aloe herbacea* Mill. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Aloe pallida* (Haw.) Schult. & J.H.Schult. (2000. Glen & Hardy. FSA 5:1-167.)  
*Aloe pellucens* Haw. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Aloe pumila* L. p.p. (PRECIS convention, not of compiler.)  
*Aloe translucens* Aiton f. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Aloe translucens* Haw. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Catevala atroviridis* Medik. (1998. Breuer. The world of Haworthia 1.)  
*Haworthia aegrota* Poelln. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Haworthia atrovirens* (DC.) Haw. (2000. Glen & Hardy. FSA 5:1-167.)  
*Haworthia gracilis* Poelln. p.p. (PRECIS convention, not of compiler.)  
*Haworthia herbacea* (Mill.) Stearn p.p. (PRECIS convention,

- not of compiler.)  
*Haworthia luteorosea* Uitewaal (1998. Breuer. The world of *Haworthia* 1.)  
*Haworthia pallida* Haw. (2000. Glen & Hardy. FSA 5:1-167.)  
*Haworthia papillosa* (Salm-Dyck) Haw. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Haworthia pellucens* Haw. (1998. Breuer. The world of *Haworthia* 1.)  
*Haworthia pumila* (L.) Duval (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Haworthia submaculata* Poelln. (1998. Breuer. The world of *Haworthia* 1.)  
*Haworthia translucens* Haw. (PRECIS convention, not of compiler.)  
*Haworthia translucens* Haw. subsp. *translucens* (1999. Bayer. *Haworthia* revisited.)  
***Haworthia herbacea* (Mill.) Stearn var. *lupula* M.B.Bayer**  
*Haworthia herbacea* (Mill.) Stearn p.p. (PRECIS convention, not of compiler.)  
***Haworthia herbacea* (Mill.) Stearn var. *paynei* (Poelln.) M.B.Bayer**  
*Haworthia herbacea* (Mill.) Stearn p.p. (PRECIS convention, not of compiler.) *Haworthia paynei* Poelln. (1999. Bayer. *Haworthia* revisited.)  
***Haworthia herrei* Poelln. = *Haworthia glauca* var. *herrei forma herrei***  
***Haworthia herrei* Poelln. var. *dепауперата* Poelln. = *Haworthia glauca* var. *herrei forma herrei***  
***Haworthia hilliana* Poelln. = *Haworthia cymbiformis* var. *obtusa***  
***Haworthia hurlingii* Poelln. = *Haworthia reticulata* var. *hurlingii***  
***Haworthia hurlingii* Poelln. var. *ambigua* Triebner & Poelln. = *Haworthia reticulata* var. *reticulate***  
***Haworthia imbricata* (Aiton) Haw. = *Astroloba spiralis***  
***Haworthia incurvula* Poelln. = *Haworthia cymbiformis* var. *ncurvula***  
***Haworthia indurata* Haw. = *Haworthia viscosa* var. *viscosa***  
***Haworthia inermis* Poelln. = *Haworthia bolusii* var. *blackbeardiana***  
***Haworthia integra* Poelln. = *Haworthia integra* var. *integra*, *Haworthia integra* var. *standeri***  
***Haworthia integra* Poelln. var. *integra***  
*Haworthia integra* Poelln. p.p. (PRECIS convention, not of compiler.)  
*Haworthia rycroftiana* M.B.Bayer (1998. Breuer. The world of *Haworthia* 1.)  
***Haworthia integra* Poelln. var. *standeri* J.M.Esterhuizen**  
*Haworthia integra* Poelln. p.p. (PRECIS convention, not of compiler.)  
***Haworthia intermedia* Poelln. = *Haworthia maculata* var. *intermedia***  
***Haworthia isabellae* Poelln. = *Haworthia cooperi* var. *isabellae***  
***Haworthia jacobsoniana* Poelln. = *Haworthia glauca* var. *herrei forma herrei***  
***Haworthia joeyae* C.L.Scott = *Haworthia cooperi* var. *dielsiana***  
***Haworthia jonesiae* Poelln. = *Haworthia glauca* var. *herrei forma herrei***  
***Haworthia kemari* M.Hayashi**  
***Haworthia kingiana* Poelln.**  
***Haworthia koelmaniorum* Oberm. & D.S.Hardy = *Haworthia koelmaniorum* var. *koelmaniorum*, *Haworthia koelmaniorum* var. *mcmurtryi***  
***Haworthia koelmaniorum* Oberm. & D.S.Hardy var. *koelmaniorum***  
*Haworthia koelmaniorum* Oberm. & D.S.Hardy p.p. (PRECIS convention, not of compiler.)  
***Haworthia koelmaniorum* Oberm. & D.S.Hardy var. *mcmurtryi* (C.L.Scott) M.B.Bayer**  
*Haworthia koelmaniorum* Oberm. & D.S.Hardy p.p. (PRECIS convention, not of compiler.)  
*Haworthia mcmurtryi* C.L.Scott (1999. Bayer. *Haworthia* revisited.)  
***Haworthia laetevirens* Haw. = *Haworthia turgida* var. *turgida***  
***Haworthia laevis* Haw. = *Haworthia marginata***  
***Haworthia lateganiae* Poelln. = *Haworthia scabra* var. *lateganiae***  
***Haworthia leightonii* G.G.Sm. = *Haworthia leightonii* var. *davidii*, *Haworthia leightonii* var. *leightonii***  
***Haworthia leightonii* G.G.Sm. var. *davidii* Breuer**  
*Haworthia leightonii* G.G.Sm. p.p. (PRECIS convention, not of compiler.)  
***Haworthia leightonii* G.G.Sm. var. *leightonii***  
*Haworthia cooperi* Baker var. *leightonii* (G.G.Sm.) M.B.Bayer (2003. Breuer. Avonia 21:45-64.)  
*Haworthia leightonii* G.G.Sm. p.p. (PRECIS convention, not of compiler.)  
***Haworthia lepida* G.G.Sm. = *Haworthia cymbiformis* var. *cymbiformis***  
***Haworthia limifolia* Marloth = *Haworthia limifolia* var. *limifolia*, *Haworthia limifolia* var. *ubomboensis***  
***Haworthia limifolia* Marloth var. *arcana* Gideon F.Sm. & N.R.Crouch**  
***Haworthia limifolia* Marloth var. *gigantea* M.B.Bayer**  
***Haworthia limifolia* Marloth var. *glaucophylla* M.B.Bayer**  
***Haworthia limifolia* Marloth var. *keithii* G.G.Sm. = *Haworthia limifolia* var. *ubomboensis***  
***Haworthia limifolia* Marloth var. *limifolia***  
*Haworthia limifolia* Marloth p.p. (1950. Smith. Jl S. Afr. Bot. 16:3-13, t.I & II.)  
*Haworthia limifolia* Marloth var. *limifolia* forma *diploidea* Resende (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Haworthia limifolia* Marloth var. *limifolia* forma *tetraploidea* Resende (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Haworthia limifolia* Marloth var. *stolonifera* Resende (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Haworthia limifolia* Marloth var. *stolonifera* Resende forma *major* Resende (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Haworthia limifolia* Marloth var. *stolonifera* Resende forma *pigmentellii* Resende (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
***Haworthia limifolia* Marloth var. *limifolia* forma *diploidea* Resende = *Haworthia limifolia* var. *limifolia***  
***Haworthia limifolia* Marloth var. *limifolia* forma *tetraploidea* Resende = *Haworthia limifolia* var. *limifolia***  
***Haworthia limifolia* Marloth var. *stolonifera* Resende forma *major* Resende = *Haworthia limifolia* var. *limifolia***  
***Haworthia limifolia* Marloth var. *stolonifera* Resende forma *pigmentellii* Resende = *Haworthia limifolia* var. *limifolia***  
***Haworthia limifolia* Marloth var. *ubomboensis* (I.Verd. G.G.Sm.)**  
*Haworthia limifolia* Marloth p.p. (1950. Smith. Jl S. Afr. Bot. 16:3-13, t.I & II.)  
*Haworthia limifolia* Marloth var. *keithii* G.G.Sm. (1999. Bayer. *Haworthia* revisited.)  
*Haworthia ubomboensis* I.Verd. (1950. Smith. Jl S. Afr. Bot. 16:3-13, t.I & II.)  
***Haworthia limpida* Haw. = *Haworthia mucronata* var. *mucronata***  
***Haworthia lockwoodii* Archibald**  
***Haworthia longiana* Poelln.**  
*Haworthia longiana* Poelln. var. *albinota* G.G.Sm. (1976. Bayer. *Haworthia* Handb. 184.)  
***Haworthia longiana* Poelln. var. *albinota* G.G.Sm. = *Haworthia longiana***  
***Haworthia longiaristata* Poelln. = *Haworthia decipiens* var. *xiphophylla***  
***Haworthia longibracteata* G.G.Sm. = *Haworthia turgida* var. *longibracteata***  
***Haworthia luteorosea* Uitewaal = *Haworthia herbacea* var. *herbacea***  
***Haworthia maculata* (Poelln.) M.B.Bayer = *Haworthia maculata* var. *intermedia*, *Haworthia maculata* var. *maculata***  
***Haworthia maculata* (Poelln.) M.B.Bayer var. *intermedia* M.B.Bayer**  
*Haworthia intermedia* Poelln. (1999. Bayer. *Haworthia* revisited.)  
*Haworthia maculata* (Poelln.) M.B.Bayer p.p. (PRECIS convention, not of compiler.)

**Haworthia maculata (Poelln.) M.B.Bayer var. maculata**  
*Haworthia maculata* (Poelln.) M.B.Bayer p.p. (PRECIS convention, not of compiler.)  
*Haworthia schuldtiana* Poelln. var. *maculata* Poelln. (1976. Bayer. Haworthia Handb. 184.)

**Haworthia magnifica Poelln.** = *Haworthia magnifica* var. *acuminata*, *Haworthia magnifica* var. *atrofusca*, *Haworthia magnifica* var. *dekenahii*, *Haworthia magnifica* var. *magnifica*, *Haworthia magnifica* var. *maraisii*, *Haworthia magnifica* var. *splendens*

**Haworthia magnifica Poelln. var. acuminata (M.B.Bayer) M.B.Bayer**  
*Haworthia magnifica* Poelln. p.p. (PRECIS convention, not of compiler.)  
*Haworthia retusa* (L.) Duval forma *acuminata* M.B.Bayer (1997. Bayer. Aloe 34:4-6.)  
*Haworthia retusa* (L.) Duval var. *acuminata* M.B.Bayer (1999. Bayer. Haworthia revisited.)

**Haworthia magnifica Poelln. var. atrofusca (G.G.Sm.) M.B.Bayer**  
*Haworthia atrofusca* G.G.Sm. (1977. Bayer. Nathn. Cact. Succ. J. 32.)  
*Haworthia magnifica* Poelln. p.p. (PRECIS convention, not of compiler.)

**Haworthia magnifica Poelln. var. dekenahii (G.G.Sm.) M.B.Bayer**  
*Haworthia dekenahii* G.G.Sm. p.p. (PRECIS convention, not of compiler.)  
*Haworthia dekenahii* G.G.Sm. var. *dekenahii* (1999. Bayer. Haworthia revisited.)  
*Haworthia magnifica* Poelln. p.p. (PRECIS convention, not of compiler.)  
*Haworthia retusa* (L.) Duval forma *argenteo-maculosa* (G.G.Sm.) M.B.Bayer p.p. (1997. Bayer. Aloe 34:4-6.)  
*Haworthia retusa* (L.) Duval p.p. var. *dekenahii* (G.G.Sm.) M.B.Bayer (1999. Bayer. Haworthia revisited.)

**Haworthia magnifica Poelln. var. magnifica**  
*Haworthia magnifica* Poelln. p.p. (PRECIS convention, not of compiler.)

**Haworthia magnifica Poelln. var. major (G.G.Sm.) M.B.Bayer**  
= *Haworthia emelyae* var. *major*

**Haworthia magnifica Poelln. var. meiringii M.B.Bayer**  
= *Haworthia maraisii* var. *meiringii*

**Haworthia magnifica Poelln. var. notabilis (Poelln.) M.B.Bayer**  
= *Haworthia maraisii* var. *notabilis*

**Haworthia magnifica Poelln. var. paradoxa (Poelln.) M.B.Bayer**  
= *Haworthia mirabilis* var. *paradoxa*

**Haworthia magnifica Poelln. var. splendens J.D.Venter & S.A.Hammer**  
*Haworthia magnifica* Poelln. p.p. (PRECIS convention, not of compiler.)

**Haworthia maraisii Poelln. = Haworthia maraisii var. maraisii, Haworthia maraisii var. meiringii, Haworthia maraisii var. notabilis**

**Haworthia maraisii Poelln. var. major (G.G.Sm.) M.B.Bayer**  
= *Haworthia emelyae* var. *major*

**Haworthia maraisii Poelln. var. maraisii**  
*Haworthia maraisii* Poelln. p.p. (PRECIS convention, not of compiler.)  
*Haworthia schuldtiana* Poelln. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia schuldtiana* Poelln. var. *minor* Triebner & Poelln. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia schuldtiana* Poelln. var. *robertsonensis* Poelln. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia schuldtiana* Poelln. var. *simplicior* Poelln. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia schuldtiana* Poelln. var. *sublaevis* Poelln. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia schuldtiana* Poelln. var. *subtuberculata* Poelln. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia schuldtiana* Poelln. var. *unilineata* Poelln. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia sublimpidula* Poelln. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia triebneriana* Poelln. var. *diversicolor* Triebner &

Poelln. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia whitesloaneana* Poelln. (1976. Bayer. Haworthia Handb. 184.)

**Haworthia maraisii Poelln. var. meiringii M.B.Bayer**  
*Haworthia magnifica* Poelln. var. *meiringii* M.B.Bayer (1999. Bayer. Haworthia revisited.)  
*Haworthia maraisii* Poelln. p.p. (PRECIS convention, not of compiler.)

**Haworthia maraisii Poelln. var. notabilis (Poelln.) M.B.Bayer**  
*Haworthia magnifica* Poelln. var. *notabilis* (Poelln.) M.B.Bayer (1999. Bayer. Haworthia revisited.)  
*Haworthia maraisii* Poelln. p.p. (PRECIS convention, not of compiler.)  
*Haworthia notabilis* Poelln. (1999. Bayer. Haworthia revisited.)  
*Haworthia schuldtiana* Poelln. var. *erecta* Triebner & Poelln. (1976. Bayer. Haworthia Handb. 184.)

**Haworthia maraisii Poelln. var. paradoxa (Poelln.) M.B.Bayer**  
= *Haworthia mirabilis* var. *paradoxa*

**Haworthia margaritifera (L.) Haw. var. corallina Baker**  
= *Haworthia minima* var. *minima*

**Haworthia margaritifera (L.) Haw. var. maxima (Haw.) Uitewaal**  
= *Haworthia maxima*

**Haworthia margaritifera (L.) Haw. var. minima (Aiton)**  
*Uitewaal* = *Haworthia minima* var. *minima*

**Haworthia margaritifera (L.) Haw. var. minor (Aiton)**  
*Uitewaal* = *Haworthia minima* var. *minima*

**Haworthia marginata (Lam.) Stearn**  
*Aloe albicans* Haw. (2000. Glen & Hardy. FSA 5:1-167.)  
*Aloe laevigata* Schult. & J.H.Schult. (2000. Glen & Hardy. FSA 5:1-167.)  
*Aloe marginata* Lam. (2000. Glen & Hardy. FSA 5:1-167.)  
*Aloe virescens* (Haw.) Schult. & J.H.Schult. (2000. Glen & Hardy. FSA 5:1-167.)  
*Haworthia albicans* (Haw.) Haw. (2000. Glen & Hardy. FSA 5:1-167.)  
*Haworthia albicans* (Haw.) Haw. var. *virescens* (Haw.) Baker (2000. Glen & Hardy. FSA 5:1-167.)  
*Haworthia laevis* Haw. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia ramifera* Haw. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia virescens* Haw. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia virescens* Haw. var. *minor* Haw. (1998. Breuer. The world of Haworthia 1.)

**Haworthia marumiana Uitewaal** = *Haworthia marumiana* var. *archeri*, *Haworthia marumiana* var. *batesiana*, *Haworthia marumiana* var. *dimorpha*, *Haworthia marumiana* var. *marumiana*, *Haworthia marumiana* var. *viridis*

**Haworthia marumiana Uitewaal** var. *archeri* (W.F.Barker ex M.B.Bayer) M.B.Bayer  
*Haworthia archeri* W.F.Barker ex M.B.Bayer p.p. (PRECIS convention, not of compiler.)  
*Haworthia archeri* W.F.Barker ex M.B.Bayer var. *archeri* (1999. Bayer. Haworthia revisited.)  
*Haworthia marumiana* Uitewaal p.p. (PRECIS convention, not of compiler.)

**Haworthia marumiana Uitewaal** var. *batesiana* (Uitewaal) M.B.Bayer  
*Haworthia batesiana* Uitewaal (1999. Bayer. Haworthia revisited.)  
*Haworthia marumiana* Uitewaal p.p. (PRECIS convention, not of compiler.)

**Haworthia marumiana Uitewaal** var. *dimorpha* (M.B.Bayer) M.B.Bayer  
*Haworthia archeri* W.F.Barker ex M.B.Bayer p.p. (PRECIS convention, not of compiler.)  
*Haworthia archeri* W.F.Barker ex M.B.Bayer var. *dimorpha* M.B.Bayer (1999. Bayer. Haworthia revisited.)  
*Haworthia marumiana* Uitewaal p.p. (PRECIS convention, not of compiler.)

**Haworthia marumiana Uitewaal** var. *marumiana*  
*Haworthia marumiana* Uitewaal p.p. (PRECIS convention, not of compiler.)

**Haworthia marumiana Uitewaal** var. *viridis* M.B.Bayer  
*Haworthia marumiana* Uitewaal p.p. (PRECIS convention, not of compiler.)

**Haworthia marxii Gildenhuys**

**Haworthia maughanii Poelln. = Haworthia truncata var. maughanii**

**Haworthia maxima (Haw.) Duval**

Aloe margaritifera (L.) Burm.f. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
Aloe margaritifera (L.) Burm.f. var. maxima Haw. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)

Aloe papillosa Salm-Dyck (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
Aloe pumila L. p.p. (PRECIS convention, not of compiler.)  
Aloe pumila L. var. margaritifera L. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
Aloe semiglabrata (Haw.) Schult. & J.H.Schult. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)

Aloe semimargaritifera Salm-Dyck (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
Aloe semimargaritifera Salm-Dyck var. maxima Salm-Dyck (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)

Haworthia margaritifera (L.) Haw. var. maxima (Haw.) Uitewaal (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)

Haworthia papillosa (Salm-Dyck) Haw. var. semipapillosa Haw. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)

Haworthia semiglabrata Haw. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)

**Haworthia mclarennii Poelln. = Haworthia mucronata var. mucronata**

**Haworthia mcmurtryi C.L.Scott = Haworthia koelmaniorum var. mcmurtryi**

**Haworthia minima (Aiton) Haw. = Haworthia minima var. minima, Haworthia minima var. poellnitziiana**

**Haworthia minima (Aiton) Haw. var. minima**

Aloe erecta (Haw.) Salm-Dyck (PRECIS convention, not of compiler.)

Aloe erecta (Haw.) Salm-Dyck var. laetevirens Salm-Dyck (PRE Herbarium practice, following Glen.)

Aloe granata (Willd.) Salm-Dyck (PRECIS convention, not of compiler.)

Aloe granata (Willd.) Salm-Dyck var. major Salm-Dyck (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)

Aloe granata (Willd.) Salm-Dyck var. minor Salm-Dyck (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)

Aloe granata (Willd.) Schult. & J.H.Schult. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)

Aloe margaritifera (L.) Burm.f. var. minima Aiton (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)

Aloe margaritifera (L.) Burm.f. var. minor Aiton (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)

Aloe minor (Aiton) Schult. & J.H.Schult. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)

Aloe pumila L. p.p. (PRECIS convention, not of compiler.)

Aloe pumila L. var. □ L. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)

Apicra granata Willd. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)

Haworthia brevis Haw. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)

Haworthia erecta Haw. (1999. Bayer. Haworthia revisited.)

Haworthia granata (Willd.) Haw. (PRECIS convention, not of compiler.)

Haworthia granata (Willd.) Haw. var. polyphylla Haw. (1976. Bayer. Haworthia Handb. 184.)

Haworthia margaritifera (L.) Haw. var. corallina Baker (1982. Bayer. New Haworthia Handb. 124.)

Haworthia margaritifera (L.) Haw. var. minima (Aiton)

Uitewaal (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)

Haworthia margaritifera (L.) Haw. var. minor (Aiton) Uitewaal (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)

Haworthia minima (Aiton) Haw. p.p. (PRECIS convention, not of compiler.)

Haworthia mutabilis Poelln. (1976. Bayer. Haworthia Handb. 184.)

**Haworthia minima (Aiton) Haw. var. poellnitziiana (Uitewaal)**

**M.B.Bayer**

Haworthia minima (Aiton) Haw. p.p. (PRECIS convention, not of compiler.)

Haworthia poellnitziiana Uitewaal (1999. Bayer. Haworthia revisited.)

**Haworthia minutissima Poelln. = Haworthia venosa subsp. tessellata**

**Haworthia mirabilis (Haw.) Haw. = Haworthia mirabilis subsp. mirabilis**

**Haworthia mirabilis (Haw.) Haw. subsp. badia (Poelln.)**

**M.B.Bayer = Haworthia mirabilis var. badia**

**Haworthia mirabilis (Haw.) Haw. subsp. mirabilis**

Haworthia mirabilis (Haw.) Haw. p.p. (PRECIS convention, not of compiler.)

**Haworthia mirabilis (Haw.) Haw. subsp. mundula (G.G.Sm.)**

**M.B.Bayer = Haworthia mirabilis var. mirabilis**

**Haworthia mirabilis (Haw.) Haw. var. badia (Poelln.)**

**M.B.Bayer**

Haworthia badia Poelln. (1999. Bayer. Haworthia revisited.)

Haworthia mirabilis (Haw.) Haw. subsp. badia (Poelln.)

M.B.Bayer (1999. Bayer. Haworthia revisited.)

**Haworthia mirabilis (Haw.) Haw. var. beukmannii (Poelln.)**

**M.B.Bayer**

Haworthia emelyae Poelln. var. beukmannii Poelln. (1999.

Bayer. Haworthia revisited.)

**Haworthia mirabilis (Haw.) Haw. var. calcarea M.B.Bayer**

**Haworthia mirabilis (Haw.) Haw. var. consanguinea M.B.Bayer**

**Haworthia mirabilis (Haw.) Haw. var. mirabilis**

Aloe mirabilis Haw. (2000. Glen & Hardy. FSA 5:1-167.)

Haworthia mirabilis (Haw.) Haw. subsp. mundula (G.G.Sm.)

M.B.Bayer (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)

Haworthia mundula G.G.Sm. (1999. Bayer. Haworthia revisited.)

**Haworthia mirabilis (Haw.) Haw. var. paradoxa (Poelln.)**

**M.B.Bayer**

Haworthia magnifica Poelln. var. paradoxa (Poelln.)

M.B.Bayer (1997. Bayer. Aloe 34:4-6.)

Haworthia maraisii Poelln. var. paradoxa (Poelln.) M.B.Bayer

(1997. Bayer. Aloe 34:4-6.)

Haworthia paradoxa Poelln. (1997. Bayer. Aloe 34:4-6.)

**Haworthia mirabilis (Haw.) Haw. var. sublineata (Poelln.)**

**M.B.Bayer**

Haworthia triebneriana Poelln. var. sublineata Poelln. (1999.

Bayer. Haworthia revisited.)

**Haworthia mirabilis (Haw.) Haw. var. triebneriana (Poelln.)**

**M.B.Bayer**

Haworthia nitidula Poelln. (1999. Bayer. Haworthia revisited.)

Haworthia rossouwii Poelln. (1999. Bayer. Haworthia revisited.)

Haworthia triebneriana Poelln. (1999. Bayer. Haworthia revisited.)

Haworthia triebneriana Poelln. var. depauperata Poelln. (1999.

Bayer. Haworthia revisited.)

Haworthia triebneriana Poelln. var. multituberculata Poelln.

(1999. Bayer. Haworthia revisited.)

Haworthia triebneriana Poelln. var. napierensis Triebner &

Poelln. (1999. Bayer. Haworthia revisited.)

Haworthia triebneriana Poelln. var. pulchra Poelln. (1999.

Bayer. Haworthia revisited.)

Haworthia triebneriana Poelln. var. rubrodentata Triebner &

Poelln. (1999. Bayer. Haworthia revisited.)

Haworthia triebneriana Poelln. var. subtuberculata Poelln.

(1999. Bayer. Haworthia revisited.)

Haworthia triebneriana Poelln. var. turgida Triebner (1999.

- Bayer. Haworthia revisited.)  
*Haworthia willowmorensis* Poelln. (1999. Bayer. Haworthia revisited.)
- Haworthia monticola** Fourc. = *Haworthia monticola* var. *asema*, *Haworthia monticola* var. *monticola*
- Haworthia monticola** Fourc. var. *asema* M.B.Bayer  
*Haworthia monticola* Fourc. p.p. (PRECIS convention, not of compiler.)
- Haworthia monticola** Fourc. var. *monticola*  
*Haworthia divergens* M.B.Bayer (1999. Bayer. Haworthia revisited.)  
*Haworthia monticola* Fourc. p.p. (PRECIS convention, not of compiler.)
- Haworthia morrisiae** Poelln. = *Haworthia scabra* var. *morrisiae*
- Haworthia mucronata** Haw. = *Haworthia mucronata* var. *calitzdorpensis*, *Haworthia mucronata* var. *habdomadis*, *Haworthia mucronata* var. *inconfluens*, *Haworthia mucronata* var. *morrisiae*, *Haworthia mucronata* var. *mucronata*, *Haworthia mucronata* var. *rooibergensis*
- Haworthia mucronata** Haw. var. *calitzdorpensis* Breuer  
*Haworthia mucronata* Haw. p.p. (PRECIS convention, not of compiler.)
- Haworthia mucronata** Haw. var. *habdomadis* (Poelln.) M.B.Bayer  
*Haworthia habdomadis* Poelln. p.p. (PRECIS convention, not of compiler.)  
*Haworthia habdomadis* Poelln. var. *habdomadis* (1999. Bayer. Haworthia revisited.)  
*Haworthia mucronata* Haw. p.p. (PRECIS convention, not of compiler.)
- Haworthia mucronata** Haw. var. *inconfluens* (Poelln.) M.B.Bayer  
*Haworthia altilinea* Haw. var. *limpida* (PRECIS convention, not of compiler.)  
*Haworthia altilinea* Haw. var. *limpida* forma *inconfluens* Poelln. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Haworthia bijiana* Poelln. (PRECIS convention, not of compiler.)  
*Haworthia bijiana* Poelln. var. *joubertii* Poelln. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Haworthia habdomadis* Poelln. p.p. (PRECIS convention, not of compiler.)  
*Haworthia habdomadis* Poelln. var. *inconfluens* (Poelln.) M.B.Bayer (1999. Bayer. Haworthia revisited.)  
*Haworthia mucronata* Haw. p.p. (PRECIS convention, not of compiler.)
- Haworthia mucronata** Haw. var. *morrisiae* (Poelln.) M.B.Bayer  
*Haworthia altilinea* Haw. var. *morrisiae* Poelln. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Haworthia habdomadis* Poelln. p.p. (PRECIS convention, not of compiler.)  
*Haworthia habdomadis* Poelln. var. *morrisiae* (Poelln.) M.B.Bayer (1999. Bayer. Haworthia revisited.)  
*Haworthia mucronata* Haw. p.p. (PRECIS convention, not of compiler.)
- Haworthia mucronata** Haw. var. *mucronata*  
*Aloe altilinea* (Haw.) Schult. & J.H.Schult. (2000. Glen & Hardy. FSA 5:1-167.)  
*Haworthia limpida* Haw. (1982. Bayer. New Haworthia Handb. 124.)  
*Haworthia mclarennii* Poelln. (1999. Bayer. Haworthia revisited.)  
*Haworthia mucronata* Haw. p.p. (PRECIS convention, not of compiler.)  
*Haworthia unicolor* Poelln. (1999. Bayer. Haworthia revisited.)  
*Haworthia unicolor* Poelln. var. *helmliae* Bayer (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)
- Haworthia mucronata** Haw. var. *rooibergensis* J.M.Esterhuizen & L.Battista  
*Haworthia mucronata* Haw. p.p. (PRECIS convention, not of compiler.)
- Haworthia mundula** G.G.Sm. = *Haworthia mirabilis* var. *mirabilis*
- Haworthia musculina** G.G.Sm. = *Haworthia coarctata* var. *coarctata forma coarctata*
- Haworthia mutabilis** Poelln. = *Haworthia minima* var. *minima*
- Haworthia mutica** Haw. = *Haworthia mutica* var. *mutica*, *Haworthia mutica* var. *nigra*
- Haworthia mutica** Haw. var. *mutica*  
*Haworthia mutica* Haw. p.p. (PRECIS convention, not of compiler.)  
*Haworthia otzenii* G.G.Sm. (1976. Bayer. Haworthia Handb. 184.)
- Haworthia mutica** Haw. var. *nigra* M.B.Bayer  
*Haworthia mutica* Haw. p.p. (PRECIS convention, not of compiler.)
- Haworthia nigra** (Haw.) Baker = *Haworthia nigra* var. *diversifolia*, *Haworthia nigra* var. *nigra*
- Haworthia nigra** (Haw.) Baker var. *diversifolia* (Poelln.) Uitewaal  
*Haworthia diversifolia* Poelln. (1999. Bayer. Haworthia revisited.)  
*Haworthia nigra* (Haw.) Baker p.p. (PRECIS convention, not of compiler.)  
*Haworthia schmidtiana* Poelln. var. *diversifolia* Poelln. (PRECIS convention, not of compiler.)  
*Haworthia schmidtiana* Poelln. var. *diversifolia* Poelln. forma *nana* Poelln. (1999. Bayer. Haworthia revisited.)
- Haworthia nigra** (Haw.) Baker var. *nigra*  
*Aloe nigra* (Haw.) Schult. & J.H.Schult. (2000. Glen & Hardy. FSA 5:1-167.)  
*Apicera nigra* Haw. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
*Haworthia nigra* (Haw.) Baker p.p. (PRECIS convention, not of compiler.)  
*Haworthia ryneveldii* Poelln. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia schmidtiana* Poelln. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia schmidtiana* Poelln. var. *angustata* Poelln. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia schmidtiana* Poelln. var. *elongata* Poelln. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia schmidtiana* Poelln. var. *pusilla* Poelln. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia schmidtiana* Poelln. var. *suberectata* Poelln. (1976. Bayer. Haworthia Handb. 184.)
- Haworthia nigricans** Haw. = *Gasteria nitida*
- Haworthia nitidula** Poelln. = *Haworthia mirabilis* var. *triebneriana*
- Haworthia nortieri** G.G.Sm. = *Haworthia nortieri* var. *globosiflora*, *Haworthia nortieri* var. *nortieri*, *Haworthia nortieri* var. *pehlemanniae*
- Haworthia nortieri** G.G.Sm. var. *giftbergensis* G.G.Sm. = *Haworthia nortieri* var. *nortieri*
- Haworthia nortieri** G.G.Sm. var. *globosiflora* (G.G.Sm.) M.B.Bayer  
*Haworthia globosiflora* G.G.Sm. (1976. Bayer. Haworthia Handb.)  
*Haworthia nortieri* G.G.Sm. p.p. (PRECIS convention, not of compiler.)
- Haworthia nortieri** G.G.Sm. var. *montana* G.G.Sm. = *Haworthia nortieri* var. *nortieri*
- Haworthia nortieri** G.G.Sm. var. *nortieri*  
*Haworthia nortieri* G.G.Sm. p.p. (PRECIS convention, not of compiler.)  
*Haworthia nortieri* G.G.Sm. var. *giftbergensis* G.G.Sm. (1982. Bayer. New Haworthia Handb.)  
*Haworthia nortieri* G.G.Sm. var. *montana* G.G.Sm. (1982. Bayer. New Haworthia Handb. 124.)  
*Haworthia schmidtiana* G.G.Sm. (PRECIS convention, not of compiler.)  
*Haworthia schmidtiana* G.G.Sm. var. *giftbergensis* G.G.Sm. (1982. Bayer. New Haworthia Handb. 124.)
- Haworthia nortieri** G.G.Sm. var. *pehlemanniae* (C.L.Scott)
- M.B.Bayer**  
*Haworthia nortieri* G.G.Sm. p.p. (PRECIS convention, not of compiler.)  
*Haworthia pehlemanniae* C.L.Scott (1999. Bayer. Haworthia

- revisited.)
- Haworthia notabilis Poelln.** = *Haworthia maraisii* var. *notabilis*
- Haworthia obtusa Haw.** = *Haworthia cymbiformis* var. *obtusa*
- Haworthia obtusa Haw.** var. *pilifera* (Baker) Uitewaal = *Haworthia cooperi* var. *pilifera*
- Haworthia obtusa Haw.** var. *pilifera* (Baker) Uitewaal forma *truncate*, H.Jacobsen = *Haworthia cooperi* var. *truncate*
- Haworthia odetteae Breuer**
- Haworthia olivettiana Parr** = *X Astroworthia X bicarinata*
- Haworthia opalina M.Hayashi**
- Haworthia otzenii G.G.Sm.** = *Haworthia mutica* var. *mutica*
- Haworthia outeriquensis M.B.Bayer**
- Haworthia pallida Haw.** = *Haworthia herbacea* var. *herbacea*
- Haworthia pallida Haw.** var. *paynei* (L.Bolus) L.Bolus = *Haworthia arachnoidea* var. *arachnoidea*
- Haworthia papillosa (Salm-Dyck)** Haw. = *Haworthia herbacea* var. *herbacea*
- Haworthia papillosa (Salm-Dyck)** Haw. var. *semipapillosa* Haw. = *Haworthia maxima*
- Haworthia paradoxa Poelln.** = *Haworthia mirabilis* var. *paradoxa*
- Haworthia parksiana Poelln.**
- Haworthia parva Haw.** = *Haworthia venosa* subsp. *tessellata*
- Haworthia paynei Poelln.** = *Haworthia herbacea* var. *paynei*
- Haworthia peacockii Baker** = *Haworthia coarctata* var. *coarctata forma greenii*
- Haworthia pehlemanniae C.L.Scott** = *Haworthia nortieri* var. *Pehlemanniae*
- Haworthia pellucens Haw.** = *Haworthia herbacea* var. *herbacea*
- Haworthia pentagona (Aiton) Haw.** = *Astroloba spiralis*
- Haworthia pentagona (Aiton) Haw.** var. *spiralis* (Salm-Dyck) Parr = *Astroloba spiralis*
- Haworthia pentagona Haw.** = *Astroloba spiralis*
- Haworthia pentagona Haw.** var. *spirella* (Haw.) Parr = *Astroloba spiralis*
- Haworthia pentagona Haw.** var. *torulosa* (Haw.) Parr = *Astroloba spiralis*
- Haworthia picta Poelln.** = *Haworthia picta* var. *janyloki*, *Haworthia picta* var. *picta*, *Haworthia picta* var. *tricolor*
- Haworthia picta Poelln.** var. *janyloki* Breuer
- Haworthia picta Poelln. p.p. (PRECIS convention, not of compiler.)
- Haworthia picta Poelln.** var. *picta*
- Haworthia picta Poelln. p.p. (PRECIS convention, not of compiler.)
- Haworthia picta Poelln.** var. *tricolor* Breuer
- Haworthia picta Poelln. p.p. (PRECIS convention, not of compiler.)
- Haworthia pilifera Baker** = *Haworthia cooperi* var. *pilifera*
- Haworthia pilifera Baker** var. *dielsiana* (Poelln.) M.B.Bayer = *Haworthia cooperi* var. *pilifera*
- Haworthia pilifera Baker** var. *dielsiana* (Poelln.) M.B.Bayer forma *acuminata* Poelln. = *Haworthia cooperi* var. *pilifera*
- Haworthia planifolia Haw.** = *Haworthia cymbiformis* var. *cymbiformis*
- Haworthia planifolia Haw.** var. *exulata* Poelln. = *Haworthia cymbiformis* var. *cymbiformis*
- Haworthia planifolia Haw.** var. *incrassata* Poelln. = *Haworthia cymbiformis* var. *cymbiformis*
- Haworthia planifolia Haw.** var. *longifolia* Triebner & Poelln. = *Haworthia cymbiformis* var. *cymbiformis*
- Haworthia planifolia Haw.** var. *longifolia* Triebner & Poelln. forma *calochlora* Triebner & Poelln. = *Haworthia cymbiformis* var. *cymbiformis*
- Haworthia planifolia Haw.** var. *planifolia* = *Haworthia cymbiformis* var. *cymbiformis*
- Haworthia planifolia Haw.** var. *planifolia* forma *agavooides* Triebner & Poelln. = *Haworthia cymbiformis* var. *cymbiformis*
- Haworthia planifolia Haw.** var. *planifolia* forma *alta* Triebner & Poelln. = *Haworthia cymbiformis* var. *cymbiformis*
- Haworthia planifolia Haw.** var. *planifolia* forma *olivacea* Triebner & Poelln. = *Haworthia cymbiformis* var. *cymbiformis*
- Haworthia planifolia Haw.** var. *planifolia* forma *robusta*
- Triebner & Poelln.** = *Haworthia cymbiformis* var. *cymbiformis*
- Haworthia planifolia Haw.** var. *poellnitziana* Resende = *Haworthia cymbiformis* var. *cymbiformis*
- Haworthia planifolia Haw.** var. *setulifera* Poelln. = *Haworthia cymbiformis* var. *setulifera*
- Haworthia planifolia Haw.** var. *sublaevis* Poelln. = *Haworthia cymbiformis* var. *cymbiformis*
- Haworthia planifolia Haw.** var. *transiens* Poelln. = *Haworthia transiens*
- Haworthia poellnitziana Uitewaal** = *Haworthia minima* var. *poellnitziana*
- Haworthia pringlei C.L.Scott** = *Haworthia bolusii* var. *pringlei*
- Haworthia pseudotessellata Poelln.** = *Haworthia venosa* subsp. *tessellata*
- Haworthia pubescens M.B.Bayer** = *Haworthia pubescens* var. *livida*, *Haworthia pubescens* var. *pubescens*
- Haworthia pubescens M.B.Bayer** var. *livida* M.B.Bayer Haworthia pubescens M.B.Bayer p.p. (PRECIS convention, not of compiler.)
- Haworthia pubescens M.B.Bayer** var. *pubescens* Haworthia pubescens M.B.Bayer p.p. (PRECIS convention, not of compiler.)
- Haworthia pulchella M.B.Bayer** = *Haworthia pulchella* var. *globifera*, *Haworthia pulchella* var. *pulchella*
- Haworthia pulchella M.B.Bayer** var. *globifera* M.B.Bayer Haworthia pulchella M.B.Bayer p.p. (PRECIS convention, not of compiler.)
- Haworthia pulchella M.B.Bayer** var. *pulchella* Haworthia pulchella M.B.Bayer p.p. (PRECIS convention, not of compiler.)
- Haworthia pumila (L.) Duval** = *Haworthia herbacea* var. *herbacea*
- Haworthia pungens M.B.Bayer**
- Haworthia pygmaea Poelln.** = *Haworthia pygmaea* var. *argenteo-maculosa*, *Haworthia pygmaea* var. *pygmaea*
- Haworthia pygmaea Poelln.** var. *argenteo-maculosa* (G.G.Sm.) M.B.Bayer Haworthia dekenahii G.G.Sm. p.p. (PRECIS convention, not of compiler.)
- Haworthia dekenahii G.G.Sm. var. *argenteo-maculosa* G.G.Sm. (1997. Bayer. Aloe 34:4-6.)
- Haworthia pygmaea Poelln. p.p. (PRECIS convention, not of compiler.)
- Haworthia retusa (L.) Duval forma *argenteo-maculosa* (G.G.Sm.) M.B.Bayer p.p. (1997. Bayer. Aloe 34:4-6.)
- Haworthia pygmaea Poelln.** var. *pygmaea* Haworthia pygmaea Poelln. p.p. (PRECIS convention, not of compiler.)
- Haworthia radula (Jacq.) Haw.** = *Haworthia attenuata* var. *radula*
- Haworthia radula (Jacq.) Haw.** var. *pluriperlata* Haw. = *Haworthia attenuata* var. *radula*
- Haworthia ramifera Haw.** = *Haworthia marginata*
- Haworthia ramosa G.G.Sm.** = *Haworthia cymbiformis* var. *Ramosae*
- Haworthia recurva (Haw.) Haw.** = *Haworthia venosa* subsp. *venosa*
- Haworthia reddii C.L.Scott** = *Haworthia cymbiformis* var. *reddii*
- Haworthia reinwardtii (Salm-Dyck)** Haw. = *Haworthia reinwardtii* var. *brevicula*, *Haworthia reinwardtii* var. *reinwardtii* forma *chalumnensis*, *Haworthia reinwardtii* var. *reinwardtii* forma *kaffirdriftensis*, *Haworthia reinwardtii* var. *reinwardtii* forma *olivacea*,
- Haworthia reinwardtii (Salm-Dyck)** Haw. var. *adelaidensis* Poelln. = *Haworthia coarctata* var. *adelaidensis*
- Haworthia reinwardtii (Salm-Dyck)** Haw. var. *archibaldiae* Poelln. = *Haworthia reinwardtii* var. *reinwardtii* forma *reinwardtii*
- Haworthia reinwardtii (Salm-Dyck)** Haw. var. *bellula* G.G.Sm. = *Haworthia coarctata* var. *adelaidensis*
- Haworthia reinwardtii (Salm-Dyck)** Haw. var. *brevicula* G.G.Sm. Haworthia reinwardtii (Salm-Dyck) Haw. p.p. (PRECIS convention, not of compiler.)
- Haworthia reinwardtii (Salm-Dyck) Haw. var. *diminuta*

- G.G.Sm. (1976. Bayer. Haworthia Handb. 184.)  
**Haworthia reinwardtii (Salm-Dyck) Haw. var. chalumnensis**  
 G.G.Sm. = Haworthia reinwardtii var. reinwardtii forma chalumnensis  
**Haworthia reinwardtii (Salm-Dyck) Haw. var. committeesensis** G.G.Sm. = Haworthia coarctata var. coarctata forma coarctata  
**Haworthia reinwardtii (Salm-Dyck) Haw. var. conspicua** Poelln. = Haworthia coarctata var. coarctata forma coarctata  
**Haworthia reinwardtii (Salm-Dyck) Haw. var. diminuta** G.G.Sm. = Haworthia reinwardtii var. brevicula  
**Haworthia reinwardtii (Salm-Dyck) Haw. var. grandicula** G.G.Sm. = Haworthia reinwardtii var. reinwardtii forma reinwardtii  
**Haworthia reinwardtii (Salm-Dyck) Haw. var. huntsdriftensis** G.G.Sm. = Haworthia coarctata var. coarctata forma coarctata  
**Haworthia reinwardtii (Salm-Dyck) Haw. var. kaffirdriftensis** G.G.Sm. = Haworthia reinwardtii var. reinwardtii forma kaffirdriftensis  
**Haworthia reinwardtii (Salm-Dyck) Haw. var. major** Baker = Haworthia reinwardtii var. reinwardtii forma reinwardtii  
**Haworthia reinwardtii (Salm-Dyck) Haw. var. olivacea** G.G.Sm. = Haworthia reinwardtii var. reinwardtii forma olivacea  
**Haworthia reinwardtii (Salm-Dyck) Haw. var. peddiensis** G.G.Sm. = Haworthia reinwardtii var. reinwardtii forma reinwardtii  
**Haworthia reinwardtii (Salm-Dyck) Haw. var. pseudocoarctata** Poelln. = Haworthia coarctata var. coarctata forma coarctata  
**Haworthia reinwardtii (Salm-Dyck) Haw. var. pulchra** Poelln. = Haworthia reinwardtii var. reinwardtii forma reinwardtii  
**Haworthia reinwardtii (Salm-Dyck) Haw. var. reinwardtii** = Haworthia reinwardtii var. reinwardtii forma chalumnensis, Haworthia reinwardtii var. reinwardtii forma kaffirdriftensis, Haworthia reinwardtii var. reinwardtii forma olivacea, Haworthia reinwardtii var. reinwardtii forma reinwardtii, Haworthia reinwardtii  
**Haworthia reinwardtii (Salm-Dyck) Haw. var. reinwardtii forma chalumnensis (G.G.Sm.) M.B.Bayer**  
 Haworthia reinwardtii (Salm-Dyck) Haw. p.p. (PRECIS convention, not of compiler.)  
 Haworthia reinwardtii (Salm-Dyck) Haw. var. chalumnensis G.G.Sm. (1976. Bayer. Haworthia Handb. 184.)  
 Haworthia reinwardtii (Salm-Dyck) Haw. var. reinwardtii p.p. (PRECIS convention, not of compiler.)  
**Haworthia reinwardtii (Salm-Dyck) Haw. var. reinwardtii forma kaffirdriftensis (G.G.Sm.) M.B.Bayer**  
 Haworthia reinwardtii (Salm-Dyck) Haw. p.p. (PRECIS convention, not of compiler.)  
 Haworthia reinwardtii (Salm-Dyck) Haw. var. kaffirdriftensis G.G.Sm. (1976. Bayer. Haworthia Handb. 184.)  
 Haworthia reinwardtii (Salm-Dyck) Haw. var. reinwardtii p.p. (PRECIS convention, not of compiler.)  
**Haworthia reinwardtii (Salm-Dyck) Haw. var. reinwardtii forma olivacea (G.G.Sm.) M.B.Bayer**  
 Haworthia reinwardtii (Salm-Dyck) Haw. p.p. (PRECIS convention, not of compiler.)  
 Haworthia reinwardtii (Salm-Dyck) Haw. var. olivacea G.G.Sm. (2001. Hayashi. Haworthiad 15:16-20)  
 Haworthia reinwardtii (Salm-Dyck) Haw. var. reinwardtii p.p. (PRECIS convention, not of compiler.)  
**Haworthia reinwardtii (Salm-Dyck) Haw. var. reinwardtii forma reinwardtii**  
 Aloe reinwardtii Salm-Dyck (2000. Glen & Hardy. FSA 5:1-167.)  
 Haworthia reinwardtii (Salm-Dyck) Haw. p.p. (PRECIS convention, not of compiler.)  
 Haworthia reinwardtii (Salm-Dyck) Haw. var. archibaldiae Poelln. (1982. Bayer. New Haworthia Handb. 124.)  
 Haworthia reinwardtii (Salm-Dyck) Haw. var. grandicula G.G.Sm. (1982. Bayer. New Haworthia Handb. 124.)  
 Haworthia reinwardtii (Salm-Dyck) Haw. var. major Baker (1982. Bayer. New Haworthia Handb. 124.)  
 Haworthia reinwardtii (Salm-Dyck) Haw. var. peddiensis  
 G.G.Sm. (1982. Bayer. New Haworthia Handb. 124.)  
**Haworthia reinwardtii (Salm-Dyck) Haw. var. pulchra** Poelln. (1982. Bayer. New Haworthia Handb. 124.)  
**Haworthia reinwardtii (Salm-Dyck) Haw. var. reinwardtii p.p.** (PRECIS convention, not of compiler.)  
 Haworthia reinwardtii (Salm-Dyck) Haw. var. triebnerii Resende (1982. Bayer. New Haworthia Handb. 124.)  
 Haworthia reinwardtii (Salm-Dyck) Haw. var. valida G.G.Sm. (1982. Bayer. New Haworthia Handb. 124.)  
**Haworthia reinwardtii (Salm-Dyck) Haw. var. reinwardtii forma zebrina (G.G.Sm.) M.B.Bayer**  
 Haworthia reinwardtii (Salm-Dyck) Haw. p.p. (PRECIS convention, not of compiler.)  
 Haworthia reinwardtii (Salm-Dyck) Haw. var. reinwardtii p.p. (PRECIS convention, not of compiler.)  
 Haworthia reinwardtii (Salm-Dyck) Haw. var. zebrina G.G.Sm. (2001. Hayashi. Haworthiad 15.)  
**Haworthia reinwardtii (Salm-Dyck) Haw. var. riebeekensis**  
 G.G.Sm. = Haworthia coarctata var. adelaidensis  
**Haworthia reinwardtii (Salm-Dyck) Haw. var. tenuis** G.G.Sm. = Haworthia coarctata var. tenuis  
**Haworthia reinwardtii (Salm-Dyck) Haw. var. triebnerii**  
 Resende = Haworthia reinwardtii var. reinwardtii forma reinwardtii  
**Haworthia reinwardtii (Salm-Dyck) Haw. var. valida** G.G.Sm. = Haworthia reinwardtii var. reinwardtii forma reinwardtii  
**Haworthia reinwardtii (Salm-Dyck) Haw. var. zebrina**  
 G.G.Sm. = Haworthia reinwardtii var. reinwardtii forma zebrina  
**Haworthia reticulata (Haw.) Haw.** = Haworthia reticulata var. attenuata, Haworthia reticulata var. hurlingii, Haworthia reticulata var. reticulata, Haworthia reticulata var. subregularis  
**Haworthia reticulata (Haw.) Haw. var. acuminata** Poelln. = Haworthia reticulata var. reticulata  
**Haworthia reticulata (Haw.) Haw. var. attenuata** M.B.Bayer  
 Haworthia reticulata (Haw.) Haw. p.p. (PRECIS convention, not of compiler.)  
**Haworthia reticulata (Haw.) Haw. var. hurlingii (Poelln.) M.B.Bayer**  
 Haworthia hurlingii Poelln. (1982. Bayer. New Haworthia Handb.)  
 Haworthia reticulata (Haw.) Haw. p.p. (PRECIS convention, not of compiler.)  
**Haworthia reticulata (Haw.) Haw. var. reticulata**  
 Aloe herbacea DC. (2000. Glen & Hardy. FSA 5:1-167.)  
 Aloe pumilio Jacq. (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent plants: Monocots.)  
 Aloe reticulata Haw. (2000. Glen & Hardy. FSA 5:1-167.)  
 Haworthia guttata Uitewaal (1999. Bayer. Haworthia revisited.)  
 Haworthia hurlingii Poelln. var. ambigua Triebner & Poelln. (1976. Bayer. Haworthia Handb. 184.)  
 Haworthia reticulata (Haw.) Haw. p.p. (PRECIS convention, not of compiler.)  
 Haworthia reticulata (Haw.) Haw. var. acuminata Poelln. (1982. Bayer. New Haworthia Handb. 124.)  
**Haworthia reticulata (Haw.) Haw. var. subregularis (Baker) Pilbeam**  
 Haworthia haageana Poelln. (1999. Bayer. Haworthia revisited.)  
 Haworthia haageana Poelln. var. subreticulata Poelln. (1998. Breuer. The world of Haworthia 1.)  
 Haworthia reticulata (Haw.) Haw. p.p. (PRECIS convention, not of compiler.)  
 Haworthia subregularis Baker (1999. Bayer. Haworthia revisited.)  
**Haworthia retusa (L.) Duval** = Haworthia retusa var. quimutica, Haworthia retusa var. retusa  
**Haworthia retusa (L.) Duval forma acuminata** M.B.Bayer = Haworthia magnifica var. acuminata  
**Haworthia retusa (L.) Duval forma argenteo-maculosa** (G.G.Sm.) M.B.Bayer = Haworthia  
**Haworthia retusa (L.) Duval var. acuminata** M.B.Bayer = Haworthia magnifica var. acuminata  
**Haworthia retusa (L.) Duval forma argenteo-maculos** (G.G.Sm.) M.B.Bayer = Haworthia magnifica var.

*dekenahii*, *Haworthia pygmaea* var. *argenteo-maculosa*  
*Haworthia retusa* (L.) Duval var. *acuminata* M.B.Bayer =  
*Haworthia magnifica* var. *acuminate*  
*Haworthia retusa* (L.) Duval var. *dekenahii* (G.G.Sm.)  
*M.B.Bayer* = *Haworthia magnifica* var. *dekenahii*  
*Haworthia retusa* (L.) Duval var. *densiflora* G.G.Sm. =  
*Haworthia retusa* var. *retusa*  
*Haworthia retusa* (L.) Duval var. *multilineata* G.G.Sm. =  
*Haworthia retusa* var. *retusa*  
*Haworthia retusa* (L.) Duval var. *quimutica* M.Hayashi  
*Haworthia retusa* (L.) Duval p.p. (PRECIS convention, not of compiler.)  
**Haworthia retusa** (L.) Duval var. *retusa*  
*Aloe retusa* L. (2000. Glen & Hardy. FSA 5:1-167.)  
*Haworthia fouschii* Poelln. (1982. Bayer. New Haworthia Handb.)  
*Haworthia retusa* (L.) Duval p.p. (PRECIS convention, not of compiler.)  
*Haworthia retusa* (L.) Duval var. *densiflora* G.G.Sm. (1982. Bayer. New Haworthia Handb. 124.)  
*Haworthia retusa* (L.) Duval var. *multilineata* G.G.Sm. (1982. Bayer. New Haworthia Handb. 124.)  
*Haworthia retusa* (L.) Duval var. *solitaria* G.G.Sm. (1982. Bayer. New Haworthia Handb. 124.)  
**Haworthia retusa** (L.) Duval var. *solitaria* G.G.Sm. =  
*Haworthia retusa* var. *retusa*  
**Haworthia rossouwii** Poelln. = *Haworthia mirabilis* var. *triebneriana*  
*Haworthia rubriflora* (L.Bolus) Parr = *Astroloba rubriflora*  
*Haworthia rycroftiana* M.B.Bayer = *Haworthia integra* var. *integra*  
*Haworthia ryneveldii* Poelln. = *Haworthia nigra* var. *nigra*  
*Haworthia scabra* Haw. = *Haworthia scabra* var. *johannii*,  
*Haworthia scabra* var. *lateganiae*, *Haworthia scabra* var.  
*morrisiae*, *Haworthia scabra* var. *scabra*, *Haworthia*  
*scabra* var. *starkiana*  
**Haworthia scabra** Haw. var. *johannii* M.Hayashi  
*Haworthia scabra* Haw. p.p. (PRECIS convention, not of compiler.)  
**Haworthia scabra** Haw. var. *lateganiae* (Poelln.) M.B.Bayer  
*Haworthia lateganiae* Poelln. (1999. Bayer. Haworthia revisited.)  
*Haworthia scabra* Haw. p.p. (PRECIS convention, not of compiler.)  
*Haworthia starkiana* Poelln. var. *lateganiae* (Poelln.)  
*M.B.Bayer* (1999. Bayer. Haworthia revisited.)  
**Haworthia scabra** Haw. var. *morrisiae* (Poelln.) M.B.Bayer  
*Haworthia morrisiae* Poelln. (1976. Bayer. Haworthia Handb.)  
*Haworthia scabra* Haw. p.p. (PRECIS convention, not of compiler.)  
**Haworthia scabra** Haw. var. *scabra*  
*Aloe scabra* (Haw.) Schult. & J.H.Schult. (2000. Glen & Hardy. FSA 5:1-167.)  
*Haworthia scabra* Haw. p.p. (PRECIS convention, not of compiler.)  
*Haworthia tuberculata* Poelln. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia tuberculata* Poelln. var. *acuminata* Poelln. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia tuberculata* Poelln. var. *angustata* Poelln. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia tuberculata* Poelln. var. *subexpansa* Poelln. (1976. Bayer. Haworthia Handb. 184.)  
*Haworthia tuberculata* Poelln. var. *sublaevis* Poelln. (1976. Bayer. Haworthia Handb. 184.)  
**Haworthia scabra** Haw. var. *starkiana* (Poelln.) M.B.Bayer  
*Haworthia scabra* Haw. p.p. (PRECIS convention, not of compiler.)  
*Haworthia smitii* Poelln. (1999. Bayer. Haworthia revisited.)  
*Haworthia starkiana* Poelln. (1999. Bayer. Haworthia revisited.)  
**Haworthia schmidtiana** G.G.Sm. = *Haworthia nortieri* var. *nortieri*  
**Haworthia schmidtiana** G.G.Sm. var. *gifbergensis* G.G.Sm. =  
*Haworthia nortieri* var. *nortieri*  
**Haworthia schmidtiana** Poelln. = *Haworthia nigra* var. *nigra*  
**Haworthia schmidtiana** Poelln. var. *angustata* Poelln. =  
*Haworthia nigra* var. *nigra*  
**Haworthia schmidtiana** Poelln. var. *diversifolia* Poelln. =  
*Haworthia nigra* var. *diversifolia*  
**Haworthia schmidtiana** Poelln. var. *diversifolia* Poelln. forma  
*nana* Poelln. = *Haworthia nigra* var. *diversifolia*  
**Haworthia schmidtiana** Poelln. var. *elongata* Poelln. =  
*Haworthia nigra* var. *nigra*  
**Haworthia schmidtiana** Poelln. var. *pusilla* Poelln. =  
*Haworthia nigra* var. *nigra*  
**Haworthia schmidtiana** Poelln. var. *suberectata* Poelln. =  
*Haworthia nigra* var. *nigra*  
**Haworthia schoemanii** M.Hayashi  
**Haworthia schuldtiana** Poelln. = *Haworthia maraisii* var. *maraisii*  
**Haworthia schuldtiana** Poelln. var. *erecta* Triebner & Poelln.  
= *Haworthia maraisii* var. *notabilis*  
**Haworthia schuldtiana** Poelln. var. *maculata* Poelln. =  
*Haworthia maculata* var. *maculata*  
**Haworthia schuldtiana** Poelln. var. *major* G.G.Sm. =  
*Haworthia emelyae* var. *major*  
**Haworthia schuldtiana** Poelln. var. *minor* Triebner & Poelln.  
= *Haworthia maraisii* var. *maraisii*  
**Haworthia schuldtiana** Poelln. var. *robertsonensis* Poelln. =  
*Haworthia maraisii* var. *maraisii*  
**Haworthia schuldtiana** Poelln. var. *simplicior* Poelln. =  
*Haworthia maraisii* var. *maraisii*  
**Haworthia schuldtiana** Poelln. var. *sublaevis* Poelln. =  
*Haworthia maraisii* var. *maraisii*  
**Haworthia schuldtiana** Poelln. var. *subtuberculata* Poelln. =  
*Haworthia maraisii* var. *maraisii*  
**Haworthia schuldtiana** Poelln. var. *unilineata* Poelln. =  
*Haworthia maraisii* var. *maraisii*  
**Haworthia scottii** Breuer  
*Haworthia semiglabrata* Haw. = *Haworthia maxima*  
*Haworthia semiviva* (Poelln.) M.B.Bayer  
*Haworthia serrata* M.B.Bayer  
*Haworthia setata* Haw. = *Haworthia arachnoidea* var. *setata*  
*Haworthia setata* Haw. var. *major* Haw. = *Haworthia arachnoidea* var. *setata*  
*Haworthia setata* Haw. var. *media* Haw. = *Haworthia arachnoidea* var. *setata*  
*Haworthia setata* Haw. var. *nigricans* Haw. = *Haworthia arachnoidea* var. *nigricans*  
*Haworthia setata* Haw. var. *subinermis* Poelln. = *Haworthia aristata*  
*Haworthia smitii* Poelln. = *Haworthia scabra* var. *starkiana*  
**Haworthia sordida** Haw. = *Haworthia sordida* var. *lavranii*,  
*Haworthia sordida* var. *sordida*  
**Haworthia sordida** Haw. var. *lavranii* C.L.Scott  
*Haworthia sordida* Haw. p.p. (PRECIS convention, not of compiler.)  
**Haworthia sordida** Haw. var. *sordida*  
*Aloe sordida* (Haw.) Schult. & J.H.Schult. (2000. Glen & Hardy. FSA 5:1-167.)  
*Haworthia agavoidea* Zantner & Poelln. (2001. Rowley & Ed. Eggi. Illustrated handbook of succulent plants: Monocots.)  
*Haworthia sordida* Haw. p.p. (PRECIS convention, not of compiler.)  
**Haworthia spiralis** (L.) Duval = *Astroloba spiralis*  
**Haworthia spirella** Haw. = *Astroloba spiralis*  
**Haworthia springbokvlakensis** C.L.Scott  
**Haworthia starkiana** Poelln. = *Haworthia scabra* var. *starkiana*  
**Haworthia starkiana** Poelln. var. *lateganiae* (Poelln.)  
*M.B.Bayer* = *Haworthia scabra* var. *lateganiae*  
**Haworthia stayneri** Poelln. = *Haworthia cooperi* var. *pilifera*  
**Haworthia stayneri** Poelln. var. *salina* Poelln. = *Haworthia cooperi* var. *pilifera*  
*Haworthia stenophylla* Baker = *Chortolirion angolense*  
*Haworthia subfasciata* (Salm-Dyck) Baker = *Haworthia fasciata*  
*Haworthia sublimpidula* Poelln. = *Haworthia maraisii* var. *maraisii*  
*Haworthia submaculata* Poelln. = *Haworthia herbacea* var. *herbacea*  
*Haworthia subregularis* Baker = *Haworthia reticulata* var. *subregularis* *Haworthia subspicata* Baker = *Chortolirion angolense*  
*Haworthia tenera* Poelln. = *Haworthia cooperi* var. *tenera*

- Haworthia tenuifolia Engl.** = *Chortolirion angolense*  
**Haworthia tessellata Haw.** = *Haworthia venosa* subsp.  
 tessellata  
**Haworthia tessellata Haw. var. coriacea Resende & Poelln.** =  
*Haworthia venosa* subsp. tessellata  
**Haworthia tessellata Haw. var. coriacea Resende & Poelln.**  
 forma brevior Resende & Poelln. = *Haworthia venosa*  
 subsp. tessellata  
**Haworthia tessellata Haw. var. coriacea Resende & Poelln.**  
 forma longior Resende & Poelln. = *Haworthia venosa*  
 subsp. tessellata  
**Haworthia tessellata Haw. var. elongata Woerden** =  
*Haworthia venosa* subsp. tessellata  
**Haworthia tessellata Haw. var. inflexa Baker** = *Haworthia*  
*venosa* subsp. tessellata  
**Haworthia tessellata Haw. var. luisieri Resende & Poelln.** =  
*Haworthia venosa* subsp. tessellata  
**Haworthia tessellata Haw. var. obesa Resende & Poelln.** =  
*Haworthia venosa* subsp. tessellata  
**Haworthia tessellata Haw. var. palhinhae Resende & Poelln.** =  
*Haworthia venosa* subsp. tessellata  
**Haworthia tessellata Haw. var. parva (Schult. & J.H.Schult.)**  
 Baker = *Haworthia venosa* subsp. tessellata  
**Haworthia tessellata Haw. var. parva (Schult. & J.H.Schult.)**  
 Baker forma major J.R.Br. = *Haworthia venosa* subsp.  
 tessellata  
**Haworthia tessellata Haw. var. simplex Resende & Poelln.** =  
*Haworthia venosa* subsp. tessellata  
**Haworthia tessellata Haw. var. stephaniana Resende & Poelln.** =  
*Haworthia venosa* subsp. tessellata  
**Haworthia tessellata Haw. var. tuberculata Poelln.** =  
*Haworthia venosa* subsp. tessellata  
**Haworthia tessellata Haw. var. velutina Resende & Poelln.** =  
*Haworthia venosa* subsp. tessellata  
**Haworthia torquata Haw.** = *Haworthia viscosa* var. *viscosa*  
**Haworthia tortuosa (Haw.) Haw.** = *Haworthia viscosa* var.  
 viscosa  
**Haworthia tradouwensis Breuer**  
**Haworthia transiens (Poelln.) M.B.Bayer**  
*Haworthia cymbiformis* (Haw.) Duval var. *brevifolia* Poelln.  
 (2002. Bayer. Haworthiad 16:62-71.)  
*Haworthia cymbiformis* (Haw.) Duval var. *multifolia* Triebner  
 (2002. Bayer. Haworthiad 16:62-71.)  
*Haworthia cymbiformis* (Haw.) Duval var. *transiens* (Poelln.)  
 M.B.Bayer (2002. Bayer. Haworthiad 16:62-71.)  
*Haworthia cymbiformis* (Haw.) Duval var. *translucens*  
 Triebner  
 & Poelln. (2002. Bayer. Haworthiad 16:62-71.)  
*Haworthia planifolia* Haw. var. *transiens* Poelln. (2002. Bayer.  
 Haworthiad 16:62-71.)  
**Haworthia translucens (Aiton f.) Haw.** = *Haworthia cooperi*  
 var. tenera  
**Haworthia translucens (Aiton f.) Haw. subsp. tenera (Poelln.)**  
 M.B.Bayer = *Haworthia cooperi* var. tenera  
**Haworthia translucens (Aiton f.) Haw. subsp. tenera (Poelln.)**  
 M.B.Bayer = *Haworthia cooperi* var. tenera  
**Haworthia translucens Haw.** = *Haworthia herbacea* var.  
 herbacea  
**Haworthia translucens Haw. subsp. translucens** = *Haworthia*  
*herbacea* var. herbacea  
**Haworthia tretyrensis Breuer**  
**Haworthia triebneriana Poelln.** = *Haworthia mirabilis* var.  
 triebneriana  
**Haworthia triebneriana Poelln. var. diversicolor Triebner &**  
 Poelln. = *Haworthia maraisii* var. *maraisii*  
**Haworthia triebneriana Poelln. var. multituberculata Poelln.** =  
*Haworthia mirabilis* var. *triebneriana*  
**Haworthia triebneriana Poelln. var. napiereensis Triebner &**  
 Poelln. = *Haworthia mirabilis* var. *triebneriana*  
**Haworthia triebneriana Poelln. var. pulchra Poelln.** =  
*Haworthia mirabilis* var. *triebneriana*  
**Haworthia triebneriana Poelln. var. rubrodentata Triebner &**  
 Poelln. = *Haworthia mirabilis* var. *triebneriana*  
**Haworthia triebneriana Poelln. var. sublineata Poelln.** =  
*Haworthia mirabilis* var. *sublineata*  
**Haworthia triebneriana Poelln. var. subtuberculata Poelln.** =  
*Haworthia mirabilis* var. *triebneriana*  
**Haworthia triebneriana Poelln. var. turgida Triebner** =
- Haworthia mirabilis* var. *triebneriana*  
*Haworthia truncata Schonland* = *Haworthia truncata* var.  
 maughanii, *Haworthia truncata* var. minor, *Haworthia*  
 truncata var. truncata  
*Haworthia truncata Schonland* forma crassa Poelln. =  
*Haworthia truncata* var. truncata  
*Haworthia truncata Schonland* forma tenuis Poelln. =  
*Haworthia truncata* var. truncata  
*Haworthia truncata Schonland* var. maughanii (Poelln.)  
**B.Fearn**  
*Haworthia maughanii* Poelln. (1999. Bayer. *Haworthia*  
 revisited.)  
*Haworthia truncata Schonland* p.p. (PRECIS convention, not  
 of compiler.)  
**Haworthia truncata Schonland** var. minor Breuer  
**Haworthia truncata Schonland** var. truncata  
*Haworthia truncata Schonland* forma crassa Poelln. (1982.  
 Bayer. New *Haworthia* Handb. 124.)  
*Haworthia truncata Schonland* forma tenuis Poelln. (1982.  
 Bayer. New *Haworthia* Handb. 124.)  
*Haworthia truncata Schonland* p.p. (PRECIS convention, not  
 of compiler.)  
**Haworthia tuberculata Poelln.** = *Haworthia scabra* var. *scabra*  
**Haworthia tuberculata Poelln.** var. *acuminata* Poelln. =  
*Haworthia scabra* var. *scabra*  
**Haworthia tuberculata Poelln.** var. *subexpansa* Poelln. =  
*Haworthia scabra* var. *scabra*  
**Haworthia tuberculata Poelln.** var. *sublaevis* Poelln. =  
*Haworthia scabra* var. *scabra*  
*Haworthia turgida* Haw. = *Haworthia turgida* var.  
 longibracteata, *Haworthia turgida* var. subrecta,  
*Haworthia turgida* var. turgida  
**Haworthia turgida** Haw. var. longibracteata (G.G.Sm.)  
**M.B.Bayer**  
*Haworthia longibracteata* G.G.Sm. (1999. Bayer. *Haworthia*  
 revisited.)  
*Haworthia turgida* Haw. p.p. (PRECIS convention, not of  
 compiler.)  
**Haworthia turgida** Haw. var. pallidifolia G.G.Sm. =  
*Haworthia turgida* var. subrecta  
**Haworthia turgida** Haw. var. subrecta Poelln.  
*Haworthia turgida* Haw. p.p. (PRECIS convention, not of  
 compiler.)  
*Haworthia turgida* Haw. var. pallidifolia G.G.Sm. (1999.  
 Bayer. *Haworthia* revisited.)  
*Haworthia turgida* Haw. var. subtuberculata Poelln. (1999.  
 Bayer. *Haworthia* revisited.)  
**Haworthia turgida** Haw. var. subtuberculata Poelln.  
 =*Haworthia turgida* var. subrecta  
**Haworthia turgida** Haw. var. turgida  
*Aloe laetevirens* (Haw.) Link (2000. Glen & Hardy. FSA 5:1-  
 167.)  
*Aloe turgida* (Haw.) Schult. & J.H.Schult. (2000. Glen &  
 Hardy. FSA 5:1-167.)  
*Haworthia caespitosa* Poelln. (2001. Rowley & Ed. Eggli.  
 Illustrated handbook of succulent plants: Monocots.)  
*Haworthia caespitosa* Poelln. forma subplana Poelln. (2001.  
 Rowley & Ed. Eggli. Illustrated handbook of succulent plants:  
 Monocots.)  
*Haworthia caespitosa* Poelln. forma subproliferans Poelln.  
 (2001. Rowley & Ed. Eggli. Illustrated handbook of succulent  
 plants: Monocots.)  
*Haworthia laetevirens* Haw. (2000. Glen & Hardy. FSA 5:1-  
 167.)  
*Haworthia turgida* Haw. p.p. (PRECIS convention, not of  
 compiler.)  
**Haworthia ubomboensis I.Verdi** = *Haworthia limifolia* var.  
 ubomboensis  
**Haworthia umbraticola Poelln.** = *Haworthia cymbiformis* var.  
 obtusa  
**Haworthia unicolor Poelln.** = *Haworthia mucronata* var.  
 mucronata  
**Haworthia unicolor Poelln.** var. helmiae Bayer = *Haworthia*  
*mucronata* var. *mucronata*  
**Haworthia unicolor Poelln.** var. venteri Bayer = *Haworthia*  
*arachnoidea* var. *nigricans*

- Haworthia variegata L.Bolus** = **Haworthia variegata var. hemicrypta**, **Haworthia variegata var. modesta**, **Haworthia variegata var. petrophila**, **Haworthia variegata var. variegata**
- Haworthia variegata L.Bolus var. hemicrypta M.B.Bayer**  
Haworthia variegata L.Bolus p.p. (PRECIS convention, not of compiler.)
- Haworthia variegata L.Bolus var. modesta M.B.Bayer**
- Haworthia variegata L.Bolus var. petrophila M.B.Bayer**  
Haworthia variegata L.Bolus p.p. (PRECIS convention, not of compiler.)
- Haworthia variegata L.Bolus var. variegata**  
Haworthia variegata L.Bolus p.p. (PRECIS convention, not of compiler.)
- Haworthia venosa (Lam.) Haw.** = **Haworthia venosa subsp. granulata**, **Haworthia venosa subsp. tessellata**, **Haworthia venosa subsp. venosa**, **Haworthia venosa subsp. Woolleyi**
- Haworthia venosa (Lam.) Haw. subsp. granulata (Marloth M.B.Bayer)**  
Haworthia granulata Marloth (1976. Bayer. Haworthia Handb.)  
Haworthia venosa (Lam.) Haw. p.p. (PRECIS convention, not of compiler.)
- Haworthia venosa (Lam.) Haw. subsp. tessellata (Haw. M.B.Bayer)**  
Aloe parva (Haw.) Schult. & J.H.Schult. (2000. Glen & Hardy. FSA 5:1-167.)  
Aloe tessellata (Haw.) Schult. & J.H.Schult. (2000. Glen & Hardy. FSA 5:1-167.)  
Haworthia engleri Dinter (1982. Bayer. New Haworthia Handb. 124.)  
Haworthia minutissima Poelln. (1982. Bayer. New Haworthia Handb. 124.)  
Haworthia parva Haw. (1982. Bayer. New Haworthia Handb. 124.)  
Haworthia pseudotessellata Poelln. (1982. Bayer. New Haworthia Handb. 124.)  
Haworthia tessellata Haw. (1982. Bayer. New Haworthia Handb. 124.)  
Haworthia tessellata Haw. var. parva (Schult. & J.H.Schult. Baker (PRECIS convention, not of compiler.)  
Haworthia tessellata Haw. var. coriacea Resende & Poelln. (1982. Bayer. New Haworthia Handb. 124.)  
Haworthia tessellata Haw. var. coriacea Resende & Poelln. forma brevior Resende & Poelln. (1982. Bayer. New Haworthia Handb. 124.)  
Haworthia tessellata Haw. var. coriacea Resende & Poelln. forma longior Resende & Poelln. (1982. Bayer. New Haworthia Handb. 124.)  
Haworthia tessellata Haw. var. elongata Woerden (1982. Bayer. New Haworthia Handb. 124.)  
Haworthia tessellata Haw. var. inflexa Baker (1982. Bayer. New Haworthia Handb. 124.)  
Haworthia tessellata Haw. var. luisieri Resende & Poelln. (1982. Bayer. New Haworthia Handb. 124.)  
Haworthia tessellata Haw. var. obesa Resende & Poelln. (1982. Bayer. New Haworthia Handb. 124.)  
Haworthia tessellata Haw. var. palhinhae Resende & Poelln. (1982. Bayer. New Haworthia Handb. 124.)  
Haworthia tessellata Haw. var. parva (Schult. & J.H.Schult. Baker forma major J.R.Br. (2000. Glen & Hardy. FSA 5:1-167.)  
Haworthia tessellata Haw. var. simplex Resende & Poelln. (1982. Bayer. New Haworthia Handb. 124.)  
Haworthia tessellata Haw. var. stephaniana Resende & Poelln. (1982. Bayer. New Haworthia Handb. 124.)  
Haworthia tessellata Haw. var. tuberculata Poelln. (1982. Bayer. New Haworthia Handb. 124.)  
Haworthia tessellata Haw. var. velutina Resende & Poelln. (1982. Bayer. New Haworthia Handb. 124.)  
Haworthia venosa (Lam.) Haw. p.p. (PRECIS convention, not of compiler.)
- Haworthia venosa (Lam.) Haw. subsp. venosa**  
Aloe recurva Haw. (2000. Glen & Hardy. FSA 5:1-167.)  
Aloe tricolor Haw. (2000. Glen & Hardy. FSA 5:1-167.)  
Aloe venosa Lam. (2000. Glen & Hardy. FSA 5:1-167.)  
Haworthia distincta N.E.Br. (1982. Bayer. New Haworthia Handb. 124.)
- Haworthia recurva (Haw.) Haw. (2000. Glen & Hardy. FSA 5:1-167.)  
Haworthia venosa (Lam.) Haw. p.p. (PRECIS convention, not of compiler.)  
Haworthia venosa (Lam.) Haw. var. oertendahlii Hjelmq. (1982. Bayer. New Haworthia Handb. 124.)
- Haworthia venosa (Lam.) Haw. subsp. woolleyi (Poelln.) Halda**  
Haworthia venosa (Lam.) Haw. p.p. (PRECIS convention, not of compiler.)  
Haworthia woolleyi Poelln. (1999. Bayer. Haworthia revisited.)
- Haworthia venosa (Lam.) Haw. var. oertendahlii Hjelmq.**  
**Haworthia venosa subsp. Venosa**
- Haworthia venteri Poelln.** = **Haworthia arachnoidea var. nigricans**
- Haworthia venusta C.L.Scott** = **Haworthia cooperi var. venusta**
- Haworthia virella (M.B.Bayer) M.Hayashi**  
Haworthia decipiens Poelln. var. virella M.B.Bayer (2003. Hayashi. Haworthia Study 9.)
- Haworthia virescens Haw.** = **Haworthia marginata**
- Haworthia virescens Haw. var. minor Haw.** = **Haworthia marginata**
- Haworthia viscosa (L.) Haw.** = **Haworthia viscosa var. variabilis**, **Haworthia viscosa var. viscosa**
- Haworthia viscosa (L.) Haw. subsp. dereki-clarki Halda** = **Haworthia viscosa var. viscosa**
- Haworthia viscosa (L.) Haw. var. caespitosa Poelln.** = **Haworthia viscosa var. viscosa**
- Haworthia viscosa (L.) Haw. var. concinna (Schult. & J.H.Schult.) Baker** = **Haworthia viscosa var. viscosa**
- Haworthia viscosa (L.) Haw. var. cougaensis G.G.Sm.** = **Haworthia viscosa var. viscosa**
- Haworthia viscosa (L.) Haw. var. indurata (Haw.) Baker** = **Haworthia viscosa var. viscosa**
- Haworthia viscosa (L.) Haw. var. major Haw.** = **Haworthia viscosa var. viscosa**
- Haworthia viscosa (L.) Haw. var. minor Haw.** = **Haworthia viscosa var. viscosa**
- Haworthia viscosa (L.) Haw. var. parvifolia Haw.** = **Haworthia viscosa var. viscosa**
- Haworthia viscosa (L.) Haw. var. pseudotortuosa (Salm-Dyck) Baker** = **Haworthia viscosa var. viscosa**
- Haworthia viscosa (L.) Haw. var. quaggaensis G.G.Sm.** = **Haworthia viscosa var. viscosa**
- Haworthia viscosa (L.) Haw. var. subobtusa Poelln.** = **Haworthia viscosa var. viscosa**
- Haworthia viscosa (L.) Haw. var. torquata (Salm-Dyck) Baker** = **Haworthia viscosa var. viscosa**
- Haworthia viscosa (L.) Haw. var. variabilis Breuer** [LC]  
Haworthia viscosa (L.) Haw. p.p. (PRECIS convention, not of compiler.)
- Haworthia viscosa (L.) Haw. var. viridissima G.G.Sm.** = **Haworthia viscosa var. viscosa**
- Haworthia viscosa (L.) Haw. var. viscosa**  
Aloe asperiuscula (Haw.) Schult. & J.H.Schult. (2000. Glen & Hardy. FSA 5:1-167.)  
Aloe concinna (Haw.) Schult. & J.H.Schult. (2000. Glen & Hardy. FSA 5:1-167.)  
Aloe cordifolia (Haw.) Schult. & J.H.Schult. (2000. Glen & Hardy. FSA 5:1-167.)  
Aloe indurata Schult. & J.H.Schult. (2000. Glen & Hardy. FSA 5:1-167.)  
Aloe pseudotortuosa Salm-Dyck (2000. Glen & Hardy. FSA 5:1-167.)  
Aloe subtortuosa Schult. & J.H.Schult. (2000. Glen & Hardy. FSA 5:1-167.)  
Aloe tortuosa Haw. (1976. Bayer. Haworthia Handb. 184.)  
Aloe triangularis Medik. (1998. Breuer. The world of Haworthia 1.)  
Aloe viscosa L. (2000. Glen & Hardy. FSA 5:1-167.)  
Haworthia asperiuscula Haw. (2000. Glen & Hardy. FSA 5:1-167.)  
Haworthia asperiuscula Haw. var. patagiata G.G.Sm. (1976. Bayer. Haworthia Handb. 184.)  
Haworthia asperiuscula Haw. var. subintegra G.G.Sm. (1976.

Bayer. Haworthia Handb. 184.)  
Haworthia beanii G.G.Sm. (2001. Rowley & Ed. Eggli.  
Illustrated handbook of succulent plants: Monocots.)  
Haworthia beanii G.G.Sm. var. minor G.G.Sm. (2001. Rowley  
& Ed. Eggli. Illustrated handbook of succulent plants:  
Monocots.)  
Haworthia concinna Haw. (1976. Bayer. Haworthia Handb.  
184.)  
Haworthia cordifolia Haw. (2000. Glen & Hardy. FSA 5:1-  
167.)  
Haworthia indurata Haw. (1976. Bayer. Haworthia Handb.  
184.)  
Haworthia torquata Haw. (1976. Bayer. Haworthia Handb.  
184.)  
Haworthia tortuosa (Haw.) Haw. (2001. Rowley & Ed. Eggli.  
Illustrated handbook of succulent plants: Monocots.)  
Haworthia viscosa (L.) Haw. p.p. (PRECIS convention, not of  
compiler.)  
Haworthia viscosa (L.) Haw. subsp. dereki-clarki Halda (1999.  
Bayer. Haworthia revisited.)  
Haworthia viscosa (L.) Haw. var. caespitosa Poelln. (1976.  
Bayer. Haworthia Handb. 184.)  
Haworthia viscosa (L.) Haw. var. concinna (Schult. &  
J.H.Schult.) Baker (2000. Glen & Hardy. FSA 5:1-167.)  
Haworthia viscosa (L.) Haw. var. cougaensis G.G.Sm. (1976.  
Bayer. Haworthia Handb. 184.)  
Haworthia viscosa (L.) Haw. var. indurata (Haw.) Baker  
(2000. Glen & Hardy. FSA 5:1-167.)  
Haworthia viscosa (L.) Haw. var. major Haw. (1976. Bayer.  
Haworthia Handb. 184.)  
Haworthia viscosa (L.) Haw. var. minor Haw. (1976. Bayer.  
Haworthia Handb. 184.)  
Haworthia viscosa (L.) Haw. var. parvifolia Haw. (1976.  
Bayer.  
Haworthia Handb. 184.)  
Haworthia viscosa (L.) Haw. var. pseudotortuosa (Salm-Dyck)  
Baker (2000. Glen & Hardy. FSA 5:1-167.)  
Haworthia viscosa (L.) Haw. var. quaggaensis G.G.Sm. (1982.  
Bayer. New Haworthia Handb. 124.)  
Haworthia viscosa (L.) Haw. var. subobtusa Poelln. (1976.  
Bayer. Haworthia Handb. 184.)  
Haworthia viscosa (L.) Haw. var. torquata (Salm-Dyck) Baker  
(2000. Glen & Hardy. FSA 5:1-167.)  
Haworthia viscosa (L.) Haw. var. viridissima G.G.Sm. (2001.  
Rowley & Ed. Eggli. Illustrated handbook of succulent plants:  
Monocots.)

**Haworthia vittata Baker = Haworthia cooperi var. cooperi**

**Haworthia vlokii M.B.Bayer**

**Haworthia whitesloaneana Poelln. = Haworthia maraisii var.  
maraisii**

**Haworthia willowmorensis Poelln. = Haworthia mirabilis var.  
triebneriana**

**Haworthia willowmorensis sensu C.L.Scott = Haworthia  
bayeri**

**Haworthia wittebergensis W.F.Barker**

**Haworthia woolleyi Poelln. = Haworthia venosa subsp.  
woolleyi**

**Haworthia xiphiophylla Baker = Haworthia decipiens var.  
xiphiophylla**

**Haworthia zantneriana Poelln. = Haworthia zantneriana var.  
minor, Haworthia zantneriana var. zantneriana**

**Haworthia zantneriana Poelln. var. minor M.B.Bayer**  
Haworthia zantneriana Poelln. p.p. (PRECIS convention, not  
of compiler.)

**Haworthia zantneriana Poelln. var. zantneriana**  
Haworthia zantneriana Poelln. p.p. (PRECIS convention, not  
of compiler.)

**Haworthia zenigata M.Hayash**

**Editor's Note**

This list, extracted from the SANBI web site, gives the species in alphabetical order.

For further information please access the site:

**<http://posa.sanbi.org/searchspp.php>**

where further information will be found in the list such as the altitude at which the species grows plus various buttons ("T" for floristic information, "en" for Red Data details, "SIBIS" for integrated biodiversity information, "LC" least concern details etc.) which can be click to access additional details.

Enjoy the experience.

# Generic Concepts in the Alooideae Part 3 - The Phylogenetic Story

Gordon. D. Rowley

Much murky water has flowed under the taxonomic bridge since I looked at the problem of classifying genera of the *Aloe* complex in 1976. Numerical taxonomy has been replaced by phylogenetic taxonomy; we now consult the recipe for life before viewing the end products. Even the offending name *Aloineae* has been corrected to *Alooideae* with status as subfamily, and then shunted from Liliaceae to Asphodelaceae, raised to family as *Aloaceae*, and subsequently thrust back into submission as a subfamily of the Australian grass trees *Xanthorrhoeaceae*: an unpopular piece of lumping rejected by many.

The correct type of the genus *Aloe* itself is *A. perfoliata*, designated by Hitchcock in 1929, as confirmed by Stearn in the index to the Ray Society reprint of *Species Plantarum*, not *A. disticha* as stated in the *Illustrated Handbook of Succulent Plants*.

Internally the classification into species has always been difficult, especially among haworthias, and the picture emerged of a group in an active state of evolution, without clear-cut boundaries between some groups of species (Ramdhani 2011). Arrival of DNA sequencing brought new hope, although nobody expected a simple solution. Treutlein et al. (2003) revealed what was long suspected, that the large genera *Haworthia* and *Aloe* were paraphyletic, and now Daru et al. (2013) have come up with a more thorough survey outlining eight recognisable groupings of species that involve the least rearranging of existing concepts. Of two options, uniting everything into one genus *Aloe* would take us back to the days of Salm-Dyck and would hardly find favour even with subgenera and sections to identify the clades. Nevertheless we need a practicable set of names reflecting the new recognition of clades, for which Daru and his colleagues have given excellent foundation and Bayer & Manning (2012) have provided a basic set of names under *Haworthia*, even if not the final word. The alternative, then, is to take up the major clades at generic level - a more practical solution that involves few changes of name in a group comprising around 700 species. A start has already been made by Grace et al. (2013) in resolving the *Aloe* complex by naming *Aloidendron* for the tree aloes *Aloe barberae*, *A. dichotomum*, *A. eminens*, *A. pillansii*, *A. ramosissimum* and *A. tongaense*, and *Aloiampeles* for the scramblers and climbers *A. ciliaris*, *A. commixta*, *A. decumbens*, *A. gracilis*, *A. juddii*, *A. striatula* and *A. tenuior*. In addition they take up the early generic name *Kumara* of Medikus for the single isolated species familiar as *Aloe plicatilis*. Here I am indebted to eagle-eyed Roy Mottram for pointing out that "Grace et al. have made an error in adopting *Kumara disticha* Medik. when *plicatilis* is the obvious priority name at the rank of species." Hence we have:

*Kumara plicatilis* (L.) G.D. Rowley n. comb.

Basionym: *Aloe disticha* var. *plicatilis* L. in *Sp. Plant.* 1: 321. 1753.

Syn: *Aloe plicatilis* (L.) Mill., *Gard. Dict.* ed.8: Aloe no.7. 1768.

*Kumara disticha* Medik., *Theodora speciosa*: 70. 1786. The genus *Chortolirion* has been transferred to *Aloe* and attention now turns to the complex of species centred around *Haworthia*. Whereas the former *Aloe* group has predominantly coloured flowers in shades of red, pink and yellow with few exceptions, favouring bird pollination, the *Haworthia* complex characteristically has smaller, less showy, whitish, two-lipped flowers adapted to bee

pollination, with few exceptions: *Aloe aristata* and *Poellnitzia*, for example. *Haworthia* of old is currently recognisable as made up of two major clades: the "soft-leaved haworthias" comprising Section *Haworthia* and most of the species, and another group of species which includes most of the "hard-leaved haworthias" (section *Hexangularis*) for which the generic name *Haworthiopsis* seems most appropriate here. A third but smaller genus covers most of sections *Robustipedunculares*, *Astroloba*, *Poellnitzia* and a few outcasts of *Haworthia*, for which Rafinesque's generic name *Tulista* of 1840 based on *Aloe pumila* var. *margaritifera* L. (*Haworthia margaritifera* (L.) Haw.) can now be taken up. A list of the necessary name transfers follows.

## KEY

(Watch out for some exceptions - plants do not read keys)

A. Leaves soft and juicy, green or pale green, sometimes spotted, smooth or with fine white bristles, not spine-tipped; inflorescences thin, wiry, flexible, pallid; pedicels distinct; flower base ± triangular; outer tepals free; style curved upwards.....HAWORTHIA

AA. Leaves firm, dark to blackish green, spine-tipped, smooth or white-tubercl; inflorescences stiff, strict; tepals ± united below; flower base ± hexagonal; ± straight...B

B Rosettes sessile or nearly so; flowers bilabiate .....HAWORTHIOPSIS

BB Rosettes sessile or short-stemmed with leaves in 5 spiralling series; flowers actinomorphic with spreading tepal tips (*T. aristata* and *T. rubriflora* with coloured, erect or pendent flowers)..... TULISTA

## ALOE L.

With the genus *Aloe* shorn of its largest members, it has in turn gained some of the smallest grass aloes by integration of the genus *Chortolirion*. In these days of speed and instant online publication we have two competing transfers of the three species. Once again I am indebted to Roy Mottram for verifying that the names provided by Grace et al. appeared online on January 7, 2013, ahead of those of Daru et al. on February 20, so the outcome today is as follows:-

*Aloe subspicata* (Baker) Boatwr. & J.C. Manning

Syn. *Haworthia angolensis* Baker non *Aloe angolensis* Baker; *Aloe welwitschii* Klopper & Gideon F. Sm.; *Haworthia subspicata* Baker; *Chortolirion angolense* (Baker) A. Berger.

*Aloe barendii* Klopper & Gideon F. Sm.

Syn. *Haworthia tenuifolia* Engler non *Aloe tenuifolia* Lam. non *Aloe tenuifolia* Boatwr. & J.C. Manning; *Chortolirion tenuifolium* A. Berger.

*Aloe jeppeae* Klopper & Gideon F. Sm.

Syn. *Chortolirion latifolium* Zonn. & Fritz non *Aloe latifolia* Haw.; *Aloe aestivalis* Boatwr. & J.C. Manning.

## HAWORTHIA Duval

The genus is now limited to the "soft-leaved" species as covered by subgenus *Haworthia* of old, with Linnaeus's *Aloe pumila* var. *arachnoidea* as type. The foliage in rosettes is

mainly in paler shades of green, without conspicuous white tubercles, and the inflorescences are slender, pallid and flexible. The flowers are all two-lipped, whitish and adapted to bee-pollination, with a rounded triangular base, inverted clubshaped tube, and style curving upwards.

**HAWORTHIOPSIS** G.D. Rowley n. gen.

Type: *Haworthia coarctata* Haworth in *Phil. Mag.* 64: 301. 1824. Corresponds with *Haworthia* Sect. *Hexangularis* Uitewaal in *Desert Plant Life* 19(9): 136, 1947. Leaves rigid, entire, dark to blackish green, spine-tipped, ± verrucose; inflorescences robust, strict; flowers with a curved tube and slightly connate tepals, ± hexagonal, bilabiate, decurrent with the pedicel, with a straight style.

*Haworthiopsis attenuata* (Haw.) n. comb.

*Aloe attenuata* Haworth, *Synopsis Plantarum Succulentarum*: 92. 1812.

*Haworthiopsis attenuata* var. *glabrata* (Salm-Dyck) n. comb.

*Aloe glabrata* Salm-Dyck, *Hort. Dyck.*: 325. 1834.

*Haworthiopsis attenuata* var. *radula* (Jacq.) n. comb.

*Aloe radula* Jacq., *Plant. Rar. Horti Caes. Schoenbr.* 4: 11, t.422. 1804.

*Haworthiopsis bruynsii* (M.B. Bayer) n. comb.

*Haworthia bruynsii* M.B. Bayer, *Journal of South African Botany* 47: 789. 1981.

*Haworthiopsis coarctata* (Haw.) n. comb.

*Haworthia coarctata* Haw., *Phil. Mag. & J.* 64: 301. 1824.

*Haworthiopsis coarctata* var. *adelaidensis* (Poelln.) n. comb.

*Haworthia coarctata* var. *adelaidensis* Poelln., *Beitr. z. Sukkulantenk. u. -Pflege* 1940: 43.

*Haworthiopsis coarctata* var. *tenuis* (G.G. Sm.) n. comb.

*Haworthia reinwardtii* var. *tenuis* G.G. Sm., *J. S. Afr. Bot.* 14: 51. 1948.

*Haworthiopsis fasciata* (Willd.) n. comb.

*Apicra fasciata* Willd., *Bemerk. u. Gattung Aloe, Ges. Naturf. Fr. Berlin Mag.* 5: 271. 1811.

*Haworthiopsis glauca* (Baker) n. comb.

*Haworthia glauca* Baker, *J. Linn. Soc. Bot.* 18: 203. 1880.

*Haworthiopsis glauca* var. *herrei* (Poelln.) n. comb.

*Haworthia herrei* Poelln., *Fedde Repert.* 26: 24. 1929.

*Haworthiopsis granulata* (Marl.) n. comb.

*Haworthia granulata* Marl., *Trans. Roy. Soc. S. Afr.* 2: 39. 1910.

*Haworthiopsis limifolia* (Marl.) n. comb.

*Haworthia limifolia* Marl., *Trans. Roy. Soc. S. Afr.* 1: 409, 1908.

*Haworthiopsis limifolia* var. *arcana* (Gideon F. Sm. & N.R. Crouch) n. comb.

*Haworthia limifolia* var. *arcana* Gideon F. Sm. & N.R. Crouch, *Bradleya* 19: 119. 2001.

*Haworthiopsis limifolia* var. *gigantea* (M.B. Bayer) n. comb.

*Haworthia limifolia* var. *gigantea* M.B. Bayer, *J. S. Afr. Bot.* 28: 215. 1962.

*Haworthiopsis limifolia* var. *glaucophylla* (M.B. Bayer) n. comb.

*Haworthia limifolia* var. *glaucophylla* M.B. Bayer in *Haworthia Update* 2: 1. 2006.

*Haworthiopsis limifolia* var. *ubomboensis* (Verd.) n. comb.

*Haworthia ubomboensis* Verd., *Fl. Pl. S. Afr.* 21: t.818. 1941.

*Haworthiopsis longiana* (Poelln.) n. comb.

*Haworthia longiana* Poelln., *Fedde Repert.* 41: 203. 1937.

*Haworthiopsis nigra* (Haw.) n. comb.

*Apicra nigra* Haw., *Phil. Mag. & J.* 64: 302. 1824.

*Haworthiopsis nigra* var. *diversifolia* (Poelln.) n. comb.

*Haworthia diversifolia* Poelln., *Fedde Repert.* 41: 200. 1937.

*Haworthiopsis nigra* var. *elongata* (Poelln.) n. comb.

*Haworthia schmidtiana* var. *elongata* Poelln., *Fedde Repert.* 44: 240. 1938.

*Haworthiopsis reinwardtii* (Salm-Dyck) n. comb.

*Aloe reinwardtii* Salm-Dyck, *Hort. Dyck.* 37. 1821.

*Haworthiopsis reinwardtii* var. *brevicula* (G.G. Sm.) n. comb.

*Haworthia reinwardtii* var. *brevicula* G.G. Sm., *J. S. Afr. Bot.* 10: 11. 1944

*Haworthiopsis scabra* (Haw.) n. comb.

*Haworthia scabra* Haw., *Suppl. Plant. Succ.* 58. 1819.

*Haworthiopsis scabra* var. *lateganiae* (Poelln.) n. comb.

*Haworthia lateganiae* Poelln., *Desert Plant Life* 9: 103. 1937.

*Haworthiopsis scabra* var. *morrisiae* (Poelln.) n. comb.

*Haworthia morrisiae* Poelln., *Kakteenk.* 1937: 132. 1937.

*Haworthiopsis scabra* var. *starkiana* (Poelln.) n. comb.

*Haworthia starkiana* Poelln., *Fedde Repert.* 33: 73. 1933.

*Haworthiopsis sordida* (Haw.) n. comb.

*Haworthia sordida* Haw., *Revis. Plant. Succ.*: 51. 1821.

*Haworthiopsis sordida* var. *lavrani* (C.L. Scott) n. comb.

*Haworthia sordida* var. *lavrani* C.L. Scott, *Cact. Succ. J. (US)* 53: 70. 1981.

*Haworthiopsis tessellata* (Haw.) n. comb.

*Haworthia tessellata* Haw. in *Phi. Mag. & J.* 64: 300. 1824.

*Haworthiopsis venosa* (Lam.) n. comb.

*Aloe venosa* Lam., *Encycl. Meth. Bot.* 1: 89. 1783.

*Haworthiopsis viscosa* (L.) n. comb.

*Aloe viscosa* L., *Sp. Plant.* 1: 322. 1753.

*Haworthiopsis woolleyi* (Poelln.) n. comb.

*Haworthia woolleyi* Poelln., *Fedde Repert.* 42: 269. 1937.

**TULISTA** Raf.

*Autikon Botanikon*: 137. 1840. Type: *T. (Haworthia) margaritifera* (L.) Raf. (*Aloe pumila* var. *margaritifera* L., *Sp. Plant.* 1: 322. 1753. (See Manning, J., *Alsterworthia Int.* 13(1): 6. 2013) Lectotype: Commelin, *Hort. Med. Amst.* 2: 6. 2013.

Stemless or short-stemmed, without visible internodes; leaves spiralled or in 5 twisted series, stiff, ± spine-tipped, mostly entire and verrucose (soft, spotted and with fine bristles and apical awn in *T. aristata*) inflorescence stiffly erect; flowers tubular, straight-tubed with shortly connate

sepals, actinomorphic, ± hexagonal or bilabiate, with included anthers, suberect or pendulous (except *T. aristata* and *T. rubriflora* which have pendulous red flowers).

*Tulista aristata* (Haw.) n. comb.

*Aloe aristata* Haw., *Phil. Mag. & J.* 66: 280. 1825.

*Tulista X bicarinata* (Haw.) n. comb.

Based on *Apicra bicarinata* Haworth in *Plantarum Supplementarum* p.63, 1819. A wild hybrid of *T. corrugata* X *T. pumila*.

*Tulista bullulata* (Jacq.) n. comb.

Based on *Aloe bullulata* Jacquin in *Fragmenta Botanica* p.72 t.109, 1800-1809.

*Tulista congesta* (Salm-Dyck) n. comb.

*Aloe congesta* Salm-Dyck, *Monogr. Aloes et Mesemb. Sect. VI*: t.1. 1854.

*Tulista corrugata* (N.L. Mey. & Gideon F. Sm.) n. comb.

*Astroloba corrugata* N.L. Mey. & Gideon F. Sm., *Bothalia* 28(1): 61. 1998.

*Tulista foliolosa* (Haw.) n. comb.

*Aloe foliolosa* Haw., *Trans. Linn. Soc.* 7: 7. 1804.

*Tulista herrei* (Uitewaal) n. comb.

*Astroloba herrei* Uitewaal, *Desert Plant Life* 20: 37. 1948.

*Tulista kingiana* (Poelln.) n. comb.

*Haworthia kingiana* Poelln., *Cactus J.* 5: 31. 1936.

*Tulista koelmaniorum* (Oberm. & D.S. Hardy) n. comb.

*Haworthia koelmaniorum* Oberm. & D.S. Hardy, *Fl. Pl. Afr.* 38: t.1502. 1967.

*Tulista koelmaniorum* var. *mcmurtryi* (C.L. Scott) n. comb.

*Haworthia mcmurtryi* C.L. Scott, *Cact. Succ. J. (US)* 56: 69. 1984.

*Tulista marginata* (Lam.) n. comb.

*Aloe marginata* Lam., *Encycl. Meth. Bot.* 1: 89. 1783.

*Tulista pumila* (L.) n. comb.

*Aloe pumila* L., *Sp. Plant.* 1: 322. 1783.

*Tulista pungens* (M.B. Bayer) n. comb.

*Haworthia pungens* M.B. Bayer, *Haworthia Revisited*: 188. 1999.

*Tulista rubriflora* (L. Bolus) n. comb.

*Apicra rubriflora* L. Bolus, *Ann. Bolus Herb.* 3: 13. 1920.

*Tulista spiralis* (L.) n. comb.

*Aloe spiralis* L., *Sp. Plant.* 1: 322. 1753.

*Tulista viscosa* (L.) n. comb.

*Aloe viscosa* L., *Sp. Plant.* 1: 322. 1753.

*Tulista* as composed above shows a wider range of features than the other genera, and so is less easy to define briefly. It might even be considered a "dump genus" of left-overs if it were not for the DNA evidence that indicates a common origin for all the species as much as for *Haworthia* and *Haworthiopsis*. Perhaps a closer examination will reveal more characters in common, large or not so large, among the 13 species.

Especial thanks are due to Roy Mottram, whose expertise has forestalled or corrected several errors in this potential nomenclatural minefield.

## REFERENCES

BAYER, M. B. & MANNING, J. C. 2012. *The Haworthia Nomenclator: a list of accepted species with some guidelines for infraspecific names.* Haworthia Society special edition.

BREUER, I. 1998. *The World of Haworthias* 1: *Bibliography and Annotated Index.* Privately published, Niederzier & Homburg/Saar.

DARU, B. H. et al 2013 Molecular and morphological analysis of subfamily Alooideae (Asphodelaceae) and the inclusion of Chortolirion in *Aloe*. *Taxon* 62 (l): 62-76.

EGGLI, U. (ed.). 2001. *Illustrated Handbook of Succulent Plants: Monocotyledons.* Springer-Verlag, Berlin, Heidelberg & New York.

GRACE, O. M. et al. 2013. A revised generic classification for *Aloe* (Xanthorrhoeaceae subfam. Asphodeloideae). *Phytotaxa* 76(I): 7-14.

RAMDHANI, S. et al. 2011. Revisiting monophyly in *Haworthia* Duval (Asphodelaceae): Incongruence, hybridization and contemporary speciation. *Taxon* 60(4): 1001-1014.

ROWLEY, G. D. 1976. Generic Concepts in the Aloineae Part I: The genus - to split or to lump? *Nat. Cact. Succ. J.* 31 (2): 27-31. Part 2: Generic Names in the Aloineae. Ioc.cit. 31(3): 54-56.

TREUTLEIN, J. et al. 2003. Phylogenetic relationships in Asphodelaceae (subfamily Alooideae). *Taxon* 52: 193-207.

# An usual method for propagating *Drimia haworthioides* in the East Indian climate.

Soumen Aditya




Bulbous plants can be propagated by seed, by natural vegetative production of offsets and also by "artificial" propagation methods. One time I collected a plant of *Drimia haworthioides* from Mr. D. Choudhuri's collection. He given me the plant because I showed interest in it, actually I love all Liliaceae and Asphodelaceae genera. The plants do not like our hot humid climate, but I try to overcome the problem with my little experience. Throughout the year I put the plant in an area with a very good air flow, the lower shelf of my haworthias, which like a very shady place.

For a long time my *Drimia* did not produce pups in my cultivation conditions. This year I started to propagate my haworthias, particularly a few delicate ones, at my Kolkata friends' request, because they are now very much loved plants. My friend Dr. Debasish Mukhopadhyay, scientist at F. Saha Institute of Nuclear Physics at Kolkata, an enthusiastic and good grower of many divers plant species from around the world, also told me he wanted to grow *Drimia*, but I had only one plant which I like very much. I therefore decided to try leaf propagation early in the month of February though I had no knowledge of propagation from drimia leaves. I therefore applied the *Haworthia* leaf propagation method to the *Drimia*. I loosened the potting soil round the *Drimia* and pulled out a few old rosette leaf node which had survived a very long time without any water. That same day I put them in sandy leaf mould based soil [I had sterilized the soil with hot water a few days

before]. I keep them along with my haworthia leaf propagations. I kept them dry for about six weeks and then started misting daily with 8:1:1 [Water + Fungicide + Butyric acid], but found that they were not dry in our climate, so I reduce watering at the end of March and now water just once a week. I was delighted this April to see that, about 8 weeks after potting up, each node produce one baby in the leaf margin. I wondered why the old leaf nodes did not produce any root systems; the new babies produce healthy tap roots. I potted more leaf nodes in a similar potting mix to that used for mature plants and sprayed once a week in very hot weather [38-41°C with 93% humidity]. I enjoy now every week a few new babies from my old lady.

Thank for Dr. Mukhopadhyay for his demand. Also thanks goes to "Alsterworthia International" Editor Mr. Harry Mays, for his encouragement.

**Note:** A newly formed bulb on my *Drimia haworthioides* was not dormant during the dormant period and produced leaves the following season. However, the new bulbs from the leaf nodes starting sprouting immediately, but this time the mother plants was still dormant, not producing any leaves. No clear cause can be given for this phenomenon ?



## User's Guide to the International Code of Nomenclature... (Melbourne Code).

Some of you may already have a copy of the International Code of Nomenclature for Algae, Fungi and Plants (ICN).

If you do not, and would like a copy, please see page 31 of the March 2013 Alsterworthia International.

Koeltz Scientific Books has now published a users' guide for this code. The details are:  
Turland, N. J.: The Code Decoded. 2012. (Regnum Vegetabile, Volume 155). 18 illus. approx. 170 p.  
Hardcover.  
EUR 43.00 (ISBN 978-3-87429-433-1) (Koeltz Book - ID: 102836)

This book is the user's guide to the International Code of Nomenclature for algae, fungi, and plants, specifically the Melbourne Code. The objective has been to create a text that is reasonably clear and simple using plain language as far as possible, to serve newer users of the Code as well as veterans who are not familiar with every arcane detail. The chapters are arranged for quick reference, e.g. important dates for certain rules, how to publish a new name, how to find the correct name for a taxon, how to designate a type, or even how to try to change the Code itself. Subheadings, boxes, bulleted lists, tables, key words in boldface, a subject index, and an index to scientific names help user to find information

To place an order go to:  
<http://www.koeltz.com/product.aspx?pid=204864>

Koeltz Scientific Books, P.O.Box 1360, D-61453 Koenigstein, Germany.  
[koeltz@t-online.de](mailto:koeltz@t-online.de) (alternatively: [Botany@gmx.com](mailto:Botany@gmx.com))

## Haworthia Study - Updated Information.

Details of prices for Haworthia Study, the Japanese Society journal, were given on page 13 of the November 2013 Alsterworthia International journal. That information is still valid but is supplemented by the following. The second Haworthia Study for 2012, number 28, is being replaced with a Special Issue on Japanese cultivars, which is much larger than a journal, so it will be charged for separately - details to be announced. The annual subscription paid for 2012 will now cover the two Haworthia Study numbered 27 & 29. Subscribers will already have received 27. 29 will be published in July 2013 or later. The next "annual" subscription will be for number 30, which will be the last for 2013 and number 31, which will be the first for 2014. Thus, the annual subscription, which was for two issues of Haworthia Study in one calendar year, is now for two issues, one of which will be published in the second half of one year and the other in the first half of the next year.

The cost of a back issues in Yen, not including postage, is equal to the cost of each current issue expressed in pounds (£10.00 excluding postage). Postage will be added in Yen for the country of destination. Members and non-members who require back issues of Haworthia Study will receive them *direct from Japan*. Back issues will normally be ordered in pairs, but single copies may also be ordered. *Back issue orders should be sent direct to Harry Mays, [hmays@freenetname.co.uk](mailto:hmays@freenetname.co.uk), who will advise the total cost in Yen to cover the cost of the journals plus Japanese postage direct to the purchaser. The purchaser should send the total amount in Yen direct to Dr Hayashi [m-hayashi@nausica.jp](mailto:m-hayashi@nausica.jp) by PayPal or by bank draft drawn on a Japanese bank. The back issues will be sent direct to the purchaser as soon as payment is received in Japan.*

Please note that the current year for back issues is the year in which the journals were scheduled to be published. For example, following on from the foregoing, the current year for issues with numbers 27 & 29 is 2012 up to and including July 2013, compared with numbers 30 and 31 for which the current year is August, 2013 - July 2014. For years prior to 2012 the current year is the calendar year. You can avoid purchasing back issues if you remember to renew on time!!