

# An inventory of the vascular flora of the Anglesea and Aireys Inlet area, extending to Torquay on Tertiary and Quaternary sediments, eastern Otway Plain Bioregion, Victoria

Geoff W. Carr, Ecology Australia Pty Ltd., 88 B Station Street, Fairfield, Vic 3078  
(gcarr@ecologyaustralia.com.au)

Version 4, 3 September 2017

## Introduction

This inventory of the vascular flora of the Anglesea-Aireys Inlet area, extending to Torquay in the eastern Otway Plain Bioregion, was commenced about 10 years ago. Only the vascular flora is dealt with because the non-vascular flora is poorly documented, that is surveyed and collected. Similarly the fungi have been neglected. The purposes of the inventory are to:

- compile as complete a list of the indigenous and exotic flora as possible, updated as appropriate when additional taxa are recorded
- document and highlight the extraordinary species richness of the indigenous flora; there are for example 124 indigenous orchid species (Orchidaceae) which comprises 31% of the Victorian orchid flora (VicFlora; Backhouse, Kosky, Rouse and Turner 2016; Forster and McDonald 2009) and 71 indigenous sedge species (Cyperaceae) comprising 40% of the family in Victoria (see VicFlora). Statistics for the flora are given in Table 1
- provide a checklist of species/taxa as an aid for plant identification in vegetation survey and quadrat data collection in the region covered
- provide a checklist of environmental weed species of management concern, or potential management concern, in the region
- highlight the local and regional endemism in the flora, as well as the suite of species or taxa that are as yet undescribed (mostly recognised as a result of the taxonomic research undertaken by G. Carr, unpublished data); this will hopefully raise the profile of undescribed taxa
- indicate the species for which the region contains the type locality

- provide data that may be utilised for further analysis, e.g. biogeography of the flora
- indicate the formal (or informal) conservation status of the species in the flora
- provide lists of plant species that may be used (with other data) in design of dryland or wetland revegetation projects.

## Sources of data and methods

The records of species, subspecies, varieties, formae, cultivars and hybrids given here come from a wide range of sources:

- First-hand knowledge of taxa *in situ* acquired over c. 50 years of formal and informal vegetation surveys by G. Carr, mostly in the Anglesea-Aireys Inlet to Torquay area. Formal studies by Ecology Australia staff, mostly involving G. Carr as author or co-author, have resulted in the production of over 60 unpublished reports for various clients (e.g. Alcoa of Australia; ANGAIR; Department of Natural Resources and Environment; Surf Coast Shire; Great Ocean Road Committee; Geelong Environment Council; Jan Juc Coast Action Group). In all G. Carr has seen 85% of taxa in the field in the area of interest. Collections of many species have been made and many lodged at the National Herbarium of Victoria.
- Informal studies have been made in connection with this inventory, as well as taxonomic studies by G. Carr (e.g. Carr 1991), and environmental weed studies (Carr 1993; Carr, Yugovic and Robinson 1992).
- Personal communications from people who recorded and/or photographed plant species which have subsequently become extinct in the area, e.g. *Thelymitra epipactoides* (Metallic Sun-orchid) at Jan Juc (the late Andrew Thornley pers. comm.); *Veronica perfoliata* (Digger's Speedwell) and *Chieranthera linearis* (Blue Finger-flower) at Currawyong Falls near Aireys Inlet, and *Spiranthes australis* (Austral Ladies-tresses) beside the "Mad Mile", north of Forest Road, Anglesea (the late Eric Bound pers. comm.). Records of these species (for which no vouchers were collected) are wholly unambiguous as to the plant's identity.
- See *Acknowledgements* for the list of people who have provided data over the years.

- Collections in the National Herbarium of Victoria as indicated by mapped spot locations in the online Flora of Victoria (*VicFlora*), as well as mapped locations supported by collection data from the Australian Virtual Herbarium database.
- Some references to species in the literature (Willis 1970, 1973; Beaglehole 1982; Jeanes 2004) and particularly Forster and McDonald (2009) and Backhouse *et al.* (2016) for orchids.

## Plant names

Plant names (including families) used in this inventory accord with the online *Flora of Victoria* (accessed 10–31 July 2017), including the taxonomic rank and authors of the names (e.g. *Eucalyptus litoralis* Rule). Two names of orchids – *Prasophyllum* ‘Anglesea’ and *Prasophyllum* ‘Otway Coast’ are as used by Backhouse *et al.* (2016). A few species (exotics) have not yet been identified, e.g. *Melaleuca* sp. (Painkalac Creek). Informal phrase names are used for undescribed/unrecognized taxa, many coined by G. Carr (Ecology Australia) in connection with ongoing taxonomic studies – see page 4. Common names follow the *Flora Species Index*, Victorian Biodiversity Atlas, 1 July 2016 version. Some common names for undescribed or unrecognised taxa in the *Flora of Victoria* online have been coined by the author (e.g. *Correa*).

## Further contributions and corrections

This inventory is the fourth version and it will be periodically updated as additional data come to hand – that is additional taxa, taxonomic clarification or identification of indigenous and exotic species, as well as conservation status.

All contributions will be gratefully received and acknowledged in subsequent versions. Ideally, interesting records of species, either indigenous or exotic, should be supported by a pressed voucher specimen lodged at the National Herbarium of Victoria.

## Use of this floristic checklist

The inventory will be available online from Angair (<http://www.angair.org.au>) and people are welcome to use it, and contribute to it. All public use of the inventory must be fully and correctly cited.

Table 1. Statistics for the flora of the Anglesea – Aireys Inlet to Torquay study area, eastern Otway Plain Bioregion.

<b>Group</b>	<b>Indigenous species/taxa</b>	<b>Exotic taxa (*)</b>	<b>Totals</b>
Total flora	911 (67 %)	*457 (33%)	1 368
<b>Ferns and fern allies</b>	36	*1	37
<b>Conifers</b>	-	*6	6
<b>Monocots</b>	378 (76%)	*119 (24%)	500
Cyperaceae (sedges)	71	*5	76
Juncaceae (rushes)	15	*4	19
Orchidaceae (orchids)	134 (incl. 10 hybrids)	*1	135
Poaceae (grasses)	76	*67	143
<b>Dicots</b>	500 (60%)	*327 (40%)	827
Asteraceae (composites)	86	*44	130
Myrtaceae (eucalypts etc.)	29	*46	75
<i>Eucalyptus</i> (eucalypts)	18 (incl. 2 hybrids)	*13 (incl. 3 hybrids)	31

## Endemism

The flora of the study area has an endemic, or near-endemic component. Some of the taxa have not yet been described and for others further taxonomic studies are required to determine their taxonomic status and distribution. Known endemics or near endemics are as follows:

### 1. *Allocasuarina littoralis* x *A. misera* Anglesea Sheoak (Casuarinaceae)

This hybrid is locally common in the Bald Hills area in heathy woodland, as are its putative parents (Carr unpubl. data), and it clearly warrants describing as a hybrid species. A comparable situation is found in *A. media* L. A. S. Johnson of South Gippsland, an *A. littoralis* x *A. paradoxa* hybrid (Wilson and Johnson 1989).

2. *Caladenia maritima* D. L. Jones (Angahook Pink-fingers) (Orchidaceae)

A very localised Anglesea endemic (Jones 1999).

3. *Correa* sp. aff. *reflexa* (Anglesea) Anglesea Correa (Rutaceae)

Remarkably, this is one of three local endemic, as yet undescribed, *Correa* species with red and yellow-green flowers. It is a narrow endemic in the Anglesea–Point Addis area (Carr unpub. data). Rare hybrids have been recorded between this and *C. sp. aff. reflexa* (Bells Beach) at Bells Beach, and between cultivated and naturalised *C. calycina* var. *calycina* at Anglesea (Carr unpubl. data).

4. *Correa* sp. aff. *reflexa* (Bells Beach) Surf Coast Correa (Rutaceae)

This undescribed yellow-green flowered species occurs in the Eastern Otway Plains bioregion along the coast in heathland and heathy woodland, dunes and calcarenite scrub (Carr unpubl. data). Its distribution is scattered discontinuously between Moggs Creek and Point Lonsdale – at these locations and at Bells Beach, Torquay and Barwon Heads. Rare hybrids have been recorded at Bells Beach between this and *C. sp. aff. reflexa* (Anglesea) and between cultivated *C. backhouseana* var. *backhouseana* at Moggs Creek (Carr unpubl. data).

5. *Correa* sp. aff. *reflexa* (Moggs Creek) Moggs Creek Correa (Rutaceae)

This is an extremely localized, critically endangered, red-flowered undescribed species known from a very small area in near-coastal heath and heathy woodland at Moggs Creek (Carr unpubl. data)

6. *Eucalyptus litoralis* Rule Otway Grey-gum (Myrtaceae)

This very localised Otway heathy woodland and forest endemic occurs in the Anglesea-Aireys Inlet area (coastal and sub-coastal) and with a few small populations near Lorne and Marengo in the Otway Ranges. Rare hybrids have been recorded at Anglesea between this and *E. ovata* var. *ovata* (Swamp Gum) (Carr unpub. data)

7. *Grevillea infecunda* McGill. Anglesea Grevillea (Proteaceae)

Apart from an 1893 collection from Brighton, where long-extinct, this species is now known only from the Anglesea-Wensleydale area in heathy woodland and heathland (Ode and Marriott 1995)

8. *Prasophyllum barnettii* D. L. Jones and Rouse Elegant Leek-orchid (Orchidaceae)

This highly localised vulnerable endemic is only known from a small area at Anglesea in heathy woodland (Jones and Rouse 2006; Forster and McDonald 2009) and at one location near Princetown (VicFlora)

9. *Pterostylis* sp. aff. *plumosa* (Anglesea) Large Plume-orchid (Orchidaceae)

Though undescribed, this well-known species is an Anglesea endemic in heathy woodland (Forster and McDonald 2009; Backhouse, Kosky, Rouse and Turner 2016).

10. *Theelymitra pallidiflora* Jeanes Pallid Sun-orchid (Orchidaceae)

This rare species of heathy woodland is confined to the Anglesea–Jan Juc area with an outlier collection at Crib Point (Jeanes 2004). It was first recognised as undescribed in 1990 when a population was found during a survey of ‘O’Donohue’s Land’, Anglesea (Carr *et al.* in Meredith *et al.* 1991). The type locality is Anglesea (Point Addis area) (Jeanes 2004). A good population was recently found in the Jan Juc Coastal Reserve near Bells Beach (Ecology Australia 2017).

11. *Viola* sp. aff. *hederacea* (Boundary Creek) Swamp-scrub Violet (Violaceae)

This is a tiny, highly distinctive small-leaved and small-flowered purple and white violet, which is confined to damp peaty sites in Swamp Scrub dominated by *Melaleuca squarrosa* (Scented Paperbark). It is undescribed (K. Thiele pers. comm.) and was first recorded in 2002 in the upper catchment of Boundary Creek, south of Colac, during a study by Ecology Australia (2002). It was found on swamp margins as well as on creek lines where Swamp Scrub can be extensive. A small populations was subsequently found in similar habitat in the upper catchment of Salt Creek, west-north-west of Anglesea (Carr unpubl. data). This species is likely to be an endemic in the Otway Plain across the northern margins of the Otway Ranges. While the diamond-shaped leaves are very small they have long slender petioles and the very small flowers are borne on long slender scapes. Further survey and collection is required.

### Type localities

With the endemic or near-endemic element in the flora outlined above, it is axiomatic that parts of the study area (at particular locations) are also the type locality for those four species (above) and are likely to be the type locality when other species are described. Anglesea is also the type locality for two additional plant species: *Caladenia australis* (Southern Spider-orchid) and *C. venusta* (Large White Spider-orchid) (Carr 1991).

## Acknowledgements

The following people are gratefully acknowledged for details of plant records made by them (sight records and/or collections): the late Cliff Beaglehole, the late Eric Bound, Ian and Roma Edwards, John Hosking, Margaret McDonald, the late Frances Poole, Graeme Stockton, the late Andrew Thornley, Mark Trengove, the late Mary White, the late James (Jim) Willis, and Jeff Yugovic.

Staff of the National Herbarium of Victoria kindly provided or confirmed identifications of some species, mostly exotics, viz. Valentino Stajsic, Neville Walsh and Jeff Jeanes.

## References

- Backhouse, G., Kosky, B., Rouse D. and Turner J. (2016). *Bush Gems: A Guide to the Wild Orchids of Victoria*. C.D.Rom, Orchids of Australia series published by the authors.
- Beaglehole, A. C. (1983). The Distribution and Conservation of Vascular Plants in the Melbourne area, Victoria. Western Victorian Field Naturalists Clubs Association, Portland.
- Carr, G. W. (1991). New taxa in Caladenia R. Br., Chiloglottis R. Br. And Gastrodia R. Br. (Orchidaceae) from south eastern Australia. Indigenous Flora and Fauna Association, Miscellaneous Paper No. 1.
- Carr, G. W., Yugovic J. Z. and Robinson, K. (1992). Environmental Weed Invasions in Victoria: Conservation and Management Implications. Department of Conservation and Natural Resources and Ecological Horticulture, Victoria.
- Ecology Australia (2002). Barwon Downs Aquifer Flora Resurvey. Unpubl. Report prepared by G. W. Carr for Barwon Water. (Ecology Australia, Fairfield).
- Ecology Australia (2017). Botanical Survey and Identification of Management Issues, Jan Juc Coastal Reserve and Bells Beach Surfing Recreation Reserve. Unpubl. report prepared by G. W. Carr for Jan Juc Coast Action Group. (Ecology Australia, Fairfield).
- Forster, E. and McDonald, M. (2009). Orchids of the Anglesea District (3<sup>rd</sup> Edition). Inverted Logic, Brunswick.
- Jeanes, J. A. (2004). A Revision of the *Thelymitra pauciflora* R. Br. (Orchidaceae) complex in Australia. *Muelleria* **19**: 19–79
- Jones, D. L. and Rouse, D. T. (2006). Fourteen New Species of *Prasophyllum* from Eastern Australia. *Australian Orchid Research* **5**: 143–168, 179–181.

- Meredith, C., Jaremovic, R., Carr, G. W., McMahon, A., Bedggood, S., Todd, J. (1991). An Assessment of the flora and fauna of O'Donohue's Land, Anglesea, Victoria. (Biosis Research Hawthorn and Ecological Horticulture Pty Ltd, Clifton Hill).
- Olde, P. and Marriott, N. (1995). The Grevillea Book. Vol. Two. Species A – L. Kangaroo Press, Kenthurst.
- Willis, J. H. (1970). A Handbook to Plants in Victoria, Vol. I: Ferns, Conifers and Monocotyledons, 2<sup>nd</sup> edn. Melbourne University Press, Carlton.
- Willis, J. H. (1973). A Handbook to Plants in Victoria, Vol. II: Dicotyledons. Melbourne University Press, Carlton.
- Wilson, K. L. and Johnson, L. A. S. (1989). Casuarinaceae. Flora of Australia **3**: 100–174, 183–189, 190–202.

## Inventory of the vascular flora of the Anglesea and Aireys Inlet area

### Notes:

Plant names are those used for the online *Flora of Victoria* (VicFlora), National Herbarium of Victoria, as well as some informal names used by Ecology Australia (unpubl.)

\* An asterisk denotes exotic species. Where species occur as natural as well as naturalised populations two separate entries are given, one with an asterisk.

Botanical Name	Common Name
<b>FERNS AND ALLIES</b>	
<b>Aspleniaceae</b>	
<i>Asplenium flabellifolium</i>	
	Necklace Fern
<b>Blechnaceae</b>	
<i>Blechnum cartilagineum</i>	Gristle Fern
<i>Blechnum fluviatile</i>	Ray Water-fern
<i>Blechnum minus</i>	Soft Water-fern
<i>Blechnum nudum</i>	Fishbone Water-fern
<i>Blechnum parisiae</i>	Common Rasp-fern
<i>Blechnum rupestre</i>	Small Rasp-fern
<i>Blechnum wattsii</i>	Hard Water-fern
<b>Cyatheaceae</b>	
<i>Cyathea australis</i>	Rough Tree-fern

Botanical Name	Common Name
* <i>Cyathea cooperi</i>	Tree-fern
<b>Dennstaedtiaceae</b>	
<i>Histiopteris incisa</i>	Bat's Wing Fern
<i>Hypolepis glandulifera</i>	Downy Ground-fern
<i>Hypolepis rugosula</i>	Ruddy Ground-fern
<i>Pteridium esculentum</i>	Austral Bracken
<b>Dicksoniaceae</b>	
<i>Calochlaena dubia</i>	Common Ground-fern
<i>Dicksonia antarctica</i>	Soft Tree-fern
<b>Dryopteridaceae</b>	
<i>Lastreopsis</i> sp.	Shield Fern
<i>Polystichum proliferum</i>	Mother Shield-fern
<b>Gleicheniaceae</b>	
<i>Gleichenia dicarpa</i>	Pouched Coral-fern
<i>Gleichenia microphylla</i>	Scrambling Coral-fern
<i>Sticherus urceolatus</i>	Silky Fan-fern
<b>Hymenophyllaceae</b>	
<i>Hymenophyllum cupressiforme</i>	Common Filmy-fern

Botanical Name	Common Name
<b>Isoetaceae</b>	
<i>Isoetes drummondii</i> subsp. <i>drummondii</i>	Plain Quillwort
<b>Lindsaeaceae</b>	
<i>Lindsaea linearis</i>	Screw Fern
<b>Lycopodiaceae</b>	
<i>Lycopodiella lateralis</i>	Slender Clubmoss
<i>Lycopodium deuterodensum</i>	Bushy Clubmoss
<i>Phylloglossum drummondii</i>	Pygmy Clubmoss
<b>Osmundaceae</b>	
<i>Todea barbara</i>	Austral King-fern
<b>Pteridaceae</b>	
<i>Adiantum aethiopicum</i>	Common Maidenhair
<i>Cheilanthes austrotenuifolia</i>	Green Rock-fern
<i>Cheilanthes sieberi</i> subsp. <i>sieberi</i>	Narrow Rock-fern
<i>Pellaea falcata</i>	Sickle Fern
<b>Salviniaceae</b>	
<i>Azolla filiculoides</i>	Pacific Azolla

Botanical Name	Common Name
<b>Schizaeaceae</b>	
<i>Schizaea bifida</i>	Forked Comb-fern
<i>Schizaea fistulosa</i>	Narrow Comb-fern
<b>Selaginellaceae</b>	
<i>Selaginella gracillima</i>	Tiny Selaginella
<i>Selaginella uliginosa</i>	Swamp Selaginella
<b>CONIFERS</b>	
<b>Cupressaceae</b>	
* <i>Callitris endlicheri</i>	Black Cypress-pine
* <i>Cupressus sempervirens</i>	Italian Cypress
* <i>Hesperocyparis macrocarpa</i>	Monterey Cypress
<b>Pinaceae</b>	
* <i>Pinus nigra</i> subsp. <i>laricio</i>	Corsican Pine
* <i>Pinus pinaster</i>	Cluster Pine
* <i>Pinus radiata</i> var. <i>radiata</i>	Radiata Pine
<b>MONOCOTYLEDONS</b>	
<b>Alismataceae</b>	
<i>Alisma plantago-aquatica</i>	Water Plantain

Botanical Name	Common Name
<b>Amaryllidaceae</b>	
* <i>Agapanthus praecox</i> subsp. <i>orientalis</i>	Agapanthus
* <i>Agapanthus</i> cultivar	Agapanthus
* <i>Allium triquetrum</i>	Angled Onion
* <i>Amaryllis belladonna</i>	Belladonna Lily
* <i>Ipheion uniflorum</i>	Spring Star-flower
* <i>Narcissus tazetta</i> subsp. <i>tazetta</i>	Tazetta
<b>Araceae</b>	
* <i>Arum italicum</i> subsp. <i>italicum</i>	Italian Cuckoo-pint
<i>Landoltia punctata</i>	Thin Duckweed
<i>Lemna disperma</i>	Common Duckweed
k <i>Spirodela polyrhiza</i>	Large Duckweed
* <i>Zantedeschia aethiopica</i>	White Arum-lily
* <i>Zantedeschia aethiopica</i> 'Green Dragon'	White Arum-lily
<b>Asparagaceae</b>	
<i>Arthropodium milleflorum</i> s.l.	Pale Vanilla-lily
<i>Arthropodium strictum</i> s.l.	Chocolate Lily
* <i>Asparagus asparagoides</i>	Bridal Creeper
* <i>Asparagus officinalis</i>	Asparagus

<b>Botanical Name</b>	<b>Common Name</b>
* <i>Asparagus scandens</i>	Asparagus Fern
<i>Chamaescilla corymbosa</i> var. <i>corymbosa</i>	Blue Stars
* <i>Chlorophytum comosum</i>	Spider Plant
* <i>Cordyline australis</i>	New Zealand Cabbage Tree
* <i>Lachenalia aloides</i>	Lachenalia (not listed in VicFlora)
<i>Laxmannia orientalis</i>	Dwarf Wire-lily
<i>Thysanotus juncifolius</i>	Branching Fringe-lily
<i>Thysanotus patersonii</i>	Twining Fringe-lily
<i>Thysanotus tuberosus</i> subsp. <i>tuberosus</i>	Common Fringe-lily
<b>Asphodelaceae</b>	
* <i>Asphodelus fistulosus</i>	Onion Weed
<i>Caesia calliantha</i>	Blue Grass-lily
k <i>Caesia parviflora</i> var. <i>minor</i>	Pale Grass-lily
<i>Caesia parviflora</i> var. <i>parviflora</i>	Pale Grass-lily
<i>Dianella brevicaulis</i>	Small-flower Flax-lily
<i>Dianella brevicaulis</i> x <i>D. sp. aff. revoluta</i> (Gippsland)	Flax-lily
<i>Dianella sp. aff. longifolia</i> (Benambra)	Pale Flax-lily
<i>Dianella sp. aff revoluta</i> (Gippsland)	Black-anther Flax-lily

	<b>Botanical Name</b>	<b>Common Name</b>
	<i>Dianella</i> sp. aff. <i>revoluta</i> ( <i>Coastal</i> )	Coast Flax-lily
	<i>Dianella tasmanica</i>	Tasman Flax-lily
	<i>Thelionema caespitosum</i>	Tufted Lily
r	<i>Thelionema umbellatum</i>	Clustered Lily
	<i>Tricoryne elatior</i>	Yellow Rush-lily
<b>Centrolepidaceae</b>		
	<i>Aphelia gracilis</i>	Slender Aphelia
	<i>Aphelia pumilio</i>	Dwarf Aphelia
	<i>Centrolepis aristata</i>	Pointed Centrolepis
	<i>Centrolepis fascicularis</i>	Tufted Centrolepis
	<i>Centrolepis glabra</i>	Smooth Centrolepis
	<i>Centrolepis strigosa</i> subsp. <i>strigosa</i>	Hairy Centrolepis
<b>Colchicaceae</b>		
	<i>Burchardia umbellata</i>	Milkmaids
	<i>Wurmbea dioica</i> subsp. <i>dioica</i>	Common Early Nancy
	<i>Wurmbea latifolia</i> subsp. <i>vanessae</i>	Broad-leaf Early Nancy
r	<i>Wurmbea uniflora</i>	One-flower Early Nancy
<b>Cymodoceaceae</b>		
k	<i>Amphibolis antarctica</i>	Sea Nymph

Botanical Name	Common Name
<b>Cyperaceae</b>	
<i>Baumea acuta</i>	Pale Twig-sedge
<i>Baumea arthrophylla</i>	Fine Twig-sedge
<i>Baumea articulata</i>	Jointed Twig-sedge
<i>Baumea gunnii</i>	Slender Twig-sedge
<i>Baumea juncea</i>	Bare Twig-sedge
<i>Baumea rubiginosa</i>	Soft Twig-rush
<i>Baumea tetragona</i>	Square Twig-sedge
<i>Carex appressa</i>	Tall Sedge
<i>Carex breviculmis</i>	Common Grass-sedge
* <i>Carex divulsa</i> subsp. <i>divulsa</i>	Grey Sedge
<i>Carex fascicularis</i>	Tassel Sedge
<i>Carex gaudichaudiana</i>	Fen Sedge
<i>Carex inversa</i> s.l. ( <i>tussock forming</i> )	Knob Sedge
<i>Carex pumila</i>	Strand Sedge
<i>Carex tereticaulis</i>	Poong'ort
<i>Caustis flexuosa</i>	Curly Wig
<i>Caustis pentandra</i>	Thick Twist-rush
k <i>Chorizandra australis</i>	Southern Bristle-sedge

<b>Botanical Name</b>	<b>Common Name</b>
* <i>Cyperus congestus</i>	Dense Flat-sedge
* <i>Cyperus eragrostis</i>	Drain Flat-sedge
<i>Cyperus exaltatus</i>	Tall Flat-sedge
<i>Cyperus gunnii</i> subsp. <i>gunnii</i>	Flecked Flat-sedge
<i>Cyperus lucidus</i>	Leafy Flat-sedge
<i>Eleocharis acuta</i>	Common Spike-sedge
<i>Eleocharis atricha</i>	Tuber Spike-sedge
<i>Eleocharis gracilis</i>	Slender Spike-sedge
<i>Eleocharis sphacelata</i>	Tall Spike-sedge
<i>Ficinia nodosa</i>	Knobby Club-sedge
<i>Gahnia clarkei</i>	Tall Saw-sedge
<i>Gahnia filum</i>	Chaffy Saw-sedge
<i>Gahnia radula</i>	Thatch Saw-sedge
<i>Gahnia sieberiana</i>	Red-fruit Saw-sedge
<i>Gahnia trifida</i>	Coast Saw-sedge
<i>Isolepis cernua</i>	Nodding Club-sedge
<i>Isolepis fluitans</i> var. <i>lenticularis</i>	Floating Club-sedge
<i>Isolepis habra</i>	Wispy Club-sedge
<i>Isolepis hookeriana</i>	Grassy Club-sedge

	<b>Botanical Name</b>	<b>Common Name</b>
	* <i>Isolepis hystrix</i>	Awned Club-sedge
	<i>Isolepis inundata</i>	Swamp Club-sedge
	* <i>Isolepis levynsiana</i>	Tiny Flat-sedge
	<i>Isolepis marginata</i>	Little Club-sedge
	<i>Isolepis platycarpa</i>	Broad-fruit Club-sedge
r	<i>Lepidosperma canescens</i>	Hoary Rapier-sedge
	<i>Lepidosperma concavum</i>	Sandhill Sword-sedge
	<i>Lepidosperma congestum</i>	Clustered Sword-sedge
	<i>Lepidosperma curtisiae</i>	Little Sword-sedge
	<i>Lepidosperma elatius</i>	Tall Sword-sedge
	<i>Lepidosperma filiforme</i>	Common Rapier-sedge
	<i>Lepidosperma forsythii</i>	Large-flower Rapier-sedge
	<i>Lepidosperma gladiatum</i>	Coast Sword-sedge
	<i>Lepidosperma gunnii</i>	Slender Sword-sedge
	<i>Lepidosperma laterale</i> var. <i>laterale</i>	Variable Sword-sedge
	<i>Lepidosperma laterale</i> var. <i>majus</i>	Variable Sword-sedge
k	<i>Lepidosperma aff. laterale</i> (Jan Juc)	Sword-sedge
	<i>Lepidosperma longitudinale</i>	Pithy Sword-sedge
	<i>Lepidosperma neesii</i>	Stiff Rapier-sedge

	<b>Botanical Name</b>	<b>Common Name</b>
	<i>Lepidosperma semiteres</i>	Wire Rapier-sedge
	<i>Lepidosperma viscidum</i>	Sticky Sword-sedge
	<i>Schoenoplectus tabernaemontani</i>	River Club-sedge
	<i>Schoenus apogon</i>	Common Bog-sedge
	<i>Schoenus breviculmis</i>	Matted Bog-sedge
	<i>Schoenus brevifolius</i>	Zig-zag Bog-sedge
	<i>Schoenus fluitans</i>	Floating Bog-sedge
k	<i>Schoenus laevigatus</i>	Short-leaf Bog-sedge
	<i>Schoenus lepidosperma</i>	Slender Bog-sedge
	<i>Schoenus maschalinus</i>	Leafy Bog-sedge
	<i>Schoenus nitens</i>	Shiny Bog-sedge
	<i>Schoenus tesquorum</i>	Soft Bog-sedge
r	<i>Schoenus turbinatus</i>	Top Bog-sedge
	<i>Tetraria capillaris</i>	Hair Sedge
	<i>Tricostularia pauciflora</i>	Needle Bog-sedge
<b>Haemodoraceae</b>		
	* <i>Anigozanthos flavidus</i>	Green Kangaroo Paw
	* <i>Wachendorfia thyrsiflora</i>	Wachendorfia

Botanical Name	Common Name
<b>Hydrocharitaceae</b>	
<i>Vallisneria australis</i>	Eel Grass (not listed in VicFlora)
<b>Hypoxidaceae</b>	
<i>Pauridia glabella</i> var. <i>glabella</i>	Tiny Star
k <i>Pauridia vaginata</i> var. <i>brevistigmata</i>	Yellow Star
<i>Pauridia vaginata</i> var. <i>vaginata</i>	Yellow Star
<b>Iridaceae</b>	
* <i>Aristea ecklonii</i>	Blue Stars
* <i>Babiana</i> sp.	Baboon Flower
* <i>Chasmanthe floribunda</i>	African Cornflag
* <i>Crocosmia x crocosmiiflora</i>	Montbretia
* <i>Freesia alba</i> x <i>Freesia leichtlinii</i>	Freesia
* <i>Gladiolus carneus</i>	Broad-leaf Painted-lady
* <i>Gladiolus angustus</i>	Long-tubed Painted Lady
* <i>Gladiolus tristis</i>	Evening-flower Gladiolus
* <i>Gladiolus undulatus</i>	Wild Gladiolus
<i>Iridaceae</i> sp.	Irid
* <i>Ixia maculata</i>	Yellow Ixia

<b>Botanical Name</b>	<b>Common Name</b>
* <i>Ixia polystachya</i>	Variable Ixia
* <i>Ixia</i> sp.	Ixia
* <i>Moraea flaccida</i>	One-leaf Cape-tulip
<i>Patersonia fragilis</i>	Short Purple-flag
<i>Patersonia occidentalis</i>	Long Purple-flag
* <i>Romulea rosea</i> var. <i>australis</i>	Common Onion-grass
* <i>Romulea rosea</i> var. <i>reflexa</i>	Large-flower Onion-grass
* <i>Sisyrinchium iridifolium</i>	Striped Rush-leaf
* <i>Sparaxis bulbifera</i>	Harlequin Flower
* <i>Sparaxis tricolor</i>	Tricolor Harlequin-flower
* <i>Tritonia lineata</i>	Lined Tritonia
* <i>Tritonia</i> sp. ( <i>pink flowers</i> )	Tritonia
* <i>Watsonia meriana</i> var. <i>bulbillifera</i>	Bulbil Watsonia
* <i>Watsonia versfeldii</i>	Pink Watsonia
<b>Juncaceae</b>	
* <i>Juncus acutus</i> subsp. <i>acutus</i>	Spiny Rush
<i>Juncus amabilis</i>	Hollow Rush
* <i>Juncus articulatus</i>	Jointed Rush
<i>Juncus bufonius</i>	Toad Rush

Botanical Name	Common Name
* <i>Juncus bulbosus</i>	Bulbous Rush
<i>Juncus caespiticius</i>	Grassy Rush
* <i>Juncus capitatus</i>	Capitate Rush
<i>Juncus flavidus</i>	Gold Rush
<i>Juncus holoschoenus</i>	Joint-leaf Rush
<i>Juncus kraussii</i> subsp. <i>australiensis</i>	Sea Rush
<i>Juncus pallidus</i>	Pale Rush
<i>Juncus pauciflorus</i>	Loose-flower Rush
<i>Juncus planifolius</i>	Broad-leaf Rush
<i>Juncus procerus</i>	Tall Rush
r <i>Juncus revolutus</i>	Creeping Rush
<i>Juncus sarophorus</i>	Broom Rush
<i>Juncus subsecundus</i>	Finger Rush
<i>Luzula meridionalis</i> var. <i>densiflora</i>	Common Woodrush
<i>Luzula meridionalis</i> var. <i>flaccida</i>	Common Woodrush
<b>Juncaginaceae</b>	
<i>Cycnogeton alcockiae</i>	Southern Water-ribbons
<i>Cycnogeton procerum</i> s.l. ( <i>broad erect leaves</i> )	Water Ribbons

	<b>Botanical Name</b>	<b>Common Name</b>
	<i>Cycnogeton procerum s.l. (erect leaves)</i>	Water Ribbons
	<i>Cycnogeton procerum s.l. (floating leaves)</i>	Water Ribbons
r	<i>Triglochin minutissima</i>	Tiny Arrowgrass
r	<i>Triglochin mucronata</i>	Prickly Arrowgrass
	<i>Triglochin striata s.l. (flat leaves)</i>	Streaked Arrowgrass
	<i>Triglochin striata s.l. (robust terete leaves)</i>	Streaked Arrowgrass
	<i>Triglochin striata s.l. (small terete leaves)</i>	Streaked Arrowgrass
<b>Orchidaceae</b>		
	<i>Acianthus caudatus</i>	Mayfly Orchid
	<i>Acianthus exsertus</i>	Large Mosquito-orchid
	<i>Acianthus pusillus</i>	Small Mosquito-orchid
r	<i>Burnettia cuneata</i>	Lizard Orchid
k	<i>Caladenia australis</i>	Southern Spider-orchid
	<i>Caladenia australis x C. clavigera</i>	Caladenia hybrid
	<i>Caladenia australis x C. venusta</i>	Caladenia hybrid
	<i>Caladenia cardiochila</i>	Heart-lip Spider-orchid
	<i>Caladenia cardiochila x C. venusta</i>	Caladenia hybrid
	<i>Caladenia carneae</i>	Pink Fingers
	<i>Caladenia carneae x C. catenata</i>	Caladenia hybrid

	<b>Botanical Name</b>	<b>Common Name</b>
	<i>Caladenia catenata</i>	White Fingers
	<i>Caladenia clavigera</i>	Plain-lip Spider-orchid
k	<i>Caladenia cleistantha</i>	Closed Finger-orchid
	<i>Caladenia congesta</i>	Black-tongue Hood
k	<i>Caladenia dilatata</i>	Green-comb Spider-orchid
	<i>Caladenia filamentosa</i>	Red Daddy-long-legs
	<i>Caladenia fuscata</i>	Dusky Fingers
	<i>Caladenia iridescens</i>	Western Bronze Hood-orchid
	<i>Caladenia latifolia</i>	Pink Fairies
E e	<i>Caladenia maritima</i>	Angahook Pink-fingers
f k	<i>Caladenia mientens</i>	Cryptic Pink-fingers
	<i>Caladenia moschata</i>	Musk Hood-orchid
V v	<i>Caladenia oenochila</i>	Wine-lipped Spider-orchid
	<i>Caladenia parva</i>	Small Spider-orchid
	<i>Caladenia pusilla</i>	Tiny Pink-fingers
	<i>Caladenia tentaculata</i>	Mantis Orchid
	<i>Caladenia tentaculata x C. venusta</i>	Caladenia hybrid
	<i>Caladenia transitoria</i>	Eastern Bronzehood Orchid
f E e	<i>Caladenia valida</i>	Robust Spider-orchid

	<b>Botanical Name</b>	<b>Common Name</b>
r	<i>Caladenia venusta</i>	Large White Spider-orchid
r	<i>Caladenia vulgaris</i>	Slender Pink-fingers
	<i>Caleana major</i>	Large Duck-orchid
	<i>Calochilus campestris</i>	Copper Beard-orchid
r	<i>Calochilus imberbis</i>	Naked Beard-orchid
	<i>Calochilus paludosus</i>	Red Beard-orchid
	<i>Calochilus robertsonii</i>	Purple Beard-orchid
	<i>Chiloglottis valida</i>	Lowland Bird-orchid
	<i>Chiloglottis cornuta</i>	Green Bird-orchid
	<i>Chiloglottis reflexa</i>	Autumn Wasp-orchid
	<i>Chiloglottis trapeziformis</i>	Dainty Wasp-orchid
k	<i>Chiloglottis trilabia</i>	Tall Wasp-orchid
	<i>Corunastylis archeri</i>	Elfin Midge-orchid
k	<i>Corunastylis ciliata</i>	Fringed Midge-orchid
	<i>Corunastylis despectans</i>	Sharp Midge-orchid
	<i>Corunastylis morrisii</i>	Bearded Midge-orchid
	<i>Corybas diemenicus</i>	Veined Helmet-orchid
r	<i>Corybas fordhamii</i>	Swamp Pelican-orchid
	<i>Corybas incurvus</i>	Slaty Helmet-orchid

	<b>Botanical Name</b>	<b>Common Name</b>
	<i>Corybas unguiculatus</i>	Small Pelican-orchid
	<i>Cryptostylis subulata</i>	Large Tongue-orchid
	<i>Cyanicula caerulea</i>	Blue Fairy
	<i>Cyrtostylis reniformis</i>	Small Gnat-orchid
	<i>Cyrtostylis robusta</i>	Large Gnat-orchid
r	<i>Dipodium pardalinum</i>	Spotted Hyacinth-orchid
	<i>Dipodium roseum</i>	Rosy Hyacinth-orchid
*	<i>Disa bracteata</i>	South African Orchid
	<i>Diuris chryseopsis</i>	Golden Moths
	<i>Diuris orientis</i>	Wallflower Orchid
f	<i>Diuris palustris</i>	Swamp Diuris
	<i>Diuris pardina</i>	Leopard Orchid
	<i>Diuris sulphurea</i>	Tiger Orchid
	<i>Eriochilus cucullatus</i>	Parson's Bands
	<i>Gastrodia procera</i>	Tall Potato-orchid
	<i>Gastrodia sesamoides</i>	Cinnamon Bells
	<i>Glossodia major</i>	Wax-lip Orchid
	<i>Leporella fimbriata</i>	Fringed Hare-orchid
	<i>Leptoceras menziesii</i>	Hare Orchid

	<b>Botanical Name</b>	<b>Common Name</b>
	<i>Lyperanthus suaveolens</i>	Brown-beaks
	<i>Microtis arenaria</i>	Notched Onion-orchid
	<i>Microtis atrata</i>	Yellow Onion-orchid
	<i>Microtis oblonga</i>	Sweet Onion-orchid
	<i>Microtis parviflora</i>	Slender Onion-orchid
	<i>Microtis unifolia</i>	Common Onion-orchid
	<i>Orthoceras strictum</i>	Horned Orchid
	<i>Paracaleana minor</i>	Small Duck-orchid
	<i>Pheladenia deformis</i>	Bluebeard Orchid
	<i>Prasophyllum australe</i>	Austral Leek-orchid
	<i>Prasophyllum 'Anglesea'</i>	Leek-orchid
f v	<i>Prasophyllum barnettii</i>	Elegant Leek-orchid
	<i>Prasophyllum brevilabre</i>	Short-lip Leek-orchid
	<i>Prasophyllum elatum</i>	Tall Leek-orchid
	<i>Prasophyllum flavum</i>	Yellow Leek-orchid
v	<i>Prasophyllum lindleyanum</i>	Green Leek-orchid
	<i>Prasophyllum odoratum</i>	Scented Leek-orchid
	<i>Prasophyllum 'Otway Coast'</i>	Leek-orchid
V e	<i>Prasophyllum spicatum</i>	Dense Leek-orchid

	<b>Botanical Name</b>	<b>Common Name</b>
	<i>Pterostylis alpina</i>	Mountain Greenhood
	<i>Pterostylis atrans</i>	Dark-tip Greenhood
f V v	<i>Pterostylis chlorogramma</i>	Green-striped Greenhood
r	<i>Pterostylis clivosa</i>	Red-tipped Greenhood
	<i>Pterostylis concinna</i>	Trim Greenhood
	<i>Pterostylis curta</i>	Blunt Greenhood
	<i>Pterostylis falcata</i>	Sickle Greenhood
	<i>Pterostylis foliata</i>	Slender Greenhood
	<i>Pterostylis melagramma</i>	Tall Greenhood
	<i>Pterostylis nana</i>	Dwarf Greenhood
	<i>Pterostylis nutans</i>	Nodding Greenhood
	<i>Pterostylis parviflora</i>	Tiny Greenhood
	<i>Pterostylis pedunculata</i>	Maroonhood
	<i>Pterostylis plumosa</i>	Bearded Greenhood
	<i>Pterostylis sanguinea</i>	Banded Greenhood
k	<i>Pterostylis striata</i>	Coastal Striped Greenhood
r	<i>Pterostylis sp. aff. plumosa (Anglesea)</i>	Large Plume-orchid
	<i>Pterostylis sp. aff. revoluta (Inland)</i>	Large Autumn Greenhood
	<i>Pterostylis squamata</i>	Common Ruddyhood

	<b>Botanical Name</b>	<b>Common Name</b>
k	<i>Pterostylis tasmanica</i>	Southern Plume-orchid
k	<i>Pterostylis uliginosa</i>	Marsh Greenhood
r	<i>Pterostylis x ingens</i>	Sharp Greenhood
	<i>Pyrorchis nigricans</i>	Red-beaks
	<i>Spiranthes australis</i>	Austral Ladies' Tresses
	<i>Thelymitra antennifera</i>	Rabbit Ears
	<i>Thelymitra arenaria</i>	Forest Sun-orchid
	<i>Thelymitra aristata</i>	Great Sun-orchid
v	<i>Thelymitra benthamiana</i>	Blotched Sun-orchid
	<i>Thelymitra brevifolia</i>	Peppertop Sun-orchid
	<i>Thelymitra carnea</i>	Pink Sun-orchid
f E e	<i>Thelymitra epipactoides</i>	Metallic Sun-orchid
	<i>Thelymitra flexuosa</i>	Twisted Sun-orchid
	<i>Thelymitra holmesii</i>	Blue-star Sun-orchid
	<i>Thelymitra ixioides</i>	Spotted Sun-orchid
	<i>Thelymitra juncifolia</i>	Rush-leaf Sun-orchid
f V v	<i>Thelymitra mathewsii</i>	Spiral Sun-orchid
	<i>Thelymitra media</i>	Tall Sun-orchid
v	<i>Thelymitra mucida</i>	Plum Orchid

	<b>Botanical Name</b>	<b>Common Name</b>
	<i>Thelymitra nuda</i>	Plain Sun-orchid
E e	<i>Thelymitra pallidiflora</i>	Pallid Sun-orchid
	<i>Thelymitra pauciflora</i>	Slender Sun-orchid
	<i>Thelymitra peniculata</i>	Trim Sun-orchid
	<i>Thelymitra rubra</i>	Salmon Sun-orchid
r	<i>Thelymitra x irregularis</i>	Crested Sun-orchid
f e	<i>Thelymitra x merraniae</i>	Merran's Sun-orchid
	<i>Thelymitra x truncata</i>	Hybrid Sun-orchid
	<i>Thynninorchis huntianus</i>	Elbow Orchid
r	<i>x Glossadenia tutelata</i>	Bluebeard Wax-lip Hybrid Orchid
<b>Poaceae</b>		
*	<i>Agrostis capillaris</i> var. <i>capillaris</i>	Brown-top Bent
*	<i>Agrostis stolonifera</i>	Creeping Bent
*	<i>Aira caryophyllea</i> subsp. <i>caryophyllea</i>	Silvery Hair-grass
*	<i>Aira cupaniana</i>	Quicksilver Grass
*	<i>Aira elegantissima</i>	Delicate Hair-grass
*	<i>Aira praecox</i>	Early Hair-grass
*	<i>Alopecurus pratensis</i>	Meadow Fox-tail

<b>Botanical Name</b>	<b>Common Name</b>
<i>Anthosachne scabra</i>	Common Wheat-grass
* <i>Ammophila arenaria</i>	Marram Grass
<i>Amphibromus archeri</i>	Pointed Swamp Wallaby-grass
<i>Amphibromus neesii</i>	Southern Swamp Wallaby-grass
<i>Amphibromus nervosus</i>	Common Swamp Wallaby-grass
<i>Amphibromus recurvatus</i>	Dark Swamp Wallaby-grass
<i>Amphipogon strictus</i>	Grey-beard Grass
* <i>Anthoxanthum odoratum</i>	Sweet Vernal-grass
<i>Austrostipa densiflora</i>	Dense Spear-grass
<i>Austrostipa flavescens</i>	Coast Spear-grass
<i>Austrostipa mollis</i>	Supple Spear-grass
<i>Austrostipa muelleri</i>	Wiry Spear-grass
<i>Austrostipa pubinodis</i>	Tall Spear-grass
<i>Austrostipa rudis</i> subsp. <i>nervosa</i>	Veined Spear-grass
<i>Austrostipa rudis</i> subsp. <i>rudis</i>	Veined Spear-grass
<i>Austrostipa scabra</i> subsp. <i>falcata</i>	Rough Spear-grass
<i>Austrostipa semibarbata</i>	Fibrous Spear-grass

<b>Botanical Name</b>	<b>Common Name</b>
<i>Austrostipa stipoides</i>	Prickly Spear-grass
* <i>Avena fatua</i>	Wild Oat
* <i>Avena strigosa</i>	Bristle Oat
* <i>Briza maxima</i>	Large Quaking-grass
* <i>Briza minor</i>	Lesser Quaking-grass
* <i>Bromus brevis</i>	Prairie Grass
* <i>Bromus catharticus</i> var. <i>catharticus</i>	Prairie Grass
* <i>Bromus diandrus</i>	Great Brome
* <i>Bromus hordeaceus</i> subsp. <i>hordeaceus</i>	Soft Brome
* <i>Catapodium rigidum</i>	Fern Grass
* <i>Cenchrus clandestinus</i>	Kikuyu
* <i>Cenchrus setaceus</i>	Fountain Grass
<i>Chloris truncata</i>	Windmill Grass
* <i>Cortaderia jubata</i>	Pink Pampas-grass
* <i>Cortaderia selloana</i>	Pampas Grass
* <i>Cynodon dactylon</i> var. <i>dactylon</i>	Couch
* <i>Cynosurus echinatus</i>	Rough Dog's-tail
* <i>Dactylis glomerata</i>	Cocksfoot
<i>Deyeuxia densa</i>	Heath Bent-grass

<b>Botanical Name</b>	<b>Common Name</b>
<i>Deyeuxia minor</i>	Small Bent-grass
<i>Deyeuxia quadriseta</i>	Reed Bent-grass
<i>Dichelachne crinita</i>	Long-hair Plume-grass
<i>Dichelachne micrantha</i>	Small-seed Plume-grass
<i>Dichelachne rara</i>	Common Plume-grass
<i>Dichelachne sieberiana</i>	Rough Plume-grass
* <i>Digitaria sanguinalis</i>	Summer Grass
<i>Distichlis distichophylla</i>	Australian Salt-grass
<i>Dryopoa dives</i> subsp. <i>dives</i>	Giant Mountain-grass
* <i>Echinopogon crus-galli</i>	Barnyard Grass
<i>Echinopogon ovatus</i>	Common Hedgehog-grass
* <i>Ehrharta calycina</i>	Perennial Veldt-grass
* <i>Ehrharta erecta</i> var. <i>erecta</i>	Panic Veldt-grass
* <i>Ehrharta longiflora</i>	Annual Veldt-grass
* <i>Elytrigia repens</i>	English Couch
<i>Eragrostis brownii</i>	Common Love-grass
* <i>Eragrostis cilianensis</i>	Stink Grass
<i>Eragrostis parviflora</i>	Weeping Love-grass
* <i>Festuca arundinacea</i>	Tall Fescue

<b>Botanical Name</b>	<b>Common Name</b>
* <i>Festuca rubra</i>	Red Fescue
<i>Glyceria australis</i>	Australian Sweet-grass
* <i>Glyceria declinata</i>	Manna Grass
<i>Hemarthria uncinata</i> var. <i>uncinata</i>	Mat Grass
* <i>Holcus lanatus</i>	Yorkshire Fog
<i>Hookerochloa hookeriana</i>	Hooker Fescue
* <i>Hordeum leporinum</i>	Barley-grass
* <i>Hordeum marinum</i>	Sea Barley-grass
* <i>Hordeum murinum</i> s.l.	Barley-grass
<i>Imperata cylindrica</i>	Blady Grass
<i>Isachne globosa</i>	Swamp Millet
<i>Lachnagrostis aemula</i>	Leafy Blown-grass
<i>Lachnagrostis billardierei</i> subsp. <i>billardierei</i>	Coast Blown-grass
<i>Lachnagrostis filiformis</i>	Common Blown-grass
* <i>Lagurus ovatus</i>	Hare's-tail Grass
* <i>Lolium perenne</i>	Perennial Rye-grass
* <i>Lolium rigidum</i>	Wimmera Rye-grass
<i>Microlaena stipoides</i> var. <i>stipoides</i>	Weeping Grass
* <i>Nassella neesiana</i>	Chilean Needle-grass

Botanical Name	Common Name
* <i>Nassella tenuissima</i>	Mexican Feather-grass
* <i>Nassella trichotoma</i>	Serrated Tussock
<i>Neurachne alopecuroidae</i>	Fox-tail Mulga-grass
* <i>Parapholis incurva</i>	Coast Barb-grass
* <i>Parapholis strigosa</i>	Slender Barb-grass
* <i>Paspalum dilatatum</i>	Paspalum
* <i>Paspalum distichum</i>	Water Couch
<i>Pentapogon quadrifidus</i> var. <i>quadrifidus</i>	Five-awned Spear-grass
* <i>Phalaris aquatica</i>	Toowoomba Canary-grass
* <i>Phalaris arundinacea</i>	Reed Canary-grass
* <i>Phalaris minor</i>	Lesser Canary-grass
<i>Phragmites australis</i>	Common Reed
* <i>Pipatherum miliaceum</i>	Rice Millet
* <i>Poa annua</i>	Annual Meadow-grass
r <i>Poa billardierei</i>	Coast Fescue
<i>Poa clelandii</i>	Noah's Ark
<i>Poa ensiformis</i>	Sword Tussock-grass
<i>Poa labillardierei</i> var. <i>labillardierei</i>	Common Tussock-grass
<i>Poa morrisii</i>	Soft Tussock-grass

	<b>Botanical Name</b>	<b>Common Name</b>
	<i>Poa poiformis</i> var. <i>poiformis</i>	Coast Tussock-grass
r	<i>Poa poiformis</i> var. <i>ramifer</i>	Dune Poa
	<i>Poa rodwayi</i>	Velvet Tussock-grass
	<i>Poa sieberiana</i> var. <i>hirtella</i>	Grey Tussock-grass
	<i>Poa sieberiana</i> var. <i>sieberiana</i>	Grey Tussock-grass
	<i>Poa tenera</i>	Slender Tussock-grass
*	<i>Poa trivialis</i>	Rough Meadow-grass
*	<i>Polypogon monspeliensis</i>	Annual Beard-grass
	<i>Puccinellia stricta</i>	Australian Saltmarsh-grass
	<i>Rytidosperma caespitosum</i>	Common Wallaby-grass
v	<i>Rytidosperma dimidiatum</i>	Tasmanian Wallaby-grass
	<i>Rytidosperma duttonianum</i>	Brown-back Wallaby-grass
	<i>Rytidosperma erianthum</i>	Hill Wallaby-grass
	<i>Rytidosperma fulvum</i>	Copper-awned Wallaby-grass
	<i>Rytidosperma geniculatum</i>	Kneed Wallaby-grass
	<i>Rytidosperma indutum</i>	Shiny Wallaby-grass
	<i>Rytidosperma laeve</i>	Smooth Wallaby-grass
	<i>Rytidosperma lepidopodium</i>	Scaly-foot Wallaby-grass
	<i>Rytidosperma pallidum</i>	Silvertop Wallaby-grass

<b>Botanical Name</b>	<b>Common Name</b>
<i>Rytidosperma penicillatum</i>	Weeping Wallaby-grass
<i>Rytidosperma pilosum</i>	Velvet Wallaby-grass
<i>Rytidosperma racemosum</i> var. <i>racemosum</i>	Slender Wallaby-grass
<i>Rytidosperma semiannulare</i>	Wetland Wallaby-grass
<i>Rytidosperma setaceum</i> var. <i>setaceum</i>	Bristly Wallaby-grass
<i>Rytidosperma tenuis</i>	Purplish Wallaby-grass
* <i>Secale cereale</i> subsp. <i>cereale</i>	Rye
* <i>Setaria parviflora</i>	Slender Pigeon Grass
<i>Spinifex sericeus</i>	Hairy Spinifex
* <i>Sporobolus africanus</i>	Rat-tail Grass
<i>Sporobolus virginicus</i>	Salt Couch
* <i>Stenotaphrum secundatum</i>	Buffalo Grass
<i>Tetrarrhena acuminata</i>	Pointed Rice-grass
<i>Tetrarrhena distichophylla</i>	Hairy Rice-grass
<i>Tetrarrhena juncea</i>	Forest Wire-grass
<i>Themeda triandra</i>	Kangaroo Grass
* <i>Thinopyrum junceiforme</i>	Sea Wheat-grass
* <i>Tribolium obliterum</i>	Desmazeria
* <i>Vulpia bromoides</i>	Squirrel-tail Fescue

<b>Botanical Name</b>	<b>Common Name</b>
* <i>Vulpia fasciculata</i>	Dune Fescue
* <i>Vulpia muralis</i>	Wall Fescue
* <i>Vulpia myuros f. megalura</i>	Fox-tail Fescue
* <i>Vulpia myuros f. myuros</i>	Rat's-tail Fescue
<b>Pontederiaceae</b>	
* <i>Eichhornia crassipes</i>	Water Hyacinth
<b>Potamogetonaceae</b>	
<i>Lepilaena bilocularis</i>	Small-fruit Water-mat
<i>Lepilaena cylindrocarpa</i>	Long-fruit Water-mat
<i>Potamogeton australiensis</i>	Thin Pondweed
<i>Potamogeton cheesemanii</i>	Red Pondweed
<i>Potamogeton ochreatus</i>	Blunt Pondweed
<i>Stuckenia pectinatus</i>	Fennel Pondweed
<b>Restionaceae</b>	
<i>Apodasmia brownii</i>	Coarse Twine-rush
<i>Baloskion tetraphyllum</i> subsp. <i>tetraphyllum</i>	Tassel Cord-rush
<i>Empodisma minus</i>	Spreading Rope-rush
<i>Hypolaena fastigiata</i>	Tassel Rope-rush
<i>Leptocarpus tenax</i>	Slender Twine-rush

	<b>Botanical Name</b>	<b>Common Name</b>
	<i>Lepyrodia muelleri</i>	Common Scale-rush
<b>Ruppiaceae</b>		
	<i>Ruppia polycarpa</i>	Many-fruit Tassel
<b>Typhaceae</b>		
	<i>Typha domingensis</i>	Narrow-leaf Cumbungi
	<i>Typha orientalis</i>	Broad-leaf Cumbungi
<b>Xanthorrhoeaceae</b>		
	<i>Lomandra effusa</i>	Scented Mat-rush
	<i>Lomandra filiformis s.l. (green-leaved dwarf)</i>	Wattle Mat-rush
	<i>Lomandra filiformis s.l. (very narrow leaved rhizomatous)</i>	Wattle Mat-rush
	<i>Lomandra filiformis</i> subsp. <i>coriacea</i>	Wattle Mat-rush
	<i>Lomandra filiformis</i> subsp. <i>filiformis</i>	Wattle Mat-rush
	<i>Lomandra glauca</i>	Blue Mat-rush
	<i>Lomandra longifolia</i> subsp. <i>exilis</i>	Cluster-headed Mat-rush
	<i>Lomandra longifolia</i> subsp. <i>longifolia</i>	Spiny-headed Mat-rush
*	<i>Lomandra longifolia</i> subsp. <i>longifolia</i> (NSW provenance)	Spiny-headed Mat-rush
	<i>Lomandra micrantha</i> subsp. <i>micrantha</i>	Small-flower Mat-rush
r	<i>Lomandra micrantha</i> subsp. <i>tuberculata</i>	Small-flower Mat-rush

	<b>Botanical Name</b>	<b>Common Name</b>
	<i>Lomandra multiflora</i> subsp. <i>multiflora</i>	Many-flowered Mat-rush
	<i>Lomandra nana</i>	Dwarf Mat-rush
	<i>Xanthorrhoea australis</i>	Austral Grass-tree
r	<i>Xanthorrhoea caespitosa</i>	Tufted Grass-tree
	<i>Xanthorrhoea minor</i> subsp. <i>lutea</i>	Small Grass-tree
<b>Xyridaceae</b>		
	<i>Xyris gracilis</i>	Slender Yellow-eye
	<i>Xyris operculata</i>	Tall Yellow-eye
<b>Zosteraceae</b>		
r	<i>Heterozostera nigricaulis</i>	Australian Grass-wrack
r	<i>Heterozostera tasmanica</i>	Tasman Grass-wrack
	<i>Zostera muelleri</i>	Dwarf Grass-wrack
<b>DICOTYLEDONS</b>		
<b>Acanthaceae</b>		
*	<i>Acanthus mollis</i>	Bear's Breach
<b>Aizoaceae</b>		
*	<i>Carpobrotus aequilaterus</i>	Angled Pigface
*	<i>Carpobrotus edulis</i>	Hottentot Fig

<b>Botanical Name</b>	<b>Common Name</b>
<i>Carpobrotus rossii</i>	Karkalla
<i>Disphyma crassifolium</i> subsp. <i>clavellatum</i>	Rounded Noon-flower
* <i>Drosanthemum candens</i>	Rodondo creeper
* <i>Galenia pubescens</i> var. <i>pubescens</i>	Galenia
* <i>Lampranthus immelmanniae</i>	Lampranthus
<i>Tetragonia implexicoma</i>	Bower Spinach
<i>Tetragonia tetragonoides</i>	New Zealand Spinach
<b>Amaranthaceae</b>	
<i>Hemicroa pentandra</i>	Trailing Hemicroa
<i>Ptilotus macrocephalus</i>	Feather Heads
<b>Anacardiaceae</b>	
* <i>Schinus molle</i>	Pepper Tree
<b>Apiaceae</b>	
<i>Apium annuum</i>	Annual Celery
<i>Apium prostratum</i> subsp. <i>prostratum</i> var. <i>filiforme</i>	Sea Celery
<i>Apium prostratum</i> subsp. <i>prostratum</i> var. <i>prostratum</i>	Sea Celery
<i>Centella cordifolia</i>	Centella
* <i>Conium maculatum</i>	Hemlock

<b>Botanical Name</b>	<b>Common Name</b>
<i>Daucus glochidiatus</i>	Australian Carrot
<i>Eryngium vesiculosum</i>	Prickfoot
* <i>Foeniculum vulgare</i>	Fennel
<i>Lilaeopsis polyantha</i>	Australian Lilaeopsis
<i>Platysace heterophylla</i> var. <i>heterophylla</i>	Slender Platysace
<i>Platysace lanceolata</i>	Shrubby Platysace
<i>Xanthosia dissecta</i>	Cut-leaf Xanthosia
<i>Xanthosia huegelii</i>	Heath Xanthosia
r <i>Xanthosia leiophylla</i>	Parsley Xanthosia
r <i>Xanthosia tasmanica</i>	Southern Xanthosia
<b>Apocynaceae</b>	
<i>Alyxia buxifolia</i>	Sea Box
* <i>Vinca major</i>	Blue Periwinkle
<b>Araliaceae</b>	
* <i>Hedera helix</i>	English Ivy
<i>Hydrocotyle callicarpa</i>	Small Pennywort
<i>Hydrocotyle foveolata</i>	Yellow Pennywort
<i>Hydrocotyle hirta</i>	Hairy Pennywort
<i>Hydrocotyle laxiflora</i>	Stinking Pennywort

<b>Botanical Name</b>	<b>Common Name</b>
<i>Hydrocotyle pterocarpa</i>	Wing Pennywort
<i>Hydrocotyle sibthorpioides</i>	Shining Pennywort
<b>Asteraceae</b>	
<i>Actites megalocarpus</i>	Dune Thistle
<i>Allittia cardiocarpa</i>	Swamp Daisy
<i>Allittia uliginosa</i>	Small Swamp-daisy
<i>Angianthus preissianus</i>	Salt Angianthus
* <i>Anthemis cotula</i>	Stinking Mayweed
* <i>Arctotheca calendula</i>	Cape Weed
* <i>Arctotis stoechadifolia</i>	Silver Arctotis
<i>Argentipallium obtusifolium</i>	Blunt Everlasting
* <i>Argyranthemum frutescens</i> subsp. <i>foeniculaceum</i>	Tenerife Daisy
* <i>Artemisia arborescens</i>	Silver Wormwood
* <i>Asteraceae (South Africa)</i>	Asteraceae
<i>Bedfordia arborescens</i>	Blanket Leaf
* <i>Bellis perennis</i>	English Daisy
* <i>Berkheya rigida</i>	African Thistle
<i>Brachyscome diversifolia</i>	Tall Daisy

<b>Botanical Name</b>	<b>Common Name</b>
<i>Brachyscome graminea</i>	Grass Daisy
<i>Brachyscome multifida</i>	Cut-leaf Daisy
<i>Brachyscome parvula</i>	Coast Daisy
<i>Calocephalus citreus</i>	Lemon Beauty-heads
<i>Calocephalus lacteus</i>	Milky Beauty-heads
* <i>Carduus pycnocephalus</i>	Slender Thistle
* <i>Carduus tenuiflorus</i>	Winged Slender-thistle
<i>Cassinia aculeata</i>	Common Cassinia
<i>Cassinia arcuata</i>	Drooping Cassinia
<i>Centipeda cunninghamii</i>	Common Sneezeweed
<i>Centipeda elatinoides</i>	Elatine Sneezeweed
* <i>Chrysanthemoides monilifera</i> subsp. <i>monilifera</i>	African Boneseed
<i>Chrysocephalum apiculatum</i> s.l.	Common Everlasting
<i>Chrysocephalum baxteri</i>	White Everlasting
<i>Chrysocephalum semipapposum</i> s.l.	Clustered Everlasting
* <i>Cirsium vulgare</i>	Spear Thistle
v <i>Coronidium gunnianum</i>	Pale Swamp Everlasting
<i>Coronidium scorpioides</i>	Button Everlasting

<b>Botanical Name</b>	<b>Common Name</b>
<i>Cotula australis</i>	Common Cotula
* <i>Cotula coronopifolia</i>	Water Buttons
* <i>Cotula bipinnata</i>	Ferny Cotula
<i>Cotula vulgaris</i> subsp. <i>australis</i>	Slender Cotula
<i>Craspedia variabilis</i>	Common Billy-buttons
<i>Cymbonotus preissianus</i>	Austral Bear's-ear
* <i>Delairea odorata</i>	Cape Ivy
* <i>Dittrichia graveolens</i>	Stinkwort
* <i>Erigeron bilbaoanus</i>	Smooth Fleabane
* <i>Erigeron bonariensis</i>	Flaxleaf Fleabane
* <i>Erigeron canadensis</i>	Canadian Fleabane
* <i>Erigeron primulifolius</i>	Rough Fleabane
* <i>Erigeron sumatrensis</i>	Tall Fleabane
<i>Euchiton involucratus</i>	Star Cudweed
<i>Euchiton japonicus</i>	Creeping Cudweed
<i>Euchiton sphaericus</i>	Annual Cudweed
* <i>Euryops abrotanifolius</i>	Winter Euryops
* <i>Felicia petiolata</i>	Blue Felicia
* <i>Gamochaeta americana</i>	Spiked Cudweed

	<b>Botanical Name</b>	<b>Common Name</b>
	* <i>Gamochaeta purpurea</i>	Spiked Cudweed
	* <i>Gamochaeta spicata</i>	Spiked Cudweed
	* <i>Gazania linearis</i>	Gazania
	* <i>Gazania rigens</i>	Trailing Gazania
	<i>Gnaphalium indutum</i>	Tiny Cudweed
	<i>Helichrysum leucopsideum</i>	Satin Everlasting
	<i>Helichrysum luteoalbum</i>	Jersey Cudweed
	* <i>Helminthotheca echioides</i>	Ox-tongue
	<i>Hyalosperma demissum</i>	Moss Sunray
	* <i>Hypochaeris glabra</i>	Smooth Cat's-ear
	* <i>Hypochaeris radicata</i>	Flatweed
	<i>Ixodia achillaeoides</i> subsp. <i>alata</i>	Ixodia
V v	<i>Ixodia achillaeoides</i> subsp. <i>arenicola</i>	Coast Ixodia
	* <i>Lactuca serriola</i>	Prickly Lettuce
	<i>Lagenophora gracilis</i>	Slender Bottle-daisy
	<i>Lagenophora huegelii</i>	Coarse Bottle-daisy
	<i>Lagenophora stipitata</i>	Common Bottle-daisy
f V v	<i>Leiocarpa gatesii</i>	Wrinkled Buttons
	* <i>Leontodon saxatilis</i> subsp. <i>saxatilis</i>	Hairy Hawkbit

<b>Botanical Name</b>	<b>Common Name</b>
<i>Leptinella longipes</i>	Coast Cotula
<i>Leptinella reptans</i>	Creeping Cotula
<i>Leptorhynchos nitidulus</i>	Shiny Buttons
<i>Leptorhynchos squamatus</i> subsp. <i>squamatus</i>	Scaly Buttons
<i>Leptorhynchos tenuifolius</i>	Wiry Buttons
<i>Leucophyta brownii</i>	Cushion Bush
<i>Microseris walteri</i>	Yam Daisy
<i>Millotia muelleri</i>	Common Bow-flower
<i>Myriocephalus rhizocephalus</i>	Woolly-heads
<i>Olearia argophylla</i>	Musk Daisy-bush
<i>Olearia axillaris</i>	Coast Daisy-Bush
<i>Olearia erubescens</i>	Moth Daisy-bush
<i>Olearia floribunda</i>	Heath Daisy-bush
<i>Olearia glutinosa</i>	Sticky Daisy-bush
<i>Olearia lirata</i>	Snowy Daisy-bush
<i>Olearia myrsinoides</i>	Silky Daisy-bush
f v <i>Olearia pannosa</i> subsp. <i>cardiophylla</i>	Velvet Daisy-bush
<i>Olearia phlogopappa</i> subsp. <i>salicina</i>	Dusty Daisy-bush
<i>Olearia ramulosa</i> var. <i>ramulosa</i>	Twiggy Daisy-bush

	<b>Botanical Name</b>	<b>Common Name</b>
r	<i>Olearia</i> sp. 2	Peninsula Daisy-bush
	<i>Olearia teretifolia</i>	Cypress Daisy-bush
r	<i>Olearia tubuliflora</i>	Rayless Daisy-bush
*	<i>Osteospermum fruticosum</i>	Dimorphotheca
	<i>Ozothamnus ferrugineus</i>	Tree Everlasting
	<i>Ozothamnus obcordatus</i>	Grey Everlasting
	<i>Ozothamnus rosmarinifolius</i>	Rosemary Everlasting
	<i>Ozothamnus turbinatus</i>	Coast Everlasting
	<i>Picris angustifolia</i> subsp. <i>angustifolia</i>	Coast Picris
	<i>Podolepis decipiens</i>	Podolepis
*	<i>Senecio angulatus</i>	Climbing Groundsel
	<i>Senecio biserratus</i>	Jagged Fireweed
*	<i>Senecio elegans</i>	Purple Groundsel
r	<i>Senecio glomeratus</i> subsp. <i>longifructus</i>	Annual Fireweed
	<i>Senecio glomeratus</i> subsp. <i>glomeratus</i>	Annual Fireweed
	<i>Senecio hispidulus</i>	Rough Fireweed
*	<i>Senecio jacobaea</i>	Ragwort
	<i>Senecio linearifolius</i> var. <i>linearifolius</i>	Fireweed Groundsel
	<i>Senecio minimus</i>	Shrubby Fireweed

<b>Botanical Name</b>	<b>Common Name</b>
<i>Senecio odoratus</i>	Scented Groundsel
<i>Senecio phelleus</i>	Rock Fireweed
<i>Senecio picridioides</i>	Hawkweed Fireweed
<i>Senecio pinnatifolius</i> var. <i>lanceolatus</i>	Lance-leaf Groundsel
<i>Senecio pinnatifolius</i> var. <i>pinnatifolius</i>	Rock Groundsel
<i>Senecio prenanthoides</i>	Beaked Fireweed
<i>Senecio quadridentatus</i>	Cotton Fireweed
<i>Senecio squarrosus</i>	Leafy Fireweed
<i>Sigesbeckia orientalis</i> subsp. <i>orientalis</i>	Indian Weed
<i>Siloxerus multiflorus</i>	Small Wrinklewort
* <i>Silybum marianum</i>	Variegated Thistle
<i>Solenogyne dominii</i>	Smooth Solenogyne
* <i>Soliva sessilis</i>	Jo Jo
* <i>Sonchus asper</i> subsp. <i>asper</i>	Rough Sow-thistle
<i>Sonchus hydrophilus</i>	Native Sow-thistle
* <i>Sonchus oleraceus</i>	Common Sow-thistle
<i>Stuartina muelleri</i>	Spoon Cudweed
* <i>Symphyotrichum subulatum</i>	Aster-weed
* <i>Taraxacum officinale</i> spp. agg.	Garden Dandelion

<b>Botanical Name</b>	<b>Common Name</b>
* <i>Tragopogon porrifolius</i> subsp. <i>porrifolius</i>	Salsify
<i>Triptilodiscus pygmaeus</i>	Common Sunray
* <i>Vellereophyton dealbatum</i>	White Cudweed
<b>Boraginaceae</b>	
<i>Austrocynoglossum latifolium</i>	Forest Hound's-tongue
<i>Cynoglossum australe</i>	Australian Hound's-tongue
<i>Cynoglossum suaveolens</i>	Sweet Hound's-tongue
* <i>Echium candicans</i>	Pride of Madeira
* <i>Myosotis arvensis</i>	Field Forget-me-not
* <i>Myosotis sylvatica</i>	Wood Forget-me-not
<b>Brassicaceae</b>	
* <i>Brassica fruticulosa</i>	Twiggy Turnip
* <i>Brassica nigra</i>	Black Mustard
* <i>Brassica x juncea</i>	Indian Mustard
* <i>Cakile edentula</i>	American Sea Rocket
* <i>Cakile maritima</i> subsp. <i>maritima</i>	Sea Rocket
* <i>Cardamine hirsuta</i>	Common Bitter-cress
* <i>Erysimum cheiri</i>	Wallflower
* <i>Hirschfeldia incana</i>	Buchan Weed

<b>Botanical Name</b>	<b>Common Name</b>
* <i>Lepidium didymum</i>	Lesser Swine-cress
* <i>Lobularia maritima</i>	Sweet Alyssum
* <i>Raphanus raphanistrum</i>	Wild Radish
* <i>Rapistrum rugosum</i>	Giant Mustard
<b>Campanulaceae</b>	
<i>Isotoma fluviatilis</i> subsp. <i>australis</i>	Swamp Isotome
<i>Lobelia anceps</i>	Angled Lobelia
<i>Lobelia gibbosa</i>	Tall Lobelia
<i>Lobelia irrigua</i>	Salt Pratia
<i>Lobelia pedunculata</i>	Matted Pratia
<i>Lobelia pratoides</i>	Poison Lobelia
<i>Lobelia rhombifolia</i>	Tufted Lobelia
<i>Lobelia simplicicaulis</i>	Narrow Lobelia
<i>Wahlenbergia communis</i>	Tufted Bluebell
<i>Wahlenbergia gracilenta</i>	Hairy Annual-bluebell
<i>Wahlenbergia gracilis</i>	Sprawling Bluebell
<i>Wahlenbergia gymnoclada</i>	Naked Bluebell
<i>Wahlenbergia luteola</i>	Bronze Bluebell
<i>Wahlenbergia multicaulis</i>	Branching Bluebell

<b>Botanical Name</b>	<b>Common Name</b>
<i>Wahlenbergia stricta</i> subsp. <i>stricta</i>	Tall Bluebell
<b>Caprifoliaceae</b>	
<i>Sambucus gaudichaudiana</i>	White Elderberry
<b>Caryophyllaceae</b>	
* <i>Cerastium glomeratum</i>	Sticky Mouse-ear Chickweed
* <i>Cerastium vulgare</i>	Common Mouse-ear Chickweed
* <i>Moenchia erecta</i>	Erect Chickweed
* <i>Petrorhagia nanteuilii</i>	Childling Pink
* <i>Polycarpon tetraphyllum</i>	Four-leaved Allseed
* <i>Sagina apetala</i>	Common Pearlwort
* <i>Sagina maritima</i>	Sea Pearlwort
* <i>Silene gallica</i> var. <i>gallica</i>	French Catchfly
<i>Spergularia marina</i>	Salt Sand-spurrey
<i>Spergularia media</i>	Coast Sand-spurrey
* <i>Spergularia rubra</i>	Red Sand-spurrey
<i>Spergularia tasmanica</i>	Tasman Sand-spurrey
<i>Stellaria flaccida</i>	Forest Starwort
* <i>Stellaria media</i>	Chickweed

<b>Botanical Name</b>	<b>Common Name</b>
* <i>Stellaria pallida</i>	Lesser Chickweed
<i>Stellaria pungens</i>	Prickly Starwort
<b>Casuarinaceae</b>	
<i>Allocasuarina littoralis</i>	Black Sheoak
<i>Allocasuarina littoralis x A. misera</i>	Sheoak hybrid
<i>Allocasuarina misera</i>	Slender Sheoak
<i>Allocasuarina paludosa</i>	Scrub Sheoak
<i>Allocasuarina verticillata</i>	Drooping Sheoak
<b>Celastraceae</b>	
<i>Stackhousia monogyna</i>	Creamy Stackhousia
<i>Stackhousia subterranea</i>	Stackhousia
<i>Stackhousia viminea</i>	Slender Stackhousia
<b>Chenopodiaceae</b>	
* <i>Atriplex prostrata</i>	Hastate Orache
<i>Atriplex semibaccata</i>	Berry Saltbush
* <i>Chenopodium album</i>	Fat Hen
<i>Chenopodium glaucum</i>	Glaucous Goosefoot
* <i>Chenopodium murale</i>	Sowbane
* <i>Chenopodium pumilio</i>	Clammy Goosefoot

<b>Botanical Name</b>	<b>Common Name</b>
<i>Einadia nutans</i> subsp. <i>nutans</i>	Nodding Saltbush
<i>Enchytraea tomentosa</i> var. <i>tomentosa</i> (prostrate form)	Ruby Saltbush
<i>Rhagodia candolleana</i> subsp. <i>candolleana</i>	Seaberry Saltbush
* <i>Rhagodia parabolica</i>	Fragrant Saltbush
<i>Sarcocornia quinqueflora</i> subsp. <i>quinqueflora</i>	Beaded Glasswort
<i>Suaeda australis</i>	Austral Seablite
<i>Tecticornia arbuscula</i>	Shrubby Glasswort
<i>Threlkeldia diffusa</i>	Coast Bonefruit
<b>Convolvulaceae</b>	
<i>Convolvulus angustissimus</i> subsp. <i>angustissimus</i>	Pink Bindweed
<i>Dichondra repens</i>	Kidney-weed
<i>Wilsonia backhousei</i>	Narrow-leaf Wilsonia
<i>Wilsonia humilis</i>	Silky Wilsonia
<i>Wilsonia rotundifolia</i>	Round-leaf Wilsonia
<b>Crassulaceae</b>	
* <i>Aeonium arboreum</i>	Golden Aeonium
* <i>Aeonium haworthii</i>	Pinwheel Aeonium
* <i>Cotyledon orbiculata</i>	Pig's Ear

<b>Botanical Name</b>	<b>Common Name</b>
<i>Crassula closiana</i>	Stalked Crassula
<i>Crassula colorata</i> var. <i>acuminata</i>	Dense Crassula
<i>Crassula decumbens</i> var. <i>decumbens</i>	Spreading Crassula
<i>Crassula helmsii</i>	Swamp Crassula
* <i>Crassula multicava</i> subsp. <i>multicava</i>	Shade Crassula
<i>Crassula peduncularis</i>	Purple Crassula
* <i>Crassula spathulata</i>	Fairy Crassula
* <i>Crassula tetragona</i> subsp. <i>robusta</i>	Shrubby Crassula
<i>Crassula tetramera</i>	Australian Stonecrop
* <i>Sedum praealtum</i>	Shrubby Stonecrop
<b>Dilleniaceae</b>	
<i>Hibbertia acicularis</i>	Prickly Guinea-flower
<i>Hibbertia fasciculata</i> var. <i>prostrata</i>	Bundled Guinea-flower
<i>Hibbertia riparia</i>	Erect Guinea-flower
<i>Hibbertia sericea</i> ('Sericea' form)	Silky Guinea-flower
<b>Droseraceae</b>	
<i>Drosera binata</i>	Forked Sundew
<i>Drosera glanduligera</i>	Scarlet Sundew
<i>Drosera macrantha</i>	Climbing Sundew

<b>Botanical Name</b>	<b>Common Name</b>
<i>Drosera auriculata</i>	Tall Sundew
<i>Drosera hookeri</i>	Pale Sundew
<i>Drosera peltata</i>	Pale Sundew
<i>Drosera pygmaea</i>	Tiny Sundew
<i>Drosera spatulata</i>	Rosy Sundew
<i>Drosera aberrans</i>	Scented Sundew
<b>Elaeocarpaceae</b>	
<i>Tetratheca ciliata</i>	Pink-bells
<b>Ericaceae</b>	
<i>Acrotriche affinis</i>	Ridged Ground-berry
<i>Acrotriche prostata</i>	Trailing Ground-berry
<i>Acrotriche serrulata</i>	Honey-pots
<i>Astroloba humifusum</i>	Cranberry Heath
<i>Brachyloma ciliatum</i>	Fringed Brachyloma
<i>Epacris impressa</i>	Common Heath
<i>Epacris lanuginosa</i>	Woolly-style Heath
<i>Epacris obtusifolia</i>	Blunt-leaf Heath
* <i>Erica lusitanica</i>	Spanish Heath
<i>Leucopogon australis</i>	Spike Beard-heath

<b>Botanical Name</b>	<b>Common Name</b>
<i>Leucopogon ericoides</i>	Pink Beard-heath
<i>Leucopogon glacialis</i>	Twisted Beard-heath
<i>Leucopogon parviflorus</i>	Coast Beard-heath
<i>Leucopogon virgatus</i> var. <i>virgatus</i>	Common Beard-heath
<i>Lissanthe strigosa</i> subsp. <i>subulata</i>	Peach Heath
<i>Monotoca elliptica</i> s.l.	Tree Broom-heath
<i>Monotoca scoparia</i>	Prickly Broom-heath
<i>Sprengelia incarnata</i>	Pink Swamp-heath
<b>Euphorbiaceae</b>	
<i>Amperea xiphoclada</i> var. <i>xiphoclada</i>	Broom Spurge
* <i>Euphorbia characias</i> subsp. <i>wulfenii</i>	Spurge
* <i>Euphorbia peplus</i>	Petty Spurge
<b>Fabaceae</b>	
<i>Acacia acinacea</i>	Gold-dust Wattle
<i>Acacia aculeatissima</i>	Thin-leaf Wattle
* <i>Acacia baileyana</i>	Cootamundra Wattle
<i>Acacia brownii</i>	Heath Wattle
<i>Acacia dealbata</i> subsp. <i>dealbata</i>	Silver Wattle
* <i>Acacia dealbata</i> subsp. <i>dealbata</i>	Silver Wattle

Botanical Name	Common Name
* <i>Acacia decurrens</i>	Early Black-wattle
* <i>Acacia elata</i>	Cedar Wattle
* <i>Acacia floribunda</i>	White Sallow-wattle
* <i>Acacia floribunda</i> x * <i>A. longifolia</i> s.l.	Sallow-wattle hybrid
<i>Acacia genistifolia</i>	Spreading Wattle
<i>Acacia gunnii</i>	Ploughshare Wattle
* <i>Acacia howittii</i>	Sticky Wattle
<i>Acacia implexa</i>	Lightwood
* <i>Acacia iteaphylla</i>	Flinders Range Wattle
v <i>Acacia leprosa</i> var. <i>magna</i>	Otway Wattle
* <i>Acacia longifolia</i> s.l. x <i>A. mucronata</i> subsp. <i>longifolia</i>	Wattle hybrid
* <i>Acacia longifolia</i> subsp. <i>longifolia</i>	Sallow Wattle
* <i>Acacia longifolia</i> subsp. <i>longifolia</i> x # <i>A. longifolia</i> subsp. <i>sophorae</i>	Sallow Wattle hybrid
# <i>Acacia longifolia</i> subsp. <i>sophorae</i>	Coast Wattle
<i>Acacia mearnsii</i>	Black Wattle
<i>Acacia melanoxylon</i>	Blackwood
<i>Acacia mitchellii</i>	Mitchell's Wattle
<i>Acacia mucronata</i> subsp. <i>longifolia</i>	Narrow-leaf Wattle

	<b>Botanical Name</b>	<b>Common Name</b>
	<i>Acacia myrtifolia</i>	Myrtle Wattle
*	<i>Acacia myrtifolia (W.A. variant)</i>	Myrtle Wattle
r	<i>Acacia nano-dealbata</i>	Dwarf Silver Wattle
	<i>Acacia oxycedrus</i>	Spike Wattle
	<i>Acacia paradoxa</i>	Hedge Wattle
	<i>Acacia paradoxa x A. verniciflua</i>	Wattle hybrid
*	<i>Acacia pravissima</i>	Ovens Wattle
*	<i>Acacia provincialis</i>	Wirilda
*	<i>Acacia prominens</i>	Gosford Wattle
	<i>Acacia pycnantha</i>	Golden Wattle
*	<i>Acacia saligna</i>	Golden Wreath Wattle
*	<i>Acacia schinoides</i>	Frosty Wattle
*	<i>Acacia sp. (Tanners Rd, Anglesea)</i>	Wattle
*	<i>Acacia sp. (Gum Flats Rd, Anglesea)</i>	Wattle
	<i>Acacia stricta</i>	Hop Wattle
	<i>Acacia suaveolens</i>	Sweet Wattle
*	<i>Acacia terminalis</i>	Sunshine Wattle
	<i>Acacia verniciflua (typical variant)</i>	Varnish Wattle
	<i>Acacia verticillata</i> subsp. <i>ovoidea</i>	Ovoid Prickly Moses

<b>Botanical Name</b>	<b>Common Name</b>
<i>Acacia verticillata</i> subsp. <i>verticillata</i>	Prickly Moses
<i>Aotus ericooides</i>	Common Aotus
<i>Bossiaea cinerea</i>	Showy Bossiaeae
<i>Bossiaea prostrata</i>	Creeping Bossiaeae
* <i>Callistachys lanceolata</i>	Greenbush
* <i>Chamaecytisus palmensis</i>	Tree Lucerne
* <i>Cytisus scoparius</i>	English Broom
<i>Daviesia brevifolia</i>	Leafless Bitter-pea
<i>Daviesia latifolia</i>	Hop Bitter-pea
<i>Daviesia leptophylla</i>	Narrow-leaf Bitter-pea
<i>Daviesia ulicifolia</i> subsp. <i>ulicifolia</i>	Gorse Bitter-pea
<i>Desmodium gunnii</i>	Southern Tick-trefoil
<i>Dillwynia cinerascens</i>	Grey Parrot-pea
<i>Dillwynia glaberrima</i>	Smooth Parrot-pea
<i>Dillwynia hispida</i>	Red Parrot-pea
<i>Dillwynia sericea</i>	Showy Parrot-pea
* <i>Dipogon lignosus</i>	Common Dipogon
<i>Eutaxia microphylla</i> var. <i>microphylla</i>	Common Eutaxia
* <i>Genista linifolia</i>	Flax-leaf Broom

Botanical Name	Common Name
* <i>Genista monspessulana</i>	Montpellier Broom
* <i>Genista x spachiana</i>	Madeira Broom
<i>Glycine clandestina</i>	Twining Glycine
f V v <i>Glycine latrobeana</i>	Clover Glycine
<i>Glycine microphylla</i>	Small-leaf Glycine
<i>Gompholobium ecostatum</i>	Dwarf Wedge-pea
<i>Gompholobium huegelii</i>	Common Wedge-pea
<i>Goodia lotifolia</i>	Golden Tip
<i>Hovea heterophylla</i>	Common Hovea
<i>Indigofera australis</i> subsp. <i>australis</i>	Austral Indigo
<i>Kennedia prostrata</i>	Running Postman
* <i>Kennedia rubicunda</i>	Dusky Coral-pea
* <i>Lotus angustissimus</i>	Slender Bird's-foot Trefoil
<i>Lotus australis</i>	Austral Trefoil
* <i>Lotus corniculatus</i>	Bird's-foot Trefoil
* <i>Lotus creticus</i>	Lotus
* <i>Lotus subbiflorus</i>	Hairy Bird's-foot Trefoil
* <i>Lotus uliginosus</i>	Greater Bird's-foot Trefoil
* <i>Medicago arabica</i>	Spotted Medic

Botanical Name	Common Name
* <i>Medicago intertexta</i>	Clavary Medic
* <i>Medicago lupulina</i>	Black Medic
* <i>Medicago minima</i>	Little Medic
* <i>Medicago polymorpha</i>	Burr Medic
* <i>Medicago sativa</i> subsp. <i>sativa</i>	Lucerne
* <i>Medicago truncatula</i>	Barrel Medic
* <i>Melilotus indicus</i>	Sweet Melilot
* <i>Paraserianthes lophantha</i> subsp. <i>lophantha</i>	Cape Wattle
<i>Platylobium reflexum</i>	Handsome Flat-pea
<i>Platylobium obtusangulum</i>	Common Flat-pea
* <i>Psoralea pinnata</i>	Blue Psoralea
r <i>Pultenaea canaliculata</i>	Coast Bush-pea
<i>Pultenaea daphnoides</i>	Large-leaf Bush-pea
<i>Pultenaea dentata</i>	Clustered Bush-pea
<i>Pultenaea forsythiana</i>	Prickly Bush-pea
<i>Pultenaea gunnii</i> subsp. <i>gunnii</i>	Golden Bush-pea
<i>Pultenaea hispidula</i>	Rusty Bush-pea
<i>Pultenaea humilis</i>	Dwarf Bush-pea
<i>Pultenaea laxiflora</i>	Loose-flower Bush-pea

	<b>Botanical Name</b>	<b>Common Name</b>
	<i>Pultenaea mollis</i>	Soft Bush-pea
r	<i>Pultenaea prolifera</i>	Otway Bush-pea
	<i>Pultenaea retusa</i>	Blunt Bush-pea
	<i>Pultenaea scabra</i>	Rough Bush-pea
	<i>Pultenaea stricta</i>	Rigid Bush-pea
	<i>Pultenaea tenuifolia</i>	Slender Bush-pea
	<i>Sphaerolobium minus</i>	Eastern Globe-pea
	<i>Swainsona lessertiifolia</i>	Coast Swainson-pea
*	<i>Trifolium angustifolium</i> var. <i>angustifolium</i>	Narrow-leaf Clover
*	<i>Trifolium arvense</i> var. <i>arvense</i>	Hare's-foot Clover
*	<i>Trifolium campestre</i> var. <i>campestre</i>	Hop Clover
*	<i>Trifolium cernuum</i>	Drooping-flower Clover
*	<i>Trifolium dubium</i>	Suckling Clover
*	<i>Trifolium fragiferum</i> var. <i>fragiferum</i>	Strawberry Clover
*	<i>Trifolium glomeratum</i>	Cluster Clover
*	<i>Trifolium ornithopodioides</i>	Birdsfoot Clover
*	<i>Trifolium repens</i> var. <i>repens</i>	White Clover
*	<i>Trifolium scabrum</i>	Rough Clover
*	<i>Trifolium subterraneum</i>	Subterranean Clover

<b>Botanical Name</b>	<b>Common Name</b>
* <i>Ulex europaeus</i>	Gorse
* <i>Vicia hirsuta</i>	Tiny Vetch
* <i>Vicia sativa</i> subsp. <i>nigra</i>	Narrow-leaf Vetch
* <i>Vicia sativa</i> subsp. <i>sativa</i>	Common Vetch
* <i>Vicia tetrasperma</i>	Slender Vetch
<i>Viminaria juncea</i>	Golden Spray
<b>Frankeniaceae</b>	
<i>Frankenia pauciflora</i> var. <i>gunnii</i>	Southern Sea-heath
<b>Gentianaceae</b>	
* <i>Centaurium erythraea</i>	Common Centaury
<i>Centaurium spicatum</i>	Spiked Centaury
* <i>Centaurium tenuiflorum</i>	Slender Centaury
* <i>Cicendia filiformis</i>	Slender Cicendia
* <i>Cicendia quadrangularis</i>	Square Cicendia
<i>Sebaea albidiflora</i>	White Sebaea
<i>Sebaea ovata</i>	Yellow Sebaea
<b>Geraniaceae</b>	
* <i>Erodium cicutarium</i>	Common Heron's-bill
* <i>Erodium malacoides</i>	Oval Heron's-bill

Botanical Name	Common Name
<i>Geranium gardneri</i>	Rough Crane's-bill
* <i>Geranium molle</i>	Dove's Foot
<i>Geranium potentilloides</i> var. <i>potentilloides</i>	Soft Crane's-bill
<i>Geranium retrorsum</i>	Grassland Crane's-bill
<i>Geranium solanderi</i> var. <i>solanderi</i>	Austral Crane's-bill
<i>Geranium</i> sp. 2	Variable Crane's-bill
<i>Geranium</i> sp.	Crane's Bill
<i>Pelargonium australe</i>	Austral Stork's-bill
* <i>Pelargonium cucullatum</i>	Pelargonium
* <i>Pelargonium crispum</i>	(not listed in VicFlora)
<i>Pelargonium inodorum</i>	Kopata
k <i>Pelargonium littorale</i>	Coast Stork's-bill
* <i>Pelargonium peltatum</i>	Ivy-leaf Pelargonium
* <i>Pelargonium quercifolium</i>	Oak-leaf Geranium
<i>Pelargonium rodneyanum</i>	Magenta Stork's-bill
* <i>Pelargonium x domesticum</i>	Regal Pelargonium
* <i>Pelargonium x hortorum</i>	Zonal Pelargonium
<b><i>Goodeniaceae</i></b>	
<i>Brunonia australis</i>	Blue Pincushion

<b>Botanical Name</b>	<b>Common Name</b>
<i>Goodenia blackiana</i>	Black's Goodenia
<i>Goodenia geniculata</i>	Bent Goodenia
<i>Goodenia gracilis</i>	Slender Goodenia
<i>Goodenia humilis</i>	Swamp Goodenia
<i>Goodenia lanata</i>	Trailing Goodenia
<i>Goodenia ovata</i>	Hop Goodenia
<i>Scaevola albida</i>	Small-fruit Fan-flower
v <i>Scaevola calendulacea</i>	Dune Fan-flower
<i>Selliera radicans</i>	Shiny Swamp-mat
<b><i>Haloragaceae</i></b>	
<i>Gonocarpus humilis</i>	Shade Raspwort
<i>Gonocarpus micranthus</i> subsp. <i>micranthus</i>	Creeping Raspwort
<i>Gonocarpus tetragynus</i>	Common Raspwort
<i>Gonocarpus teucroides</i>	Germander Raspwort
<i>Haloragis aspera</i>	Rough Raspwort
<i>Haloragis heterophylla</i>	Varied Raspwort
<i>Myriophyllum amphibium</i>	Broad Water-milfoil
<i>Myriophyllum crispatum</i>	Upright Water-milfoil
<i>Myriophyllum integrifolium</i>	Tiny Water-milfoil

Botanical Name	Common Name
<i>Myriophyllum muelleri</i>	Hooded Water-milfoil
<i>Myriophyllum salsugineum</i>	Lake Water-milfoil
<i>Myriophyllum simulans</i>	Amphibious Water-milfoil
<i>Myriophyllum verrucosum</i>	Red Water-milfoil
<b><i>Hypericaceae</i></b>	
<i>Hypericum gramineum s.l.</i>	Small St John's Wort
<i>Hypericum japonicum</i>	Matted St John's Wort
* <i>Hypericum perforatum</i> subsp. <i>veronense</i>	St John's Wort
<b><i>Lamiaceae</i></b>	
<i>Ajuga australis</i>	Austral Bugle
* <i>Lavandula dentata</i> var. <i>candidans</i>	Toothed Lavendar
* <i>Lavandula stoechas</i> (cv)	Topped Lavendar
* <i>Marrubium vulgare</i>	Horehound
<i>Mentha australis</i>	River Mint
<i>Mentha laxiflora</i>	Forest Mint
* <i>Mentha spicata</i>	Spearmint
<i>Prostanthera lasianthos</i> var. <i>lasianthos</i>	Victorian Christmas-bush
<i>Prostanthera melissifolia</i>	Balm Mint-bush
r <i>Prostanthera nivea</i> var. <i>nivea</i>	Snowy Mint-bush

Botanical Name	Common Name
* <i>Prostanthera ovalifolia</i>	Oval-leaf Mint-bush
* <i>Prunella vulgaris</i>	Self-heal
<i>Scutellaria humilis</i>	Dwarf Skullcap
* <i>Westringia fruticosa</i>	Coast Rosemary
* <i>Westringia fruticosa x W. glabra</i>	Not listed in VicFlora
* <i>Westringia glabra</i>	Violet Westringia
* <i>Westringia longifolia</i>	Not listed in VicFlora
* <i>Westringia sp.</i>	Westringia
<b><i>Lauraceae</i></b>	
<i>Cassytha glabella f. dispar</i>	Slender Dodder-laurel
<i>Cassytha melantha</i>	Coarse Dodder-laurel
<i>Cassytha pubescens</i>	Downy Dodder-laurel
<b><i>Lentibulariaceae</i></b>	
<i>Utricularia beaugleholei</i>	Purple Bladderwort
<i>Utricularia dichotoma s.l.</i>	Fairies' Aprons
<i>Utricularia lateriflora</i>	Tiny Bladderwort
<i>Utricularia tenella</i>	Pink Bladderwort
k <i>Utricularia uniflora</i>	Single Bladderwort

	<b>Botanical Name</b>	<b>Common Name</b>
<b>Linaceae</b>		
	<i>Linum marginale</i>	Native Flax
<b>Loganiaceae</b>		
	<i>Mitrasacme pilosa</i> var. <i>pilosa</i>	Hairy Mitrewort
	<i>Phyllangium distylis</i>	Tiny Mitrewort
	<i>Phyllangium divergens</i>	Wiry Mitrewort
<b>Loranthaceae</b>		
	<i>Amyema pendula</i> subsp. <i>pendula</i>	Drooping Mistletoe
	<i>Muellerina eucalyptoides</i>	Creeping Mistletoe
<b>Lythraceae</b>		
	<i>Lythrum hyssopifolia</i>	Small Loosestrife
<b>Malvaceae</b>		
	<i>Gynatrix pulchella</i>	Hemp Bush
r	<i>Lawrenzia spicata</i>	Salt Lawrenzia
	<i>Lasiopetalum baueri</i>	Slender Velvet-bush
*	<i>Malva arborea</i>	Tree Mallow
*	<i>Malva parviflora</i>	Small-flower Mallow
*	<i>Modiola caroliniana</i>	Red-flower Mallow
r	<i>Thomasia petalocalyx</i>	Paper Flower

Botanical Name	Common Name
<b><i>Menyanthaceae</i></b>	
<i>Ornduffia reniformis</i>	Running Marsh-flower
<b><i>Monimiaceae</i></b>	
<i>Hedycarya angustifolia</i>	Austral Mulberry
<b><i>Montiaceae</i></b>	
<i>Montia australasica</i>	White Purslane
<b><i>Myrtaceae</i></b>	
* <i>Agonis flexuosa</i>	Willow Myrtle
* <i>Angophora costata</i> subsp. <i>costata</i>	Smooth-barked Apple
* <i>Astartea heteranthera</i>	Astartea
* <i>Babingtonia</i> sp.	Babingtonia
* <i>Callistemon hybrids</i>	Not listed in VicFlora
* <i>Callistemon citrinus</i>	Crimson Bottlebrush
* <i>Callistemon rugulosus</i>	Scarlet Bottlebrush
* <i>Callistemon rigidus</i>	Stiff Bottlebrush
* <i>Callistemon sieberi</i>	River Bottlebrush
* <i>Callistemon</i> sp. ( <i>?pallidus</i> )	Bottlebrush
* <i>Callistemon viminalis</i>	Weeping Bottlebrush
<i>Calytrix tetragona</i>	Common Fringe-myrtle

	<b>Botanical Name</b>	<b>Common Name</b>
	* <i>Corymbia ficifolia</i>	WA Flowering Gum
	* <i>Corymbia maculata</i>	Spotted Gum
	* <i>Darwinia citriodora</i>	Not listed in VicFlora.
	<i>Eucalyptus aromaphloia</i>	Scentbark
	<i>Eucalyptus baxteri</i>	Brown Stringybark
	<i>Eucalyptus baxteri x E. obliqua</i>	Stringybark hybrid
	* <i>Eucalyptus botryoides</i>	Southern Mahogany
r	<i>Eucalyptus brookeriana</i>	Brooker's Gum
	* <i>Eucalyptus camaldulensis</i> subsp. <i>camaldulensis</i>	River Red-gum
	* <i>Eucalyptus cladocalyx</i>	Sugar Gum
	* <i>Eucalyptus conferruminata</i>	Bald Island Marlock
	* <i>Eucalyptus cornuta</i>	Yate
	* <i>Eucalyptus crenulata</i>	Buxton Gum
	<i>Eucalyptus cypellocarpa</i>	Mountain Grey-gum
r	<i>Eucalyptus falciformis</i>	Western Peppermint
	* <i>Eucalyptus globulus</i> subsp. <i>globulus</i>	Southern Blue-gum
	* <i>Eucalyptus gomphocephala</i>	Tuart
	* <i>Eucalyptus kitsoniana</i>	Bog Gum

	<b>Botanical Name</b>	<b>Common Name</b>
	<i>Eucalyptus goniocalyx</i>	Bundy
f e	<i>Eucalyptus leucoxylon</i> subsp. <i>bellarinensis</i>	Bellarine Yellow-gum
	<i>Eucalyptus leucoxylon</i> subsp. <i>bellarinensis</i> x * <i>E. tricarpa</i> (planted)	Eucalypt hybrid
	* <i>Eucalyptus leucoxylon</i> subsp. <i>megalocarpa</i>	Large-fruit Yellow-gum
v	<i>Eucalyptus litoralis</i>	Otway Grey-gum
v	<i>Eucalyptus litoralis</i> x <i>E. ovata</i> var. <i>ovata</i>	Eucalypt hybrid
	<i>Eucalyptus obliqua</i>	Messmate Stringybark
	<i>Eucalyptus ovata</i> var. <i>ovata</i>	Swamp Gum
	<i>Eucalyptus pauciflora</i> subsp. <i>pauciflora</i>	Snow Gum
	<i>Eucalyptus radiata</i> subsp. <i>radiata</i>	Narrow-leaf Peppermint
	* <i>Eucalyptus sideroxylon</i> subsp. <i>sideroxylon</i>	Mugga
	* <i>Eucalyptus scias</i> subsp. <i>scias</i>	Gum
	<i>Eucalyptus tricarpa</i> subsp. <i>tricarpa</i>	Red Ironbark
	<i>Eucalyptus viminalis</i> subsp. <i>cygnetensis</i>	Rough-barked Manna-gum
	<i>Eucalyptus viminalis</i> subsp. <i>viminalis</i>	Manna Gum
r	<i>Eucalyptus yarraensis</i>	Yarra Gum
r	<i>Euryomyrtus ramosissima</i> subsp. <i>prostrata</i>	Nodding Baeckea
	* <i>Kunzea ambigua</i>	White Kunzea

<b>Botanical Name</b>	<b>Common Name</b>
* <i>Kunzea baxteri</i>	Crimson Kunzea
* <i>Kunzea ericoides s.l.</i>	Burgan
* <i>Kunzea pomifera</i>	Muntries
<i>Leptospermum continentale</i>	Prickly Tea-tree
* <i>Leptospermum laevigatum</i>	Coast Tea-tree
* <i>Leptospermum laevigatum x L. myrsinoides</i>	Coast Tea-tree/Heath Tea-tree hybrid
<i>Leptospermum lanigerum</i>	Woolly Tea-tree
<i>Leptospermum myrsinoides</i>	Heath Tea-tree
* <i>Leptospermum petersonii</i>	Lemon-scented Tea-tree
<i>Leptospermum scoparium s.l.</i>	Manuka
* <i>Leptospermum polygalifolium</i> subsp. <i>polygalifolium</i>	Tea-tree
* <i>Leptospermum turbinatum</i>	Shiny Tea-tree
* <i>Melaleuca armillaris</i> subsp. <i>armillaris</i>	Giant Honey-myrtle
* <i>Melaleuca brevifolia</i>	Mallee Honey-myrtle
* <i>Melaleuca decussata</i>	Totem-poles
* <i>Melaleuca diosmifolia</i>	Green Honey-myrtle
* <i>Melaleuca halmaturorum</i> subsp. <i>halmaturorum</i>	Salt Paperbark

<b>Botanical Name</b>	<b>Common Name</b>
* <i>Melaleuca hypericifolia</i>	Hillock Bush
* <i>Melaleuca incana</i> subsp. <i>incana</i>	Grey Honey-myrtle
* <i>Melaleuca huegelii</i>	Honey-myrtle
<i>Melaleuca lanceolata</i>	Moonah
* <i>Melaleuca nesophila</i>	Showy Honey-myrtle
* <i>Melaleuca parvistaminea</i>	Rough-barked Honey-myrtle
* <i>Melaleuca</i> sp. (Painkalac Creek)	Honey-myrtle
<i>Melaleuca squamea</i>	Swamp Honey-myrtle
<i>Melaleuca squarrosa</i>	Scented Paperbark
* <i>Taxandria parviceps</i>	Myrtle
<b>Oleaceae</b>	
* <i>Fraxinus angustifolia</i> subsp. <i>angustifolia</i>	Desert Ash
<b>Onagraceae</b>	
<i>Epilobium billardierianum</i> subsp. <i>billardierianum</i>	Smooth Willow-herb
<i>Epilobium billardierianum</i> subsp. <i>cinereum</i>	Grey Willow-herb
* <i>Epilobium ciliatum</i>	Glandular Willow-herb
<i>Epilobium hirtigerum</i>	Hairy Willow-herb
* <i>Epilobium hirsutum</i>	Great Willow-herb

Botanical Name	Common Name
* <i>Oenothera glazioviana</i>	Reddish Evening-primrose
<b>Orobanchaceae</b>	
<i>Euphrasia collina</i> subsp. <i>collina</i>	Purple Eyebright
* <i>Parentucellia latifolia</i>	Red Bartsia
* <i>Parentucellia viscosa</i>	Yellow Bartsia
<b>Oxalidaceae</b>	
<i>Oxalis</i> aff. <i>exilis</i> ( <i>glabrescent</i> )	Wood Sorrel
* <i>Oxalis articulata</i>	Sourgrass
* <i>Oxalis corniculata</i>	Creeping Wood-sorrel
<i>Oxalis exilis</i>	Shady Wood-sorrel
* <i>Oxalis incarnata</i>	Pale Wood-sorrel
<i>Oxalis perennans</i>	Grassland Wood-sorrel
* <i>Oxalis pes-caprae</i>	Soursob
* <i>Oxalis purpurea</i>	Large-flower Wood-sorrel
<i>Oxalis radicosa</i>	Stout-rooted Wood-sorrel
<i>Oxalis</i> sp. aff. <i>exilis</i> ( <i>Lorne</i> )	Wood-sorrel
<i>Oxalis rubens</i>	Dune Wood-sorrel
k <i>Oxalis thompsoniae</i>	Fluffy-fruit Wood-sorrel

Botanical Name	Common Name
<b>Papaveraceae</b>	
* <i>Fumaria bastardii</i>	Bastard's Fumitory
* <i>Fumaria muralis</i> subsp. <i>muralis</i>	Wall Fumitory
* <i>Fumaria</i> sp.	Fumitory
* <i>Papaver somniferum</i>	Opium Poppy
<b>Passifloraceae</b>	
* <i>Passiflora caerulea</i>	Blue Passion-fruit
* <i>Passiflora tarminiana</i>	Banana Passion-fruit
<b>Phytolaccaceae</b>	
* <i>Phytolacca octandra</i>	Red-ink Weed
<b>Phrymaceae</b>	
<i>Mazus pumilio</i>	Swamp Mazus
<i>Thyridia repens</i>	Creeping Monkey-flower
<b>Phyllanthaceae</b>	
<i>Phyllanthus gunnii</i>	Shrubby Spurge
<i>Phyllanthus hirtellus</i>	Thyme Spurge
<i>Poranthera microphylla</i>	Small Poranthera
<b>Pittosporaceae</b>	
* <i>Billardiera fusiformis</i>	Bluebell Creeper

<b>Botanical Name</b>	<b>Common Name</b>
<i>Billardiera mutabilis</i>	Common Apple-berry
<i>Billardiera versicolor</i>	Pale Apple-berry
<i>Bursaria spinosa</i> subsp. <i>spinosa</i>	Sweet Bursaria
<i>Cheiranthera linearis</i>	Blue Finger-flower
* <i>Pittosporum crassifolium</i>	Karo
* <i>Pittosporum undulatum</i>	Sweet Pittosporum
<i>Rhytidosporum procumbens</i>	White Marianth
<b>Plantaginaceae</b>	
* <i>Callitrichia brutia</i> subsp. <i>brutia</i>	Thread Water-starwort
<i>Callitrichia muelleri</i>	Round Water-starwort
* <i>Callitrichia palustris</i> var. <i>plaustris</i>	Swamp Water-starwort
* <i>Callitrichia stagnalis</i>	Common Water-starwort
k <i>Gratiola pedunculata</i>	Stalked Brooklime
<i>Gratiola peruviana</i>	Austral Brooklime
<i>Gratiola pubescens</i>	Glandular Brooklime
r <i>Gratiola pumilo</i>	Dwarf Brooklime
* <i>Plantago coronopus</i>	Buck's-horn Plantain
<i>Plantago debilis</i>	Shade Plantain
<i>Plantago hispida</i>	Hairy Plantain

Botanical Name	Common Name
* <i>Plantago lanceolata</i>	Ribwort
* <i>Plantago major</i>	Greater Plantain
<i>Plantago varia</i>	Variable Plantain
* <i>Veronica arvensis</i>	Wall Speedwell
<i>Veronica calycina</i>	Hairy Speedwell
<i>Veronica derwentiana</i> subsp. <i>derwentiana</i>	Derwent Speedwell
<i>Veronica perfoliata</i>	Diggers Speedwell
<i>Veronica gracilis</i>	Slender Speedwell
* <i>Veronica persica</i>	Persian Speedwell
<i>Veronica plebeia</i>	Trailing Speedwell
<b>Polygalaceae</b>	
<i>Comesperma calymega</i>	Blue-spike Milkwort
<i>Comesperma defoliatum</i>	Leafless Milkwort
<i>Comesperma ericinum</i>	Heath Milkwort
f v <i>Comesperma polygaloides</i>	Small Milkwort
<i>Comesperma volubile</i>	Love Creeper
* <i>Polygala myrtifolia</i> var. <i>myrtifolia</i>	Myrtle-leaf Milkwort
* <i>Polygala aff. myrtifolia</i> ( <i>Anglesea</i> )	Milkwort
* <i>Polygala virgata</i>	Purple Broom

Botanical Name	Common Name
<b>Polygonaceae</b>	
* <i>Acetosa sagittata</i>	Rambling Dock
* <i>Acetosella vulgaris</i>	Sheep Sorrel
<i>Muehlenbeckia australis</i>	Climbing Lignum
<i>Persicaria decipiens</i>	Slender Knotweed
<i>Persicaria praetermissa</i>	Spotted Knotweed
<i>Persicaria prostrata</i>	Creeping Knotweed
* <i>Polygonum aviculare</i>	Prostrate Knotweed
<i>Rumex bidens</i>	Mud Dock
<i>Rumex brownii</i>	Slender Dock
* <i>Rumex conglomeratus</i>	Clustered Dock
* <i>Rumex crispus</i>	Curled Dock
* <i>Rumex pulcher</i> subsp. <i>pulcher</i>	Fiddle Dock
<b>Primulaceae</b>	
* <i>Lysimachia arvensis</i>	Blue/Scarlet Pimpernel
* <i>Lysimachia minima</i>	Chaffweed
<i>Samolus repens</i>	Creeping Brookweed
<b>Proteaceae</b>	
* <i>Banksia ericifolia</i> var. <i>ericifolia</i>	Banksia

	<b>Botanical Name</b>	<b>Common Name</b>
	* <i>Banksia integrifolia</i> subsp. <i>integrifolia</i>	Coast Banksia
	<i>Banksia marginata</i>	Silver Banksia
	<i>Conospermum mitchellii</i>	Victorian Smoke-bush
f V v	<i>Grevillea infecunda</i>	Anglesea Grevillea
	* <i>Grevillea juniperina</i> subsp. <i>allojohnsonii</i>	Prickly Spider-flower
	* <i>Grevillea juniperina</i> (red perianth, acicular leaves)	Prickly Spider-flower
	* <i>Grevillea lanigera</i>	Woolly Grevillea
	* <i>Grevillea lanigera</i> x <i>G. lavandulacea</i>	Hybrid Grevillea
	* <i>Grevillea lavandulacea</i>	Lavendar Grevillea
	<i>Grevillea micrantha</i>	Small-flower Grevillea
	* <i>Grevillea rosmarinifolia</i> (yellow-green flowers)	Rosemary Grevillea
	* <i>Grevillea rosmarinifolia</i> subsp. <i>rosmarinifolia</i>	Rosemary Grevillea
	* <i>Grevillea sericea</i> subsp. <i>sericea</i>	Silky Grevillea
	<i>Hakea decurrens</i> subsp. <i>physocarpa</i>	Bushy Needlewood
	* <i>Hakea drupacea</i>	Sweet Hakea
	* <i>Hakea elliptica</i>	Bronzy Hakea
	* <i>Hakea laurina</i>	Pincushion Hakea
	* <i>Hakea oleifolia</i>	Dungyn

Botanical Name	Common Name
* <i>Hakea petiolaris</i>	Sea-urchin Hakea
<i>Hakea repullulans</i>	Western Furze Hakea
* <i>Hakea salicifolia</i> subsp. <i>salicifolia</i>	Willow-leaf Hakea
* <i>Hakea sericea</i>	Silky Hakea
<i>Hakea ulicina</i>	Furze Hakea
<i>Isopogon ceratophyllus</i>	Horny Cone-bush
<i>Lomatia ilicifolia</i>	Holly Lomatia
<i>Persoonia juniperina</i>	Prickly Geebung
<b>Ranunculaceae</b>	
<i>Clematis aristata</i>	Mountain Clematis
<i>Clematis decipiens</i>	Slender Clematis
<i>Clematis microphylla</i>	Small-leaved Clematis
<i>Ranunculus amphitrichus</i>	Small River Buttercup
<i>Ranunculus glabrifolius</i>	Shining Buttercup
<i>Ranunculus inundatus</i>	River Buttercup
<i>Ranunculus lappaceus</i>	Australian Buttercup
* <i>Ranunculus muricatus</i>	Sharp Buttercup
k <i>Ranunculus pumilio</i> var. <i>politus</i>	Ferny Small-flower Buttercup
* <i>Ranunculus repens</i>	Creeping Buttercup

<b>Botanical Name</b>	<b>Common Name</b>
<i>Ranunculus sessiliflorus</i> var. <i>sessiliflorus</i>	Annual Buttercup
<i>Ranunculus trichophyllus</i>	Water Fennel
<b>Rhamnaceae</b>	
<i>Cryptandra tomentosa</i> var. 1	Prickly Cryptandra
v <i>Pomaderris apetala</i> subsp. <i>maritima</i>	Tasman Pomaderris
<i>Pomaderris aspera</i>	Hazel Pomaderris
<i>Pomaderris elachophylla</i>	Lacy Pomaderris
<i>Pomaderris ferruginea</i>	Rusty Pomaderris
<i>Pomaderris lanigera</i>	Woolly Pomaderris
<i>Pomaderris paniculosa</i> subsp. <i>paralia</i>	Coast Pomaderris
<i>Pomaderris prunifolia</i> var. <i>prunifolia</i>	Prunus Pomaderris
<i>Pomaderris racemosa</i>	Cluster Pomaderris
* <i>Rhamnus alaternus</i>	Italian Buckthorn
<i>Spyridium parvifolium</i>	Dusty Miller
<i>Spyridium parvifolium</i> x <i>S. vexilliferum</i> var. <i>vexilliferum</i>	Dusty Miller/Winged Spyridium hybrid
<i>Spyridium vexilliferum</i> var. <i>latifolium</i>	Winged Spyridium
<i>Spyridium vexilliferum</i> var. <i>vexilliferum</i>	Winged Spyridium

Botanical Name	Common Name
<b>Rosaceae</b>	
<i>Acaena agnipila</i>	Hairy Sheep's Burr
<i>Acaena echinata</i>	Sheep's Burr
<i>Acaena novae-zelandiae</i>	Bidgee-widgee
<i>Acaena ovina</i>	Australian Sheep's Burr
* <i>Aphanes</i> sp.	Piert
* <i>Cotoneaster glaucophyllus</i> var. <i>serotinus</i>	Large-leaf Cotoneaster
* <i>Crataegus monogyna</i>	Hawthorn
* <i>Cotoneaster pannosus</i>	Velvet Cotoneaster
* <i>Malus pumila</i>	Apple
* <i>Prunus cerasifera</i>	Cherry Plum
* <i>Rhaphiolepis umbellata</i>	Sexton's Bride
* <i>Rosa canina</i>	Dog Rose
* <i>Rosa rubiginosa</i>	Sweet Briar
* <i>Rubus anglocandicans</i>	Common Blackberry
<i>Rubus parvifolius</i>	Small-leaf Bramble
<b>Rubiaceae</b>	
<i>Asperula conferta</i>	Common Woodruff
<i>Asperula gunnii</i>	Mountain Woodruff

<b>Botanical Name</b>	<b>Common Name</b>
<i>Asperula ob lanceolata</i>	Otway Woodruff
<i>Asperula scoparia</i> subsp. <i>scoparia</i>	Prickly Woodruff
<i>Asperula subsimplex</i>	Water Woodruff
<i>Coprosma hirtella</i>	Rough Coprosma
<i>Coprosma quadrifida</i>	Prickly Currant-bush
* <i>Coprosma repens</i>	Mirror Bush
* <i>Galium aparine</i>	Cleavers
<i>Galium australe</i>	Tangled Bedstraw
<i>Galium binifolium</i> subsp. <i>conforme</i>	Reflexed Bedstraw
<i>Galium ciliare</i> subsp. <i>terminale</i>	Hairy Bedstraw
r <i>Galium compactum</i>	Compact Bedstraw
* <i>Galium divaricatum</i>	Slender Bedstraw
<i>Galium gaudichaudii</i> subsp. <i>gaudichaudii</i>	Rough Bedstraw
* <i>Galium murale</i>	Small Goosegrass
<i>Leptostigma reptans</i>	Dwarf Nertera
<i>Opercularia ovata</i>	Broad-leaf Stinkweed
<i>Opercularia scabrida</i>	Stalked Stinkweed
<i>Opercularia varia</i>	Variable Stinkweed
* <i>Sherardia arvensis</i>	Field Madder

	<b>Botanical Name</b>	<b>Common Name</b>
<b>Rutaceae</b>		
	<i>Boronia nana</i> var. <i>hyssopifolia</i>	Dwarf Boronia
	<i>Boronia nana</i> var. <i>nana</i>	Dwarf Boronia
*	<i>Coleonema pulchellum</i>	Pink Diosma
	<i>Correa alba</i> var. <i>alba</i>	White Correa
*	<i>Correa alba</i> var. <i>alba</i>	White Correa
*	<i>Correa baeuerlenii</i>	Chef's-cap Correa
*	<i>Correa calycina</i> var. <i>calycina</i>	Hindmarsh Correa
*	<i>Correa calycina</i> var. <i>calycina</i> x <i>C. sp. aff. reflexa (Anglesea)</i>	Correa hybrid
C R	<i>Correa sp. aff. reflexa (Moggs Creek)</i>	Moggs Creek Correa
	<i>Correa sp. aff. reflexa (Bells Beach)</i> x * <i>C. backhousiana</i> var. <i>backhousiana</i>	Correa hybrid
v	<i>Correa sp. aff. reflexa (Anglesea)</i>	Anglesea Correa
v	<i>Correa sp. aff. reflexa (Bells Beach)</i>	Surf Coast Correa
<b>Salicaceae</b>		
*	<i>Populus</i> sp.	Poplar
*	<i>Salix alba</i> x <i>S. matsudana</i>	New Zealand Hybrid Willow
*	<i>Salix matsudana</i> 'Tortuosa'	Tortured Willow
*	<i>Salix sepulcralis</i> var. <i>sepulcralis</i>	Weeping Willow

Botanical Name	Common Name
* <i>Salix cinerea</i> subsp. <i>cinerea</i>	Grey Sallow
<b>Santalaceae</b>	
<i>Exocarpos cupressiformis</i>	Cherry Ballart
<i>Exocarpos strictus</i>	Pale-fruit Ballart
<b>Sapindaceae</b>	
* <i>Dodonaea viscosa</i> 'Purpurea'	Purple Hop-bush
* <i>Dodonaea viscosa</i> s.l.	Sticky Hop-bush
* <i>Dodonaea viscosa</i> subsp. <i>spatulata</i>	Sticky Hop-bush
<b>Scrophulariaceae</b>	
<i>Limosella australis</i>	Austral Mudwort
# <i>Myoporum insulare</i>	Common Boobialla
<i>Myoporum petiolatum</i>	Sticky Boobialla
* <i>Myoporum petiolatum</i>	Sticky Boobialla
* <i>Verbascum thapsus</i>	Great Mullein
<b>Solanaceae</b>	
* <i>Lycium ferocissimum</i>	African Box-thorn
* <i>Physalis alkekengi</i>	Alkekengi
* <i>Solanum americanum</i>	Glossy Nightshade
<i>Solanum aviculare</i>	Kangaroo Apple

<b>Botanical Name</b>	<b>Common Name</b>
<i>Solanum laciniatum</i>	Large Kangaroo Apple
* <i>Solanum nigrum</i>	Black Nightshade
<i>Solanum vescum</i>	Gunyang
<b><i>Stylidiaceae</i></b>	
<i>Styliodium armeria</i> subsp. <i>armeria</i>	Common Triggerplant
<i>Styliodium despectum</i>	Small Triggerplant
<i>Styliodium graminifolium</i>	Grass Triggerplant
<i>Styliodium inundatum</i>	Hundreds and Thousands
<i>Styliodium perpusillum</i>	Slender Triggerplant
<b><i>Tamaricaceae</i></b>	
* <i>Tamarix ramosissima</i>	Tamarisk
<b><i>Thymelaeaceae</i></b>	
<i>Pimelea axiflora</i> subsp. <i>axiflora</i>	Bootlace Bush
<i>Pimelea curviflora</i> s.l.	Curved Rice-flower
<i>Pimelea flava</i> subsp. <i>flava</i>	Yellow Rice-flower
<i>Pimelea glauca</i>	Smooth Rice-flower
r <i>Pimelea hewardiana</i>	Forked Rice-flower
<i>Pimelea humilis</i>	Common Rice-flower
<i>Pimelea ligustrina</i> subsp. <i>ligustrina</i>	Tall Rice-flower

<b>Botanical Name</b>	<b>Common Name</b>
<i>Pimelea linifolia</i> subsp. <i>linifolia</i>	Slender Rice-flower
<i>Pimelea octophylla</i>	Woolly Rice-flower
<i>Pimelea phyllicoides</i>	Heath Rice-flower
<i>Pimelea serpyllifolia</i> subsp. <i>serpyllifolia</i>	Thyme Rice-flower
<b>Ulmaceae</b>	
* <i>Ulmus</i> sp.	Elm
<b>Urticaceae</b>	
<i>Parietaria debilis</i>	Shade Pellitory
<i>Urtica incisa</i>	Scrub Nettle
* <i>Urtica urens</i>	Small Nettle
<b>Valerianaceae</b>	
* <i>Centranthus ruber</i> subsp. <i>ruber</i>	Red Valerian
<b>Violaceae</b>	
<i>Melicytus dentatus</i>	Tree Violet
<i>Viola cleistogamoides</i>	Hidden Violet
<i>Viola eminens</i>	Tall Violet
<i>Viola hederacea</i>	Ivy-leaf Violet
* <i>Viola odorata</i>	Common Violet
<i>Viola</i> sp. aff. <i>hederacea</i> (Boundary Creek)	Violet

---

Botanical Name	Common Name
Zygophyllaceae	
r <i>Zygophyllum billardierei</i>	Coast Twin-leaf

---