

Symptom

This document will describe the steps necessary to configure SAP Visual Intelligence for use with Windows AD authentication

Environment

- SAP BusinessObjects Business Intelligence Platform 4.0
- SAP Visual Intelligence

Resolution

1. Edit the file: "<InstallDir>\SAPVisualIntelligence\Desktop\SAPVisualIntelligence.ini"

Add the following lines to the end of the file:

```
-Djava.security.auth.login.config=<path-to-bsclogin>/bscLogin.conf  
-Djava.security.krb5.conf=<path-to-kerberos>/krb5.ini
```

For example:

```
-Djava.security.auth.login.config=C:/Windows/bscLogin.conf  
-Djava.security.krb5.conf=C:/Windows/krb5.ini
```

2. Make sure the two files (bscLogin.conf and krb5.ini) are configured for Active Directory authentication with Kerberos. These files are created when configuring Windows AD authentication for BI Launchpad and can be copied from the server onto the client machine for use with SAP Visual Intelligence. For details on configuring these files, see the section "Using Kerberos authentication for Windows AD" in the SAP BusinessObjects Enterprise Administrator's Guide.

Keywords

VI, Visual Intelligence, AD, Windows, configuration, fail

Header Data

Released On 03.06.2013 15:07:09

Release Status Released to Customer

Component BI-BIP-AUT Authentication, ActiveDirectory, LDAP, SSO, Vintela

Priority Normal

Category How To

Product

Product	Product Version
SAP BusinessObjects Business Intelligence platform	SAP BusinessObjects Business Intelligence platform 4.0
SAP Lumira	SAP Lumira 1.0

References

This document refers to:

SAP Help Portal

[SAP Help Portal \(go here for access to Administrator and User Guides\)](#)