

Colombia

Santa Marta Extension I

26th June to 1st July 2018 (6 Days)

Trip Report



Santa Marta Bush Tyrant by Roger Rodríguez

Trip report by tour leader: Christopher J. Sharpe Local guide: Roger Rodríguez

Daily Diary/ Tour Summary

Tuesday, 26 June: Our tour began with dinner at our comfortable hotel in Barranquilla.

Wednesday, 27 June: A 45-minute drive had us at our first birding destination, Isla de Salamanca National Park, at 5.45 a.m.. As we ate our picnic breakfast, we obtained fleeting but diagnostic views of our principal targets, Sapphire-throated and Sapphire-bellied Hummingbirds, restricted to a relatively small area of mangroves on the Colombian coast. Soon after, we enjoyed the first of many looks at the confiding Russet-throated Puffbird. As we walked into the mangroves, a Lesser Nighthawk roosted on a branch by the side of the trail. An unremarkable black bird perched nearby turned out to be our first



Black-and-white Owl by Roger Rodríguez

Bronze-brown Cowbird. After some obliging Chestnut Piculets, we chanced to see a female Goldengreen Woodpecker (the conspicuously golden-headed race *xanthochlorus*) flying through the mangroves. Our last bird was a Pied Puffbird. At Km 4 on the road out of Palermo, we began with Stripe-backed Wrens and Caribbean Horneros. Some saw Chestnut-winged Chachalacas, and shortly afterwards we all got on to a Dwarf Cuckoo. The highlight for some was very close views of Yellow-breasted Crake in marsh that was sadly being treated with herbicide. From here, we transferred to three 4WD Toyotas for the muddy road from Minca to El Dorado. At a series of stops along the way, we had over 50 Swallow Tanagers, a Coopman's (Golden-faced) Tyrannulet, a couple of Golden-winged



White-necked Puffbird by Roger Rodríguez

Sparrows, a Santa Marta Antbird, (Bangs's) Grey-breasted Wood Wren and our first Santa Marta Brushfinches. After night had fallen, our headlights revealed a roadside tree with a recently-fledged Mottled Owl together with an adult. Shortly afterwards, we were glad to reach the lodge on what had been quite a long first day.


Thursday, 28 June: After 4 a.m. coffee, we boarded our Toyotas to drive up to the highest point of the tour, the 2,700m San Lorenzo ridge. We arrived shortly after dawn and donned warm clothes against the buffeting wind. At first no birds were visible

or audible, so we tucked into our picnic breakfast and drank more coffee. As we walked the ridgeline track, the endemics appeared: Santa Marta Warbler, Santa Marta Brushfinch, Santa Marta Mountain Tanager, Yellow-crowned Whitestart, Rusty-headed Spinetail and Hermit Wood Wren. Near-endemic Streak-capped Spinetails gave good views too. We noted the distinctive violet-blue tail of (Santa Marta) Tyrian Metaltail (race *districta*). Santa Marta Bush Tyrant had so far eluded us, but we

Rockjumper Birding Tours

eventually found one that we could study at leisure. Lower down at the San Lorenzo Experimental Station, we were told that the Santa Marta Antpittas had not been singing, but we nevertheless put in a couple of hours at the feeder while Colombia duelled – successfully, in contrast to us – with Senegal in the World Cup. A little lower, we had a close encounter with a Barred Forest Falcon while teasing Black-throated Tody-Tyrant and Yellow-bellied Chat-Tyrant out of the undergrowth. Back at the lodge

we enjoyed the feeders, with three species of violetear and the gorgeous White-tailed Starfrontlet. The compost heap attracted Sickle-winged and Band-tailed Guans, and seed-feeders were frequented by Sierra Nevada Brushfinch. Fruiting Cecropia trees produced our first (Santa Marta) Whitethroated Toucanet. An afternoon stroll up the road gave us White-lored Warbler, with an observation tower providing a chance to call in White-tipped Quetzals. In the evening, we went in search of the recentlydescribed endemic Santa Marta Screech Owl. After almost two hours, we eventually heard a bird on the road above the lodge, but it failed to show itself.



White-bellied Antbird by Roger Rodríguez

Friday, 29 June: We used the hour of light before breakfast to search for Black-throated Wood Quail, in the event only hearing them. We did have nice farewell looks at Sierra Nevada and Santa Marta Brushfinches, as well as Hermit Wood Wren. Our first stop was a good one, with Santa Marta Blossomcrown, (Bangs's) Grey-breasted Wood Wren, Golden-breasted Fruiteater and extremely close looks at three Santa Marta Tapaculos. Palo Alto gave us views of (Yellow-billed) Groove-billed Toucanet. Further down, our drivers found us Santa Marta Woodstar, and we had nice looks at a Rusty-breasted Antpitta; while a coffee stop gave us three more Santa Marta Woodstars. Lower still, we had flight views of Santa Marta Foliage-gleaner. A stop at the curve where we had found Golden-winged Sparrow on our way up to the lodge gave us improved views of two birds which ascended almost to the top of huge bamboos; while a couple of Whooping Motmots were a bonus. A stroll lower down was



Buffy Hummingbird by Roger Rodríguez

rather quiet, but we did see a passing King Vulture. At our final stop of the afternoon, we tried to coax a Rosy Thrush-Tanager into view, but were rewarded with just one brief look. However, we did pick up a nice male Coppery Emerald – a bird that we had failed to find at a stake-out earlier in the day. As we drove to our hotel, our driver nonchalantly stopped to point out a Black-and-white Owl roosting above the road in tall bamboo. Having checked into the Hotel Minca in the late afternoon, some of us opted to watch the feeders where, just before dark, a Pale-bellied Hermit came in for a long drink.

Saturday, 30 June: Shortly after dawn, we drove back up the San Lorenzo road to try for better views of Rosy Thrush-Tanager. We were unsuccessful; although we did see a pair of Scaled Piculets and six Military Macaws flying up the valley. Our next stop was at much lower elevation in semi-deciduous forest. We heard several Black-backed Antshrikes, but they remained deep in the vines. The road was disappointingly quiet, but by a wooded stream a Ferruginous Pygmy Owl attracted an intense burst of mobbing activity from a wide variety of species. A short wait at a Heliconia blossom produced Pale-

bellied Hermit. Our lunch stop in Tayrona was at a pleasant restaurant overlooking the River Piedras. After a substantial repast, we spent a couple of enjoyable hours at Las Gaviotas road. We soon encountered Trinidad Euphonias, followed by a White-necked Puffbird perched in good light in a Cecropia tree. A Buff-breasted Wren appeared to be feeding an incubating bird in a freshly-constructed nest, and further on a singing male White-bellied Antbird gave us wonderfully prolonged views from 5 metres. Travelling further east along the Riohacha road, a quick roadside stop gave us close looks at about 9 Blue-crowned Parakeets, some of which were visiting nest holes. Our final stop of the day produced Tocuyo Sparrow and another 30 or so Blue-crowned Parakeets. As night fell, Lesser Nighthawks left their roosting trees to be replaced by Green-rumped Parrotlets and Rufous-vented Chachalacas – the cue for us to head to our own lodgings.

Sunday, 1 July: After coffee in our hotel lobby, we reached our first birding stop in the xeric scrub at first light. We managed improved looks at Tocuyo Sparrow before having to retreat from wasps. At a plaza in Camarones we met our local Guajira guide, Jhonis, who immediately found us a Glaucous



Orinocan Saltator by Roger Rodríguez

Tanager. We then headed to Los Flamencos Wildlife Sanctuary, where we ate our picnic breakfast, somewhat disturbed by passing Red-billed Emeralds and Bare-eyed Pigeons. We then had a very pleasant walk around the scrub, finding all the remaining specialities and endemics of this unique habitat shared with neighbouring Venezuela: Slender-billed Inezia, White-whiskered Spinetail, Vermilion Cardinal, Buffy Hummingbird and Orinocan Saltator. We also got close to a nice flock of White Ibis containing a pink-washed White x Scarlet Ibis hybrid. A covey of Crested Bobwhite and a Grey-cowled Wood Rail were the icing on the cake. The rain showers that we experienced throughout the morning were unusual and kept us cool, while perhaps helping extend the bird activity. The nearby river mouth had a nice selection of coastal birds, including Cabot's, Royal and Common Terns, and a surprising number of shorebirds, the most notable of which were 3 Snowy Plovers. We chanced across an Aplomado Falcon on the old Camarones road and finished the trip with Pearly-vented Tody-Tyrant and Ochre-lored Flatbill before heading to Riohacha Airport for our midday flight to Bogotá. Some of us added a last new bird, White-winged Swallow, as we drove through the airport car park. We said farewell to our companions ending the tour at the airport; while those of us continuing to the Colombia Highlights tour proceeded to our well-appointed hotel.

Annotated List of species recorded

Note: Number in brackets () indicate number of days on the tour the species was recorded. List powered through the report generator of our partner iGoTerra.

Birds (273 in total: 266 seen, 7 heard)

Nomenclature and taxonomy follows Gill, F and D Donsker (Eds). 2018. IOC World Bird List (v 8.1).

Status codes: E = Endemic, NE = Near-endemic, I = Introduced

IUCN codes: CR = Critically Endangered, **EN** = Endangered, **VU** = Vulnerable, **EW** = Extinct in the

Wild, NT = Near Threatened, DD = Data Deficient

Ducks, Geese & Swans Anatidae

Fulvous Whistling Duck

Dendrocygna bicolor

(1) 4 Palermo Km 4 27.6.

Chachalacas, Curassows & Guans Cracidae

Chestnut-winged Chachalaca (E)

Ortalis garrula

(1) 2 in the distance Palermo Km 4 27.6.

Rufous-vented Chachalaca

Ortalis ruficauda ruficrissa

(1) 3 Guajira Peninsula 30.6.

Band-tailed Guan

Penelope argyrotis colombiana

(3) 5 Minca-El Dorado road 27.6, 12 El Dorado Reserve 28.6 and 2 El Dorado Reserve 29.6.

Sickle-winged Guan

Chamaepetes goudotii sanctaemarthae

(2) 1 El Dorado Reserve 28.6 and 1 El Dorado Reserve 29.6.

New World Quail Odontophoridae

Crested Bobwhite

Colinus cristatus cristatus

(2) 2 heard Guajira Peninsula 30.6 and good, close looks at a covey of at least 7 Los Flamencos NP 1.7.

Black-fronted Wood Quail (VU)

Odontophorus atrifrons atrifrons

(1) 1 heard El Dorado Reserve 29.6.

Grebes Podicipedidae

Least Grebe

Tachybaptus dominicus

brachyrhynchus

(1) 4 Palermo Km 4 27.6.

Storks Ciconiidae

Wood Stork

Mycteria americana

(1) 20 Isla de Salamanca NP 27.6.

Ibises, Spoonbills Threskiornithidae

Bare-faced Ibis

Phimosus infuscatus berlepschi

(1) 4 Palermo Km 4 27.6.

American White Ibis

Eudocimus albus ramobustorum

(1) 30 Los Flamencos NP 1.7. Also, a hybrid White x Scarlet Ibis *Eudocimus albus* x ruber.

Glossy Ibis

Plegadis falcinellus

(1) 15 Isla de Salamanca NP 27.6.

Herons, Egrets, and Bitterns Ardeidae

Stripe-backed Bittern Ixobrychus involucris

(1) 1 Palermo Km 4 27.6.

Black-crowned Night Heron Nycticorax nycticorax hoactli

(1) 5 Palermo Km 4 27.6.

Yellow-crowned Night Heron Nyctanassa violacea cayennensis

(1) 1 Isla de Salamanca NP 27.6.

Striated Heron

Butorides striata striata

(1) fairly common Palermo Km 4 27.6 and fairly common Isla de Salamanca NP 27.6.

Western Cattle Egret Bubulcus ibis

(1) fairly common Palermo Km 4 27.6 and fairly common Isla de Salamanca NP 27.6.

Cocoi Heron Ardea cocoi

(1) 1 Isla de Salamanca NP 27.6.

Great Egret Ardea alba egretta

(3) common Palermo Km 4 27.6, common Isla de Salamanca NP 27.6, 1 en route 30.6, 5 Camarones

1.7 and 5 Los Flamencos NP 1.7.

Tricolored Heron *Egretta tricolor ruficollis*

(2) fairly common Palermo Km 4 27.6, fairly common Isla de Salamanca NP 27.6 and 1 Los Flamencos NP 1.7.

Little Blue Heron Egretta caerulea

(2) 1 Palermo Km 4 27.6 and 1 Los Flamencos NP 1.7.

Snowy Egret Egretta thula thula

(2) fairly common Palermo Km 4 27.6, fairly common Isla de Salamanca NP 27.6 and 30 Los Flamencos NP 1.7.

Pelicans Pelecanidae

Brown Pelican Pelecanus occidentalis

(2) common en route 27.6 and 300 en route 1.7.

Frigatebirds Fregatidae

Magnificent Frigatebird Fregata magnificens

(1) 6 Los Flamencos NP 1.7.

Cormorants and Shags Phalacrocoracidae

Neotropic CormorantPhalacrocorax brasilianus brasilianus

(2) 6 Los Flamencos NP 1.7.

New World Vultures Cathartidae

Turkey Vulture Cathartes aura

(5) 1 San Lorenzo Ridge 28.6 and 5 Minca-El Dorado road 29.6.

Lesser Yellow-headed Vulture Cathartes burrovianus burrovianus

(1) 3 Palermo Km 4 27.6.

Black Vulture Coragyps atratus

Observed 4 day(s) in total.

King Vulture Sarcoramphus papa

(1) 1 Minca-El Dorado road 29.6.

Rockjumper Birding Tours

Osprey Pandionidae

Western Osprey

(1) 1 Palermo Km 4 27.6.

Pandion haliaetus carolinensis

Kites, Hawks & Eagles Accipitridae

Pearl Kite Gampsonyx swainsonii

(1) 1 en route 30.6.

Plumbeous Kite Ictinia plumbea

(1) 2 Minca-El Dorado road 29.6.

Snail Kite Rostrhamus sociabilis sociabilis

(1) 40 Palermo Km 4 27.6.

Common Black Hawk

Buteogallus anthracinus anthracinus

(1) 2 Isla de Salamanca NP 27.6.

Savanna Hawk Buteogallus meridionalis

(1) 1 juvenile Guajira Peninsula 30.6.

Great Black Hawk

Buteogallus urubitinga urubitinga

(1) 1 Guajira Peninsula 30.6.

Harris's Hawk

Parabuteo unicinctus unicinctus

(1) 1 Los Flamencos NP 1.7.

Grey-lined Hawk

Buteo nitidus blakei

(1) 1 Guajira Peninsula 30.6.

Short-tailed Hawk

Buteo brachyurus brachyurus

(2) 1 Minca-El Dorado road 27.6 and 2 Minca 30.6.

Zone-tailed HawkButeo albonotatus

(1) 1 Guajira Peninsula 30.6.

Rails, Crakes & Coots Rallidae

Grey-necked Wood Rail

Aramides cajaneus cajaneus

(1) 1 Los Flamencos NP 1.7. Called Grey-cowled Wood-Rail when split from Central American Russet-naped Wood-Rail *A. albiventris*.

Yellow-breasted Crake

Porzana flaviventer bangsi

(1) 1 Palermo Km 4 27.6. After a previous unsatisfactory view on our walk out, a diagnostic view on our return of a bird that flushed and landed 15m away at base of cattails. This species has a huge, if patchy, apparent range, but its occurrence is unpredictable.

Purple Gallinule Porphyrio martinica

(1) 60 Palermo Km 4 27.6.

Common Gallinule Gallinula galeata pauxilla

(1) 40 Palermo Km 4 27.6.

Limpkin Aramidae

Limpkin Aramus guarauna guarauna

(1) 15 Palermo Km 4 27.6.

Thick-knees Burhinidae

Double-striped Thick-kneeBurhinus bistriatus pediacus

(1) 2 Los Flamencos NP 1.7.

Rockjumper Birding Tours

View more tours to Colombia

Oystercatchers *Haematopodidae*

American Oystercatcher

(1) 4 Los Flamencos NP 1.7.

Haematopus palliatus palliatus

Stilts and Avocets Recurvirostridae

Black-necked Stilt

Himantopus mexicanus mexicanus

(1) 1 Palermo Km 4 27.6.

Plovers and Lapwings *Charadriidae*

Southern Lapwing

Vanellus chilensis cayennensis

(2) 4 Palermo Km 4 27.6, 2 Isla de Salamanca NP 27.6 and 2 Los Flamencos NP 1.7.

Grey Plover

Pluvialis squatarola cynosurae

(1) 2 Los Flamencos NP 1.7.

Semipalmated Plover

Charadrius semipalmatus

(1) 30+ Los Flamencos NP 1.7.

Snowy Plover (NT)

Charadrius nivosus nivosus

(1) 3 Los Flamencos NP 1.7.

Collared Plover

Charadrius collaris

(1) 1 Los Flamencos NP 1.7.

Jacanas Jacanidae

Wattled Jacana

Jacana jacana hypomelaena

(1) 100 Palermo Km 4 27.6.

Sandpipers and Allies Scolopacidae

Whimbrel

Numenius phaeopus hudsonicus

(1) 1 Los Flamencos NP 1.7.

Semipalmated Sandpiper (NT)

Calidris pusilla

(1) 60+ Los Flamencos NP 1.7. Presumably first summer birds that did not migrate to the arctic breeding grounds.

Greater Yellowlegs (1) 6 Los Flamencos NP 1.7. Tringa melanoleuca

Gulls, Terns & Skimmers Laridae

Black Skimmer

Rynchops niger cinerascens

(2) 70 en route 27.6 and 63 Los Flamencos NP 1.7.

Laughing Gull

Leucophaeus atricilla megalopterus

(1) 2 Los Flamencos NP 1.7.

Royal Tern

Thalasseus maximus maximus

(2) 5 Palermo Km 4 27.6, 5 Isla de Salamanca NP 27.6 and 2 Los Flamencos NP 1.7.

Cabot's Tern

Thalasseus acuflavidus

(1) 130 Los Flamencos NP 1.7. Most had black bills with yellow tips, but there was at least 1 yellowbilled "eurygnathus"-type "Cayenne Tern". Formerly considered conspecific with Old World Sandwich Tern T. sandvicensis.

Yellow-billed Tern

Sternula superciliaris

(1) 3 Palermo Km 4 27.6.

Common Tern

Sterna hirundo hirundo

(1) 70 Los Flamencos NP 1.7.

Large-billed Tern Phaetusa simplex

(1) 3 Palermo Km 4 27.6.

Pigeons and Doves Columbidae

Feral Pigeon (= Rock Dove)

Columba livia var. domestica

Observed.

Scaled Pigeon Patagioenas speciosa

(1) 1 Minca-El Dorado road 29.6.

Bare-eyed Pigeon (NE)

Patagioenas corensis

(2) 1 en route 30.6 and 60 Los Flamencos NP 1.7.

Band-tailed PigeonPatagioenas fasciata albilinea

(2) 20 San Lorenzo Ridge 28.6, 6 El Dorado Reserve 28.6 and 5 El Dorado Reserve 29.6.

Pale-vented Pigeon Patagioenas cayennensis pallidicrissa

(2) 30 Palermo Km 4 27.6, 5 Isla de Salamanca NP 27.6 and 12 Guajira Peninsula 30.6.

Scaled Dove Columbina squammata ridgwayi

(2) 5 Palermo Km 4 27.6 and 6 Los Flamencos NP 1.7.

Common Ground Dove Columbina passerina albivitta

(1) 1 Palermo Km 4 27.6 and 1 Isla de Salamanca NP 27.6.

Ruddy Ground Dove Columbina talpacoti rufipennis

(3) 5 Palermo Km 4 27.6, 6 Guajira Peninsula 30.6, 6 Minca 30.6 and 2 Los Flamencos NP 1.7.

Blue Ground Dove Claravis pretiosa

(2) 1 Minca-El Dorado road 27.6 and 4 Guajira Peninsula 30.6.

White-tipped Dove

Leptotila verreauxi verreauxi

(4) 2 El Dorado Reserve 28.6, 1 El Dorado Reserve 29.6 and 1 Minca 30.6.

Lined Quail-Dove Zentrygon linearis linearis

(1) 1 fly-past El Dorado Reserve 28.6.

Eared Dove Zenaida auriculata stenura

(2) 1 Palermo Km 4 27.6 and 12 Los Flamencos NP 1.7.

Cuckoos Cuculidae

Smooth-billed Ani Crotophaga ani

(1) 5 Palermo Km 4 27.6.

Groove-billed Ani Crotophaga sulcirostris

(2) 8 Palermo Km 4 27.6 and 12 Guajira Peninsula 30.6.

Striped Cuckoo Tapera naevia

(1) 1 heard Guajira Peninsula 30.6.

Dwarf Cuckoo (NE)Coccycua pumila

(1) 1 in the bushes Palermo Km 4 27.6.

Squirrel Cuckoo Piaya cayana mehleri

(2) 1 Isla de Salamanca NP 27.6 and 1 Minca 30.6.

Owls Strigidae

Santa Marta Screech Owl (E)

Megascops gilesi

(1) 1 heard El Dorado Reserve 28.6. Santa Marta endemic. Described only last year by Niels Krabbe,

despite the fact that the first specimen was obtained in 1919.

Mottled Owl Strix virgata virgata

(1) 1 afdulat & 1 juvenile at the roadside as we arrived after dark Minca-El Dorado road 27.6.

Black-and-white Owl

Strix nigrolineata

(1) 1 roosting in roadside bamboo Minca 29.6.

Ferruginous Pygmy Owl

Glaucidium brasilianum medianum

(1) 1 being mobbed Minca 30.6.

Nightjars and Allies Caprimulgidae

Lesser Nighthawk

Chordeiles acutipennis acutipennis

(3) 1 roosting in largely leafless tree by the side of the trail Isla de Salamanca NP 27.6, 4 leaving roost at dusk Guajira Peninsula 30.6 and 3 arriving at roost Camarones 1.7.

Hummingbirds *Trochilidae*

Pale-bellied Hermit (NE)

Phaethornis anthophilus anthophilus

(2) 1 on feeders Minca 29.6 and 1 on a *Heliconia* Minca 30.6.

Lazuline Sabrewing

Campylopterus falcatus

(2) 4 El Dorado Reserve 28.6 and 4 El Dorado Reserve 29.6.

White-necked Jacobin

Florisuga mellivora mellivora

(1) 3 Minca 30.6.

Brown Violetear

Colibri delphinae

(2) 4 El Dorado Reserve 28.6 and 4 El Dorado Reserve 29.6.

Lesser Violetear

Colibri cyanotus cyanotus

(2) 10 El Dorado Reserve 28.6 and 6 El Dorado Reserve 29.6.

Sparkling Violetear

Colibri coruscans coruscans

(2) 12 El Dorado Reserve 28.6 and 6 El Dorado Reserve 29.6.

Black-throated Mango

Anthracothorax nigricollis

(1) 1 \bigcirc Guajira Peninsula 30.6.

Red-billed Emerald (NE)

Chlorostilbon gibsoni nitens

(1) 4 Los Flamencos NP 1.7. Only the mandible shows (dull) red.

Coppery Emerald (NE)

Chlorostilbon russatus

(1) 1 ♂ Minca-El Dorado road 29.6. Confined to the Santa Marta and Perijá ranges in extreme N Colombia and NW Venezuela.

Crowned Woodnymph

Thalurania colombica colombica

(2) 25 El Dorado Reserve 28.6, 12 El Dorado Reserve 29.6 and 5 Minca-El Dorado road 29.6. Species limits unclear; *colombica* group sometimes separated as Purple-crowned or Violet-crowned Woodnymph.

Sapphire-throated Hummingbird

Lepidopyga coeruleogularis coelina

(1) 2 Isla de Salamanca NP 27.6.

Sapphire-bellied Hummingbird (E, CR)

Lepidopyga lilliae

(1) 1 Isla de Salamanca NP 27.6. Critically Endangered Colombian endemic restricted to only a few disjunct extensions of mangrove along the Caribbean coast; global population estimated at fewer than 250 breeding birds.

Buffy Hummingbird (NE)

Leucippus fallax

(1) 1 Los Flamencos NP 1.7.

Rufous-tailed Hummingbird

Amazilia tzacatl fuscicaudata

(2) 4 Minca 29.6 and 5 Minca 30.6.

Steely-vented Hummingbird

Amazilia saucerottei warscewiczi

(3) 1 El Dorado Reserve 28.6, 4 Minca-El Dorado road 29.6, 3 Minca 29.6 and 2 Minca 30.6.

Santa Marta Blossomcrown (E, VU)

Anthocephala floriceps

(1) 2 Minca-El Dorado road 29.6. Santa Marta endemic, formerly considered conspecific with Tolima Blossomcrown *A. berlepschi*.

White-vented Plumeleteer

Chalybura buffonii aeneicauda

(3) 1 Minca-El Dorado road 27.6, 3 Minca 29.6 and 1 Minca 30.6.

White-tailed Starfrontlet (E)

Coeligena phalerata

(2) 3 El Dorado Reserve 28.6 and 1 El Dorado Reserve 29.6. Santa Marta endemic.

Tyrian Metaltail

Metallura tyrianthina districta

(2) 5 San Lorenzo Ridge 28.6 and 2 Minca-El Dorado road 29.6. Blue-tailed *districta* may well be an unrecognised Santa Marta endemic species, Santa Marta Metaltail.

Santa Marta Woodstar (E)

Chaetocercus astreans

(1) 4 Minca-El Dorado road 29.6. Santa Marta endemic, the only species of woodstar in the Santa Marta range.

Trogons Trogonidae

White-tipped Quetzal (NE)

Pharomachrus fulgidus festatus

(1) Flight views of 2 El Dorado Reserve 28.6. Found only in extreme N Colombia and Venezuela.

Gartered Trogon

Trogon caligatus caligatus

(1) 1 Minca-El Dorado road 29.6.

Masked Trogon

Trogon personatus sanctaemartae

(1) 1 El Dorado Reserve 28.6.

Kingfishers Alcedinidae

American Pygmy Kingfisher

Chloroceryle aenea aenea

(1) 1 Guajira Peninsula 30.6. America's smallest kingfisher.

Green Kingfisher

Chloroceryle americana septentrionalis

(2) 1 Palermo Km 4 27.6 and 1 Guajira Peninsula 30.6.

Amazon Kingfisher

Chloroceryle amazona

(1) 1 Palermo Km 4 27.6.

Ringed Kingfisher

Megaceryle torquata torquata

(2) 3 Palermo Km 4 27.6, 2 Isla de Salamanca NP 27.6 and 1 Guajira Peninsula 30.6.

Motmots *Momotidae*

Whooping Motmot

Momotus subrufescens subrufescens

(2) 2 Minca-El Dorado road 29.6 and 2 Minca 30.6. Until recently was considered conspecific with *M. momota* and related taxa, as Blue-crowned Motmot.

Jacamars Galbulidae

Rufous-tailed Jacamar

Galbula ruficauda

(3) 2 Minca-El Dorado road 29.6, 6 Guajira Peninsula 30.6, 5 Minca 30.6 and 1 Los Flamencos NP 1.7.

Puffbirds Bucconidae

White-necked Puffbird

Notharchus hyperrhynchus

hyperrhynchus

(1) 1 Guajira Peninsula 30.6. A nice, easy look at a cooperative bird.

Pied Puffbird

Notharchus tectus subtectus

(1) 1 Isla de Salamanca NP 27.6.

Russet-throated Puffbird (NE)

Hypnelus ruficollis

(3) 18 Palermo Km 4 27.6, 1 Isla de Salamanca NP 27.6, 1 Guajira Peninsula 30.6 and 4 Los Flamencos NP 1.7. Hybridises with the closely-related Two-banded Puffbird *H. bicinctus* in Maracaibo basin of Venezuela and Catatumbo lowlands of Colombia, and therefore often considered conspecific.

Toucans Ramphastidae

White-throated Toucanet

Aulacorhynchus albivitta lautus

(2) 2 El Dorado Reserve 28.6 and 2 Minca-El Dorado road 29.6. Formerly part of the Emerald Toucant *A. prasinus* complex; *lautus* may be a Santa Marta endemic species, Santa Marta Toucanet.

Groove-billed Toucanet

Aulacorhynchus sulcatus calorhynchus

(1) 3 Minca-El Dorado road 29.6. Yellow-billed *calorhynchus* has been considered a separate species in the past, Yellow-billed Toucanet, an arrangement maintained by *HBW/BirdLife International*.

Keel-billed Toucan

Ramphastos sulfuratus brevicarinatus

(1) 5 Minca 30.6.

Woodpeckers Picidae

Scaled Piculet

Picumnus squamulatus roehli

(1) 2 Minca 30.6.

Chestnut Piculet (NE)

Picumnus cinnamomeus cinnamomeus

(1) 2 Isla de Salamanca NP 27.6. Endemic to arid N Colombia and NW Venezuela.

Red-crowned Woodpecker

Melanerpes rubricapillus rubricapillus

(2) 2 Guajira Peninsula 30.6, 2 Minca 30.6 and 6 Los Flamencos NP 1.7.

Golden-green Woodpecker

Piculus chrysochloros xanthochlorus

(1) 1 \bigcirc Isla de Salamanca NP 27.6. Subspecies *xanthochlorus* (including *aurosus*) may merit species status, Colombian Golden-green Woodpecker.

Crimson-crested Woodpecker

Campephilus melanoleucos malherbii

(1) 1 El Dorado Reserve 28.6.

Falcons and Caracaras Falconidae

Northern Crested Caracara

Caracara cheriway

(4) 3 Palermo Km 4 27.6, 1 Minca-El Dorado road 29.6, 6 Guajira Peninsula 30.6 and 10 Los Flamencos NP 1.7.

Yellow-headed Caracara

Milvago chimachima cordata

(3) 3 Palermo Km 4 27.6, 6 Guajira Peninsula 30.6 and 2 Los Flamencos NP 1.7.

Barred Forest Falcon

Micrastur ruficollis zonothorax

(1) 1 El Dorado Reserve 28.6. An untypically close encounter.

Aplomado Falcon

Falco femoralis femoralis

(1) 1 Los Flamencos NP 1.7.

African & New World Parrots Psittacidae

Orange-chinned Parakeet

Brotogeris jugularis jugularis

(2) 2 Minca-El Dorado road 29.6, 30 Minca 29.6, 30 Minca 30.6 and 20 Guajira Peninsula 30.6.

Red-billed Parrot

Pionus sordidus saturatus

(3) 4 Minca-El Dorado road 27.6, 15 Minca-El Dorado road 29.6 and 10 Minca 30.6.

Blue-headed Parrot

Pionus menstruus rubrigularis

(1) 4 Guajira Peninsula 30.6.

Scaly-naped Amazon

Amazona mercenarius canipalliata

(1) 15 El Dorado Reserve 28.6.

Green-rumped Parrotlet

Forpus passerinus cyanophanes

(2) 6 Guajira Peninsula 30.6 and 8 Los Flamencos NP 1.7.

Turquoise-winged Parrotlet ? (E)

Forpus spengeli?

(1) A fairly distant scope view of 4 Palermo Km 4 27.6. Apparently the only species of *Forpus* found in this area, and distinguished from Green-rumped by its blue rump; however, the birds we saw apparently had green rumps. Considered conspecific with Blue-winged Parrotlet *F. xanthopterygius*. Only found in N Colombia.

Brown-throated Parakeet

Eupsittula pertinax aeruginosa

(2) 10 Guajira Peninsula 30.6 and 3 Los Flamencos NP 1.7.

Military Macaw (VU)

Ara militaris militaris

(1) 6 high-flying birds Minca 30.6.

Blue-crowned Parakeet

Thectocercus acuticaudatus koenigi

(1) 40 Guajira Peninsula 30.6.

Scarlet-fronted Parakeet (NT)

Psittacara wagleri wagleri

(3) 40 Minca-El Dorado road 27.6, 2 San Lorenzo Ridge 28.6 and 10 Minca-El Dorado road 29.6.

Ovenbirds and Woodcreepers Furnariidae

Caribbean Hornero (NE)

Furnarius longirostris longirostris

(2) 6 Palermo Km 4 27.6 and 1 Los Flamencos NP 1.7. Until recently, together with Pacific Hornero *F. cinnamomeus*, considered conspecific with Pale-legged Hornero *F. leucopus*.

White-whiskered Spinetail (NE)

Synallaxis candei venezuelensis

(1) Spectacular looks at 2 Los Flamencos NP 1.7. Endemic to arid N Colombia and NW Venezuela. One of the nicest looking spinetails

Rusty-headed Spinetail (E, VU)

Synallaxis fuscorufa

(1) Good looks at 6 San Lorenzo Ridge 28.6. Santa Marta endemic.

Pale-breasted Spinetail

Synallaxis albescens

(1) 1 Los Flamencos NP 1.7.

Streak-capped Spinetail (NE)

Cranioleuca hellmayri

(1) 6 San Lorenzo Ridge 28.6. Confined to the Santa Marta and Perijá ranges in extreme N Colombia and NW Venezuela.

Yellow-chinned Spinetail

Certhiaxis cinnamomeus fuscifrons

(1) 6 Palermo Km 4 27.6.

Santa Marta Foliage-gleaner (E, NT)

Automolus rufipectus

(2) 1+2 heard Minca-El Dorado road 27.6 and 1 Minca-El Dorado road 29.6. Santa Marta endemic. Better placed in the genus *Clibanornis*. Originally described as a full species in 1898, it still languishes in some taxonomies as a subspecies of the widespread Ruddy Foliage-gleaner *C. rubiginosus* complex.

Straight-billed Woodcreeper

Dendroplex picus

dugandi

(1) 3 Palermo Km 4 27.6 and 5 Isla de Salamanca NP 27.6.

picirostris:

(1) 1 Guajira Peninsula 30.6.

Cocoa Woodcreeper

Xiphorhynchus susurrans nana

(1) 1 Minca 30.6.

Streak-headed Woodcreeper

Lepidocolaptes souleyetii littoralis

(1) 3 Minca-El Dorado road 27.6.

Antbirds Thamnophilidae

Northern White-fringed Antwren Formicivora intermedia intermedia

(1) 2 Los Flamencos NP 1.7.

Black-backed Antshrike (NE)

Thamnophilus melanonotus

(1) 4 heard Minca 30.6.

Barred Antshrike Thamnophilus doliatus albicans

(1) 2 Minca 30.6.

Black-crested Antshrike Sakesphorus canadensis pulchellus

(2) 2 Guajira Peninsula 30.6 and 3 Los Flamencos NP 1.7.

Santa Marta Antbird (E, NT)

Drymophila hellmayri

(1) 1+4 heard Minca-El Dorado road 27.6. Santa Marta endemic. Until recently considered conspecific with related taxa as Long-tailed Antbird *D. caudata*.

White-bellied Antbird Myrmeciza longipes panamensis

(1) 1 gorgeous singing ♂ Guajira Peninsula 30.6.

Antpittas Grallariidae

Santa Marta Antpitta (E, VU) Grallaria bangsi

(1) 2 heard San Lorenzo Ridge 28.6. Santa Marta endemic.

Rusty-breasted Antpitta Grallaricula ferrugineipectus

ferrugineipectus

(2) 1 heard Minca-El Dorado road 27.6 and 1+6 heard Minca-El Dorado road 29.6. The northern *ferrugineipectus* group of Venezuela and Colombia is doubtless a separate species from southern *leymebambae*, as reflected in *HBW/BirdLife International* taxonomy.

Tapaculos Rhinocryptidae

Santa Marta Tapaculo (E)

Scytalopus sanctaemartae

(2) 1 heard Minca-El Dorado road 27.6 and 3 almost underfoot Minca-El Dorado road 29.6. Santa Marta endemic.

Brown-rumped Tapaculo (E)Scytalopus latebricola

(1) 2 heard San Lorenzo Ridge 28.6. Santa Marta endemic, found above Santa Marta Tapaculo.

Tyrant Flycatchers Tyrannidae

Forest Elaenia Myiopagis gaimardii bogotensis

(1) 3 heard Guajira Peninsula 30.6 and 1 Minca 30.6.

Yellow-bellied Elaenia Elaenia flavogaster flavogaster

(2) 3 Palermo Km 4 27.6 and 1 Minca-El Dorado road 29.6.

Mountain Elaenia Elaenia frantzii browni

(1) 1 San Lorenzo Ridge 28.6.

Brown-capped TyrannuletOrnithion brunneicapillus

(1) 1 Guajira Peninsula 30.6.

Southern Beardless Tyrannulet Camptostoma obsoletum pusillum

(1) 1 Minca 30.6.

White-throated Tyrannulet

Mecocerculus leucophrys montensis

(1) 4 San Lorenzo Ridge 28.6.

Mouse-colored Tyrannulet Phaeomyias murina incomta

(1) 1 Los Flamencos NP 1.7.

Coopmans's Tyrannulet (NE)

Zimmerius minimus minimus

(2) 1 Minca-El Dorado road 27.6 and 1 Minca-El Dorado road 29.6. Part of the Golden-faced Tyrannulet Z. chrysops complex, the systematics of which remains unresolved; Santa Marta endemic minimus may be a full species, Santa Marta Tyrannulet. **Olive-striped Flycatcher** Mionectes olivaceus galbinus (1) 1 El Dorado Reserve 28.6. **Ochre-bellied Flycatcher** Mionectes oleagineus parcus (1) 1 Minca 30.6. Sepia-capped Flycatcher Leptopogon amaurocephalus diversus (1) 1 Guajira Peninsula 30.6. **Northern Scrub Flycatcher** Sublegatus arenarum atrirostris (2) 2 Isla de Salamanca NP 27.6 and 3 Los Flamencos NP 1.7. Slender-billed Inezia (NE) *Inezia tenuirostris* (1) 4 Los Flamencos NP 1.7. **Pearly-vented Tody-Tyrant** Hemitriccus margaritaceiventer impiger (1) 1 Los Flamencos NP 1.7. **Black-throated Tody-Tyrant** Hemitriccus granadensis lehmanni (1) very nice, eye-level looks at 1 El Dorado Reserve 28.6. **Pale-eyed Pygmy Tyrant** Atalotriccus pilaris pilaris (2) 1 Minca-El Dorado road 29.6 and 1 Minca 30.6. **Common Tody-Flycatcher** Todirostrum cinereum cinereum (1) 3 Palermo Km 4 27.6 and 3 Isla de Salamanca NP 27.6. **Olivaceous Flatbill** Rhynchocyclus olivaceus flavus (1) 1 Minca 30.6. **Ochre-lored Flatbill** Tolmomyias flaviventris aurulentus (1) 1 Los Flamencos NP 1.7. **Black Phoebe** Sayornis nigricans angustirostris (1) 1 Minca 30.6. **Tropical Pewee** Contopus cinereus bogotensis (1) 1 Minca-El Dorado road 29.6. **Vermilion Flycatcher** Pyrocephalus obscurus saturatus (1) 6 Los Flamencos NP 1.7. Santa Marta Bush Tyrant (E, EN) *Myiotheretes pernix* (1) 1 San Lorenzo Ridge 28.6. Santa Marta endemic. **Pied Water Tyrant** Fluvicola pica (2) common Palermo Km 4 27.6, common Isla de Salamanca NP 27.6 and 1 Los Flamencos NP 1.7. White-headed Marsh Tyrant Arundinicola leucocephala (1) 2 Palermo Km 4 27.6. Yellow-bellied Chat-Tyrant Silvicultrix diadema jesupi (1) 2 El Dorado Reserve 28.6. **Cattle Tyrant** Machetornis rixosa flavigularis (2) 2 Palermo Km 4 27.6 and 1 Los Flamencos NP 1.7. **Rusty-margined Flycatcher** Myiozetetes cayanensis hellmayri (3) 3 Palermo Km 4 27.6, 1 Minca-El Dorado road 29.6 and 2 Minca 30.6. **Social Flycatcher** Myiozetetes similis columbianus (1) 3 en route 30.6. Great Kiskadee Pitangus sulphuratus rufipennis

(3) common Palermo Km 4 27.6, common Isla de Salamanca NP 27.6 and 5 Los Flamencos NP 1.7.

Golden-crowned Flycatcher

Myiodynastes chrysocephalus

cinerascens

(1) 2 El Dorado Reserve 28.6.

Streaked Flycatcher

Myiodynastes maculatus nobilis

(1) 2 Guajira Peninsula 30.6.

Boat-billed Flycatcher

Megarynchus pitangua pitangua

(2) 1 Minca-El Dorado road 27.6, 2 Guajira Peninsula 30.6 and 2 Minca 30.6.

Tropical Kingbird

Tyrannus melancholicus satrapa

(3) 6 Minca 29.6.

Fork-tailed Flycatcher

Tyrannus savana sanctaemartae

(2) 3 Guajira Peninsula 30.6 and 2 Los Flamencos NP 1.7.

Grey Kingbird

Tyrannus dominicensis dominicensis

(1) 2 Los Flamencos NP 1.7.

Brown-crested Flycatcher

Myiarchus tyrannulus tyrannulus

(2) 2 Minca-El Dorado road 27.6 and 4 Los Flamencos NP 1.7.

Bright-rumped Attila

Attila spadiceus parvirostris

(1) 1 Minca 30.6.

Cotingas Cotingidae

Golden-breasted Fruiteater

Pipreola aureopectus decora

(1) 2 Minca-El Dorado road 29.6.

Manakins Pipridae

Lance-tailed Manakin

Chiroxiphia lanceolata

(1) 2 Guajira Peninsula 30.6 and 2 Minca 30.6.

White-bearded Manakin

Manacus manacus abditivus

(2) 1 \bigcirc Minea-El Dorado road 27.6 and 1 \bigcirc Minea 30.6.

Tityras, Becards Tityridae

Masked Tityra

Tityra semifasciata columbiana

(2) 3 Minca-El Dorado road 27.6 and 1 Minca-El Dorado road 29.6.

White-winged Becard

Pachyramphus polychopterus

cinereiventris

(1) 1 \circlearrowleft Minca 30.6.

Vireos, Greenlets Vireonidae

Golden-fronted Greenlet

Hylophilus aurantiifrons aurantiifrons

(1) 2 Minca 30.6.

Crows, Jays, and Magpies Corvidae

Black-chested Jay

Cyanocorax affinis affinis

(3) 12 El Dorado Reserve 28.6, 2 El Dorado Reserve 29.6, 3 Minca-El Dorado road 29.6 and 2 Minca 30.6.

Swallows *Hirundinidae*

White-winged Swallow

Tachycineta albiventer

(1) 2 Riohacha airport 1.7.

Grey-breasted Martin

Progne chalybea chalybea

(2) 20 Isla de Salamanca NP 27.6 and 2 en route 30.6.

Brown-chested Martin

Progne tapera

(1) A flock of 45 Palermo Km 4 27.6. These were likely austral migrant *fusca*, rather than resident breeder *tapera*.

Blue-and-white Swallow

Notiochelidon cyanoleuca cyanoleuca

(1) 2 en route 30.6.

Wrens Troglodytidae

Stripe-backed Wren

Campylorhynchus nuchalis pardus

(1) 18 Palermo Km 4 27.6 (very common here).

Bicolored Wren

Campylorhynchus griseus albicilius

(3) 4 Palermo Km 4 27.6, 3 Minca-El Dorado road 29.6, 4 heard Guajira Peninsula 30.6 and 3 Minca 30.6.

Rufous-breasted Wren

Pheugopedius rutilus laetus

(1) 2 Minca-El Dorado road 29.6.

Rufous-and-white Wren

Thryophilus rufalbus cumanensis

(1) 2 heard Guajira Peninsula 30.6.

Buff-breasted Wren

Cantorchilus leucotis venezuelanus

(1) 4, including a bird apparently feeding incubating bird on freshly-constructed nest, Guajira Peninsula 30.6.

House Wren Troglodytes aedon

(2) 6 Palermo Km 4 27.6 and 1 Los Flamencos NP 1.7.

Grey-breasted Wood Wren

Henicorhina leucophrys bangsi

(2) 2 Minca-El Dorado road 27.6 and 3 Minca-El Dorado road 29.6. Taxon *bangsi* is a Santa Marta endemic, and ongoing molecular research indicates that it is better considered a full species, Bangs' Wood Wren.

Hermit Wood Wren (E, NT)

Henicorhina anachoreta

(1) 2 San Lorenzo Ridge 28.6. Santa Marta endemic, also known as Santa Marta Wren. Originally described as a full species, but later lumped with Grey-breasted Wood Wren *H. leucophrys*, it was demonstrated to be a separate species in 2013, with a detailed comparative analysis published in 2016. Occurs above *bangsi* (> 2270 m).

Gnatcatchers Polioptilidae

Tropical Gnatcatcher

Polioptila plumbea

(1) At least 25 Los Flamencos NP 1.7.

Mockingbirds, Thrashers Mimidae

Tropical Mockingbird

Mimus gilvus melanopterus

(1) 5 Los Flamencos NP 1.7.

Thrushes and Allies Turdidae

Orange-billed Nightingale-Thrush

Catharus aurantiirostris sierrae

(2) 6 heard Minca-El Dorado road 27.6 and 1 Minca-El Dorado road 29.6.

Yellow-legged Thrush

Turdus flavipes venezuelensis

(2) 1 Minca-El Dorado road 27.6 and 3 \circlearrowleft 2 \circlearrowleft Minca-El Dorado road 29.6.

Great Thrush Turdus fuscater cacozelus

(1) 10 San Lorenzo Ridge 28.6.

Black-hooded ThrushTurdus olivater sanctaemartae

(2) 1 San Lorenzo Ridge 28.6 and 2 Minca-El Dorado road 29.6.

Pale-breasted Thrush Turdus leucomelas albiventer

(1) 1 Minca-El Dorado road 29.6 and 1 Minca 29.6.

Clay-colored Thrush Turdus grayi incomptus

(1) 1 Minca 30.6.

Finches Fringillidae

Lesser Goldfinch Spinus psaltria colombianus

(1) 1 Minca-El Dorado road 27.6.

Trinidad Euphonia Euphonia trinitatis

(2) 5 Guajira Peninsula 30.6 and 4 Los Flamencos NP 1.7.

Thick-billed Euphonia Euphonia laniirostris crassirostris

(2) 6 Minca-El Dorado road 27.6 and 6 Minca 30.6.

Blue-naped Chlorophonia Chlorophonia cyanea psittacina

(2) 3 El Dorado Reserve 28.6 and 2 Minca-El Dorado road 29.6.

Thrush-Tanager Rhodinocichlidae

Rosy Thrush-Tanager Rhodinocichla rosea harterti

(2) 1 brief view Minca 29.6 and 2 heard Minca 30.6.

New World Buntings and Sparrows Passerellidae

Rufous-collared Sparrow

Zonotrichia capensis costaricensis

(2) 6 San Lorenzo Ridge 28.6 and 1 El Dorado Reserve 29.6.

Tocuyo Sparrow (NE)

Arremonops tocuyensis

(2) Nice looks 1 Guajira Peninsula 30.6 and again 1 Camarones 1.7. Confined to extreme N Colombia and NW Venezuela.

Golden-winged Sparro (NE)

Arremon schlegeli schlegeli

(3) Multiple encounters: 2 Minca-El Dorado road 27.6, 2 Minca-El Dorado road 29.6 and 2 Minca 30.6. Confined to extreme N Colombia and NW Venezuela.

Sierra Nevada Brushfinch (E, NT)

Arremon basilicus

(2) 3 El Dorado Reserve 28.6 and 2 El Dorado Reserve 29.6. Santa Marta endemic. Formerly part of the Stripe-headed Brushfinch *A. torquatus* complex.

Santa Marta Brushfinch (E)

Atlapetes melanocephalus

(3) 3 Minca-El Dorado road 27.6, 5 San Lorenzo Ridge 28.6, 5 El Dorado Reserve 28.6, 3 El Dorado Reserve 29.6 and 2 Minca-El Dorado road 29.6. Santa Marta endemic.

Oropendolas, Orioles & Blackbirds Icteridae

Crested Oropendola Psarocolius decumanus melanterus

(3) 30 Minca-El Dorado road 27.6 and 5 Minca-El Dorado road 29.6.

Yellow-backed Oriole Icterus chrysater giraudii

(2) 1 Isla de Salamanca NP 27.6 and 1 Minca-El Dorado road 29.6.

Yellow Oriole Icterus nigrogularis nigrogularis

(3) 2 Palermo Km 4 27.6, 2 Guajira Peninsula 30.6 and 5 Los Flamencos NP 1.7.

Orange-crowned Oriole (NE)

Icterus auricapillus

(1) 1 Minca 30.6.

Shiny Cowbird Molothrus bonariensis cabanisii

(2) 5 en route 30.6 and 10 Los Flamencos NP 1.7.

Bronze-brown Cowbird (E, VU)

Molothrus armenti

(1) 1 Isla de Salamanca NP 27.6. Often considered conspecific with Bronzed Cowbird M. aeneus.

Carib Grackle Quiscalus lugubris lugubris

(4) 5 Palermo Km 4 27.6, 5 Minca 29.6 and 5 Los Flamencos NP 1.7.

Great-tailed Grackle Quiscalus mexicanus peruvianus

(3) 6 Los Flamencos NP 1.7.

Yellow-hooded Blackbird Chrysomus icterocephalus

icterocephalus

(1) 3 Palermo Km 4 27.6.

New World Warblers Parulidae

Santa Marta Warbler (E, VU)

Myiothlypis basilica

(1) 3 San Lorenzo Ridge 28.6. Santa Marta endemic.

White-lored Warbler (E, NT) Myiothlypis conspicillata

(1) 2 El Dorado Reserve 28.6. Santa Marta endemic.

Rufous-capped WarblerBasileuterus rufifrons mesochrysus

(2) 3 Minca-El Dorado road 27.6 and 2 Minca-El Dorado road 29.6.

Slate-throated Whitestart Myioborus miniatus sanctaemartae

(2) 1 San Lorenzo Ridge 28.6 and 2 Minca-El Dorado road 29.6.

Yellow-crowned Whitestart (E) Myioborus flavivertex

(1) 5 San Lorenzo Ridge 28.6. Santa Marta endemic.

Cardinals, Grosbeaks and allies Cardinalidae

Vermilion CardinalCardinalis phoeniceus

(1) $4 \circlearrowleft 3 \supseteq \text{Los Flamencos NP } 1.7.$

Blue-black Grosbeak Cyanocompsa cyanoides

(1) $1 \circlearrowleft 1 \circlearrowleft Minca 30.6$.

Tanagers and allies Thraupidae

White-lined Tanager *Tachyphonus rufus*

(3) 3 Minca-El Dorado road 27.6, 3 Minca-El Dorado road 29.6 and 2 Minca 30.6.

Crimson-backed Tanager Ramphocelus dimidiatus dimidiatus

(3) 3 Minca-El Dorado road 27.6, 6 Minca-El Dorado road 29.6, 5 Guajira Peninsula 30.6 and 6 Minca 30.6.

Blue-grey Tanager Thraupis episcopus cana

(2) 3 Minca-El Dorado road 29.6, 5 Guajira Peninsula 30.6 and 5 Minca 30.6.

Glaucous Tanager (NE)

Thraupis glaucocolpa

(2) 2 Guajira Peninsula 30.6 and 1 Camarones 1.7.

Palm Tanager Thraupis palmarum atripennis

(1) 3 Guajira Peninsula 30.6.

Santa Marta Mountain Tanager (E)

Anisognathus melanogenys

(1) 4 San Lorenzo Ridge 28.6. Santa Marta endemic. Also known as Black-cheeked Mountain

Tanager.

Bay-headed Tanager Tangara gyrola toddi

(3) 6 Minca-El Dorado road 27.6, 2 El Dorado Reserve 28.6 and 2 Minca-El Dorado road 29.6.

Subspecies toddi is part of the viridissima group, Bay-and-green Tanager.

Black-capped Tanager

Tangara heinei

(2) 4 El Dorado Reserve 28.6 and 1 \circlearrowleft Minca-El Dorado road 29.6.

Black-headed Tanager

Tangara cyanoptera cyanoptera

(2) 1 \circlearrowleft Minca-El Dorado road 27.6 and 1 \circlearrowleft Minca-El Dorado road 29.6.

Red-legged Honeycreeper

Cyanerpes cyaneus eximius

(1) 4 Minca 30.6.

Bicolored Conebill (NT)

Conirostrum bicolor bicolor

(1) 6 Isla de Salamanca NP 27.6.

Rusty Flowerpiercer

Diglossa sittoides hyperythra

(1) 1 \circlearrowleft Minca-El Dorado road 29.6.

White-sided Flowerpiercer

Diglossa albilatera albilatera

(2) 3 San Lorenzo Ridge 28.6, 2 El Dorado Reserve 28.6 and 1 El Dorado Reserve 29.6.

Buff-throated Saltator

Saltator maximus maximus

(3) 1 Minca-El Dorado road 27.6, 3 Minca-El Dorado road 29.6 and 5 Minca 30.6.

Greyish Saltator

Saltator coerulescens plumbeus

(3) 3 Palermo Km 4 27.6, 3 en route 30.6 and 8 Los Flamencos NP 1.7.

Orinoco Saltator (NE)

Saltator orenocensis rufescens

(1) 3 Los Flamencos NP 1.7.

Streaked Saltator

Saltator striatipectus striatipectus

(2) 1 Minca-El Dorado road 27.6, 3 Minca-El Dorado road 29.6 and 1 Minca 29.6.

Blue-black Grassquit

Volatinia jacarina splendens

(1) 1 ♂ Guajira Peninsula 30.6.

Yellow-bellied Seedeater

Sporophila nigricollis nigricollis

(1) 1 Minca-El Dorado road 29.6.

Bananaquit

Coereba flaveola luteola

(2) 5 Isla de Salamanca NP 27.6 and 2 Los Flamencos NP 1.7.

Dull-colored Grassquit

Tiaris obscurus haplochroma

(1) 1 Minca-El Dorado road 27.6.

Black-faced Grassquit

Tiaris bicolor omissus

(2) 1 \bigcirc Minca-El Dorado road 27.6 and 6 Los Flamencos NP 1.7.

Mammals (5 in total: 4 seen, 1 heard)

Status codes: E = Endemic, NE = Near-endemic, I = Introduced

IUCN codes: CR = Critically endangered, EN = Endangered, VU = Vulnerable, EW = Extinct in the

Wild, NT = Near Threatened, DD = Data Deficient

Night Monkeys Aotidae

Grey-handed Night Monkey

Aotus griseimembra

(1) 5 El Dorado Reserve 27.6.

Howler, Spider, and Woolly Monkeys Atelidae

Colombian Red Howler Monkey

Alouatta seniculus

(1) 2 heard Minca-El Dorado road 27.6.

Agoutis Dasyproctidae

Central American Agouti

Dasyprocta punctata

(2) 3 El Dorado Reserve 28.6, 3 El Dorado Reserve 29.6 and 3 Minca-El Dorado road 29.6.

Squirrels Sciuridae

Red-tailed Squirrel

Sciurus granatensis

(2) 1 Minca-El Dorado road 27.6 and 3 El Dorado Reserve 28.6.

Weasels, Skunks, Otters Mustelidae

Tayra

Eira barbara

(1) 1 Minca-El Dorado road 29.6.

Reptiles & amphibians (4 in total: 4 seen)

Status codes: E = Endemic, NE = Near-endemic, I = Introduced

IUCN codes: CR = Critically Endangered, **EN** = Endangered, **VU** = Vulnerable, **EW** = Extinct in the

Wild, NT = Near Threatened, DD = Data Deficient

Robber Frogs Craugastoridae

Santa Marta Robber Frog

Pristimantis sanctaemartae

(1) 1 El Dorado Reserve 27.6.

Santa Marta Ground Robber Frog

Pristimantis carmelitae

(1) 2 El Dorado Reserve 28.6.

Iguanas Iguanidae

Solitaire Anole

Anolis solitarius

(1) 1 El Dorado Reserve 28.6 and 2 El Dorado Reserve 28.6.

Green Iguana

Iguana iguana

(1) 6 en route 27.6.

Rockjumper Birding Ltd

The Hive, Lot 23

Tel: (USA & Canada) toll-free: 1-888-990-5552

Centre Commercial du Barachois

Email: info@rockjumperbirding.com

La Place Cap, Tamarin

Alternative email: rockjumperbirding@yahoo.com

Mauritius Website: www.rockjumperbirding.com