No.




Pioneer Hi-Bred International, Inc.

Whereas, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

An application requesting a certificate of protection for an alleged distinct variety of sexually reproduced, or tuber propagated plant, the name and description of which are contained in the application and exhibits, a copy of which is hereunto annexed and made a part hereof, and the various requirements of LAW in such cases made and provided have been complied with, and the title thereto is, from the records of the PLANT VARIETY PROTECTION OFFICE, in the applicant(s) indicated in the said copy, and Whereas, upon due examination made, the said applicant(s) is (are) adjudged to be entitled to a certificate of plant variety protection under the LAW.

Now, therefore, this certificate of plant variety protection is to grant unto the said applicant(s) and the successors, heirs or assigns of the said applicant(s) for the term of TWENTY years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, or importing it, or exporting it, or conditioning it for opagation, or stocking it for any of the above purposes, or using it in producing a hybrid or different ety therefrom, to the extent provided by the PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS DED, 7 U.S.C. 2321 ET SEQ.)



'PH8T0'

In Testimony Whereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this ninth day of July, in the year two thousand and nine.

Attest:

Commissioner Plant Variety Protection Offic Agricultural Marketing Servic

Secretary of Agriculture



U.S. DEPARTMENT	e on all reprodu		The full is a state				
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY – PLANT VARIETY PROTECTION OFFICE APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE (Instructions and information collection burden statement on reverse) 1. NAME OF OWNER Pioneer Hi-Bred International, Inc.			 The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) the Paperwork Reduction Act (PRA) of 1995. Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426). 				
			EXPERIMENTAL NAME	PH8T0			
			4. ADDRESS (Street and No., or R.F.D. No., City, S	State, and ZIP Co	de, and Country)	5. TELEPHONE (include area code)	FOR OFFICIAL USE ONLY
7301 NW 62 nd Avenue			515/270-4051	PVPO NUMBER			
				200600197			
Johnston, I			6. FAX (include area code)	account			
			515/253-2125	FILING DATE			
7. IF THE OWNER NAMED IS NOT A "PERSON", G ORGANIZATION (corporation, partnership, associa		8. IF INCORPORATED, GIVE STATE OF INCORPORATION	9. DATE OF INCORPORATION	April 27, 2006			
Corporation	allon, elc.)	lowa	March E 1000				
corporation	- Internet		March 5, 1999	F FILING AND EXAMINATION FEES:			
	arch and P P.C	R. Anderson roduct Development 9. Box 85 , IA 50131-0085		$\begin{array}{c} s \\ e \\ s \\ date \\ 4/27/06 \\ \hline certification fee: \\ certification fee: \\ s \\ fe \\ date \\ date \\ fi / 09 \\ \hline date \\ fi / 09 \\ \hline \end{array}$			
11. TELEPHONE (Include area code)	12. FAX (Includ	e area code)	13. E-MAIL				
515/270-4051		515/253-2125	The second s	en.anderson@pioneer.com			
14. CROP KIND (Common Name)	16. FAMILY N			IN ANY TRANSGENES? (OPTIONAL)			
Corn	IO. TANIET N	Gramineae		ANT TRANSGENES? (OPTIONAL)			
15. GENUS AND SPECIES NAME OF CROP	17. IS THE VAR	RIETY A FIRST GENERATION HYBRI	D? IF SO, PLEASE GIVE THE A	SSIGNED USDA-APHIS REFERENCE NUMBER FOR TH			
Zea Mays	□ YES	NO NO	APPROVED PETITION TO D COMMERICALIZATION.	PEREGULATE THE GENETICALLY MODIFIED PLANT FC			
19. CHECK APPROPRIATE BOX FOR EACH ATTA (Follow instructions on reverse)	ACHMENT SUBM	ITTED		Y THAT SEED OF THIS VARIETY BE SOLD AS A CLASS Section 83(a) of the Plant Variety Protection Act)			
	the Variety						
a. 🛛 Exhibit A. Origin and Breeding History of the	are variety						
	and variety		21. DOES THE OWNER SPECIF	items 21 and 22 below) 🛛 NO (If "no", go to item 23, Y THAT SEED OF THIS VARIETY BE LIMITED AS TO			
 a. ☑ Exhibit A. Origin and Breeding History of the Statement of Distinctness c. ☑ Exhibit C. Objective Description of Variety 							
 a. ☑ Exhibit A. Origin and Breeding History of the Statement of Distinctness c. ☑ Exhibit B. Statement of Distinctness d. ☑ Exhibit C. Objective Description of Variety d. ☑ Exhibit D. Additional Description of the Variety 	ariety (Optional)		21. DOES THE OWNER SPECIF NUMBER OF CLASSES?	Y THAT SEED OF THIS VARIETY BE LIMITED AS TO			
 a. ⊠ Exhibit A. Origin and Breeding History of th b. ⊠ Exhibit B. Statement of Distinctness c. ⊠ Exhibit C. Objective Description of Variety d. □ Exhibit D. Additional Description of the Va e. ⊠ Exhibit E. Statement of the Basis of the Ox 	ariety (Optional)		21. DOES THE OWNER SPECIF NUMBER OF CLASSES? YES NO IF YES, WHICH CLASSES? 22. DOES THE OWNER SPECIF	Y THAT SEED OF THIS VARIETY BE LIMITED AS TO			
 a. ☑ Exhibit A. Origin and Breeding History of the Statement of Distinctness c. ☑ Exhibit B. Statement of Distinctness d. ☑ Exhibit C. Objective Description of Variety d. ☑ Exhibit D. Additional Description of the Variety 	ariety (<i>Optional</i>) wner's Ownership		21. DOES THE OWNER SPECIF NUMBER OF CLASSES? VES NO IF YES, WHICH CLASSES? 22. DOES THE OWNER SPECIF NUMBER OF GENERATIONS	Y THAT SEED OF THIS VARIETY BE LIMITED AS TO			
 a. ⊠ Exhibit A. Origin and Breeding History of th b. ⊠ Exhibit B. Statement of Distinctness c. ⊠ Exhibit C. Objective Description of Variety d. □ Exhibit D. Additional Description of the Va e. ⊠ Exhibit E. Statement of the Basis of the Ov f. ⊠ Exhibit F. Declaration Regarding Deposit g. ⊠ Voucher Sample (3,000 viable untreated so that tissue culture will be deposited and more statement of the state	rriety (Optional) wner's Ownership eeds or, for tuber aintained in an ap	propagated varieties, verification proved public repository)	21. DOES THE OWNER SPECIF NUMBER OF CLASSES? YES NO IF YES, WHICH CLASSES? 22. DOES THE OWNER SPECIF NUMBER OF GENERATIONS YES NO	Y THAT SEED OF THIS VARIETY BE LIMITED AS TO			
 a. ⊠ Exhibit A. Origin and Breeding History of th b. ⊠ Exhibit B. Statement of Distinctness c. ⊠ Exhibit C. Objective Description of Variety d. □ Exhibit D. Additional Description of the Va e. ⊠ Exhibit E. Statement of the Basis of the Ov f. ⊠ Exhibit F. Declaration Regarding Deposit g. ⊠ Voucher Sample (3,000 viable untreated set 	nriety (Optional) wner's Ownership eeds or, for tuber aintained in an ap e payable to "Tre	propagated varieties, verification proved public repository)	21. DOES THE OWNER SPECIF NUMBER OF CLASSES? YES NO IF YES, WHICH CLASSES? 22. DOES THE OWNER SPECIF NUMBER OF GENERATIONS YES NO IF YES, SPECIFY THE NUME	Y THAT SEED OF THIS VARIETY BE LIMITED AS TO Image: second seco			
 a. ⊠ Exhibit A. Origin and Breeding History of th b. ⊠ Exhibit B. Statement of Distinctness c. ⊠ Exhibit C. Objective Description of Variety d. □ Exhibit D. Additional Description of the Va e. ⊠ Exhibit F. Statement of the Basis of the Ov f. ⊠ Exhibit F. Declaration Regarding Deposit g. ⊠ Voucher Sample (3,000 viable untreated ste that tissue culture will be deposited and mu g. ⊠ Filing and Examination Fee (\$4,382), made 	nriety (Optional) wner's Ownership eeds or, for tuber aintained in an ap e payable to "Tre	propagated varieties, verification proved public repository)	21. DOES THE OWNER SPECIF NUMBER OF CLASSES? YES NO IF YES, WHICH CLASSES? 22. DOES THE OWNER SPECIF NUMBER OF GENERATIONS YES NO IF YES, SPECIFY THE NUME FOUNDATION RE	THAT SEED OF THIS VARIETY BE LIMITED AS TO			
 a. ⊠ Exhibit A. Origin and Breeding History of th b. ⊠ Exhibit B. Statement of Distinctness c. ⊠ Exhibit C. Objective Description of Variety d. □ Exhibit D. Additional Description of the Valet e. ⊠ Exhibit E. Statement of the Basis of the Ovidation of the State of the States" (Mail to the Plant Variety Protection 23. HAS THE VARIETY (INCLUDING ANY HARVES FROM THIS VARIETY BEEN SOLD, DISPOSED 	ariety (Optional) wner's Ownership eeds or, for tuber aintained in an ag e payable to "Tre n Office STED MATERIAL.	propagated varieties, verification proved public repository) asurer of the United	21. DOES THE OWNER SPECIF NUMBER OF CLASSES? YES NO IF YES, WHICH CLASSES? 22. DOES THE OWNER SPECIF NUMBER OF GENERATIONS YES NO IF YES, SPECIFY THE NUME (If additional explanation is ne 24. IS THE VARIETY OR ANY CO	Y THAT SEED OF THIS VARIETY BE LIMITED AS TO Image: second seco			
 a. ⊠ Exhibit A. Origin and Breeding History of th b. ⊠ Exhibit B. Statement of Distinctness c. ⊠ Exhibit C. Objective Description of Variety d. □ Exhibit D. Additional Description of the Va e. ⊠ Exhibit E. Statement of the Basis of the Ox f. ⊠ Exhibit F. Declaration Regarding Deposit g. ⊠ Voucher Sample (3,000 viable untreated se that tissue culture will be deposited and mi g. ⊠ Filing and Examination Fee (\$4,382), made States" (Mail to the Plant Variety Protection 	ariety (Optional) wner's Ownership eeds or, for tuber aintained in an ag e payable to "Tre n Office STED MATERIAL.	propagated varieties, verification proved public repository) asurer of the United	21. DOES THE OWNER SPECIF NUMBER OF CLASSES? YES NO IF YES, WHICH CLASSES? 22. DOES THE OWNER SPECIF NUMBER OF GENERATIONS YES NO IF YES, SPECIFY THE NUME IF YES, SPECIFY THE NUME (If additional explanation is ne 24. IS THE VARIETY OR ANY CO INTELLECTUAL PROPERTY	Y THAT SEED OF THIS VARIETY BE LIMITED AS TO FOUNDATION REGISTERED CERTIFIE Y THAT SEED OF THIS VARIETY BE LIMITED AS TO SER 1,2,3, etc. FOR EACH CLASS. EGISTERED CERTIFIED CESSary, please use the space indicated on the reverse.) DMPONENT OF THE VARIETY PROTECTED BY			
 a. ⊠ Exhibit A. Origin and Breeding History of th b. ⊠ Exhibit B. Statement of Distinctness c. ⊠ Exhibit C. Objective Description of Variety d. □ Exhibit D. Additional Description of the Valet e. ⊠ Exhibit E. Statement of the Basis of the Ovidation of the State of the States" (Mail to the Plant Variety Protection 23. HAS THE VARIETY (INCLUDING ANY HARVES FROM THIS VARIETY BEEN SOLD, DISPOSED 	ariety (Optional) wner's Ownership eeds or, for tuber aintained in an ap e payable to "Tre n Office STED MATERIAL, OF, TRANSFER	propagated varieties, verification proved public repository) asurer of the United OR A HYBRID PRODUCED RED, OR USED IN THE U. S. OR POSITION, TRANSFER, OR USE	21. DOES THE OWNER SPECIF NUMBER OF CLASSES?	Y THAT SEED OF THIS VARIETY BE LIMITED AS TO Image: Poundation in the registered in the reverse.) Y THAT SEED OF THIS VARIETY BE LIMITED AS TO Y THAT SEED OF THIS VARIETY BE LIMITED AS TO Y THAT SEED OF THIS VARIETY BE LIMITED AS TO Y THAT SEED OF THIS VARIETY BE LIMITED AS TO Y THAT SEED OF THIS VARIETY BE LIMITED AS TO Y THAT SEED OF THIS VARIETY BE LIMITED AS TO Y THAT SEED OF THIS VARIETY BE LIMITED AS TO Y THAT SEED OF THIS VARIETY BE LIMITED AS TO Y THAT SEED OF THIS VARIETY BE LIMITED AS TO Y THAT SEED OF THIS VARIETY BE LIMITED AS TO Y THAT SEED OF THE VARIETY PROTECTED BY			
 a. ⊠ Exhibit A. Origin and Breeding History of th b. ⊠ Exhibit B. Statement of Distinctness c. ⊠ Exhibit C. Objective Description of Variety d. □ Exhibit D. Additional Description of the Va e. ⊠ Exhibit E. Statement of the Basis of the Ov f. ⊠ Exhibit F. Declaration Regarding Deposit g. ⊠ Voucher Sample (3,000 viable untreated ss that tissue culture will be deposited and milling and Examination Fee (S4,382), made States" (Mail to the Plant Variety Protection 23. HAS THE VARIETY (INCLUDING ANY HARVES FROM THIS VARIETY BEEN SOLD, DISPOSED OTHER COUNTRIES? ⊠ YES □ NO IF YES, YOU MUST PROVIDE THE DATE OF FF FOR EACH COUNTRY AND THE CIRCUMSTANCES 	ariety (Optional) wner's Ownership eeds or, for tuber aintained in an ap e payable to "Tre n Office STED MATERIAL, OF, TRANSFER VIRST SALE, DISI NCES. (Please u ic seed of the var	propagated varieties, verification proved public repository) asurer of the United OR A HYBRID PRODUCED RED, OR USED IN THE U. S. OR POSITION, TRANSFER, OR USE se space indicated on reverse.)	21. DOES THE OWNER SPECIF NUMBER OF CLASSES? YES NO IF YES, WHICH CLASSES? 22. DOES THE OWNER SPECIF NUMBER OF GENERATIONS YES NO IF YES, SPECIFY THE NUME FOUNDATION RE (If additional explanation is ne 24. IS THE VARIETY OR ANY CO INTELLECTUAL PROPERTY YES NO IF YES, PLEASE GIVE COUN REFERENCE NUMBER. (Pleat n and will be replenished upon request in a	Y THAT SEED OF THIS VARIETY BE LIMITED AS TO Image: Poundation in the registered integration in the registered integrated in the registered integration integrated integration in the registered integration in the registered integration integration in the registered integration integration integrated integration integrated integration integrated integration integrated integration integrated integration integrated inte			
 a. ⊠ Exhibit A. Origin and Breeding History of th b. ⊠ Exhibit B. Statement of Distinctness c. ⊠ Exhibit C. Objective Description of Variety d. □ Exhibit D. Additional Description of the Va e. ⊠ Exhibit E. Statement of the Basis of the Ov f. ⊠ Exhibit F. Declaration Regarding Deposit g. ⊠ Voucher Sample (3,000 viable untreated as that tissue culture will be deposited and milling and Examination Fee (\$4,382), made States" (Mail to the Plant Variety Protection 23. HAS THE VARIETY (INCLUDING ANY HARVES FROM THIS VARIETY BEEN SOLD, DISPOSED OTHER COUNTRIES? ⊠ YES □ NO IF YES, YOU MUST PROVIDE THE DATE OF FFOR EACH COUNTRY AND THE CIRCUMSTAN 25. The owners declare that a viable sample of basis for a tuber propagated variety a tissue culture wind the sample of the s	ariety (Optional) wner's Ownership eeds or, for tuber aintained in an ap e payable to "Tre n Office STED MATERIAL, OF, TRANSFER NCES. (Please u ic seed of the var ill be deposited in his sexually repro	propagated varieties, verification proved public repository) asurer of the United OR A HYBRID PRODUCED RED, OR USED IN THE U. S. OR POSITION, TRANSFER, OR USE se space indicated on reverse.) iety has been furnished with application in a public repository and maintained friduced or tuber propagated plant variet	21. DOES THE OWNER SPECIF NUMBER OF CLASSES? YES NO IF YES, WHICH CLASSES? 22. DOES THE OWNER SPECIF NUMBER OF GENERATIONS YES NO IF YES, SPECIFY THE NUME FOUNDATION IF YES, SPECIFY THE NUME (If additional explanation is ne 24. IS THE VARIETY OR ANY CC INTELLECTUAL PROPERTY YES NO IF YES, PLEASE GIVE COUN REFERENCE NUMBER. (Please of the duration of the certificate.	Y THAT SEED OF THIS VARIETY BE LIMITED AS TO Image: Poundation in the registered integration in the registered integration integrated integration integration			
 a. ⊠ Exhibit A. Origin and Breeding History of th b. ⊠ Exhibit B. Statement of Distinctness c. ⊠ Exhibit B. Statement of Distinctness c. ⊠ Exhibit C. Objective Description of Variety d. □ Exhibit D. Additional Description of the Va e. ⊠ Exhibit E. Statement of the Basis of the Ov f. ⊠ Exhibit F. Declaration Regarding Deposit g. ⊠ Voucher Sample (3,000 viable untreated as that tissue culture will be deposited and mg g. ⊠ Filing and Examination Fee (\$4,382), made States" (Mail to the Plant Variety Protection 23. HAS THE VARIETY (INCLUDING ANY HARVES FROM THIS VARIETY BEEN SOLD, DISPOSED OTHER COUNTRIES? ⊠ YES NO IF YES, YOU MUST PROVIDE THE DATE OF FFOR EACH COUNTRY AND THE CIRCUMSTAN 25. The owners declare that a viable sample of basi for a tuber propagated variety a tissue culture w	Ariety (Optional) wner's Ownership eeds or, for tuber aintained in an ap e payable to "Tre n Office STED MATERIAL OF, TRANSFER CIRST SALE, DISI NCES. (Please u ic seed of the var vill be deposited in his sexually repro- ction 42 of the Pla	propagated varieties, verification proved public repository) asurer of the United OOR A HYBRID PRODUCED RED, OR USED IN THE U. S. OR POSITION, TRANSFER, OR USE se space indicated on reverse.) iety has been furnished with application a public repository and maintained fr duced or tuber propagated plant variet int Variety Protection Act.	21. DOES THE OWNER SPECIF NUMBER OF CLASSES? YES NO IF YES, WHICH CLASSES? 22. DOES THE OWNER SPECIF NUMBER OF GENERATIONS YES NO IF YES, SPECIFY THE NUME FOUNDATION IF YES, SPECIFY THE NUME (If additional explanation is neight) 24. IS THE VARIETY OR ANY CONNTELLECTUAL PROPERTY YES NO IF YES, PLEASE GIVE COUNN REFERENCE NUMBER. (Please of the duration of the certificate. the duration of the certificate. ty, and believe(s) that the variety is new, difference	FOUNDATION REGISTERED CERTIFIE Y THAT SEED OF THIS VARIETY BE LIMITED AS TO S? BER 1,2,3, etc. FOR EACH CLASS. EGISTERED CERTIFIED CEGISTERED CERTIFIED CERTIFIED CESSary, please use the space indicated on the reverse.) DMPONENT OF THE VARIETY PROTECTED BY RIGHT (PLANT BREEDER'S RIGHT OR PATENT)? TRY, DATE OF FILING OR ISSUANCE AND ASSIGNED			
 a. ⊠ Exhibit A. Origin and Breeding History of th b. ⊠ Exhibit B. Statement of Distinctness c. ⊠ Exhibit C. Objective Description of Variety d. □ Exhibit D. Additional Description of the Va e. ⊠ Exhibit F. Declaration Regarding Deposit g. ⊠ Voucher Sample (3,000 viable untraated as that tissue culture will be deposited and milling and Examination Fee (\$4,382), made States" (Mail to the Plant Variety Protection 23. HAS THE VARIETY (INCLUDING ANY HARVES FROM THIS VARIETY BEEN SOLD, DISPOSED OTHER COUNTRIES? ⊠ YES □ NO IF YES, YOU MUST PROVIDE THE DATE OF FFOR EACH COUNTRY AND THE CIRCUMSTAN 25. The owners declare that a viable sample of basi for a tuber propagated variety a tissue culture w 	Ariety (Optional) wner's Ownership eeds or, for tuber aintained in an ap e payable to "Tre n Office STED MATERIAL OF, TRANSFER CIRST SALE, DISI NCES. (Please u ic seed of the var vill be deposited in his sexually repro- ction 42 of the Pla	propagated varieties, verification pproved public repository) asurer of the United OR A HYBRID PRODUCED RED, OR USED IN THE U. S. OR POSITION, TRANSFER, OR USE se space indicated on reverse.) tety has been furnished with application in a public repository and maintained find duced or tuber propagated plant variet int Variety Protection Act.	21. DOES THE OWNER SPECIF NUMBER OF CLASSES? YES NO IF YES, WHICH CLASSES? 22. DOES THE OWNER SPECIF NUMBER OF GENERATIONS YES NO IF YES, SPECIFY THE NUMBER OF GENERATIONS YES NO IF YES, SPECIFY THE NUME IF OUNDATION RE (If additional explanation is ne 24. IS THE VARIETY OR ANY CC INTELLECTUAL PROPERTY YES NO IF YES, PLEASE GIVE COUN REFERENCE NUMBER. (Pleater) In and will be replenished upon request in a for the duration of the certificate. ty, and believe(s) that the variety is new, dittes. SIGNATURE OF OWNER 0	Y THAT SEED OF THIS VARIETY BE LIMITED AS TO Image: Poundation in the registered integration in the regulations as may be applicable, or accordance with such regulations as may be applicable, or accordance with such regulations as may be applicable, or accordance with such regulations as may be applicable, or accordance with such regulations as may be applicable, or accordance with such regulations as may be applicable, or accordance with such regulations as may be applicable, or accordance with such regulations as may be applicable, or accordance with such regulations as may be applicable, or accordance with such regulations as may be applicable, or accordance with such regulations as may be applicable, or accordance with such regulations as may be applicable, or accordance with such regulations as may be applicable, or accordance with such regulations as may be applicable, or accordance with such regulations as may be applicable, or accordance with such regulations as may be applicable, or accordance with such regulations as may be applied by the such regulations as may be applied by th			

Steven R. Anderson

DATE

Research Scientist

CAPACITY OR TITLE

4/19/2006

1

ST-470 (10-05) designed by the Plant Variety Protection Office using Word 2003.

DATE

CAPACITY OR TITLE

79.20

DOG MAY TO AHT

C. S. C. S. La

Sindrifale Carry and

and the second s

200600197

GENERAL INSTRUCTIONS: To be effectively filed with the Plant Variety Protection Office (PVPO), **ALL** of the following items must be **received** in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E, F; (3) for a tuber reproduced variety, verification that a viable (*in the sense that it will reproduce an entire plant*) tissue culture will be deposited and maintained in an approved public repository; and (4) payment by credit card or check drawn on a U.S. bank for \$4,382 (\$518 filing fee and \$3,864 examination fee), payable to "Treasurer of the United States" (*See Section 97.6 of the Regulations and Rules of Practice.*) **NEW:** With the application for a seed reproduced variety **or by direct deposit soon after filing**, the applicant must provide at least 3,000 viable untreated seeds of the variety *per se*, and for a hybrid variety at least 3,000 untreated seeds of each line necessary to **reproduce** the variety. Partial applications will be held in the PVPO for not more than 90 days; then returned to the applicant as un-filed. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 401, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. <u>Retain one copy for your files</u>. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. **DO NOT** use masking materials to make corrections. If a certificate is allowed, you will be requested to send a payment by credit card or check payable to "Treasurer of the United States" in the amount of \$768 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. The fees for filing a change of address; owner's representative; ownership or assignment; or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130.97.131, 97.175(h) of the Regulations and Rules of Practice.)

Plant Variety Protection Office Telephone: (301) 504-5518 FAX: (301) 504-5291 General E-mail: PVPOmail@usda.gov Homepage: http://www.ams.usda.gov/science/pvpo/PVPindex.htm

SPECIFIC INSTRUCTIONS:

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority and **provide evidence** that the permanent name of the application variety (even if it is a parental, inbred line) has been cleared by the appropriate recognized authority before the Certificate of Protection is issued. For example, for agricultural and vegetable crops, contact: U.S. Department of Agriculture, Agricultural Marketing Service, Livestock and Seed Programs, **Seed Regulatory and Testing Branch**, 801 Summit Crossing Place, Suite C, Gastonia, North Carolina 28054-2193 Telephone: (704) 810-8870. http://www.ams.usda.gov/lsg/seed.htm.

ITEM 19a.Give:

(1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;

- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 19b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
 - (1) identify these varieties and state all differences objectively;
 - (2) attach replicated statistical data for characters expressed numerically and demonstrate that these are clear differences; and
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 19c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 19d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, *etc.*

19e.Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.

- 20. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 23. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 24. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.

22. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)

23. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

United States (Nov. 1, 2005)

24. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

ST-470 (10-05) designed by the Plant Variety Protection Office using Word 2003.




Exhibit A. Origin and Breeding History

Pedigree: PH2MW/PH4CN)X713212X

Pioneer Line PH8T0, *Zea mays L.*, a yellow endosperm corn inbred, was developed by Pioneer Hi-Bred International, Inc. from the single cross hybrid PH2MW (PVP Certificate No 9900382) X PH4CN using the pedigree method of plant breeding. Varieties PH2MW and PH4CN are proprietary inbred lines of Pioneer Hi-Bred International, Inc. Variety PH4CN was derived by pedigree selection from the single cross hybrid PH89B X PHR03 (PVP Certificate No. 9100097). Variety PH89B was derived by pedigree selection from the single cross hybrid PHR41 X PHN46 (PVP Certificate Number 9000249). Variety PHR41 was derived by pedigree selection from the single cross hybrid 949 X PHG47 (PVP Certificate No. 8600131). Variety 949 is a non stiff stalk inbred that was developed in Tipton, Indiana in 1976. Selfing was practiced from the above hybrid for 7 generations using pedigree selection. During line development, crosses were made to inbred testers for the purpose of estimating the line's combining ability. Yield trials were grown at Princeton, Indiana as well as other Pioneer research locations. After initial testing, additional hybrid combinations have been evaluated and subsequent generations of the line have been grown and hand-pollinated with observations again made for uniformity.

Variety PH8T0 has shown uniformity and stability for all traits as described in Exhibit C - "Objective Description of Variety". It has been self-pollinated and ear-rowed 6 generations with careful attention paid to selection criteria and uniformity of plant type to assure genetic homozygosity and phenotypic stability. The line has been increased both by hand and in isolated fields with continued observations for uniformity and stability, and for 4 generations during the final stages of inbred development and seed multiplication. Very high standards for genetic purity have been established morphologically using field observations and using sound lab molecular marker methodology.

No variant traits have been observed or are expected in PH8T0.

The criteria used in the selection of PH8T0 were yield, both per se and in hybrid combinations. Late season plant health, grain quality, stalk lodging resistance, and kernel size are especially important in production and were also important criteria considered during selection. Other selection criteria include: ability to germinate in adverse conditions, disease and insect resistance, pollen yield and tassel size.

30/8/21

Variety 949 is a proprietary inbred of Pioneer Hi-Bred Int. Inc. Variety 949 was derived from a 3-way cross hybrid which traces back in breeding history such that 949 has a relative genotype composition of approximately 12% A21, 12% OH43, 37% C103, 11% derived from an SRS population = Stiff Roots and Stalks derived from Krug population, 25% Female Composite (Derived from female composite open pollinated. The open pollinated means that after the bridging crosses were made it was open pollinated. It was composed of Pioneer inbreds that were good females), and less than 1% Ladyfinger Pop synthetic.

to The second

005 0PP 27 ov1 100

Pedigree Grown Season/Year	Inbreeding Level o Pedigree Grown	
PH2MW Summer 1998	F0	
PH4CN Summer 1998	F0	
PH2MW/PH4CN) Winter 1998	F1	
PH2MW/PH4CN)X Summer 1999	F2	
PH2MW/PH4CN)X7 Summer 2000	F3	
PH2MW/PH4CN)X71 Summer 2001	F4	
PH2MW/PH4CN)X713 Winter 2001	F5	
PH2MW/PH4CN)X7132 Summer 2002	F6	
PH2MW/PH4CN)X71321 Winter 2002	F7	
PH2MW/PH4CN)X713212 Summer 2002	F8	
PH2MW/PH4CN)X713212X	F9 (SEED)	

Exhibit A: Developmental history for PH8T0

*PH8T0 was selfed and ear-rowed from F3 through F8 generation.

#Uniformity and stability were established from F5 through F8 generation and beyond when seed supplies were increased.




Exhibit B: Novelty Statement

Variety PH8T0 mostly resembles Pioneer Hi-Bred International, Inc. proprietary inbred line PHR03 (PVP Certificate No. 9100097). Table 1 shows two sample t-tests on data collected primarily in Johnston and Dallas Center, Iowa in 2005. The traits collectively show measurable differences between the two varieties.

Exhibit B: Novelty Statement

Variety PH8T0 has a smaller cob diameter (20.0 cm vs 23.4 cm) than variety PHR03 (Table 1).

Variety PH8T0 has a lower ear height (74.6 cm vs 98.6 cm) than variety PHR03 (Table 1).

Variety PH8T0 has a greater ear internode length (20.9 cm vs 16.5 cm) than variety PHR03 (Table 1).

Variety PH8T0 has fewer kernel rows per ear (11.4 vs 15.8 cm) than variety PHR03 (Table 1).

Variety PH8T0 has a greater husk extension length (7.5 cm vs 3.9 cm) than variety PHR03 (Table 1).

Variety PH8T0 has a greater tassel length (62.6 cm vs 53.9 cm) than variety PHR03 (Table 1).



Exhibit B: Novelty Statement Table(s)

Cob diameter (mm)

Table 1: Data from Johnston and Dallas Center, Iowa in 2005 presented by trait, across environments, and broken out by environment. Data are supporting evidence for differences between PH8T0 and PHR03. Varieties were grown in 2 locations that had different environmental conditions. Environments had different planting dates and were in different fields. A two-sample t-test was used to compare differences between means.

Level Station Year Mean Diff StDev-1 StErr-2 DF t-Value Prob Pool Variety-1 Variety-2 Cnt-1 Cnt-2 Mean-1 Mean-2 StDev-2 StErr-1 Over All PH8T0 PHR03 10 10 20.0 23.4 -3.4 1.414 1.174 0.447 0.371 18 -5.9 0.000 Environ. DSYDC22005 PH8T0 PHR03 -3.2 0.013 5 5 20.4 23.6 -3.2 1.949 1.140 0.872 0.510 8 Environ. JHYIT12005 PH8T0 PHR03 5 5 19.6 23.2 0.548 1.304 0.245 0.583 -5.7 0.000 -3.6 8 Ear height (cm) Year Level Station Variety-1 Variety-2 Cnt-1 Cnt-2 Mean-1 Mean-2 Mean Diff StDev-1 StDev-2 StErr-1 StErr-2 DF t-Value Prob Pool Over All PH8T0 PHR03 18 -3.7 0.002 10 10 74.6 98.6 -24.0 15.357 13.882 4.856 4.390 Environ. **DSYDC22005** PH8T0 PHR03 5 -6.4 0.000 5 88.2 -23.2 7.823 1.949 3.499 0.872 8 111.4 **JHYIT12005** Environ. PH8T0 PHR03 5 5 61.0 85.8 -24.8 2.646 4,494 1.183 2.010 8 -10.6 0.000 Ear internode length (cm) Level Station Year Variety-1 Cnt-1 Cnt-2 Mean Diff StDev-1 StDev-2 StErr-1 StErr-2 DF t-Value Prob Pool Variety-2 Mean-1 Mean-2 Over All PH8T0 PHR03 10 10 20.9 16.5 4.4 2.558 1.581 0.809 0.500 18 4.6 0.000 Environ. **DSYDC22005** PH8T0 PHR03 5 5 23.0 17.2 5.8 1,924 0.860 8 6.3 0.000 0.707 0.316 Environ. **JHYIT12005** PH8T0 PHR03 5 5 18.8 15.8 3.0 1.789 0.837 0.800 0.374 8 3.4 0.009 Ear row number Year Mean_Diff Level Station Variety-1 Variety-2 Cnt-1 Cnt-2 Mean-1 Mean-2 StDev-1 StDev-2 StErr-1 StErr-2 DF t-Value Prob Pool Over All PH8T0 18 -9.3 0.000 PHR03 10 10 11.4 15.8 -4.4 1.350 0.632 0.427 0.200 Environ. **DSYDC22005** PH8T0 -5.9 PHR03 5 5 1.673 0.000 0.000 8 0.000 11.6 16.0 -4.4 0.748 Environ. **JHYIT12005** PH8T0 PHR03 5 5 11.2 15.6 -4.4 1.095 0.894 0.490 0.400 8 -7.0 0.000




Table 1 Continued.

Husk extension length (cm)

Level	Station	Year	Variety-1	Variety-2	Cnt-1	Cnt-2	Mean-1	Mean-2	Mean_Diff	StDev-1	StDev-2	StErr-1	StErr-2	DF	t-Value	Prob_Pool
Over All			PH8T0	PHR03	10	10	7.5	3.9	3.6	1.354	0.568	0.428	0.180	18	7.8	0.000
Environ.	DSYDC22005		PH8T0	PHR03	5	5	7.4	3.8	3.6	1.140	0.447	0.510	0.200	8	6.6	0.000
Environ.	JHYIT12005		PH8T0	PHR03	5	5	7.6	4.0	3.6	1.673	0.707	0.748	0.316	8	4.4	0.002
Tassel length	n (cm)	Č.														
Level	Station	Year	Variety-1	Variety-2	Cnt-1	Cnt-2	Mean-1	Mean-2	Mean_Diff	StDev-1	StDev-2	StErr-1	StErr-2	DF	t-Value	Prob_Pool
Over All			PH8T0	PHR03	10	10	62.6	53.9	8.7	3.134	2.644	0.991	0.836	18	6.7	0.000
Environ.	DSYDC22005		PH8T0	PHR03	5	5	60.8	54.4	6.4	3.033	3.507	1.356	1.568	8	3.1	0.015
Environ.	JHYIT12005		PH8T0	PHR03	5	5	64.4	53.4	11.0	2.191	1.673	0.980	0.748	8	8.9	0.000



2005 APR 27 AH10:59

United States Department of Agriculture, Agricultural Marketing Service Science and Technology, Plant Variety Protection Office National Agricultural Library Building, Room 400 Beltsville, MD 20705-2351

OBJECTIVE DESCRIPTION OF VARIETY CORN (Zea mays L.)

Name of Applicant(s) Pioneer Hi-Bred International, Inc	I Variety Seed Se	ource		Variety I PH8T0	Name or Temporary Designation
Address (Street & No., or R.F.D. No., City, State 7301 NW 62nd Avenue, P.O. Box 85, Johnsto		1	FOR OFFICIAL	JSE	PVPO Number 20060019


Place the appropriate number that describes the varietal characters typical of this inbred variety in the spaces below. Right justify whole numbers by adding leading zeroes if necessary. Completeness should be striven for to establish an adequate variety description. Traits designated by a "*" are considered necessary for an adequate variety description and must be completed.

COLOR CHOICES (Use in conjunction with Muns	ell color code to describe	e all color c	hoices; describe a	#25 and #26 in Co	mments section	n):
01. Light Green	06. Pale Yellow	11. Pink		e Purple	21. Buff	26. Other (
02. Medium Green	07. Yellow	12. Light Red	17. Pur	ple	22. Tan		
03. Dark Green	08. Yellow-Orange	13. Cherry Red	18. Col	orless	23. Brown		
04. Very Dark Green		14. Red	19. Wh		24. Bronze		
05. Green-Yellow	10. Pink-Orange	15. Red & White		ite Capped	25. Variegated (Describe)		
Yellow Dent Families Family B14	D CHOICES [Use the most si s: Members CM105, A632, B64, B68 B37, B76, H84 N192, A679, B73, Nc268 Mo17, Va102, Va35, A682	milar (in background and Yellow Dent (Unrelated Co109, ND246 Oh7, T232 W117, W153R W182BN	d):	of these to make of	Sweet Corn: C13, Iowa5 Popcorn:	d on grow-out t 5125, P39, 213 , 4722, HP301,	2
Oh43	A619, MS71, H99, Va26	White Dent:			Pipecorn:		
WF9	W64A, A554, A654, Pa91	Cl66, H105, Ky	228			016W, Mo24W	,
Flint	et, 2=Dent, 3=Flint, 4=Flour, 5		=Pipecorn)		<u>2</u> Type		
	DEVELOPED IN THE U.S.A est, 2=N.Central, 3=N.East, 4		=S.West, 7	=Other	Standard Seed	d Source	PI 558532
		e to 50% of plants in silk e to 50% of plants in poll	en	ection):	DAYS 67 63 2 	<u>1</u> 1	UNITS . <u>528.0</u> . <u>411.0</u> <u>42</u> `_
4. PLANT:	A STATE OF THE STATE OF THE STATE		St.Dev.	Sample Size	Mean	St.Dev.	Sample Size
243.8 cm Plan	nt Height (to tassel tip)		23.26	<u>10</u>		22.55	10
74.6 cm Ear	Height (to base of top ear no	de)	15.36	10		18.27	10
20.9 cm Len	gth of Top Ear Internode	and and the set of	2.56	10	15.9	1.91	10
	e Number of Tillers		0.09		0.0	0.00	10
	e Number of Ears per Stalk		0.05	<u>2</u> 2	1.0	0.03	2
	yanin of Brace Roots: 1=Abse	ent, 2=Faint, 3=Moderate	, 4=Dark	12.14	3	1.1	191
Application Variety D	Data		Page 1	0	Standard Inbre	ed Data	1

5 OPR 27 data:59

Application Variety Data	Page 2				
5. LEAF	St.Dev.	Sample Size I	Mean	St.Dev.	Sample Size
9.1 cm Width of Ear Node Leaf	0.57	<u>10</u> I	<u>9.0</u>	0.67	10
84.1 cm Length of Ear Node Leaf	4.36	<u>10</u> I	70.7	6.50	<u>10</u>
6.5 Number of leaves above top ear	0.71	<u>10</u> I	5.5	0.53	10
24.3 Degrees Leaf Angle	5.52	<u>10</u> I	<u>31.9</u>	2.96	10
(Measure from 2nd leaf above ear at anthesis to stall	k above leaf)				
4 Leaf Color (Munsell Code) 7.5GY36				Code) 5GY	34
<u>2</u> Leaf Sheath Pubescence (Rate on scale from 1=no		uzz) I	2		
Marginal Waves (Rate on scale from 1=none to 9=n		and the second second			
Longitudinal Creases (Rate on scale from 1=none to	o 9=many)	and the second second			
6. TASSEL:	St.Dev.	Sample Size I	Mean	St.Dev.	Sample Size
7.2 Number of Primary Lateral Branches	0.92	10 I	5.0	1.05	10
28.5 Degrees Branch Angle from Central Spike	6.17	<u>10</u> I	32.6	10.78	10
62.6 cm tassel Length	3.13	<u>10</u> I	64.7	2.79	10
(from top leaf collar to tassel tip)	0.10	10	<u>01.11</u>	2.10	10
6 Pollen Shed (Rate on scale from 0=male sterile to 9	=heavy shed)		6		
6 Anther Color (Munsell Code) 7.5Y86				I Code) 2.50	GY88
2 Glume Color (Munsell Code) 5GY56		Les al		I Code) 5GY	
1 Bar Glumes (Glume Bands): 1=Absent, 2=Present		1.	1		
	and the second second				
7a. EAR (Unhusked Data): <u>11</u> Silk Color (3 days after emergence) (Munsell Code	7.51	R66 I	1 Munsel	Code 250	GY86
		100			9100
2 Freeh Huck Color (25 days after 50% silking) (Mun	coll Code) 5G	V68 I			
2 Fresh Husk Color (25 days after 50% silking) (Mun 21 Dry Husk Color (65 days after 50% silking) (Munse		<u>Y68</u> I Y8 54 I	2 Munsel	Code 5GY	68
21 Dry Husk Color (65 days after 50% silking) (Munse	ell Code) 2.5	Y8.54	2 Munsel 21 Munsel	Code 5GY	
21 Dry Husk Color (65 days after 50% silking) (Munse 1 Position of Ear at Dry Husk Stage: 1=Upright, 2=H	ell Code) <u>2.5</u> orizontal, 3=Penden	Y8.54	2 Munsel 21 Munsel	Code 5GY	68
21 Dry Husk Color (65 days after 50% silking) (Munse 1 Position of Ear at Dry Husk Stage: 1=Upright, 2=H 7 Husk Tightness (Rate on scale from 1=very loose f	ell Code) <u>2.5</u> orizontal, 3=Penden to 9=very tight	<u>Y8.54</u> I t I	2 Munsel 21 Munsel	Code 5GY	68
 21 Dry Husk Color (65 days after 50% silking) (Munse 1 Position of Ear at Dry Husk Stage: 1=Upright, 2=He 7 Husk Tightness (Rate on scale from 1=very loose to 2 Husk Extension (at harvest): 1=Short(ears exposed) 	ell Code) <u>2.5</u> orizontal, 3=Penden to 9=very tight	<u>Y8.54</u> I t I	2 Munsel	Code 5GY	68
 21 Dry Husk Color (65 days after 50% silking) (Munse 1 Position of Ear at Dry Husk Stage: 1=Upright, 2=He 7 Husk Tightness (Rate on scale from 1=very loose to 2 Husk Extension (at harvest): 1=Short(ears exposed 10cm beyond ear tip), 4=Very Long (>10cm) 	ell Code) <u>2.5</u> orizontal, 3=Penden to 9=very tight d), 2=Medium (<8cm	<u>Y8.54</u> I t I I), 3=Long (8- I I	2 Munsel 21 Munsel	Code <u>5GY</u> Code <u>2.5Y</u>	<u>768</u> 78.54
 21 Dry Husk Color (65 days after 50% silking) (Munse 1 Position of Ear at Dry Husk Stage: 1=Upright, 2=He 7 Husk Tightness (Rate on scale from 1=very loose t 2 Husk Extension (at harvest): 1=Short(ears exposed 10cm beyond ear tip), 4=Very Long (>10cm) 7b. EAR (Husked Ear Data) 	ell Code) 2.5 orizontal, 3=Penden to 9=very tight d), 2=Medium (<8cm St. Dev.	Y8.54 I t I i), 3=Long (8- I I I Sample Size I	2 Munsel 21 Munsel 2 2 2 Mean	Code <u>5GY</u> Code <u>2.5Y</u> St.Dev.	768 78.54 Sample Size
 21 Dry Husk Color (65 days after 50% silking) (Munse 1 Position of Ear at Dry Husk Stage: 1=Upright, 2=He 7 Husk Tightness (Rate on scale from 1=very loose t 2 Husk Extension (at harvest): 1=Short(ears exposed 10cm beyond ear tip), 4=Very Long (>10cm) 7b. EAR (Husked Ear Data) 16.2 cm Ear Length 	ell Code) 2.5 orizontal, 3=Penden to 9=very tight d), 2=Medium (<8cm St. Dev. <u>1.23</u>	Y8.54 I t I i), 3=Long (8- I Sample Size I 10 I	2 Munsel 21 Munsel 2 2 2 Mean 18.5	Code <u>5GY</u> Code <u>2.5Y</u> St.Dev. <u>1.27</u>	768 78.54 Sample Size 10
21 Dry Husk Color (65 days after 50% silking) (Munse 1 Position of Ear at Dry Husk Stage: 1=Upright, 2=He 7 Husk Tightness (Rate on scale from 1=very loose t 2 Husk Extension (at harvest): 1=Short(ears exposed 10cm beyond ear tip), 4=Very Long (>10cm) 7b. EAR (Husked Ear Data) 16.2 cm Ear Length 38.8 mm Ear Diameter at mid-point	ell Code) 2.5 orizontal, 3=Penden to 9=very tight d), 2=Medium (<8cm St. Dev. <u>1.23</u> <u>3.33</u>	Y8.54 I t I i), 3=Long (8- I Sample Size I 10 I 10 I	2 Munsel 21 Munsel 2 2 2 Mean <u>18.5</u> <u>36.0</u>	Code <u>5GY</u> Code <u>2.5Y</u> St.Dev. <u>1.27</u> <u>2.21</u>	768 78.54 Sample Size 10 10
 21 Dry Husk Color (65 days after 50% silking) (Munse 1 Position of Ear at Dry Husk Stage: 1=Upright, 2=He 7 Husk Tightness (Rate on scale from 1=very loose f 2 Husk Extension (at harvest): 1=Short(ears exposed 10cm beyond ear tip), 4=Very Long (>10cm) 7b. EAR (Husked Ear Data) 16.2 cm Ear Length 38.8 mm Ear Diameter at mid-point 106.1 gm Ear Weight 	ell Code) <u>2.5</u> orizontal, 3=Penden to 9=very tight d), 2=Medium (<8cm St. Dev. <u>1.23</u> <u>3.33</u> <u>14.28</u>	<u>Y8.54</u> t l), 3=Long (8- Sample Size <u>10</u> <u>10</u>	2 Munsel 21 Munsel 2 2 Mean 18.5 36.0 101.3	Code <u>5GY</u> Code <u>2.5Y</u> St.Dev. <u>1.27</u> <u>2.21</u> <u>14.30</u>	768 78.54 Sample Size 10 10 10
21 Dry Husk Color (65 days after 50% silking) (Munse 1 Position of Ear at Dry Husk Stage: 1=Upright, 2=He 7 Husk Tightness (Rate on scale from 1=very loose f 2 Husk Extension (at harvest): 1=Short(ears exposed 10cm beyond ear tip), 4=Very Long (>10cm) 7b. EAR (Husked Ear Data) 16.2 cm Ear Length 38.8 mm Ear Diameter at mid-point 106.1 gm Ear Weight 11.4 Number of Kernel Rows	ell Code) 2.5 orizontal, 3=Penden to 9=very tight d), 2=Medium (<8cm St. Dev. <u>1.23</u> <u>3.33</u>	Y8.54 I t I i), 3=Long (8- I Sample Size I 10 I 10 I	2 Munsel 21 Munsel 2 6 2 Mean 18.5 36.0 101.3 10.8	Code <u>5GY</u> Code <u>2.5Y</u> St.Dev. <u>1.27</u> <u>2.21</u>	768 78.54 Sample Size 10 10
21 Dry Husk Color (65 days after 50% silking) (Munse 1 Position of Ear at Dry Husk Stage: 1=Upright, 2=Hu 7 Husk Tightness (Rate on scale from 1=very loose f 2 Husk Extension (at harvest): 1=Short(ears exposed 10cm beyond ear tip), 4=Very Long (>10cm) 7b. EAR (Husked Ear Data) 16.2 cm Ear Length 38.8 mm Ear Diameter at mid-point 106.1 gm Ear Weight 11.4 Number of Kernel Rows 2 Kernel Rows: 1=Indistinct, 2=Distinct	St. Dev. 1.23 3.33 14.28 1.35	<u>Y8.54</u> t l), 3=Long (8- Sample Size <u>10</u> <u>10</u>	2 Munsel 21 Munsel 2 6 2 Mean 18.5 36.0 101.3 10.8 2	Code <u>5GY</u> Code <u>2.5Y</u> St.Dev. <u>1.27</u> <u>2.21</u> <u>14.30</u>	768 78.54 Sample Size 10 10 10
21 Dry Husk Color (65 days after 50% silking) (Munse 1 Position of Ear at Dry Husk Stage: 1=Upright, 2=Hu 7 Husk Tightness (Rate on scale from 1=very loose f 2 Husk Extension (at harvest): 1=Short(ears exposed 10cm beyond ear tip), 4=Very Long (>10cm) 7b. EAR (Husked Ear Data) 16.2 cm Ear Length 38.8 mm Ear Diameter at mid-point 106.1 gm Ear Weight 11.4 Number of Kernel Rows 2 Kernel Rows: 1=Indistinct, 2=Distinct 2 Row Alignment: 1=Straight, 2=Slightly Curved, 3=Straight	ell Code) 2.5 orizontal, 3=Penden to 9=very tight d), 2=Medium (<8cm St. Dev. <u>1.23</u> <u>3.33</u> <u>14.28</u> <u>1.35</u> Spiral	Y8.54 I t I i), 3=Long (8- I I I Sample Size I 10 I I I	2 Munsel 21 Munsel 2 6 2 Mean 18.5 36.0 101.3 10.8 2 2	St.Dev. 1.27 2.21 14.30 1.03	768 78.54 Sample Size 10 10 10 10
21 Dry Husk Color (65 days after 50% silking) (Munse 1 Position of Ear at Dry Husk Stage: 1=Upright, 2=Hu 7 Husk Tightness (Rate on scale from 1=very loose f 2 Husk Extension (at harvest): 1=Short(ears exposed 10cm beyond ear tip), 4=Very Long (>10cm) 7b. EAR (Husked Ear Data) 16.2 cm Ear Length 38.8 mm Ear Diameter at mid-point 106.1 gm Ear Weight 11.4 Number of Kernel Rows 2 Kernel Rows: 1=Indistinct, 2=Distinct 2 Row Alignment: 1=Straight, 2=Slightly Curved, 3=S 14.2 cm Shank Length	Ell Code) 2.5' orizontal, 3=Penden to 9=very tight d), 2=Medium (<8cm	Y8.54 I t I I), 3=Long (8- I Sample Size I 10 I 10 I 10 I	2 Munsel 21 Munsel 2 6 2 Mean 18.5 36.0 101.3 10.8 2 8.3	Code <u>5GY</u> Code <u>2.5Y</u> St.Dev. <u>1.27</u> <u>2.21</u> <u>14.30</u>	768 78.54 Sample Size 10 10 10
 21 Dry Husk Color (65 days after 50% silking) (Munse 1 Position of Ear at Dry Husk Stage: 1=Upright, 2=He 7 Husk Tightness (Rate on scale from 1=very loose f 2 Husk Extension (at harvest): 1=Short(ears exposed 10cm beyond ear tip), 4=Very Long (>10cm) 7b. EAR (Husked Ear Data) 16.2 cm Ear Length 38.8 mm Ear Diameter at mid-point 106.1 gm Ear Weight 11.4 Number of Kernel Rows 2 Kernel Rows: 1=Indistinct, 2=Distinct 2 Row Alignment: 1=Straight, 2=Slightly Curved, 3=S 	Ell Code) 2.5' orizontal, 3=Penden to 9=very tight d), 2=Medium (<8cm	Y8.54 I t I i), 3=Long (8- I I I Sample Size I 10 I I I	2 Munsel 21 Munsel 2 6 2 Mean 18.5 36.0 101.3 10.8 2 2	St.Dev. 1.27 2.21 14.30 1.03	768 78.54 Sample Size 10 10 10 10
21 Dry Husk Color (65 days after 50% silking) (Munse 1 1 Position of Ear at Dry Husk Stage: 1=Upright, 2=Hu 7 1 Husk Tightness (Rate on scale from 1=very loose for 2 2 Husk Extension (at harvest): 1=Short(ears exposed 10cm beyond ear tip), 4=Very Long (>10cm) 7b. EAR (Husked Ear Data) 16.2 16.2 cm Ear Length 38.8 106.1 gm Ear Diameter at mid-point 106.1 11.4 Number of Kernel Rows 2 Kernel Rows: 1=Indistinct, 2=Distinct 2 2 Row Alignment: 1=Straight, 2=Slightly Curved, 3=Straight 2 14.2 cm Shank Length 2 2 Ear Taper: 1=Slight cyl., 2=Average slightly con., 3	Ell Code) 2.5' orizontal, 3=Penden to 9=very tight d), 2=Medium (<8cm	Y8.54 I t I i), 3=Long (8- I I I Sample Size I 10 I	2 Munsel 21 Munsel 2 6 2 Mean 18.5 36.0 101.3 10.8 2 2 8.3 1	St.Dev. 1.27 2.21 14.30 1.03	768 78.54 Sample Size 10 10 10 10
21 Dry Husk Color (65 days after 50% silking) (Munse 1 1 Position of Ear at Dry Husk Stage: 1=Upright, 2=Hu 7 1 Pusk Tightness (Rate on scale from 1=very loose for 2 1 Husk Extension (at harvest): 1=Short(ears exposed 10cm beyond ear tip), 4=Very Long (>10cm) 7b. EAR (Husked Ear Data) 16.2 16.2 cm Ear Length 38.8 mm Ear Diameter at mid-point 106.1 gm Ear Weight 11.4 Number of Kernel Rows 2 Kernel Rows: 1=Indistinct, 2=Distinct 2 Row Alignment: 1=Straight, 2=Slightly Curved, 3=S 14.2 cm Shank Length 2 Ear Taper: 1=Slight cyl., 2=Average slightly con., 3 3. KERNEL (Dried): 2	ell Code) 2.5 orizontal, 3=Penden to 9=very tight d), 2=Medium (<8cm St. Dev. <u>1.23</u> <u>3.33</u> <u>14.28</u> <u>1.35</u> Spiral 2.90 3=Extreme conical	Y8.54 I t I i), 3=Long (8- I I I Sample Size I 10 I I I	2 Munsel 21 Munsel 2 6 2 Mean 18.5 36.0 101.3 10.8 2 8.3	Code 5GY Code 2.5Y St.Dev. 1.27 2.21 14.30 1.03 1.89	768 78.54 Sample Size 10 10 10 10
21 Dry Husk Color (65 days after 50% silking) (Munse 1 1 Position of Ear at Dry Husk Stage: 1=Upright, 2=Hu 7 1 Pusk Tightness (Rate on scale from 1=very loose for 2 2 Husk Extension (at harvest): 1=Short(ears exposed 10cm beyond ear tip), 4=Very Long (>10cm) 7b. EAR (Husked Ear Data) 16.2 16.2 cm Ear Length 38.8 106.1 gm Ear Diameter at mid-point 106.1 gm Ear Weight 11.4 Number of Kernel Rows 2 Kernel Rows: 1=Indistinct, 2=Distinct 2 Row Alignment: 1=Straight, 2=Slightly Curved, 3=S 14.2 cm Shank Length 2 Ear Taper: 1=Slight cyl., 2=Average slightly con., 3 8. KERNEL (Dried): 11.0 11.0 mm Kernel Length	ell Code) 2.5 orizontal, 3=Penden to 9=very tight d), 2=Medium (<8cm St. Dev. <u>1.23</u> <u>3.33</u> <u>14.28</u> <u>1.35</u> Spiral 3=Extreme conical St.Dev.	Y8.54 I t I i), 3=Long (8- I Sample Size I 10 I Sample Size I	2 Munsel 21 Munsel 2 6 2 Mean 18.5 36.0 101.3 10.8 2 2 8.3 1 Mean	Code 5GY Code 2.5Y St.Dev. 1.27 2.21 14.30 1.03 1.89 St.Dev. 1.89	768 78.54 Sample Size 10 10 10 10 10 10 10 5ample Size
 21 Dry Husk Color (65 days after 50% silking) (Munse 1 Position of Ear at Dry Husk Stage: 1=Upright, 2=Hu 7 Husk Tightness (Rate on scale from 1=very loose f 2 Husk Extension (at harvest): 1=Short(ears exposed 10cm beyond ear tip), 4=Very Long (>10cm) 7b. EAR (Husked Ear Data) 16.2 cm Ear Length 38.8 mm Ear Diameter at mid-point 106.1 gm Ear Weight 11.4 Number of Kernel Rows 2 Kernel Rows: 1=Indistinct, 2=Distinct 2 Row Alignment: 1=Straight, 2=Slightly Curved, 3=S 14.2 cm Shank Length 2 Ear Taper: 1=Slight cyl., 2=Average slightly con., 3 8. KERNEL (Dried): 	ell Code) 2.5 orizontal, 3=Penden to 9=very tight d), 2=Medium (<8cm St. Dev. <u>1.23</u> <u>3.33</u> <u>14.28</u> <u>1.35</u> Spiral 3=Extreme conical St.Dev. <u>0.82</u>	Y8.54 I t I i), 3=Long (8- I I I Sample Size I 10 I	2 Munsel 21 Munsel 2 6 2 Mean 18.5 36.0 101.3 10.8 2 8.3 1 Mean 10.4 8.9	Code 5GY Code 2.5Y St.Dev. 1.27 14.30 1.03 1.89 1.89 St.Dev. 0.84 0.57 0.57	768 78.54 Sample Size 10 10 10 10 5 Sample Size 10 10
21 Dry Husk Color (65 days after 50% silking) (Munse 1 Position of Ear at Dry Husk Stage: 1=Upright, 2=Hu 7 Husk Tightness (Rate on scale from 1=very loose t 2 Husk Extension (at harvest): 1=Short(ears exposed 10cm beyond ear tip), 4=Very Long (>10cm) b. EAR (Husked Ear Data) 16.2 cm Ear Length 38.8 mm Ear Diameter at mid-point 106.1 gm Ear Weight 11.4 Number of Kernel Rows 2 Kernel Rows: 1=Indistinct, 2=Distinct 2 Row Alignment: 1=Straight, 2=Slightly Curved, 3=S 14.2 cm Shank Length 2 Ear Taper: 1=Slight cyl., 2=Average slightly con., 3 5. KERNEL (Dried): 11.0 11.0 mm Kernel Length 9.5 mm Kernel Width	ell Code) 2.5 orizontal, 3=Penden to 9=very tight d), 2=Medium (<8cm St. Dev. <u>1.23</u> <u>3.33</u> <u>14.28</u> <u>1.35</u> Spiral 3=Extreme conical St.Dev. <u>0.82</u> <u>0.85</u>	Y8.54 I t I i), 3=Long (8- I I I Sample Size I 10 I	2 Munsel 21 Munsel 2 6 2 Mean 18.5 36.0 101.3 10.8 2 2 8.3 1 Mean 10.4	Code 5GY Code 2.5Y St.Dev. 1.27 2.21 14.30 1.03 1.89 St.Dev. 0.84	768 78.54 Sample Size 10 10 10 10 5 Sample Size 10 10
21 Dry Husk Color (65 days after 50% silking) (Munse 1 Position of Ear at Dry Husk Stage: 1=Upright, 2=Hu 7 Husk Tightness (Rate on scale from 1=very loose f 2 Husk Extension (at harvest): 1=Short(ears exposed 10cm beyond ear tip), 4=Very Long (>10cm) b. EAR (Husked Ear Data) 16.2 cm Ear Length 38.8 mm Ear Diameter at mid-point 106.1 gm Ear Weight 11.4 Number of Kernel Rows 2 Kernel Rows: 1=Indistinct, 2=Distinct 2 Row Alignment: 1=Straight, 2=Slightly Curved, 3=S 14.2 cm Shank Length 2 Ear Taper: 1=Slight cyl., 2=Average slightly con., 3 KERNEL (Dried): 11.0 11.0 mm Kernel Length 9.5 mm Kernel Width 5.4 mm Kernel Thickness	St. Dev. 1.23 3.33 14.28 1.35 Spiral 2.90 3=Extreme conical St.Dev. 0.82 0.85 0.70 16.31	Y8.54 I t I i), 3=Long (8- I Sample Size I 10 I	2 Munsel 21 Munsel 2 6 2 Mean 18.5 36.0 101.3 10.8 2 2 8.3 1 Mean 10.4 8.9 5.5	Code 5GY Code 2.5Y St.Dev. 1.27 1.21 14.30 1.03 1.03 1.89 0.57 0.97 8.68	768 78.54 Sample Size 10 10 10 10 5ample Size 10
21 Dry Husk Color (65 days after 50% silking) (Munse 1 Position of Ear at Dry Husk Stage: 1=Upright, 2=Hu 7 Husk Tightness (Rate on scale from 1=very loose f 2 Husk Extension (at harvest): 1=Short(ears exposed 10cm beyond ear tip), 4=Very Long (>10cm) b. EAR (Husked Ear Data) 16.2 cm Ear Length 38.8 mm Ear Diameter at mid-point 106.1 gm Ear Weight 11.4 Number of Kernel Rows 2 Kernel Rows: 1=Indistinct, 2=Distinct 2 Row Alignment: 1=Straight, 2=Slightly Curved, 3=S 14.2 cm Shank Length 2 Ear Taper: 1=Slight cyl., 2=Average slightly con., 3 KERNEL (Dried): 11.0 11.0 mm Kernel Length 9.5 mm Kernel Width 5.4 mm Kernel S(Shape Grade) 1 Aleurone Color Pattern: 1=Homozygous, 2=Segreg 7 Aleurone Color (Munsell Code)	ell Code) 2.5 orizontal, 3=Penden to 9=very tight d), 2=Medium (<8cm St. Dev. <u>1.23</u> <u>3.33</u> <u>14.28</u> <u>1.35</u> Spiral 3=Extreme conical St.Dev. <u>0.82</u> <u>0.85</u> <u>0.70</u> <u>16.31</u> gating (describe) <u>0YR814</u>	Y8.54 I t I i), 3=Long (8- I I I Sample Size I 10 I	2 Munsel 21 Munsel 2 6 2 Mean 18.5 36.0 101.3 10.8 2 2 8.3 1 Mean 10.4 8.9 5.5 66.4	Code 5GY Code 2.5Y Code 2.5Y St.Dev. 1.27 2.21 14.30 1.03 1.03 1.89 1.89 St.Dev. 0.84 0.57 0.97 8.68 0.57 0.97 8.68 De)	768 78.54 Sample Size 10 10 10 10 5 Sample Size 10 10
21 Dry Husk Color (65 days after 50% silking) (Munse 1 Position of Ear at Dry Husk Stage: 1=Upright, 2=Hu 7 Husk Tightness (Rate on scale from 1=very loose f 2 Husk Extension (at harvest): 1=Short(ears exposed 10cm beyond ear tip), 4=Very Long (>10cm) *b. EAR (Husked Ear Data) 16.2 cm Ear Length 38.8 mm Ear Diameter at mid-point 106.1 gm Ear Weight 11.4 Number of Kernel Rows 2 Kernel Rows: 1=Indistinct, 2=Distinct 2 Row Alignment: 1=Straight, 2=Slightly Curved, 3=S 14.2 cm Shank Length 2 Ear Taper: 1=Slight cyl., 2=Average slightly con., 3 5. KERNEL (Dried): 11.0 11.0 mm Kernel Length 9.5 mm Kernel Width 5.4 mm Kernel Thickness 68.8 % Round Kernels (Shape Grade) 1 Aleurone Color Pattern: 1=Homozygous, 2=Segreg 7 Aleurone Color (Munsell Code) 10 7 Hard Endosperm Color (Munsell Code) 10	St. Dev. 1.23 3.33 14.28 1.35 Spiral 2.90 3=Extreme conical St. Dev. 0.82 0.70 16.31 gating (describe) 0YR814 0YR714	Y8.54 I t I t I sample Size I 10 I 110 I 12 I 110 I	2 Munsel 21 Munsel 2 6 2 Mean 18.5 36.0 101.3 10.8 2 8.3 1 Mean 10.4 8.9 5.5 66.4 1 (descrit 7 Munsel 7 Munsel	Code 5GY Code 2.5Y Code 2.5Y St.Dev. 1.27 2.21 14.30 1.03 1.03 1.89 0.84 0.57 0.97 8.68 0.57 0.97 8.68 De) 1	Sample Size 10 10 10 10 10 10 10 10 10 10 10 10 10
21 Dry Husk Color (65 days after 50% silking) (Munse 1 1 Position of Ear at Dry Husk Stage: 1=Upright, 2=Hu 7 1 Pusk Tightness (Rate on scale from 1=very loose for 2 1 Husk Extension (at harvest): 1=Short(ears exposed 10cm beyond ear tip), 4=Very Long (>10cm) 7b. EAR (Husked Ear Data) 16.2 cm Ear Length 38.8 mm Ear Diameter at mid-point 106.1 gm Ear Weight 11.4 Number of Kernel Rows 2 1 16.4 cm Ear Weight 11.4 Number of Kernel Rows 2 2 Rew Alignment: 1=Indistinct, 2=Distinct 2 2 Row Alignment: 1=Straight, 2=Slightly Curved, 3=S 14.2 cm Shank Length 2 2 Ear Taper: 1=Slight cyl., 2=Average slightly con., 3 8. KERNEL (Dried): 11.0 mm Kernel Length 9.5 mm Kernel Width 5.4 mm Kernel Thickness 68.8 % Round Kernels (Shape Grade) 1 1 Aleurone Color Pattern: 1=Homozygous, 2=Segrege 7 1 Aleurone Color (Munsell Code) 10 10 10 10 11 11 11 11 11 11	St. Dev. 1.23 3.33 14.28 1.35 Spiral 2.90 3=Extreme conical St.Dev. 0.82 0.70 16.31 gating (describe) 0YR814 0YR714 h2), 3=Normal Starce	Y8.54 I t I t I sample Size I 10 I 10	2 Munsel 21 Munsel 2 6 2 Mean 18.5 36.0 101.3 10.8 2 8.3 1 Mean 10.4 8.9 5.5 <u>66.4</u> 1 (descrit <u>7</u> Munsel	Code 5GY Code 2.5Y Code 2.5Y St.Dev. 1.27 2.21 14.30 1.03 1.03 1.89 0.84 0.57 0.97 8.68 0.57 0.97 8.68 De) 1	768 78.54 Sample Size 10 10 10 10 10 10 10 10 10 10 10 10 10
21 Dry Husk Color (65 days after 50% silking) (Munse 1 1 Position of Ear at Dry Husk Stage: 1=Upright, 2=Hu 7 1 Pusk Tightness (Rate on scale from 1=very loose flag 2 Husk Extension (at harvest): 1=Short(ears exposed 10cm beyond ear tip), 4=Very Long (>10cm) 7b. EAR (Husked Ear Data) 16.2 cm Ear Length 38.8 mm Ear Diameter at mid-point 106.1 gm Ear Weight 11.4 Number of Kernel Rows 2 1 14.2 cm Shank Length 2 Ear Taper: 1=Straight, 2=Slightly Curved, 3=S 14.2 cm Shank Length 2 2 Ear Taper: 1=Slight cyl., 2=Average slightly con., 3 8. KERNEL (Dried): 11.0 mm Kernel Length 9.5 mm Kernel Width 5.4 mm Kernel Width 5.4 mm Kernel Thickness 68.8 % Round Kernels (Shape Grade) 1 1 Aleurone Color Pattern: 1=Homozygous, 2=Segreg 7 1 Aleurone Color (Munsell Code) 1 Hard Endosperm Color (Munsell Code) 1 Bard Endosperm Type: 1=Sweet(su1), 2=Extra Sweet(s Amylose Starch, 5=Waxy Starch, 6=High Protein, 7:	St. Dev. 1.23 3.33 14.28 1.35 Spiral 2.90 3=Extreme conical St.Dev. 0.82 0.70 16.31 gating (describe) 0YR814 0YR714 h2), 3=Normal Starce	Y8.54 I t I t I sample Size I 10 I 10	2 Munsel 21 Munsel 2 6 2 Mean 18.5 36.0 101.3 10.8 2 8.3 1 Mean 10.4 8.9 5.5 66.4 1 (descrit 7 Munsel 7 Munsel	Code 5GY Code 2.5Y Code 2.5Y St.Dev. 1.27 2.21 14.30 1.03 1.03 1.89 0.84 0.57 0.97 8.68 0.57 0.97 8.68 De) 1	768 78.54 Sample Size 10 10 10 10 10 10 10 10 10 10 10 10 10
21 Dry Husk Color (65 days after 50% silking) (Munse 1 1 Position of Ear at Dry Husk Stage: 1=Upright, 2=Hu 7 1 Pusk Tightness (Rate on scale from 1=very loose ft 2 1 Husk Extension (at harvest): 1=Short(ears exposed 10cm beyond ear tip), 4=Very Long (>10cm) 7b. EAR (Husked Ear Data) 16.2 cm Ear Length 38.8 mm Ear Diameter at mid-point 106.1 gm Ear Weight 11.4 Number of Kernel Rows 2 Kernel Rows: 1=Indistinct, 2=Distinct 2 Row Alignment: 1=Straight, 2=Slightly Curved, 3=S 14.2 cm Shank Length 2 Ear Taper: 1=Slight cyl., 2=Average slightly con., 3 8. KERNEL (Dried): 11.0 mm Kernel Length 9.5 mm Kernel Width 5.4 mm Kernel Width 5.4 % Round Kernels (Shape Grade) 1 Aleurone Color Pattern: 1=Homozygous, 2=Segreg 7 Aleurone Color (Munsell Code) 10 7 Hard Endosperm Color (Munsell Code) 10 7 Hard Endosperm Color (Munsell Code) 10	St. Dev. 1.23 3.33 14.28 1.35 Spiral 2.90 3=Extreme conical St.Dev. 0.82 0.70 16.31 gating (describe) 0YR814 0YR714 h2), 3=Normal Starce	Y8.54 I t I t I sample Size I 10 I 10	2 Munsel 21 Munsel 2 6 2 Mean 18.5 36.0 101.3 10.8 2 8.3 1 Mean 10.4 8.9 5.5 66.4 1 (descrit 7 Munsel 7 Munsel	Code 5GY Code 2.5Y Code 2.5Y St.Dev. 1.27 2.21 14.30 1.03 1.03 1.89 0.84 0.57 0.97 8.68 0.57 0.97 8.68 De) 1	768 78.54 Sample Size 10 10 10 10 10 10 10 10 10 10 10 10 10
21 Dry Husk Color (65 days after 50% silking) (Munse 1 1 Position of Ear at Dry Husk Stage: 1=Upright, 2=Hu 7 1 Pusk Tightness (Rate on scale from 1=very loose ft 2 1 Husk Extension (at harvest): 1=Short(ears exposed 10cm beyond ear tip), 4=Very Long (>10cm) 7b. EAR (Husked Ear Data) 16.2 cm Ear Length 38.8 mm Ear Diameter at mid-point 106.1 gm Ear Weight 11.4 Number of Kernel Rows 2 Kernel Rows: 1=Indistinct, 2=Distinct 2 2 Row Alignment: 1=Straight, 2=Slightly Curved, 3=S 14.2 cm Shank Length 2 2 Ear Taper: 1=Slight cyl., 2=Average slightly con., 3 3. KERNEL (Dried): 11.0 mm Kernel Length 9.5 mm Kernel Length 9.5 mm Kernel Width 5.4 mm Kernel Width 5.4 mm Kernel Shape Grade) 1 1 Aleurone Color Pattern: 1=Homozygous, 2=Segreg 7 1 Aleurone Color (Munsell Code) 1 Aleurone Color (Munsell Code) 1 Hard Endosperm Color (Munsell Code) 1 Hard Endosperm Type: 1=Sweet(su1), 2=Extra Sweet(s Amylose Starch, 5=Waxy Starch, 6=High Protein, 7:	St. Dev. 1.23 3.33 14.28 1.35 Spiral 2.90 3=Extreme conical St.Dev. 0.82 0.70 16.31 gating (describe) 0YR814 0YR714 h2), 3=Normal Starce	Y8.54 I t I t I sample Size I 10 I 10	2 Munsel 21 Munsel 2 6 2 Mean 18.5 36.0 101.3 10.8 2 8.3 1 Mean 10.4 8.9 5.5 66.4 1 (descrit 7 Munsel 7 Munsel	Code 5GY Code 2.5Y Code 2.5Y St.Dev. 1.27 2.21 14.30 1.03 1.03 1.89 0.84 0.57 0.97 8.68 0.57 0.97 8.68 De) 1	768 78.54 Sample Size 10 10 10 10 10 10 10 10 10 10 10 10 10
21 Dry Husk Color (65 days after 50% silking) (Munse 1 1 Position of Ear at Dry Husk Stage: 1=Upright, 2=Hi 7 1 Husk Tightness (Rate on scale from 1=very loose for 2 2 Husk Extension (at harvest): 1=Short(ears exposed 10cm beyond ear tip), 4=Very Long (>10cm) 7b. EAR (Husked Ear Data) 16.2 mE ar Length 38.8 38.8 mm Ear Diameter at mid-point 106.1 106.1 gm Ear Weight 11.4 11.4 Number of Kernel Rows 2 2 Kernel Rows: 1=Indistinct, 2=Distinct 2 2 Row Alignment: 1=Straight, 2=Slightly Curved, 3=S 14.2 14.2 cm Shank Length 2 2 Ear Taper: 1=Slight cyl., 2=Average slightly con., 3 8 KERNEL (Dried): 11.0 11.0 mm Kernel Length 9.5 9.5 mm Kernel Thickness 68.8 68.8 % Round Kernels (Shape Grade) 1 1 Aleurone Color Pattern: 1=Homozygous, 2=Segreger 7 7 Hard Endosperm Color (Munsell Code) 10 3 Endosperm Type: 1=Sweet(su1), 2=Extra Sweet(sr Amylose Starch, 5=Waxy Starch, 6=High Protein, 73 (se), 9=High Oil, 10=Other	St. Dev. 1.23 3.33 14.28 1.35 Spiral 2.90 3=Extreme conical St.Dev. 0.82 0.85 0.70 16.31 gating (describe) 0YR814 DYR714 h2), 3=Normal Starce =High Lysine, 8=Sup	Y8.54 I t I t I sample Size I 10 I 10	2 Munsel 21 Munsel 2 6 2 Mean 18.5 36.0 101.3 10.8 2 2 8.3 1 Mean 10.4 8.9 5.5 66.4 1 (descrit 7 Munsel 7 Munsel 3 (descrit	Code 5GY Code 2.5Y St.Dev. 1.27 1.21 14.30 1.03 1.03 1.89 1.89 St.Dev. 0.84 0.57 0.97 8.68 10 Code 11 De) 11	Sample Size 10 <tr< td=""></tr<>


Note: Use chart on first page to choose color codes for color traits



Application Variety Data	Page 3	1	2006 Standard Inbred Data	0016
 10. DISEASE RESISTANCE (Rate from 1(most susceptible) to 9 (if not tested; leave Race or Strain Options blank if polygenic): A. Leaf Blights, Wilts, and Local Infection Diseases Anthracnose Leaf Blight (Colletotrichum graminicola) Common Rust (Puccinia sorghi) Common Smut (Ustilago maydis) Eyespot (Kabatiella zeae) Goss's Wilt (Clavibacter michiganense spp. nebraskensis Gray Leaf Spot (Cercospora zeae-maydis) Helminthosporium Leaf Spot (Bipolaris zeicola) Northern Leaf Blight (Exserohilum turcicum) Southern Rust (Puccinia Polysora) Stewart's Wilt (Erwinia stewartii) 			 Anthracnose Leaf Blight Common Rust Common Smut Eyespot Goss's Wilt Gray Leaf Spot Helminthosporium Leaf Spot Northern Leaf Blight Southern Leaf Blight Southern Rust Stewart's Wilt 	Race Race Race
_ Other (Specify)			_ Other (Specify) Corn Lethal Necrosis _1 Head Smut _ Maize Chlorotic Dwarf Virus _ Maize Chlorotic Mottle Virus Maize Dwarf Mosaic Virus _ Sorghum Downy Mildew of Co _ Other (Specify)	Strain
C. Stalk Rots <u>5</u> Anthracnose Stalk Rot (Colletotrichum graminicola) _ Diplodia Stalk Rot (Stenocarpella maydis) _ Fusarium Stalk Rot (Fusarium moniliforme) _ Gibberella Stalk Rot (Gibberella zeae) _ Other (Specify) D. Ear and Kernel Rots			<u>3</u> Anthracnose Stalk Rot Diplodia Stalk Rot Fusarium Stalk Rot Gibberella Stalk Rot Other (Specify)	
 Aspergillus Ear and Kernel Rot (Aspergillus flavus) Diplodia Ear Rot (Stenocarpella maydis) Fusarim Ear and Kernel Rot (Fusarium moniliforme) Gibberella Ear Rot (Gibberella zeae) Other (Specify) 			_ Aspergillus Ear & Kernel Rot <u>4</u> Diplodia Ear Rot <u>5</u> Fusarium Ear & Kernel Rot Gibberella Ear Rot Other (Specify)	

Note: Use chart on first page to choose color codes for color traits.

80/81/21 SMD



0	0	n	C	0	0	4	0	-7
2	U	U	0	V	V	1	9	1

		LVVVVV
Application Variety Data	Page 4	I Standard Inbred Data
11. INSECT RESISTANCE (Rate from 1(most susce)	ntible) to 9 (most resistant): Leave blank	
if not tested	St. Dev. Sample Size	St. Dev. Sample Siz
Banks Grass Mite (Oligonychus pratensis)		I Banks Grass Mite
Corn Earworm (Helicoverpa zea)		I Corn Earworm
_ Leaf Feeding		Leaf Feeding
Silk Feedingmg larval wt.	and the second	· · · · · · · · · · · · · · · · · · ·
_ Ear Damage		Ear Damage
_ Corn Leaf Aphid (Rhopalosiphum maidis)		I _ Corn Leaf Aphid
Corn Sap Beetle (Carpophilus dimidiatus)		I _ Corn Sap Beetle
European Corn Borer (Ostrinia nubilalis)		I European Corn Borer
1 st Generation (Typically Whorl Leaf Feeding	ng)	1 st Generation
2 nd Generarion (Typically Leaf Sheath-Co	ollar Feeding)	2 nd Generation
Stalk Tunneling: cm tunneled/pla	nt	
Fall Armyworm (Spodoptera frugiperda)		I Fall Armyworm
Leaf-Feeding		Leaf-Feeding
Silk-Feedingmg larval wt.		
_ Maize Weevil (Sitophilus zeamais)	No. 1. State of the second	Maize Weevil
Northern Rootworm (Diabrotica barberi)		I Northern Rootworm
Southern Rootworm (Diabrotica undecimp	unctata)	I Southern Rootworm
Southwestern Corn Borer (Diatraea grandiosella		I Southwestern Corn Borer
Leaf Feeding	7	Leaf Feeding
Stalk Tunneling:cm tunneled/plant Two-spotted Spider Mite (Tetranychus urtio		Two-spotted Spider Mite
_ Western Rootworm (Diabrotica virgifera vir	gilera)	I _ Western Rootworm
_ Other (Specify)		I Other (Specify)
12. AGRONOMIC TRAITS:		
5 Stay Green (at 65 days after anthesis) (Ra	te on scale from 1=worst to 9=excellent)	I <u>2</u> Stay Green
% Dropped Ears (at 65 days after anthesis)		I % Dropped ears
% Pre-anthesis Brittle Snapping		I % Pre-anthesis Brittle Snapping
5 % Pre-anthesis Root Lodging		I <u>6</u> % Pre-anthesis Root Lodging
% Post-anthesis Root Lodging (at 65 days	after anthesis)	I Post-anthesis Root Lodging
5,930.0 Kg/ha Yield of Inbred Per Se (at 12		l <u>4,674.0</u> Yield
13. MOLECULAR MARKERS: (0=data unavailable; 1	-data available but not supplied: 2-data suppl	lind)
_ Isozymes _ RFLP's	_ RAPD's	_ Other (Specify)
REEDENGED		
REFERENCES:		
Butler, D.R. 1954. A System for the Classification of (Emerson, R.A., G.W. Beadle, and A.C. Fraser, 1935.		
Farr, D.F., G.F. Bills, G.P. Chamuris, A.Y. Rossman. Society, St. Paul, MN.	· · · · · · · · · · · · · · · · · · ·	
Inglett, G.E. (Ed) 1970. Corn: Culture, Processing, Pr		
Jugenheimer, R.W. 1976. Corn: Improvement, Seed McGee, D.C. 1988. Maize Diseases. APS Press, St.		W YORK.


Munsell Color Chart for Plant Tissues. Macbeth. P.O. Box 230. Newburgh, N.Y. 12551-0230

The Mutants of Maize. 1968. Crop Science Society of America. Madison, WI.

Shurtleff, M.C. 1980. Compendium of Corn Diseases. APS Press, St. Paul, MN. 105 pp. Sprague, G.F., and J.W. Dudley (Editors). 1988. Corn and Corn Improvement, Third Edition. Agronomy Monograph 18. ASA, CSSA, SSSA, Madison, WI.

Stringfield, G.H. Maize Inbred Lines of Ohio A.E.S., Bul. 831. 1959. U.S. Department of Agriculture 1936, 1937. Yearbook.

COMMENTS (e. g. state how heat units were calculated, standard inbred seed source, and/or where data was collected. Continue in Exhibit D) Insect, disease, brittle snapping and root lodging data are collected mainly from environment where variability for the trait can be obtained within the experiment.



CLARIFICATION OF DATA IN EXHIBITS B AND C

Please note the data presented in Exhibit B and C, "Objective Description of Variety," are collected primarily at Johnston and Dallas Center, Iowa. The data in Tables 1A and 1B are from two sample t-tests using data collected in Johnston and Dallas Center, IA. These traits in exhibit B collectively show distinct differences between the two varieties.


Our experimental design was set up in a typical complete block design commonly used in agricultural corn research experiments with one replication grown at each location. The experiment procedures generally involve three locations/environments with different planting dates, planted in 17.42 ft. rows with 2 rows for each variety. Approximately 24-30 plants emerged in each of 2 rows for a total of around 48 to 60 plants being evaluated at each location and 144 to 180 plants across locations. For plant level traits, we sampled 5 representative plants from the 2 rows of the 2 row plot (group) of plants at each location. For plot level traits we evaluated the 2 row plot (group) and gave a representative score or average on the 48-60 plants in the group within an experiment. One of the 3 locations was dropped in 2005 due to poor emergence and field conditions. One of the 3 locations was dropped in 2005 due to poor emergence and field conditions.

In cases where less than 10 observations are presented the trait was collected at the plot level as it has been done in the past. This means many more plants were visually evaluated according to the procedure outlined, and then a score of the "population" of the plants was recorded for each location. We have adjusted our current process to sample 15 plants for plant-level traits.

Some traits can be especially variable under different environmental factors influenced by weather, soil type, or planting dates. Varying temperatures or day length could impact the meristem growth during various tissue differentiation stages. The meristem differentiation of the ear and other tissues could be impacted as well as the success of pollination during flowering and frequency of kernel abortion during grain fill.

	GROWING DEGREE UNITS (GDUs)		PRECIPITATI	ON (Inches)	
1	200)5	2005		
Month	Dallas Center	Johnston	Dallas Center	Johnston	
Мау	356	388	5.04	6.63	
June	677	729	1.52	6.85	
July	711	788	2.84	5.02	
August	626	725	2.31	1.98	
September	526	585	2.01	2.81	
TOTAL	2896	3215	13.72	23.29	

Please see the weather data for 2005 below.



2006 APR 27 av 11:00


REPRODUCE LOCALLY. Include form number and edition date on all reproduction	ns. FORM	APPROVED - OMB NO. 0581-0055			
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE EXHIBIT E STATEMENT OF THE BASIS OF OWNERSHIP	Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). The information is held confidential until the certificate is issued (7 U.S.C. 2426).				
1.NAME OF APPLICANT(S) PIONEER HI-BRED INTERNATIONAL, INC.	2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME PH8T0			
4 ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)	5.TELEPHONE (include area code)	6. FAX (include area code)			
7301 NW 62 nd AVENUE	515-270-4051	515-253-2125			
P.O.BOX 85 JOHNSTON, IA 50131-0085	7.PVPO NUMBER	.00600197			
9.1s the applicant (individual or company) a U.S. national or a U.S. based comp	pany? If no, give name of country. 🛛 YE	S 🗌 NO			
a. If the original rights to variety were owned by individual(s), is (are) the	name of country				
 b. If the original rights to variety were owned by a company(ies), is (are) X YES INO If no, give n 					
11. Additional explanation on ownership (Trace ownership from original breeder Pioneer Hi-Bred International, Inc. (PHI), Des Moines, Iowa, and/or its whis the employer of the plant breeders involved in the selection and develo Corporation has the sole rights and ownership of PH8T0 pursuant to writt such variety was created. No rights to this variety are retained by any inc	holly owned subsidiary Pioneer Overseas Corp opment of PH8T0. Pioneer Hi-Bred Internation ten contracts that assign all rights in the variet	poration (POC), Des Moines, Iowa, al and/or Pioneer Overseas			
PLEASE NOTE: Plant variety protection can only be afforded to the owners (not licensees) who meet the	e following criteria:	F. W. Star			
 If the rights to the variety are owned by the original breeder, that person must be a which affords similar protection to nationals of the U.S. for the same genus and sp 		ry, or national of a country			
2. If the rights to the variety are owned by the company which employed the original member country, or owned by nationals of a country which affords similar protect					
3. If the applicant is an owner who is not the original owner, both the original owner	r and the applicant must meet one of the above crit	eria.			

The original breeder/owner may be the individual or company who directed the final breeding. See Section 41(a)(2) of the Plant Variety Protection Act for definitions.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 0.1 hour per response, including the time for reviewing the instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, D.C. 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal employment opportunity provider and employer.



According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 5 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal employment opportunity provide and employer

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY PLANT VARIETY PROTECTION OFFICE **BELTSVILLE, MD 20705**

EXHIBIT F **DECLARATION REGARDING DEPOSIT** NAME OF OWNER (S) ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country) TEMPORARY OR EXPERIMENTAL DESIGNATION 7301 NW 62nd Avenue Pioneer Hi-Bred International, Inc. Johnston, IA 50131-0085 VARIETY NAME PH8T0 NAME OF OWNER REPRESENTATIVE (S) ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country) FOR OFFICIAL USE ONLY 7301 NW 62nd Avenue Steven R. Anderson PVPO NUMBER 200600197 Johnston, IA 50131-0085

I do hereby declare that during the life of the certificate a viable sample of propagating material of the subject variety will be deposited, and replenished as needed periodically, in a public repository in the United States in accordance with the regulations established by the Plant Variety Protection Office.

19/2006

& Anderson

Date

