# **Plants of South Eastern New South Wales**



Line drawing. d. seed case. EMMayfield, National Herbarium of Victoria, © 2021 Royal Botanic Gardens Board

### Common name

Lesser Mouse-ear Chickweed, Balearic Mouse-ear Chickweed

### **Family**

Caryophyllaceae

## Where found

Lawns and disturbed sites. Mainly tablelands, ACT, the mountains to the west, and Kosciuszko National Park. Rarely elsewhere.

#### **Notes**

Introduced annual herb to 0.23 m high, hairy with glandular and simple hairs. Leaves 0.2–1.2 cm long, 1–7 mm wide; in a basal rosette and opposite each other on the stems. Rosette leaves stalked, stem leaves stalkless. Flowers with 4–5 notched white petals. Sepals 2.5–5 mm long, petals more or less half the sepal length or less, entire or notched. 5 stamens. Flowers in open few-flowered clusters. Flowers Aug.–Nov. Seed case 3.5–6.5 mm long, usually slightly longer than the sepals.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Cerastium~balearicum (accessed 7 January, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:







Creative Commons Attribution 3.0 Australia (CC BY)