# **Plants of South Eastern New South Wales**

#### Common name

A guinea flower

### **Family**

Dilleniaceae

#### Where found

Forest and woodland on steep rocky sandstone slopes. Morton National Park, Budawang Ranges and Bundanoon.

## **Notes**

Shrub to 1.3 m high. Stems hairy, the hairs a mixture of long and short spreading simple hairs, both more or less wart-based. Leaves alternating up the stems, 0.51-1.32 cm long, 2.4-7.6 mm wide, surfaces hairy with simple hairs, the undersurface visible, central vein not or scarcely raised, tips blunt to rounded or slightly notched due to the curved down tip. Tufts of hairs at the bases of the leaves. Flowers with 5 petals, yellow with a reddish central vein, each 5.1–8.8 mm long. Stamens 7–9, on one side of the carpels. Carpels 2, hairy with simple hairs. Flowers single, stalkless, at the tops of the stems. Flowers Oct– Feb.

Description partly based on: Toelken, H.R. (2000), Notes on *Hibbertia* (Dilleniaceae) 3. *H. sericea* [1] [2] and associated species. *Journal of the Adelaide Botanic Gardens* 19: 25-27, fig. 6A-G

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Hibbertia~praemorsa (accessed 19 January, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:







Creative Commons Attribution 3.0 Australia (CC BY)