Plants of South Eastern New South Wales



Flowering branches. Australian Flant Image Index, photographer Murray Fagg, Australian National Botanic Gardens, Canberra, ACT



Flowering branches. Australian Plant Image Index, photographer A Lyne, Scabby Range west of the ACT



Shrub. Australian Plant Image Index, photographer A Lyne, Scabby Range west of the ACT

Common name

A Daisy-bush

Family

Asteraceae

Where found

Woodland and alpine herbfields, often on rocky slopes. Kosciuszko National Park, the mountains to the north, ACT and nearby, and the Tinderry Range east of the ACT.

Notes

Shrub to 0.4 m high. Leaves alternating up the stems, crowded, 0.5–1.2 mm long, 1–4 mm wide, the same colour on both surfaces, veins indistinct apart from the midvein, upper surface sticky, margins flat, tips squared off and with 3 lobes, bases wedge-shaped. Flower heads with 30–33 blue.'petals', and yellow centres. Flower heads 12–28 mm in diameter overall, single at the tops of the stems. Flowering: December–March

Was Olearia rhizomatica.

Full name Olearia sp. Rhizomatica (I.R.Telford 11549) Australian National Herbarium

All native plants on unleased land in the ACT are protected.

Description partly based on the characters mentioned in the key to *Olearia* in PlantNET, and partly on the old description of *Olearia rhizomatica*. Currently no PlantNET description (20 April 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:





