

MEMOIRS

OF THE

QUEENSLAND MUSEUM



BRISBANE
29 FEBRUARY 2000

VOLUME 45
PART 1

MEMOIRS OF THE QUEENSLAND MUSEUM

BRISBANE

© Queensland Museum
PO Box 3300, South Brisbane 4101, Australia
Phone 06 7 3840 7555
Fax 06 7 3846 1226
Email qmllib@qm.qld.gov.au
Website www.qm.qld.gov.au

National Library of Australia card number
ISSN 0079-8835

NOTE

Papers published in this volume and in all previous volumes of the *Memoirs of the Queensland Museum* maybe reproduced for scientific research, individual study or other educational purposes. Properly acknowledged quotations may be made but queries regarding the republication of any papers should be addressed to the Editor in Chief. Copies of the journal can be purchased from the Queensland Museum Shop.

A Guide to Authors is displayed at the Queensland Museum web site

A Queensland Government Project
Typeset at the Queensland Museum

CATALOGUE OF PROTOZOAN PARASITES RECORDED IN AUSTRALIA

PETER J. O'DONOUGHUE & ROBERT D. ADLARD

O'Donoghue, P.J. & Adlard, R.D. 2000 02 29: Catalogue of protozoan parasites recorded in Australia. *Memoirs of the Queensland Museum* 45(1): 1-163. Brisbane. ISSN 0079-8835.

Published reports of protozoan species from Australian animals have been compiled into a host-parasite checklist, a parasite-host checklist and a cross-referenced bibliography. Protozoa listed include parasites, commensals and symbionts but free-living species have been excluded. Over 590 protozoan species are listed including amoebae, flagellates, ciliates and 'sporozoa' (the latter comprising apicomplexans, microsporans, myxozoans, haplosporidians and paramyxceans). Organisms are recorded in association with some 520 hosts including eutherian mammals, marsupials, birds, reptiles, amphibians, fish and invertebrates. Information has been abstracted from over 1,270 scientific publications predating 1999 and all records include taxonomic authorities, synonyms, common names, sites of infection within hosts and geographic locations. □ *Protozoa, parasite checklist, host checklist, bibliography, Australia*.

Peter J. O'Donoghue, Department of Microbiology and Parasitology, The University of Queensland, St Lucia 4072, Australia; Robert D. Adlard, Protozoa Section, Queensland Museum, PO Box 3300, South Brisbane 4101, Australia; 31 January 2000.

CONTENTS

HOST-PARASITE CHECKLIST	5
Mammals	5
Reptiles	21
Amphibians	26
Birds	34
Fish	44
Invertebrates	54
PARASITE-HOST CHECKLIST	63
Flagellates	63
Opalinids	73
Amoebae	77
Apicomplexans	79
Microsporans	106
Myxozoans	108
Haplosporidians	111
Paramyxceans	112
Ciliates	112
LITERATURE CITED	119
APPENDIX (BIBLIOGRAPHY)	120

Published records of protozoan organisms associated with Australian hosts are scattered throughout the scientific literature covering a wide range of disciplines and fields; including medicine, veterinary science, zoology, limnology, marine science, microbiology, entomology, biochemistry, haematology, pathology, molecular biology, genetics, systematics and evolution. The diverse array of potential source documents presents many difficulties when searching the

literature for reports relevant to contemporary studies. Such problems could be avoided if all previous records were consolidated into a single database. Most researchers currently avail themselves of various electronic database and abstracting services but none include literature published earlier than 1985 and not all journal titles are covered in their databases.

Several catalogues of parasites in Australian hosts have previously been published. Mackerras (1958) published a four part catalogue recording protozoan, helminth and pentastomid parasites in monotremes and marsupials, eutheria, introduced herbivora and the domestic pig, and man in Australia. Beumer et al. (1982) published a checklist of protozoan and helminth parasites of fishes from Australia and adjacent Antarctic territories. These definitive works have been of immense value but they are outdated. Many new species have since been described, the life cycles of several heteroxenous species have been determined and many groups (both parasite and host assemblages) have undergone taxonomic revision. Many synonymies have been proposed and several problems in the identification of hosts and parasites perpetuated in the early literature have been resolved.

Given the considerable progress made over the last few decades and the resurgence of interest in protozoology in Australia, we consider it timely to take stock of the present situation and to summarise all previous records into a single work. To facilitate future studies, we have compiled all

TABLE 1. Taxonomic overview and codes used throughout the text.

KINGDOM	PHYLUM	CLASS	ORDER	CODE
Metazoa	Chordata	Mammalia		MAM
		Reptilia		REP
		Amphibia		AMP
		Aves		AVE
		Chondrichthyes		CHO
		Actinopterygii		ACT
	Arthropoda			ART
	Echinodermata			ECH
	Annelida			ANN
	Mollusca			MOL
	Platyhelminthes			PLA
Protista	Sarcostigophora	Phytomastigophorea	Dinoflagellida	PHY:din
			Euglenida	PHY:eug
		Zoomastigophorea	Kinetoplastida	ZOO:kin
			Proteromonadida	ZOO:pro
			Retortomonadida	ZOO:ret
			Diplomonadida	ZOO:dip
			Pyrsonymphida	ZOO:pyr
			Trichomonadida	ZOO:tri
			Hypermastigida	ZOO:hyp
		Opalinatea	Opalinida	OPA:opa
		Lobosea	Amoebida	LOB:amo
			Acanthopodida	LOB:aca
			Leptomyxida	LOB:lep
		Heterolobosea	Schizopyrenida	HET:sch
	Apicomplexa	Gregarinia	Neogregarinida	GRE:neo
			Eugregarinida	GRE:eug
		Coccidia	Adeleida	COC:ade
			Eimeriida	COC:eim
		Haematozoa	Haemosporida	HEM:hae
			Piroplasmida	HEM:pir
	Microspora	Microsporea	Microsporida	MIC:mic
	Myxozoa	Myxosporea	Bivalvulida	MYX:biv
			Multivalvulida	MYX:mul
		Actinosporea	Actinomyxida	ACT:act
	Haplosporidia	Haplosporea	Haplosporida	HAP:hap
	Paramyxea	Marteilidea	Marteilida	MAR:mar
	Ciliophora	Spirotrichea	Clevelandellida	SPI:cle
		Litostomatea	Pleurostomatida	LIT:ple
			Vestibulinifera	LIT:ves
			Entodiniomorphida	LIT:ent
		Phyllopharyngea	Cyrtophorida	PHY:cyr
			Endogenida	PHY:end
			Exogenida	PHY:exo
	Oligohymenophorea		Hymenostomatida	OLI:hym
			Scuticociliatida	OLI:scu
			Sessilida	OLI:ses
			Mobilida	OLI:mob
			Apostomatida	OLI:apo
	Uncertain status			UNC:sta

published accounts of protozoan organisms associated with host organisms in Australia into a host-parasite checklist, a parasite-host checklist and bibliography. The terms italicised below are defined further in the context of this document.

Published Accounts. This catalogue is restricted to factual accounts published prior to 1999 in reference text books, refereed scientific journals and the edited proceedings of major conferences or workshops (i.e. sources allocated an ISBN/ISSN code and readily available in major libraries). Unconfirmed anecdotal observations, thesis reports and conference abstracts have not been included as they are not recognised as legitimate sources for species descriptions according to the International Code of Zoological Nomenclature (1999). Every effort has been made in this catalogue to maintain accurate historical records with due regard for subsequent synonyms (complete synonymy indicated by the abbreviation 'syn.' and partial synonymy indicated by the symbol '='). Despite our best efforts some published records may have been overlooked and we would welcome any additions or corrections. The catalogue database is managed electronically and can be readily upgraded.

It should be noted that there remains great scope for research on protozoan parasites in Australia. From a taxonomic viewpoint, it is clear that we have little knowledge of the true biodiversity of protozoan parasites of our vertebrate fauna, while that of our invertebrate hosts is largely unknown (see Adlard & O'Donoghue, 1998).

Protozoan Organisms. Protozoan nomenclature follows the classification system recommended by the Society of Protozoologists Committee on Nomenclature and Systematics (Levine et al., 1980) which was subsequently revised in their illustrated guide (edited by Lee et al., 1985) and elaborated by Margulis et al. (1990). Protozoa have conventionally been classified as members of the animal kingdom due to their many similarities to metazoan cells. More recently, they have been classified together with several algal and fungal groups in the kingdom Protista (or Protocista) mainly on the basis of their unicellular organisation (protozoa being known as motile protists as distinct from non-motile algal and fungal protists). Whatever the case, the subkingdom Protozoa has never been considered a natural assemblage of organisms but rather one of convenience and the name protozoa has been retained by many authorities for historical reasons. The phylum Myxozoa has also been

retained for historical reasons despite recent evidence that these multicellular spore-formers may actually be Cnidaria or Bilateria. The systematic positions of all protozoa recorded in the host-parasite checklist are indicated by abbreviations placed at the start of each record (see Table 1).

Host Organisms. This catalogue contains records of all protozoa associated with a host organism, irrespective of the nature of that relationship, be it parasitic, symbiotic or commensal. Hosts predominantly include vertebrates (mammals, reptiles, amphibia, birds and fish) as well as some miscellaneous invertebrates (mainly molluscs, decapods and insects). The classification systems follow that of Strahan (1998) for mammals, Cogger (1996) for reptiles and amphibians, Sibley & Monroe (1990, 1993) for birds, Nelson (1994) for fish and various authors for arthropods. Every effort has been made to use contemporary but generally accepted classification systems to simplify data retrieval. The catalogue does not include any records of free-living protozoa (a bibliography of free-living protozoa in Australia has recently been compiled by David Patterson and Alistair Simpson at the University of Sydney, pers. comm.). Most records pertain to free-ranging wild animals but where they do not, they have been annotated appropriately (e.g. zoo animal, experimental infection). The site of infection within or on the host is recorded to indicate possible tissue or organ specificity as well as to suggest the potential pathogenic outcome or consequences of infection.

Australia. The continent of Australia and its adjacent waters have been divided into 30 distinct zoogeographic regions on the basis of their fauna, flora, climate, geology and hydrology. Terrestrial regions (1-12) conform to natural drainage divisions (Anonymous, 1976) whereas marine regions (13-30) conform to natural oceanographic divisions (Beumer et al., 1982) (Fig. 1).

Host-parasite Checklist. Hosts are listed according to phylum and all protozoan records are entered for each species. Host nomenclature follows lists published by the Australian Biological Resources Study in the 'Fauna of Australia' and the 'Zoological Catalogue of Australia'. Common names are provided where possible together with relevant synonyms arising from revisions. Animals have not been listed if no protozoa have been recorded in association with them.




FIG. 1. Regions of Australia given for each entry in checklist: R1, North-east drainage; R2, South-east drainage; R3, Tasmanian drainage; R4, Murray-Darling drainage; R5, South Australian drainage; R6, South-west drainage; R7, Far-west drainage; R8 North-west drainage; R9, Carpentarian drainage; R10, Lake Eyre drainage; R11, Bulloo-Bancannia drainage; R12, Western plateau drainage; R13, North-east coast; R14, South-east coast and Bass Strait; R15, Tasmanian coast; R16, South Australian Gulf; R17, Bight coast; R18, South-west Coast; R19, Far west coast; R20, Timoresian coast; R21, Great Barrier Reef; R22, Coral Sea; R23, Tasman Sea; R24, Great Australian Bight; R25, Indian Ocean; R26, Timor Sea/Arafura Sea; R27, Gulf of Carpentaria/Torres Strait; R28, Pacific Ocean; R29, Antarctic Region; R30, Southern Ocean.

Parasite-host Checklist. Parasites are listed according to the classification system proposed and modified by the Society of Protozoologists (Levine et al., 1981; Lee et al., 1985; Margulis et al., 1990). All hosts recorded for individual parasites are listed alphabetically according to species and common names are provided as appropriate.

Bibliography. All publications are listed alphabetically according to author(s) and numbered in ascending order; the number corresponding to those given in brackets at the end of each record in the checklists. Abbreviations of journal titles

in the Appendix follows the World List of Scientific Periodicals.

Abbreviations. CSFA, complement-staining fluorescent-antibody test; DT, dye test; DAT, direct agglutination test; CFT, complement fixation test; ELISA, enzyme-linked immunosorbent assay; HAT, haemagglutination test; IFAT, indirect fluorescent-antibody test; IHAT, indirect haemagglutination test; LAT, latex agglutination test; LU, location unspecified; MAT, modified agglutination test; RIA, radio immuno-assay; RU, region unspecified.

HOST-PARASITE CHECKLIST

MAMMALIA

EUTHERIA

PRIMATES

SIMIAE

HOMINIDAE

[man]

Homo sapiens Linnaeus, 1758 [man]

COC:eim *Cryptosporidium parvum* Tyzzer, 1912; faeces; R5, R6 (184, 765, 796, 797, 798, 799, 1239)

COC:eim *Cryptosporidium* sp.; faeces, intestines, bile; R2, R3, R5, R10 (37, 80, 167, 239, 349, 358, 426, 466, 470, 675, 677, 678, 740, 889, 935, 1102, 1175, 1177, 1178, 1179, 1180, 1183, 1225)

COC:eim *Cyclospora* sp. (= CLB's, cyanobacteria-like or coccidia-like bodies); faeces; R1, R2, R5 (141, 742, 913)

COC:eim *Isospora belli* Wenyon, 1923; faeces; R2, R8 (142, 763)

COC:eim *Sarcocystis hominis* (Railliet & Lucet, 1891); faeces; RÜ, R8 (167, 1038, 1102)

COC:eim *Sarcocystis* sp.; muscle, antibodies (ELISA), faeces; R1, R2, R5 (692, 763, 861, 924, 925)

COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); brain, lymph nodes, antibodies (CFT, DT, IFAT, DAT, LAT, IFAT, ELISA); RU, R1, R2, R3, R4, R5, R6, R9 (41, 167, 223, 248, 249, 310, 325, 388, 436, 437, 494, 527, 534, 536, 537, 544, 547, 559, 621, 692, 781, 812, 827, 901, 925, 1010, 1011, 1032, 1060, 1063, 1102, 1116, 1129, 1132, 1219)

HEM:hæ *Plasmodium falciparum* Welch, 1897; blood; RU, R1, R2, R3, R8, R9 (22, 80, 84, 85, 87, 88, 89, 90, 91, 129, 194, 240, 342, 343, 344, 370, 510, 567, 581, 685, 686, 687, 688, 690, 692, 878, 1006)

HEM:hæ *Plasmodium malariae* (Fleotti & Grassi, 1889); blood; RU, R1, R2, R3, R8, R9 (87, 89, 90, 91, 194, 240, 370, 522, 567, 581, 685, 686, 692, 878)

HEM:hæ *Plasmodium ovale* Stephens, 1922; blood; R8 (90, 91, 370)

HEM:hæ *Plasmodium* sp.; blood; RU, R1, R8, R9 (193, 322, 692, 729, 1235)

HEM:hæ *Plasmodium vivax* (Grassi & Fleotti, 1890); blood; RU, R1, R2, R3, R8, R9 (22, 82, 84, 85, 86, 87, 88, 89, 90, 91, 129, 194, 218, 219, 240, 342, 343, 344, 370, 510, 562, 567, 573, 581, 685, 686, 687, 688, 689, 692, 791, 877, 878, 1006, 1250)

HET:sch *Naegleria fowleri* Carter, 1970; brain, cerebrospinal fluid; R1, R5, R6 (1, 9, 180, 181, 182, 351, 354, 356, 381, 425, 524, 532)

LIT:ves *Balantidium coli* (Malmstein, 1857); colon, urogenital tract; RU, R6 (692, 873, 1102, 1215)

LOB:aca *Acanthamoeba* sp.; eye, brain, R5, R6 (44, 183, 532, 1028)

LOB:amo *Amoeba* sp.; gut; RU (692, 876)

LOB:amo *Dientamoeba fragilis* Jepps & Dobell, 1918; gut; RU, R2 (65, 130, 692, 1217)

LOB:amo *Endolimax nana* (Wenyon & O'Connor, 1917); colon, faeces; RU, R2, R3 (65, 405, 692, 1217)

LOB:amo *Entamoeba coli* (Grassi, 1879); gut, faeces; RU, R1, R2, R3, R8 (65, 405, 567, 570, 692, 741, 763, 1217, 1244)

LOB:amo *Entamoeba gingivalis* (Gros, 1849); mouth; RU (562, 567, 573, 692)

LOB:amo *Entamoeba hartmanni* Prowazek, 1912; faeces; R2, R8 (763, 1217)

LOB:amo *Entamoeba histolytica* Schaudinn, 1903; gut, liver, faeces; RU, R2, R3 (65, 80, 132, 194, 240, 359, 405, 518, 562, 567, 570, 573, 581, 692, 1139, 1209, 1217, 1244)

LOB:amo *Iodamoeba butschlii* (Prowazek, 1911); gut, faeces; RU, R2, R3 (65, 283, 405, 692, 728, 1217, 1244)

MIC:mic *Encephalitozoon cuniculi* Levaditi et al., 1923; antibodies (IFAT); RU (1246)

MIC:mic *Encephalitozoon intestinalis* (Cali et al., 1993); intestines; RU (615)

MIC:mic *Enterocytozoon bieneusi* Desportes et al., 1985; faeces, intestinal biopsy; R5 (679)

MIC:mic *Nosema* sp.; faeces (incidental finding); R1 (741)

MYX:biv *Myxobolus plectroplites* Johnston & Bancroft, 1918; faeces (incidental finding); R1 (120)

UNC:sta *Blastocystis hominis* Brumpt, 1912; faeces; R1, R2 (80, 117, 118, 119, 185, 319, 470, 552, 742, 1095, 1096, 1097, 1098, 1186, 1217)

UNC:sta *Pneumocystis carinii* Delanoe, 1912; lung; RU, R2 (692, 992, 1102, 1179)

ZOO:dip *Giardia duodenalis* (Davaine, 1875); gut, faeces, coproantigens (ELISA); RU, R1, R2, R3, R4, R5, R6, R7, R8, R9, R10, R12 (16, 18, 19, 20, 37, 65, 80, 83, 101, 102, 103, 104, 105, 106, 107, 109, 110, 111, 112, 113, 114, 115, 116, 131, 132, 133, 134, 176, 186, 187, 188, 228, 238, 239, 324, 328, 337, 338, 339, 340, 346, 358, 405, 423, 468, 470, 488, 489, 490, 495, 616, 692, 728, 735, 736, 741, 745, 757, 758, 759, 760, 761, 762, 763, 764, 792, 795, 953, 993, 994, 995, 1050, 1066, 1081, 1102, 1142, 1144, 1145, 1146, 1147, 1149, 1150, 1160, 1161, 1162, 1163, 1184, 1185, 1187, 1188, 1189, 1190, 1191, 1192, 1193, 1194, 1195, 1196, 1197, 1198, 1199, 1200, 1201, 1202, 1204, 1205, 1217, 1244)

ZOO:kin *Leishmania donovani* (Laveran & Mesnil, 1903); skin; RU (439, 692, 003)

ZOO:ret *Chilomastix mesnili* (Wenyon, 1910); faeces, gut; RU, R8 (65, 692, 728, 763)

ZOO:ret *Retortomonas intestinalis* (Wenyon & O'Connor, 1917); faeces; R3 (405)

ZOO:tri *Trichomonas (Pentalrichomonas) hominis* (Davaine, 1860); faeces, gut; RU, R8 (65, 692, 763)

ZOO:tri *Trichomonas vaginalis* Donne, 1837; urogenital tract; RU, R1, R12 (132, 662, 692, 922, 1204, 1211, 1212)

HYLOBATIDAE

[gibbons]

Hylobates syndactylus Raffles, 1821 [siamang]

LIT:ent *Troglodytella abrassarti* Brumpt & Joyeux, 1912; faeces, zoo (Aust.) (897)

PONGIDAE

[orang utan]

Pongo pygmaeus Linnaeus, 1760 [orang utan]

LOB:lep *Balanithia mandrillaris* Visvesvara et al., 1993; brain, R2, zoo (Aust.) (169)

CARNIVORA

CANIDAE

[dog, fox]

Canis familiaris Linnaeus, 1758 [dog]

COC:ade *Hepatozoon* sp.; blood, liver; R1 (136, 692, 1059)

COC:eim *Cryptosporidium* sp.; faeces; R2, R3 (184, 593, 780)

COC:eim *Eimeria canis* Wenyon, 1923; faeces; R5 (167)

COC:eim *Hammondia heydorni* (Tadros & Laarman, 1976); faeces; R6 (1040)

COC:eim *Hammondia* sp.; faeces; R2, R5 (167, 593)

COC:eim *Isospora canis* Nemeseri, 1959; faeces; R2, R5, R6 (95, 167, 1040)

COC:eim *Isospora felis* Wenyon, 1923; faeces; R2 (67, 373, 692, 1060)

COC:eim *Isospora ohioensis* Dubey, 1975; faeces; R2, R5, R6 (67, 95, 167, 692, 1040, 1060)

COC:eim *Isospora* sp.; faeces; R2, R8 (220, 373, 593, 763, 1148)

COC:eim *Neospora caninum* Dubey et al., 1988; central nervous system, antibodies (IFAT); RU, R2, R3, R6 (49, 314, 316, 389, 856)

COC:eim *Sarcocystis hetrami* Doflein, 1901; faeces; RU (29, 167)

COC:eim *Sarcocystis capraeconis* Fischer, 1979; faeces; RU (167)

COC:eim *Sarcocystis cruzi* (Hasselmann, 1923); faeces; RU, R6 (167, 1041, 1043, 1044, 1047)

COC:eim *Sarcocystis sayeri* Dubey et al., 1977; faeces; RU (29, 167)

COC:eim *Sarcocystis levinei* Dissanaike & Kan, 1978; faeces; RU (167)

COC:eim *Sarcocystis niescheriana* (Kuhn, 1865); faeces; RU (167, 821)

COC:eim *Sarcocystis tenella* (Railliet, 1886); faeces; R5 (167, 372, 374, 378, 814, 821, 845, 847, 854, 883, 952, 997)

COC:eim *Sarcocystis* sp.; intestines, faeces; RU, R1, R2, R6, R8 (95, 167, 220, 312, 371, 373, 375, 593, 692, 763, 815, 819, 823, 1040, 1148)

COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); various tissues, antibodies (CFT, HAT); RU, R1, R2 (167, 224, 310, 459, 692, 1059, 1060, 1222, 1238, 1247)

COC:eim Unidentified coccidian; faeces; RU (692, 1059)

LOB:amo *Entamoeba coli* (Grassi, 1879); faeces; R8 (763, 1148)

HEM:pir *Babesia canis* (Piana & Galli-Valerio, 1895); blood; R1, R8, R10 (167, 476, 477, 517, 605, 674, 1060, 1258)

ZOO:dip *Giardia duodenalis* (Davaine, 1875); faeces, coproantigens (ELISA), duodenum; R2, R3, R5, R6, R8 (167, 221, 270, 488, 490, 593, 616, 757, 760, 762, 763, 764, 780, 793, 1040, 1102, 1117, 1142, 1143, 1144, 1145, 1146, 1147, 1148, 1187, 1221)

ZOO:kin *Trypanosoma evansi* (Steel, 1885); blood (exptl. infection); RU (1059, 1060)

Canis familiaris dingo Linnaeus, 1758 [dingo]

COC:eim *Eimeria canis* Wenyon, 1923; faeces; R2 (67, 167, 692, 1060)

COC:eim *Isospora ohioensis* Dubey, 1975; faeces; R2 (67, 692, 1060)

COC:eim *Sarcocystis tenella* (Railliet, 1886); faeces; R5 (167)

COC:eim *Sarcocystis* sp.; faeces; R2, R5 (67, 375)

COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); antibodies (DAT); R2 (555)

HEM:pir *Babesia canis* (Piana & Galli-Valerio, 1895); blood; R6 (167)

Vulpes vulpes (Linnaeus, 1758) [fox]

COC:eim *Sarcocystis cruzi* (Hasselmann, 1923); faeces; RU (167)

COC:eim *Sarcocystis tenella* (Railliet, 1886); faeces; R5 (167, 378, 854)

COC:eim *Sarcocystis* sp.; faeces; R5 (375)

FELIDAE

[cats]

Felis catus Linnaeus, 1758 [cat]

COC:eim *Besnoitia wallacei* (Tadros & Laarman, 1976); faeces; R3 (167, 733, 952, 1085)

- COC:eim *Cryptosporidium muris* Tyzzer, 1907; faeces; RU (1085)
- COC:eim *Cryptosporidium* sp.; faeces; R6 (1036)
- COC:eim *Eimeria* sp.; faeces; R3 (781)
- COC:eim *Hammondia hammondi* Frenkel & Dubey, 1975; faeces; RU (167, 731, 1085)
- COC:eim *Isospora felis* Wenyon, 1923; faeces; R1, R2, R3, R4, R6, R8 (67, 68, 167, 220, 222, 373, 424, 692, 763, 957, 1060, 1065, 1085, 1148, 1241)
- COC:eim *Isospora rivolta* (Grassi, 1879); faeces; R2, R3, R4, R6, R8 (67, 68, 167, 220, 222, 373, 424, 692, 763, 957, 1060, 1065, 1085, 1148)
- COC:eim *Isospora* sp.; Taeces; R3 (781)
- COC:eim *Sarcocystis cuniculi* Brumpt, 1913; faeces; R3 (167, 835, 1085)
- COC:eim *Sarcocystis fusiformis* (Railliet, 1897); faeces; RU (167, 1085)
- COC:eim *Sarcocystis gigantea* (Railliet, 1886); faeces, intestines; RU, R3, R5 (167, 376, 814, 843, 854, 908, 997, 1085)
- COC:eim *Sarcocystis hirsuta* Moule, 1888; faeces; RU (167, 1085)
- COC:eim *Sarcocystis medusiformis* Collins et al., 1979; faeces; RU (167, 854, 909, 1085)
- COC:eim *Sarcocystis muris* (Railliet, 1886); faeces; RU (1085)
- COC:eim *Sarcocystis porcifelis* Dubey, 1976; faeces; RU (1085)
- COC:eim *Sarcocystis* sp.; faeces; R2, R3 (220, 312, 373, 375, 424, 828, 840)
- COC:eim *Sarcocystis/Frenkelia* sp.?; faeces; RU (830)
- COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); faeces, various tissues, antibodies (LAT, HAT, iHAT, ELISA), R1, R2, R3, R4, R5, R6, R8 (167, 222, 224, 296, 310, 373, 424, 459, 494, 519, 692, 763, 781, 825, 829, 957, 1059, 1060, 1065, 1085, 1086, 1102, 1134, 1148, 1222, 1238, 1243)
- UNC:sta *Blastocystis* sp.; faeces; R1 (119)
- ZOO:dip *Giardia duodenalis* (Davaine, 1875); faeces, duodenum; R1, R2, R3, R6 (132, 176, 186, 221, 339, 489, 490, 616, 735, 736, 759, 760, 762, 764, 781, 795, 1102, 1117, 1142, 1143, 1144, 1146, 1149, 1160, 1187, 1191, 1199)
- Panthera leo* Linnaeus, 1758 [lion]
- UNC:sta *Blastocystis* sp.; faeces, circus animal; RJ (119, 1099)
- PINNIPEDIA
- OTARIIDAE
[sea-lions, fur-seals]
- Neophocacinerea* (Peron, 1816) [Australian sea-lion]
- COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); heart; RU (348)

CETACEA

DELPHINIDAE

[dolphins, killer whales]

Delphinus (unidentified species)COC:eim *Sarcocystis* sp.; muscle; RU (830)

PHYSETERIDAE

[sperm whales]

Physeter macrocephalus Linnaeus, 1758 [sperm whale]syn. *P. catodon*COC:eim *Sarcocystis* sp.; muscle; RU (754, 830, 917)

SIRENIA

DUGONGIDAE

[dugong]

Dugong dugon (Müller, 1776) [dugong]COC:eim *Cryptosporidium* sp.; small intestine; R21 (478)

PERISSODACTyla

EQUIDAE

[horse, donkey]

Equus caballus Linnaeus, 1758 [horse]COC:ade *Klossiella equi* Baumann, 1946; kidney; R1 (29, 167, 644)COC:eim *Cryptosporidium* sp.; faeces; RU (167, 349, 1177)COC:eim *Eimeria leuckartii* (Flesch, 1883); faeces, intestines; RU, R1, R3 (29, 51, 167, 730, 991)COC:eim *Sarcocystis hetrami* Doflein, 1901; muscle; RU (29, 167)COC:eim *Sarcocystis fayeri* Dubey et al., 1977; muscle; RU (29, 167)COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); muscle, antibodies (CFT); R1 (167, 224, 310)HEM:pir *Babesia bigemina* (Smith & Kilbourne, 1893); blood; RI (149)HEM:pir *Babesia equi* (Laveran, 1901); blood, antibodies (IFAT); RI (29, 165, 167, 192, 715)LIT:ves *Balantidium* sp.; faeces; R2 (724)ZOO:dip *Giardia duodenalis* (Davaine, 1875); faeces; R2, R5 (341, 616, 724)ZOO:kin *Trypanosoma evansi* (Steel, 1885); blood (exptl. infection); R6 (567, 1059, 1060)ZOO:tri *Trichomonas equi* (Fantham, 1921); caecum, colon; RU (29, 167)ZOO:tri *Trichomonas* sp.; faeces; R2 (724)

ARTIODACTYLA
SUIFORMES
SUIDAE
 [pigs]

Sus scrofa Linnaeus, 1758 [pig]

COC:eim *Cryptosporidium* sp.; small intestine, faeces; RU, R2, R5, R6 (167, 349, 668, 889, 1173, 1177, 1178)
 COC:eim *Eimeria cerdonis* Vetterling, 1965; faeces; R1 (167, 1214)
 COC:eim *Eimeria debbiecki* Douwes, 1921; gut, faeces; RU, R1, R5 (167, 594, 692, 1214)
 COC:eim *Eimeria neodebbiecki* Vetterling, 1965; faeces; R1, R5 (594, 167)
 COC:eim *Eimeria porci* Vetterling, 1965; faeces; R1 (594)
 COC:eim *Eimeria scabra* Henry, 1931; faeces; R1 (167, 594, 1214)
 COC:eim *Eimeria suis* Noller, 1921; faeces; R1 (167, 594, 1214)
 COC:eim *Isospora suis* Biester, 1934; faeces; R1, R2, R3, R5, R6 (167, 304, 305)
 COC:eim *Sarcocystis meischeriana* (Kuhn, 1865); muscle; RU, R3 (167, 568, 569, 570, 692, 821)
 COC:eim *Sarcocystis* sp.; muscles; R3, R4 (754, 818)
 COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); muscles; antibodies(IFAT); R3, R5 (167, 307, 310, 550, 817, 1019, 1085)
 COC:eim Unidentified coccidian; gut; RU (692, 1059, 1060)
 LIT:ves *Balantidium coli* (Malmstein, 1857); gut; RU, R1, R2, R3 (167, 653, 692, 1059, 1060, 1102)
 LOB:amo *Entamoeba polecki* Prowazek, 1912; gut; RU (692)
 UNC:sta *Blastocystis* sp.; faeces; R1 (185)
 ZOO:dip *Giardia duodenalis* (Davaine, 1875); faeces; R5 (341)
 ZOO:tri *Trichomonas suis* Gruby & Delafond, 1843; gut; RU (167)
 ZOO:tri *Trichomonas* sp.; gut; RU (692, 1059)

TYLOPODA
CAMELIDAE
 [camel]

Camelus dromedarius Linnaeus, 1758 [dromedary]
 UNC:sta *Blastocystis* sp.; faeces, circus animal; R1 (119, 1099)
 ZOO:kin *Trypanosoma evansi* (Steel, 1885); blood; RU (167, 207, 570, 692, 1059, 1060)
Lama glama Linnaeus, 1758 [llama] (=*L. peruviana*)
 UNC:sta *Blastocystis* sp.; faeces, circus animal; R1 (119, 1099)

Lama pacos Linnaeus, 1758 [alpaca]
 UNC:sta *Blastocystis* sp.; faeces; R1 (119)
 ZOO:dip *Giardia duodenalis* (Davaine, 1875); faeces; R5 (341)

RUMINANTIA

BOVIDAE
 [cattle, sheep, goat]

Bos taurus (var. *indicus*) Linnaeus, 1766 [zebu]
 HEM:pir *Babesia bigemina* (Smith & Kilbourne, 1893); blood; R1 (268)
 HEM:pir *Babesia bovis* (Babes, 1888); blood, antibodies(IHAT); R1 (268, 721)
Bos taurus Linnaeus, 1758 [ox]
 COC:eim *Cryptosporidium bovis* Barker & Carbonell, 1974; small intestines; R2 (53, 167)
 COC:eim *Cryptosporidium parvum* Tyzzer, 1912; faeces; R5, R6 (765, 796, 797, 798, 799, 1239)
 COC:eim *Cryptosporidium* sp.; faeces, small intestines; RU, R2, R5 (529, 889, 1173, 1176, 1177, 1178)
 COC:eim *Eimeria alabamensis* Christensen, 1941; faeces; R5 (167)
 COC:eim *Eimeria auburnensis* Christensen & Porter, 1939; faeces; R1, R5 (167, 934, 937)
 COC:eim *Eimeria bovis* (Zublin, 1908); faeces; R1, R2, R5 (167, 749, 934, 937, 1060)
 COC:eim *Eimeria bukidnonensis* Tubangui, 1931; faeces; R1, R5 (167, 933, 934, 937)
 COC:eim *Eimeria canadensis* Bruce, 1921; faeces; R1, R5 (167, 595, 934, 937)
 COC:eim *Eimeria cylindrica* Wilson, 1931; faeces; R1, R5 (167, 749, 934, 937)
 COC:eim *Eimeria ellipsoidalis* Becker & Frye, 1929; faeces; R1, R5 (167, 749, 934, 936, 937)
 COC:eim *Eimeria pellita* Supperer, 1952; faeces; R5 (167)
 COC:eim *Eimeria subspherica* Christensen, 1941; faeces; R1, R5 (167, 934, 936, 937)
 COC:eim *Eimeria wyomingensis* Huizinga & Winger, 1942; faeces; R1 (167, 933, 934, 937)
 COC:eim *Eimeria zuernii* (Rivotla, 1878); faeces; R1, R2, R5 (167, 749, 933, 934, 936, 937, 1060)
 COC:eim *Eimeria* sp.; gut; RU (213, 692)
 COC:eim *Neospora caninum* Dubey et al., 1988; central nervous system, foetal tissues; R2, R3 (121, 313, 316, 912)
 COC:eim *Sarcocystis blanchardi* Doflein, 1901; muscle; RU (570, 692, 1059)
 COC:eim *Sarcocystis cruzi* (Hasselmann, 1923); muscles, various organs, antibodies (IHAT, ELISA); R2, R5, R6 (167, 178, 312, 379, 568, 581, 692, 886, 1038, 1041, 1044, 1045, 1046, 1102)
 COC:eim *Sarcocystis hirsuta* Moule, 1888; muscle; R5, R6 (167, 886, 1038)

- COC:eim *Sarcocystis hemis* (Railliet & Lucet, 1891); muscles: RU (167)
- COC:eim *Sarcocystis* sp.: muscle, foetus, placenta, antibodies (CFT), RU, R3, R6, R7, R8, R12 (298, 692, 818, 820, 1037, 1042, 1060)
- COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); neural tissues, muscles, antibodies (DT, CFT, IFAT); R1, R3 (167, 224, 306, 310, 459, 813, 817, 829, 832, 1041, 1085)
- COC:eim Unidentified cysts; foetal brain: R2 (941)
- COC:eim Unidentified coccidian; gut; RU (692, 1059)
- HEM:pir *Babesia bigemina* (Smith & Kilbourne, 1893); blood, antibodies (CFT, IFAT, IHA, HAT); RU, R1, R8, R9 (39, 99, 145, 146, 148, 149, 151, 156, 157, 164, 167, 204, 243, 244, 245, 251, 252, 254, 259, 263, 264, 265, 268, 298, 299, 364, 406, 407, 442, 496, 497, 499, 500, 512, 587, 591, 592, 598, 599, 600, 605, 646, 647, 648, 649, 652, 674, 692, 693, 699, 700, 701, 702, 703, 704, 708, 711, 712, 716, 756, 787, 955, 963, 964, 998, 999, 1015, 1031, 1058, 1059, 1060, 1090, 1158, 1213, 1259, 1265)
- HEM:pir *Babesia bovis* (Babes, 1888); blood, antibodies (CFT, IFAT, IHAT, HAT, ELISA, RIA), RU, R1, R8, R9 (98, 99, 146, 147, 150, 152, 154, 155, 156, 158, 159, 160, 161, 163, 164, 166, 167, 241, 242, 243, 245, 246, 250, 255, 257, 258, 260, 262, 264, 265, 266, 267, 268, 295, 299, 327, 331, 385, 404, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 440, 441, 499, 500, 562, 581, 587, 588, 589, 590, 591, 592, 597, 599, 600, 602, 603, 604, 605, 648, 651, 652, 664, 674, 692, 693, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 710, 711, 712, 713, 714, 716, 717, 718, 719, 720, 721, 756, 785, 871, 955, 963, 982, 998, 1000, 1013, 1014, 1015, 1018, 1031, 1059, 1060, 1090, 1158, 1159, 1166, 1224, 1259, 1260, 1261, 1262, 1263, 1264, 1266, 1267, 1268, 1269)
- HEM:pir *Babesia* sp.; blood; R1, R8, R9 (395, 396, 513, 514, 515, 587, 650, 805, 966, 1058)
- HEM:pir *Theileria mutans* (Theiler, 1906); blood, lymph nodes; RU, R1, R8, R9 (145, 167, 300, 301, 498, 648, 692, 693, 755, 915, 1001, 1012, 1058, 1059, 1060, 1104, 1105, 1181, 1182)
- UNC:sta *Blastocystis* sp.; faeces, circos animal; R1 (119, 1099)
- ZOO:dip *Giardia duodenalis* (Davaine, 1875); faeces; R1, R5 (341, 735, 1199)
- ZOO:kir *Trypanosoma theileri* Laveran, 1902; blood; RU, R1, R2 (167, 692, 693, 1059, 1060, 1168, 1169, 1170, 1171, 1220)
- ZOO:tri *Tritrichomonas foetus* (Riedmuller, 1928); urogenital tract; RU, R1, R2, R3, R8, R9 (6, 63, 69, 70, 132, 167, 189, 190, 197, 198, 199, 200, 201, 202, 280, 302, 318, 326, 383, 467, 618, 692, 753, 860, 866, 867, 939, 940, 987, 1010, 1059, 1060, 1069, 1114, 1115, 1125, 1167, 1256, 1257)
- Bubalus bubalis** (Linnaeus, 1758) [water buffalo]
- COC:eim *Sarcocystis fusiformis* (Railliet, 1897); muscles; RU (167)
- COC:eim *Sarcocystis levinei* Dissanaike & Kan, 1978; muscles; RU (167)
- HEM:pir *Babesia bigemina* (Smith & Kilbourne, 1893); blood; RU (162, 1151)
- HEM:pir *Babesia bovis* (Babes, 1888); blood; RU (162, 1151)
- HEM:pir *Theileria mutans* (Theiler, 1906); blood; RU (162, 167, 1151)
- Capra hircus** Linnaeus, 1758 [goat]
- COC:eim *Cryptosporidium* sp.; faeces, small intestines; R5 (167, 349, 554, 676, 677, 678, 734, 1174, 1239)
- COC:eim *Eimeria alijevi* Musaev, 1970; faeces; R1, R2, R5 (608, 881)
- COC:eim *Eimeria apsheronica* Musaev, 1970; faeces; R1, R2, R5 (608, 881)
- COC:eim *Eimeria arningi* (Marotel, 1905); faeces; R1, R2, R5 (167, 608, 881)
- COC:eim *Eimeria caprina* Liino, 1979; faeces; R5 (881)
- COC:eim *Eimeria caprovina* Linn, 1980; faeces; R5 (881)
- COC:eim *Eimeria christensenii* Chevalier et al., 1962; faeces; R1, R2, R5 (167, 608, 881)
- COC:eim *Eimeria crandallis* Honess, 1942; faeces; RU (167)
- COC:eim *Eimeria faurei* (Moussu & Marotel, 1901); gut; RU (167, 475, 692)
- COC:eim *Eimeria granulosa* Christensen, 1938; faeces; RU (167)
- COC:eim *Eimeria hirci* Chevalier, 1966; faeces; R1, R2, R5 (608, 881)
- COC:eim *Eimeria jolchtjevi* Musaev, 1970; faeces; R1, R2, R5 (608, 881)
- COC:eim *Eimeria nikkokohlyakimovae* Yakimoff & Rastegaleff, 1930; faeces; R1, R2, R5 (167, 608, 881)
- COC:eim *Eimeria pallida* Christensen, 1938; faeces; R1, R2 (167, 608)
- COC:eim *Eimeria parva* Kotlan et al., 1929; faeces; RU (167)
- COC:eim *Eimeria* sp.; faeces, duodenum; RU (493)
- COC:eim *Hammondia hammondi* Frenkel & Dubey, 1975; LU (exptl. infection); R3 (853)
- COC:eim *Sarcocystis capracantis* Fischer, 1979; muscles; R5 (167, 379, 886)
- COC:eim *Sarcocystis* sp.; muscles, antibodies (CFT); R5, R10 (469)
- COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); various tissues, antibodies

(IFAT, IHAT); RU, R2, R3 (167, 747, 831, 853, 875, 910, 1102)

Ovis aries Linnaeus, 1758 [sheep]

COC:eim *Cryptosporidium agni* Barker & Carbonell, 1974; small intestines; R2 (53, 167)

COC:eim *Cryptosporidium* sp.; faeces (exptl. infection); RU, R5 (349, 889, 1177)

COC:eim *Eimeria ahsata* Honess, 1942; faeces; R5 (167, 880)

COC:eim *Eimeria crandallis* Honess, 1942; faeces; R5 (167, 880)

COC:eim *Eimeria faurei* (Moussu & Marotel, 1901); faeces, gut; RU, R5 (167, 585, 692, 880)

COC:eim *Eimeria gilruthi* (Chatton, 1910); abomasum, intestine; RU, R3, R5 (167, 394, 692, 976, 1059, 1060)

COC:eim *Eimeria granulosa* Christensen, 1938; faeces; R5 (167, 880)

COC:eim *Eimeria intricata* Spiegl, 1925; faeces; R5 (167, 880)

COC:eim *Eimeria ovina* Levine & Ivens, 1970; faeces; R5 (167, 880)

COC:eim *Eimeria ovinoidalis* McDougald, 1979; faeces; R5 (167, 880)

COC:eim *Eimeria pallida* Christensen, 1938; faeces; R5 (167, 880)

COC:eim *Eimeria parva* Kotlan et al., 1929; faeces; R5 (167, 880)

COC:eim *Eimeria punctata* Landers, 1955; faeces; R5 (167, 880)

COC:eim *Eimeria weybrigdensis* Norton et al., 1974; faeces; R5 (880)

COC:eim *Eimeria* sp.; faeces, abomasum; RU, R4 (143, 837, 1242)

COC:eim *Hammondia hammondi* Frenkel & Dubey, 1975; LU (exptl. infection), antibodies (IFAT); R3 (848)

COC:eim *Sarcocystis arrietanis* Heydorn, 1985; muscle; RU, R6 (312, 330, 854, 1039, 1041)

COC:eim *Sarcocystis gigantea* (Railliet, 1886); muscle, antibodies (CFT, IFAT, ELISA); R1, R2, R3, R4, R5, R6 (24, 167, 330, 376, 377, 379, 435, 525, 531, 549, 568, 569, 570, 692, 766, 814, 837, 838, 843, 844, 854, 886, 887, 892, 895, 908, 1060, 1102, 1131, 1133, 1135, 1236)

COC:eim *Sarcocystis medusiformis* Collins et al., 1979; muscle; R5 (167, 312, 837, 854, 886, 887, 909, 1102)

COC:eim *Sarcocystis tenella* (Railliet, 1886); various tissues, antibodies (CFT, IFAT, ELISA); RU, R3, R5, R6 (24, 167, 330, 372, 374, 378, 435, 692, 766, 814, 821, 834, 837, 838, 841, 845, 846, 847, 854, 883, 884, 886, 887, 891, 892, 895, 952, 954, 997, 1039, 1041, 1059, 1133)

COC:eim *Sarcocystis* sp.; muscle, brain, foetal tissues, antibodies (CFT); R2, R3, R5 (311, 371, 375, 458, 530, 739, 815, 818, 819, 828)

COC:eim *Neospora caninum* Dubey et al., 1988; central nervous system; R2 (316)

COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); various tissues, antibodies (DT, CFT, IFAT, IHAT, ELISA); RU, R1, R2, R3, R4, R5, R6 (167, 225, 281, 308, 310, 455, 456, 457, 460, 692, 806, 807, 809, 810, 816, 817, 832, 837, 848, 849, 850, 888, 914, 956, 957, 958, 1059, 1060, 1077, 1078, 1079, 1085, 1086, 1109, 1134, 1238)

COC:eim Unidentified coccidia; gut; RU (692, 1059, 1060)

HEM:pir *Babesia bigemina* (Smith & Kilbourne, 1893); blood; R1 (149)

HEM:pir *Theileria mutans* (Theiler, 1906); blood (exptl. infection); RU (498, 1060)

ZOO:dip *Giardia duodenalis* (Davaine, 1875); faeces, gut; RU, R5, R6 (132, 328, 341, 762, 764, 795, 1149)

ZOO:dip *Giardia* sp.; gut; RU, R6 (167, 692, 735, 837, 1059, 1060, 1144, 1172)

ZOO:kin *Trypanosoma melophagium* (Flu, 1908); blood, RU (167, 692, 693, 1059, 1060, 1170, 1171)

CHIROPTERA MEGACHIROPTERA

PTEROPODIDAE

[flying-foxes, fruit-bats, blossom-bats]

Dobsonia moluccense (Quoy & Gaimard, 1810)
[bare-backed fruit-bat]

HEM:hae *Hepatocystis* sp.; blood; R9 (692, 726)

Pteropus alecto Temminck, 1837 [black flying-fox]
HEM:hae *Hepatocystis* sp.; blood; R1 (899)

Pteropus colinus Anderson, 1908

HEM:hae *Hepatocystis pteropi* (Breinl, 1913); blood; R1 (692, 744)

Pteropus conspicillatus Gould, 1850 [spectacled flying-fox]
HEM:hae *Hepatocystis pteropi* (Breinl, 1913); blood; R1 (64, 345, 692, 693)

Pteropus geddiei MacGillivray, 1860

HEM:hae *Hepatocystis pteropi* (Breinl, 1913); blood; R1 (692, 744)

Pteropus gouldii Peters, 1867

HEM:hae *Hepatocystis pteropi* (Breinl, 1913); blood; R1 (64, 128, 345, 387, 581, 642, 692, 693, 726)

ZOO:kin *Trypanosoma pteropi* Breinl, 1913; blood; R1 (128, 483, 581, 692, 693, 790)

Pteropus poliocephalus Temminck, 1825
[grey-headed flying-fox]

HEM:hae *Hepatocystis levinei* Landau et al., 1985; blood, liver; R1 (623)

- HEM:hae *Hepatocystis pteropi* (Breinl, 1913); blood; R1 (387, 692, 693)
- Pteropus sacculus** Peters, 1862 [little red flying-fox]
HEM:hae *Hepatocystis pteropi* (Breinl, 1913); blood, R1 (64, 345, 642, 692, 693)
- Pteropus** (unidentified species)
HEM:hae *Hepatocystis pteropi* (Breinl, 1913); blood, RU (286)
- MICROCHIROPTERA**
- HIPPOSIDERIDAE**
[horseshoe-bats]
- Hipposideros ater** Templeton, 1848 [dusky horseshoe bat] (=*H. bicolor*)
ZOO:kin *Trypanosoma hipposideri* Mackerras, 1959; blood; R1 (483, 693, 790)
- Hipposideros semoni** Matschie, 1903 [greater wart-nosed horseshoe-bat]
HEM:hae *Polychromophilus melanipherus* (Dionisi, 1899); blood; R1 (387, 692, 693)
- VESPERTILIONIDAE**
[bats]
- Eptesicus pumilus** (Gray, 1841) [little cave eptesicus]
HEM:hae *Polychromophilus melanipherus* (Dionisi, 1899); blood; R1 (287)
- Miniopterus australis** Tomes, 1858 [little bent-wing bat]
HEM:hae *Polychromophilus murinus* (Dionisi, 1899); blood; R1 (692, 744)
- Miniopterus blepolis** (Temminck, 1840)
HEM:hae *Polychromophilus melanipherus* (Dionisi, 1899); blood; R1 (387, 692, 693)
- Miniopterus schreibersii** (Kuhl, 1817) [common bent-wing bat]
HEM:hae *Polychromophilus melanipherus* (Dionisi, 1899); blood; RU, R2, R5 (287, 622, 692, 1234)
HEM:hae Unidentified haemosporidian; blood; RU (692, 767)
ZOO:kin *Trypanosoma vespertilionis* Battaglia, 1904; blood; RU (692, 1234)
- Myotis myotis** (Bechstein, 1819)
HEM:hae Unidentified haemosporidian; blood; RU (692, 767)
- Myotis nattereri** (Kuhl, 1819)
HEM:hae Unidentified haemosporidian; blood; RU (692, 767)
- Nyctophilus bifasciatus** Thomas, 1915 [North Queensland long-eared bat]
HEM:hae *Polychromophilus melanipherus* (Dionisi, 1899); blood; R1 (387, 693)
- Vespadelus pumilis** (Gray, 1841)
HEM:hae *Polychromophilus melanipherus* (Dionisi, 1899); blood; R1 (387, 692, 693)
- RODENTIA
MYOMORPHA
- MURIDAE
HYDROMYINAE
HYDROMYINI
[aquatic rats]
- Hydromys chrysogaster** Geoffroy, 1804 [water rat]
COC:ade *Klossiella hydromyos* Winter & Watt, 1972; kidney; R1 (1073, 1074, 1124, 1249)
COC:eim *Sarcocystis* sp.; muscle; RU, R1 (830, 1074)
COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); brain; kidney, muscle, heart, antibodies (CFT); R1, R2, R3 (167, 224, 398, 399, 907, 1060, 1073, 1074, 1079, 1080)
ZOO:kin *Trypanosoma lewisi* (Kent, 1880); blood; R1 (483, 693)
- UROMYINI
HYDROMYINAE
[mosaic-tailed rats]
- Melomys cervinipes** (Gould, 1852) [fawn-footed melomys]
COC:eim *Sarcocystis* sp.; muscle; R1 (830)
COC:eim *Toxoplasma* sp.; brain, antibodies (CFT); R1 (224)
- Melomys littoralis** (Lonnberg, 1916) [climbing rat]
COC:eim *Sarcocystis* sp.; muscle, R1 (830)
COC:eim *Toxoplasma* sp.; antibodies (CFT); R1 (224)
- Uromys caudimaculatus** (Krefft, 1867) [white-tailed rat]
COC:eim *Sarcocystis* sp.; muscle; R1 (830)
COC:eim *Toxoplasma* sp.; antibodies (CFT); R1 (224)
- CONILURINI
HYDROMYINAE
- [rabbit-rats, tree-rats, rock-rats, stick-nest rats, hopping-mice, native mice]
- Mastacomys fuscus** Thomas, 1882 [broad-toothed rat]
COC:eim *Sarcocystis murinotechis* Munday & Mason, 1980; heart, skeletal muscle, lung, kidney; R3 (836)
COC:eim *Sarcocystis* sp.; muscle; RU (830)
- Notomys alexis** Thomas, 1922 [spinifex hopping-mouse]
ZOO:dip *Giardia duodenalis* (Davaine, 1875); faeces; R5 (339)
- Pseudomys higginsi** (Trouessart, 1897) [long-tailed mouse]
COC:eim *Sarcocystis murinotechis* Munday & Mason, 1980; heart, skeletal muscle, lung, kidney; R3 (836)
COC:eim *Sarcocystis* sp.; muscle; RU (830)

MURINAE

['new endemic' and introduced rodents]

Mus musculus Linnaeus, 1758 [house mouse]

- COC:ade *Hepatozoon muris* (Balfour, 1906); blood; RU (727)
- COC:ade *Klossiella muris* Smith & Johnson, 1902; kidney; RU (284, 692)
- COC:eim *Besnoitia wallacei* (Tadros & Laarman, 1976); heart, tongue, lungs (exptl. infection); R3 (733)
- COC:eim *Cryptosporidium muris* Tyzzer, 1907; gut; RU (284, 692)
- COC:eim *Cryptosporidium parvum* Tyzzer, 1912; gut (exptl. infection); R6 (765)
- COC:eim *Cryptosporidium* sp.; small intestine, faeces; RU, R5 (167, 889, 1177)
- COC:eim *Eimeria falciformis* (Eimer, 1870); gut; RU (692)
- COC:eim *Hammondia hammondi* Frenkel & Dubey, 1975; muscles; R5 (546)
- COC:eim *Sarcocystis muris* (Railliet, 1886); muscle (exptl. infection); R5 (886, 1130)
- COC:eim *Sarcocystis* sp.; muscle; RU (830)
- COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); brain, peritoneum; RU, R3, R5 (81, 225, 247, 249, 296, 329, 435, 436, 437, 531, 535, 538, 539, 540, 541, 542, 543, 544, 545, 546, 548, 550, 558, 560, 680, 682, 683, 722, 829, 903, 938, 1060, 1077, 1079, 1129, 1132, 1134, 1135)
- HEM:hae *Plasmodium berghei* (Vincke & Lips, 1948); blood (exptl. infection); R1, R2 (614)
- HEM:hae *Plasmodium yoelii* (Landau & Killick-Kendrick, 1966); blood (exptl. infection); R2 (614)
- HEM:pir *Babesia rodhaini* van den Berghe et al., 1950; blood (exptl. infection); R1, R2 (253, 327, 614, 674)
- HET:sch *Naegleria australiensis* DeJonckheere, 1981; brain (exptl. infection); RU (272)
- HET:sch *Naegleria fowleri* Carter, 1970; brain (exptl. infection); R5 (8, 9, 181, 182, 352, 353, 354, 355, 356, 357, 523, 1152, 1153, 1154, 1155, 1156)
- LOB:aca *Acanthamoeba* sp.; LU; R5 (556)
- LOB:amo *Entamoeba muris* (Grassi, 1879); gut; RU (284, 692)
- ZOO:dip *Hexamita muris* (Grassi, 1881); gut; RU (692)
- ZOO:dip *Giardia muris* (Grassi, 1879); gut, antibodies (RIA); RU, R2, R5 (7, 20, 284, 692, 735, 736, 1008, 1009)
- ZOO:dip *Giardia duodenalis* (Davaine, 1875); intestine, faeces; R1, R5, R6 (18, 19, 108, 116, 338, 339, 341, 735, 736, 792, 793, 1064, 1144, 1193, 1197, 1203)

ZOO:dip *Spiromucleus muris* (Grassi, 1888); gut, faeces; R5, R6 (922, 1064)ZOO:kin *Trypanosoma lewisi* (Kent, 1880); blood; R2 (562)ZOO:tri *Trichomonas muris* (Grassi, 1879); gut; RU (284, 692)*Rattus fuscipes* (Waterhouse, 1839) [bush rat, allied rat]COC:ade *Hepatozoon* sp.; blood; R1 (899)COC:ade *Hepatozoon muris* (Balfour, 1906); blood; R1, R2, R6, (692, 693)COC:eim *Sarcocystis* sp.; muscle; RU (606)COC:eim *Sarcocystis murinotechis* Munday & Mason, 1980; heart, skeletal muscle, lung, kidney; RU (836)COC:eim *Sarcocystis* sp.; skeletal muscle; RU, R1 (830, 1033, 1034)COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); various organs, antibodies (CFT); R1 (167, 224, 692, 961)ZOO:kin *Trypanosoma lewisi* (Kent, 1880); blood; R1 (483, 692, 693)*Rattus lutreolus* (Gray, 1841) [swamp rat]COC:eim *Sarcocystis murinotechis* Munday & Mason, 1980; heart, skeletal muscle, lung, kidney; RU (836)COC:eim *Sarcocystis* sp.; muscle; R1, R3 (754, 830)*Rattus norvegicus* (Berkenhout, 1769) [brown rat]syn. *Rattus decumanus* Pallus, 1778, *Mus decumanus*COC:ade *Hepatozoon muris* (Balfour, 1906); blood; R1, R2, R6 (203, 562, 568, 569, 570, 573, 583, 692, 693)COC:eim *Besnoitia wallacei* (Tadros & Laarman, 1976); tissues; R3 (733)COC:eim *Eimeria nieschulzi* Dieben, 1924; gut; RU (692)COC:eim *Sarcocystis murinotechis* Munday & Mason, 1980; heart, skeletal muscle, lung, kidney; RU (836)COC:eim *Sarcocystis muris* (Railliet, 1886); muscle; RU, R2 (568, 569, 570, 583, 692)COC:eim *Sarcocystis* sp.; muscle; RU (830)COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); brain, antibodies (CFT); R1 (224, 692, 961)

COC:eim Unidentified coccidian; gut; RU (360, 692)

HEM:pir *Babesia rodhaini* van den Berghe et al., 1950; blood (exptl. infection); R1 (674)LOB:aca *Acanthamoeba* sp.; cornea; R5 (44)LOB:amo *Entamoeba muris* (Grassi, 1879); gut; RU (692)

ZOO:dip *Giardia duodenalis* (Davaine, 1875); intestine (exptl. infection); R5, R6 (762, 764, 1064, 1142, 1144)

ZOO:dip *Spironucleus muris* (Grassi, 1888); gut, faeces; R5 (1064)

ZOO:dip *Hexamita muris* (Grassi, 1881); gut; RU (692)

ZOO:kin *Trypanosoma lewisi* (Kent, 1880); blood; R1, R2 (360, 562, 568, 570, 573, 581, 583, 692, 693, 965, 1059, 1060)

ZOO:tri *Trichomonas muris* (Grassi, 1879); gut; RU (692)

Rattus rattus (Linnaeus, 1758) [black rat]

COC:ade *Hepatozoon muris* (Balfour, 1906); blood; R1, R2, R6 (568, 570, 573, 583, 692, 693, 899)

COC:eim *Besnoitia wallacei* (Tadros & Laarmann, 1976); various tissues (exptl. infection); R3 (733)

COC:eim *Hammondia hammondi* Frenkel & Dubey, 1975; skeletal muscle; RU (731)

COC:eim *Sarcocystis murinotechis* Munday & Mason, 1980; heart, skeletal muscle, lung, kidney; RU (836)

COC:eim *Sarcocystis muris* (Railliet, 1886); muscle, R2 (568, 569, 570, 583, 692)

COC:eim *Sarcocystis* sp.; muscle; RU, R3 (606, 830, 840)

COC:eim *Toxoplasma* sp.; antibodies (CFT); R1 (224)

COC:eim Unidentified coccidian; faeces; RU (360, 692)

ZOO:kin *Trypanosoma evansi* (Steel, 1885); blood (exptl. infection); RU (1059, 1060)

ZOO:kin *Trypanosoma lewisi* (Kent, 1880); blood; R1 (167, 360, 562, 568, 570, 573, 581, 583, 692, 693, 965, 1059, 1060)

Rattus sordidus (Gould, 1858) [canefield rat] syn. *R. conatus*

COC:ade *Hepatozoon muris* (Balfour, 1906); blood; R1, R2, R6 (693)

COC:eim *Sarcocystis* sp.; muscle; R1 (830)

COC:eim *Toxoplasma* sp.; antibodies (CFT); R1 (224)

Rattus villosissimus (Waite, 1898) [long-haired rat]

LOB:amo *Entamoeba* sp.; gut; RU (692)

ZOO:dip *Giardia* sp.; gut; RU (692)

ZOO:dip *Hexamita* sp.; gut; RU (692)

ZOO:tri *Trichomonas* sp.; gut; RU (692)

Rattus (unidentified species)

COC:ade *Hepatozoon muris* (Balfour, 1906); blood; RU (205, 692, 727)

COC:ade *Klossiella* sp.; kidney; R1 (398)

COC:eim *Sarcocystis* sp.; diaphragm; R1 (398)

COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); diaphragm, brain; R1 (398)

ZOO:dip *Giardia duodenalis* (Davaine, 1875); gut; RU (735, 759)

ZOO:kin *Trypanosoma lewisi* (Kent, 1880); blood; R1 (46, 205, 581, 583, 692)

CAVIIDAE
[guinea pigs]

Cavia porcellus Linnaeus, 1758 [guinea pig] syn. *Cavia cutleri* Bennett, 1835

ZOO:dip *Giardia* sp.; gut, faeces; R5 (735)

ZOO:kin *Trypanosoma evansi* (Steel, 1885); blood (exptl. infection); R6 (567, 1059, 1060)

LAGOMORPHA

LEPORIDAE
[hare, rabbit]

Lepus europaeus Pallas, 1778 [hare]

COC:eim *Eimeria perforans* (Leuckart, 1879); faeces; RU (692, 1059, 1060)

Oryctolagus cuniculus (Linnaeus, 1758) [rabbit]

COC:eim *Eimeria coecicola* Kheissin, 1947; faeces; R6 (484)

COC:eim *Eimeria exigua* Yakimoff, 1934; faeces; R2, R6 (484, 1107, 1108)

COC:eim *Eimeria flavescens* Marotel & Guilhon, 1941; faeces; R6 (484)

COC:eim *Eimeria intestinalis* Kheisin, 1948; faeces; R6 (484)

COC:eim *Eimeria irresidua* Kessel & Jankiewicz, 1931; faeces, RU, R2, R4, R6 (484, 692, 862, 864, 1060, 1107, 1108)

COC:eim *Eimeria magna* Perard, 1925; faeces; RU, R2, R4, R6 (484, 692, 862, 864, 1057, 1059, 1060, 1107, 1108)

COC:eim *Eimeria media* Kessel, 1929; faeces; RU, R2, R4, R6 (484, 692, 862, 864, 1060, 1107, 1108)

COC:eim *Eimeria perforans* (Leuckart, 1879); faeces; RU, R2, R4, R6 (484, 692, 862, 864, 1057, 1059, 1060, 1107, 1108)

COC:eim *Eimeria piriformis* Kotlan & Pospesch, 1934; faeces; R2, R4, R6 (484, 864, 1060, 1107, 1108)

COC:eim *Eimeria stiedae* (Lindemann, 1895); faeces, liver, gall bladder; R1, R2, R4, R5, R6 (167, 320, 321, 448, 484, 557, 562, 567, 569, 573, 583, 692, 862, 864, 1057, 1059, 1060, 1107, 1108)

COC:eim *Eimeria* sp.; faeces; RU (321, 863)

COC:eim *Sarcocystis cuniculi* Brumpt, 1913; muscle; R3 (835)

COC:eim *Sarcocystis* sp.; muscle; RU (830)

COC:eim *Toxoplasma* sp.; brain, antibodies (IFAT); RU, R3 (692, 811, 1059, 1060, 1238)

COC:eim Unidentified coccidian; caecum; RU (1060)

MIC:mic *Encephalitozoon cuniculi* Levaditi et al., 1923; various organs, antibodies (IFAT); R2, R6 (231, 232, 233, 234, 235, 236, 975, 1136, 1140)

**PROTHERIA
MONOTREMATA**

**ORNITHORHYNCHIDAE
[platypus]**

Ornithorhynchus anatinus (Shaw & Nodder, 1799) [platypus]

HEM:pir *Theileria ornithorhynchi* Mackerras, 1959; blood; R1, R3 (693, 750) [incorrectly recorded as *T. binneyi* in 1059, 1060]

HEM:pir *Theileria* sp.; blood; RU (692)

ZOO:kin *Trypanosoma (Megatrypanum) binneyi* Mackerras, 1959; blood; R2, R3 (483, 693, 750)

ZOO:kin *Trypanosoma* sp.; blood; RU (692, 916)

**TACHYGLOSSIDAE
[echidna]**

Tachyglossus aculeatus (Shaw & Nodder, 1792) [short-beaked echidna]

COC:eim *Cryptosporidium* sp.; intestines; R5 (349, 898)

COC:eim *Eimeria echidnae* Barker et al., 1985; faeces; R3 (57)

COC:eim *Eimeria tachyglossi* Barker et al., 1985; faeces, small intestine; R3 (57)

COC:eim *Eimeria* sp.; faeces; R1 (899)

COC:eim *Oosporella hystrix* Barker et al., 1985; faeces; R2 (57)

HEM:pir *Babesia tachyglossi* Backhouse & Bollinger, 1959; blood; R2 (43, 1004)

HEM:pir *Babesia* sp.; blood; R2 (693)

HEM:pir *Theileria tachyglossi* Priestley, 1915; blood, various organs; R1, R2 (693, 974, 1059, 1060)

ZOO:kin *Trypanosoma cruzi* Chagas, 1909; blood (exptl. infection); R2 (42)

**MARSUPIALIA
POLYPROTODONTA
DASYUROMORPHIA**

DASYURIDAE

[quolls, dunnarts, antechinuses, planigales, ningauis, Tasmanian devil]

Antechinus minimus (Geoffroy, 1803) [swamp antechinus]

COC:eim *Toxoplasma* sp.; LU; RU (826)

Antechinus stuartii Macleay, 1841 [brown antechinus]

COC:eim *Cryptosporidium* sp.; small intestine; R2 (55, 349)

COC:eim *Sarcocystis* sp.; muscle; RU (826, 830)

COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); tissue cysts; RU (38)

COC:eim Unidentified coccidia; small intestine; R2 (55)

HEM:pir *Babesia* sp.; blood; R2 (28, 31, 55, 826, 851)

Antechinus swainsonii (Waterhouse, 1840) [dusky antechinus]

COC:eim *Sarcocystis* sp.; muscle; RU (826, 830)

COC:eim *Toxoplasma* sp.; LU; RU (826)

Dasyurus byrnei (Spencer, 1896) [kowari] syn. *Dasyuroides byrnei*

COC:ade *Hepatozoon dasyuroides* Mackerras, 1959; blood; R10 (693)

COC:ade *Klossiella* sp.; kidney; RU (826, 851)

COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); tissue cysts, RU (38)

Dasyurus cristicauda (Krefft, 1867) [mulgara]

COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); tissue cysts; RU (38)

Dasyurus hallucatus (Gould, 1842) [northern quoll]

COC:eim *Sarcocystis* sp.; muscle; RU (606, 692)

Dasyurus maculatus (Kerr, 1792) [tiger quoll]

COC:eim *Sarcocystis* sp.; faeces; RU (830)

Dasyurus viverrinus (Shaw, 1800) [eastern quoll]

COC:ade *Hepatozoondasyuri* (Welsh et al., 1909); blood; R2 (563, 570, 693, 826, 851, 1230, 1231, 1234)

COC:eim *Toxoplasma* sp.; lung; RU (1059)

Dasyurus (unidentified species)

COC:eim *Toxoplasma* sp.; various tissues, immunolabelling; RU (168)

Parantechinus apicalis (Gray, 1842) [dibbler]

COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); tissue cysts; RU (38)

Parantechinus macdonnellensis (Spencer, 1896) [fat-tailed antechinus]

COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); tissue cysts; RU (38)

Phascogale tapoatafa (Meyer, 1793) [brush-tailed phascogale]

COC:eim *Toxoplasma* sp.; brain; R1 (224, 826)

Sarcophilus harrisii (Boitard, 1841) [Tasmanian devil]

COC:eim *Sarcocystis* sp.; faeces, muscle; R3 (830)

ZOO:dip *Giardia* sp.; faeces; R3 (781)

Sminthopsis crassicaudata (Gould, 1844) [fat-tailed dunnart]

COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); tissue cysts; RU (38)

Sminthopsis laniger (Gould, 1856) [kultarr]

COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); tissue cysts; RU (38)

Sminthopsis leucopus (Gray, 1842) [white-footed dunnart]

COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); tissue cysts; RU (38)

Sminthopsis macroura (Gould, 1845) [stripe-faced dunnart]

COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); tissue cysts; RU (38)

MYRMECOBIIDAE [numbat]

Myrmecobius fasciatus Waterhouse, 1836 [numbat]

COC:eim *Toxoplasma* sp.; various tissues; RU (168)

PERAMELOMORPHIA

PERMELIDAE [bandicoots]

Isoodon macrourus (Gould, 1842) [northern brown bandicoot]

COC:eim *Sarcocystis* sp.; muscle; RU (830)

HEM:pir *Theileria* sp.; blood; R1 (1060)

Isoodon obesulus (Shaw, 1797) [southern brown bandicoot] syn. *Thylacis obesulus*

COC:ade *Hepatozoon peramelis* (Welsh & Dalyell, 1909); blood; RU (691, 693, 826, 851)

COC:ade *Klossiella quinrensis* Barker et al., 1975; kidney; R3 (54, 826, 851, 1124)

COC:ade *Klossiella* sp.; kidney; RU, R1 (691, 692)

COC:eim *Cryptosporidium* sp.; intestines; R5 (349, 898)

COC:eim *Eimeria* sp.; intestines; RU (692)

COC:eim *Sarcocystis* sp.; skeletal muscle; RU (606, 691)

COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); lung, brain, antibodies (CFT); R1 (224, 826, 961, 962, 1060)

HEM:pir *Babesia thylacis* Mackerras, 1959; blood; R1 (693)

HEM:pir *Theileria peramelis* Mackerras, 1959; blood; R1 (691, 693, 826, 851, 1059)

LOB:amo *Entamoeba* sp.; intestines; RU (692)

ZOO:dip *Giardia* sp.; intestines; RU (692)

ZOO:kin *Trypanosoma (Megatrypanum) thylacis* Mackerras, 1959; blood; RU (483, 691, 693)

ZOO:kin *Trypanosoma* sp.; blood; R3 (78)

ZOO:tri *Trichomonas* sp.; intestines; RU (692)

Perameles gunnii Gray, 1838 [eastern barred bandicoot]

COC:ade *Klossiella quinrensis* Barker et al., 1975; kidney; R3 (54, 826, 851, 1124)

COC:ade *Hepatozoon* sp.; blood; R3 (77, 899)

COC:eim *Sarcocystis* sp.; muscle; RU (830)

COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); central nervous system; R3 (911)

ZOO:kin *Trypanosoma* sp.; blood; R3 (78)

Perameles nasuta Geoffroy, 1804 [long-nosed bandicoot]

COC:ade *Hepatozoon peramelis* (Welsh & Dalyell, 1909); blood; RU (693, 826, 851, 1228, 1229, 1234)

COC:ade *Klossiella* sp.; kidney; RU (692)

COC:eim *Sarcocystis* sp.; muscle; RU (830)

COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); brain, antibodies (CFT); R1 (224, 826, 961, 962)

HEM:pir *Theileria peramelis* Mackerras, 1959; blood; R1 (693)

HEM:pir *Theileria* sp.; blood; RU (691, 692, 826, 851)

Perameles (unidentified species)

COC:eim *Toxoplasma* sp.; various tissues; RU (168)

ZOO:dip *Giardia* sp.; faeces; R3 (781)

THYLACOMYIDAE [bilbies]

Macrotis lagotis (Reid, 1837) [bilby]

COC:eim *Toxoplasma* sp.; various tissues; RU (168)

DIPROTODONTA

PHALANGERIDAE [brushtail possums, cuscuses]

Trichosurus arnhemensis Collett, 1897 [northern brushtail possum]

ZOO:dip *Giardia* sp.; faeces; R3 (781)

Trichosurus caninus (Ogilby, 1836) [mountain brushtail possum]

COC:eim *Eimeria* sp.; faeces; R4 (969, 973)

COC:eim *Sarcocystis* sp.; muscle; R1 (830, 969, 973)

Trichosurus vulpecula (Kerr, 1792) [common brushtail possum]

COC:eim *Eimeria* sp.; faeces; R1, R2, R3 (899, 968, 970, 973)

COC:eim *Sarcocystis* sp.; muscle; R1 (830, 970, 973)

COC:eim *Toxoplasma* sp.; brain, heart, antibodies (CFT); R1, R2 (224, 826, 970, 973, 1060)

LOB:amo *Entamoeba* sp.; intestines; RU (692)

ZOO:kin *Leishmania donovani* (Laveran & Mesnil, 1903); heart (exptl. infection); R2 (42)

ZOO:kin *Trypanosoma cruzi* Chagas, 1909; blood, various organs (exptl. infection); R2 (42)

PETAURIDAE

[ringtail possums, larger gliders]

Hemibelidens lemuroides (Collett, 1884) [lemuroid

ringtail possum]

COC:ade *Klossiella* sp.; kidney; R1 (1084)COC:eim *Eimeria* sp.; intestines; R1 (1084)***Petauroides volans*** (Kerr, 1792) [greater glider]COC:ade *Klossiella schoinobatis* Barker et al., 1985; kidney; R2 (58, 851)***Petaurus breviceps*** Waterhouse, 1839 [sugar glider]COC:ade *Hepatozoon petauri* (Welsh & Barling, 1909); blood; RU (692, 693, 826, 851)***Petaurus norfolkensis*** (Kerr, 1792) [squirrel glider]
syn. *P. sciureus*COC:ade *Hepatozoon petauri* (Welsh & Barling, 1909); blood; RU (563, 570, 693, 826, 851, 1226, 1227, 1234)***Pseudochirus herbertensis*** (Collett, 1884) [Herbert River ringtail possum]COC:ade *Hepatozoon* sp.; blood; R1 (1084)COC:ade *Klossiella* sp.; kidney; R1 (1084)

COC:ade Unidentified haemogregarine; blood; R1 (1084)

COC:eim *Eimeria* sp.; intestines; R1 (1084)***Pseudochirus langinosus*** (Gould, 1858) [ring tail possum]COC:ade *Hepatozoon pseudechieri* Mackerras, 1959; blood; R1 (693)***Pseudochirus peregrinus*** (Boddaert, 1785) [common ringtail possum]COC:ade *Haemogregarina* sp.; blood; RU (692)COC:ade *Klossiella convolutor* Barker et al., 1975; kidney; R3 (54, 826, 851, 971, 1124)COC:eim *Eimeria* sp.; faeces; R1 (899)***Pseudochirus archeri*** (Collett, 1884) [green ringtail possum]COC:ade *Klossiella* sp.; kidneys; R1 (1084)COC:eim *Eimeria* sp.; intestines; R1 (1084)COC:eim *Sarcocystis* sp.; muscle; RU (830, 1084)***Pseudochirus* (unidentified species)**COC:eim *Toxoplasma* sp.; various tissues, immunolabelling; RU (168)**POTOROIDAE**

[potoroos, bettongs, rat-kangaroos]

Aepyprymnus rufescens (Gray, 1837) [rufous bettong]COC:eim *Eimeria aepyrmui* Barker et al., 1988; faeces; zoo (Aust.) (61)

COC:eim Unidentified coccidia; faeces; R1 (fauna park) (1082)

Bettongia gaimardi (Desmarest, 1822) [Tasmanian bettong]COC:ade *Klossiella bettongiae* Barker et al., 1985; kidney; R3 (58, 851)COC:eim *Eimeria gaimardi* Barker et al., 1988; faeces; R3 (61)***Bettongia lesueuri*** (Quoy & Gaimard, 1824) [burrowing bettong]COC:eim *Sarcocystis bettongiae* Bourne, 1934; skeletal muscle; R6 (122, 312, 606)***Hypsiprymnodon moschatus*** Ramsay, 1876 [musky rat-kangaroo]COC:eim *Eimeria hypsiprymnodontis* Barker et al., 1988; faeces; R1 (61)COC:eim *Eimeria kairensis* Barker et al., 1988; faeces; R1 (61)COC:eim *Eimeria spearei* Barker et al., 1988; faeces; R1 (61)COC:eim *Eimeria spratti* Barker et al., 1988; faeces; R1 (61)COC:eim *Eimeria tinarooensis* Barker et al., 1988; faeces; R1 (61)***Potorous tridactylus*** (Kerr, 1792) [long-nosed potoroo, long-nosed rat kangaroo]COC:ade *Klossiella* sp.; kidney; R3 (54, 826, 851)COC:eim *Eimeria mundayi* Barker et al., 1988; faeces; R3 (61)COC:eim *Eimeria potoroi* Barker et al., 1988; faeces; R3 (61)COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); lungs, liver, muscle, antibodies (IHAT); zoo (USA) (528, 944)HEM:pir *Theileria peramelis* Mackerras, 1959; blood; R1 (693)HEM:pir *Theileria* sp.; blood; RU (691, 692, 826, 851, 1086)**MACROPODIDAE**

[kangaroos, wallabies, pademelons, quokka]

Dendrolagus inustus Mueller, 1840 [grizzled tree-kangaroo]ZOO:tri *Trichomonas guttula* Kirby & Honigberg, 1950; intestines; zoo (USA) (613)***Dendrolagus lumholtzi*** Collett, 1884 [Lumholtz's tree-kangaroo]COC:eim *Eimeria dendrolagi* Barker et al., 1988; faeces; R1 (60)COC:eim *Eimeria lumholtzi* Barker et al., 1988; faeces; R1 (60)COC:eim *Sarcocystis* sp.; muscle; R1 (1086)

COC:eim Unidentified coccidia; faeces; R1 (fauna park) (1082)

COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); LU, R6, zoo (Aust.) (167)***Lagorchestes conspicillatus*** Gould, 1842 [spectacled hare-wallaby]COC:ade *Klossiella beveridgei* Barker et al., 1985; kidney; R1 (58, 851)

- COC:eim *Eimeria lagorchestis* Barker et al., 1988; faeces; R1 (60)
- COC:eim *Eimeria* sp.; faeces; R1 (60)
- COC:eim Unidentified coccidia; faeces; R1 (fauna park) (1082)
- Macropus agilis*** (Gould, 1842) [agile wallaby]
- COC:eim *Eimeria mykytowyczi* Barker et al., 1989; faeces; R8 (62)
- COC:eim *Eimeria prionetemni* Barker et al., 1989; faeces; R5, zoo (Aust.) (62)
- COC:eim *Eimeria* sp.; ileum; RU (1083, 1086)
- COC:eim *Sarcocystis* sp.; skeletal muscle; RU (830, 1083, 1086)
- COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); heart; RU (1083, 1086)
- COC:eim Unidentified coccidia; faeces; R1 (fauna park) (1082)
- LIT:ves *Dasytricha* sp.; stomach; RU (906)
- LIT:ves *Isotricha* sp.; stomach; RU (906)
- Macropus antilopinus*** (Gould, 1842) [antilopine wallaroo]
- COC:eim *Eimeria flindersi* Barker et al., 1989; faeces; R1 (62)
- COC:eim *Eimeria mykytowyczi* Barker et al., 1989; faeces; R1 (62)
- Macropus dorsalis*** (Gray, 1837) [black-striped wallaby]
- COC:eim *Eimeria hestermani* Mykytowycz, 1964; faeces; R1 (62)
- COC:eim *Eimeria macropodis* Wenyon & Scott, 1925; faeces; R1, R4, zoo (USSR) (62, 865, 1272)
- COC:eim *Eimeria prionetemni* Barker et al., 1989; faeces; R1 (62)
- COC:eim *Eimeria* sp.; intestines; R1 (fauna park) (1082, 1086)
- LIT:ent *Cyclopodium* sp.; stomach; R1 (899)
- LIT:ent *Macropodium* sp.; stomach; R1 (899)
- LIT:ves *Dasytricha* sp.; stomach; RU (906)
- LIT:ves *Isotricha* sp.; stomach; RU, R1 (899, 906)
- Macropus eugenii*** (Desmarest, 1817) [tammar wallaby]
- LOB:amo Unidentified amoebae; LU; RU (826, 851)
- COC:eim *Eimeria flindersi* Barker et al., 1989; faeces; R5 (62)
- COC:eim *Eimeria hestermani* Mykytowycz, 1964; faeces; R5, zoo (Aust.) (62)
- COC:eim *Eimeria macropodis* Wenyon & Scott, 1925; faeces; R4, R5, zoo (Aust., USSR) (62, 865, 1272)
- COC:eim *Eimeria prionetemni* Barker et al., 1989; faeces; R5, zoo (Aust.) (62)
- COC:eim *Eimeria togannainensis* Mykytowycz, 1964; faeces; R5 (62)
- COC:eim *Eimeria wilcamiensis* Mykytowycz, 1964; faeces; R4, R5, zoo (Aust.) (62)
- COC:eim *Eimeria yathongensis* Barker et al., 1989; faeces; R4, R5 (62)
- COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); various tissues, antibodies (IHA, LAT, MAT, DT); zoo (USA) (309, 310)
- COC:eim Unidentified coccidia; stomach, intestines; faeces; RU, zoo (Aust., Japan) (28, 31, 368, 369, 1086, 1273)
- LIT:ent *Alacropodium* sp.; forestomach; R6 (271)
- LIT:ves *Dasytricha* sp.; stomach; RU (906)
- LIT:ves *Isotricha* sp.; stomach; RU (906)
- Macropus giganteus*** Shaw, 1790 [eastern grey kangaroo] syn. *M. canguru*
- COC:eim *Eimeria cinnamillensis* Mykytowycz, 1964; faeces, small intestine; R4 (52, 167, 865, 948)
- COC:eim *Eimeria gungahlinensis* Mykytowycz, 1964; faeces; R4 (62, 167, 865, 948)
- COC:eim *Eimeria hestermani* Mykytowycz, 1964; faeces; R4 (62, 167, 865, 948)
- COC:eim *Eimeria kegoni* Mykytowycz, 1964; faeces, small intestine; R4 (28, 52, 167, 865, 948)
- COC:eim *Eimeria macropodis* Wenyon & Scott, 1925; faeces, small intestine; R4, zoo (USSR) (52, 62, 167, 865, 946, 947, 948, 949, 1272)
- COC:eim Unidentified coccidia; small intestine, liver; RU (31, 1086)
- COC:eim *Hammondia hammondi* Frenkel & Dubey, 1975; LU (exptl. infection), antibodies (ELISA); R2 (985)
- COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); various tissues, antibodies (IHA); R2, R6, zoo (EUR, USA) (167, 287, 296, 519, 528, 944, 985, 986)
- LIT:ves *Dasytricha* sp.; stomach; RU (273, 906)
- LIT:ves *Isotricha* sp.; stomach; RU (273, 906)
- LIT:ent *Heterotricha* sp.; stomach; R4 (273)

- COC:eim *Eimeria marsupialium* Yakimoff & Matschoulsky, 1936; faeces; R4, zoo (USSR)(62, 167, 946, 947, 948, 949, 1272)
- COC:eim *Eimeria toganmainensis* Myktytowycz, 1964; faeces; R4 (62)
- COC:eim *Eimeria wilcanniensis* Myktytowycz, 1964; faeces; R4 (62)
- COC:eim *Eimeria yathongensis* Barker et al., 1989; faeces; R4 (62)
- COC:eim *Eimeria* sp.; intestines; R1, R4 (fauna park)(31, 50, 576, 1060, 1082, 1086, 1248)
- COC:eim Unidentified coccidia; faeces, intestines; RU, zoo (Aust., USA)(135, 368, 369)
- COC:eim *Sarcocystis* sp.; muscle; RU (826, 830)
- COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); various tissues, antibodies (IHAT); RU, zoo (USA)(528, 944, 1086)
- LIT:ent *Heterotricha* sp.; stomach; R4 (273)
- LIT:ent *Macropodinium* sp.; stomach; R1 (899)
- LIT:ves *Dasytricha* sp.; stomach; RU, R1 (273, 899, 906)
- LIT:ves *Isotricha* sp.; stomach; RU, R1 (273, 899, 906)
- LOB:aca *Acanthamoeba* sp.?; brain; R1 (874)
- LOB:amo Unidentified amoebae; stomach, oesophagus; RU (826, 851, 906)
- Macropus irma*** (Jourdan, 1837) [western brush wallaby]
- COC:eim *Eimeria macropodis* Wenyon & Scott, 1925; faeces; R4, R6, zoo (USSR)(62, 865, 1272)
- Macropus parma*** Waterhouse, 1846 [parma wallaby]
- COC:eim *Eimeria macropodis* Wenyon & Scott, 1925; faeces; R2, R4, zoo (Aust., USSR)(62, 865, 1272)
- COC:eim *Eimeria parma* Barker et al., 1989; faeces; zoo (Aust.) (62)
- COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); various organs; R6, zoo (Aust., USA)(167, 310, 1240)
- LIT:ves *Dasytricha* sp.; stomach; RU (906)
- LIT:ves *Isotricha* sp.; stomach; RU (906)
- Macropus parryi*** Bennett, 1835 [whiptail wallaby]
- COC:eim *Eimeria myktytowyczii* Barker et al., 1989; faeces; zoo (Aust.) (62)
- COC:eim *Eimeria parryi* Barker et al., 1989; faeces; zoo (Aust.) (62)
- COC:eim *Eimeria prionotemni* Barker et al., 1989; faeces; R1, zoo (Aust.) (62)
- COC:eim *Eimeria macropodis* Wenyon & Scott, 1925; faeces; R1, R4, zoo (Aust., USSR)(62, 865, 1272)
- COC:eim *Eimeria* sp.; intestinal mucosa; R1 (fauna park)(576, 581, 1082, 1086)
- LIT:ves *Dasytricha* sp.; stomach; RU (906)
- LIT:ves *Isotricha* sp.; stomach; RU (906)
- Macropus robustus*** Gould, 1841 [common wallaroo]
- COC:eim *Eimeria wilcanniensis* Myktytowycz, 1964; faeces; R5 (62)
- COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); lungs, antibodies (IHAT, CSFA); zoo (USA)(100, 310, 1002)
- LIT:ent *Entodinium* sp.; stomach; RU (273)
- LIT:ent *Heterotricha* sp.; stomach; R4 (273)
- LIT:ent *Macropodinium ennuensis* Dehority, 1966; forestomach; R6 (271)
- LIT:ent *Macropodinium* sp.; stomach; R1 (899)
- LIT:ves *Dasytricha* sp.; stomach; RU, R1 (273, 899)
- LIT:ves *Isotricha* sp.; stomach; RU, R1 (273, 899)
- LOB:amo Unidentified amoebae; glandular stomach; RU (825, 826, 851, 874)
- ZOO:ret *Retortomonas mitrula* Kirby & Honigberg, 1950; intestines; zoo (USA)(613)
- ZOO:tri *Monocercomonas* sp.; intestines; zoo (USA)(613)
- ZOO:tri *Trichomonas guttula* Kirby & Honigberg, 1950; intestines; zoo (USA)(613)
- Macropus rufogriseus***(Desmarest, 1817)[red-necked wallaby, Bennett's wallaby] syn. *M. bennetti*
- COC:ade *Klossiella rufogrisei* Barker et al., 1985; kidney; R3 (58)
- COC:ade *Klossiella* sp.; kidney; RU (826, 851)
- COC:eim *Eimeria desmaresti* Barker et al., 1989; faeces; R3 (62)
- COC:eim *Eimeria flindersi* Barker et al., 1989; faeces; R3 (62)
- COC:eim *Eimeria hestermani* Myktytowycz, 1964; faeces; R3 (62, 948)
- COC:eim *Eimeria macropodis* Wenyon & Scott, 1925; faeces; R4, zoo (UK, USSR)(62, 865, 946, 947, 948, 949, 967, 1233, 1272)
- COC:eim *Eimeria prionotemni* Barker et al., 1989; faeces; R3 (62)
- COC:eim *Eimeria toganmainensis* Myktytowycz, 1964; faeces; R3 (62)
- COC:eim *Eimeria* sp.; faeces; zoo (EUR)(1137)
- COC:eim Unidentified coccidia; intestines; zoo (Aust., UK)(31, 368, 1054, 1086)
- COC:eim *Globidium mucosum* (Blanchard, 1885); small intestine; zoo (UK, EUR)(1054, 1274)
- COC:eim *Ileocystis macropodis* Gilruth & Bull, 1912; small intestine; zoo (UK)(1164, 1233)
- COC:eim *Lymphocystis macropodis* Gilruth & Bull, 1912; small intestine; zoo (UK)(1164, 1233)
- COC:eim *Sarcocystis mucosa* (Blanchard, 1885); gut wall; R1, R3 (312, 520, 890)
- COC:eim *Sarcocystis* sp.; gut wall, muscle; RU, zoo (UK)(606, 826, 830, 1054, 1165)
- COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); various tissues, antibodies

- (DAT, MAT, ELISA), R3, zoo (USA, UK, EUR) (31, 36, 167, 310, 434, 521, 551, 553, 725, 784, 826, 981, 1086, 1102)
- LIT:ent *Entodinium* sp.; stomach; RU (273)
- LIT:ent *Heterotricha* sp.; stomach; R4 (273)
- LIT:ent *Macropodinium* sp.; stomach; R1 (899)
- LIT:ves *Dasytricha* sp.; stomach; RU (273)
- LIT:ves *Isotricha* sp.; stomach; RU (273)
- Macropus rufus*** (Desmarest, 1822) [red kangaroo]
syn. *Megalia rufus*
COC:ade *Klossella rufi* Barker et al., 1985, kidney; R4 (58)
COC:ade *Klossiella* sp.; kidney; R4 (30, 826, 851)
COC:eim *Cryptosporidium* sp.; intestines; R5 (349, 898)
COC:eim *Eimeria macropodis* Wenyon & Scott, 1925; faeces; R4, R6, zoo (USSR) (62, 865, 1272)
COC:eim *Eimeria rufusi* Prasad, 1960; faeces; zoo (UK) (167, 946, 947, 948, 949, 967)
COC:eim *Eimeria togannainensis* Myktylowycz, 1964; faeces; R4 (30, 167, 865, 948)
COC:eim *Eimeria wilcamiensis* Myktylowycz, 1964; faeces; R4 (30, 167, 865, 948)
COC:eim *Eimeria* sp.; faeces; R1 (899)
COC:eim *Sarcocystis* sp.; muscle; RU, R4 (30, 826, 830, 1086)
COC:eim *Toxoplasma* sp.; various organs; RU, zoo (USA) (438, 528, 1086)
COC:eim Unidentified coccidian; adipose tissue; R4 (315)
LIT:ent *Macropodinium ennuensis* Dehority, 1966; forestomach; R6 (271)
LIT:ent Unidentified ciliates; forestomach; R5 (449)
LIT:ves *Dasytricha* sp.; stomach; RU (906)
LIT:ves *Isotricha* sp.; stomach; RU (906)
LOB:amo Unidentified amoebae; stomach, oesophagus; RU (906)
UNC:sta *Pneumocystis carinii* Delanoë, 1912; lungs; RU (826, 851)
- Macropus* (unidentified species)**
COC:eim *Globidium macropodis* (Gibluth & Bull, 1912); intestinal mucosa; zoo (Aust.) (397)
COC:eim *Globidium* sp.; intestinal mucosa; zoo (Aust.) (397)
COC:eim *Toxoplasma* sp.; various tissues, antibodies (IHAT); RU, zoo (USA) (168, 981, 1002)
LOB:amo *Entamoeba* sp.; faeces; forestomach; zoo (USA) (1007)
ZOO:dip *Giardia* sp.; faeces; R3 (781)
- Peradorcas concinna*** Gould, 1842 [narharlek]
COC:eim *Sarcocystis* sp.; muscle; RU (826, 830, 1086)
- Petrogale brachyotis*** (Gould, 1841) [short-eared rock-wallaby]
COC:eim *Eimeria occidentalis* Barker et al., 1988; faeces; R8 (59)
COC:eim *Sarcocystis* sp.; muscle; RU (830, 1086)
- Petrogale godmani*** Thomas, 1923 [Godman's rock-wallaby]
COC:eim *Eimeria godmani* Barker et al., 1988; faeces; R1 (59)
COC:eim *Eimeria petrogale* Barker et al., 1988; faeces; R1 (59)
COC:eim *Eimeria sharmani* Barker et al., 1988; faeces; R1 (59)
- Petrogale inornata*** Gould, 1842 [unadorned rock-wallaby]
COC:eim *Eimeria baudemoensis* Barker et al., 1988; faeces; R1 (59)
COC:eim *Eimeria godmani* Barker et al., 1988; faeces; R1 (59)
COC:eim *Eimeria inornata* Barker et al., 1988; faeces; R1 (59)
COC:eim *Eimeria petrogale* Barker et al., 1988; faeces; R1 (59)
COC:eim *Eimeria sharmani* Barker et al., 1988; faeces; R1 (59)
COC:eim *Sarcocystis mucosa* (Blanchard, 1885); gut wall; R1 (312, 890)
- Petrogale lateralis*** Gould, 1842 [black-footed rock-wallaby]
COC:eim *Eimeria godmani* Barker et al., 1988; faeces; R5 (882)
COC:eim *Eimeria inornata* Barker et al., 1988; faeces; R5 (882)
COC:eim *Eimeria occidentalis* Barker et al., 1988; faeces; R7, R8 (59)
COC:eim *Eimeria petrogale* Barker et al., 1988; faeces; R1, R5 (59, 882)
COC:eim *Eimeria sharmani* Barker et al., 1988; faeces; R5, R6 (59, 882)
COC:eim Unidentified coccidia; faeces; R1 (fauna park) (1082)
- Petrogale penicillata*** (Gray, 1825) [brush-tailed rock-wallaby]
COC:eim *Eimeria petrogale* Barker et al., 1988; faeces; R1 (59)
COC:eim *Eimeria sharmani* Barker et al., 1988; faeces; R1 (59)
COC:eim *Sarcocystis mucosa* (Blanchard, 1885); colonic submucosa; zoo (EUR) (96, 97, 230, 606, 617, 663, 782, 872, 1234)
COC:eim *Sarcocystis* sp.; muscle; RU (826)
COC:eim Unidentified coccidian; faeces; R1 (59)
- Petrogale persephone*** Maynes, 1982 [Proserpine rock-wallaby]
COC:eim *Eimeria petrogale* Barker et al., 1988; faeces; R1 (59, 72)

- COC:eim *Eimeria sharmani* Barker et al., 1988; faeces; R1 (72)
- HEM:pir *Babesia* sp.; blood; R1 (899)
- Petrogale rothschildi** Thomas, 1904 [Rothschild's rock-wallaby]
- COC:eim *Eimeria occidentalis* Barker et al., 1988; faeces; R6 (59)
- COC:eim *Eimeria sharmani* Barker et al., 1988; faeces; R7 (59)
- Petrogale xanthopus** Gray, 1855 [yellow-footed rock-wallaby]
- COC:eim *Eimeria xanthopus* Barker et al., 1988; faeces; R5, zoo (Aust.) (59)
- COC:eim *Sarcocystis macropodis* Gilruth & Bull, 1912; intestinal submucosa; zoo (Aust.) (397)
- COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); LU; RU (310)
- Setonix brachyurus** (Quoy & Gaimard, 1830) [quokka]
- COC:eim *Eimeria quokka* Barker et al., 1988; faeces; R6 (60)
- COC:eim *Eimeria setonicis* Barker et al., 1988; faeces; R6 (60)
- COC:eim *Eimeria volckertzooni* Barker et al., 1988; faeces; R6 (60)
- COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); muscle, brain, kidney, antibodies (DT); R6 (167, 310, 390, 826, 1086)
- LIT:ent *Macropodinium baldense* Dehority, 1966; forestomach; R6 (271)
- LIT:ent *Macropodinium moiri* Dehority, 1966; forestomach; R6 (271)
- LIT:ent *Macropodinium setonixum* Dehority, 1966; forestomach; R6 (271)
- LIT:ent Unidentified ciliates; forestomach; R6 (783, 1271)
- LOB:amo *Entamoeba* sp.; intestines; RU (692)
- Thylogale billardierii** (Desmarest, 1822) [Tasmanian pademelon]
- COC:ade *Klossiella thylogale* Barker et al., 1985; kidney; R3 (58)
- COC:ade *Klossiella* sp.; kidney; RU (826, 851)
- COC:eim *Cryptosporidium* sp.; intestines; R5 (349, 898)
- COC:eim *Eimeria obendorfi* Barker et al., 1988; faeces; R3 (60)
- COC:eim *Eimeria ringaroomaensis* Barker et al., 1988; faeces; R3 (60)
- COC:eim *Eimeria thylogale* Barker et al., 1988; faeces; R3 (60)
- COC:eim *Sarcocystis mucosa* (Blanchard, 1885); intestinal submucosa; R3 (520)
- COC:eim *Sarcocystis* sp.; muscle; RU (826, 830)
- COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); various tissues, antibodies (DT, DAT, MAT, ELISA); R3 (31, 167, 551, 553, 811, 826, 905, 1086)
- LIT:ves *Dasytricha* sp.; stomach; RU (906)
- LIT:ves *Isotricha* sp.; stomach; RU (906)
- Thylogale thetis** (Lesson, 1827) [red-necked pademelon]
- COC:eim *Eimeria* sp.; intestinal mucosa; R4 (576)
- COC:eim *Pfeifferinella/Tyzzeria* sp.?; faeces; RU (60)
- Wallabia bicolor** (Desmarest, 1804) [swamp wallaby]
- LOB:amo Unidentified amoebae; stomach, oesophagus; RU (906)
- COC:eim *Eimeria bicolor* Barker et al., 1988; faeces; R2 (60)
- COC:eim *Eimeria wallabiae* Barker et al., 1988; faeces; R2 (60)
- COC:ade *Klossiella serendipensis* Barker et al., 1975; kidney; R2 (54, 826, 851, 1124)
- COC:eim *Sarcocystis* sp.; muscle; RU (830, 1086)
- COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); various organs; RU, zoo (USA), (310, 1086, 1141)
- LIT:ent *Heterotricha* sp.; stomach; R4 (273)
- LIT:ves *Dasytricha* sp.; stomach; RU (273, 906)
- LIT:ves *Isotricha* sp.; stomach; RU (273, 906)
- PHASCOLARCTIDAE**
[koala]
- Phascolarctos cinereus** (Goldfuss, 1817) [koala]
- COC:eim *Cryptosporidium parvum* Tyzzer, 1912; faeces; R5 (798)
- COC:eim *Cryptosporidium* sp.; intestines; R5 (349, 898)
- COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); various tissues; RU, R1, zoo (Aust.) (31, 168, 288, 462, 826, 899)
- UNC:sta *Blastocystis* sp.; faeces; R1 (119)
- VOMBATIDAE**
[wombats]
- Lasiorhinus latifrons** (Owen, 1845) [southern hairy-nosed wombat]
- COC:eim *Eimeria wombatii* (Gilruth & Bull, 1912); intestinal mucosa, faeces; R2, zoo (EUR) (28, 56, 303, 397, 946, 947, 949, 1112, 1234)
- COC:eim *Eimeria ursini* Supperer, 1957; intestines, faeces; R2, R5, zoo (EUR) (56, 303, 946, 947, 949, 1112)
- COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); LU; RU (303)
- Vombatus ursinus** (Shaw, 1800) [common wombat]
syn. *Phascolom mitchelli*

COC:eim *Eimeria arundeli* Barker et al., 1979; faeces, small intestine; R2, R3, zoo (Aust.) (56, 303, 972)

COC:eim *Eimeria* sp.; faeces; RU (28)

COC:eim *Toxoplasma wenyonii* Coutelen, 1932; brain; zoo (UK) (229, 310)

COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); various organs; RU (28, 31, 168, 303, 972, 1102)

LIT:ves *Isotricha* sp.; hindgut; R1 (899)

REPTILIA
CROCODILIA
CROCODYLIDAE
[crocodiles]

Crocodylus porosus Schneider, 1801 [estuarine or salt water crocodile]

COC:eim *Goussia* sp.?; intestines; R1 (919)

HEM:hae Unidentified haemosporidian; erythrocytes; R1 (919)

UNC:sta Unidentified protozoan; intestines (giant cell enteritis); R1 (619)

TESTUDINES
CHELONIIDAE
[sea turtles]

Chelonia mydas (Linnaeus, 1758) [green turtle]

COC:eim *Caryospora cheloniae* Leibovitz et al., 1978; intestines, kidney, brain; R13 (421)

COC:eim *Caryospora* sp.; intestines; R13 (899)

COC:eim *Cryptosporidium* sp.; intestines; R13 (899)

CHELIDAE
[side-necked tortoises]

Chelodina expansa Gray, 1857 [broad-shelled river turtle, lagoon tortoise]

COC:ade *Haemogregarina clelandi* Johnston, 1909; blood; R1 (695)

COC:ade *Haemogregarina* sp.; blood; zoo (Aust.) (581, 960)

Chelodina longicollis (Shaw, 1794) [eastern snake-necked or long-necked tortoise]

COC:ade *Haemogregarina clelandi* Johnston, 1909; blood; R1, R4 (128, 211, 212, 565, 575, 577, 581, 695)

HEM:hae *Haemocystidium chelodinae* Johnston & Cleland, 1909; blood; R1 (211, 564, 570, 572, 575, 577, 695)

ZOO:kin *Trypanosoma chelodina* Johnston, 1907; blood; R1, R4 (128, 211, 212, 533, 572, 575, 577, 581, 695, 1128)

Chelodina oblonga Gray, 1841 [oblong turtle]

COC:ade *Haemogregarina clelandi* Johnston, 1909; blood; R4 (211, 565, 570, 572, 577, 695)

HEM:hae *Haemocystidium chelodinae* Johnston & Cleland, 1909; blood; R2 (211, 575, 577, 695)

Elseya dentata (Gray, 1863) [northern snapping turtle]

COC:ade *Haemogregarina clelandi* Johnston, 1909; blood; R4 (695)

HEM:hae *Haemocystidium chelodinae* Johnston & Cleland, 1909; blood; R1 (695)

ZOO:kin *Trypanosoma chelodina* Johnston, 1907; blood; R1 (695, 1128)

Elseya latisternum Gray, 1867 [saw-shelled turtle]

COC:ade *Haemogregarina clelandi* Johnston, 1907; blood; R4 (695)

HEM:hae *Haemocystidium chelodinae* Johnston & Cleland, 1909; blood; R1 (695)

ZOO:kin *Trypanosoma chelodina* Johnston, 1907; blood; R1 (695, 1128)

Emydura kreffti (Gray, 1871) [Krefft's river turtle]

COC:ade *Haemogregarina clelandi* Johnston, 1909; blood; R4 (211, 572, 575, 577, 581, 695)

HEM:hae *Haemocystidium chelodinae* Johnston & Cleland, 1909; blood; R1 (211, 212, 572, 575, 695)

ZOO:kin *Trypanosoma chelodina* Johnston, 1907; blood; R1 (211, 212, 572, 575, 577, 581, 695, 1128)

Emydura macquarii (Gray, 1830) [Murray turtle]

COC:ade *Haemogregarina clelandi* Johnston, 1909; blood; R4 (577, 581, 695)

HEM:hae *Haemocystidium chelodinae* Johnston & Cleland, 1909; blood; R2 (577, 581, 695)

ZOO:kin *Trypanosoma chelodina* Johnston, 1907; blood; R4 (577, 581, 695, 1128)

SQUAMATA
SAURIA

HELODERMATIDAE
[Gila monsters]

Heloderma suspectum (Cope, 1869) [Gila monster]

COC:eim *Cryptosporidium* sp.; faeces; R5, zoo (Aust.) (896, 898)

GEKKONIDAE
[geckos]

Gehyra australis Gray, 1845 [northern dtella]

COC:eim *Eimeria gastrosa* Paperna, 1994; stomach; R1 (932)

HEM:hae *Haemoproteus gehyrae* Paperna & Landau, 1991; blood; R1 (930)

Gehyra dubia (Macleay, 1877) [tree dtella]

COC:eim *Eimeria* sp.; faeces; R1, R9 (899, 900)

Gehyra punctata (Fry, 1914) [spotted dtella]

COC:eim *Isospora* sp.; faeces; R1 (899)

- Gehyra robusta** King, 1983 [robust dtella]
COC:ade *Haemogregarina* sp.; blood; R1, R9 (899, 900)
- Gehyra variegata** (Dumeril & Bibron, 1836) [tree dtella]
COC:ade *Haemogregarina* sp.; lung, blood; R1, R4 (285, 695, 1093, 1094)
COC:eim *Eimeria gehyrae* Cannon, 1967; faeces, gall bladder; R1 (172)
COC:eim *Isospora* sp.; faeces, small intestines; R1, R2 (899, 1049)
HEM:hae *Haemoproteus mackerrasi* Paperna & Landau, 1991; blood; R1 (40, 695)
HEM:hae *Pirhemocytom tarentolae* Chatton & Blanc, 1914; blood; R1 (695, 1094)
- Heteronotia binoei** (Gray, 1845) [Bynoe's gecko]
COC:ade *Haemogregarina heteronotiae* Mackerras, 1961; blood, lung; R1 (695)
COC:ade *Haemogregarina* sp.; blood; R1 (899)
COC:eim *Eimeria gastrosauris* Paperna, 1994; stomach; R1 (931, 932)
COC:eim *Eimeria* sp.; faeces; R1 (899)
COC:eim *Isospora ablephari* Cannon, 1967; faeces, intestine; R1 (171)
COC:eim *Isospora* sp.; faeces; R1 (899)
HEM:hae *Haemoproteus mackerrasi* Paperna & Landau, 1991; blood; R1 (40, 695, 930)
HEM:pir *Babesia* sp.; blood; R1 (899)
- Nephrurus wheeleri** Loveridge, 1932
COC:ade *Haemogregarina* sp.; blood; R1 (899)
COC:eim *Schellackia* sp.; blood; R1 (899)
- Oedura castelnauui** (Thominot, 1889) [northern velvet gecko]
HEM:hae *Haemoproteus oedurae* Paperna & Landau, 1991; blood; R1 (930)
- Oeduramontana** De Vis, 1888 [ocellated velvetgecko]
COC:eim *Eimeria gastrosauris* Paperna, 1994; stomach; R1 (931, 932)
- Oedura tyroni** De Vis, 1884 [southern spotted velvet gecko]
COC:ade *Haemogregarina* sp.; blood; R1 (577, 581)
HEM:hae *Haemocystidium* sp.; blood; R1 (577, 581)
HEM:hac *Haemoproteus mackerrasi* Paperna & Landau, 1991; blood; R1 (40, 695)
- Phyllodactylus marmoratus** (Gray, 1845) [marbled gecko]
HEM:hae *Billbraya australis* Paperna & Landau, 1990; blood; R5 (927)
- Phyllurus cornutus** (Ogilby, 1892) [northern leaf-tailed gecko]
COC:eim *Isospora* sp.; faeces, intestine; R1 (171)

Phyllurus platurus (White, 1790) [southern leaf-tailed gecko]

- COC:ade *Haemogregarina* sp.; blood; R2 (695)
HEM:hae *Haemoproteus mackerrasi* Paperna & Landau, 1991; blood; R2 (40, 695)
HEM:hae *Pirhemocytom tarentolae* Chatton & Blanc, 1914; blood; R2 (66, 695)
ZOO:kin *Trypanosoma phylluri* Mackerras, 1961; blood; R2 (695, 1128)

Pseudothecadactylus lindneri Cogger, 1975 [giant cave gecko]

- COC:eim *Isospora* sp.; faeces; R1 (899)

Underwoodsaurus milii (Bory de Saint-Vincent, 1825) [thick-tailed gecko]

- COC:eim *Eimeria* sp.; faeces; R1 (899)
HEM:hae *Haemoproteus underwoodsauri* Paperna & Landau, 1991; blood; R5 (930)

PYGOPODIDAE [snake lizards]

Delma nasuta Kluge, 1974

- CO: eim *Isospora delmae* Finkelman & Paperna, 1994; small intestine; R5 (366)

Lialis burtonis Gray, 1835 [Burton's snake-lizard]

- CO: ade *Haemogregarina* sp.; blood; R1, R9 (899, 900)

AGAMIDAE [dragon lizards]

Amphibolurus barbatus (Cuvier, 1829) [bearded dragon or Jew lizard] syn. *Ctenophorus barbatus*, *Pogona barbata*

- CO: eim *Isospora amphibolurus* Cannon, 1967; faeces, duodenum; R1 (171)
CO: eim *Isospora* sp.; faeces; R1 (899)
CO: eim *Sarcocystis* sp.; muscle; RU (606)
HEM:hae *Plasmodium giganteum* Theiler, 1930; blood; R1 (40, 387, 695, 1127)

Amphibolurus caudicinctus (Gunther, 1875) [ring-tailed dragon]

- CO: ade *Haemogregarina* sp. blood; R1 (899)
HEM:hae *Haemoproteus* sp.; blood; R9 (900)

Amphibolurus vitticeps Ahl, 1926 [inland bearded dragon]

- CO: eim *Isospora amphiboluri* Cannon, 1967; faeces; zoo (USA) (738)

Diporiphora australis (Steindachner, 1867)

- CO: eim *Isospora canoni* Finkelman & Paperna, 1994; small intestine; R1 (367)

Moloch horridus Gray, 1841 [thorny devil or moloch]

- CO: eim *Eimeria molochis* Bovee & Telford, 1965; intestine, faeces; R10 (123, 172)

Physignathus lesueuri (Gray, 1831) [eastern water dragon]

COC:ade *Haemogregarina palmeri* Mackerras, 1961; blood; R2 (695)

COC:ade *Haemogregarina* sp.; blood; R1 (899)

VARANIDAE

[goannas or monitor lizards]

Varanus bellii Dumeril & Bibron, 1839

COC:ade *Haemogregarina varanicola* Johnston & Cleland, 1910; blood; R1 (580, 581)

Varanus giganteus (Gray, 1845) [perentie]

COC:eim *Cryptosporidium* sp.; faeces; R5 (898)

Varanus gouldii (Gray, 1838) [Gould's goanna or sand monitor]

COC:ade *Hepatozoon breinli* (Mackerras, 1961); blood; R1 (695, 697)

COC:ade *Haemogregarina gouldii* Johnston & Cleland, 1912; blood; R1 (211, 575, 577, 581, 695)

COC:ade *Haemogregarina johnstoni* Mackerras, 1961; blood, liver, heart; R1 (695)

COC:ade *Haemogregarina varanicola* Johnston & Cleland, 1910; blood; R1 (572, 695)

COC:eim *Sarcocystis* sp.; muscle; RU (833)

Varanus tristis (Schlegel, 1839) [spotted goanna]

COC:ade *Hepatozoon breinli* (Mackerras, 1961); blood; R1 (695, 697)

COC:ade *Haemogregarina gilruthi* Mackerras, 1961; blood; R1 (695)

COC:ade *Haemogregarina varanicola* Johnston & Cleland, 1910; blood; R4 (128, 572, 581, 695, 697)

Varanus varius (White, 1790) [lace monitor]

COC:ade *Hepatozoon breinli* (Mackerras, 1961); blood; R1 (695, 697)

COC:ade *Haemogregarina johnstoni* Mackerras, 1961; blood, liver, heart; R1 (695)

COC:ade *Haemogregarina varanicola* Johnston & Cleland, 1910; blood; R4 (211, 212, 572, 575, 577, 695)

COC:ade *Haemogregarina* sp.; blood; R4 (393, 577, 697)

COC:eim *Sarcocystis* sp.; muscle; RU (833)

SCINCIDAE

[skinks]

Ablepharus boutonii (Macleay, 1877) [callous-palmed shinning-skink]

COC:eim *Eimeria ablephari* Cannon, 1967; faeces, small intestine; R1 (172)

COC:eim *Isospora ablephari* Cannon, 1967; faeces, intestine; R1 (171)

Carlia jarnoldae Covacevich & Ingram, 1975

COC:ade *Haemogregarina* sp.; blood; R1 (899)

Carlia rhomboidalis (Peters, 1869)

HEM:hae *Fallisia copemani* Paperna & Landau, 1990; blood; R1 (928, 929, 1048, 1127)

Carlia vivax (De Vis, 1884)

COC:ade *Haemogregarina* sp.; blood; R1 (899)

Cryptoblepharus virgatus (Garman, 1901)

COC:eim *Isospora cryptoblephari* Finkelman & Paperna, 1994; small intestine; R1 (366)

Ctenotus severus Storr, 1969

HEM:pir *Babesia* sp.?; blood; R1 (899)

Ctenotus taeniatus (White, 1790) [copper-tailed skink]

COC:ade *Haemogregarina taeniolati* Mackerras, 1961; blood; R2 (695)

ZOO:kin *Trypanosoma* sp.; blood; R1, R2 (695)

Egernia cunninghami (Gray, 1832) [Cunningham's skink]

COC:ade *Haemogregarina cunninghami* Mackerras, 1961; blood; R1, R2 (695)

COC:ade *Haemogregarina egerniae* Mackerras, 1961; blood; R2 (695)

COC:ade *Haemogregarina obscura* Mackerras, 1961; blood; R2 (695)

HEM:hae *Plasmodium mackerrasae* Telford, 1979; blood; R1 (1048, 1126, 1127)

ZOO:kin *Trypanosoma egerniae* Mackerras, 1961; blood; R1 (695, 1128)

Egernia major (Gray, 1845) [land mullet]

HEM:hac *Plasmodium egerniae* Mackerras, 1961; blood; R1 (40, 387, 695, 1048, 1127)

Egernia striolata (Peters, 1870) [tree skink]

COC:ade *Haemogregarina cunninghami* Mackerras, 1961; blood; R1 (695)

COC:ade *Haemogregarina egerniae* Mackerras, 1961; blood; R1 (695)

HEM:hae *Plasmodium mackerrasae* Telford, 1979; blood; R1 (1048, 1126, 1127)

ZOO:kin *Trypanosoma egerniae* Mackerras, 1961; blood; R2 (695, 1128)

Egernia whitii (Lacepède, 1804) [White's skink]

COC:eim *Eimeria egerniae* Cannon, 1967; faeces, gall bladder; R4 (172)

COC:eim *Isospora egerniae* Cannon, 1967; faeces, intestine; R4 (171)

HEM:hae *Plasmodium mackerrasae* Telford, 1979; blood (exptl. infection); R1 (1048, 1126, 1127)

Lampropholis guichenoti (Dumeril & Bibron, 1839)

COC:eim *Eimeria lampropholidus* Cannon, 1967; faeces, small intestine; R1 (172)

Leiolopisma challengerii Bullinger, 1887 [orange-tailed shade skink]

COC:eim *Eimeria leiolopismatis* Cannon, 1967; faeces, small intestine; R1 (172)

Leiolopisma metallicum (O'Shaughnessy, 1874)

COC:eim *Sarcocystis* sp.; muscle; RU (833)

- Lygosoma taeniolatum*** White, ex Shaw, 1790 [copper-tailed skink]
 COC:ade *Haemogregarina* sp.; blood; R1 (577, 581)
 ZOO:kin *Trypanosoma* sp.; blood; R1 (577, 581)
- Sphenomorphus quoyii*** (Dumeril & Bibron, 1839) [eastern water skink] syn. *Lygosoma (Hinulica) quoyi*
 COC:ade *Haemogregarina hinuliae* Johnston & Cleland, 1910; blood; R1, R2 (211, 212, 572, 577, 695)
- Tiliqua multifasciata*** Sternfeld, 1919 [centralian blue-tongued lizard]
 COC:eim *Eimeria sternfeldi* McAllister et al., 1993; faeces; zoo (USA) (737)
- Tiliqua occipitalis*** (Peters, 1863) [western blue-tongued lizard]
 COC:eim *Eimeria* sp.; faeces; R1 (899)
- Tiliqua scincoides*** (White, 1790) [eastern blue-tongued lizard]
 COC:ade *Haemogregarina tiliquae* Johnston & Cleland, 1912; blood; R2 (211, 212, 575, 577, 695)
- Trachydosaurus rugosus*** Gray, 1825 [shingleback, stumpy-tailed or sleepy lizard] syn. *Tiliqua rugosa*
 COC:eim *Eimeria* sp.; faeces; R1 (899)
 COC:eim *Schellackia* sp.; blood; R1 (899)
 HEM:hae *Hemolivia mariae* Smallridge & Paperna, 1997; blood; R5 (1076)
 LOB:amo *Endamoeba* sp.; rectum; R5 (586)
 SPI:cle *Nyctotherus trachysauri* Johnston, 1932; rectum; R5 (586)
 ZOO:kin *Bodo* sp.; rectum; R5 (586)
 ZOO:ret *Copromonas* sp.; rectum; R5 (586)
 ZOO:tri *Trichomonas* sp.; rectum; R5 (586)
- SERPENTES**
- BOIDAE**
 [pythons]
- Aspidites melanocephalus*** (Krefft, 1864) [black-headed python]
 COC:ade *Haemogregarina* sp.; blood; R1 (899)
- Aspidites ramsayi*** (Macleay, 1882) [woma]
 COC:eim *Cryptosporidium* sp.; faeces; R5 (896, 898)
- Bothrochilus childreni*** (Gray, 1842) [Children's python]
 COC:ade *Haemogregarina* sp.; blood; R1 (899)
- Bothrochilus fuscus*** (Peters, 1873) [water python]
 COC:ade *Haemogregarina fuscus* Lewis, 1913; blood, liver, lung; R8 (665, 695)
 COC:ade *Haemogregarina* sp.; blood; R1 (899)
- Bothrochilus maculosus*** (Peters, 1873) [spotted python]
 HEM:pir *Babesia* sp.?; blood; R1 (899)
- Bothrochilus olivaceus*** (Gray, 1842) [olive python]
 COC:ade *Haemogregarina* sp.; blood; R1, R9 (899, 900)
- COC:eim *Schellackia* sp.; blood; R1, R9 (899, 900)
- Chondropython viridis*** (Schlegel, 1872) [green python]
 COC:ade *Haemogregarina pythonis* (Billet, 1895); blood; R1, R2 (695)
- Morelia amethystinus*** (Schneiger, 1801) [amethystine python] syn. *Python amethystinus*
 COC:ade *Haemogregarina amethystina* Johnston, 1909; blood; R1 (211, 566, 570, 572, 577, 581, 695)
 COC:ade *Haemogregarina pythonis* (Billet, 1895); blood; R1, 2 (695)
 COC:ade *Haemogregarina shattocki* Sambon & Seligmann, 1907; blood, liver, lung; RU (695, 1035)
- Morelia spilotes*** (Lacepède, 1804) [carpet & diamond pythons]
 COC:ade *Haemogregarina amethystina* Johnston, 1909; blood; R1 (695)
 COC:ade *Haemogregarina megalocystis* Gilruth et al., 1910; blood; RU (392, 577, 695)
 COC:ade *Haemogregarina moreliae* Johnston, 1909; blood; R7 (211, 565, 570, 572, 577, 695)
 COC:ade *Haemogregarina pococki* Sambon & Seligmann, 1907; blood; R1 (695)
 COC:ade *Haemogregarina pythonis* (Billet, 1895); blood; R1, 2 (695)
 COC:ade *Haemogregarina shattocki* Sambon & Seligmann, 1907; blood, liver, lung; RU, R1, zoo (UK) (211, 212, 565, 570, 572, 575, 577, 581, 695, 1035)
 COC:ade *Haemogregarina* sp.; blood; R1, R4, zoo (UK) (743, 899, 1054)
 COC:eim *Cryptosporidium* sp.; faeces; R5 (896, 898)
 COC:eim *Eimeria* sp.; faeces; R1 (899)
 COC:eim *Sarcocystis pythonis* Tiegs, 1931; muscle; RU (606, 1157)
 COC:eim *Sarcocystis* sp.; faeces, small intestines; R1, R4 (743, 899, 1033)
 HEM:hae *Pirhemocyon* sp.; blood; R1 (695)
 HEM:hae Unidentified haemosporidian; blood; R4 (743)
 LOB:ent *Entamoeba* sp.; faeces; R1 (899)
- Python reticulatus*** (Schneider, 1801) [reticulated python]
 COC:ade *Haemogregarina pythonis* (Billet, 1895); blood; R1, R2 (695)
- COLUBRIDAE**
 [colubrid snakes]
- Boiga irregularis*** (Merrem, 1802) [brown tree snake]
 COC:ade *Haemogregarina* sp.; blood; R1 (899)
- Boiga fusca*** (Gray, 1842) [brown tree snake]
 COC:ade *Haemogregarina boigae* Mackerras, 1961; blood, liver, lung; R1 (695)

- COC:ade *Haemogregarina mirabilis* Castellani & Willey, 1904; blood, liver, lungs; R1 (695)
 COC:ade *Haemogregarina* sp.; blood; R1 (128, 581)
- Dendrelaphis calligaster** (Gunther, 1867) [northern tree snake]
 COC:ade *Haemogregarina calligaster* Lewis, 1913; blood; R8, R9 (665, 695)
- Dendrelaphis punctulata** (Gray, 1826) [common tree snake]
 COC:ade *Haemogregarina dendrophidis* Johnston & Cleland, 1910; blood; R1 (211, 212, 572, 577, 581, 695)
 COC:eim *Caryospora dendrelaphis* Cannon & Rzepczyk, 1974; faeces; R1 (173, 1206)
- Elaphe guttata** (Linnaeus, 1766) [corn snake]
 COC:eim *Cryptosporidium* sp.; faeces; R2, zoo (Aust.) (125, 1207)
- Elaphe obsoleta** (Say, 1823) [rat snake]
 COC:eim *Cryptosporidium* sp.; faeces; R2, zoo (Aust.) (125, 1207)
- Stegonotus cucullatus** (Dumeril, Bibron & Dumeril, 1854) [slaty grey snake]
 COC:ade *Haemogregarina* sp.; blood; R1 (899)
 COC:eim *Eimeria* sp.; faeces; R1 (899)
- Stegonotus plumbeus** (Macleay, 1884) [slaty grey snake]
 COC:ade *Haemogregarina aspidomorphi* Mackerras, 1961; blood, liver, lung; R1 (695)
 COC:ade *Haemogregarina stegonoti* Mackerras, 1961; blood; R1 (695)
- Styphynchus mairii** (Gray, 1841) [keelback or freshwater snake] syn. *Amphiesma mairii*, *Tropidonophis mairii*
 COC:ade *Haemogregarina mirabilis* Castellani & Willey, 1904; blood, liver, lungs; R1 (695)
 COC:ade *Haemogregarina* sp.; blood; R1 (899)
- ELAPIDAE**
 [elapid snakes]
- Acanthophis antarcticus** (Shaw & Nodder, 1802) [common death adder]
 COC:ade *Haemogregarina* sp.; blood; zoo (UK) (695, 1055)
 COC:eim *Caryospora* sp.; faeces; R1 (899)
 COC:eim *Cryptosporidium* sp.; faeces; R1, R5 (796, 896, 898, 899)
 COC:eim *Eimeria* sp.; faeces, intestines; R1, R5 (743, 899)
- Acanthophis praelongus** Ramsay, 1877 [northern death adder]
 COC:ade *Haemogregarina* sp.; blood; R1 (899)
- Austrelaps superbus** (Gunther, 1858) [copperhead]
 COC:eim *Eimeria* sp.; intestines; R5 (743)
 COC:eim *Sarcocystis* sp.; intestines; RU (833)
- Cacophis harriettae** Kressl, 1869 [white-crowned snake]
 COC:ade *Haemogregarina aspidomorphi* Mackerras, 1961; blood, liver, lung; R1 (695)
- Demansia psammophis** (Schlegel, 1837) [yellow-faced whip snake, spinifex snake]
 COC:eim *Caryospora demansiae* Cannon, 1967; faeces, intestine; R1 (170, 1206)
 COC:ade *Haemogregarina* sp.; blood; R8 (211, 212, 572, 577, 695)
- Denisonia pallidiceps** (Gunther, 1858) [little black snake]
 COC:ade *Haemogregarina denisoniae* Mackerras, 1961; blood; R1 (695)
- Denisonia signata** (Jan, 1859) [marsh snake]
 COC:ade *Haemogregarina denisoniae* Mackerras, 1961; blood; R1 (695)
- Holcocephalus stephensi** Kressl, 1869 [Stephen's banded snake]
 COC:eim *Eimeria* sp.; faeces; R1 (899)
- Notechis ater** (Kressl, 1866) [black tiger snake]
 COC:eim *Cryptosporidium* sp.; stomach, faeces; R2, zoo (Aust.) (177, 896, 898)
 COC:eim *Eimeria* sp.; faeces; R1 (899)
 COC:eim *Sarcocystis murinotechis* Munday & Mason, 1980; intestine; RU (836)
 COC:eim *Sarcocystis* sp.; intestines; RU (833)
- Notechis scutatus** (Peters, 1861) [eastern or mainland tiger snake]
 COC:ade *Haemogregarina aspidomorphi* Mackerras, 1961; blood, liver, lung; R1 (695)
 COC:ade *Haemogregarina bancrofti* Johnston & Cleland, 1912; blood; R1 (695)
 COC:ade *Haemogregarina denisoniae* Mackerras, 1961; blood; R1 (695)
 COC:ade *Haemogregarina shattocki* Sambon & Seligmann, 1907; blood, liver, lung; RU (695)
 COC:eim *Cryptosporidium* sp.; stomach, faeces; R2, zoo (Aust.) (177)
- Oxyuranus microlepidotus** (McCoy, 1879) [inland taipan]
 COC:eim *Cryptosporidium* sp.; faeces; R5 (896, 898)
 COC:eim *Eimeria* sp.; faeces; R1 (899)
- Oxyuranus scutellatus** (Peters, 1867) [taipan]
 COC:eim *Cryptosporidium* sp.; faeces; R5, zoo (Aust.) (125, 796, 1207)
 ZOO:tri *Trichomonas* sp.; faeces; zoo (Aust.) (125)
- Pseudochis australis** (Gray, 1842) [mulga or king brown snake]
 COC:ade *Haemogregarina australis* Mackerras, 1961; blood; R1 (695)
 COC:ade *Haemogregarina bancrofti* Johnston & Cleland, 1912; blood; R1 (211, 212, 575, 577, 581, 695)

- COC:ade *Haemogregarina darwinensis* Lewis, 1913; blood; R8, R9 (665, 695)
- COC:ade *Haemogregarina eidsvoldensis* Mackerras, 1961; blood; R1 (695)
- COC:ade *Haemogregarina pseudoechis* Johnston, 1909; blood; R1 (695)
- COC:ade *Haemogregarina* sp.; blood; R1 (899)
- COC:eim *Cryptosporidium* sp.; faeces; R5 (898)
- COC:eim *Eimeria* sp.; faeces; R1 (899)
- COC:eim *Sarcocystis* sp.; faeces; R1 (899)
- Pseudechis guttatus*** De Vis, 1905 [spotted black snake]
- COC:ade *Haemogregarina bancrofti* Johnston & Cleland, 1912; blood; R1 (575, 695)
- COC:ade *Haemogregarina shattocki* Sambon & Seligmann, 1907; blood, liver, lung; RU (695)
- COC:eim *Cryptosporidium* sp.; faeces; R5 (896, 898)
- Pseudechis moretonensis*** De Vis, 1905 [orange-bellied brown snake]
- COC:ade *Haemogregarina bancrofti* Johnston & Cleland, 1912; blood; R1 (575, 577, 581)
- Pseudechis porphyriacus*** (Shaw, 1794) [red-bellied black snake]
- COC:ade *Haemogregarina denisoniae* Mackerras, 1961; blood; R1 (695)
- COC:ade *Haemogregarina pseudoechis* Johnston, 1909; blood; R1, R2 (211, 212, 565, 570, 572, 575, 577, 695)
- COC:ade *Haemogregarina* sp.; blood; zoo (UK) (445)
- COC:eim *Cryptosporidium* sp.; faeces, stomach; R2, R5 (743, 746, 1207)
- COC:eim *Eimeria* sp.; faeces; R1 (899)
- COC:eim *Sarcocystis* sp.; intestines; R5 (743)
- Pseudonaja affinis*** Gunther, 1872 [dugite]
- COC:eim *Cryptosporidium* sp.; faeces; R5 (896, 898)
- Pseudonaja nuchalis*** Gunther, 1858 [western brown snake or gwardar]
- COC:eim *Cryptosporidium* sp.; faeces; R5 (896, 898)
- COC:eim *Eimeria* sp.; intestines; R5 (743)
- Pseudonaja textilis*** (Dumeril, Bibron & Dumeril, 1854) [eastern brown snake] syn. *Diemenia textilis*
- COC:eim *Cryptosporidium* sp.; faeces; R5 (896, 898)
- ZOO:kin *Trypanosoma* sp.; blood; R1 (211, 572, 577, 581, 695)
- Tropidechis carinatus*** (Krefft, 1863) [rough-scaled snake]
- COC:eim *Cryptosporidium* sp.; faeces; R5 (898)
- VIPERIDAE**
[vipers]
- Bitis gabonica*** Duméril, Bibron & Duméril, 1854 [Gaboon viper]
- COC:eim *Cryptosporidium* sp.; faeces; R2, zoo (Aust.) (125, 1207)

AMPHIBIA
SALIENTIA

MYOBatrachidae
[southern frogs]

- Adelotus brevis*** (Gunther, 1863) [tusked frog]
- OPA:opa *Zelleriella hoytei* Delvinquier, 1987; intestines; RU (275, 279)
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Assa darlingtoni*** (Loveridge, 1933) [pouched frog]
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Crinia signifera*** (Girard, 1853)
- OPA:opa *Protoopalina tenuis* (Raff, 1911); intestines; R2 (768, 979)
- Hyperolia marmorata*** Kefersttin, 1867 [smooth toadlet]
- OPA:opa *Opalina intestinalis* Raff, 1911; intestines; R2 (979)
- OPA:opa *Opalina tenuis* Raff, 1911; intestines; R2 (979)
- Limnodynastes convexiusculus*** (Macleay, 1877) [marbled frog]
- OPA:opa *Protoopalina acuta* (Raff, 1911); intestines; RU (275, 279)
- OPA:opa *Protoopalina hylarum* (Raff, 1911); intestines; RU (275, 279)
- OPA:opa *Zelleriella vivieri* Delvinquier, 1987; intestines; RU (275, 279)
- ZOO:dip *Spironucleus elegans* Lavier, 1936; intestines; RU (276)
- ZOO:ret *Chilomastix caulleryi* (Alexeieff, 1909); intestines; RU (276)
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Limnodynastes dorsalis*** (Gray, 1841) [western banjo frog or pobblebonk]
- LOB:amo *Entamoeba morula* Raff, 1911; large intestine (tadpoles); RU (979)
- OPA:opa *Opalina* sp.; intestine; R2 (209)
- OPA:opa *Protoopalina acuta* (Raff, 1911); intestines; R2 (768, 979)
- OPA:opa *Protoopalina dorsalis* (Raff, 1912); intestines; R2, R6 (275, 279, 769, 768, 979)
- OPA:opa *Protoopalina jonesi* Delvinquier, 1987; intestines; RU (275, 279)
- OPA:opa *Protoopalina raffae* Delvinquier, 1987; intestines; RU (275, 279, 978)
- OPA:opa *Zelleriella binucleata* (Raff, 1911); intestines; RU (275, 768, 978)
- OPA:opa *Zelleriella devincki* Delvinquier, 1987; intestines; RU (275, 279)
- SPI:cle *Nyctotherus cordiformis* Ehrenberg, 1833; intestines; R2 (979)
- SPI:cle *Nyctotherus* sp.; gut; R2 (209)

- ZOO:dip *Spironucleus elegans* Lavier, 1936; intestines; RU (276)
- ZOO:ret *Copromonas subtilis* Dobell, 1908; gut; R1 (978)
- ZOO:ret *Chilomastix caulleryi* (Alexeieff, 1909); intestines; RU (276)
- ZOO:tri *Tetrastrichomonas prowazeki* (Alexeieff, 1909); intestines; RU (276)
- ZOO:tri *Trichomastix batrachorum* Dobell, 1908; large intestine; R1 (978)
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- ZOO:tri *Trichomonas batrachorum* Perty, 1852; large intestine; R1 (978)
- Limnodynastes dumerilii*** Peters, 1863 [eastern banjo frog]
- OPA:opa *Protoopalina acuta* (Raff, 1912); intestines; RU (279)
- OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; RU (275, 279)
- OPA:opa *Protoopalina dorsalis* (Raff, 1912); intestines; RU (275, 279)
- OPA:opa *Protoopalina jonesi* Delvinquier, 1987; intestines; RU (275, 279)
- OPA:opa *Protoopalina raffae* Delvinquier, 1987; intestines; RU (275, 279)
- OPA:opa *Protoopalina* sp.; intestines; RU (275, 279)
- OPA:opa *Zelleriella binucleata* (Raff, 1911); intestines; RU (275, 279, 978)
- OPA:opa *Zelleriella vivieri* Delvinquier, 1987; intestines; RU (275, 279)
- OPA:opa *Zelleriella* sp.; intestines; RU (275, 279)
- ZOO:dip *Spironucleus elegans* Lavier, 1936; intestines; RU (276)
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Limnodynastes ornatus*** (Gray, 1842) [ornate burrowing frog]
- MYX:biv *Myxidium immersum* (Lutz, 1889); gall bladder; R1 (274)
- OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; RU (275, 279)
- OPA:opa *Protoopalina hylarum* (Raff, 1911); intestines; RU (275)
- OPA:opa *Protoopalina raffae* Delvinquier, 1987; intestines; RU (275, 279)
- OPA:opa *Protoopalina waterloti* Delvinquier, 1987; intestines; RU (275, 279)
- ZOO:dip *Spironucleus elegans* Lavier, 1936; intestines; RU (276)
- ZOO:kin *Trypanosoma clelandi* Johnston, 1916; blood; R1 (211, 212, 581, 696)
- ZOO:kin *Trypanosoma* sp.; blood; R1 (209)
- ZOO:tri *Monocercomonas batrachorum* (Dobell, 1908); intestines; RU (276)
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Limnodynastes peronii*** (Dumeril & Bibron, 1841) [striped marsh frog]
- MYX:biv *Myxidium immersum* (Lutz, 1889); gall bladder; R1, R2 (274)
- OPA:opa *Opalina* sp.; intestine; R2 (209)
- OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; RU (275, 279)
- OPA:opa *Protoopalina dorsalis* (Raff, 1912); intestines; RU (275, 279, 768)
- OPA:opa *Protoopalina jonesi* Delvinquier, 1987; intestines; RU (275, 279)
- OPA:opa *Protoopalina raffae* Delvinquier, 1987; intestines; RU (275, 279)
- OPA:opa *Protoopalina* sp.; intestines; RU (275, 279)
- OPA:opa *Zelleriella antilliensis* (Metcalf, 1914); intestines (exptl. infection in tadpole); R1 (278)
- OPA:opa *Zelleriella binucleata* (Raff, 1911); intestines; RU (275, 279)
- OPA:opa *Zelleriella devincki* Delvinquier, 1987; intestines; RU (275, 279)
- OPA:opa *Zelleriella vivieri* Delvinquier, 1987; intestines; RU (275, 279)
- OPA:opa *Zelleriella* sp.; intestines; RU (275, 279)
- SPI:cle *Nyctotherus* sp.; gut; R2 (209)
- ZOO:dip *Spironucleus elegans* Lavier, 1936; intestines; RU (276)
- ZOO:tri *Monocercomonas batrachorum* (Dobell, 1908); intestines; RU (276)
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Limnodynastes salmini*** Steindachner, 1867 [salmon-striped frog]
- OPA:opa *Protoopalina jonesi* Delvinquier, 1987; intestines; RU (275, 279)
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Limnodynastes tasmaniensis*** Gunther, 1858 [spotted grass frog]
- COC:eim *Cryptosporidium* sp.; faeces; R5 (896, 898)
- LOB:amo *Entamoeba morula* Raff, 1911; intestines (tadpoles); RU (979)
- MYX:biv *Myxidium immersum* (Lutz, 1889); gall bladder; R1 (274)
- OPA:opa *Protoopalina acuta* (Raff, 1912); intestines; RU (275, 279)
- OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; RU (275, 279)
- OPA:opa *Protoopalina hylarum* (Raff, 1911); intestines; RU (275, 279)

- OPA:opa *Protoopalina jonesi* Delvinquier, 1987; intestines; RU (275, 279)
- OPA:opa *Protoopalina* sp.; intestines (tadpoles); RU (275, 279)
- OPA:opa *Zelleriella binucleata* (Raff, 1911); intestines; RU (275, 279, 768, 978)
- OPA:opa *Zelleriella camusi* Delvinquier, 1987; intestines; RU (275, 279)
- OPA:opa *Zelleriella devincki* Delvinquier, 1987; intestines; RU (275, 279)
- OPA:opa *Zelleriella* sp.; intestines (tadpoles); RU (275, 279)
- PHY:eug Unidentified euglenids; intestines; RU (979)
- SPI:cle *Nyctotherus condiformis* Ehrenberg, 1833; intestines; RU (978)
- SPI:cle *Nyctotherus* sp.; intestines; RU (979)
- ZOO:dip *Spironucleus elegans* Lavier, 1936; intestines; RU (276)
- ZOO:kin *Trypanosoma clelandi* Johnston, 1916; blood; R1, R5 (211, 212, 214, 581, 696)
- ZOO:kin *Trypanosoma* sp.; blood; R1 (209)
- ZOO:ret *Copromonas subtilis* Dobell, 1908; gut; R1 (978)
- ZOO:tri *Monocercomonas batrachorum* (Dobell, 1908); intestines; RU (276)
- ZOO:tri *Trichomastix batrachorum* Dobell, 1908; intestines; R1 (978)
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- ZOO:tri *Trichomonas batrachorum* Perty, 1852; intestines; R1 (978)
- ZOO:tri *Trichomonas* sp.; intestines; RU (979)
- Limnodynastes terraereginae** Fry, 1915 [northern banjo frog]
- MYX:biv *Myxidium immersum* (Lutz, 1889); gall bladder; R1 (274)
- OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; RU (275, 279)
- OPA:opa *Protoopalina hylarum* (Raff, 1911); intestines; RU (275, 279)
- OPA:opa *Protoopalina jonesi* Delvinquier, 1987; intestines; RU (275, 279)
- OPA:opa *Zelleriella devincki* Delvinquier, 1987; intestines; RU (275, 279)
- ZOO:dip *Spironucleus elegans* Lavier, 1936; intestines; RU (276)
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Mixophyes fasciolatus** Gunther, 1864 [great barred frog]
- MYX:biv *Myxidium immersum* (Lutz, 1889); gall bladder; R1 (274)
- OPA:opa *Protoopalina adelaideensis* Metcalf, 1923; intestines; RU (275, 279)
- OPA:opa *Protoopalina* sp.; intestines (tadpoles); R1 (275, 279)
- OPA:opa *Zelleriella* sp.; intestines (tadpoles); R1 (275, 279)
- OPA:opa *Zelleriella hoytei* Delvinquier, 1987; intestines (tadpoles); RU (275, 279)
- ZOO:tri *Monocercomonas batrachorum* (Dobell, 1908); intestines; RU (276)
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Mixophyes iteratus** Straughan, 1968 [giant barred frog]
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Mixophyes schevilli** Loveridge, 1933 [northern barred frog]
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Neobatrachus centralis** (Parker, 1940) [trilling frog]
- OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; RU (275, 279)
- OPA:opa *Protoopalina hylarum* (Raff, 1911); intestines; RU (275, 279)
- ZOO:dip *Spironucleus elegans* Lavier, 1936; intestines; RU (276)
- ZOO:tri *Monocercomonas batrachorum* (Dobell, 1908); intestines; RU (276)
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Neobatrachus pelobatoides** (Werner, 1914) [humming frog]
- OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; RU (275, 279)
- OPA:opa *Protoopalina jonesi* Delvinquier, 1987; intestines; RU (275, 279)
- ZOO:dip *Spironucleus elegans* Lavier, 1936; intestines; RU (276)
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Neobatrachus pictus** Peters, 1863
- OPA:opa *Protoopalina hylarum* (Raff, 1911); intestines; RU (275, 279)
- ZOO:dip *Spironucleus elegans* Lavier, 1936; intestines; RU (276)
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Pseudophryne bibrонii** Gunther, 1858 [brown toadlet]
- OPA:opa *Protoopalina bibrонii* Metcalf, 1940; intestines; R2, R5 (275, 279, 769)
- OPA:opa *Protoopalina jonesi* Delvinquier, 1987; intestines; RU (275, 279)
- OPA:opa *Protoopalina* sp.; intestines; RU (275, 279)
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Pseudophryne coriacea** Keferstein, 1868 [red-backed toadlet]
- OPA:opa *Protoopalina bibrонii* Metcalf, 1940; intestines; RU (275, 279)

- ZOO:dip *Spiromucleus elegans* Lavier, 1936; intestines; RU (276)
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Ranidella bilingua* Martin et al., 1980
- OPA:opa *Protoopalina tenuis* (Raffl, 1911); intestines; RU (275, 279)
- ZOO:dip *Spiromucleus elegans* Lavier, 1936; intestines; RU (276)
- ZOO:tri *Monoceromonas batrachorum* (Dobell, 1908); intestines; RU (276)
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Ranidella insignifera* (Moore, 1954)
- ZOO:dip *Spiromucleus elegans* Lavier, 1936; intestines; RU (276)
- Ranidella parinsignifera* (Main, 1957)
- MYX:biv *Myxidium immersum* (Lutz, 1889); gall bladder; R1 (274)
- OPA:opa *Protoopalina tenuis* (Raffl, 1911); intestines; RU (275, 279)
- ZOO:dip *Spiromucleus elegans* Lavier, 1936; intestines; RU (276)
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Ranidella signifera* Girard, 1853 [common eastern toadlet]
- OPA:opa *Protoopalina tenuis* (Raffl, 1911); intestines; RU (275, 279)
- ZOO:dip *Spiromucleus elegans* Lavier, 1936; intestines; RU (276)
- ZOO:tri *Monoceromonas batrachorum* (Dobell, 1908); intestines; RU (276)
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Ranidella tasmaniensis* (Gunther, 1864)
- OPA:opa *Protoopalina tenuis* (Raffl, 1911); intestines; R3 (275, 279)
- Tandactylus rheophilus* Liem & Hosmer, 1973
- ZOO:ret *Chilomastix caulleryi* (Alexeieff, 1909); intestines; RU (276)
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Uperoleia laevigata* Keserstein, 1867
- MYX:biv *Myxidium immersum* (Lutz, 1889); gall bladder; R1 (274)
- OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; RU (275, 279)
- ZOO:dip *Spiromucleus elegans* Lavier, 1936; intestines; RU (276)
- ZOO:tri *Monoceromonas batrachorum* (Dobell, 1908); intestines; RU (276)
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Uperoleia marmorata* Gray, 1841
- OPA:opa *Protoopalina raffae* Delvinquier, 1987; intestines; R8 (275, 279)
- OPA:opa *Protoopalina tenuis* (Raffl, 1911); intestines; R8 (275, 279)
- HYLIDAE**
[tree frogs]
- Cyclorana brevipes* (Peters, 1871)
- OPA:opa *Protoopalina hylarum* (Raffl, 1911); intestines; RU (275, 279)
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines RU (276)
- Cyclorana novaehollandiae* Steindachner, 1867
- OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; RU (275, 279)
- OPA:opa *Protoopalina hylarum* (Raffl, 1911); intestines; RU (275, 279)
- OPA:opa *Protoopalina raffae* Delvinquier, 1987; intestines; RU (275, 279)
- ZOO:dip *Spiromucleus elegans* Lavier, 1936; intestines; RU (276)
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Litoria adelaidensis* (Gray, 1841) [slender tree frog]
- OPA:opa *Protoopalina adelaidensis* Metcalf, 1923; intestines; R6 (275, 279, 768)
- Litoria aurea* (Lesson, 1829) [green and golden bell frog] syn. *Hyla aurea*
- LOB:amo *Entamoeba morula* Raffl, 1911; intestines (adults & tadpoles); RU, R2 (979)
- MYX:biv *Myxobolus hylae* Johnston & Banetoff, 1918; genitalia; R2 (582)
- MYX:biv *Myxobolus* sp.; genitalia; R2 (209, 212, 561)
- MYX:biv *Myxosporidium* sp.; LU; RU (464)
- OPA:opa *Opalina* sp.; rectum, intestine; R2 (209, 212, 491)
- OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; RU (275, 279, 768)
- OPA:opa *Protoopalina hylarum* (Raffl, 1911); intestines; RU (275, 279, 768, 978)
- OPA:opa *Protoopalina raffae* Delvinquier, 1987; intestines; RU (279, 978)
- OPA:opa *Protoopalina* sp.; intestines; RU (279)
- SPI:cle *Nyctotherus cordiformis* Ehrenberg, 1833; intestines; RU (978)
- SPI:cle *Nyctotherus* sp.; intestines; R2 (209, 212)
- ZOO:ret *Copromonas subtilis* Dobell, 1908; gut; R1 (978)
- ZOO:tri *Trichomastix batrachorum* Dobell, 1908; intestines; R1 (978)
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)

- ZOO:tri *Trichomonas batrachorum* Perty, 1852; intestines; R1 (978)
- Litoria caerulea** (White, 1790) [green tree frog] syn. *Hyla caerulea*
COC:ade *Haemogregarina hylae* Cleland & Johnston, 1910; blood, liver; R1, R2 (209, 211, 212, 214, 581, 696, 1091, 1092)
COC:eim *Hoarella/Octosporella* sp.; faeces; R1 (899)
LIT:ves *Balantidium* sp.; colon; R1 (581, 899)
LOB:amo *Amoeba* sp.; gut; R1 (581)
MYX:biv *Myxidium immersum* (Lutz, 1889); gall bladder; R1 (274)
MYX:biv *Myxidium* sp.; bile ducts, gall bladder; R1 (479)
OPA:opa *Opalina* sp.; intestines; R1, R2 (209, 212, 581)
OPA:opa *Protoopalina acuta* (Raff, 1911); intestines; RU (275, 279)
OPA:opa *Protoopalina adelaideensis* Metcalf, 1923; intestines; RU (275, 279)
OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; RU (275, 279)
OPA:opa *Protoopalina hylarum* (Raff, 1911); intestines; RU (275, 279)
OPA:opa *Protoopalina queenslandensis* Delvinquier, 1987; intestines; RU (275, 279)
OPA:opa *Protoopalina raffae* Delvinquier, 1987; intestines; RU (275, 279)
OPA:opa *Protoopalina* sp.; intestines; RU (275, 279)
OPA:opa *Zelleriella antilliensis* (Metcalf, 1914); intestines (exptl. infection in tadpoles); R1 (278)
OPA:opa *Zelleriella hoytei* Delvinquier, 1987; intestines (exptl infection in tadpoles); R1 (275)
SPI:cle *Nyctotherus* sp.; colon; R1, R2 (209, 212, 581, 900)
ZOO:dip *Giardia agilis* Kunstler, 1882; intestines; RU (276)
ZOO:dip *Spironucleus elegans* Lavier, 1936; intestines; RU (276)
ZOO:ret *Retortamonas dobelli* (Bishop, 1931); intestines; RU (276)
ZOO:tri *Monocercomonas batrachorum* (Dobell, 1908); intestines; RU (276)
ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
ZOO:tri *Trichomastix* sp.; gut; R1 (581)
- Litoria chloris** (Boulenger, 1893) [red-eyed tree frog]
OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; RU (275, 279)
OPA:opa *Protoopalina queenslandensis* Delvinquier, 1987; intestines; RU (275, 279)
OPA:opa *Zelleriella antilliensis* Metcalf, 1914; intestines (exptl. infection in tadpoles); R1 (278)
- ZOO:dip *Spironucleus elegans* Lavier, 1936; intestines; RU (276)
- Litoria cyclorhyncha** (Boulenger, 1882) [spotted-thighed frog]
OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; RU (275, 279)
ZOO:dip *Spironucleus elegans* Lavier, 1936; intestines; RU (276)
ZOO:tri *Monocercomonas batrachorum* (Dobell, 1908); intestines; RU (276)
ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Litoria dahlii** (Boulenger, 1896)
OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; RU (275, 279)
ZOO:dip *Spironucleus elegans* Lavier, 1936; intestines; RU (276)
ZOO:tri *Monocercomonas batrachorum* (Dobell, 1908); intestines; RU (276)
ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Litoria dentata** (Keferstein, 1868) [bleating tree frog]
MYX:biv *Myxidium immersum* (Lutz, 1889); gall bladder; R1 (274)
OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; RU (275, 279)
OPA:opa *Protoopalina hylarum* (Raff, 1911); intestines; RU (275, 279)
ZOO:dip *Spironucleus elegans* Lavier, 1936; intestines; RU (276)
ZOO:tri *Monocercomonas batrachorum* (Dobell, 1908); intestines; RU (276)
ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Litoria dorsalis** Macleay, 1877 [dwarf rocket frog]
OPA:opa *Opalina* sp.; intestines; R2 (212)
SPI:cle *Nyctotherus* sp.; intestines; R2 (212)
- Litoria ewingii** (Dumeril & Bibron, 1841) [brown tree frog]
OPA:opa *Protoopalina raffae* Delvinquier, 1987; intestines; RU (275, 279, 978)
SPI:cle *Nyctotherus coniformis* Ehrenberg, 1833; intestines; RU (978)
ZOO:dip *Spironucleus elegans* Lavier, 1936; intestines; RU (276)
ZOO:ret *Copromonas subtilis* Dobell, 1908; gut; R1 (978)
ZOO:tri *Monocercomonas batrachorum* (Dobell, 1908); intestines; RU (276)
ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)

- Litoria fallax** (Peters, 1880) [eastern dwarf tree frog]
- MYX:biv *Myxidium immersum* (Lutz, 1889); gall bladder; R1 (274)
 - OPA:opa *Protoopalina acuta* (Raff, 1911); intestines; RU (275, 279)
 - OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; RU (275, 279)
 - OPA:opa *Protoopalina hylarum* (Raff, 1911); intestines; RU (275, 279)
 - OPA:opa *Protoopalina jonesi* Delvinquier, 1987; intestines; RU (275, 279)
 - OPA:opa *Protoopalina raffae* Delvinquier, 1987; intestines; RU (275, 279)
 - OPA:opa *Protoopalina singeri* Delvinquier, 1987; intestines; RU (275, 279)
 - ZOO:dip *Spironucleus elegans* Lavier, 1936; intestines; RU (276)
 - ZOO:pro *Karotomorpha bufonis* (Dobell, 1908) Grasse, 1926; intestines; RU (276)
 - ZOO:ret *Chilomastix caulleryi* (Alexeieff, 1909); intestines; RU (276)
 - ZOO:tri *Monocercomonas batrachorum* (Dobell, 1908); intestines; RU (276)
 - ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Litoria gracilenta** (Peters, 1869) [dainty green tree frog]
- OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; RU (275, 279)
 - ZOO:dip *Spironucleus elegans* Lavier, 1936; intestines; RU (276)
 - ZOO:tri *Monocercomonas batrachorum* (Dobell, 1908); intestines; RU (276)
 - ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Litoria inermis** (Peters, 1867)
- OPA:opa *Protoopalina acuta* (Raff, 1911); intestines; RU (275, 279)
 - OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; RU (275, 279, 943)
 - OPA:opa *Protoopalina hylarum* (Raff, 1911); intestines; RU (275, 279)
 - OPA:opa *Protoopalina raffae* Delvinquier, 1987; intestines; RU (275, 279)
 - ZOO:dip *Spironucleus elegans* Lavier, 1936; intestines; RU (276)
 - ZOO:tri *Monocercomonas batrachorum* (Dobell, 1908); intestines; RU (276)
 - ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Litoria infrafrenata** (Gunther, 1867) [giant tree frog]
- OPA:opa *Protoopalina papuensis* Metcalf, 1923; intestines; RU (275, 279)
 - ZOO:dip *Spironucleus elegans* Lavier, 1936; intestines; RU (276)

- Litoria latopalmata** Gunther, 1867
- MYX:biv *Myxidium immersum* (Lutz, 1889); gall bladder; R1, R2 (274)
 - OPA:opa *Protoopalina acuta* (Raff, 1911); intestines; RU (275, 279)
 - OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; RU (275, 279)
 - OPA:opa *Protoopalina hylarum* (Raff, 1911); intestines; RU (275, 279)
 - OPA:opa *Protoopalina raffae* Delvinquier, 1987; intestines; RU (275, 279)
 - ZOO:dip *Spironucleus elegans* Lavier, 1936; intestines; RU (276)
 - ZOO:ret *Chilomastix caulleryi* (Alexeieff, 1909); intestines; RU (276)
 - ZOO:tri *Monocercomonas batrachorum* (Dobell, 1908); intestines; RU (276)
 - ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Litoria lesueuri** (Dumeril & Bibron, 1841) [Lesueur's frog] syn. *Hyla lesueuri*
- LOB:amo *Entamoeba morula* Raff, 1911; intestines; R2 (979)
 - MYX:biv *Myxidium immersum* (Lutz, 1889); gall bladder; R1, R2 (274)
 - OPA:opa *Protoopalina adelaideensis* Metcalf, 1923; intestines; RU (275, 279)
 - OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; RU (275, 279)
 - OPA:opa *Protoopalina hylarum* (Raff, 1911); intestines; RU (275, 279)
 - OPA:opa *Protoopalina raffae* Delvinquier, 1987; intestines; RU (275, 279)
 - ZOO:dip *Spironucleus elegans* Lavier, 1936; intestines; RU (276)
 - ZOO:kin *Trypanosoma* sp.; blood; R1 (209, 581, 696)
 - ZOO:tri *Monocercomonas batrachorum* (Dobell, 1908); intestines; RU (276)
 - ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Litoria moorei** (Copland, 1957) [western green and golden bell frog]
- OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; RU (275, 279)
- Litoria nannotis** (Andersson, 1916) [torrent tree frog]
- OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; RU (275, 279)
 - ZOO:tri *Monocercomonas batrachorum* (Dobell, 1908); intestines; RU (276)
 - ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Litoria nasuta** (Gray, 1842) [rocket frog] syn. *Hyla nasuta*
- MYX:biv *Myxidium immersum* (Lutz, 1889); gall bladder; R1, R2 (274)

- OPA:opa *Protoopalina acuta* (Raff., 1911); intestines; RU (275, 279)
- OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; RU (275, 279, 943)
- OPA:opa *Protoopalina hylarum* (Raff., 1911); intestines; RU (275, 279)
- OPA:opa *Protoopalina raffae* Delvinquier, 1987; intestines; RU (275, 279)
- ZOO:dip *Spiromucleus elegans* Lavier, 1936; intestines; RU (276)
- ZOO:kin *Trypanosoma* sp.; blood; R1 (47, 209, 581, 696)
- ZOO:ret *Chilomastix caulleryi* (Alevieill, 1909); intestines; RU (276)
- ZOO:tri *Monocercomonas batrachorum* (Dobell, 1908); intestines; RU (276)
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Litoria nigrofrenta* (Günther, 1867)
- OPA:opa *Protoopalina australis* Metcalf, 1923; intestines, RU (275, 279)
- OPA:opa *Protoopalina hylarum* (Raff., 1911); intestines; RU (275, 279)
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Litoria nyakalensis* Liem, 1974
- MYX:biv *Myxidium immersum* (Lutz, 1889); gall bladder; R1 (274)
- OPA:opa *Protoopalina adelaidensis* Metcalf, 1923; intestines; R1 (275, 279)
- OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; R1 (275, 279)
- ZOO:dip *Spiromucleus elegans* Lavier, 1936; intestines; RU (276)
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Litoria pallida* Davis et al., 1983
- OPA:opa *Protoopalina acuta* (Raff., 1911); intestines; RU (275, 279)
- OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; RU (275, 279)
- OPA:opa *Protoopalina hylarum* (Raff., 1911); intestines; RU (275, 279)
- OPA:opa *Protoopalina raffae* Delvinquier, 1987; intestines, RU (275, 279)
- ZOO:dip *Spiromucleus elegans* Lavier, 1936; intestines; RU (276)
- ZOO:tri *Monocercomonas batrachorum* (Dobell, 1908); intestines; RU (276)
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Litoria pearsoniana* (Copland, 1961)
- OPA:opa *Protoopalina raffae* Delvinquier, 1987; intestines; RU (275, 279)
- Litoria peronii* (Tschudi, 1838) [Peron's tree frog] syn. *Hyla peronii*
- LOB:amo *Litamoeba morula* Raff., 1911; intestines; RU (979)
- MYX:biv *Myxidium immersum* (Lutz, 1889); gall bladder; R1, R2 (274)
- OPA:opa *Opalina* sp.; intestines; R2 (212)
- OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; RU (275, 279)
- OPA:opa *Protoopalina hylarum* (Raff., 1911); intestines; RU (275, 279)
- OPA:opa *Protoopalina jonesi* Delvinquier, 1987; intestines; RU (275, 279)
- OPA:opa *Protoopalina queenslandensis* Delvinquier, 1987; intestines; RU (275, 279)
- OPA:opa *Protoopalina raffae* Delvinquier, 1987; intestines; RU (275)
- SPI:cle *Nyctotherus* sp.; intestines; R2 (212)
- ZOO:dip *Giardia agilis* Kunstler, 1882; intestines; RU (276)
- ZOO:dip *Spiromucleus elegans* Lavier, 1936; intestines; RU (276)
- ZOO:ret *Copromonas subtilis* Dobell, 1908; gut; R1 (978)
- ZOO:tri *Monocercomonas batrachorum* (Dobell, 1908); intestines; RU (276)
- ZOO:tri *Trichomitus batrachorum* Dobell, 1908; intestines; R1 (978)
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- ZOO:tri *Trichomonas batrachorum* Perty, 1852; intestines; R1 (978)
- Litoria raniformis* (Keserstein, 1867)
- OPA:opa *Protoopalina hylarum* (Raff., 1911); intestines; RU (275, 279)
- OPA:opa *Protoopalina raffae* Delvinquier, 1987; intestines; RU (275, 279)
- ZOO:dip *Spiromucleus elegans* Lavier, 1936; intestines; RU (276)
- Litoria revelata* Ingram et al., 1982
- MYX:biv *Myxidium immersum* (Lutz, 1889); gall bladder; R1 (274)
- ZOO:dip *Spiromucleus elegans* Lavier, 1936; intestines; RU (276)
- ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)
- Litoria rheocola* Liem, 1974
- OPA:opa *Protoopalina adelaidensis* Metcalf, 1923; intestines; RU (275, 279)
- OPA:opa *Protoopalina raffae* Delvinquier, 1987; intestines; RU (275, 279)
- ZOO:dip *Spiromucleus elegans* Lavier, 1936; intestines; RU (276)
- ZOO:tri *Monocercomonas batrachorum* (Dobell, 1908); intestines; RU (276)

ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)

Litoria rothii (De Vis, 1884)

OPA:opa *Protoopalina acuta* (Raff, 1911); intestines; RU (275, 279)

OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; RU (275, 279)

OPA:opa *Protoopalina hylarum* (Raff, 1911); intestines; RU (275, 279)

OPA:opa *Protoopalina queenslandensis* Delvinquier, 1987; intestines; RU (275, 279)

OPA:opa *Protoopalina raffae* Delvinquier, 1987; intestines; RU (275, 279)

ZOO:dip *Spironucleus elegans* Lavier, 1936; intestines; RU (276)

ZOO:pro *Karotomorpha bufonis* (Dobell, 1908); intestines; RU (276)

ZOO:ret *Chilomastix caulleryi* (Alexeieff, 1909); intestines; RU (276)

ZOO:tri *Monocercomonas batrachorum* (Dobell, 1908); intestines; RU (276)

ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)

Litoria rubella (Gray, 1842) [desert tree frog]

MYX:biv *Myxidium immersum* (Lutz, 1889); gall bladder; R1 (274)

OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; RU (275, 279, 943)

OPA:opa *Protoopalina hylarum* (Raff, 1911); intestines; RU (275, 279)

OPA:opa *Protoopalina jonesi* Delvinquier, 1987; intestines; RU (275, 279)

OPA:opa *Protoopalina queenslandensis* Delvinquier, 1987; intestines; RU (275, 279)

OPA:opa *Protoopalina tronchini* Delvinquier, 1987; intestines; RU (275, 279)

SPI:cle *Nyctotherus* sp.; faeces; R1, R9 (899, 900)

ZOO:dip *Spironucleus elegans* Lavier, 1936; intestines; RU (276)

ZOO:ret *Chilomastix caulleryi* (Alexeieff, 1909); intestines; RU (276)

ZOO:tri *Monocercomonas batrachorum* (Dobell, 1908); intestines; RU (276)

ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)

Litoria serrata (Andersson, 1916)

ZOO:dip *Spironucleus elegans* Lavier, 1936; intestines; RU (276)

Litoria tornieri (Nieden, 1923)

OPA:opa *Protoopalina acuta* (Raff, 1911); intestines; RU (275, 279)

OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; RU (275, 279)

OPA:opa *Protoopalina hylarum* (Raff, 1911); intestines; RU (275, 279)

OPA:opa *Protoopalina raffae* Delvinquier, 1987; intestines; RU (275, 279)

ZOO:dip *Spironucleus elegans* Lavier, 1936; intestines; RU (276)

ZOO:tri *Monocercomonas batrachorum* (Dobell, 1908); intestines; RU (276)

ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)

Litoria tyleri Martin et al., 1979

MYX:biv *Myxidium immersum* (Lutz, 1889); gall bladder; R1 (274)

OPA:opa *Protoopalina adelaideensis* Metcalf, 1923; intestines; RU (275, 279)

OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; RU (275, 279)

OPA:opa *Protoopalina raffae* Delvinquier, 1987; intestines; RU (275)

ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines RU (276)

Litoria verreauxii (Dumeril, 1853)

MYX:biv *Myxidium immersum* (Lutz, 1889); gall bladder; R1 (274)

OPA:opa *Protoopalina tronchini* Delvinquier, 1987; intestines; RU (275)

OPA:opa *Protoopalina* sp.; intestines; RU (279)

ZOO:dip *Spironucleus elegans* Lavier, 1936; intestines; RU (276)

Nyctimystes dayi (Günther, 1897) [Australian lace-lid]

ZOO:dip *Spironucleus elegans* Lavier, 1936; intestines; RU (276)

ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)

MICROHYLIDAE

[narrow-mouthed toads]

Cophixalus ornatus (Fry, 1912)

ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)

Sphenophryne robusta (Fry, 1912)

ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)

RANIDAE

[`true' frogs]

Rana daemeli (Steindachner, 1868) [wood frog]

ZOO:tri *Trichomitus batrachorum* (Perty, 1852); intestines; RU (276)

BUFONIDAE

[`true' toads]

Bufo marinus (Linnaeus, 1758) [marine or cane toad]

COC:eim *Isospora* sp.; large intestine; RU (1087)

LOB:amo *Hyalodaktylethra renacuajo* (Frenzel, 1892); cloaca (adults & tadpoles), R1, R9 (277, 1087)

LOB:amo *Saccamoeba* sp.; intestines; R1 (384)
 MYX:biv *Myxidium immersum* (Lutz, 1889); gall bladder, R1 (274, 277, 1087)
 OLI:mob *Trichodina* sp.; skin (tadpoles), intestines; R1 (277, 1087)
 OPA:opa *Protoopalina australis* Metcalf, 1923; intestines; R1, R9, RU (275, 277, 279, 1087)
 OPA:opa *Protoopalina hylarum* (Raff, 1911); intestines; RU, R1, R9 (275, 277, 279, 1087)
 OPA:opa *Protoopalina raffae* Delvinquier, 1987; intestines; RU (275, 277, 279, 1087)
 OPA:opa *Protoopalina* sp.; intestines; R1 (384, 1087)
 OPA:opa *Zelleriella antilliensis* (Metcalf, 1914); cloaca; R1, R9 (275, 277, 278, 279, 1087)
 OPA:opa *Zelleriella* sp.; intestines; R1 (277, 384, 1087)
 SPI:cle *Nyctotheroides* sp.; intestines; R1 (277, 384, 1087)
 ZOO:dip *Giardia agilis* Kunstler, 1882; intestines; R1 (276, 277, 1087)
 ZOO:dip *Spironucleus elegans* Lavier, 1936; intestines; R1, R9 (276, 277, 1087)
 ZOO:dip Unidentified diplomonads; intestines; R1 (384)
 ZOO:tri *Monoceromonas batrachorum* (Dobell, 1908); cloaca; R1, R9 (276, 277, 1087)
 ZOO:tri *Trichomitus batrachorum* (Perty, 1852); cloaca; R1, R9 (276, 277, 1087)
 ZOO:tri *Trichomonas* sp.; intestines; R1 (384)
 ZOO:ret *Chilomastix caulleryi* (Alexeieff, 1909); cloaca; R1, R9 (276, 277, 1087)
 ZOO:ret *Retortamonas dobelli* (Bishop, 1931); cloaca; R1 (276, 277, 1087)

PIPIDAE

Xenopus laevis (Daudin, 1803) [African clawed frog]
 OPA:opa *Protoopalina australis* Metcalf, 1923; intestines (exptl. infection), RU (275)
 OPA:opa *Zelleriella antilliensis* (Metcalf, 1914); intestines (exptl. infection), R1 (278)

AVES

STRUTHIONIFORMES

CASUARIIDAE [cassowaries, emus]

Casuarius casuarius (Linnaeus, 1758) [southern cassowary]
 COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); brain; RU (1106)
Dromaius novaehollandiae (Latham, 1790) [emu]
 COC:eim *Eimeria* sp.; gut; RU (1106)
 ZOO:dip *Giardia* sp.; gut; RU (1106)
 ZOO:tri *Trichomonas* sp.; gut; RU (1106)

STRUTHIONIDAE [ostriches]

Struthio camelus Linnaeus, 1758 [ostrich]
 UNC:sta *Blastocystis* sp.; faeces; R1 (119, 1100)

CICONIIFORMES

ACCIPITRIDAE [kites, hawks & eagles]

Accipiter fasciatus (Vigors & Horsfield, 1827) [brown goshawk]
 COC:eim *Sarcocystis* sp.; muscle; RU (446, 833)
 ZOO:tri *Trichomonas* sp.; oesophagus, pharynx; R2 (989)

Elanus notatus Gould, 1838 [black-shouldered kite]
 COC:eim *Sarcocystis* sp.; muscle; RU (446, 833)

Haliastur cirrenera Vieillot, 1817 [white-headed sea-eagle] syn. *H. leucosternus*

HEM:hae *Haemoproteus danilewskyi* Kruse, 1890; blood; R1 (128, 217, 581, 694)

ZOO:kin *Trypanosoma avium* Danilewsky, 1885; blood; R1 (128, 217, 581, 694)

Haliastur indus (Boddaert, 1783) [Brahminy kite]

HEM:pir *Babesia* sp.; blood; R1 (899)

Pandion haliaetus (Linnaeus, 1758) [osprey]

COC:eim *Eimeria* sp.; faeces; R1 (899)

ANHINGIDAE [darters]

Anhinga rufa (Daudin, 1802) [darter]

COC:eim *Sarcocystis* sp.; muscle; RU (833)

ARDEIDAE [herons & bitterns]

Ardea novaehollandiae Latham, 1790 [white-faced heron] syn. *Notophoxys novaehollandiae*

HEM:hae *Haemoproteus danilewskyi* Kruse, 1890; blood; R1 (128, 217, 581, 694)

ZOO:kin *Trypanosoma notophoxis* Breinl, 1913; blood; R1 (128, 217, 581, 694)

Ardea pacifica Latham, 1801 [Pacific heron]

COC:eim *Sarcocystis* sp.; muscle; RU (833)

Egretta alba (Linnaeus, 1758) [great egret]

COC:eim *Sarcocystis* sp.; muscle; RU (833)

Egretta sacra (Gmelin, 1789) [eastern reef egret, reef heron] syn. *Demigretta sacra*

ZOO:kin *Trypanosoma notophoxis* Breinl, 1913; blood; R9 (694)

Nycticorax caledonicus (Gmelin, 1789) [rufous night heron]

COC:eim *Sarcocystis* sp.; muscle; RU (833)

HEM:hae *Leucocytozoon* sp.; heart endothelia; R2 (989)

FALCONIDAE [falcons]

Falco berigora Vigors & Horsfield, 1827 [brown falcon]
 COC:eim *Sarcocystis* sp.; muscle; RU (833)
 COC:eim *Sarcocystis/Frenckelia* sp.; intestines;
 RU (833)

Falco cenchroides Vigors & Horsfield, 1827 [Australian kestrel, Nankeen kestrel]
 HEM:hae *Haemoproteus* sp.; blood; R1 (899)

Falco hypoleucus Gould, 1840 [grey falcon]
 ZOO:kin *Trypanosoma avium* Danilewsky, 1885;
 blood; R1 (128, 217, 581, 694)
 HEM:hae *Plasmodium* sp.; blood; R1 (128, 215,
 217, 446, 581, 694)

LARIDAE [gulls, terns & skuas]

Catharacta lönbergi Mathews, 1912 [skua]
 COC:eim *Sarcocystis* sp.; muscle; RU (833)

Larus novaehollandiae Stephens, 1826 [silver gull]
 COC:eim *Sarcocystis* sp.; muscle; RU (833)
 HEM:hae *Plasmodium relictum* (Grassi & Feletti,
 1891); blood; R2 (643)
 HEM:hae *Plasmodium* sp.; blood; R2 (446, 694)

Larus pacificus Latham, 1801 [Pacific gull]
 COC:eim *Sarcocystis* sp.; muscle; RU (833)

PELECANIDAE [pelicans]

Pelecanus conspicillatus Temminck, 1824
[Australian pelican]
 COC:eim *Sarcocystis* sp.; muscle; RU (833)

PHALACROCORACIDAE [cormorants & shags]

Phalacrocorax carbo (Linnaeus, 1758) [great cormorant]
 COC:eim *Sarcocystis* sp.; muscle; RU (833)

Phalacrocorax melanoleucus (Vieillot, 1817) [little pied cormorant]
 HEM:hae *Leucocytozoon vandenbrandeni* Rodhain, 1931; blood; R4 (694)
 COC:eim *Sarcocystis* sp.; muscle; RU (833)

Phalacrocorax sulcirostris (Brandt, 1837) [little black cormorant]
 COC:eim *Sarcocystis* sp.; muscle; RU (833)

Phalacrocorax varius (Gmelin, 1879) [pied cormorant]
 COC:eim *Sarcocystis* sp.; muscle; RU (833)

PODICIPEDIDAE [grebes]

Poliocephalus poliocephalus (Jardine & Selby, 1827)
[hoary-headed grebe]
 COC:eim *Sarcocystis* sp.; muscle; RU (833)

PROCELLARIIDAE [fulmars, petrels & allies]

Puffinus tenuirostris (Temminck, 1835) [short-tailed shearwater, Tasmanian mutton bird]
 COC:eim *Eimeria serventyi* Pellerdy, 1974;
 kidney; R3 (167, 446, 808)

SPHENISCIDAE [penguins]

Eudyptula minor (Forster, 1781) [little penguin]
 COC:eim Unidentified coccidia; kidney; RU, R2
 (31, 904, 990)
 HEM:pir *Babesia* sp.?; blood; R1 (899)
 ZOO:kin *Trypanosoma eudyptulae* Jones &
 Woehler, 1989; blood; R3 (596)

THRESKIORNITHIDAE [ibises & spoonbills]

Platalea flavipes Gould, 1838 [yellow-billed spoonbill]
 COC:eim *Sarcocystis* sp.; muscle; RU (833)
Threskiornis molucca Cuvier, 1829 [white ibis]
 HEM:hae *Haemoproteus* sp.; blood; R1 (899)
Threskiornis spinicollis (Jameson, 1835) [straw-necked ibis]
 ZOO:dip *Giardia* sp.; intestines; R6 (380, 751,
 752)

ANSERIFORMES

ANSERANATIDAE [magpie geese]

Anseranas semipalmata (Latham, 1798) [magpie goose]
 COC:eim *Sarcocystis* sp.; muscle; RU (833)

ANATIDAE [geese, swans & ducks]

Anser anser domesticus Linnaeus 1758 [domestic goose]
 COC:eim *Eimeria truncata* (Railliet & Lucet,
 1891); kidney; RU (167, 446, 801, 990)
 COC:eim *Eimeria* sp.; intestine; RU (801)
 HEM:hae *Haemoproteus nettionis* (Johnston &
 Cleland, 1909); blood; RU (801)
 UNC:sta *Blastocystis* sp.; faeces; R1 (1100)

Anas castanea (Eyton, 1838) [chestnut teal] syn.
Nettion castaneum, *Nettium castaneum*
 HEM:hae *Haemoproteus nettionis* (Johnston &
 Cleland, 1909); blood; R2 (74, 208, 211, 217, 568,
 570, 571, 578, 579, 694)

Anas gibberifrons Muller, 1842 [grey teal]
 COC:eim *Sarcocystis* sp.; muscle; RU (833)
 HEM:hae *Haemoproteus nettionis* (Johnston &
 Cleland, 1909); blood; R2 (74)
 HEM:hae *Plasmodium relictum* (Grassi & Feletti,
 1891); blood; R2 (74)

Anas platyrhynchos Linnaeus, 1758 [mallard, domestic duck]

COC:eim *Cryptosporidium* sp.; trachea, nasal cavity, bursa; R5 (801, 889, 896, 898)

COC:eim Unidentified coccidian; faeces; R2 (1059, 1060)

UNC:sta *Blastocystis* sp.; faeces; R1 (1101, 1100)

UNC:sta Unidentified protozoan; lungs; R2 (989)

Anas superciliosa Gmelin, 1789 [Pacific black duck]

COC:eim *Sarcocystis* sp.; muscle; RU (833)

HEM:hae *Haemoproteus nettionis* (Johnston & Cleland, 1909); blood; R2 (74, 694)

HEM:hae *Plasmodium biziurae* Gilruth et al., 1910; blood; RU (694)

Biziura lobata (Shaw, 1796) [musk duck]

HEM:hae *Plasmodium biziurae* Gilruth et al., 1910; blood; zoo (Aust.) (217, 392, 579, 694)

Chenonetta jubata (Latham, 1801) [maned duck]

HEM:hae *Haemoproteus nettionis* (Johnston & Cleland, 1909); blood; R2 (74)

Cygnus atratus (Latham, 1790) [black swan] syn *Chenopsis atrata*

HEM:hae *Plasmodium biziurae* Gilruth et al., 1910; blood; R1 (215, 216, 217, 446, 581, 694)

Malacorhynchus membranaceus (Latham, 1801) [pink eared duck]

HEM:hae *Plasmodium biziurae* Gilruth et al., 1910; blood; R1 (694)

Tadorna tadornoides (Jardine & Selby, 1828) [Australian shelduck, chestnut-breasted shelduck]

syn. *Casarca tadornoides*

HEM:hae *Haemoproteus nettionis* (Johnston & Cleland, 1909); blood; R2, zoo (UK) (74, 579, 694, 959)

CRACIFORMES

MEGAPODIDAE

[mound builders]

Alectura lathami Gray, 1831 [Australian brush turkey]

HEM:hae *Haemoproteus* sp.; blood; R1 (210, 216, 217, 579, 581, 694)

GALLIFORMES

PHASIANIDAE

[quails & allies]

Alectoris chukar Gray, 1830 [chukar partridge]

COC:eim *Eimeria adenoides* Moore & Brown, 1951; gut; R2 (989)

ZOO:dip *Hexamita* sp.; gut; RU (446, 1052)

ZOO:tri *Histomonas* sp.; LU; RU (801)

Coturnix coturnix Linnaeus, 1758 [common quail]

ZOO:dip *Hexamita* sp.; gut; RU (446, 1052)

COC:cim *Cryptosporidium* sp.; trachea, nasal cavity, bursa; R2, R5 (167, 673, 801, 889, 989, 1138)

Coturnix (unidentified species)

COC:eim Unidentified coccidian; intestines; RU (990)

ZOO:tri *Histomonas* sp.; LU; RU (990)

Gallus gallus Linnaeus, 1758 [domestic chicken]

COC:eim *Cryptosporidium* sp.; bursa, trachea, faeces(exptl.infection); RU, R5(801, 889, 1177)

COC:eim *Eimeria acervulina* Tyzzer, 1929; intestines; R1, R2 (17, 167, 431, 601, 786, 801, 869, 870, 1059, 1060)

COC:eim *Eimeria brunetti* Levine, 1942; intestines; RU, R2(167, 431, 601, 801, 870, 1060)

COC:eim *Eimeria maxima* Tyzzer, 1929; intestines; RU, R2 (167, 431, 454, 601, 801, 870, 1059, 1060)

COC:eim *Eimeria mitis* Tyzzer, 1929; intestines; RU (452, 601, 1060)

COC:eim *Eimeria miyati* Edgar & Seibold, 1964; intestines; RU (801, 1060)

COC:eim *Eimeria necatrix* Johnson, 1930; intestines; RU, R1, R2, R5, R6(167, 431, 451, 452, 454, 511, 601, 801, 869, 870, 1059, 1060)

COC:eim *Eimeria praecox* Johnson, 1930; faeces, intestines; R2 (601, 801)

COC:eim *Eimeria tenella* (Railliet & Lucet, 1891); caeca, intestines; R2, R3, R6(17, 25, 26, 27, 76, 167, 431, 451, 452, 454, 511, 601, 801, 804, 869, 870, 1059, 1060)

COC:eim *Eimeria* sp.; faeces; RU (422)

COC:eim *Sarcocystis* sp.; skeletal muscles; R3 (167, 446, 754, 801, 823)

COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); muscle; RU (167, 801)

ZOO:tri *Tetrahymenonas gallinarum* (Martin & Robertson, 1911); intestines; R2 (167, 801, 1059)

ZOO:tri *Trichomonas gallinae* (Rivolta, 1878); pharynx, oesophagus, crop; R5 (801, 977)

ZOO:tri *Trichomonas* sp.; caeca, crop, oesophagus; R5 (167, 1060)

ZOO:tri *Tritrichomonas eberthi* (Martin & Robertson, 1911); LU; RU (801)

ZOO:tri *Histomonas meleagridis* (Smith, 1895); caeca, liver; R1, R2, R3, R5 (167, 191, 450, 454, 801, 980, 1059, 1005, 1060)

UNC:sta *Blastocystis* sp.; faeces; R1 (119, 185, 1100)

Meleagris gallopavo Linnaeus, 1758 [domestic turkey]

ZOO:dip *Spironucleus meleagridis* (McNeil et al., 1941); intestines; R2 (73, 167, 1059, 1060)

ZOO:tri *Histomonas meleagridis* (Smith, 1895); intestines, liver; RU, R2, R3, R4, R5 (73, 167, 191, 570, 801, 1059, 1060)

COC:eim *Eimeria gallopavonis* Hawkins, 1952; intestines: RU (167, 801)

Pavo cristatus Linnaeus, 1758 [peafowl, peacock]

COC:eim *Cryptosporidium* sp.; trachea, conjunctiva: RU (167, 673, 732, 801)

ZOO:dip *Hexamita* sp.; gut: RU (446, 1052)

ZOO:tri *Histomonas meleagridis* (Smith, 1895); liver, intestines; R1, R2, R3 (167, 801, 942, 1059, 1060)

Phasianus colchicus Linnaeus, 1758 [common pheasant]

COC:eim *Cryptosporidium* sp.; trachea, nasal cavity, bursa; R2, R5 (673, 801, 889, 1237)

ZOO:dip *Hexamita* sp.; gut, RU (446, 1052)

ZOO:tri *Histomonas meleagridis* (Smith, 1895); intestines: R2, R5 (167)

GRUIFORMES

RALLIDAE

[rails & allies]

Fulica atra Linnaeus, 1758 [Eurasian coot]

COC:eim *Sarcocystis* sp.; muscle; RU (833)

Gallinula mortierii (Dubois, 1840) [Tasmanian native hen] syn. *Tribonyx mortieri*

COC:eim *Sarcocystis* sp.; muscle; RU (833)

Porphyrio porphyrio (Linnaeus, 1758) [purple swamphen]

COC:eim *Sarcocystis* sp., muscle; RU (833)

Rallus philippensis Linnaeus, 1766 [buff-banded rail]

COC:eim *Eimeria* sp.; faeces; R1 (899)

COLUMBIFORMES

COLUMBIDAE

[pigeons & doves]

Columba livia Gmelin, 1789 [domestic pigeon, feral pigeon]

COC:eim *Eimeria labbeana* Pinto, 1928; intestines: RU, R2 (167, 516, 801)

COC:eim *Eimeria* sp.; intestines, faeces; RU, R1 (899, 990, 1052)

COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); LU; RU (167)

HEM:hae *Haemoproteus columbae* Kruse, 1890; blood; R6 (694)

HEM:hae *Haemoproteus* sp.; blood; R1 (899)

ZOO:dip *Hexamita* sp.; ileum, caecum, rectum; R2 (446, 447, 989, 1052)

ZOO:tri *Trichomonas gallinae* (Rivolta, 1878); mouth, pharynx, oesophagus, crop; RU, R6 (167, 430, 748, 801, 1060)

ZOO:tri *Trichomonas* sp.; oesophagus, pharynx; R2, R5 (446, 447, 989, 990, 1052, 1059)

ZOO:tri *Trichomonas eberthi* (Martin & Robertson, 1911); mouth, larynx; RU (167, 430)

Ducula spilorrhoa Gray, 1858 [Torres Strait pigeon]

COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); lung, spleen, brain; R4, R6 (463)

Geopelia humeralis (Temminck, 1821) [bar-shouldered dove]

HEM:hae *Leucocytozoon* sp.; liver, heart, kidney; R2 (989)

Leucosarcia melanoleuca (Latham, 1801) [wonga pigeon]

COC:eim *Toxoplasma* sp.; liver, spleen, intestines, lung; R2 (463, 989)

Ocyphaps lophotes (Temminck & Laugier, 1822) [crested pigeon] syn. *Geophaps lophotes*

COC:eim *Haurella Octosporella* sp.; faeces; R1 (899)

ZOO:tri *Trichomonas* sp.; gut; RU (446, 447)

Phaps chalcoptera (Latham, 1790) [common bronzewing]

ZOO:tri *Trichomonas* sp.; oesophagus, pharynx; R2 (989)

Ptilinopus superbus (Temminck, 1810) [superb fruit-dove, purple-breasted fruit pigeon] syn. *Lamprotornis superba*

HEM:hae *Haemoproteus columbae* Kruse, 1890; blood; R1 (128, 217, 581, 694)

PSITTACIFORMES

PSITTACIDAE

[parrots, cockatoos & allies]

Agapornis (unidentified lovebird species)

COC:eim Unidentified coccidian; intestines; RU (990)

Alisterus scapularis (Lichtenstein, 1816) [Australian king-parrot]

HEM:hae *Leucocytozoon* sp.; tissues; zoo (UK) (1216)

Barnardius semitorquatus (Quoy & Gaimard, 1830) [twenty-eight parrot]

HEM:hae *Haemoproteus Plasmodium* sp.; blood; RU (694)

Barnardius zonarius (Shaw, 1805) [Port Lincoln ringneck]

COC:eim *Sarcocystis falcatula* Stiles, 1893; various tissues; zoo (USA) (480)

Cacatua alba Müller, 1776 [umbrella cockatoo, white cockatoo]

COC:eim *Cryptosporidium* sp.; bursa; aviary (USA) (639)

Cacatua galerita (Latham, 1790) [sulphur-crested cockatoo]

COC:eim *Cryptosporidium* sp.; bursa, intestines; aviary (USA) (639)

COC:eim *Sarcocystis falcatula* Stiles, 1893; various tissues; zoo (USA) (480)

- HEM:hae *Haemoproteus* sp.; blood; R1 (694)
 ZOO:dip *Giardia* sp.; intestines; R2 (386, 1203)
- Cacatua leadbeateri** (Vigors, 1831) [pink cockatoo, Major Mitchell cockatoo, Leadbeater's cockatoo]
 COC:eim *Sarcocystis falcatula* Stiles, 1893; various tissues; zoo (USA) (480)
 ZOO:tri *Trichomonas* sp.; crop; RU (1052)
- Callocephalon fimbriatum** (Grant, 1803) [gang-gang cockatoo]
 COC:eim *Sarcocystis falcatula* Stiles, 1893; various tissues; zoo (USA) (480)
- Eclectus roratus** (Muller, 1776) [eclectus parrot]
 COC:eim *Sarcocystis falcatula* Stiles, 1893; various tissues; zoo (USA) (480, 923)
- Glossopsitta concinna** (Shaw, 1791) [musk lorikeet]
 ZOO:tri *Trichomonas* sp.; oesophagus, pharynx; R2 (989)
- Melopsittacus undulatus** (Shaw, 1805) [budgerigar]
 COC:eim *Cryptosporidium* sp.; trachea, intestines; R5 (349, 885, 889, 896, 898)
 COC:eim *Eimeria dunsingi* Farr, 1960; intestines; R6 (748, 990)
 COC:eim *Eimeria* sp.; intestines; RU (446, 1052)
 COC:eim *Sarcocystis falcatula* Stiles, 1893; various tissues; zoo (USA) (480)
 COC:eim *Sarcocystis* sp.; musculature; R2 (989)
 MIC:mic *Encephalitozoon hellem* Didier et al., 1991; intestines, liver; pet shop (USA) (92)
 ZOO:dip *Giardia psittaci* Erlandsen & Bemrick, 1987; faeces, intestines; RU, R1, pet shops (USA) (332, 333, 334, 363, 616)
 ZOO:dip *Giardia* sp.; intestines; pet shops (USA) (124, 482, 926)
 ZOO:dip *Spiromucleus* sp.; crop; R6 (748)
 ZOO:tri *Trichomonas gallinae* (Rivolta, 1878); crop; R6, pet shops (UK, USA, EUR) (45, 471, 748)
 ZOO:tri *Trichomonas* sp.; pharynx; RU (167, 990, 1051, 1052)
- Neophema pulchella** (Shaw, 1792) [turquoise parrot]
 HEM:hae *Leucocytozoon* sp.; tissues; zoo (EUR, UK) (1053, 1216)
- Nymphicus hollandicus** (Kerr, 1792) [cockatoo]
 COC:eim *Sarcocystis falcatula* Stiles, 1893; various tissues; zoo (USA) (480)
- Platycercus adelaide** Gould, 1840 [Adelaide rosella]
 HEM:hae *Haemoproteus* sp.; blood; R5 (210, 217, 579, 694)
 HEM:hae *Leucocytozoon* sp.; tissues; zoo (UK) (382, 1216)
- Platycercus caledonicus** (Gmelin, 1788) [green rosella]
 COC:eim *Sarcocystis falcatula* Stiles, 1893; various tissues; zoo (USA) (480)
- Platycercus elegans** (Gmelin, 1788) [crimson rosella]
 COC:eim *Sarcocystis* sp.; muscle; RU (833)
 COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); lung; R1 (463)
 HEM:hae *Leucocytozoon* sp.; various tissues; zoo (EUR, UK) (382, 1053)
- Platycercus eximius** (Shaw, 1792) [eastern rosella]
 COC:eim *Sarcocystis* sp.; muscle RU (446, 833)
 HEM:hae *Leucocytozoon* sp.; tissues; zoo (EUR, UK) (382, 1053)
- Platycercus icterotis** (Kuhl, 1820) [western rosella]
 HEM:hae *Leucocytozoon* sp.; tissues; zoo (EUR) (1053)
- Polytelis alexandrae** Gould, 1863 [Alexandra's parrot]
 HEM:hae *Leucocytozoon* sp.; various tissues; zoo (EUR) (1053)
- Polytelis anthopeplus** (Lear, 1831) [regent parrot]
 COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); lung, liver, spleen; R5 (463)
 HEM:hae *Leucocytozoon* sp.; various tissues; zoo (EUR) (1053)
- Polytelis swainsonii** (Desmarest, 1826) [superb parrot]
 COC:eim *Toxoplasma* sp.; liver, lung, spleen; R2 (463, 989)
- Probosciger aterrimus** (Gmelin, 1788) [palm cockatoo]
 COC:eim *Sarcocystis falcatula* Stiles, 1893; various tissues; zoo (USA) (480)
- Psephotus haematonotus** (Gould, 1837) [red-rumped parrot]
 COC:eim *Sarcocystis* sp.; muscle; RU (833)
- Psephotus varius** Clark, 1910 [mulga parrot]
 COC:eim *Sarcocystis* sp.; muscle; RU (446, 833)
- Purpureicephalus spurius** (Kuhl, 1820) [red-capped parrot]
 COC:eim *Sarcocystis falcatula* Stiles, 1893; various tissues; zoo (USA) (480)
- Trichoglossus chlorolepidotus** (Kuhl, 1820) [scaly-breasted lorikeet]
 COC:eim *Eimeria* sp.; faeces; R1 (899)
- Trichoglossus haematodus** (Linnaeus, 1771) [rainbow lorikeet]
 COC:eim *Eimeria* sp.; faeces; R1 (899)
 COC:eim *Isospora* sp.; faeces; R1 (899)
- Trichoglossus rubritorquis** Vigors & Horsfield, 1827 [red-collared lorikeet]
 COC:eim *Eimeria* sp.; intestines; RU (446, 1052)
- Trichoglossus** (unidentified species)
 ZOO:tri *Trichomonas* sp.; oesophagus, pharynx; R2 (989, 990)

COLIIFORMES

CUCULIDAE

[cuckoos, koels & coucals]

- Eudynamys cyanocephala* Latham, 1801 [cuckoo]
 HEM:hae *Haemoproteus danilewskyi* Kruse, 1890; blood; R1 (128, 217, 581)
 HEM:hae *Haemoproteus* sp. (syn. *Halteridium* sp.); blood; R1 (217)

- Eudynamys orientalis* (Linnaeus, 1766) [koel]
 HEM:hae *Haemoproteus danilewskyi* Kruse, 1890; blood; R1 (694)

- Eudynamys scolopacea* (Linnaeus, 1758) [common koel]
 HEM:hae *Haemoproteus* sp.; blood; R1 (899)

STRIGIFORMES

PODARGIDAE

[frogmouths]

- Podargus strigoides* (Latham, 1801) [tawny frogmouth, mopoke]
 HEM:hae *Haemoproteus* sp.; blood; R1 (694)
 HEM:hae *Leucocytozoon caprimulgii* Kerandel, 1913; blood; R1 (217, 581, 694)
 HEM:hae *Leucocytozoon* sp.; blood; R1 (216)
 ZOO:tri *Trichomonas* sp.; intestines; R1 (899)

STRIGIDAE

[hawk-owls & masked owls]

- Ninox boobook* Latham, 1801 [boobook owl]
 HEM:hae *Haemoproteus noctuae* Celli & San Felice, 1891; blood; R1 (128, 217, 581)
 HEM:hae *Haemoproteus* sp.; blood; R1 (208, 211, 212, 216, 217, 579, 581)
 ZOO:kin *Trypanosoma* sp.; blood; R1 (128, 217, 581, 694)

- Ninox connivens* (Latham, 1801) [barking owl]

- HEM:hae *Leucocytozoon* sp.; blood; R1 (899)
 HEM:hae *Plasmodium* sp.; blood; R1 (899)

- Ninox novaeseelandiae* (Gmelin, 1788) [southern boobook]

- COC:eim *Sarcocystis/Frenkelia* sp.; intestines; RU (833)
 HEM:hae *Haemoproteus noctuae* Celli & San Felice, 1891; blood; R1 (128, 581, 694)
 HEM:hae *Leucocytozoon danilewskyi* Zieman, 1898; blood; R4 (694)
 ZOO:tri *Trichomonas* sp.; oesophagus, pharynx; R2 (989)

- Ninox strenua* (Gould, 1838) [powerful owl]

- COC:eim *Toxoplasma* sp.; liver, lung; R2 (989)
 HEM:hae *Haemoproteus noctuae* Celli & San Felice, 1891; blood; R1 (216, 217, 581, 694)

TYTONIDAE

[masked or barn owls]

- Tyto alba* (Scopoli, 1769) [barn owl]
 COC:eim *Sarcocystis* sp.; intestines; R3 (824)
 COC:eim *Sarcocystis/Frenkelia* sp.; intestines; RU (833)
Tyto novaehollandiae (Stephens, 1826) [masked owl]
 COC:eim *Sarcocystis* sp.; intestines; R3 (824, 842)
 COC:eim *Sarcocystis/Frenkelia* sp.; intestines; RU (833)

CORACIIFORMES

HALCYONIDAE

[tree kingfishers]

- Dacelo novaeguineae* (Hermann, 1783) [kookaburra, laughing jackass, brown kingfisher] syn. *D. gigas*
 COC:eim *Sarcocystis* sp.; muscle; RU (446, 833)
 HEM:hae *Haemoproteus* sp.; blood; R2 (217, 571, 578, 579, 694, 1232)
 HEM:pir *Babesia* sp.; blood; R1 (899)

MEROPIDAE

[bee-eaters]

- Merops ornatus* Latham, 1801 [rainbow bee-eater]
 HEM:hae *Haemoproteus* sp.; blood; R1 (210, 217, 579, 581, 694)

PASSERIFORMES

MENURIDAE

[lyrebirds]

- Menura novaehollandiae* Latham, 1801 [superb lyrebird]
 HEM:hae *Leucocytozoon* sp.; various organs; R2 (487, 989)

HIRUNDINIDAE

[swallows & martins]

- Hirundo nigricans* (Vieillot, 1817) [tree martin] syn. *Petrochlidion nigricans*, = *Cecropis nigricans*
 COC:eim *Eimeria* sp.; faeces; R1 (899)
 COC:eim *Sarcocystis* sp.; muscle; RU (833)

PYCNONOTIDAE

[bulbuls]

- Pycnonotus jocosus* (Linnaeus, 1758) [red-whiskered bulbul]
 COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); liver, spleen, muscle; R2 (463)

MUSCICAPIDAE

[thrushes & allies]

- Colluricinclia harmonica* (Latham, 1801) [grey shrike-thrush]
 COC:eim *Sarcocystis* sp.; muscle; RU (833)

Microeca fascinans (Latham, 1801) [brown flycatcher, jacky winter]

ZOO:kin *Trypanosoma anellobiae* Cleland & Johnston, 1910; blood; R1 (210, 216, 217, 579, 581, 694)

HEM:hae *Haemoproteus* sp.; blood; R1 (210, 217, 579, 581, 694)

Myiagragrubecula (Latham, 1801) [leaden flycatcher]

syn. *M. nitida*

HEM:hae *Haemoproteus* sp.; blood; R2 (208, 211, 212, 217, 571, 578, 579, 694)

Pachycephala melanura Gould, 1842 [mangrove golden whistler, black-tailed whistler]

ZOO:kin *Trypanosoma* sp.; blood; R1 (217, 694)

Petroica phoenicea Gould, 1837 [flame robin]

COC:eim *Sarcocystis* sp.; muscle; RU (833)

HEM:hae *Haemoproteus* sp.; blood; R4 (210, 217, 579, 694)

Zoothera dauma (Latham, 1801) [White's thrush, mountain thrush, ground thrush] syn. *Oreocichla lunulata*, *Geocichla lunulata*

HEM:hae *Haemoproteus geocichlae* (Cleland & Johnston, 1909); blood; R2 (206, 208, 211, 217, 570, 571, 578, 579)

POMATOSTOMATIDAE [Australian babblers]

Pomatostomus superciliosus (Vigors & Horsfield, 1827) [white-browed babbler] syn. *Pomatorhinus superciliosus*

HEM:hae *Haemoproteus* sp.; blood; R5 (208, 211, 212, 217, 571, 579, 694)

SYLVIIDAE [Old World warblers]

Megalurus gramineus (Gould, 1845) [little grassbird]

HEM:hae *Haemoproteus danilewskyi* Kruse, 1890; blood; R1 (128, 217, 581, 694)

MALURIDAE [fairy-wrens & allies]

Malurus cyaneus (Latham, 1783) [superb blue wren]

COC:eim *Sarcocystis* sp.; muscle; RU (833)

PARDALOTIDAE [pardalotes]

Aphelocephala leucopsis (Gould, 1840) [southern whiteface]

HEM:hae *Haemoproteus* sp.; blood; R5 (210, 217, 579, 694)

Gerygone olivacea (Gould, 1838) [white-throated gerygone]

HEM:hae *Haemoproteus* sp.; blood; R1 (694)

Pardalotus melanocephalus (Gould, 1838) [black-headed pardalote, chip-chip]

HEM:hae *Haemoproteus* sp.; blood; R1 (210, 216, 217, 581, 694)

HEM:hae *Leucocytozoon* sp.; blood; R1 (210, 581, 694)

ZOO:kin *Trypanosoma* sp.; blood; R1 (210, 216, 581, 694)

Pardalotus punctatus (Shaw, 1792) [spotted pardalote]

COC:eim *Sarcocystis* sp.; muscle; RU (833)

Pardalotus striatus (Gmelin, 1789) [striated pardalote]

COC:eim *Sarcocystis* sp.; muscle; RU (833)

Sericornis frontalis (Vigors & Horsfield, 1827) [white-browed scrubwren]

COC:eim *Sarcocystis* sp.; muscle; RU (833)

CLIMACTERIDAE [Australian treecreepers]

Climacteris picumnus Temminck, 1824 [brown treecreeper]

COC:eim *Lankesterella picumni* Mackerras & Mackerras, 1960; blood; R4 (446, 694)

HEM:hae *Leucocytozoon* sp.; blood; R4 (694)

MELIPHAGIDAE [honeyeaters]

Acanthogenys rufogularis Gould, 1838 [spiny-cheeked honeyeater]

HEM:hae *Haemoproteus* sp.; blood; R4 (216, 217, 694)

HEM:hae *Leucocytozoon anellobiae* Johnston, 1912; blood; R1 (216, 217, 694)

Acanthorhynchus tenuirostris (Latham, 1801) [eastern spinebill]

COC:eim *Isospora* sp.; faeces; R1 (899)

Acanthochaera chrysoptera (Latham, 1801) [little wattlebird, brush wattlebird] syn. *Anellobia chrysoptera*, *A. mellivora*, *A. lunulata*

HEM:hae *Haemoproteus danilewskyi* Kruse, 1890; blood; R1 (217, 579, 581, 694)

HEM:hae *Leucocytozoon anellobiae* (Cleland & Johnston, 1911); blood; R1 (75, 216, 217, 579, 581, 694)

ZOO:kin *Trypanosoma anellobiae* Cleland & Johnston, 1910; blood; R1 (75, 208, 211, 212, 579, 581, 694)

ZOO:kin *Trypanosoma* sp.; blood; R1 (216, 217, 571)

Entomyzon cyanotis (Latham, 1801) [blue-faced honeyeater] syn. *Entomyza cyanotis*

HEM:hae *Haemoproteus* sp.; blood; R1 (210, 217, 579, 581, 694)

- HEM:hae *Leucocytozoon anellobiae* Johnston, 1912; blood; R1 (210, 216, 217, 579, 581, 694)
- ZOO:kin *Trypanosoma anellobiae* Cleland & Johnston, 1910; blood; R1 (210, 579, 581, 694)
- ZOO:kin *Trypanosoma* sp.; blood; R1 (216, 217)
- Lichenostomus chrysops*** (Latham, 1801) [yellow-faced honeyeater] syn. *Meliphaga chrysops*, *Ptilotis chrysops*
HEM:hae *Haemoproteus ptilotis* (Cleland & Johnston, 1909); blood; R2 (206, 208, 211, 216, 217, 570, 571, 578, 579, 694)
- ZOO:kin *Trypanosoma* sp.; blood; R4 (216, 217, 694)
- Lichenostomus flavigollis*** (Vieillot, 1817) [yellow-throated honeyeater] syn. *Meliphaga flavigollis*
COC:eim *Sarcocystis* sp.; muscle; RU (833)
- Lichenostomus fuscus*** (Gould, 1837) [fuscous honeyeater, brown honeyeater] syn. *Meliphaga fusca*, *Ptilotis fusca*
HEM:hae *Haemoproteus ptilotis* (Cleland & Johnston, 1909); blood; R1 (210, 217, 579, 581, 694)
- HEM:hae *Leucocytozoon anellobiae* Johnston, 1912; blood; R1 (210, 216, 217, 579, 581, 694)
- ZOO:kin *Trypanosoma anellobiae* Cleland & Johnston, 1910; blood; R1 (210, 216, 217, 579, 581, 694)
- Lichenostomus melanops*** (Latham, 1801) [yellow-tufted honeyeater] syn. *Meliphaga melanops*, *M. auricomis*
HEM:hae *Haemoproteus ptilotis* (Cleland & Johnston, 1909); blood; zoo (UK) (694, 960)
- Lichenostomus penicillatus*** (Gould, 1837) [white-plumed honeyeater] syn. *Meliphaga penicillata*, *M. leilavalensis*, *Ptilotis penicillatus*, *Ptilotis leilavalensis*
COC:eim *Eimeria* sp.; intestines; RU (446)
- HEM:hae *Haemoproteus ptilotis* (Cleland & Johnston, 1909); blood; R4 (694)
- HEM:hae *Haemoproteus* sp. (syn. *Halteridium* sp.); blood; R4, zoo (UK) (216, 217, 445)
- HEM:hae *Leucocytozoon* sp.; blood; zoo (UK) (445)
- ZOO:kin *Trypanosoma* sp.; blood; zoo (UK) (445)
- Lichenostomus plumulus*** (Gould, 1841) [grey-fronted honeyeater, yellow-fronted honeyeater] syn. *Meliphaga plumula*, *Ptilotis plumula*
HEM:hae *Haemoproteus ptilotis* (Cleland & Johnston, 1909); blood; R6 (208, 211, 212, 217, 571, 578, 579, 694)
- Lichenostomus virescens*** (Vieillot, 1817) [singing honeyeater] syn. *Meliphaga virescens*, *Ptilotis sonora*
HEM:hae *Haemoproteus ptilotis* (Cleland & Johnston, 1909); blood; R5 (210, 217, 579)
- Manorina flavigula*** (Gould, 1839) [yellow-throated miner] syn. *Myzantua flavigula*
HEM:hae *Haemoproteus* sp.; blood; R4 (210, 217, 579, 694)
- Manorina melanocephala*** (Latham, 1801) [noisy miner/minah, soldier bird] syn. *M. garrula*
COC:eim *Isospora* sp.; faeces; R1 (899)
- HEM:hae *Haemoproteus* sp.; blood; R1 (210, 217, 579, 581, 694)
- HEM:hae *Haemoproteus ptilotis* (Cleland & Johnston, 1909); blood; R1 (75)
- HEM:hae *Leucocytozoon anellobiae* Johnston, 1912; blood; R1 (75, 210, 216, 217, 579, 581, 694)
- HEM:hae *Plasmodium vaughani* Novy & MacNeal, 1905; blood; R1 (75)
- ZOO:kin *Trypanosoma anellobiae* Cleland & Johnston, 1910; blood; R1 (75)
- ZOO:kin *Trypanosoma myzantha* Mackerras & Mackerras, 1960; blood; R1 (694)
- Melithreptus brevirostris*** (Vigors & Horsfield, 1827) [brown-headed honeyeater]
HEM:hae *Haemoproteus* sp.; blood; R5 (217, 694)
- Melithreptus lunatus*** (Vieillot, 1802) [white-naped honeyeater] syn. *M. atricapillus*
HEM:hae *Haemoproteus* sp.; blood; R2 (208, 211, 212, 571, 578, 579, 694)
- Melithreptus validirostris*** (Gould, 1837) [strong-billed honeyeater]
COC:eim *Sarcocystis* sp.; muscle; RU (833)
- HEM:hae *Haemoproteus* sp.; blood; R2 (216, 694)
- Myzomela sanguineolenta*** (Latham, 1801) [scarlet honeyeater, blood-bird]
HEM:hae *Haemoproteus* sp.; blood; R1 (210, 216, 217, 579, 581, 694)
- HEM:hae *Leucocytozoon anellobiae* Johnston, 1912; blood; R1 (210, 216, 217, 579, 581, 694)
- ZOO:kin *Trypanosoma anellobiae* Cleland & Johnston, 1910; blood; R1 (581)
- ZOO:kin *Trypanosoma* sp.; blood; R1 (216, 217, 694)
- Philemon corniculatus*** (Latham, 1790) [noisy friarbird, leatherhead] syn. *Tropidorhynchus corniculatus*
HEM:hae *Haemoproteus ptilotis* (Cleland & Johnston, 1909); blood; R1, R2 (128, 206, 208, 210, 211, 217, 570, 571, 578, 579, 581, 694)
- HEM:hae *Haemoproteus* sp. (syn. *Halteridium* sp.); blood; R2 (217)
- HEM:hae *Leucocytozoon anellobiae* Johnston, 1912; blood; R1 (128, 217, 581, 694)
- Phylidonyris novaehollandiae*** (Latham, 1790) [New Holland honeyeater, whiskered honeyeater, yellow-winged honeyeater] syn. *Meliornis novaehollandiae*

HEM:hae *Haemoproteus ptilotis* (Cleland & Johnston, 1909); blood; R2 (206, 208, 211, 217, 570, 571, 578, 579, 694)

NECTARINIIDAE [flowerpeckers, sunbirds]

Dicaeum hirundinaceum (Shaw, 1792) [mistletoe bird]
HEM:hae *Haemoproteus* sp.; blood; R1 (216, 217, 694)

ZOSTEROPIDAE [white-eyes]

Zosterops caerulescens Latham, 1801 [silver-eye, grey-breasted silver-eye] syn. *Z. lateralis*
HEM:hae *Haemoproteus* sp.; blood; R1, R2 (208, 210, 211, 212, 571, 578, 579, 581, 641, 694)
COC:cim *Lankesterella paddae* (Aragao, 1911); blood, zoo (NZ) (446, 694)
COC:eim *Sarcocystis* sp.; muscle; RU (833)
HEM:hae Unidentified haemosporidian; blood; R2 (208, 212)

FRINGILLIDAE [finches]

Serinus canaria Linnaeus, 1758 [canary]
ZOO:tri *Trichomonas* sp.; oesophagus, crop; RU (446, 1052)
COC:eim Unidentified coccidian; intestines; RU (990)
HEM:hae *Plasmodium relictum* (Grassi & Feletti, 1891); blood (exptl. infection), RI (643)
COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); central nervous system; RU, R2 (167, 667)

Carduelis chloris (Linnaeus, 1758) [European greenfinch]
COC:eim *Eimeria* sp.; intestines; RU (446, 447, 1052)

STURNIDAE [starlings & mynahs]

Sturnus vulgaris Linnaeus, 1758 [common starling]
HEM:hae *Plasmodium relictum* (Grassi & Feletti, 1891); blood; R2 (446, 641, 694)

PASSERIDAE [sparrows, weavers & allies]

Emblema bella (Latham, 1801) [beautiful firetail] syn. *Staganoplura bella*
COC:eim *Cryptosporidium* sp.; proventriculus; aviary (USA) (94)
COC:eim *Sarcocystis* sp.; muscle; RU (833)
Emblema picta Gould, 1842 [painted firetail] syn. *E. pictum*
ZOO:ret *Cochlosoma* sp.; intestines; R1 (361, 362)

Erythrura gouldiae (Gould, 1844) [Gouldian finch]
syn. *Chloebia gouldiae*

ZOO:ret *Cochlosoma* sp.; intestines; R1 (362, 698)

Erythrura psittacea Gmelin, 1789 [red-headed parrot finch]

ZOO:ret *Cochlosoma* sp.; intestines; R1 (361, 362)

Erythrura trichroa (Kittlitz, 1883) [blue-faced parrot finch]

ZOO:ret *Cochlosoma* sp.; intestines; R1 (361, 362)

Lonchura punctulata (Linnaeus, 1758) [nutmeg mannikin]

ZOO:ret *Cochlosoma* sp.; intestines; R1 (362)

Neochmia modesta (Gould, 1837) [plum-headed finch] syn. *Aidemosyne modesta*

COC:eim *Cryptosporidium* sp.; trachea; R1 (899)

Passer domesticus (Linnaeus, 1758) [house sparrow]

COC:eim *Isospora boxae* Grulet et al., 1982; faeces; R5 (432)

COC:eim *Isospora jacobfrenkeli* Grulet et al., 1985; faeces; R5 (432)

COC:eim *Isospora gommetae* Grulet et al., 1982; faeces; R5 (432)

COC:eim *Isospora iansmithi* Grulet et al., 1982; faeces; R5 (432)

COC:eim *Isospora miltgeni* Grulet et al., 1982; faeces; R5 (432)

COC:eim *Isospora michaelbakeri* Grulet et al., 1982; faeces; R5 (432)

COC:eim *Isospora mikei* Grulet et al., 1982; faeces; R5 (432)

COC:eim *Isospora spratti* Grulet et al., 1982; faeces; R5 (432)

COC:eim *Isospora* sp.; tissues; R5 (433)

COC:eim *Lankesterella paddae* (Aragao, 1911); blood; R2 (446, 694)

COC:eim *Toxoplasma* sp.; leucocytes; R2 (1059, 641)

HEM:hae *Plasmodium relictum* (Grassi & Feletti, 1891); blood; R2 (208, 211, 215, 216, 446, 562, 567, 568, 570, 571, 573, 578, 641, 643, 694)

HEM:hae *Plasmodium* sp.; blood; R2, R5 (432, 641)

Taeniopygia bichenovii (Vigors & Horsfield, 1827) [double-barred finch] syn. *Poephila bichenovii*

ZOO:ret *Cochlosoma* sp.; intestines; R1 (362)

Taeniopygia guttata (Gould, 1837) [zebra finch]

ZOO:ret *Cochlosoma* sp.; intestines; R1 (361, 362, 899)

PTILONORHYNCHIDAE [bowerbirds, birds of paradise]

Chlamydera nuchalis (Jardine & Selby, 1830) [great bowerbird] syn. *Chlamydodera orientalis*

HEM:hae *Haemoproteus danilewskyi* Kruse, 1890; blood; R1 (128, 217, 581, 694)

- ZOO:kin *Trypanosoma chlamyloderae* Breml, 1913; blood; R1 (128, 217, 581)
- Ptilorhynchus violaceus** (Vieillot, 1816) [satin bowerbird]
- COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); liver, spleen, intestine; R5 (463)
- HEM:hae *Haemoproteus* sp.; blood; R2, zoo (UK) (694, 1234)
- HEM:hae *Leucocytozoon* sp.; blood; zoo (UK) (694, 1234)
- Sericulus chrysoccephalus** (Lewin, 1808) [regent bowerbird]
- COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); liver, spleen, intestine; R2 (463)
- CORVIDAE**
- [crows, orioles, butcherbirds, currawongs, drongoes, jays & allies]
- Coracina novaehollandiae** (Gmelin, 1789) [black-faced cuckoo-shrike]
- COC:eim *Caryospora* sp.; faeces; R1 (899)
- Corcorax melanorhamphos** (Vieillot, 1817) [white-winged chough, mutton bird]
- HEM:hae *Leucocytozoon sakharoffi* Sambon, 1908; blood; R1 (210, 216, 217, 579, 581, 694)
- ZOO:kin *Trypanosoma unellobiae* Cleland & Johnston, 1910; blood; R1 (210, 581)
- Corvus orru** Bonaparte, 1851 [Tortesian crow]
- COC:eim *Isospora* sp.; faeces; R1 (899)
- COC:eim *Sarcocystis* sp.; faeces; R1 (899)
- HEM:hae *Haemoproteus* sp.; blood; R1 (899)
- Corvus coronoides** (Vigors & Horsfield, 1827) [Australian raven]
- COC:eim *Sarcocystis* sp.; muscle; RU (833)
- COC:eim *Toxoplasma* sp.; various tissues; R1 (224)
- Corvus mellori** Matthews, 1912 [little raven]
- COC:eim *Toxoplasma gondii* (Nicolle & Manceaux, 1908); LU; RU (167)
- Corvus tasmaniensis** Mathews, 1912 [forest raven]
- COC:eim *Sarcocystis* sp.; muscle; RU (833)
- Cracticus destructor** Temminck, 1824 [butcherbird]
- HEM:hae *Haemoproteus danilewskyi* Kruse, 1890; blood; R1 (128, 217, 581)
- Cracticus nigrogularis** (Gould, 1837) [pied butcherbird]
- COC:eim *Isospora* sp.; faeces; R1 (899)
- HEM:pir *Babesia* sp.?; blood; R1 (899)
- Cracticus torquatus** (Latham, 1801) [grey butcherbird]
- COC:eim *Isospora* sp.; faeces; R1 (899)
- HEM:hae *Haemoproteus danilewskyi* Kruse, 1890; blood; R1 (128, 694)
- Dicrurus hottentottus** (Linnaeus, 1766) [spangled drongo] syn. *Chibia bracteata*
- HEM:hae *Haemoproteus danilewskyi* Kruse, 1890; blood; R1 (128, 217, 581, 694)
- Grallina picata** Latham, 1801 [peewit, peewee, Australian magpie lark] syn. *G. cyanoleuca*
- COC:eim *Eimeria grallinida* Reece, 1989; liver; R2 (988)
- HEM:hae *Haemoproteus* sp.; blood; R1 (210, 217, 579, 581, 694)
- Gymnorhina tibicen** (Latham, 1801) [Australian magpie, black-backed magpie]
- COC:eim *Isospora* sp.; faeces; R1 (899)
- HEM:hae *Haemoproteus* sp.; blood; R4 (694)
- HEM:hae *Leucocytozoon* sp.; blood, spleen, R1, R2 (461, 694, 989)
- ZOO:kin *Trypanosoma* sp.; blood; R1 (694)
- Oriolus sagittatus** (Latham, 1801) [olive-backed oriole] syn. *O. sagittarius*
- HEM:hae *Haemoproteus* sp.; blood; R1 (210, 579, 581, 694)
- HEM:hae *Leucocytozoon* sp.; blood; R1 (210, 216, 579, 581, 694)
- ZOO:kin *Trypanosoma* sp.; blood; R1 (210, 216, 579, 581, 694)
- Sphecotheres vieilloti** Vigors & Horsfield, 1827 [southern figbird]
- HEM:hae *Leucocytozoon* sp.; blood; R1 (694)
- Sphecotheres viridis** Vieillot, 1816 [figbird] syn. *S. maxillaris*, *Oriolus viridis*
- COC:eim *Eimeria* sp.; faeces; R1 (899)
- HEM:hae *Haemoproteus* sp. (syn. *Halteridium* sp.); blood; RU (217)
- HEM:hae *Leucocytozoon unellobiae* (Cleland & Johnston, 1911); blood; R1 (210, 216, 217, 579, 581)
- ZOO:kin *Trypanosoma* sp.; blood; RU (217)
- Strepera graculina** (Shaw, 1790) [pied currawong]
- COC:eim *Isospora* sp.; faeces; R1 (899)
- COC:eim *Sarcocystis* sp.; muscle; RU (833)
- HEM:hae *Haemoproteus* sp.; blood; R1, R2 (461, 694, 899)
- HEM:hae *Leucocytozoon* sp.; blood, skeletal muscle, heart, lung, liver; R2 (461, 694)
- HEM:pir *Babesia* sp.; blood; R1 (899)
- OTIDIDAE**
[bustards]
- Ardeotis australis** (Gray, 1829) [plain turkey]
= *Eupodotis australis*
- HEM:hae *Haemoproteus* sp.; blood; R1 (694)

UNKNOWN OR MISNAMED BIRDS

- '*Turtur suratensis*' ['Indian dove'] (binomen and common name unknown)
ZOO:tri *Trichomonas* sp.: pharynx, larynx; R2 (453, 1059, 1060)
- 'Senegal dove' (common name unknown)
ZOO:tri *Trichomonas gallinae* (Rivolta, 1878); crop; R6 (748)
- '*Gerygone albogularis*' (binomen unknown)
HEM:hae *Haemoproteus* sp. (syn. *Halteridium* sp.); blood; RU, R1 (216, 217)
- '*Zosterops dorsalis*' (binomen unknown)
HRM:hae *Haemoproteus* sp. (syn. *Halteridium* sp.); blood; RU (217)
- '*Lonchura domestica*' ['Bengalese finch'] (binomen and common name unknown)
ZOO:tel *Cochlasonia* sp.; intestines; R1 (361, 362, 698)
- '*Ailuroedus smithi*' [catbird] (binomen unknown)
HEM:hae *Leucocytozoon* sp.; blood; R1 (217)

PISCES

- GNATHOSTOMATA
CHONDRICHTHYES
ELASMOBRANCHII
PRISTIOPHORIFORMES
PRISTIOPHORIDAE
[saw sharks]

Pristiophorus cirratus (Latham, 1794) [common saw shark] syn. *Pristis cirratus*
MYX:biv *Chloromyxum pristiophori* Woolecock, 1935; gall bladder; R14 (79, 1255)

HETERODONTIFORMES

- HETERODONTIDAE**
[bullhead sharks, horn sharks.
Port Jackson sharks]

Heterodontus galeatus Günther, 1870 [crested Port Jackson shark]
LOB:amo *Thecamoeba* sp.; gills; aquarium (144, 628, 634, 983)

ORECTOLOBIFORMES**HEMISCYLLIIDAE**

[bamboo sharks, longtail carpet sharks]

Hemiscyllium ocellatum (Bonnaterre, 1788) [ocellated catshark or epaulette shark] syn. *Squalus ocellatus*
COC:ade *Haemogregarina hemiscyllii* Mackerras & Mackerras, 1961; blood; R21 (79, 137, 658, 696)
MYX:biv *Chloromyxum noblei* Moser et al., 1989; gall bladder, R21 (658, 802)
MYX:biv *Sinuolina lesteri* Moser et al., 1989; gall bladder; R21 (658, 802)

- MYX:mil *Kudoa* sp.; muscle; R21 (474)
ZOO:kin *Trypanosoma gargantua* Laird, 1951; blood; R21 (655, 658, 696)
ZOO:kin *Trypanosoma mackerasti* Burreson, 1989; blood; R21 (137, 658)

LAMNIFORMES**ODONTASPIDIDAE**

[sand tigers, sand sharks, grey nurse sharks]

Odontaspis (unidentified species)

- COC:ade *Haemogregarina carchariasi* Laveran, 1908; blood; R21 (79, 696)
ZOO:kin *Trypanosoma carchariasi* Laveran, 1908; blood; R21 (79, 640, 696)

RAJIFORMES**MYLIOBATOIDEI****DASYATIDIDAE**

[stingrays]

Dasyatis kuhlii (Müller & Henle, 1841) [blue-spotted ray]

- MYX:biv *Chloromyxum* sp.; gall bladder; R13 (669)

Taeniura lynuma (Forsskål, 1775) [blue-spotted fantail ray]

- MYX:biv *Chloromyxum noblei* Moser et al., 1989; gall bladder; R21 (658, 802)

- ZOO:kin *Trypanosoma taeniurae* Burreson, 1989; blood; R21 (137, 658)

ACTINOPTERYGII**NEOPTERYGII****ANGUILLIFORMES****ANGUILLIDAE**

[freshwater eels]

Anguilla australis Richardson, 1841 [short-finned eel]

- COC:eim *Eimeria anguillae* Leger & Hollande, 1922; intestinal mucosa; R2 (669, 672, 789)

- COC:eim *Epiimeria* sp.; gut; RU (858)

- COC:eim *Goussia* sp.; faeces, gut; R2 (789)

- MYX:biv *Myxidium durum* Hine, 1980; gills; R2 (481)

- MYX:biv *Myxidium grandi* Cepede, 1906; kidney, muscles, skin; RU, R2 (227, 669)

- MYX:biv *Myxidium* sp.; gills; R2, R3 (481)

- OLI:hym *Ichthyophthirius multifiliis* Fouquet, 1876; body surface; R4 (79, 140)

- ZOO:kin *Trypanosoma granulosum* Laveran & Mesnil, 1909; blood; R2 (669)

Anguilla reinhardtii Steindachner, 1867 [long-finned or marbled eel] syn. *A. mauritiana*

- COC:eim *Epiimeria anguillae* (Leger & Hollande, 1922); intestinal mucosa; R2 (789)

- COC:eim *Goussia* sp.; faeces, gut; R2 (789)

MYX:biv *Myxidium* sp.; gills; R1 (481)
 ZOO:kin *Trypanosoma anguillicola* Johnston & Cleland, 1910; blood; R1, R2 (79, 211, 212, 574, 581, 696)

***Anguilla* (unidentified species)**

OLI:hym *Ichthyophthirius multifiliis* Fouquet, 1876; body surface, fins; R3 (21, 79)
 PHY:cyr *Chilodonella cyprini* (Moroff, 1902); gill filaments; R4 (32, 79)
 ZOO:kin *Trypanosoma* sp.; blood; RU (628, 634)
 ZOO:kin *Trypanoplasma* sp.; blood; RU (858)
 ZOO:kin *Ichthyobodo necator* (Henneguy, 1883); gill, skin; RU (858)

CLUPEIFORMES

ENGRAULIDAE
 [anchovies]

Engraulis australis (Günther, 1868) [southern anchovy]
 MIC:mic Unidentified microsporan; muscle; R18 (636)
 MYX:mul *Kudoa thrysites* (Gilchrist, 1924); muscles; R18 (636)

CLUPEIDAE

[herrings, shads, sprats, sardines, pilchards, menhadens]

Etrumeus teres (DeKay, 1842) [maray, round herring]
 MIC: Unidentified microsporan; muscle; R18 (636)

Herklotischthys castelnau (Ogilby, 1897) [silver herring]
 MYX:biv *Ceratomyxa* sp.; gall bladder, R13 (669)
 MYX:biv *Coccoomyxa meridiei* Lom et al., 1992; gall bladder; R13 (669)

Hyperlophus vittatus (Castelnau, 1875) [sandy sprat, whitebait]

MIC: Unidentified microsporan; muscle; R18 (636)

Nematalosa erebi (Günther, 1868) [bony bream] syn. *N. elongata*

MYX:biv *Henneguya* sp.; gills; R10 (79, 584, 627)
 PHY:cyr *Chilodonella hexasticha* (Kiernik, 1909); gills; R1, R10 (144, 624)

Sardinella lemuru Bleeker, 1853 [scaly herring]

MIC:mic Unidentified microsporan; muscle; R18 (636)
 MYX:mul *Kudoa thrysites* (Gilchrist, 1924); muscles; R18 (636)

Sardinops sagax neopilchardus (Steindachner, 1879) [Australian pilchard]

MIC: Unidentified microsporan; muscle; R18 (636)
 MYX:mul *Kudoa thrysites* (Gilchrist, 1924); muscles; R18 (632, 636, 858)

Spratelloides robustus Ogilby, 1897 [blue sprat]

MIC:mic Unidentified microsporan; muscle; R18 (636)
 MYX:mul *Kudoa thrysites* (Gilchrist, 1924); muscles; R18 (636)

CYPRINIFORMES

CYPRINIDAE
 [minnows or carps]

***Barbus* (unidentified species)**

OLI:hym *Ichthyophthirius multifiliis* Fouquet, 1876; skin; RU (983)

Carassius auratus (Linnaeus, 1758) [golden carp, goldfish] syn. *Cyprinus auratus*

COC:eim *Epieimeria* sp.; gut; RU (858)

COC:eim *Goussia carpelli* (Leger & Stankovitch, 1921); intestines; R4 (669, 672)

LOB:amo Unidentified amoebae; various tissues; RU (858)

MYX:biv *Hoferellus carasii* Akhmerov, 1960; kidney; RU (858)

MYX:biv *Hoferellus cyprini* (Doflein, 1898); kidney; RU (627)

MYX:biv *Myxobolus* sp.; skin; RU (858)

OLI:hym *Ichthyophthirius multifiliis* Fouquet, 1876; body surface; RU (79, 139, 140, 289, 627, 1026)

OLI:mob *Trichodina* sp.; gills; R4 (627, 669)

OLI:ses *Apiosoma campanulata* (Timofeev, 1962); skin; R4 (669)

PHY:cyr *Chilodonella cyprini* (Moroff, 1902); gills; R2, R4 (32, 79, 627)

ZOO:kin *Cryptobia* sp.; gills; RU, aquaria (858, 983, 984)

ZOO:kin *Ichthyobodo necator* (Henneguy, 1883); gill, skin; R2, R3 (627, 858, 983)

Carassius carassius (Linnaeus, 1758) [Crucian carp] syn. *Cyprinus carassius*

PHY:cyr *Chilodonella cyprini* (Moroff, 1902); gills; R2, R4 (32, 79)

Cyprinus carpio Linnaeus, 1758 [common carp, European carp, golden carp]

LIT:ple *Pseudoamphileptus macrostoma* (Chen, 1955); feeding on epizoic peritrichs; RU (670)

MYX:biv *Mitraspora* sp.; kidney; R1, R3, R6 (627)

MYX:biv *Sphaerospora* sp.; kidney; R1, R3, R4, R6 (627)

SILURIFORMES

PLOTOSIDAE
 [catfishes]

Cnidoglanis macrocephalus Valenciennes, 1840 [estuarine catfish]

OLI:mob *Trichodina* sp.; gills; RU (aquarium) (983)

***Neosilurus* (unidentified catfish species)**

PHY:cyr *Chilodonella hexasticha* (Kiernik, 1909); gills; R10 (624)

Tandanus tandanus Mitchell, 1838 [freshwater catfish] syn. *Plotosus tandanus*, *Capidoglanus tandanus*

OLI:hym *Ichthyophthirius multifiliis* Fouquet, 1876; body surface; R4 (1061)

ZOO:kin *Trypanosoma bancrofti* Johnston & Cleland, 1910; blood; R1, R4 (34, 79, 211, 212, 574, 581, 696)

SALMONIFORMES

SALMONIDAE

[trout, salmon, whitefishes, graylings]

Salmo gairdneri Richardson, 1836 [rainbow trout] syn. *S. irideus*

LOB:amo *Paramoeba* sp.; gills; R3 (627, 628, 634, 855, 857)

MYX:biv *Myxobolus cerebralis* Hofer, 1903; cartilage; RU (670)

OLI:hym *Ichthyophthirius multifiliis* Fouquet, 1876; body surface, fins; R2, R3, R4, RU (21, 79, 138, 139, 140, 681, 822)

OLI:mob *Trichodina* sp.; gills; R3 (857)

PHY:cyr *Chilodonella cyprini* (Moroff, 1902); gills; R2, R4 (32, 79)

ZOO:kin *Ichthyobodo* sp.; gills; R3 (857)

Salmo salar Linnaeus, 1758 [Atlantic salmon]

LOB:amo *Paramoeba pemaquidensis* Page, 1970; gills; RU (670)

LOB:amo *Paramoeba* sp.; gills; R3, R15 (4, 365, 627, 628, 634, 852, 855, 857, 858, 1022)

MIC:mic *Pleistophora* sp.; LU; RU (858)

OLI:hym *Tetrahymena* sp.; fin, tail; RU (858)

OLI:mob *Trichodina* sp.; gills; R3 (857)

ZOO:kin *Ichthyobodo* sp.; gills; R3 (857)

Salmo trutta Linnaeus, 1758 [brown trout] syn. *S. fario*

MIC:mic *Ichthyosporidium* sp.; viscera, kidney, liver, spleen; R1 (1072)

OLI:hym *Ichthyophthirius multifiliis* Fouquet, 1876; body surface; R2, R3, R4 (21, 79, 138, 139, 140)

PHY:cyr *Chilodonella cyprini* (Moroff, 1902); gills; R2, R4 (32, 79)

Salmo (unidentified salmonid species)

OLI:mob *Trichodinella* sp.; LU; RU (839)

PHY:cyr *Chilodonella* sp.; LU; RU (839)

ZOO:kin *Ichthyobodo* sp.; LU; RU (839)

RETROPINNIDAE

[smelts]

Retropinna semoni (Weber, 1895) [Australian smelt] syn. *Prototroctes semoni*

OLI:hym *Ichthyophthirius multifiliis* Fouquet, 1876; skin, gills; R4 (1030)

PHY:cyr *Chilodonella cyprini* (Moroff, 1902); gills; R2, R4 (32, 79, 1030)

GALAXIIDAE

[galaxiids]

Galaxias brevipinnis Günther, 1866 [inangi or climbing galaxias]

OLI:hym *Ichthyophthirius multifiliis* Fouquet, 1876; body surface; R4 (79, 140)

Galaxias maculatus (Jenyns, 1842) [common galaxias] syn. *G. attenuatus*, *G. scriba*

OLI:hym *Ichthyophthirius multifiliis* Fouquet, 1876; body surface; R4 (79, 140)

Galaxias olidus Günther, 1866 [mountain galaxias]

MYX:biv *Myxobolus galaxii* Langdon, 1990; spinal cord; R2 (629)

Galaxias (unidentified galaxias)

PHY:cyr *Chilodonella cyprini* (Moroff, 1902); gills; R2, R4 (32, 79)

AULOPIFORMES

AULOPODIDAE

[aulopus]

Aulopus purpurissatus (Richardson, 1843) [Sergeant baker] syn. *Latropiscus purpurissatus*

COC:ade *Haemogregarina aulopi* Mackerras & Mackerras, 1925; blood; R14 (684, 696)

ZOO:kin *Trypanosoma aulopi* Mackerras & Mackerras, 1925; blood; R14 (79, 684, 696)

ATHERINIFORMES

MELANOTAENIIDAE

[rainbowfishes]

Glossolepis incisus Weber, 1908 [New Guinea rainbow fish]

PHY:cyr *Chilodonella* sp.; skin; RU (aquarium) (983)

Melanotaenia nigrans (Richardson, 1843) [mauve rainbow-fish, yalgurnda]

PHY:cyr *Chilodonella hexasticha* (Kiernik, 1909); gills; R10 (624)

ATHERINIDAE

[silversides]

Atherinomorus capricornensis (Woodland, 1961) [capricorn hardyhead]

COC:eim *Epieimeria* sp.; gut; RU (858)

COC:eim Unidentified coccidian; pancreas, intestines; R21 (609, 658)

MYX:biv *Sphaerospora mayi* Moser et al., 1989; gall bladder; R21 (658, 802)

OLI:mob *Trichodina* sp.; LU; R21 (658)

Atherinosoma microstoma (Günther, 1861) [small mouth hardyhead]

MYX:biv *Zschokkella macrocapsula* Su & White, 1994; gall bladder; R15 (1110)

OLI:mob *Trichodina australis* Su & White, 1995; gills; R15 (1111)

Kestratherina brevirostris (Pavlov et al., 1988) [short snout hardyhead]
OLI:mob *Trichodina australis* Su & White, 1995; gills; R15 (1111)

Kestratherina esox (Klunzinger, 1872) [pike head hardyhead]
OLI:mob *Trichodina australis* Su & White, 1995; gills; R15 (1111)

Kestratherina hepsetoides (Richardson, 1843) [small scale hardyhead]
OLI:mob *Trichodina australis* Su & White, 1995; gills; R15 (1111)

Leptatherina presbyteroides (Richardson, 1843) [silver fish]
MYX:biv *Ortholinea striateculus* Su & White, 1994; ureter; R15 (1110)
MYX:biv *Zschokkella macrocapsula* Su & White, 1994; gall bladder; R15 (1110)
OLI:mob *Trichodina australis* Su & White, 1995; gills; R15 (1111)

CYPRINODONTIFORMES

POECILIIDAE [livebearers]

Gambusia holbrooki (Girard, 1859) [eastern gambusia, mosquito fish]
COC:eim *Goussia piekarskii* Lom & Dykova, 1995; small intestine; R4 (672)
COC:eim *Goussia* sp.; intestine; R4 (669)
OLI:mob *Trichodina* sp.; gills; R4 (669)
ZOO:dip *Hexamita* sp.; intestine; R4 (669)

BERYCIFORMES

TRACHICHYIDAE [roughies or slimeheads]

Hoplostethus atlanticus Collett, 1889 [orange roughy]
MYX:biv *Sphaeromyxa* sp.; gall bladder; R14, R15, R16 (657)

GASTEROSTEIFORMES

SYNGNATHIDAE [pipefishes and seahorses]

Hippocampus abdominalis Lesson, 1827 [big-belly seahorse]
OLI:scu *Uronema* sp.; LU; RU (1223)

SCORPAENIFORMES

SCORPAENIDAE [scorpionfishes and rockfishes]

Centropogon australis (White, 1790) [southern fortescue]
MYX:biv *Ceratomyxa* sp.; gall bladder; R13 (669)
Scorpaenopsis gibbosus (Bloch & Schneider, 1801) [false stonefish]
MYX:biv *Leptotheeca beveridgei* Moser et al., 1989; gall bladder; R21 (658, 802)

TRIGLIDAE

[searobins, gurnards]

Chelidonichthys kumu (Lesson & Garnot, 1826) [red gurnard, latchet]
COC:eim Unidentified coccidian; gut; RU (788)

PLATYCEPHALIDAE

[flatheads]

Platycephalus bassensis Cuvier & Valenciennes, 1829 [sand flathead]

MYX:biv *Myxobolus* sp.; brain; R14 (1020)

Suggrundus bosschei (Bleeker, 1860) [small-eyed flathead]

MYX:biv *Ceratomyxa sprengeli* Moser et al., 1989; gall bladder; R21 (658, 802)

PERCIFORMES

CENTROPOMIDAE [barramundi]

Lates calcarifer (Bloch, 1790) [barramundi, giant perch]
COC:eim *Cryptosporidium* sp.; intestines; R1 (144, 349, 400, 919, 1207)

COC:eim *Epieimeria* sp.; gut; RU (858)

MYX:biv *Henneguya* sp.; gills; R1 (144, 400)

MYX:mul *Kudoa* sp.; muscles; R1 (629)

OLI:hym *Cryptocaryon irritans* Brown, 1951; skin, fins; R1, R21 (144, 291, 292, 293, 294, 400, 919)

OLI:hym *Ichthyophthirius multifiliis* Fouquet, 1876; skin, fins; R1 (144, 400)

OLI:mob *Trichodina* sp.; gills; R1 (400, 919)

PHY:cyr *Chilodonella* sp.; gills; R1 (400, 919)

ZOO:kin *Cryptobia* sp.; gills; R1 (144, 400, 919)

SERRANIDAE

[sea basses]

Cephalopholis boenak (Bloch, 1790) [brown-barred rockcod]

MIC:mic Unidentified microsporan; mesentery; R13 (899)

Epinephelus fasciatus (Forsskål, 1775) [black-tipped rock-cod]

MYX:biv Unidentified myxozoan; gall bladder; R21 (658, 802)

Epinephelus quoyanus (Cuvier & Valenciennes, 1830) [longfinned wire netting cod]

MYX:biv *Ceratomyxa* sp.; gall bladder; R13, R21 (658, 802, 899)

OLI:hym *Cryptocaryon irritans* Brown, 1951; surface; R21 (290, 293)

Hoplolectrodes annulata (Günther, 1859) [banded sea-perch] syn. *Gilbertia annulata*, *G. semicincta*, *Ellerkeldia annulata*

COC:ade *Haemogregarina gilbertiae* Mackerras & Mackerras, 1925; blood; R14 (79, 684, 696)

ZOO:kin *Trypanosoma pulchra* Mackerras & Mackerras, 1925; blood; R14 (79, 684, 696)

Plectroponus leopardus (Lacepède, 1802) [leopard coral trout]

MYX:biv *Ceratomyxa* sp.; gall bladder; R13, R21 (658, 802, 899)

MYX:biv Unidentified myxozoan; gall bladder; R21 (802)

OLI:hym *Cryptocaryon irritans* Brown, 1951; surface; R21 (290)

PERCICHTHYIDAE [temperate perches]

Maccullochella ikei Rowland, 1993 [Clarence River cod]

PHY:cyr *Chilodonella hexasticha* (Kiernik, 1909); gills; R4 (144, 1029, 1030)

Maccullochella macquariensis (Cuvier & Valenciennes, 1829) [trout cod] syn. *M. mitchelli*, *Gryptes macquariensis*

MYX:biv *Myxosoma* sp.; gills; R4 (35, 1030)

OLI:mob *Trichodina* sp.; skin, gills; R4 (1030)

OLI:hym *Ichthyophthirius multifiliis* Fouquet, 1876; skin, gills; R4 (1030)

PHY:cyr *Chilodonella cyprini* (Moroff, 1902); gills; R2, R4 (32, 79, 1030)

PHY:cyr *Chilodonella hexasticha* (Kiernik, 1909); skin, gills; R4 (1030)

Maccullochella peeli (Mitchell, 1838) [Murray cod] syn. *Acerina peeli*

COC:eim *Goussia lomi* Molnar & Rohde, 1988; intestinal mucosa; R4 (628, 634, 789, 858, 951, 1030)

MYX:biv *Myxosoma* sp.; gills; R4 (35, 1030)

OLI:hym *Ichthyophthirius multifiliis* Fouquet, 1876; skin, gills; R4 (144, 627, 1030, 1061)

OLI:hym *Tetrahymena* sp.; skin, gills; R4 (144, 1030)

OLI:mob *Trichodina* sp.; skin, gills; R4 (144, 1030)

PHY:cyr *Chilodonella cyprini* (Moroff, 1902); gills; R2, R4 (32, 79, 1030)

PHY:cyr *Chilodonella hexasticha* (Kiernik, 1909); gills; R4 (10, 144, 1030)

ZOO:kin *Ichthyobodo necator* (Henneguy, 1883); gills; R4 (144, 1030)

Macquaria ambigua (Richardson, 1845) [golden perch, callop, yellow-belly] syn. *Plectroplites ambiguus*

COC:eim *Eimeria ashburneri* Molnar & Rohde, 1988; intestines; R4 (789, 1030)

COC:eim *Goussia langdoni* Molnar & Rohde, 1988; intestines; R4 (628, 634, 789, 858, 1030)

MYX:biv *Henneguya australis* Johnston & Bancroft, 1918; gills; R10 (34, 79, 584, 839, 1030)

MYX:biv *Henneguya* sp.; gills; R4 (35, 627, 1030)

MYX:biv *Myxosoma ogilbyi* Johnston & Bancroft, 1918; gills; R10 (79, 584, 1030)

MYX:biv *Myxosoma* sp.; gills; R4 (35, 1030)

MYX:biv *Myxobolus plectroplites* Johnston & Bancroft, 1918; gall bladder, kidneys; R1, R10 (79, 120, 584, 1030)

OLI:hym *Ichthyophthirius multifiliis* Fouquet, 1876; skin, gills; R4 (144, 627, 1030, 1061)

OLI:hym *Tetrahymena* sp.; skin, gills; R4 (144, 1030)

OLI:mob *Trichodina* sp.; skin, gills; R4 (144, 1030)

PHY:cyr *Chilodonella hexasticha* (Kiernik, 1909); skin, gills; R4 (144, 628, 634, 1030)

ZOO:kin *Ichthyobodo necator* (Henneguy, 1883); skin, gills; R4 (144, 1030)

Macquaria australasica Cuvier & Valenciennes, 1830 [Macquarie perch, silvereye]

COC:eim *Eimeria* sp.; intestines; R4 (33, 35, 79, 839, 983, 1030)

COC:eim *Epieimeria* sp.; gut; RU (858)

OLI:hym *Ichthyophthirius multifiliis* Fouquet, 1876; skin, gills; R4 (1030)

OLI:mob *Trichodina* sp.; skin, gills; R4 (1030)

PHY:cyr *Chilodonella cyprini* (Moroff, 1902); gills; R2, R4 (32, 79, 1030)

ZOO:kin *Ichthyobodo necator* (Henneguy, 1883); gills; R4 (1030)

Macquaria novamaculeata (Steindachner, 1866) [Australian bass]

OLI:hym *Cryptocaryon irritans* Brown, 1951; external surfaces(exptl. infection); R21 (291, 292)

KUHLIIDAE [flagtails]

Nannoperca australis Gunther, 1861 [pygmy perch]

PHY:cyr *Chilodonella cyprini* (Moroff, 1902); gills; R2, R4 (32, 79)

TERAPONIDAE [grunters, tiger perches]

Anniatataba percoides (Günther, 1864) [barred grunter]

PHY:cyr *Chilodonella hexasticha* (Kiernik, 1909); gills; R10 (624)

Bidyanus bidyanus (Mitchell, 1838) [silver perch, tcheri]

COC:eim *Eimeria* sp.; intestines, pyloric caeca; RU (1030)

COC:eim *Epieimeria* sp.; gut; RU (858)

MYX:biv *Henneguya* sp.; LU; RU (1030, 627)

OLI:hym *Ichthyophthirius multifiliis* Fouquet, 1876; skin, gills; R4 (144, 1030, 1061)

- OLI:hym *Tetrahymena* sp.; skin, gills; R4 (144, 1030)
- OLI:mob *Trichodina* sp.; skin, gills; R4 (144, 1030)
- PHY:cyr *Chilodonella hexasticha* (Kiernik, 1909); skin, gills; R4 (144, 1030)
- ZOO:kin *Ichthyobodo necator* (Henneguy, 1883); skin, gills; R4 (144, 628, 634, 858, 1030)
- Hephaestus carbo*** (Ogilby & McCulloch, 1916) [coal grunter] syn. *Therapon carbo*
MYX:biv *Myxidium therapon* Johnston & Bancroft, 1918; gall bladder; R10 (79, 584)
- Leiopotherapon unicolor*** (Günther, 1859) [spangled perch]
PHY:cyr *Chilodonella hexasticha* (Kiernik, 1909); gills; R10 (624)
- Scortum hillii*** (Castelnau, 1877) [Hills grunter] syn. *Therapon hillii*
MYX:biv *Henneguya gracilis* Johnston & Bancroft, 1918; gill filaments; R10 (79, 584, 627)
- MYX:biv *Myxidium therapon* Johnston & Bancroft, 1918; gall bladder; R10 (79, 584)
- Terapon jarbua*** (Forsskål, 1775) [crescent grunter]
COC:eim Unidentified coccidian; gall bladder; R21 (658)
MYX:biv *Leptotheca* sp.; gall bladder; R21 (658, 802)
- PERCIDAE**
[perches]
- Perca fluviatilis*** Linnaeus, 1758 [redfin perch]
MYX:biv *Triangula percae* Langdon, 1987; brain, R2, R4 (350, 625, 627, 628, 634, 803, 858)
- SILLAGINIDAE**
[whittings, sand smelts]
- Sillago analis*** Whitley, 1943 [golden-lined whiting]
MYX:mul *Kudoa ciliatae* Lom et al., 1992; intestine; R13 (443)
- Sillago ciliata*** Cuvier & Valenciennes, 1829 [sand whiting]
COC:eim *Eimeria ciliatae* Molnar & Rohde, 1988; intestinal mucosa; R14 (788)
COC:eim *Eimeria sillaginis* Molnar & Rohde, 1988; intestinal mucosa; R13, R14 (669, 672, 788)
COC:eim *Epieimeria* sp.; gut; RU (858)
COC:eim *Goussia arrawarra* Molnar & Rohde, 1988; intestinal mucosa; R13, R14 (628, 634, 669, 788, 858)
MYX:mul *Kudoa ciliatae* Lom et al., 1992; intestine; R13 (443, 669)
- OLI:hym *Cryptocaryon irritans* Brown, 1951; surface; R13 (290)
- OLI:mob *Trichodina* sp.; gills; R13 (899)
- OLI:scu *Uronema* sp.; skin, muscle; R14 (391)
- PHY:din *Crepidoodinium australe* Lom et al., 1993; gills; R13 (671)
- PHY:din *Crepidoodinium* sp.; LU; R13 (669)
- Sillago maculata*** Quoy & Gaimard, 1824 [winter whiting]
MYX:mul *Kudoa ciliatae* Lom et al., 1992; intestine; R13 (443)
- OLI:hym *Cryptocaryon irritans* Brown, 1951; surface; R13 (290)
- ECHENEIDAE**
[remoras, sharksuckers]
- Echeneis naucrates*** Linnaeus, 1758 [suckerfish]
MYX:biv *Chloromyxum* sp.; gall bladder; R21 (658)
- CARANGIDAE**
[trevallies, darts]
- Pseudocaranx dentex*** (Bloch & Schneider, 1801)
[silver trevally]
COC:eim *Goussia cruciata* (Thelohan, 1892); liver; R14 (672)
COC:eim *Goussia* sp.; liver; R13 (669)
COC:eim Unidentified coccidian; intestine; R13 (669)
MYX:biv *Alcylobolus* sp.; liver; R13 (669)
- Seriola lalandi*** Valenciennes, 1833 [yellowtail kingfish] syn. *S. grandis*
MYX:mul *Kudoa* sp.; muscle; R21 (79, 658, 1017)
MYX:mul *Unicapsula seriolae* Lester, 1982; muscle; R13 (144, 628, 634, 655, 670, 803, 858)
MYX:mul *Unicapsula* sp.; muscle; R13 (79)
- Trachinotus blochii*** (Lacepède, 1801) [snub-nosed dart]
MYX:biv Unidentified myxozoan; gall bladder; R21 (658, 802)
- CORYPHAEINIDAE**
[dolphinfishes]
- Coryphaena hippurus*** Linnaeus, 1758 [dolphin fish, mahi mahi]
MYX:mul *Kudoa thrysites* (Gilchrist, 1924); muscles; R18 (628, 632, 633, 634, 670, 858)
MYX:biv *Myxidium* sp.; kidney; R18 (633)
OLI:mob *Trichodina* sp.; gills; R18 (633)
PHY:din *Dermocystidium* sp.?; muscle, liver, pancreas; R18 (633)
- LUTJANIDAE**
[snappers and fusiliers]
- Lutjanus adetii*** (Castelnau, 1873) [crimson hussar, yellow-banded hussar] syn. *L. amabilis*
MYX:biv *Ceratomyxa sprengi* Moser et al., 1989; gall bladder; R21 (658, 802)
- Lutjanus bohar*** (Forsskål, 1775) [red bass]
MYX:biv *Ceratomyxa* sp.; gall bladder; R13 (899)

Lutjanus carponotatus (Richardson, 1842) [yellow stripey]
 MYX:biv Unidentified myxozoan; gall bladder; R21 (658, 802)
 OLI:hym *Cryptocaryon irritans* Brown, 1951; surface; R21 (290)

Lutjanus russelli (Bleeker, 1849) [Moses perch]
 OLI:hym *Cryptocaryon irritans* Brown, 1951; surface; R13 (290)

Lutjanus (unidentified species)
 PHY:din *Amyloodinium* sp.; skin; RU (983)

GERREIDAE [silver biddys, mojarras]

Gerres subfasciatus (Cuvier, 1830) [silver biddy] syn. *G. ovatus*
 COC:eim *Eimeria nesowai* Lom & Dykova, 1995; intestinal mucosa; R2 (672)
 COC:eim Unidentified coccidian; intestine; R13 (669)
 MYX:biv *Sphaerospora* sp.; kidney; R13 (669)
 MYX:biv *Myxobolus* sp.; kidney; R13 (669)
 OLI:hym *Cryptocaryon irritans* Brown, 1951; surface; R13 (290)
 OLI:mob *Trichodina* sp.; gills; R13 (669)

LETHRINIDAE [emperors, sea breams]

Gymnocranius audleyi Ogilby, 1916 [iodine bream]
 syn. *Gymnocranius bitorquatus*
 MIC:mic Unidentified microsporan; muscle; R13 (899)
 OLI:hym *Cryptocaryon irritans* Brown, 1951; surface; R21 (289, 290, 292, 293, 294)
 MYX:biv Unidentified myxozoan; gall bladder; R21 (658, 802)

Lethrinus miniatus (Forster in Bloch & Schneider, 1801) [sweetlip emperor, redthroat emperor]
 OLI:hym *Cryptocaryon irritans* Brown, 1951; surface; R21 (290)

SPARIDAE [bream]

Acanthopagrus australis (Günther, 1859) [common marine bream, yellowfin bream]
 COC:eim *Goussia thelohani* Labbe, 1896; liver; R14 (672)
 COC:eim *Goussia* sp.; liver; R13 (669)
 COC:eim Unidentified coccidian; gut; RU (788)
 MYX:biv *Ceratomyxa* sp.; gall bladder; R13 (669)
 MYX:biv *Henneguya* sp.; gill, gut, fin, cornea; R13 (1024)
 MYX:biv *Myxobolus* sp.; liver, gut; R13 (669, 1024)
 MYX:biv *Ortholinea australis* Lom et al., 1992; gall bladder, R13 (669)

MYX:biv *Sphaerospora* sp.; kidney; R13 (1025)
 OLI:hym *Cryptocaryon irritans* Brown, 1951; surface; R13, R21 (289, 290, 291, 292, 293, 294)

Rhabdosargus sarba (Forsskål, 1775) [tarwhine]
 COC:eim *Goussia thelohani* Labbe, 1896; liver; R14 (672)
 COC:eim *Goussia* sp.; liver; R14 (669, 788)
 COC:eim Unidentified coccidian; gut; RU (788)
 MYX:biv *Ortholinea australis* Lom et al., 1992; liver; R13 (669)
 OLI:hym *Cryptocaryon irritans* Brown, 1951; surface; R13 (290)
 OLI:mob *Trichodina* sp.; gills; R13 (669)

Sparus (unidentified species)
 MYX:biv Unidentified myxozoan; internal organs; R13 (23, 79)

SCIAENIDAE [jewfish, drums, croakers]

Johnius novaehollandiae (Cuvier, 1830) [little jewfish] = *J. belangeri* (cited in reference as *J. vogleri* (different fish) synonyms are *J. australis*, *Sciaena australis*)
 MIC:mic *Pleistophora sciaenae* Johnston & Bancroft, 1918; ovary; R13 (79, 584, 627, 858)

PEMPHERIDAE [sweepers]

Pempheris compressus Shaw, 1790 [smallscale bullseye]
 MYX:biv Unidentified myxozoan; liver; R13 (669)

KYPHOSIDAE [drummers, sea chubs, rudderfishes]

Girella tricuspidata (Quoy & Gaimard, 1824) [luderick, blackfish]
 MYX:biv *Myxobolus* sp.; pyloric caeca; R13 (669)
 MYX:biv *Henneguya* sp.; gills; R13 (669)
 OLI:mob *Trichodina* sp.; gills; R13 (669)
 OLI:mob *Trichodinella* sp.; gills; R13 (669)

SCORPIDIDAE [sweeps, stripey]

Microcanthus strigatus (Cuvier & Valenciennes, 1831) [stripey]
 COC:eim *Goussia microcanthi* Molnar & Rohde, 1988; intestinal mucosa; R14 (788)

Scorpius lineolatus Kner, 1865 [silver sweep]
 MYX:biv *Ceratomyxa* sp.; LU; R13 (669)

SCATOPHAGIDAE [scats]

Scatophagus argus (Linnaeus, 1766) [spotted scat]
 OLI:hym *Cryptocaryon irritans* Brown, 1951; skin; RU (983)

CHAETODONTIDAE [butterflyfishes]

Chaetodon aureofasciatus Macleay, 1878 [golden-striped butterflyfish]

- MYX:biv *Ceratomyxa sprengeli* Moser et al., 1989; gall bladder; R21 (658, 802)
 MYX:biv *Parvicapsula* sp.; kidney; R21 (658)
 MYX:biv Unidentified myxozoan; gall bladder, R21 (802)

Chaetodon plebeius Cuvier & Valenciennes, 1831 [bluespot butterflyfish]

- MYX:biv *Zschokkella heronensis* Moser et al., 1989; gall bladder; R21 (658, 802)

Chaetodon rainfordi McCulloch, 1923 [Rainford's butterflyfish]

- MYX:biv *Ceratomyxa sprengeli* Moser et al., 1989; gall bladder, R21 (658, 802)
 MYX:biv *Myxobolus* sp.; kidney; R21 (658)
 MYX:biv *Ortholinea* sp.; kidney; R21 (658)
 MYX:biv *Ortholinea alata* Kent & Moser, 1990; kidney; R21 (610)

Chaetodon trifasciatus Park, 1797 [redfin butterflyfish]

- MYX:biv *Ceratomyxa* sp.; gall bladder, R21 (658, 802)
 MYX:biv Unidentified myxozoan; gall bladder; R21 (802)

CICHLIDAE [cichlids]

Pterophyllum (unidentified angelfish species)

- COC:eim *Cryptosporidium* sp.; gut; RU (aquarium) (627, 628, 634, 858)

Sympodus (unidentified discus fish species)

- ZOO:dip *Hexamita* sp.; gut, liver, blood, head; RU (aquarium) (627, 983, 984)

POMACENTRIDAE [damselfishes]

Chromis atripinnis Welander & Schultz, 1951 [black-axis puller]

- MYX:biv *Simulinea* sp.; gall bladder; R21 (658, 802)
 MYX:biv Unidentified myxozoan; gall bladder; R21 (802)

Parma microlepis Gunther, 1862 [white-ear]

- COC:eim *Haemogregarina aulopi* Mackerras & Mackerras, 1925; blood; R14 (79, 684, 696)
 COC:ade *Haemogregarina parmae* Mackerras & Mackerras, 1925; blood; R14 (79, 684, 696)
 ZOO:kin *Trypanoplasma parmae* Mackerras & Mackerras, 1925; blood; R14 (79, 684, 696)
 ZOO:kin *Trypanosoma pulchra* Mackerras & Mackerras, 1925; blood; R14 (79, 684, 696)

Paraglyptidodon melas (Cuvier, 1830) [black damsel]

- OLI:mob *Trichodina* sp.; LU; R21 (658)

Pomacentrus melanochir Russell et al., 1974 [white-tailed damsel] Note: *P. melanochir* not recorded from this region, probable mis-identification of *P. chrysurus* (Cuvier, 1830)

- COO:ade *Haemogregarina* sp.; blood; R21 (137, 658)

Pomacentrus wardi Whitley, 1927 [Ward's damsel]

- MYX:biv Unidentified myxozoan; gall bladder, R21 (658, 802)

ARRIPIDAE [Australian salmon, kahawai]

Arripis trutta Whitley, 1949 [Australian salmon]

- MYX:biv *Ceratomyxa arripica* Su & White, 1994; gall bladder, R15 (1110)

GADOPSIDAE [blackfish]

Gadopsis bispinosus Sanger, 1984 [2-spined blackfish]

- MYX:biv *Myxobolus godopsii* Langdon, 1990; muscles, connective tissue; R2, R4 (629)

Gadopsis marmoratus Richardson, 1848 [river blackfish, slippery]

- MYX:biv *Myxobolus godopsii* Langdon, 1990; muscles, connective tissue; R2, R4 (629)

- MYX:biv *Myxosoma* sp.; gills; RU (35)

- OLI:hym *Ichthyophthirius multifiliis* Fouquet, 1876; body surface; R2, R4 (79, 138, 140)

- PHY:cyr *Chilodonella cyprini* (Moroff, 1902); skin, gills; R2, R4 (32, 79, 144, 628, 634)

CHEILODACTYLIDAE [morwongs]

Cheilodactylus fuscus Castelnau, 1879 [red morwong]

- COC:eim *Eimeria cheilodactyli* Molnar & Rohde, 1988; intestinal mucosa; R14 (788)

- COC:eim *Eimeria dykovae* Molnar & Rohde, 1988; intestinal mucosa; R14 (788)

- COC:eim *Epieimeria* sp.; gut; RU (858)

LATRIDAE [trumpeters]

Latris lineata (Bloch & Schneider, 1801) [Tasmanian trumpeter]

- OLI:scu *Uronema* sp.; muscles; RU (637)

MUGILIFORMES

MUGILIDAE [mullets, grey mullets]

Aldrichetta forsteri (Cuvier & Valenciennes, 1836) [yellow-eye mullet, freshwater mullet]

- MYX:biv *Myxobolus aldrichetti* Su & White, 1994; gills; R15 (1110)

- MYX:biv *Sphaerospora aldrichettiae* Su & White, 1994; gall bladder; R15 (1110)

Mugil cephalus Linnaeus, 1758 [sea mullet]
 MYX:biv *Henneguya* sp.; gills; R13 (669)
 MYX:biv *Myxidium* sp.; gall bladder; R13 (669)
 MYX:biv *Myxobolus episquamalis* Egusa et al., 1990; scales, fins; R13 (1021)
 MYX:biv *Myxobolus* sp.; skin, gall bladder, intestines; R13, R21 (144, 658, 669, 802)
 MYX:biv Unidentified myxozoan; gall bladder; R21 (802)

Myoxus elongatus Günther, 1861 [sand mullet]
 COC:eim *Eimeria* sp.; pyloric caeca; R13 (669)
 MYX:biv *Sphaerospora* sp.; kidney; R13 (669)
 OLI:mob *Trichodinella* sp.; gills; R13 (669)

Oedalechilus labiosus (Cuvier & Valenciennes, 1836) [fringe-lip mullet] syn. *Crenimugil labiosus*
 MYX:biv *Myxobolus* sp.; gall bladder; R21 (658, 802)

Unidentified mullet species
 MYX:biv Unidentified myxozoan; internal organs; R13 (23, 79)
 MIC:mic *Ichthyosporidium* sp.; viscera; R1 (1072)

LABRIDAE [wrasses]

Choerodon cyanodus (Richardson, 1843) [blue tuskfish]
 MYX:biv Unidentified myxozoan; gall bladder; R21 (658, 802)

Choerodon venustus (De Vis, 1884) [Venus tuskfish]
 MIC:mic Unidentified microsporan; liver; R13 (899)
 MYX:biv *Ceratomyxa sprengeli* Moser et al., 1989; gall bladder; R21 (658, 802)
 MYX:biv *Zschokkella heronensis* Moser et al., 1989; gall bladder; R21 (658, 802)
 OLI:mob *Trichodina* sp.; gill; R13 (899)

Labrodes australis Randall, 1981 [southern tubelip]
 MYX:biv *Ceratomyxa* sp.; gall bladder; R21 (658, 802)

Labrodes (unidentified species)
 MYX:biv *Ceratomyxa* sp.; gall bladder; R21 (658, 802)

BLENNIIDAE [blennies]

Ecsenius bicolor (Day, 1888) [bicolour blenny]
 COC:eim *Haemogregarina bigemina* Laveran & Mesnil, 1901; blood; R21 (137, 658)

Istiblennius meleagris (Cuvier & Valenciennes, 1836) [blue-spotted blenny]
 MYX:biv *Myxidium sphaericum* Moser et al., 1989; gall bladder; R21 (658, 802)

Parablennius tasmanianus (Richardson, 1849) [Tasmanian blenny]
 OLI:scu *Uronema* sp.; LU; RU (1223)

Petroscoirtes fallax Smith-Vaniz, 1976 [yellow sabretooth blenny]

MYX:biv *Ceratomyxa rhodei* Moser et al., 1989; gall bladder; R21 (658, 802)

Petroscoirtes (unidentified species)

MYX:biv *Myxidium sphaericum* Moser et al., 1989; gall bladder; R21 (658, 802)

Salarias fasciatus (Bloch, 1786) [jewelled blenny]
 MYX:biv *Myxidium sphaericum* Moser et al., 1989; gall bladder; R21 (658, 802)

CLINIDAE [clinids]

Heteroclinus whiteleggi (Ogilby, 1894) [Whitelegg's weedfish]

MYX:biv *Coccoomyxa tenuiparies* Lom et al., 1992; gall bladder; R13 (669)

MYX:biv *Sphaeromyxa* sp.; gall bladder; R13 (669)

CALLIONYMIDAE [dragonets]

Callionymus limiceps Ogilby, 1908 [dragonet]

MYX:biv *Myxidium* sp.; gall bladder; R13 (899)

MYX:biv *Zschokkella* sp.; gall bladder; R13 (899)

ELEOTRIDIDAE [sleepers]

Gobiomorphus australis (Krefft, 1862) [striped gudgeon] = *Mogurnda australis*

PHY:cyr *Chilodonella cyprini* (Moroff, 1902); gills; R2, R4 (32, 79)

Gobiomorphus gobiooides (Cuvier & Valenciennes, 1837) [bullethead] Note: this species is endemic in NZ, host may be referable to *G. coxii* Krefft, 1864

OLI:hym *Ichthyophthirius multifiliis* Fouquet, 1876; body surface; R4 (79, 140)

Hypseleotris compressa (Krefft, 1864) [empire gudgeon]

COE:eim *Goussia callinani* Molnar & Rohde, 1988; intestinal mucosa; R2 (628, 634, 789, 858)

MYX:biv *Myxosoma* sp.; muscle; R2 (984)

Hypseleotris kyunzingeri (Ogilby, 1898) [western carp gudgeon]

OLI:ses *Aplosoma* sp.; skin; R4 (1030)

OLI:mob *Trichodina* sp.; skin, gills; R4 (1030)

OLI:mob *Trichodinella* sp.; gills; R4 (669)

Oxyeleotris lineolatus (Steindachner, 1867) [sleepy cod]

OLI:mob *Trichodina* sp.; LU; RU (aquarium) (144)

Philyodon grandiceps (Krefft, 1864) [big-headed gudgeon]

COE:eim *Eimeria philydoni* Molnar & Rohde, 1988; intestinal mucosa; R2 (789)

Unidentified gudgeon species

COE:eim *Epieimeria* sp.; gut; RU (858)

GOBIIDAE [gobies]

Nesogobius (Last et al., 1983)

- MYX:biv *Sphaeromyxa nesogobii* Su & White, 1994; gall bladder; R15 (1110)
 OLI:mob *Trichodinajadranica* Raabe, 1958; gills; R15 (1111)
 OLI:mob *Trichodinunesogobii* Su & White, 1995; gills; R15 (1111)

SIGANIDAE [rabbitfishes]

Siganus fuscescens (Houttuyn, 1797) [dusky rabbitfish]
 OLI:mob *Trichodina* sp.; gills; R13 (899)
 LIT:yes *Balantidium* sp.; gut; R13 (899)

Siganus punctatus (Bloch & Schneider, 1801) [gold-spotted spinefoot] syn. *S. chrysopilos*
 MYX:biv Unidentified myxozoan; gall bladder; R21 (658, 802)

ACANTHURIDAE [surgeonfishes]

Acanthurus dussumieri Cuvier & Valenciennes, 1835 [Dussumier's surgeonfish]
 ZOO:dip *Hexamita* sp.; intestine; R13 (669)

Acanthurus nigrofasciatus Forsskål, 1775 [dusky surgeonfish]
 OPA:opa *Protoopalina* sp., LU; RU (279)
 OPA:opa *Protoopalina polykineta* Grim & Clements, 1996; intestines; R21 (429)

Naso tuberosus Lacepède, 1802 [humpnose unicornfish]
 LIT:yes *Balantidium jocularum* Grim, 1993; intestines; R21 (428)

Zebrasoma scopas Cuvier, 1829 [brushtail tang]
 LIT:yes *Balantidium zebrascopi* Grim, 1992; intestines; R21 (427)
 SPI:cle *Paracichlidotherus leeuwenhoekii* Grim, 1992; intestines; R21 (127, 427)

GEMPYLIDAE [snake mackerels]

Thyrsites atun (Euphrasen, 1791) [barracouta] syn *Scomberatun*, *Leionura atun*
 MIC:mic *Pleistophora* sp.; LU; RU (858)
 MYX:biv *Kudoa thyrsites* (Gilechrist, 1924); muscle; RU, R14, R15 (79, 93, 574, 858, 1027, 1070, 1245)

SCOMBRIDAE [mackerels and tunas]

Thunnus maccoyii Castelnau, 1872 [southern bluefin tuna]
 MYX:mul *Kudoa* sp.; muscles, nerves; R18 (629, 858)

- OLI:scu *Uronema nigricans* (Mueller, 1786); brain; R16 (859)

OLI:scu *Uronema* sp.; LU; RU (858, 1223)

PLEURONECTIFORMES

PLEURONECTIDAE [righteye flounders]

Rombosolea tapirina Günther, 1862 [greenback flounder]

MIC:mic Unidentified microsporan; liver; RU (aquarium) (858)

TETRAODONTIFORMES

BALISTIDAE [triggerfishes]

Sufflamen chrysopterus (Bloch & Schneider, 1801) [flagtail triggerfish]

MYX:biv *Centromyzia* sp.; gall bladder; R21 (658, 802)

MYX:biv *Myxobolus* sp.; kidney; R21 (658)

MONACANTHIDAE [filefishes]

Cantherhines (unidentified leatherjacket species)
 =*Monacanthus* sp.

UNC:sta Unidentified haemoprotozoan; blood; R14 (79, 568, 570, 684)

Monacanthus chinensis Osbeck, 1765 [fan-bellied leatherjacket]

COC:eim *Eimeria rohdei* Lom & Dykova, 1995; caecal mucosa; R14 (672)

COC:eim *Eimeria* sp.; pyloric caeca; R13 (669)

MYX:biv Unidentified myxozoan; urinary bladder; R13 (669)

ZOO:dip *Hexamita* sp.; intestine; R13 (669)

Paramonacanthus filicanda (Günther, 1880) [threadfin leatherjacket]

MIC:muc Unidentified microsporan; liver; R13 (899)

OSTRACIIDAE [boxfishes, cowfishes, trunkfishes]

Ostracion cubicus Linnaeus, 1758 [yellow boxfish]
 MYX:biv *Centromyzia* sp.; gall bladder; R21 (658, 802)

TETRAODONTIDAE [puffers]

Arothron hispidus (Linnaeus, 1758) [stars and stripes toadfish] syn. *Tetraodon hispidus*

COC:ade *Haemogregarina tetraodontis* Mackerras & Mackerras, 1961; blood; R13, R27 (79, 696)

Marilyna pleurosticta (Günther, 1871) [banded toad] syn. *Sphaeroides pleurostictus*

COC:eim *Eimeria pleurosticti* Molnar & Rohde, 1988; intestinal mucosa; R14 (788)

Tetractenos glaber (Fremerville, 1813) [smooth toadfish]

MYX:biv Unidentified myxozoan; gall bladder; R13 (669)

OLI:mob *Trichodina* sp.; gills; R13 (669)

Tetraodon (unidentified species)

COC:eim *Epieimeria* sp.; gut; RU (858)

OLI:hym *Ichthyophthirius multifiliis* Fouquet, 1876; skin; RU (983)

Tetractenos hamiltoni (Richardson, 1843) [Richardson's toadfish, common toad] =*Torquigener hamiltoni* syn. *Spheroides hamiltoni*

OLI:hym *Cryptocaryon irritans* Brown, 1951; surface; R13 (290)

Torquigener pleurogramma (Regan, 1903) [weeping toadfish] syn. *Spheroides pleurogramma*

OLI:hym *Cryptocaryon irritans* Brown, 1951; surface; R13 (290)

DIODONTIDAE

[porcupinefishes, burrfishes]

Diodon hystrix Linnaeus, 1758 [porcupine fish]

COC:ade *Haemogregarina tetraodontis* Mackerras & Mackerras, 1961; blood; R21 (137, 658)

MYX:biv *Parvicapsula* sp.; kidney; R21 (658)

ARTHROPODA

CRUSTACEA

COPEPODA

CALANOIDAE

[copepods]

Boeckella triarticulata (Thomson, 1883) [copepod]

MIC:mic *Tuzetia boeckella* Milner & Mayer, 1982; muscles; R4 (778)

CYCLOPOIDAE

[copepods]

Apocyclops dengizicus (Lepeschkin, 1900)

MIC:mic *Duboscqia* sp.; LU; R1 (1123)

Mesocyclops albicans (Smith)

MIC:mic *Amblyospora dyxenoides* Sweeney et al., 1988; LU; R4 (638, 1118, 1119)

Mesocyclops leuckarti (Claus, 1857)

PHY:eug *Dinema australiense* Michajlow, 1978; eggs, larvae; R1, R2 (770, 771)

PHY:eug *Dinema rostratum* Michajlow, 1978; eggs, larvae; R1, R2 (770, 771)

PHY:eug *Dinema rotundum* Michajlow, 1972; eggs; R2 (771)

PHY:eug *Parastasiella naupliorum* Michajlow, 1972; larvae; R1, R2 (771)

PHY:eug *Embryocola sulcatus* Michajlow, 1972; larvae; R1, R2 (771)

PHY:eug *Naupliicola* sp.; larvae; R1, R2 (771)

Mesocyclops (unidentified species)

MIC:mic *Amblyospora dyxenoides* Sweeney et al., 1988; LU; R4 (1121, 1123)

Microcyclops varicans (Sars, 1863)

PHY:eug *Dinema* sp.; larvae; R1 (771)

PHY:eug *Etreptia parasitica* Michajlow, 1978; larvae; R1 (771)

Paracalanus indicus Wolfenden, 1906

PHY:din *Syndinium* sp.; coelum; R13 (612, 1068)

Unidentified cyclopoid species

MIC:mic *Amblyospora indocola* Vavra et al., 1984; LU; R1 (1122, 1123)

MALACOSTRACA ISOPoda

PHREATOICIDAE

Metaphreatoicus australis (Chilton, 1891)

OLI:ses *Operculigera obstipa* Clamp, 1991; pleopods; R4 (195)

Synamphisopus ambiguus (Sheard, 1936)

OLI:ses *Setonophrys communis* (Kane, 1965); exoskeleton; R4 (15, 607)

DECAPODA

TRAPEZIIDAE

[coral crabs]

Trapezia septata Dana, 1852 [honeycomb coral crab]
syn. *T. aerolata*

PHY:din *Haematodinium australis* Hudson & Shields, 1994; gill, blood; R13 (502, 1068)

Trapezia cymodoce (Herbst, 1799) [blue coral crab]
syn. *T. coerulea*

PHY:din *Haematodinium* sp.; gill; R13 (502)

PORTUNIDAE

[crabs]

Portunus pelagicus (Linnaeus, 1766) [sand crab]

COG:eim *Aggregata* sp.; connective tissues; R13 (1067)

GRE:eug *Nematopsis* sp.; foregut; R13 (1067)

MIC:mic *Ameson* sp.; muscles, blood, ovaries; R13 (1067)

MIC:mic *Thelohania* sp.; foregut; R13 (1067)

OLI:ses *Operculariella* sp.; gills; R13 (1067)

OLI:scu *Paranophrys* sp.; haemolymph; R13 (1067)

PHY:din *Hematodinium australis* Hudson & Shields, 1994; blood; R21 (503, 506, 1067, 1068)

PHY:din *Hematodinium* sp.; haemolymph; R13 (505)

PHY:end *Acineta* sp.; gills; R13 (1067)

Scylla serrata (Forsskål, 1755) [mud crab, mangrove crab]

PHY:din *Haematodinium australis* Hudson & Shields, 1994; blood; R13 (503, 504, 1068)

OLI:ses *Epistylis* sp.; gills; R13 (504)

PHY:end *Acineta* sp.; gills; R13 (504)

PENEIDAE

[prawns]

Metapenaeus macleayi (Haswell, 1879) [eastern school prawn]

OLI:apo *Synophrya hypertrophica* Chatton & Lwoff, 1926; gills; R1 (659)

Penaeus esculentus Haswell, 1879 [tiger prawn]

MIC:mic *Ameson nelsoni* (Sprague, 1950); muscles; R21 (918, 919)

MIC:mic *Thełohania duorara* Iverson & Manning, 1959; LU; R21 (10)

Penaeus japonicus Bate, 1888 [Karuma prawn]

OLI:ses *Cothurnia* sp.; gills; R1 (501)

OLI:ses *Lagenophrys* sp.; gills; R1 (501)

OLI:ses *Zoothamnium* sp.; gills; R1 (501)

PHY:end *Acineta* sp.; gills; R1 (501)

PHY:exo *Ephelota* sp.; gills; R1 (501)

Penaeus latisulcatus Kishinouye, 1896 [western king prawn]

MIC:mic *Agmasoma penaei* (Sprague, 1950); muscles, connective tissue; R21 (10, 921)

MIC:mic *Thełohania duorara* Iverson & Manning, 1959; muscles, connective tissue; R21 (918, 919)

Penaeus longistylus Kubo, 1943 [redspot king prawn]

MIC:mic *Agmasoma penaei* (Sprague, 1950); muscles, connective tissue; R21 (10, 921)

MIC:mic *Thełohania duorara* Iverson & Manning, 1959; muscles, connective tissue; R21 (918, 919)

Penaeus merguiensis de Man, 1888 [banana prawn]

MIC:mic *Ameson nelsoni* (Sprague, 1950); muscles; R21, R27 (918, 919)

MIC:mic *Thełohania duorara* Iverson & Manning, 1959; muscles; R21 (10, 921)

Penaeus monodon Fabricius, 1798 [giant tiger prawn]

OLI:ses *Epistylis* sp.; gills; R1 (921)

OLI:ses *Rhabdostyla* sp.; gills; R1 (921)

OLI:ses *Vorticella* sp.; gills; R1 (921)

Penaeus plebejus Hess, 1865 [eastern king prawn]

OLI:apo *Synophrya hypertrophica* Chatton & Lwoff, 1926; gills; R1 (10, 659)

OLI:apo Unidentified apostome ciliate; gills; RU (919)

Penaeus semisulcatus de Haan, 1844 [green tiger prawn]

MIC:mic *Agmasoma penaei* (Sprague, 1950); muscles, connective tissue; R21 (921)

MIC:mic *Ameson nelsoni* (Sprague, 1950); muscles; R21, R27 (918, 919)

MIC:mic *Thełohania duorara* Iverson & Manning, 1959; muscles, connective tissue; R21 (10, 918)

Penaeus (unidentified species)

OLI:ses *Cothurnia* sp.; exoskeleton; R1 (659)

OLI:ses *Epistylis* sp.; exoskeleton; R1 (659)

OLI:ses *Vorticella* sp.; exoskeleton; R1 (659)

OLI:ses *Zoothamnium* sp.; exoskeleton; R1 (659)

PALAEOMONIDAE

[long-arm shrimps]

Macrobrachium rosenbergii (de Man, 1879) [giant river prawn]

MIC:mic *Thełohania* sp.; muscle; RU (920)

Macrobrachium (unidentified species)

OLI:ses *Cothurnia* sp.; exoskeleton; RU (945)

OLI:ses *Epistylis* sp.; exoskeleton; RU (945)

OLI:ses *Vaginicola* sp.; exoskeleton; RU (945)

OLI:ses *Zoothamnium* sp.; exoskeleton; RU (945)

PHY:end *Acineta* sp.; exoskeleton; RU (945)

PHY:exo *Podophyra* sp.; exoskeleton; RU (945)

PHY:end *Tokophyra* sp.; exoskeleton; RU (945)

PARASTACIDAE

[freshwater crayfishes]

Cherax albifidus Clark, 136 [white yabby]

MIC:mic *Vavraia parastacida* Langdon, 1991; muscles; R6 (635)

OLI:ses *Lagenophrys ocellosa* Kane, 1965; gills; R2 (607)

OLI:ses *Lagenophrys willisi* Kane, 1965; gills; R2 (607, 794)

OLI:ses *Setonophrys communis* (Kane, 1965); gills, cuticle; R2 (195, 607, 794)

OLI:ses *Setonophrys singulata* (Kane, 1965); gills; R4 (195)

OLI:ses *Setonophrys seticola* (Kane, 1965); cuticle; R2 (195, 607, 794)

Cherax depressus Riek, 1951 [orange fingered yabby]

OLI:ses *Setonophrys singulata* (Kane, 1965); gills; R1 (195)

Cherax destructor (Clark, 1936) [inland yabbie]

MIC:mic *Thełohania* sp.; muscles; R2, R4, R5 (10, 175, 179, 492, 508, 627, 772, 773, 800, 893, 920, 945)

MIC:mic *Pleistophora* sp.; muscle; R5 (893)

OLI:ses *Cothurnia* sp.; gills, pleopods; R5 (893)

OLI:ses *Epistylis variabilis* Stiller, 1942; gills, pleopods; R5 (893)

OLI:ses *Epistylis* sp.; gills, pleopods; R5 (175, 893)

- OLI:ses *Lagenophrys darwini* Kane, 1965; gills, pleopods; R5 (893)
- OLI:ses *Lagenophrys ocellosa* Kane, 1965; gills; R2 (175, 607, 772, 920, 945)
- OLI:ses *Lagenophrys spinosa* Kane, 1965; cuticle, gills; R2, R5 (175, 607, 772, 794, 893, 920, 945)
- OLI:ses *Lagenophrys willisi* Kane, 1965; gills, pleopods; R2, R5 (175, 607, 772, 794, 893, 920, 945)
- OLI:ses *Setonophrys communis* (Kane, 1965); cuticle, gills; R2, R4, R5 (175, 195, 607, 773, 794, 893)
- OLI:ses *Setonophrys lingulata* (Kane, 1965); pleopods, gills; R2, R4, R5 (175, 195, 607, 794, 893)
- OLI:ses *Setonophrys seticola* (Kane, 1965); cuticle; R2 (175, 195, 607, 772, 794, 945)
- OLI:ses *Pyxicola bicalceata* Kane, 1964; gills; RU (175, 920, 945)
- OLI:ses *Pyxicola carteri* Kent, 1882; pleopods; R5 (893)
- OLI:ses *Pyxicola jacobi* Kane, 1964; gills; RU (175, 773, 920, 945)
- OLI:ses *Pyxicola pusilla* Wrzesniowski, 1870; pleopods; R5 (893)
- OLI:ses *Vaginicola ampulla* Stokes, 1886; gills, pleopods; R5 (893)
- OLI:ses *Vaginicola* sp.; gills, pleopods; R5 (893)
- OLI:ses *Vorticella calciformis* Kahl, 1933; gills, pleopods; R5 (893)
- OLI:ses *Vorticella convallaria* Linnaeus, 1758; gills, pleopods; R5 (893)
- OLI:ses *Vorticella flexulosa* Nenninger, 1948; gills, pleopods; R5 (893)
- OLI:ses *Vorticella jaerae* Precht, 1935; gills, pleopods; R5 (893)
- OLI:ses *Vorticella* sp.; gills, pleopods; R5 (893)
- PHY:end *Acineta tuberosa* Ehrenberg, 1833; pleopods, gills; R5 (893)
- PHY:end *Acineta fluviatilis* Stokes, 1885; pleopods, gills; R5 (893)
- PHY:end *Tokophrya cyclopum* (Clapredé & Lachmann, 1859); pleopods, gills; R5 (893)
- Cherax quadricarinatus* (von Martens, 1868) [redclaw]**
- MIC:mic *Thelohania* sp.; muscle; R1 (aquaria, USA)(10, 175, 472, 473, 492, 627, 800, 920, 945, 1062)
- MIC:mic *Vavraia* sp.; LU; RU (175)
- MIC:mic *Vavraia parastacida* Langdon, 1991; muscles; R1 (630, 631)
- OLI:hym *Tetrahymena pyriformis* (Ehrenberg, 1830); systemic infection; R1 (323)
- OLI:ses *Epistylis* sp.; exoskeleton; R1 (10, 11, 175, 472, 794, 920)
- OLI:ses *Lagenophrys darwini* Kane, 1965; gills; R8 (175, 607, 794, 920, 945)
- OLI:ses *Lagenophrys* sp.; gills; R1 (10, 175, 472, 794)
- OLI:ses *Setonophrys communis* (Kane, 1965); gills; R8, R9 (175, 195, 607, 794, 920, 945)
- OLI:ses *Vorticella* sp.; exoskeleton; R1 (10, 175, 472, 794, 920)
- OLI:ses *Zoothamnium* sp.; exoskeleton; R1 (10, 11, 175, 472, 794, 920, 945)
- Cherax quinquecarinatus* (Gray, 1845) [gilgy]**
- MIC:mic *Thelohania* sp.; muscles; R6 (10, 492, 627, 631, 800, 920)
- MIC:mic *Vavraia parastacida* Langdon, 1991; muscles; R6 (630, 631)
- OLI:ses *Lagenophrys deserti* Kane, 1965; gills; R6 (607)
- Cherax rotundus* Clark, 1941 [rotund crayfish]**
- OLI:ses *Lagenophrys bispinosa* Kane, 1965; pleopods; R2 (607)
- OLI:ses *Lagenophrys ocellosa* Kane, 1965; gills; R2 (607)
- OLI:ses *Lagenophrys willisi* Kane, 1965; gills; R2 (607, 794)
- OLI:ses *Setonophrys communis* (Kane, 1965); gills; R2, R4 (195, 607)
- OLI:ses *Setonophrys lingulata* (Kane, 1965); gills; R2 (195, 607, 794)
- OLI:ses *Setonophrys seticola* (Kane, 1965); cuticle; R2 (195, 607, 794)
- Cherax tenuimanus* (Smith, 1912) [marron]**
- MIC:mic *Thelohania* sp.; LU; RU (175)
- MIC:mic *Microsporidium* sp.; LU; RU (10)
- MIC:mic *Vavraia parastacida* Langdon, 1991; muscles; R6 (630, 631, 635)
- MIC:mic *Vavraia* sp.; LU; RU (175)
- OLI:ses *Cothurnia* sp.; gills, pleopods; R5 (175, 893)
- OLI:ses *Epistylis variabilis* Stiller, 1942; gills, pleopods; R5 (893)
- OLI:ses *Epistylis* sp.; exoskeleton, gills; R1, R5 (10, 175, 472, 794, 893, 920, 1210)
- OLI:ses *Lagenophrys darwini* Kane, 1965; gills, pleopods; R5 (893)
- OLI:ses *Lagenophrys deserti* Kane, 1965; gills; R6 (175, 607, 794)
- OLI:ses *Lagenophrys spinosa* Kane, 1965; cuticle, gills; R5 (893)
- OLI:ses *Lagenophrys willisi* Kane, 1965; gills, pleopods; R5 (893)
- OLI:ses *Pyxicola carteri* Kent, 1882; pleopods; R5 (893)
- OLI:ses *Pyxicola pusilla* Wrzesniowski, 1870; pleopods; R5 (893)

- OLI:ses *Setonophrys communis* (Kane, 1965); cuticle, gills; R5 (195, 893)
- OLI:ses *Setonophrys lingulata* (Kane, 1965); pleopods, gills; R5 (195, 893)
- OLI:ses *Vaginicola ampulla* Stokes, 1886; gills, pleopods; R5 (893)
- OLI:ses *Vaginicola* sp.; gills, pleopods; R5 (893)
- OLI:ses *Vorticella calciformis* Kahl, 1933; gills, pleopods; R5 (893)
- OLI:ses *Vorticella convallaria* Linnaeus, 1758; gills, pleopods; R5 (893)
- OLI:ses *Vorticella flexulosa* Nenninger, 1948; gills, pleopods; R5 (893)
- OLI:ses *Vorticella jaerae* Precht, 1935; gills, pleopods; R5 (893)
- OLI:ses *Vorticella* sp.; exoskeleton, gills; R1, R5 (10, 472, 794, 893, 920, 945)
- OLI:ses *Zoothamnium* sp.; exoskeleton; R1 (10, 175, 472, 794, 920, 945)
- PHY:end *Acineta tuberosa* Ehrenberg, 1833; pleopods, gills; R5 (893)
- PHY:end *Acineta fluvialis* Stokes, 1885; pleopods, gills; R5 (893)
- Engaeus fultoni* Smith & Schuster, 1913**
- OLI:ses *Setonophrys seticola* (Kane, 1965); cuticle; R2 (195, 607)
- Engaeus hemicirratulus* Smith & Schuster, 1913 syn. *Astroastacus hemicirratulus***
- OLI:ses *Lagenophrys engaei* Kane, 1965; gill filaments; R2, R3 (607, 794)
- Engaeus quadrimanus* Clark, 1936 syn. *Engaeus marmoratus***
- OLI:ses *Setonophrys communis* (Kane, 1965); gills; R2 (195)
- Engaeus victoriensis* Smith & Schuster, 1913**
- OLI:ses *Lagenophrys engaei* Kane, 1965; gills; R2, R3 (607, 794)
- Engaeus* (unidentified species)**
- OLI:ses *Setonophrys communis* (Kane, 1965); exoskeleton; R2, R3 (195, 607, 794)
- OLI:ses *Setonophrys seticola* (Kane, 1965); cuticle; R2 (195, 607, 794)
- Euastacus armatus* (Von Martens, 1966) [Murray crayfish] syn. *E. serratus***
- OLI:ses *Setonophrys communis* (Kane, 1965); gills, exoskeleton; R4 (195, 607, 794)
- Euastacus nobilis* (Dana, 1852) [noble crayfish]**
- OLI:ses *Setonophrys communis* (Kane, 1965); exoskeleton; R2 (195, 607, 794)
- OLI:ses *Setonophrys seticola* (Kane, 1965); cuticle; R2 (195, 607, 794)
- Euastacus* (unidentified species)**
- OLI:ses *Lagenophrys dungogi* Kane, 1965; gills; R2 (607, 794)
- Geocharax falcata* Clarke, 1941**
- OLI:ses *Lagenophrys rugosa* Kane, 1965; gills; R2 (607, 794)
- OLI:ses *Setonophrys seticola* (Kane, 1965); pleopods; R2 (195)
- OLI:ses *Setonophrys tricorniculata* Clamp, 1991; pleopods; R2 (195)
- Parastacoides tasmanicus* (Erichson, 1846)**
- OLI:ses *Lagenophrys petila* Clamp, 1994; gills, pleopods; R3 (196)
- Unidentified freshwater crayfish species**
- OLI:ses *Lagenophrys* sp.; gills; RU (465)
- OLI:ses *Pyxidium* sp.; gills; RU (465)
- PALINURIDAE**
[marine crayfish, spiny lobsters]
- Panulirus ornatus* (Fabricius, 1798) [ornate spiny lobster]**
- MIC:mic Unidentified microsporan; musculature; R27 (282)
- Panulirus cygnus* George, 1962 [western rock lobster]**
- MIC:mic Unidentified microsporan; musculature; R18 (282)
- ALPHEIDAE**
[snapping shrimp]
- Alpheus* (unidentified species)**
- UNC:sta Unidentified ciliate; gills; R21 (658)
- HIPPOLYTIDAE**
[shrimps]
- Saron marmoratus* (Nobili, 1904)**
- OLI:apo Unidentified apostome ciliate; gills; R21 (658)
- GRE:eug Unidentified gregarine; intestine, rectum; R21 (658)
- PILUMNIDAE**
[hairy crabs]
- Unidentified pilumnid species**
- OLI:ses *Zoothamnium* sp.; gills; R21 (658)
- XANTHIDAE**
[dark-fingered reef crabs]
- Leptodius sanguineus* (Edwards, 1834)**
- OLI:ses *Epistylis* sp.; gills; R21 (658)
- ARACHNIDA**
ACARINA
- IXODIDAE**
[hard ticks]
- Amblyomma limbatum* Neumann, 1899 [reptile tick]**
- HEM:hae *Hemolivia mariae* Smallridge & Paperne, 1997; intestines; R5 (1076)
- Aponomatrinaculatum* (Lucas, 1878) [reptile tick]**
- COC:ade *Haemogregarina varanicola* Johnston & Cleland, 1910; intestine; R1 (128, 581)

Boophilus microplus (Canestini, 1887) [cattle tick]
syn. *B. australis*

IEM:pir *Babesia* sp.; LU; R1 (1059)
HEM:pir *Babesia bigemina* (Smith & Kilbourne, 1893); gut, haemolymph, Malpighian tubules, ova, salivary glands; LU; R1, RU (145, 149, 153, 259, 261, 264, 581, 645, 709, 711, 999)
HEM:pir *Babesia bovis* (Babes, 1888); gut, ova, salivary glands, haemolymph; R1 (256, 260, 262, 264, 709, 711, 714, 717, 721, 902, 1000, 1014, 1103)

Haemaphysalis longicornis Neumann, 1901 [bush tick, NZ cattle tick]

HEM:pir *Theileria* sp.; LU; R1 (1001)

Haemaphysalis bancrofti Nuttall & Warburton, 1915 [wallaby tick]

HEM:pir *Theileria mutans* (Theiler, 1906); LU; R1 (1105)

HEM:pir *Theileria* sp.; LU; R1 (1001)

INSECTA BLATTODEA

BLATTIDAE [cockroaches]

Periplaneta australasiae Fabricius, 1775 [house cockroach]

SPI:cle *Nyctotherus* sp.; LU, R1 (581)

BLABERIDAE [wood cockroaches]

Panesthia cibrata Saussure, 1864 [wood cockroach]

ZOO:hyp Unidentified hypermastigids; midgut, hindgut; RU, R2 (1056, 1071)

ISOPTERA

KALOTERMITIDAE [drywood termites]

Calotermes insularis (Walker, 1853) [Note: binomen not found - probably *Neotermites insularis* (Walker, 1853) syn. *Termites insularis*]

ZOO:tri *Devescovina striata* Foa, 1904; gut; RU (1113)

ZOO:tri *Pseudodevescovina uniflagellata* Sutherland, 1933; gut; RU (1113)

ZOO:tri *Stephanonympha silvestrii* Janicki, 1915; gut; RU (1113)

Calotermes iridipennis Froggatt, 1896 [Note: binomen not found - probably *Glyptotermes iridipennis* Froggatt, 1897]

ZOO:hyp *Trichonympha chattoni* Duboscq & Grasse, 1924; hindgut; R1 (317)

ZOO:dip *Hexamitus termitis* Grassi, 1917; hindgut; R1 (317)

ZOO:tri *Devescovina hilli* Duboscq & Grasse, 1926; hindgut; R1 (317)

Bifiditermes improbus (Hagen, 1858) syn.
Calotermes condonensis, *C. oldfieldi*

ZOO:hyp *Staurojoenina assimilis* Kirby, 1926; gut; RU (1113)

ZOO:pyr Unidentified oxymonads; gut; RU (1113)

ZOO:tri *Devescovina striata* Foa, 1904; gut; RU (1113)

RHINOTERMITIDAE [subterranean termites]

Coptotermes acinaciformis Froggatt, 1898

GRE:eug Unidentified gregarine; coelum; R1 (507)

ZOO:hyp *Holomastigotoides mirabile* Grassi, 1917; gut; RU (1113)

ZOO:hyp *Pseudotrichonympha hertwigi* Grassi, 1917; gut; RU (1113)

ZOO:hyp *Spirotrichonympha flagellata* Grassi, 1917; gut; RU (1113)

Coptotermes frenchi Hill, 1932 syn. *C. flavus*

ZOO:hyp *Holomastigotoides mirabile* Grassi, 1917; gut; RU (1113)

ZOO:hyp *Pseudotrichonympha hertwigi* Grassi, 1917; gut; RU (1113)

ZOO:hyp *Spirotrichonympha flagellata* Grassi, 1917; gut; RU (1113)

Coptotermes lacteus (Froggatt, 1898)

ZOO:hyp Unidentified hypermastigids; hindgut; RU, R2 (336, 485, 879, 1071)

MASTOTERMITIDAE [giant termite]

Mastotermes darwiniensis Froggatt, 1896 [giant termite]

SPI:cle *Nyctotherus termitis* Dobell, 1910; gut; RU (1113)

ZOO:hyp *Deltotrichonympha nana* Cleveland, 1966; hindgut; R8 (1208)

ZOO:hyp *Deltotrichonympha operculata* Sutherland, 1933; hindgut; R8 (1113, 1208)

ZOO:hyp *Koruga bonita* Cleveland, 1966; hindgut; R8 (1208)

ZOO:hyp Unidentified hypermastigids; hindgut; RU (1071, 1208)

ZOO:tri *Mixotricha paradoxa* Sutherland, 1933; hindgut; R8 (1113, 1208)

TERMOPSIDAE [dampwood termites]

Porotermes adamsoni Froggatt, 1897 syn. *P. grandis*

ZOO:hyp *Joenina pulchella* Grassi, 1917; gut; RU (1113)

ZOO:hyp *Spirotrichonympha grandis* Sutherland, 1933; gut; RU (1113)

ZOO:hyp *Spirotrichonympha mirabilis* Grassi, 1917; gut; RU (1113)

- ZOO:hyp *Spirotrichonymphella pudibunda* Grassi, 1917; gut; RU (1113)
 ZOO:hyp *Trichonymphamagna* Grassi, 1917; gut; RU (1113)
 ZOO:tri *Pseudotrypanosoma giganteum* Grassi, 1917; gut; RU (1113)
 ZOO:tri *Pseudotrypanosoma minimum* Sutherland, 1933; gut; RU (1113)

Stolotermes victoriensis Hill, 1921

- LOB:amo Unidentified tetrantids; gut; RU (1113)
 ZOO:hyp *Spirotrichosoma capitata* Sutherland, 1933; gut; RU (1113)
 ZOO:hyp *Spirotrichosoma obtusa* Sutherland, 1933; gut; RU (1113)
 ZOO:tri Unidentified trichomonads; gut; RU (1113)

ORTHOPTERA

ACRIDIDAE
[locusts, grasshoppers]

- Austroicetes cruciata* Saussure, 1888 [small plague grasshopper]
 LOB:amo *Malameba locustae* (King & Taylor, 1936); Malpighian tubules; R5 (269)
Chortoicetes terminifera (Walker, 1870) [plague locust]
 LOB:amo *Malameba locustae* (King & Taylor, 1936); Malpighian tubules; R5 (269)
Pardillana limbata (Stal, 1878) [grasshopper]
 LOB:amo *Malameba locustae* (King & Taylor, 1936); haemocoel, Malpighian tubules; R4 (335)

GRYLLIDAE
[crickets]

- Pteronemobius* (unidentified cricket species)
 LOB:amo *Malameba locustae* (King & Taylor, 1936); Malpighian tubules; R4 (335)

LEPIDOPTERA

HEPIALIDAE
[ghost moths, swift moths]

- Oncopera albhoguttata* Tindale, 1933 [Ebor grassgrub]
 MIC:mic *Lavraia oncoperae* (Milner & Beaton, 1977); muscle, fat bodies, connective tissues; R2, R4 (723, 774, 775, 776, 777)
Oncopera intricata Walker, 1856 [corbie]
 GRE:neo *Mattesia* sp.; larvae; R3 (1270)
Oncopera rufobrunnea Tindale, 1933 [underground grassgrub]
 GRE:neo *Mattesia* sp.; larvae; R3 (1270)
 MIC:mic *Lavraia oncoperae* (Milner & Beaton, 1977); muscle, fat bodies, connective tissues; R2, R3, R4 (723, 774, 775, 776, 777, 1270)
Oncoperatindalei Common, 1966 [Tindale's grassgrub]
 MIC:mic *Nosema* sp.; LU; R2 (775, 1270)

PYRALIDAE
[pyralid moths]

- Samea multiplicalis* (Guenée, 1854) [moth]
 MIC:mic *Nosema* sp.; LU; R1 (779)

DIPTERA

CULICIDAE
[mosquitoes]

- Aedes australis* (Erichson, 1842) [saltwater mosquito]
 syn. *A. concolor*
 HEM:hae *Plasmodium* sp.; midgut, salivary glands; R2 (641)
Aedes vigilax (Skuse, 1889) [saltmarsh mosquito]
 MIC:mic *Duboscqia aediphaga* Kettle & Piper, 1988; larval fat bodies; R1 (611)
 MIC:mic *Microsporidium iotaensis* Kettle & Piper, 1988; larval fat bodies; R1 (611)
Anopheles amictus Edwards, 1921 [anopheline mosquito]
 HEM:hae *Plasmodium falciparum* Welch, 1897; salivary glands (exptl. infection); R1 (90, 685, 1088, 1089)
 HEM:hae *Plasmodium vivax* (Grassi & Feletti, 1890); salivary glands (exptl. infection); R1 (90, 685, 1088, 1089)
Anopheles annulipes Walker, 1856 [common Australian anopheline]
 HEM:hae *Plasmodium falciparum* Welch, 1897; salivary glands (exptl. infection); R1 (90, 685, 1006, 1088, 1089)
 HEM:hae *Plasmodium vivax* (Grassi & Feletti, 1890); salivary glands (exptl. infection); R1 (90, 685, 1006, 1088, 1089)
Anopheles bancrofti Giles, 1902 [black Australian anopheline]
 HEM:hae *Plasmodium falciparum* Welch, 1897; salivary glands (exptl. infection); R1 (90, 685)
 HEM:hae *Plasmodium vivax* (Grassi & Feletti, 1890); salivary glands (exptl. infection); R1 (90, 685, 1089)
Anopheles farauti Laveran, 1902 [Australian malaria mosquito]
 HEM:hae *Plasmodium falciparum* Welch, 1897; salivary glands (exptl. infection); R1 (90, 685, 1088, 1089)
 HEM:hae *Plasmodium vivax* (Grassi & Feletti, 1890); salivary glands (exptl. infection); R1 (90, 685, 1088, 1089)
Anopheles hilli Woodhill & Lee, 1944
 HEM:hae *Plasmodium falciparum* Welch, 1897; gut (exptl. infection); R1 (685)
 MIC:mic *Duboscqia* sp.; larval fat bodies; R1 (1123)
Anopheles meraukensis Venhuis, 1932
 HEM:hae *Plasmodium vivax* (Grassi & Feletti, 1890); gut (exptl. infection); R1 (90, 685)

Anopheles punctulatus Dönnitz, 1901

HEM:hae *Plasmodium falciparum* Welch, 1897; salivary glands(exptl. infection); R1 (22, 194, 342, 344, 687, 688, 690, 1006, 1088, 1089)
 HEM:hae *Plasmodium malariae* (Feletti & Grassi, 1889); LU; R1 (1089)
 HEM:hae *Plasmodium vivax* (Grassi & Feletti, 1890); salivary glands (exptl. infection); R1 (22, 194, 342, 344, 687, 688, 1006, 1088, 1089)
 ZOO:kin *Pleuromonas jaculans* Perty, 1852; gut; R1 (687)

Anopheles stigmaticus Skuse, 1889

HEM:hae *Plasmodium falciparum* Welch, 1897; salivary glands (exptl. infection); R1 (90, 685)
 HEM:hae *Plasmodium vivax* (Grassi & Feletti, 1890); salivary glands (exptl. infection); R1 (90, 685, 1089)

Culex annulirostris Skuse, 1889 [common banded mosquito]

MIC:mic *Amblyosporadyxenoides* Sweeney et al., 1988; oenocytes, fat bodies; R4 (638, 1118, 1119, 1120, 1121)

Culex australicus Dubrotworsky & Drummond, 1953

MIC:mic *Amblyospora* sp.; fat bodies; R4 (1123)

Culex quinquefasciatus Say, 1823 [brown house mosquito] syn. *C. fatigans*

HEM:hae *Plasmodium* sp.; gut; R2 (641, 694)
 HEM:hae *Plasmodium relictum* (Grassi & Feletti, 1891); salivary glands(exptl. infection); R1 (643)
 COC:ade *Hepatozoon breinli* (Mackerras, 1961); haemocoel; R1 (697)

Culex halifaxii Theobald, 1903

MIC:mic *Amblyospora trinus* Becnel & Sweeney, 1996; larval fat bodies; R1 (71)

Culex sitiens Wiedemann, 1828 [saltmarsh culex]

MIC:mic *Amblyospora indocola* Vavra et al., 1984; fat bodies; R1 (611, 1122, 1123)

CERATOPOGONIDAE
[biting midges]***Culicoides nubeculosus*** Macfie, 1758

HEM:hae *Hepatocystis levinei* Landau et al., 1985; gut, salivary glands (exptl. infection); R1 (623)

MUSCIDAE
[house flies]***Musca domestica*** Linnaeus, 1758 [common housefly]

ZOO:kin *Leptomonas muscae-domesticae* Burnett, 1906; LU; R1, R2 (581)

CALLIPHORIDAE
[blow flies]***Calliphora augur*** (Fabricius, 1775) [lesser brown blowfly, blue-bodied blowfly] syn. *C. oceaniae* =*Anastellonhina augur*
 ZOO:kin *Leptomonas muscae-domesticae* Burnett, 1906; LU; R1 (581)***Calliphora stygia*** (Fabricius, 1782) [eastern golden-haired blowfly] syn. *Pollenia stygia*, *C. villosa*

ZOO:kin *Leptomonas muscae-domesticae* Burnett, 1906; LU; R1 (581)

Lucilia cuprina (Wiedemann, 1830) [green bottle fly, sheep blowfly]

MIC:mic *Octosporea muscae-domesticae* Flu, 1911; midgut; R5 (226, 1075)

HYMENOPTERA**FORMICIDAE**
[ants]***Myrmecia pilosula*** (Smith, 1858)

GRE:eug Unidentified gregarine; body cavity; R2, R4 (237)

ECHINODERMATA**CRINOIDEA**
[sea lilies, feather stars]***Oligometra serripinna*** (Carpentier, 1881) [crinoid]

HAP:hap *Haplosporidium comatae* Haye et al., 1984; haemal space; R21 (620)

ANNELIDA
OLIGOCHAETA**TUBIFICIDAE**
[sludge worms]***Doliodrilus diverticulatus*** Erseus, 1985

ACT:act *Sphaeractinomyxon ersei* Hallett et al., 1998; coelum, intestines; R13 (444)

HIRUDINEA**HAEMADIPSIDAE**
[leeches]***Chtonobdella limbata*** Grube, 1866

ZOO:kin *Trypanosoma* sp.; crop; R1 (996)

MOLLUSCA
GASTROPODA
ARCHEOGASTROPODA**HALIOTIDAE**
[abalones]***Haliotis cyclobates*** Peron, 1816 [whirling abalone]

PHY:din *Perkinsus Olsenii* Lester & Davis, 1981; muscle, haemolymph; R16 (402, 656, 661)

Haliotis laevigata Donovan, 1808 [greenlip abalone]

PHY:din *Perkinsus Olsenii* Lester & Davis, 1981; muscle; R16 (402, 403, 626, 627, 656, 661, 666, 894)

Haliotis rubra Leach, 1814 [blacklip abalone]

PHY:din *Perkinsus Olsenii* Lester & Davis, 1981; muscle, haemolymph; R16 (126, 627, 654, 661, 666, 894)

Haliotis scalaris Leach, 1814 [staircase abalone]

PHY:din *Perkinsus Olsenii* Lester & Davis, 1981; muscle, haemolymph; R16 (402, 661)

CERITHIIDAE [ceriths]

Pyrazus ebeninus (Bruguiere, 1792) [ebony swamp cerith]

PHY:din *Perkinsus* sp.; tissues; R13 (402, 661)

BIVALVIA ARCOIDA

ARCIDAE [ark clams]

Barbatia foliata (Forsskål, 1775) [ark clam] = *B. corallicola*

PHY:din *Perkinsus* sp.; tissues; R21 (401, 402, 658)

Barbatia amygdalumtostum (Röding, 1798) [almond ark] = *B. fusca*

PHY:din *Perkinsus* sp.; tissues; R21 (401)

Barbatia pistachia (Lamarck, 1819) [ark clam]

PHY:din *Perkinsus* sp.; tissues; R16 (661)

Anadara antiquata (Linnaeus, 1758) [antique ark]

PHY:din *Perkinsus* sp.; tissues; R21 (401)

Anadara trapezia (Deshayes, 1814) [blood cockle]

PHY:din *Perkinsus* sp.; tissues; R13 (402, 403, 661)

MYTILOIDA

MYTILIDAE [marine mussels]

Septifer bilocularis (Linnaeus, 1758) [box mussel]

PHY:din *Perkinsus* sp.; tissues; R21 (401)

Trapezium bicarinatum (Schumacher, 1817) = *T. rostratum*

PHY:din *Perkinsus* sp.; tissues; R21 (401)

Trichomya hirsuta (Lamarck, 1819) [hairy mussel]

PHY:din *Perkinsus* sp.; tissues; R21 (402)

PINNIDAE [pen shells]

Atrina pectinata Linnaeus, 1767 [comb pen shell]

PHY:din *Perkinsus* sp.; tissues; R21 (401, 658)

PTEROIDA

ISOGNOMONIDAE [mangrove oysters]

Isognomon (unidentified species)

PHY:din *Perkinsus* sp.; tissues; R21 (402)

Electroma alacorvi (Dillwyn, 1817)

PHY:din *Perkinsus* sp.; tissues; R21 (401, 658)

MALLEIDAE [hammer oysters]

Malleus regula (Forsskål, 1775)

PHY:din *Perkinsus* sp.; tissues; R21 (401)

PTERIIDAE [pearl oysters]

Pinctada margaritifera (Linnaeus, 1758) [pearl oyster]

PHY:din *Perkinsus* sp.; tissues; R21 (401, 658)

Pinctada maxima (Jameson, 1901) [pearl oyster]

UNC:sta Unidentified protistan; digestive gland; R20 (1254)

Pinctada albina sugillata (Reeve, 1857)

PHY:din *Perkinsus* sp.; tissues; R21 (401, 402, 661)

PECTINIDAE [scallops]

Chlamys lentiginosa (Reeve, 1853) [freckled scallop]

PHY:din *Perkinsus* sp.; tissues; R21 (401)

OSTREIDAE [true oysters]

Ostrea edulis Linnaeus, 1758 [common European oyster]

UNC:sta *Bonamia ostreae* Pichot et al., 1979; haemocytes; RU (347)

Ostrea lurida Carpenter, 1864 [native Pacific oyster]

UNC:sta *Bonamia ostreae* Pichot et al., 1979; haemocytes; RU (347)

Saccostrea glomerata (Gould, 1880) [Sydney rock oyster, Moreton Bay rock oyster] syn. *Crassostrea commercialis*, *S. commercialis*

HAP:hap Unidentified haploporidian; digestive gland; R13 (1251)

MAR:mar *Marteilia sydneyi* Perkins & Wolf, 1976; hepatopancreas; R13 (3, 10, 12, 14, 15, 126, 627, 660, 868, 950, 1023, 1253)

MAR:mar *Marteilioides branchialis* Anderson & Lester, 1992; gills; R13 (12, 14)

PHY:din *Perkinsus* sp.; tissues; R13 (402, 661)

UNC:sta *Mikrocytos roughleyi* Farley et al., 1988; haemocytes; R13 (2, 10, 347, 660)

Striostrea mytiloides (Lamarck, 1819) [tropical oyster, blacklip oyster] syn. *Saccostrea echinata*

MAR:mar *Marteilia sydneyi* Perkins & Wolf, 1976; LU; R13 (10, 1253)

COC:eim Unidentified coccidian; ovary; R20 (10, 660, 1252, 1253)

Saccostrea cucullata (Born, 1778) [hooded oyster] syn. *Cassostrea amasa*

PHY:din *Perkinsus* sp.; tissues; R13, R21 (402, 509)

Alectryonella plicatula (Gmelin, 1791)
PHY:din *Perkinsus* sp.; tissues; R21 (401)

SPONDYLIDAE
[thorny oysters]

Spondylus lamarcki Chenu, 1845
PHY:din *Perkinsus* sp.; tissues; R21 (401)

Spondylus nicobaricus Schreibers, 1793
PHY:din *Perkinsus* sp.; tissues; R21 (401, 658)
Spondylus squamosus Schreibers, 1793 [ducal thorny oyster]
PHY:din *Perkinsus* sp.; tissues; R21 (401, 658)

VENEROIDA
LUCINIDAE
[lucine clams]

Codakia paytenorum (Iredale, 1937) [interrupted lucina]
PHY:din *Perkinsus* sp.; tissues; R21 (401, 658)

Ctena reevei (Deshayes, 1863)
PHY:din *Perkinsus* sp.; tissues; R21 (401, 658)

CHAMIDAE
[jewel boxes]

Chama pulchella Reeve, 1846 [purple-edged jewel box] syn. *C. iostoma*
PHY:din *Perkinsus* sp.; tissues; R21 (401, 658)

Chama pacifica Broderip, 1834 [jewel box] syn. *C. sulphurea* (= *C. pacificus*)
PHY:din *Perkinsus* sp.; tissues; R21 (401, 402, 403, 658, 661)

CARDIIDAE
[cockles]

Acrosterigma unicolor (Sowerby, 1834) [unicolor cockle]
PHY:din *Perkinsus* sp.; tissues; R21 (401)

TRIDACNIDAE
[giant clams]

Hippopus hippopus (Linnaeus, 1758) [bear paw clam]
syn. *Tridacna hippopus*
PHY:din *Perkinsus* sp.; tissues; R21 (401)

UNC:sta Unidentified ciliate; mantle, muscle; R21 (5)

Tridacna crocea Lamarck, 1819 [crocus giant clam]
PHY:din *Perkinsus* sp.; tissues; R21 (401, 402, 658)

Tridacna gigas (Linnaeus, 1758) [giant clam]
PHY:din *Perkinsus* sp.; tissues; R21 (5, 10, 401, 402, 509, 660, 919)
UNC:sta Unidentified ciliate; gill, mantle, muscle; R21 (5, 10, 509)
UNC:sta Unidentified protozoan; LU; R21 (10)

Tridacna maxima (Roeding, 1798) [elongate giant clam]
PHY:din *Perkinsus* sp.; tissues; R21 (401, 402, 509, 627, 658, 661)

VENERIDAE
[Venus clams]

Katelysia rhytiphora Lamy, 1937
PHY:din *Perkinsus* sp.; tissues; R16 (661)
Irus irus (Linnaeus, 1758) [irus venus]
PHY:din *Perkinsus* sp.; tissues; R21 (401, 658)
Callista semisulcata Sowerby, 1851
PHY:din *Perkinsus* sp.; tissues; R21 (401)
Periglypta puerpera (Linnaeus, 1771) [youthful venus]
PHY:din *Perkinsus* sp.; tissues; R21 (401)

PLATYHELMINTHES
TURBELLARIA

PTERASTERICOLIDAE
[marine symbiotic flatworms]

Pterastericola vivipara Cannon, 1978 [turbellarian parasitic in crown-of-thorns starfish *Acanthaster planci*]
GRE:eug *Monocystella epibatis* Cannon & Jennings, 1988; gut; R21 (174, 526)

STYLOCHIDAE
[wafer worms, oyster leeches]

Stylococcus (unidentified species)
HAP:hap *Urosporidium cannoni* Anderson et al., 1993; various tissues; R13 (13)

PLANTAE

ASCLEPIADACEAE

Hoya australis R.Br. ex Traill [wax flower]
ZOO:kin *Phytomonas* sp.; latex; R1 (48, 486)
Sarcostemuna australre R.Br. [caustic vine]
ZOO:kin *Phytomonas* sp.; latex; R1 (48, 486)
Secamone elliptica R.Br. [secamone vine]
ZOO:kin *Phytomonas* sp.; latex; R1 (48, 486)

MORACEAE

Ficus scabra (Forster, 1786) [wild fig]
ZOO:kin *Herpetomonas bancrofti* Holmes, 1931; latex; R1 (48, 486)
Ficus opposita (Miq., 1848) [sandpaper fig]
ZOO:kin *Phytomonas bancrofti* (Holmes, 1931); latex; RU (1218)

PARASITE-HOST CHECKLIST

PROTISTA
 PROTOZOA
 SARCOMASTIGOPHORA
 MASTIGOPHORA
 PHYTOMASTIGOPHOREA
 DINOFLAGELLIDA
 BLASTODININA
 BLASTODINIDAE
 (= OODINIDAE)

Amyloodinium (unidentified species)

ACT *Lutjanus* sp.; skin; RU (983)

Crepidoodinium australe Lom et al., 1993

ACT *Sillago ciliata* Cuvier & Valenciennes, 1829
[sand whiting]; gills; R13 (671)

Crepidoodinium (unidentified species)

ACT *Sillago ciliata* Cuvier & Valenciennes, 1829
[sand whiting]; LU; R13 (669)

SYNDININA

SYNDINIDAE

Hematodinium australis Hudson & Shields, 1994

ART *Portunus pelagicus* (Linnaeus, 1766) [sand crab]; blood; R21 (503, 506, 1067, 1068)

ART *Scylla serrata* (Forsskål, 1755) [mud crab]; blood; R13 (503, 504, 1068)

ART *Trapezia septata* Dana, 1852 [honeycomb coral crab]; gill, blood; R13 (502, 1068)

Hematodinium (unidentified species)

ART *Portunus pelagicus* (Linnaeus, 1766) [sand crab]; hemolymph; R13 (505)

ART *Trapezia cymodoce* (Herbst, 1799) [blue coral crab]; gill; R13 (502)

Syndinium (unidentified species)

ART *Paracalanus indicus* Wolfenden, 1906
[copepod]; coelum; R13 (612, 1068)

INCERTAE SEDIS

Perkinsus olseni Lester & Davis, 1981

MOL *Haliotis cyclobates* Peron, 1816 [whirling abalone]; muscle, haemolymph; R16 (402, 656, 661)

MOL *Haliotis laevigata* Donovan, 1808 [greenlip abalone]; muscle; R16 (402, 403, 626, 627, 656, 661, 666, 894)

MOL *Haliotis rubra* Leach, 1814 [blacklip abalone]; muscle, haemolymph; R16 (126, 627, 654, 661, 666, 894)

MOL *Haliotis scalaris* Leach, 1814 [staircase abalone]; muscle, haemolymph; R16 (402, 661)

Perkinsus (unidentified species)

MOL *Acrosterigma unicolor* (Sowerby, 1840)
[unicolor cockle]; tissues; R21 (401)

MOL *Alectryonella plicatula* Gmelin, 1791
[mussel]; tissues; R21 (401)

MOL *Anadara antiquata* (Linnaeus, 1758)
[antique ark]; tissues; R21 (401)

MOL *Anadara trapezia* (Deshayes, 1814) [blood cockle]; tissues; R13 (402, 403, 661)

MOL *Atrina pectinata* Linnaeus, 1767 [comb pen shell]; tissues; R21 (401, 658)

MOL *Barbatia corallicola* Iredale, 1939 [ark clam]; tissues; R21 (401, 402, 658)

MOL *Barbatia amygdalumtostum* (Röding, 1798)
[almond ark]; tissues; R21 (401)

MOL *Barbatia pistachia* (Lamarck, 1819) [ark clam]; tissues; R16 (661)

MOL *Callista semisulcata* Sowerby, 1851 [clam]; tissues; R21 (401)

MOL *Chama pacifica* Broderip, 1834 [jewel box]; tissues; R21 (401, 402, 403, 658, 661)

MOL *Chama pulchella* Reeve, 1846
[purple-edged jewel box]; tissues; R21 (401, 658)

MOL *Chlamys lentiginosa* (Reeve, 1853)
[freckled scallop]; tissues; R21 (401)

MOL *Codakia paytenorum* (Iredale, 1937)
[interrupted lucina]; tissues; R21 (401, 658)

MOL *Ctena reevei* (Deshayes, 1863) [mangrove clam]; tissues; R21 (401, 658)

MOL *Electroma alacorvi* (Dillwyn, 1817)
[oyster]; tissues; R21 (401, 658)

MOL *Irus irus* (Linnaeus, 1758) [irus venus]; tissues; R21 (401, 658)

MOL *Isognomon* sp.; tissues; R21 (402)

MOL *Katelysia rhytiphora* Lamy 1937 [venus clam]; tissues; R16 (661)

MOL *Malleus regula* (Forsskål, 1775) [hammer oyster]; tissues; R21 (401)

MOL *Periglypta puerpera* (Linnaeus, 1771)
[youthful venus]; tissues; R21 (401)

MOL *Pinctada margaritifera* (Linnaeus, 1758)
[pearl oyster]; tissues; R21 (401, 658)

MOL *Pinctada sugillata* Reeve, 1857 [pearl oyster]; tissues; R21 (401, 402, 661)

MOL *Pyrazus ebeninus* (Bruguire, 1792) [ebony swamp cerith]; tissues; R13 (402, 661)

MOL *Saccostrea glomerata* (Gould, 1880)
[Sydney rock oyster, Moreton Bay rock oyster]; tissues; R13 (402, 661)

MOL *Saccostrea cucullata* (Born, 1778) [hooded oyster]; tissues; R13, R21 (402, 509)

MOL *Septifer bilocularis* (Linnaeus, 1758) [box mussel]; tissues; R21 (401)

MOL *Spondylus lamarcki* Chenu, 1845 [spiny oyster]; tissues; R21 (401)

MOL *Spondylus nicobaricus* Schreibers, 1793 [spiny oyster]; tissues; R21 (401, 658)

MOL *Spondylus squamosus* Schreibers, 1793 [ducal thorny oyster]; tissues; R21 (401, 658)

MOL *Trapezium bicarinatum* (Schumaker, 1817); tissues; R21 (401)

MOL *Trichomya hirsuta* (Lamarck, 1819) [hairy mussel]; tissues; R21 (402)

MOL *Tridacna crocea* Lamarck, 1819 [crocus giant clam]; tissues; R21 (401, 402, 658)

MOL *Tridacna gigas* (Linnaeus, 1758) [giant clam]; tissues; R21 (5, 10, 401, 402, 509, 660, 919)

MOL *Tridacna hippopus* (Linnaeus, 1758) [bear paw clam]; tissues; R21 (401)

MOL *Triducna maxima* (Roeding, 1798) [elongate giant clam]; tissues; R21 (401, 402, 509, 627, 658, 661)

EUGLENIDA EUGLENOPHYCEAE

Unidentified euglenid species

AMP *Limnodynastes tasmaniensis* Gunther, 1858 [spotted grass frog]; intestines; RU (979)

EUTREPTINA EUTREPTIDAE

Eutreptia parasitica Michajlow, 1978

ART *Microcycllops varicans* (Sars, 1863); larvae; R1 (771)

HETERONEMATINA HETERONEMATIDAE

Dinema australiense Michajlow, 1978

ART *Mesocyclops leuckarti* (Claus, 1857); eggs, larvae; R1, R2 (770, 771)

Dinema rostratum Michajlow, 1978

ART *Mesocyclops leuckarti* (Claus, 1857); eggs, larvae; R1, R2 (770, 771)

Dinema rotundum Michajlow, 1972

ART *Mesocyclops leuckarti* (Claus, 1857); eggs, R2 (771)

Dinema (unidentified species)

ART *Microcycllops varicans* (Sars, 1863); larvae; R1 (771)

EMBRYOCOLINA EMBRYOCOLIDAE

Embryocola sulcatus Michajlow, 1972

ART *Mesocyclops leuckarti* (Claus, 1857); larvae; R1, R2 (771)

Naupliicola (unidentified species)

ART *Mesocyclops leuckarti* (Claus, 1857); larvae; R1, R2 (771)

Parastasiella naupliorum Michajlow, 1972

ART *Mesocyclops leuckarti* (Claus, 1857); larvae; R1, R2 (771)

ZOOMASTIGOPHOREA KINETOPLASTIDA BODONINA BODONIDAE

Bodo (unidentified species)

REP *Trachydosaurus rugosus* Gray, 1825 [sleepy lizard]; rectum; R5 (586)

Cryptobia (unidentified species)

ACI *Carassius auratus* (Linnaeus, 1758) [golden carp]; gills; RU, aquaria (858, 983, 984)

ACI *Lates calcarifer* (Bloch, 1790) [barramundi]; gills, R1 (144, 400, 919)

Ichthyobodo necator (Henneguy, 1883); syn *Costia necatrix* Leclerq, 1890

ACT *Anguilla* sp.; gill, skin; RU (858)

ACT *Bidyanus bidyanus* (Mitchell, 1838) [silver perch]; skin, gills; R4 (144, 628, 634, 858, 1030)

ACT *Carassius auratus* (Linnaeus, 1758) [golden carp]; gill, skin; R2, R3 (627, 858, 983)

ACT *Macculochela peeli* (Mitchell, 1838) [Murray cod]; gills; R4 (144, 1030)

ACT *Macquaria ambigua* (Richardson, 1845) [golden perch]; skin, gills; R4 (144, 1030)

ACT *Macquaria australasiae* Cuvier & Valenciennes, 1830 [Macquarie perch]; gills; R4 (1030)

Ichthyobodo (unidentified species)

ACT *Salmo gairdneri* Richardson, 1836 [rainbow trout]; gills; R3 (857)

ACT *Salmo salar* Linnaeus, 1758 [Atlantic salmon]; gills; R3 (857)

ACT *Salmo* sp.; I.U; RU (839)

Pleutorononas jaculans Perty, 1852

ART *Anopheles punctulatus* Dönitz, 1901 [anopheline mosquito]; gut; R1 (687)

Trypanoplasma paruae Mackerras & Mackerras, 1925

ACT *Parma microlepis* Gunther, 1862 [white-ear]; blood; R14 (79, 684, 696)

Trypanoplasma (unidentified species).

ACT *Anguilla* sp.; blood; RU (858)

TRYPANOSOMATINA

TRYPANOSOMTIDAE

Herpetomonas bancrofti Holmes, 1931

Plant *Ficus scabra* (Forster, 1786) [wild fig]; latex; R1 (48, 486)

Leishmania donovani (Laveran & Mesnil, 1903) Ross, 1903

- MAM *Homo sapiens* Linnaeus, 1758 [human]. skin: RU (439, 692, 1003)
- MAM *Trichosurus vulpecula* (Kerr, 1792) [common brushtail possum]: heart (exptl. infection); R2 (42)
- Leptomonas muscae-domesticae* Burnett, 1906
- ART *Calliphora angur* (Fabricius, 1775) [lesser brown blowfly]; LU; R1 (581)
 - ART *Calliphora stygia* (Fabricius, 1872) [eastern golden-haired blowfly]; LU, R1 (581)
 - ART *Musca domestica* Linnaeus, 1758 [common housefly]; LU; R1, R2 (581)
- Phytomonas bancrofti* (Holmes, 1931) McGhee & McGhee, 1979
- Plant *Ficus opposita* (Miq., 1848) [sandpaper fig]; latex, RU (1218)
- Phytomonas* (unidentified species)
- Plant *Hoya australis* R.Br. ex Traill [wax flower]; latex, R1 (48, 486)
 - Plant *Sarcostemma australe* R.Br. [caustic vine]; latex, R1 (48, 486)
 - Plant *Secamone elliptica* R.Br. [secamone vine]; latex; R1 (48, 486)
- Trypanosoma anellophiae* Cleland & Johnston, 1910
- AVE *Ictiochela chrysoptera* (Latham, 1801) [little wattlebird]; blood; R1 (75, 208, 211, 212, 579, 581, 694)
 - AVE *Corcorax melanorhamphos* (Vieillot, 1817) [white-winged chough]; blood; R1 (210, 581)
 - AVE *Eutomyzon cyanotis* (Latham, 1801) [blue-faced honeyeater]; blood; R1 (210, 579, 581, 694)
 - AVE *Lichenostomus fuscus* (Gould, 1837) [brown honeyeater]; blood; R1 (210, 216, 217, 579, 581, 694)
 - AVE *Manorina melanocephala* (Latham, 1801) [noisy miner]; blood; R1 (75)
 - AVH *Microeca fascinans* (Latham, 1801) [brown flycatcher]; blood; R1 (210, 216, 217, 579, 581, 694)
 - AVE *Myzomela sanguineolenta* (Latham, 1801) [scarlet honeyeater]; blood; R1 (581)
- Trypanosoma anguillicola* Johnston & Cleland, 1910
- ACT *Anguilla reinhardtii* Steindachner, 1867 [long-finned eel]; blood; R1, R2 (79, 211, 212, 574, 581, 696)
- Trypanosoma autopi* Mackerras & Mackerras, 1925
- ACT *Latropiscus purpurissatus* (Richardson, 1843) [Sergeant major]; blood; R14 (79, 684, 696)
- Trypanosoma avium* Danilewsky, 1885
- AVE *Falco hypoleucus* Gould, 1840 [grey falcon]; blood; R1 (128, 217, 581, 694)
 - AVE *Haliastur cirrheres* Vieillot, 1817 [white-headed sea-eagle]; blood, R1 (128, 217, 581, 694)
- Trypanosoma bancrofti* Johnston & Cleland, 1910
- ACT *Tandanus tandanus* Mitchell, 1838 [freshwater catfish]; blood; R1, R4 (34, 79, 211, 212, 574, 581, 696)
- Trypanosoma binneyi* Mackerras, 1959
- MAM *Ornithorhynchus anatinus* (Shaw & Nodder, 1799) [platypus]; blood; R2, R3 (483, 693, 750)
- Trypanosoma carchariusi* Laveran, 1908
- CHO *Odontaspis* sp.; blood; R21 (79, 640, 696)
- Trypanosoma chelodina* Johnston, 1907
- REP *Chelodina longicollis* (Shaw, 1794) [long-necked tortoise]; blood; R1, R4 (128, 211, 212, 533, 572, 575, 577, 581, 695, 1128)
 - REP *Elseya dentata* (Gray, 1863) [northern snapping turtle]; blood; R1 (695, 1128)
 - REP *Elseya latisternum* Gray, 1867 [saw-shelled turtle]; blood; R1 (695, 1128)
 - REP *Emydura krefftii* (Gray, 1871) [Krefft's river turtle]; blood; R1 (211, 212, 572, 575, 577, 581, 695, 1128)
 - REP *Emydura macquarii* (Gray, 1830) [Murray turtle]; blood; R4 (577, 581, 695, 1128)
- Trypanosoma chlamydoderae* Breinl, 1913
- AVE *Chlamydera nuchalis* (Jardine & Selby, 1830) [great bowerbird]; blood, R1 (128, 217, 581)
- Trypanosoma clelandi* Johnston, 1916 syn. *T. rotatorium* (Mayer, 1843)
- AMP *Lithobates ornatus* (Gray, 1842) [ornate burrowing frog]; blood; R1 (211, 212, 581, 696)
 - AMP *Limnodactylus taymaniensis* Gunther, 1858 [spotted grass frog]; blood, R1, R5 (211, 212, 214, 581, 696)
- Trypanosoma cruzi* Chagas, 1909
- MAM *Tachyglossus aculeatus* (Shaw & Nodder, 1792) [short-beaked echidna]; blood (exptl. infection); R2 (42)
 - MAM *Trichosurus vulpecula* (Kerr, 1792) [common brushtail possum]; blood, various organs (exptl. infection); R2 (42)
- Trypanosoma egerniae* Mackerras, 1961
- REP *Egernia cunninghami* (Gray, 1832) [Cunningham's skink]; blood; R1 (695, 1128)
 - REP *Egernia striolata* (Peters, 1870) [tree skink]; blood; R2 (695, 1128)
- Trypanosoma eudyptulae* Jones & Woehler, 1989
- AVE *Eudyptula minor* (Forster, 1781) [little penguin]; blood; R3 (596)
- Trypanosoma evansi* (Steel, 1885) Balbiani, 1888
- MAM *Camelus dromedarius* Linnaeus, 1758 [camel]; blood; RU (167, 207, 570, 692, 1059, 1060)
 - MAM *Cantis familiaris* Linnaeus, 1758 [dog]; blood (exptl. infection); RU (1059, 1060)

- MAM *Cavia porcellus* Linnaeus, 1758 [guinea pig]; blood (exptl. infection); R6 (567, 1059, 1060)
- MAM *Equus caballus* Linnaeus, 1758 [horse]; blood (exptl. infection); R6 (567, 1059, 1060)
- MAM *Rattus rattus* (Linnaeus, 1758) [black rat]; blood (exptl. infection); RU (1059, 1060)
- Trypanosoma gargantua*** Laird, 1951
CHO *Hemiscyllium ocellatum* (Bonnaterre, 1788) [epaulette shark]; blood; R21 (655, 658, 696)
- Trypanosoma granulosum*** Laveran & Mesnil, 1909
ACT *Anguilla australis* Richardson, 1841 [short-finned eel]; blood; R2 (669)
- Trypanosoma hipposideri*** Mackerras, 1959
MAM *Hipposideros ater* Templeton, 1848 [dusky horseshoe bat]; blood; R1 (483, 693, 790)
- Trypanosoma lewisi*** (Kent, 1880) Laveran & Mesnil, 1901; syn. *Herpetomonas lewisi* Kent, 1880
MAM *Hydromys chrysogaster* Geoffroy, 1804 [water rat]; blood; R1 (483, 693)
- MAM *Mus musculus* Linnaeus, 1758 [house mouse]; blood; R2 (562)
- MAM *Rattus fuscipes* (Waterhouse, 1839) [allied rat]; blood; R1 (483, 692, 693)
- MAM *Rattus norvegicus* (Berkenhout, 1769) [brown rat]; blood; R1, R2 (360, 562, 568, 570, 573, 581, 583, 692, 693, 965, 1059, 1060)
- MAM *Rattus rattus* (Linnaeus, 1758) [black rat]; blood; R1 (167, 360, 562, 568, 570, 573, 581, 583, 692, 693, 965, 1059, 1060)
- MAM *Rattus* sp.; blood; R1 (46, 205, 581, 583, 692)
- Trypanosoma mackerasi*** Burreson, 1989
CHO *Hemiscyllium ocellatum* (Bonnaterre, 1788) [epaulette shark]; blood; R21 (137, 658)
- Trypanosoma melophagium*** (Flu, 1908) Noller, 1917; syn. *Crithidia melophagia* Flu, 1908
MAM *Ovis aries* Linnaeus, 1758 [sheep]; blood, RU (167, 692, 693, 1059, 1060, 1170, 1171)
- Trypanosoma myzanthae*** Mackerras & Mackerras, 1960
AVE *Manorina melanocephala* (Latham, 1801) [noisy miner]; blood; R1 (694)
- Trypanosoma notophoyxidis*** Breinl, 1913
AVE *Ardea novaehollandiae* Latham, 1790 [white-faced heron]; blood; R1 (128, 217, 581, 694)
- AVE *Egretta sacra* (Gmelin, 1789) [reef heron]; blood; R9 (694)
- Trypanosoma phylluri*** Mackerras, 1961
REP *Phyllurus platurus* (White, 1790) [southern leaf-tailed gecko]; blood; R2 (695, 1128)
- Trypanosoma pteropi*** Breinl, 1913
MAM *Pteropus gouldii* Peters, 1867; blood; R1 (128, 483, 581, 692, 693, 790)
- Trypanosoma pulchra*** Mackerras & Mackerras, 1925
ACT *Ellerkeldia annulata* (Gunther, 1859) [banded dea-perch]; blood; R14 (79, 684, 696)
- ACT *Parma microlepis* Gunther, 1862 [white-eared]; blood; R14 (79, 684, 696)
- Trypanosoma taeniurae*** Burreson, 1989
CHO *Taeniura lymma* (Forsskål, 1775) [blue-spotted ray]; blood; R21 (137, 658)
- Trypanosoma theileri*** Laveran, 1902
MAM *Bos taurus* Linnaeus, 1758 [ox]; blood; RU, R1, R2 (167, 692, 693, 1059, 1060, 1168, 1169, 1170, 1171, 1220)
- Trypanosoma thylacis*** Mackerras, 1959
MAM *Isoodon obesulus* (Shaw, 1797) [southern brown bandicoot]; blood; RU (483, 691, 693)
- Trypanosoma vespertilionis*** Battaglia, 1904
MAM *Miniopterus schreibersii* (Kuhl, 1817) [common bent-wing bat]; blood; RU (692, 1234)
- Trypanosoma*** (unidentified species)
ACT *Anguilla* sp.; blood; RU (628, 634)
- AMP *Limnodynastes ornatus* (Gray, 1842) [ornate burrowing frog]; blood; R1 (209)
- AMP *Limnodynastes tasmaniensis* Gunther, 1858 [spotted grass frog]; blood; R1 (209)
- AMP *Litoria lesueuri* (Dumeril & Bibron, 1841) [Lesueur's frog]; blood; R1 (209, 581, 696)
- AMP *Litoria nasuta* (Gray, 1842) [rocket frog]; blood; R1 (47, 209, 581, 696)
- ANN *Chthonobdella limbata* Grube, 1866 [leech]; crop, R1 (996)
- AVE *Acanthochæra chrysoptera* (Latham, 1801) [little wattlebird]; blood; R1 (216, 217, 571)
- AVE *Entomyzon cyanotis* (Latham, 1801) [blue-faced honeyeater]; blood; R1 (216, 217)
- AVE *Gymnorhina tibicen* (Latham, 1801) [Australian magpie]; blood; R1 (694)
- AVE *Lichenostomus chrysops* (Latham, 1801) [yellow-faced honeyeater]; blood; R4 (216, 217, 694)
- AVE *Lichenostomus penicillatus* (Gould, 1837) [white-plumed honeyeater]; blood; zoo (UK) (445)
- AVE *Myzomela sanguineolenta* (Latham, 1801) [scarlet honeyeater]; blood; R1 (216, 217, 694)
- AVE *Ninox boobook* Latham, 1801 [boobook owl]; blood; R1 (128, 217, 581, 694)
- AVE *Oriolus sagittatus* (Latham, 1801) [olive-backed oriole]; blood; R1 (210, 216, 579, 581, 694)
- AVE *Pachycephala melanura* Gould, 1842 [mangrove golden whistler]; blood; R1 (217, 694)
- AVE *Pandalotus melanocephalus* (Gould, 1838) [black-headed pardalote]; blood; R1 (210, 216, 581, 694)
- AVE *Sphecotheres viridis* Vieillot, 1816 [figbird]; blood; RU (217)
- MAM *Isoodon obesulus* (Shaw, 1797) [southern brown bandicoot]; blood; R3 (78)

- MAM *Ornithorhynchus anatinus* (Shaw & Nodder, 1799) [platypus]; blood; RU (692, 916)
 MAM *Perameles gunnii* Gray, 1838 [eastern barred bandicoot]; blood; R3 (78)
 REP *Ctenotus taeniatus* (White, 1790) [copper-tailed skink]; blood; RI, R2 (695)
 REP *Lygosoma taeniatum* White, ex Shaw, 1790 [copper-tailed skink]; blood; RI (577, 581)
 REP *Pseudonaja textilis* (Dumeril et al., 1854) [eastern brown snake]; blood; RI (211, 572, 577, 581, 695)

PROTEROMONADIDA PROTEROMONADIDAE

- Karotomorpha bufonis* (Dobell, 1908) Grasse, 1926
 AMP *Litoria fallax* (Peters, 1880) [eastern dwarf tree frog]; intestines; RU (276)
 AMP *Litoria rothii* (De Vis, 1884); intestines; RU (276)

RETORTAMONIDIDA COCHLOSOMIDAE

- Cochlosoma* (unidentified species)
 AVE *Emblema picta* Gould, 1842 [painted firetail]; intestines; RI (361, 362)
 AVE *Erythrura gouldiae* (Gould, 1844) [Gouldian finch]; intestines; RI (362, 698)
 AVE *Erythrura psittacea* Gmelin, 1789 [red-headed parrot finch]; intestines; RI (361, 362)
 AVE *Erythrura trichroa* (Kittlitz, 1883) [blue-faced parrot finch]; intestines; RI (361, 362)
 AVE 'Lonchura domestica' ['Bengalese finch']; intestines; RI (361, 362, 698)
 AVE *Lonchura punctulata* (Linnaeus, 1758) [nutmeg mannikin]; intestines; RI (362)
 AVE *Taeniopygia bichenovii* (Vigors & Horsfield, 1827) [double-barred finch]; intestines; RI (362)
 AVE *Taeniopygia guttata* (Gould, 1837) [zebra finch]; intestines; RI (361, 362, 899)

RETORTAMONADIDAE

- Chilomastix canilleryi* (Alexeieff, 1909)
 AMP *Bufo marinus* (Linnaeus, 1758) [cane toad]; cloaca; R1, R9 (276, 277, 1087)
 AMP *Limnodynastes convexiusculus* (Macleay, 1877) [marbled frog]; intestines; RU (276)
 AMP *Limnodynastes dorsalis* (Gray, 1841) [western banjo frog]; intestines; RU (276)
 AMP *Litoria fallax* (Peters, 1880) [eastern dwarf tree frog]; intestines; RU (276)
 AMP *Litoria latopalmata* Gunther, 1867; intestines; RU (276)
 AMP *Litoria nasuta* (Gray, 1842) [rocket frog]; intestines; RU (276)

- AMP *Litoria rothii* (De Vis, 1884); intestines; RU (276)

- AMP *Litoria rubella* (Gray, 1842) [desert tree frog]; intestines; RU (276)

- AMP *Taudactylus rheophilus* Liem & Hosmer, 1973; intestines; RU (276)

- Chilomastix mesnili* (Wenyon, 1910) Alexeieff, 1912
 MAM *Homo sapiens* Linnaeus, 1758 [human], faeces, gut; RU, R8 (65, 692, 728, 763)

Copromonas subtilis Dobell, 1908

- AMP *Limnodynastes dorsalis* (Gray, 1841) [western banjo frog]; gut; RI (978)

- AMP *Limnodynastes tasmaniensis* Gunther, 1858 [spotted grass frog]; gut; RI (978)

- AMP *Litoria aurea* (Lesson, 1829) [golden bell frog]; gut; RI (978)

- AMP *Litoria ewingii* (Dumeril & Bibron, 1841) [brown tree frog]; gut; RI (978)

- AMP *Litoria peronii* (Tschudi, 1838) [Peron's tree frog]; gut; RI (978)

Copromonas (unidentified species)

- REP *Trachydosaurus rugosus* Gray, 1825 [sleepy lizard]; rectum; R5 (586)

Retortomonas dobelli (Bishop, 1931)

- AMP *Litoria caerulea* (White, 1790) [green tree frog]; intestines; RU (276)

- AMP *Bufo marinus* (Linnaeus, 1758) [cane toad]; cloaca; R1 (276, 277, 1087)

Retortomonas intestinalis (Wenyon & O'Connor, 1917) Wenrich, 1932

- MAM *Homo sapiens* Linnaeus, 1758 [human], faeces; R3 (405)

Retortomonas nitrua Kirby & Honigberg, 1950

- MAM *Macropus robustus* Gould, 1841 [common wallaroo]; intestines; zoo (USA) (613)

DIPLOMONADIDAE

Unidentified diplomonad species

- AMP *Bufo marinus* (Linnaeus, 1758) [cane toad]; intestines; RI (384)

HEXAMITIDAE

Giardia agilis Kunstler, 1882

- AMP *Bufo marinus* (Linnaeus, 1758) [cane toad]; intestines; RI (276, 277, 1087)

- AMP *Litoria caerulea* (White, 1790) [green tree frog]; intestines; RU (276)

- AMP *Litoria peronii* (Tschudi, 1838) [Peron's tree frog]; intestines; RU (276)

Giardia duodenalis (Davaine, 1875) Filice, 1952; syn. *G. lamblia* Stiles, 1915; syn. *G. intestinalis* (Lambl, 1859)

- MAM *Bos taurus* Linnaeus, 1758 [ox]; faeces; RI, R5 (341, 735, 1199)

- MAM *Canis familiaris* Linnaeus, 1758 [dog]; faeces, coproantigens (ELISA), duodenum; R2, R3, R5, R6, R8 (167, 221, 270, 488, 490, 593, 616, 757, 760, 762, 763, 764, 780, 793, 1040, 1102, 1117, 1142, 1143, 1144, 1145, 1146, 1147, 1148, 1187, 1221)
- MAM *Equus caballus* Linnaeus, 1758 [horse]; faeces; R2, R5 (341, 616, 724)
- MAM *Felis catus* Linnaeus, 1758 [cat]; faeces, duodenum, R1, R2, R3, R6 (132, 176, 186, 221, 339, 489, 490, 616, 735, 736, 759, 760, 762, 764, 781, 795, 1102, 1117, 1142, 1143, 1144, 1146, 1149, 1160, 1187, 1191, 1199)
- MAM *Homo sapiens* Linnaeus, 1758 [human], gut, faeces, coproantigens (ELISA); RU, R1, R2, R3, R4, R5, R6, R7, R8, R9, R10, R12 (16, 18, 19, 20, 37, 65, 80, 83, 101, 102, 103, 104, 105, 106, 107, 109, 110, 111, 112, 113, 114, 115, 116, 131, 132, 133, 134, 176, 186, 187, 188, 228, 238, 239, 324, 328, 337, 338, 339, 340, 346, 358, 405, 423, 468, 470, 488, 489, 490, 495, 616, 692, 728, 735, 736, 741, 745, 757, 758, 759, 760, 761, 762, 763, 764, 792, 795, 953, 993, 994, 995, 1050, 1066, 1081, 1102, 1142, 1144, 1145, 1146, 1147, 1149, 1150, 1160, 1161, 1162, 1163, 1184, 1185, 1187, 1188, 1189, 1190, 1191, 1192, 1193, 1194, 1195, 1196, 1197, 1198, 1199, 1200, 1201, 1202, 1204, 1205, 1217, 1244)
- MAM *Lama pacos* Linnaeus, 1758 [alpaca]; faeces; R5 (341)
- MAM *Mus musculus* Linnaeus, 1758 [house mouse]; intestine, faeces; R1, R5, R6 (18, 19, 108, 116, 338, 339, 341, 735, 736, 792, 793, 1064, 1144, 1193, 1197, 1203)
- MAM *Notomys alexis* Thomas, 1922 [spinifex hopping-mouse]; faeces; R5 (339)
- MAM *Ovis aries* Linnaeus, 1758 [sheep]; faeces, gut; RU, R5, R6 (132, 328, 341, 762, 764, 795, 1149)
- MAM *Rattus norvegicus* (Berkenhout, 1769) [brown rat]; intestine (exptl. infection); R5, R6 (762, 764, 1064, 1142, 1144)
- MAM *Rattus* sp.; gut; RU (735, 759)
- MAM *Sus scrofa* Linnaeus, 1758 [pig]; faeces; R5 (341)
- Giardia muris*** (Grassi, 1879) Kofoid & Christiansen, 1915
- MAM *Mus musculus* Linnaeus, 1758 [house mouse]; gut, antibodies (RIA); RU, R2, R5 (7, 20, 284, 692, 735, 736, 1008, 1009)
- Giardia psittaci*** Erlandsen & Bemrick, 1987
- AVE *Melopsittacus undulatus* (Shaw, 1805) [budgerigar]; faeces, intestines; RU, R1, pet shops (USA) (332, 333, 334, 363, 616)
- Giardia* (unidentified species)**
- AVE *Cacatua galerita* (Latham, 1790) [sulphur-crested cockatoo]; intestines; R2 (386, 1203)
- AVE *Dromaius novaehollandiae* (Latham, 1790) [emu]; gut; RU (1106)
- AVE *Melopsittacus undulatus* (Shaw, 1805) [budgerigar]; intestines; pet shops (USA) (124, 482, 926)
- AVE *Threskiornis spinicollis* (Jameson, 1835) [straw-necked ibis]; intestines; R6 (380, 751, 752)
- MAM *Cavia porcellus* Linnaeus, 1758 [guinea pig]; gut, faeces; R5 (735)
- MAM *Isodon obesulus* (Shaw, 1797) [southern brown bandicoot]; intestines; RU (692)
- MAM *Macropus* sp.; faeces; R3 (781)
- MAM *Ovis aries* Linnaeus, 1758 [sheep]; gut; RU, R6 (167, 692, 735, 837, 1059, 1060, 1144, 1172)
- MAM *Perameles* sp.; faeces; R3 (781)
- MAM *Rattus villosissimus* (Waite, 1898) [long-haired rat]; gut; RU (692)
- MAM *Sarcophilus harrisii* (Boitard, 1841) [Tasmanian devil]; faeces; R3 (781)
- MAM *Trichosurus ornatus* Collett, 1897 [northern brushtail possum]; faeces; R3 (781)
- Hexamita muris*** (Grassi, 1881) Dobell, 1909
- MAM *Mus musculus* Linnaeus, 1758 [house mouse]; gut; RU (692)
- MAM *Rattus norvegicus* (Berkenhout, 1769) [brown rat]; gut; RU (692)
- Hexamitus termitis*** Grassi, 1917 subspecies *acutus* Duboscq & Grasse, 1927
- ART *Calotermes iridipennis* Froggart, 1896 [termite]; hindgut; R1 (317)
- Hexamita* (unidentified species)**
- ACT *Acanthurus dussumieri* Cuvier & Valenciennes, 1835 [Dussumier's surgeonfish]; intestine; R13 (669)
- ACT *Gambusia holbrooki* (Girard, 1859) [eastern gambusia]; intestine; R4 (669)
- ACT *Monacanthus chinensis* Osbeck, 1765 [fan-bellied leatherjacket]; intestine; R13 (669)
- ACT *Sympodus* sp.; gut, liver, blood, head; RU (aquarium) (627, 983, 984)
- AVE *Alectoris chukar* Gray, 1830 [chukar partridge]; gut; RU (446, 1052)
- AVE *Columba livia* Gmelin, 1789 [domestic pigeon]; ileum, caecum, rectum; R2 (446, 447, 989, 1052)
- AVE *Coturnix coturnix* Linnaeus, 1758 [common quail]; gut; RU (446, 1052)
- AVE *Pavo cristatus* Linnaeus, 1758 [peafowl]; gut; RU (446, 1052)
- AVE *Phasianus colchicus* Linnaeus, 1758 [common pheasant]; gut; RU (446, 1052)
- MAM *Rattus villosissimus* (Waite, 1898) [long-haired rat]; gut; RU (692)
- Spironucleus elegans*** Lavier, 1936
- AMP *Bufo marinus* (Linnaeus, 1758) [cane toad]; intestines; R1, R9 (276, 277, 1087)
- AMP *Cyclorana novaehollandiae* Steindachner, 1867; intestines; RU (276)

- AMP *Limnodynastes convexiusculus* (Macleay, 1877) [marbled frog]; intestines; RU (276)
- AMP *Limnodynastes dorsalis* (Gray, 1841) [western banjo frog]; intestines; RU (276)
- AMP *Limnodynastes dumerili* Peters, 1863 [eastern banjo frog]; intestines; RU (276)
- AMP *Limnodynastes ornatus* (Gray, 1842) [ornate burrowing frog]; intestines; RU (276)
- AMP *Limnodynastes peronii* (Dumeril & Bibron, 1841) [striped marsh frog]; intestine; RU (276)
- AMP *Limnodynastes tasmaniensis* Gunther, 1858 [spotted grass frog]; intestines; RU (276)
- AMP *Limnodynastes terraereginae* Fry, 1915 [northern banjo frog]; intestines; RU (276)
- AMP *Litoria caerulea* (White, 1790) [green tree frog]; intestines; RU (276)
- AMP *Litoria chloris* (Boulenger, 1893) [red-eyed tree frog]; intestines; RU (276)
- AMP *Litoria cyclorhyncha* (Boulenger, 1882) [spotted-thighed frog]; intestines; RU (276)
- AMP *Litoria dahlii* (Boulenger, 1896); intestines; RU (276)
- AMP *Litoria dentata* (Keserstein, 1868) [bleating tree frog]; intestines; RU (276)
- AMP *Litoria ewingii* (Dumeril & Bibron, 1841) [brown tree frog]; intestines; RU (276)
- AMP *Litoria fallax* (Peters, 1880) [eastern dwarf tree frog]; intestines; RU (276)
- AMP *Litoria gracilenta* (Peters, 1869) [dainty green tree frog]; intestines; RU (276)
- AMP *Litoria inermis* (Peters, 1867); intestines; RU (276)
- AMP *Litoria infrasignata* (Gunther, 1867) [giant tree frog]; intestines; RU (276)
- AMP *Litoria latopalmata* Gunther, 1867; intestines; RU (276)
- AMP *Litoria lesueuri* (Dumeril & Bibron, 1841) [Lesueur's frog]; intestines; RU (276)
- AMP *Litoria nasuta* (Gray, 1842) [rocket frog]; intestines; RU (276)
- AMP *Litoria nyakalensis* Liem, 1974; intestines; RU (276)
- AMP *Litoria pallida* Davis et al., 1983; intestines; RU (276)
- AMP *Litoria peronii* (Tschudi, 1838) [Peron's tree frog]; intestines; RU (276)
- AMP *Litoria raniformis* (Keserstein, 1867); intestines; RU (276)
- AMP *Litoria ryleata* Ingram et al., 1982; intestines; RU (276)
- AMP *Litoria tenebrosa* Liem, 1974; intestines; RU (276)
- AMP *Litoria rothii* (De Vis, 1884); intestines; RU (276)
- AMP *Litoria rubella* (Gray, 1842) [desert tree frog]; intestines; RU (276)
- AMP *Litoria serrata* (Andersson, 1916); intestines; RU (276)
- AMP *Litoria tormieri* (Nieden, 1923); intestines; RU (276)
- AMP *Litoria verreauxii* (Dumeril, 1853); intestines; RU (276)
- AMP *Neobatrachus centralis* (Parker, 1940) [trilling frog]; intestines; RU (276)
- AMP *Neobatrachus pelobatoides* (Werner, 1914) [humming frog]; intestines; RU (276)
- AMP *Neobatrachus pictus* Peters, 1863; intestines; RU (276)
- AMP *Nyctimystes dayi* (Günther, 1897) [Australian lace-lid]; intestines; RU (276)
- AMP *Pseudophryne coriacea* Keserstein, 1868 [red-backed toadlet]; intestines; RU (276)
- AMP *Ranidella bilineata* Martin et al., 1980; intestines; RU (276)
- AMP *Ranidella insignifera* (Moore, 1954); intestines; RU (276)
- AMP *Ranidella parinsignifera* (Main, 1957); intestines; RU (276)
- AMP *Ranidella signifera* Girard, 1853 [common eastern toadlet]; intestines; RU (276)
- AMP *Uperoleia laevigata* Keserstein, 1867; intestines; RU (276)
- Spironucleus meleagridis* (McNeil et al., 1941) Kulda & Nohynkova, 1978; syn. *Hexamita meleagridis* McNeil et al., 1941
- AVE *Meleagris gallopavo* Linnaeus, 1758 [domestic turkey]; intestines; R2 (73, 167, 1059, 1060)
- Spironucleus muris* (Grassi, 1881) Brugerolle et al., 1973
- MAM *Mus musculus* Linnaeus, 1758 [house mouse]; gut, faeces; R5, R6 (922, 1064)
- MAM *Rattus norvegicus* (Berkenhout, 1769) [brown rat]; gut, faeces; R5 (1064)
- Spironucleus* (unidentified species)
- AVE *Melopsittacus undulatus* (Shaw, 1805) [budgerigar]; crop; R6 (748)

PYRSONYMPHIDA

PYRSONYMPHIDAE

Oxymonas (unidentified species)

ART *Bifiditermes improbus* (Hagen 1858) [termite]; gut; RU (1113)

PARABASALIDEA

TRICHOMONADIDA

MONOCERCOMONADIDAE

Histomonas meleagridis (Smith, 1895) Tyzzer, 1920; syn. *Amoeba meleagridis* Smith, 1895

AVE; *Gallus gallus* Linnaeus, 1758 [domestic chicken]; caeca, liver; R1, R2, R3, R5 (167, 191, 450, 454, 801, 980, 1005, 1059, 1060)

- AVE *Meleagris gallopavo* Linnaeus, 1758 [domestic turkey]; intestines; liver; RU, R2, R3, R4, R5 (73, 167, 191, 570, 801, 1059, 1060)
- AVE *Pavo cristatus* Linnaeus, 1758 [peafowl]; liver; intestines; R1, R2, R3 (167, 801, 942, 1059, 1060)
- AVE *Phasianus colchicus* Linnaeus, 1758 [common pheasant]; intestines; R2, R5 (167)
- Histomonas* (unidentified species)
- AVE *Alectoris chukar* Gray, 1830 [chukar partridge]; LU; RU (801)
- AVE *Coturnix* sp.; LU; RU (990)
- Monocercononas batrachorum* (Dobell, 1908)
- AMP *Bufo marinus* (Linnaeus, 1758) [cane toad]; cloaca; R1, R9 (276, 277, 1087)
- AMP *Limnodynastes ornatus* (Gray, 1842) [ornate burrowing frog]; intestines; RU (276)
- AMP *Limnodynastes peronii* (Dumeril & Bibron, 1841) [striped marsh frog]; intestines; RU (276)
- AMP *Limnodynastes tasmaniensis* Gunther, 1858 [spotted grass frog]; intestines; RU (276)
- AMP *Litoria caerulea* (White, 1790) [green tree frog]; intestines; RU (276)
- AMP *Litoria chloris* (Boulenger, 1893) [red-eyed tree frog]; intestines; RU (276)
- AMP *Litoria cyclorhyncha* (Boulenger, 1882) [spotted-thighed frog]; intestines; RU (276)
- AMP *Litoria dahlii* (Boulenger, 1896); intestines; RU (276)
- AMP *Litoria dentata* (Keferstein, 1868) [bleating tree frog]; intestines; RU (276)
- AMP *Litoria ewingii* (Dumeril & Bibron, 1841) [brown tree frog]; intestines; RU (276)
- AMP *Litoria fallax* (Peters, 1880) [eastern dwarf tree frog]; intestines; RU (276)
- AMP *Litoria gracilenta* (Peters, 1869) [dainty green tree frog]; intestines; RU (276)
- AMP *Litoria inermis* (Peters, 1867); intestines; RU (276)
- AMP *Litoria latopalmata* Gunther, 1867; intestines; RU (276)
- AMP *Litoria lesueuri* (Dumeril & Bibron, 1841) [Lesueur's frog]; intestines; RU (276)
- AMP *Litoria nanotis* (Andersson, 1916) [torrent tree frog]; intestines; RU (276)
- AMP *Litoria nasuta* (Gray, 1842) [rocket frog]; intestines; RU (276)
- AMP *Litoria pallida* Davis et al., 1983; intestines; RU (276)
- AMP *Litoria peronii* (Tschudi, 1838) [Peron's tree frog]; intestines; RU (276)
- AMP *Litoria rheocola* Liem, 1974; intestines; RU (276)
- AMP *Litoria rothii* (De Vis, 1884); intestines; RU (276)
- AMP *Litoria rubella* (Gray, 1842) [desert tree frog]; intestines; RU (276)
- AMP *Litoria tornieri* (Nieden, 1923); intestines; RU (276)
- AMP *Mixophyes fasciolatus* Gunther, 1864 [great barred frog]; intestines; RU (276)
- AMP *Neobatrachus centralis* (Parker, 1940) [trilling frog]; intestines; RU (276)
- AMP *Ranidella hilingua* Martin et al., 1980; intestines; RU (276)
- AMP *Ranidella signifera* Girard, 1853 [common eastern toadlet]; intestines; RU (276)
- AMP *Uperoleia laevigata* Keferstein, 1867; intestines; RU (276)
- Monocercononas* (unidentified species)
- MAM *Macropus robustus* Gould, 1841 [common wallaroo]; intestines; zoo (USA) (613)
- ## DEVOSCOVIIIDAE
- Devescovina hilli* Duboscq & Grasse, 1926
- ART *Calotermes iridipennis* Foggatt, 1896 [termite]; hindgut; R1 (317)
- Devescovina striata* Foa, 1904
- ART *Calotermes insularis* White, 1853 [termite]; gut; RU (1113)
- ART *Bifiditermes improbus* (Hagen, 1858) [termite]; gut; RU (1113)
- Pseudodevescovina uniflagellata* Sutherland, 1933
- ART *Calotermes insularis* White, 1853 [termite]. gut; RU (1113)
- ## TRICHOMONADIDAE
- Mixotricha paradoxa* Sutherland, 1933
- ART *Mastotermes darwiniensis* Foggatt, 1896 [termite]; hindgut; R8 (1113, 1208)
- Pseudotrypanosoma giganteum* Grassi, 1917
- ART *Porotermes adamsoni* (Foggatt) [termite]; gut; RU (1113)
- Pseudotrypanosoma minimum* Sutherland, 1933
- ART *Porotermes adamsoni* (Foggatt) [termite]; gut; RU (1113)
- Tetra trichomonas gallinarum* (Martin & Robertson, 1911) Honigberg, 1963; syn. *Trichomonas gallinarum* Martin & Robertson, 1911
- AVE *Gallus gallus* Linnaeus, 1758 [domestic chicken]; intestines; R2 (167, 801, 1059)
- Tetra trichomonas provazekii* (Alexejeff, 1909)
- AMP *Limnodynastes dorsalis* (Gray, 1841) [western banjo frog]; intestines; RU (276)
- Trichomastix batrachorum* Dobell, 1908
- AMP *Limnodynastes dorsalis* (Gray, 1841) [western banjo frog]; large intestine; R1 (978)
- AMP *Limnodynastes tasmaniensis* Gunther, 1858 [spotted grass frog]; intestines; R1 (978)

- AMP *Litoria aurea* (Lesson, 1829) [golden bell frog]; intestine; RU (276)
- AMP *Litoria peronii* (Tschudi, 1838) [Peron's tree frog]; intestines; RU (276)
- Trichomastix* (unidentified species)**
- AMP *Litoria caerulea* (White, 1790) [green tree frog]; gut; RU (581)
- Trichomitus batrachorum* (Perty, 1852)**
- AMP *Adelotus brevis* (Gunther, 1863) [tusked frog]; intestines; RU (276)
- AMP *Assa darlingtoni* (Loveridge, 1933) [pouched frog]; intestines; RU (276)
- AMP *Bufo marinus* (Linnaeus, 1758) [cane toad]; intestines; R1, R9 (276, 277, 1087)
- AMP *Cophixalus ornatus* (Fry, 1912); intestines; RU (276)
- AMP *Cyclorana brevipes* (Peters, 1871); intestines; RU (276)
- AMP *Cyclorana novaehollandiae* Steindachner, 1867; intestines; RU (276)
- AMP *Limnodynastes convexiusculus* (Macleay, 1877) [marbled frog]; intestines; RU (276)
- AMP *Limnodynastes dorsalis* (Gray, 1841) [western banjo frog]; intestines; RU (276)
- AMP *Limnodynastes dumerilii* Peters, 1863 [eastern banjo frog]; intestines; RU (276)
- AMP *Limnodynastes ornatus* (Gray, 1842) [ornate burrowing frog]; intestines; RU (276)
- AMP *Limnodynastes peronii* (Dumeril & Bibron, 1841) [striped marsh frog]; intestine; RU (276)
- AMP *Limnodynastes salmini* Steindachner, 1867 [salmon-striped frog]; intestines; RU (276)
- AMP *Limnodynastes tasmaniensis* Gunther, 1858 [spotted grass frog]; intestines; RU (276)
- AMP *Limnodynastes terraereginae* Fry, 1915 [northern banjo frog]; intestines; RU (276)
- AMP *Litoria aurea* (Lesson, 1829) [golden bell frog]; intestines; RU (276)
- AMP *Litoria caerulea* (White, 1790) [green tree frog]; intestines; RU (276)
- AMP *Litoria chloris* (Boulenger, 1893) [red-eyed tree frog]; intestines; RU (276)
- AMP *Litoria cyclorhyncha* (Boulenger, 1882) [spotted-thighed frog]; intestines; RU (276)
- AMP *Litoria dahlii* (Boulenger, 1896); intestines; RU (276)
- AMP *Litoria dentata* (Keferstein, 1868) [bleating tree frog]; intestines; RU (276)
- AMP *Litoria ewingii* (Dumeril & Bibron, 1841) [brown tree frog]; intestines; RU (276)
- AMP *Litoria fallax* (Peters, 1880) [eastern dwarf tree frog]; intestines; RU (276)
- AMP *Litoria gracilenta* (Peters, 1869) [dainty green tree frog]; intestines; RU (276)
- AMP *Litoria inermis* (Peters, 1867); intestines; RU (276)
- AMP *Litoria latopalmata* Gunther, 1867; intestines; RU (276)
- AMP *Litoria lesueuri* (Dumeril & Bibron, 1841) [Lesueur's frog]; intestines; RU (276)
- AMP *Litoria nannotis* (Andersson, 1916) [torrent tree frog]; intestines; RU (276)
- AMP *Litoria nasuta* (Gray, 1842) [rocket frog]; intestines; RU (276)
- AMP *Litoria nigrofrenata* (Gunther, 1867); intestines; RU (276)
- AMP *Litoria nyakalensis* Liem, 1974; intestines; RU (276)
- AMP *Litoria pallida* Davis et al., 1983; intestines; RU (276)
- AMP *Litoria peronii* (Tschudi, 1838) [Peron's tree frog]; intestines; RU (276)
- AMP *Litoria revelata* Ingram et al., 1982; intestines; RU (276)
- AMP *Litoria rheocola* Liem, 1974; intestines; RU (276)
- AMP *Litoria rothii* (De Vis, 1884); intestines; RU (276)
- AMP *Litoria rubella* (Gray, 1842) [desert tree frog]; intestines; RU (276)
- AMP *Litoria tornieri* (Nieden, 1923); intestines; RU (276)
- AMP *Litoria tyleri* Martin et al., 1979; intestines; RU (276)
- AMP *Mixophyes fasciolatus* Gunther, 1864 [great barred frog]; intestines; RU (276)
- AMP *Mixophyes iteratus* Straughan, 1968 [giant barred frog]; intestines; RU (276)
- AMP *Mixophyes schevilli* Loveridge, 1933 [northern barred frog]; intestines; RU (276)
- AMP *Neobatrachus centralis* (Parker, 1940) [trilling frog]; intestines; RU (276)
- AMP *Neobatrachus pelobatoides* Werner, 1914 [humming frog]; intestines; RU (276)
- AMP *Neobatrachus pictus* Peters, 1863; intestines; RU (276)
- AMP *Nyctimystes dayi* (Günther, 1897) [Australian lace-lid]; intestines; RU (276)
- AMP *Pseudophryne bibronii* Günther, 1858 [brown toadlet]; intestines; RU (276)
- AMP *Pseudophryne coriacea* Keferstein, 1868 [red-backed toadlet]; intestines; RU (276)
- AMP *Rana daemeli* (Steindachner, 1868) [wood frog]; intestines; RU (276)
- AMP *Ranidella bilineata* Martin et al., 1980; intestines; RU (276)
- AMP *Ranidella parinsignifera* (Main, 1957); intestines; RU (276)

- AMP *Ranidella signifera* Girard, 1853 [common eastern toadlet]; intestines; RU (276)
- AMP *Sphenophryne robusta* (Fry, 1912); intestines; RU (276)
- AMP *Taudactylus rheophilus* Liem & Hosmer, 1973; intestines; RU (276)
- AMP *Uperoleia laevigata* Keferstein, 1867; intestines; RU (276)
- Trichomonas batrachorum*** Perty, 1852
- AMP *Limnodynastes dorsalis* (Gray, 1841) [western banjo frog]; large intestine; R1 (978)
- AMP *Limnodynastes tasmaniensis* Gunther, 1858 [spotted grass frog]; intestines; R1 (978)
- AMP *Litoria aurea* (Lesson, 1829) [golden bell frog]; intestine; R1 (978)
- AMP *Litoria peronii* (Tschudi, 1838) [Peron's tree frog]; intestines; R1 (978)
- Trichomonas equi*** (Fantham, 1921)
- MAM *Equus caballus* Linnaeus, 1758 [horse]; caecum, colon; RU (29, 167)
- Trichomonas gallinae*** (Rivolta, 1878) Stabler, 1938
- AVE *Columba livia* Gmelin, 1789 [domestic pigeon]; mouth, pharynx, oesophagus, crop; RU, R6 (167, 430, 748, 801, 1060)
- AVE *Gallus gallus* Linnaeus, 1758 [domestic chicken]; pharynx, oesophagus, crop; R5 (801, 977)
- AVE *Melopsittacus undulatus* (Shaw, 1805) [budgerigar]; crop; R6, pet shops (UK, EUR, USA) (45, 471, 748)
- AVE ['Senegal dove']; crop; R6 (748)
- Trichomonas guttula*** Kirby & Honigberg, 1950
- MAM *Dendrolagus inustus* Mueller, 1840 [grizzled tree-kangaroo]; intestines; zoo (USA) (613)
- MAM *Macropus robustus* Gould, 1841 [common wallaroo]; intestines; zoo (USA) (613)
- Trichomonas hominis*** (Davaine, 1860) Wenrich, 1931
- MAM *Homo sapiens* Linnaeus, 1758 [human], faeces, gut; RU, R8 (65, 692, 763)
- Trichomonas muris*** (Grassi, 1879)
- MAM *Mus musculus* Linnaeus, 1758 [house mouse]; gut; RU (284, 692)
- MAM *Rattus norvegicus* (Berkenhout, 1769) [brown rat]; gut; RU (692)
- Trichomonas suis*** Gruby & Delafond, 1843
- MAM *Sus scrofa* Linnaeus, 1758 [pig]; gut; RU (167)
- Trichomonas vaginalis*** Donne, 1837
- MAM *Homo sapiens* Linnaeus, 1758 [human], urogenital tract; RU, R1, R12 (132, 662, 692, 922, 1204, 1211, 1212)
- Trichomonas*** (unidentified species)
- AMP *Bufo marinus* (Linnaeus, 1758) [cane toad]; intestines; R1 (384)
- AMP *Limnodynastes tasmaniensis* Gunther, 1858 [spotted grass frog]; intestines; RU (979)
- ART *Stolotermes victoriensis* Hill, 1921 [termite]; gut; RU (1113)
- AVE *Accipiter fasciatus* (Vigors & Horsfield, 1827) [brown goshawk]; oesophagus, pharynx; R2 (989)
- AVE *Cacatua leadbeateri* (Vigors, 1831) [Major Mitchell cockatoo]; crop; RU (1052)
- AVE *Columba livia* Gmelin, 1789 [domestic pigeon]; pharynx, oesophagus; R2, R5 (446, 447, 989, 990, 1052, 1059)
- AVE *Dromaius novaehollandiae* (Latham, 1790) [emu]; gut; RU (1106)
- AVE *Gallus gallus* Linnaeus, 1758 [domestic chicken]; caeca, crop, oesophagus; R5 (167, 1060)
- AVE *Glossopsitta concinna* (Shaw, 1791) [musk lorikeet]; oesophagus, pharynx; R2 (989)
- AVE *Melopsittacus undulatus* (Shaw, 1805) [budgerigar]; pharynx; RU (167, 990, 1051, 1052)
- AVE *Ninox novaeseelandiae* (Gmelin, 1788) [southern boobook]; oesophagus, pharynx; R2 (989)
- AVE *Ocyphaps lophotes* (Temminck & Laugier, 1822) [crested pigeon]; gut; RU (446, 447)
- AVE *Phaps chalcoptera* (Latham, 1790) [common bronzewing]; oesophagus, pharynx; R2 (989)
- AVE *Podargus strigoides* (Latham, 1801) [tawny frogmouth]; intestines; R1 (899)
- AVE *Serinus canaria* Linnaeus, 1758 [canary]; oesophagus, crop; RU (446, 1052)
- AVE *Trichoglossus* sp.; oesophagus, pharynx; R2 (989, 990)
- AVE 'Turtur suratensis' ['Indian dove']; pharynx, larynx; R2 (453, 1059, 1060)
- MAM *Equus caballus* Linnaeus, 1758 [horse]; faeces; R2 (724)
- MAM *Isoodon obesulus* (Shaw, 1797) [southern brown bandicoot]; intestines; RU (692)
- MAM *Rattus villosissimus* (Waite, 1898) [long-haired rat]; gut; RU (692)
- MAM *Sus scrofa* Linnaeus, 1758 [pig]; gut; RU (692, 1059)
- REP *Oxyuranus scutellatus* (Peters, 1867) [taipan]; faeces; zoo (Aust.) (125)
- REP *Trachydosaurus rugosus* Gray, 1825 [sleepy lizard]; rectum; R5 (586)
- Tritrichomonas eberthi*** (Martin & Robertson, 1911)
- AVE *Columba livia* Gmelin, 1789 [domestic pigeon]; mouth, larynx; RU (167, 430)
- AVE *Gallus gallus* Linnaeus, 1758 [domestic chicken]; LU; RU (801)
- Tritrichomonas foetus*** (Riedmuller, 1928) Kofoid, 1920; syn. *Trichomonas foetus* Riedmuller, 1928
- MAM *Bos taurus* Linnaeus, 1758 [ox]; urogenital tract; RU, R1, R2, R3, R8, R9 (6, 63, 69, 70, 132,

167, 189, 190, 197, 198, 199, 200, 201, 202, 280, 302, 318, 326, 383, 467, 618, 692, 753, 860, 866, 867, 939, 940, 987, 1016, 1059, 1060, 1069, 1114, 1115, 1125, 1167, 1256, 1257)

CALONYMPHIDAE

Stephanonympha silvestrii Janicki, 1915

ART *Calotermes insularis* White, 1853 [termite]; gut; RU (1113)

HYPERMASTIGIDA

Unidentified hypermastigid species

ART *Coptotermes lacteus* Froggatt, 1898 [termite]; hindgut; RU, R2 (336, 485, 879, 1071)

ART *Mastotermes darwiniensis* Froggatt, 1896 [termite]; hindgut; RU (1071, 1208)

ART *Panesthia cibrata* Saussure, 1864 [wood-eating cockroach]; midgut, hindgut; RU, R2 (1056, 1071)

LOPHOMONADINA

JOENIIDAE

Joenina pulchella Grassi, 1917

ART *Porotermes adamsoni* (Froggatt) [termite]; gut; RU (1113)

TRICHONYMPHINA

TRICHONYMPHIDAE

Deltotrichonympha nana Cleveland, 1966

ART *Mastotermes darwiniensis* Froggatt, 1896 [termite]; hindgut; R8 (1208)

Deltotrichonympha operculata Sutherland, 1933

ART *Mastotermes darwiniensis* Froggatt, 1896 [termite]; hindgut; R8 (1113, 1208)

Koruga bonita Cleveland, 1966

ART *Mastotermes darwiniensis* Froggatt, 1896 [termite]; hindgut; R8 (1208)

Pseudotrichonympha hertwigi Grassi, 1917

ART *Coptotermes acinaciformis* Froggatt, 1898 [termite]; gut; RU (1113)

ART *Coptotermes frenchi* Hill, 1932 [termite]; gut; RU (1113)

Trichonympha chattoni Duboscq & Grasse, 1924

ART *Calotermes iridipennis* Froggatt, 1896 [termite]; hindgut; R1 (317)

Trichonympha magna Grassi, 1917

ART *Porotermes adamsoni* (Froggatt) [termite]; gut; RU (1113)

SPIROTRICHOSOMIDAE

Spirotrichosoma capitata Sutherland, 1933

ART *Stolotermes victoriensis* Hill, 1921 [termite]; gut; RU (1113)

Spirotrichosoma obtusa Sutherland, 1933

ART *Stolotermes victoriensis* Hill, 1921 [termite]; gut; RU (1113)

STAUROJOENINIDAE

Staurojoenina assimilis Kirby, 1926

ART *Bifiditermes improbus* (Hagen, 1858) [termite]; gut; RU (1113)

SPIROTRICHONYMPHINA

HOLOMASTIGOTOIDIDAE

Holomastigotoides mirabile Grassi, 1917

ART *Coptotermes acinaciformis* Froggatt, 1898 [termite]; gut; RU (1113)

ART *Coptotermes frenchi* Hill, 1932 [termite]; gut; RU (1113)

Spirotrichonympha pudibunda Grassi, 1917

ART *Porotermes adamsoni* (Froggatt) [termite]; gut; RU (1113)

SPIROTRICHONYMPHIDAE

Spirotrichonympha flagellata Grassi, 1917

ART *Coptotermes acinaciformis* Froggatt, 1898 [termite]; gut; RU (1113)

ART *Coptotermes frenchi* Hill, 1932 [termite]; gut; RU (1113)

Spirotrichonympha grandis Sutherland, 1933

ART *Porotermes adamsoni* (Froggatt) [termite]; gut; RU (1113)

Spirotrichonympha mirabilis Grassi, 1917

ART *Porotermes adamsoni* (Froggatt) [termite]; gut; RU (1113)

OPALINATA

OPALINATEA

OPALINIDA

OPALINIDAE

Opalina intestinalis Raff, 1911

AMP *Hyperolia marmorata* Kefersttin, 1867 [smooth toadlet]; intestines; R2 (979)

Opalina tenuis Raff, 1911

AMP *Hyperolia marmorata* Kefersttin, 1867 [smooth toadlet]; intestines; R2 (979)

Opalina (unidentified species)

AMP *Limnodynastes dorsalis* (Gray, 1841) [western banjo frog]; intestine; R2 (209)

AMP *Limnodynastes peronii* (Dumeril & Bibron, 1841) [striped marsh frog]; intestine; R2 (209)

AMP *Litoria aurea* (Lesson, 1829) [golden bell frog]; rectum, intestines; R2 (209, 212, 491)

AMP *Litoria caerulea* (White, 1790) [green tree frog]; intestines; R1, R2 (209, 212, 581)

AMP *Litoria dorsalis* Macleay, 1877 [dwarf rocket frog]; intestines; R2 (212)

AMP *Litoria peronii* (Tschudi, 1838) [Peron's tree frog]; intestines; R2 (212)

Protoopalina acuta (Raffl, 1911) Metcalf, 1923; syn. *Opalina acuta* Raffl, 1911

AMP *Limnodynastes convexiusculus* (Macleay, 1877) [marbled frog]; intestines; RU (275, 279)

AMP *Limnodynastes dorsalis* (Gray, 1841) [western banjo frog]; intestines; R2 (768, 979)

AMP *Limnodynastes dumerilii* Peters, 1863 [eastern banjo frog]; intestines; RU (279)

AMP *Limnodynastes tasmaniensis* Gunther, 1858 [spotted grass frog]; intestines; RU (275, 279)

AMP *Litoria caerulea* (White, 1790) [green tree frog]; intestines; RU (275, 279)

AMP *Litoria fallax* (Peters, 1880) [eastern dwarf tree frog]; intestines; RU (275, 279)

AMP *Litoria inermis* (Peters, 1867); intestines; RU (275, 279)

AMP *Litoria latopalmata* Gunther, 1867; intestines; RU (275, 279)

AMP *Litoria nasuta* (Gray, 1842) [rocket frog]; intestines; RU (275, 279)

AMP *Litoria pallida* Davis et al., 1983; intestines; RU (275, 279)

AMP *Litoria rothii* (De Vis, 1884); intestines; RU (275, 279)

AMP *Litoria tornieri* (Nieden, 1923); intestines; RU (275, 279)

Protoopalina adelaideensis Metcalf, 1923

AMP *Litoria adelaideensis* (Gray, 1841) [slender tree frog]; intestines; R6 (275, 279, 768)

AMP *Litoria caerulea* (White, 1790) [green tree frog]; intestines; RU (275, 279)

AMP *Litoria lesueuri* (Dumeril & Bibron, 1841) [Lesueur's frog]; intestines; RU (275, 279)

AMP *Litoria nyakalensis* Liem, 1974; intestines; R1 (275, 279)

AMP *Litoria rheocola* Liem, 1974; intestines; RU (275, 279)

AMP *Litoria tyleri* Martin et al., 1979; intestines; RU (275, 279)

AMP *Mixophyes fasciolatus* Gunther, 1864 [great barred frog]; intestines; RU (275, 279)

Protoopalina australis Metcalf, 1923

AMP *Bufo marinus* (Linnaeus, 1758) [cane toad]; intestines; R1, R9, RU (275, 277, 279, 1087)

AMP *Cyclorana novaehollandiae* Steindachner, 1867; intestines; RU (275, 279)

AMP *Limnodynastes dumerilii* Peters, 1863 [eastern banjo frog]; intestines; RU (275, 279)

AMP *Limnodynastes ornatus* (Gray, 1842) [ornate burrowing frog]; intestines; RU (275, 279)

AMP *Limnodynastes peronii* (Dumeril & Bibron, 1841) [striped marsh frog]; intestine; RU (275, 279)

AMP *Limnodynastes tasmaniensis* Gunther, 1858 [spotted grass frog]; intestines; RU (275, 279)

AMP *Limnodynastes terraereginae* Fry, 1915 [northern banjo frog]; intestines; RU (275, 279)

AMP *Litoria aurea* (Lesson, 1829) [golden bell frog]; intestines; RU (275, 279, 768)

AMP *Litoria caerulea* (White, 1790) [green tree frog]; intestines; RU (275, 279)

AMP *Litoria chloris* (Boulenger, 1893) [red-eyed tree frog]; intestines; RU (275, 279)

AMP *Litoria cyclorhyncha* (Boulenger, 1882) [spotted-thighed frog]; intestines; RU (275, 279)

AMP *Litoria dahlii* (Boulenger, 1896); intestines; RU (275, 279)

AMP *Litoria dentata* (Keferstein, 1868) [bleating tree frog]; intestines; RU (275, 279)

AMP *Litoria fallax* (Peters, 1880) [eastern dwarf tree frog]; intestines; RU (275, 279)

AMP *Litoria gracilenta* (Peters, 1869) [dainty green tree frog]; intestines; RU (275, 279)

AMP *Litoria inermis* (Peters, 1867); intestines; RU (275, 279, 943)

AMP *Litoria latopalmata* Gunther, 1867; intestines; RU (275, 279)

AMP *Litoria lesueuri* (Dumeril & Bibron, 1841) [Lesueur's frog]; intestines; RU (275, 279)

AMP *Litoria moorei* (Copland, 1957) [western green bell frog]; intestines; RU (275, 279)

AMP *Litoria nannotis* (Andersson, 1916) [torrent tree frog]; intestines; RU (275, 279)

AMP *Litoria nasuta* (Gray, 1842) [rocket frog]; intestines; RU (275, 279, 943)

AMP *Litoria nigrofrenata* (Gunther, 1867); intestines; RU (275, 279)

AMP *Litoria nyakalensis* Liem, 1974; intestines; R1 (275, 279)

AMP *Litoria pallida* Davis et al., 1983; intestines; RU (275, 279)

AMP *Litoria peronii* (Tschudi, 1838) [Peron's tree frog]; intestines; RU (275, 279)

AMP *Litoria rothii* (De Vis, 1884); intestines; RU (275, 279)

AMP *Litoria rubella* (Gray, 1842) [desert tree frog]; intestines; RU (275, 279, 943)

AMP *Litoria tornieri* (Nieden, 1923); intestines; RU (275, 279)

AMP *Litoria tyleri* Martin et al., 1979; intestines; RU (275, 279)

AMP *Neobatrachus centralis* (Parker, 1940) [trilling frog]; intestines; RU (275, 279)

AMP *Neobatrachus pelobatoides* (Werner, 1914) [humming frog]; intestines; RU (275, 279)

- AMP *Uperoleia laevigata* Keferstein, 1867; intestines; RU (275, 279)
- AMP *Xenopus laevis* (Daudin, 1803) [African clawed frog]; intestines (exptl. infection). RU (275)
- Protoopalina bibronii** Metcalf, 1940
- AMP *Pseudophryne bibronii* Gunther, 1858 [brown toadlet]; intestines; R2, R5 (275, 279, 769)
- AMP *Pseudophryne coriacaea* Keferstein, 1868 [red-backed toadlet]; intestines; RU (275, 279)
- Protoopalina dorsalis** (Raff, 1912) Metcalf, 1923; syn. *P. peronii* Metcalf, 1923; syn. *Opalina dorsalis* Raff, 1912
- AMP *Limnodynastes dorsalis* (Gray, 1841) [western banjo frog]; intestines; R2, R6 (275, 279, 768, 769, 979)
- AMP *Limnodynastes dumerilii* Peters, 1863 [eastern banjo frog]; intestines; RU (275, 279)
- AMP *Limnodynastes peronii* (Dumeril & Bibron, 1841) [striped marsh frog]; intestine; RU (275, 279, 768)
- Protoopalina hyalarum** (Raff, 1911) Metcalf, 1923
- AMP *Bufo marinus* (Linnaeus, 1758) [cane toad]; intestines; RU, R1, R9 (275, 277, 279, 1087)
- AMP *Cyclorana brevipes* (Peters, 1871); intestines; RU (275, 279)
- AMP *Cyclorana novaehollandiae* Steindachner, 1867; intestines; RU (275, 279)
- AMP *Limnodynastes convexiusculus* (Macleay, 1877) [marbled frog]; intestines; RU (275, 279)
- AMP *Limnodynastes ornatus* (Gray, 1842) [omate burrowing frog]; intestines; RU (275)
- AMP *Limnodynastes tasmaniensis* Gunther, 1858 [spotted grass frog]; intestines; RU (275, 279)
- AMP *Limnodynastes terraereginae* Fry, 1915 [northern banjo frog]; intestines; RU (275, 279)
- AMP *Litoria aurea* (Lesson, 1829) [golden bell frog]; intestines; RU (275, 279, 768, 978)
- AMP *Litoria caerulea* (White, 1790) [green tree frog]; intestines; RU (275, 279)
- AMP *Litoria dentata* (Keferstein, 1868) [bleating tree frog]; intestines; RU (275, 279)
- AMP *Litoria fallax* (Peters, 1880) [eastern dwarf tree frog]; intestines; RU (275, 279)
- AMP *Litoria inermis* (Peters, 1867); intestines; RU (275, 279)
- AMP *Litoria latopalmata* Gunther, 1867; intestines; RU (275, 279)
- AMP *Litoria lesueuri* (Dumeril & Bibron, 1841) [Lesueur's frog]; intestines; RU (275, 279)
- AMP *Litoria nasuta* (Gray, 1842) [rocket frog]; intestines; RU (275, 279)
- AMP *Litoria nigrofrenata* (Gunther, 1867); intestines; RU (275, 279)
- AMP *Litoria pallida* Davis et al., 1983; intestines; RU (275, 279)
- AMP *Litoria peronii* (Tschudi, 1838) [Peron's tree frog]; intestines; RU (275, 279)
- AMP *Litoria raniformis* (Keferstein, 1867); intestines; RU (275, 279)
- AMP *Litoria rothii* (De Vis, 1884); intestines; RU (275, 279)
- AMP *Litoria rubella* (Gray, 1842) [desert tree frog]; intestines; RU (275, 279)
- AMP *Litoria rotundirostris* (Nieden, 1923); intestines; RU (275, 279)
- AMP *Neobatrachus centralis* (Parker, 1910) [trilling frog]; intestines; RU (275, 279)
- AMP *Neobatrachus pictus* Peters, 1863; intestines; RU (275, 279)
- Protoopalina jonesi** Delvinquier, 1987
- AMP *Limnodynastes dorsalis* (Gray, 1841) [western banjo frog]; intestines; RU (275, 279)
- AMP *Limnodynastes dumerilii* Peters, 1863 [eastern banjo frog]; intestines; RU (275, 279)
- AMP *Limnodynastes peronii* (Dumeril & Bibron, 1841) [striped marsh frog]; intestine; RU (275, 279)
- AMP *Limnodynastes salmini* Steindachner, 1867 [salmon-striped frog]; intestines; RU (275, 279)
- AMP *Limnodynastes tasmaniensis* Gunther, 1858 [spotted grass frog]; intestines; RU (275, 279)
- AMP *Limnodynastes terraereginae* Fry, 1915 [northern banjo frog]; intestines; RU (275, 279)
- AMP *Litoria fallax* (Peters, 1880) [eastern dwarf tree frog]; intestines; RU (275, 279)
- AMP *Litoria peronii* (Tschudi, 1838) [Peron's tree frog]; intestines; RU (275, 279)
- AMP *Litoria rubella* (Gray, 1842) [desert tree frog]; intestines; RU (275, 279)
- AMP *Neobatrachus pelobatoides* (Werner, 1914) [humming frog]; intestines; RU (275, 279)
- AMP *Pseudophryne bibronii* Gunther, 1858 [brown toadlet]; intestines; RU (275, 279)
- Protoopalina papuensis** Metcalf, 1923
- AMP *Litoria infravittata* (Gunther, 1867) [giant tree frog]; intestines; RU (275, 279)
- Protoopalina polykineta** Grim & Clements, 1996
- ACT *Acanthurus nigrofasciatus* Forsskål, 1775 [surgeonfish]; intestines; R21 (429)
- Protoopalina queenslandensis** Delvinquier, 1987
- AMP *Litoria caerulea* (White, 1790) [green tree frog]; intestines; RU (275, 279)
- AMP *Litoria chloris* (Boulenger, 1893) [red-eyed tree frog]; intestines; RU (275, 279)
- AMP *Litoria peronii* (Tschudi, 1838) [Peron's tree frog]; intestines; RU (275, 279)
- AMP *Litoria rothii* (De Vis, 1884); intestines; RU (275, 279)

AMP *Litoria rubella* (Gray, 1842) [desert tree frog]; intestines: RU (275, 279)

Protoopalina raffaei Delvinquier, 1987; syn. *Opalina intestinalis* Raff, 1911

AMP *Bufo marinus* (Linnaeus, 1758) [cane toad]; intestines: RU (275, 277, 279, 1087)

AMP *Cyclorina novaehollandiae* Steindachner, 1867; intestines: RU (275, 279)

AMP *Limnodynastes dorsalis* (Gray, 1841) [western banjo frog]; intestines: RU (275, 279, 978)

AMP *Limnodynastes dumerilii* Peters, 1863 [eastern banjo frog]; intestines: RU (275, 279)

AMP *Limnodynastes ornatus* (Gray, 1842) [ornate burrowing frog]; intestines: RU (275, 279)

AMP *Limnodynastes peronii* (Dumeril & Bibron, 1841) [striped marsh frog]; intestine: RU (275, 279)

AMP *Litoria aurea* (Lesson, 1829) [golden bell frog]; intestines: RU (279, 978)

AMP *Litoria caerulea* (White, 1790) [green tree frog]; intestines: RU (275, 279)

AMP *Litoria ewingii* (Dumeril & Bibron, 1841) [brown tree frog]; intestines: RU (275, 279, 978)

AMP *Litoria fallax* (Peters, 1880) [eastern dwarf tree frog]; intestines: RU (275, 279)

AMP *Litoria inermis* (Peters, 1867); intestines: RU (275, 279)

AMP *Litoria latopalmata* Gunther, 1867; intestines: RU (275, 279)

AMP *Litoria lesueuri* (Dumeril & Bibron, 1841) [Lesueur's frog]; intestines: RU (275, 279)

AMP *Litoria nasuta* (Gray, 1842) [rocket frog]; intestines: RU (275, 279)

AMP *Litoria pallida* Davis et al., 1983; intestines: RU (275, 279)

AMP *Litoria pearsoniana* (Copland, 1961); intestines: RU (275, 279)

AMP *Litoria peronii* (Tschudi, 1838) [Peron's tree frog]; intestines: RU (275)

AMP *Litoria raniformis* (Keserstein, 1867); intestines: RU (275, 279)

AMP *Litoria rheocola* Iiem, 1974, intestines: RU (275, 279)

AMP *Litoria rothii* (De Vis, 1884); intestines: RU (275, 279)

AMP *Litoria tornieri* (Nieden, 1923); intestines: RU (275, 279)

AMP *Litoria tyleri* Martin et al., 1979; intestines: RU (275)

AMP *Uperoleia marmorata* Gray, 1841; intestines: R8 (275, 279)

Protoopalina singeri Delvinquier, 1987

AMP *Litoria fallax* (Peters, 1880) [eastern dwarf tree frog]; intestines: RU (275, 279)

Protoopalina tenuis (Raff, 1911) Metcalf, 1923; syn. *Opalina tenuis* Raff, 1911

AMP *Crinia signifera* (Girard, 1853); intestines: R2 (768, 979)

AMP *Ranidella bilineata* Martin et al., 1980; intestines: RU (275, 279)

AMP *Ranidella parinsignifera* (Main, 1957); intestines: RU (275, 279)

AMP *Ranidella signifera* Girard, 1853 [common eastern toadlet]; intestines: RU (275, 279)

AMP *Ranidella tasmaniensis* (Gunther, 1864); intestines: R3 (275, 279)

AMP *Uperoleia marmorata* Gray, 1841; intestines: R8 (275, 279)

Protoopalina tronchini Delvinquier, 1987

AMP *Litoria rubella* (Gray, 1842) [desert tree frog]; intestines: RU (275, 279)

AMP *Litoria verreauxii* (Dumeril, 1853); intestines: RU (275)

Protoopalina waterloti Delvinquier, 1987

AMP *Limnodynastes ornatus* (Gray, 1842) [ornate burrowing frog]; intestines: RU (275, 279)

Protoopalina (unidentified species)

ACT *Acanthurus nigrofasciatus* Forsskål, 1775 [surgeonfish]; LU; RU (279)

AMP *Bufo marinus* (Linnaeus, 1758) [cane toad]; intestines, R1 (384, 1087)

AMP *Limnodynastes dumerilii* Peters, 1863 [eastern banjo frog]; intestines: RU (275, 279)

AMP *Limnodynastes peronii* (Dumeril & Bibron, 1841) [striped marsh frog]; intestine; RU (275, 279)

AMP *Limnodynastes tasmaniensis* Gunther, 1858 [spotted grass frog]; intestines (tadpoles); RU (275, 279)

AMP *Litoria aurea* (Lesson, 1829) [golden bell frog]; intestines; RU (279)

AMP *Litoria caerulea* (White, 1790) [green tree frog]; intestines; RU (275, 279)

AMP *Litoria verreauxii* (Dumeril, 1853); intestines; RU (279)

AMP *Mixophyes fasciolatus* Gunther, 1864 [great barred frog]; intestines (tadpoles); R1 (275, 279)

AMP *Pseudophryne bibronii* Gunther, 1858 [brown toadlet]; intestines; RU (275, 279)

Zellerella antillensis (Metcalf, 1914) Metcalf, 1923

AMP *Bufo marinus* (Linnaeus, 1758) [cane toad]; cloaca; R1, R9 (275, 277, 278, 279, 1087)

AMP *Limnodynastes peronii* (Dumeril & Bibron, 1841) [striped marsh frog]; intestines (exptl. infection in tadpole); R1 (278)

AMP *Litoria caerulea* (White, 1790) [green tree frog]; intestines (exptl. infection in tadpoles); R1 (278)

AMP *Litoria chloris* (Boulenger, 1893) [red-eyed tree frog]; intestines (exptl. infection in tadpoles); R1 (278)

AMP *Xenopus laevis* (Daudin, 1803) [African clawed frog]; intestines (exptl. infection), RU (278)

Zelleriella binucleata (Raff, 1911) Metcalf, 1923; syn. *Opalina binucleata* Raff, 1911

AMP *Limnodynastes dorsalis* (Gray, 1841) [western banjo frog]; intestines; RU (275, 768, 978)

AMP *Limnodynastes dumerilii* Peters, 1863 [eastern banjo frog]; intestines; RU (275, 279, 978)

AMP *Limnodynastes peronii* (Dumeril & Bibron, 1841) [striped marsh frog]; intestine; RU (275, 279)

AMP *Limnodynastes tasmaniensis* Gunther, 1858 [spotted grass frog]; intestines; RU (275, 279, 768, 978)

Zelleriella canusi Delvinquier, 1987

AMP *Limnodynastes tasmaniensis* Gunther, 1858 [spotted grass frog]; intestines; RU (275, 279)

Zelleriella devincki Delvinquier, 1987

AMP *Limnodynastes dorsalis* (Gray, 1841) [western banjo frog]; intestines; RU (275, 279)

AMP *Limnodynastes peronii* (Dumeril & Bibron, 1841) [striped marsh frog]; intestine; RU (275, 279)

AMP *Limnodynastes tasmaniensis* Gunther, 1858 [spotted grass frog]; intestines; RU (275, 279)

AMP *Limnodynastes terraereginae* Fry, 1915 [northern banjo frog]; intestines; RU (275, 279)

Zelleriella hoytei Delvinquier, 1987

AMP *Adelotus brevis* (Gunther, 1863) [tusked frog]; intestines; R1 (275, 279)

AMP *Litoria caerulea* (White, 1790) [green tree frog]; intestines (exptl. infection in tadpoles); R1 (275)

AMP *Mixophyes fasciolatus* Gunther, 1864 [great barred frog]; intestines (tadpoles); R1 (275, 279)

Zelleriella vivieri Delvinquier, 1987

AMP *Limnodynastes convexiusculus* (Macleay, 1877) [marbled frog]; intestines; RU (275, 279)

AMP *Limnodynastes dumerilii* Peters, 1863 [eastern banjo frog]; intestines; RU (275, 279)

AMP *Limnodynastes peronii* (Dumeril & Bibron, 1841) [striped marsh frog]; intestine; RU (275, 279)

Zelleriella (unidentified species)

AMP *Bufo marinus* (Linnaeus, 1758) [cane toad]; intestines; R1 (277, 384, 1087)

AMP *Limnodynastes dumerilii* Peters, 1863 [eastern banjo frog]; intestines; RU (275, 279)

AMP *Limnodynastes peronii* (Dumeril & Bibron, 1841) [striped marsh frog]; intestine; RU (275, 279)

AMP *Limnodynastes tasmaniensis* Gunther, 1858 [spotted grass frog]; intestines (tadpoles); RU (275, 279)

SARCODINA
RHIZOPODEA
LOBOSEA
GYMNAMOEBA
AMOEBIDA
THECINA

THECAMOEVIDAE

Thecamoeba (unidentified species)

CHO *Heterodontus galeatus* Günther, 1870 [crested Port Jackson shark]; gills; aquarium (144, 628, 634, 983)

TUBULINA

AMOEVIDAE

Amoeba (unidentified species)

AMP *Litoria caerulea* (White, 1790) [green tree frog]; gut; R1 (581)

MAM *Homo sapiens* Linnaeus, 1758 [human], gut; RU (692, 876)

Malameba locustae (King & Taylor, 1936) Henry, 1968; syn. *Malpighamoeba locustae* King & Taylor, 1936

ART *Astrocyctes cruciata* Saussure, 1888 [small plague grasshopper]; Malpighian tubules; R5 (269)

ART *Chortoicetes terminifera* (Walker, 1870) [plague locust]; Malpighian tubules; R5 (269)

ART *Pardillana limbata* (Stal, 1878) [grasshopper]; haemocoel, Malpighian tubules; R4 (335)

ART *Pteronemobius* sp.; Malpighian tubules; R4 (335)

ENTAMOEVIDAE

Dientamoeba fragilis Jepps & Dobell, 1918

MAM *Homo sapiens* Linnaeus, 1758 [human], gut; RU, R2 (65, 130, 692, 1217)

Endamoeba (unidentified species)

REP *Trachydosaurus rugosus* Gray, 1825 [sleepy lizard]; rectum; R5 (586)

Endolimax nana (Wenyon & O'Connor, 1917) Brug, 1918

MAM *Homo sapiens* Linnaeus, 1758 [human], colon, faeces; RU, R2, R3 (65, 405, 692, 1217)

Entamoeba coli (Grassi, 1879) Casagrandi & Barbagallo, 1895

MAM *Canis familiaris* Linnaeus, 1758 [dog]; faeces; R8 (763, 1148)

MAM *Homo sapiens* Linnaeus, 1758 [human], gut, faeces; RU, R1, R2, R3, R8 (65, 405, 567, 570, 692, 741, 763, 1217, 1244)

Entamoeba gingivalis (Gros., 1849); syn. *Amoeba buccalis*, *Entamoeba buccalis*

MAM *Homo sapiens* Linnaeus, 1758 [human], mouth; RU (562, 567, 573, 692)

Entamoeba hartmanni Prowazek, 1912

MAM *Homo sapiens* Linnaeus, 1758 [human], faeces; R2, R8 (763, 1217)

Entamoeba histolytica Schaudinn, 1903

MAM *Homo sapiens* Linnaeus, 1758 [human], gut, liver, faeces; RU, R2, R3 (65, 80, 132, 194, 240, 359, 405, 518, 562, 567, 570, 573, 581, 692, 1139, 1209, 1217, 1244)

Entamoeba mornuta Raill, 1911

AMP *Limnodynastes dorsalis* (Gray, 1841) [western banjo frog]; intestines (tadpoles); RU (979)

AMP *Limnodynastes tasmaniensis* Günther, 1858 [spotted grass frog]; intestines (tadpoles); RU (979)

AMP *Litoria aurea* (Lesson, 1829) [golden bell frog]; intestines (adults + tadpoles); RU, R2 (979)

AMP *Litoria lesnei* (Dumeril & Bibron, 1841) [Lesueur's frog]; intestines; R2 (979)

AMP *Litoria peronii* (Tschudi, 1838) [Peron's tree frog]; intestines; RU (979)

Entamoeba muris (Grassi, 1879)

MAM *Mus musculus* Linnaeus, 1758 [house mouse]; gut; RU (284, 692)

MAM *Rattus norvegicus* (Berkenhout, 1769) [brown rat]; gut; RU (692)

Entamoeba polecki Prowazek, 1912

MAM *Sus scrofa* Linnaeus, 1758 [pig]; gut; RU (692)

Entamoeba (unidentified species)

MAM *Isoodon obesulus* (Shaw, 1797) [southern brown bandicoot]; intestines; RU (692)

MAM *Macropus* sp.; faeces, forestomach; zoo (USA) (1007)

MAM *Rattus villosissimus* (Waite, 1898) [long-haired rat]; gut; RU (692)

MAM *Setonix brachyurus* (Quoy & Gaimard, 1830) [quokka]; intestines; RU (692)

MAM *Trichosurus vulpecula* (Kerr, 1792) [common brushtail possum]; intestines; RU (692)

RIP *Morelia spilotes* (Lacepede, 1804) [carpet python]; faeces; RI (899)

Iodamoeba butschlii (Prowazek, 1911) Dobell, 1919

MAM *Homo sapiens* Linnaeus, 1758 [human], gut, faeces; RU, R2, R3 (65, 283, 405, 692, 728, 1217, 1244)

HARTMANELLIDAE

Hyalodaktylethra renacuajo (Frenzel, 1892) Delvinquier & Freeland, 1988; syn. *Saccamoeba renacuajo* Frenzel, 1892

AMP *Bufo marinus* (Linnaeus, 1758) [cane toad]; cloaca (adults and tadpoles); R1, R9 (277, 1087)

Saccamoeba (unidentified species)

AMP *Bufo marinus* (Linnaeus, 1758) [cane toad]; intestines; R1 (384)

VAHLKAMPFIDIIDAE

Naegleria australiensis De Jonckheere, 1981

MAM *Mus musculus* Linnaeus, 1758 [house mouse]; brain (exptl. infection); RU (272)

Naegleria fowleri Carter, 1970

MAM *Homo sapiens* Linnaeus, 1758 [human], brain, cerebrospinal fluid; R1, R5, R6 (1, 9, 180, 181, 182, 351, 354, 356, 381, 425, 524, 532)

MAM *Mus musculus* Linnaeus, 1758 [house mouse]; brain (exptl. infection); R5 (8, 9, 181, 182, 352, 353, 354, 355, 356, 357, 523, 1152, 1153, 1154, 1155, 1156)

CONOPODINA

PARAMOEBIIDAE

Paramoeba penaquidensis Page, 1970

ACT *Salmo salar* Linnaeus, 1758 [Atlantic salmon]; gills; RU (670)

Paramoeba (unidentified species)

ACT *Salmo gairdneri* Richardson, 1836 [rainbow trout]; gills; R3 (627, 628, 634, 855, 857)

ACT *Salmo salar* Linnaeus, 1758 [Atlantic salmon]; gills; R3, R15 (4, 365, 627, 628, 634, 852, 855, 857, 858, 1022)

ACANTHOPODINA

ACANTHAMOEBIIDAE

Acanthamoeba (unidentified species)

MAM *Homo sapiens* Linnaeus, 1758 [human], eye, brain; R5, R6 (44, 183, 532, 1028)

MAM *Macropus giganteus* Shaw, 1790 [eastern grey kangaroo]; brain; RI (874)

MAM *Mus musculus* Linnaeus, 1758 [house mouse]; LU; R5 (556)

MAM *Rattus norvegicus* (Berkenhout, 1769) [brown rat]; cornea; R5 (44)

LEPTOMYXIDA

LEPTOMYXIDAE

Balamuthia mandrillaris Visvesvara et al., 1993

MAM *Pongo pygmaeus* Linnaeus, 1760 [orang utan]; brain, R2, zoo (Aust.) (169)

Unidentified amoebae

ACT *Carassius auratus* (Linnaeus, 1758) [golden carp]; various tissues; RU (858)

ART *Stolotermes victoriensis* Hill, 1921 [termite]; gut; RU (1113)

MAM *Macropus eugenii* (Desmarest, 1817) [tammar wallaby]; LU; RU (826, 851)
 MAM *Macropus giganteus* Shaw, 1790 [eastern grey kangaroo]; stomach, oesophagus; RU (826, 851, 906)
 MAM *Macropus robustus* Gould, 1841 [common wallaroo]; glandular stomach; RU (825, 826, 851, 874)
 MAM *Macropus rufus* (Desmarest, 1822) [red kangaroo]; stomach, oesophagus; RU (906)
 MAM *Wallabia bicolor* (Desmarest, 1804) [swamp wallaby]; stomach, oesophagus; RU (906)

APICOMPLEXA
GREGARINIA
NEOGREGARINIDA
LIPOTROPHIDAE

***Mattesia* (unidentified species)**

ART *Oncopera intricata* Walker, 1856 [corbie]; larvae; R3 (1270)
 ART *Oncopera rufobrunnea* Tindale, 1933 [underground grassgrub]; larvae; R3 (1270)

EUGREGARINIDA
LECU DINIDAE

***Monocystella epibatis* Cannon & Jennings, 1988**

PLA *Pterastericola vivipara* Cannon, 1978 [turbellarian parasitic in crown-of-thorns starfish *Acanthaster planci*]; gut; R21 (174, 526)

POROSPORIDAE

***Nematopsis* (unidentified species)**

ART *Portunus pelagicus* (Linnaeus, 1766) [sand crab]; foregut; R13 (1067)

Unidentified gregarines

ART *Coptotermes acinaciformis* Froggatt, 1898 [termite]; coelum; R1 (507)
 ART *Myrmecia pilosula* (Smith, 1858) [ant]; body cavity; R2, R4 (237)
 ART *Saron marmoratus* (Nobili, 1904) [shrimp]; intestine, rectum; R21 (658)

COCCIDIA
ADELEIDA

HAEMOGREGARINIDAE

***Haemogregarina amethystina* Johnston, 1909**

REP *Morelia amethystinus* (Schneider, 1801) [amethystine python]; blood; R1 (211, 566, 570, 572, 577, 581, 695)
 REP *Morelia spilotes* (Lacepède, 1804) [carpet python]; blood; R1 (695)

***Haemogregarina aspidomorphi* Mackerras, 1961**

REP *Cacophis harrietae* Krefft, 1869 [white-crowned snake]; blood, liver, lung; R1 (695)

REP *Notechis scutatus* (Peters, 1861) [eastern tiger snake]; blood, liver, lung; R1 (695)

REP *Stegonotus plumbeus* (Macleay, 1884) [slaty grey snake]; blood, liver, lung; R1 (695)

***Haemogregarina aulopi* Mackerras & Mackerras, 1925**

ACT *Latropiscus purpurissatus* (Richardson, 1843) [Sergeant baker]; blood; R14 (684, 696)

ACT *Parma microlepis* Gunther, 1862 [white-ear]; blood; R14 (79, 684, 696)

***Haemogregarina australis* Mackerras, 1961**

REP *Pseudechis australis* (Gray, 1842) [king brown snake]; blood; R1 (695)

***Haemogregarina abancrofti* Johnston & Cleland, 1912**

REP *Notechis scutatus* (Peters, 1861) [eastern tiger snake]; blood; R1 (695)

REP *Pseudechis australis* (Gray, 1842) [king brown snake]; blood; R1 (211, 212, 575, 577, 581, 695)

REP *Pseudechis guttatus* De Vis, 1905 [spotted black snake]; blood; R1 (575, 695)

REP *Pseudechis moretonensis* De Vis, 1905 [orange-bellied brown snake]; blood; R1 (575, 577, 581)

***Haemogregarina bigemina* Laveran & Mesnil, 1901**

ACT *Ecsenius bicolor* (Day, 1888); blood; R21 (137, 658)

***Haemogregarina boigae* Mackerras, 1961**

REP *Boiga fusca* (Gray, 1842) [brown tree snake]; blood, liver, lung; R1 (695)

***Haemogregarina calligaster* Lewis, 1913**

REP *Dendrelaphis calligaster* (Gunther, 1867) [northern tree snake]; blood; R8, R9 (665, 695)

***Haemogregarina carchariasi* Laveran, 1908**

CHO *Odontaspis* sp.; blood; R21 (79, 696)

***Haemogregarina clelandi* Johnston, 1909**

REP *Chelodina expansa* Gray, 1857 [broad-shelled river turtle]; blood; R1 (695)

REP *Chelodina longicollis* (Shaw, 1794) [long-necked tortoise]; blood; R1, R4 (128, 211, 212, 565, 575, 577, 581, 695)

REP *Chelodina oblonga* Gray, 1841 [oblong turtle]; blood; R4 (211, 565, 570, 572, 577, 695)

REP *Elseya dentata* (Gray, 1863) [northern snapping turtle]; blood; R4 (695)

REP *Elseya latisternum* Gray, 1867 [saw-shelled turtle]; blood; R4 (695)

REP *Emydura krefftii* (Gray, 1871) [Krefft's river turtle]; blood; R4 (211, 572, 575, 577, 581, 695)

REP *Emydura macquarii* (Gray, 1830) [Murray turtle]; blood; R4 (577, 581, 695)

***Haemogregarina cunninghami* Mackerras, 1961**

REP *Egernia cunninghami* (Gray, 1832) [Cunningham's skink]; blood; R1, R2 (695)

REP *Egernia striolata* (Peters, 1870) [tree skink]; blood; R1 (695)

- Haemogregarina darwinensis*** Lewis, 1913
REP *Pseudechis australis* (Gray, 1842) [king brown snake]; blood; R8, R9 (665, 695)
- Haemogregarina dendrophidis*** Johnston & Cleland, 1910
REP *Dendrelaphis punctulata* (Gray, 1826) [common tree snake]; blood; R1 (211, 212, 572, 577, 581, 695)
- Haemogregarina denisoniae*** Mackerras, 1961
REP *Denisonia pallidiceps* (Gunther, 1858) [little black snake]; blood; R1 (695)
REP *Denisonia signata* (Jan, 1859) [marsh snake]; blood; R1 (695)
REP *Notechis scutatus* (Peters, 1861) [eastern tiger snake]; blood; R1 (695)
REP *Pseudechis porphyriacus* (Shaw, 1794) [red-bellied black snake]; blood; R1 (695)
- Haemogregarina egerniae*** Mackerras, 1961
REP *Egernia cunninghami* (Gray, 1832) [Cunningham's skink]; blood; R2 (695)
REP *Egernia striolata* (Peters, 1870) [tree skink]; blood; R1 (695)
- Haemogregarina eidsvoldensis*** Mackerras, 1961
REP *Pseudechis australis* (Gray, 1842) [king brown snake]; blood; R1 (695)
- Haemogregarina fuscus*** Lewis, 1913
REP *Bothrocophias fuscus* (Peters, 1873) [water python]; blood, liver, lung; R8 (665, 695)
- Haemogregarina gilbertiae*** Mackerras & Mackerras, 1925
ACT *Ellerkeldia annulata* (Gunther, 1859) [banded sea-perch]; blood; R14 (79, 684, 696)
- Haemogregarina giltruthi*** Mackerras, 1961
REP *Varanus tristis* (Schlegel, 1839) [spotted goanna]; blood; R1 (695)
- Haemogregarina gouldii*** Johnston & Cleland, 1912
REP *Varanus gouldii* (Gray, 1838) [Gould's goanna]; blood; R1 (211, 575, 577, 581, 695)
- Haemogregarina hemiscyllii*** Mackerras & Mackerras, 1961
CHO *Hemiscyllum ocellatum* (Bonnaterre, 1788) [epaulette shark]; blood; R21 (79, 137, 658, 696)
- Haemogregarina heteronotae*** Mackerras, 1961
REP *Heteronotia binoei* (Gray, 1845) [Bynoe's gecko]; blood, lung; R1 (695)
- Haemogregarinahinuliae*** Johnston & Cleland, 1910
REP *Sphenomorphus quoyii* (Dumeril & Bibron, 1839) [eastern water skink]; blood; R1, R2 (211, 212, 572, 577, 695)
- Haemogregarina hylae*** Cleland & Johnston, 1910
AMP *Litoria caerulea* (White, 1790) [green tree frog]; blood, liver; R1, R2 (209, 211, 212, 214, 581, 696, 1091, 1092)

- Haemogregarina johnstoni*** Mackerras, 1961
REP *Varanus gouldii* (Gray, 1838) [Gould's goanna]; blood, liver, heart; R1 (695)
REP *Varanus varius* (White, 1790) [lace monitor]; blood, liver, heart; R1 (695)
- Haemogregarina megalocystis*** Gilruth et al., 1910
REP *Morelia spilotes* (Lacepède, 1804) [carpet python]; blood; RU (392, 577, 695)
- Haemogregarinamirabilis*** Castellani & Willey, 1904
REP *Boiga fusca* (Gray, 1842) [brown tree snake]; blood, liver, lung; R1 (695)
REP *Styphorhynchus mairii* (Gray, 1841) [keelback]; blood, liver, lungs; R1 (695)
- Haemogregarina moreliae*** Johnston, 1909
REP *Morelia spilotes* (Lacepède, 1804) [carpet python]; blood; R7(211, 565, 570, 572, 577, 695)
- Haemogregarina obscura*** Mackerras, 1961
REP *Egernia cunninghami* (Gray, 1832) [Cunningham's skink]; blood; R2 (695)
- Haemogregarina palmeri*** Mackerras, 1961
REP *Physignathus lesueuri* (Gray, 1831) [eastern water dragon]; blood; R2 (695)
- Haemogregarina parmae*** Mackerras & Mackerras, 1925
ACT *Parma microlepis* Gunther, 1862 [white-ear]; blood; R14 (79, 684, 696)
- Haemogregarina pococki*** Sambon & Seligmann, 1907
REP *Morelia spilotes* (Lacepède, 1804) [carpet python]; blood; R1 (695)
- Haemogregarina pseudoechis*** Johnston, 1909
REP *Pseudechis australis* (Gray, 1842) [king brown snake]; blood; R1 (695)
REP *Pseudechis porphyriacus* (Shaw, 1794) [red-bellied black snake]; blood; R1, R2(211, 212, 565, 570, 572, 575, 577, 695)
- Haemogregarina pythonis*** (Billet, 1895) Labbe, 1899; syn. *Danilewskya pythonis* Billet, 1895
REP *Chondropython viridis* (Schlegel, 1872) [green python]; blood; R1, R2 (695)
REP *Morelia amethystinus* (Schneiger, 1801) [amethystine python]; blood; R1, 2 (695)
REP *Morelia spilotes* (Lacepède, 1804) [carpet python]; blood; R1, R2 (695)
REP *Python reticulatus* (Schneider, 1801) [reticulated python]; blood; R1, R2 (695)
- Haemogregarina shattocki*** Sambon & Seligmann, 1907
REP *Morelia amethystinus* (Schneiger, 1801) [amethystine python]; blood, liver, lung; RU (695, 1035)
REP *Morelia spilotes* (Lacepède, 1804) [carpet python]; blood, liver, lung; RU, R1, zoo (UK) (211, 212, 565, 570, 572, 575, 577, 581, 695, 1035)
REP *Notechis scutatus* (Peters, 1861) [eastern tiger snake]; blood, liver, lung; RU (695)

- REP *Pseudechis guttatus* De Vis, 1905 [spotted black snake]; blood, liver, lung; RU (695)
- Haemogregarina stegonoti*** Mackerras, 1961
REP *Stegonotus plumbeus* (Macleay, 1884) [slaty grey snake]; blood; R1 (695)
- Haemogregarina taeniolati*** Mackerras, 1961
REP *Ctenotus taeniolatus* (White, 1790) [copper-tailed skink]; blood; R2 (695)
- Haemogregarina tetraodontis*** Mackerras & Mackerras, 1961
ACT *Arothron hispidus* (Linnaeus, 1758) [broad-barred toadfish]; blood; R13, R27 (79, 696)
ACT *Diodon hystrix* Linnaeus, 1758 [porcupine fish]; blood; R21 (137, 658)
- Haemogregarina tiliquae*** Johnston & Cleland, 1912
REP *Tiliqua scincoides* (White, 1790) [eastern blue-tongued lizard]; blood, R2 (211, 212, 575, 577, 695)
- Haemogregarina varanicola*** Johnston & Cleland, 1910
ART *Aponomma trimaculatum* (Lucas, 1878) [reptile tick]; intestine; R1 (128, 581)
REP *Varanus bellii* Dumeril & Bibron, 1839; blood; R1 (580, 581)
REP *Varanus gouldii* (Gray, 1838) [Gould's goanna]; blood; R1 (572, 695)
REP *Varanus tristis* (Schlegel, 1839) [spotted goanna]; blood; R4 (128, 572, 581, 695, 697)
REP *Varanus varius* (White, 1790) [lace monitor]; blood; R4 (211, 212, 572, 575, 577, 695)
- Haemogregarina* (unidentified species)**
ACT *Pomacentrus melanochir* Russel et al., 1974; blood; R21 (137, 658)
- MAM *Pseudocheirus peregrinus* (Boddaert, 1785) [common ringtail possum]; blood; RU (692)
REP *Acanthophis antarcticus* (Shaw & Nodder, 1802) [common death adder]; blood; zoo (UK) (695, 1055)
REP *Acanthophis praelongus* Ramsay, 1877 [northern death adder]; blood; R1 (899)
REP *Amphibolurus caudicinctus* (Gunther, 1875) [ring-tailed dragon]; blood; R1 (899)
REP *Aspidites melanocephalus* (Krefft, 1864) [black-headed python]; blood; R1 (899)
REP *Boiga fusca* (Gray, 1842) [brown tree snake]; blood; R1 (128, 581)
REP *Boiga irregularis* (Merrem, 1802) [brown tree snake]; blood; R1 (899)
REP *Bothrocilus childreni* (Gray, 1842) [Children's python]; blood; R1 (899)
REP *Bothrocilus fuscus* (Peters, 1873) [water python]; blood; R1 (899)
REP *Bothrocilus olivaceus* (Gray, 1842) [olive python]; blood; R1, R9 (899, 900)
REP *Carlia jarnoldae* Covacevich & Ingram, 1975; blood; R1 (899)
- REP *Carlia vivax* (De Vis, 1884); blood; R1 (899)
REP *Chelodina expansa* Gray, 1857 [broad-shelled river turtle]; blood; zoo (Aust.) (581, 960)
REP *Demansia psammophis* (Schlegel, 1837) [yellow-faced whip snake]; blood; R8 (211, 212, 572, 577, 695)
REP *Gehyra robusta* King, 1983 [robust dtella]; blood; R1, R9 (899, 900)
REP *Gehyra variegata* (Dumeril & Bibron, 1836) [tree dtella]; blood; R1, R4 (285, 695, 1093, 1094)
REP *Heteronotia binoei* (Gray, 1845) [Bynoe's gecko]; blood; R1 (899)
REP *Lialis burtonis* Gray, 1835 [Burton's snake-lizard]; blood; R1, R9 (899, 900)
REP *Lygosoma taeniolatum* White, ex Shaw, 1790 [copper-tailed skink]; blood; R1 (577, 581)
REP *Morelia spilotes* (Lacepède, 1804) [carpet python]; blood; R1, R4, zoo (UK) (743, 899, 1054)
REP *Nephurus wheeleri* Loveridge, 1932; blood; R1 (899)
REP *Oedura tyroni* De Vis, 1884 [southern spotted velvet gecko]; blood; R1 (577, 581)
REP *Phyllurus platurus* (White, 1790) [southern leaf-tailed gecko]; blood; R2 (695)
REP *Physignathus lesueuri* (Gray, 1831) [eastern water dragon]; blood; R1 (899)
REP *Pseudechis australis* (Gray, 1842) [king brown snake]; blood; R1 (899)
REP *Pseudechis porphyriacus* (Shaw, 1794) [red-bellied black snake]; blood; zoo (UK) (445)
REP *Stegonotus cucullatus* (Dumeril, Bibron & Dumeril, 1854) [slaty grey snake]; blood; R1 (899)
REP *Styrophynchus mairii* (Gray, 1841) [keelback]; blood; R1 (899)
REP *Varanus varius* (White, 1790) [lace monitor]; blood; R4 (393, 577, 697)
- Hepatozoon breintli*** (Mackerras, 1961)
ART *Culex quinquefasciatus* Say, 1823 [brown house mosquito]; haemocoel; R1 (697)
REP *Varanus gouldii* (Gray, 1838) [Gould's goanna]; blood; R1 (695, 697)
REP *Varanus tristis* (Schlegel, 1839) [spotted goanna]; blood; R1 (695, 697)
REP *Varanus varius* (White, 1790) [lace monitor]; blood; R1 (695, 697)
- Hepatozoon dasyuri*** (Welsh et al., 1909) Wenyon, 1926; syn. *Haemogregarina dasyuri* Welsh et al., 1909
MAM *Dasyurus viverrinus* (Shaw, 1800) [eastern quoll]; blood; R2 (563, 570, 693, 826, 851, 1230, 1231, 1234, 1230)
- Hepatozoon dasyurooides*** Mackerras, 1959
MAM *Dasyurus* (syn. *Dasyurooides*) *byrnei* (Spencer, 1896) [kowari]; blood; R10 (693)

Hepatozoon muris (Balfour, 1906) Wenyon, 1926; syn. *Leucocytozoon muris* Balfour, 1906; syn. *Leucocytozoon ratti* Adie, 1906; syn. *Haemogregarina muris* (Balfour, 1906) Laveran, 1905; = *Haemogregarina balfouri* Laveran, 1905
MAM *Mus musculus* Linnaeus, 1758 [house mouse]; blood; RU (727)

MAM *Rattus fuscipes* (Waterhouse, 1839) [allied rat]; blood; R1, R2, R6, (692, 693)

MAM *Rattus sordidus* (Gould, 1858) [canefield rat]; blood; R1, R2, R6 (693)

MAM *Rattus norvegicus* (Berkenhout, 1769) [brown rat]; blood; R1, R2, R6 (203, 562, 568, 569, 570, 573, 692, 693)

MAM *Rattus rattus* (Linnaeus, 1758) [black rat]; blood; R1, R2, R6 (568, 570, 573, 583, 692, 693, 899)
MAM *Rattus* sp.; blood; RU (205, 692, 727)

Hepatozoon peramelis (Welsh & Dalyell, 1909), Wenyon, 1926; syn. *Haemogregarina peramelis* Welsh & Dalyell, 1909

MAM *Isoodon obesulus* (Shaw, 1797) [southern brown bandicoot]; blood; RU (691, 693, 826, 851)

MAM *Perameles nasuta* Geoffroy, 1804 [long-nosed bandicoot]; blood; RU (693, 826, 851, 1228, 1229, 1234)

Hepatozoon petauri (Welsh & Barling, 1909) Wenyon, 1926; syn. *Haemogregarina petauri* Welsh & Barling, 1909

MAM *Petaurus breviceps* Waterhouse, 1839 [sugar glider]; blood; RU (692, 693, 826, 851)

MAM *Petaurus norfolkensis* (Kerr, 1792) [squirrel glider]; blood; RU (563, 570, 693, 826, 851, 1226, 1227, 1234)

Hepatozoon pseudoecheirii Mackerras, 1959

MAM *Pseudocheirus langinosus* (Gould, 1858) [ring tail possum]; blood; R1 (693)

Hepatozoon (unidentified species)

MAM *Canis familiaris* Linnaeus, 1758 [dog]; blood, liver; R1 (136, 692, 1059)

MAM *Perameles gunnii* Gray, 1838 [eastern barred bandicoot]; blood; R3 (77, 899)

MAM *Pseudocheirus herbertensis* (Collett, 1884) [Herbert River ringtail possum]; blood; R1 (1084)

MAM *Rattus fuscipes* (Waterhouse, 1839) [bush rat]; blood; R1 (899)

Schellackia (unidentified species)

REP *Bothrocilus olivaceus* (Gray, 1842) [olive python]; blood; R1, R9 (899, 900)

REP *Nephurus wheeleri* Loveridge, 1932; blood; R1 (899)

REP *Trachydosaurus rugosus* Gray, 1825 [sleepy lizard]; blood; R1 (899)

Unidentified haemogregarine species

MAM *Pseudocheirus herbertensis* (Collett, 1884) [Herbert River ringtail possum]; blood; R1 (1084)

KLOSSIELLIDAE

Klossiella bettongiae Barker et al., 1985

MAM *Bettongia gaimardi* (Desmarest, 1822) [Tasmanian bettong]; kidney; R3 (58, 851)

Klossiella beveridgei Barker et al., 1985

MAM *Lagorchestes conspicillatus* Gould, 1842 [spectacled hare-wallaby]; kidney; R1 (58, 851)

Klossiella callitris Barker et al., 1975

MAM *Macropus fuliginosus* (Desmarest, 1817) [western grey kangaroo]; kidney; R4 (54, 826, 851, 1124)

Klossiella convolutor Barker et al., 1975

MAM *Pseudocheirus peregrinus* (Boddaert, 1785) [common ringtail possum]; kidney; R3 (54, 826, 851, 971, 1124)

Klossiella equi Baumann, 1946

MAM *Equus caballus* Linnaeus, 1758 [horse]; kidney; R1 (29, 167, 644)

Klossiella hydromyos Winter & Watt, 1972

MAM *Hydromys chrysogaster* Geoffroy, 1804 [water rat]; kidney; R1 (1073, 1074, 1124, 1249)

Klossiella muris Smith & Johnson, 1902

MAM *Mus musculus* Linnaeus, 1758 [house mouse]; kidney; RU (284, 692)

Klossiella quinrensis Barker et al., 1975

MAM *Isoodon obesulus* (Shaw, 1797) [southern brown bandicoot]; kidney; R3 (54, 826, 851, 1124)

MAM *Perameles gunnii* Gray, 1838 [eastern barred bandicoot]; kidney; R3 (54, 826, 851, 1124)

Klossiella rufi Barker et al., 1985

MAM *Macropus rufus* (Desmarest, 1822) [red kangaroo]; kidney; R4 (58)

Klossiella rufogrisei Barker et al., 1985

MAM *Macropus rufogriseus* (Desmarest, 1817) [Bennett's wallaby]; kidney; R3 (58)

Klossiella schoinobatis Barker et al., 1985

MAM *Petauroides volans* (Kerr, 1792) [greater glider]; kidney; R2 (58, 851)

Klossiella serendipensis Barker et al., 1975

MAM *Wallabia bicolor* (Desmarest, 1804) [swamp wallaby]; kidney; R2 (54, 826, 851, 1124)

Klossiella thylogale Barker et al., 1985

MAM *Thylogale billardierii* (Desmarest, 1822) [Tasmanian pademelon]; kidney; R3 (58)

Klossiella (unidentified species)

MAM *Dasyurus* (syn. *Dasyuroides*) *byrnei* (Spencer, 1896) [kowari]; kidney; RU (826, 851)

MAM *Hemibelideus lemuroides* (Collett, 1884) [lemuroid ringtail possum]; kidney; R1 (1084)

MAM *Isoodon obesulus* (Shaw, 1797) [southern brown bandicoot]; kidney; RU, R1 (691, 692)

MAM *Macropus rufogriseus* (Desmarest, 1817) [Bennett's wallaby]; kidney; RU (826, 851)
 MAM *Macropus rufus* (Desmarest, 1822) [red kangaroo]; kidney; R4 (30, 826, 851)
 MAM *Perameles nasuta* Geoffroy, 1804 [long-nosed bandicoot]; kidney; RU (692)
 MAM *Potorous tridactylus* (Kerr, 1792) [southern potoroo]; kidney; R3 (54, 826, 851)
 MAM *Pseudocheirus archeri* (Collett, 1884) [green ringtail possum]; kidneys; R1 (1084)
 MAM *Pseudocheirusherbertensis* (Collett, 1884) [Herbert River ringtail possum]; kidney; R1 (1084)
 MAM *Rattus* sp.; kidney; R1 (398)
 MAM *Thylogale billardierii* (Desmarest, 1822) [Tasmanian pademelon]; kidney; RU (826, 851)

EIMERIIDA

AGGREGATIDAE

Aggregata (unidentified species)

ART *Portunus pelagicus* (Linnaeus, 1766) [sand crab]; connective tissues; R13 (1067)

PFEIFFERINELLIDAE

Pfeifferinella (unidentified species)

MAM *Thylogale thetis* (Lesson, 1827) [red-necked pademelon]; faeces; RU (60)

CRYPTOSPORIDIIDAE

Cryptosporidium agni Barker & Carbonell, 1974

MAM *Ovis aries* Linnaeus, 1758 [sheep]; small intestines; R2 (53, 167)

Cryptosporidium bovis Barker & Carbonell, 1974

MAM *Bos taurus* Linnaeus, 1758 [ox]; small intestines; R2 (53, 167)

Cryptosporidium muris Tyzzer, 1907

MAM *Felis catus* Linnaeus, 1758 [cat]; faeces; RU (1085)

MAM *Mus musculus* Linnaeus, 1758 [house mouse]; gut; RU (284, 692)

Cryptosporidium parvum Tyzzer, 1912

MAM *Bos taurus* Linnaeus, 1758 [ox]; faeces; R5, R6 (765, 796, 797, 798, 799, 1239)

MAM *Homo sapiens* Linnaeus, 1758 [human]; faeces; R5, R6 (184, 765, 796, 797, 798, 799, 1239)

MAM *Mus musculus* Linnaeus, 1758 [house mouse]; gut (exptl. infection); R6 (765)

MAM *Phascolarctos cinereus* (Goldfuss, 1817) [koala]; faeces; R5 (798)

Cryptosporidium (unidentified species)

ACT *Lates calcarifer* (Bloch, 1790) [barramundi]; intestines; R1 (144, 349, 400, 919, 1207)

ACT *Pterophyllum* sp.; gut; RU (aquarium) (627, 628, 634, 858)

AMP *Limnodynastes tasmaniensis* Gunther, 1858 [spotted grass frog]; faeces; R5 (896, 898)

AVE *Neochmia modesta* (Gould, 1837) [plum-headed finch]; trachea; R1 (899)

AVE *Anas platyrhynchos* Linnaeus, 1758 [mallard]; trachea, nasal cavity, bursa; R5 (801, 889, 896, 898)

AVE *Cacatua alba* Müller, 1776 [umbrella cockatoo, white cockatoo]; bursa; aviary (USA) (639)

AVE *Cacatua galerita* (Latham, 1790) [sulphur-crested cockatoo]; bursa, intestines; aviary (USA) (639)

AVE *Coturnix coturnix* Linnaeus, 1758 [common quail]; trachea, nasal cavity, bursa; R2, R5 (167, 673, 801, 889, 989, 1138)

AVE *Emblema bella* (Latham, 1801) [beautiful firetail]; proventriculus; aviary (USA) (94)

AVE *Gallus gallus* Linnaeus, 1758 [domestic chicken]; bursa, trachea, faeces (exptl. infection); RU, R5 (801, 889, 1177)

AVE *Melopsittacus undulatus* (Shaw, 1805) [budgerigar]; trachea, intestines; R5 (349, 885, 889, 896, 898)

AVE *Pavo cristatus* Linnaeus, 1758 [peafowl]; trachea, conjunctiva; RU (167, 673, 732, 801)

AVE *Phasianus colchicus* Linnaeus, 1758 [common pheasant]; trachea, nasal cavity, bursa; R2, R5 (673, 801, 889, 1237)

MAM *Antechinus stuartii* Macleay, 1841 [brown antechinus]; small intestine; R2 (55, 349)

MAM *Bos taurus* Linnaeus, 1758 [ox]; faeces, small intestines; RU, R2, R5 (529, 889, 1173, 1176, 1177, 1178)

MAM *Canis familiaris* Linnaeus, 1758 [dog]; faeces; R2, R3 (184, 593, 780)

MAM *Capra hircus* Linnaeus, 1758 [goat]; faeces, small intestines; R5 (167, 349, 554, 676, 677, 678, 734, 1174, 1239)

MAM *Dugong dugon* (Müller, 1776) [dugong]; small intestine; R2 (478)

MAM *Equus caballus* Linnaeus, 1758 [horse]; faeces; RU (167, 349, 1177)

MAM *Felis catus* Linnaeus, 1758 [cat]; faeces; R6 (1036)

MAM *Homo sapiens* Linnaeus, 1758 [human], faeces, intestines, bile; R2, R3, R5, R10 (37, 80, 167, 239, 349, 358, 426, 466, 470, 675, 677, 678, 740, 889, 935, 1102, 1175, 1177, 1178, 1179, 1180, 1183, 1225)

MAM *Isoodon obesulus* (Shaw, 1797) [southern brown bandicoot]; intestines; R5 (349, 898)

MAM *Macropus rufus* (Desmarest, 1822) [red kangaroo]; intestines; R5 (349, 898)

MAM *Mus musculus* Linnaeus, 1758 [house mouse]; small intestine, faeces; RU, R5 (167, 889, 1177)

- MAM *Ovis aries* Linnaeus, 1758 [sheep]; faeces (exptl. infection); RU, R5 (349, 889, 1177)
- MAM *Phascolarctos cinereus* (Goldfuss, 1817) [koala]; intestines; R5 (349, 898)
- MAM *Sus scrofa* Linnaeus, 1758 [pig]; small intestine, faeces; RU, R2, R5, R6 (167, 349, 668, 889, 1173, 1177, 1178)
- MAM *Tachyglossus aculeatus* (Shaw & Nodder, 1792) [short-beaked echidna]; intestines; R5 (349, 898)
- MAM *Thylagale billardierii* (Desmarest, 1822) [Tasmanian pademelon]; intestines; R5 (349, 898)
- REP *Acanthophis antarcticus* (Shaw & Nodder, 1802) [common death adder]; faeces; R1, R5 (796, 896, 898, 899)
- REP *Aspidites ramsayi* (Macleay, 1882) [woma]; faeces; R5 (896, 898)
- REP *Bitis gabonica* Duméril, Bibron & Duméril, 1854 [Gaboon viper]; faeces; R2, zoo (Aust.) (125, 1207)
- REP *Chelonia mydas* (Linnaeus, 1758) [green turtle]; intestines; R13 (899)
- REP *Elaphe guttata* (Linnaeus, 1766) [corn snake]; faeces; R2, zoo (Aust.) (125, 1207)
- REP *Elaphe obsoleta* (Say, 1823) [rat snake]; faeces; R2, zoo (Aust.) (125, 1207)
- REP *Heloderma suspectum* (Cope, 1869) [Gila monster]; faeces; R5, zoo (Aust.) (896, 898)
- REP *Morelia spilotes* (Lacepede, 1804) [carpet python]; faeces; R5 (896, 898)
- REP *Notechis ater* (Krefft, 1866) [black tiger snake]; stomach, faeces; R2, zoo (Aust.) (177, 896, 898)
- REP *Notechis scutatus* (Peters, 1861) [eastern tiger snake]; stomach, faeces; R2, zoo (Aust.) (177)
- REP *Oxyuranus microlepidotus* (McCoy, 1879) [inland taipan]; faeces; R5 (896, 898)
- REP *Oxyuranus scutellatus* (Peters, 1867) [taipan]; faeces; R5, zoo (Aust.) (125, 796, 1207)
- REP *Pseudechis australis* (Gray, 1842) [king brown snake]; faeces; R5 (898)
- REP *Pseudechis guttatus* De Vis, 1905 [spotted black snake]; faeces; R5 (896, 898)
- REP *Pseudechis porphyriacus* (Shaw, 1794) [red-bellied black snake]; faeces, stomach; R2, R5 (743, 746, 1207)
- REP *Pseudonaja affinis* Gunther, 1872 [dugite]; faeces; R5 (896, 898)
- REP *Pseudonaja nuchalis* Gunther, 1858 [western brown snake]; faeces; R5 (896, 898)
- REP *Pseudonaja textilis* (Dumeril et al., 1854) [eastern brown snake]; faeces, R5 (896, 898)
- REP *Tropidechis carinatus* (Krefft, 1863) [rough-scaled snake]; faeces; R5 (898)
- REP *Varanus giganteus* (Gray, 1845) [perentie]; faeces; R5 (898)

LANKESTERELLIDAE

Lankesterella paddae (Aragao, 1911) Lainson, 1959; syn. *Atoxoplasma paddae* (Aragao, 1911) Laird, 1959

AVE *Passer domesticus* (Linnaeus, 1758) [house sparrow]; blood; R2 (446, 694)

AVE *Zosterops caerulescens* Latham, 1801 [silver-eye]; blood; zoo (NZ) (446, 694)

Lankesterellapicumnii Mackerras & Mackerras, 1960

AVE *Climacteris picumnus* Temminck, 1824 [brown treecreeper]; blood; R4 (446, 694)

EIMERIIDAE

Caryospora cheloniae Leibovitz et al., 1978

REP *Chelonia mydas* (Linnaeus, 1758) [green turtle]; intestines, kidney, brain; R13 (421)

Caryospora demansiae Cannon, 1967

REP *Demansia psammophis* (Schlegel, 1837) [yellow-faced whip snake]; faeces, intestine; R1 (170, 1206)

Caryosporadendrelaphis Cannon & Rzepczyk, 1974

REP *Dendrelaphis punctulata* (Gray, 1826) [common tree snake]; faeces; R1 (173, 1206)

Caryospora (unidentified species)

REP *Acanthophis antarcticus* (Shaw & Nodder, 1802) [common death adder]; faeces; R1 (899)

REP *Chelonia mydas* (Linnaeus, 1758) [green turtle]; intestines; R13 (899)

AVE *Coracina novaehollandiae* (Gmelin, 1789) [black-faced cuckoo-shrike]; faeces; R1 (899)

Cyclospora (= CLB's, cyanobacteria-like or coccidia-like bodies)

MAM *Homo sapiens* Linnaeus, 1758 [human], faeces; R1, R2, R5 (141, 742, 913)

Eimeria ablephari Cannon, 1967

REP *Ablepharus boutonii* (Macleay, 1877) [callous-palmed shinning-skink]; faeces, small intestine; R1 (172)

Eimeria acervulina Tyzzer, 1929

AVE *Gallus gallus* Linnaeus, 1758 [domestic chicken]; intestines; R1, R2 (17, 167, 431, 601, 786, 801, 869, 870, 1059, 1060)

Eimeria adenoides Moore & Brown, 1951

AVE *Alectoris chukar* Gray, 1830 [chukar partridge]; gut; R2 (989)

Eimeria aepyrrhini Barker et al., 1988

MAM *Aepyprymnus rufescens* (Gray, 1837) [rufous bettong]; faeces; zoo (Aust.) (61)

Eimeria ahsata Honess, 1942

MAM *Ovis aries* Linnaeus, 1758 [sheep]; faeces; R5 (167, 880)

Eimeria alabamensis Christensen, 1941

MAM *Bos taurus* Linnaeus, 1758 [ox]; faeces; R5 (167)

- Eimeria alijevi*** Musaev, 1970
MAM *Capra hircus* Linnaeus, 1758 [goat]; faeces; R1, R2, R5 (608, 881)
- Eimeria anguillae*** Leger & Hollande, 1922; syn. *Epieimeria anguillae* (Leger & Hollande, 1922)
ACT *Anguilla australis* Richardson, 1841 [short-finned eel]; intestinal mucosa; R2 (669, 672, 789)
- Eimeria apsheronica*** Musaev, 1970
MAM *Capra hircus* Linnaeus, 1758 [goat]; faeces; R1, R2, R5 (608, 881)
- Eimeria arloingi*** (Marotel, 1905) Martin, 1909
MAM *Capra hircus* Linnaeus, 1758 [goat]; faeces; R1, R2, R5 (167, 608, 881)
- Eimeria arundeli*** Barker et al., 1979
MAM *Vombatus ursinus* (Shaw, 1800) [common wombat]; faeces, small intestine; R2, R3, zoo (Aust.) (56, 303, 972)
- Eimeria ashburneri*** Molnar & Rohde, 1988
ACT *Macquaria ambigua* (Richardson, 1845) [golden perch]; intestines; R4 (789, 1030)
- Eimeria auburnensis*** Christensen & Porter, 1939
MAM *Bos taurus* Linnaeus, 1758 [ox]; faeces; R1, R5 (167, 934, 937)
- Eimeria bicolor*** Barker et al., 1988
MAM *Wallabia bicolor* (Desmarest, 1804) [swamp wallaby]; faeces; R2 (60)
- Eimeria boonderooensis*** Barker et al., 1988
MAM *Petrogale inornata* Gould, 1842 [unadorned rock-wallaby]; faeces; R1 (59)
- Eimeria bovis*** (Zublin, 1908) Fiebiger, 1912
MAM *Bos taurus* Linnaeus, 1758 [ox]; faeces; R1, R2, R5 (167, 749, 934, 937, 1060)
- Eimeria brunetti*** Levine, 1942
AVE *Gallus gallus* Linnaeus, 1758 [domestic chicken]; intestines; RU, R2 (167, 431, 601, 801, 870, 1060)
- Eimeria bukidnonensis*** Tubangui, 1931
MAM *Bos taurus* Linnaeus, 1758 [ox]; faeces; R1, R5 (167, 933, 934, 937)
- Eimeria canadensis*** Bruce, 1921
MAM *Bos taurus* Linnaeus, 1758 [ox]; faeces; R1, R5 (167, 595, 934, 937)
- Eimeria canis*** Wenyon, 1923
MAM *Canis familiaris* Linnaeus, 1758 [dog]; faeces; R5 (167)
MAM *Canis familiaris dingo* Linnaeus, 1758 [dingo]; faeces, R2 (67, 167, 692, 1060)
- Eimeria caprina*** Lima, 1979
MAM *Capra hircus* Linnaeus, 1758 [goat]; faeces; R5 (881)
- Eimeria caprovina*** Lima, 1980
MAM *Capra hircus* Linnaeus, 1758 [goat]; faeces; R5 (881)
- Eimeria cerdonis*** Vetterling, 1965
MAM *Sus scrofa* Linnaeus, 1758 [pig]; faeces; R1 (167, 1214)
- Eimeria cheilodactyli*** Molnar & Rohde, 1988
ACT *Cheilodactylus fuscus* Castelnau, 1879 [red morwong]; intestinal mucosa; R14 (788)
- Eimeria christensenii*** Levine et al., 1962; = *E. alsata* Honess, 1942
MAM *Capra hircus* Linnaeus, 1758 [goat]; faeces; R1, R2, R5 (167, 608, 881)
- Eimeria ciliatae*** Molnar & Rohde, 1988
ACT *Sillago ciliata* Cuvier & Valenciennes, 1829 [sand whiting]; intestinal mucosa; R14 (788)
- Eimeria coecicola*** Kheissin, 1947
MAM *Oryctolagus cuniculus* (Linnaeus, 1758) [rabbit]; faeces; R6 (484)
- Eimeria crandallis*** Honess, 1942
MAM *Capra hircus* Linnaeus, 1758 [goat]; faeces; RU (167)
MAM *Ovis aries* Linnaeus, 1758 [sheep]; faeces; R5 (167, 880)
- Eimeria cunnamullensis*** Mykytowycz, 1964
MAM *Macropus giganteus* Shaw, 1790 [eastern grey kangaroo]; faeces, small intestine; R4 (52, 167, 865, 948)
- Eimeria cylindrica*** Wilson, 1931
MAM *Bos taurus* Linnaeus, 1758 [ox]; faeces; R1, R5 (167, 749, 934, 937)
- Eimeria debbieki*** Douwes, 1921
MAM *Sus scrofa* Linnaeus, 1758 [pig]; gut, faeces; RU, R1, R5 (167, 594, 692, 1214)
- Eimeria dendrolagi*** Barker et al., 1988
MAM *Dendrolagus lumholtzi* Collett, 1884 [Lumholtz's tree-kangaroo]; faeces; R1 (60)
- Eimeria desmaresti*** Barker et al., 1989
MAM *Macropus rufogriseus* (Desmarest, 1817) [Bennett's wallaby]; faeces; R3 (62)
- Eimeria dunsingi*** Farr, 1960
AVE *Melopsittacus undulatus* (Shaw, 1805) [budgerigar]; intestines; R6 (748, 990)
- Eimeria dykova*** Molnar & Rohde, 1988
ACT *Cheilodactylus fuscus* Castelnau, 1879 [red morwong]; intestinal mucosa; R14 (788)
- Eimeria echidnae*** Barker et al., 1985
MAM *Tachyglossus aculeatus* (Shaw & Nodder, 1792) [short-beaked echidna]; faeces; R3 (57)
- Eimeria egerniae*** Cannon, 1967
REP *Egernia whitii* (Lacepède, 1804) [White's skink]; faeces, gall bladder; R4 (172)
- Eimeria ellipsoidalis*** Becker & Frye, 1929
MAM *Bos taurus* Linnaeus, 1758 [ox]; faeces; R1, R5 (167, 749, 934, 936, 937)

Eimeria exigua Yakimoff, 1934

MAM *Oryctolagus cuniculus* (Linnaeus, 1758) [rabbit]; faeces; R2, R6 (484, 1107, 1108)

Eimeria falciformis (Eimer, 1870) Schneider, 1875

MAM *Mus musculus* Linnaeus, 1758 [house mouse]; gut; RU (692)

Eimeria faurei (Moussu & Marotel, 1901) Martin, 1909

MAM *Capra hircus* Linnaeus, 1758 [goat]; gut; RU (167, 475, 692)

MAM *Ovis aries* Linnaeus, 1758 [sheep]; faeces, gut; RU, R5 (167, 585, 692, 880)

Eimeria flavescens Marotel & Guilhon, 1941

MAM *Oryctolagus cuniculus* (Linnaeus, 1758) [rabbit]; faeces; R6 (484)

Eimeria flindersi Barker et al., 1989

MAM *Macropus antilopinus* (Gould, 1842) [antilopine wallaroo]; faeces; R1 (62)

MAM *Macropus eugenii* (Desmarest, 1817) [tammar wallaby]; faeces; R5 (62)

MAM *Macropus rufogriseus* (Desmarest, 1817) [Bennett's wallaby]; faeces; R3 (62)

Eimeria gainardi Barker et al., 1988

MAM *Bettongia gaimardi* (Desmarest, 1822) [Tasmanian bettong]; faeces; R3 (61)

Eimeria gallopavonis Hawkins, 1952

AVE *Meleagris gallopavo* Linnaeus, 1758 [domestic turkey]; intestines; RU (167, 801)

Eimeria gastrosaurus Paperna, 1994

REP *Gehyra australis* Gray, 1845 [northern dtella]; stomach; R1 (932)

REP *Heteronotia binoei* (Gray, 1845) [Bynoe's gecko]; stomach; R1 (931, 932)

REP *Oedura monilis* De Vis, 1888 [ocellated velvet gecko]; stomach; R1 (931, 932)

Eimeria gehyrae Cannon, 1967

REP *Gehyra variegata* (Dumeril & Bibron, 1836) [tree dtella]; faeces, gall bladder; R1 (172)

Eimeria giltruthi (Chatton, 1910) Reichenow & Carini, 1937; syn. *Globidium giltruthi* (Chatton, 1910) Noller, 1920; syn. *Gastrocystis giltruthi* Chatton, 1910

MAM *Ovis aries* Linnaeus, 1758 [sheep]; abomasum, intestine; RU, R3, R5 (167, 394, 692, 976, 1059, 1060)

Eimeria godmani Barker et al., 1988

MAM *Petrogale godmani* Thomas, 1923 [Godman's rock-wallaby]; faeces; R1 (59)

MAM *Petrogale inornata* Gould, 1842 [unadorned rock-wallaby]; faeces; R1 (59)

MAM *Petrogale lateralis* Gould, 1842 [black-footed rock-wallaby]; faeces; R5 (882)

Eimeria grallinida Reece, 1989

AVE *Grallina picata* Latham, 1801 [Australian magpie lark]; liver; R2 (988)

Eimeria granulosa Christensen, 1938

MAM *Capra hircus* Linnaeus, 1758 [goat]; faeces; RU (167)

MAM *Ovis aries* Linnaeus, 1758 [sheep]; faeces; R5 (167, 880)

Eimeria gunyahlinensis Myktytowycz, 1964

MAM *Macropus fuliginosus* (Desmarest, 1817) [western grey kangaroo]; faeces; R4 (62)

MAM *Macropus giganteus* Shaw, 1790 [eastern grey kangaroo]; faeces; R4 (62, 167, 865, 948)

Eimeria hestermani Myktytowycz, 1964

MAM *Macropus dorsalis* (Gray, 1837) [black-striped wallaby]; faeces; R1 (62)

MAM *Macropus eugenii* (Desmarest, 1817) [tammar wallaby]; faeces; R5, zoo (Aust.) (62)

MAM *Macropus fuliginosus* (Desmarest, 1817) [western grey kangaroo]; faeces; R4 (62)

MAM *Macropus giganteus* Shaw, 1790 [eastern grey kangaroo]; faeces; R4 (62, 167, 865, 948)

MAM *Macropus rufogriseus* (Desmarest, 1817) [Bennett's wallaby]; faeces; R3 (62, 948)

Eimeria hirci Chevalier, 1966

MAM *Capra hircus* Linnaeus, 1758 [goat]; faeces; R1, R2, R5 (608, 881)

Eimeria hypsiprymnodontis Barker et al., 1988

MAM *Hypsiprymnodon moschatus* Ramsay, 1876 [musky rat-kangaroo]; faeces; R1 (61)

Eimeria inornata Barker et al., 1988

MAM *Petrogale inornata* Gould, 1842 [unadorned rock-wallaby]; faeces; R1 (59)

MAM *Petrogale lateralis* Gould, 1842 [black-footed rock-wallaby]; faeces; R5 (882)

Eimeria intestinalis Kheisin, 1948

MAM *Oryctolagus cuniculus* (Linnaeus, 1758) [rabbit]; faeces; R6 (484)

Eimeria intricata Spiegl, 1925

MAM *Ovis aries* Linnaeus, 1758 [sheep]; faeces; R5 (167, 880)

Eimeria irridensia Kessel & Jankiewicz, 1931

MAM *Oryctolagus cuniculus* (Linnaeus, 1758) [rabbit]; faeces, RU, R2, R4, R6 (484, 692, 862, 864, 1060, 1107, 1108)

Eimeria jolchijevi Musaev, 1970

MAM *Capra hircus* Linnaeus, 1758 [goat]; faeces; R1, R2, R5 (608, 881)

Eimeria kairensis Barker et al., 1988

MAM *Hypsiprymnodon moschatus* Ramsay, 1876 [musky rat-kangaroo]; faeces; R1 (61)

Eimeria kogoni Myktytowycz, 1964

MAM *Macropus giganteus* Shaw, 1790 [eastern grey kangaroo]; faeces, small intestine; R4 (28, 52, 167, 865, 948)

- Eimeria labbeana*** Pinto, 1928
 AVE *Columba livia* Gmelin, 1789 [domestic pigeon]; intestines; RU, R2 (167, 516, 801)
- Eimeria lagorchestis*** Barker et al., 1988
 MAM *Lagorchestes conspicillatus* Gould, 1842 [spectacled hare-wallaby]; faeces; R1 (60)
- Eimeria lampropholidus*** Cannon, 1967
 REP *Lampropholis guichenoti* (Dumeril & Bibron, 1839); faeces, small intestine; R1 (172)
- Eimeria leiopopismatis*** Cannon, 1967
 REP *Leiopopisma challengerii* Bullinger, 1887 [orange-tailed shade skink]; faeces, small intestine; R1 (172)
- Eimeria leuckarti*** (Flesch, 1883) Reichenow, 1940
 MAM *Equis caballus* Linnaeus, 1758 [horse]; faeces, intestines; RU, R1, R3 (29, 51, 167, 730, 991)
- Eimeria lumholtzi*** Barker et al., 1988
 MAM *Dendrolagus lumholtzi* Collett, 1884 [Lumholtz's tree-kangaroo]; faeces; R1 (60)
- Eimeria macropodis*** Wenyon & Scott, 1925; syn. *E. fausti* Yakimoff & Matschoulsky, 1936; syn. *E. cunnamullensis* Myktyowycz, 1964; syn. *E. purchasei* Myktyowycz, 1964
 MAM *Macropus dorsalis* (Gray, 1837) [black-striped wallaby]; faeces; R1, R4, zoo (USSR) (62, 865, 1272)
- MAM *Macropus eugenii* (Desmarest, 1817) [tammar wallaby]; faeces; R4, R5, zoo (Aust., USSR) (62, 865, 1272)
- MAM *Macropus fuliginosus* (Desmarest, 1817) [western grey kangaroo]; faeces; R4, zoo (USSR) (62, 865, 1272)
- MAM *Macropus giganteus* Shaw, 1790 [eastern grey kangaroo]; faeces, small intestine; R4, zoo (USSR) (52, 62, 167, 865, 946, 947, 948, 949, 1272)
- MAM *Macropus irma* (Jourdan, 1837) [western brush wallaby]; faeces; R4, R6, zoo (USSR) (62, 865, 1272)
- MAM *Macropus parma* Waterhouse, 1846 [parma wallaby]; faeces; R2, R4, zoo (Aust., USSR) (62, 865, 1272)
- MAM *Macropus parryi* Bennett, 1835 [whiptail wallaby]; faeces; R1, R4, zoo (Aust., USSR) (62, 865, 1272)
- MAM *Macropus rufogriseus* (Desmarest, 1817) [Bennett's wallaby]; faeces; R4, zoo (UK, USSR) (62, 865, 947, 946, 948, 949, 967, 1233, 1272)
- MAM *Macropus rufus* (Desmarest, 1822) [red kangaroo]; faeces; R4, R6, zoo (USSR) (62, 865, 1272)
- Eimeria magna*** Perard, 1925
 MAM *Oryctolagus cuniculus* (Linnaeus, 1758) [rabbit]; faeces; RU, R2, R4, R6 (484, 692, 862, 864, 1057, 1059, 1060, 1107, 1108)
- Eimeria marsupialium*** Yakimoff & Matschoulsky, 1936
 MAM *Macropus fuliginosus* (Desmarest, 1817) [western grey kangaroo]; faeces; R4, R5 (62)
- MAM *Macropus giganteus* Shaw, 1790 [eastern grey kangaroo]; faeces; R4, zoo (USSR) (62, 167, 946, 947, 948, 949, 1272)
- Eimeria maxima*** Tyzzer, 1929
 AVE *Gallus gallus* Linnaeus, 1758 [domestic chicken]; intestines; RU, R2 (167, 431, 601, 753, 801, 870, 1059, 1060)
- Eimeria media*** Kessel, 1929
 MAM *Oryctolagus cuniculus* (Linnaeus, 1758) [rabbit]; faeces; RU, R2, R4, R6 (484, 692, 862, 864, 1060, 1107, 1108)
- Eimeria mitis*** Tyzzer, 1929
 AVE *Gallus gallus* Linnaeus, 1758 [domestic chicken]; intestines; RU (601, 649, 1060)
- Eimeria nivati*** Edgar & Seibold, 1964
 AVE *Gallus gallus* Linnaeus, 1758 [domestic chicken]; intestines; RU (801, 1060)
- Eimeria molochis*** Bovee & Telford, 1965
 REP *Moloch horridus* Gray, 1841 [thorny devil]; intestine, faeces; R10 (123, 172)
- Eimeria mundayi*** Barker et al., 1988
 MAM *Potorous tridactylus* (Kerr, 1792) [long-nosed potoroo]; faeces; R3 (61)
- Eimeria myktyowyczi*** Barker et al., 1989
 MAM *Macropus agilis* (Gould, 1842) [agile wallaby]; faeces; R8 (62)
- MAM *Macropus antilopinus* (Gould, 1842) [antilopine wallaroo]; faeces; R1 (62)
- MAM *Macropus parvus* Bennett, 1835 [whiptail wallaby]; faeces; zoo (Aust.) (62)
- Eimeria necatrix*** Johnson, 1930
 AVE *Gallus gallus* Linnaeus, 1758 [domestic chicken]; intestines; RU, R1, R2, R5, R6 (167, 431, 451, 452, 454, 511, 601, 801, 869, 870, 1059, 1060)
- Eimeria neodebleicki*** Vetterling, 1965
 MAM *Sus scrofa* Linnaeus, 1758 [pig]; faeces; R1, R5 (167, 594)
- Eimeria nesowai*** Lom & Dykova, 1995
 ACT *Gerres subfasciatus* (Cuvier, 1830) [silver biddy]; intestinal mucosa; R2 (672)
- Eimeria nieschulzi*** Dieben, 1924
 MAM *Rattus norvegicus* (Berkenhout, 1769) [brown rat]; gut; RU (692)
- Eimerianinakohlyakimovae*** Yakimoff & Rastegaiell, 1930
 MAM *Capra hircus* Linnaeus, 1758 [goat]; faeces; R1, R2, R5 (167, 608, 881)
- Eimeria obendorfi*** Barker et al., 1988
 MAM *Thylogale billardierii* (Desmarest, 1822) [Tasmanian pademelon]; faeces; R3 (60)
- Eimeria occidentalis*** Barker et al., 1988
 MAM *Petrogale brachyotis* (Gould, 1841) [short-eared rock-wallaby]; faeces; R8 (59)

- MAM *Petrogale lateralis* Gould, 1842 [black-footed rock-wallaby]; faeces; R7, R8 (59)
- MAM *Petrogale rothschildi* Thomas, 1904 [Rothschild's rock-wallaby]; faeces; R6 (59)
- Eimeria ovina*** Levine & Ivens, 1970; = *E. arloingi* (Marotel, 1905) Martin, 1909
- MAM *Ovis aries* Linnaeus, 1758 [sheep]; faeces; R5 (167, 880)
- Eimeria ovinooidalis*** McDougald, 1979; = *E. ninakohlyakimovae* Yakimoff & Rastegaieff, 1930
- MAM *Ovis aries* Linnaeus, 1758 [sheep]; faeces; R5 (167, 880)
- Eimeria pallida*** Christensen, 1938
- MAM *Capra hircus* Linnaeus, 1758 [goat]; faeces; R1, R2 (167, 608)
- MAM *Ovis aries* Linnaeus, 1758 [sheep]; faeces; R5 (167, 880)
- Eimeria parma*** Barker et al., 1989
- MAM *Macropus parma* Waterhouse, 1846 [parma wallaby]; faeces; zoo (Aust.) (62)
- Eimeria parryi*** Barker et al., 1989
- MAM *Macropus parryi* Bennett, 1835 [whiptail wallaby]; faeces; zoo (Aust.) (62)
- Eimeria parva*** Kotlan et al., 1929
- MAM *Capra hircus* Linnaeus, 1758 [goat]; faeces; RU (167)
- MAM *Ovis aries* Linnaeus, 1758 [sheep]; faeces; R5 (167, 880)
- Eimeria pellita*** Supperer, 1952
- MAM *Bos taurus* Linnaeus, 1758 [ox]; faeces; R5 (167)
- Eimeria perforans*** (Leuckart, 1879) Sluiter & Swellengrebel, 1912
- MAM *Lepus europaeus* Pallas, 1778 [hare]; faeces; RU (692, 1059, 1060)
- MAM *Oryctolagus cuniculus* (Linnaeus, 1758) [rabbit]; faeces; RU, R2, R4, R6 (484, 692, 862, 864, 1057, 1059, 1060, 1107, 1108)
- Eimeria petrogale*** Barker et al., 1988
- MAM *Petrogale godmani* Thomas, 1923 [Godman's rock-wallaby]; faeces; R1 (59)
- MAM *Petrogale inornata* Gould, 1842 [unadorned rock-wallaby]; faeces; R1 (59)
- MAM *Petrogale lateralis* Gould, 1842 [black-footed rock-wallaby]; faeces; R1, R5 (59, 882)
- MAM *Petrogale penicillata* (Gray, 1825) [brush-tailed rock-wallaby]; faeces; R1 (59)
- MAM *Petrogale persephone* Maynes, 1982 [Proserpine rock-wallaby]; faeces; R1 (59, 72)
- Eimeria philypnodoni*** Molnar & Rohde, 1988
- ACT *Philypnodon grandiceps* (Krefft, 1864) [big-headed gudgeon]; intestinal mucosa; R2 (789)
- Eimeria piriformis*** Kotlan & Pospesch, 1934
- MAM *Oryctolagus cuniculus* (Linnaeus, 1758) [rabbit]; faeces; R2, R4, R6 (484, 864, 1060, 1107, 1108)
- Eimeria pleurostici*** Molnar & Rohde, 1988
- ACT *Sphaerooides pleurosticus* (Gunther, 1871) [banded toad]; intestinal mucosa; R14 (788)
- Eimeria porci*** Vetterling, 1965
- MAM *Sus scrofa* Linnaeus, 1758 [pig]; faeces; R1 (594)
- Eimeria potoroi*** Barker et al., 1988
- MAM *Potorous tridactylus* (Kerr, 1792) [long-nosed potoroo]; faeces; R3 (61)
- Eimeria praecox*** Johnson, 1930
- AVE *Gallus gallus* Linnaeus, 1758 [domestic chicken]; faeces, intestines; R2 (601, 801)
- Eimeria prionotemni*** Barker et al., 1989
- MAM *Macropus agilis* (Gould, 1842) [agile wallaby]; faeces; R5, zoo (Aust.) (62)
- MAM *Macropus dorsalis* (Gray, 1837) [black-striped wallaby]; faeces; R1 (62)
- MAM *Macropus eugenii* (Desmarest, 1817) [tammar wallaby]; faeces; R5, zoo (Aust.) (62)
- MAM *Macropus parryi* Bennett, 1835 [whiptail wallaby]; faeces; R1, zoo (Aust.) (62)
- MAM *Macropus rufogriseus* (Desmarest, 1817) [Bennett's wallaby]; faeces; R3 (62)
- Eimeria punctata*** Landers, 1955
- MAM *Ovis aries* Linnaeus, 1758 [sheep]; faeces; R5 (167, 880)
- Eimeria quokka*** Barker et al., 1988
- MAM *Setonix brachyurus* (Quoy & Gaimard, 1830) [quokka]; faeces; R6 (60)
- Eimeria ringaroomaensis*** Barker et al., 1988
- MAM *Thylogale billardierii* (Desmarest, 1822) [Tasmanian pademelon]; faeces; R3 (60)
- Eimeria rohdei*** Lom & Dykova, 1995
- ACT *Monacanthus chinensis* Osbeck, 1765 [fan-bellied leatherjacket]; caecal mucosa; R14 (672)
- Eimeria rufusi*** Prasad, 1960
- MAM *Macropus rufus* (Desmarest, 1822) [red kangaroo]; faeces; zoo (UK) (167, 946, 947, 948, 949, 967)
- Eimeria scabra*** Henry, 1931
- MAM *Sus scrofa* Linnaeus, 1758 [pig]; faeces; R1 (167, 594, 1214)
- Eimeria serventyi*** Pellerdy, 1974
- AVE *Puffinus tenuirostris* (Temminck, 1835) [mutton bird]; kidney; R3 (167, 446, 808)
- Eimeria setonicis*** Barker et al., 1988
- MAM *Setonix brachyurus* (Quoy & Gaimard, 1830) [quokka]; faeces; R6 (60)
- Eimeria sharmani*** Barker et al., 1988
- MAM *Petrogale godmani* Thomas, 1923 [Godman's rock-wallaby]; faeces; R1 (59)
- MAM *Petrogale inornata* Gould, 1842 [unadorned rock-wallaby]; faeces; R1 (59)

- MAM *Petrogale lateralis* Gould, 1842 [black-footed rock-wallaby]; faeces; R5, R6 (59, 882)
- MAM *Petrogale penicillata* (Gray, 1825) [brush-tailed rock-wallaby]; faeces; R1 (59)
- MAM *Petrogale persephone* Maynes, 1982 [Proserpine rock-wallaby]; faeces; R1 (72)
- MAM *Petrogale rothschildi* Thomas, 1904 [Rothschild's rock-wallaby]; faeces; R6 (59)
- Eimeria sillaensis*** Molnar & Rohde, 1988
ACT *Sillago ciliata* Cuvier & Valenciennes, 1829 [sand whiting]; intestinal mucosa; R13, R14 (669, 672, 788)
- Eimeria spearei*** Barker et al., 1988
MAM *Hypsiprymnodon moschatus* Ramsay, 1876 [musky rat-kangaroo]; faeces; R1 (61)
- Eimeria spratti*** Barker et al., 1988
MAM *Hypsiprymnodon moschatus* Ramsay, 1876 [musky rat-kangaroo]; faeces; R1 (61)
- Eimeria sternfeldi*** McAllister et al., 1993
REPT *Tiliqua multifasciata* Sternfeld, 1919 [centralian blue-tongued lizard]; faeces; zoo (USA) (737)
- Eimeria stiedae*** (Lindemann, 1895) Kisskalt & Hartmann, 1907; syn. *Coccidium oviforme* Leuckart, 1879; syn. *Coccidium cuniculi* (Rivolta, 1878) Labbe, 1899; syn. *Psorospermium cunicui* Rivolta, 1878
MAM *Oryctolagus cuniculus* (Linnaeus, 1758) [rabbit]; faeces, liver, gall bladder; R1, R2, R4, R5, R6 (167, 320, 321, 448, 484, 557, 562, 567, 569, 573, 583, 692, 862, 864, 1057, 1059, 1060, 1107, 1108)
- Eimeria subspherica*** Christensen, 1941
MAM *Bos taurus* Linnaeus, 1758 [ox]; faeces; R1, R5 (167, 934, 936, 937)
- Eimeria suis*** Noller, 1921
MAM *Sus scrofa* Linnaeus, 1758 [pig]; faeces; R1 (167, 594, 1214)
- Eimeria tachyglossi*** Barker et al., 1985
MAM *Tachyglossus aculeatus* (Shaw & Nodder, 1792) [short-beaked echidna]; faeces, small intestine; R3 (57)
- Eimeria tenella*** (Railliet & Lucet, 1891) Fantham, 1909; = *Coccidium avium* (Silvestrini & Rivolta, 1871) Leuckart, 1879
AVE *Gallus gallus* Linnaeus, 1758 [domestic chicken]; caecum, intestines; R2, R3, R6 (17, 25, 26, 27, 76, 167, 431, 451, 452, 454, 511, 601, 801, 804, 869, 870, 1059, 1060)
- Eimeria thylogale*** Barker et al., 1988
MAM *Thylogale billardierii* (Desmarest, 1822) [Tasmanian pademelon]; faeces; R3 (60)
- Eimeria tinarooensis*** Barker et al., 1988
MAM *Hypsiprymnodon moschatus* Ramsay, 1876 [musky rat-kangaroo]; faeces; R1 (61)
- Eimeria togarraensis*** Myktyowycz, 1964
MAM *Macropus eugenii* (Desmarest, 1817) [tammar wallaby]; faeces; R5 (62)
- MAM *Macropus fuliginosus* (Desmarest, 1817) [western grey kangaroo]; faeces; R4, R5 (62)
- MAM *Macropus giganteus* Shaw, 1790 [eastern grey kangaroo]; faeces; R4 (62)
- MAM *Macropus rufogriseus* (Desmarest, 1817) [Bennett's wallaby]; faeces; R3 (62)
- MAM *Macropus rufus* (Desmarest, 1822) [red kangaroo]; faeces; R4 (30, 167, 865, 948)
- Eimeria truncata*** (Railliet & Lucet, 1891) von Wasielewski, 1904
AVE *Anser anser domesticus* Linnaeus 1758 [domestic goose]; kidney; RU (167, 446, 801, 990)
- Eimeria ursini*** Supperer, 1957
MAM *Lasiorhinus latifrons* (Owen, 1845) [southern hairy-nosed wombat]; intestines, faeces; R2, R5, zoo (EUR) (56, 303, 946, 947, 949, 1112)
- Eimeria volckertzoni*** Barker et al., 1988
MAM *Setonix brachyurus* (Quoy & Gaimard, 1830) [quokka]; faeces; R6 (60)
- Eimeria wallabiae*** Barker et al., 1988
MAM *Wallabia bicolor* (Desmarest, 1804) [swamp wallaby]; faeces; R2 (60)
- Eimeria weybrigdensis*** Norton et al., 1974
MAM *Ovis aries* Linnaeus, 1758 [sheep]; faeces; R5 (880)
- Eimeria wilcannensis*** Myktyowycz, 1964
MAM *Macropus fuliginosus* (Desmarest, 1817) [western grey kangaroo]; faeces; R4, R5, zoo (Aust.) (62)
- MAM *Macropus giganteus* Shaw, 1790 [eastern grey kangaroo]; faeces; R4 (62)
- MAM *Macropus robustus* Gould, 1841 [common wallaroo]; faeces; R5 (62)
- MAM *Macropus rufus* (Desmarest, 1822) [red kangaroo]; faeces; R4 (30, 167, 865, 948)
- Eimeria wombati*** (Gilruth & Bull, 1912) Barker et al., 1979; syn. *E. tasmaniæ* Supperer, 1957; syn. *Globidium wombati* (Gilruth & Bull, 1912) Wenyon, 1926; syn. *Ileocystis wombati* Gilruth & Bull, 1912
MAM *Lasiorhinus latifrons* (Owen, 1845) [southern hairy-nosed wombat]; intestinal mucosa, faeces; R2, zoo (EUR) (28, 56, 303, 397, 946, 947, 949, 1112, 1234)
- Eimeria wyomingensis*** Huizinga & Winger, 1942
MAM *Bos taurus* Linnaeus, 1758 [ox]; faeces; R1 (167, 933, 934, 937)
- Eimeria xanthopus*** Barker et al., 1988
MAM *Petrogale xanthopus* Gray, 1855 [yellow-footed rock-wallaby]; faeces; R5, zoo (Aust.) (59)
- Eimeria yathongensis*** Barker et al., 1989
MAM *Macropus fuliginosus* (Desmarest, 1817) [western grey kangaroo]; faeces; R4, R5 (62)
- MAM *Macropus giganteus* Shaw, 1790 [eastern grey kangaroo]; faeces; R4 (62)

Eimeria zuernii (Rivolta, 1878) Railliet & Lucet, 1891

MAM *Bos taurus* Linnaeus, 1758 [ox]; faeces; R1, R2, R5 (167, 749, 933, 934, 936, 937, 1060)

Eimeria (unidentified species)

ACT *Bidyanus bidyanus* (Mitchell, 1838) [silver perch]; intestines, pyloric caeca; RU (1030)

ACT *Macquaria australasica* Cuvier & Valenciennes, 1830 [Macquarie perch]; intestines; R4 (33, 35, 79, 839, 983, 1030)

ACT *Monacanthus chinensis* Osbeck, 1765 [fan-bellied leatherjacket]; pyloric caeca; R13 (669)

ACT *Myxus elongatus* Gunther, 1861 [sand mullet]; pyloric caeca; R13 (669)

AVE *Anser anser domesticus* Linnaeus 1758 [domestic goose]; intestine; RU (801)

AVE *Carduelis chloris* (Linnaeus, 1758) [European greenfinch]; intestines; RU (446, 447, 1052)

AVE *Hirundo nigricans* (Vieillot, 1817) [tree martin]; faeces; R1 (899)

AVE *Columba livia* Gmelin, 1789 [domestic pigeon]; intestines, faeces; RU, R1 (899, 990, 1052)

AVE *Dromaius novaehollandiae* (Latham, 1790) [emu]; gut; RU (1106)

AVE *Gallus gallus* Linnaeus, 1758 [domestic chicken]; faeces; RU (422)

AVE *Lichenostomus penicillatus* (Gould, 1837) [white-plumed honeyeater]; intestines; RU (446)

AVE *Melopsittacus undulatus* (Shaw, 1805) [budgerigar]; intestines; RU (446, 1052)

AVE *Pandion haliaetus* (Linnaeus, 1758) [osprey]; faeces; R1 (899)

AVE *Rallus philippensis* Linnaeus, 1766 [bull-banded rail]; faeces; R1 (899)

AVE *Sphecotheres viridis* Vieillot, 1816 [figbird]; faeces; R1 (899)

AVE *Trichoglossus chlorolepidotus* (Kuhl, 1820) [scaly-breasted lorikeet]; faeces; R1 (899)

AVE *Trichoglossus haematodus* (Linnaeus, 1771) [rainbow lorikeet]; faeces; R1 (899)

AVE *Trichoglossus rubritorquis* Vigors & Horsfield, 1827 [red-collared lorikeet]; intestines; RU (446, 1052)

MAM *Bos taurus* Linnaeus, 1758 [ox]; gut; RU (213, 692)

MAM *Capra hircus* Linnaeus, 1758 [goat]; faeces, duodenum; RU (493)

MAM *Felis catus* Linnaeus, 1758 [cat]; faeces; R3 (781)

MAM *Hemibelideus lemuroides* (Collett, 1884) [lemuroid ringtail possum]; intestines; R1 (1084)

MAM *Isoodon obesulus* (Shaw, 1797) [southern brown bandicoot]; intestines; RU (692)

MAM *Lagorchestes conspicillatus* Gould, 1842 [spectacled hare-wallaby]; faeces; R1 (60)

MAM *Macropus agilis* (Gould, 1842) [agile wallaby]; ileum; RU (1083, 1086)

MAM *Macropus dorsalis* (Gray, 1837) [black-striped wallaby]; intestines; R1 (fauna park) (1082, 1086)

MAM *Macropus giganteus* Shaw, 1790 [eastern grey kangaroo]; intestines; R1, R4 (fauna park) (31, 50, 576, 1060, 1082, 1086, 1248)

MAM *Macropus parryi* Bennett, 1835 [whiptail wallaby]; intestinal mucosa; R1 (fauna park) (576, 581, 1082, 1086)

MAM *Macropus rufogriseus* (Desmarest, 1817) [Bennett's wallaby]; faeces; zoo (EUR) (1137)

MAM *Macropus rufus* (Desmarest, 1822) [red kangaroo]; faeces; R1 (899)

MAM *Oryctolagus cuniculus* (Linnaeus, 1758) [rabbit]; faeces; RU (321, 863)

MAM *Ovis aries* Linnaeus, 1758 [sheep]; faeces, abomasum; RU, R4 (143, 837, 1242)

MAM *Pseudocheirus archeri* (Collett, 1884) [green ringtail possum]; intestines; R1 (1084)

MAM *Pseudocheirus herbertensis* (Collett, 1884) [Herbert River ringtail possum]; intestines; R1 (1084)

MAM *Pseudocheirus peregrinus* (Boddaert, 1785) [common ringtail possum]; faeces; R1 (899)

MAM *Tachyglossus aculeatus* (Shaw & Nodder, 1792) [short-beaked echidna]; faeces; R1 (899)

MAM *Thylagale thetis* (Lesson, 1827) [red-necked pademelon]; intestinal mucosa; R4 (576)

MAM *Trichosurus caninus* (Ogilby, 1836) [mountain brushtail possum]; faeces; R4 (969, 973)

MAM *Trichosurus vulpecula* (Kerr, 1792) [common brushtail possum]; faeces; R1, R2, R3 (899, 968, 970, 973)

MAM *Vombatus ursinus* (Shaw, 1800) [common wombat]; faeces; RU (28)

REP *Acanthophis antarcticus* (Shaw & Nodder, 1802) [common death adder]; faeces, intestines; R1, R5 (743, 899)

REP *Austrelaps superbus* (Gunther, 1858) [copperhead]; intestines; R5 (743)

REP *Gehyra dubia* (Macleay, 1877) [tree dtella]; faeces; R1, R9 (899, 900)

REP *Heteronotia binoei* (Gray, 1845) [Bynoe's gecko]; faeces; R1 (899)

REP *Hololeptes stephensi* Kretsch, 1869 [Stephen's banded snake]; faeces; R1 (899)

REP *Morelia spilotes* (Lacepede, 1804) [carpet python]; faeces; R1 (899)

REP *Notechis ater* (Kretsch, 1866) [black tiger snake]; faeces; R1 (899)

REP *Oxyuranus microlepidotus* (McCoy, 1879) [inland taipan]; faeces; R1 (899)

- REP *Pseudechis australis* (Gray, 1842) [king brown snake]; faeces; R1 (899)
- REP *Pseudechis porphyriacus* (Shaw, 1794) [red-bellied black snake]; faeces; R1 (899)
- REP *Pseudonaja nuchalis* Gunther, 1858 [western brown snake]; intestines; R5 (743)
- REP *Stegonotus cucullatus* (Dumeril, Bibron & Dumeril, 1854) [slaty grey snake]; faeces; R1 (899)
- REP *Tiliqua occipitalis* (Peters, 1863) [western blue-tongued lizard]; faeces; R1 (899)
- REP *Trachydosaurus rugosus* Gray, 1825 [sleepy lizard]; faeces; R1 (899)
- REP *Underwoodisaurus milii* (Bory de Saint-Vincent, 1825) [thick-tailed gecko]; faeces; R1 (899)
- Epieimeria anguillae*** (Leger & Hollande, 1922)
- ACT *Anguilla reinhardtii* Steindachner, 1867 [long-finned eel]; intestinal mucosa; R2 (789)
- Epieimeria*** (unidentified species)
- ACT *Anguilla australis* Richardson, 1841 [short-finned eel]; gut; RU (858)
- ACT *Atherinomorus capricornensis* (Woodland, 1961) [hardy heads]; gut; RU (858)
- ACT *Bidyanus bidyanus* (Mitchell, 1838) [silver perch]; gut; RU (858)
- ACT *Carassius auratus* (Linnaeus, 1758) [golden carp]; gut; RU (858)
- ACT *Cheilodactylus fuscus* Castelnau, 1879 [red morwong]; gut; RU (858)
- ACT *Lates calcarifer* (Bloch, 1790) [barramundi]; gut; RU (858)
- ACT *Macquaria australasica* Cuvier & Valenciennes, 1830 [Macquarie perch]; gut; RU (858)
- ACT *Sillago ciliata* Cuvier & Valenciennes, 1829 [sand whiting]; gut; RU (858)
- ACT *Tetraodon* sp.; gut; RU (858)
- ACT Unidentified gudgeon species; gut; RU (858)
- Globidium macropodis*** (Gilruth & Bull, 1912)
- Wenyon, 1926; syn. *Illoecystis macropodis* Gilruth & Bull, 1912
- MAM *Macropus* sp.; intestinal mucosa; zoo (Aust.) (397)
- Globidium mucosum*** (Blanchard, 1885) Noller, 1920
- MAM *Macropus rufogriseus* (Desmarest, 1817) [Bennett's wallaby]; small intestine; zoo (UK, EUR) (1054, 1274)
- Globidium*** (unidentified species)
- MAM *Macropus* sp.; intestinal mucosa; zoo (Aust.) (397)
- Goussia arrawarra*** Molnar & Rohde, 1988
- ACT *Sillago ciliata* Cuvier & Valenciennes, 1829 [sand whiting]; intestinal mucosa; R13, R14 (628, 634, 669, 788, 858)
- Goussia callinani*** Molnar & Rohde, 1988
- ACT *Hypseleotris compressa* (Krefft, 1864) [empire gudgeon]; intestinal mucosa; R2 (628, 634, 789, 858)
- Goussia carpelli*** (Leger & Stankovitch, 1921) Lom & Dykova, 1982
- ACT *Carassius auratus* (Linnaeus, 1758) [golden carp]; intestines; R4 (669, 672)
- Goussia cruciata*** (Thelohan, 1892) Labbe, 1896
- ACT *Pseudocaranx dentex* (Bloch & Schneider, 1801) [silver trevally]; liver; R14 (672)
- Goussia langdoni*** Molnar & Rohde, 1988
- ACT *Macquaria ambigua* (Richardson, 1845) [golden perch]; intestines; R4 (628, 634, 789, 858, 1030)
- Goussia lomi*** Molnar & Rohde, 1988
- ACT *Maccullochella peelii* (Mitchell, 1838) [Murray cod]; intestinal mucosa; R4 (628, 634, 789, 858, 951, 1030)
- Goussia microcanthi*** Molnar & Rohde, 1988
- ACT *Microcanthus strigatus* (Cuvier & Valenciennes, 1831) [stripey]; intestinal mucosa; R14 (788)
- Goussia piekarskii*** Lom & Dykova, 1995
- ACT *Gambusia holbrooki* (Girard, 1859) [eastern gambusia]; small intestine; R4 (672)
- Goussia thelohani*** Labbe, 1896
- ACT *Acanthopagrus australis* (Gunther, 1859) [yellowfin bream]; liver; R14 (672)
- ACT *Rhabdosargus sarba* (Forsskål, 1775) [tarwhine]; liver; R14 (672)
- Goussia*** (unidentified species)
- ACT *Acanthopagrus australis* (Gunther, 1859) [yellowfin bream]; liver; R13 (669)
- ACT *Anguilla australis* Richardson, 1841 [short-finned eel]; gut; R2 (789)
- ACT *Anguilla reinhardtii* Steindachner, 1867 [long-finned eel]; faeces, gut; R2 (789)
- ACT *Gambusia holbrooki* (Girard, 1859) [eastern gambusia]; intestine; R4 (669)
- ACT *Pseudocaranx dentex* (Bloch & Schneider, 1801) [silver trevally]; liver; R13 (669)
- ACT *Rhabdosargus sarba* (Forsskål, 1775) [tarwhine]; liver; R14 (669, 788)
- REP *Crocodylus porosus* Schneider, 1801 [salt water crocodile]; intestines; R1 (919)
- Hoarella*** (unidentified species)
- AMP *Litoria caerulea* (White, 1790) [green tree frog]; faeces; R1 (899)
- AVE *Ocyphaps lophotes* (Temminck & Laugier, 1822) [crested pigeon]; faeces; R1 (899)
- Illoecystis macropodis*** Gilruth & Bull, 1912
- MAM *Macropus rufogriseus* (Desmarest, 1817) [Bennett's wallaby]; small intestine; zoo (UK) (1164, 1233)
- Isospora ablephari*** Cannon, 1967
- REP *Ablepharus boutonii* (Macleay, 1877) [callosus-palmed shinning-skink]; faeces, intestine; R1 (171)

- REP *Heteronotia binoei* (Gray, 1845) [Bynoe's gecko]; faeces, intestine; R1 (171)
- Isospora amphiboluri*** Cannon, 1967
REP *Amphibolurus barbatus* (Cuvier, 1829) [bearded dragon]; faeces, duodenum; R1 (171)
REP *Amphibolurus vitticeps* Ahl, 1926 [inland bearded dragon]; faeces; zoo (USA) (738)
- Isospora belli*** Wenyon, 1923
MAM *Homo sapiens* Linnaeus, 1758 [human], faeces; R2, R8 (142, 763)
- Isospora boxae*** Grulet et al., 1982
AVE *Passer domesticus* (Linnaeus, 1758) [house sparrow]; faeces; R5 (432)
- Isospora canis*** Nemeseri, 1959
MAM *Canis familiaris* Linnaeus, 1758 [dog]; faeces; R2, R5, R6 (95, 167, 1040)
- Isospora canoni*** Finkelman & Paperna, 1994
REP *Diporiphora australis* (Steindachner, 1867); small intestine; R1 (367)
- Isospora cryptoblephari*** Finkelman & Paperna, 1994
REP *Cryptoblepharus virgatus* (Garman, 1901); small intestine; R1 (366)
- Isospora delmae*** Finkelman & Paperna, 1994
REP *Delma nasuta* Kluge, 1974; small intestine; R5 (366)
- Isospora egerniae*** Cannon, 1967
REP *Egernia whitii* (Lacepède, 1804) [White's skink]; faeces, intestine; R4 (171)
- Isospora felis*** Wenyon, 1923
MAM *Canis familiaris* Linnaeus, 1758 [dog]; faeces; R2 (67, 373, 692, 1060)
MAM *Felis catus* Linnaeus, 1758 [cat]; faeces; R1, R2, R3, R4, R6, R8 (67, 68, 167, 220, 222, 373, 424, 692, 763, 957, 1060, 1065, 1085, 1148, 1241)
- Isospora gonnetae*** Grulet et al., 1982
AVE *Passer domesticus* (Linnaeus, 1758) [house sparrow]; faeces; R5 (432)
- Isospora iansmithi*** Grulet et al., 1982
AVE *Passer domesticus* (Linnaeus, 1758) [house sparrow]; faeces; R5 (432)
- Isospora jacobfrenkeli*** Grulet et al., 1985; syn. *I. frenkeli* Grulc et al., 1982
AVE *Passer domesticus* (Linnaeus, 1758) [house sparrow]; faeces; R5 (432)
- Isospora michaelbakeri*** Grulet et al., 1982
AVE *Passer domesticus* (Linnaeus, 1758) [house sparrow]; faeces; R5 (432)
- Isospora mikei*** Grulet et al., 1982
AVE *Passer domesticus* (Linnaeus, 1758) [house sparrow]; faeces; R5 (432)
- Isospora miltgeni*** Grulet et al., 1982
AVE *Passer domesticus* (Linnaeus, 1758) [house sparrow]; faeces; R5 (432)
- Isospora ohioensis*** Dubey, 1975
MAM *Canis familiaris* Linnaeus, 1758 [dog]; faeces; R2, R5, R6 (67, 95, 167, 692, 1040, 1060)
MAM *Canis familiaris dingo* Linnaeus, 1758 [dingo]; faeces; R2 (67, 692, 1060)
- Isospora rivolta*** (Grassi, 1879) Wenyon, 1923
MAM *Felis catus* Linnaeus, 1758 [cat]; faeces; R2, R3, R4, R6, R8 (67, 68, 167, 220, 222, 373, 424, 692, 763, 957, 1060, 1065, 1085, 1148)
- Isospora spratti*** Grulet et al., 1982
AVE *Passer domesticus* (Linnaeus, 1758) [house sparrow]; faeces; R5 (432)
- Isospora suis*** Biester, 1934
MAM *Sus scrofa* Linnaeus, 1758 [pig]; faeces; R1, R2, R3, R5, R6 (167, 304, 305)
- Isospora* (unidentified species)**
AMP *Bufo marinus* (Linnaeus, 1758) [cane toad]; large intestine; RU (1087)
AVE *Acanthorhynchus tenuirostris* (Latham, 1801) [eastern spinebill]; faeces; R1 (899)
AVE *Corvus orru* Bonaparte, 1851 [Torresian crow]; faeces; R1 (899)
AVE *Cracticus nigrogularis* (Gould, 1837) [pied butcherbird]; faeces; R1 (899)
AVE *Cracticus torquatus* (Latham, 1801) [grey butcherbird]; faeces; R1 (899)
AVE *Gymnorhina tibicen* (Latham, 1801) [Australian magpie]; faeces; R1 (899)
AVE *Manorina melanocephala* (Latham, 1801) [noisy miner]; faeces; R1 (899)
AVE *Passer domesticus* (Linnaeus, 1758) [house sparrow]; tissues; R5 (433)
AVE *Strepera graculina* (Shaw, 1790) [pied currawong]; faeces; R1 (899)
AVE *Trichoglossus haematodus* (Linnaeus, 1771) [rainbow lorikeet]; faeces; R1 (899)
MAM *Canis familiaris* Linnaeus, 1758 [dog]; faeces; R2, R8 (220, 373, 593, 763, 1148)
MAM *Felis catus* Linnaeus, 1758 [cat]; faeces; R3 (781)
REP *Amphibolurus barbatus* (Cuvier, 1829) [bearded dragon]; faeces; R1 (899)
REP *Gehyra punctata* (Fry, 1914) [spotted dtella]; faeces; R1 (899)
REP *Gehyra variegata* (Dumeril & Bibron, 1836) [tree dtella]; faeces, small intestines; R1, R2 (899, 1049)
REP *Heteronotia binoei* (Gray, 1845) [Bynoe's gecko]; faeces; R1 (899)
REP *Phyllurus cornutus* (Ogilby, 1892) [northern leaf-tailed gecko]; faeces, intestine; R1 (171)
REP *Pseudothecadactylus lindneri* Cogger, 1975 [giant cave gecko]; faeces; R1 (899)

Lymphocystis macropodis Gilruth & Bull, 1912

MAM *Macropus rufogriseus* (Desmarest, 1817) [Bennett's wallaby]; small intestine; zoo (UK) (1164, 1233)

Octospora hystrix Barker et al., 1985

MAM *Tachyglossus aculeatus* (Shaw & Nodder, 1792) [short-beaked echidna]; faeces; R2 (57)

***Octospora* (unidentified species)**

AMP *Litoria caerulea* (White, 1790) [green tree frog]; faeces; R1 (899)

AVE *Ocyphaps lophotes* (Temminck & Laugier, 1822) [crested pigeon]; faeces; R1 (899)

***Tyzzeria* (unidentified species)**

MAM *Thylogale thetis* (Lesson, 1827) [red-necked pademelon]; faeces; RU (60)

Unidentified coccidia

ACT *Acanthopagrus australis* (Gunther, 1859) [yellowfin bream]; gut; RU (788)

ACT *Atherinomorus capricornensis* (Woodland, 1961) [hardy heads]; pancreas, intestines; R21 (609, 658)

ACT *Chelidonichthys kumu* (Lesson & Garnot, 1826) [red gunard]; gut; RU (788)

ACT *Gerres subfasciatus* (Cuvier, 1830) [silver biddy]; intestine; R13 (669)

ACT *Pseudocaranx dentex* (Bloch & Schneider, 1801) [silver trevally]; intestine; R13 (669)

ACT *Rhabdosargus sarba* (Forsskål, 1775) [tarwhine]; gut; RU (788)

ACT *Terapon jarbua* (Forsskål, 1775); gall bladder; R21 (658)

AVE *Agapornis* sp.; intestine; RU (990)

AVE *Anas platyrhynchos* Linnaeus, 1758 [mallard]; faeces; R2 (1059, 1060)

AVE *Coturnix* sp.; intestines; RU (990)

AVE *Eudyptula minor* (Forster, 1781) [little penguin]; kidney; RU, R2 (31, 904, 990)

AVE *Serinus canaria* Linnaeus, 1758 [canary]; intestines; RU (990)

MAM *Aepyprymnus rufescens* (Gray, 1837) [rufous bettong]; faeces; R1 (fauna park) (1082)

MAM *Antechinus stuartii* Macleay, 1841 [brown antechinus]; small intestine; R2 (55)

MAM *Bos taurus* Linnaeus, 1758 [ox]; gut; RU (692, 1059)

MAM *Canis familiaris* Linnaeus, 1758 [dog]; faeces; RU (692, 1059)

MAM *Dendrolagus lumholtzi* Collett, 1884 [Lumholtz's tree-kangaroo]; faeces; R1 (fauna park) (1082)

MAM *Lagorchestes conspicillatus* Gould, 1842 [spectacled hare-wallaby]; faeces; R1 (fauna park) (1082)

MAM *Macropus agilis* (Gould, 1842) [agile wallaby]; faeces; R1 (fauna park) (1082)

MAM *Macropus eugenii* (Desmarest, 1817) [tammar wallaby]; small intestine, liver; RU (31, 1086)

MAM *Macropus fuliginosus* (Desmarest, 1817) [western grey kangaroo]; stomach, intestines, faeces; RU, zoo (Aust., Japan) (28, 31, 368, 369, 1086, 1273)

MAM *Macropus giganteus* Shaw, 1790 [eastern grey kangaroo]; faeces, intestines; RU, zoo (Aust., USA) (135, 368, 369)

MAM *Macropus rufogriseus* (Desmarest, 1817) [Bennett's wallaby]; intestines; zoo (Aust., UK) (31, 368, 1054, 1086)

MAM *Oryctolagus cuniculus* (Linnaeus, 1758) [rabbit]; caecum; RU (1060)

MAM *Ovis aries* Linnaeus, 1758 [sheep]; gut; RU (692, 1059, 1060)

MAM *Petrogale penicillata* (Gray, 1825) [brush-tailed rock-wallaby]; faeces; R1 (59)

MAM *Petrogale lateralis* Gould, 1842 [black-footed rock-wallaby]; faeces; R1 (fauna park) (1082)

MAM *Rattus norvegicus* (Berkenhout, 1769) [brown rat]; gut; RU (360, 692,)

MAM *Rattus rattus* (Linnaeus, 1758) [black rat]; faeces; RU (360, 692)

MAM *Sus scrofa* Linnaeus, 1758 [pig]; gut; RU (692, 1059, 1060)

MOL *Striostrea mytiloides* (Lamarck, 1819) [tropical oyster, blacklip oyster]; ovary; R20 (10, 660, 1252, 1253)

SARCOCYSTIDAE***Besnoitia wallacei*** (Tadros & Laarman, 1976) Dubey, 1977

MAM *Felis catus* Linnaeus, 1758 [cat]; faeces; R3 (167, 733, 952, 1085)

MAM *Mus musculus* Linnaeus, 1758 [house mouse]; heart, tongue, lungs (exptl. infection); R3 (733)

MAM *Rattus norvegicus* (Berkenhout, 1769) [brown rat]; tissues; R3 (733)

MAM *Rattus rattus* (Linnaeus, 1758) [black rat]; various tissues (exptl. infection); R3 (733)

***Frenkelia* (unidentified species)**

AVE *Falco berigora* Vigors & Horsfield, 1827 [brown falcon]; intestines; RU (833)

AVE *Ninox novaeseelandiae* (Gmelin, 1788) [southern boobook]; intestines; RU (833)

AVE *Tyto alba* (Scopoli, 1769) [barn owl]; intestines; RU (833)

AVE *Tyto novaehollandiae* (Stephens, 1826) [masked owl]; intestines; RU (833)

Hammondia hammondi Frenkel & Dubey, 1975

MAM *Capra hircus* Linnaeus, 1758 [goat]; LU (exptl. infection); R3 (853)

- MAM *Felis catus* Linnaeus, 1758 [cat]; faeces; RU (167, 731, 1085)
- MAM *Ovis aries* Linnaeus, 1758 [sheep]; LU (exptl. infection), antibodies (IFAT); R3 (848)
- MAM *Macropus eugenii* (Desmarest, 1817) [tammar wallaby]; 1.U (exptl. infection), antibodies (ELISA); R2 (985)
- MAM *Mus musculus* Linnaeus, 1758 [house mouse]; muscles; R5 (546)
- MAM *Rattus rattus* (Linnaeus, 1758) [black rat]; skeletal muscle; RU (731)
- Hammondia heydorni* (Tadros & Laarman, 1970) Dubey, 1977
- MAM *Canis familiaris* Linnaeus, 1758 [dog]; faeces; R6 (1040)
- Hammondia* (unidentified species)
- MAM *Canis familiaris* Linnaeus, 1758 [dog]; faeces; R2, R5 (167, 593)
- Neospora caninum* Dubey et al., 1988
- MAM *Bos taurus* Linnaeus, 1758 [ox]; central nervous system, foetal tissues; R2, R3 (121, 313, 316, 912)
- MAM *Canis familiaris* Linnaeus, 1758 [dog]; central nervous system, antibodies (IFAT); RU, R2, R3, R6 (49, 314, 316, 389, 856)
- MAM *Ovis aries* Linnaeus, 1758 [sheep]; central nervous system; R2 (316)
- Sarcocystis arcticana* Heydorn, 1985
- MAM *Ovis aries* Linnaeus, 1758 [sheep]; muscle; RU, R6 (312, 330, 854, 1039, 1041)
- Sarcocystis betrami* Dotlein, 1901; syn. *S. equicanis* Rommel & Geisel, 1975
- MAM *Canis familiaris* Linnaeus, 1758 [dog]; faeces; RU (29, 167)
- MAM *Equinus caballus* Linnaeus, 1758 [horse]; muscle; RU (29, 167)
- Sarcocystis hettongiae* Bourne, 1934
- MAM *Bettongia lesueuri* (Quoy & Gaimard, 1824) [burrowing bettong]; skeletal muscle; R6 (122, 312, 606)
- Sarcocystis blanchardi* Dotlein, 1901
- MAM *Bos taurus* Linnaeus, 1758 [ox], muscle; RU (570, 692, 1059)
- Sarcocystis capraeana* Fischer, 1979
- MAM *Canis familiaris* Linnaeus, 1758 [dog]; faeces; RU (167)
- MAM *Capra hircus* Linnaeus, 1758 [goat]; muscles; R5 (167, 379, 886)
- Sarcocystis cruzi* (Hasselmann, 1923) Wenyon, 1926; syn. *S. bovicans* Heydorn et al., 1975
- MAM *Bos taurus* Linnaeus, 1758 [ox]; muscles, various organs, antibodies (IFAT, ELISA); R2, R5, R6 (167, 178, 312, 379, 568, 581, 692, 886, 1102, 1038, 1041, 1044, 1045, 1046)
- MAM *Canis familiaris* Linnaeus, 1758 [dog]; faeces; RU, R6 (167, 1041, 1043, 1044, 1047)
- MAM *Vulpes vulpes* (Linnaeus, 1758) [fox]; faeces; RU (167)
- Sarcocystis cuniculi* Brumpt, 1913
- MAM *Felis catus* Linnaeus, 1758 [cat]; faeces; R3 (167, 835, 1085)
- MAM *Oryctolagus cuniculus* (Linnaeus, 1758) [rabbit]; muscle; R3 (835)
- Sarcocystis falcata* Stiles, 1893
- AVE *Barnardius zonarius* (Shaw, 1805) [Port Lincoln ringneck]; various tissues; zoo (USA) (480)
- AVE *Cacatua galerita* (Latham, 1790) [sulphur-crested cockatoo]; various tissues; zoo (USA) (480)
- AVE *Cacatua leadbeateri* (Vigors, 1831) [Major Mitchell cockatoo]; various tissues; zoo (USA) (480)
- AVE *Callocephalon fimbriatum* (Grant, 1803) [gang-gang cockatoo]; various tissues; zoo (USA) (480)
- AVE *Eclectus roratus* (Müller, 1776) [eclectus parrot]; various tissues; zoo (USA) (480, 923)
- AVE *Melopsittacus undulatus* (Shaw, 1805) [budgerigar]; various tissues; zoo (USA) (480)
- AVE *Nymphicus hollandicus* (Kerr, 1792) [cockatoo]; various tissues; zoo (USA) (480)
- AVE *Platycercus caledonicus* (Gmelin, 1788) [green rosella]; various tissues; zoo (USA) (480)
- AVE *Probosciger aterrimus* (Gmelin, 1788) [palm cockatoo]; various tissues; zoo (USA) (480)
- AVE *Purpureicephalus spurius* (Kuhl, 1820) [red-capped parrot]; various tissues; zoo (USA) (480)
- Sarcocystis fayeri* Dubey et al., 1977
- MAM *Canis familiaris* Linnaeus, 1758 [dog]; faeces; RU (29, 167)
- MAM *Equinus caballus* Linnaeus, 1758 [horse]; muscle; RU (29, 167)
- Sarcocystis fusiformis* (Railliet, 1897) Bernard & Bauche, 1912
- MAM *Bubalus bubalis* (Linnaeus, 1758) [water buffalo]; muscles; RU (167)
- MAM *Felis catus* Linnaeus, 1758 [cat]; faeces; RU (167, 1085)
- Sarcocystis gigantea* (Railliet, 1886) Ashford, 1977; syn. *Balbiania gigantea* Railliet, 1886; syn. *S. ovifelis* Heydorn et al., 1975
- MAM *Felis catus* Linnaeus, 1758 [cat]; faeces, intestines; RU, R3, R5 (167, 376, 814, 843, 854, 908, 997, 1085)
- MAM *Ovis aries* Linnaeus, 1758 [sheep]; muscle, antibodies (CFT, IFAT, ELISA); R1, R2, R3, R4, R5, R6 (24, 167, 330, 376, 377, 379, 435, 525, 531, 549, 568, 569, 570, 692, 766, 814, 837, 838, 843,

- 844, 854, 886, 887, 892, 895, 908, 1060, 1102, 1131, 1133, 1135, 1236)
- Sarcocystis hirsuta** Moule, 1888; syn. *S. bovisfelsis* Heydorn et al., 1975
- MAM *Bos taurus* Linnaeus, 1758 [ox]; muscle; R5, R6 (167, 886, 1038)
- MAM *Felis catus* Linnaeus, 1758 [cat]; faeces; RU (167, 1085)
- Sarcocystis hominis** (Railliet & Lucet, 1891) Dubey, 1976; syn. *S. bovihominis* Heydorn et al., 1975
- MAM *Bos taurus* Linnaeus, 1758 [ox]; muscles; RU (167)
- MAM *Homo sapiens* Linnaeus, 1758 [human]; faeces; RU, R8 (167, 1038, 1102)
- Sarcocystis levinei** Dissanaike & Kan, 1978
- MAM *Bubalus bubalis* (Linnaeus, 1758) [water buffalo]; muscles; RU (167)
- MAM *Canis familiaris* Linnaeus, 1758 [dog]; faeces; RU (167)
- Sarcocystis macropodis** Gilruth & Bull, 1912
- MAM *Petrogale xanthopus* Gray, 1855 [yellow-footed rock-wallaby]; intestinal submucosa; zoo (Aust.) (397)
- Sarcocystis medusiformis** Collins et al., 1979
- MAM *Felis catus* Linnaeus, 1758 [cat]; faeces; RU (167, 854, 909, 1085)
- MAM *Ovis aries* Linnaeus, 1758 [sheep]; muscle; R5 (167, 312, 837, 854, 886, 887, 909, 1102)
- Sarcocystis miescheriana** (Kuhn, 1865) Labbe, 1899; syn. *S. suicanis* Erber, 1977
- MAM *Canis familiaris* Linnaeus, 1758 [dog]; faeces; RU (167, 821)
- MAM *Sus scrofa* Linnaeus, 1758 [pig]; muscle; RU, R3 (167, 568, 569, 570, 692, 821)
- Sarcocystis mucosa** (Blanchard, 1885) Labbe, 1889; syn. *Limeria mucosa* (Blanchard, 1885) Levine, 1979; syn. *Globidium mucosa* (Blanchard, 1885) Noller, 1920; syn. *Balbiania mucosa* Blanchard, 1885
- MAM *Macropus rufogriseus* (Desmarest, 1817) [Benett's wallaby]; gut wall; R1, R3 (312, 520, 890)
- MAM *Petrogale inornata* Gould, 1842 [unadorned rock-wallaby]; gut wall; R1 (312, 890)
- MAM *Petrogale penicillata* (Gray, 1825) [brush-tailed rock-wallaby]; colonic submucosa; zoo (EUR) (96, 97, 230, 606, 617, 663, 782, 872, 1234)
- MAM *Thylogale billardierii* (Desmarest, 1822) [Tasmanian pademelon]; intestinal submucosa; R3 (520)
- Sarcocystis murinotechis** Munday & Mason, 1980
- MAM *Mustacomys fuscus* Thomas, 1882 [broad-toothed rat]; heart, skeletal muscle, lung, kidney; R3 (836)
- MAM *Pseudomys higginsi* (Trouessart, 1897) [long-tailed mouse]; heart, skeletal muscle, lung, kidney; R3 (836)
- MAM *Rattus fuscipes* (Waterhouse, 1839) [bush rat]; heart, skeletal muscle, lung, kidney; RU (836)
- MAM *Rattus lutreolus* (Gray, 1841) [swamp rat]; heart, skeletal muscle, lung, kidney; RU (836)
- MAM *Rattus norvegicus* (Berkenhout, 1769) [brown rat]; heart, skeletal muscle, lung, kidney; RU (836)
- MAM *Rattus rattus* (Linnaeus, 1758) [black rat]; heart, skeletal muscle, lung, kidney; RU (836)
- REP *Notechis ater* (Krefft, 1866) [black tiger snake]; intestine; RU (836)
- Sarcocystis maris** (Railliet, 1886) Labbe, 1899
- MAM *Felis catus* Linnaeus, 1758 [cat]; faeces; RU (1085)
- MAM *Mus musculus* Linnaeus, 1758 [house mouse]; muscle (exptl. infection); R5 (886, 1130)
- MAM *Rattus norvegicus* (Berkenhout, 1769) [brown rat]; muscle; RU, R2 (568, 569, 570, 583, 692)
- MAM *Rattus rattus* (Linnaeus, 1758) [black rat]; muscle; R2 (569, 568, 570, 583, 692)
- Sarcocystis porcifelis** Dubey, 1976
- MAM *Felis catus* Linnaeus, 1758 [cat]; faeces; RU (1085)
- Sarcocystis pythonis** Tiegs, 1931
- REP *Morelia spilotes* (Lacepède, 1804) [carpet python]; muscle; RU (606, 1157)
- Sarcocystis tenella** (Railliet, 1886) Moule, 1886; syn. *S. ovicanis* Heydorn et al., 1975
- MAM *Canis familiaris* Linnaeus, 1758 [dog]; faeces; R5 (167, 372, 374, 378, 814, 821, 845, 847, 854, 883, 952, 997)
- MAM *Canis familiaris dingo* Linnaeus, 1758 [dingo]; faeces; R5 (167)
- MAM *Ovis aries* Linnaeus, 1758 [sheep]; various tissues, antibodies (CFT, IFAT, ELISA); RU, R3, R5, R6 (24, 167, 330, 372, 374, 378, 435, 692, 766, 814, 821, 834, 837, 838, 841, 845, 846, 847, 854, 883, 884, 886, 887, 891, 892, 895, 952, 954, 997, 1039, 1041, 1059, 1133)
- MAM *Vulpes vulpes* (Linnaeus, 1758) [fox]; faeces; R5 (167, 378, 854)
- Sarcocystis** (unidentified species)
- AVE *Accipiter fasciatus* (Vigors & Horsfield, 1827) [brown goshawk]; muscle; RU (446, 833)
- AVE *Anas gibberifrons* Müller, 1842 [grey teal]; muscle; RU (833)
- AVE *Anas superciliosa* Gmelin, 1789 [Pacific black duck]; muscle; RU (833)
- AVE *Anhinga rufa* (Daudin, 1802) [darret]; muscle; RU (833)
- AVE *Inseranus semipalmata* (Latham, 1798) [magpie goose]; muscle; RU (833)

- AVE *Andea pacifica* Latham, 1801 [Pacific heron]; muscle; RU (833)
- AVE *Catharacta lönbergi* Mathews, 1912 [skua]; muscle; RU (833)
- AVE *Hirundo nigricans* (Vieillot, 1817) [tree martin]; muscle; RU (833)
- AVE *Colluricinclla harmonica* (Latham, 1801) [grey shrike-thrush]; muscle; RU (833)
- AVE *Corvus orru* Bonaparte, 1851 [Torresian crow]; faeces; R1 (899)
- AVE *Corvus coronoides* (Vigors & Horsfield, 1827) [Australian raven]; muscle; RU (833)
- AVE *Corvus tasmanicus* Mathews, 1912 [forest raven]; muscle; RU (833)
- AVE *Dacelo novaeguineae* (Hermann, 1783) [kookaburra]; muscle; RU (446, 833)
- AVE *Egretta alba* (Linnaeus, 1758) [great egret]; muscle; RU (833)
- AVE *Elanus notatus* Gould, 1838 [black-shouldered kite]; muscle; RU (446, 833)
- AVE *Emblema bella* (Latham, 1801) [beautiful firetail]; muscle; RU (833)
- AVE *Falco berigora* Vigors & Horsfield, 1827 [brown falcon]; muscle, intestines; RU (833)
- AVE *Fulica atra* Linnaeus, 1758 [Eurasian coot]; muscle; RU (833)
- AVE *Gallinula mortierii* (Dubois, 1840) [Tasmanian native hen]; muscle; RU (833)
- AVE *Gallus gallus* Linnaeus, 1758 [domestic chicken]; muscles; R3 (167, 446, 754, 801, 823)
- AVE *Gymnorhina leuconota* (Gould, 1837) [white-backed magpie]; muscle; RU (446, 833)
- AVE *Larus novaehollandiae* Stephens, 1826 [silver gull]; muscle; RU (833)
- AVE *Larus pacificus* Latham, 1801 [Pacific gull]; muscle; RU (833)
- AVE *Lichenostomus flavicollis* (Vieillot, 1817) [yellow-throated honeyeater]; muscle; RU (833)
- AVE *Malurus cyaneus* (Latham, 1783) [superb blue wren]; muscle; RU (833)
- AVE *Melithreptus validirostris* (Gould, 1837) [strong-billed honeyeater]; muscle; RU (833)
- AVE *Melopsittacus undulatus* (Shaw, 1805) [budgerigar]; muscles; R2 (989)
- AVE *Ninox novaeseelandiae* (Gmelin, 1788) [southern boobook]; intestines; RU (833)
- AVE *Nycticorax caledonicus* (Gmelin, 1789) [rufous night heron]; muscle; RU (833)
- AVE *Pardalotus punctatus* (Shaw, 1792) [spotted pardalote]; muscle; RU (833)
- AVE *Pardalotus striatus* (Gmelin, 1789) [striated pardalote]; muscle; RU (833)
- AVE *Pelecanus conspicillatus* Temminck, 1824 [Australian pelican]; muscle; RU (833)
- AVE *Petroica phoenicea* Gould, 1837 [flame robin]; muscle; RU (833)
- AVE *Phalacrocorax carbo* (Linnaeus, 1758) [great cormorant]; muscle; RU (833)
- AVE *Phalacrocorax melanoleucus* (Vieillot, 1817) [little pied cormorant]; muscle; RU (833)
- AVE *Phalacrocorax sulcirostris* (Brandt, 1837) [little black cormorant]; muscle; RU (833)
- AVE *Phalacrocorax varius* (Gmelin, 1879) [pied cormorant]; muscle; RU (833)
- AVE *Platalea flavipes* Gould, 1838 [yellow-billed spoonbill]; muscle; RU (833)
- AVE *Platycercus elegans* (Gmelin, 1788) [crimson rosella]; muscle; RU (833)
- AVE *Platycercus eximius* (Shaw, 1792) [eastern rosella]; muscle RU (446, 833)
- AVE *Poliocephalus poliocephalus* (Jardine & Selby, 1827) [hoary-headed grebe]; muscle; RU (833)
- AVE *Porphyrio porphyrio* (Linnaeus, 1758) [purple swamphen]; muscle; RU (833)
- AVE *Psephotus haematonotus* (Gould, 1837) [red-rumped parrot]; muscle; RU (833)
- AVE *Psephotus varius* Clark, 1910 [mulga parrot]; muscle; RU (446, 833)
- AVE *Sericornis frontalis* (Vigors & Horsfield, 1827) [white-browed scrubwren]; muscle; RU (833)
- AVE *Strepera graculina* (Shaw, 1790) [pied currawong]; muscle; RU (833)
- AVE *Tyto alba* (Scopoli, 1769) [barn owl]; intestines; RU, R3 (824, 833)
- AVE *Tyto novaehollandiae* (Stephens, 1826) [masked owl]; intestines; RU, R3 (824, 833, 842)
- AVE *Zosterops caerulescens* Latham, 1801 [silver-eye]; muscle; RU (833)
- MAM *Antechinus stuartii* Macleay, 1841 [brown antechinus]; muscle; RU (826, 830)
- MAM *Antechinus swainsonii* (Waterhouse, 1840) [dusky antechinus]; muscle; RU (826, 830)
- MAM *Bos taurus* Linnaeus, 1758 [ox]; muscle, foetus, placenta, antibodies (CFT); RU, R3, R6, R7, R8, R12 (298, 818, 820, 692, 1037, 1042, 1060)
- MAM *Canis familiaris dingo* Linnaeus, 1758 [dingo]; faeces; R2, R5 (67, 375)
- MAM *Canis familiaris* Linnaeus, 1758 [dog]; intestines, faeces; RU, R1, R2, R6, R8 (95, 167, 220, 312, 371, 373, 375, 593, 692, 763, 815, 819, 823, 1040, 1148)
- MAM *Capra hircus* Linnaeus, 1758 [goat]; muscles, antibodies (CFT); R5, R10 (469)
- MAM *Dasyurus hallucatus* (Gould, 1842) [northern quoll]; muscle; RU (606, 692)
- MAM *Dasyurus maculatus* (Kerr, 1792) [tiger quoll]; faeces; RU (830)

- MAM *Delphinus* sp.; muscle; RU (830)
- MAM *Dendrolagus lumholtzi* Collett, 1884 [Lumholtz's tree-kangaroo]; muscle; R1 (1086)
- MAM *Felis catus* Linnaeus, 1758 [cat]; faeces; R2, R3 (220, 312, 373, 375, 424, 828, 830, 840)
- MAM *Homo sapiens* Linnaeus, 1758 [human], muscle, antibodies (ELISA), faeces; R1, R2, R5 (692, 763, 861, 924, 925)
- MAM *Hydromys chrysogaster* Geoffroy, 1804 [water rat]; muscle; RU, R1 (830, 1074)
- MAM *Isoodon macrourus* (Gould, 1842) [northern brown bandicoot]; muscle; RU (830)
- MAM *Isoodon obesus* (Shaw, 1797) [southern brown bandicoot]; skeletal muscle; RU (606, 691)
- MAM *Macropus agilis* (Gould, 1842) [agile wallaby]; skeletal muscle; RU (830, 1083, 1086)
- MAM *Macropus giganteus* Shaw, 1790 [eastern grey kangaroo]; muscle; RU (826, 830)
- MAM *Macropus rufogriseus* (Desmarest, 1817) [Bennett's wallaby]; gut wall, muscle; RU, zoo (UK) (606, 826, 830, 1054, 1165)
- MAM *Macropus rufus* (Desmarest, 1822) [red kangaroo]; muscle; RU, R4 (30, 826, 830, 1086)
- MAM *Mastacomys fuscus* Thomas, 1882 [broad-toothed rat]; muscle; RU (830)
- MAM *Melomys cervinipes* (Gould, 1852) [fawn-footed melomys]; muscle; R1 (830)
- MAM *Melomys littoralis* (Lonnberg, 1916) [climbing rat]; muscle, R1 (830)
- MAM *Mus musculus* Linnaeus, 1758 [house mouse]; muscle; RU (830)
- MAM *Oryctolagus cuniculus* (Linnaeus, 1758) [rabbit]; muscle; RU (830)
- MAM *Ovis aries* Linnaeus, 1758 [sheep]; muscle, brain, foetal tissues, antibodies (CFT); R2, R3, R5 (311, 371, 375, 458, 530, 739, 815, 818, 819, 828)
- MAM *Pseudochorus concinna* Gould, 1842 [narbarlek]; muscle; RU (826, 830, 1086)
- MAM *Perameles gunii* Gray, 1838 [eastern barred bandicoot]; muscle; RU (830)
- MAM *Perameles nasuta* Geoffroy, 1804 [long-nosed bandicoot]; muscle; RU (830)
- MAM *Petrogale brachyotis* (Gould, 1841) [short-eared rock-wallaby]; muscle; RU (830, 1086)
- MAM *Petrogale penicillata* (Gray, 1825) [brush-tailed rock-wallaby]; muscle; RU (826)
- MAM *Physeter macrocephalus* Linnaeus, 1758 [sperm whale] syn. *P. catodon*; muscle; RU (754, 830, 917)
- MAM *Pseudocheirus archeri* (Collett, 1884) [green ringtail possum]; muscle; RU (830, 1084)
- MAM *Pseudomys higginsi* (Trouessart, 1897) [long-tailed mouse]; muscle; RU (830)
- MAM *Rattus fuscipes* (Waterhouse, 1839) [bush rat]; skeletal muscle; RU, R1 (606, 830, 1033, 1034)
- MAM *Rattus lutreolus* (Gray, 1841) [swamp rat]; muscle; R1, R3 (754, 830)
- MAM *Rattus norvegicus* (Berkenhout, 1769) [brown rat]; muscle; RU (830)
- MAM *Rattus rattus* (Linnaeus, 1758) [black rat]; muscle; RU, R3 (606, 830, 840)
- MAM *Rattus sordidus* (Gould, 1858) [canefield rat]; muscle; R1 (830)
- MAM *Rattus* sp.; diaphragm; R1 (398)
- MAM *Sarcophilus harrisii* (Boitard, 1841) [Tasmanian devil]; faeces, muscle; R3 (830)
- MAM *Sus scrofa* Linnaeus, 1758 [pig]; muscles; R3, R4 (754, 818)
- MAM *Thylagale billardierii* (Desmarest, 1822) [Tasmanian pademelon]; muscle; RU (826, 830)
- MAM *Trichosurus caninus* (Ogilby, 1836) [mountain brushtail possum]; muscle; R1 (830, 969, 973)
- MAM *Trichosurus vulpecula* (Kerr, 1792) [common brushtail possum]; muscle; R1 (830, 970, 973)
- MAM *Uromys caudimaculatus* (Krefft, 1867) [white-tailed rat]; muscle; R1 (830)
- MAM *Vulpes vulpes* (Linnaeus, 1758) [fox]; faeces; R5 (375)
- MAM *Wallabia bicolor* (Desmarest, 1804) [swamp wallaby]; muscle; RU (830, 1086)
- REP *Amphibolurus barbatus* (Cuvier, 1829) [bearded dragon]; muscle; RU (606)
- REP *Austrelaps superbus* (Gunther, 1858) [copperhead]; intestines; RU (833)
- REP *Leiolopisma metallicum* (O'Shaughnessy, 1874); muscle; RU (833)
- REP *Morelia spilotes* (Lacepede, 1804) [carpet python]; faeces, small intestines; R1, R4 (743, 899, 1033)
- REP *Notechis ater* (Krefft, 1866) [black tiger snake]; intestine; RU (833)
- REP *Pseudechis australis* (Gray, 1842) [king brown snake]; faeces; R1 (899)
- REP *Pseudechis porphyriacus* (Shaw, 1794) [red-bellied black snake]; intestines; R5 (743)
- REP *Tararus gouldii* (Gray, 1838) [Gould's goanna]; muscle; RU (833)
- REP *Tararus varius* (White, 1790) [lace monitor]; muscle; RU (833)
- Toxoplasma gondii* (Nicolle & Manceaux, 1908) Nicolle & Manceaux, 1909
- AVE *Casuarius casuarius* (Linnaeus, 1758) [southern cassowary]; brain; RU (1106)
- AVE *Columba livia* Gmelin, 1789 [domestic pigeon]; LU; RU (167)

- AVE *Corvus mellori* Matthews, 1912 [little raven]; LU; RU (167)
- AVE *Ducula spilorrhoa* Gray, 1858 [Torres Strait pigeon]; lung, spleen, brain; R4, R6 (463)
- AVE *Gallus gallus* Linnaeus, 1758 [domestic chicken]; muscles; RU (167, 801)
- AVE *Platycercus elegans* (Gmelin, 1788) [crimson rosella]; lung; R1 (463)
- AVE *Polytelis anthopeplus* (Lear, 1831) [regent parrot]; lung, liver, spleen; R5 (463)
- AVE *Ptilorhynchus violaceus* (Vieillot, 1816) [satin bowerbird]; liver, spleen, intestine; R5 (463)
- AVE *Pycnonotus jocosus* (Linnaeus, 1758) [red-whiskered bulbul]; liver, spleen, muscle; R2 (463)
- AVE *Sericulus chrysocephalus* (Lewin, 1808) [regent bowerbird]; liver, spleen, intestine; R2 (463)
- AVE *Serinus canaria* Linnaeus, 1758 [canary]; central nervous system; RU, R2 (167, 667)
- MAM *Antechinus stuartii* Macleay, 1841 [brown antechinus]; tissue cysts; RU (38)
- MAM *Bos taurus* Linnaeus, 1758 [ox]; neural tissues, muscles, antibodies (DT, CFT, IFAT); R1, R3 (167, 224, 306, 310, 459, 813, 817, 829, 832, 1041, 1085)
- MAM *Canis familiaris dingo* Linnaeus, 1758 [dingo]; antibodies (DAT); R2 (555)
- MAM *Canis familiaris* Linnaeus, 1758 [dog]; various tissues, antibodies (CFT, HAT); RU, R1, R2 (167, 224, 310, 459, 692, 1059, 1060, 1222, 1238, 1247)
- MAM *Capra hircus* Linnaeus, 1758 [goat]; various tissues, antibodies (IFAT, IHAT); RU, R2, R3 (167, 747, 831, 853, 875, 910, 1102)
- MAM *Dasyurus (syn. Dasyuroides) byrnei* (Spencer, 1896) [kowari]; tissue cysts, RU (38)
- MAM *Dasyurus cristicauda* (Krefft, 1867) [mulgara]; tissue cysts; RU (38)
- MAM *Dendrolagus lumholtzi* Collett, 1884 [Lumholtz's tree-kangaroo]; LU, R6, zoo (Aust.) (167)
- MAM *Equus caballus* Linnaeus, 1758 [horse]; muscle, antibodies (CFT); R1 (167, 224, 310)
- MAM *Felis catus* Linnaeus, 1758 [cat]; faeces, various tissues, antibodies (LAT, HAT, IHAT, ELISA), R1, R2, R3, R4, R5, R6, R8 (167, 222, 224, 296, 310, 373, 424, 459, 494, 519, 692, 763, 781, 825, 829, 957, 1059, 1060, 1065, 1085, 1086, 1102, 1134, 1148, 1222, 1238, 1243)
- MAM *Homo sapiens* Linnaeus, 1758 [human], brain, lymph nodes, antibodies (CFT, DT, IHAT, DAT, LAT, IFAT, ELISA); RU, R1, R2, R3, R4, R5, R6, R9 (41, 167, 223, 248, 249, 310, 325, 388, 436, 437, 494, 527, 534, 536, 537, 544, 547, 559, 621, 692, 781, 812, 827, 901, 925, 1010, 1011, 1032, 1060, 1063, 1102, 1116, 1129, 1132, 1219)
- MAM *Hydromys chrysogaster* Geoffroy, 1804 [water rat]; brain; kidney, muscle, heart, antibodies (CFT); R1, R2, R3 (167, 224, 398, 399, 907, 1060, 1073, 1074, 1079, 1080)
- MAM *Isoodon obesulus* (Shaw, 1797) [southern brown bandicoot]; lung, brain, antibodies (CFT); R1 (224, 826, 961, 962, 1060)
- MAM *Lasiorhinus latifrons* (Owen, 1845) [southern hairy-nosed wombat]; LU; RU (303)
- MAM *Macropus agilis* (Gould, 1842) [agile wallaby]; heart; RU (1083, 1086)
- MAM *Macropus eugenii* (Desmarest, 1817) [tammar wallaby]; various tissues, antibodies (IHAT); R2, R6, zoo (EUR, USA) (167, 296, 297, 519, 528, 944, 985, 986)
- MAM *Macropus fuliginosus* (Desmarest, 1817) [western grey kangaroo]; various tissues, antibodies (IHA, LAT, MAT, DT); zoo (USA) (309, 310)
- MAM *Macropus giganteus* Shaw, 1790 [eastern grey kangaroo]; various tissues, antibodies (IHAT); RU, zoo (USA) (528, 944, 1086)
- MAM *Macropus parma* Waterhouse, 1846 [parma wallaby]; various organs; R6, zoo (Aust., USA) (167, 310, 1240)
- MAM *Macropus robustus* Gould, 1841 [common wallaroo]; lungs, antibodies (IHAT, CSFA); zoo (USA) (100, 310, 1002)
- MAM *Macropus rufogriseus* (Desmarest, 1817) [Bennett's wallaby]; various tissues, antibodies (DAT, MAT, ELISA), R3, zoo (USA, UK, EUR) (31, 36, 167, 310, 434, 521, 551, 553, 725, 784, 826, 981, 1086, 1102)
- MAM *Mus musculus* Linnaeus, 1758 [house mouse]; brain, peritoneum; RU, R3, R5 (81, 225, 247, 249, 296, 329, 435, 436, 437, 531, 535, 538, 539, 540, 541, 542, 543, 544, 545, 546, 548, 550, 558, 560, 680, 682, 683, 722, 829, 903, 938, 1060, 1077, 1079, 1129, 1132, 1134, 1135)
- MAM *Neophoca cinerea* (Peron, 1816) [Australian sea-lion]; heart; RU (348)
- MAM *Ovis aries* Linnaeus, 1758 [sheep]; various tissues, antibodies (DT, CFT, IFAT, IHAT, ELISA); RU, R1, R2, R3, R4, R5, R6 (167, 225, 281, 308, 310, 455, 456, 457, 460, 692, 806, 807, 809, 810, 816, 817, 832, 837, 848, 849, 850, 888, 914, 956, 957, 958, 1059, 1060, 1077, 1078, 1079, 1085, 1086, 1109, 1134, 1238)
- MAM *Parantechinus apicalis* (Gray, 1842) [dibbler]; tissue cysts; RU (38)
- MAM *Parantechinus macdonnellensis* (Spencer, 1896) [fat-tailed antechinus]; tissue cysts; RU (38)
- MAM *Perameles gunnii* Gray, 1838 [eastern barred bandicoot]; central nervous system; R3 (911)
- MAM *Perameles nasuta* Geoffroy, 1804 [long-nosed bandicoot]; brain, antibodies (CFT); R1 (224, 826, 961, 962)

- MAM *Petrogale xanthopus* Gray, 1855 [yellow-footed rock-wallaby]; LU; RU (310)
- MAM *Phascolarctos cinereus* (Goldfuss, 1817) [koala]; various tissues; RU, R1, zoo (Aust.) (31, 168, 288, 462, 826, 899)
- MAM *Potorous tridactylus* (Kerr, 1792) [long-nosed potoroo]; lungs, liver, muscle, antibodies (IHAT); zoo (USA) (528, 944)
- MAM *Rattus fuscipes* (Waterhouse, 1839) [allied rat]; various organs, antibodies (CFT); R1 (167, 224, 692, 961)
- MAM *Rattus norvegicus* (Berkenhout, 1769) [brown rat]; brain, antibodies (CFT); R1 (224, 692, 961)
- MAM *Rattus* sp.; diaphragm, brain; R1 (398)
- MAM *Setonix brachyurus* (Quoy & Gaimard, 1830) [quokka]; muscle, brain, kidney, antibodies (DT); R6 (167, 310, 390, 826, 1086)
- MAM *Sminthopsis crassicaudata* (Gould, 1844) [fat-tailed dunnart]; tissue cysts; RU (38)
- MAM *Sminthopsis laniger* (Gould, 1856) [kultarr]; tissue cysts; RU (38)
- MAM *Sminthopsis leucopus* (Gray, 1842) [white-footed dunnart]; tissue cysts; RU (38)
- MAM *Sminthopsis macroura* (Gould, 1845) [stripe-faced dunnart]; tissue cysts; RU (38)
- MAM *Sus scrofa* Linnaeus, 1758 [pig]; muscles; antibodies (IFAT); R3, R5 (167, 307, 310, 550, 817, 1019, 1085)
- MAM *Thylogale billanieri* (Desmarest, 1822) [Tasmanian pademelon]; various tissues, antibodies (DT, DAT, MAT, ELISA); R3 (31, 167, 551, 553, 811, 826, 905, 1086)
- MAM *Vombatus ursinus* (Shaw, 1800) [common wombat]; various organs; RU (28, 31, 168, 303, 972, 1102)
- MAM *Wallabia bicolor* (Desmarest, 1804) [swamp wallaby]; various organs; RU, zoo (USA), (310, 1141, 1086)
- Toxoplasma wenyonii** Coutelen, 1932
- MAM *Vombatus ursinus* (Shaw, 1800) [common wombat]; brain; zoo (UK) (229, 310)
- Toxoplasma** (unidentified species)
- AVE *Corvus coronoides* (Vigors & Horsfield, 1827) [Australian raven]; various tissues; R1 (224)
- AVE *Leucosarcia melanoleuca* (Latham, 1801) [wonga pigeon]; liver, spleen, intestines, lung; R2 (463, 989)
- AVE *Ninox strenua* (Gould, 1838) [powerful owl]; liver, lung; R2 (989)
- AVE *Passer domesticus* (Linnaeus, 1758) [house sparrow]; leucocytes; R2 (641, 1059)
- AVE *Polytelis swainsonii* (Desmarest, 1826) [superb parrot]; liver, lung, spleen; R2 (463, 989)
- MAM *Antechinus minimus* (Geoffroy, 1803) [swamp antechinus]; LU; RU (826)
- MAM *Antechinus swainsonii* (Waterhouse, 1840) [dusky antechinus]; LU; RU (826)
- MAM *Dasyurus* sp.; various tissues, immunolabelling; RU (168)
- MAM *Dasyurus viverrinus* (Shaw, 1800) [eastern quoll]; lung; RU (1059)
- MAM *Macropus rufus* (Desmarest, 1822) [red kangaroo]; various organs; RU, zoo (USA) (438, 528, 1086)
- MAM *Macropus* sp.; various tissues, antibodies (IHAT); RU, zoo (USA) (168, 981, 1002)
- MAM *Macrotis lagotis* (Reid, 1837) [bilby]; various tissues; RU (168)
- MAM *Melomys cervinipes* (Gould, 1852) [fawn-footed melomys]; brain, antibodies (CFT); R1 (224)
- MAM *Melomys littoralis* (Lonnberg, 1916) [climbing rat]; antibodies (CFT); R1 (224)
- MAM *Myrmecobius fasciatus* Waterhouse, 1836 [numbat]; various tissues; RU (168)
- MAM *Oryctolagus cuniculus* (Linnaeus, 1758) [rabbit]; brain, antibodies (IFAT); RU, R3 (692, 811, 1059, 1060, 1238)
- MAM *Perameles* sp.; various tissues; RU (168)
- MAM *Phascogale tapoatafa* (Meyer, 1793) [brush-tailed phascogale]; brain; R1 (224, 826)
- MAM *Pseudocheirus* sp.; various tissues, immunolabelling; RU (168)
- MAM *Rattus sordidus* (Gould, 1858) [canefield rat]; antibodies (CFT); R1 (224)
- MAM *Rattus rattus* (Linnaeus, 1758) [black rat]; antibodies (CFT); R1 (224)
- MAM *Trichosurus vulpecula* (Kerr, 1792) [common brushtail possum]; brain, heart, antibodies (CFT); R1, R2 (224, 826, 970, 973, 1060)
- MAM *Uromys caudimaculatus* (Krefft, 1867) [white-tailed rat]; antibodies (CFT); R1 (224)
- Unidentified coccidian cysts**
- MAM *Bos taurus* Linnaeus, 1758 [ox]; foetal brain; R2 (941)
- MAM *Macropus rufus* (Desmarest, 1822) [red kangaroo]; adipose tissue; R4 (315)

HAEMATOZOA

HAEMOSPORIDA

PLASMODIIDAE

Billbraya australis Paperna & Landau, 1990

REP *Phyllodactylus marmoratus* (Gray, 1845) [marbled gecko]; blood; R5 (927)

Fallisia copemani Paperna & Landau, 1990

REP *Carlia rhomboidalis* (Peters, 1869); blood; R1 (928, 929, 1048, 1127)

Haemocystidium chelodinae Johnston & Cleland, 1909

REP *Chelodina longicollis* (Shaw, 1794) [long-necked tortoise]; blood; R1 (211, 564, 570, 572, 575, 577, 695)

- REP *Chelodina oblonga* Gray, 1841 [oblong turtle]; blood; R2 (211, 575, 577, 695)
- REP *Elseya dentata* (Gray, 1863) [northern snapping turtle]; blood; RI (695)
- REP *Elseya latisternum* Gray, 1867 [saw-shelled turtle]; blood; RI (695)
- REP *Emydura kreffti* (Gray, 1871) [Krefft's river turtle]; blood; RI (211, 212, 572, 575, 695)
- REP *Emydura macquarii* (Gray, 1830) [Murray turtle]; blood; R2 (577, 581, 695)
- Haemocystidium* (unidentified species)**
- REP *Oedura tigris* De Vis, 1884 [southern spotted velvet gecko]; blood; RI (577, 581)
- Haemoproteus columbae* Kruse, 1890**
- AVE *Columba livia* Gmelin, 1789 [domestic pigeon]; blood; R6 (694)
- AVE *Ptilinopus superbus* (Temminck, 1810) [superb fruit-dove]; blood; RI (128, 217, 581, 694)
- Haemoproteus danilewskyi* Kruse, 1890; syn. *Plasmodium danilewskv* Grassi & Feletti, 1890**
- AVE *Acanthocheira chrysoptera* (Latham, 1801) [little wattlebird]; blood; RI (217, 579, 581, 694)
- AVE *Ardea novaehollandiae* Latham, 1790 [white-faced heron]; blood; RI (128, 217, 581, 694)
- AVE *Chlamydera nuchalis* (Jardine & Selby, 1830) [great bowerbird]; blood; RI (128, 217, 581, 694)
- AVE *Cracticus destructor* Temminck, 1824 [butcherbird]; blood; RI (128, 217, 581)
- AVE *Cracticus torquatus* (Latham, 1801) [grey butcherbird]; blood; RI (128, 694)
- AVE *Dicrurus hottentottus* (Linnaeus, 1766) [spangled drongo]; blood; RI (128, 217, 581, 694)
- AVE *Eudynamys cyanocephala* Latham, 1801 [cuckoo]; blood; RI (128, 217, 581)
- AVE *Eudynamys orientalis* (Linnaeus, 1766) [koel]; blood; RI (694)
- AVE *Gymnorhina leuconota* (Gould, 1837) [white-backed magpie]; blood; zoo (UK) (579, 694, 959)
- AVE *Haliaeetus cirrenensis* Vieillot, 1817 [white-headed sea-eagle]; blood; RI (128, 217, 581, 694)
- AVE *Megalurus gramineus* (Gould, 1845) [little grassbird]; blood; RI (128, 217, 581, 694)
- Haemoproteus gehyrae* Paperna & Landau, 1991**
- REP *Gehyra australis* Gray, 1845 [northern dtella]; blood; RI (930)
- Haemoproteus geocichlae* (Cleland & Johnston, 1909); syn. *Halteridium geocichlae* Cleland & Johnston, 1909**
- AVE *Zosterops damma* (Latham, 1801) [mountain thrush]; blood; R2 (206, 208, 211, 217, 570, 571, 578, 579)
- Haemoproteus mackerrasi* Paperna & Landau, 1991; syn. *Haemocystidium simondi* Castellani &**
- Willey, 1904; syn. *Haemoproteus simondi* (Castellani & Willey) Wenyon, 1926
- REP *Gehyra variegata* (Dumeril & Bibron, 1836) [tree dtella]; blood; RI (40, 695)
- REP *Heteronotia binoei* (Gray, 1845) [Bynoe's gecko]; blood; RI (40, 695, 930)
- REP *Oeduratigris* De Vis, 1884 [southern spotted velvet gecko]; blood; RI (40, 695)
- REP *Phyllurus platurus* (White, 1790) [southern leaf-tailed gecko]; blood; R2 (40, 695)
- Haemoproteus nettionis* (Johnston & Cleland, 1909); syn. *Halteridium nettionis* Johnston & Cleland, 1909; syn. *Halteridium netti* Johnston, 1910**
- AVE *Anas castanea* (Eyton, 1838) [chestnut teal]; blood; R2 (74, 208, 211, 217, 568, 570, 571, 578, 579, 694)
- AVE *Anas gibberifrons* Muller, 1842 [grey teal]; blood; R2 (74)
- AVE *Anas superciliosa* Gmelin, 1789 [Pacific black duck]; blood; R2 (74, 694)
- AVE *Anser anser domesticus* Linnaeus 1758 [domestic goose]; blood; RU (801)
- AVE *Chenonetta jubata* (Latham, 1801) [maned duck]; blood; R2 (74)
- AVE *Tadorna tadornoides* (Jardine & Selby, 1828) [chesnut-breasted shelduck]; blood; R2, zoo (UK) (74, 579, 694, 959)
- Haemoproteus noctuae* Celli & San Felice, 1891**
- AVE *Ninox boobook* Latham, 1801 [boobook owl]; blood; RI (128, 217, 581)
- AVE *Ninox novaeseelandiae* (Gmelin, 1788) [southern boobook]; blood; RI (128, 581, 694)
- AVE *Ninox strenua* (Gould, 1838) [powerful owl]; blood; RI (216, 217, 581, 694)
- Haemoproteus oedurae* Paperna & Landau, 1991**
- REP *Oedura castelnau* (Thominot, 1889) [northern velvet gecko]; blood; RI (930)
- Haemoproteus ptilotis* (Cleland & Johnston, 1909); Bennett et al., 1994; syn. *Haemoproteus philemon* (Cleland & Johnston, 1909) Coatey, 1936; syn. *Halteridium philemon* Cleland & Johnston, 1909; syn. *Halteridium ptilotis* Cleland & Johnston, 1909**
- AVE *Lichenostomus chrysops* (Latham, 1801) [yellow-faced honeyeater]; blood; R2 (206, 208, 211, 216, 217, 570, 571, 578, 579, 694)
- AVE *Lichenostomus fuscus* (Gould, 1837) [brown honeyeater]; blood; RI (210, 217, 579, 581, 694)
- AVE *Lichenostomus melanops* (Latham, 1801) [yellow-tufted honeyeater]; blood; zoo (UK) (694, 960)
- AVE *Lichenostomus penicillatus* (Gould, 1837) [white-plumed honeyeater]; blood; R4 (694)

- AVE *Lichenostomus plumulus* (Gould, 1841) [yellow-fronted honeyeater]; blood; R6 (208, 211, 212, 217, 571, 578, 579, 694)
- AVE *Lichenostomus virescens* (Vieillot, 1817) [singing honeyeater]; blood; R5 (210, 217, 579)
- AVE *Manorina melanocephala* (Latham, 1801) [noisy miner]; blood; R1 (75)
- AVE *Philemon corniculatus* (Latham, 1790) [noisy friarbird]; blood; R1, R2 (128, 206, 208, 210, 211, 217, 570, 571, 578, 579, 581, 694)
- AVE *Phylidonyris novaehollandiae* (Latham, 1790) [yellow-winged honeyeater]; blood; R2 (206, 208, 211, 217, 570, 571, 578, 579, 694)
- Haemoproteus underwoodsauri*** Paperna & Landau, 1991
- REP *Underwoodsaurus milii* (Bory de Saint-Vincent, 1825) [thick-tailed gecko]; blood; R5 (930)
- Haemoproteus* (unidentified species)**
- AVE *Acanthogenys rufogularis* Gould, 1838 [spiny-cheeked honeyeater]; blood; R4 (217, 216, 694)
- AVE *Alectura lathami* Gray, 1831 [Australian brush turkey]; blood; R1 (210, 216, 217, 579, 581, 694)
- AVE *Aphelocephala leucopsis* (Gould, 1840) [southern whiteface]; blood; R5 (210, 217, 579, 694)
- AVE *Barnardius semitorquatus* (Quoy & Gaimard, 1830) [twenty-eight parrot]; blood; RU (694)
- AVE *Cacatua galerita* (Latham, 1790) [sulphur-crested cockatoo]; blood; R1 (694)
- AVE *Columba livia* Gmelin, 1789 [domestic pigeon]; blood; R1 (899)
- AVE *Corvus orru* Bonaparte, 1851 [Torresian crow]; blood; R1 (899)
- AVE *Dacelo novaeguineae* (Hermann, 1783) [kookaburra]; blood; R2 (217, 571, 578, 579, 694, 1232)
- AVE *Dicaeum hirundinaceum* (Shaw, 1792) [mistletoe bird]; blood; R1 (217, 216, 694)
- AVE *Entomyzon cyanotis* (Latham, 1801) [blue-faced honeyeater]; blood; R1 (210, 217, 579, 581, 694)
- AVE *Eudynamys cyanocephala* Latham, 1801 [cuckoo]; blood; R1 (217)
- AVE *Eudynamys scolopacea* (Linnaeus, 1758) [common koel]; blood; R1 (899)
- AVE *Ardeotis australis* (Gray, 1829) [plain turkey]; blood; R1 (694)
- AVE *Falco cenchroides* Vigors & Horsfield, 1827 [Nankeen kestrel]; blood; R1 (899)
- AVE 'Gerygone albogularis'; blood; RU, R1 (216, 217)
- AVE *Gerygone olivacea* (Gould, 1838) [white-throated gerygone]; blood; R1 (694)
- AVE *Grallina picata* Latham, 1801 [Australian magpie lark]; blood; R1 (210, 217, 579, 581, 694)
- AVE *Gymnorhina tibicen* (Latham, 1801) [Australian magpie]; blood; R4 (694)
- AVE *Lichenostomus penicillatus* (Gould, 1837) [white-plumed honeyeater]; blood; R4, zoo (UK) (216, 217, 445)
- AVE *Manorina flavigula* (Gould, 1839) [yellow-throated miner]; blood; R4 (210, 217, 579, 694)
- AVE *Manorina melanocephala* (Latham, 1801) [noisy miner]; blood; R1 (210, 217, 579, 581, 694)
- AVE *Melithreptus brevirostris* (Vigors & Horsfield, 1827) [brown-headed honeyeater]; blood; R5 (217, 694)
- AVE *Melithreptus lunatus* (Vieillot, 1802) [white-naped honeyeater]; blood; R2 (208, 211, 212, 571, 578, 579, 694)
- AVE *Melithreptus validirostris* (Gould, 1837) [strong-billed honeyeater]; blood; R2 (216, 694)
- AVE *Merops ornatus* Latham, 1801 [rainbow bee-eater]; blood; R1 (210, 217, 579, 581, 694)
- AVE *Microeca fascinans* (Latham, 1801) [brown flycatcher]; blood; R1 (210, 217, 579, 581, 694)
- AVE *Myiagra rubecula* (Latham, 1801) [leaden flycatcher]; blood; R2 (208, 211, 212, 217, 571, 578, 579, 694)
- AVE *Myzomela sanguineolenta* (Latham, 1801) [scarlet honeyeater]; blood; R1 (210, 216, 217, 579, 581, 694)
- AVE *Ninox boobook* Latham, 1801 [boobook owl]; blood; R1 (208, 211, 212, 216, 217, 579, 581)
- AVE *Oriolus sagittatus* (Latham, 1801) [olive-backed oriole]; blood; R1 (210, 579, 581, 694)
- AVE *Pardalotus melanocephalus* (Gould, 1838) [black-headed pardalote]; blood; R1 (210, 216, 217, 581, 694)
- AVE *Petroica phoenicea* Gould, 1837 [flame robin]; blood; R4 (210, 217, 579, 694)
- AVE *Philemon corniculatus* (Latham, 1790) [noisy friarbird]; blood; R2 (217)
- AVE *Platycercus adelaide* Gould, 1840 [Adelaide rosella]; blood; R5 (210, 217, 579, 694)
- AVE *Podargus strigoides* (Latham, 1801) [tawny frogmouth]; blood; R1 (694)
- AVE *Pomatostomus superciliosus* (Vigors & Horsfield, 1827) [white-browed babbler]; blood; R5 (208, 211, 212, 217, 571, 579, 694)
- AVE *Ptilorhynchus violaceus* (Vieillot, 1816) [satin bowerbird]; blood; R2, zoo (UK) (694, 1234)
- AVE *Sphecotheres viridis* Vieillot, 1816 [figbird]; blood; RU (217)

- AVE *Strepera graculina* (Shaw, 1790) [pied currawong]; blood; R1, R2 (461, 694, 699)
- AVE *Threskiornis molucca* Cuvier, 1829 [white ibis]; blood; R1 (899)
- AVE *Zosterops caerulescens* Latham, 1801 [silver-eye]; blood; R1, R2 (208, 210, 211, 212, 571, 578, 579, 581, 641, 694)
- AVE 'Zosterops dorsalis'; blood; RU (217)
- REP *Anphibolurus caudicinctus* (Gunther, 1875) [ring-tailed dragon]; blood; R9 (900)
- Hemolivia mariae** Smallridge & Paperna, 1997
- ART *Amblyomma limbatum* Neumann, 1899 [reptile tick]; intestines; R5 (1076)
- REP *Trachydosaurus rugosus* Gray, 1825 [sleepy lizard]; blood; R5 (1076)
- Hepatocystis levinei** Landau et al., 1985
- ART *Culicoides mureculus* Macfie, 1758; gut, salivary glands (exptl. infection); R1 (623)
- MAM *Pteropus poliocephalus* Temminck, 1825 [grey-headed flying-fox]; blood, liver; R1 (623)
- Hepatocystis pteropi** (Breinl, 1913) Lawrence, 1955; syn. *Plasmodium pteropi* Breinl, 1913
- MAM *Pteropus colinus* Anderson, 1908; blood; R1 (692, 744)
- MAM *Pteropus conspicillatus* Gould, 1850 [spectacled flying-fox]; blood; R1 (64, 345, 692, 693)
- MAM *Pteropus geddiei* MacGillivray, 1860; blood; R1 (692, 744)
- MAM *Pteropus gouldii* Peters, 1867; blood; R1 (64, 128, 345, 387, 581, 642, 692, 693, 726)
- MAM *Pteropus poliocephalus* Temminck, 1825 [grey-headed flying-fox]; blood; R1 (387, 692, 693)
- MAM *Pteropus sacopatus* Peters, 1862 [little red flying-fox]; blood, R1 (64, 345, 642, 692, 693)
- MAM *Pteropus* sp.; blood, RU (286)
- Hepatocystis** (unidentified species)
- MAM *Dobsonia moluccense* (Quoy & Gaimard, 1810) [bare-backed fruit-bat]; blood; R9 (692, 726)
- MAM *Pteropus alecto* Temminck, 1837 [black flying-fox]; blood; R1 (899)
- Leucocytozoon anellophiae** (Cleland & Johnston, 1911) Johnston, 1912
- AVE *Acanthochaera chrysoptera* (Latham, 1801) [little wattlebird]; blood; R1 (75, 216, 217, 579, 581, 694)
- AVE *Acanthogenys rufogularis* Gould, 1838 [spiny-cheeked honeyeater]; blood; R1 (216, 217, 694)
- AVE *Entomyzon cyanotis* (Latham, 1801) [blue-faced honeyeater]; blood; R1 (210, 216, 217, 579, 581, 694)
- AVE *Lichenostomus fuscus* (Gould, 1837) [brown honeyeater]; blood; R1 (210, 216, 217, 579, 581, 694)
- AVE *Manorina melanocephala* (Latham, 1801) [noisy miner]; blood; R1 (75, 210, 216, 217, 579, 581, 694)
- AVE *Myzomela sanguineolenta* (Latham, 1801) [scarlet honeyeater]; blood; R1 (210, 216, 217, 579, 581, 694)
- AVE *Philemon corniculatus* (Latham, 1790) [noisy friarbird]; blood; R1 (128, 217, 581, 694)
- AVE *Sphecotheres viridis* Vieillot, 1816 [figbird]; blood; R1 (210, 217, 216, 579, 581)
- Leucocytozoon caprimulgii** Kerandel, 1913
- AVE *Podargus strigoides* (Latham, 1801) [tawny frogmouth]; blood; R1 (217, 581, 694)
- Leucocytozoon danilewskyi** Ziemann, 1898
- AVE *Ninox novaeseelandiae* (Gmelin, 1788) [southern boobook]; blood; R4 (694)
- Leucocytozoon sakharoffi** Sambon, 1908
- AVE *Corcorax melanorhamphos* (Vieillot, 1817) [white-winged chough]; blood; R1 (210, 216, 217, 579, 581, 694)
- Leucocytozoon vandenbrandeni** Rodhain, 1931
- AVE *Phalacrocorax melanoleucos* (Vieillot, 1817) [little pied cormorant]; blood; R4 (694)
- Lencocytozoon** (unidentified species)
- AVE 'Ailuroedus smithi'; blood; R1 (217)
- AVE *Alisterus scapularis* (Lichtenstein, 1816) [Australian king-parrot]; tissues; zoo (UK) (1216)
- AVE *Climacteris picumnus* Temminck, 1824 [brown treecreeper]; blood; R4 (694)
- AVE *Geopelia humeralis* (Temminck, 1821) [bar-shouldered dove]; liver, heart, kidney; R2 (989)
- AVE *Gymnorhina tibicen* (Latham, 1801) [Australian magpie]; blood, spleen; R1, R2 (461, 694, 989)
- AVE *Lichenostomus penicillatus* (Gould, 1837) [white-plumed honeyeater]; blood; zoo (UK) (445)
- AVE *Menura novaehollandiae* Latham, 1801 [superb lyrebird]; various organs; R2 (487, 989)
- AVE *Neophema pulchella* (Shaw, 1792) [turquoise parrot]; tissues; zoo (EUR, UK) (1053, 1216)
- AVE *Ninox connivens* (Latham, 1801) [barking owl]; blood; R1 (899)
- AVE *Nycticorax caledonicus* (Gmelin, 1789) [rufous night heron]; heart; R2 (989)
- AVE *Oriolus sagittatus* (Latham, 1801) [olive-backed oriole]; blood; R1 (210, 216, 579, 581, 694)
- AVE *Pandalotus melanocephalus* (Gould, 1838) [black-headed pardalote]; blood; R1 (210, 581, 694)
- AVE *Platycercus adelaide* Gould, 1840 [Adelaide rosella]; tissues; zoo (UK) (382, 1216)

- AVE *Platycercus elegans* (Gmelin, 1788) [crimson rosella]; various tissues; zoo (EUR, UK) (382, 1053)
- AVE *Platycercus eximius* (Shaw, 1792) [eastern rosella]; tissues; zoo (EUR, UK) (382, 1053)
- AVE *Platycercus icterotis* (Kuhl, 1820) [western rosella]; tissues; zoo (EUR) (1053)
- AVE *Podargus strigoides* (Latham, 1801) [tawny frogmouth]; blood; R1 (216)
- AVE *Polytelis alexandrae* Gould, 1863 [Alexandra's parrot]; various tissues; zoo (EUR) (1053)
- AVE *Polytelis anthopeplus* (Lear, 1831) [regent parrot]; various tissues; zoo (EUR) (1053)
- AVE *Ptilorhynchus violaceus* (Vieillot, 1816) [satin bowerbird]; blood; zoo (UK) (694, 1234)
- AVE *Sphecotheres vieilloti* Vigors & Horsfield, 1827 [southern figbird]; blood; R1 (694)
- AVE *Strepera graculina* (Shaw, 1790) [pied currawong]; blood, muscle, heart, lung, liver; R2 (461, 694)
- Pirhemocyon tarentolae*** Chatton & Blanc, 1914
- REP *Gehyra variegata* (Dumeril & Bibron, 1836) [tree dtella]; blood; R1 (695, 1094)
 - REP *Phyllurus platurus* (White, 1790) [southern leaf-tailed gecko]; blood; R2 (66, 695)
- Pirhemocyon*** (unidentified species)
- REP *Morelia spilotes* (Lacepède, 1804) [carpet python]; blood; R1 (695)
- Plasmodium berghei*** Vincke & Lips, 1948 emend. Garnham, 1966
- MAM *Mus musculus* Linnaeus, 1758 [house mouse]; blood (exptl. infection); R1, R2 (614)
- Plasmodium biziurae*** Gilruth et al., 1910 emend. Garnham, 1966; syn. *Proteosoma biziurae* Gilruth et al., 1910
- AVE *Anas superciliosa* Gmelin, 1789 [Pacific black duck]; blood; RU (694)
 - AVE *Biziura lobata* (Shaw, 1796) [musk duck]; blood; zoo (Aust.) (217, 392, 579, 694)
 - AVE *Cygnus atratus* (Latham, 1790) [black swan]; blood; R1 (215, 216, 217, 446, 581, 694)
 - AVE *Malacorhynchus membranaceus* (Latham, 1801) [pink eared duck]; blood; R1 (694)
- Plasmodium egeriae*** Mackerras, 1961
- REP *Egernia major* (Gray, 1845) [land mullet]; blood; R1 (40, 387, 695, 1048, 1127)
- Plasmodium falciparum*** Welch, 1897
- ART *Anopheles amictus* Edwards, 1921 [anopheline mosquito]; salivary glands (exptl. infection); R1 (90, 685, 1088, 1089)
 - ART *Anopheles annulipes* Walker, 1856 [common Australian anopheline]; salivary glands (exptl. infection); R1 (90, 685, 1006, 1088, 1089)
- ART *Anopheles bancrofti* Giles, 1902 [black Australian anopheline]; salivary glands (exptl. infection); R1 (90, 685)
- ART *Anopheles farauti* Laveran, 1902 [Australian malaria mosquito]; salivary glands (exptl. infection); R1 (90, 685, 1088, 1089)
- ART *Anopheles hilli* Woodhill & Lee, 1944 [anopheline mosquito]; gut (exptl. infection); R1 (685)
- ART *Anopheles punctulatus* Dönitz, 1901 [anopheline mosquito]; salivary glands (exptl. infection); R1 (22, 194, 342, 344, 687, 688, 690, 1066, 1088, 342, 690, 344, 22, 1006, 1089)
- ART *Anopheles stigmaticus* Skuse, 1889 [anopheline mosquito]; salivary glands (exptl. infection); R1 (90, 685)
- MAM *Homo sapiens* Linnaeus, 1758 [human]; blood; RU, R1, R2, R3, R8, R9 (22, 80, 84, 85, 87, 88, 89, 90, 91, 129, 194, 240, 342, 343, 344, 370, 510, 567, 581, 685, 686, 687, 688, 690, 692, 878, 1006)
- Plasmodium giganteum*** Theiler, 1930 [*P. g. australis* subsp. Mackerras, 1961]
- REP *Amphibolurus barbatus* (Cuvier, 1829) [bearded dragon]; blood; R1 (40, 387, 695, 1127)
- Plasmodium mackerrasae*** Telford, 1979
- REP *Egernia cunninghami* (Gray, 1832) [Cunningham's skink]; blood; R1 (1048, 1126, 1127)
 - REP *Egernia striolata* (Peters, 1870) [tree skink]; blood; R1 (1048, 1126, 1127)
 - REP *Egernia whitii* (Lacepède, 1804) [White's skink]; blood (exptl. infection); R1 (1048, 1126, 1127)
- Plasmodium malariae*** (Feletti & Grassi, 1889) Int. Comm. Zool Nomen., 1954 emend. Garnham, 1966
- ART *Anopheles punctulatus* Dönitz, 1901 [anopheline mosquito]; LU; R1 (1089)
 - MAM *Homo sapiens* Linnaeus, 1758 [human]; blood; RU, R1, R2, R3, R8, R9 (87, 89, 90, 91, 194, 240, 370, 522, 567, 581, 685, 686, 692, 878)
- Plasmodium ovale*** Stephens, 1922 emend. Garnham, 1966
- MAM *Homo sapiens* Linnaeus, 1758 [human]; blood; R8 (90, 91, 370)
- Plasmodium relictum*** (Grassi & Feletti, 1891) Corradetti et al., 1963; syn. *Plasmodium passeris* Johnston & Cleland, 1909; syn. *P. praecox* Grassi & Feletti, 1891
- ART *Culex quinquefasciatus* Say, 1823 [brown house mosquito]; salivary glands (exptl. infection); R1 (643)
 - AVE *Anas gibberifrons* Muller, 1842 [grey teal]; blood; R2 (74)
 - AVE *Larus novaehollandiae* Stephens, 1826 [silver gull]; blood; R2 (643)
 - AVE *Passer domesticus* (Linnaeus, 1758) [house sparrow]; blood; R2 (208, 211, 215, 216, 446, 562, 567, 568, 570, 571, 573, 578, 641, 643, 694)

- AVE *Serinus canaria* Linnaeus, 1758 [canary]; blood (exptl. infection); R1 (643)
- AVE *Sturnus vulgaris* Linnaeus, 1758 [common starling]; blood; R2 (446, 641, 694)
- Plasmodium vaughani* Novy & MacNeal, 1905 emend. Corradetti et al., 1963
- AVE *Manorina melanocephala* (Latham, 1801) [noisy miner]; blood; R1 (75)
- Plasmodium vivax* (Grassi & Feletti, 1890) Int. Comm. Zool. Nomen., 1954 emend. Gamham, 1966
- ART *Anopheles amictus* Edwards, 1921 [anopheline mosquito]; salivary glands (exptl. infection); R1 (90, 685, 1088, 1089)
- ART *Anopheles annulipes* Walker, 1856 [common Australian anopheline]; salivary glands (exptl. infection); R1 (90, 685, 1006, 1088, 1089)
- ART *Anopheles bancrofti* Giles, 1902 [black Australian anopheline]; salivary glands (exptl. infection); R1 (90, 685, 1089)
- ART *Anopheles farauti* Laveran, 1902 [Australian malaria mosquito]; salivary glands (exptl. infection); R1 (90, 685, 1088, 1089)
- ART *Anopheles merauensis* Venhuis, 1932 [anopheline mosquito]; gut (exptl. infection); R1 (90, 685)
- ART *Anopheles punctulatus* Dönitz, 1901 [anopheline mosquito]; salivary glands (exptl. infection); R1 (22, 194, 342, 344, 687, 688, 1006, 1088, 1089)
- ART *Anopheles stigmaticus* Skuse, 1889 [anopheline mosquito]; salivary glands (exptl. infection); R1 (90, 685, 1089)
- MAM *Homo sapiens* Linnaeus, 1758 [human]; blood; RU, R1, R2, R3, R8, R9 (22, 82, 84, 85, 86, 87, 88, 89, 90, 91, 129, 194, 218, 219, 240, 342, 343, 344, 370, 510, 562, 567, 573, 581, 685, 686, 687, 688, 689, 692, 791, 877, 878, 1006, 1250)
- Plasmodium yoelii* Landau & Killick-Kendrick, 1966 emend. Killick-Kendrick, 1974
- MAM *Mus musculus* Linnaeus, 1758 [house mouse]; blood (exptl. infection); R2 (614)
- Plasmodium* (unidentified species)
- ART *Aedes australis* (Frichson, 1842) [saltwater mosquito]; midgut, salivary glands; R2 (641)
- ART *Culex quinquefasciatus* Say, 1823 [brown house mosquito]; gut; R2 (641, 694)
- AVE *Barnardiulus semitorquatus* (Quoy & Gaimard, 1830) [twenty-eight parrot]; blood; RU (694)
- AVE *Falco hypoleucus* Gould, 1840 [grey falcon]; blood; R1 (128, 215, 217, 446, 581, 694)
- AVE *Larus novaehollandiae* Stephens, 1826 [silver gull]; blood; R2 (446, 694)
- AVE *Ninox connivens* (Latham, 1801) [barking owl]; blood; R1 (899)
- AVE *Passer domesticus* (Linnaeus, 1758) [house sparrow]; blood; R2, R5 (432, 641)
- MAM *Homo sapiens* Linnaeus, 1758 [human]; blood; RU, R1, R8, R9 (193, 322, 692, 729, 1235)
- Polychromophilus melanipherus* Dionisi, 1899 emend. Landau et al. 1980
- MAM *Hipposideros semoni* Matschie, 1903 [greater wart-nosed horseshoe-bat]; blood; R1 (387, 692, 693)
- MAM *Eptesicus pumilus* (Gray, 1841) [little cave eptesicus]; blood; R1 (287)
- MAM *Miniopterus blepolis* (Temminck, 1840); blood; R1 (387, 692, 693)
- MAM *Miniopterus schreibersii* (Kuhl, 1817) [common bent-wing bat]; blood; RU, R2, R5 (287, 622, 692, 1234)
- MAM *Nyctophilus bifur* Thomas, 1915 [North Queensland long-eared bat]; blood; R1 (387, 692, 693)
- MAM *Leptadulus pumilis* (Gray, 1841); blood; R1 (387, 692, 693)
- Polychromophilus matrinus* Dionisi, 1899 emend. Landau et al. 1980
- MAM *Miniopterus australis* Tomes, 1858 [little bent-wing bat]; blood; R1 (692, 744)
- Unidentified haemosporidia**
- AVE *Zosterops caeruleiceps* Latham, 1801 [silver-eye]; blood; R2 (208, 212)
- MAM *Miniopterus schreibersii* (Kuhl, 1817) [common bent-wing bat]; blood; RU (692, 767)
- MAM *Myotis myotis* (Bechstein, 1819); blood; RU (692, 767)
- MAM *Myotis nattereri* (Kuhl, 1819); blood; RU (692, 767)
- REP *Crocodylus porosus* Schneider, 1801 [salt water crocodile]; erythrocytes; R1 (919)
- REP *Morelia spilotes* (Lacepede, 1804) [carpet python]; blood; R4 (743)

PIROPLASMIDA

BABESIIDAE

- Babesia bigemina* (Smith & Kilbourne, 1893); syn. *Piroplasma bigeminum* (Smith & Kilbourne, 1893) Patton, 1895; syn. *Pyrosoma bigeminum* Smith & Kilbourne, 1893
- ART *Boophilus microplus* (Canestini, 1887) [cattle tick]; gut, haemolymph, Malpighian tubules, ova, salivary glands. LU; RU; R1 (145, 149, 153, 259, 261, 264, 581, 645, 709, 711, 999)
- MAM *Bos taurus* (var. *indicus*) Linnaeus, 1766 [zebu]; blood; R1 (268)
- MAM *Bos taurus* Linnaeus, 1758 [ox]; blood, antibodies(CFT, HAT, IFAT); RU, R1, R8, R9 (39, 99, 145, 146, 148, 149, 151, 156, 157, 164, 167, 204, 243, 244, 245, 251, 252, 254, 259, 263, 264, 265, 268, 298, 299, 364, 406, 407, 442, 496, 497)

499, 500, 512, 587, 591, 592, 598, 599, 600, 605, 646, 647, 648, 649, 652, 674, 692, 693, 699, 700, 701, 702, 703, 704, 708, 711, 712, 716, 756, 787, 955, 963, 964, 998, 999, 1015, 1031, 1058, 1059, 1060, 1090, 1158, 1213, 1259, 1265)
MAM *Bubalus bubalis* (Linnaeus, 1758) [water buffalo]; blood; RU (162, 1151)
MAM *Equus caballus* Linnaeus, 1758 [horse]; blood; RI (149)
MAM *Ovis aries* Linnaeus, 1758 [sheep]; blood; RI (149)

Babesia bovis (Babes, 1888) Starcovicci, 1893; syn. *B. argentina* (Lignieres, 1903)
ART *Boophilus microplus* (Canestini, 1887) [cattle tick]; gut, ova, salivary glands, haemolymph; R1 (256, 260, 262, 264, 709, 711, 714, 717, 721, 902, 1000, 1014, 1103)
MAM *Bos taurus* (*var. indicus*) Linnaeus, 1766 [zebu]; blood, antibodies (IHAT); R1 (268, 721)
MAM *Bos taurus* Linnaeus, 1758 [ox]; blood, antibodies (CFT, IFAT, IHAT, HAT, ELISA, RIA); RU, R1, R8, R9 (98, 99, 146, 147, 150, 152, 154, 155, 156, 158, 159, 160, 161, 163, 164, 166, 167, 241, 242, 243, 245, 246, 250, 255, 257, 258, 260, 262, 264, 265, 266, 267, 268, 295, 299, 327, 331, 385, 404, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 440, 441, 499, 500, 562, 581, 587, 588, 589, 590, 591, 592, 597, 599, 600, 602, 603, 604, 605, 648, 651, 652, 664, 674, 692, 693, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 710, 711, 712, 713, 714, 716, 717, 718, 719, 720, 721, 756, 785, 871, 955, 963, 982, 998, 1000, 1013, 1014, 1015, 1018, 1031, 1059, 1060, 1090, 1158, 1159, 1166, 1224, 1259, 1260, 1261, 1262, 1263, 1264, 1266, 1267, 1268, 1269)
MAM *Bubalus bubalis* (Linnaeus, 1758) [water buffalo]; blood; RU (162, 1151)

Babesia canis (Piana & Galli-Valerio, 1895)

MAM *Canis familiaris* Linnaeus, 1758 [dog]; blood; R1, R8, R10 (167, 476, 477, 517, 605, 674, 1060, 1258)
MAM *Canis familiaris dingo* Linnaeus, 1758 [*dingo*]; blood; R6 (167)

Babesia equi (Laveran, 1901)

MAM *Equus caballus* Linnaeus, 1758 [horse]; blood, antibodies (IFAT); R1 (29, 165, 167, 192, 715)

Babesia rodhaini van den Berghe et al., 1950

MAM *Mus musculus* Linnaeus, 1758 [house mouse]; blood (exptl. infection); R1, R2 (253, 327, 614, 674)
MAM *Rattus norvegicus* (Berkenhout, 1769) [brown rat]; blood (exptl. infection); R1 (674)

Babesia tachyglossi Backhouse & Bollinger, 1959

MAM *Tachyglossus aculeatus* (Shaw & Nodder, 1792) [short-beaked echidna]; blood; R2 (43, 1004)

Babesia thylacis Mackerras, 1959

MAM *Isoodon obesulus* (Shaw, 1797) [southern brown bandicoot]; blood; R1 (693)

Babesia (unidentified species)

ART *Boophilus microplus* (Canestini, 1887) [cattle tick]; LU; R1 (1059)
AVE *Cracticus nigrogularis* (Gould, 1837) [pied butcherbird]; blood; R1 (899)
AVE *Dacelo novaeguineae* (Hermann, 1783) [kookaburra]; blood; R1 (899)
AVE *Eudyptula minor* (Forster, 1781) [little penguin]; blood; R1 (899)
AVE *Haliastur indus* (Boddaert, 1783) [Brahminy kite]; blood; R1 (899)
AVE *Strepera graculina* (Shaw, 1790) [pied currawong]; blood; R1 (899)
MAM *Antechinus stuartii* Macleay, 1841 [brown antechinus]; blood; R2 (28, 31, 55, 826, 851)
MAM *Bos taurus* Linnaeus, 1758 [ox]; blood; R1, R8, R9 (395, 396, 513, 514, 515, 587, 650, 805, 966, 1058)
MAM *Petrogale persephone* Maynes, 1982 [Proserpine rock-wallaby]; blood; R1 (899)
MAM *Tachyglossus aculeatus* (Shaw & Nodder, 1792) [short-beaked echidna]; blood; R2 (693)
REP *Bothrocilus maculosus* (Peters, 1873) [spotted python]; blood; R1 (899)
REP *Ctenotus severus* Storr, 1969; blood; R1 (899)
REP *Heteronotia binoei* (Gray, 1845) [Bynoe's gecko]; blood; R1 (899)

THEILERIIDAE

Theileria mutans (Theiler, 1906) Franca, 1909; syn. *T. buffeli* (Neveu-Lemaire, 1912); syn. *T. orientalis* (Yakimov & Sudachenkov, 1931) Neveu-Lemaire, 1943; syn. *T. sergenti* Yakimoff & Dekhtereff, 1930

ART *Haemaphysalis bancrofti* Nuttall & Warburton, 1915 [wallaby tick]; LU; R1 (1105)
MAM *Bos taurus* Linnaeus, 1758 [ox]; blood, lymph nodes; RU, R1, R8, R9 (145, 167, 300, 301, 498, 648, 692, 693, 755, 915, 1001, 1012, 1058, 1059, 1060, 1104, 1105, 1181, 1182)

MAM *Bubalus bubalis* (Linnaeus, 1758) [water buffalo]; blood; RU (162, 167, 1151)
MAM *Ovis aries* Linnaeus, 1758 [sheep]; blood (exptl. infection); RU (498, 1060)

Theileria ornithorhynchi Mackerras, 1959

MAM *Ornithorhynchus anatinus* (Shaw & Nodder, 1799) [platypus]; blood; R1, R3 (693, 750) [incorrectly recorded as *T. binneyi* in 1059, 1060])

Theileria peramericana Mackerras, 1959

MAM *Isoodon obesulus* (Shaw, 1797) [southern brown bandicoot]; blood; R1 (691, 693, 826, 851, 1059)

MAM *Perameles nasuta* Geoffroy, 1804 [long-nosed bandicoot]; blood; R1 (693)

MAM *Potorous tridactylus* (Kerr, 1792) [long-nosed potoroo]; blood; R1 (693)

Theileria tachyglossi Priestley, 1915

MAM *Tachyglossus aculeatus* (Shaw & Nodder, 1792) [short-beaked echidna]; blood, various organs; R1, R2 (693, 974, 1059, 1060)

Theileria (unidentified species)

ART *Haemaphysalis bancrofti* Nuttall & Warburton, 1915 [wallaby tick]; LU; R1 (1001)

ART *Haemaphysalis longicornis* Neumann, 1901 [bush tick, NZ cattle tick]; LU; R1 (1001)

MAM *Isoodon macrourus* (Gould, 1842) [northern brown bandicoot]; blood; R1 (1060)

MAM *Ornithorhynchus anatinus* (Shaw & Nodder, 1799) [platypus]; blood; RU (692)

MAM *Perameles nasuta* Geoffroy, 1804 [long-nosed bandicoot]; blood; RU (691, 692, 826, 851)

MAM *Potorous tridactylus* (Kerr, 1792) [long-nosed potoroo]; blood; RU (691, 692, 826, 851, 1086)

MICROSPORA
MICROSPOREA
MICROSPORIDA
PANSPOROBLASTINA

AMBLYOSPORIDAE

Amblyospora dyxenoides Sweeney et al., 1988

ART *Culex annulirostris* Skuse, 1889 [common banded mosquito]; oenocytes, fat bodies; R4 (638, 1118, 1119, 1120, 1121)

ART *Mesocyclops albicans* (Smith); LU; R4 (638, 1118, 1119)

ART *Mesocyclops* sp.; LU; R4 (1121, 1123)

Amblyospora indocola Vavra et al., 1984; syn. *A. pinensis* Kettle & Piper, 1988

ART *Culex sitiens* Wiedemann, 1828 [saltmarsh culex]; fat bodies; R1 (611, 1122, 1123)

ART Unidentified cyclopoid species; LU; R1 (1122, 1123)

Amblyospora trinus Beclen & Sweeney, 1996

ART *Culex halifaxii* Theobald, 1903 [culicine mosquito]; larval fat bodies; R1 (71)

Amblyospora (unidentified species)

ART *Culex australicus* Dubrotworsky & Drummond, 1953 [culicine mosquito]; fat bodies; R4 (1123)

DUBOSCQIIDAE

Duboscqia aediphaga Kettle & Piper, 1988

ART *Aedes vigilax* (Skuse, 1889) [saltmarsh mosquito]; larval fat bodies; R1 (611)

Duboscqia (unidentified species)

ART *Anopheles hilli* Woodhill & Lee, 1944 [anopheline mosquito]; larval fat bodies; R1 (1123)

ART *Apocyclops dengizicus* (Lepeschkin, 1900) [copepod]; LU; R1 (1123)

GLUGEIDAE

Pleistophora sciænae Johnston & Bancroft, 1918

ACT *Johnius belangeri* (Cuvier, 1830) [little jewfish]; ovary; R13 (79, 584, 627, 858)

Pleistophora (unidentified species)

ACT *Leionura atun* (Euphrasen, 1791) [baracouta]; LU; RU (858)

ACT *Salmo salar* Linnaeus, 1758 [Atlantic salmon]; LU; RU (858)

ART *Cherax destructor* (Clark, 1936) [inland yabby]; muscles; R5 (893)

Vavraia oncoperæ (Milner & Beaton, 1977) Malone et al., 1987; syn. *Pleistophora oncoperæ* Milner & Beaton, 1977

ART *Oncopera alboguttata* Tindale, 1933 [Ebor grassgrub]; muscle, fat bodies, connective tissues; R2, R4 (723, 774, 775, 776, 777)

ART *Oncopera rufobrunnea* Tindale, 1933 [underground grassgrub]; muscle, fat bodies, connective tissues; R2, R3, R4 (723, 774, 775, 776, 777, 1270)

Vavraia parastacida Langdon, 1991

ART *Cherax albidus* Clark, 136 [white yabby]; muscles; R6 (635)

ART *Cherax quadricarinatus* (von Mortens, 1868) [redclaw]; muscle; R1 (630, 631)

ART *Cherax quinquecarinatus* (Gray, 1845) [gilgy]; muscles; R6 (630, 631)

ART *Cherax tenuimanus* (Smith, 1912) [marron]; muscles; R6 (630, 631, 635)

Vavraia (unidentified species)

ART *Cherax quadricarinatus* (von Mortens, 1868) [redclaw]; LU; RU (175)

ART *Cherax tenuimanus* (Smith, 1912) [marron]; LU; RU (175)

PSEUDOPLEISTOPHORIDAE

Octosporea muscaedomesticae Flu, 1911

ART *Lucilia cuprina* (Wiedemann, 1830) [green bottle fly, sheep blowfly]; midgut; R5 (226, 1075)

THELOHANIIDAE

Thelohania duorara Iverson & Manning, 1959

ART *Penaeus esculentus* Haswell, 1879 [tiger prawn]; LU; R21 (10)

ART *Penaeus latisulcatus* Kishinouye, 1896 [western king prawn]; muscles, connective tissue; R21 (918, 919)

ART *Penaeus longistylus* Kubo, 1943 [redspot king prawn]; muscles, connective tissue; R21 (918, 919)

ART *Penaeus merguiensis* de Man, 1888 [banana prawn]; muscles; R21 (10, 921)

ART *Penaeus semisulcatus* de Haan, 1844 [green tiger prawn]; muscles, connective tissue; R21 (10, 918)

Thelohania (unidentified species)

- ART *Cherax destructor* (Clark, 1936) [inland yabbie]; muscles; R2, R4, R5 (10, 175, 179, 492, 508, 627, 772, 773, 800, 893, 920, 945)
 ART *Cherax quadricarinatus* (von Mortens, 1868) [redclaw]; muscle; R1 (aquaria, USA) (10, 175, 472, 473, 492, 627, 800, 920, 945, 1062)
 ART *Cherax quinquecarinatus* (Gray, 1845) [gilgyl]; muscles; R6 (10, 492, 627, 631, 800, 920)
 ART *Cherax tenuimanus* (Smith, 1912) [marron]; LU; RU (175)
 ART *Macrobrachium rosenbergii* (de Man, 1879) [giant river prawn]; muscle; RU (920)
 ART *Portunus pelagicus* (Linnaeus, 1766) [sand crab]; foregut; R13 (1067)

Agmasoma penaei (Sprague, 1950); syn. *Thelohania penaei* (Sprague, 1950)

- ART *Penaeus latisulcatus* Kishinouye, 1896 [western king prawn]; muscles, connective tissue; R21 (10, 921)
 ART *Penaeus longistylus* Kubo, 1943 [redspot king prawn]; muscles, connective tissue; R21 (10, 921)
 ART *Penaeus semisulcatus* de Haan, 1844 [green tiger prawn]; muscles, connective tissue; R21 (921)

TUZETIIDAE

Tuzetia boeckella Milner & Mayer, 1982

- ART *Boeckella triarticulata* (Thomson, 1883) [copepod]; muscles; R4 (778)

APANSPOROBlastina
NOSEMATIDAE*Ichthyosporidium* (unidentified species)

- ACT *Salmo trutta* Linnaeus, 1758 [brown trout]; viscera, kidney, liver, spleen; R1 (1072)
 ACT Unidentified mullet species; viscera; R1 (1072)

Nosema (unidentified species)

- MAM *Homo sapiens* Linnaeus, 1758 [human], faeces (incidental finding); R1 (741)
 ART *Oncopera tindalei* Common, 1966 [Tindale's grassgrub]; LU; R2 (775, 1270)
 ART *Samea multiplicalis* (Guenée, 1854) [moth]; LU; R1 (779)

UNIKARYONIDAE

Encephalitozoon cuniculi Levaditi et al., 1923

- MAM *Homo sapiens* Linnaeus, 1758 [human], antibodies (IFAT); RU (1246)

- MAM *Oryctolagus cuniculus* (Linnaeus, 1758) [rabbit]; various organs, antibodies (IFAT); R2, R6 (231, 232, 233, 234, 235, 236, 975, 1136, 1140)

Encephalitozoon hellem Didier et al., 1991

- AVE *Melopsittacus undulatus* (Shaw, 1805) [budgerigar]; intestines, liver; petshop(USA)(92)

Encephalitozoon intestinalis (Cali et al., 1993) Didier et al., 1996; syn. *Septata intestinalis* Cali et al., 1993

MAM *Homo sapiens* Linnaeus, 1758 [human], intestines; RU (615)

Enterocytozoon bieneusi Desportes et al., 1985

MAM *Homo sapiens* Linnaeus, 1758 [human], faeces, intestines; R5 (679)

PEREZIIDAE

Ameson nelsoni (Sprague, 1950); syn. *Nosema nelsoni* (Sprague, 1950)

ART *Penaeus esculentus* Haswell, 1879 [tiger prawn]; muscles; R21 (918, 919)

ART *Penaeus merguiensis* de Man, 1888 [banana prawn]; muscles; R21, R27 (918, 919)

ART *Penaeus semisulcatus* de Haan, 1844 [green tiger prawn]; muscles; R21, R27 (918, 919)

Ameson (unidentified species)

ART *Portunus pelagicus* (Linnaeus, 1766) [sand crab]; muscles, blood, ovaries; R13 (1067)

INCERTAE SEDIS

Microsporidium lotaensis Kettle & Piper, 1988

ART *Aedes vigilax* (Skuse, 1889) [saltmarsh mosquito]; larval fat bodies; R1 (611)

Microsporidium (unidentified species)

ART *Cherax tenuimanus* (Smith, 1912) [marron]; LU; RU (10)

Unidentified microsporan

ACT *Cephalopholis boenak* (Bloch, 1790) [brown-barred rockcod]; mesentery; R13 (899)

ACT *Choerodon venustus* (De Vis, 1884) [Venus tuskfish]; liver; R13 (899)

ACT *Engraulis australis* (Gunther, 1868) [southern anchovy]; muscle; R18 (636)

ACT *Etrumeus teres* (De Kay, 1842) [maray, round herring]; muscle; R18 (636)

ACT *Gymnocranius audleyi* Ogilby, 1916 [iodine bream]; muscle; R13 (899)

ACT *Hyperlophus vittatus* (Castelnau, 1875) [sandy sprat, whitebait]; muscle; R18 (636)

ACT *Paramonacanthus filicauda* Günther, 1880) [threadfin leatherjacket]; liver, R13 (899)

ACT *Rhombosolea tapirina* Gunther, 1862 [greenback flounder]; liver; RU (aquarium) (858)

ACT *Sardinella lemuru* Bleeker, 1853 [scaly mackerel]; muscle; R18 (636)

ACT *Sardinops sagax* (Steindachner, 1879) [Australian pilchard]; muscles; R18 (636)

ACT *Spratelloides robustus* Ogilby, 1897 [blue sprat]; muscle; R18 (636)

ART *Panulirus cygnus* George, 1962 [western rock lobster]; musculature; R18 (282)

ART *Panulirus ornatus* (Fabricius, 1798) [ornate spiny lobster]; musculature; R27 (282)

MYXOZOA
MYXOSPOREA
BIVALVULIDA
SPHAEROMYXINA
SPHAEROMYXIDAE

Sphaeromyxa nesogobii Su & White, 1994

ACT *Nesogobius* sp.; gall bladder; R15 (1110)

Sphaeromyxa (unidentified species)

ACT *Heteroclinus whiteleggi* (Ogilby, 1894) [Whitelegg's weedfish]; gall bladder; R13 (669)

ACT *Hoplostethus atlanticus* Collett, 1889 [orange roughy]; gall bladder; R14, R15, R16 (657)

VARIISPORINA

MYXIDIIDAE

Coccomyxa meridie Lom et al., 1992

ACT *Herklotischthys castelnau* (Ogilby, 1897) [silver herring]; gall bladder; R13 (669)

Coccomyxa tenuiparies Lom et al., 1992

ACT *Heteroclinus whiteleggi* (Ogilby, 1894) [Whitelegg's weedfish]; gall bladder; R13 (669)

Myxidium durum Hine, 1980

ACT *Anguilla australis* Richardson, 1841 [short-finned eel]; gills; R2 (481)

Myxidium giardi Cepede, 1906

ACT *Anguilla australis* Richardson, 1841 [short-finned eel]; kidney, muscles, skin; RU, R2 (227, 669)

Myxidium immersum (Lutz, 1889) Kudo, 1933

AMP *Bufo marinus* (Linnaeus, 1758) [cane toad]; gall bladder; R1 (274, 277, 1087)

AMP *Limnodynastes ornatus* (Gray, 1842) [ornate burrowing frog]; gall bladder; R1 (274)

AMP *Limnodynastes peronii* (Dumeril & Bibron, 1841) [striped marsh frog]; gall bladder; R1, R2 (274)

AMP *Limnodynastes tasmaniensis* Gunther, 1858 [spotted grass frog]; gall bladder; R1 (274)

AMP *Limnodynastes terraereginae* Fry, 1915 [northern banjo frog]; gall bladder; R1 (274)

AMP *Litoria caerulea* (White, 1790) [green tree frog]; gall bladder; R1 (274)

AMP *Litoria dentata* (Keferstein, 1868) [bleating tree frog]; gall bladder; R1 (274)

AMP *Litoria fallax* (Peters, 1880) [eastern dwarf tree frog]; gall bladder; R1 (274)

AMP *Litoria latopalmata* Gunther, 1867; gall bladder; R1, R2 (274)

AMP *Litoria lesueuri* (Dumeril & Bibron, 1841) [Lesueur's frog]; gall bladder; R1, R2 (274)

AMP *Litoria nasuta* (Gray, 1842) [rocket frog]; gall bladder; R1, R2 (274)

AMP *Litoria nyakalensis* Liem, 1974; gall bladder; R1 (274)

AMP *Litoria peronii* (Tschudi, 1838) [Peron's tree frog]; gall bladder; R1, R2 (274)

AMP *Litoria revelata* Ingram et al., 1982; gall bladder; R1 (274)

AMP *Litoria rubella* (Gray, 1842) [desert tree frog]; gall bladder; R1 (274)

AMP *Litoria tyleri* Martin et al., 1979; gall bladder; R1 (274)

AMP *Litoria verreauxii* (Dumeril, 1853); gall bladder; R1 (274)

AMP *Mixophyes fasciolatus* Gunther, 1864 [great barred frog]; gall bladder; R1 (274)

AMP *Ranidella parinsignifera* (Main, 1957); gall bladder; R1 (274)

AMP *Uperoleia laevigata* Keferstein, 1867; gall bladder; R1 (274)

Myxidium sphaericum Moser et al., 1989

ACT *Istiblennius meleagris* (Cuvier & Valenciennes, 1836); gall bladder; R21 (658, 802)

ACT *Petroscirtes* sp.; gall bladder; R21 (658, 802)

ACT *Salarias fasciatus* (Bloch, 1786); gall bladder; R21 (658, 802)

Myxidium therapon Johnston & Bancroft, 1918

ACT *Hephaestus carbo* (Ogilby & McCulloch, 1916) [black grunter]; gall bladder; R10 (79, 584)

ACT *Scortum hillii* (Castelnau, 1877) [Hills grunter]; gall bladder; R10 (79, 584)

Myxidium (unidentified species)

ACT *Anguilla australis* Richardson, 1841 [short-finned eel]; gills; R2, R3 (481)

ACT *Anguilla reinhardtii* Steindachner, 1867 [long-finned eel]; gills; R1 (481)

ACT *Coryphaena hippurus* Linnaeus, 1758 [dolphin fish]; kidney; R18 (633)

ACT *Callionymus limiceps* Ogilby, 1908 [dragonet]; gall bladder; R13 (899)

ACT *Mugil cephalus* Linnaeus, 1758 [sea mullet]; gall bladder; R13 (669)

AMP *Litoria caerulea* (White, 1790) [green tree frog]; bile ducts, gall bladder; R1 (479)

Zschokkella heronensis Moser et al., 1989

ACT *Chaetodon plebius* Cuvier & Valenciennes, 1831; gall bladder; R21 (658, 802)

ACT *Choerodon venustus* (De Vis, 1884) [Venus tuskfish]; gall bladder; R21 (658, 802)

Zschokkella macrocapsula Su & White, 1994

ACT *Atherinosoma microstoma* (Günther, 1861) [small mouth hardyhead]; gall bladder; R15 (1110)

ACT *Leptatherina presbyteroides* (Richardson, 1843) [silver fish]; gall bladder; R15 (1110)

Zschokkella (unidentified species)

ACT *Callionymus limiceps* Ogilby, 1908 [dragonet]; gall bladder; R13 (899)

ORTHOLINEIDAE

Ortholinea alata Kent & Moser, 1990ACT *Chaetodon raifordi* McCulloch, 1923 [northern butterfly fish]; kidney, R21 (610)*Ortholinea australis* Lom et al., 1992ACT *Acanthopagrus australis* (Gunther, 1859) [yellowfin bream]; gall bladder, R13 (669)ACI *Rhabdosargus sarba* (Forsskål, 1775) [tarwhine]; liver, R13 (669)*Ortholinea striatoculus* Su & White, 1994ACT *Leptatherina presbyteroides* (Richardson, 1843) [silver fish], ureter, R15 (1110)*Ortholinea* (unidentified species)ACI *Chaetodon raifordi* McCulloch, 1923 [northern butterfly fish]; kidney, R21 (658)*Triangula percae* Langdon, 1987ACT *Perca fluviatilis* Linnaeus, 1758 [redfin perch]; brain, R2, R4 (350, 625, 627, 628, 634-803, 858)

PARVICAPSULIDAE

Parvicapsula (unidentified species)ACT *Chaetodon aureofasciatus* Macleay, 1878; gall bladder, R21 (658, 802)ACI *Diodon hystrix* Linnaeus, 1758 [porcupine fish]; kidney, R21 (658)

SINUOLINEIDAE

Sinnolinea lesteri Moser et al., 1989CHO *Hemiscyllium ocellatum* (Bonnaterre, 1788) [seaulette shark]; gall bladder, R21 (658, 802)*Sinnolinea* (unidentified species)ACT *Chromis atripectoralis* Welander & Schultz, 1951; gall bladder, R21 (658, 802)

CERATOMYXIDAE

Ceratomyxa arripica Su & White, 1994ACT *Arripis trutta* Whitley, 1949 [Australian salmon]; gall bladder, R15 (1110)*Ceratomyxa spreui* Moser et al., 1989ACI *Chaetodon aureofasciatus* Macleay, 1878; gall bladder, R21 (658, 802)ACT *Chaetodon raifordi* McCulloch, 1923 [northern butterfly fish]; gall bladder, R21 (658, 802)ACT *Choerodon venustus* (De Vis, 1884) [Venus tuskfish]; gall bladder, R21 (658, 802)ACI *Lutjanus amabilis* (De Vis, 1885) [crimson hussar]; gall bladder, R21 (658, 802)ACI *Suggrundus bosschei* (Bleeker, 1860); gall bladder, R21 (658, 802)*Ceratomyxa rhodei* Moser et al., 1989ACI *Petrosirtes fallax* Smith-Vaniz, 1976; gall bladder, R21 (658, 802)

CERATOMYXA (unidentified species)

ACT *Acanthopagrus australis* (Gunther, 1859) [yellowfin bream]; gall bladder, R13 (669)ACT *Centropogon australis* (White, 1790) [southern forteuse]; gall bladder, R13 (669)ACT *Chaetodon trifasciatus* Park, 1797; gall bladder, R21 (658, 802)ACT *Epinephelus quoyanus* (Cuvier & Valenciennes, 1830) [wire netting cod]; gall bladder, R13, R21 (658, 802, 899)ACI *Herklotisichthys castelnau* (Ogilby, 1897) [silver herring]; gall bladder, R13 (669)ACT *Labroides australis* Randall, 1981; gall bladder, R21 (658, 802)ACT *Labroides* sp.; gall bladder, R21 (658, 802)ACT *Lutjanus bohar* (Forsskål, 1775) [red bass]; gall bladder, R13 (899)ACT *Ostracion cubicus* Linnaeus, 1758; gall bladder, R21 (658, 802)ACT *Plectropomus leopardus* (Lacepède, 1802) [leopard coral trout]; gall bladder, R13, R21 (658, 802, 899)ACT *Scorpius lineolatus* Kner, 1865 [silver sweep]; LU, R13 (669)ACT *Sufflamen chrysopterum* (Bloch & Schneider, 1801) [flagtail triggerfish]; gall bladder, R21 (658, 802)*Leptotheaca beveridgei* Moser et al., 1989ACT *Scorpaenopsis gibbosus* (Bloch & Schneider, 1801); gall bladder, R21 (658, 802)*Leptotheaca* (unidentified species)ACT *Tetapon jarbua* (Forsskål, 1775); gall bladder, R21 (658, 802)

SPHAEROSPORIDAE

Hosericellus carasii Akhmerov, 1960; syn. *Mitraspora cyprini* Fujita, 1912ACT *Carassius auratus* (Linnaeus, 1758) [golden carp]; kidney; RU (858)*Hosericellus cyprini* (Doflein, 1898)ACT *Carassius auratus* (Linnaeus, 1758) [golden carp]; kidney; RU (627)*Mitraspora* (unidentified species)ACT *Cyprinus carpio* [European carp]; kidney; R1, R3, R6 (627)*Sphaerospora aldrichietae* Su & White, 1994ACT *Aldrichetta forsteri* (Cuvier & Valenciennes, 1836) [freshwater mullet]; gall bladder, R15 (1110)*Sphaerospora mayi* Moser et al., 1989ACT *Atherinomorus capricornensis* (Woodland, 1961) [hardyheads]; gall bladder, R21 (658, 802)*Sphaerospora* (unidentified species)ACT *Acanthopagrus australis* (Gunther, 1859) [yellowfin bream]; kidney; R13 (1025)ACT *Cyprinus carpio* [European carp]; kidney; R1, R3, R4, R6 (627)

ACT *Gerris subfasciatus* (Cuvier, 1830) [silver biddy]; kidney; R13 (669)

ACT *Myxus elongatus* Gunther, 1861 [sand mullet]; kidney; R13 (669)

CHLOROMYXIDAE

Chloromyxum noblei Moser et al., 1989

CHO *Hemiscyllium ocellatum* (Bonnaterre, 1788) [epaulette shark]; gall bladder; R21 (658, 802)

CHO *Taeniurops meyeni* (Forsskål, 1775) [blue-spotted ray]; gall bladder; R21 (658, 802)

Chloromyxum pristiophori Woolecock, 1935

CHO *Pristiophorus cirratus* (Latham, 1793) [common saw shark]; gall bladder; R14 (79, 1255)

Chloromyxum (unidentified species)

CHO *Dasyatis kuhlii* (Müller & Henle, 1841) [blue-spotted maskray]; gall bladder; R13 (669)

ACT *Echeneis naucrates* Linnaeus, 1758 [suckerfish]; gall bladder; R21 (658)

PLATYSPORINA

MYXOBOLIDAE

Henneguya australis Johnston & Bancroft, 1918

ACT *Macquaria ambigua* (Richardson, 1845) [golden perch]; gills; R10 (34, 79, 584, 839, 1030)

Henneguya gracilis Johnston & Bancroft, 1918

ACT *Scortum hillii* (Castelnau, 1877) [Hills grunter]; gill filaments; R10 (79, 584, 627)

Henneguya (unidentified species)

ACT *Acanthopagrus australis* (Gunther, 1859) [yellowfin bream]; gill, gut, fin, corner; R13 (1024)

ACT *Bidyanus bidyanus* (Mitchell, 1838) [silver perch]; LU; RU (627, 1030)

ACT *Girella tricuspidata* (Quoy & Gaimard, 1824) [blackfish]; gills; R13 (669)

ACT *Lates calcarifer* (Bloch, 1790) [barramundi]; gills; R1 (144, 400)

ACT *Macquaria ambigua* (Richardson, 1845) [golden perch]; gills; R4 (35, 627, 1030)

ACT *Mugil cephalus* Linnaeus, 1758 [sea mullet]; gills; R13 (669)

ACT *Nematalosa erebi* (Gunther, 1868) [bony bream]; gills; R10 (79, 584, 627)

Myxobolus aldrichetti Su & White, 1994

ACT *Aldrichetta forsteri* (Cuvier & Valenciennes, 1836) [freshwater mullet]; gills; R15 (1110)

Myxobolus cerebralis Hofer, 1903

ACT *Salmo gairdneri* Richardson, 1836 [rainbow trout]; cartilage; RU (670)

Myxobolus episquamalis Egusa et al., 1990

ACT *Mugil cephalus* Linnaeus, 1758 [sea mullet]; scales, fins; R13 (1021)

Myxobolus galaxii Langdon, 1990

ACT *Galaxias olidus* Gunther, 1866 [mountain galaxias]; spinal cord; R2 (629)

Myxobolus godopsii Langdon, 1990

ACT *Gadopsis bispinosus* Sanger, 1984 [2-spined blackfish]; muscles, connective tissue; R2, R4 (629)

ACT *Gadopsis marmoratus* Richardson, 1848 [river blackfish]; muscles, connective tissue; R2, R4 (629)

Myxobolus hylae Johnston & Bancroft, 1918

AMP *Litoria aurea* (Lesson, 1829) [golden bell frog]; genitalia; R2 (582)

Myxobolus plectropilites Johnston & Bancroft, 1918

ACT *Macquaria ambigua* (Richardson, 1845) [golden perch]; gall bladder, kidneys; R1, R10 (79, 120, 584, 1030)

MAM *Homo sapiens* Linnaeus, 1758 [human], faeces (incidental finding); R1 (120)

Myxobolus (unidentified species)

ACT *Acanthopagrus australis* (Gunther, 1859) [yellowfin bream]; liver, gut; R13 (669, 1024)

ACT *Carassius auratus* (Linnaeus, 1758) [golden carp]; skin; RU (858)

ACT *Chaetodon raifordi* McCulloch, 1923 [northern butterfly fish]; kidney, R21 (658)

ACT *Crenimugil labiosus* (Cuvier & Valenciennes, 1836); gall bladder; R21 (658, 802)

ACT *Gerris subfasciatus* (Cuvier, 1830) [silver biddy]; kidney; R13 (669)

ACT *Girella tricuspidata* (Quoy & Gaimard, 1824) [blackfish]; pyloric caeca; R13 (669)

ACT *Mugil cephalus* Linnaeus, 1758 [sea mullet]; skin, gall bladder, intestines; R13, R21 (144, 658, 669, 802)

ACT *Platycephalus bassensis* Cuvier & Valenciennes, 1829 [sand flathead]; brain; R14 (1020)

ACT *Pseudocaranx dentex* (Bloch & Schneider, 1801) [silver trevally]; liver; R13 (669)

ACT *Sufflamen chrysopterus* (Bloch & Schneider, 1801) [flagtail triggerfish]; kidney; R21 (658)

AMP *Litoria aurea* (Lesson, 1829) [golden bell frog]; genitalia; R2 (209, 212, 561)

Myxosoma ogilbyi Johnston & Bancroft, 1918

ACT *Macquaria ambigua* (Richardson, 1845) [golden perch]; gills; R10 (79, 584, 1030)

Myxosoma (unidentified species)

ACT *Gadopsis marmoratus* Richardson, 1848 [river blackfish]; gills; RU (35)

ACT *Hypseleotris compressa* (Krefft, 1864) [empire gudgeon]; muscle; R2 (984)

ACT *Maccullochella macquariensis* (Cuvier & Valenciennes, 1829) [trout cod]; gills; R4 (35, 1030)

ACT *Maccullochella peeli* (Mitchell, 1838) [Murray cod]; gills; R4 (35, 1030)

ACT *Macquaria ambigua* (Richardson, 1845) [golden perch]; gills; R4 (35, 1030)

MULTIVALVULIDA

TRILOSPORIDAE

Unicapsula seriolae Lester, 1982

ACT *Seriola grandis* Castelnau, 1872 [yellowtail kingfish]; muscle; R13 (144, 628, 634, 655, 670, 803, 858)

Unicapsula (unidentified species)

ACT *Seriola grandis* Castelnau, 1872 [yellowtail kingfish]; muscle; R13 (79)

KUDOIDAE

Kudoa ciliatae Lom et al., 1992

ACT *Sillago analis* Whitley, 1943 [golden-lined whiting]; intestine; R13 (443)

ACT *Sillago ciliata* Cuvier & Valenciennes, 1829 [sand whiting]; intestine; R13 (443, 669)

ACT *Sillago maculata* Quoy & Gaimard, 1824 [winter whiting]; intestine; R13 (443)

Kudoa thrysites (Gilchrist, 1924); syn. *Chloromyxum thrysites* (Gilchrist, 1924)

ACT *Coryphaena hippurus* Linnaeus, 1758 [dolphin fish]; muscles; R18 (628, 632, 633, 634, 670, 858)

ACT *Engraulis australis* (Gunther, 1868) [southern anchovy]; muscles; R18 (636)

ACT *Leionura atun* (Euphrasen, 1791) [barracouta]; muscle; RU, R14, R15 (79, 93, 574, 858, 1027, 1070, 1245)

ACT *Sardinella lemuru* Bleeker, 1853 [scaly mackerel]; muscle; R18 (636)

ACT *Sardinops sagax* (Steindachner, 1879) [Australian pilchard]; muscles; R18 (632, 636, 858)

ACT *Spratelloides robustus* Ogilby, 1897 [blue sprat]; muscle; R18 (636)

Kudoa (unidentified species)

ACT *Lates calcarifer* (Bloch, 1790) [barramundi]; muscles; R1 (629)

ACT *Seriola grandis* Castelnau, 1872 [yellowtail kingfish]; muscle; R21 (79, 658, 1017)

ACT *Thunnus maccoyii* Castelnau, 1872 [southern bluefin tuna]; muscles, nerves; R18 (629, 858)

CHO *Hemiscyllium ocellatum* (Bonnaterre, 1788) [epaulette shark]; muscle; R21 (474)

INCERTAE SEDIS

Myxosporidium (unidentified species)

AMP *Litoria aurea* (Lesson, 1829) [golden bell frog]; LU, RU (464)

Unidentified myxozoan

ACT *Chaetodon aureofasciatus* Macleay, 1878; gall bladder; R21 (802)

ACT *Chaetodon trifasciatus* Park, 1797; gall bladder; R21 (802)

ACT *Choerodon cyanodus* (Richardson, 1843); gall bladder; R21 (658, 802)

ACT *Chromis atripeectoralis* Welander & Schultz, 1951; gall bladder; R21 (802)

ACT *Epinephelus fasciatus* (Forsskål, 1775) [black-lipped rock-cod]; gall bladder; R21 (658, 802)

ACT *Gymnocranius bitorquatus* Cockerell, 1916; gall bladder; R21 (658, 802)

ACT *Lutjanus carponotatus* (Richardson, 1842) [yellow stripey]; gall bladder; R21 (658, 802)

ACT *Monacanthus chinensis* Osbeck, 1765 [fan-bellied leatherjacket]; urinary bladder; R13 (669)

ACT *Mugil cephalus* Linnaeus, 1758 [sea mullet]; gall bladder; R21 (802)

ACT *Pempheris compressus* Shaw, 1790 [smallscale bullseye]; liver; R13 (669)

ACT *Plectropomus leopardus* (Lacepède, 1802) [leopard coral trout]; gall bladder; R21 (802)

ACT *Pomacentrus wardi* Whitley, 1927; gall bladder; R21 (658, 802)

ACT *Siganus punctatus* (Bloch & Schnieder, 1801) [gold-spotted spinefoot]; gall bladder; R21 (658, 802)

ACT *Sparus* sp.; internal organs; R13 (23, 79)

ACT *Tetractenos glaber* (Freminville, 1813) [smooth toadfish]; gall bladder; R13 (669)

ACT *Trachinotus blochi* (Lacepède, 1802) [snub-nosed dart]; gall bladder; R21 (658, 802)

ACT Unidentified mullet species; internal organs; R13 (23, 79)

ACTINOSPOREA

ACTINOMYXIDA

SPHAEROACTINOMYXIDAE

Sphaeractinomyxon ersei Hallett et al., 1998

ANN *Doliodrilus diverticulatus* Erseus, 1985 [oligochaete]; coelum, intestines; R13 (444)

HAPLOSPORIDIA

HAPLOSPOREA

HAPLOSPORIDA

HAPLOSPORIIDAE

Haplosporidium comatulae Haye et al., 1984

ECH *Oligometra serripinna* (Carpentier, 1881) [crinoid]; haemal space; R21 (620)

Urosporidium canoni Anderson et al., 1993

PLA *Stylococcus* sp.; various tissues; R13 (13)

Unidentified haplosporidian

MOL *Saccostrea glomerata* (Gould, 1880) [Sydney rock oyster, Moreton Bay rock oyster]; digestive gland; R13 (1251)

PARAMYXEA
MARTEILIIDEA
MARTEILIDA
MARTEILIIDAE

Marteilia sydneyi Perkins & Wolf, 1976

MOL *Saccostrea glomerata* (Gould, 1880) [Sydney rock oyster, Moreton Bay rock oyster]; hepatopancreas; R13 (3, 10, 12, 14, 15, 126, 627, 660, 868, 950, 1023, 1253)

MOL *Striostrea mytiloides* (Lamarck, 1819) [tropical oyster, blacklip oyster]; LU; R13 (10, 1253)

Marteilioides branchialis Anderson & Lester, 1992

MOL *Saccostrea glomerata* (Gould, 1880) [Sydney rock oyster, Moreton Bay rock oyster]; gills; R13 (12, 14)

CILIOPHORA
POSTCILIODESMATOPHORA
SPIROTICHEA
HETEROTRICA
CLEVELANDELLIDA
NYCTOTHERIDAE

Nyctotherus cordiformis Ehrenberg, 1833

AMP *Limnodynastes dorsalis* (Gray, 1841) [western banjo frog]; intestines; R2 (979)

AMP *Limnodynastes tasmaniensis* Gunther, 1858 [spotted grass frog]; intestines; RU (978)

AMP *Litoria aurea* (Lesson, 1829) [golden bell frog]; intestines; RU (978)

AMP *Litoria ewingii* (Dumeril & Bibron, 1841) [brown tree frog]; intestines; RU (978)

Nyctotherus termitis Dobell, 1910

ART *Mastotermes darwiniensis* Froggatt, 1896 [termite]; gut; RU (1113)

Nyctotherus trachysauri Johnston, 1932

REP *Trachydosaurus rugosus* Gray, 1825 [sleepy lizard]; rectum; R5 (586)

Nyctotherus (unidentified species)

AMP *Limnodynastes dorsalis* (Gray, 1841) [western banjo frog]; gut; R2 (209)

AMP *Limnodynastes peronii* (Dumeril & Bibron, 1841) [striped marsh frog]; gut; R2 (209)

AMP *Limnodynastes tasmaniensis* Gunther, 1858 [spotted grass frog]; intestines; RU (979)

AMP *Litoria aurea* (Lesson, 1829) [golden bell frog]; intestines; R2 (209, 212)

AMP *Litoria caerulea* (White, 1790) [green tree frog]; colon; R1, R2 (209, 212, 581, 900)

AMP *Litoria dorsalis* Macleay, 1877 [dwarf rocket frog]; intestines; R2 (212)

AMP *Litoria peronii* (Tschudi, 1838) [Peron's tree frog]; intestines; R2 (212)

AMP *Litoria rubella* (Gray, 1842) [desert tree frog]; faeces; R1, R9 (899, 900)

ART *Periplaneta australasiae* Fabricius, 1775 [house cockroach]; LU, R1 (581)

Nyctotheroides (unidentified species)

AMP *Bufo marinus* (Linnaeus, 1758) [cane toad]; intestines; R1 (277, 384, 1087)

Paracichlidotherus leeuwenhoeki Grim, 1992

ACT *Zebrasoma scopas* Cuvier, 1829 [brushtail tang]; intestines; R21 (127, 427)

RHABDOPHORA

LITOSTOMATEA

HAPTORIA

PLEUROSTOMATIDA

AMPHILEPTIDAE

Pseudoamphileptus macrostoma (Chen, 1955)
Foissner, 1985

ACT *Cyprinus carpio* [European carp]; feeding on epizoic peritrichs; RU (670)

TRICHOSTOMATIA

VESTIBULIFERA

BALANTIDIIDAE

Balantidium coli (Malmstein, 1857) Stein, 1863

MAM *Homo sapiens* Linnaeus, 1758 [human], colon, urogenital tract; RU, R6 (692, 873, 1102, 1215)

MAM *Sus scrofa* Linnaeus, 1758 [pig]; gut; RU, R1, R2, R3 (167, 653, 692, 1059, 1060, 1102)

Balantidium jocularum Grim, 1993

ACT *Naso tuberosis* Lacepède, 1802 [surgeonfish]; intestines; R21 (428)

Balantidium zebrascopi Grim, 1992

ACT *Zebrasoma scopas* Cuvier, 1829 [brushtail tang]; intestines; R21 (427)

Balantidium (unidentified species)

ACT *Siganus fuscescens* (Houttuyn, 1797) [dusky rabbitfish]; gut; R13 (899)

AMP *Litoria caerulea* (White, 1790) [green tree frog]; colon; R1 (581, 899)

MAM *Equus caballus* Linnaeus, 1758 [horse]; faeces; R2 (724)

ISOTRICHIDIIDAE

Dasytricha (unidentified species)

MAM *Macropus agilis* (Gould, 1842) [agile wallaby]; stomach; RU (906)

MAM *Macropus dorsalis* (Gray, 1837) [black-striped wallaby]; stomach; RU (906)

MAM *Macropus eugenii* (Desmarest, 1817) [tammar wallaby]; stomach; RU (273, 906)

MAM *Macropus fuliginosus* (Desmarest, 1817) [western grey kangaroo]; stomach; RU (906)

MAM *Macropus giganteus* Shaw, 1790 [eastern grey kangaroo]; stomach; RU, R1 (273, 899, 906)

- MAM *Macropus parma* Waterhouse, 1846 [parma wallaby]; stomach; RU (906)
- MAM *Macropus parryi* Bennett, 1835 [whiptail wallaby]; stomach; RU (906)
- MAM *Macropus robustus* Gould, 1841 [common wallaroo]; stomach; RU, R1 (273, 899)
- MAM *Macropus rufogriseus* (Desmarest, 1817) [Bennett's wallaby]; stomach; RU (273)
- MAM *Macropus rufus* (Desmarest, 1822) [red kangaroo]; stomach; RU (906)
- MAM *Thylogale billardierii* (Desmarest, 1822) [Tasmanian pademelon]; stomach; RU (906)
- MAM *Wallabia bicolor* (Desmarest, 1804) [swamp wallaby]; stomach; RU (273, 906)
- Isotricha** (unidentified species)
- MAM *Macropus agilis* (Gould, 1842) [agile wallaby]; stomach; RU (906)
- MAM *Macropus dorsalis* (Gray, 1837) [black-striped wallaby]; stomach; RU, R1 (899, 906)
- MAM *Macropus eugenii* (Desmarest, 1817) [tammar wallaby]; stomach; RU (273, 906)
- MAM *Macropus fuliginosus* (Desmarest, 1817) [western grey kangaroo]; stomach; RU (906)
- MAM *Macropus giganteus* Shaw, 1790 [eastern grey kangaroo]; stomach; RU, R1 (273, 899, 906)
- MAM *Macropus parma* Waterhouse, 1846 [parma wallaby]; stomach; RU (906)
- MAM *Macropus parryi* Bennett, 1835 [whiptail wallaby]; stomach; RU (906)
- MAM *Macropus robustus* Gould, 1841 [common wallaroo]; stomach; RU, R1 (273, 899)
- MAM *Macropus rufogriseus* (Desmarest, 1817) [Bennett's wallaby]; stomach; RU (273)
- MAM *Macropus rufus* (Desmarest, 1822) [red kangaroo]; stomach; RU (906)
- MAM *Thylogale billardierii* (Desmarest, 1822) [Tasmanian pademelon]; stomach; RU (906)
- MAM *Vombatus ursinus* (Shaw, 1800) [common wombat]; hindgut; R1 (899)
- MAM *Wallabia bicolor* (Desmarest, 1804) [swamp wallaby]; stomach; RU (273, 906)
- ENTODINIOMORPHIDA**
ENTODINIOMORPHINA
MACROPODINIDAE
- Macropodinium* baldense** Dehority, 1966
- MAM *Setonix brachyurus* (Quoy & Gaimard, 1830) [quokka]; forestomach; R6 (271)
- Macropodinium* ennuensis** Dehority, 1966
- MAM *Macropus robustus* Gould, 1841 [common wallaroo]; forestomach; R6 (271)
- MAM *Macropus rufus* (Desmarest, 1822) [red kangaroo]; forestomach; R6 (271)
- Macropodinium* moiri** Dehority, 1966
- MAM *Setonix brachyurus* (Quoy & Gaimard, 1830) [quokka]; forestomach; R6 (271)
- Macropodinium* setonixum** Dehority, 1966
- MAM *Setonix brachyurus* (Quoy & Gaimard, 1830) [quokka]; forestomach; R6 (271)
- Macropodinium* yalanbense** Dehority, 1966
- MAM *Macropus fuliginosus* (Desmarest, 1817) [western grey kangaroo]; forestomach; R6 (271)
- Macropodinium*** (unidentified species)
- MAM *Macropus dorsalis* (Gray, 1837) [black-striped wallaby]; stomach; R1 (899)
- MAM *Macropus giganteus* Shaw, 1790 [eastern grey kangaroo]; stomach; R1 (899)
- MAM *Macropus robustus* Gould, 1841 [common wallaroo]; stomach; R1 (899)
- MAM *Macropus rufogriseus* (Desmarest, 1817) [Bennett's wallaby]; stomach; R1 (899)
- CYCLOPOSTHIIDAE**
- Cycloposthium*** (unidentified species)
- MAM *Macropus dorsalis* (Gray, 1837) [black-striped wallaby]; stomach; R1 (899)
- OPHRYOSCOLECIDAE**
- Entodinium*** (unidentified species)
- MAM *Macropus robustus* Gould, 1841 [common wallaroo]; stomach; RU (273)
- MAM *Macropus rufogriseus* (Desmarest, 1817) [Bennett's wallaby]; stomach; RU (273)
- TROGLODYTELLIDAE**
- Troglodytella abrassarti*** Brumpt & Joyeux, 1912
- MAM *Hylobates syndactylus* Raffles, 1821 [siamang], faeces, zoo (Aust.) (897)
- CYRTOPHORA**
PHYLLOPHARYNGEA
PHYLLOPHARYNGIA
CYRTOPHORIDA
CHLAMYDODONTINA
CHILODONELLIDAE
- Chiłodonella cyprini*** (Morofś, 1902) Shulman & Jankovski, 1984
- ACT *Anguilla* sp.; gills; R4 (21, 79)
- ACT *Carassius auratus* (Linnaeus, 1758) [golden carp]; gills; R2, R4 (32, 79, 627)
- ACT *Carassius carassius* (Linnaeus, 1758) [Crucian carp]; gills; R2, R4 (32, 79)
- ACT *Gadopsis marmoratus* Richardson, 1848 [river blackfish]; skin, gills; R2, R4 (32, 79, 144, 628, 634)
- ACT *Galaxias* sp.; gills; R2, R4 (32, 79)
- ACT *Maccullochela peeli* (Mitchell, 1838) [Murray cod]; gills; R2, R4 (32, 79, 508, 1030)

ACT *Maccullochella macquariensis* (Cuvier & Valenciennes, 1829) [trout cod]; gills: R2, R4 (32, 79, 1030)

ACT *Macquaria australasica* Cuvier & Valenciennes, 1830 [Macquarie perch]; gills: R2, R4 (32, 79, 1030)

ACT *Mogurnda australis* (Krefft, 1862) [striped mudgeon]; gills: R2, R4 (32, 79)

ACT *Nannoperca australis* Gunther, 1861 [pygmy perch]; gills: R2, R4 (32, 79)

ACT *Retropinna semoni* (Weber, 1895) [Australian smelt]; gills: R2, R4 (32, 79, 1030)

ACT *Salmo gairdneri* Richardson, 1836 [rainbow trout]; gills: R2, R4 (32, 79)

ACT *Salmo trutta* Linnaeus, 1758 [brown trout]; gills: R2, R4 (21, 79)

Chilodonella hexasticha (Kiernik, 1909) Kahl, 1931

ACT *Anniataha percoidea* (Günther, 1864) [black-striped grunter]; gills: R10 (624)

ACT *Bidyanus bidyanus* (Mitchell, 1838) [silver perch]; skin, gills: R4 (144, 1030)

ACT *Leiopotherapon unicolor* (Gunther, 1859) [spangled perch]; gills: R10 (624)

ACT *Maccullochella peelii* (Mitchell, 1838) [Murray cod]; gills: R4 (10, 144, 1030)

ACT *Maccullochella tkei* Rowland, 1993 [Clarence River cod]; gills: R4 (144, 1029, 1030)

ACT *Maccullochella macquariensis* (Cuvier & Valenciennes, 1829) [trout cod]; skin, gills: R4 (1030)

ACT *Macquaria ambigua* (Richardson, 1845) [golden perch]; skin, gills: R4 (144, 628, 634, 1030)

ACT *Melanotaenia nigrans* (Richardson, 1843) [mauve rainbow-fish]; gills: R10 (624)

ACT *Nematalosa erebi* (Gunther, 1868) [bony bream]; gills: R1, R10 (144, 624)

ACT *Neosilurus* sp.; gills: R10 (624)

Chilodonella (unidentified species)

ACT *Glossolepis incisa* Weber, 1908 [New Guinea rainbow fish]; skin; RU (aquarium) (983)

ACT *Lates calcarifer* (Bloch, 1790) [barramundi]; gills: R1 (400, 919)

ACT *Salmo* sp.; LU, RU (839)

SUCTORIA ENDOGENIDA ACINETIDAE

Acincta fluviatilis Stokes, 1885

ART *Cherax destructor* (Clark, 1936) [inland yabbie]; gills, pleopods: R5 (893)

ART *Cherax tenuimanus* (Smith, 1912) [marron]; gills, pleopods: R5 (893)

Acincta tuberosa Ehrenberg, 1833

ART *Cherax* (Clark, 1936) [inland yabbie]; gills, pleopods: R5 (893)

ART *Cherax tenuimanus* (Smith, 1912) [marron]; gills, pleopods: R5 (893)

Acincta (unidentified species)

ART *Macrobrachium* sp.; exoskeleton; RU (945)

ART *Penaeus japonicus* Bate, 1888 [Karuma prawn]; gills: R1 (501)

ART *Portunus pelagicus* (Linnaeus, 1766) [sand crab]; gills: R13 (1067)

ART *Scylla serrata* (Forsskål, 1755) [mud crab]; gills: R13 (504)

TOKOPHRYIDAE

Tokophrya cyclopum (Clapredé & Lachmann, 1859) Butschli, 1889

ART *Cherax destructor* (Clark, 1936) [inland yabbie]; gills, pleopods: R5 (893)

Tokophrya (unidentified species)

ART *Macrobrachium* sp.; exoskeleton, RU (945)

EXOGENIDA

EPHELOTIDAE

Ephelota (unidentified species)

ART *Penaeus japonicus* Bate, 1888 [Karuma prawn]; gills: R1 (501)

PODOPHRYIDAE

Podophrya (unidentified species)

ART *Macrobrachium* sp.; exoskeleton; RU (945)

OLIGOHYMENOPHOREA

HYMENOSTOMATIA

HYMENOSTOMATIDA

TETRAHYMENINA

TETRAHYMENIDAE

Tetrahymena pyriformis (Ehrenberg, 1830) Lwoff, 1947

ART *Cherax quadricarinatus* (von Mortens, 1868) [redclaw]; systemic infection: R1 (323)

Tetrahymena (unidentified species)

ACT *Bidyanus bidyanus* (Mitchell, 1838) [silver perch]; skin, gills: R4 (144, 1030)

ACT *Maccullochella peelii* (Mitchell, 1838) [Murray cod]; skin, gills: R4 (144, 1030)

ACT *Macquaria ambigua* (Richardson, 1845) [golden perch]; skin, gills: R4 (144, 1030)

ACT *Salmo salar* Linnaeus, 1758 [Atlantic salmon]; fin, tail; RU (858)

OPHYOGLENINA

ICHTHYOPHTHIRIIDAE

Cryptocaryon irritans Brown, 1951

ACT *Acanthopagrus australis* (Gunther, 1859) [yellowfin bream]; surface; R13, R21 (289, 290, 291, 292, 293, 294)

- ACT *Epinephelus quoyanus* (Cuvier & Valenciennes, 1830) [wire netting cod]; surface; R21 (290, 293)
- ACT *Gerres subfasciatus* (Cuvier, 1830) [silver biddy]; surface; R13 (290)
- ACT *Gymnocranius audleyi* Ogilby, 1916 [iodine bream]; surface; R21 (289, 290, 292, 293, 294)
- ACT *Lates calcarifer* (Bloch, 1790) [barramundi]; skin, fins; R1, R21 (144, 291, 292, 293, 294, 400, 919)
- ACT *Lethrinus miniatus* (Forster in Bloch & Schneider, 1801) [sweetlip emperor, redthroat emperor]; surface; R21 (290)
- ACT *Lutjanus carponotatus* (Richardson, 1842) [yellow stripey]; surface; R21 (290)
- ACT *Lutjanus russelli* (Bleeker, 1849) [Moses perch]; surface; R13 (290)
- ACT *Macquaria novemaculeata* (Steindachner, 1866) [Australian bass]; external surfaces (exptl. infection); R21 (291, 292)
- ACT *Plectropomus leopardus* (Lacepède, 1802) [leopard coral trout]; surface; R21 (290)
- ACT *Rhabdosargus sarba* (Forsskål, 1775) [tarwhine]; surface; R13 (290)
- ACT *Scatophagus argus* (Linnaeus, 1766) [spotted scat]; skin; RU (983)
- ACT *Sillago ciliata* Cuvier & Valenciennes, 1829 [sand whiting]; surface; R13 (290)
- ACT *Sillago maculata* Quoy & Gaimard, 1824 [winter whiting]; surface; R13 (290)
- ACT *Torquigener hamiltoni* (Richardson, 1843) [Richardson's toadfish]; surface; R13 (290)
- ACT *Torquigener pleurogramma* (Regan, 1903) [weeping toadfish]; surface; R13 (290)
- Ichthyophthirius multifiliis** Fouquet, 1876
- ACT *Anguilla australis* Richardson, 1841 [short-finned eel]; body surface; R4 (79, 140)
- ACT *Anguilla* sp.; body surface, fins; R3 (21, 79)
- ACT *Barbus* sp.; skin; RU (983)
- ACT *Bidyanus bidyanus* (Mitchell, 1838) [silver perch]; skin, gills; R4 (144, 1030, 1061)
- ACT *Carassius auratus* (Linnaeus, 1758) [golden carp]; body surface; RU (79, 139, 140, 289, 627, 1026)
- ACT *Gadopsis marmoratus* Richardson, 1848 [river blackfish]; body surface; R2, R4 (79, 138, 140)
- ACT *Galaxias brevipinnis* Gunther, 1866 [climbing galaxias]; body surface; R4 (79, 140)
- ACT *Galaxias maculatus* (Jenyns, 1842) [common galaxias]; body surface; R4 (79, 140)
- ACT *Gobiomorphus gobiooides* (Cuvier & Valenciennes, 1837) [bullie]; body surface; R4 (79, 140)
- ACT *Lates calcarifer* (Bloch, 1790) [barramundi]; skin, fins; R1 (144, 400)
- ACT *Maccullochella peelii* (Mitchell, 1838) [Murray cod]; skin, gills; R4 (144, 627, 1030, 1061)
- ACT *Maccullochella macquariensis* (Cuvier & Valenciennes, 1829) [trout cod]; skin, gills; R4 (1030)
- ACT *Macquaria ambigua* (Richardson, 1845) [golden perch]; skin, gills; R4 (144, 627, 1030, 1061)
- ACT *Macquaria australasica* Cuvier & Valenciennes, 1830 [Macquarie perch]; skin, gills; R4 (1030)
- ACT *Retropinna semoni* (Weber, 1895) [Australian smelt]; skin, gills; R4 (1030)
- ACT *Salmo gainthieri* Richardson, 1836 [rainbow trout]; body surface, fins; RU, R2, R3, R4 (21, 79, 138, 139, 140, 681, 822)
- ACT *Salmo trutta* Linnaeus, 1758 [brown trout]; body surface; R2, R3, R4 (21, 79, 138, 139, 140)
- ACT *Tandanus tandanus* Mitchell, 1838 [freshwater catfish]; body surface; R4 (1061)
- ACT *Tetraodon* sp.; skin; RU (983)
- SCUTICOCILIATIDA
PHILASTERINA**
- PARANOPHRYIDAE**
- Paranophrys* (unidentified species)**
- ART *Portunus pelagicus* (Linnaeus, 1766) [sand crab]; haemolymph; R13 (1067)
- URONEMATIDAE**
- Uronema nigricans* (Mueller, 1786) Florentin, 1901**
- ACT *Thunnus maccoyii* Castelnau, 1872 [southern bluefin tuna]; brain; R16 (859)
- Uronema* (unidentified species)**
- ACT *Hippocampus abdominalis* Lesson, 1827 [big-belly seahorse]; LU; RU (1223)
- ACT *Latris lineata* (Bloch & Schneider, 1801) [Tasmanian trumpeter]; muscles; RU (637)
- ACT *Parablennius tasmanianus* (Richardson, 1849) [Tasmanian blenny]; LU; RU (1223)
- ACT *Sillago ciliata* Cuvier & Valenciennes, 1829 [sand whiting]; skin, muscle; R14 (391)
- ACT *Thunnus maccoyii* Castelnau, 1872 [southern bluefin tuna]; LU; RU (858, 1223)
- PERITRICHA
SESSILIDA**
- SCYPHIDIIDAE**
- Apiosoma campanulata* (Timofeev, 1962) Lom, 1966**
- ACT *Carassius auratus* (Linnaeus, 1758) [golden carp]; skin; R4 (669)
- Apiosoma* (unidentified species)**
- ACT *Hypseleotris klunzingeri* (Ogilby, 1898) [western carp gudgeon]; skin; R4 (1030)

PISTYLIDIDAE

Epistylis variabilis Stiller, 1942

- ART *Cherax destructor* (Clark, 1936) [inland yabbie]; gills, pleopods; R5 (893)
 ART *Cherax tenuimanus* (Smith, 1912) [marron]; gill, pleopods; R5 (893)

Epistylis (unidentified species)

- ART *Cherax destructor* (Clark, 1936) [inland yabbie]; gills, pleopods; R5 (175, 893)
 ART *Cherax quadricarinatus* (von Mortens, 1868) [redclaw]; exoskeleton; R1 (10, 11, 175, 472, 794, 920)
 ART *Cherax tenuimanus* (Smith, 1912) [marron]; gill, exoskeleton; R1, R5 (10, 175, 472, 794, 893, 920, 1210)
 ART *Leptodius sanguineus* (Edwards, 1834) [xanthid crab]; gills; R21 (658)
 ART *Macrobrachium* sp.; exoskeleton; RU (945)
 ART *Penaeus monodon* Fabricius, 1798 [giant tiger prawn]; gills; R1 (921)
 ART *Penaeus* sp.; exoskeleton; R1 (659)
 ART *Scylla serrata* (Forsskål, 1755) [mud crab]; gills; R13 (504)

Rhabdotyla (unidentified species)

- ART *Penaeus monodon* Fabricius, 1798 [giant tiger prawn]; gills; R1 (921)

LAGENOPHRYIDAE

Lagenophrys bispinosa Kane, 1965

- ART *Cherax rotundus* Clark, 1941 [rotund crayfish]; pleopods; R2 (607)

Lagenophrys darwini Kane, 1965

- ART *Cherax destructor* (Clark, 1936) [inland yabbie]; gills, pleopods; R5 (893)
 ART *Cherax quadricarinatus* (von Mortens, 1868) [redclaw]; gills; R8 (175, 607, 794, 920, 945)
 ART *Cherax tenuimanus* (Smith, 1912) [marron]; gill, pleopods; R5 (893)

Lagenophrys deserti Kane, 1965

- ART *Cherax quinquecarinatus* (Gray, 1845) [gilgy]; gills; R6 (607)
 ART *Cherax tenuimanus* (Smith, 1912) [marron]; gills; R6 (175, 607, 794)

Lagenophrys dungogii Kane, 1965

- ART *Euastacus* sp.; gills; R2 (607, 794)

Lagenophrys engaei Kane, 1965

- ART *Engaeus hemicirratulus* Smith & Schuster, 1913 [crayfish]; gill filaments; R2, R3 (607, 794)
 ART *Engaeus victoriensis* Smith & Schuster, 1913 [crayfish]; gills; R2, R3 (607, 794)

Lagenophrys ocellosa Kane, 1965

- ART *Cherax albidus* Clark, 136 [white yabby]; gills; R2 (607)

- ART *Cherax destructor* (Clark, 1936) [inland yabbie]; gills; R2 (175, 607, 772, 920, 945)

- ART *Cherax rotundus* Clark, 1941 [rotund crayfish]; gills; R2 (607)

Lagenophrys petila Clamp, 1994

- ART *Parastacoides tasmaniensis* (Erichson, 1846) [crayfish]; gills, pleopods; R3 (196)

Lagenophrys rugosa Kane, 1965

- ART *Geocharax falcata* Clarke, 1941 [crayfish]; gills; R2 (607, 794)

Lagenophrys spinosa Kane, 1965

- ART *Cherax destructor* (Clark, 1936) [inland yabbie]; gills, cuticle; R2, R5 (175, 607, 772, 794, 893, 920, 945)

- ART *Cherax tenuimanus* (Smith, 1912) [marron]; gills, cuticle; R5 (893)

Lagenophrys willisi Kane, 1965

- ART *Cherax albidus* Clark, 136 [white yabby]; gills; R2 (607, 794)

- ART *Cherax destructor* (Clark, 1936) [inland yabbie]; gills, pleopods; R2, R5 (175, 607, 772, 794, 893, 920, 945)

- ART *Cherax rotundus* Clark, 1941 [rotund crayfish]; gills; R2 (607, 794)

- ART *Cherax tenuimanus* (Smith, 1912) [marron]; gills, pleopods; R5 (893)

Lagenophrys (unidentified species)

- ART *Penaeus japonicus* Bate, 1888 [Karuma prawn]; gills; R1 (501)

- ART *Cherax quadricarinatus* (von Mortens, 1868) [redclaw]; gills; R1 (10, 175, 472, 794)

- ART Unidentified freshwater crayfish species; gills; RU (465)

Setonophrys communis (Kane, 1965) Clamp, 1991; syn. *Lagenophrys communis* Kane, 1965; syn.

- Lagenophrys latispinosa* Kane, 1965; syn.

- Lagenophrys lawrillii* Kane, 1965

- ART *Cherax albidus* Clark, 136 [white yabby]; gills, cuticle; R2 (195, 607, 794)

- ART *Cherax destructor* (Clark, 1936) [inland yabbie]; gills, cuticle; R2, R4, R5 (175, 195, 607, 773, 794, 893)

- ART *Cherax quadricarinatus* (von Mortens, 1868) [redclaw]; gills; R8, R9 (175, 195, 607, 794, 920, 945)

- ART *Cherax rotundus* Clark, 1941 [rotund crayfish]; gills; R2, R4 (195, 607)

- ART *Cherax tenuimanus* (Smith, 1912) [marron]; gills, cuticle; R5 (195, 893)

- ART *Engaeus quadrimanus* Clark, 1936 [crayfish]; gills; R2 (195)

- ART *Engaeus* sp.; exoskeleton; R2, R3 (195, 607, 794)

- ART *Euastacus armatus* (Von Martens, 1966) [Murray crayfish]; gills; R4 (195, 607, 794)

- ART *Euastacus nobilis* (Dana, 1852) [noble crayfish]; exoskeleton; R2 (195, 607, 794)
- ART *Synamphisopus ambiguus* (Sheard, 1936) [isopod]; exoskeleton; R4 (195, 607)
- Setonophrys lingulata*** (Kane, 1965) Clamp, 1991; syn. *Lagenophrys lingulata* Kane, 1965
- ART *Cherax albipus* Clark, 136 [white yabby]; gills; R4 (195)
- ART *Cherax depressus* Riek, 1951 [orange fingered yabby]; gills; R1 (195)
- ART *Cherax destructor* (Clark, 1936) [inland yabby]; gills, pleopods; R2, R4, R5 (175, 195, 607, 794, 893)
- ART *Cherax rotundus* Clark, 1941 [rotund crayfish]; gills; R2 (195, 607, 794)
- ART *Cherax tenuimanus* (Smith, 1912) [marron]; gills, pleopods; R5 (195, 893)
- Setonophrys seticola*** (Kane, 1965) Clamp, 1991; syn. *Lagenophrys seticola* Kane, 1965
- ART *Cherax albipus* Clark, 136 [white yabby]; cuticle; R2 (195, 607, 794)
- ART *Cherax destructor* (Clark, 1936) [inland yabby]; cuticle; R2 (175, 195, 607, 772, 794, 945)
- ART *Cherax rotundus* Clark, 1941 [rotund crayfish]; cuticle; R2 (195, 607, 794)
- ART *Engaeus fultoni* Smith & Schuster, 1913 [crayfish]; cuticle; R2 (195, 607)
- ART *Engaeus* sp.; cuticle; R2 (195, 607, 794)
- ART *Euastacus nobilis* (Dana, 1852) [noble crayfish]; cuticle; R2 (195, 607, 794)
- ART *Geocharax falcata* Clarke, 1941 [crayfish]; pleopods; R2 (195)
- Setonophrys tricorniculata*** Clamp, 1991
- ART *Geocharax falcata* Clarke, 1941 [crayfish]; pleopods; R2 (195)
- ### OPERCULARIDAE
- Operculigera obliqua*** Clamp, 1991
- ART *Metaphreatoicus australis* (Chilton, 1891); pleopods; R4 (195)
- Operculariella*** (unidentified species)
- ART *Portunus pelagicus* (Linnaeus, 1766) [sand crab]; gills; R13 (1067)
- Pyxidium*** (unidentified species) (= *Ampullaster*)
- ART Unidentified freshwater crayfish species; gills; RU (465)
- ### VAGINICOLIDAE
- Vaginicola ampulla*** Stokes, 1886
- ART *Cherax destructor* (Clark, 1936) [inland yabby]; gills, pleopods; R5 (893)
- ART *Cherax tenuimanus* (Smith, 1912) [marron]; gills, pleopods; R5 (893)
- Vaginicola*** (unidentified species)
- ART *Cherax destructor* (Clark, 1936) [inland yabby]; gills, pleopods; R5 (893)
- ART *Cherax tenuimanus* (Smith, 1912) [marron]; gills, pleopods; R5 (893)
- ART *Macrobrachium* sp.; exoskeleton; RU (945)
- Pyxicola bicalceata*** Kane, 1964
- ART *Cherax destructor* (Clark, 1936) [inland yabby]; gills; RU (175, 920, 945)
- Pyxicola carteri*** Kent, 1882
- ART *Cherax destructor* (Clark, 1936) [inland yabby]; pleopods; R5 (893)
- ART *Cherax tenuimanus* (Smith, 1912) [marron]; pleopods; R5 (893)
- Pyxicola jacobi*** Kane, 1964
- ART *Cherax destructor* (Clark, 1936) [inland yabby]; gills; RU (175, 773, 920, 945)
- Pyxicola pusilla*** Wrzesniowski, 1870
- ART *Cherax destructor* (Clark, 1936) [inland yabby]; pleopods; R5 (893)
- ART *Cherax tenuimanus* (Smith, 1912) [marron]; pleopods; R5 (893)
- Cothurnia*** (unidentified species)
- ART *Cherax destructor* (Clark, 1936) [inland yabby]; gills, pleopods; R5 (893)
- ART *Cherax tenuimanus* (Smith, 1912) [marron]; gill, pleopods; R5 (175, 893)
- ART *Macrobrachium* sp.; exoskeleton; RU (945)
- ART *Penaeus japonicus* Bate, 1888 [Karuma prawn]; gills; R1 (501)
- ART *Penaeus* sp.; exoskeleton; R1 (659)
- ### VORTICELLIDAE
- Vorticella calciformis*** Kahl, 1933
- ART *Cherax destructor* (Clark, 1936) [inland yabby]; gills, pleopods; R5 (893)
- ART *Cherax tenuimanus* (Smith, 1912) [marron]; gills, pleopods; R5 (893)
- Vorticella convallaria*** Linnaeus, 1758
- ART *Cherax destructor* (Clark, 1936) [inland yabby]; gills, pleopods; R5 (893)
- ART *Cherax tenuimanus* (Smith, 1912) [marron]; gills, pleopods; R5 (893)
- Vorticella flexuosa*** Nenninger, 1948
- ART *Cherax destructor* (Clark, 1936) [inland yabby]; gills, pleopods; R5 (893)
- ART *Cherax tenuimanus* (Smith, 1912) [marron]; gills, pleopods; R5 (893)
- Vorticella jaerae*** Precht, 1935
- ART *Cherax destructor* (Clark, 1936) [inland yabby]; gills, pleopods; R5 (893)
- ART *Cherax tenuimanus* (Smith, 1912) [marron]; gills, pleopods; R5 (893)

***Vorticella* (unidentified species)**

- ART *Cherax destructor* (Clark, 1936) [inland yabbie]; gills; pleopods; R5 (893)
 ART *Cherax quadricarinatus* (von Mortens, 1868) [redclaw]; exoskeleton; R1 (10, 175, 472, 794, 920)
 ART *Cherax tenuimanus* (Smith, 1912) [marron]; gills, exoskeleton; R1, R5 (10, 472, 794, 893, 920, 945)
 ART *Penaeus monodon* Fabricius, 1798 [giant tiger prawn]; gills; R1 (921)
 ART *Penaeus* sp.; exoskeleton; R1 (659)

ZOOTHAMNIDAE***Zoothamnium* (unidentified species)**

- ART *Cherax quadricarinatus* (von Mortens, 1868) [redclaw]; exoskeleton; R1 (10, 11, 175, 472, 794, 920, 945)
 ART *Cherax tenuimanus* (Smith, 1912) [marron]; exoskeleton; R1 (10, 175, 472, 794, 920, 945)
 ART *Macrobrachium* sp.; exoskeleton; RU (945)
 ART *Penaeus japonicus* Bate, 1888 [Karuma prawn]; gills; R1 (501)
 ART *Penaeus* sp.; exoskeleton; R1 (659)
 ART Unidentified pilumnid species; gills; R21 (658)

MOBILINA**TRICHODINIDAE*****Trichodina australis* Su & White, 1995**

- ACT *Atherinosoma microstoma* (Günther, 1861) [small mouth hardyhead]; gills; R15 (1111)
 ACT *Kestratherina brevirostris* (Pavlov et al., 1988) [short snout hardyhead]; gills; R15 (1111)
 ACT *Kestratherina esox* (Klunzinger, 1872) [pike head hardyhead]; gills; R15 (1111)
 ACT *Kestratherina hepsetoides* (Richardson, 1843) [small scale hardyhead]; gills; R15 (1111)
 ACT *Leptatherina presbyteroides* (Richardson, 1843) [silver fish]; gills; R15 (1111)

***Trichodina jadrana* Raabe, 1958**

- ACT *Nesogobius* sp.; gills; R15 (1111)

***Trichodina nesogobii* Su & White, 1995**

- ACT *Nesogobius* sp.; gills; R15 (1111)

***Trichodina* (unidentified species)**

- ACT *Atherinomorus capricorniensis* (Woodland, 1961) [hardy heads]; LU; R21 (658)
 ACT *Bidyanus bidyanus* (Mitchell, 1838) [silver perch]; skin, gills; R4 (144, 1030)
 ACT *Carassius auratus* (Linnaeus, 1758) [golden carp]; gills; R4 (627, 669)
 ACT *Choerodon venustus* (De Vis, 1884) [Venus tuskfish]; gills; R13 (899)
 ACT *Cnidoglanis macrocephalus* Valenciennes, 1840 [estuarine catfish]; gills; RU (aquarium) (983)

ACT *Coryphaena hippurus* Linnaeus, 1758 [dolphin fish]; gills; R18 (633)

ACT *Gambusia holbrooki* (Girard, 1859) [eastern gambusia]; gills; R4 (669)

ACT *Gerres subfasciatus* (Cuvier, 1830) [silver biddy]; gills; R13 (669)

ACT *Girella tricuspidata* (Quoy & Gaimard, 1824) [blackfish]; gills; R13 (669)

ACT *Hypseleotris klunzingeri* (Ogilby, 1898) [western carp gudgeon]; skin, gills; R4 (1030)

ACT *Lates calcarifer* (Bloch, 1790) [barramundi]; gills; R1 (400, 919)

ACT *Maccullochella peelii* (Mitchell, 1838) [Murray cod]; skin, gills; R4 (144, 1030)

ACT *Maccullochella macquariensis* (Cuvier & Valenciennes, 1829) [trout cod]; skin, gills; R4 (1030)

ACT *Macquaria ambigua* (Richardson, 1845) [golden perch]; skin, gills; R4 (144, 1030)

ACT *Macquaria australasica* Cuvier & Valenciennes, 1830 [Macquarie perch]; skin, gills; R4 (1030)

ACT *Oxyeleotris lineolatus* (Steindachner, 1867) [sleepy cod]; LU; RU (aquarium) (144)

ACT *Paraglyphidodon melas* (Cuvier & Valenciennes, 1830); LU; R21 (658)

ACT *Rhabdosargus sarba* (Forsskål, 1775) [tarwhine]; gills; R13 (669)

ACT *Salmo gairdneri* Richardson, 1836 [rainbow trout]; gills; R3 (857)

ACT *Salmo salar* Linnaeus, 1758 [Atlantic salmon]; gills; R3 (857)

ACT *Sigamus fuscescens* (Houttuyn, 1797) [dusky rabbitfish]; gills; R13 (899)

ACT *Sillago ciliata* Cuvier & Valenciennes, 1829 [sand whiting]; gills; R13 (899)

ACT *Tetractenos glaber* (Freminville, 1813) [smooth toadfish]; gills; R13 (669)

AMP *Bufo marinus* (Linnaeus, 1758) [cane toad]; skin (tadpoles), intestines; R1 (277, 1087)

***Trichodinella* (unidentified species)**

ACT *Girella tricuspidata* (Quoy & Gaimard, 1824) [blackfish]; gills; R13 (669)

ACT *Hypseleotris klunzingeri* (Ogilby, 1898) [western carp gudgeon]; skin; R4 (1030)

ACT *Myxus elongatus* Gunther, 1861 [sand mullet]; gills; R13 (669)

ACT *Salmo* sp.; LU; RU (839)

APOSTOMATIA**APOSTOMATIDA****Unidentified apostome**

ART *Penaeus plebejus* Hess, 1865 [eastern king prawn]; gills; RU (919)

ART *Saron marmoratus* (Nobili, 1904) [shrimp]; gills; R21 (658)

FOETTINGERIIDAE

Synophrya hypertrophica Chatton & Lwoff, 1926

ART *Metapenaeus macleayi* (Haswell, 1879) [eastern school prawn]; gills; R1 (659)

ART *Penaeus plebejus* Hess, 1865 [eastern king prawn]; gills; R1 (10, 659)

Unidentified ciliates

ART *Alpheus* sp.; gills; R21 (658)

MAM *Macropus rufus* (Desmarest, 1822) [red kangaroo]; forestomach; R5 (449)

MAM *Setonix brachyurus* (Quoy & Gaimard, 1830) [quokka]; forestomach; R6 (783, 1271)

MOL *Tridacna gigas* (Linnaeus, 1758) [giant clam]; gills, mantle, muscle; R21 (5, 10, 509)

MOL *Tridacna hippopus* (Linnaeus, 1758) [bear paw clam]; mantle, muscle; R21 (5)

INCERTAE SEDIS

Blastocystis hominis Brumpt, 1912

MAM *Homo sapiens* Linnaeus, 1758 [human], faeces; R1, R2 (80, 117, 118, 119, 185, 319, 470, 552, 742, 1095, 1096, 1097, 1098, 1186, 1217)

Blastocystis (unidentified species)

AVE *Anas platyrhynchos* Linneaeus, 1758 [mallard]; faeces; R1 (1101, 1100)

AVE *Anser anser domesticus* Linnaeus 1758 [domestic goose]; faeces; R1 (1100)

AVE *Gallus gallus* Linnaeus, 1758 [domestic chicken]; faeces; R1 (119, 185, 1100)

AVE *Struthio camelus* Linnaeus, 1758 [ostrich]; faeces; R1 (119, 1100)

MAM *Bos taurus* Linnaeus, 1758 [ox]; faeces, circus animal; R1 (119, 1099)

MAM *Camelus dromedarius* Linnaeus, 1758 [camel]; faeces, circus animal; R1 (119, 1099)

MAM *Felis catus* Linnaeus, 1758 [cat]; faeces; R1 (119)

MAM *Lama pacos* Linnaeus, 1758 [alpaca]; faeces; R1 (119)

MAM *Lama glama* Linnaeus, 1758 [llama]; faeces, circus animal; R1 (119, 1099)

MAM *Panthera leo* Linnaeus, 1758 [lion]; faeces, circus animal; R1 (119, 1099)

MAM *Phascolarctos cinereus* (Goldfuss, 1817) [koala]; faeces; R1 (119)

MAM *Sus scrofa* Linnaeus, 1758 [pig]; faeces; R1 (185)

Bonamia ostreae Pichot et al., 1979

MOL *Ostrea* Linnaeus, 1758 [common European oyster]; haemocytes; RU (347)

MOL *Ostrea lurida* Carpenter, 1864 [native Pacific oyster]; haemocytes; RU (347)

Dermocystidium (unidentified species)

ACT *Coryphaena hippurus* Linnaeus, 1758 [dolphin fish]; muscle, liver, pancreas; R18 (633)

Mikrocystos roughleyi Farley et al., 1988

MOL *Saccostrea glomerata* (Gould, 1880) [Sydney rock oyster, Moreton Bay rock oyster]; haemocytes; R13 (2, 10, 347, 660)

Pneumocystis carinii Delanoë, 1912

MAM *Homo sapiens* Linnaeus, 1758 [human], lung; RU, R1 (692, 992, 1102, 1179)

MAM *Macropus rufus* (Desmarest, 1822) [red kangaroo]; lungs; RU (826, 851)

Unidentified protozoan

AVE *Anas platyrhynchos* Linneaeus, 1758 [mallard]; lungs; R2 (989)

MOL *Pinctada maxima* (Jameson, 1901) [pearl oyster]; digestive gland; R20 (1254)

MOL *Tridacna gigas* (Linnaeus, 1758) [giant clam]; LU; R21 (10)

REP *Crocodylus porosus* Schneider, 1801 [salt water crocodile]; intestines (giant cell enteritis); R1 (619)

ACKNOWLEDGEMENTS

This catalogue was compiled over the last decade at the urgings of many colleagues to whom we are indebted for providing moral support as well as physical resources in the form of reprints, photocopies, books, conference proceedings and anecdotal material. In particular, we wish to thank Ian Beveridge for his advice and assistance and Barry Richardson for his guidance and support. The preparation of the catalogue was supported in part by the Australian Biological Resources Study, the Australian Wildlife Conservation Fund and the Australian Research Council. We are extremely grateful to the dedicated librarians at the Institute of Medical and Veterinary Science in Adelaide and the Biological Sciences Library at The University of Queensland for their relentless pursuit of obscure articles; red herrings and all. Thank you also to the many students and colleagues who aided in the collection, deciphering, cataloguing and checking of information and to the curatorial staff of the Queensland Museum for their assistance with host taxonomy.

LITERATURE CITED

- ADLARD, R.D. & O'DONOGHUE, P.J. 1998. Perspectives on the biodiversity of parasitic protozoa in Australia. International Journal for Parasitology 28: 887-897.
- ANONYMOUS 1976. Review of Australia's water resources. Australian Water Resources Council,

- Department of Natural Resources. (Australian Government Publishing Service: Canberra)
- BEUMER, J.D., ASHBURNER, L.D., BURBURY, M.E., JETTE, E. & LATHAM, D.J. 1982. A checklist of the parasites of fishes from Australia and its adjacent Antarctic territories. Commonwealth Agricultural Bureau Technical Communication No. 48. (Thanet Press: Margate).
- COGGER, H.G. 1996. Reptiles and amphibians of Australia. (Reed: Port Melbourne).
- INTERNATIONAL COMMISSION ON ZOOLOGICAL NOMENCLATURE. 1999. International code of zoological nomenclature, 4th Edition. (International Trust for Zoological Nomenclature: London)
- LEE, J.J., HUTNER, S.H. & BOVEE, E.C. 1985. An illustrated guide to the protozoa. Society of Protozoologists. (Allen Press: Lawrence).
- LEVINE, N.D., CORLISS, J.O., COX, F.E.G., DEROUX, G., GRAIN, J., HONIGBERG, B.M., LEEDALE, G.F., LOEBLICH, A.R., LOM, J., LYNN, D., MERINFELD, E.G., PAGE, F.C., POLJANSKY, G., SPRAGUE, V., VAVRA, J. & WALLACE, F.G. 1980. A newly revised classification of the protozoa. Journal of Protozoology 27: 37-58.
- MACKERRAS, M.J. 1958. Catalogue of Australian mammals and their recorded internal parasites. Proceedings of the Linnean Society of New South Wales 83: 101-160.
- MARGULIS, L., CORLISS, J.O., MELKONIAN, M. & CHAPMAN, D.J. 1990. Handbook of protocista. (Jones & Bartlett: Boston).
- NELSON, J.S. 1994. Fishes of the world. 3rd edition. (John Wiley & Sons: New York).
- SIBLEY, C. & MONROE, B. Jr 1990. Distribution and taxonomy of birds of the world. (Yale University Press: New Haven).
1993. A supplement to distribution and taxonomy of birds of the world. (Yale University Press: New Haven)
- STRAHAN, R. 1983. Complete book of Australian mammals. The Australian Museum. (Angus & Robertson: Sydney).

APPENDIX

BIBLIOGRAPHY. List of source publications from which host/parasite records given in this catalogue were abstracted. Numerical prefixes refer to numbers given in parentheses within each checklist entry.

1. ADAMS, M., ANDREWS, R.H., ROBINSON, B., CHRISTY, P., BAVERSTOCK, P.R., DOBSON, P.J. & BLACKLER, S.J. 1989. A genetic approach to species criteria in the amoeba genus *Naegleria* using allozyme electrophoresis. Int. J. Parasitol. 19: 823-834.
2. ADLARD, R.D. & LESTER, R.J.G. 1995. Development of a diagnostic test for *Mikrocytos roughleyi*, the aetiological agent of Australian winter mortality of the commercial rock oyster, *Saccostrea commercialis* (Iredale & Roughley). J. Fish Dis. 18: 609-614.
3. ADLARD, R.D. & ERNST, I. 1995. Extended range of the oyster pathogen *Marteilia sydneyi*. Bull. Euro. Ass. Fish Pathol. 15: 119-121.
4. AKHLAGHI, M., MUNDAY, B.L., ROUGH, K. & WHITTINGTON, R.J. 1996. Immunological aspects of amoebic gill disease in salmonids. Dis. Aquatic Org. 25: 23-31.
5. ALDER, J. & BRALEY, R. 1989. Serious mortality in populations of giant clams on reefs surrounding Lizard Island, Great Barrier Reef. Aust. J. Mar. Freshwater Res. 40: 205-213.
6. ALEXANDER, G.I. 1953. An outbreak of bovine trichomoniasis in Queensland and its control. Aust. Vet. J. 29: 61-66.
7. ANDERS, R.F., ROBERTS-THOMSON, I.C. & MITCHELL, G.F. 1982. Giardiasis in mice: analysis of humoral and cellular immune responses to *Giardia muris*. Parasite Immunol. 4: 47-57.
8. ANDERSON, K. & JAMIESON, A. 1972. Agglutination test for the investigation of the genus *Naegleria*. Pathol. 4: 273-278.
9. ANDERSON, K. & JAMIESON, A. 1972. Primary amoebic meningoencephalitis. Lancet 22: 902-903.
10. ANDERSON, I.G. 1990. Diseases in Australian invertebrate aquaculture. Pp 38-48 in Fifth International Colloquium on Invertebrate Pathology and Microbial Control. (Soc. Invert. Pathol.: Adelaide).
11. ANDERSON, I. 1990. Diseases - what type and how to prevent them. Aust. Fisheries 49: 32-34.
12. ANDERSON, T.J. & LESTER, R.J.G. 1992. Sporulation of *Marteilioides branchialis* n. sp. (Paramyxa) in the Sydney rock oyster, *Saccostrea commercialis*: an electron microscope study. J. Protozool. 39: 502-508.
13. ANDERSON, T.J., NEWMAN, L.J. & LESTER, R.J.G. 1993. Light and electron microscope study of *Urosporidium cannoni* n. sp., a haplosporidian parasite of the polyclad turbellarian *Stylochus* sp. J. Euk. Microbiol. 40: 162-168.
14. ANDERSON, T.J., MCCAUL, T.F., BOULO, V., ROBLEDO, J.A.F. & LESTER, R.J.G. 1994. Light

- and electron immunohistochemical assays on paramyxean parasites. *Aquat. Living Res.* 7: 47-52.
15. ANDERSON, T.J., ADLARD, R.D. & LESTER, R.J.G. 1995. Molecular diagnosis of *Marteilia sydneyi* (Paramyxea) in Sydney rock oysters, *Saccostrea commercialis* (Angas). *J. Fish Dis.* 18: 507-510.
 16. ANDREWS, R.H., ADAMS, M., BOREHAM, P.F.L., MAYRHOFER, G. & MELONI, B.P. 1989. *Giardia intestinalis*: electrophoretic evidence for a species complex. *Int. J. Parasitol.* 19: 183-190.
 17. ANDREWS, R., O'DONOGHUE, P., ADAMS, M. & PROWSE, S. 1990. Enzyme markers for the genetic characterization of avian *Eimeria* spp. *Parasitol. Res.* 76: 627-629.
 18. ANDREWS, R.H., MAYRHOFER, G., CHILTON, N.B., BOREHAM, P.F.L. & GRIMMOND, T.R. 1992. Changes in allozyme pattern of the protozoan parasite *Giardia intestinalis*. *Int. J. Parasitol.* 22: 403-406.
 19. ANDREWS, R.H., CHILTON, N.B. & MAYRHOFER, G. 1992. Selection of specific genotypes of *Giardia intestinalis* by growth *in vitro* and *in vivo*. *Parasitol.* 105: 375-386.
 20. ANDREWS, R.H., MONIS, P.L. & MAYRHOFER, G. 1998. Comparison of the levels in intra-specific genetic variation within *Giardia muris* and *Giardia intestinalis*. *Int. J. Parasitol.* 28: 1179-1185.
 21. ANONYMOUS 1933. Mortality in trout at Plenty Hatcheries. Salmon and Freshwater Fish Commission Report, Hobart, Tasmania 11: 3-4, 13-14.
 22. ANONYMOUS 1946. Researches on "Paludrine" (M.4888) in Australia. *Med. J. Aust.* 1: 234-236.
 23. ANONYMOUS 1974. Bundaberg fish disease causes concern. *Aust. Fish.* 33: 36.
 24. ARCHER, J.F. & WALKER, K.H. 1979. Sarcosporidiosis - research sheds new light on an old problem in the sheep industry. *N.S.W. Agric. Gaz.* June: 11-13.
 25. ARUNDEL, J.H. 1957. The control of caecal coccidiosis. *Aust. Vet. J.* 33: 256-263.
 26. ARUNDEL, J.H. 1959. The efficiency and toxicity of pyrimethamine in the control of caecal coccidiosis of chickens. *Aust. Vet. J.* 35: 7-12.
 27. ARUNDEL, J.H. 1960. Chemotherapy of caecal coccidiosis in chickens. *Aust. Vet. J.* 36: 49-53.
 28. ARUNDEL, J.H., BARKER, I.K. & BEVERIDGE, I. 1977. Diseases of marsupials. Pp 141-154 in Stonehouse, B. & Gilmore, D. (ed.) *The Biology of Marsupials*. (Macmillan Press: Sydney).
 29. ARUNDEL, J.H. 1978. Parasitic diseases of the horse. (Veterinary Review No. 18, Post Graduate Foundation in Veterinary Science: University of Sydney).
 30. ARUNDEL, J.H., BEVERIDGE, I. & PRESIDENTE, P.J. 1979. Parasites and pathological findings in enclosed and free-ranging populations of *Macropus rufus* (Demarest) (Marsupialia) at Menindee, New South Wales. *Aust. Wildl. Res.* 6: 361-379.
 31. ARUNDEL, J.H. 1981. Wildlife disease of the Pacific Basin - Australia. Pp 18-22 in Fowler, M.E. (ed.) *Wildlife diseases of the Pacific Basin and other countries*. (Proc. 4th Int. Conf. Wildlife Dis. Assoc.: Sydney).
 32. ASHBURNER, L.D. & EHL, A.S. 1973. *Chilodonella cyprini* (Moroff), a parasite of freshwater fish and its treatment. *Bull. Aust. Soc. Limnol.* 5: 3-4.
 33. ASHBURNER, L.D. 1975. Coccidiosis in an Australian fish, the Macquarie perch, *Macquaria australasica* Cuvier, 1830. *Bull. Aust. Soc. Limnol.* 5: 3-4.
 34. ASHBURNER, L.D. 1976. Fish diseases and potential fish diseases in Australia. *Animal Quarantine* 5: 1-7.
 35. ASHBURNER, L.D. 1978. Management and diseases of hatchery fish. Pp 387-449 in J.D. Stewart Course for Veterinarians, Fauna - part B (Post Graduate Committee in Veterinary Science: University of Sydney):
 36. ASHTON, N. 1979. Ocular toxoplasmosis in wallabies (*Macropus rufogriseus*). *Am. J. Ophthalmol.* 88: 322-332.
 37. ASSADMONGKOL, K., GRACEY, M., FORBES, D. & VARAVITHYA, W. 1992. *Cryptosporidium* in 100 Australian children SE Asian J. Trop. Med. Public Health 23: 132-137.
 38. ATWOOD, H.D., WOOLLEY, P.A. & RICKARD, M.D. 1975. Toxoplasmosis in dasyurid marsupials. *J. Wildlife Dis.* 11: 543-551.
 39. ATWELL, R.B. 1975. Prenatal *Babesia bigemina* infection in a calf. *Aust. Vet. J.* 51: 539.
 40. AYALA, S.C. 1977. Plasmodia of reptiles. Pp 267-309 in Kreier, J.P. (ed.) *Parasitic Protozoa* (Academic Press: New York).
 41. BABBAGE, N.F. 1965. An epidemic of miscarriage in humans possibly caused by *Toxoplasma gondii*. *Med. J. Aust.* 2: 485-488.
 42. BACKHOUSE, T.C. & BOLLIGER, A. 1951. Transmission of Chagas' disease to the Australian marsupial *Trichosurus vulpecula*. *Trans. Roy. Soc. Trop. Med. Hyg.* 44: 521-533.
 43. BACKHOUSE, T.C. & BOLLIGER, A. 1959. *Babesia tachglossi* n. sp. from the echidna *Tachyglossus aculeatus*. *J. Protozool.* 6: 320-322.
 44. BADENOCH, P.R., JOHNSON, A.M., CHRISTY, P.E. & COSTER, D.J. 1991. A model of *Acanthamoeba* keratitis in the rat. *Rev. Infect. Dis.* 13: S445.
 45. BAKER, J.R. 1986. Trichomoniasis, a major cause of vomiting in budgerigars. *Vet. Rec.* 118: 447-449.
 46. BANCROFT, T.L. 1888. Note on *Haematomonas* in rats' blood. *Proc. Roy. Soc. Qld.* 5: 31-32.

47. BANCROFT, T.L. 1891. Exhibit: two apparently new infusorian parasites in the blood of a frog, *Hyla nasuta*, one of them is referable to the genus *Trypanosoma*. Proc. Roy. Soc. Qld. 8: 13.
48. BANCROFT, T.L. 1927. Flagellates in certain Queensland plants. Proc. Roy. Soc. Qld. 39: 22.
49. BARBER, J.S., GASSER, R.B., ELLIS, J., REICHEL, M.P., MCMILLAN, D. & TREES, A.J. 1997. Prevalence of antibodies to *Neospora caninum* in different canid populations. J. Parasitol. 83: 1056-1058.
50. BARKER, S., CALABY, J.H. & SHARMAN, G.B. 1963. Diseases of Australian laboratory marsupials. Vet. Bull. 33: 539-544.
51. BARKER, I.K. & REMMLER, O. 1972. The endogenous development of *Eimeria leuckarti* in ponies. J. Parasitol. 58: 112-122.
52. BARKER, I.K., HARRIGAN, K.E. & DEMPSTER, J.K. 1972. Coccidiosis in wild grey kangaroos. Int. J. Parasitol. 2: 187-192.
53. BARKER, I.K. & CARBONELL, P.L. 1974. *Cryptosporidium agni* sp. n. from lambs, and *Cryptosporidium bovis* sp. n. from a calf, with observations on the oocyst. Z. Parasitenkd. 44: 289-298.
54. BARKER, I.K., MUNDAY, B.L. & HARRIGAN, K.E. 1975. *Klossiella* spp. in the kidneys of peramelid, petaurid, and macropodid marsupials. Z. Parasitenkd. 46: 35-41.
55. BARKER, I.K., BEVERIDGE, I., BRADLEY, A.J. & LEE, A.K. 1978. Observations on spontaneous stress-related mortality among males of the dasyurid marsupial *Antechinus stuartii* Macleay. Aust. J. Zool. 26: 435-447.
56. BARKER, I.K., MUNDAY, B.L. & PRESIDENTE, P.J.A. 1979. Coccidia of wombats: correction of host-parasite relationships. *Eimeria wombatii* (Gilruth and Bull, 1912) comb. nov. and *Eimeria ursini* Supperer, 1957 from the hairy-nosed wombat and *Eimeria arundeli* sp. n. from the common wombat. J. Parasitol. 65: 451-456.
57. BARKER, I.K., BEVERIDGE, I. & MUNDAY, B.L. 1985. Coccidia (*Eimeria tachyglossi* n.sp., *E. echidnae* n.sp. and *Octosporella hystrix* n.sp.) in the echidna, *Tachyglossus aculeatus* (Monotremata: Tachyglossidae). J. Protozool. 32: 523-525.
58. BARKER, I.K., MUNDAY, B.L. & HARTLEY, W.J. 1985. *Klossiella* (Apicomplexa, Klossiliidae) in petaurid and macropodid marsupials in Australia. J. Protozool. 32: 520-522.
59. BARKER, I.K., O'CALLAGHAN, M.G., BEVERIDGE, I. & CLOSE, R.L. 1988. Host-parasite associations of *Eimeria* spp. (Apicomplexa: Eimeriidae) in rock wallabies, *Petrogale* spp. (Marsupialia: Macropodidae). Int. J. Parasitol. 18: 353-363.
60. BARKER, I.K., O'CALLAGHAN, M.G. & BEVERIDGE, I. 1988. *Eimeria* spp. (Apicomplexa: Eimeriidae) parasitic in wallabies and kangaroos of the genera *Setonix*, *Thylogale*, *Wallabia*, *Lagorchestes* and *Dendrolagus* (Marsupialia: Macropodidae). Int. J. Parasitol. 18: 955-962.
61. BARKER, I.K., O'CALLAGHAN, M.G. & BEVERIDGE, I. 1988. *Eimeria* spp. (Apicomplexa: Eimeriidae) parasitic in the rat-kangaroos *Hypsiprymnodon moschatus*, *Potorous tridactylus*, *Aepyprymnus rufescens* and *Bettongia gaimardi* (Marsupialia: Potoroidae). Int. J. Parasitol. 18: 947-953.
62. BARKER, I.K., O'CALLAGHAN, M.G. & BEVERIDGE, I. 1989. Host-parasite associations of *Eimeria* spp. (Apicomplexa: Eimeriidae) in kangaroos and wallabies of the genus *Macropus* (Marsupialia: Macropodidae). Int. J. Parasitol. 19: 241-263.
63. BEAMES, R.M. 1955. The serological examination of a strain of *Trichomonas foetus* isolated in Queensland. Qld. J. Agric. Sci. 12: 15-19.
64. BEARUP, A.J. & LAWRENCE, J.J. 1947. A search for the vector of *Plasmodium pteropli* Breinl. Proc. Linn. Soc. N.S.W. 71: 197-200.
65. BEARUP, A.J., LAWRENCE, J.J. & HEYDON, G.A.M. 1949. The incidence of parasitic infections in New South Wales. Med. J. Aust. 2: 7-10.
66. BEARUP, A.J. 1951. Notes and exhibits. Proc. Linn. Soc. N.S.W. 76: 26.
67. BEARUP, A.J. 1954. The coccidia of carnivores in Sydney. Aust. Vet. J. 30: 185-186.
68. BEARUP, A.J. 1960. Parasitic infection in cats in Sydney, with special reference to the occurrence of *Ollulanus tricuspidis*. Aust. Vet. J. 36: 352-354.
69. BEATTIE, H.E.R. 1955. A bovine "trichomonad cyst". Aust. Vet. J. 31: 146-147.
70. BEATTIE, H.E.R. 1955. Trichomoniasis. Aust. Vet. J. 31: 42-43.
71. BECNEL, J.J. & SWEENEY, A.W. 1990. *Amblyospora trinus* n. sp. (Microsporida: Amblyosporidae) in the Australian mosquito *Culex halifaxi* (Diptera: Culicidae). J. Protozool. 37: 584-592.
72. BEGG, M., BEVERIDGE, I., CHILTON, N.B., JOHNSON, P.M. & O'CALLAGHAN, M.G. 1995. Parasites of the proseperine rock wallaby, *Petrogale persephone* (marsupialia: macropodidae). Aust. Mammalogy 18: 45-53.
73. BELL, I. 1986. Diseases in turkeys. Pp 469-559 in Poultry Health (Post-Graduate Committee in Veterinary Science: University of Sydney).
74. BENNETT, G.F., GRENIER, E.C., WHITELEY, P.L. & NORMAN, F.I. 1977. Blood parasites of some waterfowl from Victoria, Australia. J. Wildlife Dis. 13: 202-204.
75. BENNETT, G.F., SQUIRES-PARSONS, D. & POLOMMAA, T. 1994. The species of *Haemoproteus*, *Leucocytozoon* and *Trypanosoma*

- of the Australian honeyeater family Meliphagidae (Aves: Passeriformes). Mem. Qld. Museum 37: 13-18.
76. BENNETTS, H.W. 1930. *Bacillus welchii* and bowel lesions, with special reference to a case of coccidiosis. Aust. Vet. J. 6: 153-154.
77. BETTIOL, S.S., GOLDSMID, J.M., LE, D.D. & DRIESSEN, M. 1996. The first record of a member of the genus *Isopora* in the eastern barred bandicoot (*Potorous gummii*) in Tasmania. J. Parasitol. 82: 829-830.
78. BETTIOL, S.S., JAKES, K., LE, D.D., GOLDSMID, J.M. & HOCKING, G. 1998. First record of trypanosomes in Tasmanian bandicoots. J. Parasitol. 84: 538-541.
79. BEUMER, J.D., ASHBURNER, L.D., BURBURY, M.E., JETTE, E. & LATHAM, D.J. 1982. A checklist of the parasites of fishes from Australia and its adjacent Antarctic territories. Cmwlth. Agric. Bur. Tech. Comm. No. 48 (Thanei Press, Margate).
80. BIGGS, B.A., MEGNA, R., WICKREMINESINGHE, S. & DWYER, B. 1987. Human infection with *Cryptosporidium* spp.: results of a 24-month survey. Med. J. Aust. 147: 175-177.
81. BINAS, M. & JOHNSON, A.M. 1998. A polymorphism in a DNA polymerase gene intron differentiates between murine virulent and avirulent strains in *Toxoplasma gondii*. Int. J. Parasitol. 28: 1033-1040.
82. BINISS, R.T. 1945. A study of diseases of Australian natives in the Northern Territory. Med. J. Aust. 1: 421-426.
83. BINZ, N., THOMPSON, R.C.A., LYMBERY, A.J. & HOBBS, R.P. 1992. Comparative studies on the growth dynamics of two genetically distinct isolates of *Giantia duodenalis* *in vitro*. Int. J. Parasitol. 22: 195-202.
84. BLACK, R.H. 1955. Deaths from malaria on the Australian mainland. Med. J. Aust. 1: 387-388.
85. BLACK, R.H. 1959. Haptoglobins and haemoglobins in Australian aborigines. Med. J. Aust. 1: 175-177.
86. BLACK, R.H. 1959. Clinical features of overt vivax malaria seen in Australia: infections acquired in New Guinea. Med. J. Aust. 2: 591-593.
87. BLACK, R.H. 1960. Investigation of blood donors in accidental transfusion malaria - *Plasmodium vivax*, *falciparum* and *malariae* infections. Med. J. Aust. 2: 446-449.
88. BLACK, R.H. 1970. Malaria in Australia, 1969. Modern Med. Aust. 13: 31-38.
89. BLACK, R.H. 1971. Malaria in Australia, 1970. Modern Med. Aust. 10: 13-25.
90. BLACK, R.H. 1972. Malaria in Australia. Commonwealth Department of Health Service Publication No. 9 (Australian Government Publishing Service, Canberra).
91. BLACK, R.H. 1976. Malaria in Australia, 1974. Modern Med. Aust. 5: 29-32.
92. BLACK, S.S., STEINOHRL, L.A., BERTUCCI, D.C., ROGERS, L.B. & DIDIER, E.S. 1997. *Encephalitozoon hellem* in budgerigars (*Melopsittacus undulatus*). Vet. Pathol. 34: 189-198.
93. BLACKBURN, M. 1960. A study of condition (weight for length) of Australian barracouta, *Thyrsites atun* (Euphrasen). Aust. J. Mar. Freshw. Res. 2: 14-41.
94. BLAGBURN, B.L., LINDSAY, D.S., HOERR, F.J., ATLAS, A.L. & TOVIO-KINNUCAN, M. 1990. *Cryptosporidium* sp. infection in the proventriculus of an Australian diamond firetail finch (*Stagonopura bella*: Passeriformes, Estrildidae). Avian Dis. 34: 1027-1030.
95. BLAKE, R.T. & OVEREND, D.J. 1982. The prevalence of *Dirofilaria immitis* and other parasites in urban pound dogs in north-eastern Victoria. Aust. Vet. J. 58: 111-114.
96. BLANCHARD, R. 1885. Note sur les Sarcosporidies et sur un essai de classification des Sporozoaires. Bull. Soc. Zool. Fr. 10: 244-276.
97. BLANCHARD, R. 1889. Traité de Zoologie Médicale. (J.B. Baillière et Fils, Paris).
98. BOCK, R.E., DEVOS, A.J., LEW, A., KINGSTON, T.G. & FRASER, I.R. 1995. Studies on failure of T strain live *Babesia bovis* vaccine. Aust. Vet. J. 72: 296-300.
99. BOCK, R.E., DEVOS, A.J., KINGSTON, T.G. & McELLAN, D.J. 1997. Effect of breed of cattle on innate resistance to infection with *Babesia bovis*, *B. bigemina* and *Anaplasma marginale*. Aust. Vet. J. 75: 337-340.
100. BOORMAN, G.A., KOLLIAS, G.V. & TAYLOR, R.F. 1977. An outbreak of toxoplasmosis in wallaroos (*Macropus robustus*) in a California Zoo. J. Wildl. Dis. 13: 64-68.
101. BOREHAM, P.F.L., DONDEY, J. & WALKER, R. 1981. Giardiasis among children in the city of Logan, south east Queensland. Aust. Pediatr. J. 17: 209-212.
102. BOREHAM, P.F.L. & SHEPHERD, R.W. 1982. Septic systems and *Giardia intestinalis* transmission. Med. J. Aust. 2: 553.
103. BOREHAM, P.F.L. & SHEPHERD, R.W. 1984. Giardiasis in child-care centres. Med. J. Aust. 141: 263.
104. BOREHAM, P.F.L., PHILLIPS, R.E. & SHEPHERD, R.W. 1984. The sensitivity of *Giardia intestinalis* to drugs *in vitro*. J. Antimicrob. Chemotherapy 14: 449-461.
105. BOREHAM, P.F.L., PHILLIPS, R.E. & SHEPHERD, R.W. 1985. A comparison of the *in-vitro* activity of some 5-nitroimidazoles and other compounds against *Giardia intestinalis*. J. Antimicrob. Chemotherapy 16: 589-595.

106. BOREHAM, P.F.L. & SHEPHERD, R.W. 1985. The treatment of giardiasis. Pp 320-326 in Tzipori, S. (ed.) International Seminar on Diarrhoeal Diseases in South-East Asia and the Western Pacific Region. Infectious Diarrhoea in the Young: Strategies for Control in Humans and Animals. (Elsevier Sci. Pub.: Geelong).
107. BOREHAM, P.F.L., BENRIMOJ, S., ONG, M., CRAIG, M., SHEPHERD, R.W., HILL, D. & SINGLETON, B. 1986. A compliance study in paediatric patients receiving treatment for giardiasis. Aust. J. Hosp. Pharm. 16: 138-142.
108. BOREHAM, P.F.L., PHILLIPS, R.E. & SHEPHERD, R.W. 1986. The activity of drugs against *Giardia intestinalis* in neonatal mice. J. Antimicrob. Chemotherapy 18: 393-398.
109. BOREHAM, P.F.L. & PHILLIPS, R.E. 1986. Giardiasis in Mount Isa, north-west Queensland. Med. J. Aust. 144: 524-528.
110. BOREHAM, P.F.L., PHILLIPS, R.E. & SHEPHERD, R.W. 1987. Heterogeneity in the response of clones of *Giardia intestinalis* to anti-giardial drugs. Trans. Roy. Soc. Trop. Med. Hyg. 81: 406-407.
111. BOREHAM, P.F.L. 1987. Transmission of *Giardia* by food and water. Food Technol. Aust. 39: 61-63.
112. BOREHAM, P.F.L., UPCROFT, J., UPCROFT, P. & ANDREWS, R. 1988. Zoonotic *Giardia* - the debate goes on. Parasitol. Today 4: 322.
113. BOREHAM, P.F.L., PHILLIPS, R.E. & SHEPHERD, R.W. 1988. Altered uptake of metronidazole *in vitro* by stocks of *Giardia intestinalis* with different drug sensitivities. Trans. Roy. Soc. Trop. Med. Hyg. 82: 104-106.
114. BOREHAM, P.F.L., UPCROFT, J.A. & UPCROFT, P. 1990. Changing approaches to the study of *Giardia* epidemiology: 1981-2000. Int. J. Parasitol. 20: 479-487.
115. BOREHAM, P.F.L., UPCROFT, J.A. & UPCROFT, P. 1991. Biochemical and molecular mechanisms of resistance to nitroheterocyclic drugs in *Giardia intestinalis*. Pp 594-604 in Coombs, G.H. & North, M.J. (ed.) Biochemical Protozoology. (Taylor & Francis: London).
116. BOREHAM, P.F.L. & UPCROFT, J.A. 1991. The activity of azithromycin against stocks of *Giardia intestinalis* *in vitro* and *in vivo*. Trans. Roy. Soc. Trop. Med. Hyg. 85: 620-621.
117. BOREHAM, P.F.L., UPCROFT, J.A. & DUNN, L.A. 1992. Protein and DNA evidence for two demes of *Blastocystis hominis* from humans. Int. J. Parasitol. 22: 49-53.
118. BOREHAM, P.F.L. & STENZEL, D.J. 1993. The current status of *Blastocystis hominis*. Parasitol. Today 9: 251.
119. BOREHAM, P.F.L. & STENZEL, D.J. 1993. *Blastocystis* in humans and animals: morphology, biology, and epizootiology. Adv. Parasitol. 32: 1-70.
120. BOREHAM, R.E., HENDRICK, S., O'DONOGHUE, P.J. & STENZEL, D.J. 1998. Incidental finding of *Myxobolus* spores (Protozoa: Myxozoa) in stool samples from patients with gastrointestinal symptoms. J. Clin. Microbiol. 36: 3728-3730.
121. BOULTON, J.G., GILL, P.A., COOK, R.W., FRASER, G.C., HARPER, P.A.W. & DUBEY, J.P. 1995. Bovine *Neospora* abortion in north-eastern New South Wales. Aust. Vet. J. 72: 119-120.
122. BOURNE, G. 1934. Sarcosporidia. J. Roy. Soc. W.A. 19: 1-8.
123. BOVEE, E.C. & TELFORD, S.R. 1965. *Eimeria scleroporis* and *Eimeria molochis* spp. n. from lizards. J. Parasitol. 51: 85-94.
124. BOX, E.D. 1981. Observations on *Giardia* of budgerigars. J. Protozool. 28: 491-494.
125. BOYLAN, T., CUNNINGHAM, M. & REDDACLIFF, G. 1985. Cryptosporidiosis in snakes at Taronga zoo. Thylacinus 10: 20-21.
126. BRADBURY, P.C. 1994. Parasitic protozoa of molluscs and crustacea. Pp 139-264 in Kreier, J.P. (ed.) Parasitic Protozoa. 2nd. ed. (Academic Press: San Diego).
127. BRADBURY, P.C. 1994. Ciliates of fish. Pp 81-138 in Kreier, J.P. (ed.) Parasitic Protozoa 2nd. ed. (Academic Press: San Diego).
128. BREINL, A. 1913. Parasitic protozoa encountered in the blood of Australian native animals. Rep. Aust. Inst. Trop. Med. for 1911 (April, 1913): 30-38.
129. BREINL, A. & TAYLOR, F.H. 1918. A malarial survey of the township of Cairns. Med. J. Aust. 2: 109-115.
130. BROUGHTON, C.R. & BEARUP, A.J. 1953. A case of infection with *Dientamoeba fragilis*. Med. J. Aust. 1: 779-780.
131. BROWN, D.M., UPCROFT, J.A. & UPCROFT, P. 1993. Cysteine is the major low-molecular weight thiol in *Giardia duodenalis*. Mol. Biochem. Parasitol. 61: 155-158.
132. BROWN, D.M., UPCROFT, J.A. & UPCROFT, P. 1995. Free radical detoxification in *Giardia duodenalis*. Mol. Biochem. Parasitol. 72: 47-56.
133. BROWN, D.M., UPCROFT, J.A. & UPCROFT, P. 1996. A thioredoxin reductase-class of disulphide reductase in the protozoan parasite *Giardia duodenalis*. Mol. Biochem. Parasitol. 83: 211-220.
134. BROWN, D.M., UPCROFT, J.A. & UPCROFT, P. 1996. A H_2O -producing NADH oxidase from the protozoan parasite *Giardia duodenalis*. Eur. J. Biochem. 241: 155-161.
135. BUDIARSO, I.T., JOHNSON, P.J.R., GALLINA, A.M. & GAAFAR, S.M. 1971. Fatal spontaneous

- coccidiosis in grey kangaroos (*Macropus canguru*). J. Zoo Anim. Med. 2: 16-19.
136. BULL, L.B. 1914. Tuberculosis in dogs. Vet. J. 70: 34-44.
137. BURRESON, E.M. 1989. Haematozoa of fishes from Heron I., Australia, with the description of two new species of *Trypanosoma*. Aust. J. Zool. 37: 15-23.
138. BUTCHER, A.D. 1941. Outbreaks of white-spot or ichthyophthiriasis (*Ichthyophthirius multifilis* Fouquet, 1876) at the hatcheries of the Ballarat Fish Acclimatization Society with notes on laboratory experiments. Proc. Roy. Soc. Vic. 53: 126-144.
139. BUTCHER, A.D. 1943. Observations on some phases of the life cycle of *Ichthyophthirius multifilis* Fouquet, 1876, a ciliate protozoan parasite of freshwater fish. Aust. Zool. 10: 125-137.
140. BUTCHER, A.D. 1947. Ichthyophthiriasis in an Australian trout hatchery. Prog. Fish Cult. 9: 21-26.
141. BUTCHER, A.R., LUMB, R., COULTER, E. & NIELSEN, D.J. 1994. Coccidian/cyanobacterium-like body associated diarrhea in an Australian traveller returning from overseas. Pathol. 26: 59-61.
142. BUTLER, T. & DEBOER, W.G.R.M. 1981. *Isospora belli* infection in Australia. Pathol. 13: 593-595.
143. BYRNE, K.V. 1940. Veterinary notes on a central Riverina district, 1935-1938. Aust. Vet. J. 16: 122-126.
144. CALLINAN, R.B. 1988. Diseases of Australian natives fishes. Pp 459-472 in Fish Diseases. Refresher Course for Veterinarians. (Post Graduate Committee in Veterinary Science: Sydney).
145. CALLOW, L.L. & HOYTE, H.M.D. 1961. Transmission experiments using *Babesia bigemina*, *Theileria mutans*, *Borrelia* sp. and the cattle tick, *Boophilus microplus*. Aust. Vet. J. 37: 381-390.
146. CALLOW, L.L. & JOHNSTON, L.A.Y. 1963. *Babesia* spp. in the brains of clinically normal cattle and their detection by a brain smear technique. Aust. Vet. J. 39: 25-31.
147. CALLOW, L.L. & MCGAVIN, M.D. 1963. Cerebral babesiosis due to *Babesia argentina*. Aust. Vet. J. 39: 15-21.
148. CALLOW, L.L. 1964. Strain immunity in babesiosis. Nature 204: 1213-1214.
149. CALLOW, L.L. 1965. *Babesia bigemina* in ticks grown on non-bovine hosts and its transmission to these hosts. Parasitol. 55: 375-381.
150. CALLOW, L.L. & MELLORS, L.T. 1966. A new vaccine for *Babesia argentina* infection prepared in splenectomised calves. Aust. Vet. J. 42: 464-465.
151. CALLOW, L.L. 1967. Sterile immunity, coinfectious immunity and strain differences in *Babesia bigemina* infections. Parasitol. 57: 455-465.
152. CALLOW, L.L. & TAMMEMAGI, L. 1967. Vaccination against bovine babesiosis. Infectivity and virulence of blood from animals either recovered from or reacting to *Babesia argentina*. Aust. Vet. J. 43: 249-256.
153. CALLOW, L.L. 1968. The infection of *Boophilus microplus* with *Babesia bigemina*. Parasitol. 58: 663-670.
154. CALLOW, L.L. 1968. A note on homologous strain immunity in *Babesia argentina* infections. Aust. Vet. J. 44: 268-269.
155. CALLOW, L.L. & PARKER, R.J. 1969. Cortisone-induced relapses in *Babesia argentina* infections in cattle. Aust. Vet. J. 45: 103-104.
156. CALLOW, L.L. & MCGREGOR, W. 1970. The effect of imidocarb against *Babesia argentina* and *Babesia bigemina* infections in cattle. Aust. Vet. J. 46: 195-200.
157. CALLOW, L.L., MCGREGOR, W., PARKER, R.J. & DALGLIESH, R.J. 1974. Immunity of cattle to *Babesia bigemina* following its elimination from the host, with observations on antibody levels detected by the indirect fluorescent antibody test. Aust. Vet. J. 50: 12-15.
158. CALLOW, L.L., MCGREGOR, W., PARKER, R.J. & DALGLIESH, R.J. 1974. The immunity of cattle to *Babesia argentina* after drug sterilisation of infections of varying duration. Aust. Vet. J. 50: 6-11.
159. CALLOW, L.L. & PEPPER, P.M. 1974. Measurement of and correlations between fever, changes in the packed cell volume and parasitaemia in the evaluation of the susceptibility of cattle to infection with *Babesia argentina*. Aust. Vet. J. 50: 1-5.
160. CALLOW, L.L., QUIROGA, Q.C. & MCCOSKER, P.J. 1976. Serological comparisons of Australian and South American strains of *Babesia argentina* and *Anaplasma marginale*. Int. J. Parasitol. 6: 307-310.
161. CALLOW, L.L., EMMERSON, F.R., PARKER, R.J. & KNOTT, S.G. 1976. Infection rates and outbreaks of disease due to *Babesia argentina* in unvaccinated cattle on 5 beef properties in south-eastern Queensland. Aust. Vet. J. 52: 446-450.
162. CALLOW, L.L., PARKER, R.J., RODWELL, B.J. & OTTLEY, M.L. 1976. Piroplasmosis in buffaloes and its serological diagnosis based on a homology between buffalo and bovine immunoglobulins. Aust. Vet. J. 52: 40-41.
163. CALLOW, L.L. & STEWART, N.P. 1978. Immunosuppression by *Babesia bovis* against its tick vector, *Boophilus microplus*. Nature 272: 818-819.

164. CALLOW, L.L. 1979. Some aspects of the epidemiology and control of bovine babesiosis in Australia. *J. Sth. Afr. Vet. Ass.* 50: 353-356.
165. CALLOW, L.L., MCGREGOR, W., RODWELL, B.J., ROGERS, R.J., FRASER, G.C., MAHONEY, D.F. & ROBERTSON, G.M. 1979. Evaluation of an indirect fluorescent antibody test to diagnose *Babesia equi* infection in horses. *Aust. Vet. J.* 55: 555-559.
166. CALLOW, L.L., MELLORS, L.T. & MCGREGOR, W. 1979. Reduction in virulence of *Babesia bovis* due to rapid passage in splenectomized cattle. *Int. J. Parasitol.* 9: 333-338.
167. CALLOW, L.L. 1984. Animal Health in Australia. Volume 5. Protozoal and Rickettsial Diseases. (Aust. Govt. Publ. Service: Canberra).
168. CANFIELD, P.J., HARTLEY, W.J. & DUBEY, J.P. 1990. Lesions of toxoplasmosis in Australian marsupials. *J. Comp. Pathol.* 103: 159-167.
169. CANFIELD, P.J., VOGELNEST, L., CUNNINGHAM, M.L. & VISVESVARA, G.S. 1997. Amoebic meningoencephalitis caused by *Balamuthia mandrillaris* in an orang utan. *Aust. Vet. J.* 75: 97-100.
170. CANNON, L.R.G. 1967. *Caryospora demansiae* sp. nov. (Sporozoa: Eimeriidae) from the Australian snake *Demansia psammophis* (Elapidae). *Parasitol.* 57: 221-226.
171. CANNON, L.R.G. 1967. New coccidia from Australian lizards. I. *Isospora*. *Parasitol.* 57: 227-235.
172. CANNON, L.R.G. 1967. New coccidia from Australian lizards. II. *Eimeria*. *Parasitol.* 57: 237-250.
173. CANNON, L.R.G. & RZEPCKZYK, C.M. 1974. A new species of *Caryospora* Leger, 1904 (Sporozoa: Eimeriidae) from an Australian snake. *Parasitol.* 69: 197-200.
174. CANNON, L.R.G. & JENNINGS, J.B. 1988. *Monocystella epibatis* n. sp., a new aseptate gregarine hyperparasite of rhabdocoel turbellarians parasitic in the crown of thorns starfish, *Acanthaster planci* Linnaeus, from the Great Barrier Reef. *Arch. Protistenkd.* 136: 267-272.
175. CANNON, L.R.G. & SEWELL, K.B. 1994. Symbionts and biodiversity. *Mem. Qld. Mus.* 36: 33-40.
176. CAPON, A.G., UPCROFT, J.A., BOREHAM, P.F.L., COTTIS, L.E. & BUNDESEN, P.G. 1989. Similarities of *Giardia* antigens derived from human and animal sources. *Int. J. Parasitol.* 19: 91-98.
177. CARMEL, B.P. & GROVES, V. 1993. Chronic cryptosporidiosis in Australian elapid snakes: control of an outbreak in a captive colony. *Aust. Vet. J.* 70: 293-295.
178. CARRIGAN, M.J. 1986. An outbreak of sarcocystosis in dairy cattle. *Aust. Vet. J.* 63: 22-24.
179. CARSTAIRS, I.L. 1978. Report of microsporidial infestation of the freshwater crayfish, *Cherax destructor*. *Freshwater Crayfish* 4: 343-348.
180. CARTER, R.F. 1968. Primary amoebic meningo-encephalitis: clinical, pathological and epidemiological features of six fatal cases. *J. Pathol. Bacteriol.* 96: 1-25.
181. CARTER, R.F. 1970. Description of a *Naegleria* sp. isolated from two cases of primary amoebic meningoencephalitis, and of the experimental pathological changes induced by it. *J. Pathol.* 100: 217-244.
182. CARTER, R.F. 1972. Primary amoebic meningo-encephalitis. An appraisal of present knowledge. *Trans. Roy. Soc. Trop. Med. Hyg.* 66: 193-213.
183. CARTER, R.F., CULLITY, G.J., OJEDA, V.J., SILBERSTAIN, P. & WILLAERT, E. 1981. A fatal case of meningoencephalitis due to a free-living amoeba of uncertain identity - probably *Acanthamoeba* sp. *Pathol.* 13: 51-68.
184. CASEMORE, D.P., WRIGHT, S.E. & COOP, R.L. 1997. Cryptosporidiosis - human and animal epidemiology. Pp 65-92 in Fayer, R. (ed.) *Cryptosporidium* and *Cryptosporidiosis*. (CRC Press: Boca Raton).
185. CASSIDY, M.F., STENZEL, D.J. & BOREHAM, P.F.L. 1994. Electron microscopy of surface structures of *Blastocystis* sp. from different hosts. *Parasitol. Res.* 80: 505-511.
186. CHEN, N., UPCROFT, J.A. & UPCROFT, P. 1994. Physical map of a 2Mb chromosome of the intestinal protozoan parasite *Giardia duodenalis*. *Chromosome Res.* 2: 307-313.
187. CHEN, N., UPCROFT, J.A. & UPCROFT, P. 1995. A *Giardia duodenalis* gene encoding a protein with multiple repeats of a toxin homologue. *Parasitol.* 111: 423-431.
188. CHEN, N., UPCROFT, J.A. & UPCROFT, P. 1996. A novel protein kinase gene family in *Giardia duodenalis*. *Gene* 177: 191-194.
189. CHRISTENSEN, H.R., CLARK, B.L. & PARSONSON, I.M. 1977. Incidence of *Tritrichomonas foetus* in young replacement bulls following introduction into an infected herd. *Aust. Vet. J.* 53: 132-134.
190. CHRISTENSEN, H.R. & CLARK, B.L. 1979. Spread of *Tritrichomonas foetus* in beef bulls in an infected herd. *Aust. Vet. J.* 55: 205.
191. CHRISTIE, D.G. 1947. Enterो-hepatitis or blackhead in poultry. *Agric. Gaz. N.S.W.* 58: 667-669.
192. CHURCHILL, R.C. & BEST, D.R. 1976. Babesiosis of a horse in Australia. *Aust. Vet. J.* 52: 487.

193. CILENTO, R.W. & BALDWIN, A.H. 1930. Malaria in Australia. Med. J. Aust. 1: 274-282.
194. CILENTO, R. 1942. Tropical diseases in Australasia. (W.R. Smith & Paterson: Brisbane).
195. CLAMP, J.C. 1991. Revision of the family Lagenophryidae Butschli, 1889 and description of the family Usconophryidae n. fam. (Ciliophora, Peritrichia). J. Protozool. 38: 355-377.
196. CLAMP, J.C. 1994. New species of *Lagenophrys* (Ciliophora, Peritrichia) from New Zealand and Australia. J. Euk. Microbiol. 41: 343-349.
197. CLARK, B.L. 1971. Venereal diseases of cattle. Veterinary Review No. 11 (Post Graduate Foundation in Veterinary Science: University of Sydney).
198. CLARK, B.L., WHITE, M.B. & BANFIELD, J.C. 1971. Diagnosis of *Trichomonas foetus* infection in bulls. Aust. Vet. J. 47: 181-183.
199. CLARK, B.L., PARSONSON, I.M. & DUFFY, J.H. 1974. Experimental infection of bulls with *Tritrichomonas foetus*. Aust. Vet. J. 50: 189-191.
200. CLARK, B.L., PARSONSON, I.M. & DUFFY, J.H. 1974. Infection of bulls with *Tritrichomonas foetus* through mating with infected heifers. Aust. Vet. J. 50: 180.
201. CLARK, B.L., PARSONSON, I.M., WHITE, M.B., BANFIELD, J.C. & YOUNG, J.S. 1974. Control of trichomoniasis in a large herd of beef cattle. Aust. Vet. J. 50: 424-426.
202. CLARK, B.L., DUFFY, J.H. & PARSONSON, I.M. 1977. Studies on the transmission of *Tritrichomonas foetus*. Aust. Vet. J. 53: 170-172.
203. CLELAND, J.B. 1906. The haemogregarine of mammals (*H. balfouri*), and some notes on rats. J. Trop. Med. (Hyg.) 9: 296-297.
204. CLELAND, J.B. 1907. The diseases of animals and meat inspection in Western Australia. J. Dept. Agric. W.A. 15: 84-94.
205. CLELAND, J.B. 1908. Some remarks on the natural history and diseases of the rats of Perth and Fremantle, Western Australia. Rep. Aust. Assoc. Adv. Sci. (1908): 516-520.
206. CLELAND, J.B. & JOHNSTON, T.H. 1909. Descriptions of new haemoprotezoa from birds in New South Wales, with a note on the resemblance between the spermatozoa of certain honeyeaters (Fam. Meliphagidae) and spirochaete-trypanosomes. J. Roy. Soc. N.S.W. 43: 75-96.
207. CLELAND, J.B. 1909. Trypanosomiasis and other diseases in camels, with experiments in connection with the former. Aust. Med. Congr. (1908) 2: 305-324.
208. CLELAND, J.B. & JOHNSTON, T.H. 1910. The haematozoa of Australian birds. No. 1. Trans. Roy. Soc. S.A. 34: 100-114.
209. CLELAND, J.B. & JOHNSTON, T.H. 1910. The haematozoa of Australian batrachians. No. 1. Proc. Roy. Soc. N.S.W. 44: 252-261.
210. CLELAND, J.B. & JOHNSTON, T.H. 1911. The haematozoa of Australian birds. No. II. J. Roy. Soc. N.S.W. 45: 415-444.
211. CLELAND, J.B. & JOHNSTON, T.H. 1912. Tabular statements of haematozoa occurring in wild and domesticated animals in Australia. Rep. Govt. Bur. Microbiol. (1912): 83-88.
212. CLELAND, J.B. & JOHNSTON, T.H. 1912. Species of haemoprotezoa met with during 1910 and 1911. Rep. Govt. Bur. Microbiol. (1912): 74-83.
213. CLELAND, J.B. 1913. Note on the occurrence of coccidiosis in house sparrows and in bovines in NSW. J. Roy. Soc. N.S.W. 47: 70-71.
214. CLELAND, J.B. 1914. The haematozoa of Australian batrachians, No. 2. Proc. Roy. Soc. N.S.W. 48: 412-414.
215. CLELAND, J.B. 1915. Notes on some Australian Haematozoa. Rep. Brit. Assoc. Adv. Sci. (1915): 405-406.
216. CLELAND, J.B. 1915. The haematozoa of Australian birds. No. 3. Trans. Roy. Soc. S.A. 39: 25-37.
217. CLELAND, J.B. 1922. The parasites of Australian birds. Trans. Roy. Soc. S.A. 46: 85-118.
218. CLELAND, J.B. 1928. Disease amongst the Australian aborigines. J. Trop. Med. Hyg. 31: 157-160.
219. COLLIER, J.M. 1944. A case of malaria acquired near Sydney, New South Wales. Med. J. Aust. 2: 213-214.
220. COLLINS, G.H., EMSLIE, D.R., FARROW, B.R.H. & WATSON, A.D.J. 1983. Sporozoa in dogs and cats. Aust. Vet. J. 60: 289-290.
221. COLLINS, G.H., POPE, S.E., GRIFFIN, D.L., WALKER, J. & CONNOR, G. 1987. Diagnosis and prevalence of *Giardia* spp. in dogs and cats. Aust. Vet. J. 64: 89-90.
222. COMAN, B.J., JONES, E.H. & WESTBURY, H.A. 1981. Protozoan and viral infections of feral cats. Aust. Vet. J. 57: 319-323.
223. COOK, I. 1959. *Toxoplasma* in Queensland. IV. Serological surveys of the human population. Aust. J. Exptl. Biol. Med. Sci. 37: 581-592.
224. COOK, I. & POPE, J.H. 1959. *Toxoplasma* in Queensland. III. A preliminary survey of animal hosts. Aust. J. Exptl. Biol. 37: 253-262.
225. COOK, I. 1961. Ovine toxoplasmosis. Aust. Vet. J. 37: 451-456.
226. COOPER, D.J., PINNOCK, D.E. & BATEMAN, S.M. 1983. Susceptibility of *Lucilia cuprina* (Wiedemann) (Diptera: Calliphoridae), to *Octosporea muscaedomesticae* Flu. J. Aust. Ent. Soc. 22: 292.

227. COPLAND, J.W. 1981. Myxosporidiosis caused by *Myxidium giardi* in cultured cells. Pp 175-177 in Fowler, M.E. (ed.) *Wildlife Diseases of the Pacific Basin and Other Countries* (Proc. 4th Int. Conf. Wildlife Dis. Assoc.: Sydney).
228. COURT, J.M. & STANTON, C. 1959. The incidence of *Giardia lamblia* infestation of children in Victoria. Med. J. Aust. 2: 438-440.
229. COUTELEN, F. 1932. Existence d'une encephalite toxoplasmique spontanee chez les wombats. Un toxoplasmosis nouveau, *Toxoplasma wenyonii* n.sp., parasite de *Phascolomys mitchelli* (Australie). C.R. Soc. Biol., Paris 110: 1245-1247.
230. COUTELEN, F. 1933. Sur la position systematique de *Globidium mucosum* (R. Blanchard 1885), parasite du kangourou des rochers *Macropus (Petrogale) penicellatus*. Ann. Parasitol. Hum. Comp. 11: 1-6.
231. COX, J.C., WALDEN, N.B. & NAIRN, R.C. 1972. Presumptive diagnosis of *Nosema cuniculi* in rabbits by immunofluorescence. Res. Vet. Sci. 13: 595-597.
232. COX, J.C. & PYE, D. 1975. Serodiagnosis of nosematosis by immunofluorescence using cell-culture-grown organisms. Lab. Anim. 9: 297-304.
233. COX, J.C. 1977. Altered immune responsiveness associated with *Encephalitozoon cuniculi* infection in rabbits. Infect. Immun. 15: 392-395.
234. COX, J.C., GALLICHO, H.A., PYE, D. & WALDEN, N.B. 1977. Application of immunofluorescence to the establishment of an *Encephalitozoon cuniculi*-free rabbit colony. Lab. Anim. Sci. 27: 04-209.
235. COX, J.C., HAMILTON, R.C. & ATTWOOD, H.D. 1979. An investigation of the route and progression of *Encephalitozoon cuniculi* infection in adult rabbits. J. Protozool. 26: 260-265.
236. COX, J.C., PYE, D., EDMONDS, J.W. & SHEPHERD, R. 1980. An investigation of *Encephalitozoon cuniculi* in the wild rabbit *Oryctolagus cuniculus* in Victoria, Australia. J. Hyg. Camb. 84: 295-300.
237. CROSLAND, M.W. 1988. Effect of a gregarine parasite on the color of *Myrmecia pilosula* (Hymenoptera: Formicidae). Annals Entomol. Soc. Am. 81: 481-484.
238. CROUCH, A. & WELCH, J. 1987. Faecal antigens of *Giardia lamblia* detected by a filtration ELISA: preliminary findings. Aust. J. Med. Lab. Sci. 8: 58-60.
239. CRUICKSHANK, R., ASHDOWN, L. & CROESE, J. 1988. Human cryptosporidiosis in north Queensland. Aust. NZ. J. Med. 18: 582-586.
240. CUMPSTON, J.H.L. 1989. Health and Disease in Australia. (Aust. Govt. Publ. Service: Canberra).
241. CURNOW, J.A. & CURNOW, B.A. 1967. An indirect haemagglutination test for the diagnosis of *Babesia argentina* infection in cattle. Aust. Vet. J. 43: 286-290.
242. CURNOW, J.A. 1968. *In vitro* agglutination of bovine erythrocytes infected with *Babesia argentina*. Nature 217: 267-268.
243. CURNOW, J.A. 1973. Studies on the epizootiology of bovine babesiosis in common border areas of New South Wales and Queensland. Aust. Vet. J. 49: 294-297.
244. CURNOW, J.A. 1973. The use of a slide agglutination test to demonstrate antigenic differences between *Babesia bigemina* parasites. Aust. Vet. J. 49: 290-293.
245. CURNOW, J.A. 1973. Studies on the epizootiology of bovine babesiosis in northeastern New South Wales. Aust. Vet. J. 49: 284-289.
246. CURNOW, J.A. 1973. Studies on antigenic changes and strain differences in *Babesia argentina* infections. Aust. Vet. J. 49: 279-283.
247. DAHL, R.J. & JOHNSON, A.M. 1983. Purification of *Toxoplasma gondii* from host cells. J. Clin. Pathol. 36: 602-604.
248. DAHL, R.J. & JOHNSON, A.M. 1984. Specificity of the enzyme-linked immunosorbent assay (ELISA) for *Toxoplasma IgG antibody*. Trans. Roy. Soc. Trop. Med. Hyg. 78: 661-662.
249. DAHL, R.J., WOODS, W.H. & JOHNSON, A.M. 1987. Recognition by the human immune system of candidate vaccine epitopes of *Toxoplasma gondii* measured by a competitive ELISA. Vaccine 5: 187-191.
250. DALGLIESH, R.J. 1968. Field observations on *Babesia argentina* vaccination in Queensland. Aust. Vet. J. 44: 103-104.
251. DALGLIESH, R.J. 1971. Dimethyl sulphoxide in the low-temperature preservation of *Babesia bigemina*. Res. Vet. ci. 12: 469-471.
252. DALGLIESH, R.J. 1972. Effects of low temperature preservation and route of inoculation on infectivity of *Babesia bigemina* in blood diluted with glycerol. Res. Vet. Sci. 13: 540-545.
253. DALGLIESH, R.J. 1972. Theoretical and practical aspects of freezing parasitic protozoa. Aust. Vet. J. 48: 233-239.
254. DALGLIESH, R.J. & MELLORS, L.T. 1974. Survival of the parasitic protozoan, *Babesia bigemina*, in blood cooled at widely different rates to -196°C. Int. J. Parasitol. 4: 169-172.
255. DALGLIESH, R.J., DIMMOCK, C.K., HILL, M.W.M. & MELLORS, L.T. 1976. *Babesia argentina*: disseminated intravascular coagulation in acute infections in splenectomized calves. Exptl. Parasitol. 40: 124-131.
256. DALGLIESH, R.J. & STEWART, N.P. 1976. Stimulation of the development of infective *Babesia bovis* (= *B. argentina*) in unfed *Boophilus microplus* larvae. Aust. Vet. J. 52: 543.

257. DALGLIESH, R.J., DIMMOCK, C.K., HILL, M.W.M. & MELLORS, L.T. 1977. The protamine sulphate test as a screening test for intravascular coagulation in experimental *Babesia bovis* infections. Res. Vet. Sci. 23: 105-108.
258. DALGLIESH, R.J. & STEWART, N.P. 1977. Failure of vaccine strains of *Babesia bovis* to regain infectivity for ticks during long-standing infections in cattle. Aust. Vet. J. 53: 429-431.
259. DALGLIESH, R.J., STEWART, N.P. & CALLOW, I.L. 1978. Transmission of *Babesia bigemina* by transfer of adult male *Boophilus microplus*. Aust. Vet. J. 54: 205-206.
260. DALGLIESH, R.J. & STEWART, N.P. 1979. Observations on the morphology and infectivity for cattle of *Babesia bovis* parasites in unfed *Boophilus microplus* larvae after incubation at various temperatures. Int. J. Parasitol. 9: 115-120.
261. DALGLIESH, R.J., STEWART, N.P. & RODWELL, B.J. 1981. Increased numbers of strahlenkorper in *Boophilus microplus* ticks ingesting a blood-passaged strain of *Babesia bigemina*. Res. Vet. Sci. 31: 350-352.
262. DALGLIESH, R.J., STEWART, N.P. & DUNCALFE, F. 1981. Reduction in pathogenicity of *Babesia bovis* for its tick vector, *Boophilus microplus*, after rapid blood passage in splenectomized calves. Z. Parasitenkd. 64: 347-351.
263. DALGLIESH, R.J., CALLOW, I.L., MELLORS, L.T. & MCGREGOR, W. 1981. Development of a highly infective *Babesia bigemina* vaccine of reduced virulence. Aust. Vet. J. 57: 8-11.
264. DALGLIESH, R.J. & STEWART, N.P. 1982. Some effects of time, temperature and feeding on infection rates with *Babesia bovis* and *Babesia bigemina* in *Boophilus microplus* larvae. Int. J. Parasitol. 12: 323-326.
265. DALGLIESH, R.J., JORGENSEN, W.K. & DEVOS, A.J. 1990. Australian frozen vaccines for the control of babesiosis and anaplasmosis in cattle - a review. Trop. Anim. Hlth. Prod. 22: 44-52.
266. DALRYMPLE, B.P. 1990. Cloning and characterization of the rRNA genes and flanking regions from *Babesia bovis*: use of the genes as strain discriminating probes. Mol. Biochem. Parasitol. 43: 117-124.
267. DALRYMPLE, B.P., JORGENSEN, W.K., DEVOS, A.J. & WRIGHT, I.G. 1992. Analysis of the composition of samples of *Babesia bovis* and the influence of different environmental conditions on genetically distinct subpopulations. Int. J. Parasitol. 22: 731-737.
268. DALY, G.D. & HALL, W.T.K. 1955. A note on the susceptibility of British and some Zebu-type cattle to tick fever (babesiosis). Aust. Vet. J. 31: 152.
269. DAVIES, K.A. 1973. Observations on *Malameba locustae* from *Chortoicetes terminifera* cultures in Australia. J. Invert. Pathol. 22: 475.
270. DAVIES, N.J., HARRISON, G.C. & GOLD-SMID, J.M. 1993. A case of giardiasis in a dog in Tasmania - a cause of disease or incidental finding? Aust. Vet. J. 70: 32-33.
271. DEHORITY, B.A. 1996. A new family of entodiniomorph protozoa from the marsupial forestomach, with descriptions of a new genus and five new species. J. Euk. Microbiol. 43: 285-295.
272. DEJONCKHEERE, J.F., PERNIN, P., SCAGLIA, M. & MICHEL, R. 1984. A comparative study of 14 strains of *Naegleria australiensis* demonstrates the existence of a highly virulent subspecies: *N. australiensisitalica* spp. J. Protozool. 31: 324-331.
273. DELLOW, D.W., HUME, I.D., CLARKE, R.T.J. & BAUCHOP, T. 1988. Microbial activity in the forestomach of free-living macropodid marsupials: comparisons with laboratory studies. Aust. J. Zool. 36: 383-395.
274. DELVINQUIER, B.L.J. 1986. *Myxidium immersum* (Protozoa: Myxosporea) of the cane toad, *Bufo marinus*, in Australian Anura, with a synopsis of the genus in amphibians. Aust. J. Zool. 34: 843-853.
275. DELVINQUIER, B.L.J. 1987. Opalinidae in Australian Anura. Proc. Roy. Soc. Qld. 98: 93-122.
276. DELVINQUIER, B.L.J. & JONES, M.K. 1988. A preliminary note on the intestinal flagellates of the Australian Anura. Mem. Qld. Mus. 25: 333-334.
277. DELVINQUIER, B.L.J. & FREELAND, W.J. 1988. Protozoan parasites of the cane toad, *Bufo marinus*, in Australia. Aust. J. Zool. 36: 301-316.
278. DELVINQUIER, B.L.J. & FREELAND, W.J. 1988. Observations on *Zelleriella antilliensis* (Protozoa: Opalinata) from the cane toad *Bufo marinus* in Australia. Aust. J. Zool. 36: 317-333.
279. DELVINQUIER, B.L.J. & PATTERSON, D.J. 1993. The opalines. Pp 247-325 in Kreier, J.P. & Baker, J.R. (ed.) Parasitic Protozoa. 2nd. ed. (Academic Press: San Diego).
280. DENNETT, D.P., REECE, R.L., BARASA, J.O. & JOHNSON, R.H. 1974. Observations on the incidence and distribution of serotypes of *Tritrichomonas foetus* in beef cattle in north-eastern Australia. Aust. Vet. J. 50: 427-431.
281. DENNIS, S.M. 1974. Perinatal lamb mortality in Western Australia. 3. Congenital infections. Aust. Vet. J. 50: 507-510.
282. DENNIS, D., M. & MUNDAY, B.L. 1994. Microsporidiosis of palinurid lobsters from Australian waters. Bull. Europ. Ass. Fish Pathol. 14: 16-18.
283. DERRICK, E.H. 1948. A fatal case of generalised amoebiasis due to a protozoan closely resembling, if not identical with, *Iodamoeba butschlii*. Trans. Roy. Soc. Trop. Med. Hyg. 42: 191-198.
284. DERRICK, E.H. & MACKERRAS, M.J. 1949. Diseases of laboratory mice. Fourth Ann. Rep. Qld. Inst. Med. Res. (1949): 13.

285. DESSER, S.S. 1993. The Haemogregarinidae and Lankesterellidae. Pp 247-272 in Kreier, J.P. (ed.) Parasitic Protozoa. 2nd. ed. (Academic Press: San Diego).
286. DESSER, S.S. & BENNETT, G.F. 1993. The genera *Leucocytozoon*, *Haemoproteus*, and *Hepatocystis*. Pp 273-307 in Kreier, J.P. (ed.) Parasitic Protozoa. 2nd. ed. (Academic Press: San Diego).
287. DEW, B.B. & McMILLAN, B. 1970. Seasonal variation of *Polychromophilus melanipherus* (Sporozoa: Haemoproteidae) in the bent-winged bat *Miniopterus schreibersii* (Chiroptera) in New South Wales. *Parasitol.* 61: 161-166.
288. DICKENS, R.K. 1978. The koala in health and disease. Pp 105-117 in Fauna Part B (Post Graduate Committee in Veterinary Science: University of Sydney).
289. DIGGLES, B.K. & ADLARD, R.D. 1995. Taxonomic affinities of *Cryptocaryon irritans* and *Ichthyophthirius multifiliis* inferred from ribosomal RNA sequence data. *Dis. Aquatic Org.* 22: 39-43.
290. DIGGLES, B.K. & LESTER, R.J.G. 1996. Infections of *Cryptocaryon irritans* on wild fish from southeast Queensland, Australia. *Dis. Aquatic Org.* 25: 159-167.
291. DIGGLES, B.K. & LESTER, R.J.G. 1996. Influence of temperature and host species on the development of *Cryptocaryon irritans*. *J. Parasitol.* 82: 45-51.
292. DIGGLES, B.K. & LESTER, R.J.G. 1996. Variation in the development of two isolates of *Cryptocaryon irritans*. *J. Parasitol.* 82: 384-388.
293. DIGGLES, B.K. 1997. Some information on the morphology of *Cryptocaryon irritans* from South-East Queensland, Australia. *Europ. J. Protistol.* 33: 200-210.
294. DIGGLES, B.K. & ADLARD, R.D. 1997. Intraspecific variation in *Cryptocaryon irritans*. *J. Euk. Microbiol.* 44: 25-32.
295. DIMMOCK, C.K. 1973. Blood group antibody production in cattle by a vaccine against *Babesia bigemina*. *Res. Vet. ci.* 15: 305-309.
296. DOBOS-KOVACS, M., MESZAROS, J., PELLERDY, L. & BALSAI, A. 1974. Studies on source of *Toxoplasma* infection in captive kangaroos. *Acta Vet. Acad. Sci. Hung.* 24: 293-301.
297. DOBOS-KOVACS, M., MESZAROS, J., PELLERDY, L. & BALSAI, A. 1974. Toxoplasmosis bei Kanguruhs (*Thylagale eugenii*) verursacht durch *Toxoplasma*-Oozysten enthaltendes Futter. *Parasitol. Hung.* 7: 85-89.
298. DODD, S. 1909. Report of the Principal Veterinary Surgeon and Bacteriologist. *Ann. Rep. Dept. Agric. Stock Qld.* (1908-09): 81-105.
299. DODD, S. 1910. Piroplasmosis of cattle in Queensland. *J. Comp. Path. Therap.* 23: 141-160.
300. DODD, S. 1910. Diseases in stock. *Ann. Rep. Dept. Agric. Stock Qld.* (1909-10): 19-22.
301. DODD, S. 1924. The piroplasmoses of the Pacific regions. *Proc. Pan-Pacific Sci. Congr.* (1923): 1502-1512.
302. DONALDSON, L.E., LUCAS, M.H., JOHNSTON, L.A.Y. & RITSON, J.B. 1967. The reproductive efficiency of several north Queensland beef herds. *Aust. Vet. J.* 43: 41-44.
303. DOUBE, L.J. 1981. Diseases of wombats. Pp 63-75 in Fowler, M.E. (ed.) *Wildlife Diseases of the Pacific Basin and other Countries*. (Proc. 4th. Int. Conf. Wildlife Dis. Assoc.: Sydney).
304. DRIESEN, S.J., CARLAND, P.G. & FAHY, V.A. 1993. Studies on preweaning piglet diarrhoea. *Aust. Vet. J.* 70: 259-263.
305. DRIESEN, S.J., FAHY, V.A. & CARLAND, P.G. 1995. The use of toltrazuril for the prevention of coccidiosis in piglets before weaning. *Aust. Vet. J.* 72: 139-141.
306. DUBEY, J.P. 1986. A review of toxoplasmosis in cattle. *Vet. Parasitol.* 22: 177-202.
307. DUBEY, J.P. 1986. A review of toxoplasmosis in pigs. *Vet. Parasitol.* 19: 181-223.
308. DUBEY, J.P., HUGHES, H.P.A., LILLEHOJ, H.S., GAMBLE, H.R. & MUNDAY, B.L. 1987. Placental transfer of specific antibodies during ovine congenital toxoplasmosis. *Am. J. Vet. Res.* 48: 474-476.
309. DUBEY, J.P., OTT-JOSLIN, J., TORGERSON, R.W., TOPPER, M.J. & SUNDBERG, J.P. 1988. Toxoplasmosis in black-faced kangaroos (*Macropus fuliginosus melanops*). *Vet. Parasitol.* 30: 97-105.
310. DUBEY, J.P. & BEATTIE, C.P. 1988. Toxoplasmosis of Animals and Man. (CRC Press: Boca Raton).
311. DUBEY, J.P., SPEER, C.A., MUNDAY, B.L. & LIPSCOMB, T.P. 1989. Ovine sporozoan encephalomyelitis linked to *Sarcocystis* infection. *Vet. Parasitol.* 34: 159-163.
312. DUBEY, J.P., SPEER, C.A. & FAYER, R. 1989. *Sarcocystosis* of Animals and Man. (CRC Press: Boca Raton).
313. DUBEY, J.P., HARTLEY, W.J. & LINDSAY, D.S. 1990. Congenital *Neospora caninum* infection in a calf with spinal cord anomaly. *J. Am. Vet. Med. Ass.* 197: 1043-1044.
314. DUBEY, J.P. 1992. A review of *Neospora caninum* and *Neospora*-like infections in animals. *J. Protozool. Res.* 2: 40-52.
315. DUBEY, J.P. & HARTLEY, W.J. 1992. Steatitis in a red kangaroo (*Macropus rufus*) associated with a coccidia-like protozoan. *J. Vet. Diagn. Invest.* 4: 93-96.

316. DUBEY, J.P. & LINDSAY, D.S. 1996. A review of *Neospora caninum* and neosporosis. *Vet. Parasitol.* 67: 1-59.
317. DUBOSCQ, O. & GRASSE, P. 1927. Flagelles et Schizoplytes de *Calotermes (Glyptotermes) iridipennis* Frogg. *Arch. Zool. Expt. Gen.* 66: 451-496.
318. DUMARESQ, J.A. 1948. A note recording the presence of *Trichomonas foetus* infection of cattle on King Island. *Aust. Vet. J.* 24: 282.
319. DUNN, L.A., BOREHAM, P.F.L. & STENZEL, D.J. 1989. Ultrastructural variation of *Blastocystis hominis* stocks in culture. *Int. J. Parasitol.* 19: 43-56.
320. DUNSMORE, J.D. 1971. A study of the biology of the wild rabbit in climatically different regions in eastern Australia. IV. The rabbit in the south coastal region of New South Wales, an area in which parasites appear to exert a population-regulating effect. *Aust. J. Zool.* 19: 355-370.
321. DUNSMORE, J.D. 1978. Parasitism in wild rabbits. *Aust. Adv. Vet. Sci.* 1978: 107.
322. DYSON, T.S. 1889. Malaria fevers of tropical Queensland. *Intercolon. Med. Congr. Aust.* (1889): 64-66.
323. EDGERTON, B., O'DONOGHUE, P., WINGFIELD, M. & OWENS, L. 1996. Systemic infection of freshwater crayfish *Cherax quadricarinatus* by hymenostome ciliates of the *Tetrahymena pyriformis* complex. *Dis. Aquat. Org.* 27: 123-129.
324. EDMEADES, R., HALLIDAY, K. & SHEPHERD, R. 1981. Infantile gastroenteritis relationship between cause, clinical course, and outcome. *Med. J. Aust.* 2: 29-32.
325. EDMONDS, A.R. 1949. Human toxoplasmosis, with report of a case. *Med. J. Aust.* 1: 456-457.
326. ELDER, J.K. 1964. Examination of twelve strains of *Tritrichomonas foetus* (Riedmuller) isolated in Queensland and the description of a new serotype, *T. foetus* var. *brisbane*. *Qld. J. Agric. Sci.* 21: 193-203.
327. ELLIS, J., HEFFORD, C., BAVERSTOCK, P.R., DALRYMPLE, B.P. & JOHNSON, A.M. 1992. Ribosomal DNA sequence comparison of *Babesia* and *Theileria*. *Mol. Biochem. Parasitol.* 54: 87-96.
328. ELLIS, J.E., WINGFIELD, J.M., COLE, D., BOREHAM, P.F.L. & LLOYD, D. 1993. Oxygen affinities of metronidazole-resistant and -sensitive stocks of *Giardia intestinalis*. *Int. J. Parasitol.* 23: 35-39.
329. ELLIS, J., LUTON, K., BAVERSTOCK, P.R., BRINDLEY, P.J., NIMMO, K.A. & JOHNSON, A.M. 1994. The phylogeny of *Neospora caninum*. *Mol. Biochem. Parasitol.* 64: 303-311.
330. ELLIS, J.T., LUTON, K., BAVERSTOCK, P.R., WHITWORTH, G., TENTER, A.M. & JOHNSON, A.M. 1995. Phylogenetic relationships between *Toxoplasma* and *Sarcocystis* deduced from a comparison of 18S rDNA sequences. *Parasitol.* 110: 521-528.
331. EMMERSON, F.R., KNOTT, S.G. & CALLOW, L.L. 1976. Vaccination with *Babesia argentina* in 5 beef herds in south-eastern Queensland. *Aust. Vet. J.* 52: 451-454.
332. ERLANDSEN, S.L. & BEMRICK, W.J. 1987. SEM evidence for a new species, *Giardia psittaci*. *J. Parasitol.* 73: 623-629.
333. ERLANDSEN, S.L., BEMRICK, W.J. & JAKUBOWSKI, W. 1991. Cross-species transmission of avian and mammalian *Giardia* spp.: inoculation of chicks, ducklings, budgerigars, mongolian gerbils and neonatal mice with *Giardia ardeae*, *Giardoa duodenalis* (*lamblia*), *Giardia psittaci* and *Giardia muris*. *Int. J. Environ. Health Res.* 1: 144-152.
334. ERLANDSEN, S.L., WEISBROD, A.R., KNUDSON, L.W., OLERICH, R., DODGE, W.E., JAKUBOWSKI, W. & BEMRICK, W.J. 1991. Giardiasis in wild and captive bird populations: high prevalence in herons and budgerigars. *Int. J. Envir. Hlth. Res.* 1: 132-143.
335. ERNST, H.P. & BAKER, G.L. 1982. *Malameba locustae* (King and Taylor) (Protozoa: Amoebidae) in field populations of Orthoptera in Australia. *J. Aust. Entomol. Soc.* 21: 295-296.
336. EUTICK, M.L., VEIVERS, P., O'BRIEN, R.W. & SLAYTOR, M. 1978. Dependence of the higher termite, *Nasutitermes exitiosus* and the lower termite, *Coptotermes lacteus* on their gut flora. *J. Insect Physiol.* 24: 363-368.
337. EY, P.L., KHANNA, K., ANDREWS, R.H., MANNING, P.A. & MAYRHOFER, G. 1992. Distinct genetic groups of *Giardia intestinalis* distinguished by restriction fragment length polymorphisms. *J. General Microbiol.* 138: 2629-2637.
338. EY, P.L., DARBY, J.M., ANDREWS, R.H. & MAYRHOFER, G. 1993. *Giardia intestinalis*: detection of major genotypes by restriction analysis of gene amplification products. *Int. J. Parasitol.* 23: 591-600.
339. EY, P.L., ANDREWS, R.H. & MAYRHOFER, G. 1993. Differentiation of major genotypes of *Giardia intestinalis* by polymerase chain reaction analysis of a gene encoding a trophozoite surface antigen. *Parasitol.* 106: 347-356.
340. EY, P.L., KHANNA, K., MANNING, P. & MAYRHOFER, G. 1993. A gene encoding a 69-kilodalton major surface protein of *Giardia intestinalis* trophozoites. *Mol. Biochem. Parasitol.* 58: 247-258.
341. EY, P.L., MANSOURI, M., KULDA, J., NOHYKOVA, E., MONIS, P.T., ANDREWS, R.H. & MAYRHOFER, G. 1997. Genetic analysis of *Giardia* from hooved farm animals reveals

- artiodactyl-specific and potentially zoonotic genotypes. *J. Euk. Microbiol.* 44: 626-635.
342. FAIRLEY, N.H. 1945. Chemotherapeutic suppression and prophylaxis in malaria. An experimental investigation undertaken by medical research teams in Australia. *Trans. Roy. Soc. Trop. Med. Hyg.* 38: 311-365.
343. FAIRLEY, N.H. 1946. Malaria in the south-west Pacific, with special reference to its chemotherapeutic control. *Med. J. Aust.* 2: 145-162.
344. FAIRLEY, N.H. 1957. Experiments with antimalarial drugs in man. *Trans. Roy. Soc. Trop. Med. Hyg.* 51: 493-501.
345. FALLIS, A.M. & DESSER, S.S. 1977. On species of *Leucocytozoon*, *Haemoproteus*, and *Hepatocystis*. Pp 239-266 in Kreier, J.P. (ed.) *Parasitic Protozoa* (Academic Press: New York).
346. FARBEY, M.D., REYNOLDSON, J.A. & THOMPSON, R.C.A. 1995. *In vitro* drug susceptibility of 29 isolates of *Giardia duodenalis* from humans as assessed by an adhesion assay. *Int. J. Parasitol.* 25: 593-599.
347. FARLEY, C., WOLF, P.H. & ELSTON, R.A. 1988. A long-term study of "microcell" disease in oysters with a description of a new genus, *Mikrocytos* (g.n.), and two new species, *Mikrocytos mackini* (sp.n.) and *Mikrocytos roughleyi* (sp.n.). *Fishery Bull.* 86: 581-593.
348. FAY, F.R. 1989. Toxoplasmosis in seals. *Adv. Vet. Sci.*, Aust. Vet. Assoc. Conf. Perth 109-110.
349. FAYER, R., SPEER, C.A. & DUBEY, J.P. 1997. The general biology of *Cryptosporidium*. Pp 1-41 in Fayer, R. (ed.) *Cryptosporidium* and Cryptosporidiosis. (CRC Press: Boca Raton).
350. FERGUSON, H. 1988. Protozoan Diseases. Pp 63-71 in Fish Diseases. Refresher Course for Veterinarians. (Post Graduate Committee in Veterinary Science: University of Sydney).
351. FERRANTE, A. & THONG, Y.H. 1979. Antibody induced capping and endocytosis of surface antigens in *Naegleria fowleri*. *Int. J. Parasitol.* 9: 599-601.
352. FERRANTE, A. & THONG, Y.H. 1980. Unique phagocytic process in neutrophil-mediated killing of *Naegleria fowleri*. *Immunol. Letters* 2: 37-41.
353. FERRANTE, A. & LEDERER, E. 1986. Curative properties of muramyl dipeptide in experimental *Naegleria meningoencephalitis*. *Trans. Roy. Soc. Trop. Med. Hyg.* 80: 323-326.
354. FERRANTE, A., HILL, N.L., ABELL, T.J. & PRUUL, H. 1987. Role of myeloperoxidase in the killing of *Naegleria fowleri* by lymphokine-altered human neutrophils. *Infect. Immun.* 55: 1047-1050.
355. FERRANTE, A. & BATES, E.J. 1988. Elastase in the pathogenic free-living amoebae *Naegleria* and *Acanthamoeba* spp. *Infect. Immun.* 56: 3320-3321.
356. FERRANTE, A., CARTER, R.F., LOPEZ, A.F., ROWAN-KELLY, B., HILL, N.L. & VADAS, M.A. 1988. Depression of immunity to *Naegleria fowleri* in mice by selective depletion of neutrophils with a monoclonal antibody. *Infect. Immun.* 56: 2286-2291.
357. FERRANTE, A. & ROWAN-KELLY, B. 1988. The role of antibody in immunity against experimental *Naegleria meningoencephalitis* ('amoebic meningitis') *Immunol.* 64: 241-244.
358. FERSON, M.J. & YOUNG, L.C. 1992. *Cryptosporidium* and coxsackievirus B5 causing epidemic diarrhoea in a child-care centre. *Med. J. Aust.* 156: 813.
359. FIASCHI, T. 1898. Clinical notes on a case of amoebic abscess of the liver and lung. *Aust. Med. Gaz.* 17: 511-512.
360. FIELDING, J.W. 1928. Observations on rodents and their parasites. *J. Roy. Soc. N.S.W.* 61: 115-134.
361. FILIPPICH, L.J. & O'DONOUGHUE, P.J. 1995. *Cochlosoma* infection in finches. Pp 101-104 in Cross, G.M. (ed.) *Proc. Ann. Conf. Aust. Assoc. Avian Vet.* (Australian Veterinary Association: Dubbo).
362. FILIPPICH, L.J. & O'DONOUGHUE, P.J. 1997. *Cochlosoma* infections in finches. *Aust. Vet. J.* 75: 561-563.
363. FILIPPICH, L.J., MCDONNELL, P.A., MUÑOZ, E. & UPCROFT, J.A. 1998. *Giardia* infection in budgerigars. *Aust. Vet. J.* 76: 246-249.
364. FILMER, J.F. 1931. Some notes on piroplasmosis in Western Australia. *Aust. Vet. J.* 7: 138-141.
365. FINDLAY, V.L., HELDERS, M., MUNDAY, B.L. & GURNEY, R. 1995. Demonstration of resistance to reinfection with *Paramoeba* sp. by Atlantic salmon, *Salmo salar* L. *J. Fish Dis.* 18: 639-642.
366. FINKELMAN, S. & PAPERNA, I. 1994. The endogenous development of two new species of *Isospora* (Apicomplexa: Eimeriidae) from skinks. *Syst. Parasitol.* 27: 227-235.
367. FINKELMAN, S. & PAPERNA, I. 1994. The endogenous development of three new intranuclear species of *Isospora* (Apicomplexa: Eimeriidae) from agamid lizards. *Syst. Parasitol.* 27: 213-226.
368. FINNIE, E.P. 1974. Prophylaxis against coccidiosis in kangaroos. *Aust. Vet. J.* 50: 276.
369. FINNIE, E.P. 1976. Husbandry and diseases of orphaned pouch-young marsupials. *Aust. Vet. Practit.* 6: 19-28.
370. FORD, E. 1950. The malaria problem in Australia and the Australian Pacific territories. *Med. J. Aust.* 1: 749-760.
371. FORD, G.E. 1974. Prey-predator transmission in the epizootiology of ovine sarcosporidiosis. *Aust. Vet. J.* 50: 38-39.

372. FORD, G.E. 1975. Transmission of sarcosporidiosis from dogs to sheep maintained specific pathogen free. Aust. Vet. J. 51: 408.
373. FORD, G.E. & BEVERIDGE, I. 1980. Clinical parasitology for the diagnosis of the cyst-forming sporozoa at the vector stage in companion animals. Aust. Adv. Vet. Sci. (1980): 66-67.
374. FORD, G.E. 1985. Immunity of sheep to homologous challenge with dog-borne *Sarcocystis* species following varying levels of prior exposure. Int. J. Parasitol. 15: 629-634.
375. FORD, G.E. 1986. Role of the dog, fox, cat and human as carnivore vectors in the transmission of the sarcosporidia that affect sheep meat production. Aust. J. Agric. Res. 37: 79-88.
376. FORD, G.E. 1986. Completion of the cycle for transmission of sarcosporidiosis between cats and sheep reared specific pathogen free. Aust. Vet. J. 63: 42-44.
377. FORD, G.E. 1986. Biochemical characterization for identification of ovine sarcosporidia. Aust. J. Biol. Sci. 39: 31-36.
378. FORD, G.E. 1987. Hosts of two canid genera, the red fox and the dog, as alternate vectors in the transmission of *Sarcocystis tenella* from sheep. Vet. Parasitol. 26: 13-20.
379. FORD, G.E., FAYER, R., ADAMS, M., DONOGHUE, P.J., DUBEY, J.P. & BAVERSTOCK, P.R. 1987. Genetic characterisation by isoenzyme markers of North American and Australasian isolates of species of *Sarcocystis* (Protozoa: Apicomplexa) from mice, sheep, goats and cattle. Syst. Parasitol. 9: 163-167.
380. FORSHAW, D., PALMER, D.G., HALSE, S.A., HOPKINS, R.M. & THOMPSON, R.C.A. 1992. *Giardia* in straw-necked ibis (*Threskiornis spinicollis*) in Western Australia. Vet. Rec. 131: 267-268.
381. FOWLER, M. & CARTER, R.F. 1965. Acute pyogenic meningitis probably due to *Acanthamoeba* sp.: a preliminary report. Brit. Med. J. 2: 740-742.
382. FOWLER, N.G. & FORBES, G.B. 1972. Aberrant *Leucocytozoon* infection in parakeets. Vet. Rec. 91: 345-347.
383. FRANCIS, J. & COLLINS, G.W. 1963. Treatment of trichomoniasis in the bull. Aust. Vet. J. 39: 202-204.
384. FREELAND, W.J., DELVINQUIER, B.L.J. & BONNIN, B. 1986. Food and parasitism of the cane toad, *Bufo marinus*, in relation to time since colonization. Aust. Wildl. Res. 13: 489-499.
385. GALE, K.R., WALTISBUHL, D.J., BOWDEN, J.M., JORGENSEN, W.K., MATHESON, J., EAST, I.J., ZAKRZEWSKI, H. & LEATCH, G. 1998. Amelioration of virulent *Babesia bovis* infection in calves by administration of the nitric oxide synthase inhibitor aminoguanidine. Parasite Immunol. 20: 441-445.
386. GALLAGHER, A.N., GARTRELL, B.D. & UPCROFT, J.A. 1995. Pathogenic *Giardia* isolated from a wild-trapped sulphur crested cockatoo (*Cacatua galerita*). Pp 23-27 in Cross, G.M. (ed.) Proc. Ann. Conf. Aust. Assoc. Avian Vet. (Australian Veterinary Association: Dubbo).
387. GARNHAM, P.C.C. 1966. Malaria Parasites and other Haemosporidia. (Blackwell Scientific Publishers: Oxford).
388. GARVEN, A. 1957. Toxoplasmosis: the diagnosis of clinical and latent infection in Australia. Australasian Ann. Med. 6: 141-144.
389. GASSER, R.B., EDWARDS, G. & COLE, R.A. 1993. Neosporosis in a dog. Aust. Vet. Practit. 23: 190-193.
390. GIBB, D.G.A., KAKULAS, B.A., PERRET, D.H. & JENKYN, D.J. 1966. Toxoplasmosis in the Rottnest quokka (*Setonix brachyurus*). Aust. J. Expt. Biol. Med. Sci. 44: 665-672.
391. GILL, P. & CALLINAN, R.B. 1997. Ulcerative dermatitis associated with *Uronema* sp. infection of farmed sand whiting *Sillagociliata*. Aust. Vet. J. 75: 357.
392. GILRUTH, J.A., SWEET, G. & DODD, S. 1910. Notes on blood parasites. Proc. Roy. Soc. Vic. 23: 231-240.
393. GILRUTH, J.A. 1910. Note on a haemogregarine in the blood of *Varanus varius*. Proc. Roy. Soc. Vic. 23: 36-38.
394. GILRUTH, J.A. 1910. Notes on a protozoon parasite found in the mucous membrane of the abomasum of a sheep. Proc. Roy. Soc. Vic. 23: 19-20.
395. GILRUTH, J.A. 1912. The introduction and spread of the cattle tick (*Boophilus annulatus*, var. *microplus*), and of the associated disease tick fever (Babesiosis) in Australia. Qld. Agric. J. 29: 351-357.
396. GILRUTH, J.A. 1912. The introduction and spread of the cattle tick (*Boophilus annulatus*, var. *microplus*), and of the associated disease tick fever (Babesiosis) in Australia. Proc. Roy. Soc. Vic. 25: 15-22.
397. GILRUTH, J.A. & BULL, L.B. 1912. Enteritis associated with infection of the intestinal wall by cyst-forming protozoa (Neosporidia), occurring in certain native animals (wallaby, kangaroo and wombat). Proc. Roy. Soc. Vic. 24: 432-448.
398. GLAZEBROOK, J.S., CAMPBELL, R.S.F. & HUTCHINSON, G.W. 1977. The pathology of feral rodents in north Queensland. II. Studies on zoonotic infections. Tropenmed. Parasitol. 28: 545-551.
399. GLAZEBROOK, J.S., CAMPBELL, R.S.F., HUTCHINSON, G.W. & STALLMAN, N.D. 1978. Rodent zoonoses in north Queensland. The occurrence and distribution of zoonotic infections

- in north Queensland rodents. Aust. J. Expt. Biol. Med. Sci. 56: 147-156.
400. GLAZEBROOK, J.S. & CAMPBELL, R.S.F. 1987. Diseases of barramundi (*Lates calcarifer*) in Australia: a review. Pp 204-206 in Copland, J.W. & Grey, D.L. (ed.) Management of Wild and Cultured Sea bass/barramundi (*Lates calcarifer*). (Proc. Int. Workshop: Darwin).
401. GOGGIN, C.L. & LESTER, R.J.G. 1987. Occurrence of *Perkinsus* species (Protozoa, Apicomplexa) in bivalves from the Great Barrier Reef. Dis. Aquatic Org. 3: 113-117.
402. GOGGIN, C.L., SEWELL, K.B. & LESTER, R.J.G. 1989. Cross-infection experiments with Australian *Perkinsus* species. Dis. Aquatic Org. 7: 55-59.
403. GOGGIN, C.L. 1994. Variation in the two internal transcribed spacers and 5.8S ribosomal RNA from five isolates of the marine parasite *Perkinsus* (Protista, Apicomplexa). Mol. Biochem. Parasitol. 65: 179-182.
404. GOLDMAN, M. & ROSENBERG, A.S. 1974. Immunofluorescence studies of the small *Babesia* species of cattle from different geographical areas. Res. Vet. Sci. 16: 351-354.
405. GOLDSMID, J.M. 1981. Intestinal parasitic infections of man in Tasmania. Tran. Roy. Soc. Trop. Med. Hyg. 75: 110-111.
406. GOODGER, B.V. 1971. Preparation and preliminary assessment of purified antigens in the passive haemagglutination test for bovine babesiosis. Aust. Vet. J. 47: 251-256.
407. GOODGER, B.V. 1973. Further studies of haemagglutinating antigens of *Babesia bigemina*. Aust. Vet. J. 49: 81-84.
408. GOODGER, B.V. 1973. *Babesia argentina*: intraerythrocytic location of babesial antigen extracted from parasite suspensions. Int. J. Parasitol. 3: 387-391.
409. GOODGER, B.V. & MAHONEY, D.F. 1974. A rapid slide agglutination test for the herd diagnosis of *Babesia argentina* infection. Aust. Vet. J. 50: 250-254.
410. GOODGER, B.V. & MAHONEY, D.F. 1974. Evaluation of the passive haemagglutination test for the diagnosis of *Babesia argentina* infection in cattle. Aust. Vet. J. 50: 246-249.
411. GOODGER, B.V. 1975. A cold precipitable fibrinogen complex in the plasma of cattle dying from infection with *Babesia argentina*. Z. Parasitenkd. 48: 1-7.
412. GOODGER, B.V. 1976. *Babesia argentina*: studies on the nature of an antigen associated with infection. Int. J. Parasitol. 6: 213-216.
413. GOODGER, B.V. 1977. *Babesia argentina*: observations on the immunogenicity of the cryo-fibrinogen complex. Z. Parasitenkd. 53: 47-52.
414. GOODGER, B.V. & WRIGHT, I.G. 1977. *Babesia bovis* (*argentina*): observations of coagulation parameters, fibrinogen catabolism and fibrinolysis in intact and splenectomized cattle. Z. Parasitenkd. 54: 9-27.
415. GOODGER, B.V. 1978. *Babesia bovis* (= *argentina*): changes in erythrolytic and associated proteins during acute infection of splenectomized and intact calves. Z. Parasitenkd. 55: 1-8.
416. GOODGER, B.V., WRIGHT, I.G., MAHONEY, D.F. & MCKENNA, R.V. 1978. *Babesia bovis* (*argentina*): components of the cryofibrinogen complex and their contribution to pathophysiology of infection in splenectomized calves. Z. Parasitenkd. 58: 3-13.
417. GOODGER, B.V., WRIGHT, I.G., MAHONEY, D.F. & MCKENNA, R.V. 1980. *Babesia bovis* (*argentina*): studies on the composition and location of antigen associated with infected erythrocytes. Int. J. Parasitol. 10: 33-36.
418. GOODGER, B.V., WRIGHT, I.G. & MAHONEY, D.F. 1981. Changes in conglutinin, immunoconglutinin, complement C3 and fibronectin concentrations in cattle acutely infected with *Babesia bovis*. Aust. J. Expt. Biol. Med. Sci. 59: 531-538.
419. GOODGER, B.V., WRIGHT, I.G. & MAHONEY, D.F. 1981. Initial characterization of cryoprecipitates in cattle recovering from acute *Babesia bovis* (*argentina*) infection. Aust. J. Expt. Biol. Med. Sci. 59: 521-529.
420. GOODGER, B.V., COMMINES, M.A., WALTISBUHL, D.J., WRIGHT, I.G. & RODE-BRAMANIS, K. 1990. *Babesia bovis*: immunity induced by vaccination with a lipid enriched fraction. Int. J. Parasitol. 20: 685-687.
421. GORDON, A.N., KELLY, W.R. & LESTER, R.J.G. 1993. Epizootic mortality of free-living green turtles, *Chelonia mydas*, due to coccidiosis. J. Wildlife Dis. 29: 490-494.
422. GORRIE, C.J.R. 1950. Management in control of coccidiosis in chickens. Aust. Vet. J. 26: 223-225.
423. GRACEY, M. 1994. Gastrointestinal infections in children. Curr. Op. Gastroenterol. 10: 88-97.
424. GREGORY, G.G. & MUNDAY, B.L. 1976. Internal parasites of feral cats from the Tasmanian midlands and King Island. Aust. Vet. J. 52: 317-320.
425. GRIFFIN, J.L. 1978. Pathogenic free-living amoebae. Pp 507-549 in Kreier, J.P. (ed.) Parasitic Protozoa. Academic Press: New York.
426. GRIFFITHS, J.K. 1998. Human cryptosporidiosis: epidemiology, transmission, clinical disease, treatment, and diagnosis. Adv. Parasitol. 40: 37-85.
427. GRIM, J.N. 1992. Descriptions of two sympatric and phylogenetically diverse ciliated protozoa, *Balantidium zebrascopi* n.sp. and *Paracichlidotherus*

- leeuwenhoeki* n.gen., n.sp., symbionts in the intestines of the surgeonfish, *Zebrasoma scopas*. Trans. Am. Microsc. Soc. 111: 149-157.
428. GRIM, J.N. 1993. Description of somatic kineties and vestibular organization of *Balantidium focularum* sp. n., and possible taxonomic implications for the class Litostomatea and the genus *Balantidium*. Acta Protozool. 32: 37-45.
429. GRIM, J.N. & CLEMENTS, K.D. 1996. Description of a new species of opalinid by light microscopy, SEM and TEM: *Protoopalina polykineta*, n.sp. from the intestines of the surgeonfish, *Acanthurus nigrofasciatus*. Surface features, kinetal organization, vesicles, and endocytobionts. Europ. J. Protist. 32: 81-89.
430. GRIMES, T.M. & ELDER, J.K. 1971. The isolation of trichomonads from pigeons. Aust. Vet. J. 47: 160-161.
431. GROVES, P.J. 1986. Coccidiosis in chickens, turkeys and ducks. Pp 361-383 in Poultry Health (Post-Graduate Committee in Veterinary Science: University of Sydney).
432. GRULET, O., LANDAU, I., MILLET, P. & BACCAM, D. 1985. Les *Isospora* du moineau. I. Complements a l'etude systematique. Ann. Parasitol. Hum. Comp. 60: 155-160.
433. GRULET, O., LANDAU, I., MILLET, P. & BACCAM, D. 1986. Les *Isospora* du moineau. II. Etudes sur la biologie. Ann. Parasitol. Hum. Comp. 61: 161-192.
434. GRUNBERG, W. 1953. Toxoplasmose beim Bennett-Kanguruh (*Makropus bennetti* Gould) und einem Klippschliefer (*Hyrax syriacus* Schreb.). Wein. Tierarztl. Msch. 46: 586-593.
435. GUO, Z.-G. & JOHNSON, A.M. 1995. Genetic comparison of *Neospora caninum* with *Toxoplasma* and *Sarcocystis* by random amplified polymorphic DNA-polymerase chain reaction. Parasitol. Res. 81: 365-370.
436. GUO, Z.G. & JOHNSON, A.M. 1995. Genetic characterization of *Toxoplasma gondii* strains by random amplified polymorphic DNA polymerase chain reaction. Parasitol. 111: 127-132.
437. GUO, Z.G., GROSS, U. & JOHNSON, A.M. 1997. *Toxoplasma gondii* virulence markers identified by random amplified polymorphic DNA polymerase chain reaction. Parasitol. Res. 83: 458-463.
438. HACKEL, D.B., KINNEY, T.D. & WENDT, W. 1953. Pathologic lesions in captive wild animals. Lab. Invest. 2: 154-163.
439. HAGGER, T.D. 1956. A case of visceral leishmaniasis or kala-azar. Med. J. Aust. 2: 198-199.
440. HALL, W.T.K. 1960. The immunity of calves to *Babesia argentina* infection. Aust. Vet. J. 36: 361-366.
441. HALL, W.T.K. 1963. The immunity of calves to tick-transmitted *Babesia argentina* infection. Aust. Vet. J. 39: 386-389.
442. HALL, W.T.K., TAMMENAGI, L. & JOHNSTON, L.A.Y. 1968. Bovine babesiosis: the immunity of calves to *Babesia argentina* infection. Aust. Vet. J. 44: 259-264.
443. HALLETT, S.L., O'DONOUGHUE, P.J. & LESTER, R.J.G. 1997. Infections by *Kudoa ciliatae* (Myxozoa: Myxosporea) in Indo-Pacific whiting *Sillago* spp. Dis. Aquatic Org. 30: 11-16.
444. HALLETT, S.L., O'DONOUGHUE, P.J. & LESTER, R.J.G. 1998. Structure and development of a marine actinosporcean, *Sphaeractinomyxon ersei* n. sp. (Myxozoa). J. Euk. Microbiol. 45: 142-150.
445. HAMERTON, A.E. 1933. Report on deaths occurring in the Society's Gardens during the year 1932. Proc. Zool. Soc. London (1933): 451-482.
446. HARRIGAN, K.E. 1978. Parasitic diseases of birds. Pp 489-536 in Fauna Part B (Post Graduate Committee in Veterinary Science: University of Sydney).
447. HARRIGAN, K.E. 1981. Parasitic diseases of birds. Pp 337-396 in Refresher Course on Aviary and Caged Birds (Post Graduate Committee in Veterinary Science: University of Sydney).
448. HARRIS, I.E. 1988. Rabbits - medicine and other veterinary aspects. Aust. Vet. Practit. 18: 7-11.
449. HARROP, C.J.F. & BARKER, S. 1972. Blood chemistry and gastro-intestinal changes in the developing red kangaroo (*Megaleia rufa*, Desmarest). Aust. J. Exptl. Biol. Med. Sci. 50: 245-249.
450. HART, L. 1937. The occurrence in New South Wales of infectious entero-hepatitis(blackhead)of chickens. Agric. Gaz. N.S.W. 48: 705-706.
451. HART, L. 1938. *Eimeria tenella* infection in chickens eight days old. Aust. Vet. J. 14: 74.
452. HART, L. 1939. Coccidiosis of adult fowls. Aust. Vet. J. 15: 30-34.
453. HART, L. 1940. *Trichomonas* infection in an introduced Indian dove (*Turtur suratensis*). Aust. Vet. J. 16: 127.
454. HART, L. 1945. A symposium on poultry diseases. Aust. Vet. J. 21: 15-18.
455. HARTLEY, W.J. & KATER, J.C. 1965. Diseases of the central nervous system of sheep. Aust. Vet. J. 41: 107-111.
456. HARTLEY, W.J. & MOYLE, G. 1968. Observations on an outbreak of ovine congenital toxoplasmosis. Aust. Vet. J. 44: 105-107.
457. HARTLEY, W.J. & MOYLE, G.G. 1974. Further observations on the epidemiology of ovine *Toxoplasma* infection. Aust. J. Exptl. Biol. Md. Sci. 52: 647-653.
458. HARTLEY, W.J. & BLAKEMORE, W.F. 1974. An unidentified sporozoan encephalomyelitis in sheep. Vet. Path. 11: 1-12.

459. HARTLEY, W.J. & MUNDAY, B.L. 1974. Felidae in the dissemination of toxoplasmosis to man and other animals. *Aust. Vet. J.* 50: 224-228.
460. HARTLEY, W.J. & BRIDGE, P.S. 1975. A case of suspected congenital *Toxoplasma* encephalomyelitis in a lamb associated with a spinal cord anomaly. *Brit. Vet. J.* 131: 380-384.
461. HARTLEY, W.J., REDDACLiffe, G.L., FINNIE, E.P. & TURNER, D. 1981. Suspected lethal *Leucocytozoon* infection in the pied currawong (*Strepera graculina*). Pp 95-97 in Fowler, M.E. (ed.) *Wildlife Diseases of the Pacific Basin and other Countries*. (Proc. 4th. Int. Conf. Wildlife Dis. Assoc.: Sydney).
462. HARTLEY, W.J., DUBEY, J.P. & SPIELMAN, D.S. 1990. Fatal toxoplasmosis in koalas (*Phascolarctos cinereus*). *J. Parasitol.* 76: 271-272.
463. HARTLEY, W.J. & DUBEY, J.P. 1991. Fatal toxoplasmosis in some native Australian birds. *J. Vet. Diagn. Invest.* 3: 167-169.
464. HASWELL, W.A. 1890. On a remarkable flat-worm parasitic in the golden frog. *Proc. Linn. Soc. N.S.W.* 5: 661-666.
465. HASWELL, W.A. 1901. Notes on the fauna of the gill cavities of freshwater crayfishes. *Rep. Aust. Assoc. Adv. Sci.* 8: 235-237.
466. HAWKESFORD, T. & GOLDSMID, J.M. 1995. Cryptosporidiosis in Tasmania. *Aust. J. Med. Sci.* 16: 76-78.
467. HEALEY, J.S. & WILSON, J.M. 1960. Field investigations into infertility of dairy cattle in north eastern New South Wales. *Aust. Vet. J.* 36: 447-454.
468. HEALEY, A., MITCHELL, R., UPCROFT, J.A., BOREHAM, P.F.L. & UPCROFT, P. 1990. Complete nucleotide sequence of the ribosomal RNA tandem repeat unit from *Giardia intestinalis*. *Nucleic Acids Res.* 18: 4006.
469. HEIN, W.R. & CARGILL, C.F. 1981. An abattoir survey of diseases of feral goats. *Aust. Vet. J.* 57: 498-503.
470. HELLARD, M.E. & FAIRLEY, C.K. 1997. Gastroenteritis in Australia: who, what, where, and how much? *Aust. N.Z. J. Med.* 27: 147-149.
471. HENDERSON, G.M., GULLAND, F.M.D. & HAWKEY, C.M. 1988. Haematological findings in budgerigars with *Megabacterium* and *Trichomonas* infections associated with 'going light'. *Vet. Rec.* 123: 492-494.
472. HERBERT, B. 1987. Notes on diseases and epibionts of *Cherax quadricarinatus* and *C. tenuimanus* (Decapoda: Parastacidae). *Aquaculture* 64: 165-173.
473. HERBERT, B.W. 1988. Infection of *Cherax quadricarinatus* (Decapoda: Parastacidae) by the microsporidium *Thelohania* sp. (Microsporidia: Nosematidae). *J. Fish Dis.* 11: 301-308.
474. HEUPEL, M.R. & BENNETT, M.B. 1996. A myxosporean parasite (Myxosporea: Multivalvulida) in the skeletal muscle of epaulette sharks, *Hemiscyllium ocellatum* (Bonnaterre), from the Great Barrier Reef. *J. Fish Dis.* 19: 189-191.
475. HEYDON, G.M. & GREEN, A.K. 1931. Some worm infestations of man in Australia. *Med. J. Aust.* 1: 619-628.
476. HILL, M.W.M. & BOLTON, B.L. 1966. Canine babesiosis in Queensland. *Aust. Vet. J.* 42: 84-86.
477. HILL, M.W.M. & BOLTON, B.L. 1966. Canine babesiosis in Queensland. *Aust. Vet. J.* 42: 391-392.
478. HILL, B.D., FRASER, I.R. & PRIOR, H.C. 1997. *Cryptosporidium* infection in a dugong (*Dugong dugon*). *Aust. Vet. J.* 75: 670-671.
479. HILL, B.D., GREEN, P.E. & LUCKE, H.A. 1997. Hepatitis in the green tree frog (*Litoria caerulea*) associated with infection by a species of *Myxidium*. *Aust. Vet. J.* 75: 910-911.
480. HILLYER, E.V., ANDERSON, M.P., GREINER, E.C., ATKINSON, C.T. & FRENKEL, J.K. 1991. An outbreak of *Sarcocystis* in a collection of psittacines. *J. Zoo Wildl. Med.* 22: 434-445.
481. HINE, P.M. 1980. A review of some species of *Myxidium* Butschli, 1882 (Myxozoporeia) from eels (*Anguilla* spp.). *J. Protozool.* 27: 260-267.
482. HIRAI, K., SAWA, H., YAMASHITA, T., SHIIMAKURA, S. & HASHIMOTO, A. 1980. *Giardia* infection in budgerigars (*Melopsittacus undulatus*). *Jpn. J. Vet. Sci.* 42: 615-617.
483. HOARE, C.A. 1972. The Trypanosomes of Mammals. A Zoological Monograph. (Blackwell Scientific Publishers: Oxford).
484. HOBBS, R.P. & TWIGG, I.E. 1998. Coccidia (*Eimeria* spp.) of wild rabbits in southwestern Australia. *Aust. Vet. J.* 76: 209-210.
485. HOGAN, M.E., SCHULZ, M.W., SLAYTOR, M., CZOLIJ, R.T. & O'BRIEN, R.W. 1988. Components of termite and protozoal cellulases from the lower termite, *Coptotermes lacteus* Froggatt. *Insect Biochem.* 18: 45-51.
486. HOLMES, F.O. 1931. *Herpetomonas bancrofti* n. sp. from the latex of a fig in Queensland. *Contr. Boyce Thompson Inst.* 3: 375-384.
487. HOLZ, P.H. 1997. Disseminated granulomas caused by protozoan megaloschizonts in superb lyrebirds (*Menura novaehollandiae*). *Aust. Vet. J.* 75: 672-673.
488. HOPKINS, R.M., DEPLAZES, P., MELONI, B.P., REYNOLDSON, J.A. & THOMPSON, R.C.A. 1993. A field and laboratory evaluation of a commercial ELISA for the detection of *Giardia* coproantigens in humans and dogs. *Trans. Roy. Soc. Trop. Med. Hyg.* 87: 39-41.
489. HOPKINS, R.M., THOMPSON, R.C.A., HOBBS, R.P., LYMBERY, A.J., VILLA, N. & SMITHYMAN, T.M. 1993. Differences in antigen

- expression within and between 10 isolates of *Giardia duodenalis*. *Acta Tropica* 54: 117-124.
490. HOPKINS, R.M., MELONI, B.P., GROTH, D.M., WETHERALL, J.D., REYNOLDSON, J.A. & THOMPSON, R.C.A. 1997. Ribosomal RNA sequencing reveals differences between the genotypes of *Giardia* isolates recovered from humans and dogs living in the same locality. *J. Parasitol.* 83: 44-51.
491. HORNING E.S. 1925. The mitochondria of a protozoan (*Opalina*) and their behaviour during the life cycle. *Aust. J. Exptl. Biol. Med. Sci.* 2: 167-171.
492. HORWITZ, P. 1990. The translocation of freshwater crayfish in Australia: potential impact, the need for control and global relevance. *Biol. Conserv.* 54: 291-305.
493. HOWE, P.A. 1980. Coccidiosis in goats. Pp 285-288 in Refresher Course for Veterinarians. (Post Graduate Committee in Veterinary Science: University of Sydney).
494. HOWELL, M.J. & ROWELL, A.M. 1976. Toxoplasmosis in Canberra. *Med. J. Aust.* 2: 465.
495. HOYNE, G.F., BOREHAM, P.F.L., PARSONS, P.G., WARD, C. & BIGGS, B. 1989. The effect of drugs on the cell cycle of *Giardia intestinalis*. *Parasitol.* 99: 333-339.
496. HOYTE, H.M.D. 1961. Initial development of infections with *Babesia bigemina*. *J. Protozool.* 8: 462-466.
497. HOYTE, H.M.D. 1965. Further observations on the initial development of infections with *Babesia bigemina*. *J. Protozool.* 12: 83-85.
498. HOYTE, H.M.D. 1971. The infectivity of *Theileria mutans*, *Eperythrozoon wenyonii* and *E. teganodes* to sheep and of *E. ovis* to cattle. *Brit. Vet. J.* 127: iv-lvii.
499. HOYTE, H.M.D. 1971. Differential diagnosis of *Babesia argentina* and *Babesia bigemina* infections in cattle using thin blood smears and brain smears. *Aust. Vet. J.* 47: 248-250.
500. HOYTE, H.M.D. 1976. The tick-fever parasites of cattle. *Proc. Roy. Soc. Qld.* 87: 5-13.
501. HUDSON, D.A. & LESTER, R.J.G. 1992. Relationships between water quality parameters and ectocommensal ciliates on prawns (*Penaeus japonicus* Bate) in aquaculture. *Aquaculture* 105: 269-280.
502. HUDSON, D.A., HUDSON, N.B. & SHIELDS, J.D. 1993. Infection of *Trapezia* spp. (Decapoda: Xanthidae) by *Hematodinium* sp. (Duboscquidiida: Syndinidae): a new family record of infection. *J. Fish Dis.* 16: 273-276.
503. HUDSON, D.A. & SHIELDS, J.D. 1994. *Haematodinium australis* n. sp., a parasitic dinoflagellate of the sand crab *Portunus pelagicus* from Moreton Bay, Australia. *Dis. Aquat. Org.* 19: 109-119.
504. HUDSON, D.A. & LESTER, R.J.G. 1994. Parasites and symbionts of wild mud crabs *Syrella serrata* (Forskal) of potential significance in aquaculture. *Aquaculture* 120: 183-199.
505. HUDSON, D.A. & ADLARD, R.D. 1994. PCR techniques applied to *Hematodinium* spp. and *Hematodinium*-like dinoflagellates in decapod crustaceans. *Dis. Aquat. Org.* 20: 203-206.
506. HUDSON, D.A. & ADLARD, R.D. 1996. Nucleotide sequence determination of the partial SSU rDNA gene and ITS1 region of *Hematodinium* cf. *perezi* and *Hematodinium*-like dinoflagellates. *Dis. Aquat. Org.* 24: 55-60.
507. HUGER, A.M. & LENZ, M. 1976. Nachweis einer Colomgregarine (Protozoa: Sporozoa) bei der australischen Termiten *Coptotermes acinaciformis* (Isoptera: Rhinotermitidae). *Z. Ang. Entomol.* 81: 252-258.
508. HUMPHREY, J.D. 1986. Fish health, disease control and aquaculture. Pp 107-114 in *Freshwater Aquaculture in Australia*. (Rural Press Queensland: Brisbane).
509. HUMPHREY, J.D. 1988. Disease risks associated with translocation of shellfish, with special reference to the giant clam *Tridacna gigas*. Pp 241-244 in Copland, J. & Lucas, J.S. (ed.) *Giant Clams in Asia and the Pacific*. Australian Centre for International Agricultural Research, Monograph Series (Craftsman Press: Canberra).
510. HUMPHRY, A.H. 1964. Malaria in the Northern Territory, with special reference to the outbreaks of 1955-1957. *Med. J. Aust.* 1: 703-711.
511. HUNGERFORD, T.G. 1941. Coccidiosis. A serious disease of chickens. *Agric. Gaz. N.S.W.* 52: 389-391.
512. HUNT, J.S. & COLLINS, W. 1896. Report on tick fever. Report of Special Commission of Queensland Government to USA. (Govt. Printer, Brisbane).
513. HUNT, J.S. 1897. Inoculation for tick fever. The prospects and problems. *Qld. Agric. J.* 1: 404-411.
514. HUNT, J.S. 1898. Notes on the natural history and prevention of Texas fever. *Qld. Agric. J.* 3: 446-456.
515. HUNT, J.S. 1898. Progress report on the reproductive forms of the micro-organism of tick fever, with some observations on the relationships and nomenclature of that disease. *Qld. Agric. J.* 2: 211-220.
516. HUNT, S. & O'GRADY, J. 1976. Coccidiosis in pigeons due to *Eimeria labbeana*. *Aust. Vet. J.* 52: 390.
517. IRWIN, P.J. 1991. Canine babesiosis in Australia. *Aust. Vet. Practit.* 21: 98.
518. ISBISTER, J.L.T. 1898. Pathological notes upon the above case of amoebic abscess of the liver and lung. *Aust. Med. Gaz.* 17: 512-513.

519. JACOB-HIOFF, R.M. & DUNSMORE, J.D. 1983. Epidemiological aspects of toxoplasmosis in southern Western Australia. *Aust. Vet. J.* 60: 217-218.
520. JAKES, K.A. 1998. *Sarcocystis mucosa* in Bennetts wallabies and pademelons from Tasmania. *J. Wildlife Dis.* 34: 594-599.
521. JAKSCH, W. 1953. Klinische und serologische Beobachtungen bei Toxoplasmose von Bennett-Kanguruhs in einem Tiergarten. *Wein. Tierarztl. Msch.* 40: 593-600.
522. JAMIESON, S. 1915. Malaria arising in a non-malarial district. *Med. J. Aust.* 1: 163-164.
523. JAMIESON, A. & ANDERSON, K. 1973. A method for the isolation of *Naegleria* species from water samples. *Pathol.* 5: 55-58.
524. JAMIESON, A. & ANDERSON, K. 1974. Primary amoebic meningoencephalitis. *Lancet* 1: 261.
525. JEFFRIES, A.C., AMARO, N., TENTER, A.M. & JOHNSON, A.M. 1996. Genetic diversity in *Sarcocystis gigantea* assessed by RFLP analysis of the ITS1 region. *Appl. Parasitol.* 37: 275-283.
526. JENNINGS, J.B. & CANNON, L.R.G. 1985. Observations on the occurrence, nutritional physiology and respiratory pigment of three species of flatworms (Rhabdocoela: Pterastericolidae) entosymbiotic in starfish from temperate and tropical waters. *Ophelia* 24: 199-215.
527. JENNIS, F. 1963. Toxoplasmosis in New South Wales. A serological survey. *Aust. J. Exptl. Biol.* 41: 187-198.
528. JENSEN, J.M., PATTON, S., WRIGHT, B.G. & LOEFFLER, D.G. 1985. Toxoplasmosis in marsupials in a zoological collection. *J. Zoo Anim. Med.* 16: 129-131.
529. JERRETT, I.V. & SNODGRASS, D.R. 1981. Cryptosporidia associated with outbreaks of neonatal calf diarrhoea. *Aust. Vet. J.* 57: 434-435.
530. JERRETT, I.V., MCORIST, S., WADDINGTON, J., BROWNING, J.W., MALECKI, J.C. & MCCAUSTRALD, I.P. 1984. Diagnostic studies of the fetus, placenta and maternal blood from 265 bovine abortions. *Cornell Vet.* 74: 8-20.
531. JOACHIM, A., TENTER, A.M., JEFFRIES, A.C. & JOHNSON, A.M. 1996. A RAPD-PCR derived marker can differentiate between pathogenic and non-pathogenic *Sarcocystis* species of sheep. *Mol. Cell. Probes* 10: 165-172.
532. JOHN, D.T. 1993. Opportunistically pathogenic free-living amoebae. Pp 143-246 in Kreier, J.P. & Baker, J.R. (ed.) *Parasitic Protozoa*. 2nd. ed. (Academic Press: San Diego).
533. JOHNSON, E.A. 1907. A trypanosome found in the River Murray turtle (*Chelonia longicollis*). *Aust. Med. Gaz.* 26: 26.
534. JOHNSON, A.M. 1979. The incidence of anti-*Toxoplasma* antibody in the Australian population. *Med. J. Aust.* 1: 527.
535. JOHNSON, A.M., MCDONALD, P.J. & NEOH, S.H. 1979. Kinetics of the growth of *Toxoplasma gondii* (Rh strain) in mice. *Int. J. Parasitol.* 9: 55-56.
536. JOHNSON, A.M., ROBERTS, H., WETHERALL, B., MCDONALD, P.J. & NEED, J.A. 1979. Relationship between spontaneous abortion and presence of antibody to *Toxoplasma gondii*. *Med. J. Aust.* 1: 579-580.
537. JOHNSON, A.M., ROBERTS, H. & MCDONALD, P.J. 1980. Age-sex distribution of *Toxoplasma* antibody in the South Australian population. *J. Hyg. Camb.* 84: 315-320.
538. JOHNSON, A.M., MCDONALD, P.J. & NEOH, S.H. 1981. Molecular weight analysis of the major polypeptides and glycopeptides of *Toxoplasma gondii*. *Biochem. Biophys. Res. Comm.* 100: 934-943.
539. JOHNSON, A.M., MCDONALD, P.J. & NEOH, S.H. 1983. Monoclonal antibodies to *Toxoplasma* cell membrane surface antigens protect mice from toxoplasmosis. *J. Protozool.* 30: 351-356.
540. JOHNSON, A.M., MCDONALD, P.J. & NEOH, S.H. 1983. Molecular weight analysis of soluble antigens from *Toxoplasma gondii*. *J. Parasitol.* 69: 459-464.
541. JOHNSON, A.M., HAYNES, W.D., LEPPARD, P.J., MCDONALD, P.J. & NEOH, S.H. 1983. Ultrastructural and biochemical studies on the immunohistochemistry of *Toxoplasma gondii* antigens using monoclonal antibodies. *Histochemistry* 77: 209-215.
542. JOHNSON, A.M. 1984. Strain-dependent, route of challenge-dependent murine susceptibility to toxoplasmosis. *Z. Parasitenkd.* 70: 303-309.
543. JOHNSON, A.M. 1985. The antigenic structure of *Toxoplasma gondii*: a review. *Pathol.* 17: 9-19.
544. JOHNSON, A.M., ROBERTS, H., P.J., M. & ROTHE, J. 1985. Detection of *Toxoplasma*-specific IgM in cord blood sera by antibody-class capture enzyme-linked immunosorbent assay. *Pathol.* 17: 586-589.
545. JOHNSON, A.M., MCDONALD, P.J. & ILLANA, S. 1986. Characterization and *in vitro* translation of *Toxoplasma gondii* ribonucleic acid. *Mol. Biochem. Parasitol.* 18: 313-320.
546. JOHNSON, A.M., ILLANA, S., DUBEY, J.P. & DAME, J.B. 1987. *Toxoplasma gondii* and *Hammondia hammondi*: DNA comparison using cloned rRNA gene probes. *Exptl. Parasitol.* 63: 272-278.
547. JOHNSON, A.M., GU, Q.M. & ROBERTS, H. 1987. Antibody patterns in the serological diagnosis of acute lymphadenopathic toxoplasmosis. *Aust. N. Z. J. Med.* 17: 430-434.

548. JOHNSON, A.M., MURRAY, P.J., ILLANA, S. & BAVERSTOCK, P.J. 1987. Rapid nucleotide sequence analysis of the small subunit ribosomal RNA of *Toxoplasma gondii*: evolutionary implications for the Apicomplexa. Mol. Biochem. Parasitol. 25: 239-246.
549. JOHNSON, A.M., ILLANA, S., HAKENDORF, P. & BAVERSTOCK, P.R. 1988. Phylogenetic relationships of the apicomplexan protist *Sarcocystis* as determined by small subunit ribosomal RNA comparison. J. Parasitol. 74: 847-860.
550. JOHNSON, A.M. 1988. Pathogenicity of *Toxoplasma gondii* cysts and oocysts measured by fever and weight loss in mice. Int. J. Parasitol. 18: 865-868.
551. JOHNSON, A.M., ROBERTS, H. & MUNDAY, B.L. 1988. Prevalence of *Toxoplasma gondii* antibody in wild macropods. Aust. Vet. J. 65: 199-201.
552. JOHNSON, A.M., THANOU, A., BOREHAM, P.F.L. & BAVERSTOCK, P.R. 1989. *Blastocystis hominis*: phylogenetic affinities determined by rRNA sequence comparison. Exptl. Parasitol. 68: 283-288.
553. JOHNSON, A.M., ROBERTS, H., STATHAM, P. & MUNDAY, B.L. 1989. Serodiagnosis of acute toxoplasmosis in macropods. Vet. Parasitol. 34: 25-33.
554. JOHNSON, A.M., FIELKE, R., LUMB, R. & BAVERSTOCK, P.R. 1990. Phylogenetic relationships of *Cryptosporidium* determined by ribosomal RNA sequence comparison. Int. J. Parasitol. 20: 141-147.
555. JOHNSON, A.M., PHILLIPS, P. & JENKINS, D. 1990. Prevalence of *Toxoplasma gondii* antibodies in dingoes. J. Wildl. Dis. 26: 383-386.
556. JOHNSON, A.M., FIELKE, R., CHRISTY, P.E., ROBINSON, B. & BAVERSTOCK, P.R. 1990. Small subunit ribosomal RNA evolution in the genus *Acanthamoeba*. J. Gen. Microbiol. 136: 1689-1698.
557. JOHNSON, A.M., FIELKE, R., ELLIS, J., O'DONOOGHUE, P.J. & BAVERSTOCK, P.R. 1991. The phylogenetic relationships of the genus *Eimeria* based on comparison of partial sequences of 18S rRNA. Syst. Parasitol. 18: 1-8.
558. JOHNSON, A.M. & ILLANA, S. 1991. Cloning of *Toxoplasma gondii* gene fragments encoding diagnostic antigens. Gene 99: 127-132.
559. JOHNSON, A.M., ROBERTS, H. & TENTER, A.M. 1992. Evaluation of a recombinant antigen ELISA for the diagnosis of acute toxoplasmosis and comparison with traditional antigen ELISAs. J. Med. Microbiol. 37: 404-409.
560. JOHNSON, A.M. 1997. Speculation on possible life-cycles for the clonal lineages in the genus *Toxoplasma*. Parasitol. Today 13: 393-397.
561. JOHNSTON, T.H. 1909. (Exhibit of *Myxobolus*). Proc. Roy. Soc. N.S.W. 43: 29.
562. JOHNSTON, T.H. 1909. Notes on some Australian parasites. Agric. Gazette N.S.W. 20: 581-584.
563. JOHNSTON, T.H. 1909. The entozoa of Monotremata and Australian Marsupialia. No. 1. Proc. Linn. Soc. N.S.W. 34: 514-523.
564. JOHNSTON, T.H. & CLELAND, J.B. 1909. On a new melanin-producing haematozoon from an Australian tortoise. J. Roy. Soc. N.S.W. 43: 97-103.
565. JOHNSTON, T.H. 1909. On some new haemogregarines from Australian reptiles. Proc. Linn. Soc. N.S.W. 34: 400-410.
566. JOHNSTON, T.H. 1909. On a new haemoprotzoan. Rec. Aust. Mus. 7: 257-259.
567. JOHNSTON, T.H. 1909. Notes on Australian entozoa. No. 1. Rec. Aust. Mus. 7: 329-344.
568. JOHNSTON, T.H. & CLELAND, J.B. 1909. Notes on some parasitic protozoa. Proc. Linn. Soc. N.S.W. 34: 500-513.
569. JOHNSTON, T.H. 1909/10. Notes and exhibits of entozoa. Proc. Linn. Soc. N.S.W. 34: 217-219, 412-413, 417-418, 590-591.
570. JOHNSTON, T.H. & CLELAND, J.B. 1910. Protozoal infections. Rep. Govt. Bur. Microbiol. (1909): 31-46.
571. JOHNSTON, T.H. 1910. On Australian avian entozoa. J. Roy. Soc. N.S.W. 44: 84-122.
572. JOHNSTON, T.H. & CLELAND, J.B. 1910. The haematozoa of Australian Reptilia. No. 1. Proc. Linn. Soc. N.S.W. 35: 677-685.
573. JOHNSTON, T.H. 1910. Notes on some Australian parasites. Agric. Gaz. N.S.W. 20: 349-353.
574. JOHNSTON, T.H. & CLELAND, J.B. 1910. The haematozoa of Australian fish. No. 1. Proc. Roy. Soc. N.S.W. 44: 406-415.
575. JOHNSTON, T.H. & CLELAND, J.B. 1911. The haematozoa of Australian Reptilia. No. II. Proc. Linn. Soc. N.S.W. 36: 479-491.
576. JOHNSTON, T.H. 1911. The entozoa of Monotremata and Australian Marsupialia. No. 2. Proc. Linn. Soc. N.S.W. 36: 47-57.
577. JOHNSTON, T.H. 1912. A census of Australian reptilian entozoa. Proc. Roy. Soc. Qld. 23: 233-249.
578. JOHNSTON, T.H. 1912. On Australian avian entozoa. Rep. Govt. Bur. Microbiol. (1912): 122-136.
579. JOHNSTON, T.H. 1912. Internal parasites recorded from Australian birds. Emu 12: 105-112.
580. JOHNSTON, T.H. 1912. Notes on some entozoa. Proc. Roy. Soc. Qld. 24: 63-91.
581. JOHNSTON, T.H. 1916. A census of the endo-parasites recorded as occurring in Queensland,

- arranged under their hosts. Proc. Roy. Soc. Qld. 28: 31-79.
582. JOHNSTON, T.H. & BANCROFT, M.J. 1918. A parasite, *Myxobolus hylae* sp. nov., of the reproductive organs of the golden swamp frog, *Hyla aurea*. Aust. Zool. 1: 171-175.
583. JOHNSTON, T.H. 1918. Notes on certain entozoa of rats and mice, together with a catalogue of the internal parasites recorded as occurring in rodents in Australia. Proc. Roy. Soc. Qld. 30: 53-78.
584. JOHNSTON, T.H. & BANCROFT, M.J. 1918. Some new sporozoan parasites of Queensland freshwater fish. J. Roy. Soc. N.S.W. 52: 520-528.
585. JOHNSTON, T.H. 1926. Note on the occurrence of coccidiosis in South Australian sheep. Rep. Aust. Assoc. Adv. Sci. (1924) 17: 712-714.
586. JOHNSTON, T.H. 1932. The parasites of the "stumpy-tail" lizard *Trachysaurus rugosus*. Trans. Roy. Soc. S.A. 56: 62-70.
587. JOHNSTON, L.A.Y. 1968. The incidence of clinical babesiosis in cattle in Queensland. Aust. Vet. J. 44: 265-267.
588. JOHNSTON, L.A.Y. & TAMMEMAGI, L. 1969. Bovine babesiosis: duration of latent infection and immunity to *Babesia argentina*. Aust. Vet. J. 45: 445-449.
589. JOHNSTON, L.A.Y., PEARSON, R.D. & LEATCH, G. 1973. A comparison of indirect, direct inhibition and labelled anticomplement fluorescent antibody tests in the detection of *Babesia argentina* infection in cattle. Aust. Vet. J. 49: 421-423.
590. JOHNSTON, L.A.Y., PEARSON, R.D. & LEATCH, G. 1973. Evaluation of an indirect fluorescent antibody test for detecting *Babesia argentina* infection in cattle. Aust. Vet. J. 49: 373-377.
591. JOHNSTON, L.A.Y., TRUEMAN, K.F. & PEARSON, R.D. 1977. Bovine babesiosis: comparison of fluorescent antibody and Giemsa staining in post-mortem diagnosis of infection. Aust. Vet. J. 53: 222-226.
592. JOHNSTON, L.A.Y., LEATCH, G. & JONES, P.N. 1978. The duration of latent infection and functional immunity in Droughtmaster and Hereford cattle following natural infection with *Babesia argentina* and *Babesia bigemina*. Aust. Vet. J. 54: 14-18.
593. JOHNSTON, J. & GASSER, R.B. 1993. Copro-parasitological survey of dogs in southern Victoria. Aust. Vet. Practit. 23: 127-131.
594. JONES, G.W., PARKER, R.J. & PARKE, C.R. 1985. Coccidia associated with enteritis in grower pigs. Aust. Vet. J. 62: 319.
595. JONES, G.W. & PARKER, R.J. 1985. *Eimeria canadensis* in calves. Aust. Vet. J. 62: 142.
596. JONES, H.I. & WOEHLER, E.J. 1989. A new species of blood trypanosome from little penguins (*Eudyptula minor*) in Tasmania. J. Protozool. 36: 389-390.
597. JONES, S.H., LEW, A.E., JORGENSEN, W.K. & BARKER, S.C. 1997. *Babesia bovis*: genome size, number of chromosomes and telomeric probe hybridisation. Int. J. Parasitol. 27: 1569-1573.
598. JORGENSEN, W.K., DEVOS, A.J. & DALGLIESH, R.J. 1989. Comparison of immunogenicity and virulence between *Babesia bigemina* parasites from continuous culture and from a splenectomised calf. Aust. Vet. J. 66: 371-372.
599. JORGENSEN, K., DEVOS, A.J. & DALGLIESH, R.J. 1989. Infectivity of cryopreserved *Babesia bovis*, *Babesia bigemina* and *Anaplasma centrale* for cattle after thawing, dilution and incubation at 30°C. Vet. Parasitol. 31: 243-251.
600. JORGENSEN, W.K., BOCK, R.E., KINGSTON, T.G., DEVOS, A.J. & WALDRON, S.J. 1993. Assessment of tetracycline and *Babesia* culture supernatant as prophylactics for moderating reactions in cattle to live *Babesia* and *Anaplasma* vaccines. Aust. Vet. J. 70: 35-36.
601. JORGENSEN, W.K., STEWART, N.P., JESTON, P.J., MOLLOY, J.B., BLIGHT, G.W. & DALGLIESH, R.J. 1997. Isolation and pathogenicity of Australian strains of *Eimeria praecox* and *Eimeria mitis*. Aust. Vet. J. 75: 592-595.
602. JORGENSEN, W.K., JESTON, P.J., BOWLES, P.M., CROFT, J., LEW, A.E., MOLLOY, J.B. & DALGLIESH, R.J. 1998. Relationships between vaccine and virulent strains of *Babesia bovis* during co-infection in calves. Aust. Vet. J. 76: 57-58.
603. KAHL, L.P., ANDERS, R.F., RODWELL, B.J., TIMMS, P. & MITCHELL, G.F. 1982. Variable and common antigens of *Babesia bovis* parasites differing in strain and virulence. J. Immunol. 129: 1700-1705.
604. KAHL, L.P., ANDERS, R.F., CALLOW, L.L., RODWELL, B.J. & MITCHELL, G.F. 1982. Development of a solid-phase radioimmunoassay for antibody to antigens of *Babesia bovis* infected bovine erythrocytes. Int. J. Parasitol. 12: 103-109.
605. KAKOMA, I. & MEHLHORN, H. 1994. *Babesia* of domestic animals. Pp 141-216 in Kreier, J.P. (ed.) Parasitic Protozoa. 2nd. ed. (Academic Press: San Diego).
606. KALYAKIN, V.N. & ZASUKHIN, D.N. 1975. Distribution of *Sarcocystis* (Protozoa: Sporozoa) in vertebrates. Fol. Parasitol. (Praha) 22: 289-307.
607. KANE, J.R. 1965. The genus *Lagenophrys* Stein, 1852 (Ciliata, Peritricha) on Australian Parastacidae. J. Protozool. 12: 109-122.
608. KANYARI, P.W.N. 1988. Coccidiosis in goats and aspects of epidemiology. Aust. Vet. J. 65: 257-258.

609. KENT, M.L., MOSER, M. & FOURNIE, J.W. 1989. Coccidian parasites (Apicomplexa: Eucoccidorida) in hardy head fish, *Atherinomorus capricornensis* (Woodland). *J. Fish Dis.* 12: 179-183.
610. KENT, M.L. & MOSER, M. 1990. *Ortholinea alata* n. sp. (Myxosporea: Ortholineidae) in the northern butterfly fish *Chaetodon rainfordi*. *J. Protozool.* 37: 49-51.
611. KEITLE, D.S. & PIPER, R.G. 1988. Light and electron microscope studies on three new species of microsporidia from saltmarsh mosquitoes in Australia. *Europ. J. Protistol.* 23: 229-241.
612. KIMMERER, W.J. & MCKINNON, A.D. 1990. High mortality in a copepod population caused by a parasitic dinoflagellate. *Marine Biol.* 107: 449-452.
613. KIRBY, H. & HONIGBERG, B. 1950. Intestinal flagellates from a wallaroo, *Macropus robustus* Gould. *Univ. Calif. Pub. Zool.* 50: 35-66.
614. KNOPF, P.M., BROWN, G.V., HOWARD, R.J. & MITCHELL, G.F. 1979. Immunoprecipitation of biosynthetically-labelled products in the identification of antigens of murine red cells infected with the protozoan parasite, *Plasmodium berghei*. *Aust. J. Expt. Biol. Med. Sci.* 57: 603-615.
615. KOTLER, D.P. & ORENSTEIN, J.M. 1998. Clinical syndromes associated with microsporidiosis. *Ad. Parasitol.* 40: 321-349.
616. KULDA, J. & NOHYNEKOVA, E. 1995. *Giardia* in humans and animals. Pp 225-422 in Kreier, J.P. (ed.) *Parasitic Protozoa* 2nd. ed. (Academic Press: San Diego).
617. LABBE, A. 1899. Sporozoa. Pp 1-180 in Schulze, F.E. & Butschli, O. (ed.) *Das Tierreich. Eine Zusammenstellung und Kennzeichnung der rezenten Tierformen*. Vol. 5. (Friedlander & Sohn: Berlin).
618. LADDS, P.W., DENNETT, D.P. & GLAZEBROOK, J.S. 1973. A survey of the genitalia of bulls in northern Australia. *Aust. Vet. J.* 49: 335-340.
619. LADDS, P.W., DONOVAN, J.A., REYNOLDS, A. & TURTON, J.A. 1994. Giant cell enteritis in young crocodiles. *Aust. Vet. J.* 71: 300-301.
620. LAHAYE, C.A., HOLLAND, N.D. & MCLEAN, N. 1984. Electron microscopic study of *Haplosporidium comatulae* n. sp. (Phylum Ascetospora: Class Stelatospora), a haplosporidian endoparasite of an Australian crinoid, *Oligometra serripinna* (Phylum Echinodermata). *Protistologica* 20: 507-515.
621. LAKE, B. 1963. The diagnosis of adult toxoplasmosis. *Med. J. Aust.* 2: 269-271.
622. LANDAU, I., ROSIN, G., MILTGEN, F., HUGOT, J.P., LEGER, N., BEVERIDGE, I. & BACCAM, D. 1980. Sur le genre *Polychromophilus* (Haemoproteidae, parasite de Microchiropteres). *Ann. Parasitol. Hum. Comp.* 55: 13-32.
623. LANDAU, I., HUMPHERY-SMITH, I., CHABAUD, A.G., MILTGEN, F., COPEMAN, B. & BOULARD, Y. 1985. Description et transmission experimentale de l'haemoproteide *Hepatocystis levinei* n. sp. *Ann. Parasitol. Hum. Comp.* 60: 373-382.
624. LANGDON, J.S., GUDKOV, N., HUMPHREY, J.D. & SAXON, E.C. 1985. Deaths in Australian freshwater fishes associated with *Chilodonella hexasticha* infection. *Aust. Vet. J.* 62: 409-413.
625. LANGDON, J.S. 1987. Spinal curvatures and an encephalotropic myxosporean, *Triangula percae* sp. nov. (Myxozoa: Ortholineidae), enzootic in redfin perch, *Perca fluviatilis* L., in Australia. *J. Fish Dis.* 10: 425-434.
626. LANGDON, J.S. 1988. Investigation of fish kills. Pp 168-176 in *Fish Diseases*. Refresher Course for Veterinarians. (Post Graduate Committee in Veterinary Science: University of Sydney).
627. LANGDON, J.S. 1988. Diseases of introduced Australian fish. Pp 225-276 in *Fish Diseases*. Refresher Course for Veterinarians. (Post Graduate Committee in Veterinary Science: University of Sydney).
628. LANGDON, J.S. 1990. Major protozoan and metazoan parasitic diseases of Australian finfish. Pp 233-255 in Munday, B.L. (ed.) *Fin Fish Diseases*. Refresher Course for Veterinarians. (Post Graduate Committee in Veterinary Science: University of Sydney).
629. LANGDON, J.S. 1990. Observations on new *Myxobolus* species and *Kudoa* species infecting the nervous system of Australian fishes. *J. Appl. Ichthyol.* 6: 107-116.
630. LANGDON, J.S. 1991. Description of *Vavra parastacida* sp. nov. (Microspora: Pleistophoridae) from marron, *Cherax tenuimanus* (Smith), (Decapoda: Parastacidae). *J. Fish Dis.* 14: 619-629.
631. LANGDON, J.S. 1991. Microsporidiosis due to a pleistophorid in marron, *Cherax tenuimanus* (Smith), (Decapoda: Parastacidae). *J. Fish Dis.* 14: 33-44.
632. LANGDON, J.S. 1991. Myoliquefaction post-mortem ('milky flesh') due to *Kudoa thrysites* (Gilchrist) (Myxosporea: Multi-valvulida) in mahi mahi, *Coryphaena hippurus* L. *J. Fish Dis.* 14: 45-54.
633. LANGDON, J.S. 1991. Diseases of mahi mahi or common dolphin fish, *Coryphaena hippurus*, in Australia. *Fish. Res. Bull. Fish. Dept. W.A.* 29: 1-17.
634. LANGDON, J.S. 1992. Major protozoan and metazoan parasitic diseases of Australian finfish. Pp 1-26 in *Fin Fish Workshop*, Refresher Course

- for Veterinarians. (Post Graduate Committee in Veterinary Science: University of Sydney).
635. LANGDON, J.S. & THORNE, T. 1992. Experimental transmission *per os* of microsporidiosis due to *Vavraia parastacida* in the marron, *Cherax tenuimanus* (Smith), and yabby, *Cherax albimanus* Clark. J. Fish Dis. 15: 315-322.
636. LANGDON, J.S., THORNE, T. & FLETCHER, W.J. 1992. Reservoir hosts and new clupeoid host records for the myioliquesactive myxosporean parasite *Kudoa thysites* (Gilchrist). J. Fish Dis. 15: 459-471.
637. LANGDON, J.S. 1992. Pathology of fish skin, gills, heart and musculoskeletal system. Pp 111-130 in Fin Fish Workshop (Post Graduate Committee in Veterinary Science: University of Sydney).
638. LARKIN, T.S., SWEENEY, A.W. & CARRUTHERS, R.I. 1990. Simulation of epizootic dynamics of a microsporidium pathogen of mosquitoes. Pp 359-363 in Proceedings of Vth International Colloquim on Invertebrate Pathology and Microbial Control (Society for Invertebrate Pathology: Adelaide).
639. LATIMER, K.S., STEFFENS, W.L.I., RAKICH, P.M., RITCHIE, B.W., NIAGRO, F.D., KIRCHER, I.M. & LUKERT, P.D. 1992. Cryptosporidiosis in four cockatoos with psittacine beak and feather disease. J. Am. Vet. Med. Ass. 200: 707-710.
640. LAVERAN, A. 1908. Sur une hemogregarine, un trypanosome et un spirille, trouvés dans le sang d'un requin. Bull. Soc. Pat. Exot. 1: 148-150.
641. LAWRENCE, J. 1946. Some observations on the plasmodia and other blood parasites of sparrows. Proc. Linn. Soc. N.S.W. 71: 1-5.
642. LAWRENCE, J.J. 1955. The asexual multiplication of the "malarial parasite" of Australian flying foxes. Aust. J. Sci. 18: 61-62.
643. LAWRENCE, J.J. & BEARUP, A.J. 1961. A new host record for *Plasmodium relictum*: the silver gull (*Larus novaehollandiae* Stephens). Indian J. Malariol. 15: 11-19.
644. LEE, C.G. & ROSS, A.D. 1977. Renal coccidioides of the horse associated with *Klossiella equi*. Aust. Vet. J. 53: 287-288.
645. LEGG, J. 1926. Can the cattle tick *Haemaphysalis bispinosa* act as the carrier of piroplasmosis (*Piroplasma bigeminum*)? An experimental enquiry. Aust. J. Exptl. Biol. Med. Sci. 3: 203-216.
646. LEGG, J. 1928. Some notes on babesiosis (*Babesia bigeminum*) of cattle. Aust. Vet. J. 4: 98-103.
647. LEGG, J. 1931. The value of the blood of recovered cattle in redwater innoculation. Aust. Vet. J. 7: 70-74.
648. LEGG, J. 1933. A brief review of the Piroplasms, with special reference to the types found in Australian redwater. Aust. Vet. J. 9: 14-19.
649. LEGG, J. 1936. The treatment of piroplasmosis (*P. bigeminum*) with akiron. Aust. Vet. J. 12: 227-230.
650. LEGG, J. 1936. Inoculation of cattle against redwater and anaplasmosis. Qld. Agric. J. 45: 32-35.
651. LEGG, J. 1939. The treatment of babesiosis (*B. argentina*) with acaprin. Aust. Vet. J. 15: 121-123.
652. LEGG, J. 1939. Recent observations on the preimmunization of cattle against tick-fevers in Queensland. Aust. Vet. J. 15: 46-53.
653. LEGG, J. 1947. Report of the Director, Division of Animal Industry. Ann. Rep. Dept. Agric. Stock Qld. for 1946-47 (1947): 42-53.
654. LESTER, R.J.G. & DAVIS, G.H.G. 1981. A new *Perkinsus* species (Apicomplexa, Perkinsea) from the abalone *Haliotis ruber*. J. Invert. Pathol. 37: 181-187.
655. LESTER, R.J.G. 1982. *Unicapsula seriola* n.sp. (Myxosporea, Multivalvulida) from Australian yellowtail kingfish *Seriola lalandi*. J. Protozool. 29: 584-587.
656. LESTER, R.J.G. 1986. Abalone die-back caused by protozoan infection? Aust. Fisheries 45: 26-27.
657. LESTER, R.J.G., SEWELL, K.B., BARNES, A. & EVANS, K. 1988. Stock discrimination of orange roughy, *Hoplostethus atlanticus*, by parasite analysis. Mar. Biol. 99: 137-143.
658. LESTER, R.J.G. & SEWELL, K.B. 1989. Checklist of parasites from Heron Island, Great Barrier Reef. Aust. J. Zool. 37: 101-128.
659. LESTER, R.J.G. & PAYNTER, J.L. 1990. Diseases of cultured prawns in Australia. Pp 97-101 in Advances in Tropical Aquaculture, Actes de Colloque (Aquacop IFREMER: Tahiti).
660. LESTER, R.J.G. 1990. Diseases of cultured molluscs in Australia. Pp 207-216 in Advances in Tropical Aquaculture, Actes de Colloques (Aquacop IFREMER: Tahiti).
661. LESTER, R.J.G., GOGGIN, C.L. & SEWELL, K.B. 1990. *Perkinsus* in Australia. Pp 189-199 in Perkins, F.O. & Cheng, T.C. (ed.) Pathology in Marine Science (Academic Press: San Diego).
662. LETHBRIDGE, H.O. 1931. Report of cases. *Trichomonas vaginitis*. Med. J. Aust. 1: 232.
663. LEVINE, N.D. 1979. What is 'Sarcocystis' mucosa? Ann. Trop. Med. Parasitol. 73: 91-92.
664. LEW, A.E., BOCK, R.E., CROFT, J.M., MINCHIN, C.M., KINGSTON, T.G. & DALGLIESH, R.J. 1997. Genotypic diversity in field isolates of *Babesia bovis* from cattle with babesiosis after vaccination. Aust. Vet. J. 75: 575-578.
665. LEWIS, J.C. 1913. Report of the Veterinary and Stock Department for 1912. Blood parasites. Rep. Admin. N.T. Aust. (1912): 136-137.
666. LEWIS, R.K., SHEPHERD, S.A., O'DONOUGHUE, P.J. & PHILLIPS, P.H. 1987. Protozoan parasite (*Perkinsus*) infection in abalone: a progress report. SAFISH 11: 7-8.

667. LINDSAY, D.S., GASSER, R.B., HARRIGAN, K.E., MADILL, D.N. & BLAGBURN, B.L. 1995. Central nervous system toxoplasmosis in roller canaries. *Avian Dis.* 39: 204-207.
668. LINKS, I.J. 1982. Cryptosporidial infection of piglets. *Aust. Vet. J.* 58: 60-62.
669. LOM, J., ROHDE, K. & DYKOVA, I. 1992. Studies on protozoan parasites of Australian fishes. I. New species of the genera *Coccomyxa* Leger et Hesse, 1907, *Ortholinea* Shulman, 1962 and *Kudoa* Meglitsch, 1947 (Myxozoa, Myxosporea). *Folia Parasitol.* 39: 289-306.
670. LOM, J. & DYKOVA, I. 1992. Protozoan parasites of fishes. *Developments in Aquaculture and Fisheries Science*, 26 (Elsevier: Amsterdam).
671. LOM, J., ROHDE, K. & DYKOVA, I. 1993. *Crepidoodinium australe* n. sp., an ectocommensal dinoflagellate from the gills of *Sillago ciliata*, an estuarine fish from the New South Wales coast of Australia. *Dis. Aquat. Org.* 15: 63-72.
672. LOM, J. & DYKOVA, I. 1995. Studies on protozoan parasites of Australian fishes. Notes on coccidian parasites with description of three new species. *Syst. Parasitol.* 31: 147-156.
673. LONG, P.L. 1993. Avian coccidiosis. Pp 1-88 in Kreier, J.P. (ed.) *Parasitic Protozoa*. 2nd. ed. (Academic Press: San Diego).
674. LUDFORD, C.G. 1969. Fluorescent antibody staining of four *Babesia* species. *Exptl. Parasitol.* 24: 327-335.
675. LUMB, R., ERLICH, J. & DAVIDSON, G.P. 1985. *Cryptosporidium* detection. *Med. J. Aust.* 142: 329-330.
676. LUMB, R., SMITH, K., O'DONOOGHUE, P.J. & LANSER, J.A. 1988. Ultrastructure of the attachment of *Cryptosporidium* sporozoites to tissue culture cells. *Parasitol. Res.* 74: 531-536.
677. LUMB, R., LANSER, J.A. & O'DONOOGHUE, P.J. 1988. Electrophoretic and immunoblot analysis of *Cryptosporidium* oocysts. *Immunol. Cell Biol.* 66: 369-376.
678. LUMB, R., SMITH, P.S., DAVIES, R., O'DONOOGHUE, P.J., ATKINSON, H.M. & LANSER, J.A. 1989. Localization of a 23,000 MW antigen of *Cryptosporidium* by immunoelectron microscopy. *Immunol. Cell Biol.* 67: 267-270.
679. LUMB, R., SWIFT, J., JAMES, C., PAPANAOUM, K. & MUKHERJEE, T. 1993. Identification of the microsporidian parasite, *Enterocytozoon bieneusi* in faecal samples and intestinal biopsies from an AIDS patient. *Int. J. Parasitol.* 23: 793-801.
680. LUTON, K., GLEESON, M. & JOHNSON, A.M. 1995. rRNA gene sequence heterogeneity among *Toxoplasma gondii* strains. *Parasitol. Res.* 81: 310-315.
681. LYNCH, D.D. 1964. Fish diseases. (Inland Fish Comm. Report: Hobart).
682. LYONS, R.E. & JOHNSON, A.M. 1995. Heat shock proteins of *Toxoplasma gondii*. *Parasite Immunol.* 17: 353-359.
683. LYONS, R.E. & JOHNSON, A.M. 1998. Gene sequence and transcription differences in 70kDa heat shock protein correlate with murine virulence of *Toxoplasma gondii*. *Int. J. Parasitol.* 28: 1041-1051.
684. MACKERRAS, I.M. & MACKERRAS, M.J. 1925. The haematozoa of Australian marine Teleostei. *Proc. Linn. Soc. N.S.W.* 50: 359-366.
685. MACKERRAS, M.J. & ROBERTS, F.H.S. 1947. Experimental malarial infections in Australasian anophelines. *Ann. Trop. Med. Parasitol.* 41: 329-356.
686. MACKERRAS, M.J. & ERCOLE, Q.N. 1947. Observations on the action of paludrine on malarial parasites. *Trans. Roy. Soc. Trop. Med. Hyg.* 41: 365-376.
687. MACKERRAS, M.J. & ERCOLE, Q.N. 1948. Observations on the development of human malarial parasites in the mosquito. I. Morphological changes. *Aust. J. Exptl. Biol. Med. Sci.* 26: 439-447.
688. MACKERRAS, M.J. & ERCOLE, Q.N. 1948. Observations on the development of human malarial parasites in the mosquito. II. Factors influencing infection. *Aust. J. Exptl. Biol. Med. Sci.* 26: 449-458.
689. MACKERRAS, M.J. & ERCOLE, Q.N. 1949. Some observations on the action of quinine, atebrin, and plasmoquine on *Plasmodium vivax*. *Trans. Roy. Soc. Trop. Med. Hyg.* 42: 443-454.
690. MACKERRAS, M.J. & ERCOLE, Q.N. 1949. Observations on the actions of quinine, atebrin and plasmoquine on the gametocytes of *Plasmodium falciparum*. *Trans. Roy. Soc. Trop. Med. Hyg.* 42: 455-463.
691. MACKERRAS, I.M., MACKERRAS, M.J. & SANDARS, D.F. 1953. Parasites of the bandicoot, *Isoodon obesus*. *Proc. Roy. Soc. Qld.* 63: 61-63.
692. MACKERRAS, M.J. 1958. Catalogue of Australian mammals and their recorded internal parasites. Part I. Monotremes and marsupials. Part II. Eutheria. Part III. Introduced herbivora and the domestic pig. Part IV. Man. *Proc. Linn. Soc. N.S.W.* 83: 101-160.
693. MACKERRAS, M.J. 1959. The haematozoa of Australian mammals. *Aust. J. Zool.* 7: 105-135.
694. MACKERRAS, M.J. & MACKERRAS, I.M. 1960. The haematozoa of Australian birds. *Aust. J. Zool.* 8: 226-260.
695. MACKERRAS, M.J. 1961. The haematozoa of Australian reptiles. *Aust. J. Zool.* 9: 61-122.

696. MACKERRAS, M.J. & MACKERRAS, I.M. 1961. The haematozoa of Australian frogs and fish. *Aust. J. Zool.* 9: 123-139.
697. MACKERRAS, M.J. 1962. The life history of a *Hepatozoon* (Sporozoa: Adeleidea) of varanid lizards in Australia. *Aust. J. Zool.* 10: 35-44.
698. MACWHIRTER, P. 1994. Passeriformes. Pp 1172-1199 in Ritchie, B.W., Harrison, G.J. & Harrison, L.R. (ed.) *Avian Medicine: Principles and Application*. (Wingers Publ.: New York).
699. MAHONEY, D.F. & SAAL, J.R. 1961. Bovine babesiosis: thick blood films for the detection of parasitaemia. *Aust. Vet. J.* 37: 44-47.
700. MAHONEY, D.F. 1962. Bovine babesiosis: diagnosis of infection by a complement fixation test. *Aust. Vet. J.* 38: 48-52.
701. MAHONEY, D.F. 1962. The epidemiology of babesiosis in cattle. *Aust. J. Sci.* 24: 310-313.
702. MAHONEY, D.F. 1964. Bovine babesiosis: an assessment of the significance of complement fixing antibody based upon experimental infection. *Aust. Vet. J.* 40: 369-375.
703. MAHONEY, D.F. 1966. Circulating antigens in cattle infected with *Babesia bigemina* or *B. argentina*. *Nature* 211: 422.
704. MAHONEY, D.F. 1967. Bovine babesiosis: preparation and assessment of complement fixing antigens. *Exptl. Parasitol.* 20: 232-241.
705. MAHONEY, D.F. 1967. Bovine babesiosis: the passive immunization of calves against *Babesia argentina* with special reference to the role of complement fixing antibodies. *Exptl. Parasitol.* 20: 119-124.
706. MAHONEY, D.F. 1967. Bovine babesiosis: the immunization of cattle with killed *Babesia argentina*. *Exptl. Parasitol.* 20: 125-129.
707. MAHONEY, D.F. & GOODGER, B.V. 1969. *Babesia argentina*: serum changes in infected calves. *Exptl. Parasitol.* 24: 375-382.
708. MAHONEY, D.F. 1969. Bovine babesiosis: a study of factors concerned in transmission. *Ann. Trop. Med. Parasitol.* 63: 1-15.
709. MAHONEY, D.F. & MIRRE, G.B. 1971. Bovine babesiosis: estimation of infection rates in the tick vector *Boophilus microplus* (Canestrini). *Ann. Trop. Med. Parasitol.* 65: 309-317.
710. MAHONEY, D.F. & GOODGER, B.V. 1972. *Babesia argentina*: immunogenicity of plasma from infected animals. *Exptl. Parasitol.* 32: 71-85.
711. MAHONEY, D.F. & ROSS, D.R. 1972. Epidemiological factors in the control of bovine babesiosis. *Aust. Vet. J.* 48: 292-298.
712. MAHONEY, D.F., WRIGHT, I.G. & MIRRE, G.B. 1973. Bovine babesiosis: the persistence of immunity to *Babesia argentina* and *B. bigemina* in calves (*Bos taurus*) after naturally acquired infection. *Ann. Trop. Med. Parasitol.* 67: 197-203.
713. MAHONEY, D.F., WRIGHT, I.G. & KETTERER, P.J. 1973. *Babesia argentina*: the infectivity and immunogenicity of irradiated blood parasites for splenectomized calves. *Int. J. Parasitol.* 3: 209-217.
714. MAHONEY, D.F. & MIRRE, G.B. 1974. *Babesia argentina*: the infection of splenectomized calves with extracts of larval ticks (*Boophilus microplus*). *Res. Vet. Sci.* 16: 112-114.
715. MAHONEY, D.F., WRIGHT, I.G., FRERICHS, W.M., GROENENDYK, S., O'SULLIVAN, B.M., ROBETS, M.C. & WADDELL, A.H. 1977. The identification of *Babesia equi* in Australia. *Aust. Vet. J.* 53: 461-464.
716. MAHONEY, D.F. 1977. *Babesia* of domestic animals. Pp 1-52 in Kreier, J.P. (ed.) *Parasitic Protozoa*. (Academic Press: New York).
717. MAHONEY, D.F. & MIRRE, G.B. 1979. A note on the transmission of *Babesia bovis* (syn *B. argentina*) by the one-host tick, *Boophilus microplus*. *Res. Vet. Sci.* 26: 253-254.
718. MAHONEY, D.F., WRIGHT, I.G. & GOODGER, B.V. 1979. Immunity in cattle to *Babesia bovis* after single infections with parasites of various origin. *Aust. Vet. J.* 55: 10-12.
719. MAHONEY, D.F., KERR, J.D., GOODGER, B.V. & WRIGHT, I.G. 1979. The immune response of cattle to *Babesia bovis* (syn. *B. argentina*). Studies on the nature and specificity of protection. *Int. J. Parasitol.* 9: 297-306.
720. MAHONEY, D.F., WRIGHT, I.G. & GOODGER, B.V. 1981. Bovine babesiosis: the immunization of cattle with fractions of erythrocytes infected with *Babesia bovis* (syn. *B. argentina*). *Vet. Immunol. Immunopathol.* 2: 145-156.
721. MAHONEY, D.F., WRIGHT, I.G., GOODGER, B.V., MIRRE, G.B., SUTHERST, R.W. & UTECH, K.B.W. 1981. The transmission of *Babesia bovis* in herds of European and Zebu X European cattle infested with the tick, *Boophilus microplus*. *Aust. Vet. J.* 57: 461-469.
722. MAKIOKA, A., STAVROS, B., ELLIS, J.T. & JOHNSON, A.M. 1993. Detection and characterization of DNA polymerase activity in *Toxoplasma gondii*. *Parasitol.* 107: 135-139.
723. MALONE, L.A., WIGLEY, P.J. & DHANA, S.D. 1987. Identity of a microsporidium from three New Zealand pasture insects: *Costelytra zealandica* (Coleoptera, Scarabeidae), *Wiseana* spp. (Lepidoptera, Hepialidae), and *Listronotus bonariensis* (Coleoptera, Curculionidae). *J. Invert. Pathol.* 49: 135-144.
724. MANAHAN, F.F. 1970. Diarrhoea in horses with particular reference to a chronic diarrhoea syndrome. *Aust. Vet. J.* 46: 231-234.
725. MANDELLI, G., CERIOLI, A., HAHN, E.E. & STROZZI, F. 1966. Osservazioni anatomo-istologiche e parassitologiche su di un episodio di Toxoplasmosi nel canguro di Bennett (*Macropus*

- bennetti* Gould). Bull. Ist. Sieroter. Milan 45: 177-192.
726. MANWELL, R.D. 1946. Bat malaria. Amer. J. Hyg. 43: 1-12.
727. MANWELL, R.D. 1977. Gregarines and haemogregarines. Pp 1-32 in Kreier, J.P. (ed.) Parasitic Protozoa. (Academic Press: New York).
728. MAPLESTONE, P.A. 1921. Human intestinal protozoa in north Queensland. Ann. Trop. Med. Parasitol. 14: 283-293.
729. MAPLESTONE, P.A. 1923. Malaria in Australia. Ann. Trop. Med. Parasitol. 17: 213-229.
730. MASON, R.W. & KING, S.J. 1971. *Eimeria leuckarti* in the horse. Aust. Vet. J. 47: 460.
731. MASON, R.W. 1978. The detection of *Hammondia hammondi* in Australia and the identification of a free-living intermediate host. Z. Parasitenkd. 57: 101-106.
732. MASON, R.W. & HARTLEY, W.J. 1980. Respiratory cryptosporidiosis in a peacock chick. Avian Dis. 24: 771-776.
733. MASON, R.W. 1980. The discovery of *Besnoitia wallacei* in Australia and the identification of a free-living intermediate host. Z. Parasitenkd. 61: 173-178.
734. MASON, R.W., HARTLEY, W.J. & TILT, L. 1981. Intestinal cryptosporidiosis in a kid goat. Aust. Vet. J. 57: 386-388.
735. MAYRHOFER, G., ANDREWS, R.H., EY, P.L., ALBERT, M.J., GRIMMOND, T.R. & MERRY, D.J. 1992. The use of suckling mice to isolate and grow *Giardia* from mammalian faecal specimens for genetic analysis. Parasitol. 105: 255-263.
736. MAYRHOFER, G., ANDREWS, R.H., EY, P.L. & CHILTON, N.B. 1995. Division of *Giardia* isolates from humans into two genetically distinct assemblages by electrophoretic analysis of enzymes encoded at 27 loci and comparison with *Giardia muris*. Parasitol. 111: 11-17.
737. MCALLISTER, C.T., UPTON, S.J. & GARRETT, C.M. 1993. *Eimeria sternfeldi* n.sp. (Apicomplexa: Eimeriidae) from the Australian blue-tongued skink, *Tiliqua multifasciata* (Sauria: Scincidae). J. Parasitol. 79: 681-683.
738. MCALLISTER, C.T., UPTON, S.J., JACOBSON, E.R. & KOPIT, W. 1995. A description of *Isospora amphiboluri* Apicomplexa: Eimeriidae) from the inland bearded dragon, *Pogona vitticeps* (Sauria: Agamidae). J. Parasitol. 81: 281-284.
739. MCCausland, I.P., BADMAN, R.T., HIDES, S. & SLEE, K.J. 1984. Multiple apparent *Sarcocystis* abortion in four bovine herds. Cornell Vet. 74: 146-154.
740. MCCOLL, D. & MOONEY, T.J. 1984. Cryptosporidia in Tasmania. Med. J. Aust. 2: 900-901.
741. MCDOUGALL, R.J., TANDY, M.W., BOREHAM, R.E., STENZEL, D.J. & O'DONOGHUE, P.J. 1993. Incidental finding of a microsporidian parasite from an AIDS patient. J. Clin. Microbiol. 31: 436-439.
742. MCDOUGALL, R.J. & TANDY, M.W. 1993. Coccidian/Cyanobacterium-like bodies as a cause of diarrhea in Australia. Pathol. 25: 375-378.
743. MCFETRIDGE, D. & BURRELL, R. 1991. Some observations on the blood and intestinal parasites of snakes in South Australia. Herpetofauna 21: 25-27.
744. MCGHEE, R.B. 1949. The occurrence of bat malaria in the New Hebrides and Philippine Islands. J. Parasitol. 35: 545.
745. MCINTYRE, P., BOREHAM, P.F.L., PHILLIPS, R.E. & SHEPHERD, R.W. 1986. Chemotherapy in giardiasis: clinical responses and in vitro drug sensitivity of human isolates in axenic culture. J. Pediatrics 108: 1005-1010.
746. MCKENZIE, R.A., GREEN, P.E., HARTLEY, W.G. & POLLITT, C.C. 1978. *Cryptosporidium* in a red-bellied black snake (*Pseudechis porphyriacus*). Aust. Vet. J. 54: 365-366.
747. MCKENZIE, R.A., GREEN, P.E., THORNTON, A.M. & BLACKALL, P.J. 1979. Feral goats and infectious disease: an abattoir survey. Aust. Vet. J. 55: 441-442.
748. MCKEON, T., DUNSMORE, J. & RAIDAL, S.R. 1997. *Trichomonas gallinae* in budgerigars and columbid birds in Perth, Western Australia. Aust. Vet. J. 75: 652-655.
749. MCMENIMAN, N.P. & ELLIOTT, R. 1995. Control of coccidia in young calves using lasalocid. Aust. Vet. J. 72: 7-9.
750. MCMILLAN, B. & BANCROFT, B.J. 1974. On the morphology of *Trypanosoma bimneyi* Mackerras, 1959 from the platypus *Oriu thoracicus anatinus*. Int. J. Parasitol. 4: 441-442.
751. MCROBERTS, K.M., MELONI, B.P., HALSE, S.A. & THOMPSON, R.C.A. 1994. Scanning electron microscopy and isoenzyme electrophoresis of *Giardia* isolated from the straw-necked ibis (*Threskiornis spinicollis*) in Western Australia. Pp 67-68 in Thompson, R.C.A., Reynoldson, J.A. & Lymbery, A.J. (ed.) *Giardia: From Molecules to Disease*. (CAB International: Wallingford).
752. MCROBERTS, K.M., MELONI, B.P., MORGAN, U.M., MARANO, R., BINZ, N., ERLANDSEN, S.L., HALSE, S.A. & THOMPSON, R.C.A. 1996. Morphological and molecular characterization of *Giardia* isolated from the straw-necked ibis (*Threskiornis spinicollis*) in Western Australia. J. Parasitol. 82: 711-718.
753. MCTACKETT, A.R. 1956. Infertility in dairy herds in south-east Queensland. Aust. Vet. J. 32: 166-172.
754. MEHLHORN, H., HARTLEY, W.J. & HEYDORN, A.O. 1976. A comparative ultrastructural

- study of the cyst wall of 13 *Sarcocystis* species. *Parasitology* 12: 451-467.
755. MEHLHORN, H., SCHEIN, E. & ALIMED, J.S. 1994. *Theileria*. Pp 217-304 in Kreier, J.P. (ed.) *Parasitic Protozoa*. 2nd. ed. (Academic Press: San Diego).
756. MELLORS, L.T., DLGLIESH, R.J., HUMMS, P., RODWELL, B.J. & CALLOW, L.L. 1982. Preparation and laboratory testing of a frozen vaccine containing *Babesia bovis*, *Babesia bigemina* and *Anaplasma centrale*. *Res. Vet. Sci.* 32: 194-197.
757. MELONI, B.P. & THOMPSON, R.C.A. 1987. Comparative studies on the axenic *in vitro* cultivation of *Giardia* of human and canine origin: evidence for intraspecific variation. *Trans. Roy. Soc. Trop. Med. Hyg.* 81: 637-640.
758. MELONI, B.P., LYMBERY, A.J., THOMPSON, R.C.A. & GRACEY, M. 1988. High prevalence of *Giardia lamblia* in children from a WA aboriginal community. *Med. J. Aust.* 149: 715.
759. MELONI, B.P., LYMBERY, A.J. & THOMPSON, R.C.A. 1988. Isoenzyme electrophoresis of 30 isolates of *Giardia* from humans and felines. *Am. J. Trop. Med. Hyg.* 38: 65-73.
760. MELONI, B.P., LYMBERY, A.J. & THOMPSON, R.C.A. 1989. Characterization of *Giardia* isolates using a non-radio-labeled DNA probe, and correlation with the results of isoenzyme analysis. *Am. J. Trop. Med. Hyg.* 40: 629-637.
761. MELONI, B.P., ANDERSON, R.C.A., REYNOLDS, J.A. & SEVILLE, P. 1990. Albendazole: a more effective antigiardial agent *in vitro* than metronidazole or tinidazole. *Trans. Roy. Soc. Trop. Med. Hyg.* 84: 375-379.
762. MELONI, B.P., THOMPSON, R.C.A., STRANDE, A.M., KOHLER, P. & ECKERT, J. 1992. Critical comparison of *Giardia duodenalis* from Australia and Switzerland using isoenzyme electrophoresis. *Acta Tropica* 50: 115-124.
763. MELONI, B.P., THOMPSON, R.C.A., HOPKINS, R.M., REYNOLDS, J.A. & GRACEY, M. 1993. The prevalence of *Giardia* and other intestinal parasites in children, dogs and cats from Aboriginal communities in the Kimberley. *Med. J. Aust.* 158: 157-159.
764. MELONI, B.P., LYMBERY, A.J. & THOMPSON, R.C.A. 1995. Genetic characterization of isolates of *Giardia duodenalis* by enzyme electrophoresis: implications for reproductive biology, population structure, taxonomy, and epidemiology. *J. Parasitol.* 81: 368-383.
765. MELONI, B.P. & THOMPSON, R.C.A. 1996. Simplified methods for obtaining purified oocysts from mice and for growing *Cryptosporidium parvum* *in vitro*. *J. Parasitol.* 82: 757-762.
766. MENCKE, N., O'DONOGHUE, P.J., LUMB, R., SMITH, P., TENTER, A.M., HUMMEL, P. & ROMMEL, M. 1991. Antigenic characterisation of monoclonal antibodies against *Sarcocystis muris* by Western blotting and immuno-electron microscopy. *Parasitol. Res.* 77: 217-223.
767. MER, G.G. & GOLDBLUM, N.A. 1947. A bacilosporidian of bats. *Nature* 159: 444.
768. METCALF, M.M. 1923. The opalinid ciliate infusorians. *U.S. Natl. Mus. Bulletin* 120: 1-184.
769. METCALF, M.M. 1940. Further studies on the opalinid ciliate infusorians and their hosts. *Proc. U.S. Natl. Ms.* 87: 465-634.
770. MICHAJLOW, W. 1978. *Dinema australiense* sp. n. and *Dinema rostratum* sp. n. *Ringlenoidina*-parasites of Copepoda from Australia. *Bull. Acad. Polon. Sci., Ser. Sci. Biol.* 26: 181-184.
771. MICHAJLOW, W. 1978. *Eutreptia panisitica* sp. n. and other *Ringlenoidina*-parasites of Australian Copepoda. *Bull. Acad. Polon. Sci., Ser. Sc. Biol.* 26: 269-272.
772. MILLS, B. 1983. A review of diseases of freshwater crayfish, with particular reference to the yabbie, *Cherax destructor*. *Fish Res. Paper. Dept. Fish. (S.A.)* No. 9: 1-18.
773. MILLS, B. 1986. Diseases of the yabbie. SAFIC 10: 10-13.
774. MILNER, R.J. 1977. The role of disease during an outbreak of *Oncopera alboguttata* Tindale and *O. rufobrunnea* Tindale, (Lepidoptera: Hepialidae) in the Ebor/Dorrigo region of N.S.W. *J. Aust. Ent. Soc.* 16: 21-26.
775. MILNER, R.J. & BEATON, C.D. 1977. *Pleistophora oncoperae* sp. n. (Protozoa: Microsporidia) from *Oncopera alboguttata* (Lepidoptera: Hepialidae) in Australia. *J. Invert. Pathol.* 29: 133-140.
776. MILNER, R.J. 1977. The role of disease during an outbreak of *Oncopera alboguttata* Tindale and *O. rufobrunnea* Tindale (Lepidoptera: Hepialidae) in the Ebor/Dorrigo region of N.S.W. *J. Aust. Entomol. Soc.* 16: 21-26.
777. MILNER, R.J. & LUTTON, G.G. 1980. Interactions between *Oncopera alboguttata* (Lepidoptera: Hepialidae) and its microsporidian pathogen, *Pleistophora oncoperae* (Protozoa: Microsporidia). *J. Invert. Pathol.* 36: 198-202.
778. MILNER, R.J. & MAYER, J.A. 1982. *Nuzetia boeckella* sp. nov. (Protozoa: Microsporida), a parasite of *Boeckella triarticulata* (Copepoda: Calanoidea) in Australia. *J. Invert. Pathol.* 39: 174-184.
779. MILNER, R.J., MINES, E. & KASSULKE, R.C. 1987. Infection of *Samea multiplicalis* (Guenee) (Lepidoptera: Pyralidae) by two *Nosema* sp. (Protozoa: Microsporidia). *J. Aust. Entomol. Soc.* 26: 63-64.
780. MILSTEIN, T.C. & GOLDSMID, J.M. 1995. The presence of *Giardia* and other zoonotic parasites of urban dogs in Hobart, Tasmania. *Aust. Vet. J.* 72: 154-155.

781. MILSTEIN, T.C. & GOLDSMID, J.M. 1997. Parasites of feral cats from southern Tasmania and their potential significance. *Aust. Vet. J.* 75: 218-219.
782. MINCHIN, E.A. 1903. Sporozoa. Pp 150-360 in Lankester, R. (ed.) *Treatise on Zoology* (A&C Black Publ.: London).
783. MOIR, R.J. 1965. The comparative physiology of ruminant-like animals. Pp 1-14 in Dougherty, R.W., Allen, R.S., Burroughs, W., Jacobson, N.L. & McGilliard, A.D. (ed.) *Physiology of Digestion in the Ruminant*. (Butterworths: Washington).
784. MOLLER, T. 1962. Three casuistic reports of toxoplasmosis in zoo-animals (*Macropus bennetti*, *Marmota marmota*, *Lepus timidus*). *Nord. Vet.-Med.* 14 (Suppl. 1): 233-243.
785. MOLLOY, J.B., WALDRON, S.J. & JORGENSEN, W.K. 1995. Identification of an immunodominant 40 kDa merozoite antigen common to the Australian T and Dixie vaccine strains of *Babesia bovis* and the development of diagnostic tests specific for these strains. *Vet. Parasitol.* 60: 229-240.
786. MOLLOY, J.B., EAVES, F.W., JESTON, P.J., MINCHIN, C.M., STEWART, N.P., LEW, A.E. & JORGENSEN, W.K. 1998. Detection of *Eimeria acervulina* using the polymerase chain reaction. *Avian Dis.* 42: 119-123.
787. MOLLOY, J.B., BOWLES, P.M., JESTON, P.J., BRUYERES, A.G., BOWDEN, J.M., BOCK, R.E., JORGENSEN, W.K., BLIGHT, G.W. & DALGLIESH, R.J. 1998. Development of an enzyme-linked immunosorbent assay for detection of antibodies to *Babesia bigemina* in cattle. *Parasitol. Res.* 84: 651-656.
788. MOLNAR, K. & ROHDE, K. 1988. Seven new coccidian species from marine fishes in Australia. *Syst. Parasitol.* 11: 19-29.
789. MOLNAR, K. & ROHDE, K. 1988. New coccidians from freshwater fishes of Australia. *J. Fish Dis.* 11: 161-169.
790. MOLYNEUX, D.H. 1991. Trypanosomes of bats. Pp 195-223 in Kreier, J.P. & Baker, J.R. (ed.) *Parasitic Protozoa*. 2nd. ed. (Academic Press: San Diego).
791. MONEY, R.A. 1926. A case of malaria acquired in Sydney. *Med. J. Aust.* 2: 283-284.
792. MONIS, P.T., MAYRHOFER, G., ANDREWS, R.H., HOMAN, W.L., LIMPER, L. & EY, P.L. 1996. Molecular genetic analysis of *Giardia intestinalis* isolates at the glutamate dehydrogenase locus. *Parasitol.* 112: 1-12.
793. MONIS, P.T., ANDREWS, R.H., MAYRHOFER, G., MACKRILL, J., KULDA, J., ISAAC-RENTON, J.L. & EY, P.L. 1998. Novel lineages of *Giardia intestinalis* identified by genetic analysis of organisms isolated from dogs in Australia. *Parasitol.* 116: 7-19.
794. MORADO, J.F. & SMALL, E.B. 1995. Ciliate parasites and related diseases of crustacea: a review. *Rev. Fish. Sci.* 3: 275-354.
795. MORGAN, U.M., CONSTANTINE, C.C., GREENE, W.K. & THOMPSON, R.C.A. 1993. RAPD (random amplified polymorphic DNA) analysis of *Giardia* DNA and correlation with isoenzyme data. *Trans. Roy. Soc. Trop. Med. Hyg.* 87: 702-705.
796. MORGAN, U.M., CONSTANTINE, C.C., O'DONOHOE, P.J., MELONI, B.P., O'BRIEN, P.A. & THOMPSON, R.C.A. 1995. Molecular characterization of *Cryptosporidium* isolates from humans and other animals using random amplified polymorphic DNA analysis. *Am. J. Trop. Med. Hyg.* 52: 559-564.
797. MORGAN, U.M., O'BRIEN, P.A. & THOMPSON, R.C.A. 1996. The development of diagnostic PCR primers for *Cryptosporidium* using RAPD-PCR. *Mol. Biochem. Parasitol.* 77: 103-108.
798. MORGAN, U.M., CONSTANTINE, C.C., FORBES, D.A. & THOMPSON, R.C.A. 1997. Differentiation between human and animal isolates of *Cryptosporidium parvum* using rDNA sequencing and direct PCR analysis. *J. Parasitol.* 83: 825-830.
799. MORGAN, U.M. & THOMPSON, R.C.A. 1998. PCR detection of *Cryptosporidium*: the way forward? *Parasitol. Today* 14: 241-245.
800. MORRISSY, N.M., EVANS, L.E. & HUNER, J.V. 1990. Australian freshwater crayfish: aquaculture species. *World Aquaculture* 21: 113-122.
801. MORROW, C. 1986. Poultry parasites. Pp 663-700 in *Poultry Health* (Post-Graduate Committee in Veterinary Science: University of Sydney).
802. MOSER, M., KENT, M.L. & DENNIS, D. 1989. Gall bladder Myxosporea in coral reef fishes from Heron Island, Australia. *Aust. J. Zool.* 37: 1-13.
803. MOSER, M. & KENT, M.L. 1994. Myxosporea. Pp 265-318 in Kreier, J.P. (ed.) *Parasitic Protozoa*. 2nd. ed. (Academic Press: San Diego).
804. MOTHA, M.X.J. & EGERTON, J.R. 1984. Influence of reticuloendotheliosis on the severity of *Eimeria tenella* infection in broiler chickens. *Vet. Microbiol.* 9: 121-129.
805. MULHEARN, C.R. 1936. Recent developments in the treatment of tick fever. *Qld. Agric. J.* 46: 192-195.
806. MUNDAY, B.L., RYAN, F.B., KING, S.J. & CORBOULD, A. 1966. Preparturient infections and other causes of foetal loss in sheep and cattle in Tasmania. *Aust. Vet. J.* 42: 189-193.
807. MUNDAY, B.L. & CORBOULD, A. 1971. The application of the *Toxoplasma*, indirect,

- Fluorescent-antibody test to sheep sera. Aust. J. Med. Technol. 2: 3-6.
808. MUNDAY, B.L., MASON, R.W., WELLS, R.J.H. & ARUNDEL, J.H. 1971. Further studies on "Limey-disease" of Tasmanian mutton birds (*Puffinus tenuirostris*). J. Wildl. Dis. 7: 126-129.
809. MUNDAY, B.L. 1972. Transmission of *Toxoplasma* infection from chronically infected ewes to their lambs. Brit. Vet. J. 128: lxxi-lxxii.
810. MUNDAY, B.L. 1972. Serological evidence of *Toxoplasma* infection in isolated groups of sheep. Res. Vet. Sci. 13: 100-102.
811. MUNDAY, B.L. 1972. A serological survey of some infectious diseases of Tasmanian wildlife. J. Wildlife Dis. 8: 169-175.
812. MUNDAY, B.L. 1973. Human toxoplasmosis in Tasmania. Med. J. Aust. 1: 1183-1185.
813. MUNDAY, B.L., MASON, R.W. & CUMMING, R. 1973. Observations on diseases of the central nervous system of cattle in Tasmania. Aust. Vet. J. 49: 451-455.
814. MUNDAY, B.L. & RICKARD, M.D. 1974. Is *Sarcocystis tenella* two species? Aust. Vet. J. 50: 558-559.
815. MUNDAY, B.L. & CORBOULD, A. 1974. The possible role of the dog in the epidemiology of ovine sarcosporidiosis. Brit. Vet. J. 130: 9-11.
816. MUNDAY, B.L., CORBOULD, A., WARD, H.A. & HOUSTON, J.K. 1975. Immunoglobulin classes of antibodies produced against *Toxoplasma gondii* by ovine fetuses. Res. Vet. Sci. 18: 218-219.
817. MUNDAY, B.L. 1975. Prevalence of toxoplasmosis in Tasmanian meat animals. Aust. Vet. J. 51: 315-316.
818. MUNDAY, B.L. 1975. The prevalence of sarcosporidiosis in Australian meat animals. Aust. Vet. J. 5: 478-480.
819. MUNDAY, B.L., BARKER, I.K. & RICKARD, M.D. 1975. The developmental cycle of a species of *Sarcocystis* occurring in dogs and sheep, with observations on pathogenicity in the intermediate host. Z. Parasitenkd. 46: 111-123.
820. MUNDAY, B.L. & BLACK, H. 1976. Suspected *Sarcocystis* infections of the bovine placenta and foetus. Z. Parasitenkd. 51: 129-132.
821. MUNDAY, B.L. 1976. Further studies on the host specificity of *Sarcocystis* spp. in domestic animals. Aust. Vet. J. 52: 103.
822. MUNDAY, B.L. 1976. Infectious diseases of farmed trout. Aust. Vet. Practit. 6: 46-50.
823. MUNDAY, B.L., HUMPHREY, J.D. & KILA, V. 1977. Pathology produced by, prevalence of, and probable life-cycle of a species of *Sarcocystis* in the domestic fowl. Avian Dis. 21: 697-703.
824. MUNDAY, B.L. 1977. A species of *Sarcocystis* using owls as definitive hosts. J. Wildl. Dis. 13: 205-207.
825. MUNDAY, B.L. 1978. Diseases of native land mammals of Australia. Pp 11-18 in Fauna Part B (Post Graduate Committee in Veterinary Science: University of Sydney).
826. MUNDAY, B.L. 1978. Marsupial disease. Pp 335-385 in Fauna Part B (Post Graduate Committee in Veterinary Science: University of Sydney).
827. MUNDAY, B.L. 1978. Congenital toxoplasmosis in Tasmania. Med. J. Aust. 1: 110-111.
828. MUNDAY, B.L. 1978. Cats as definitive hosts for *Sarcocystis* of sheep. N. Z. Vet. J. 26: 166.
829. MUNDAY, B.L. 1978. Bovine toxoplasmosis: experimental infections. Int. J. Parasitol. 8: 285-288.
830. MUNDAY, B.L., MASON, R.W., HARTLEY, W.J., PRESIDENTE, P.J.A. & OBENDORF, D.L. 1978. *Sarcocystis* and related organisms in Australian wildlife: I. Survey findings in mammals. J. Wildlife Dis. 14: 417-433.
831. MUNDAY, B.L. & MASON, R.W. 1979. Toxoplasmosis as a cause of perinatal death in goats. Aust. Vet. J. 55: 485-487.
832. MUNDAY, B.L. & CORBOULD, A. 1979. Serological responses of sheep and cattle exposed to natural *Toxoplasma* infection. Aust. J. Exptl. Biol. Med. Sci. 57: 141-145.
833. MUNDAY, B.L., HARTLEY, W.J., HARRIGAN, K.E., PRESIDENTE, P.J.A. & OBENDORF, D.L. 1979. *Sarcocystis* and related organisms in Australian wildlife: II. Survey findings in birds, reptiles, amphibians and fish. J. Wildlife Dis. 15: 57-73.
834. MUNDAY, B.L. 1979. The effect of *Sarcocystis ovicanis* on growth rate and haematocrit in lambs. Vet. Parasitol. 5: 129-135.
835. MUNDAY, B.L., SMITH, D.D. & FRENKEL, J.K. 1980. *Sarcocystis* and related organisms in Australian wildlife: IV. Studies on *Sarcocystis cuniculi* in European rabbits (*Oryctolagus cuniculus*). J. Wildlife Dis. 16: 201-204.
836. MUNDAY, B.L. & MASON, R.W. 1980. *Sarcocystis* and related organisms in Australian wildlife: III. *Sarcocystis murinotechis* sp. n. life cycle in rats (*Rattus*, *Pseudomys* and *LASTOCOMYS*) and tiger snakes (*Notechis ater*). J. Wildl. Dis. 16: 83-87.
837. MUNDAY, B.L. 1981. Coccidiosis (including globidiosis). Pp 27-35 in Refresher Course in Sheep. (Post Graduate Committee in Veterinary Science: University of Sydney).
838. MUNDAY, B.L. 1981. Premature parturition in ewes inoculated with *Sarcocystis ovicanis*. Vet. Parasitol. 9: 17-26.
839. MUNDAY, B.L. & COPLAND, J.W. 1981. Diseases of farmed freshwater tablefish in Australia. An overview. Pp 160-165 in Fowler, M.E. (ed.) Wildlife Diseases of the Pacific Basin

- and Other Countries (Proc. 4th. Int. Conf. Wildlife Dis. Assoc.: Sydney).
840. MUNDAY, B.L. & MASON, R.W. 1981. *Sarcocystis* in rats from islands. N.Z. J. Zool. 8: 563.
841. MUNDAY, B.L. 1982. Effects of preparturient inoculation of pregnant ewes with *Sarcocystis ovicanis* upon the susceptibility of their progeny. Vet. Parasitol. 9: 273-276.
842. MUNDAY, B.L. 1983. An isosporan parasite of masked owls producing sarcocysts in rats. J. Wildl. Dis. 19: 146-147.
843. MUNDAY, B.L. & OBENDORF, D.L. 1984. Development and growth of *Sarcocystis gigantea* in experimentally-infected sheep. Vet. Parasitol. 15: 203-211.
844. MUNDAY, B.L. & OBENDORF, D.L. 1984. Morphology of *Sarcocystis gigantea* in experimentally-infected sheep. Vet. Parasitol. 16: 193-199.
845. MUNDAY, B.L. 1984. The effect of *Sarcocystis tenella* on wool growth in sheep. Vet. Parasitol. 15: 91-94.
846. MUNDAY, B.L. 1985. Demonstration of viable *Sarcocystis* sporocysts in the faeces of a lamb dosed orally. Vet. Parasitol. 17: 355-357.
847. MUNDAY, B.L. 1986. Effects of different doses of dog-derived *Sarcocystis* sporocysts on growth rate and haematocrit in lambs. Vet. Parasitol. 21: 21-24.
848. MUNDAY, B.L. & DUBEY, J.P. 1986. Serological cross-reactivity between *Hammondia hammondi* and *Toxoplasma gondii* in experimentally inoculated sheep. Aust. Vet. J. 63: 344-345.
849. MUNDAY, B.L. & DUBEY, J.P. 1986. Serology of experimental toxoplasmosis in pregnant ewes and their foetuses. Aust. Vet. J. 63: 353-355.
850. MUNDAY, B.L., OBENDORF, D.L., HANDLINGER, J.H. & MASON, R.W. 1987. Diagnosis of congenital toxoplasmosis in ovine foetuses. Aust. Vet. J. 64: 292.
851. MUNDAY, B.L. 1988. Marsupial diseases. Pp 299-365 in The John Keep Refresher Course for Veterinarians (Post Graduate Committee in Veterinary Science: University of Sydney).
852. MUNDAY, B.L. 1988. Amoebic gill disease of salmonids. Pp 111-112 in Fish Diseases. Refresher Course for Veterinarians. (Post Graduate Committee in Veterinary Science: University of Sydney).
853. MUNDAY, B.L. & DUBEY, J.P. 1988. Prevention of *Toxoplasma gondii* abortion in goats by vaccination with oocysts of *Hammondia hammondi*. Aust. Vet. J. 65: 150-153.
854. MUNDAY, B.L. 1990. Sarcosporidiosis of sheep. Pp 105-111 in Sheep Medicine. (Post Graduate Committee in Veterinary Science: University of Sydney).
855. MUNDAY, B.L., FOSTER, C.K., ROUBAL, F.R. & LESTER, R.J.G. 1990. Paramoebic gill infection and associated pathology of Atlantic salmon, *Salmo salar*, and rainbow trout, *Salmo gairdneri*, in Tasmania. Pp 215-222 in Perkins, F.O. & Cheng, T.C. (ed.) Pathology in Marine Science (Academic Press: London).
856. MUNDAY, B.L., DUBEY, J.P. & MASON, R.W. 1990. *Neospora caninum* infection in dogs. Aust. Vet. J. 67: 76-77.
857. MUNDAY, B.L., LANGE, K., FOSTER, C., LESTER, R.J.G. & HANDLINGER, J. 1993. Amoebic gill disease of sea-caged salmonids in Tasmanian waters. Tasmanian Fisheries Bull. 28: 14-19.
858. MUNDAY, B.L. 1996. Infectious diseases of finfish. Pp 81-132 in Fish Health Workshop. (Post Graduate Committee in Veterinary Science: University of Sydney).
859. MUNDAY, B.L., O'DONOOGHUE, P.J., WAITES, M., ROUGH, K. & HAWKESFORD, T. 1997. Fatal encephalitis due to the scuticociliate *Uronema nigricans* in sea-caged, southern bluefin tuna *Thunnus maccoyii*. Dis. Aquatic Org. 30: 17-25.
860. MURNANE, D. 1959. Field and laboratory observations on trichomoniasis of dairy cattle in Victoria. Aust. Vet. J. 35: 80-83.
861. MURRELL, T.G.C., O'DONOOGHUE, P.J. & ELLIS, T. 1986. A review of the sheep-multiple sclerosis connection. Med. Hypotheses 19: 27-39.
862. MYKYTOWYCZ, R. 1956. A survey of the endoparasites of the wild rabbit, *Oryctolagus cuniculus* (L.) in Australia. CSIRO Wildl. Res. 1: 19-25.
863. MYKYTOWYCZ, R. & HESTERMAN, E.R. 1958. On the occurrence of coccidia oocysts and nematode ova in soft and hard faeces of the wild rabbit, *Oryctolagus cuniculus* (L.). Wildl. Res. 3: 142-143.
864. MYKYTOWYCZ, R. 1962. Epidemiology of coccidiosis (*Eimeria* spp.) in an experimental population of the Australian wild rabbit, *Oryctolagus cuniculus* (L.). Parasitol. 52: 375-395.
865. MYKYTOWYCZ, R. 1964. Coccidia in wild populations of the red kangaroo, *Megaleia rufa* (Desmarest), and the grey kangaroo, *Macropus canguru* (Muller). Parasitol. 54: 105-115.
866. MYLREA, P.J. 1961. Bovine infertility on the south coast of New South Wales. Aust. Vet. J. 37: 302-305.
867. MYLREA, P.J. 1962. The differential diagnosis of the causes of herd infertility in cattle. Aust. Vet. J. 38: 15-20.
868. NELL, J.A. & SMITH, I.R. 1988. Management, production and disease interactions in oyster culture. Pp 127-133 in Fish diseases. Refresher course for Veterinarians. (Post Graduate

- Committee in Veterinary Science: University of Sydney).
869. NEWTON, L.G. 1944. Coccidiosis of poultry. Qld. Agric. J. 59: 367-369.
870. NEWTON, L.G. & GREEN, P.E. 1965. Species of *Eimeria* in Australia. Aust. Vet. J. 41: 299.
871. NEWTON, L.G. & O'SULLIVAN, P.J. 1969. Chemoprophylaxis in *Babesia argentina* infection in cattle. Aust. Vet. J. 45: 404-407.
872. NOLLER, W. 1920. *Globidium (Gastrocystis, Besnoitia)*. Pp 919-933 in Prowazek, S. (ed.) Handbuch der pathogenen Protozoen (Johan Ambrosius Barth Publ.: Leipzig).
873. NORMAN, J.G. & JESSOP, P. 1973. *Balantidium coli* in a cervico-vaginal smear. Med. J. Aust. 1: 694-696.
874. NORTON, J.H. & HARTLEY, W.J. 1993. Amoebic meningoencephalitis in a young grey kangaroo (*Macropus giganteus*). Aust. Vet. J. 70: 421.
875. NURSE, G.H. & LENGAUS, C. 1986. An outbreak of *Toxoplasma gondii* abortion, mummification and perinatal death in goats. Aust. Vet. J. 63: 27-29.
876. O'BRIEN, D.P. 1899. Case of tropical abscess of the liver. Aust. Med. Gaz. 18: 390-391.
877. O'BRIEN, R.A. 1908. Notes from north Queensland. Aust. Med. Gaz. 27: 121-124.
878. O'BRIEN, R.A. 1909. Ankylostomiasis and other tropical diseases in Queensland. Trans. Aust. Med. Congr. 2: 324-328.
879. O'BRIEN, G.W., VEIVERS, P.C., MCEWEN, E., SLAYTOR, M. & O'BRIEN, R.W. 1979. The origin and distribution of cellulose in the termites, *Nasutitermes exitiosus* and *Coptotermes lacteus*. Insect Biochem. 9: 619-625.
880. O'CALLAGHAN, M.G., O'DONOUGHUE, P.J. & MOORE, E. 1987. Coccidia in sheep in South Australia. Vet. Parasitol. 24: 175-183.
881. O'CALLAGHAN, M.G. 1989. Coccidia of domestic and feral goats in South Australia. Vet. Parasitol. 30: 267-272.
882. O'CALLAGHAN, M.G., BARKER, I.K., BEVERIDGE, I. & HORNSBY, P. 1998. *Eimeria* species in the Pearson Island Rock Wallaby, *Petrogale lateralis pearsoni*. Int. J. Parasitol. 28: 1889-1892.
883. O'DONOUGHUE, P.J. & FORD, G.E. 1984. The asexual pre-cyst development of *Sarcocystis tenella* in experimentally infected specific-pathogen-free lambs. Int. J. Parasitol. 14: 345-355.
884. O'DONOUGHUE, P.J. & WEYRETER, H. 1984. Examinations on the serodiagnosis of *Sarcocystis* infections. II. Class-specific immunoglobulin responses in mice, pigs and sheep. Zbl. Bakt. Hyg. A 257: 168-184.
885. O'DONOUGHUE, P.J. 1985. *Cryptosporidium* infections in man, animals, birds and fish. Aust. Vet. J. 62: 253-258.
886. O'DONOUGHUE, P.J., ADAMS, M., DIXON, B.R., FORD, G.E. & BAVERSTOCK, P.R. 1986. Morphological and biochemical correlates in the characterization of *Sarcocystis* spp. J. Protozool. 33: 114-121.
887. O'DONOUGHUE, P.J. & FORD, G.E. 1986. The prevalence and intensity of *Sarcocystis* spp. infections in sheep. Aust. Vet. J. 63: 273-278.
888. O'DONOUGHUE, P.J., RILEY, M.J. & CLARKE, J.F. 1987. Serological survey for *Toxoplasma* infections in sheep. Aust. Vet. J. 64: 40-45.
889. O'DONOUGHUE, P.J., THAM, V.L., DESARAM, W.G., PAULL, K.L. & MCDERMOTT, S. 1987. *Cryptosporidium* infections in birds and mammals and attempted cross-transmission studies. Vet. Parasitol. 26: 1-11.
890. O'DONOUGHUE, P.J., OBENDORF, D.L., O'CALLAGHAN, M.G., MOORE, E. & DIXON, B.R. 1987. *Sarcocystis nucosa* (Blanchard 1885) Labbe 1889 in unadorned rock wallabies (*Petrogale assimilis*) and Bennett's wallabies (*Macropus rufogriseus*). Parasitol. Res. 73: 113-120.
891. O'DONOUGHUE, P.J. & WILKINSON, R.G. 1988. Antibody development and cellular immune responses in sheep immunized and challenged with *Sarcocystis tenella* sporocysts. Vet. Parasit. 27: 251-265.
892. O'DONOUGHUE, P.J., LUMB, R., SMITH, P., BROOKER, J. & MENCKE, N. 1990. Characterization of monoclonal antibodies against ovine *Sarcocystis* spp. antigens by immunoblotting and immuno-electron microscopy. Vet. Immunol. Immunopathol. 24: 11-25.
893. O'DONOUGHUE, P.J., BEVERIDGE, I. & PHILLIPS, P.H. 1990. Parasites and ectocommensals of yabbies and marron in South Australia. (S.A. Department of Fisheries, Adelaide).
894. O'DONOUGHUE, P.J., PHILLIPS, P.H. & SHEPHERD, S.A. 1991. *Perkinsus* (Protozoa: Apicomplexa) infections in abalone from South Australian waters. Trans. Roy. Soc. S.A. 115: 77-82.
895. O'DONOUGHUE, P.J. & ROMMEL, M. 1992. Australian-German collaborative studies on the immunology of *Sarcocystis* infections. Angew. Parasitol. 33: 102-119.
896. O'DONOUGHUE, P.J. 1992. The cross-transmission potential of *Cryptosporidium* spp. Pp 283-299 in Zoonoses. Australian Veterinarians in Public Health. (Post Graduate Committee in Veterinary Science: University of Sydney).
897. O'DONOUGHUE, P.J., GASSER, R.B. & TRIBE, A. 1993. New host record for the entodiniomorphid ciliate, *Troglodytella abrassarti*, from

- siamangs (*Hylobates syndactylus*). Int. J. Parasitol. 23: 415-418.
898. O'DONOOGHUE, P.J. 1995. *Cryptosporidium* and cryptosporidiosis in man and animals. Int. J. Parasitol. 25: 139-195.
899. O'DONOOGHUE, P.J. 1997. Protozoan parasites of wildlife in south-east Queensland. Pp 119-136 in Tribe, A. (ed.) Proceedings of the 1997 Conference of the Australian Association of Veterinary Conservation Biologists (Australian Veterinary Association: Brisbane).
900. O'DONOOGHUE, P.J. & VANDERDUYS, E. 1998. Survey for protozoan parasites in native animals from Musselbrook Reserve, Lawn Hill National Park. Pp 191-199 in Musselbrook Reserve Scientific Study Report (The Royal Geographical Society of Queensland: Brisbane).
901. O'REILLY, M.J.J. 1954. Acquired toxoplasmosis: an acute fatal case in a young girl. Med. J. Aust. 2: 968-970.
902. O'SULLIVAN, P.J. & CALLOW, L.L. 1966. Loss of infectivity of a vaccine strain of *Babesia argentina* for *Boophilus microplus*. Aust. Vet. J. 42: 252-254.
903. O'SULLIVAN, W.J., JOHNSON, A.M., FINNEY, K.G., GERO, A.M., HIAGON, E., HOLLAND, J.W. & SMITHERS, G.W. 1981. Pyrimidine and purine enzymes in *Toxoplasma gondii*. Aust. J. Exptl. Biol. Med. Sci. 59: 763-767.
904. OBENDORF, D.L. & MCCOLL, K. 1980. Mortality in little penguins (*Eudyptula minor*) along the coast of Victoria, Australia. J. Wildlife Dis. 16: 251-259.
905. OBENDORF, D.L. & MUNDAY, B.L. 1983. Toxoplasmosis in wild Tasmanian wallabies. Aust. Vet. J. 60: 62.
906. OBENDORF, D.L. 1984. The macropodid oesophagus. IV. Observations on the protozoan fauna of the macropodid stomach and oesophagus. Aust. J. Biol. Sci. 37: 117-122.
907. OBENDORF, D.L. & SMALES, L.R. 1985. The internal parasites and pathological findings in *Hydromys chrysogaster* (Muridae: Hydromyinae) from Tasmania. Aust. J. Zool. 33: 33-38.
908. OBENDORF, D.L. & MUNDAY, B.L. 1986. Demonstration of schizogonous stages of *Sarcocystis gigantea* in experimentally infected sheep. Vet. Parasitol. 19: 35-38.
909. OBENDORF, D.L. & MUNDAY, B.L. 1987. Experimental infection with *Sarcocystis medusiformis* in sheep. Vet. Parasitol. 24: 59-65.
910. OBENDORF, D.L., STATHAM, P. & MUNDAY, B.L. 1990. Resistance to *Toxoplasma* abortion in female goats previously exposed to *Toxoplasma* infection. Aust. Vet. J. 67: 233-234.
911. OBENDORF, D.L. & MUNDAY, B.L. 1990. Toxoplasmosis in wild eastern barred bandicoots, *Perameles gunnii*. Pp 193-197 in Seebeck, J.H., Brown, P.R., Wallis, R.L. & Kemper, C.M. (ed.) Bandicoots and Bilbies. (Surrey Beatty & Sons: Sydney).
912. OBENDORF, D.L., MURRAY, N., VELDHUIS, G., MUNDAY, B.L. & DUBÉY, J.P. 1995. Abortion caused by neosporosis in cattle. Aust. Vet. J. 72: 117-118.
913. ORTEGA, Y.R., STERLING, C.R. & GILMAN, R.H. 1998. *Cyclospora cayetanensis*. Adv. Parasitol. 40: 399-418.
914. OSBORNE, H.G. 1959. Abortion in sheep associated with *Toxoplasma*. Aust. Vet. J. 35: 424-425.
915. OTENG, A.K. 1972. Development of schizonts directly from the blood piroplasms of the Australian *Theileria mutans*. Brit. Vet. J. 128: 23-25.
916. OWEN, J. 1934. *Trypanosoma* in the monotreme. (Publ. Aust. Inst. Anatomy: Canberra).
917. OWEN, C.G. & KAKULAS, B.A. 1968. Sarcocystis in the sperm whale. Aust. J. Sci. 31: 46-47.
918. OWENS, L. & GLAZEBROOK, J.S. 1988. Microsporidiosis in prawns from northern Australia. Aust. J. Mar. Freshwater Res. 39: 301-305.
919. OWENS, L., GLAZEBROOK, J.S., LADDS, P.W. & CAMPBELL, R.S.F. 1988. Disease in tropical mariculture in Australia. Pp 375-416 in Fish diseases. Refresher course for veterinarians. (Post Graduate Committee in Veterinary Science: University of Sydney).
920. OWENS, L. & EVANS, L. 1989. Common diseases of freshwater prawns (*Macrobrachium*) and crayfish (marron and yabbies) relevant to Australia. Pp 227-240 in Invertebrates in Aquaculture. Refresher Course for Veterinarians. (Post Graduate Committee in Veterinary Science: University of Sydney).
921. OWENS, L. & HALL-MENDELIN, S. 1990. Diseases relevant to penaeid mariculture in tropical Australia. Pp 421-432 in Perkins, F.O. & Cheng, T.C. (ed.) Pathology in Marine Science (Academic Press: San Diego).
922. OXBERRY, M.E., THOMPSON, R.C.A. & REYNOLDSON, J.A. 1994. Evaluation of the effects of albendazole and metronidazole on the ultrastructure of *Giardia duodenalis*, *Trichomonas vaginalis* and *Sporonucleus muris* using transmission electron microscopy. Int. J. Parasitol. 24: 695-703.
923. PAGE, C.D., SCHMIDT, R.E., ENGLISH, J.H., GARDINAER, C.H., HUBBARD, G.B. & SMITH, G.C. 1992. Antemortem diagnosis and treatment of sarcocystosis in two species of psittacines. J. Zoo Wildl. Med. 23: 77-85.
924. PAMPHILETT, R. & O'DONOOGHUE, P. 1990. *Sarcocystis* infection of human muscle. Aust. N.Z. J. Med. 20: 705-707.

925. PAMPILLETT, R. & O'DONOHOUE, P.J. 1992. Antibodies against *Sarcocystis* and *Toxoplasma* in humans with the chronic fatigue syndrome. Aust N.Z. J. Med. 22: 307-308.
926. PANIGRAHY, B., GRIMES, J.E. & CLARK, E.D. 1984. Zoonoses in psittacine birds. J. Inf. Dis. 149: 123-124.
927. PAPERNA, I. & LANDAU, I. 1990. *Bilobryza australis* n. gen. n. sp. from the South Australian gecko *Phyllodactylus marmoratus*. Ann. Parasitol. Hum. Comp. 65: 170-176.
928. PAPERNA, I. & LANDAU, I. 1990. *Fallisia copemani* n.sp. (Haemosporidia; Garniidae) from the Australian skink *Carlia rhomboidalis*. Ann. Parasitol. Hum. Comp. 65: 16-21.
929. PAPERNA, I. & LANDAU, I. 1990. Fine structure of a macrogametocyte of *Fallisia copemani* Paperna and Landau 1990 (Haemosporidia, Garniidae). Ann. Parasitol. Hum. Comp. 65: 214-217.
930. PAPERNA, I. & LANDAU, I. 1991. *Haemoproteus* (Haemosporidia) of lizards. Bull. Mus. natl. Hist. nat. Paris 13: 309-349.
931. PAPERNA, I. 1993. Ultrastructural study of *Eimeria gastrrosauris* a coccidium from the stomach epithelium of Australian geckoes. Ann. Parasitol. Hum. Comp. 68: 70-75.
932. PAPERNA, I. 1994. *Eimeria gastrrosauris* n. sp. (Apicomplexa: Eimeriidae) from the stomach epithelium of Australian geckoes. Syst. Parasitol. 28: 15-21.
933. PARKER, R. 1981. The occurrence in Australia of the bovine coccidia *Eimeria bukidnonensis* Túbangui 1931 and *E. wyomingensis* Huizinga and Winger 1942. J. Parasitol. 67: 724-725.
934. PARKER, R.J., BOOTHBY, K., POLKINGHORNE, I. & HOLROYD, R.G. 1984. Coccidiosis associated with post-weaning diarrhoea in beef calves in a dry tropical region. Aust. Vet. J. 61: 181-183.
935. PARKER, R.J., SCOTT, C.D.B. & JEBOUTI, J.W. 1985. Cryptosporidial diarrhoea. Med. J. Aust. 143: 426.
936. PARKER, R.J., JONES, G.W., ELLIS, K.J., HEATER, K.M., SCHROTER, K.L., TYLER, R. & HOLROYD, R.G. 1986. Post-weaning coccidiosis in beef calves in the dry tropics: experimental control with continuous monensin supplementation via intra-ruminal devices and concurrent epidemiological observations. Trop. Anim. Hlth. Prod. 18: 198-208.
937. PARKER, R.J. & JONES, G.W. 1987. The development of eimerian infections during the first eight months of life in unweaned beef calves in a dry tropical region of Australia. Vet. Parasitol. 25: 1-7.
938. PARKER, S.J., SMITH, F.M. & JOHNSON, A.M. 1991. Murine immune responses to recombinant *Toxoplasma gondii* antigens. J. Parasitol. 77: 402-409.
939. PARSONSON, I.M., CLARK, B.L. & DUFFY, J. 1974. The pathogenesis of *Tritrichomonas foetus* infection in the bull. Aust. Vet. J. 50: 421-423.
940. PARSONSON, I.M., CLARK, B.L. & DUFFY, J.H. 1976. Early pathogenesis and pathology of *Tritrichomonas foetus* infection in virgin heifers. J. Comp. Path. 86: 59-66.
941. PASS, D.A. 1977. Suspect sporozoan abortion of cattle. Vic. Vet. Proc. 1977: 30.
942. PATTEN, R.A. & CARNE, H.R. 1942. Inter-hepatitis in the peacock. Aust. Vet. J. 18: 31-32.
943. PATERSON, D.J. & DELVINQUIER, B.L.J. 1990. The fine structure of the cortex of the protist *Protoopalina australis* (Slopalinida, Opalinidae) from *Litoria nasuta* and *L. inermis* (Amphibia: Anura: Hylidae) in Queensland, Australia. J. Protozool. 37: 449-455.
944. PATTON, S., JOHNSON, L., LOEFFLER, D.G., WRIGHT, B.G. & JOHNSON, J.M. 1986. Epizootic of toxoplasmosis in kangaroos, wallabies, and potoroos: possible transmission via domestic cats. J. Am. Vet. Med. Ass. 189: 1166-1169.
945. PAYNTER, J.L. 1986. The disease status of freshwater prawns and crayfish. Pp. 99-104, 112-113, 151-152 in Freshwater Aquaculture in Australia. (Rural Press Queensland: Brisbane).
946. PELLERDY, L.P. 1963. Catalogue of Eimeriidea (Protozoa; Sporozoa). (Hungarian Academy of Sciences: Budapest).
947. PELLERDY, L.P. 1965. Coccidia and Coccidioides. (Akadémiai Kiadó: Budapest).
948. PELLERDY, L.P. 1969. Catalogue of Eimeriidea (Protozoa; Sporozoa). Supplementum 1 (Akadémiai Kiadó: Budapest).
949. PELLERDY, L.P. 1974. Coccidia and Coccidioides. 2nd edition. (Parey, Berlin).
950. PERKINS, F.O. & WOLF, P.H. 1976. Fine structure of *Marteilia sydneyi* sp. n. - haplosporidian pathogen of Australian oysters. J. Parasitol. 62: 528-538.
951. PHILBEY, A.W. & INGRAM, B.A. 1991. Coccidioides due to *Goussia lomi* (Protista: Apicomplexa) in aquarium-reared Murray cod, *Maccullochella peelii* (Mitchell), (Percichthyidae). J. Fish Dis. 14: 237-242.
952. PHILLIPS, P.H. & FORD, G.E. 1980. The clinical pathology of the cyst-forming sporozoa in farm animals. Aust. Adv. Vet. Sci. 1980: 63-65.
953. PHILLIPS, R.E., BOREHAM, P.F.L. & SHEPHERD, R.W. 1984. Cryopreservation of viable *Giardia intestinalis* trophozoites. Trans. Roy. Soc. Trop. Med. Hyg. 78: 604-606.
954. PHILLIPS, P.H. & FORD, G.E. 1987. Clinical haematological and plasma biochemical changes in specified-pathogen-free (Sporozoa) lambs

- experimentally infected with low numbers of *Sarcocystis tenella* sporocysts. *Vet. Parasitol.* 24: 15-23.
955. PIERCE, A.E. 1956. Protozoan diseases transmitted by the cattle tick. *Aust. Vet. J.* 32: 210-215.
956. PLANT, J.W., BELL, K.J. & ACLAND, H.M. 1972. Laboratory findings from ovine abortion and perinatal mortality. *Aust. Vet. J.* 48: 558-561.
957. PLANT, J.W., RICHARDSON, N. & MOYLE, G.G. 1974. *Toxoplasma* infection and abortion in sheep associated with feeding of grain contaminated with cat faeces. *Aust. Vet. J.* 50: 19-21.
958. PLANT, J.W., FREEMAN, P. & SAUNDERS, E. 1982. Serological survey of the prevalence of *Toxoplasma gondii* antibodies in rams in sheep flocks in New South Wales. *Aust. Vet. J.* 59: 87-89.
959. PLIMMER, H.G. 1912. On certain blood parasites. *J. Roy. Micr. Soc.* 1912: 133-150.
960. PLIMMER, H. 1915 Report on deaths in Zool. Gardens, together with a list of the blood parasites found during the year (1914). *Proc. Zool. Soc. London* (1915): 123-130.
961. POPE, J.H., BICKS, V.A. & COOK, J. 1957. *Toxoplasma* in Queensland. II. Natural infections in bandicoots and rats. *Aust. J. Expt. Biol.* 35: 481-490.
962. POPE, J.H., DERRICK, E.H. & COOK, J. 1957. *Toxoplasma* in Queensland. I. Observations on a strain of *Toxoplasma gondii* isolated from a bandicoot, *Thylacis obesus*. *Aust. J. Expt. Biol.* 35: 467-480.
963. POUND, C.J. 1893. Redwater fever in cattle in the Gulf district. (Govt. Printer: Brisbane).
964. POUND, C.J. 1897. Tick fever Qld. *Agric. J.* 1: 258-259.
965. POUND, C.J. 1905. On *Trypanosoma* and their presence in the blood of Brisbane rats. *Proc. Roy. Soc. Qld.* 19: 33-38.
966. POUND, C.J. 1907. Some investigations into tick fever and means for its prevention. *Qld. Agric. J.* 18: 283-293.
967. PRASAD, H. 1960. A new species of coccidia of the red kangaroo *Macropus rufus*. *Mamm. Z. Parasitenkd.* 20: 385-389.
968. PRESIDENTE, P.J.A. 1978. Diseases seen in free-ranging marsupials and those held in captivity. Pp 457-471 in *Fauna - Part B* (Postgraduate Committee in Veterinary Science: University of Sydney).
969. PRESIDENTE, P.J., BARNETT, J.L., HOW, R.A. & HUMPHREYS, W.E. 1982. Effects of habitat, host sex and age on the parasites of *Trichosurus caninus* (Marsupialia: Phalangeridae) in northeastern New South Wales. *Aust. J. Zool.* 30: 33-47.
970. PRESIDENTE, P.J.A. 1982. Common brushtail possum *Trichosurus vulpecula*: maintenance in captivity, blood values, diseases and parasites. Pp 55-66 in Evans, D.D. (ed.) *The Management of Australian Mammals in Captivity*. (Zoological Board of Victoria: Melbourne).
971. PRESIDENTE, P.J.A. 1982. Common ringtail possum *Pseudocheirus peregrinus*: maintenance in captivity, blood values and diseases. Pp 75-81 in Evans, D.D. (ed.) *The Management of Australian Mammals in Captivity*. (The Zoological Board of Victoria: Melbourne).
972. PRESIDENTE, P.J.A. 1982. Common wombat *Tombatus ursinus*: maintenance in captivity, blood values, infectious and parasitic diseases. Pp 133-143 in Evans, D.D. (ed.) *The Management of Australian Mammals in Captivity*. (The Zoological Board of Victoria: Melbourne).
973. PRESIDENTE, P.J.A. 1984. Parasites and diseases of brushtail possums (*Trichosurus* spp.): occurrence and significance. Pp 171-190 in Smith, A.P. & Hume, I.D. (ed.) *Possums and Gliders* (Australian Mammal Society: Sydney).
974. PRIESTLEY, H. 1915. *Theileria tachyglossi* (n.sp.). A blood parasite of *Tachyglossus aculeatus*. *Ann. Trop. Med. Parasitol.* 9: 233-238.
975. PYE, D. & COX, J.C. 1979. Simple focus assay for *Encephalitozoon cuniculi*. *Lab. Anim.* 13: 193-195.
976. RAC, R. & WILSON, R.L. 1959. Globidiosis in sheep. *Aust. Vet. J.* 35: 455-456.
977. RAC, R. & HREGZKO, I. 1960. Trichomoniasis in chickens. *Aust. Vet. J.* 36: 473-474.
978. RAFF, J.W. 1911. Protozoa parasitic in the large intestine of Australian frogs. Part I. *Proc. Roy. Soc. Vic.* 23: 586-596.
979. RAFF, J.W. 1911. Protozoa parasitic in the large intestine of Australian frogs. Part II. *Proc. Roy. Soc. Vic.* 24: 343-352.
980. RANBY, P.D. 1965. Programmes of disease control on commercial poultry farms. *Aust. Vet. J.* 41: 104-106.
981. RATCLIFFE, H. & WORTH, C.B. 1951. Toxoplasmosis in captive wild birds and mammals. *Am. J. Pathol.* 27: 655-667.
982. RAY, B.K., BAILEY, C.W., JENSEN, J.B. & CARSON, C.A. 1992. Chromosomes of *Babesia bovis* and *Babesia bigemina*. *Mol. Biochem. Parasitol.* 52: 123-126.
983. REDDACLIFFE, G.L. 1985. Diseases of Aquarium Fishes. A Practical Guide for the Australian Veterinarian. *Veterinary Review No. 25* (Post Graduate Foundation in Veterinary Science: University of Sydney).
984. REDDACLIFFE, G.L. 1988. Diseases of aquarium fish. Pp 299-327 in *Fish diseases. Refresher Course for Veterinarians*. (Post Graduate

- Committee in Veterinary Science: University of Sydney).
985. REDDACLIFF, G.L., PARKER, S.J., DUBEY, J.P., NICHOLLS, P.J., JOHNSON, A.M. & COOPER, D.W. 1993. An attempt to prevent acute toxoplasmosis in macropods by vaccination with *Hammondia hammondi*. Aust. Vet. J. 70: 33-35.
 986. REDDACLIFF, G.L., HARTLEY, W.J., DUBEY, J.P. & COOPER, D.W. 1993. Pathology of experimentally-induced, acute toxoplasmosis in macropods. Aust. Vet. J. 70: 4-6.
 987. REECE, R.L., DENNETT, D.P. & JOHNSON, R.H. 1981. *Tritrichomonas foetus* agglutination tests upon samples collected from cattle: cross-reactions associated with vaccination against *Campylobacter fetus* subsp *venerealis*. Aust. Vet. J. 57: 352-353.
 988. REECE, R.L. 1989. Hepatic coccidiosis (*Eimeria* sp.) in a wild magpie-lark (*Grallina cyanoleuca*). Avian Pathol. 18: 357-362.
 989. REECE, R.L., SCOTT, P.C. & BARR, D.A. 1992. Some unusual diseases in the birds of Victoria, Australia. Vet. Record 130: 178-185.
 990. REECE, R.L., BEDDOME, V.D., BARR, D.A. & SCOTT, P.C. 1992. Common necropsy findings in captive birds in Victoria, Australia (1978-1987). J. Zoo Wildlife Med. 23: 301-312.
 991. REPPAS, G.P. & COLLINS, G.H. 1995. *Eimeria leuckarti* infections in three foals. Aust. Vet. J. 72: 63-64.
 992. REYE, R.D.K. & TENSELDAM, R.E.J. 1956. *Pneumocystis* pneumonia. J. Pathol. Bact. 72: 451-458.
 993. REYNOLDSON, J.A., THOMPSON, R.C.A. & HORTON, R.J. 1992. Albendazole as a future anti-giardial agent. Parasitol. Today 8: 412-414.
 994. REYNOLDSON, J.A., THOMPSON, R.C.A. & MELONI, B.P. 1992. The potential and possible mode of action of the benzimidazoles against *Giardia* and other protozoa. J. Pharm. Med. 2: 35-50.
 995. REYNOLDSON, J.A. 1994. New approaches in chemotherapy. Pp 339-355 in Thompson, R.C.A., Reynoldson, J.A. & Lymbery, A.J. (ed.) *Giardia*: from molecules to disease. (CAB International: London).
 996. RICHARDSON, L.R. & HUNT, P.J. 1967. Trypanosomes in the crop of an haemadispid leech. Aust. J. Sci. 30: 374-375.
 997. RICKARD, M.D. & MUNDAY, B.L. 1976. Host specificity of *Sarcocystis* spp. in sheep and cattle. Aust. Vet. J. 52: 48.
 998. RIEK, R.F. 1964. Treatment of bovine babesiosis with a diamidine compound. Aust. Vet. J. 40: 261-262.
 999. RIEK, R.F. 1964. The life cycle of *Babesia bigemina* (Smith & Kilborne, 1893) in the tick vector *Boophilus microplus* (Canestrini). Aust. J. Agric. Res. 15: 802-821.
 1000. RIEK, R.F. 1966. The life cycle of *Babesia argentina* (Lignieres, 1903) (Sporozoa: Piroplasmidae) in the tick vector *Boophilus microplus* (Canestrini). Aust. J. Agric. Res. 17: 247-254.
 1001. RIEK, R.F. 1982. Epidemiology and transmission of *Theileria* sp. of cattle in Australia. Aust. Vet. J. 59: 89-92.
 1002. RIEMANN, H.P., BEHYMER, D.E., FOWLER, M.E., SCHULZ, T., LOCK, A., ORTHOEFER, J.G., SILVERMAN, S. & FRANTI, C.E. 1974. Prevalence of antibodies to *Toxoplasma gondii* in captive exotic mammals. J. Am. Vet. Med. Ass. 165: 798-800.
 1003. RIGG, A. 1957. Kala-azar in a child of five years. Med. J. Aust. 1: 389-391.
 1004. RISTIC, M. & LEWIS, G.E. 1977. *Babesia* in man and wild and laboratory-adapted mammals. Pp 53-76 in Kreier, J.P. (ed.) Parasitic Protozoa. (Academic Press: New York).
 1005. ROBERTS, F.H.S. 1937. A note on the occurrence of enterohepatitis or "blackhead" in chickens. Aust. Vet. J. 13: 158-161.
 1006. ROBERTS, F.H.S. 1943. Observations on *Anopheles annulipes* Walk. as a possible vector of malaria. I. The relative susceptibility of *An. annulipes* and *An. punctulatus* var. *moluccensis* Sw. to experimental infection with malaria parasites. Aust. J. Exptl. Biol. Med. Sci. 21: 259-262.
 1007. ROBERTS, E.D., WILLIAMS, J.C. & PIRIE, G. 1973. Naturally occurring gastric amebiasis in the wallaroo. Vet. Pathol. 10: 323-329.
 1008. ROBERTS-THOMSON, I.C. & MITCHELL, G.F. 1978. Giardiasis in mice. I. Prolonged infections in certain mouse strains and hypothymic (nude) mice. Gastroenterol. 75: 42-46.
 1009. ROBERTS-THOMSON, I.C. & MITCHELL, G.F. 1979. Protection of mice against *Giardia muris* infection. Infect. Immun. 24: 971-973.
 1010. ROBERTSON, E.G. 1946. Toxoplasmic encephalomyeitis, with the report of two cases. Med. J. Aust. 2: 449-452.
 1011. ROBSON, J.M.B., WOOD, R.N. & LEWIS, B.R. 1995. A probable foodborne outbreak of toxoplasmosis. Communicable Dis. Intell. 19 517-522.
 1012. ROGERS, R.J. & CALLOW, L.L. 1966. Three fatal cases of *Theileria mutans* infection. Aust. Vet. J. 42: 42-46.
 1013. ROGERS, R.J. 1971. Observations on the pathology of *Babesia argentina* infections in cattle. Aust. Vet. J. 47: 242-247.
 1014. ROGERS, R.J. 1971. The acquired resistance to *Babesia argentina* of cattle exposed to light

- infestation with cattle tick (*Boophilus microplus*). Aust. Vet. J. 47: 237-241.
1015. ROGERS, R.J. 1971. An evaluation of tick fever outbreaks in northern Queensland in recent years. Aust. Vet. J. 47: 415-417.
1016. ROGERS, R.J., FLANAGAN, M. & HILL, M.W.M. 1972. A survey of infectious causes of reproductive failure in beef cattle in north-eastern Australia. Aust. Vet. J. 48: 203-207.
1017. ROHDE, K. 1976. Marine parasitology in Australia. Search 7: 477-482.
1018. ROSS, D.R. & MAHONEY, D.F. 1974. Bovine babesiosis: computer simulation of *Babesia argentina* parasite rates in *Bos taurus* cattle. Ann. Trop. Med. Parasitol. 68: 385-392.
1019. ROTHE, J., MCDONALD, P.J. & JOHNSON, A.M. 1985. Detection of *Toxoplasma* cysts and oocysts in an urban environment in a developed country. Pathol. 17: 497-499.
1020. ROTHWELL, J.T. & LANGDON, J.S. 1990. Spinal curvature associated with *Myxobolus* sp. cysts in the brain of sand-flathead (*Platycephalus bassensis* L.). J. Appl. Ichthyol. 6: 244-246.
1021. ROTHWELL, J.T., VIRGONA, J.L., CALLINAN, R.B., NICHOLLS, P.J. & LANGDON, J.S. 1997. Occurrence of cutaneous infections of *Myxobolus episquamalis* (Myxozoa: Myxobolidae) in sea mullet, *Mugil cephalus* L., in Australia. Aust. Vet. J. 75: 349-352.
1022. ROUBAL, F.R., LESTER, R.J.G. & FOSTER, C.K. 1989. Studies on cultured and gill-attached *Paramoeba* sp. (Gymnamoebae: Paramoebidae) and the cytopathology of paramoebic gill disease in Atlantic salmon, *Salmo salar* L., from Tasmania. J. Fish Dis. 12: 481-492.
1023. ROUBAL, F.R., MASEL, J. & LESTER, R.J.G. 1989. Studies on *Marteilia sydneyi*, agent of QX disease in the Sydney rock oyster, *Saccostrea commercialis*, with implications for its life cycle. Aust. J. Mar. Freshwater Res. 40: 155-167.
1024. ROUBAL, F.R. 1994. Histopathological and ecological aspects of *Henneguya* and *Myxobolus* (Myxosporea) infections in *Acanthopagrus australis* (Gunther) (Pisces: Sparidae) from Moreton Bay, Australia. J. Fish Dis. 17: 495-512.
1025. ROUBAL, F.R. 1994. Infection of the kidney of *Acanthopagrus australis* (Pisces: Sparidae) with *Sphaerospora* sp. (Myxosporea), *Prosorynchus* sp. (Digenea), and cysts of unknown origin. Dis. Aquatic Org. 20: 83-93.
1026. ROUGHLEY, T.C. 1932. Note on white-spot disease of goldfish. Proc. Linn. Soc. N.S.W. 57: 32-33.
1027. ROUGHLEY, T.C. 1951. Fish and Fisheries of Australia. (Angus & Robertson: Sydney).
1028. ROUSELL, T.J., BADENOCH, P.R., CHANDRARATNAM, E. & COSTER, D.J. 1985. Acanthamoebic keratitis in a healthy Australian man. Med. J. Aust. 143: 615-617.
1029. ROWLAND, S.J., INGRAM, B.A. & PROKOP, F.B. 1991. Suspected cysts of the protozoan parasite *Chilodonella hexasticha*. Bull. Eur. Ass. Pathol. 11: 159-161.
1030. ROWLAND, S.J. & INGRAM, B.A. 1991. Diseases of Australian native freshwater fishes with particular emphasis on the ectoparasitic and fungal diseases of Murray cod (*Maccullochella peelii*), golden perch (*Macquaria ambigua*) and silver perch (*Bidyanus bidyanus*). Fisheries Bulletin 4, N.S.W. Dept. Agric. & Fisheries.
1031. ROY-SMITH, F. 1971. The prophylactic effects of imidocarb against *Babesia argentina* and *Babesia bigemina* infections in cattle. Aust. Vet. J. 47: 418-420.
1032. RYAN, P., HURLEY, S.F., JOHNSON, A.M., SALZBERG, M., LEE, M.W., NORTH, J.B., MCNEIL, J.J. & MCMICHAEL, A.J. 1993. Tumours of the brain and presence of antibodies to *Toxoplasma gondii*. Int. J. Epidemiol. 22: 412-419.
1033. RZEPCZYK, C.M. 1974. Evidence of a rat-snake life cycle for *Sarcocystis*. Int. J. Parasitol. 4: 447-449.
1034. RZEPCZYK, C. & SCHOLTYSECK, E. 1976. Light and electron microscope studies on the *Sarcocystis* of *Rattus fuscipes*, an Australian rat. Z. Parasitenkd. 50: 137-150.
1035. SAMBON, L.W. & SELIGMANN, C.G. 1907. Descriptions of five new species of haemogregarines from snakes. Proc. Zool. Soc. London (1907): 283-284.
1036. SARGENT, K.D., MORGAN, U.M., ELLIOT, A. & THOMPSON, R.C.A. 1998. Morphological and genetic characterisation of *Cryptosporidium* oocysts from domestic cats. Vet. Parasitol. 77: 221-227.
1037. SAVINI, G., DUNSMORE, J.D., ROBERTSON, I.D. & SENEVIRATNA, P. 1992. The epidemiology of *Sarcocystis* spp. in cattle of Western Australia. Epidemiol. Infect. 108: 107-113.
1038. SAVINI, G., DUNSMORE, J.D., ROBERTSON, I.D. & SENEVIRATNA, P. 1992. *Sarcocystis* spp. in Western Australian cattle. Aust. Vet. J. 69: 201-202.
1039. SAVINI, G., DUNSMORE, J.D., ROBERTSON, I.D. & SENEVIRATNA, P. 1993. *Sarcocystis* spp. in Western Australian sheep. Aust. Vet. J. 70: 152-154.
1040. SAVINI, G., DUNSMORE, J.D. & ROBERTSON, I.D. 1993. A survey of Western Australian dogs for *Sarcocystis* spp. and other intestinal parasites. Aust. Vet. J. 70: 275-276.
1041. SAVINI, G., DUNSMORE, J.D. & ROBERTSON, I.D. 1994. Evaluation of a serological test system for the diagnosis of *Sarcocystis cruzi*

- infection in cattle using *S.cruzi* merozoite antigen. *Vet. Parasitol.* 51: 181-189.
1042. SAVINI, G., ROBERTSON, I.D. & DUNSMORE, J.D. 1994. Risk factors associated with the occurrence of sarcocystis in Western Australia: results of a postal survey. *Prev. Vet. Med.* 19: 137-144.
1043. SAVINI, G., ROBERTSON, I.D. & DUNSMORE, J.D. 1996. Viability of the sporocysts of *Sarcocystis cruzi* after exposure to different temperatures and relative humidities. *Vet. Parasitol.* 67: 153-160.
1044. SAVINI, G., DUNSMORE, J.D. & ROBERTSON, I.D. 1996. Studies on pathogenesis, tissue infection and congenital transmission in cows experimentally infected with *Sarcocystis cruzi* by various routes. *Vet. Parasitol.* 64: 319-327.
1045. SAVINI, G., ROBERTSON, I.D. & DUNSMORE, J.D. 1997. Sensitivities and specificities of two ELISA tests for detecting infection with *Sarcocystis* in cattle of Western Australia. *Prev. Vet. Med.* 32: 35-40.
1046. SAVINI, G., ROBERTSON, I.D. & DUNSMORE, J.D. 1997. Class-specific antibody responses in cattle following experimental challenge with sporocysts or merozoites of *Sarcocystis cruzi*. *Vet. Parasitol.* 72: 121-127.
1047. SAVINI, G., ROBERTSON, I.D. & DUNSMORE, J.D. 1997. Excystation rates and infectivity of sporocysts of *Sarcocystis cruzi* exposed to different treatments and storages. *Vet. Parasitol.* 73: 17-25.
1048. SCHALL, J.J. 1996. Malarial parasites of lizards: diversity and ecology. *Adv. Parasitol.* 37: 255-333.
1049. SCHMIDT, K., JOHNSTON, M.R.L. & STEHBENS, W.E. 1967. Fine structure of the schizont and merozoite of *Isospora* sp. (Sporozoa: Eimeriidae) parasitic in *Gehyra variegata* (Dumeril and Bibron, 1836) (Reptilia: Gekkonidae). *J. Protozool.* 14: 602-608.
1050. SCHOFIELD, P.J., COSTELLO, M., EDWARDS, M.R. & O'SULLIVAN, W.J. 1990. The arginine dihydrolase pathway is present in *Giardia intestinalis*. *Int. J. Parasitol.* 20: 697-699.
1051. SCHULTZ, D.J. 1978. Diseases of parrots. Pp 223-244 in Fauna Part B (Post Graduate Committee in Veterinary Science: University of Sydney).
1052. SCHULTZ, D.J. 1981. Alimentary tract disease. Pp 535-562 in Refresher Course on Aviary and Caged Birds (Post Graduate Committee in Veterinary Science: University of Sydney).
1053. SCHUPPEL, K.F. & KRONBERGER, H. 1976. Leukozytozoeninfektion bei Australischen und Neuseeländischen Sittichen. Pp 69-72 in Erkrankungen der Zootiere. (Verhandlungsbericht des XVIII Internationales Symposium der Zootiere: Innsbruck).
1054. SCOTT, H.H. 1927. Report on the deaths occurring in the Society's Gardens during the year 1926. *Proc. Zool. Soc. London* (1927): 173-198.
1055. SCOTT, H.H. 1928. Report on deaths occurring in the Society's Garden during the year 1927. *Proc. Zool. Soc. London* (1928): 81-119.
1056. SCRIVENER, A.M., SLAYTOR, M. & ROSE, H.A. 1989. Symbiont-independent digestion of cellulose and starch in *Panesthia cibratula* Saussure, an Australian wood-eating cockroach. *J. Insect Physiol.* 35: 935-941.
1057. SEDDON, H.R. & CARNE, H.R. 1927. Incidence of coccidiosis in Australian rabbits as determined by faecal examination. *Vet. Res. Rep.* 3: 33-42.
1058. SEDDON, H.R. 1933. A note on piroplasmosis in New South Wales. *Aust. Vet. J.* 9: 19-20.
1059. SEDDON, H.R. 1952. Diseases of domestic animals in Australia. Part 4. Protozoan and viral diseases. (Dept. Hlth. Serv. Publ., Div. Vet. Hyg. No. 8: Canberra).
1060. SEDDON, H.R. & ALBISTON, H.E. 1966. Diseases of domestic animals in Australia. Part 4. Protozoan and virus diseases. 2nd. ed. (Dept. Hlth. Service Publ., Vet. Hyg. No. 8: Canberra).
1061. SELOSSE, P.M. & ROWLAND, S.J. 1990. Use of common salt to treat ichthyophthiriasis in Australian freshwater fishes. *Progressive Fish-Culturist* 52: 124-127.
1062. SEMPLE, G.P. 1995. Occurrence of pathogenic *Thelohania* (Microsporida: Nosematidae) in the Australian freshwater crayfish, *Cherax quadricarinatus* (Decapoda: Parastacidae). *Proc. Linn. Soc. N.S.W.* 115: 225-231.
1063. SFAMENI, S.F., SKURRIE, I.J. & GILBERT, G.L. 1986. Antenatal screening for congenital infection with rubella, cytomegalovirus and *Toxoplasma*. *Aust. N.Z. J. Obstet. Gynaecol.* 26: 257-260.
1064. SHARMA, A.W. & MAYRHOFER, G. 1988. A comparative study of infections with rodent isolates of *Giardia duodenalis* in inbred strains of rats and mice and in hypothymic nude rats. *Parasite Immunol.* 10: 169-179.
1065. SHAW, J., DUNSMORE, J. & JAKOB-HOFF, R. 1983. Prevalence of some gastrointestinal parasites in cats in the Perth area. *Aust. Vet. J.* 60: 151-152.
1066. SHEPHERD, R.W. & BOREHAM, P.F.L. 1989. Recent advances in the diagnosis and management of giardiasis. *Scand. J. Gastroenterol.* 24: 60-64.
1067. SHIELDS, J.D. 1992. Parasites and symbionts of the crab *Portunus pelagicus* from Moreton Bay, eastern Australia. *J. Crustacean Biol.* 12: 94-100.
1068. SHIELDS, J.D. 1994. The parasitic dinoflagellates of marine crustaceans. *Ann. Rev. Fish Dis.* 4: 241-271.

1069. SIMMONS, G.C. & LAWS, L. 1957. Observations on bovine trichomoniasis. Aust. Vet. J. 33: 249-253.
1070. SINDERMANN, C.J. 1966. Diseases of marine fishes. Adv. Mar. Biol. 4: 1-89.
1071. SLAYTOR, M. 1992. Cellulose digestion in termites and cockroaches: what role do symbionts play? Comp. Biochem. Physiol. 103B: 775-784.
1072. SLOCOMBE, R.F. 1980. Induction of ichthyosporidiosis in brown trout (*Salmo trutta*) by feeding raw mullet. Aust. Vet. J. 56: 585-587.
1073. SMALES, L.R., MILLER, A.K. & OBENDORF, D.L. 1990. Parasites of the water rat, *Hydromys chrysogaster*, from Victoria and South Australia. Aust. J. Zool. 37: 657-663.
1074. SMALES, L.R. & OBENDORF, D.L. 1996. Protozoan parasites and pathological findings in *Hydromys chrysogaster* (Muridae: Hydromyinae) from Queensland. J. Wildlife Dis. 32: 344-347.
1075. SMALLRIDGE, C.J., COOPER, D.J. & PINNOCK, D.E. 1995. The effect of the microsporidium *Octosporea muscaedomesticae* on adult *Lucilia cuprina* (Diptera: Calliphoridae). J. Invert. Pathol. 66: 196-197.
1076. SMALLRIDGE, C. & PAPERNA, I. 1997. The tick-transmitted haemogregarinid of the Australian sleepy lizard *Tiliqua rugosa* belongs to the genus *Hemolivia*. Parasite 4: 359-363.
1077. SMITH, I.D. 1961. Ovine toxoplasmosis as a cause of reproductive wastage. Preliminary observations. Aust. Vet. J. 37: 18-21.
1078. SMITH, I.D. 1962. Observations of ovine abortion, with particular reference to toxoplasmosis and virus abortion. Aust. Vet. J. 38: 143-146.
1079. SMITH, I.D. 1965. Pathogenicity to pregnant ewes of two strains of *Toxoplasma gondii* isolated from the water rat (*Hydromys chrysogaster*). Aust. Vet. J. 41: 282-284.
1080. SMITH, I.D. & MUNDAY, B.L. 1965. Observations on the incidence of *Toxoplasma gondii* in native and introduced feral fauna in eastern Australia. Aust. Vet. J. 41: 285-286.
1081. SMITH, N.C., BRYANT, C. & BOREHAM, P.F.L. 1988. Possible roles for pyruvate: ferredoxin oxidoreductase and thiol-dependent peroxidase and reductase activities in resistance to nitroheterocyclic drugs in *Giardia intestinalis*. Int. J. Parasitol. 18: 991-997.
1082. SPEARE, R., JOHNSON, R.M. & HAFFENDEN, A. 1982. Management of disease in captive macropods in north Queensland. Pp 117-124 in Evans, D.D. (ed.) The Management of Australian Mammals in Captivity. (Zoological Board of Victoria: Melbourne).
1083. SPEARE, R., BEVERIDGE, I., JOHNSON, P.M. & CORNER, L.A. 1983. Parasites of the agile wallaby, *Macropus agilis* (Marsupialia). Aust. Wildl. Res. 10: 89-96.
1084. SPEARE, R., HAFFENDEN, A.T., DANIELS, P.W., THOMAS, A.D. & SEAWRIGHT, C.D. 1984. Diseases of the Herbert River ringtail, *Pseudochirus herbertensis*, and other north Queensland rainforest possums. Pp 283-302 in Smith, A.P. & Hume, I.D. (ed.) Possums and Ringtails (Australian Mammal Society: Sydney).
1085. SPEARE, R. 1985. The veterinary aspects of man as an intermediate host for *Toxoplasma gondii*. Aust. Vet. Practit. 15: 11-18.
1086. SPEARE, R., DONOVAN, J.A., THOMAS, A.D. & SPEARE, P.J. 1989. Diseases of free-ranging Macropodoidea. Pp 705-734 in Grigg, G., Jarman, P. & Hume, I. (ed.) Kangaroos, Wallabies and Rat-kangaroos. (Surrey Beatty & Sons: Sydney).
1087. SPEARE, R. 1990. A review of the diseases of the cane toad, *Bufo marinus*, with comments on biological control. Aust. Wildlife Res. 17: 387-410.
1088. SPENCER, M. 1994. Malaria and the Land Headquarters Medical Research Unit, 1943-1946. Med. J. Aust. 161: 78-82.
1089. SPENCER, M. 1994. Malaria. The Australian experience 1843-1991. Australasian College of Tropical Medicine (Image Print: Townsville).
1090. STANDFAST, N.F. & JORGENSEN, W.K. 1997. Comparison of the infectivity of *Babesia bovis*, *Babesia bigemina* and *Anaplasma centrale* for cattle after cryopreservation in either dimethylsulphoxide (DMSO) or polyvinylpyrrolidone (PVP). Aust. Vet. J. 75: 62-63.
1091. STEHBENS, W.E. 1966. Observations on *Lankesterella hylae*. J. Protozool. 13: 59-62.
1092. STEHBENS, W.E. 1966. The ultrastructure of *Lankesterella hylae*. J. Protozool. 13: 63-73.
1093. STEHBENS, W.E. & JOHNSTON, M.R.L. 1967. The ultrastructure of a haemogregarine parasitic in *Gehyra variegata* (Dumeril & Bibron, 1836). Parasitol. 57: 251-261.
1094. STEHBENS, W.E. & JOHNSTON, M.R.L. 1968. Cystic bodies and schizonts associated with a haemogregarine(sporozoa) parasitic in *Gehyra variegata* (Reptilia: Gekkonidae). J. Parasitol. 54: 1151-1165.
1095. STENZEL, D.J., DUNN, L.A. & BOREHAM, P.F.L. 1989. Endocytosis in cultures of *Blastocystis hominis*. Int. J. Parasitol. 19: 787-791.
1096. STENZEL, D.J., BOREHAM, P.F.L. & McDougall, R. 1991. Ultrastructure of *Blastocystis hominis* in human stool samples. Int. J. Parasitol. 21: 807-812.
1097. STENZEL, D.J. & BOREHAM, P.F.L. 1991. A cyst-like stage of *Blastocystis hominis*. Int. J. Parasitol. 21: 613-615.

1098. STENZEL, D.J. & BOREHAM, P.F.L. 1993. Ultrastructure of *Blastocystis hominis*. J. Computer-Assisted Microscopy 5: 13-16.
1099. STENZEL, D.J., CASSIDY, M.F. & BOREHAM, P.F.L. 1993. Morphology of *Blastocystis* sp. isolated from circus animals. Int. J. Parasitol. 23: 685-687.
1100. STENZEL, D.J., CASSIDY, M.F. & BOREHAM, P.F.L. 1994. Morphology of *Blastocystis* sp. from domestic birds. Parasitol. Res. 80: 131-137.
1101. STENZEL, D.J. & BOREHAM, P.F.L. 1994. Bacteria-like endosymbionts in *Blastocystis* sp. Int. J. Parasitol. 24: 147-149.
1102. STEVENSON, W.J. & HUGHES, K.L. 1988. Synopsis of Zoonoses in Australia. 2nd. ed. (Aust. Govt. Publ. Service: Canberra).
1103. STEWART, N.P. 1978. Differences in the life cycles between a vaccine strain and an unmodified strain of *Babesia bovis* (Babes, 1889) in the tick *Boophilus microplus* (Cnestrini). J. Protozool. 25: 497-501.
1104. STEWART, N.P., DEVOS, A.J., MCGREGOR, W. & SHIELS, L.A. 1988. Observations on the development of tick-transmitted *Theileria buffeli* (syn *T. orientalis*?) in cattle. Res. Vet. Sci. 44: 338-342.
1105. STEWART, N.P., DEVOS, A.J., SHIELS, L.A. & JORGENSEN, W.K. 1989. Transmission of *Theileria buffeli* to cattle by *Haemaphysalis bancrofti* fed on artificially infected mice. Vet. Parasitol. 34: 123-127.
1106. STEWART, J. 1994. Ratites. Pp 1284-1326 in Ritchie, B.W., Harrison, G.J. & Harrison, L.R. (ed.) Avian Medicine: Principles and Application. (Wingers Publ.: Lake Worth).
1107. STODART, E. 1968. Coccidiosis in wild rabbits, *Oryctolagus cuniculus* (L.), at four sites in different climatic regions in eastern Australia. Aust. J. Zool. 16: 69-85.
1108. STODART, E. 1971. Coccidiosis in wild rabbits, *Oryctolagus cuniculus* (L.), at a site on the coastal plain in eastern Australia. Aust. J. Zool. 19: 287-292.
1109. STUDDERT, M.J. & JOHNSON, K.G. 1959. *Toxoplasma* abortion and perinatal mortality in sheep. Aust. Vet. J. 35: 502.
1110. SU, X.-Q. & WHITE, R.W.G. 1994. New myxosporeans (Myxozoa: Myxosporea) from marine fishes of Tasmania, Australia. Acta Protozool. 33: 251-259.
1111. SU, X.-Q. & WHITE, R.W.G. 1995. Trichodinid parasites (Ciliophora: Peritrichia) from the gills of some Australian marine fishes. Syst. Parasitol. 32: 53-59.
1112. SUPPERER, R. 1957. Zwei Coccidien, *Eimeria (Globidium) tasmaniae* n. sp. und *Eimeria (Eimeria) ursini* n. sp. aus dem Wombat (*Phascolomys ursinus* Shaw). Z. Parasitenkd. 17: 510-513.
1113. SUTHERLAND, J.L. 1933. Protozoa from Australian termites. Quarterly Journal of microscopical science. 76: 145-173.
1114. SUTHERLAND, A.K., SIMMONDS, G.C. & BELL, A.T. 1953. An outbreak of bovine trichomoniasis. Aust. Vet. J. 29: 67-69.
1115. SUTHERLAND, A.K. 1955. Bovine trichomoniasis. Aust. Vet. J. 31: 43-45.
1116. SWAN, C. & FRENCH, E. 1956. A case of toxoplasmosis. Med. J. Aust. 1: 1009-1011.
1117. SWAN, J.M. & THOMPSON, R.C.A. 1986. The prevalence of *Giardia* in dogs and cats in Perth, Western Australia. Aust. Vet. J. 63: 110-112.
1118. SWEENEY, A.W., HAZARD, I. & GRAHAM, M.F. 1985. Intermediate host for an *Amblyospora* sp. (Microspora) infecting the mosquito, *Culex annulirostris*. J. Invert. Pathol. 46: 98-102.
1119. SWEENEY, A.W., GRAHAM, M.F. & HAZARD, I. 1988. Life cycle of *Amblyospora dyxenoides* sp. nov. in the mosquito *Culex annulirostris* and the copepod *Mesocyclops albicans*. J. Invert. Pathol. 51: 46-57.
1120. SWEENEY, A.W., DOGGETT, S.L. & GULLICK, G. 1989. Laboratory experiments on infection rates of *Amblyospora dyxenoides* (Microsporidia: Amblyosporidae) in the mosquito *Culex annulirostris*. J. Invert. Pathol. 53: 85-92.
1121. SWEENEY, A.W., DOGGETT, S.L. & GULLICK, G. 1989. Bioassay experiments on the dose response of *Mesocyclops* sp. copepods to meiospores of *Amblyospora dyxenoides* produced in *Culex annulirostris* mosquito larvae. J. Invert. Pathol. 53: 118-120.
1122. SWEENEY, A.W., DOGGETT, S.L. & PIPER, R.G. 1990. Life cycle of *Amblyospora indicola* (Microspora: Amblyosporidae), a parasite of the mosquito *Culex sitiens* and of *Apocylops* sp. copepods. J. Invert. Pathol. 55: 428-434.
1123. SWEENEY, A.W., DOGGETT, S.L. & PIPER, R.G. 1990. Life cycles and biology of microsporidia infecting Australian mosquitoes. Pp 66-69 in Proceedings of Vth. International Colloquium on Invertebrate Pathology and Microbial Control. (Society for Invertebrate Pathology: Adelaide).
1124. TAYLOR, J.L., WAGNER, J.E., KUSEWITT, D.F. & MANN, P.C. 1979. *Klossiella* parasites of animals: a literature review. Vet. Parasitol. 5: 137-144.
1125. TEDESCO, L.F., ERRICO, F. & DEL BAGLIVI, L.P. 1979. Diagnosis of *Tritrichomonas foetus* infection in bulls using two sampling methods and a transport medium. Aust. Vet. J. 55: 322-324.
1126. TELFORD, S.R.J. 1979. A malarial parasite of Australian skinks, *Plasmodium mackerrasae* sp. n. J. Parasitol. 65: 409-413.

1127. TELFORD, S.R. 1994. Plasmodia of reptiles. Pp 1-71 in Kreier, J.P. (ed.) *Parasitic Protozoa* 2nd. ed. (Academic Press: San Diego)
1128. TELFORD, S.R. 1995. The kinetoplastid hemoflagellates of reptiles. Pp 161-223 in Kreier, J.P. (ed.) *Parasitic Protozoa*. 2nd. ed. (Academic Press: San Diego).
1129. TENTER, A.M. & JOHNSON, A.M. 1990. Human antibody response to the nucleoside triphosphate hydrolase of *Toxoplasma gondii*. J. Immunoassay 11: 579-590.
1130. TENTER, A.M., JOHNSON, M.R. & JOHNSON, A.M. 1991. Effect of trypic or peptic digestion or mechanical isolation on the extraction of proteins, antigens, and ribonucleic acids from *Sarcocystis muris* bradyzoites. J. Parasitol. 77: 194-199.
1131. TENTER, A.M., ZIMMERMAN, G.L. & JOHNSON, A.M. 1991. Separation of antigens from *Sarcocystis* species using chromatofocusing. J. Parasitol. 77: 727-736.
1132. TENTER, A.M. & JOHNSON, A.M. 1991. Recognition of recombinant *Toxoplasma gondii* antigens by human sera in an ELISA. Parasitol. Res. 77: 197-203.
1133. TENTER, A.M. & JOHNSON, A.M. 1992. Comparison of *in vitro* translation products of *Sarcocystis gigantea* and *Sarcocystis tenella*. Int. J. Parasitol. 22: 153-164.
1134. TENTER, A.M., VIETMEYER, C. & JOHNSON, A.M. 1992. Development of EI-ISA's based on recombinant antigens for the detection of *Toxoplasma gondii*-specific antibodies in sheep and cats. Vet. Parasitol. 43: 189-201.
1135. TENTER, A.M., TESTONI, K. & JOHNSON, A.M. 1994. Species-specific identification of *Sarcocystis* and *Toxoplasma* by PCR amplification of small subunit ribosomal RNA gene fragments. Appl. Parasitol. 35: 173-188.
1136. TESTONI, F.J. 1974. Enzootic renal toxoplasmosis in laboratory rabbits. Aust. Vet. J. 50: 159-163.
1137. TEUSCHER, E.V. & STUNZI, H. 1956. Über parasitologische Kotuntersuchungen bei Saugtieren des Zoologischen Gartens Zürich. Acta Trop. 13: 262-269.
1138. THAM, V.I., KNIESBERG S. & DIXON, B.R. 1982. Cryptosporidiosis in quails. Avian Pathol. 11: 619-626.
1139. THAMMAPALERD, N., KOTIMANUSVANIJ, D., DUCHENE, M., UPCROFT, J.A., MITCHELL, R., HEALEY, A., SAMARA-WICKREMA, N., THARAVANIJ, S., WIEDERMANN, G. & UPCROFT, P. 1996. Pyruvate: ferredoxin oxidoreductase from *Entamoeba histolytica* recognized by a monoclonal antibody. SI: Asian J. Trop. Med. Pub. Hlth. 27: 63-70.
1140. THOMAS, C., FINN, M., TWIGG, L., DEPLAZES, P. & THOMPSON, R.C.A. 1997. Microsporidia (*Encephalitozoon cuniculi*) in wild rabbits in Australia. Aust. Vet. J. 75: 808-810.
1141. THOMPSON, S.W. & REED, T.H. 1957. Toxoplasmosis in a swamp wallaby. J. Am. Vet. Med. Ass. 131: 545-549.
1142. THOMPSON, R.C.A., MELONI, B.P. & LYMBERRY, A.J. 1988. Humans and cats have genetically-identical forms of *Giardia*: evidence of a zoonotic relationship. Med. J. Aust. 148: 207-209.
1143. THOMPSON, R.C.A., LYMBERRY, A.J. & MELONI, B.P. 1988. Giardiasis: a zoonosis in Australia? Parasitol. Today 4: 201.
1144. THOMPSON, R.C.A., LYMBERRY, A.J. & MELONI, B.P. 1990. Genetic variation in *Giardia* Kunkler, 1882: taxonomic and epidemiological significance. Protozool. Abstr. 14: 1-28.
1145. THOMPSON, R.C.A. 1992. Parasitic zoonoses: problems created by people, not animals. Int. J. Parasitol. 22: 556-561.
1146. THOMPSON, R.C.A. 1992. Giardiasis. Pp 89-91 in Zoonoses. Australian Veterinarians in Public Health. (Post Graduate Committee in Veterinary Science. University of Sydney)
1147. THOMPSON, R.C.A., REYNOLDSON, J.A. & LYMBERRY, A.J. 1993. *Giardia* - from molecules to disease and beyond. Parasitol. Today 9: 313-315.
1148. THOMPSON, R.C.A., MELONI, B.P., HOPKINS, R.M., DEPLAZES, P. & REYNOLDSON, J.A. 1993. Observations on the endo- and ectoparasites affecting dogs and cats in Aboriginal communities in the north-west of Western Australia. Aust. Vet. J. 70: 268-270.
1149. THOMPSON, R.C.A. & MELONI, B.P. 1993. Molecular variation in *Giardia*. Acta Tropica 53: 167-184.
1150. THOMPSON, R.C.A., LYMBERRY, A.J., PEARCE, D.A., FINN, K.C., REYNOLDSON, J.A. & MELONI, B.P. 1996. *Giardia duodenalis*: exposure to metronidazole inhibits competitive interactions between isolates of the parasite *in vitro*. J. Parasitol. 82: 679-683.
1151. THOMSON, D. 1977. Diseases of water buffalo in the Northern Territory of Australia. Aust. Vet. Practit. 7: 50-52.
1152. THONG, Y.H., FERRANTE, A., SHEPHERD, C. & ROWAN-KELLY, B. 1978. Resistance of mice to *Naegleria meningoencephalitis* transferred by immune serum. Trans. Roy. Soc. Trop. Med. Hyg. 72: 650-652.
1153. THONG, Y.H., SHEPHERD, C., FERRANTE, A. & ROWAN-KELLY, B. 1978. Protective immunity to *Naegleria fowleri* in experimental amebic meningoencephalitis. Am. J. Trop. Med. Hyg. 27: 238-240.

1154. THONG, Y.H., FERRANTE, A., ROWAN-KELLY, B. & O'KEEFE, D.E. 1979. Immunization with culture supernatant in experimental amoebic meningoencephalitis. *Trans. Roy. Soc. Trop. Med. Hyg.* 73: 684-685.
1155. THONG, Y.H., FERRANTE, A., ROWAN-KELLY, B. & O'KEEFE, D. 1980. Immunization with live amoebae, amoebic lysate and culture supernatant in experimental *Naegleria* meningoencephalitis. *Trans. Roy. Soc. Trop. Med. Hyg.* 74: 570-576.
1156. THONG, Y.H., CARTER, R.F., FERRANTE, A. & ROWAN-KELLY, B. 1983. Site of expression of immunity to *Naegleria fowleri* in immunized mice. *Parasite Immunol.* 5: 67-76.
1157. TIEGS, O.W. 1931. Note on the occurrence of *Sarcocystis* in muscle of python. *Parasitol.* 23: 412-414.
1158. TIMMS, P., MCGREGOR, W. & DALGLIESH, R.J. 1981. Tick fever vaccines. How they are made and how to use them. *Qld. Agric. J.* 107: 311-316.
1159. TIMMS, P., DALGLIESH, R.J., BARRY, D.N., DIMMOCK, C.K. & RODWELL, B.J. 1983. *Babesia bovis*: comparison of culture-derived parasites, non-living antigen and conventional vaccine in the protection of cattle against heterologous challenge. *Aust. Vet. J.* 60: 75-77.
1160. TOWNSON, S.M., LAQUA, H., UPCROFT, P., BOREHAM, P.F.L. & UPCROFT, J.A. 1992. Induction of metronidazole and furazolidone resistance in *Giardia*. *Trans. Roy. Soc. Trop. Med. Hyg.* 86: 521-522.
1161. TOWNSON, S.M., BOREHAM, P.F.L., UPCROFT, P. & UPCROFT, J.A. 1994. Resistance to the nitroheterocyclic drugs. *Acta Tropica* 56: 173-194.
1162. TOWNSON, S.M., HANSON, G.R., UPCROFT, J.A. & UPCROFT, P. 1994. A purified ferredoxin from *Giardia duodenalis*. *Eur. J. Biochem.* 220: 439-446.
1163. TOWNSON, S.M., UPCROFT, J.A. & UPCROFT, P. 1996. Characterisation and purification of pyruvate: ferredoxin oxidoreductase from *Giardia duodenalis*. *Mol. Biochem. Parasitol.* 79: 183-193.
1164. TRIFFITT, M.J. 1926. Some sorozoan parasites found in the intestinal wall of Bennett's wallaby (*Macropus bennetti*). *Protozool.* 2: 31-46.
1165. TRIFFITT, M.J. 1927. Note on the occurrence of a sarcocyst, parasitic in a wallaby. *Protozool.* 3: 75-76.
1166. TRUEMAN, K.F. & BLIGHT, G.W. 1978. The effect of age on resistance of cattle to *Babesia bovis*. *Aust. Vet. J.* 54: 301-305.
1167. TURNBULL, P.A. 1977. An abattoir survey of bull genitalia. *Aust. Vet. J.* 53: 274-279.
1168. TURNER, A.W. & MURNANE, D. 1930. Trypanosomes in the blood of Victorian animals. I. A preliminary note on the occurrence of *Trypanosoma theileri* in the blood of cattle. *J. Coun. Sci. Industr. Res.* 3: 120-121.
1169. TURNER, A.W. & MURNANE, D. 1930. A preliminary note on the occurrence of *Trypanosoma theileri* in the blood of cattle in Victoria. *Aust. J. Exptl. Biol. Med. Sci.* 7: 9-11.
1170. TURNER, A.W. & MURNANE, D. 1930. On the presence of the non-pathogenic *Trypanosoma melophagium* in the blood of Victorian sheep, and its transmission by *Melophagus ovinus*. *Aust. J. Exptl. Biol. Med. Sci.* 7: 5-8.
1171. TURNER, A.W. & MURNANE, D. 1930. Trypanosomes in the blood of Victorian animals. II. On the presence of *Trypanosoma melophagium* in the blood of Victorian sheep, and its transmission by the sheep 'tick' *Melophagus ovinus*. *J. Coun. Sci. Industr. Res.* 3: 120-122.
1172. TURNER, A.W. & MURNANE, D. 1932. *Giardia* in sheep in Victoria, Australia. *Aust. J. Exptl. Biol. Med. Sci.* 10: 53-56.
1173. TZIPORI, S., SMITH, M., MAKIN, T. & HALPIN, C. 1982. Enterocolitis in piglets caused by *Cryptosporidium* sp. purified from calf faeces. *Vet. Parasitol.* 11: 121-126.
1174. TZIPORI, S., LARSEN, J., SMITH, M. & LUEFL, R. 1982. Diarrhoea in goat kids attributed to *Cryptosporidium* infection. *Vet. Record* 111: 35-36.
1175. TZIPORI, S., SMITH, M., BIRCH, C., BARNES, G. & BISHOP, R. 1983. Cryptosporidiosis in hospital patients with gastroenteritis. *Am. J. Trop. Med. Hyg.* 32: 931-934.
1176. TZIPORI, S., SMITH, M., HALPIN, C., ANGUS, K.W., SHERWOOD, D. & CAMPBELL, I. 1983. Experimental cryptosporidiosis in calves: clinical manifestations and pathological findings. *Vet. Rec.* 112: 116-120.
1177. TZIPORI, S. 1983. Cryptosporidiosis in animals and humans. *Microbiol. Rev.* 47: 84-96.
1178. TZIPORI, S. 1985. The relative importance of enteric pathogens affecting neonates of domestic animals. *Adv. Vet. Sci. Comp. Med.* 29: 103-206.
1179. TZIPORI, S., ROBERTON, D. & CHAPMAN, C. 1986. Remission of diarrhoea due to cryptosporidiosis in an immunodeficient child treated with hyperimmune bovine colostrum. *Brit. Med. J.* 293: 1276-1277.
1180. TZIPORI, S., ROBERTON, D., COOPER, D.A. & WHITE, L. 1987. Chronic cryptosporidial diarrhoea and hyperimmune cow colostrum. *Lancet* 2 (August 8): 344-345.
1181. UILENBERG, G., MPANGALA, C., MCGREGOR, W. & CALLOW, L.L. 1977. Biological differences between African *Theileria mutans* (Theiler 1906) and two benign species of *Theileria* of cattle in Australia and Britain. *Aust. Vet. J.* 53: 271-273.

1182. LIJLENBERG, G., PERIE, N.M., SPANJER, A.A.M. & FRANSSEN, F.F.J. 1985. *Theileria orientalis*, a cosmopolitan blood parasite of cattle: demonstration of the schizont stage. Res. Vet. Sci. 38: 352-357.
1183. UNGAR, B.L.P. 1990. Cryptosporidiosis in humans (*Homo sapiens*). Pp 59-82 in Dubey, J.P., Speer, C.A. & Fayer, R. (ed.) *Cryptosporidiosis of Man and Animals*. (CRC Press: Boca Raton)
1184. UPCROFT, J.A., CAPON, A.G., DHARMKRONG-AT, A., HEALEY, A., BOREHAM, P.F.L. & UPCROFT, P. 1987. *Giardia intestinalis* antigens expressed in *Escherichia coli*. Mol. Biochem. Parasitol. 26: 267-276
1185. UPCROFT, P., BOREHAM, P.F.L. & UPCROFT, J.A. 1988. The genome of *Giardia intestinalis*. Pp 147-152 in Wallis, P.M. & Hammond, B.R. (ed.) *Advances in Giardia Research* (University of Calgary Press, Calgary).
1186. UPCROFT, J.A., DUNN, L.A., DOMMETT, L.S., HEALEY, A., UPCROFT, P. & BOREHAM, P.F.L. 1989. Chromosomes of *Blastocystis hominis*. Int. J. Parasitol. 19: 879-883.
1187. UPCROFT, J., BOREHAM, P.F.L. & UPCROFT, P. 1989. Geographic variation in *Giardia* karyotypes. Int. J. Parasitol. 19: 519-527.
1188. UPCROFT, J.A., HEALEY, A., MITCHELL, R., BOREHAM, P.F.L. & UPCROFT, P. 1990. Antigen expression from the ribosomal DNA repeat unit of *Giardia intestinalis*. Nucleic Acids Res. 18: 7077-7081
1189. UPCROFT, J.A., UPCROFT, P. & BOREHAM, P.F.L. 1990. Drug resistance in *Giardia intestinalis*. Int. J. Parasitol. 20: 489-496.
1190. UPCROFT, P., MITCHELL, R. & BOREHAM, P.F.L. 1990. DNA fingerprinting of the intestinal parasite *Giardia duodenalis* with the M13 phage genome. Int. J. Parasitol. 20: 319-323.
1191. UPCROFT, J.A., HEALEY, A., MURRAY, D.G., BOREHAM, P.F.L. & UPCROFT, P. 1992. A gene associated with cell division and drug resistance in *Giardia duodenalis*. Parasitol. 104: 397-405
1192. UPCROFT, J.A. & UPCROFT, P. 1993. Drug resistance and *Giardia*. Parasitol. Today 9: 187-190
1193. UPCROFT, J.A., HEALEY, A. & UPCROFT, P. 1993. Chromosomal duplication in *Giardia duodenalis*. Int. J. Parasitol. 23: 609-616
1194. UPCROFT, J.A., MITCHELL, R.W. & UPCROFT, P. 1993. The 3' terminal region of a gene encoding a cysteine-rich surface protein in *Giardia duodenalis*. Int. J. Parasitol. 23: 785-792.
1195. UPCROFT, P. 1994. Multiple drug resistance in the pathogenic protozoa. Acta Trop. 56: 195-212.
1196. UPCROFT, J.A., HEALEY, A. & UPCROFT, P. 1994. A new rDNA repeat unit in human *Giardia*. J. Euk. Microbiol. 41: 639-642.
1197. UPCROFT, J.A. & UPCROFT, P. 1994. Two distinct varieties of *Giardia* in a mixed infection from a single human patient. J. Euk. Microbiol. 41: 189-194
1198. UPCROFT, J.A., BOREHAM, P.F.L., CAMPBELL, R.W., SHEPHERD, R.W. & UPCROFT, P. 1995. Biological and genetic analysis of a longitudinal collection of *Giardia* samples derived from humans. Acta Tropica 60: 35-46.
1199. UPCROFT, J.A., CHEN, N. & UPCROFT, P. 1996. Mapping variation in chromosome homologues of different *Giardia* strains. Mol. Biochem. Parasitol. 76: 135-143.
1200. UPCROFT, J.A., CAMPBELL, R.W. & UPCROFT, P. 1996. Quinacrine-resistant *Giardia duodenalis*. Parasitol. 112: 309-313.
1201. UPCROFT, J., MITCHELL, R., CHEN, N. & UPCROFT, P. 1996. Albendazole resistance in *Giardia* is correlated with cytoskeletal changes but not with a mutation at amino acid 200 in B-tubulin. Microbial Drug Resistance 2: 303-308.
1202. UPCROFT, P., CHEN, N. & UPCROFT, J.A. 1997. Telomeric organization of a variable and inducible toxin gene family in the ancient eukaryote *Giardia intestinalis*. Genome Res. 7: 37-46.
1203. UPCROFT, J.A., McDONNELL, P.A., GALLAGHER, A.N., CHEN, N. & UPCROFT, P. 1997. Lethal *Giardia* from a wild-caught sulphur-crested cockatoo (*Cacatua galerita*) established *in vitro* chronically infects mice. Parasitol. 114: 407-412.
1204. UPCROFT, J.A. & UPCROFT, P. 1998. Future therapeutic alternatives for combating anaerobic protozoa. Parasitol. Today 14: 212-214.
1205. UPCROFT, J. & UPCROFT, P. 1998. My favorite cell: *Giardia*. BioEssays 20: 256-263.
1206. UPTON, S.J., CURRENT, W.L. & BARNARD, S.M. 1986. A review of the genus *Caryospora* Leger, 1904 (Apicomplexa: Eimeriidae). Syst. Parasitol. 8: 3-21
1207. UPTON, S.J. 1990. *Cryptosporidium* spp. in lower vertebrates. Pp 149-156 in Dubey, J.P., Speer, C.A. & Fayer, R. (ed.) *Cryptosporidiosis of Man and Animals*. (CRC Press: Boca Raton)
1208. VEIVERS, P.C., O'BRIEN, R.W. & SLAYTOR, M. 1983. Selective defaunation of *Mastotermes darwiniensis* and its effect on cellulose and starch metabolism. Insect Biochem. 13: 95-101
1209. VERCQ, J.C. 1899. Amoebic pulmono-hepatic abscess. Austl. Med. Gaz. 18: 66-71.
1210. VIIJARREAL, H. & HUTCHINGS, R.W. 1986. Presence of ciliate colonies on the exoskeleton of the freshwater crayfish *Cherax tenuimanus* (Smith) [Decapoda, Parastacidae]. Aquaculture 58: 309-312

1211. VOOLMANN, T. & BOREHAM P.F.L. 1993. Metronidazole resistant *Trichomonas vaginalis* in Brisbane. Med. J. Aust. 159: 490.
1212. VOOLMANN, T., MOREY, F. & RICIL G. 1995. Trichomoniasis is a problem in Aboriginal women - fact or fiction? Venereology 8: 34-36.
1213. WADDELL, A.H. 1963. Deep freeze storage of *Babesia bigemina*. Aust. Vet. J. 39: 400.
1214. WADDILL, A.H., HOYTE, H.M.D. & DANIEL, R.C.W. 1971. Four species of *Himeria* in pigs in Queensland. Aust. Vet. J. 47: 462.
1215. WAITE, J.H. 1918. The Queensland hookworm campaign. Med. J. Aust. 2: 505-510.
1216. WALKER, D. & GARNHAM, P.C.C. 1972. Aberrant *Leucocytozoon* infection in parakeets. Vet. Rec. 91: 70-72.
1217. WALKER, J.C., BAIR, G. & ELLIOTT, A.S. 1985. Gastrointestinal parasites in Sydney. Med. J. Aust. 143: 480.
1218. WALLACE, F.G., ROITMAN, L. & CAMARGO, E.P. 1992. Trypanosomatids of plants. Pp 55-84 in Kreier, J.P. & Baker, J.R. (ed.) Parasitic Protozoa. 2nd ed (Academic Press: San Diego).
1219. WALPOLE, I.R., HODGKIN, N. & BOWER, C. 1991. Congenital toxoplasmosis: a large survey in Western Australia. Med. J. Aust. 154: 720-724.
1220. WARD, W.H., HILL, M.W.M., MAZLIN, I.D. & FOSTER, C.K. 1984. Anaemia associated with a high parasitaemia of *Trypanosoma theileri* in a dairy cow. Aust. Vet. J. 61: 324.
1221. WATSON, A.D.J. 1980. Giardiosis and colitis in a dog. Aust. Vet. J. 56: 444-447.
1222. WATSON, A.D.J., FARROW, B.R.H. & MCDONALD, P.J. 1982. Prevalence of *Toxoplasma gondii* antibodies in pet dogs and cats. Aust. Vet. J. 58: 213-214.
1223. WATTS, M., BURKE, C.M. & MUNDAY, B.L. 1996. The development of a fluorescent antibody stain to identify a *Uronema* sp. (Ciliophora: Scuticociliatida) implicated in fatal encephalitis in southern blueskin tuna (*Thunnus maccoyii*). Bull. Eur. Ass. Fish Pathol. 16: 104-108.
1224. WEINGAMA, D.J., JORGENSEN, W.K., DALGLIESH, R.J., NAVARATNE, M. & WEERASINGHE, C. 1989. Comparison between Sri Lankan and Australian strains of *Babesia bovis* in the vaccination of imported cattle in Sri Lanka. Trop. Anim. Hlth. Prod. 21: 141-145.
1225. WEINSTEIN, P., MACARTHUR, M., WALKER, C. & CAMERON, S. 1993. Cryptosporidial diarrhoea in South Australia: An exploratory case-control study of risk factors for transmission. Med. J. Aust. 158: 117-119.
1226. WILSH, D.A. & BARLING, J.E.V. 1909. *Haemogregarina petauri*: a haemogregarine of a marsupial flying squirrel. J. Pathol. Bact. 14: 536-541.
1227. WILSH, D.A. & BARLING, J.E.V. 1910. *Haemogregarina perameli*: a haemogregarine of a marsupial flying squirrel. J. Pathol. Bact. 14: 536-541.
1228. WELSH, D.A. & DALYELL, E.J. 1909. *Haemogregarina peramelis*: a free haemogregarine of an Australian bandicoot. J. Univ. Sydney Med. Soc. 2: 112-115.
1229. WELSH, D.A. & DALYELL, E.J. 1910. *Haemogregarina peramelis*: a free haemogregarine of an Australian bandicoot. J. Pathol. Bact. 14: 547-549.
1230. WELSH, D.A., DALYELL, E.J. & BURFITT, M.B. 1909. *Haemogregarina dasyuri*: a preliminary note on an undescribed haemogregarine of the Australian native cat. Aust. Med. Congr. (1908) 2: 333-337.
1231. WILSH, D.A., DALYELL, E.J. & BURFITT, M.B. 1910. *Haemogregarina dasyuri*: a haemogregarine of the Australian native cat. J. Pathol. Bact. 14: 542-546.
1232. WILSH, D.A. & PRIESTLEY, H. 1911. *Hasteridium* in a kukuburra. J. Pathol. Bacteriol. 15: 369-371.
1233. WENYON, C.M. & SCOTT, H.H. 1925. Demonstration of sections of intestine of Bennett's wallaby. Trans. Roy. Soc. Trop. Med. Hyg. 19: 7-8.
1234. WENYON, C.M. 1926. Protozoology. (Bailliere, Tindall & Cox Pub: London).
1235. WHITHORN, J.A. 1867. On the fevers of the Gulf of Carpentaria. Aust. Med. J. 12: 361-365.
1236. WHITTING, R.H. 1972. Incidence of cysticercosis and sarcocercidiosis in sheep in southeastern Australia. Aust. Vet. J. 48: 449-451.
1237. WHITTINGTON, R.J. & WILSON, J.M. 1985. Cryptosporidiosis of the respiratory tract in a pheasant. Aust. Vet. J. 62: 284-285.
1238. WICKLIAM, N. & CARNE, H.R. 1950. Toxoplasmosis in domestic animals in Australia. Aust. Vet. J. 26: 1-3.
1239. WIDMUR, G. 1998. Genetic heterogeneity and PCR detection of *Cryptosporidium parvum*. Adv. Parasitol. 40: 223-239.
1240. WILHELMSEN, C.L. & MONTALI, R.J. 1980. Toxoplasmosis in a parma wallaby. Ann. Proc. Am. Assoc. Zoo Vet. 1980: 141-143.
1241. WILKINSON, G.I. 1977. Coccidial infection in a cat colony. Vet. Record 100: 156-157.
1242. WILKINSON, G.I. 1981. Lamb survival from marking and weaner illthrift. Pp 193-209 in Refresher Course on Sheep. (Post Graduate Committee in Veterinary Science: University of Sydney).
1243. WILKINSON, G.T. & THOMPSON, H.I. 1986. Prevalence of *Toxoplasma gondii* antibodies in cats in south-east Queensland. Aust. Vet. Practit. 16: 144-146.

1244. WILLIS, H.H. 1923. A note on intestinal protozoal cysts in man at Townsville, north Queensland. Med. J. Aust. 2: 682.
1245. WILLIS, A.G. 1949. On the vegetative forms and life history of *Chloromyxum thrysites* Gilchrist and its doubtful systematic position. Aust. J. Sci. Res. Ser. B 2: 379-398.
1246. WILSON, J. 1984. Diagnosis of encephalito-zoonosis in man by serological tests. Brit. Med. J. 288: 1164.
1247. WINTER, H. 1958. Pathological study of a case of canine toxoplasmosis. Aust. Vet. J. 34: 179-185.
1248. WINTER, H. 1959. Coccidiosis in kangaroos. Aust. Vet. J. 35: 301-303.
1249. WINTER, H. & WATT, D. 1971. *Klossiella hydromyos* n.sp. from the kidneys of an Australian water rat (*Hydromys chrysogaster*). Vet. Pathol. 8: 222-231.
1250. WINTERBOTHAM, L.P. & ARDEN, F. 1943. Two cases of benign tertian malaria in civilians. Med. J. Aust. 2: 129-130.
1251. WOLF, P.H. 1972. Occurrence of a haplo-sporidian in Sydney rock oysters (*Crassostrea commercialis*) from Moreton Bay, Queensland, Australia. J. Invert. Pathol. 19: 416-417.
1252. WOLF, P.H. 1977. An unidentified protistan parasite on the ova of the blacklip oyster, *Crassostrea echinata*, from northern Australia. J. Invert. Pathol. 29: 244-246.
1253. WOLF, P.H. 1977. Diseases and parasites in Australian commercial shellfish. *Haliotis* 8: 75-83.
1254. WOLF, P.H. & SPRAGUE, V. 1978. An unidentified protistan parasite of the pearl oyster, *Pinctada maxima*, in tropical Australia. J. Invert. Pathol. 31: 262-263.
1255. WOOLCOCK, V. 1936. *Chloromyxum pristiphori*, a new species of myxosporidid parasitic in the gall-bladder of *Pristiophorous cirratus* (saw shark). Parasitol. 28: 72-78.
1256. WOSU, L.O. 1977. Trichomas infection in a bull - an apparent change in serotype of the infecting organism. Aust. Vet. J. 53: 340-341.
1257. WOSU, L.O. 1977. Improved cultural methods for *Tritrichomonas foetus*. Vet. Microbiol. 2: 89-93.
1258. WRIGHT, I.G. 1971. The isolation of *Haemobartonella canis* in association with *Babesia canis* in a splenectomised dog. Aust. Vet. J. 47: 157-159.
1259. WRIGHT, I.G. 1973. Osmotic fragility of erythrocytes in acute *Babesia argentina* and *Babesia bigemina* infections in splenectomised *Bos taurus* calves. Res. Vet. Sci. 15: 299-305.
1260. WRIGHT, I.G. 1973. Plasmakallikrein levels in acute *Babesia argentina* infections in splenectomised and intact calves. Z. Parasitenkd. 41: 269-280.
1261. WRIGHT, I.G. & MAHONEY, D.F. 1974. The activation of kallikrein in acute *Babesia argentina* infections of splenectomised calves. Z. Parasitenkd. 43: 271-278.
1262. WRIGHT, I.G. 1975. The probable role of *Babesia argentina* esterase in the *in vitro* activation of plasma prekallikrein. Vet. Parasitol. 1: 91-96.
1263. WRIGHT, G. 1977. Kinin, kininogen and kininase levels during acute *Babesia bovis* (= *B. argentina*) infection of cattle. Brit. J. Pharmacol. 61: 567-572.
1264. WRIGHT, I.G. & KERR, J.D. 1977. Hypotension in acute *Babesia bovis* (= *B. argentina*) infections of splenectomized calves. J. Comp. Path. 87: 531-537.
1265. WRIGHT, I.G. & GOODGER, B.V. 1977. Acute *Babesia bigemina* infection: changes in coagulation and kallifrein parameters. Z. Parasitenkd. 53: 63-73.
1266. WRIGHT, I.G., GOODGER, B.V., MCKENNA, R.V. & MAHONEY, D.F. 1979. Acute *Babesia bovis* infection: a study of the vascular lesions in kidney and lung. Z. Parasitenkd. 60: 19-27.
1267. WRIGHT, I.G., GOODGER, B.V. & MAHONEY, D.F. 1980. The irradiation of *Babesia bovis*. I. The difference in pathogenicity between irradiated and non-irradiated populations. Z. Parasitenkd. 63: 47-57.
1268. WRIGHT, I.G., GOODGER, B.V. & MAHONEY, D.F. 1981. Virulent and avirulent strains of *Babesia bovis*: the relationship between parasite protease content and pathophysiological effect of the strain. J. Protozool. 28: 118-120.
1269. WRIGHT, I.G., MCKENNA, R.V. & GOODGER, B.V. 1981. Acute *Babesia bovis* infections: plasma creatine kinase, lactate dehydrogenase and creatinine levels and associated muscle damage. Z. Parasitenkd. 64: 297-302.
1270. WRIGHT, P.J. 1993. New records of entomopathogens infecting *Oncopera* spp. (Lepidoptera: Hepialidae) larvae in Tasmania. J. Invert. Pathol. 61: 315-316.
1271. YADAV, M., STANLEY, N.F. & WARING, H. 1972. The microbial flora of the gut of the pouch-young and the pouch of a marsupial, *Setonix brachyurus*. J. General Microbiol. 70: 437-442.
1272. YAKIMOFF, W.L. & MATSCHOULSKY, S.N. 1936. Coccidiosis in the kangaroo. J. Parasitol. 22: 514-515.
1273. YAMADA, M., TAKEUCHI, H., KAMO, S. & INOKI, S. 1981. A cyst-forming Eimeriina found in the kangaroo imported from Australia. Zbl. Bakt. Hyg., I. Abt. Orig. A 250: 361-367.
1274. ZWART, P. & STRIK, W. 1964. Globidiosis in a Bennett's wallaby. Tijdschr. Diergeneesk. 89: 138-143.

CONTENTS

O'DONOGHUE, P.J. & ADLARD, R.D.	
Catalogue of protozoan parasites recorded in Australia	1



