

## A CHECK LIST OF THE AUSTRALIAN TENEBRIONIDAE

By H. J. CARTER, B.A., F.E.S.

Plates xvi. and xvii.

### Preface.

The Catalogue of Australian Coleoptera published by Masters in 1886 enumerated 127 genera and 512 species of TENEBRIONIDAE. Of these 29 genera and 87 species have since been sunk as synonyms or shown not to refer to Australian insects, leaving 98 valid genera and 425 valid species. The subfamilies in this family were omitted by Masters.

The present check-list contains the names of 28 subfamilies, 169 genera and 1,085 species, an increase of 72 per cent. in the genera and of 155 per cent. in species.

The growing importance of entomology in the economics of agriculture; its co-ordination with other fields of natural history; the vast numbers of insects to be studied by the modern entomologist make it highly desirable that museums and scientific students should have the readiest access to accurate information, to which end a correct catalogue is indispensable.

In this check-list I have not used the faunal subdivisions given by Sloane in his check-list of CARABIDAE [Proc. Linn. Soc. N.S.W., 1905, Suppl.].

The exact locality, where known, is given for species which appear to have a limited habitat. Where the State only, or more than one State is mentioned, a wider range may be inferred.

The large number of apterous forms and the sluggish habits of the TENEBRIONIDAE give them a special value in zoogeography. The general facts as to the origin of the Australian fauna—established by the evidence of Tate, Spence and Hedley in general zoology and by Sloane\* and Tillyard in entomology contain much confirmatory evidence in the study of this group. Of the 169 genera in the following list no less than 128—or more than 75% are endemic, and include the large genera especially characteristic of our inland fauna, e.g., *Helaeus*, *Saragus*, *Nyctozoilus* and *Adelium* with their allies. Of the remaining genera, seven contain cosmopolitan grain pests—viz.: *Alphitophagus*, *Gnathocerus*, *Latheticus*, *Palorus*, *Sitophagus*, *Tenebrio* and *Tribolium*, while the following table shows the distribution of genera that are not limited to Australia.

The two largest and most widely distributed groups, the *Helaeinae* and the *Adeliinae* (the former wholly, the latter almost entirely confined to Australia) include 443 species, or 41% of the total. Again, of the 85 subfamilies in Gehien's world list no less than 57 (or 67%) are unrecorded from Australia. A brief comparison of the world's TENEBRIONIDAE, in fact, shows this family to be one of the most characteristic local elements of a natural fauna.

There is some evidence of a relation of our TENEBRIONIDAE with those of Oceania. *Scotoderus aphodioides* Pasc. is found in New Caledonia and Wallis Island; *Platydemia striatum* Montr. in New Caledonia and Lord Howe Island;

---

\* Especially see Proc. Roy. Soc. Vic. 1915, Part i.

both having a wide distribution in eastern Australia. One species of *Diphyrhynchus* occurs in New Zealand; while many of our genera—especially of the *Adeliinae*—show a great convergence with Pacific Island forms—*Hydissus* (*Meneristes*) *curtulus* Oll. and *H. vulgaris* Oll. from Lord Howe Island are closely related to our common *H. feronioides* Pase.

The Indo-Malayan immigration is well marked in the more brilliant metallic beetles like *Amarygmus*, of which the nearest ally, *Chalcopterus*, is the most numerous genus of Australian TENEBRIONIDAE—as well as forms like *Ceropria*, *Leiochrodes*, and the fine groups of *Cyphaleinae* and *Cnadaloninae*. One species of *Promethis* has a doubtful record from India. A pertinent fact in this connection comes from a late publication, “Résultats de l’expédition Scientifique Néerlandaise à la Nouvelle Guinée, Tenebrionidae,” 1920. Of the 64 genera here recorded by Gebien for this island no less than 31 are in the Australian list, while the following—besides five cosmopolitan species—occur on both sides of Torres Strait:—

<i>Mesomorphus viliger</i> Blanch.	<i>Setenis sulcigera</i> Boisd.
<i>Bradymerus crenatus</i> Pase.	<i>Encyalesthus atroviridis</i> Macl.
<i>B. raucipennis</i> Blk.	<i>Toxicum punctipenne</i> Pase.
<i>Ceropria peregrina</i> Pase.	<i>Espites basalis</i> Pase.
<i>C. maculata</i> Geb.	<i>Chariothes planicollis</i> Fairm.
<i>Leiochrodes suturalis</i> Westw.	<i>Amarygmus morio</i> F.
<i>Diocline nitida</i> Cart.	<i>Chalcopterus bellus</i> Blackb.
<i>Palorus austrinus</i> Champ.	<i>C. modestus</i> Blackb.

There is little doubt but that further researches in the Papuan fauna will result in the discovery of analogous occurrences.

It is more difficult to trace species having Antarctic origin or affinity. Probably some of the Tasmanian genera and those which range from Tasmania along the Alpine regions of Victoria and New South Wales, come under this category, e.g., *Cotulades*, *Brycopia*, the purely Tasmanian *Edylius*, *Enneboeus*, *Melytra*, *Phaenensis* and the moss-beetles *Mnionophilus* and others.

With American TENEBRIONIDAE there is little connection—*Adelium sulcatulum* Fairm. is a solitary Chilian representation of one of our principal groups. But the most remarkable connection with American fauna occurs in the case of *Tretothorax cleistostoma* Lea—a species found in ants' nests in N. Queensland—the single member of a group of which the four otherwise known representatives are all American—their habitats being respectively California, Texas, San Domingo and Colombia. These extraordinary insects form a separate sub-family, and are so different from anything in the whole race of TENEBRIONIDAE—that the describer of the Australian species—as also the late veteran entomologist, Canon Blackburn—placed it in a new family (TRETOTHORACIDAE). Our ocean beach fauna contains species with a wide range. Thus *Caediomorpha heteromera* King is as common at Fremantle as in the Sydney district; *Caedius sphaeroides* Hope ranges from Queensland to Western Australia, while the genus *Trachyscelis* is of world-wide distribution.

The most numerous genera in our list are the following:—

- Chalcopterus*, 110 species. Widely spread.
- Pterohelacus*, 82 species. Widely spread.
- Cardiothorax*, 64 species. Confined to Eastern Australia.
- Adelium*, 62 species. Widely spread.
- Saragus*, 56 species. Widely spread.
- Amarygmus*, 55 species. Widely spread.

*Helaeus*, 48 species. Chiefly central and western.

While *Seiratrana*, *Licinoma* and *Brycopia*—all closely related to *Adelium*—include 73 species between them.

The following genera have disappeared from Australian lists since the date of Masters' catalogue:—

*Emeax* Pasc. == *Nyctoporis* Esch.

*Pseudocaedius* Blkb. == *Sobas* Pasc.

*Prionotus* Muls et Rey == *Achora* Pasc.

*Apostethus* Pasc. == *Adelodemus* Haag.

*Opatrium* F. (Aus. spp.) now *Gonocephalum* Chev.

*Isostira* Pasc. == *Bradymerus* Perr.

*Ecripsis* Pasc. == *Ammidium* Er.

*Phycosecis* Pasc. (now *Trogositidae*).

*Ulodica* Pasc. == *Ulodes* Er.

*Latometus* Er. == ? *Colydiidae*.

*Typhobia* Pasc. == *Platydema* Cast et Br.

*Hoplocephala* Cast et Br. == *Arrhenoplita* Aus. spp. probably *Pentaphyllus*

Latr.

*Aethosus* Pasc. == *Uloma* Cast.

*Lindia* Blkb. == *Lypnia* Muls.

*Saragodinus* Bates == *Dysarchus* Pasc.

*Chileone* Bates == *Hypaulax* Bates.

*Nyctobates* Guér. Aus. spp., now *Setcnis*.

*Ephidonus* Pasc. == *Brises* Pasc.

*Tyndarisus* Pasc. == *Lepispilus* Westw.

*Augolesthus* Motsch. == *Chariotheca* Pasc.

*Dechius* Pasc. == *Scotoderus* Perr.

*Microphyes* MacL. == *Alphitobius* Steph.

*Moerodes* Waterh. == *Prophanes* Westw.

*Apomestris* Bates == *Altes* Pasc.

*Decialma* Pasc. == *Olisthaena* Er.

*Tetraphyllus* Cast et Br. (Aus. spp. now *Hemicyclus* Westw.).

*Dinoria* Pasc. == *Brycopia* Pasc.

*Pseudhelops* Guér. (Aus. spp. now *Coripera* Pasc.).

*Arcothymus* Pasc. (a New Caledonian genus).

*Mimopeus* Pasc. == *Cilibe* Breme. [*M. amaroides* Pasc. == *Cilibe elongata* Br.]

N.Z.].

*Cymbeba* Pasc. A New Caledonian genus.

*Eurypera* Pasc. == *Amarygmus* Dalm.

#### GENERA NOT LIMITED TO AUSTRALIA.

Occurring also in

	Europe.	Asia.	Africa.	America	Oceania.
<i>Alphitobius</i> .	*	*	*	*	*
<i>Amarygmus</i> .	*	*	*	*	*
<i>Anemita</i> . .	*	*	*	*	
<i>Bradymerus</i>	*	*			
<i>Byrsax</i> . .	*		*		
<i>Caedius</i> . .	*	*	*		
<i>Ceropria</i> . .	*	*	*		

Occurring also in

	Europe.	Asia.	Africa.	America	Oceania.
<i>Chariotheca</i>					
<i>Cossyphus</i> ..	*	*	*	*	
<i>Crypticus</i> ..	*	*	*	*	
<i>Derispia</i> ..	*				
<i>Diphyr-</i>					
<i>rhyncus</i> ..			*		
<i>Enneboeus</i> ..	*			*	*

	Occurring also in					Occurring also in					
	Europe.	Asia.	Africa.	America.	Oceania.		Europe.	Asia.	Africa.	America.	Oceania.
<i>Encyalesthus</i>	*	*	*	*	*	<i>Promethis</i> ..	*	*	*	*	*
<i>Gonocephalum</i>	*	*	*	*	*	<i>Pseudostrongylum</i> .. .	*	*	*	*	*
<i>Hypocephala</i>	*	*	*	*	*	<i>Scotoderus</i> ..	*	*	*	*	*
<i>Hypopholoeus</i>	*	*	*	*	*	<i>Setenis</i> .. .	*	*	*	*	*
<i>Lepispilus</i> ..	*	*	*	*	*	<i>Strongylium</i> ..	*	*	*	*	*
<i>Leiochrodes</i> ..	*	*	*	*	*	<i>Tarpela</i> .. .	*	*	*	*	*
<i>Lyphia</i> .. ..	*	*	*	*	*	<i>Thesilea</i> .. .	*	*	*	*	*
<i>Menephilus</i> ..	*	*	*	*	*	<i>Toxicum</i> .. .	*	*	*	*	*
<i>Mesomorphus</i>	*	*	*	*	*	<i>Trachyscelis</i> .. .	*	*	*	*	*
<i>Pentaphyllus</i>	*	*	*	*	*	<i>Uloma</i> .. . .	*	*	*	*	*
<i>Platydema</i> ..	*	*	*	*	*						

"Je ne m'etendrai pas sur les difficultés exceptionnelles qui présente la classification de cette famille; elles sont connues de tous les entomologistes qui ont abordé son étude." Laeordaïre, Col. v., p. 12, "Il est presque inutile de dire que les caractères inscrits dans le tableau suivant, qui m'a coûté beaucoup de peine, ne s'appliquent qu'à la généralité des espèces de chaque tribu." i.e., p. 290, Lacordaïre (1859).

"This family contains a large number of genera, possessing in common very few characters, yet linked together by such gradual changes in structure that their classification presents almost insuperable difficulties. The division into tribes can scarcely be exhibited in a tabular form, on account of the varied relations exhibited by the members of some of the tribes." Leconte and Horn. "Col. of N. Amer.", p. 359 (1883).

The above quotations will, I trust, to some extent excuse the weakness in some of the links in the tabular chain I have tried to forge. Intended as a guide to students of our Coleoptera, it has been to some extent adapted from the works of the authors quoted above.

The term subfamily has been employed in order to facilitate the use of the key with the classification adopted in the Junk Catalogue of Tenebrionidae, edited by Hans Gebien, the European authority on the family.

The large additions made to the genera and species since Laeordaïre's work appeared, together with the increased knowledge available has led to changes—a few of which are indicated below. At the same time the general arrangement and, in great part, the lesser details remain as Laeordaïre gave them—a striking testimony to his grasp of the subject.

I have used to some extent Laeordaïre's divisions *Platagènes* and *Otidogènes* in No. 9 of my key, as generally applicable. It may be noted, however, that in the much larger group of *Platagènes* "having the antennal orbits wide and un elevated" there occur exceptions like *Pterohelaeus cornutus* Macl. and *Onosterrhus bos* Cart., in which the orbits are angulate and elevated. But even then the orbits are quite distinct from the narrowly subtriangular process found in the *Amarygminae*.

I have sought in vain for a clear distinction between the *Pedininae* and the *Opatrinae*. Laeordaïre, followed by Leconte and Horne, give the dilatation of the front tarsi in the male in the former group as the separating character; but even if constant this seems to me too trivial a division between subfamilies, while an examination of the species of *Cestrinus* and *Mesomorphus* shows this character as evanescent.

I have raised *Briseis* to subfamily rank, a distinction long overdue. An analysis of its distinctive characters may be found in Proc. Linn. Soc. N.S. Wales, 1914, pp. 45, 46. The subfamily *Amphidorinac* has been separated from the *Adeliinae* (from which our genera *Ectyche*, *Microtyche* and *Phaeniss* are clearly separated *inter alia* by their subspinose tarsal clothing, as originally indicated by their authors).

*Key to Subfamilies.*

1. Ventral segments 3 and 4 with hind margins coriaceous . . . . . 5  
Ventral segments entirely corneous . . . . . 2
2. Middle coxae without visible trochantins . . . . . 3  
Middle coxae with visible trochantins . . . . . *Nyctoporinae.*
3. Anterior coxae widely separated . . . . . *Zopherinae.*  
Anterior coxae subcontiguous . . . . . 4
4. Antennae with 11 visible segments . . . . . *Stenosinae.*  
Antennae with 10 visible segments . . . . . (11th segment sunk within the 10th) . . . . . *Dacoderinae.*
5. Tarsi spinose beneath . . . . . 6  
Tarsi bristled or ciliate beneath . . . . . 8  
Tarsi pilose or tomentose beneath . . . . . 9
6. Antennae short . . . . . *Trachyscelinae.*  
Antennae moderately long . . . . . 7
7. Antennal segments gradually widening outwards . . . . . *Phalerinae.*  
Apical segments of antennae very slightly thickened . . . . . *Crypticinae.*
8. Front feebly dilated at sides, body clothed with long erect hairs . . . . . *Amphidorinac.*  
Front broadly dilated at sides, body not so clothed . . . . . *Opatrinae.*
9. Antennal orbits wide and rounded, not (or little) raised . . . . . 10  
Antennal orbits short and erect . . . . . 22
10. Head with ocular groove to receive base of antennae . . . . . 11  
Head without such groove . . . . . 12
11. Head with transverse excavation behind mentum . . . . . *Bolitophaginae.*  
Head without such excavation . . . . . *Ulodinae.*
12. Eyes more prominent than antennal orbits . . . . . 13  
Eyes less prominent than antennal orbits . . . . . 14
13. Mandibles simple . . . . . *Leiochrinae.*  
Mandibles bifid at apex . . . . . *Diaperinae.*  
Mandibles trifid at apex . . . . . *Phrenapatinae.*
14. Penultimate segment of tarsi entire . . . . . 15  
Penultimate segment of tarsi bilobed . . . . . *Heterotarsinae.*
15. Middle coxae without trochantins . . . . . 16  
Middle coxae, with trochantins . . . . . 17
16. Margins of pronotum and elytra not (or feebly) foliate . . . . . *Ulominae.*  
Margins of pronotum and elytra foliate . . . . . *Cossyphinae.*
17. Mesosternum deeply notched. Metasternum (in general) elongate . . . . . 18  
Mesosternum not (or scarcely) notched. Metasternum (in general) short . . . . . 22
18. Margins of elytra and pronotum foliate . . . . . *Helaeinae.*  
Margins of pronotum only foliate . . . . . *Nyctozoilinae.*  
Margins of pronotum and elytra not foliate . . . . . 19
19. Mesosternum delivous, slightly concave or flat . . . . . *Tenebrioninae.*  
Mesosternum horizontal, forked or strongly concave . . . . . 20
20. Mandibles bifid at apex, prosternum (in general) carinate . . . . . 21

- Mandibles entire at apex, prosternum not carinate . . . . . *Cnodaloniinae.*
21. Tibial spurs and tarsal claws very long . . . . . *Briseinae.*  
Tibial spurs and tarsal claws normal . . . . . *Cyphaleinae.*
22. Elytra narrowly embracing body, outer antennal segments not flattened . . . . . *Adeliinae.*  
Elytra widely embracing body, outer antennal segments flattened *Helopiniae.*
23. Body apterous . . . . . *Meracanthinae.*  
Body winged . . . . . 24
24. Head vertical, body ovate . . . . . *Amarygminae.*  
Head lightly inclined, body elongate oblong . . . . . *Strongylinae.*

## KEY TO GENERA.

I. ZOPHERINAE. Contains only the "iron bark" beetle. *Zopherosis georgei* White.

II. STENOSINAЕ, includes two genera, *Cotulades* and *Docalis*—small, obscure insects found under bark—especially in Tasmania and Australian mountain regions—having short antennae and tarsi and narrow, subquadrate prothorax. They may be separated thus:—

Elytra widely ovate . . . . . *Cotulades.*  
Elytra oblong . . . . . *Docalis.*

[Gebien placed *Docalis* under *Nyctoporinae*, possibly due to Pascoe's misleading phrase, "legs short, the intermediate furnished with trochanters." This is either a misprint for *trochantins*—or is meaningless since few insects are unprovided with *trochanters*. If the former alternative is the case I think he was mistaken. I can find no sign of this structure in *D. funerous* Hope].

III. DACODERINAE. *Tretothorax cleistostoma* Lea. An inquiline of curiously elongated form—the head produced into a beak—is the unique representative. After considerable discussion, since its discovery by Hacker, its position was determined by Blair [Ent. Mon. Mag., 1918, pp. 152, 153].

IV. NYCTOPORINAE. A single genus *Exangeltus*, with three species belongs here. Often mistaken for *Cistelidae*, they are superficially remarkable for the multi-seriate sculpture of the elytra.

## V. AMPHIDORINAE.

1. Sides of pronotum entire; head unarmed in ♂ . . . . . 2  
Sides of pronotum dentate; head horned in ♂ . . . . . *Phaeniss.*
2. Humeral angle rounded . . . . . *Ectyche.*  
Humeral angle dentiform . . . . . *Microtyche.*

## VI. OPATRINAE (including PEDININAE).

1. Clothing squamose, ciliate or shagreened . . . . . 2  
Clothing not as above, surface, more or less nitid . . . . . 10
2. Form oblong or oblong-oval . . . . . 3  
Form more or less orbicular . . . . . 8
3. Colour mottled—tawny and white . . . . . (a) *Endothina.*  
Unicolorous . . . . . 4
4. Eyes divided . . . . . *Mesomorphus.*  
Eyes not divided . . . . . 5
5. Elytra costate or tuberculate . . . . . 6  
Elytra striate or sulcate-punctate . . . . . 7
6. Prosternum forked at apex . . . . . (h) *Adelodemus.*  
Prosternum not forked . . . . . *Achora.*
7. Antennae short (not reaching base of prothorax) . . . . . *Gonocephalum.*  
Antennae long (reaching base of prothorax) . . . . . *Cestrinus.*  
(e) *Apatelus.*

8. Scutellum visible . . . . . (d) *Caediomorpha*.  
 Scutellum not visible . . . . . 9
9. Elytra tuberculate . . . . . *Caedius*.  
 Elytra without tubercles . . . . . *Sobas*.
10. Elytra striate-punctate . . . . . 11  
 Elytra irregularly punctate . . . . . 14
11. Form elongate, subdepressed . . . . . 12  
 Form ovate, very convex . . . . . 13
12. Nitid, glabrous, size larger (5 mm. or more long) . . . . . *Heterocheira*.  
 Opaque, pilose, size smaller (3 mm. or less) . . . . . *Hyocis*.
13. Clypeus excised at apex, elytral striae well defined . . . . . *Scymena*.  
 Clypeus truncate, elytral striae subobsolete . . . . . *Diphyrrhynchus*.
14. Pronotum foliate at sides . . . . . *Edylius*.  
 Pronotum not foliate at sides . . . . . *Anemia*.  
*Mesomorphus*, *Gonocephalum*, *Cestrinus*, *Achora* and *Adelodemus* occur inland, the remaining genera are sandy beach insects, though *Anemia* and *Hyocis* are not exclusively so.  
 (a) *Endothina* is near and may be congeneric with *Leichenum* Blanch.  
 (b) *Adelodemus* placed by Gebien as synonymous with *Cestrinus* is more nearly allied to *Achora*, though, as I think, distinct.  
 (c) *Apatelus hopei* Muls. is probably a *Cestrinus*. It has not been identified in collections.  
 (d) The six characters mentioned by the author as distinguishing *Caediomorpha* from *Caedius* are all found in *Caedius sphaerooides* Hope, but the obvious scutellum and distinct sculpture in *Caediomorpha* differentiate the genera.

VII. TRACHYSCELINAE. In Australia the only genus is *Trachyscelis*, containing minute sub-spherical insects to be found plentifully on our beach sand hills. They are remarkable in that the number of antennal segments varies with the species, *T. ciliaris* Champ. having 10, *laevis* Champ. and *nigra* Cart. having 11 segments [Vide Proc. Ent. Soc. Lond., 1907, p. xxvi].

VIII. PHALERIINAE. *Sphageris physodes* Pasc. A sub-spherical seabeach insect, without seriate sculpture, is our only representative.

IX. CRYPTICINAE. Another monotypic group containing *Crypticus submaculatus* Cbamp. found on sea-beaches of north-west Australia.

- X. BOLITOPHAGINAE.
- |                                                      |                      |
|------------------------------------------------------|----------------------|
| 1. Antennae clavate . . . . .                        | 6                    |
| Antennae not clavate . . . . .                       | 2                    |
| 2. Strongly convex, elytra tuberculate . . . . .     | 3                    |
| Less convex, elytra not tuberculate . . . . .        | 4                    |
| 3. Head of ♂ horned . . . . .                        | <i>Byrsax</i> .      |
| Head of ♂ without horns . . . . .                    | <i>Mychestes</i> .   |
| 4. Elytra sulcate-punctate . . . . .                 | 5                    |
| Elytra costate (without seriate punctures) . . . . . | <i>Elascus</i> .     |
|                                                      | ? <i>Latometus</i> . |
| 5. Sides of pronotum crenated . . . . .              | <i>Bradymerus</i> .  |
| Sides of pronotum entire . . . . .                   | <i>Scotoderus</i> .  |
| 6. Antennae with 10 segments . . . . .               | <i>Orcopagia</i> .   |
| Antennae with 11 segments . . . . .                  | 7                    |
| 7. Form more or less oblong and depressed . . . . .  | 8                    |
| Form ovate and convex . . . . .                      | 10                   |
| 8. Antennal club of 2 segments . . . . .             | <i>Caanthus</i> .    |
| Antennal club of 3 segments . . . . .                | 9                    |

9. Elytra with rows of tubercles . . . . . *Ilyxerus*.  
 Elytra striate-punctate . . . . . *Notocerastes*.  
 10. Sides of pronotum explanate . . . . . (1) *Mnionychus*.  
 Sides of pronotum involute . . . . . *Enhypnon*.  
 (1) I propose the name *Mnionychus* for *Mnionophilus* Cart., since *Mnionophila* has been twice used previously (Stephens, 1831) and (Boisduval, 1840, Lep.).

#### XI. ULODINAE.

1. Antennae sub-clavate (apical 2 or 3 clearly wider than preceding) . . . . . 2  
 Antennae lightly widening to apex . . . . . *Trichulodes*.  
 Antennae not widening to apex . . . . . *Ulodes*.  
 2. Sides of pronotum excised behind . . . . . *Ganyme*.  
 Sides of pronotum not excised behind . . . . . *Dipsaconia*.

The tabulation of this group by Pascoe [Ann. & Mag., 1869, p. 31] is misleading. (1) In both *Dipsaconia* and *Ganyme* the 3 apical segments are wider than the rest, though scarcely clavate. (2) The distinction "Prothorax scaly at the sides, *Ulodes*," and "Prothorax ciliate, *Dipsaconia*" is fallacious, both having similar or identical sealose clothing.

(3) The character "Antennae art 3 quam 4 duplo longiore" as distinguishing *Ulodica* from *Ulodes* is inaccurate, the 3rd segment being only slightly longer than the 4th. It is, I think, too trivial a character for generic distinction, and the name *Ulodica* should disappear as a synonym.

This group is doubtfully separable from the *Boletophaginae*, though Gebien in the Junk Catalogue follows Pascoe in this. Of the two distinguishing characters given by Pascoe, the globose fore-coxae are found in both groups (e.g., *Mychestes*). I have used the other in my key.

#### XII. DIAFERINAE.

- |                                                                         |                        |
|-------------------------------------------------------------------------|------------------------|
| 1. Antennae not clavate . . . . .                                       | 2                      |
| Antennae clavate . . . . .                                              | 7                      |
| 2. Antennae serrate on inside . . . . .                                 | <i>Ceropria</i> .      |
| Antennae not serrate on inside . . . . .                                | 3                      |
| 3. Antennae strongly widened to apex . . . . .                          | <i>Enneboeopsis</i> .  |
| Antennae not strongly widened to apex . . . . .                         | 4                      |
| 4. Body oval . . . . .                                                  | 5                      |
| Body spherical (facies of <i>Leiochirinus</i> ) . . . . .               | <i>Derispia</i> .      |
| 5. Posterior tarsi having segment 1 longer than 2-3 combined . . . . .  | 6                      |
| Posterior tarsi having segment 1 not longer than 2-3 combined . . . . . | <i>Alphitophagus</i> . |
| 6. Post-intercoxal process wide and sub-truncate . . . . .              | <i>Spiloscapha</i> .   |
| Post-intercoxal process narrow . . . . .                                | <i>Platydema</i> .     |
| 7. Apical 5 segments of antennae forming loose club . . . . .           | <i>Pentaphyllus</i> .  |
| Apical 2 segments of antennae clavate . . . . .                         | <i>Enneboeius</i> .    |

[Note:—*Hoplocephala* (nom. praeoec.) = *Arrhenoplita*. Four Australian insects have been referred by their describers to this genus. *A. exilis* Champ. *pygmaea* Champ. and *erecta* Lea having clavate antennae should be placed under *Pentaphyllus*. *H. callistomonis* Motsch. is unknown in collections and impossible to determine from description. I have not seen a true *Arrhenoplita* from Australia. The genus shares with *Platydema* (at least in some species) the sexual character "males horned," but its species are narrower and more convex than *Platydema*.]

XIII. LEIOCHRINAE. *Leiochrodes suturalis* Westw. A Coccinella-like insect, is our sole representative. Originally described from Amboina, it has a wide range, being recorded from New Guinea by Gebien. I have found it on the ground under decaying leaves near Sydney, the Tweed River, and near Rockhampton.

XIV. PHRENAPATINAE. A single genus, *Platycilibe*. These are small beetles, found in decaying logs, having tridentate mandibles. I have not been able to see this character in *Brachycilibe*, a genus otherwise allied to *Platycilibe*.

#### XV. ULOMINAE.

1.	Antennae elavate . . . . .	2
	Antennae not elavate . . . . .	7
2.	Head of ♂ horned . . . . .	<i>Gnathocerus</i> .
	Head of ♂ not horned . . . . .	3
3.	Elytra striate-punctate . . . . .	4
	Elytra seriate-punctate . . . . .	<i>Microcilibre</i> .
	Elytra irregularly punctate . . . . .	5
4.	Antennal club with 4 segments . . . . .	<i>Tribolium</i> .
	Antennal club with 2 or 3 segments . . . . .	<i>Brachycilibe</i> .
	Antennal club with 1 segment . . . . .	<i>Microloma</i> .
5.	Species with eyes . . . . .	6
	Species blind . . . . .	<i>Thorictosoma</i> .
6.	Form cylindric, antennal club with 4 segments . . . . .	<i>Lyphia</i> .
	Form depressed, antennal club with 3 segments . . . . .	<i>Mesotretis</i> .
7.	Antennal segments gradually widened to apex . . . . .	8
	Antennal segments widening to 8th, thence narrowing . . . . .	<i>Latheticus</i> .
8.	Tibiae not denticulate on outer edge . . . . .	9
	Tibiae denticulate on outer edge . . . . .	13
9.	Head of ♂ horned . . . . .	<i>Sitophagus</i> .
	Head of ♂ not horned . . . . .	10
10.	Elytra striate punctate . . . . .	11
	Elytra irregularly punctate . . . . .	<i>Hypophloeus</i> .
11.	Antennae short, form moderately convex . . . . .	<i>Palorus</i> .
	Antennae long, form depressed . . . . .	12
12.	Antennae little widened to apex . . . . .	<i>Ulomoïdes</i> .
	Antennae with last 6 segments abruptly widened . . . . .	<i>Diaclina</i> .
13.	Species with eyes . . . . .	14
	Species blind . . . . .	<i>Typhluloma</i> .
14.	Epipleurae entire, tarsi not villose . . . . .	<i>Alphitobius</i> .
	Epipleurae abbreviated, tarsi villose . . . . .	<i>Uloma</i> .

#### XVI. COSSYPHINAE. Monotypic (*Cossyphus Odewahni* Pasc.).

#### XVII. HELAEINAE.

1.	Winged . . . . .	2
	Without wings . . . . .	4
2.	Mesosternum horizontal, forked . . . . .	<i>Encara</i> .
	Mesosternum declivous, concave . . . . .	3
3.	Tarsi strongly widened (ante penultimate segment bilobed) . .	<i>Pezohelaeus</i> .
	Tarsi not thus widened . . . . .	<i>Pterohelaeus</i> .
4.	Head enclosed by prothoracic extension . . . . .	<i>Helaeus</i> .
	Head not thus enclosed . . . . .	5
5.	Form depressed, mesosternum not or feebly notched at apex .	<i>Sympetes</i> .
	Form convex, mesosternum clearly notched at apex . . . . .	<i>Saragus</i> .

## XVIII. NYCTOZOILINAE.

- |                                                                                                                                                                                      |                      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 1. Eyes divided . . . . .                                                                                                                                                            | <i>Dysarchus.</i>    |
| Eyes not divided . . . . .                                                                                                                                                           | 2                    |
| 2. Anterior tibiae with outer margins dentate . . . . .                                                                                                                              | 3                    |
| Anterior and intermediate tibiae with outer margins dentate. <i>Trichosaragus.</i>                                                                                                   |                      |
| 3. Mandibles bifid at apex . . . . .                                                                                                                                                 | 4                    |
| Mandibles simple . . . . .                                                                                                                                                           | 9                    |
| 4. Submentum with strong vertically projecting lateral tooth . . . . .                                                                                                               | 5                    |
| Submentum angulate, scarcely or very shortly dentate . . . . .                                                                                                                       | 6                    |
| Submentum edentate . . . . .                                                                                                                                                         | 8                    |
| 5. Form ovate and very convex . . . . .                                                                                                                                              | <i>Onosterrhush.</i> |
| Form more elongate and depressed . . . . .                                                                                                                                           | <i>Agasthenes.</i>   |
| 6. Elytra smooth (or nearly so) . . . . .                                                                                                                                            | <i>Amphianax.</i>    |
| Elytra rugose-reticulate or costate . . . . .                                                                                                                                        | 7                    |
| Elytra sulcate-punctate . . . . .                                                                                                                                                    | <i>Ononyctus.</i>    |
| 7. Form ovate and explanate . . . . .                                                                                                                                                | <i>Nyctozoilus.</i>  |
| Form oblong-ovate, scarcely explanate . . . . .                                                                                                                                      | <i>Aethalides.</i>   |
| 8. Pronotum nearly as long as wide, sides crenulate . . . . .                                                                                                                        | <i>Styrus.</i>       |
| Pronotum much wider than long, sides entire . . . . .                                                                                                                                | <i>Byallius.</i>     |
| 9. Body glabrous, margins of tibiae entire . . . . .                                                                                                                                 | * <i>Onoglypta.</i>  |
| Body pilose, anterior tibiae crenulate on margin . . . . .                                                                                                                           | <i>Onotrichus.</i>   |
| * <i>Onoglypta.</i> I propose this name for <i>Aglypta</i> Geb. since <i>Aglyptus</i> has been twice used previously. (1) Först. (Hymenoptera) 1856. (2) Le Conte (Coleoptera) 1866. |                      |

The genera *Onosterrhush*, *Agasthenes* and *Amphianax* are very difficult to separate by any one constant character, the species having concurrent forms. *Aethalides* and *Nyctozoilus* also tend to run into one another, the genotype of the former *Ae. punctipennis* Bates has parallel elytra, while the elytra of *marginicollis* and *decemcostata* Cart. are nearly so, whereas *Ae. Stepheni* and *Ae. Coxi* might be placed justifiably in *Nyctozoilus*.

## XIX. TENEBRIONINAE.

- |                                                                            |                     |
|----------------------------------------------------------------------------|---------------------|
| 1. Epipleurae entire, mandibles bifid, apterous . . . . .                  | 2                   |
| Epipleurae abbreviated, mandibles bifid or simple, mostly winged . . . . . | 6                   |
| 2. Tarsi silky pubescent . . . . .                                         | <i>Hypaulax.</i>    |
| Tarsi sparsely pilose . . . . .                                            | <i>Paratoxicum.</i> |
| Tarsi coarsely pubescent . . . . .                                         | 3                   |
| 3. Form ovate (very nitid) . . . . .                                       | <i>Asphalus.</i>    |
| Form oblong . . . . .                                                      | 4                   |
| 4. Elytra strongly costate . . . . .                                       | <i>Sloanea.</i>     |
| Elytra striate punctate . . . . .                                          | 5                   |
| 5. Tibiae strongly spurred at apex . . . . .                               | <i>Meneristes.</i>  |
| Tibiae feebly spurred at apex . . . . .                                    | <i>Tenebrio.</i>    |
| 6. Antennae non-clavate, head without borns in ♂ . . . . .                 | 7                   |
| Antennae clavate, head horned in ♂ . . . . .                               | <i>Toxicum.</i>     |
| 7. Mandibles bifid at apex . . . . .                                       | 8                   |
| Mandibles simple . . . . .                                                 | 10                  |
| 8. Tibiae without apical spurs . . . . .                                   | 9                   |
| Tibiae with short apical spurs . . . . .                                   | <i>Teremenes.</i>   |
| 9. Form wide and depressed, apterous . . . . .                             | <i>Hydissus.</i>    |
| Form narrow and subcylindric, winged . . . . .                             | <i>Oectosis.</i>    |
| 10. Lateral border of pronotum more or less explanate . . . . .            | 11                  |
| Lateral border of pronotum not explanate . . . . .                         | 12                  |

11. Fore and post-tibiae dentate in ♂ (in *S. sulcigera*) . . . . . *Setenis*.  
     Fore and post-tibiae undentate in ♂ . . . . . *Promethis*.  
 12. Elytra seriate-punctate (punctate-striate) . . . . . *Encyalesthus*  
     Elytra striate-punctate . . . . . *Menephilus*.  
*Syncreticus* and *Tanlylupa* have open fore coxal cavities, and thus logically fall under *Pythidae*, but, for the present, I prefer to consider them as aberrant members of the TENEBRIONINAE, distinguished thus:—

- Elytra irregularly punctate between subobsolete costae . . . . . *Syncreticus*.  
 Elytra striate-punctate . . . . . *Tanlylupa*.

XX. BRISEINAE. The single genus *Briseis*. For distinctions from TENEBRIONINAE and CYPHALEINAE see Proc. Linn. Soc. N.S. Wales, 1914, pp. 45, 46

XXI. HETEROTARSINAE. Monotypic (*Notopratacus litoralis* Cart.).

XXII. CYPHALEINAE.

1. Prosternum prolonged and carinate . . . . .	2
Prosternum not prolonged nor carinate . . . . .	23
2. Antennae rather short, segments 7-10 thicker and shorter than preceding . . . . .	3
Antennae long, segments 7-10 little enlarged . . . . .	17
3. Tibiae dilated at apex . . . . .	<i>Lepispilus</i> .
Tibiae not dilated at apex . . . . .	4
4. Body glabrous . . . . .	5
Body pilose . . . . .	15
5. Elytra striate-punctate . . . . .	<i>Platyphanes</i> .
Elytra seriate-punctate . . . . .	<i>Opigenia</i> .
Elytra irregularly punctate . . . . .	6
6. Form oblong or oblong-ovate . . . . .	7
Form widely ovate or subspherical . . . . .	13
7. Anterior angles of pronotum blunt and little produced . . . . .	8
Anterior angles of pronotum acute and produced . . . . .	10
8. Sides of pronotum not foliate . . . . .	9
Sides of pronotum foliate . . . . .	<i>Campanotiphilus</i> .
9. Elytral punctures dense and irregular . . . . .	<i>Timeneca</i> .
Elytral punctures sparse and subseriate . . . . .	<i>Mitrothorax</i> .
10. Elytra sub-gibbous; eyes rather close . . . . .	<i>Eutoreuma</i> .
Elytra not at all gibbous, eyes widely separate . . . . .	11
11. Form convex, elytra densely punctate . . . . .	<i>Trisilus</i> .
Form depressed, elytra sparsely punctate . . . . .	12
12. Epipleurae entire . . . . .	(1) <i>Aphectus</i> .
Epipleurae abruptly narrowed behind . . . . .	<i>Olisthaena</i> .
13. Sides of pronotum not foliate . . . . .	14
Sides of pronotum foliate . . . . .	<i>Hemicyclus</i> .
14. Sides of elytra foliate, disc sub-costate . . . . .	<i>Ospidus</i> .
Sides of elytra not foliate, disc non-costate . . . . .	<i>Bolbophanes</i> .
15. Elytra striate-punctate, body oblong . . . . .	<i>Laonicus</i> .
Elytra irregularly punctate, body oval . . . . .	16
16. Elytra closely punctate with sub-costate impressions . . . . .	<i>Amarygmimus</i> .
Elytra sparsely punctate without such impressions . . . . .	<i>Altes</i> .
17. Anterior angles of prothorax advanced and spinose . . . . .	18
Anterior angles of prothorax advanced but not spinose . . . . .	19
18. Elytra ovate and (in general) strongly convex . . . . .	<i>Prophanes</i> .
Elytra subparallel and depressed . . . . .	<i>Anausis</i> .

19. Basal segments of post-tarsi nearly as long as the rest united . *Chartopteryx*.  
 Basal segments of post-tarsi much shorter than the rest united. 20  
 20. Epipleurae gradually narrowed behind . . . . . *Cyphaleus*.  
 Epipleurae abruptly narrowed behind . . . . . 21  
 21. Elytra seriate-punctate, form parallel . . . . . *Paraphanes*.  
 Elytra irregularly punctate . . . . . 22  
 22. Elytra spinose at apex, form elliptic . . . . . *Oremasis*.  
 Elytra not spinose at apex, form widely ovate . . . . . *Cyclophanes*.  
 23. Mesosternum notched at apex . . . . . 24  
 Mesosternum not notched at apex . . . . . *Mithippia*.  
 24. Tarsi closely and finely pilose . . . . . *Lygestira*.  
 Tarsi with stiff hairs at apices of segments only . . . . . *Barytipha*.  
 (1) *Aphectus*. I propose this name for the preoccupied name *Hectus* Pase.  
 used by Fabricius in 1775 (Sys. Ent.).

## XXIII. CNODALONINAE.

- |                                                    |                          |
|----------------------------------------------------|--------------------------|
| 1. Body winged . . . . .                           | 2                        |
| Body apterous . . . . .                            | <i>Apertotheaca</i> .    |
| 2. Form sub-cylindric . . . . .                    | 3                        |
| Pronotum explanate, elytra ovate . . . . .         | 4                        |
| 3. Elytra coarsely, irregularly punctate . . . . . | <i>Titaena</i> .         |
| Elytra finely striate-punctate . . . . .           | <i>Thesilea</i> .        |
| 4. Mesosternum horizontal . . . . .                | (a) <i>Chariotheca</i> . |
| Mesosternum declivous . . . . .                    | <i>Espites</i> .         |

N.B.—The last two genera doubtfully distinct.

(a) *Chariotheca* Pase. holds good. My substitution of *Chariothes* was unnecessary since *Chariotheca* Dej is a *nomen nudum*.

## XXIV. ADELIINAE.

- |                                                                                                   |                       |
|---------------------------------------------------------------------------------------------------|-----------------------|
| 1. Humeri dentiform . . . . .                                                                     | 2                     |
| Humeri not dentiform . . . . .                                                                    | 3                     |
| 2. Terminal segment of antennae as long as the preceding 3 . . . . .                              | <i>Macroperas</i> .   |
| Terminal segment of antennae not so long . . . . .                                                | <i>Daedrosis</i> .    |
| 3. Sides of pronotum foliate . . . . .                                                            | 4                     |
| Sides of pronotum not, or scarcely, foliate . . . . .                                             | 8                     |
| 4. Elytra not closely adapted to prothorax . . . . .                                              | 5                     |
| Elytra closely adapted to prothorax . . . . .                                                     | 7                     |
| 5. Tarsi tomentose beneath . . . . .                                                              | 6                     |
| Tarsi pilose beneath . . . . .                                                                    | <i>Dystalica</i> .    |
| 6. Front with stirrup-like impression, 3rd antennal segment not<br>much longer than 4th . . . . . | <i>Cardiothorax</i> . |
| Front without such impression, 3rd antennal segment much<br>longer than 4th . . . . .             | <i>Adelium</i> .      |
| 7. Epipleurae subvertical . . . . .                                                               | <i>Coripera</i> .     |
| Epipleurae acutely connected with elytra . . . . .                                                | <i>Seirotrana</i> .   |
| 8. Mandibles notched at apex . . . . .                                                            | 9                     |
| Mandibles simple . . . . .                                                                        | <i>Eutherama</i> .    |
| 9. Head and sides of pronotum spinose or subangulate . . . . .                                    | <i>Beplegenes</i> .   |
| Head and sides of pronotum not so . . . . .                                                       | 10                    |
| 10. Base of pronotum not coarctate . . . . .                                                      | <i>Otrintus</i> .     |
| Base of pronotum coarctate . . . . .                                                              | 11                    |

11. Apex of pronotum emarginate . . . . . *Nototrintus*.
- Apex of pronotum not (or scarcely) emarginate . . . . . 12 *Brycopia*.
12. Eyes nearly round . . . . . 13
- Eyes narrow, transverse . . . . .
13. Antennae moniliform, terminal segment large . . . . . *Leptogastrus*.
- Antennae not moniliform, terminal segment moderate . . . . . 14
14. Tarsi tomentose beneath . . . . . *Apasis*.
- Tarsi pilose beneath . . . . . *Licinoma*.

## XXV. HELOPINAE.

1. Pronotum strongly emarginate . . . . . 2
- Pronotum feebly emarginate . . . . . \* *Metisopus*.
- Pronotum not at all emarginate . . . . . 3
2. Elytra oblong, subparallel . . . . . *Tarpela*.
- Elytra obovate . . . . . *Austropeus*.
3. Prosternum more or less compressed . . . . . *Omolipus*.
- Prosternum not compressed . . . . . *Campolene*.

\*The monotypic *Metisopus purpurcipennis* Bates is found in Norfolk Island.

## XXVI. MERACANTHINAE.

Two genera each with a single rare species, of widely different facies are known from tropical Queensland. To these I have added *Melytra* from Tasmania, placed inappropriately, I think, by Gebien under the *Cnadaloniinae* and by its author under *Apocryphinae*. It must be excluded from the latter by the presence of trochantins on the intermediate coxae. The long, slender antennae, sides of front obliquely (though slightly) elevated, hind coxae widely separated, the convex, oval and apterous body are all consistent with the position assigned to it here.

The three genera are readily separable as follows:—

- |                                                        |                  |
|--------------------------------------------------------|------------------|
| Elytra strongly and closely pustulose . . . . .        | <i>Bluops</i> .  |
| Elytra coarsely sulcate-punctate: size large . . . . . | <i>Axynaon</i> . |
| Elytra seriate punctate: size small . . . . .          | <i>Melytra</i> . |

## XXVII. AMARYGMINAE.

1. Glabrous . . . . . 2
- Pilose . . . . . *Trichamarygmus*.
2. Mandibles bifid at apex . . . . . *Amarygmus*.
- Mandibles simple . . . . . *Chalcopterus*.

## XXVIII. STRONGYLIINAE.

1. Form subcylindric and elongate . . . . . *Strongylium*.
- Form oblong and shorter . . . . . 2
2. Pronotum nitid, sides straight and entire . . . . . 3
- Pronotum opaque, sides dentate in middle . . . . . *Notostrongylium*.
3. Shoulders with elevated callosities . . . . . *Pseudostrongylium*.
- Shoulders without callosities . . . . . *Ebenolus*.

This subfamily is, as Pascoe stated (Ann. and Mag., 1869) "merely a designation for a number of discrepant forms" with "no more definite generic idea than in any one of the so-called genera of the Linnean epoch." Thirteen Australian species have been recorded, chiefly from tropical regions. I am unable to find clearly defined limits to the genus *Strongylium* in Mäklin's voluminous monograph.

Their fragile structure, long, thin, antennae and legs give them a strong likeness to CISTELIDAE, with which they are often confused in collections.

## Order COLEOPTERA.

## Family TENEBRIONIDAE.

## Subfamily ZOPHERINAE.

*ZOPHEROSIS*. White, Zool. Soc. Lond., 1859, p. 121.

1. *georgei* White, i.e., p. 121 (pl. xvi., f. 1) . . . . . N.S.W.

## Subfamily STENOSINAE.

*COTULADES*. Pase., Jour. Ent., 1860, p. 119.

2. *fascicularis* Pase., i.e., p. 119 . . . . . Q. to Tas.  
 3. *leucospila* Hope, Ent. Soc. Lond., 1845, p. 107 . . . . . N.A.  
 4. *montanus* Blackb., Roy. Soc. S.A., 1893, p. 132 . . . Blue Mts., N.S.W.  
 5. *tuberculatus* Cart., Linn. Soc. N.S.W., 1921, p. 308 . . Mittagong, N.S.W.

*DOCALIS*. Pase., Jour. Ent., 1860, p. 121.

6. *funerous* Hope, Ent. Soc. Lond., 1845, p. 107 . . . N.S.W., V., T.  
*degener* Pase., Jour. Ent., 1860, p. 121.  
*exoletus* Pase., i.e., p. 122.  
*maculatus* Blackb., Roy. Soc. S.A., 1893, p. 132.

## Subfamily DACODERINAE.

*TRETOTHORAX*. Lea, Roy. Soc. V., 1911, p. 211.

7. *eleistostoma* Lea, i.e., p. 213 (pl. xvi., f. 2) . . . . . Q.

## Subfamily NYCTOFERINAE.

*EXANGELTUS*. Blackb., Roy. Soc. S.A., 1897, p. 93.

8. *angustus* Blackb., i.e., p. 94 (pl. xvi., f. 3) . . . . . W.A.  
 9. *gracilior* Blackb., i.e., 1903, p. 308 . . . . . S.A.  
 10. *rufipennis* Cart., Linn. Soc. N.S.W., 1919, p. 140 . . . . . Q.

*EDYLIUS*. Champ., Ent. Soc. Lond., 1894, p. 353.

11. *cancescens* Champ., i.e., p. 354 . . . . . T.

*DIPHYRRHYNCUS*. Fairm., Rev. Zool., 1849, p. 445.*Acanthosternus* Montr., Soc. Ent. Fr., 1860, p. 289.

12. *apicalis* Champ., Ent. Soc. Lond., 1894, p. 368 . . . . . W.A.  
 13. *ellipticus* Champ., i.e., p. 367 . . . . . N.W.A.

*HETEROCHEIRA*. Lacord., Gen. Col. V., 1859, p. 335.

14. *australis* Boisd., Voy. Astral., 1835, p. 258 . . . . . W.A.

15. *tropica* Cart., Linn. Soc. N.S.W., 1924, p. 33 . . . . . Townsville, Q.

## Subfamily OPATRINAE.

*SCYMENA*. Pase., Jour. Ent., 1866, p. 455.

16. *amphibia* Pase., Ann. Mag. Nat. Hist., 1870, p. 94 . . . S.A.; W.A.  
*australis* Blackb., Roy. Soc. S. Aus., 1887, p. 270.

17. *variabilis* Pase., Jour. Ent., 1866, p. 455 . . . . . N.S.W.

*MESOMORPHUS*. Seidl., Nat. Ins. Deutsch., 1893, p. 361.*Hopatromorpha* Blackb., Roy. Soc. S. Aus., 1907, p. 289.

18. *darlingensis* Blackb., Roy. Soc. S. Aus., 1894, p. 216 . . . N.S.W.

19. *darwini* Blackb., i.e., p. 217 . . . . . N.A.

20. *leai* Cart., i.e., 1914, p. 221 . . . . . Hughenden, Q.

21. *longicornis* Blackb., i.e., 1892, p. 40 . . . . . A.

22. *vagabundus* Champ., Ent. Soc. Lond., 1894, p. 361 . . . . . N.W.A.

23. *villiger* Blanch., Voy. Pole Sud., 1853, p. 154 . . . . . W.A. (Asia, Afr.)  
*asperulus* Fairm., Soc. Ent. Belg., 1898, p. 234.  
*dermestoides* Reitt., Best Tab., 1904, p. 74.  
*dispersus* Champ., Ent. Soc. Lond., 1894, p. 361.  
*mustelinus* Fairm., Note Leyd. Mus., 1882, p. 221.  
*puberulus* Fauv., Bull. Soc. Linn. Normand., 1867, p. 187, nota.
- CESTRINUS*. Er., Arch. f. Naturg., 1842, p. 172.  
*Isopteron* Hope, Col. Man., 1840, p. 112.
24. *brevis* Champ., Ent. Soc. Lond., 1894, p. 356 . . . . . N.S.W. to W.A.  
*aspersus* Blackb., Roy. Soc. S. Aus., 1894, p. 210.  
*puellus* Geb., Faun. Sud-west. Aus., 1908, p. 325.
25. *championi* Blackb., Roy. Soc. S. Aus., 1894, p. 210 . . . . . N.S.W. to W.A.  
*eremicola* Blackb., i.e., p. 211.  
*zietzi* Blackb., i.e., p. 212.
26. *costatus* Geb., Fauna Sud-west Aus., 1908, p. 326 . . . . . W.A.  
27. *dentatus* Cart., Lin. Soc. N.S.W., 1921, p. 309 . . . . . Camooweal, Q.  
28. *punctatissimus* Pasc., Ann. Mag. Nat. Hist., 1869, p. 278 . . . N.S.W. to T.  
*aversus* Pasc., i.e., p. 278.  
*posticus* Pasc., i.e., p. 278.  
*minor* Blackb., Roy. Soc. S. Aus., 1894, p. 212.
29. *trivialis* Er., Arch. Naturg., 1842, p. 173 . . . . . . . . . Q. to T.  
*opatroides* (*Isopteron*) Hope, Ent. Soc. Lond., 1842, p. 77.  
*piceitarsis* Hope, i.e., p. 76.  
*squamulosus* (*Apatelus*) Mael., Ent. Soc. N.S.W., 1872, p. 278.  
*angustior* Blackb., Roy. Soc. S. Aus., 1894, p. 211.
- APATELUS*. Muls. et Rey., Mem. Acad. Lyon, 1859, p. 153.
- \*30. *hopei* Muls., i.e., p. 154 . . . . . . . . . . . . . . . . . . A.
- ACHORA*. Pasc., Ann. Mag. Nat. Hist., 1869, p. 279.  
*Prionotus* Muls. et Rey. Mém. Acad. Lyon, 1859, p. 150.  
*Priothorax* Geb., Cat. Junk., 1910, p. 318.
31. *serricollis* Hope, Ent. Soc. Lond., 1842, p. 77 . . . . . . . . . Tas.  
*denticollis* Blanch., Voy. Pole Sud., 1853, p. 154.  
*obscurus* Er., Wiegm. Arch., 1842, p. 173.
32. *tuberculatus* (*cestrinus*) Cart., Roy. Soc. S. Aus., 1914, p. 369 . . W.A.
- ADELODEMUS*. Haag., Jour. Mus. Godeffr., 1878, p. 120.  
*Apostethus* Pasc., Ann. Mag. Nat. Hist., 1882, p. 27.
33. *excisicollis* Cart., Linn. Soc. N.S.W., 1908, p. 403 (pl. xvi., f. 4) . . Q.  
34. *squalidus* Mael., Ent. Soc. N.S.W., 1872, p. 278 . . . . . . . . . Q.  
*asperulus* Haag., Jour. Mus. Godeffr., 1878, p. 121.  
*foliata* (*seirotrana*) Cart., R.S.S. Aus., 1914, p. 403.
- \*35. *terrenus* Pasc. (*Apostethus*) Ann. Mag. Nat. Hist., 1882, p. 28 . . . Q.
- ANEMIA*. Cast., Hist. Nat., 1840, p. 218.
36. *caulobioides* Cart., Linn. Soc. N.S.W., 1920, p. 224 . . . . . W.A.
- GONOCEPHALUM*. Chevr., Dict. Univ. d'Hist. Nat., 1849, p. 274.  
*Hopatrum* Blackb., Roy. Soc. S. Aus., 1907, p. 286.
37. *adelaidae* Blackb., Roy. Soc. S. Aus., 1894, p. 214 . . . . . S.A.  
38. *alternatum* Cart., Linn. Soc. N.S.W., 1915, p. 532 . . . . . Raine Is., Q.
- \*39. *australe* Boisd., Voy. Astrol., 1835, p. 251 . . . . . . . . . A.
40. *carpentariae* Blackb., Roy. Soc. S. Aus., 1894, p. 213 . . . . . N.A.
41. *costipenne* Cart., Linn. Soc. N.S.W., 1915, p. 533 . . . . . Cairns, Q.  
*costatum* Cart. Roy. Soc. S. Aus., 1914, p. 222.

42. *cowardense* Blackb., Roy. Soc. S. Aus., 1894, p. 215 . . . . . S.A.  
 43. *elderi* Blackb., i.e., 1892, p. 39 . . . . . W.A.  
 44. *macleayi* Blackb., i.e., 1907, p. 288 . . . . . S.Q.  
 45. *mastersi* Mael., Ent. Soc. N.S.W., 1872, p. 277 . . . . . Q., N.S.W.  
 46. *meyricki* Blackb., Roy. Soc. S. Aus., 1894, p. 213 . . . . . V. and W.A.  
*victoriae* Blackb., i.e. p. 218.  
 47. *misellum* Blackb., i.e., 1907, p. 288 . . . . . S.A.  
 48. *subcostatum* Cart., Linn. Soc. N.S.W., 1921, p. 309 . . . Stanthorpe, Q.  
 49. *torridum* Champ., Ent. Soc. Lond., 1894, p. 359 . . . . . N.W.A.  
 50. *walkeri* Champ., i.e., p. 360 . . . . . N.W.A.  
**ENDOTHINA.** Carter, Linn. Soc. N.S.W., 1924, p. 536.  
 51. *squamosa* Cart., i.e., p. 537 . . . . . Sydney, N.S.W.  
**HYOCIS.** Pase., Jour. Ent., 1866, p. 457.  
 52. *bakewelli* Pase., i.e., p. 457 . . . . . Vic. to W.A.  
*cancellata* Lea, Roy. Soc. Vie., 1907, p. 164.  
 (var) *occidentalis* Blackb., Linn. Soc. N.S.W., 1895, p. 102. W.A.  
 53. *bicolor* Cart., Linn. Soc. N.S.W., 1908, p. 402 . . . . . N.S.W., T.  
 54. *inquilina* Cart., i.e., 1921, p. 310 . . . . . Perth, W.A.  
 55. *minor* Cart., i.e., 1920, p. 225 . . . . . Stradbroke Is., Q.  
 56. *nigra* Blackb., i.e., 1895, p. 101 . . . . . S.A.  
 57. *pallida* Mael., Ent. Soc. N.S.W., 1872, p. 278 . . . . . Q., N.S.W.  
 58. *pubescens* Mael., i.e., p. 279 . . . . . Q., N.S.W.  
 59. *subparallelia* Champ., Ent. Soc. Lond., 1894, p. 363 . . . N.S.W. to W.A.  
*variegata* Blackb., Linn. Soc. N.S.W., 1895, p. 102.  
**CAEDIUS.** Blanch., Hist. Nat. Ins., 1845, p. 13.  
 60. *lindi* Blackb., Roy. Soc. S. Aus., 1887, p. 271 . . . . . S.A.  
 61. *sphaerooides* Hope, Ent. Soc. Lond., 1842, p. 77 . . . . . S.A. & Q.  
*tuberculatus* Cart., Roy. Soc. S. Aus., 1914, p. 370.  
**SOBAS.** Pase., Jour. Ent., 1863, p. 45.  
*Trigonotarsus* Hope, Ent. Soc. Lond., 1845, p. 106.  
*Pseudocaeadius* Blackb., Roy. Soc. S.A., 1890, p. 91.  
 62. *australis* Hope, i.e., p. 76 . . . . . Port Essington, N.W.A.  
*squamosus* (*Pseudocaeadius*) Blackb., i.e.  
**CAEDIOMORPHA.** Blackb., Roy. Soc. S. Aus., 1888, p. 272.  
 63. *heteromera* (*Pedilophorus*) King, Ent. Soc. N.S.W., 1869, p. 44 (pl. xvi, f. 6) . . . . . All States.  
*australis* Blackb., Roy. Soc. S. Aus., 1888, p. 272.  
 Subfamily TRACHYSCELINAE.  
**TRACHYSCELIS.** Latr., Gen. Crust. et Ins., 1809, p. 379.  
 64. *ciliaris* Champ., Ent. Mon. Mag., 1893, p. 254 . . . . . W.A.  
 65. *laevis* Champ., i.e., p. 254 . . . . . W.A.  
 66. *nigra* Cart., Linn. Soc. N.S.W., 1906, p. 251 . . . . . N.S.W., Q.  
 Subfamily PHALERIINAE.  
**SPHARGERIS.** Pase., Jour. Ent., 1860, p. 122.  
 67. *physodes* Pase., i.e., p. 122 . . . . . V., S.A.,  
 Subfamily CRYPTICINAE.  
**CRYPTICUS.** Latr., Régne Anim., 1817, p. 298.  
 68. *submaculatus* Champ., Ent. Soc. Lond., 1894, p. 362 . . . . . N.W.A.  
 Subfamily BOLITOPHAGINAE.  
**BRADYMERUS.** Perroud., Soc. Linn. Lyon., 1864, p. 540.  
*Isostira* Pase., Ann. Mag. Nat. Hist., 1870, p. 97.

69. *crenatus* Pase., l.c., p. 98 . . . . . Q  
     *granaticollis* Fairm., Ann. Soc. Ent. Belg., 1883, p. 23.
70. *raucipennis* Blackb., Roy. Soc. S. Aus., 1892, p. 225 . . . . . Q.  
     *seriatus* Geb., Exp. Neerl. N. Guinea, 1920, p. 243
- SCOTODERUS*. Perroud., Ann. Soc. Linn. Lyon., 1864, p. 114.  
     *Dechius* Pase., Jour. Ent., 1866, p. 455.
71. *cancellatus* Montr., Soc. Ent. Fr., 1860, p. 296.  
     *aphodioides* Pase., Jour. Ent., 1866, p. 455 . . . N.S.W., Q., New Caledon.
- \*72. *costatus* Fairm., Rev. Zool., 1849, p. 421 . . . . . Wallis Is.
73. *scissicollis* Bates, Ent. Soc. Lond., 1868, p. 266 . . . . . N.S.W.
- BYRSAX*. Pase., Jour. Ent., 1860, p. 42.
74. *coxi* Cart., Roy. Soc. S. Aus., 1914, p. 371 . . . . . N.S.W.
75. *egenus* Pase., Jour. Ent., 1866, p. 459 . . . . . N.S.W., Q.
76. *macleayi* Pase., l.c., p. 459 . . . . . N.S.W., Q.
77. *pinnaticollis* Cart., Roy. Soc. S. Aus., 1914, p. 234 . . . . . Q.
78. *saccharatus* Pase., Ann. Mag. Nat. Hist., 1870, p. 95 . . . . . Q.
- NOTOCERASTES*. Cart.
79. *blackburni* Cart. . . . . N.S.W., V.
- ILYXERUS*. Pase., Jour. Ent., 1866, p. 458.
- \*80. *asper* Pase., l.c., p. 458 . . . . . N.S.W.
- CAANTHUS*. Champ., Ent. Soc. Lond., 1894, p. 378.
81. *gibbicollis* Champ., l.c., p. 378 . . . . . T.
- ORCOPAGIA*. Pase., Ent. Soc. Lond., 1868, p. 12.
82. *monstrosa* Pase., l.c., p. 12 . . . . . N.S.W., V.
83. *regularis* Cart., Roy. Soc. S. Aus., 1914, p. 223 . . . . . Q.
- MYCHESTES*. Pase., Ann. Mag. Nat. Hist., 1870, p. 96.
84. *congestus* Pase., l.c., 1883, p. 436 . . . . . Q., N.S.W.
85. *lignarius* Pase., l.c., 1870, p. 97 . . . . . Q., N.S.W.
86. *mastersi* Mael., Ent. Soc. N.S.W., 1872, p. 279 . . . . . Q.
87. *pascoei* Mael., l.c., p. 279 (pl. xvi, f. 7) . . . . . Q.
- MNIONYCHUS*. Cart.
- Mnionophilus* Cart., Linn. Soc. N.S.W., 1919, p. 141.
88. *costatus* Cart., l.c., p. 143 . . . . . Waratah, T.
89. *horridus* Cart., l.c., p. 142 . . . . . Cradle Mt., T.
- ENHYPNON*. Cart., Linn. Soc. N.S.W., 1919, p. 143.
90. *laticeps* Cart., l.c., p. 144 . . . . . T.
- ELASCUS*. Pase., Jour. Ent., 1860, p. 119.
91. *crassicornis* Pase., l.c., p. 120 . . . . . V.
92. *lunatus* Pase., l.c., p. 120 . . . . . V., T.
93. *major* Cart., Linn. Soc. N.S.W., 1921, p. 310 . . . Dorrigo, N.S.W.
- LATOMETUS*. Er., Arch. Naturg., 1842, p. 213.
- \*94. *pubescens* Fr., l.c., p. 213 . . . . . T.  
     (Described from a single example and apparently not since identified.  
     Possibly *Colydiidae*).

## Subfamily AMPHIDORINAE.

*ECTYCHE*. Pase., Ann. Mag. Nat. Hist., 1869, p. 143.

95. *bicolor* Cart., Linn. Soc. N.S.W., 1918, p. 709 . . . King R., N.A.
96. *coerulea* Champ., Ent. Soc. Lond., 1894, p. 397 . . . . . N.W.A.
97. *erebea* Pase., Ann. Mag. Nat. Hist., 1869, p. 144 . . . . . W.A.
98. *nana* Pase., l.c., p. 145 . . . . . S.A.
99. *scabripennis* Bates, Ent. Soc. Lond., 1873, p. 360 . . . . . W.A.

100. *sculpturata* Bates, l.e., p. 361 (pl. xvi, f. 5) . . . . . W.A.  
 101. *semibullata* Cart., Linn. Soc. N.S.W., 1920, p. 248 . . Geraldton, W.A.  
 102. *tuberculipennis* Bates, Ent. Soc. Lond., 1873, p. 361 . . . . . W.A.  
*MICRETYCHE*. Bates, Ent. Soc. Lond., 1873, p. 362.  
 103. *ferruginea* Bates, l.e., p. 364 . . . . . W.A.  
 var. *dubia* Bates, l.e.  
*ryei* Bates, l.e., p. 364.

104. *intermedia* Bates, l.e., p. 363 . . . . . Champion Bay, W.A.  
*PHAENNIS*. Champ., Ent. Soc. Lond., 1894, p. 399.

105. *fasciculata* Champ., l.e., p. 400 . . . . . Blue Mts., N.S.W., T.  
 Subfamily ULODINAE.

*DIPSACONIA*. Pase., Jour. Ent., 1860, p. 123.

106. *australis* Hope, Ent. Soc. Lond., 1845, p. 108 . . . . S.A., V., T.  
*bakewelli* Pase., Jour. Ent., 1860, p. 124.  
 107. *pyritosa* Pase., l.e., p. 124 . . . . . Q., N.S.W., V.

- ULODES*. Er., Arch. Naturg., 1842, p. 180.  
*Ulodia* Pase., Ann. Mag. Nat. Hist., 1869, p. 31.

108. *hispidus* Pase., l.e., p. 32 . . . . . N.S.W.  
 109. *verrucosus* Er., Arch. Naturg., 1842, p. 181 . . . . . V., T.  
*variicornis* Hope, Ent. Soc. Lond., 1842, p. 78.

- TRICHULODES*. Cart., Roy. Soc. S.A., 1914, p. 223.  
 110. *punctatus* Cart., l.e., p. 224 . . . . . Q.

- GANYME*. Pase., Ann. Mag. Nat. Hist., 1869, p. 32.  
 111. *saphira* Newm., The Entom., 1842, p. 404 (pl. xvi, f. 8) N.S.W., V., T.  
*howitti* Pase., Ann. Mag. Nat. Hist., 1869, p. 33.

Subfamily DIAPERINAE.

- SPILOSCAPHA*. Bates, Ent. Mo. Mag., 1873, p. 202.  
 112. *thalloides* Pase., Ann. Mag. Nat. Hist., 1869, p. 281 . . . . N.S.W.  
*crassicornis* Bates, Ent. Mo. Mag., 1873, p. 203.

- PLATYDEMA*. Cast et Brill. Ann. Sc. Nat., 1831, p. 350.  
*Neomida* Motsch., Bull. Mon., 1873, p. 476.

- Histeropsis* Chevr., Pet. Nour. Ent., 1878, p. 221.  
*Typhobia* Pase., Ann. Mag. Nat. Hist., 1869, p. 279.

113. *abdominale* Geb., Fn. Sudw. Aus., 1908, p. 327 . . . . . W.A.  
 114. *aries* Pase., Ann. Mag. Nat. Hist., 1869, p. 280 . . . . . N.S.W., Q.

115. *bicinctum* Champ., Ent. Soc. Lond., 1894, p. 373 . . . . . N.W.A.  
 116. *deplanatum* Champ., l.e., p. 374 . . . . . N.W.A.

117. *fuligineum* Pase. (*Typhobia*) Pase., Ann. Mag. Nat. Hist., 1869, p.  
 279 . . . . . V., N.S.W., Q.

118. *laticolle* Mael., Ent. Soc. N.S.W., 1872, p. 280 . . . . . Q.  
 119. *limacella* Pase., Ann. Mag. Nat. Hist., 1869, p. 280 . . S.A., V., N.S.W., Q.

- fossulatum* Blackb., Roy. Soc. S. Aus., 1887, p. 273.  
 120. *limbatum* Cart., Linn. Soc. N.S.W., 1921, p. 311 . . Murray R., S.A.

121. *macleayi* Cart. . . . . Kuranda, Q.  
 122. *metallicum* Cart., l.e., 1908, p. 404 . . . . . N.S.W., Q.

123. *pascoei* Mael., Ent. Soc. N.S.W., 1872, p. 280 . . . Q., N.S.W., Vic.  
*victoriense* Blackb., Roy. Soc. S.A., 1893, p. 297.

124. *rufibase* Cart., Linn. Soc. N.S.W., 1918, p. 701 . . . . . N.Q.  
 125. *striatum* Montr., Soc. Ent. Fr., 1860, p. 290, N.S.W., Q., Lord Howe Is.,

New Caledonia.  
*kanalense* Perroud., Soc. Linn. Lyon., 1864, p. 113.

- oritica* Pasc., Ann. Mag. Nat. Hist., 1869, p. 280.  
*spicatum* Oll., Ins. Fauna, L. Howe Is., 1889, p. 87.  
*championi* Blackb., Roy. Soc. S.A., 1890, p. 139.  
*obscurum* Blackb., Linn. Soc. N.S.W., 1888, p. 1387.
126. *sulcatopunctatum* Cart., Linn. Soc. N.S.W., 1922, p. 73 . . . . . N.Q.  
 127. *tetraspilotum* Hope, Ent. Soc. Lond., 1842, p. 78 . . Q., N.S.W., V., S.A., T.  
     *tasmanum* Mars., Soc. Ent. Fr., 1876, p. 110.
- ALPHITOPHAGUS*. Steph., Ill. Brit. Ent., 1832, p. 12.  
     *Phyletes* Redt., Gatt. deutsch. Käf. Fn., 1845, p. 128.  
     *Phylcthus* Redt., Fn. Austr., 1849, p. 589.
128. *bifasciatus* Say., Jour. Acad. Phil., 1823, p. 268 . . . . . Cosmop.  
     *pictus* Ménét., Cat. rais., 1832, p. 203.  
     *populi* Redt., Fn. Austr., 1849, p. 589.  
     *quadripustulatus* Steph., Ill. Brit. Ent., 1832, p. 12.
- \*129. *quadrinotatus* Mars., Soc. Ent. Fr., 1876, p. 110 . . . . . A.  
 [Unidentified in Australian colls.; probably 127 supra.]
- CEROPRIA*. Cast et Brll. Ann. Sc. Nat., 1831, p. 396.  
     *Epilampus* Blanch., Hist. Nat. Ins., 1845, p. 30.
130. *maculata* Geb., Cat. Junk, 1911, p. 383 (pl. xvi, fig. 9) . . . . . N.Q.  
     *bifasciata* Cart., Linn. Soc. N.S.W., 1908, p. 404 (nom. praeoc.)  
     *quadriplagiata* Geb., Exp. Neerl. N. Guinea, 1920, p. 255.
131. *peregrina* Pasc., Jour. Ent., 1866, p. 460 . . . . . N.S.W., Q.  
     *janthinipennis* Chevr., Pet. Nouv., Ent., 1877, p. 170.
- \*131a. (?) *novica* (*Platydema*) Motsch., Bull. Mosc., 1873, p. 470.  
     *spectabilis* Cast et Brll. Mon., p. 397 . . . . . (?) A.  
 [Doubtfully Australian. The note in description says "Cette espèce vient d'Amérique; M. Dupont l'a reçue aussi de la Nouvelle Hollande." If the latter statement be true, it may be the same as *Espites basalis* Pasc.—H.J.C.].
132. *valga* Pasc., Ann. Mag. Nat. Hist., 1869, p. 281 . . . . . N.S.W., Q.
- ENNEBOEUS*. Waterh., Ent. Soc. Lond., 1878, p. 228.
133. *australis* Champ., I.c., 1894, p. 375 . . . . . . . . . T.  
 \*134. *ovalis* Waterh., I.c., 1878, p. 229 . . . . . . . . . T.
- ENNEBOEOPSIS*. Champ., Ent. Soc. Lond., 1894, p. 375.
135. *pruinosus* Champ., I.c., p. 376 . . . . . . . . . T.
- PENTAPHYLLUS*. Latr., Règne anim., 1829, p. 30.
136. *erecta* (*Arrhenoplita*) Lea, Linn. Soc. N.S.W., 1898, p. 581 . . . N.S.W.  
 137. *exilis* (*Arrhenoplita*) Champ., Ent. Soc. Lond., 1894, p. 372 . . N.W.A.  
 138. *pygmaea* (*Arrhenoplita*) Champ., I.c., p. 371 . . . . . N.W.A.  
 \*139. *Hoplocephala callistomomis* Motsch., Bull. Mosc., 1873, p. 469, has not been identified. Its generic status is doubtful.
- DERISPIA*. Lewis, Ann. Mag. Nat. Hist., 1894, p. 389.  
 140. *coccinelloides* Westw., Tijd. Schr. v. Ent., 1883, p. 69 . . . Q., Malay Is.

## Subfamily LEIOCHRINAE.

*LEIOCHRODES*. Westw., Tijd. Schr. v. Ent., 1883, p. 69.*Leiochrota* Westw., I.c., p. 70.*Ades* Guér., Arch. Ent., 1857, p. 277.*Hades* Thoms., Mus. Sc., 1860, p. 13.*Pimplema* Pasc., Ann. Mag. Nat. Hist., 1887, p. 16.

141. *suturalis* Westw., I.c., p. 73 . . . . . N.S.W., Q., Amboina.  
 (Coccinellid-like insect found under leaves in moist places.)

## Subfamily PHRENAPATINAE.

- PLATICILIBE*. Cart., Linn. Soc. N.S.W., 1911, p. 205. .  
 142. *brevis* Cart., l.c., p. 205 (pl. xvi., f. 10) Mt. Wilson and Mt. Royal, N.S.W., V.  
 143. *bicolor* Cart., Roy. Soc. S. Aus., 1914, p. 225 . . . Tambourine Mt., Q.  
 144. *integricollis* Cart., Linn. Soc. N.S.W., 1920, p. 226 . . . N.S.W., Q.  
 145. *triclavata* Cart., l.c., 1921, p. 311 . . . . . Tambourine Mt., Q.

## Subfamily ULOMINAE.

- GNATHOCERUS*. Thunb., Vetensk. Acad. Handl., 1814, p. 47.  
 146. *cornutus* F., Ent. Sys. Suppl., 1798, p. 51 . . . . . Cosmopolitan.  
*cucullatus* Montr., Soc. Ent. Fr., 1860, p. 294.  
*laeviusculus* Steph., Ill. Brit., 1832, p. 10.  
*maxillaris* Beauv., Ins. Afr. et Am., 1805, p. 125.  
*ruber* Thunb., Vetensk. Acad. Handl., 1814, p. 47.

- LYPHIA*. Muls et Rey. Opuse, Ent., 1859, p. 166.  
*Lindia* Blackb., Roy. Soc. S. Aus., 1888, p. 275.  
 147. *australis* Geb., Cat. Junk., 1911, p. 393 . . . . . N.S.W., Q., S.A.  
*angusta* Blackb., Roy. Soc. S. Aus., 1888, p. 275 (nom praeoc.)  
 148. *grandis* Cart. . . . . . . . . . . . . . . . . . . Cooktown, Q.  
 149. *tasmanica* Champ., Ent. Soc. Lond., 1894, p. 370 . . . . . N.S.W., T

- MESOTRETTIS*. Bates, Ent. Mo. Mag., 1872, p. 151.  
 150. *ferruginea* Bates, l.e., p. 151 . . . . . Albany, W.A.  
 151. *inconstans* Lea, Roy. Soc. S. Aus., 1917, p. 156 . . . Geraldton, W.A.

- LATHETICUS*. Waterh., Ann. Mag. Nat. Hist., 1880, p. 147.  
 152. *oryzae* Waterh., l.c., p. 148 . . . . . Cosmopolitan.

- TRIBOLIUM*. Macl., Ann. Jav., 1825, p. 47.  
*Margus* Redt., Gatt., 1845, p. 127.  
*Stene* Steph., Ill. Brit. Ins., 1832, p. 9.

153. *confusum* Jacq. du Val., Gen. Col. d'Europe Cat., 1868, p. 181.  
 . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . Cosmopolitan.

- ferrugineum* Muls., Col. Fr. Latigènes, 1854, p. 244.  
 154. *myrmecophilum* Lea, Roy. Soc. Vic., 1904, p. 383 . . . . . V.

155. *ferrugineum* F., Mant. Ins., 1787, p. 212 . . . . . Cosmopolitan  
*bifoveolatum* Duft., Fn. Anst., 1812, p. 304.  
*castaneum* Herbst., Käf., 1797, p. 282.  
*navale* Herbst., l.c., 1792, p. 138.  
*rubens* Cast., Hist. Nat. 1840, p. 220.  
*testaceum* F., Ent. Syst. Suppl., 1798, p. 179.

- PALORUS*. Muls., Col. Fr. Latigènes, 1854, p. 250.  
 156. *austrinus* Champ., Ent. Mo. Mag., 1896, p. 30 . . . . . Damma Isl.  
 157. *depressus* F., Skrifter Naturh. Selsk., 1790 . . . . . Cosmopolitan.

*unicolor* Ol., Ent. ii., 1790, p. 12.

158. *cuteermophilus* Lea, Mem. Q. Mus., 1921, p. 216 . . . . . Townsville, Q.  
 159. *pygmaeus* (*Aethosus*) Cart., Roy. Soc. S. Aus., 1914, p. 225 . . . Q.  
 160. *ratzeburgi* Wissm., Stett. Ent. Zeit., 1848, p. 77 . . . . . Cosmopolitan.

- ULOMA*. Cast., Hist. Nat. 1840, p. 219.  
 ? *Melasia* Muls., Opnse. Ent., 1856, p. 160.

- Prioscelida* White Voy. Ereb. and Terror, 1846, p. 11.  
*Aethosus* Pase., Jour. Ent., 1863, p. 42.

161. *brunnea* Cart., Linn. Soc. N.S.W., 1906, p. 251 . . . . . N.S.W.

162. *latior* Cart. . . . . Kurrajong, N.S.W.  
 163. *ovalis* Perroud, Soc. Linn. Lyon., 1864, p. 121 . . . N.S.W., V., T.  
 164. *sanguinipes* (*Tenebrio*) F., Sys. Ent., p. 256 . . . Q., N.S.W., V.  
     *consentanea* Perroud, Soc. Linn. Lyon., 1864, p. 119.  
     *depressa* Pasc., Jour. Ent., 1866, p. 454.  
     *laticornis* (*Aethosus*) Pasc., Ann. Mag. Nat. Hist., 1869, p. 294.  
 165. *westwoodi* (*Aethosus*) Pasc., Jour. Ent., 1863, p. 43 (pl. xvi., f. 11)  
     . . . . . Q., N.S.W., V., T.  
**ULOMOIDES.** Blackb., Roy. Soc. S. Aus., 1888, p. 274.  
 166. *humeralis* Blackb., i.e., p. 274 . . . . . S.A.  
 167. *macleayi* Cart. . . . . N.W.A.  
**ALPHITOBIUS.** Steph., Ill. Brit. Ent., 1832, p. 11.  
     *Cryptops* Sol., Hist. Chile, 1851, p. 235.  
     *Heterophaga* Redt., Gatt., 1845, p. 127.  
     *Microphyges* Macl., Ent. Soc. N.S.W., 1872, p. 286.  
 168. *blairi* Cart., Linn. Soc. N.S.W., 1920, p. 224 . . . . . Townsville, Q.  
 169. *diaperinus* Panz., Fn. Germ., 1797, p. 16 . . . . . Cosmopolitan.  
     *mauritanicus* Curt., Brit. Ent., viii., p. 16.  
     *opatroides* Brll., Ins. Canar., 1838, p. 70.  
 170. *laevigatus* (*Opatrum*) F., Spec. Ins., I., p. 90 . . . . . Cosmopolitan.  
     ? *mauritanicus* F., Ent. Syst., 1792, p. 113.  
     ? *oryzae* Herbst., Käf., 1799, p. 18.  
     *piceus* Ol., Encycl. Meth., 1792, p. 50.  
     *picipes* Steph., Ill. Brit. Ent., 1832, p. 11.  
     *rufipes* (*Microphyges*) Macl., Ent. Soc. N.S.W., 1872, p. 286.  
     *granivorus* Muls. et God., Soc. Linn. Lyon., 1868, p. 288.  
     *striatulus* Fairm., Soc. Ent. Fr., 1869, p. 231.  
 171. *torridus* Cart., Linn. Soc. N.S.W., 1911, p. 208 . . . . . N.Q.  
 172. *xamiaphila* Cart., i.e., 1920, p. 225 . . . . . N.A.  
**DIACLINA.** Jacq. du Val., Gen. Col. d'Eur., iii., 1861, p. 296.  
 173. *nitida* (*Heterocheira*) Cart., Linn. Soc. N.S.W., 1908, p. 405 . . . N.Q.  
     *immaculata* Geb., Exp. Sc. Néerland, New Guinée, 1920.  
**SITOPHAGUS.** Muls., Col. Fr. Latigènes, 1854, p. 264.  
 174. *hololeptoides* Cast., Hist. Nat., ii., 1840, p. 220 . . . . . Cosmopolitan.  
     *castaneus* Reitt., Mittb. Münch. Ent., 1877, p. 9.  
     *farinarius* Woll., Ann. Mag. Nat. Hist., 1858, p. 414.  
**HYPOPHLOEUS.** F., Skr. Nat. Selsk., 1790.  
     *Corticetus* Crotch., Ent. Soc. Lond., 1870, p. 46.  
 175. *australis* Champ., Ent. Soc. Lond., 1894, p. 369 . . . . . N.W.A.  
**MICRULOMA.** Cart., Linn. Soc. N.S.W., 1919, p. 146.  
 176. *minuta* (*Aethosus*) Cart., i.e., 1906, p. 252 . . . . . N.S.W.  
**MICROCILIBE.** Cart., Linn. Soc. N.S.W., 1919, p. 147.  
 177. *castanea* Cart., i.e., p. 147 . . . . . Mt. Wilson, N.S.W.  
**BRACHYCILIBE.** Cart., i.e., 1911, p. 207.  
 178. *tasmanica* Cart., i.e., 1919, p. 148 . . . . . Wilmot, Tas.  
     [N.B.—The genotype is *B. antennata* Cart. from Lord Howe Island.]  
**THORICTOSOMA.** Lea, Roy. Soc. S. Aus., 1919, p. 257.  
 179. *cremogaster* Lea . . . . . W.A.  
 180. *ectatommae* Lea, i.e., p. 258 . . . . . W.A.  
 181. *tibiale* Lea, i.e., p. 259 . . . . . W.A.  
**TYPHLULOMA.** Lea, Linn. Soc. N.S.W., 1911, p. 475.  
 182. *inops* Lea, i.e., p. 475 . . . . . Q.

## Subfamily HELAEINAE.

*ENCARA*. Gemm. Col. Hefte, vi., 1870, p. 124.

*Eucephalus* Breme, Mon., p. 23.

- 183. *camelum* Cart., Linn. Soc. N.S.W., 1911, p. 188 . . . Berowra, N.S.W.
- 184. *floccosum* Pasc., Ann. Mag. Nat. Hist., 1870, p. 100 . . . N.S.W., Q.
- 185. *lacordairei* Mael., Linn. Soc. N.S.W., 1888, p. 519 . . Illawarra, N.S.W.
- 186. *latum* Cart., l.c., 1910, p. 115 . . . . . N.W.A.
- 187. *uigrum* Cart., l.c., 1905, p. 178 . . . . . N.S.W.
- 188. *submaculatum* Breme, Mon., p. 25 . . . . . N.S.W.
- 189. *westwoodii* Boisd., Voy. Astrol., 1835, p. 262 . . . . . N.S.W., Q.
- gibbosum* Breme, Mon., p. 23.

*PTEROHELAEUS*. Breme, Mon., 1842, p. 27.

- 190. *acuticollis* Mael., Linn. Soc. N.S.W., 1888, p. 523 . . . . . Q.
- 191. *agonus* Pasc., Jour. Ent., 1866, p. 461 . . . . . S.A.
- 192. *alternatus* Pasc., Ann. Mag. Nat. Hist., 1869, p. 284 . . . . . Q.
- 193. *arcanus* Pasc., l.c., 1870, p. 98 . . . . . Q.
- 194. *asellus* Pasc., l.c., p. 99 . . . . . N.S.W., Q.
- 195. *assimilis* Cart., Linn. Soc. N.S.W., 1922, p. 73 . . . . . Ravenshoe, Q.
- 196. *bagotensis* Blackb., Horn. Exp., 1896, p. 274 . . . . . C.A.
- 197. *bremei* Mael., Ent. Soc. N.S.W., 1872, p. 281 . . . . . Q.
- 198. *brericoruis* Blackb., Roy. Soc. S.A., 1907, p. 292 . . . . . W.A.
- 199. *broadhursti* Lea, Linn. Soc. N.S.W., 1896, p. 285 . . . . . W.A.
- 200. *bullatus* Pasc., Jour. Ent., 1866, p. 462 . . . . . V., N.S.W., Q.
- 201. *cereus* Mael., Linn. Soc. N.S.W., 1888, p. 545 . . . . . W.A.
- 202. *confusus* Mael., Ent. Soc. N.S.W., 1872, p. 283 . . . . . Q.
- 203. *convexusculus* Mael., Linn. Soc. N.S.W., 1888, p. 549 . . . . . N.S.W.
- 204. *cornutus* Mael., l.c., p. 522 . . . . . Q.
- 205. *costatus* Mael., l.c., p. 526 . . . . . N.A.  
      *nigricornis* Champ., Ent. Soc. Lond., 1894, p. 382.
- 206. *crenulatus* Mael., Linn. Soc. N.S.W., 1888, p. 534 . . . . . N.A.
- 207. *cylindricus* Cart., Roy. Soc. S. Aus., 1914, p. 373 . . . Rockhampton, Q.
- 208. *darlingensis* Cart., Linn. Soc. N.S.W., 1919, p. 149 . . . Bourke, N.S.W.
- 209. *darwiniensis* Mael., l.c., 1888, p. 527 . . . . . N.A.
- 210. *depressiusculus* Mael., Linn. Soc. N.S.W., 1888, p. 533 . . . . . S.A.
- 211. *dispar* Pasc., Ann. Mag. Nat. Hist., 1869, p. 286 . . . . . W.A.  
      *abdominalis* Lea, Linn. Soc. N.S.W., 1896, p. 286.
- 212. *dispersus* Mael., Linn. Soc. N.S.W., 1888, p. 549. Murray R., N.S.W., S.A.  
      *fraternus* Blackb., Roy. Soc. S. Aus., 1895, p. 51.  
      ? *ovalis* Blackb., l.c., 1887, p. 281.
- 213. *elongatus* Mael., Ent. Soc. N.S.W., 1872, p. 282 . . . . . Gayndah, Q.
- 214. *geminatus* Blackb., Linn. Soc. N.S.W., 1891, p. 153 . . . . . S.A., W.A.  
      *sub-punctatus* Cart., l.c., 1911, p. 182.
- 215. *gilesi* Cart., l.c., 1919, p. 150 . . . . . Broome, W.A.
- 216. *gracilicornis* Blackb., Roy. Soc. S. Aus., 1907, p. 291 . . . . . W.A.
- 217. *granulatus* Germ., Linn. Ent., 1848, p. 197 . . . . . S.A.
- 218. *granuliger* Mael., Linn. Soc. N.S.W., 1888, p. 537 . . . . . N.S.W., Vic.
- 219. *guerini* Breme, Mon., 1842, p. 36 . . . . . W.A.  
      *ventralis* Blackb., Roy. Soc. S. Aus., 1907, p. 291.
- 220. *hackeri* Cart., Linn. Soc. N.S.W., 1922, p. 74 . . . . . Nat. Park, Q.
- 221. *insignis* Blackb., Roy. Soc. S. Aus., 1887, p. 277 . . . . . S.A.
- 222. *insularis* Breme, Mon., 1842, p. 30 . . . . . N.A.
- 223. *interruptus* Cart., Linn. Soc. N.S.W., 1920, p. 227 . . . Kimberley, W.A.

224. *kollari* Breme, Mon., 1842, p. 32 . . . . . W.A.  
 225. *taticollis* Pasc., Ann. Mag. Nat. Hist., 1869, p. 285 . . . . . N.S.W.  
 226. *litigiosus* Pasc., i.e., p. 283 . . . . . Sydney, N.S.W.  
 227. *minimus* Pasc., i.e., p. 284 . . . . . S.A.  
 228. *nitidissimus* Pasc., i.e., p. 282 . . . . . S.A.  
 229. *nitidiusculus* Macl., Linn. Soc. N.S.W., 1888, p. 538 . . . . . S.A.  
 230. *nitiduloides* Cart., i.e., 1908, p. 406 . . . . . Blue Mts., N.S.W.  
 231. *nodicostis* Cart., i.e., 1920, p. 228 . . . . . Moree, N.S.W.  
 232. *nodosus* Cart., i.e., 1910, p. 123 . . . . . N.A.  
 233. *obliteratus* Macl., i.e., 1888, p. 548 . . . . . Q.  
 234. *oblongus* Cart., i.e., 1920, p. 228 . . . . . Blue Mts., N.S.W.  
 235. *opacus* Cart., Roy. Soc. S. Aus., 1914, p. 374 . . . Rockhampton, Q.  
 236. *opatroides* Macl., Linn. Soc. N.S.W., 1888, p. 544 . . . . . N.S.W.  
 237. *ovulum* Haag, Verk. Ver. Naturw. Untem. Hamburg, 1878, p. 97 . . Q.  
 238. *parallelus* Breme, Mon., 1842, p. 33 . . . . . W.A.  
 239. *parvipunctatus* Cart., Linn. Soc. N.S.W., 1921, p. 312 . . Camooweal, Q.  
 240. *peltatus* Er., Arch. Naturg., 1842, p. 175 . . . . . V., T.  
 241. *persculptus* Cart., Linn. Soc. N.S.W., 1922, p. 74 . . . . . A.  
 242. *planus* Bless., Hor. Soc. Ent. Ross., 1861, p. 90 . . . . . N.S.W., V.  
     *hepaticus* Pasc., Ann. Mag. Nat. Hist., 1869, p. 285.  
     *peltoioides* Macl., Linn. Soc. N.S.W., 1888, p. 546.  
 243. *piceus* Kirby, Linn. Soc. Lond., 1818, p. 468 . . . Q., N.S.W., V., S.A.  
     *pascoci* Macl., Ent. Soc. N.S.W., 1872, p. 282.  
     *pruinosis* Pasc., Jour. Ent., 1866, p. 461.  
 244. *politius* Cart., Linn. Soc. N.S.W., 1911, p. 185 . . . . . W.A.  
 245. *puer* Blackb., Roy. Soc. S. Aus., 1907, p. 291 . . . . . Yalgoo, W.A.  
 246. *puncticollis* Cart., Linn. Soc. N.S.W., 1910, p. 121 . . . . . N.W.A.  
 247. *punctipennis* Macl., i.e., 1888, p. 544 . . . . . Q.  
 248. *pusillus* Macl., i.e., p. 540 . . . . . Q.  
 249. *raucus* Blackb., i.e., 1889, p. 1226 . . . . . N.A.  
 250. *regularis* Blackb., Roy. Soc. S. Aus., 1907, p. 291 . . . . . N.S.W.  
 251. *reichei* Breme, Mon., 1842, p. 35 . . . . . T.  
 252. *rubescens* Cart., Roy. Soc. S. Aus., 1914, p. 372 . . . . . S.Q.  
 253. *septemcostatus* Cart., Linn. Soc. N.S.W., 1910, p. 120 . . . . . N.A.  
 254. *sericeus* Cart., i.e., 1915, p. 533 . . . . . S.Q.  
 255. *servus* Pasc., Jour. Ent., 1866, p. 462 . . . . . V.  
 256. *silphoides* Breme, Mon., 1842, p. 42 . . . . . N.Q.  
 257. *simplicicollis* Blackb., Roy. Soc. S. Aus., 1907, p. 291 . . . . . S.A.  
 258. *sinuaticollis* Macl., Linn. Soc. N.S.W., 1888, p. 526 . . . C. York, N.Q.  
 259. *solidus* Cart., i.e., 1910, p. 117 . . . . . Rockhampton, Q.  
 260. *spinicollis* Macl., i.e., 1888, p. 523 . . . . . Cooktown, Q.  
 261. *squalidus* Macl., i.e., p. 534 . . . . . Mt. Chalmers, Q.  
 262. *sternalis* Cart., i.e., 1911, p. 183 . . . . . S.Q.  
 263. *subcostatus* Cart., i.e., p. 182 . . . . . Brunswick R., N.S.W.  
 264. *subgeminatus* Macl., i.e., 1888, p. 537 . . . . . S.A.  
 265. *sublaevis* Cart., i.e., 1911, p. 187 . . . . . W.A.  
 266. *thymaloides* Macl., i.e., 1888, p. 549 . . . . . S.A.  
 267. *tristis* Germ., Linn. Ent., 1848, p. 197 . . . . . S.A., W.A.  
     *memnonius* Pasc., Jour. Ent., 1866, p. 462.  
     *tenuistriatus* Lea, Linn. Soc. N.S.W., 1897, p. 586.  
 268. *undulatus* Cart., i.e., 1910, p. 118 . . . . . S.Q.  
 269. *vestitus* Cart., Roy. Soc. S.A., 1914, p. 375 . . . . . S.A.

270. *vicarius* Pase., Ann. Mag. Nat. Hist., 1869, p. 283 . . . . N.S.W., V.  
*glaber* Macl., Linn. Soc. N.S.W., 1888, p. 547.  
*ater* Blackb., Roy. Soc. S.A., 1887, p. 279.  
*? striato-punctatus* Boisd., Voy. Astrol., 1835, p. 266.
271. *walkeri* Breme, Mon., 1842, p. 27 . . . . . N.S.W., Q.  
*riverinae* Macl., Linn. Soc. N.S.W., 1888, p. 523.
- PEZOHELAEUS.** Geb., Res. Exp. Se. Néerl., N. Guinée, 1920, p. 282.
272. *denticollis* (*Pterohelaeus*) Cart., Roy. Soc. S.A., 1914, p. 371 . . . Q.  
273. *hirtus* (*Pterohelaeus*) Macl., Linn. Soc. N.S.W., 1888, p. 532 . . N.S.W.
- HELAEUS.** Latr., Règne Anim., iii., 1817, p. 301.
274. *approximatus* Cart., Linn. Soc. N.S.W., 1910, p. 100 . . . . W.A.  
275. *bimarginatus* Cart., Roy. Soc. S. Aus., 1914, p. 376 . . . L. Austin, W.A.  
276. *brevicostatus* Blackb., Linn. Soc. N.S.W., 1889, p. 865 . . Broken Hill.  
277. *browni* Kirby, Trans. Linn. Soc., 1818, p. 467 . . . . . W.A.  
278. *castor* Pase., Jour. Entom., 1866, p. 464 . . . . . V., S.A., W.A.  
279. *colossus* Breme, Mon., 1842, p. 59 . . . . . Q., N.S.W., V.  
280. *comatus* Cart., Linn. Soc. N.S.W., 1910, p. 101 . . . . . W.A.  
281. *con junctus* Lea, Roy. Soc. S. Aus., 1917, p. 577 . . . . Ooldea, S.A.  
282. *consularis* Pase., Jour. Entom., 1866, p. 463 . . . . Kellerberrin, W.A.  
283. *crenatipeurus* Cart., Linn. Soc. N.S.W., 1910, p. 114 . . . . . N.A.  
284. *cycliformis* Cart., Roy. Soc. S. Aus., 1914, p. 377 . . . L. Austin, W.A.  
285. *debilis* Blackb., l.e., 1892, p. 42 . . . . . Cue, W.A.  
286. *derbyensis* Macl., Linn. Soc. N.S.W., 1888, p. 648 . . . . . N.W.A.  
287. *echidna* White, Voy. Capt. Grey, 1841, App., p. 464 . . . . . S.W.A.  
288. *ellipticus* Lea, Linn. Soc. N.S.W., 1897, p. 586 . . . . . W.A.  
289. *elongatus* Blackb., l.e., 1889, p. 1267 . . . . . Kalgoorlie, W.A.  
290. *frenchi* Cart., l.e., 1910, p. 112 . . . . . Phillips R., W.A.  
291. *fulvohirtus* Lea, l.e., 1896, p. 288 . . . . . Dongarra, W.A.  
292. *georgei* Cart., l.e., 1910, p. 103 . . . . . Albany, W.A.  
293. *gilesi* Cart., l.e., 1910, p. 104 . . . . . Perth, W.A.  
294. *granulatus* Lea, l.e., 1896, p. 289 . . . . . Mullewa, W.A.  
295. *haagi* Dohru, Stett. Ent. Zeit., 1881, p. 314 . . . . . S.A.  
296. *hamlyni* Cart., Linn. Soc. N.S.W., 1911, p. 192 . . . . Alice R., Q.  
297. *hopei* Breme, Mon., 1842, p. 68 . . . . . N.A.  
298. *ingens* Blackb., Roy. Soc. S. Aus., 1892, p. 43 . . . . Tareoola, S.A.  
299. *interioris* Macl., Linn. Soc. N.S.W., 1888, p. 639 . . . . Darling R.  
300. *intermedius* Breme, Mon., 1842, p. 61 . . . . . Port Augusta, S.A.  
301. *latifolius* Cart., Linn. Soc. N.S.W., 1920, p. 229 . . Margaret R., W.A.  
302. *lubricus* Blackb., Roy. Soc. S. Aus., 1892, p. 42 . . . L. Austin, W.A.  
303. *macleayi* Breme, Mon., 1842, p. 65 . . . . . Albany, W.A.  
304. *mastersi* Pase., Ann. Mag. Nat. Hist., 1870, p. 99 . . . Salt R., W.A.  
305. *modicus* Blackb., Roy. Soc. S. Aus., 1899, p. 39 . . . . . S.A.  
306. *moniliferus* Pase., Jour. Ent., 1866, p. 463 . . . . S.A., N.W. Vie.  
307. *occidentalis* Cart., Linn. Soc. N.S.W., 1910, p. 106 . . . . Shark B., W.A.  
308. *opacicollis* Cart., l.e., p. 109 . . . . . Perth, W.A.  
309. *ovatus* Guér., Voy. Coq., 1830, p. 105 . . . . . N.S.W. Vie.  
var. *echinatus* Hope, Ent. Soc. Lond., 1848, p. 54.  
var. *horridus* Blackb., Linn. Soc. N.S.W., 1889, p. 866.
310. *pallidus* Macl., l.e., 1888, p. 640 . . . . . S.A.  
311. *perforatus* Latr., Règne Anim., 1829, p. 32 . . . . . W.A.  
var. *Kirbyi* Breme, Mon., 1842, p. 57.  
var. *Spencei* Breme, l.e., p. 53.  
var. *Spinolae* Hope, Ent. Soc. Lond., 1848, p. 53.

312. *perroni* Boisd., Voy. Astrol., 1835, p. 259 . . . . S.A., Kangaroo Is.  
     *falcatus* Pase., Jour. Ent., 1866, p. 464.
313. *princeps* Hope, Ent. Soc. Lond., 1848, p. 52 . . . . . . . . S.A.  
     *aridus* Blackb., Roy. Soc. S. Aus., 1892, p. 41.
314. *rugosipennis* Cart., Linn. Soc. N.S.W., 1910, p. 107 . . Bridgetown, W.A.
315. *scaphiformis* Blackb., Roy. Soc. S. Aus., 1899, p. 38 . . . . . . . . S.A.
316. *sparsus* Cart., Linn. Soc. N.S.W., 1910, p. 110 . . . . . . . . Onslow, W.A.
317. *spinifer* Cart., i.e., 1910, p. 98 . . . . . . . . . . . . . . W.A.
318. *squamulosus* Pase., Ann. Mag. Nat. Hist., 1869, p. 286. Murray R., Vic.  
     . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . and S.A.
319. *subseriatus* Blackb., Roy. Soc. S. Aus., 1892, p. 40 . . . . Nungarra, W.A.
320. *tuberculatus* Breme, Mon., 1842, p. 71 . . . . . . . . . . . . . . N.S.W.
321. *waitei* Lea, Roy. Soc. S. Aus., 1917, p. 578 (pl. xvi., f. 12) Ooldea. S.A.
- SYMPETES.* Pase., Jour. Ent., 1866, p. 464.
322. *acutifrons* Lea, Linn. Soc. N.S.W., 1896, p. 290 . . . . Geraldton, W.A.
323. *bicolor* Cart., i.e., 1910, p. 83 . . . . . . . . . . . . Shark Bay, W.A.
324. *bremei* Hope, Ent. Soc. Lond., 1848, p. 54 . . . . . . . . . . . . W.A.  
     *duboulayi* Pase., Jour. Ent., 1866, p. 466.
325. *browni* Cart., Linn. Soc. N.S.W., 1919, p. 152 . . . . . . . . Cue, W.A.
326. *denticeps* Cart., i.e., 1911, p. 191 . . . . . . . . . . . . Shark Bay, W.A.
327. *depressus* Cart., i.e., 1919, p. 153 . . . . . . . . . . . . Geraldton, W.A.
328. *excisifrons* Cart., i.e., 1910, p. 86 . . . . . . . . . . . . Onslow, W.A.
329. *gagates* Breme, Mon., 1842, p. 52 . . . . . . . . . . . . Perth, W.A.  
     *contractus* Hope, Ent. Soc. Lond., 1848, p. 53.  
     *tricostellus* Breme, Mon., 1842, p. 53
330. *orbicularis* Breme, i.e., p. 51 . . . . . . . . . . . . Perth, W.A.
331. *patelliformis* Pase., Ann. Mag. Nat. Hist., 1870, p. 100 . . . . Perth, W.A.
332. *quadratus* Cart., Linn. Soc. N.S.W., 1910, p. 84 . . . . Shark Bay, W.A.
333. *rotundatus* Breme, Mon., 1842, p. 50 . . . . . . . . . . . . W.A.
334. *subrugosus* Breme, i.e., p. 49 . . . . . . . . . . . . Perth, W.A.
335. *testudineus* Hope, Ent. Soc. Lond., 1848, p. 53 . . . . . . . . . . . . N.W.A.  
     *undulatus* Lea, Linn. Soc. N.S.W., 1896, p. 291.
336. *tricostellus* White, Voy. Capt. Grey, 1841, p. 464 . . . . Albany, W.A.,  
     *macleayi* Pase., Jour. Ent., 1866, p. 465.
337. *unicarinatus* Boisd., Voy. Astrol., 1835, p. 265 . . . . Kangaroo Isl.
- SARAGUS.* Er., Arch. Naturg., 1842, p. 171.
338. *addendus* Blackb., Horn. Exp., 1896, p. 275 . . . . . . . . C.A.
339. *australis* Boisd., Voy. Astrol., 1835, p. 263 . . . . . . . . N.S.W., V.
340. *bicarinatus* Champ., Ent. Soc. Lond., 1894, p. 385 . . . . . . . . N.W.A.
341. *blackburni* Mael., Linn. Soc. N.S.W., 1888, p. 656 . . . . . . S.A. & V.
342. *brunnipes* Boisd., Voy. Astrol., 1835, p. 264 . . . . Albany, W.A. & S.A.  
     *marginatus* Sol., Stud. Ent., 1848, p. 356.  
     *brunnipennis* Mael., Linn. Soc. N.S.W., 1888, p. 670.  
     *macleayi* Blackb., i.e., 1889, p. 871.
343. *carinatus* Breme, Mon., 1842, p. 41 . . . . . . . . Eucla, S.A.
344. *catenulatus* Mael., Linn. Soc. N.S.W., 1888, p. 658 . . . . . . . . N.S.W.
345. *clathratus* Mael., i.e., p. 663 . . . . . . . . Fitzroy Downs, Q.
346. *confirmatus* Pase., Ann. Mag. Nat. Hist., 1870, p. 102 . . . . . . W.A.
347. *convexicollis* Mael., Linn. Soc. N.S.W., 1888, p. 656 . . . . . . S.A.
348. *convexus* Cart., i.e., 1919, p. 153 . . . . . . Cambo, Cambo., N.S.W.
349. *costatus* Sol., Stud. Entom., 1848, p. 355 . . . . N.S.W., V., T., S.A.  
     *laevicollis* Breme, Mon., p. 44.  
     *laevicollis* Mael., Mon., p. 657.

350. *crenulatus* Macl., l.c., p. 663 . . . . . N.A.  
 351. *darwini* Lea, Linn. Soc. N.S.W., 1896, p. 284 . . . . Dongarra, W.A.  
 352. *emarginatus* Guér., Voy. Coq., 1830, p. 105 . . . . N.S.W., V.  
     *cassidoides* Boisd., Voy. Astrol., 1835, p. 265.  
 353. *ellipsoïdes* Cart., Linn. Soc. N.S.W., 1921, p. 313 . . . Cue, Kalgoorlie, W.A.  
 354. *frenchi* Cart., l.c., 1910, p. 128 . . . . . Eucla, S.A.  
 355. *geminatus* Macl., l.c., 1888, p. 668 . . . . . Guyra, N.S.W.  
 356. *illateralis* Cart., l.c., 1911, p. 202 . . . . . N.Q.  
 357. *inaequalis* Blackb., l.c., 1889, p. 867 . . . . . S.A.  
 358. *incisus* Pasc., Ann. Mag. Nat. Hist., 1870, p. 101 (pl. xvi., f. 13)  
     . . . . . Mudgee, N.S.W.  
 359. *infelix* Pase., Jour. Ent., 1866, p. 466 . . . . . T.  
 360. *interruptus* Boisd., Voy. Astrol., 1835, p. 264 . . . . . S.A.  
     *levicostatus* Macl., Linn. Soc. N.S.W., 1888, p. 659.  
 361. *intricatus* Champ., Ent. Soc. Lond., 1894, p. 386 . . . . . N.W.A.  
 362. *laevicollis* F. (*Silpha*) Sys. Ent., p. 73 . . . . . Endeavour R., Q.  
     *reticulatus* Haag., Verh. Ver. Hamb., 1878, p. 97.  
 363. *laevis* Macl., Linn. Soc. N.S.W., 1888, p. 671 . . . N.S.W. & N.W.V.  
 364. *latus* Blackb., l.c., 1889, p. 869 . . . . . N.W.V., S.A.  
 365. *latipes* Cart., l.c., 1911, p. 201 . . . . . Bell, Q.  
 366. *limbatus* Pase., Ann. Mag. Nat. Hist., 1869, p. 287 . . . . . V.  
 367. *lugubris* Lea, Linn. Soc. N.S.W., 1897, p. 587 . . . Kimberley, W.A.  
 368. *luridus* Haag., Verh. Ver. Hamb., 1878, p. 97 . . . . . Q.  
     var. *interstitialis* Haag., l.c., p. 97.  
 369. *magister* Pase., Jour. Ent., 1866, p. 465 . . . . . N.S.W., Q.  
     *icarus* Cart., Linn. Soc. N.S.W., 1905, p. 177.  
 370. *marginellus* Hope, Ent. Soc. Lond., 1848, p. 55 . . . (?) Norfolk Sound.  
     *rudis* Macl., Linn. Soc. N.S.W., 1888, p. 659 . . . . N.S.W.  
 371. *mastersi* Cart., Linn. Soc. N.S.W., 1910, p. 126 . . . . . N.W.A.  
 372. *mediocris* Blackb., l.c., 1889, p. 870 . . . . . S.A.  
 373. *montanus* Cart., l.c., 1910, p. 127 . . . . . Blue Mts., N.S.W.  
 374. *novemcostatus* Cart., l.c., 1911, p. 198 . . . . . N.W.A.  
 375. *odewahni* Pase., Jour. Ent., 1866, p. 467 . . . . . S.A.  
     *lindi* Blackb., Linn. Soc. N.S.W., 1889, p. 868.  
 376. *opacipennis* Macl., l.c., 1888, p. 661 . . . . . N.W.A.  
 377. *ovalis* Macl., l.c., 1888, p. 661 . . . . . Gayndah, Q.  
 378. *pascoei* Macl., l.c., p. 669 . . . . . S.A.  
 379. *perlaevis* Cart., l.c. 1911, p. 200 . . . . . Carnarvon, W.A.  
 380. *pronus* Cart., l.c., 1921, p. 312 . . . . . Flat Rock, N.S.W.  
 381. *punctatus* Cart., l.c., 1924, p. 34 . . . . . Shoalhaven, N.S.W.  
 382. *rugosipennis* Macl., l.c., p. 664 . . . . . Monaro, N.S.W.  
 \*383. *rugosus* Boisd., Voy. Astrol., 1835, p. 264 . . . . . A.  
     (Unidentified in collections.)  
 384. *satelles* Blackb., Linn. Soc. N.S.W., 1889, p. 872 . . . Adelaide, S.A.  
 385. *simplex* Hope, Ent. Soc. Lond., 1848, p. 55 . . . . S.A., Wn. N.S.W.  
     *asidooides* Pasc., Jour. Ent., 1866, p. 465.  
 386. *sphaeroides* Cart., Linn. Soc. N.S.W., 1911, p. 204 . . . Shark Bay, W.A.  
 387. *striatipennis* Macl., l.c., 1888, p. 668 . . . . . Monaro, N.S.W.  
 388. *strigiventris* Lea, Roy. Soc. S. Aus., 1915, p. 795 . . Everard Range, C.A.  
 389. *subreticulatus* Cart., l.c., 1918, p. 703 . . . . . King R., N.A.  
 390. *substriatus* Cart., Roy. Soc. S. Aus., 1914, p. 378 . . Hunter R., N.S.W.  
 391. *tarsalis* Hope, Ent. Soc. Lond., 1848, p. 55 . . . . Port Lincoln, S.A.  
     *asperipes* Pasc., Ann. Mag. Nat. Hist., 1870, p. 101.

392. *tricarinatus* Blackb., Roy. Soc. S. Aus., 1892, p. 43 . . . . . C.A.  
 393. *wilsoni* Cart., Linn. Soc. N.S.W., 1925, p. 234 . . . . . (?) W.A.

## Subfamily NYCTOZOILINAE.

*DYSARCHUS*. Pase., Jour. Ent., 1866, p. 449.

*Saragodinus* Bates, Ent. Soc. Lond., 1872, p. 269.

394. *batesi* Haag., Jour. Mus. Godeffr., 1879, p. 117 . . . . . Q.  
 395. *duboulayi* Bates, Ent. Soc. Lond., 1872, p. 269 . . . . . W.A.  
 396. *howitti* Bates, l.c., p. 273 . . . . . W.A.  
 397. *irregularis* Cart., Linn. Soc. N.S.W., 1924, p. 537 . . . Stanthorpe, Q.  
 398. *odevahni* Pase., Jour. Ent., 1866, p. 449 . . . . . S.A.  
 399. *tuberculatus* Blackb., Linn. Soc. N.S.W., 1889, p. 873. Port Lincoln, S.A.

*ONOSTERRHUS*. Pase., Jour. Ent., 1866, p. 451.

*Hypocilibe* Bates, Ent. Soc. Lond., 1872, p. 275.

400. *acuticollis* Cart., Ann. Q'land Mus., 1911, p. 14 . . . . . N.W. Vic.  
 401. *batesi* Haag., Verh. Ver. Hamb., 1878, p. 99 . . . . . Q.  
 402. *bos* Cart., Ann. Q'land Mus., 1911, p. 17 (pl. xvi., f. 14) . . S.A., W.A.  
 403. *deanei* Cart., l.c., p. 21 . . . . . W.A.  
 404. *duboulayi* Cart., l.c., p. 19 . . . . . Kookynie, W.A.  
 405. *goudieci* Cart., l.c., p. 15 . . . . . N.W. Vic.  
 406. *impunctatus* Haag., Verh. Ver. Hamb., 1878, p. 99 . . Peak Downs, Q.  
 407. *kennedyi* Cart., Roy. Soc. S.A., 1914, p. 378 . . . . . E.A.  
 408. *laetus* Blackb., Linn. Soc. N.S.W., 1890, p. 567 . . . . . S.A.  
 409. *laevipennis* Haag., Verh. Ver. Hamb., 1878, p. 100 . . . . . N.A.  
 410. *laevis* Pase., Jour. Ent., 1866, p. 451 . . . . . W.A.  
 411. *lugubris* Blackb., Linn. Soc. N.S.W., 1890, p. 570 . . Port Lincoln, S.A.  
*inconspicuus* Blackb., l.c., p. 572.

412. *macleayi* Bates, Ent. Soc. Lond., 1872, p. 276 . . . . . S.Q.  
 413. *major* Blackb., Linn. Soc. N.S.W., 1890, p. 565 . . . Yilgarn, W.A.

*heroina* Blackb., Horn. Exp., 1896, p. 279.

414. *marginicollis* Bates, Ent. Soc. Lond., 1872, p. 277 . . . . . W.A.  
 415. *ooldensis* Cart., Linn. Soc. N.S.W., 1918, p. 704 . . . Ooldea, S.A.  
 416. *opacus* Bates, Ent. Soc. Lond., 1872, p. 278 . . . Champion Bay, W.A.  
 417. *parvus* Cart., Ann. Q'land. Mus., 1911, p. 13 . . . . . Kookynie, W.A.  
 418. *punctulatus* Bates, Ent. Mo. Mag., 1873, p. 51 . . . . . W.A.  
 419. *rotundatus* Blackb., Linn. Soc. N.S.W., 1890, p. 568 . . Lachlan R., N.S.W.  
 420. *sculpturatus* Blackb., l.c., p. 569 . . . . . N.S.W.  
 421. *sloanei* Blackb., l.c., 1894, p. 103 . . . . . Urana, N.S.W.  
 422. *socius* Cart., Ann. Q'land Mus., 1911, p. 22 . . . . . Nunga, Q.  
 423. *squamosus* Cart., l.c., p. 16 . . . . . Walgett, N.S.W.  
 424. *stepheni* Cart. (*Agasthenes*) Linn. Soc. N.S.W., 1909, p. 133 . . Forbes, N.S.W.

425. *vagepunctatus* Haag., Verh. Ver. Hamb., 1878, p. 99 . . . . . Q.  
 426. *veterinosus* Blackb., Roy. Soc. S. Aus., 1900, p. 140 . . Lake Eyre, S.A.  
 427. *vittatus* Blackb., Linn. Soc. N.S.W., 1895, p. 104 . . . . . Q.

*AGASTHENES*. Bates, Ent. Soc. Lond., 1873, p. 352.

428. *championi* Cart., Linn. Soc. N.S.W., 1910, p. 131 . . . . . S.A., W.A.  
 429. *frenchi* Cart., l.c., 1909, p. 131 . . . . . Murchison, W.A.  
 430. *westwoodi* Bates, Ent. Soc. Lond., 1873, p. 353 . . . . . S.A. & W.A.

*AMPHIANAX*. Bates, Ent. Soc. Lond., 1873, p. 350.

431. *subcoriaceus* Bates, l.c., p. 351 . . . . . N.W. Vic., Eucla, S.A.  
*goudieci* (*Agasthenes*) Cart., Linn. Soc. N.S.W., 1909, p. 129.  
*euelensis* (*Agasthenes*) Cart., l.c., 1910, p. 129.

- NYCTOZOILLUS.* Guér., Voy. Coquille, 1830, p. 92.
432. *approximatus* Blackb., Horn. Exp., 1896, p. 277 . . . . . C.A.  
 433. *carbonarius* Cart., Ann. Q'land Mus., 1911, p. 23 . . . . Yetholm, N.S.W.  
 434. *carlovillensis* Cart., Linn. Soc. N.S.W., 1922, p. 75 . . . Charleville, Q.  
 435. *crassicornis* Blackb., Horn. Exp., 1896, p. 276 . . . . . C.A.  
 436. *crassus* Cart., Linn. Soc. N.S.W., 1924, p. 35 . . . . Uralia, N.S.W.  
 437. *daemeli* Haag., Verh. Verh. Hamb., 1878, p. 98 . . . . Peak Downs, Q.  
 438. *denticollis* Cart., Linn. Soc. N.S.W., 1921, p. 314 . . . Stanthorpe, Q.  
 439. *deyrollei* Bates, Ent. Soc. Lond., 1873, p. 348 (pl. xvi., f. 15) . . . . .  
     . . . . . Fern Hills, V.  
 440. *hardcastlei* Cart., Ann. Q'land Mus., 1911, p. 24 . . . Cunnemulla, Q.  
 441. *inaequalis* Blackb., Horn. Exp., 1896, p. 277 . . . . . C.A.  
 442. *irregularis* Blackb., l.c., p. 278 . . . . . Alice Springs, C.A.  
 443. *lateralis* Cart., Linn. Soc. N.S.W., 1925, p. 235 . . . . Yeppoon, Q.  
 444. *macleayi* Cart. . . . . Coonabarabran, N.S.W.  
 445. *marginatus* Cart., Linn. Soc. N.S.W., 1921, p. 315 . . . Wyreema, Q.  
 446. *mastersi* Mael., Ent. Soc. N.S.W., 1872, p. 284 . . . . Gayndah, Q.  
 447. *obesus* Guér., Voy. Coqu., 1830, p. 93 . . . . . S.Q.  
 448. *parvus* Cart., Linn. Soc. N.S.W., 1917, p. 705 . . . . Townsville, Q.  
 449. *puncto-costatus* Cart., l.c., 1921, p. 314 . . . . Wyndham, N.W.A.  
 450. *pusillus* Cart., l.c., 1924, p. 35 . . . . . Rockhampton, Q.  
 451. *reticulatus* Bates, Ent. Soc. Lond., 1872, p. 274 . . . . . N.S.W.  
 452. *ruficornis* Cart., Ann. Q'land Mus., 1911, p. 28 . . . . Camooweal, Q.  
 453. *sexostatus* Champ., Ent. Soc. Lond., 1894, p. 388 . . . . N.W.A.  
 454. *vermiculatus* Cart., Ann. Q'land Mus., 1911, p. 26 . . . Augathella, Q.
- ONONYCTUS.* Cart., Roy. Soc. S. Aus., 1914, p. 382.
455. *sulcatus* Cart., l.c., p. 383 . . . . . Narrabri, N.S.W.
- AETHALIDES.* Bates, Ent. Mo. Mag., 1873, p. 50.
456. *costipennis* Cart., Linn. Soc. N.S.W., 1909, p. 135 . Cootamundra, N.S.W.  
 457. *coxi* Cart., Roy. Soc. S. Aus., 1914, p. 380 . . . Wallomboni, N.S.W.  
 458. *decemcostata* Cart., Linn. Soc. N.S.W., 1909, p. 138 . Grampians, V.  
 459. *marginicollis* Cart., l.c., p. 136 . . . . . N.W.V.  
 460. *punctipennis* Bates, Ent. Mo. Mag., 1873, p. 51 . . . Murray R., V.  
 461. *stepheni* Cart., Roy. Soc. S. Aus., 1914, p. 379 . . . Howell, N.S.W.
- STYRUS.* Bates, Ent. Soc. Lond., 1873, p. 348.
462. *batesi* Haag., Verh. Verh. Hamb., 1878, p. 98 . . . . . Q.  
     *elongatus* Bates, Ent. Soc. Lond., 1873, p. 350.
463. *clathrides* Blackb., Linn. Soc. N.S.W., 1890, p. 573 . . . . V.  
 464. *elongatus* Mael., Ent. Soc. N.S.W., 1872, p. 284 . . . N.S.W. & S.Q.  
 465. *latior* Cart., Linn. Soc. N.S.W., 1909, p. 127 . . . . Walcha, N.S.W.  
 466. *puncticollis* Cart., l.c., 1919, p. 156 . . . . . Capertee, N.S.W.
- BYALLIUS.* Pase., Ann. Mag. Nat. Hist., 1869, p. 42.
467. *angustatus* Cart., Linn. Soc. N.S.W., 1925, p. 236 . . . Nerriga, N.S.W.  
 468. *kosciuskoanus* Cart., Linn. Soc. N.S.W., 1908, p. 412. Kosciusko, N.S.W.  
 469. *laticollis* Cart., Roy. Soc. S. Aus., 1914, p. 385 . . . . Cooma, N.S.W.  
 470. *mastersi* Cart., Linn. Soc. N.S.W., 1909, p. 139 . Condobolin, N.S.W.  
 471. *ovensis* Cart., l.c., p. 139 . . . . . Bright, V.  
 472. *punctatus* Cart., l.c., 1919, p. 158 . . . . . Cunningham, V.  
 473. *reticulatus* Pase., Ann. Mag. Nat. Hist., 1869, p. 43 . . . Gippsland, V.  
 474. *revolutus* Cart. (*Styrus*) Roy. Soc. S. Aus., 1914, p. 381 . . . Marmor, Q.
- ONOGLYPTA.* nom. nov.
- aglypta* Gebien, Fn. Südw. Aus., 1908, p. 329.
475. *gebieni* Cart., Ann. Q'land Mus., 1911, p. 29 . . . . Kookynie, W.A.

476. *octocostata* Geb., Fn. Sudw. Aus., 1908, p. 331 . . . Daydawn, W.A.  
*ONOTRICHUS*. Cart., Ann. Q'land Mus., 1911, p. 30.  
 477. *lateralis* Cart., i.e., p. 31 . . . . . Shark Bay, W.A.  
 478. *minor* Cart., Roy. Soc. S. Aus., 1914, p. 384 . . . . . Cne, W.A.  
*TRICHOOSARAGUS*. Blackb., Linn. Soc. N.S.W., 1889, p. 1269.  
 1269.  
 479. *pilosellus* Blackb., i.e., p. 1271 . . . . . Yorke Pen., S.A.

## Subfamily COSSYPHINAE.

- COSSYPHUS*. Ol., Ent., iii, 1795, p. 1.  
 480. *odevwahni* Pase., Jour. Ent., 1866, p. 468 . . . . . N.S.W., S.A.

## Subfamily BRISEINAE.

- BRISES*. Pase., Ann. Mag. Nat. Hist., 1869, p. 145.  
*Ephidionius* Pase., i.e., p. 151.  
 481. *acuticornis* Pase. (*Ephidionius*) i.e., p. 152 . . . . . S.A.  
 482. *blairi* Cart., Linn. Soc. N.S.W., 1914, p. 58 (pl. xvii., f. 19) C. and N.A.  
 483. *duboulayi* Bates (*Ephidionius*) Ent. Soc. Lond., 1872, p. 279 . . . . .  
 . . . . . Champion Bay, W.A.  
 484. *granulatus* Cart., Linn. Soc. N.S.W., 1921, p. 316. Broken Hill, N.S.W.,  
 . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . S.A.  
 485. *parvicollis* Blackb. (*Ephidionius*) Roy. Soc. S. Aus., 1895, p. 52 . . C.A.  
 486. *trachynotoides* Pase., Ann. Mag. Nat. Hist., 1869, p. 146 . . S.A., W.A.

## Subfamily TENEBRIONINAE.

- SLOANEA*. Cart., Linn. Soc. N.S.W., 1916, p. 209.  
 487. *costata* Cart., i.e., p. 210 (pl. xvii., f. 17) . . Mt. Barrington, N.S.W.  
*ASPHALUS*. Pase., Ent. Soc. Lond., 1868, p. 12.  
 488. *ebeinus* Pase., i.e., p. 12 . . . . . N.S.W., S.Q.  
 489. *striatus* Cart., Linn. Soc. N.S.W., 1911, p. 209 . . . . Gympie, Q.  
*HYPAULAX*. Bates, Ent. Soc. Lond., 1868, p. 259.  
*Chileone* Bates, i.e., p. 264.  
 490. *ampliata* Bates, Ann. Mag. Nat. Hist., 1874, p. 19 . . . . . W.A.  
 var. *Parryi* Bates, i.e., p. 20.  
 491. *deyrollei* Bates (*Chileone*) Ent. Soc. Lond., 1868, p. 264. Tenterfield,  
 . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . N.S.W.  
 492. *foveata* Cart., Linn. Soc. N.S.W., 1914, p. 59 (pl. xvii., f. 16)  
 . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . Tenterfield, N.S.W., & S.Q.  
 493. *insularis* Hope (*Platynotus*) Ent. Soc. Lond., 1842, p. 76 . . . . N.A.  
*iridescens* Blackb., Linn. Soc. N.S.W., 1888, p. 1432.  
 494. *interioris* Blackb., i.e., p. 1432 . . . . . McDonnell Ranges.  
 495. *marginata* Bates, Ent. Soc. Lond., 1868, p. 261 . . . . N.S.W., S.Q.  
*sinuaticollis* Bates, i.e., p. 261.  
*opacicollis* Mael., Ent. Soc. N.S.W., 1872, p. 285.  
 496. *nanus* Cart., Linn. Soc. N.S.W., 1921, p. 316 . . . . . N.A.  
 497. *opacula* Bates, Ann. Mag. Nat. Hist., 1874, p. 18 . . Rockhampton, Q.  
 498. *orcus* Pase., Jour. Ent., 1866, p. 453 . . . . . W.A. to Q.  
 var. *acutangula* Bates, Ann. Mag. Nat. Hist., 1874, p. 21.  
 499. *oralis* Bates, Ent. Soc. Lond., 1868, p. 263 . . . . . N.S.W., Q.  
*oblonga* Bates, i.e., p. 263.  
*gayndahensis* Mael., Ent. Soc. N.S.W., 1872, p. 284.  
 (?) *crenata* Boisd. (*Upis*) Voy. Astrol., 1835, p. 255.  
 500. *puncticollis* Cart., Linn. Soc. N.S.W., 1914, p. 61 . . . Onslow, W.A.  
 501. *pygmaeus* Cart. . . . . Port Darwin, N.T.

502. *spenceri* Cart., l.c., p. 62 . . . . . Flora R., N.A.  
 503. *tarda* Bates, Ent. Soc. Lond., 1868, p. 262 . . . . . Wide Bay, Q.  
 504. *tenuistriata* Bates, Ann. Mag. Nat. Hist., 1874, p. 21 . . . . . N.Q.
- HYDISSUS*. Pasc., Ann. Mag. Nat. Hist., 1869, p. 148.  
 505. *feronioides* Pasc. (*Nyctobates*) Jour. Ent., 1866, p. 453 . . . N.S.W., Q.
- ENCYALESTHUS*. Motsch., Schrenck's Reise, 1860, p. 139.  
*Cholipus* Pasc., Jour. Ent., 1866, p. 471.  
*Pachyurgus* J. Lee., Class. Col. N. Amer., 1866, p. 230.
506. *atro-viridis* Macl., Linn. Soc. N.S.W., 1888, p. 311 . . . . . N.Q.  
 var. *iridipennis* Fairm., Not. Leyd. Mus., 1897, p. 220.
507. *excisipes* Cart., l.c., 1914, p. 63 . . . . . Kiranda, Q.  
 508. *punctipennis* Pasc., Jour. Ent., 1866, p. 472 . . . . . N.S.W., Q.  
 509. *tuberculiceps* Cart., Roy. Soc. S. Aus., 1914, p. 226 . . . . . Q.
- SETENIS*. Motsch., Bull. Mose., 1872, ii., p. 24.  
*Pediris* Motsch., l.c.:  
 510. *sulcigera* Boisd. (*Upis*) Voy. Astrol., 1835, p. 256 . . . . . C. York.  
*longipes* Motsch., Bull. Mose., 1872, p. 28.
- PROMETHIS*. Pasc., Ann. Mag. Nat. Hist., 1869, p. 148.  
 511. *angulata* Er., Arch. Nat., 1842, i., p. 174 . . . . . N.S.W., V., T., S.A.  
 512. *lobicollis* Cart., Linn. Soc. N.S.W., 1914, p. 65 . . . . . Kookynie, W.A.  
 513. *major* Cart., l.c., p. 64 . . . . . Gympie, Q.  
 514. *minor* Cart., l.c., p. 67 . . . . . Rockhampton, Q.  
 515. *nigra* Bless., Hor. Soc. Ent. Ross., 1861, p. 91 . . . V., N.S.W., Q.  
*lethalis* Pasc., Ann. Mag. Nat. Hist., 1869, p. 148.  
 516. *opaca* Cart., Roy. Soc. S. Aus., 1914, p. 386 . . . . . Craven, N.S.W.  
 517. *quadricollis* Pasc., Ann. Mag. Nat. Hist., 1869, p. 149 . . . V., N.S.W., Q.  
*pascoei* Macl., Ent. Soc. N.S.W., 1872, p. 285.
- MENEPHILUS*. Muls., Col. Fr. Latigènes, 1854, p. 291.  
 518. *coeruleoescens* Haag., Verh. Ver. Hamb., 1878, p. 100 . . . . . N.S.W., Q.  
 519. *coldioides* Er., Arch. Nat., 1842, p. 175 . . . . . Q., N.S.W., V., T.  
 var. *parvulus* Macl., Ent. Soc. N.S.W., 1872, p. 285.
520. *corrinus* Er., l.c., p. 175 . . . . . N.S.W., V., T., S.A.  
*cyanipennis* Hope, Ent. Soc. Lond., 1842, p. 79.
521. *humilis* Er., Arch. Nat., 1842, p. 174 . . . . . T.  
 522. *laetus* Cart., Linn. Soc. N.S.W., 1914, p. 69 . . . . . N.Q.  
 523. *pulcher* Cart., l.c., 1924, p. 36 . . . . . Deeral (?) N.Q.  
 524. *rectibasis* Cart., l.c., 1914, p. 70 . . . . . Dorrigo, N.S.W.  
 525. *ruficornis* Champ., Ent. Soc. Lond., 1894, p. 391 . . . Q., N.S.W., V., T.  
 var. *aeneus* Cart., Linn. Soc. N.S.W., 1905, p. 179. Syd., N.S.W.  
 var. *azuripennis* Cart., l.c., 1914, p. 53 . . . . . N.Q.  
 526. *sydneyanus* Blackb., Roy. Soc. S. Aus., 1893, p. 132 . . . Q., N.S.W.
- OECTOSIS*. Pasc., Ann. Mag. Nat. Hist., 1869, p. 149.  
 527. *cylindrica*, Germ. (*Upis*) Linn. Ent., 1848, p. 198 . . S.A., V. & W.A.  
*longicollis* Cart. (*Menephilus*) Linn. Soc. N.S.W., 1920, p. 231.
- TEREMENES*. Cart., Linn. Soc. N.S.W., 1914, p. 54.  
 528. *convexusculus* Hope (*Menephilus*) Ent. Soc. Lond., 1842, p. 79.  
 . . . . . Q., N.S.W., V., T., S.A.  
*servulus* Pasc. (*Meneristes*) Ann. Mag. Nat. Hist., 1869, p. 151.  
 (?) *nigerrimus* Boisd. (*Tenebris*) Voy. Astrol., 1835, p. 254.
529. *longipennis* Hope, Ent. Soc. Lond., 1842, p. 79 . . N.S.W., V., T., S.A.  
 530. *socius* Cart., Linn. Soc. N.S.W., 1914, p. 68 . . . . . N.Q.
- MENERISTES*. Pasc., Ann. Mag. Nat. Hist., 1869, p. 150.

531. *australis* Bless., Hor. Soc. Ent. Ross., 1861, p. 94 . . Q., N.S.W., V., T.  
 (?) Boisd., Voy. Astrol., p. 254.  
*laticollis* Pase., Ann. Mag. Nat. Hist., 1869, p. 150.  
 (?) Boisd., Voy. Astrol., 1835, p. 253 (*Baryscelis*).  
*angulicollis* Motsch., Bull. Mosc., 1872, p. 30.  
 var. *intermedius* Pase., Ann. Mag. Nat. Hist., 1869, p. 150.  
 (?) *politus* Boisd., Voy. Astrol., 1835, p. 253  
 (?) *politus* Boisd., Voy. Astrol., 1835, p. 253 (*Baryscelis*).  
 532. *dentipes* Cart., Linn. Soc. N.S.W., 1914, p. 71 . . . . . C. York, Q.  
 533. *latrix* Cart., i.e., p. 75 . . . . . Dorrego, N.S.W.  
 534. *porosus* Cart., i.e., 1918, p. 717 . . . . . Atherton, N.Q.  
 535. *proximus* Cart., i.e., 1914, p. 74,—1916, p. 214 . . . . . N.S.W., Q.  
 536. *tibialis* Cart., i.e., p. 73 (pl. xvii, f. 18) . . . . . N.S.W., V.
- TENEBRIO.** L., Syst. Nat., 1758, p. 417.
537. *molitor* L., i.e., p. 417 . . . . . Cosmopolitan.  
 538. *obscurus* F., Ent. Syst., 1792, p. 111 . . . . . Cosmopolitan.
- TOXICUM.** Latr. Hist. Nat., 1804, p. 297.
539. *brevicornis* Pase., Jour. Ent., 1866, p. 454 . . . . . Q., N.S.W., V.  
*parvicornis* Mael., Ent. Soc. N.S.W., 1872, p. 281.  
*curvicornis* Blackb., Roy. Soc. S. Aus., 1887, p. 276.  
*spretum* Blackb., i.e., p. 276.
540. *gracile* Pase., Ann. Mag. Nat. Hist., 1881, p. 438 . . . . . N.S.W., V.  
 541. *insigne* Cart., Linn. Soc. N.S.W., 1914, p. 76 . . . . . N.S.W., S.A.  
 542. *punctipenne* Pase., Jour. Ent., 1866, p. 454 . . . . . N.A., Q., N.S.W.  
*distinctum* Mael., Ent. Soc. N.S.W., 1872, p. 281.  
*addendum* Blackb., Linn. Soc. N.S.W., 1888, p. 1431.  
*Plateuri* Pic., Mel. Exot. Ent., vi., 1913, p. 19.
543. *quinquecornutum* Cart., i.e., 1914, p. 77 . . . . . Bellingen, N.S.W.
- PARATOXICUM.** Champ., Ent. Soc. Lond., 1894, p. 380.
544. *iridescent* Champ., i.e., p. 381 . . . . . T. and Vic. Alps.
- SYNERCTICUS.** Newm., Entomol., 1842, p. 403.
545. *heteromerus* Newm., i.e., p. 403 . . . . . Q., N.S.W., V., S.A.  
*piceus* Pase., Jour. Ent., 1862, p. 325.
- TANYLYPA.** Pase., Ann. Mag. Nat. Hist., 1869, p. 152.
546. *morio* Pase., i.e., p. 153 . . . . . . . . . . . T.
- Subfamily HETEROTARSINAE.
- NOTOPRATAEUS.** Cart., Linn. Soc., 1924, p. 37.
547. *litoralis* Cart., i.e., p. 37 . . . . . . . . . . . Townsville, Q.  
 Subfamily CYPHALEINAE.
- LEPISPILUS.** Westw., Arcan. Ent., 1841, p. 44.
- Tyndarisus* Pase., Ann. Mag. Nat. Hist., 1869, p. 294.
548. *longitarsis* Pase. (*Tyndarisus*) i.e. . . . . . N.S.W., V., T.  
 549. *rotundicollis* Blackb., Roy. Soc. S. Aus., 1889, p. 140 . . S.A., N.S.W., V.  
 550. *stygianus* Pase., Ann. Mag. Nat. Hist., 1869, p. 290 . . N.S.W. & V. Alps.  
 551. *sulcicollis* Boisd., Voy. Astrol., 1835, pp. 248, 268 . . . N.S.W., V., T.
- PLATYPHANES.** Westw., Ent. Soc. Lond., 1849, p. 206.
552. *chalcopterooides* Cart., Linn. Soc. N.S.W., 1913, p. 75 . . . . . Q.  
 553. *clarki* Cart., i.e., p. 74 . . . . . . . . . Tenterfield, N.S.W.  
 554. *creber* Blackb., Roy. Soc. S. Aus., 1892, p. 225 . . . . . N.Q.  
 555. *cyancipennis* Cart., Linn. Soc. N.S.W., 1915, p. 538. Tambourine Mt., Q.  
 556. *cyanescens* Pase., Jour. Ent., 1866, p. 472 . . . . . . . Cairns, Q.  
 557. *denticollis* Cart., Linn. Soc. N.S.W., 1914, p. 78 . . . . . Warra, Q.  
 558. *ellipticus* Cart., i.e., 1913, p. 81 . . . . . . . . . Cairns, Q.

559. *elongatulus* Mael., l.c., 1888, p. 308 . . . . . Mossman R., Q.  
 560. *frenchi* Cart., l.c., 1913, p. 79 . . . . . N.S.W., Q.  
 561. *gibbosus* Westw., Ent. Soc. Lond., 1849, p. 206 . . . . . N.S.W. & Q.  
 562. *kershawi* Cart. (*Moerodes*) Linn. Soc. N.S.W., 1913, p. 100 . . . . . Q.  
 563. *minor* Cart., l.c., p. 77 . . . . . Dorrigo, N.S.W.  
 564. *oblongus* Waterh., Ent. Soc. Lond., 1874, p. 547 . . . . . Q.  
     *godeffroyi* Haag., Verh. Ver. Hamb., 1878, p. 100.  
 565. *parallelus* Cart., Linn. Soc. N.S.W., 1913, p. 78 . . . . . Dorrigo, N.S.W.  
 566. *quadrifoveatus* Cart., l.c., p. 80 . . . . . Q.  
     var. *subangulatus* Cart., l.c., p. 81.  
 567. *rugosulus* Cart., l.c., 1914, p. 80 . . . . . Rockhampton, Q.  
 568. *similis* Cart., l.c., 1917, p. 708 . . . . . Q.  
 569. *striatopunctatus* Westw. (*Prophanes*) Ent. Soc. Lond., 1849, p. 205 . . . . . V., N.S.W., & Q.  
 570. *superbus* Blackb., Linn. Soc. N.S.W., 1895, p. 105 . . . . . N.Q.  
**LAONICUS.** Haag., Verh. Ver. Hamb., 1878, p. 100.  
 571. *dämeli* Haag., l.c., p. 101, 124 . . . . . C. York, Q.  
 572. *pilosus* Haag., l.c., p. 100, 124 . . . . . N.Q.  
**OPIGENIA.** Pase., Ann. Mag. Nat. Hist., 1869, p. 288.  
 573. *browni* Cart., Linn. Soc. N.S.W., 1914, p. 81 . . . Southern Cross, W.A.  
 574. *vittata* Westw. (*Platyphanes*) Ent. Soc. Lond., 1849, p. 206 . . . V.  
     *iridescens* Pase., Ann. Mag. Nat. Hist., 1869, p. 289.  
**TRISILUS.** Haag., Verh. Ver. Hamb., 1878, p. 101.  
 575. *femoralis* Haag., l.c., p. 101, 127 . . . . . Gayndah, Q.  
 576. *punctipennis* Cart. (*Platyphanes*) Linn. Soc. N.S.W., 1911, p. 210 . . . N.S.W., Q.  
**TIMENECA.** Cart., Linn. Soc. N.S.W., 1914, p. 78.  
     *Ctimene* Bates, Ent. Soc. Lond., 1873, p. 359.  
 577. *breweri* Bates, l.c., p. 360 . . . . . Albany, W.A.  
**CAMPANOTIPHILUS.** Lea, Roy. Soc. S.A., 1914, p. 257.  
 578. *fimbriocollis* Lea, l.c., p. 258 . . . . . Beverley, W.A.  
**MITROTHORAX.** Cart., Linn. Soc. N.S.W., 1914, p. 78.  
     *Mitrephorus* Cart. (nom. praeoc.) l.c., 1913, p. 83.  
 579. *convexicollis* Cart., l.c., p. 83 . . . . . Tambourine Mt., Q.  
**EUTOREUMA.** Cart., Linn. Soc. N.S.W., 1914, p. 78.  
     *Toreuma* Cart. (nom. praeoc.) l.c., 1913, p. 84.  
 580. *cupreum* Cart., l.c., p. 85 . . . . . N.Q.  
 581. *minor* Cart., l.c., 1924, p. 37 . . . . . S.Q.  
**OLISTHAENA.** Er., Arch. Nat., 1842, p. 177.  
     *Decialma* Pase., Ann. Mag. Nat. Hist., 1869, p. 291.  
 582. *nitida* Er., Arch. Nat., 1842, p. 178 . . . . . T.  
     *erichsoni* Champ. (*Decialma*) Ent. Soc. Lond., 1894, p. 395.  
 583. *pascoei* Bates (*Decialma*) l.c., 1873, p. 358 . . . . . Q.  
 584. *rufoaenea* Cart., Linn. Soc. N.S.W., 1914, p. 82 . . . Tambourine Mt., Q.  
 585. *tenuitarsis* Pase., Ann. Mag. Nat. Hist., 1869, p. 291 . . . N.S.W., V.  
**APHECTUS.** Cart., nom. nov.  
     *Hectus* Pase., Ann. Mag. Nat. Hist., 1869, p. 289.  
 586. *anthracinus* Pase., l.c., p. 290 . . . . . Rockhampton, Q.  
**BOLBOPHANES.** Cart., Linn. Soc. N.S.W., 1913, p. 86.  
 587. *dumbrelli* Lea, Linn. Soc. N.S.W., 1895, p. 603 . . . . . N.S.W.  
 588. *rugatus* Cart., l.c., 1913, p. 87 . . . . . N.S.W., Q.  
 589. *sericatus* Cart., l.c., 1919, p. 159 . . . . . Brisbane, Q.  
 590. *varicolor* Cart., l.c., 1913, p. 88 . . . . . N.Q.

*HEMICYCLUS*. Westw., Arcan. Ent., 1841, p. 44.

- 591. *flavipes* Cart., Linn. Soc. N.S.W., 1913, p. 89 . . . . . Dorrigo, N.S.W.
- 592. *punctulatus* Pase., Journ. Ent., 1866, p. 472 . . . . . V.
- 593. *reaumuri* Casteln., Hist. Nat., 1840, p. 224 . . . . . N.S.W., Q.  
    *grandis* Westw., Arcan. Ent., 1841, p. 44.  
    *metallicus* Westw., i.e., p. 44.

*OSPIDUS*. Pase., Jour. Ent., 1866, p. 467.

- 594. *chrysomelooides* Pase., i.e., p. 468 . . . . . S.A.  
    *paropsooides* Cart., Linn. Soc. N.S.W., 1909, p. 128.

- 595. *gibbus* Blackb., Roy. Soc. S. Aus., 1897, p. 94 . . . . . Cape York, Q.

- 596. *major* Cart., Linn. Soc. N.S.W., 1920, p. 231 . . . . . N.Q.

*ALTES*. Pase., Mag. Nat. Hist., 1869, p. 288.

*Apomestris* Bates, Ent. Soc. Lond., 1873, p. 357.

- 597. *binodosus* Pase. (*Chartopteryx*) Jour. Ent., 1862, p. 327 . . . . . Q.

- 598. *westwoodi* Bates (*Apomestris*) Ent. Soc. Lond., 1873, p. 358. N.S.W., V.

*AMARYGMIMUS*. Bates, Ent. Soc. Lond., 1873, p. 354.

- 599. *duboulayi* Bates, i.e., p. 355 . . . . . Champion Bay, W.A.

*CHARTOPTERYX*. Westw., Arcan. Entom., 1841, p. 43.

- 600. *blackburni* Cart., Linn. Soc. N.S.W., 1913, p. 91 . . . . . S.A.

- 601. *childreni* Westw., Arcan. Ent., 1841, p. 44 . . . . . N.S.W.

- 602. *glaber* Macl., Linn. Soc. N.S.W., 1888, p. 310 . . . . . N.S.W., Q.

- 603. *imperialis* Cart., i.e., 1908, p. 407 (pl. xvii., f. 21) . . . . . N.Q.

- 604. *mastersi* Macl., Ent. Soc. N.S.W., 1872, p. 287 . . . . Gayndah, Q.

- 605. *planue* Cart., Linn. Soc. N.S.W., 1913, p. 90 . . . . Acacia Cr., N.S.W.

- 606. *victoriensis* Blackb., Roy. Soc. S. Aus., 1892, p. 226 . . . . N.S.W., V.

*CYPHALEUS*. Westw., Arcan. Ent., 1841, p. 43.

- 607. *aereus* Waterh., Ent. Mo. Mag., 1877, p. 72 . . . . . Brisbane, Q.

- 608. *cupricollis* Macl., Ent. Soc. N.S.W., 1872, p. 287 . . . . Gayndah, Q.

- 609. *formosus* Westw., Arcan. Ent., 1841, p. 43 . . . . . N.S.W., Q.

    var. *iopterus* Westw., i.e., p. 43.

*insignitus* Pase., Jour. Ent., 1862, p. 327.

- 610. *fulgidipennis* Boisd. (*Chrysobalus*) Voy. Astrol., 1835, p. 267. N.S.W., Q  
    *Schmeltzi* Haag., Verh. Ver. Hamb., 1878, p. 101.

- 611. *rugosus* Gray, Griff. Anim. Kingd., 1832 . . . . . N.S.W.  
    *aterrimus* Gray, i.e., p. 22.

*OREMASIS*. Pase., Jour. Ent., 1866, p. 470.

*Oremasis* Pase., Jour. Ent., 1866, p. 470.

- 612. *cupreus* Gray, Griff. Anim. Kingd., 1832, p. 22 . . . . . N.S.W.

- 613. *haagi* Bates, Ent. Soc. Lond., 1873, p. 356 . . . . . Q.

*CYCLOPHANES*. Cart., Linn. Soc. N.S.W., 1913, p. 92.

- 614. *gloriosus* Cart., i.e., p. 94 . . . . . Dorrigo, N.S.W.

- 615. *splendens* Cart., i.e., p. 96 . . . . . Tambourine Mt., Q.

- 616. *variegatus* Cart., i.e., p. 93 . . . . . Dorrigo, N.S.W.

*PARAPHANES*. Macl., Linn. Soc. N.S.W., 1888, p. 308.

- 617. *nitidus* Macl., i.e., p. 309 . . . . . Q.

*PROPHANES*. Westw., Ent. Soc. Lond., 1849, p. 203.

*Moerodes* Waterh., Ent. Mo. Mag., 1877, p. 72.

[See my note Linn. Soc. N.S.W., 1917, p. 717, also i.e., 1914, p. 72.]

- 618. *aculeatus* Westw., i.e., p. 204 . . . . . N.S.W., Q.  
    *westwoodi* Macl., Ent. Soc. N.S.W., 1872, p. 287.

- 619. *brevicostatus* Cart., Linn. Soc. N.S.W., 1922, p. 75 . . . Kuranda, Q

- 620. *brevispinosus* Cart., i.e., 1913, p. 99 . . . . . N.Q.

- 621. *browni* Cart., i.e., 1914, p. 83 . . . . . N.Q

622. *ducalis* Cart., l.c., 1913, p. 97 (pl. xvii., f. 20) . . . . . N.Q.  
 623. *mastersi* Pasc., Ann. Mag. Nat. Hist., 1871, p. 357 . . . . . Gayndah, Q.  
     *chalybeipennis* Macl., Ent. Soc. N.S.W., 1872, p. 286.
- ANAUISIS*. Bates, Ent. Soc. Lond., 1873, p. 355.
624. *macleayi* Bates, l.c., p. 356 . . . . . Champion B., W.A.  
 625. *metalleucens* Westw. (*Prophanes*) Ent. Soc. Lond., 1849, p. 204. N.S.W.  
     *spinosus* Waterh., l.c., 1874, p. 546.
626. *quadrispinosus* Waterh. (*Cyphaleus*) l.c., p. 545 . . . . . N.S.W. & Q.  
     *tricolor* Haag. (*Prophanes*) Verh. Ver. Hamb., 1878, p. 101.
- LYGESTIRA*. Pasc., Jour. Ent., 1866, p. 470.
627. *lata* Waterh., Ent. Mo. Mag., 1877, p. 72 . . . . . N.S.W., S.Q.  
 628. *simplex* Westw. (*Prophanes*) Ent. Soc. Lond., 1849, p. 205, N.S.W., V.,  
     . . . . . S.A.
- BARYTIPHA*. Pasc., Ann. Mag. Nat. Hist., 1869, p. 292.
629. *socialis* Pasc., l.c., p. 292 . . . . . V.
- MITHIPPIA*. Pasc., Ann. Mag. Nat. Hist., 1869, p. 293.
630. *aurita* Pasc., l.c., p. 293 . . . . . N.S.W., S.A.  
 631. *jansoni* Bates, Ent. Soc. Lond., 1873, p. 359 . . . . . W.A.

## Subfamily CNOBALONINAE.

- TITAENA*. Er., Arch. Naturg., 1842, p. 178.
632. *alcyonea* Er., l.c., p. 180 . . . . . T., W.A.  
     var. *ruficollis* Bates, Ann. Mag. Nat. Hist., 1874, p. 104.
633. *columbina* Er., l.c., p. 179 . . . . . T., V., N.S.W.  
     *rugosa* Blanch., Voy. Pol. Sud., 1853, p. 178.  
     var. *viridis* Bates, Ann. Mag. Nat. Hist., 1874, p. 103.
634. *minor* Cart., Linn. Soc. N.S.W., 1913, p. 104 . . Tambourine Mt., Q.  
 635. *pulchra* Bates, Ann. Mag. Nat. Hist., 1874, p. 103 . . Moruya, N.S.W.  
 636. *tasmanica* Champ., Ent. Soc. Lond., 1894, p. 396 . . . . . T.  
 637. *tyrrhera* Cart., Linn. Soc. N.S.W., 1913, p. 103 . . Guyra, N.S.W.  
 638. *varicolor* Haag., Verh. Ver. Hamb., 1878, p. 102 . . . . . N.Q.
- THESILEA*. Haag., Verh. Ver. Hamb., 1878, p. 103.
639. *cuprina* Fairm., Rev. Zool., 1849, p. 451 . . . . . N.Q.
- CHARIOTHECA*. Pasc., Jour., Ent., 1860, p. 125.
- Chariothes* Cart., Linn. Soc. N.S.W., 1914, p. 78.
640. *brevis* Cart. (*Menephilus*) Linn. Soc. N.S.W., 1914, p. 69 . . N.S.W., Q.  
 641. *doddi* Cart., l.c., 1924, p. 38 . . . . . N.Q.  
 642. *planicollis* Fairm. (*Thesilea*) Rev. Zool., 1849, p. 451 . . . . . N.Q.  
     *oblonga* Blanch. (*Olisthaena*) Voy. Pol. Sud., 1853, p. 169.  
     *cupripennis* Pasc., Jour. Ent. 1860, p. 126.  
     ? *australasiae* Motsch. (*Augolesthus*) Bull. Mosc., 1872, p. 35.
643. *striato-punctata* Macl. (*Decialma*) Linn. Soc. N.S.W., 1888, p. 310. N.Q.  
     *viridipennis* Macl., l.c., p. 311.
644. *subviolacea* Cart., l.c., 1914, p. 84 . . . . . N.Q.  
 645. *varipennis* Cart., l.c., 1925, p. 237 . . . . . N.Q.
- APTEROTHECA*. Geb., Exp., Néerland. N. Guin., 1920, p. 348.
646. *amaroides* Pasc. (*Chariotheca*) Ann. Mag. Nat. Hist., 1862, p. 463.  
     (pl. xvii., f. 22) . . . . . Lizard Is.
647. *besti* Blkb. (*Chariotheca*) Linn. Soc. N.S.W., 1895, p. 105 . . . . . N.Q.  
 648. *punctipennis* Cart. l.c., 1924, p. 38 . . . . . Nat. Park, Q.
- ESPITES*. Pasc., Ann. Mag. Nat. Hist., 1882, p. 32.

649. *basalis* Pasc., l.c., p. 32 . . . . . C. York, Q.  
*? sumptuus* Hope (*Tetraphyllus*) Ent. Soc. Lond., 1842, p. 78.  
*aurobasalis* Fairm. (*Encyrtus*) Ann. Leyd. Mus., 1893, p. 41.

## Subfamily ADELIINAE.

- CARDIOTHORAX.** Motsch., Etudes. Ent., 1859, p. 67.  
*Atryphodes* Pasc., Ann. Mag. Nat. Hist., 1869, p. 37.  
*Thoracopherus* Hope, Col. Man., 1840, p. 188.
650. *acutangulus* Bates, Ent. Mo. Mag., 1879, p. 131 . . . Mt. Wilson, N.S.W.  
*aeripennis* Blackb., Roy. Soc. S. Aus., 1892, p. 226.  
var. *constrictus* Cart., Linn. Soc. N.S.W., 1919, p. 160.
651. *aeneus* Bates, Ent. Mo. Mag., 1879, p. 131 . . . Port Stephens, N.S.W.  
var. *macleayensis* Cart., Linn. Soc. N.S.W., 1919, p. 162 . . . . . Macleay R., N.S.W.
652. *aericollis* Pasc., Ann. Mag. Nat. Hist., 1869, p. 38 . . . Ourimbah, N.S.W.  
*batesi* Cart., Linn. Soc. N.S.W., 1906, p. 243.
653. *alternatus* Cart., l.c., 1919, p. 163 . . . . . Wingham, N.S.W.
654. *aratus* Pasc., Jour. Ent., 1866, p. 479 . . . . . Pine Mt., Q.
655. *armipes* Bates, Ent. Mo. Mag., 1879, p. 71 . . . . . Rockhampton, Q.
656. *asperatus* Cart., Linn. Soc. N.S.W., 1916, p. 213. Barrington Mt., N.S.W.
657. *aureus* Cart., l.c., 1906, p. 241 . . . . . Grose Valley, Blue Mt., N.S.W.
658. *australis* Cart., l.c., p. 242 . . . . . S. N.S.W., V.
659. *bisulcatus* Cart., l.c., 1911, p. 216 . . . . . Dalveen, Q.
660. *brevicollis* Redt., Reise Novara, 1868, p. 130 . . . . . Monaro, N.S.W.
661. *caperatus* Pasc., Ann. Mag. Nat. Hist., 1869, p. 40 . New England, N.S.W.  
var. *lachlanensis* Cart., Linn. Soc. N.S.W., 1906, p. 244.
- \*662. *captiosus* Bates, Ent. Mo. Mag., 1879, p. 131 . . . . . C. York, Q.
663. *carinatus* Cart., Linn. Soc. N.S.W., 1909, p. 143 . . . Mt. Garnet, N.Q.
664. *castelnaudi* Pasc., Ann. Mag. Nat. Hist., 1869, p. 38 . . . . . Moss Vale to Bulli, N.S.W.
665. *clypeatus* Cart., Roy. Soc. S. Aus., 1914, p. 399 . . . Guyra, N.S.W.
666. *coeruleo-niger* Cart., Linn. Soc. N.S.W., 1906, p. 250. Bulahdelah, N.S.W.
667. *coerulescens* Cart., l.c., 1921, p. 317 . . . . . Eungai, N.S.W.
668. *connexus* Haag., Verh. Ver. Hamb., 1878, p. 102 . . . . . C. York, Q.
669. *cordicollis* Pasc., Ann. Mag. Nat. Hist., 1869, p. 38 . . . N.S.W., S.Q.
670. *crassicornis* Bates, Ent. Mo. Mag., 1879, p. 74 . . . . . Wide Bay, Q.
671. *crenulicollis* Bates, l.c., p. 132 . . . . . Endeavour R., Q.
672. *curvipes* Bates, l.c., p. 73 . . . . . N.S.W. & S.Q.
673. *distinctus* Bates, l.c., p. 132 . . . . . Wingham, N.S.W.
674. *dorrigensis* Cart., Linn. Soc. N.S.W., 1911, p. 846 . . . . . Dorrigo, N.S.W.
675. *egerius* Pasc., Jour. Ent., 1866, p. 478 . . . . . N.S.W. & S.Q.
676. *encephalus* Pasc., Ann. Mag. Nat. Hist., 1869, p. 39 . . . Gayndah, Q.
677. *errans* Pasc., Jour. Ent., 1866, p. 479 . . . . . S.Q.  
*fraternalis* Bates, Ent. Mo. Mag., 1879, p. 72.  
*volgipes* Bates, l.c., p. 72.
678. *excisicollis* Cart., Linn. Soc. N.S.W., 1920, p. 236 . . . . . Eidsvold, Q.
679. *femoratus* Bates, Ent. Mo. Mag., 1879, p. 71 . . . . . N.S.W. & S.Q.  
var. *subdentatus* Cart., Linn. Soc. N.S.W., 1911, p. 484  
(Coff's Harb.).
680. *flexipes* Cart., l.c., 1922, p. 77 . . . . . Ravenshoe, Q.
681. *foveatus* Cart., l.c., 1924, p. 538 . . . . . Stanthorpe, Q
682. *grandis* Bates, Ent. Mo. Mag., 1879, p. 75 (pl. xvii, f. 24) Blue Mts., N.S.W.

683. *haagi* Bates, l.c., p. 133 . . . . . Macleay R., N.S.W.  
 684. *harrisoni* Cart., Linn. Soc. N.S.W., 1925, p. 239 . . Barrington, N.S.W.  
 685. *hopsoni* Cart., l.c., p. 238 . . . . . Barrington, N.S.W.  
 686. *howitti* Pasc., Ann. Mag. Nat. Hist., 1869, p. 37 . . National Park, N.S.W.  
 687. *humeralis* Bates, Ent. Mo. Mag., 1879, p. 133 . . Wauchope, N.S.W.  
 688. *interstitialis* Cart., Linn. Soc. N.S.W., 1916, p. 211 . Barrington, N.S.W.  
 689. *iridipes* Cart., l.c., 1911, p. 845 . . . . . Coff's Harb., N.S.W.  
 690. *kershawi* Cart., l.c., 1919, p. 161 . . . . . Townsville, Q.  
 691. *laticollis* Cart., l.c., 1911, p. 217 . . . . . Oberon, N.S.W.  
 692. *longipes* Bates, Ent. Mo. Mag., 1879, p. 73 . . . . Tweed R., N.S.W.  
 693. *macleayi* Pasc., Jour. Ent., 1866, p. 478 . . . . Tweed R., N.S.W.  
*licinoides* Redt., Reise Novara, 1868, p. 129.  
 694. *marginatus* Cart., Linn. Soc. N.S.W., 1920, p. 233 . Mittagong, N.S.W.  
 695. *mastersi* Macl., Ent. Soc. N.S.W., 1872, p. 288 . . . . Gayndah, Q.  
*simulans* Haag, Verh. Ver. Hamb., 1878, p. 102.  
*angulatus* Bates, Ent. Mo. Mag., 1879, p. 75.  
*chalceus* Bates, l.c., p. 74.  
 696. *metallicus* Cart., Linn. Soc. N.S.W., 1920, p. 234 . . . Bunya Mt., Q.  
 697. *mimus* Cart., l.c., 1909, p. 141 . . . . . Tambourine Mt., Q.  
 698. *nasutus* Cart., l.c., 1924, p. 539 . . . . . Port Macquarie, N.S.W.  
 699. *opacicollis* Macl., Ent. Soc. N.S.W., 1872, p. 288 . . . . Gayndah, Q.  
 700. *pithecius* Pasc., Ann. Mag. Nat. Hist., 1869, p. 39 . . . . S.Q.  
 701. *politicornis* Bates, Ent. Mo. Mag., 1879, p. 73 . . Hunter R., N.S.W.  
*fergusoni* Cart. (*Otrintus*) Linn. Soc. N.S.W., 1911, p. 212.  
 702. *punctostriatus* Cart., Linn. Soc. N.S.W., 1906, p. 246. Ourimbah, N.S.W.  
 703. *pygmacus* Cart., l.c., p. 247 . . . . . Eden, N.S.W.  
 704. *quadridentatus* Waterh., Ent. Soc. Lond., 1875, p. 205. Port Bowen, Q.  
 705. *regularis* Cart., Linn. Soc. N.S.W., 1920, p. 234 . . Toronto, N.S.W.  
 706. *rotundicollis* Cart., l.c., 1905, p. 413 . . . . . Atherton, Q.  
 707. *rugosus* Cart., l.c., 1906, p. 248 . . . . . Wyong, N.S.W.  
 708. *sessilicatus* Cart., l.c., . . . . . Barrington, N.S.W.  
 709. *tibialis* Cart., l.c., 1911, p. 219 . . . . . Dalveen, Q.  
 710. *undulaticostis* Cart., l.c., 1920, p. 235 . . . . . Moruya, N.S.W.  
 711. *undulatus* Cart., Roy. Soc. S. Aus., 1914, p. 400 . . Comboyne, N.S.W.  
 712. *victoriae* Cart., Linn. Soc. N.S.W., 1922, p. 76 . . . . . Vict. Alps.  
 713. *walckenaeri* Hope, Col. Man., 1840, p. 189 . . . . Sydney, N.S.W.  
 (?) *dilaticollis* Guér., Voy. Coq., 1830, p. 100.  
*kirbyi* Sol. Stud. Ent., 1848, p. 193.

*NOTOTRINTUS.* Cart.

714. *aciensis* Cart., Linn. Soc. N.S.W., 1911, p. 214 . . . Acacia Cr., N.S.W.  
 715. *hackeri* Cart., l.c., 1924, p. 40 . . . . . Nat. Park, Q.  
 716. *jacksoni* Cart., l.c., 1905, p. 180 (pl. xvii, f. 25) . . . Dorrigo, N.S.W.  
 717. *striatus* Cart., l.c., 1906, p. 253 . . . . . Byron B., N.S.W.  
*OTRINTUS.* Pasc., Jour. Ent., 1866, p. 483.  
 718. *behri* Germ., Ent. iii., 1848, p. 196 . . . . . N.S.W., V., S.A.  
 719. *cylindricus* Cart., Linn. Soc. N.S.W., 1911, p. 211 . . . . . Q.  
*BLEPEGENES.* Pasc., Ent. Soc. Lond., 1868, p. 12.  
*Ceradelium* Prendh., de Borre, Ann. Soc. Ent. Belg., 1868, p. 126.  
 720. *aruspex* Pasc., l.c., p. 12, 42 . . . . . Illawarra, N.S.W.  
*armatus* Borre., l.c., p. 128.

721. *equestris* Pasc., Ann. Mag. Nat. Hist., 1882, p. 28 . . . North N.S.W.  
 722. *nitidus* Blackb., Linn. Soc. N.S.W., 1891, p. 533 . . . . . Q.  
**APASIS.** Pasc., Ann. Mag. Nat. Hist., 1869, p. 139.  
 723. *beplegenoides* Cart., Linn. Soc. N.S.W., 1909, p. 145 . . . Alps, V.  
 724. *howitti* Pasc., Ann. Mag. Nat. Hist., 1869, p. 140 . . . . . Vie.  
     var. *longicollis* Cart., Linn. Soc. N.S.W., 1909, p. 146. Alps, V.  
 725. *puncticeps* Lea, I.c., 1896, p. 293 . . . . . Mt. Kosciusko, N.S.W.  
 726. *sinuaticollis* Cart., I.c., 1911, p. 846 . . . . . Dorrigo, N.S.W.  
**LICINOMA.** Pasc., Ann. Mag. Nat. Hist., 1869, p. 140.  
 727. *aerea* Cart., Linn. Soc. N.S.W., 1920, p. 240 . . . . . Dorrigo, N.S.W.  
 728. *angusticollis* (*Cardiothorax*) Cart., I.c., 1906, p. 240  
     . . . . . Clarence R., N.S.W.  
 729. *apasiooides* Cart., I.c., 1920, p. 241 . . . . . Forrest, V.  
 730. *coerulea* Cart., I.c., 1924, p. 541 . . . . . Stanthorpe, Q.  
 731. *commoda* (*Adelium*) Pasc., Ann. Mag. Nat. Hist., 1869, p. 139 . . . T.  
 732. *cyclocollis* Cart., Roy. Soc. S.A., 1914, p. 392 . . . . Kuranda, Q.  
 733. *elata* Pasc., Ann. Mag. Nat. Hist., 1870, p. 103 . . . . . Wide B., Q.  
     var. *violacea* Macl., Ent. Soc. N.S.W., 1872, p. 292.  
 734. *gilesi* Cart., Roy. Soc. S. Aus., 1914, p. 392 . . . . . W.A.  
 735. *illidgei* Cart., Linn. Soc. N.S.W., 1924, p. 540 . . . . . Nat. Park, Q.  
 736. *major* Cart., I.c., p. 540 . . . . . Nat. Park, Q.  
 737. *meridiana* Cart., I.c., 1920, p. 242 . . . . . S.A.  
 738. *monticola* Black. (*Daedrosis*) Roy. Soc. S.A., 1892, p. 227.  
     . . . . . Blue Mts., N.S.W.  
     var. *punctatula* Cart., Linn. Soc. N.S.W., 1919, p. 169.  
 739. *nitida* Pasc., Ann. Mag. Nat. Hist., 1869, p. 140 . . . . . V.  
     var. *victoriae* (*Daedrosis*) Blackb., Linn. Soc. N.S.W., 1891, p. 533.  
 740. *nitidissima* Lea, I.c., 1898, p. 587 . . . . . Clarence R., N.S.W.  
 741. *nodulosa* (*Adelium*) Champ., Ent. Soc. Lond., 1894, p. 404 . . . . T.  
 742. *pallipes* Blackb., Linn. Soc. N.S.W., 1891, p. 542 . . . . . N.S.W., V.  
 743. *puncticeps* Cart., I.c., 1924, p. 41 . . . . . Bowral, N.S.W.  
 744. *splendens* Cart., I.c., p. 541 . . . . . Stanthorpe, Q.  
 745. *subcanaliculata* Cart., I.c., 1921, p. 318 . . . . . Mt. Macedon, V.  
 746. *sylvicola* Blackb., Roy. Soc. S.A., 1894, p. 219 . . Forest Reefs, N.S.W.  
     var. *montium* Cart., I.c., 1914, p. 391.  
 747. *tasmanica* (*Adelium*) Champ., Ent. Soc. Lond., 1894, p. 403 . . . T.  
 748. *truncata* Cart., Linn. Soc. N.S.W., 1920, p. 243 . . . . . V.  
 749. *umbilicata* Cart., I.c., 1924, p. 41 . . . . . Dorrigo, N.S.W.  
**ADELIUM.** Kirby, Linn. Soc. Lond., 1818, p. 420.  
     *Tropidopterus* Blanch., Hist. Nat., 1845, p. 37.  
 750. *abbreviatum* Boisd., Voy. Astrol., 1835, p. 281 . . . . . Tas.  
     var. *impressum* Blanch., Voy. Pole. Sud., 1853, p. 177.  
     var. *latum* Pasc., Jour. Ent., 1866, p. 482.  
     var. *dentatum* Cart., Linn. Soc. N.S.W., 1919, p. 167.  
     var. *foveatum* Cart., I.c., 1909, p. 147.  
     var. *lomondense* Cart., I.c., 1919, p. 167.  
 751. *aequale* Blackb., Linn. Soc. N.S.W., 1891, p. 539 . . Port Lincoln, S.A.  
 752. *aerarium* Pasc., Ann. Mag. Nat. Hist., 1869, p. 133 . . Darling Downs, Q.  
 753. *alpicola* Blackb., Linn. Soc. N.S.W., 1891, p. 536 . . . . . Alps, V.  
 754. *angulicolle* Casteln., Hist. Nat., 1840, p. 236 . . . . . N.S.W., V.  
     var. *succisum* Pasc., Jour. Ent., 1866, p. 480.  
 755. *arboricola* Cart., Linn. Soc. N.S.W., 1911, p. 220 . . Acacia Cr., N.S.W.

756. *augurale* Pasc., Jour. Ent., 1866, p. 480 . . . North N.S.W. & S.Q.  
 757. *auratum* Pasc., I.c., p. 481 . . . . . North N.S.W. & S.Q.  
 758. *barbatum* Cart., Linn. Soc. N.S.W., 1908, p. 274 . . . Endeavour R., Q.  
 759. *brevicorne* Bless., Hor. Soc. Ent. Ross., 1861, p. 101. N.S.W., V., T., S.A.  
     *neophyta* Pasc., Ann. Mag. Nat. Hist., 1869, p. 136.  
     *virescens* Boisd., Voy. Astrol., 1835, p. 281.  
 \*760. *breviusculum* Geb., Fn. Sud-west. Aus., 1908, p. 344 . . . . . S.W.A.  
 761. *calosomoides* Kirby, Linn. Soc. Lond., 1818, p. 420 . . . Sydney, N.S.W.  
     *harpaloides* Boisd., Voy. Astrol., 1835, p. 280.  
     *geniale* Pasc., Ann. Mag. Nat. Hist., 1869, p. 135.  
 762. *canaliculatum* Cart., Linn. Soc. N.S.W., 1908, p. 276 . . . Botany, N.S.W.  
 763. *capitatum* Lea, I.c., 1898, p. 584 . . . . . Wilcannia, N.S.W.  
 764. *coeruleum* Cart., I.c., 1906, p. 255 . . . . . . . . . Cairns, Q.  
 765. *coxi* Cart., Linn. Soc. N.S.W., 1912, p. 486 . . . . . Ebor., N.S.W.  
 766. *cuprescens* Cart., I.c., 1909, p. 148 . . . . . Bardoe, W.A.  
 767. *cyanum* Cart., I.c., 1911, p. 222 . . . . . Kuranda, Q.  
 768. *delicatulum* Cart., I.c., 1919, p. 165 . . . . . . . . . Brisbane, Q.  
 769. *ellipticum* Blackb., Roy. Soc. S. Aus., 1894, p. 219 . Richmond R., N.S.W.  
 770. *fergusoni* Cart., Linn. Soc. N.S.W., 1910, p. 132 . . . . . Kuranda, Q.  
 771. *flavicorne* Cart., I.c., 1912, p. 487 . . . . . C. Otway, V.  
 772. *geminatum* Pasc., Ann. Mag. Nat. Hist., 1870, p. 102. N. N.S.W. & S.Q.  
     *punctum* Cart., Linn. Soc. N.S.W., 1906, p. 257.  
     var. *illidgei* Cart., I.c., 1924, p. 542.  
 773. *goudiei* Cart., I.c., 1909, p. 150 . . . . . . . . . N.W. Vic.  
 774. *hackeri* Cart., I.c., 1908, p. 273 . . . . . . . . . . . . . . . N.Q.  
 775. *helmsi* Cart., I.c., 1905, p. 181 (pl. xvii., f. 26) . Port Stephens, N.S.W.  
 776. *heterodoxum* Lea, I.c., 1898, p. 582 . . . . . Mt. Kosciusko, N.S.W.  
 777. *inconspicuum* Blackb., I.c., 1891, p. 536 . . . . . Kangaroo Isl., S.A.  
 778. *interruptum* Cart. (*Daedrosis*) I.c., 1918, p. 710 . . . . . Cairns, Q.  
 779. *irregularare* Cart., Roy. Soc. S. Aus., 1914, p. 411 . . . . . S.W.A.  
 780. *licinoides* Kirby, Linn. Soc. Lond., 1818, p. 421 . . . . . V., T.  
     *cisleloides* Er., Arch. Nat., 1842, p. 176.  
     *helopiooides* Boisd., Voy. Astrol., 1835, p. 280.  
 781. *lindense* Blackb., Linn. Soc. N.S.W., 1891, p. 538 . . . . . S.A., W.A.  
 782. *McCullochi* Cart., I.c., 1919, p. 166 . . . . . . . . . Waleha, N.S.W.  
 783. *murex* Cart., I.c., 1921, p. 317 . . . . . . . . . Wyreema, Q.  
 784. *occidentale* Blackb., I.c., 1890, p. 574 . . . . . . . . . S.A., W.A.  
 785. *parvulum* Mael., Ent. Soc. N.S.W., 1872, p. 290 . . . . . Gayndah, Q.  
 786. *pestiferum* Cart., Linn. Soc. N.S.W., 1908, p. 276 . . Illawarra, N.S.W.  
 787. *pilosum* Pasc., Ann. Mag. Nat. Hist., 1869, p. 134, N.S.W., V. (w.d.).  
     *scutellare* Pasc., I.c., p. 134.  
 788. *plicigerum* Pasc., I.c., p. 133 . . . . . . . . . Port Denison, Q.  
     var. *rugosicolle* Mael., Ent. Soc. N.S.W., 1872, p. 289.  
 789. *politum* Cart., Linn. Soc. N.S.W., 1920, p. 247 . . Mt. Victoria, N.S.W.  
 790. *porcatum* F. (*Carabus*) Sys. Ent., 1774, p. 239 . . . . . N.S.W. (w.d.)  
     *caraboides* Kirby, Linn. Soc. Lond., 1818, p. 466.  
 \*791. *punctipenne* Boisd., Voy. Astrol., 1835, p. 278 . . . . . . . . . A.  
 792. *pustulosum* Blackb., Linn. Soc. N.S.W., 1891, p. 534 . . N.S.W., V. (w.d.)  
     var. *victoriae* Blackb., I.c., p. 535.  
 793. *reductum* Pasc., Ann. Mag. Nat. Hist., 1869, p. 135 . . N.S.W. & S.Q.  
     *ancilla* Pasc., I.c., p. 136.  
     *convexusculum* Mael., Ent. Soc. N.S.W., 1872, p. 289.  
     *nitidum* Cart., Linn. Soc. N.S.W., 1906, p. 256.

794. *regulare* Lea, Linn. Soc. N.S.W., 1898, p. 582 . . . Forest Reefs, N.S.W.  
 795. *reticulatum* Cart., l.c., 1905, p. 181 . . . . . Kurrajong, N.S.W.  
 796. *rotundum* Cart., l.c., 1908, p. 275 . . . . . Monaro, N.S.W.  
 •797. *rugicolle* Boisd., Voy. Astrol., 1835, p. 279 . . . . . A.  
 798. *ruptum* Pase., Ann. Mag. Nat. Hist., 1869, p. 139 . . . Warburton, V.  
 799. *scytalicum* Pase., l.c., p. 137 . . . . . Perth, W.A.  
     *angulatum* Blackb., Linn. Soc. N.S.W., 1891, p. 538.  
 800. *similatum* Germ., Linn. Ent., 1848, p. 198 . . . . . V., S.A. (w.d.)  
     var. *obesum* Pase., Jour. Ent., 1866, p. 481.  
 801. *simplex* Blackb., Roy. Soc. S. Aus., 1892, p. 44 . . Nullarbor Plains, C.A.  
     *negligens* Geb., Fn. Sudwest. Aus., 1908, p. 343.  
     *tralaticium* Geb., l.c., p. 341.  
 802. *sloanei* Cart., Linn. Soc. N.S.W., 1909, p. 151 . . . . Orange, N.S.W.  
 803. *steropoides* Pase., Ann. Mag. Nat. Hist., 1869, p. 138 . . . Forrest, V.  
 804. *striatum* Pase., Jour. Ent., 1866, p. 481 . . . . North N.S.W. & S.Q.  
     var. *viridipenne* Macl., Ent. Soc. N.S.W., 1872, p. 289.  
 805. *subdepressum* Cart., Linn. Soc. N.S.W., 1908, p. 276 . . Eden, N.S.W.  
 806. *sublaevigatum* Cart., l.c., 1925, p. 239 . . . . . Yeppoon, Q.  
 807. *tenebrioides* Er., Arch. Nat., 1842, p. 176 . . . . . V., T.  
 808. *tropicum* Blackb., Linn. Soc. N.S.W., 1891, p. 537 . . . . . N.A.  
 809. *vesiculatum* Cart., l.c., 1922, p. 78 . . . . . Kuranda, Q.  
 810. *vicarium* Pase., Jour. Ent., 1866, p. 480 . . . . . Albany, W.A.  
     *forticorne* Geb., Fn. Sudwest. Aus., 1908, p. 343.  
 811. *violaceum* Cart., Linn. Soc. N.S.W., 1905, p. 182 . . Tenterfield, N.S.W.  
**SEIROTRANA.** Pase., Jour. Ent., 1866, p. 483.  
 812. *anomala* Cart., Linn. Soc. N.S.W., 1925, p. 240 . . . Barrington, N.S.W.  
 813. *bimetallica* Cart., l.c., 1909, p. 153 . . . . . Gingken, N.S.W.  
 814. *carbo* Cart., l.c., 1925, p. 240 . . . . . Yeppoon, Q. (w.d.).  
 815. *catenulata* Boisd., Voy. Astrol., 1835, p. 276 . . . . Sydney, N.S.W.  
 816. *crenicollis* Pase., Ann. Mag. Nat. Hist., 1869, p. 43 . . Warburton, V.  
     *denticollis* Cart., Linn. Soc. N.S.W., 1908, p. 397.  
 817. *elongata* Er., Arch. Nat., 1842, p. 177 . . . . . T.  
 818. *femoralis* Macl., Ent. Soc. N.S.W., 1872, p. 292 . . . . Gayndah, Q.  
 819. *geniculata* Haag., Verh. Ver. Hamb., 1878, p. 102 . . . Dapto, N.S.W.  
 820. *integricollis* Haag., l.c., p. 102 . . . . . N.S.W. (w.d.).  
 821. *major* Blackb., Roy. Soc. S. Aus., 1892, p. 228 . . Tamworth, N.S.W.  
 822. *mastersi* Pase., Ann. Mag. Nat. Hist., 1870, p. 104 . . . . S.Q.  
 823. *minor* Cart., Linn. Soc. N.S.W., 1920, p. 248 . . . . Bunya Mts., Q.  
 824. *monticola* Blackb., l.c., 1891, p. 541 . . . . . V.  
 825. *nodicauda* Cart., l.c., 1921, p. 318 . . . . . Stanthorpe, Q.  
 826. *nosodermoides* Pase., Ann. Mag. Nat. Hist., 1870, p. 104 . Wide Bay, Q.  
 827. *orphana* Pase. (*Adelium*) l.c., 1869, p. 138 . . . . Warburton, V.  
 828. *parallela* Germ., Linn. Ent., 1848, p. 199 . . . . V., S.A. (w.d.)  
     *congesta* Pase., Jour. Ent., 1866, p. 482.  
 829. *proxima* Pase., Ann. Mag. Nat. Hist., 1869, p. 43 . . South N.S.W., & V.  
 830. *punctifera* Macl., Ent. Soc. N.S.W., 1872, p. 291 . . . . Gayndah, Q.  
 831. *repanda* Pase., Ann. Mag. Nat. Hist., 1869, p. 137. N. N.S.W. & Q. (w.d.)  
     *dispar* Blackb., Linn. Soc. N.S.W., 1891, p. 542.  
 832. *simplex* Blackb., l.c., p. 540 . . . . . S.A.  
 833. *simsoni* Cart., l.c., 1919, p. 168 . . . . . Ben Lomond, T.  
 834. *strigipennis* Bates, Ent. Soc. Lond., 1873, p. 365 . . . . . N.A.

835. *subcancellata* Cart., Roy. Soc. S. Aus., 1914, p. 404 . Tambourine Mt., Q.  
 836. *tumulosa* Cart., Linn. Soc. N.S.W., 1922, p. 78 . . . . . Herberton, Q.  
 837. *uniformis* Cart., l.e., 1908, p. 398 . . . . . Quirindi, N.S.W.  
 838. *vertebralis* Cart., l.e., p. 397 . . . . . Blackheath, N.S.W.  
 839. *vicina* Cart., l.e., p. 397 . . . . . Grose Valley, N.S.W.

*BRYCOPIA*. Pasc., Ann. Mag. Nat. Hist., 1869, p. 141.*Dinoria* Pasc., l.e.

840. *angulata* Cart. (*Daedrosis*) Roy. Soc. S. Aus., 1914, p. 389 . . . . V.  
 841. *capillata* Cart., Linn. Soc. N.S.W., 1921, p. 319 . . . . Stanthorpe, Q.  
 842. *cheesmani* Cart., l.e., 1909, p. 154 . . . . Alps, V., Southern N.S.W.  
 843. *coelioides* Pasc. (*Dinoria*) Ann. Mag. Nat. Hist., 1870, p. 103 . . . . T.  
*diemenensis* Cart., Linn. Soc. N.S.W., 1919, p. 170.  
 844. *comata* Cart., l.e., 1920, p. 244 . . . . . . . . . . . S.A.  
 845. *crenaticollis* Cart., l.e., 1908, p. 415 . . . . Ourimbah & Blue Mts., N.S.W.  
 846. *dubia* MacL., Ent. Soc. N.S.W., 1872, p. 293 . . . . . Gayndah, Q.  
 847. *femorata* Cart., Linn. Soc. N.S.W., 1909, p. 155 . . . . Warburton, V.  
 848. *globicollis* Cart., l.e., 1920, p. 244 . . . . . . . . . Launceston, T.  
 849. *globulosa* Cart. (*Adelium*) l.e., 1905, p. 184 . . . . Kurrajong, N.S.W.  
 850. *hexagona* Cart., l.e., 1920, p. 246 . . . . . . . . Mt. Wellington, T.  
 851. *lca* Cart., l.e., p. 245 . . . . . . . . . . Launceston, T.  
 852. *longipes* MacL., Ent. Soc. N.S.W., 1872, p. 293 . . . . . Gayndah, Q.  
 853. *minor* Cart. (*Adelium*) Linn. Soc. N.S.W., 1905, p. 183. Ourimbah, N.S.W.  
 854. *minuta* Lea (*Adelium*) l.e., 1898, p. 583. . . Sydney, Mulwala, N.S.W.  
                                                         . . . . . . . . . . Barossa, S.A.  
 855. *monilicornis* MacL., Ent. Soc. N.S.W., 1872, p. 289 . . . . . Gayndah, Q.  
 856. *obtusa* Cart., Linn. Soc. N.S.W., 1920, p. 246 . . . . . Lizard Isl., Q.  
 857. *pilosella* Pasc., Ann. Mag. Nat. Hist., 1869, p. 141 . . Mt. Macedon, V.  
 858. *punctatissima* Cart., Linn. Soc. N.S.W., 1919, p. 171 . . Exeter, N.S.W.  
 859. *quadraticollis* Cart., l.e., 1925, p. 242 . . . . . Barrington, N.S.W.  
 860. *taylori* Cart., l.e., 1906, p. 258 . . . . . Oberon, N.S.W.  
 861. *tuberculifera* Champ., Ent. Soc. Lond., 1894, p. 405 . . . . . T.

*LEPTOGASTRUS*. MacL., Ent. Soc. N.S.W., 1872, p. 293.

862. *apiformis* Cart. (*Daedrosis*) Roy. Soc. S. Aus., 1914, p. 389. Dapto, N.S.W.  
 863. *cyanus* Cart., Linn. Soc. N.S.W., 1920, p. 239 . . . . . . . . . Q.  
 864. *hirsutus* Cart. (*Daedrosis*) l.e., 1906, p. 254 . . . . Mt. Kosciusko, N.S.W.  
 865. *mastersi* MacL., Ent. Soc. N.S.W., 1872, p. 294 . . . . . Gayndah, Q.  
 866. *occidentalis* Cart., Linn. Soc. N.S.W., 1920, p. 239 . . Parkerville, W.A.  
*DAEDROSIS*. Bates, Ent. Soc. Lond., 1868, p. 266.  
 867. *antennalis* Cart., Linn. Soc. N.S.W., 1920, p. 240 . . Mt. Irvine, N.S.W.  
 868. *crenotostriata* Bates, Ent. Soc. Lond., 1868, p. 268 . . . . . N.S.W.  
*ambigua* Bates, l.e., p. 269.  
*pygmaea* Haag., Verh. Ver. Hamb., 1878, p. 103.

*MACROPERAS*. Cart., Roy. Soc. S. Aus., 1914, p. 393.

869. *antennalis* Cart., l.e., p. 394 . . . . . Moruya, N.S.W.

*CORIPERA*. Pasc., Jour. Ent., 1866, p. 483.

870. *adamsi* Lea, Linn. Soc. N.S.W., 1911, p. 476 (pl. xvii, f. 27) . . . . .  
                                                             . . . . . Magnet, Waratah, T.  
 871. *bistriata* Cart., l.e., 1908, p. 414 . . . . . . . . Zeehan, T.  
 872. *deplanata* Boisd., Voy. Astrol., 1835, p. 277 . . . . . Hobart, T.  
 873. *distincta* Cart., Linn. Soc. N.S.W., 1905, p. 185 . . Blackheath, N.S.W.

874. *geminata* Lea, l.c., 1898, p. 588 . . . . . Mt. Kosciusko, N.S.W.  
 875. *mastersi* Macl., Ent. Soc. N.S.W., 1872, p. 292 . . . . . Gayndah, Q.  
 876. *morleyana* Cart., Linn. Soc. N.S.W., 1905, p. 184 . . Mt. Irvine, N.S.W.  
 877. *ocellata* Pasc., Ann. Mag. Nat. Hist., 1869, p. 44 . . . . Mt. Macedon, V.  
*DYSTALICA*. Pasc., Ann. Mag. Nat. Hist., 1869, p. 142.  
 878. *homogena* Pasc., l.c., p. 142 . . . . . W.A.  
     *parallela* Lea, Linn. Soc. N.S.W., 1898, p. 586.  
 879. *panageicollis* Macl. (*Adelium*) Ent. Soc. N.S.W., 1872, p. 290.  
     . . . . . Gayndah, Q.  
 \*880. *subpubescens* Bates, Ent. Soc. Lond., 1873, p. 369 . . . (?) N.S.W.  
     (Doubtfully distinct from *homogena* Pasc., while the locality given by the  
     author has not been confirmed.).  
*EUTHERAMA*. Cart., Roy. Soc. S. Ans., 1914, p. 405.  
 881. *cyanum* Cart., l.c., p. 405 . . . . . N.A.  
*CYMBEBA*. Pasc., Jour. Ent., 1866, p. 483.  
 \*882. *dissimilis* Pasc., l.c., p. 484 . . . . . C. York, Q., & New Caledonia.  
     (Unknown in Australian collections. The Australian habitat requires con-  
     firmation).

#### Subfamily HELOPINAE.

- OMOLIPUS*. Pasc., Jour. Ent., 1860, p. 127.  
 883. *angustus* Cart., Linn. Soc. N.S.W., 1915, p. 537 . . . . . Cue, W.A.  
 884. *bimetallicus* Cart., l.c., p. 536 . . . . . Alligator R., N.A.  
 885. *coeruleus* Cart., l.c., 1918, p. 711 . . . . . King R., N.A.  
 886. *corvus* Pasc., Jour. Ent., 1860, p. 127 (pl. xvii, f. 28) . . . . . S.Q.  
     *grandis* Macl., Ent. Soc. N.S.W., 1872, p. 294.  
 887. *cyaneus* Pasc., Ann. Mag. Nat. Hist., 1870, p. 98 . . . Nicol Bay and  
     . . . . . Albany, W.A.  
     *chalybeus* Geb., Fn. Sudwest. Aus., 1908, p. 332.  
 888. *cyaneipennis* Champ., Ent. Soc. Lond., 1894, p. 394 . . . . . N.W.A.  
 889. *gnesioides* Pasc., Ann. Mag. Nat. Hist., 1869, p. 143. Port Denison, Q.  
 890. *laevis* Pasc., l.c., p. 142 . . . . . C. York, Q.  
 891. *nitidus* Cart. . . . . Blackall Range, Q.  
 892. *oblongus* Bates, Ent. Soc. Lond., 1873, p. 379 . . . Champion Bay, W.A.  
     *affinis* Geb., Fn. Sudwest. Aus., 1908, p. 333.  
 893. *ovatus* Cart., Linn. Soc. N.S.W., 1922, p. 79 . . . . . Recherche Isl.  
 894. *parvus* Bates, Ent. Soc. Lond., 1873, p. 379 . . . . . W.A.  
 895. *punctato-sulcatus* Cart., Linn. Soc. N.S.W., 1920, p. 249 . . . . . N.A.  
 896. *socius* Pasc., Ann. Mag. Nat. Hist., 1862, p. 463. Lizard Is. & Kuranda, Q.  
 897. *submetallicus* Geb., Fn. Sudwest. Aus., 1908, p. 333 . . . . . C. York, Q.  
*CAMPOLENE*. Pasc., Jour. Ent., 1863, p. 44.  
 898. *nitida* Pasc., l.c., p. 44 . . . . . Sydney, N.S.W.  
*AUSTROPEUS*. Cart., Linn. Soc. N.S.W., 1924, p. 543.  
 899. *pustulosus* Cart., l.c., p. 543 . . . . . (?) W.A.  
*TARPELA*. Bates, Ent. Mo. Mag., 1870, p. 272.  
     *Lamperos* All., Abeille, 1876, p. 4.  
 900. *catenulata* All., Pet. Nouv. Ent., 1877, p. 97 . . . . . A.  
 901. *doddi* Cart., Linn. Soc. N.S.W., 1918, p. 712 . . . . . N.Q.

#### Subfamily MERACANTHINAE.

- AXYNAON*. Blackb., Roy. Soc. S. Aus., 1897, p. 34.  
     *Catopherus* Cart., Linn. Soc. N.S.W., 1917, p. 713.

902. *championi* Blackb., i.e., p. 35 (pl. xvii., f. 29) . . . . . N.Q.  
*corpulentus* (*Catopherus*) Cart., Linn. Soc. N.S.W., 1917, p. 714.
- BLUOPS*. Cart., Roy. Soc. S. Aus., 1914, p. 227.
903. *verrucosus* Cart., i.e., p. 228 . . . . . Cairns, Q.
- MELYTRA*. Pase., Ann. Mag. Nat. Hist., 1869, p. 34.
904. *ovata* Pase., i.e., p. 34 (pl. xvii., f. 23) . . . . . T.
- Subfamily AMARYGMINAE.
- AMARYGMUS*. Dahn., Analect. Ent., 1823, p. 60.
- Eurypera* Pase., Ann. Mag. Nat. Hist., 1870, p. 106.
- Dietytus* Pase., Jour. Ent., 1866, p. 486.
- Aphyllocerus* Fairm., Le Natural., 1881, p. 348.
905. *aborigine* Cart., Roy. Soc. S. Ans., 1913, p. 39 . . . . . Mackay, Q.
906. *aeger* Blackb., Linn. Soc. N.S.W., 1893, p. 90 . . . . . N.S.W., V., S.A.
907. *anthracinus* Hope, Ent. Soc. Lond., 1842, p. 79 . . . . . N.S.W., Q.  
*ellipsooides* Pase., Ann. Mag. Nat. Hist., 1869, p. 350.
908. *bicolor* F., Syst. Ent., p. 118 . . . . . Cairns, Q.  
*tardus* Blackb., Linn. Soc. N.S.W., 1889, p. 1247.  
 var. *torridus* Pase., Ann. Mag. Nat. Hist., 1869, p. 351.
909. *carbo* Cart., Linn. Soc. N.S.W., 1913, p. 38 . . . . . Cairns, Q.
910. *convexusculus* Mael., Ent. Soc. N.S.W., 1872, p. 297 . . . . . Gayndah, Q.
911. *convexus* Pase., Jour. Ent., 1866, p. 485 . . . . . Brisbane, Q.
912. *corpulentus* Cart., Linn. Soc. N.S.W., 1913, p. 40 . . . . . Mt. Chalmers, Q.
913. *cupido* Pase., Ann. Mag. Nat. Hist., 1869, p. 346 . . . . . Cooktown, Q.
914. *curvipes* Geb., n.n. for *alienus* Blkb., Linn. Soc. N.S.W., 1893, p. 93. Vic.
915. *diaperoides* Blackb., Linn. Soc. N.S.W., 1888, p. 1387 . . . . . N.Q.
916. *erubescens* Cart., Roy. Soc. S. Aus., 1914, p. 230 . . . . . Cairns, Q.
917. *exilis* Pase., Ann. Mag. Nat. Hist., 1869, p. 346 . . . . . N.S.W. & V.
918. *femoratus* Cart., Roy. Soc. S. Aus., 1913, p. 43 . . . . . N.Q.
919. *foveolatus* Mael., Ent. Soc. N.S.W., 1872, p. 297 . . . . . Gayndah, Q.
920. *frenchi* Blackb., Linn. Soc. N.S.W., 1893, p. 90 . . . . . (?) Vic.
921. *gemmatus* Cart., Roy. Soc. S. Aus., 1913, p. 44 . . . . . Kuranda, Q.
922. *hackeri* Cart., i.e., p. 44 . . . . . C. York, Q.
923. *incultus* Cart., Linn. Soc. N.S.W., 1919, p. 172 . . . . . N.A.
924. *kershawi* Cart., Roy. Soc. S. Aus., 1913, p. 42 . . . . . N.S.W.
925. *kurandae* Cart., i.e., p. 45 . . . . . Kuranda, Q.
926. *lindensis* Blackb., Linn. Soc. N.S.W., 1893 pp. 93, 104. Port Lincoln, S.A.
927. *tilliputanus* Blackb., i.e., pp. 91, 104 . . . . . Wide Bay, Q.
928. *maculicollis* Cart., Roy. Soc. S. Aus., 1914, p. 231 . . . . . Kuranda, Q.
929. *maurulus* Pase., Ann. Mag. Nat. Hist., 1870, p. 105 . . . N.S.W. & Q.
930. *metalliceps* Cart., Linn. Soc. N.S.W., 1921, p. 321. . . . . Cue, W.A., &  
 . . . . . Tareeool, S.A.
931. *minimus* Cart., Roy. Soc. S. Aus., 1914, p. 232 . . . . . Cairns, Q.
932. *minutus* Pase., Ann. Mag. Nat. Hist., 1869, p. 347 . . . . . Sydney, N.S.W.  
*rutilipes* Blackb., Linn. Soc. N.S.W., 1893, p. 91.
933. *morio* F., Sys. Ent., 1775, p. 123 . . . . . N.Q., Papua Isl.  
 var. *cuprea* Guér., Voy. Coquille, 1830, p. 102.  
*uniformis* Blackb., Linn. Soc. N.S.W., 1889, p. 1272.  
*tasmanicus* Blackb., i.e., 1893, p. 105.  
*foveoseriatus* Fairm., Pet. Nouv. Ent., 1877, p. 187.  
*foveostriatus* Fairm., Soc. Ent. Belg., 1883, p. 29.  
*picipes* Fairm. (*Dietytus*) Tijd. v. Ent., 1893, p. 26.
934. *obtusus* Pase., Ann. Mag. Nat. Hist., 1869, p. 348 . . . . . Q.

935. *pascoei* Geb. [n.n. for *cupreus* Pase. (*Euriperla*) Ann. Mag. Nat. Hist., 1870, p. 106] . . . . . Port Denison, Q.  
 936. *pectoralis* Blackb., Linn. Soc. N.S.W., 1893, p. 90, 96. Dorrigo, N.S.W.  
 937. *perplexus* Blackb., l.c., pp. 92, 102 . . . . . N.A.  
     *queenslandicus* Blackb., l.c., pp. 92, 101 . . . . . N.Q.  
 938. *picticornis* Hope, Ent. Soc. Lond., 1842, p. 78 . . . N.S.W., V., S.A.  
     *indigaceus* Pase., Ann. Mag. Nat. Hist., 1869, p. 346.  
 939. *pinguis* Blackb., Linn. Soc. N.S.W., 1893, pp. 92, 102 . . . Cooktown, Q.  
 940. *porosus* Blackb., l.c., pp. 91, 98 . . . . . N.Q.  
 941. *pusillus* Pase., Ann. Mag. Nat. Hist., 1869, p. 347 . . . Illawarra, N.S.W.  
 942. *regius* Cart., Roy. Soc. S. Aus., 1914, p. 229 . . . . . Cairns, Q.  
 943. *rimosus* Blkb., Linn. Soc. N.S.W., 1893, pp. 93, 103. Richmond R. N.S.W.  
 944. *rufescens* Cart., Roy. Soc. S. Aus., 1913, p. 41 . . . . . N.W.A.  
 945. *tusicornis* Blackb., Linn. Soc. N.S.W., 1893, pp. 90, 96. Richmond R., . . . . . N.S.W.  
 946. *rugaticollis* Blackb., l.c., pp. 93, 104 . . . . . Sydney, N.S.W.  
 947. *semissus* Pase., Ann. Mag. Nat. Hist., 1869, p. 349 . . . Illawarra, N.S.W.  
 948. *sphaeroides* Cart., Roy. Soc. S. Aus., 1913, p. 38 . . . . . Q.  
 949. *stolidus* Blackb., Linn. Soc. N.S.W., 1893, pp. 91, 99. . . Sydney, N.S.W.  
     . . . . . S.Q.  
 950. *striatus* MacL., Ent. Soc. N.S.W., 1872, p. 297 . . . . . N.S.W. & Q.  
 951. *suavis* Blackb., Linn. Soc. N.S.W., 1893, pp. 90, 95 . . . Sydney, N.S.W.  
 952. *sulcatus* Cart., l.c., 1917, p. 715 . . . . . Melville Is.  
 953. *tarsalis* Pase., Jour. Ent., 1866, p. 485 . . . . . Q.  
 954. *termitophilus* Lea, Roy. Soc. Vic., 1910, p. 223 . . . . . Q.  
 955. *tibialis* Cart., Roy. Soc. S. Aus., 1913, p. 40 . . . . . N.Q.  
 956. *tristis* F., Sys. Ent., 1798, p. 102 . . . . . N.S.W. & Q.  
 957. *tropicus* Cart., Roy. Soc. S. Aus., 1913, p. 42 . . . . . N.Q.  
 958. *tyrrhenus* Pase., Ann. Mag. Nat. Hist., 1870, p. 105 . . . Albany, W.A.  
 959. *variolaris* Pase., l.c., p. 106 . . . . . Wide B., Q.  
**TRICHAMARYGMUS.** Cart., Roy. Soc. S. Aus., 1913, p. 46.  
 960. *pilosus* Cart., l.c., p. 46 . . . . . Shark B., Cue, W.A.  
**CHALCOPTERUS.** Bless., Hor. Soc. Ent. Ross., 1861, p. 103.  
 961. *acutangulus* Blackb., Roy. Soc. S. Aus., 1899, p. 47 . . . . . C.A.  
 962. *affinis* Bless., Hor. Soc. Ent. Ross., 1861, p. 109. Q., N.S.W., V., S.A., . . . . . W.A.  
     *howitti* Pase., Ann. Mag. Nat. Hist., 1869, p. 348.  
     *simius* Blackb., Linn. Soc. N.S.W., 1892, p. 421.  
 963. *amethystinus* F., Sys. Ent., 1775, p. 124 . . . . . N.A.  
 964. *angusticollis* Cart., Roy. Soc. S. Aus., 1913, p. 19 . . . . . N.Q.  
 965. *bellus* Blackb., Linn. Soc. N.S.W., 1892, p. 433 . . . . . N.Q.  
 966. *boops* Blackb., Roy. Soc. S. Aus., 1899, p. 45 . . . . . W.A.  
 967. *bovilli* Blackb., Linn. Soc. N.S.W., 1892, p. 453 . . . . . N.A.  
 968. *brevipes* Blackb., l.c., p. 434 . . . . . N.W. Vic. & S.A.  
 969. *caesar* Cart., Roy. Soc. S. Aus., 1913, p. 16 (pl. xvii., f. 30) . . . . . Sandstone, W.A.  
 970. *carinaticeps* Blackb., Linn. Soc. N.S.W., 1892, p. 468 . . . Cunnamulla, Q.  
 971. *carus* Blackb., l.c., p. 430 . . . . . N.W. Vic. & W.A.  
 972. *catenulatus* Blackb., l.c., p. 469 . . . . . Toowoomba, Q.  
 973. *clypealis* Blackb., l.c., p. 420 . . . . . S.A.  
 974. *colossus* Blackb., l.c., p. 454 . . . . . V., N.S.W., Q.  
     *laticollis* Blackb., l.c., 1893, p. 65.

975. *columbinus* Boisd., Voy. Astrol., 1832, p. 271 . . . . N.S.W., V., T.  
*variabilis* Blcss., Hor. Soc. Ent. Ross., 1861, p. 108.  
*vinosus* Pasc., Ann. Mag. Nat. Hist., 1869, p. 345.
976. *confusus* Cart., Roy. Soc. S. Aus., 1914, p. 236 . . . . S.Q.  
*opacicollis* Blackb. (nec Macl.).  
(?) *resplendens* Boisd., Voy. Astrol., 1832, p. 272.
977. *costatus* Blackb., Roy. Soc. S. Aus., 1899, p. 46 . . . . N.W.A.
978. *cibratus* Blackb., I.e., 1901, p. 25 . . . . Marmor, Q.
979. *cupreus* F., Sys. Ent., 1775, p. 123 . . . . Cairns, Q.  
*venerus* Gmel., Ed. Linn., 1788, p. 1728.  
*rusticus* Blackb., Linn. Soc. N.S.W., 1893, p. 63.
980. *cupripennis* Hope, Ent. Soc. Lond., 1842, p. 78 . . . . N.S.W.  
*froggatti* Blackb., Linn. Soc. N.S.W., 1892, p. 436.
981. *cyaneus* Cart., Roy. Soc. S. Aus., 1913, p. 24 . . . . N.W.A.
982. *cyanciventris* Cart., I.e., p. 12 . . . . S.A.  
*longipennis* Blackb. (nec Hope).
983. *cyanopterus* Hope, Gray's Zool. Misc., I., 1831, p. 32. ? Nepal, N.S.W., V.  
*cyaneipennis* Hope, Ent. Soc. Lond., 1842, p. 78.  
*laevicollis* Blcss., Hor. Soc. Ent. Ross., 1861, p. 110.  
*coelestis* Pasc., Ann. Mag. Nat. Hist., 1869, p. 345.
984. *cylindricus* Blackb., Linn. Soc. N.S.W., 1892, p. 452 . . . . N.Q.
985. *dificilis* Blackb., I.e., p. 426 . . . . McDonnel Range, C.A.
986. *doddi* Cart., Roy. Soc. S. Aus., 1913, p. 18 . . . . Kuranda, Q.
987. *elongatus* Cart., I.e., p. 20 . . . . Q.
988. *eremita* Blackb., I.e., 1890, p. 44 . . . . Mt. Margaret, W.A.  
(?) *puer* Blackb., I.e., 1899, p. 41.
989. *eyrensis* Blackb., Linn. Soc. N.S.W., 1892, p. 442 . . . . S.A.
990. *exolutus* Blackb., I.e., 1893, p. 58 . . . . Cooktown, Q.
991. *fastuosus* Germ., Linn. Ent., 1848, p. 200 . . . . Q., N.S.W., V., S. Aus., W.A.  
*obsoletus* Macl., Ent. Soc. N.S.W., 1872, p. 296.  
*confluens* Blackb., Linn. Soc. N.S.W., 1892, p. 440.
992. *fervens* Germ., Linn. Ent., 1848, p. 200 . . . . Adelaide, S.A.
993. *gilesi* Cart., Roy. Soc. S. Aus., 1913, p. 17 . . . . Condon, W.A.
994. *gracilicornis* Blackb., I.e., 1899, p. 45 . . . . Yalgoo, W.A.
995. *gracilior* Blackb., Linn. Soc. N.S.W., 1893, p. 66 . . . . Cairns, Q.
996. *grandis* Macl., Ent. Soc. N.S.W., 1872, p. 295 . . . . Gayndah, Q.
997. *imperialis* Blackb., Linn. Soc. N.S.W., 1892, p. 455 . . . . Marmor, Q.
998. *inconspicuus* Blackb., I.e., p. 466 . . . . W.A.
999. *interioris* Blackb., I.e., 1890, p. 311 . . . . S.A., W.A.  
*blackburni* Geb., Fauna S.W. Aus., 1908, p. 339.
1000. *intermedius* Blackb., Linn. Soc. N.S.W., 1892, p. 439 . . . . N.S.W. & S.Q.  
*arthuri* Blackb., Roy. Soc. S. Aus., 1902, p. 319.
1001. *interrogationis* Geb., Fauna S.W. Aus., 1908, p. 337 . . . . S.W.A.
1002. *iridescens* Cart., Roy. Soc. S. Aus., 1913, p. 22 . . . . Eucla, S.A.
1003. *iridicolor* Blcss., Hor. Soc. Ent. Ross., 1861, p. 107 . . . . Vic., N.S.W.
1004. *iridiventris* Blackb., Linn. Soc. N.S.W., 1892, p. 458 . . . . S.A., W.A.  
*meyricki* Blackb., Roy. Soc. S. Aus., 1890, p. 45.
1005. *iris* Blackb., I.e., 1899, p. 43 . . . . Q.
1006. *juvenis* Blackb., Linn. Soc. N.S.W., 1892, p. 429 . . . . Portland, V.
1007. *kochi* Blackb., Roy. Soc. S. Aus., 1900, p. 59, L. Eyre, S.A. & Dalby, Q.
1008. *laetus* Blackb., Linn. Soc. N.S.W., 1892, p. 428 . . . . Eucla, S.A.
1009. *latifrons* Cart., Roy. Soc. S. Aus., 1913, p. 23 . . . . Shark B., W.A.

1010. *leai* Blackb., Linn. Soc. N.S.W., 1893, p. 65 . . . (Int.) N.S.W. & N.W.V.  
 1011. *lepidus* Blackb., i.e., 1892, p. 465 . . . . . York, W.A.  
 1012. *longipennis* Hope, Ent. Soc. Lond., 1842, p. 79 . . . Kellerberrin, W.A.  
     *similis* Blackb., Linn. Soc. N.S.W., 1892, p. 451.  
 1013. *longiusculus* Blackb., i.e., 1888, p. 1435 . . . . . S.A.  
 1014. *longulus* Blackb., i.e., 1892, p. 455 . . . . . W.A.  
 1015. *lucidus* Cart., i.e., 1924, p. 42 . . . . . Beverley, W.A.  
 1016. *macer* Blackb., i.e., p. 464 . . . . . S.A.  
 1017. *major* Blackb., i.e., p. 449 . . . . . Cooktown, Q.  
 1018. *mastersi* Blackb., i.e., 1893, p. 61 . . . . . N.A.  
 1019. *maximus* Cart., Roy. Soc. S. Aus., 1913, p. 15 . . . . . Cooktown, Q.  
     *cupreus* Blackb. (nec F.).  
 1020. *mercurius* Blackb., Linn. Soc. N.S.W., 1892, p. 449 . . . . . N.W.A.  
     var. *croesus* Blackb., Roy. Soc. S. Aus., 1899, p. 44.  
 1021. *michaelseni* Geb., Fauna, Sudw. Aus., 1908, p. 334 . . . . . W.A.  
 1022. *mimus* Blackb., Linn. Soc. N.S.W., 1892, p. 450 . . . Kalgoorlie, W.A.  
 1023. *minor* Blackb., i.e., p. 448 . . . . . W.A.  
     *hartmeyeri* Geb., Fauna Sudw. Aus., 1908, p. 336.  
 1024. *modestus* Blackb., Linn. Soc. N.S.W., 1892, p. 432 . . . Wide B., Q.  
 1025. *murrayensis* Blackb., i.e., p. 462 . . . . . S.A.  
 1026. *mundus* Blackb., Roy. Soc. S. Aus., 1899, p. 48 . . . . . N.Q.  
 1027. *neglectus* Blackb., Linn. Soc. N.S.W., 1892, p. 446 . . . N.S.W. & S.Q.  
 1028. *nigritarsis* Pase., Jour. Ent., 1866, p. 485 . . . . . Gayndah, Q.  
     *rufipes* MacL., Ent. Soc. N.S.W., 1872, p. 294.  
 1029. *nobilis* Blackb., Linn. Soc. N.S.W., 1893, p. 63 . . . . . N.Q.  
 1030. *oblongus* Blackb., i.e., 1892, p. 464 . . . . . W.A.  
 1031. *obscurus* Blackb., i.e., p. 445 . . . . . N.W.A.  
 1032. *ocularis* Blackb., i.e., 1893, p. 64 . . . . . Q.  
 1033. *opacicollis* MacL., Ent. Soc. N.S.W., 1872, p. 295 . . . N.S.W. & S.Q.  
     *hunterensis* Blackb., Linn. Soc. N.S.W., 1893, p. 64.  
 1034. *palmerensis* Blackb., i.e., p. 65 . . . . . Q.  
 1035. *palmerstoni* Blackb., i.e., 1892, p. 443 . . . . . Q.  
 1036. *parallelocollis* Geb., Fauna Sudw. Aus., 1908, p. 335 . . . . . W.A.  
 1037. *perlolygonus* Blackb., Linn. Soc. N.S.W., 1892, p. 444 . . . S.A. & W.A.  
 1038. *picipes* MacL., Ent. Soc. N.S.W., 1872, p. 295 . . . V., N.S.W., Q.  
     *jucundus* Blackb., Roy. Soc. S. Aus., 1899, p. 50.  
 1039. *placidus* Blackb., Linn. Soc. N.S.W., 1892, p. 435 . . . Kellerberrin, W.A.  
 1040. *plutus* Blackb., i.e., p. 461 . . . . . N.S.W. & Brisbane, Q.  
 1041. *polychromus* Pase., Ann. Mag. Nat. Hist., 1869, p. 348 . . . V. & S.A.  
 1042. *praetermissus* Cart., Linn. Soc. N.S.W., 1924, p. 42 . . . . . N.Q.  
 1043. *prismaticus* Cart., Roy. Soc. S. Aus., 1913, p. 21 . . . Camooweal, Q.  
 1044. *proditor* Blackb., i.e., 1899, p. 44 . . . . . N.W.A.  
 1045. *prospiciens* Blackb., Linn. Soc. N.S.W., 1893, p. 62 . . . . . W.A.  
 1046. *proximus* Blackb., i.e., p. 59 . . . . . Port Denison, Q.  
 1047. *pulcher* Blackb., i.e., p. 64 . . . . . Cairns, Q.  
 1048. *puncticollis* Hope, Ent. Soc. Lond., 1842, p. 78 . . . . . Perth, W.A.  
 1049. *punctipennis* MacL., Ent. Soc. N.S.W., 1872, p. 296 . . . Gayndah, Q.  
 1050. *punctulatus* Blackb., Linn. Soc. N.S.W., 1892, p. 463 . . . N.S.W. & Q.  
 1051. *purpureus* Germ., Linn. Ent., 1848, p. 199 . . . . . Adelaide, S.A.  
 1052. *rugosicollis* MacL., Ent. Soc. N.S.W., 1872, p. 295 . . . Gayndah, Q.  
 1053. *rugosipennis* MacL., i.e., p. 296 . . . . . Gayndah, Q.  
 1054. *scutellaris* Cart., Linn. Soc. N.S.W., 1921, p. 320 . . . Kimberley, W.A.

1055. *segnis* Blackb., l.c., 1893, p. 69 . . . . . N.Q.  
 1056. *semiseriatus* Blackb., l.c., 1892, p. 460 . . . . . N.S.W., V.  
 1057. *sericatus* Cart., Roy. Soc. S. Aus., 1913, p. 24 . . . . . C. York, Q.  
 1058. *setosus* Blackb., Linn. Soc. N.S.W., 1892, p. 459 . . . . . N.Q.  
     var. *cupriventris* Cart., Roy. Soc. S. Aus., 1913, p. 13.  
 1059. *smaragdulus* F., Sys. Ent., p. 123 . . . . . N.A. & N.Q.  
     *semiticus* Pasc., Ann. Mag. Nat. Hist., 1869, p. 349.  
     *vigilans* Blackb., Linn. Soc. N.S.W., 1892, p. 432.  
     *cairnsi* Blackb., l.c., 1893, p. 60.  
     *triangularis* Haag., Verh. Ver. Hamb., 1878, p. 104.  
 1060. *sparsus* Blackb., Linn. Soc. N.S.W., 1892, p. 432 . . . . . N.A.  
 1061. *sulcipennis* Hope, Ent. Soc. Lond., 1842, p. 78 . . . . . Perth, W.A.  
     *suturalis* Pasc., Ann. Mag. Nat. Hist., 1869, p. 350.  
 1062. *superbus* Blackb., Linn. Soc. N.S.W., 1890, p. 309 . . . . . N.A.  
 1063. *tenuicornis* Geb., Fauna Sud. W. Aus., 1908, p. 340 . . . . . W.A.  
 1064. *tinctus* Blackb., Linn. Soc. N.S.W., 1892, p. 425 . . . . . S.A.  
 1065. *torpedo* Cart., l.c., 1921, p. 320 . . . . . N.Q.  
 1066. *velutinus* W. S. Macl., King's Surv. Aust., 1827, p. 443, Wyndham, W.A.  
 1067. *versicolor* Blackb., Linn. Soc. N.S.W., 1892, p. 424 . . . . . S.A.  
 1068. *viridicollis* W. S. Macl., King's Survey Aust., 1827, p. 443 . . . . . W.A.  
     *bicolor* Geb., Fauna Sud. W. Aus., 1908, p. 338.  
 1069. *vividus* Blackb., Linn. Soc. N.S.W., 1892, p. 438 . . . . . N.S.W. & Q.  
 1070. *zonatus* Blackb., Roy. Soc. S. Aus., 1899, p. 46 . . . . . N.Q.

## Subfamily STRONGYLINAE.

*STRONGYLIUM*. Kirby, Linn. Soc. Lond., 1818, p. 417.

1071. *australe* Mäkl., Mon., 1864, p. 354 . . . . . Q.  
 1072. *corrugatum* Cart., Linn. Soc. N.S.W., 1915, p. 528 . . . . . N.A.  
 1073. *cylindripenne* Cart., l.c., p. 527 . . . . . Tambourine Mt., Q.  
 1074. *longierus* Cart., l.c., 1917, p. 716 . . . . . Cairns, Q.  
     *longipes* Cart. (nom. praeocc.) l.c., 1915, p. 525.  
 1075. *macleayi* Pasc., Jour. Ent., 1863, p. 43 . . . . . N.S.W. & Q.  
 1076. *mastersi* Macl., Ent. Soc. N.S.W., 1872, p. 298 . . . . . Gayndah, Q.  
 1077. *punctithorax* Cart., Linn. Soc. N.S.W., 1915, p. 529 . . . . . Cairns, Q.  
 1078. *ruficolle* Macl., Ent. Soc. N.S.W., 1872, p. 298 . . . . . Gayndah, Q.  
 1079. *vertebrale* Cart., Linn. Soc. N.S.W., 1924, p. 43 (pl. xvii, f. 31) . . . N.Q.

*EBENOLUS*. Fairm., Notes Leyd. Mus., 1897, p. 227.

1080. *banksi* Cart., Linn. Soc. N.S.W., 1924, p. 43 . . . . . Moa, Banks Isl.  
 1081. *minor* Cart., l.c., p. 44 . . . . . Moa, Banks Isl.

*NOTOSTRONGYLIUM*. Cart., Linn. Soc. N.S.W., 1915, p. 523.

1082. *fuscovestitum* Cart., Roy. Soc. S. Aus., 1914, p. 232 . . . Gosford, N.S.W.  
 1083. *reticulatum* Mäkl. (*Strongylium*) Mon., 1864, p. 343. Blue Mts., N.S.W.  
     . . . . . and Vic. Alps.

1084. *rugosicolle* Cart., Linn. Soc. N.S.W., 1915, p. 523 . . . . . N.Q.

*PSEUDOSTRONGYLIUM*. Kraatz. Deut. Ent. Zeit., 1880, p. 114.

1085. *viridipenne* Kraatz., l.c., p. 120.

## ABBREVIATIONS USED.

A.	for Australia.	S.A.	for South Australia.
N.S.W.	„ New South Wales.	Q.	„ Queensland.
V.	„ Victoria.	N.Q.	„ North Queensland.
N.W.V.	„ North-west Victoria.	S.Q.	„ South Queensland.

W.A. for Western Australia.	N.A. for Northern Australia.
N.W.A. " North-west Australia.	E.A. " Eastern Australia.
T. " Tasmania.	C.A. " Central Australia.
N.T. " Northern Territory.	C. York " Cape York Peninsula.

Linn. Soc. N.S.W. for Proceedings of the Linnean Society of N.S.W.  
 Roy. Soc. S.A. " Transactions of the Royal Society of South Australia.  
 Ent. Soc. Lond. " Transactions of the Entomological Society of London.

Other abbreviations for references are those generally recognised.

A few names [Nos. 79 (*nov. gen. et spec.*), 121, 162, 167, 444, 501, 708, 891] have been included, which are in course of publication in the next Proceedings of the Linnean Society of New South Wales.

An asterisk \* placed before a name in the Check-list indicates a species unknown to the author in nature.

#### EXPLANATION OF PLATES.

##### Plate xvi.

1. *Zopherosis georgii* White.
2. *Tretothorax cleistosoma* Lea.
3. *Exangeltus angustus* Blkb.
4. *Adelodemus excisicollis* Cart.
5. *Ectyche sculpturata* Bates.
6. *Caediomorpha heteromera* King.
7. *Mychestes pascoei* Macl.
8. *Ganyme sapphira* Newm.
9. *Ceropria maculata* Geb.
10. *Platycilibe brevis* Cart.
11. *Uloma westwoodi* Pase.
12. *Helaeus waitei* Lea.
13. *Saragus incisus* Pase.
14. *Onosterrhus bos* Cart.
15. *Nyctozoilus deyrollei* Bates.

##### Plate xvii.

16. *Hypaulax foveata* Cart.
17. *Sloanea costata* Cart.
18. *Meneristes tibialis* Cart.
19. *Brises blairi* Cart.
20. *Prophanes ducalis* Cart.
21. *Chartopteryx imperialis* Cart.
22. *Apterotheca amarooides* Pase.
23. *Melytra ovata* Pase.
24. *Cardiothorax grandis* Bates.
25. *Nototrintus jacksoni* Cart.
26. *Adelium helmsi* Cart.
27. *Coripera adamsi* Lea.
28. *Onolipus corvus* Pase.
29. *Axyraon championi* Blkb.
30. *Chalcopterus caesar* Cart.
31. *Strongylium vertebrale* Cart.