

## Fungal and bacterial diseases of plants in Western Australia

R G Shivas

Plant Pathology Branch, Division of Plant Industries, Department of Agriculture,  
Baron-Hay Court, South Perth, WA 6151

*Manuscript received May 1988; accepted July 1988*

### Abstract

The fungi and bacteria that cause or are associated with diseases of plants in Western Australia are listed. The host index lists 909 plants on which 2 419 diseases have been recorded. The pathogen index comprises 675 fungal taxa and 44 bacterial taxa, excluding synonyms. 881 host-pathogen combinations are reported for the first time from Western Australia.

### Introduction

Comprehensive lists of plant diseases recorded in the Australian States and Territories are available for the Northern Territory (Pitkethley 1970), Queensland (Simmonds 1966), South Australia (Warcup & Talbot 1981), Victoria (Chambers 1982; Woodcock & Clarke 1983; Washington & Nancarrow 1983) and Tasmania (Sampson & Walker 1982). The virus, viroid, mycoplasma and rickettsial diseases of plants in Western Australia were listed by McLean & Price (1984) and the plant parasitic nematodes by Khair (1986).

The fungal and bacterial diseases of plants that have been recorded in Western Australia appear in several lists (Carne 1925b, 1927d; Chambers 1959, 1960, 1961; Doepel 1964; Goss 1964b; MacNish 1963a, 1964a, 1967). Many new records have come to light since as published papers, unpublished records of the Western Australian Department of Agriculture and other institutions as well as specimens deposited in herbaria.

This publication lists the fungi and bacteria that cause, or have been associated with, plant diseases in Western Australia up until December, 1988. It is comprised of a host index and a pathogen index.

### Methods

The host index lists in alphabetical order the plant genera on which bacterial and fungal pathogens have been recorded. The names of hosts are those accepted by Green (1985).

Following each host name the pathogen entries are listed in alphabetical order. The pathogen names are those used in recent Commonwealth Agricultural Bureaux publications. In most cases the perfect name of fungal pathogens has only been used if that state has been recorded on the host. The year that the pathogen was first recorded in Western Australia is the earliest year in the

entry. The year will be found in either the reference citation, the date of collection of the specimen or as a separate entry. The final entry for each pathogen refers to its known distribution in Western Australia. In many cases the distribution is listed as the south-west region which refers to that area west of an imaginary line between Geraldton and Esperance.

The herbarium or the collector's accession number of specimens maintained in major herbaria is included if known. The year immediately following the accession number refers to the date that the specimen was collected.

The abbreviations for herbaria and sources of unpublished records are given below:

CALM	Department of Conservation and Land Management, Western Australia
DAR	Biology Branch Herbarium, New South Wales Department of Agriculture, Rydalmer
DCE	Department of Conservation and the Environment, Western Australia
FR	Forests Department, Western Australia
IMI	Commonwealth Mycological Institute, Kew, England
MEL	National Herbarium of Victoria, Melbourne
PERTH	Western Australian Herbarium, Department of Conservation and Land Management
PPB	Plant Pathology Branch, Department of Agriculture, Western Australia
UWA	Department of Botany, University of Western Australia

The pathogen index lists in alphabetical order the bacteria and fungi included in the host index. Synonyms and names used incorrectly in earlier publications are included. The hosts on which the pathogen has been recorded are listed under each pathogen entry.

## Host Index

- Abelmoschus ficulneus** (L.) Wight & Arn.: Wight (Rosella)  
*Oidium* sp. Powdery mildew PERTH 740837 (1988)  
 Kununurra
- Acacia acanthoclada** F. Muell.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40173 (1964)  
 (Gathe 1971)  
 North Kulin
- Acacia aciphylla** Benth.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40247 (1964)  
 (Gathe 1971)  
 Southern Cross
- Acacia acacia** W. Fitzg.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40283 (1963)  
 (Gathe 1971)  
 Koorda, Perenjori-Morawa, Wyalkatchem
- Acacia acuminata** Benth. (Raspberry jam wattle)  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 29655 (1907)  
 PERTH 794112 (1924) (Carne 1925b)  
 South-west region
- Acacia acutata** W. Fitzg.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40181 (1964)  
 (Gathe 1971)  
 Dumbleyung, Hyden
- Acacia acicostophylla** C.R.P. Andrews  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40189 (1964)  
 (Gathe 1971)  
 Merredin
- Acacia beauverdiana** Ewart & Sharman  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40225 (1964)  
 (Gathe 1971)  
 Kulja, Mullewa, Pithara
- Acacia biflora** R.Br. in W.T. Aiton  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40158 (1964)  
 (Gathe 1971)  
 Mt Toolbrunup
- Acacia bivenosa** DC.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust PERTH 793566  
 (1926) (MacNish 1963a)  
 Mosman Bay, Northampton, Perth
- Acacia blakelyi** Maiden  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40270 (1963)  
 (Gathe 1971)  
 Coorow-Watheroo
- Acacia brachyphylla** Benth.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40234 (1964)  
 (Gathe 1971)  
 Lake King
- Acacia browniana** H.L. Wendl.  
*Armillaria luteobubalina* Watling & Kile Root rot (Kile *et al.* 1983, Pearce  
*et al.* 1986 host as *A. strigosa*)  
 Manjimup, Pemberton
- Acacia cochlearis** (Labill.) H.L. Wendl.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40156 (1964)  
 (Gathe 1971)  
 Esperance, Porongurup National Park
- Acacia cochlocarpa** Meissner  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust (Gathe 1971)
- Acacia cometes** C.R.P. Andrews  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40243 (1964)  
 (Gathe 1971)  
 Salmon Gums
- Acacia coolgardiensis** Maiden  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40191 (1964)  
 (Gathe 1971)  
 Mullewa, Mukinbudin
- Acacia cupularia** Domin  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40161 (1964)  
 (Gathe 1971)  
 Borden, Elverton-Esperance Road, Salmon Gums
- Acacia cyclops** Cunn. : Don  
*Polystigma* sp. Black phylloide spot DAR 50123 (1984)  
 Lancelin  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 52801 (1984)  
 (Carne 1925b)  
 Swan River, Yanchep
- Acacia daviesioides** C. Gardner  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40201 (1964)  
 (Gathe 1971)  
 Latham, Mingenew
- Acacia dielsii** E. Pritzel in Diels & E. Pritzel  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40198 (1964)  
 (Gathe 1971)  
 Amery, Bunjil, Merredin, Nungarin, Tenindewa
- Acacia divergens** Benth.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40281 (1963)  
 (Gathe 1971)  
 40 mile peg Albany Highway
- Acacia duriuscula** W. Fitzg.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40288 (1963)  
 (Gathe 1971)  
 Goomalling
- Acacia erinacea** Benth.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust (Gathe 1971)
- Acacia erioclada** Benth.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust (McAlpine 1906)  
 South-west region
- Acacia extensa** Lindley  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40302 (1962)  
 PERTH 823627 (1985) (Carne 1925b) 1911  
 South-west region
- Acacia filifolia** Benth.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40169 (1964)  
 Lake Grace
- Acacia fragilis** Maiden & Blakely  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40296 (1963)  
 (Gathe 1971)  
 Wyalkatchem
- Acacia glaucoptera** Benth.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust (McAlpine 1906)  
 South-west region
- Acacia gonophylla** Benth.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40163 (1964)  
 (Gathe 1971)  
 Esperance, Pallinup River
- Acacia hastulata** Smith in Rees  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust (Gathe 1971)
- Acacia huegelii** Benth. in Endl., Fenzl, Benth. & Schott  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1965  
 Kendal, Gnangara
- Acacia intricata** S. Moore  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40168 (1964)  
 (Gathe 1971)  
 Lake Grace
- Acacia ixiophylla** Benth.  
*Pseudomonas syringae* van Hall Associated with leaf spot (PPB records  
 1984)  
 Perth  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40183 (1964)  
 (Gathe 1971)  
 Hyden
- Acacia jibberdingensis** Maiden & Blakely  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust (Gathe 1971)
- Acacia kochii** W. Fitzg. : Ewart & J. White  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust (Gathe 1971)
- Acacia lasiocalyx** C.R.P. Andrews  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40304 (1962)  
 (MacNish 1964a)  
 Yaldonia, Yorkrakine Rock
- Acacia leptoneura** Benth.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40279  
 (1963) (Gathe 1971)  
 Dumbleyung, Lake Grace, Merredin
- Acacia leptopetala** Benth.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40232 (1964)  
 (Gathe 1971)  
 Newdegate
- Acacia ligulata** Cunn. : Benth.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust UWA (1981)
- Acacia ligustrina** Meissner in Lehm.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust PERTH 794074  
 (1924) (Carne 1925b)  
 Dowerin, Kulja, Wongan Hills
- Acacia longiphylloidea** Maiden  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust (Gathe 1971)
- Acacia marramamba** Maslin  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40282 (1981)
- Acacia merrallii** F. Muell.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust (Gathe 1971)
- Acacia multispicata** Benth.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40166 (1964)  
 (MacNish 1967)  
 South-west region
- Acacia myrtifolia** (Smith) Willd.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40257 (1964)  
 (Gathe 1971)  
 Albany, Northcliffe
- Acacia neurophylla** W. Fitzg.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40206 (1964)  
 (Gathe 1971)  
 Geraldton
- Acacia nigricans** (Labill.) R.Br. in W.T. Aiton  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust (Gathe 1971)
- Acacia nigripilosa** Maiden  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40226 (1964)  
 (Gathe 1971)  
 Geraldton, Kalannie
- Acacia nyssophylla** F.Muell.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40305 (1963)  
 (Gathe 1971, host as *A. colletioides* var. *nyssophylla*)
- Acacia pentadenia** Lindley  
*Uromycladium* sp. Stem rust DAR 52797 (1982)  
 Northcliffe
- Acacia prainii** Maiden  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust (Gathe 1971)

- Acacia pulchella** R.Br. in W.T. Aiton  
*Armillaria luteobubalina* Watling & Kile Root rot (Kile et al. 1983, Pearce et al. 1986)  
 Manjimup, Pemberton  
*Polystigma phyllocladi* (Cooke & Massee) von Arx & Muller Black leaf spot DAR 55692 (1984)  
 Burns Beach Road
- Acacia resinomarginata** W. Fitzg.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40245 (1964) (Gathe 1971)  
 West Coolgardie
- Acacia restiacea** Benth.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40215 (1964) (Gathe 1971)  
 Mullewa
- Acacia rossei** F.Muell.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40246 (1964) (Gathe 1971)  
 Southern Cross
- Acacia rostellifera** Benth.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40238 (1964) (Gathe 1971)  
 Elverton-Esperance  
*Polystigma phyllocladi* (Cooke & Massee) von Arx & Muller Black leaf spot DAR 55693 (1984)  
 Rockingham
- Acacia saligna** (Labill.) H.L. Wendl. (Black wattle)  
*Acremoniella verrucosa* Tognini Associated with leaf spot IMI 132635, host as *A.cyanophylla* (1968)  
 Bunbury  
*Armillaria luteobubalina* Watling & Kile Root rot DAR 43156 (1982) (Kile et al. 1983)  
 Kirup  
*Canarosporium* sp. Spot on phylode DAR 28639 (1976)  
 Perth  
*Schizophyllum* sp. (MacNish 1963a, host as *A.cyanophylla*) (1955)  
 Perth  
*Septoria* sp. Phylode spot DAR 50150 (1984)  
 Bunbury  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust PERTH 794104 (1925) (Carne 1925b, host as *A.cyanophylla* 1924)  
 South-west region
- Acacia scirpifolia** Meissner  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40263 (1963) (MacNish 1967) 1965  
 Moora
- Acacia sclerosperma** F. Muell.  
*Discosporium acaciae* Sutton & Davison On dead branches IMI 264886 (1981) (Sutton and Davison 1983)  
 Cue  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40199 (1964) (Gathe 1971)  
 Yardarrino
- Acacia signata** F. Muell.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40295 (1963) (Gathe 1971)  
 South-west region
- Acacia spathulifolia** Maslin  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40208, host as *A.spathulata* (1964)  
 Mullewa
- Acacia sphacelata** Benth.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust PERTH 0827835 (1927) DAR 40204 (1964) (MacNish 1963a, host as *Amierallia* var. *tamminensis*, Gathe 1971)  
 Lake King, Merredin, Mullewa, North Hyden, Southern Cross
- Acacia stowardii** Maiden  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust PERTH 793493 (1925) (MacNish 1963a)  
 Mandiga
- Acacia sulcata** R.Br. in W.T. Aiton  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40162 (1964) (Gathe 1971)  
 Cape Riche, Lake Grace
- Acacia tanumbirinense** Maiden  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust (Gathe 1971)
- Acacia teretifolia** Benth.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust (Gathe 1971)
- Acacia tritmaniana** W. Fitzg.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust (Gathe 1971)
- Acacia trigonophylla** Meissner in Lehm.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40278 (1963) (Gathe 1971)  
 Dumbleyung
- Acacia triptycha** F. Muell. : Benth.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40256 (1964) (Gathe 1971)  
 Wubin
- Acacia truncata** (Burm.f.) Hort. : Hoffsg.  
*Armillaria* sp. Root rot (MacNish 1967 as *A.mellea*, host as *A.cuneata*)  
 Perth  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40303, host as *A.decipiens* (1962) (MacNish 1964a, host as *A.decipiens*)  
 Mersea Lake
- Acacia tysonii** Luehm.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40265 (1963) (Gathe 1971)  
 Carnamah
- Acacia ulicina** Meissn.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust (Gathe 1971)
- Acacia urophylla** Benth. : Lindley  
*Armillaria luteobubalina* Watling & Kile Root rot (Kile et al. 1983, Pearce et al. 1986)  
 Manjimup, Moora, Pemberton  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust (Gathe 1971)
- Acacia xerophila** W. Fitzg.  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust (Gathe 1971)
- Acalypha** sp.  
*Phyllosticta idaeola* Cooke Leaf spot (Goss 1964b) 1945  
 Perth
- Acanthocarpus verticillata** A.S. George  
*Aecidium* sp. Rust UWA 3459 (1986)  
 Varanus Island, Lowendaal group  
*Uredo* sp. Rust DAR 57117 (1986)  
 Varanus Island, Lowendaal group
- Acmena smithii** (Poir.) Merr. & Perry  
*Cynodonidium* sp. Sooty mould (Goss 1964b) 1946  
 Doubtful record  
*Meliola* sp. Sooty mould (Goss 1964b) 1946  
 Doubtful record
- Actinidia chinensis** Planch. (Chinese gooseberry, Kiwifruit)  
*Phytophthora cinnamomi* Rands Root rot IMI 314318 (1987)  
 Perth  
*Phytophthora citricola* Sawada Associated with root rot IMI 133316 (1968)  
 Bedfordale  
*Pythium spinosum* Sawada Associated with root rot IMI 134633 (1968)  
 Bedfordale  
*Pythium vexans* de Bary Associated with root rot IMI 316749 (1987)  
 Perth
- Adenanthes obovatus** Labill.  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1965  
 East Kirup
- Adenanthes sericeus** Labill.  
*Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Agaricus brunnescens** Peck (Cultivated mushroom)  
*Mycogone perniciosa* (Magnus) Delacr. Wet bubble (Carter 1986) 1975  
 General
- Agonis flexuosa** (Sprengel) Schauer (Peppermint tree)  
*Armillaria luteobubalina* Watling & Kile Root rot DAR 43170 (1980) (Kile et al. 1983, Pearce et al. 1986)  
 Ludlow, Manjimup, Pemberton  
*Cynodium* sp. Sooty mould (Goss 1964b) 1957  
 Doubtful record  
*Meliola* sp. Sooty mould (Goss 1964b) 1957  
 Doubtful record  
*Phytophthora cactorum* (Leb. & Cohn) Schrot. Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery  
*Phytophthora cinnamomi* Rands Root rot IMI 321967 (1988)  
 Perth  
*Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Agonis hypericifolia** Schauer in Lehm.  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1966  
 Bandicoot Road
- Agropyron distichum** (Thunb.) P. Beauv. (Sea wheat)  
*Bipolaris sorokiniana* (Sacc.) Shoemaker Leaf spot (Chambers 1960 as *Helminthosporium sativum*)  
 Perth  
*Puccinia graminis* Pers. Stem rust PERTH 801925 (1958)  
 Lancelin, Geraldton  
*Puccinia graminis* Pers. f.sp. *secalis* Eriks. & P. Henn. Rye stem rust (PPB records 1959)  
 Lancelin  
*Puccinia graminis* Pers. f.sp. *tritici* Eriks. & P. Henn. Wheat rust (Chambers 1960) 1958  
 South-west region
- Agropyron scabrum** (Labill.) P. Beauv. (Bearded wheat grass)  
*Puccinia graminis* Pers. f.sp. *tritici* Eriks. & P. Henn. Wheat stem rust (Cass Smith and Millington 1944) 1943  
 South Borden
- Agrostis capillaris** L. (Brown top bent)  
*Bipolaris spicifera* (Bainier) Subram. IMI 132402 (1968) (Sivanesan 1987, host as *A.tenuis*)  
 Perth  
*Hebelminthosporium* sp. Brown patch (Chambers 1960, host as *A.tenuis*) 1939  
 Perth  
*Rhizoctonia* sp. Brown patch (Chambers 1960, host as *A.tenuis*) 1939  
 Perth  
*Sclerotinia homoeocarpa* Bennett Dollar spot (Chambers 1960) 1939  
 Perth

- Agrostis stolonifera** L. (Creeping bent)  
*Helminthosporium* sp. Brown patch (Chambers 1960) 1939  
 Perth  
*Rhizoctonia* sp. Brown patch (Chambers 1960) 1939  
 Perth  
*Sclerotinia homoeocarpa* Bennett Dollar spot (Chambers 1960) 1939  
 Perth
- Agrostis stolonifera** L. var. *palustris* (Huds.) Forw. (Marsh bent)  
*Gaeumannomyces graminis* (Sacc.) von Arx & Oliv. Necrotic patch DAR 22111 (1972) (Fitzpatrick 1972 as *Ophiobolus* sp.)  
 Perth
- Alexgeorgia nitens** (Nees) Johnson & Briggs  
*Tolyposporium* sp. Smut PERTH 798274 (1987) (Johnson and Briggs 1986) 1839  
 Perth
- Alstroemeria** sp.  
*Sclerotium rolfsii* Sacc. Root rot (PPB records 1971)  
 Kalamunda
- Allium cepa** L. (Onion, Shallot)  
*Aspergillus niger* van Tieghem Black mould (Chambers 1959) 1934  
 General  
*Botrytis allii* Munn Neck rot IMI 112646 (1965)  
 Perth  
*Colletotrichum circinans* (Berk.) Vogl. Smudge DAR 43129 (1983) (Chambers 1959) 1931  
 South-west region  
*Erwinia carotovora* pv. *carotovora* (Jones) Bergey, Harrison, Breed, Hammer & Huntoon Soft rot (Chambers 1961) 1960  
*Fusarium* sp. Red root and bulb rot (Carne 1925b) 1924  
 South-west region  
*Peronospora destructor* (Berk.) Casp. : Berk. Downy mildew (Stoward 1913 as *P.schleideniana*)  
 South-west region  
*Pseudomonas gladioli* Severini pv. *allitcola* (Burkholder) Young, Dye & Wilkie Soft rot (PPB records 1985)  
 Manjimup  
*Pyrenopeziza terrestris* (Hansen) Gorenz, Walker & Larson Red root (Chambers 1959) 1919  
*Stemphylium botryosum* Wallr. Leaf mould (Chambers 1959) 1918
- Allium porrum** L. (Leek)  
*Fusarium* sp. Red root and bulb rot (Carne 1925b)  
*Peronospora destructor* (Berk.) Casp. : Berk. Downy mildew (Carne 1925b as *P.schleideni*)  
 South-west region
- Allium sativum** L. (Garlic)  
*Fusarium oxysporum* Schlecht. Bulb rot IMI 314307 (1987)  
 Perth
- Allocasuarina decussata** (Benth.) L. Johnson  
*Armillaria luteobubalina* Watling & Kile Root rot (Pearce et al. 1986)  
 Manjimup, Pemberton
- Allocasuarina fraseriana** (Miq.) L. Johnson  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972)  
 Jarrah forest
- Allocasuarina huegeliana** (Miq.) L. Johnson  
*Stereum* sp. Wood rot (PPB records 1983)  
 Beverley
- Althaea rosea** (L.) Cav. (Hollyhock)  
*Colletotrichum malvarum* (Braun & Casp.) Southw. Anthracnose (Goss 1964b) 1934  
 Perth  
*Puccinia malvacearum* Bertero : Mont. in Gay Rust PERTH 825174 (Goss 1964b) 1913  
 Perth
- Alyxia buxifolia** R.Br.  
*Botryosphaeria* sp. Leaf spot PERTH 730319 (1987)  
 Koolyanobbing  
*Puccinia alyxiae* Cook & Massee Rust PERTH 733431 (1987)  
 Koolyanobbing
- Amaryllis belladonna** L. (Belladonna lily, Hippeastrum)  
*Botrytis* sp. Grey mould (Goss 1964b) 1956  
 Albany  
*Physoderma* sp. Leaf spot PERTH 821498 (1960) (Goss 1964b)  
 Perth  
*Stagonospora curtisi* (Berk.) Sacc. Leaf scorch (Goss 1964b) 1941  
 Perth
- Ammophila arenaria** (L.) Link  
*Claviceps* sp. Ergot UWA 1166
- Amperea ericoides** Adr. Juss.  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1965  
 East Kirup
- Amphibromus neesii** Steudel (Swamp wallaby grass)  
*Puccinia graminis* Pers. f.sp. *tritici* Eriks. & P. Henn. Wheat stem rust PERTH 807192 (1960) (Baron-Hay 1948) 1946  
 Boyup Brook, Mingenew
- Anacardium occidentale** L. (Cashew)  
*Colletotrichum gloeosporioides* (Penz.) Penz. & Sacc. Anthracnose PERTH 792993 (1985)  
 Kununurra  
*Pestalotiopsis palmarum* (Cooke) Steyaert Associated with leaf spot DAR 33871 (1983)  
 Broome
- Anemone** sp.  
*Agrobacterium tumefaciens* (E.F. Smith & Townsend) Conn Crown gall (MacNish 1964a) 1962  
 Perth  
*Sclerotinia sclerotiorum* (Lib.) de Bary Crown rot (Anon. 1972)  
 Perth  
*Sclerotium rolfsii* Sacc. Collar rot (Goss 1964b) 1932
- Anigozanthos** sp.  
*Alternaria alternata* (Fr.) Keissl. Ink spot (Verhoogt and Sivasithamparam 1985)  
 Perth
- Anigozanthos gabriellae** Domin  
*Puccinia haemodori* P. Henn. Rust Hopper 806 (PERTH) (1974)  
 Stirling Range
- Anigozanthos humilis** Lindley  
*Puccinia haemodori* P. Henn. Rust Hopper 93 (PERTH) (1975)  
 Mt Barren
- Anigozanthos kalbarriensis** S.D. Hopper X *A.flavidus* Redoute & DC.  
*Puccinia haemodori* P. Henn. Rust Hopper 1487 (PERTH) (1978)  
 Synthesized F1 hybrid grown in cultivation at University of Western Australia
- Anigozanthos manglessii** D. Don. in Sweet (Mangles' kangaroo paw)  
*Alternaria alternata* (Fr.) Keissl. Ink spot PERTH 821551 (1959) (Sivasithamparam and Watkins 1982)  
 South-west region  
*Bipolaris iridis* (Oudem.) Dickinson Ink disease (Macnish 1963a as *Mystrosporium adustum*) 1954  
 Doubtful record  
*Puccinia haemodori* P. Henn. Rust PERTH 823104 (1949) (Verhoogt and Sivasithamparam 1985)  
 Perth
- Anigozanthos manglessii** D. Don. in Sweet X *A.viridis* Endl. in Lehm.  
*Alternaria alternata* (Fr.) Keissl. Ink spot (Verhoogt and Sivasithamparam 1985)  
 Perth
- Anigozanthos preissii** Endl. in Lehm. (Catspaw)  
*Alternaria alternata* (Fr.) Keissl. Ink spot IMI 185981b (1974)  
 Perth  
*Puccinia haemodori* P. Henn. Rust Keighery 5938 (PERTH) (1982)  
 Lower Kalgan
- Anigozanthos pulcherrimus** Hook.  
*Alternaria alternata* (Fr.) Keissl. Ink spot (Verhoogt and Sivasithamparam 1985)  
 Perth  
*Phytophthora megasperma* Drechsler Associated with root rot IMI 318284 1987  
 Gingin  
*Pythium irregularare* Buisman Associated with root rot IMI 318282 (1987)  
 Gingin  
*Pythium mamillatum* Meurs Associated with root rot IMI 316746 (1987)  
 Gingin  
*Rhizoctonia* sp. Crown rot (PPB records 1983)  
 Jurien Bay
- Anigozanthos rufus** Labill. X *A.onycis* A.S. George  
*Alternaria alternata* (Fr.) Keissl. Ink spot (Verhoogt and Sivasithamparam 1985)  
 Perth
- Anigozanthos viridis** Endl. in Lehm.  
*Alternaria alternata* (Fr.) Keissl. Ink spot (Verhoogt and Sivasithamparam 1985)  
 Perth
- Anrederra cordifolia** (Ten.) Steenis  
*Alternaria* sp. Leaf spot (Goss 1964b, host as *Boussingaultia gracilis*) 1957  
 Bejoording
- Antirrhinum majus** L. (Snapdragon)  
*Fusarium* sp. Root rot (Goss 1964b) 1921  
 Herbert  
*Phytophthora citricola* Sawada Associated with root rot IMI 149852 (1970)  
 Perth  
*Pseudomonas syringae* van Hall Associated with leaf spot (PPB records 1983)  
 Perth  
*Puccinia antirrhini* Diet. & Holw. Rust PERTH 786683 (1956) (Harvey 1955)  
 South-west region  
*Septoria antirrhini* Roberge & Desm. Leaf spot PERTH 823589 (1942) (Goss 1964b)  
 Parkerville
- Autus ericoides** (Vent.) G. Don  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1966  
 Brookton
- Autus passerinoides** Meissner in Lehm.  
*Phytophthora cinnamomi* Rands Root rot IMI 165640 (Podger 1972) 1966  
 Wye Plains
- Apium graveolens** L. var. *dulce* (Mill.) Pers. (Celery)  
*Cercospora apii* Fres. Early blight (Baron-Hay 1944) 1935  
 South-west region  
*Erwinia carotovora* pv. *carotovora* (Jones) Bergey, Harrison, Breed, Hammer & Huntoon Soft rot (Chambers 1959) 1956  
 South-west region  
*Rhizoctonia solani* Kuhn Crater spot (PPB records 1981)  
 Perth

- Sclerotinia sclerotiorum* (Lib.) de Bary Crown rot (Chambers 1959) 1957  
 South-west region  
*Septoria apicola* Speg. Late blight PERTH 788848 (1923) (Carne 1925b as  
*S.petroselinii* var. *apicola*)  
 South-west region'
- Arachis hypogaea* L. (Peanut)  
*Aspergillus niger* van Tieghem Crown rot PERTH 788317 (1952) 1949  
 Kimberley region  
*Botryodiplodia theobromae* Pat. Collar rot PERTH 816787 (1972) (Anon. 1972)  
 Kununurra  
*Cercosporidium personatum* (Berk. & Curt.) Deighton Late leaf spot  
 PERTH 832545 (1984) (Anon. 1974 as *Cercospora personata*)  
 Kununurra  
*Colletotrichum capsici* (Syd.) Butl. & Bisby Leaf spot IMI 184615 (1974)  
 (Anon. 1974)  
 Kununurra  
*Macrophomina phaseolina* (Tassi) Goida. Stem rot PERTH 791377 (1973)  
 Kununurra  
*Puccinia arachidis* Speg. Rust PERTH 792454 (1984) (Anon. 1973)  
 Kununurra  
*Rhizoctonia* sp. Root rot (PPB records 1973)  
 Kununurra  
*Sclerotinia sclerotiorum* (Lib.) de Bary Crown rot (MacNish 1963a) 1924  
 Pingelly  
*Sclerotinia rolfsii* Sacc. Stem rot (PPB records 1973)  
 Kununurra
- Arctotheca calendula* (L.) Levyns (Capeweed)  
*Colletotrichum* sp. Anthracnose (MacNish 1963a as *Gloeosporium* sp.,  
 host as *Cryptostemma caleudula*) 1927  
 Gingin
- Aristida contorta* F. Muell (Wind grass)  
*Sorosporium ?cousangueum* Ellis & Everh. Smut (Chambers 1960, host  
 as *A.aurearia*) 1959  
 Isseka
- Arrhenatherum bulbosum* (Willd.) C. Presl (False oat grass)  
*Puccinia coronata* Corda Crown rust PERTH 802026 (1956) (Chambers  
 1960, host as *A.elatius* var. *palaestinum*)  
 Kelmscott  
*Puccinia graminis* Pers. Stem rust (Chambers 1960, host as *A.elatius*)  
 1943  
 Wael
- Artocarpus heterophyllus* Lam. (Jackfruit)  
*Rhizopus stolonifer* (Ehrenb.: Fr.) Lind Fruit rot IMI 261423 (1981)  
 Kununurra
- Arundo donax* L. (Giant reed)  
*Curvularia* sp. Leaf spot (Goss 1964b) 1959  
 Geraldton
- Arundo* sp. (Reed)  
*Coniosporium inquinans* Durieu & Mont. (McAlpine 1895)
- Asparagus officinalis* L. (Asparagus)  
*Fusarium oxysporum* Schlecht. Crown and root rot (PPB records 1982)  
 South-west region  
*Phytophthora erythroseptica* Pethybr. Spear rot IMI 207264 (1976)  
 South-west region  
*Phytophthora megasperma* Drechsler Spear rot (Carter 1986)  
 Albany  
*Stemphylium* sp. Stem spot (Carter 1985) 1983  
 South-west region
- Asplenium nidus* L. (Bird's nest fern)  
*Pseudomonas* sp. Leaf spot (PPB records 1984)  
 Wanneroo
- Aster novae-angliae* L. (Michaelmas daisy)  
*Oidium* sp. Powdery mildew PERTH 799874 (1923) (Carne 1927d as  
*Erysiphe cichoracearum*)  
 Fremantle
- Aster subulatus* Michaux (Bushy starwort)  
*Oidium* sp. Powdery mildew (MacNish 1963a) 1958  
 Perth
- Aster* sp.  
*Botrytis* sp. Stem rot (PPB records 1982)  
 Byford
- Atriplex amnicola* Paul G. Wilson  
*Camarosporium atriplicis* d'Almeida & da Camara On seed IMI 266166,  
 host as *A.rhagodioides* (1982)  
 Wongan Hills, Yalgo
- Coniothyrium atriplicinum* Wint. Leaf, stem and seed lesions IMI  
 259898, host as *A.rhagodioides* (1981)  
 Wongan Hills, Yalgo  
*Microdipodina* sp. On seeds IMI 265785 (1982)  
 Yalgo
- Atriplex atacamensis* Phil.  
*Ascochyta chenopodii* Rostr. Associated with die-back IMI 160396 (1971)  
 (Anon. 1972)  
 General
- Atriplex bunburyana* F. Muell.  
*Camarosporium* sp. Leaf lesions (Napier 1983)  
 Wongan Hills  
*Coniothyrium atriplicinum* Wint. Leaf lesions (Napier 1983)  
 Ballidi
- Atriplex paludososa* R.Br. (Marsh saltbush)  
*Phyllosticta atriplicicola* Speg. Stem spot IMI 165611 (1972)  
 Morawa
- Atriplex semibaccata* R.Br.  
*Camarosporium* sp. Leaf lesions (Napier 1983)  
 Maya  
*Coniothyrium atriplicinum* Wint. Leaf lesions (Napier 1983)  
 Maya
- Atriplex* sp. (Saltbush)  
*Aecidium* sp. Rust IMI 168258 1972  
 Kalgoorlie  
*Ascochyta chenopodii* Rostr. Associated with die-back IMI 162906 (1971)  
 General  
*Camarosporium atriplicis* d'Almeida & da Camara Associated with  
 die-back (PPB records 1980)  
 General  
*Coniothyrium atriplicinum* Wint. Associated with die-back IMI 165612  
 (1972)  
 General
- Avena barbata* Link in Schrader (Bearded oats, Yatheroo oats)  
*Leptosphaeria avenaria* Weber, stat. conid. *Septoria avenae* Frank Leaf  
 spot (Carne 1927d)  
 Perth  
*Puccinia coronata* Corda var. *avenae* Fraser & Ledingham Rust PERTH  
 800953 (1925) (Carne 1926e)  
 Perth
- Avena fatua* L. (Black oats)  
*Erysiphe graminis* DC. : Merat Powdery mildew (Carne 1925b) 1924  
 General  
*Clavibacter* sp. Yellow slime disease (Chatel et al. 1979 as *Coryne-*  
*bacterium* sp.)  
 Gnowangerup  
*Leptosphaeria avenaria* Weber, stat. conid. *Septoria avenae* Frank Leaf  
 spot PERTH 822035 (1923) (Carne 1925b)  
 South-west region  
*Mycosphaerella tassiana* (de Not.) Johanson, stat. conid. *Cladosporium*  
*herbarum* (Pers.) Link : Gray Black mould (Carne 1925b as *M.tulasnei*)  
 1924  
 General  
*Pleospora* sp. Leaf spot PERTH 816701 (1925)  
 Perth  
*Puccinia coronata* Corda var. *avenae* Fraser & Ledingham Leaf Rust  
 PERTH 800945 (1923) (Carne and Campbell 1924a as *P.lolii-avenae*)  
 South-west region  
*Puccinia graminis* Pers. f.sp. *avenae* Eriks. & P. Henn. Oat stem rust  
 PERTH 797219 (1923) (Carne 1925b)  
 South-west region  
*Ustilago avenae* (Pers.) Rostr. Loose smut (Carne 1925b) 1910  
 South-west region
- Avena ludoviciana* Dur. (Wild black oats)  
*Puccinia coronata* Corda var. *avenae* Fraser & Ledingham Leaf rust  
 (Pittman 1935 as *P.lolii-avenae*)  
 South-west region  
*Puccinia graminis* Pers. f.sp. *avenae* Eriks. & P. Henn. Stem rust PERTH  
 803022 (1968) (Carne and Campbell 1924a)  
 South-west region
- Avena sativa* L. (Oats)  
*Bipolaris victoriae* (Meehan & Murphy) Shoemaker Blight (Chambers  
 1961 as *Helminthosporium victoriae*)  
 South-west region  
*Cercosporidium graminis* (Fuckel) Deighton Dry blotch (Chambers 1960  
 as *Scloclotrichum graminis*) 1956  
 Ballidi  
*Clavibacter* sp. Yellow slime disease (Riley 1987)  
*Dilophospora alopecuri* (Fr.) Fr. Twist disease IMI 290822 (1984) (Stanton  
 1988)  
 Katanning  
*Drechslera avenacea* (M.A. Curtis ex Cooke) Shoemaker Leaf spot IMI  
 129095 (1967) (Herbert 1920 as *Helminthosporium avenae*)  
 South-west region  
*Drechslera campanulata* (Lev.) B.C. Sutton Leaf stripe PERTH 797685  
 (1926) (Carne 1927d as *Pleosphaeria semeniperda*)  
 South-west region  
*Erysiphe graminis* DC. : Merat Powdery mildew (Carne and Campbell  
 1924c)  
 Perth  
*Fusarium* sp. Blight (Chambers 1960) 1924  
 Peel Estate  
*Gaeumannomyces graminis* (Sacc.) von Arx & Oliv. var. *avenae* (Turner)  
 Dennis Take-all PERTH 810355 (1962) (Carne 1927b as *Ophiobolus*  
*cariceti*)  
 South-west region  
*Leptosphaeria avenaria* Weber, stat. conid. *Septoria avenae* Frank Leaf  
 spot PERTH 822019 (1923) (Carne and Campbell 1924c)  
 South-west region  
*Mycosphaerella tassiana* (De Not.) Johanson, stat. conid. *Cladosporium*  
*herbarum* (Pers.) Link : Gray Black mould PERTH 790346 (1925)  
 (Carne 1925b as *M.tulasnei*) 1923  
 General  
*Pseudomonas syringae* pv. *coronafaciens* (Elliot) Young, Dye & Wilkie  
 Halo blight (Chambers 1960) 1925  
 Owarrow  
*Puccinia coronata* Corda var. *avenae* Fraser & Ledingham Leaf rust  
 PERTH 800880 (1923) (Carne and Campbell 1924a as *P.lolii-avenae*)  
 South-west region

- Puccinia graminis* Pers. f.sp. *avenae* Eriks. & P. Henn. Oat stem rust  
PERTH 801453 (1958) (Carne and Campbell 1924a)
- South-west region
- Rhizoctonia solani* Kuhn Root rot PERTH 796123 (1959) (Chambers 1960, MacNish 1983) 1957
- South-west region
- Ustilago avenae* (Pers.) Rostr. Loose smut PERTH 804592 (1936) (McAlpine 1910)
- South-west region
- Ustilago segetum* (Bull.) Roussel var. *hordei* (Pers.) Rabenh. Covered smut PERTH 799270 (1925) (Carne 1925a as *U. levis*, Chambers 1960 as *U. kolleri*) 1923
- South-west region
- Banksia ashbyi** E.G. Baker
- Phytophthora cinnamomi* Rands Associated with root rot (PPB records 1981)
- Banksia attenuata** R.Br.
- Dothidasteromella systema-solare* (Massee) Swart Leaf spot DAR 57393 (1909)
- Porongurup National Park
- Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1966
- Gosnells
- Pythium irregularare* Buisman Associated with root rot IMI 318273 (1987) Perth
- Banksia baueri** R.Br.
- Phytophthora cinnamomi* Rands Root rot (PPB records 1983) Kelmscott
- Banksia baxteri** R.Br.
- Phytophthora cinnamomi* Rands Root rot (PPB records 1982) Walliston
- Banksia coccinea** R.Br.
- Phytophthora cinnamomi* Rands Root rot (FR records 1980) 1974 Perth, Stirling Range
- Banksia dryandroides** Baxter : Sweet
- Phytophthora cactorum* (Leb. & Cohn) Schrot. Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery
- Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery
- Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery
- Banksia gardneri** A.S. George
- Phytophthora cinnamomi* Rands Root rot (FR records 1980, host as *B. prostrata*) 1974 Yungermere
- Banksia grandis** Willd.
- Armillaria luteobubalina* Watling & Kile Root rot DAR 43171 (1980) (Kile et al. 1983, Pearce et al. 1986)
- Manjimup, Pemberton
- Botryosphaera ribis* Grossenb. & Dugg. Basal canker (DCE records 1985)
- Kings Park
- Dothidasteromella systema-solare* (Massee) Swart Leaf spot DAR 57359 (1909) PERTH 739332 (1988)
- Dwellingup, Perth, Yanchep
- Lembosia* sp. Leaf spot DAR 54969 (1985)
- Porongurup National Park
- Phytophthora cinnamomi* Rands Collar and root rot (Podger 1972, Shea 1979) 1965
- South-west region
- Banksia hookeriana** Meissner
- Phytophthora cactorum* (Leb. & Cohn) Schrot. Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery
- Phytophthora cinnamomi* Rands Root rot (PPB records 1981)
- South-west region
- Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery
- Phytophthora megasperma* Drechsler Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery
- Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery
- Phytophthora nicotianae* Breda de Haan var. *parasitica* (Dastur) Waterhouse Root rot (PPB records 1985)
- Wanneroo
- Banksia ilicifolia** R.Br.
- Phytophthora cinnamomi* Rands Root rot (Podger 1972)
- Pythium irregularare* Buisman Root rot (FR records 1980)
- Gosnells
- Banksia larinicina** C. Gardner
- Phytophthora cactorum* (Leb. & Cohn) Schrot. Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery
- Phytophthora cryptogea* Pethybr. & Laff. Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery
- Phytophthora drechsleri** Tucker Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery
- Phytophthora cinnamomi** Rands Root rot (Massee) Swart Leaf spot (1908)
- Bedfordale
- Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1965
- East Kirup
- Banksia littoralis** R.Br.
- Dothidasteromella systema-solare* (Massee) Swart Leaf spot DAR 57355 (1908)
- Moore River, Gosnells
- Banksia menziesii** R.Br.
- Dothidasteromella systema-solare* (Massee) Swart Leaf spot PERTH 739316 (1988)
- Yanthepl
- Phytophthora cinnamomi* Rands Root rot IMI 147339 (1980) (Podger 1972) 1966
- Moore River, Gosnells
- Banksia nutans** R.Br.
- Pythium* sp. Root rot (PPB records 1979) Perth
- Banksia occidentalis** R.Br.
- Phytophthora cactorum* (Leb. & Cohn) Schrot. Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery
- Phytophthora cryptogea* Pethybr. & Laff. Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery
- Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery
- Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery
- Banksia petiolaris** F. Muell.
- Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot (DCE records 1985)
- Perth
- Banksia praemorsa** Andrews
- Phytophthora cactorum* (Leb. & Cohn) Schrot. Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery
- Phytophthora cryptogea* Pethybr. & Laff. Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery
- Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery
- Banksia prionotes** Lindley
- Phytophthora cinnamomi* Rands Associated with root rot (PPB records 1981)
- Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery
- Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery
- Banksia quercifolia** R.Br.
- Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1966 Westcliffe
- Banksia seminuda** (A.S. George) B.L. Rye
- Armillaria luteobubalina* Watling & Kile Root rot (Pearce et al. 1986)
- Manjimup, Pemberton
- Banksia speciosa** R.Br.
- Phytophthora cinnamomi* Rands Root rot (FR records 1980) 1974 Cape Le Grande
- Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot DCE 278 (1983)
- Perth
- Banksia sphaerocarpa** R.Br.
- Phytophthora cinnamomi* Rands Root rot (FR records 1980) 1975 Yungermere
- Banksia tricuspidis** Meissner
- Pythium* sp. Root rot (PPB records 1979)
- Perth
- Banksia verticillata** R.Br.
- Phytophthora cinnamomi* Rands Root rot (FR records 1980) 1966 Tallganna
- Banksia** sp.
- Dothidasteromella systema-solare* (Massee) Swart Leaf spot (Swart 1988b)
- Stirling Ranges
- Phytophthora citricola* Sawada Associated with root rot IMI 320281 (1987)
- Coorow
- Pythium mamillatum* Meurs-Hickman Associated with root rot IMI 320280 (1987)
- Coorow
- Bauera sessiflora** F. Muell.
- Phytophthora cactorum* (Leb. & Cohn) Schrot. Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery

- Phytophthora cryptogea* Pethybr. & Laff. Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Beaufortia eriocephala** W. Fitzg.  
*Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Beaufortia sparsa** R.Br. in W.T. Aiton  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1966  
 Bandicoot Road
- Phytophthora citricola* Sawada Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Beaufortia squarrosa** Schauer  
*Phytophthora cinnamomi* Rands Root rot (PPB records 1985)  
 Wanneroo
- Begonia** spp.  
*Botrytis cinerea* Pers. : Fr. Grey mould (Goss 1964b) 1933  
 General  
*Oidium* sp. Powdery mildew (Goss 1964b) 1959  
 Witchcliffe  
*Xanthomonas campestris* pv. *begoniae* (Takimoto) Dye Bacterial wilt (Goss 1964b as *X.begoniae*) 1927
- Bellaria** sp.  
*Pythium* sp. Root rot (PPB records 1982)  
 Perth
- Bellis perennis** L. (Garden daisy)  
*Puccinia lagenophorae* Cooke Rust (MacNish 1964a as *P.distincta*) 1962  
 Perth
- Beta vulgaris** L. (Beetroot, Sugar beet, Silverbeet)  
*Cercospora beticola* Sacc. Leaf spot PERTH 801968 (1924) (Carne 1925b)  
 South-west region  
*Fusarium* sp. Root rot (Chambers 1959) 1955  
 Middle Swan  
*Pleospora betae* (Berl.) Nowodowski, stat. conid. *Phoma betae* Frank Black leg and damping off IMI 193078 (1975) (Carne 1925b as *Mycosphaerella tabifolia*)  
 South-west region  
*Polynymxa betae* Keskin Club root PERTH 742406 (1988)  
 Perth  
*Rhizoctonia* sp. Crown and root rot (Stoward 1913 as *R.betae*)  
 South-west region  
*Sclerotinia* sp. Crown rot (Chambers 1959) 1955  
 Perth  
*Sclerotium rolfsii* Sacc. Crown rot (PPB records 1970)  
 Perth  
*Streptomyces scabies* (Thaxt.) Waks. & Henrici Common scab (Stoward 1913)  
*Uromyces betae* (Pers.) Tul. Rust PERTH 784540 (1986) (Carne 1925b) 1924  
 South-west region
- Betula alba** L.  
*Phytophthora cinnamomi* Rands Root rot (PPB records 1980)  
 Perth
- Betula alleghaniensis** Britt. (Yellow birch)  
*Agrobacterium tumefaciens* (E.F. Smith & Townsend) Conn Crown gall (Goss 1964b, host as *B.alutea*) 1958
- Boronia clavata** Paul G. Wilson  
*Phytophthora cinnamomi* Rands Root rot (PPB records 1982)  
 Manjimup
- Boronia coerulescens** F. Muell. subsp. *spinescens* (Benth.) P.G. Wilson  
*Puccinia boroniae* P. Henn. Rust (Henning 1903, host as *B.spinescens*) Avon
- Boronia heterophylla** F. Muell.  
*Phytophthora nicotianae* Breda de Haan var. *parasitica* (Dastur) Waterhouse Root rot (PPB records 1984)  
 Manjimup
- Boronia megastigma** Nees : Bartling in Lehm.  
*Phytophthora cinnamomi* Rands Root rot (PPB records 1985)  
 Wanneroo
- Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery  
*Puccinia boroniae* P. Henn. Rust PERTH 791431 (1984)  
 Wanneroo
- Boronia tenuis** (Lindley) Benth.  
*Puccinia boroniae* P. Henn. Rust PERTH 791458 (1985)  
 Darling Range
- Boronia** sp.  
*Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot IMI 325391 (1988)  
 Coorow
- Bossiae aquifolium** Benth.  
*Aecidium eburneum* McAlp. Rust UWA 1029 (1966)  
 South-west region
- Bossiae eriocarpa** Benth. in Endl., Fenzl, Benth. & Schott  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1965  
 Ravenswood
- Bossiae laidlawiana** Tovey & P. Morris  
*Aecidium eburneum* McAlp. Rust PERTH 830488 (1961)  
 Pemberton  
*Armillaria luteobubalina* Watling & Kile Root rot (Kile et al. 1983, Pearce et al. 1986)  
 Manjimup, Pemberton
- Bossiae linophylla** R.Br. in W.T. Aiton  
*Aecidium eburneum* McAlp. Rust (Henning 1901b as *A.bossiaeae*, McAlpine 1906)  
 King George's Sound  
*Armillaria luteobubalina* Watling & Kile Root rot (Kile et al. 1983)  
**Bougainvillea spectabilis** Willd. (*Bougainvillea*)  
*Armillaria* sp. Root rot (Goss 1964b as *A.mellea*) 1959  
 Greenmount
- Pseudomonas andropogonis* (E.F. Smith) Stapp Leaf spot (Moffett 1983)
- Brassica campestris** L. var. *chinensis* Kumazawa (Chinese cabbage)  
*Albugo candida* (Pers. : Hook.) Kuntze White rust (PPB records 1984)  
 Perth  
*Alternaria alternata* (Fr.) Keissl. Leaf spot (PPB records 1984)  
 Perth  
*Alternaria brassicicola* (Schw.) Wiltshire Leaf spot (PPB records 1984)  
 Perth  
*Erysiphe* sp. Soft rot (PPB records 1983)  
 Manjimup  
*Leptosphaeria maculans* (Desm.) Ces. & de Not., stat. conid. *Phoma lingam* (Tode : Fr.) Desm. Blackleg (PPB records 1985)  
 Manjimup  
*Peronospora parasitica* (Pers. : Fr.) Fr. Downy mildew (PPB records 1987)  
 Perth  
*Pseudocercospora capsellae* (Ellis & Everh.) Deighton White leaf spot PERTH 735000 (1987) (Carter 1984)  
 Manjimup, Perth
- Brassica campestris** L. var. *rapa* Kumazawa (Turnip, Turnip rapeseed)  
*Albugo candida* (Pers. : Hook.) Kuntze White rust PERTH 786144 (Chambers 1959) 1940  
 General  
*Plasmiodiphora brassicae* Woron. Club root (Carne 1925b) 1921  
 General  
*Pseudocercospora capsellae* (Ellis & Everh.) Deighton White leaf spot (Chambers 1959 as ?*Cercospora albo-maculans*) 1956  
 Wooroloo  
*Sclerotinia sclerotiorum* (Lib.) de Bary Crown rot (Herbert 1920b as *S.libertiana*)  
 Perth  
*Xanthomonas campestris* pv. *campestris* (Pammel) Dowson Black rot (Chambers 1959) 1956  
 General
- Brassica napus** L. (Rape, Oil-seed rape)  
*Albugo candida* (Pers. : Hook.) Kuntze White rust PERTH 831522 (1970) (Anon. 1972)  
 General  
*Alternaria brassicae* (Berk.) Sacc. Black spot (Bokor 1972) 1971  
 South-west region  
*Alternaria brassicicola* (Schw.) Wiltshire Leaf spot (PPB records 1975)  
 Mt Barker  
*Botryotrichum piluliferum* Sacc. & Marchal Associated with leaf spot IMI 244098 (1979)  
 Manjimup, Mt Barker  
*Fusarium avenaceum* (Corda : Fr.) Sacc. Associated with root rot IMI 244099 (1979)  
 Manjimup, Mt Barker  
*Leptosphaeria maculans* (Desm.) Ces. & de Not., stat. conid. *Phoma lingam* (Tode : Fr.) Desm. Blackleg IMI 161550 (1971) (Bokor 1972, Barbetti 1975)  
 South-west region  
*Murolecium verrucaria* (Alb. & Schw.) Ditm. : Fr. Leaf spot IMI 246189 (1980) (Barbetti and Sivasithamparam 1981)  
 South-west region  
*Oidium* sp. Powdery mildew PERTH 727091 (1986)  
 Perth  
*Peronospora parasitica* (Pers. : Fr.) Fr. Downy mildew (Anon. 1973)  
 Garden Island, Walebing
- Phomopsis* sp. Associated with leaf spot IMI 242270 (1979)  
 South-west region  
*Pseudocercospora capsellae* (Ellis & Everh.) Deighton White leaf spot IMI 252791 (1980) (Barbetti and Sivasithamparam 1981)  
 South-west region  
*Pseudomonas syringae* van Hall Pod spotting (PPB records 1982)  
 Wongan Hills
- Pythium acanthicum* Drechsler Associated with root rot IMI 217240 (1977)  
 South-west region  
*Pythium irregularare* Buisman Damping-off IMI 151472 (1970)  
 South-west region  
*Rhizoctonia solani* Kuhn Root rot (MacNish 1983) 1962  
 General  
*Sclerotinia sclerotiorum* (Lib.) de Bary Stem rot (Bokor 1972) 1970  
 South-west region  
*Xanthomonas campestris* pv. *campestris* (Pammel) Dowson Black rot (Chambers 1959) 1929  
 General

- Brassica napus L. var. napobrassica (L.) Reichenb. (Swede)**
- Albugo candida* (Pers. : Hook.) Kuntze White rust (Chambers 1959) 1940
  - General
  - Leptosphaeria maculans* (Desm.) Ces. & de Not., stat. conid. *Phoma lingam* (Tode : Fr.) Desm. Black leg and dry rot (Chambers 1959) 1956
  - General
  - Oidium* sp. Powdery mildew IMI 155830 (1971)
  - Perth
  - Phyllosticta* sp. Leaf spot (Chambers 1959) 1956
  - Wooroloo
  - Plasmodiophora brassicae* Woron. Club root (Carne 1925b)
  - General
  - Pseudocercosporella capsellae* (Ellis & Everh.) Deighton White leaf spot PERTH 816698 (1942) (Chambers 1959 as *Cercospora albo-maculans*) 1933
  - South-west region
  - Rhizoctonia solani* Kuhn Root rot (MacNish 1964a as *Pellicularia filamentosa*) 1962
  - Mandalup
  - Xanthomonas campestris* pv. *campestris* (Pammel) Dowson Black rot (Chambers 1959) 1947
  - General
- Brassica nigra (L.) W.Koch in Roehl. (Mustard)**
- Rhizoctonia* sp. Root and collar rot (MacNish 1964a) 1962
  - Kununurra
  - Xanthomonas campestris* pv. *campestris* (Pammel) Dowson Black rot (Cass Smith 1962)
  - General
- Brassica oleracea L. var. acephala Bailey (Kale)**
- Leptosphaeria maculans* (Desm.) Ces. & de Not., stat. conid. *Phoma lingam* (Tode : Fr.) Desm. Black leg (Anon. 1937)
- Brassica oleracea L. var. botrytis (L.) Alef. (Cauliflower)**
- Albugo candida* (Pers. : Hook.) Kuntze White rust (MacNish 1967) 1965
  - General
  - Alternaria alternata* (Fr.) Keissl. Curd rot (MacNish 1964a as *A.tenuis*) 1963
  - Perth
  - Alternaria brassicae* (Berk.) Sacc. Leaf spot (Chambers 1959) 1952
  - General
  - Alternaria brassicicola* (Schw.) Wiltshire Leaf spot (PPB records 1984)
  - Perth
  - Erwinia carotovora* pv. *atroseptica* (van Hall) Dye Soft rot (Moffett 1983)
  - Perth
  - Erwinia carotovora* pv. *carotovora* (Jones) Bergey, Harrison, Breed, Hammer & Huntoon Soft rot (Chambers 1959) 1955
  - General
  - Leptosphaeria maculans* (Desm.) Ces. & de Not., stat. conid. *Phoma lingam* (Tode : Fr.) Desm. Blackleg PERTH 797707 (1929) (Carne 1925b as *P.brassicae*) 1924
  - Perth
  - Mycosphaerella brassicicola* (Duby) Lindau Ring spot PERTH 827355 (1949) (Carne 1925b) 1923
  - General
  - Peronospora parasitica* (Pers. : Fr.) Fr. Downy mildew PERTH 827347 (1940) (Sutton 1936)
  - General
  - Phyllosticta* sp. Curd and leaf spot (Chambers 1959) 1956
  - Perth
  - Plasmodiophora brassicae* Woron. Club root (Carne 1925b)
  - General
  - Pseudomonas syringae* pv. *maculicola* (McCulloch) Young, Dye & Wilkie Peppery leaf spot (Chambers 1959) 1931
  - General
  - Rhizoctonia solani* Kuhn Damping off and wire stem (Chambers 1959 as *Pellicularia filamentosa*) 1947
  - General
  - Sclerotinia sclerotiorum* (Lib.) de Bary Head rot (Cass Smith 1945) 1941
  - General
  - Trichothecium roseum* (Pers.) Link : Gray Pink mould (Carne 1927b as *Cephalothecium roseum*) 1925
  - Capel
  - Xanthomonas campestris* pv. *campestris* (Pammel) Dowson Black rot (Cass Smith 1943c as *Bacterium campestre*)
  - General
- Brassica oleracea L. var. capitata (L.) Alef. (Cabbage)**
- Erwinia carotovora* pv. *carotovora* (Jones) Bergey, Harrison, Breed, Hammer & Huntoon Soft rot (Chambers 1959) 1944
  - Perth
  - Leptosphaeria maculans* (Desm.) Ces. & de Not., stat. conid. *Phoma lingam* (Tode : Fr.) Desm. Blackleg and dry rot (Carne 1925b as *P.brassicae*) 1924
  - South-west region
  - Mycosphaerella brassicicola* (Duby) Lindau Ring spot PERTH 830011 (1924) (Stoward 1913)
  - General
  - Peronospora parasitica* (Pers. : Fr.) Fr. Downy mildew (Baron-Hay 1947) 1945
  - General
  - Plasmodiophora brassicae* Woron. Club root (Stoward 1913)
  - General
  - Pseudomonas syringae* pv. *maculicola* (McCulloch) Young, Dye & Wilkie Leaf spot (Chambers 1959) 1930
  - General
- Rhizoctonia solani** Kuhn Damping-off and wire stem (Chambers 1961 as *Pellicularia filamentosa*) 1958
- Perth
- Sclerotinia sclerotiorum** (Lib.) de Bary Head rot (Cass Smith 1945)
- General
- Sclerotium rolfsii** Sacc. White rot (PPB records 1970)
- Esperance
- Xanthomonas campestris* pv. *campestris* (Pammel) Dowson Black rot (Cass Smith 1943c as *Bacterium campestre*)
- General
- Brassica oleracea L. var. gemmifera** DC. (Brussel sprouts)
- Botrytis cinerea* Pers. : Fr. Grey mould (Chambers 1959) 1956
- General
- Erwinia carotovora* pv. *carotovora* (Jones) Bergey, Harrison, Breed, Hammer & Huntoon Soft rot (Chambers 1961)
- Perth
- Mycosphaerella brassicicola* (Duby) Lindau Ring spot PERTH 808326 (1955) (MacNish 1964a)
- Perth
- Plasmodiophora brassicae* Woron. Club root (Chambers 1959) 1949
- General
- Pseudomonas syringae* van Hall Leaf spot (Chambers 1959) 1955
- Perth
- Sclerotinia minor* Jagger Stem rot (PPB records 1985)
- Manjimup
- Sclerotinia sclerotiorum* (Lib.) de Bary Stem rot (Chambers 1959) 1946
- Perth
- Xanthomonas campestris* pv. *campestris* (Pammel) Dowson Black rot (Chambers 1959) 1955
- General
- Brassica oleracea L. var. italica** Plenck (Broccoli)
- Alternaria brassicicola* (Schw.) Wiltshire Leaf spot (PPB records 1985)
- Perth
- Pseudocercosporella capsellae* (Ellis & Everh.) Deighton White leaf spot (PPB records 1984)
- Manjimup
- Rhizoctonia solani* Kuhn Wire stem (Chambers 1961 as *Pellicularia filamentosa*)
- Perth
- Xanthomonas campestris* pv. *campestris* (Pammel) Dowson Black rot (PPB records 1985)
- General
- Brassica tournefortii** Gouan (Wild turnip)
- Albugo candida* (Pers. : Hook.) Kuntze White rust IMI 180686 (1974) (Anon. 1974)
- Stoneville
- Alternaria* sp. Leaf and stem blight (MacNish 1963a as *Macrosporium* sp.) 1934
- General
- Leptosphaeria maculans* (Desm.) Ces. & de Not., stat. conid. *Phoma lingam* (Tode : Fr.) Desm. Blackleg (Barbetti 1978) 1974
- South-west region
- Rhizoctonia* sp. Root and stem rot (PPB records 1970)
- Pithana
- Xanthomonas campestris* pv. *campestris* (Pammel) Dowson Black rot (MacNish 1963a) 1953
- Moora
- Briza maxima** L. (Blowfly grass)
- Drechslera campauulata* (Lev.) B.C. Sutton Leaf spot (MacNish 1967 as *D. verticillata*) 1964
- Dale Hall
- Septoria* sp. Leaf spot PERTH 822086 (1923) (Chambers 1960)
- Cardup
- Briza minor** L. (Shivery grass)
- Drechslera campauulata* (Lev.) B.C. Sutton Leaf spot (MacNish 1967 as *D. verticillata*) 1964
- Dale Hall
- Bromus arenarius** Labill. (Sand brome)
- Puccinia recondita* Roberge : Desm. Rust PERTH 823597 (1924) (Carne 1925b as *P.bromivora* (sic)) 1904
- Wongan Hills
- Ustilago bullata* Berk. in Hook. f. Loose smut DAR 957 (1909) (Cheel 1910 as *U.bromivora*)
- Tammin
- Bromus catharticus** M. Vahl (Prairie grass)
- Ustilago bullata* Berk. in Hook. f. Loose smut PERTH 799394 (1924) (Carne 1925b as *U.bromivora*, host as *B.unioides*, Chambers 1960, host as *Ceratocloea cathartica*)
- Manjimup
- Bromus diandrus** Roth (Ripgut brome)
- Drechslera campauulata* (Lev.) B.C. Sutton Leaf spot (MacNish 1967 as *D. verticillata*, host as *B.gussonii*) 1964
- Beverley
- Erysiphe graminis* DC. : Merat Powdery mildew PERTH 832030 (1955) (Chambers 1960, host as *B.gussonii*)
- Perth
- Gaeumannomyces graminis* (Sacc.) von Arx & Oliv. Take-all (Dunne 1966, host as *B.rigidus*)
- Wheat belt
- Puccinia recondita* Roberge : Desm. Rust PERTH 823031 (1923) (Carne 1925 as *P.bromia*, host as *B.maximus*, Chambers 1960 as *P.bromina*, host as *B.gussonii*)
- Perth

- Pyrenophora teres* Drechsler, stat. conid. *Drechslera teres* (Sacc.) Shoemaker Net blotch (Shipton 1966a, host as *B.gussouii*)
- Septoria nodorum* (Berk.) Berk. in Berk. & Broome Glume blotch (Shipton 1966b, host as *B.gussouii*)
- South-west region
- Ustilago bullata* Berk. in Hook. f. Loose smut PERTH 789895 (1964) (MacNish 1967 as *U.brouivora*, host as *B.gussouii*)
- General
- Bromus hordeaceus** L. (Soft brome)
- Gaeumannomyces graminis* (Sacc.) von Arx & Oliv. Take-all (Dunne 1966, host as *B.mollis*)
- Wheat belt
- Puccinia recondita* Roberge : Desm. Rust PERTH 0822566 (1923) (MacNish 1967 as *P.bromina*, host as *B.mollis*)
- Donnybrook
- Ustilago bullata* Berk. in Hook. f. Head smut PERTH 805610 (1953) (Carne 1925 as *U.brouivora*, host as *B.mollis*) 1924
- General
- Bromus madritensis** L.
- Ustilago bullata* Berk. in Hook. f. Smut DAR 199 (1909)
- Tammin
- Bromus rubens** L. (Red brome)
- Drechslera campanula* (Lev.) B.C. Sutton Leaf spot (MacNish 1967 as *D.verticillata*) 1965
- Three Springs
- Gaeumannomyces graminis* (Sacc.) von Arx & Oliv. Take-all (Baron-Hay 1956)
- Wheat belt
- Puccinia recondita* Roberge : Desm. Rust PERTH 805181 (1970) (MacNish 1967 as *P.bromina*) 1963
- Bookara, Kirwin
- Bromus tectorum** L. (Drooping brome)
- Ustilago bullata* Berk. in Hook. f. Smut DAR 29889 (1909)
- Tammin
- Bulbine semibarbata** (R.Br.) Haw.
- Puccinia semibarbatae* Osborn & Samuel Rust Helms (PERTH) (1897)
- Pinjarrah, Houtmans Abrolhos
- Burchardia multiflora** Lindley
- Puccinia burchardiae* Sacc. Rust Keighery 1019 (PERTH) (1977)
- Ruabon
- Burchardia umbellata** R.Br. (Milkmaids)
- Puccinia burchardiae* Sacc. Rust James 283 (PERTH) (1964) (Carne 1925b) 1915
- Perth, Yanchep National Park
- Burtonia conferta** DC.
- Phytophthora ciuamonti* Rands Root rot (Podger 1972)
- Jarrahdah forest
- Caladenia radialis** R.S. Rogers
- Puccinia* sp. Rust (Nichol et al. 1988)
- Yealering
- Calceolaria** sp.
- Botrytis* sp. Basal stem rot (Goss 1964b)
- Perth
- Phytophthora* sp. Root rot (PPB records 1982)
- Perth
- Calendula officinalis** L. (Garden marigold)
- Entyloma calendulae* (Oudem.) de Bary Leaf smut (Doepel 1952a) 1951
- South-west region
- Oidium* sp. Powdery mildew (MacNish 1964a) 1961
- Perth
- Sclerotinia sclerotiorum* (Lib.) de Bary Stem rot (Goss 1964b) 1953
- Miling
- Callistemon citrinus** Stapf.
- Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery
- Callistemon viminalis** (Gaertn.) Loud.
- Cylindrocladium scoparium* Morgan Leaf spot (PPB records 1976)
- Perth
- Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery
- Callistephus chinensis** (L.) Nees (Aster)
- Fusarium oxysporum* Schlecht. f.sp. *callistephi* (Beach) Snyder & Hansen Wilt (Goss 1964b) 1946
- Perth
- Oidium* sp. Powdery mildew (Goss 1964b) 1950
- Perth
- Callitris preissii** Miq. in Lehmann.
- Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery
- Calluna vulgaris** Hull.
- Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery
- Calothamnus gracilis** R.Br. in W.T. Aiton
- Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery
- Calothamnus quadrifidus** R.Br. in Sims
- Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot (DCE records 1984)
- Perth
- Calothamnus villosus** R.Br. in W.T. Aiton
- Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery
- Calytrix angulata** Lindley
- Phytophthora cactorum* (Leb. & Cohn) Schrot. Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery
- Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery
- Calytrix flavescens** Cunn.
- Phytophthora ciuamonti* Rands Root rot (Podger 1972)
- Jarrahdah forest
- Camellia japonica** L. (Camellia)
- Alternaria* sp. Leaf spot (Goss 1964b as *Macrosporium* sp.) 1957
- Kalamunda
- Botrytis* sp. Blossom blight (Goss 1964b) 1955
- Boyup Brook
- Capnodium* sp. Sooty mould (Goss 1964b) 1955
- Doubtful record
- Colletotrichum gloeosporioides* (Penz.) Penz. & Sacc. Leaf spot (Goss 1964b as *C.camelliae*) 1938
- Kalamunda
- Meliola* sp. Sooty mould (Goss 1964b) 1955
- Doubtful record
- Monochaeta karstenii* (Sacc. & Syd.) Sutton Associated with leaf spot PERTH 741914 (1988)
- Serpentine Dam
- Pestalotiopsis guepinii* (Desm.) Steyaert Leaf spot (Goss 1964b as *Pestalotia guepinii*) 1957
- Porongurup National Park
- Phyllosticta* sp. Leaf spot (Goss 1964b) 1958
- Perth
- Pythium torulosum* Coker & Patterson Associated with root rot IMI 133195 (1968)
- Perth
- Camellia sasanqua** Thunb. (Camellia)
- Armillaria* sp. Root rot (MacNish 1967 as *A.mellea*) 1966
- Perth
- Capsella bursa-pastoris** (L.) Medikus (Shepherd's purse)
- Albugo candida* (Pers. : Hook.) Kuntze White rust (Carne 1925b) 1924
- Perth
- Capsicum annuum** L. (Capsicum)
- Alternaria* sp. Leaf spot (PPB records 1981)
- Carnarvon
- Erwinia carotovora* pv. *carotovora* (Jones) Bergey, Harrison, Breed, Hammer & Huntoon Soft rot (Chambers 1961) 1959
- Perth
- Fusarium solani* (Mart.) Sacc. Stem rot (PPB records 1979)
- Carnarvon
- Leveillula taurica* (Lev.) Arnaud Powdery mildew IMI 121300 (1966)
- Carnarvon
- Sclerotium rolfsii* Sacc. Collar rot (MacNish 1967) 1965
- Bickley
- Xanthomonas campestris* pv. *vesicatoria* (Dodge) Dye Bacterial spot (PPB records 1987)
- Alfred Cove
- Carduus pycnocephalus** L.
- Puccinia calcitratae* DC. Rust PERTH 495611 (1981)
- Chittering
- Carduus tenuiflorus** Curtis (Sheep thistle)
- Puccinia calcitratae* DC. Rust PERTH 811505 (1960) (MacNish 1963a as rust)
- South Border
- Carduus** sp.
- Puccinia calcitratae* DC. Rust PERTH 495506 (1977)
- Balladonia
- Carica papaya** L. (Papaw)
- Alternaria alternata* (Fr.) Keissl. Fruit spot (PPB records 1985)
- Carnarvon
- Ascochyta ?caricae* Pat. Ripe rot (Doepel 1964) 1948
- Carnarvon
- Ascochyta* sp. Stem rot (Doepel 1964) 1958
- Colletotrichum gloeosporioides* (Penz.) Penz. & Sacc. Trunk rot IMI 173320 (1973)
- General
- Sphaerotheca* sp. Powdery mildew (Doepel 1964) 1960
- Perth
- Carthamus tinctorius** L. (Safflower)
- Alternaria carthami* Chowdhury Leaf spot IMI 189969 (1974) (Anon. 1975)
- Mt Barker
- Macrophomina phaseoliua* (Tassi) Goida. Stem rot PERTH 808806 (1959) (MacNish 1963a)
- Kimberley region
- Phytophthora megasperma* Drechsler Root rot IMI 153108 (1970) (Anon. 1972)
- Esperance

- Phytophthora nicotianae* Breda de Haan var. *parasitica* (Dastur) Waterhouse Root and stem rot IMI 144149 (1969)  
 Kununurra  
*Rhizoctonia* sp. Damping-off PERTH 808792 (1959)  
 Kununurra
- Carya illinoensis* (Wangenh.) K. Koch (Pecan nut)  
*Phomopsis* sp. Stem discoloration IMI 316750 (1987)  
 Perth  
*Phytophthora cinnamomi* Rands Root rot (PPB records 1987)  
 Perth  
*Phytophthora cryptogea* Pethybr. & Laff. Internal discoloration IMI 314314 (1987)  
 Harvey
- Cassia* sp.  
*Fusarium* sp. Root rot (Goss 1964b) 1957  
 Riverdale
- Castanea* sp. (Chestnut)  
*Phytophthora cinnamomi* Rands Root rot (PPB records 1981)  
 Bridgetown, Manjimup  
*Pythium irregularare* Buisman Associated with root rot IMI 140874 (1969)  
 Manjimup
- Cattleya* sp.  
*Colletotrichum gloeosporioides* (Penz.) Penz. & Sacc. Anthracnose (Goss 1964b as *Gloeosporium macropus*) 1951  
 Perth
- Cedrus deodara* (Roxb.) Loud.  
*Pythium* sp. Root rot (FR records 1980) 1976
- Cenchrus elymoides* F. Muell.  
*Puccinia levis* (Sacc. & Bizz.) Magn. Rust PERTH 570001 (KFK8970) (1984)  
 Unnamed island in Prince Frederick Harbour, N.W. Kimberley region
- Cenchrus setigerus* M. Vahl (Birdwood grass)  
*Bipolaris hawaiiensis* (M.B. Ellis) Uchida & Aragaki On seed IMI 195249 as *Drechslera hawaiiensis* (1975) (Sivanesan 1987)  
 Derby  
*Bipolaris perotidis* Alcorn Leaf spot IMI 195248 (1975) (Sivanesan 1987)  
*Exserohilum rostratum* (Drechsler) Leonard & Suggs On seed IMI 195247 (1975) (Sivanesan 1987)
- Derby*  
*Sphaelelia* sp. Ergot (PPB records 1983)  
 Kununurra
- Centaurea cyanus* L. (Cornflower)  
*Pythium* sp. Black root rot (Goss 1964b) 1927  
 Perth
- Centaurea melitensis* L.  
*Puccinia* sp. Rust Dodd 272 (PERTH) (1985)  
 Southern Cross
- Centella asiatica* (L.) Urban  
*Septoria centellae* Wint. Leaf spot DAR 49162 (1960)  
 Yanchep
- Ceratogyne obionoides* Turcz.  
*Puccinia lagenophorae* Cooke Rust DAR 50492 (1983) (MacNish 1967 as *Puccinia* sp.) 1965  
 Coolgardie, Taminin
- Ceratonia siliqua* L. (Carob)  
*Pythium intermedium* de Bary Associated with root rot IMI 146906 (1970)  
 Tom Price
- Chamaecyparis* sp.  
*Phytophthora drechsleri* Tucker Associated with root rot IMI 324413 (1988)  
 Perth
- Chamelaicum axillare* F. Muell. : Benth.  
*Phytophthora cinnamomi* Rands Root rot IMI 318274 (1987)  
 Coorow  
*Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot IMI 318275 (1987) 1985  
 Coorow, Wanneroo
- Chamelaicum ciliatum* Desf.  
*Phytophthora cinnamomi* Rands Root rot IMI 318738 (1987)  
 Coorow  
*Pythium middletonii* Sparrow Associated with root rot IMI 318740 (1987)  
 Coorow
- Chamelaicum uncinatum* Schauer in Lehm. (Geraldton wax)  
*Agrobacterium tumefaciens* (E.F. Smith & Townsend) Conn Crown gall (Goss 1964b) 1955  
 Perth  
*Oidium* sp. Powdery mildew PERTH 809438 (1944) (Goss 1964b) 1943  
 Perth  
*Phytophthora cinnamomi* Rands Root rot IMI 318736 (1987)  
 Coorow  
*Phytophthora citricola* Sawada Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery  
*Phytophthora citrophthora* (R.E. Smith & E.H. Smith) Leonian Root rot IMI 318285 (1987)  
 Badgingarra  
*Phytophthora cryptogea* Pethybr. & Laff. Associated with root rot IMI 318734 (1987)  
 Coorow
- Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery  
*Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery  
*Phytophthora nicotianae* Breda de Haan var. *parasitica* (Dastur) Waterhouse Root rot (PPB records 1980)  
 South-west region
- Cheiranthus cheiri* L. (Wallflower)  
*Plasmiodiophora brassicae* Woron. Club root (MacNish 1964a) 1963  
 Kalamunda
- Chionachne hubbardiana* Henrard  
*Peronosclerospora* sp. Downy mildew PERTH 795100 (1984)  
 Kununurra  
*Sporisorium* sp. Smut PERTH 790931 (1984)  
 Kununurra
- Chloris pumilio* R.Br. (Star grass, Windmill grass)  
*Uromyces archerianus* Arth. & Fromme Rust PERTH 806137 (Chambers 1960 as *U. chloridis*, host as *C. ruderalis*) 1959  
 Carnarvon
- Chloris virgata* Sw.  
*Uromyces archerianus* Arth. & Fromme Rust PERTH 354910 (1937)  
 Carnarvon
- Choisya ternata* Kunth (Mexican orange)  
*Capnodium* sp. Sooty mould (Goss 1964b) 1958  
 Doubtful record  
*Meliola* sp. Sooty mould (Goss 1964b) 1958  
 Doubtful record
- Chondrilla juncea* L. (Skeleton weed)  
*Puccinia chondrillina* Bubak & Sydenham Rust PERTH 738751 (1988)  
 Introduced as an agent of biological control and experimental release.  
 Not established in the field.  
 South west region
- Chrysanthemum* spp. (Chrysanthemum)  
*Gnomania* sp. Associated with petal blight IMI 296585 (1985)  
 Perth  
*Oidium* sp. Powdery mildew (Carne 1925b as *Erysiphe cichoracearum*)  
 Perth  
*Puccinia chrysanthemi* Roze Rust PERTH 727644 (1986) (Goss 1964b) 1946  
 Perth  
*Puccinia horiana* P. Henn. White rust PERTH 728225 (1986)  
 Albany, Perth  
 Disease eradicated immediately after detection in November, 1986.  
*Septoria obesa* Syd. Leaf spot PERTH 740926 (1988)  
 Perth
- Chrysopogon fallax* S.T. Blake (Golden-beard grass)  
*Sorosporium tumefaciens* McAlp. Smut DAR 35010 (1981) (MacNish 1964 as smut) 1962  
 Kununurra, Marble Bar
- Chrysopogon pallidus* (R.Br.) Trin. : Steudel  
*Sorosporium tumefaciens* McAlp. Smut PERTH 823562 (1985)  
 Broome
- Cicer arietinum* L. (Chickpea)  
*Rhizoctonia* sp. Root rot (PPB records 1981)  
 Kununurra
- Cichorium endivia* L. (Endive)  
*Puccinia hieracii* (Rohl.) Mart. Rust PERTH 820415 (1984)  
 Gelorup  
*Xanthomonas campestris* (Pammel) Powson Associated with leaf spot IMI B12295 (1987)  
 Perth
- Cichorium intybus* L. (Chicory)  
*Puccinia* sp. Rust (MacNish 1967) 1965  
 Perth  
*Sclerotinia sclerotiorum* (Lib.) de Bary Stem rot (Chambers 1961) 1960  
 South-west region
- Citharexylum spinosum* L. (Fiddlewood)  
*Ascochyta* sp. Associated with leaf spot IMI 187245 (1974)  
 Perth  
*Pleospora herbarum* (Fr.) Rabenh. stat. conid. *Stemphylium botryosum* Wallr. Associated with leaf spot IMI 187245 (1974)  
 Perth
- Citrullus lanatus* (Thunb.) Matsumura & Nakai (Watermelon)  
*Cercospora citrullina* Cooke Leaf spot PERTH 731862 (1988)  
 Kununurra  
*Fusarium oxysporum* Schlecht. f.sp. *nivale* (E.F. Smith) Snyder & Hansen Wilt (Carne 1927d as *F. niveum*)  
 General  
*Fusarium semitectum* Berk. & Rav. Associated with root rot IMI 146494 (1970)  
 Perth  
*Fusarium solani* (Mart.) Sacc. Associated with root rot IMI 146495 (1970)  
 Perth  
*Oidium* sp. Powdery mildew (MacNish 1964a as *Sphaerotheca fuliginea*) 1962  
 General  
*Pseudomonas syringae* pv. *lachrymans* (E.F. Smith & Bryan) Young, Dye & Wilkie Angular leaf spot (Goss 1964a as *P. lachrymans*)  
 Rare

- Citrus limon** (L.) Burm.f. (Lemon)
- Armillaria* sp. Root rot PERTH 828823 (1921) (Pittman 1933 as *A.mellea*)  
South-west region
  - Botrytis cinerea* Pers. : Fr. Fruit rot (Doepel 1964) 1926
  - General
  - Capnodium citricolum* McAlp. Sooty mould (McAlpine 1899)
  - General
  - Cladosporium furfuraceum* McAlp. Scurf (Stoward 1913)
  - Cladosporium subfusoides* McAlp. Fruit rot (Stoward 1913)
  - Colletotrichum gloeosporioides* (Penz.) Penz. & Sacc. Anthracnose (Carne 1925b)  
South-west region
  - Diplodia citricola* McAlp. Scab (Stoward 1913)  
Perth
  - Fusarium lateritium* Nees Collar rot (Carne 1925b as *F.limonis*)  
South-west region
  - Geotrichum candidum* Link : Pers. Sour rot (Carne 1925b as *Oospora citri-aurantii*)  
South-west region
  - Penicillium digitatum* (Fr.) Sacc. Green mould (Carne 1925b)
  - General
  - Penicillium italicum* Wehmer Blue mould (Carne 1925b)
  - General
  - Phoma omnivora* McAlp. Wither-tip (McAlpine 1899)
  - General
  - Phyllosticta longispora* McAlp. Leaf spot (Carne 1926)  
Perth
  - Phytophthora citricola* Sawada Brown rot IMI 113079 (1965) (Doepel 1965b)  
South-west region
  - Phytophthora citrophthora* (R.E. Smith & E.H. Smith) Leonian Brown rot  
PERTH 782424 (1965) (Carne 1927d) 1926  
South-west region
  - Phytophthora drechsleri* Tucker Associated with root rot IMI 129907 (1967)  
Stoneville
  - Phytophthora hibernalis* Carne Brown rot IMI 129913 (1967) (Carne 1925c) 1916  
South-west region
  - Pseudomonas syringae* pv. *syringae* van Hall Citrus blast and black pit  
(Carne 1926b as *P.citriputeale*)
  - General
  - Sclerotinia sclerotiorum* (Lib.) de Bary Twig dieback (Doepel 1964) 1951  
Ambergate
- Citrus limon** (L.) Burm.f. cv. Rough (Citronelle, Rough lemon)
- Phoma omnivora* McAlp. Wither-tip (McAlpine 1899)
  - General
  - Phytophthora citrophthora* (R.E. Smith & E.H. Smith) Leonian Root rot  
IMI 165992 (1972)
  - General
  - Pythium irregularare* Buisman Root rot IMI 136147 (1968)  
Carnarvon
  - Pythium splendens* Braun Root rot (PPB records 1969)  
Stoneville
- Citrus paradisi** Macfad. (Grapefruit)
- Colletotrichum gloeosporioides* (Penz.) Penz. & Sacc. Anthracnose (Pittman and Owen 1936)  
South-west region
  - Phytophthora citricola* Sawada. Brown rot (Doepel 1965b)  
South west region
  - Phytophthora citrophthora* (R.E. Smith & E.H. Smith) Leonian Brown rot  
(Doepel 1964) 1927  
South-west region
  - Phytophthora hibernalis* Carne Brown rot (Doepel 1964) 1927  
South-west region
- Citrus reticulata** Blanco (Mandarin)
- Armillaria* sp. Root rot (Pittman 1933 as *A.mellea*) 1926
  - General
  - Botrytis cinerea* Pers. : Fr. Grey mould (Doepel 1964) 1926
  - General
  - Colletotrichum gloeosporioides* (Penz.) Penz. & Sacc. Anthracnose (Pittman and Owen 1936)
  - General
  - Phoma* sp. Fruit spot (Doepel 1964) 1925  
Boyanaup
  - Phytophthora citricola* Sawada Brown rot IMI 134756 (1968) (Doepel 1965b)  
South-west region
  - Phytophthora citrophthora* (R.E. Smith & E.H. Smith) Leonian Root and fruit rot IMI 113761 (1965) (Carne 1927d)  
Southwest region
  - Phytophthora hibernalis* Carne Brown rot (Carne 1925c) 1924  
South-west region
  - Pseudomonas syringae* pv. *syringae* van Hall Citrus blast and black pit  
(Carne 1926b as *P.citriputeale*)
  - South-west region
  - Pythium irregularare* Buisman Associated with root rot IMI 148170 (1970)  
Perth
  - Pythium spinosum* Sawada Associated with root rot IMI 150962 (1970)  
Perth
  - Pythium splendens* Braun Associated with root rot IMI 149070 (1970)  
Perth
- Citrus sinensis** (L.) Osb. (Sweet orange)
- Alternaria citri* Ellis & Pierce in Pierce Black rot (Stoward 1913)  
South-west region
  - Armillaria* sp. Root rot (Despeissis 1908 as *A.mellea*) 1904  
South-west region
  - Botryodiplodia theobromae* Pat. Associated with limb knot IMI 133825 as  
*Diplodia natalensis* (1968)  
Kalamunda
  - Botrytis cinerea* Pers. : Fr. Grey mould (Sutton 1936)  
Harvey
  - Capnodium citricolum* McAlp. Sooty mould PERTH 791466 (McAlpine 1899)
  - General
  - Cladosporium* sp. Brown scab (Stoward 1913)
  - General
  - Clitocybe* sp. Associated with root rot (Doepel 1964) 1926  
Donnybrook
  - Colletotrichum gloeosporioides* (Penz.) Penz. & Sacc. Anthracnose IMI 104476 (1964) (Pittman 1934) 1924
  - General
  - Ganoderma applanatum* (Pers.) Pat. Wood rot (Doepel 1964) 1962  
Capel River
  - Geotrichum candidum* Link : Pers. Sour rot (Carne 1925b as *Oospora citri-aurantii*)  
General
  - Merulius* sp. Trunk rot (Doepel 1964) 1961  
Bedfordale
  - Penicillium digitatum* (Fr.) Sacc. Green mould (Carne 1925b) 1924
  - General
  - Penicillium italicum* Wehmer Blue mould (Carne 1925b) 1924
  - General
  - Phoma glomerata* (Corda) Wollenw. & Hochpf. Associated with  
stem-end rot IMI 104475 (1964)
  - Phoma omnivora* McAlp. Wither-tip (McAlpine 1899)
  - General
  - Phyllosticta citricarpa* (McAlp.) van der Aa Anthracnose (Stoward 1913)  
as *Phoma citricarpa*
  - South-west region
  - Phyllosticta hesperidearum* Penz. Leaf spot (Stoward 1913)  
Perth
  - Phyllosticta longispora* McAlp. Leaf spot (Carne 1926d)  
Perth
  - Phytophthora citricola* Sawada Brown rot IMI 129904 (1967) (Doepel 1965b)  
South-west region
  - Phytophthora citrophthora* (R.E. Smith & E.H. Smith) Leonian Root and  
fruit rot IMI 129905 (1967) (Carne 1927d)  
South-west region
  - Phytophthora hibernalis* Carne Brown rot and leaf blight IMI 114203  
(1965) (Carne 1925c) 1916  
South-west region
  - Pseudomonas syringae* pv. *syringae* van Hall Citrus blast and black pit  
(Carne 1926b as *P.citriputeale*)
  - South-west region
  - Pythium echinulatum* Matthews Associated with root rot IMI 143368  
(1969)  
Stoneville
  - Pythium gracile* Schenk Associated with root rot IMI 151035 (1970)  
Perth
  - Pythium irregularare* Buisman Associated with root rot (PPB records 1970)  
Perth
  - Pythium spinosum* Sawada Associated with root rot IMI 148166 (1970)  
Perth
  - Pythium splendens* Braun Associated with root rot IMI 139090 (1969)  
Perth, Stoneville
  - Sclerotinia sclerotiorum* (Lib.) de Bary Twig blight PERTH 780898 (1944)  
(Cass Smith 1945)  
Brookhampton
  - Septoria westraliensis* McAlp. Leaf spot (McAlpine 1899)
  - Sporidesmium griseum* McAlp. Fruit scurf (Stoward 1913)
  - Tripospermum* sp. Sooty mould PERTH 790923 (1985)  
Busselton
- Clematis microphylla** DC.
- Aecidium* sp. Rust UWA 1021 (1966)  
Yançhep
- Clematis pubescens** Huegel : Endl. in Endl., Fenzl, Benth. & Schott
- Aecidium* sp. Rust (PPB records 1981)  
Bridgetown
  - Oidium* sp. Powdery mildew (MacNish 1963a) 1943  
Perth
- Clinanthus formosus** (G.Don) Ford & Vick. (Sturt pea)
- Phytophthora nicotianae* Breda de Haan var. *parasitica* (Dastur) Water-  
house Collar rot IMI 147252 (1970) (Marcley 1971)  
Perth
  - Pythium intermedium* de Bary Associated with root rot IMI 150728  
(1970)  
Perth

- Cocos plumosa** Hook. (Cocos Island palm)  
*Colletotrichum gloeosporioides* (Penz.) Penz. & Sacc. Associated with leaf spot IMI 325816 (1988)  
 Perth  
*Phoma glomerata* (Corda) Wollenw. & Hochapf. Associated with leaf lesion IMI 133826 (1968)  
 Perth
- Coleonema pulchrum** Hook.  
*Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Conospermum triplinervium** R.Br.  
*Phytophthora cinnamomi* Rands Root rot (PPB records 1985)  
 Perth
- Conostephium pendulum** Benth. in Endl., Fenzl, Benth. & Schott  
*Phytophthora cinnamomi* Rands Root rot (FR records 1980) 1968  
 Gosnells
- Conostylis aculeata** R.Br.  
*Puccinia haemodori* P. Henn. Rust Max Koch 2488 (PERTH) (1920)  
 Manjimup, Margaret River, Wattle Grove
- Conostylis aurea** Lindley (Golden cottonhead)  
*Puccinia haemodori* P. Henn. Rust DAR 43069 (1908)(Cheel 1909)  
 Perth
- Conostylis candicans** Endl.  
*Puccinia haemodori* P. Henn. Rust Cranfield (PERTH) (1977)  
 Floreat Beach
- Conostylis canteriata** Hopper  
*Puccinia haemodori* P. Henn. Rust Griffin 907 (PERTH) (1977)  
 Eneabba
- Conostylis caricina** Lindley  
*Puccinia haemodori* P. Henn. Rust Hopper 372 (PERTH) (1975)  
 Marradong
- Conostylis festucacea** Endl. in Lehm.  
*Puccinia haemodori* P. Henn. Rust Green 1716 (PERTH) (1957)  
 Perth
- Conostylis juncea** Endl.  
*Puccinia haemodori* P. Henn. Rust Hopper 452 (PERTH) (1975)  
 Collie River
- Conostylis laxiflora** Benth.  
*Puccinia haemodori* P. Henn. Rust Whibley 5070 (PERTH) (1974)  
 Cowaramup
- Conostylis serrulata** R.Br.  
*Puccinia haemodori* P. Henn. Rust Keighery 2828 (PERTH) (1972)  
 Manjimup
- Conostylis setigera** R.Br.  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972)  
 Jarrah forest
- Conostylis teretiuscula** F. Muell.  
*Puccinia haemodori* P. Henn. Rust Beard 1640 (PERTH) (1962)  
 Dandaragan
- Consolida ambigua** (L.) P.W. Ball & Heywood (Larkspur)  
*Botrytis* sp. Stem rot (PPB records 1982)  
 Byford
- Fusarium** sp. Wilt (Goss 1964b, host as *Delphinium ajacis*) 1937  
 Perth
- Oidium** sp. Powdery mildew (Goss 1964b as *Erysiphe polygoni*, host as *Delphinium ajacis*) 1959  
 Kulin
- Phytophthora** sp. Root rot (Goss 1964b, host as *Delphinium ajacis*) 1928  
 Bunbury
- Coprosma repens** Rich.  
*Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Coprosma** sp.  
*Oidium* sp. Powdery mildew (Goss 1964b) 1960  
 Perth
- Corchorus capsularis** L. (White jute)  
*Macrophomina phaseolina* (Tassi) Goida. Basal stem rot (Doepel 1952c) as *Sclerotium bataticola*  
 Kununurra
- Cordyline australis** Hook.  
*Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Correa reflexa** (Labill.) Vent.  
*Phytophthora nicotianae* Breda de Haan var. *parasitica* (Dastur) Waterhouse Root rot (PPB records 1983)  
 Boyanup
- Correa** sp.  
*Phytophthora nicotianae* Breda de Haan var. *parasitica* (Dastur) Waterhouse Root rot IMI 133714 (1968)  
 Perth
- Corylus avellana** L. (European filbert, Hazelnut)  
*Xanthomonas campestris* pv. *coryli* (Miller, Bollen, Simmons, Gross & Barss) Dye Bacterial blight (PPB records 1983)  
 Manjimup
- Crassula** sp.  
*Erwinia carotovora* pv. *carotovora* (Jones) Bergey, Harrison, Breed, Hammer & Huntoon Soft rot (Goss 1964b) 1960
- Crinum asiaticum** L. (Crinum lily)  
*Phyllosticta* sp. Leaf spot (Goss 1964b) 1928
- Crowea saligna** Andr.  
*Phytophthora cactorum* (Leb. & Cohn) Schrot. Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Phytophthora cryptogea* Pethybr. & Laff. Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Crowea** sp.  
*Phytophthora* sp. Root rot (PPB records 1982)
- Cucumis melo** L. (Rockmelon, Cantaloup)  
*Ascochyta cucumis* Fautr. & Roum. Gummy stem blight (PPB records 1983)
- Botryosphaeria ribis* Grossenb. & Dugg. Fruit rot IMI 320573 (1987)
- Kununurra**  
*Colletotrichum orbiculare* (Berk. & Mont.) von Arx Stem lesions (Carter 1984)
- Wanneroo, Geraldton**  
*Fusarium chlamydosporum* Wollenw. & Reinking Associated with wilt IMI 148142 (1970)
- Wiluna**  
*Fusarium concolor* Reinking Associated with wilt IMI 148411 (1970)
- Wiluna**  
*Fusarium oxysporum* Schlecht. Associated with wilt IMI 148410 (1970)
- Fusarium oxysporum* Schlecht. f.sp. *niveum* (E.F. Smith) Snyder & Hansen Wilt (Chambers 1961) 1958
- South-west region**  
*Fusarium solani* (Mart.) Sacc. f.sp. *cucurbitae* Snyder & Hansen Root rot (Chambers 1961) 1959
- General**  
*Fusarium sporotrichioides* Sherb. Associated with stem rot IMI 146134 (1970)
- Carnarvon, Wiluna**  
*Geotrichum candidum* Link : Pers. Storage rot IMI 153868 (1971)
- Carnarvon**  
*Macrophomina phaseolina* (Tassi) Goida. Fruit rot (PPB records 1983)
- Kununurra**  
*Oidium* sp. Powdery mildew (Chambers 1959 as *Erysiphe cichoracearum*, MacNish 1964a as *Sphaerotheca fuliginea*) 1955
- General**  
*Pseudomonas syringae* pv. *lacrymans* (E.F. Smith & Bryan) Young, Dye & Wilkie Angular leaf spot (Goss 1964a as *P.lacrymans*)
- Rare**  
*Pseudoperonospora cubensis* (Berk. & Curt.) Rostovtsev Downy mildew PERTH 740853 (1988)
- Kununurra**  
*Pythium aphanidermatum* (Edson) Fitzp. Stem rot DAR 60739 (1987)
- Carnarvon**  
*Rhizoctonia solani* Kuhn Stem rot (PPB records 1984)
- Millendon**  
*Rhizopus stolonifer* (Ehrenb. : Fr.) Lind Storage rot IMI 153867 (1971)
- Carnarvon**  
*Sclerotium rolfsii* Sacc. Fruit rot (McKenzie Clark 1950) 1949
- Verticalium dahliae** Kleb. Wilt DAR 44539 (1983) (PPB records 1970)
- Naval Base**
- Cucumis sativus** L. (Cucumber, Gherkin)  
*Alternaria cucumerina* (Ellis & Everh.) Elliott Leaf spot IMI 115681 (1965) (MacNish 1967)
- Carnarvon**  
*Colletotrichum orbiculare* (Berk. & Mont.) von Arx Anthracnose and fruit rot PERTH 823651 (1984) (Carne 1925b as *Gloeosporium* sp.)
- Northampton**  
*Fusarium oxysporum* Schlecht. Stem rot (PPB records 1981)
- South-west region**  
*Fusarium* sp. Wilt (Chambers 1959) 1955
- Perth**  
*Oidium* sp. Powdery mildew (Carne 1925b as *Erysiphe cichoracearum*, MacNish 1964a as *Sphaerotheca fuliginea*)
- General**  
*Pseudomonas syringae* pv. *lacrymans* (E.F. Smith & Bryan) Young, Dye & Wilkie Angular leaf spot (Chambers 1959 as *P.lacrymans*) 1956
- South-west region**
- Cucurbita maxima** Duch. (Pumpkin, Squash)  
*Alternaria* sp. Leaf spot (PPB records 1981)
- Carnarvon**  
*Colletotrichum orbiculare* (Berk. & Mont.) von Arx Anthracnose (Carne 1925b as *Gloeosporium* sp.)
- Fusarium** sp. Collar and root rot (PPB records 1968)
- General**

- Oidium* sp. Powdery mildew PERTH 788740 (1923) (Carne 1925b as *Erysiphe cichoracearum*)  
 General  
*Phoma* sp. Leaf spot (PPB records 1982)  
 Mandogalup  
*Pseudomonas syringae* pv. *lachrymans* (E.F. Smith & Bryan) Young, Dye & Wilkie Angular leaf spot (Goss 1964a as *P.lachrymans*)  
 Rare  
*Rhizoctonia* sp. Stem and root rot (PPB records 1982)  
 Perth
- Cucurbita moschata** (Duch.) Duch. : Poir (Butternut pumpkin)  
*Ascochyta cucumis* Fautr. & Roum. Brown etch DAR 43137 (1983) (Carter 1984)  
 South-west region, Carnarvon  
*Botrytis cinerea* Pers. : Fr. Grey mould (Chambers 1959) 1955  
 General  
*Fusarium* sp. Fruit lesion (PPB records 1977)  
*Oidium* sp. Powdery mildew (Chambers 1959 as *Erysiphe cichoracearum*, MacNish 1964a as *Sphaerotheca fuliginea*) 1925  
 General
- Cucurbita pepo** L. (Marrow, Pumpkin, Zucchini)  
*Alternaria cucumerina* (Ellis & Everh.) Elliott Leaf spot (PPB records 1985)  
 Carnarvon  
*Ascochyta cucumis* Fautr. & Roum. Leaf and fruit spot IMI 265979 (1982)  
 Mandogalup  
*Colletotrichum orbiculare* (Berk. & Mont.) von Arx Anthracnose (Carne 1925b as *Gleosporium* sp.)  
*Erwinia carotovora* pv. *carotovora* (Jones) Bergey, Harrison, Breed, Hammer & Huntoon Soft rot (PPB records 1985)  
 General  
*Fusarium* sp. Root rot (Chambers 1959) 1931  
*Oidium* sp. Powdery mildew PERTH 741442 (Carne 1925b as *Erysiphe cichoracearum*, MacNish 1964 as *Sphaerotheca fuliginea*) 1923  
 General
- Cupressus arizonica** Greene (Rough barked Arizona cypress)  
*Phytophthora cinnamomi* Rands Root rot IMI 165991 (1972)  
 Perth
- Cupressus sempervirens** L.  
*Phytophthora cinnamomi* Rands Root rot (FR records 1980)  
 Lynwood
- Cyamopsis tetragonoloba** (L.) Taub. (Guar, Clusterbean)  
*Alternaria* sp. Leaf spot (PPB records 1977)  
 Kununurra  
*Curvularia* sp. Black mould on leaves (PPB records 1980)  
 Kununurra
- Cyathostemum micranthum** (A.DC.) James Sinclair  
*Aecidium* sp. Rust PERTH 741930 (1986)  
 Mitchell Plateau
- Cyclamen persicum** Mill. (Florist's cyclamen)  
*Botrytis cinerea* Pers. : Fr. Grey mould (Goss 1964b) 1947  
 Perth  
*Pythium irregularare* Buisman Associated with root rot IMI 149054 (1970)  
 Perth
- Cydonia oblonga** Mill. (Quince)  
*Agrobacterium tumefaciens* (E.F. Smith & Townsend) Conn Crown gall (Doepel 1964) 1936  
 Harvey  
*Alternaria* sp. Fruit rot (Carne 1927d)  
 General  
*Colletotrichum gloeosporioides* (Penz.) Penz. & Sacc. Ripe rot (Carne 1927d)  
 General  
*Entomosporium mespili* (DC. : Duby) Sacc. Fleck (Doepel 1966 as *Fabraea maculata*)  
 Perth  
*Penicillium expansum* Link Blue mould (Carne 1927d)  
 General  
*Podosphaera leucotricha* (Ellis & Everh.) Salmon Powdery mildew PERTH 7888236 (1941) (Despeissis 1903b as *P.kunzei*)  
 South-west region
- Cymbidium** sp.  
*Phytophthora erythroseptica* Pethybr. Leaf spot IMI 325820 (1988)  
 Perth
- Cymbopogon ambiguus** A. Camus  
*Sphacelotheca* sp. Smut DAR 33884 (1983)  
 Hamersley Range National Park
- Cymbopogon citratus** (DC.) Stapf. (Lemon grass)  
*Puccinia cymbopogonis* Massee Rust PERTH 793485 (1984)  
 Perth
- Cynara scolymus** L. (Globe artichoke)  
*Fusarium* sp. Root rot (PPB records 1978)  
 South-west region  
*Phoma exigua* Desm. Stem and leaf spot IMI 208989 (1976)  
 Perth  
*Verticillium* sp. Wilt (PPB records 1981)  
 Wanneroo
- Cynodon dactylon** (L.) Pers. (Blue couch grass, bermuda grass)  
*Bipolaris cynodontis* (Marignoni) Shoemaker Leaf blotch IMI 129083 (1963) (MacNish 1967 as *Helminthosporium cynodontis*)  
 Perth
- Bipolaris sorokiniana* (Sacc.) Shoemaker Root rot (MacNish 1964a as *Helminthosporium sativum*) 1962  
 Point Chidley  
*Bipolaris spicifera* (Bainier) Subram. Root rot (MacNish 1964a as *Curetonia spicifera*) 1962  
 Point Chidley  
*Fusarium avenaceum* (Corda : Fr.) Sacc. Root rot (MacNish 1964a) 1962  
 Point Chidley  
*Gaeumannomyces graminis* (Sacc.) von Arx & Oliv. var. *graminis* Root rot DAR 51652 (1985)  
 Perth  
*Helminthosporium* sp. Seed discolouration (Chambers 1960) 1955  
 Perth  
*Leptosphaeria* sp. Spring dead spot (PPB records 1974)  
 General  
*Magnaporthe rhizophila* Scott & Deacon Root rot DAR 51661 (1985)  
 Perth  
*Marasmius oreades* (Bolt. : Fr.) Fr. Fairy ring (Chambers 1960) 1959  
 Bridgetown  
*Pleospora* sp. Leaf spot PERTH 816280 (1927)  
 Fremantle  
*Puccinia cynodontis* Lacroix : Desm. Rust PERTH 328553 (1972) (Chambers 1960) 1937  
 General  
*Rhizoctonia solani* Kuhn Brown patch IMI 164772 as *Corticium solani* (1972) (Chambers 1960) 1939  
 General  
*Sclerotinia homoeocarpa* Bennett Dollar spot (Chambers 1960) 1934  
 Perth  
*Ustilago cynodontis* (Pass.) P. Henn. Smut PERTH 824194 (1923) (Carne 1925b)  
 General
- Cynodon transvaalensis** Burtt Davy (African bermuda grass)  
*Sclerotinia homoeocarpa* Bennett Dollar spot (Chambers 1960) 1957  
 Perth
- Cyphomandra betacea** (Cav.) Sendt. (Tamarillo, Tree-tomato)  
*Pythium* sp. Root rot (PPB records 1985)  
 Manjimup
- Cytisus albus** Haag.  
*Phytophthora cryptogea* Pethybr. & Laff. Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Cytisus proliferus** L.f. (Tagasaste, Tree lucerne)  
*Phytophthora* sp. Stem rot (MacNish 1964a, host as *Chamaecytisus proliferus*) 1962  
 Perth
- Dactylis glomerata** L. (Cocksfoot)  
*Claviceps purpurea* (Fr.) Tul. Ergot PERTH 806226 (1954) (Chambers 1960) 1941  
 Coolup, Kentdale  
*Puccinia ?coronata* Corda Rust (MacNish 1964a) 1962  
 Denmark  
*Puccinia graminis* Pers. Stem rust PERTH 800341 (1956) (Chambers 1960)  
 Perth
- Dactylis glomerata** L. var. *maritima* Mollier (Neptune cocksfoot)  
*Puccinia graminis* Pers. Stem rust PERTH 809349 (1953) (Chambers 1960)  
 Wokalup
- Dahlia** sp.  
*Agrobacterium tumefaciens* (E.F. Smith & Townsend) Conn Crown gall (Goss 1964b) 1957  
 Perth  
*Botrytis cinerea* Pers. : Fr. Flower flight and stem rot (Goss 1964b) 1956  
 Perth  
*Oidium* sp. Powdery mildew (MacNish 1964a) 1963  
 Perth  
*Sclerotinia sclerotiorum* (Lib.) de Bary Stem rot (Goss 1964b) 1958  
 Albany, Perth  
*Verticillium dahliae* Kleb. Wilt (Goss 1964b) 1957  
 Perth
- Dampiera alata** Lindley  
*Puccinia dampierae* Syd. & H. Syd. Rust (McAlpine 1906)  
 Perth
- Dampiera eriocephala** Vriese  
*Puccinia dampierae* Syd. & H. Syd. Rust PERTH 810894 (1963) (MacNish 1964a)  
 Wilroy
- Dampiera leptoclada** Benth.  
*Puccinia dampierae* Syd. & H. Syd. Rust Bennett 1093 (PERTH) (1966) (Cheel 1909)  
 Albany, Perth
- Dampiera linearis** R.Br.  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1965  
 Kendal, Gnangara  
*Puccinia dampierae* Syd. & H. Syd. Rust DAR 43080 (1980)  
 Perth
- Dampiera oligophylla** Benth.  
*Puccinia dampierae* Syd. & H. Syd. Rust Aplin 1297 (PERTH) (1961)  
 Moora

- Dampiera spicigera** Benth.  
*Puccinia dampierae* Syd. & H. Syd. Rust Gardner 12825 (PERTH) (1960)  
 (Cheel 1909)  
 Kununurra  
**Dampiera trigona** Vriese in Leh.  
*Puccinia dampierae* Syd. & H. Syd. Rust George 9696 (PERTH) (1969)  
 Denmark
- Dampiera triloba** Lindley  
*Puccinia dampierae* Syd. & H. Syd. Rust Gardner (PERTH) (1945)  
 Gnangarra
- Danthonia caespitosa** Gaudich in Freyc. (Ringed wallaby grass)  
*Clavibacter* sp. Yellow slime disease (Riley 1987)  
*Uromyces danthoniae* McAlp. Rust (Chambers 1960) 1958  
 Pallinup River
- Danthonia penicillata** (Labill.) Beauv. (Slender wallaby grass)  
*Ustilago readeri* Syd. in McAlp. Loose smut PERTH 823147 (1962)  
 (MacNish 1964a)  
 Kojonup
- Danthonia pilosa** R.Br. (Velvet wallaby grass)  
*Ustilago comburens* Ludw. Smut PERTH 821500 (1930) (Chambers 1960)  
 Bridgetown
- Danthonia semiannularis** (Labill.) R.Br. (Tasmanian wallaby grass)  
*Helminthosporium* sp. Leaf spot (Chambers 1960) 1927
- Daphne odora** Thunb.  
*Capnodium* sp. Sooty mould (Goss 1964b) 1930  
 Doubtful record
- Daucus carota** subsp. *sativus* (Hoffm.) Arcang. (Carrot)  
*Alternaria dauci* (Kuhn) Groves & Skolko Leaf blight (Chambers 1961)  
 1960  
 General  
*Alternaria radicina* Meier, Drechsler & Eddy Black rot (Baron-Hay 1944)  
 Perth
- Cercospora carotae** (Pass.) Kaznowski & Siemaszko Leaf spot (PPB records 1984, Chambers 1959 as *Cercospora* sp.) 1944  
 South-west region
- Cylindrocarpus** sp. Skin blemish (Chambers 1961) 1959  
 Albany
- Erwinia carotovora** pv. *carotovora* (Jones) Bergey, Harrison, Breed, Hammer & Huntoon Soft rot (Chambers 1959) 1955
- General
- Fusarium solani** (Mart.) Sacc. Root lesions IMI 215235 (1977)
- General
- Fusarium** sp. Associated with root rot, black rot and surface pitting (Chambers 1959) 1957
- General
- Rhizoctonia** sp. Crown rot (PPB records 1980)
- Sclerotinia sclerotiorum** (Lib.) de Bary Root cottony rot (PPB records 1984)
- Xanthomonas campestris** pv. *carotae* (Kendrick) Dye Blight (Chambers 1959 as ?*X. carotae*) 1957  
 Perth
- Delonix regia** (Bojer) Raf. (Poinciana)  
*Armillaria* sp. Root rot (PPB records 1967)  
 Perth
- Delphinium cultorum** Voss (Delphinium)  
*Oidium* sp. Powdery mildew (Goss 1964b as *Erysiphe polygoni*) 1959  
 Kulun
- Delphinium** sp.  
*Phaciopycnis* sp. Leaf and stem spot IMI 216585 (1977)  
 Esperance
- Dianthus caryophyllus** L. (Carnation)  
*Alternaria* sp. Black spot (Goss 1964b) 1957  
 Perth
- Botrytis cinerea** Pers. : Fr. Flower blight (Goss 1964) 1960
- Perth
- Fusarium oxysporum** Schlecht. f.sp. *dianthi* (Prill. & Del.) Snyder & Hansen Wilt IMI 314304 (1987) (Goss 1964b as *F. dianthi*) 1958  
 South-west region
- Mycosphaerella dianthi** (Berk.) Jorstad, stat. conid. *Cladosporium echinulatum* (Berk.) de Vries Leaf mould and calyx spot PERTH 799823 (1924) (Carne 1925b as *Heterosporium echinulatum*, Goss 1964b as *Didymellina dianthi*)  
 Perth
- Pleospora** sp. Leaf spot (Goss 1964b) 1930
- Perth
- Pseudomonas** sp. Bacterial leaf spot (PPB records 1981)  
 Perth
- Rhizoctonia** sp. Stem rot (PPB records 1982)  
 South-west region
- Sclerotium rolfsii** Sacc. Foot rot (Goss 1964b as *Pellicularia rolfsii*) 1949  
 Perth
- Septoria dianthi** Desm. Leaf spot PERTH 785555 (1925) (Stoward 1913)  
 General
- Sphaerellopsis filum** (Biv.-Bern. : Fr.) Sutton Hyperparasite on *Uromyces dianthi* PERTH 730855 (1988)  
 Perth
- Uromyces dianthi** (Pers.) Niessl Rust PERTH 801984 (1925) (Stoward 1913 as *U. caryophyllinus*)  
 General
- Dichanthium aristatum** (Poiret) C.E. Hubb. (Angleton grass)  
*Puccinia duthiae* Ellis & Tracy Rust PERTH 729221 (1985)  
 Kununurra
- Digitaria decumbens** Stent (Pangola grass)  
*Puccinia oahuensis* Ellis & Everh. Rust IMI 166509 (1972)  
 Kununurra
- Digitaria didactyla** Willd. (Queensland blue couch)  
*Ascochyta leptospora* (Trail) Hara Leaf spot IMI 135013 (1968) (Punithalingam 1979)  
 Perth
- Curvularia brachyspora** Boedijn Associated with leaf spot IMI 150289 (1970) (Sivanesan 1987)  
 Perth
- Drechslera poae** (Baudys) Shoemaker Associated with leaf spot IMI 135691 (1968) (Sivanesan 1987)  
 Perth
- Phoma** sp. Associated with leaf spot IMI 134026 (1968)  
 Perth
- Pythium vanterpoolii** Kouyeas & Kouyeas Associated with brown patch IMI 167518 (1972)  
 Perth
- Sclerotinia homoeocarpa** Bennett Brown patch IMI 167520 (1972)  
 Perth
- Digitaria sanguinalis** (L.) Scop. (Large crabgrass)  
*Puccinia oahuensis* Ellis & Everh. Rust PERTH 793051 (1985)  
 Perth
- Dillwynia uncinata** (Turcz.) J. Black  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972)  
 Jarrah forest
- Dioscorea hastifolia** Endl. in Lehm. (Spear leaved yam)  
*Aecidium* sp. Rust PERTH 819972 (1956) (MacNish 1963a)  
 South-west region
- Diospyros kaki** L.f. (Japanese persimmon)  
*Agrobacterium tumefaciens* (E.F. Smith & Townsend) Conn Crown Gall (Doeppel 1964) 1936  
 Carmel
- Pythium** sp. Root rot (PPB records 1983)  
 Perth
- Diplolaena angustifolia** Hook. (Native rose)  
*Phytophthora cinnamomi* Rands Root rot IMI 132467 (1967)  
 Perth
- Diurus** sp. (Donkey orchid)  
*Oidium* sp. Powdery mildew IMI 159077 (1971) (Anon. 1972)  
 Riverton
- Dodonaea viscosa** Jacq.  
*Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Dryandra foliosissima** C. Gardner  
*Pythium* sp. Root rot (PPB records 1979)  
 Perth
- Dryandra nivea** (Labill.) R.Br.  
*Phytophthora cinnamomi* Rands Root rot (FR records 1980) 1974  
 Yunderup
- Dryandra polyccephala** Benth.  
*Armillaria* sp. Root rot (PPB records 1968)  
 Perth
- Phytophthora megasperma** Drechsler Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Dryandra praemorsa** Meissner in Lehm.  
*Phyllachora* sp. Leaf spot DAR 50162 (1984)  
 Gidgegannup
- Phytophthora cinnamomi** Rands Associated with root rot (PPB records 1982)  
 Perth
- Dryandra proteoides** Lindley  
*Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Dryandra sessilis** (Knight) Domin  
*Phytophthora cinnamomi* Rands Root rot (Dell and Wallace 1981)  
 Kalamunda
- Dryandra speciosa** Meissner in DC.  
*Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Phytophthora nicotianae** Breda de Haan var. *nicotianae* Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Echinochloa colona** (L.) Link (Awnless barnyard grass)  
*Colletotrichum* sp. Stem blight PERTH 729752 (1986)  
 Kununurra
- Curvularia pallescens** Boedijn Associated with leaf spot IMI 118090 (1966) (Sivanesan 1987)  
 Kununurra
- Echinochloa crusgalli** (L.) P. Beauv. (Barnyard grass, Japanese millet)  
*Ustilago triciphora* (Link) Kunze Head smut PERTH 829382 (1922)  
 (Carne 1925b as *Cintractia crus-galli*, host as *Panicum crusgalli*)  
 Perth
- Ehrharta calycina** Smith (Perennial veldt grass)  
*Bipolaris sorokiniana* (Sacc.) Shoemaker Leaf spot (MacNish 1964a as *Helminthosporium ?sativum*) 1962  
 Perth

- Ehrharta longiflora** Smith (Annual veldt grass)  
*Drechslera campanulata* (Lev.) B.C. Sutton Blight PERTH 816817 (1929)  
 IMI 130945 (1968) (Carne 1927d as *Pleosphaeria seneniperda*)  
 Carlisle  
*Puccinia graminis* Pers. Rust PERTH 800333  
 Esperance  
*Septoria* sp. Leaf spot PERTH 822590 (1923) (Chambers 1960)  
 Perth
- Emex australis** Steinh. (Doublegee)  
*Uromyces runicis* (Schum.) Wint. Rust (Shivas 1987)  
 South Perth
- Epilobium billardierianum** Ser. in DC.  
*Puccinia pulverulenta* Grev. Rust Kenneally 6541 (PERTH) (1978)  
 Lake Richmond
- Epilobium hirtigerum** Cunn.  
*Puccinia pulverulenta* Grev. Rust Morrison (PERTH) (1909)  
 Perth
- Epiphyllum** sp.  
*Colletotrichum gloeosporioides* (Penz.) Penz. & Sacc. Stem canker DAR 44541 (1983)  
 Perth
- Eriachne aristidea** F. Muell.  
*Macalpinomyces eriachnes* (Theum.) Langdon & Fullerton Smut DAR 15765 (1965) PERTH 741906 (1987) (Langdon and Fullerton 1977)  
 Meekatharra, Onslow
- Erica** sp.  
*Capnodium* sp. Sooty mould (Goss 1964b) 1955  
 Doubtful record  
*Meliola* sp. Sooty mould (Goss 1964b) 1955  
 Doubtful record  
*Phytophthora citricola* Sawada Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery  
*Phytophthora cryptogea* Pethybr. & Laff. Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Eriobotrya japonica** (Thunb.) Lindl. (Loquat)  
*Agrobacterium tumefaciens* (E.F. Smith & Townsend) Conn Crown gall (Doepel 1964) 1936  
 Harvey  
*Colletotrichum* sp. Anthracnose (Doepel 1964 as *Gloeosporium* sp.) 1917  
 Mundaring  
*Entomosporium mespili* (DC. : Duby) Sacc. Fleck IMI 110484 as *Fabrea maculata* (1964) PERTH 833657 (1964) (Doepel 1966 as *F. maculata*)  
 Perth  
*Fusarium stilboides* Wollenw. Associated with stem canker IMI 119187 (1967)  
 Rolestone  
*Phomopsis* sp. Associated with stem canker PERTH 788228 (1985)  
 Albany  
*Pythium splendens* Braun Associated with root rot IMI 150432 (1970)  
 Perth  
*Spiilocaea pyracaethae* (Otth) von Arx Black spot PERTH 804029 (1955) (Despeissis 1901 as *Fuscladium eriobotryae*) 1898  
 South-west region
- Erodium botrys** (Cav.) Bertol. (Crowsfoot grass)  
*Aecidium* sp. Rust (aecidal stage) (MacNish 1963a) 1929  
 Merredin
- Erythrina** sp. (Coral tree)  
*Oidium* sp. Powdery mildew (Goss 1964b) 1957  
 Perth
- Eucalyptus accedens** W. Ftzg.  
*Botryosphaeria ribis* Grossenb. & Dugg. Canker (Davison and Tay 1983)  
 South-west region  
*Cytospora eucalypticola* van der Westhuizen Canker (Davison and Tay 1983)  
 South-west region
- Eucalyptus caesia** Benth. (Gungunnu)  
*Armillaria* sp. Root rot (MacNish 1967 as *A. mellea*) 1966  
 Perth  
*Botryosphaeria ribis* Grossenb. & Dugg. Associated with stem canker (DCE records 1984)  
 Dardanup  
*Botrytis cinerea* Pers. : Fr. Leaf mould (PPB records 1981)  
 Geelup  
*Phoma viminalis* Cooke & Massee Associated with leaf spot PERTH 789887 (1966)  
 Perth
- Eucalyptus calophylla** Lindley (Marri)  
*Armillaria luteobubalina* Watling & Kile Root rot DAR 43149 (1982) (Despeissis 1922 as *A. mellea*, Kile et al. 1983, Pearce et al. 1986)  
 South-west region  
*Botryosphaeria ribis* Grossenb. & Dugg. Canker (Davison and Tay 1983)  
 South-west region  
*Cytospora eucalypticola* van der Westhuizen Canker DAR 53114 (1984) (Davison and Tay 1983)  
 South-west region  
*Discosporium eucalypti* Sutton & Davison Canker (Davison and Tay 1983)  
 South-west region  
*Endothiella* sp. Canker DAR 53122 (1985) (Davison 1982 as *Endothia havanensis*, Walker et al. 1985)  
 South-west region
- Favostroma crypticum** Sutton & Davison Canker IMI 266341 (1982) DAR 41734 (1982) (Sutton and Davison 1983)  
 Dwellingup  
*Gelasinospora restispora* R.F. Cain Stem canker DAR 53125 (1984)  
 Byford  
*Phoma* sp. Associated with leaf spot PERTH 827290 as *P. purpurea* (1925)  
 Busselton  
*Piptoporus portentosus* (Berk.) G.Cunn. Brown rot (Hilton 1982)  
 South-west region  
*Ranularia* sp. Stem canker DAR 25432 (1973)  
 Perth  
*Seimatosporium fusisporum* Swart & D.A. Griffiths Associated with leaf spot PERTH 740799 (1988)  
 Serpentine Dam  
*Sporotrichum destructor* nomen nudum Stem canker (Beard 1963, MacNish 1963a) 1939  
 Perth  
*Xylostroma gigantea* Tode Wood rot PERTH 787221 (1923) (MacNish 1963a)  
 Manjimup
- Eucalyptus camaldulensis** Dehnh. (River gum)  
*Phoma viminalis* Cooke & Massee Associated with leaf spot PERTH 79467 (1966)  
 Perth  
*Pythium irregularare* Buisman Seedling dieback IMI 163759 (1972)  
 Narrogin
- Eucalyptus cladocalyx** F. Muell. (Sugar gum)  
*Cytospora eucalypticola* van der Westhuizen Associated with stem canker (DCE records 1984)  
 Esperance  
*Oidium* sp. Powdery mildew (PPB records 1981)  
 Katanning
- Eucalyptus delegatensis** R.T. Baker. (Alpine ash)  
*Armillaria* sp. Root rot (FR records 1980 as *A. mellea*) 1973
- Eucalyptus diversicolor** F. Muell. (Karri)  
*Armillaria luteobubalina* Watling & Kile Root rot DAR 43152 (1982) (Kile et al. 1983, Pearce et al. 1986)  
 South-west region  
*Botryosphaeria ribis* Grossenb. & Dugg. Canker DAR 53118 (1984) (Davison and Tay 1983)  
 South-west region  
*Botrytis cinerea* Pers. : Fr. Shoot canker and tip dieback (PPB records 1973)  
 Manjimup  
*Cytospora eucalypticola* van der Westhuizen Canker DAR 53116 (1984)  
 Pemberton  
*Piptoporus australiensis* (Wakef.) G.Cunn. Brown cubical rot (Hilton 1982)  
 South-west region  
*Pythium irregularare* Buisman Damping off (DCE records 1984)  
 Manjimup  
*Pythium manillatum* Meurs-Hickman Damping off (DCE records 1984)  
 Manjimup  
*Xylostroma gigantea* Tode Wood rot (Carne 1925b) 1919  
 Big Brook
- Eucalyptus erythrocorys** F. Muell.  
*Cytospora eucalypticola* van der Westhuizen Associated with stem canker (DCE records 1985)  
 Bunbury  
*Hainesia lythri* (Desm.) Hohn. Leaf spot IMI 160397 (1971)  
 Riverton  
*Pythium irregularare* Buisman Associated with root rot IMI 150816 (1970)  
 Perth
- Eucalyptus falcifolia** F. Muell. (Red-flowered gum)  
*Acremonium* sp. Canker DAR 51589 (1985)  
*Leptoumelanconium australiense* Sutton Leaf spot IMI 159079a (1971) (Sutton 1974)  
 York  
*Microsphaeropsis olivacea* (Bonord.) Hohn. Associated with leaf spot IMI 159079b as *Coniothyrium olivaceum* (1971)  
 York  
*Oidium* sp. Powdery mildew (MacNish 1963a) 1925  
*Phytophthora cryptogea* Pethybr. & Laff. Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery  
*Sporotrichum destructor* nomen nudum Stem canker PERTH 791962 (1927)  
 Jones 1940, Beard 1963)  
 Perth, York  
*Trichothecium roseum* (Pers.) Link: Grey Stem Canker DAR 204096 (1970)
- Eucalyptus flocktoniae** (Maiden) Maiden  
*Cytospora* sp. Associated with leaf spot IMI 132637 (1968)  
 Tuart Hill
- Eucalyptus globulus** Labill. (Blue gum)  
*Botryosphaeria ribis* Grossenb. & Dugg. Associated with stem canker (DCE records 1984)  
 Busselton  
*Botrytis cinerea* Pers. : Fr. Stem and shoot canker (PPB records 1975)  
 Manjimup  
*Cytospora eucalypticola* van der Westhuizen Canker (Davison and Tay 1983)  
 South-west region.

- Eucalyptus gomphocephala DC. (Tuart)**  
*Armillaria luteobubalina* Watling & Kile Root rot DAR 43165 (1974) (Kile et al. 1983)  
 Perth  
*Oidium* sp. Powdery mildew (MacNish 1967) 1964  
 Manjimup  
*Phytophthora cinnamomi* Rands Root rot (MacNish 1967) 1965  
 Hamel  
*Phytophthora nicotianae* Breda de Haan var. *parasitica* (Dastur) Waterhouse Associated with stem rot IMI 148503 (1970)  
 Carnarvon  
*Piptoporus australiensis* (Wakef.) G.Cunn. Brown cubical rot (Hilton 1982)  
 South-west region  
*Piptoporus portentosus* (Berk.) G.Cunn. Brown rot (Hilton 1982)  
 South-west region  
*Xylostroma gigantea* Tode Wood rot (MacNish 1963a) 1925  
 Perth
- Eucalyptus lehmannii** (Schauer) Benth. (Bald Island marlock)  
*Phytophthora cinnamomi* Rands Root rot (MacNish 1967) 1965  
 Hamel
- Eucalyptus leucoxylon F. Muell.** (White ironbark)  
*Armillaria luteobubalina* Watling & Kile Root rot DAR 43162 (1982)  
 Perth  
*Botryosphaeria ribis* Grossenb. & Dugg. Associated with basal stem canker (DCE records 1983)  
 Perth  
*Phoma viminalis* Cooke & Massee Associated with leaf spot PERTH 792462 (1966)  
 Perth
- Eucalyptus maculata** Hook. (Spotted gum)  
*Agrobacterium tumefaciens* (Smith & Townsend) Conn Crown gall (MacNish 1967) 1963  
 Perth
- Eucalyptus macrocarpa** Hook.  
*Oidium* sp. Powdery mildew (CALM records 1987)  
 Hamel
- Eucalyptus marginata** Donn : Smith (Jarrah)  
*Armillaria luteobubalina* Watling & Kile Root rot DAR 43150 (1982) (Kile et al. 1983, Pearce et al. 1986)  
 South-west region  
*Botryosphaeria ribis* Grossenb. & Dugg. Twig, branch and trunk canker DAR 41729 (1981) (Davison and Tay 1983)  
 South-west region  
*Cytospora eucalypticola* van der Westhuizen Root lesions, twig, branch and trunk canker DAR 41731 (1981) (Shea et al. 1982, Davison 1982)  
 South-west region  
*Davisoniella eucalypti* Swart Leaf spot DAR 58999 (1981) (Swart 1988b)  
 Darling Ranges  
*Discosporium eucalypti* Sutton & Davison Branch canker IMI 262816 (1981) DAR 41689 (1981) (Sutton and Davison 1983)  
 South-west region  
*Endothiella* sp. Twig, branch and trunk canker IMI 256999 (Davison 1982 as *Endothia havanensis*, Walker et al. 1985)  
 South-west region  
*Fistulina hepatica* Fr. Associated with pencilled wood UWA 329 (Hilton 1982) 1936  
 South-west region  
*Harknessia eucalypti* Cooke in Cooke & Harkness Canker IMI 262816 (Davison and Tay 1983)  
 South-west region  
*Oidium* sp. Powdery mildew (Carter 1986)  
 Perth  
*Pestalotiopsis* sp. Root lesions (Shea et al. 1982)  
 Dwellingup  
*Phytophthora cinnamomi* Rands Dieback IMI 124492 (1967) (Podger et al. 1965)  
 South-west region  
*Phytophthora drechsleri* Tucker Associated with dieback IMI 318271 (1987)  
 Perth  
*Phytophthora megasperma* Drechsler Associated with dieback IMI 116468 (1966)  
 Perth  
*Piptoporus portentosus* (Berk.) G.Cunn. Brown rot (Hilton 1982)  
 South-west region  
*Porina mutans* (Peck) Peck Yellow straw rot (Hilton 1982)  
 South-west region  
*Xylostroma gigantea* Tode Wood rot (MacNish 1963a) 1925  
 Babakin
- Eucalyptus megacarpa F. Muell.**  
*Armillaria luteobubalina* Watling & Kile Associated with root rot DAR 55851 (1984)  
 Old Tourist Cave  
*Botryosphaeria ribis* Grossenb. & Dugg. Canker (Davison and Tay 1983)  
 South-west region  
*Cytospora eucalypticola* van der Westhuizen Canker (Davison and Tay 1983)  
 South-west region
- Eucalyptus muelleriana** Illowitt  
*Botrytis cinerea* Pers. : Fr. Stem and shoot cankers (PPB records 1975)  
 Manjimup
- Eucalyptus obliqua** L'Herit. (Messmate stringybark)  
*Armillaria* sp. Root rot (FR records 1980 as *A.mellea*) 1973  
 Dover
- Eucalyptus occidentalis** Endl. in Endl., Fenzl, Benth. & Schott (Flat topped yate)  
*Phytophthora cinnamomi* Rands Dieback (MacNish 1967) 1965  
 South-west region
- Eucalyptus radiata** Sieb. : DC.  
*Botryosphaeria ribis* Grossenb. & Dugg. Stem canker (Shearer et al. 1987)  
 Dwellingup  
*Cytospora eucalypticola* van der Westhuizen Stem canker (Shearer et al. 1987)  
 Dwellingup
- Eucalyptus redunca** Schauer in Lehm. (Wandoo)  
*Phellinus rimosus* (Berk.) Pilat Associated with pocket rot (Hilton 1982)  
 South-west region  
*Piptoporus australiensis* (Wakef.) G.Cunn. Brown cubical rot (Hilton 1982)  
 South-west region  
*Phoma* sp. Leaf spot (PPB records 1974)  
 Narrogin  
*Xylostroma gigantea* Tode Wood rot (MacNish 1963a) 1924  
 Wagan
- Eucalyptus regnans** F. Muell. (Swamp gum)  
*Armillaria* sp. Root rot (FR records 1980 as *A.mellea*) 1973  
 Dover
- Eucalyptus resinifera** Sm.  
*Cytospora eucalypticola* van der Westhuizen Canker (Davison and Tay 1983)  
 South-west region
- Eucalyptus robusta** Sm.  
*Endothiella* sp. Canker (DCE records 1986)  
 Bunbury
- Eucalyptus rufida** Endl. in Endl., Fenzl, Benth. & Schott (Flooded gum)  
*Phytophthora cryptogea* Pethybr. & Laff. Root rot (MacNish 1967) 1965  
 Dardanup  
*Piptoporus portentosus* (Berk.) G.Cunn. Brown rot (Hilton 1982)  
 South-west region
- Eucalyptus saligna** Sm. (Sydney blue gum)  
*Botryosphaeria ribis* Grossenb. & Dugg. Canker (Davison and Tay 1983)  
 South-west region  
*Cytospora eucalypticola* van der Westhuizen Canker (Davison and Tay 1983)  
 South-west region  
*Endothiella* sp. Canker (Davison and Tay 1983 as *Endothia havanensis*, Walker et al. 1985)  
 South-west region  
*Sporothrix* sp. Trunk canker DAR 41691 (1982)  
 Jarrahdale
- Eucalyptus santalifolius** F. Muell.  
*Microthyrium eucalypti* P. Henn. On leaves (Hennings 1901b)  
 Cranbrook  
*Rhytidina eucalypti* P. Henn. On leaves (Hennings 1901b)  
 Cranbrook
- Eucalyptus striatula** W. Fitzg. (River gum)  
*Botrytis cinerea* Pers. : Fr. Seedling rot (PPB records 1977)  
 Perth
- Eucalyptus transcontinentalis** Maiden (River gum)  
*Botrytis cinerea* Pers. : Fr. Seedling rot (PPB records 1977)  
 Perth
- Eucalyptus wandoo** Blakely  
*Armillaria luteobubalina* Watling & Kile Root rot DAR 43163 (1981) (Kile et al. 1983)  
 Gleneagle  
*Botryosphaeria ribis* Grossenb. & Dugg. Canker DAR 53117 (1984) (Davison and Tay 1983)  
 South-west region  
*Cytospora eucalypticola* van der Westhuizen Canker DAR 53115 (1984) (Davison and Tay 1983)  
 South-west region  
*Endothiella* sp. Canker DAR 53120 (1984) (Davison 1982 as *Endothia havanensis*, Walker et al. 1985)  
 South-west region  
*Fairmanella* sp. Leaf spot IMI 188886 (1974)  
 Dardin
- Eucalyptus spp.**  
*Cytospora eucalypticola* van der Westhuizen Branch canker IMI 157417 (1971)  
 Coolup  
*Harknessia eucalypti* Cooke in Cooke & Harkness On leaves IMI 146774a (1915) (Sutton 1971)  
*Harknessia uronycoides* (Speg.) Speg. On leaves, twigs, petioles and seed capsules IMI 146775 (1915) (Sutton 1971)  
 Perth  
*Oidium* sp. Powdery mildew (MacNish 1964a) 1962  
 South-west region  
*Phoma viminalis* Cooke & Massee Associated with leaf spot IMI 122783 (1967)  
 Perth  
*Pythium echinatum* Matthews Damping off IMI 168260 (1972)  
 Narrogin

- Pythium irregularare* Buisman Damping off IMI 168261 (1972)
- Narrogin
- Schizophyllum commune* Fr. Wood rot (MacNish 1963a) 1926
- Ridge Hill
- Euchlaena mexicana* Schad. (Teosinte)
- Bipolaris maydis* (Nisikado & Miyake) Shoemaker IMI 167499 (1972) (Sivasesan 1987)
- Perth
- Euphorbia peplus* L. (Petty spurge)
- Melampsora euphorbiae* Cast. f.sp. *euphorbiae-pepli* Muller Rust PERTH 795593 (1984) (MacNish 1963a) 1954
- Perth
- Eutaxia obvata* (Labill.) C. Gardner
- Phytophthora cryptogea* Pethybr. & Laff. Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery
- Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery
- Phytophthora nicotianae* Breda de Haan var. *parasitica* (Dastur) Waterhouse Root rot (Hardy and Sivasithamparam 1988) 1985
- Wanneroo
- Festuca arundinacea* Schreber (Tall fescue)
- Claviceps purpurea* (Fr.) Tul. Ergot PERTH 806218 (1954) (Chambers 1960, host as *F. elatior*)
- Coolup, Wokalup
- Festuca rubra* L. var. *commutata* Gaud. (Chewings fescue)
- Helminthosporium* sp. Brown patch (Chambers 1960) 1935
- Perth
- Ficus carica* L. (Fig)
- Agrobacterium tumefaciens* (E.F. Smith & Townsend) Conn Crown gall (Doepel 1964) 1953
- Kalgoolie
- Colletotrichum gloeosporioides* (Penz.) Penz. & Sacc. Fruit decay (Baron-Hay 1948) 1947
- Perth
- Phyllosticta* sp. Fruit spot (Stoward 1913)
- Perth
- Fortunella* sp. (Cumquat)
- Phytophthora libernalis* Carne Shoot blight and canker (PPB records 1983)
- Manjimup
- Fragaria X ananassa* Duch. (Garden strawberry)
- Armillaria* sp. Root rot (PPB records 1970)
- Lower King
- Botrytis cinerea* Pers. : Fr. Grey mould berry rot (PPB records 1963)
- General
- Colletotrichum acutatum* Simmonds Fruit rot IMI 263131 (1981)
- Baldvis
- Diplocarpon earlianum* (Ellis & Everh.) Wolf, stat. conid. *Marssonina fragariae* (Lib.) Klebahn Leaf scorch PERTH 831581 (Doepel 1964) 1959
- General
- Guomonia comari* Karsten Fruit rot IMI 328196 (1988)
- Albany
- Fusarium oxysporum* Schlecht. Wilt (PPB records 1984)
- Albany
- Macrophomina phaseolina* (Tassi) Goida. Dieback IMI 124760 (1967)
- Perth
- Mycosphaerella fragariae* (Tul.) Lindau, stat. conid. *Ramularia brunnea* Peck Leaf spot PERTH 825247 (1924) (McAlpine 1895 as *Sphaerella fragariae*)
- General
- Oidium* sp. Powdery mildew (Carne 1925b as *Sphaerotheca humuli*)
- General
- Phomopsis obscurans* (Ellis & Everh.) Sutton Leaf spot IMI 202571 (1976)
- Perth
- Rhizoctonia solani* Kuhn Root rot IMI 124763 (1967)
- Kendenup
- Rhizopus* sp. Fruit rot (Doepel 1964) 1956
- General
- Verticillium dahliae* Kleb. Wilt IMI 146135 (1970)
- Perth
- Freesia* sp. (Freesia)
- Mycosphaerella macrospora* (Kleb.) Jorstad, stat. conid. *Cladosporium iridis* (Fautr. & Roum.) de Vries Leaf spot (Goss 1964b as *Didymellina macrospora*)
- Fuchsia* sp. (Fuchsia)
- Pucciniastrum epilobii* Otth Rust IMI 241828 (1979)
- Perth
- Galinsoga parviflora* Cav. (Potato-weed)
- Sclerotinia sclerotiorum* (Lib.) de Bary Crown rot (MacNish 1963a) 1958
- Perth
- Gastrolobium calycinum* Benth. in Lindley
- Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot (Hardy and Sivasithamparam 1988)
- Plant Production Nursery
- Gastrolobium spinosum* Benth. in Lindley (Prickly poison-bush)
- Lizonia gastrolobii* P. Henn. On leaves (Heinings 1901a) 1900
- Perth
- Cionothrix jacksoniae* (P. Henn.) Syd. Rust DAR 45955 (1983)
- Gidgegannup
- Gazania* sp.
- Sclerotinia sclerotiorum* (Lib.) de Bary Stem rot (MacNish 1964a) 1961
- Perth
- Genista monosperma* (L.) Lam.
- Agrobacterium tumefaciens* (E.F. Smith & Townsend) Conn Crown gall (Moffett 1983)
- Gerbera jamesonii* Bolus ; Hook. (Gerbera, Transvaal daisy)
- Albugo tragopogonis* (DC.) Gray White rust PERTH 823120 (1957) (Doepel 1962d)
- Perth
- Botrytis cinerea* Pers. : Fr. Flower blight (Goss 1964b) 1955
- Perth
- Cercospora* sp. Leaf spot (Goss 1964b) 1932
- Perth
- Colletotrichum* sp. Anthracnose (Goss 1964b as *Gloeosporium* sp.) 1955
- Perth
- Cylindrocarpon destructans* var. *crassum* (Wollenw.) Booth Associated with root rot (Kaewruang et al. 1987)
- Perth
- Fusarium chlamydosporum* Wollenw. & Reinking Associated with root rot (Kaewruang et al. 1987)
- Perth
- Fusarium equiseti* (Corda) Sacc. Associated with root rot (Kaewruang et al. 1987)
- Perth
- Fusarium oxysporum* Schlecht. Associated with root rot (Kaewruang et al. 1987)
- Perth
- Fusarium solani* (Mart.) Sacc. Associated with root rot (Kaewruang et al. 1987)
- Perth
- Fusarium* sp. Wilt (Goss 1964b) 1936
- Perth
- Oidium* sp. Powdery mildew PERTH 728179 (Goss 1964b as *Erysiphe cichoracearum*) 1960
- Perth
- Phytophthora cryptogea* Pethybr. & Laff. Root rot (PPB records 1983)
- Perth
- Rhizoctonia solani* Kuhn Associated with root rot (Kaewruang et al. 1987)
- Perth
- Septoria gerberae* Syd. Leaf spot (Goss 1964b) 1953
- Perth
- Gladiolus X hortulanus* Bailey (Garden gladiolus)
- Alternaria alternata* (Fr.) Keissl. Leaf spot IMI 296586 (1985)
- Medina
- Botrytis cinerea* Pers. : Fr. Stem rot and leaf spot PERTH 784028 (1963) (Goss 1964b) 1933
- General
- Fusarium oxysporum* Schlecht. f.sp. *gladioli* (Massey) Snyder & Hansen Corm rot and yellows (Carne 1927d, Goss 1964b as *Forthoceras* f.sp. *gladioli*)
- General
- Penicillium gladioli* McCulloch & Thom Corm storage rot (Goss 1964b) 1935
- Perth
- Pseudomonas gladioli* Severini pv. *gladioli* Neck rot and leaf spot (Goss 1953 as *P. marginata*) 1929
- Perth
- Septoria gladioli* Pass. Hard rot and leaf spot PERTH 825182 (1944) (Goss 1953) 1941
- South-west region
- Steuphylium* sp. Leaf spot PERTH 788287 (1964)
- Perth
- Stromatinia gladioli* (Drayton) Whetzel Dry rot (Goss 1953 as *Sclerotinia gladioli*) 1945
- South-west region
- Gloxinia* sp.
- Botrytis cinerea* Pers. : Fr. Grey mould leaf blight (Goss 1964b) 1960
- Carlisle
- Glycine max* (L.) Merr. (Soybean)
- Cercospora canescens* Ellis & Mart. Leaf spot IMI 277931 (1983)
- Kununurra
- Colletotrichum capsici* (Syd.) Butl. & Bisby IMI 277930 (1983)
- Kununurra
- Macrophomina phaseolina* (Tassi) Goida. Charcoal rot (PPB records 1978)
- Kununurra
- Phakopsora pachyrhizi* Syd. Rust PERTH 820954 (1984)
- Kununurra
- Pseudomonas syringae* pv. *phaseolicola* (Burkholder) Young, Dye & Wilkie Halo blight (Chambers 1959 as *P. phaselicola*)
- Perth
- Rhizoctonia solani* Kuhn Root rot (PPB records 1983)
- Kununurra
- Xanthomonas campestris* pv. *glycines* (Nakano) Dye Bacterial pustule (PPB records 1982)
- Kununurra
- Goodenia affinis* Vriese
- Puccinia saccardoii* Ludw. Rust Orchard 1455 (PERTH) (1968)
- Esperance
- Goodenia berardiana* (Gaudich.) Carolin
- Puccinia saccardoii* Ludw. Rust Demarz 4658 (PERTH) (1973)
- Kwolyn

- Goodenia caerulea** R.Br.  
*Puccinia saccardoi* Ludw. Rust Burbidge 4968 (PERTH) (1955)  
 Collie
- Goodenia concinna** Benth.  
*Puccinia saccardoi* Ludw. Rust Donner 3038 (PERTH) (1968)  
 Esperance
- Goodenia coronopifolia** R.Br.  
*Puccinia saccardoi* Ludw. Rust Demarz 10189 (PERTH) (1984)  
 Perth
- Goodenia filiformis** R.Br.  
*Puccinia saccardoi* Ludw. Rust Royce 1316 (PERTH) (1946)  
 Capel
- Goodenia occidentalis** Carolin  
*Puccinia saccardoi* Ludw. Rust Gardner 7787 (PERTH) (1945)  
 Pindar
- Goodenia pinifolia** Vriese  
*Puccinia saccardoi* Ludw. Rust Perry (PERTH) (1949)  
 Geraldton
- Goodenia pinnatifida** Schldl.  
*Puccinia saccardoi* Ludw. Rust Serventy 45667 (PERTH) (1960)  
 The Station
- Goodenia pterygosperma** R.Br.  
*Puccinia saccardoi* Ludw. Rust Aplin 2654a (PERTH) (1963)  
 Ravensthorpe
- Goodenia pusilliflora** F. Muell.  
*Puccinia saccardoi* Ludw. Rust Goodall 2237 (PERTH) (1963)  
 Mt Magent to Geraldton Road
- Goodenia tenella** R.Br.  
*Puccinia saccardoi* Ludw. Rust Butler (PERTH) (1965)  
 Carey Brook
- Goodenia trichophylla** (Vriese) Benth.  
*Puccinia saccardoi* Ludw. Rust Cranfield 1664 (PERTH) (1980)  
 Eneabba
- Goodenia sp.**  
*Albugo* sp. White rust DAR 56692
- Gossypium barbadense** L. (Sea Island cotton)  
*Xanthomonas campestris* pv. *malvacearum* (E.F. Smith) Dye Bacterial blight (Thomson and Basinski 1959)  
 Kununurra
- Gossypium hirsutum** L. (Cotton)  
*Alternaria gossypina* (Thum.) Hopkins Leaf and boll spotting IMI 122437 (1967)  
 Kununurra  
*Botryosphaeria ribis* Grossenb. & Dugg. Associated with root rot IMI 112097 (1965)  
 Kununurra  
*Colletotrichum gloeosporioides* (Penz.) Penz. & Sacc. Anthracnose IMI 129091 as *C. gossypii* (1967) (MacNish 1963a as *C. gossypii*) 1923  
 Kununurra  
*Fusarium semitectum* Berk. & Rav. Associated with root rot IMI 110894 (1965)  
 Carnarvon  
*Fusarium solani* (Mart.) Sacc. Associated with root rot IMI 112098 (1965)  
 Kununurra  
*Macrophomina phaseolina* (Tassi) Goida. Root rot (MacNish 1964a) 1963  
 Kununurra  
*Phoma sorghini* (Sacc.) Boerema, Dorenbosch & van Kesteren Associated with petiole lesion IMI 140999 as *P. iudaeensis* (1969)  
 Kununurra  
*Ranularia gossypii* (Speg.) Ciferri Grey mildew IMI 139148 (1969) (Doepel 1969)  
 Kununurra  
*Rhizoctonia solani* Kuhn Root rot IMI 144153 (1969)  
 Kununurra  
*Xanthomonas campestris* pv. *malvacearum* (E.F. Smith) Dye Bacterial blight DAR 26855 (1975) (Thomson and Basinski 1959 as *X. malvacearum*)  
 Kununurra
- Grevillea acrobota** Meissner  
*Vizella grevilleae* Swart Leaf spot DAR 28009 (1976)  
 Boodhendara Creek
- Grevillea alpina** Lindl.  
*Phytophthora cinnamomi* Rands Root rot (PPB records 1985)  
 Wanneroo
- Grevillea bimaterna** Meissner in Lehm.  
*Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery  
*Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery  
*Phytophthora nicotianae* Breda de Haan var. *parasitica* (Dastur) Waterhouse Root rot (PPB records 1979)  
 Bridgetown
- Grevillea brachystachya** Meissner in Lehm.  
*Phytophthora cinnamomi* Rands Root rot (PPB records 1985)  
 Wanneroo
- Grevillea brownii** Meissner in Lehm. X *fasciculata* R.Br.  
*Phytophthora nicotianae* Breda de Haan var. *parasitica* (Dastur) Waterhouse Root rot (PPB records 1985)  
 Wanneroo
- Grevillea crithmifolia** R.Br.  
*Phytophthora cinnamomi* Rands Root rot (PPB records 1985)  
 Perth  
*Phytophthora nicotianae* Breda de Haan var. *parasitica* (Dastur) Waterhouse Root rot (PPB records 1985)  
 Wanneroo  
*Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot (DCE records 1955)  
 Perth
- Grevillea dielsiana** C. Gardner  
*Phytophthora cryptogea* Pethybr. & Laff. Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery  
*Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Grevillea diversifolia** Meissner in Lehm.  
*Placoasterella baileyi* (Berk. & Broome) von Arx in Muller & von Arx Leaf spot DAR 28003 (1839)  
 Vasse River
- Grevillea drummondii** Meissner in Lehm.  
*Phytophthora cactorum* (Leb. & Cohn) Schrot. Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery  
*Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Grevillea robusta** R.Br.  
*Arnulharia luteobubalina* Watling & Kile Root rot DAR 43167 (1978) (Kile et al. 1983)  
 Perth
- Grevillea thelemanniana** Huegel : Endl. in Endl. & Fenzl.  
*Phytophthora nicotianae* Breda de Haan var. *nicotianae* Root rot IMI 212661 (1976) (Hardy and Sivasithamparam 1988)  
 Perth
- Grevillea sp.**  
*Phyllochora grevilleae* Sacc. Tar spot (McAlpine 1895)
- Gynandriris setifolia** (L.f.) R.Foster (Thread iris)  
*Macrophomina phaeolina* (Tassi) Goida. Corn rot (MacNish 1967) 1965 Northam
- Gyrophila elegans** Bieb.  
*Alternaria* sp. Associated with leaf and stem spot PERTH 819468 (1984)  
 Perth  
*Fusarium oxysporum* Schlecht. Associated with stem lesions IMI 314308 (1987)  
 Gingin  
*Rhizoctonia* sp. Root rot (PPB records 1983)  
 Wanneroo
- Haemodorum brevisepalum** Benth.  
*Puccinia haemodori* P. Henn. Rust Keighery 1011 (PERTH) (1977)  
 Cannington
- Haemodorum discolor** T.D. Macfarlane  
*Puccinia haemodori* P. Henn. Rust Pullen 9693 (PERTH) (1974)  
 Jurien
- Haemodorum laxum** R.Br.  
*Puccinia haemodori* P. Henn. Rust Macfarlane 1659 (PERTH) (1985)  
 Muchea
- Haemodorum loratum** T.D. Macfarlane  
*Puccinia haemodori* P. Henn. Rust Macfarlane 1624 (PERTH) (1984)  
 Coorow - Greenhead Road
- Haemodorum paniculatum** Lindley  
*Puccinia haemodori* P. Henn. Rust MEL 609544 (1889) Macfarlane 1592 (PERTH) (1984)  
 Mullering Brook, Swan River
- Haemodorum simplex** Lindley  
*Puccinia haemodori* P. Henn. Rust Pritzel 840 (PERTH) (1901)  
 Mogumber, Swan River
- Haemodorum simulans** F. Muell. (Red ink plant)  
*Puccinia haemodori* P. Henn. Rust PERTH 825727 (1959) (MacNish 1963a)  
 Eradu
- Haemodorum sparsiflorum** F. Muell.  
*Puccinia haemodori* P. Henn. Rust Pritzel 840 (PERTH) (1901)  
 Swan River
- Haemodorum spicatum** R.Br.  
*Puccinia haemodori* P. Henn. Rust PERTH 832057 (1943)  
 Wongoondy
- Haemodorum venosum** T.D. Macfarlane  
*Puccinia haemodori* P. Henn. Rust Griffin 3838 (PERTH) (1984)  
 Mt Peron
- Haemodorum sp.**  
*Puccinia haemodori* P. Henn. Rust (Hennings 1901a) (1900)  
 Perth
- Hakea crassifolia** Meissner in Lehm.  
*Vizella banksiae* Swart Leaf spot DAR 23850 (1973) (Swart 1975)  
 Lake King
- Hakea cucullata** R.Br.  
*Placoasterella baileyi* (Berk. & Broome) von Arx in Muller & von Arx Leaf spot DAR 54966 (1985)  
 Porongurup National Park

**Hakea elliptica** (Smith) R.Br.

*Placoasterella baileyi* (Berk. & Broome) von Arx in Muller & von Arx  
Leaf spot PERTH 808822 (1927) (Hansford 1954 as *Thallochaete baileyi*,  
MacNish 1963a as ?*Asterina baileyi*) 1898

Albany

**Hakea francisiana** F. Muell.

*Phytophthora cactorum* (Leb. & Cohn) Schrot. Associated with root rot  
(Hardy and Sivasithamparam 1988)

Plant Production Nursery

*Phytophthora citricola* Sawada Associated with root rot (Hardy and  
Sivasithamparam 1988)

Plant Production Nursery

*Phytophthora cryptogea* Pethyb. & Laff. Associated with root rot  
(Hardy and Sivasithamparam 1988)

Plant Production Nursery

*Phytophthora drechsleri* Tucker Associated with root rot (Hardy and  
Sivasithamparam 1988)

Plant Production Nursery

*Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with  
root rot (Hardy and Sivasithamparam 1988)

Plant Production Nursery

**Hakea laurina** R.Br.

*Phytophthora citricola* Sawada Associated with root rot (Hardy and  
Sivasithamparam 1988)

Plant Production Nursery

*Phytophthora drechsleri* Tucker Associated with root rot (Hardy and  
Sivasithamparam 1988)

Plant Production Nursery

*Phytophthora nicotianae* Breda de Haan var. *parastica* (Dastur) Water-  
house Associated with root rot (Hardy and Sivasithamparam 1988)

Plant Production Nursery

**Hakea multilineata** Meissner in Lehmann

*Phytophthora citricola* Sawada Associated with root rot (DCE records  
1983)

Perth

**Hakea platysperma** Hook.

*Phytophthora cactorum* (Leb. & Cohn) Schrot. Associated with root rot  
(Hardy and Sivasithamparam 1988)

Plant Production Nursery

*Phytophthora drechsleri* Tucker Associated with root rot (Hardy and  
Sivasithamparam 1988)

Plant Production Nursery

*Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with  
root rot (Hardy and Sivasithamparam 1988)

Plant Production Nursery

**Hakea oleifolia** (Smith) R.Br.

*Phyllocladus hakeae* P. Henn. Tar spot PERTH 816221 (1985)

Yalingup

*Placoasterella baileyi* (Berk. & Broome) von Arx in Muller & von Arx  
Leaf spot PERTH 815756 (1963) (MacNish 1963a as ?*Asterina baileyi*)

Mt. Barker

*Uredo angiosperma* Thum. Rust PERTH 816213 (1985)

Yalingup

**Hakea pandanicarpa** R.Br.

*Marginula* sp. Leaf spot DAR 21835a

Kukerin

**Hakea prostrata** R.Br.

*Armillaria luteobubalina* Watling & Kile Root rot DAR 43158 (1982) (Kile  
et al. 1983)

Dwellingup

*Uredo angiosperma* Thum. Rust PERTH 819948 (1915) (Herbert 1919,  
host as *H. glabella*) 1897

Cape Naturaliste, Perth

**Hakea ruscifolia** Labill.

*Phyllocladus hakeae* P. Henn. Tar spot PERTH 794589 (1985)

Margaret River

**Hakea** sp.

*Seimatosporium hakeae* (Sutton) Shoemaker Leaf spot DAR 38282 (1877)  
(Walker 1983)

Perth

*Uredo angiosperma* Thum. Rust DAR 38282 (1877) (Walker 1983)

**Halosarcia halocnemoides** (Nees) Paul G. Wilson

*Puccinia arthrocneemi* Hansf. Rust IMI 202844 (1976)

Dangin

**Hebe speciosa** Lock. & Al.

*Phytophthora cactorum* (Leb. & Cohn) Schrot. Associated with root rot  
(Hardy and Sivasithamparam 1988)

Plant Production Nursery

*Phytophthora drechsleri* Tucker Associated with root rot (Hardy and  
Sivasithamparam 1988)

Plant Production Nursery

*Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with  
root rot (Hardy and Sivasithamparam 1988)

Plant Production Nursery

*Phytophthora nicotianae* Breda de Haan var. *parasitica* (Dastur) Water-  
house Associated with root rot (Hardy and Sivasithamparam 1988)

Plant Production Nursery

**Hedera helix** L. (English ivy)

*Diplodia* sp. Leaf spot (Goss 1964b) 1931

**Helianthus annuus** L. (Sunflower)

*Albugo tragopogonis* (DC.) Gray White rust (Goss 1964b) 1952

Perth

*Alternaria helianthi* (Hansf.) Tuhaki & Nishihara Leaf spot (PPB records  
1983)

Kununurra

*Macrophomina phaseoliua* (Tassi) Goida. Root and stem rot (PPB records  
1984)

Kununurra

*Puccinia helianthi* Schw. Rust PERTH 825131 (1921) (Stoward 1913)

General

*Rhizopus* sp. Head rot (PPB records 1977)

Kununurra

*Sclerotinia sclerotiorum* (Lib.) de Bary Stem rot (PPB records 1974)

South-west region

**Helianthus tuberosus** L. (Jerusalem artichoke)

*Fusarium* sp. Dry rot (PPB records 1984)

South-west region

**Helichrysum apiculatum** (Labill.) D. Don

*Puccinia lagenophorae* Cooke Rust PERTH 427519 (1950)

Booraan

**Helichrysum bracteatum** (Vent.) Andrews

*Oidium* sp. Powdery mildew PERTH 818925 (1925)

Perth

**Helichrysum cordatum** DC. (Tangle daisy)

*Puccinia lagenophorae* Cooke Rust PERTH 791423 (1985) (MacNish  
1963a as *P. kaledibrenneri*) 1940

Perth

**Helipterum manglesii** (Lindley) F. Muell. : Benth.

*Puccinia lagenophorae* Cooke Rust PERTH 823643 (1984)

South-west region

**Helipterum roseum** (Hook.) Benth.

*Puccinia lagenophorae* Cooke Rust DAR 50164 (1984)

Corrigin

**Hemarthria uncinata** R.Br.

*Puccinia cacao* McAlp. Rust PERTH 369691 (1927)

Lake Richmond, Yornup

**Hemimandra pungens** R.Br.

*Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with  
root rot (Davison records 1983)

Perth

**Heteropogon contortus** (L.) P. Beauv.: Roemer & Schultes

*Sphacelotheca moullifera* (Ellis & Everh.) Clinton Smut PERTH 734500  
(1986)

Kimberley region

**Hibbertia acerosa** (R.Br. : DC.) Benth.

*Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1966

Karnet

**Hibbertia cunninghamii** W.T. Aiton : Hook.

*Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1965

East Kirup

**Hibbertia perfoliata** Endl. in Endl., Fenzl, Benth. & Schott (Native  
buttercup)

*Pestalotia* sp. Leaf spot (MacNish 1964a) 1961

Perth

**Hibbertia subvaginata** (Steudel) F. Muell.

*Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1965

Ravenswood

**Hibbertia vaginata** (Benth.) F. Muell.

*Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1965

Jarrahd forest

**Hibiscus cannabinus** L. (Kenaf)

*Phomopsis* sp. Stem lesion (Behncken 1981)

Kununurra

*Pythium* sp. Damping-off (PPB records 1979)

Kununurra

*Rhizoctonia* sp. Damping-off (PPB records 1979)

Kununurra

**Hibiscus rosa-sinensis** L. (Chinese hibiscus, Hawaiian hibiscus)

*Alternaria* sp. Leaf spot (Goss 1964b) 1955

Perth

*Armillaria* sp. Rust rot (Goss 1964b as *A. mellea*) 1959

Perth

*Phyllosticta idaeola* Cooke Leaf spot (Goss 1964b) 1945

Perth

*Phytophthora nicotianae* Breda de Haan var. *parasitica* (Dastur) Water-  
house Root and collar rot IMI 139039 (1969) (MacNish 1963b as  
*P. parasitica*) 1961

Perth

*Pseudomonas syringae* pv. *syringae* van Hall Leaf spot (Goss 1962)

South-west region

*Pythium irregularare* Buisman Associated with root rot IMI 139086 (1969)

Perth

*Sclerotinia sclerotiorum* (Lib.) de Bary Stem rot (PPB records 1970)

Norseman

**Holcus lanatus** L. (Yorkshire fog)

*Claviceps purpurea* (Fr.) Tul. Ergot PERTH 796727 (1963) (MacNish  
1967)

Busselton

*Puccinia coronata* Corda Crown rust PERTH 797162 (1924) (Carne  
1925b)

South-west region

- Hordeum glaucum** Steud. (Sea barley grass)  
*Ascochyta* sp. Leaf spot (Chambers 1960 as *A.graminicola*, host as *H.hystrix*) 1925  
 Kondinin  
*Drechslera campanulata* (Lev.) B.C. Sutton Leaf spot (MacNish 1967 as *D.verticillata*, host as *H.hystrix*) 1963  
 South-west region  
*Gaeumannomyces graminis* (Sacc.) von Arx & Oliv. Take-all (Dunne 1966, host as *H.hystrix*)  
 Wheat belt  
*Puccinia graminis* Pers. f.sp. *avenae* Eriks. & P. Henn. Oat stem rust (Chambers 1960, host as *H.hystrix*) 1943  
 Kellerberrin  
*Puccinia graminis* Pers. f.sp. *tritici* Eriks. & P. Henn. Wheat stem rust (Chambers 1960, host as *H.hystrix*) 1943  
 Kellerberrin  
*Pyrenophora teres* Drechsler, stat. conid. *Drechslera teres* (Sacc.) Shoemaker Net blotch (Shipton 1966a, host as *H.hystrix*)  
 South-west region  
*Septoria halophila* Speg. Associated with leaf spot IMI 137377, host as *H.hystrix* (1969)  
 Katanning
- Hordeum leporinum** Link. (Barley grass)  
*Bipolaris sorokiniana* (Sacc.) Shoemaker Foot rot (Chambers 1960 as *Helminthosporium sativum*) 1931  
 Merredin  
*Drechslera graminea* (Rabenh.) Shoemaker Leaf stripe (Carne and Campbell 1924c as *Helminthosporium gramineum*)  
 No known occurrences for many years  
*Drechslera campanulata* (Lev.) B.C. Sutton Leaf spot (Chambers 1960 as *Pleosphaeria semeniperda*) 1927  
 South-west region  
*Gaeumannomyces graminis* (Sacc.) von Arx & Oliv. Take-all (Chambers 1960 as *Ophiobolus graminis*) 1922  
 South-west region  
*Mycosphaerella tassiana* (de Not.) Johanson, stat. conid. *Cladosporium herbarum* (Pers.) Link : Gray Black mould (Chambers 1960, host as *M.tulasnei*) 1923  
 South-west region  
*Phyllosticta* sp. Leaf spot (Chambers 1960) 1923  
 Perth  
*Puccinia graminis* Pers. Stem rust PERTH 795151 (1985)  
 Ajana, Perth  
*Puccinia graminis* Pers. f.sp. *tritici* Eriks. & P. Henn. Wheat stem rust (MacNish 1964a) 1952  
 South-west region  
*Puccinia hordei* Otth Brown rust PERTH 791938 (1984)  
 Wanneroo  
*Pyrenophora teres* Drechsler, stat. conid. *Drechslera teres* (Sacc.) Shoemaker Net blotch (Shipton 1966a) 1963  
 South-west region  
*Rhychosporium secalis* (Oudem.) J. Davis Scald (MacNish 1964a) 1962  
 South-west region  
*Septoria halophila* Speg. Associated with leaf spot IMI 135487 (1968) (Shearer 1973)  
 South-west region  
*Septoria passerinii* Sacc. Leaf spot (Carne and Campbell 1924c)  
 Ningarin  
*Tilletia controversa* Kuhn in Rabenh. Dwarf bunt PERTH 810444 (1960) (Chambers 1960 as *T.hordei*) 1945  
 South-west region  
*Wojnowicia hirta* Sacc. Root rot (Chambers 1960 as *W.graminis*) 1931  
 Merredin
- Hordeum murinum** L. (Wall barley)  
*Gaeumannomyces graminis* (Sacc.) von Arx & Oliv. Take-all (Carne and Campbell 1924b as *Ophiobolus graminis*)  
 Wheat belt  
*Pyrenophora teres* Drechsler, stat. conid. *Drechslera teres* (Sacc.) Shoemaker Net blotch PERTH 830976 (1923)  
 Perth  
*Septoria passerinii* Sacc. Leaf spot PERTH 823074 (1926) (Carne 1927d)  
 Ningarin
- Hordeum vulgare** L. (Barley)  
*Alternaria alternata* (Fr.) Keissl. Seed discolouration (PPB records 1976)  
 General  
*Bipolaris sorokiniana* (Sacc.) Shoemaker Foot rot PERTH 818321 (Chambers 1960 as *Helminthosporium sativum*) 1959  
 Narembeen, Woogenellup  
*Bipolaris spicifera* (Bainbridge) Subram. IMI 167279 (1972) (Sivanesan 1987)  
*Ceratobasidium* sp., stat. mycel. *Rhizoctonia* sp. Bare patch (Roberts and Sivasithamparam 1986)  
 South-west region  
*Coniothecium* sp. Pink stain (Carne 1927d)  
 Beverley  
*Dilophospora alopecuri* (Fr.) Fr. Twist disease IMI 290824 (1984) (Stanton 1988)  
 Katanning  
*Drechslera campanulata* (Lev.) B.C. Sutton Leaf spot PERTH 831565 (1923) (MacNish 1967 as *D.verticillata*) 1965  
 South-west region  
*Drechslera graminea* (Rabenh.) Shoemaker Leaf stripe PERTH 809926 (1923) (Carne and Campbell 1924c as *Helminthosporium gramineum*)  
 South-west region
- Drechslera siccans* (Drechsler) Shoemaker Associated with stem node discoloration IMI 103989 (1963) (Sivanesan 1987)  
*Drechslera tritici-repentis* (Died.) Shoemaker Leaf spot IMI 148952 (1970) (Sivanesan 1987)  
*Drechslera* sp. Leaf spot IMI 223469 (1977)  
 Mt Barker  
*Erysiphe graminis* DC. : Merat Powdery mildew PERTH 799890 (1955) (Carne and Campbell 1924c)  
 South-west region  
*Fusarium culmorum* (W.G. Smith) Sacc. Foot rot (Chambers 1960) 1959  
 South-west region  
*Gaeumannomyces graminis* (Sacc.) von Arx & Oliv. Take-all PERTH 828327 (1927) (Carne and Campbell 1924b as *Ophiobolus graminis*)  
 South-west region  
*Mycosphaerella tassiana* (de Not.) Johanson, stat. conid. *Cladosporium herbarum* (Pers.) Link : Gray Black mould (Carne and Campbell 1924c as *M.tulasnei*)  
 South-west region  
*Pseudoseptoria donacis* (Pass.) Sutton Halo spot IMI 233041 (1978) (Khan 1979 as *Sclerophoma donacis*)  
 South-west region  
*Puccinia graminis* Pers. Stem rust PERTH 786071 (1958) (Carne 1926e)  
 South-west region  
*Puccinia graminis* Pers. f.sp. *avenae* Eriks. & P. Henn. Oat stem rust PERTH 803065 (1925)  
 Northam  
*Puccinia graminis* Pers. f.sp. *tritici* Eriks. & P. Henn. Wheat stem rust (Carne and Campbell 1924a)  
 South-west region  
*Puccinia hordei* Otth Brown rust (PPB records 1982)  
 South-west region  
*Puccinia recondita* Roberge : Desm. Leaf rust (PPB records 1983)  
 South-west region  
*Pyrenophora teres* Drechsler, stat. conid. *Drechslera teres* (Sacc.) Shoemaker Net blotch PERTH 827843 (1955) (Chambers 1960) 1953  
 South-west region  
*Rhychosporium secalis* (Oudem.) J. Davis Scald PERTH 829897 (1926) (Chambers 1960) 1926  
 South-west region  
*Sclerotium rolfsii* Sacc. Seedling death (PPB records 1982)  
 South Perth  
*Septoria passerinii* Sacc. Leaf blotch PERTH 831557 (1958) (Carne and Campbell 1924c)  
 Merredin  
*Thanatephorus cucumeris* Frank (Donk), stat. mycel. *Rhizoctonia solani* Kuhn Bare patch PERTH 808342 (1959) (Chambers 1960, Roberts and Sivasithamparam 1986)  
 South-west region  
*Ustilago segetum* (Bull.) Roussel var. *hordei* (Pers.) Rabenh. Covered smut PERTH 796700 (1923) (Stoward 1913 as *U.hordei*)  
 General  
*Ustilago tritici* (Pers.) Rostr. Loose smut PERTH 797197 (1956) (Stoward 1913 as *U.nuda*)  
 General
- Hovea elliptica** (Smith) DC.  
*Cercospora* sp. Leaf spot DAR 40581 (1982)  
 Pemberton  
*Phaeosariopsis* sp. Leaf spot DAR 54973 (1985)  
 Pemberton  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1954  
 North Walpole
- Hovea trisperma** Benth. in Endl., Fenzl, Benth. & Schott  
*Cercospora* sp. Leaf spot PERTH 790370 (1928) (MacNish 1963a)
- Hydrangea** sp.  
*Alternaria* sp. Leaf spot (Goss 1964b) 1957  
 Perth  
*Oridium* sp. Powdery mildew (Goss 1964b) 1932  
 Perth
- Hypocalymma angustifolium** (Endl.) Schauer  
*Phytophthora cactorum* (Leb. & Cohn) Schrot Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972)  
 Jarrah forest  
*Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Hypocalymma cordifolium** Lehmann : Schauer in Lehmann  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1966  
 Harvey
- Hypocalymma robustum** (Endl.) Lindley  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972)  
 Jarrah forest
- Hypocalymma tetrapterum** Turcz.  
*Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery  
*Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery

- Hypochoeris glabra** L. (Smooth catsear, Flatweed)  
*Erysiphe* sp. Powdery mildew PERTH 832065  
 Perth  
*Puccinia hieraci* (Roehl.) Mart. Rust PERTH 824127 (1927) (MacNish 1963a as *P. hypochoeridis*, host as *Hypochoeris radicata*)  
 South-west region
- Indigofera australis** Willd.  
*Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Ipomoea batatas** (L.) Lam. (Sweet potato)  
*Ceratocystis fimbriata* Ellis & Halsted Black rot (Anon. 1908)  
 Perth  
*Fusarium oxysporum* Schlecht. Tuber rot (PPB records 1985)  
 Manjimup  
*Moulochlaetes infuscans* Halst. : Harter Scurf (Baron-Hay 1945)  
 Perth  
*Rhizopus stolonifer* (Ehrenb. : Fr.) Lind Soft rot (Chambers 1961 as *R. nigricans*)  
 Perth
- Iris tingitana** Boissier & Reuter (Tangerian iris)  
*Sclerotinia sclerotiorum* (Lib.) de Bary Sclerotinia rot (MacNish 1967 1963)  
 Perth
- Iris** sp.  
*Bipolaris iridis* (Oudem.) Dickinson Leaf spot IMI 289261 (1984) 1981  
 Millendon  
*Colletotrichum coccodes* (Wallr.) Hughes Leaf spot IMI 289264 (1984)  
 Millendon  
*Colletotrichum dematum* (Pers. : Fr.) Grove Associated with ink disease IMI 124766 (1967)  
 Glen Forest  
*Fusarium oxysporum* Schlecht. Bulb rot (PPB records 1984)  
 Perth  
*Mycosphaerella macrospora* (Kleb.) Jorstad, stat. conid. *Cladosporium iridis* (Fautr. & Roum.) de Vries Leaf spot PERTH 809314 (1953) (Goss 1964b as *Didymellina macrospora*)  
 Collie  
*Sclerotinia rolfsii* Sacc. Bulb rot IMI 110485 (1964) (Carne 1926e)  
 Perth
- Isopogon asper** R.Br.  
*Asterina* sp. Leaf spot DAR 58130 (1897)  
 Midlands Junction
- Isopogon attenuatus** R.Br.  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972)
- Isopogon ceratophyllus** R.Br.  
*Phytophthora cinnamomi* Rands Root rot (FR records 1980) 1969
- Isopogon cuneatus** R.Br.  
*Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Isopogon formosus** R.Br.  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1966  
 Windsor
- Isopogon scabriusculus** Meissner in DC.  
*Botryosphaeria* sp. Leaf spot DAR 58120 (1909)  
 Cowcowing
- Isopogon sphaerocephalus** Lindley  
*Microsphaeropsis* sp. Leaf spot DAR 58128 (1909)  
 South Perth
- Isopogon teretifolius** R.Br.  
*Dothistasteronella systema-solare* (Massee) Swart Leaf spot DAR 58129 (1901)  
 Stirling Range
- Jacaranda acutifolia** Humb. & Bonpl.  
*Agrobacterium tumefaciens* (E.F. Smith & Townsend) Conn Crown gall (Doepel 1964b) 1961  
 Merredin  
*Botrytis* sp. Grey mould seedling rot (Goss 1964b) 1941  
 Hamel
- Jacksonia sternbergiana** Huegel  
*Cionothrix jacksoniae* (P. Henn.) Syd. Rust PERTH 816175 (1923) (Cheel 1940 as *Cronartium jacksoniae*)  
 Perth
- Jasminum mesnyi** Hance (Japanese jasmine)  
*Elsinoe jasminae* Bitancourt & Jenkins Stem blight PERTH 816744 (1962) (MacNish 1964a)  
 Northam
- Jasminum** sp.  
*Botrytis* sp. Grey mould (Goss 1964b) 1958  
 Kojonup  
*Phytophthora nicotianae* Breda de Haan var. *parasitica* (Dastur) Waterhouse Root rot (PPB records 1980)  
 Perth
- Juglans regia** L. (English walnut)  
*Acremonium* sp. On leaf IMI 211677 (1977)  
 Manjimup  
*Agrobacterium tumefaciens* (E.F. Smith & Townsend) Conn Crown gall (Sutton 1936 as *Bacterium tumefaciens*)  
 Pickering Brook  
*Microstroma juglandis* (Bereng.) Sacc. Yellow leaf blotch (Cass Smith 1949a)  
 South-west region
- Phytophthora** sp. Root rot (Doepel 1964) 1959  
 Stoneville  
*Pythium* sp. Root rot (PPB records 1980)  
 Perth  
*Xanthomonas campestris* pv. *juglandis* (Pierce) Dye Bacterial blight (Stoward 1913 as *Pseudomonas juglandis*, Goss and Doepel 1961)  
 South-west region
- Juncus pallidus** R.Br. (Pale rush)  
*Puccinia junciphila* Cooke & Massee Rust PERTH 796689 (1971) (MacNish 1964a) 1962  
 South-west region  
*Tolyposporium juncophilum* McAlp. Smut (McAlpine 1910)  
 Mt Barker
- Juncus** sp. (Flowering rush)  
*Puccinia junciphila* Cooke & Massee Rust PERTH 823678 (1942) (MacNish 1963a)  
 Boyup Brook
- Kennedia coccinea** Vent.  
*Diaporthe* sp. Leaf spot UWA 1899 (1935)  
 Kalamunda  
*Euryachora* sp. Black leaf spot DAR 40481 (1981)  
 Jane State Forest, Pemberton
- Kennedia nigricans** Lindley  
*Euryachora* sp. Black leaf spot DAR 35203 (1980)  
 Hopetown
- Kentia** sp.  
*Colletotrichum gloeosporioides* (Penz.) Penz. & Sacc. Associated with collar rot IMI 325822 (1988)  
 Katanning
- Kunzea baxteri** (Klotzsch) Schauer in Leh.  
*Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery  
*Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot (DCE records 1984)  
 Perth
- Kunzea ericifolia** (Smith) Heynh.  
*Phytophthora cinnamomi* Rands Root rot (PPB records 1985)  
 Wanneroo
- Kunzea pulchella** (Lindley) A.S. George  
*Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Kunzea** sp.  
*Phytophthora nicotianae* Breda de Haan var. *parasitica* (Dastur) Waterhouse Root rot (PPB records 1980)  
 Perth
- Lablab purpureus** (L.) Sweet (Lablab bean)  
*Macrophomina phascolina* (Tassi) Goida Stem rot (PPB records 1980)  
 Kununurra
- Lactuca sativa** L. (Lettuce)  
*Botrytis cinerea* Pers. : Fr. Grey mould (Carne 1927d) 1926  
 General  
*Brenia lactucae* Regel Downy mildew (Chambers 1959) 1934  
 General  
*Erwinia carotovora* pv. *carotovora* (Jones) Bergey, Harrison, Breed, Hammer & Huntoon Soft rot (Carne 1927d as *Bacillus* sp., Chambers 1959) 1925  
 General  
*Fusarium oxysporum* Schlecht. Associated with root rot IMI 136857 (1969)  
 Spearwood  
*Puccinia hieraci* (Roehl.) Mart. Rust DAR 13539 (1964) (MacNish 1964b)  
 Koorarawalyee  
*Pythium* sp. Damping-off (Chambers 1959) 1947  
 Perth  
*Rhizoctonia solani* Kuhn Bottom rot, damping-off (Chambers 1959 as *Pellicularia filamentosa*) 1949  
 Perth  
*Sclerotinia minor* Jagger Crown rot IMI 115676 (1965) (Carne 1926e) 1955  
 General  
*Sclerotinia sclerotiorum* (Lib.) de Bary Crown rot (Baron-Hay 1953)  
 General  
*Septoria lactucae* Pass. Leaf spot (Chambers 1959) 1950  
 Perth  
*Stemphylium botryosum* Wallr. Leaf spot IMI 115682 (1965) (Chambers 1959) 1954  
 Perth  
*Thielaviopsis basicola* (Berk. & Broome) Ferraris Black root rot (PPB records 1971)  
 Perth  
*Xanthomonas campestris* pv. *vitis* (Brown) Dye Dry leaf spot (Carter 1985) 1983  
 South-west region

- Lagenifera huegelii** Benth. in Endl., Fenzl, Benth. & Schott  
*Oidium* sp. Powdery mildew PERTH 834203a (1983) (MacNish 1963a, host as *Lagenapora huegelii*) 1931  
 Dwellingup, Perth  
*Puccinia lagenaporae* Cooke Rust PERTH 834181 (1983) (MacNish 1963a, host as *Lagenapora huegelii*) 1931  
 Dwellingup, Perth  
*Wentoniomyces melioides* (Berk. & Curt.) Muller in Muller & von Arx Leaf dark mildew PERTH 834203b (1983)  
 Dwellingup
- Lagerstroemia indica** L.  
*Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Lagerstroemia** sp. (Crepe myrtle)  
*Armillaria* sp. Root rot (MacNish 1967 as *A.mellea*) 1965  
 Perth  
*Uucinula australiana* McAlp. Powdery mildew PERTH 788279 (1959) (Anon. 1961)  
 Perth
- Lasiopetalum floribundum** Benth.  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1963  
 Willewdale  
*Puccinia* sp. Rust DAR 57164 (1979)  
 Karri
- Lathyrus odoratus** L. (Sweet pea)  
*Ascochyta* sp. Leaf and stem spot PERTH 804665 (1925) (Carne 1927d)  
 General  
*Fusarium* sp. Wilt (Goss 1964b) 1958  
 Perth  
*Rhizoctonia solani* Kuhn Crown and stem rot (Carne 1927d as *Corticium vagum*)  
 Perth
- Lavatera arborea** L.  
*Puccinia malvacearum* Bertero : Mont in Gay Rust Demarz 2697 (1970)  
 Naval Base
- Lavatera cretica** L.  
*Puccinia malvacearum* Bertero : Mont. in Gay Rust Royce (PERTH) 1944  
 Perth
- Lavatera trimestris** L.  
*Puccinia malvacearum* Bertero : Mont. in Gay Rust (Carne 1925b) 1924  
 Perth
- Lechenaultia biloba** Lindley  
*Puccinia giligiana* P. Henn. Rust PERTH 829927 (1942) (MacNish 1963a)  
 Perth
- Lechenaultia brevifolia** D.A. Morrison  
*Puccinia giligiana* P. Henn. Rust George 2270 (PERTH) (1960)  
 Newdegate
- Lechenaultia linarioides** DC.  
*Puccinia giligiana* P. Henn. Rust PERTH 793043 (1985) (Hennings 1901a)  
 1900  
 Perth
- Lechenaultia stenosepala** E. Pritzel in Diels & E. Pritzel  
*Puccinia giligiana* P. Henn. Rust Ashby 2651 (PERTH) (1968)  
 Gunyidi
- Lechenaultia subcymosa** C. Gardner & A.S. George  
*Puccinia giligiana* P. Henn. Rust Kenneally 4653 (PERTH) (1975)  
 Dorre Island
- Lepidobolus chaetocephalus** F. Muell.  
*Tolyposporium lepidoboli* McAlp. Smut PERTH 729256 (1987)  
 Kings Park
- Leptospermum laevigatum** (Gaertner) F. Muell. (Victorian tea-tree)  
*Armillaria* sp. Root rot (Doepel 1962b as *A.mellea*)
- Leptospermum** sp. (Tea-tree)  
*Armillaria* sp. Root rot (Goss 1964b as *A.mellea*) 1945  
 Hamel  
*Capnodium* sp. Sooty mould (Goss 1964b) 1957  
 Doubtful record  
*Meliola* sp. Sooty mould (Goss 1964b) 1957  
 Doubtful record  
*Septoria* sp. Leaf spot (Goss 1964b) 1956  
 Waterman's Bay
- Leucaena leucocephala** (Lam.) de Wit  
*Botryodiplodia theobromae* Pat. Associated with die-back (PPB records 1985)  
 Kununurra  
*Pirex subeinus* (Berk. & Br.) Hjortst. Dieback PERTH 734527 (1985)  
 1980  
 Kununurra  
*Pythium* sp. Associated with die-back (PPB records 1985)  
 Kununurra  
*Schizophyllum commune* Fr. On wood PERTH 738697 (1987)  
 Kununurra
- Leucopogon australis** R.Br.  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1966  
 Brookton
- Leucopogon glabellus** R.Br.  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972)  
 Jarrah forest
- Leucopogon hispidus** E. Pritzel in Diels & E. Pritzel  
*Lizania singularis* P. Henn. On leaves (Hennings 1903)  
 Mingenew
- Leucopogon lasiostachys** Stschegl.  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1966  
 Moore River
- Leucopogon pulchellus** Sonder in Lehm.  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1965  
 Windsor Road
- Leucopogon verticillatus** R.Br.  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1965  
 Willowdale
- Leucopogon** sp.  
*Seimatosprium leucopogonis* Swart Leaf spot DAR 20893 (1909) (Swart 1979)  
 Busselton
- Leucospermum cordifolium** (Salisb. : Knight) Fourcade (Nodding pincushion)  
*Drechslera dematioidea* (Bubak & Wroblewski) Subram. & Jain Associated with leaf spot IMI 314310 (1987)  
 Busselton
- Ligustrum** sp. (Privet)  
*Alternaria* sp. Leaf spot (Goss 1964b) 1956  
 Kulin
- Lilium** sp.  
*Botrytis ?elliptica* (Berk.) Cooke Leaf spot (Goss 1964b) 1957  
 Perth  
*Fusarium* sp. Root rot (Goss 1964b) 1961  
 Perth  
*Physoderma* sp. Leaf spot (Goss 1964b) 1960  
 Perth
- Linum marginale** Cunn. : Planchon (Wild flax)  
*Melampsora lini* (Ehrenb.) Desm. Rust PERTH 793515 (1942) (Cass Smith 1942) 1920  
 South-west region
- Linum usitatissimum** L. (Flax, Linseed)  
*Aureobasidium lini* (Laff.) Hermanides-Nijhoff Stem browning PERTH 815764 (1942) (Anon. 1942 as *Polyspora lini*)  
 South-west region  
*Colletotrichum lini* (Westerdijk) Tochinai Seedling blight PERTH 817813 (1942) (Baron-Hay 1943)  
 Boyup Brook  
*Fusarium cultorum* (W.G. Smith) Sacc. Associated with foot rot (Baron-Hay 1944)  
 Donnybrook  
*Melampsora lini* (Ehrenb.) Desm. Rust PERTH 820970 (1941) (Cass Smith 1942) 1931  
 South-west region  
*Mycosphaerella linicola* Naum., stat. conid. *Septoria linicola* (Speg.) Garassini Pasmio disease PERTH 826235 (1944) IMI 167278 (1972) (Baron-Hay 1947)  
 Southern cereal belt  
*Phoma* sp. Stem rot (Anon. 1942)  
 Dardanup
- Livistona alfredii** F. Muell.  
*Graphiola phoenicis* (Moug.) Poiteau False smut IMI 190438 (1975) (Anon. 1975)  
 Millstream Station
- Lolium multiflorum** Lam. (Italian ryegrass)  
*Puccinia coronata* Corda Crown rust (Chambers 1960) 1949  
 Perth
- Lolium perenne** L. (Perennial ryegrass)  
*Ascochyta desmazieresii* Cavara Leaf spot IMI 261826 (1981)  
 Scott River  
*Claviceps purpurea* (Fr.) Tul. Ergot PERTH 802999 (1954) (Chambers 1960)  
 South-west region  
*Drechslera campanulata* (Lev.) B.C. Sutton Leaf spot (MacNish 1967 as *D.verticillata*) 1963  
 General  
*Fusarium heterosporum* Nees : Fr. Orange discolouration of seeds IMI 165208 (1972)  
 Albany  
*Phoma* sp. Leaf spot IMI 261827 (1981)  
 Scott River  
*Puccinia coronata* Corda Crown rust PERTH 803073 (1925) (Carne 1927d)  
 South-west region  
*Urocystis agropyri* (Preuss) Schrot. Flag smut PERTH 809934 (1971)  
 Badgingarra
- Lolium rigidum** Gaudin (Annual ryegrass, Wimmera ryegrass)  
*Clavibacter* sp. Yellow slime disease associated with annual ryegrass toxicity (Stynes and Wise 1980 as *Corynebacterium* sp., Riley 1987)  
 South-west region  
*Claviceps purpurea* (Fr.) Tul. Ergot PERTH 820490 (1954) (Chambers 1960) 1937  
 South-west region  
*Dilophospora alopecuri* (Fr.) Fr. Twist disease IMI 290826 (1984) PERTH 728160 1987 (Stanton 1988)  
 Katanning  
*Drechslera caupani* (Lev.) B.C. Sutton Leaf spot (MacNish 1967 as *D.verticillata*) 1963  
 General  
*Helminthosporium* sp. Leaf spot (Chambers 1960) 1959  
 Coolup

- Puccinia coronata* Corda Crown rust PERTH 801488 (1956) (Chambers 1960)  
 South-west region  
*Sclerotinia rolfsii* Sacc. Seedling death (Dewan and Sivasithamparam 1987)  
 Dandaragan  
*Septoria tritici* Roberge in Desm. var. *lolicola* Sprague & Johnson Leaf spot (Chambers 1960) 1958  
 Geraldton  
*Urocystis agropyri* (Preuss) Schrot. Flag smut PERTH 824615 (1967)  
 South-west region
- Lolium temulentum* L. (Darnel)  
*Puccinia coronata* Corda Rust (PPB records 1974)
- Lolium temulentum* L. var. *arvense* (With.) Junge (Awnless darnel)  
*Puccinia* sp. Rust (Chambers 1961, host as *L. arvense*) 1960  
 Woogenellup
- Lomandra* sp.  
*Phytophthora* sp. Root rot (Podger 1972) 1965  
 North Walpole
- Lophochloa pumila* (Desf.) Bor  
*Septoria* sp. Leaf spot PERTH 727652 (1987)  
 Eyre Bird Observatory
- Lotus* sp.  
*Uromyces anthyllidis* Schrot. Rust PERTH 727709 (1986)  
 Perth
- Lupinus albus* L. (White lupin)  
*Diaporthe woodii* Punithalingam, stat. conid. *Phomopsis leptostromiformis* (Kuhn) Babak in Lind. Stem blight (PPB records 1981)  
 South-west region  
*Pleiochaeta setosa* (Kirchn.) Hughes Brown spot IMI 135690 (1968) (Gladstones 1969)  
 General  
*Pleospora* sp. Leaf spot (Chambers 1960) 1941  
 Perth  
*Sclerotinia minor* Jagger Pod and crown rot (Wong and Willetts 1975) 1972  
 South-west region  
*Stemphylium* sp. Stem lesions (PPB records 1976)  
 Bridgetown
- Lupinus angustifolius* L. (Narrow-leaved lupin)  
*Ascochyta* sp. Stem rot (Chambers 1960) 1940  
 Pickering Brook  
*Botrytis* sp. Stem rot (Chambers 1960) 1941  
 South-west region  
*Cladosporium* sp. Leaf and stem lesions (PPB records 1980)  
 South-west region  
*Diaporthe woodii* Punithalingam, stat. conid. *Phomopsis leptostromiformis* (Kuhn) Babak in Lind. Stem canker, pod lesions, lupinosis IMI 165605 as *P. rossiana* (1972) (Anon. 1974)  
 South-west region  
*Fusarium acuminatum* Ellis & Everh. Hypocotyl lesion IMI 252432 (1980)  
 South-west region  
*Fusarium equiseti* (Corda) Sacc. Associated with wilt IMI 251431 (1980)  
 South-west region  
*Fusarium oxysporum* Schlecht. Root rot IMI 250091 (1980)  
 South-west region  
*Fusarium solani* (Mart.) Sacc. Root rot (PPB records 1978)  
 Moora  
*Leptosphaerulina trifolii* (Rostr.) Petr. Leaf spot IMI 291578 (1985)  
 Badgingarra  
*Oidium* sp. Powdery mildew (PPB records 1979)  
 Geraldton, Perth  
*Pleiochaeta setosa* (Kirchn.) Hughes Brown leaf spot, root rot IMI 168379 (Cass Smith 1949b as *Ceratophorum setosum*, Sweetingham 1984) 1940  
 South-west region  
*Pythium acanthicum* Drechsler Root rot IMI 195579 (1975)  
 South-west region  
*Pythium irregularae* Buisman Root rot IMI 188796 (1974)  
 South-west region  
*Rhizoctonia solani* Kuhn Root rot, bare patch disease IMI 250092 (1980) (MacNish 1983) Hypocotyl rot DAR 53058 (1986) (Sweetingham et al. 1986)  
 South-west region  
*Sclerotinia minor* Jagger Collar rot IMI 195485 (1975) (Wong and Willetts 1975) 1971  
 South-west region  
*Sclerotinia sclerotiorum* (Lib.) de Bary Stem rot IMI 135693 (1968) (Cass Smith 1945) 1940  
 South-west region  
*Stemphylium vesicarium* (Wallr.) Simmons Grey leaf spot IMI 164157 (1972) (Wood and McLean 1982)  
 South-west region
- Lupinus consertinii* Guss. (Western Australian blue lupin)  
*Colletotrichum gloeosporioides* (Penz.) Penz. & Sacc. Anthracnose (Chambers 1961) 1960  
 Boyup Brook  
*Diaporthe woodii* Punithalingam, stat. conid. *Phomopsis leptostromiformis* (Kuhn) Babak in Lind. Stem canker, lupinosis PERTH 816795 (1985) IMI 186788 (1974) 1971  
 South-west region  
*Leptosphaerulina trifolii* (Rostr.) Petr. Leaf spot (PPB records 1985)  
 South-west region
- Oidium* sp. Powdery mildew (Chambers 1960 as *Erysiphe polygoni*) 1959  
 General  
*Phoma* sp. Stem rot (Chambers 1960) 1937  
 Busselton  
*Pleiochaeta setosa* (Kirchn.) Hughes Brown leaf spot, collar rot (Gladstones 1969)  
 General  
*Rhizoctonia* sp. Hypocotyl and root rot (PPB records 1977)  
*Sclerotinia minor* Jagger Stem rot PERTH 808857 (1956) (Chambers 1960)  
 South-west region  
*Sclerotinia sclerotiorum* (Lib.) de Bary Stem and pod rot (Chambers 1960) 1931  
 South-west region  
*Stemphylium vesicarium* (Wallr.) Simmons Grey leaf spot PERTH 826715 (1959)  
 South-west region
- Lupinus luteus* L. (Yellow lupin)  
*Diaporthe woodii* Punithalingam, stat. conid. *Phomopsis leptostromiformis* (Kuhn) Babak in Lind. Stem canker (Anon. 1974)  
 South-west region  
*Pleiochaeta setosa* (Kirchn.) Hughes Leaf spot (Chambers 1960 as *Ceratophorum setosum*)  
 General
- Lycaste* sp.  
*Erwinia carotovora* pv. *carotovora* (Jones) Bergey et al. Soft rot (Goss 1964b) 1951  
 Perth
- Lychins coronaria* (L.) Desr. (Festival of Britain)  
*Fusarium* sp. Wilt (Goss 1964b) 1955  
 Perth
- Lycopersicon esculentum* Mill. (Tomato)  
*Alternaria solani* Sorauer Early blight, target spot PERTH 793574 (1953) (Newman 1910 as *Macrosporium solani*)  
 General  
*Alternaria tomato* (Cooke) Weber Nailhead spot (Chambers 1959) 1948  
 Geraldton  
*Botrytis cinerea* Pers. : Fr. Grey mould (Chambers 1959) 1954  
 General  
*Clavibacter michiganense* subsp. *michiganense* (Erw. Smith) Davis, Gillaspie, Vidaver & Harris Bacterial canker B4175 (1969) (Cass Smith and Goss 1946 as *Aplanobacter michiganense*) 1945  
 South-west region  
*Colletotrichum gloeosporioides* (Penz.) Penz. & Sacc. Anthracnose (MacNish 1964a as *C. phomoides*) 1961  
 General  
*Fulvia fulva* (Cooke) Ciferri Leaf mould (Newman 1910 as *Cladosporium fulvum*)  
 Perth  
*Fusarium oxysporum* Schlecht. f.sp. *lycopersici* (Sacc.) Snyder & Hansen Wilt IMI 139256 (1969) (Anon. 1905 as *F. lycopersici*)  
 General  
*Fusarium oxysporum* var. *redolens* (Wollenw.) Gordon Associated with wilt IMI 1400820 (1969)  
 Carnarvon  
*Geotrichum candidum* Link : Pers. Watery soft rot (PPB records 1978 as *Oospora lactis*)  
 General  
*Leveillula taurica* (Lev.) Arnaud Powdery mildew (Chambers 1959 as *Oospora* sp.)  
 Carnarvon  
*Macrophomina phaseolina* (Tassi) Goida. Ashy stem blight (Chambers 1959) 1930  
 Geraldton  
*Penicillium* sp. Fruit rot (Chambers 1959) 1952  
 General  
*Phoma destructiva* Plowr. Fruit rot (Chambers 1959) 1935  
 General  
*Phytophthora nicotianae* Breda de Haan var. *parasitica* (Dastur) Waterhouse Buck eye rot (Chambers 1959 as *P. ?parasitica*) 1947  
 Carnarvon  
*Phytophthora* sp. Collar rot (Chambers 1959) 1941  
 Perth  
*Pleospora lycopersici* Marchal Fruit rot (Chambers 1959) 1941  
 Geraldton  
*Pseudomonas solanacearum* (Erw. Smith) Erw. Smith Bacterial wilt (Despeissis 1903a as *Bacillus solanacearum*)  
 Perth  
*Pseudomonas syringae* pv. *tomato* (Okabe) Young, Dye & Wilkie Bacterial speck (Srisink and Sivasithamparam 1987) 1977  
 General  
*Rhizoctonia solani* Kuhn Stem canker (Pittman 1937 as *Corticium vagum*, Chambers 1959 as *Pellicularia filamentosa*) 1931  
 General  
*Rhizopus* sp. Fruit rot (Chambers 1959) 1948  
 General  
*Sclerotinia minor* Jagger Stem rot (Chambers 1959) 1949  
 Geraldton  
*Sclerotinia sclerotiorum* (Lib.) de Bary Stem rot PERTH 829404 (Cass Smith 1945) 1929  
 Geraldton

- Sclerotium rolfsii* Sacc. Southern blight (Chambers 1959 as *Pellicularia rolfsii*) 1955  
*Septoria lycopersici* Spieg. Leaf spot PERTH 821985 (1926) (Stoward 1913)  
 South-west region  
*Stemphylium solani* Weber Grey leaf spot (MacNish 1964a) 1963  
 Spearwood  
*Verticillium ?albo-atrum* Reinke & Berthold Wilt (Chambers 1959)  
 Geraldton  
 Doubtful record  
*Verticillium dahliae* Kleb. Wilt IMI 146136 (1970) (Chambers 1959) 1926  
 South-west region  
*Verticillium nigrescens* Pethybr. Wilt IMI 266490 (1982) (Nieman 1982)  
 South-west region  
*Xanthomonas campestris* pv. *vesicatoria* (Doidge) Dye Bacterial spot (Chambers 1959 as *X. vesicatoria*) 1947  
 Perth
- Lyperanthus nigricans** R.Br.  
*Uromyces* sp. Rust (Nichol et al. 1988)  
 Coolmalbidgup Swamp
- Lysinema ciliatum** R.Br.  
*Phytophthora* sp. Root rot IMI 122825 (FR records 1980) 1966  
 Brookton
- Macropidia fuliginosa** (Hook.) Druce (Kangaroo paw)  
*Alternaria alternata* (Fr.) Keissl. Ink spot (Verhoogt and Sivasithamparam 1985)  
 Perth  
*Fusarium avenaceum* (Corda : Fr.) Sacc. Crown rot IMI 296588 (1985)  
 Perth  
*Fusarium oxysporum* Schlecht. Crown discoloration IMI 314307 (1987)  
 Perth  
*Puccinia haemodori* P. Henn. Rust PERTH 795615 (1985) (Verhoogt and Sivasithamparam 1985)  
 Perth
- Macroptilium atropurpureum** (DC.) Urban  
*Uromyces appendiculatus* (Pers.) Unger Rust PERTH 829919  
 Kununurra
- Macrozamia riedlei** (Fischer : Gaudich.) C. Gardner  
*Phytophthora cinnamonomi* Rands Root rot (Podger 1972) 1965  
 East Kirup
- Magnolia** sp.  
*Alternaria* sp. Leaf spot (Goss 1964b) 1958  
 Perth  
*Capnodium* sp. Sooty mould (Goss 1964b) 1961  
 Doubtful record  
*Meliola* sp. Sooty mould (Goss 1964b) 1961  
 Doubtful record
- Malus sylvestris** Mill. var. *domestica* (Borkh.) Mansf. (Apple)  
*Agrobacterium rhizogenes* (Riker, Banfield, Wright, Keitt & Sagen) Conn Hairy root (Doepel 1964) 1953  
 South-west region  
*Agrobacterium tumefaciens* (E.F. Smith & Townsend) Conn Crown gall (Herbert 1921)  
 General  
*Alternaria mali* Roberts Fruit rot IMI 202565 (1976) (Carne 1927d as *Alternaria* sp.)  
 General  
*Armillaria luteobubalina* Watling & Kile Root rot PERTH 785083 (1962) (Carne 1925b as *A. mellea*)  
 General  
*Botryosphaeria obtusa* (Schw.) Shoemaker, stat. conid. *Sphaeropsis* sp. Black rot IMI 113765 (1965) (Herbert 1920b as *S. malorum*)  
 South-west region  
*Botrytis cinerea* Pers. : Fr. Storage rot (Cass Smith 1941)  
 General  
*Cladosporium cladosporioides* (Fres.) de Vries Sooty mould PERTH 821527 (1961) (MacNish 1967)  
 General  
*Colletotrichum gloeosporioides* (Penz.) Penz. & Sacc. Bitter rot, leaf spot (Despeissis 1903b as *Gloeosporium versicolor*)  
 South-west region  
*Coniothecium* sp. Associated with blister canker (Carne 1924c)  
 South-west region  
*Coriolus versicolor* (L.) Quel. Wood rot, papery bark PERTH 818879 (1959) (Doepel 1962a as *C. zonatus* and *C. velutinus*, Doepel 1964)  
 South-west region  
*Cylindrocarpon destructans* (Zinssmeister) Scholten Associated with root rot IMI 110899 as *C. radicicola* (1965)  
 Roleystone  
*Diplodia* sp. Stem canker PERTH 810908 (1967) (Carne 1925b, Doepel 1964 as *D. griffoni*) 1924  
 Capel  
*Fusarium avenaceum* (Corda : Fr.) Sacc. Associated with root rot and limb canker IMI 110901b (1965) 1963  
 Roleystone  
*Fusarium moniliforme* var. *subglutinans* Wollenw. & Reinking Associated with root rot IMI 103976 (1963)  
*Fusarium solani* (Mort.) Sacc. Associated with root rot IMI 110901a (1965)  
 Roleystone  
*Ganoderma applanatum* (Pers.) Pat. Wood rot PERTH 781924 (1943) (Doepel 1964)  
 Bridgetown
- Gliocladium* sp. Associated with root rot IMI 103977 (1963)  
*Gloeodes pomigena* (Schw.) Colby Sooty blotch (MacNish 1964a) 1963  
 King River  
*Leptothyrium pomi* (Mont. & Fr.) Sacc. Fly speck PERTH 833622 (1962)  
 Manjimup  
*Merulius* sp. Wood rot PERTH 827908 (1960) (Doepel 1964) 1959  
 Donnybrook  
*Penicillium expansum* Link Blue mould (Carne 1927d)  
 General  
*Pestalotiopsis montellica* Sacc. & Vogl. Associated with limb canker IMI 103607 (1963)  
 Manjimup  
*Pestalotiopsis* sp. Associated with root rot IMI 117703 (1966) 1963  
*Pezicula alba* Guthrie, stat. conid. *Phlyctaena vagabunda* Desm. Fruit rot IMI 98476 (1963) (MacNish 1964a)  
 General  
*Pezicula malicorticis* (Jackson) Nannfeldt, stat. conid. *Cryptosporiopsis malicorticis* (Cordl.) Nannfeldt Storage rot, bulls-eye rot IMI 103603 (1963) (Doepel 1964) 1931  
 General  
*Phomopsis* sp. Associated with limb canker IMI 103986 (1963) (MacNish 1967)  
*Phytophthora cactorum* (Leb. & Cohn) Schrot. Associated with root rot IMI 149302 (1970) (Doepel 1964) 1960  
 Perth  
*Phytophthora cambivora* (Petri) Buisman Root and collar rot IMI 131092 (1968)  
 Manjimup, Perth  
*Phytophthora cryptogea* Pethybr. & Laff. Associated with collar rot IMI 143005 (1969)  
 Manjimup  
*Phytophthora megasperma* Drechsler Associated with root rot IMI 133317 (1968)  
 Stoneville  
*Phytophthora* sp. Associated with fruit rot (PPB records 1981)  
 Manjimup  
*Pleospora herbarum* (Fr.) Rabenh., stat. conid. *Stemphylium botryosum* Wallr. Leaf rot (Doepel 1964) 1958  
 Manjimup  
*Podosphaera leucotricha* (Ellis & Everh.) Salmon Powdery mildew PERTH 788244 (1961) (Doepel 1964) 1913  
 General  
*Podosphaera oxyacanthae* (DC.) de Bary Powdery mildew (Despeissis 1901)  
 General  
*Pseudomonas syringae* pv. *syringae* van Hall Blister spot IMI B12420 (Doepel 1964) 1956  
 General  
*Punctularia strigosa-zonata* (Schw.) Talbot Wood rot PERTH 783501 (1961) (Doepel 1962a as *Stereum strigoso-zonatum*)  
 Manjimup  
*Pycnoporus coccineus* (Fr.) Bond. & Singer Wood rot (Doepel 1964 as *Coriolus sanguineus*) 1932  
 South-west region  
*Pythium ?afertile* Kanouse & Humphrey Associated with decline IMI 139034 (1969)  
 Donnybrook  
*Pythium gracile* Schenk Associated with root rot IMI 145124 (1969)  
 Pickering Brook  
*Pythium intermedium* de Bary Associated with root rot IMI 143362 (1969)  
 Roleystone  
*Pythium irregularare* Buisman Associated with root rot IMI 138236 (1969)  
 Roleystone  
*Pythium middletonii* Sparrow Associated with root rot IMI 141080 (1969)  
 Stoneville  
*Pythium spinosum* Sawada Associated with root rot IMI 143653 (1969)  
 South-west region  
*Pythium splendens* Braun Associated with root rot IMI 141093 (1969)  
 Perth, Stoneville  
*Pythium torulosum* Coker & Patterson Associated with root rot IMI 133321 (1968)  
 Stoneville  
*Pythium ultimum* Trow. Associated with root rot IMI 133328 (1968)  
 Stoneville  
*Rosellinia necatrix* Prill., stat. conid. *Dematophora necatrix* Hartig White root rot PERTH 809918 (1957) (Doepel 1964)  
 Donnybrook  
*Schizophyllum commune* Fr. Wood rot PERTH 793019 (1932) (Doepel 1964)  
 Mundaring  
*Sclerotium rolfsii* Sacc. Crown rot IMI 119186 (1966) (Baron-Hay 1948) 1947  
 South-west region  
*Stereum hirsutum* (Willd.) Pers. : Gray Associated with dieback PERTH 827827 (1960) (Doepel 1962a) 1959  
 Manjimup  
*Venturia inaequalis* (Cooke) Wint., stat. conid. *Spilocaea pomi* Fr. Black spot, scale PERTH 788724 (1939) (Newman 1910 as *Fusciellodium dendriticum*)  
 Not recorded since 1943

- Malva parviflora** L. (Small-flower mallow)  
*Puccinia malvacearum* Bertero : Mont. in Gay Rust PERTH 824720 (1925) (Stoward 1913)  
 Perth
- Mangifera indica** L. (Mango)  
*Colletotrichum gloeosporioides* (Penz.) Penz. & Sacc. Anthracnose (Doepel 1964) 1960  
 General  
*Dothiorella* sp. Stem-end rot DAR 49101 (1983)  
 Carnarvon  
*Oidium mangiferae* Berthet Powdery mildew (Boesewinkel 1980) 1979  
 Perth  
*Phomopsis mangiferae* Ahmad in Petr. & Ahmad Stem-end rot, black fruit spot DAR 43135 (1983)  
 Carnarvon, Perth  
*Rhizopus stolonifer* (Ehrenb. : Fr.) Lind Skin stain (PPB records 1984)  
 Carnarvon  
*Xanthomonas campestris* pv. *mangiferae-indicae* (Patel, Moniz & Kulkarni) Robbs, Ribeiro & Kimura Black spot (PPB records 1985)  
 Kununurra
- Matthiola incana** (L.) R.Br. in W.T. Aiton (Stock)  
*Botrytis cinerea* Pers. : Fr. Grey mould (Goss 1964b) 1955  
 Boyup Brook  
*Fusarium* sp. Wilt and root rot (Goss 1964b) 1958  
 Perth  
*Sclerotinia minor* Jagger Collar rot (Goss 1964h) 1954  
 Corrigin  
*Septoria* sp. Leaf spot PERTH 785644 (1926) (Goss 1964b)  
 Perth  
*Xanthomonas campestris* pv. *incanae* (Kendrick & Baker) Dye Bacterial blight (Doepel 1952b as *X. incanae*) 1940  
 Mullewa
- Medicago littoralis** Rohde : Lois. (Strand medic)  
*Phoma medicaginis* Malbr. & Roum. Black stem (PPB records 1982)  
 South-west region
- Medicago polymorpha** L. (Burr medic)  
*Fusarium acuminatum* Ellis & Everh. Associated with crown rot IMI 326282 (1988)  
 Katanning  
*Leptosphaerulina trifolii* (Rostr.) Petr. Pepper spot IMI 362283 (1988)  
 Katanning  
*Phoma medicaginis* Malbr. & Roum. Black stem (PPB records 1984)  
 Katanning  
*Pseudopeziza medicaginis* (Lib.) Sacc. Leaf spot (Carne 1925b, host as *M. denticulata*) 1923  
 Northam  
*Stagonospora meliloti* (Lasch) Petr. Leaf spot IMI 290828 (1985)  
 Newdegate  
*Uromyces striatus* Schrot. Rust PERTH 809837 (1959) (Chambers 1960, host as *M. denticulata*) 1955  
 General
- Medicago sativa** L. (Lucerne)  
*Colletotrichum trifolii* Bain in Bain & Essary Anthracnose (PPB records 1982)  
 South-west region  
*Curvularia trifolii* (Kauffm.) Boedijn Associated with leaf spot IMI 262506 (1981) (Barbett 1983)  
 South-west region  
*Fusarium avenaceum* (Corda : Fr.) Sacc. Associated with root rot IMI 146356 (1970)  
 Perth  
*Fusarium chlamydosporum* Wollenw. & Reinking Associated with root rot IMI 146334 (1970)  
 Perth  
*Fusarium crookwellense* Burgess, Nelson & Tousson Stem and crown rot IMI 281151 (1983)  
 Wanneroo  
*Fusarium dimerum* Penz. in Sacc. Associated with decline IMI 142827 (1969) (Marcley 1970)  
 South-west region  
*Fusarium heterosporum* Nees : Fr. Associated with decline IMI 142402 (1969) (Marcley 1970)  
 South-west region  
*Fusarium moultiforme* var. *subglutinans* Wollenw. & Reinking Associated with decline IMI 135473 (1968) (Marcley 1970)  
 South-west region  
*Fusarium oxysporum* Schlecht. Damping-off, crown and root rot IMI 134792 (1968) (Marcley 1970)  
 South-west region  
*Fusarium sambucinum* Fuckel Associated with decline IMI 142831 (1969) (Marcley 1970)  
 South-west region  
*Fusarium semitectum* Berk. & Rav. Associated with decline IMI 142828 (1969) (Marcley 1970)  
 South-west region  
*Fusarium solani* (Mart.) Sacc. Collar rot IMI 134793 (1968) (Marcley 1970)  
 South-west region  
*Fusarium sporotrichioides* Sherb. Associated with decline IMI 138042 (1969) (Marcley 1970)  
 South-west region
- Gliocladium roseum* Bainier Associated with crown rot IMI 138409 (1969)  
 Porongurup National Park, Wiluna  
*Helicobasidium purpureum* Pat., stat. mycel. *Rhizoctonia crocorm* (Pers.) DC. Violet root rot (Herbert 1919 as *R. violaceae*, Chambers 1960)  
 Doubtful record  
*Leptosphaerulina trifolii* (Rostr.) Petr. Burn IMI 263041 (1981) (Barbett 1983)  
 South-west region  
*Macrophomina phaseolina* (Tassi) Goida. Root and crown rot PERTH 820504 (1963) (Carne 1926 as *Rhizoctonia bataticola*)  
 South-west region  
*Peronospora trifoliorum* de Bary Downy mildew PERTH 822507 (1958) (Anon. 1937)  
 South-west region  
*Phoma medicaginis* Malbr. & Roum. Black stem, leaf spot PERTH 807249 (1924) IMI 130945 (1981) (Chambers 1960 as *Ascochyta ?imperfecta*)  
 South-west region  
*Pleospora herbarum* (Fr.) Rabenh., stat. conid. *Stemphylium botryosum* Wallr. Leaf spot (Chambers 1960) 1927  
 South-west region  
*Pseudopeziza medicaginis* (Lib.) Sacc. Common leaf spot PERTH 805653 (1922) (Stoward 1912)  
 South-west region  
*Rhizoctonia solani* Kuhn Crown and root rot IMI 138046 as *Corticium solani* (1968) (Stoward 1912 as *R. medicaginis*)  
 General  
*Sclerotinia sclerotiorum* (Lib.) de Bary Crown rot (Henderson 1962)  
 Perth  
*Sclerotinia trifoliorum* Eriks. Crown and stem rot (Chambers 1960) 1940  
 South-west region  
*Sclerotium rolfsii* Sacc. Crown rot PERTH 808369 (1960) (Chambers 1961 as *Pellicularia rolfsii*)  
 Porongurup  
*Stemphylium vesicarium* (Wallr.) Simmonds Associated with leaf spot (Barbett 1983)  
 South-west region  
*Uromyces striatus* Schrot. Rust PERTH 807729 (1925) (Stoward 1914) 1912  
 General
- Medicago scutellata** (L.) Miller (Snail medic)  
*Uromyces striatus* Schrot. Rust (Chambers 1960) 1958  
 General
- Medicago tornata** (L.) Miller  
*Aecidium* sp. Rust IMI 264194 (1981)  
 Denmark  
*Phoma medicaginis* Malbr. & Roum. Black stem (PPB records 1982)  
 South-west region  
*Pythium splendens* Braun Associated with root rot IMI 150729 (1970)  
 Mingenew
- Medicago truncatula** Gaertner (Barrel medic)  
*Colletotrichum coccodes* (Wallr.) Hughes Black stem IMI 101628 as *Catraenarium* (1963)  
 Salmon Gums  
*Phoma medicaginis* Malbr. and Roum. Black stem IMI 262771 (1981) (Chambers 1961 as *Phoma* sp., host as *M. tribuloides*) 1960  
 South-west region  
*Rhizoctonia solani* Kuhn Root rot (MacNish 1983)  
 South-west region  
*Rhizoctonia* sp. Root rot (Chambers 1960, host as *M. tribuloides*) 1957  
 Geraldton  
*Stemphylium vesicarium* (Wallr.) Simmons Leaf spot IMI 274266 (1982)  
 Jurien Bay
- Melaleuca armillaris** Sm. (Bracelet honey myrtle)  
*Phytophthora drechsleri* Tucker Associated with die-back IMI 148409 (1970) (Hardy and Sivasithamparam 1988)  
 Perth
- Melaleuca citrina** Turcz.  
*Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot (DCE records 1983)  
 Perth
- Melaleuca diosmifolia** Andrews  
*Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Melaleuca hypericifolia** Sm.  
*Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery  
*Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery  
*Phytophthora citricola* Sawada Associated with root rot DCE 279  
 Perth
- Melaleuca lanceolata** Otto (Black tea-tree)  
*Phytophthora cinnamomi* Rands Root rot (FR records, host as *M. pubescens* 1980) 1975  
 Hamel

**Melaleuca lateriflora** Benth.

*Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)  
Plant Production Nursery  
*Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot (Hardy and Sivasithamparam 1988)  
Plant Production Nursery

**Melaleuca nesophila** F. Muell.

*Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)  
Plant Production Nursery

**Melaleuca sp.**

*Phyllachora melaleucae* H.Syd. & Syd. Tar spot PERTH 790915 (1985)  
Broome  
*Phytophthora cinnamomi* Rands Root rot IMI 173177 (1973)  
Perth

**Melia azedarach** L. (Chinaberry)

*Armillaria* sp. Root rot (MacNish 1964a as *A. mellea*) 1962

Perth

**Mentha** sp. (Mint)

*Puccinia menthae* Pers. Rust IMI 188883 (1974) (Anon. 1975)  
South-west region

**Mesembryanthemum** sp.

*Albugo*? *mesembryanthemi* Baker White rust (Goss 1964b) 1960  
Moora

**Microtis rara** R.Br.

*Uromyces microtidis* Cooke Rust PERTH 278408 (1978) (Nichol et al. 1988)  
South-west region

**Microtis unifolia** (G. Forster) H.G. Reichb.

*Uromyces microtidis* Cooke Rust PERTH 281786 (1973) (Nichol et al. 1988)  
Esperance

**Mirbelia dilatata** R.Br. in W.T. Aiton

*Phytophthora cinnamomi* Rands Root rot (FR records 1980) 1975  
Pumping Station Road

**Monotoca tamariscina** F.Muell.

*Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1966  
Tingledale

**Morus alba** L. (White mulberry)

*Armillaria* sp. Root rot (Carne 1925b as *A. mellea*)  
*Pseudomonas syringae* pv. *mori* (Boyer & Lambert) Young, Dye & Wilkie  
Bacterial blight (Carne 1925b as *Bacillus mori*)  
General

**Morus nigra** L. (Black mulberry)

*Armillaria* sp. Root rot (Carne 1926c as *A. mellea*)  
*Phloeocephala maculans* (Bereng.) Allesch. in Rabenh. Leaf spot PERTH 786675 (1986) (Cass Smith and Stewart 1947 as *Septogloeum mori*) 1943  
General  
*Pseudomonas syringae* pv. *mori* (Boyer & Lambert) Young, Dye & Wilkie  
Bacterial blight (Stoward 1913 as *Bacillus mori*)  
General

**Muehlenbeckia adpressa** (Labill.) Meissner (Native sarsparilla)

*Perenospora* sp. Downy mildew PERTH 822574 (1960) (MacNish 1963a)  
Clackline  
*Puccinia muehlenbeckiae* (Cooke) Syd. & H. Syd. Rust (MacNish 1967) 1963  
Ogilvie Siding

**Musa acuminata** Colla (Cavendish and Golden Gros banana)

*Colletotrichum musae* (Berk. & Curt.) von Arx Anthracnose (Doepel 1964 as *Gloeosporium musarum*) 1947  
Carnarvon, Kununurra  
*Deightoniella torulosa* (Syd.) M.B. Ellis Black leaf spot PERTH 819980 (1982)

Kimberley region

*Fusarium acuminatum* Ellis & Everh. Associated with root rot IMI 143021 (1969)

Carnarvon

*Fusarium moniliforme* Sheldon var. *subglutinans* Wollenw. & Reinking Associated with vascular discolouration IMI 142388 (1969)

Carnarvon

*Fusarium oxysporum* Schlecht. Vascular discolouration (PPB records 1970)

Carnarvon

*Fusarium sambucinum* Fuckel Associated with root rot IMI 142940 (1969)

Derby

*Fusarium solani* (Mart.) Sacc. Associated with root rot IMI 142939 (1969)

Derby

*Guignardia musae* Racib., stat. conid. *Phyllosticta musarum* (Cooke) van der Aa Freckle PERTH 779253 (1979)

Kununurra

*Pythium myriotylum* Drechsler Associated with root rot IMI 150186 (1970)

Kununurra

*Stachyldium theobromae* Ture. Cigar end (Doepel 1964) 1934

Carnarvon

**Musa X paradisiaca** L. (Plantain)

*Fusarium moniliforme* var. *subglutinans* Wollenw. & Reinking Associated with vascular discolouration IMI 115677 (1965)

Carnarvon

*Fusarium oxysporum* Schlecht. Associated with vascular discolouration IMI 129096 (1967)

Carnarvon

*Fusarium oxysporum* Schlecht. f.sp. *cubense* (E.F. Smith) Snyder & Hansen Panama disease (McKenzie Clark 1951)

Carnarvon

*Fusarium solani* (Mart.) Sacc. Associated with vascular discolouration IMI 136865 (1969)

Carnarvon

**Myoporum acuminatum** R.Br. (Boobialla)

*Agrobacterium tumefaciens* (E.F. Smith & Townsend) Conn Crown gall (Goss 1964b) 1958

Cranbrook

**Myoporum tetrandrum** (Labill.) Domin

*Aecidium*? *myopori* Cunn. Rust PERTH 822612 (1960) (MacNish 1963a, host as *M. serratum*)

Warroona

**Narcissus** spp. (Daffodil)

*Fusarium oxysporum* Schlecht. f.sp. *narcissi* Snyder & Hansen Basal plate rot (Goss 1964b) 1946

Perth

*Sclerotium rolfsii* Sacc. Bulb rot (Goss 1964b as *Pellicularia rolfsii*) 1931

Perth

*Stagonospora curtisiae* (Berk.) Sacc. Leaf scorch PERTH 833703 (1941)

Bassendean

**Neobassia astrocarpa** (F. Muell.) A.J. Scott

*Puccinia dielsiana* P. Henn. Rust Beaglehole 11299 (PERTH) (1965)

Anna Plains

**Nerium oleander** L. (Oleander)

*Capnodium* sp. Sooty mould (Goss 1964b) 1958

Doubtful record

*Meliola* sp. Sooty mould (Goss 1964b) 1958

Doubtful record

*Pseudomonas syringae* pv. *savastanoi* (Erw. Smith) Young, Dye & Wilkie

Bacterial canker and gall (MacNish 1963c as *P. tonelliana*) 1923

General

**Neurachne alopecuroidea** R.Br. (Club grass)

*Ustilago tepperi* Ludw. Smut PERTH 805629 (1942) (Chambers 1960)

Grass Valley

**Nicotiana rosulata** (S. Moore) Domin

*Septoria* sp. Leaf spot PERTH 832111 (1942) (MacNish 1963a, host as *N. ?ingulba*)

Northam

**Nicotiana suaveolens** Lehm. (Native tobacco)

*Peronospora tabacina* Adam Downy mildew, blue mould (Pittman 1932a) 1931

South-west region

**Nicotiana tabacum** L. (tobacco)

*Alternaria* sp. Leaf spot (MacNish 1963a) 1955

Manjimup

*Fusarium* sp. Wilt (MacNish 1963a) 1937

Manjimup

*Peronospora tabacina* Adam Downy mildew, blue mould (Pittman 1930b)

South-west region

*Pseudomonas solanacearum* (Erw. Smith) Erw. Smith Wilt (Baron-Hay 1957)

Manjimup

*Rhizoctonia* sp. Root rot (MacNish 1963a) 1956

Manjimup

**Nigella** sp.

*Rhizoctonia* sp. Crown rot (Goss 1964b) 1955

Perth

**Olea europaea** L. (Olive)

*Colletotrichum gloeosporioides* (Penz.) Penz. & Sacc. Anthracnose IMI 129099 as *Gloeosporium olivarum* (1967) (Carne 1927d as *Gloeosporium olivarum*)

South-west region

**Opercularia vaginata** Labill.

*Puccinia operculariae* (Morr.) Syd. Rust PERTH 738816 (1987)

Mogumber

**Operculina aequisepta** (Domin) R.W. Johnson

*Uredo operculinae* H.Syd. & Syd. Rust PERTH 816205 (1983)

Kununurra

**Operculina brownii** Ooststr.

*Uredo operculinae* H.Syd. & Syd. Rust DAR 25699 (1974)

Kununurra

**Opuntia** sp.

*Botrytis* sp. Rot (Goss 1964b)

Perth

**Ornithopus compressus** L. (Yellow serradella)

*Pleiochaeta setosa* (Kirchn.) Hughes Brown leaf spot (Gladstones and McKeown 1977) 1973

South-west region

**Ornithopus sativus** Brot. (Serradella)

*Pleiochaeta setosa* (Kirchn.) Hughes Brown leaf spot IMI 129084 (1967)

South-west region

- Oryza australiensis** Domin (Australian rice)  
*Bipolaris oryzae* (Breda de Haan) Shoemaker Brown spot (Valder 1955 as *Helminthosporium oryzae*) 1952  
 Lower Ord River  
*Entyloma oryzae* H.Syd. & Syd. Leaf smut (Valder 1952b) Lower Ord River, Wyndham
- Oryza sativa** L. (Rice)  
*Alternaria padwickii* (Ganguly) M.B. Ellis Leaf spot (Chambers 1960 as *Trichocomis padwickii*) 1957  
 Kununurra  
*Alternaria* sp. Browning of glumes (MacNish 1964a) 1961  
 Kununurra  
*Aspergillus* sp. Seed infection PERTH 811998 (1984) (Chambers 1960 1954)  
 Kununurra  
*Bipolaris oryzae* (Breda de Haan) Shoemaker Brown spot IMI 129093 (1967) (Chambers 1960 as *Helminthosporium oryzae*) 1957  
 Kununurra  
*Exserohilum rostratum* (Drechsler) Leonard & Suggs Leaf spot IMI 110481 (1964) (MacNish 1967 as *Helminthosporium rostratum*)  
 Kununurra  
*Cercospora oryzae* Miyake Narrow brown leaf spot PERTH 789798 (1966)  
 Kununurra  
*Curvularia* sp. Leaf spots and discoloured grain (Valder 1952a)  
 Kimberley region  
*Entyloma oryzae* H.Syd. & Syd. Leaf smut (Valder 1952a)  
 Kununurra  
*Gibberella zeae* (Schw.) Petch, stat. conid. *Fusarium graminearum* Schwabe Foot and root rot (PPB records 1960)  
 Kununurra  
*Nigrospora oryzae* (Berk. & Broome) Petch Leaf spots and discoloured grains IMI 118079 (1966) (Valder 1952a)  
 Kimberley region  
*Phyllosticta oryzina* Padwick Associated with leaf spot IMI 118078 (1966)  
 Kununurra  
*Sclerotinia* sp. Leaf sheath stem rot DAR 4691 (1953)  
 Kununurra  
**Osteospermum clandestinum** (Less.) Norlindh (Stinking Roger)  
*Puccinia lagenophorae* Cooke Rust PERTH 803596 (1926) (MacNish 1963a as *?Accidium osteospermii*, host as *Tripteryx clandestina*) 1926 South-west region
- Oxalis** sp.  
*Puccinia oxalidis* Diet. & Ellis in Deit. Rust PERTH 811467 (1984)  
 Perth
- Oxylodium capitatum** Benth. in Endl., Fenzl, Benth. & Schott (Bacon and eggs)  
*Accidium* sp. Rust PERTH 785601 (1915) (MacNish 1963a)  
 Perth
- Oxylodium lineare** (Benth.) Benth.  
*Lizosia oxylobii* P. Henn. On leaves (Hennings 1901a) 1900  
 Perth
- Panicum miliaceum** L.  
*Exserohilum turcicum* (Pass.) Leonard & Suggs Leaf spot IMI 193045 (1975) (Sivanesan 1987)  
 Perth  
*Sphaelotheca destructans* (Schlecht.) Stev. & A.G. Johns. Smut (Carne 1927a as *Sorosporium ?panici-miliacei*, host as Japanese millet) Yarloop
- Papaver nudicaule** L. (Iceland poppy)  
*Fusarium* sp. Crown rot (Goss 1964b) 1946  
 Perth  
*Phytophthora* sp. Crown rot (Carne 1927d, Goss 1964b as *P.?cryptogea*) Gnowangerup  
*Xanthomonas campestris* pv. *papavericola* (Bryan & McWhorter) Dye Black spot (Goss 1964b as *X.papavericola*) 1926  
 Perth
- Paraserianthes lophantha** (Willd.) I. Nielsen (Crested wattle)  
*Uromycladium tepperianum* (Sacc.) McAlp. Gall rust DAR 40159, host as *Albizia distachya* 1964 (MacNish 1967, host as *Albizia lophantha*) Karridale, Porongorups
- Paspalum dilatatum** Poiret in Lam. (Paspalum)  
*Claviceps paspali* Stev. & Hall Ergot (Chambers 1960) 1937 South-west region
- Paspalum vaginatum** Sw.  
*Ustilago paspali* Speg. Smut UWA 2477 (1978)  
 Perth
- Passiflora edulis** Sims (Passion-fruit vine)  
*Alternaria passiflorae* Simmonds Brown spot (Cass Smith 1939) South-west region  
*Armillaria* sp. Root rot (Carne 1925b as *A.mellea*) South-west region  
*Botrytis cinerea* Pers. : Fr. Fruit rot (Doepel 1964) 1960 Perth  
*Colletotrichum gloeosporioides* (Penz.) Penz & Sacc. Brown spot IMI 153224 (1970) (Carne 1925b as *Gloeosporium fructigenum*) 1924 South-west region  
*Coprinus phlyctidosporus* Romag. Basal rot (Doepel 1968) Lesmurdie  
*Fusarium* sp. Collar rot (Carne 1926e)  
 South-west region
- Pseudomonas syringae** pv. *passiflorae* (Reid) Young, Dye & Wilkie Grease spot (Doepel 1965a as *P.passiflorae*) 1960 South-west region  
*Pythium acanthicum* Drechsler Associated with root rot IMI 136143 (1968) Nannup  
*Pythium irregularare* Buisman Associated with damping off IMI 159960 (1971) Perth  
*Pythium monosporum* Pringsh. Associated with damping off IMI 159957 (1971) Perth  
*Pythium spinosum* Sawada Associated with root rot IMI 150458 (1970) Perth  
*Pythium splendens* Braun Associated with root rot IMI 146425 (1970) Perth  
*Pythium vexans* de Bary Associated with damping off IMI 159963 (1971) Perth  
*Sclerotinia sclerotiorum* (Lib.) de Bary Foot rot PERTH 787744 (1959) (Carne 1926e) South-west region  
*Septoria passifloricola* Punithalingam Fruit spot (PPB records 1984) Perth
- Passiflora manicata** (Juss.) Pers. (Banana passion-fruit vine)  
*Alternaria passiflorae* Simmonds Brown spot (Baron-Ilay 1948) 1946 Perth
- Pastinaca sativa** L. (Parsnip)  
*Itersonilia pastinaceae* Channou Canker and leaf spot IMI 110892 (1965) (MacNish 1964a) 1960 South-west region  
*Phyllacthora pastinaceae* (West.) Rostr., stat. conid. *Cylindrosporium pastinaceae* (West.) Lind Leaf spot (Chambers 1959) 1934 South-west region  
*Ranularia pastinaceae* (Karst.) Lindroth & Vestergr. Leaf spot IMI 122780 (1967) (MacNish 1967) 1964 South-west region  
*Sclerotinia sclerotiorum* (Lib.) de Bary Root rot (MacNish 1967) 1964 South-west region
- Patersonia occidentalis** R.Br. (Native iris)  
*Bipolaris iridis* (Oudem.) Dickinson Ink disease (MacNish 1963a as *Mystrospodium adustum*) 1954 Perth  
*Phytophthora cinnamomi* Rands Root rot (FR records 1980) 1968
- Pelargonium australe** Willd.  
*Puccinia morrisonii* McAlp. Rust (Cheel 1909) 1904 Cowcowing
- Pelargonium zonale** (L.) L'Her. : Ait. (Zonal geranium)  
*Puccinia pelargonii-zonalis* Doidge Rust PERTH 825166 (1921) (Carne 1925b as *P.morrisonii*) Perth  
*Xanthomonas campestris* pv. *pelargonii* (Brown) Dye Stem rot (Moffett 1983)
- Pelargonium** sp. (Geranium)  
*Alternaria* sp. Leaf spot (MacNish 1967) 1963 Mundijong  
*Puccinia pelargonii-zonalis* Doidge Rust UWA 2509 (1968) (McAlpine 1895 as *P.morrisonii*) Perth  
*Xanthomonas campestris* pv. *pelargonii* (Brown) Dye Stem rot (Goss 1964b as *X.pelargonii*) 1947 Perth
- Pennisetum arnheimicum** F. Muell.  
*Tilletia barclayana* (Bref.) Sacc. & Syd. in Sacc. Smut PERTH 793582 (1985) 1978 Kimberley region
- Pennisetum clandestinum** Hochst. : Chiov. (Kikuyu grass)  
*Bipolaris bicolor* (Mitra) Shoemaker Leaf spot IMI 110480 (1964) (MacNish 1967 as *Helminthosporium bicolor*) Perth  
*Bipolaris zeae* Sivanesan Leaf spot IMI 274264 (1982) (Sivanesan 1985) Mardella
- Pericalymma ellipticum** (Endl.) Schauer in Lehm.  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972, host as *Leptosporium ellipticum*) Jarrah forest
- Persea americana** Mill. (Avocado)  
*Phytophthora cinnamomi* Rands Root rot IMI 110895 (1965) (MacNish 1967) South-west region  
*Verticillium dahliae* Kleb. Wilt IMI 327614 (1988) Carabowda
- Persoonia articulata** R.Br.  
*Camarosporula persooniae* (P. Henn.) Petr. Leaf spot Barnsley 841 (PERTH) (1979) Boddington
- Persoonia elliptica** R.Br.  
*Camarosporula persooniae* (P. Henn.) Petr. Leaf spot PERTH 833614 (1985) (Hennings 1901a as *Hendersonia persooniae*) 1900 Mt Randall, Perth

- Persoonia longifolia** R.Br.  
*Camarosporula persooniae* (P. Henn.) Petr. Leaf spot PERTH 833649 (1985)  
 Margaret River  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972) (1966)  
 Karet
- Persoonia microcarpa** R.Br.  
*Camarosporula persooniae* (P. Henn.) Petr. Leaf spot UWA 1529 (1971)  
 Narrup
- Persoonia quinquenervis** Hook.  
*Camarosporula persooniae* (P. Henn.) Petr. Leaf spot Halford 808108 (PERTH) (1980)  
 Saddleback State Forest
- Phalaris minor** Retz. (Lesser canary grass)  
*Clavibacter* sp. Yellow slime disease (Chatel et al. 1979 as *Corynebacterium* sp.)  
 Gnowangerup  
*Drechslera campanulata* (Lev.) B.C. Sutton Leaf spot (MacNish 1967 as *D.verticillata*) 1965  
 Moora  
*Fusarium graminearum* Schwabe Root rot IMI 110891 (1965) (MacNish 1967)  
 Merredin
- Phalaris paradoxa** L.  
*Clavibacter* sp. Yellow slime disease (Chatel et al. 1979 as *Corynebacterium* sp.)  
 Gnowangerup
- Phalaris tuberosa** L. (Toowoomba canary grass)  
*Claviceps purpurea* (Fr.) Tul. Ergot PERTH 780294 (1980)  
 Esperance Downs Research Station  
*Mycosphaerella tassiana* (de Not.) Johanson, stat. conid. *Cladosporium herbarium* (Pers.) Link : Gray Black mould (Chambers 1960, as *M.tulasnei*) 1959  
 Esperance  
*Sclerotithra macrospora* (Sacc.) Thirumalachar, Shaw & Narasimhan Downy mildew (Chambers 1960 as *Sclerospora macrospora*) 1959  
 Esperance
- Phalaris** sp.  
*Gaeumannomyces graminis* (Sacc.) von Arx & Oliv. Take-all (Khan et al. 1968)  
*Puccinia graminis* Pers. var. *tritici* Eriks. & P. Henn. Rust (MacNish 1967) 1965  
 Dongara
- Phaseolus atropurpureus** DC. (Siratro)  
*Alternaria* sp. Leaf spot (Anon. 1972)  
 Carnarvon
- Phaseolus vulgaris** L. (Butter bean, French bean, Navy bean, Pole bean)  
*Alternaria fasciculata* (Cooke & Ellis) Jones & Grout Leaf spot (Chambers 1959) 1945  
 Perth  
*Ascodyta* sp. Pod spot (Chambers 1959) 1956  
 South-west region  
*Botrytis cinerea* Pers. : Fr. Grey mould (Chambers 1961) 1958  
 General  
*Colletotrichum lindemuthianum* (Sacc. & Magnusson) Broome & Cav. Anthracnose (Despeissis 1901)  
 General  
*Fusarium acuminatum* Ellis & Everh. Associated with wilt IMI 140818 (1969)  
 Carnarvon  
*Fusarium oxysporum* Schlecht. Collar rot, wilt IMI 139253 (1969)  
 South-west region  
*Fusarium oxysporum* var. *redolens* (Wollenw.) Gordon Associated with wilt IMI 140819 (1969)  
 Carnarvon  
*Fusarium sambucinum* Fuckel Associated with stem and root rot IMI 112204 (1965)  
 Perth  
*Fusarium solani* (Mart.) Sacc. f.sp. *phaseoli* (Burk.) Snyder & Hansen Root rot IMI 135025 (1968) (Chambers 1959) 1931  
 Carnarvon  
*Macrophomina phaseolina* (Tassi) Goida. Ashy stem blight PERTH 819409 (1952) (Carne 1926e as *Rhizoctonia bataticola*) 1925  
 General  
*Oidium* sp. Powdery mildew (MacNish 1967) 1965  
 Carnarvon  
*Periconia saraswatipurensis* Bilgrami Associated with leaf spot IMI 289260 (1984)  
 Kununurra  
*Pleospora infectoria* Fuckel, stat. conid. *Alternaria* sp. Associated with leaf spot IMI 129088 (1967)  
*Pseudomonas syringae* pv. *phaseolicola* (Burkholder) Young, Dye & Wilkie Halo blight (Pittman 1932b as *Phytopomonas medicaginis* var. *phaseolicola*) 1930  
 South-west region  
*Pythium debaryanum* Hesse Root rot (Chambers 1959) (1921)  
 Perth  
*Pythium ultimum* Trow Associated with root rot IMI 124493 (1967)  
 Kendenup  
*Rhizoctonia solani* Kuhn Damping off, collar rot (Chambers 1959 as *Pellicularia filamentosa*) 1941  
 South-west region
- Sclerotinia sclerotiorum** (Lib.) de Bary White mould PERTH 821039 (1949) (Carne 1928)  
 Perth  
*Sclerotium rolfsii* Sacc. Foot rot (Carne 1926e)  
 Perth  
*Uromyces appendiculatus* (Pers.) Unger Rust PERTH 797782 (1943) (Cass Smith 1943a, Chambers 1959 as *U.phaseolorum*)  
 South-west region  
*Xanthomonas campestris* pv. *phaseoli* (E.F. Smith) Dye Common blight (Chambers 1959 as *X.phaseoli*) 1930  
 Perth
- Phlox drummondii** Hook.  
*Septoria drummondii* Ellis & Everh. Leaf spot PERTH 785679 (1924) (Goss 1964b as *S.phlogis*)  
 Perth
- Phlox paniculata** L. (Perennial phlox)  
*Septoria divaricata* Ellis & Everh. Leaf spot PERTH 788805 (1923) (Goss 1964b as *S.phlogis*)  
 Perth
- Phoenix dactylifera** L. (Date palm)  
*Graphiola phoenicis* (Moug.) Poiteau False smut PERTH 782947 (1967) 1966  
 Carnarvon, Kununurra, Millstream
- Phytalis peruviana** L. (Cape gooseberry)  
*Ascochyta* sp. Fruit rot PERTH 780812 (1925) (Carne 1926e)  
 Perth  
*Macrophomina phaseolina* (Tassi) Goida. Stem rot (Carne 1926e as *Rhizoctonia bataticola*)  
 Perth  
*Sclerotium rolfsii* Sacc. Crown rot (Doepel 1964 as *Corticium rolfsii*) 1932  
 Perth
- Picris hieracioides** L. (Hawkweed)  
*Puccinia hieracii* (Roehl.) Mart. Rust PERTH 791989 (1915) (MacNish 1963a)  
 Perth
- Pimelea ferruginea** Labill.  
*Fusarium solani* (Mart.) Sarc. Associated with root rot IMI 325392 (1988)  
 Bunbury  
*Phytophthora cactorum* (Leb. & Cohn) Schrot. Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery  
*Phytophthora cinnamomi* Rands Associated with root rot (Hardy and Sivasithamparam 1988)  
 Wanneroo  
*Phytophthora cryptogea* Pethybr. & Laff. Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery  
*Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery  
*Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Pimelea rosea** R. Br.  
*Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot (DCE records 1984)  
 Perth
- Pimelea** sp.  
*Fusarium solani* (Mart.) Sacc. Associated with root rot IMI 325392 (1988)  
 Bunbury  
*Phytophthora cinnamomi* Rands Root rot (PPB records 1985)  
 Perth  
*Phytophthora nicotianae* Breda de Haan var. *parasitica* (Dastur) Waterhouse Root rot IMI 132466 (1968)  
 Perth
- Pinus patula** Schiede & Deppe in Schlecht. & Cham.  
*Pythium spinosum* Sawada Root rot IMI 122824 (FR records 1980) 1966  
 Westcliffe
- Pinus pinaster** Aiton (Maritime pine)  
*Aureobasidium pullulans* (de Bary) Arnand Shoot canker (MacNish 1967) 1963  
 Lake Pinjar  
*Fusarium oxysporum* Schlecht. Root rot (FR records 1980) 1966  
 Wanneroo  
*Macrophomina phaseolina* (Tassi) Goida. Root rot IMI 130980 (1966)  
 Wanneroo  
*Phytophthora cinnamomi* Rands Root rot IMI 122044 (1966) (Batini and Podger 1968)  
 South-west region  
*Sphaeropsis sapinea* (Fr.) Dyko & Sutton Associated with tip die-back of cuttings (CALM records 1988)  
 Gnangara
- Pinus radiata** D. Don. (Monterey pine)  
*Botryosphaeria ribis* Grossenb. & Dugg. Associated with stem canker (CALM records 1987)  
 Manjimup  
*Pestalotiopsis royaenae* (Guba) Steyaert Needle drop IMI 115678 (1965) (MacNish 1967)  
 Harvey  
*Phytophthora cinnamomi* Rands Root rot (Chevis and Stukely 1982)  
 Dörrybrook  
*Phytophthora citricola* Sawada Associated with root rot (Chevis and Stukely 1982)

Donnybrook  
*Phytophthora cryptogea* Pethybr. & Laff. Root rot IMI 116465 (1966) (MacNish 1967) 1965

North Bannister  
*Phytophthora megasperma* Drechsler Associated with die-back (Chevis and Stukely 1982)

Donnybrook  
*Rhizoctonia* sp. Associated with seedling needle blight DCE 377 (1987)

Manjimup  
*Sphaeropsis sapinea* (Fr.) Dyko & Sutton Associated with tip die-back of cuttings (CALM records 1988)

Gnangara  
*Pythium anandrum* Drechsler Associated with dead roots DCE 176 (1980)

Jarrahdood  
*Pythium irregularare* Buisman Associated with dead roots (FD records 1980)

Nannup  
*Pythium mamillatum* Meurs-Hickman Associated with dead seedlings (FD records 1980)

Nannup

**Pinus** sp.  
*Aruillaria* sp. Root rot (Goss 1964h as *A.mellea*) 1935

Manjimup  
*Pleurotus nidiformis* (Berk.) Sacc. Associated with root rot (Carne 1927d as *P.lanipes*) 1926

Coolup  
*Thelphthora terrestris* Ehrh. : Fr. Smothering of seedlings (Carne 1927c)

Perth

**Pistacia vera** L. (Pistachio)  
*Alternaria* sp. Leaf spot DAR 44540 (1983)

Gingin

**Pisum sativum** L. (Garden pea, Field pea)  
*Ascochyta pisae* Lib. Black spot PERTH 796719 (1927) IMI 132399 (1968) (Stoward 1912)

South-west region  
*Coniella diplodiella* (Speg.) Petr. & Syd. Associated with root rot IMI 124759 (1967)

*Didymella pinodes* (Berk. & Blox.) Petr., stat. conid. *Ascochyta pinodes* Jones Leaf spot PERTH 804576 (1923) IMI 213128 (1977) (Carne 1925b as *Mycosphaerella pinodes*)

South-west region  
*Fusarium acuminatum* Ellis & Everh. Associated with root rot IMI 129098 (1967)

*Fusarium avenaceum* (Corda : Fr.) Sacc. Stem lesions and root rot IMI 291573 (1985) 1967

South-west region  
*Fusarium moniliforme* Sheldon var. *subglutinans* Wollenw. & Reinking Associated with root rot IMI 124499 (1967)

Kendenup  
*Fusarium oxysporum* Schlecht. f.sp. *?pisi* (van Hall) Snyder & Hansen Wilt, crown and stem lesions IMI 291574 (1984) (Chambers 1959) 1930

South-west region  
*Fusarium sanabicinum* Fuckel Associated with root rot IMI 124497 (1967)

Kendenup  
*Fusarium semitectum* Berk. & Rav. Associated with root rot IMI 129075 (1967)

*Fusarium solani* (Mart.) Sacc. f.sp. *?pisi* (Jones) Snyder & Hansen Foot rot IMI 129072 (1967) (Chambers 1959) 1926

South-west region  
*Mycosphaerella tassiana* (de Not.) Johanson, stat. conid. *Cladosporium herbarum* (Pers.) Link : Gray Leaf blotch (Chambers 1959 as *M.tulasnei*) 1918

General  
*Oidium* sp. Powdery mildew (Chambers 1959 as *Erysiphe polygoni*) 1932

South-west region  
*Peronospora viciae* (Berk.) Casp. Downy mildew PERTH 822523 (1929) (Carne 1926e) 1924

South-west region  
*Phoma medicaginis* Malbr. & Roum. var. *pinodella* (Jones) Boerema Root rot and black spot (Cass Smith 1954 as *Ascochyta pinodella*)

South-west region  
*Pleospora infectoria* Fuckel, stat. conid. *Alternaria* sp. Associated with root rot IMI 132398 (1968)

Medina  
*Pseudomonas syringae* pv. *pisi* (Sackett) Young, Dye & Wilkie Blight (Chambers 1959 as *P.pisi*, Chambers 1960 host as *P.arvensis*) 1943

Boyup Brook  
 Identity of pathovar doubtful

*Rhizoctonia solani* Kuhn Root and stem rot IMI 132397 (1968) (Carne 1926e as *Corticium vagum*) 1926

South-west region  
*Septoria pisi* Westend. Leaf spot PERTH 831603 (1942) (Sutton 1936)

South-west region

**Platanus acerifolia** (Ait.) Willd. (London plane tree)  
*Discula unibrinella* (Berk. & Broome) Sutton Scorch (PPB records 1980)

Manjimup  
*Oidium* sp. Powdery mildew PERTH 795607 (1985)

Perth

**Platanus orientalis** L. (Oriental plane tree)  
*Discula unibrinella* (Berk. & Broome) Sutton Scorch (Goss 1964b as *Gnomonia veneta*) 1930

Mundaring

**Platysace compressa** (Labill.) Norman  
*Phytophthora cinnamomi* Rands Root rot IMI 13659 (1966) (Podger 1972)

Jarrahdood

**Plectrachne bynoei** C.E. Hubb.  
*Balanus sclerotica* (Pat.) Hohnel Node galls PERTH 741884 (1986)

Mitchell Plateau

**Poa annua** L. (Annual blue grass)  
*Puccinia poarum* Niels. Rust PERTH 804142 (1924) (Carne 1925b) 1923

Perth

**Poa bulbosa** L. (Bulbous blue grass)  
*Puccinia coronata* Corda Crown rust PERTH 800872 (1927) (Chambers 1960)

Perth

**Poa poiformis** (Labill.) Druce (Tussock grass)  
*Puccinia graminis* Pers. Stem rust PERTH 800376 (1959) (Chambers 1960, host as *P.australis*) 1957

Pallinup River, Rottnest Island

**Poa pratensis** L. (Kentucky blue grass)  
*Drechslera poae* (Baudys) Shoemaker Associated with leaf spot IMI 136708 (1968) (Sivanesan 1987)

*Fusarium concolor* Reinking Associated with brown patch IMI 126502 (1967)

Perth

*Myrothecium striatisporum* Preston Associated with brown patch IMI 126495 (1967)

Perth

*Myrothecium verrucaria* (Alb. & Schw.) Ditm. : Fr. Associated with brown patch IMI 126494 (1967)

Perth

*Puccinia poarum* Niels. Rust PERTH 801496 (1961) (Chambers 1961)

South-west region

**Podocarpus drouynianus** F. Muell.  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1965

Mt. Lindsay

**Polygonum aviculare** L. (wireweed)  
*Uromyces polygoni-aviculare* (Pers.) Karst. Rust PERTH 824089 (1955) (MacNish 1963a as *U.polygoni*)

General

**Polypogon monspeliensis** (L.) Desf. (Beard grass)  
*Drechslera campanulata* (Lev.) B.C. Sutton Leaf spot (MacNish 1967 as *D.verticillata*) 1964

Beverley

*Puccinia coronata* Corda Crown rust (Chambers 1960) 1956

South-west region

**Poncirus trifoliata** (L.) Raf. (Trifoliate orange)  
*Fusarium oxysporum* Schlecht. : Fr. Associated with root rot IMI 133815 (1968)

Harvey

*Fusarium solani* (Mart.) Sacc. Associated with root rot IMI 133817 (1968)

General

*Phytophthora cambivora* (Petri) Buisman Associated with root rot IMI 149073 (1970)

Perth

*Phytophthora cryptogea* Pethybr. & Laff. Associated with root rot IMI 150055 (1970)

Perth

*Pythium gracile* Schenk Associated with root rot IMI 151034 (1970)

Perth

*Pythium irregularare* Buisman Associated with root rot IMI 149298 (1970)

Perth

*Pythium spinosum* Sawada Associated with root rot IMI 150050 (1970)

Perth

*Pythium splendens* Braun Associated with root rot IMI 146790 (1970)

Perth

**Poncirus trifoliata** (L.) Raf. X *Citrus sinensis* (L.) Osbeck (Citrange)  
*Pythium irregularare* Buisman Associated with root rot IMI 149850 (1970)

Perth

*Pythium spinosum* Sawada Associated with root rot IMI 150964 (1970)

Perth

*Pythium spleudens* Braun Associated with root rot IMI 150049 (1970)

Perth

**Populus nigra** L. (Black poplar)  
*Taphrina populina* Fr. Yellow leaf blister (Goss 1964b) 1948

Perth

**Populus nigra** L. var. *italica* Muenchh. (Lombardy poplar)  
*Melampsora larici-populina* Kleb. Rust IMI 188884 (1974) (Anon. 1975)

South-west region

*Taphrina populina* Fr. Yellow leaf blister DAR 43097 (1982) (Cass Smith 1949a as *Taura*)

Dale River

**Portulaca oleracea** L. (Pigweed)  
*Albugo portulacae* (DC.) Kuntze White rust PERTH 808784 (1954) (Goss 1964b)

Perth

*Sclerotinia sclerotiorum* (Lib.) de Bary Crown rot (Henderson 1962)

Perth

**Premna acuminata** R.Br.  
*Crossopsonia premnae* (Petch) H. Syd. & Syd. Rust UWA 2606 (1982)

Derby

**Prasophyllum nigricans** R.Br.

*Uromyces* sp. Rust (Nichol et al. 1988)  
Esperance

**Protea** sp.

*Alternaria* sp. (produces a *Lewia* sp. teleomorph in culture) Associated with leaf spot IMI 320290 (1987)  
Dwellingup  
*Phytophthora drechsleri* Tucker Associated with root rot IMI 318280 (1987)  
Perth, Yallingup  
*Pythium manihatum* Meurs-Hickman Associated with root rot IMI 314313 (1987)  
Bunbury  
*Stemphylium alfalfae* Simmons Leaf lesion IMI 314311 (1987)  
Vasse

**Prunus armeniaca** L. (Apricot)

*Agrobacterium tumefaciens* (E.F. Smith & Townsend) Conn Crown gall (Doepel 1964) 1930  
Perth  
*Armillaria luteobubalina* Watling & Kile Root rot DAR 55848 (1983) (Doepel 1962b as *A.mellea*) 1927  
South-west region  
*Botryosphaeria stevensii* Shoemaker Associated with twig blister IMI 130302 (1968) as *Physalospora mutila*  
*Botryotis cinerea* Pers. : Fr. Green rot (Stoward 1913)  
South-west region  
*Cladosporium carpophilum* Thum. Freckle (MacNish 1964a) 1963  
South-west region  
*Coriolus versicolor* (L.) Quel. Wood rot (Doepel 1964) 1960  
South-west region  
*Fusarium sambucinum* Fuckel var. *coeruleum* Wollenw. Associated with twig blister IMI 130302 (1968)  
*Oidium* sp. Powdery mildew (MacNish 1964a) 1963  
Perth

*Phoma pomorum* Thum. Associated with shot hole (McAlpine 1895 as *Phyllosticta circumscissa*)  
South-west region

*Pseudomonas syringae* pv. *syringae* van Hall Bacterial canker (Baron-Hay 1948 as *Bacterium ?cerasi prunicola*) 1946

Perth  
*Pycnoporus coccineus* (Fr.) Bond. & Singer Wood rot (Doepel 1964 as *Coriolus sanguineus*) 1960  
South-west region  
*Schizophyllum commune* Fr. Wood rot PERTH 794015 (1922) (Carne 1927d)  
Kalamunda  
*Sclerotinia sclerotiorum* (Lib.) de Bary Calyx rot IMI 132793 (1968) (Carne 1926e) 1925  
South-west region  
*Sporocadus carpophilus* (Lev.) von Arx Shot hole PERTH 828424 (1920) (Stoward 1913 as *Clasterosporium carpophilum*, Doepel 1964 as *Stigmina carpophila*)  
South-west region  
*Taphrina deformans* (Berk.) Tul. Leaf curl (Herbert 1920b)  
South-west region  
*Tranzschelia discolor* (Fuckel) Tranz. & Litv. Rust (Stoward 1913)  
South-west region  
*Verticillium dahliae* Kleb. Black heart (PPB records 1982)  
Roleystone

**Prunus avium** (L.) L. (Sweet cherry)

*Agrobacterium tumefaciens* (E.F. Smith & Townsend) Conn Crown gall (Doepel 1964) 1955  
Palmyra  
*Armillaria luteobubalina* Watling & Kile Root rot (Despeissis 1908 as *A.mellea*)  
South-west region  
*Daedalea* sp. Wood rot PERTH 789259 (1943) (Doepel 1964)  
Bridgetown  
*Pseudomonas syringae* pv. *syringae* van Hall Bacterial canker (Moffett 1983)  
Armadale  
*Sporocadus carpophilus* (Lev.) von Arx Shot hole (Carne 1927d as *Clasterosporium carpophilum*) 1926  
Jardee

**Prunus domestica** L. (Common plum)

*Agrobacterium tumefaciens* (E.F. Smith & Townsend) Conn Crown gall (Carne 1926e as *Pseudomonas tumefaciens*)  
Carmel  
*Armillaria luteobubalina* Watling & Kile Root rot (Doepel 1962b as *A.mellea*) 1926  
South-west region  
*Pseudomonas syringae* pv. *syringae* van Hall Bacterial canker (Goss 1958) 1955  
South-west region  
*Pycnoporus coccineus* (Fr.) Bond. & Singer Wood rot (Doepel 1964 as *Coriolus sanguineus*) 1931  
South-west region  
*Schizophyllum commune* Fr. Wood rot (Carne 1927d) 1931  
Perth  
*Sclerotinia sclerotiorum* (Lib.) de Bary Green rot (Doepel 1964) 1919  
Mt Barker

*Sporocadus carpophilus* (Lev.) von Arx Shot hole PERTH 819352 (1957)

(Carne 1925b as *Clasterosporium carpophilum*)  
South-west region

*Trauzschelia discolor* (Fuckel) Tranz. & Litv. Rust (McAlpine 1895 as *Puccinia pruni-spinosae*)  
South-west region  
*Xanthomonas campestris* pv. *pruni* (Erw. Smith) Dye Bacterial spot (Doepel 1964 as *X.pruni*) 1956  
South-west region

**Prunus dulcis** (Mill.) D.A. Webb (Almond)

*Agrobacterium tumefaciens* (E.F. Smith & Townsend) Conn Crown gall (Doepel 1964) 1950

Perth  
*Armillaria luteobubalina* Watling & Kile Root rot (Doepel 1964 as *A.mellea*)  
South-west region

*Sporocadus carpophilus* (Lev.) von Arx Shot hole IMI 133829 (1968) (Herbert 1919 as *Clasterosporium carpophilum*)  
South-west region

*Taphrina deformans* (Berk.) Tul. Leaf curl (Herbert 1920b)  
South-west region  
*Tranzschelia discolor* (Fuckel) Tranz. & Litv. Rust PERTH 819395 (1926) (McAlpine 1895 as *Puccinia pruni-spinosae*)  
South-west region

**Prunus persica** (L.) Batsch. (Peach, Nectarine)

*Agrobacterium tumefaciens* (E.F. Smith & Townsend) Conn Crown gall (Doepel 1964) 1952

South-west region  
*Armillaria luteobubalina* Watling & Kile Root rot (Doepel 1962b as *A.mellea*) 1926  
South-west region

*Botrytis cinerea* Pers. : Fr. Fruit rot (Doepel 1964) 1925  
Perth  
*Cladosporium carpophilum* Thum. Scab (Newman 1911)  
Perth

*Coriolus versicolor* (L.) Quel. Wood rot (Doepel 1964, Doepel et al. 1979 as *C.velutinus*) 1959  
South-west region

*Diaporthe eres* Nitschke Fruit rot IMI 157414 (1972)  
Manjimup

*Phoma pomorum* Thum. Shot hole PERTH 807265 (Doepel 1964 as *Phyllosticta prunicola*) 1932  
Perth

*Phytophthora cinnamomi* Rands Stem rot (PPB records 1981)  
Dwellingup

*Pseudomonas syringae* pv. *syringae* van Hall Bacterial canker (PPB records 1976)  
South-west region

*Punctularia strigosa-zonata* (Schw.) Talbot Associated with dieback (Doepel 1964 as *Stereum strigoso-zonatum*) 1960  
South-west region

*Pycnoporus coccineus* (Fr.) Bond. & Singer Wood rot (Doepel 1964 as *Coriolus sanguineus*) 1959  
Perth

*Rhizopus stolonifer* (Ehrenb. : Fr.) Lind Fruit rot (Stoward 1913 as *R.nigricans*)  
General

*Schizophyllum commune* Fr. Wood rot (Carne 1927d)  
Dwarsdale

*Sclerotinia sclerotiorum* (Lib.) de Bary Green rot (PPB records 1975)  
South-west region

*Sporocadus carpophilus* (Lev.) von Arx Shot hole IMI 132792 (1968) (Stoward 1913 as *Clasterosporium carpophilum*)  
South-west region

*Stereum hirsutum* (Willd.) Pers. : Gray Wood rot (Doepel 1964) 1929  
Wattle Grove

*Taphrina deformans* (Berk.) Tul. Leaf curl PERTH 796735 (1923) (McAlpine 1895)  
South-west region

*Tranzschelia discolor* (Fuckel) Tranz. & Litv. Rust PERTH 818844 (1922) (McAlpine 1895 as *Puccinia pruni-spinosa*)  
South-west region

*Xanthomonas campestris* pv. *pruni* (Erw. Smith) Dye Bacterial spot (Moffett 1983)  
South-west region

**Prunus salicina** Lindl. (Japanese plum)

*Agrobacterium tumefaciens* (E.F. Smith & Townsend) Conn Crown gall (Carne 1927d) 1926

Perth

**Prunus** sp. (Ornamental peach)

*Agrobacterium tumefaciens* (E.F. Smith & Townsend) Conn Crown gall (Goss 1964b) 1959

Perth

*Sporocadus carpophilus* (Lev.) von Arx Shot hole (Goss 1964b as *Clasterosporium carpophilum*) 1957

Perth

*Taphrina deformans* (Berk.) Tul. Leaf curl (Goss 1964b) 1956

Perth

**Pseudotsuga menziesii** (Mirbel) Franco (Douglas-fir)

*Phytophthora cinnamomi* Rands Root rot (MacNish 1967, host as *P.fuscifolia*) 1965

Hamel

**Psidium guajava** L. (Guava)

*Glomerella cingulata* (Stoneman) Spaulding & Schrenk, stat. conid.  
*Colletotrichum gloeosporioides* (Penz.) Penz. & Sacc. Fruit rot IMI 115680

(1965) (MacNish 1967)

Perth

*Phomopsis psidii* Nag Raj & Ponnappa Associated with fruit rot IMI 328192 (1988)

Perth

**Pteridium esculentum** (G. Forster) Cockayne

*Armillaria* sp. Root rot (Pearce 1982)

**Ptilotus polystachyus** (Gaudich.) F. Muell. (Mulla mulla)

*Albngo ?bili* (Biv.) Kuntze White rust PERTH 803618 (MacNish 1964a, host as *Trichinium alopecuroides*) 1963

Eneabba

**Puccinellia ciliata** Bor

*Puccinia* sp. Rust (MacNish 1967, host as *P.capillaris*) 1963

Esperance

**Puccinellia stricta** (J.D. Hook.) C. Blom (Swamp grass)

*Claviceps purpurea* (Fr.) Tul. Ergot PERTH 779733 (1980)

Esperance Downs Research Station

**Pultenaea reticulata** (Smith) Benth.

*Phytophthora cinamomi* Rands Root rot (Podger 1972) 1965

Dardanup

**Pyracantha** sp.

*Phytophthora* sp. Root rot (Goss 1964b) 1956

Manjimup

**Pyrus communis** L. (Pear)

*Agrobacterium tumefaciens* (E.F. Smith & Townsend) Conn Crown gall (Doepel 1964) 1926

South-west region

*Alternaria* sp. Fruit rot (Carne 1927d)

General

*Armillaria Inteobnhalina* Watling & Kile Root rot (Carne 1925b as *A.mellea*)

South-west region

*Botryosphaeria obtusa* (Schw.) Shoemaker, stat. conid. *Sphaeropsis* sp. Black rot (Herbert 1920b as *S.malorum*)

Mount Barker

*Botrytis cinerea* Pers. : Fr. Fruit rot (MacNish 1967) 1963

South-west region

*Colletotrichum gloeosporioides* (Penz.) Penz. & Sacc. Bitter and ripe rot (Carne 1927d)

South-west region

*Coniothecium* sp. Blister canker (Carne 1924c)

Darling Range

*Coriolus versicolor* (L.) Quel. Wood rot (MacNish 1964a as *C.zonatus*) 1961

Karragullen

*Diplodia* sp. Stem canker PERTH 810916 (1961) (Carne 1924c)

Capel

*Entomosporinm mespili* (DC. : Duby) Sacc. Fleck PERTH 784605 (1965) (Doepel 1966 as *Fabrea maculata*)

Perth

*Fusarium moniliforme* Sheldon Associated with root rot IMI 157764 (1971)

Parkerville

*Penicillium expansum* Link Blue mould (Carne 1927d)

General

*Penicillium roquefortii* Thom Storage rot (PPB records 1987)

Karragullen

*Phytophthora cactorum* (Leb. & Cohn) Schrot. Associated with root rot IMI 150462 (1970)

Perth

*Phytophthora cambivora* (Petri) Buisman Associated with root rot IMI 150724 (1970)

Perth

*Phytophthora cryptogea* Pethybr. & Laff. Associated with root rot IMI 150057 (1970)

Perth

*Podosphaera leucotricha* (Ellis & Everh.) Salmon Powdery mildew (Despeissis 1903b as *P.kunzei*)

South-west region

*Podosphaera oxyacanthae* (DC.) de Bary Powdery mildew (Carne 1925b)

General

*Pseudomonas syringae* pv. *syringae* van Hall Blossom blast (PPB records 1964)

South-west region

*Pythium echinulatum* Matthews Associated with root rot IMI 143370 (1969)

Perth

*Pythium irregularare* Buisman Associated with root rot IMI 112205 (1965)

Perth

*Pythium oligandrum* Drechsler Associated with root rot IMI 112103 (1965)

Perth

*Pythium spinosum* Sawada Associated with root rot IMI 1149069 (1970)

Perth

*Pythium splendens* Braun Associated with root rot IMI 145993 (1970)

Perth

*Venturia pyrina* Aderh., stat. conid. *Fusicladium pyriform* (Lib.) Fuckel Black spot PERTH 816728 (1922) (McAlpine 1895)

South-west region

**Pyrus pashia** D. Don (Pear rootstock)

*Ascochyta piricola* Sacc. Leaf spot IMI 110898 (1965) (MacNish 1967)

Stoneville

**Quercus suber** L. (Cork oak)

*Botryosphaeria ribis* Grossenb. & Dugg. Associated with stem canker (DCE records 1984)

Dardanup

**Quercus** sp. (Oak)

*Colletotrichum gloeosporioides* (Penz.) Penz. & Sacc. Leaf spot IMI 215237 (1977)

Perth

*Oidium* sp. Powdery mildew PERTH 794600 (1985)

Perth

**Ranunculus lappaceus** Sm. (Common buttercup)

*Pythium* sp. Root rot (Goss 1964b) 1955

Mordalup

*Septoria* sp. Leaf spot PERTH 785571 (1923) (Goss 1964b)

Cardup

**Raphanus raphanistrum** L. (Wild radish)

*Albngo candida* (Pers. : Hook.) Kuntze White rust PERTH 807745 (1956) (MacNish 1963a) 1929

Carnarvon, Perth

*Alternaria brassicae* (Berk.) Sacc. Lead, pod and stem lesions IMI 151659 (1970)

Mount Walker

*Leptosphaeria maculans* (Desm.) Ces. & de Not., stat. conid. *Phoma lingam* (Tode : Fr.) Desm. Blackleg IMI 173036 (1973) (Anon. 1973, Barbett 1978)

South-west region

*Xanthomonas campestris* pv. *campestris* (Pammel) Dowson Black rot (Cass Smith 1962)

General

**Raphanus sativus** L. (Radish)

*Albngo candida* (Pers. : Hook.) Kuntze White rust PERTH 784036 (Chambers 1959) 1944

Perth

*Aphanomyces raphani* Kendrick Black root (Chambers 1961) 1958

Perth

*Plasmiodiophora brassicae* Woron. Club root (Chambers 1959) 1931

Perth

**Regelia velutina** (Turcz.) C. Gardner

*Phytophthora nicotianae* Breda de Haan var. *parasitica* (Dastur) Waterhouse Root rot (PPB records 1985)

Wanneroo

**Retama monosperma** (L.) Boiss. (White broom)

*Agrobacterium tumefaciens* (E.F. Smith & Townsend) Conn Crown gall (MacNish 1964a, host as *Genista monosperma*) 1962

Perth

**Rheum rhabarbarum** L. (Rhubarb)

*Armillaria* sp. Root rot (Herbert 1919 as *A.mellea*) 1919

Albany

*Ascochyta rhei* Ellis & Everh. Leaf spot PERTH 831050 (1954) (Carne 1925b as *Phyllosticta* sp., Chambers 1959) 1924

South-west region

*Erwinia carotovora* pv. *carotovora* (Jones) Bergey, Harrison, Breed, Hammer & Huntsoon Soft rot (Chambers 1959) 1928

Perth

*Peronospora* sp. Downy mildew (PPB records 1982)

South-west region

*Phoma macrostoma* Mont. On leaves IMI 208988 (1976)

Perth

*Phyllosticta* sp. Leaf spot PERTH 799858 (1924)

Perth

*Phytophthora* sp. Crown rot (Carne 1925b) 1924

*Puccinia phragmitis* (Schum.) Kornicke Rust (Carne 1925b) 1918

Perth

*Ramularia ?rhei* Allesch. Leaf spot (Chambers 1959) 1957

Perth

**Rhododendron** sp. (Azalea)

*Botrytis* sp. Leaf spot, flower blight (MacNish 1967) 1963

Perth

*Exobasidium japonicum* Shirai Azalea gall (MacNish 1967 as *E.vaccinii*) 1963

South-west region

*Phytophthora citricola* Sawada Associated with root rot (Hardy and Sivasithamparam 1988, host as *Azalea indica*)

Plant Production Nursery

*Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988, host as *Azalea indica*)

Plant Production Nursery

*Pythium ananдрum* Drechsler Associated with root rot IMI 133197 (1968)

Perth

**Ribes uva-crispa** L. (European gooseberry)

*Oidium* sp. Powdery mildew (PPB records 1983)

Nannup

**Ricinocarpus tuberculatus** Muell. Arg.

*Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot (DCE records 1984)

Perth

- Ricinus communis** L. (Castor-oil plant)  
*Cladosporium* sp. Black mould on pods (MacNish 1963a) 1960  
 Kununurra
- Rosa** hybrids (Rose)  
*Agrobacterium tumefaciens* (E.F. Smith & Townsend) Conn Crown gall (Goss 1964b) 1922  
 South-west region  
*Armillaria* sp. Root rot (Despeissis 1908 as *A. mellea*)  
 South-west region  
*Botrytis cinerea* Pers. : Fr. Grey mould (Baron-Hay 1945) 1928  
 Perth  
*Capnodium* sp. Sooty mould (Goss 1964b) 1923  
 Doubtful record  
*Coniothyrium fuckelii* Sacc. Stem canker (Goss 1964b) 1956  
 Perth  
*Coniothyrium wernsdorffiae* Laubert Brand canker (Goss 1964b) 1959  
 Perth  
*Fusarium oxysporum* Schlecht. Associated with dieback IMI 134769 (1968)  
 Bassendean  
*Marssonina rosae* (Lib.) Died. Black spot PERTH 799300 (1925) (Stoward 1913 as *Actinotenia rosae*)  
 south-west region  
*Meliola* sp. Sooty mould (Goss 1964b) 1923  
 Doubtful record  
*Oidium* sp. Powdery mildew PERTH 799335 (1921) (Stoward 1913 as *Sphaerotheca panuosa*)  
 South-west region  
*Peronospora sparsa* Berk. Downy mildew (PPB records 1983)  
 Perth  
*Phoma glomerata* (Corda) Wollenw. & Hochpf. Associated with stem canker IMI 134995 (1968)  
 Bassendean  
*Phragmidium mucronatum* (Pers.) Schlecht. Rust PERTH 781851 (1958) (Goss 1964b) 1941  
 South-west region  
*Phragmidium tuberculatum* J. Muller Rust UWA 3381 (1986)  
 Perth  
*Pseudomonas syringae* pv. *syringae* van Hall Blight (Goss 1964b) 1957  
 South-west region  
*Pythium irregularare* Buisman Associated with root rot IMI 136146 (1968)  
 Perth  
*Pythium ultimum* Trow Associated with root rot IMI 136145 (1968)  
 Perth  
*Sphaceloma rosarum* (Pass.) Jenkins Anthracnose (Goss 1964b) 1949  
 South-west region
- Rubus fruticosus** L. sens. lat. (Blackberry)  
*Kuehneola uredinis* (Link) Arth. Rust PERTH 821012 (1984) (McKenzie Clark 1951)  
 South-west region  
*Phragmidium violaceum* (Schultz) Wint. Rust PERTH 829943 (1985)  
 Introduced as an agent of biological control into the south-west region in 1984
- Rubus idaeus** L. (Raspberry)  
*Piragnidium rubi-idaei* (Pers.) Karst Rust IMI 199378 (1975)  
 Manjimup  
*Septoria* sp. Leaf spot (PPB records 1971)  
 Mt Barker  
*Sphaceloma necator* (Ellis & Everh.) Jenkins & Shear Anthracnose (Doepel 1964) 1958  
 South-west region
- Rubus macropetalus** Dougl. : Hook. (Kroonberry)  
*Kuehneola uredinis* (Link) Arth. Rust (Carter 1986) 1984  
 Manjimup, Nannup
- Rubus ursinus** Cham. & Schlect. (Youngberry)  
*Kuehneola uredinis* (Link) Arth. Rust (PPB records 1984)  
 Manjimup  
*Septoria rubi* Westend. Leaf spot PERTH 792446 (1984)  
 Manjimup  
*Sphaceloma necator* (Ellis & Everh.) Jenkins & Shear Anthracnose (Doepel 1964) 1958  
 South-west region
- Rubus ursinus** var.*loganbaccus* L.H. Bailey (Loganberry)  
*Kuehneola uredinis* (Link) Arth. Rust (McKenzie Clark 1915)  
 Manjimup  
*Sphaceloma necator* (Ellis & Everh.) Jenkins & Shear Anthracnose (Doepel 1964) 1955  
 South-west region  
*Uredo* sp. Rust IMI 223131 (1977)  
 Nannup
- Rumex acetosella** L. (Sorrel)  
*Fusarium* sp. Root rot (MacNish 1963) 1960  
 Bridgetown  
*Sporotrichum pruinosum* Gilman & Abbot Associated with leaf spot IMI 252341 (1980)  
 Albany
- Rumex conglomeratus** Murray (Cluster dock)  
*Ramularia rubella* (Bon.) Nannf. in Lundell & Nannf. Leaf spot PERTH 816183 (1959) (MacNish 1963a as *Ovularia* sp.)  
 Wanneroo
- Rumex crispus** L. (Curled dock)  
*Ramularia rubella* (Bon.) Nannf. in Lundell & Nannf. Leaf spot PERTH 816272 (1923)  
 Perth  
*Uromyces rumicis* (Schum.) Winter Rust (Shivas 1987)  
 South Perth
- Rumex pulcher** L. (Fiddle dock)  
*Uromyces rumicis* (Schum.) Winter Rust PERTH 838381 (1986) (Shivas 1987)  
 South Perth  
*Ustilago parlatorei* Fisch. von Waldh. Smut IMI 192373 (1975) (Anon. 1975)  
 Keysbrook
- Saccharum officinarum** L. (Sugarcane)  
*Curvularia brachyspora* Boedijn IMI 109781a (1964) (Sivanesan 1987)  
 Kimberley  
*Fusarium moniliforme* Sheldon Pokkah boeng (PPB records 1982)  
 Kununurra  
*Phyllosticta* sp. Leaf spot (PPB records 1983)  
 Kununurra  
*Pseudomonas rubrilineans* (Lee, Purdy, Barnum & Martin) Stapp Red stripe (PPB records 1984)  
 Kununurra  
*Xanthomonas campestris* (Pammel) Dowson Associated with red-stripe IMI B10366 (1984)  
 Kununurra
- Saintpaulia ionantha** Wendl. (African-violet)  
*Botrytis* sp. Leaf rot (MacNish 1964a) 1961  
 Perth
- Saintpaulia** sp.  
*Oidium* sp. Powdery mildew (Goss 1964b) 1960  
 Perth
- Salix babylonica** L. (Weeping willow)  
*Armillaria* sp. Root rot (MacNish 1967 as *A. mellea*) 1964  
 Perth
- Salix** sp.  
*Melampsora coleosporioides* Diet. Rust PERTH 791350 (1985)  
 Rolystone
- Salsola kali** L. (Prickly saltwort)  
*Uromyces chenopodii* (Duby) Schrot. in Kunze Rust PERTH 830518 (1963) (MacNish 1964a as *U. salsolae*)  
 East Yuna
- Sansevieria trifasciata** Prain (Mother-in-law's tongue)  
*Erwinia carotovora* pv. *carotovora* (Jones) Bergey, Harrison, Breed, Hammer & Huntoon Soft rot (Goss 1964b) 1960  
 Perth
- Salvia** sp.  
*Capnodium* sp. Sooty mould (Goss 1964b) 1957  
 Doubtful record  
*Meliola* sp. Sooty mould (Goss 1964b) 1957  
 Doubtful record
- Santalum lanceolatum** R.Br. (Sandalwood)  
*Colletotrichum gloeosporioides* (Penz.) Penz. & Sacc. Leaf spot PERTH 821578 (1986)  
 Kununurra
- Santalum spicatum** (R.Br.) A.DC. (Quandong)  
*Cercospora santalacea* Copinathan Nair Associated with leaf spot IMI 135012b (1968)  
 Perth  
*Phoma glomerata* (Corda) Wollenw. & Hochpf. Associated with leaf spot IMI 135012a (1968)  
 Perth
- Scabiosa** sp.  
*Colletotrichum* sp. Leaf spot (Goss 1964b as *Gloeosporium* sp.) 1955  
 Perth
- Scaevola canescens** Benth. in Endl., Fenzl., Benth. & Schott  
*Puccinia saccardoii* Ludw. Rust PERTH 792438 (1984)  
 Wanneroo
- Scaevola chrysopogon** Carolin  
*Puccinia saccardoii* Ludw. Rust Beard 711 (PERTH) (1974)  
 Nerren Nerren
- Scaevola cuneiformis** Labill.  
*Puccinia saccardoii* Ludw. Rust George 2236 (PERTH) (1960)  
 Mt Le Grand
- Scaevola hamiltonii** Krause in Engl.  
*Puccinia saccardoii* Ludw. Rust Robinson 282 (PERTH) (1966)  
 Lake More
- Scaevola lanceolata** Benth. in Engl., Fenzl., Benth. & Schott  
*Puccinia saccardoii* Ludw. Rust Halliday 164 (PERTH) (1974)  
 Nambung National Park
- Scaevola oxyclona** F. Muell.  
*Puccinia saccardoii* Ludw. Rust Blackall 1219 (PERTH) (1931)  
 Norseman
- Scaevola paludosa** R.Br.  
*Puccinia saccardoii* Ludw. Rust PERTH 819956 (1928) (MacNish 1963a as *P. daupiæreæ*)  
 Perth
- Scaevola phlebopetala** F. Muell.  
*Puccinia saccardoii* Ludw. Rust Whibley 4821 (PERTH) (1974)  
 South Irwin
- Scaevola pilosa** Benth. in Endl., Fenzl., Benth. & Schott  
*Puccinia saccardoii* Ludw. Rust PERTH 795143 (1984)  
 Darling Ranges

- Scaevola restiacea** Benth.  
*Puccinia saccardoi* Ludw. Rust Pritzel (PERTH) (1901)  
 Coolgardie
- Scaevola sericophylla** F. Muell. : Benth.  
*Puccinia saccardoi* Ludw. Rust Fairall 367 (PERTH) (1962)  
 Wagin
- Scaevola** sp.  
*Uromyces scaevolae* G.Cunn. Rust PERTH 819921 (1959) (MacNish 1963a as *U. puccinoides*)  
 Moora
- Schefflera actinophylla** (Endl.) Harms (Umbrella tree)  
*Armillaria* sp. Root rot (Doepel 1962b as *A. mellea*, host as *Brassia actinophylla*) 1959  
 South-west region  
*Pseudomonas syringae* van Hall Associated with leaf discoloration (PPB records 1981)  
 Perth
- Schinus molle** L. (Pepper-corn tree)  
*Botrytis* sp. Grey mould (Goss 1964b) 1941  
 Hamel
- Schismus barbatus** (L.) Thell. in Schinz & Thell. (Arabian grass)  
*Puccinia coronata* Corda Rust (MacNish 1964a) 1963  
 Salmon Gums
- Schoenoplectus litoralis** (Schradner) Palla (Club rush)  
*Uredo scripi-nodosi* McAlp. Rust PERTH 816191 (1960) (MacNish 1963a, host as *Scirpus litoralis*)  
 Ellendale
- Schoenus cruentus** (Nees) Benth. (Sedge)  
*Sorosporium solidum* (Berk.) McAlp. Smut PERTH 780278 (1955) (MacNish 1963a)  
 Albany
- Sclerolaena bicuspidata** (F. Muell.) Domin  
*Puccinia bassiae* Samuel Rust P.G. Wilson 8434 (PERTH) (1969)  
 Gascoyne Junction
- Sclerolaena burbridgeae** (Ising) A.J. Scott  
*Puccinia bassiae* Samuel Rust Demarz D5627 (PERTH) (1975)  
 Paynes Find
- Sclerolaena densiflora** (W.Fitz.) A.J. Scott  
*Puccinia bassiae* Samuel Rust Ashby 2647 (PERTH) (1968)  
 Anketell
- Sclerolaena deserticola** Paul G. Wilson  
*Puccinia bassiae* Samuel Rust P.G. Wilson 11966 (PERTH) (1984)  
 Yelma
- Sclerolaena fimbriolata** (F. Muell.) A.J. Scott  
*Puccinia bassiae* Samuel Rust Symon 9935 (PERTH) (1975)  
 Lake Yarrabindi
- Sclerolaena microcarpa** (R. Anderson) A.J. Scott  
*Puccinia bassiae* Samuel Rust Ashby 2620 (PERTH) (1968)  
 Mt Magnet
- Sclerolaena muelleri** (Benth.) A.J. Scott  
*Puccinia bassiae* Samuel Rust George 15395 (PERTH) (1979)  
 Lake Gregory
- Sclerolaena parviflora** (R. Anderson) A.J. Scott  
*Puccinia bassiae* Samuel Rust Royce 5557 (PERTH) (1956)  
 Queen Victoria Springs
- Sclerolaena patentius** (R. Anderson) Ulbr. in Engl. & Prantl  
*Puccinia bassiae* Samuel Rust George 11978 (PERTH) (1974)  
 Cooper Creek
- Secale cereale** L. (Cereal rye)  
*Alternaria* sp. Black mould (Chambers 1961) 1960  
 Boyup Brook  
*Bipolaris specifera* (Bainier) Subram. Associated with leaf spot PERTH 827258 (1960)  
 Gutha  
*Cercosporidium graminis* (Fuckel) Deighton Brown streak DAR 43048 (1982)  
 Koorda  
*Claviceps purpurea* (Fr.) Tul. Ergot PERTH 780316 (1980)  
 Esperance Downs Research Station  
*Erysiphe graminis* DC. : Merat Powdery mildew (Carne and Campbell 1924c)  
 General  
*Gaeumannomyces graminis* (Sacc.) von Arx & Oliv. Take-all (Carne and Campbell 1924b as *Ophiobolus graminis*)  
 South-west region  
*Puccinia graminis* Pers. f.sp. *secalis* Eriks. & P. Henn. Rye stem rust (Chambers 1960) 1924  
 Merredin  
*Puccinia graminis* Pers. f.sp. *tritici* Eriks. & P. Henn. Wheat stem rust (Chambers 1961) 1960  
 Carnarvon  
*Puccinia recondita* Roberge : Desm. Leaf rust PERTH 786691 (1959) (Chambers 1960)  
 Perth  
*Rhizoctonia solani* Kuhn Root rot (MacNish 1983)  
 South-west region  
*Septoria nodorum* (Berk.) Berk. in Berk. & Broome Glume blotch (Carne and Campbell 1924c)  
 South-west region  
*Septoria tritici* Roberge in Desm. Leaf spot (Carne and Campbell 1924c)  
 South-west region
- Senecio cruentis** (L'Herit.) DC. (Cineraria)  
*Oidium* sp. Powdery mildew (Goss 1964b) 1960  
 Perth
- Senecio glomeratus** Desf. : Poiret in Lam.  
*Puccinia lagenophorae* Cooke Rust PERTH 551678 (1972)  
 Manjimup
- Senecio glossanthus** (Sonder) Belcher  
*Puccinia lagenophorae* Cooke Rust PERTH 552194 (1965)  
 Coolgardie
- Senecio quadridentatus** Labill. (Cotton fireweed)  
*Puccinia lagenophorae* Cooke Rust (MacNish 1964a as *P. erechitis*, host as *Erechtites quadridentata*) 1962  
 Esperance, North Woogenellup
- Senecio vulgaris** L. (Common groundsel)  
*Puccinia lagenophorae* Cooke Rust PERTH 802549 (1927) DAR 34173 (1979) (Carne 1927d as *P. tasmanica*)  
 South-west region
- Sesamum indicum** L. (Sesame)  
*Alternaria* sp. Leaf spot (MacNish 1964a) 1961  
 Kununurra
- Sesbania tripetii** (Poir.) F.T. Hubbard (Glory pea)  
*Oidium* sp. Powdery mildew (Goss 1964b as *Erysiphe ?polygoni*) 1950  
 Worsley
- Setaria dielsii** Herrm. in Rosen. (Chintibi)  
*Helminthosporium* sp. Leaf spot (MacNish 1964a) 1963  
 Carnarvon
- Silene gallica** L. (French catchfly)  
*Septoria* sp. Leaf spot PERTH 823570 (1923) (MacNish 1963a)  
 Fremantle, Narragin, Perth
- Simmondsia chinensis** (Link) Schneid. (Jojoba)  
*Alternaria alternata* (Fr.) Keissl. Leaf spot IMI 296582 (1985)  
 Wiluna  
*Alternaria* sp. Associated with leaf spot DAR 33890 (1983)  
 Eneabba  
*Colletotrichum acutatum* Simmonds Associated with leaf spot DAR 33889 (1983)  
 Eneabba  
*Phoma* sp. Associated with leaf spot IMI 296583, IMI 296584 (1985)  
 Wiluna  
*Pleospora herbarum* (Fr.) Rabenh., stat. conid. *Stemphylium botryosum* Wallr. Associated with leaf spot DAR 33892 (1983)  
 Eneabba  
*Pythium* sp. Associated with root rot (PPB records 1982)  
 Sawyers Valley
- Sisymbrium officinale** (L.) Scop. (Hedge mustard)  
*Albugo candida* (Pers. : Hook.) Kuntze White rust (MacNish 1963a) 1930  
 Corrigin
- Sisymbrium orientale** L. (Wild mustard)  
*Albugo candida* (Pers. : Hook.) Kuntze White rust PERTH 784087 (Carne 1927d) 1926  
 Merredin  
*Alternaria* sp. Leaf and stem blight (MacNish 1963a as *Macrosporium* sp.) 1934
- Solanum melongena** L. (Eggplant, Aubergine)  
*Alternaria solani* Sorauer Leaf spot (PPB records 1976)  
 Carnarvon  
*Botrytis cinerea* Pers. ex Fr. Blossom blight (PPB records 1971)  
 Perth  
*Erwinia carotovora* pv. *carotovora* (Jones) Bergey, Harrison, Breed, Hammer & Huntoon Soft rot (Chambers 1959) 1956  
 Carnarvon  
*Phytophthora capsici* Leonian Fruit rot (Carter 1986)  
 Carnarvon  
*Phytophthora nicotianae* Breda de Haan var. *nicotianae* Fruit rot IMI 129912 (1967)  
 Carnarvon  
*Phytophthora nicotianae* Breda de Haan var. *parasitica* (Dastur) Waterhouse Fruit rot (MacNish 1967) 1964  
 Carnarvon  
*Rhizoctonia* sp. Root rot (PPB records 1969)  
 Broome
- Solanum mucronatum** O.Shulz (Pepino)  
*Fusarium oxysporum* Schlecht. Vascular wilt (Carter 1986)  
 Manjimup  
*Phytophthora megasperma* Drechsler Root rot (PPB records 1984)  
 Broome
- Solanum nigrum** L. (Black-berry nightshade)  
*Alternaria solani* Sorauer Leaf spot IMI 120972 (1966)  
 Burekup  
*Clavibacter michiganense* subsp. *michiganense* (Erw. Smith) Davis, Gillaspie, Vidaver & Harris Bacterial wilt (MacNish 1967 as *Corynebacterium michiganense*) 1966  
 Perth  
*Pseudomonas solanacearum* (Erw. Smith) Erw. Smith Bacterial wilt (Dunne 1969)  
 Waroona  
*Verticillium dahliae* Kleb. Wilt DAR 44538 (1983)  
 Albany
- Solanum seaforthianum** Andr. (Potato creeper)  
*Alternaria* sp. Leaf spot (MacNish 1967) 1966  
 Perth

- Solanum tuberosum** L. (Potato)  
*Alternaria solani* Sorauer Early blight, target spot, storage rot IMI 129087 (1967) (Stoward 1913)  
 South-west region  
*Armillaria* sp. Tuber rot (Carne 1925b as *A. mellea*) 1924  
 South-west region  
*Botryotinia cinerea* Pers. : Fr. Grey mould (PPB records 1974)  
 Bunbury  
*Colletotrichum coccodes* (Wallr.) Hughes Black dot (PPB records 1973)  
 Manjimup  
*Doratonomyces stemonitis* (Pers.) F.J. Morton & G. Smith Surface mould (Chambers 1959 as *Stysanus stemonitis*) 1929  
*Erwinia carotovora* pv. *atroseptica* (van Hall) Dye Blackleg (Herbert 1920a as *Bacillus phytophilus*, Carne 1925b as *B. atrosepticus*)  
 South-west region  
*Erwinia carotovora* pv. *carotovora* (Jones) Bergey, Harrison, Breed, Hammer & Hooton Blackleg (Sivasithamparam 1982) 1980  
 South-west region  
*Erwinia chrysanthemi* Burkholder, McFadden & Dimock Soft rot (Sivasithamparam 1982)  
*Fusarium culmorum* (W.G. Smith) Sacc. Associated with root rot IMI 117295 (1966)  
*Fusarium dimerum* Penz. in Sacc. Associated with root rot IMI 117308 (1966)  
 East Brook  
*Fusarium moniliforme* Sheldon Associated with root rot IMI 117307 (1966)  
 East Brook  
*Fusarium oxysporum* Schlecht. : Fr. Wilt (Stoward 1912)  
 South-west region  
*Fusarium solani* (Mart.) Sacc. Dry stem rot IMI 139260 (1969)  
 South-west region  
*Geomyces vulgaris* Traaen Associated with stem rot IMI 126496 (1967)  
*Helicobasidium purpureum* Pat. Violet root rot (Chambers 1959) 1931  
 Doubtful record  
*Helminthosporium solani* Dur. & Mont. Silver scurf (Carne 1923 as *Spondylocladium atrovirens*)  
 South-west region  
*Macrophomina phaseolina* (Tassi) Goida. Stem rot IMI 119171 (1967)  
 Manjimup  
*Microspalerosis* sp. Associated with dead eyes (PPB records 1981)  
 Albany  
*Mucor varians* Povah. Associated with stem rot IMI 183934 (1974)  
 Medina  
*Pestalotiopsis* sp. On roots IMI 187700 (1974)  
 Pemberton  
*Phytophthora cryptogea* Pethybr. & Laff. Tuber rot IMI 127002 (1967) (Dunne 1968)  
 South-west region  
*Phytophthora drechsleri* Tucker Associated with pink rot IMI 157409 (1971)  
 Harvey  
*Phytophthora erythroseptica* Pethybr. Pink rot (Baron-Hay 1947) 1946  
 South-west region  
*Phytophthora infestans* (Mont.) de Bary Irish blight, late blight (Newman 1910) 1909  
 Not recorded since 1949  
*Pseudomonas solanacearum* (Erw. Smith) Erw. Smith Bacterial wilt (Newman 1910 as *Bacillus solanacearum*, Hayward 1975)  
 Not established in Western Australia  
*Rhizoctonia solani* Kuhn Black scurf, stem canker IMI 119530 as *Corticium solani* (1967) (McAlpine 1911)  
 South-west region  
*Sclerotinia minor* Jagger Stem canker (Chambers 1959) 1932  
 South-west region  
*Sclerotinia sclerotiorum* (Lib.) de Bary Stem canker (Chambers 1959) 1932  
 South-west region  
*Sclerotium rolfsii* Sacc. Southern blight IMI 139033 (1969) (Chambers 1959 as *Pellicularia rolfsii*) 1956  
 South-west region  
*Spongospore subterranea* (Wallr.) Lagerh. Powdery scab IMI 173805 (1973) (Chambers 1959) 1949  
 South-west region  
*Streptomyces scabies* (Thaxt.) Waksman & Henrici Common scab (Herbert 1919 as *Actinomyces scabies*) 1898  
 South-west region  
*Verticillium albo-atrum* Reinke & Berthold Wilt (Chambers 1959) 1932  
 Dardanup  
 Doubtful record  
*Verticillium dahliae* Kleb. Wilt DAR 44537 (1983)  
 Albany  
**Sollya heterophylla** Lindley  
*Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery  
**Sonchus oleraceus** L. (Common sowthistle)  
*Alternaria* sp. Leaf spot PERTH 817325 (1923)  
 Perth  
*Ulocladium* sp. Associated with leaf spot IMI 129090 (1967)  
**Sorghum album** L. Parodi (Columbus grass)  
*Cercospora sorghi* Ellis & Everh. Grey leaf spot (PPB records 1975)  
 Kununurra
- Sorghum bicolor** (L.) Moench (Grain sorghum, Kaffir corn, Sweet sorghum, Broom millet)  
*Bipolaris papendorffii* (van der Aa) Alcorn Associated with leaf spot IMI 133157c (1968) (Sivanesan 1987)  
 Kununurra  
*Bipolaris sorghicola* (Lefebvre & Sherwin) Alcorn Leaf spot IMI 140623 (1969) (Sivanesan 1987)  
 Kununurra  
*Botryodiplodia theobromae* Pat. Associated with leaf spot IMI 134352 (1968)  
 Kununurra  
*Cercospora sorghi* Ellis & Everh. Grey leaf spot IMI 190210 (1974) PERTH 795585 (1984) (Anon. 1975, Pitkethley 1975)  
 Kununurra  
*Colletotrichum graminicola* (Ces.) Wilson Anthracnose IMI 193044b (1975) (Anon. 1975)  
 Kununurra  
*Curvularia clavata* Jain On seeds IMI 112637 (1965) (Sivanesan 1987)  
 Kununurra  
*Curvularia eragrostidis* (P. Henn.) J.A. Meyer Associated with leaf spot IMI 118085 (1966) (Sivanesan 1987)  
 Kununurra  
*Curvularia geniculata* (Tracy & Earle) Boedijn Associated with stem rot IMI 112656 (1965)  
 Kununurra  
*Curvularia lunata* (Wakker) Boedijn Associated with leaf spot IMI 118088a (1966) (Sivanesan 1987)  
 Kununurra  
*Curvularia lunata* var. *aeria* (Batista, Lima & Vasconcelos) M.B. Ellis Associated with leaf spot IMI 134356 (1968) (Sivanesan 1987)  
 Kununurra  
*Curvularia pallens* Boedijn Associated with leaf spot IMI 118088b (1966) (Sivanesan 1987)  
 Kununurra  
*Curvularia penniseti* (Mitra) Boedijn Associated with leaf spot IMI 118081 (1966) (Sivanesan 1987)  
 Kununurra  
*Curvularia sorghina* Shivas & Sivanesan Hypersensitive flecking IMI 289262 (1984) (Shivas and Sivanesan 1987)  
 Kununurra  
*Curvularia verruculosa* Randon & Bilgrami : M.B. Ellis Associated with leaf spot IMI 133153 (1968) 1965  
 Kununurra  
*Exserohilum rostratum* (Drechsler) Leonard & Suggs Associated with discoloured grain and leaf spot IMI 132922 (1968) (Sivanesan 1987)  
 Kununurra  
*Exserohilum turicum* (Pass.) Leonard & Suggs Leaf blight IMI 193045 (1975) (Anon. 1975 as *Setosphaeria turica*)  
 Kununurra  
*Fusarium culmorum* (W.G. Smith) Sacc. Associated with root rot IMI 112639 (1965)  
 Kununurra  
*Fusarium dimerum* Penz. in Sacc. Associated with root rot IMI 168235 (1972)  
 Kununurra  
*Fusarium graminearum* Schwabe Stalk rot (Chambers 1960, host as *S. vulgare* var. *technicum*) 1959  
 Dardanup  
*Fusarium moniliforme* Sheldon Root rot, stem rot IMI 132636 (1968) (Norris 1949)  
 Kununurra  
*Fusarium moniliforme* var. *subglutinans* Wollenw. & Reinking Root rot IMI 112207 (1965)  
 Kununurra  
*Fusarium oxysporum* Schlect. Associated with root rot IMI 112645 (1965)  
 Kununurra  
*Gloeocercospora sorghi* Bain & Edgerton : Deighton Zonate leaf spot PERTH 726583 (1987)  
 Beverly Springs Station, Kimberley Region  
*Macrophomina phaseolina* (Tassi) Goida. Charcoal rot PERTH 804010 (1949) (McKenzie Clark 1950 as *Sclerotium bataticola*)  
 Kununurra  
*Periconia circinata* (Mangin) Sacc. On roots (PPB records 1976)  
 Kununurra  
*Periconia macrospinosa* Lefebvre & Johnson On roots IMI 166317 (1972)  
 Kununurra  
*Phoma sorghina* (Sacc.) Boerema, Dorenb. & van Kesteren Associated with leaf spot and discoloured grain IMI 133159 as *P. insidiosa* (1968)  
 Kununurra  
*Pleospora infectoria* Fuckel, stat. conid. *Alternaria* sp. Associated with leaf spot IMI 140613 (1969)  
 Kununurra  
*Pseudomonas syringae* pv. *syringae* van Hall Red stain (Chambers 1960) 1929  
 South-west region  
*Rhizoctonia solani* Kuhn Root rot (PPB records 1972)  
 Kununurra  
*Sporisorium sorghi* Ehrenberg : Link Covered smut PERTH 801380 (1927) IMI 153106 (1970) (Carne 1926 as *Sphacelotheca sorghi*) 1926  
 General

- Sphaeronaema macrostroatum* Saccas Associated with leaf spot IMI 118087 (1966)  
 Kununurra
- Sorghum plomosum* P.Beauv.: Roemer & Schultes (Plume sorghum)  
*Puccinia levis* Sacc. & Bizz. var. *panici-sanguinalis* (Rangel) Ramachar & Cummins Rust PERTH 400998 (KFK 8998) (1984)  
 Careening Bay, N.W. Kimberley coast
- Sorghum stipoideum* (Ewart & J. White) C. Gardner & C.E. Hubb. (Annual native sorghum)  
*Pseudomonas rubrilineans* (Lee, Purdy, Barnum & Martin) Stapp Red stripe (Moffett 1983)  
 Kununurra
- Sorghum sudanense* (Piper) Stapf in Prain (Sudan grass)  
*Cercospora sorghi* Ellis & Everh. Grey leaf spot (PPB records 1975)  
 Kununurra
- Colletotrichum* sp. Anthracnose (PPB records 1975)  
 Kununurra
- Exserohilum turcicum* (Pass.) Leonard & Suggs Leaf blight (PPB records 1975)  
 Kununurra
- Pseudomonas syringae* pv. *syringae* van Hall Red stain (Chambers 1960) 1925  
 Wonnerup
- Sorghum timorense* (Kunth) Buse in de Vries  
*Ustilago porosa* Langdon Smut PERTH 795135 host as *S.australiense* (1984)  
 Kununurra
- Parmania* sp.  
*Phyllosticta* sp. Leaf spot (Goss 1964b) 1956  
 Perth
- Spergula arvensis* L. (Corn spurry)  
*Peronospora* sp. Downy mildew PERTH 821535 (1924) (MacNish 1963a)  
 Maddington
- Sphenoptoma squarrosum* (R.Br.) Don  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1966  
 Wye Plains
- Spinacia oleracea* L. (Spinach)  
*Fusarium oxysporum* Schlecht. Wilt (PPB records 1985)  
 Perth
- Spinifex hirsutus* Labill.  
*Ustilago spinifex* Ludw. Smut DAR 30779 (1977)  
 Thomas River
- Spyridium globulosum* (Labill.) Benth.  
*Uredo spyridii* Cooke & Massee Rust PERTH 834165 (1984)  
 Ellensbrook
- Stenotaphrum secundatum* (Walter) Kuntze (Buffalo grass, St. Augustine grass)  
*Bipolaris sorokiniana* (Sacc.) Shoemaker Root rot (MacNish 1964a as *Helminthosporum sativum*) 1962  
 Perth
- Bipolaris spicifera* (Bainier) Subram. Root rot (MacNish 1964a as *Curvularia spicifera*) 1962  
 Perth
- Curvularia ?inaequalis* (Shear) Boedijn Melting out (MacNish 1964a) 1962  
 Perth
- Curvularia geniculata* (Tracy and Earle) Boedijn Associated with leaf spot IMI 155828 (1971)  
 Perth
- Curvularia pallescens* Boedijn Associated with leaf spot IMI 155829 (1972)  
 Perth
- Curvularia ramosa* (Bainier) Boedijn Root rot (MacNish 1964a) 1962  
 Perth
- Fusarium avenaceum* (Corda : Fr.) Sacc. Root rot (MacNish 1964a) 1962  
 Perth
- Helminthosporium* sp. Brown patch (Chambers 1960) 1959  
 Porongurup National Park
- Leptosphaeria* sp. Spring dead spot (PPB records 1973)  
 General
- Pyricularia oryzae* Cav. Rice blast (Chambers 1958b)  
 Perth
- Pyricularia* sp. Leaf spot IMI 155829 (1971)  
 Perth
- Sclerotinia homoeocarpa* Bennett Dollar spot (Chambers 1960) 1958  
 Perth
- Stipa arachnopus* Pilger  
*Puccinia flavescens* McAlp. Rust (MacNish 1967 as *P.?flavescens*) 1963  
 Mukinbudin
- Stipa crinita* Gaudich. in Freyc.  
*Puccinia flavescens* McAlp. Rust Beard 7073 (PERTH) (1974)  
 Mt Elliott
- Stipa elegantissima* Labill. (Spider grass)  
*Puccinia flavescens* McAlp. Rust (MacNish 1967 as *P.?flavescens*) 1963  
 Geraldton
- Stipa hemipogon* Benth.  
*Puccinia flavescens* McAlp. Rust (MacNish 1967 as *P.?flavescens*) 1963  
 Indarra
- Stipa macalpinei* Reader (Spear grass)  
*Puccinia flavescens* McAlp. Rust (MacNish 1964a as *P.?flavescens*) 1962  
 Salmon Gums
- Stipa variabilis* Hughes (Variable spear grass)  
*Puccinia flavescens* McAlp. Rust (MacNish 1967 as *P.?flavescens*) 1963  
 Dongara
- Ustilago hypodytes* (Schlecht.) Fr. Smut PERTH 820423 (1951) (Chambers 1960)  
 Merredin
- Stipa* sp.  
*Puccinia flavescens* McAlp. Rust PERTH 800384 (1955) (Chambers 1960 as *P.?flavescens*)  
*Ustilago hypodytes* (Schlecht.) Fr. Smut (Carne 1927d as *Cintractia hypodytes*) 1925  
 Goomballing
- Stirlingia latifolia* (R.Br.) Steudel  
*Cytospora* sp. Leaf and petiole blight DAR 33888 (1983)
- Styloctetrum pycnostachyum* Lindley  
*Puccinia stylidii* McAlp. Rust PERTH 731331 (1985)  
 Toodyay
- Stylosanthes humilis* Kunth in Humb. (Townsville stylo)  
*Colletotrichum capsici* (Syd.) Butl. & Bisby On seed IMI 195242 (1975)  
 Derby
- Curvularia eragrostidis* (P. Henn.) J.A. Meyer On seed IMI 195244 (1975)  
 Derby
- Myrothecium leucotrichum* (Petr.) Tulloch On seed IMI 195245 (1975)  
 Derby
- Stylosanthes scabra* Vog. (Shrubby stylo)  
*Colletotrichum gloeosporioides* (Penz.) Sacc. Anthracnose IMI 204963 (1976)  
 Derby
- Swainsonia occidentalis* F. Muell.  
*Physoderma trifolii* (Pass.) Karling Leaf gall DAR 36041 (1980) (Walker 1983)  
 Carnarvon
- Synaphe polymorpha* R.Br. (Showy synaphe)  
*Asterina* sp. On leaves (Henning 1901a as *Dimerosporium synapheae*)  
 Perth
- Syringa* sp. (Lilac)  
*Pseudomonas syringae* van Hall Leaf blight (Goss 1964b) 1957  
 Albany
- Templetonia retusa* (Vent.) R.Br. in W.T. Aiton (Cockies' tongue)  
*Uromyces* sp. Rust PERTH 824143 (1926) (MacNish 1963a)  
 Perth
- Tetragonia diptera* F. Muell.  
*Melanopsichium* sp. Smut IMI 162907 (1971)  
 Shark Bay
- Tetragonia tetragonoides* (Pallas) Kuntze (New Zealand spinach)  
*Puccinia tetragoniae* McAlp. Rust (MacNish 1967) 1965  
 Perth
- Tetratheca hirsuta* Lindley  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972, host as *T.viminea*) 1966  
 Cohen Brook
- Thelymitra antennifera* (Lindley) J.D. Hook.  
*Uromyces* sp. Rust (Nichol et al. 1988)  
 Muntadgin, Mount Heywood, Tammin, North Dandalup
- Thelymitra crinita* Lindley  
*Uromyces thelymitrae* McAlp. Rust UWA 2043 (1975) (Nichol et al. 1988)  
 South-west region
- Thelymitra fuscolutea* R.Br.  
*Uromyces thelymitrae* McAlp. Rust George 14994 (PERTH) (1977) (Nichol et al. 1988)  
 Perth
- Thelymitra macmillanii* F. Muell.  
*Uromyces* sp. Rust (Nichol et al. 1988)  
 Katanning
- Themeda triandra* Forsskal (Kangaroo grass)  
*Puccinia versicolor* Diet. & Holw. in Holw. Rust PERTH 802018 (1971)  
 IMI 163075 (1971) (Chambers 1961)  
 General
- Sphacelotheca enteromorplum* McAlp. Smut PERTH 741922 (1986)  
 Mitchell Plateau
- Thomasia grandiflora* Lindley  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1965  
 East Kirup
- Thomasia pauciflora* Lindley  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1966  
 Brookton
- Threlkeldia diffusa* R.Br.  
*Puccinia dielsiana* P. Henn. Rust DAR 35054 (1961) (Henning 1901a, host as *Chenopodiaceae*) 1900  
 Perth
- Thryptomene* sp.  
*Phytophthora cinnamomi* Rands Root rot (PPB records 1985)  
 Wanneroo
- Thuja orientalis* L. (Book-leaf pine)  
*Cyphnodium* sp. Sooty mould (Goss 1964b) 1960  
 Doubtful record
- Chaetomium* sp. Leaf blight (Goss 1964b) 1956  
 Manjimup
- Meliola* sp. Sooty mould (Goss 1964b) 1960  
 Doubtful record
- Trachymene australis* Benth.  
*Albugo* sp. White rust DAR 30637 (1978) 1913  
 Perth

- Tremandra stelligera** R.Br. : DC.  
*Puccinia pritzeliana* P. Henn. Rust DAR 43114 (1982) (Hennings 1901a)  
 1900  
 Manjimup, Perth
- Trichocline spathulata** (Cunn. : DC.) J.H. Willis  
*Aecidium* sp. Rust PERTH 834173 (1984)  
 Harvey
- Tricoryne elatior** R.Br. (Yellow rush-lily)  
*Uromyces tricornis* McAlp. Rust PERTH 794570 (1984)  
 Darling Ranges
- Trifolium cernuum** Brot. (Drooping flowered clover)  
*Cercospora zebra* Pass. Leaf spot IMI 264190 (1981) (Bokor 1983)  
 South-west region
- Colletotrichum trifolii* Bain in Bain & Essary Leaf spot IMI 264189 (1981)  
 Denmark  
*Kabatiella caudivora* (Kirchn.) Karakulin Scorch (PPB records 1974)  
 South-west region
- Leptosphaerulina trifolii* (Rostr.) Petr. Pepper spot IMI 264191 (1981)  
 Denmark  
*Phoma medicaginis* Malbr. & Roum. Leaf spot IMI 264193 (1981)  
 Denmark  
*Uromyces trifolii-repentis* Liro Rust (Chambers 1960 as *U. trifolii*) 1943  
 South-west region
- Trifolium cheranganiense** J.B. Gillett  
*Leptosphaerulina trifolii* (Rostr.) Petr. Pepper spot (Shipton 1967a)  
 South-west region
- Trifolium cherlери L.** (Cupped clover)  
*Botrytis cinerea* Pers. : Fr. Flower-head droop IMI 117300 (1966)  
 (MacNish 1967) 1965  
 Woogenellup
- Trifolium dubium** Sibth. (Yellow suckling clover)  
*Sclerotinia minor* Jagger Crown rot (Wong and Willetts 1975) 1967  
 South-west region  
*Sclerotinia* sp. Crown rot (MacNish 1964a) 1962  
 Muchea  
*Uromyces trifolii-repentis* Liro Rust PERTH 795577 (1984)  
 Perth
- Trifolium fragiferum** L. (Strawberry clover)  
*Colletotrichum destructivum* O'Gara Associated with leaf spot IMI 263042 (1981)  
 South-west region  
*Colletotrichum trifolii* Bain in Bain & Essary Anthracnose (Shipton 1967a)  
 South-west region  
*Colletotrichum truncatum* (Schw.) Andrus & Moore Associated with leaf spot IMI 266101 (1982)  
 Bindoon  
*Leptosphaerulina trifolii* (Rostr.) Petr. Pepper spot PERTH 787728 (1966)  
 IMI 263039 (1981) (Chambers 1960 as *Pseudoplea trifolii*) 1958  
 South-west region  
*Phoma medicaginis* Malbr. & Roum. Leaf spot IMI 267047 (1982)  
 South-west region  
*Pleospora herbarum* (Fr.) Rabenh., stat. conid. *Stemphylium botryosum* Wallr. Leaf spot (Chambers 1960) 1958  
 South-west region  
*Pseudopeziza trifolii* (Biv.-Bern. : Fr.) Fuckel Leaf spot (Chambers 1960) 1957  
 South-west region  
*Stagonospora meliloti* (Lasch) Petr. Leaf spot IMI 257120 (1981)  
 Denmark  
*Stemphylium globuliferum* (Vestergren) Simmons Associated with leaf spot IMI 266102 (1982)  
 Bindoon  
*Uromyces trifolii* (Hedw. : DC.) Fuckel Rust IMI 264196 (1981) (Anon. 1975)  
 Denmark  
*Uromyces trifolii-repentis* Liro Rust (PPB records 1981)  
 South-west region
- Trifolium glomeratum** L. (Clustered clover)  
*Physoderma trifolii* (Pass.) Karling Wart disease PERTH 828378 (1956)  
 East Chapman
- Trifolium hirtum** All. (Rose clover)  
*Uromyces trifolii-repentis* Liro Rust (PPB records 1982)  
 Wokalup
- Trifolium repens** L. (White clover)  
*Colletotrichum trifolii* Bain. in Bain. & Essary Anthracnose IMI 115683 (1965) (MacNish 1967)  
 Harvey  
*Leptosphaerulina trifolii* (Rostr.) Petr. Pepper spot PERTH 821462 (1966) (Shipton 1967a)  
 South-west region  
*Phytophthora cryptogea* Pethybr. & Laff. Associated with root rot IMI 137219 (1969)  
 Waterloo  
*Polytrichum trifolii* Kunze in Schmidt & Kunze Sooty blotch IMI 273445 (1982) (Barbetti 1983)  
 Harvey  
*Rhizoctonia* sp. Root and stolon rot (Maughan and Barbetti 1983)  
 South-west region  
*Stagonospora meliloti* (Lasch) Petr. Leaf spot IMI 297303 (1985)  
 Alexandra Bridge  
*Uromyces trifolii* (Hedw. : DC.) Fuckel Rust (Shipton 1967a)  
 South-west region
- Uromyces trifolii-repentis* Liro Rust (MacNish 1964a) 1962  
 South-west region
- Trifolium spumosum** L. (Bladder clover)  
*Leptosphaerulina trifolii* (Rostr.) Petr. Pepper spot PERTH 821454 (1966) (Shipton 1967a)  
 South-west region
- Trifolium subterraneum** L. (Subterranean clover, sub clover)  
*Aphanomyces eutiches* Drechsler Associated with root rot (Barbetti et al. 1986)  
 Albany, Karridale  
*Apostrasseria* sp. Associated with leaf spot IMI 320783 (1987)  
 Busselton  
*Ascochyta caulicola* Lamb. Associated with leaf spot IMI 254255 (1980) (Barbetti 1985)  
 Denmark  
*Ascochyta pisi* Lib. Stem rot, leaf spot IMI 117305 (1966) (Shipton 1967a) 1965  
 South-west region  
*Ceratobasidium cornigerum* (H. Bourdot) Rogers, stat. mycel. *Rhizoctonia* sp. Root rot (Wong and Sivasithamparam 1985)  
 South-west region  
*Ceratobasidium* sp., stat. mycel. *Rhizoctonia* sp. Root rot (Wong and Sivasithamparam 1985)  
 South-west region  
*Cercospora zebra* Pass. Leaf spot IMI 257126 (1981) (Bokor 1983)  
 South-west region  
*Colletotrichum trifolii* Bain in Bain & Essary Southern anthracnose (Shipton 1967a)  
 South-west region  
*Colletotrichum truncatum* (Schw.) Andrus & Moore Associated with leaf spot IMI 256403 (1981) (Barbetti 1985)  
 Denmark  
*Coniothyrium* sp. Associated with leaf spotting IMI 281150 (1983)  
 Denmark  
*Curvularia prasadii* R.L. & B.L. Mathur Associated with root rot IMI 117555 (1966)  
*Curvularia trifolii* (Kauffm.) Boedijn Associated with leaf blight IMI 262021 (1981) (Barbetti 1985)  
 South-west region  
*Cylindrocarpon didymum* (Hartig) Wollenw. Root rot (Barbetti et al. 1986)  
 South-west region  
*Diplodina* sp. Associated with leaf and petiole lesions IMI 136705 (1968)  
 Albany, Dalyup, Gibson  
*Fusarium acuminatum* Ellis & Everh. Root rot IMI 110476 (1964) (MacNish 1967)  
 South-west region  
*Fusarium arthrosporoides* Sherb. Associated with root rot IMI 177814 (1973)  
*Fusarium avenaceum* (Corda : Fr.) Sacc. Root rot, leaf scorch IMI 177818 (1973) (Shipton 1967a, 1967b) 1964  
 South-west region  
*Fusarium concolor* Reinking Associated with root rot IMI 177821 (1973)  
 South-west region  
*Fusarium cibinorum* (W.G. Smith) Sacc. Associated with root rot IMI 118317 (1966) (Shipton 1967b)  
 South-west region  
*Fusarium equiseti* (Corda) Sacc. Associated with root rot IMI 118295 (1966) (Shipton 1967b)  
 South-west region  
*Fusarium graminearum* Schwabe Associated with root rot IMI 121913 (1967) (Shipton 1967b)  
 Beverley  
*Fusarium heterosporum* Nees : Fr. Associated with root rot IMI 118296 (1966)  
*Fusarium moniliforme* Sheldon Associated with root rot IMI 118300 (1966) (Shipton 1967b)  
*Fusarium moniliforme* Sheldon var. *orthoceras* (A.Br.) Wollenw. Associated with root rot IMI 197071 (1975)  
 South-west region  
*Fusarium moniliforme* Sheldon var. *subglutinans* Wollenw. & Reinking Associated with root rot IMI 118294 (1966) (Shipton 1967b)  
*Fusarium oxysporum* Schlecht. Root rot IMI 118306 (1966) (Dunne 1966)  
 South-west region  
*Fusarium sambucinum* var. *coeruleum* Wollenw. Associated with root rot IMI 177813 (1973)  
*Fusarium semitectum* Berk. & Rav. Associated with root rot IMI 177809 (1973)  
*Fusarium solani* (Mart.) Sacc. Associated with root rot IMI 118291 (1966) (Shipton 1967b)  
 South-west region  
*Kabatiella caudivora* (Kirchn.) Karakulin Clover scorch IMI 160381 (1971) (Bokor and Chatel 1973)  
 South-west region  
*Leptosphaerulina trifolii* (Rostr.) Petr. Pepper spot IMI 142946 (1969) (Chambers 1960 as *Pseudoplea trifolii*) 1958  
 South-west region  
*Macrophomina phaseolina* (Tassi) Goida. Root rot IMI 110474 (1964) (MacNish 1967)  
 Gnowangerup  
*Mortierella elongata* Linneman On roots IMI 242268 (1979)  
 Walpole

- Myrothecium verrucaria* (Alb. & Schw.) Ditm. : Fr. Leaf spotting IMI 256986 (1981) (Barbetti 1984)  
 South-west region  
*Oidium* sp. Powdery mildew (Chambers 1960 as *Erysiphe polygoni*) 1952  
 South-west region  
*Peyronellaea glomerata* (Corda) Goidanich Associated with leaf spot IMI 117541 (1966)  
*Phoma medicaginis* Malbr. & Roum. Root rot, spring black stem, leaf scorch IMI 217250 (1973) (Barbetti 1984)  
 South-west region  
*Phomopsis* sp. Leaf spot and petiole blight IMI 255485 (1981) 1966  
 South-west region  
*Physoderus trifolii* (Pass.) Karling Wart disease PERTH 831484 (1939) (White et al. 1956)  
 South-west region  
*Phytophthora clandestina* Taylor, Pascoe & Greenhalgh Root rot (Taylor et al. 1985) 1984  
 South-west region  
*Pleospora herbarum* (Fr.) Rabenh., stat. conid. *Stemphylium botryosum* Wallr. Leaf spot (Chambers 1960) 1936  
 South-west region  
*Pseudopeziza trifolii* (Biv.-Bern. : Fr.) Fuckel Leaf spot (Shipton 1967a)  
 South-west region  
*Pyrenopeziza terrestris* (Hansen) Gorenz, Walker & Larson Associated with leaf spot IMI 142945 (1969)  
 Elgin  
*Pythium acauthicum* Drechsler Root rot IMI 176090 (1973) (Barbetti and MacNish 1978)  
 South-west region  
*Pythium acanthophoron* Sideris Associated with root rot IMI 217245 (1977)  
 South-west region  
*Pythium apleroticum* Tokunaga Root rot IMI 269866 (1982)  
 Dinninup  
*Pythium aquatile* Hohnk Root rot IMI 269872 (1982)  
 Woogenellup  
*Pythium debaryanum* Hesse Associated with root rot IMI 184971 (1974) (Barbetti and MacNish 1978)  
 South-west region  
*Pythium echinocarpum* Ito & Tokunaga Associated with root rot IMI 184977 (1974)  
 South-west region  
*Pythium intermedium* de Bary Associated with root rot IMI 150732 (1970)  
 Kendenup  
*Pythium irregularare* Buisman Root rot IMI 150733 (1970) (Barbetti and MacNish 1978)  
 South-west region  
*Pythium middletonii* Sparrow Root rot IMI 184973 (1974) (Barbetti and MacNish 1978)  
 South-west region  
*Pythium myriostylum* Drechsler Root rot IMI 197068 (1975)  
 South-west region  
*Pythium perniciosum* Serbinow Associated with root rot IMI 168264 (1972)  
 Kent River  
*Pythium spinosum* Sawada Associated with root rot IMI 176086 (1973) (Wong et al. 1985)  
 Badgingarra  
*Pythium vexans* de Bary Associated with root rot IMI 168376 (1972)  
 Esperance  
*Rhizoctonia cerealis* van der Hoeven Root rot (Wong and Sivasithamparam 1985)  
 South-west region  
*Stenphylium globuliferum* (Vestergren) Simmonds Associated with leaf spot IMI 254256 (1980) (Barbetti 1985)  
 South-west region  
*Thanatephorus cucumeris* (Frank) Donk, stat. mycel. *Rhizoctonia solani* Kuhn Root rot (Chambers 1960, Wong and Sivasithamparam 1985)  
 South-west region  
*Thermomyces lamiginosus* Tsiklinsky Associated with root rot IMI 118323 (1966)  
*Thielavia terricola* (Gilman & Abbott) Emmons Associated with root rot IMI 118308 (1966)  
*Uromyces trifolii-repentis* Liro Rust PERTH 828319 (1920) IMI 264195 (1981) (Later 1952 as *U.trifolii* var. *subterranei*, Shipton 1967a as *U.trifolii*) 1928  
 South-west region  
*Waitea circinata* Warcup & Talbot Root rot (Wong et al. 1985)  
 South-west region  
*Trifolium tomentosum* L. (Woolly clover)  
*Physoderma trifolii* (Pass.) Karling Wart disease (Chambers 1960) 1956  
 South-west region  
*Triodia pungens* R.Br. (Spinifex)  
*Ustilago altissima* Syd. Smut DAR 35009 (1981)  
 Marble Bar  
*Triodia* sp. (Spinifex)  
*Ustilago altissima* Syd. Smut PERTH 792950 (1983)  
 Walcott Inlet  
*Tristania conferta* R.Br. (Brisbane box)  
*Armillaria luteobubalina* Watling & Kile Root rot DAR 55847 (1983)  
 Perth
- Triticum aestivum* L. (Wheat)  
*Alternaria alternata* (Fr.) Keissl. Pink grain DAR 35049 (1981)  
 Corrigin  
*Alternaria* sp. Black mould PERTH 790397 (1929) (Carne and Campbell 1924c)  
 General  
*Bipolaris hawaiiensis* (M.B. Ellis) Uchida & Aragaki IMI 177256 (1973) (Sivanesan 1987)  
*Bipolaris sorokiniana* (Sacc.) Shoemaker Common Root rot PERTH 798339 (1927) IMI 297915 (1985) (Carne 1927b as *Helminthosporium sativum*) 1926  
 South-west region  
*Bipolaris spicifera* (Bainier) Subram. Foot and root rot (Chambers 1960 as *Curvularia spicifera*) 1958  
 Wongan Hills  
*Ceratobasidium* sp., stat. mycel. *Rhizoctonia* sp. Bare patch (Roberts and Sivasithamparam 1986)  
 South-west region  
*Clavibacter trifici* (Carlson & Vidaver) Davis, Gillaspie, Vidaver & Harris Yellow slime of heads (Carne 1926c as *Pseudomonas tritici*) 1923  
 South-west region  
*Claviceps purpurea* (Fr.) Tul. Ergot PERTH 810932 (1980)  
 Esperance  
*Coniothecium* sp. Pink spot on grain, seedling blight (Carne 1927d)  
 General  
*Curvularia brachyspora* Boedijn Associated with leaf spot IMI 107579 (1964) (Sivanesan 1987)  
*Curvularia harveyi* Shipton On surface sterilized seeds IMI 114257 (1965) (Shipton 1966c)  
 Goomballing  
*Curvularia intermedia* Boedijn On seeds IMI 113237 (1965) (Sivanesan 1987)  
 Perth  
*Curvularia lunata* var. *aeria* (Batista, Lima & Vasconcelos) M.B. Ellis IMI 108426 (1964) (Sivanesan 1987)  
*Curvularia ramosa* (Bainier) Boedijn Root rot (Chambers 1960) 1958  
 Mooring Rock  
*Dilophospora alopecuri* (Fr.) Fr. Twist disease (Stanton 1988)  
 Rare  
*Drechslera campanulata* (Lev.) B.C. Sutton Seedling blight PERTH 788783 (1964) (Carne 1927d as *Pleosphaeria semeniperda*) 1926  
 South-west region  
*Drechslera tetrarrhenae* Paul On seed IMI 113780 (1965) (Sivanesan 1987)  
 Perth  
*Erysiphe graminis* DC. : Merat Powdery mildew PERTH 817856 (1920) (Stoward 1913)  
 General  
*Exserohilum rostratum* (Drechsler) Leonard & Suggs On wheat stubble IMI 287259 (1984) (Sivanesan 1987)  
 Northern wheat belt  
*Fusarium acuminatum* Ellis & Everh. Foot and root rot IMI 181441 (1974) (Chambers 1961) 1960  
 South-west region  
*Fusarium avenaceum* (Corda : Fr.) Sacc. Foot and root rot IMI 259754 (1981) (Chambers 1961)  
 South-west region  
*Fusarium culmorum* (W.G. Smith) Sacc. Foot and root rot, seedling blight IMI 259739 (1981) (Chambers 1960) 1927  
 South-west region  
*Fusarium equiseti* (Corda) Sacc. Foot and root rot (Chambers 1961) 1960  
 South-west region  
*Fusarium graminearum* Schwabe Crown rot IMI 259740 (1981) (Chambers 1960) 1957  
 South-west region  
*Fusarium niveale* (Fr.) Ces. On roots IMI 181451 (1974)  
 South-west region  
*Fusarium oxysporum* Schlecht. On crown IMI 259751 (1981)  
 South-west region  
*Fusarium sporotrichioides* Sherb. Foot and root rot (Chambers 1961) Avondale  
*Gaeumannomyces graminis* (Sacc.) von Arx & Oliv. var. *tritici* Walker Take-all PERTH 827800 (1959) (Stoward 1913 as *Ophiobolus graminis*)  
 South-west region  
*Mycosphaerella graminicola* (Fuckel) Schrot., stat. conid. *Septoria tritici* Robege in Desm. Leaf spot PERTH 822604 (1920) (Stoward 1913 as *S.graminis*)  
 South-west region  
*Mycosphaerella tassiana* (de Not.) Johanson, stat. conid. *Cladosporium herbarium* (Pers.) Link : Gray Black mould PERTH 797231 (1924) (Carne and Campbell 1924c as *Mycosphaerella tulasnei*)  
 General  
*Penicillium* sp. Brown point of grain (Carne 1927d)  
 General  
*Phoma pomorum* Thum. Leaf spot DAR 55996 (1986)  
 Wongan Hills  
*Pseudomonas syringae* pv. *atrosaciens* (McCulloch) Young, Dye & Wilkie Basal glume rot (Chambers 1960) 1930  
 South-west region  
*Puccinia graminis* Pers. f.sp. *tritici* Erikss. & P. Henn. Stem rust PERTH 778761 (1958) (Helms 1900)  
 General

- Puccinia recondita* Roberge : Desm. Leaf rust PERTII 818291 (1927) (McAlpine 1906 as *P.triticina*)  
 South-west region  
*Pyrenophora tritici-repentis* (Died.) Drechsler, stat. conid. *Drechslera tritici-repentis* (Died.) Shoemaker Yellow spot PERTII 817317 (1980) (Chambers 1961 as *Helminthosporium ?tritici-vulgaris*) 1959  
 South-west region  
*Pythium irregularare* Buisman Bare patch (Roberts and Sivasithamparam 1987)  
 Lake Grace  
*Pythium* sp. Root rot (Chambers 1960) 1958  
 South-west region  
*Sclerotinia macrospora* (Sacc.) Thirumalachar, Shaw & Narasimhan Downy mildew PERTH 779245 (1956) (Carne 1925b as *Sclerospora macrospora*) 1923  
 South-west region  
*Sclerotium rolfsii* Sacc. Seedling death (Dewan and Sivasithamparam 1987)  
 Dandaragan  
*Septoria nodorum* (Berk.) Berk. in Berk. & Broome Glume blotch PERTII 822094 (1920) (Stoward 1913) 1905  
 South-west region  
*Thanatephorus cucumeris* Frank (Donk), stat. mycel. *Rhizoctonia solani* Kuhn Bare patch PERTH 819891 (1959) (Chambers 1960, Roberts and Sivasithamparam 1986)  
 South-west region  
*Tilletia laevis* Kuhn in Rabenh. Bunt PERTH 798290 (1925) (Stoward 1913)  
 South-west region  
*Tilletia tritici* (Bjerk.) R. Wolff Bunt PERTH 798282 (1910) (McAlpine 1910)  
 South-west region  
*Urocystis agropyri* (Preuss) Schrot. Flag smut PERTH 779237 (1923) (Carne 1924a as *U.tritici*) 1923  
 South-west region  
*Ustilago tritici* (Pers.) Rostr. Loose smut PERTH 811939 (1961) (Stoward 1913)  
 South-west region  
*Verticillium lecanii* (A.W. Zimm.) Viegas On roots IMI 177413 (1973) Wongan Hills  
*Waitea circinata* Warcup & Talbot Bare patch (Roberts and Sivasithamparam 1987)  
 Lake Grace  
*Wojnowicia hirta* Sacc. Root rot (Carne 1925b as *W.graminis*) 1924  
 South-west region  
**Triticum X Secale (Triticale)**  
*Claviceps purpurea* (Fr.) Tul. Ergot (PPB records 1980)  
 Esperance  
*Drechslera campanulata* (Lev.) B.C. Sutton Leaf stripe (PPB records 1982)  
 Narrogin  
**Trymalium floribundum** Steud.  
*Armillaria luteobubalina* Watling & Kile Root rot (Kile et al. 1983, Pearce et al. 1986 host as *T.spathulatum*)  
 Manjimup, Pemberton  
*Uredo spyridii* Cooke & Massee Rust PERTH 834211 (1983)  
 Ellensbrook  
**Trymalium ledifolium** Fenzl in Endl., Fenzl, Benth. & Schott  
*Phytophthora cinnamomi* Rands Root rot (FR records 1980) 1975 Byford  
**Trymalium wichurae** Nees : Reissek in Lehm.  
*Muriangium pritzelianum* P. Henn. On stems, leaves and flowers (Hennings 1901b)  
 Geraldton  
**Trymalium** sp.  
*Uredo spyridii* Cooke & Massee Rust DAR 43130 (1983)  
 Margaret River  
**Tulipa** sp. (Tulip)  
*Botrytis tulipae* Lind Petal blight DAR 33895 (1983)  
 Bridgetown  
*Rhizoctonia tuliparum* Whetzel & Arthur Grey bulb rot (Goss 1964b as *Sclerotium tuliparum*) 1957 Perth  
**Ulmus** sp. (Elm)  
*Armillaria* sp. Root rot (Goss 1964b as *A.mellea*) 1943  
 Manjimup  
**Ursinia anthemoides** (L.) Poiret in Lam.  
*Puccinia* sp. Rust PERTII 791873 (1985) 1949 Perth  
**Vaccinium** sp. (Blueberry)  
*Pythium irregularare* Buisman Associated with root rot IMI 314323 (1987)  
 Narrikup  
**Velleia cynopotamica** F. Muell.  
*Puccinia saccardoii* Ludw. Rust Morrison (PERTII) (1903)  
 Wongan Hills  
**Verbena** sp.  
*Oidium* sp. Powdery mildew (Goss 1964b) 1931 Perth  
**Veronica** sp.  
*Septoria exotica* Speg. Leaf spot (MacNish 1964a) 1962 Perth  
**Verticordia densiflora** Lindley  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972)  
 Jarrah forest  
**Verticordia huegelii** Endl. in Endl., Fenzl, Benth. & Schott  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1966 Cohen Brook  
**Verticordia nitens** (Lindley) Endl.  
*Oidium* sp. Powdery mildew (PPB records 1983)  
 Perth  
*Phytophthora cinnamomi* Rands Root rot (PPB records 1985)  
 Wanneroo  
**Verticordia plumosa** (Desf.) Druce  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1966 Cohen Brook  
**Verticordia** sp.  
*Oidium* sp. Powdery mildew (Goss 1964b) 1960 South-west region  
**Viburnum tinus** L.  
*Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery  
**Vicia faba** L. (Broad bean, Horse bean, Tick bean)  
*Alternaria* sp. Leaf spot (Chambers 1959) 1913 South-west region  
*Ascochyta fabae* Speg. Leaf, pod and stem spot (Cass Smith 1943c) 1942 Perth  
*Botrytis cinerea* Pers. : Fr. Leaf spot PERTH 808873 (1923) (Cass Smith 1943c)  
 South-west region  
*Botrytis fabae* Sardina Chocolate spot IMI 122782 (1967)  
 Perth  
*Cercospora zonata* Wint. Leaf, pod and stem spot (Cass Smith 1943c as *C.fabae*) 1942 Perth  
*Cladosporium* sp. Black leaf spot (Chambers 1959) 1923 Perth  
*Phyllosticta* sp. Black leaf spot PERTH 799831 (1923) (Chambers 1959) Perth  
*Pythium debaryanum* Hesse Root rot (Chambers 1959) 1921  
*Sclerotinia sclerotiorum* (Lib.) de Bary Stem rot (Cass Smith 1945) South-west region  
*Uromyces viciae-fabae* (Pers.) Schrot. Rust PERTH 796115 (1923) (Carne 1925b as *U.fabae*) 1921 South-west region  
**Vicia sativa** L. (Common vetch)  
*Botrytis cinerea* Pers. : Fr. Leaf spot PERTH 824666 (1960) (Chambers 1960) 1950 South-west region  
*Peronospora viciae* (Berk.) Casp. Downy mildew IMI 134766 (1968)  
 Darkan  
**Vigna radiata** (L.) Wilczek (Mung bean)  
*Oidium* sp. Powdery mildew PERTH 741337 (1988) (Anon. 1973 as *Erysiphe ?polygona*, host as *V.aureus*) Kununurra  
*Xanthomonas campestris* pv. *phaseoli* (E.F. Smith) Dye Common blight Beverly Springs Station, West Kimberley  
**Viola odorata** L. (Violet)  
*Puccinia violae* DC. Rust (Baron-Hay 1948) 1946 Roleystone  
*Pythium irregularare* Buisman Associated with root rot IMI 140611 (1969) Perth  
*Sclerotium rolfsii* Sacc. Stem rot PERTH 833169 Perth  
*Sphaelomma* sp. Scab (Goss 1964b) 1945 Perth  
**Viola tricolor** L. (Pansy)  
*Phyllosticta* sp. Leaf spot (MacNish 1967) 1963 Perth  
**Virgilia** sp.  
*Armillaria luteobubalina* Watling & Kile Root rot (Goss 1964b as *A.mellea*) 1956 South-west region  
**Vitis vinifera** L. (Wine grape)  
*Agrobacterium tumefaciens* (E.F. Smith & Townsend) Conn Crown gall (Doepel 1964) 1929 South-west region  
*Armillaria* sp. Root rot (Stoward 1913 as *A.mellea*) South-west region  
*Botryosphaeria ribis* Grossenb. & Dugg. Associated with decline IMI 213127 (1977)  
 Cowaramup  
*Botrytis cinerea* Pers. : Fr. Grey mould (Doepel 1964) 1925 South-west region  
*Entyloma armeniacae* Hansf. & Carter in Carter Associated with dying-arm (PPB records 1975)  
 Wanneroo  
*Oidium tuckeri* Berk. Powdery mildew PERTH 785091 (1965) (Despeissis 1903b)  
 South-west region  
*Phoma vitis* Bon. Associated with decline IMI 213125 (1977)  
 Cowaramup  
*Phomopsis viticola* Sacc. Associated with dead-arm IMI 196491 (1975)  
 Mt Barker  
*Phytophthora cinnamomi* Rands Associated with root rot IMI 148408 (1970)  
 Upper Swan

- Phytophthora megasperma* Drechsler Associated with root rot IMI 149853 (1970)  
 General  
*Pythium acaulicum* Drechsler Associated with root rot IMI 136144 (1968)  
 Upper Swan  
*Pythium irregulare* Buisman Associated with decline IMI 143369 (1969)  
 Upper Swan  
*Pythium spinosum* Sawada Associated with root rot IMI 144806 (1969)  
 Upper Swan  
*Pythium ultimum* Trow. Associated with root rot IMI 147512 (1970)  
 Upper Swan  
*Sclerotinia sclerotiorum* (Lib.) de Bary Leaf withering and cane rot IMI 328195 (1988)  
 Cowaramup, Swan Valley  
*Seimatosprium lielencola* (Corda) Shoemaker & Muller Associated with dead-arm IMI 209793 (1976)  
 Mt Barker  
*Seimatosprium loriaceae* (Cooke) Shoemaker On bark IMI 262773 (1981)  
 Mt Barker  
*Sphaceloma ampelinum* de Bary Anthracnose PERTH 797758 (1920) (McAlpine 1895 as *Phoma ampelina*)  
 General  
*Trichothecium roseum* (Pers.) Link : Gray Associated with berry spot DAR 51161 (1984)  
 Herne Hill
- Vulpia bromoides** (L.) Gray (Silver grass)  
*Claviceps purpurea* (Fr.) Tul. Ergot PERTH 780308 (1980)  
 Esperance Downs Research Station  
*Gaeumannomyces graminis* (Sacc.) von Arx & Oliv. Take-all (Carne and Campbell 1924b)  
 South-west region  
*Puccinia graminis* Pers. f. sp. *avenae* Eriks. & P. Henn. Oat stem rust (MacNish 1964a) 1962  
 Esperance  
*Puccinia graminis* Pers. f.sp. *tritici* Eriks & P. Henn. Wheat stem rust (Khan et al. 1968)  
 South-west region
- Vulpia myuros** (L.) C. Gmelin  
*Gaeumannomyces graminis* (Sacc.) von Arx & Oliv. Take-all PERTH 824607 (1962) (Carne and Campbell 1924b)  
 Woogenellup
- Washingtonia robusta** H. Wendl. (Cotton palm)  
*Phoma glomerata* (Corda) Wollenw. & Hochaf. Associated with leaf spot IMI 216584 (1977)  
 Perth
- Westringia rosemariniformis** Smith  
*Phytophthora drechsleri* Tucker Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery  
*Phytophthora nicotianae* Breda de Haan var. *nicotianae* Associated with root rot (Hardy and Sivasithamparam 1988)  
 Plant Production Nursery
- Whiteoak cymbiformis** (Hughes) B. Simon  
*Cintractia* sp. Smut (Waterhouse 1949, host as *Paricium cymbiforme*)  
 Wyndham
- Wurmbea centralis** T.D. Macfarlane  
*Puccinia wurmbeae* Cooke & Massee Rust Hooper 5509 (PERTH) (1986)  
 Cape Naturaliste
- Wurmbea cernua** T.D. Macfarlane  
*Aecidium* sp. Rust UWA 2045 (1975) (Macfarlane 1980)  
 Cape Arid National Park
- Wurmbea densiflora** (Benth.) T.D. Macfarlane  
*Puccinia wurmbeae* Cooke & Massee Rust Wills (PERTH) (1973)  
 Northampton, Nungarin
- Wurmbea dilatata** T.D. Macfarlane  
*Puccinia wurmbeae* Cooke & Massee Rust Dixon (PERTH) (1983)  
 Kalbarri
- Wurmbea monantha** (Endl.) T.D. Macfarlane  
*Puccinia wurmbeae* Cooke & Massee Rust George 9187 (PERTH) (1967) (Macfarlane 1980)  
 Medina
- Wurmbea pygmaea** (Endl.) Benth.  
*Puccinia wurmbeae* Cooke & Massee Rust George 2624 (PERTH) (1961)  
 Wanneroo
- Wurmbea sinora** T.D. Macfarlane  
*Puccinia wurmbeae* Cooke & Massee Rust MAB 3430 (PERTH) (1984) (Macfarlane 1980)  
 Kav Rocks Road
- Wurmbea tenella** (Endl.) Benth.  
*Puccinia wurmbeae* Cooke & Massee Rust UWA 2044 (1975) (Macfarlane 1980)  
 Koolyanobbing, Mt Heyward
- Wurmbea tubulosa** Benth.  
*Puccinia wurmbeae* Cooke & Massee Rust UWA 2044 (1975)  
 Koolyanobbing
- Xanthium occidentale** Bertol. (Noogoora burr)  
*Puccinia xanthii* Schw. Rust PERTH 824135 (1985) 1981  
 Kununurra
- Xanthorrhoea australis** R.Br.  
*Armillaria luteobubalina* Watling & Kile Root rot DAR 43155 (1982) (Kile et al. 1983)  
 Manjimup
- Xanthorrhoea preissii** Endl. in Lehm.  
*Microdipodia* sp. Leaf spot PERTH 833673 (1971)  
 Melville  
*Phytophthora cinnamomi* Rands Root rot (FR records 1980) 1968  
 Canning Dam
- Xanthorrhoea** sp.  
*Phytophthora cinnamomi* Rands Root rot (FR records 1980, host as *X. reflexa*) 1978  
 Stirling Range
- Xanthosia candida** (Benth.) Steudel  
*Puccinia xanthosiae* McAlp. Rust Cranfield R144 (PERTH) (1978)  
 Forrestfield
- Xanthosia huegelii** (Benth.) Steudel  
*Puccinia xanthosiae* McAlp. Rust Royce 4560 (PERTH) (1953)  
 Yoonganillup
- Xylomelum occidentale** R.Br. (Native pear)  
*Asterina* sp. Leaf spot PERTH 780871 (MacNish 1963a) 1940  
 Karridale  
*Playaspora xylomei* P. Henn. On leaves (Hennings 1901a) 1900  
 Perth  
*Phytophthora cinnamomi* Rands Root rot (Podger 1972) 1965  
 Sues Road
- Yucca whipplei** Torr.  
*Phytophthora cinnamomi* Rands Root rot IMI 166288 (1972)  
 Bunbury
- Zea mays** L. subsp. *mays* (Maize, Sweet corn)  
*Bipolaris maydis* (Nisikado & Miyake) Shoemaker IMI 164254 (1972) (Sivanesan 1987)  
 Perth  
*Erwinia carotovora* pv. *carotovora* (Jones) Bergey, Harrison, Breed, Hammer & Huntoon Soft rot (PPB records 1976)  
 Manjimup  
*Fusarium moniliforme* Sheldon Kernel rot (Chambers 1960) 1959  
 Bunbury  
*Penicillium* sp. Blue eye (Chambers 1960) 1956  
 Carnarvon  
*Peronosclerospora maydis* (Racib.) C.G. Shaw Java downy mildew (PPB records 1980)  
 Kununurra  
*Peronosclerospora sorghi* (Weston & Uppal) C.G. Shaw Downy mildew IMI 147292 (1970) (Tweedie 1970 as *Sclerospora sorghi*)  
 This record is doubtful as it was based on a tentative identification on sweetcorn at Kununurra in 1970. The conidia were very similar to those recorded for *P. maydis* in northern Australia (Ramsey and Jones 1988).  
*Puccinia sorghi* Schw. Leaf rust PERTH 795089 (1945) (Chambers 1960) 1918  
 General  
*Pyrenopeziza terrestris* (Hans.) Gorenz, Walker & Larson Stem lesions (PPB records 1985)  
 Kununurra
- Zinnia elegans** Jacq. (Zinnia)  
*Alternaria zinniae* M.B. Ellis Leaf spot IMI 202933 (1976)  
 Broome  
*Fusarium* sp. Wilt (Goss 1964b) 1928  
*Oidium* sp. Powdery mildew (MacNish 1967) 1965  
 Perth  
*Pythium splendens* Braun Associated with root rot IMI 146791 (1970)  
 Perth
- Zygophyllum billardierei** DC.  
*Uromyces vesiculosus* Wint. Rust Weston 9846 (PERTH) (1974)  
 Recherche Archipelago
- Zygophyllum fructicosum** DC.  
*Uromyces vesiculosus* Wint. Rust Demarz 5392 (PERTH) (1974)  
 Bimbiizy Station
- Zygophyllum ovatum** Ewart & J. White  
*Uromyces vesiculosus* Wint. Rust Royce 4495 (PERTH) (1953)  
 Count Vale

## Pathogen Index

- Acremoniella verrucosa** Tognini  
*Acacia saligna*
- Acremonium** sp.  
*Eucalyptus ficifolia*  
*Juglans regia*
- Acrosporium** sp.  
 A synonym of *Oidium* sp.
- Actinomyces scabies** (Thax.) Gussow  
 A synonym of *Streptomyces scabies*
- Actinonema rosae** (Lib.) Fr.  
 A synonym of *Marsouina rosae*
- Aecidium eburneum** McAlp.  
*Bossiaea aquifolium*  
*Bossiaea laeteviridis*  
*Bossiaea linophylla*
- Aecidium myopori** Cunn.  
*Myoporum tetrandrum*
- Aecidium osteospermi** Doidge  
 See records under *Puccinia lagenophorae*

- Aecidium** sp.  
*Acanthocarpus verticillata*  
*Atriplex* sp.  
*Clematis microphylla*  
*Clematis pubescens*  
*Cyathostemma micranthum*  
*Dioscorea hastifolia*  
*Erodium botrys*  
*Medicago tornata*  
*Oxylobium capitatum*  
*Trichocline spathulata*  
*Wurmbea cernua*
- Agrobacterium rhizogenes** (Riker, Banfield, Wright, Keitt & Sagen) Conn  
*Malus sylvestris*
- Agrobacterium tumefaciens** (E.F. Smith & Townsend) Conn  
*Anemone* sp.  
*Betula alleghaniensis*  
*Chamaelaurum uncinatum*  
*Cydonia oblonga*  
*Dahlia* sp.  
*Diospyros kaki*  
*Eriobotrya japonica*  
*Eucalyptus maculata*  
*Ficus carica*  
*Genista monosperma*  
*Jacaranda acutifolia*  
*Juglans regia*  
*Malus sylvestris*  
*Myoporum acuminatum*  
*Prunus armeniaca*  
*Prunus avium*  
*Prunus domestica*  
*Prunus dulcis*  
*Prunus persica*  
*Prunus salicina*  
*Prunus* sp.  
*Pyrus communis*  
*Retama monosperma*  
*Rosa hybrids*  
*Vitis vinifera*
- Albugo bliti** (Biv.) Kuntze  
*Pilularia polystachys*
- Albugo candida** (Pers. : Hook.) Kuntze  
*Brassica campestris* var. *chinensis*  
*Brassica campestris* var. *rapa*  
*Brassica napus*  
*Brassica napus* var. *napobrassica*  
*Brassica oleracea* var. *botrytis*  
*Brassica tournefortii*  
*Capsella bursa-pastoris*  
*Raphanus raphanistrum*  
*Raphanus sativus*  
*Sisymbrium officinale*  
*Sisymbrium orientale*
- Albugo mesembryanthemi** Baker  
*Mesembryanthemum* sp.
- Albugo portulacae** (DC.) Kuntze  
*Portulaca oleracea*
- Albugo tragopogonis** (DC.) Gray  
*Gerbera jamesonii*  
*Helianthus annuus*
- Albugo** sp.  
*Goodenia* sp.  
*Phaeoculus atropurpureus*  
*Trachymene australis*
- Alternaria alternata** (Fr.) Keissl.  
*Anigozanthos flavidus*  
*Anigozanthos manglesii*  
*Anigozanthos manglesii* X *A. viridis*  
*Anigozanthos preissii*  
*Anigozanthos pulcherrianus*  
*Anigozanthos rufus* X *A. onycis*  
*Anigozanthos viridis*  
*Brassica campestris* var. *chinensis*  
*Brassica oleracea* var. *botrytis*  
*Carica papaya*  
*Gladiolus* X *hortulanus*  
*Hordeum vulgare*  
*Macropidia fuliginosa*  
*Simmondsia chinensis*  
*Triticum aestivum*
- Alternaria brassicae** (Berk.) Sacc.  
*Brassica napus*  
*Brassica oleracea* var. *botrytis*  
*Raphanus raphanistrum*
- Alternaria brassicicola** (Schw.) Wiltshire  
*Brassica campestris* var. *chinensis*  
*Brassica napus*  
*Brassica oleracea* var. *botrytis*  
*Brassica oleracea* var. *italica*
- Alternaria carthami** Chowdhury  
*Carthamus tinctorius*
- Alternaria citri** Ellis & Pierce in Pierce  
*Citrus sinensis*  
**Alternaria cucumerina** (Ellis & Everh.) Elliott  
*Cucumis sativus*  
*Cucurbita pepo*  
**Alternaria dauci** (Kuhn) Groves & Skolko  
*Daucus carota*  
**Alternaria fasciculata** (Cooke & Ellis) Jones & Grout  
*Phaseolus vulgaris*  
**Alternaria gossypina** (Thum.) Hopkins  
*Gossypium hirsutum*  
**Alternaria helianthi** (Hansf.) Tubaki & Nishihara  
*Helianthus annuus*  
**Alternaria malii** Roberts  
*Malus sylvestris*  
**Alternaria padwickii** (Ganguly) M.B. Ellis  
*Oryza sativa*  
**Alternaria passiflorae** Simmonds  
*Passiflora edulis*  
*Passiflora manicata*  
**Alternaria radicina** Meier, Drechsler & Eddy  
*Daucus carota*  
**Alternaria solani** Sorauer  
*Lycopersicon esculentum*  
*Solanum melongena*  
*Solanum nigrum*  
*Solanum tuberosum*  
**Alternaria tenuis** Nees  
A synonym of *Alternaria alternata*  
**Alternaria tomato** (Cooke) Weber  
*Lycopersicon esculentum*  
**Alternaria zinniae** M.B. Ellis  
*Zinnia elegans*  
**Alternaria** sp.  
*Aureolaria cordifolia*  
*Brassica tournefortii*  
*Camellia japonica*  
*Capsicum annuum*  
*Cucurbita maxima*  
*Cyanopsis tetragonoloba*  
*Cydonia oblonga*  
*Dianthus caryophyllus*  
*Gypsophila elegans*  
*Hibiscus rosa-sinensis*  
*Hydrangea* sp.  
*Ligustrum* sp.  
*Magnolia* sp.  
*Nicotiana tabacum*  
*Oryza sativa*  
*Pelargonium* sp.  
*Pistacia vera*  
*Protea* sp.  
*Pyrus communis*  
*Secale cereale*  
*Sesamum indicum*  
*Simmondsia chinensis*  
*Sisymbrium orientale*  
*Solanum scabrothecum*  
*Sonchus oleraceus*  
*Triticum aestivum*  
*Vicia faba*
- Aphanomyces eutiches** Dreschler  
*Trifolium subterraneum*
- Aphanomyces raphani** Kendrick  
*Raphanus sativus*
- Apostrasseria** sp.  
*Trifolium subterraneum*
- Armillaria luteobubalina** Watling & Kile  
*Acacia browniana*  
*Acacia pulchella*  
*Acacia saligna*  
*Acacia urophylla*  
*Agonis flexuosa*  
*Allocasuarina decussata*  
*Banksia grandis*  
*Banksia seminuda*  
*Bossiaea laurifolia*  
*Bossiaea liophylla*  
*Eucalyptus calophylla*  
*Eucalyptus diversicolor*  
*Eucalyptus gunnii*  
*Eucalyptus leucoxylon*  
*Eucalyptus marginata*  
*Eucalyptus megacarpa*  
*Eucalyptus wandoo*  
*Grevillea robusta*  
*Hakea prostrata*  
*Malus sylvestris*  
*Prunus armeniaca*  
*Prunus avium*  
*Prunus domestica*  
*Prunus dulcis*  
*Prunus persica*

- Pyrus communis*  
*Tristania conferta*  
*Trymalium floribundum*  
*Virgilia sp.*  
*Xanthorrhoea australis*
- Armillaria mellea** (Vahl : Fr.) Kummer  
 See records under *Armillaria luteobubalina* and *Armillaria* sp.
- Armillaria** sp.  
*Acacia truncata*  
*Bougainvillea spectabilis*  
*Camellia sasanqua*  
*Citrus limon*  
*Citrus reticulata*  
*Citrus sinensis*  
*Delonix regia*  
*Dryandra polycephala*  
*Eucalyptus caesia*  
*Eucalyptus delegatensis*  
*Eucalyptus obliqua*  
*Eucalyptus regnans*  
*Fragaria X ananassa*  
*Hibiscus rosa-sinensis*  
*Lagerstroemia* sp.  
*Leptospermum laevigatum*  
*Leptospermum* sp.  
*Melia azedarach*  
*Morus alba*  
*Morus nigra*  
*Passiflora edulis*  
*Pittosporum* sp.  
*Pteridium esculentum*  
*Rheum rhabarbarum*  
*Rosa hybrids*  
*Salix babylonica*  
*Schefflera actinophylla*  
*Solanum tuberosum*  
*Ulmus* sp.  
*Vitis vinifera*
- Ascochyta cariae** Pat.  
*Carica papaya*
- Ascochyta caulincola** Lamb.  
*Trifolium subterraneum*
- Ascochyta chenopodii** Rostr.  
*Atriplex atacamensis*  
*Atriplex* sp.
- Ascochyta cucumis** Fautr. & Roum.  
*Cucumis melo*  
*Cucurbita moschata*  
*Cucurbita pepo*
- Ascochyta desmazieresii** Cavara  
*Lolium perenne*
- Ascochyta fabae** Speg.  
*Vicia faba*
- Ascochyta graminicola** Sacc.  
 See records under *Ascochyta* sp.
- Ascochyta imperfecta** Peck  
 See records under *Phoma medicaginis*
- Ascochyta leptospora** (Traill) Hara  
*Digitaria didactyla*
- Ascochyta pinodella** Jones  
 A synonym of *Phoma medicaginis* var. *pinodella*
- Ascochyta pinodes** Jones  
 See records under teleomorph *Didymella pinodes*
- Ascochyta piricola** Sacc.  
*Pyrus pashia*
- Ascochyta pisi** Lib.  
*Pisum sativum*  
*Trifolium subterraneum*
- Ascochyta rhei** Ellis & Everh.  
*Rheum rhabarbarum*
- Ascochyta** sp.  
*Carica papaya*  
*Citharexylum spinosum*  
*Hordeum glaucum*  
*Lathyrus odoratus*  
*Lupinus angustifolius*  
*Phaseolus vulgaris*  
*Physalis peruviana*
- Aspergillus niger** van Tieghem  
*Allium cepa*  
*Arachis hypogaea*
- Aspergillus** sp.  
*Oryza sativa*
- Asterina baileyi** Berk. & Broome  
 A synonym of *Placoasterella baileyi*
- Asterina systema-solare** Massee  
 A synonym of *Dothidasteronella systema-solare*
- Asterina** sp.  
*Isopogon asper*  
*Synaphea polymorpha*  
*Xylomelum occidentale*
- Aureobasidium lini** (Laff.) Hermanides-Nijhoff  
*Linum usitatissimum*
- Aureobasidium pullulans** (de Bary) Arnaud  
*Pinus pinaster*
- Balansia sclerotica** (Pat.) Hohnel  
*Plectrachne bynoei*
- Bipolaris cynodontis** (Marignoni) Shoemaker  
*Cynodon dactylon*
- Bipolaris hawaiiensis** (M.B. Ellis) Uchida & Aragaki  
*Cenchrus setigerus*  
*Triticum aestivum*
- Bipolaris iridis** (Oudem.) Dickinson  
*Anigozanthos manglesii* (doubtful host)  
*Iris* sp.  
*Patersonia occidentalis*
- Bipolaris maydis** (Nisikado & Miyake) Shoemaker  
*Euchlaena mexicana*  
*Zea mays*
- Bipolaris oryzae** (Breda de Haan) Shoemaker  
*Oryza australiensis*
- Bipolaris perotidis** Alcorn  
*Cenchrus setigerus*
- Bipolaris papendorfii** (van der Aa) Alcorn  
*Sorghum bicolor*
- Bipolaris sorghicola** (Lefebvre & Sherwin) Alcorn  
*Sorghum bicolor*
- Bipolaris sorokiniana** (Sacc.) Shoemaker  
*Agropyron distichum*  
*Cynodon dactylon*  
*Ehrharta calycina*  
*Hordeum leporinum*  
*Hordeum vulgare*  
*Stenotaphrum secundatum*  
*Triticum aestivum*
- Bipolaris spicifera** (Bainier) Subram.  
*Agrostis capillaris*  
*Cynodon dactylon*  
*Secale cereale*  
*Stenotaphrum secundatum*  
*Triticum aestivum*
- Bipolaris victoriae** (Meehan & Murphy) Shoemaker  
*Avena sativa*
- Bipolaris zae** Sivanesan  
*Pennisetum clandestinum*
- Botryodiplodia theobromae** Pat.  
*Arachis hypogaea*  
*Citrus sinensis*  
*Leucaena leucocephala*  
*Sorghum bicolor*
- Botryosphaeria obtusa** (Schw.) Shoemaker  
*Malus sylvestris*  
*Pyrus communis*
- Botryosphaeria stevensii** Shoemaker  
*Prunus armeniaca*
- Botryosphaeria ribis** Grossenb. & Dugg.  
*Banksia grandis*  
*Cucumis melo*  
*Eucalyptus accedens*  
*Eucalyptus caesia*  
*Eucalyptus calophylla*  
*Eucalyptus diversicolor*  
*Eucalyptus globulus*  
*Eucalyptus leucoxylon*  
*Eucalyptus marginata*  
*Eucalyptus megacarpa*  
*Eucalyptus radiata*  
*Eucalyptus saligna*  
*Eucalyptus wandoo*  
*Gossypium hirsutum*  
*Pinus radiata*  
*Quercus suber*  
*Vitis vinifera*
- Botryosphaeria** sp.  
*Alyxia buxifolia*  
*Isopogon scabriusculus*
- Botryotrichum piluliferum** Sacc. & Marchal  
*Brassica napus*
- Botrytis allii** Munn  
*Allium cepa*
- Botrytis cinerea** Pers. : Fr.  
*Begonia* spp.  
*Brassica oleracea* var. *gemmifera*  
*Citrus limon*  
*Citrus reticulata*  
*Citrus sinensis*  
*Cucurbita moschata*  
*Cyclamen persicum*  
*Dahlia* sp.  
*Dianthus caryophyllus*  
*Eucalyptus caesia*  
*Eucalyptus diversicolor*  
*Eucalyptus globulus*  
*Eucalyptus muelleriana*  
*Eucalyptus striatocalyx*  
*Eucalyptus transcontinentalis*

<i>Fragaria X ananassa</i>	<i>Cercospora citrullina</i> Cooke
<i>Gerbera jamesonii</i>	<i>Citrullus lanatus</i>
<i>Gladiolus X hortulanus</i>	<i>Cercospora oryzae</i> Miyake
<i>Gloxinia</i> sp.	<i>Oryza sativa</i>
<i>Lactuca sativa</i>	<i>Cercospora personata</i> (Berk. & Curt.) Ellis & Everh.
<i>Lycopersicon esculentum</i>	A synonym of <i>Cercosporidium personatum</i>
<i>Malus sylvestris</i>	<i>Cercospora santalacea</i> Gopinathan Nair
<i>Matthiola incana</i>	<i>Santalum spicatum</i>
<i>Passiflora edulis</i>	<i>Cercospora sorghi</i> Ellis & Everh.
<i>Phaseolus vulgaris</i>	<i>Sorghum album</i>
<i>Prunus armeniaca</i>	<i>Sorghum bicolor</i>
<i>Prunus persica</i>	<i>Sorghum sudanense</i>
<i>Pyrus communis</i>	<i>Cercospora zebra</i> Pass.
<i>Rosa</i> hybrids	<i>Trifolium cernuum</i>
<i>Solanum melongena</i>	<i>Trifolium subterraneum</i>
<i>Solanum tuberosum</i>	<i>Cercospora zonata</i> Wint.
<i>Trifolium cherleri</i>	<i>Vicia faba</i>
<i>Vicia faba</i>	<i>Cercospora</i> sp.
<i>Vicia sativa</i>	<i>Gerbera jamesonii</i>
<i>Vitis vinifera</i>	<i>Hovea elliptica</i>
<b>Botrytis elliptica</b> (Berk.) Cooke	<i>Hovea trisperma</i>
<i>Lilium</i> sp.	<b>Cercosporidium graminis</b> (Fuckel) Deighton
<b>Botrytis fabae</b> Sardina	<i>Avena sativa</i>
<i>Vicia faba</i>	<i>Secale cereale</i>
<b>Botrytis tulipae</b> Lind	<b>Cercosporidium personatum</b> (Berk. & Curt.) Deighton
<i>Tulipa</i> sp.	<i>Arachis hypogaea</i>
<b>Botrytis</b> sp.	<b>Chaetomium</b> sp.
<i>Amaryllis belladonna</i>	<i>Thujopsis orientalis</i>
<i>Aster</i> sp.	<b>Cintractia crus-galli</b> (Tracy & Earle) Magnus
<i>Calceolaria</i> sp.	A synonym of <i>Ustilago trichophora</i>
<i>Camellia japonica</i>	<b>Cintractia hypodytes</b> (Schlecht.) R. Maire
<i>Consolida ambigua</i>	A synonym of <i>Ustilago hypodytes</i>
<i>Jacaranda acutifolia</i>	<b>Cintractia</b> sp.
<i>Jasminum</i> sp.	<i>Whitechloa cymbiformis</i>
<i>Lupinus angustifolius</i>	<b>Cionothrix jacksoniae</b> (P. Henn.) Syd.
<i>Opuntia</i> sp.	<i>Gastrolobium spinosum</i>
<i>Rhododendron</i> sp.	<i>Jacksoniana sternbergiana</i>
<i>Saintpaulia ionantha</i>	<b>Cladosporium carpophilum</b> Thum.
<i>Schinus molle</i>	<i>Prunus armeniaca</i>
<b>Bremia lactucae</b> Regel	<i>Prunus persica</i>
<i>Lactuca sativa</i>	<b>Cladosporium cladosporioides</b> (Fres.) de Vries
<b>Camarosporium atriplicis</b> d'Almeida & da Camara	<i>Malus sylvestris</i>
<i>Atriplex amnicola</i>	<b>Cladosporium echinulatum</b> (Berk.) de Vries
<i>Atriplex</i> sp.	See records under teleomorph <i>Mycosphaerella dianthi</i>
<b>Camarosporium</b> sp.	<b>Cladosporium fulvum</b> Cooke
<i>Acacia saligna</i>	A synonym of <i>Fulvia fulva</i>
<i>Atriplex bunburyana</i>	<b>Cladosporium furfuraceum</b> McAlp.
<i>Atriplex semibaccata</i>	<i>Citrus limon</i>
<b>Camarosporula persononiae</b> (P. Henn.) Petr.	<b>Cladosporium herbarum</b> (Pers.) Link : Gray
<i>Persoonia articulata</i>	See under teleomorph <i>Mycosphaerella tassiana</i> for records
<i>Persoonia elliptica</i>	<b>Cladosporium iridis</b> (Fautr. & Roum.) de Vries
<i>Persoonia longifolia</i>	See records under teleomorph <i>Mycosphaerella macrospora</i>
<i>Persoonia microcarpa</i>	<b>Cladosporium subfusoidae</b> McAlp.
<i>Persoonia quinquenervis</i>	<i>Citrus limon</i>
<b>Capnodium citricolum</b> McAlp.	<b>Cladosporium</b> sp.
<i>Citrus limon</i>	<i>Citrus sinensis</i>
<i>Citrus sinensis</i>	<i>Lupinus angustifolius</i>
<b>Capnodium</b> sp.	<i>Ricinus communis</i>
The records indicate the presence of sooty mould although the identity of the fungus is doubtful	<i>Vicia faba</i>
<i>Acmena smithii</i>	<b>Clasterosporium carpophilum</b> (Lev.) Aderh.
<i>Agonis flexuosa</i>	A synonym of <i>Sporocadus carpophilus</i>
<i>Camellia japonica</i>	<b>Clavibacter michiganense</b> subsp. <i>michiganense</i> (Erw. Smith) Davis, Gillaspie, Vidaver & Harris
<i>Choisya ternata</i>	<i>Lycopersicon esculentum</i>
<i>Daphne odora</i>	<i>Solanum nigrum</i>
<i>Erica</i> sp.	<b>Clavibacter tritici</b> (Carlson & Vidaver) Davis, Gillaspie, Vidaver & Harris
<i>Leptospermum</i> sp.	<i>Triticum aestivum</i>
<i>Magnolia</i> sp., <i>Nerium oleander</i>	<b>Clavibacter</b> sp.
<i>Rosa</i> hybrids	<i>Avena fatua</i>
<i>Salvia</i> sp.	<i>Avena sativa</i>
<i>Thuja orientalis</i>	<i>Danthonia caespitosa</i>
<b>Cephalothecium roseum</b> Corda	<i>Lolium rigidum</i>
A synonym of <i>Trichothecium roseum</i>	<i>Phalaris minor</i>
<b>Ceratobasidium cornigerum</b> (H. Bourdot) Rogers	<i>Phalaris paradoxa</i>
<i>Trifolium subterraneum</i>	<b>Claviceps paspali</b> Stev. & Hall
<b>Ceratobasidium</b> sp.	<i>Paspalum dilatatum</i>
<i>Hordeum vulgare</i>	<b>Claviceps purpurea</b> (Fr.) Tul.
<i>Trifolium subterraneum</i>	<i>Dactylis glomerata</i>
<i>Triticum aestivum</i>	<i>Festuca arundinacea</i>
<b>Ceratocystis fimbriata</b> Ellis & Halsted	<i>Holcus lanatus</i>
<i>Ipomoea batatas</i>	<i>Lolium perenne</i>
<b>Ceratophorum setosum</b> Kirchn.	<i>Lolium rigidum</i>
A synonym of <i>Pleiochaeta setosa</i>	<i>Phalaris tuberosa</i>
<b>Cercospora albo-maculans</b> Ellis & Everh.	<i>Puccinellia stricta</i>
<i>Brassica campestris</i>	<i>Secale cereale</i>
<b>Cercospora apii</b> Fres.	<i>Triticum aestivum</i>
<i>Apium graveolens</i>	<i>Triticum X Secale</i>
<b>Cercospora beticola</b> Sacc.	<i>Vulpia bromoides</i>
<i>Beta vulgaris</i>	<b>Claviceps</b> sp.
<b>Cercospora canescens</b> Ellis & Mart.	<i>Ammophila arenaria</i>
<i>Glycine max</i>	<b>Clitocybe</b> sp.
<b>Cercospora carotae</b> (Pass.) Kaznowski & Siemaszko	<i>Citrus sinensis</i>
<i>Daucus carota</i>	

*Cochliobolus sativus* (Ito & Kurib.) Drechsler : Dastur

See records under anamorph *Bipolaris sorokiniana*

*Cochliobolus victoriae* Nelson

See records under anamorph *Bipolaris victoriae*

*Colletotrichum acutatum* Simmonds

*Fragaria X ananassa*

*Simmondsia chinensis*

*Colletotrichum atramentarium* (Berk. & Broome) Taubenh.

A synonym of *Colletotrichum coccodes*

*Colletotrichum camelliae* Massee

A synonym of *Colletotrichum gloeosporioides*

*Colletotrichum capsici* (Syd.) Butt. & Bisby

*Arachis hypogaea*

*Glycine max*

*Stylosanthes humilis*

*Colletotrichum circinans* (Berk.) Vogl.

*Allium cepa*

*Colletotrichum coccodes* (Wallr.) Hughes

*Iris sp.*

*Medicago truncatula*

*Solanum tuberosum*

*Colletotrichum dematium* (Pers. : Fr.) Grove

*Iris sp.*

*Colletotrichum destructivum* O'Gara

*Trifolium fragiferum*

*Colletotrichum gloeosporioides* (Penz.) Penz. & Sacc.

See under teleomorph *Glomerella cingulata* for further records

*Anacardium occidentale*

*Camellia japonica*

*Carica papaya*

*Cattleya sp.*

*Citrus limon*

*Citrus paradisi*

*Citrus reticulata*

*Citrus sinensis*

*Cocos plumosa*

*Cydonia oblonga*

*Epiphyllum sp.*

*Ficus carica*

*Gossypium hirsutum*

*Kentia sp.*

*Lupinus consertinii*

*Lycopersicon esculentum*

*Malus sylvestris*

*Mangifera indica*

*Olea europaea*

*Passiflora edulis*

*Pyrus communis*

*Quercus sp.*

*Santalum lanceolatum*

*Stylosanthes scabra*

*Colletotrichum gossypii* Southw.

See records under *Colletotrichum gloeosporioides*

*Colletotrichum graminicola* (Ces.) Wilson

*Sorghum bicolor*

*Colletotrichum lindemuthianum* (Sacc. & Magnusson) Broome & Cav.

*Phaseolus vulgaris*

*Colletotrichum lini* (Westerdijk) Tochinai

*Linum usitatissimum*

*Colletotrichum malvarum* (Braun & Casp.) Southw.

*Althaea rosea*

*Colletotrichum musae* (Berk. & Curt.) von Arx

*Musa acuminata*

*Colletotrichum orbiculare* (Berk. & Mont.) von Arx

*Cucumis melo*

*Cucumis sativus*

*Cucurbita maxima*

*Cucurbita pepo*

*Colletotrichum trifolii* Bain in Bain & Essary

*Medicago sativa*

*Trifolium cernuum*

*Trifolium fragiferum*

*Trifolium repens*

*Trifolium subterraneum*

*Colletotrichum truncatum* (Schw.) Andrus & Moore

*Trifolium fragiferum*

*Trifolium subterraneum*

*Colletotrichum sp.*

*Arctotheca calendula*

*Echinochloa colona*

*Eriobotrya japonica*

*Gerbera jamesonii*

*Scabiosa sp.*

*Sorghum sudanense*

*Coniella diplodiella* (Speg.) Petr. & Syd.

*Pisum sativum*

*Coniosporium inquinans* Durieu & Mont.

*Arundo sp.*

*Coniothecium sp.*

*Hordeum vulgare*

*Malus sylvestris*

*Pyrus communis*

*Triticum aestivum*

*Coniothyrium atriplicinum* Wint.

*Atriplex amnicola*

*Atriplex bunburyana*

*Atriplex semibaccata*

*Atriplex sp.*

*Coniothyrium fuckelii* Sacc.

*Rosa hybrids*

*Coniothyrium olivaceum* Bonord. in Fuckel

A synonym of *Microsphaeropsis olivacea*

*Coniothyrium wernsdorffiae* Laubert

*Rosa hybrids*

*Coniothyrium sp.*

*Trifolium subterraneum*

*Coprinus phlyctidosporus* Romag.

*Passiflora edulis*

*Coriolus sanguineus* (Fr.) Cunn.

See records under *Pycnoporus coccineus*

*Coriolus velutinus* (Fr.) Quel.

See records under *Coriolus versicolor*

*Coriolus versicolor* (L.) Quel.

*Malus sylvestris*

*Prunus armeniaca*

*Prunus persica*

*Pyrus communis*

*Coriolus zonatus* (Fr.) Quel.

See records under *Coriolus versicolor*

*Corticium rolfsii* (Sacc.) Curzi

See records under anamorph *Sclerotium rolfsii*

*Corticium solani* (Prill. & Del.) Bourd. & Galz.

See records under *Rhizoctonia solani*

*Corticium vagum* Berk. & Curt.

See records under *Rhizoctonia solani*

*Corynebacterium michiganense* subsp. *michiganense* (Erw. Smith) Jensen

A synonym of *Clavibacter michiganense* subsp. *michiganense*

*Corynebacterium tritici* (Hutchinson) Carlson & Vidaver

A synonym of *Clavibacter tritici*

*Cryptosporiopsis malicorticis* (Cordl.) Nannfeldt

See records under teleomorph *Pezicula malicorticis*

*Cronartium jacksoniae* P. Henn.

A synonym of *Cionothrix jacksoniae*

*Crossopsora premnae* (Petch) H. Syd. & Syd.

*Premna acuminata*

*Curvularia brachyspora* Boedijn

*Digitaria didactyla*

*Saccharum officinarum*

*Triticum aestivum*

*Curvularia clavata* Jain

*Sorghum bicolor*

*Curvularia eragrostidis* (P. Henn.) J. A. Meyer

*Sorghum bicolor*

*Stylosanthes humilis*

*Curvularia geniculata* (Tracy & Earle) Boedijn

*Sorghum bicolor*

*Stenotaphrum secundatum*

*Curvularia harveyi* Shipton

*Triticum aestivum*

*Curvularia inaequalis* (Shear) Boedijn

*Stenotaphrum secundatum*

*Curvularia intermedia* Boedijn

*Triticum aestivum*

*Curvularia lunata* var. *aeria* (Batista, Lima & Vasconcelos) M.B. Ellis

*Sorghum bicolor*

*Triticum aestivum*

*Curvularia pallescens* Boedijn

*Echinochloa colona*

*Sorghum bicolor*

*Stenotaphrum secundatum*

*Curvularia penniseti* (Mitra) Boedijn

*Sorghum bicolor*

*Curvularia prasadii* R.L. & B.L. Mathur

*Trifolium subterraneum*

*Curvularia ramosa* (Bainier) Boedijn

*Stenotaphrum secundatum*

*Triticum aestivum*

*Curvularia sorghina* Shivas & Sivanesan

*Sorghum bicolor*

*Curvularia spicifera* (Bainier) Boedijn

A synonym of *Bipolaris spicifera*

*Curvularia trifolii* (Kauffman) Boedijn

*Medicago sativa*

*Trifolium subterraneum*

*Curvularia verruculosa* Randon & Bilgrami : M.B. Ellis

*Sorghum bicolor*

*Curvularia sp.*

*Arundo donax*

*Cyanopsis tetragonoloba*

*Oryza sativa*

*Cylindrocarpon destructans* (Zinssmeister) Scholten

*Malus sylvestris*

- Cylindrocarpon destructans** var. *crassum* (Wollenw.) Booth  
*Gerbera jamesonii*
- Cylindrocarpon didymum** (Hartig) Wollenw.  
*Trifolium subterraneum*
- Cylindrocarpon radicicola** Wollenw.  
A synonym of *Cylindrocarpon destructans*
- Cylindrocarpon** sp.  
*Daucus carota*
- Cylindrocadium scoparium** Morgan  
*Callistemou viminalis*
- Cylindrosporium pastinacae** (West.) Lind  
See records under teleomorph *Phyllachora pastinaceae*
- Cytopsora eucalyptica** van der Westhuizen  
*Eucalyptus accedens*  
*Eucalyptus calophylla*  
*Eucalyptus cladocalyx*  
*Eucalyptus diversicolor*  
*Eucalyptus erythrocorys*  
*Eucalyptus globulus*  
*Eucalyptus marginata*  
*Eucalyptus megacarpa*  
*Eucalyptus radiata*  
*Eucalyptus resupinata*  
*Eucalyptus saligna*  
*Eucalyptus wandoo*  
*Eucalyptus* spp.
- Cytopsora** sp.  
*Eucalyptus flocktoniae*  
*Stirlingia latifolia*
- Daedalea** sp.  
*Prunus avium*
- Davisoniella eucalypti** Swart  
*Eucalyptus marginata*
- Deightonella torulosa** (Syd.) M.B. Ellis  
*Musa acuminata*
- Dematophora necatrix** Hartig  
See under teleomorph *Rosellina necatrix* for records
- Diaporthe eres** Nitschke  
*Prunus persica*
- Diaporthe woodii** Punithalingam  
*Lupinus albus*  
*Lupinus augustifolius*  
*Lupinus coeruleus*  
*Lupinus luteus*
- Diaporthe** sp.  
*Kennedia coccinea*
- Didymella pinodes** (Berk. & Blox.) Petr.  
*Pisum sativum*
- Didymellina dianthi** Burt.  
A synonym of *Mycosphaerella dianthi*
- Didymellina macrospora** Kleb.  
A synonym of *Mycosphaerella macrospora*
- Dilophospora alopecuri** (Fr.) Fr.  
*Avena sativa*  
*Hordeum vulgare*  
*Lolium rigidum*  
*Triticum aestivum*
- Dimerosporium synaphaea** P. Ilenn.  
See records under *Asterina* sp.
- Diplocarpon earlianum** (Ellis & Everh.) Wolf  
*Fragaria X ananassa*
- Diplocarpon mespili** (Sorauer) Sutton  
See records under anamorph *Entomosporium mespili*
- Diplodia citricola** McAlp.  
*Citrus limon*
- Diplodia griffoni** (Griffon & Maubl.) Sacc. & Trav.  
See records under *Diplodia* sp.
- Diplodia natalensis** Pole Evans  
A synonym of *Botryodiplodia theobromae*
- Diplodia pines** (Desm.) Kickx, Petrak & Sydow  
See records under *Sphaeropsis sapinea*
- Diplodia** sp.  
*Hedera helix*  
*Malus sylvestris*  
*Pyrus communis*
- Diplodina** sp.  
*Trifolium subterraneum*
- Discosporium acaciae** Sutton & Davison  
*Acacia sclerosperma*
- Discosporium eucalypti** Sutton & Davison  
*Eucalyptus calophylla*  
*Eucalyptus marginata*
- Discula umbrinella** (Berk. & Broome) Sutton  
*Platanus acerifolia*  
*Platanus orientalis*
- Doratomyces stemonitis** (Pers.) F.J. Morton & G. Smith  
*Solanum tuberosum*
- Dothidasteromella systema-solare** (Massee) Swart  
*Banksia attenuata*  
*Banksia grandis*  
*Banksia littoralis*  
*Banksia menziesii*  
*Banksia* sp.  
*Isopogon teretifolius*
- Dothiorella** sp.  
*Maugifera indica*
- Drechslera avenacea** (M.A. Curtis ex Cooke) Shoemaker  
*Avena sativa*
- Drechslera campanulata** (Lev.) B.C. Sutton  
*Avena sativa*  
*Briza maxima*  
*Briza minor*  
*Bromus diandrus*  
*Bromus rabeus*  
*Ehrharta longiflora*  
*Hordeum glaucum*  
*Hordeum leporinum*  
*Hordeum vulgare*  
*Lolium perenne*  
*Lolium rigidum*  
*Phalaris minor*  
*Polypogon monspeliensis*  
*Triticum aestivum*  
*Triticum X Secale*
- Drechslera dematioidea** (Bubak & Wroblewski) Subram. & Jain  
*leucosperminum cordifolium*
- Drechslera graninea** (Rabenh.) Shoemaker  
*Hordeum leporinum*  
*Hordeum vulgare*
- Drechslera hawaiiensis** M.B. Ellis  
A synonym of *Bipolaris hawaiiensis*
- Drechslera poae** (Baudys) Shoemaker  
*Digitaria didactyla*  
*Poa pratensis*
- Drechslera siccans** (Drechsler) Shoemaker  
*Hordeum vulgare*
- Drechslera teres** (Sacc.) Shoemaker  
See records under teleomorph *Pyrenophora teres*
- Drechslera tetrarrhenae** Paul  
*Triticum aestivum*
- Drechslera tritici-repentis** (Died.) Shoemaker  
*Hordeum vulgare*  
See further records under teleomorph *Pyrenophora tritici-repentis*
- Drechslera verticillata** (O'Gara) Shoemaker  
A synonym of *Drechslera campanulata*
- Drechslera** sp.  
*Hordeum vulgare*
- Elsinoe jasminiæ** Bitancourt & Jenkins  
*Jasminum mesnyi*
- Endothia havanensis** Bruner  
See records under anamorph *Eudothiella* sp.
- Endothiella** sp.  
*Eucalyptus calophylla*  
*Eucalyptus marginata*  
*Eucalyptus saligna*  
*Eucalyptus robusta*  
*Eucalyptus wandoo*
- Entomosporium mespili** (DC. : Duby) Sacc.  
*Cydonia oblonga*  
*Eriobotrya japonica*  
*Pyrus communis*
- Entyloma calendulae** (Oudem.) de Bary  
*Calendula officinalis*
- Entyloma oryzae** II. Syd. & Syd.  
*Oryza australiensis*  
*Oryza sativa*
- Erwinia carotovora** pv. *atroseptica* (van Hall) Dye  
*Brassica oleracea* var. *botrytis*  
*Solanum tuberosum*
- Erwinia carotovora** pv. *carotovora* (Jones) Bergey, Harrison, Breed, Hammer & Huntton  
*Allium cepa*  
*Apium graveolens*  
*Brassica oleracea* var. *botrytis*  
*Brassica oleracea* var. *capitata*  
*Brassica oleracea* var. *gongylodes*  
*Capsicum annuum*  
*Crassula* sp.  
*Cucurbita pepo*  
*Daucus carota*  
*Lactuca sativa*  
*Lycaste* sp.  
*Rheum rhabarbarum*  
*Sansevieria trifasciata*  
*Solanum melongena*  
*Solanum tuberosum*  
*Zea mays*
- Erwinia chrysanthemi** Burkholder, McFadden & Dimock  
*Solanum tuberosum*
- Erwinia** sp.  
*Brassica campestris* var. *chinensis*
- Erysiphe cichoracearum** DC. : Merat  
See under anamorph *Oidium* sp. for records

<b>Erysiphe graminis</b> DC. : Merat	<b>Fusarium heterosporum</b> Nees : Fr.
<i>Avena fatua</i>	<i>Lolium perenne</i>
<i>Avena sativa</i>	<i>Medicago sativa</i>
<i>Bromus diandrus</i>	<i>Trifolium subterraneum</i>
<i>Hordeum vulgare</i>	<b>Fusarium lateritium</b> Nees
<i>Secale cereale</i>	<i>Citrus limon</i>
<i>Triticum aestivum</i>	<b>Fusarium limonis</b> Briosi
<b>Erysiphe polygoni</b> DC. : Saint-Aman	A synonym of <i>Fusarium lateritium</i>
See records under anamorph <i>Oidium</i> sp.	<b>Fusarium lycopersici</b> Bruschi
<b>Erysiphe</b> sp.	A synonym of <i>Fusarium oxysporum</i> f. sp. <i>lycopersici</i>
<i>Hypochoeris glabra</i>	<b>Fusarium moniliforme</b> Sheldon
<b>Euryachora</b> sp.	<i>Pyrus communis</i>
<i>Kennedia coccinea</i>	<i>Saccharum officinarum</i>
<i>Kennedia nigricans</i>	<i>Solanum tuberosum</i>
<b>Eutypa armeniacae</b> Hansf. & Carter in Carter	<i>Sorghum bicolor</i>
<i>Vitis vinifera</i>	<i>Trifolium subterraneum</i>
<b>Exobasidium japonicum</b> Shirai	<i>Zea mays</i>
<i>Rhododendron</i> sp.	<b>Fusarium moniliforme</b> var. <i>orthoceras</i> (A.Br.) Wollenw.
<b>Exobasidium vaccinii</b> (Fuckel) Woron.	<i>Trifolium subterraneum</i>
See records under <i>Exobasidium japonicum</i>	<b>Fusarium moniliforme</b> var. <i>subglutinans</i> Wollenw. & Reinking
<b>Exserohilum rostratum</b> (Drechsler) Leonard & Suggs	<i>Malus sylvestris</i>
<i>Cenchrus setigerus</i>	<i>Medicago sativa</i>
<i>Oryza sativa</i>	<i>Musa acuminata</i>
<i>Sorghum bicolor</i>	<i>Musa X paradisiaca</i>
<i>Trifolium aestivum</i>	<i>Pisum sativum</i>
<b>Exserohilum turicum</b> (Pass.) Leonard & Suggs	<i>Sorghum bicolor</i>
<i>Panicum miliaceum</i>	<i>Trifolium subterraneum</i>
<i>Sorghum bicolor</i>	<b>Fusarium nivale</b> (Fr.) Ces.
<i>Sorghum sudanense</i>	<i>Triticum aestivum</i>
<b>Fabrea maculata</b> Atkinson	<b>Fusarium niveum</b> E.F. Smith
A synonym of <i>Diplocarpon mespili</i>	A synonym of <i>Fusarium oxysporum</i> f. sp. <i>niveum</i>
<b>Fairmania</b> sp.	<b>Fusarium orthoceras</b> App. & Wollenw. var. <i>gladioli</i> McCulloch
<i>Eucalyptus wandoo</i>	A synonym of <i>Fusarium oxysporum</i> f. sp. <i>gladioli</i>
<b>Favostroma crypticum</b> Sutton & Davison	<b>Fusarium oxysporum</b> Schlecht.
<i>Eucalyptus calophylla</i>	<i>Allium sativum</i>
<b>Fistulina hepatica</b> Fr.	<i>Asparagus officinalis</i>
<i>Eucalyptus marginata</i>	<i>Cucumis melo</i>
<b>Fulvia fulva</b> (Cooke) Ciferri	<i>Cucumis sativus</i>
<i>Lycopersicon esculentum</i>	<i>Fragaria X ananassa</i>
<b>Fusarium acuminatum</b> Ellis & Everh.	<i>Gerbera jamesonii</i>
<i>Lupinus angustifolius</i>	<i>Gypsophila elegans</i>
<i>Medicago polymorpha</i>	<i>Ipomoea batatas</i>
<i>Musa acuminata</i>	<i>Iris</i> sp.
<i>Phaseolus vulgaris</i>	<i>Lactuca sativa</i>
<i>Pisum sativum</i>	<i>Lupinus angustifolius</i>
<i>Trifolium subterraneum</i>	<i>Macropidia fuliginosa</i>
<i>Triticum aestivum</i>	<i>Medicago sativa</i>
<b>Fusarium arthrosporioides</b> Sherb.	<i>Musa acuminata</i>
<i>Trifolium subterraneum</i>	<i>Musa X paradisiaca</i>
<b>Fusarium avenaceum</b> (Corda : Fr.) Sacc.	<i>Phaseolus vulgaris</i>
<i>Brassica napus</i>	<i>Pinus pinaster</i>
<i>Cynodon dactylon</i>	<i>Poncirus trifoliata</i>
<i>Macropidia fuliginosa</i>	<i>Rosa hybrids</i>
<i>Malus sylvestris</i>	<i>Solanum mucronatum</i>
<i>Medicago sativa</i>	<i>Solanum tuberosum</i>
<i>Pisum sativum</i>	<i>Sorghum bicolor</i>
<i>Stenotaphrum secundatum</i>	<i>Spinacia oleracea</i>
<i>Trifolium subterraneum</i>	<i>Trifolium subterraneum</i>
<i>Triticum aestivum</i>	<i>Triticum aestivum</i>
<b>Fusarium chlamydosporum</b> Wollenw. & Reinking	<b>Fusarium oxysporum</b> f. sp. <i>callistephi</i> (Beach) Snyder & Hansen
<i>Cucumis melo</i>	<i>Callistephus chinensis</i>
<i>Gerbera jamesonii</i>	<b>Fusarium oxysporum</b> f. sp. <i>cubense</i> (E.F. Smith) Snyder & Hansen
<i>Medicago sativa</i>	<i>Musa X paradisiaca</i>
<b>Fusarium concolor</b> Reinking	<b>Fusarium oxysporum</b> f. sp. <i>dianthi</i> (Prill. & Del.) Snyder & Hansen
<i>Cucumis melo</i>	<i>Dianthus caryophyllus</i>
<i>Poa pratensis</i>	<b>Fusarium oxysporum</b> f. sp. <i>gladioli</i> (Massey) Snyder & Hansen
<i>Trifolium subterraneum</i>	<i>Gladiolus X hortulanus</i>
<b>Fusarium crookwellense</b> Burgess, Nelson & Tousson	<b>Fusarium oxysporum</b> f. sp. <i>lycopersici</i> (Sacc.) Snyder & Hansen
<i>Medicago sativa</i>	<i>Lycopersicon esculentum</i>
<b>Fusarium culmorum</b> (W.G. Smith) Sacc.	<b>Fusarium oxysporum</b> f. sp. <i>narcissi</i> Snyder & Hansen
<i>Hordeum vulgare</i>	<i>Narcissus</i> spp.
<i>Linum usitatissimum</i>	<b>Fusarium oxysporum</b> f. sp. <i>niveum</i> (E.F. Smith) Snyder & Hansen
<i>Solanum tuberosum</i>	<i>Citrullus lanatus</i>
<i>Sorghum bicolor</i>	<i>Cucumis melo</i>
<i>Trifolium subterraneum</i>	<b>Fusarium oxysporum</b> f. sp. <i>pisi</i> (van Hall) Snyder & Hansen
<i>Triticum aestivum</i>	<i>Pisum sativum</i>
<b>Fusarium dianthi</b> Prill. & Del.	<b>Fusarium oxysporum</b> var. <i>redolens</i> (Wollenw.) Gordon
A synonym of <i>Fusarium oxysporum</i> f. sp. <i>dianthi</i>	<i>Lycopersicon esculentum</i>
<b>Fusarium dimerum</b> Penz. in Sacc.	<i>Phaseolus vulgaris</i>
<i>Medicago sativa</i>	<b>Fusarium sambucinum</b> Fuckel
<i>Solanum tuberosum</i>	<i>Medicago sativa</i>
<i>Sorghum bicolor</i>	<i>Musa acuminata</i>
<b>Fusarium equiseti</b> (Corda) Sacc.	<i>Phaseolus vulgaris</i>
<i>Gerbera jamesonii</i>	<i>Pisum sativum</i>
<i>Lupinus angustifolius</i>	<b>Fusarium sambucinum</b> var. <i>coeruleum</i> Wollenw.
<i>Trifolium subterraneum</i>	<i>Prunus armeniaca</i>
<i>Triticum aestivum</i>	<i>Trifolium subterraneum</i>
<b>Fusarium graminearum</b> Schwabe	<b>Fusarium semitectum</b> Berk. & Rav.
<i>Phalaris minor</i>	<i>Citrullus lanatus</i>
<i>Sorghum bicolor</i>	<i>Gossypium hirsutum</i>
<i>Trifolium subterraneum</i>	<i>Medicago sativa</i>
<i>Triticum aestivum</i>	<i>Musa acuminata</i>
See under teleomorph <i>Gibberella zeae</i> for further records	<i>Pisum sativum</i>
	<i>Trifolium subterraneum</i>

**Fusarium solani** (Mart.) Sacc.

*Capsicum annuum*  
*Citrullus lanatus*  
*Daucus carota*  
*Gerbera jamesonii*  
*Gossypium hirsutum*  
*Lupinus angustifolius*  
*Malus sylvestris*  
*Medicago sativa*  
*Musa acuminata*  
*Musa X paradisiaca*  
*Pimelea sp.*  
*Poncirus trifoliata*  
*Solanum tuberosum*  
*Trifolium subterraneum*

**Fusarium solani** (Mart.) Sacc. f. sp. **cucurbitae** Snyder & Hansen  
*Cucumis melo*

**Fusarium solani** (Mart.) Sacc. f. sp. **phaseoli** (Burk.) Snyder & Hansen  
*Phaseolus vulgaris*

**Fusarium solani** (Mart.) Sacc. f. sp. **pisi** (Jones) Snyder & Hansen

*Pisum sativum*

**Fusarium sporotrichioides** Sherb.

*Cucumis melo*  
*Medicago sativa*  
*Triticum aestivum*

**Fusarium stilboides** Wollenw.

*Eriobotrya japonica*

**Fusarium sp.**

*Allium cepa*  
*Allium porrum*  
*Allium sativum*  
*Antirrhinum majus*  
*Avena sativa*  
*Beta vulgaris*  
*Cassia sp.*  
*Consolida ambigua*  
*Cucumis sativus*  
*Cucurbita maxima*  
*Cucurbita moschata*  
*Cucurbita pepo*  
*Cynara scolymus*  
*Daucus carota*  
*Gerbera jamesonii*  
*Helianthus tuberosus*  
*Lathyrus odoratus*  
*Lilium spp.*  
*Lycoris coronaria*  
*Matthiola incana*  
*Nicotiana tabacum*  
*Papaver nudicaule*  
*Passiflora edulis*  
*Rumex acetosella*  
*Zinnia elegans*

**Fusicladium dendriticum** (Wallr.) Fuckel

A synonym of *Spilocaea pomi*

**Fusicladium eriobotryae** (Otth) Rostr.

A synonym of *Spilocaea pyracanthae*

**Fusicladium pyriforme** (Lib.) Fuckel

See records under teleomorph *Venturia pyrina*

**Gaeumannomyces graminis** (Sacc.) von Arx & Oliv.

*Agrostis stolonifera* var. *palustris*  
*Bromus diandrus*  
*Bromus hordeaceus*  
*Bromus rubens*  
*Cynodon dactylon*  
*Hordeum glaucum*  
*Hordeum leporinum*  
*Hordeum murinum*  
*Hordeum vulgare*  
*Phalaris sp.*  
*Secale cereale*  
*Triticum aestivum*  
*Vulpia bromoides*  
*Vulpia myuros*

**Gaeumannomyces graminis** (Sacc.) von Arx & Oliv. var. **avenae**  
(Turner) Dennis

*Avena sativa*

**Ganoderma applanatum** (Pers.) Pat.

*Citrus sinensis*  
*Malus sylvestris*

**Gelasinospora restispora** R.F. Cain  
*Eucalyptus calophylla*

**Geomycetes vulgaris** Traen.  
*Solanum tuberosum*

**Geotrichum candidum** Link : Pers.

*Citrus limon*  
*Citrus sinensis*  
*Cucumis melo*  
*Lycopersicon esculentum*

**Gibberella zae** (Schw.) Petch  
*Oryza sativa*

**Gliocladium roseum** Bainier

*Medicago sativa*

**Gliocladium** sp.

*Malus sylvestris*

**Gloeocercospora sorghi** Bain & Edgerton : Deighton

*Sorghum bicolor*

**Gloeodes pomigena** (Schw.) Colby

*Malus sylvestris*

**Gloeosporium fructigenum** Berk.

A synonym of *Colletotrichum gloeosporioides*

**Gloeosporium macropus** Sacc.

A synonym of *Colletotrichum gloeosporioides*

**Gloeosporium musarum** Cooke & Massee

A synonym of *Colletotrichum musae*

**Gloeosporium olivarum** Almeida

A synonym of *Colletotrichum gloeosporioides*

**Gloeosporium versicolor** Berk. & Curt.

A synonym of *Colletotrichum gloeosporioides*

**Gloeosporium** sp.

See records under *Colletotrichum* sp.

**Glomerella cingulata** (Stoneman) Spaulding & Schrenk

See under anamorph *Colletotrichum gloeosporioides* for further records

*Psidium guajava*

**Gnomonia comari** Karsten

*Fragaria X ananassa*

**Gnomonia veneta** (Sacc. & Spieg.) Kleb.

See records under anamorph *Discula umbrinella*

**Gnomonia** sp.

*Chrysanthemum* spp.

**Graphiola phoenicis** (Moug.) Poiteau

*Livistona alfredii*

*Phoenix dactylifera*

**Guignardia musae** Racib.

*Musa acuminata*

**Hainesia lythri** (Desm.) Hohn.

*Eucalyptus erythrocorys*

**Harknessia eucalypti** Cooke in Cooke & Harkness

*Eucalyptus marginata*

*Eucalyptus* sp.

**Harknessia uromycoides** (Speg.) Spieg.

*Eucalyptus* sp.

**Helicobasidium brebissonii** (Desm.) Donk

A synonym of *Helicobasidium purpureum*

**Helicobasidium purpureum** Pat.

*Medicago sativa*

*Solanum tuberosum*

**Helminthosporium avenae** Eidam

A synonym of *Drechslera avenacea*

**Helminthosporium bicolor** Mitra

A synonym of *Bipolaris bicolor*

**Helminthosporium cynodontis** Marignoni

A synonym of *Bipolaris cynodontis*

**Helminthosporium gramineum** Rabenh.

A synonym of *Drechslera graminea*

**Helminthosporium oryzae** Miyabe & Hori in Flori

A synonym of *Bipolaris oryzae*

**Helminthosporium rostratum** Drechsler

A synonym of *Exserohilum rostratum*

**Helminthosporium sativum** Pammel, King & Bakke

A synonym of *Bipolaris sorokiniana*

**Helminthosporium solani** Dur. & Mont.

*Solanum tuberosum*

**Helminthosporium tritici-vulgaris** Nisikado

A synonym of *Drechslera tritici-repentis*

**Helminthosporium victoriae** Meehan & Murphy

A synonym of *Bipolaris victoriae*

**Helminthosporium** sp.

*Agrostis capillaris*

*Agrostis stolonifera*

*Cynodon dactylon*

*Danthonia seniannularis*

*Festuca rubra* var. *commutata*

*Lolium rigidum*

*Setaria dielsii*

*Stenotaphrum secundatum*

**Hendersonia persooniae** P. Henn.

A synonym of *Camarosporila persooniae*

**Heterosporium echinulatum** (Berk.) Cooke

A synonym of *Cladosporium echinulatum*

**Itersonilia pastinacae** Channon

*Pastinaca sativa*

**Kabatiella caulincola** (Kirchn.) Karakulin

*Trifolium cernuum*

*Trifolion subterraneum*

**Kuehneola uredinis** (Link) Arth.

*Rubus fruticosus*

*Rubus macropetalus*

*Rubus ursinus*

*Rubus ursinus* var. *loganobaccus*

See records under *Botryodiplodia theobromae*

**Lembosia** sp.

*Banksia grandis*

**Leptotomelanconium australiense** Sutton

*Eucalyptus ficifolia*

<b>Leptosphaeria avenaria</b> Weber	<b>Merulius</b> sp.
<i>Avena barbata</i>	<i>Citrus sinensis</i>
<i>Avena fatua</i>	<i>Malus sylvestris</i>
<i>Avena sativa</i>	
<b>Leptosphaeria maculans</b> (Desm.) Ces. & de Not.	<b>Microdiploidia</b> sp.
<i>Brassica campestris</i> var. <i>chinensis</i>	<i>Atriplex amnicola</i>
<i>Brassica napus</i>	<i>Xanthorrhoea preissii</i>
<i>Brassica napus</i> var. <i>napobrassica</i>	<b>Microsphaeropsis</b> <i>olivacea</i> (Bonord.) Hohn.
<i>Brassica oleracea</i> var. <i>acephala</i>	<i>Eucalyptus ficifolia</i>
<i>Brassica oleracea</i> var. <i>botrytis</i>	<b>Microsphaeropsis</b> sp.
<i>Brassica oleracea</i> var. <i>capitata</i>	<i>Isopogon sphaerocephalus</i>
<i>Brassica tournefortii</i>	<i>Solanum tuberosum</i>
<i>Raphanus raphanistrum</i>	<b>Microstroma juglandis</b> (Bereng.) Sacc.
<b>Leptosphaerulina trifolii</b> (Rostr.) Petr.	<i>Juglans regia</i>
<i>Lupinus angustifolius</i>	<b>Microthyrium eucalypti</b> P. Henn.
<i>Lupinus consertus</i>	<i>Eucalyptus santalifolius</i>
<i>Medicago polymorpha</i>	<b>Monilochaetes infuscans</b> Halst. : Harter
<i>Medicago sativa</i>	<i>Ipomoea batatas</i>
<i>Trifolium cernuum</i>	<b>Monochaetia karstenii</b> (Sacc. & Syd.) Sutton
<i>Trifolium cheratragiense</i>	<i>Camellia japonica</i>
<i>Trifolium fragiferum</i>	<b>Mortierella elongata</b> Linneman
<i>Trifolium repens</i>	<i>Trifolium subterraneum</i>
<i>Trifolium spinosum</i>	<b>Mucor varians</b> Povah.
<i>Trifolium subterraneum</i>	<i>Solanum tuberosum</i>
<b>Leptothyrium pomi</b> (Mont. & Fr.) Sacc.	<b>Mycogone perniciosa</b> (Magnus) Delacr.
<i>Malus sylvestris</i>	<i>Agaricus brunneescens</i>
<b>Leveillula taurica</b> (Lev.) Arnaud	<b>Mycosphaerella brassicicola</b> (Duby) Lindau
<i>Capsicum annuum</i>	<i>Brassica oleracea</i> var. <i>botrytis</i>
<b>Lewia</b> sp.	<i>Brassica oleracea</i> var. <i>capitata</i>
See anamorph <i>Alteruaria</i> sp. on <i>Protea</i> sp.	<i>Brassica oleracea</i> var. <i>gemmifera</i>
<b>Lizonia gastrolobii</b> P. Henn.	<b>Mycosphaerella dianthi</b> (Burt.) Jorstad
<i>Gastrolobium spinosum</i>	<i>Dianthus caryophyllus</i>
<b>Lizonia oxylobii</b> P. Henn.	<b>Mycosphaerella fragariae</b> (Tul.) Lindau
<i>Oxylobium lineare</i>	<i>Fragaria X ananassa</i>
<b>Lizonia singularis</b> P. Henn.	<b>Mycosphaerella graminicola</b> (Fuckel) Schrot.
<i>Leucopogon hispidus</i>	<i>Triticum aestivum</i>
<b>Macalpinomyces eriachnes</b> (Theum.) Langdon & Fullerton	<b>Mycosphaerella linicola</b> Naum.
<i>Eriachne aristidea</i>	<i>Linum usitatissimum</i>
<b>Macrophomina phaseolina</b> (Tassi) Goida.	<b>Mycosphaerella macrospora</b> (Kleb.) Jorstad
<i>Arachis hypogaea</i>	<i>Freesia</i> sp.
<i>Carthamus tinctorius</i>	<i>Iris</i> sp.
<i>Corchorus capsularis</i>	<b>Mycosphaerella pinodes</b> (Berk. & Blox.) Vestergr.
<i>Cucumis melo</i>	A synonym of <i>Didymella pinodes</i>
<i>Fragaria X ananassa</i>	<b>Mycosphaerella tabifica</b> (Prill. & Del.) Johns.
<i>Glycine max</i>	A synonym of <i>Pleospora betae</i>
<i>Gossypium hirsutum</i>	<b>Mycosphaerella tassiana</b> (de Not.) Johanson
<i>Gynandriris setifolia</i>	<i>Avena fatua</i>
<i>Helianthus annuus</i>	<i>Avena sativa</i>
<i>Lablab purpureus</i>	<i>Hordeum leporinum</i>
<i>Lycopersicon esculentum</i>	<i>Hordeum vulgare</i>
<i>Medicago sativa</i>	<i>Phalaris tuberosa</i>
<i>Phaseolus vulgaris</i>	<i>Pisum sativum</i>
<i>Physalis peruviana</i>	<i>Triticum aestivum</i>
<i>Pinus pinaster</i>	<b>Mycosphaerella tulasnei</b> Jacz.
<i>Solanum tuberosum</i>	See records under <i>Mycosphaerella tassiana</i>
<i>Sorghum bicolor</i>	<b>Myriangium pritzelianum</b> P. Henn.
<i>Trifolium subterraneum</i>	<i>Trymalium wiciurare</i>
<b>Macrorporum</b> sp.	<b>Myrothecium leucotrichum</b> (Petr.) Tulloch
See under <i>Alternaria</i> sp.	<i>Stylosanthes humilis</i>
<b>Magnaporthe rhizophila</b> Scott & Deacon	<b>Myrothecium striatisporum</b> Preston
<i>Cynodon dactylon</i>	<i>Poa pratensis</i>
<b>Manginula</b> sp.	<b>Myrothecium verrucaria</b> (Alb. & Schw.) Ditm. : Fr.
<i>Hakea pandanicarpa</i>	<i>Brassica napus</i>
<b>Marasmium oreades</b> (Bolt. : Fr.) Fr.	<i>Poa pratensis</i>
<i>Cynodon dactylon</i>	<i>Trifolium subterraneum</i>
<b>Marssonina fragariae</b> (Lib.) Kleb.	<b>Mystrosporium adustum</b> Massee
See records under teleomorph <i>Diplocarpon earliana</i>	A synonym of <i>Bipolaris iridis</i>
<b>Marssonina rosae</b> (Lib.) Died.	<b>Nigrospora oryzae</b> (Berk. & Broome) Petch
<i>Rosa</i> hybrids	<i>Oryza sativa</i>
<b>Melampsora coleosporioides</b> Diet.	<b>Oidium mangiferae</b> Berthet
<i>Salix</i> sp.	<i>Mangifera indica</i>
<b>Melampsora euphorbiae</b> Cast. f. sp. <i>euphorbiae-pepli</i> Muller	<b>Oidium tuckeri</b> Berk.
<i>Euphorbia peplus</i>	<i>Vitis vinifera</i>
<b>Melampsora larici-populina</b> Kleb.	<b>Oidium</b> sp.
<i>Populus nigra</i>	<i>Abelmoschus ficulneus</i>
<b>Melampsora lini</b> (Ehrenb.) Desm.	<i>Aster novae-angliae</i>
<i>Linum marginale</i>	<i>Aster subulatus</i>
<i>Linum usitatissimum</i>	<i>Begonia</i> spp.
<b>Melanopsichium</b> sp.	<i>Brassica napus</i>
<i>Tetragonia diptera</i>	<i>Brassica napus</i> var. <i>napobrassica</i>
<b>Meliola</b> sp.	<i>Calendula officinalis</i>
The records indicate the presence of sooty mould although the identity of the fungus is doubtful	<i>Callistephus chinensis</i>
<i>Acmena smithii</i>	<i>Chaelauchium uncinatum</i>
<i>Agonis flexuosa</i>	<i>Chrysanthemum</i> spp.
<i>Camellia japonica</i>	<i>Citrullus lanatus</i>
<i>Choisya ternata</i>	<i>Clematis pubescens</i>
<i>Erica</i> sp.	<i>Consolida ambigua</i>
<i>Leptospermum</i> sp.	<i>Coprosma</i> sp.
<i>Magnolia</i> sp.	<i>Cucumis melo</i>
<i>Nerium oleander</i>	<i>Cucumis sativus</i>
<i>Rosa</i> hybrids	<i>Cucurbita maxima</i>
<i>Salvia</i> sp.	<i>Cucurbita moschata</i>
<i>Thuja orientalis</i>	<i>Cucurbita pepo</i>
	<i>Dahlia</i> sp.

- Delphinium cultorum*  
*Dinirus* sp.  
*Erythrina* sp.  
*Eucalyptus cladocalyx*  
*Encalypta ficifolia*  
*Eucalyptus gomphocephala*  
*Eucalyptus macrocarpa*  
*Eucalyptus marginata*  
*Eucalyptus* spp.  
*Fragaria X ananassa*  
*Gerbera jamesonii*  
*Helichrysum bracteatum*  
*Hydrangea* sp.  
*Lagenifera hirtiglotti*  
*Lupinus angustifolius*  
*Lupinus coeruleus*  
*Lycopersicon esculentum*  
*Phaseolus vulgaris*  
*Pisum sativum*  
*Platanus acerifolia*  
*Prunus armeniaca*  
*Quercus* sp.  
*Ribes uva-crispa*  
*Rosa* hybrids  
*Saintpaulia* sp.  
*Senecio cruentis*  
*Sesbania tripetala*  
*Trifolium subterraneum*  
*Verbena* sp.  
*Verticordia nitens*  
*Verticordia* sp.  
*Vigna radiata*  
*Zinnia elegans*
- Oospora citri-aurantii** (Ferrar.) Sacc. & Syd.  
A synonym of *Geotrichum candidum*
- Oospora** sp.  
A synonym of *Oidium* sp.
- Ophiobolus cariceti** (Berk. & Broome) Sacc.  
A synonym of *Gaemannomyces graminis*
- Ophiobolus graminis** Sacc.  
A synonym of *Gaemannomyces graminis*
- Ovularia** sp.  
See records under *Ramularia* sp.
- Pellicularia filamentosa** (Pat.) Rogers  
See records under *Rhizoctonia solani*
- Pellicularia roflsii** (Curzi) West  
See records under *Sclerotinia roflsii*
- Penicillium digitatum** (Fr.) Sacc  
*Citrus limon*  
*Citrus sinensis*
- Penicillium expansum** Link  
*Cydonia oblonga*  
*Malus sylvestris*  
*Pyrus communis*
- Penicillium gladioli** McCulloch & Thom  
*Gladiolus X hortulanus*
- Penicillium italicum** Wehmer  
*Citrus limon*  
*Citrus sinensis*
- Penicillium roquefortii** Thom  
*Pyrus communis*
- Penicillium** sp.  
*Lycopersicon esculentum*  
*Triticum aestivum*  
*Zea mays*
- Periconia circinata** (Mangin) Sacc.  
*Sorghum bicolor*
- Periconia macrospinosa** Lefebvre & Johnson  
*Sorghum bicolor*
- Periconia saraswatipurensis** Bilgrami  
*Phaseolus vulgaris*
- Peronosclerospora maydis** (Racib.) C.G. Shaw  
*Zea mays*
- Peronosclerospora sorghi** (Weston & Uppal) C.G. Shaw  
This record is doubtful.  
*Zea mays*
- Peronosclerospora** sp.  
*Chionachne hubbardiana*
- Peronospora destructor** (Berk.) Casp. : Berk.  
*Allium cepa*  
*Allium porrum*
- Peronospora parasitica** (Pers. : Fr.) Fr.  
*Brassica campestris* var. *chinensis*  
*Brassica napus*  
*Brassica oleracea* var. *botrytis*  
*Brassica oleracea* var. *capitata*
- Peronospora schleideni** Unger.  
A synonym of *Peronospora destructor*
- Peronospora sparsa** Berk.  
*Rosa* hybrids
- Peronospora tabacina** Adam  
*Nicotiana suaveolens*  
*Nicotiana tabacum*
- Peronospora trifoliorum** de Bary  
*Medicago sativa*
- Peronospora viciae** (Berk.) Casp.  
*Pisum sativum*  
*Vicia sativa*
- Peronospora** sp.  
*Muehlenbeckia adpressa*  
*Rheum rhubarbarum*  
*Spergula arvensis*
- Pestalotia** *guepinii* Desm.  
A synonym of *Pestalotiopsis guepini*
- Pestalotia montellica** Sacc. & Vogl.  
*Malus sylvestris*
- Pestalotia** sp.  
*Eucalyptus marginata*  
*Hibbertia perfoliata*
- Pestalotiopsis guepini** (Desm.) Steyaert  
*Camellia japonica*
- Pestalotiopsis palmarum** (Cooke) Steyaert  
*Anacardium occidentale*
- Pestalotiopsis royanae** (Guba) Steyaert  
*Pinus radiata*
- Pestalotiopsis** sp.  
*Malus sylvestris*  
*Solanum tuberosum*
- Peyronellaea glomerata** (Corda) Goidanich  
*Trifolium subterraneum*
- Pezicula alba** Guthrie  
*Malus sylvestris*
- Pezicula malicorticis** (Jackson) Nannfeldt  
*Malus sylvestris*
- Phacidiopycnis** sp.  
*Delphinium* sp.
- Phaeoisiropsis** sp.  
*Hovea elliptica*
- Phakopsora pachyrhizi** Syd.  
*Glycine max*
- Phellinus rimosus** (Berk.) Pilat  
*Eucalyptus reducens*
- Phloeospora maculans** (Bereng.) Allesch. in Rabenh.  
*Morus nigra*
- Phlyctaena vagabunda** Desm.  
See records under teleomorph *Pezicula alba*
- Phoma ampelina** Berk. & Curt.  
See records under *Sphaeloma ampelinum*
- Phoma betae** Frank  
See records under teleomorph *Pleospora betae*
- Phoma brassicae** (Thun.) Sacc.  
A synonym of *Phoma lingam*
- Phoma citricarpa** McAlp.  
A synonym of *Phyllosticta citricarpa*
- Phoma destructiva** Plowr.  
*Lycopersicon esculentum*
- Phoma exigua** Desm.  
*Cynara scolymus*
- Phoma glomerata** (Corda) Wollenw. & Hochapf.  
*Citrus sinensis*  
*Cocos plumosa*  
*Rosa* hybrids  
*Santalum spicatum*  
*Washingtonia robusta*
- Phoma indianensis** (Deshpande & Mantri) Boerema, Dorenbosch & van Kesteren  
A synonym of *Phoma sorghina*
- Phoma insidiosa** Tassi  
A synonym of *Phoma sorghina*
- Phoma lingam** (Tode : Fr.) Desm.  
See records under teleomorph *Leptosphaeria maculans*
- Phoma macrostoma** Mont.  
*Rheum rhubarbarum*
- Phoma medicaginis** Malbr. & Roum.  
*Medicago littoralis*  
*Medicago polymorpha*  
*Medicago sativa*  
*Medicago tornata*  
*Medicago truncatula*  
*Trifolium cernuum*  
*Trifolium fragiferum*  
*Trifolium subterraneum*
- Phoma medicaginis** var. *pinodella* (Jones) Boerema  
*Pisum sativum*
- Phoma omnivora** McAlp.  
*Citrus limon*  
*Citrus limon* cv. *Rough*  
*Citrus sinensis*
- Phoma pomorum** Thun.  
*Prunus armeniaca*  
*Prunus persica*  
*Triticum aestivum*
- Phoma prunicola** (Opiz) Wollenw. & Hochapf.  
A synonym of *Phoma pomorum*

**Phoma sorghina** (Sacc.) Boerema, Dorenbosch & van Kesteren  
*Gossypium hirsutum*  
*Sorghum bicolor*

**Phoma viminalis** Cooke & Massee  
*Eucalyptus caesia*  
*Eucalyptus canaliculata*  
*Eucalyptus leucoxylon*  
*Eucalyptus spp.*

**Phoma vitis** Bon.  
*Vitis vinifera*

**Phoma sp.**  
*Citrus reticulata*  
*Cucurbita maxima*  
*Digitaria didactyla*  
*Eucalyptus calophylla*  
*Eucalyptus redunca*  
*Linum usitatissimum*  
*Lolium perenne*  
*Lupinus consentaneus*  
*Simmondsia chinensis*

**Phomopsis leptostromiformis** (Kuhn) Bubak in Lind  
 See records under teleomorph *Diaporthe woodii*

**Phomopsis mangiferae** Ahmad in Petr. & Ahmad  
*Mangifera indica*

**Phomopsis obscurans** (Ellis & Everh.) Sutton  
*Fragaria X ananassa*

**Phomopsis psidii** Nag Raj & Ponnappa  
*Psidium guajava*

**Phomopsis rossiana** (Sacc. in Maire & Sacc.) Sacc. & D. Sacc.  
 A synonym of *Phomopsis leptostromiformis*

**Phomopsis viticola** Sacc.  
*Vitis vinifera*

**Phomopsis sp.**  
*Brassica napus*  
*Carya illinoensis*  
*Eriobotrya japonica*  
*Hibiscus cannabinus*  
*Malus sylvestris*  
*Trifolium subterraneum*

**Phragmidium mucronatum** (Pers.) Schlecht.  
*Rosa hybrids*

**Phragmidium rubi-idaei** (Pers.) Karst  
*Rubus idaeus*

**Phragmidium tuberculatum** J. Muller  
*Rosa hybrids*

**Phragmidium violaceum** (Schultz) Wint.  
*Rubus fruticosus*

**Phyllachora grevilleae** Sacc.  
*Grevillea sp.*

**Phyllachora hakeae** P. Henn.  
*Hakea oleifolia*  
*Hakea ruscifolia*

**Phyllachora melaleucae** H. Syd. & Syd.  
*Melaleuca sp.*

**Phyllachora pastinaceae** (West.) Rostr.  
*Pastinaca sativa*

**Phyllachora sp.**  
*Dryandra praemorsa*

**Phyllosticta atriplicicola** Speg.  
*Atriplex paludosa*

**Phyllosticta circumscissa** Cooke  
 See records under *Phoma pomorum*

**Phyllosticta citricarpa** (McAlp.) van der Aa  
*Citrus sinensis*

**Phyllosticta hesperidearum** Penz.  
*Citrus sinensis*

**Phyllosticta idaecola** Cooke  
*Acalypha sp.*  
*Hibiscus rosa-sinensis*

**Phyllosticta longispora** McAlp.  
*Citrus limon*  
*Citrus sinensis*

**Phyllosticta musarum** (Cooke) van der Aa  
 See records under teleomorph *Guignardia musae*

**Phyllosticta oryzina** Padwick  
*Oryza sativa*

**Phyllosticta prunicola** (Opiz) Sacc.  
 A synonym of *Phoma pomorum*

**Phyllosticta sp.**  
*Brassica napus* var. *napobrassica*  
*Brassica oleracea* var. *botrytis*  
*Camellia japonica*  
*Crinum asiaticum*  
*Ficus carica*  
*Hordeum leporinum*  
*Rheum rhabarbarum*  
*Saccharum officinarum*  
*Sparmannia* sp.  
*Vicia faba*  
*Viola tricolor*

**Physalospora mutila** Stevens  
 A synonym of *Botryosphaeria stevensii*

**Physalospora xylomeli** P. Henn.  
*Xylomelum occidentale*

**Physoderma trifolii** (Pass.) Karling  
*Swainsona occidentalis*  
*Trifolium glomeratum*  
*Trifolium subterraneum*  
*Trifolium tomentosum*

**Physoderma sp.**  
*Amaryllis belladonna*  
*Lilium spp.*

**Phytophthora cactorum** (Leb. & Cohn) Schrot.  
*Agonis flexuosa*  
*Banksia dryandroides*  
*Banksia hookeriana*  
*Banksia loricina*  
*Banksia occidentalis*  
*Banksia praemorsa*  
*Banksia sessiflora*  
*Calytrix angustifolia*  
*Crowea saligna*  
*Grevillea drummondii*  
*Hakea francisiana*  
*Hakea platysperma*  
*Hebe speciosa*  
*Hypocalymma angustifolium*  
*Malus sylvestris*  
*Pimelia ferruginea*  
*Pyrus communis*

**Phytophthora cambivora** (Petri) Buisman  
*Malus sylvestris*  
*Poncirus trifoliata*  
*Pyrus communis*

**Phytophthora capsici** Leonian  
*Solanum melongena*

**Phytophthora cinamomi** Rands  
*Acacia huegelii*  
*Actinidia chinensis*  
*Adenanthes obovatus*  
*Agonis flexuosa*  
*Agonis hypericifolia*  
*Allocasuarina fraseriana*  
*Amperea ericoides*  
*Aotus ericoides*  
*Aotus passerinoides*  
*Banksia ashbyi*  
*Banksia attenuata*  
*Banksia baueri*  
*Banksia baxteri*  
*Banksia coccinea*  
*Banksia gardneri*  
*Banksia grandis*  
*Banksia hookeriana*  
*Banksia ilicifolia*  
*Banksia littoralis*  
*Banksia menziesii*  
*Banksia prionotes*  
*Banksia quercifolia*  
*Banksia speciosa*  
*Banksia sphaerocarpa*  
*Banksia verticillata*  
*Beaufortia sparsa*  
*Beaufortia squarrosa*  
*Betula alba*  
*Boronia clavata*  
*Boronia megastigma*  
*Bossiaea eriocarpa*  
*Burtonia conferta*  
*Calytrix flavescens*  
*Carya illinoensis*  
*Castanea* sp.  
*Chamelaicum axillare*  
*Chamelaicum ciliatum*  
*Chamelaicum uncinatum*  
*Conospermum triplinervium*  
*Conostephium pendulum*  
*Conostylis setigera*  
*Cupressus arizonica*  
*Cupressus sempervirens*  
*Dampiera linearis*  
*Dillwynia uncinata*  
*Diplolaena angustifolia*  
*Dryandra nivea*  
*Dryandra praemorsa*  
*Dryandra sessilis*  
*Eucalyptus gomphocephala*  
*Eucalyptus lehmannii*  
*Eucalyptus marginata*  
*Eucalyptus occidentalis*  
*Grevillea alpina*  
*Grevillea brachystachya*  
*Grevillea crithmifolia*  
*Hibbertia acerosa*  
*Hibbertia cunninghamii*

<i>Hibbertia subvaginata</i>	<i>Poncirus trifoliata</i>
<i>Hibbertia vaginata</i>	<i>Pyrus communis</i>
<i>Hovea elliptica</i>	<i>Solanum tuberosum</i>
<i>Hypocalymma angustifolium</i>	<i>Trifolium repens</i>
<i>Hypocalymma cordifolium</i>	<b>Phytophthora drechsleri</b> Tucker
<i>Hypocalymma robustum</i>	<i>Adenanthera sericea</i>
<i>Isopogon attenuatus</i>	<i>Banksia dryandroides</i>
<i>Isopogon ceratophyllus</i>	<i>Banksia hookeriana</i>
<i>Isopogon formosus</i>	<i>Banksia loricina</i>
<i>Kunzea ericifolia</i>	<i>Banksia occidentalis</i>
<i>Lasiopetalum floribundum</i>	<i>Banksia prionotes</i>
<i>Leucopogon australis</i>	<i>Baufortia sparsa</i>
<i>Leucopogon glabellus</i>	<i>Boronia megastigma</i>
<i>Leucopogon lasiostachys</i>	<i>Callitris preissii</i>
<i>Leucopogon pulchellus</i>	<i>Callistemon citrinus</i>
<i>Leucopogon verticillatus</i>	<i>Callistemon viminalis</i>
<i>Macrozamia riedlei</i>	<i>Calluna vulgaris</i>
<i>Melaleuca lanceolata</i>	<i>Calytrix angulata</i>
<i>Melaleuca sp.</i>	<i>Chamaecyparis sp.</i>
<i>Mirbelia dilatata</i>	<i>Chamelaucium uncinatum</i>
<i>Monotoca tamariscina</i>	<i>Citrus limon</i>
<i>Patersonia occidentalis</i>	<i>Coleonema pulchrum</i>
<i>Pericalymma ellipticum</i>	<i>Coprosma repens</i>
<i>Persea americana</i>	<i>Cordyline australis</i>
<i>Persoonia longifolia</i>	<i>Crowea saligna</i>
<i>Pimelea ferruginea</i>	<i>Dodonea viscosa</i>
<i>Pimelea sp.</i>	<i>Dryandra proteoides</i>
<i>Pinus pinaster</i>	<i>Dryandra speciosa</i>
<i>Pinus radiata</i>	<i>Eucalyptus marginata</i>
<i>Platysace compressa</i>	<i>Eutaxia ovata</i>
<i>Podocarpus drouynianus</i>	<i>Grevillea biformata</i>
<i>Prunus persica</i>	<i>Grevillea dielsiana</i>
<i>Pseudotsuga menziesii</i>	<i>Hakea francisiana</i>
<i>Pultenaea reticulata</i>	<i>Hakea laurina</i>
<i>Sphenotoma squarrosum</i>	<i>Hakea platysperma Hebe speciosa</i>
<i>Tetrahitca hirsuta</i>	<i>Hypocalymma tetrapterum</i>
<i>Thomasia grandiflora</i>	<i>Indigofera australis</i>
<i>Thomasia pauciflora</i>	<i>Isopogon cuneatus</i>
<i>Thryptomene sp.</i>	<i>Kunzea baxteri</i>
<i>Trymalium ledifolium</i>	<i>Kunzea pulchella</i>
<i>Verticordia densiflora</i>	<i>Lagerstroemia indica</i>
<i>Verticordia huegelii</i>	<i>Melaleuca armillaris</i>
<i>Verticordia nitens</i>	<i>Melaleuca diosmaefolia</i>
<i>Verticordia plumosa</i>	<i>Melaleuca hypercifolia</i>
<i>Vitis vinifera</i>	<i>Melaleuca lateriflora</i>
<i>Xanthorrhoea preissii</i>	<i>Melaleuca nesophila</i>
<i>Xanthorrhoea sp.</i>	<i>Pimelea ferruginea</i>
<i>Xylomelum occidentale</i>	<i>Protea sp.</i>
<i>Yucca whipplei</i>	<i>Rhododendron sp.</i>
<b>Phytophthora citricola</b> Sawada	<i>Solanum tuberosum</i>
<i>Actinidia chinensis</i>	<i>Viburnum tinus</i>
<i>Antirrhinum majus</i>	<i>Westringia rosemariniformis</i>
<i>Banksia sp.</i>	<b>Phytophthora erythroseptica</b> Pethybr.
<i>Beaufortia sparsa</i>	<i>Asparagus officinalis</i>
<i>Chamelaucium uncinatum</i>	<i>Cymbidium sp.</i>
<i>Citrus limon</i>	<i>Solanum tuberosum</i>
<i>Citrus paradisi</i>	<b>Phytophthora hibernalis</b> Carne
<i>Citrus reticulata</i>	<i>Citrus limon</i>
<i>Citrus sinensis</i>	<i>Citrus paradisi</i>
<i>Erica sp.</i>	<i>Citrus reticulata</i>
<i>Hakea francisiana</i>	<i>Citrus sinensis</i>
<i>Hakea laurina</i>	<i>Fortunella sp.</i>
<i>Hakea multilineata</i>	<b>Phytophthora infestans</b> (Mont.) de Bary
<i>Melaleuca hypercifolia</i>	<i>Solanum tuberosum</i>
<i>Pinus radiata</i>	<b>Phytophthora megasperma</b> Drechsler
<i>Rhododendron sp.</i>	<i>Anigozanthos pulcherrimus</i>
<b>Phytophthora citrophthora</b> (R.E. Smith & E.H. Smith) Leonian	<i>Asparagus officinalis</i>
<i>Citrus limon</i>	<i>Banksia hookeriana</i>
<i>Citrus limon</i> cv. Rough	<i>Carthamus tinctorius</i>
<i>Citrus paradisi</i>	<i>Dryandra polycyphala</i>
<i>Citrus reticulata</i>	<i>Eucalyptus marginata</i>
<i>Citrus sinensis</i>	<i>Malus sylvestris</i>
<b>Phytophthora clandestina</b> Taylor, Pascoe & Greenhalgh	<i>Pinus radiata</i>
<i>Trifolium subterraneum</i>	<i>Solanum muricatum</i>
<b>Phytophthora cryptogea</b> Pethybr. & Laff.	<i>Vitis vinifera</i>
<i>Banksia loricina</i>	<b>Phytophthora nicotianae</b> Breda de Haan var. <i>nicotianae</i>
<i>Banksia occidentalis</i>	<i>Agonis flexuosa</i>
<i>Banksia praemorsa</i>	<i>Banksia dryandroides</i>
<i>Bauera sessiflora</i>	<i>Banksia hookeriana</i>
<i>Carya illinoensis</i>	<i>Banksia loricina</i>
<i>Chamelaucium uncinatum</i>	<i>Banksia occidentalis</i>
<i>Crowea saligna</i>	<i>Banksia petiolaris</i>
<i>Cytisus albus</i>	<i>Banksia praemorsa</i>
<i>Erica sp.</i>	<i>Banksia prionotes</i>
<i>Eucalyptus ficifolia</i>	<i>Bavera sessiflora</i>
<i>Eutaxia ovata</i>	<i>Banksia speciosa</i>
<i>Eucalyptus rufida</i>	<i>Beaufortia eriocephala Boronia sp.</i>
<i>Gerbera jamesonii</i>	<i>Calothamnus quadrifidus</i>
<i>Grevillea dielsiana</i>	<i>Calothamnus villosus</i>
<i>Hakea francisiana</i>	<i>Calothamnus gracilis</i>
<i>Pimelea ferruginea</i>	<i>Chamelaucium axillare</i>
<i>Malus sylvestris</i>	<i>Chamelaucium uncinatum</i>
<i>Pinus radiata</i>	<i>Crowea saligna</i>

- Dryandra speciosa*  
*Gastrolobium calycinum*  
*Grevillea biformata*  
*Grevillea drummondii*  
*Grevillea crithmifolia*  
*Grevillea thelenomina*  
*Hakea francisiana*  
*Hakea laurina*  
*Hakea platysperma*  
*Hebe speciosa*  
*Hemiandra pungens*  
*Hypocalymma angustifoliatum*  
*Hypocalymma tetrapterum*  
*Kunzea baxteri*  
*Melaleuca citrina*  
*Melaleuca hypercifolia*  
*Melaleuca lateriflora*  
*Pimelea ferruginea*  
*Pimelea rosea*  
*Rheum rhabarbarum*  
*Ricinocarpus tuberculatus*  
*Sollya heterophylla*  
*Solanum melongena*  
*Westringia rosemariniformis*
- Phytophthora nicotianae** Breda de Haan var. *parasitica* (Dastur)  
 Waterhouse  
*Banksia hookeriana*  
*Boronia heterophylla*  
*Carthamus tinctorius*  
*Chamelaucium uncinatum*  
*Clinanthus formosus*  
*Correa reflexa*  
*Correa sp.*  
*Eucalyptus gomphocephala*  
*Eutaxia obvata*  
*Grevillea biformata*  
*Grevillea brownii* X *fasciculata*  
*Grevillea crithmifolia*  
*Hakea francisiana*  
*Hebe speciosa*  
*Hibiscus rosa-sinensis*  
*Jasminum sp.*  
*Kunzea sp.*  
*Lycopersicon esculentum*  
*Pimelea sp.*  
*Regelia velutina*  
*Solanum melongena*
- Phytophthora sp.**  
*Calceolaria sp.*  
*Consolida ambigua*  
*Crowea sp.*  
*Cytisus proliferus*  
*Juglans regia*  
*Lomaudia sp.*  
*Lycopersicon esculentum*  
*Lysinema ciliatum*  
*Papaver nudicaule*  
*Pyracantha sp.*  
*Rheum rhabarbarum*
- Piptoporus austaliensis** (Wakef.) G. Cunn.  
*Eucalyptus diversicolor*  
*Eucalyptus gomphocephala*  
*Eucalyptus redunca*
- Piptoporus portentosus** (Berk.) G. Cunn.  
*Eucalyptus calophylla*  
*Eucalyptus gomphocephala*  
*Eucalyptus marginata*  
*Eucalyptus rupestris*
- Pirex subvinosus** (Berk. & Br.) Iijortst.  
*Leucaena leucocephala*
- Placoasterella baileyi** (Berk. & Broome) von Arx in Muller & von Arx  
*Grevillea diversifolia*  
*Hakea cucullata*  
*Hakea elliptica*  
*Hakea oleifolia*
- Plasmodiophora brassicae** Woron.  
*Brassica campestris* var. *rapa*  
*Brassica napus* var. *napobrassica*  
*Brassica oleracea* var. *botrytis*  
*Brassica oleracea* var. *capitata*  
*Brassica oleracea* var. *geminifera*  
*Cheiranthus cheiri*  
*Raphanus sativus*
- Pleiochaeta setosa** (Kirchn.) Hughes  
*Lupinus albus*  
*Lupinus angustifolius*  
*Lupinus consertinii*  
*Lupinus luteus*  
*Ornithopus compressus*  
*Ornithopus sativus*
- Pleosphaeria semeniperda** Brittlebank & Adam  
 A synonym of *Pyrenophora semeniperda*
- Pleospora betae** (Berl.) Nowodowski  
*Beta vulgaris*
- Pleospora herbarum** (Fr.) Rabenh.  
*Citharexylum spinosum*  
*Malus sylvestris*  
*Medicago sativa*  
*Simmondsia chinensis*  
*Trifolium fragiferum*  
*Trifolium subterraneum*
- Pleospora infectoria** Fuckel  
*Phaseolus vulgaris*  
*Pisum sativum*  
*Sorghum bicolor*
- Pleospora lycopersici** Marchal  
*Lycopersicon esculentum*
- Pleospora sp.**  
*Avena fatua*  
*Cynodon dactylon*  
*Dianthus caryophyllus*  
*Lupinus albus*
- Pleurotus lampas** Berk.  
 A synonym of *Pleurotus nidiformis*
- Pleurotus nidiformis** (Berk.) Sacc.  
*Pinus sp.*
- Podosphaera kunzei** Lev.  
 See records under *Podosphaera leucotricha*
- Podosphaera leucotricha** (Ellis & Everh.) Salmon  
*Cydonia oblonga*  
*Malus sylvestris*  
*Pyrus communis*
- Podosphaera oxyacanthae** (DC.) de Bary  
*Malus sylvestris*  
*Pyrus communis*
- Polymyxa betae** Keskin  
*Beta vulgaris*
- Polyspora lini** Laff.  
 A synonym of *Aureobasidium lini*
- Polystigma phyllodii** (Cooke & Massee) von Arx & Muller  
*Acacia pulchella*  
*Acacia rostellifera*
- Polystigma sp.**  
*Acacia cyclops*
- Polythrincium trifolii** Kunze in Schmidt & Kunze  
*Trifolium repens*
- Poria mutans** (Peck) Peck  
*Eucalyptus marginata*
- Pseudocercospora capsellae** (Ellis & Everh.) Deighton  
*Brassica campestris* var. *chinensis*  
*Brassica campestris* var. *rapa* *Brassica napus*  
*Brassica napus* var. *napobrassica*  
*Brassica oleracea* var. *italica*
- Pseudomonas andropogonis** (E.F. Smith) Stapp  
*Bougainvillea spectabilis*
- Pseudomonas citriputale** (E.F. Smith) Stapp  
 A synonym of *Pseudomonas syringae* pv. *syringae*
- Pseudomonas gladioli** Severini pv. *alllicola* (Burkholder) Young, Dye  
 Wilkie  
*Allium cepa*
- Pseudomonas gladioli** Severini pv. *gladioli* Severini  
*Gladiolus* X *hortulanus*
- Pseudomonas juglandis** Pierce  
 A synonym of *Xanthomonas campestris* pv. *juglandis*
- Pseudomonas lachrymans** (E.F. Smith & Bryan) Carsner  
 A synonym of *Pseudomonas syringae* pv. *lachrymans*
- Pseudomonas marginata** (McCulloch) Stapp  
 A synonym of *Pseudomonas gladioli* pv. *gladioli*
- Pseudomonas passiflorae** (Reid) Burkholder  
 A synonym of *Pseudomonas syringae* pv. *passiflorae*
- Pseudomonas phaseolicola** (Burkholder) Dowson  
 A synonym of *Pseudomonas syringae* pv. *phaseolicola*
- Pseudomonas pisi** Sackett  
 A synonym of *Pseudomonas syringae* pv. *pisi*
- Pseudomonas rubrilineans** (Lee, Purdy, Barnum & Martin) Stapp  
*Saccharum officinarum*  
*Sorghum stipoides*
- Pseudomonas solanacearum** (Erw. Smith) Erw. Smith  
*Lycopersicon esculentum*  
*Nicotiana tabacum*  
*Solanum nigrum*  
*Solanum tuberosum*
- Pseudomonas syringae** van Hall (pv. undetermined)  
*Acacia ixiophylla*  
*Antirrhinum majus*  
*Brassica napus*  
*Brassica oleracea* var. *geminifera*  
*Schefflera actinophylla*  
*Syringa* sp.
- Pseudomonas syringae** pv. *atrofaciens* (McCulloch) Young, Dye & Wilkie  
*Triticum aestivum*
- Pseudomonas syringae** pv. *coronafaciens* (Elliott) Young, Dye & Wilkie  
*Avena sativa*

- Pseudomonas syringae** pv. *lachrymans* (E.F. Smith & Byran) Young, Dye & Wilkie  
*Citrullus lanatus*  
*Cucumis melo*  
*Cucumis sativus*  
*Cucurbita maxima*
- Pseudomonas syringae** pv. *maculicola* (McCulloch) Young, Dye & Wilkie  
*Brassica oleracea* var. *botrytis*  
*Brassica oleracea* var. *capitata*
- Pseudomonas syringae** pv. *mori* (Boyer & Lambert) Young, Dye & Wilkie  
*Morus alba*  
*Morus nigra*
- Pseudomonas syringae** pv. *passiflorae* (Reid) Young, Dye & Wilkie  
*Passiflora edulis*
- Pseudomonas syringae** pv. *phaseolicola* (Burkholder) Young, Dye & Wilkie  
*Glycine max*  
*Phaseolus vulgaris*
- Pseudomonas syringae** pv. *pisi* (Sackett) Young, Dye & Wilkie  
 An early record and the identity of the pathovar is doubtful.  
*Pisum sativum*
- Pseudomonas syringae** pv. *savastanoi* (Erw. Smith) Young, Dye & Wilkie  
*Nerium oleander*
- Pseudomonas syringae** pv. *syringae* van Hall  
*Citrus limon*  
*Citrus reticulata*  
*Citrus sinensis*  
*Hibiscus rosa-sinensis*  
*Malus sylvestris*  
*Prunus armeniaca*  
*Prunus avium*  
*Prunus domestica*  
*Prunus persica*  
*Pyrus communis*  
*Rosa hybrids*  
*Sorghum bicolor*  
*Sorghum sudanense*
- Pseudomonas syringae** pv. *tomato* (Okabe) Young, Dye & Wilkie  
*Lycopersicon esculentum*
- Pseudomonas tonelliana** (Ferraris) Burkholder  
 A synonym of *Pseudomonas syringae* pv. *savastanoi*
- Pseudomonas tumefaciens** (E.F. Smith & Townsend) Duggar  
 A synonym of *Agrobacterium tumefaciens*
- Pseudomonas** sp.  
*Asplenium nidus*  
*Dianthus caryophyllus*
- Pseudoperonospora** *cubensis* (Berk. & Curt.) Rostovtsev  
*Cucumis melo*
- Pseudopeziza** *medicaginis* (Lib.) Sacc.  
*Medicago polymorpha*  
*Medicago sativa*
- Pseudopeziza** *trifoli* (Biv.-Bern. : Fr.) Fuckel  
*Trifolium fragiferum*  
*Trifolium subterraneum*
- Pseudoplea** *trifolii* (Rostr.) Petr.  
 A synonym of *Leptosphaerulina trifolii*
- Pseudoseptoria** *donacis* (Pass.) Sutton  
*Hordeum vulgare*
- Puccinia** *alyiae* Cooke & Massee  
*Alyxia buxifolia*
- Puccinia** *antirrhini* Diet. & Holw.  
*Antirrhinum majus*
- Puccinia** *archidii* Speg.  
*Arachis hypogaea*
- Puccinia** *arthrocnemi* Hansf.  
*Halosarcia halocnemoides*
- Puccinia** *bassiae* Samuel  
*Sclerolaena bicuspidata*  
*Sclerolaena burbridgeae*  
*Sclerolaena densiflora*  
*Sclerolaena deserticola*  
*Sclerolaena fimbriolata*  
*Sclerolaena microcarpa*  
*Sclerolaena muelleri*  
*Sclerolaena parviflora*  
*Sclerolaena patenticuspis*
- Puccinia** *boroniae* P. Henn.  
*Boronia coeruleocephala* subsp. *spinescens*  
*Boronia megastigma*  
*Boronia tenuis*
- Puccinia** *bromina* Eriks.  
 A synonym of *Puccinia recondita*
- Puccinia** *burchardiae* Sacc.  
*Burchardia multiflora*  
*Burchardia umbellata*
- Puccinia** *calcitrariae* DC.  
*Carduus pycnocephalus*  
*Carduus tenuiflorus*  
*Carduus* sp.
- Puccinia** *chondrillina* Bubak & Sydenham  
*Chondrilla juncea*
- Puccinia** *chrysanthemi* Roze  
*Chrysanthemum* spp.
- Puccinia** *coronata* Corda  
*Arrhenatherum bulbosum*  
*Dactylis glomerata*  
*Holcus lanatus*  
*Lolium multiflorum*  
*Lolium perenne*  
*Lolium rigidum*  
*Lolium temulentum*  
*Poa bulbosa*  
*Polypogon monspeliensis*  
*Schismus barbatus*
- Puccinia** *coronata* Corda var. *avenae* Fraser & Ledingham  
*Avena barbata*  
*Avena fatua*  
*Avena ludoviciana*  
*Avena sativa*
- Puccinia** *cymbopogonis* Massee  
*Cymbopogon citratus*
- Puccinia** *cynodontis* Lacroix : Desm.  
*Cynodon dactylon*
- Puccinia** *dampiera* Syd. & H. Syd.  
*Dampiera alata*  
*Dampiera eriocephala*  
*Dampiera leptoclada*  
*Dampiera linearis*  
*Dampiera oligophylla*  
*Dampiera spicigera*  
*Dampiera triloba*  
*Dampiera trigona*
- Puccinia** *dielsiana* P. Henn.  
*Neobassia astrocarpa*  
*Threlkeldia diffusa*
- Puccinia** *distincta* McAlp.  
 A synonym of *Puccinia lagenophorae*
- Puccinia** *duthiae* Ellis & Tracy  
*Dianthus aristatum*
- Puccinia** *erechtitis* McAlp.  
 A synonym of *Puccinia lagenophorae*
- Puccinia** *flavescens* McAlp.  
*Stipa arachnopus*  
*Stipa crinita*  
*Stipa elegantissima*  
*Stipa hemipogon*  
*Stipa macalpinei*  
*Stipa variabilis*  
*Stipa* sp.
- Puccinia** *gilgiana* P. Henn.  
*Lechenaultia biloba*  
*Lechenaultia brevifolia*  
*Lechenaultia linarioides*  
*Lechenaultia stenosepala*  
*Lechenaultia subcymosa*
- Puccinia** *graminis* Pers.  
*Agropyron distichum*  
*Arrhenatherum bulbosum*  
*Dactylis glomerata*  
*Dactylis glomerata* var. *maritima*  
*Ehrhartia longiflora*  
*Hordeum leporinum*  
*Hordeum vulgare*  
*Poa poiformis*
- Puccinia** *graminis* Pers. f. sp. *avenae* Eriks. & P. Henn  
*Avena fatua*  
*Avena ludoviciana*  
*Avena sativa*  
*Hordeum glaucum*  
*Hordeum vulgare*  
*Vulpia bromoides*
- Puccinia** *graminis* Pers. f. sp. *secalis* Eriks. & P. Henn  
*Agropyron distichum*  
*Secale cereale*
- Puccinia** *graminis* Pers. f. sp. *tritici* Eriks. & P. Henn  
*Agropyron distichum*  
*Agropyron scabrum*  
*Amphibromus neesii*  
*Hordeum glaucum*  
*Hordeum leporinum*  
*Hordeum vulgare*  
*Phalaris* sp.  
*Secale cereale*  
*Triticum aestivum*  
*Vulpia bromoides*
- Puccinia** *haemodori* P. Henn.  
*Anigozanthos gabrielae*  
*Anigozanthos humilis*  
*Anigozanthos kalbarriensis* X *A. flavidus*  
*Anigozanthos manglesii*  
*Anigozanthos preissii*  
*Conostylis aculeata*  
*Conostylis aurea*  
*Conostylis candicans*  
*Conostylis canteriata*  
*Conostylis caricina*

<i>Conostylis festucacea</i>	<b>Puccinia recondita</b> Roberge : Desm.
<i>Conostylis juncea</i>	<i>Bromus arenarius</i>
<i>Conostylis laxiflora</i>	<i>Bromus diandrus</i>
<i>Conostylis serrulata</i>	<i>Bromus horeaceus</i>
<i>Conostylis setigera</i>	<i>Hordeum vulgare</i>
<i>Conostylis setosa</i>	<i>Secale cereale</i>
<i>Conostylis teretiuscula</i>	<i>Triticum aestivum</i>
<i>Haemodorum brevisepalum</i>	<b>Puccinia saccardoi</b> Ludw.
<i>Haemodorum discolor</i>	<i>Goodenia affinis</i>
<i>Haemodorum laxum</i>	<i>Goodenia herardiana</i>
<i>Haemodorum loratum</i>	<i>Goodenia caerulea</i>
<i>Haemodorum paniculatum</i>	<i>Goodenia concinna</i>
<i>Haemodorum simplex</i>	<i>Goodenia coronopifolia</i>
<i>Haemodorum simulans</i>	<i>Goodenia filiformis</i>
<i>Haemodorum sparsiflorum</i>	<i>Goodenia occidentalis</i>
<i>Haemodorum spicatum</i>	<i>Goodenia pinnifolia</i>
<i>Haemodorum venosum</i>	<i>Goodenia pinnatifida</i>
<i>Haemodorum</i> sp.	<i>Goodenia pterygosperma</i>
<i>Macropidia fuliginosa</i>	<i>Goodenia pusilliflora</i>
<b>Puccinia helianthi</b> Schw.	<i>Goodenia tenella</i>
<i>Helianthus annuus</i>	<i>Goodenia trichophylla</i>
<b>Puccinia hieracii</b> (Roehl.) Mart.	<i>Scaevola canescens</i>
<i>Cichorium endivia</i>	<i>Scaevola chrysopogon</i>
<i>Hypocharis glabra</i>	<i>Scaevola cuneiformis</i>
<i>Lactuca sativa</i>	<i>Scaevola hamiltonii</i>
<i>Picris hieracioides</i>	<i>Scaevola lanceolata</i>
<b>Puccinia hordei</b> Otth	<i>Scaevola oxyclona</i>
<i>Hordeum leporinum</i>	<i>Scaevola paludosa</i>
<i>Hordeum vulgare</i>	<i>Scaevola phlebopetala</i>
<b>Puccinia horiana</b> P. Henn.	<i>Scaevola pilosa</i>
<i>Chrysanthemum</i> spp.	<i>Scaevola restiacea</i>
<b>Puccinia hypochaeridis</b> Oudem.	<i>Scaevola sericophylla</i>
A synonym of <i>Puccinia hieracii</i>	<i>Velleia cycnopotamica</i>
<b>Puccinia juncophila</b> Cooke & Massee	<b>Puccinia semibarbatae</b> Osborn & Samuel
<i>Juncus pallidus</i>	<i>Bulbine semibarbata</i>
<i>Juncus</i> sp.	<b>Puccinia sorghi</b> Schw.
<b>Puccinia kalchbrenneri</b> De Toni	<i>Zea mays</i>
See records under <i>Puccinia lagenophorae</i>	<b>Puccinia stylidii</b> McAlp.
<b>Puccinia lagenophorae</b> Cooke	<i>Stylium pycnostachyum</i>
<i>Bellis perennis</i>	<b>Puccinia tasmanica</b> Diet.
<i>Ceratogyne obionoides</i>	A synonym of <i>Puccinia lagenophorae</i>
<i>Helichrysum apiculatum</i>	<b>Puccinia tetragoniae</b> McAlp.
<i>Helichrysum cordatum</i>	<i>Tetragonia tetragonoides</i>
<i>Helipterum manglesii</i>	<b>Puccinia triticina</b> Eriks.
<i>Helipterum roseum</i>	A synonym of <i>Puccinia recondita</i>
<i>Lagenifera huegelii</i>	<b>Puccinia versicolor</b> Diet. & Holw. in Holw.
<i>Osteospermum clandestinum</i>	<i>Themeda triandra</i>
<i>Senecio glomeratus</i>	<b>Puccinia violae</b> DC.
<i>Senecio glossanthus</i>	<i>Viola odorata</i>
<i>Senecio quadridentatus</i>	<b>Puccinia wormbeae</b> Cooke & Massee
<i>Senecio vulgaris</i>	<i>Wurmbea centralis</i>
<b>Puccinia levis</b> (Sacc. & Bizz.) Magn.	<i>Wurmbea densiflora</i>
<i>Cenchrus clyindoides</i>	<i>Wurmbea dilatata</i>
<b>Puccinia levis</b> Sacc. & Bizz. var. <i>panici-sanguinalis</i> (Rangel) Ramachar &	<i>Wurmbea monantha</i>
<i>Cummins</i>	<i>Wurmbea pygmaea</i>
<i>Sorghum plumosum</i>	<i>Wurmbea sinuata</i>
<b>Puccinia loli</b> Niels. var. <i>avenae</i>	<i>Wurmbea tenella</i>
A synonym of <i>Puccinia coronata</i> var. <i>avenae</i> Fraser & Ledingham	<i>Wurmbea tubulosa</i>
<b>Puccinia malvacearum</b> Bertero : Mont. in Gay	<b>Puccinia xanthii</b> Schw.
<i>Althaea rosea</i>	<i>Xanthium occidentale</i>
<i>Lavatera arborea</i>	<b>Puccinia xanthosiae</b> McAlp.
<i>Lavatera cretica</i>	<i>Xanthosia candida</i>
<i>Lavatera trimestris</i>	<i>Xanthosia huegelii</i>
<i>Maltus parviflora</i>	<b>Puccinia</b> sp.
<b>Puccinia menthae</b> Pers.	<i>Caladenia radialis</i>
<i>Mentha</i> sp.	<i>Centaurea melitensis</i>
<b>Puccinia morrisoni</b> McAlp.	<i>Cichorium intybus</i>
<i>Pelargonium australe</i>	<i>Lasiopetalum floribundum</i>
<b>Puccinia muehlenbeckiae</b> (Cooke) Syd. & H. Syd.	<i>Lolium temulentum</i> var. <i>arvense</i>
<i>Muehlenbeckia adpressa</i>	<i>Puccinellia ciliata</i>
<b>Puccinia oahuensis</b> Ellis & Everh.	<i>Ursinia anthemoides</i>
<i>Digitaria decumbens</i>	<b>Pucciniastrum epilobii</b> Otth
<i>Digitaria sanguinalis</i>	<i>Fuchsia</i> sp.
<b>Puccinia operculariae</b> (Morr.) Syd. & H. Syd.	<b>Punctularia strigosa-zonata</b> (Schw.) Talbot
<i>Opercularia vaginata</i>	<i>Malus sylvestris</i>
<b>Puccinia oxalidis</b> Diet. & Ellis in Diet.	<i>Prunus persica</i>
<i>Oxalis</i> sp.	<b>Pycnoporus coccineus</b> (Fr.) Bond. & Singer
<b>Puccinia pelargonii-zonalis</b> Doidge	<i>Malus sylvestris</i>
<i>Pelargonium zonale</i>	<i>Prunus armeniaca</i>
<i>Pelargonium</i> sp.	<i>Prunus domestica</i>
<b>Puccinia phragmitis</b> (Schum.) Kornicke	<i>Prunus persica</i>
<i>Rheum rhabarbarum</i>	<b>Pyrenopeziza</b> teres Drechsler
<b>Puccinia poarum</b> Nield.	<i>Allium cepa</i>
<i>Poa annua</i>	<i>Trifolium subterraneum</i>
<i>Poa pratensis</i>	<i>Zea mays</i>
<b>Puccinia pritzeliana</b> P. Henn.	<b>Pyrenophora semeniperda</b> (Brittlebank & Adam) Shoemaker
<i>Tremandra stelligera</i>	See records under anamorph <i>Drechslera campanulata</i>
<b>Puccinia pruni-spinosae</b> Pers.	<b>Pyrenophora</b> teres Drechsler
See records under <i>Tranzschelia discolor</i>	<i>Bromus diandrus</i>
<b>Puccinia pulverulenta</b> Grev.	<i>Hordeum glaucum</i>
<i>Epilobium billardierianum</i>	<i>Hordeum leporinum</i>
<i>Epilobium hirtigerum</i>	<i>Hordeum murinum</i>
	<i>Hordeum vulgare</i>

<b>Pyrenophora tritici-repentis</b> (Died.) Drechsler	
<i>Triticum aestivum</i>	
<b>Pyricularia oryzae</b> Cav.	
<i>Stenotaphrum secundatum</i>	
<b>Pyricularia</b> sp.	
<i>Stenotaphrum secundatum</i>	
<b>Pythium afertile</b> Kanouse & Humphrey	
<i>Malus sylvestris</i>	
<b>Pythium acanthicum</b> Drechsler	
<i>Brassica napus</i>	
<i>Lupinus angustifolius</i>	
<i>Passiflora edulis</i>	
<i>Trifolium subterraneum</i>	
<i>Vitis vinifera</i>	
<b>Pythium acanthophoron</b> Sideris	
<i>Trifolium subterraneum</i>	
<b>Pythium anandrum</b> Drechsler	
<i>Rhododendron</i> sp.	
<i>Pinus radiata</i>	
<b>Pythium aphanidermatum</b> (Edson) Fitzp.	
<i>Cucumis melo</i>	
<b>Pythium apleroticum</b> Tokunaga	
<i>Trifolium subterraneum</i>	
<b>Pythium aquatile</b> Honk	
<i>Trifolium subterraneum</i>	
<b>Pythium debaryanum</b> Hesse	
<i>Phaseolus vulgaris</i>	
<i>Trifolium subterraneum</i>	
<i>Vicia faba</i>	
<b>Pythium echinocarpum</b> Ito & Tokunaga	
<i>Trifolium subterraneum</i>	
<b>Pythium echinulatum</b> Matthews	
<i>Citrus sinensis</i>	
<i>Eucalyptus</i> spp.	
<i>Pyrus communis</i>	
<b>Pythium gracile</b> Schenk	
<i>Citrus sinensis</i>	
<i>Malus sylvestris</i>	
<i>Poncirus trifoliata</i>	
<b>Pythium intermedium</b> de Bary	
<i>Ceratonia siliqua</i>	
<i>Cianthus formosus</i>	
<i>Malus sylvestris</i>	
<i>Trifolium subterraneum</i>	
<b>Pythium irregularare</b> Buisman	
<i>Angozanthos pulcherrius</i>	
<i>Banksia attenuata</i>	
<i>Banksia ilicifolia</i>	
<i>Brassica napus</i>	
<i>Castanea</i> sp.	
<i>Citrus limon</i> cv. Rough	
<i>Citrus reticulata</i>	
<i>Citrus sinensis</i>	
<i>Cyclamen persicum</i>	
<i>Eucalyptus canadulensis</i>	
<i>Eucalyptus diversicolor</i>	
<i>Eucalyptus erythrocorys</i>	
<i>Eucalyptus</i> spp.	
<i>Hibiscus rosa-sinensis</i>	
<i>Lupinus angustifolius</i>	
<i>Malus sylvestris</i>	
<i>Passiflora edulis</i>	
<i>Pinus radiata</i>	
<i>Poncirus trifoliata</i>	
<i>Poncirus trifoliata X Citrus sinensis</i>	
<i>Pyrus communis</i>	
<i>Rosa hybrids</i>	
<i>Trifolium subterraneum</i>	
<i>Triticum aestivum</i>	
<i>Vaccinium</i> sp.	
<i>Viola odorata</i>	
<i>Vitis vinifera</i>	
<b>Pythium mamillatum</b> Meurs-Hickman	
<i>Antigozanthos pulcherrimus</i>	
<i>Banksia</i> sp.	
<i>Eucalyptus diversicolor</i>	
<i>Pinus radiata</i>	
<i>Protea</i> sp.	
<b>Pythium middletonii</b> Sparrow	
<i>Chameliocium ciliatum</i>	
<i>Malus sylvestris</i>	
<i>Trifolium subterraneum</i>	
<b>Pythium monospermum</b> Pringsh.	
<i>Passiflora edulis</i>	
<b>Pythium myriotylum</b> Drechsler	
<i>Musa acuminata</i>	
<i>Trifolium subterraneum</i>	
<b>Pythium oligandrum</b> Drechsler	
<i>Pyrus communis</i>	
<b>Pythium perniciosum</b> Serbinow	
<i>Trifolium subterraneum</i>	

<b>Pythium spinosum</b> Sawada	
<i>Actinidia chinensis</i>	
<i>Citrus reticulata</i>	
<i>Citrus sinensis</i>	
<i>Malus sylvestris</i>	
<i>Passiflora edulis</i>	
<i>Pinus patula</i>	
<i>Poncirus trifoliata</i>	
<i>Poncirus trifoliata X Citrus sinensis</i>	
<i>Pyrus communis</i>	
<i>Trifolium subterraneum</i>	
<i>Vitis vinifera</i>	
<b>Pythium splendens</b> Braun	
<i>Citrus limon</i> cv. Rough	
<i>Citrus reticulata</i>	
<i>Citrus sinensis</i>	
<i>Eriobotrya japonica</i>	
<i>Malus sylvestris</i>	
<i>Medicago tornata</i>	
<i>Passiflora edulis</i>	
<i>Poncirus trifoliata</i>	
<i>Poncirus trifoliata X Citrus sinensis</i>	
<i>Pyrus communis</i>	
<i>Zinnia elegans</i>	
<b>Pythium torulosum</b> Coker & Patterson	
<i>Camellia japonica</i>	
<i>Malus sylvestris</i>	
<b>Pythium ultimum</b> Trow.	
<i>Malus sylvestris</i>	
<i>Phaseolus vulgaris</i>	
<i>Rosa hybrids</i>	
<i>Vitis vinifera</i>	
<b>Pythium vanterpoolii</b> Kouyeas & Kouyeas	
<i>Digitaria didactyla</i>	
<b>Pythium vexans</b> de Bary	
<i>Actinidia chinensis</i>	
<i>Passiflora edulis</i>	
<i>Trifolium subterraneum</i>	
<b>Pythium</b> sp.	
<i>Banksia nutans</i>	
<i>Banksia tricuspis</i>	
<i>Bellaria</i> sp.	
<i>Cedrus deodara</i>	
<i>Centaurea cyanus</i>	
<i>Cyphomandra betacea</i>	
<i>Diospyros kaki</i>	
<i>Dryandra foliosissima</i>	
<i>Hibiscus cannabinus</i>	
<i>Juglans regia</i>	
<i>Lactuca sativa</i>	
<i>Leucosia leucocephala</i>	
<i>Rauvolfia lappaceus</i>	
<i>Siumondia chinensis</i>	
<i>Triticum aestivum</i>	
<b>Ramularia brunnea</b> Peck	
See records under teleomorph <i>Mycosphaerella fragariae</i>	
<b>Ramularia gossypii</b> (Speg.) Ciferri	
<i>Gossypium hirsutum</i>	
<b>Ramularia pastinaceae</b> (Karst.) Lindroth & Vestergr.	
<i>Pastinaca sativa</i>	
<b>Ramularia rhei</b> Allesch.	
<i>Rheum rhabarbarum</i>	
<b>Ramularia rubella</b> (Bon.) Nannf. in Lundell & Nannf.	
<i>Rumex conglomeratus</i>	
<i>Rumex crispus</i>	
<b>Ramularia</b> sp.	
<i>Eucalyptus calophylla</i>	
<b>Rhizoctonia bataticola</b> (Taub.) Britton-Jones	
A synonym of <i>Macrophomina phaseolina</i>	
<b>Rhizoctonia cerealis</b> van der Hoeven	
<i>Trifolium subterraneum</i>	
<b>Rhizoctonia crocorum</b> (Pers.) DC.	
See records under teleomorph <i>Helicobasidium purpureum</i>	
<b>Rhizoctonia medicaginis</b> DC.	
See records under <i>Rhizoctonia solani</i>	
<b>Rhizoctonia solani</b> Kuhn	
See under teleomorph <i>Thanatephorus cucumeris</i> for further records	
<i>Apium graveolens</i>	
<i>Avena sativa</i>	
<i>Brassica napus</i>	
<i>Brassica napus</i> var. <i>napobrassica</i>	
<i>Brassica oleracea</i> var. <i>botrytis</i>	
<i>Brassica oleracea</i> var. <i>capitata</i>	
<i>Brassica oleracea</i> var. <i>italica</i>	
<i>Cucumis melo</i>	
<i>Cynodon dactylon</i>	
<i>Fragaria X ananassa</i>	
<i>Gerbera jamesonii</i>	
<i>Glycine max</i>	
<i>Gossypium hirsutum</i>	
<i>Lactuca sativa</i>	
<i>Lathyrus odoratus</i>	
<i>Lupinus angustifolius</i>	

<i>Lycopersicon esculentum</i>	<b>Sclerotinia sclerotiorum</b> (Lib.) de Bary
<i>Medicago sativa</i>	<i>Anemone</i> sp.
<i>Medicago truncatula</i>	<i>Apium graveolens</i>
<i>Phaseolus vulgaris</i>	<i>Arachis hypogaea</i>
<i>Pisum sativum</i>	<i>Brassica campestris</i> var. <i>rapa</i>
<i>Secale cereale</i>	<i>Brassica napus</i>
<i>Solanum tuberosum</i>	<i>Brassica oleracea</i> var. <i>botrytis</i>
<i>Sorghum bicolor</i>	<i>Brassica oleracea</i> var. <i>capitata</i>
<b>Rhizoctonia tuliparum</b> Whetzel & Arthur	<i>Brassica oleracea</i> var. <i>gemmifera</i>
<i>Tulipa</i> sp.	<i>Calendula officinalis</i>
<b>Rhizoctonia violaceae</b> Tul.	<i>Cichorium intybus</i>
A synonym of <i>Rhizoctonia crocorm</i>	<i>Citrus limon</i>
<b>Rhizoctonia</b> sp.	<i>Citrus sinensis</i>
See under teleomorphs <i>Ceratobasidium cornigerum</i> and <i>Certobasidium</i>	<i>Dahlia</i> sp.
sp. for further records	<i>Daucus carota</i>
<i>Agrostis capillaris</i>	<i>Galinsoga parviflora</i>
<i>Agrostis stolonifera</i>	<i>Gazania</i> sp.
<i>Anigozanthos pulcherrimus</i>	<i>Helianthus annuus</i>
<i>Arachis hypogaea</i>	<i>Hibiscus rosa-sinensis</i>
<i>Beta vulgaris</i>	<i>Iris tingitana</i>
<i>Brassica nigra</i>	<i>Lactuca sativa</i>
<i>Brassica tournefortii</i>	<i>Lupinus angustifolius</i>
<i>Carthamus tinctorius</i>	<i>Lupinus consentanei</i>
<i>Cicer arietinum</i>	<i>Lycopersicon esculentum</i>
<i>Cucurbita maxima</i>	<i>Medicago sativa</i>
<i>Daucus carota</i>	<i>Passiflora edulis</i>
<i>Dianthus caryophyllus</i>	<i>Pastinaca sativa</i>
<i>Gypsophila elegans</i>	<i>Phaseolus vulgaris</i>
<i>Hibiscus cauauinus</i>	<i>Portulaca oleracea</i>
<i>Lupinus consentanei</i>	<i>Prunus armeniaca</i>
<i>Medicago truncatula</i>	<i>Prunus domestica</i>
<i>Nicotiana tabacum</i>	<i>Prunus persica</i>
<i>Nigella</i> sp.	<i>Solanum tuberosum</i>
<i>Solanum melongena</i>	<i>Vicia faba</i>
<i>Trifolium repens</i>	<i>Vitis vinifera</i>
<i>Pinus radiata</i>	
<b>Rhizophorus nigricans</b> Ehrenb.	<b>Sclerotinia trifoliorum</b> Eriks.
A synonym of <i>Rhizophorus stolonifer</i>	<i>Medicago sativa</i>
<b>Rhizophorus stolonifer</b> (Ehrenb. : Fr.) Lind	
<i>Artocarpus heterophyllus</i>	<b>Sclerotinia</b> sp.
<i>Cucumis melo</i>	<i>Beta vulgaris</i>
<i>Ipomoea batatas</i>	<i>Trifolium dubium</i>
<i>Mangifera indica</i>	
<i>Prunus persica</i>	<b>Sclerotinia bataticola</b> Taub.
<b>Rhizophorus</b> sp.	A synonym of <i>Macrophomina phaseolina</i>
<i>Fragaria X ananassa</i>	
<i>Helianthus annuus</i>	<b>Sclerotium rolfsii</b> Sacc.
<i>Lycopersicon esculentum</i>	<i>Alstroemeria</i> sp.
<b>Rhynchosporium secalis</b> (Oudem.) J. Davis	<i>Anemone</i> sp.
<i>Hordeum leporinum</i>	<i>Arachis hypogaea</i>
<i>Hordeum vulgare</i>	<i>Beta vulgaris</i>
<b>Rhytisma eucalypti</b> P. Henn.	<i>Brassica oleracea</i> var. <i>capitata</i>
<i>Eucalyptus santalinifolius</i>	<i>Capsicum annuum</i>
<b>Rosellinia necatrix</b> Prill.	<i>Cucumis melo</i>
<i>Malus sylvestris</i>	<i>Dianthus caryophyllus</i>
<b>Schizophyllum commune</b> Fr.	<i>Hordeum vulgare</i>
<i>Eucalyptus</i> spp.	<i>Iris</i> sp.
<i>Leucaena leucocephala</i>	<i>Lolium rigidum</i>
<i>Malus sylvestris</i>	<i>Lycopersicon esculentum</i>
<i>Prunus armeniaca</i>	<i>Malus sylvestris</i>
<i>Prunus domestica</i>	<i>Medicago sativa</i>
<i>Prunus persica</i>	<i>Narcissus</i> spp.
<b>Schizophyllum</b> sp.	<i>Phaseolus vulgaris</i>
<i>Acacia saligna</i>	<i>Physalis peruviana</i>
<b>Sclerophthora macrospora</b> (Sacc.) Thirumalachar, Shaw & Narasimhan	<i>Solanum tuberosum</i>
<i>Phalaris tuberosa</i>	<i>Triticum aestivum</i>
<i>Triticum aestivum</i>	<i>Viola odorata</i>
<b>Sclerospora macrospora</b> Sacc.	<b>Sclerotium tuliparum</b> Kleb.
A synonym of <i>Sclerophthora macrospora</i>	A synonym of <i>Rhizoctonia tuliparum</i>
<b>Sclerospora sorghi</b> Weston & Uppal	<b>Sclerotinia</b> sp.
A synonym of <i>Peronosclerospora sorghi</i>	<i>Oryza sativa</i>
<b>Sclerotinia gladioli</b> Drayton	<b>Scolicotrichum graminis</b> Fuckel
A synonym of <i>Stromatinia gladioli</i>	A synonym of <i>Cercosporidium graminis</i>
<b>Sclerotinia homoeocarpa</b> Bennett	<b>Seimatosporium fusicolorum</b> Swart & D.A. Griffiths
<i>Agrostis capillaris</i>	<i>Eucalyptus calophylla</i>
<i>Agrostis stolonifera</i>	<b>Seimatosporium hakeae</b> (Sutton) Shoemaker
<i>Cynodon dactylon</i>	<i>Hakea</i> sp.
<i>Cynodon transvaalensis</i>	<b>Seimatosporium leucopogonis</b> Swart
<i>Digitaria didactyla</i>	<i>Leucopogon</i> sp.
<i>Stenotaphrum secundatum</i>	<b>Seimatosporium lichenicola</b> (Corda) Shoemaker & Muller
<b>Sclerotinia libertiana</b> Fuckel	<i>Vitis vinifera</i>
A synonym of <i>Sclerotinia sclerotiorum</i>	<b>Seimatosporium lonicerae</b> (Cooke) Shoemaker
<b>Sclerotinia minor</b> Jagger	<i>Vitis vinifera</i>
<i>Brassica oleracea</i> var. <i>gemmifera</i>	<b>Selenophoma donaci</b> (Pass.) Sprague & Johnson
<i>Lactuca sativa</i>	A synonym of <i>Pseudoseptoria donaci</i>
<i>Lupinus albus</i>	<b>Septogloeum mori</b> (Lev.) Briosi & Cav.
<i>Lupinus angustifolius</i>	A synonym of <i>Phleospora macularans</i>
<i>Lupinus consertus</i>	<b>Septoria antirrhini</b> Roberge & Desm.
<i>Lycopersicon esculentum</i>	<i>Antirrhinum majus</i>
<i>Matthiola incana</i>	<b>Septoria apicola</b> Speg.
<i>Solanum tuberosum</i>	<i>Apium graveolens</i>
<i>Trifolium dubium</i>	<b>Septoria avenae</b> Frank
<i>Trifolium minor</i>	See under teleomorph <i>Leptosphaeria avenaria</i> for records
	<b>Septoria centellae</b> Wint.
	<i>Centella asiatica</i>
	<b>Septoria dianthi</b> Desm.
	<i>Dianthus caryophyllus</i>

- Septoria divaricata** Ellis & Everh.  
*Phlox paniculata*
- Septoria drummondii** Ellis & Everh.  
*Phlox drummondii*
- Septoria exotica** Speg.  
*Veronica sp.*
- Septoria gerberae** Syd.  
*Gerbera jamesonii*
- Septoria gladioli** Pass.  
*Gladiolus X hortulanus*
- Septoria graminis** Desm.  
 See records under *Septoria tritici*
- Septoria halophila** Speg.  
*Hordeum glaucum*  
*Hordeum leporinum*
- Septoria lactucae** Pass.  
*Lactuca sativa*
- Septoria linicola** (Speg.) Garassini  
 See records under teleomorph *Mycosphaerella linicola*
- Septoria lycopersici** Speg.  
*Lycopersicon esculentum*
- Septoria nodorum** (Berk.) Berk. in Berk. & Broome  
*Bromus diandrus*  
*Secale cereale*  
*Triticum aestivum*
- Septoria obesa** Syd.  
*Chrysanthemum sp.*
- Septoria passerinii** Sacc.  
*Hordeum leporinum*  
*Hordeum murinum*  
*Hordeum vulgare*
- Septoria passifloricola** Punithalingam  
*Passiflora edulis*
- Septoria petroselini** Desm. var. *apii* Cavara  
 A synonym of *Septoria apiicola*
- Septoria phlogis** Sacc. & Speg.  
 See records under *Septoria divaricata* and *Septoria drummondii*
- Septoria pisi** Westend.  
*Pisum sativum*
- Septoria rubi** Westend.  
*Rubus ursinus*
- Septoria tritici** Roberge in Desm.  
*Secale cereale*  
 See under teleomorph *Mycosphaerella graminicola* for further records
- Septoria tritici** Roberge in Desm. var. *lolicola* Sprague & Johnson  
*Lolium rigidum*
- Septoria westraliensis** McAlp.  
*Citrus sinensis*
- Septoria sp.**  
*Acacia saligna*  
*Bryza maxima*  
*Ehrhartia longiflora*  
*Lepidium sp.*  
*Lophochloa pumila*  
*Matthiola incana*  
*Nicotiana rosulata*  
*Ranunculus lappaceus*  
*Rubus idaeus*  
*Silene gallica*
- Setosphaeria rostrata** Leonard  
 See records under anamorph *Exserohilum rostratum*
- Setosphaeria turcica** (Luttr.) Leonard & Suggs  
 See records under anamorph *Exserohilum turicum*
- Sorosporium consanguineum** Ellis & Everh.  
*Aristida contorta*
- Sorosporium panici-miliacei** (Pers.) Tak.  
 A synonym of *Sphacelotheca destruens*
- Sorosporium solidum** (Berk.) McAlp.  
*Schoenus crenatus*
- Sorosporium tumefaciens** McAlp.  
*Chrysopogon fallax*  
*Chrysopogon pallidus*
- Sphacelia sp.**  
*Cenchrus setigerus*
- Sphaceloma ampelinum** de Bary  
*Vitis vinifera*
- Sphaceloma necator** (Ellis & Everh.) Jenkins & Shear  
*Rubus idaeus*  
*Rubus ursinus*  
*Rubus ursinus* var. *loganobaccus*
- Sphaceloma rosarum** (Pass.) Jenkins  
*Rosa hybrids*
- Sphaceloma sp.**  
*Viola odorata*
- Sphacelotheca destruens** (Schlecht.) Stev. & A.G. Johns.  
*Panicum miliaceum*
- Sphacelotheca enteromorphum** McAlp.  
*Themeda triandra*
- Sphacelotheca monilifera** (Ellis & Everh.) Clinton  
*Heteropogon contortus*
- Sphacelotheca sorghi** (Ehrenberg) Clinton  
 A synonym of *Sporisorium sorghi*
- Sphacelotheca sp.**  
*Cymbopogon ambiguus*
- Sphaerella fragariae** (Tul.) Sacc.  
 A synonym of *Mycosphaerella fragariae*
- Sphaerellopsis filum** (Biv.-Bern. : Fr. Sutton)  
*Dianthus caryophyllus*
- Sphaeronaema macrostrotatum** Saccas  
*Sorghum bicolor*
- Sphaeropsis malorum** Peck  
 See records under *Botryosphaeria obtusa*
- Sphaeropsis sapinea** (Fr.) Dyko & Sutton  
*Pinus pinaster*  
*Pinus radiata*
- Sphaerotheca fuliginea** (Schlecht.) Salm.  
 See records under anamorph *Oidium sp.*
- Sphaerotheca humuli** (DC.) Burr.  
 See records under anamorph *Oidium sp.*
- Sphaerotheca pannosa** (Wallr.) Lev.  
 See records under anamorph *Oidium sp.*
- Sphaerotheca sp.**  
*Carica papaya*
- Spilocaea pomi** Fr.  
 See records under teleomorph *Venturia inaequalis*
- Spilocaea pyracantha** (Otth) von Arx  
*Eriobotrya japonica*
- Spondylocladium atrovirens** (Harz) Harz : Sacc.  
 A synonym of *Helminthosporium solani*
- Spongospora subterranea** (Wallr.) Lagerh.  
*Solanum tuberosum*
- Sporidesmium griseum** McAlp.  
*Citrus sinensis*
- Sporisorium sorghi** Ehrenberg : Link  
*Sorghum bicolor*
- Sporisorium sp.**  
*Chionachne hubbardiana*
- Sporocadus carpophilus** (Lev.) von Arx  
*Prunus armeniaca*  
*Prunus avium*  
*Prunus domestica*  
*Prunus dulcis*  
*Prunus persica*  
*Prunus sp.*
- Sporothrix sp.**  
*Eucalyptus saligna*
- Sporotrichum destructor** nomen nudum  
*Eucalyptus calophylla*  
*Eucalyptus falcifolia*
- Sporotrichum pruinatum** Gilman & Abbot  
*Rumex acetosella*
- Stachylium theobromae** Ture.  
*Musa acuminata*
- Stagonospora curtisiae** (Berk.) Sacc.  
*Amaryllis belladonna*  
*Narcissus spp.*
- Stagonospora meliloti** (Lasch) Petr.  
*Medicago polymorpha*  
*Trifolium fragiferum*  
*Trifolium repens*
- Stemphylium alfalfae** Simmons  
*Protea sp.*
- Stemphylium botryosum** Wallr.  
*Allium cepa*  
*Lactuca sativa*  
 See under teleomorph *Pleospora herbarum* for further records
- Stemphylium globuliferum** (Vestergren) Simmons  
*Trifolium fragiferum*  
*Trifolium subterraneum*
- Stemphylium solani** Weber  
*Lycopersicon esculentum*
- Stemphylium vesicarium** (Wallr.) Simmons  
*Lupinus angustifolius*  
*Lupinus consertinii*  
*Medicago sativa*  
*Medicago truncatula*
- Stemphylium sp.**  
*Asparagus officinalis*  
*Gladiolus X hortulanus*  
*Lupinus albus*
- Stereum hirsutum** (Willd.) Pers. : Gray  
*Malus sylvestris*  
*Prunus persica*
- Stereum strigoso-zonatum** (Schw.) Cunn.  
 A synonym of *Punctularia strigosa-zonata*
- Stereum sp.**  
*Allocasuarina huegeliana*
- Stigmina carpophila** (Lev.) M.B. Ellis  
 A synonym of *Sporocadus carpophilus*
- Streptomyces scabies** (Thaxt.) Waksm. & Henrici  
*Beta vulgaris*  
*Solanum tuberosum*
- Stromatinia gladioli** (Drayton) Whetzel  
*Gladiolus X hortulanus*

<b>Stysanus stemonitis</b> (Pers.) Corda	<b>Uromyces appendiculatus</b> (Pers.) Unger
A synonym of <i>Doratomyces stemonitis</i>	<i>Macroptilium atropurpureum</i>
<b>Taphrina aurea</b> (Pers.) Fr.	<i>Phaseolus vulgaris</i>
A synonym of <i>Taphrina populin</i>	<b>Uromyces betae</b> (Pers.) Tul.
<b>Taphrina deformans</b> (Berk.) Tul.	<i>Beta vulgaris</i>
<i>Prunus armeniaca</i>	<b>Uromyces caryophyllinus</b> Wint.
<i>Prunus dulcis</i>	A synonym of <i>Uromyces dianthi</i>
<i>Prunus persica</i>	<b>Uromyces chenopodii</b> (Duby) Schrot. in Kunze
<i>Prunus sp.</i>	<i>Salsola kali</i>
<b>Taphrina populin</b> Fr.	<b>Uromyces chloridis</b> Dodge
<i>Populus nigra</i>	See records under <i>Uromyces archerianus</i>
<i>Populus nigra</i>	<b>Uromyces danthoniae</b> McAlp.
<b>Thallochaete baileyi</b> (Berk. & Broome) Hansford	<i>Danthonia caespitosa</i>
A synonym of <i>Placoasterella baileyi</i>	<b>Uromyces dianthi</b> (Pers.) Niessl
<b>Thanatephorus cucumeris</b> (Frank) Donk	<i>Dianthus caryophyllus</i>
<i>Hordeum vulgare</i>	<b>Uromyces fabae</b> (Grev.) de Bary
<i>Trifolium subterraneum</i>	A synonym of <i>Uromyces viciae-fabae</i>
<i>Triticum aestivum</i>	<b>Uromyces microtidis</b> Cooke
<b>Thelephora terrestris</b> Ehrh. : Fr.	<i>Microritis rara</i>
<i>Pinus sp.</i>	<i>Microritis unifolia</i>
<b>Thermomyces lanuginosus</b> Tsiklinsky	<b>Uromyces phaseolorum</b> de Bary
<i>Trifolium subterraneum</i>	A synonym of <i>Uromyces appendiculatus</i>
<b>Thielavia terricola</b> (Gilman & Abbott) Emmons	<b>Uromyces polygoni</b> (Rabh.) Fuckel
<i>Trifolium subterraneum</i>	A synonym of <i>Uromyces polygoni-aviculariae</i>
<b>Thielaviopsis basicola</b> (Berk. & Broome) Ferraris	<b>Uromyces polygoni-aviculariae</b> (Pers.) Karst.
<i>Lactuca sativa</i>	<i>Polygonum aviculare</i>
<b>Tilletia barclayana</b> (Bref.) Sacc. & Syd. in Sacc.	<b>Uromyces puccinoides</b> Berk. & Muell.
<i>Pennisetum arnemicum</i>	See records under <i>Uromyces scaevolae</i>
<b>Tilletia controversa</b> Kuhn in Rabenh.	<b>Uromyces rumicis</b> (Schum.) Wint.
<i>Hordeum leporinum</i>	<i>Emex australis</i>
<b>Tilletia hordei</b> Koern.	<i>Rumex crispus</i>
A synonym of <i>Tilletia controversa</i>	<i>Rumex pulcher</i>
<b>Tilletia laevis</b> Kuhn in Rabenh.	<b>Uromyces salsolae</b> Reich.
<i>Triticum aestivum</i>	A synonym of <i>Uromyces chenopodii</i>
<b>Tilletia tritici</b> (Bjerk.) R. Wolff	<b>Uromyces scaevolae</b> G. Cunn.
<i>Triticum aestivum</i>	<i>Scaevola sp.</i>
<b>Tolyposporium juncophilum</b> McAlp.	<b>Uromyces striatus</b> Schrot.
<i>Juncus pallidus</i>	<i>Medicago polymorpha</i>
<b>Tolyposporium lepidoboli</b> McAlp.	<i>Medicago sativa</i>
<i>Lepidobolus chaetoccephalus</i>	<i>Medicago scutellata</i>
<b>Tolyposporium sp.</b>	<b>Uromyces thelymitrae</b> McAlp.
<i>Alexgeorga nitens</i>	<i>Thelymitra fuscolutea</i>
<b>Tranzschelia discolor</b> (Fuckel) Tranz. & Litv.	<b>Uromyces tricornes</b> McAlp.
<i>Prunus armeniaca</i>	<i>Tricoryne elatior</i>
<i>Prunus domestica</i>	<b>Uromyces trifolii</b> (Hedw. : DC.) Fuckel
<i>Prunus dulcis</i>	<i>Trifolium fragiferum</i>
<i>Prunus persica</i>	<i>Trifolium repens</i>
<b>Trichoconis padwickii</b> Ganguly	<b>Uromyces trifolii</b> var. <i>subterranei</i> Latter
A synonym of <i>Alternaria padwickii</i>	A synonym of <i>Uromyces trifolii-repentis</i>
<b>Trichoderma koningii</b> Oudem.	<b>Uromyces trifolii-repentis</b> Liro
<i>Malus sylvestris</i>	<i>Trifolium cernuum</i>
<i>Pisum sativum</i>	<i>Trifolium dubium</i>
<i>Pyrus communis</i>	<i>Trifolium fragiferum</i>
<i>Triticum aestivum</i>	<i>Trifolium hirtum</i>
<b>Trichoderma viride</b> Pers. : Gray	<i>Trifolium repens</i>
<i>Triticum aestivum</i>	<i>Trifolium subterraneum</i>
<b>Trichothecium roseum</b> (Pers.) Link : Gray	<b>Uromyces vesiculosus</b> Wint.
<i>Brassica oleracea</i> var. <i>botrytis</i>	<i>Zygophyllum billardierei</i>
<i>Eucalyptus ficifolia</i>	<i>Zygophyllum fructicosum</i>
<i>Vitis vinifera</i>	<i>Zygophyllum ovatum</i>
<b>Tripospermum sp.</b>	<b>Uromyces viciae-fabae</b> (Pers.) Schrot.
<i>Citrus sinensis</i>	<i>Vicia faba</i>
<b>Ulocladium sp.</b>	<b>Uromyces sp.</b>
<i>Sonchus oleraceus</i>	<i>Lyperanthus nigricans</i>
<b>Uncinula australiana</b> McAlp.	<i>Prasophyllum nigricans</i>
<i>Lagerstroemia sp.</i>	<i>Templetonia refusa</i>
<b>Uredo angiosperma</b> Thum.	<i>Thelymitra antennifera</i>
<i>Hakea oleifolia</i>	<i>Thelymitra crinita</i>
<i>Hakea prostrata</i>	<i>Thelymitra macmillanii</i>
<i>Hakea sp.</i>	<b>Uromycladium tepperianum</b> (Sacc.) McAlp.
<b>Uredo operculinae</b> H. Syd. & Syd.	<i>Acacia acanthoclada</i>
<i>Operculina aequisepala</i>	<i>Acacia aciphylla</i>
<i>Operculina brownii</i>	<i>Acacia acuaria</i>
<b>Uredo scirpi-nodosi</b> McAlp.	<i>Acacia acuminate</i>
<i>Schoenoplectus litoralis</i>	<i>Acacia acutata</i>
<b>Uredo spyridii</b> Cooke & Massee	<i>Acacia ancistrophylla</i>
<i>Spyridium globulosum</i>	<i>Acacia beauverdiana</i>
<i>Trymalium floribundum</i>	<i>Acacia biflora</i>
<i>Trymalium sp.</i>	<i>Acacia bivenosa</i>
<b>Uredo sp.</b>	<i>Acacia blakelyi</i>
<i>Acanthocarpus verticillata</i>	<i>Acacia brachiphylla</i>
<i>Digitaria decumbens</i>	<i>Acacia cochlearis</i>
<i>Rubus ursinus</i> var. <i>loganobaccus</i>	<i>Acacia cochllocarpa</i>
<b>Urocystis agropyri</b> (Preuss) Schrot.	<i>Acacia cometes</i>
<i>Lolium perenne</i>	<i>Acacia coolgardiensis</i>
<i>Lolium rigidum</i>	<i>Acacia cupularis</i>
<i>Triticum aestivum</i>	<i>Acacia cyclops</i>
<b>Urocystis tritici</b> Korn.	<i>Acacia daviesioides</i>
A synonym of <i>Urocystis agropyri</i>	<i>Acacia dielsii</i>
<b>Uromyces anthyllidis</b> Schrot.	<i>Acacia divergens</i>
<i>Lotus sp.</i>	<i>Acacia duriuscula</i>
<b>Uromyces archerianus</b> Arth. & Fromme	<i>Acacia erinacea</i>
<i>Chloris pumilio</i>	<i>Acacia erioclada</i>
<i>Chloris virgata</i>	

<i>Acacia extensa</i>	<i>Ustilago tepperi</i> Ludw.
<i>Acacia filifolia</i>	<i>Neurachne alopecuroidea</i>
<i>Acacia fragilis</i>	<i>Ustilago tricophora</i> (Link) Kunze
<i>Acacia glaucoptera</i>	<i>Echinochloa crusgalli</i>
<i>Acacia gonophylla</i>	<i>Ustilago tritici</i> (Pers.) Rostr.
<i>Acacia hastulata</i>	<i>Hordeum vulgare</i>
<i>Acacia intricata</i>	<i>Triticum aestivum</i>
<i>Acacia ixiophylla</i>	<i>Venturia inaequalis</i> (Cooke) Wint.
<i>Acacia jibberdingensis</i>	<i>Malus sylvestris</i>
<i>Acacia kochii</i>	<i>Venturia pirina</i> Aderh.
<i>Acacia lasiocalyx</i>	<i>Pyrus communis</i>
<i>Acacia leptoneura</i>	<i>Verticillium albo-atrum</i> Reinke & Berthold
<i>Acacia leptopetala</i>	These records are doubtful.
<i>Acacia ligulata</i>	<i>Lycopersicon esculentum</i>
<i>Acacia ligustrina</i>	<i>Solanum tuberosum</i>
<i>Acacia longiphylloidinea</i>	<i>Verticillium dahliae</i> Kleb.
<i>Acacia marranianba</i>	<i>Cucumis melo</i>
<i>Acacia merrallii</i>	<i>Dahlia</i> sp.
<i>Acacia multispicata</i>	<i>Fragaria X ananassa</i>
<i>Acacia myrtifolia</i>	<i>Lycopersicon esculentum</i>
<i>Acacia neurophylla</i>	<i>Persea americana</i>
<i>Acacia nigricans</i>	<i>Prunus armeniaca</i>
<i>Acacia nigripilosa</i>	<i>Solanum nigrum</i>
<i>Acacia nyssophylla</i>	<i>Solanum tuberosum</i>
<i>Acacia prainii</i>	<i>Verticillium lecanii</i> (A.W. Zimm.) Viegas
<i>Acacia resinomarginata</i>	<i>Triticum aestivum</i>
<i>Acacia restacea</i>	<i>Verticillium nigrescens</i> Pethybr.
<i>Acacia rossei</i>	<i>Lycopersicon esculentum</i>
<i>Acacia rostellifera</i>	<i>Verticillium</i> sp.
<i>Acacia saligna</i>	<i>Cynara scolymus</i>
<i>Acacia scirpifolia</i>	<i>Vizella banksiae</i> Swart
<i>Acacia sclerosperma</i>	<i>Hakea crassifolia</i>
<i>Acacia signata</i>	<i>Vizella grevilleae</i> Swart
<i>Acacia spathulifolia</i>	<i>Grevillea acrobota</i>
<i>Acacia sphacelata</i>	<i>Waitzia circinata</i> Warcup & Talbot
<i>Acacia stowardii</i>	<i>Trifolium subterraneum</i>
<i>Acacia sulcata</i>	<i>Triticum aestivum</i>
<i>Acacia tanumbirinense</i>	<i>Wentomyces meliolooides</i> (Berk. & Curt.) Muller in Muller & von Arx
<i>Acacia teretifolia</i>	<i>Lagenifera huuegelii</i>
<i>Acacia tritmaniana</i>	<i>Wojnowicia graminis</i> (McAlp.) Sacc. & D. Sacc.
<i>Acacia trigonophylla</i>	A synonym of <i>Wojnowicia hirta</i>
<i>Acacia triptycha</i>	<i>Hordeum leporinum</i>
<i>Acacia truncata</i>	<i>Triticum aestivum</i>
<i>Acacia tysonii</i>	<i>Xanthomonas begoniae</i> (Takimoto) Dowson
<i>Acacia ulicina</i>	A synonym of <i>Xanthomonas campestris</i> pv. <i>begoniae</i>
<i>Acacia urophylla</i>	<i>Xanthomonas campestris</i> (Pammel) Dowson (pv. undetermined)
<i>Acacia xerophila</i>	<i>Cichorium endivia</i>
<i>Paraserianthes lophantha</i>	<i>Saccharum officinarum</i>
<i>Uromycladium</i> sp.	<i>Xanthomonas campestris</i> pv. <i>begoniae</i> (Takimoto) Dye
<i>Acacia pentadenia</i>	<i>Begonia</i> spp.
<i>Ustilago altilis</i> Syd.	<i>Xanthomonas campestris</i> (Pammel) Dowson
<i>Triodia pungens</i>	<i>Brassica campestris</i> var. <i>rapa</i>
<i>Triodia</i> sp.	<i>Brassica napus</i>
<i>Ustilago avenae</i> (Pers.) Rostr.	<i>Brassica napus</i> var. <i>napo-brassica</i>
<i>Avena fatua</i>	<i>Brassica nigra</i>
<i>Avena sativa</i>	<i>Brassica oleracea</i> var. <i>botrytis</i>
<i>Ustilago bromivora</i> (Tul.) A. Fischer v. Wald.	<i>Brassica oleracea</i> var. <i>capitata</i>
A synonym of <i>Ustilago bullata</i>	<i>Brassica oleracea</i> var. <i>gemmifera</i>
<i>Ustilago bullata</i> Berk. in Hook. f.	<i>Brassica oleracea</i> var. <i>italica</i>
<i>Bromus arenarius</i>	<i>Brassica tournefortii</i>
<i>Bromus catharticus</i>	<i>Raphanus raphanistrum</i>
<i>Bromus diandrus</i>	<i>Xanthomonas campestris</i> pv. <i>carotae</i> (Kendrick) Dye
<i>Bromus hordeaceus</i>	<i>Daucus carota</i>
<i>Bromus madritensis</i>	<i>Xanthomonas campestris</i> pv. <i>corylina</i> (Miller, Bollen, Simmons, Gross & Barss) Dye
<i>Bromus tectorum</i>	<i>Corylus avellana</i>
<i>Ustilago comburens</i> Ludw.	<i>Xanthomonas campestris</i> pv. <i>glycines</i> (Nakano) Dye
<i>Danthonia pilosa</i>	<i>Glycine max</i>
<i>Ustilago cynodontis</i> (Pass.) P.Henn.	<i>Xanthomonas campestris</i> pv. <i>incanae</i> (Kendrick & Baker) Dye
<i>Cynodon dactylon</i>	<i>Matthiola incana</i>
<i>Ustilago hordei</i> (Rabenh.) Lagerh.	<i>Xanthomonas campestris</i> pv. <i>juglandis</i> (Pierce) Dye
A synonym of <i>Ustilago segetum</i> var. <i>hordei</i>	<i>Juglans regia</i>
<i>Ustilago hypodites</i> (Schlecht.) Fr.	<i>Xanthomonas campestris</i> pv. <i>malvacearum</i> (E.F. Smith) Dye
<i>Stipa variabilis</i>	<i>Gossypium barbadense</i>
<i>Stipa</i> sp.	<i>Gossypium hirsutum</i>
<i>Ustilago kolleri</i> Wille	<i>Xanthomonas campestris</i> pv. <i>mangiferaeindicae</i> (Patel, Moniz & Kul-karni) Robbs, Ribeiro & Kimura
A synonym of <i>Ustilago segetum</i> var. <i>hordei</i>	<i>Mangifera indica</i>
<i>Ustilago levii</i> (Kellerman & Swingle) Magnus	<i>Xanthomonas campestris</i> pv. <i>papavericola</i> (Bryan & McWhorter) Dye
A synonym of <i>Ustilago segetum</i> var. <i>hordei</i>	<i>Papaver nudicaule</i>
<i>Ustilago nuda</i> Kellerman & Swingle	<i>Xanthomonas campestris</i> pv. <i>pelargonii</i> (Brown) Dye
A synonym of <i>Ustilago tritici</i>	<i>Pelargonium zonale</i>
<i>Ustilago parlatorei</i> Fisch. von Waldh.	<i>Pelargonium</i> sp.
<i>Rumex</i> sp.	<i>Xanthomonas campestris</i> pv. <i>phaseoli</i> (E.F. Smith) Dye
<i>Ustilago paspali</i> Speg.	<i>Phaseolus vulgaris</i>
<i>Paspalum vaginatum</i>	<i>Vigna radiata</i>
<i>Ustilago porosa</i> Langdon	<i>Xanthomonas campestris</i> pv. <i>pruni</i> (Erw. Smith) Dye
<i>Sorghum timorense</i>	<i>Prunus domestica</i>
<i>Ustilago readeri</i> Syd. in McAlp.	<i>Prunus persica</i>
<i>Danthonia penicillata</i>	<i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> (Doidge) Dye
<i>Ustilago segetum</i> (Bull.) Roussel var. <i>hordei</i> (Pers.) Rabenh.	<i>Lycopersicon esculentum</i>
<i>Avena sativa</i>	
<i>Hordeum vulgare</i>	
<i>Ustilago spinifidis</i> Ludw.	
<i>Spinifex hirsutus</i>	

- Xanthomonas campestris** pv. *viticola* (Brown) Dye  
*Lactuca sativa*
- Xanthomonas carotae** (Kendrick) Dowson  
 A synonym of *Xanthomonas campestris* pv. *carotae*
- Xanthomonas incanae** (Kendrick & Baker) Starr & Weiss  
 A synonym of *Xanthomonas campestris* pv. *incanae*
- Xanthomonas malvacearum** (E.F. Smith) Dowson  
 A synonym of *Xanthomonas campestris* pv. *malvacearum*
- Xanthomonas papavericola** (Bryan & McWhorter) Dowson  
 A synonym of *Xanthomonas campestris* pv. *papavericola*
- Xanthomonas pelargonii** (Brown) Starr & Burk  
 A synonym of *Xanthomonas campestris* pv. *pelargonii*
- Xanthomonas phaseoli** (E.F. Smith) Dowson  
 A synonym of *Xanthomonas campestris* pv. *phaseoli*
- Xanthomonas pruni** (Erw. Smith) Dowson  
 A synonym of *Xanthomonas campestris* pv. *pruni*
- Xanthomonas vesicatoria** (Doidge) Dowson  
 A synonym of *Xanthomonas campestris* pv. *vesicatoria*
- XYLOSTROMA gigantea** Tode  
*Eucalyptus calophylla*  
*Eucalyptus diversicolor*  
*Eucalyptus gomphocephala*  
*Eucalyptus marginata*  
*Eucalyptus redunca*

## Discussion

Western Australia is bordered by the Indian Ocean to the west and by the deserts of central Australia to the east. This isolation combined with effective international and domestic plant quarantine legislation has prevented the introduction of many plant diseases. There are several examples of serious diseases of economically important plants that are present in eastern Australia that have not become established in Western Australia, including black spot of apple (*Venturia inaequalis* (Cooke) Winter), brown rots of stone-fruit (*Monilinia fructicola* (Wint.) Honey and *M. laxa* (Aderh. & Ruhl.) Honey), downy mildew of grapevine (*Plasmopara viticola* (Berk. & Curt.) Berl. & de Toni), Panama disease of banana (*Fusarium oxysporum* Schlecht. f.sp. *cubense* (E.F. Smith) Snyder & Hansen), stripe rust of wheat (*Puccinia striiformis* Westend.), boil smut of maize (*Ustilago maydis* (DC.) Corda), bacterial wilt of potatoes (*Pseudomonas solanacearum* (E.F. Smith) E.F. Smith) and bacterial wilt of lucerne (*Clavibacter michiganensis* subsp. *insidiosum* (Carlson & Vidaver) Davis, Gillaspie, Vidaver & Harris).

This paper lists 881 plant diseases that have not been previously reported from Western Australia. This is more than one-third the total number of host-pathogen combinations found in earlier lists and other published reports. Many of the records were obtained from unpublished records of the Western Australian Department of Agriculture.

None of the earlier plant disease lists for Western Australia indicated whether specimens of the pathogen had been retained. Without specimens to verify a record, the authenticity of that record is open to question. This list has incorporated references and herbarium numbers where available. Unfortunately many pathogens recorded in this list have not been collected and lodged in herbaria. For this reason care should be taken when interpreting and using the list.

**Acknowledgements** The work and assistance of the staff, both past and present, at the Plant Pathology Branch, Western Australian Department of Agriculture is acknowledged. Particular thanks are given to Dr E M Davison (CALM, Perth), Mr R N Hilton (UWA, Perth), Dr M H Pearce (CSIRO, Perth), Dr K Sivasithamparam (UWA, Perth), Dr J T Tippett (CALM, Perth), Mr J Walker (DAR, New South Wales) and to the staff of the Commonwealth Mycological Institute, Kew, England for

examining specimens and providing records. I also wish to thank Miss P C Fry (Co-ordinator Word Processing Centre, Western Australian Department of Agriculture) who supervised the computer entry and amendment of drafts of the list.

## References

- Anon 1905 Sleepy disease of tomatoes. *J Agr W Aust* 11:25-26.
- Anon 1908 Black rot of the sweet potato. *J Agr W Aust* 17:629.
- Anon 1909 Potato bacteriosis. *J Agr W Aust* 18:28.
- Anon 1937 *W Aust Dept Agr Ann Rep* 1937:56-57.
- Anon 1942 Plant pathology report. *W Aust Dept Agr Ann Rep* 1942:124-131.
- Anon 1961 Powdery mildew of ornamentals. *J Agr W Aust* (Ser 4) 2:333-335.
- Anon 1972 Biological Services Division. *W Aust Dept Agr Ann Rep* 1971-72.
- Anon 1973 Biological Services Division. *W Aust Dept Agr Ann Rep* 1972-73.
- Anon 1974 Biological Services Division. *W Aust Dept Agr Ann Rep* 1973-74.
- Anon 1975 Plant Research Division. *W Aust Dept Agr Ann Rep* 1974-75.
- Barbetti M J 1975 Benomyl and carbendazim fail to provide effective control of blackleg in rape. *Aust Plant Path Soc News* 4:11-12.
- Barbetti M J 1978 Infection of oilseed rape and cruciferous weeds with *Leptosphaeria maculans* isolates from oilseed rape and wild radish. *Aust Plant Path Soc News* 7:3-4.
- Barbetti M J 1983 Fungal foliage diseases of pasture legumes. *J Agr W Aust* (Ser 4) 24:10-12.
- Barbetti M J 1984 Subterranean clover foliage fungi as root pathogens. *Australas Plant Path* 13:38-40.
- Barbetti M J 1985 Survey of fungi associated with subterranean clover leaves and petioles in Western Australia. *Plant Path* 34:49-53.
- Barbetti M J & MacNish G C 1978 Root rot of subterranean clover in the irrigation areas of south-western Western Australia. *Aust J Exp Agr Anim Husb* 18:426-433.
- Barbetti M J & Sivasithamparam K 1981 *Pseudocercospora capsellae* and *Myrothecium verrucaria* on rapeseed in Western Australia. *Australas Plant Path* 10:43-44.
- Barbetti M J, Sivasithamparam K & Wong D H 1986 Root rot of subterranean clover. *Rev Plant Path* 65:287-295.
- Barbetti M J, Sivasithamparam K & Wong D H 1987 Fungicidal drenches for control of root-rot in subterranean clover. *Plant and Soil* 101:151-157.
- Baron-Hay G K 1943 Plant pathology report. *W Aust Dept Agr Ann Rep* 1943:90-93.
- Baron-Hay G K 1944 Plant pathology report. *W Aust Dept Agr Ann Rep* 1944:32-33.
- Baron-Hay G K 1945 Plant pathology report. *W Aust Dept Agr Ann Rep* 1945:31-32.
- Baron-Hay G K 1947 Plant pathology report. *W Aust Dept Agr Ann Rep* 1946:37-39.
- Baron-Hay G K 1948 Plant pathology report. *W Aust Dept Agr Ann Rep* 1947:30-31.
- Baron-Hay G K 1953 Plant pathology report. *W Aust Dept Agr Ann Rep* 1952:25-27.
- Baron-Hay G K 1956 Plant pathology report. *W Aust Dept Agr Ann Rep* 1955:33-35.
- Baron-Hay G K 1957 Control of weeds, plant diseases and insect pests. *W Aust Dept Agr Ann Rep* 1956:14-17.
- Batini F & Podger F D 1968 Shelterbelt mortalities on the Swan Coastal Plain. *Aust For Res* 3:39-45.
- Beard J S 1963 The stem canker disease of red-flowering gum. *Aust Plants* 2:62-63.
- Behncken G M 1981 Diseases recorded on kenaf (*Hibiscus cannabinus*) in northern Australia. In: *Proceedings of the Kenaf Conference* (eds I M Wood & G A Stewart), Brisbane.
- Boesewinkel H J 1980 The identity of mango mildew, *Oidium manigae*. *Phytopath Zeit* 99:126-130.
- Bokor A 1972 Diseases of rape. *J Agr W Aust* (Ser 4) 13:45-48.
- Bokor A 1983 *Cercospora zebrina* Pass. found on *Trifolium subterraneum* L. in Western Australia. *Australas Plant Path* 12:24.
- Bokor A & Chatel D L 1973 Learning to live with clover scorch. *J Agr W Aust* (Ser 4) 14:179-181.

- Carne W M 1923 Report of the economic botanist and plant pathologist. W Aust Dept Agr Ann Rep 1923:21.
- Carne W M 1924a Flag smut of wheat. J Agr W Aust (Ser 2) 1:142-147.
- Carne W M 1924b Downy mildew (*Sclerospora macrospora*) An unusual disease of wheat. J Agr W Aust (Ser 2) 1:315-316.
- Carne W M 1924c Some diseases of apples. J Agr W Aust (Ser 2) 1:322-325.
- Carne W M 1925a Cereal smuts. J Agr W Aust (Ser 2) 2:10-19, 233-240.
- Carne W M 1925b A preliminary census of the plant diseases of south-western Australia. J Roy Soc W Aust 11:43-68.
- Carne W M 1925c A brown rot of citrus in Australia (*Phytophthora hibernalis* n.sp.). J Roy Soc W Aust 12:13-41.
- Carne W M 1926a Black spot or anthracnose of the grape vine. J Agr W Aust (Ser 2) 3:178-182.
- Carne W M 1926b Citrus pit. J Agr W Aust (Ser 2) 3:378-381.
- Carne W M 1926c Root rot of fruit trees due to *Armillaria mellea*. J Agr W Aust (Ser 2) 3:429-432.
- Carne W M 1926d Earcockle (*Tylenchus tritici*) and a bacterial disease (*Pseudomonas tritici*) of wheat. J Agr W Aust (Ser 2) 3:508-512.
- Carne W M 1926e Report of botanist and pathologist. W Aust Dept Agr Ann Rep 1926:27-28.
- Carne W M 1927a Smut on broom millet and other sorghums. J Agr W Aust (Ser 2) 4:348.
- Carne W M 1927b Root-rot and fruit-rot of wheat. J Agr W Aust (Ser 2) 4:483-488.
- Carne W M 1927c Report of botanist and plant pathologist. W Aust Dept Agr Ann Rep 1927:24-25.
- Carne W M 1927d Additions to the plant diseases of south-western Australia. J Roy Soc W Aust 14:23-28.
- Carne W M 1928 Report of the economic botanist and plant pathologist. W Aust Dept Agr Ann Rep 1928:25-26.
- Carne W M & Campbell J G C 1924a Rust of cereals. J Agr W Aust (Ser 2) 1:73-80.
- Carne W M & Campbell J G C 1924b Take-all of wheat and similar diseases of cereals. Dept Agr W Aust Bulletin 119.
- Carne W M & Campbell J G C 1924c Mildew, *Septoria*, leaf spots and similar diseases of cereals. Dept Agr W Aust Bulletin 121.
- Carter E M 1984 Vegetable disease problems in Western Australia. Div Plant Res W Aust Ann Rep 1982/83:132-135.
- Carter E M 1985 Vegetable diseases in Western Australia. Div Plant Res W Aust Ann Rep 1983/84:119-121.
- Carter E M 1986 Vegetable diseases. Div Plant Res W Aust Ann Rep 1984/85:(5) 15.
- Cass Smith W P 1939 Brown spot, a serious disease of the passion vine. J Agr W Aust (Ser 2) 16:445-450.
- Cass Smith W P 1941 A note on the occurrence of grey mould or botrytis rot of apples. J Agr W Aust (Ser 2) 18:217-220.
- Cass Smith W P 1942 Flax rust. J Agr W Aust (Ser 2) 19:56-63.
- Cass Smith W P 1943a Bean rust. J Agr W Aust (Ser 2) 20:77-79.
- Cass Smith W P 1943b Chocolate spot of broad beans. J Agr W Aust (Ser 2) 20:145-146.
- Cass Smith W P 1943c Black rot of cabbage, cauliflower and related plants. J Agr W Aust (Ser 2) 20:298-302.
- Cass Smith W P 1945 A note on the occurrence of sclerotinia twig blight of oranges. J Agr W Aust (Ser 2) 22:77-80.
- Cass Smith W P 1949a New disease records for Western Australia. Aust Plant Dis Rec 1:13.
- Cass Smith W P 1949b *Ceratophorum setosum* on blue lupin. Aust Plant Dis Rec 1:42.
- Cass Smith W P 1952 Peach leaf curl. J Agr W Aust (Ser 3) 1:506-507.
- Cass Smith W P 1954 Ascochyta blight of peas. J Agr W Aust (Ser 3) 3:711-713.
- Cass Smith W P 1962 Black rot of cabbage, cauliflower and related plants. J Agr W Aust (Ser 4) 3:231-232.
- Cass Smith W P 1962 Black rot of cabbage and related plants. J Agr W Aust (Ser 4) 3:231-232.
- Cass Smith W P & Goss D M 1964 Bacterial canker of tomatoes. J Agr W Aust (Ser 2) 23:147-156.
- Cass Smith W P & Harvey H L 1949 Powdery mildew or oidium of grapes. J Agr W Aust (Ser 2) 26:211-215.
- Cass Smith W P & Millington A J 1944 Stem rust of wheat and its control by breeding resistant varieties. J Agr W Aust (Ser 2) 21:1-16.
- Cass Smith W P & Stewart R 1947 Leaf spot disease of black mulberry. J Agr W Aust (Ser 2) 24:69-74.
- Chambers S C 1958a Pink rot of potatoes. J Agr W Aust (Ser 3) 7:405-406.
- Chambers S C 1958b Leaf spot of buffalo grass. Aust Plant Dis Rec 10:17.
- Chambers S C 1959 A revised list of vegetable diseases recorded in Western Australia. J Agr W Aust (Ser 3) 8:427-431.
- Chambers S C 1960 Diseases recorded on cereals, grasses and pasture legumes in Western Australia. J Agr W Aust (Ser 4) 2:927-934.
- Chambers S C 1961 Plant diseases in Western Australia. Supplementary list of diseases recorded on vegetables, cereals, grasses and pasture legumes. J Agr W Aust (Ser 4) 2:841-842.
- Chambers S C 1982 List of diseases recorded on ornamentals, native plants and weeds in Victoria, before 30 June, 1980. Vic Dept Agr Tech Rep Ser 61.
- Chatel D L, Wise J L & Marfleet A G 1979 Ryegrass toxicity organism found on other grasses. J Agr W Aust (Ser 4) 20:89.
- Cheel E 1909 Notes and exhibits. Proc Linn Soc NSW 34:500.
- Cheel E 1910 Notes and exhibits. Proc Linn Soc NSW 35:805.
- Chevish H 1984 *Pinus radiata* death rates associated with *Phytophthora* species on different soil types in the Donnybrook Sunkland of Western Australia. For Dept W Aust, Res Paper 65.
- Chevish H W & Stukely M J C 1982 Mortalities of young established radiata pine associated with *Phytophthora* spp. in the Donnybrook Sunkland plantations in Western Australia. Aust For 45:193-200.
- Davison E M 1982 *Endothia havanensis* on jarrah. Australas Plant Path 11:10-11.
- Davison E M & Tay C S 1983 Twig, branch, and upper trunk cankers of *Eucalyptus marginata*. Plant Dis 67:1285-1287.
- Dell B & Wallace I M 1981 Recovery of *Phytophthora cinnamomi* from naturally infected jarrah roots. Australas Plant Path 10:1-2.
- Despeissis A 1901 Black spot of the loquat. J Agr W Aust 4:220-221.
- Despeissis A 1903a Tomato wilt. J Agr W Aust 7:103.
- Despeissis A 1903b Insect and fungoid pests. J Agr W Aust 8:20-32, 105-131.
- Despeissis A 1908 Root rot. J Agr W Aust 17:534-540.
- Despeissis A 1922 *Armillaria* root rot. Dept Agr W Aust Bulletin 15.
- Dewan M M & Sivasithamparam K 1987 First report of *Sclerotium rolfsii* on wheat in Western Australia. Plant Dis 71:1146.
- Doepel R F 1952a Entyloma leaf spot of English marigold. J Agr W Aust (Ser 3) 1:501.
- Doepel R F 1952b Black rot of stocks. J Agr W Aust (Ser 3) 1:835-836.
- Doepel R F 1952c Charcoal rot of sorghum and crown rot of jute at Ord River, W.A. Aust Plant Dis Rec 42:24-25.
- Doepel R F 1962a Wood-rotting fungi associated with dieback in apple trees. J Agr W Aust (Ser 4) 3:668-678.
- Doepel R F 1962b *Armillaria* root rot of fruit trees. J Agr W Aust (Ser 4) 3:39-42.
- Doepel R F 1962c White rust of Gerbera. Aust Plant Dis Rec 141:18.
- Doepel R F 1964 A revised list of fruit diseases recorded in Western Australia. J Agr W Aust (Ser 4) 5:449-456.
- Doepel R F 1965a Grease spot of passion fruit. J Agr W Aust (Ser 4) 6:291.
- Doepel R F 1965b Brown rot of citrus. Aust Plant Dis Rec 172:37-38.
- Doepel R F 1966 Loquat diseases - black spot and fleck. J Agr W Aust (Ser 4) 7:225-227.
- Doepel R F 1968 Base rot of passion vine. Aust Plant Dis Rec 201:5.
- Doepel R F 1969 Grey mildew of cotton. Aust Plant Dis Rec 213:16.
- Doepel R F & Hardisty S E 1963 Rust of stone fruit. J Agr W Aust (Ser 4) 4:525-531.
- Doepel R F, McLean G D & Goss O M 1979 Canning peach decline in Western Australia. I. Association between trunk cankers, trunk pruning wound and crotch angles of scaffold limbs. Aust J Agr Res 30:1089-1100.
- Dunne T C 1966 Plant pathology branch report. W Aust Dept Agr Ann Rep 1965:22-24.
- Dunne T C 1968 Plant pathology branch report. W Aust Dept Agr Ann Rep 1967:27-29.
- Dunne T C 1969 Plant pathology branch report. W Aust Dept Agr Ann Rep 1968:31-32.
- Fitzpatrick E 1972 Plant pathology report. W Aust Dept Agr Ann Rep 1972:35-42.
- Gathe J 1971 Host range and symptoms in Western Australia of the gall rust, *Uromycladium tepperianum*. J Roy Soc W Aust 54:114-118.
- Gladstones J S 1969 Lupins in Western Australia. 3. Cultivation methods. J Agr W Aust (Ser 4) 10:477-484.
- Gladstones J S & McKeown N R 1977 Serradella - a pasture legume for sandy soils. J Agr W Aust (Ser 4) 18:11-14.
- Goss O M 1953 Corm rots of gladioli. J Agr W Aust (Ser 3) 2:245-253.
- Goss O M 1958 Bacterial canker of stone fruits. J Agr W Aust (Ser 3) 7:73-78.
- Goss O M 1961 Rust of snapdragons. J Agr W Aust (Ser 4) 2:965-966.
- Goss O M 1962 Hibiscus leaf spot. J Agr W Aust (Ser 4) 3:519.
- Goss O M 1964a Angular leaf spot of cucurbits. J Agr W Aust (Ser 4) 5:42-43.
- Goss O M 1964b A revised list of diseases of ornamental plants recorded in Western Australia. J Agr W Aust (Ser 4) 5:589-603.
- Goss O M & Doepel R F 1961 Bacterial blight or black spot of walnuts. J Agr W Aust (Ser 4) 2:833-837.
- Green J W 1985 Census of the Vascular Plants of Western Australia. W Aust Herb, Perth.

- Hansford C G 1954 Australian fungi. II. New records and revisions. Proc Linn Soc NSW 79:97-141.
- Hardy G E & Sivasithamparam K 1988 *Phytophthora* spp. associated with container grown plants in Western Australia. Plant Dis 72:435-437.
- Harvey H L 1955 Antirrhinum rust. Aust Plant Dis Rec 7:54.
- Hayward A C 1975 Biotypes of *Pseudomonas solanacearum* in Australia. Aust Plant Path Soc News 4:9-11.
- Henderson R M 1962 Some aspects of the life cycle of the plant pathogen *Sclerotinia sclerotiorum* in Western Australia. J Roy Soc W Aust 45:133-135.
- Hennings P 1901a Fungi Australiae occidentalis I. *Hedwigia* 40:95-97.
- Hennings P 1901b Fungi Australiae occidentalis II. *Hedwigia* 40:352-355.
- Hennings P 1903 Fungi australiensis. *Hedwigia* 42:73-88.
- Herbert D A 1919 Pathological report. W Aust Dept Agr Ann Rep 1919:27-29.
- Herbert D A 1920a The potato. Its diseases. Dept Agr W Aust Bulletin 72.
- Herbert D A 1920b Report of economic botanist. W Aust Dept Agr Ann Rep 1920:27.
- Herbert D A 1921 Report of the economic botanist and pathologist. W Aust Dept Agr Ann Rep 1921:15.
- Hilton R N 1982 A census of the larger fungi of Western Australia. J Roy Soc W Aust 65:1-15.
- Johnson L A S & Briggs B G 1986 *Alexgeorgea nitens*, a new combination in Restionaceae. Telopea 2:781-782.
- Jones L 1940 Plant pathology report. W Aust Dept Agr Ann Rep 1940:23-24.
- Kaewruang W, Sivasithamparam K & Hardy G E 1987 Fungal root-rot of gerbera in Western Australia. Plant Dis 71:1146.
- Khair G T 1986 List of Plant Parasitic Nematodes of Australia. Dept Prim Ind, Canberra.
- Khan T N 1979 Halo blight of barley confirmed in Western Australia. J Agr W Aust (Ser 4) 20:94.
- Khan T N, Boyd W J R & Shipton W A 1968 Barley diseases in Western Australia: their distribution and pathogenic characteristics. J Roy Soc W Aust 51:123-128.
- Kile G A, Watling R, Malajczuk N & Shearer B L 1983 Occurrence of *Armillaria luteobubalina* Watling & Kile in Western Australia. Australas Plant Path 12:18-20.
- Langdon R F N & Fullerton R A 1977 *Macalpinomyces*, a new genus of smut fungi. Trans Br Mycol Soc 68:27-30.
- Larwood H D & Herbert D A 1919 Onions, their culture and diseases. Dept Agr W Aust Bulletin 64.
- Latter P H 1952 Australian clover rusts. Proc Linn Soc NSW 77:337-356.
- MacFarlane T D 1980 A revision of *Wurmbea* (Liliaceae) in Australia. Brunonia 3:145-208.
- MacNish G C 1963a Diseases recorded on native plants, weeds, field and fibre crops in Western Australia. J Agr W Aust (Ser 4) 4:401-408.
- MacNish G C 1963b Hibiscus collar rot. J Agr W Aust (Ser 4) 4:519-523.
- MacNish G C 1963c Bacterial gall of oleander. J Agr W Aust (Ser 4) 4:667-668.
- MacNish G C 1964a Supplementary list of diseases recorded on various hosts in Western Australia. J Agr W Aust (Ser 4) 5:991-995.
- MacNish G C 1964b Lettuce rust. Aust Plant Dis Rec 164:52.
- MacNish G C 1967 Supplementary list of diseases recorded on various hosts in Western Australia. W Aust Dept Agr Bulletin 3481.
- MacNish G C 1983 Rhizoctonia patch in Western Australian grain belt. Australas Plant Path 123:49-50.
- McAlpine D 1895 Systematic Arrangement of Australian Fungi. Government Printer, Melbourne.
- McAlpine D 1899 Fungus Diseases of Citrus Trees in Australia, and their Treatment. Dep Agr, Victoria.
- McAlpine D 1906 The Rusts of Australia. Government Printer, Melbourne.
- McAlpine D 1910 The Smuts of Australia. Government Printer, Melbourne.
- McAlpine D 1911 Handbook of Fungus Diseases of Potato in Australia. Government Printer, Melbourne.
- McKenzie Clark A 1950 Plant pathology report. W Aust Dept Agr Ann Rep 1949:29-33.
- McKenzie Clark A 1951 Plant pathology report. W Aust Dept Agr Ann Rep 1950:23-25.
- McLean G D & Price L K 1984 Virus, viroid, mycoplasma and rickettsial diseases of plants in Western Australia. W Aust Dept Agr Tech Bulletin 68.
- Marley M D 1970 *Fusarium oxysporum* as a cause of lucerne decline in Western Australia. Plant Dis Rep 54:1061-1063.
- Marley M D 1971 Sturt pea hosts collar rot fungus. J Agr W Aust 12:28.
- Maughan R D & Barbetti M J 1983 *Rhizoctonia* root rot of white clover. Australas Plant Path 12:13-14.
- Moffett M L 1983 Bacterial plant pathogens recorded in Australia. In: Plant Bacterial Diseases (ed P C Fahy & G J Persley). Academic Press, Sydney.
- Napier Anna 1983 The role of fungal pathogens in *Atriplex* decline and seed blemish. B Sc Hons Thesis, University W Aust.
- Newman L J 1910 Report of the assistant entomologist. W Aust Dept Agr Ann Rep 1909-1910:45-47.
- Newman L J 1911 Report of the entomological branch. W Aust Dept Agr Ann Rep 1910-1911:29-31.
- Nichol A, Sivasithamparam K & Dixon K W 1988 Rust infections of Western Australian orchids. Lindleyana 3:1-8.
- Nieman V 1982 *Verticillium* spp. associated with wilted tomatoes in Western Australia. B Sc (Agric) Hons Thesis, University W Aust.
- Norris D O 1949 Crown rot of sorghum at Ord River, W.A. Aust Plant Dis Rec 1:34.
- Pearce M H, Malajczuk N & Kile G A 1986 The occurrence and effects of *Armillaria luteobubalina* in the karri (*Eucalyptus diversicolor* F. Muell.) forests of Western Australia. Aust For Res 16:243-259.
- Pearce M H 1982 The occurrence and effect of *Armillaria* species in the karri (*Eucalyptus diversicolor* F. Muell.) forests of Western Australia. B Sc (Hons) Thesis, University W Aust.
- Pitkethley R N 1970 A preliminary list of plant diseases in the Northern Territory. Prim Ind Br Tech Bulletin 2, Darwin.
- Pitkethley R N 1975 *Cercospora sorghi* on sorghum in Australia. Aust Plant Path Soc News 4:38-39.
- Pittman H A 1930a Black spot or scab of apples and pears in Western Australia. J Agr W Aust (Ser 2) 7:241-263.
- Pittman H A 1930b An outbreak of downy mildew of tobacco in Western Australia. J Agr W Aust (Ser 2) 7:469-476.
- Pittman H A 1932a Downy mildew of tobacco. J Agr W Aust (Ser 2) 9:97-103.
- Pittman H A 1932b Bacterial blight of beans. J Agr W Aust (Ser 2) 9:144-148.
- Pittman H A 1933 Armillaria root rot of fruit trees. J Agr W Aust (Ser 2) 10:404-408.
- Pittman H A 1934 Some important fungal diseases of grape vines and fruit trees in Western Australia. J Agr W Aust (Ser 2) 11:488-506.
- Pittman H A 1935 The rusts of cereals. J Agr W Aust (Ser 2) 12:367-376.
- Pittman H A 1937 The rhizoctonia and common scab diseases of potato. J Agr W Aust (Ser 2) 14:288-301.
- Pittman H A & Owen R C 1936 Anthracnose and mottle leaf of citrus in Western Australia. J Agr W Aust (Ser 2) 10:137-142.
- Podger F D 1972 *Phytophthora cinnamomi*, a cause of lethal disease in indigenous plant communities in Western Australia. Phytopathol 62:972-981.
- Podger F D, Doepel R F & Zentmyer G A 1965 Association of *Phytophthora cinnamomi* with a disease of *Eucalyptus marginata* forest in Western Australia. Plant Dis Rep 49:943-947.
- Punithalingam E 1979 Graminicolous *Ascochyta* species. Commonw Mycol Inst, Mycol Pap 142:105.
- Ramsey M D & Jones D R 1988 *Peronosclerospora maydis* found on maize, sweetcorn and plume sorghum in far North Queensland. Plant Path 37:581-587.
- Riley I T 1987 Serological relationships between strains of coryneform bacteria responsible for annual ryegrass toxicity and other plant-pathogenic cornebacteria. Int J Syst Bacteriol 35:153-159.
- Roberts F A & Sivasithamparam K 1986 Identity and pathogenicity of *Rhizoctonia* spp. associated with bare patch disease of cereals at a field site in Western Australia. Neth J Plant Path 92:185-195.
- Roberts F A & Sivasithamparam K 1987 Effect of interaction of *Rhizoctonia* spp. with other fungi from cereal bare patches on root-rot of wheat. Trans Br Mycol Soc 89:256-259.
- Sampson P J & Walker J 1982 An Annotated List of Plant Diseases in Tasmania. Dept Agr, Tasmania.
- Shea S R 1979 *Phytophthora cinnamomi* Rands - A collar rot pathogen of *Banksia grandis* Willd. Australas Plant Path 8:32-34.
- Shea S R, Shearer B L & Tippett J 1982 Recovery of *Phytophthora cinnamomi* Rands from vertical roots of jarrah (*Eucalyptus marginata*). Australas Plant Path 11:25-28.
- Shearer B L 1973 *Septoria halophila*, a pathogen in the wheat-growing area of Western Australia. Plant Dis Rep 57:367-370.
- Shearer B L, Tippett J T & Bartle J R 1987 *Botryosphaeria ribis* associated with death of *Eucalyptus radiata* in species selection trials. Plant Dis 71:140-145.
- Shipton W A 1966a Net blotch of barley. J Agr W Aust (Ser 4) 7:132-133.
- Shipton W A 1966b Septoria leaf spot and glume blotch of wheat. J Agr W Aust (Ser 4) 7:160-163.
- Shipton W A 1966c *Curvularia harveyi* sp. nov.. Trans Br Mycol Soc 49:523-524.
- Shipton W A 1967a Diseases of clovers in Western Australia. J Agr W Aust (Ser 4) 8:289-292.
- Shipton W A 1967b Fungi associated with purple patch of subterranean clover in Western Australia. Aust J Sc 30:65-66.
- Shipton W A & Tweedie W R 1968b Barley diseases in Western Australia. J Agr W Aust (Ser 4) 9:573-577.

- Shipton W A & Tweedie W R 1968a Wheat diseases in Western Australia. J Agr W Aust (Ser 4) 9:217-223.
- Shivas R G 1987 Rumex rust (*Uromyces rumicis*) in Western Australia. Australas Plant Path 16:40-41.
- Shivas R G & Sivanesan A 1987 *Curvularia sorghina* sp. nov. on forage sorghum (*Sorghum bicolor*). Trans Br Mycol Soc 88:269-271.
- Simmonds J H 1966 Host Index of Plant Diseases in Queensland. Qld Dept Prim Ind, Brisbane.
- Sivanesan A 1985 New species of *Bipolaris*. Trans Br Mycol Soc 84:403-421.
- Sivanesan A 1987 Graminiculous species of *Bipolaris*, *Curvularia*, *Drechslera*, *Exserohilum* and their teleomorphs. Commun Mycol Inst, Mycol Pap 158.
- Sivasithamparam K 1982 Blackleg ... a confusing potato disease. J Agr W Aust (Ser 4) 23:17-18.
- Sivasithamparam K & Watkins P A 1982 *Alternaria alternata* as a causal organism of ink spot disease of *Anigozanthos* spp. in Western Australia. Australas Plant Path 112:18.
- Srisink S & Sivasithamparam K 1987 Epiphytic populations of *Pseudomonas syringae* pv. *tomato* on tomato seedlings in a nursery. Plant Prot Quarterly 2:158-160.
- Stanton J 1988 Twist fungus on annual ryegrass. W Aust Dept Agr Technote 24/88.
- Stoward F 1912 Report of the botanist and plant pathologist. W Aust Dept Agr Ann Rep 1912:47-49.
- Stoward F 1913 Annual report of the botanist and plant pathologist. W Aust Dept Agr Ann Rep 1913:58-65.
- Stoward F 1914 Annual report of the botanist and plant pathologist. W Aust Dept Agr Ann Rep 1914:21-32.
- Stynes B A & Wise J L 1980 Distribution and importance of annual ryegrass toxicity in Western Australia and its occurrence in relation to cropping rotations and cultural practices. Aust J Agr Res 31:557-569.
- Sutton B C 1971 Coelomycetes. IV. The genus *Harknessia*, and similar fungi on *Eucalyptus*. Commun Mycol Inst, Mycol Pap 123.
- Sutton B C 1974 Miscellaneous coelomycetes on *Eucalyptus*. Nova Hedwigia 25:161-172.
- Sutton B C & Davison E M 1983 Three stromatic coelomycetes from Western Australia. Trans Br Mycol Soc 81:291-301.
- Sutton G L 1920 Take-all, *Septoria*, rust and wheat mildew. Practical methods of control. Dept Agr W Aust Bulletin 69.
- Sutton G L 1936 Report to the Director of Agriculture. W Aust Dept Agr Ann Rep 1936:26-27.
- Swart H J 1975 Australian leaf-inhabiting fungi. VII. Further studies in *Vizella*. Trans Br Mycol Soc 64:301-306.
- Swart H J 1979 Australian leaf-inhabiting fungi. IX. Species of *Seimatosprium* on non-myrtaceous hosts. Trans Br Mycol Soc 72:403-409.
- Swart H J 1988a Australian leaf-inhabiting fungi. XXVI. Some noteworthy Coelomycetes on *Eucalyptus*. Trans Br Mycol Soc 90:279-291.
- Swart H J 1988b Australian leaf-inhabiting fungi. XXIX. Some ascomycetes on *Banksia*. Trans Br Mycol Soc 91:453-465.
- Sweetingham M 1984 *Pleiochaeta setosa* - a root pathogen of lupins. Australas Plant Path 13:21-22.
- Sweetingham M, Cruickshank R H & Wong D H 1986 Pectic zymograms and taxonomy and pathogenicity of the Ceratobasidiaceae. Trans Br Mycol Soc 86:305-311.
- Taylor P A, Barbetti M J & Wong D H 1985 Occurrence of *Phytophthora clandestina* in Western Australia. Plant Prot Quarterly 1:57-58.
- Thomson N J & Basinski J J 1959 Bacterial blight of cotton in north Western Australia. J Aust Inst Agr Sci 25:297.
- Tweedie W R 1970 Downy mildew of sweet corn in Western Australia. Aust Plant Dis Rec 22:33.
- Valder P G 1952a Rice disease in Australia. Aust Plant Dis Rec 4:2-3.
- Valder P G 1952b Further notes on rice diseases in Australia. Aust Plant Dis Rec 4:28.
- Valder R G 1955 Diseases of rice in Australia. Proc Linn Soc NSW 80:159-162.
- Verhoogt M M & Sivasithamparam K 1985 Rust disease of kangaroo paws *Anigozanthos* Labill. and *Macropidia* Drumm ex Harve in Western Australia. Australas Plant Path 14:40-42.
- Verhoogt M M & Sivasithamparam K 1986 Ink-spot disease of 'kangaroo-paws' (*Anigozanthos* Labill. and *Macropidia* Drumm. ex Harv.) in Western Australia. Crop Res (Hort Res) 26:49-55.
- Walker J 1983 Pacific mycogeography: deficiencies and irregularities in the distribution of plant parasitic fungi. Aust J Bot Suppl Ser 10:89-136.
- Walker J, Old K M & Murray D I L 1985 *Endothia gyrosa* on *Eucalyptus* in Australia with notes on some other species of *Endothia* and *Cryphonectria*. Mycotaxon 23:353-370.
- Warcup J H & Talbot P H B 1981 Host-pathogen Index of Plant Disease in South Australia. Dept Plant Path Waite Agr Res Inst, University Adelaide.
- Washington W S & Nancarrow R J 1983 Lists of diseases recorded on fruit and vegetable crops in Victoria before 30 June, 1980. Vic Dept Agr Tech Rep Ser 66.
- Waterhouse W L 1949 Boil smut of *Panicum cymbiforme*. Aust Plant Dis Rec 1:5.
- White N H, Cass-Smith W P & Harvey H L 1956 Wart disease of subterranean clover. J Aust Inst Agr Sci 22:204-205.
- Wong A -L & Willetts H J 1975 Electrophoretic studies of Australasian, North American and European isolates of *Sclerotinia sclerotiorum* and related species. J Gen Microbiol 90:355-359.
- Wong D H, Barbetti M J & Sivasithamparam K 1985 Fungi associated with root rot of subterranean clover in Western Australia. Aust J Exp Agr 25:574-579.
- Wong D H & Sivasithamparam K 1985 *Rhizoctonia* spp. associated with root rots of subterranean clover in Western Australia. Trans Br Mycol Soc 85:21-27.
- Wood P M & McLean G D 1982 The disease problem. J Agr W Aust (Ser 4) 23:86-88.
- Woodcock T & Clarke R G 1983 List of diseases recorded on field crops and pastures in Victoria before 30 June, 1980. Vic Dept Agr Tech Rep Ser 65.