


QK9
.E5
M52



A DICTIONARY
OF
ENGLISH NAMES OF PLANTS

APPLIED IN

ENGLAND AND AMONG ENGLISH-SPEAKING PEOPLE

TO

CULTIVATED AND WILD PLANTS, TREES, AND SHRUBS.

By WILLIAM MILLER.

LIBRARY
NEW YORK
BOTANICAL
GARDEN

IN TWO PARTS. ENGLISH-LATIN AND LATIN-ENGLISH.

LONDON: JOHN MURRAY, ALBEMARLE STREET.

1884.

OK9
E5
M52

No one who has had experience of the progress of Botany as a science can doubt that it has been more impeded in this country by the repulsive appearance of the names which it employs than by any other cause whatever, and that, in fact, this has proved an invincible obstacle to its becoming the serious occupation of those who are unacquainted with the learned languages, or who, being acquainted with them, are fastidious about euphony and Greek or Latin purity.—DR. LINDLEY.

Botany has this great practical advantage over all other sciences as a means of universal culture, that the materials are the most generally accessible of any scientific material in the world. What is needed is that its terminology should be popularised. Historically almost the first of sciences, botany is naturally and educationally first in order to the enquiring mind. Its objects are near our homes, awakening to our minds, and inviting to our touch. Botany is adapted to be the universal preparatory science, the science to infuse the scientific sense. Why should we allow a pile of heterogeneous names to stand as a barrier between our people and the fairest gate of knowledge? These strange names are all but barren of interest in themselves; what interest they possess springs wholly out of the objects they represent. The objects and their mutual relations might be learnt quite as effectually through congenial names, if only one-thousandth part of the labour that has been expended on those were bestowed on these.—Prof. EARLE, “English Plant Names,” p. cix.

J. W. Ed.
FIELD LIBRARY,
BREAMS BUILDINGS, E.C.

PREFACE.

LIBRARY
NEW YORK
BOTANICAL
GARDEN

THE compilation of this Dictionary was undertaken at the request of Mr. W. Robinson, of THE GARDEN newspaper, at whose expense the work is published, he having advocated in his journal a more general use of English names for the plants, trees, and shrubs which are commonly grown in our gardens and pleasure-grounds, and who wished the horticultural public to have at command a list of all such names now applied to these as well as to all other cultivated and useful plants including our native flora and the native plants and trees of America and the colonies.

It is an undeniable fact that the vast majority of people of all classes who take an interest in horticultural pursuits consists of those who, never having received any classical or botanical training, find it difficult to learn and remember, and impossible to understand, the Latin or scientific names by which plants are spoken of and described by botanists. These names, however useful and even necessary they may be as technical terms to the systematic botanist, become a senseless jargon in the vain attempt to fix them amongst our "household words," and most of us are keenly alive to the inconsistency of employing words from a foreign and even dead language to name such familiar everyday objects as the flowers and shrubs which are grown in our gardens and woods. Notwithstanding the copious use of Latin, it would be a grievous mistake to suppose that English names do not exist for most of our cultivated plants, the fact being that such names do exist, and abundantly, many of them dating back to the days of Spenser, Shakespeare, Gerard, and Parkinson—nearly 300 years ago—although they have now fallen into disuse, and are only to be met with in books, in consequence of what the Rev. John Earle, in his excellent little volume on "English Plant Names," terms "the gratuitous rejection of good native names in favour of some Latin name, through mere contempt for homely things and affectation of novelty." No farther back, indeed, than the commencement of the present century, it would appear that, even amongst gardeners, it was the ordinary

custom to speak of plants by their English names, as we find the poet Crabbe thus describing an exceptional case :—

High-sounding words our worthy gardener gets,
And at his club to wondering swains repeats ;
He there of *Rhus* and *Rhododendron* speaks,
And *Allium* calls his Onions and his Leeks.
* * * * *

There *Arums*, there *Leontodons* we view,
And *Artemisia* grows where Wormwood grew.

(Crabbe's "Parish Register," Part I., Baptisms.)

and there can be little doubt that many good old English plant-names which, happily, are still preserved to us in books, have been gradually ousted from popular use and sacrificed for Latin terms, not from any conviction that these were better or more appropriate, but simply through the spread of the craze for "high-sounding words." To quote Mr. Earle further, "The adoption of classical words was in deference to the prestige of the classical languages at first, then it became a piece of scholastic pedantry which, spreading ever wider and wider, became at length a fashion because it was a flag of social pretension."

A botanist writes in THE GARDEN (vol. xxiii., p. 403) :—"But what do we see in popular naming ? The whole business breeds nothing but confusion, as if there was not enough already in the same direction." Such a remark comes with a peculiarly bad grace from a scientific botanist, and may be regarded as a stone thrown by one who lives in a glass house of rather extensive dimensions, when we consider the deplorable condition of his own pet nomenclature in this respect. There is, in fact, no greater stumbling-block and no more torturing embarrassment in the way of the botanical student than the swarms of synonyms which beset him at almost every step and, like the aliases of a culprit who is "wanted," serve rather to conceal than to point out the subjects to which they are applied. The whole family of the Coniferae, for instance, is almost smothered in this way, as anyone may see who chooses to look into the last edition of Gordon's "Pinetum," where he will find that nearly all the trees there described have a greater or less number of synonyms applied to them, several of them as many as half-a-dozen or more apiece ! The practical results of this extreme plurality of scientific synonyms are well exemplified by an instance which occurred last year, when a correspondent of THE GARDEN wrote to the effect that "The Bluebell of Scotland is *Agraphis nutans*," and that "the English Bluebell is *Hyacinthus non-scriptus*" (THE GARDEN for June 9, 1883, p. 523), in evident ignorance that the two names are synonymous for the same plant, which has yet the two other synonyms of *Scilla nutans* and *Hyacinthus anglicus*.

Many of the new names which have appeared in THE GARDEN were absolutely needed for plants which previously had no popular

English names, and others are decided improvements on older names. As an instance in which it is a clear gain to "ring in the new, ring out the old," I may mention "Torch Lily," which I should think few would hesitate to adopt instead of "Red-hot-poker Plant." In giving the popular and the scientific names of plants together, there is little left for the scientists to complain of.

"One very simple view of the subject has been apparently overlooked, perhaps from its very simplicity. Why should plants and flowers be *the only things* that we are to have no means of speaking of in our own language? The utility and necessity of the botanical names no one denies—a noble and simple invention, a "*lingua franca*" for the learned of all nations, though grievously overburdened with synonyms and masses of cumbersome "*uncrystallised*" matter. But why must people who love flowers know them by these names only—names that to many of them convey no sort of meaning—for all people who cultivate or enjoy flowers have not such a knowledge of the dead languages as to make the names intelligible? And why in any case speak in a dead language only of things so essentially living and affecting our daily use and happiness? Why should a piece of pedantic tyranny be imposed on us in this matter, *and this only?* Animals, birds, and insects also have their necessary scientific names, but no one reproves us for talking of a horse, or a sparrow, or a dragon-fly. Diseases have their universal names derived from Latin and Greek, used in scientific treatises and among members of the medical profession, and yet we commonly talk of gout, and small-pox, and scarlet fever. The bones and muscles of our bodies are all known in anatomy by such technical names, and yet in our every-day talk we may speak of rib, thigh-bone, and shoulder-blade. Why, then, should flowers only, of all the subjects that need a common language for purposes of classification and scientific research, have their purely technical appellations imposed on us, to the exclusion of such simple words in our own language as we use in other absolutely analogous cases? Does it not come to this, that both kinds of names are necessary, each for its proper purpose; the scientific name for classification, for study, for international research and correspondence, for business, for all rather dry and hard purposes; but for daily life among flowers, in poetry and popular books, for common use among the many people whose enjoyment of flowers does not approach any scientific purpose, the familiar names in our own tongue? Let me ask our learned men, who possess the dead languages, and therefore do not feel the need of the simpler means of expression, to descend in imagination to the level of those to whom Day Lily has a distinct meaning, while *Hemerocallis* is a jumble of senseless syllables. Let them think how absurd it would be if some arbitrary tyranny obliged us to call other things of common utility or enjoyment by long Latin names. Why are plants, and plants only, to be banished to this philological limbo, a place of weariness and lifelessness, that those who love flowers for their beauty's sake do not care to have to explore in order to find names by which to know their treasures? Will not our kindly *savants* rather help us to the supply of the living want and give us well-made English names in place of the perhaps ill-constructed ones that we should find for ourselves?" (*THE GARDEN*, vol. xxiv., p. 59.)

The above from a lady correspondent of *THE GARDEN* puts the case fairly for English names, and I shall conclude my quotations with Mr. Ruskin's remarks (in "*Proserpina*") on botany as now taught:—

"Yesterday evening I was looking over the first book in which I studied botany—"Curtis's Magazine," published in 1795 at No. 3, St. George's Crescent, Blackfriars Road, and sold by the principal booksellers in Great Britain and Ireland. Its plates are excellent, so that I am always glad to find in it the picture of a flower I know. And I came yesterday upon what I suppose to be a variety of a favourite flower of mine,

called, in Curtis, ‘the St. Bruno’s Lily.’ I am obliged to say “what I suppose to be a variety,” because my pet Lily is branched,* while this is drawn as unbranched, and especially stated to be so. And the page of text in which this statement is made is so characteristic of botanical books and botanical science, not to say all science as hitherto taught for the blessing of mankind, and of the difficulties thereby accompanying its communication, that I extract the page entire, printing it as nearly as possible in facsimile.

[318]

ANTHERICUM LILIASTRUM. SAVOY ANTERICUM,
or ST. BRUNO’S LILY.



Class and Order.

HEXANDRIA MONOGYNIA.

Generic Character.

Cor. 6-petala, patens. *Caps.* ovata.

Specific Character and Synonyms.

ANTHERICUM *Liliastrum* foliis planis, scapo simplicissimo, corollis campanulatis, staminibus declinatis.
Linn. Syst. Vegetab. ed. 14. *Murr. p. 330.*
Ait. Kew. v. 1. p. 449.

HEMEROCALLIS floribus patulis fecundis. *Hall. Hist. n. 1230.*

PHALANGIUM magno flore. *Bauh. Pin. 29.*

PHALANGIUM *Allobrogicum* majus. *Clus. cur. app. alt.*

PHALANGIUM *Allobrogicum*. The Savoye Spider-wort. *Park. Parad. p. 150. tab. 151. f. 1.*

Botanists are divided in their opinions respecting the genus of this plant; Linnaeus considers it as an Anthericum, Haller and Miller make it an Hemerocallis.

It is a native of Switzerland, where, Haller informs us, it grows abundantly in the Alpine meadows, and even on the summits of the mountains; with us it flowers in May and June.

It is a plant of great elegance, producing on an unbranched stem, about a foot and a half high, numerous flowers of a delicate white colour, much smaller than, but resembling in form, those of the common white lily, possessing a considerable degree of fragrance. Their beauty is heightened by the rich orange colour of their antheræ; unfortunately they are but of short duration.

Miller describes two varieties of it differing merely in size.

A loamy soil, a situation moderately moist, with an eastern or western exposure, suits this plant best; so situated, it will increase by its roots, though not very fast, and by parting these in the autumn it is usually propagated.

Parkinson describes and figures it in his *Parad. Terrest.*, observing that “divers allured by the beauty of its flowers, had brought it into these parts.”

* At least, it throws off its flowers on each side in a bewilderingly pretty way; a real Lily can’t branch, I believe; but, if not, what is the use of the botanical books saying “on an unbranched stem?”

Now you observe, in this instructive page, that you have in the first place eight names given you for one flower ; and that, among these eight names, you are not even at liberty to make your choice, because the united authority of Haller and Miller may be considered as an accurate balance to the single authority of Linnaeus ; and you ought therefore for the present to remain, yourself, balanced between the sides. You may be farther embarrassed by finding that the *Anthericum* of Savoy is only described as growing in Switzerland. And farther still, by finding that Mr. Miller describes two varieties of it, which differ only in size, while you are left to conjecture whether the one here figured is the larger or smaller, and how great the difference is.

Farther, if you wish to know anything of the habits of the plant, as well as its eight names, you are informed that it grows both at the bottoms of the mountains and the tops ; and that, with us, it flowers in May and June,—but you are not told when in its native country.

The four lines of the last clause but one may indeed be useful to gardeners ; but —although I know my good father and mother did the best they could for me in buying this beautiful book ; and though the admirable plates of it did their work and taught me much—I cannot wonder that neither my infantine nor boyish mind was irresistibly attracted by the text, of which this page is one of the most favourable specimens ; nor, in consequence, that my botanical studies were—when I had attained the age of fifty—no farther advanced than the reader will find them in the opening chapter of this book.

Which said book was therefore undertaken to put, if it might be, some elements of the science of botany into a form more tenable by ordinary human and childish faculties ; or—for I can scarcely say I have yet any tenure of it myself—to make the paths of approach to it more pleasant. In fact, I only know of it the pleasant distant effects which it bears to simple eyes ; and some pretty mists and mysteries, which I invite my young readers to pierce, as they may, for themselves,—my power of guiding them being only for a little way.

Pretty mysteries, I say, as opposed to the vulgar and ugly mysteries of the so-called science of botany,—exemplified sufficiently in this chosen page. Respecting which, please observe farther : Nobody—I can say this very boldly—loves Latin more dearly than I ; but, precisely because I do love it (as well as for other reasons), I have always insisted that books, whether scientific or not, ought to be written either in Latin or English, and not in a doggish mixture of the refuse of both.”

It may not be out of place to observe that our leading nurserymen might, if so disposed, render valuable assistance to the work of disseminating a knowledge of the English names of plants, if, in their catalogues, they made it a practice to give the vernacular names along with the botanical ones. This is very largely done by American nurserymen, and, although it may seem invidious to single out any one establishment, it may be useful to mention the catalogue of hardy perennial plants issued by Messrs. Woolson & Co., Passaic, New Jersey, as suggestive in this respect.

With regard to the present volume, it has been carefully compiled from all available sources of information in our standard botanical works, British and Colonial Floras, the leading horticultural journals, and the catalogues of British, American, and Australian nurserymen. Being simply a dictionary of names (of which it contains over 15,000), it formed

no part of the plan to introduce any matter descriptive of the plants, trees, and shrubs which it enumerates, and this must be looked for in botanical works devoted to the purpose. The Latin or botanical names given are those which are most commonly employed and best known, and synonyms are rarely noted, the few that are mentioned being chiefly in those cases where two botanical names are pretty equally in use for the same plant, as, *Centaurea*—*Amberboa*—*moschata* (*Sweet Sultan*), *Calla*—*Richardia*—*aethiopica* (*Lily-of-the-Nile*), &c. Familiar generic names, like *Azalea*, *Crocus*, *Fuchsia*, *Iris*, *Phlox*, &c., which have, to all intents and purposes, become English names, are retained as such. In the case of our native British plants, I have purposely omitted trivial local names, such as “Dog-chowps” and “Cuddy’s-lugs,” which savour of a chaw-baconism verging close on barbarism, and I have also left unnoticed the coarse and often grossly indelicate names which occur in some of the old writers on plants, as no useful purpose could be served by the reproduction of such names.

The book is probably far from being exhaustive or complete, as new names will be constantly arising from time to time, and it must be regarded as only a first step in the direction which it takes, but it is hoped that it will prove a handy and useful volume of reference, and a means of making the study of plants less technical and difficult to English-speaking people.

September, 1884.

W. M.

A DICTIONARY OF ENGLISH PLANT NAMES.

ABBREVIATIONS—*Sp.*, species; *var.*, variety; *fl.-pl.*, flore-pleno.

Aar. *Alnus glutinosa*
Aaron. *Arum maculatum*
Aaron's Beard. *Hypericum calycinum*
Aaron's Rod. *Verbascum Thapsus*
Abbey. *Populus alba*
Abele Tree. *Populus alba*
Absinth. *Artemisia Absinthium*
Abuta-root, or Butua-root. *Cissampelos Pareira*
Acacia. Clammy. *Robinia viscosa*
Large-leafleted Rose. *Robinia hispida macrophylla*
Parasol. *Robinia umbraculifera*
Rice's. *Acacia Riceana*
Rose. *Robinia hispida*
Siris. See Siris-Acacia
Smooth Tree. *Acacia Julibrissin*
Three-thorned. *Gleditschia triacanthos*
Two-spiked. *Acacia lophantha*
Weeping. *Gleditschia Bugotii pendula*
Acajou-wood. The timber of *Cedrela brasiliensis*
Ach-root. *Morinda tinctoria*
Ach-weed or Ash-weed. *Ægopodium Podagraria*
Ache. *Apium graveolens*
Achocon Tree, of Peru. *Leonia glycycarpa*
Aconite. The genus *Aconitum*
Common. *Aconitum Napellus*
Indian or Nepaul. *Aconitum ferox*
Winter. *Eranthis hyemalis*
Acorn, Sweet. The fruit of *Quercus Ballota*
Adam and Eve. *Corallorrhiza odontorhiza*. Applied also to the tubers of various native Orchises, and to the common Arum
N. American. *Aplectrum hyemale*
Adam's Flannel. *Verbascum Thapsus*
Adam's Needle. The genus *Yucca*; also *Scandix Pecten*
Aloe-leaved. *Yucca aloifolia*
Channelled-leaved. *Yucca canaliculata*
Common. *Yucca gloriosa*
Conspicuous. *Yucca conspicua*
Drooping-leaved. *Yucca aloifolia var. pendula* and *Yucca draconis*
Flaccid. *Yucca flaccida*
Glaucous. *Yucca gloriosa var. glaucescens*
Grass-leaved. *Yucca graminifolia*

Adam's Needle, Hollow-leaved. *Yucca concava*
Narrow-leaved. *Yucca angustifolia*
Oblique-leaved. *Yucca obliqua*
Pointed-flowered. *Yucca acuminata*
Recurved-leaved. *Yucca recurva*
Reddish-edged. *Yucca rufa-cincta*
Scalloped-leaved. *Yucca crenulata*
Silvery. *Yucca nivea*
Slender-leaved. *Yucca tenuifolia*
Superb. *Yucca superba*
Thready. *Yucca filamentosa*
Upright. *Yucca stricta*
Wavy-leaved. *Yucca undulata*
Adam's Needle and Thread. *Yucca filamentosa*
Adder-spit. *Pteris aquilina*
Adder-wort. *Polygonum Bistorta*
Adder's Fern. *Polypodium vulgare*
Adder's Flower. *Lychnis diurna*
Adder's Grass. *Orchis mascula*
Adder's Meat. *Arum maculatum*
Adder's Spear. *Ophioglossum vulgatum*
Adder's Tongue. *Ophioglossum vulgatum*
Yellow. *Erythronium americanum*
Adder's Violet. See Violet
Adonis Flower. *Adonis autumnalis*
Pyrenean. *Adonis pyrenaica*
Affadil. *Narcissus Pseudo-Narcissus*
African Rubber Tree. See Rubber
Agarics. A genus of Fungi
Agila-wood. *Aquilaria ovata* and *A. Agallochum*
Ag-leaf. *Verbascum Thapsus*
Agnes's (St.) Flower. The genus *Erinosma*
Agrimony, Bastard. *Ageratum conyzoides*
Common. *Agrimonia Eupatoria*
Creeping. *Agrimonia repens*
Hemp. *Eupatorium cannabinum*
Sweet-scented. *Agrimonia odorata*
Three-leaved. *Agrimonia agrimonoides*
Water. *Eupatorium cannabinum*
Water Hemp. *Bidens cernua* and *B. tripartita*
Ague-root. *Aletris farinosa*
Ague Tree. *Laurus Sassafras*
Ague-weed, Indian. *Eupatorium perfoliatum*
Agworm Flower. *Stellaria Holostea*

Aikraw. <i>Stictina scrobiculata</i>	Alkanet, Hybrid. <i>Anchusa hybrida</i>
Ailanto. <i>Ailanthus glandulosa</i>	Italian. <i>Anchusa italicica</i>
Ail-weed. <i>Cuscuta Trifolii</i>	Mountain. <i>Arnica montana</i>
Air-flower, or Air-plant. <i>Aeranthes grandiflora</i>	Alkanna. <i>Lithospermum hirtum</i>
Fragrant. <i>Aerides odorata</i>	Alkekeng. <i>Physalis Alkekengi</i>
Ajowan. Ajowan, or Javanee, plant. <i>Ptychosis Ajowan</i>	All-bone. <i>Stellaria Holostea</i>
Akaroa, or Cotton Tree of New Zealand <i>Plagianthus betulina</i> and <i>P. urticina</i>	Alleluia. <i>Oxalis Acetosella</i>
Aka Tree. <i>Metrosideros scandens</i>	Aller Tree. <i>Alnus glutinosa</i>
Akee Tree. <i>Bilighia (Cupania) sapida</i>	All-good. <i>Chenopodium Bonus-Henricus</i>
Alaternus, Blotched-leaved. <i>Rhamnus Alaternus maculatus</i>	All-heal. <i>Prunella vulgaris</i> and <i>Valeriana officinalis</i>
Broad-leaved. <i>Rhamnus Alaternus latifolius</i>	Allcampane. See Elecampane
Common. <i>Rhamnus Alaternus</i>	Alligator-wood. <i>Guarea grandifolia</i>
Hybrid. <i>Rhamnus hybridus</i>	Alison. See Alysson
Narrow-leaved. <i>Rhamnus Alaternus angustifolius</i>	All seed. <i>Radiola Millegrana, Chenopodium polyspermum</i> , and the genus <i>Polycapon</i>
Silver-edged. <i>Rhamnus Alaternus argenteus</i>	Four-leaved. <i>Polycapon tetraphyllum</i>
Alder, American Black. <i>Alnus incana</i> and <i>Prinos verticillatus</i>	Allspice, Carolina. <i>Calycanthus floridus</i>
Berry-bearing. <i>Rhamnus Frangula</i>	Jamaica. <i>Eugenia Pimenta</i>
Black. <i>Rhamnus Frangula</i> .	Japan. <i>Chimonanthus fragrans (Calycanthus praecox)</i>
Californian. <i>Alnus rhombifolia</i>	Wild American. <i>Lindera Benzoin (Benzoin odoriferum)</i>
Californian Red. <i>Alnus rubra</i>	Alme. <i>Ulmus campestris</i>
Common. <i>Alnus glutinosa</i>	Almendor, or Almond of Brazil. <i>Geoffroya superba</i>
Common White. <i>Clethra alnifolia</i>	Almond Tree, African. <i>Brabejum stellatifolium</i>
Fern-leaved. <i>Alnus imperialis asplenifolia</i>	Brazil. See Almendor
Green or Mountain. <i>Alnus viridis</i>	Bitter. <i>Amygdalus communis var. amara</i>
Heart-leaved. <i>Alnus cordifolia</i>	Common. <i>Amygdalus communis</i>
Hoary-leaved. <i>Alnus incana</i>	Country. <i>Terminalia Catappa</i>
Michaux's White. <i>Clethra Michauxii</i>	Double-flowered Dwarf. <i>Amygdalus pumila</i>
Mountain. See Alder, Green	Dwarf. <i>Amygdalus nana</i>
Panicled White. <i>Clethra paniculata</i>	Earth. <i>Cyperus esculentus</i>
Pointed-leaved White. <i>Clethra acuminata</i>	Java. <i>Canarium commune</i>
Red. <i>Cunonia capensis</i>	Long-fruited. <i>Amygdalus communis var. macrocarpa</i>
Sea-side. <i>Alnus maritima</i>	Malabar. <i>Terminalia Catappa</i>
Smooth. <i>Alnus serrulata</i>	Prostrate. <i>Amygdalus prostrata</i>
S. African White. <i>Platylaphus trifoliatus</i>	Siberian. <i>Amygdalus sibirica</i>
Speckled. <i>Alnus incana</i>	Silvery-leaved. <i>Amygdalus orientalis (A. argentea)</i>
Spotted. <i>Hamamelis virginica</i>	S. American. <i>Geoffroya superba</i>
Tag. <i>Alnus rubra</i>	Weeping. <i>Amygdalus communis var. pendula</i>
Turkey. <i>Alnus oblongata</i>	W. Indian wild. <i>Hippocratea comosa</i>
Witch. <i>Fothergilla alnifolia</i>	Wild, Cape of Good Hope. <i>Brabejum stellatifolium</i>
Woolly White. <i>Clethra tomentosa</i>	Woolly. <i>Amygdalus inéana</i>
Alder-Buckthorn. <i>Rhamnus Frangula</i>	Aloe, American. <i>Agave americana</i>
Alecost, or Alecost. <i>Tanacetum Balsamita</i>	Cape. <i>Aloë ferox</i>
Ale-hoof. <i>Nepeta Glechoma</i>	False. <i>Agave virginica</i>
Aleppo Millet Grass. See Grass	Fetid. <i>Agave sativa</i>
Alerse Tree. <i>Liquidambar tetragona</i>	Partridge-breast. <i>Aloë variegata</i>
Alexanders, or Alisanders. <i>Smyrnium Olusatrum</i>	Pearl. <i>Aloë margaritifera</i>
Candy. <i>Smyrnium apium folium</i>	Proliferous. <i>Aloë prolifera</i>
Golden. <i>Zizia integerrima</i>	Utah. <i>Agave utahensis</i>
Alexander's Foot. <i>Anacyclus Pyrethrum</i>	Vera Cruz. <i>Agave lurida</i>
Alfa, or Alpha, Grass. See Grass	Water. See Water-Aloe
Alfalfa. <i>Medicago sativa</i>	Yellow-flowered. <i>Aloë vulgaris</i>
Alga marina. <i>Chondrus (Fucus) crispus</i>	Aloes. The inspissated juice of the leaves of various species of <i>Aloë</i>
Algaroba. <i>Prosopis juliflora</i>	Barbadoes. From <i>Aloë vulgaris</i>
Algoborillo. <i>Cesalpinia brevifolia</i>	Bombay. See Aloes, Socotrine
Alisanders. See Alexanders	Cape. From <i>Aloë ferox</i> , <i>A. perfoliata</i> , and <i>A. linguaformis</i>
Aliways. <i>Aloës</i>	
Alk Gum Tree. <i>Pistacia Terebinthus</i>	
Alkanet. The genus <i>Anchusa</i>	
American. <i>Lithospermum canescens</i>	
Bastard. <i>Lithospermum arvense</i>	
Cape. <i>Anchusa capensis</i>	
Evergreen, or Green. <i>Anchusa sempervirens</i>	

- Aloes.** Curaçao. From *Aloe vulgaris*
E. Indian. See Aloes, Socotrine
Meka. From *Aloe socotrina*
Socotrine, Bombay, E. Indian, or Zanzibar.
From *Aloe socotrina*
Zanzibar. See Aloes, Socotrine
Aloes-wood. *Aloexylon Agallochum*
Alpam Root, of Malabar. The root of
Bragantia Wallichii
Alphabet Plant. *Spilanthes Acmella*
Alpine (a corruption of "Orpine"). *Sedum*
Telephium
Alsike. *Trifolium hybridum*
Alstonia Bark Tree. *Alstonia (Echites) scholarii*
Althaea-Frutex, Common. *Hibiscus syriacus*
Double. *Hibiscus syriacus elegantissimus*
Painted Lady. *Hibiscus syriacus oculatus*
Purple. *Hibiscus syriacus purpureus*
Alum. *Sympyrum officinale*
Alum Root. *Heuchera americana*; also
the root of *Geranium maculatum*
Currant-leaved. *Heuchera ribifolia*
Downy. *Heuchera pubescens*
Small-flowered. *Heuchera micrantha*
Smooth. *Heuchera glabra*
Alysson, Purple. *Aubertia purpurea*
Small Yellow. *Alyssum cattleyanum*
Sweet. *Alyssum maritimum*
White. *Arabis alpina*
Amadou, Punk, Spunk, Touchwood, German
or Vegetable Tinder. *Polyporus (Boletus) fomentarius* and *Polyporus igniarius*
Hard. *Polyporus igniarius*
S. American. The wood of *Hernandia guianensis*
Amaranth, Edible. *Amarantus oleraceus*
Globe. *Gomphrena globosa*
Golden. *Amarantus salicifolius*
Showy. *Amarantus speciosus*
Thorny. *Amarantus spinosus*
Three-coloured. *Amarantus tricolor*
Amaranth Feathers. *Humea elegans*
Amber. *Hypericum perforatum*
Sweet. *Hypericum Androsænum*
Amber Tree. *Anthospermum æthiopicum*
Amboyna - wood. *Pterospermum indicum*
Amel Corn. *Triticum amylosum*
Amelanchier, Common. *Amelanchier vulgaris*
Flowerly. *Amelanchier florida*
Oval-leaved. *Amelanchier ovalis*
Red-branched. *Amelanchier sanguinea*
Ameos. An old name for *Ammi majus*
American Cress. *Barbarea præcox*
Plants. A garden term, applied to *Rhododendrons*, *Andromedas*, *Azaleas*, and some other plants which require to be grown in moist peaty soil
Water Weed. *Anacharis Alsinastrum*
Ammoniacum Gum Plant. *Dorema ammoniacum*
Amole, or Indian Soap Plant. *Chlorogalum pomeridianum*
Ananbeam. *Euonymus europæus*
Andrew's (St.) Cross. *Ascyrum Crux-Andreee*
- Andromeda,** Acute-leaved. *Andromeda acuminata*
Box-leaved. *Andromeda buxifolia*
Branching. *Andromeda racemosa*
Bundle-flowered. *Andromeda fasciculata*
Cluster-flowered. *Andromeda racemosa*
Free-flowering. *Andromeda floribunda*
Himalayan. *Andromeda (Cassiope) fastigiata*
Jamaica. *Andromeda jamaicensis*
Japanese. *Andromeda japonica*
Large-flowered. *Andromeda speciosa*
Mossy. *Andromeda (Cassiope) hypnoides*
Oval-leaved. *Andromeda ovalifolia*
Spike-flowered. *Andromeda spicata*
Spiny-leaved. *Andromeda Catesbeiana*
Square-stemmed. *Andromeda (Cassiope) tetragona*
Thick-leaved. *Andromeda coriacea*
Andurion. *Eupatorium cannabinum*
Anemone. (See also Wind-flower)
Cyclamen-leaved. *Anemone palmata*
Garden varieties of. *Anemone coronaria*
Poppy. *Anemone coronaria*
Rue. *Thalictrum anemonoides*
Snowdrop. *Anemone sylvestris*
Water. *Ranunculus aquatilis*
Wood. *Anemone nemorosa*
Yellow Wood. *Anemone ranunculoides*
Anet. *Anethum graveolens*
Angelica, Garden. *Archangelica officinalis*
Great. *Archangelica atropurpurea*
Wild. *Angelica sylvestris*
Angelica Tree. Various species of *Fraxinus*
Virginian. *Aralia spinosa*
Angelico. *Ligusticum actæifolium*
Angelim. *Tipuana heteroptera* and several species of *Andira*
Angel's Eyes. *Veronica Chamædrys*
Angel's Trumpets. The flowers of *Brugmansia suaveolens*
Angle Berries. *Lathyrus pratensis*
Angle Pod. The genus *Gonolobus*
Angola - weed. *Roccella fuciformis* and *Ramulina furfuracea*
Angostura Bark, Carony Bark, or Cusparia Bark Tree. *Galipea Cusparia*
Anise, or Anised. *Pimpinella Anisum* and *Myrrhis odorata*
Orinoco. *Ocotea cymbarum*
Star. *Illlicium anisatum*
Aniseed Plant, of commerce. *Pimpinella Anisum*
Aniseed Tree, Red-flowered Florida. *Illlicium Floridanum*
Star. *Illlicium anisatum*
Anny. *Pimpinella Anisum*
Anthony Nut. *Staphylea pinnata*
Antidote Cocoon. *Feuillea cordifolia*
Ant-hill Grass. *Festuca sylvatica*
Ant Tree. *Triplaris Bonplandiana*
Apache Plume. *Fallucia paradoxia*
Apes-on-horseback. *Bellis hortensis proliifera*
Apple, Adam's. *Citrus Limetta*
Alligator. *Anona palustris*
Aryle. *Eucalyptus pulviflora*
Astrachan. *Pyrus Malus astracanica*
Australian. *Angophora lanceolata*

Apple, Australian Brush or Bush. <i>Aechras australis</i>	Apple, Wood. <i>Feronia elephantum</i>
Balsam. <i>Momordica Balsamina</i>	Apple-berry, Australian. The genus <i>Billardiera</i>
Beef. <i>Sapota rugosa</i>	Climbing. <i>Billardiera scandens</i>
Bitter. <i>Cueumis (Citrullus) Cocolynthis</i>	Colour-changing. <i>Billardiera mutabilis</i>
Cane. <i>Arbutus Unedo</i>	Long-flowered. <i>Billardiera longiflora</i>
Carthaginian. <i>Punica Granatum</i>	Oval-leaved. <i>Billardiera ovalis</i>
Cherry. <i>Pyrus baccata</i>	Apple Haw. <i>Crataegus astivalis</i>
Chinese. <i>Pyrus (Malus) spectabilis</i>	Apple Mint. <i>Mentha rotundifolia</i>
Common Cultivated. Vars. of <i>Pyrus Malus</i>	Apple Moss. See Moss
Coral-flowered. <i>Pyrus Malus var. floribunda</i>	Apple-peru. <i>Datura Stramonium</i>
Deadsea, or "of Sodom." The fruit of <i>Solanum sodomeum</i> ; also applied to the galls of <i>Quercus infectoria</i>	Apple Pie. <i>Epilobium hirsutum</i>
Devil's. <i>Mandragora officinalis</i>	Apples, Cedar. See Cedar Apples
Diecious. <i>Pyrus Malus dioica</i>	Apricock. An old name for Apricot
Double-flowered Chinese. <i>Pyrus spectabilis fl.-pl.</i>	Apricot Tree, Briançon. <i>Armeniaca brigantica</i>
Elephant's. <i>Feronia elephantum</i>	Common. <i>Armeniaca vulgaris (Prunus armeniaca)</i>
Fir. The cones of <i>Pinus Abies</i>	Oval-leaved. <i>Armeniaca vulgaris var. ovalifolia</i>
Free-flowering Chinese. <i>Pyrus spectabilis floribunda</i>	Siberian. <i>Armeniaca sibirica</i>
Golden. <i>Egle Marmelos</i> and <i>Spondias lutea</i>	Thick-fruited. <i>Armeniaca dasycarpa</i>
Hen. <i>Pyrus Aria</i>	Variiegated-leaved. <i>Armeniaca vulgaris foliis variegatis</i>
Jew's. <i>Solanum Melongena</i>	Wild. <i>Mammea americana</i>
Kai, Kau, or Kei. <i>Aberia Caffra</i>	Aps (Aspen). <i>Populus tremula</i>
Kangaroo. <i>Solanum laciniatum</i>	Apron, Tanner's. <i>Primula Auricula</i>
Kau. See Apple, Kai	Arbor-vitæ, American. <i>Thuja occidentalis</i>
Kei. See Apple, Kai	American Tom Thumb. <i>Thuja occidentalis var. ericoides</i>
Love. <i>Solanum Lycopersicum</i>	Bagsht Park. <i>Thuja occidentalis var. densa</i> or <i>compacta</i>
Mad. <i>Solanum Melongena</i>	Belgian Variegated. <i>Thuja occidentalis var. Vervaeana</i>
Malay. <i>Jambosa (Eugenia) malaccensis</i>	Broad-leaved. The genus <i>Thujopsis</i>
Mammee. <i>Mammea americana</i>	Bush. <i>Thuja dumosa</i>
Marvelous. See Marvelous Apples	Chilian. <i>Libocedrus chilensis</i>
Mess. <i>Karstenia quinquenervia</i>	Chinese. <i>Biota (Thuja) orientalis</i>
Mexican. <i>Casimiroa edulis</i>	Dwarf Chinese. <i>Biota orientalis elegans sima</i>
Monkey. <i>Clusia flava</i>	Ever-golden. <i>Thuja semper-aurea</i>
Monkey, of Sierra Leone. <i>Anisophyllum laurinum</i>	Giant. <i>Thuja gigantea</i>
Monkey, of the West Indies. <i>Anona palustris</i>	Golden. <i>Thuja aurea</i>
New S. Wales. <i>Angophora subvelutina</i>	Golden Chinese. <i>Biota orientalis aurea</i>
N. American Crab. <i>Pyrus coronaria</i>	Hatchet-leaved. <i>Thujopsis dolabrata</i>
N. American Narrow-leaved Crab. <i>Pyrus angustifolia</i>	Japanese. <i>Biota orientalis Sieboldi (Thuja japonica)</i>
Oak. A gall produced by insects, on the leaves and twigs of the Oak	Jointed. <i>Callitris quadrivalvis</i>
Of Jerusalem. <i>Momordica Balsamina</i>	New Zealand. <i>Libocedrus Dianiana</i>
Of Peru. <i>Nicandra physaloides</i>	Nootka Sound. <i>Thuja plicata</i>
Of Scripture. Probably the Apricot (<i>Prunus armeniaca</i>) or the Quince (<i>Pyrus Cydonia</i>)	Pyramidal Chinese. <i>Biota orientalis pyramidalis</i>
Of Sodom. See Apple, Dead Sea	Sickle-spine-coned Chinese. <i>Biota falcata</i>
Of the Earth. An old name for <i>Aristolochia rotunda</i> and the genus <i>Cyclamen</i>	Silvery-leaved. <i>Thuja occidentalis argentea</i>
Oregon Crab. <i>Pyrus rufa</i>	Western. <i>Thuja gigantea</i>
Otaheite. <i>Spondias (Poupartia) dulcis</i>	Arbute Tree. <i>Arbutus Unedo</i>
Paradise. <i>Pyrus Malus præcox</i>	Andracne or Oriental. <i>Arbutus Andracne</i>
Prairie. <i>Psoralea esculenta</i>	Densely-flowered. <i>Arbutus densiflora</i>
Rose. <i>Eugenia malaccensis</i> and other species	Oriental. See Arbute Tree, Andracne
Sea. <i>Manicaria Plukneti</i>	Tall. <i>Arbutus procera</i>
Star. <i>Chrysophyllum Cainito</i>	Trailing. <i>Ligustrum repens</i>
Sugar. <i>Anonasquamosa</i> and <i>Rollinia Sieberi</i>	Woolly-branched. <i>Arbutus tomentosa</i>
Thorn. <i>Datura Stramonium</i> and other species	Archall or Orchil. <i>Roccella tinctoria</i>
Victoria. <i>Angophora lanceolata</i>	Archangel. <i>Archangelica officinalis, Stachys sylvatica</i> , and various species of <i>Lamium</i>
Wild Balsam. <i>Echinoeystis lobata</i>	White. <i>Lamium album</i>
Wild Star. <i>Chrysophyllum olivæforme</i>	Yellow. <i>Lamium Galcoblodon</i>
	Archer, Water. <i>Sagittaria sagittifolia</i>
	Argan Tree. <i>Argania Sideroxylon</i>

- Argel, or Arghel.** *Solenostemma Argel*
- Argemone.** *Potentilla anserina*
- Argentine, or Argentina.** *Onopordum Acanthium* and *Potentilla anserina*
- Arghel.** See Argel
- Armstrong.** *Polygonum aviculare*
- Arnotta, or Anotta.** *Bixa orellana*
- Arn Berries.** The fruit of *Rubus Idæus*
- Arn Tree.** *Sambucus nigra*
- Ar-Nut.** *Bunium flexuosum*
- Aronia,** *Arbutus-leaved.* *Pyrus arbutifolia*
Black-fruited. *Pyrus melanocarpa*
Downy-branched. *Pyrus pubescens*
Large-leaved. *Pyrus grandifolia*
Many-flowered. *Pyrus floribunda*
- Arracacha.** *Arracacia esculenta* (*Conium Arracacha*)
- Arrow Grass.** *Triglochin palustre*
- Arrow-Head, or Arrow Leaf, Chinese.** *Sagittaria chinensis*
Chilian. *Sagittaria montevidensis*
Common. *Sagittaria sagittæfolia*
Double. *Sagittaria sagittæfolia* fl.-pl.
Various-leaved. *Sagittaria variabilis*
Yellow-flowered. *Sagittaria simplex*
- Arrow-Leaf.** See Arrow-Head
- Arrow-Poison, Gaboon.** See Arrow Poison, Tropical African
Guiana, Curari, or Ourali. *Strychnos toxifera*
Javanese. *Strychnos Tiente*
Malay. *Antiaris toxicaria*
Tropical African, or Gaboon. *Strophanthus Kombe*, (*S. hispidus*)
- Arrow-root Plant, Bermuda.** *Maranta arundinacea*
Chinese. *Nelumbium speciosum*
E. Indian. *Curcuma angustifolia* and other species
English. *Solanum tuberosum*
Mexican. *Dion edule*
Oswego. Indian Corn (*Zea Mays*)
Portland. *Arum maculatum*
South Sea and Sandwich Islands. *Tacca pinnatifida* (*Tacca oceanica*)
- Arrow-wood, Californian.** *Viburnum ellipticum*
Downy. *Viburnum pubescens*
Maple-leaved. *Viburnum acerifolium*
N. American. *Viburnum dentatum*
- Artichoke, French or Globe.** *Cynara Scolymus*
Jerusalem. *Helianthus tuberosus*
Prickly. *Cynara Cardunculus*
- Artichoke Gall.** See Gall
- Artillery Plant.** *Pilea serpyllifolia* and *Pilea herniariæfolia*
- Arum, Arrow.** *Peltandra virginica*
Bog. *Calla palustris*
Dragon. *Arum Dracunculus*
Giant. *Conophallus Titanum*
Italian. *Arum italicum*
Water. *Calla palustris*
- Arum Lily, Common.** *Calla (Richardia) ethiopica*
Spotted-leaved. *Richardia maculata*
Yellow. *Richardia hastata*
- Asafœtida Plant.** *Narthex Asafœtida* and *Scorodosma fatidum*
Persian. *Ferula persica*
- Asarabacca.** *Asarum europæum*
Sweet-scented. *Asarum virginicum*
- Ash, American Black or Water.** *Fraxinus sambucifolia*
American Flowering. *Ornus americana*
Aucuba-leaved. *Fraxinus americana* var. *aucubaeifolia*
Bitter. *Pieræna (Simaruba) excelsa*
Black Mountain. *Eucalyptus Leucoxylon*
Blue. *Fraxinus quadrangulata*
Bosc's. *Fraxinus americana* var. *Bosci*
Brown-branched. *Fraxinus americana* var. *fusca*
Cape. *Ekebergia capensis*
Carolina Water. *Fraxinus platycarpa*
Chinese. *Fraxinus chinensis*
Cloth-leaved. *Fraxinus americana* var. *pannosa*
Common. *Fraxinus excelsior*
Dwarf. *Fraxinus excelsior* var. *nana* (*Fraxinus excelsior humilis*)
Elliptic-leaved. *Fraxinus americana* var. *elliptica*
Flowering. *Fraxinus Ornus*
Fungous-barked. *Fraxinus excelsior* var. *fungosa*
Golden-barked. *Fraxinus excelsior* var. *aurea*
Gray. *Fraxinus americana* var. *cineræa*
Green. *Fraxinus viridis*
Ground. *Ægopodium Podagraria* and *Angelica sylvestris*
Hoop. *Celtis crassifolia*
Horizontal-branched. *Fraxinus excelsior* var. *horizontalis*
Jerusalem. *Isatis tinctoria*, or *Reseda Luteola*
Kincainey. *Fraxinus excelsior* var. *Kincainiae*
Lentiscus-leaved. *Fraxinus lentiscifolia*
Long-leaved. *Fraxinus americana* var. *longifolia*
Manna. *Fraxinus Ornus* var. *rotundifolia*
Many-flowered Flowering. *Fraxinus Ornus* var. *floribunda*
Mixed. *Fraxinus americana* var. *mixta*
Mountain, or Wild. *Pyrus Aucuparia*
Mountain, of Australia. *Panax dendroides*
Mountain, of New South Wales. *Eucalyptus haemastoma* and *Eucalyptus virgata*
Mountain, of N. America. *Pyrus americana*
Narrow-leaved. *Fraxinus excelsior* var. *angustifolia*
Nepaul. *Fraxinus floribunda*
Northern Prickly. *Xanthoxylon americanum*
Oregon. *Fraxinus oregana*
Ovate-leaved. *Fraxinus americana* var. *ovata*
Pale-barked. *Fraxinus excelsior* var. *pallida*
Poison. *Chionanthus virginica* and *Rhus venenatum*
Polemonium-leaved. *Fraxinus americana* var. *polemonifolia*
Powdery. *Fraxinus americana* var. *pulverulenta*
Prickly. *Xanthoxylon fraxineum*
Purple-barked. *Fraxinus excelsior* var. *purpurascens*

- Ash**, Red. *Alphitonia excelsa*
Red American. *Fraxinus pubescens*
Reddish-veined. *Fraxinus americana var. rubicunda*
Richard's. *Fraxinus americana var. Richardi*
Rim. *Celtis occidentalis*
Round - leafleted Flowering. *Fraxinus Ornus var. rotundifolia*
Rufous-haired. *Fraxinus americana var. rufa*
Schiede's. *Fraxinus Schiediana*
Sharp-fruited. *Fraxinus excelsior var. parvifolia oxyacarpa*
Silver-striped-leaved. *Fraxinus excelsior var. argentea*
Small-leaved. *Fraxinus excelsior var. parvifolia*
Southern Prickly. *Xanthoxylon carolinianum* (*Xanthoxylon Clara-Herculis*)
Striped-barked. *Fraxinus excelsior var. jaspidea*
Striped-barked Flowering. *Fraxinus Ornus var. striata*
Variegated Weeping. *Fraxinus aurea pendula*
Various-leaved. *Fraxinus heterophylla*
Wafer. *Ptelea trifoliata*
Warted-barked. *Fraxinus excelsior var. verrucosa*
Water. *Fraxinus sambucifolia*
Weeping. *Fraxinus excelsior var. pendula*
Weeping Mountain. *Pyrus Aucuparia pendula*
Western Mountain. *Pyrus sambucifolia*
White. *Fraxinus americana var. alba*
Whorled-leaved. *Fraxinus excelsior var. verticillata*
Yellow-edged-leafleted. *Fraxinus excelsior var. lutea*
- Ash-Barberry.** The genus *Mahonia*
Ash Keys, or Ash Candles. The fruit of *Fraxinus excelsior*
Ash-weed, or Ach-weed. *Egopodium Podagraria*
Asparagus, Bath or French. *Ornithogalum pyrenaicum*
Common. *Asparagus officinalis*
Decumbent. *Asparagus decumbens*
Ethiopian. *Asparagus ethiopicus*
Feathery. *Asparagus plumosus*
French. See Asparagus, Bath
Garden Hedge, of Madeira. *Asparagus albus*
Giant. *Asparagus Broussoneti*
Racemose. *Asparagus racemosus*
Sickle-branched. *Asparagus falcatus*
Slender-leaved. *Asparagus tenuifolius*
S. African. *Asparagus laricinus*
S. European. *Asparagus acutifolius*
Asp, or **Aspen**. *Populus tremula*
American Quaking. *Populus tremuloides*
White. *Populus alba*
American Large-toothed. *Populus grandidentata*
Soft. See Poplar, Soft
Weeping. *Populus tremula var. pendula*
- Asphodel**, Bog or Lancashire. *Narthecium ossifragum*
Bog, American. *Narthecium americanum*
Branching. *Asphodelus ramosus*
- Asphodel**, False. The genus *Tofieldia*
Lancashire. See Asphodel, Bog
Onion. *Asphodelus fistulosus*
Scotch. *Tofieldia palustris*
Sub-alpine. *Asphodelus sub-alpinus*
White-flowered. *Asphodelus albus*
Yellow-flowered. *Asphodelus luteus*
Assagay, Assegay, or Hassagay Tree. *Cur-tisia faginea*
- Ass's Foot.** *Tussilago Farfara*
- Aster**. (See also Star-wort)
Cape. *Agathaea amelloides*
China. *Callistemma hortense* (*Callistephus hortensis*)
Double-bristled. The genus *Diplopappus*
Dwarf Amelius. *Aster bessarabicus*
Golden. The genus *Chrysopsis*
New Zealand. Various species of *Celmisia*
Purple Mexican. *Cosmos bipinnatus*
Stokes's. *Stokesia cyanea*
White-topped. The genus *Seriocarpus*
- Asthma Plant.** *Nonatelia officinalis*
Weed. *Lobelia inflata*
- Atlee Gall**. A Gall found on *Tamarix orientalis*
- Augers.** *Salix viminalis*
- Aul.** *Alnus glutinosa*
- Aum Tree.** *Ulmus campestris*
- Auricula**, Common. *Primula Auricula*
Yellow Alpine. *Auricula alpina*
- Autumn Bell-flower.** *Gentiana Pneumonanthe*
Crocus. *Colchicum autumnale*
- Ava**, or Kava, Shrub. *Macropiper methysticum*
- Ave Grace.** *Ruta graveolens*
- Avellano Nut.** See Nut
- Avens**, Chiloe. *Geum chiloense*
Common. *Geum urbanum*
Creeping. *Geum reptans*
Double Scarlet. *Geum coccineum fl.-pl.*
Drooping. *Geum rivale*
Drummond's. *Dryas Drumondii*
Golden. *Geum aureum*
Labrador Mountain. *Dryas tenella*
Large-flowered Scarlet. *Geum coccineum grandiflorum*
Mountain. *Dryas octopetala*
Pyrenean. *Geum pyrenaicum*
Three-flowered. *Geum triflorum*
Scarlet-flowered. *Geum coccineum*
Water or Drooping. *Geum rivale*
White. *Geum virginianum*
Wood. *Geum sylvaticum*
Yellow-flowered Mountain. *Geum montanum*
- Averill.** *Narcissus Pseudo-Narcissus*
- Avignon Berries.** The berries of *Rhamnus insectorius*
- Awl Tree.** *Morinda citrifolia*
- Awl-wort.** *Subularia aquatica*
- Axe**, Flower of the. *Lobelia urens*
- Ax-weed.** *Egopodium Podagraria*
- Ax-wort**, or Ax-sitch. *Securigera Coronilla*
- Ayapana.** *Eupatorium triplinerve*
- Azalea**, Alpine. *Loiseleuria (Azalea) procumbens*
Blunt-leaved. *Azalea obtusa*
Bright-flowered. *Azalea amana*
Chinese. *Azalea sinensis*
Clammy. *Azalea viscosa*

Azalea , Common Yellow. <i>Azalea pontica</i>	Balm of Heaven. <i>Oreodaphne californica</i>
Crisp-flowered. <i>Azalea crispiiflora</i>	Balmony. <i>Chelone glabra</i>
Daniels's. <i>Azalea Danielsiana</i>	Balsam, Broad-leaved. <i>Sciadophyllum capitatum</i>
Dwarf Glaucous. <i>Azalea glauca</i>	Common Yellow. <i>Impatiens Noli-me-tangere</i>
Fine Golden. <i>Azalea calendulacea var. chrysoclesta</i>	Common Garden. Varieties of <i>Impatiens</i>
Flame-coloured. <i>Azalea calendulacea</i>	<i>Balsamina</i>
Hoary. <i>Azalea canescens</i>	Hardy Indian. <i>Impatiens glanduligera</i>
Indian. <i>Azalea indica</i>	Kentish. <i>Mercurialis perennis</i>
Ledum-leaved. <i>Azalea ledifolia</i>	Orange-flowered. <i>Impatiens fulva</i>
Marigold. <i>Azalea calendulacea</i>	Seaside. <i>Croton balsamiferum</i>
Naked-flowered. <i>Azalea nudiflora</i>	Sonsonate. An American name for the
Ovate-leaved. <i>Azalea ovata</i>	Balsam of Peru
Pontic. <i>Azalea pontica</i>	Water. <i>Hydrocera (Tytonia) natans</i>
Proliferous. <i>Azalea nudiflora var. prolifera</i>	W. Indian Garden. <i>Justicia pectoralis</i>
Scaly. <i>Azalea squamata</i>	White. <i>Gnaphalium polycephalum</i>
Shining-leaved. <i>Azalea nitida</i>	Yellow. <i>Croton flavens</i>
Showy. <i>Azalea speciosa</i>	Zanzibar. <i>Impatiens Sultani</i>
Smooth. <i>Azalea arborescens</i>	Balsam Apple. <i>Momordica Balsamina</i>
Soft-leaved. <i>Azalea mollis</i>	Balsam Bog. <i>Azorella (Bolax) glebaria</i>
Sweet-scented. <i>Azalea viscosa var. odorata</i>	Balsam Herb. <i>Dianthera repens</i>
Tall Glaucous. <i>Azalea hispida</i>	Jamaica. <i>Justicia comata</i>
Tree. <i>Azalea arborescens</i>	Balsam of Peru Plant. <i>Myrospermum Peruiferum</i>
Two-coloured. <i>Azalea bicolor</i>	Balsam of Tolu Plant. <i>Myrospermum Toluiferum</i>
White-flowered. <i>Azalea ovata var. alba</i>	Balsam Poplar. <i>Populus balsamifera</i>
Azaleas , Ghent. Varieties of <i>A. calendulacea</i> , <i>A. nudiflora</i> , <i>A. speciosa</i> , and <i>A. viscosa</i>	Balsam Root, Californian. The genus <i>Balsamorhiza</i>
Azarole Thorn. <i>Crataegus Azarolus</i>	Balsam Tree, Acouchi. <i>Icica Aracouchini</i>
Azzy Tree. <i>Crataegus Oxyacantha</i>	Bayee. <i>Balsamodendron pubescens</i>
Babington's Curse . <i>Anacharis Alsinastrum</i> (<i>Elodea canadensis</i>)	Carpathian. <i>Pinus Cembra</i>
Bacaba Palm. See Palm	Canada. <i>Pinus (Abies) balsamea</i> and
Baccobolts . <i>Typha latifolia</i>	<i>Pinus Fraseri</i>
Bachelor's Buttons . A name applied to various button-shaped flowers	Copalm. <i>Liquidambar styraciflua</i>
Back-wort . <i>Sympythium officinale</i>	Florida. <i>Amrys Florida</i>
Bacon-weed . <i>Chenopodium album</i>	Gogul. <i>Balsamodendron Roxburghii</i>
Badderlocks . <i>Alaria esculenta</i>	Hungarian. <i>Pinus Pumilio</i>
Badger's-Bane . <i>Aconitum Meloconatum</i>	Jamaica. <i>Clusia flava</i>
Bad-jong . <i>Acacia microbotrya</i>	Maria. <i>Verticillaria acuminata</i>
Badmoney or Baldmoney . <i>Meum athamaticum</i> and various species of <i>Gentiana</i>	Mecca or Roghen. <i>Balsamodendron Gileadense</i>
Bael , or Bhel , Fruit. The fruit of <i>Aegle Marmelos</i>	Old Field. <i>Gnaphalium polycephalum</i>
Bag Nut . Another name for Bladder Nut	Quinquino or White. <i>Myrospermum pubescens</i>
Bairn-wort . A northern name for the Daisy	Roghen. See Balsam, Mecca
Bajree Millet . See Millet	St. Thomas. <i>Sorindeia trimera</i>
Baldmoney . See Badmoney	Tamacoari. <i>Carapa fasciculata</i>
Baldwein . An old name for Gentian	Umiri. <i>Humirium floribundum</i>
Bale-worth . <i>Papaver somniferum</i>	W. Indian. The genus <i>Clusia</i>
Ballata Tree. <i>Bumelia retusa</i>	White. See Balsam, Quinquino
Ball Thistle . Another name for Globe Thistle	Bamboo . The genus <i>Bambusa</i>
Balm , Bastard . <i>Melittis Melissophyllum</i>	Australian. <i>Poa ramigera</i>
Common. <i>Melissa officinalis</i>	Berry-bearing. <i>Melocanna bambusoides</i>
Bee. <i>Monarda didyma</i>	Blow-pipe. <i>Arthrostylidium Schomburgkii</i>
Field. <i>Calamintha Nepeta</i>	Common. <i>Bambusa arundinacea</i>
Heart-leaved. <i>Cedronella cordata</i>	Dark-stemmed. <i>Bambusa nigra</i>
Indian. <i>Trillium pendulum</i>	Fortune's. <i>Bambusa Fortunei</i>
Moldavian. <i>Dracocephalum moldavicum</i>	Grayish. <i>Bambusa viridi-glaucescens</i>
Molucca. The genus <i>Moluccella</i>	Hardy. <i>Bambusa falcata</i>
Ox. <i>Collinsonia canadensis</i>	Male. <i>Dendrocalamus strictus</i>
Balm of Gilead . <i>Cedronella triphylla</i> (<i>Dracocephalum canariense</i>)	Metake. <i>Bambusa japonica</i> (<i>B. Metake</i>)
Hoary. <i>Cedronella cana</i>	Netted-veined. <i>Bambusa reticulata</i>
S. American. <i>Icica Carana</i>	Ningala. <i>Arundinaria falcatula</i>
Balm of Gilead Tree . <i>Balsamodendron</i> (<i>Amyris</i>) <i>Gileadense</i> and <i>Populus balsamifera</i> var. <i>candidans</i>	Orinoco. <i>Bambusa latifolia</i>
	Praong. <i>Arundinaria Hookeriana</i>
	Sacred. <i>Nandina domestica</i>
	Simmonds's. <i>Bambusa Simmondsii</i>
	Slender. <i>Bambusa gracilis</i>

Bamboo, Striped. *Bambusa striata*
 Yellow-stemmed. *Bambusa aurea*
Bamboo Briar. A species of Smilax
Banana Tree. *Musa sapientum*
 Abyssinian. *Musa Ensete*
 Channelled-leaved. *Musa vittata*
 Dwarf Chinese. *Musa Cavendishi*
 Livingstone's. *Musa Livingstoniana*
 Scarlet-bracted. *Musa coccinea*
 Striped-leaved. *Musa zebrina*
 Sumatran. *Musa Sumatrana*
Band Plant. *Vinca major*
Bandolier Fruit. The berries of *Zanonia indica*
Bane-berry, Common. *Actaea spicata*
 Red. *Actaea spicata var. rubra*
 White. *Actaea alba*
Bane-wort. *Atropa Belladonna* and some species of *Ranunculus*
Bank Cress. *Barbarea praecox* and *Sisymbrium officinale*
Banner Plant. The genus *Anthurium*
Ban-nut. The fruit of *Juglans regia*
Ban-wort, or Ban-wood. *Bellis perennis*
Banyan Tree. *Ficus indica*
 Lord Howe's Island. *Ficus columnaris*
Baobab Tree. *Adansonia digitata*
Barbadoes Pride. *Adenanthera pavonina* and *Poinciana pulcherrima*
Barbara's (St.) Herb. *Barbarea vulgaris*
Barbary Buttons. *Medicago scutellata*
Barber's Brushes. *Dipsacus sylvestris*
Barberry, or Berryb. The genus *Berberis*
 Ash-leaved. The genus *Mahonia*
 Asiatic. *Berberis asiatica*
 Awned-leaved. *Berberis aristata*
 Beale's. *Berberis Bealii*
 Box-leaved. *Berberis fascicularis*
 Bundle-flowered. *Berberidopsis corallina*
 Coral. *Berberidopsis corallina*
 Crataegus-like. *Berberis crataegina*
 Creeping-rooted. *Berberis (Mahonia) repens*
 Crowded-racemed. *Berberis (Mahonia) fascicularis*
 Darwin's. *Berberis Darwini*
 Edging. *Mahonia repens*
 Edible-fruited. *Berberis dulcis*
 Fuegian. *Berberis empetrifolia*
 Golden. *Berberis stenophylla*
 Holly-leaved. *Berberis (Mahonia) Aquifolium*
 Hooker's. *Berberis Hookeri*
 Japanese. *Berberis japonica*
 Many-flowered. *Berberis floribunda*
 Narrow-leaved. *Berberis stenophylla*
 N. American. *Berberis canadensis*
 Notch-petalled. *Berberis emarginata*
 Ribbed-leaved. *Berberis (Mahonia) nervosa*
 Siberian. *Berberis sibirica*
 Various-leaved. *Berberis heterophylla*
 Wallich's. *Berberis Wallichii*
 Whitish-leaved. *Berberis dealbata* (*B. glauca*)
Barberry Fungus. *Aecidium Berberidis*
Bargeman's Cabbage. *Brassica campestris*

Barilla Plant. *Salsola Kali* and *Salsola Soda*
Bark Plant, Alcornoco or Alcornoque. Various species of *Byrsonima*, also *Bowdichia virgilioides*
 Babul or Babur. *Acacia arabica*
 Barber. *Berberis aristata*, *B. asiatica*, and *B. Lycium*
 Bastard Cabbage. *Andira inermis*
 Bonace or Burn-nose. *Daphne tinifolia*
 Bur. *Triunfetta semitriloba*
 Canella or White Wood. *Canella alba*
 Calisaya. *Cinchona Calisaya* and *C. Boliviiana*
 Calisaya, of Santa Fé. *Cinchona latifolia*
 Caribbean. *Exostemma caribbeum*
 Cascarilla, or Sweet Wood. *Croton Cascarilla*
 China. *Buena hexandra*
 Clove. *Dicypellium caryophyllum*
 Conessi. *Wrightia antidysenterica*
 Culilawan. *Cinnamomum Culilawan*
 Dita. *Alstonia scholaris*
 False Angostura. *Strychnos Nux-vomica*
 French Guiana. *Portlandia hexandra*
 Gray. *Cinchona peruviana*.
 Jesuit's. Various species of *Cinchona*
 Kunro. *Rhizophora mucronata*
 Lodh. *Symplocos racemosa*
 Loxa Crown. *Cinchona officinalis* (*C. condaminea*)
 Malambo or Matius. *Croton Malambo*
 Matius. See Bark, Malambo
 Monesia. *Chrysophyllum Buranheim*
 Morinda. *Morinda citrifolia*, *M. tinctoria*, and *M. umbellata*
 Muruxi. *Byrsonima spicata*
 Niepa. *Samadera indica*
 Ordeal, Sassy, or Saucy. *Erythrophleum guineense*
 Panococco. *Swartzia tomentosa*
 Peruvian. Various species of *Cinchona*
 Philadelphia. *Quercus tinctoria*
 Pitayo. *Cinchona Pitayensis*
 Pottery. Various species of *Licania*
 Quercitron. *Quercus tinctoria*
 Quillai. *Quillaja saponaria*
 Red. *Cinchona succirubra*
 Californian. *Daphnidostaphylis glauca*
 Rohun. *Soymida febrifuga*
 Sassafras. *Atherosperma moschata*
 Shag. *Pithecellobium micradenium*
 Sassy. See Bark, Ordeal
 Saucy. See Bark, Ordeal
 Soft Columbian. *Cinchona latifolia*
 Sweet Wood. See Bark Plant, Cascarilla
 Tanekaha. *Phyllocladus trichomanoides*
 Tawai. *Weinmannia racemosa*
 W. Indian. *Exostemma caribbeum*
 White Wood. See Bark Plant, Canella
 Winter's. See Cinnamon, Winter's
 Worm. *Andira inermis*
Bark Tree, Stringy, of Australia. Various species of *Eucalyptus*
 Tasmanian Stringy. *Eucalyptus gigantea*
Barely, Battledore or Sprat. *Hordeum Zeocriton*
 Bear. *Hordeum vulgare* var. *hexastichum*
 Common. *Hordeum distichum*
 Fan. *Hordeum Zeocriton*

Barley, Mouse, Wall, or Wild. *Hordeum murinum*
Nepaul. *Criollo cęciceras* (*Hordeum nepalense*, *H. trifurcatum*)
Pearl or Pot. The grain of common Barley from which the skin has been removed
Pot. See Barley, Pearl
Putney. *Hordeum Zeoveriton*
Red Sea. *Hordeum deficiens*
Sea-side. *Hordeum maritimum*
Six-rowed. *Hordeum hexastichum*
Sprat. See Barley, Battledore
Two-rowed. *Hordeum distichum*
Wall. See Barley, Mouse
Wild. See Barley, Mouse
Barm Fungus. See Fungus, Yeast
Barm-leaf. *Melissa officinalis*
Barfoot. *Helleborus fétidus*
Barnabas, or St. Barnaby's, Thistle. *Centaurea solstitialis*
Baron's Mercury. Male plant of *Mercurialis annua*
Barrel Tree. *Sterculia (Delabechea) rupestris*
Barren Ivy. The small-leaved form of *Hedera Helix*
Barren Strawberry. *Potentilla Fragariastrum*
Barren-wort, American. *Vancouveria hexandra*
 Common. *Epimedium alpinum*
 Large-flowered. *Epimedium macranthum* (*E. grandiflorum*)
 Large Yellow-flowered. *Epimedium pinnatum*
 Muschi's. *Epimedium Muschianum*
 Purple-flowered. *Epimedium purpureum*
 Two-leaved. *Epimedium diphyllyum* (*Aceranthus diphyllyus*)
 Violet-flowered. *Epimedium violaceum*
Barricari-seed Plant. *Adenanthera pavonina*
Barrigon Tree. *Carolinia (Pachira) Barrigón*
Barrow Roses. *Rosa spinosissima*
Barton's Flower, Golden. *Bartonia aurea*
Bar-wood. *Baphia nitida*
Basam, Basom, Bassam, Bisom, or Beesom. *Sarothamnus scoparius* and *Calluna vulgaris*
Base Broom. *Genista tinctoria*
Base Rocket. *Reseda Luteola*
Basil, American Wild. The genus *Pycnanthemum*
 Bush. *Ocymum minimum*
 Chinese. *Plectranthus nudiflorus*
 Cow. *Saponaria Vaccaria*
 E. Indian. *Ocymum gratissimum*
 Field. *Calamintha Clinopodium* and *C. Acinos*
 Holy, or Monk's. *Ocymum sanctum*
 Purple-stalked. *Ocymum sanctum*
 Stone. *Calamintha Clinopodium*
 Sweet. *Ocymum Basilicum*
 Wild. *Calamintha Clinopodium*
Basil Barm. *Calamintha Acinos*
Basil Thyme. *Calamintha Acinos*
Basil Weed. *Calamintha Clinopodium*
Basket Fern. *Nephrodium Filix-mas*

Basket Wyth. *Tournefortia bicolor*
Bass, or Bast. *Scirpus lacustris* and *Tilia parvifolia*
Bassinet. Applied to *Geranium sylvaticum* and some species of *Ranunculus*
Bass-wood, or White-wood. *Tilia americana* White. *Tilia heterophylla*
Bast Palm. *Attalea funifera* and *Leopoldina Piassaba*
Bast Tree, Cuba. *Paritium elatum* Russian. *Tilia europaea*
Bastard Nigella. An old name for *Agrostemma Githago*
Batter Dock, or Butter Dock. *Petasites vulgaris* and *Rumex obtusifolius*
Baum-leaf. *Melittis Melissophyllum*
Bawchan, or Bawchee, Seeds. The seeds of *Psoralea corylifolia*
Bawme, or Baum. *Melissa officinalis*
Bay, Rose. *Epilobium angustifolium*
Bay Tree, Common. *Laurus nobilis* Dwarf. *Daphne Laureola* and *D. Mezereum*
 E. Indian. *Persea indica*
 E. Indian Rose. *Tabernæmontana coronaria*
 Loblolly. *Gordonia lasianthus*
 Madeira. *Laurus fatens*
 Poison. *Illicium Floridanum*
 Red. *Persea Carolinensis*
 Rose. *Nerium Oleander*
 Sweet. *Laurus nobilis*
 White. *Magnolia glauca*
Bay-berry. *Myrica cerifera*
 Californian. *Myrica californica*
 W. Indian. *Eugenia Pimenta*
Bay-berries. The fruit of *Laurus nobilis*
Bay Laurel. *Laurus nobilis*
Bay Oak. *Quercus sessiliflora*
Bay Willow. *Epilobium angustifolium*
Bays, Willow. *Salix pentandra*
Baziers. *Primula Auricula*
Bdellium Tree, Indian, or Googul. *Balsamodendron Mukul*
Bead Tree. *Melia Azedarach*
Beak Rush. See Rush
Beak Sedge, Brown. *Rhynchospora fusca* White. *Rhynchospora alba*
Beam Tree. *Pyrus Aria* Swedish. *Pyrus intermedia*
Bean, Algaroba. *Ceratonia Siliqua* Algerian Wax. A variety of *Phaseolus vulgaris*
 Asparagus. *Dolichos sesquipedalis*
 Broad Windsor. *Faba vulgaris* var. *macrospetra*
 Butter. A tender-podded variety of *Phaseolus vulgaris*
 Calabar. See Calabar Bean
 Cujumary. The seed of *Aydendron Cujumary*
 Diverse-leaved Kidney. *Phaseolus diversifolius*
 Egyptian. The seed of *Nelumbium speciosum*
 Egyptian Kidney. *Dolichos Lab-lab*
 Field, Horse, or Tick. *Faba vulgaris* var. *equina*
 French, or Kidney. *Phaseolus vulgaris*
 Frijol. *Phaseolus Hernandezii*
 Garden. *Faba vulgaris* var. *hortensis*

- Bean, Goa.** The seeds of *Psophocarpus tetragonolobus*
Green Windsor. *Faba vulgaris* var. *chlorosperma*
Hariot. The seed of *Phaseolus vulgaris*
Horse. See Bean, Field
Horse, of the W. Indies. *Canavalia gladiata*
Horse-eye. *Dolichos (Mucuna) pruriens*
Indian. *Catalpa bignonioides*
Lima Kidney. *Phaseolus lunatus*
Long-pod. *Faba vulgaris* var. *ensiformis*
Malacca. The seed of *Semecarpus Anacardium*
Mazagan. *Faba vulgaris* var. *præcox*
Mezquit. *Prosopis glandulosa*
Malucca. The seed of *Guilandina Bonducella*
Ordeal, of Old Calabar. *Physostigma venenosum*
Ox-eye. *Dolichos (Mucuna) urens*
Pichurim. The seed of *Nectandra Puchury*
Pigeon. A small-seeded variety of the Field Bean
Pythagorean. The seed of *Nelumbium speciosum* (*Nelumbo nucifera*)
Ram's Horn. *Dolichos bicontortus*
Red. *Vigna unguiculata*
Sacred. *Nelumbium speciosum*
St. Ignatius's. *Strychnos Ignatii*
Scarlet Runner. *Phaseolus multiflorus* var. *coccineus*
Seaside. *Canavalia obtusifolia* and *Vigna luteola*
Screw. *Prosopis pubescens*
Soja, or Soy. *Soja hispida*
Straight. *Vicia Faba*
Sugar. *Phaseolus saccharatus* and *P. lunatus*
Sword. *Canavalia gladiata* and the genus *Entada*
Tick. See Bean, Field
Tonquin. *Dipteris odorata*
Tornillo. *Prosopis pubescens*
Tree. See Bean Tree
Underground. *Arachis hypogaea* and *Voandzeia subterranea*
Yam. *Dolichos tuberosus*
Year. *Phaseolus vulgaris*
Yellow Sacred, or Yellow Water. *Nelumbium luteum*
White Runner. *Phaseolus multiflorus* var. *albiflorus*
Wild, of N. America. *Apios tuberosa*
Bean Caper. The genus *Zygophyllum*
Common. *Zygophyllum Fabago*
Bean Tree, Australian. *Bauhinia Hookeri* and *Castanosperrum australe*
Deccan. *Butea superba*
Red. *Erythrina Corallodendron*
Bean Trefoil. An old name for Laburnum
Bean Vine, Wild. *Amphicarpea monoica*
Bear, Bre, Beer, Beir, Big, or Bigg Barley. *Hordeum vulgare* var. *hexastichum*
Bear-Bane. *Aconitum arctophorum*
Bear-berry, Alpine or Black. *Arctostaphylos (Arbutus) alpina*
Californian. *Rhamnus Purshianus*
Common. *Arctostaphylos Uva-ursi*
N. W. American. *Rhamnus Purshianus*
- Bear-bind.** *Convolvulus arvensis*, *C. sepium*, *Lonicera Periclymenum*, *Polygonum Convolvulus*, and the genus *Calystegia*
Bear Grass. The genus *Yucca*
Beard Grass. See Grass
Beard-tongue. The genus *Pentstemon*
Bear's Bed. *Polytrichum juniperinum*
Bear's-breech. The genus *Acanthus*
 Armed. *Acanthus spinosissimus*
 Common. *Acanthus mollis*
 Long-leaved. *Acanthus longifolius*
 Soft-leaved. *Acanthus mollis*
 Spiny. *Acanthus spinosus*
 Stately. *Acanthus latifolius*
Bear's-ear. *Primula Auricula*
Bear's-ear Sanicle. *Cortusa Matthioli*
Bear's-foot. *Helleborus foetidus*, *H. viridis*, *H. niger*, *Aconitum Napellus*, and *Alchemilla vulgaris*
Bear's Garlick. *Allium ursinum*
Bear's Grass. *Camassia esculenta*
Bear-wort. *Meum athamanticum*
Beast's-Bane. *Aconitum theroiphorum*
Beaver Poison. *Cicutia maculata*
Beaver Tree, or Beaver-wood. *Magnolia glauca*
Beck Bean. *Menyanthes trifoliata*
Bedeguar, or Sweet Briar Sponge. A gall found on the Sweet Briar and other Roses
Bede Sedge. *Sparganium ramosum*
Bedewen, or Bedwen. *Betula alba*
Bedlam Cowslip. The Paigle or larger Cowslip and *Pulmonaria officinalis*
Bedstraw. All the species of *Galium*, except *G. Aparine*; also applied to *Desmodium Aparines*
 Bloomer's. *Galium Bloomeri*
 Corn. *Galium tricornе*
 Cross-wort. *Galium Cruciatum*
 Great. *Galium Mollugo*
 Heath. *Galium saxatile*
 Hedge. *Galium Mollugo*
 Lady's. *Galium verum*
 Marsh. *Galium palustre*
 Northern. *Galium boreale*
 Rough. *Galium asprellum*
 Swamp. *Galium uliginosum*
 Wall. *Galium parisincense*
 Yellow. *Galium verum*
Bedwind. *Convolvulus sepium*
Beebeeree, or Bibiri, Tree. *Nectandra Rodiae*
Bee-bread. *Trifolium pratense*
Bee-feed, Californian. *Eriogonum fasciculatum*
Bee Flower. *Ophrys apifera*
Bee Larkspur. *Delphinium grandiflorum* and other cultivated species
Bee, Day, or Deye Nettle. *Galeopsis Tetrahit*, *G. versicolor*, and *Lamium album*
Bee Orchis. See Orchis
Beech, American Purple. *Fagus ferruginea*
 Australian. *Tectona australis*
 Blue. *Carpinus americana*
 Common. *Fagus sylvatica*
 Copper-coloured. *Fagus sylvatica* var. *cuprea*
 Crested. *Fagus sylvatica* var. *cristata*
 Cut-leaved. *Fagus sylvatica* var. *incisa*
 Dutch. *Populus alba*
 Evergreen. *Fagus betuloides*

Beech, Fern-leaved. *Fagus sylvatica* var. *asplenifolia*
Horn, Horse, Horst, or Hurst. *Carpinus Betulus*
N. S. Wales. *Monotoca elliptica*
New Zealand. *Fagus fusca*
Oblique-leaved. *Fagus obliqua*
Purple. *Fagus sylvatica* var. *purpurea*
Seaside. *Exostemma caribaeum*
Water. *Carpinus americana* and *Platanus occidentalis*
Weeping. *Fagus sylvatica* var. *pendula*
White. *Carpinus Betulus*
Beech-drops, False. *Monotropa Hypopitys*
Virginian. *Orobanche virginica*
Beech-fern. *Polypodium Phegopteris*
Beech-fungus. *Cytaria Darwini*
Beech-wheat. *Polygonum Fagopyrum*
Beef-wood. The genus *Casuarina*
 Australian. *Casuarina stricta*
 N. S. Wales. *Stenocarpus saligna*
 Red. *Ardisia coriacea*
 Queensland. *Banksia compar*
 White. *Schæffia chrysophylloides*
Beef-steak Plant. *Begonia Evansiana*
Beef-suet Tree. *Shepherdia argentea*
Beer. See Bear
Bee's Nest. *Daucus Carota*
Beesom. *Sarothamnus scoparius*
Beet, Chard, Leaf, Seakale, or Spinach. *Beta brasiliensis* and *B. Cicla*
 Red. *Beta vulgaris*
 Seakale. See Beet, Chard
 Sea-side or Wild. *Beta maritima*
 Sicilian. *Beta Cicla*
 Spinach. See Beet, Chard
 Sugar. A cultivated variety of *Betamaritima*
 White. *Beta Cicla*
 Wild Marsh. *Statice Limonium*
Beetle, March or Marish. *Typha latifolia*
Beggar's Basket. *Pulmonaria officinalis*
 Blanket. *Verbascum Thapsus*
 Buttons. The flower-heads of *Arctium Lappa*
 Lice. *Cynoglossum Morisonii*
 Needle. *Scandix Pecten*
Beggar Ticks, or Stick-tight. *Bidens frondosa*
 Swamp. *Bidens connata*
Beggar-weed. *Polygonum aviculare* and various other troublesome weeds
Begonia, Chestnut-leaved. *Begonia castaneaefolia*
 Collared. *Begonia manicata*
 Coral-flowered. *Begonia corallina*
 Dwarf Scarlet. *Begonia Davisi*
 Eight-petaled. *Begonia octopetala*
 Ever-blooming. *Begonia semperflorens*
 Fræbel's. *Begonia Fræbeli*
 Fuchsia-like. *Begonia fuchsoides*
 Geranium-leaved. *Begonia geranioides*
 King. *Begonia Rex*
 Many-flowered. *Begonia multiflora*
 Peruvian. *Begonia peruviana*
 Roezl's. *Begonia Roezli*
 Shining. *Begonia lucida*
 Socotran. *Begonia socotrana*
 Sweet-scented. *Begonia suaveolens*
 Tuberous-rooted. *Begonia tuberosa*
 Two-coloured. *Begonia discolor*

Begonia, Veitch's. *Begonia Veitchi*
 White-and-Scarlet. *Begonia alba coccinea*
Begoon. See Bringal
Beir. See Bear
Belder Root. *Enanthe crocata*
Belladonna. *Atropa Belladonna*
Belladonna Lily. See Lily
Bell-bind. *Convolvulus sepium*
Bell-bottle. *Scilla nutans*
Belleisle Cress. *Barbarea præcox*
Bell-flower. The genus *Campanula*
 Alliaria-leaved. *Campanula alliariæfolia*
 Allioni's. *Campanula Allioni*
 Alpine. *Campanula alpina*
 American. *Quamoclit vulgaris*
 Attic. *Campanula attica*
 Australian. *Wahlenbergia capillaris*
 Autumn. *Campanula autumnalis* (*Platycodon autumnale*) and *Gentiana Pneumonanthe*
 Barrelier's. *Campanula Barrelieri*
 Bearded. *Campanula barbata*
 Branching. *Campanula divaricata*
 Broad-leaved. *Campanula latifolia*
 Candelabrum. *Campanula macrostylia*
 Carpathian. *Campanula carpatica*
 Chinese. *Platycodon grandiflorum*
 Clustered. *Campanula glomerata*
 Corn-field. *Campanula hybrida*
 Creeping. *Campanula rapunculoides*
 Crowded-flowered. *Campanula aggregata*
 Dark-coloured Dwarf. *Campanula pulla*
 Diamond-leaved. *Campanula rhomboidea*
 Diminutive. *Campanula pusilla*
 Diminutive White. *Campanula pusilla alba*
 Dwarf. *Campanula pumila*
 Elatine. *Campanula Erinus*
 Elegant. *Campanula elegans*
 Equal-leaved. *Campanula isophylla*
 Flax-leaved. *Campanula linifolia*
 Forked. *Campanula Erinus*
 Fragile. *Campanula fragilis*
 Gland. The genus *Adenophora*
 Great. *Campanula grandis*
 Gummy. *Campanula sarmatica* (*C. gummifera*)
 Henderson's. *Campanula Hendersoni*
 Hohenhacker's. *Campanula Hohenhackeri*
 Host's. *Campanula Hosti*
 Ivy-leaved. *Campanula* (*Wahlenbergia*) *hederacea*
 Langsdorff's. *Campanula Langsdorffiana*
 Large-flowered. *Campanula macrantha*
 Large-flowered White. *Campanula macrantha alba*
 Leutwein's. *Campanula Leutweini*
 Ligurian. *Campanula isophylla* (*C. floribunda*)
 Long-flowered. *Campanula nobilis*
 Long-leaved. *Campanula longifolia*
 Long-styled. *Campanula macrostylia*
 Lorey's. *Campanula Loreyi*
 Madeira. *Wahlenbergia lobelioides*
 Marsh. *Campanula aparinoides*
 Michaux's. *Michauxia campanuloides*
 Milk-white. *Campanula lactiflora*
 Mont Cenis. *Campanula cenisia*
 Mount Gargano. *Campanula gorganica*
 Nettle-leaved. *Campanula urticæfolia*, *C. celtidifolia*, and *C. Trachelium*

Bell-flower, N. S. Wales. <i>Wahlenbergia gracilis</i>	Bent. <i>Psamma Arenaria</i> ; also applied to the old stalks of various Grasses
Noble. <i>Campanula grandiflora</i> (<i>Platycodon grandiflorum</i>)	Bent Grass. <i>Agrostis vulgaris</i> , <i>Aira cespitosa</i> , and <i>A. flexuosa</i>
Peach-leaved. <i>Campanula persicifolia</i>	Bent-wood. <i>Hedera Helix</i>
Pendulous. <i>Campanula</i> (<i>Sympyandra pendula</i>)	Ben-weed. <i>Senecio Jacobaea</i>
Portenschlag's. <i>Campanula Portenschlagiana</i>	Benzoin Bush. See Benjamin
Primrose-leaved. <i>Campanula primulæfolia</i>	False. <i>Terminalia mauritiana</i>
Pyramidal. <i>Campanula pyramidalis</i>	Berberry. See Barberry
Rainer's. <i>Campanula Rainieri</i>	Bere. See Bear
Sage-leaved. <i>Campanula collina</i>	Bergamot. <i>Mentha citrata</i>
Shining. <i>Campanula nitida</i>	American Wild. <i>Monarda fistulosa</i>
Showy. <i>Campanula speciosa</i>	Medicinal. <i>Citrus Bergamia</i> var. <i>vulgaris</i>
Sibthorp's. <i>Campanula Sibthorpi</i>	Berries. The fruit of <i>Ribes Grossularia</i>
Silvery-leaved Dwarf. <i>Edraianthus Pumilio</i> and other species	Yellow or Persian. The berries of <i>Rhamnus infectiorius</i>
Soldanella - flowered. <i>Companula soldanella</i>	Bertram. An old name for <i>Anacyclus Pyrethrum</i>
Spear-leaved. <i>Campanula lanceolata</i>	Besom-weed. The genus <i>Thlaspi</i>
Spotted. <i>Campanula punctata</i>	Betel-nut. See Nut
Spreading. <i>Campanula patula</i>	Betel-nut Palm. See Palm
Swamp, of California. <i>Campanula linnæifolia</i>	Beth Root, or Birth Root. <i>Trillium erectum</i>
Tall American. <i>Campanula americana</i>	Betle-leaf. See Betle-pepper
Tasmanian. <i>Wahlenbergia littoralis</i>	Betle-pepper or Betle-leaf. See Pepper
Thompson's. <i>Campanula Thompsoni</i>	Betony, Brook or Water. <i>Scrophularia aquatica</i>
Tufted. <i>Campanula cespitosa</i> (<i>C. pumila</i>)	Common. <i>Stachys Betonica</i>
Turban. <i>Campanula turbinata</i>	Field. <i>Stachys arvensis</i>
Van Houtte's. <i>Campanula Van Houttei</i>	Large-flowered. <i>Betonica grandiflora</i>
Vase-flowered. <i>Campanula turbinata</i>	Marsh. <i>Stachys palustris</i>
Wall. <i>Campanula muralis</i>	St. Paul's. <i>Veronica serpyllifolia</i>
Wanner's. <i>Campanula</i> (<i>Sympyandra</i>) <i>Wanneri</i>	Wood. <i>Stachys Betonica</i>
Woolly-leaved. <i>Campanula petraea</i>	Wood, American. <i>Pedicularis canadensis</i>
Zoys's. <i>Campanula Zoysi</i>	Bhang or Hashish. The dried leaves and small stalks of <i>Cannabis sativa</i> mixed with flour and various other additions
Bell Heather, or Bell Heath. <i>Erica Tetralix</i>	Bhel Fruit. See Bael Fruit
Bell Rose. <i>Narcissus Pseudo-Narcissus</i>	Bibir Tree. See Beeberee
Bell Ware. <i>Zostera marina</i>	Bifoil. <i>Listera ovata</i>
Bell Woodbind. <i>Convolvulus sepium</i>	Big or Bigg. See Bear
Bell-wort, Large-flowered. <i>Uvularia grandiflora</i>	Bigold. An old name for <i>Chrysanthemum segetum</i>
Sessile-leaved. <i>Uvularia sessilifolia</i>	Big Root or Bitter Root, Californian. <i>Megarrhiza californica</i> (<i>Echinocystis fabacea</i>)
Bell-weed (Ball-weed?). <i>Centaurea nigra</i>	Big Tree, Californian. <i>Sequoia gigantea</i>
Bells, Candlemas. <i>Galanthus nivalis</i>	Bikh, Bisk, Bish, or Bis, Poison, of Nepaul. <i>Aconitum ferox</i>
Canterbury. <i>Campanula Medium</i> and <i>C. Trachelium</i>	Bilberry. <i>Vaccinium Myrtillus</i>
Coventry. <i>Campanula Medium</i> and <i>Anemone Pulsatilla</i>	Bear. <i>Arctostaphylos Uva-ursi</i>
Dead Men's. <i>Digitalis purpurea</i>	Bog. <i>Vaccinium uliginosum</i>
Easter. <i>Stellaria Holostea</i>	Jamaica. <i>Vaccinium meridionale</i>
Hedge. <i>Convolvulus sepium</i> and <i>Convolvulus arvensis</i>	Kamtschatkan. <i>Vaccinium prastans</i>
Peach. <i>Campanula persicifolia</i>	New Zealand. <i>Gaultheria antipoda</i>
Sea. <i>Convolvulus Soldanella</i>	Whortle. <i>Vaccinium Myrtillus</i>
Steeple. <i>Campanula pyramidalis</i>	Bilimbi Tree. <i>Averrhoa Bilimbi</i>
Witch's. <i>Campanula rotundifolia</i>	Bilsted. <i>Liquidambar styraciflua</i>
Wood. <i>Scilla nutans</i>	Bind-corn. <i>Polygonum Convolvulus</i>
Belly-ache Bush. <i>Jatropha gossypiifolia</i>	Bind-weed. <i>Convolvulus arvensis</i> and several other climbing plants
Belvedere. <i>Kochia</i> (<i>Chenopodium</i>) <i>Scoparia</i>	Blue-flowered. <i>Ipomoea carnea</i>
Bembil. <i>Eucalyptus populifolia</i>	Blue Rock. <i>Convolvulus mauritanicus</i>
Ben, or White Ben. <i>Silene inflata</i>	Blushing. <i>Convolvulus erubescens</i>
Ben-dock. <i>Oenanthe crocea</i>	Bryony-leaved. <i>Convolvulus bryoniaefolius</i>
Bengal Quince. <i>Ajuga Marmelos</i>	Cantabrian. <i>Convolvulus cantabricus</i>
Root. The root of <i>Zingiber Casumuniar</i>	Dahurian. <i>Calystegia dahurica</i> (<i>Convolvulus dahuricus</i>)
Benjamin Bush. <i>Lindera Benzoin</i>	Double-blossomed. <i>Calystegia pubescens</i>
Bennels. <i>Phragmites communis</i>	<i>fl.-pl.</i>
Benner-gowan. <i>Bellis perennis</i>	
Bennet, Herb. <i>Geum urbanum</i>	

- Bind-weed, Dwarf.** *Calystegia spithamea*
Mallow. *Convolvulus althaeoides*
Pigmy. *Convolvulus lineatus*
Riviera. *Convolvulus althaeoides*
Rosy-flowered. *Convolvulus sepium* var.
roseus
Scarlet-flowered. *Ipomoea coccinea*
Shrubby. *Convolvulus Creorum*
Silky. *Convolvulus sericeus*
Silvery. *Convolvulus Creorum*
White Star. *Ipomoea lacunosa* (*Convolvulus micranthus*)
Bindweed Nightshade. *Circæa Lutetiana*
Bindwith. The genus *Clematis*, especially
C. Vitalba
Bindwood. *Hedera Helix*
Binweed. *Senecio Jacobaea*
Biophytum. *Biophytum sensitivum* (*Oxalis sensitiva*)
Bine, or Bines. *Convolvulus arvensis*; also
the stalks of the Hop (*Humulus Lupulus*)
Birch, American, White, Gray, or Old Field.
Betula alba var. *populifolia*
Antarctic. See Birch, Fuegian
Black. *Betula lepta*
Canoe, or Paper. *Betula papyracea*
Cherry. *Betula lenta*
Common. *Betula alba*
Common Weeping. *Betula alba* var. *pendula*
Cut-leaved. *Betula populifolia* var. *laciniate*
Cut-leaved Weeping. *Betula incisa* var.
pendula
Dwarf. *Betula nana*
Dwarf American. *Betula glandulosa*
E. Indian. *Betula Bhojputtra*
Fern-leaved. *Betula laciniate*
Fern-leaved Weeping. *Betula laciniate*
var. *pendula*
Fuegian, or Antarctic. *Betula antarctica*
Gray. See Birch, American White, and
Birch, Yellow
Hairy Dwarf. *Betula pumila*
Jamaica. *Bursera gummifera*
Kamtschatka Weeping. *Betula tristis*
Low. *Betula pumila*
Mahogany. *Betula lenta*
Old Field. See Birch, American White
Otago. *Fagus Menziesii*
Paper. See Birch, Canoe
Red, or River. *Betula nigra*
River. See Birch, Red
Sweet. *Betula lenta*
W. Indian. *Bursera gummifera*
White New Zealand. *Fagus Solandri* and
F. cliffortioides
Yellow, or Gray. *Betula lutea*
Bird Briar. *Rosa canina*
Bird Cherry. *Prunus Padus*
Bird Eagles. The fruit of *Crataegus Oxyacantha*
Bird Grass. *Poa trivialis*
Bird Plant, Mexican. *Heterotoma lobelioides*
Bird Thistle. *Carduus lanceolatus*
Bird's Bill. *Trigonella ornithorrhynchus*
Birds'-head Orchid. See Orchid
Bird's Eyes. *Veronica Chamœdrys* and many
other plants with small bright flowers
Bird's Foot, or Bird's-foot Trefoil. *Lotus corniculatus*
Bird's Foot, Channel Islands. *Ornithopus ebracteatus* (*Arthrobolium ebracteatum*)
Common. *Ornithopus perpusillus*
Hairy. *Ornithopus compressus*
Bird's Nest. *Daucus Carota*
Yellow. *Monotropa Hypopitys*
Bird's-nest Fern. See Fern
Bird's-nest Orchis. See Orchis
Bird's Tongue. *Senecio paludosus*, the
genus *Ornithoglossum*, *Stellaria Holostea*,
and a few other plants, probably from
the shape of the leaves
Birk (Birch). *Betula alba*
Birk Apples. Cones of *Pinus sylvestris*
Birth-root. *Trillium erectum*
Birth-wort. The genus *Aristolochia*
Broad-leaved. *Aristolochia Siphon*
Sweet-scented. *Aristolochia odoratissima*
Upright. *Aristolochia Clematitis*
Woolly. *Aristolochia tomentosa*
Bis. See Bikh
Bish. See Bikh
Bishop's Cap. See Mitre-wort
Bishop's Elder. *Ægopodium Podagraria*
Bishop's Hat. *Epimedium alpinum*
Bishop's Leaves. *Scrophularia aquatica*
Bishop's Weed. *Ægopodium Podagraria*
Common. *Ammi majus*
Mock. The genus *Discopleura*
Prickly-seeded. *Ammi copticum*
Toothpick. *Ammi Visnaga*
True. *Ammi copticum*
Bishop's Wort. *Stachys Betonica*
Bisk. See Bikh
Bistort, Great. *Polygonum Bistorta*
Small. *Polygonum viviparum*
Bitch-wood. *Piscidia carthagenensis*
Biting Clematis. *Clematis Vitalba*
Biting Dragon. An old name for Tar-
ragon
Bitter-bark Tree. *Pinckneya pubens*
Bitter-blain. *Vandellia difusa*
Bitter Cress. The genus *Cardamine*. (See
also Cress.)
Bitter King. *Soulamea amara*
Bitter Nut, N. American. *Carya amara*
Bitter Root. *Lewisia rediviva*
Californian. See Big Root
Natal. *Gerrardanthus macrorrhiza*
Bittersgall. The fruit of *Pyrus Malus*
var. *acerba*
Bittersweet. *Solanum Dulcamara* and *Spirea Ulmaria*
Climbing. *Celastrus scandens*
Bitter Vetch. The genus *Orobus*
Black-rooted. *Orobus niger*
Gmelin's. *Orobus Gmelini*
Hoary. *Orobus canescens*
Spring. *Orobus vernus*
Yellow-flowered. *Orobus aurantius*
Bitter Weed. *Ambrosia artemisiæfolia*
Bitter-wood. The genera *Picramnia* and
Simaruba; also *Xylopia glabra* and other
species
Guiana. *Xylopia frutescens*
Madagascar. *Carissa Xylopicron*
N. American. *Simaruba glauca*
W. Indian. *Xylopia glabra*
White. *Trichilia spondioides*

Bitter-wort.	Various species of <i>Gentiana</i>	Bladder-wort.	The genus <i>Utricularia</i>
Black Alder.	<i>Rhamnus Frangula</i>	Endres's.	<i>Utricularia Endresi</i>
Black Beard Shrub.	<i>Pithecolobium Unguis-cati</i>	Inflated.	<i>Utricularia inflata</i>
Black-berry.	<i>Rubus fruticosus</i> , <i>Vaccinium Myrtillus</i> , and <i>Ribes nigrum</i>	Small.	<i>Utricularia minor</i>
Common or High, American.	<i>Rubus villosus</i>	Blaeberry.	<i>Vaccinium Myrtillus</i>
High.	See Blackberry, Common	Blanket Flower.	Blunt-toothed. <i>Gaillardia amblyodon</i>
Low.	<i>Rubus canadensis</i>	Bristly.	<i>Gaillardia aristata</i>
Low Bush.	<i>Rubus trivialis</i>	Lance-leaved.	<i>Gaillardia lanceolata</i>
Oregon.	<i>Rubus ursinus</i>	Large-blossomed.	<i>Gaillardia grandiflora</i>
Running Swamp.	<i>Rubus hispida</i>	Loisel's.	<i>Gaillardia Loiselii</i>
Sand.	<i>Rubus cuneifolius</i>	Blanket Leaf.	<i>Verbascum Thapsus</i>
Black-boy Tree.	The genus <i>Xanthorrhœa</i>	Blawort.	<i>Campanula rotundifolia</i> and <i>Centaurea Cyanus</i>
Black Bryony.	<i>Tamus communis</i>	Blazing Star.	<i>Helonias dioica</i> , <i>Liatris squarrosa</i> , and <i>Chamaelirion luteum</i>
Black-butt.	<i>Eucalyptus pilularis</i>	Bleeding Heart.	<i>Aristolochia peduncularis</i> , <i>Cheiranthus Cheiri</i> , <i>Colocasia esculenta</i> , and <i>Dicentra formosa</i> ; also a variety of Cherry
Black-cap.	<i>Typha latifolia</i>	Plumy.	<i>Dicentra eximia</i>
Black Dogwood.	<i>Prunus Padus</i>	Bleeding Nun.	<i>Cyclamen europaeum</i>
Black-drink Tree.	<i>Ilex Cassine</i>	Bleeding Willow.	<i>Orchis Morio</i>
Black Grass.	<i>Alopecurus agrestis</i> and a few other Grasses	Blessed Thistle.	<i>Carduus benedictus</i> and <i>C. Marianus</i>
Black-heads.	<i>Typha latifolia</i>	Blewart.	<i>Veronica Chamædrys</i>
Black-heart.	<i>Vaccinium Myrtillus</i> ; also a variety of Cherry	Blewits (Blue Hats).	<i>Agaricus personatus</i>
Black Heath.	<i>Erica cinerea</i>	Blimming.	<i>Averrhoa Bilimbi</i>
Black Hellebore.	<i>Astrantia major</i>	Blind Ball.	<i>Lycoperdon Bovista</i> and other species
Black Horehound.	<i>Ballota nigra</i>	Blind Eyes.	<i>Papaver Rhæas</i> , or <i>P. dubium</i>
Blackening Plant.	<i>Hibiscus Rosa-sinensis</i>	Blind Nettle.	<i>Lamium album</i> and various other Labiate plants with leaves resembling those of the Nettle
Black-knot Fungus.	See Fungus	Blinding Tree.	<i>Excacaria Agallocha</i>
Black Maiden-hair.	<i>Adiantum Capillus-Veneris</i>	Blinks.	<i>Montia fontana</i>
Black Maire, New Zealand.	<i>Olea Cunninghamii</i>	Blister Plant.	<i>Ranunculus acris</i> and other species
Black Pot-herb.	See Pot-herb	Blite.	<i>Chenopodium Bonus-Henricus</i> and various species of <i>Atriplex</i> and other Chenopodiaceous plants
Black Root.	<i>Sympytum officinale</i> and <i>Leptandra virginica</i>	Coast, or Sea.	<i>Blitum maritimum</i> (<i>Suæda maritima</i>)
American.	<i>Pterocaulon pycnostachyum</i>	Shrubby Sea.	<i>Schoberia fruticosa</i>
Black Sampson.	The genus <i>Echinacea</i>	Wild.	<i>Amarantus Blitum</i>
Black Top.	<i>Centaurea scabiosa</i>	Blood Berry.	<i>Rivina humilis</i>
Blackthorn.	<i>Prunus spinosa</i>	Blood Cups.	<i>Peziza coccinea</i>
W. Indian.	<i>Acacia Farnesiana</i>	Blood Flower.	The genus <i>Hæmanthus</i>
Black-wood, Australian.	<i>Acacia Melanoxyylon</i>	W. Indian.	<i>Asclepias curassavica</i>
E. Indian.	<i>Dalbergia latifolia</i>	Blood Hilder (Blood Elder).	<i>Sambucus Ebulus</i>
N. S. Wales.	<i>Acacia Melanoxyylon</i>	Blood Root.	<i>Potentilla Tormentilla</i> and <i>Sanguinaria canadensis</i>
St. Helena.	<i>Melhania Melanoxyylon</i>	Bloodstrange.	<i>Myosurus minimus</i>
W. Australian.	<i>Acacia penninervis</i>	Blood Tree.	<i>Croton gossypifolium</i>
Black-wort.	<i>Sympytum officinale</i>	Blood-wood,	Australian. <i>Eucalyptus corymbosa</i> and <i>E. eximia</i>
Bladder Campion.	<i>Silene inflata</i>	E. Indian.	<i>Lagerstræmia Regia</i>
Bladder Fern.	The genus <i>Cystopteris</i>	Jamaica.	<i>Gordonia Hæmatoxylon</i>
Bladder Herb.	<i>Physalis Alkekengi</i>	Norfolk Island.	<i>Baloghia lucida</i>
Bladder Ketmia.	<i>Hibiscus</i> (<i>Ketmia</i>) <i>Trionum</i>	Queensland.	<i>Eucalyptus paniculata</i>
Bladder Moss.	See Moss	Victoria.	<i>Eucalyptus corymbosa</i>
Bladder Nut, African.	<i>Royena lucida</i>	Blood Vine.	<i>Epilobium angustifolium</i>
American.	<i>Staphylea trifoliata</i>	Blood-wort.	<i>Rumex sanguineus</i> and a few other plants
Common.	<i>Staphylea pinnata</i>	Bloody Dock.	<i>Rumex sanguineus</i>
Ivory-flowered.	<i>Staphylea colchica</i>	Bloody Finger.	<i>Digitalis purpurea</i>
Bladder Pod, American.	<i>Vesicaria Shortii</i>	Bloody-man's Finger.	<i>Orchis masoëula</i> and <i>Arum maculatum</i>
Bladder Seed.	<i>Physospermum cornubiense</i>		
Grecian.	<i>Vesicaria graca</i>		
Inflated.	<i>Vesicaria utriculata</i>		
Bladder Senna, Annual.	<i>Colutea herbacea</i>		
Cape.	<i>Sutherlandia frutescens</i>		
Common.	<i>Colutea arborea</i>		
Nepaul.	<i>Colutea nepalensis</i>		
Pocock's.	<i>Colutea Halepica</i> (<i>C. Pocockii</i>)		
Red-flowered.	<i>Colutea eruenda</i>		
Smaller.	<i>Colutea media</i>		

- Bloody Warrior.** *Cheiranthus Cheiri*
Blooming Sally. *Epilobium angustifolium*
 and *E. hirsutum*
Blooming Spurge. See Spurge
Blow Ball. *Leontodon Taraxacum*
Blubber Grass. *Bromus mollis* and other
 species
Blue Ball. *Scabiosa succisa*
Blue Bell. *Scilla nutans* and *Campanula*
rotundifolia
 Large. *Scilla campanulata*
 New Zealand. Various species of *Wahlenbergia*, especially *W. saxicola*
 Of Scotland. *Campanula rotundifolia*
 Spanish. *Scilla campanulata*
 Spreading. *Scilla patula*
Blue Berry, American Common or Swamp.
Vaccinium corymbosum
 British. *Vaccinium Myrtillus*
 Canada. *Vaccinium canadense*
 Dwarf. *Vaccinium pensylvanicum*
 Low. *Vaccinium vacillans*
Blue Bonnets, or Blue Caps. *Scabiosa succisa*,
Centaura Cyanus, and a few other plants
Blue Bottle. *Scilla nutans*, *Centaura Cyanus*, and various other blue flowers
Blue Bush, Mexican. *Ceanothus azureus*
 Pimpled. *Ceanothus papillosus*
 Tooth-leaved. *Ceanothus dentatus*
Blue Buttons. *Scabiosa succisa* and
 various other plants with button-like
 blue flowers
Blue Chamomile. *Aster Tripolium*
Blue Cowslip. *Pulmonaria angustifolia*
Blue Creeper, Tasmanian. *Comesperma volubilis* (*C. gracilis*)
Blue Curls. *Iris dichotoma* and *Trichostema dichotoma*
Blue Daisy. *Aster Tripolium* and the
 genus *Globularia*
Bluets. *Houstonia cærulea*
Blue Eyes. *Veronica Chamaedrys*
Blue-eyed Grass. See Grass
Blue Grass. Various species of *Carex*
Blue Hearts. *Buchnera americana*
Blue Innocence. *Houstonia cærulea*
Blue John. *Taxus stricta*
Blue Kiss. *Scabiosa cæcisa*
Blue Legs. *Agaricus personatus*
Blue Money. *Anemone Pulsatilla*
Blue Mould of Cheese. See Mould
Blue Rocket. *Aconitum pyramidale* and
 other species
Blue Runner. *Nepeta Glechoma*
Blue Seggin. *Iris fætidissima*
Blue Stars. *Veronica Chamaedrys*
Blue Tangles. *Vaccinium frondosum*
Blue Venus' Pride. *Houstonia cærulea*
Blue Weed. *Echium vulgare*
Blue-wood. *Condalia obovata*
Blush-wort. The genus *Erythraea*
Bo Tree. *Ficus indica*
Boar Thistle. *Carduus lanceolatus* and *C. arvensis*
Boar's Ears. *Primula Auricula*
Boar's Foot. *Helleborus viridis*
Bobbin Joan. *Arum maculatum*
Bobbins. *Arum maculatum*, *Nymphaea alba*,
 and *Nuphar lutea*
- Buckwheat (Buckwheat).** *Polygonum Fagopyrum*
Bog Bean, or Buck Bean. *Menyanthes trifoliata*
Bog Berry. *Vaccinium Oxycoccos*
Bog Moss. See Moss
Bog Myrtle. *Myrica Gale*
Bog Nut. *Menyanthes trifoliata*
Bog Pimpernel. *Anagallis tenella*
Bog Rhubarb. *Petasites vulgaris*
Bog Straw-berry. *Comarum palustre*
Bog Trefoil. *Menyanthes trifoliata*
Bog Violet. *Pinguicula vulgaris*
Bolbonac. An old name for *Lunaria biennis*
Boldo, or Boldo, Tree. *Boldoa fragrans*
Boliaun. *Senecio Jacobaea*
Bollas, Bullas, or Bullace. The fruit of *Prunus insititia* and *P. spinosa*
Bolts. An old name for *Trollius europæus*
Bombast. An old name for the genus
Gossypium
Bonduc Seeds. See Nicker Seeds
Bone Flower. *Bellis perennis*
Bone Seed. The genus *Osteospermum*
Bone-set. *Sympytum officinale*
 American. *Eupatorium perfoliatum* and
E. hyssopifolium
 Climbing. *Mikania scandens*
 Upland. *Eupatorium sessilifolium*
Bongrâce Moss. *Splachnum rubrum*
Bonace, or Burn-nose, Tree. *Daphne tinifolia*
Boodle, or Buddle. *Chrysanthemum segetum*
Boon Tree, or Boor Tree. *Sambucus nigra*
Boor's Mustard. *Thlaspi arvense*
Bootes. An old name for *Caltha palustris*
Borage. *Borago officinalis*
 Bell-flowered. *Borago laxiflora*
 Early-flowering. *Borago orientalis* (*B. cordifolia*)
 Fairy. *Eritrichium nanum*
 Spotted Golden. *Arnebia echooides*
Borecole. See Cabbage
Boss Fern. Various species of *Nephrodium*
Bottle Brush. *Equisetum sylvaticum*, *E. arvense*, and *Hippuris vulgaris*
Bottle-brush Flowers. The flowers of
Beaufortia splendens, *Melaleuca hypericifolia*, *Metrosideros floribunda*, and some
 species of *Callistemon*
Bottle-cod Root. *Capparis cynophallophora*
Bottle Tree, Australian. *Delabechea (Sterculia) rupestris*
 Victorian. *Delabechea (Sterculia) diversifolia*
Bouncing Bet. *Saponaria officinalis*
Boutry Tree. *Sambucus nigra*
Bower Plant, Fragrant. *Marsdenia suaveolens*
Bower, Virgin's. *Clematis Vitalba*
Bowman's Root. *Gillenia trifoliata* and
Euphorbia corollata
Box Berry. *Gaultheria procumbens*
Box Elder. *Acer Negundo* (*Negundo aceroides*)
 Californian. *Negundo californicum*
 Curled-leaved. *Acer Negundo crispum*
 Maple-leaved. *Acer Negundo*
Box Thorn. The genus *Lycium*
 Ash-coloured. *Lycium cinereum*

Box Thorn, Barbary.	<i>Lycium barbarum</i>	Brakes, Rock.	<i>Allosorus crispus</i>
Carolina.	<i>Lycium carolinense</i>	Bramble.	<i>Rubus fruticosus</i>
Chinese.	<i>Lycium chinense</i>	Arctic.	<i>Rubus arcticus</i>
Chili.	<i>Vestia tycoides</i>	Blue.	<i>Rubus caesius</i>
European.	<i>Lycium europaeum</i>	Canadian.	<i>Rubus canadensis</i>
Four-stamened.	<i>Lycium tetrandrum</i>	Cut-leaved.	<i>Rubus fruticosusvar. laciniatus</i>
Fuchsia-like.	<i>Lycium fuchsioides</i>	Dog.	<i>Ribes Cynosbati</i>
Russian.	<i>Lycium ruthenicum</i>	Double-flowered.	<i>Rubus discolor fl.-pl. and R. fruticosus fl.-pl.</i>
Shaw's.	<i>Lycium Shawii</i>	Dwarf Crimson-flowered.	<i>Rubus arcticus</i>
Slender.	<i>Lycium tenue</i>	Hawthorn-leaved.	<i>Rubus crataegifolius</i>
Small-leaved.	<i>Lycium microphyllum</i>	Japanese Climbing.	<i>Rubus phoenicolasius</i>
Spear-leaved.	<i>Lycium lanceolatum</i>	Mountain.	<i>Rubus Chamæmorus</i>
Stiff.	<i>Lycium rigidum</i>	Nepaul.	<i>Rubus nepalensis</i>
Top-shape-l-fruited.	<i>Lycium turbinatum</i>	New Zealand.	<i>Rubus australis</i>
Trew's.	<i>Lycium Trewianum</i>	Nootka Sound.	<i>Rubus Nuthanus</i>
Very Prickly.	<i>Lycium horridum</i>	Purple-flowered.	<i>Rubus odoratus</i>
Box Tree, American.	<i>Cornus florida</i>	Rose-leaved.	<i>Rubus rosafolius</i>
Asses'.	The genus <i>Lycium</i>	Rosy-flowered.	<i>Rubus spectabilis</i>
Australian.	Various species of <i>Eucalyptus</i>	Showy-flowered.	<i>Rubus spectabilis</i>
Bastard.	<i>Eucalyptus Leucoxylon</i>	Showy White-flowered.	<i>Rubus deliciosus</i>
Balearic.	<i>Buxus balearica</i>	Stone.	<i>Rubus saxatilis</i>
Chinese.	<i>Buxus chinensis</i> and <i>Murraya exotica</i>	Sweet-scented.	<i>Rubus odoratus</i>
Common.	<i>Buxus sempervirens</i>	Branch Peas.	An old name for Garden Peas
Dwarf, or Edging.	<i>Buxus sempervirens sufruticosa</i>	Brancorn, or Brawn (the "Smut" in Wheat).	<i>Ustilago setigera</i>
False.	<i>Schefflera frutescens</i>	Brandy Bottle.	<i>Nuphar lutea</i>
Flowering.	<i>Vaccinium Vitis-Idaea</i>	Brandy Mint.	<i>Mentha piperita</i>
Fortune's Round-leaved.	<i>Buxus Fortunei rotundifolia</i>	Branke Ursine.	An old name for Acanthus
Gold-edged.	<i>Buxus sempervirens aurea</i>	Brank, or Buck-wheat.	<i>Fagopyrum esculentum</i>
Gray, Queensland.	<i>Lophostemon macrophyllus</i>	Brasiletto.	See Braziletto
Gray, Victoria.	<i>Eucalyptus dealbata</i>	Brassics, or Brassock.	<i>Sinapis arvensis</i>
Japanese.	<i>Euonymus japonicusvar. radicans</i>	Brauna-wood Tree.	<i>Melanoxylon Brauna</i>
Minorca.	<i>Buxus balearica</i>	Brawlins.	<i>Arctostaphylos Uva-ursi</i> and <i>Vaccinium Vitis-Idaea</i>
Myrtle-leaved.	<i>Buxus sempervirens myrtifolia</i>	Brawn.	See Brancorn
Narrow-leaved.	<i>Buxus sempervirens angustifolia</i>	Brazilietto-wood, or Brazil-wood of commerce.	Several species of <i>Cesalpinia</i>
New Zealand.	<i>Veronica buxifolia</i>	Brazil.	<i>Peltophorum Vogelianum</i>
Prickly.	<i>Ruscus aculeatus</i> and the genus <i>Lycium</i>	Bahama.	<i>Cesalpinia Crista</i>
Pyramidal.	<i>Buxus sempervirens pyramidata</i>	Jamaica.	<i>Peltophorum Linnæi</i> (<i>Cesalpinia brasiliensis</i>)
Red, N. S. Wales.	<i>Lophostemon australis</i>	Brazil-nut Tree.	<i>Bertholletia excelsa</i>
Red, S. E. Australian.	<i>Eucalyptus polyanthemata</i>	Bread, Cuckoo's.	<i>Oxalis Acetosella</i> and <i>Cardamine pratensis</i>
Rosemary - leaved.	<i>Buxus sempervirens rosmarinifolia</i>	Australian Native.	<i>Myrsin australis</i>
Round-leaved.	<i>Buxus sempervirens rotundifolia</i>	Tartar.	The root of <i>Crambe tatarica</i>
Silvery-leaved.	<i>Buxus sempervirens argentea</i>	Bread-and-milk.	<i>Cardamine pratensis</i>
Tasmanian.	<i>Bursaria spinosa</i>	Bread-fruit Tree.	<i>Artocarpus incisa</i>
Tree.	<i>Buxus sempervirens arborescens</i>	African.	<i>Treculia africana</i>
White, Australian.	<i>Eucalyptus albens</i>	Nicobar.	<i>Pandanus odoratissimus</i>
White, N. S. Wales.	<i>Pittosporum undulatum</i>	N. Australian.	<i>Gardenia edulis</i>
Yellow, Australian.	<i>Eucalyptus melliodora</i>	Bread Mould.	See Mould
Box-wood, American or False.	<i>Cornus florida</i>	Bread-nut Tree.	<i>Brosimum Alicastrum</i>
W. Indian.	<i>Tecoma pentaphylla</i> and <i>Vitex umbrosa</i>	Bastard.	<i>Pseudolmedia spuria</i>
Boy's Love, or Lad's Love.	<i>Artemisia Abrotanum</i>	Bread Root, Missouri.	<i>Psoralea esculenta</i>
Boy's Mercury.	<i>Mercurialis annua</i>	Break-axe.	<i>Sloanea jamaicensis</i>
Brab Tree.	<i>Borassus flabelliformis</i>	Break-bones.	<i>Stellaria Holosteum</i>
Bracelet-wood Tree.	<i>Jacquinia armillaris</i>	Break-stone.	The genus <i>Saxifraga</i>
Bracken, or Brake.	<i>Pteris aquilina</i> ; sometimes applied to other large Ferns	Breeches Flower, or Dutchman's Breeches.	<i>Diclytra (Dicentra) Cucullaria</i>
Brake, Buck-horn.	<i>Osmunda regalis</i>	Briar, or Brier.	A general name for Wild Roses and Brambles
Brake-root.	<i>Polypodium vulgare</i>	Austrian.	<i>Rosa lutea var. punicea</i>
		Cat.	See Cat Briar
		Green.	<i>Smilax rotundifolia</i>
		Sensitive.	The genus <i>Schrankia</i>
		Sweet.	<i>Rosa rubiginosa</i>

- Briar Root** (a corruption of the French "Bruyère,") of which pipes are made.
Erica arborea
- Briar Rose.** *Rosa canina*
- Bride's Laces.** *Phalaris arundinacea*
- Bride-wort.** *Spiraea Ulmaria*
- Bright Meadow.** *Caltha palustris*
- Brimstone, Vegetable.** The spores of *Lycopodium* and *Selago*, used in France and Germany in the manufacture of fireworks
- Brimstone-wort.** *Peucedanum palustre*
- Bringal, Brinjal, or Begoon.** The fruit of *Solanum Melongena*
- Bristle Fern.** *Trichomanes radicans* and other species
- Bristle Moss.** See Moss
- Broad Leaf,** New Zealand. *Griselinia lucida*
- Broad Seed.** The genus *Ulospermum*
- Broccoli.** *Brassica oleracea var. Botrytis asparagoides*
- Bronze Leaf,** Rodgers's. *Rodgersia podophylla*
- Brook Bean.** *Menyanthes trifoliata*
- Brook Leek.** An old name for *Arum Dracunculus*
- Brook Lime.** *Veronica Beccabunga*
American. *Veronica americana*
- Brook Mint.** *Mentha hirsuta*
- Brook-weed, Common.** *Samolus Valerandi*
Tasmanian. *Samolus littoralis*
- Broom, African.** The genus *Aspalathus*
Amsanto. *Genista amsantica* (*G. anzanatica*)
- Arrow-jointed. *Genista sagittalis*
- Black-rooted. *Cytisus nigricans*
- Butcher's. The genus *Ruscus*; see also Butcher's Broom
- Close-branched. *Genista congesta*
- Common. *Cytisus (Sarothamnus) scoparius*
- Cypress. *Taxodium capense*
- Dyer's. *Genista tinctoria*
- Early-flowering. *Genista praecox*
- Egyptian. *Genista aegyptiaca*
- Flax-leaved. *Genista linifolia*
- Flowerly. *Genista florida*
- German. *Genista germanica*
- Gibraltar. *Genista gibraltarica*
- Hairy. *Genista pilosa*
- He. *Cytisus Laburnum*
- Jamaica Mountain. *Baccharis Scoparia*
- Jointed. *Genista sagittalis*
- Large-spined. *Genista horrida*
- Leafless. *Genista aphylla*
- Long-twiggled. *Genista virgata*
- Milk-wort-leaved. *Genista polypalæfolia*
- Mt. Etna. *Genista etnensis*
- Mountain. *Baccharis Scoparia*
- New Zealand. Various species of *Car-
michaelia*
- Pink-flowered. *Notospartium Carmichaelia*
- Portugal. *Genista lusitanica*
- Procumbent. *Genista procumbens*
- Prostrate. *Genista prostrata*
- Purging. *Genista purgans*
- Quadrangular-branched. *Genista tetragona*
- Rock. *Genista tinctoria* and other species
- Round-podded. *Genista sphærocarpa*
- Broom, Rush.** The genus *Viminaria*; also applied to *Spartium junceum*
- Scorpion.** *Genista Scoparius*
- Siberian.** *Genista sibirica*
- Silky-leaved.** *Genista sericea*
- Small-flowered.** *Genista parviflora*
- Spanish.** *Spartium junceum*
- Spanish Dwarf Prickly.** *Genista hispanica*
- Spreading.** *Genista patula*
- Swan River.** *Comesperma Scoparia*
- Sweet.** *Scoparia dulcis*
- Teneriffe.** *Cytisus nubigenus*
- Thorn.** *Ulex europeus*
- Three-spined.** *Genista triacanthos*
- Trailing.** *Genista humifusa*
- Triangular-stemmed.** *Genista triquetra*
- Umbel-flowered.** *Genista umbellata*
- W. Indian Prickly.** *Parkinsonia aculeata*
- White-flowered.** *Genista monosperma*
- White Portugal.** *Genista multiflora*
- Whitish-leaved.** *Genista candicans*
- Wood.** *Genista sylvestris*
- Violet-flowered.** *Genista aphylla*
- Broom Bush.** *Parthenium Hysterophorus*
- Broom Corn.** *Sorghum vulgare* and *S. saccharatum*
- Broom Goose-foot.** *Kochia Scoparia*
- Broom Grass.** *Andropogon scoparius*
- Broom-weed.** *Corchorus siliquosus*
- Broom-rape.** The genus *Orobanche*, especially *O. major*
- American. *Phelipæa Ludoviciana*
- Blue-flowered. *Orobanche corrolea*
- Branched. *Orobanche ramosa*
- Clove-scented. *Orobanche caryophyllacea*
- Great. *Orobanche major*
- Naked. The genus *Aphyllon*
- Red. *Orobanche rubra*
- Small. *Orobanche minor*
- Tall. *Orobanche elatior*
- Virginian. *Epiphegus virginiana*
- Brother-wort.** An old name for *Thymus Serpyllum*
- Brown Bugle.** *Ajuga reptans*
- Brown Dragons.** *Arum atro-rubens*
- Brown-wort.** *Scrophularia aquatica*
- Bruise-wort.** *Bellis perennis*
- Bruliaun.** *Bromus secalinus*
- Brunel.** *Prunella vulgaris*
- Brush Bush.** *Eucryphia pinnata*
- Brush Grass.** See Grass
- Brussels Sprouts.** *Brassica oleracea gemmifera* (*B. o. bullata minor*)
- Bryony.** *Bryonia dioica* and *Tamus communis*
- Bastard. *Cissus sicyoides*
- Black. *Tamus communis*
- Red or White. *Bryonia dioica*
- Buaze-fibre-Plant.** *Securidaca longipedunculata* (*Lophostylis pallida*)
- Buchu.** See Buchu
- Bucco.** See Buchu
- Buck Bean, Common.** *Menyanthes trifoliata*
- Fringed, or Round-leaved. *Menyanthes (Villarsia) nymphæoides*
- Buchu, Buccu, Bucca, Bucha, or Buka,** leaves. The leaves of *Barosma betulina*, *B. crenulata*, and *B. serratifolia*

Buck - eye.	Various species of <i>Pavia</i> (<i>Aesculus</i>)	Buckwheat, Wild, Californian. <i>Eriogonum fasciculatum</i>
Californian.	<i>Pavia (Aesculus) californica</i>	Buckwheat Tree. <i>Mylocaryum ligustrinum</i>
Deep-toothed-leaved Red-flowered.	<i>Pavia (Aesculus) rubra var. sublaciniata</i>	Buddle. <i>Chrysanthemum segetum</i>
Dwarf, Red - flowered.	<i>Pavia (Aesculus) rubra var. humilis</i>	Buffalo Berry, Missouri. <i>Shepherdia argentea</i>
Dwarf Red-and-yellow-flowered.	<i>Pavia (Aesculus) discolor</i>	Buffalo-grass. See Grass
Fetid, or Ohio.	<i>Pavia (Aesculus) glabra</i>	Buffalo - nut. <i>Pyrularia (Hamiltonia) oleifera</i>
Long-fruited.	<i>Pavia (Aesculus) macrocarpa</i>	Bufflehorn-wood. The wood of <i>Burchellia capensis</i>
Long-spiked-flowered.	<i>Pavia (Aesculus) macrostachya</i>	Buffles-ball-wood. The wood of <i>Gardenia Thunbergii</i>
Neglected.	<i>Pavia (Aesculus) neglecta</i>	Bug Agaric. <i>Agaricus muscarius</i>
Ohio. See Buck-eye, Fetid		Bug-bane. <i>Actaea racemosa</i>
Red-flowered.	<i>Pavia (Aesculus) carnea</i>	American. <i>Cimicifuga americana</i>
Sharp-toothed-leaved Red-flowered.	<i>Pavia (Aesculus) rubra var. arguta</i>	False. <i>Trautvetteria palmata</i>
Sweet, or Big.	<i>Pavia (Aesculus) flava</i>	Fetid. <i>Cimicifuga foetida</i>
Variegated-flowered.	<i>Pavia (Aesculus) hybrida</i>	Bug-seed. <i>Corispermum hyssopifolium</i>
Weeping Red - flowered Dwarf.	<i>Pavia (Aesculus) rubra var. humilis pendula</i>	Bugle, Alpine. <i>Ajuga alpina</i>
Yellow-flowered.	<i>Pavia (Aesculus) flava</i>	Common. <i>Ajuga reptans</i>
Buck-grass. <i>Lycopodium clavatum</i>		Erect. <i>Ajuga genevensis</i>
Buck-horn Moss. <i>Lycopodium clavatum</i>		Musky. <i>Ajuga Ira</i>
Buckie-berries. The fruit of <i>Rosa canina</i>		Pyramidal. <i>Ajuga pyramidalis</i>
Buckler Fern. The genus <i>Lastrea</i>		Variegated-leaved. <i>Ajuga reptans variegata</i>
Buckler Mustard, Ear-podded. <i>Biscutella auriculata</i>		Yellow. <i>Ajuga Chamæpitys</i>
Buck-mast. An old name for the Beech		Bugle-weed. <i>Lycopus virginicus</i>
Buckrams. <i>Allium ursinum</i>		Bugloss, or Viper's Bugloss. <i>Echium vulgare.</i>
Buck's-horn. <i>Senebiera Coronopus</i>		Also applied to some other rough-leaved plants
Buck's-horn Plantain. <i>Plantago Coronopus</i>		Purple. <i>Echium violaceum</i>
Buckthorn, Alder. <i>Rhamnus Frangula</i>		Pyrenean. <i>Echium pyrenaicum</i>
Alpine. <i>Rhamnus alpinus</i>		Red-flowered. <i>Echium rubrum</i>
American. <i>Frangula Caroliniana</i>		Russian. <i>Arnebia echooides</i>
Azorean. <i>Rhamnus latifolius</i>		Sea. <i>Mertensia maritima</i>
Box-leaved. <i>Rhamnus buxifolius</i>		Small. <i>Anchusa (Lycopsis) arvensis</i>
Broad-leaved. <i>Rhamnus latifolius</i>		Bugloss Cowslip. <i>Pulmonaria officinalis</i>
Canadian Sea. <i>Hippophaë Canadensis</i>		Buka. See Buchu
Common. <i>Rhamnus catharticus</i> and <i>Prunus spinosa</i>		Bukkum-wood. <i>Cesalpinia Sappan</i>
Dahurian. <i>Rhamnus dahuricus</i>		Bukul. <i>Mimusops Elengi</i>
Downy. <i>Rhamnus pubescens</i>		Bullace. <i>Prunus insititia</i>
Dwarf. <i>Rhamnus pumilus</i>		Double-blossomed. <i>Prunus insititia flore-pleno</i>
Dwarf Rock. <i>Rhamnus rupestris</i>		Jamaica. <i>Melicocea bijuga</i>
Dyer's. <i>Rhamnus tinctorius</i>		Red-fruited. <i>Prunus insititia fructu rubro</i>
Frangula-like. <i>Rhamnus franguloides</i>		Yellowish-white-fruited. <i>Prunus insititia fructu luteo-albo</i>
Long-leaved. <i>Rhamnus longifolius</i>		Bull Berries. The fruit of <i>Vaccinium Myrtillus</i>
Lycium-like. <i>Rhamnus lycioides</i>		Bull Daisy. <i>Chrysanthemum Leucanthemum</i>
Olive-leaved. <i>Rhamnus oleoides</i>		Bullet Tree, or Bully Tree. <i>Sapota Sideroxylon</i> and <i>Myrsine laeta</i>
Red-wooded. <i>Rhamnus Erythroxylon</i>		Bastard. <i>Bumelia retusa</i>
Rock. <i>Rhamnus saxatilis</i>		Black. <i>Bumelia ingens</i> and <i>B. nigra</i>
Sea. <i>Hippophaë rhamnoides</i>		Guiana. A species of <i>Mimusops</i>
Slender-branched. <i>Rhamnus virgatus</i>		Jamaica. <i>Lucuma mammosa</i>
Small. <i>Rhamnus pusillus</i>		Mountain. <i>Bumelia montana</i>
Southern. <i>Bumelia lycioides</i>		White. <i>Dipholis salicifolia</i>
Valencia. <i>Rhamnus valentinius</i>		Bull Foot. An old name for Colt's-foot (<i>Tussilago Farfara</i>)
Willow-leaved Sea. <i>Hippophaë salicifolia</i>		Bullimong. An old name for Buckwheat
Wulfen's. <i>Rhamnus Wulfenii</i>		Bullock's-eye. <i>Sempervivum tectorum</i>
Yellow-berried. <i>Rhamnus infectorius</i>		Bullock's-heart. <i>Anona reticulata</i>
Buckwheat, Climbing. <i>Polygonum Convolvulus</i>		Bull-grass. <i>Bromus mollis</i>
Common. <i>Polygonum Fagopyrum</i>		Bull-hoof. <i>Murucuja ocellata</i>
E. Indian. <i>Polygonum emarginatum</i>		Bull-rush, or Bul-rush. <i>Scirpus lacustris</i>
Perennial. <i>Fagopyrum cymosum</i>		and <i>Typha latifolia</i>
W. Indian. <i>Anredera scandens</i>		Great American. <i>Scirpus validus</i>

Bull-rush, Lesser. *Typha angustifolia*
Nile. *Papyrus antiquorum* (*Cyperus Papyrus*)
River. *Scirpus fluviatilis*

Bulls and Cows. *Arum maculatum*

Bull Thistle. *Carduus lanceolatus*

Bull-weed. *Centaurea nigra*

Bull-wort. *Ammi majus*

Bully Tree. See Bullet Tree

Bul-rose. *Narcissus Pseudo-Narcissus*

Bul-rush. See Bull-rush

Bumbo, or Bungo, Tree. *Daniellia thurifera*

Bum-wood. *Rhus Metopium*

Bunch Berry. *Cornus canadensis* and the fruit of *Rubus saxatilis*

Bunch Flower. *Melanthium Virginicum*

Bungo. See Bumbo.

Bunkuss Grass. See Grass

Bunt Fungus. See Fungus

Bunya-Bunya Tree. *Araucaria Bidwillii*

Bur, or Burr. *Arctium Lappa* and a few other prickly-fruited plants
 Bathurst. *Xanthium spinosum*
 Clot. *Arctium Lappa*
 New Zealand. The genus *Acæna*
 Paroquet. The genus *Triumfetta*
 Styptic, or Velvet. *Prixa echinata*

Burdock. *Arctium Lappa*
 Edible. *Lappa edulis*
 Prairie. *Silphium terebinthinaceum*
 Small. *Xanthium strumarium*

Burgrass, West Indian. *Cenchrus echinatus*

Bur Marigold. *Bidens tripartita*

Burk Tree. *Betula alba*

Burnet. *Sanguisorba officinalis* and *Potentilla Sanguisorba*
 Canadian. *Poterium canadense*
 Great. *Sanguisorba officinalis*
 Salad. *Poterium Sanguisorba*

Burnet Rose. *Rosa spinosissima*

Burnet Saxifrage. *Fimpinella Saxifraga*

Burning Bush. *Dictamnus Fraxinella*
 American. *Euonymus atropurpureus*

Burn-nose Tree. See Bonacie

Burnt-weed. *Scopolendrium vulgare*

Burn-wood. *Rhus Metopium*

Bur Parsley. *Caucalis daucoides*

Bur Reed, Common. *Sparganium ramosum*
 Floating. *Sparganium natans*
 Unbranched. *Sparganium simplex*

Burst-wort. Another name for Rupture-wort

Bur Thistle. *Carduus lanceolatus*

Bur Tree. *Sambucus nigra*

Bur-weed. *Galium Aparine*
 Knotted. *Caucalis (Torilis) nodosa*
 W. Indian. The genus *Triumfetta*

Bush Grass. *Calamagrostis Epigejos*

Bush Lawyer, of New Zealand. *Rubus australis*

Butcher's Broom, Broad-leaved. *Ruscus Hypophyllum var. latifolius*
 Climbing. *Ruscus androgynus*
 Common. *Ruscus aculeatus*
 Double-leaved. *Ruscus Hypoglossum*

Butter-and-Eggs. *Linaria vulgaris*, various species of *Narcissus*, and a few other flowers which are of two shades of yellow

Butter-and-Tallow Tree. *Pentadesma butyracea*

Butter Bean. See Bean

Butter Bur. *Petasites vulgaris*

Butter-cup. Various species of *Ranunculus*
 Chervil-leaved. *Ranunculus chærophylloides*
 Grass-leaved. *Ranunculus gramineus*
 Gowan's. *Ranunculus Gonani*
 Mountain. *Ranunculus montanus*
 Montpelier. *Ranunculus monspeliacus*
 Spiked. *Ranunculus spicatus*
 Water. *Caltha palustris*
 White. *Ranunculus amplexicaulis*

Butter Daisy. Various species of *Ranunculus*

Butter Dock. *Rumex obtusifolius*

Buttered Haycocks. *Linaria vulgaris*

Butter Flower. Another name for Butter-cup

Butterfly Flower. The genus *Schizanthus*

Butterfly Orchis. See Orchis

Butterfly Plant, E. Indian. *Phalaenopsis amabilis*
 S. American. *Oncidium Papilio*
 W. Indian. *Oncidium Papilio*

Butterfly-weed. *Asclepias tuberosa* and the genus *Calochortus*
 or Flag Flower, Virginian. *Vexillaria virginica*

Butter Grass. See Grass

Butter Leaves. The leaves of *Atriplex hortensis*

Butter-nut Tree, Common. *Caryocar nucifera*

Guiana. *Caryocar tomentosum*
 N. American. *Juglans cinerea*

Butter Root. *Pinguicula vulgaris*

Butter Tree, African, or Park's. *Bassia Parkii*
 E. Indian, or Nepaul. *Bassia butyracea*
 Shea. *Bassia Parkii*

Butter-weed. *Erigeron canadensis* and *Senecio lobatus*

Butter-wort, Common. *Pinguicula vulgaris*
 Irish, or Large-flowered. *Pinguicula grandiflora*
 Long-leaved. *Pinguicula longifolia*
 Long-spurred. *Pinguicula caudata*
 Mountain. *Pinguicula alpina*
 Pale-flowered. *Pinguicula lusitanica*
 Vallisneria-leaved. *Pinguicula vallisneriae-folia*
 White-flowered. *Pinguicula alpina*
 Yellow-flowered. *Pinguicula lutea*

Button Bush. *Cephaelanthus occidentalis*

Button Flower. The genus *Gomphphia*
 African. *Dais cotinifolia*
 Glossy-leaved. *Gomphphia nitida*

Button Gall. See Gall

Button Grass. *Avena elatior*

Button-hole. *Scolopendrium vulgare*

Button-Snake-root, Dense-spiked. *Liatris pycnostachya*
 Hairy-cupped. *Liatris elegans*
 Long-spiked. *Liatris spicata*

Button Tree. The genus *Conocarpus*

Button-weed. The genus *Borreria* (*Spermacoce*), *Centaurea nigra*, *Diodia virginica*, and *D. teres*

Button-wood. <i>Platanus occidentalis</i>	Cactus, Turk's-Cap. The genus <i>Melocactus</i>
White. <i>Laguncularia racemosa</i>	White-spined Hardy. <i>Opuntia missouriensis var. leucospina</i>
Buttons. <i>Tanacetum vulgare</i>	Winter. The genus <i>Epiphyllum</i>
Thorny. <i>Medicago muricata</i>	Cactus Dahlia. <i>Dahlia Juarezi</i>
Cabaret. <i>Asarum europaeum</i>	Cad-weed. <i>Heracleum Sphondylium</i>
Cabbage. <i>Brassica oleracea</i>	Caffre Bread. <i>Encephalartos Caffer</i> and several species of <i>Zamia</i>
Arkansas. <i>Streptanthus obtusifolius</i>	Caffre Butter. <i>Combretum butyrosum</i>
Borecole, or Kale. <i>Brassica oleracea acephala</i>	Cain-and-Abel. The tubers of <i>Orchis latifolia</i>
Brussels Sprouts. <i>Brassica oleracea buligera minor</i>	Cainito, of Australia. <i>Niemeyera (Lucuma) prunifera</i>
Chinese (Pak-choi and Pe-tsai). <i>Brassica chinensis</i>	Cairn Tangle. <i>Laminaria digitata</i>
Coupe Tronchuda. <i>Brassica oleracea costata</i>	Cajeput, or Cajuput, Tree. <i>Melaleuca Leucoxylon</i> and <i>Oreodaphne (Tetranthera) californica</i>
Dog's. <i>Thelygonum Cynocrambe</i>	Calaba Tree. <i>Calophyllum Calaba</i>
Drum-head. <i>Brassica oleracea capitata</i>	Calabar Bean, or Chop Nut. <i>Physostigma venenosum</i>
Kale. See Cabbage, Borecole	Calabash, Sweet. The fruit of <i>Passiflora maliformis</i>
Kerguelen's Land. <i>Pringlea antiscorbutica</i>	Calabash Nutmeg. <i>Monodora Myristica</i>
Kohl-Rabi. <i>Brassica Caulo-rapa</i>	Calabash Tree. Various species of <i>Crescentia</i>
Meadow. <i>Symplocarpus foetidus</i>	Calabur Tree. <i>Muntingia Calabura</i>
St. Patrick's. <i>Saxifraga umbrosa</i>	Calalau. A W. Indian name for <i>Phytolacca</i> and some other plants
Savoy. <i>Brassica oleracea bullata major</i>	Branched. <i>Solanum nodiflorum</i>
Sea. <i>Crambe maritima</i>	Green. <i>Euzolus viridis</i>
Sea Otter's. <i>Nereocystis Lutkeana</i>	Prickly. <i>Amarantus spinosus</i>
Skunk. <i>Symplocarpus foetidus</i>	Small-leaved. <i>Euzolus caudatus</i>
Turnip. <i>Brassica Napo-brassica</i>	Spanish. <i>Phytolacca octandra</i>
Turnip-rooted. <i>Brassica Caulo-rapa</i>	Calamander-wood, or Coromandel-wood. The wood of <i>Diospyros quaesita</i> and <i>D. oppositifolia</i>
Wild Californian. <i>Caulanthus crassicaulis</i> and <i>C. procerus</i>	Calambac. <i>Aloexylon Agallochum</i>
Cabbage Palm Tree. <i>Areca oleracea</i> and <i>Chamerops (Sabal) Palmetto</i>	Calamint, Alpine. <i>Calamintha alpina</i>
Cabbage Tree, Australian. <i>Corypha australis</i>	Common. <i>Calamintha officinalis</i>
Bastard. <i>Andira inermis</i>	Field. <i>Calamintha Acinos</i> and <i>C. Nepeta</i>
Bastard, or Black, of St. Helena. <i>Melanodendron integrifolium</i>	Hedge. <i>Calamintha Clinopodium</i>
Bastard, of S. America. The genus <i>Geffroya</i>	Medicinal. <i>Calamintha officinalis</i>
Black. See Cabbage Tree, Bastard	Tom Thumb. <i>Calamintha glabella</i>
Canary Island. <i>Cacalia Kleinia</i>	Small-flowered. <i>Calamintha Nepeta</i>
Small-umbelled. <i>Commidendron spurium</i>	Wood. <i>Calamintha sylvatica</i>
W. Indian. <i>Orcodoxa oleracea</i> and <i>Andira inermis</i>	Calathian Violet. <i>Gentiana Pneumonanthe</i>
Cabbage-wood. <i>Eriodendron anfractuosum</i>	Calavanche. <i>Cicer arietinum</i>
Cacao Butter Tree. <i>Theobroma Cacao</i>	Cale, or Kale. See Cabbage
Cacoons, or Cocoon, W. Indian. <i>Entada scandens</i> and <i>Fevillea (Feuillaea) cordifolia</i>	Calf's Foot. <i>Arum maculatum</i>
Cactus, Cochineal. <i>Opuntia cochinillifera</i> and <i>O. Tuna</i>	Calf' Snout. <i>Antirrhinum Oronitum</i>
Common Hardy. <i>Opuntia vulgaris</i>	Calico Bush. <i>Kalmia latifolia</i>
Elephant's-tooth. <i>Mammillaria elephan-tidens</i>	Calisaya Bark Tree, or Yellow Cinchona Bark Tree. <i>Cinchona Calisaya</i>
Erect. <i>Mammillaria erecta</i>	Calcedra-wood. The timber of <i>Flindersia australis</i>
Hardy Dwarf. <i>Opuntia humilis</i>	Callemundoo. See Cattemandoor
Houllett's Woolly. <i>Pilocereus Houlletti (P. fossulatus)</i>	Calool Tree. <i>Stereulia quadrifida</i>
Leaf-flowering. The genus <i>Epiphyllum</i>	Calumba, or Colombo, Root. <i>Yateorrhiza palmata (Cocculus palmatus)</i>
Many-headed Hedgehog. <i>Echinocactus polycephalus</i>	Calvary Clover. See Clover
Melon. See Melon Cactus	Calverkeys. See Culverkeys
Nipple. The genus <i>Mammillaria</i>	Caltrops. <i>Centaurea Calcitrapa, Tribulus terrestris</i> , and other species
Old Man. <i>Pilocereus senilis</i>	Water. <i>Potamogeton densus, P. crispus, Trapa natans</i> , and other species
Pin-pillow. <i>Opuntia curassavica</i>	Camass, or Camash. See Quamash
Rat's-tail. <i>Cactus flagelliformis</i>	Camata, or Camatena. A term applied to the unripe acorns of <i>Quercus ilex</i> , which are used for tanning and dyeing
Silvery. <i>Echinocactus myriostigma</i>	
Simpson's Hardy Hedgehog. <i>Echinocactus Simpsoni</i>	

Camatena. See Camata	Camomile, Yellow. <i>Anthemis tinctoria</i>
Cambi Resin Plant. <i>Gardenia lucida</i>	Camooyne, or Camowyne. <i>Anthemis nobilis</i>
Cambie Leaf. <i>Nymphaea alba</i> and <i>Nuphar lutea</i>	and <i>A. Cotula</i>
Cambric Grass Plant. <i>Urtica (Bæhmeria) nivea</i>	Campeachy-wood, or Log-wood. <i>Haematoxylon campechianum</i>
Cambridgeshire Oaks. Willows; in allusion to the marshy soil of the county	Campernelle. <i>Narcissus odorus</i>
Cambuca, of Brazil. <i>Marliera (Rubachia) glomerata</i>	Camphire. <i>Crithmum maritimum</i>
Camellia. <i>Camellia japonica</i> and other species	Of Scripture. Supposed to be <i>Lawsonia alba</i>
Anemone-flowered. <i>Camellia anemonæflora</i>	Camphor Tree. <i>Laurus (Cinnamomum) Camphora</i> and <i>Dryobalanops aromatica</i>
Apple-flowered. <i>Camellia maliflora</i>	Camphor-wood. <i>Callitris Ventenati</i>
Bright Crimson. <i>Camellia Beallii</i> and <i>C. Matthotiana</i>	Campion. Various species of <i>Lychnis</i> and <i>Silene</i>
Bright Rose-coloured. <i>Camellia Dride</i>	Berry-bearing. <i>Cucubalus bacciferus</i>
Bright rose, crimson-rayed. <i>Camellia Optima</i>	Bunge's. <i>Lychnis Bungeana</i>
Captain Rawes's. <i>Camellia reticulata</i>	Bladder. <i>Silene inflata</i>
Carmine-rose. <i>Camellia imbricata</i>	Double Red. <i>Lychnis dioica fl.-pl.</i>
Creamy-white. <i>Camellia ochroleuca</i> and <i>C. candidissima</i>	Moss. <i>Silene acaulis</i>
Deep Rose, large-flowered. <i>Camellia Rubens</i>	Constantinople. <i>Lychnis Chalcedonica</i>
Double White. <i>Camellia alba plena</i>	Red. <i>Lychnis diurna</i>
Fine Rosy-flowered. <i>Camellia Valtevaredo</i>	Rose. <i>Lychnis coronaria</i> . (See also Rose Campion)
Fine White. <i>Camellia compacta alba</i>	Senno. <i>Lychnis Senno</i>
Lady Banks's. <i>Camellia Sasanqua</i>	Spanish. <i>Silene Otites</i>
Large Crimson. <i>Camellia Triumphans</i>	Starry. <i>Silene stellata</i>
Large White. <i>Camellia Grunelli</i>	White. <i>Lychnis vespertina</i>
Matthot's. <i>Camellia Matthotiana</i>	Cammock, or Cammick. <i>Ononis arvensis, O. spinosa</i> , and a few other plants
Netted. <i>Camellia reticulata</i>	Camwood. <i>Baphia nitida</i>
Pure White, Fringed. <i>Camellia fimbriata</i>	Canary Creeper. <i>Tropaeolum aduncum</i>
Pure White, Imbricated. <i>Camellia Matthotiana alba</i>	Canary Grass. <i>Phalaris canariensis</i>
Red, White-ribboned. <i>Camellia Queen Victoria</i>	Canary Seed. The seed of <i>Phalaris canariensis</i>
Rosy-pink. <i>Camellia Saccoi nova</i>	Canary-wood. <i>Persea indica</i> and <i>P. canariensis</i>
Small-flowered. <i>Camellia euryoides</i>	Cancer Root. <i>Conopholis (Orobanche) americana</i> and <i>Epiphegus virginiana</i>
Snow-white. <i>Camellia Spinii</i>	One-flowered. <i>Aphyllon uniflorum</i>
Superb Rosy-flowered. <i>Camellia Lombarda</i>	Cancer-wort. <i>Linaria spuria</i> and <i>L. Elatine</i> ; also an old name for the genus <i>Veronica</i>
Three-coloured. <i>Camellia tricolor nova</i> and <i>C. tricolor imbricata plena</i>	Canchalagua, of California. The genus <i>Erythraea</i>
Vermilion-red. <i>Camellia commensa</i>	Candle-berry Myrtle. <i>Myrica cerifera</i> and <i>M. Gale</i>
White, Crimson-striped. <i>Camellia Mrs. Cope</i>	Candle-berry Tree. <i>Aleurites triloba</i>
Yellowish-white. <i>Camellia sulcata</i>	Candlemas Bells. <i>Galanthus nivalis</i>
Camel Tree, or Camelopard's Tree. <i>Acacia Giraffæ</i>	Candle Nut. See Nut
Camel's Hay. <i>Andropogon Schænanthus</i>	Candle Nut Tree. <i>Virola sebifera</i>
Camomile, or Chamomile. <i>Anthemis nobilis</i>	Candle Plant. <i>Cacalia coccinea</i>
Blue. <i>Aster Tripolium</i>	Candle Rush. <i>Juncus communis</i>
Corn. <i>Anthemis arvensis</i>	CandleTree, Panama. <i>Parmentiera cerifera</i>
Cut-leaved. <i>Anthemis chia</i>	Society Islands. <i>Aleurites moluccana</i>
Dog's. <i>Anthemis Cotula</i>	Candle-wick. <i>Verbascum Thapsus</i>
False. <i>Boltonia glastifolia</i>	Candle - wood, Californian. <i>Fouquieria splendens</i>
German. <i>Matricaria Chamomilla</i>	Jamaica. <i>Gomphia guianensis</i>
Purple. <i>Aster Tripolium</i>	S. American. <i>Sciadophyllum capitatum</i>
Purple-stalked. <i>Anthemis valentina</i>	White and Black. <i>Amyris balsamifera</i>
Red. <i>Adonis autumnalis</i>	Can Dock. <i>Nuphar lutea</i> and <i>Nymphaea alba</i>
Roman. <i>Anthemis nobilis</i>	Candy Mustard. An old name for <i>Ethionema saxatile</i>
Scentless. <i>Anthemis inodora fl.-pl.</i>	Candytuft, Alpine. <i>Iberis alpina</i> and <i>Iberis stylosa</i>
Scotch. <i>Anthemis nobilis</i>	Bitter. See Candytuft, Wild
Silvery. <i>Anthemis Aizoon</i>	Broad-leaved. <i>Iberis semperflorens</i>
Stinking. <i>Anthemis Cotula</i>	Buban's. <i>Iberis Bubani</i>
Wild. <i>Matricaria Chamomilla</i>	

Candytuft, Common Annual. <i>Iberis umbellata</i>	Cape Treasure Flower. <i>Gazania pavonia</i>
Coris-leaved. <i>Iberis corifolia</i>	Cape Weed. <i>Roccella tinctoria</i>
Dwarf Alpine. <i>Iberis petrea</i>	Australian. <i>Hypocharis radicata</i> and <i>Cryptostemma calendulacea</i>
Evergreen. <i>Iberis sempervirens</i>	New Zealand. <i>Hypocharis radicata</i>
Flax-leaved. <i>Iberis linifolia</i>	Caper Bean. See Bean Caper
Garrex's. <i>Iberis Garrexiana</i>	Caper Bush, Common. <i>Capparis spinosa</i>
Gibraltar. <i>Iberis gibraltarica</i>	Wild. <i>Euphorbia Lathyris</i>
Glaucous. <i>Iberis jucunda</i> (<i>Ethionema coridifolium</i>)	Caper Spurge. <i>Euphorbia Lathyris</i>
Late White. <i>Iberis correafolia</i> (<i>I. coriacea</i>)	Caper Tree, N. S. Wales. <i>Busbeckia arborea</i>
Lebanon. <i>Ethionema coridifolium</i> (<i>Iberis jucunda</i>)	Capillaire. <i>Adiantum Capillus-Veneris</i>
Rock. <i>Iberis saxatilis</i>	Capiivi. See Copiba
Rosemary-leaved. <i>Iberis rosmarinifolia</i>	Caprifole. <i>Lonicera Caprifolium</i>
Tenore's. <i>Iberis Tenoreana</i>	Caps. Fungi of all kinds
Wild, or Bitter. <i>Iberis amara</i>	Capsicum, Winter Cherry. <i>Solanum Pseudo-capsicum</i>
Winged. <i>Iberis pinnata</i>	Carageen, Carrageen, or Carrigeen, Moss. <i>Chondrus crispus</i>
Cane, Dumb. <i>Caladium</i> (<i>Dieffenbachia</i>) <i>seguinum</i>	Caramba, or Carambola, Tree. <i>Averrhoa Carambola</i>
Chair-bottom. <i>Calamus Rotang</i> , <i>C. rudentum</i> , <i>C. verus</i> , and <i>C. viminalis</i>	Carameile. <i>Lathyrus macrorrhizus</i>
Great Rattan. <i>Calamus rudentum</i>	Carandas. <i>Carissa Carandas</i>
Ground Rattan. <i>Rhapis flabelliformis</i>	Caravaun-beg. <i>Prunella vulgaris</i>
Imphee. <i>Sorghum saccharatum</i>	Caraway, or Caraway, Common. <i>Carum Carui</i>
Large American. <i>Arundinaria macrospuma</i>	Edible-rooted. <i>Carum Gairdneri</i> and <i>C. Kelloggii</i>
Malacca. <i>Calamus Scipionum</i>	Tuberous-rooted. <i>Carum (Bunium) Bulbocastanum</i>
Rattan. <i>Calamus Draco</i> (<i>C. Rotang</i>)	Whorled-leaved. <i>Carum (Sison) verticillatum</i>
Small American. <i>Arundinaria tecta</i>	Wild. <i>Anthriscus sylvestris</i> and <i>Cacalia atriplicifolia</i>
Snake. <i>Kunthia montana</i>	Carberry. Another name for the Gooseberry
Sugar. <i>Saccharum officinarum</i>	Carbolic-acid Plant. <i>Andromeda Leschenaultii</i>
Sugar, Chinese. <i>Sorghum saccharatum</i>	Carcel Oil Plant. <i>Brassica Napus oleifera</i>
Tobago. <i>Bactris minor</i>	Cardamom Plant, Bastard. <i>Alpinia Cardamomum</i>
Whangee, or Wanghee. <i>Phyllostachys nigra</i>	Bastard, Siam. <i>Amomum xanthoides</i>
Wild. <i>Arundo occidentalis</i> and <i>A. saccharoides</i>	Bengal. <i>Amomum aromaticum</i>
Cane Apple. <i>Arbutus Unedo</i>	Java. <i>Amomum maximum</i>
Cane Killer. <i>Alectra brasiliensis</i>	Malabar, or Small. <i>Elettaria (Alpinia) Cardamomum</i>
Canella Bark Tree. <i>Canella alba</i>	Round, or Clustered. <i>Amomum Cardamomum</i>
Canker, or Canker Rose. <i>Rosa canina</i> and <i>Papaver Rhæas</i>	Small. See Cardamom, Malabar
Canker Berry. The fruit of <i>Rosa canina</i> ; also <i>Solanum bahamense</i>	Wild, of S. Africa. <i>Xanthoxylon capense</i>
Canker-Lettuce. See Lettuce	Carde Thistle. <i>Dipsacus sylvestris</i>
Canker-weed. <i>Senecio Jacobaea</i>	Cardinal Flower. <i>Lobelia cardinalis</i> and <i>Cleome cardinalis</i>
Canker-wort. <i>Leontodon Taraxacum</i>	Card-leaf Tree. Various species of <i>Clusia</i>
Canna-down, or Cannach. <i>Eriophorum vaginatum</i>	Cardoon. <i>Cynara Cardunculus</i>
Cannon-ball Tree. <i>Couroupita (Lecythis) guianensis</i>	Care. <i>Pyrus Aucuparia</i>
Canoe-wood. <i>Liriodendron tulipifera</i>	Caribbean Bark Plant. <i>Exostemma floribundum</i>
Canterbury Bells. <i>Campanula Medium</i> and <i>C. Trachelium</i>	Caricature Plant. <i>Graptophyllum hortense</i>
Caoutchouc Tree. (See also India-rubber)	Carl Hemp. <i>Cannabis sativa</i>
Bornean. <i>Urecola elastica</i>	Carlin Heather. <i>Erica cinerea</i>
E. Indian. <i>Ficus elastica</i>	Carlin Spurs. <i>Genista anglica</i>
Panama. <i>Castilloa elastica</i> and <i>C. Markhamiana</i>	Carline Thistle. <i>Carlina vulgaris</i>
Pará. <i>Hevea brasiliensis</i> , <i>H. guianensis</i> , and other species	Acanthus-leaved. <i>Carlina acanthifolia</i>
Madras. <i>Euphorbia Cattimandoo</i>	Carlock. <i>Sinapis arvensis</i>
Cap, Friar's, Soldier's, or Turk's. <i>Aconitum Napellus</i>	Carnation, or Carnadine. <i>Dianthus Caryophyllus</i> and vars.
Cape Asparagus. <i>Aponogeton distachyon</i>	Spanish. <i>Poinciana pulcherrima</i>
Cape Gooseberry. <i>Physalis peruviana</i>	Carnation Grass. <i>Carex glauca</i> and <i>C. panicula</i>
Cape Gum Tree. <i>Acacia horrida</i>	Carnation Tree. <i>Cacalia Kleinia</i> (<i>Kleinia neriifolia</i>)
Cape Pond-weed. <i>Aponogeton distachyon</i>	

- Carnivorous Plants.** A term lately applied to *Dionaea muscipula*, *Darlingtonia californica*, the *Droseras*, and other insect-catching plants, on the supposition that they feed on the insects which they entrap
- Carob Tree.** *Ceratonia Siliqua*
- Carolina Allspice.** Glaucous-leaved. *Calycanthus glauca*
Smooth-leaved. *Calycanthus lavigata*
- Carony Bark Plant.** See Angostura Bark Plant
- Carpenter-grass.** *Prunella vulgaris*
- Carpenter's-herb.** *Rivina humilis*
- Carpenter's-leaf.** *Galax aphylla*
- Carpet-plant.** *Ionopsisidion acaule*; also a general term applied to plants of dwarf dense foliage, which are used to form an ornamental turf or "carpet"
- Carpet-weed.** The genus *Mollugo*
- Carrageen.** See Carageen
- Carraway.** See Caraway
- Carrigeen.** See Carageen
- Carrión Flower.** *Coprosmaanthus herbaceus*, *Smilax herbacea*, and the genus *Stapelia*
- Carrot,** Candy, or Cretan. *Athamanta cretensis*
Common. Cultivated varieties of *Daucus Carota*
Cretan. See Carrot, Candy
Deadly, or Stinking. The genus *Thapsia*
Peruvian. *Arracacha esculenta*
Shining-leaved. *Daucus Gingidium*
Spanish. *Daucus Visnaga*
Stinking. See Carrot, Deadly
Tasmanian. *Geranium parviflorum*
Wild. *Daucus Carota*
- Carrot-tree.** *Monizia edulis*
- Caroy Seeds.** The seeds of *Carum Carvi*
- Cascarilla-bark Tree.** *Croton Eleuteria (C. Cascarilla)*
False Bahama. *Croton lucidum*
Jamaica. *Croton Sloanei*
- Cashaw Tree.** *Prosopis dulcis* and *Prosopis juliflora*
- Cashew-nut Tree.** *Anacardium occidentale*
Wild. *Anacardium Rhinocarpus*
- Casque-wort.** The genus *Galeandra*
- Cassareep-plant.** See Cassava
- Cassava,** Cassareep, or Mandioc, plant. *Jatropha (Janipha) Manihot (Manihot utilissima)*
Bitter. *Manihot utilissima*
Sweet. *Manihot Aipi*
- Cassava-wood.** *Turpinia occidentalis*
- Cassena.** *Ilex Cassine*
- Cassia, Clove.** *Dicappellum caryophyllum*
Horse. *Cathartocarpus marginatus*
Maryland. *Cassia marilandica*
Poet's. *Osyris alba (Cassia poetica)*
Purging. *Cassia Fistula*
- Cassia-bark Tree.** Several species of *Cinnamomum*
- Cassioberry-bush.** *Viburnum lavigatum*
- Cassidony.** *Lavandula Stachys*
Golden. *Helichrysum Stachys*
- Cast-me-down.** A corruption of *Cassidony*
- Castor-bean.** *Ricinus communis*
Red. *Ricinus sanguineus*
- Castor-oil-plant.** *Ricinus communis*
- Castor-wood.** *Magnolia glauca*
- Catamaran - wood Tree.** *Gyrocarpusasiaticus*
- Catananch,** Blue. *Catananche caerulea* and vars.
Lobed-leaved. *Catananche lobata*
- Cat-berries.** *Ribes Grossularia*
- Cat-briar.** The genus *Smilax*
- Catch-fly.** The genera *Silene* and *Lychnis*
Alpine. *Silene alpestris*
Autumn. *Silene Schafta*
Bolander's. *Silene Bolanderi*
Caucasian. *Silene caucasica (S. Zavadskii)*
Clammy. *Lychnis viscosa*
Double-flowered Seaside. *Silene maritima fl.-pl.*
Dover. *Silene paradoxo*
Drooping. *Silene pendula*
Elizabeth's. *Silene Elisabethae*
Four-cleft. *Silene quadrifida*
Four-toothed. *Silene quadridentata*
German. *Lychnis Viscaria*
Giant. *Silene gigantea*
Green-flowered. *Silene viridisflora*
Greig's. *Silene Greigi*
Hooker's. *Silene Hookeri*
Italian. *Silene pendula*
Large Scarlet. *Silene rotundifolia*
Lobel's. *Silene Armeria*
Night-flowering. *Silene noctiflora*
Nottingham. *Silene nutans*
Orchis-flowered. *Silene orchidea*
Pendulous. *Silene pendula*
Pennsylvanian. *Silene pennsylvanica*
Pigmy. *Silene Pumilio* and *Silene tenella*
Requier's. *Silene Requieri*
Round-leaved. *Silene rotundifolia*
Royal. *Silene regia*
Saxifrage. *Silene Saxifraga*
Seaside. *Silene maritima*
Sickle-leaved. *Silene falcata*
Sleepy, or Snapdragon. *Silene antirrhina*
Small-flowered. *Silene anglica*
Snapdragon. See Catchfly, Sleepy
Striated. *Silene conica*
Twisted-petalled. *Silene saxatilis*
Umbel-flowered. *Silene orientalis*
- Cat-chop.** *Mesembryanthemum felinum*
- Catch-weed.** *Galium Aparine*
- Catechu Tree,** Black, Pegu, Cutch, or Terra japonica. *Acacia (Mimosa) Catechu* and *A. Suma*
Gambier. See Gambier
Pale. See Gambier
Pegu. See Catechu Tree, Black
- Catechu Palm Tree.** *Areca Catechu*
- Caterpillar Fungus.** Various species of *Cordyceps*
- Caterpillar Plant.** The genus *Scorpiurus*
Common. *Scorpiurus vermiculatus*
Furrowed. *Scorpiurus sulcatus*
Hairy. *Scorpiurus subvillosum*
Prickly. *Scorpiurus muricatus*
- Cat-gut.** *Tephrosia Virginiana*
- Cat-in-Clover.** *Lotus corniculatus*
- Catjang.** *Cajanus indicus*
- Cat-mint,** Cat-nep, or Cat-nip. *Nepeta Cataria* and *Calamintha officinalis*

Cat-mint , Blue-flowered. <i>Nepeta cœrulea</i>	Cedar , Incense. The genus <i>Libocedrus</i>
Common. <i>Nepeta Cataria</i>	Jamaica or W. Indian. <i>Cedrela odorata</i>
Large-flowered. <i>Nepeta macrantha</i>	Lebanon. <i>Cedrus Libani</i>
Malabar. <i>Anisomeles malabarica</i>	Mt. Atlas. <i>Cedrus atlantica</i>
Scallop-leaved. <i>Nepeta Mussini</i>	Oregon White. <i>Cupressus (Chamæcyparis) Lawsoniana</i>
Small. <i>Nepeta Nepetella</i>	Pencil-wood. <i>Juniperus bermudiana</i>
Cat-nip , or Cat-nep. See Cat-mint	Prickly. <i>Juniperus Oxycedrus</i>
Cat-nut . <i>Bunium flexuosum</i>	Van Dieman's Land. <i>Cyathodes Oxycedrus</i>
Cat-o'-nine-tails . <i>Typha latifolia</i>	Port Orford. <i>Cupressus (Chamæcyparis) Lawsoniana</i>
Cat-tree , or Cat-wood. <i>Euonymus europæus</i>	Queensland. <i>Pentaceras australis</i>
Cat-whin . <i>Genista anglica</i> , <i>Rosa canina</i> , <i>Rosa spinosissima</i> , and <i>Ulex nanus</i>	Red Australian. <i>Cedrela australis</i>
Cat's-claw . <i>Bignonia Unguis-cati</i> , <i>Dolichos filiformis</i> , and <i>Inga Unguis-cati</i> .	Red Californian. <i>Libocedrus decurrens</i>
Cat's-ear . <i>Hypocheiris radicata</i> and other species; also applied to <i>Gnaphalium dioicum</i> and the genus <i>Antennaria</i>	Russian. <i>Pinus Cembra</i>
Cat's-foot . <i>Nepeta Glechoma</i>	Sharp. <i>Acacia Oxycedrus</i> and <i>Juniperus Oxycedrus</i>
Mountain. <i>Antennaria dioica rosea</i>	Silvery. <i>Cedrus atlantica</i>
Cat's-milk . <i>Euphorbia Helioscopia</i>	Silvery-leaved Red. <i>Juniperus virginiana var. argentea</i>
Cat's-paw Creeper . <i>Bignonia Unguis-cati</i>	Singapore. <i>Cedrela Toona</i>
Cat's-tail . The catkin of the Hazel or Willow; also applied to <i>Equisetum</i> , <i>Hippuris</i> , and a few other plants	Stinking. <i>Torreya taxifolia</i>
Cat's-tail Grass . <i>Phleum pratense</i>	Virginia Red. <i>Juniperus virginiana</i>
Cat's-tongue . <i>Apargia serotina</i>	Water. The genus <i>Chamæcyparis</i>
Cattimandoo , Cattemundoo, or Callemundo, Gum Plant. <i>Euphorbia antiquorum</i> (<i>E. Cattimandoo</i>)	Weeping Red. <i>Juniperus virginiana var. pendula</i>
Catteridge Tree . <i>Cornus sanguinea</i>	W. Indian. See Cedar, Jamaica
Cattle-poison Plant , W. Australian. <i>Gastrolobium trilobum</i> , <i>G. obovatum</i> , and <i>G. spinosum</i>	White. <i>Cupressus thyoides</i> , <i>Libocedrus decurrens</i> , and <i>Thuja occidentalis</i>
Cauliflower , or Broccoli. <i>Brassica oleracea</i> var. <i>Botrytis cauliflora</i>	White-wood. <i>Teuoma Leucoxylon</i>
Causeway Grass . <i>Poa annua</i>	Yellow. <i>Thujopsis borealis</i>
Cavan Tree . <i>Acacia Cavenia</i>	Cedar-apples . Gall-like tubercles, produced on the bark of <i>Juniperus virginiana</i> by the fungus <i>Podisoma macropus</i>
Cavern Moss . See Moss	Cedar-wood , Guiana. <i>Icica altissima</i>
Caviuna-wood . The wood of <i>Dalbergia nigra</i>	Cedron . The fruit of <i>Simaba Cedron</i>
Caxes . See Kexes	Ceiba Tree , or God Tree. <i>Eriodendron anfractuosum</i> (<i>Bombax Ceiba</i>)
Cebadilla , or Cevadilla, Seeds. The fruit of <i>Asagrea officinalis</i> (<i>Veratrum officinale</i>)	Celandine , Greater. <i>Chelidonium majus</i>
Cedar , Australian. <i>Melia australis</i>	Japanese. <i>Chelidonium japonicum</i> (<i>C. grandiflorum</i>)
Barbadoes. <i>Juniperus barbadensis</i>	Small. <i>Ranunculus Ficaria</i>
Bastard, Barbadoes. <i>Cedrela odorata</i>	Tree. <i>Bocconia frutescens</i>
Bastard, Guiana. <i>Icica altissima</i>	Celeriac , or Turnip-rooted Celery. <i>Apium graveolens rapaceum</i>
Bastard, Jamaica. <i>Guazuma tomentosa</i>	Three-coloured. <i>Apium graveolens rapaceum</i> var. <i>tricolor</i>
Bastard, N. S. Wales. <i>Dysoxylon rufum</i>	Celery , Australian. <i>Apium prostratum</i>
Bastard, W. Indian. <i>Guazuma ulmifolia</i>	Common. <i>Apium graveolens</i>
Bermuda. <i>Juniperus bermudiana</i>	New Zealand. <i>Apium australe</i>
Brazilian. <i>Cedrela brasiliensis</i>	Turnip-rooted. See Celeriac
British Columbia. <i>Thuja gigantea</i> and <i>Juniperus Henryana</i>	Water. <i>Ranunculus sceleratus</i>
Bussaco. <i>Cupressus lusitanica</i> var. <i>pendula</i>	Centaury , American. The genus <i>Sabbatia</i>
Californian. <i>Thuja gigantea</i>	American Sweet. <i>Cacalia suaveolens</i>
Canary Islands. <i>Juniperus Cedrus</i>	Australian. <i>Centaurea australis</i>
Chinese. <i>Cedrela sinensis</i>	Babylonian. <i>Centaurea babylonica</i>
Dominica. <i>Bignonia Leucoxylon</i>	Black. <i>Centaurea nigra</i>
Dwarf Red. <i>Juniperus virginiana</i> var. <i>humilis</i>	Californian. <i>Centaurea chironoides</i>
E. Indian. <i>Cedrela Toona</i> and <i>Cedrus Deodara</i>	Common. <i>Erythraea Centaurium</i>
False. <i>Cedrela odorata</i>	Corn. <i>Centaurea Cyanus</i>
Goa. <i>Cupressus lusitanica</i>	Erect. <i>Centaurea stricta</i>
Honduras. <i>Cedrela odorata</i>	Greater. <i>Centaurea Scabiosa</i>

Centaury, Phrygian. *Centaurea Phrygia*
 Star Thistle. *Centaurea Calcitrapa*
 Swiss. *Rhaponticum cynarooides*
 Yellow-flowered. *Centaurea solstitialis* and
Chlora perfoliata

Century Plant. *Agave americana*
 Queen Victoria's. *Agave Victoriae-reginae*

Cereus, Night-flowering. *Cereus grandiflorus*

Cevadilla. See Cebadilla

Chaca. See Choco

Chafe-weed. *Gnaphalium sylvaticum*

Chaff-flower. *Alternanthera Achyrantha*

Chaff-seed. *Schwalbea americana*

Chaff-weed. *Centunculus minimus*

Chalice-flower. *Narcissus Pseudo-Narcissus*

Chamæleon, Black. *Cardopatium corymbosum*
 White. *Carlina gummifera*

Chamiso of California. The genus *Adenostoma*

Champaca-tree. *Michelia Champaca*

Champignon, Fairy-ring. See Mushroom,
 Fairy-ring

Champillion. *Agaricus arvensis*

Champ-wood. The timber of *Michelia Champaca* and *M. excelsa*

Chandelier-flower. *Brunsvigia (Amaryllis) Josephina*

Chandelier-tree. *Pandanus Candelabrum*

Chanar, or Chanal, tree. *Gourliaea decorticans*

Chantarelle. *Cantharellus cibarius*

Chaplet-flower, Madagascar. *Stephanotis floribunda*

Charas, or Churrus, plant. *Cannabis sativa*

Chards. The blanched stalks of Artichokes,
 Leaf-Beet, &c.

Charity. *Polemonium caeruleum*

Charles's-sceptre, King. *Pedicularis Scoparia Carolinum*

Charlock. *Sinapis arvensis* and *S. alba*
 Jointed, or White. *Raphanus Raphanistrum*

Chaste-Tree. *Vitex Agnus-castus*

Chats (Catkins). "Keys" of the Ash and
 Maple; also cones of Fir-trees

Chaulmugra-seed-plant. *Gynocardia odorata*

Chaw-stick, St. Domingo. *Gouania dominicensis*

Chayota-plant. *Sechium edule*

Chay-root, or Che-root. *Oldenlandia (Hedyotis) umbellata*

Cheat, Cheats, or Chess. *Bromus secalinus*
 and *Lolium temulentum*
 American. *Bromus Kalmii*

Cheddar Pink. *Dianthus cæsius*

Cheese-rennet. *Galium verum*

Cheese-room. *Agaricus arvensis*

Cheeses, or Cheese-cakes. The fruit of
Malva sylvestris

Chequer-berry. *Mitchella repens* and
Gaultheria procumbens

**Chequered Daffodil, Chequered Lily, or
 Chequered Tulip.** *Fritillaria Meleagris*

Chequer-tree. *Pyrus torminalis*

Cherimoyer-fruit. The fruit of *Annona Cherimolia*

Che-root. See Chay-root

Cherries, Dog's. The fruit of the Woodbine

Cherry, Prunus Cerasus

American Bird. *Prunus pennsylvanica*

Cherry, American Wild Black. *Prunus serotina*

American Wild Red. *Prunus pennsylvanica*

Australian. *Exocarpus cupressiformis*

Australian Brush. *Trochocarpa laurina*

Barbadoes. *Malpighia glabra*, *M. prunicifolia*, and *Eugenia uniflora*

Bastard. *Cerasus Pseudo-Cerasus*

Bastard, of the W. Indies. *Ehretia tinifolia*

Beech, or Brush. *Trochocarpa laurina*

Bigarreau. *Cerasus duracina* var. *cordigera*

Bird. *Prunus Padus*

Black. *Atropa Belladonna*

Black Choke. *Cerasus hysceralis*

Black-fruited. *Cerasus nigra*

Broad-leaved, of the W. Indies. *Cordia macrophylla*

Brush. See Cherry, Beech

Californian Wild. *Prunus demissa*

Canadian. *Cerasus pumila*

Capolin Bird. *Cerasus Capollin*

Cayenne. *Eugenia Michelii*

Choke. *Prunus virginiana*

Clammy. *Cordia Collococca*

Common. *Cerasus vulgaris* (*Prunus Cerasus*)

Cornelian. *Cornus mascula*

Cow-itch. *Malpighia urens*

Cultivated. Varieties, pure and hybrid,
 raised from *Cerasus caproniana*, *C. Juliana*, and *C. duracina*

Double-flowered. *Cerasus sylvestris* *Jl.-pl.*
 and *C. vulgaris* *Jl.-pl.*

Downy. *Cerasus pubescens*

Dwarf. *Cerasus (Prunus) pumila*

Ever-flowering. *Cerasus semperflorens*

Evergreen. *Cerasus caroliniana*

False. *Cerasus Pseudo-Cerasus*

Flemish. A variety of *Cerasus vulgaris*

Gean. *Cerasus Juliana*

Ground. *Cerasus Chamæcerasus* and the
 genus *Physicalis*

Hautbois. *Cerasus caproniana*

Helmet - fruited. *Cerasus Juliana* var.
Heaumiana

Horned. *Cerasus cornuta*

Hottentot. *Cassine Maurocenia*

Jamaica. *Ficus pedunculata*

Japan. *Cerasus (Prunus) japonica*

Jerusalem. *Solanum Pseudo-capsicum*

Kentish. A variety of *Cerasus vulgaris*

Mahaleb. *Cerasus Mahaleb*

May Duke. A variety of *Cerasus vulgaris*

Native Australian. *Exocarpus cupressiformis*

Naughty Man's. *Atropa Belladonna*

Nepaul Bird. *Cerasus nepalensis*

N. S. Wales. *Nelitrus ingens*

Northern Choke. *Cerasus borealis*

Peach-leaved. *Cerasus persicifolia*

Perfumed. *Cerasus Mahaleb*

Pigmy. *Cerasus pygmæa*

Red Cornish. *Cerasus Padus rubra*

Red Winter. *Physalis Alkekengi*

Round-fruited. *Cerasus sphærocarpa*

St. Julian's. *Cerasus Julianæ*

Sand. *Cerasus (Prunus) pumila*

Saw-leaved. *Cerasus serrulata*

Somniferous Winter. *Physalis somnifera*

Surinam. A species of *Eugenia*

Cherry , Sweet-scented Ground. <i>Cerasus Chamæcerasus fragrantissima</i>	Chicory, Large-rooted Brussels, or "Witloof." A variety of <i>Cichorium Intybus</i>
W. Indian. <i>Cerasus occidentalis</i> and various species of <i>Malpighia</i> and <i>Bunchosia</i>	Chicot. <i>Gymnocladus canadensis</i>
White-heart. <i>Cerasus duracina</i>	Chick-weed. Black Winter-green, American. <i>Trifoliate americana</i> , <i>Stellaria media</i>
Wild. <i>Prunus Avium</i>	Chinese. <i>Claytonia sibirica</i>
Willow-leaved. <i>Cerasus salicina</i>	Forked. <i>Anchusa (Queria) dichotoma</i>
Winter. <i>Physalis Alkekengi</i> and various species of <i>Solanum</i>	Golden. <i>Stellaria graminea aureo-variegata</i>
Wooden. The genus <i>Hakea</i>	Great American. <i>Stellaria pubera</i>
Cherry-Bay. Another name for Portugal Laurel	Indian. <i>Mollugo verticillata</i>
Teneriffe. <i>Cerasus Hixa</i>	Jagged. <i>Holosteum umbellatum</i>
Cherry-Crab. <i>Pyrus Malus baccata</i>	Mouse-ear. The genus <i>Cerastium</i> , especially <i>C. triviale</i> . (See also Mouse-ear-Chick-weed)
Cherry-Pepper. <i>Capsicum cerasiforme</i>	Purple. <i>Arenaria rubra</i>
Cherry-pie-flower. <i>Heliotropium peruvianum</i> and <i>Epilobium hirsutum</i>	Sea. <i>Arenaria peploides</i>
Chervil. <i>Anthriscus Cerefolium</i>	Silver. <i>Paronychia argyrocoma</i>
Broad Tooth-pick. <i>Tordylium syriacum</i>	Water. <i>Montia fontana</i>
Bur. <i>Anthriscus vulgaris</i>	W. Indian. <i>Drymaria cordata</i>
Great. <i>Myrrhis odorata</i>	Winter-green. <i>Trifoliate europea</i>
Mock. <i>Anthriscus sylvestris</i>	Chillies. See Pepper, Cayenne
Parsnip. <i>Chærophylleum bulbosum</i> (<i>Anthriscus bulbosus</i>)	Chimney-plant. <i>Campanula pyramidalis</i>
Spanish Tooth-pick. <i>Ammi Visnaga</i>	Chimney-sweeps. <i>Plantago lanceolata</i>
Tuberous-rooted, or Turnip-rooted. <i>Chærophylleum bulbosum</i>	and <i>Luzula campestris</i>
Wild. <i>Anthriscus sylvestris</i> and <i>Scandix Pecten</i>	China-Aster. See Aster
Chess. See Cheat	China-grass. <i>Bambusa (Urtica) nivea</i>
Chess-apple. The fruit of <i>Pyrus Aria</i>	China-root-plant. <i>Smilax China</i> (<i>S. ferox</i>)
Chestnut , American. <i>Castanea vesca</i> var. <i>americana</i>	W. Indian. <i>Cissus sicyoides</i>
Antilles. <i>Cupania americana</i>	Chinese-grass. See China-grass
Cape. <i>Brabejum stellatifolium</i>	Chink-wort , or Scripture-wort. The genus <i>Opegrapha</i>
Double-flowered Horse. <i>Aesculus Hippocastanum fl.-pl.</i>	Chinquapin. <i>Castanea pumila</i>
Double-flowered Red Horse. <i>Aesculus Hippocastanum rubra fl.-pl.</i>	Water. <i>Nelumbium luteum</i>
Earth. <i>Bunium flexuosum</i> and <i>Conopodium denudatum</i>	Western. <i>Castanopsis chrysophylla</i>
Fern-leaved. <i>Castanea vesca asplenifolia</i>	Chip-tree. <i>Thrinax argentea</i>
Fiji. <i>Inocarpus edulis</i>	Chirayta , or Chiretta. <i>Ophelia Chirata</i> (<i>Gentiana Chirayita</i>)
Flesh-coloured-flowered Horse. <i>Aesculus carnea</i>	Chittagong-wood. The timber of <i>Cedrela Toona</i> , <i>Chickrassia tabularis</i> , and some other trees
Golden-leaved. <i>Castanea chrysophylla</i>	Chives. <i>Allium Schenoprasum</i>
Guiana. <i>Carolinea princeps</i>	Choco, Choko, or Chaca, plant. <i>Sechium edule</i>
Horse. <i>Aesculus Hippocastanum</i>	Chocolate, Indian. <i>Geum rivale</i>
Kafir. <i>Brabejum stellatifolium</i>	Chocolate-nut-tree. <i>Theobroma Cacao</i>
Large-spiked Horse. <i>Pavia macrostachya</i>	Chocolate-root. <i>Geum canadense</i>
Moreton Bay. <i>Castanospermum australe</i>	Choke-berry. <i>Aronia (Pyrus) arbutifolia</i>
Otaheite. <i>Inocarpus edulis</i>	Choke-dog. <i>Gonolobus obliquus</i>
Pale-flowered Horse. <i>Aesculus pallida</i>	False. <i>Gonolobus carolinensis</i>
Red-flowered Horse. <i>Aesculus rubra</i> or <i>rubicunda</i>	Choke-pear. <i>Pyrus communis</i>
Smooth-fruited Horse. The genus <i>Pavia</i>	Choko-plant. See Choco
Spanish, or Sweet. <i>Castanea vesca</i>	Chola-plant. <i>Cicer arietinum</i>
Variegated. <i>Castanea vesca variegata</i>	Choop-tree. <i>Rosa canina</i>
Water. <i>Trapa natans</i>	Chop-nut. See Calabar Bean
Yellow. <i>Quercus Castanea</i>	Chowlee-plant. <i>Vigna (Dolichos) sinensis</i>
Yellow-flowered Horse. <i>Aesculus (Pavia) flava</i>	Christiseis of Californian. <i>Eschscholtzia californica</i>
Chestnut-plant , Seaside. <i>Entada Giglobium</i>	Christmas. <i>Ilex Aquifolium</i>
Chia-plant of California. <i>Salvia columbaria</i>	Christmas Gambol. <i>Ipomoea siderea</i>
Chicalote of California. <i>Argemone hispida</i>	Christmas Pride. <i>Ruellia paniculata</i>
Chica-plant . <i>Bignonia Chica</i>	Christmas Rose , Common. <i>Helleborus niger</i>
Chicory . <i>Cichorium Intybus</i>	Great. <i>Helleborus altifolius</i> (<i>H. niger maximus</i>)

- Christmas Rose**, Narrow-leaved. *Helleborus angustifolius*
 Plum-coloured. *Helleborus colchicus*
 Purple. *Helleborus purpurascens*
 Purplish-red-flowered. *Helleborus atro-rubens*
 Rose-coloured. *Helleborus orientalis*
 Syrian. *Helleborus vesicarius*
- Christmas Tree**, Australian. *Ceratopetalum gummiferum*
 Tasmanian. *Bursaria spinosa*
- Christopher**, Herb. *Actaea spicata* and *Osmunda regalis*
 Stinking. *Scrophularia aquatica* and *S. nodosa*
- Christ's-Eye**. *Inula Oculus-Christi*
Christ's-Hair. *Scolopendrium vulgare*
Christ's Thorn. *Crataegus Pyracantha* and *Paliurus aculeatus*
- Christ's-wort**. *Helleborus niger*
- Chrysanthemum**, Alpine. *Chrysanthemum alpinum*
 Common Garden. Varieties of *Chrysanthemum sinense*
 Feverfew. *Chrysanthemum Parthenium*
 Mountain. *Chrysanthemum montanum*
 Northern. *Chrysanthemum arcticum*
 Old Garden. *Chrysanthemum coronarium*, with its varieties *album* and *aureum*
 Scarlet. *Chrysanthemum atro-coccineum*
 Scentless. *Chrysanthemum inodorum*
 Sicilian. *Chrysanthemum coronarium*
 Tansy-leaved. *C. millefoliatum*
 Three-coloured. *Chrysanthemum tricolor* and *C. carinatum*
 Yellow-and-crimson. *Chrysanthemum Burridianum*
- Chufa**. *Cyperus esculentus*
Chulan-tree. *Chloranthus inconspicuus* and *Aglaja odorata*
- Chumpaka-tree**. *Michelia Champaca*
Chupa-Chupa-tree. See Sapote
- Church-brooms**. *Dipsacus sylvestris*
Church-wort. An old name for Pennyroyal
- Churnstaff**. *Euphorbia Helioscopia*
- Ciboul**. *Allium fistulosum*
 Perennial. *Allium lusitanicum*
- Cicely**, Fool's. *Aethusa Cynapium*
 Sweet. *Myrrhis odorata*
 Sweet, of N. America. The genus *Osmorrhiza*
 Wild. *Anthriscus sylvestris*
- Cich**, or Ciches. An old name for Chick-pea
- Ciderage**. An old name for *Polygonum Hydropiper*
- Cider-tree**, Tasmanian. *Eucalyptus Gammii*
- Cigar-box-wood**. The wood of *Cedrela odorata* and *C. sinensis*
- Cinchona-bark-plant**. See Bark-plant, Peruvian
 Yellow. See Bark-plant. *Calisaya*
- Cineraria**, Alpine. *Cineraria alpina*
 Great-leaved. *Cineraria (Ligularia) macrophylla*
 Silvery-leaved. *Cineraria acanthifolia (C. maritima)*
- Cinnamon-tree**. *Cinnamomum Zeylanicum*
 Bark, Winter's. *Drimys Winteri*
- Cinnamon-tree**, Bastard. *Laurus Cassia*
 Black. *Pimenta acris*
 Chinese. *Cinnamomum Cassia*
 Isle of France. *Oreodaphne cupularis*
 Mountain. *Cinnamodendron corticosum*
 Santa Fé. *Nectandra cinnamomoides*
 Wild. *Canella alba* and *Myrcia acris*
- Cinnamon-root**. *Inula Conyzia*
- Cinnamon-Sedge**. *Acorus Calamus*
- Cinquefoil**, Alpine. *Potentilla alpestris*
 Brilliant. *Potentilla splendens*
 Calabrian. *Potentilla calabrica*
 Clusius's. *Potentilla Clusiana*
 Colorado Silvery. *Potentilla Hippiana*
 Common. *Potentilla reptans*
 Creeping. *Potentilla reptans*
 Dark Crimson. *Potentilla atrosanguinea*
 Dwarf. *Potentilla nana*
 Dwarfest. *Potentilla minima*
 Garden varieties of. *Potentilla hybrida*
 Goose-grass. *Potentilla anserina*
 Hoary. *Potentilla argentea*
 Lady's Mantle. *Potentilla alchemilloides*
 Marsh. *Comarum palustre*
 Norwegian. *Potentilla norvegica*
 Pyrenean. *Potentilla pyrenaica*
 Rock. *Potentilla rupestris*
 Shining. *Potentilla nitida*
 Showy. *Potentilla speciosa*
 Shubby. *Potentilla fruticosa*
 Silvery. *Potentilla argentea*
 Snowy. *Potentilla nivealis*
 Spring. *Potentilla verna*
 Three-toothed-leaved. *Potentilla tridentata*
 Tormentil. *Potentilla Tormentilla*
 Tree. *Potentilla frutescens*
 Tufted. *Potentilla cæpitosa*
 White-flowered. *Potentilla alba*
- Cipper-nut**. *Bunium flexuosum*
- Cistus**, Bog. *Cistus ladaniferus*
 Common Gum. *Cistus cyprinus*
 Ladanum Gum. *Cistus ladaniferus*
- Citron**. *Citrus medica* var. *Cedra* (*C. acida*)
 Fingered. *Citrus sarcodactylis*
- Citronella-Oil-plant**. *Andropogon Nardus*
- City Avens**. *Gum urbanum*
- Clary**. *Salvia Sclarea*
 Meadow. *Salvia pratensis*
 Silvery. *Salvia argentea*
 Wild. *Heliotropium indicum* and *Salvia Verbenacea*
- Clay-weed**. *Tussilago Farfara*
- Clematis**, Alpine. *Atragene (Clematis) alpina*
 American. *Atragene (Clematis) americana*
 Austrian. *Clematis alpina* (*Atragene austriaca*)
 Bell-flowered. *Clematis campanulata*
 Biting. *Clematis Vitalba*
 Chinese. *Clematis chinensis*
 Curled-sepaled. *Clematis crispa*
 Cylindrical-flowered. *Clematis cylindrica*
 David's. *Clematis Davidiana*
 Entire-leaved. *Clematis integrifolia*
 Erect. *Clematis erecta*
 Evergreen. *Clematis calycina* (*C. balearica*) and *C. cirrhosa*

- Clematis**, Fool's-Parsley-leaved. *Clematis aethusæfolia*
 Glaucous-leaved. *Clematis glauca*
 Hardy Purple-flowered. *Clematis Viticella var. venosa*
 Jackman's. *Clematis Jackmanni* and vars.
 Large-flowered. *Clematis florida*
 Leathery-flowered. *Clematis Viorna*
 Minorca. *Clematis balearica*
 Mountain. *Clematis montana*
 Net-veined-leaved. *Clematis reticulata*
 New Zealand. *Clematis indirisa lobata*
 Ochotsk. *Atragene (Clematis) ochotensis*
 Open-flowered. *Clematis patens*
 Oriental. *Clematis orientalis*
 Oval-leaved. *Clematis ovata*
 Paniced. *Clematis paniculata*
 Scarlet-flowered. *Clematis coccinea*
 Siberian. *Atragene (Clematis) sibirica*
 Sims's. *Clematis Simsii*
 Sweet-scented. *Clematis Flammula*
 Tube-flowered. *Clematis tubulosa*
 Veined Vine-bower. *Clematis Viticella venosa*
 Vine-bower. *Clematis Viticella*
 Virginian. *Clematis virginiana*
 Western. *Atragene (Clematis) occidentalis*
 Winter-flowering. *Clematis calycina (C. balearica)*
 Woolly. *Clematis lanuginosa*
- Clear-weed.** *Pilea pumila*
- Cleats.** *Petasites vulgaris* and *Tussilago Farfara*
- Cleavers.** *Galium Aparine*
 Small. *Galium tinctorium*
- Cliff-pink**, or Cleve-pink. *Dianthus cæsius*
- Cliff-rose.** *Armoracia maritima*
 Mexican. *Cowenia mexicana*
- Climber**, Sportsman's. *Cissus venatorum*
- Cling-stone.** A term applied to some varieties of Peaches and Nectarines, the flesh of which adheres to the stone.
 (See "Freestone")
- Clite**, or Clithe. An old name for the Burdock
- Cloak Fern.** See Fern
- Clock**, Shepherd's. *Anagallis arvensis* and *Tragopogon pratensis*
- Clod-weed.** *Filago germanica* and *Scabiosa arvensis*
- Clog-weed.** *Heracleum Sphondylium*
- Close Sciences.** An old name for *Hesperis matronalis*
- Clot**, or Clote. *Nuphar lutea*
- Clot-bur**, or Clod-bur. *Arctium Lappa*
 Spiny. *Xanthium spinosum*
- Cloud-berry.** *Rubus Chamæmorus*
- Cloud-grass.** See Grass
- Clove Gillyflower**, or Clove Pink. *Dianthus Caryophyllus*
- Clove-scented Creeper.** *Lettsomia Bonanova*
- Clove-strip.** *Jussiaea repens*
- Clove-tongue.** An old name for *Helleborus niger*
- Clove-tree.** *Caryophyllus aromaticus*
 Wild. *Eugenia (Pimenta) acris*
- Clover.** The genus *Trifolium*
- Clover**, Alsike. *Trifolium hybridum*
 American Bush. The genus *Lespedeza*
 Bastard. *Trifolium hybridum*
 Bersin. *Trifolium Alexandrinum*
 Bird's-foot. *Lotus corniculatus*
 Bladder-podded. *Trifolium spumosum*
 Boccone's. *Trifolium Bocconii*
 Bokhara, or Cabul. *Melilotus alba*
 Brown. *Trifolium spadiceum*
 Buffalo. *Trifolium reflexum* and *T. pennsylvanicum*
 Cabul. See Clover, Bokhara
 Canadian Bush. *Hedysarum canadense*
 Calvary. *Medicago Echinus*
 Carolina. *Trifolium Carolinianum*
 Clustered. *Trifolium glomeratum*
 Common. *Trifolium pratense* and *T. repens*
 Crimson. *Trifolium incarnatum*
 Dutch. *Trifolium repens*
 Egyptian. *Trifolium Alexandrinum*
 Golden. *Trifolium agrarium*
 Hare's-foot. *Trifolium arvense*
 Hart's, King's, or Plaster. *Melilotus officinalis*
 Hop. *Trifolium procumbens*
 Japanese. *Lespedeza striata*
 King's. See Clover, Hart's
 Knotted. *Trifolium striatum*
 Lesser. *Trifolium procumbens*
 Maltese. *Hedysarum coronarium*
 Mayad. *Trifolium subrotundum*
 Oval-headed. *Trifolium alpestre*
 Pin. See Pin-clover
 Plaster. See Clover, Hart's
 Prairie. The genus *Petalostemon*
 Purple. *Trifolium pratense*
 Red. *Trifolium pratense*
 Reversed. *Trifolium resupinatum*
 Rough. *Trifolium scabrum*
 Running Buffalo. *Trifolium stoloniferum*
 St. Mawe's. *Medicago maculata*
 Sand. *Trifolium suffocatum*
 Sea-egg. *Medicago Echinus*
 Sea-side. *Trifolium maritimum*
 Slender. *Trifolium filiforme*
 Snail. The genus *Medicago*
 Soola. *Hedysarum coronarium*
 Starry. *Trifolium stellatum*
 Stone. *Trifolium arvense*
 Strawberry-headed. *Trifolium fragiferum*
 Striped-flowered. *Trifolium involucratum*
 Subterranean. *Trifolium subterraneum*
 Sulphur. *Trifolium ochroleucum*
 Sweet. The genus *Melilotus*
 Treacle. *Psoralea bituminosa*
 Upright. *Trifolium strictum*
 White. *Trifolium repens*
 Winter. *Mitchella repens*
 Yellow. *Medicago lupulina*, *Trifolium procumbens*, and *T. minus*
 Yellow Suckling. *Trifolium filiforme*
 Zig-zag. *Trifolium medium*
- Clover-Trefoil.** *Trifolium medium*
- Clown's All-heal**, or Wound-wort. *Stachys palustris*
- Clown's Lungwort.** *Verbascum Thapsus*
- Clown's Mustard.** *Iberis amara*
- Clown's Treacle.** *Allium sativum*

Club, Shepherd's. *Verbascum Thapsus*
Club-grass. The genus *Scirpus*
Club-moss. The genera *Lycopodium* and
Selaginella
 Alpine. *Lycopodium alpinum*
 American Dwarf. *Selaginella apus* and *S. rupestris*
 Common. *Lycopodium clavatum*
 Creeping. *Selaginella apus*
 Fir. *Lycopodium Selago*
 Lesser. *Lycopodium selagineoides*
 Marsh. *Lycopodium inundatum*
 Savin-leaved. *Lycopodium alpinum*
 Shining. *Lycopodium lucidulum*
 Tree. *Selaginella caesia arborea*
Club-rush. The genus *Scirpus*; also applied
 to *Typha latifolia*
 Bristly. *Scirpus setaceus*
 Clustered. *Scirpus Holoschænus*
 Creeping. *Scirpus palustris*
 Few-flowered. *Scirpus pauciflorus*
 Floating. *Scirpus fluitans*
 Many-stalked. *Scirpus multicaulis*
 Needle. *Scirpus aciculatus*
 Or Bul-rush, Lake. *Scirpus lacustris*
 Savi's. *Scirpus Savi*
 Sea-side. *Scirpus maritimus*
 Sharp. *Scirpus pungens*
 Triangular-stemmed. *Scirpus triqueter*
 Tufted. *Scirpus cæspitosus*
 Wood. *Scirpus sylvaticus*
Cnout-berry. *Rubus Chamæmorus*
Cookum. *Phytolaca decandra*
Cob-nut. *Corylus Avellana* var. *grandis*
 Jamaica. The genus *Omphalea*
Coca, Mexican. *Richardsonia scabra*
Coca - leaf - tree, Peruvian. *Erythroxylon Coca*
Cocculus - indicus - plant. *Anamirta (Menispermum) Cocculus*
Cochineal Cactus. *Opuntia cochinillifera*
Cockle, or Corn Cockle. *Lychnis Githago*
Cockle-bur, or Clot-bur. *Agrimonia Eupatoria* and the genus *Xanthium*
Cock-grass. *Bromus mollis* and *B. secalinus*
Cock-rose. *Papaver Rhæas*
Cocks. *Plantago lanceolata*
Cock's-comb. *Celosia cristata*. Applied also
 to *Rhinanthus Crista-galli*, and locally to
 a few other native plants in Scotland
Cock's-foot. An old name for *Chelidonium majus* and also for *Columbine*
Cock's-foot Grass. *Dactylis glomerata*
Cock's-head. *Onobrychis Caput-galli*
 W. Indies. *Desmodium tortuosum*
Cock's-spur, of the W. Indies. *Pisonia aculeata*
Cock-spur Thorn. See Thorn
Coco. See Cocoa-root
Cocoa-wood. *Inga vera*
Cocoa Nibs. The beans of *Theobroma*
 Cacao roasted and split or broken
Cocoa-nut, Buddha's. *Sterculia alata*
Cocoa-nut Palm. *Cocos nucifera*
 Double, or Sea. *Lodoicea Seychellarum*
 Small Prickly. *Cocos guineensis*
Cocoa-plum. *Chrysobalanus Iaco*
Cocoa-root, or Coco. The root of *Colocasia antiquorum*

Cocoa-tree. *Theobroma Cacao*
Cocoon. See Cacoon
Coccus-wood. *Brya Ebenus*
Codlings-and-Cream. *Epilobium hirsutum*
Coffee, Date. Roasted Date-stones
 Swedish. The seeds of *Astragalus baeticus*
Coffee-Blight-Fungus. See Fungus
Coffee-Climber. *Periploca Mauritiana*
Coffee-tree, Arabian. *Coffea arabica*
 Californian. *Rhamnus californica*
 Kentucky. *Gymnocladus canadensis*
 Liberian. *Coffea liberica*
 Peruvian. *Coffea racemosa*
 Wild, of the W. Indies. *Faramea odoratissima*, *Zuelania latioides*, and *Eugenia disticha*
Coker-nut. See Nut
Cogwood - tree. *Hernandia sonora* and
Laurus Chloroxylon
Cohosh. *Actaea racemosa*
 Black. *Cimicifuga racemosa*
 Blue. *Carlophyllum thalictroides*
 White. *Actaea alba*
Cole. *Brassica Napus*
Colesat. See Cole-seed
Cole-seed, or Colesat. *Brassica Napus oleifera*
Cole-wort. *Brassica oleracea*
 Heart-leaved. *Crambe cordifolia*
 Rushy. *Crambe juncea*
 Sea. *Crambe maritima*
 Shrubby. *Crambe fruticosa*
Colic-root. *Aletrodes farinosa* and *Dioscorea villosa*
Colic-weed. *Corydalis glauca*
 Climbing. *Adlumia cirrhosa*
Collar Moss. See Moss
Collins's-flower, Large-flowered. *Collinsia grandiflora*
 Many-coloured. *Collinsia multicolor*
 Two-coloured. *Collinsia bicolor*
 Various-leaved. *Collinsia heterophylla*
Collinson's-flower. *Collinsonia canadensis*
Coloeynth. See Apple, Bitter
 Himalyan. *Citrullus (Cucumis) Pseudocoloeynthis*
Colombia Root. See Calumba Root
 American. *Frasera verticillata*
Coloquintida. An old name for Colocynth
Colpoon-tree. *Cassine Colpoon*
Colt's-foot, Alpine. *Tussilago alpina*
 Arrow-leaved. *Nardosma (Tussilago) sagittata*
 Common. *Tussilago Farfara*
 Fragrant. *Tussilago (Nardosma) fragrans*
 N. America. *Nardosma palmata*
 Spotted. *Farfugium grande*
 Variegated. *Tussilago Farfara variegata*
 W. Indian. The genus *Pothomorpha*
Colt's-tail. *Erigeron canadensis*
Columbine, Alpine. *Aquilegia alpina*
 Altaian. *Aquilegia glandulosa*
 Burger's. *Aquilegia Burgeriana*
 Californian. *Aquilegia californica*
 Canadian. *Aquilegia canadensis*
 Common. *Aquilegia vulgaris*
 Feathered or Tufted. *Thalictrum aquilegiformium*

Columbine, Golden-flowered.	<i>Aquilegia chrysanthia</i>	Copal-gum-tree, Brazilian.	<i>Hymenaea marginata</i>
Green-flowered.	<i>Aquilegia viridiflora</i>	E.African.	<i>Trachylobium Hornemannianum</i>
Large Orange.	<i>Aquilegia truncata</i> (<i>A. californica</i> , <i>A. eximia</i>)	Sierra Leone.	<i>Copaifera Gibourtiana</i> (<i>Gibourtia copallifera</i>)
Long-bracted.	<i>Aquilegia longibracteata</i>	Copalchi-bark-plant.	<i>Croton niveum</i>
Longest-spurred.	<i>Aquilegia longissima</i>	Brazilian.	<i>Strychnos Pseudo-quina</i>
Mauve-coloured.	<i>Aquilegia grata</i>	Mexican.	<i>Croton Pseudo-china</i>
Orange-and-yellow.	<i>Aquilegia canadensis</i>	Copra.	The commercial name for Cocoa-nut-oil
Pyrenean.	<i>Aquilegia pyrenaica</i>	Cop-rose, or Copper-rose.	<i>Papaver Rhæas</i>
Rocky Mountain.	<i>Aquilegia caerulea</i>	Copse Laurel.	<i>Daphne Laureola</i>
Scented.	<i>Aquilegia fragrans</i>	Coptis Root.	<i>Coptis Teeta</i>
Skinner's.	<i>Aquilegia Skinneri</i>	Coquilla Nuts.	See Nuts
White-flowered.	<i>Aquilegia vulgaris alba</i>	Coral, Garden.	<i>Roechea (Crassula) coccinea</i>
Yellow Long-spurred.	<i>Aquilegia leptoceras lutea</i>	Coral-bead-plant.	<i>Abrus precatorius</i>
Columbo, American.	The genus <i>Frasera</i>	Coral-berry.	<i>Symporicarpus vulgaris</i>
Colza, or Coltza.	<i>Brassica Napus oleifera</i>	Coral Creeper.	<i>Kennedya prostrata</i>
Comb, Lady's, Shepherd's, or Venus's.	<i>Scandix Pecten-Veneris</i>	Coral Pea-tree.	<i>Adenanthera pavonina</i>
Comb-Fern.	See Fern	Coral-plant.	<i>Jatropha multifida</i>
Comb Finger-grass.	See Grass	Coral-root.	<i>Dentaria bulbifera</i> and the genus <i>Corallorrhiza</i>
Comet-plant.	<i>Cometes alternifolia</i>	Spurless.	<i>Corallorrhiza innata</i>
Comfrey, Bohemian.	<i>Symphytum bohemicum</i>	Coral-teeth.	<i>Corallorrhiza odontorrhiza</i>
Caucasian.	<i>Symphytum caucasicum</i>	Coral-tree, East Indian.	<i>Erythrina indica</i>
Common.	<i>Symphytum officinale</i>	West Indian.	<i>Erythrina Corallodendron</i>
Crimean.	<i>Symphytum tauricum</i>	Cord-grass.	<i>Spartina stricta</i>
Forage.	See Comfrey, Prickly	Cord-moss.	See Moss
Iberian.	<i>Symphytum ibericum</i>	Coriander, Common.	<i>Coriandrum sativum</i>
Prickly, or Forage.	<i>Symphytum aspernum</i> (<i>S. peregrinum</i>)	Cork.	<i>Lecanora tartarea</i> and <i>Roccella tinctoria</i>
Tuberous-rooted.	<i>Symphytum tuberosum</i>	Cork-tree, Common.	<i>Quercus Suber</i>
Wild, American.	<i>Cynoglossum virginicum</i>	E. Indian.	<i>Adansonia digitata</i> and <i>Bignonia suberosa</i> (<i>Millingtonia hortensis</i>)
Compass-plant.	<i>Silphium laciniatum</i>	New Zealand.	<i>Entelea arborescens</i>
Cone-flower, Californian.	<i>Rudbeckia californica</i>	Siberian.	<i>Phellodendron amurense</i>
Drummond's.	<i>Rudbeckia Drummondi</i> (<i>R. columnaris</i> , <i>Obeliscaria pulcherrima</i>)	Cork-wood.	<i>Hibiscus tiliaceus</i>
Cut-leaved.	<i>Rudbeckia laciniata</i>	Marsh.	<i>Anona palustris</i>
Glowing.	<i>Rudbeckia fulgida</i>	N. S. Wales.	<i>Duboisa myoporoides</i>
Hairy.	<i>Rudbeckia hirta</i>	W. Indian.	<i>Ochroma Lagopus</i>
Large.	<i>Rudbeckia maxima</i>	Corn, Amel.	<i>Triticum amylosum</i>
Newman's.	<i>Rudbeckia Newmani</i>	Chinese.	<i>Setaria italica</i>
Purple.	The genus <i>Echinacea</i>	Gero.	<i>Penicillaria spicata</i>
Shining.	<i>Rudbeckia nitida</i>	Goose.	<i>Bromus mollis</i>
Showy.	<i>Rudbeckia speciosa</i>	Kaffir.	<i>Sorghum saccharatum</i>
Three-lobed.	<i>Rudbeckia triloba</i>	Marsh.	<i>Potentilla anserina</i>
Virginian.	<i>Rudbeckia virginiana</i>	Pharaoh's.	<i>Triticum compositum</i>
Yellow.	The genus <i>Rudbeckia</i>	Pop.	A small-grained kind of Maize, used for parching
Cone-head.	The genus <i>Strobilanthes</i>	St. Peter's.	<i>Triticum monococcum</i>
Conessi-bark-tree.	<i>Wrightia antidyserterica</i>	Corn-bells.	<i>Nidularia campanulata</i>
Connemon, of Japan.	<i>Cucumis Connomon</i>	Corn-berries.	<i>Vaccinium Oxycoleos</i>
Consound, Comfrey.	<i>Symphytum officinale</i>	Corn-bind.	<i>Convolvulus arvensis</i> and <i>Polygonum Convolvulus</i>
King's.	<i>Delphinium Consolida</i>	Corn-bottle.	<i>Centaurea Cyanus</i>
Middle.	<i>Ajuga reptans</i>	Corn-Flag, African.	<i>Antholyza (Gladiolus) aethiopica</i>
Saracen's.	<i>Senechia Saracenicus</i>	European.	<i>Gladiolus segetum</i>
Contrayerva-root.	The root of <i>Dorstenia Contrayerva</i>	Corn-flower, Blue.	<i>Centaurea Cyanus</i>
Convolvulus, Trellis.	<i>Ipomoea tuberosa</i> . (See also Bind-weed)	Golden or Yellow.	<i>Chrysanthemum segetum</i>
Cooch-grass.	See Couch-grass	Red.	<i>Lychnis Githago</i> and <i>Papaver Rhæas</i>
Cool-tankard.	<i>Borage officinalis</i>	Corn-leaves.	<i>Cotyledon Umbilicus</i>
Cool-weed.	<i>Urtica pilula</i>	Corn-Lily.	<i>Convolvulus arvensis</i> and <i>C. sepium</i>
Cooper's - wood.	<i>Alphitonia excelsa</i> and <i>Pomaderris apetala</i>	Corn-Marigold.	<i>Chrysanthemum segetum</i>
Copaiba, or Copaiwa.	Balsam-plant. Several species of <i>Copaifera</i>	Corn-Mint.	<i>Mentha arvensis</i>
Copai-ye-wood.	<i>Vochysia guianensis</i>	Corn-Mustard.	<i>Sinapis arvensis</i>
		Corn-Pink.	<i>Lychnis Githago</i>
		Corn-Poppy.	<i>Papaver Rhæas</i>

- Corn-Rose.** *Papaver Rhæas*
Corn-salad. *Valerianella olitoria*
 Italian. *Valerianella eriocarpa*
 Keeled. *Valerianella carinata*
 Narrow-fruited. *Valerianella dentata*
 Sharp-fruited. *Valerianella Auricula*
Corn-Thistle. *Carduus arvensis*
Corn-Violet. *Campanula hybrida*
Corn-wood. The wood of *Pterocarpus erinaceus* (*P. echinatus*)
Cornel. *Cornus sanguinea*
 Dwarf. *Cornus suecica*
Cornish Heath. *Erica vagans*
Cornish Moneywort. *Sibthorpia europæa*
Coromandel-wood. See Calamander-wood
Coronation. *Dianthus Caryophyllus*
Corpse-plant. *Monotropa uniflora*
Cosmos, Feathery. *Cosmos bipinnatus*
Cost, or Costmary. *Tanacetum Balsamita*
Costus, of the Ancients. The roots of *Aplo-taxis auriculata*
Cotoneaster, Allied. *Cotoneaster affinis*
 Black-fruited. *Cotoneaster vulgaris melanocarpa*
 Box-leaved. *Cotoneaster buxifolia*
 Common. *Cotoneaster vulgaris*
 Loose-flowered. *Cotoneaster lasiiflora*
 Money-wort-leaved. *Cotoneaster Nummularia*
 Mountain. *Cotoneaster frigida*
 Pointed-leaved. *Cotoneaster acuminata*
 Red-fruited. *Cotoneaster vulgaris erythrocarpa*
 Round-leaved. *Cotoneaster rotundifolia*
 Small-leaved. *Cotoneaster microphylla*
 Woolly. *Cotoneaster tomentosa*
Cotton, French. See French Cotton
Cotton-plant, American. *Gossypium herbaceum*
 Australian Wild. *Gomphocarpus fruticosus*
 Bahia. A variety of *Gossypium barbadense*
 Barbadoes. *Gossypium barbadense*
 Cape. *Gomphocarpus fruticosus*
 Indian. *Gossypium indicum*
 Kidney. *Gossypium peruvianum*
 Nankin. *Gossypium religiosum*
 Natal Wild. *Ipomœa Gerrardi*
 New Zealand. *Plagianthus betulinus* (*P. urticina*) and the genus *Celmisia*
 Otago. Various species of *Astelia*
 Peruvian. *Gossypium peruvianum* (a variety of *G. barbadense*)
 Silk. The genera *Bombax*, *Calotropis*, *Eriodendron*, and some other cottony plants
 Tree. *Gossypium arboreum*
 Wild. The genus *Eriophorum*
Cottoner, The. *Viburnum Lantana*
Cotton-bush, Australian. *Kochia villosa*
Cotton-grass, or Cotton-rush. The genus *Eriophorum*
 Hare's-tail. *Eriophorum vaginatum*
 Tassel. *Eriophorum polystachyon*
Cotton-nettle, Chinese. *Urtica (Bæhmeria) nivea*
Cotton-rose. The genus *Filago*
 Pigmy. *Filago pygmæa*
Cotton-sedge, Common. *Eriophorum polystachyon*
- Cotton - sedge,** Sheathed. *Eriophorum vaginatum*
Cotton-thistle. *Onopordon Acanthium*
Cotton - tree. *Populus heterophylla* and *Viburnum Lantana*
Cotton-weed. *Diots maritima* and the genus *Gnaphalium*
 Purple Mountain. *Antennaria dioica*
Cotton-wood, American. *Populus monilifera*
 British Columbia. Various species of *Populus* and *Salix*
 Californian. *Populus Fremontii*
 Missouri. *Populus angulata*
Couch, Couch-grass, or Couch-wheat. *Triticum repens*
Couch Onion. *Avena elatior*
Cough-wort. *Tussilago Farfara*
Countryman's Treacle. *Ruta graveolens*
Country Pepper. *Sedum acre*
Courtship - and - Matrimony. *Spiraea Ulmaria*
Coven Tree. *Viburnum Lantana*
Coventry-bells. *Campanula Medium* and *C. Trachelium*; also *Anemone Pulsatilla*
Coventry Rapes. *Campanula Medium*
Cover Keys, or Covey Keys. See Culverkeys
Cowage. See Cow-itch
Cow-bane. *Cicuta virosa*
 American. *Archemora rigidula*
 Spotted. *Cicuta maculata*
Cow-basil, or Cow-fat. *Saponaria Vaccaria*
Cow-bell. *Silene inflata*
Cow-berry. *Vaccinium Vitis-Idæa* and *Comarum palustre*
Cow-fat. See Cow-basil
Cowhage. See Cow-itch
Cow-herb. *Saponaria Vaccaria*
Cow-itch, Cowage, or Cowhage. *Mueuna pruriens*, *M. urens*, and *Acidoton urens*
 New Zealand. *Bidens pilosa*
 Twining. *Tragia volubilis*
Cow-leaf of New Zealand. The genus *Melicytus*
Cow-parsley. *Anthriscus sylvestris*
Cow-parsnip. The genus *Heracleum*
 American. *Heracleum lanatum*
 Blunt-lobed. *Heracleum eminens*
 Broad-leaved. *Heracleum latifolium*
 Common. *Heracleum Sphondylium*
 Downy. *Heracleum pubescens*
 Fig-leaved. *Heracleum Panaces*
 Giant. *Heracleum giganteum*
 Persian. *Heracleum persicum*
 Rough-leaved. *Heracleum elegans*
 Wilhelms'. *Heracleum Wilhelmsii*
 Yellowish. *Heracleum flavescentis* (*H. austriacum*)
Cow-plant, Ceylon. *Gymnema lactiferum*
Cow-poison, Californian. *Delphinium trollius*
Cowslip, Bedlam. *Pulmonaria officinalis*
 Also the Paigle, or Larger Cowslip
 Blue. *Pulmonaria angustifolia*
 Californian. *Primula suffrutescens*
 Cape. The genus *Lachenalia*
 Common. *Primula veris*
 Common American. *Dodecatheon Meadia*
 Deep - rose-coloured American. *Dodecatheon Meadia var. splendens*

Cow-slip, Elegant-flowered American.	<i>Dodecatheon elegans</i>	Crane's-bill, Carolina.	<i>Geranium Carolinianum</i>
Entire-leaved American.	<i>Dodecatheon integrifolium</i>	Crested.	<i>Geranium cristatum</i>
French.	<i>Primula Auricula</i>	Dwarf.	<i>Geranium subcaulescens</i> (<i>G. asphodeloides</i>)
Giant American.	<i>Dodecatheon Jeffreyanum</i>	Endres's.	<i>Geranium Endresi</i>
Great.	<i>Primula elatior</i>	Fremont's.	<i>Geranium Fremontii</i>
Jerusalem.	<i>Pulmonaria officinalis</i>	Gray.	<i>Geranium cinereum</i>
Mountain.	<i>Primula Auricula</i>	Hill.	<i>Geranium collinum</i>
Pyrenean.	<i>Primula intricata</i>	Iberian.	<i>Geranium ibericum</i>
Sikkim.	<i>Primula Sikkimensis</i>	Lambert's.	<i>Geranium Lambertii</i>
Virginian.	<i>Mertensia (Pulmonaria) virginica</i>	Large Rosy-purple.	<i>Geranium armenum</i>
Cow-tree, or Palo de Vaca.	<i>Brosimum Galactodendron</i>	Long-rooted.	<i>Geranium macrorrhizum</i>
Pará.	<i>Mimusops elata</i>	Pinkish.	<i>Geranium sanguineum</i> var. <i>lancastriense</i>
Rio Negro.	A species of <i>Callophora</i>	Silvery.	<i>Geranium argenteum</i>
Cow Vetch.	<i>Vicia Cracca</i>	Striped.	<i>Geranium striatum</i>
Cow-weed.	<i>Anthriscus sylvestris</i>	Tuberous-rooted.	<i>Geranium tuberosum</i>
Cow-wheat.	The genus <i>Melampyrum</i>	Walney.	<i>Geranium sanguineum</i> var. <i>lancastriense</i>
Common.	<i>Melampyrum pratense</i>	White-flowered.	<i>Geranium sylvaticum</i> <i>album</i>
Crested.	<i>Melampyrum cristatum</i>	Wild American.	<i>Geranium maculatum</i>
Eye-bright.	See Eye-bright-Cow-wheat	Crauberry.	<i>Empetrum nigrum</i> and <i>Vaccinium Oxycoccos</i>
Purple.	<i>Melampyrum arvense</i>	Crawley.	<i>Corallorrhiza odontorhiza</i>
Small-flowered.	<i>Melampyrum sylvaticum</i>	Cray-fish.	<i>Dotronicum Pardalianches</i>
Crab, Crab-apple, or Crab-tree, Common.		Crazy.	Another name for the Buttercup
<i>Pyrus Malus</i> var. <i>acerba</i>		Cream-cups.	<i>Platystemon californicus</i>
Chinese.	<i>Pyrus spectabilis</i>	Cream-fruit of Sierra Leone.	The fruit of <i>Rouellia grata</i>
Garland.	<i>Pyrus coronaria</i>	Cream-of-Tartar-tree.	<i>Adansonia Gregorii</i>
Minshull.	<i>Mespilus germanica</i>	Creashak.	<i>Arctostaphylos Uva-ursi</i>
Oregon.	<i>Pyrus rivularis</i>	Creasote-plant.	<i>Larrea mexicana</i>
Profuse-flowering Chinese.	<i>Pyrus Malus</i> var. <i>floribunda</i>	Creeper, Cayenne Red.	<i>Tetracera Tigarea</i>
Scarlet-flowered.	<i>Pyrus baccata</i>	China.	<i>Quamoclit vulgaris</i>
Siberian.	<i>Pyrus baccata</i> and <i>P. prunifolia</i>	Tasmanian Blue.	<i>Comesperma volubile</i>
Sweet-scented.	<i>Pyrus coronaria</i>	Virginian.	<i>Ampelopsis quinquefolia</i>
Crab-Cherry.	<i>Prunus Avium</i>	Cut-leaved.	<i>Ampelopsis dissecta</i>
Crab-grass, or Crab-weed.	<i>Polygonum aviculare</i>	Virginian,	<i>Ampelopsis bipinnata</i>
Crab-oil-tree.	<i>Carapa guianensis</i>	West Coast.	<i>Pergularia odoratissima</i>
Crab-weed.	See Crab-grass	Creeping-bur.	<i>Lycopodium clavatum</i>
Crab-wood, Guiana.	<i>Carapa guianensis</i>	Creeping Jack.	<i>Sedum acre</i>
W. Indian.	<i>Schefflera frutescens</i>	Creeping Jenny.	<i>Lysimachia Nummularia</i>
Crab's-claw.	<i>Polygonum Persicaria</i> and <i>Stratiotes aloides</i>	Golden.	<i>Lysimachia Nummularia aurea</i>
Crab's-eyes.	The seeds of <i>Abrus precatorius</i>	Creeping Sailor.	<i>Saxifraga sarmentosa</i>
Crab's-eye Lichen.	See Lichen	Cress.	The genus <i>Lepidium</i>
Crack Willow.	<i>Salix fragilis</i>	American.	<i>Barbarea praecox</i>
Crake-berry.	See Crow-berry	Lake.	<i>Nasturtium laevigatum</i>
Crake-feet.	<i>Orchis mascula</i> and <i>Scilla nutans</i>	Mountain Water.	<i>Cardamine rotundifolia</i>
Cram-berrries.	See Cran-berry	Spring.	<i>Cardamine rhomboidea</i>
Crambling - rocket.	<i>Reseda lutea</i> and <i>Sisymbrium officinale</i>	Bitter.	<i>Cardamine amara</i> and other species
Cran-berry, or Crane-berry, American, or Large.	<i>Vaccinium macrocarpon</i>	Broad-leaved.	<i>Lepidium latifolium</i>
Australian.	<i>Astroloma humifusum</i> , and <i>Lissanthe sapida</i>	Creeping Water.	<i>Nasturtium sylvestre</i>
Common.	<i>Vaccinium Oxycoccos</i> . Applied in Scotland to <i>V. Vitis-idaea</i>	Garden, or Town.	<i>Lepidium sativum</i>
High.	<i>Vaccinium Oxycoccos</i>	Great Water.	<i>Nasturtium amphibium</i>
Cran-berry Tree.	<i>Viburnum Opulus</i>	Hairy Bitter.	<i>Cardamine hirsuta</i>
Crane's-bill, Anemone-leaved.	<i>Geranium anemonifolium</i>	Hoary.	<i>Lepidium Draba</i>
Backhouse's.	<i>Geranium Backhousianum</i> (<i>G. armenum</i>)	Lamb's.	<i>Cardamine hirsuta</i>
Broad-petaled.	<i>Geranium platypetalum</i>	Land.	<i>Barbarea praecox</i>
		Marsh Water.	<i>Nasturtium palustre</i>
		Meadow, or Meadow Bitter.	<i>Cardamine pratensis</i>
		Narrow-leaved.	<i>Lepidium ruderale</i>
		New Zealand.	<i>Lepidium oleraceum</i>
		Normandy.	<i>Barbarea praecox</i>
		Pará.	<i>Spilanthes oleracea</i>

Cress, Penny. *Thlaspi arvense*
Pepper. *Teesdalia nudicaulis*
Peter's. *Crithmum maritimum*
Rock. The genus *Arabis*. (See also Rock-cress)
Sciatica. *Iberis amara*
Showy Bastard. *Thlaspi latifolium*
Spanish. *Lepidium Cardamines* and *Vella annua*
Sun. *Heliophila pectinata*
Swine's, or Wart. *Senebiera Coronopus*
Thale. *Arabis Thaliana*
Town. *Lepidium sativum*
Tower. *Arabis Turrita*
Violet-flowered. *Ionopsisidion acaule*
Wart. See Cress, Swine's
Water. *Nasturtium officinale*
Wild. *Thlaspi arvense*
Winter. *Barbarea vulgaris*
Yellow. The genus *Barbarea*; also *Nasturtium amphibium* and *N. palustre*
Cress-Rocket. *Vella annua* and *V. Pseudocytisus*
Crestmarine. *Crithmum maritimum*
Greyat, or Kariyat. *Andrographis (Justicia) paniculata*
Crimson-berry-plant. *Phytolacca decandra*
Cristaldre. An old name for *Erythraea Centaurium*
Crocus, Adriatic. *Crocus Hadriaticus*
 Aucher's. *Crocus Aucheri (C. Olivieri)*
 Autumn, Fog, Meadow, Michaelmas, or Purple. *Colchicum autumnale*
 Bottle-flowered. *Crocus lagenae-florus*
 Byzantine. *Crocus Byzantinus*
 Cape. The genus *Gethyllis*
 Cartwright's. *Crocus Cartwrightianus*
 Chilian. *Tecophilæa cyanocrocus*
 Cloth of Gold. *Crocus reticulatus (C. susianus)*
 Clusius's. *Crocus Clusii*
 Common Yellow. *Crocus luteus*
 Cream-coloured. *Crocus lacteus*
 Cross-barred. *Crocus cancellatus*
 Dalmatian. *Crocus dalmaticus*
 Damascus. *Crocus Damascenus*
 Dark-flowered. *Crocus obscurus*
 Dwarf. *Crocus pusillus*
 Elwes's. *Crocus Elwesi*
 Fleischer's. *Crocus Fleischeri*
 Fog. See Crocus, Autumn
 Imperati's. *Crocus Imperati*
 Indian. The genus *Pleione*
 Intermediate. *Crocus medius*
 Kotschy's. *Crocus Kotschyana*
 Large Autumn. *Crocus speciosus*
 Late-blooming. *Crocus serotinus (C. autumnalis)*
 Long-flowered. *Crocus longiflorus*
 Meadow. See Crocus, Autumn
 Michaelmas. See Crocus, Autumn
 Morean. *Crocus peloponnesiacus*
 Mount Athos. *Crocus pulchellus*
 Naked-flowered. *Crocus nudiflorus (C. multifidus)*
 Orphanides'. *Crocus Orphanidesi*
 Parti-coloured. *Crocus versicolor*
 Pigmy. *Crocus minimus*

Crocus, Purple. See Crocus, Autumn
 Saffron. *Crocus sativus*
 Saltzmann's. *Crocus Saltzmannianus*
 Scented. *Crocus odorus*
 Scotch. *Crocus biflorus*
 Sieber's. *Crocus Sieberi (C. nivalis)*
 Spring. *Crocus vernus*
 Star-flowered. *Crocus stellaris*
 Straw-coloured. *Crocus ochroleucus*
 Sulphur-flowered. *Crocus sulphureus*
 Tuscan. *Crocus etruscus*
 Two-flowered. Varieties of *Crocus biflorus*
 Various-coloured. *Crocus versicolor*
 Welden's. *Crocus Weldenii*
 White Autumn. *Crocus Boryanus*
 White Spring. *Crocus vernus var. niveus*
Crone-berry. *Vaccinium Oxycoccos*
Crop-weed. *Centaurea nigra*
Cross-flower. *Polygala vulgaris*
Cross of Jerusalem. *Lychnis chalcedonica*
Cross-spine. *Stauracanthus aphyllus*
Cross-wood. *Jacquinia ruscifolia*
Cross-wort. Any cruciferous plant; also applied to *Eupatorium perfoliatum*, *Galium cruciatum*, and the genus *Crucianella*
 Common. *Galium cruciatum*
 Large-styled. *Crucianella stylosa*
 Sea. *Crucianella maritima*
Crotal. See Crottle
Croton-oil-plant. *Croton Tigillum*
Crottle, Crotal, or Crottles. *Parmelia Omphalodes* and various other Lichens
Crottles, Hazel. *Sticta pulmonacea*
Crow-bells. *Scilla nutans*
 Yellow. *Narcissus Pseudo-Narcissus*
Crow-berry, or Crake-berry. *Empetrum nigrum*
 Broom. *Corema (Empetrum) Conradii*
 Portugal. *Corema lusitanicum*
Crow-corn. *Aletris farinosa*
Crow-flower. *Lychnis Flos-cuculi*; also another name for Buttercup
Crow-foot. The genus *Ranunculus*
 Alpine. *Ranunculus alpestris*
 American. *Geranium maculatum*
 Anemone-flowered. *Ranunculus anemonoides*
 Blistered-leaved. *Ranunculus bullatus*
 Bulbous-rooted. *Ranunculus bulbosus*
 Celery-leaved. *Ranunculus sceleratus*
 Corn-field. *Ranunculus arvensis*
 Cortusa-leaved. *Ranunculus cortusæfolius*
 Crane's-bill. *Geranium pratense*
 Creeping. *Ranunculus repens*
 Glacier. *Ranunculus glacialis*
 Hairy. *Ranunculus hirsutus*
 Ivy-leaved. *Ranunculus Cymbalaria*
 Kidney-leaved. *Ranunculus Thora*
 Large Double-flowered. *Ranunculus speciosus (R. grandiflorus fl.-pl., R. bullatus fl.-pl.)*
 Madeira. *Ranunculus megaphyllus (R. grandifolius)*
 New Zealand. *Ranunculus Lyalli*
 One-flowered. *Ranunculus uniflorus*
 Parnassia-leaved. *Ranunculus parnassifolius*

- Crow-foot, Plane-tree-leaved. *Ranunculus platanifolius*
 Portugal. *Ranunculus bullatus*
 Profuse-flowering. *Ranunculus floribundus*
 Pyrenean. *Ranunculus pyrenaeus*
 Red, or Tripoli. *Ranunculus asiaticus var. sanguineus*
 Rue-leaved. *Ranunculus ruteifolius* (*Calianthemum ruteifolium*)
 Sea-side. *Ranunculus Cymbalaria*
 Small-flowered. *Ranunculus parviflorus*
 Snake-tongue. *Ranunculus ophioglossifolius*
 Snowy-flowered. *Ranunculus amplexicaulis*
 Steven's. *Ranunculus Stevenii*
 Thousand-leaved. *Ranunculus millefoliatus*
 Tuberous. *Adoxa Moschatellina*
 Turkey. An old name for *Ranunculus asiaticus*
 Upright. *Ranunculus acris*
 Water. *Ranunculus aquaticus*
 Wind-flower. *Ranunculus anemonoides*
 Wood. *Ranunculus auricomus*
 Yellow - tinted Alpine. *Ranunculus alpinus*
 Yellow Water. *Ranunculus multifidus*
 Crow-garlic. *Allium vineale*
 Crow-leek. An old name for *Scilla nutans*
 Crow-silk. The *Confervae* and other delicate green-spored *Algae*
 Crow-soap. *Saponaria officinalis*
 Crow-toe. Another name for Crow-foot
 Crown-beard. The genus *Verbesina*
 Crown Imperial. *Fritillaria imperialis*
 Crown-of-thorns. *Medicago Echinus*
 Crown-Vetch. The genus *Coronilla*
 Crown's-foot. *Lotus corniculatus*
 Crow's-foot Grass. See Grass
 Cubebs. *Piper Cubeba*
 African. *Piper Cubeba Clusii*
 Cuckle, or Cuckold. The fruit of *Arctium Lappa*
 Cuckold-tree. *Acacia cornigera*
 Cuckoo-bread, or Cuckoo-sorrel. *Oxalis Acetosella*
 Cuckoo-bud. *Cardamine pratensis*; also an old name for either the Cowslip or the Buttercup
 Cuckoo-flower. *Cardamine pratensis*, *Orchis mascula*, *Scilla nutans*, and some other early spring flowers
 Asarum-leaved. *Cardamine asarifolia*
 Broad-leaved. *Cardamine latifolia*
 Double. *Cardamine pratensis fl.-pl.*
 Large-leaved. *Cardamine macrophylla*
 Round-leaved. *Cardamine rotundifolia*
 Three-leaved. *Cardamine trifolia*
 Cuckoo-grass. *Luzula campestris*
 Cuckoo-pint. *Arum maculatum*
 Cuckoo-sorrel. See Cuckoo-bread
 Cuckoo-spit. *Cardamine pratensis*
 Cucumber. The genus *Cucumis*
 Apple. *Cucumis Dudaim*
 Climbing. *Cyclanthera pedata*
 Common. *Cucumis sativus*
 One-seeded Star. *Sicyos angulatus*
 Globe. *Cucumis prophetarum*
 Hairy. *Cucumis Chate*
 Prickly-fruited Gherkin. *Cucumis Anguria*
 Cucumber, Snake. *Cucumis flexuosus*
 Spanish Wild. *Clematis cirrhosa*
 Squirting. *Ecbalium agreste* (*Momordica Elatior*)
 Cucumber-root, Indian. *Medeola virginica*
 Cucumber-tree. *Magnolia acuminata*
 Long-leaved. *Magnolia Fraseri*
 Yellow. *Magnolia cordata*
 Cudbear. *Lecanora tartarea*
 Cud-weed. The genus *Gnaphalium*
 American. *Antennaria margaritacea*
 Common. *Gnaphalium germanicum*
 Dwarf. *Gnaphalium supinum*
 Field. *Gnaphalium arvense*
 Golden. *Pterocaulon virgatum*
 Jersey. *Gnaphalium luteo-album*
 Lion's-paw. *Gnaphalium Leontopodium*
 Marsh. *Gnaphalium uliginosum*
 Mountain. *Antennaria dioica*
 Narrow-leaved. *Gnaphalium gallicum*
 Pearl. *Antennaria margaritacea*
 Purplish. *Gnaphalium purpureum*
 Sea-side. *Diotis maritima*
 Silvery. *Antennaria tomentosa*
 Wood. *Gnaphalium sylvaticum*
 Cuji-pods. The pods of *Acacia macrantha*
 Culcit Fern. See Fern
 Cull-me-to-you. *Viola tricolor*
 Cullay-tree, or Quillai-tree, of Chili. *Quillaja Saponaria*
 Culrage, or Curage. *Polygonum Hydropiper*
 Culverkeys. *Scilla nutans*, the Oxlip (*Primula variabilis*), and the fruit of *Fraxinus excelsior*
 Culver's-root. *Veronica virginica*
 Culver-wort. An old name for Columbine
 Cummin, or Cummin. *Cuminum Cynimum*
 Black. The seeds of *Nigella sativa*
 Sweet. *Pimpinella Anisum*
 Wild. *Lagacia cuminoides*
 Cupidone, Blue. *Catananche caerulea*
 Cupid's-flower. *Quamoclit vulgaris*
 Cup-Fern, Tasmanian. *Cyathea arborea*
 Cup-flower, Chili. *Seyphanthus elegans*
 Trailing White. *Nierembergia rivularis*
 Cup-Goldilocks. *Trichomanes radicans*
 Cup-Lichen. *Seyphophorus pyxidatus*
 Cup-Mint. *Calamintha officinalis*
 Cup-Moss. *Lecanora tartarea* and *Scyphophorus pyxidatus*
 Cup-Mushroom. The genus *Peziza*
 Cup-plant. *Silphium perforatum*
 Cup-seed, Lyon's. *Calycocarpum Lyonii*
 Cups-and-saucers. *Cobaea scandens*
 Curage. See Culrage
 Curana-wood. The wood of *Icica altissima*
 Curra Tow. The fibre of *Bromelia (Ananas) Karatas*
 Curragong-bark, Moreton Bay. *Plagianthus sedoides*
 Currant, Alpine Red. *Ribes alpinum*
 American Black. *Ribes floridum*
 Australian. *Leptomeria acerba* and *Leucopepon Richei*
 Buffalo, or Missouri. *Ribes aureum*
 Californian Black. *Ribes bracteosum*
 Carpathian Red. *Ribes carpaticum*
 Common Black. *Ribes nigrum*

Currant, Common Red. *Ribes rubrum*
 Common White. *Ribes rubrum var. album*
 Crimson-flowered. *Ribes sanguineum var. atro-rubens*
 Dark-flowered, Black. *Ribes triste*
 Dark-purple-flowered Black. *Ribes atropurpureum*
 Dotted-leaved Red. *Ribes punctatum*
 Double-flowered Red. *Ribes sanguineum plenum*
 Fetid. *Ribes prostratum*
 Glanded-calyxed Red. *Ribes glandulosum*
 Golden-flowered. *Ribes aureum*
 Guelder-rose-leaved Black. *Ribes opulifolium*
 Hudson's Bay Black. *Ribes Hudsonianum*
 Indian. *Symporicarpus vulgaris*
 Intoxicating Black. *Ribes inebrians*
 Late-flowering Golden. *Ribes aureum serotinum*
 Long-flowered Black. *Ribes longiflorum*
 Many-flowered Red. *Ribes multiflorum*
 Missouri. See Currant, Buffalo
 Mountain, or Wild. *Ribes alpinum*
 New Zealand. *Aristotelia fruticosa*
 Native, Tasmanian. Some species of *Coprosma*
 Native, Victoria. *Leptomeria Billardieri*
 Nepaul Black. *Ribes glaciale*
 Pennsylvanian Black. *Ribes floridum*
 Procumbent Red. *Ribes procumbens*
 Red-flowered. *Ribes sanguineum*
 Resinous Red. *Ribes resinosum*
 Rock Red. *Ribes petraeum*
 Slender-flowered Black. *Ribes tenuiflorum*
 Spiked-flowered Red. *Ribes spicatum*
 Stiff-racemed Red. *Ribes rigens*
 Tasteless Mountain. *Ribes alpinum*
 Very Clammy. *Ribes viscosissimum*
 Waxy-leaved Black. *Ribes cereum*
 W. Indian. *Jaeguinia armillaris*, *Beureria havanensis*, and *B. succulenta*
 White-flowered. *Ribes sanguineum var. album*
 White-fruited. *Ribes rubrum var. album*
 White-ribbed-leaved Red. *Ribes albinervium*
 Yellow-flowered. *Ribes aureum*
 Yellow-flowered Black. *Ribes flavum*
 Yellow-flowered Red. *Ribes tenellum*
Currant-bush, Indian, of Tropical America.
 The genera *Miconia* and *Clidemia*
Currant-galls. Galls formed in the male flowers of the Oak by an insect named *Spathegaster baccarum*
Currents (grocers'). The fruit of the Black Corinth, or Zante, Grape-vine (a variety of *Vitis vinifera*)
Curry-leaf-tree. *Bergera Konigi*
Cuseo-bark. A kind of Cinchona-bark
Cus-eus, or Khus-khus, Grass. *Andropogon muricatus*
Cushion, Lady's. *Armeria maritima*
Cushion-pink. *Armeria maritima*
Cushion-plant, or Lion's-ear, of the Andes.
 Various species of *Culcitium* and *Espeletia*
Cusparia Bark. See Angostura Bark-plant
Cusso, Abyssinian. *Hagenia abyssinica*
(Brayera anthelmintica)

Custard-apple. The genus *Anona*, especially
A. squamosa
 Long-leaved. *Anona hexapetala*
 Netted. *Anona reticulata*
 Peruvian. *Anona Cherimolia*
 Prickly (Sour-sop). *Anona muricata*
 Scaly (Sweet-sop). *Anona squamosa*
 Shining-leaved. *Anona palustris*
Custard-cups. *Epilobium hirsutum*
Cutberdole, or Cutbertill. An old name for *Acanthus*
Cutch. See Catechu, Black
Cut-finger. *Valeriana pyrenaica* and *Vinca major*
Cut-grass. *Leersia oryzoides*
Cut-heal. *Valeriana officinalis*
Cuvy. *Laminaria digitata*
Cyananth, Hoary-leaved. *Cyananthus in-canus*
 Lobed-leaved. *Cyananthus lobatus*
Cyclamen, Atkins's. *Cyclamen Atkinsii*
 European. *Cyclamen europaeum*
 Iberian. *Cyclamen ibericum*
 Ivy-leaved. *Cyclamen hederaefolium*
 Large-leaved. *Cyclamen africanum* (*C. algeriense macrophyllum*)
 Neapolitan. *Cyclamen neapolitanum*
 Persian. *Cyclamen persicum*
 Round-leaved. *Cyclamen Coum*
 Spring. *Cyclamen vernum* (*C. repandum*)
 Variegated Round-leaved. *Cyclamen Coum vernum* (*C. Coum zoneale*)
 White-flowered Round-leaved. *Cyclamen Coum album*
Cyphel. *Cherleria sedoides*
Cypress, African. The genus *Widdring-tonia*
 Bald, Black, or Deciduous. *Taxodium distichum*
 Bhotan. *Cypressus torulosa*
 Black. See Cypress, Bald
 Blunt-leaved Japan. *Retinospora obtusa*
 Broom, or Summer. *Kochia (Chenopodium) scoparia*
 Chinese Deciduous. *Taxodium sinense*
 Common Pyramidal. *Cypressus sempervirens*
 Compact Japan. *Retinospora obtusa var. compacta*
 Deciduous. See Cypress, Bald
 Embossed. The genus *Glyptostrobus*
 Evergreen. See Cypress, Italian
 Fern-like Japan. *Retinospora filicoides*
 Field. *Ajuga Chamæpitys*
 Fragrant. *Cypressus fragrans*
 Funereal. *Cypressus funebris*
 Garden. *Artemisia maritima*
 Golden Plume - like Japan. *Retinospora plumosa var. aurea*
 Golden-variegated Japan. *Retinospora obtusa var. aurea*
 Gowen's Californian. *Cypressus Goveniana*
 Ground. *Santalina Chamæyparissus*
 Himalayan. *Cypressus torulosa*
 Horizontal. *Cypressus sempervirens var. horizontalis*
 Incense-bearing Mexican. *Cypressus thuyifera*
 Italian, or Evergreen. *Cypressus sempervirens*

Cypress, Japan. The genus <i>Retinospora</i> , especially <i>R. obtusa</i>	Daffodil, Hoop-petticoat. <i>Narcissus Bulbocodium</i>
Lawson's. <i>Cupressus(Chamæcyparis) Lawsoniana</i>	Horsfield's. <i>Narcissus Horsfieldi</i>
Monterey. <i>Cupressus macrocarpa</i>	Incomparable. <i>Narcissus incomparabilis</i>
Montezuma. <i>Taxodium distichum</i> var. <i>mexicanum</i> (<i>T. mucronatum</i>)	Indian Autumn. <i>Pancratium indicum</i>
Nootka Sound. <i>Cupressus nutkaensis</i>	Jonquil. <i>Narcissus Jonquilla</i>
Oregon. <i>Cupressus (Chamæcyparis) Lawsoniana</i>	Jonquil, Queen Anne's. <i>Narcissus pusillus plenus</i>
Pea-fruited Japan. <i>Retinospora pisifera</i>	Jonquil, Small. <i>Narcissus pusillus</i>
Pigmy Japan. <i>Retinospora obtusa</i> var. <i>pygmaea</i>	Larger Curled-cup. <i>Narcissus interjectus</i>
Plume-like Japan. <i>Retinospora plumosa</i>	Mountain. <i>Narcissus montanus</i>
Portugal. <i>Cupressus pendula</i>	Musk-scented. <i>Narcissus moschatus</i>
Silver-variegated Japan. <i>Retinospora obtusa</i> var. <i>argentea</i>	Narrow-leaved. <i>Narcissus angustifolius</i>
Silvery Plume-like Japan. <i>Retinospora plumosa</i> var. <i>argentea</i>	One-leaved. <i>Narcissus monophyllus</i>
Standing. <i>Ipomopsis elegans</i>	Pale-flowered. <i>Narcissus pallidulus</i>
Strawberry-fruited Tasmanian. <i>Microcachrys tetragona</i>	Paper-white. <i>Narcissus papyraceus</i>
Summer. See Cypress, Broom	Peerless. <i>Narcissus incomparabilis</i>
Swamp. The genus <i>Chamæcyparis</i>	Peruvian. <i>Ismene Amancaes</i>
Swan River. <i>Actinostrobus acuminatus</i> and <i>A. pyramidalis</i>	Pigmy. <i>Narcissus minimus</i> (<i>N. pumilus</i>)
Tall Guatemala. <i>Cupressus excelsa</i>	Polyanthus. <i>Narcissus Tazetta</i>
Thread-leaved Japan. <i>Retinospora filifera</i>	Rush-leaved. <i>Narcissus juncifolius</i> and <i>N. triandrus</i>
Upright. <i>Cupressus sempervirens</i> var. <i>stricta</i>	Sea-shore. <i>Narcissus calathinus</i> ; also applied to <i>Pancratium maritimum</i>
Upright Indian. <i>Cupressus Whitleyana</i>	Sibthorp's. <i>Narcissus obvallaris</i>
Weeping. <i>Cupressus funebris</i>	Slender. <i>Narcissus tenuior</i>
Weeping Deciduous. <i>Taxodium distichum</i> var. <i>pendulum</i>	Smaller Curled-cup. <i>Narcissus heminalis</i>
Yellow. <i>Thujopsis borealis</i> (<i>Cupressus nutkaensis</i>) and <i>Thuja Lobbii</i> (<i>T. Menziesii</i> , <i>T. gigantea</i>)	Telamon. <i>Narcissus Telamonius</i>
Cypress-Broom. See Broom	Tenby Six-lobed. <i>Narcissus lobularis</i>
Cypress "knees." Tumours produced by disease on the roots of <i>Taxodium distichum</i>	Thick-bulbed. <i>Narcissus pachybulbos</i>
Cypress-Moss. <i>Lycopodium alpinum</i>	Three-stamened. <i>Narcissus triandrus</i>
Cypress-root, or Sweet Cypress. <i>Cyperus longus</i>	Twisted. <i>Narcissus tortuosus</i>
Cypress-Spurge. <i>Euphorbia Cyparissias</i>	Two-coloured. <i>Narcissus bicolor</i>
Cypress-Vine. <i>Quamoclit vulgaris</i>	Two-flowered. <i>Narcissus biflorus</i>
Carolina. <i>Ipomoea caroliniana</i>	White Musk-scented. <i>Narcissus patulus</i>
Ivy-leaved. <i>Ipomoea hederacea coccinea</i>	Winter. <i>Sternbergia lutea</i> and <i>S. lutea angustifolia</i>
Daffadowndilly. <i>Narcissus Pseudo-narcissus</i>	Yellow Rush-leaved. <i>Narcissus gracilis</i>
Daffodil, Ajax. <i>Narcissus Ajax</i>	Dagger flower. <i>Machæranthera tanacetifolia</i> (<i>Aster tanacetifolius</i>)
Bazelman major. <i>Narcissus Trenianus</i>	Dagger-plant. The genus <i>Yucca</i>
Bazelman minor. <i>Narcissus crenulatus</i>	Dahlia, Black. <i>Dahlia Zimapani</i> (<i>Cosmos atropurpureus</i>)
Chequered. <i>Fritillaria Meleagris</i>	Cactus. <i>Dahlia Yuarezi</i>
Cliff. <i>Narcissus rupicola</i>	Common. Varieties of <i>Dahlia</i> (<i>Georgina variabilis</i>)
Clusius's. <i>Narcissus Clusii</i>	Florists'. Varieties of <i>Dahlia superflua</i>
Common. <i>Narcissus Pseudo-narcissus</i>	Giant. <i>Dahlia imperialis</i>
Cyclamen-flowered. <i>Narcissus calathinus pulchellus</i> , <i>N. triandrus</i> , and other species which have the perianth-segments reversed	Imperial. <i>Dahlia imperialis</i>
Dwarf. <i>Narcissus minor</i>	Long-flower-stemmed. <i>Dahlia scapigera</i>
Dwarfest. <i>Narcissus minimus</i> (<i>N. pumilus</i>)	Scarlet. <i>Dahlia coccinea</i>
Eastern. <i>Narcissus orientalis</i>	Slender. <i>Dahlia gracilis</i>
French. <i>Narcissus Tazetta</i>	Treec. <i>Dahlia imperialis</i>
Golden. <i>Narcissus maximus</i>	Yuarez's. <i>Dahlia Yuarezi</i>
Graells's. <i>Narcissus Graellsii</i>	Daisy, African. <i>Athanasia annua</i>
Green-flowered. <i>Narcissus viridiflorus</i>	American False. <i>Eclipta brachypoda</i>
	Annual. <i>Bellis annua</i>
	Arctic Ox-eye. <i>Leucanthemum (Chrysanthemum) arcticum</i>
	Aucuba-leaved. <i>Bellis aucubaeifolia</i>
	Big. <i>Chrysanthemum Leucanthemum</i>
	Blue. <i>Aster Tripolium</i> and various species of <i>Globularia</i>
	Blue Alpine. <i>Aster alpinus</i>
	Blue Round-leaved. <i>Bellis rotundifolia</i> var. <i>carulea</i>
	Christmas. <i>Aster grandiflorus</i>
	Chusan. The small, or Pompone, variety of <i>Chrysanthemum sinense</i>

- Daisy, Common.** *Bellis perennis*
 Common Small. *Bellium bellidioides*
 Crown. *Chrysanthemum coronarium* and
 vars.
Dog, Horse, Moon, or Ox-eye. *Chrysanthemum Leucanthemum*
Double Red. *Bellis perennis rubra plena*
Double White. *Bellis perennis alba plena*
Dwarf Small. *Bellium minutum*
False. *Bellum bellidioides*
Globe. The genus *Globularia*
Hen-and-Chickens. *Bellis perennis var.*
prolifera
Horse. See Daisy, Dog
Italian. *Bellis hybrida*
Marsh. *Armeria maritima*
Marsh Ox-eye. *Chrysanthemum lacustre*
Mexican. *Erigeron (Leptostelma) maximum*
Michaelmas. *Aster Tripolium* and *A. Trädescanti*
Moon. See Daisy, Dog
New Holland. *Vittadenia australis (V. triloba)*
New Zealand. The genus *Lagenophora*
Ox-eye. See Daisy, Dog
Ox-eye, Tricoloured. *Chrysanthemum Burridgeanum*
Paris. *Chrysanthemum frutescens*
Portugal Wood. *Bellis sylvestris*
Small. The genus *Bellium*
Swan River. *Brachycome iberidifolia*
Texan. *Bellis integrifolia*
Thick-leaved Small. *Bellium crassifolium*
Turfing. *Pyrethrum Tchihatchewii*
Western. *Bellis integrifolia*
- Daisy Bush,** New Zealand. *Olearia Haastii* and other species
- Daisy Star.** The genus *Bellidiastrum*
- Daisy Tree,** New Zealand. Various species of *Olearia*
 Tasmanian. *Eurybia lyrata*
- Dalmatian Cap.** An old name for the genus *Tulipa*
- Damasse.** Another name for the Damson
- Dame's Violet.** *Hesperis matronalis*
- Dammar Tree, Black.** *Canarium strictum*
 White. *Vateria indica*
- Damsel.** Another name for the Damson
- Damson, or Damson-Plum.** *Prunus communis var. damascena*
 Bitter, or Mountain. *Simaruba amara*
 W. Indian. *Chrysophyllum oliviferum*
 Wild. *Prunus insititia*
- Danchi,** or Dhunchi-plant. *Sesbania aculeata*
- Dancing Girls.** See Opera Girls
- Dandelion.** *Leontodon Taraxacum*
 Blue. *Lactuca sonchifolia*
 Dwarf American. *Krigia virginica*
 False. *Pyrrhopappus carolinianus*
- Dane-ball, or Dane-wort.** *Sambucus Ebulus*
- Danes'-blood.** *Sambucus Ebulus, Anemone Pulsatilla*, and *Campanula glomerata*
- Danes'-flower.** *Anemone Pulsatilla*
- Danes'-weed.** *Eryngium campestre* and *Sambucus Ebulus*
- Dane-wort.** See Dane-ball
- Dangle-berry, or Blue Tangle.** *Gaylussacia frondosa*
- Daphne, Alpine.** *Daphne alpina*
- Daphne, Altaian.** *Daphne altaica*
 Australian. *Wickstromia indica*
 Chinese. *Daphne chinensis*
 Downy. *Daphne pubescens*
 Flax-leaved. *Daphne Gnidium*
 Fortune's. *Daphne Fortunei*
 Green-flowered. *Daphne viridiflora*
 Hill. *Daphne collina*
 Indian. *Daphne indica*
 Japan. *Daphne japonica*
 Lady Auckland's. *Daphne Aucklandiae*
 Neapolitan. *Daphne collina*
 Olive-leaved. *Daphne oleoides*
 Paper. *Daphne papyracea*
 Pontic. *Daphne pontica*
 Red-flowered Indian. *Daphne indica var.*
rubra
 Rock. *Daphne rupestris*
 Silky. *Daphne sericea*
 Silvery-leaved. *Daphne Tartonraira*
 Smooth-leaved. *Daphne Thymelaea*
 Streaked-barked. *Daphne striata*
 Sweet-scented. *Daphne odora*
 Tinus-leaved. *Daphne tinifolia*
 Variegated. *Daphne odora var. variegata*
 Willow-leaved. *Daphne salicifolia*
- Darnel.** *Lolium temulentum*
 Red. *Lolium perenne*
- Darning-needle, Devil's.** *Scandix Pecten*
- Darsham Fern.** *Nephrodium cristatum*
- Dart-Grass.** *Holcus mollis* and *H. lanatus*
- Date, Chinese.** The fruit of a species of *Ziziphus*
- Date-Coffee.** See Coffee
- Date-Palm.** *Phoenix dactylifera* and other species
- Date-Plum, Virginian.** *Diospyros virginiana*
 Virginian Downy - leaved. *Diospyros virginiana var. pubescens*
- Dattcock.** *Detarium senegaleNSE*
- David's-harp.** *Polygonatum multiflorum*
- David's-root.** *Chiococca racemosa* and *Celastrus scandens*
- Dawa.** The fruit of *Nephelium pinnatum*
- Day-berry.** The wild Gooseberry
- Day Nettle.** See Dead Nettle
- Day-flower.** The genus *Commelinia*
- Day-lily.** The genus *Hemerocallis*
 Dark Yellow. *Hemerocallis lutea*
 Dumortier's. *Hemerocallis Dumortieri*
 Grass-leaved. *Hemerocallis graminea*
 Tawny. *Hemerocallis fulva*
 Two-rowed. *Hemerocallis disticha*
 Variegated-leaved. *Hemerocallis Kvanso variegata*
 Yellow. *Hemerocallis flava*
- Dea Nettle, or Dee Nettle.** See Dead Nettle
- Dead-Man's-Toe.** *Laminaria digitata*
- Dead-Men's-Fingers.** *Orchis mascula, O. maculata*, and other species
- Dead Nettle, or Deaf Nettle.** A general name for various species of *Lamium*
 Balm-leaved Red. *Lamium Orvala*
 Gargano. *Lamium garganicum*
 Golden. *Lamium aureum*
 Long-flowered. *Lamium longiflorum*
 Pyrenean. *Horminum pyrenaicum*
 Red. *Lamium purpureum*
 Spotted. *Lamium maculatum*

Dead Nettle, White. <i>Lamium album</i>	Dhunchi. See Danchi
Yellow. <i>Lamium Galeobdolon</i>	Dhurra. See Dhourra
Dead-tongue. <i>Ænanthe crocata</i>	Dika, or Udika, Bread-plant of W. Africa.
Dead-wort. <i>Sambucus Ebulus</i>	Irvingia Barteri
Deaf Nettle. See Dead Nettle	Dikamali Resin-plant. <i>Gardenia lucida</i>
Deal Trees. Various species of <i>Pinus</i> and <i>Abies</i>	Dill, or Dill-seed. <i>Anethum graveolens</i>
Deberries. Another name for Gooseberries	Dillisk. <i>Rhodymenia palmata</i>
Deer Balls. <i>Elaphomyces</i>	Dilnole. An old name for <i>Cyclamen</i>
Deer-berry. <i>Mitchella repens</i> , and <i>Vaccinium stamineum</i>	Dirt-weed, or Dirty Dick. <i>Chenopodium album</i>
Deer-food. <i>Brasenia peltata</i>	Distaff Cane. <i>Arundo Donax</i>
Deer-grass. <i>Rhexia virginica</i>	Diss. <i>Arundo (Ampelodesmos) tenax (A. festucoides)</i>
Deer's-hair. <i>Scirpus (Eleocharis) cespitosus</i>	Arab's. <i>Festuca altissima</i>
Deer's-foot Grass. <i>Agrostis setacea</i>	Ditch-Bur. <i>Xanthium strumarium</i>
Deer's-weed. See Dyer's-weed	Ditch-Fern. <i>Osmunda regalis</i>
Deil's-Meal. <i>Anthriscus sylvestris</i>	Ditch-Grass, American. <i>Ruppia maritima</i>
Deil's-Oatmeal. <i>Bunium flexuosum</i>	Ditch-Reed. <i>Phragmites communis</i>
Deil's-Spoons. <i>Potamogeton natans</i> and <i>Alisma Plantago</i>	Dithering (Shivering) Grass. <i>Briza media</i>
Delt-Orache. <i>Atriplex patula</i>	Dittander. <i>Lepidium latifolium</i>
Demigod's-food. An old name for <i>Ambrina ambrosioides</i>	Dittany. <i>Dictamnus Fraxinella</i>
Deptford Pink. <i>Dianthus Armeria</i>	American. <i>Cunila Mariana</i>
Deodar. <i>Cedrus Deodara</i>	Of Amorgos. <i>Origanum Tournefortii</i>
Heavy-branched. <i>Cedrus Deodara robusta</i>	Of Crete. <i>Origanum Dictamnus</i>
Silvery-leaved. <i>Cedrus Deodara nivea</i>	Divi-Divi-tree. <i>Cesalpinia coriaria</i>
Desert-Rod. The genus <i>Eremostachys</i>	Dock, or Docken. Various species of <i>Rumex</i>
Devil-in-a-bush. <i>Nigella damascena</i>	Ben. <i>Ænanthe crocata</i>
Devil-tree. <i>Alstonia scholaris</i>	Bladder. <i>Rumex vesicarius</i>
Devil-wood. <i>Osmanthus americanus (Olea americana)</i>	Broad-leaved. <i>Rumex obtusifolius</i>
Devil's-Apron. <i>Laminaria saccharina</i>	Can. <i>Nymphaea alba</i> and <i>Nuphar lutea</i>
Devil's-Bean. <i>Capparis cynophallophora</i>	Clustered. <i>Rumex conglomeratus</i>
Devil's-Bit, or Devil's-Bit Scabious. <i>Scabiosa succisa</i>	Curled. <i>Rumex crispus</i>
American. <i>Helonias dioica (Chamaelirion luteum)</i> and <i>Liatris squarrosa</i>	Fiddle. <i>Rumex pulcher</i>
Swamp. <i>Ptelea trifoliata</i>	Flatter. <i>Nymphaea alba</i> and other aquatic plants with floating leaves
Devil's-Candlestick. <i>Nepeta Glechoma</i>	Gentle. <i>Polygonum Bistorta</i>
Devil's-Claws. <i>Ranunculus arvensis</i>	Golden. <i>Rumex maritimus</i>
Devil's-Coach-wheel. <i>Ranunculus arvensis</i>	Grainless. <i>Rumex aquatus</i>
Devil's-Curry-comb. <i>Ranunculus arvensis</i>	Grove. <i>Rumex Nemolapathum</i>
Devil's-Darning-needle. <i>Scandix Pecten</i>	New Zealand. <i>Rumex flexuosus</i>
Devil's-Flower. <i>Lychnis diurna</i>	Pale, of N. America. <i>Rumex Britannica</i>
Devil's-Garter. <i>Convolvulus sepium</i>	Patient, or Patience. <i>Polygonum Bistorta</i>
Devil's-Herb, W. Indian. <i>Plumbago scandens</i>	Prairie. <i>Silphium terebinthinaceum</i>
Devil's-Horn. <i>Phallus impudicus</i>	Red-veined. <i>Rumex sanguineus</i>
Devil's-Leaf. <i>Urtica urens</i>	Round. <i>Malva sylvestris</i>
Devil's-Milk. <i>Euphorbia Helioscopia</i> and other species	Sea. An old name for <i>Acanthus</i>
Devil's-Snuff-box. Various species of <i>Lycoperdon</i>	Sharp. See Dock, Sour
Devil's-Tree. <i>Alstonia scholaris</i>	Sorrel. <i>Rumex Acetosa</i>
Devil's-Trumpet. <i>Datura Stramonium</i>	Sour, or Sharp. <i>Rumex Acetosa</i>
Dew-berry. <i>Iulus cassius</i>	Swamp, of N. America. <i>Rumex verticillatus</i>
American. <i>Iulus canadensis</i>	Tuberous-rooted. <i>Rumex tuberosus</i>
Dew-Grass. <i>Dactylis glomerata</i>	Velvet. <i>Verbascum Thapsus</i>
Dew-plant. <i>Mesembryanthemum glabrum</i>	Water. <i>Rumex Hydrolapathum</i>
Dewtry. <i>Datura Stramonium</i>	Water, American. <i>Rumex orbicularis</i>
Deye-Nettle. <i>Galcopsis Tetrahait and Stachys sylvatica</i>	White, or Willow-leaved, Californian. <i>Rumex salicifolius</i>
Dhak-tree. <i>Butea frondosa</i>	Docken, Eldin. <i>Rumex aquaticus</i>
Dhal, or Dhol. The seeds of <i>Cajanus indicus</i>	Flowery. <i>Chenopodium Bonus-Henricus</i>
Dhourra, Dhurra, Doura, or Durra. <i>Sorghum vulgare</i>	Water. <i>Petasites vulgaris</i>
	Dockmackie. <i>Viburnum acerifolium</i>
	Doctor's-gum-tree. <i>Rhus Metopium</i>
	Dod. <i>Typha latifolia</i>
	Dodder. The genus <i>Cuscuta</i>
	Bengal. <i>Cuscuta capitata</i>
	Flax. <i>Cuscuta Epilinum</i>
	Greater. <i>Cuscuta europaea</i>
	Small. <i>Cuscuta Epithymum</i>
	Dodder-cake-plant. <i>Camellia sativa</i>
	Dodder-grass. <i>Briza media</i>

- Dog-berry, or Dog-cherry.** The fruit of *Cornus sanguinea*
- Dog-Daisy.** See Daisy
- Dog-Eller.** *Viburnum Opulus*
- Dog-Fennel.** *Anthemis Cotula*
- Dog-Gowan.** *Matricaria inodora*
- Dog-Grass.** *Triticum repens*
- Dog-Nettle.** See Dead Nettle
- Dog-Oak.** *Acer campestre*
- Dog-Rose.** *Rosa canina*
- Dog-Rowan-tree.** *Viburnum Opulus*
- Dog-Thistle.** *Carduus arvensis*
- Dog-Tree.** *Cornus sanguinea*
- Dog-Violet.** *Viola canina* and *V. sylvatica*
- Dog-wood.** *Cornus sanguinea*; also applied to *Euonymus europaeus*, *Rhamnus Frangula*, and *Viburnum Opulus*
- Alternate-leaved. *Cornus alternifolia*
- Black. *Piscidia carthaginensis*
- Blue-berried. *Cornus sericea*
- Flowering. *Cornus florida*
- Headed-flowered. *Cornus capitata*
- Illawarra. *Emmenosperma alphonioioides*
- Jamaica. *Piscidia Erythrina*
- Large-leaved. *Cornus macrophylla*
- Male. *Cornus mas*
- N. S. Wales. *Jacksonia scoparia*
- Oblong-leaved. *Cornus oblonga*
- Panicle-flowered. *Cornus paniculata*
- Pond. See Pond-Dogwood
- Red Osier. *Cornus stolonifera*
- Rough-leaved. *Cornus asperifolia*
- Round-leaved. *Cornus circinata*
- Siberian Scarlet. *Cornus sibirica*
- Silky, or Kinnikinnik. *Cornus sericea*
- Stiff. *Cornus stricta*
- Striped. *Acer pennsylvanicum*
- Tall Mexican. *Cornus grandis*
- Upright-branched. *Cornus stricta*
- Tasmanian. *Bedfordia salicina*
- White-berried. *Cornus alba*
- White Jamaica. *Piscidia Erythrina*
- Dog's-bane.** The genus *Apocynum*
- Climbing. *Periploca graeca*
- Spreading, or Tutsan-leaved. *Apocynum androsaemifolium*
- Venetian. *Apocynum Venetum*
- Dog's-Chamomile.** *Matricaria Chamomilla*
- Dog's-chop.** *Mesembryanthemum caninum*
- Dog's Grass.** See Dog's-tail Grass
- Dog's Leek.** See Leek
- Dog's Mercury.** *Mercurialis perennis*
- Dog's Parsley.** *Ethusa Cynapium*
- Dog's-rib.** See Rib-grass
- Dog's-tail Grass.** *Cynosurus cristatus*
- Dog's Tansy.** *Potentilla anserina*
- Dog's-tongue.** *Cynoglossum officinale*
- Dog's-tooth Grass.** *Triticum caninum* and *Cynodon Dactylon*
- Dollee-wood.** *Myristica surinamensis*
- Dolphin-flower.** *Delphinium Consolida*
- Donkey's-eye.** The seed of *Mucuna pruriens*
- Donninethell.** An old name for *Galeopsis Ladanum*
- Doon-tree.** *Doona zeylanica*
- Doorda, or Doorwa, Grass.** *Cynodon Dactylon*
- Door-weed.** *Polygonum aviculare*
- Dorn-boom,** of S. Africa. *Acacia horrida*
- Double-leaf.** *Listera ovata*
- Double-tongue.** *Ruscus Hypoglossum*
- Doura.** See Dhourra
- Dove-Dock.** *Tussilago Farfara*
- Dove-flower, Waxen.** *Peristeria cerina*
- Dove-Orchid.** See Orchid
- Dove-plant.** *Peristeria elata*
- Dove-wood.** *Alchornea latifolia*
- Dove's-foot.** *Geranium molle* and *G. maculatum*
- Down-thistle.** *Onopordon Acanthium*
- Down-tree.** *Ochroma Lagopus*
- Down-weed.** *Filago germanica*
- Downy Ling.** *Eriophorum polystachyon*
- Drake,** Drawk, Dravick, or Droke. Applied to Darnel, Cockle, or weeds in general
- Dragon, Green.** *Arisaema Dracontium*
- Dragon-Arum.** *Arum Dracunculus*
- Dragon-bushes.** *Linaria vulgaris*
- Dragon-claw.** *Pterospora Andromedea* and *Corallorrhiza odontorhiza*
- Dragon-plant.** The genus *Dracæna*
- Hardy. *Dracæna (Cordyline) indivisa*
- New Zealand. *Dracæna (Cordyline) austalis*
- Oval-leaved. *Dracæna borealis*
- Zebra-striped. *Dracæna Goldieana*
- Dragon-tree,** Canary Islands. *Dracæna Draco*
- Dragon-root.** *Arisaema Dracontium*
- Dragon-wort.** *Polygonum Bistorta*
- Dragon's Female.** An old name for *Arum Dracunculus*
- Dragon's-blood-plant.** *Calamus (Dæmonorops) Draeo*; also applied to *Geranium Robertianum*
- Dragon's-blood-tree.** *Dracæna Draco*
- Dragon's-eye.** *Nephelium Longanum*
- Dragon's-head.** The genus *Dracocephalum*
- Argunsk. *Dracocephalum argunense*
- Austrian. *Dracocephalum austriacum*
- Betony-leaved. *Dracocephalum grandiflorum*
- False. The genus *Physostegia*
- Hysop-leaved. *Dracocephalum Ruyschianum*
- Imbricated False. *Physostegia imbricata*
- Large-flowered. *Dracocephalum grandiflorum*
- Prickly-leaved. *Dracocephalum peregrinum*
- Tasmanian. *Diviris sulphurea*
- Toothed False. *Physostegia denticulata*
- Twin-flowered. *Dracocephalum peregrinum*
- Dragon's-mouth.** *Antirrhinum majus*, *Arum crinitum*, and *Epidendrum macrochilum*
- Dragons' Water.** *Calla palustris*
- Draper's Teasel.** *Dipsacus fullonum*
- Drias-plant.** *Thapsia garganica*
- Drooping Avens.** *Geum rivale*
- Drooping Tulip.** *Fritillaria Meleagris*
- Drop-seed Grass.** See Grass
- Drop-wort.** *Spiraea Filipendula*
- False Water. *Tiedemannia teretifolia*
- Double-flowered. *Spiraea Filipendula plena*
- Hemlock. *Enanthe crocata*

Dropwort, Water. <i>Oenanthe fistulosa</i>	Ear-drops, Lady's. The garden <i>Fuchsia</i>
Western. <i>Gillenia trifoliata</i>	Ear-wort. <i>Rhaicallis rupestris</i>
Drum-stick-tree. <i>Cathartocarpus conspicua</i>	Ear-ring Flower. The garden <i>Fuchsia</i>
Drunken-wort. An old name for Tobacco	Earning-grass. <i>Pinguicula vulgaris</i>
Dryad, White-flowered. <i>Dryas octopetala</i>	Earth-balls (Truffles). <i>Tuber cibarium</i>
Yellow-flowered. <i>Dryas Drummondii</i>	Earth-gall. <i>Erythraea Centaurium</i> and other plants of the <i>Gentian</i> tribe
Dry-rot Fungus. <i>Merulius lachrymans</i>	Chinese. <i>Pteria Fel-terre</i>
Duck's-foot. <i>Alchemilla vulgaris</i> and <i>Podophyllum peltatum</i>	Of the Malays. <i>Ophiorrhiza Mungos</i>
Duck-weed, or Duck-meat. The genus <i>Lemna</i>	Earth-jelly. <i>Tremella Auricula</i>
Common. <i>Lemna minor</i>	Earth-moss. The genus <i>Phascum</i>
Coral-berried, or Fruiting. <i>Nertera depressa</i>	Earth-nut, or Earth-chestnut. <i>Bunium flexuosum</i>
Greater. <i>Lemna polyrrhiza</i>	Large. <i>Bunium Bulbocastanum</i>
Ivy-leaved. <i>Lemna trisulca</i>	Earth-quakes. <i>Briza media</i>
Lesser. <i>Lemna minor</i>	Earth-smoke. <i>Fumaria officinalis</i>
Thick-leaved. <i>Lemna gibba</i>	Earth-star. The genus <i>Geaster</i>
Tropical. <i>Pistia Stratiotes</i>	Easter-flower, Mexican. <i>Poinsettia pulcherrima</i>
Duck-meat. See Duck-weed	Easter Giant, Easter Ledges, Easter Magiants, or Easter Mangiants. <i>Polygonum Bistorta</i>
Duck-mud. <i>Conferva rivularis</i> and other delicate green-spored Algae	Eboe-tree. <i>Dipterix ebensis</i>
Duffle. <i>Verbascum Thapsus</i>	Ebon-tree, Ceylon. <i>Diospyros Ebenum</i>
Dulse. <i>Rhodymenia palmata</i> and <i>Iridaea edulis</i>	Coromandel. <i>Diospyros Melanoxyylon</i>
Pepper. <i>Laurencia pinnatifida</i>	East Indian. <i>Dalbergia latifolia</i> , <i>Diospyros Ebenaster</i> , and <i>D. Melanoxyylon</i>
Dumb Cane. <i>Caladium sequinum</i>	False. <i>Cytisus Laburnum</i>
Dumpling, Greater. <i>Mesembryanthemum obcordellum</i>	Green. <i>Eucacaria glandulosa</i> , <i>Bignonia leucoxylon</i> , and <i>Jacaranda ovalifolia</i>
Small. <i>Mesembryanthemum minimum</i>	Jamaica. <i>Brya Ebenus</i>
Dunga-runga-tree. <i>Notelaea ovata</i>	Mauritius. <i>Diospyros reticulata</i>
Dunny Nettle. Another name for Dead Nettle	Mountain. <i>Bauhinia variegata</i>
Durgan Wheat. Bearded Wheat	St. Helena. <i>Melania Melanoxyylon</i>
Durian, or Duryon, Tree. <i>Durio zibethinus</i>	Senegal. <i>Dalbergia Melanoxyylon</i>
Durra. See Dhourra	W. Indian. <i>Brya Ebenus</i>
Dusty Miller. <i>Primula Auricula</i> and <i>Senecio Cineraria</i>	Edder-wort. An old name for <i>Arum Dracontium</i>
Dutch Agrimony. <i>Eupatorium cannabinum</i>	Edelweiss. <i>Gnaphalium Leontopodium</i>
Dutch-Clover. <i>Trifolium repens</i>	New Zealand. <i>Gnaphalium (Helichrysum) Colensoi</i> and <i>G. grandiceps</i>
Dutch-Mice. <i>Lathyrus tuberosus</i>	Edge-weed. <i>Oenanthe Phellandrium</i>
Dutch-Myrtle. <i>Myrica Gale</i>	Eel-grass. See Grass
Dutch-Rush. <i>Equisetum hyemale</i>	Eel-ware, or Eel-beds. <i>Itanunculus fluitans</i> and various pond-weeds
Dutchman's-breeches. <i>Dicentra cucullaria</i>	Egg-berry. <i>Prunus Padus</i>
Dutchman's-butter. <i>Cassia glandulosa</i>	Egg-plant, or Bringall. <i>Solanum Melongena (S. ovigerum)</i>
Dutchman's-pipe. <i>Aristolochia Sipho</i>	Red-fruited. <i>Solanum Melongena fructu-rubro</i>
Dutch-Pink-plant. <i>Reseda Luteola</i>	Violet-fruited. <i>Solanum Melongena fructu-violaceo</i>
Dwale. <i>Atropa Belladonna</i>	White-fruited. <i>Solanum Melongena fructu-albo</i>
Deadly. <i>Acnistus arborescens</i>	Yellow-fruited. <i>Solanum Melongena fructu-luteo</i>
Dwarf Bay. See Bay	Eglantine. <i>Rosa Eglanteria</i> , <i>Rosa rubiginosa</i> , and <i>Rubus Eglanteria</i>
Dwarf Cornel. See Cornel	Eggs-and-Bacon. <i>Linaria vulgaris</i> and <i>Lotus corniculatus</i>
Dwarf Elder. See Elder	Eggs-and-Butter. <i>Linaria vulgaris</i> and the Buttercup
Dwarf-berry. <i>Atropa Belladonna</i>	Eileber. An old name for <i>Erysimum Alliaria</i>
Dyer's Broom. See Broom	Egyptian Rose. <i>Scabiosa arvensis</i> and <i>S. atropurpurea</i>
Dyer's-grapes. <i>Phytolacca decandra</i>	Egyptian Thorn. <i>Crataegus Pyracantha</i>
Dyer's Green-weed. <i>Genista tinctoria</i>	Elder, or Elder-berry. <i>Sambucus nigra</i>
Dyer's Rocket. <i>Reseda Luteola</i>	American. <i>Sambucus Canadensis</i>
Dyer's-seed. <i>Reseda Luteola</i>	
Double. <i>Genista tinctoria</i> <i>jt.-pl.</i>	
Dyer's Yellow-weed. <i>Reseda Luteola</i>	
Eagle-wood. <i>Aquilaria Agallochum</i> and <i>A. orata</i>	
Ear-cockle, or Purples. A disease in Wheat, in which the grain is attacked by multitudes of very minute worms of the genus <i>Vibrio</i>	

Elder, Autumn-flowering. *Sambucus Canadensis*
 Bishop's. See Bishop's Elder
 Californian. *Sambucus glauca*
 Chinese. *Sambucus chinensis*
 Cut-leaved. *Sambucus nigra var. laciniata*
 Dwarf. *Sambucus humilis* and *Pilea grandis*
 Ground. *Sambucus Ebulus*
 Hart's. *Sambucus racemosa*
 Herbaceous. *Sambucus Ebulus*
 Horse. See Horse Elder
 Marsh, or Water. *Viburnum Opulus*
 N. American. The genus *Iva*
 Parsley-leaved. *Sambucus nigra var. laciniata*
 Poison. *Rhus venenatum*
 Red-berried. *Sambucus pubens* and *S. racemosa*
 Rose. See Rose-Elder
 Rosy-flowered. *Sambucus nigra var. rosæflora*
 Spanish. *Artanthe adunca*
 Variegated Cut-leaved. *Sambucus laciniata variegata*
 Water. See Elder, Marsh
 Wild, of N. America. *Aralia hispida*

Elecampane. *Inula Helenium*

Elemi-Resin-plant, Brazilian. Several species of *Icica*
 Mauritius. *Colophonia Mauritiana*
 Mexican. *Amyris elemifera*

Elephant's-Apple. *Feronia elephantum*

Elephant's-ear. The genus *Begonia* and *Siphonanthus hastatus*

Elephant's-foot. *Testudinaria elephantipes* and the genus *Elephantopus*
 Carolina. *Elephantopus carolinensis*
 Rough. *Elephantopus scaber*

Elephant's-grass. See Grass

Elephant's-trunk-plant. *Martynia propinquidea* and *Adenium namaquanum*

Elephant's Vine. *Cissus latifolia*

Eleven-o'Clock-Lady. *Ornithogalum umbellatum*

Elf-Dock. *Inula Helenium*

Elk-bark. *Magnolia glauca*

Elk-tree, Sour-leaved. *Andromeda arborea*

Elk's-horn Fern. See Fern

Elm. The genus *Ulmus*
 Acute-leaved. *Ulmus campestris var. acutifolia*
 American, or White. *Ulmus americana*
 American Cork. *Ulmus racemosa*
 American False. *Celtis occidentalis*
 American Rock. *Ulmus racemosa*
 American Small-leaved. *Ulmus alata*
 Birch-leaved. *Ulmus campestris var. betulifolia*
 Black Irish. *Ulmus montana var. nigra*
 Broad-leaved Common. *Ulmus campestris var. latifolia*
 Camperdown Weeping. *Ulmus montana var. pendula*
 Canterbury Seedling. *Ulmus glabra var. major*
 Cevennes. *Ulmus montana var. cebennensis*
 Chichester. *Ulmus glabra var. vegeta*

Elm, Chinese. *Ulmus campestris var. chinensis*
 Clammy. *Ulmus campestris var. viscosa*
 Common. *Ulmus campestris*
 Concave-leaved. *Ulmus campestris var. concavæfolia*
 Cork-barked. *Ulmus suberosa*
 Corky White. *Ulmus racemosa*
 Cornish. *Ulmus campestris var. cornubiensis*
 Curled-leaved. *Ulmus montana var. crispa*
 Declining-branched. *Ulmus major*
 Downton. *Ulmus glabra var. pendula*
 Dutch, or Sand. *Ulmus suberosa*
 Dwarf. *Ulmus campestris var. nana*
 Dwarf Siberian. *Ulmus pumila*
 E. Indian. *Ulmus (Holoptelea) integrifolia*
 English. *Ulmus campestris*
 Exeter. *Ulmus montana var. fastigiata*
 Feathered. *Ulmus glabra*
 Floetbeck. *Ulmus glabra var. ramulosa*
 Glanded-leaved. *Ulmus glabra var. glandulosa*
 Golden. *Ulmus Dampieri aurea*
 Golden-variegated. *Ulmus campestris foliis aureis*
 Greater Wych. *Ulmus montana var. major*
 Hertfordshire. *Ulmus suberosa vars. latifolia* and *angustifolia*
 Himalayan. *Ulmus Wallichiana*
 Hooded-leaved. *Ulmus campestris var. cucullata*
 Hornbeam-leaved. *Ulmus carpinifolia*
 Huntingdon. *Ulmus glabra var. vegeta*
 Japanese. *Ulmus Kaki*
 Jersey. *Ulmus campestris var. sarniensis*
 Kidbrook. *Ulmus campestris var. virens*
 Moose. *Ulmus fulva*
 Monumental. *Ulmus monumentalis*
 Purple-leaved. *Ulmus campestris var. purpurea*
 Red, or Slippery. *Ulmus fulva*
 Red English. *Ulmus campestris var. stricta*
 Rough-leaved Wych. *Ulmus montana var. rugosa*
 Sand. See Elm, Dutch
 Scampston. A variety of *Ulmus glabra*
 Scotch. *Ulmus montana*
 Slippery. See Elm, Red
 Slippery, of California. *Fremontia californica*
 Smaller Wych. *Ulmus montana var. minor*
 Small-leaved Common. *Ulmus campestris var. parvifolia*
 Smooth-leaved. *Ulmus glabra*
 Smooth-leaved Wych. *Ulmus montana var. glabra*
 Spanish. *Cordia Geraschanthus* (*Geraschanthus vulgaris*)
 Spreading-flowered. *Ulmus effusa*
 Twiggy. *Ulmus campestris var. viminalis*
 Twisted. *Ulmus campestris var. tortuosa*
 Upright-branched. *Ulmus suberosa var. erecta*
 Variegated. *Ulmus campestris var. viminalis variegata*
 Weeping. *Ulmus glabra var. pendula*
 Weeping Wych. *Ulmus montana var. pendula*

- Elm, White.** See Elm, American
White-barked. *Ulmus suberosa var. alba*
White-variegated. *Ulmus campestris foliis variegatis*
Winged. *Ulmus alata*
Witch or Wych. *Ulmus montana*
Yoke. *Carpinus Betulus*
- Else-Dock.** An old name for *Elecampane*
- Eltrot.** *Heracleum Sphondylium*
- Emetic-weed.** *Lobelia inflata*
- Emony.** A corruption of "Anemone"
- Enchanter's Nightshade.** *Circæa lutea*
- Endive.** *Cichorium Endivia*
- Enemy.** A corruption of "Anemone"
- English Maidenhair.** *Asplenium Trichomanes*
- English Mercury.** *Chenopodium Bonus-Henricus*
- English Sea Grape.** *Salicornia herbacea*
- Ergot of Rye.** See Rye
- Einsilage.** Forage plants and grasses (chiefly Maize, Clover, Millet, and Alfalfa) preserved in a green state through the winter by storing them in water-tight and air-tight pits (silos). Extensively used in the United States
- Eringo, or Eryngio.** The genus *Eryngium*
- Ermine-chop.** *Mesembryanthemum ermininum*
- Er-nut.** See Earth-nut
- Ers.** *Ervum Ervilia*
- Ervalenta** (Revalenta) plant. *Eruum Lens*
- Eryngio, or Sea-Holly.** The genus *Eryngium*
- Alpine. *Eryngium alpinum*
 - Amethyst. *Eryngium amethystinum*
 - Dwarf. *Eryngium pusillum*
 - Field. *Eryngium campestre*
 - Flat-leaved. *Eryngium planum*
 - Giant. *Eryngium giganteum*
 - Ivory. *Eryngium eburneum*
 - Palm-leaved. *Eryngium pandanifolium*
 - Pine-apple-leaved. *Eryngium bromeliaceum*
 - Sea. *Eryngium maritimum*
 - White-spined. *Eryngium spinâ-albâ* and *Eryngium Bourgatii*
- Esparto-grass.** See Grass
- Espibawn.** *Chrysanthemum Leucanthemum*
- Euphorbium** Gum-plant. *Euphorbia resinifera*
- Euphrasy, or Eye-bright.** *Euphrasia officinalis*
- Evening-Flower.** The genus *Hesperantha*
- Grass-leaved. *Hesperantha graminifolia*
- Evening-Primrose.** The genus *Œnothera*
- Common. *Œnothera biennis*
 - Dandelion-leaved. *Œnothera taraxacifolia*
 - Dwarf. *Œnothera pumila*
 - Glaucous. *Œnothera glauca*
 - Fraser's. *Œnothera Fraseri*
 - Hairy-calyxed. *Œnothera trichocalyx*
 - James's. *Œnothera Jamesii*
 - Large-flowered. *Œnothera Lamarckiana*
 - Large Rose-tinted. *Œnothera marginata*
 - Missouri. *Œnothera missouriensis* (*Œ. macrocarpa*)
 - Mountain. *Œnothera montana*
 - Narrow-leaved. *Œnothera linearis*
- Evening - Primrose, Orange - flowered.** *Œnothera bistorta Veitchi*
- Scalloped-leaved. *Œnothera sinuata*
- Small-toothed-leaved. *Œnothera serrulata*
- Swamp. *Œnothera riparia*
- Tall White. *Œnothera cæpítosa*
- Young's. *Œnothera Youngi*
- Ever Fern.** *Polypodium vulgare*
- Evergreen Cliver.** *Rubia peregrina*
- Everlasting, or Everlasting-Flower.** Various species of *Helichrysum*, *Gnaphalium*, and *Antennaria*
- Annual. *Xeranthemum annum*
- Australian. *Helichrysum lucidum* (*H. bracteatum*) and *Helipterum Manglesii*
- Bracted. *Helichrysum bracteatum*
- Bridal. *Gnaphalium Leontopodium*
- Carpathian. *Antennaria carpatica*
- Common American. *Gnaphalium polyccephalum* and *G. decurrens*
- Common Shrubby. *Helichrysum Stoechas*
- Crimson. *Gnaphalium sanguineum*
- Crimson Cape. *Helichrysum* (*Astelma*) *eximium*
- Dwarf. *Helichrysum bracteatum nanum*
- Jamaica. *Gnaphalium americanum*
- Large-flowered. *Helichrysum macranthum*
- Moor, or Mountain. *Antennaria dioica*
- Mouse-ear. *Antennaria plantaginifolia*
- Pearly. *Antennaria margaritacea*
- Pink-rosette. *Rhodanthe Manglesii*
- Plantain - leaved. *Antennaria plantaginifolia*
- Red Globe. *Gomphrena globosa*
- Rosy. *Rhodanthe Manglesii maculata*
- Rosy-flowered Mountain. *Antennaria dioica minor*
- Swan River. *Rhodanthe Manglesii*
- Sweet-scented. *Gnaphalium polyccephalum*
- Tasmanian. *Helichrysum apiculatum*
- Tree. *Gnaphalium arboreum*
- Winged. *Ammobium alatum*
- Yellow. *Helichrysum orientale* and *H. (Gnaphalium) arenarium*
- Everlasting Pea.** *Lathyrus latifolius* and other species
- Eve's-cushion.** *Saxifraga hypnoides*
- Ewe-daisy.** *Potentilla Tormentilla*
- Ewe-gowan.** *Bellis perennis*
- Extinguisher-Moss.** See Moss
- Eye (The Pink).** *Dianthus*
- Eye-bright.** *Euphrasia officinalis*
- Blue. An old name for *Myosotis repens*
 - Red. *Bartsia Odontites*
 - W. Indian. *Euphorbia maculata*
- Eye-bright-Cow-wheat.** The genus *Bartsia*
- Alpine. *Bartsia alpina*
 - Red. *Bartsia Odontites*
 - Viscid. *Bartsia viscosa*
- Eye-seed.** The seed of *Salvia Verbenacea*
- Fae-berry.** See Fay-berry
- Fair Grass, or Fair Days.** *Potentilla anserina*
- Fair Maids of February.** *Galanthus nivalis*

Fair Maids of France. *Ranunculus aconitifolius*, *Saxifraga granulata*, and *Achillea Ptarmica*

Fair Maids of Kent. *Ranunculus aconitifolius*

Fairies' Butter, or Fairy Butter. *Tremella albida* and *T. arborea*

Fairy Fingers. *Digitalis purpurea*

Fairy Flax. *Linum catharticum*

Fairy-ring Champignon. See Champignon

Faitour's Grass. Probably *Euphorbia Esula*

Fallen Stars. *Nostoc commune*

Fall-poison, American. *Amianthium muscotoxicum*

False-Aphodel, Downy. *Tofieldia pubens*
Marsh. *Tofieldia palustris*
Small-calyxed. *Tofieldia calyculata*

False-Indigo, Downy. *Amorpha herbacea*
(*A. pubescens*)
Dwarf. *Amorpha nana*
Fragrant. *Amorpha fragrans*
Shrubby. *Amorpha fruticosa*
Smooth. *Amorpha glabra*
Yellow-wooled. *Amorpha croceo-lanata*

False-Goat's-beard, Japanese. *Astilbe japonica*
Red-flowered. *Astilbe rubra*
River-side. *Astilbe rivularis*

False-Mermaid. *Floerkea proserpinacoides*

False-Oat. See Oat

False-Parsley. *Ethisus Cynapium*

False-Rhubarb. *Thalictrum flavum*

Fame-flower. *Talinum teretifolium*

Fancy (Pansy). *Viola tricolor*

Fan-flower, Tasmanian. *Scævola cuneiformis*

Fare-nut, or Vare-nut. *Bunium flexuosum*

Fare-well-Summer. *Saponaria officinalis* and some species of *Aster*

Farkle-berry. *Vaccinium arboreum*

Faselles. An old name for Kidney-beans.

Fat Hen. *Chenopodium album* and other species of *Chenopodium* and *Atriplex*

Fat Pork. *Clusia flava*

Faverell. An old name for *Veronica Anagallis*

Faverole. An old name for *Arum Dracunculus*

Fay-berry, Fae-berry, or Fea-berry. Another name for the Goose-berry

Fea-berry. See Fay-berry

Feather-beds. *Chara vulgaris*

Feather-crown. *Ptilostephium trifidum*

Feather-few. Another name for Feverfew

Feather-foil. *Hottonia palustris*

Feather-grass. *Stipa pennata*

Feather-Moss. See Moss

Feathered Columbine. *Thalictrum aquilegfolium*

Feather-top Grass. *Calamagrostis Epigejos*

Feld-wood. *Verbascum Thapsus* (?), or a species of *Gentian* (?)

Fellon-grass. *Imperatoria Ostruthrium*

Fellon-herb. *Artemisia vulgaris*

Fellon-weed. *Senecio Jacobaea*

Fellon-wood, or Fellon-wort. *Solanum Dulcamara*

Felt. *Triticum repens*

Felt-wort. *Verbascum Thapsus*

Fel-wort. *Gentiana Amarella* and the genus *Swertia*
Marsh. *Swertia perennis*

Fen-berry. *Vaccinium Oxycoleos*

Fen-Orchis. See Orchis

Fen-Rue. *Thalictrum flavum*

Fennel, or Fenkelle. *Fæniculum vulgare*
Asparagus-leaved Giant. *Ferula asparagi-jolia*

Broad-leaved Giant. *Ferula Ferulago*

Common Giant. *Ferula communis*

Dog's. *Athemis Cotula*

Furrowed Giant. *Ferula sulcata*

Giant. The genus *Ferula*

Glaucous Giant. *Ferula glauca*

Hog's. *Peucedanum officinale*

Horse. *Seseli Hippomarathrum*

Knotted Giant. *Ferula nodiflora*

Sea. *Crithmum maritimum*

Sweet. *Fæniculum officinale*

Tangier Giant. *Ferula tingitana*

Water. *Callitrichie verna*

Fennel-flower. The genus *Nigella*
Common. *Nigella damascena*
Small. *Nigella sativa*
Spanish. *Nigella hispanica*
Wild. *Nigella arvensis*

Fenugreek, Common. *Trigonella Fænum-græcum*

Fern. A general name for plants of the *Filix* Family
Adder's. *Polypodium vulgare*

Adder's-tongue. *Ophioglossum vulgatum*

Alpine Bladder. *Cystopteris alpina*

American Grape. *Botrychium lunarioides*

American Maiden-hair. *Adiantum pedatum*

Ash-leaf. *Marattia fraxinea*

Australian Tree. *Dicksonia antarctica*

Basket. *Nephrodium Filia-mas*

Bladder. The genus *Cystopteris*

Beech. *Polypodium Phegopteris*

Bird's-foot Rock-Brake. *Pellæa ornithopus*

Bird's-nest. *Asplenium Nidus*

Black Oak. *Adiantum nigrum*

Boss. Various species of *Nephrodium*

Brake, or Bracken. *Pteris aquilina*

Branching Maiden-hair. *Adiantum formosum*

Broad Prickly-toothed. *Lastrea dilatata*

Bristle. The genus *Trichomanes*

Brittle Bladder. *Cystopteris fragilis*

Buckler. The genus *Lastrea*

Burke's Tree. *Cyathea Burkei*

Californian Chain. *Woodwardia radicans*

Californian Lace. *Cheilanthes gracillima*

Chain. The genus *Woodwardia*

Chignon. *Cibotium regale*

Christmas Shield. *Aspidium acrostichoides*

Cinnamon. *Osmunda cinnamomea*

Clayton's Flowering. *Osmunda Claytoniana*

Cliff Brake. The genus *Pellæa*

Climbing Polypody. *Niphobolus heteractis*

Climbing Shield. *Aspidium capense*

Climbing Snake's-tongue. *Lygodium scandens*

- Fern, Cloak. The genus *Nothochlaena*
 Comb, or Rush. The genus *Schizaea*
 "Conjuror of Chalgrave's." *Puccinia Anemones*
 Crested Shield. *Lastrea cristata*
 Crisped Hart's-tongue. *Scolopendrium erisipum*
 Culcit. See Fern, Cushion
 Curled Rock-Brake. *Allosorus crispus*
 Cushion, or Culcit. *Dicksonia (Balantium) Culcita*
 Darsham. *Lastrea cristata*
 Deer. *Lomaria Spicant*
 Dwarf Brazilian Tree. *Blechnum brasiliense*
 Eagle. *Pteris aquilina*
 Edible. *Pteris esculenta*
 Elk's-horn. *Platycerium aleicorne*
 Elk's-horn, E. Indian. *Platycerium biforme*
 Elk's-horn, Guinea. *Platycerium Stemmaria*
 Elk's-horn, Queensland. *Platycerium grande*
 Elk's-horn, Wallich's. *Platycerium Wallichii*
 Elk's-horn, Willinck's. *Platycerium Willinckii*
 English Maiden-hair, of New Zealand. *Adiantum aethiopicum*
 Ever. *Polypodium vulgare*
 Fijian Hare's-foot. *Davallia fijiensis*
 Filmy. A name applied to those kinds which have pellucid or transparent fronds, as various species of *Hymenophyllum*, *Todea*, and *Trichomanes*
 Finger. *Asplenium Ceterach*
 Florida Ribbon. *Vittaria lineata*
 Flowering. *Osmunda regalis*
 Grape. The genus *Botrychium*
 Gray Tree. *Cyathea medullaris*
 Great Maiden-hair. *Adiantum Farleyense*
 Ground. *Nephrodium (Lastrea) Thelypteris*
 Grove, The genus *Alsophila*
 Hairy Lip. *Cheilanthes vestita*
 Hard. *Blechnum boreale (B. Spicant)*
 Hare's-foot. The genus *Davallia*
 Hartford. *Lygodium palmatum*
 Hart's-tongue. The genus *Scolopendrium*
 Hay-scented. *Cheilanthes odora* and *Dicksonia pilosiuscula*
 Heath. *Lastrea (Aspidium) Oreopteris*
 Herring-bone. *Blechnum boreale*
 Holly. *Aspidium (Polystichum) Lonchitis*
 Jamaica Tree. *Dicksonia dissecta*
 Japan Climbing. *Lygodium scandens*
 Japan Hare's-foot. *Davallia Mariesi*
 Japan Ostrich. *Struthiopteris japonica*
 Killarney. *Trichomanes radicans*
 King. *Osmunda regalis*
 Lace. *Cheilanthes gracillima*
 Ladder. *Nephrolepis cordifolia*
 Lady. *Athyrium Filiix-femina*
 Lesser Adder's-tongue. *Ophioglossum lusitanicum*
 Limestone. *Polypodium calcareum*
 Lip. The genus *Cheilanthes*
 Lobed Prickly Shield. *Polystichum lobatum*
 Maiden-hair. *Adiantum Capillus-Veneris*
 Maiden-hair, American. *Adiantum pedatum*
- Fern, Male. *Lastrea Filix-mas*
 Marsh, or Marsh Shield. *Lastrea (Aspidium) Thelypteris*
 Miniature Basket. *Adiantum dolabriiforme*
 Moss. *Polypodium Dryopteris*
 Mountain Bladder. *Cystopteris montana*
 Mountain Shield. *Lastrea (Aspidium) Oreopteris*
 Moon. *Botrychium Lunaria*
 Moon-wort, of New Zealand. *Botrychium ternatum*
 Mule. *Hemionitis palmata* and *Scolopendrium Hemionitis*
 Narrow-fronded Bladder. *Cystopteris angustata*
 Narrow-fronded Chain. *Woodwardia angustifolia*
 Narrow Prickly-toothed. *Lastrea spinulosa*
 Netted Chain. *Woodwardia angustifolia*
 Nevada Wood. *Aspidium nevadense*
 New Zealand Tree. *Dicksonia antarctica*, *D. lanata*, and *D. squarrosa*
 Norfolk Island Tree. *Alsophila excelsa*
 Oak. *Polypodium Dryopteris*. Formerly applied to *P. vulgare*
 Oregon Cliff-Brake. *Pellaea densa*
 Oregon Rock-Brake. *Allosorus acrostichoides*
 Ostrich. *Struthiopteris pennsylvanica (S. germanica)*
 Para, of New Zealand. *Marattia salicina*
 Parsley. *Allosorus crispus*
 Pod. *Ceratopteris thalictroides* and *Ellobocarpus oliveraceus*
 Polypody. See Polypody
 Prickly Shield. *Aspidium (Polystichum) aculeatum*
 Queensland Elk's-horn. *Platycerium grande*
 Rattle-snake. *Botrychium virginicum*
 Recurved Prickly-toothed. *Lastrea cœmula* (*L. fœniseii*)
 Rigid Shield. *Lastrea rigida*
 Rock-Brake. *Allosorus crispus*
 Roseate Maiden-hair. *Adiantum rubellum*
 Royal, or Royal Osmund. *Osmunda regalis*
 Royal Calabar. *Litobrochia Currori*
 Rue-leaved. The genus *Gymnogramma*
 Rush. See Fern, Comb
 St. Helena Tree. *Dicksonia arborescens*
 Scale, or Scaly. *Asplenium Ceterach*
 Scented. *Lastrea Oreopteris*
 Sensitive. *Onoclea sensibilis*
 Shield. The genus *Aspidium (Lastrea)*
 Sierra Shield. *Aspidium nevadense*
 Silvery Tree. *Cyathea dealbata*
 Snake. *Blechnum boreale (B. Spicant)*
 Soft Prickly Shield. *Polystichum angulare*
 Spider. *Pteris serrulata*
 Spleen-wort. See Spleen-wort
 Stag's-horn. *Platycerium grande* and other species
 Stone. *Ceterach officinarum*
 Sweet. *Myrrhis odorata*
 Sword. The genus *Xiphopteris*
 Tall Hart's-tongue. *Scolopendrium erectum*
 Tara, of Tasmania. *Pteris esculenta*
 Tree. Various species of *Dicksonia*, *Alsophila*, and *Cyathea*

Fern, Tree, Australian. *Dicksonia antarctica*
Tree, Burke's. *Cyathea Burkei*
Tree, Dwarf Brazilian. *Blechnum brasiliense*
Tree, Jamaica. *Dicksonia dissecta*
Tree, New Zealand. *Dicksonia antarctica*,
D. lanata, and *D. squarrosa*
Tree, New Zealand Gray. *Cyathea medullaris*
Tree, Norfolk Island. *Alsophila excelsa*
Tree, St. Helena. *Dicksonia arborescens*
Tree, Silvery. *Cyathea dealbata*
Tree, Tasmanian. *Dicksonia antarctica*
Toothed Bladder. *Cystopteris dentata*
Tunbridge, or Common Filmy. *Hymenophyllum Tunbridgense*
Twining String. *Lygodium articulatum*
Virginian Rattle-snake. *Botrychium virginicum*
Walking-leaf. *Camptosorus rhizophyllus*
Walking American. *Lycopodium alopecuroides*
Wall. *Polypodium vulgare*
Water. *Osmunda regalis*
Whip-stick. *Alsophila Leichardtiana*
White-Maiden-hair. *Asplenium Ruta muraria*
Wilson's Filmy. *Hymenophyllum Wilsonii*
Wood. *Polypodium vulgare*
Wood, American. The genus *Aspidium* (*Lastrea*)
Woolly Cloak. *Nothochlaena distans*
Zig-zag Cliff-Brake. *Pellaea flexuosa*
Fern-bush, Sweet. *Comptonia asplenifolia*
Fernambuc-wood. The wood of *Cæsalpinia echinata*
Fescue-grass. See Grass
 Festoon Pine. *Lycopodium rupestre*
Fetch (Vetch). *Vicia sativa*
Fetches, Wild. *Vicia cracca*
Fever-bush. *Lindera Benzoin*
Feverfew, Alpine. *Pyrethrum alpinum*
 Bastard. *Parthenium Hysterophorus*
 Common. *Pyrethrum Parthenium*
 Late-flowering. *Pyrethrum serotinum*
 Marsh. *Pyrethrum (Chrysanthemum) lacustre*
 Narrow-leaved. *Pyrethrum achilleæfolium*
 Rosy-flowered. *Pyrethrum carneum* (*P. roseum*)
 Willemot's. *Pyrethrum Willemoti*
Fever Gum-tree. See Fever-tree
Fever-plant. *Brugmansia (Datura) arborea* and *Pæderia fætida*
 Sierra Leone. *Ocytum viride*
Fever-root. *Pterospora Andromedea* and *Triosteum perfoliatum*
Fever-tree, or Fever-Gum-tree. *Eucalyptus globulus*
 Georgia. *Pinchneya pubens*
Fever-twig. *Celastrus scandens*
Fever-weed. *Gerardia pedicularia*
Fever-wort. *Erythraea Centaurium*
 American. The genus *Triosteum*
Field Ash. *Pyrus Aucuparia*
Field Cypress. *Ajuga Chamæpitys*
Field Kale. *Sinapis arvensis*
Field Madder. *Sherardia arvensis*
Fig-Marigold. The genus *Mesembryanthemum*

Fig-Marigold, Annual. *Mesembryanthemum tricolor*
 Bright-red. *Mesembryanthemum conspicuum*
 Broad White. *Mesembryanthemum testiculare*
 Golden. *Mesembryanthemum aureum*
 Heart-leaved. *Mesembryanthemum cordifolium*
 Orange. *Mesembryanthemum aurantiacum*
 Scimitar-leaved. *Mesembryanthemum acinaciforme*
 Small Truncated. *Mesembryanthemum truncatellum*
 Smallest. *Mesembryanthemum minimum*
 Three-coloured. *Mesembryanthemum tricolor*
 Wolf's-chop. *Mesembryanthemum lupinum*
Fig-tree. The genus *Ficus*
 Adam's. *Musa paradisiaca*
 Balsam, of the W. Indies. *Clusia alba*, *C. Java*, *C. rosea*, and other species
 Barbary. *Opuntia vulgaris*
 Bastard. The genus *Opuntia*
 Black. *Ficus laurifolia*
 Common. *Ficus Carica*
 Creeping. *Ficus repens*
 Devil's, or Infernal. *Argemone mexicana*
 Dwarf Creeping. *Ficus repens var. minima*
 Dyer's. *Ficus tinctoria*
 Hottentot's. *Mesembryanthemum edule*
 Indian. The genus *Opuntia*, especially *O. vulgaris*
 Infernal. See Fig-tree, Devil's
 Keg, of Japan. *Diospyros Kaki*
 Laurel-leaved S. American. *Ficus pertusa*
 Laurel-leaved, W. Indian. *Ficus laurifolia*
 Mangrove. *Rhizophora Mangle*
 Moreton Bay. *Ficus macrophylla*
 Pharaoh's. *Sycomorus antiquorum*
 Poplar-leaved. *Ficus religiosa*
 Red. *Ficus pedunculata*
 Sacred. *Ficus religiosa*
 White. *Ficus ochroleuca*
 Wild, W. Indian. *Clusia flava*
 Willow-leaved. *Ficus pedunculata*
Figs. *Callithamnion floridulum*
Fig-wort. The genus *Scrophularia*; also *Ranunculus Ficaria*
 Balm-leaved. *Scrophularia Scorodonia*
 Barbary. *Scrophularia mellifera*
 Cape. *Phygellus capensis*
 Knotted-rooted. *Scrophularia nodosa*
 Variegated. *Scrophularia nodosa variegata*
 Yellow-flowered. *Scrophularia vernalis*
 Water. *Scrophularia aquatica*
Fiji, or Fuji, of Japan. *Wistaria sinensis*
Filbert, Common. *Corylus Avellana*
 Cut-leaved. *Corylus Avellana var. lacinata*
 Frizzled. *Corylus Avellana var. crispa*
 Purple-leaved. *Corylus Avellana var. purpurea*
 Red. *Corylus Avellana var. tubulosa*
 White. *Corylus Avellana var. tubulosa alba*
Filberts, W. Indian. The seeds of *Entada scandens*
Figimble. The male plant of *Cannabis sativa*
Fin. *Ononis arvensis*
Finger-flower. *Digitalis purpurea*
Finger-grass. See Grass

- Fingers-and-Thumbs, or Fingers-and-Toes.** *Lotus corniculatus*
- Finocchio, or Finicho.** *Foeniculum dulce*
- Asses'.** *Foeniculum piperitum*
- Fiorin, or Fiorin-Grass (Butter-Grass).** *Agrostis stolonifera*
- Fir.** A general name for various species of *Abies*, *Picea*, and *Pinus*
- Algerian Silver. *Picea numidica*
- American Black, or Double Spruce. *Abies nigra*
- American White, or Single Spruce. *Abies alba*
- Balm of Gilead, or Balsam. *Abies balsamea*
- Black Mountain. *Picea cephalonica*
- Black Spruce. *Abies nigra*
- Californian Silver. *Picea concolor*
- Common Silver. *Picea pectinata*
- Crimean Silver. *Picea Nordmanniana*
- Double, or Double Balsam. See Fir, Fraser's Double Spruce. *Abies nigra*
- Douglas Spruce. *Abies (Pseudo-tsuga) Douglasi*
- Fraser's, Double, or Southern, Balsam. *Abies Fraseri*
- Great Californian Silver. *Picea (Pinus) grandis*
- Hemlock Spruce. *Abies Canadensis*
- Intermediate. *Abies Fortunei*
- Japan Silver. *Picea firma*
- Leafy-bracted Silver. *Picea bracteata*
- Mandschurian Silver. *Picea holophylla*
- Mexican Silver. *Picea religiosa* and var. *glaucescens*
- Mount Enos. *Picea cephalonica*
- Noble Silver. *Picea nobilis*
- Nootka. *Abies Douglasii*
- Norway Spruce. *Abies excelsa*
- Oyamel. *Pinus religiosa*
- Parasol. The genus *Sciadopitys*
- Patton's Californian. *Abies Pattoniana*
- Pigmy Scotch. *Pinus sylvestris* var. *nana*
- Pitch, or Siberian Silver. *Picea Pichta*
- Plum. *Podocarpus andina* and *Prumnopitys elegans*
- Prickly. *Abies Morinda* (*A. Smithiana*)
- Prussian. *Abies excelsa*
- Red. *Abies excelsa* var. *nigra*
- Sacred Silver. *Picea religiosa*
- Sapindus. *Pinus orientalis*
- Scotch. *Pinus sylvestris*
- Siberian Silver. See Fir, Pitch Silver. *Pinus pectinata*
- Single Spruce. *Abies alba*
- Southern Balsam. See Fir, Fraser's Spanish Silver. *Pinus Pinsapo*
- Spruce. *Abies excelsa*
- Umbrella. The genus *Sciadopitys*
- Upright Indian Silver. *Pinus Pindrow*
- Western Red. *Abies magnifica*
- Western White. *Abies (Pinca) concolor*
- White. *Abies excelsa* var. *communis*
- White Spruce. *Abies alba*
- Woolly-coned Silver. *Pinus amabilis*
- Fir-apples.** Another name for Fir-cones
- Fir-moss.** *Lycopodium Selago*
- Fire-bush.** *Crataegus Pyracantha*
- Fire-cracker, Vegetable.** *Brodiaea coccinea* and *Cuphea platycerandra*
- Fire-flower, Jamaica.** *Euphorbia punicea*
- Fire-grass.** *Alchemilla arvensis*
- Fire-leaves, or Fire-weed.** *Plantago media*
- Fire-tree, New Zealand.** *Metrosideros tomentosa*
- Fire-weed.** See Fire-leaves
- American. *Erychthites hieracifolia* (*Senecio hieracifolius*) and *Lactuca elongata*
- First-of-May.** *Saxifraga granulata*
- Fish-bone-Thistle.** See Thistle
- Fish-Mint.** *Mentha aquatica*
- Fish-poison-plant,** Brazilian. *Serjania lethalis* and *Paullinia pinnata*
- Ceylon. *Hydnocarpus venenatus*
- E. Indian. *Walsura Piscidia*
- S. Sea Islands. *Lepidium Piscidium*
- Timboe. *Serjania lethalis*
- W. Indian. *Tephrosia (Galega) toxicaria*
- Fist-balls.** *Lycoperdon Bovista*
- Fitch, or Fitches.** *Vicia sativa*
- Fit-plant.** *Monotropa uniflora*
- Fitt-weed.** *Eryngium fatidum*
- Five-finger-grass, or Five-leaf.** *Potentilla reptans*
- Five-fingers, Canadian.** *Potentilla Canadensis*
- Marsh. *Potentilla palustris*
- W. Indian. *Syngonium auritum*
- Five-leaf.** See Five-finger-grass
- Five-leaves.** *Ampelopsis quinquefolia*
- Flag.** A general name for the genus *Iris*
- American Blue. *Iris versicolor*
- Corn. The genus *Gladilus*
- Crimson. *Schizostylis coccinea*
- Pyrenean. *Iris xiphioidea*
- Sweet. *Acorus Calamus*
- Variegated Sweet. *Acorus gramineus variegatus*
- Yellow, or Water. *Iris Pseud-acorus*
- Slender Blue American. *Iris virginica*
- Flag-flower, Virginian.** *Vexillaria virginica*
- Flame-flower.** The genus *Tritoma*
- Flame-tree.** *Brachychiton acerifolium*
- Or Fire-tree, of S. W. Australia. *Nuytsia floribunda*
- Flamingo-plant.** The genus *Anthurium*
- André's. *Anthurium Andréanum*
- Baker's. *Anthurium Bakeri*
- Lindig's. *Anthurium Lindigi*
- Palmer's. *Anthurium Palmeri*
- Saunders's. *Anthurium Saundersi*
- Scherzer's. *Anthurium Scherzerianum*
- Splendid. *Anthurium magnificum*
- Veitch's. *Anthurium Veitchii*
- Waroeque's. *Anthurium Waroequeanum*
- White-flowered. *Anthurium candidum*
- Flamy.** *Viola tricolor*
- Flannel, or Flannel-Plant.** *Verbascum Thapsus*
- Flap-Dock.** *Digitalis purpurea*
- Flaps, or Flats.** Large broad Mushrooms (probably *Agaricus arvensis*); also *Peziza cochlearia*
- Flat-Pea, Large-flowered.** *Platyllobium formosum*
- Flatter-Dock.** See Dock
- Flat-tops.** *Vernonia noreboracensis*
- Flats.** See Flaps
- Flaver.** *Avena fatua*
- Flaw-flower.** *Anemone Pulsatilla*

Flax. The genus *Linum*
 Alpine. *Linum alpinum*
 American Bog. *Linum striatum*
 American False. *Camelina sativa*
 Berlandier's. *Linum Berlandieri*
 Bright Blue Perennial. *Linum provinciale*
 Common. *Linum usitatissimum*
 Crimean. *Linum tauricum*
 Crimson-flowered. *Linum grandiflorum*
 Dwarf, Fairy, Mountain, or Purging.
Linum catharticum
 E. Indian. *Linum trigynum*
 Evergreen. *Linum arboreum*
 Fairy. See Flax, Dwarf
 Heath-like. *Linum salsoloides*
 Larger Blue, of N. America. *Iris versicolor*
 Large Yellow-flowered American. *Linum sulcatum*
 Mountain. See Flax, Dwarf
 Narbonne. *Linum narbonnense*
 Native, of New Zealand. *Linum monogynum*
 New Zealand. *Phormium tenax* and *P. Colensoi*
 New Zealand, Variegated. *Phormium tenax variegatum*
 Orange-flowered. *Linum Macraei* (*L. Chamissonis*)
 Pale-flowered. *Linum angustifolium*
 Perennial. *Linum perenne*
 Purging. See Flax, Dwarf
 Sicilian Red-flowered. *Linum rubrum*
 Toad. The genus *Linaria*; also applied to *Spergula arvensis*
 Virginian Yellow-flowered. *Linum virginianum*
 Viscid. *Linum viscosum*
 White-flowered. *Linum monogynum*
 White-flowered Dwarf. *Linum alpinum album*
 Wild. *Linaria vulgaris* and *Cuscuta Epilinum*
 Winter-flowering. *Linum trigynum*
 Yellow Herbaceous. *Linum flavum* (*L. campanulatum*)
 Yellow Toad. *Linaria vulgaris*
Flax-lily. *Phormium tenax*
 Australian. The genus *Dianella*
 Smaller. *Phormium Colensoi*
 Variegated. *Phormium tenax variegatum*
Flax-seed. *Radiola Millegrana*
Flax-tail. *Typha latifolia*
Flax-star. *Lysimachia Linum-stellatum* (*Asterolinum stellatum*)
Flax-weed. *Linaria vulgaris*
Flea-bane, African. The genus *Tarcho-nanthus*
 American. *Erigeron Philadelphicus*
 Australian. *Erigeron mucronatus*
 Blue-flowered. *Erigeron acris*
 Canadian. *Erigeron Canadensis*
 Common. *Inula dysenterica* and *I. Pulicaria*
 Daisy. *Erigeron annuus* and *E. strigosus*
 Georgian. *Inula glandulosa*
 Glaucous-leaved. *Erigeron glaucus*
 Glutinous. *Jasonia glutinosa*
 Large-flowered. *Erigeron grandiflorus*
 Many-rayed. *Erigeron multiradiatus*

Flea-bane, Marsh. The genus *Pluchea*
 Mountain. *Erigeron alpinus* (*E. uniflorus*)
 Pyrenean. *Inula montana*
 Royle's. *Erigeron Roylei*
 St. Helena. *Conyza rugosa*
 Salt-marsh. *Pluchea camphorata*
 Showy. *Erigeron speciosus* (*Stenactis speciosa*)
 Shrubby African. *Tarchonanthus camphoratus*
 Smoothish. *Erigeron glabellus*
 W. Indian. *Vernonia arborescens*
 White. *Inula candida*
Flea-bane-Mullet. An old name for *Inula Pulicaria*
Flea-grass. *Carex pulicaris*
Flea-seed. The seed of *Plantago Psyllium*
Flea-wort. *Inula Conyza*, *Pulicaria vulgaris*, and *Plantago Psyllium*
Flint-wood, N. S. Wales. *Eucalyptus pilularis*
Flix-weed, or Flux-weed. *Sisymbrium Sophia*
 Float-grass. *Glyceria fluitans*
Floating-Heart. *Limnanthemum lacunosum* (*Villarsia cordata*)
Floramor, or Florimer. *Amarantus catus* and *A. tricolor*
Flower de Luce. A corruption of Fleur de Lis, a French name for the *Iris Yellow*. *Iris Pseud-acorus*
Flower-Gentle. *Amarantus tricolor*
Flower-fence. *Cesalpinia* (*Poinciana*) *pulcherrima*
Flower-of-a-day. *Tradescantia virginica*
Flower-of-an-hour. *Hibiscus* (*Ketmia*) *Trionum*
Flower-of-Bristow. *Lychnis chalcedonica*
Flower-of-Constantinople. *Lychnis chalcedonica*
Flower-of-the-Axe. *Lobelia urens*
Flower-of-the-Dead. *Oncidium tigrinum*
Flower-of-Tigris. *Tigridia Pavonia*
Flowering Box. See Box
Flowering Fern. See Fern
Flowering Grass. *Anomatheca cruenta*
Flowering Rush. *Butomus umbellatus*
Flowering Shot. The genus *Canna*
Flowering Spurge. See Spurge
Flowery Docken. See Docken
Flowlk-wort. *Hydrocotyle vulgaris*
Fluellen. *Veronica officinalis*
 Female. *Veronica Chamædrys*
 Male. *Linaria spuria*
Fluff-weed. *Verbascum Thapsus*
Flux-weed. See Flix-weed
Fly-bane. *Agaricus muscarius*
Fly-Honeysuckle. *Lonicera Xylosteum*
Fly-poison, American. *Amianthium muscatoxicum*
Fly-trap, American, or Border. *Apocynum androsaemifolium*
 Venus's. *Dionaea muscipula*
Fly-Orchis. See Orchis
Fly-wort. The genus *Myanthus* (*Catascum*)
Foal-foot, or Fole-foot. *Tussilago Farfara* and *Asarum europaeum*
 Sea. *Convolvulus Soldanella*

Fog.	A general term in the north of England for Moss; also applied to the second crop of Grass, or aftermath Yorkshire. <i>Holcus lanatus</i>	Fox-glove, Woolly. <i>Digitalis lanata</i> Yellow. <i>Digitalis lutea</i>
Fog-fruit.	<i>Lippia (Zapania) lanceolata</i>	Fox-grass. See Fox-Geranium
Fold Meadow-grass.	See Fowl-grass	Fox Rose. <i>Rosa spinosissima</i>
Fool's-Cicely.	<i>Aethusa Cynapium</i>	Fox's Brush. <i>Centranthus ruber</i>
Fool's-Parsley, Common.	<i>Aethusa Cynapium</i>	Fox's-brush Saxifrage. See Saxifrage
Fine-leaved.	<i>Aethusa fatua</i>	Fox-tail. <i>Lycopodium clavatum</i>
Fool's-Watercress.	<i>Helosciadium nodiflorum</i>	Fox-tail-grass. <i>Alopeurus pratensis</i>
Forbidden Fruit.	Small-sized Shaddocks (<i>Citrus decumana</i>)	Fox-tailed Asparagus. <i>Equisetum maximum</i>
Forceable Plant.	An old name for Hare's-ear	Fraghan, Frocken, or Frughan. <i>Vaccinium Myrtillus</i>
Fore-bit, or Fore-bitten More.	<i>Scabiosa sibirica</i>	Frail Rush. <i>Scirpus lacustris</i>
Forget-me-not.	<i>Myosotis palustris</i> and, generally, the genus <i>Myosotis</i> . Also an old name for <i>Ajuga Chamæpitys</i>	Framboise, or Framboys. <i>Rubus Idæus</i>
Alpine.	<i>Myosotis alpestris</i> (<i>M. rupicola</i>)	Franck. An old name for Milk-wort
American.	<i>Myosotis verna</i>	Frangipani-shrub. <i>Plumieria alba</i> and <i>P. rubra</i>
Azorean.	<i>Myosotis azorica</i>	Frankincense, Rosemary. <i>Cachrys Libanotis</i>
Cape.	<i>Anchusa capensis</i>	Frankincense, or Olibanum, Tree. <i>Boswellia Carterii</i> and various other species
Chatham Island.	<i>Myosotidium nobile</i>	Frankincense-tree, Common, or Gum-Thus-tree. Various species of Pine-trees
Colour-changing.	<i>Myosotis versicolor</i>	Fraxinell. <i>Polygonatum multiflorum</i>
Creeping.	<i>Omphalodes verna</i> and <i>Myosotis repens</i>	Fraxinella. <i>Dictamnus Fraxinella</i>
Early.	<i>Myosotis dissitiflora</i> (<i>M. montana</i>)	Caucasian. <i>Dictamnus caucasicus</i>
Early Hill.	<i>Myosotis collina</i>	White - flowered. <i>Dictamnus Fraxinella var. albus</i>
Field.	<i>Myosotis arvensis</i>	Free-stone. A term applied to some varieties of Peaches and Nectarines, the flesh of which parts freely from the stone. (See Cling-stone.)
Indian.	<i>Quamoclit vulgaris</i>	Freiser. An old name for the Strawberry-plant
Long-flowering.	<i>Myosotis semperflorens</i>	French-Asparagus. <i>Ornithogalum pyrenaicum</i>
Mountain.	<i>Myosotis rupicola</i>	French-Beans. <i>Phaseolus vulgaris</i>
Rock.	<i>Omphalodes Luciliae</i>	French-Berries. The fruit of <i>Rhamnus infectorioides</i> and <i>R. catharticus</i>
Tongue-leaved.	<i>Myosotis lingulata</i>	French-Cotton. <i>Calotropis procera</i>
White-flowered Early.	<i>Myosotis dissitiflora</i> var. <i>alba</i>	French-Cowslip. <i>Primula Auricula</i>
Wood.	<i>Myosotis sylvatica</i>	French-Furze. <i>Ulex europaeus</i>
Fork-Moss.	See Moss	French - Grass. <i>Onobrychis sativa</i> and <i>Phalaris arundinacea variegata</i>
Fountain-plant.	<i>Amarantus salicifolius</i>	French-Honeysuckle. <i>Hedysarum coronarium</i>
Fountain-tree.	<i>Cedrus Deodara</i>	French-Lavender. <i>Lavandula Stachys</i>
Four-leaved-grass.	<i>Paris quadrifolia</i>	French-Lungwort. <i>Hieracium murorum</i>
Four-o'clock-flower.	<i>Mirabilis dichotoma</i>	French - Nut. Another name for the Walnut
Californian.	<i>Mirabilis californica</i> , <i>M. multiflora</i> , and <i>M. Greenei</i>	French-Peas. An old name for garden Peas
Fowl-grass, or Fold Meadow-grass.	<i>Poa trivialis</i>	French-Sorrel. <i>Oxalis Acetosella</i>
Fox-bane.	<i>Aconitum Vulparia</i>	French - Sparrowgrass. <i>Ornithogalum pyrenaicum</i>
Fox-chop.	<i>Mesembryanthemum vulpinum</i>	French-Wheat. <i>Polygonum Flagopyrum</i>
Fox-Geranium, or Fox-Grass.	<i>Geranium Robertianum</i>	French-weed. <i>Commelinaceae cayennensis</i>
Fox-glove, Blue.	<i>Campanula Trachelium</i>	French-Willow. <i>Epilobium angustifolium</i>
Common.	<i>Digitalis purpurea</i>	Fresh-water-Soldier. <i>Stratiotes aloides</i>
Cream-coloured.	<i>Digitalis ochroleuca</i>	Friar's-Caps. <i>Aconitum Napellus</i>
Downy False.	<i>Gerardia flava</i>	Friar's-Cowl. <i>Arum Arisarum</i> and <i>A. maculatum</i>
False.	The genera <i>Gerardia</i> and <i>Dasyostoma</i>	Friar's-Crown. <i>Carduus eriophorus</i>
Fern-leaved False.	<i>Gerardia pedicularia</i>	Frijol-bean. <i>Phaseolus Hernandezii</i>
Great Yellow.	<i>Digitalis ambigua</i>	Fringe, Water. <i>Limnanthemum (Villarsia) nymphœoides</i>
Ladies'.	<i>Verbascum Thapsus</i>	Fringe - flower, Graham's. <i>Schizanthus Grahamii</i>
Large-flowered.	<i>Digitalis grandiflora</i>	
Mullein.	<i>Digitalis Thapsi</i> and <i>Seymeria macrophylla</i>	
Sierra Morena.	<i>Digitalis Mariana</i>	
Smooth False.	<i>Gerardia quercifolia</i>	
W. Indian.	The genus <i>Phytolacca</i>	
Willow-leaved.	<i>Digitalis obscura</i>	

- Fringe-flower, Notched.** *Schizanthus retusus*
 Pinnate. *Schizanthus pinnatus*
- Fringe-Moss.** See Moss
- Fringe-pod.** *Thysanocarpus laciniatus var. crenatus*
- Fringe-tree.** *Chionanthus virginica*
- Fritillary,** Broad-leaved. *Fritillaria latifolia*
 Double-flowered. *Fritillaria Meleagris plena*
 Pyrenean. *Fritillaria pyrenaica*
 Scarlet. *Fritillaria recurva*
 Snake's-head. *Fritillaria Meleagris*
 Tulip-leaved. *Fritillaria tulipifolia*
 White. *Fritillaria Meleagris alba*
- Frocken.** See Fraghan
- Frog-bit.** *Hydrocharis Morsus-ranae*
 American. *Limnobium Spongia*
- Frog-cheese.** A name applied to the large Puff-balls (*Lycoperdon Bovista*) while they are young and soft; also to *Boleti* growing on decayed wood
- Frog-flower.** The genus *Ranunculus*
- Frog-grass.** *Salicornia herbacea*
- Frog - stools.** Another name for Toad-stools
- Frog-wort.** *Ranunculus hederaceus*
- Frog's-Lettuce.** *Potamogeton densus*
- Frost-blite.** *Chenopodium album*
- Frost - weed.** *Euerigeron philadelphicus* and *Helianthemum canadense*
- Frughan.** See Fraghan
- Fuchsia,** Australian. The genus *Correa*, especially *C. speciosa*
 Basket. *Fuchsia procumbens*
 Box-thorn-leaved. *Fuchsia lycioides*
 Brilliant. *Fuchsia fulgens*
 Californian. *Zauschneria californica*
 Conical-tubed. *Fuchsia conica*
 Corymbose. *Fuchsia corymbiflora*
 Dwarf Trailing. *Fuchsia minima*
 Edible-fruited. *Fuchsia racemosa*
 Fuegian. *Fuchsia magellanica*
 Globe-flowered. *Fuchsia globosa*
 New Zealand. *Fuchsia Colensoi*, *F. ex-corticata*, and *F. procumbens*
 Riccarton's. *Fuchsia Riccartoni*
 Saw-leaved. *Fuchsia serratifolia*
 Scarlet. *Fuchsia coccinea*
 Slender. *Fuchsia gracilis*
 Small-leaved. *Fuchsia microphylla*
 Thompson's. *Fuchsia Thompsoni*
 Thyme-leaved. *Fuchsia thymifolia*
 Tom Thumb. *Fuchsia pumila*
 Trailing. *Fuchsia procumbens*
- Fuchsias,** Hardy. *Fuchsia globosa*, *F. gracilis*, *F. minima*, *F. procumbens*, *F. Riccartoni*, and *F. Thompsoni*
- Fuet.** A Scotch name for House-leek (*Sempervivum tectorum*)
- Fuller's-Herb.** *Saponaria officinalis*
- Fuller's-Teasel.** *Dipsacus Fullonum*
- Fume-wort, Golden.** *Corydalis aurea*
 Great-flowered. *Corydalis nobilis*
 Hollow-rooted. *Corydalis tuberosa* (*C. cava*)
- Ledebour's.** *Corydalis Ledebouriana*
- Marschall's.** *Corydalis Marschalliana*
- Fume-wort, Pale.** *Corydalis glauca*
 Solid-rooted. *Corydalis solida* (*Fumaria bulbosa*)
 White-flowered. *Corydalis cava* var. *albiflora*
- Fumitory, or Fumiterre.** *Fumaria officinalis*
 Bladdered. *Fumaria vesicaria*
 Climbing. *Corydalis* (*Fumaria*) *claviculata*
 Climbing, of N America. *Adlumia cirrhosa*
 Dense-flowered. *Fumaria densiflora*
 Yellow-flowered. *Corydalis* (*Fumaria*) *lutea*
- Funeral-flower, Swan River.** The genus *Anigosanthus*
- Fungus,** Barberry. *Aecidium Berberidis*
 Beef-steak. *Fistulina Hepatica*
 Black-knot. *Sphaeria mortosa*
 Bunt. *Ustilago fetida*
 Cellar. *Lentinus lepideus*
 Club-root. *Plasmodiophora brassicæ*
 Coffee Blight. *Hemileia vastatrix*
 Dry-rot, of Conifers. *Merulius lachrymans*
 Dry-rot, of the Elm. *Polyporus ulmarius*
 Dry-rot, of the Oak. *Polyporus hybridus*
 Earth-star. The genus *Geaster*
 Edible Tree, of Tierra del Fuego. A species of *Cyttaria*
 Ergot. *Claviceps purpurea*
 Jew's-Ear. *Hirneola* (*Exidia*) *Auricularia Judae*
- Man.** The genus *Geaster*
 "Melitensis." *Cynomorium coccineum*
 "Oak-leather." *Xylostroma giganteum*
 Pepper-brand. *Ustilago fetida*
 Potato-disease. *Peronospora infestans*
 "Rust." *Trichobasis Rubigo vera*
 Sap-ball. *Polyporus squamosus*, *P. betulinus*, and other species which are found on trees.
 Smut. *Ustilago segetum*
 Stinking-Pole-cat. *Phallus impudicus*
 Wine-cellars. *Zasmidium cellare*
 Witch's-butter. *Exidia glandulosa*
 Yeast-plant. A species of *Penicillium* or *Mucor*
- Fungus-tinder.** *Polyporus* (*Boletus*) *ignarius* and *P. fomentarius*
- Furbelows.** *Laminaria bulbosa*
- Furze, Autumn-flowering.** *Ulex nanus*
 Common. *Ulex europeus*
 Double-blossomed. *Ulex europeus plenus*
 Dwarf. *Ulex nanus*
 Ground. *Ononis arvensis*
 Irish. *Ulex strictus* (*U. hibernicus*)
 Jam. *Ulex nanus*
 Needle. *Genista anglica*
 Provence. *Ulex provincialis*
 Spanish. *Genista hispanica*
- Fuss - balls, or Fuzz-balls.** The genus *Lycoperdon*, especially *L. Bovista*
- Fustic-wood.** The wood of *Maclura tinctoria*
 "Young." The wood of *Rhus Cotinus*

Fuzz-balls.	See Fuss-balls	Gard-robe.	<i>Osyris alba</i> (<i>Cassia poetica</i>)
Fyams (Seaweed).	The genus <i>Laminaria</i>	Garget.	<i>Phytolacca decandra</i>
Gadrise,	Garteridge, Gatten, or Gatter-tree. <i>Cornus sanguinea</i> , <i>Euonymus europaeus</i> , and <i>Viburnum Opulus</i>	Garland-Crab.	See Crab-tree
Gaiter-berries.	The fruit of <i>Cornus sanguinea</i> and <i>Euonymus europaeus</i>	Garland-flower,	<i>Daphne Cneorum</i>
Gaiter-tree.	See Gadrise	Australian.	<i>Calocephalus Brownii</i>
Galangal, or Galingale.	<i>Cyperus longus</i> , and the rhizome of <i>Alpinia officinarum</i> (<i>A. Galanga</i>)	Fragrant.	<i>Hedychium coronarium</i>
Galapee-tree.	<i>Sciadophyllum Brownei</i>	Garlic, or Garlick.	The genus <i>Allium</i>
Galbanum-resin-plant.	<i>Ferula galbaniflua</i>	Alpine.	<i>Allium alpinum</i>
Gale, or Sweet Gale.	<i>Myrica Gale</i>	Azure-flowered.	<i>Allium azureum</i>
Fern-leaved.	<i>Comptonia asplenifolia</i>	Bear's.	<i>Allium ursinum</i>
Galingale	See Galangal	Black.	<i>Allium nigrum</i>
E. Indian.	<i>Kæmpferia Galanga</i>	Blue-flowered.	<i>Allium caruleum</i>
Galingale-Rush.	See Rush	Carolina.	<i>Allium inodorum</i>
Galimeta-wood.	The timber of <i>Bumelia salicifolia</i>	Common.	<i>Allium sativum</i>
Gall,	Artichoke. A gall formed in the male flower-buds of the Oak by an insect named <i>Andricus pilosus</i>	Daffodil.	<i>Allium neapolitanum</i>
Bedeguar.	A gall produced on Rose-trees by <i>Rhodites rosa</i>	Drooping-flowered.	<i>Allium cernuum</i>
Button.	Formed on Oak leaves by <i>Spathogaster vesicatrix</i>	Field.	<i>Allium oleraceum</i>
Currant.	Formed in the male flowers of the Oak by <i>Spathogaster baccarum</i>	Fragrant-flowered.	<i>Allium odorum</i>
Marble.	Formed on Oak twigs by <i>Cynips Kollaris</i>	Fringed.	<i>Allium ciliatum</i>
Oak-apple.	Formed on Oak twigs by <i>Biorhiza aptera</i>	Golden-flowered.	<i>Allium Moly</i>
Oak-root.	Formed on the roots of the Oak by <i>Andricus noduli</i>	Great-headed.	<i>Allium Ampeloprasum</i>
Oak-spangle.	Formed on Oak-leaves by <i>Neuroterus lenticularis</i>	Hedge.	<i>Alliaria officinalis</i>
Gall-of-the-earth.	<i>Nabalus Fraseri</i>	Honey.	The genus <i>Nectaroscordum</i>
Gall-wort.	<i>Linaria vulgaris</i>	Keeled.	<i>Allium carinatum</i>
Galls,	Aleppo, of commerce. From <i>Quercus lusitanica</i> var. <i>infectoria</i>	Large-flowered.	<i>Allium grandiflorum</i>
Gallant.	An old name for Anemone	Levant.	<i>Allium Ampeloprasum</i>
Gallegaskins, or Gaskins.	<i>Primula veris</i> <i>flore et calyce crispio</i>	Long-rooted.	<i>Allium Victoriae</i>
Gallow-grass.	<i>Cannabis sativa</i>	One-flowered.	<i>Allium uniflorum</i>
Gambier,	or Gambier Catechu-plant	Piedmont.	<i>Allium pedemontanum</i>
	<i>Uncaria Gambier</i> and <i>U. acida</i>	Quaint.	<i>Allium paradoxum</i>
Gamboge-tree.	<i>Garcinia Morella</i> var. <i>pedicellata</i>	Rosy-flowered.	<i>Allium roseum</i>
American.	<i>Vismia guianensis</i>	Round-headed.	<i>Allium sphærocephalum</i>
Ceylon.	<i>Garcinia Morella</i>	Sickle-leaved.	<i>Allium falcatum</i>
Gamote,	of New Mexico. The tuberous roots of <i>Cymopterus montanus</i>	Sorcerer's.	<i>Allium Moly</i>
Gandergosses.	An old name for <i>Orchis Morio</i>	Spanish.	<i>Allium Scorodoprasum</i>
Gang Flower.	<i>Polygala vulgaris</i>	Stag's.	<i>Allium vineale</i>
Garavance (the Chick-pea).	<i>Cicer arietinum</i>	Sweet-scented.	<i>Allium (Nothoscordum) fragrans</i>
Garden-gate.	<i>Viola tricolor</i>	Triangular-stalked.	<i>Allium triquetrum</i>
Garden-Ginger.	An old name for <i>Capsicum</i>	Wild.	<i>Allium vineale</i> and <i>A. ursinum</i>
Garden Speedwell.	<i>Veronica agrestis</i>	Wild American.	<i>Allium canadense</i>
Gardener's-Delight,	or Gardener's-Eye. <i>Lychnis coronaria</i>	Yellow-flowered.	<i>Allium flavum</i>
Gardener's-Garters.	<i>Phalaris arundinacea variegata</i>	Garlic-Germander.	<i>Teucrium Scordium</i>
Gardenia,	Lemon-scented. <i>Gardenia citriodora</i>	Garlic-Pear.	<i>Cratæva gynandra</i>
		Garlic-Sage.	<i>Teucrium Scorodonia</i>
		Garlic-Shrub.	<i>Bignonia alliacea</i> and <i>Petiveria alliacea</i>
		Garlic-wort.	<i>Alliaria officinalis</i>
		Garnet-berry.	The fruit of <i>Ribes rubrum</i>
		Garten-berries.	The fruit of <i>Rubus fruticosus</i>
		Gaskins.	See Gallegaskins
		Gas-plant.	<i>Dictamnus Fraxinella</i>
		Gatten-tree, or Gatter-tree.	See Gadrise
		Gatteridge-tree.	See Gadrise
		Gay-bine.	<i>Convolvulus (Ipomæa) Nil</i>
		Gay-feather, Kansas.	<i>Liatris pycnostachya</i>
		Gauze-tree.	<i>Lagetta lintearia</i>
		Gazels, or Gazles.	The fruit of <i>Ribes nigrum</i>
		Gean-tree.	<i>Prunus Avium</i>
		Geckdor.	An old name for <i>Galium Aparine</i>
		Gelsemin.	<i>Gelsemium sempervirens</i>
		Genipap-tree, or Genip-tree.	<i>Genipa americana</i>
		W. Indian.	<i>Melicocca bijuga</i> and <i>M. paniculata</i>

Genisaro-tree. *Pithecellobium Saman*
Gentian. The genus *Gentiana*
 Autumn. *Gentiana Amarella*
 Ascending. *Gentiana ascendens*
 Barrel-flowered. *Gentiana Saponaria*
 Bastard. *Hypericum Sarothra* (*Sarothra gentianoides*)
 Bavarian. *Gentiana bavarica*
 Burser's. *Gentiana Burseri*
 Caucasian. *Gentiana caucasica*
 Climbing. *Cranfurdia japonica*
 Closed-flowered. *Gentiana Andrensi*
 Cream-coloured. *Gentiana gelida*
 Crested. *Gentiana septempida*
 Cross-wort. *Gentiana Crucifera*
 Dotted-flowered. *Gentiana punctata*
 Field. *Gentiana campestris*
 Five-flowered. *Gentiana quinqueflora*
 Fringed. *Gentiana crinita*
 Horse. The genus *Triosteum*
 Marsh. *Gentiana Pneumonanthe*
 Milkweed. *Gentiana asclepiadea*
 New Zealand Mountain. *Gentiana saxosa*
 New Zealand Sea-shore. *Gentiana cerina*
 New Zealand Yellow. *Gentiana pleurogynoides*
 Purple-flowered. *Gentiana purpurea*
 Pyrenean. *Gentiana pyrenaica*
 Round-petalled. *Gentiana pannonica*
 Small-leaved. *Gentiana brachyphylla*
 Small Mountain. *Gentiana nivalis*
 Smaller Fringed. *Gentiana detonsa*
 Soapwort. *Gentiana Saponaria* and *Saponaria officinalis*
 Spring. *Gentiana verna*
 Spurred. The genus *Halenia*
 Vernal. *Gentiana verna*
 Whitish. *Gentiana alba*
 Willow. *Gentiana asclepiadea*
 Yellow-flowered. *Gentiana lutea*
 Yellowish-white. *Gentiana ochroleuca*
Gentian-root. The root of *Gentiana lutea*
Gentianella. *Gentiana acaulis*
Gentle Dock. See Dock
George's (St.) Herb. *Valeriana officinalis*
George's (St.) Mushroom. *Agaricus gambosus*
Georgia-bark-tree. *Pinekneya pubens*
Geranium (See also Crane's-bill.) Australian. *Geranium dissectum*
 Bassinet. *Geranium sylvaticum*
 Blood-red-flowered. *Geranium sanguineum*
 Cut-leaved. *Geranium dissectum*
 Dove's-foot. *Geranium molle*
 Dusky-flowered. *Geranium phaeum*
 Feather. *Chenopodium Botrys*
 Indian. *Andropogon Nardus*
 Long-stalked. *Geranium columbinum*
 Meadow. *Geranium pratense*
 Mountain. *Geranium pyrenaicum*
 Nettle. *Coleus fruticosus*
 Round-leaved. *Geranium rotundifolium*
 Shining-leaved. *Geranium lucidum*
 Small-flowered. *Geranium pusillum*
 Strawberry. *Saxifraga sarmentosa*
 Wild. *Geranium pratense* and *G. Robertianum*
 Wood. *Geranium sylvaticum*

Geranium-Oil-plant. See Oil-plant
Gerard. See Herb-Gerard
German Lilac (Valerian). *Centranthus ruber?*
German Mad-wort. *Asperugo procumbens*
German Tinder. See Amadou
Germanander. *Teucrium Chamædrys*
 American. *Teucrium canadense*
 Bastard, or Sea-side. *Stemodia maritima*
 Garlic. *Teucrium Scordium*
 Golden. *Teucrium aureum*
 Madeira. *Teucrium betonicum*
 Poly. *Teucrium Polium*
 Pyrenean. *Teucrium pyrenaicum*
 Sea-side. See Germanander, Bastard
 Shining. *Teucrium lucidum*
 Small-flowered. *Teucrium campanulatum*
 Sweet-scented. *Teucrium Massiliense*
 Tree. *Teucrium fruticans*
 Wall, or Wild. *Teucrium Chamædrys*
 Water. *Teucrium Scordium*
 Wood. *Teucrium Scorodonia*
Germanander-Chick-weed. *Veronica agrestis*
Germanander-Speedwell. *Veronica Chamædrys*
Geslins, or Geslings. See Goslings
Gesse. An old name for Jasmine
Gethsemane. *Orchis mascula*
Gherkin. A small-fruited variety of *Cucumis sativa*
 W. Indian. The unripe fruit of *Cucumis Anguria*
Gil-cup, or Gilty-cup. Another name for Buttercup
Gill, or Gill-go-by-Ground. *Nepeta Glechoma*
Gill, or Gule, Gowen. *Chrysanthemum segetum*
Gilliflower, or Gillyflower. *Dianthus Caryophyllus*; also the genera *Matthiola* and *Cheiranthus*
 Clove. *Dianthus Caryophyllus*
 Marsh. *Lychnis Flos-cuculi*
 Queen's. *Hesperis matronalis*
 Rogue's. *Hesperis matronalis*
 Sea. *Armeria vulgaris* (*A. maritima*)
 Stock. *Matthiola annua*, *M. incana*, and *M. græca*
 Wall. *Cheiranthus Cheiri*
 Water. *Hottonia palustris*
 Winter. *Hesperis matronalis*
 Yellow. *Cheiranthus Cheiri*
Gilliflower-Grass. See Grass
Gimlet-wood. *Eucalyptus salubris*
Ginkgo-tree. *Salisburia adiantifolia*
Gingelly, or Gingili, Oil-plant. *Sesamum orientale*
Ginger, Amada, or Mango. *Curcuma Amada*
 Broad-leaved. *Zingiber Zerumbet*
 Common. *Zingiber officinale*
 Egyptian. *Coccosia esculenta*
 Garden. See Garden-Ginger
 Indian. *Asarum canadense*
 Mango. *Curcuma Amada*
 Red, or E. Indian. *Zingiber officinale*
 Wild American. *Asarum canadense*
 Wild W. Indian. The genera *Costus* and *Renealmia*
 Wood. *Anemone ranunculoides*

Ginger-bread-tree, Egyptian.	<i>Hyphaene thebaica</i>	Globe-Thistle, Russian.	<i>Echinops ruthenicus</i>
Sierra Leone.	<i>Parinarium macrophyllum</i>	Small.	<i>Echinops Ritro</i>
Ginger-Grass-Oil-plant.	<i>Andropogon Schaeananthus</i>	Tall.	<i>Echinops exaltatus</i>
Gingili-Oil-plant.	See Gingelly-Oil-plant	Glund.	An old name for <i>Saponaria Vaccaria</i>
Ginseng-plant.	<i>Panax quinquefolium</i> (<i>Aralia quinquefolia</i>)	Glory-bush, Peruvian.	<i>Pleroma (Lasianandra) sarmentosa</i>
Blue.	<i>Caulophyllum thalictroides</i>	Glory-flower, Chilian.	<i>Eccremocarpus scaber</i>
Dwarf.	<i>Panax (Aralia) trifolium</i>	Glory-of-the-Snow.	<i>Chionodoxa Luciliae</i>
Gipsies'-Rose.	<i>Scabiosa arvensis</i>	Glory-Pea, Dampier's.	<i>Cianthus Damieri</i>
Gipsy-flower.	<i>Cynoglossum officinale</i>	New Zealand.	<i>Cianthus puniceus</i>
Gipsy-wort.	<i>Lycopus europaeus</i>	Norfolk Island.	<i>Cianthus carneus</i>
Girdle, Sea.	<i>Laminaria digitata</i>	Glory-tree.	<i>Clerodendron fragrans</i> and other species
Girls' Mercury.	The male plant of <i>Mercurialis annua</i>	Gluttony, Plant of.	<i>Cornus succica</i>
Gith.	An old name for <i>Nigella</i>	Gnat-wort.	<i>Triumfetta Lappula</i>
Gladden, Gladdon, Gladlin, Glader, or Gladwyn.	<i>Iris fätidissima</i>	Go-to-bed-at-noon.	<i>Tragopogon pratensis</i>
Gladiole, Water.	<i>Butomus umbellatus</i>	Goat-bush, W. Indian.	<i>Castelea Nicholsoni</i>
Gladiole, or Sword-lily, Blood-red.	<i>Gladiolus cruentus</i>	Goat-root.	<i>Ononis Natrix</i>
Branching.	<i>Gladiolus ramosus</i>	Goat-weed.	The genus <i>Capraria</i> ; also <i>Ægopodium Podagraria</i> and <i>Stemodia durantaefolia</i>
Brenchley.	<i>Gladiolus Brenchleyensis</i>	Goat-willow.	<i>Salix Caprea</i>
Butterfly.	<i>Gladiolus Papilio</i>	Goat's-bane.	<i>Aconitum Tragoctonum</i>
Cardinal-flowered.	<i>Gladiolus Cardinalis</i>	Goat's-beard.	<i>Tragopogon pratensis</i>
Colville's.	<i>Gladiolus Colvillei</i>	False.	See False-Goat's-beard
Cooper's.	<i>Gladiolus Cooperi</i>	Goat's-foot.	<i>Oxalis caprina</i>
Corn-field.	<i>Gladiolus setigerum</i>	Goat's-horn.	<i>Astragalus Ægiceras</i>
Dragon's-head.	<i>Gladiolus dracocephalus</i>	Goat's-Rue.	<i>Galega officinalis</i>
Early.	<i>Gladiolus præcox</i>	Oriental.	<i>Galega orientalis</i>
Fox-glove.	<i>Gladiolus communis</i>	Virginian.	<i>Tephrosia Virginiana</i>
Ghent Hybrid.	Varieties of <i>Gladiolus Gaudavensis</i>	Goat's-thorn.	<i>Astragalus Tragacantha</i> and <i>A. Poterium</i>
Hart-wort.	<i>Gladiolus Libanotis</i>	Goat's-wheat.	The genus <i>Tragopyrum</i>
Narrow-leaved.	<i>Gladiolus angustus</i>	Box-leaved.	<i>Tragopyrum buxifolium</i>
Purple-and-gold.	<i>Gladiolus purpureus-aureatus</i>	Lance-leaved.	<i>Tragopyrum lanceolatum</i>
Sad-coloured.	<i>Gladiolus tristis</i>	Polygamous.	<i>Tragopyrum polyzgamum</i>
Saunders's.	<i>Gladiolus Saundersii</i>	Gobbo.	<i>Hibiscus (Abelmoschus) esculentus</i>
Sulphur-flowered.	<i>Gladiolus ochroleucus</i>	Gobo, of Japan.	<i>Lappa edulis</i>
Gladwyn, Stinking.	<i>Iris fätidissima</i>	God-tree.	See Ceiba-tree
Variegated.	<i>Iris fätidissima variegata</i>	God's-eye.	<i>Veronica Chamœdrys</i>
Gland-pod.	The genus <i>Adenocarpus</i>	God's-flower, or Gold-flower.	<i>Helichrysum Stachas</i>
Glass-wort.	<i>Salicornia herbacea</i>	Gold-balls, or Gold-cups.	Another name for Buttercups
Prickly.	<i>Salsola Kali</i>	Gold-basket.	<i>Alyssum saxatile</i>
White.	<i>Suaeda maritima</i>	Gold-dust.	<i>Alyssum saxatile</i> and <i>Sedum acre</i>
Glass-wrack.	<i>Zostera (Alga) marina</i>	Gold-flower.	See God's-flower
Glastonbury Thorn.	<i>Crataegus oxyacantha præcox</i>	Gold Heath.	The genus <i>Sphagnum</i>
Globe-Daisy, Common.	<i>Globularia vulgaris</i>	Gold-Leaf Plant.	<i>Aucuba japonica</i>
Hair-flowered.	<i>Globularia trichosantha</i>	Gold-of-Pleasure.	<i>Camelina sativa</i>
Heart-leaved.	<i>Globularia cordifolia</i>	Perennial.	<i>Myagrum perenne</i>
Naked-stalked.	<i>Globularia nivalis</i>	Gold-seal.	<i>Fraseria verticillata</i> and <i>Hydrastis canadensis</i>
Thyme-leaved.	<i>Globularia nana</i>	Gold-shrub.	<i>Palicourea speciosa</i>
Globe-flower, The genus <i>Trollius</i>		Gold-thread, Three-leaved.	<i>Coptistrifoliata</i>
American.	<i>Trollius laxus</i>	Golden-ball.	<i>Trollius europaeus</i>
Asiatic.	<i>Trollius asiaticus</i>	Golden-ball Tree.	<i>Forsythia suspensa</i> and <i>F. viridissima</i>
Bush.	<i>Cephaelanthus occidentalis</i>	Golden-bush.	<i>Cassinia fulgida</i>
Common.	<i>Trollius europaeus</i>	Golden-chain.	<i>Cytisus Laburnum</i>
Double Japanese.	<i>Trollius japonicus fl.-pl.</i>	Golden-club.	<i>Orontium aquaticum</i>
Fortune's.	<i>Trollius Fortunei</i>	Golden-crown.	The genus <i>Chrysottemma</i>
Giant.	<i>Trollius Loddigesii</i>	Golden-drop.	<i>Onosma tauricum</i>
Napellus-leaved.	<i>Trollius napellifolius</i>		
Spreading.	<i>Trollius laxus</i>		
Swamp.	<i>Cephaelanthus occidentalis</i>		
Globe-Thistle.	The genus <i>Echinops</i>		
Hungarian.	<i>Echinops bannaticus</i>		

- Golden-Flower of Peru.** *Helianthus annuus*
- Golden-locks.** *Polypodium vulgare*
- Golden Moss.** *Sedum acre*
- Golden Moth-wort.** See Moth-wort
- Golden Mouse-ear.** *Hieracium aurantiacum*
- Golden Osier.** *Salix vitellina* and *Myrica Gale*
- Golden-pert.** *Gratiola aurea*
- Golden-rain.** *Cytisus Laburnum*
- Golden-rod.** *Solidago Virgaurea*
Canadian. *Solidago canadensis*
Canary Islands. *Bosea Yervamora*
Drooping. *Solidago nutans*
Dwarf. *Solidago Virgaurea var. cambrica*
False. *Brachycheata cordata*
Large-flowered. *Solidago grandiflora*
Many-flowered. *Solidago multiflora*
Many-rayed. *Solidago multiradiata*
Rayless. *Bigelovia nudata*
Upright. *Solidago stricta*
W. Indian. *Neurolema lobata*
- Golden-rod Tree.** *Bosea Yervamora*
- Golden-seal.** See Gold-seal
- Golden Stœchas.** *Helichrysum Stœchas plenum*
- Golden-tuft.** *Alyssum saxatile* and *Helichrysum Stœchas*
- Golden Saxifrage.** The genus *Chrysosplenium*
- Golden Samphire.** *Inula crithmoides*
- Golden-spoon.** *Byrsinima cinerea*
- Golden-star, Maryland.** *Chrysopsis Marianna*
- Golden-wand, Hooker's.** *Chrysobactron Hookeri*
- Goldilocks.** *Ranunculus auricomus*, *Chrysosoma Linosyris*, and *Polytrichum commune*
Broad-leaved. *Chrysocoma latifolia*
Tunbridge. *Hymenophyllum tunbridgense*
- Gold,** or Goldins. *Calendula officinalis*, *Caltha palustris*, and *Chrysanthemum setigera*
- Gombo.** See Okro
- Good Henry, or Good King Henry.** *Chenopodium Bonus-Henricus*
- Good-night-at-noon.** *Hibiscus Trionum*
- Googul.** See Bdellium
- Goompany-tree.** *Odina Wodier*
- Goora-nut.** See Nut
- Goose-and-Goslings.** The catkins of Willows, especially of *Salix Caprea*
- Gooseberry.** *Ribes Grossularia*
American, or W. Indian. *Pereskia aculeata* and *Heterotrichum patens*
Barbadoes. *Pereskia aculeata*
Bristly. *Ribes setosum*
Cape. *Physalis peruviana* and *P. pubescens*
Caucasian. *Ribes caucasicum*
Coromandel, or Country. *Averrhoa Cambomba*
Dog-bramble. *Ribes Cynosbati*
Fragrant-flowered. *Ribes aureum* (*R. fragrans*)
Fuchsia-flowered. *Ribes speciosum*
Hairy-branched. *Ribes hirtellum*
- Gooseberry, Hawthorn-leaved.** *Ribes oxyacanthoides*
- Hedge-hog.** *Ribes lacustre* var. *echinatum*
- Hill, of India.** *Rhodomyrtus tomentosa*
- Large-spined.** *Ribes macracanthum*
- Lobb's.** *Ribes Lobbii*
- Malabar.** *Melastoma malabathrica*
- Menzies'.** *Ribes Menziesii*
- Needle-spined.** *Ribes aciculare*
- Otaheite.** *Cicca disticha*
- Rock.** *Ribes saxatile*
- Round-leaved.** *Ribes rotundifolium*
- Slender-branched.** *Ribes gracile*
- Small-leaved.** *Ribes microphyllum*
- Spreading-branched.** *Ribes divaricatum*
- Swamp.** *Ribes lacustre*
- Syrian.** *Ribes orientale*
- Three-flowered.** *Ribes triflorum*
- Two-spined.** *Ribes diacantha*
- Vancouver's Island.** *Ribes subvestitum* (*R. Lobbii*)
- White-flowered.** *Ribes niveum*
- Yellow-flowered.** *Ribes leptanthum*
- Gooseberry-Pie.** *Epilegium hirsutum*
- Goose-bill.** *Galium Aparine*
- Goose-corn.** *Juncus squarrosum*
- Goose-foot.** The genus *Chenopodium*
Bearded. *Chenopodium aristatum*
Broom. *Kochia Scoparia*
Cut-leaved. *Chenopodium Botrys*
Glaucous. *Chenopodium glaucum*
Guinea. *Chenopodium guineense*
Many-seeded. *Chenopodium polyspermum*
Maple-leaved. *Chenopodium hybridum*
Mexican. *Chenopodium ambrosioides*
Nettle-leaved. *Chenopodium murale*
Oak-leaved. *Chenopodium glaucum*
Perennial. *Chenopodium Bonus-Henricus*
Purple. *Chenopodium Atriplicis*
Red. *Chenopodium rubrum*
Sea-side. *Suaeda maritima*
Stinking. *Chenopodium Vulvaria*
Upright. *Chenopodium urbicum*
White. *Chenopodium album*
- Goose-grass.** *Galium Aparine* and *Potentilla anserina*
- Goose-nest.** *Neottia Nidus-avis*
- Goose-Tansy.** *Potentilla anserina*
- Goose-tongue.** *Galium Aparine* and *Achillea Ptarmica*
- Goose-tree, or Barnakle-tree.** A name applied by Gerard to "certaine trees in the north parts of Scotland," on which barnacles were said to grow, from which it was believed in his time that "Barnacle Geese" were produced
- Gorgon-plant.** *Euryale ferox*
- Gorse, or Goss.** *Ulex europaeus*
Hen. *Ononis arvensis* and *Bartsia Odontites*
- Gory Dew.** *Palmella cruenta*
- Goss.** See Gorse
- Gourd.** The genus *Cucurbita*
Bitter. *Citrullus Colocynthis*
Bottle. *Lagenaria vulgaris*
Elector's-cap. A variety of *Cucurbita Melopepo*
- Gooseberry.** *Cucurbita grossularioides*

Gourd , Jerusalem-Artichoke. A variety of <i>Cucurbita Melopepo</i>	Grape , Port Jackson Black. <i>Vitis (Cissus) antarctica</i>
Orange. <i>Cucurbita aurantia</i>	Scuppernong. A variety of <i>Vitis vulpina</i>
Perennial. <i>Cucurbita perennis</i>	Sea. <i>Salicornia herbacea</i> , <i>Ephedra distachya</i> , and <i>Sargassum bacciferum</i>
Scarlet-fruited. <i>Coccinea indica</i>	Southern Fox. <i>Vitis vulpina</i>
Snake. <i>Trichosanthes anguina</i>	Summer. <i>Vitis aestivalis</i>
Sour. <i>Adansonia digitata</i>	Tail. The genus <i>Artabotrys</i>
Sour, of Australia. <i>Adansonia Gregorii</i>	Taylor Bullet. A variety of <i>Vitis riparia</i>
Succade. <i>Cucurbita ovifera</i> var. <i>Succada</i>	Wild, of the Peruvians. <i>Chondrodendrum convolvulaceum</i>
Towel, or Washing. <i>Luffa aegyptiaca</i>	Winter, or Frost. <i>Vitis cordifolia</i>
Trumpet. <i>Lagenaria vulgaris clavata</i>	Grape-flower . <i>Muscat racemosum</i>
Viper. <i>Trichosanthes colubrina</i>	Grape-Hyacinth , Armenian. <i>Muscat armeniacum</i>
Washing. See Gourd, Towel	Common. <i>Muscat racemosum</i>
Wax, or White. <i>Benincasa (Cucurbita) cerifera</i>	Dark-purple. <i>Muscat commutatum</i>
Gout Ivy . <i>Ajuga Chamæphytis</i>	Feathery. <i>Muscat comosum monstruosum (Hyacinthus monstruosus)</i>
Gout-weed , or Gout-wort. <i>Ægopodium Podagraria</i>	Greek. <i>Muscat Heldreichii</i>
Variegated. <i>Ægopodium Podagraria variegatum</i>	Musk. <i>Muscat moschatum</i>
Gouty-stemmed Tree , of Australia. <i>Adansonia Gregorii</i> and <i>Sterculia (Dela-bechea) rupestris</i>	Sky-blue. <i>Muscat botryoides</i>
Gowan , or Gowlan. <i>Bellis perennis</i> ; the name is also applied to Buttercups and various other yellow flowers.	Yellow. <i>Muscat luteum</i>
Horse. <i>Chrysanthemum Leucanthemum</i> , <i>Matricaria Chamomilla</i> , and <i>Leontodon Taraxacum</i>	Grape-pear . <i>Amelanchier Botryapium</i>
Lapper, Lopper, or Lockin. <i>Trollius europaeus</i>	Grape-plant , Sea-side. The genus <i>Coccoloba</i>
Large White. <i>Chrysanthemum Leucanthemum</i>	Macquarie Harbour. <i>Coccoloba (Polygonum) adpressa</i>
Lockin or Luckin. <i>Trollius europaeus</i>	Grape-vine . <i>Vitis vinifera</i> and vars. (See Vine)
May. <i>Bellis perennis</i>	Grape-wort . <i>Actaea spicata</i> and <i>Bryonia dioica</i>
Meadow. <i>Caltha palustris</i>	Grapes , Dyer's. <i>Phytolacca decandra</i>
Milk. <i>Leontodon Taraxacum</i>	Fen. <i>Vaccinium Oxycoccus</i>
Water, or Open. <i>Caltha palustris</i>	Grapple-plant , Cape. <i>Uncaria procumbens</i>
Yellow. Buttercups and various other yellow flowers	Grass . A general name for plants of the order <i>Gramineæ</i> , but often used in the sense of "herb"
Gowk-meat . <i>Oxalis Acetosella</i>	Adder's. <i>Orchis mascula</i> and <i>O. maculata</i>
Gowlan , or Goulan. See Gowan.	Aleppo Millet. <i>Sorghum halepense</i>
Grace-of-God . An old name for St. John's-wort	Alfa, Alpha, or Halfa. <i>Macrochloa tenacissima</i>
Grains of Paradise . <i>Amomum Grana-Paradisi</i>	American. <i>Eleusine indica</i>
Gram . <i>Cicer arietinum</i>	Amoor River Giant Silvery. <i>Imperata sacchariflora</i>
Black. <i>Phaseolus Mungo melanospermus</i>	Ant-hill. <i>Festuca sylvatica</i>
Green. <i>Phaseolus Mungo chlorospermus (P. Max)</i>	Artificial. Rye-grass and the Clovers, which are sown in rotation
Horse. <i>Dolichos biflorus</i> and <i>D. uniflorus</i>	Australian Meadow. <i>Poa cæspitosa (P. australis)</i>
Red. <i>Dolichos Catjang</i>	Australian Ornamental. <i>Poa australis</i>
Turkish. <i>Phaseolus aconitifolius</i>	Awned Wheat. <i>Triticum caninum</i>
White. <i>Sofa hispida</i>	Bahama. <i>Cynodon Dactylon</i>
Granadilla . <i>Passiflora quadrangularis</i> and <i>P. edulis</i>	Ballock. <i>Orchis mascula</i>
Grape , Bear's. <i>Arctostaphylos Uva-ursi</i>	Bastard Knot. <i>Corriola littoralis</i>
Bland's. <i>Vitis Labrusca</i>	Beard. <i>Polygonum monspeliensis</i> and the genus <i>Andropogon</i>
Bull. <i>Vitis rotundifolia</i>	Bengal. <i>Setaria italica</i>
Bullet. <i>Vitis vulpina</i>	Bent. <i>Agrostis vulgaris</i> , <i>Psamma arenaria</i> , and some other wiry grasses
Chicken. <i>Vitis cordifolia</i>	Bermuda. <i>Cynodon Dactylon</i>
Delaware. A variety of <i>Vitis riparia</i>	Bird. <i>Poa trivalis</i>
False. <i>Ampelopsis quinquefolia</i>	Black. <i>Alopeurus agrestis</i> , <i>A. geniculatus</i> , <i>Bromus sterilis</i> , and <i>Medicago lupulina</i>
Isabella. <i>Vitis Labrusca</i>	Black-head. <i>Luzula campestris</i>
Kangaroo. <i>Vitis (Cissus) antarctica</i>	Black Oat. <i>Stipa avenacea</i>
Muscadine. <i>Vitis vulpina</i>	Black Quitch. <i>Agrostis vulgaris</i>
Northern Fox. <i>Vitis Labrusca</i>	
Oregon. <i>Berberis Aquifolium</i>	
Plum. <i>Vitis Labrusca</i>	

Grass, Blubber. The genus *Bromus*
 Blue. Various species of *Carex*
 Kentucky. *Poa pratensis*
 Blue-eyed. *Sisyrinchium Bermudianum*
 Blue Joint. *Calmagrostis canadensis*
 Bottle. *Setaria viridis*
 Bottle-brush. *Gymnostichum Hystrix*
 Bowel-hive. *Alchemilla arvensis*
 Brazilian. Strips of the leaves of *Thrinax argentea*
 Brome. The genus *Bromus*
 Broom. *Andropogon scoparius*
 Brush. *Andropogon Gryllus*
 Buck. *Lycopodium clavatum*
 Buffalo, American. *Buchloë dactyloides*; also applied to *Medicago sativa* and *M. lupulina*
 Buffalo, Australian, *Stenotaphrum americanum* (*S. glabrum*)
 Bull. *Bromus mollis* and other species
 Bunch. *Elymus condensatus* and *Festuca scabrella*
 Bunkuss. *Spodiopogon angustifolius*
 Bur. See Grass, Hedge-hog
 Bur, or Ginger, W. Indian. *Panicum glutinosum*
 Bush. *Calamagrostis Epigejos*
 Butter. *Agrostis stolonifera*
 Button. *Avena elatior*
 Californian Prairie. *Ceratochloa unioloides*
 Canary. *Phalaris canariensis*
 Cape Thatch. *Restio chondropetalus*
 Capon's-tail. *Valeriana pyrenaica*
 Carpenter. *Prunella vulgaris*
 Carnation. *Carex glauca* and *C. panicea*
 Cat's-tail. *Phleum pratense*
 Causeway. *Poa annua*
 Cheesecake. *Lotus corniculatus*
 China or Chinese. *Bæhmeria* (*Urtica*) *nivea*
 Claver or Clever. *Galium Aparine*
 Cloud. The genus *Agrostis*
 Clover. *Trifolium pratense* and *T. repens*. Sometimes applied to *Medicago lupulina*
 Club. The genera *Scirpus* and *Corynephorus*
 Cock. *Bromus mollis*, *B. secalinus*, and *Plantago lanceolata*
 Cock's-comb. *Cynosurus echinatus*
 Cock's-foot. *Dactylis glomerata*
 Cock's-foot, Golden-edged. *Dactylis glomerata aurea*
 Cock-shin. *Panicum Crus-galli*
 Comb Finger. The genus *Dactyloctenium*
 Cord. *Lygeum Spartum* and *Spartina stricta*
 Cord, Fresh-water. *Spartina cynosuroides*
 Cord, Twin-spiked. *Spartina stricta*
 Corn. *Apera Spica-venti*
 Cotton. The genus *Eriophorum*
 Couch. *Triticum repens*
 Cow. *Trifolium medium* and *T. pratense*
 Crab. *Salicornia herbacea*, and *Polygonum aviculare*
 Crow's-foot. *Echinochloa Crus-corvi*
 Cuba. *Andropogon halepensis*
 Cuckoo. *Luzula campestris*
 Cut. *Leersia oryzoides*

Grass, Cutting. *Scleria flagellum*
 Dodder, or Dodder. *Briza media*
 Dart. *Holcus mollis* and *H. lanatus*
 Deccan. *Panicum frumentaceum*
 Deer's-foot. *Argostis setacea*
 Desert. The genus *Eremochloë*
 Dew. *Dactylis glomerata* and *Setaria germanica*
 Dithering, or Dothing. *Briza media*
 Doddle. *Briza media*
 Dog. *Triticum repens*
 Dog's-tail. *Cynosurus cristatus*
 Dog's-tooth. *Triticum caninum* and *Cynodon Dactylon*
 Doob, or Doorva. *Cynodon Dactylon*
 Dothing. See Grass, Dithering
 Dover. *Festuca elatior*
 Drop-seed. The genera *Muhlenbergia* and *Sporobolus*
 Dudder. *Adiantum Capillus-Veneris*
 Duffel. *Holcus mollis* and *H. lanatus*
 Dutch. *Panicum molle*
 Earning. *Pinguicula vulgaris*
 East Indian Matting. *Cyperus corymbosa*
 Eaver. See Grass, Ever
 Eccle. *Pinguicula vulgaris*
 Eel. See Grass, Tape
 Egyptian. *Dactyloctenium aegyptiacum*
 Elbowit. *Alopecurus geniculatus*
 Elephant's. *Typha elephantum*
 Esparto. *Stipa (Macrochloa) tenacissima*
 Ever, or Eaver. *Lolium perenne*
 Fair. *Potentilla anserina*
 "Faitour's." Probably *Euphorbia Esula*
 False Brome. The genus *Brachypodium*
 Feather. *Stipa pennata* and *Eragrostis elegans*
 Feather-top. *Calamagrostis Epigejos*
 Fescue. The genus *Festuca*
 Fescue, Blue. *Festuca glauca* and *F. amethystina*
 Fescue, Fine-leaved. *Festuca tenuifolia*
 Fescue, Hard. *Festuca duriuscula*
 Fescue, Meadow. *Festuca pratensis*
 Fescue, Red or Creeping. *Festuca rubra*
 Fescue, Sheep's. *Festuca ovina*
 Fiddle. *Epilobium hirsutum*
 Fine-top. *Agrostis alba*
 Finger. The genus *Digitaria*
 Finger, Red. *Digitaria sanguinalis*
 Fiorin. *Agrostis stolonifera*
 Fire. *Alchemilla arvensis*
 Five-finger. *Potentilla reptans*
 Flea. *Carex pulicaris*
 Flote. *Glyceria fluitans*
 Flowering. *Anomatheca cruenta*
 Fly-away. *Agrostis scabra*
 Fly-catch. *Leersia lenticularis*
 Fodder. *Onobrychis sativa* and the genus *Chilochloa*
 Four-leaved. *Lotus tetraphyllus*
 Fowl-Meadow. *Glyceria nervata* and *Poa serotina*
 Fox. *Geranium Robertianum*
 Fox-tail. *Alopecurus pratensis*
 Fox-tail, Gold-striped. *Alopecurus pratensis variegatus*
 Fox-tail, W. Indian. *Anatherum bincorne* and *A. macrorurum*

Grass, French.	<i>Onobrychis sativa</i> and <i>Phalaris arundinacea variegata</i>	Grass. Lalong. <i>Imperata arundinacea</i>
Frog.	<i>Salicornia herbacea</i> and <i>Juncus bufonius</i>	Lamb's. Various Spring grasses
Gallow.	<i>Cannabis sativa</i>	Land. <i>Alopecurus agrestis</i>
Gama, or Sesame.	<i>Tripsacum dactyloides</i>	Lavender. <i>Molinia caerulea</i>
Giant Woolly-beard.	<i>Erianthus Ravennæ</i>	Lemon. <i>Andropogon Schænanthus</i>
Gilliflower.	<i>Carex glauca</i> and <i>C. panicea</i>	Lily. <i>Arum maculatum</i> and <i>Butomus umbellatus</i>
Ginger.	<i>Andropogon Schænanthus</i>	Lob, or Lop. <i>Bromus mollis</i>
Ginger, W. Indian.	See Grass, Bur	Long. The genus <i>Macrochloa</i>
Globe Cotton.	<i>Eriophorum capitatum</i> (<i>E. Scheuchzeri</i>)	Love. <i>Eragrostis elegans</i>
Glow-worm, of Australia.	<i>Luzula campestris</i>	Low Spear. <i>Poa annua</i>
Golden-edged Cock's-foot.	<i>Dactylis glomerata aurea</i>	Lyme. <i>Elymus arenarius</i>
Gold-striped Fox-tail.	<i>Alopecurus pratensis variegatus</i>	Maiden-hair. <i>Briza media</i>
Goat.	The genus <i>Ægilops</i>	Manatu. See Grass, Turtle
Goose.	See Goose-grass	Manna. <i>Glyceria fluitans</i>
Grama.	The genus <i>Bouteloua</i>	Marl. <i>Trifolium pratense</i> , or <i>T. medium</i>
Grip.	<i>Galium Aparine</i>	Marrem. <i>Psamma arenaria</i>
Guinea.	<i>Panicum jumentorum</i> (<i>P. maximum</i>)	Marsh Arrow. <i>Triglochin palustre</i>
Gull.	<i>Galium Aparine</i>	Marsh Saw. <i>Cladium Mariscus</i>
Hair.	The genus <i>Aira</i>	Mat. <i>Psamma arenaria</i> and <i>Nardus stricta</i>
Hair, American.	<i>Agrostis scabra</i> and <i>Muhlenbergia capillaris</i>	May. <i>Stellaria Holostea</i>
Halfa.	See Grass, Alfa	Meadow. The genus <i>Poa</i>
Hard.	<i>Dactylis glomerata</i>	Meadow, Rough-stalked. <i>Poa trivialis</i>
Hard, or Goat.	The genus <i>Ægilops</i>	Meadow, Smooth-stalked. <i>Poa pratensis</i>
Hare's-tail.	<i>Lagurus ovatus</i>	Meadow-Fescue. <i>Festuca pratensis</i>
Hassock.	<i>Aira cespitosa</i> , <i>Carex cespitosa</i> , and <i>C. paniculata</i>	Meadow Soft. <i>Holcus lanatus</i> and <i>H. mollis</i>
Haver.	<i>Avena elatior</i> , <i>Bromus sterilis</i> , and <i>B. mollis</i>	Melick. The genus <i>Melica</i>
Heath.	<i>Triodia decumbens</i>	Merlin's. <i>Isoëtes lacustris</i>
Hedge-hog.	<i>Panicum stagninum</i> and <i>Carex flava</i>	Mesquite. See Grass, Mosquito
Hedge-hog, or Bur, of N. America.	<i>Cenchrus tribuloides</i>	Midge. <i>Holcus lanatus</i>
Hen-penny.	<i>Rhinanthus Crista-galli</i>	Millet. <i>Milium effusum</i>
Herd's.	<i>Agrostis vulgaris</i>	Mitchell, of Australia. <i>Astrebla (Danthonia) triticoides</i>
Hog.	<i>Senebiera Coronopus</i>	Monkey, or Parâ. The fibre of <i>Attalea funifera</i>
Holy.	<i>Hierochloë borealis</i> and other species	Monkey's. <i>Agrostis vulgaris</i>
Honey-suckle.	<i>Trifolium repens</i>	Moor. <i>Sesleria caerulea</i>
Hooded.	<i>Bromus mollis</i>	Mosquito, or Mesquite. <i>Panicum obtusum</i>
Horn.	The genus <i>Ceratochloa</i>	Mountain, Jamaica. <i>Andropogon bicornis</i>
Horn-of-Plenty.	<i>Cornucopiae cucullatum</i>	Mouse. <i>Aira caryophylla</i>
Horse-well.	<i>Veronica Beccabunga</i>	Mouse, Australian. <i>Dichelachne crinita</i>
Hose.	<i>Holcus lanatus</i>	Mouse-tail. <i>Festuca Myurus</i> and <i>Alopecurus agrestis</i>
Hundred-leaved.	<i>Achillea Millefolium</i>	Mulga. <i>Neurachne Mitchelliana</i>
Hunger.	<i>Alopecurus agrestis</i>	Murrain. <i>Scrophularia nodosa</i>
Indian.	<i>Sorghum nutans</i> and <i>Molinia caerulea</i>	Muskit. The genus <i>Bouteloua</i>
Irby-dale.	<i>Euphorbia Helioscopia</i>	Myrtle. <i>Acorus Calamus</i>
Iron.	<i>Polygonum aviculare</i>	Natural. <i>Poa trivialis</i> and <i>P. pratensis</i> ; also applied to Grasses generally (except Rye-grass), because they are found in natural pastures
Italian Rye.	<i>Lolium italicum</i> (<i>L. perenne var. multiflorum</i>)	New Zealand Cutting. Various species of <i>Gahnia</i>
Jockey.	<i>Briza media</i>	New Zealand Plume. <i>Arundo conspicua</i>
Joint.	Various species of <i>Equisetum</i>	New Zealand Spear. <i>Aciphylla squarrosa</i>
Kangaroo.	<i>Anthistiria ciliata</i> (<i>A.ustralis</i>)	"Nimble Will." <i>Muhlenbergia diffusa</i>
Kentucky Blue.	<i>Poa pratensis</i>	Nit. <i>Gastridium lendigerum</i>
Knife.	<i>Scleria latifolia</i>	Nut. <i>Cyperus rotundus</i> var. <i>Hydra</i>
Knot.	<i>Polygonum aviculare</i>	Oat. <i>Avena pratensis</i> and <i>Bromus mollis</i>
Ladies'-laces, or Lady.	<i>Phalaris arundinacea variegata</i>	Oat, Yellow. <i>Avena flavescens</i>
Lagoon.	<i>Triticum repens</i>	Of Parnassus. <i>Parnassia palustris</i>
		Of Parnassus, Asarum-leaved. <i>Parnassia asarifolia</i>
		Of Parnassus, Fringed. <i>Parnassia Jimbriata</i>
		Of Parnassus, Himalayan. <i>Parnassia nubicola</i>

Grass, of Parnassus, Large. *Parnassia Caroliniana*
 Old-witch. *Panicum capillare*
 Onion. *Arena elatior*
 Orange. *Hypericum Sarothra*
 Orchard. *Dactylis glomerata*
 Orcheston. *Agrostis stolonifera*
 Ornamental Cloud. *Agrostis nebulosa* and
 A. pulchella
 Otago Tupak. *Carex appressa*
 Painted. *Phalaris arundinacea variegata*
 Pampas. *Glycerium argenteum*
 Panick. The genus *Panicum*
 Panick, Bulbous, *Panicum bulbosum*
 Panick, Tall. *Panicum altissimum*
 Panick, Twiggy. *Panicum virgatum*
 Parâ. See Grass, Monkey
 Pearl. *Briza maxima* and *Arena elatior*
 Penny. *Rhinanthus Crista-galli*
 Pen-reed. *Saccharum Sara*
 Pepper. *Pilularia globulifera*
 Pepper, American. *Lepidium virginicum*
 Pigeon's. *Verbena officinalis*
 Pin. See Pin-grass
 Pink. Another name for Gilliflower-grass
 Porcupine. *Stipa spartea*
 Porcupine, Australian. *Festuca (Triodia) irritans*
 Poverty. *Aristida dichotoma*
 Prairie. *Bromus ciliatus* and *Spartina cynosuroides*
 Prairie, or Rescue. *Bromus Schraderi* and
 Ceratochloa unioloides
 Pudding. *Mentha Pulegium*
 Purple Moor. *Molinia cærulea*
 Quack. *Triticum repens*
 Quake, or Quaking. *Briza media*
 Quitch. *Triticum repens*
 Ramee, Ramie, or Rheeaa. *Bæhmeria (Urtica) nivea*
 Rattle. *Rhinanthus Crista-galli*
 Rattle-snake. *Glyceria canadensis*
 Ravenna. *Erianthus Ravenæ*
 Ray, or Rye. *Lolium perenne*
 Ray, or Rye, Italian. *Lolium perenne var. multiflorum (L. italicum)*
 Razor. *Scleria scindens*
 Red Rattle. *Pedicularis palustris*
 Red-top. *Agrostis vulgaris*
 Red-top, Tall. *Tricuspidis sesleroides*
 Reed. The genus *Arundo*
 Reed, W. Indian. *Arundo occidentalis*
 Reed, Meadow. *Glyceria aquatica*
 Rheeaa. See Grass, Prairie
 Rescue. See Grass, Prairie
 Rib. *Plantago lanceolata*
 Ribbon. *Phalaris arundinacea variegata*
 Rice Cut. *Leersia oryzoides*
 Ridging. *Anatherum bincorne*
 Rie, or Rye. See Grass, Ray
 Ripple. *Plantago lanceolata*
 Roosa, or Roussa. *Andropogon Iwaran-cusa*, and *A. Martini*
 Rope. The genus *Restio*
 Rot. *Pinguicula vulgaris*, *Holcus lanatus*,
 and *H. mollis*
 Rye. See Grass, Ray
 Rush. The genus *Vilfa*
 St. John's. Various species of *Hypericum*

Grass, Salt-water Reed. *Spartina poly-stachya*
 Sand. *Tricuspidis purpurea*
 Scented, New Zealand. *Hierochloë redolens*
 Scorpion. The genus *Myosotis*
 "Scotch," of Jamaica, *Panicum molle*
 Scrub. *Equisetum hyemale* and other
 species
 Scurvy. *Cochlearia officinalis*
 Scutch. *Triticum repens*
 Sea. *Armeria maritima* and *Ruppia maritima*
 Sea Arrow. *Triglochin maritimum*
 Sea Hard. *Lepturus incurvatus* and the
 genus *Ophiurus*
 Sea-shore Bent. *Psamma arenaria (Amphiphila arundinacea)*
 Sea Spear. *Glyceria maritima*
 Serpent. *Polygonum viviparum*
 Shadow. *Luzula sylvatica*
 Shaking. *Briza media*
 Shamalo. *Panicum frumentaceum*
 Shave. *Equisetum hyemale*
 Shear, or Shere. *Cladium Mariscus*; also
 some species of *Carex*
 Sheath-flowering. *Coleanthus subtilis*
 Sheep's-Fescue. *Festuca ovina*
 Shelly. *Triticum repens*
 Shere. See Grass, Shear
 Shore. *Littorella lacustris*
 Shubby. The genus *Thamnochortus*
 Silk. The fibre of *Bromelia (Nidularium) Karatas* and of *Agave vivipara* and *A. yuccæfolia*
 Silk, Carolina. *Yucca filamentosa*
 Silk, of N. America. *Eriocoma cuspidata*
 Silt. *Paspalum distichum*
 Silver. *Phalaris arundinacea variegata*
 Skally. *Triticum repens*
 Snake. *Myosotis palustris*
 Sour. *Panicum leucophæum* and *Rumex acetosa*
 Sour, W. Indian. *Paspalum conjugatum*
 Southern Holly. *Hierochloë australis*
 Sparrow. *Asparagus officinalis*
 Sparrow, French. *Ornithogalum pyrenaicum*
 Spart. *Spartina stricta*
 Spear. Various species of *Agrostis*
 Spear, of New Zealand. *Aciphylla squarrosa*, and *A. Colensoi*
 Spike. *Brizopyrum spicatum*, and the
 genus *Uniola*
 Spire. A species of *Carex*
 Spring. See Grass, Vernal
 Spurt. *Scirpus lacustris* and *S. maritimus*
 Squirrel-tail. *Hordeum jubatum*, *H. marinum*, and *H. murinum*
 Squitch. *Triticum repens*
 Star. The genus *Callitricha*
 Steep. *Pinguicula vulgaris*
 Sticky. *Galium Mollugo* and *Dactylis glomerata*
 Suffolk. *Poa annua*
 Sweet. *Asperula odorata* and the genus
 Glyceria
 Swine's. *Polygonum aviculare*
 Sword. The genus *Gladiolus*; also *Arenaria segetalis*, *Melilotus segetalis*, and
 Phalaris arundinacea

Grass, Tape, or Eel.	<i>Vallisneria spiralis</i>	Grass-cloth-plant.	<i>Bæhmeria</i> (<i>Urtica</i>)
Tassel.	<i>Ruppia maritima</i>	nivea	
Tassel Cotton.	<i>Eriophorum polystachyon</i>	Queensland.	<i>Pipturus argenteus</i> (<i>P. pro-</i>
Teosinte.	<i>Euchlæna (Reeana) luxurians</i>	<i>pinquus</i>)	
Thin.	<i>Agrostis elata</i> , and <i>A. perennans</i>	Silver-leaved.	<i>Bæhmeria argentea</i>
Timothy.	<i>Phleum pratense</i>	Grasses, Artificial.	See Grass, Artificial
Toad.	<i>Juncus bufonius</i>	Grass-Ivy.	See Ivy
Tongue.	<i>Lepidium sativum</i> and <i>Stellaria media</i>	Grass-Nettle, Wild.	<i>Stachys sylvatica</i>
Tooth-ache.	<i>Ctenium americanum</i>	Grass-Pink.	<i>Calopogon pulchellus</i>
Traneen.	<i>Cynosurus cristatus</i>	Grass-Poly.	<i>Lythrum hyssopifolium</i>
Tupak.	<i>Carex appressa</i>	Grass-root.	<i>Eupatorium purpureum</i>
Turkey.	<i>Galium Aparine</i>	Grass-Thistle.	See Thistle
Turk's-head.	<i>Lagurus ovatus</i>	Grass-tree, Australian.	The genus <i>Xanthorrhæa</i> ; also applied to <i>Richea dracophylla</i> , and <i>Kingia australis</i>
Turtle.	<i>Zostera marina</i>	Grass-wrack, or Grass-weed,	<i>Zostera marina</i>
Turtle, or Manatu.	<i>Thalassia testudinum</i>	Dwarf.	<i>Zostera nana</i>
Twig.	The genus <i>Rhabdochloa</i>	Gravel-root.	<i>Eupatorium purpureum</i>
Tussock.	<i>Aira cespitosa</i>	Grease-wood.	The genera <i>Sarcobatus</i> and <i>Grayia</i>
Tussock, of Australia.	<i>Xerotes longifolia</i>	Californian.	<i>Sarcobatus vermiculatus</i>
Twopenny.	<i>Lysimachia Nummularia</i>	Great Celandine.	<i>Chelidonium majus</i>
Umbrella.	<i>Fuirena squarrosa</i> and <i>Panicum decompositum</i>	Great Pilewort.	<i>Serophularia nodosa</i>
Vanilla.	<i>Hierochlöe fragrans</i> and other species	Great Sanicle.	<i>Alchemilla vulgaris</i>
Vanilla, Large-leaved.	<i>Hierochlöe macrophylla</i>	Gree-Gree-tree, or Sassy-tree, of Sierra Leone.	<i>Erythrophlaeum guineense</i>
Variegated Japanese.	<i>Eulalia japonica variegata</i>	Of Trinidad.	<i>Astrocaryum aculeatum</i> and <i>Acrocomia sclerocarpa</i>
Velvet.	<i>Holcus lanatus</i> and <i>H. mollis</i>	Greeds.	<i>Lemna minor</i>
Vernal, or Sweet Vernal.	<i>Anthoxanthum odoratum</i>	Greek Valerian.	<i>Polemonium caeruleum</i>
Vetch.	<i>Lathyrus Nissolia</i>	Green Dragons.	<i>Arum Dracontium</i>
Viper's.	<i>Echium vulgare</i> and the genus <i>Scorzonera</i>	Green-heart, Bastard, W. Indian.	<i>Calyptranthes Chytranculia</i>
Wall Penny.	<i>Cotyledon Umbilicus</i>	Guinea.	<i>Nectandra Rodiae</i>
Wallaby.	<i>Danthonia penicillata</i>	W. Indian.	<i>Colubrina ferruginea</i>
Wart.	<i>Euphorbia Helioscopia</i>	Green-heart-Bark, or Bibiru-Bark-tree.	<i>Nectandra Rodiae</i>
Warted, of Australia.	<i>Chloris ventricosa</i>	Green-man Orchis.	<i>Aceras anthropophora</i>
Water.	<i>Nasturtium officinale</i>	Green-sauce.	<i>Rumex Acetosa</i>
Water Hair.	<i>Catabrosa (Aira) aquatica</i>	Green-weed, or Greening-weed.	<i>Genista tinctoria</i>
Water Star.	<i>Leptanthus gramineus</i>	Hairy.	<i>Genista pilosa</i>
Water Whorl.	<i>Catabrosa (Aira) aquatica</i>	Hare's-foot.	<i>Genista sagittalis</i>
White.	<i>Leersia virginica</i>	Green-withe.	<i>Vanilla claviculata</i>
Whitlow.	The genus <i>Draba</i> ; also <i>Saxifraga tridactylites</i>	Greens.	<i>Lemna minor</i>
Wild Oat.	Various species of <i>Avena</i>	Grim-the-Collier.	<i>Hieracium aurantiacum</i>
Wild Oat, American.	The genus <i>Danthonia</i>	Grip-grass.	See Grass
Willow.	<i>Polygonum amphibium</i>	Grit-berry.	The genus <i>Comarostaphylis</i>
Wind.	<i>Apera Spica-venti</i>	Gromwell, Grummel, or Graymile.	<i>Lithospermum officinale</i>
Wind-mill.	<i>Chloris truncata</i>	Corn-field.	<i>Lithospermum arvense</i>
Winter-green.	The genus <i>Trichodium</i>	Creeping.	<i>Lithospermum purpureo-caeruleum</i>
Wire.	<i>Polygonum aviculare</i>	Deep-yellow-flowered.	<i>Lithospermum (Bartschia) canescens</i>
Wire, American.	<i>Eleusine indica</i> and <i>Poa compressa</i>	False.	The genus <i>Onosmodium</i>
Wire, E. Indian.	<i>Cynosurus indicus</i>	Gaston's.	<i>Lithospermum Gastoni</i>
Wire Bent.	<i>Nardus stricta</i>	Gentian, or Purple.	<i>Lithospermum prostratum</i>
Wood.	<i>Luzula sylvatica</i> and <i>Sorghum nutans</i>	Rock.	<i>Lithospermum petraeum</i>
Wood Meadow.	<i>Poa nemoralis</i>	Rosemary-leaved.	<i>Lithospermum rosmarinifolium</i>
Wood Reed.	<i>Cinna arundinacea</i>	Shrubby.	<i>Lithospermum fruticosum</i>
Wool.	<i>Scirpus Eriophorum</i>	Gromwell-Reed.	An old name for <i>Coix Lachryma</i>
Woolly Beard.	The genus <i>Erianthus</i>	Ground-Ash.	See Ash
Worm.	<i>Sedum album</i> and the genus <i>Spigelia</i>		
Wrack.	<i>Zostera marina</i>		
Yellow.	<i>Narthecium ossifragum</i>		
Yellow-eyed.	The genus <i>Xyris</i>		

- Ground-Enell.** An old name for *Scandix Pecten-Veneris*
- Ground-hele.** *Veronica officinalis*
- Ground-Honey-suckle.** *Lotus corniculatus*
- Ground-Ivy.** *Nepeta Glechoma*
- Ground-needle.** An old name for *Erodium moschatum*
- Ground-Nut, American.** *Arachis hypogaea*, *Apis tuberosa*, and *Aralia (Panax) trifolia*
- Bambarra. *Voandzeia subterranea*
- Or Earth-nut, Oil-plant. *Arachis hypogaea*
- Ground-Pine.** *Ajuga Chamapitys*
- Groundsel.** The genus *Senecio*
- Adonis-leaved. *Senecio adonisfolius*
- Bolander's. *Senecio Bolanderi*
- Broad-leaved. *Senecio saracenicus*
- Clammy. *Senecio viscosus*
- Climbing. *Senecio mikanooides*
- Common. *Senecio vulgaris*
- Fen. *Senecio paludosus*
- Field. *Senecio campestris*
- Hoary. *Senecio incanus*
- Ivy-leaved. *Senecio macroglossus*
- Japanese. *Senecio japonicus*
- Large Crimson-flowered. *Senecio pulcher*
- Large-flowered. *Senecio Doronicum*
- Leopard's-bane. *Senecio Doronicum*
- Marsh. *Senecio palustris*
- Narrow-leaved. *Senecio erucæfolius*
- One-flowered. *Senecio uniflorus*
- Orange-flowered. *Senecio abrotanifolius*
- Oxford. *Senecio squalidus*
- Plume-leaved. *Senecio Petasites*
- Purple-flowered. *Senecio cruentus*
- Showy. *Senecio speciosus*
- Silvery. *Senecio argenteus*
- Spoon-leaved. *Senecio spatulæfolius*
- Tree. *Baccharis halimifolia*
- Tberman's. *Senecio pulcher*
- Wood. *Senecio sylvaticus*
- Woolly. *Senecio campestris*
- Wormwood-leaved. *Senecio artemisiæfolius*
- Groundsel-tree.** *Baccharis halimifolia*
- Ground-swell, or Ground-will.** An old name for Groundsel.
- Grove-tree, Indian.** *Ficus indica*
- "Guaco - plant."** *Aristolochia Guaco* and *Mikania Guaco*
- Guarana-plant.** *Paullinia sorbilis*
- Guava-berry.** *Eugenia lineata*
- Guava-Real.** *Inga spectabilis*
- Guava-tree.** *Psidium Guava, P. pomiferum*, and *P. pyrifera*
- Black. *Guettarda argentea*
- E. Indian. *Psidium indicum*
- Hill. *Rhodomyrtus tomentosus*
- Mountain. *Psidium montanum*
- Purple. *Psidium Cattleyanum*
- Spice. *Psidium cordatum*
- Guilder-Rose.** *Viburnum Opulus*
- Dahurian. *Viburnum dahuricum*
- Dwarf. *Viburnum Opulus nanum*
- Eastern. *Viburnum orientale*
- Virginian. *Spiraea opulifolia*
- Guernsey Lily.** *Nerine sarniensis*
- Guimauve.** *Althaea officinalis*
- Guinea-corn.** *Sorghum vulgare*
- Guinea-fowl-plant.** *Petiveria alliacea*
- Guinea-fowl-wood.** *Badula (Anguillaria) Barthesia*
- Guinea-hen-flower.** *Fritillaria Meleagris*
- Guinea-hen-weed.** *Petiveria alliacea*
- Dwarf. *Petiveria octandra*
- Guitar-wood, or Fiddle-wood, Tree.** The genus *Citharexylon*
- New Zealand. *Myoporum latum*
- Gulf-weed.** *Sargassum bacciferum*
- Gull-grass.** See Grass
- Gum-Box, Chilian.** *Escallonia macrantha*
- Gum-Myrtle.** See Myrtle
- Gum-plant, Acaroid, or Yellow.** *Xanthorrhæa arborea* and *X. hostilis*
- Alk. *Pistacia Terebinthus*
- Ammoniac. *Peucedanum ammoniacum*
- Angioio. *Piptadenia rigida*
- Arabic. *Acacia arabica*, *A. Verek*, and several other species of *Acacia*
- Barbary, or Morocco. *Acacia gummifera*
- Butea. *Butea frondosa* and *B. superba*
- Californian. The genus *Grindelia*
- Cape. *Acacia horrida*
- Carana. *Icica Carana*
- Cashew. *Anacardium occidentale*
- Cedar, of the Cape. *Widdringtonia juniperoides*
- Cistus. *Cistus ladaniferus*
- Conina. *Icica heptaphylla*
- Copal. *Trachylobium Hornemannianum*, *T. Coubaril*, and *T. verrucosum*; also *Gibourtia copalifera* and *Vateria indica*
- Copal, Brazilian. *Hymenæa martiana* "Doctor's." *Rhus Metopium*
- Dragon. *Pterocarpus Draco*; also a commercial name for Gum-Tragacanth
- Elemi. *Amyris elemifera* (*A. Plumieri*) and *Icica Abilo* (?)
- Euphorbium. See Euphorbium
- Guaiacum. *Guaiacum officinale*
- Gutta (American). *Vismea guianensis*.
- Hog. *Moronoea coccinea* (*Sympodium globuliferum*)
- Ivy. *Hedera Helix*
- Juniper, or Sandarach. *Callitris quadrivalvis*
- Kino. *Pterocarpus erinaceus* and *P. Marsupium*
- Kos. *Artocarpus integrifolia*
- Kuteera. *Acacia leucophleia*, *Cochlospermum Gossypium*, and *Sterculia urens*
- Lac. *Croton lacciferum*, *Erythrina monosperma*, and *Schleichera trijuga*
- Ladanum. *Cistus creticus*, *C. ladaniferus*, *C. villosus*, *C. salviæfolius*, and other species
- Ledon. *Cistus Ledon*
- Morocco. See Gum, Barbary
- Myrrh. *Balsamodendron Myrrha*
- Opocalpusum. *Acacia gummifera*
- Orenberg. *Abies Larix*
- Red, or Yellow, of W. Africa. *Gibourtia copallina*
- Sandarach. See Gum-plant, Juniper
- Sarcocol. *Penea Sarcocolla*

Gum-plant, Sassa. <i>Inga Sassa</i>	Gum-tree, White. <i>Eucalyptus albens</i> , <i>E. coriacea</i> , <i>E. goniocalyx</i> , <i>E. leucoxylon minor</i> , <i>E. paniculata fasciculosa</i> , <i>E. rostrata</i> , <i>E. saligna</i> , <i>E. stellulata</i> , and <i>E. Stuartiana</i>
Senegal. A variety of Gum-Arabic	York. <i>Eucalyptus loxophleba</i>
Seraphic. See Sagapenum	Gum-wood, Little Bastard, of St. Helena. <i>Commidendron spurium</i>
Soudan. A variety of Gum-Arabic	Gum Wattle-tree. <i>Acacia decurrens</i> and <i>A. mollissima</i>
Succory. <i>Chondrilla juncea</i>	Gunny-bag Plant. <i>Cochrorus capsularis</i>
Sweet. <i>Liquidambar styraciflua</i>	Gunnyang, of S. E. Australia. <i>Solanum veseyi</i>
Thur. A variety of Gum-Arabic	Gurjun-tree. <i>Dipterocarpus turbinatus</i>
Thus. See Frankincense, Common	Gutta-Pechera Tree, E. Indian. <i>Dichopsis (Isonandra) Gutta</i>
Tragacanth. <i>Sterculia Tragacantha</i>	Of Guiana. <i>Mimusops globosa</i>
Wadalee. <i>Acacia Catechu</i>	Gymnogram, Small. <i>Gymnogramma leptophylla</i>
Wattle. <i>Acacia mollissima</i>	Hack-berry, or Hag-berry. The fruit of <i>Prunus Padus</i>
Yellow. See Gum-plant, Acaroid	American. <i>Celtis occidentalis</i>
Gum-shrub, of St. Helena. <i>Commidendron rugosum</i>	Hackmatack. <i>Larix americana</i>
Gum-thistle, Poisonous. <i>Euphorbia officinarum</i>	Hag-berry. See Hack-berry
"Gum-top." <i>Eucalyptus Sieberiana</i> (<i>E. virgata</i>)	Hag-taper, Hedge-taper, Hig-taper, or High-taper. <i>Verbascum Thapsus</i>
Gum-tree, American. <i>Bursera gummosa</i>	Hair, African. The fibre of <i>Chamaerops humilis</i>
Apple-scented. <i>Eucalyptus Stuartiana</i>	Hair-bell. See Hare-bell
Black, or Sour. <i>Nyssa multijuga</i> (<i>N. sylvatica</i>)	Austrian. <i>Campanula pulla</i>
Blue. <i>Eucalyptus globulus</i> , <i>E. botryoides</i> , <i>E. diversicolor</i> , <i>E. haemastoma</i> , <i>E. megacarpa</i> , <i>E. tereticornis</i> , and <i>E. viminalis</i>	Double-fringed. <i>Campanula soldanella-flora</i>
Brown. <i>Eucalyptus robusta</i>	Hair-branch Tree. <i>Trichocladus crinitus</i>
Cape. <i>Acacia horrida</i>	Hair-cup-flower. <i>Calythrix tetragona</i>
Cluster-leaved, of St. Helena. <i>Commidendron spurium</i>	Haireve. See Harif
Cotton. <i>Nyssa uniflora</i>	Hair-grass. See Grass
Dominica. <i>Dacryodes hexandra</i>	Hair-Moss. See Moss
Drooping. <i>Eucalyptus Risdoni</i> and <i>E. viminalis</i>	Halbert-weed. The genus <i>Neuroleina</i> W. Indian. <i>Neuroleina (Calea) lobata</i>
Fever. <i>Eucalyptus globulus</i>	Hale-nut. <i>Corylus Aveliana</i>
Flooded. <i>Eucalyptus coriacea</i> , <i>E. decipiens</i> , <i>E. rostrata</i> , and <i>E. rufa</i>	Hallelujah. <i>Oxalis acetosella</i>
Fluted. <i>Eucalyptus salubris</i>	Hammer-wort. An old name for <i>Parietaria officinalis</i>
Giant. <i>Eucalyptus amygdalina</i>	Hand-flower-tree, or Hand-plant. <i>Cheirostemon platanooides</i> (<i>Cheiranthodendron pentadactylon</i>)
Gray. <i>Eucalyptus resinifera</i> , and <i>E. saligna</i>	Hard-beam. An old name for Horn-beam
Green, Olive-green, Lead, or White. <i>Eucalyptus stellulata</i>	Harbinger-of-spring. <i>Erigenia bulbosa</i>
Lead. See Gum-tree, Green	Hard Fern. See Fern
Lemon-scented. <i>Eucalyptus maculata</i> var. <i>citriodora</i>	Hard Grass. See Grass
Manna. <i>Eucalyptus viminalis</i>	Hard-hack. <i>Spiraea tomentosa</i>
Olive-green. See Gum-tree, Green	Hard-hay. <i>Hypericum quadrangularare</i>
Red. <i>Eucalyptus amygdalina</i> , <i>E. calophylla</i> , <i>E. melliodora</i> , <i>E. odorata</i> , <i>E. resinifera</i> , <i>E. rostrata</i> , <i>E. Stuartiana</i> , and <i>E. tereticornis</i>	Hard-heads. <i>Centaurea nigra</i>
Risdon. <i>Eucalyptus Risdoni</i>	Hard-peer. <i>Olinia cymosa</i>
River. <i>Eucalyptus dealbata</i> and <i>E. rostrata</i>	Hard-wood-tree. <i>Ixora ferrea</i>
Rusty. <i>Eucalyptus eximia</i>	Hare-bell, or Hair-bell. <i>Campanula rotundifolia</i> and <i>Scilla nutans</i>
Salmon-barked. <i>Eucalyptus salmoniphloia</i>	African. <i>Roella ciliata</i> and other species
Scarlet-flowered. <i>Eucalyptus falcifolia</i>	Australian. <i>Wahlenbergia gracilis</i>
Sour. <i>Nyssa multijuga</i>	Ivy-leaved. <i>Wahlenbergia (Campanula) hederacea</i>
Spotted. <i>Eucalyptus goniocalyx</i> , <i>E. haemastoma</i> , and <i>E. maculata</i>	Loeffling's. <i>Campanula Loeflingi</i>
Sugar. <i>Eucalyptus corynocalyx</i>	Lorey's. <i>Campanula Loreyi</i>
Swamp. <i>Eucalyptus coriacea</i> and <i>E. rufa</i>	New Zealand. Various species of <i>Wahlenbergia</i> , especially <i>W. saxicola</i>
Sweet. <i>Liquidambar styraciflua</i>	Silvery Dwarf. <i>Edraianthus Pumilio</i>
Turpentine. <i>Eucalyptus Stuartiana longifolia</i>	Thrift-leaved Dwarf. <i>Edraianthus Pumiliorum</i>
Water. <i>Tristaniella neriifolia</i>	
Weeping. <i>Eucalyptus coriacea</i> , and <i>E. viminalis</i>	
W. Indian. <i>Sapium laurifolium</i>	

- Hare-nut.** *Bunium flexuosum*
Hare's-bane. *Aconitum Lagoctonum*
Hare's-beard. *Verbascum Thapsus*
Hare's-Cole-wort. Another name for
 Hare's-Lettuce
Hare's-ear. *Bupleurum rotundifolium*
 Bastard. *Phyllis Nobla*
 Shrubby. *Bupleurum fruticosum*
Hare's-eye. An old name for *Lychnis diurna*
Hare's-foot Fern. See Fern
Hare's-Lettuce, or Hare's-palace. *Sonchus*
oleraceus
Hare's-tail Grass. See Grass
Hare's-tail Rush. *Eriophorum vaginatum*
Harif. Heiriff, Haireve, or Haritch. *Gaulum*
Aparine
Haritch. See Harif
Harlequin-flower, African. The genus
Sparaxis
Harlock. *Arctium Lappa*
Harstrong, or Horestrang. *Peucedanum*
officinale
Hart-berries. *Vaccinium Myrtillus*
Hart's-balls. See Deer-balls
Hart's-horn Plantain. *Plantago Coronopus*
Hart's-thorn. *Rhamnus catharticus*
Hart's-tongue Fern. See Fern
Hart-wort, Common. *Tordylium officinale*
 Great. *Tordylium maximum*
 Mountain. *Athamanta* (*Peucedanum*)
Cervaria
 Small. *Tordylium apulum*
Harvest-bells. *Gentiana Pneumonanthe*
Hask-wort. *Campanula latifolia*
Hassagay-tree. See Assagay
Hassock-grass. See Grass
Hat-plant, Singapore. *Eschynomene aspera*
Hautbois. *Fragaria elatior*
Haver, or Havver-grass. *Avena sativa*
Haw, or Haws. The fruit of *Crataegus*
Oxyacantha
 Apple. See Haw, May
 Black. *Viburnum prunifolium*
 May, or Apple. *Crataegus cestivalis*
 Summer. *Crataegus flava*
Hawk-bit. The genus *Apargia*
Hawk-nut. See Hog-nut
Hawk-weed. The genus *Hieracium*
 Canada. *Hieracium canadense*
 Hairy. *Hieracium Gronovii*
 Honey-wort. *Hieracium cerinthoides*
 Long-bearded. *Hieracium longipilum*
 Mountain. *Hieracium alpinum*
 Mouse-ear. *Hieracium Pilosella*
 Orange-flowered. *Hieracium aurantiacum*
 Paniced. *Hieracium paniculatum*
 Pink-flowered. *Hieracium incarnatum*
 Red. *Boerkhausia rubra*
 Rough. *Hieracium scabrum*
 Shrubby. *Hieracium sabaudum*
 Umbellate. *Hieracium umbellatum*
 Wall. *Hieracium murorum*
 Wall-Lettuce. *Hieracium prenanthoides*
 Yellow Garden. *Tolpis barbata*
Hawk's-beard. The genus *Crepis*
 Beaked. *Crepis taraxacifolia*
 Fetid. *Crepis fatida*
 Golden. *Crepis aurea*
 Hawk-weed. *Crepis hieracioides*
- Hawk's-beard, Marsh.** *Crepis paludosa*
 Red-flowered. *Crepis rubra*
 Rough. *Crepis biennis*
 Smooth. *Crepis virens*
Hawk's-eye. A name suggested by Mr.
 Ruskin for the genus *Hieracium*
Hawthorn. *Crataegus Oxyacantha*
 Chinese. *Photinia serrulata* (*Crataegus*
glabra) and other species
 Double Pink. *Crataegus Oxyacantha rosa*
plena
 Double Scarlet. *Crataegus Oxyacantha*
coccinea
 Double White. *Crataegus Oxyacantha plena*
 Douglas's. *Crataegus Douglassii*
 E. Indian. *Raphiolepis* (*Crataegus*) *indica*
 Gooseberry-leaved. *Crataegus parvifolia*
 New Zealand. See Thorn
 Parsley-leaved. *Crataegus Azarolus*
 Scarlet. *Crataegus Oxyacantha coccinea*
 Scalloped-leaved. *Crataegus crenulata*
 Tansy-leaved. *Crataegus tanacetifolia*
 Weeping. *Crataegus Oxyacantha* var.
pendula
Hay-plant, Tibet or Prangos. *Prangos*
pabularia
Hazel. *Corylus Avellana*
 American Beaked. *Corylus rostrata*
 American Wild. *Corylus americana*
 American Witch. *Hamamelis virginica*
 Constantinople. *Corylus Colurna*
 Cuckold. *Corylus rostrata* (*C. cornuta*)
 Evergreen. *Guevina Avellana* (*Quadrinia*
heterophylla)
 Japan. *Corylus heterophylla*
 N. S. Wales. *Pomaderris lanigera*
 Victorian. *Pomaderris apetala*
 Witch, or Wych. *Ulmus montana*
Hazel-Crottles, Hazel-Rag, or Hazel-Raw.
Sticta pulmonacea
Hazel-nut, Snapping. *Hamamelis virginica*
Hazel-rag, or Hazel-Raw. See Hazel-
 Crottles
Hazel-wort. *Asarum europaeum*
Head-ache. *Papaver Rhæas*
Head-ache-tree. *Premna integrifolia*
Head-ache-weed. *Hedyosmum nutans*
Heal-all. *Collinsonia canadensis* and *Rho-*
diola rosea
Heal-dog. An old name for Mad-wort
Heart-clover. See Heart-trefoil
Heart-of-the-Earth. *Prunella vulgaris*
Heart-seed. The genus *Cardiospermum*
Heart-trefoil, or Heart-clover. *Medicago*
maculata
Heart's-ease. *Viola tricolor*
Heath, or Heather. A general name for the
 genera *Erica* and *Calluna*
 American False. *Hudsonia ericoides*
 Bell-flowered. *E. codonodes*, and *E. Tetralix*
 Berried. *Erica baccans*
 Black-berried. *Empetrum nigrum*
 Ciliated. *Erica ciliaris*
 Connemara. *Erica carnea* var. *hibernica*
 Cornish. *Erica vagans*
 Cross-leaved. *Erica Tetralix*
 False. *Fabiana imbricata*
 Irish, or St. Dabeoc's. *Dabecia* (*Menziesia*-
polifolia)

Heath, Ling. <i>Calluna vulgaris</i>	Hellebore, Fetid. <i>Helleborus foetidus</i>
Large-flowered Australian. <i>Epacris grandiflora</i>	Green. <i>Helleborus viridis</i>
Many-flowered. <i>Erica multiflora</i>	Holly-leaved. <i>Helleborus argutifolius</i>
Mediterranean. <i>Erica mediterranea</i> (<i>E. carnea</i>)	Olympian. <i>Helleborus olympicus</i>
Otago. <i>Leucopogon Fraseri</i>	Oriental. <i>Helleborus orientalis</i>
Palm. <i>Ichea pandanifolia</i>	Purple-flowered. <i>Helleborus purpurascens</i>
Polytrichum-leaved. <i>Erica polytrichifolia</i>	Swamp. <i>Veratrum viride</i>
Prickly. <i>Pernettya angustifolia</i>	Sweet-scented. <i>Helleborus odorus</i>
St. Dabeoc's. See Heath, Irish	White. See White Hellebore
Sea. <i>Frankenia lærvis</i>	Winter. <i>Eranthis hyemalis</i>
Sicilian. <i>Erica sicula</i>	Helleborine. The genera <i>Epipactis</i> and <i>Cephalanthera</i>
Spanish. <i>Erica australis</i>	Marsh. <i>Epipactis palustris</i>
Tasmanian. <i>Epaeris exserta</i>	Red. <i>Cephalanthera rubra</i>
Tree. <i>Erica arborea</i>	White. <i>Cephalanthera grandiflora</i>
Upright. <i>Erica stricta</i>	Hell-weed. <i>Cuscuta europaea</i> and <i>C. Epiphyllum</i>
White-flowered Irish. <i>Dabeocia (Menziesia) alba</i>	Helmet-flower. <i>Aconitum Napellus</i> and the genus <i>Scutellaria</i>
White-flowered Spring. <i>Erica carnea alba</i>	Brazilian. <i>Corynanthes speciosa</i>
Winter. <i>Erica carnea</i>	Yellow. <i>Aconitum Anthora</i>
Heath-cup, Fringed, of Australia. <i>Artrema fimbriata</i>	Hemlock. <i>Conium maculatum</i>
Heath-Cypress. <i>Lycopodium alpinum</i>	Ground. <i>Taxus baccata</i> var. <i>canadensis</i>
Heath-pea. <i>Lathyrus macrorrhizus</i>	Lesser. <i>Aethusa Cynapium</i>
Heather, He. <i>Calluna vulgaris</i>	Mountain. <i>Levisticum officinale</i>
Himalayan. <i>Andromeda fastigiata</i>	Water. <i>Circuta virosa</i> and <i>C. maculata</i> ; also <i>Phellandrium aquaticum</i> and <i>Enanthe crocata</i>
Monox, or Monnaghs. <i>Empetrum nigrum</i>	Hemlock-Dropwort. <i>Enanthe fistulosa</i>
Scotch. <i>Erica cinerea</i>	Hemp. The genus <i>Cannabis</i> . Applied also to various other plants
She. <i>Erica cinerea</i>	African. <i>Sparmannia africana</i>
Heavy-wood, Red. <i>Baroxylon rufum</i>	American False. <i>Datisca hirta</i>
Hedge-bells. <i>Convolvulus sepium</i>	Angola. <i>Sansevieria angolensis</i>
Hedge-berry. <i>Prunus Pádus</i> and <i>Cerasus avium</i>	Banded Bowstring. <i>Sansevieria fasciata</i>
Hedge-hog. <i>Ranunculus arvensis</i>	Bengal. <i>Crotalaria juncea</i>
Hedge-hog Grass. See Grass	Black-fellows', of Australia. <i>Commersonia Fraseri</i>
Hedge-hog Parsley. <i>Caucalis daucoides</i>	Bombay. <i>Crotalaria juncea</i>
Hedge-hog-plant. <i>Anthyllis erinacea</i> and <i>Echinaria capitata</i>	Bow-string, of Africa. <i>Sansevieria guineensis</i>
Hedge-Hyssop. <i>Scutellaria minor</i>	Bow-string, of India. <i>Sansevieria Zeylanica</i> and <i>Calotropis gigantea</i>
Hedge-maids. <i>Glechoma hederacea</i>	Brown Indian. <i>Hibiscus cannabinus</i>
Hedge-Mustard. <i>Sisymbrium officinale</i>	Canada, or Indian. <i>Apocynum cannabinum</i>
Sweet-scented. <i>Erysimum odoratum</i>	Common. <i>Cannabis sativa</i>
Hedge-nettle. <i>Stachys sylvatica</i>	Cretan. <i>Datisca cannabina</i>
Hedge-parsley. <i>Torilis Anthriscus</i>	E. Indian. <i>Cannabis sativa</i> and <i>Hibiscus cannabinus</i>
Hedge-Pink. <i>Saponaria officinalis</i>	Holy. See Holy Hemp
Hedge-Taper, or Hag-Taper. <i>Verbascum Thapsus</i>	Indian, or Canada. <i>Apocynum cannabinum</i>
Hedge-Vine. <i>Clematis Vitalba</i>	Jubbulpore. <i>Crotalaria tenuifolia</i>
Hedge-Violet. <i>Viola sylvatica</i>	Kentucky. <i>Urtica (Laportea) canadensis</i> and <i>U. cannabina</i>
Heiriff. See Hariff	Koffo. The fibre of <i>Musa textilis</i>
Helen-flower. The genus <i>Helenium</i>	Madras. <i>Crotalaria juncea</i>
Dark-purple. <i>Helenium atro-purpureum</i>	Manilla. The fibre of <i>Musa textilis</i>
Hoopes's. <i>Helenium Hoopesii</i>	Peruvian. <i>Buonapartea juncea</i>
Smooth. <i>Helenium autumnale</i>	Sisal. <i>Agave Sisalana</i>
Heliotrope, Common. <i>Heliotropium europaeum</i>	Sunn. <i>Crotalaria juncea</i>
Indian. <i>Heliotropium indicum</i>	Water. <i>Eupatorium cannabinum</i> , <i>Acnida cannabina</i> , and <i>Bidens tripartita</i>
Peruvian. <i>Heliotropium peruvianum</i>	Willow. <i>Acnida cannabina</i>
Summer. <i>Tournefortia heliotropioides</i>	Hemp-Agrimony. <i>Eupatorium cannabinum</i>
Winter. <i>Nardosma (Tussilago) fragrans</i>	Aromatic. <i>Eupatorium aromaticum</i>
Hellebore, Abchasian. <i>Helleborus abchasicus</i>	Nettle-leaved. <i>Eupatorium ageratoides</i>
Bastard. <i>Helleborus viridis</i>	Purple. <i>Eupatorium purpureum</i>
Bear's-foot. <i>Helleborus foetidus</i>	
Black. <i>Helleborus niger</i>	
"Black," of the Ancients. <i>Helleborus officinalis</i>	
Dark Purple. <i>Helleborus atrorubens</i>	

- Hemp-bush, Victorian.** *Plagianthus pulchellus* (*Sida pulchella*)
- Hemp-Nettle, Common.** *Galeopsis Tetrahit*
Downy. *Galeopsis ochroleuca*
Red-flowered. *Galeopsis Ladanum*
- Hemp-tree.** An old name for *Vitis Agnus-castus*
- Hemp-weed.** *Eupatorium cannabinum*
Climbing. *Mikania scandens*
- Hen-and-Chickens.** The proliferous variety of *Bellis perennis*. Applied locally to various other flowers
- Hen-bane, Canary Island.** *Hyoscyamus Canariensis*
Common. *Hyoscyamus niger*
Dwarf. *Hyoscyamus pusillus*
Egyptian. *Hyoscyamus reticulatus*
Nightshade-leaved. *Hyoscyamus Scopolia*
Purple-flowered. *Hyoscyamus physaloides*
White. *Hyoscyamus albus*
- Hen-bell.** An old name for Hen-bane
- Hen-bit, Greater.** *Lamium amplexicaule*
Small. *Veronica hederifolia*
- Henna-plant.** *Lawsonia alba* and *L. inermis*
- Henne.** Another name for Shear-grass
- Hen-penny-grass.** See Grass
- Hen-plant.** *Plantago lanceolata*
Great. *Plantago lanceolata major*
- Hen's-bill.** An old name for the genus *Onobrychis*
- Hen's-foot.** *Caucalis daucoides*
- Hen-ware.** *Alaria esculenta*
- Hep, or Hip.** The fruit of *Rosa canina* and other species
- Hep-Briar, Hep-Rose, or Hep-Tree.** *Rosa canina* and other species
- Hepatica.** *Anemone Hepatica*
Large. *Anemone Hepatica var. angulosa*
- Herb, Poor-Man's.** *Gratiola officinalis*
- Herb-Willow.** The genus *Epilobium*
- Herb-Bennet.** *Geum urbanum*, *Conium maculatum*, and *Valeriana officinalis*
- Herb-Carpenter.** *Prunella vulgaris*
- Herb-Christopher.** *Actaea spicata* and *Osmunda regalis*
- Herb-Eve, or Ivy.** *Ajuga Iva* and *Plantago Coronopus*
- Herb-Frankincense.** *Laserpitium latifolium*
- Herb-Gerard.** *Aegopodium Podagraria*
- Herb-Impious.** *Filago germanica*
- Herb-Ivy.** See Herb-Eve
- Herb-Lily.** See Lily
- Herb-Louisa.** *Aloysia citriodora*
- Herb-Margaret.** *Bellis perennis*
- Herb-Mastick.** *Thymus Mastichina*
- Herb-of-Friendship.** *Sedum Anacampseros*
- Herb-of-Grace, or Herb-of-Repentance.** *Ruta graveolens*
- Herb-Paris.** *Paris quadrifolia*
- Herb-Peter.** *Primula veris*
- Herb-Robert.** *Geranium Robertianum*
- Herb-Terrible.** *Daphne Tartonraira*
- Herb-Trinity.** *Viola tricolor* and *Hepatica triloba*
- Herb-Twopence.** *Lysimachia Nummularia*
- Herb-William.** *Ammi majus*
- Hercules' All-heal.** See All-heal
- Hercules'-club.** *Xanthoxylon Clava-Hericulis* and *Aralia spinosa*
- Hernant-seeds.** The seeds of *Hernandia ovigera*
- Heron's-bill.** The genus *Erodium*
Alpine. *Erodium alpinum*
Black-eyed. *Erodium macradenium*
Caraway-leaved. *Erodium caruiifolium*
Cheilanthes-leaved. *Erodium cheilanthifolium*
Common. *Erodium cicutarium*
Fairy. *Erodium Reichardii*
Fern-leaved. *Erodium trichomanefolium*
Long-beaked. *Erodium Ciconium*
Musk. *Erodium moschatum*
Pelargonium. *Erodium hymenodes*
Rock. *Erodium petraeum*
Roman. *Erodium romanum*
Sea-side. *Erodium maritimum*
Showy. *Erodium Manescavi*
Three-leaved. *Erodium hymenoides*
- Herring-bone Fern.** See Fern
- Thistle.** See Thistle
- Hert-wort.** An old name for the Ash-tree
- Hickory.** The genus *Carya*
Broom, or Brown. *Carya porcina*
Compressed-fruited. *Carya compressa*
Entire-leafleted. *Carya integrifolia*
Nutmeg. *Carya myristiciformis*
Queensland Marsh. *Cupania xylocarpa*
Shell-bark, or Shag-bark. *Carya alba*
Small-fruited. *Carya microcarpa*
Thick Shell-bark. *Carya sulcata*
Water. *Carya aquatica*
Western Shell-bark. *Carya sulcata*
White-heart. *Carya tomentosa*
- Hickory-Eucalypt,** of N. S. Wales. *Eucalyptus punctata*, *E. resinifera*, and *E. Stuartiana*
- High-Mallow.** See Mallow
- Hig-taper, or High-taper.** See Hag-taper
- High-water Shrub.** The genus *Iva*
- Hill Margosa.** *Melia Azedarach*
- Hill-wort.** An old name for *Thymus Serpyllum*
- Hinau, or Hino-tree.** *Elaeocarpus Hinai*
- Hind-berry, or Hine-berry.** *Rubus Idaeus*
- Hind-heal.** *Chenopodium Botrys* and *Teucrium Scordonia*
- Hine-berry.** See Hind-berry
- Hip.** See Hep
- Hip-rose.** See Hip-briar
- Hip-wort.** *Colytodon Umbilicus*
- Hobble-bush.** *Viburnum lantanaeoides*
- Hockes.** An old name for Holly-hock
- Hood-wort.** *Scutellaria lateriflora* and other species
- Hog-cherry.** *Prunus Padus*
- Hog-Gum-tree.** *Moronoea coccinea*
- Hog-meat, Jamaica.** *Boerhaavia decumbens*
- Hog-nut, or Hawk-nut.** *Bunium flexuosum*
- Hog-plum.** The genus *Spondias*
- Hog-weed.** *Heracleum Sphondylium* and the genus *Boerhaavia*
American. *Ambrosia artemisiifolia*, *Boerhaavia erecta*, and other species

Hog-weed, Climbing. <i>Boerhaavia scandens</i>	Holme, Knee. See Holly, Knee
Poisonous. <i>Aristolochia grandiflora</i>	Holm-Oak. See Holly-Oak
Hog's-beans. An old name for <i>Globularia</i>	Holy Ghost. <i>Angelica sylvestris</i>
Hog's-Garlic. <i>Allium ursinum</i>	Holy-Ghost-flower. <i>Peristeria elata</i>
Hole-wort, Hollow-wort, or Hollow-root.	Holy Grass. See Grass
<i>Corydalis tuberosa</i> and <i>Adoxa Moschata-</i>	Holy Hay. <i>Medicago sativa</i>
<i>lina</i>	Holy Hemp. An old name for <i>Galeopsis</i>
Hollow-root. See Hole-wort	<i>Ladanum</i>
Hollow-wort. See Hole-wort	Holy Herb. <i>Verbena officinalis</i>
Holly, or Holm. <i>Ilex Aquifolium</i>	Holy Hoke. See Hollyhock
American. <i>Ilex opaca</i>	Holy Rose, Marsh. <i>Andromeda polifolia</i>
American Mountain. <i>Nemopantes cana-</i>	Holy Rope. <i>Eupatorium cannabinum</i>
<i>densis</i>	Holy Seed. An old name for Worm-seed
Black-berried. <i>Ilex Aquifolium fructu-</i>	Holy Tree. <i>Melia Azedarach</i>
<i>nigra</i>	Home-wort. <i>Sempervivum tectorum</i>
Box. <i>Ruscus aculeatus</i>	Hominy. Meal of Indian Corn (<i>Zea</i>
Broad-leaved. <i>Ilex latifolia</i>	<i>Mays</i>)
Broad-spined. <i>Ilex latispina</i>	Homlock. An old name for Hemlock
Canary Island. <i>Ilex canariensis</i>	Honesty, Common. <i>Lunaria biennis</i>
Chinese. <i>Ilex chinensis</i>	Maiden's. <i>Clematis Vitalba</i>
Dahoon. <i>Ilex Dahoon</i>	Perennial. <i>Lunaria rediviva</i>
Dwarf Golden. <i>Ilex crenata variegata</i>	White-flowered. <i>Lunaria biennis albiflora</i>
Dwarf Japanese, or Dwarf Rock. <i>Ilex</i>	Hone-wort. <i>Trinia vulgaris</i>
<i>crenata</i>	American. <i>Cryptotanica canadensis</i>
Emetic. <i>Ilex vomitoria</i>	Corn. <i>Petroselinum segetum</i>
Fortune's Japanese. <i>Ilex Fortunei</i>	Hedge. <i>Sison Amomum</i>
Gold-Striped. <i>Ilex Aquifolium aureo-</i>	Honey-Balm. <i>Melittis Melissophyllum</i>
<i>variegatum</i>	Honey-berry, of Greece. <i>Celtis australis</i>
Ground. <i>Chimaphila umbellata</i>	W. Indian. <i>Melicocca bijuga</i> and <i>M.</i>
Hedge-hog. <i>Ilex Aquifolium ferox</i>	<i>paniculata</i>
High-Cleare. <i>Ilex Aquifolium Altaclarensis</i>	Honey-flower, Cape. <i>Protea mellifera</i>
Knee. <i>Ruscus aculeatus ferox</i>	Great. <i>Melianthus major</i>
Laurel-leaved Dahoon. <i>Ilex Dahoon</i> var.	Honey-Locust-tree, Broad-podded. <i>Gled-</i>
<i>laurifolia</i>	<i>itschia latisiliqua</i>
Loose-flowered. <i>Ilex laxiflora</i>	Caspian. <i>Gleditschia caspica</i>
Milk-maid. <i>Ilex Aquifolium</i> var. <i>ferox</i>	Chinese. <i>Gleditschia sinensis</i>
<i>albo-pictum</i>	Common. <i>Gleditschia triacanthos</i>
Minorca. <i>Ilex balearica</i>	Curved-spined. <i>Gleditschia brachycarpa</i>
Myrtle-leaved. <i>Ilex Aquifolium myrti-</i>	E. Indian. <i>Gleditschia indica</i>
<i>folia</i>	Flat-spined. <i>Gleditschia ferox</i>
Narrow-leaved. <i>Ilex angustifolia</i>	Long-spined. <i>Gleditschia macrospina</i>
New Zealand. <i>Olearia ilicifolia</i>	Small-spined. <i>Gleditschia microspina</i>
Native, of Australia. <i>Lomatia ilicifolia</i>	Smooth. <i>Gleditschia laevis</i>
and other species	South Western. <i>Prosopis juliflora</i>
Sea. The genus <i>Eryngium</i> . (See also	Honey-plant. The genus <i>Hoya</i>
<i>Eryngo</i>)	Honey-suckle. <i>Lonicera Periclymenum</i> ;
Silver-striped. <i>Ilex Aquifolium argenteo-</i>	also applied to the flowers of <i>Trifolium</i>
<i>variegata</i>	<i>pratense</i> and some other plants
S. American. <i>Ilex paraguayensis</i>	African Fly. <i>Halleria lucida</i>
Striped Hedge-hog. <i>Ilex Aquifolium ferox</i>	Alpine. <i>Lonicera alpigena</i>
<i>argenteo-variegata</i>	Australian, or Heath. <i>Banksia serrata</i>
Two-seeded. <i>Ilex dipyrrena</i>	Black-berried. <i>Lonicera nigra</i>
Variegated Weeping. <i>Ilex Aquifolium</i>	Blue-berried. <i>Lonicera caerulea</i>
<i>pendula variegata</i>	Bush. <i>Dierville canadensis</i> (<i>D. trifida</i>) ;
Various-leaved. <i>Ilex Aquifolium hetero-</i>	also <i>Weigela rosea</i> and vars.
<i>phylla</i>	Canadian. <i>Lonicera canadensis</i>
White-berried. <i>Ilex Aquifolium fructu-</i>	Cape, of the W. Indies. <i>Tecoma capensis</i>
<i>albo</i>	Castellamare. <i>Lonicera Stabiana</i>
Whorled. <i>Ilex Aquifolium verticillata</i>	Chinese. <i>Lonicera flexuosa</i>
Yellow-berried. <i>Ilex Aquifolium fructu-</i>	Crimson-flowered. <i>Lonicera punicea</i>
<i>lateo</i>	Douglas's. <i>Lonicera Douglassii</i>
Holly Fern. See Fern	Downy. <i>Lonicera tormentilla</i>
Hollyhock, or Holy Hoke. <i>Althaea rosea</i>	Downy American. <i>Lonicera pubescens</i>
Antwerp. <i>Althaea officinalis</i>	Dutch. <i>Lonicera Periclymenum belgica</i>
Hollyhock-tree, Queensland. <i>Hibiscus</i>	Dutch, Red. <i>Lonicera Periclymenum</i>
<i>splendens</i>	<i>rubra</i>
Holly-Oak, or Holm Oak. <i>Quercus Ilex</i>	Dwarf. <i>Cornus succulenta</i>
Holly-rose. <i>Turnera ulmifolia</i> ; also an	Early-flowering. <i>Lonicera fragrantissima</i>
old name for the genus <i>Cistus</i>	and <i>L. Staudtii</i>

Honey-suckle, Eastern. *Lonicera orientalis*
 Evergreen. *Lonicera grata*
 False. The genus *Azalea*
 Fly. *Lonicera Xylosteum*
 Fly, American. *Lonicera ciliata*
 Four-leaved. *Lonicera quadrifolia*
 French. *Hedysarum coronarium*
 Gold-netted. *Lonicera brachypoda aureo-reticulata*
 Ground. *Lotus corniculatus*
 Hairy. *Lonicera hirsuta*
 Heath. See Honey-suckle, Australian
 Himalayan. *Leycesteria formosa*
 Iberian. *Lonicera iberica*
 Jamaica. *Passiflora laurifolia*
 Japan. *Lonicera japonica*
 Ledebour's. *Lonicera Ledebourii*
 Minorca. *Lonicera implexa*
 Narrow-leaved. *Lonicera angustifolia*
 Perfoliate. *Lonicera Caprifolium*
 Privet-leaved. *Lonicera ligustrina*
 Pyrenean. *Lonicera pyrenaica*
 Red Italian. *Lonicera etrusca rubra*
 Shaggy. *Lonicera villosa*
 Short-stalked. *Lonicera brachypoda*
 Small-flowered. *Lonicera parviflora*
 Small-leaved. *Lonicera microphylla*
 Swamp Fly. *Lonicera oblongifolia*
 Sweetest. *Lonicera odoratissima*
 Tartarian. *Lonicera tatarica* and vars.
 Tasmanian. *Banksia australis*
 Three-flowered. *Lonicera triflora*
 Trumpet. *Lonicera sempervirens*
 Trumpet, Small. *Lonicera sempervirens minor*
 Tuscan. *Lonicera etrusca*
 Two-coloured. *Lonicera discolor*
 Various-leaved. *Lonicera diversifolia*
 Virgin Mary's. *Pulmonaria officinalis*
 Western. *Lonicera occidentalis*
 W. Indian. *Tecoma capensis* and various species of *Desmodium*
 White. *Azalea viscosa*
 White Italian. *Lonicera Caprifolium alba*
 White Swamp. *Azalea viscosa*
 Winter-flowering. *Lonicera fragrantissima*
 Yellow. *Lonicera flava*
 Yellow, Italian. *Lonicera Caprifolium flava*
 Yellow, Upright. *Lonicera Diervilla*
Honey-suckle Clover. *Trifolium repens*
Honey-suckle-tree. *Banksia australis*, *B. Cunninghamii*, and *B. ericæfolia*
Honey-ware. *Alarea esculenta* and *Lamニア saccharina*
Honey-wort. *Galium cruciatum* and the genus *Cerinthe*
 Hedge. *Sison Amomum*
 Rough. *Cerinthe aspera*
Honghel-bush. *Adenium Honghel*
Hood-wort. *Scutellaria lateriflora* and other species
Hooded Grass. See Grass
Hooded Water-Milfoil. *Utricularia vulgaris*
Hoofs. *Tussilago Farfara*
Hook-heal. An old name for *Prunella vulgaris*
Hoop-Ash. *Celtis crassifolia*

"**Hoop-koop**"-plant. *Lespedeza striata*
Hoop-tree. *Melia sempervirens*
Hoop-withe, or Hoop-withy. *Cobubrina asiatica*
 Jamaica. *Rivina octandra*
 W. Indian. The genus *Rivina*
Hop, Bog. *Menyanthes trifoliata*
 Common. *Humulus Lupulus*
 Little. *Origanum sylvestre*
 Native, of Australia. The seed-vessels of *Dodonæa*; also various species of *Daviesia*
 Native, of Victoria. *Daviesia latifolia*
 Wild. *Bryonia dioica*
Hop-Clover. *Trifolium procumbens* and *Medicago lupulina*
Hop-Horn-beam. *Ostrya virginica*
Hop-tree. *Ptelea trifoliata*
 Yellow-leaved. *Ptelea trifoliata aurea*
Hopes. *Matthiola incana*
Horehound, Black. *Ballota nigra*
 Common. *Marrubium vulgare*
 Stinking. *Ballota nigra*
 Water. *Lycopus europæus* and other species
 White. *Marrubium vulgare*
 Wild. *Eupatorium teucriifolium*
Horestrang. See Harstrong
Horn, Devil's. *Phallus impudicus*
Horn-beam. *Carpinus Betulus*
 American. *Carpinus americana*
 Cut-leaved. *Carpinus Betulus incisa*
 Hop. *Carpinus Ostrya*
Horn-of-Plenty. *Fedia Cornucopiae*
Horn-plant. *Ecklonia buccinalis*
Horn-wort, or Horn-weed. *Ceratophyllum demersum*
Horned-Poppy, Common Yellow-flowered. *Glaucium luteum*
 Orange-flowered. *Glaucium fulvum*
 Red-flowered. *Glaucium phœnicum*
 Three-coloured. *Glaucium tricolor*
 Various-coloured. *Glaucium corniculatum*
 Violet-flowered. *Ræmeria hybrida* (*Glaucium violaceum*)
Horned-Rampion. The genus *Phyteuma*
 Linear-leaved. *Phyteuma hemisphaericum*
 Round-headed. *Phyteuma orbiculare*
 Spiked. *Phyteuma spicatum*
 Tufted. *Phyteuma comosum*
Horse-bane. *Oenanthe Phellandrium*
Horse-bean. *Faba vulgaris* var. *equina*
 Jamaica. *Canavalia ensiformis*
Horse, Hirst, or Hurst, Beech. *Carpinus Betulus*
Horse-chestnut. *Aesculus Hippocastanum*
Horse-Daisy. See Daisy
Horse-Elder. An old name for *Elecampane*
Horse-flower. *Melampyrum sylvaticum*
Horse-fly-weed. *Baptisia tinctoria*
Horse-Gowan. See Gowan
Horse-Gram. *Dolichos biflorus* and *D. uniflorus*
Horse-hoof. *Tussilago Farfara*
Horse-Mint. *Mentha sylvestris* and other species
 Bradbury's. *Monarda Bradburyana*
 Canadian. *Collinsonia canadensis*

Horse-Mint, Paniced.	<i>Monarda paniculata</i>	House-leek, Lagger's.	<i>Sempervivum Lag- geri</i>
Horse-Mushroom.	<i>Agaricus arvensis</i>	Long-runnered.	<i>Sempervivum flagelliforme</i>
Horse-Parsley.	<i>Smyrnium Olusatrum</i>	Metten's.	<i>Sempervivum Mettenianum</i>
Horse-Radish.	<i>Cochlearia Armoracia</i>	Mountain.	<i>Sempervivum montanum</i>
Kerguelen.	<i>Pringlea antiscorbutica</i>	Pitton's.	<i>Sempervivum Pittoni</i>
Horse-Radish-tree.	<i>Moringa pterygos- perma</i>	Purple-tipped.	<i>Sempervivum calcareum (S. californicum)</i>
Horse-shoe Vetch.	<i>Hippocrepis comosa</i>	Red-leaved.	<i>Sempervivum triste</i>
Horse-Sorrel.	<i>Rumex Hydrolapathum</i>	Russian.	<i>Sempervivum ruthenicum</i>
Horse-sugar.	<i>Symplocos (Hopea) tinctoria</i>	Sand.	<i>Sempervivum arenarium</i>
Horse-tail.	The genus <i>Equisetum</i>	Sea.	An old name for <i>Aloe</i>
American.	<i>Equisetum robustum</i> and <i>E. laevigatum</i>	Spiny.	<i>Sempervivum spinosum</i>
Blunt-topped.	<i>Equisetum umbrosum</i>	Table-shaped.	<i>Sempervivum tabulaeforme</i>
Dwarf.	<i>Equisetum scirpoides</i>	Teneriffe.	<i>Sempervivum ciliatum</i>
Field.	<i>Equisetum arvense</i>	Tree.	<i>Sempervivum (Eonium) arboreum</i>
Great.	<i>Equisetum Telmateia</i>	Woolly.	<i>Sempervivum tomentosum</i>
Great Shubby.	<i>Ephedra distachya</i>	Wulfen's.	<i>Sempervivum Wulfeni</i>
Long-branched.	<i>Equisetum ramosum</i>	Huck-berry.	See Hack-berry
Mackay's.	<i>Equisetum Mackayi</i>	Huckle-berry.	<i>Vaccinium Myrtillus</i>
Marsh.	<i>Equisetum palustre</i>	Black.	<i>Gaulusaccia resinosa</i>
Moore's.	<i>Equisetum Moorei</i>	Box.	<i>Gaulusaccia brachycera</i>
Rough.	<i>Equisetum hyemale</i>	Dwarf.	<i>Gaulusaccia dumosa</i>
Small Shubby.	<i>Ephedra monostachya</i>	Squaw.	<i>Vaccinium stamineum</i>
Smooth.	<i>Equisetum limosum</i>	Hulver.	An old name for Holly
Tree.	<i>Casuarina equisetifolia</i>	Hul-wort.	An old name for <i>Teucrium Polium</i>
Variegated.	<i>Equisetum variegatum</i>	Humble Plant.	<i>Mimosa pudica</i>
Wilson's.	<i>Equisetum Wilsonii</i>	Humming - bird , bush.	<i>Eschynomene montevideensis</i>
Wood.	<i>Equisetum sylvaticum</i>	Hundred-fold.	<i>Galium verum</i>
Horse-Thyme.	<i>Calamintha Clinopodium</i>	Hundred-leaved Grass.	See Grass
Horse-tongue.	<i>Scopolendrium vulgare</i> and <i>Ruscus Hypoglossum</i>	Hunger-grass.	See Grass
Horse-weed.	<i>Collinsonia canadensis</i> and <i>Erigeron canadensis</i>	Hunger-weed.	<i>Ranunculus arvensis</i>
Horse-well Grass.	See Grass	Huntsman's-Cup.	<i>Sarracenia purpurea</i>
Horse-wood.	<i>Calliandra comosa</i>	Huntsman's-Horn,	Yellow-flowered. <i>Sar- racenia flava</i>
W. Indian.	Various species of <i>Calliandra</i>	Hursingar-tree.	<i>Nyctanthes Arbor-tristis</i>
Horst-Beech.	See Horse-Beech	Hurst-Beech.	<i>Carpinus Betulus</i>
Horts.	<i>Vaccinium Myrtillus</i>	Hurtle-berry.	<i>Vaccinium Myrtillus</i>
Hose-Grass.	See Grass	Hurts.	See Horts
Hose-in-hose.	A variety of <i>Polyanthus</i>	Hurt-sickle.	<i>Centaurea Cyanus</i>
Hottentot-Bread.	<i>Testudinaria elephan- tipes</i>	Hutu, or Futu, tree of Tahiti.	<i>Bar- ringtonia speciosa</i>
Hottentot's-head.	<i>Stangeria paradoxa</i>	Hyacinth.	The genus <i>Hyacinthus</i> . Ap- plied also to some species of <i>Scilla</i> and other Liliaceous plants
Houmiri-tree.	<i>Humirium balsamiferum</i>	Amethyst, or Spanish.	<i>Hyacinthus amethys- tinus</i>
Hound, or Hound's, Berry.	<i>Solanum nigrum</i>	Californian, or Missouri.	The genus <i>Brodiea</i>
Hound-berry-tree.	<i>Cornus sanguinea</i>	Californian, Allium-like.	<i>Brodiea congesta</i>
Hound's-tongue,	Alpine.	Californian, Crimson-flowered.	<i>Brodiea coccinea</i>
<i>alpinum</i>		Californian, Ixia-like.	<i>Brodiea ixioides (Calliprora lutea)</i>
Common.	<i>Cynoglossum officinale</i>	Californian, Large - flowered.	<i>Brodiea grandiflora</i>
Green.	<i>Cynoglossum montanum</i> (<i>C. sylva- ticum</i>)	Californian, Twining.	<i>Brodiea volubilis</i>
Stock-leaved.	<i>Cynoglossum cheirifolium</i>	Cape.	<i>Scilla brachypylla</i> and <i>S. corymbosa</i>
House-leek.	The genus <i>Sempervivum</i>	Common Garden.	Varieties of <i>Hyacinthus orientalis</i>
Anomalous.	<i>Sempervivum anomalum</i>	Fair-haired.	<i>Museari comosum</i>
Bearded.	<i>Sempervivum barbulatum</i>	Grape.	See Grape-Hyacinth
Boutigny's.	<i>Sempervivum Boutignianum</i>	Late-flowering.	<i>Hyacinthus serotinus</i>
Cob-web.	<i>Sempervivum arachnoideum</i>	Lily.	<i>Scilla Lilio-Hyacinthus</i>
Common.	<i>Sempervivum tectorum</i>	Missouri.	The genus <i>Brodiea</i>
Fringed.	<i>Sempervivum ciliatum</i> and <i>S. jimbriatum</i>	Roman.	<i>Hyacinthus romanus</i> (<i>Bellevalia romana</i>)
Funk's.	<i>Sempervivum Funkii</i>		
Gouty-stalked.	<i>Sempervivum tortuosum</i>		
Hair-tipped.	<i>Sempervivum heterotrichum</i>		
Hairy.	<i>Sempervivum hirtum</i>		
Hairy-tufted.	<i>Sempervivum pilosum</i>		
Hen-and-Chickens.	<i>Sempervivum globi- ferum</i> (<i>S. soboliferum</i>)		
Heuffel's.	<i>Sempervivum Heuffeli</i>		

Hyacinth , Spanish. <i>Hyacinthus amethystinus</i>	Indian Corn. <i>Zea Mays</i>
Star. <i>Scilla amana</i>	Indian Cress. The genus <i>Tropaeolum</i>
Starch. <i>Muscaria racemosum</i>	Five-leaved. <i>Tropaeolum pentaphyllum</i>
Tasmanian. <i>Thelymitra nuda</i>	Flame-flowered. <i>Tropaeolum speciosum</i>
Tassel. <i>Muscaria comosum</i>	Tuberous-rooted. <i>Tropaeolum tuberosum</i>
White Cape. <i>Hyacinthus (Galtonia) canalicans</i>	Yellow Rock. <i>Tropaeolum polyphyllum</i>
Wild. <i>Scilla nutans</i>	Indian Crocus. The genus <i>Pleione</i>
Wild, American. <i>Camassia (Scilla) Fraseri</i>	Bottle-gourd. <i>Pleione Lagueraria</i>
Winter. <i>Scilla autumnalis</i>	Dwarf. <i>Pleione humilis</i>
Hyacinth-Bean. The genus <i>Dolichos</i>	Early-flowering. <i>Pleione præcox</i>
Purple. <i>Dolichos Lablab</i>	Hooker's. <i>Pleione Hookeriana</i>
White. <i>Dolichos albus</i>	Spotted. <i>Pleione maculata</i>
Hyæna-poison , Cape. <i>Hyænanche globosa</i>	Three-coloured. <i>Pleione tricolor</i>
Hyawa-tree. <i>Icica heptaphylla</i>	Wallich's. <i>Pleione Wallichii</i>
Hydrangea , Wild American. <i>Hydrangea arborescens</i>	Indian Cups. The genus <i>Sarracenia</i>
Blue-flowered. <i>Hydrangea hortensis var. cærulea</i> and <i>H. japonica</i> var. <i>cærulea</i>	Indian Eye. <i>Dianthus plumarius</i>
Climbing. <i>Schizophragma hydrangeoides</i>	Indian Fig. <i>Cactus Opuntia</i>
Common. <i>Hydrangea hortensis</i>	Downy. <i>Opuntia pubescens</i>
Golden-edged. <i>Hydrangea japonica aurea superba</i>	Thick-lobed. <i>Opuntia crassa</i>
Hardy Flesh-coloured. <i>Hydrangea Otaksa</i>	Indian Forget-me-not. See Forget-me-not
Hardy White-flowered. <i>Hydrangea grandiflora</i>	Indian Grass. See Grass
Heart-leaved. <i>Hydrangea cordata</i>	Indian Grass-Oil-plant. Various species of <i>Andropogon</i>
Japan. <i>Hydrangea japonica</i>	Indian Hawthorn. See Hawthorn
Oak-leaved. <i>Hydrangea quercifolia</i>	Indian Heart. <i>Cardiospermum Corindum</i>
Rosy-flowered. <i>Hydrangea japonica rosea</i>	Indian Kale, Large-leaved. <i>Caladium grandiflorum</i>
Silver-edged. <i>Hydrangea japonica variegata</i>	Indian Leaf. <i>Cinnamomum malabathricum</i>
Starry-flowered. <i>Hydrangea stellata</i>	Indian-matting Plant. <i>Papyrus corymbosus</i>
Two-coloured-leaved. <i>Hydrangea arborescens</i> var. <i>discolor</i>	Indian Melissa-Oil-plant. <i>Andropogon citratus</i>
White-leaved. <i>Hydrangea nivea</i>	Indian Moss. <i>Saxifraga hypnoides</i>
Woolly-leaved. <i>Hydrangea heteromalla</i>	Indian Mourner , or Sad-tree. <i>Nyctanthes Arbor-tristis</i>
Hysop , Anise. <i>Lophanthus anisatus</i>	Indian Paper-tree. <i>Daphne cannabina</i> and <i>Edgeworthia Gardneri</i>
Bastard. <i>Teucrium Pseudo-hyssopus</i>	Indian Physic. <i>Gillenia trifoliata</i> and <i>Magnolia Fraseri</i>
Common. <i>Hyssopus officinalis</i>	Indian Pink. <i>Dianthus chinensis</i> and <i>Quamoelit vulgaris</i>
Giant. The genus <i>Lophanthus</i>	Indian Pipe. <i>Monotropa uniflora</i>
Hedge. The genus <i>Gratiola</i>	Indian Posy. <i>Gnaphalium polyccephalum</i>
Nettle-leaved Giant. <i>Lophanthus urticaefolius</i>	Indian Shot. The genus <i>Canna</i>
Square-stalked. <i>Hyssopus nepetoides</i>	Indian Turnip. <i>Arum draconium</i>
Water. <i>Herpestis Monnieria</i>	Indigo-berry. <i>Randia latifolia</i>
Wild. <i>Verbena hastata</i>	Indigo-plant , American Wild. <i>Baptisia tinctoria</i>
Iceland Moss. <i>Cetraria islandica</i>	Australian. <i>Indigofera australis</i>
Ice-plant. <i>Mesembryanthemum crystallinum</i>	Blue False. <i>Baptisia australis</i>
American. <i>Monotropa uniflora</i>	Chinese. <i>Polygonum tinctorium</i>
New Zealand. <i>Tetragonia expansa</i> and <i>Mesembryanthemum australe</i>	Chinese, "Green." <i>Rhamnus utilis</i> and <i>R. chlorophorus</i>
Small. <i>Mesembryanthemum sessiliiflorum album</i>	Common Dyer's. <i>Indigofera tinctoria</i>
Tasmanian. <i>Tetragonia implexicoma</i>	Egyptian. <i>Tephrosia Apollinea</i>
Ilang-Ilang-tree. <i>Cananga odorata</i>	False. The genus <i>Baptisia</i>
Imbreke. An old name for House-leek	Japanese. <i>Polygonum tinctorium</i>
Immortelle-flower. The genus <i>Helichrysum</i> , especially <i>H. orientale</i> . Also the genera <i>Helipterum</i> and <i>Xeranthemum</i>	Of the Niger. <i>Tephrosia toxicaria</i>
Incense-tree. <i>Boswellia thurifera</i> and <i>B. serrata</i>	Pala. <i>Wrightia tinctoria</i>
Incense-wood , Guiana. <i>Icica heptaphylla</i>	Pegu. <i>Marsdenia tinctoria</i>
India, Pride of. See Pride-of-India	Purple-flowered. <i>Indigofera floribunda</i>
India-rubber Plant or Tree. <i>Ficus elastica</i> . (See also Caoutchouc)	Shrubby False. <i>Amorpha fruticosa</i>
Guiana. <i>Hevea guianensis</i> (<i>Siphonia elastica</i>)	W. Indian. <i>Randia aculeata</i>
Indian Balm. <i>Trillium pendulum</i>	Indigo-weed. <i>Baptisia tinctoria</i>
	Ink-berry. <i>Prinos glaber</i>
	Queensland Black. <i>Kibara macrophylla</i>
	W. Indian. <i>Randia aculeata</i>
	Ink-plant , New Zealand. <i>Coriaria ruscofolia</i> and <i>C. thymifolia</i>

"Insane Root."	Canon Ellacombe, in his "Plant-lore of Shakespeare," says that this term most probably refers to the Hemlock	Iris, Pale Blue. <i>Iris pallida</i>
Inverted-flower.	The genus <i>Parastran-</i> <i>thus</i>	Peacock. <i>Iris (Vicusseuxia) Pavonia</i>
Iodine-plants.	Various kinds of <i>Algæ</i> or Sea-weeds	Pretty-flowered. <i>Iris pulchella</i>
Ipecacuanha, American.	<i>Gillenia stipulacea</i>	Red-stemmed. <i>Iris rubricaulis</i>
Bastard, or Wild.	<i>Asclepias curassavica</i>	Robinson's. <i>Iris (Moræa) Robinsoniana</i>
Black Peruvian, or Striated.	<i>Psychotria</i> <i>emetica</i>	Rush-leaved. <i>Iris juncea (I. lusitanica)</i>
Country, or E. Indian.	<i>Tylophora (As-</i> <i>clepias) asthmatica</i>	Russian. <i>Iris ruthenica</i>
E. Indian.	See Ipecacuanha, Country	Saar's. <i>Iris Saari</i>
False Brazilian, or White.	<i>Ionidium Ipe-</i> <i>cacuanha</i>	Sad-flowered. <i>Iris susiana</i>
Guiana.	<i>Boerhaavia decumbens</i>	Sardinian. <i>Iris Olibensis</i>
Peruvian.	See Ipecacuanha, Black	Scorpion. <i>Iris alata</i>
Striated.	See Ipecacuanha, Black	Siberian. <i>Iris sibirica</i>
Undulated, or White.	<i>Richardsonia seabra</i>	Small Bulbous. <i>Iris Xiphium</i>
White.	See Ipecacuanha, False Brazilian, and Undulated	Smooth. <i>Iris lœvigata</i>
Wild.	<i>Asclepias curassavica</i>	Snake's-head. <i>Iristuberosa (Hermodactylus</i> <i>tuberosus)</i>
Venezuelan.	<i>Sarcostemnum glaucum</i>	Spanish-nut. <i>Iris (Moræa) Sisyrinchium</i>
Irby-dale Grass.	See Grass	Spurious. <i>Iris spuria</i>
Iris, Algerian.	<i>Iris stylosa</i>	Sweet-scented. <i>Iris spatulata (I. deserto-</i> <i>rum)</i>
Bermuda.	<i>Marica iriooides</i>	Swert's. <i>Iris Swertia</i>
Black.	The genus <i>Ferraria</i>	Sword-leaved. <i>Iris ensata</i>
Blue-eyed Peacock.	<i>Vicusseuxia glaucopis</i> (<i>Iris Pavonia</i>)	Tangier. <i>Iris Tingitana</i>
Bobart's Orange.	<i>Bobartia aurantica</i>	Thunderbolt. <i>Iris Xiphium</i>
Boston.	<i>Iris virginica</i>	Telford's. <i>Iris Telfordii</i>
Brown-flowered.	<i>Iris squalens</i>	Tiger. The genus <i>Tigridia</i>
Bristle-pointed.	<i>Iris setosa</i>	Tough-leaved. <i>Iris tenax</i>
Butterfly.	<i>Moræa papilionacea</i>	Twice-flowering. <i>Iris scorpioides (Xiphium</i> <i>planifolium)</i>
Caucasian.	<i>Iris caucasica</i>	Van Houtte's. <i>Iris Van Houttei</i>
Christmas-flowering.	<i>Iris alata</i>	Variegated. <i>Iris variegata</i>
Clouded.	<i>Iris Xiphium</i>	Vernal. <i>Iris verna</i>
Common Garden.	Varieties of <i>Iris ger-</i> <i>manica</i>	Wall. <i>Iris tectorum</i>
Cream-coloured.	<i>Iris stenogyna</i>	Winter-blooming. <i>Iris scorpioides (Xiph-</i> <i>ium planifolium)</i>
De Bergh's.	<i>Iris De Berghii</i>	Yellow-banded. <i>Iris ochroleuca</i>
Delicately-tinted.	<i>Iris amœna</i>	Yellowish. <i>Iris flavaescens</i>
Dwarf.	<i>Iris pumila</i>	Irish Heath. See Heath
Dwarf American.	<i>Iris verna</i>	Daisy. <i>Leontodon Taraxacum</i>
Dwarf Lake.	<i>Iris lacustris</i>	Moss. <i>Chondrus crispus</i>
Early Bulbous.	<i>Iris reticulata</i>	Iron-bark-tree. Various species of <i>Eu-</i> <i>calyptus</i> , especially <i>E. resinifera</i> and <i>E.</i> <i>Sideroxylon</i>
Elder-scented.	<i>Iris sambucina</i>	Red. <i>Eucalyptus Sideroxylon</i>
"English."	<i>Iris xiphiooides (Xiphion lati-</i> <i>folium)</i>	She. <i>Eucalyptus paniculata</i>
Ever-blooming.	<i>Iris ruthenica</i>	Silver-leaved. <i>Eucalyptus pulverulenta</i>
Florentine.	<i>Iris florentina</i>	Queensland. <i>Eucalyptus Laboucherii</i>
German.	<i>Iris germanica</i>	Iron Grass. See Grass
Golden.	<i>Iris Monnierii</i>	Iron-hard. An old name for <i>Centaurea nigra</i>
Grass-leaved.	<i>Iris graminea</i>	Iron-heads. See Iron-weed
Great Bulbous.	<i>Iris Xiphiooides</i>	Iron-shrub. <i>Sauvagesia erecta</i>
Great Spotted.	<i>Iris susiana</i>	Iron-tree, Norfolk Island. <i>Notelaea longifolia</i>
Greek.	<i>Iris attica</i>	True. <i>Metrosideros vera</i>
Iberian.	<i>Iris iberica (Onocyclus ibericus)</i>	W. Indian. <i>Siderodendron triflorum</i>
Italian.	<i>Iris italicica</i>	Iron-weed, or Iron-heads. <i>Centaurea nigra</i>
Kämpfer's.	<i>Iris Kämpferi</i>	American. The genus <i>Vernonia</i>
Labrador.	<i>Iris tridentata</i>	Iron-wood, American. <i>Bromelia lycioides</i> ,
Long-petalled.	<i>Iris longipetala</i>	<i>Carpinus americana</i> , and <i>Ostrya virginica</i>
Missouri.	<i>Iris missouriensis</i>	Bastard. <i>Xanthoxylon Pterota</i>
Monnier's.	<i>Iris Monnierii</i>	Bastard, of the W. Indies. <i>Flagara lentis-</i> <i>cifolia</i> and <i>Trichilia hirta</i>
Naked-stemmed.	<i>Iris nudicaulis</i>	Bourbon. <i>Stadtmannia (Cupania) Sider-</i> <i>oxylon</i>
Onion.	<i>Iris tuberosa</i>	Burmah. <i>Nylia dolabriformis</i>
		Dutch E. Indies. <i>Cassia florida</i> , <i>Dodonæa</i> <i>Waitziana</i> , <i>Eusideroxylon Zuageri</i> , <i>Int-</i> <i>sia amboinensis</i> , <i>Memecylon ferreum</i> ,
		<i>Namia vera</i> , <i>Stadtmannia Sideroxylon</i> , and <i>Sloëtia Sideroxylon</i>

- Iron-wood.** E. Indian. *Xylia dolabriformis* (*Inga Xylocarpa*) and *Mesua ferrea* E. Tropical African. *Copaifera Mopane* Jamaica. *Erythroxylon areolatum* Morocco. *Argania Sideroxylon* N. S. Wales. *Notelaea ligustrina* Norfolk Island. *Notelaea longifolia* and *Olea apetala* Persian. *Parrotia persica* W. Indian. *Sloanea jamaicensis* and *Fagara Pterota* Small-leaved. *Mouriria myrtilloides* S. African. *Olea capensis*, *O. undulata*, and *Sideroxylon capense* S. Sea Islands. *Casuarina equisetifolia* Tasmanian. *Notelaea ligustrina* White. *Vepris lanceolata*
- Iron-wort.** The genus *Sideritis* Canary Island. *Sideritis canariensis* Hyssop-leaved. *Sideritis hyssopifolia* Syrian. *Sideritis syriaca* Yellow. *Galeopsis villosa*
- Isabella-wood.** *Persea carolinensis*
- Isle-of-Wight-Vine.** *Bryonia dioica* and *Tamus communis*
- Itaka-wood.** The timber of *Machærium Schomburgkii*
- Italian Rye-Grass or Ray-Grass.** See Grass
- Itch-tree,** Queensland. *Davidsonia pruriens*
- Itch-weed.** *Veratrum viride*
- Itch-wood-tree.** *Onocarpus vitiensis*
- Ithuriel's Spear.** *Triteleia laxa*
- Ivory.** A corruption of "Ivy"
- Ivory-plant, Vegetable.** *Phytelephas macrocarpa*
- Ivory-tree,** E. Indian. Various species of *Wrightia*
- Ivray.** An old name for *Lolium temulentum*
- Ivy.** *Hedera Helix*
- American. *Ampelopsis hederacea* (*A. quinquefolia*)
 - American Poison. *Rhus Toxicodendron*
 - Cape. *Senecio macroglossus*
 - Chinese. *Rhynchospermum jasminoides* (*Parechites Thunbergii*)
 - Clustered. *Hedera conglomerata*
 - Coliseum. See Ivy, Kenilworth
 - Crimean. *Hedera Helix taurica*
 - German. *Senecio mikanooides*
 - German, Yellow. *Senecio scandens*
 - Giant. *Hedera Helix Raegneriana* (*H. H. colchica*)
 - Gold-blotted. *Hedera Helix aureo-maculata*
 - Gold-edged Tree. *Hedera Helix arborea aureo-marginata*
 - Grass, of Australia. *Pericampylos incanus* (*Cocculus Moorei*)
 - Ground. See Ground-Ivy
 - Irish. *Hedera Helix canariensis* (*H. H. hibernica*)
 - Indian. *Scindapsus pertusus* (*Monstera deliciosa*) and other species
 - Kenilworth, or Coliseum. *Linaria Cymbalaria*
 - Marbled-leaved. *Hedera Helix latifolia maculata*
 - Ivy, Mexican. *Cobea scandens*
 - Native, of Australia. *Muhlenbeckia adpressa*
 - New Zealand. *Panax Colensoi*
 - Palmate-leaved. *Hedera Helix palmata*
 - Parlour. *Mikania scandens*
 - Poets. *Hedera Helix poetica*
 - Prickly. *Smilax aspera*
 - Queensland. *Hedera (Irvingia) australiana*
 - Rægner's. *Hedera Helix Rægneriana*
 - Silver-edged Tree. *Hedera Helix argenteo-marginata*
 - Three-coloured. *Hedera Helix tricolor*
 - Variegated. *Hedera Helix variegata*
 - Variegated Japan. *Hedera Helix rhombea variegata*
 - Water. *Ranunculus hederaceus*
 - W. Indian. *Marcgravia umbellata*
 - Yellow-berried Roman. *Hedera Helix chrysocarpa*
 - Yellow German. *Senecio scandens*
 - Ivy-Bindweed.** *Polygonum Convolvulus*
 - Ivy-Grape-vine.** See Vine
 - Ivy-leaved Chick-weed.** *Veronica hederifolia*
 - Ivy-tree,** Otago. *Panax Colensoi*
 - Ivy-wort.** *Linaria Cymbalaria*
 - Ixia-lily.** The genus *Ixiolirion*
 - Ledebour's. *Ixiolirion Ledebouri*
 - Mountain. *Ixiolirion montanum*
 - Pallas's. *Ixiolirion Pallasii*
 - Tartarian. *Ixiolirion tataricum*
 - Jaborandi-plant.** *Pilocarpus pinnatus*
 - Jaca,** or Jack-tree. *Artocarpus integrifolia*
 - Jacinth.** Another name for Hyacinth
 - Jack-by-the-hedge.** *Alliaria officinalis*
 - Jack,** Creeping. *Sedum acre*
 - Jack-go-to-bed-at-noon.** *Ornithogalum umbellatum*
 - Jack-in-a-box.** *Hernandia sonora*
 - Jack-in-prison.** *Nigella damascena*
 - Jack-in-the-green.** A variety of *Primula vulgaris*
 - Jack-in-the-pulpit.** *Arisaema triphyllum*
 - Jack-of-the-butterfly.** *Sedum acre*
 - Jack-straws.** *Plantago lanceolata*
 - Jack-tree.** *Artocarpus integrifolia*
 - Jackal's-Kost.** *Hydnora africana*
 - Jacobæa,** Purple. *Senecio elegans*
 - Jacob's-ladder.** *Polemonium cæruleum*
 - Dense-clustered-flowered. *Polemonium con fertum*
 - Dwarf. *Polemonium humile*
 - Richardson's. *Polemonium cæruleum* var. *Richardsonii*
 - Jacob's-rod.** *Asphodelus luteus*
 - Jacob's-staff.** *Verbascum Thapsus*
 - Jacob's-sword.** *Iris Pseud-acorus*
 - Jacoby.** *Senecio elegans*
 - Jalap-plant,** Garden. *Mirabilis Jalapa*
 - E. Indian. *Ipomea Turpethum*
 - False. *Mirabilis Jalapa*
 - Male, or Jalap-tops. *Ipomæa Orizabensis* (*I. batatas*)
 - Mechoacan. *Batatas* (*Ipomæa*) *Jalapa*
 - True. *Exogonium Purga*
 - Wild. *Convolvulus panduratus*
 - Jalap-tops.** See Jalap, Male

"Jamabuki"-shrub.	<i>Rhodotypos kerrioides</i>	Jasmine-scented-wood Tree.	<i>Erithalis fruticosa</i>
Jamaica Pepper.	Another name for All-spice (<i>Eugenia Pimenta</i>)	Jasmine-wood.	<i>Ochna Mauritiana</i>
Jambolan-tree.	<i>Calyptranthes Jambolana</i>	Jaundice-berry, or Jaundice-tree.	<i>Berberis vulgaris</i>
James's (St.)-Flower.	<i>Lotus Jacobaeus</i>	Javanee-plant.	See Ajowan
James's (St.)-wort, or James's-weed.	<i>Senecio Jacobaea</i>	Jean Cherry.	See Cherry, Gean
Jamestown-weed.	<i>Datura Stramonium</i>	"Jellico," of St. Helena.	<i>Sium helenioides</i>
Janca-tree.	<i>Amyris toxifera</i>	Jelly-plant, Australian.	<i>Eucheuma speciosum</i>
Japan-Allspice.	<i>Chimonanthus fragrans</i>	Jersey Live-long.	<i>Gnaphalium luteo-album</i>
Large-flowered.	<i>Chimonanthus grandiflora</i>	Jerusalem Artichoke.	<i>Helianthus tuberosus</i>
Japan-Lacquer Tree.	<i>Rhus vernicifera</i>	Jerusalem Cowslip.	See Cowslip
Japan-Varnish Tree.	<i>Ailanthus glandulosa</i>	Jerusalem Cross.	<i>Lycoris chaleodonica</i>
Japanese Grass, Variegated.	See Grass	Jerusalem Oak.	<i>Teucrium Botrys</i>
Japura Tree, of Brazil.	<i>Erisma Japura</i>	Jerusalem Sage.	The genus <i>Phlomis</i>
Jarool-wood.	The timber of <i>Lagerstramia regiae</i>	Jerusalem Star.	<i>Ceratium tomentosum</i> and <i>Tragopogon porrifolium</i>
Jarra-wood.	The timber of <i>Eucalyptus marginata</i> and <i>E. rostrata</i>	Jew-bush.	<i>Pedilanthus tithymaloides</i>
Jasmine, or Jessamine.	The genus <i>Jasminum</i>	Jew's-Apple.	See Apple
Arabian.	<i>Jasminum Sambac</i>	Jew's-Ears.	<i>Exidia Auricula-Judee</i> . Also applied to some species of <i>Peziza</i>
Bastard W. Indian.	The genus <i>Cestrum</i>	Jew's Mallow.	See Mallow
Bay-leaved.	<i>Jasminum laurifolium</i>	Jew's-Myrtle.	<i>Ruscus aculeatus</i>
Cape.	<i>Gardenia florida</i>	Jew's-Thorn.	Another name for Christ's Thorn
Carolina.	<i>Gelsemium nitidum</i> (<i>Bignonia sempervirens</i>)	Jewel-weed, Spotted.	<i>Impatiens fulva</i>
Catalonian, or Spanish.	<i>Jasminum grandiflorum</i>	Jim-Crow's-nose.	<i>Phyllocryne jamaicensis</i>
Chili.	<i>Mandevilla suaveolens</i>	Joan, or John, Silver-pin.	An old name for <i>Papaver Rhæas</i> fl.-pl.
Chinese.	<i>Rhynchospermum jasminoides</i>	Job's-Tears, or Job's-Drops.	<i>Coix Lachryma</i>
Churchill Island.	<i>Tecoma australis</i>	Joe-Pye-weed.	<i>Eupatorium purpureum</i>
Common White-flowered.	<i>Jasminum officinale</i>	Jockey Grass.	See Grass
Double-flowered.	<i>Jasminum officinale</i> fl.-pl.	John-Crow's-nose.	See Jim-Crow's-nose
French.	<i>Calotropis procera</i>	John's (St.)-bread.	<i>Ceratonia Silqua</i>
Golden-leaved.	<i>Jasminum aureum</i>	John's (St.)-wort.	The genus <i>Hypericum</i> more especially <i>H. perforatum</i>
Ground.	<i>Passerina Stelleri</i>	Aspalathus-like.	<i>Hypericum fasciculatum</i>
Hardy White.	<i>Jasminum grandiflorum</i>	Attenuated.	<i>Hypericum attenuatum</i>
Italian Yellow.	<i>Jasminum humile</i>	Axillary-flowered.	<i>Hypericum axillare</i>
Jonquil-scented.	<i>Jasminum odoratissimum</i>	Burser's.	<i>Hypericum Burseri</i>
Large White-flowered.	<i>Jasminum affine</i> (<i>J. ochroleucum</i>)	Canadian.	<i>Hypericum canadense</i>
Madagascar.	<i>Stephanotis floribunda</i>	Canary Island.	<i>Hypericum canariense</i>
Moreton Bay Trumpet.	<i>Tecoma jasminoides</i>	Chinese.	<i>Hypericum chinense</i>
Narrow-leaved.	<i>Jasminum angustifolium</i>	Close-panicked.	<i>Hypericum elodioides</i>
Nepaul.	<i>Jasminum revolutum</i>	Cochin-China.	<i>Hypericum cochin-chinense</i>
Nepaul, Downy.	<i>Jasminum pubigerum</i>	Common.	<i>Hypericum hircinum</i>
Night.	<i>Nyctanthes Arbor-tristis</i>	Creeping.	<i>Hypericum repens</i>
Rock.	<i>Androsace Chamajasme</i>	Cross-leaved.	<i>Hypericum decussatum</i>
Rosy-flowered.	<i>Mascarenhasia Curnowiana</i>	Curled-leaved.	<i>Hypericum crispum</i>
Shang-hae.	<i>Rhynchospermum jasminoides</i>	Dense-foliaged.	<i>Hypericum frondosum</i>
Silver-leaved.	<i>Jasminum officinale foliis argenteis</i>	Dotted-flowered.	<i>Hypericum punctatum</i>
Spanish.	See Jasmine, Catalonian	Downy.	<i>Hypericum lanuginosum</i>
White Azorean.	<i>Jasminum azoricum</i>	Egyptian.	<i>Hypericum egyptiacum</i>
White-flowered Indian.	<i>Jasminum Sambac</i>	Elegant.	<i>Hypericum elegans</i>
Wild, of the W. Indies.	<i>Faramea odora-tissima</i> and the genus <i>Ixora</i>	Empetrum-leaved.	<i>Hypericum empetrifolium</i>
Winter-flowering.	<i>Jasminum nudiflorum</i>	Fringed.	<i>Hypericum fimbriatum</i>
Yellow-flowered.	<i>Jasminum fruticans</i>	Gallum-leaved.	<i>Hypericum galloides</i>
Yellow Azorean.	<i>Jasminum odoratissimum</i>	Glandular.	<i>Hypericum glandulosum</i>
Yellow Carolina.	See Jasmine, Carolina	Glaucus-leaved.	<i>Hypericum glaucum</i>
Jasmine-Box.	The genus <i>Phillyrea</i>	Glossy-flowered.	<i>Hypericum Hookerianum</i>
Jasmine-Mango.	<i>Plumieria rubra</i>	Goat-scented.	<i>Hypericum hircinum</i>
		Great American.	<i>Hypericum pyramidatum</i>

John's (St.)-wort, Hair-fringed-flowered. <i>Hypericum ciliatum</i>	Joseph's-coat. <i>Amarantus tricolor</i>
Hairy. <i>Hypericum hirsutum</i>	Joseph's-Flower. <i>Tragopogon pratensis</i>
Hatchet-like. <i>Hypericum dolabriiforme</i>	Jove's-beard or Jupiter's-beard. <i>Anthyllis Barba-Jovis, Hydnnum Barba-Jovis, and Sempervivum tectorum</i>
Heart-leaved. <i>Hypericum cordifolium</i>	Jove's-Nuts (Acorns). The fruit of <i>Quercus Robur</i>
Heath-leaved. <i>Hypericum Coris</i>	Jove's-Fruit. <i>Lindera melissæfolia</i>
Honey-suckle-leaved. <i>Hypericum Caprifolium</i>	Joy-weed. The genus <i>Alternanthera</i>
Imperforate. <i>Hypericum dubium</i>	Juba's-brush. <i>Iresine celosioides</i>
Involute-flowered. <i>Hypericum involutum</i>	Judas's-Ear. See Jew's-Ears
Japanese. <i>Hypericum japonicum</i>	Judas-tree. <i>Cercis Siliquastrum</i>
Kalm's. <i>Hypericum Kalmianum</i>	American. <i>Cercis canadensis</i>
Large-capsuled. <i>Hypericum ascyroides</i>	Californian. <i>Cercis occidentalis</i>
Large-flowered. <i>Hypericum calycinum</i>	Jujube-tree. <i>Zizyphus Jujuba</i>
Majorca. <i>Hypericum balearicum</i>	Incurved-spined. <i>Zizyphus incurva</i>
Many-flowered. <i>Hypericum floribundum</i>	Zig-zag. <i>Zizyphus flexuosa</i>
Marsh. <i>Hypericum Elodes</i>	July-flower. Another name for Gilliflower
Mexican. <i>Hypericum mexicanum</i>	Jamaica. <i>Prosopis Juliflora</i>
Money-wort. <i>Hypericum Nummularium</i>	Jump-up-and-kiss-me. <i>Viola tricolor</i>
Mt. Lebanon. <i>Hypericum cuneatum</i>	June-berry. <i>Amelanchier canadensis</i>
Mt. Olympus. <i>Hypericum olympicum</i>	Jungle-bendy-tree. A species of <i>Tetrameles</i>
Mountain. <i>Hypericum montanum</i>	Jungle-nail. <i>Acacia tomentosa</i>
Naked-flowered. <i>Hypericum nudiflorum</i>	Juniper. The genus <i>Juniperus</i>
Nepaul. <i>Hypericum nepalense</i>	Abyssinian. <i>Juniperus procera</i>
Oblong-leaved. <i>Hypericum oblongifolium</i>	Azores. <i>Juniperus Cedrus var. brevifolia</i>
"Park-leaves." <i>Hypericum Androsænum</i>	Brown-berried. <i>Juniperus Oxycedrus</i>
Perfoliate. <i>Hypericum perfoliatum</i>	Californian. <i>Juniperus californica</i> and <i>J. occidentalis</i>
Pink-flowered. <i>Hypericum virginicum</i>	Canary Island. <i>Juniperus Cedrus</i>
Pretty. <i>Hypericum amaranthoides</i>	Carpet. <i>Juniperus prostrata</i>
Proliferous. <i>Hypericum prolificum</i>	Chinese. <i>Juniperus chinensis</i>
Pyramidal. <i>Hypericum pyramidatum</i>	Common. <i>Juniperus communis</i>
Red-leaved. <i>Hypericum Ascyron</i>	Drooping Indian. <i>Juniperus recurva</i>
Reflexed-leaved. <i>Hypericum reflexum</i>	Dwarf. <i>Juniperus nana</i>
Small. <i>Hypericum pusillum</i>	Golden-variegated Chinese. <i>Juniperus chinensis var. aurea</i>
Small-flowered. <i>Hypericum quinquenervium</i>	Golden-variegated Japan. <i>Juniperus japonica var. aurea</i>
Shining, Leafy. <i>Hypericum foliosum</i>	Grey-carpet. <i>Juniperus sabinooides</i>
Shrubby. <i>Hypericum prolificum</i>	Green-carpet. <i>Juniperus Sabina var. nana</i>
Siberian. <i>Hypericum Ascyon</i>	Hedge-hog. <i>Juniperus echiniformis (J. hemisphaerica)</i>
Simple-stalked. <i>Hypericum simplex</i>	Incense. <i>Juniperus religiosa (J. excelsa)</i>
Slender. <i>Hypericum pulchrum</i>	Irish. <i>Juniperus communis var. hibernica (J. stricta)</i>
Smooth. <i>Hypericum laevigatum</i>	Japan. <i>Juniperus japonica</i>
Spotted-flowered. <i>Hypericum maculatum</i>	Large Purple-fruited. <i>Juniperus macrocarpa</i>
Spreading. <i>Hypericum patulum</i>	Mexican. <i>Juniperus tetragona</i>
Square-stalked. <i>Hypericum quadrangulum</i>	Plum-fruited. <i>Juniperus drupacea</i>
Stiff-haired. <i>Hypericum pilosum</i>	Spanish. <i>Juniperus thurifera (J. hispanica)</i>
Tall. <i>Hypericum elatum</i>	Swedish. <i>Juniperus communis var. succica</i>
Three-flowered. <i>Hypericum triflorum</i>	Sweet-fruited. <i>Juniperus pachyphyllea</i>
Three-nerved. <i>Hypericum triplinervum</i>	Tall Upright. <i>Juniperus excelsa var. stricta</i>
Toothed-flowered. <i>Hypericum angulosum</i>	Tamarisk-leaved. <i>Juniperus tamariscifolia (J. sabinooides)</i>
Trailing. <i>Hypericum humifusum</i>	Virginian. <i>Juniperus virginiana</i>
Twiggy. <i>Hypericum virgatum</i>	White-variegated Japan. <i>Juniperus japonica var. alba</i>
Urala. <i>Hypericum Uralum</i>	Juno's-Rose. <i>Lilium candidum</i>
Various-leaved. <i>Hypericum heterophyllum</i>	Juno's-Tears. <i>Verbena officinalis</i>
Verona. <i>Hypericum veronense</i>	Jupiter's-Beard. See Jove's-beard
Thyme-leaved. <i>Hypericum serpyllifolium</i>	Jupiter's-Distaff. <i>Salvia glutinosa</i>
Whorled-leaved. <i>Hypericum verticillatum</i>	Jupiter's-Eye. <i>Sempervivum tectorum</i>
Woolly. <i>Hypericum tomentosum</i>	Jupiter's-Flower. <i>Lychnis Flos-Jovis</i>
Joint Grass. See Grass	
Joint-weed. <i>Polygonum articulatum</i>	
Jointed Charlock. <i>Raphanus Raphanistrum</i>	
Jolly, Brown, of the W. Indies. <i>Solanum Melongena</i>	
Jonquil, Common. <i>Narcissus Jonquilla</i>	
Large. <i>Narcissus odorus</i>	
Queen Anne's. <i>Narcissus pusillus plenus</i>	
Small. <i>Narcissus pusillus</i>	

- Juray.** An old name for Darnel
Jur-nut. *Bunium flexuosum*
Jute-plant (True). *Cochrurus capsularis*
- Kaffir-bread, or Caffre-bread.** The genus
Encephalartos
- Kaffir's-tree.** *Erythrina Caffra*
- Kaladana-plant.** *Pharbitis (Convolvulus) Nil*
- Kale, or Borecole.** See Cabbage
 Indian. *Arum diraricatum*, *Caladium nymphaeifolium*, and *C. sagittafolium*
 Indian, Large-leaved. *Caladium grandiflorum*
 Large-leaved Ornamental. *Crambe palma-tifida*
 Scotch. *Brassica oleracea var. sabellica*
 Sea. *Crambe maritima*
 W. Indian. *Xanthosoma atrovirens* and the
 genus *Colocasia*
 Wild. *Sinapis arvensis*
- Kamala, or Kamela, Tree.** *Rottlera tinctoria (Mallotus philippensis)*
- Kambala-tree.** *Sonneratia apetala*
- Kandlegosses.** An old name for *Galium Aparine*
- Kangaroo's-foot Plant.** *Anigozanthus Manglesii*
- Kangaroo-Grass.** *Anthistiria australis*
- Kangaroo, or Kanguru, Vine.** *Cissus antarctica*
- Karaka, or Kopi, tree.** *Corynocarpus lœvi-gata*
- Kariyat.** See Creyat
- Kari-tree.** *Eucalyptus diversicolor*
- Karse.** An old name for Cress
- Kat, or Kâth, tea-shrub.** *Catha edulis*
- Katharine's (St.) Flower.** *Nigella damascena*
- Kauri, or Kawrie, Pine.** See Pine
- Kava-plant.** See Ava-plant
- Kawaka-tree.** *Libocedrus Doniana*
- Kawrie-Pine.** See Kauri
- Kaw-Tabua-tree, of Fiji.** *Podocarpus cupressina*
- “**Keatlegs.**” A Kentish name for Orchises
- Kecks, Kex, or Keks.** The dry hollow stalks
 of various large umbelliferous plants;
 also applied to the plants themselves
- Kettle, or Kettle, Dock.** *Senecio Jacobaea*
 and *Rumex obtusifolius*
- Kedlock, Kerlock, or Ketlock.** A name
 applied, like Charlock, in a general way,
 to *Sinapis arvensis* and some other cruci-
 ferous plants
- Keeslip.** *Galium verum*
- Keeso-flowers.** The flowers of *Butea frondosa*
- Kei-apple.** See Apple
- “**Keklam,**” of Bengal. The fruit of *Limonia carnosa* (?)
- Keks.** See Kecks
- Kelp-ware, or Kelp-wrack.** *Fucus vesiculosus* and *F. nodosus*
- Kemp.** *Plantago media*
- Kendal Green.** *Genista tinctoria*
- Kentish Balsam.** *Mercurialis perennis*
- Kerlock.** See Kedlock
- Kernel-wort.** *Scrophularia nodosa*
- Ketlock.** See Kedlock
- Ketmia, African.** *Hibiscus africanus*
- Ketmia, Bladder.** See Bladder-Ketmia
- Kettle-Dock.** See Keddle-Dock
- Kex.** See Kecks
- Keys.** The fruit of the Ash, Maple, and
 Sycamore
- Khair-tree.** *Acacia Catechu*
- Khus-Khus, or Cus-cus, Plant.** *Andropogon muricatus*
- Kidney-bean.** See Bean
 Egyptian. *Dolichos Lab-lab*
 Malacca. The seed of *Semecarpus Anacardium*
- Kidney-bean Tree, American.** *Wistaria (Glycine) frutescens*
 Chinese. *Wistaria (Glycine) sinensis*
- Kidney-Vetch, Common.** *Anthyllis Vulneraria*
 Mountain. *Anthyllis montana*
 Pink-flowered. *Anthyllis Vulneraria rubra*
 Rushy. *Anthyllis erinacea*
- Kidney-wort.** *Cotyledon Umbilicus* and
Saxifraga stellaris
- “**Kindly Savin.**” See Savin
- King-cups, or King-cobs.** Another name
 for Buttercups
- King Fern.** *Osmunda regalis*
- King-plant.** *Anaectochilus setaceus*
- King's-Clover.** *Melilotus officinalis*
- King's-Feather.** *Saxifraga umbrosa*
- King's-Flower.** *Eucomis regia*
- King's-spear.** *Asphodelus luteus* and *A. ramosus*
- Kinnikinnick.** *Arctostaphylos Uva-ursi*
 (See also Dogwood, Silky)
- Kino Gum-tree.** *Pterocarpus Marsupium*
 and *P. indicus*
 African, or Gambia. *Pterocarpus erinaceus*
 Australian. *Eucalyptus amygdalina*
 Bengal. *Butea frondosa* and *B. superba*
 Botany Bay. *Eucalyptus resinifera*
 Burmese. *Pterocarpus dalbergioides*
 E. Indian, or Amboyna. *Pterocarpus Marsupium*
 Jamaica. *Coccoloba uvifera*
 Palas, or Pulas. *Butea frondosa*
- Kiss-me,** Kiss-me-erc-I-rise, or Kiss-me-at-the-garden-gate. *Viola tricolor*
- Kite-flower.** *Hyoscyamus (Atropa) physaloides*
- Kite-keys.** An old name for the “Keys”
 or seed-vessels of the Ash
- Knap-weed, or Knob-weed.** *Centaurea nigra*
 Russian. *Centaurea ruthenica*
 Silvery-leaved. *Centaurea gymnocarpa*
- Knawel.** *Scleranthus annuus*
- Knee-Holly.** See Holly, Knee
- Knee-Holme.** See Holme, Knee
- Knight's-spur.** An old name for Larkspur
- Knit-back.** *Symphytum officinale*
- Knob-Sedge.** *Sparganium ramosum*
- Knob-tang.** *Fucus nodosus*
- Knob-weed.** See Knap-weed; also applied
 to *Centaurea Cyanus* and *C. Scabiosa*
- Knot-berry.** *Rubus Chamæmorus*
- Knot-grass.** The genus *Illecebrum* (See
 also Grass)
 Slender. *Polygonum minus*

Knot-weed. *Centaurea nigra*, *C. Cyanus*, and *C. Scabiosa*
Alpine. *Polygonum alpinum*
Amphibious. *Polygonum amphibium*
Copse. *Polygonum dumetorum*
E. Indian. *Polygonum Brunonianis*
E. Indian, Annual. *Polygonum orientale*
Giant. *Polygonum cuspidatum* (*P. Sieboldii*) and *P. sachalinense*
Pale-flowered. *Polygonum lapathifolium*
Rock. *Polygonum vaccinifolium*
Sachalin. *Polygonum sachalinense*
Sea-side. *Polygonum maritimum*
Virginian. *Polygonum virginianum*
Viviparous. *Polygonum viviparum*
Water-pepper. *Polygonum Hydropiper*
Whortle-berry-leaved. *Polygonum vaccinifolium*

Koa-tree, of the Sandwich Islands. *Acacia Koa* (*A heterophylla*?)

Kohe, or Wahahé-tree. *Hartighsea spectabilis*

Kohl-Rabi. *Brassica oleracea var. gongylodes*

Koko-tree. *Kohoona zeylanica*

Kokra-wood. *Alnus integrifolia*

Kokum-butter-tree. *Garcinia indica*

“**Kolkas,**” of the Arabians and Egyptians. *Colocasia antiquorum*

Kolla-nut. See Nut

Kopi-tree. See Karaka

Koso, or Cusso, Flowers. The flowers of *Hagenia abyssinica*

Kotukutuki-tree, of New Zealand. *Fuchsia excorticata*

Kumahou-tree. *Pomaderris elliptica*

Kum-quat. A variety of *Citrus japonica*

Kureel-tree. *Capparis aphylla*

Kurrajong. A native Australian name for various fibrous plants.
 Black, of Illawarra. *Rulingia ramosa*
 Brown. *Commersonia platyphylla*
 Green. *Hibiscus heterophyllus*
 Tasmanian. *Plagianthus sidoides*

Labaria - plant. *Dracontium polyphyllum*

Lab-lab. *Dolichos* (*Lablab*) *vulgaris* and *D. (L.) cultratus*
 White China. *Dolichos* (*Lablab*) *perennans*

Laburnum-tree, Adam's. *Cytisus Adami*
 Austrian. *Cytisus austriacus*
 Black-rooted. *Cytisus nigricans*
 Cluster-flowered. *Cytisus capitatus*
 Common. *Cytisus Laburnum*
 Dwarf. *Cytisus nanus*
 Evergreen. *Cytisus racemosus*
 Flesh-coloured. *Cytisus incarnatus*
 Fringed-podded. *Cytisus ciliatus*
 Hairy. *Cytisus hirsutus*
 Indian. *Cassia Fistula*
 Large-calyxed. *Cytisus calycinus*
 Large-flowered. *Cytisus grandiflorus*
 Late-flowering. *Cytisus serotinus*
 Lilliputian. *Cytisus Ardoainii*
 Long-branched. *Cytisus elongatus*
 Many-flowered. *Cytisus multiflorus*
 Nepaul. *Piptanthus nepalensis*

Laburnum-tree, New Zealand. *Edwardsia (Sophora) grandiflora* and *E. microphylla* (*Sophora tetaptera* var. *microphylla*)

Oriental. *Cytisus orientalis*
Pigmy. *Cytisus Ardoainii*
Portugal. *Cytisus albus*
Prickly. *Cytisus spinosus*
Proliferous. *Cytisus proliferus*
Purple-flowered. *Cytisus purpureus*
Queensland. *Cassia Brewsteri*
Scotch. *Cytisus alpinus*
Sickle-podded. *Cytisus falcatus*
Silver-leaved. *Cytisus argenteus*
Soft-leaved. *Cytisus mollis*
Spreading. *Cytisus patens*
Stalkless-flowered. *Cytisus sessiliflorus*
Sweet-scented. *Cytisus fragrans*
Teneriffe. *Cytisus nutigenus*
Three-flowered. *Cytisus triflorus*
Trailing. *Cytisus supinus*
Two-flowered. *Cytisus biflorus*
Weeping. *Cytisus Laburnum pendulus*
White-flowered. *Cytisus leucanthus*
Whitish-flowered. *Cytisus albidus*
Wild. *Melilotus officinalis*
Woolly. *Cytisus lanigerus*

Lace-bark-tree, Jamaica. *Lagetta lin-tearia*
 New Zealand. *Plagianthus betulinus*

Lace-leaf, or Lattice-leaf, Plant, White-flowered. *Ouvirandra fenestralis*
 Pink-flowered. *Ouvirandra Berneriana*

Lace-pod. *Thysanocarpus curvipes*

Ladder-Fern. See Fern

Ladder-to-Heaven. *Polygonatum multiflorum* and *Polemonium caeruleum*

Ladle-wood-tree. *Cassine Colpoon*

Lad's-love. *Artemisia Abrotanum*

Lady-Birch. *Betula alba*

Lady-Fern. See Fern

Lady-Grass. See Grass

Lady-in-the-Bower. *Nigella damascena*

Lady-nut. The seed of *Entada Pursetha*

Lady-of-the-Meadow. *Spiraea Ulmaria*

Lady-Poplar. *Populus fastigiata*

Lady's-Bedstraw. *Galium verum*

Lady's-Bower. *Clematis Vitalba*

Lady's-Calamus. *Iris cristata*

Lady's-Cushion. *Arabis albida* and *Armeria maritima*

Lady's-Ear-drops. The flowers of the common *Fuchsia*

Lady's-Fingers. *Anthyllis Vulneraria*. Also locally applied to various other flowers

Lady's-Garters. See Lady's-Laces

Lady's-Gloves. *Inula Conyzia*

Lady's-Hair. *Briza media*

Lady's-Laces, or Lady's-Garters. *Phalaris arundinacea variegata*

Lady's-Looking-glass. *Campanula Speculum*

Lady's-Mantle. *Alchemilla vulgaris*
 Silky. *Alchemilla sericea*

Lady's-Pincushion. *Armeria maritima*

Lady's-Seal, or Lady's-Signet. *Polygonatum multiflorum* and *Tamus communis*

Lady's-Signet. See Lady's-Seal	Langdebeefe. <i>Helminthia echiooides</i>
Lady's-Slipper. The genus <i>Cypripedium</i> , especially <i>C. Calceolus</i>	"Langsat." <i>Lansium domesticum</i>
Bearded. <i>Cypripedium barbatum</i>	Lang-wort, or Lyng-wort. An old name for <i>Veratrum album</i>
Japanese. <i>Cypripedium japonicum</i>	Lanseh-tree. <i>Lansium domesticum</i>
Large-flowered. <i>Cypripedium macranthum</i>	Lantern-flower. The genus <i>Abutilon</i>
Large Yellow. <i>Cypripedium pubescens</i>	Larch. The genus <i>Larix</i>
Long-tailed. <i>Cypripedium caudatum</i>	Altaian. <i>Larix Ledebourii</i>
Mexican. <i>Cypripedium Irapeanum</i>	American Black. <i>Larix americana</i>
Ram's-head. <i>Cypripedium arietinum</i>	American Red. <i>Larix microcarpa</i>
Showy. <i>Cypripedium spectabile</i>	Chinese, or False. The genus <i>Pseudolarix</i>
Siberian. <i>Cypripedium macranthum</i>	Common. <i>Larix europaea</i>
Small White. <i>Cypripedium candidum</i>	Drooping. <i>Larix pendula</i>
Small Yellow. <i>Cypripedium parviflorum</i>	False. See Larch, Chinese
Snow White. <i>Cypripedium niveum</i>	Golden. <i>Abies (Larix) Kämpferi</i>
S. American. The genus <i>Selenipedium</i>	Himalayan. <i>Larix Griffithii</i>
Spotted. <i>Cypripedium guttatum</i>	Oregon. <i>Larix occidentalis</i>
Stemless. <i>Cypripedium acaule</i>	Siberian. <i>Larix sibirica</i>
Twin-flowered. <i>Cypripedium insigne</i>	Sikkim. <i>Larix Griffithii</i>
White. <i>Cypripedium candidum</i>	Lark's-claw, or Lark's-heel. Another name for Larkspur
Lady's-Smock. <i>Cardamine pratensis</i>	Larkspur. A general name for the garden species of <i>Delphinium</i>
Lady's-Thimble. <i>Campanula rotundifolia</i>	Alpine. <i>Delphinium alpinum</i>
Lady's (Our) Thistle. <i>Carduus Marianus</i> (<i>Silybum Marianum</i>)	American. <i>Delphinium exaltatum</i>
Lady's-Thumb. <i>Polygonum Persicaria</i>	Azure. <i>Delphinium azureum</i>
Lady's-Tresses, or Lady's-Traces. The genus <i>Spiranthes</i>	Beatson's. <i>Delphinium Beatsoni</i>
Autumn-flowering. <i>Spiranthes autumnalis</i>	Belladonna. <i>Delphinium Belladonna</i>
Drooping. <i>Spiranthes cernua</i>	Blue-and-white-flowered. <i>Delphinium bicolor</i>
Irish. <i>Spiranthes gemmifera</i>	Branching. <i>Delphinium Consolida</i>
Summer. <i>Spiranthes aestivalis</i>	Cashmere. <i>Delphinium cashmerianum</i>
Lake-weed. <i>Polygonum Hydropiper</i>	Common Bee. <i>Delphinium elatum</i>
Lamb-kill. <i>Andromeda Mariana</i> and <i>Kalmia angustifolia</i>	Double Siberian. <i>Delphinium grandiflorum</i>
Lamb-in-a-pulpit. <i>Arum maculatum</i>	<i>fl.-pl.</i>
Lamb's-chop. <i>Mesembryanthemum agnatum</i>	Dwarf Red. <i>Delphinium nudicaule</i>
Lamb's-Cress. <i>Cardamine hirsuta</i>	Elegant. <i>Delphinium elegans</i>
Lamb's-ear. <i>Stachys germanica</i>	Hyacinth-flowered. <i>Delphinium hyacinthorum</i>
Lamb's-Grass. Various Spring Grasses	Intermediate. <i>Delphinium intermedium</i>
Lamb's-Lettuce. <i>Valerianella olitoria</i>	Keteleer's. <i>Delphinium Keteleeri</i>
Lamb's-tails. The Catkins of <i>Salix Caprea</i> and <i>Corylus Avellana</i>	Large - flowered. <i>Delphinium grandiflorum</i>
Lamb's-toe. <i>Lotus corniculatus</i> and <i>Anthyllis Vulneraria</i>	Musk-scented. <i>Delphinium moschatum</i>
Lamb's-quarters. <i>Chenopodium album</i> and <i>Trillium erectum</i>	Red-flowered. <i>Delphinium grandiflorum</i>
Lamb's-tongue. <i>Plantago media</i> ; locally applied to a few other plants	<i>var. rubrum</i>
Lamp-flower. The genus <i>Lychnis</i>	Rocket. <i>Delphinium Ajacis</i> and vars.
Lamp-wick. <i>Phlomis Lychnites</i>	Scarlet-flowered. <i>Delphinium puniceum</i>
Lance-pod, Queensland. <i>Lonchocarpus (Milletia) Blackii</i>	Showy. <i>Delphinium formosum</i>
Lance-wood, Australian. <i>Backhousia austalis</i>	Siberian. <i>Delphinium grandiflorum</i>
Caffre's. <i>Guatteria Caffra</i>	Tall. <i>Delphinium exaltatum</i>
Cuba. <i>Duquetia quitarensis</i>	Three-horned. <i>Delphinium tricornne</i>
Guiana. <i>Duquetia quitarensis</i> , <i>Guatteria virgata</i> , <i>Rollinia multiflora</i> , and <i>R. longifolia</i>	White-flowered. <i>Delphinium albiflorum</i>
Jamaica. <i>Guatteria virgata</i> (<i>Uvaria lanceolata</i>)	Wild. <i>Delphinium Ajacis</i> (<i>D. Consolida</i>)
New Zealand. <i>Panax crassifolium</i> (<i>Aralia crassifolia</i>)	Yellow. Various species of <i>Tropaeolum</i>
Land-Grass. See Grass	Laser-wort. The genus <i>Laserpitium</i> ; also applied to <i>Thapsus Laserpitii</i>
"Landra." <i>Raphanus Landra</i>	Lattice-leaf-plant. See Lace-Leaf
Land-Whin. <i>Ononis arvensis</i>	Lattice-Moss. See Moss
	Laurel, or Cherry-Laurel. <i>Cerasus Laurocerasus</i>
	Alexandrian. <i>Calophyllum Inophyllum</i> and <i>Husca racemosus</i>
	American. The genus <i>Kalmia</i>
	American Great. <i>Rhododendron maximum</i>
	American Mountain. <i>Kalmia latifolia</i>
	American Swamp. <i>Kalmia glauca</i>
	Azores. <i>Laurus azorica</i>

- Laurel.** Blotched-leaved. *Aucuba japonica*
Bunch-flowered. *Laurus thysiflora*
Californian. *Oreodaphne (Umbellularia) californica*
Canary Island. *Laurus canariensis*
Cape. *Laurus bullata*
Carolina. *Laurus (Persea) carolinensis*
Catesby's. *Laurus Catesbeiana*
Catkin-bearing. The genus *Nageia*
Chili. *Laurelia aromatica*
Chinese. *Stilago Bunius*
Common, or Cherry. *Cerasus Lauro-cerasus*
Copse. *Daphne Laureola*
Crowded-flowered. *Laurus aggregata*
Diamond-leaved, Queensland. *Pittosporum rhombifolium*
Ground. *Epigaea repens*
Himalayan. *Aucuba himalaica*
Jamaica. *Laurus Chloroxylon*
Japan. *Aucuba japonica* and *Nageia japonica*
Jointed. *Laurus geniculata*
Jove's-fruit. *Laurus Diospyros*
Leather-leaved. *Laurus coriacea*
Lofty. *Laurus exaltata*
Madeira. *Laurus indica* and *L. fætens*
Malabar. *Melastoma malabaricum*
Many-flowered. *Laurus floribunda*
Moreton Bay. *Cryptocarya (Laurus) austalis*
Mountain. *Oreodaphne bullata*
N. S. Wales. *Cryptocarya glaucescens*
New Zealand. *Corynocarpus lœvigata*,
Laurelia Novæ-Zelandiæ, and *L. Kohekohe*
New Zealand Hedge. *Pittosporum eu-genioides* and other species
Panama. *Cordia Geraschanthus*
Portugal. *Cerasus lusitanica*
Portugal, Miniature. *Cerasus lusitanica var. myrtifolia*
Poet's, or Roman. *Laurus nobilis*
Red. *Persea carolinensis*
Royal. *Laurus regalis*
Sassafras. *Oreodaphne californica*
Sea-side. *Xylophylla latifolia*
Sheep's-poison. *Kalmia angustifolia*
Shining-leaved. *Laurus splendens*
Snow-white. *Laurus nivea*
South Sea. The genus *Codiaeum (Croton)*
Spotted. *Aucuba japonica*
Spreading. *Laurus patens*
Spurge. *Daphne Laureola*
Strong-scented. *Laurus fætens*
Summer. *Laurus æstivalis*
Tasmanian. *Anopterus glandulosa*
Thick-leaved. *Laurus crassifolia*
Til. *Laurus fætens*
Variegated. *Aucuba japonica*
Variegated Indian. *Croton variegatus*
Versailles. *Cerasus Lauro-cerasus* var.
latifolia
Victorian. *Pittosporum undulatum*
Victor's. *Laurus nobilis*
Weeping. *Laurus pendula*
White. *Magnolia glauca*
Whitish-leaved. *Laurus albida*
Willow-leaved. *Laurus salicifolia*
Yellow-flowered Brisbane. *Pittosporum revolutum*
- Laurustinus.** Common. *Viburnum Tinus*
Shining-leaved. *Viburnum Tinus* var.
lucidum
Upright-branched. *Viburnum Tinus* var.
strictum
- Lavender.** Common. *Lavandula Spica*
French. *Lavandula Stachas*
Sea. See Sea-Lavender
Sweet-scented. *Lavandula dentata*
True. *Lavandula vera*
- Lavender-Cotton.** The genus *Santolina*
Alpine. *Santolina alpina*
Chamomile-leaved. *Santolina anthemoides*
Clammy. *Santolina viscosa*
Comb-leaved. *Santolina pectinata*
Common. *Santolina Chamæcyprissus*
Green. *Santolina viridis*
Heath-like. *Santolina ericoides*
Hoary. *Santolina canescens*
Pinnate-leaved. *Santolina pinnata*
Rosemary-leaved. *Santolina rosmarinifolia*
Samphire-leaved. *Santolina crithmoides*
Scallop-leaved. *Santolina pectinata*
Spreading. *Santolina squarrosa*
Woolly. *Santolina inecana*
- Lavender-Grass.** See Grass
- Laver,** Green. *Ulva latissima*
Red. *Porphyra laciniata*
Turkey-feather. *Padina pavonia*
- Lawyer,** Bush. *Rubus australis*
- Lawyers.** Old thorny stems of Briars and Brambles
Penang. *Licuala acutifida*
- Laylock.** A corruption of "Lilac"
- Lead-plant.** *Amorpha canescens*
- Lead-tree,** W. Indian. *Leucaena (Acacia) glauca*
- Lead-wort,** European. *Plumbago europaea*
Cape. *Plumbago capensis*
Hardy Blue. *Plumbago Larpentæ*
Rosy-flowered. *Plumbago rosea*
Scarlet-flowered. *Plumbago coccinea*
- Leaf-bellows Plant.** *Cochlospermum Gossypium*
- Leaf-cup.** The genus *Polymnia*
- Leaf-of-St. Patrick.** *Saxifraga umbrosa*
- Leather-coat-leaf-tree.** *Coccoloba pubescens*
- Leather-flower.** *Clematis Viorna*
- Leather-jacket.** *Eucalyptus punctata* and *E. resinifera*
- Leather-leaf.** *Cassandra (Andromeda) calyculata*
- Leather-plant,** New Zealand. Various species of *Celmisia*
- Leather-wood,** American. *Dirca palustris*
Australian. The genus *Ceratopetalum*
- Leba-tree.** *Eugenia neurocalyx*
- Lee-chee.** See Li-tchi
- Leed.** *Glyceria aquatica*
- Leek,** American Mountain. *Allium triflorum*
Blue. *Allium Ampeloprasum*
Canker. *Pyrola rotundifolia*
Common Garden. *Allium Porrum*
Crow. See Crow-leek
Dog's. An old name for *Scilla nutans*
Hollow. An old name for *Corydalis cava*
Lily. *Allium Moly*
Sand. *Allium Scorodoprasum*

Leek, Sour.	<i>Rumex Acetosa</i>	Lettuce, Sea.	<i>Ulva Lactuca</i> and <i>Fucus vesiculosus</i>
Stone.	<i>Allium fistulosum</i>	Strong-scented.	<i>Lactuca virosa</i>
Wild.	<i>Allium Ampeloprasum</i> and <i>A. ursinum</i>	Wall.	<i>Lactuca (Prenanthes) muralis</i>
Wild American.	<i>Allium tricoccum</i>	Water.	<i>Pistia Stratiotes</i>
Lemon-Bergamot Tree.	<i>Citrus Bergamia</i>	Wild.	<i>Lactuca virosa</i>
Lemon-grass.	<i>Andropogon Schenanthus</i>	Willow.	<i>Lactuca saligna</i>
Lemon-tree.	<i>Citrus Limonum</i> . Applied also to <i>Lippia (Aloysia) citriodora</i>	Lettuce-tree.	<i>Pisonia morindifolia</i>
Desert of N. S. Wales and Queensland.		Lever-wood.	<i>Ostrya virginica</i>
<i>Atalantia glauca</i>		Licca-tree.	<i>Sapindus spinosus (Xanthoxylum sapindoides)</i>
Java.	<i>Citrus javanica</i>	Lichen.	Crab's-eye. <i>Lecanora pallescens</i>
Median (Citron).	<i>Citrus Medica</i>	Horse-hair.	<i>Cornicularia jubata</i>
Pear.	<i>Citrus Lumia</i>	Letter.	The genus <i>Opegrapha</i>
Pearl.	<i>Citrus Margarita</i>	Lung.	<i>Sticta pulmonacea</i>
Sweet.	<i>Citrus Lumia</i>	Map.	<i>Lecidea geographica</i>
Water.	<i>Passiflora laurifolia</i> and <i>P. maliformis</i>	Red Snow.	<i>Protococcus nivalis</i>
Wild.	<i>Podophyllum peltatum</i>	Rock-Tripe.	Various species of <i>Gyrophora</i> and <i>Umbilicaria</i>
Wild Water.	<i>Passiflora fatida</i>	Tree-hair.	<i>Cornicularia jubata</i> and <i>Usnea jubata</i>
Lens, Water.	See Lentils, Water	"Tripe de Roche."	See Lichen, Rock-Tripe
Lent Lily, or Lent Rose.	<i>Narcissus Pseudonarcissus</i>	Lichwale, or Lychwale.	<i>Lithospermum officinale</i>
Lentil, Common.	<i>Ervum Lens</i>	Lich-wort.	<i>Parietaria officinalis</i>
Sea.	<i>Sargassum bacciferum</i>	Lid-flower.	The genus <i>Calyptranthes</i>
Single-flowered.	<i>Ervum monanthos</i>	Life-everlasting.	<i>Gnaphalium americanum</i>
Lentils, or Lens, Water.	<i>Lemna minor</i>	Life-plant.	<i>Bryophyllum calycinum (B. prolixum)</i>
Leopard-flower, Chinese.	<i>Pardanthus chinensis</i>	Life-root.	<i>Senecio aureus</i>
Leopard's-bane.	The genus <i>Doronicum</i>	Lign-Aloes.	The wood of <i>Aloexylon Agallochum</i>
American.	<i>Doronicum nudicaule</i>	Light-wood, Australian.	<i>Acacia Melanoxylon</i> and <i>Ceratopetalum apetalum</i>
Austrian.	<i>Doronicum austriacum</i>	Lignum Rhodium.	The wood of <i>Amyris balsamifera</i> and <i>Rhodorriza scoparia</i>
Caucasian.	<i>Doronicum caucasicum</i>	Lignum-vitæ-tree.	<i>Guaiacum officinale</i>
Clusius's.	<i>Doronicum (Aronicum, Arnica) Clusii</i>	Bastard.	<i>Badiera diversifolia</i>
Columna's.	<i>Doronicum Columnæ</i>	N. S. Wales.	<i>Acacia falcata</i> and <i>Eucalyptus polyanthemos</i>
Common.	<i>Doronicum Pardalianches</i>	New Zealand.	<i>Metrosideros scandens</i>
Cray-fish.	<i>Doronicum Pardalianches</i>	Pegu.	<i>Melanorrhæa usitatissima</i>
Medicinal.	<i>Arnica montana</i>	Queensland.	<i>Vitex Lignum-vitæ</i>
Plantain-leaved.	<i>Doronicum plantagineum</i>	Lilac.	The genus <i>Syringa</i>
Letter-leaf, or Letter-plant.	The genus <i>Grammatophyllum</i>	African.	<i>Melia Azedarach</i>
Letter-wood Tree.	<i>Brosimum Aubletii</i>	Australian.	<i>Hardenbergia monophylla</i> , <i>Prostanthera violacea</i> , and <i>P. lasianthos</i>
Lettuce.	The genus <i>Lactuca</i>	Californian.	<i>Ceanothus integerrimus</i> and <i>C. thyrsiflorus</i>
American "White."	<i>Nabalus albus</i>	Charles X.	<i>Syringa vulgaris var. grandiflora</i>
American Wild.	<i>Lactuca canadensis (L. elongata)</i>	Chinese.	<i>Syringa chinensis</i>
Blue, or False.	The genus <i>Mulgedium</i>	Common Blue.	<i>Syringa vulgaris var. cerulea</i>
Cabbage.	<i>Lactuca capitata</i>	Common Double Red.	<i>Syringa vulgaris var. rubra-plena</i>
Californian.	<i>Lactuca pulchella</i>	Common Double White.	<i>Syringa vulgaris var. alba-plena</i>
Common Garden.	Varieties of <i>Lactuca sativa</i>	Common Purple, or Scotch.	<i>Syringa vulgaris var. violacea</i>
Cos.	The erect-growing varieties of <i>Lactuca sativa</i>	Common Red-flowered.	<i>Syringa vulgaris var. rubra</i>
Drum-head.	Varieties of <i>Lactuca capitata</i>	Common Violet-flowered.	<i>Syringa vulgaris var. violacea</i>
Endive-leaved, or Lombard.	<i>Lactuca intybecea</i>	Common White.	<i>Syringa vulgaris var. alba</i>
False.	See Lettuce, Blue		
Frog's.	<i>Potamogeton densus</i>		
Hare's.	<i>Sonchus oleraceus</i>		
Indian.	<i>Frasera verticillata</i>		
Lamb's.	See Lamb's-Lettuce		
Least.	<i>Lactuca saligna</i>		
Lombard.	See Lettuce, Endive-leaved		
Oak-leaved.	<i>Lactuca quercina</i>		
Perennial.	<i>Lactuca perennis</i>		
Prickly.	<i>Lactuca Scariola</i> and <i>L. virosa</i>		

Lilac, Dwarf. *Syringa vulgaris var. nana*
Guinea. *Melia guineensis*
Himalayan. *Syringa Emodi*
Indian. *Melia Azedarach* and the genus
Lagerstræmia
Lady Josika's. *Syringa Josikæa*
Large-red-flowered. *Syringa vulgaris var.*
rubra major
Large-white-flowered. *Syringa vulgaris*
var. alba major
Persian, Blue. *Syringa persica*
Persian, Cut-leaved. *Syringa persica var.*
laciniata
Persian, Sage-leaved. *Syringa persica var.*
salviaefolia
Persian, White. *Syringa persica var. alba*
Rouen (Hybrid). *Syringa rothomagensis*
Scotch. See Lilac, Common Purple
Lily. A general name for plants of the
genus *Lilium*; applied also to various
other plants
African, Blue. *Agapanthus umbellatus*
African Corn. The genus *Ixia*
African, Small. *Agapanthus minor*
African, White. *Agapanthus umbellatus*
albus
Amazon. *Eucharis amazonica*
Amboyna. *Eurycles amboinensis*
Arum. *Calla (Richardia) æthiopica*
Atamasco. *Zephyranthes (Amaryllis) Ata-*
masco
Australian Giant. *Doryanthes excelsa*
Australian Purple. The genus *Patersonia*
Barbadoes. *Hippeastrum equestre*
Belladonna. *Amaryllis Belladonna*
Bengal. *Crinum longifolium*
Bermuda. *Lilium Harrisii* (*L. japonicum*
floribundum?)
Black. *Lilium camtschaticense* (*Fritillaria*
camtschaticensis)
Black Martagon. *Lilium dalmaticum*
Blackberry. *Pardanthus (Ixia) chinensis*
Blue African. *Agapanthus umbellatus*
Blue Grass. *Cesia vittata*
Bourbon. *Lilium candidum*
Brisbane. *Eurycles australasica* (*E. Cun-*
nghamii)
Brodie's. The genus *Brodiea*
Brownish-red. *Lilium Parthenecion*
Brown's. *Lilium Brownii*
Buff-coloured. *Lilium testaceum*
Bugle. The genus *Watsonia*
Bulb-bearing. *Lilium bulbiferum*
Busch's. *Lilium Buschianum*
Caffre. *Schizostylis coccinea* and the genus
Clivia
Californian. *Lilium californicum*
Cape. *Crinum capense*
Cape Coast. *Crinum spectabile*
Carniola. *Lilium carniolicum*
Carolina. *Lilium carolinianum*
Caucasian. *Lilium monadelphum*
Chequered. *Fritillaria Meleagris*
Chinese Blackberry. *Pardanthus chinensis*
Club. The genus *Tritoma*
Common Orange. *Lilium croceum*
Corfu. *Funkia subcordata*
Crimson-anthered. *Lilium Szovitzianum*
(*L. colchicum*)

Lily, Cuban. *Scilla peruviana*
Daffodil. The genus *Amaryllis*
Egyptian. *Calla (Richardia) æthiopica*
Flame, or Fire. The genus *Pyrolirion*
Flax. See Flax-Lily
Fire. See Lily, Flame
Fringed. The genus *Thysanotus*
Giant. *Lilium giganteum*
Giant Heart-leaved. *Lilium cordifolium*
giganteum
Giant Mexican. *Fourcroya gigantea*
Giant St. Bruno's. *Anthéricum Liliastrum*
majus
Golden. *Amaryllis (Lycoris) aurea*
Gold-striped. *Lilium auratum*
Ground. *Trillium latifolium*
Guerney. *Nerine Sarniensis*
Guerney, Scarlet. *Nerine Fothergillii*
Heart-leaved. *Lilium cordifolium*
Hedge. *Convolvulus sepium*
Herb. The genus *Alstræmeria*
Himalayan White. *Lilium polypodium*
Huleh. *Lilium Martagon*
Humboldt's. *Lilium Humboldtii*
Jacoba. *Sprekelia (Amaryllis) formo-*
sissima
Japan. *Lilium lancifolium*
Knight's-star. The genus *Hippeastrum*
Kramer's. *Lilium Kramerii*
Large African. *Crinum giganteum*
Lent. See Lent-Lily
Leopard. The genus *Lachenalia*
Madonna. *Lilium candidum*
Malabar Glory. *Gloriosa superba*
Mariposa. See Mariposa-Lily
Martagon. *Lilium Martagon*
Max Leichtlin's. *Lilium Leichtlinii*
May. *Convallaria majalis*
Medeola. *Lilium medeoloides*
Mediterranean. *Pancratium maritimum*
Mexican, or Queen's. *Amaryllis Reginæ*
Midnight. The genus *Calonyction*
Moreton Bay. *Euryales Cunninghamii*
Mount Etna. *Sternbergia ætnensis*
Mozambique. *Gloriosa virrescens*
Murray. *Crinum australe* (*C. pedunculatum*)
Nankeen. *Lilium testaceum*
Narrow-leaved Queensland. *Crinum an-*
gustifolium
Natal. *Imantophyllum miniatum*
Neilgherry. *Lilium neilgherrense*
Nepaul. *Gloriosa nepalensis*
Nevada. *Lilium Washingtonianum*
Oat-bulbed. *Lilium avenaceum*
"Of-the-Field." *Sternbergia lutea* (?)
Of-the-Incas. *Alstræmeria peregrina*
Of-the-Mountain. *Polygonatum multiflorum*
Of-the-Nile. *Calla (Richardia) æthiopica*
Of-the-Nile, Spotted - leaved. *Richardia*
maculata
Of-the-Nile, Yellow-flowered. *Richardia*
hastata
Of-the-Valley. *Convallaria majalis*
Of - the - Valley, Japanese. *Convallaria*
japonica
Of-the-Valley, Star-flowered. *Smilacina*
stellata
Of - the - Valley - Tree. *Andromeda flori-*
bunda

- Lily**, of the Valley, Two-leaved. *Maianthemum bifolium*
 Orange. *Lilium bulbiferum* var. *aurantium*
 Orange, Common. *Lilium croceum*
 Orange, Late. *Lilium venustum*
 Orange-Red, American. *Lilium philadelphicum*
 Oregon. *Lilium columbianum*
 Palm. The genus *Cordyline*
 Panther. *Lilium pardalinum*
 Paroo. *Dianella carerulea*
 Parry's. *Lilium Parryi*
 Persian. *Fritillaria persica*
 Peruvian Swamp. *Zephyranthes candida*
 Plantain. See Plantain-Lily
 Prairie. *Mentzelia ornata*
 Pyrenean. *Lilium pyrenaicum*
 Queen. The genus *Phædranassa*
 Queen's. See Lily, Mexican
 Queensland Spear. *Doryanthes Palmeri*
 Red Star. *Lilium concolor*
 Robinson's. *Lilium Robinsoni*
 Rock. *Selaginella convoluta*
 Rock, N. S. Wales. *Dendrobium speciosum*
 Rocky Mountain. *Leucocrinum montanum*
 Rock-wood. *Ranunculus Lyallii*
 Royal Brunswick. *Brunsvigia (Amaryllis) Josephinae*
 Rush. See Rush-Lily
 Rush-leaved, Black. *Melanthium junceum*
 Russian. *Lilium pulchellum*
 St. Bernard's. *Anthericum (Czackia, Paradisia) Liliago*
 St. Bruno's. *Anthericum Liliastrum*
 St. James's Cross. *Amaryllis formosissima*
 Sander's. *Eucharis Sanderi*
 Scarborough. *Vallota purpurea*
 Scarborough, Scarlet. *Vallota purpurea* var. *eximia*
 Scarlet Martagon. *Lilium chalcedonicum*
 Scarlet-striped. *Lilium auratum* var. *rubro-vittatum*
 Senegal. *Gloriosa simplex*
 Siberian Orange. *Lilium darwicicum*
 Siberian Scarlet. *Lilium pulchellum*
 Small. *Lilium parvum*
 Small African. *Agapanthus minor*
 Southern Red. *Lilium Catesbaei*
 Spear-leaved. *Lilium lancifolium*
 Spire. *Hyacinthus (Galtonia) candidans*
 Spotted. *Lilium speciosum* (*L. lancifolium*)
 Swamp. *Lilium superbum*. Applied also to *Saururus cernuus*
 Sword. The genus *Gladiolus*
 Tall Sulphur-flowered. *Lilium colchicum* (*L. Szovitzianum*)
 Thong. The genus *Imantophyllum*
 Thunberg's. *Lilium venustum* (*L. Thunbergianum*)
 Tiger. *Lilium tigrinum*
 Tiger, Fortune's. *Lilium tigrinum* *Fortunei*
 Toad. See Toad-Lily
 Toad-cup. *Marica carulea*
 Tom Thumb. *Lilium tenuifolium*
- Lily**, Torch. See Torch-Lily
 Triplet. The genus *Triticelia*
 Trumpet. *Lilium longiflorum*; also applied to *Richardia (Calla) athiopica*
 Trumpet, Transparent. *Lilium eximium*
 Trumpet, Wallich's. *Lilium Wallichianum*
 Turban. *Lilium Pomponium*
 Turk's-cap. Varieties of *Lilium Martagon*
 Turk's-cap, Great American. *Lilium superbum*
 Umbel-flowered. *Lilium umbellatum*
 Warty Red Japanese. *Lilium callosum*
 Washington. *Lilium Washingtonianum*
 Washington, Purple. *Lilium Washingtonianum* var. *purpureum* (*L. rubescens*)
 Water. See Water-Lily
 White. *Lilium candidum*
 White, of Tasmania. *Diplarrhena Morea*
 Whitsun. *Narcissus poeticus*
 Whorled-leaved American. *Lilium philadelphicum*
 Wilson's. *Lilium Wilsoni*
 Wood. *Pyrola minor*. (See also Wood-Lily)
 Wreath. *Myrsiphyllum asparagoides*
 Yellow American. *Lilium canadense*
 Yellow Pond. *Nuphar advena*
 Yellow Star. *Lilium Coridion*
Lily-Conval. *Convallaria majalis*
Lily-grass. See Grass
Lily-Leek. *Allium Moly*
Lily-oak. A corruption of Lilac
"Lily Pillies," of Victoria. *Eugenia Smithii*
Lily-pilly-tree, of Australia. The genus *Acmena*
Lily-pink, of Montpelier. *Aphyllanthes monspeliensis*
Lily-riall. An old name for Penny-royal
Lily-thorn. The genus *Catesbea*
 Of the Bahamas. *Catesbea spinosa*
Lima-wood. The timber of *Cesalpinia echinata*
Lime-fruit-tree. *Citrus acidia*
 Coromandel, or Indian Wild. *Limonia (Atalantia) monophylla*
 Native, of Queensland. *Citrus australasica*
 Sweet. *Citrus Limetta*
Lime-berries. The fruit of *Triphasia trifoliata*
Lime-stone Fern. See Fern
Lime-tree, Lime, or Linden. The genus *Tilia*
 Broad-leaved. *Tilia europaea* var. *platyphylla*
 Common. *Tilia europaea* var. *intermedia*
 Cut-leaved. *Tilia europaea* var. *laciniatia*
 Downy-leaved American. *Tilia americana* var. *pubescens*
 Downy Narrow-leaved American. *Tilia americana* var. *pubescens leptophylla*
 Fringed-leaved. *Tilia platyphylla laciniatia*
 Golden-twigg'd. *Tilia europaea* var. *aurea*
 Golden-twigg'd Broad-leaved. *Tilia europaea* var. *platyphylla aurea*
 Hairy-styled. *Tilia europaea* var. *dasytystyla*
 Loose-flowered American. *Tilia americana* var. *laxiflora*

Lime-tree, Ogechee. <i>Nyssa capitata</i> (<i>N. candicans</i>)	Liver-grass. <i>Marchantia polymorpha</i>
Red-twigg'd. <i>Tilia europaea</i> var. <i>rubra</i> , or <i>corallina</i>	Liver-leaf, Round-lobed. <i>Hepatica triloba</i>
Silver-leaved. <i>Tilia argentea</i>	Sharp-lobed. <i>Hepatica acutiloba</i>
Small-leaved. <i>Tilia parvifolia</i>	Liver-wort. <i>Agrimonia Eupatoria</i> and the genus <i>Marchantia</i> , especially <i>M. polymorpha</i>
White-leaved. <i>Tilia europaea</i> var. <i>alba</i>	Brook, or Common. <i>Marchantia polymorpha</i>
White American. <i>Tilia americana</i> var. <i>heterophylla</i>	Conical. <i>Marchantia conica</i>
Lime-wort. An old name for <i>Lychnis Viscaria</i>	Ground. <i>Peltidea canina</i>
Linaloa, or Linaloe, wood. See Lign-Aloes	Hemispherical. <i>Marchantia hemisphaerica</i>
Lin, Line, or Linde. <i>Tilia europaea</i>	Noble. <i>Hepatica triloba</i>
Linde. See Lin	Live-in-idleness. An old name for <i>Viola tricolor</i>
Linden, or Lime-tree. <i>Tilia europaea</i>	Lizard Orchis. <i>Orchis hircina</i>
Line, or Lint. <i>Linum usitatissimum</i>	Lizard's-herb. <i>Goniophlebium trilobum</i>
Ling. <i>Calluna vulgaris</i> ; sometimes applied to Heather of any sort	Lizard's-tail. The genus <i>Saururus</i>
Chinese. <i>Trapa natans</i>	Common. <i>Saururus cernuus</i>
Downy. <i>Eriophorum polystachyon</i>	W. Indian. <i>Piper peltatum</i>
Ling-berry. The fruit of <i>Empetrum nigrum</i> , <i>Vaccinium Vitis-Idaea</i> , and <i>Calluna vulgaris</i>	Lizard's-tongue. The genus <i>Sauvoglossum</i>
" Lingo"-tree. <i>Pterocarpus indicus</i>	Lob-Grass. See Grass
Lin-seed. The seed of Flax (<i>Linum usitatissimum</i>)	Lobelia, Acrid. <i>Lobelia urens</i>
Lint. See Line	Blue-and-white. <i>Lobelia ramosa</i> and <i>L. heterophylla major</i>
Fairy. <i>Linum catharticum</i>	Branching. <i>Lobelia ramosa</i>
Lints. <i>Vicia sativa</i>	Brilliant. <i>Lobelia fulgens</i>
Lion's-ear. The genus <i>Leonotis</i>	Cardinal-flower. <i>Lobelia cardinalis</i>
Of the Andes. See Cushion-plant	Dwarf. <i>Lobelia pumila</i>
Lion's-foot. <i>Leontopodium alpinum</i> and <i>Alchemilla vulgaris</i>	Dwarf Blue. <i>Lobelia azurea nana</i>
American. <i>Nabalus albus</i> and <i>N. Fraseri</i>	Dwarf Blue, Close-growing. <i>Lobelia Erinus compacta</i>
Lion's-leaf. <i>Leontice Leontopetalum</i>	Dwarf Blue-and-white. <i>Lobelia Paxtoniana</i>
Lion's-mouth. <i>Antirrhinum majus</i> . Applied locally to <i>Linaria vulgaris</i> and one or two other plants	Great. <i>Lobelia syphilitica</i>
Lion's-paw. <i>Alchemilla vulgaris</i>	Holly-leaved. <i>Lobelia ilicifolia</i>
Lion's-snap. <i>Lamium amplexicaule</i>	Italian. <i>Lobelia Laurentia</i>
Lion's-tail. <i>Leonotis Leonurus</i>	Mullein-leaved. <i>Lobelia Tupu</i>
Lion's-tooth. The genus <i>Leontodon</i>	Scarlet. <i>Lobelia cardinalis</i>
Lion's-Turnip. <i>Leontice Leontopetalum</i>	Shore. <i>Lobelia littoralis</i>
Liquorice-bush, of the Cape. <i>Vascoa amplexicaulis</i>	Showy. <i>Lobelia speciosa</i>
Liquorice-plant (cultivated). <i>Glycyrrhiza glabra</i>	Slender. <i>Lobelia gracilis</i>
Wild. <i>Ononis arvensis</i>	Small Spreading. <i>Lobelia Erinus</i>
Wild, American. <i>Galium circaeans</i> , <i>G. lanceolatum</i> , and <i>Glycyrrhiza lepidota</i>	Stag's-horn-leaved. <i>Lobelia coronopifolia</i>
Wild, of Australia. <i>Scoparia australis</i> (<i>Teucrium corymbosum</i>)	Tall Blue. <i>Lobelia syphilitica</i>
Wild, of India. <i>Abrus precatorius</i>	Trailing. <i>Lobelia erinoides</i>
Wild, Oregon. <i>Polypodium falcatum</i>	Tree. <i>Lobelia assurgens</i>
Liquorice-Vetch. <i>Astragalus glycyphyllos</i>	Water. <i>Lobelia Dortmanna</i>
Liriconfancy. <i>Convallaria majalis</i>	Yellow-flowered. <i>Lobelia lutea</i>
Litchi, or Lee-chee. The fruit of <i>Nephelium Litchi</i>	Loblolly-Bay, Common. <i>Gordonia lasiantha</i>
Lithy-tree. <i>Viburnum Lantana</i>	Downy. <i>Gordonia pubescens</i>
Of Chili. <i>Rhus caustica</i>	Loblolly - Sweet - wood. <i>Sciadophyllum Jacquinii</i>
Litmus-plant. <i>Roccella tinctoria</i> and <i>Croton tinctorum</i>	Loblolly-wood, Jamaica. <i>Cupania glabra</i> and other species. Applied also to <i>Pisonia cordata</i>
Little-good, or Little Goody. <i>Euphorbia Helioscopia</i>	Lobster-flower. <i>Poinsettia pulcherrima</i>
Little-Snow-balls. <i>Cephaelanthus occidentalis</i>	Locks - and - keys. <i>Dielytra spectabilis</i> and the fruit of the Ash and Sycamore
Little-Wale. An old name for Gromwell	" Loco. " <i>Astragalus Hornii</i>
Live-long. <i>Sedum Telephium</i>	Locust-berry. <i>Malpighia coriacea</i>
Jersey. <i>Gnaphalium luteo-album</i>	Locust-tree, African. <i>Parkia africana</i>

- Locust-tree, European.** *Ceratonia Siliqua*
Fragrant White-flowered. *Robinia Pseud-*
acacia
- Honey.** See Honey-Locust
- S. American.** *Hymenaea Courbaril*
Swamp, or Water. *Gleditschia mono-*
sperma
- W. Indian.** *Hymenaea Courbaril;* also
Byrsonima cinereu and *B. coriacea*
- Loddon Lilies.** *Leucojum aestivum*
- Lode-wort.** An old name for *Ranunculus aquatilis*
- Logger-heads.** *Centaurea nigra* and *C. Cyanus*
- Log-wood.** *Hæmatoxylon Campechianum*
Texan. *Condalia obovata*
- Lokao-Dye-plant.** *Rhamnus utilis*
- Lombardy Poplar.** *Populus fastigiata*
- London Pride.** *Saxifraga umbrosa*
- London Rocket.** *Sisymbrium Iris*
- London Tufts.** *Dianthus barbatus*
- Longan.** The fruit of *Nephelium Longanum*
- "Long Purples."** *Orchis mascula*
- Long-wort.** An old name for *Anacyclus Pyrethrum*
- Looking-glass Plant or Tree, Large-leaved.** *Heritiera littoralis*
 Small-leaved. *Heritiera minor*
- Loose-strife.** The genus *Lysimachia*
 False. The genus *Ludwigia*
 Carmine-flowered. *Lysimachia Lesche-naultii*
 Catch-fly. *Cuphea silenoides*
 Clethra-leaved. *Lysimachia clethroides*
 Common. *Lysimachia vulgaris*
 Dotted. *Lysimachia punctata*
 Four-leaved. *Lysimachia quadrifolia*
 Fringed. *Lysimachia ciliata*
 Heavy-spiked. *Lysimachia barystachya*
 Hyssop-leaved. *Lythrum hyssopifolium*
 Large-flowered. *Lysimachia grandiflora*
 Money-wort. *Lysimachia Nummularia*
 Narrow-leaved. *Lysimachia angustifolia*
 Purple, or Red. *Lythrum Salicaria*
 Rosy-flowered. *Lythrum Salicaria var. roseum*
 Short-spiked. *Lysimachia brachystachys*
 Siberian. *Lysimachia dahurica*
 Swamp. *Nesaea (Decodon) verticillata*
 Tufted. *Lysimachia thyrsiflora*
 Twiggy Purple. *Lythrum virgatum*
 W. Indian. *Jussiaea suffruticosa*
 Willow-leaved. *Lysimachia Ephemera*
 Winged. *Lythrum alatum*
 Wood. *Lysimachia nemorum*
- Lopez Root.** The root of *Toddalia aculeata*
- Lop-grass.** See Lob-grass
- Lop-seed.** *Phryma leptostachya*
- Loquat, or Japan Medlar.** *Eriobotrya (Mes-pilus) japonica*
- Lords-and-Ladies.** *Arum maculatum*
- Lord-wood.** *Liquidambar orientalis*
- Lot-tree.** *Pyrus Aria*
- Lote-tree.** *Celtis australis*
- Lotus, E. Indian.** *Nymphaea pubescens*
 Egyptian. *Nymphaea Lotus*
 Hungarian. *Nymphaea thermalis*
- Lotus, or Lotos, Tree, African.** *Zizyphus Lotus*
 European. *Diospyros Lotus*
 Of the Ancients. Probably *Nitraria tridentata*
- Louisa, Herb.** *Aloysia citriodora*
- Louse-berry-tree.** *Euonymus europaeus*
- Louse-bur.** *Xanthium strumarium*
- Louse-wort.** The genus *Pedicularis*; also
 an old name for *Delphinium Staphisagria*
 American. *Gerardia pedicularia*
 Common. *Pedicularis sylvatica*
 Marsh. *Pedicularis palustris*
 Spiked. *Pedicularis comosa*
- Lovage, or Lovache, Common.** *Ligusticum scoticum*
 Italian. *Levisticum officinale* (*Ligusticum Levisticum*)
 Parsley-leaved. *Ligusticum peregrinum*
- Love-apple.** *Lycopersicum esculentum*
- Love-grove.** The genus *Nemophila*
- Love-in-a-mist, or Love-in-a-puzzle.** *Nigella damascena*
 W. Indian. *Passiflora foetida*
- Love-in-idleness.** *Viola tricolor*
- Love-grass, Whorled.** *Poa amabilis.* (See also Grass)
- Love-lies-bleeding.** *Amarantus caudatus*
- Love-man.** *Galium Aparine*
- Love-Pea.** See Pea
- Love-plant.** The genus *Anacampseros*
 Tasmanian. *Comesperma volubile*
- Love-tree.** *Cercis Siliquastrum*
- Lucerne.** *Medicago sativa*
- Luckie's-mutch.** *Aconitum Napellus*
- Lucy-of-Teesdale.** A name suggested by Mr. Ruskin for *Gentiana verna*
- Lunary.** *Botrychium Lunaria*
- Lung-flower.** *Gentiana Pneumonanthe*
- Lung-wort.** The genus *Pulmonaria*
 Alpine. *Mertensia alpina*
 Azure-flowered. *Pulmonaria azurea*
 Blunt-leaved. *Mertensia oblongifolia*
 Bullock's, Cow's, or Clown's. *Verbascum Thapsus*
 Clown's. See Lung-wort, Bullock's
 Common. *Pulmonaria officinalis*
 Cow's. See Lung-wort, Bullock's
 French. See Lung-wort, Golden
 Golden, or French. *Hieracium murorum*
 Himalayan. *Lindelophia spectabilis*
 Narrow-leaved. *Pulmonaria angustifolia*
 Oblong-leaved. *Mertensia oblongifolia*
 Siberian. *Pulmonaria (Mertensia) sibirica* or *Dahurica*
 Smooth. The genus *Mertensia*
 Tree. *Sticta pulmonacea*
 White-flowered. *Pulmonaria saccharata alba*
- Lupin, or Lupine.** The genus *Lupinus*
 Bastard. *Trifolium Lupinaster*
 Blue-flowered. *Lupinus insignis*, *L. polyphyllus* and *L. nanus*
 Blue-and-white. *Lupinus Moritzianus*
 Changeable-flowered. *Lupinus mutabilis*
 Dwarf Perennial. *Lupinus Nutkaensis*
 Hartweg's. *Lupinus Hartwegi*
 Flax-leaved. *Lupinus linifolius*
 Long-leaved. *Lupinus macrophyllus*
 Perennial. *Lupinus polyphyllus*

- Lupin**, Rosy-flowered. *Lupinus venustus*
Small. *Psoralea Lupinella*
Tree. *Lupinus arboreus*
White-and-Rose-flowered. *Lupinus subcarnosus*
- Lusmore**. *Digitalis purpurea*
- Lust-wort**. The genus *Drosera*
Common. *Drosera rotundifolia*
- Lychnis**, Alpine. *Lychnis alpina*
Brilliant. *Lychnis fulgens*
Clammy. *Lychnis Viscaria*
Large-flowered. *Lychnis grandiflora* (*L. coronata*)
Meadow. *Lychnis Flos-cuculi*
Presl's. *Lychnis Preslia*
Pyrenean. *Lychnis pyrenaica*
Red-flowered. *Lychnis diurna*
Rock. *Lychnis Lagascae*
Scarlet. *Lychnis chalcedonica*
Shaggy. *Lychnis Haageana*
Siebold's. *Lychnis Sieboldii*
Umbellied. *Lychnis Flos-Jovis*
White-flowered. *Lychnis vespertina*
- Lychwale**. See Lichwale
- Lycoperdon-nut**. See Nut
- Lyday-wood**. *Kageneckia oblonga*
- Lyme Grass**. See Grass
- Lyng-wort**. See Lang-wort
- Lyre-tree**. *Liriodendron tulipifera*
- Maalok-tree**, of Australia. *Eucalyptus platypus*
- Mabolo-tree**. *Diospyros Mabola* (*D. discolor*)
- Macarius**(St.) Flower of. *Senecio vulgaris*
- Macary-Bitter**. *Picramnia Antidesma*
- Macaw-bush**. *Solanum mammosum*
- “Macaw-fat.” *Elaeis guineensis*
- Macaw-tree**, Great. *Cocos (Acrocomia) fusiformis*
Prickly. *Cocos (Acrocomia) aculeata*
- Mace**. Common. The aril or fleshy envelope of the Nutmeg (*Myristica moschata*)
“Red.” The aril of *Pyrrhosa tingens*
Reed. *Typha latifolia*
“White.” The aril of *Myristica Otoba*
- Mackarel Mint**. *Mentha viridis*
- Madder**. The genus *Rubia*
Bengal. *Rubia cordifolia*
Common Dyer's. *Rubia tinctorum*
E. Indian. *Hedyotis (Oldenlandia) umbellata*
Field. *Sherardia arvensis*
Indian. The genus *Hedyotis*
Petty. The genus *Crucianella*
Wild. *Rubia peregrina* and *Galium Molugo*
- Madders**. *Anthemis Cotula*
- Madder-wort**. See Mad-wort
- Madeira-wood**. *Hypelate paniculata*
- Madnep**. *Heracleum Sphonidylium*
- Madonna Lily**. See Lily
- Madrona**, or Madrone, Tree. *Arbutus Menziesii*
- Mad-dog Weed**. *Alisma Plantago*
- Mad-wort**, or Madder-wort. The genus *Alyssum*; also *Asperugo procumbens*
Alpine. *Alyssum alpestre*
Bladder-podded. *Alyssum utriculatum*
- Mad-wort**, Dense-flowered. *Alyssum saxatile*
var. compactum
Dwarf. *Alyssum olympicum*
Eastern. *Alyssum orientale*
Fragile. *Alyssum olympicum*
Hoary German. *Alyssum gemonense*
Mountain. *Alyssum montanum*
Purple. *Alyssum deltoideum*
Rock. *Alyssum saxatile*
Russian. *Schivereckia podolica*
Spring. *Alyssum spinosum*
Sweet-scented. *Alyssum maritimum*
Toothed-leaved. *Alyssum denticulatum*
Variegated-leaved. *Alyssum saxatile variegatum*
Wiersbeck's. *Alyssum Wiersbeckii*
Yellow Rock. *Alyssum saxatile*
- Magic-tree**, Peruvian. *Cantua buxifolia*
- Magnolia**, “Blue.” *Magnolia acuminata*
Brown-stalked. *Magnolia fuscata*
Campbell's. *Magnolia Campbelli*
“Exmouth.” *Magnolia grandiflora* var. *lanceolata*
Great Laurel-leaved. *Magnolia grandiflora*
Halle's. *Magnolia Halleana*
Lemon-scented. *Magnolia citriodora*
Lenné's. *Magnolia Lenné*
Lily-flowered. *Magnolia conspicua*
Purple-flowered. *Magnolia purpurea*
Slender. *Magnolia gracilis*
Small-flowered. *Magnolia parviflora*
Small Laurel-leaved. *Magnolia glauca*
Yulan. *Magnolia conspicua*
- Maguey-fibre-plant**. Various species of *Agave*
- Magydare**. An old name for Laser-wort
- Maharanga-dye-plant**. *Onosma Emodi*
- Mahoe-tree**. *Paritium tiliaceum* and *Sterculia caribaea*
Common Blue, or Gray. *Paritium elatum*
Congo. *Hibiscus clypeatus*
Mountain. *Paritium elatum*
New Zealand. *Melicytus ramiflorus*
Sea-side. *Thespesia populnea*
- Mahogany-tree**. *Swietenia Mahagoni*
African. *Khaya senegalensis*
American Mountain. *Betula lenta*
Australian. Various species of *Eucalyptus* and *Angophora*
Bastard. *Ratonia apetala*
E. Indian. *Sympida febrifuga*
Forest, of N. S. Wales. A variety of *Eucalyptus resinifera*
Mountain, of California. The genus *Cercocarpus*
Red, of N. S. Wales. *Eucalyptus resinifera*
S. W. Australian. *Eucalyptus marginata*
Spanish. *Swietenia Mahagoni*
Swamp, of N. S. Wales. *Eucalyptus botryoides* and *E. robusta*
Victoria. *Eucalyptus botryoides*
Wasatch Mountain. *Cercocarpus ledifolius*
W. Australian. *Eucalyptus marginata* (*E. Mahagoni*)
- White Australian. *Eucalyptus triantha* (*E. acmenioides*), *E. pilularis acmenioides*, and *E. robusta*

- Mahogany-tree**, Wild, or White, of the W. Indies. *Stenostomum bifurcatum*
- Mahwah-tree**. *Bassia latifolia*
- Maid-of-the-Meadow**. *Spiraea Ulmaria*
- Maid-weed**. See May-weed
- Maiden-hair**. *Adiantum Capillus-Veneris*; also applied locally to *Narthecium ossifragum* and some other plants
- Golden. *Polytrichum commune* and *Polyodium vulgare*
- Maiden-hair Grass**. See Grass
- Maiden-hair Tree**. *Salisburia adiantifolia*
- Maiden Oak**. *Quercus sessiliflora*
- Maiden Pink**. *Dianthus deltoides*
- Maiden's-Honesty**. *Clematis Vitalba*
- Maid's-hair**. *Galium verum*
- Maid's-love**. *Artemisia Abrotanum*
- Maise**. See Mathes
- Makebate**. *Jasminum fruticans*
- Makinboy**, or Makin-bwee. *Euphorbia hiberna*
- Makooloo-tree**. *Hydnocarpus venenata* (*H. inebrians*)
- Maize**, Common. *Zea Mays*
- Japanese. *Zea japonica*
- Saw-leaved. *Zea Curagua*
- Mountain. The genus *Ombrophytum*
- Water. *Victoria regia*
- Majo-bitter Tree**. *Picramnia Antidesma*
- Malabar-Leaf**. *Cinnamomum malabathrum*
- Malabar-Nightshade**. The genus *Basella*
- Red. *Basella rubra*
- White. *Basella alba*
- Malabar-Nut**. *Ardhatoda vasica*
- Male Fern**. See Fern
- Malla-tree**. *Olax zeylanica*
- Mallee-tree**. *Eucalyptus dumosa*
- Victoria. *Eucalyptus oleosa*
- Mallet-flower**. The genus *Tupistra*
- Mallow**. The genus *Malva*
- Bell-flowered. *Malva campanulata*
- Birch-leaved. *Malva scoparia*
- Blue-flowered. *Malva limensis*
- Buff-coloured. *Malva lateritia*
- Curled-leaved. *Malva crispa*
- Dwarf. *Malva rotundifolia*
- E. Indian Musk. *Hibiscus moschatus*
- False. The genus *Malvastrum*
- Glade. *Napaea dioica*
- Globe. The genus *Sphaeralcea*
- Hemp. *Hibiscus cannabinus*
- High. *Malva sylvestris*
- Hollyhock. *Malva Alcea*
- Indian. The genera *Abutilon*, *Sida*, and *Urena*
- Jews'. *Corchorus olitorius*
- Marsh. *Malva sylvestris*; applied locally to *Althaea officinalis*
- Moren's. *Malva Morenii*
- Musk. *Malva moschata*
- Poppy. See Poppy-Mallow
- Rose. See Rose-Mallow
- Scarlet. *Parvonia coccinea*
- Thorny. *Hibiscus Sabdariffa*
- Tree, or Sea. See Tree-Mallow
- Venice. *Hibiscus Trionum*
- Vervain. *Malva Alcea*
- White. *Althaea officinalis*
- White Musk. *Malva moschata* var. *alba*
- Mallow-wort**, Barbary. *Malope malacoides*
- Maloo Creeper**. *Bauhinia racemosa*
- Mammee-Apple-tree**. *Mammea americana*
- Wild, of Jamaica. *Rheedia lateriflora*
- Mammoth Tree**, of California. *Sequoia (Wellingtonia) gigantea*
- Manchineel-tree**. *Hippomane Mancinella*
- False. *Cameraria latifolia*
- Mountain. *Rhus Metopium*
- Mandioc-plant**. *Manihot (Jatropha) utilisima*
- Mandrake**. *Mandragora officinalis*, *Bryonia dioica*, *Tamus communis*, and *Arum maculatum*
- American. *Podophyllum peltatum*
- Autumn-flowering. *Mandragora autumnalis*
- Medicinal. *Mandragora officinalis*
- Man-Fungus**. See Fungus
- Mangaba**, or Mangava, Tree. *Hancornia speciosa*
- Mangel**, or Mangold, Wurtzel. *Beta vulgaris macrorrhiza*
- Mango-tree**. *Mangifera indica*
- Mountain, or Wild. *Clusia flava* and various species of *Iringia*
- Mangold**. See Mangel
- Mangosteen-tree**. *Garcinia Mangostana*
- Wild. *Embryopteris glutinifera*
- Mangrove-tree**. *Rhizophora Mangle*
- New Zealand. *Avicennia officinalis*
- Red. *Rhizophora racemosa*
- White. *Avicennia tomentosa*, *A. nitida*, and *Laguncularia racemosa*
- Zaragoza. *Conocarpus erecta*
- Manioc-plant**. *Jatropha Manihot*
- Manjack**. *Cordia macrophylla* and *C. elliptica*
- Manna-tree**. *Fraxinus Ornus* var. *rotundifolia*
- Alhagi. *Alhagi Camelorum*
- Australian. *Eucalyptus mannifera*
- Briançon. *Pinus Larix*
- Hebrew, or Persian. *Alhagi Maurorum*
- Mt. Sinai. *Tamarix mannifera*
- Oak. *Quercus Vallonea* and *Q. persica*
- Persian. See Manna, Hebrew
- Poland. *Glyceria fluitans*
- Tamarisk. *Tamarix gallica* var. *mannifera*
- Manna-croup**. *Glyceria fluitans*
- Manna-Grass**. See Grass
- Man-in-the-Ground**, or Man-in-the-Earth. *Ipomoea (Convolvulus) pandurata*
- Man-of-the-earth**. *Ipomoea (Convolvulus) pandurata*
- Man Orchis**. *Aceras anthropophora*
- Man-root**, Colorado. *Ipomoea leptophylla*
- Manuka-scrub**. *Leptospermum scoparium*
- Many-root**. *Ituellia tuberosa*
- Manzanita-shrub**. *Aretostaphylos glauca* and *A. pungens*
- Map-Lichen**. See Lichen
- Maple**. The genus *Acer*
- Acute-leaved. *Acer acuminatum*
- Ash-leaved. *Acer Negundo* (*Negundo aceroides*)
- Athenian. *Acer atheniense*
- Austrian. *Acer campestre* var. *austriacum*

- Maple.** Bearded-calyxed. *Acer barbatum*
"Bird's-eye." A variety of *Acer saccharinum*
- Black Sugar. *Acer saccharinum* var.
nigrum
- Bohemian. *Acer Loudoni*
- Carolina. *Acer barbatum*
- Common. *Acer campestre*
- Cretan. *Acer creticum*
- Crimson-leaved. *Acer Ginnala*
- Crimson-leaved Japanese. *Acer polymorphum atro-purpureum*
"Curled." A variety of *Acer saccharinum*
- Cut-leaved. *Acer dissectum*
- Cut-leaved Norway. See Maple, Eagle's-claw
- Downy Norway. *Acer platanoides* var.
pubescens
- Downy-fruited Field. *Acer campestre* var.
hebecarpum
- Eagle's-claw, or Hawk's-foot. *Acer platanoides* var. *laciniatum*
- Evergreen. *Acer heterophyllum* (*A. sempervirens*)
- French, or Guelder-rose-leaved. *Acer opulifolium*
- Glaucous-leaved Himalayan. *Acer glaucum*
- Guelder-rose-leaved. See Maple, French Hawk's-foot. See Maple, Eagle's-claw
- Hungarian. *Acer obtusatum*
- Hyrcanian. *Acer hyrcanum*
- Iberian. *Acer ibericum*
- Italian. *Acer Opalus*
- Japanese. *Acer palmatum*
- Japanese, Purple. *Acer palmatum* var.
dissectum atro-purpureum
- Lobel's Platanus-leaved. *Acer platanoides* var. *Lobelii*
- Loudon's. *Acer Loudoni*
- Montpelier. *Acer monspessulanum*
- Mountain. *Acer spicatum*
- Neapolitan. *Acer neopolitanum*
- Norway, or Platanus-leaved. *Acer platanoides*
- Oblong-leaved. *Acer oblongum*
- Palmate-leaved. *Acer palmatum*
- Platanus-leaved. See Maple, Norway
- Red, or Swamp. *Acer rubrum*
- Rock. *Acer saccharinum*
- Round-leaved. *Acer circinatum*
- Siberian. *Acer lobatum*
- Sikkim. *Acer Sikkimense*
- Silver, White, or Soft. *Acer dasycarpum*
- Silver-variegated Platanus-leaved. *Acer platanoides* var. *variegatum*
- Sir Charles Wager's. *Acer eriocarpum* (*A. dasycarpum*)
- Soft. See Maple, Silver
- Spanish. *Acer granatense*
- Spiked-flowered. *Acer spicatum*
- Striped-barked. *Acer pennsylvanicum* (*A. striatum*)
- Sugar. *Acer saccharinum*
- Swamp. See Maple, Red
- Tartarian. *Acer tataricum*
- Thick-leaved. *Acer coriaceum*
- Trifid-leaved. *Acer trifidum*
- Truncate-leaved. *Acer truncatum*
- Maple.** Variegated Field. *Acer campestre*
foliis variegatis
- Vine. *Acer circinatum*
- White, or Silver. *Acer dasycarpum*
- Wier's Cut-leaved. *Acer Wieri laciniatum*
- Woolly-leaved Nepaul. *Acer villosum*
- Maple Service.** *Pyrus terminalis*
- Maram, or Marram. *Psamma arenaria*
- Marble-gall.** See Gall
- Marble-wood.** The wood of *Diospyros Kurzii*
- "**Marcella.**" *Grangea (Cotula) maderaspatana*
- "**Marche.**" An old name for *Apium graveolens*
- March,** or Marish, Beetle. *Typha latifolia*
- March,** or Marish, Berries. *Vaccinium Oxyccoccos*
- March Violet.** *Viola odorata*
- Mare's-tail,** Common. *Hippuris vulgaris*
- Sea-shore. *Hippuris maritima*
- Margosa-Bark-plant.** See Nim-Bark
- Margosa-tree.** *Melia Azadirachta*
- Marguerite.** *Bellis perennis* and *Chrysanthemum frutescens*
- Blue. *Agathaea caelestis*
- Mariettes.** An old name for *Campanula Medium*
- Marigold.** The genera *Calendula* and *Tagetes*
- African. *Tagetes erecta*
- American Water. *Bidens Beckii*
- Bur, American. *Bidens frondosa*
- Bur, Common. *Bidens tripartita*
- Bur, Larger. *Bidens chrysanthemoides*
- Corn, Field, or Wild. *Chrysanthemum segetum*
- Dwarf. *Tagetes tenuifolia*
- Dwarf, Double French. *Tagetes patula pumila*
- Dwarf, Striped. *Tagetes signata pumila*
- Fetid. *Dysodia chrysanthemoides*
- Field. See Marigold, Corn
- Fig. See Fig-Marigold
- French. *Tagetes patula*
- Large Cape. *Calendula (Dimorphotheca) hybrida*
- Marsh. See Marsh-Marigold
- Mountain. *Senecio Lyalli*
- Of Perú. An old name for the Sun-flower
- Parry's. *Tagetes Parryi*
- Pot. *Calendula officinalis*
- Small Cape. *Calendula (Dimorphotheca) pluvialis*
- Sweet-scented Mexican. *Tagetes lucida*
- W. Indian. *Pectis punctata* and *Wedelia carnosa*
- Wild. See Marigold, Corn
- Mariposa-lily.** The genus *Calochortus*
- Blue. *Calochortus cæruleus*
- Brilliant. *Calochortus splendens*
- Elegant. *Calochortus elegans*
- Gunnison's. *Calochortus Gunnisonii*
- Large-eyed. *Calochortus luteus* var. *oculatus*
- Lemon-coloured. *Calochortus citrinus*
- Lilac. *Calochortus lilacinus*
- Pretty. *Calochortus pulchellus* (*Cyclobothra pulchella*)

Mariposa-lily. White. <i>Calochortus venustus</i>	Master-wort, Dwarf. <i>Dondia (Iacquetia)</i>
Yellow. <i>Calochortus luteus</i>	<i>Epipactis (Astrantia Epipactis)</i>
Marjoram. Common, English, Grove, or Wild. <i>Origanum vulgare</i>	Great Black. <i>Astrantia major</i>
Goat's. <i>Thymus Tragopogon</i>	Small Black. <i>Astrantia minor</i>
Knotted. <i>Origanum Marjorana</i>	Mastich-tree. Algerian, or Barbary. <i>Pistacia Terebinthus (P. atlantica)</i>
Mt. Sipylus. <i>Origanum sylveum</i>	Common. <i>Pistacia Lentiscus</i>
Pot. <i>Origanum Onites</i>	E. Indian, or Bombay. <i>Pistacia Khinjuk</i> and <i>P. Cabulica</i>
Sweet. <i>Origanum Marjorana</i>	Peruvian. <i>Schinus molle</i>
Wild. See Marjoram, Common	Scian. <i>Pistacia Lentiscus</i>
Winter. <i>Origanum heracleoticum</i>	W. Indian. <i>Bursera gummifera</i>
Marking-nut Tree. <i>Semecarpus Anacardium</i>	Match-wood. An old name for Amadou or German Tinder. (See Amadou)
Marl-Grass. See Grass	Mate. <i>Ilex Paraguariensis</i>
Marmalade-Box-tree. <i>Genipa americana</i>	Matfellow. An old name for Knap-weed (<i>Centaurea nigra</i>)
Marmalade, Natural. The fruit of <i>Lucuma mammosa</i>	Mat-Grass. See Grass
Marmalade-tree. <i>Lucuma mammosa</i>	Mather. See Mathes
"Marmeladinha." <i>Albertia edulis</i>	Mathes, Maithes, Mather, Mauthern, Mavin, Maythig, Mawthen, Mawther, Maise, Meäden, Mazes, or Moithern. <i>Anthemis Cotula</i>
Marool. See Moorva	Matico-plant. <i>Piper angustifolium (Ar-tanthe elongata)</i>
Marram. See Maram	Peruvian. <i>Eupatorium glutinosum</i>
Marrem-grass. See Grass	Mat-reed. <i>Typha latifolia</i>
Marsh-Beetle, or Marsh-Pestle. <i>Typha latifolia</i>	Matrimony-vine. <i>Lycium barbarum</i>
Marsh Cistus. <i>Ledum palustre</i>	Mat-rush. <i>Scirpus lacustris</i>
Marsh Daisy. See Daisy	Mat-weed. <i>Psamma arenaria, Nardus stricta, and Spartina stricta</i>
Marsh, or Marish, Elder. <i>Viburnum Opulus</i>	Hooded. <i>Lygeum Spartum</i>
Marsh-flower. The genus <i>Limnanthes</i> - <i>mum</i>	Sea. <i>Amnophila arenaria</i>
Marsh-Gilliflower. See Gilliflower	Small. <i>Nardus stricta</i>
Marsh-Marigold. <i>Caltha palustris</i>	Mat-wood-tree. <i>Imbricaria borbonica</i>
Double. <i>Caltha palustris flore-pleno</i>	Matting-grass, E. Indian. See Grass
Large-flowered. <i>Caltha grandiflora</i>	Maudlin, Sweet. <i>Achillea Geratum</i>
Purplish. <i>Caltha purpurascens</i>	Maul, Maws, or Maws. <i>Malva sylvestris</i>
White-flowered. <i>Caltha leptosepala</i>	Mauthern. See Mathes
Marsh-Parsley. <i>Apium graveolens</i>	Mauritius-weed. <i>Roccella fuciformis</i>
Marsh-Penny-wort. <i>Hydrocotyle vulgaris</i>	Mavin. See Mathes
Marsh-Pestle. See Marsh-Beetle	Mawroll. An old name for <i>Marrubium vulgare</i>
Marsh-Pile-wort. <i>Ranunculus Ficaria</i>	Maw-seed. The seeds of <i>Papaver somniifera</i>
Marsh-Samphire. <i>Salicornia herbacea</i>	Mawthen, or Mawther. See Mathes
Marsh-Trefoil. <i>Menyanthes trifoliata</i>	Maw, or May-bush. <i>Crataegus Oxyacantha</i>
Marsh-wort. <i>Helosciadium (Sium) nodiflorum</i>	American. A variety of <i>Spiraea hyperborea</i>
Martin's (St.)-flower. <i>Alstræmeria Flora Martini</i>	Blackthorn. <i>Prunus spinosa</i>
Martin's (St.)-herb. <i>Sauvagesia erecta</i>	Californian. <i>Photinia arbutifolia</i>
Marvel-of-Peru. <i>Mirabilis Jalapa</i>	Italian. <i>Spiraea Filipendula</i>
Many-flowered. <i>Mirabilis multiflora</i>	N. W. Wales. <i>Spiraea corymbosa</i>
Sweet-scented. <i>Mirabilis longiflora</i>	May-apple. <i>Podophyllum peltatum</i>
Marvellous-Apples. An old name for <i>Momordica Balsamina</i>	Himalayan. <i>Podophyllum Emodi</i>
Mary-bud. <i>Calendula officinalis</i>	Oregon. <i>Achlys triphylla</i>
Maryland Golden-star. <i>Chrysopsis Marylandana</i>	May-blobs. <i>Caltha palustris</i>
Mary's (St.)-seed. An old name for Sow-thistle-seed	May-bush. See May
Mary's (St.)-wood. <i>Calophyllum Inophyllum</i>	May-flower. A name applied locally to <i>Cardamine pratensis</i> and various other plants which bloom in May
Master-tree. <i>Acer campestre</i>	American. <i>Azalea nodiflora</i> and <i>Epigaea repens</i>
Mask-flower. The genus <i>Alonsoa</i>	New England. <i>Epigaea repens</i>
Cut-leaved. <i>Alonsoa incisifolia</i>	W. Indian. <i>Dalbergia (Ecastaphyllum) Bromnei</i>
Mast. The fruit of <i>Fagus sylvatica</i> and <i>Quercus Robur</i>	May-Lily. <i>Convallaria majalis</i>
Mast-tree, E. Indian. <i>Guatteria longifolia</i>	May-pole, of Jamaica. <i>Spathelia simplex</i>
Mast-wood, Yellow. <i>Robinia (Acacia) coriacea</i>	Maythig. See Mathes
Master-wort. <i>Peucedanum (Imperatoria) Ostruthium</i>	
American. <i>Heracleum lanatum</i>	

May-weed. *Anthemis Cotula, Pyrethrum Parthenium, and Matricaria (Anthemis) inodora*
 Double. *Matricaria (Anthemis) inodora fl.-pl.*
 Stinking. *Anthemis Cotula*
May-wort. *Galium Cruciata*
 Mazard, or Mazzards. *Prunus Avium*
Maze-berry. *Sapota Achras*
Mazes. See Mathes
Meaden. See Mathes
Meadow-Beauty. *Rhexia virginica*
Meadow-Bright, or Meadow-bout. *Caltha palustris*
Meadow-Cress. *Cardamine pratensis*
Meadow-Crocus. See Meadow-Saffron
Meadow-Distaff. *Cirsium oleraceum*
Meadow-Fescue-grass. See Grass
Meadow-Grass. See Grass
Meadow-Nut. *Comarum palustre*
Meadow-Parsnip. *Heracleum Sphondylium*
Meadow-Pink. *Lychnis Flos-cuculi*
Meadow-Rocket. *Orchis latifolia*
Meadow-Rue. The genus *Thalictrum*
 Alpine. *Thalictrum alpinum*
 Canadian. *Thalictrum Cornutii*
 Columbine. *Thalictrum aquilegiforme*
 Common Yellow-flowered. *Thalictrum flavum*
 Dark-flowered. *Thalictrum atropurpureum*
 Early. *Thalictrum dioicum*
 Fetid. *Thalictrum faetidum*
 Maiden-hair. *Thalictrum minus*
 Purplish. *Thalictrum purpurascens*
 Tall. *Thalictrum elatum* and *T. Cornutii*
 Tuberous-rooted. *Thalictrum tuberosum*
 Wind-flower. *Thalictrum anemonoides*
Meadow-Saffron, or Meadow-Crocus. *Colchicum autumnale*
 Alpine. *Colchicum alpinum*
 Bivona's. *Colchicum Bivonae*
 Byzantine. *Colchicum byzantinum*
 Chequered. *Colchicum tessellatum*
 Chian. *Colchicum chionense*
 Giant. *Colchicum speciosum*
 Parkinson's Chequered. *Colchicum Parkinsonii*
 Pyrenean. *Merendera Bulbocodium (Colchicum montanum)*
 Slender-leaved. *Bulbocodium tenuifolium*
 Spring. *Bulbocodium vernum*
 Spring, Caucasian. *Bulbocodium trigynum*
 Variegated. *Colchicum variegatum (C. Agrippinae)*
Meadow-Saxifrage. *Silurus pratensis*
Meadow-Soft-Grass. See Grass
Meadow-Sweet. *Spiraea Ulmaria*
 Alleghany. *Spiraea corymbosa*
 American. *Spiraea salicifolia*
 Long-sprayed. *Spiraea flagelliformis*
 Pigmy. *Spiraea crispifolia*
 Plump. *Spiraea pachystachya*
 Shrubby. *Spiraea ariaefolia*
 Variegated. *Spiraea Ulmaria variegata*
 "Mealies." *Zea Mays*
Mealy-tree. *Viburnum Lantana*
 "Mechameck," of the N. American Indians.
Ipomoea pandurata

Medick. *Medicago sativa* and other species
 Black. *Medicago lupulina*
 Bur. *Medicago minima*
 Denticulate. *Medicago denticulata*
 Hedge-hog. *Medicago intertexta*
 Purple. *Medicago sativa*
 Sickle-podded. *Medicago falcata*
 Spotted. *Medicago maculata*
 Tree. *Medicago arborea*
Medlar, Common, or Dutch. *Mespilus germanica*
 Dwarf. *Pyrus (Mespilus) Chamæespilus*
 Japan. *Eriobotrya japonica*
 Lobed-leaved. *Mespilus lobata*
 Neapolitan. *Crataegus Azarolus*
 Quince-leaved. The genus *Cotoneaster*
 Smith's. *Mespilus Smithii*
 Snowy. *Mespilus grandiflora*
 Spreading. *Mespilus germanica* var. *difusa*
 Surinam. *Achras mammosa*
 Upright. *Mespilus germanica* var. *stricta*
 W. Indian. *Mimusops Elegans*
 Wild. *Mespilus germanica* var. *sylvestris*
Medlar-bush. *Amelanchier ovalis*
Medlar-wood. *Myrtus mespilooides*
Medusa's-head. *Euphorbia Caput-Medusæ*
Melancholy-gentleman. *Hesperis tristis*
Melick Grass. See Grass
Melilot. *Melilotus officinalis*
 Field. *Melilotus arvensis*
 White-flowered. *Melilotus alba*
 Trefoil. *Medicago lupulina*
Melon, Common. *Cucumis Melo*
 Sweet-scented. *Cucumis Dudaim*
 Water. *Cucumis Citrullus*
Melon-cactus. The genus *Melocactus*
Melon-thistle, Turk's-cap. *Melocactus communis*
Melon-tree. *Carica Papaya*
Menow-weed. *Ruellia tuberosa*
Mercury, Baron's. See Baron's Mercury
 Boy's, or Girl's. *Mercurialis annua*
 Dog's. *Mercurialis perennis*
 English, False, or Wild. *Chenopodium Bonus-Henricus*
 French. *Mercurialis annua*
 Golden. *Mercurialis perennis* var. *aurea*
 Three-seeded. The genus *Acalypha*
 Vegetable. *Francoisea uniflora*
 Wild. See Mercury, English
Mercury's Violets. An old name for *Campanula Medium*
Merlin's Grass. See Grass
Mermaid, False. *Flæckia proserpinacoides*
Mermaid-weed. *Proserpinaca palustris*
Merman's - Shaving - brush. Various species of *Chamædoria* and *Penicillius*
Merry-tree. *Prunus Avium*
Meskit, Mesquit, or Mezquit, Honey. *Prosopis juliflora*
 Screw-pod. *Prosopis pubescens*
Mespilus, Snowy. *Amelanchier Botrya-pium*
Mess-mate-tree. *Eucalyptus obliqua*
Meu. *Meum Athamanticum*
Mezereon. *Daphne Mezereum*
Mezquit. See Meskit

Mice, Dutch. <i>Lathyrus tuberosus</i>	Milk-Vetch, Silvery. <i>Astragalus rimineus</i>
Michaelmas Daisy. <i>Aster Tripolium</i>	Starry. <i>Astragalus sesameus</i>
“Mid-day-flower,” of Australia. The genus <i>Mesembryanthemum</i>	Sweet-leaved. <i>Astragalus glycyphyllos</i>
Midnapore Creeper. <i>Rivea Bona-nox</i>	Triangular-podded. <i>Astragalus baeticus</i>
Midshipman’s-butter. The fruit of <i>Persea gratissima</i>	Milk-vine. <i>Periploca graeca</i>
Midsummer Daisy. <i>Chrysanthemum Leucanthemum</i>	Milk-weed. <i>Sonchus oleraceus, Peucedanum palustre, and Euphorbia corollata</i>
Midsummer-Men. <i>Sedum Telephium</i>	American. The genus <i>Asclepias</i>
Mignonette. <i>Reseda odorata</i>	Bitter. <i>Polygala amara</i>
Jamaica. <i>Lawsonia alba</i>	Common American. <i>Asclepias Cornuta</i>
Of the French. <i>Dianthus chinensis</i> and <i>Saxifraga umbrosa</i>	Douglas’s. <i>Asclepias Douglasii</i>
Pyramidal. <i>Reseda odorata var. pyramidalis</i>	Green. <i>Asclepiadura decumbens</i> and the genus <i>Acereates</i>
Red-flowered. <i>Reseda odorata var. rosea</i>	Four-leaved. <i>Asclepias quadrifolia</i>
Tree. <i>Reseda odorata</i> , grown under a special mode of treatment	Poke. <i>Asclepias phytolaccoides</i>
White. <i>Reseda alba</i>	Purple. <i>Asclepias purpurascens</i>
Wild. <i>Reseda Luteola</i>	Sea-side. <i>Glaea maritima</i>
Mignonette-vine. <i>Madaria elegans</i> and <i>M. corymbosa</i>	Swamp. <i>Asclepias incarnata</i>
Mildew. Various species of minute Fungi	Whorled. <i>Asclepias verticillata</i>
Vine. <i>Oidium Tuckeri</i>	Variegated. <i>Asclepias variegata</i>
Wheat. <i>Puccinia graminis</i>	Milk-wood, Horn-leaved. <i>Rauwolfia canescens</i>
Milfoil, Alpine. <i>Achillea alpina</i>	Jamaica. <i>Sapirum laxifolium</i>
Black. <i>Achillea atrata</i>	Milk-wort. The genus <i>Polygala</i>
Chamomile-leaved. <i>Achillea atrata</i>	Box-leaved. <i>Polygala Chamæbuxus</i>
Common. <i>Achillea Millefolium</i>	Chalk. <i>Polygala calcarea</i>
Downy. <i>Achillea pubescens</i>	Common. <i>Polygala vulgaris</i>
Feverfew-leaved. <i>Achillea macropophylla</i>	Fringed. <i>Polygala paucifolia</i>
Great. <i>Achillea magna</i>	Ground-flowering. <i>Polygala polygama</i>
Hooded. The genus <i>Utricularia</i>	Sea-side. <i>Glaea maritima</i>
Musk. <i>Achillea moschata</i>	Miller’s-Star. <i>Stellaria Holostea</i>
Rough-headed. <i>Achillea squarrosa</i>	Millet. <i>Panicum milieaceum</i> ; also applied to various species of the genera <i>Milium</i> , <i>Paspalum</i> , and <i>Sorghum</i>
Showy. <i>Achillea nobilis</i>	Australian. <i>Panicum decompositum</i>
Sweet. <i>Achillea Ageratum</i>	“Bajree.” <i>Panicum caruleum</i>
Water. The genus <i>Myriophyllum</i>	E. Indian. <i>Sorghum vulgare</i>
Woolly. <i>Achillea tomentosa</i>	German. <i>Setaria germanica</i>
Milk-bush, African. The genus <i>Synadenium</i>	Italian. <i>Setaria italica</i>
Milk-Gowan. <i>Leontodon Taraxacum</i>	Sugar. <i>Sorghum saccharatum</i>
Milk-Grass. <i>Valerianella olitoria</i>	Texas. <i>Sorghum cernuum</i>
Milk-Parsley, or Milk-weed. <i>Peucedanum palustre</i>	Millet Grass. See Grass
Caraway-leaved. <i>Selinum carvifolium</i>	Millet Khoda, of India. The grains of <i>Paspalum scrobiculatum</i>
Milk-Pea. The genus <i>Galactia</i>	Mill-mountain. <i>Linum catharticum</i>
Milk-Thistle. <i>Silybum Marianum</i>	Miltwaste. <i>Asplenium Ceterach</i>
Ivory. <i>Silybum eburneum</i>	“Minarta.” <i>Geum urbanum</i>
Milk-tree, Jamaica. <i>Brosimum spurium</i>	Minshull Crab. See Crab
Madagascar. <i>Tanghinia (Cerbera) lactaria</i>	Mint. The genus <i>Mentha</i>
S. American. <i>Brosimum Galactodendron</i>	Apple. <i>Mentha rotundifolia</i>
Milk-Trefoil, or Shrub-Trefoil. An old name for the genus <i>Cytisus</i>	Bergamot. <i>Mentha citrata</i>
Milk-Vetch. The genus <i>Astragalus</i>	Black. <i>Mentha piperita vulgaris</i>
Alpine. <i>Astragalus alpinus</i>	Brandy. See Mint, Pepper
Clover. <i>Astragalus dasycnemus</i>	Brook, or Water. <i>Mentha sylvestris</i>
Egyptian. <i>Astragalus trimestris</i>	Cat. <i>Nepeta Cataria</i> and <i>Calamintha officinalis</i>
Goat’s-Rue. <i>Astragalus galegaformis</i>	Corn. <i>Mentha arvensis</i>
Goat’s-Thorn. <i>Astragalus Tragacantha</i>	Curled, Crisped, or Cross. <i>Mentha crispa</i>
Montpelier. <i>Astragalus monspessulanus</i>	Field. <i>Mentha arvensis</i>
Mountain. <i>Astragalus alpinus</i>	Flea. <i>Mentha Pulegium</i>
Pontic. <i>Astragalus ponticus</i>	Garden, or Spear. <i>Mentha viridis</i>
Purple-flowered. <i>Astragalus hypoglottis</i>	Horse. <i>Mentha sylvestris</i>
Red-fruited. <i>Astragalus caryocarpus</i>	Horse, American. <i>Monarda punctata</i>
Saint-foin. <i>Astragalus Onobrychis</i>	Hyssop-leaved. <i>Mentha cervina</i>
Shaggy. <i>Astragalus pannosus</i>	Mackarel. <i>Mentha viridis</i>
Sheathed. <i>Astragalus vaginatus</i>	Mountain. <i>Monarda didyma</i> and the genus <i>Pycnanthemum</i>
	Pepper, or Brandy. <i>Mentha piperita</i>
	Spear. <i>Mentha viridis</i>

Mint, Squaw. <i>Hedeoma pulegioides</i>	Model-wood, E. Indian. The wood of <i>Nauclea cordifolia</i>
Stag. <i>Mentha cervina</i>	Modesty, of N. America. <i>Bupleurum rotundifolium</i>
Variegated Round-leaved. <i>Mentha rotundifolia variegata</i>	Mohoe. <i>Hibiscus arboreus</i>
Water. See Mint, Brook	Mohomoho-plant. <i>Piper angustifolium</i>
White. <i>Mentha piperita officinalis</i>	Moithern. See Mathes
Whorled Water. <i>Mentha sativa</i>	Moly. <i>Allium Moly</i>
Wild, American. <i>Mentha canadensis</i>	Dwarf. <i>Allium Chamæmoly</i> Of Dioscorides. <i>Allium subhirsutum</i>
Mint-bush, or Mint-tree, Australian. The genus <i>Prostanthera</i>	Molompi-wood. The wood of <i>Pterocarpus erinaceus</i>
Victorian. <i>Prostanthera lasianthos</i>	Money-flower. <i>Lunaria biennis</i>
Mio-Mio-shrub. <i>Baccharis cordifolia</i>	Money-wort. <i>Lysimachia Nummularia</i> ; also applied to <i>Anagallis tenella</i> , <i>Thymus Nummularius</i> , <i>Taverniera Nummularia</i> , and <i>Dioscorea Nummularia</i>
Mirabel. A French name for candied or preserved Plums	Cornish. <i>Sibthorpia europaea</i>
Miraculous-berry, of W. Africa. The fruit of <i>Sideroxylon dulcificum</i>	Cornish, Variegated. <i>Sibthorpia europaea variegata</i>
" Miro"-tree. <i>Podocarpus ferruginea</i>	Golden. <i>Lysimachia Nummularia aurea</i>
Mistletoe, American. <i>Phoradendron flavescens</i>	Monkey-apple. <i>Anisophyllum laurinum</i>
Australian. Various species of <i>Loranthus</i>	Monkey-cup. The genus <i>Nepenthes</i>
Californian. Various species of <i>Phoradendron</i>	Monkey-grass. The fibre of <i>Attalea funifera</i>
E. Indian. Various species of <i>Loranthus</i>	Monkey-flower. Various species of <i>Mimulus</i>
European. <i>Viscum album</i> and <i>Loranthus europaeus</i>	Blotched. <i>Mimulus maculosus</i>
New Zealand. Various species of <i>Loranthus</i>	Cardinal, or Scarlet. <i>Mimulus cardinalis</i>
W. Indian. Various species of <i>Loranthus</i> and <i>Phoradendron</i>	Copper-coloured. <i>Mimulus cupreus</i>
Mishmi-Bitter. <i>Coptis Teeta</i>	Creeping. <i>Mimulus repens</i>
Missel-tree, Guiana. <i>Blakea quinquenervia</i>	James's. <i>Mimulus Jamesii</i>
Mist-flower. <i>Conoclinium caelestinum</i>	Orange. <i>Mimulus glutinosus</i>
Mist-tree, Brush-land, of Australia. <i>Litsaea dealbata</i>	Primrose. <i>Mimulus primuloides</i>
Mithridate Mustard, or Pepper-wort. <i>Lepidium campestre</i>	Scarlet. See Monkey-flower, Cardinal
Mitre-flower. The genus <i>Cyclamen</i>	Spotted. <i>Mimulus guttatus</i>
Mitre-pod. The genus <i>Mitraria</i>	Tiling's. <i>Mimulus Tilingii</i>
Scarlet. <i>Mitraria coccinea</i>	Yellow. <i>Mimulus luteus</i>
Mitre-wort, or Bishop's-cap, American. The genus <i>Mitella</i>	Monkey-pot Tree. <i>Lecythis Ollaria</i>
False. <i>Tiarella cordifolia</i>	Monkey-puzzle. <i>Araucaria imbricata</i>
Mocan-shrub. <i>Vismia Mocanera</i>	Monkey-wort. <i>Evolvulus Nummularius</i>
Moccaison, or Mocassin, Flower. The genus <i>Cypripedium</i>	Monkey's-bread. <i>Adansonia digitata</i>
Moccaison-flower, Yellow. <i>Cypripedium pubescens</i>	Monkey's-dinner-bell. The fruit of <i>Hura crepitans</i>
Mock-apple, Canadian. <i>Echinocystis lobata</i>	Monkey's-face. The genus <i>Mimops</i>
Mocker-nut. <i>Carya tomentosa</i>	Monk's-hood, or Monk's-cowl. The genus <i>Aconitum</i> , especially <i>A. Napellus</i>
Mock-Orange. The genus <i>Philadelphus</i>	American Wild. <i>Aconitum uncinatum</i>
Broad-leaved. <i>Philadelphus latifolius</i>	Autumn-flowering. <i>Aconitum autumnale</i>
Carolina. <i>Prunus caroliniana</i>	Chinese. <i>Aconitum chinense</i>
Common. <i>Philadelphus coronarius</i>	Common. <i>Aconitum Napellus</i>
Dwarf. <i>Philadelphus coronarius nanus</i>	Jacquin's Yellow-flowered. <i>Aconitum Anthora</i>
Gordon's. <i>Philadelphus Gordonianus</i>	Japanese. <i>Aconitum japonicum</i>
Hairy-leaved. <i>Philadelphus hirsutus</i>	Northern. <i>Aconitum septentrionale</i>
Large-flowered. <i>Philadelphus grandiflorus</i>	Panicled. <i>Aconitum paniculatum</i>
Lewis's. <i>Philadelphus Lewisii</i>	Pyrenean. <i>Aconitum pyrenaicum</i>
Loose-branched. <i>Philadelphus laxus</i>	Two-coloured. <i>Aconitum bicolor</i>
Many-flowered. <i>Philadelphus floribundus</i>	Variegated-flowered. <i>Aconitum variegatum</i>
Mexican. <i>Philadelphus mexicanus</i>	Monk's-Rhubarb. <i>Rumex Patientia</i>
Scentless. <i>Philadelphus inodorus</i>	Monox, or Moonog, Heather. <i>Empetrum nigrum</i> and <i>Vaccinium Oxyccocos</i>
Showy. <i>Philadelphus speciosus</i>	Moon-creeper. <i>Menispermum canadense</i> and <i>Ipomoea Bona-nox</i>
Warted. <i>Philadelphus verrucosus</i>	Moon-Daisy, or Moon-Flower. <i>Chrysanthemum Leucanthemum</i>
Woolly-leaved. <i>Philadelphus tomentosus</i>	Moon-Fern, or Moon-wort. <i>Botrychium Lunaria</i>
Zeyher's. <i>Philadelphus Zeyheri</i>	
Mock-Plane. <i>Acer Pseudo-platanus</i>	

- Moon-Flower.** See Moon-Daisy
Moon-fruit Pine. *Lycopodium lucidulum*
Moonog. See Monox
Moon-penny. *Chrysanthemum Leucanthemum*
Moon-seed, Canadian. *Menispermum canadense*
 Daurian. *Menispermum dauricum*
 Smilax-like. *Menispermum smilacinum*
Moon-Trefoil. *Medicago arborea*
Moon-wort. See Moon-Fern
 Blue. *Soldanella alpina*
Moor-balls. *Conferva agagropila*
Moor-berries, or Moss-berries. *Vaccinium Oxyccoccos*
Moor-Grass. See Grass
Moor-Heath. *Erica vagans*
Moor-Myrtle. *Myrica Gale*
Moor-pawns. The flowers of *Eriophorum* and various species of *Carex*
Moor-silk. *Polytrichum commune*
Moorva, or Marool, plant. *Sansevieria Roxburghii*
Moor-Whin, or Moss-Whin. *Genista anglica*
Moor-wort. *Andromeda polifolia*
Moose-wood. *Dirca palustris* and *Acer pennsylvanicum*
Mootchie-wood. *Erythrina indica*
Morass-weed. *Ceratophyllum demersum*
Mora-wood. *Mora excelsa*
Morel. *Morchella esculenta* and *Peziza coccinea*
 Great. *Atropa Belladonna*
 Petty. *Solanum nigrum*
Morello. A variety of Cherry
Morning-flower, Australian. *Orthrosanthus multiflorus*
Morning-glory. The genus *Ipomoea*
 Common. *Ipomoea purpurea*
 Smaller. *Ipomoea Nil*
Morocco, Red. *Adonis autumnalis*
Mortal. *Solanum Dulcamara*
Moschatel. *Adonis Moschatellina*
Moss. A general name for plants of the *Musei* family, but popularly applied to various other plants
 Apple. The genus *Bartramia*
 Apple, Common. *Bartramia pomiformis*
 Beard. See Moss, Tree
 Black. *Tillandsia usneoides*
 Bladder. The genus *Gymnostomum*
 Bog. The genus *Sphagnum*
 Bog, Blunt-leaved. *Sphagnum cymbifolium*
 Bog, Long-leaved Floating. *Sphagnum cuspidatum*
 Bog, Slender. *Sphagnum acutifolium*
 Bog, Spreading-leaved. *Sphagnum squarrosum*
 Bon-grace. *Splachnum rubrum*
 Branched Beardless. The genus *Anectangium*
 Bristle. The genus *Orthotrichum*
 Bristle, Club-fruited. *Orthotrichum Ludwigii*
 Bristle, Elegant. *Orthotrichum pulchellum*
 Bristle, River. *Orthotrichum rivulare*
 Bristle, Rock. *Orthotrichum rupicola*
 Bristle, Showy. *Orthotrichum speciosum*
- Moss,** Bristle, Straw-like. *Orthotrichum stramineum*
 Bristle, White-tipped. *Orthotrichum diaphanum*
 Canary. *Parmelia perlata*
 Carrageen. See Moss, Irish
 Cavern, or Feather Cavern. *Schistostega pennata*
 Ceylon, or Jaffna. *Sphaerococcus (Gracilaria) lichenoides* (*Plocaria candida*)
 Club, or Stag's-horn. *Lycopodium clavatum*
 Club, Creeping. *Selaginella apus*
 Club, Golden. *Selaginella Kraussiana aurea*
 Club-stalked. The genus *Oedipodium*
 Collar. The genus *Splachnum*
 Cord. The genus *Funaria*
 Cord, Irish. *Funaria hibernica*
 Corsican. *Gracilaria Helminthocorton* and *Laurencia obtusa*
 Cup. *Scyphophorus pyxidatus* and *Lecanora tartarea*
 "Dovedale." *Saxifraga hypnoides*
 Dwarf-Apple. The genus *Bartramidula*
 Earth. The genus *Phascum*
 Earth, Common Dwarf. *Phascum muticum*
 Earth, Tall. *Phascum bryoides*.
 Extinguisher. The genus *Encalypta*
 Feather. The genus *Hypnum*
 Feather, Beaded. *Hypnum moniliforme*
 Feather, Clustered. *Hypnum confertum*
 Feather, Creeping. *Hypnum repens*
 Feather, Curled. *Hypnum commutatum*
 Feather, Cypress-leaved. *Hypnum cupressiforme*
 Feather, Dwarf. *Hypnum numilium*
 Feather, Dark-green. *Hypnum atro-virens*
 Feather, Elegant. *Hypnum pulchellum*
 Feather, Fern-like. *Hypnum trichomanoides*
 Feather, Flat. *Hypnum complanatum*
 Feather, Floating. *Hypnum fluitans*
 Feather, Fox-tail. *Hypnum alopecurum*
 Feather, Glittering. *Hypnum splendens*
 Feather, Green-patch. *Hypnum cæspitosum*
 Feather, Lesser Golden Fern. *Hypnum filicinum*
 Feather, Long-headed. *Hypnum medium*
 Feather, Marsh. *Hypnum palustre*
 Feather, Matted. *Hypnum populeum*
 Feather, Mouse-tail. *Hypnum myosuroides*
 Feather, Neat Meadow. *Hypnum purum*
 Feather, Ostrich-plume. *Hypnum Cristastrænsis*
 Feather, Plumy-crested. *Hypnum molleum*
 Feather, Red Mountain. *Hypnum rufescens*
 Feather, Rusty. *Hypnum plumosum*
 Feather, Scorpion. *Hypnum scorpioides*
 Feather, Shaded. *Hypnum umbratum*
 Feather, Sharp Fern-like. *Hypnum denticulatum*
 Feather, Shining. *Hypnum nitens*
 Feather, Showy. *Hypnum speciosum*
 Feather, Silky. *Hypnum sericeum*
 Feather, Soft Water. *Hypnum molle*

Moss, Feather, Sparkling. *Hypnum micans*
Feather, Spruce-tree. *Hypnum abietinum*
Feather, Tree-like. *Hypnum dendroides*
Feather, Velvet. *Hypnum velutinum*
Feather, Wall. *Hypnum murale*
Feather, Wavy. *Hypnum undulatum*
Feather, Whitish. *Hypnum albicans*
Feather, Yellow. *Hypnum lutescens* and
H. salebrosum
Feather, Yellow Starry. *Hypnum stellatum*
Fork. The genus *Dicranum*
Fork, Broom. *Dicranum scoparium*
Fork, Maiden-hair. *Dicranum adiantoides*
Fork, Pellucid. *Dicranum pellucidum*
Fork, Red-necked. *Dicranum cerviculum*
Fork, Silky-leaved. *Dicranum heteromallum*
Fork, Tawny. *Dicranum fulvellum*
Fork, White. *Dicranum glaucum*
Fork, Yellowish. *Dicranum flavescens*
Fringe. The genus *Trichostomum*
Fringe, Cord-like. *Trichostomum funale*
Fringe, Dark Mountain. *Trichostomum aciculare*
Fringe, Hoary. *Trichostomum canescens*
Fringe, Spreading. *Trichostomum patens*
Fringe, Woolly. *Trichostomum lanuginosum*
Golden. *Sedum acre*
Ground. *Polytrichum juniperinum*
Hair-cap. *Polytrichum juniperinum*
Hair. The genus *Polytrichum*
Hair, Alpine. *Polytrichum alpinum*
Hair, Common. *Polytrichum commune*
Hair, Dwarf Long-headed. *Polytrichum aloides*
Hair, Dwarf Round-headed. *Polytrichum nanum*
Hair, Juniper-leaved. *Polytrichum juniperinum*
Hair, Slender. *Polytrichum gracile*
Hair, Urn-bearing. *Polytrichum urnigerum*
Hygrometric. *Funalia hygrometrica*
Iceland. *Cetraria islandica*
Indian. *Saxifraga hypnoides*
Iridescent. *Schistostega pennata*
Irish or Carrageen. *Chondrus crispus*
Irish Cord. *Funaria hibernica*
Jaffna. See Moss, Ceylon
Lattice. The genus *Cinclidotus*
Lattice, Fountain. *Cinclidotus fontinaloides*
Long, or Black. *Tillandsia usneoides*
Mungo Park's. *Dicranum bryoides*
Necklace. *Usnea barbata*
New Orleans. *Tillandsia usneoides*
Pearl. *Chondrus crispus*
Pepper. *Pilularia globulifera*
Reindeer. *Ceromyce rangiferina*
Rock. *Roccella tinctoria*
Rock-hair. *Alectoria jubata*
Scale. The genus *Jungermannia*
Sea. *Ulva latissima*
Screw. The genus *Tortula*
Screw, Aloe-like. *Tortula rigida*
Screw, Bird's-claw. *Tortula unguiculata*
Screw, Frizzled Mountain. *Tortula tortuosa*

Moss, Screw, Great Hairy. *Tortula ruralis*
Screw, Hoary. *Tortula canescens*
Screw, Wall. *Tortula muralis*
Serpent. *Selaginella serpens*
Silvery. *Bryum argenteum*
Spanish. *Tillandsia usneoides*
Split. The genus *Andreaea*
Stag's-horn. See Moss, Club
Thatch. *Bryum rurale*
Thread. The genus *Bryum*
Thread, Golden. *Bryum pyriforme*
Thread, Greater Matted. *Bryum capillare*
Thread, Lesser Matted. *Bryum cespititum*
Thread, Long-stalked. *Bryum triquetrum*
Thread, Many-stalked. *Bryum affine*
Thread, Marsh. *Bryum palustre*
Thread, Narrow-leaved. *Bryum androgynum*
Thread, Pale-leaved. *Bryum albicans* and
B. dealbatum
Thread, Pink-fruited. *Bryum carneum*
Thread, Red Alpine. *Bryum alpinum*
Thread, Rosette. *Bryum roseum*
Thread, Silvery. *Bryum argenteum*
Thread, Slender. *Bryum gracile*
Thread, Slender-branched. *Bryum julaceum*
Thread, Swan's-neck. *Bryum hornum*
Thread, Swelling Bog. *Bryum ventricosum*
Tree, or Beard. A name applied to various
Lichens of the genera *Usnea*, *Ramalina*,
Cornicularia, &c. Also to *Lycopodium*
Selago
Urn. *Polytrichum urnigerum* and various
Mosses of the family *Bryaceæ*
Velvet. *Gyrophora murina*
Wall. *Sedum acre*
Water. The genus *Fontinalis*
Water, Alpine. *Fontinalis squamosa*
Water, Greater. *Fontinalis antipyretica*
Wing. The genus *Pterigonium*
Wood. *Bryum cuspidatum* and various
species of *Hypnum*
Yoke. The genus *Zygodon*
Yoke, Lesser. *Zygodon conoideus*
Moss-berry, or Moor-berry. *Vaccinium Oxycoleos*
Moss-Campion. *Silene acaulis*
Moss-crops. *Eriophorum vaginatum* and
other species
Moss-Fern. See Fern
Moss-Pink. *Phlox subulata*
Moss-Rush. *Juncus squarrosus*
Moss-Whin. See Moor-Whin
Mossy-Red-shanks. *Tillea muscosa*
Moth-Mullein. *Verbascum Blattaria*
Moth-plant. The genus *Phalaenopsis*
Mother-of-Thousands. *Linaria Cymbalaria* and *Saxifraga sarmentosa*
Mother-of-Thyme. *Thymus Serpyllum*
Mother-of-Vinegar. See Vinegar-plant
Mother-of-Wheat. *Veronica hederifolia*
Mother-wort. *Leonurus Cardiaca* and
Artemisia vulgaris
Golden. Various species of *Helichrysum*
Siberian. *Leonurus sibiricus*
Mother's-heart. *Capsella Bursa-pastoris*

Mould. Various minute Fungi	Mug-weed. <i>Galium Cruciata</i>
Blue, of Cheese. <i>Aspergillus glaucus</i>	Mug-wet, or Mugget. <i>Asperula odorata</i> and <i>Convallaria majalis</i>
Bread. <i>Ascophora elegans</i>	
Mount-Caper. <i>Orchis latifolia</i>	Mug-wort, Common. <i>Artemisia vulgaris</i>
Mountain-Ash. <i>Pyrus Aucuparia</i>	E. Indian. <i>Artemisia hirsuta</i>
Western. <i>Pyrus sambucifolia</i>	Silvery. <i>Artemisia argentea</i>
Mountain-Avens. <i>Dryas octopetala</i>	Western. <i>Artemisia Ludoviciana</i>
Mountain-Cowslip. <i>Primula Auricula</i>	W. Indian. <i>Parthenium Hysterophorus</i>
Mountain-Currant. See Currant	
Mountain-Elm. <i>Ulmus montana</i>	Mulberry-tree. The genus <i>Morus</i>
Mountain-Fern. <i>Nephrodium Oreopteris</i>	Australian. <i>Hedycarya Pseudo-morus</i>
Mountain-Flax. See Flax	Black-fruited. <i>Morus nigra</i>
Mountain-fringe. <i>Adlumia cirrhosa</i>	Cock-spur. <i>Morus Calcar-galli</i>
Mountain-green. See Mountain-pride	Columba. <i>Morus alba</i> var. <i>Columbassa</i>
Mountain-lover, Canby's. <i>Pachystigma Canbyi</i>	Common. <i>Morus nigra</i>
Mountain-Marigold. See Marigold	Constantinople. <i>Morus Constantinopolitana</i>
Mountain - pride, or Mountain - green.	Dandolo's. <i>Morus alba</i> var. <i>Morettiana</i>
<i>Spathelia simplex</i>	Dwarf. <i>Morus alba</i> var. <i>pumila</i>
Mountain-Rocket. See Rocket	Dyer's. <i>Morinda tinctoria</i>
Mountain-Sage. <i>Tenerium Scorodonia</i>	E. Indian. <i>Morus indica</i> and <i>Morinda citrifolia</i>
Mountain-snow. <i>Arabis albida</i>	French. <i>Callicarpa americana</i>
Mountain-Sorrel. <i>Oxyria reniformis</i>	Italian. <i>Morus alba</i> var. <i>italica</i>
Mountain-Spikenard. See Spikenard	Large-leaved. <i>Morus alba</i> var. <i>macrophylla</i>
Mountain-sweet. <i>Ceanothus americanus</i>	Many-stemmed. <i>Morus alba</i> var. <i>multicaulis</i>
Mountain - Wine - berry. <i>Aristolochia Colensoi</i>	Mauritian. <i>Morus mauritiana</i>
Mournful-Widow. <i>Scabiosa atropurpurea</i>	Membranous. <i>Morus alba</i> var. <i>membranacea</i>
Mourning-Widow. <i>Geranium phaeum</i>	Native, of Victoria. <i>Hedycarya angustifolia</i>
Mouse-bane. <i>Aconitum myoctonum</i>	New Zealand. <i>Entelea arborescens</i>
Mouse-Barley. See Barley, Mouse	Paper. <i>Broussonetia papyrifera</i>
Mouse-chop. <i>Mesembryanthemum murinum</i>	Red-fruited. <i>Morus rubra</i>
Mouse-ear. <i>Hieracium Pilosella</i> and <i>Cerastium triviale</i>	Roman. <i>Morus alba</i> var. <i>romana</i>
Pastard. <i>Hieracium Pseudo-Pilosella</i>	Rosy-leaved. <i>Morus alba</i> var. <i>rosea</i>
Golden. <i>Hieracium aurantiacum</i>	Rough-leaved. <i>Morus scabra</i> (<i>M. canadensis</i>)
Mouse - ear - Chick - weed. The genus <i>Cerastium</i>	Tartarian. <i>Morus tatarica</i>
Alpine. <i>Cerastium alpinum</i>	White-fruited. <i>Morus alba</i>
Bieberstein's. <i>Cerastium Biebersteinii</i>	White-fruited, Chinese. <i>Morus alba</i> var. <i>sinensis</i>
Boissier's. <i>Cerastium Boissieri</i>	
Broad-leaved. <i>Cerastium latifolium</i>	Mullein. The genus <i>Verbascum</i>
Common Woolly. <i>Cerastium tomentosum</i>	Annual. <i>Verbascum Boerhaavii</i>
Glacier. <i>Cerastium glacieale</i>	Black-rooted. <i>Verbascum nigrum</i>
Large-flowered. <i>Cerastium grandiflorum</i>	Borage-leaved. <i>Verbascum Myconi</i>
Mouse-ear-Scorpion-grass. <i>Myosotis palustris</i>	Cretan. <i>Celsia cretica</i>
Mouse-Grass. See Grass	Great-flowered. <i>Verbascum grandiflorum</i>
Mouse-Pea. See Pea	Hoary. <i>Verbascum pulverulentum</i>
Mouse-tail. <i>Myosurus minimus</i>	Long-flowered. <i>Verbascum macranthum</i>
Mouse-tail Grass. See Grass	Moth. <i>Verbascum Blattaria</i>
Mouse-thorn. <i>Centaurea myacantha</i>	Nettle-leaved. <i>Verbascum Chaixii</i>
Mousseron, Autumn. <i>Agaricus prunulus</i>	Olympian. <i>Verbascum olympicum</i>
Moutan (the Tree-Peony). <i>Paeonia Moutan</i>	Purple-flowered. <i>Verbascum phoeniceum</i>
Mouth-root. <i>Coptis trifoliata</i>	Rosette. <i>Ramondia pyrenaica</i>
Moving-plant. <i>Desmodium gyrans</i>	Shepherd's-club. <i>Verbascum Thapsus</i>
Moxa. <i>Polyporus fomentarius</i> and <i>Artemisia chinensis</i>	Snow-white. <i>Verbascum niveum</i>
Chinese, or Japanese. <i>Artemisia Moxa</i> and <i>A. chinensis</i>	Tall. <i>Verbascum vernale</i>
Muccaady-tree. <i>Schrebera swietenioides</i>	Twiggy. <i>Verbascum virgatum</i>
" Much-good." An old name for <i>Athamantha Cervaria</i>	White-flowered. <i>Verbascum Lychnitis</i>
Muck-weed. <i>Chenopodium album</i> and other species	Woolly. <i>Verbascum phlomoides</i>
Mudar-plant. <i>Calotropis gigantea</i> and <i>C. procera</i>	Mullein-Dock. <i>Verbascum Thapsus</i>
Mud-wort, or Mud-weed. <i>Limosella aquatica</i> and <i>Helosciadium inundatum</i>	Mummy-case-wood, Egyptian. Supposed to be the timber of <i>Cordia Myxa</i>

- Munshock.** *Vaccinium Vitis-Idaea*
- Murrain-berries.** *Tamus communis* and *Bryonia dioica*
- Murrain Grass.** See Grass
- Murram.** See Marram.
- Mushroom.** Various species of *Fungi*, especially the genus *Agaricus*
- Bishop's-Mitre. *Helvella Mitra*
- Brown Warty. *Agaricus rubescens*
- Chantarelle. *Cantharellus cibarius*
- Clouded. *Agaricus nebularis*
- Common. *Agaricus campestris*
- Fairy. See Toad-stool
- Fairy-ring. *Marasmius oreades* and *M. urens*
- Hedge. A large-sized variety of *Agaricus arvensis*
- Hedge-hog. See Mushroom, Spiny
- Horse. *Agaricus arvensis*
- Imperial. *Agaricus Cesareus*
- Luminous. *Agaricus olearius*
- Maned. *Coprinus comatus*
- Mitre. *Helvella crispa*
- Orange-milk. *Lactarius deliciosus*
- Ox. A large-sized variety of *Agaricus campestris*
- Oyster. *Agaricus ostreatus*
- Parasol. *Agaricus procerus*
- Plum. *Agaricus prunulus* and *A. Orcella*
- Polish. *Boletus edulis*
- Red-fleshed. *Agaricus rubescens*
- St. George's. *Agaricus gambosus*
- Scaly. *Agaricus procerus*
- Scarlet, of Malta. *Cynomorium coccineum*
- Snow-ball. *Agaricus arvensis*
- Spiny, or Hedge-hog. *Hydnus repandum*
- Viscid White. *Hygrophorus virgineus*
- Musk,** or Musk-plant. *Mimulus moschatus* and *Erodium moschatum*
- Large-flowered. *Mimulus moschatus* var. *Harrisoni*
- Scarlet-flowered. *Mimulus cardinalis*
- Wild. *Erodium cicutarium*
- Musk-deer Plant.** *Limonia acidissima*
- Musk Mallow.** See Mallow
- Musk Okro.** *Hibiscus Abelmoschus*
- Musk Orchis.** *Hermannia Monorchis*
- Musk-root.** *Adoxa Moschatellina*
- Musk Thistle.** *Carduus nutans*
- Musk-tree,** Silver-leaved. *Eurybia argophylla* (*Aster argophyllum*)
- Musk-wood,** Australian. *Eurybia argophylla* (*Aster argophyllum*)
- Jamaica. *Guarea Swartzii* and *Trichilia moschata*
- Tasmanian. *Eurybia argophylla*
- Musquash-root.** *Cicuta maculata*
- Mustard.** Various species of *Sinapis*
- Black, Brown, or Grocer's. *Sinapis nigra*
- Boor's. *Thlaspi arvense*
- Buckler. The genus *Biscutella*; also applied to *Clypeola Jonthlaspi*
- Candy. An old name for *Aethionema saxatile*
- Churl's. *Lepidium campestre*
- Clown's. *Iberis amara*
- Corn, or Wild. *Sinapis arvensis*
- Cultivated. *Sinapis alba*
- Mustard, Dish.** *Thlaspi arvense*
- Garlic.** *Alliaria officinalis*
- Hedge.** *Sisymbrium officinale*
- Hedge, of the W. Indies.** *Ambrina ambrosioides*
- Hill.** *Bunias orientalis*
- Mithridate.** See Mithridate Mustard
- Tansy.** *Sisymbrium canescens*
- Treacle.** *Lepidium campestre* and *Erysimum cheiranthoides*
- White, or Salad.** *Sinapis alba*
- Wild.** *Sinapis arvensis*
- Mustard-shrub.** *Capparis ferruginea*
- "**Mustard-tree,**" of Scripture. Supposed to be the common Mustard-plant (*Sinapis alba* or *nigra*), which in Palestine is said to attain the height of 10 to 15 feet. The late Dr. Royle endeavoured to prove that *Salvadora persica* was meant, but this tree does not grow in Galilee
- Mutton-chops,** or Mutton-tops. The young shoots of *Galium Aparine*
- Myall-wood.** The wood of *Acacia homalophylla*, *A. pendula*, *A. acuminata*, and *A. glaucescens*
- Myrobalan.** The fruit of various species of *Terminalia*
- Myrorella Plum.** See Plum
- Myrrh,** British. *Myrrhis odorata*
- Myrrh-seed.** *Myrospermum pubescens*
- Myrrh-tree.** *Balsamodendron Myrrha*
- Abyssinian. *Acacia Sassa*
- False. *Amyris commiphora* (*Balsamodendron Roxburghii*)
- Myrtle.** The genus *Myrtus*
- African. *Myrtus africana*
- Australian. *Acmena floribunda*
- Australian, Slender-leaved. *Myrtus tenuifolia*
- Australian, Three-nerved. *Myrtus tri-nervis*
- Backhouse's. *Backhousia myrtifolia*
- Beaufort's. *Beaufortia decussata*
- Bird's-nest, or Cock's-comb. A variety of *Myrtus communis*
- Bog, Moor, Devonshire, or Dutch. *Myrica Gale*
- Box-leaved. *Myrtus communis* var. *Tarentina*
- Broad-leaved, or Dutch. *Myrtus communis* var. *belgica*. (See also Myrtle, Roman)
- Burren. *Arctostaphylos Uva-ursi*
- Candleberry. *Myrica Gale*
- Candleberry, Azorean. *Myrica Faya*
- Candleberry, Sharp - toothed - leaved. *Myrica arguta*
- Cock's-comb. See Myrtle, Bird's-nest
- Common. *Myrtus communis*
- Cranberry. *Myrtus Nummularia*
- Crape. The genus *Lagerstroemia*, especially *L. indica*
- Devonshire. See Myrtle, Bog
- Double-flowered. *Myrtus communis* var. *belgica fl.-pl.*
- Dutch. See Myrtle, Bog, and Myrtle, Broad-leaved
- Edible-fruited. *Myrtus* (*Myrcianthes*) *edulis*

- Myrtle**, Fringe. The genus *Chamælaucium*
Fruiting. *Eugenia Ugni*
Golden, of Queensland. *Xanthostemon*
(*Metrosideros*) *chrysanthra*
Gum. The genus *Angophora*
Jew's. See Jew's-Myrtle
Juniper. The genus *Verticordia*
Moor. See Myrtle, Bog
Moreton Bay. *Myrtus melastomoides*
Nutmeg. *Myrtus communis var. lusitanica*
acuta
Orange-leaved. *Myrtus communis var.*
bætica
Otaheite. *Securinega nitida* (*Lithoxylon*
nitidum)
Peach. The genus *Hypocalymma*
Portugal. *Myrtus communis var. lusitanica*
Roman, or Broad-leaved. *Myrtus com-*
munis var. romana
Rosemary-leaved. *Myrtus communis var.*
muconata
Sand. *Leiophyllum* (*Ledum*) *buxifolium*
Scarlet-berried Scrub. *Nelitrís ingens*
Shepherd's. *Ruscus aculeatus*
Small-leaved. *Myrtus Tarentina* and
M. communis var. muconata
Slender-leaved. *Myrtus tenuifolia*
South Sea. The genus *Leptospermum*
Spotted-leaved. *Myrtus communis var.*
maculata
Swan River. *Hypocalymma robusta*
Tasmanian. *Fagus Cunninghamii*
Tasmanian Mountain. *Pithecelium mon-*
tanum
Upright Italian. *Myrtus communis var.*
italica
Variegated. *Myrtus communis variegata*
Wax. *Myrica cerifera*
Wax, Californian. *Myrica Californica*
W. Indian. The genus *Eugenia*
White - berried. *Myrtus communis var.*
leucocarpa
Wild. *Ruscus aculeatus*
Woolly. *Myrtus tomentosa*
Myrtle-Flag. *Acorus Calamus*
Myrtle-Grass. See Grass
Myrtle-Sedge. *Acorus Calamus*
Myrtle-Spurge. *Euphorbia Lathyris*
Mysore Thorn. See Thorn
"Mysterious Plant." *Daphne Mezereum*
"Nagkushur," or "Nagkesur." The
flowers of *Mesua ferrea*
Naiad. The genus *Naias*
Slender. *Naias flexilis*
Nail-wort. The genus *Paronychia*, *Draba*
verna, and *Saxifraga tridactylis*
Thyme-leaved. *Paronychia serpyllifolia*
Naked-Ladies. *Colchicum autumnale*
Nancy-Pretty. *Saxifraga umbrosa*
Nap-at-noon. *Tragopogon pratensis*
Narawael-shrub. *Nuravelia zeylanica*
Nard. Various aromatic plants, chiefly of
the Valerian tribe
Common. *Nardus stricta*
Wild. *Asarum europaeum*
Nardoo-plant. *Marsilea macropus* (*M.*
hirsuta, *M. salvatrix*)
Narcissus. (See also Daffodil)
- Narcissus**, Mock. The genus *Queltia*
Of Japan. *Nerine sarniensis*
Poet's. *Narcissus poeticus*
Polyanthus. *Narcissus Tazetta*
Nase-berry, Nees-berry, or Nis-berry, Tree.
Achras Sapota
Nase-berry-bully Tree. *Achras Side-*
roxylon
Broad-leaved. *Lucuma multiflora*
Nasuta, or Tong-pang-chong-shrub. *Jus-*
ticia Nasuta
Nasturtium, Canary - bird. *Tropæolum*
peregrinum (*T. aduncum*)
Common Garden. *Tropæolum majus*, *T.*
minus, and *T. atro-sanguineum*
Dwarf. *Tropæolum minus*
Flame-flowered. *Tropæolum speciosum*
Peruvian. *Tropæolum tuberosum*
Tall. *Tropæolum majus*
Tuberous-rooted. *Tropæolum tuberosum*
Yellow Rock. *Tropæolum polyphyllum*
Natchnee-plant. *Eleusine coracana*
Natural Grasses. See Grasses
Naughty-man's-Cherry. *Atropa Bella-*
donna
Navel-wort. The genera *Omphalodes* and
Cotyledon
Common. *Cotyledon Umbilicus*
Rock. *Omphalodes Luciliae*
Venus's. *Omphalodes linifolia*
Navew. *Brassica campestris*
Necklace-tree. *Ormosia dasycarpa*
Neck-weed. *Veronica peregrina*; also an
old name for Hemp
Nectarine-tree. *Amygdalus persica* var.
lævis
Needle, Adam's. See Adam's-needle
Shepherd's, Adam's, Beggar's, Clock, Crake,
Crow, Poke, Puck, Pink, Tailor's, Venus's,
or Witches'. *Scandix Pecten-Veneris*
Needle-and-Thread, Adam's. *Yucca fili-*
mentosa
Needle-Chervil. *Scandix Pecten-Veneris*
Needle-Furze. *Genista anglica*
Nees-berry. See Nase-berry
Negro's-head. *Phytelephas macrocarpa*
Negro's-slippers. *Euphorbia myrtifolia*
"Nei-Nei"-plant. *Drucophyllum Traversi*
Neem-tree. *Melia Azadirachta*
Neese-wort. See Sneeze-wort
Nelumbo. The genus *Nelumbium*
"Neminies." A corruption of *Anemones*
Nep, or **Neps**. *Nepeta Cataria*
Neroli-Oil-plant. *Citrus Aurantium* var.
amara
Nerve-root. *Cypripedium pubescens*
Net-bush, Australian. The genus *Calotham-*
nus
Nettle. The genus *Urtica*: the name is
also applied to some other plants, as the
Lamiums, &c.
American. *Urtica gracilis* and *U. chamo-*
dryoides
False. *Baehmeria cylindrica*
Blind. See Blind-Nettle
Chili. Various species of *Loasa*
Chinese Cotton. *Urtica* (*Baehmeria*) *nivea*
Common, or Stinging. *Urtica dioica*
Dead. See Dead-Nettle

Nettle, Deaf. See Deaf-Nettle
Deye. See Deye-Nettle
Dog. See Dog-Nettle
Dumb. *Lamium album*
Flame. The genus *Coleus*
Giant, of N. S. Wales. *Urtica (Laportea) Gigas*
Hedge. *Stachys sylvatica*
Hedge, Great Spanish. *Prasium majus*
Hedge, Small Spanish. *Prasium minus*
Hemp. See Hemp-Nettle
Hemp-leaved. *Urtica cannabina*
Horse. *Solanum carolinense*
Roman. *Urtica pilulifera*
Small. *Urtica urens*
Stingless. The genus *Pilea*
Variegated. *Lamium maculatum*
White. See Dead-Nettle, White
Wood, of N. America. *Laportea canadensis*
Nettle-tree. The genus *Celtis*
 American. *Celtis occidentalis*
 Australian. *Urtica Gigas*, *U. photiniae-phylla*, and *U. moroides*
 Caucasian. *Celtis caucasica*
 Chinese. *Celtis sinensis*
 Dwarf. *Celtis pumila*
 Eastern. *Celtis orientalis*
 European. *Celtis australis*
 File-leaved. *Celtis Lima*
 Jamaica. *Celtis micrantha*
 Prickly. *Celtis aculeata*
 Small-flowered. *Celtis parviflora*
 Smooth. *Celtis lavigata*
 Thick-leaved. *Celtis crassifolia*
 Tournefort's. *Celtis Tournefortii*
New-Chapel-flower. *Orobanche major*
"New-Year-flower," of the Chinese.
 Various species of *Narcissus*
Nicaragua-wood. *Cesalpinia echinata*
Nicker-tree, Common. *Guilandina Bonduc-cellula*
 Sumatra. *Guilandina Bonduc*
Niger-seed. The seed of *Guizotia oleifera*
Nigger's-cord. The genus *Antidesma*
Nightshade. The genus *Solanum*
 Beet-leaved. *Solanum betaceum*
 Bell-flowered. *Solanum campanulatum*
 Bittersweet, or Woody. *Solanum Dulcamara*
 Black-spined. *Solanum sodomeum*
 Broad-leaved. *Solanum stramonifolium*
 Canary. *Solanum Vespertilio*
 Climbing. *Solanum scandens* and *S. radicans*
 Deadly. *Atropa Belladonna*
 Enchanter's. *Circeea Lutetiana*
 Fringed. *Solanum ciliatum*
 Garden. *Solanum nigrum*
 Hairy. *Solanum hirsutum*
 Hybrid Guinea. *Solanum hybridum*
 Jasmine. *Solanum jasminoides*
 Large Black-berried. *Solanum guineense*
 Malabar. See Malabar-Nightshade
 Purple-spined. *Solanum campuchense*
 Nipple. *Solanum mammosum*
 Red. *Physalis Alkekengi*
 Red-spined. *Solanum igneum*
 Scarlet-berried. *Solanum coccineum*
 Star-Capsicum. *Solanum Capsicastrum*

Nightshade, Texan. *Solanum Texanum*
 Three-leaved. The genus *Trillium*
 Tree. *Solanum arboreum*
 Two-coloured. *Solanum discolor*
 White-eyed. *Solanum marginatum*
 Woody. See Nightshade, Bittersweet
 Yellow-berried. *Solanum flavum*, *S. villosum*, and *S. xanthocarpum*
Nightingales. *Geranium Robertianum* and *Arum maculatum*
Nikau Palm-tree. *Kentia sapida*
Nim-Bark, or Margosa-Bark-plant. *Melia indica*
Nimble Will. *Muhlenbergia diffusa*
Ninety-knot. *Polygonum aviculare*
Niopo-tree. *Piptadenia peregrina*
Nipa-tree. *Nipa fruticans*
Nipple-wort. *Lapsana communis*
 Dwarf. *Arnoseris pusilla*
Nis-berry. See Nase-berry
Nit. Scotch for Nut
Nit-grass. See Grass
Nitre-bush. *Nitraria Billardieri*, *N. tridentata*, and *N. Schoberi*
Nitta-tree. *Parodia africana*
Noah's-Ark. *Cypripedium pubescens*
Nonda-tree. *Parinarium Nonda*
Nondo. *Ligusticum actaeifolium*
None-so-pretty. *Saxifraga umbrosa*
None-such. *Lychnis chalcedonica*
 Black. *Medicago lupulina*
 White. *Lolium perenne*
Noon-tide, or Noon-flower. *Tragopogon pratensis*
Nopal-plant. *Nopalea (Opuntia) coccinellifera*
Nose-bleed. *Achillea Millefolium*
Nose-burn-tree. *Daphnopsis tenuifolia*
Nosegay-tree, Red. *Plumieria rubra*
 White. *Plumieria alba*
Notch-weed. *Chenopodium Vulvaria*
Nubk-tree, of Palestine. *Zizyphus Spina-Christi*
Nunnari-Root. See Sarsaparilla, E. Indian
Nuns. *Orchis Morio* and *Impatiens glanduligera*
Nut, or Nut-tree, Acajou. See Nut, Cashew Anthony. See Nut, St. Anthony's
 Antilles. *Omphalea triandra*
 Avellano, of Chili. *Guevina Avellana*
 Bag. See Nut, Bladder
 Bambarra Ground. *Voandzeia subterranea*
 Ban. See Ban-nut
 Barbadoes. *Curcuma purgans*
 Barcelona. See Nut, Spanish
 Beazor. See Nut, Bonduc
 Bedda. *Terminalia Bellerica*
 Beetle. See Beetle-nut-plant
 Ben. *Moringa pterygosperma*
 Betel. *Areca Catechu*
 Bladder, or Bag. See Bladder-nut
 Bonduc, or Beazor. *Guilandina Bonduc*
 Bog. See Bog-nut
 Bomah. *Pycnocoma macrophylla*
 Brazil. *Bertholletia excelsa*
 Buffalo, or Elk. *Pyrularia (Hamiltonia) oleifera*
 Cahoun. *Attalea cohune*

- Nut, Candle.** *Aleurites moluccensis* and *A. triloba*
- Cashew, or Acajou.** *Anacardium occidentale*
- Castanha, or Brazil.** *Bertholletia excelsa*
- Cat.** See Cat-nut
- Chop.** *Physostigma venenosum*
- Cluster.** *Corylus Avellana var. glomerata*
- Cob.** *Corylus Avellana var. grandis*
- Cob, Jamaica.** *Omphalea triandra*
- Cocoa.** *Cocos nucifera*
- Cocoa, Double, or Sea.** *Lodoicea Seychellarum*
- Cola, Kolla, or Goora.** *Cola acuminata*
- Coquilla.** *Attalea funifera*
- Cosford, or Thin-shelled.** *Corylus Avellana var. tenuis*
- Earth.** See Earth-nut
- Eboe.** *Dipterix oleifera*
- Edible Rush.** *Cyperus esculentus*
- Elk.** See Nut, Buffalo
- Fare.** See Fare-nut
- Filbert.** See Filbert
- "Fisticke."** An old name for the Pistachio-nut
- French.** See French Nut
- Goora.** *Cola acuminata*
- Ground.** See Earth-nut
- Guiana Snake.** *Ophiocaryon paradoxum*
- Hale.** See Hale-nut
- Hara.** *Terminalia citrina*
- Hare.** See Hare-nut
- Hazel.** *Corylus Avellana*
- Hazel, American.** *Corylus americana*
- Hazel, American Beaked.** *Corylus rosstrata*
- Hog.** See Hog-nut
- Hog-pea.** *Amphicarpa monoica*
- Illinois.** *Carya oliviformis*
- Ivory.** *Phytelephas macrocarpa*
- Jesuit's.** *Trapa natans*
- Jove's.** See Jove's Nuts
- Karakka.** *Corynocarpus lærigata*
- Keena.** *Calophyllum Calaba*
- Kisky Thomas.** *Carya alba*
- Kola, or Kolla.** See Nut, Cola
- Kundoo, or Mote.** *Carapa Touloucouma*
- Lady.** See Lady-nut
- Lambert's, Large Bond, Spanish, or Toker.** *Corylus Avellana var. Lamberti*
- Large Bond.** See Nut, Lambert's
- Levant.** *Anamirta Cocculus*
- Little Coker.** The fruit of *Jubaea spectabilis*
- Lumbang.** *Aleurites triloba*
- Lycoperdon.** *Elaphomycetes*
- Malabar.** *Adhatoda vasica*
- Manilla.** *Arachis hypogaea*
- Marany.** See Nut, Marany
- Marking, or Marany.** The Seed of *Semicarpus Anacardium*
- Marsh.** The Seed of *Semicarpus Anacardium*
- Meadow.** See Meadow-Nut
- Mocker.** See Mock-nut
- Monkey.** *Arachis hypogaea* and the seeds of *Anacardium*
- Mote.** See Nut, Kundoo
- Mt. Atlas.** *Corylus algeriensis*
- Oak.** See Oak-nuts
- Nut, Oil.** *Pyrularia (Hamiltonia) oleifera* and *Ricinus communis*
- Pará, or Brazil.** *Bertholletia excelsa*
- Pecan, or Illinois.** *Carya oliviformis*
- Physic.** *Jatropha Curcas (Curcas purgans)*
- Pig.** See Pig-nut
- Pistacia, or Pistachio.** *Pistacia vera*
- Quandang.** *Fusanus acuminatus*
- Queensland.** *Macadamia (Helicia) ternifolia*
- Ravensara.** *Agathophyllum aromaticum*
- Rush.** *Cyperus esculentus*
- Rush, of N. America.** *Cyperus rotundus var. Hydra*
- St. Anthony's.** *Staphylæa pinnata* and *Bunium flexuosum*
- Sapucaia.** *Lecythis Zabucajo*
- Sardian.** *Castanea vesea*
- Sassafras.** *Nectandra Puchury*
- Singhara.** *Trapa bicornis* and *T. bispinosa*
- Snake.** *Ophiocaryon paradoxum*
- Soap.** *Mimosa abstergens*
- Souari.** See Nut, Suarrow
- Spanish, or Barcelona.** *Corylus Avellana barcelonensis*
- Springfield.** *Carya sulcata*
- Suarrow, or Souari.** *Caryocar nuciferum* and *C. butyrosorum*
- Taquá.** *Phytelephas macrocarpa*
- Toker.** See Nut, Lambert's
- Vare.** See Fare-nut
- Vegetable-Ivory.** *Phytelephas macrocarpa*
- Vomit.** *Strychnos Nux-vomica*
- Water.** Various species of *Trapa*
- Water-filter.** *Strychnos potatorum*
- Welsh.** *Juglans regia*
- W. Australian.** *Santalum cygnorum*
- Wood.** *Corylus Avellana*
- Nut-Bush.** *Corylus Avellana*
- Nut-gall-tree, Chinese or Japanese.** *Rhus semialata*
- Nut-galls.** Galls produced by insects on the bark of *Quercus infectoria*
- Nut-grass.** See Grass
- Nut-Palms.** Catkins of *Corylus Avellana*
- Nut-rush.** See Rush
- Nutmeg-tree.** *Myristica moschata*
- Ackawai.** *Acrodielidium camara*
- American, Calabash, or Jamaica.** *Monodora Myristica*
- Australian.** Various species of *Cryptocarya*
- Brazilian.** *Cryptocarya moschata*
- Calabash.** See Nutmeg, American
- Californian.** *Torreya Myristica*
- Clove, or Madagascar.** *Agathophyllum aromaticum*
- Fijian.** *Myristica castaneæfolia*
- Flowering.** *Leycesteria formosa*
- Jamaica Calabash.** *Monodora Myristica*
- Long.** *Myristica fatua*
- Madagascar.** See Nutmeg, Clove
- Male.** *Myristica tomentosa*
- Mexican.** *Monodora Myristica*
- Peruvian.** *Laurelia sempervirens*
- Plume.** *Atherosperma moschata*
- Queensland.** *Myristica insipida*
- Sante Fé.** *Myristica Otoba*
- Tallow.** *Myristica sebifera*

- Nutmeg, Wild.** *Myristica fatua* and *M. tomentosa*
- Nutmeg-wood.** The wood of *Borassus flabelliformis*
- Nux-vomica-tree.** *Strychnos Nux - vomica*
- Oadal, or Oo'dhall, tree.** *Sterculia villosa*
- Oak.** The genus *Quercus*
- Abram's, of Mamre. *Quercus pseudo-coccifera*
 - African. *Oldfieldia africana* and *Laurus bullata*
 - African Evergreen. *Cliffortia ilicifolia*
 - Agnostus-leaved. *Quercus agnostifolia*
 - Aleppo Gall. *Quercus lusitanica* var. *infectoria*
 - American Black. *Quercus tinctoria*
 - American Live. *Quercus vires*
 - American Scrub. *Quercus Catesbeii*
 - American "Spanish." *Quercus falcata*
 - American Swamp Spanish. *Quercus palustris*
 - Anderson's. *Quercus Andersoni*
 - Barbary. *Quercus Ballota*
 - Barren. *Quercus nigra*
 - Barren Scrub. *Quercus Catesbeii*
 - Bartram's. *Quercus coccinea* var. *tinctoria*
 - Bay. *Quercus sessiliflora*
 - Bear, or Black Scrub. *Quercus ilicifolia* (*Q. Banisteri*)
 - Belote. *Quercus Ballota*
 - Black. *Quercus Robur*
 - Black Jack. *Quercus nigra*
 - Black Jack, Fork-leaved. *Quercus Catesbeii*
 - Black Scrub. See Oak, Bear
 - Blue Jack. *Quercus cinerea*
 - Botany Bay Forest. *Casuarina torulosa*
 - Buerger's. *Quercus Buergeri*
 - Burr. *Quercus macrocarpa*
 - Californian Blue. *Quercus Douglasii*
 - Californian "Desert." *Quercus Wislizenii* var. *frutescens*
 - Californian Evergreen White. *Quercus oblongifolia*
 - Californian Live. *Quercus chrysolepis* and *Q. oblongifolia*
 - Californian Lobed-leaved. *Quercus lobata*
 - Californian Mountain White. *Quercus Douglasii*
 - Cappadocian. *Ambrosia maritima* (*Ambrosia ambrosioides*)
 - "Chapparal." *Quercus Breweri*
 - Chestnut. *Quercus sessiliflora*
 - Chestnut, American. *Quercus Prinus*
 - Chestnut, American Dwarf. *Quercus Prinus* var. *humilis*
 - Chestnut, American Rock. *Quercus Prinus* var. *monticola*
 - Chestnut, American Yellow. *Quercus Prinus* var. *acuminata*
 - Chinquapin. *Quercus Prinus* var. *humilis*
 - Common (Long-flower-stalked). *Quercus Robur* *pedunculata*
 - Common (Stalkless-flowered). *Quercus Robur* *sessiliflora*
 - Cork. *Quercus Suber*
 - Cypress. *Quercus pedunculata fastigiata*
 - "Desert," of California. *Quercus Wislizenii* var. *frutescens*
 - Devonshire, Exeter, or Lucombe. *Quercus Cerris* var. *Lucombeana* (*Q. exoniensis*)
 - Oak, Dominica.** *Ilex sideroxyloides*
 - Dog. *Acer campestre*
 - Durmast. *Quercus pubescens*
 - Dyer's. *Quercus tinctoria*
 - E. Indian, or Teak. *Tectona grandis*
 - Enceno. *Quercus agrifolia*
 - Evergreen, or Holm. *Quercus Ilex*
 - Exeter. See Oak, Devonshire
 - Female. *Quercus pedunculata*
 - "French." *Catalpa longissima* and *Bucida Buceras*
 - Fulham. *Quercus Cerris* var. *Fulhamensis*
 - Golden. *Quercus pedunculata Concordia*
 - Golden, of Cyprus. *Quercus alnifolia*
 - Golden-cup. *Quercus chrysolepis*
 - Gray. *Quercus coccinea* var. *ambigua*
 - He. *Casuarina stricta*
 - Himalayan. See Oak, Woolly
 - Holm, or Evergreen. *Quercus Ilex*
 - Holly-leaved. *Quercus Gramuntia*
 - Hungarian. *Quercus conferta*
 - Iron. *Quercus Cerris* and *Q. obtusiloba*
 - Italian. *Quercus esculus*
 - Japanese. *Quercus glabra*
 - Japanese Silkworm. *Quercus serrata*
 - "Jerusalem." *Chenopodium Botrys*
 - Kermes. *Quercus coccifera*
 - Lough-lady. A variety of *Quercus pedunculata*
 - Laurel. *Quercus laurifolia* and *Q. imbricaria*
 - Lea's. *Quercus Leana*
 - Lucombe. See Oak, Devonshire
 - Lucombe, New. *Quercus Cerris* var. *Lucombeana crispa*
 - Maiden. See Oak, White
 - Male. *Quercus sessiliflora*
 - Mirbeck's. *Quercus Mirbecki*
 - Mongolian. *Quercus mongolica* and *Q. dentata*
 - Mossy-cup. *Quercus Cerris*
 - Mossy-cup, White. *Quercus macrocarpa*
 - Mount Lebanon. *Quercus Libani*
 - Nepaul. *Quercus lanuginosa*
 - New Zealand. *Alectryon excelsum* and *Knightia excelsa*
 - Nutgall. *Quercus lusitanica* var. *infectoria*
 - "Of Cappadocia." *Ambrosia maritima*
 - "Of Jerusalem," or "of Paradise." *Chenopodium Botrys*
 - Over-cup. *Quercus lyrata* and *Q. macrocarpa*
 - Pin. *Quercus palustris*
 - Poison. *Rhus Toxicodendron*
 - Post. *Quercus obtusiloba* (*Q. stellata*)
 - "Quebec." *Quercus alba*
 - Quercitron. *Quercus tinctoria*
 - Ragnal. *Quercus Cerris* var. *Ragnal*
 - Red. *Quercus rubra*
 - River, of N. S. Wales. *Casuarina leptoclada*
 - Rocky Mountain Scrub. *Quercus undulata*
 - Rough, or Box, White. *Quercus obtusiloba* (*Q. stellata*)
 - Running. *Quercus sericea*
 - St. Domingo. *Catalpa longissima*
 - Scarlet. *Quercus coccinea*
 - "Sea." *Ficus vesiculosus*

Oak, She.	The genus <i>Casuarina</i>	Ochro, or Ochra, Plant. <i>Hibiscus esculentus</i>
She, Coast.	<i>Casuarina quadrivalvis</i>	Ogeechee-Lime. <i>Nyssa candicans</i> (<i>N. capitata</i>)
She, Desert.	<i>Casuarina glauca</i>	"Ohelo," of the Sandwich Islands. <i>Vaccinium penduliflorum</i>
She, Erect.	<i>Casuarina tuberosa</i>	Oil-nut, American. <i>Pyrularia</i> (<i>Hamiltonia</i>) <i>oleifera</i>
She, Tasmanian.	<i>Casuarina quadrivalvis</i>	Oil-Palm of Guinea. <i>Elæis guineensis</i>
Shingle.	<i>Quercus imbricaria</i>	Oil-plant, Adul, or Odal. <i>Sarcostigma Kleinii</i>
Sierra Leone Scrubby.	<i>Lophira alata</i>	Allspice, or Pimento. <i>Eugenia Pimenta</i>
Silky, or Silk-bark.	<i>Grevillea robusta</i>	Almond. <i>Amygdalus communis</i>
Stone.	<i>Lithocarpus javensis</i>	Andiroba. See Oil-plant, Carap
Striped.	<i>Quercus striata</i>	Anise. <i>Pimpinella Anisum</i>
Swamp, Australian.	<i>Casuarina paludosa</i> , <i>C. suberosa</i> , and <i>C. equisetifolia</i>	Asafœtida. <i>Narthex Asafœtida</i>
Swamp Post, of America.	<i>Quercus lyrata</i>	Aspic. See Oil-plant, Spike
Sweet Acorn.	<i>Quercus Ballota</i>	Bacaba. <i>Enocarpus Bacaba</i>
Truffle.	<i>Quercus pubescens</i> , <i>Q. Robur</i> , and <i>Q. lanuginosa</i>	Balm. <i>Melissa officinalis</i>
Turkey.	<i>Quercus Cerris</i>	Bancoul. See Oil-plant, Lumbang
Turkey, American.	<i>Quercus Catesbeei</i>	Bay. <i>Laurus nobilis</i>
Upland Willow.	<i>Quercus cinerea</i>	Beech-nut. <i>Fagus sylvatica</i>
Vallonea, or Velani.	<i>Quercus Ägilops</i>	Ben. <i>Moringa pterygosperma</i>
Victorian Swamp.	<i>Viminaria denudata</i>	Benné. <i>Sesamum indicum</i>
Wainscot.	<i>Quercus Cerris</i>	Bergamot. <i>Citrus Bergamia</i>
Water.	<i>Quercus aquatica</i>	Birch-bark. <i>Betula alba</i>
White, or Maiden.	<i>Quercus sessiliflora</i>	Cade. <i>Juniperus Oxycedrus</i>
White American.	<i>Quercus alba</i>	Cajeput, or Cajuput. <i>Melaleuca minor</i>
White American Water.	<i>Quercus lyrata</i>	Camphor. <i>Laurus Camphora</i> and <i>Dryobalanops aromatica</i>
White, of Norfolk Island.	<i>Lagunaria Patersoni</i>	Carap, Crab, or Andiroba. <i>Carapa guianensis</i>
White, Sacramento.	<i>Quercus lobata</i>	Caraway. <i>Carum Carui</i>
White Swamp.	<i>Quercus bicolor</i>	Cardamom. <i>Elettaria Cardamomum</i>
Willow.	<i>Quercus Phellos</i> and <i>Q. salicina</i>	Cashew-apple, or Cashew-nut. <i>Anacardium occidentale</i>
Woolly, or Himalayan.	<i>Quercus lanata</i>	Cassia. <i>Cinnamomum Cassia</i>
Yellow-barked.	<i>Quercus tinctoria</i>	Cassié. <i>Acacia Farnesiana</i>
Oak-apple-gall.	See Gall	Castanha. <i>Bertholletia excelsa</i>
Oak-currant.	See Currant-Gall	Castor. <i>Ricinus communis</i>
Oak-Fern.	See Fern	Cebadilla. <i>Asagrea officinalis</i>
Oak-nuts (Acorns).	Fruit of <i>Quercus Robur</i>	Cedar. <i>Abies Cedrus</i> and <i>Juniperus virginiana</i>
Oak-root-gall.	See Gall	Cedrat. See Oil-plant, Citron
Oak-spangles.	Galls formed on Oak-leaves by an insect named <i>Neuroterus lenticularis</i>	Chamomile. <i>Anthemis nobilis</i>
Oak-wood, Green.	Oak-timber impregnated with the spawn of <i>Peziza aeruginosa</i>	Chaulmoogra. <i>Gynocardia odorata</i>
Oar-weed, or Ore-weed.	See Ore	Cherojee, or Cheeroonjee. <i>Buchanania latifolia</i>
Oat.	The genus <i>Avena</i>	Cherry. <i>Cerasus serotina</i>
Animal.	<i>Avena sterilis</i>	Cherry-Laurel. <i>Cerasus Lauro-cerasus</i>
Bristle-pointed.	<i>Danthonia strigosa</i>	Cinnamon. <i>Cinnamomum Zeylanicum</i>
Common Cultivated.	Varieties of <i>Avena sativa</i>	Citron, or Cedrat. <i>Citrus medica</i>
False.	<i>Arrhenatherum avenaceum</i>	Citronelle. See Oil-plant, Lemon-grass
Fly, or Hygrometric.	<i>Avena sterilis</i>	Clove. <i>Caryophyllus aromaticus</i>
Hygrometric.	See Oat, Fly	Cocoa-nut. <i>Cocos nucifera</i>
Naked.	<i>Avena nuda</i>	Cocum, or Kokum. <i>Garcinia purpurea</i>
Perennial.	<i>Avena pratensis</i>	Colhone. <i>Attalea cohune</i>
Sea-side.	The genus <i>Uniola</i>	Colza. <i>Brassica campestris</i> <i>Napus</i>
Short.	<i>Avena brevis</i>	Coondi. See Oil-plant, Kundah
Tartarian, or Tartary.	<i>Avena orientalis</i>	Copaiba. Various species of <i>Copaifera</i>
Water.	<i>Zizania aquatica</i>	Corooko. <i>Argemone mexicana</i>
W. Indian.	<i>Pharus latifolius</i>	Cotton-seed. Various species of <i>Gossypium</i>
Wild.	<i>Avena fatua</i> and <i>Bromus secalinus</i>	Crab. See Oil-plant, Carap
Wild, of N. America.	<i>Avena striata</i> and <i>A. Smithii</i>	Croton. <i>Croton Tigillum</i>
Oat-grass.	See Grass	Cubeb. <i>Piper Cubeba</i> (<i>Cubeba officinalis</i>)
Oats, "Sea."	See "Sea-oats"	Cumaru. See Oil-plant, Tonquin
Oblionker-tree.	<i>Aesculus Hippocastanum</i>	Cumin. <i>Cuminum Cynimum</i>
"Oca-plant."	<i>Oxalis crenata</i> and <i>O. tuberosa</i>	Dill. <i>Anethum graveolens</i>
		Dilo. See Oil-plant, Tamana

Oil-plant, Domba. See Oil-plant, Poon-seed
Epie, or Mahowa-seed. *Bassia latifolia*
Ergot. *Claviceps purpurea*
Euphorbia. *Euphorbia Lathyris*
Exile. *Thevetia nereifolia*
Fennel. *Foeniculum dulce* and *F. vulgare*
Florence. *Olea europaea*
Garlic. *Allium sativum*
Gentian. *Gentiana lutea*
Geranium. *Geranium odoratissimum* and
Pelargonium roseum. See also Oil-plant,
Grass
Gingelly, or Gingilie. *Sesamum indicum*
Grass, or Geranium. *Andropogon Schænanthus*
Ground-nut. *Arachis hypogaea*
Hemp-seed. *Cannabis sativa*
Hop. *Humulus Lupulus*
Huts-yellow. *Guizotia oleifera*
Ilpa, Illipoo, or Illupie. *Bassia longifolia*
Jasmine, or Mogree. Various species of
Jasminum
Jatropha. *Curcas purgans* and *C. multifidus*
Juniper. *Juniperus communis*
Kanari. *Canarium commune*
Katjang. *Arachis hypogaea*
Keena. A species of *Calophyllum*
Kekune. See Oil-plant, Lumbang
Keora. *Pandanus odoratissimus*
Khatzum. *Vernonia anthelmintica*
Khus-Khus, Cus-cus, or Vetti-ver. *Andropogon muricatus*
Kikuel. *Salvadora persica*
Kinka. *Vernonia anthelmintica*
Kokum. See Oil-plant, Cocum
Kossumba, or Safflower. *Carthamus tinctorius*
Kukin. See Oil-plant, Lumbang
Kundah, Coondi, or Tallin-Coonah. *Carapa guineensis* (*C. Toulooucouma*)
Kurring, Kurunj, or Poonga. *Pongamia glabra*
Laurel. *Laurus nobilis*
Lavender. *Lavandula vera*
Lemon. *Citrus Limonum*
Lemon-grass, or Siri. *Andropogon citratus*
Lily. *Lilium candidum*
Limbolee. *Bergera (Murraya) Kenigii*
Linseed. *Linum usitatissimum*
Lumbang, Kekune, Bancoul, or Kukin.
Aleurites triloba
Mace. *Myristica moschata*
Macuja. *Acrocomia sclerocarpa*
Madia. *Madia sativa*
Mahoua, Mahowa-seed, or Yallah. *Bassia latifolia*
Male Fern. *Lastrea Filix-mas*
Mallee. *Eucalyptus oleosa*
Margosa, or Neem. *Melia Azadirachta*
Marjoram, or Origanum. *Origanum vulgare*
Marking-nut. *Semicarpus Anacardium*
Marmottes. *Prunus Brigantica*
Mezereon. *Daphne Mezereum*
Mogree. See Oil-plant, Jasmine
Mustard. *Sinapis nigra* and other species
Myrrh. *Balsamodendron Myrrha*

Oli-plant, Nahor. *Mesua ferrea*
Namur, or Nemaur. *Andropogon Schænanthus*
Napala. *Curcas purgans*
Narcissus. *Narcissus odoratus*
Narpaulah. A species of Croton
Neem. See Oil-plant, Margosa
Nemaur. See Oil-plant, Namur
Neroli. *Citrus Bigaradia* and *C. Aurantium*
Nut. *Corylus Avellana* and *Juglans regia* ;
also *Arachis hypogaea*
Nutmeg. *Myristica moschata*
Odal. See Oil-plant, Adul
Olive, or Sweet. *Olea europaea*
Onion. *Allium Cepa*
Oondee. See Oil-plant, Poon-seed
Orange. *Citrus Aurantium* and *C. Bigaradia*
Origanum. See Oil-plant, Marjoram
Ouabe. *Omphalea diandra*
Palm. *Elæis guineensis* and *E. melanococca*
Palmarosa. *Andropogon Schænanthus*
Pand. *Michelia Champaca*
Pandang. *Pandanus odoratissimus*
Patawa, or Patava. *Enocarpus Batava*
Patchouli. *Pogostemon Patchouli*.
Penny-royal. *Mentha Pulegium*
Phoolwa. *Bassia butyracea*
Physic-nut. *Curcas purgans*
Pimento. See Oil-plant, Allspice
Pinhoen. *Curcas multifidus*
Pinnacottay. See Oil-plant, Poon-seed
Piquia. *Caryocar brasiliense*
Poonay. See Oil-plant, Poon-seed
Poonga. See Oil-plant, Kurring
Poongum. *Sapindus emarginatus*
Poon-seed, Poonay, Pinnacottay, or Oondee.
Calophyllum Inophyllum
Pootungee. *Calophyllum spurium*
Poppy. *Papaver somniferum*
Portia-nut. *Thespesia populnea*
Potato. *Solanum tuberosum*
Provence. *Olea europaea*
Ram-til, or Valisaloo. *Guizotia oleifera*
Rape-seed. *Brassica Napus*
Rhodium. *Rhodorrhiza scoparia* and *R. florida*
Rose. *Rosa damascena*, *R. centifolia*, and
other species
Rosemary. *Rosmarinus officinalis*
Rosin. Various species of Pine-tree (*Pinus*)
Rue. *Ruta graveolens*
Safflower. See Oil-plant, Kossumba
Sandal-wood, or Sander's-wood. *Santalum album*
Sapucaia. *Lecythis Zabucajo*
Sassafras. *Laurus Sassafras* and *Nectandra cymbarum*
Savin. *Juniperus Sabina*
Seed. Till, Poppy, and other Indian plants
Senna. *Cassia Senna*
Seringa. *Siphonia elastica*
Serpulet. *Thymus Serpyllum*
Sesamum. A variety of *Sesamum orientale*
Shanghae. *Brassica chinensis*
Siri. See Oil-plant, Lemon-grass
Soap-nut. *Sapindus emarginatus*

- Oil-plant, Spear-mint.** *Mentha viridis*
Spike, or Aspic. *Lavandula Spica* and
L. Stachas
- Spikenard. *Andropogon Schænanthus*
- Spurrey. *Spergula sativa*
- Star-Anise. *Illiçium anisatum*
- Sun-flower. *Helianthus annuus*
- Sweet. See Oil-plant, Olive
- Sweet Marjoram. *Origanum Marjorana*
- Tallincoona. See Oil-plant, Kundah
- Tamana, or Dilo. *Calophyllum Inophyllum*
- Tar. Various species of Pine-trees
- Tea. *Camellia Sasanqua*
- Teuss. *Arachis hypogaea*
- Thistle. *Argemone mexicana*
- Thyme. *Thymus vulgaris*
- Tobacco. *Nicotiana Tabacum*
- Tonquin. *Dipterix odorata*
- Tuberose. *Polianthes tuberosa*
- Tumika. *Diospyros Embryopteris*
- Tung. *Aleurites cordata*
- Turpentine. Various species of *Pinus*
- Uggur. *Aquilaria Agallocha*
- Valisaloo. See Oil-plant, Ram-til
- Verbena. *Aloysia citriodora* and *Andropogon citratus*
- Vetti-ver. See Oil-plant, Khus-Khus
- Violet. *Viola odorata*
- Walnut. *Juglans regia*
- Winter-green. *Gaultheria procumbens*
- Wood. *Dipterocarpus turbinatus* and
Chloroxylon Swietenia
- Worm-seed. *Ambrina anthelmintica*
- Yallah. See Oil-plant, Mahoua
- Yamadou. *Myristica sebifera*
- Zachun. *Balanites aegyptiaca*
- Zakkoun. *Elæagnus hortensis angustifolia*
- Oil-seed.** *Guizotia oleifera*, *Ricinus communis*, and *Camelina sativa*
- "Oily-grain-plant."** *Sesamum orientale*
- Okro, or Gombo, Plant. *Hibiscus (Abelmoschus) esculentus*
- Old-maid. *Vinca rosea*
- Old-man. *Artemisia Abrotanum*, *Clematis Vitalba*, and *Rosmarinus officinalis*
- Old-man's-Beard.** *Clematis Vitalba*,
Saxifraga sarmentosa, *Tillandsia usneoides*, and various species of *Equisetum*
- Old-man's-Eye-brow. *Drosera binata*
- Old-man's-Head. *Pilocereus senilis*
- Old-woman. *Artemisia Absinthium* and
A. argentea
- Old-woman's-Bitter.** *Pieramnia Antidesma* and *Citharexylon cinereum*
- Oleander.** The genus *Nerium*
Common. *Nerium Oleander*
- Dyer's. *Nerium tinctorium*
- Sweet-scented. *Nerium odorum*
- Oleaster.** The genus *Elæagnus*
Bohemian. *Elæagnus angustifolia*
- Silvery-leaved. *Elæagnus argentea*
- Small-leaved. *Elæagnus parvifolia*
- Variegated. *Elæagnus reflexa variegata*
- Olibanum. See Frankincense-tree
- Olive-bark Tree.** *Bucida Buceras*
- Queensland. *Olea paniculata*
- Olive-tree.** The genus *Olea*
Barbadoes, Wild. *Bontia daphnoides*
- Olive-tree, Bastard, of Victoria.** *Notelæa ligustrina*
- Black, or Wild, of the W. Indies. *Bucida Buceras* and *B. capitata*. Also *Ximenia americana*
- Botany Bay. *Olea apetala*
- Californian. *Oreodaphne (Umbellularia) californica*
- Chinese. *Canarium commune*
- Cultivated. *Olea sativa*
- False, of the Antilles. *Bontia daphnoides*
- Holly-leaved. *Olea ilicifolia (Osmanthus ilicifolius)*
- Negro's. *Terminalia Chebula*
- Spurge. *Daphne Mezereum* and *Cneorum tricocicum*
- Sweet-scented. *Olea (Osmanthus) fragrans*
- Wild. *Olea Oleaster* and *Elæagnus angustifolius*. Also applied to *Daphne Thymelæa* and *Rhus Cotinus*
- Wild, of India. *Olea dioica* and *Putranjiva Roxburghii*
- Wild, of the W. Indies. See Olive, Black
- Olive-wood, Australian.** *Elaeodendron australis* and *E. integrifolium*
- East Indian. *Elaeodendron orientale*
- Omander-wood.** *Diospyros Ebenaster*
- Ombu-tree.** *Pircunia dioica*
- Ome-tree.** A corruption of "Elm-tree"
- Omime-root.** *Piecranthus ternatus*
- One-berry.** *Paris quadrifolia*
- One-blade, or One-leaf.** *Smilacina bifolia*
- Onion.** *Allium Cepa*
- Barbadoes. *Ornithogalum scilloides*
- Bog. *Osmunda regalis*
- Burn, or Potato. *Allium Cepa* var. *aggregatum*
- Canada. See Onion, Tree
- Catawissa. A variety of the Tree-Onion
- Ciboul. See Onion, Welsh
- Common. Varieties of *Allium Cepa*
- Crow. *Allium vineale*
- Gipsy. *Allium ursinum*
- Himalayan. *Allium leptophyllum*
- Potato. *Allium Cepa* var. *aggregatum*
- Pearl. *Allium Ampeloprasum*
- Purple-flowered. *Allium acuminatum*
- Sea. *Urginea (Scilla) maritima*; also applied to *Scilla verna*
- Tree, or Canada. *Allium Cepa* *proliferum* (*Cepa bulbifera*)
- Underground. *Allium Cepa* var. *aggregatum*
- Welsh, or Ciboul. *Allium fistulosum*
- Wild, American. *Allium cernuum*
- Onion-grass, Onion-Couch, or Onion-Twitch.** See Grass
- Oo'dhall.** See Oadal
- Opera-girls, or Dancing-girls.** *Mantis saltatoria*
- Ople-tree.** *Viburnum Opulus*
- Opopanax-plant.** *Opopanax Chironium* (*Pastinaca Opopanax*)
- Orache.** *Atriplex hortensis*
- Common, or Delt. *Atriplex patula*
- Dog's. *Chenopodium Vulvaria*
- Frosted. *Atriplex rosea*
- Grass-leaved. *Atriplex littoralis*
- Lesser Shrubby. *Atriplex portulacoides*

- Orache**, Red-leaved. *Atriplex hortensis rubra*
 Stalked. *Atriplex pedunculata*
 White. *Atriplex albicans*
 Wild. Various species of *Atriplex* and *Chenopodium*
- Orange-ball Tree**. *Buddleia globosa*
- Orange-flower-tree**. *Philadelphus coronarius*
 Mexican. *Choisya ternata*
- Orange-grass**. *Hypericum Sarothra*
- Orange-leaf**, Otago. *Coprosma lucida*
- Orange Lily**. See Lily
- Orange-root**. *Hydrastis canadensis*
- Orange-thorn**. The genus *Citriobatus*
- Orange-tree**. *Citrus Aurantium*
 Australian. The genus *Citriobatus*
 Bergamot. *Citrus Bergamia*
 Bigarade, or Bitter. See Orange, Seville
 Blood, or Maltese. *Citrus Aurantium var. melitensis*
 Box-leaved. *Citrus buxifolia*
 Jamaica. *Glycosmis citrifolia*
 Maltese. See Orange, Blood
 Mandarin. *Citrus nobilis var. major*
 Mock. *Philadelphus coronarius*
 Osage. *Maclura aurantiaca*
 Queensland. *Citrus australis* (*C. Planchonii*)
 Seville, Bigarade, or Bitter. *Citrus Aurantium var. amara*
 Sumatra. *Murraya sumatrana*
 Sweet. *Citrus Aurantium*
 Tangerine. *Citrus nobilis var. minor* or *Tangeriana*
 Wild, of the W. Indies. *Drypetes glauca*
- Orchal**, Orchel, Orchil, or Archall. *Roccella tinctoria*
- Orchanet**. A corruption of "Alkanet"
- Orchard-grass**. See Grass
- Orchard-weed**. *Anthriscus sylvestris*
- Orchella-weed**. Various species of *Roccella*
- Orcheston Grass**. See Grass
- Orchid**, Almond-scented. *Odontoglossum madrense*
 Armadillo's-tail. *Oncidium Sprucei*
 Bartram's Tree. *Epidendrum conopseum*
 Boat-lip. The genus *Scaphyglottis*
 Butterfly. *Oncidium Papilio*
 Citron-scented. *Odontoglossum citrosum*
 Coral-root. The genus *Corallorrhiza*
 Cow-horn. *Schomburgkia tibicinis*
 Cowslip-scented. *Vanda furva*
 Dove. The genus *Peristeria*
 Dragon's-mouth. *Epidendrum macrochilum*
 Earthy-scented. The genus *Geodorum*
 Florida Tree. *Epidendrum conopseum* and *E. venosum*
 Hair. The genus *Trichosma*
 Helmet. The genus *Coryanthes*
 "King of the Woods." *Anæctochilus setaceus*
 Long-spurred. *Angræcum sesquipedale*
 Medusa's-head. *Cirrhopteridium Caput-Medusæ*
 Monk's-Cowl. The genus *Pterygodium*
 Mouse-tail. *Dendrobium Myosurus*
 Purple-lip. *Vanilla clavigularia*
- Orchid**, Rattle-snake. The genus *Pholidota*
 Scarlet-flowered. *Sophronitis grandiflora* and *Lælia harpophylla*
 Spectral-flowered. *Masdevallia Chimæra*
 Spread-eagle. *Oncidium carthaginense*
 Table Mountain. *Disa grandiflora*
 Violet-scented. *Odontoglossum Warneri*
 Woman's-cap. The genus *Thelymitra*
- Orchids**, Queen of the. *Grammatophyllum speciosum*
- Orchis**, Adder's-mouth. The genus *Microstylis*
 Ape. *Orchis Simia*
 Aromatic. *Gymnadenia Conopsea*
 Ash-coloured. *Orchis tephrosanthos*
 Bee. *Ophrys apifera*
 Bell. The genus *Codonorchis*
 Bird's-head. *Ornithocephalus gladiatus*
 Bird's-nest. *Neottia Nidus-avis*
 Black Spider. *Ophrys arachnites*
 Bog. *Malaxis paludosa*
 Breeze-fly. *Ophrys tabanifera*
 Brown. *Ophrys fusca*
 Bug. *Orchis coriophora*
 Bumble-bee. *Ophrys bombylifera*
 Butterfly. *Habenaria chlorantha* and *H. bifolia*
 Calypso. *Calypso borealis*
 Crane-fly. *Tipularia discolor*
 Cuckoo. *Orchis mascula*
 Dark-flowered. *Orchis nigra* (*Nigritella angustifolia*)
 Dog. The genus *Cynorkis*
 Drone. *Ophrys fucifera*
 Dwarf. *Orchis ustulata*
 Elder-scented. *Orchis sambucina*
 False. The genus *Platanthera*
 Fen. *Liparis Læselii*
 Fly. *Ophrys muscifera*
 Fool. *Orchis Morio*
 Fragrant. *Gymnadenia Conopsea* and *G. odoratissima*
 Frog. *Habenaria viridis*
 Grass-Pink. *Calopogon pulchellus*
 Great Fringed. *Habenaria (Platanthera) fimbriata*
 Green-Man. See Orchis, Man
 Green-winged. *Orchis Morio*
 Guernsey. *Orchis laxiflora*
 Hand. *Orchis maculata*
 Heart-flowered. *Serapias cordigera*
 Horned. *Ophrys cornuta*
 Horse-shoe. *Ophrys Ferrum-equinum*
 Lady. *Orchis purpurea*
 Leafy. *Orchis foliosa*
 Lizard. *Orchis hircina*
 Læsel's. *Ophrys Læselii*
 Long-bracted. *Orchis Robertiana* and *O. longibracteata*
 Long-spurred Algerian. *Orchis longicalcarata*
 Looking-glass. *Ophrys Speculum*
 Loose-flowered. *Orchis laxiflora*
 Man, or Green-Man. *Aceras anthropophora*
 Madeira. *Orchis foliosa*
 Marsh. *Orchis latifolia*
 May. *Orchis majalis*
 Military. *Orchis militaris*

Orchis , Monkey. <i>Orchis tephrosanthos</i>	Ova-ova. <i>Monotropa uniflora</i>
Musk. <i>Hermiinium Monorchis</i>	"Overlook," of Jamaica. <i>Canavalia gladiata</i>
Pale-flowered. <i>Orchis pallens</i>	Owm. A corruption of "Elm"
Purple. <i>Orchis mascula</i>	Owala-tree. <i>Pentaclethra macrophylla</i>
Purple Butterfly. <i>Orchis papilionacea</i>	Owl's Crown. <i>Filago germanica</i>
Purple Fringed. <i>Habenaria fimbriata</i>	Ox-balm. See Balm
Purple-spotted Broad-leaved. <i>Orchis latifolia var. Lagotis</i>	Ox-berry. <i>Tamus communis</i>
Pyramidal. <i>Orchis pyramidalis</i>	Ox-eye. The genus <i>Bupthalmum</i> ; also <i>Adonis vernalis</i>
Ragged Fringed. <i>Habenaria lacera</i>	American. <i>Americanus levis</i>
Rein. The genus <i>Habenaria</i>	Creeping. <i>Wedelia carnosia</i>
Salep. <i>Orchis Morio</i>	Great. <i>Pyrethrum uliginosum</i>
Saw-fly. <i>Ophrys tenthredinifera</i>	Heart-leaved. <i>Bupthalmum speciosum</i>
Saw-fly, Small. <i>Ophrys tenthredinifera var. minor</i>	Miniature Sun-flower. <i>Helianthus levis</i>
Scarlet Dark-flowered. <i>Nigritella coccinea</i>	Sea-side. <i>Borreria frutescens</i>
Showy American. <i>Orchis spectabilis</i>	Sweet-scented. <i>Bupthalmum aquaticum</i>
Snake's-mouth. <i>Pogonia ophioglossoides</i>	Willow-leaved. <i>Bupthalmum salicifolium</i>
Spider. <i>Ophrys aranifera</i> and <i>O. arachnites</i>	Ox-eye-Daisy. See Daisy
Spider, Bordered. <i>Ophrys aranifera</i> var. <i>limbata</i>	Yellow. <i>Bupthalmum salicifolium</i>
Spider, Common or Early. <i>Ophrys aranifera</i>	Oxford Weed. <i>Linaria Cymbalaria</i>
Spider, Late. <i>Ophrys arachnites</i>	Ox-heel. <i>Helleborus sativus</i>
Spider-like. <i>Ophrys arachnoidea</i>	Ox-horn. <i>Bucida Buceras</i>
Spotted. <i>Orchis maculata</i>	Ox-lip. <i>Primula elatior</i> ; also applied to <i>P. variabilis</i> and <i>P. vulgaris caulescens</i>
Surrey. <i>Habenaria nivea</i>	Bardfield, or True. <i>Primula elatior</i>
Tawny. <i>Orchis fusca</i>	Blue. <i>Primula elatior</i> var. <i>carulea</i>
Three-birds. <i>Pogonia (Triphora) pendula</i>	Ox-tongue. <i>Helminthia echinoides</i> ; also applied to several plants with rough leaves, such as <i>Borago</i> and <i>Anchusa</i>
Tongue-flowered. <i>Serapias Lingua</i>	Oxytropis , Brilliant-flowered. <i>Oxytropis splendens</i>
Wasp. <i>Ophrys vestifera</i>	Fetid. <i>Oxytropis fastidiosa</i>
White Butterfly. <i>Habenaria nivea</i>	Purple-flowered. <i>Oxytropis uralensis</i>
White Fringed. <i>Habenaria blephariglottis</i>	Pyrenean. <i>Oxytropis pyrenaica</i>
White Prairie. <i>Habenaria leucophaea</i>	Yellow-flowered. <i>Oxytropis campestris</i>
Woodcock. <i>Ophrys Scopulax</i>	Oyster , Vegetable. <i>Tragopogon porrifolius</i>
Yellow. <i>Ophrys lutea</i>	Oyster-green. <i>Ulva Lactaea</i>
Yellow Fringed. <i>Habenaria ciliaris</i>	Broad-leaved. <i>Ulva latissima</i>
Yellow Fringed, Small. <i>Habenaria cristata</i>	"Oysterloit." An old name for <i>Polygonum Bistorta</i>
Ordeal - tree , Hottentot's. <i>Toxicophlaea (Acocanthera) Thunbergii</i>	Oyster-plant. <i>Mertensia maritima</i>
Of Madagascar. <i>Tanghinia (Cerbera) venenifera</i>	Spanish. <i>Scopolymus hispanicus</i>
Of W. Africa. <i>Erythrophleum guineense</i>	Ozier. See Osier
Ore , Ore-weed, or Oar-weed. <i>Fucus vesiculosus</i> , <i>F. serratus</i> , and <i>Laminaria digitata</i>	Paardepis-tree. <i>Hippobromus alatus</i>
Organ , Organs, or Organy. <i>Origanum vulgare</i> and <i>Mentha Pulegium</i>	Pacay-tree. <i>Inga Pavillei</i>
Orphan-John. See Orpine	Paddle-wood. <i>Aspidosperma excelsum</i>
Orpine , or Orphan-John. <i>Sedum Telephium</i>	Paddock-pipes. The genus <i>Equisetum</i>
Bastard, or False. <i>Andrachne telephioidea</i>	Paddock-stools. See Toad-stool
Evergreen. <i>Sedum Anacampseros</i>	Paddy. Another name for unhusked Rice
Stone. <i>Sedum reflexum</i>	Paeony. The genus <i>Paeonia</i>
Tree. <i>Telephium Imperati</i>	Anemone-flowered. <i>Paeonia anemoniflora</i>
Orris-root. The root of <i>Iris germanica</i> , <i>I. pallida</i> , and <i>I. Florentina</i>	Chinese Trec. <i>Paeonia Moutan</i>
Osier , or Ozier, Common. <i>Salix viminalis</i>	Common Garden. Varieties of <i>Paeonia officinalis</i>
Fine Basket. <i>Salix purpurea</i> var. <i>Forbyana</i>	Dwarf. <i>Paeonia humilis</i>
Golden. <i>Salix vitellina</i> and <i>Myrica Gale</i>	Edible-rooted. <i>Paeonia edulis</i>
Green. <i>Cornus florida</i>	"English." <i>Paeonia corallina</i>
Purple. <i>Salix purpurea</i>	Fennel-leaved. <i>Paeonia tenuifolia</i>
Red. <i>Salix rubra</i>	Large-flowered Scented. <i>Paeonia odorata grandiflora</i>
Velvet. <i>Salix viminalis</i>	Lobed-leaved. <i>Paeonia lobata</i>
Osmund the Water-man. <i>Osmunda regalis</i>	Ram's-horn-fruited. <i>Paeonia arietina</i>
Oso-berry-tree. <i>Nuttallia cerasiformis</i>	Siberian. <i>Paeonia sibirica</i>
Ouler, or Owler. A corruption of "Alder"	Slender-leaved. <i>Paeonia tenuifolia</i>
Our-Lady-of-New-Chapel's Flower. See New-Chapel-flower	Soft-leaved. <i>Paeonia mollis</i>
	Steep Holmes, or Wild. <i>Paeonia corallina</i>

- Paeony**, Tree. *Paeonia Moutan*
 Tree, Banks's. *Paeonia Moutan Banksii*
 Tree, Poppy-flowered. *Paeonia Moutan papaveracea*
 Tree, Rosy-flowered. *Paeonia Moutan rosea*
 White-flowered. *Paeonia albiflora*
- Pagoda-tree**, Chinese or Japanese. *Sophora japonica*
 E. Indian. *Ficus indica*
 W. Indian. *Plumieria alba*
- Pai-cha-wood**. *Euonymus Sieboldianus*
- Pagle**. An old name for *Stellaria*
- Paigle**. *Primula veris*
- Paint-root**. *Lachnanthes tinctoria*
- Painted-Cup**, Scarlet. *Castilleja coccinea*
- Painted-grass**. See Grass
- Pak-choi**. See Cabbage, Chinese
- Palay**, or Ivory-tree, of the E. Indies. Various species of *Wrightia*
- Palissander**, or Palixander-wood. Another name for Rose-wood and Violet-wood
- Palillos-tree**. *Campomanesia linearifolia*
- Palm**. A general name for trees of the *Palmae* family; applied also to *Salix Caprea* and *Taxus baccata*
- Acuyuru. *Astrocaryum aculeatum*
- Alexandra. *Ptychosperma Alexandrae*
- Areng. *Saguerus (Gomutus) saccharifera*
- Aricuri, or Aracuri. *Cocos schizophylla*
- Assai. *Euterpe edulis*
- Australian Feather. The genus *Ptychosperma*
- Bacaba. *Ænocarpus Patava*
- Bamboo. *Raphia vinifera*
- Bangalow. *Seaforthia (Ptychosperma) elegans*
- Betel-nut. *Areca Catechu*
- Blowing-cane. *Iriartea setigera*
- Bourbon. The genus *Latania*
- Brazilian Coast. *Diplothemium marinum*
- Broom. *Attalea funifera* and *Thrinax argentea*
- Buriti. *Mauritia vinifera*
- Bussu. *Manicaria saccifera*
- Cabbage. *Oreodoxa (Areca) oleracea* and *Chamærops Palmetto*
- Cabbage, Australian. *Livistona (Corypha) australis*
- Cabbage, N. S. Wales. *Seaforthia (Ptychosperma) elegans*
- Cabbage, New Zealand. *Cordyline (Dracaena) australis*
- Caiané. *Elæis melanococca*
- Carana. *Mauritia Carana*
- Carnaúba. *Copernicia cerifera*
- Catechu. *Areca Catechu*
- Central and W. Australian. *Livistona Mariae*
- Chiqui-Chiqui. *Mauritia flexuosa*
- Chusan. *Chamærops Fortunei*
- Club. The genus *Cordyline*
- Cocoa-nut. *Cocos nucifera*
- Cocoa-nut, Double, or Sea. *Lodoicea Seychellarum*
- Cohune. *Attalea cohune*
- Coquito. *Jubaea spectabilis*
- Coyoli. *Acrocomia mexicana*
- Crown. *Maximiliana caribaea*
- Palm, Cumari. *Astrocaryum vulgare*
- Curly. *Kentia Belmoreana*
- Cusi, or Cusich. *Orbignya phalerata*
- Date. *Phoenix dactylifera*
- Date, Slender. *Phoenix tenuis*
- Date, Wild. *Phoenix sylvestris*
- Deleb. *Borassus (?) Äthiopum*
- Dragon's-blood. *Calamus Draco*
- European. *Chamærops humilis*
- Fan. A name applied to any Palm which has fan-shaped leaves
- Fan, Dwarf. *Chamærops humilis*
- Fan, Great. *Borassus flabelliformis* and *Corypha umbraculifera*
- Fan, Jamaica. *Sabal Blackburniana* and *S. umbraculifera*
- Fan, Jamaica, Small-flowered. *Thrinax parviflora*
- Fan, Nepal. *Chamærops excelsa*
- Fan, N. S. Wales. *Livistona australis*
- Fan, Shang-hae. *Chamærops Fortunei*
- Fern. *Cycas revoluta* and other species
- Gebang. *Corypha Gebanga*
- Gipp's-land. *Livistona australis*
- Gomuti. *Saguerus (Gomutus) saccharifera*
- Grigi. *Aiphanes corallina*
- Gru-gru. *Astrocaryum vulgare* and *Acrocomia sclerocarpa*
- Hemp. *Chamærops excelsa*
- Illawarra. *Ptychosperma Cunninghamii*
- Inija. *Maximiliana regia*
- Iraiba. *Cocos oleracea*
- Ita. *Mauritia flexuosa*
- Iú. *Astrocaryum aculeo*
- Ivory-nut. *Phytelephas macrocarpa*
- Jacitara. *Desmoncus macracanthos*
- Jaggery. *Caryota urens*
- Jagua. *Maximiliana regia*
- Jará. *Leopoldinia pulchra*
- Jará-assu. *Leopoldinia major*
- Jupati. *Raphia taedigera*
- Khuijoor, or Khurjurah. *Phoenix sylvestris*
- Lord Bentinck's. *Bentinckia coddapanna*
- Macaw. *Acrocomia fusiformis* (*A. sclerocarpa*)
- Marajah. *Bactris Maraja*
- Miriti, or Morici. *Mauritia flexuosa*
- Mucuja. *Acrocomia lasiospatha*
- Murumuru. *Astrocaryum Murumuru*
- New Zealand. *Areca sapida*
- Nibung. *Oncosperma filamentosa*
- Nikau. *Areca (Kentia) sapida*
- Norfolk Island. *Kentia Baueri*
- "Northamptonshire." *Salix caprea*
- Oil. *Elæis guineensis* and *Cocos butyracea*
- Palmetto. *Sabal (Chamærops) Palmetto*
- Palmetto, Blue. *Chamærops (Rapidophyllum) Hystrix*
- Palmetto, Cabbage. *Chamærops (Sabal) Palmetto*
- Palmetto, Humble. *Carludovica insignis*
- Palmetto, Royal. *Thrinax parviflora* and *Sabal umbraculifera*
- Palmetto, Saw. *Chamærops serrulata*
- Palmetto, Silver-leaved. *Thrinax argentea*
- Palmetto, Small. The genus *Carludovica*
- Palmyra. *Borassus flabelliformis*
- Panama-hat. *Carludovica palmata*

- Palm, Parlour. *Aspidistra lurida*
 Pashiuba. *Iriartea excorrhiza*
 Patava. *Enocarpus Patava*
 Peach. *Guilielma speciosa*
 Piassaba. *Attalea funifera* and *Leopoldinia Piassaba*
 Pinang. *Areca Catechu*
 Pindova. *Attalea compta*
 Princess Alexandra's. *Ptychosperma Alexandrae*
 Pumos. *Copernicia Pumos*
 Raffia, or Roffia. *Raphia Raffia* and *R. taedigera*
 Rasp. *Iriartea excorrhiza*
 Rope. The genus *Dæmonorops*
 Sago. *Sagis laevis*, *S. Rumphii*, and *Cycas circinalis*
 Sago, Bastard. *Caryota urens*
 Sago, Japanese. *Cycas revoluta*
 Sago, Moluccas. *Sagus farinifera*
 Sago, Prickly. *Sagus Rumphii*
 Tal, or Tala. *Borassus flabelliformis*
 Taliera, or Tara. *Corypha Taliera*
 Talipot. *Corypha umbraculifera*
 Thatch. *Sabal Blackburniana*
 Tiger-grass. *Chamærops Ritchieana*
 Toddy. *Caryota urens*
 Toko-pat. *Livistona Jenkinsiana*
 Troolie. *Manicaria saccifera*
 Tucumu. *Astrocaryum Tucumu*
 Umbrella. *Kentia Canterburyana*
 Urucuri. *Attalea excelsa*
 Walking-stick. *Areca (Kentia) monostachya*
 Wax, Brazil. *Copernicia cerifera*
 Wax, New Granada. *Ceroxylon (Iriartea) andicola*
 Whip-stick. *Kentia (Areca) monostachya*
 Wine, Brazilian. *Mauritia vinifera*
 Wine, E. Indian. *Caryota urens*, *Phænix sylvestris*, and *Borassus flabelli'ormis*
 Wine, Guiana. *Enocarpus Patava* and *Manicaria saccifera*
 Wine, Moluccas. *Gomutus saccharifera*
 Wine, New Granada. *Cocos butyracea*
 Wine, Royal. *Oreodoxa regia*
 Wine, W. African. *Raphia vinifera*
 Zanora. *Iriartea excorrhiza*
 Palm-bark-tree. *Melaleuca Wilsonii*
 Palm-butter. Another name for Palm-oil
 Palm-honey-tree. *Jubaea spectabilis*
 Palma-Christi. *Ricinus communis*
 Palmetto. See Palm, Palmetto
 Palmite-Rush. *Prionium Palmita*
 Palmyra-tree. *Borassus flabelliformis*
 Palo-de-Vaca, or Cow-tree. *Brosimum Galactodendron*
 Palo-Santo-tree. *Swartzia tomentosa*
 Palsy-wort. An old name for *Primula veris*
 Pameroon-bark Tree. *Moschooxylon Swartzii*
 Pampas Grass. *Gynierium argenteum*
 Rosy-spiked. *Gynierium roseum*
 Panama-Hat-tree. *Carludovica palmata*
 Panay. *Prunella vulgaris*
 Panick-grass. See Grass
 Pansy. *Viola tricolor* and vars.
 Australian. *Erpetion reniforme*
- Papaw-tree. *Carica Papaya*
 Virginian. *Asimina (Anona) trifolia*
 Paper-bark-tree. Various species of *Callistemon*
 Paper-Mulberry-tree. *Broussonetia papyrifera*
 Paper-reed, or Paper-rush, of the Nile, or of the Ancients. *Papyrus antiquorum* (*Cyperus Papyrus*)
 Fragrant. *Papyrus odoratus*
 Sicilian, or Syrian. *Papyrus syriacus*
 Paper-tree, of Siam. *Trophis aspera*
 Pappoose-root. *Caulophyllum thalictroides*
 Paradise, Grains of. The seeds of *Amomum Melegueta*
 Parasol, Chinese. *Sterculia platanifolia*
 Parasol Fir-tree. See Fir-tree
 Parchment-bark. *Pittosporum crassifolium*
 Pareira Brava-plant, White. *Abuta rufescens*
 False. *Cissampelos Parcira*
 Parilla, Yellow. *Menispermum canadense*
 Paris. See Herb-Paris
 Park-leaves. *Hypericum Androsænum*
 Parnassus, Grass of. See Grass
 Paroquet-Bur. The genus *Triumfetta*
 Parrot-beak-plant. The genus *Clianthus*
 Parrot-weed. *Bocconia frutescens*
 Parrot's-bill, of New Zealand. *Clianthus puniceus*
 Parsley. The genus *Petroselinum*. Applied also to various other plants
 Asses'. See Parsley, Fool's
 Bastard, or Bur. The genus *Caucalis*, especially *C. daucoides*
 Beaked. The genus *Anthriscus*
 Black. *Melanocelinum decipiens*
 Bur. See Parsley, Bastard
 Corn. *Petroselinum segetum*
 Cow. *Cherophyllum temulum* and *C. sylvestre*
 Dog's. See Parsley, Fool's
 Fool's, Asses', or Dog's. *Ethusa Cynapium*
 Garden. *Petroselinum sativum*
 Hamburg. A variety of *Petroselinum sativum*
 Hedge. *Torilis Anthriscus*
 Hemlock. The genus *Conioselinum*
 Horse. *Smyrnium Olusatum*
 Macedonian. *Athamanta macedonica*
 Marsh. *Oenanthe Lachenalii* and the genus *Elaoeslinum*
 Meadow. *Oenanthe pimpinelloides*
 Milk. *Peucedanum palustre*
 Mountain. *Peucedanum Oreoselinum*
 Square. *Ptychosis heterophylla*
 Stone. *Sison Amomum*
 Thorough-bred. An old name for *Smyrnium apifolium*
 Parsley-Fern. See Fern
 Parsley-Piert. *Alchemilla arvensis*
 Parsnip, Common. *Pastinaca sativa*
 Giant. The genus *Heracleum*
 Cow. *Heracleum Sphondylium*
 Maori. *Ligusticum Lyalli*
 Meadow. The genus *Thaspium*
 Rough. *Pastinaca Opanax*

- Parsnip**, Sea. The genus *Echinophora*, especially *E. spinosa*
Victorian. *Trachymene australis*
- Water**. The genus *Sium*
Water, Common. *Sium latifolium*
Wild. *Peucedanum sativum*
- Partridge-berry**. *Gaultheria procumbens* and *Mitchella repens*
- "Partridge-wood."** Supposed to be the wood of *Andira inermis*
- Pasque-flower**. *Anemone Pulsatilla*
American. *Anemone patens* var. *Nuttalliana*
Haller's. *Anemone Halleri*
Mountain. *Anemone montana*
- Passe-flower**. Another name for Pasque-flower
- Passion-flower**. The genus *Passiflora*
Australian. *Disemma* (*Passiflora*) *Herbertiana* and *D. coccinea* (*Passiflora*) *Banksii*
Bat-winged. *Passiflora Vespertilio*
Blood-red. *Tacsonia sanguinea*
Buchanan's. *Tacsonia Buchananii*
Common Blue. *Passiflora cærulea*
Crimson. *Passiflora kermesina*
Edible-fruited. *Passiflora edulis*
Hardy. *Passiflora cærulea*, *P. glauco-phylla*, and *P. incarnata*
Lime-tree-leaved. *Passiflora tiliæfolia*
New Zealand. *Passiflora tetrandra*
Norfolk Island. *Passiflora* (*Disemma*) *aurantia*
Pumpkin, or Large-fruited. *Passiflora macrocarpa*
Racemed. *Passiflora racemosa* (*P. princeps*)
Square-stalked. *Passiflora quadrangularis*
Van Volkem's. *Tacsonia Van Volxemi*
Vine-leaved. *Passiflora vitifolia*
- Patchouli Plant**. *Coleus aromaticus*
- Patience-Dock**. *Rumex Patientia*
- Pecan-nut-tree**. See Nut-tree
- Peg-wood**. *Cornus sanguinea* and *Euonymus europæus*
- Pea**. A name applied to various plants of the *Papilionaceæ* family
Angola. *Cajanus indicus*
Black-eyed. *Dolichos sphærospermus*
Black-rooted. *Orobus niger*
Butterfly. *Clitoria Mariana*
Congo. *Cajanus indicus bicolor*
Darling River. *Swainsona Greyana*
Earth. *Lathyrus amphicarpus*
Earth-nut. *Lathyrus tuberosus*
Egyptian. *Cicer arietinum*
Everlasting. *Lathyrus sylvestris* var. *latifolius*
Everlasting, Californian. *Lathyrus californicus*
Everlasting, Large-flowered. *Lathyrus grandiflorus*
Everlasting, Mountain. *Lathyrus montanus*
Everlasting, Rosy-flowered. *Lathyrus roseus*
Everlasting, Round-leaved. *Lathyrus rotundifolius*
Everlasting, Siberian. *Lathyrus pisiformis*
- Pea, Everlasting, Sibthorpe's. *Lathyrus Sibthorpei*
Everlasting, Tuberous-rooted. *Lathyrus tuberosus*
Field, or Gray. *Pisum sativum* var. *arvense*
Flat. The genus *Platyllobium*
French. See French Peas
Garden. Varieties of *Pisum sativum*
Grass. *Lathyrus Nissolia*
Gray. See Pea, Field
Ground-squirrel. *Jeffersonia diphylla*
Heart. *Cardiospermum Halicacabum*
Heath. *Orobus tuberosus*
Hoary. The genus *Tephrosia*
Lord Anson's. *Lathyrus magellanicus*
Love. *Abrus precatorius*
Marrow-fat. A variety of *Pisum sativum*
Marsh. *Lathyrus palustris*
Meadow. *Lathyrus pratensis*
Milk. The genus *Galactia*
Mouse. *Lathyrus macrorrhizus*
"No-eye." *Cajanus indicus flavus*
Orange. Small unripe fruit of the Curaçao Orange
Partridge. *Heisteria coccinea* and *Cassia Chamæcrista*
Pigeon. *Ervum Ervilia*
Pigeon, of the W. Indies. *Cajanus indicus*
Poison, of Australia. The genus *Swainsona*
Red Pottage. *Ervum Lens*
Rosary. The seeds of *Abrus precatorius*
Rough. *Lathyrus hirsutus*
Salisbury, of Australia. *Goodia latifolia*
Scurfy. The genus *Psoralea*
Sea-side. *Pisum maritimum* (*Lathyrus maritimus*)
Sensitive. *Cassia nictitans*
Shamrock. *Parochetus communis*
Spear. *Dorycnium fruticosum*
Spurred Butterfly. The genus *Centrosema*
Sturt's Desert. *Cianthus Dampieri*
Sugar. A name given to some varieties of *Pisum sativum* which have tender edible pods
- Swainson. The genus *Swainsona*
Sweet. *Lathyrus odoratus*
Sweet, Everlasting. *Lathyrus latifolius* and vars.
Tangier. *Lathyrus tingitanus*
Tuberous-rooted. *Orobus tuberosus*
Wild Turkey. *Corydalis formosa*
Winged. The genus *Tetragonolobus*
Winged, Purple-flowered. *Tetragonolobus purpureus*
Wood. *Lathyrus sylvestris* and *Orobus sylvaticus*
Yellow - flowered. *Pisum Ochrus* and *Lathyrus Aphaca*
- Pea-bush**, Burton's. *Burtonia scabra*
- Pea-flower**, Vilmorin's Purple. *Vilmorinia multiflora*
- Pea-nut**, American. *Arachis hypogaea*
Hog. *Amphicarpæa monoica*
Madagascar, or Bambarra. *Voandzeia subterranea*
- Pea-tree**. The genus *Sesbania*
Chinese. *Caragana Chamlagu*
Coral. *Adenanthera pavonina*
Siberian. The genus *Caragana*

- Pea-tree**, Siberian, Common. *Caragana arborescens*
 Siberian, Flat-podded. *Caragana Altagana*
 Siberian, Goat's-horn-like. *Caragana traganthoides*
 Siberian, Large-flowered. *Caragana grandiflora*
 Siberian, Maned. *Caragana jubata*
 Siberian, Pigmy. *Caragana pygmaea*
 Siberian, Redowski's. *Caragana Redowskii*
 Siberian, Sand. *Caragana arenaria*
 Siberian, Shrubby. *Caragana frutescens*
 Siberian, Small-leaved. *Caragana microphylla*
 Siberian, Soft-leaved. *Caragana mollis*
 Siberian, Thorny. *Caragana spinosa*
 West Indian. *Aschynomene (Agati) grandiflora*
 W. Indian Swamp. *Sesbania occidentalis*
"Pea-vine," Californian. The genus *Vicia*
Peach-tree. *Amygdalus persica* and vars.
 African. *Sarcocaphealus esculentus*
 Almond. *Amygdalus communis* var. *persicoides*
 Australian. *Santalum acuminatum*
 Camellia-flowered. *Amygdalus persica sinensis camelliaflora*
 Carnation-flowered. *Amygdalus persica sinensis caryophylliflora*
 Common. *Amygdalus persica vulgaris*
 Double-blossomed. *Amygdalus persica vulgaris flore-pleno*
 Double Crimson Chinese. *Amygdalus persica sinensis fl.-pl. sanguinea*
 Double White Chinese. *Amygdalus persica sinensis fl.-pl. alba*
 Double-fruited. *Amygdalus persica vulgaris fructu-plena*
 Flat-fruited. *Amygdalus persica vulgaris var. compressa*
 Guinea, Negro, or Sierra Leone. *Sarcocaphealus esculentus*
 Negro. See Peach, Guinea
 Purple-leaved. *Amygdalus persica foliis purpureis*
 Sierra Leone. See Peach, Guinea
 Spanish. *Amygdalus persica vulgaris* var. *hispanica*
 Variegated-leaved. *Amygdalus persica vulgaris foliis variegatis*
 Weeping. *Amygdalus persica vulgaris* var. *pendula*
 White-flowered. *Amygdalus persica vulgaris* var. *alba*
Peach-Myrtle. *Hypocalymma robustum*
Peach-wood, or Nicaragua-wood. *Cesalpinia echinata*
Peach-wort. *Polygonum Persicaria*
Peacock-flower. *Cesalpinia pulcherrima*
 Royal. *Poinciana regia*
Peacock Flower-fence. *Adenanthera pavonina*
Peacock Treasure-flower. *Gazania pavonia*
Peacock's-tail Sea-weed. *Padina pavonia*
Pear-tree. The genus *Pyrus*
 Alligator. *Persea carolinensis*
 Alpine. *Pyrus nivalis*
 Anchovy. *Grias cauliflora*
- Pear-tree**, Aurelian, or Sage-leaved. *Pyrus salviafolia*
Avocado. *Persea gratissima*
 Birch-leaved. *Pyrus betulifolia*
 Bollwyller. *Pyrus Bollwylleriana*
 Chinese. *Pyrus sinensis*
 Common. Varieties of *Pyrus communis* *sativa*
 Garlic. *Crataeva gynandra* and *C. Tapia*
 Grape. *Amelanchier Botryapium*
 Mount Sinai. *Pyrus sinica*
 Notched-leaved. *Pyrus crenata*
 Oeleaster-leaved. *Pyrus elaeagnifolia*
 Prickly. *Cactus Opuntia*
 Prickly, Hardy. *Opuntia Rafinesquiana*, *O. humilis*, and *O. missouriensis*
 Sage-leaved. See Pear, Aurelian
 Snow. *Pyrus nivalis*
 Straw-berry. *Cereus triangularis*
 Three-lobed-leaved. *Pyrus trilobata*
 Variable-leaved. *Pyrus variolosa*
 Weeping. *Pyrus spuria pendula*
 White-leaved. *Pyrus nivalis*
 Wild, of the W. Indies. *Clethra tiniifolia*
 Willow-leaved. *Pyrus salicifolia*
 Wooden, of Australia. *Xylomelum pyrifforme*
Pear-main. A variety of Apple
Pearl-berry. *Margyricarpus setosus*
Pearl-bush. *Exochorda (Spiraea) grandiflora*
Pearl-grass. See Grass
Pearl-plant. *Lithospermum officinale*
Pearl-wort. The genus *Sagina*
 Lawn. *Sagina glabra* var. *corsica* (*Spergula pilifera*)
"Pearls-of-Spain." *Muscari botrysoides* var. *album*
Pee-put, or Piput, tree. *Ficus religiosa*
Pelican-flower. *Aristolochia grandiflora*
 Mexican. *Cypridium Irapeanum*
"Pellamountain." An old name for *Thymus Serpyllum*
Pellitory. *Pyrethrum Parthenium*
 American. *Parietaria pensylvanica*
 Bastard. *Achillea Ptarmica*
 New Zealand. *Parietaria debilis*
 Of-Spain. *Anacyclus Pyrethrum*
 Of-Spain, False. *Imperatoria Ostruthium*
 Of-the-Wall. *Parietaria officinalis*
Pelu-tree. *Sophora tetrapeta*
Penang Lawyers. *Licuala acutifida*
Pencil-flower. The genus *Stylosanthes*
 Carolina. *Stylosanthes clatior*
Pencil-tree. *Baccharis halimifolia*
Penguin, or Pinguin, Plant. *Bromelia* *Pinguin*
Penny-cress. *Thlaspi arvense*
"Penny-pies." The leaves of *Cotyledon* *Umbilicus*
Penny-rot. *Hydrocotyle vulgaris*
Penny-royal. *Mentha Pulegium*
 American. *Hedeoma pulegioides*
 Bastard, or False. *Trichostemma dichotomum* and *Isanthus corniculus*
 Requieri's. *Mentha Requieri* (*Thymus corsicus*)
Penny-royal-tree. *Satureja viminea*

- Penny-wort, or Penny-leaf.** *Linaria Cymbalaria*
 House-leek. *Umbilicus chrysanthus*
 Indian. *Hydrocotyle asiatica*
 Marsh. *Hydrocotyle vulgaris*
 Spiny. *Umbilicus spinosus*
 Wall. *Cotyledon Umbilicus*
- Pentstemon,** Bearded. *Pentstemon barbatus*
 Bell-flowered. *Pentstemon campanulatus*
 Centranthus-leaved. *Pentstemon centranthifolius*
 Cobaea-flowered. *Pentstemon Cobaea*
 Common. *Pentstemon gentianoides* (*P. Hartwegi*)
 Dwarf. *Pentstemon humilis* and *P. glaber*
 Flame-coloured. *Pentstemon latus*
 Foxglove. *Pentstemon Digitalis*
 Gentian-blue. *Pentstemon Jaffrayanus*
 Glaucous. *Pentstemon glaucus*
 Graceful. *Pentstemon argutus*
 Lewis's. *Pentstemon Lewisii*
 Murray's. *Pentstemon Murrayanus*
 Oval-leaved. *Pentstemon ovatus*
 Palmer's. *Pentstemon Palmeri*
 Pointed-leaved. *Pentstemon acuminatus*
 Scarlet-flowered. *Pentstemon puniceus*
 Scouler's. *Pentstemon Scouleri*
 Showy. *Pentstemon speciosus*
 Side-flowered. *Pentstemon secundiflorus*
 Spreading. *Pentstemon diffusus*
 Thick-leaved. *Pentstemon crassifolius*
 Torrey's. *Pentstemon Torreyi*
 Whorled. *Pentstemon confertus* (*P. proceros*)
 Wright's. *Pentstemon Wrightii*
- Peony.** Another name for Paeony
- Pepper.** The genus *Piper*. Applied also to various other plants
 African. *Habzelia ethiopica* (*Xylopia aromatica*)
 Anise. *Xanthoxylon mandschuricum*
 Australian. *Tasmannia* (*Drimys*) aromaticata and *Schinus molle*
 Bell. *Capsicum grossum*
 Betel. *Chavica Betel*
 Bird. *Capsicum baccatum*
 Bird's-eye. The genus *Capsicum*
 Bitter, or Star. *Xanthoxylon Daniellii*
 Black, of W. Africa. *Piper* (*Cubeba Clusii*)
 Bonnet. *Capsicum tetragonum*
 Boulon. *Habzelia ethiopica*
 Californian. *Schinus molle*
 Cayenne, Chilli, Guinea, or Red. *Capsicum annuum* and *C. fastigiatum*
 Cherry. *Capsicum cerasiforme*
 Chilli. See Pepper, Cayenne
 Chinese, or Japanese. *Xanthoxylon piperitum*
 Cubeb, or Java. *Cubeba officinalis*
 Ethiopian. *Habzelia ethiopica*
 False. *Schinus molle*
 Goat. *Capsicum frutescens*
 Guinea. *Capsicum annuum*. (See also Pepper, Negro)
 Japanese. See Pepper, Chinese
 Java. See Pepper, Cubeb
- Pepper, Long.** *Chavica officinarum* and *C. Roxburghii*
 Malaguetta, or Melegueta. *Anomum Melegueta*
 Monkey. *Habzelia ethiopica*
 Monks'. *Vitex Agnus-castus*
 Mountain. *Capparis sinica*
 Negro, or Guinea. *Habzelia ethiopica* and *Xanthoxylon guineense*
 N. S. Wales. *Drimys dipetala*
 New Zealand. *Drimys axillaris*
 New Zealand Native. *Macropiper excelsum*
 Red. See Pepper, Cayenne
 Spur. *Capsicum frutescens*
 Star. *Xanthoxylon Daniellii*
 Tasmanian. *Drimys aromatica*
 Wall. *Sedum acre*
 Water. *Polygonum Hydropiper* and *Elatine Hydropiper*
 Wild, E. Indian. *Vitex trifolia*
- Pepper-brand Fungus.** See Fungus
- Pepper-bush.** *Audromeda racemosa*
 Sweet. *Clethra tinifolia*
- Pepper-dulse.** *Laurencia pinnatifida*
- Pepper Elder.** The genus *Piperoma*
- Pepper-grass.** See Grass
- Pepperidge.** *Nyssa multiflora* (*N. sylvatica*)
- Pepper-mint, Australian.** *Mentha austalis*
 Chinese. *Mentha arvensis glabrata*
 Common. *Mentha piperita*
 Japanese. *Mentha arvensis* var. *piperascens*
 Small. *Thymus Piperella*
- Peppermint-tree, Australian.** *Eucalyptus amygdalina*, *E. capitellata*, *E. coriacea*, *E. odorata*, and *E. piperita*
 Tasmanian. *Eucalyptus piperita* and *E. amygdalina*
- Pepper-rod.** *Croton humilis*
- Pepper-root, American.** The genus *Dentaria*
- Pepper-Saxifrage.** *Silurus pratensis*
- Pepper-wood.** *Licania guianensis* and *Dicycylleum caryophyllatum*
- Pepper-wort.** The genus *Lepidium*, especially *L. latifolium*
 Water. *Polygonum Hydropiper*
 Water, Small. *Elatine Hydropiper*
- Peri-root, of New Zealand.** *Gastrodia Cunninghamii*
- Periwinkle.** The genus *Vinca*
 Dark-purple-flowered. *Vinca minor* var. *atropurpurea*
 Double Purple. *Vinca minor* fl.-pl. *purpureo*
 E. Indian, or Rosy-flowered. *Vinca rosea*
 Herbaceous. *Vinca herbacea*
 Italian. *Vinca acutiloba*
 Large. *Vinca major*
 Madagascar. *Vinca rosea*
 Small. *Vinca minor*
 Variegated-leaved. *Vinca major* var. *elegantissima* and other varieties
 White-flowered. *Vinca minor* var. *alba*
 White-flowered Indian. *Vinca rosea* var. *alba*

"Persicaria," or Persicary. <i>Polygonum Persicaria</i>	Pigeon-wood. <i>Guettarda speciosa</i> , <i>Diphilos salicifolia</i> , and <i>Diospyros tetrasperma</i>
Persimmon-tree. <i>Diospyros virginiana Mexican</i> . <i>Diospyros Texana</i>	Long-leaved. <i>Coccocoba diversifolia</i>
Peru, Balsam-of. <i>Myroxylon (Myrosporum) Peruiferum</i>	Small-leaved. <i>Coccocoba punctata</i> and <i>C. leogrenensis</i>
Peruvian-bark Tree. Various species of <i>Cinchona</i> , the best of which are <i>C. officinalis</i> , <i>C. Calisaya</i> , and <i>C. succirubra</i>	Pigeon's-foot. <i>Geranium columbinum</i>
Peruvian-Glory-bush. See Glory-bush	Pigeon's-grass. See Grass
Peter's (St.)-wort. The genus <i>Syphocarpus</i> , <i>Hypericum quadrangulum</i> , <i>Ascyrum stans</i> , and <i>Primula veris</i>	Pig-nut. <i>Bunium flexuosum</i> and <i>B. (Carum) Bulbocastanum</i>
Mountain. <i>Syphoricarpu montana</i>	American. <i>Carya porcina</i>
Peter's-sperm. A corruption of <i>Pittosporum</i>	Pig-weed. <i>Chenopodium album</i>
Pe-tsaï. See Cabbage, Chinese	Winged. <i>Cycloloma platyphyllum (Salsola platyphylla)</i>
Pettigree, or Pettigruie. <i>Ruscus aculeatus</i>	Pig-wood. <i>Hedwigia balsamifera</i>
Petty-Whin. See Whin	Pig's-face. <i>Mesembryanthemum aquilaterrale</i> and <i>M. australis</i>
Petunia, Common white. <i>Petunia nyctaginea</i>	Pile-wort. <i>Ranunculus Ficaria</i>
Pet-wood. <i>Berrya mollis</i>	Great. <i>Ficaria grandiflora (Ranunculus calthaefolius)</i> . Also an old name for <i>Serophularia nodosa</i>
Pewter-wort. <i>Equisetum hyemale</i>	Pill-corn, or Pil-corn. <i>Avena nuda</i>
Pharach's-Corn. See Corn	Pill-wort. <i>Pilularia globulifera</i>
Pheasant-wood. Another name for Partridge-wood	Pilot-weed. <i>Silphium laciniatum</i>
Pheasant's-eye. <i>Adonis autumnalis</i>	Pimento-bush. <i>Eugenia Pimenta</i> and <i>E. acris</i>
Summer. <i>Adonis cestivialis</i>	Pimpernel. <i>Pimpinella Saxifraga</i> . Formerly applied to <i>Poterium Sanguisorba</i> and <i>Prunella vulgaris</i>
Phlox, Carolina. <i>Phlox Carolina</i>	Bastard, or False. <i>Centunculus minimus</i> and <i>Ilysanthis gratioloides</i>
Cleft-petaled. <i>Phlox bifida</i>	Bog. <i>Anagallis tenella</i>
Creeping. <i>Phlox reptans (P. verna, P. stolonifera)</i>	Indian. <i>Anagallis indica</i>
Cross-leaved. <i>Phlox decussata</i>	Italian. <i>Anagallis Monelli</i>
Gray-leaved. <i>Phlox canescens</i>	Large-flowered. <i>Anagallis grandiflora (A. collina, A. fruticosa)</i>
Hairy. <i>Phlox pilosa</i>	Red. <i>Anagallis arvensis</i>
Leafy. <i>Phlox frondosa</i>	Sea-side. <i>Honkenya peploides</i>
Long-flowered. <i>Phlox longiflora</i>	Water. <i>Samolus Valerandi</i> . Also applied to <i>Veronica Beccabunga</i> and <i>V. Anagallis</i>
Mossy. <i>Phlox subulata</i> , <i>P. muscoides</i> , and <i>P. bryoides</i>	Water, of Tasmania. <i>Samolus littoralis</i>
Nelson's. <i>Phlox Nelsoni</i>	Yellow. <i>Lysimachia nemorum</i>
Ovate-leaved. <i>Phlox ovata</i>	Pincushion-flower. The genera <i>Scabiosa</i> and <i>Astrocephalus</i>
Panicled. <i>Phlox paniculata</i>	Starry. <i>Astrocephalus stellatus</i>
Procumbent. <i>Phlox procumbens</i>	Pin-grass, or Pin-clover, of California. <i>Erodium cicutarium</i>
Straggling. <i>Phlox divaricata (P. canadensis)</i>	Pine-apple. <i>Ananassa sativa</i>
Tall Garden. Varieties of <i>Phlox paniculata</i>	Wild. <i>Bromelia Penguin</i>
Tufted. <i>Phlox caespitosa</i>	Pine-apple - flower. <i>Eucomis punctata</i> and other species
Very smooth. <i>Phlox glaberrima</i>	Pine-barren Beauty. <i>Pyxidanthera barbulata</i>
White-flowered Dwarf. <i>Phlox nivalis</i>	Pine-drops. <i>Pterospora Andromedea</i>
Physic-nut-tree. <i>Curcas (Jatropha) purgans</i>	Pine-knots. An American name for the cones of Pine-trees
Pi-plant, of the Sandwich Islands. <i>Tacca pinnatifida</i>	Pine-sap. <i>Monotropa Hypopitys</i>
Pickerel-weed. The genus <i>Pontederia</i>	Sweet. <i>Schweinitzia odorata</i>
Bladder-stalked. <i>Pontederia crassipes</i>	Pine-tree. The genus <i>Pinus</i>
Heart-leaved. <i>Pontederia cordata</i>	Adventure Bay. <i>Phyllocladus rhomboidalis</i>
Sky-blue. <i>Pontederia azurea</i>	Aleppo, or Jerusalem. <i>Pinus Halepensis</i>
Pick-purse. <i>Capsella Bursa-pastoris</i>	Amboyna. <i>Dammara orientalis</i>
Pick-tooth. <i>Daucus Visnaga</i>	Austrian. <i>Pinus austriaca</i>
Picotee. A variety of <i>Dianthus Caryophyllus</i> , which has the flowers coloured only on the edges of the petals	Awned-coned. <i>Pinus aristata</i>
Piercena-wood. See Quassia	Bhotan. <i>Pinus excelsa</i>
Pie-plant, Californian. <i>Rumex hymenosepalus</i>	Bishop's. <i>Pinus muricata</i>
Pig-root. The genus <i>Sisyrinchium</i>	Black. <i>Pinus austriaca</i>
Pigeon-berry. <i>Phytolacca decandra</i>	Black, New Zealand. <i>Podocarpus ferruginea</i> and <i>P. spicata</i>
Pigeon-pea. See Pea	

Pine-tree, Brazilian. *Araucaria brasiliensis*
 Broom, or Brown. *Pinus australis*
 "Bull." *Pinus ponderosa*
 Bunya-Bunya. *Araucaria Bidwillii*
 Calabrian. *Pinus Laricio*
 Calabrian Cluster. *Pinus Brutia*
 Californian Giant. *Pinus Lambertiana*
 Candle-wood. *Pinus Teocote*
 Celery-leaved. The genus *Phyllocladus*
 Celery-leaved, of New Zealand. *Phyllocladus trichomanoides*
 Celery-leaved, of Tasmania. *Phyllocladus rhomboidalis*
 Cheer, or Emodi. *Pinus longifolia*
 Chilian. *Araucaria imbricata*
 Chinese. *Pinus sinensis*
 Chinese Lace-Bark. *Pinus Bungeana*
 Cluster, or Star. *Pinus Pinaster*
 Corean. *Pinus Koraiensis*
 Corsican. *Pinus Laricio*
 Corsican Dwarf. *Pinus Laricio* var. *pygmaea*
 Corteian. *Pinus Pinaster* var. *minor*
 Crimean. *Pinus Pallasiana*
 Cypress. *Frenela verrucosa*
 Dammar. *Dammara orientalis*
 Digger. *Pinus Sabiniana*
 Dye, or King. *Pinus Webbiana*
 Emodi. See Pine, Cheer
 Festoon. *Lycopodium rupestre*
 Fox-tail. *Pinus Balfouriana* and *Pinus serotina*
 Frankincense. *Pinus Taeda*
 Georgia. *Pinus australis*
 Ginger. *Cypressus (Chamæcyparis) Lawsoniana*
 Golden. *Pinus Kämpferi*
 Grey or Northern Scrub. *Pinus Banksiana*
 Ground. *Lycopodium dendroideum* and *Ajuga Chamæpitys*
 Ground, Bastard. *Teucrium Pseudo-Chamæpitys*
 Hard. *Pinus australis*
 Heavy-wooded. *Pinus ponderosa*
 Hickory. *Pinus Balfouriana*
 Highland. *Pinus sylvestris* var. *horizontalis*
 Hudson's Bay. *Pinus Banksiana*
 Huon. *Dacrydium Franklini*
 Illawarra. *Podocarpus spinulosa*
 Imou. *Dacrydium cypressinum*
 Italian Stone. *Pinus Pinea*
 Jerusalem. See Pine, Aleppo
 Kauri, or Kowrie. *Dammara (Agathis) australis*
 Kauri, New Caledonian. *Dammara ovata*
 Kauri, Queensland. *Dammara robusta*
 King. *Abies Webbiana*
 Knee. *Pinus Mugho* var. *nana* and *P. Pumilio nana*
 Labrador, or Hudson's Bay. *Pinus Banksiana*
 Lace-bark. *Pinus Bungeana*
 Larch. *Pinus Laricio*
 Loblolly. *Pinus Taeda*
 Lofty Bhutan. *Pinus excelsa*
 Long-leaved. *Pinus australis*
 Lord Aberdeen's. *Pinus Pinaster* var. *Hamiltoni*

Pine-tree, Mahogany. *Podocarpus (Nageia) Totara*
 Monterey. *Pinus insignis*
 "Moon-fruit." *Lycopodium lucidulum*
 Moreton Bay. *Araucaria Cunninghamii*
 Mountain. *Pinus monticola* and *P. Pumilio Murray*. *Frenela robusta*
 Neoza. *Pinus Gerardiana*
 Nepal. *Pinus Gerardiana*
 New Caledonia. *Araucaria Cookii* and *A. Rulei*
 New Jersey Scrub. *Pinus inops*
 New Zealand. *Dacrydium cypressinum*
 Norfolk Island. *Araucaria excelsa*
 Norway. *Pinus (Abies) excelsa*
 "Norway," of N. America. *Pinus resinosa*
 Nut. *Pinus edulis* and *P. monophylla* (*P. Fremontiana*)
 Nut, Californian. *Pinus Fremontiana*
 Old Field. *Pinus Taeda*
 Oyster Bay. *Callitris australis*
 Parasol. See Fir, Parasol
 Pinon. *Pinus edulis*
 Pitch, or Sap. *Pinus rigida*
 Pitch, Bahamas. *Pinus bahamensis*
 Pitch, Georgia. *Pinus australis*
 Pond. *Pinus serotina*
 "Pumpkin," of Canada. *Pinus Strobus*
 Red. *Pinus resinosa* and *Abies rubra*
 Red, New Zealand. *Dacrydium cypressinum*
 Rosemary. *Pinus Taeda*
 Sap, or Pitch. *Pinus rigida*
 Screw. The genus *Pandanus*
 Screw, E. Australian. *Pandanus pedunculatus*
 Screw, Fragrant. *Pandanus odoratissimus*
 Sea-side. *Pinus maritima*
 Shake. *Pinus Lambertiana*
 Siberian. *Pinus Cembra* var. *sibirica*
 Silver. *Pinus Picea*. (See also Fir, Silver)
 Slash. *Pinus Taeda*
 Snow, or White Weymouth. *Pinus Strobus* var. *nivea*
 S. African. *Leucadendron argenteum*
 Southern. *Pinus australis*
 Spey-side. *Pinus sylvestris* var. *horizontalis*
 Spruce. See Fir, Spruce
 Spruce, American. *Pinus mitis* and *P. glabra*
 Star. See Pine, Cluster
 Stone. *Pinus Pinea*
 Stone, Swiss. *Pinus Cembra*
 Sugar. *Pinus Lambertiana*
 Swamp. *Pinus Taeda*
 Swiss. *Pinus Cembra*
 Table Mountain. *Pinus pungens*
 "Tamarack." *Pinus contorta* var. *Murrayana*
 Tarentina. *Pinus Pinea* var. *fragilis*
 Tartarian. *Pinus Pallasiana*
 Thread-leaved. *Pinus filifolia*
 Timor. *Pinus insularis*
 Totara. *Podocarpus Totara*
 "Trucker." *Pinus ponderosa*
 "Tuck-tuck." *Abies (Pinus) nobilis*
 Twisted-branched. *Pinus contorta*
 Twisted Mexican. *Pinus Teocote*
 Umbrella. The genus *Sciadopitys*
 Virginian. *Pinus australis* (*P. palustris*)

Pine-tree, Water.	<i>Glyptostrobus heterophylla</i>	Pink, Ringed-flowered.	<i>Dianthus plumarius</i> var. <i>annulatus</i>
Wax.	The genus <i>Dammara</i>	Rock.	<i>Dianthus petraeus</i>
W. Indian.	<i>Pinus occidentalis</i>	Russian.	<i>Dianthus ruthenicus</i>
Weymouth.	<i>Pinus Strobus</i>	Sand.	<i>Dianthus arenarius</i>
Weymouth, White.	See Pine, Snow	Sea.	<i>Armeria maritima</i>
White.	<i>Pinus Strobus</i> and <i>P. flexilis</i>	Sheathed.	<i>Dianthus viginatus</i>
White, N. S. Wales.	<i>Podocarpus (Nageia) spinulosus</i>	Spanish.	<i>Dianthus hispanicus</i>
White, New Zealand.	<i>Podocarpus (Nageia) dacrydioides</i>	Sweet-scented.	<i>Dianthus fragrans</i> , <i>D. pungens</i> , and <i>D. suavis</i>
Yellow.	<i>Pinus australis</i> , <i>P. mitis</i> , and <i>P. ponderosa</i>	Toothed.	<i>Dianthus dentosus</i>
Yellow Arizona.	<i>Pinus Arizonica</i>	Viscid.	<i>Dianthus viscidus</i>
Puget Sound.	<i>Pinus (Abies) Douglasii</i>	Wood.	<i>Dianthus sylvestris</i>
Pine-weed.	<i>Hypericum Sarothra</i>	Pink-of-my-John.	<i>Viola tricolor</i>
Piney-tree.	<i>Calophyllum angustifolium</i>	Pink-root, Demerara.	<i>Spigelia Anthelmia</i>
Pink.	The genus <i>Dianthus</i>	Maryland.	<i>Spigelia marilandica</i>
Alpine.	<i>Dianthus alpinus</i>	Pink-weed.	<i>Polygonum aviculare</i>
American, Wild.	<i>Silene pennsylvanica</i>	Pink-wood-tree.	<i>Persea caryophyllata</i>
Amoor.	<i>Dianthus dentosus</i>	Brazilian.	<i>Physocalymma floridum</i>
Bush.	<i>Dianthus ramosissimus</i>	Pin-pillow.	<i>Opuntia curassavica</i>
Carolina.	<i>Spigelia marilandica</i>	Pin-weed.	The genus <i>Lechea</i>
Caucasian.	<i>Dianthus caucasicus</i>	Pinxter-flower.	<i>Azalea nudiflora</i>
Cheddar.	<i>Dianthus cæsius</i>	Piony.	Another name for Paeony
Chinese.	<i>Dianthus chinensis</i>	Pipe-stem-wood,	American. <i>Andromeda</i>
China Tree.	<i>Dianthus arbustula</i>	acuminata	
Clove.	<i>Dianthus Caryophyllus</i>	Pipe-tree.	<i>Syringa vulgaris</i>
Clove, Shrubby.	<i>Dianthus Caryophyllus</i> var. <i>fruticosus</i>	Pipe-Vine.	<i>Aristolochia Siphon</i>
Colour-changing.	<i>Dianthus versicolor</i>	Pipe-wort.	<i>Eriocaulon septangulare</i>
Common Garden.	<i>Dianthus plumarius</i>	Hairy.	<i>Lachnocaulon Michauxii</i>
Corsican.	<i>Dianthus corsicus</i>	Pipi-pod-tree.	<i>Casalpinia Pipai</i>
Cushion.	<i>Silene acaulis</i>	Pipperidge, or Piprage.	<i>Berberis vulgaris</i>
Deptford.	<i>Dianthus Armeria</i>	"Pipsissewa."	<i>Chimaphila umbellata</i>
Feathered.	<i>Dianthus plumarius</i>	Piquillin-bush.	<i>Condalia microphylla</i>
Fire.	<i>Silene virginica</i>	Piri-jiri-shrub.	<i>Haloragis citriodora</i>
Fischer's.	<i>Dianthus Fischeri</i>	"Pisang."	<i>Musa paradisiaca</i>
Fragrant White.	<i>Dianthus pungens</i>	Pishamin.	Another name for Persimmon
Free-flowering.	<i>Dianthus floribundus</i>	Sour.	<i>Carpodiscus acidus</i>
Fringed.	<i>Dianthus superbus</i>	Sweet.	<i>Carpodiscus dulcis</i>
German.	<i>Dianthus Carthusianorum</i>	"Pismire-tree."	An old name for <i>Erythrina monosperma</i>
Glacier.	<i>Dianthus glacialis</i>	Pistachio-nut-tree.	<i>Pistacia vera</i>
Grass.	<i>Calopogon pulchellus</i>	Pita-fibre, or Pita-thread-plant.	<i>Agave americana</i> and some other species
Grass, Rose.	<i>Dianthus neglectus</i>	Pitch-tree, Amboyna.	<i>Dammara (Agathis) loranthifolia</i>
Hedge.	<i>Saponaria officinalis</i>	Burgundy.	<i>Pinus Abies (Abies excelsa)</i>
Hungarian.	<i>Dianthus collinus</i>	Pitcher-plant, American.	The genus <i>Sarracenia</i> ; also <i>Darlingtonia californica</i>
Indian.	<i>Dianthus chinensis</i> and vars.	Australian.	<i>Cephalotus follicularis</i>
Indian, of North America.	<i>Quamoclit vulgaris</i>	Blood-red.	<i>Nepenthes sanguinea</i>
Italian, Dark-red.	<i>Dianthus atro-rubens</i>	Bottle-like.	<i>Nepenthes ampullacea</i>
Japan, Cut-flowered.	<i>Dianthus Heddewigi</i> var. <i>laciniatus</i>	Brilliant-red.	<i>Nepenthes superba</i>
Japan, Double-flowered.	<i>Dianthus Hedde-wigi</i> var. <i>diadematus</i>	Californian.	<i>Darlingtonia californica</i>
Japan, Single-flowered.	<i>Dianthus Hedde-wigi</i>	Chinese.	<i>Nepenthes distillatoria</i>
Lily.	See Lily-Pink	E. Indian.	The genus <i>Nepenthes</i>
Maroon-coloured.	<i>Dianthus Dunnettii superba</i>	Guiana.	<i>Heliamphora nutans</i>
Meadow.	<i>Dianthus deltoides</i>	Hairy.	<i>Nepenthes villosa</i>
Moss.	<i>Phlox subulata</i>	Hooker's.	<i>Nepenthes Hookeriana</i>
Mountain.	<i>Dianthus cæsius</i>	Intermediate.	<i>Nepenthes intermedia</i>
Mt. Tymphrestus.	<i>Dianthus Tymphresteus</i>	Java Smooth.	<i>Nepenthes lavis</i>
"Mule."	Hybrid varieties of <i>Dianthus</i>	Lawrence's.	<i>Nepenthes Lawrenceana</i>
Pheasant's-eye.	<i>Dianthus plumarius</i> var. <i>annulatus</i>	Lindley's.	<i>Nepenthes Lindleyana</i>
Pine-leaved.	<i>Dianthus pinifolius</i>	Loddige's.	<i>Nepenthes Loddigesii</i>
Proliferous.	<i>Dianthus prolifer</i>	Miss Morgan's.	<i>Nepenthes Morganiana</i>
		Rajah.	<i>Nepenthes Rajah</i>
		Singapore, Yellow.	<i>Nepenthes Rafflesiana</i>
		Singapore, White-margined.	<i>Nepenthes albo-marginata</i>
		South American.	<i>Heliamphora nutans</i>

Pitcher-plant, Two-spurred. *Nepenthes bicalcarata*
 Ventricose. *Nepenthes Phyllamphora*
"Pitchery-Bidgery." *Duboisia Hopwoodii*
Pith-hat-plant. *Aschynomene aspera*
Pith-tree, of the Nile. *Hermione Elaphryxylon* (*Aldemone mirabilis*)
Pityri-shrub. *Duboisia Hopwoodii*
Plane-tree. The genus *Platanus*
 American. *Platanus occidentalis*
 Californian. *Platanus racemosa*
 "Canopy." *Platanus acerifolia umbellata*
 Caucasian. *Platanus digitata*
 Corstorphine. A yellow-leaved variety of
Acer Pseudo-platanus
 Eastern. *Platanus orientalis*
 Maple-leaved. *Platanus acerifolia*
 Mexican. *Platanus mexicana*
 Oriental. *Platanus orientalis*
 Scotch. The genus *Acer*
 Spanish. *Platanus acerifolia var. hispanica*
 Streaked-barked. *Platanus striata*
 Various-leaved. *Platanus heterophylla*
 Wedge-leaved. *Platanus cuneata*
 Western. *Platanus occidentalis*
Planer-tree. *Planera aquatica*
 Gmelin's. *Planera Gmelini*
 Hornbeam-leaved. *Planera carpinifolia*
 Small-leaved. *Planera parvifolia*
Plank-plant, Australian. *Bossiaea Scolopendrium*
Plant-of-Gluttony. *Cornus suecica*
Plantage. An old name for Plantain
(Plantago)
Plantain. The genus *Plantago*; applied also
 to some other plants
 Broad-leaved. *Plantago maxima*
 Buck's-horn. *Plantago Coronopus*
 False. *Heliconia Bihai*
 Greater. *Plantago major*
 Hart's-horn. See Plantain, Buck's-horn
 Hoary. *Plantago media*
 Indian, of N. America. *Cacalia reniformis*
 Indian, Tuberous. *Cacalia tuberosa*
 Mud. The genus *Heteranthera*
 Net-leaf. *Goodyera pubescens*
 Parrot's. *Heliconia psittacorum*
 Purple-leaved. *Plantago media var. atropurpurea*
 Rattle-snake. See Rattlesnake-Plantain
 Rib-wort. *Plantago lanceolata*
 Robin's. *Erigeron bellidifolius*
 Rose, or Rose-bracted. *Plantago major*
var. rosea
 Sea-side. *Plantago maritima*
 Shrubby. *Plantago Cynops*
 Water. *Alisma Plantago*
 Water, Floating. *Alisma natans*
 Water, Jamaican. *Pontederia azurea*
 Water, Small. *Alisma ranunculoides*
Plantain-Lily. The genus *Funkia*
 Blue. *Funkia caerulea* (*F. ovata*)
 Fortune's. *Funkia Fortunei*
 Golden-variegated. *Funkia undulata foliis aureo-variegatis*
 Large-flowered. *Funkia grandiflora*
 Siebold's. *Funkia Sieboldi*
 Silver-variegated. *Funkia undulata foliis argenteo-variegatis*

Plantain-Lily, Spear-leaved. *Funkia lancolata*
 Sweet-scented. *Funkia japonica* (*F. grandiflora*)
 White-flowered. *Funkia sub-cordata*
 White-margined. *Funkia albo-marginata*
Plantain-Shore-weed. *Littorella lacustris*
Plantain-tree. *Musa paradisiaca*
Plants, "American." See "American Plants"
Pleurisy-root. *Asclepias tuberosa*
Ploughman's-Spikenard. *Inula Conyzoides*
 American. *Baccharis angustifolia*
Plum-tree. The genus *Prunus*
 American Wild. *Prunus americana*
 "Assyrian." *Cordia Myxa* and *C. latifolia*
 Australian. *Cargillia arborea* and *C. australis*
 Batoko. *Flacourtie Ramontchi*
 Beach. *Prunus maritima*
 Black, of Illawarra. *Cargillia australis*
 Blood. *Hæmatostaphis Barteri*
 Californian Wild. *Prunus subcordata*
 Canada. *Prunus americana*
 Carolina. *Prunus caroliniana*
 Ceylon. *Flacourtie sapida*
 Cherry. *Prunus Myrobalana*
 Chiccasaw. *Prunus Chicasa*
 Cocoa. *Chrysobalanus Icaco*
 Cocomilla. *Prunus Cocomilla*
 Common Cultivated. Varieties of *Prunus domestica* (*P. insititia*)
 Damson. *Prunus domestica* var. *damascena*
 Date, American. *Diospyros virginiana*
 Date, Chinese. *Diospyros Kaki*
 Date, European. *Diospyros Lotus*
 Double-blossomed. *Prunus domestica flore-pleno*
 Double-flowered Chinese. *Prunus sinensis fl.-pl.*
 Downy. *Prunus pubescens*
 E. Indian. *Flacourtie cataphracta* and *F. Ramontchi*
 Gingerbread. *Parinarium macrophyllum*
 Gray, Australian. *Cargillia arborea*
 Gray, Sierra Leone. *Parinarium excelsum*
 Green gage. *Prunus Claudiiana*
 Ground. *Astragalus caryocarpus*
 Hog. Various species of *Spondias*; also
Ximenia americana
 Hog, Purple. *Spondias purpurea*
 "Islay," of California. *Prunus ilicifolia*
 Jamaica. *Spondias lutea*
 Japanese. *Prunus japonica* (*P. sinensis*)
 Japanese "Mume." *Prunus Mume*
 Java. *Calyptranthes Jambolana*
 Late-flowering. *Prunus serotina*
 Maiden. The genus *Comocladia*
 Malabar. *Eugenia Jambos*
 Mobola, or Mola. *Parinarium Mobola*
 Mountain, or Hog. *Ximenia americana*
 "Mume." *Prunus Mume*
 Myrobella. *Prunus Myrobalana*
 Natal. *Arduina grandiflora*
 Native, of N. S. Wales. *Podocarpus spinulosa*
 Orleans. A variety of *Prunus domestica*
 Pigeon. *Coccoloba Floridana*

Plum-tree, Pigeon, Sierra Leone. <i>Chrysobalanus ellipticus</i> and <i>C. luteus</i>	Poke, Hydrangea-leaved. <i>Phytolacca icosandra</i>
Port Arthur, or Tasmanian. <i>Cenarrhenes nitida</i>	Indian. <i>Veratrum viride</i>
Premier Swiss. <i>Prunus domestica</i> var. <i>Turonensis</i>	Purple-flowered. <i>Phytolacca purpurea</i>
Queensland, Sour. <i>Owenia venosa</i>	Red-stemmed. <i>Phytolacca icosandra</i>
Queensland, Sweet. <i>Owenia cerasifera</i>	Tree. <i>Phytolacca dioica</i>
Rough-skinned. <i>Parinarium excelsum</i>	Virginian. <i>Phytolacca decandra</i>
Sand, or Beach. <i>Prunus maritima</i>	Polar-Plant. <i>Silphium laciniatum</i>
Sapodilla, or Sapotilla. <i>Achras Sapota</i>	Pole-cat-weed. <i>Symplocarpus foetidus</i>
Sea-side, of the W. Indies. <i>Ximenia americana</i>	Wild. <i>Convolvulus panduratus</i>
Sebestens. <i>Cordia Myxa</i> and <i>C. latifolia</i>	Poly, Golden. <i>Teucrium aureum</i>
"Spanish," of the W. Indies. <i>Spondias</i>	Mountain. <i>Bartsia alpina</i>
<i>Mombin</i> and <i>Mameea humilis</i>	Yellow. <i>Teucrium flavescens</i>
Spreading. <i>Prunus divaricata</i>	Polyanthus. A garden variety of the Ox-lip (<i>Primula elatior</i>)
Sugar. <i>Malpighia saccharina</i>	Polyphydy. The genus <i>Polypodium</i>
Tamarind. <i>Dialium indicum</i>	Alpine. <i>Polypodium alpestre</i>
Tasmanian. <i>Cenarrhenes nitida</i>	American. <i>Polypodium incanum</i>
Three-lobed-leaved. <i>Prunus triloba</i>	Climbing. <i>Niphobolus Heteractis</i>
Variegated-leaved. <i>Prunus domestica</i> var. <i>variegata</i>	Female. <i>Athyrium Filix-femina</i>
Various-leaved. <i>Prunus domestica</i> var. <i>heterophylla</i>	Golden. <i>Polypodium (Phlebodium) aureum</i>
Weeping. <i>Prunus cerasifera</i>	Hoary. <i>Polypodium incanum</i>
Whitish-leaved. <i>Prunus candicans</i>	Irish. <i>Polypodium hibernicum</i>
Wild. <i>Prunus communis</i>	Mule. <i>Lastrea Filix-mas</i>
Wild, American. <i>Prunus americana</i>	Rigid Three-branched. <i>Polypodium calcareum</i>
Wild, British Columbia. <i>Prunus subcordata</i>	Scented. <i>Polypodium pustulatum</i>
Wild, N. S. Wales. <i>Achras (Sapota) australis</i>	Twining. <i>Polypodium serpens</i>
Wild, of the Cape. <i>Pappea capensis</i>	Welsh. <i>Polypodium Cambicum</i>
Wild-Goose. An improved variety of <i>Prunus Chiccosa</i>	Pomegranate-tree. <i>Punica Granatum</i>
Plum-bush, Australian. <i>Astrotricha pterocarpa</i>	Double-flowered. <i>Punica Granatum fl.-pl.</i>
Plume-grass. See Grass	Dwarf. <i>Punica Granatum var. nana</i>
Plume-Nutmeg. <i>Atherosperma moschata</i>	"Pomme de Prairie," or "Pomme Blanche."
Plume-thistle. See Thistle	<i>Psoralea esculenta</i>
Podophyllin-plant. <i>Podophyllum peltatum</i>	Pomelo (Large-sized Shaddocks). <i>Citrus decumana</i>
Poe-plant, of the Sandwich Islands. <i>Colocasia esculenta</i>	Pond-Dog-wood, Louisiana White. <i>Cephaelanthus occidentalis</i>
Pohutu-kawa-tree, of New Zealand. <i>Metrosideros tomentosa</i>	Pond-spice. <i>Tetranthera geniculata</i>
Poison-berry. W. Indian. <i>Beurrearia succulenta</i> and various species of <i>Cestrum</i>	Pond-weed. The genus <i>Potamogeton</i>
Poison-bulb, Asiatic. <i>Crinum asiaticum</i>	Broad-leaved. <i>Potamogeton natans</i>
Cape. <i>Buphanes (Haemanthus) toxicaria</i>	Cape. <i>Aponogeton distachyon</i>
Poison-dart, of the Philippine Islands. <i>Aglaonema commutata</i>	Choke. <i>Anacharis Alsinastrum</i>
Poison-Oak, Californian. <i>Rhus diversiloba</i>	Close-leaved. <i>Potamogeton densus</i>
Poison-plant, Horse, of Australia. <i>Swainsona Greyana</i>	Curly. <i>Potamogeton crispus</i>
Sheep, of Australia. <i>Gastrolobium bilobum</i> , <i>G. Callistachys</i> , and other species; also <i>Lotus australis</i>	Fennel-leaved. <i>Potamogeton pectinatus</i>
Tame. <i>Vincetoxicum officinale</i>	Flat-stalked. <i>Potamogeton compressus</i>
York Road, of W. Australia. <i>Gastrolobium calycinum</i>	Grass-leaved. <i>Potamogeton gramineus</i>
Poison-tree, Jamaica. <i>Ihus arborea</i>	Hawthorn-scented. <i>Aponogeton distachyon</i>
Queensland. <i>Croton Verreauxii</i>	Horned. <i>Zannichellia palustris</i>
Poison-wood, W. Indian. <i>Sebastiania lucida</i>	Long. <i>Potamogeton proelongus</i>
Poke, or Poke-weed. The genus <i>Phytolacca</i>	Perfoliate. <i>Potamogeton perfoliatus</i>
E. Indian. <i>Phytolacca acinosa</i>	Reddish. <i>Potamogeton rufescens</i>
Electrical. <i>Phytolacca electrica</i>	Shining. <i>Potamogeton lucens</i>
	Slender. <i>Potamogeton pusillus</i>
	Tassel. <i>Ruppia maritima</i>
	Various-leaved. <i>Potamogeton heterophylus</i>
	Wading. <i>Stratiotes aloides</i>
	Pond-wort, Knight's. An old name for <i>Stratiotes aloides</i>
	Pony. <i>Tecoma serratifolia</i>
	Pool-rush. Another name for Bul-rush
	Poon-wood-tree. A species of <i>Calophyllum</i>
	Poor-man's-Parmacetie. An old name for <i>Capsella Bursa-pastoris</i>
	Poor-man's-Rhubarb. <i>Thalictrum flavum</i>

- Poor-man's-Weather-glass.** *Anagallis arvensis*
- Pop-corn.** A variety of *Zea Mays*, used for parching
- Popering,** or Popperin. A variety of Pear mentioned by Shakespeare ("Romeo and Juliet," Act ii., scene 1)
- Pope's-head.** *Melocactus communis*
- Poplar.** The genus *Populus*
- Athenian. *Populus graeca*
 - Berry-bearing. *Populus monilifera*
 - Black. *Populus nigra*
 - Black Italian. *Populus accladesca*
 - Californian. *Populus trichocarpa* and *P. Fremontii*
 - Carolina. *Populus monilifera*
 - Downy. *Populus heterophylla*
 - Fragrant. *Populus suaveolens*
 - Gray. *Populus alba* var. *canescens*
 - Laurel-leaved. *Populus laurifolia*
 - Lombardy. *Populus fastigata*
 - Necklace. *Populus monilifera*
 - Ontario. *Populus balsamifera* var. *candidans* (*P. macrophylla*)
 - Queensland. *Carumbium populifolium* (*Omalanthus populifolius*)
 - Rocky Mountain. *Populus angustifolia*
 - Soft, or Paper. *Populus grandidentata*
 - "Tacamahac." *Populus balsamifera*
 - Weeping. *Populus pendula*
 - Weeping Gray. *Populus canescens* var. *pendula*
 - "Western." *Liriodendron tulipiferum*
 - White. *Populus alba*
 - Willow-leaved. *Populus nigra* var. *salicifolia*
 - "Yellow." *Liriodendron tulipiferum*
- Poppy.** The genus *Papaver*
- Alpine. *Papaver alpinum*
 - Blue Himalayan. *Meconopsis aculeata*
 - Blue, Wallich's. *Meconopsis Wallichii*
 - Californian. *Platystemon californicus* and the genus *Eschscholtzia*
 - Californian Orange. *Eschscholtzia californica* *crocea*
 - Californian Pink. *Eschscholtzia californica* *crocea rosea*
 - Californian White. *Eschscholtzia californica* *alba*
 - Carnation. *Papaver somniferum*
 - Cathcart's. *Cathcartia villosa*
 - Caucasian Scarlet. *Papaver umbrosum*
 - Celandine. *Stylophorum diphyllum*
 - Corn. *Papaver Rhæas*
 - Corn, Smooth-fruited. *Papaver dubium*
 - Danebrog. A variety of *Papaver somniferum* (?)
 - Dark-spotted. *Papaver umbrosum*
 - "Frothy." *Silene inflata*
 - Golden. *Papaver croceum*
 - Great Scarlet. *Papaver bracteatum*
 - Hairy-stemmed. *Papaver pilosum*
 - Horned. See Horned-Poppy
 - Iceland. A variety of *Papaver nudicaule*
 - Joan, or John, Silver-pin. *Papaver Rhæas* fl.-pl.
 - Long-headed. *Papaver dubium*
 - Mexican, or Prickly. *Argemone mexicana*
 - Mexican Large-flowered. *Argemone grandiflora*
 - Poppy, Mexican White. *Argemone grandiflora*
 - Mexican Yellow. *Argemone speciosa*
 - Nepaul. *Meconopsis nepalensis*
 - Opium. *Papaver somniferum*
 - Opium, Black. *Papaver somniferum* var. *nigrum*
 - Opium, Double. *Papaver somniferum* fl.-pl.
 - Orange. *Papaver lateritium*
 - Oriental. *Papaver orientale*
 - Pæony. *Papaver somniferum*
 - Pale. *Papaver Argemone*
 - Plume. The genus *Bocconia*
 - Prickly. See Poppy, Mexican
 - Prickly, Himalayan. *Meconopsis aculeata*
 - Rough. *Papaver hybridum*
 - Sea-side. *Glaucium luteum*
 - Sikkim. *Meconopsis simplicifolia*
 - "Spatling." *Silene inflata*
 - Spiked. *Papaver spicatum*
 - Thompson's. *Papaver umbrosum*
 - Tree. *Dendromecon rigidum*
 - Welsh. *Meconopsis cambrica*
 - White. *Papaver somniferum*
 - Yellow Arctic. *Papaver nudicaule*
- Poppy-Mallow.** The genus *Callirrhœ*
- Crimson-flowered. *Callirrhœ involucrata*
 - Finger-leaved. *Callirrhœ digitata*
 - Long-stalked. *Callirrhœ pedata*
 - White-flowered. *Callirrhœ macrorrhiza*
- Poppy-tree,** Californian. *Dendromecon rigidum*
- Poppy-wort,** Satin. *Meconopsis Wallichiana*
- Porcelain.** An old name for Purslane
- Porcupine-wood.** The hard outer part of the trunk of *Cocos nucifera*
- Portland-Starch-root.** *Arum maculatum*
- Potato,** Canada. *Helianthus tuberosus*
- Common. Varieties of *Solanum tuberosum*
 - Creeping-stemmed. *Solanum stoloniferum*
 - Hog's. *Zygadenus venenosus*
 - Madagascar. *Solanum Anguivi*
 - Mic-mac. *Apios tuberosa*
 - Native, of N. S. Wales. *Marsdenia viridiflora*
 - Spanish, or Sweet. *Batatas edulis*
 - Sea-side, of India. *Ipomoea Pes-caprae*
 - Sweet. See Potato, Spanish
 - Sweet, Giant. *Batatas paniculata*
 - Tasmanian Native. *Gastrodia sesamoides*
 - Telinga. *Amorphophallus campanulatus*
 - Wild. *Convolvulus panduratus*
 - Wild, of the W. Indies. *Ipomæa fastigiata*
- Potato-Fungus.** See Fungus
- Potato-tree.** *Solanum crispum*
- Potato-Vine,** Wild. *Ipomoea pandurata*
- Potentil,** Marsh. *Potentilla Comarum* (*Comarum palustre*)
- Pot-herb,** Black. *Smyrnium Olusatum*
- White. *Valerianella olitoria*
- Pot-plant.** *Lecythis Ollaria*
- Pottery-tree,** French Guiana. *Caripa angustifolia*
- Pará. *Mogoulea utilis*
- Pounce-tree.** *Callitris quadrivalvis*
- Pow-itch.** The fruit of *Pyrus rivularis*
- Prangos Hay-plant.** *Prangos pubularia*
- "Prattling Parnell." An old name for *Saxifraga Geum* var. *serrata*

Preacher-in-the-pulpit.	<i>Orechis spectabilis</i>	Primrose, Scotch.	<i>Primula scotica</i>
Pretty-grass.	The genus <i>Calochortus</i>	Shaggy-leaved.	<i>Primula villosa</i>
Yellow.	<i>Calochortus luteus</i>	Showy.	<i>Primula spectabilis</i>
Picket.	An old name for <i>Sedum acre</i>	Siebold's.	<i>Primula Sieboldii</i>
Prickly Pear.	<i>Cactus Opuntia</i>	Silver-edged.	<i>Primula marginata</i>
Prickly Pettigree.	<i>Ruscus aculeatus</i>	Snow-white.	<i>Primula nivalis</i> and <i>P. nivea</i>
Prickly-pole.	<i>Bactris Plumieriiana</i>	Soft-leaved.	<i>Primula mollis</i>
Prickly Poppy.	See Poppy	Stein's.	<i>Primula Steinii</i>
Prickly-withe.	<i>Cereus triangularis</i>	Strong-scented.	<i>Primula graveolens</i>
Prick-wood.	<i>Cornus sanguinea</i> and <i>Euonymus europaeus</i>	Stuart's.	<i>Primula Stuartii</i>
Pride-of-Barbadoes.	<i>Cesalpinia pulcherrima</i>	Toothed-leaved.	<i>Primula denticulata</i>
Pride-of-China.	<i>Melia Azedarach</i>	Tree.	The genus <i>Oenothera</i>
Pride-of-Columbia.	<i>Phlox speciosa</i>	Tyrolean.	<i>Primula Tyrolensis</i>
Pride-of-India.	<i>Melia Azedarach</i>	Veitch's.	<i>Primula cortusoides amœna</i>
Pride-weed.	<i>Erigeron canadensis</i>	Whorled.	<i>Primula verticillata</i>
Priest's-crown.	<i>Taraxacum officinale</i>	Wulfen's.	<i>Primula Wulfeniana</i>
Prim-print, or Prim.	<i>Ligustrum vulgare</i>	Yellowish.	<i>Primula luteola</i>
Primrose.	The genus <i>Primula</i> ; also an old name for Privet	Primrose-Peerless.	<i>Narcissus biflorus</i>
Abyssinian.	<i>Primula verticillata</i>	Prince's-Feather.	<i>Amarantus hypochondriacus</i>
Allion's.	<i>Primula Allionii</i>	Prince's-Pine.	<i>Chimaphila umbellata</i>
Altaian.	<i>Primula altaica</i>	Prince-wood.	The wood of <i>Cordia geraschanthoides</i> and <i>Hamelia centricosa</i>
Bird's-eye.	<i>Primula farinosa</i>	Privet.	The genus <i>Ligustrum</i>
Bird's-eye, Brilliant.	<i>Primula farinosa</i> var. <i>superba</i>	Barren.	<i>Rhamnus Alaternus</i>
Bird's-eye, Scotch.	<i>Primula scotica</i>	Box-leaved.	<i>Ligustrum vulgare</i> var. <i>buxifolium</i>
Californian.	<i>Primula suffrutescens</i>	Chinese.	<i>Ligustrum sinense</i>
Cape.	The genus <i>Streptocarpus</i>	Chinese Dwarf.	<i>Ligustrum sinense nanum</i>
Carniolic.	<i>Primula carniolica</i>	Chinese Wax.	<i>Ligustrum lucidum</i>
Cashmere.	<i>Primula cashmeriana</i>	Common.	<i>Ligustrum vulgare</i>
Caucasian.	<i>Primula amara</i>	Egyptian.	<i>Lawsonia alba</i>
Changeable.	<i>Primula commutata</i>	Evergreen.	<i>Ligustrum vulgare semperfirrens</i> (<i>L. v. italicum</i>)
Chinese.	<i>Primula sinensis</i>	Fortune's.	<i>Ligustrum Fortunei</i>
Chinese, Fringed.	<i>Primula sinensis fimbriata</i>	Gold-blotted.	<i>Ligustrum japonicum variegatum</i>
Clammy.	<i>Primula viscosa</i>	Hairy.	<i>Ligustrum villosum</i>
Common.	<i>Primula acaulis</i>	Japanese.	<i>Ligustrum japonicum</i>
Cortusa-leaved.	<i>Primula cortusoides</i>	Mock.	The genus <i>Phillyrea</i>
Creamy-flowered.	<i>Primula involucrata</i>	Oval-leaved.	<i>Ligustrum ovalifolium</i>
De Candolle's.	<i>Primula Candolleana</i>	Pipe.	<i>Syringa vulgaris</i>
Ear-leaved.	<i>Primula auriculata</i>	Shining-leaved.	<i>Ligustrum japonicum lucidum</i>
Entire-leaved.	<i>Primula integrifolia</i>	Spike-flowered.	<i>Ligustrum spicatum</i>
Evening.	See Evening-Primrose	Syrian.	<i>Fontanesia phillyreoides</i>
Fairy.	<i>Primula minima</i>	Variegated-leaved.	<i>Ligustrum vulgare variegatum</i>
Floerk's.	<i>Primula Floeriana</i>	White-berried.	<i>Ligustrum vulgare leucocarpum</i>
Fringed.	<i>Primula ciliata</i>	Yellow-berried.	<i>Ligustrum vulgare xanthocarpum</i>
Fortune's.	<i>Primula Fortunei</i> (<i>P. erosa</i>)	Procession-flower.	<i>Polygala vulgaris</i>
Glaucous-leaved.	<i>Primula glaucescens</i>	Prophet-flower.	<i>Anebia echioiodes</i>
Glutinous.	<i>Primula glutinosa</i>	Prune-tree.	<i>Prunus domestica</i>
Hairy-leaved.	<i>Primula hirsuta</i>	W. Indian.	<i>Prunus occidentalis</i>
Heavy-scented.	<i>Primula graveolens</i>	Wild, of the Cape.	<i>Sapindus Pappea</i>
Henry's.	<i>Primula Henryi</i>	Puchero-plant.	<i>Talinum patens</i>
Himalayan.	<i>Primula Sikkimensis</i>	Fuccoon, Hairy.	<i>Lithospermum hirtum</i>
Japanese.	<i>Primula japonica</i>	Hoary.	<i>Lithospermum canescens</i>
Java.	<i>Primula imperialis</i>	Red.	<i>Sanguinaria canadensis</i>
Kitaibel's.	<i>Primula Kitaibelii</i>	Yellow.	<i>Hydrastis canadensis</i>
Large-calyxed.	<i>Primula calycina</i>	Pucha-pat.	<i>Pogostemon Patchouly</i>
Munro's.	<i>Primula Munroi</i>	Pudding-berry.	<i>Cornus canadensis</i>
Neapolitan.	<i>Primula Palinuri</i>	Pudding-grass.	An old name for Pennyroyal
Parry's.	<i>Primula Parryi</i>	Pudding-pipe-tree.	<i>Cassia Fistula</i>
Piedmont.	<i>Primula Pedemontana</i>	Puff-ball.	The genus <i>Lycoperdon</i>
Round-headed Himalayan.	<i>Primula capitata</i>	Common.	<i>Lycoperdon Bovista</i>
Round-headed Purple.	<i>Primula purpurea</i>		
Round-headed Yellow-eyed Purple.	<i>Primula pulcherrima</i>		
Rosy-flowered.	<i>Primula rosea</i>		

- Puff-ball, False.** *Scleroderma Cepa*
False, Warty. *Scleroderma verrucosum*
Giant. *Lycoperdon giganteum*
- Pukatea-tree.** *Laurelia Novae-Zelandiae*
and *Griselinia lucida*
- Pulas-tree.** *Butea frondosa* and *B. superba*
- Pulque-plant.** *Agave americana* and
other species
- Pumpkin, Squash, or Gourd.** Various species
of *Cucurbita*
Common. *Cucurbita Pepo*
Elephant. *Cucurbita maxima*
Melon. *Cucurbita Melopepo*
- Punk.** See Amadou
- Purification-flower.** *Galanthus nivalis*
- Puriri-tree.** *Vitex littoralis*
- Purple-fringe.** *Rhus Cotinus*
- Purple-heart Tree,** Guiana. *Copaifera*
bracteata and *C. pubiflora*
Trinidad. *Peltogyne paniculata*
W. Indian. *Copaifera officinalis*
- Purple Jacobaea.** *Senecio elegans*
- Purple-tassels.** *Muscari comosum*
- Purples.** See Ear-cockle
Long. See Long-Purples
- Purple-wort.** *Comarum palustre*
- Purslane.** The genus *Portulaca*
Common Garden. *Portulaca oleracea*
Crimson-flowered. *Portulaca Thellussonii*
Cuban Winter. *Claytonia perfoliata*
Milk. *Euphorbia maculata*
Red-flowered. *Portulaca splendens*
Rock. *Calandrinia umbellata*
Rock, Shining. *Calandrinia nitida*
Sea. *Arenaria peploides* and *Atriplex*
portulacoides
Sea, American. *Sesuvium Portulacastrum*
Siberian. *Claytonia sibirica*
Water. *Peplis Portula* and *Isnardia pa-*
lustris
Water, American. *Ludwigia palustris*
Winter. *Claytonia perfoliata*
Yellow-flowered. *Portulaca aurea*
- Purslane-tree.** *Portulacaria afra*
Broad-leaved, Sea. *Atriplex Halimus*
- Pussy's-foot.** *Antennaria plantaginifolia*
"Putchuck." *Aristolochia recurvibrabra*
- Putty-root.** *Aplectrum hyemale*
- Puya-fibre-plant.** *Bæhmeria Puya*
- "**Pyracantha.**" *Crataegus Pyracantha*
White-berrried. *Crataegus Pyracantha*
fructù-albo
- Pyramid-tree, Golden.** *Guilfoylia (Cadel-*
lia) monostylis
- Quacksalver's Turbith, or Quacksalver's**
Spurge. *Euphorbia Esula*
- Quamash, or Camash.** *Camassia esculenta*
Californian. *Camassia Leichtlini*
"Death." *Zygadenus venenosus*
Eastern. *Scilla Fraseri*
White-flowered. *Camassia esculenta var.*
alba and *C. Leichtlini*
- Quandang-nut.** See Nut
- Quandong-tree.** *Santalum Preissianum*
(*S. acuminatum*)
- Quassia-tree, or Picræna-wood, Jamaica.**
Picræna (Quassia) excelsa
Surinam. *Quassia amara*
- Quebracho-tree, Red.** *Loxopterygium Lo-*
rentzii
White. *Aspidosperma Quebracho*
- Queen-Lily.** See Lily
- Queen-Mother-Herb.** An old name for
Tobacco
- Queen-of-the-Meadow.** *Spiraea salici-*
folia
- Queen-of-the-Orchids.** See Orchids
- Queen-of-the-Prairie.** *Spiraea lobata*
- Queen's-cushion.** *Saxifraga hypnoides*
- Queen's-delight.** See Queen's-root
- Queen's-flower.** *Lagerstroemia Reginæ*
- Queen's-root, or Queen's-delight.** *Styl-*
lingia sylvatica
- Quick, or Quick-set, Thorn.** See Thorn
- Quick-beam,** Quicken, or Wicken-tree.
Pyrus Aucuparia
- Quillai-tree.** See Cullary
- Quill-wort.** *Isoëtes lacustris*
Mountain. *Isoëtes alpinus*
- Quinancy-wort, Quinsy-wort, or Squinancy-**
wort. *Asperula Cynanchica*
- Quince-tree.** *Pyrus Cydonia*
Bastard. *Pyrus Chamænespilus*
Bengal. *Ægle Marmelos*
Common. *Cydonia vulgaris*
Maule's Japanese. *Pyrus Maulei*
Portugal. *Cydonia vulgaris var. lusitanica*
- Quinine-plants.** Chiefly *Cinchona lanci-*
folia, *C. Palton*, *C. Pitayensis*, and *C.*
cordifolia
- Quinoa, or White Quinoa.** *Chenopodium*
Quinoa
- Quinsky-berry.** The fruit of *Ribes nigrum*
- Quinsky-wort.** *Asperula Cynanchica*
- Quirinca-pods.** The pods of *Acacia Ca-*
venia
- Quiver-tree.** *Aloë dichotoma*
- Rabbit-berry.** *Shepherdia argentea*
- Rabbit-foot.** *Trifolium arvense*
- Rabbit-root.** *Aralia nudicaulis*
- Rabone.** An old name for Radish
- Raccoon-berry.** *Podophyllum peltatum*
- Races.** A commercial name for Ginger
- Radish, Cultivated.** *Raphanus sativus*
Italian. *Raphanus Landra*
- Rat-tail.** *Raphanus caudatus*
- Seaside.** *Raphanus maritimus*
- Water.** *Nasturtium amphibium*
- Water, Annual.** *Nasturtium palustre*
- Wild.** *Raphanus Raphanistrum*
- Raffia, or Roffia-plant.** *Raphia Ruffia* and
R. tedigera
- Rag, or Rags, Hazel.** *Sticta pulmonacea*
- Ragge-plant.** *Eleusine coracana*
- Ragged-Robin.** *Lychnis Flos-cuculi*
- Rag-weed, or Rag-wort, African.** The
genus *Othonna*
- American Golden. *Senecio aureus*
- Barbary. *Othonna cheirifolia*
- Common. *Senecio Jacobæa*
- Great American. *Ambrosia trifida*
- Oak-leaved. *Senecio aquaticus*
- Oxford. *Senecio squalidus*
- Sea-side. *Cineraria maritima*
- Water. *Senecio squalidus*
- Woolly American. *Senecio tomentosus*

Rain-berry, or Rhine-berry-thorn. <i>Rhamnus catharticus</i>	Rasp-berry, Nootka-Sound. <i>Rubus Nutkanus</i>
Rainbow-flower. The genus <i>Iris</i>	Purple-flowered American. <i>Rubus odoratus</i>
Rain-tree. <i>Pithecellobium Saman</i>	Showy-flowered. <i>Rubus spectabilis</i>
Raisin-tree, Japanese. <i>Hovenia dulcis</i> and <i>Ribes rubrum</i>	Victorian. <i>Rubus rosafolius</i>
Ram. An old name for the genus <i>Rhamnus</i>	White-skinned. <i>Rubus leucodermis</i>
Ram-goat. <i>Fagara microphylla</i>	Wild Red American. <i>Rubus strigosus</i>
Ram-of-Libya. <i>Paliurus aculeatus</i>	Rasp-berry-jam Tree. <i>Acacia acuminata</i>
Rambutan, or Rampostan. The fruit of <i>Nephelium lappaceum</i>	Rasp-pod, Queensland. <i>Flindersia australis</i>
Ramee, or Ramie-grass. See Grass "Ramleh," of Rangoon. The fruit of <i>Pierardia sapida</i>	Raspis. An old name for Rasp-berry
Ramoon-tree. The genus <i>Trophis</i>	Rata-tree, of New Zealand. <i>Metrosideros floridana</i> and <i>M. robusta</i>
Rampion, Garden. <i>Campanula Rapunculus</i>	Rat-poison-plant, of Sierra Leone. <i>Chailletia toxicaria</i>
Horned. See Horned-Rampion	Of the W. Indies. <i>Hamelia patens</i>
Large. <i>Onothera biennis</i>	Rattan-Cane. <i>Calamus Draco</i> (<i>C. Rotang</i>)
Rampostan. See Rambutan	Rattle, Red. <i>Pedicularis sylvatica</i>
Ram's-foot. An old name for <i>Ranunculus aquatilis</i>	Yellow, or Rattle-box. <i>Rhinanthus Crastagalli</i>
Ram's - head. <i>Cypripedium arietinum</i> . Also applied to the seeds of <i>Cicer arietinum</i>	Rattle-box. <i>Crotalaria sagittalis</i> . (See also Rattle, Yellow)
Ram's-horns. <i>Orchis mascula</i>	Rattle-root. <i>Cimicifuga racemosa</i>
Ramson's. <i>Allium ursinum</i>	Rattle-snake-leaf. <i>Goodyera pubescens</i>
"Ramsted," of N. America. <i>Linaria vulgaris</i>	Rattle - snake - plant, Cape. <i>Crotalaria arborescens</i>
Ram-til-plant. <i>Guizotia oleifera</i>	Rattle-snake-Plantain, Creeping. <i>Goodiera repens</i>
Rangoon-Creeper. See Creeper	Silvery. <i>Goodyera pubescens</i>
Ransted. See Ramsted	Rattle-snake-root. <i>Trillium latifolium</i> , <i>Nabalus albus</i> , and <i>N. virgatus</i>
Rantry. <i>Pyrus Aucuparia</i>	Rattle-snake-weed. <i>Hieracium renosum</i>
Ranunculus. (See also Crow-foot)	Rattle-snake's-Master. <i>Agave virginica</i> , <i>Eryngium yuccifolium</i> , and <i>Liatris pilosa</i>
American Early. <i>Ranunculus fascicularis</i>	Rattle-weed. <i>Astragalus lentiginosus</i>
Bristly. <i>Ranunculus pensylvanicus</i>	Californian. The genus <i>Astragalus</i>
Bulbous-rooted. <i>Ranunculus bulbosus</i>	Ray-flower, Australian. The genus <i>Anthocereis</i>
Celery-leaved. <i>Ranunculus sceleratus</i>	Ray-grass, or Rye-grass. See Grass
Common Garden. Varieties of <i>Ranunculus asiaticus</i>	Ray-pod. <i>Actinocarpus Damasonium</i>
Corn-field. <i>Ranunculus arvensis</i>	Red-berry, or Sea-berry, Australian. The genus <i>Ichagodia</i>
Creeping. <i>Ranunculus repens</i>	Red-bud. <i>Cercis canadensis</i>
Double Persian. <i>Ranunculus asiaticus</i> <i>pl.</i> <i>var.</i>	Californian. <i>Cercis occidentalis</i>
Fig-wort. <i>Ranunculus Ficaria</i>	Red-head. <i>Asclepias curassavica</i>
Globe. The genus <i>Trollius</i>	Red-hot - poker - plant. <i>Tritoma Uvaria</i> and other species
Great. <i>Ranunculus Lingua</i>	Red-ink-plant. <i>Phytolacca decandra</i>
Hairy. <i>Ranunculus hirsutus</i>	Red-knees. <i>Polygonum Hydropiper</i>
Hooked. <i>Ranunculus recurvatus</i>	Red-legs. <i>Polygonum Bistorta</i>
Ivy-leaved. <i>Ranunculus hederaceus</i>	Red Morocco. <i>Adonis autumnalis</i>
Lenormand's. <i>Ranunculus Lenormandi</i>	Red-ray. An old name for Darnel
Meadow. <i>Ranunculus acris</i>	Red-root. <i>Ceanothus americanus</i>
Sea-side. <i>Ranunculus Cymbalaria</i>	Blue-flowered. <i>Ceanothus azureus</i>
Small-flowered. <i>Ranunculus parviflorus</i>	Box-leaved. <i>Ceanothus buxifolius</i>
Snake-tongue. <i>Ranunculus ophioglossifolius</i>	Carolina. <i>Lachnanthes tinctoria</i>
Spear. <i>Ranunculus Flammula</i>	Intermediate. <i>Ceanothus intermedius</i>
Water. <i>Ranunculus aquatilis</i>	Ovate-leaved. <i>Ceanothus ovatus</i>
Water, Yellow. <i>Ranunculus multifidus</i>	Red-twiggled. <i>Ceanothus sanguineus</i>
Wood. <i>Ranunculus auricomus</i>	Small-leaved. <i>Ceanothus microphyllus</i>
Rape. <i>Brassica Napus</i>	Red-rot. <i>Drosera rotundifolia</i>
Summer. <i>Brassica campestris</i>	Red-shanks. <i>Polygonum Persicaria</i> and <i>Geranium Robertianum</i>
Rasp-berry, American Wild Red. <i>Rubus strigosus</i>	Mossy. <i>Tillea muscosa</i>
Black American. <i>Rubus occidentalis</i>	Red-weed. <i>Papaver Rhoeas</i>
Common. <i>Rubus Idaeus</i>	Red-water-tree, of Sierra Leone. <i>Erythrophleum leonense</i>
Dwarf American. <i>Rubus triflorus</i>	
Ground. <i>Hydrastis canadensis</i>	
Himalayan. <i>Rubus rugosus</i>	

Red - wood - tree, Andaman. *Pterocarpus dalbergioides*
Bahama. *Ceanothus colubrinus* (*Colubrina ferruginea*)
Californian. *Ceanothus spinosus*
Californian Evergreen. *Sequoia (Taxodium) sempervirens*
Coromandel. *Soymida febrifuga*
E. Indian. *Pterocarpus santalinus*
Jamaica. *Gordonia Haematoxylon*
Laurel-leaved. *Erythroxylon laurifolium*
St. Helena. *Melhania Erythroxylon*
Santa Barbara. *Ceanothus spinosus*
Reed. The genus *Arundo*
 Canary. *Phalaris (Digraphis) arundinacea*
 Common. *Arundo Phragmites*
 Great. *Arundo Donax*
 Gromwell. See Gromwell-reed
 Indian, or Flowering Indian. *Canna indica*
 New Zealand. *Arundo conspicua*
 Paper. See Paper-reed
 Sea-sand. *Calamagrostis arenaria*
 Silvery. *Arundo conspicua*
 Sweet. *Sorghum saccharatum*
 "Thorny," of Peru. *Cactus peruvianus*
 Trumpet. *Arundo occidentalis*
 Wood. *Calamagrostis lanceolata*
 Wood, Silvery. *Calamagrostis argentea*
 Writing. *Calamagrostis Epigeios*
Reed-mace. *Typha latifolia*
Reem. *Calamus Flagellum*
Rere-plant, of India. *Typha angustifolia*
Resin-bush, of S. Africa. *Euryops speciosissimus*
 "Resino," of Juan Fernandez. *Robinsonia thurifera*
Resin-plant, Carana. *Bursera acuminata*
 Chibou, or Cachibou. *Bursera gummosa*
 Copal, Brazilian. *Hymenaea Courbaril*
 Copal, Madagascar. *Trachylobium (Hymenaea) verrucosum*
 Copal, New Zealand. *Dammara australis*
 Copal, N. American. *Rhus copallina*
 Copal, W. African. *Guibourtia copalifera*
 Copal, Zanzibar. *Trachylobium (Hymenaea) Hornemannianum*
 Coumia. *Icica Tacamahaca*
 Elemi. *Amyris Plumieri*
 Guaiac. *Guaiacum officinale*
 Hotai. Supposed to be *Balsamodendron Playfairii*
 Manawa. *Avicennia tomentosa*
 Mastich. *Pistacia Lentiscus*
 Maynas. *Calophyllum Calaba*
Rest-harrow. The genus *Ononis*
 Apulian. *Ononis Apula*
 Arragon. *Ononis arragonensis*
 Bristly. *Ononis hispida*
 Cape. *Ononis capensis*
 Clammy. *Ononis viscosa*
 Common. *Ononis arvensis*
 Denhardt's. *Ononis Denhardtii*
 Drooping. *Ononis pendula*
 Few-leaved. *Ononis oligophylla*
 Long-flower-stalked. *Ononis peduncularis*
 Long-leaved. *Ononis longifolia*
 Mt. Cenis. *Ononis cenisia*

Rest-harrow, Notch-leaved. *Ononis emarginata*
 Painted-flowered. *Ononis picta*
 Pigmy. *Ononis minutissima*
 Pointed-leaved. *Ononis cuspidata*
 Ram. *Ononis Natrix*
 Rooting-branched. *Ononis procurrens*
 Round-headed. *Ononis capitata*
 Round-leaved. *Ononis rotundifolia*
 Sand. *Ononis arenaria*
 Short-flowered. *Ononis breviflora*
 Short-podded. *Ononis brachycarpa*
 Shrubby. *Ononis fruticosa*
 Sickle-podded. *Ononis falcata*
 Small. *Ononis reclinata*
 Smooth. *Ononis glabra*
 Spanish. *Ononis hispanica*
 Spreading. *Ononis diffusa*
 Strong-scented. *Ononis foetida*
 Tall. *Ononis antiquorum*
 Three-toothed. *Ononis tridentata*
 Tree. *Ononis arborescens*
 Twin-flowered. *Ononis geminiflora*
 Two-flowered. *Ononis biflora*
 Very branching. *Ononis ramosissima*
 Very narrow-leaved. *Ononis angustissima*
 White-flowered. *Ononis alba*
 Yellow-flowered. *Ononis Natrix*
Resurrection - plant. *Anastatica Hierochuntina*, *Mesembryanthemum Tripolium*, and *Selaginella lepidophylla*
Rewa - Rewa - tree, of New Zealand. *Knightia excelsa*
Rhatany-root. The root of *Krameria triandra*
 Savanilla. The root of *Krameria Taxina*
Rheea-grass. See Grass
Rheumatism-root. *Jeffersonia diphylla*
Rhine-berry. See Rain-berry
Rhodes-wood. The wood of *Amyris balsamifera*
Rhododendron, Azalea-like. *Rhododendron azaleoides*
 Bearded-flowered. *Rhododendron anthopogon*
 Bearded-leaf-stalked. *Rhododendron barbatum*
 Bell-flowered. *Rhododendron campanulatum*
 Blandfordia-flowered. *Rhododendron blandfordiaeiflorum*
 Blunt-leaved. *Rhododendron retusum*
 Bristly. *Rhododendron setosum*
 Californian. *Rhododendron californicum*
 Canadian. *Rhodora canadensis*
 Catawba. *Rhododendron Catawbiense*
 Catesby's. *Rhododendron Catesbeei*
 Caucasian. *Rhododendron caucasicum*
 Citron-flowered. *Rhododendron citrinum*
 Curved-podded. *Rhododendron campylocarpum*
 Daurian. *Rhododendron dauricum*
 Dotted-leaved. *Rhododendron punctatum*
 Early-blooming. *Rhododendron praecox*
 Epiphytal. *Rhododendron Dalhousiae*
 Fringed. *Rhododendron ciliatum*
 Gibson's. *Rhododendron Gibsonii*
 Glaucous-leaved. *Rhododendron glaucum*

Rhododendron, Golden-flowered. <i>Rhododendron chrysanthum</i>	Rice, American Mountain. The genus <i>Oryzopsis</i>
Hairy-leaved. <i>Rhododendron hirsutum</i>	Canada. See Rice, Indian
Herbert's Hybrid. <i>Rhododendron hybridum</i>	Cultivated. <i>Oryza sativa</i>
Javanese. <i>Rhododendron javanicum</i>	Hungary. <i>Paspalum exile</i>
Jessamine-flowered. <i>Rhododendron jasminiflorum</i>	Indian, or Canada. <i>Zizania aquatica</i> (<i>Hydropteryx esculentum</i>)
Kamtschatka. <i>Rhododendron camtschaticum</i>	Millet. <i>Panicum colonum</i>
Lady Dalhousie's. <i>Rhododendron Dalhousiae</i>	Mountain. <i>Oryza mutica</i>
Lapland. <i>Rhododendron lapponicum</i>	Petty, of Peru. The seeds of <i>Chenopodium Quinoa</i>
Largest. <i>Rhododendron maximum</i>	Rice Cut-grass. See Grass
Long-flowered. <i>Rhododendron longiflorum</i>	Rice-flower. The genus <i>Pimelea</i>
Major Madden's. <i>Rhododendron Maddenii</i>	Rice-paper-plant, Chinese. <i>Aralia papyrifera</i>
Metternich's. <i>Rhododendron Metternichii</i>	Malay. <i>Scavola Taccada</i>
Mrs. Champion's. <i>Rhododendron Championiae</i>	Rich-weed. <i>Pilea pumila</i> and <i>Collinsonia canadensis</i>
Mrs. Farrer's. <i>Rhododendron Farrerae</i>	Rimu-tree. <i>Dacrydium cupressinum</i>
Myrtle-leaved. <i>Rhododendron myrtifolium</i>	Ring-worm-root. <i>Rhinacanthus communis</i> (<i>Justicia nasuta</i>)
Neilgherry. <i>Rhododendron Nilagiricum</i>	Ring-worm-shrub. <i>Cassia alata</i>
Pontic. <i>Rhododendron ponticum</i>	Rivulet-tree, Australian. <i>Glochidion australae</i> (<i>Bradleia australis</i>)
Purple-flowered. <i>Rhododendron purpureum</i> and <i>R. ponticum</i>	Roan-tree. See Rowan-tree
Pursh's. <i>Rhododendron Purshii</i>	Roast-beef-plant. <i>Iris fatidissima</i>
Rajah Brooke's. <i>Rhododendron Broomeanum</i>	Robin-run-in-the-hedge. <i>Nepeta Glechoma</i>
Rusty-leaved. <i>Rhododendron ferrugineum</i>	Robin's-pincushion. The Bedeguar of the Rose
Scaly. <i>Rhododendron lepidotum</i>	Robin's-Rye. <i>Polytrichum juniperinum</i>
Silvery. <i>Rhododendron argenteum</i>	"Roble"-tree, of Mexico. <i>Quercus lobata</i>
Slender. <i>Rhododendron gracile</i>	Rocambole. <i>Allium Ophioscorodon</i> Wild.
Slender-branched. <i>Rhododendron virginicum</i>	Rock-Beauty. <i>Petrocallis pyrenaica</i>
Snowy-leaved. <i>Rhododendron niveum</i>	Rock-Cress. The genus <i>Arabis</i>
Sweet-scented. <i>Rhododendron ponticum</i> var. <i>odoratum</i>	Blue. <i>Arabis deltoidea</i> and varieties
Thyme-leaved. <i>Rhododendron Chamæcistus</i>	Bristol. <i>Arabis stricta</i>
Tree. <i>Rhododendron arboreum</i>	Early-flowering White. <i>Arabis albida</i>
Vermilion-flowered. <i>Rhododendron cinnabarinum</i>	Fringed. <i>Arabis ciliata</i>
White-flowered. <i>Rhododendron albiflorum</i>	Glabrous. <i>Arabis perfoliata</i>
Whorl-leaved. <i>Rhododendron verticillatum</i>	Hairy. <i>Arabis hirsuta</i>
Yellow-flowered. <i>Rhododendron chrysanthum</i>	Northern. <i>Arabis petraea</i>
Rhubarb. The genus <i>Rheum</i>	Pink-tinted. <i>Arabis auricretioides</i>
Bog. <i>Petasites vulgaris</i>	Purple. <i>Aubrieta purpurea</i>
Bucharian. <i>Rheum undulatum</i>	Rosette. <i>Arabis Androsace</i>
Curled-leaved. <i>Rheum crispum</i>	Rosy-flowered. <i>Arabis rosea</i> and <i>A. blepharophylla</i>
Currant-fruit. <i>Rheum Ribes</i>	Shining-leaved. <i>Arabis lucida</i>
Garden, or Tart. Varieties of <i>Rheum Rhaponticum</i>	Spreading. <i>Arabis procurrens</i>
Monk's. <i>Rumex alpinus</i> and <i>R. Patientia</i>	Thale. <i>Arabis Thaliana</i>
Nepaul. <i>Rheum australe</i>	Tower. <i>Arabis Taurita</i>
Palmate-leaved. <i>Rheum palmatum</i>	Variegated. <i>Arabis lucida variegata</i>
Poor-man's. <i>Thalictrum flavum</i>	Rocket , Base. <i>Reseda lutea</i>
Red-veined. <i>Rheum Emodi</i>	Bastard. <i>Brassica Erucastrum</i>
Sikkim. <i>Rheum nobile</i>	Blue. <i>Aconitum pyramidalis</i> and other species
Tart. See Rhubarb, Garden	Crambling. See Crambling-Rocket
Thick-leaved. <i>Rheum compactum</i>	Cress. <i>Vella Pseudo-Cytisus</i> and <i>V. annua</i>
Turkey. <i>Rheum palmatum</i>	Dame's. See Rocket, Garden
Warted-leaved. <i>Rheum Ribes</i>	Double Purple. <i>Hesperis matronalis</i> <i>purpurea plena</i>
Wavy-leaved. <i>Rheum undulatum</i>	Double White. <i>Hesperis matronalis</i> <i>alba plena</i>
Rib-grass. See Grass	Dyer's. <i>Reseda Luteola</i>
Ribbon-flower, Cape. <i>Spatalanthus speciosus</i>	Edible. <i>Eruca sativa</i>
Ribbon-grass. See Grass	Evening-scented. <i>Hesperis fragrans</i>
Ribbon-tree. <i>Plagianthus betulinus</i>	Garden, Dame's, or White. <i>Hesperis matronalis</i>
Ribbon-weed. <i>Laminaria saccharina</i>	
Ribbon-wood, New Zealand. <i>Plagianthus Lyalli</i>	
Otago. <i>Hoheria populnea</i>	

- Rocket, Italian.** *Reseda lutea*
 London. *Sisymbrium Irio*
 Mountain. *Saxifraga granulata fl.-pl.*
 Night-scented. *Hesperis tristis*
 Salad. *Eruca sativa*
 Sea-side. *Cakile maritima*
 Sea-side, American. *Cakile americana*
 Violet-flowered. *Hesperis violacea*
 Wall. *Diplotaxis tenuifolia*
 Water. *Nasturtium sylvestre*
 White. See Rocket, Garden
 Wild. *Brassica muralis*
 Winter, or Yellow. *Barbarea vulgaris*
 Yellow. See Rocket, Winter
- Rock-foil.** A name suggested by Mr. Ruskin for the genus *Saxifraga*
- Rock-plant,** of St. Helena. *Petrobium arboreum*
- Rock-rose.** The genus *Cistus*
 Blunt-leaved. *Cistus obtusifolius*
 Broad-leaved. *Cistus latifolius*
 Canary Island. *Cistus candidissimus*
 Clusii's. *Cistus Clusii*
 Common. *Cistus vulgaris*
 Corbières. *Cistus corbariensis*
 Cretan. *Cistus creticus*
 Curled-leaved. *Cistus crispus*
 Cyme-flowered. *Cistus cymosus*
 Dwarf. *Cistus lusitanicus*
 Florentine. *Cistus florentinus*
 Hairy. *Cistus hirsutus*
 Heart-leaved. *Cistus Cupanianus*
 Hoary. *Cistus incanus*
 Laurel-leaved. *Cistus laurifolius*
 Long-leaved. *Cistus longifolius*
 Loose-flowered. *Cistus laxus*
 Many-flowered. *Cistus Ledon*
 Montpelier. *Cistus nonspeliensis*
 Oblong-leaved. *Cistus oblongifolius*
 Poplar-leaved. *Cistus populifolius*
 Purple-flowered. *Cistus purpureus*
 Rough-leaved. *Cistus asperifolius*
 Sage-leaved. *Cistus salviaefolius*
 Sheathed-stalked. *Cistus vaginatus*
 Shubby. *Cistus villosus* and *C. frutescens*
 Silky-leaved. *Cistus sericeus*
 Smooth-calyxed. *Cistus psilosepalus*
 Various-leaved. *Cistus heterophyllus*
 Waved-leaved. *Cistus undulatus*
 Whitish-leaved. *Cistus albidus*
- Rock-tripe.** *Gyrophora vellea*
- Rods-gold.** An old name for Marigold
- Rod-wood, Black.** *Eugenia pallens*
 Jamaica. *Lettia Guidonia*
 Red. *Eugenia axillaris*
 White. *Calyptranthes Chytraculia*
- Roe-buck-berry.** The fruit of *Rubus saxatilis*
- Roffia.** See Raffia
- Rogation-flower.** *Polygala vulgaris*
- Rohun-Bark-plant.** *Soymida (Swietenia) febrifuga*
 "Roi," of New Zealand. The root of *Pteris esculenta*
- Roka-tree.** *Trichilia emetica*
- Romerillo-dye-plant.** *Heterothalamus brunioides*
- Roof-foil.** A name suggested by Mr. Ruskin for the House-leek
- Room,** or Roum-plant. *Ruellia tinctoria*
- Root-blossom,** Scarlet. *Agalmiya longistyta*
- Root-of-Scarcity.** Another name for the Mangel-Wurzel
- Rope-grass,** Tasmanian. *Restio australis*
- Rosary-plant.** *Abrus precatorius*
 Mexican. *Rhynchosia precatoria*
- Rose.** The genus *Rosa*
 Alpine. *Rhododendron ferrugineum*, *R. hirsutum*, and *R. striatum*
 Anemone-flowered. *Rosa anemoniflora*
 Apple-bearing, or Apple. *Rosa villosa* var. *pomifera*
 Ash-leaved. *Rosa fraxinifolia*
 Australian Native. *Boronia serrulata*
 Austrian. *Rosa lutea* var. *purpurea*
 Austrian, Dwarf. *Rosa pumila*
 Ayrshire. *Rosa arvensis* var. *scandens*
 Barberry-leaved. *Rosa berberidifolia*
 Barrow. *Rosa spinosissima*
 Bengal. *Rosa Bengalensis*
 Boursault. *Rosa Boursaulti*
 Bramble. *Rosa polyantha*
 Bramble-leaved. *Rosa rubrifolia*
 Brown's. *Rosa Brunonii*
 Burnet, Pink-shaded. *Rosa spinosissima* var. *carnea*
 Burnet, White. *Rosa spinosissima*
 Burnet, Pyrenean White. *Rosa pimpinellifolia* var. *pyrenaica*
 Cabbage. *Rosa centifolia*
 Canker. *Papaver Rhæas*
 Cayenne. *Licuria guianensis*, or *Dicypelium caryophyllum*
 Celestial. A variety of *Rosa alba*
 Cherokee. *Rosa laevigata*
 China, or Monthly. *Rosa indica*
 China, Red. *Rosa semperflorens*
 Cinnamon. *Rosa cinnamomea*
 Cinnamon, Double. *Rosa cinnamomea* var. *faecundissima*
 Cinnamon, Dwarf. *Rosa majalis*
 Cliff. See Cliff-rose
 Clove-scented. *Rosa caryophyllacea*
 Cretan. *Rosa glutinosa*
 Crimean. *Rosa taurica*
 Damask. *Rosa damascena*
 Diverse-leaved. *Rosa diversifolia*
 Dwarf Wild American. *Rosa lucida*
 Early Wild American. *Rosa blanda*
 Evergreen. *Rosa sempervirens*
 Fairy. *Rosa Larrenecana*
 Field. *Rosa arvensis*
 Frankfort. *Rosa turbinata* var. *Francofurtana*
 French. *Rosa gallica*
 Green-flowered. *Rosa viridiflora*
 Guelder. *Viburnum Opulus*
 Guiland. *Rosa Pissarti*
 Holly. The genus *Helianthemum*
 Hudson's Bay. *Rosa blanda*
 Hundred-leaved. *Rosa centifolia*
 Hyacinth-scented. *Rosa hyacinthina*
 Irish. *Rosa hibernica*
 Jamaica. The genus *Meriania*. Also applied to *Blakea trinervis*
 Japanese. *Rosa伊原* and the genus *Camellia*

Rose, "Juno's." <i>Lilium candidum</i>	Rose-Campion, Common. <i>Lychnis coronaria</i>
Lady Banks's. <i>Rosa Banksiae</i>	Double - blossomed. <i>Lychnis coronaria</i> <i>fl.-pl.</i>
Lenten. The species of <i>Helleborus</i> which bloom in Lent	Italian. <i>Lychnis Nicæensis</i>
Macartney. <i>Rosa bracteata</i>	Smooth-leaved. <i>Lychnis Cæli-rosa</i>
Malabar. <i>Hibiscus Rosa-malabarica</i>	Rose-Elder. <i>Viburnum Opulus</i>
Many-flowered. <i>Rosa polyantha</i>	"Roselle"-plant. <i>Hibiscus Sabdariffa</i>
Mexican. <i>Rosa Montezunæ</i>	Rose-Mallow, American Scarlet. <i>Hibiscus coccineus</i>
Miss Lawrence's. <i>Rosa Lawrenceana</i>	Chinese. <i>Hibiscus Rosa-sinensis</i>
Monthly. See Rose, China	Fringed-flowered. <i>Rosa-sinensis schizophala</i>
Moss. <i>Rosa centifolia var. muscosa</i>	Halberd-leaved. <i>Hibiscus militaris</i>
Mossy-crested. <i>Rosa centifolia var. muscosa-cristata</i>	Marsh. <i>Hibiscus palustris</i>
Mountain, of the W. Indies. <i>Antigonon leptopus</i>	Rosy-flowered. <i>Hibiscus roseus</i>
Musk-scented. <i>Rosa moschata</i>	Swamp. <i>Hibiscus Moscheutos</i>
Noisette. <i>Rosa indica var. Noisettiana</i>	Rose-Pink. <i>Sabbatia angularis</i>
"Of Heaven." <i>Lychnis Cæli-rosa</i>	Rosemary, Common. <i>Rosmarinus officinalis</i>
"Of Jericho." <i>Anastatica Hierochuntina</i>	Marsh. <i>Ledum palustre</i> and <i>Andromeda polifolia</i> . Also applied, in America, to the genus <i>Statice</i>
"Of Sharon." <i>Hibiscus syriacus</i>	Poet's. <i>Osyris alba</i> (<i>Cassia poetica</i>)
Pea-fruited. <i>Rosa pisocarpa</i>	Sand-hill. <i>Ceratiola ericoides</i>
Prairie, or Climbing. <i>Rosa setigera</i>	Sea-side. <i>Schoberia fruticosa</i>
Provins. <i>Rosa centifolia var. pomponia</i>	Victorian. <i>Westringia rosmariniformis</i>
Pyrenean Dwarf. <i>Rosa alpina var. pyrenaica</i>	Wild, American. <i>Andromeda polifolia</i>
Ramanas. <i>Rosa rugosa var. alba</i>	Wild, Jamaica. <i>Croton Cascarilla</i>
Red-leaved. <i>Rosa rubrifolia</i>	Rosemary-Frankincense. <i>Cachrys Libanotis</i>
Redouté's. <i>Rosa rubrifolia var. Redoutéa</i>	Rose-root. <i>Rhodiola rosea</i>
Regel's. <i>Rosa Regeliana</i>	Rose-wood-tree, African. <i>Pterocarpus erinaceus</i>
River, of Tasmania. <i>Bauera rubioides</i>	Australian. <i>Synoum glandulosum</i> (<i>Trichilia glandulosa</i>)
Sabine's. <i>Rosa Sabini</i>	Brazil. <i>Dalbergia nigra</i>
Sage. See Sage-Rose	Burmese. <i>Pterocarpus indicus</i>
Scotch. <i>Rosa spinosissima</i>	Canary. <i>Rhodorrhiza scoparia</i>
Seven-sisters. <i>Rosa Grevillei</i>	Dominica. <i>Cordia Geraschanthus</i>
Shaggy-fruited. <i>Rosa villosa</i>	E. Indian. <i>Dalbergia latifolia</i> and <i>D. sissooides</i>
Shining-leaved. <i>Rosa lucida</i>	Jamaica. <i>Linociera ligustrina</i> and <i>Amyris balsamifera</i>
Silky-leaved. <i>Rosa sericea</i>	Moulmein. A species of <i>Milletia</i>
"South Sea," of Jamaica. <i>Nerium Oleander</i>	Tasmanian. A species of <i>Acacia</i>
Sulphur-flowered. <i>Rosa sulphurea</i>	Rosin-weed. <i>Silphium laciniatum</i>
Sweet-briar. <i>Rosa rubiginosa</i>	Rouge-berry, or Rouge-plant. <i>Rivina humilis</i> and other species
Tea, or Tea-scented. A variety of <i>Rosa indica</i>	Roum. See Room
Three-leaved. <i>Rosa sinica</i>	"Rounsvials." An old name for Garden Peas
Turkestan Dwarf. <i>Rosa rugosa</i>	Rowan-tree, or Roan-tree. <i>Pyrus Aucuparia</i>
Turpentine. <i>Rosa terebinthinacea</i>	"Rozelle"-plant. <i>Hibiscus Sabdariffa</i>
Vilmorin. <i>Rosa gallica var. inaperta</i>	Rubber-plant, E. Indian. <i>Ficus elastica</i>
"Vinegar," of Germany. <i>Paeonia officinalis</i>	Rubber-tree, African. The genus <i>Lant-dolphia</i>
Water. See Water-Rose	India. See "India-rubber" and "Caout-chouc"
West Indian Mountain. <i>Bronnea Rosa</i>	Ruby-wood. Another name for Red Sanders-wood
Willow-leaved. <i>Rosa longifolia</i>	"Ruddes." An old name for Marigolds
Wind. <i>Papaver Rhæas</i> and <i>Rameria hybrida</i>	Rue. The genus <i>Ruta</i>
Yellow, Double. <i>Rosa sulphurea</i>	Black, of New Zealand. <i>Podocarpus spicata</i>
Yellow, Single. <i>Rosa lutea</i>	Common. <i>Ruta graveolens</i>
York-and-Lancaster. <i>Rosa versicolor</i> (a variety of <i>R. Damascena</i>) and <i>Rosa mundi</i> (or <i>Gloria mundi</i>), a variety of <i>R. gallica</i>	Fen. See Rue, Meadow
Rose-Acacia. <i>Robinia hispida</i>	Goat's. <i>Galega officinalis</i>
Rose-apple. <i>Eugenia Jambos</i>	
Malay. <i>Eugenia malaccensis</i>	
Rose-a-ruby. <i>Adonis autumnalis</i>	
Rose-Bay. <i>Nerium Oleander</i> and <i>Epilobium angustifolium</i>	
American. <i>Rhododendron maximum</i>	
Lapland. <i>Rhododendron Lapponicum</i>	
Rose-Box. The genus <i>Cotoneaster</i>	

- Rue, Goat's, of the W. Indies.** *Tephrosia cinerea*
 Meadow, or Fen. *Thalictrum flavum*
 Mountain. *Ruta montana*
 Otago Black. *Podocarpus spicata*
 Padua. *Ruta pataлина*
 Sicilian. *Ruta bracteosa*
 Simple-leaved. The genus *Aplophyllum*
 Syrian. *Peganum Harmala*
 Wall. *Asplenium Ruta-muraria*
 White-flowered. *Ruta albiflora*
- Rue-Anemone.** *Thalictrum anemonoides*
Runch. *Raphanus Raphanistrum*
Rupture-wort. *Herniaria glabra* and
Alternanthera polygonoides
- Rusa-Oil-plant.** *Andropogon Schænanthus*
Rush. The genus *Juncus*
 Baltic. *Juncus balticus*
 Beak. The genus *Rhynchospora*
 Black-spiked. *Juncus castaneus*
 Blunt-flowered. *Juncus obtusiflorus*
 Bul, Club, Mat, or Pool. *Scirpus lacustris*
 Bog. *Schænus nigricans*
 Candle, or Pin. *Juncus effusus*
 Club. See Rush, Bul, and Club-rush
 Club, American Hedgehog. *Mariscus cylindricus*
 Cluster-headed. *Juncus capitatus*
 Common Soft. *Juncus communis*
 Cord, of Victoria. *Schænus brevifolius*
 Cork-screw. *Juncus conglomeratus spiralis*
 Dutch. See Rush, Scouring
 Flowering. *Batumus umbellatus*
 Galingale. *Cyperus tegetum*
 Goose-corn. *Juncus squarrosum*
 Hard. *Juncus glaucus*
 Heath, or Moss. *Juncus squarrosum*
 Highland. *Juncus trifidus*
 Horned. *Rhynchospora corniculata*
 Jersey. *Juncus capitatus*
 Jointed. *Juncus articulatus*
 Mat. See Rush, Bul
 Mat, Chinese. *Lepironia mucronata*
 Moss. See Rush, Heath
 Nut. *Cyperus esculentus*
 Nut, American. *Cyperus rotundus* var.
Hydra and the genus *Scleria*
 Palmite. *Prionium Palmata*
 Paper. *Papyrus antiquorum* and other species
 Petsi. *Heleocharis tuberosa*
 Pin. See Rush, Candle
 Pool. See Rush, Bul
 Round-fruited. *Juncus compressus*
 Scouring, or Dutch. *Equisetum hyemale*
 Sea-side. *Juncus maritimus*
 Sea-side, Great Sharp. *Juncus acutus*
 Spike. The genus *Eleocharis*
 Sweet. *Andropogon Schænanthus* and *A. laniger*
 Thread. *Juncus filiformis*
 Three-flowered. *Juncus triglumis*
 Toad. *Juncus bufonius*
 Twig. *Cladium mariscoides*
 Two-flowered. *Juncus biglumis*
 Wood. *Luzula sylvatica*. (See also Wood-rush)
 Zebra-striped. *Eulalia japonica zebra*
- Rush-Broom, Australian.** *Viminaria denu-datu*
Rush-Fern. See Fern
Rush-grass. See Grass
Rush-Lily. The genus *Sisyrinchium*
 Purple. *Sisyrinchium grandiflorum*
 White. *Sisyrinchium grandiflorum* var.
album
- Rush-plant, Knife-leaved.** *Cyperus elegans*
Rush-nut, Edible. *Cyperus esculentus*
 American. *Cyperus rotundus* var. *Hydra*
"Rust"-Fungus. See Fungus
Rusty-back. *Blechnum Spicant* and *Ceterach officinarum*
Rutton-root. *Onosma (Maharanga) Emodi*
Rye, Common. *Secale cereale*
 Ergot of. The sclerotium (or compact mycelium) of *Claviceps purpurea*
 Perennial. A variety of *Secale fragile*
 Spurred. *Secale cornutum* (Rye - grain attacked by the Ergot-Fungus)
 Wild, of N. America. The genus *Elymus*
- Sabadilla.** Another name for Cevadilla
Sabicu, Savacù, or Savicò-wood, of Cuba.
 The timber of *Lysiloma Sabicu*
Sabino-tree. *Taxodium distichum*
Sack-tree. *Antiariis (Lepurandra) saccadora* (*A. toxicaria*)
Sad-tree, or Indian Mourner. *Nyctanthes Arbor-tristis*
Saddle-tree. *Liriodendron tulipiferum*
Safflower. *Carthamus tinctorius*
Saffron-plant, African. *Lyperia crocea*
 Bastard, or False. *Carthamus tinctorius*
 Common. *Crocus sativus*
 Indian. Various species of *Cureuma*
 Sicilian. *Crocus odorus*
Saffron-wood. *Elæodendron croceum*
Sagapenum, or Seraphic-Gum-plant. Supposed to be *Ferula persica* or *F. Szovitziana*
Sage. The genus *Salvia*
 Apple-bearing. *Salvia pomifera*
 Ash-leaved. *Salvia interrupta*
 Beetle. *Cuphea Jorullensis*
 Bengal. *Meriandra bengalensis*
 Black. *Cordia cylindrostachya*
 Black, of California. *Trichostema lanatum*
 Blue - flowered. *Salvia azurea*, *S. campestris*, *S. officinalis*, *S. patens* and *S. verticillata*
 Camerton's. *Salvia Camertoni*
 Common Garden. *Salvia officinalis*
 Crimson-flowered Dwarf. *Salvia Ræmeriana*
 Egyptian. *Salvia ægyptiaca*
 Gaping Cashmere. *Salvia hians*
 Garlic. *Teucrium Scorodonia*
 Gesnera-leaved. *Salvia gesneræfolia*
 Graham's. *Salvia Grahamii*
 Green-topped. *Salvia viridis*
 Jamaica Mountain. *Lantana aculeata*
 "Jerusalem." *Phlomis fruticosa* and other species
 Long-branched. *Salvia virgata*
 Lupine. *Salvia pratensis* var. *lupinoides*
 Lyre-leaved. *Salvia lyrata*
 Meadow. *Salvia pratensis*

- Sage**, Nettle-leaved. *Salvia urticæfolia*.
 "Of Bethlehem." *Pulmonaria officinalis*.
 Orange-flowered. *Salvia colorata*.
 Paper. *Salvia canariensis*.
 Pine-apple-scented. *Salvia rutilans*.
 Rape-leaved. *Salvia napifolia*.
 Red-and-white-flowered. *Salvia bicolor*.
 Red-flowered. *Salvia sanguinea*.
 Red-flowered, Large. *Salvia sanguinea grandiflora*.
 Red-topped. *Salvia Horminum*.
 Scarlet-flowered. *Salvia coccinea* and *S. splendens*.
 Scarlet Mexican. *Salvia fulgens*.
 "Sea-side." *Croton balsamiferum*.
 Silvery-leaved. *Salvia argentea* (*S. patula*).
 Southern Blue. *Salvia azurea*.
 Spreading. *Salvia patens*.
 Texan. *Salvia Texana*.
 Tree. *Salvia arborea*.
 Variegated. *Salvia officinalis* var. *tricolor*.
 Violet-flowered. *Salvia violacea*.
 White, of California. *Audibertia polystachya*.
 White-flowered. *Salvia argentea*, *S. chionantha*, *S. officinalis alba*, *S. patens alba*, and *S. patula*.
 Wild. *Salvia Verbenaca*.
 Wild, of the Cape. *Tarchonanthus camphoratus*.
 Wood. *Teucrium Scorodonia* and *Salvia sylvestris*.
 Yellow-flowered Greenhouse. *Salvia nubicola*.
 Yellow-flowered Hardy. *Salvia glutinosa*.
Sage-bush, or Sage-brush, of N. America.
Artemisia tridentata, *A. trifida*, and *A. arbuscula*.
Sage-Rose. An old name for the genus *Cistus*.
 Of the W. Indies. *Turnera ulmifolia*.
Sage-tree, Brush-land, of Australia. *Psychotria daphnoides*.
Sago-Palm. See Palm.
Sago-plant, Portland. *Arum maculatum*.
Sago-tree, Jamaica. *Zamia integrifolia* and *Z. furfuracea*.
Saintfoin. *Onobrychis sativa*.
 Mountain. *Onobrychis montana*.
Sal, or Saul-tree. *Shorea robusta*.
Salad, Shawanese. The leaves of *Hydrophyllum virginicum*.
Salad-Burnet. See Burnet.
Salad-Rocket. See Rocket.
Salal, or Shallon-shrub. *Gaultheria Shallon*.
Salep. The dried tubers of various species of *Orchis*.
 E. Indian. *Eulophia campestris* and other species.
 Otaheite. *Tacca pinnatifida*.
"Saligot." An old name for *Trapa natans*.
Sallow. *Salix Caprea*, *S. cinerea*, and allied species.
 Gray. *Salix cinerea*.
 Great. *Salix Caprea*.
 Water. *Salix aquatica*.
Salmon-berry. *Rubus spectabilis* and *R. Nudananus*.
- Saloop-bush**, of Australia. *Rhagodia hastata*.
Salsify, or Vegetable Oyster. *Tragopogon porrifolius*.
Salt-bush, Australian. *Atriplex halimoides* and other species.
Salt-Lake-tree, Queensland. *Ægiceras majus*.
Salt-rheum-weed. *Chelone glabra*.
Salt-tree, Greenish. *Halimodendron subvirescens*.
 Silvery-leaved. *Halimodendron argenteum*.
 Three-flowered. *Halimodendron triflorum*.
Salt-wort, Black. *Glaua maritima*.
 Prickly. *Salsola Kali*.
 Shrubby. *Salsola fruticosa*.
 W. Indian. *Batis maritima*.
Saman, or Zamang-tree. *Pithecellobium Saman*.
Samaria-wood. *Icica altissima*.
Samphire, Common. *Crithmum marinum*.
 Golden. *Inula crithmoides*.
 Jamaica. *Batis maritima* and *Borreria frutescens*.
 Longwood, of St. Helena. *Pharnaceum acidum*.
 Marsh. *Salicornia herbacea*.
 Prickly. *Echinophora spinosa*.
 W. Indian. *Sesuvium Portulacastrum*.
Sand-box-tree, Rattling. *Hura crepitans*.
Sand-flower, Winged-stalked. *Ammobium alatum*.
Sand-fly-bush, of Australia. *Zieria Smithii*.
Sand-Myrtle, Box-leaved. *Leiophyllum buxifolium* (*Ammyrsine buxifolia*).
Sand-paper-tree. *Curatella americana*, *Dillenia scabrella*, and *D. sarmentosa*.
"Sand-stay," of Australia. *Leptospermum lavigatum*.
Sand-wood-shrub. *Bremontiera amoxylon*.
Sand-wort. The genus *Arenaria*.
 Balearic. *Arenaria balearica*.
 Bog. *Arenaria uliginosa*.
 Fringed. *Arenaria ciliata*.
 Grass-leaved. *Arenaria graminifolia*.
 Larch-leaved. *Arenaria laricifolia*.
 Large-flowered. *Arenaria grandiflora*.
 Many-stemmed. *Arenaria multicaulis*.
 Mountain. *Arenaria montana* and *A. Groenlandica*.
 Pine-barren. *Arenaria squarrosa*.
 Purplish-flowered. *Arenaria purpurascens*.
 Red. *Arenaria rubra* and *Spergularia rubra*.
 Square-stemmed. *Arenaria tetraquetra*.
 Tufted. *Arenaria cæspitosa*.
 Vernal. *Arenaria verna*.
Sandal-tree. The genus *Sandoricum*.
Sandal-wood-Oil-plant. *Santalum album*.
Sandal-wood-tree. The genus *Santalum*.
 Citron, or Yellow. *Santalum Freycinetianum*.
 False. *Ximenia americana* and *Myoporum tenuifolium*.
 False, of Crete. *Quercus abelicea*.
 Indian. See Sandal-wood, White.

- Sandal-wood-tree**, Queensland. *Eremophilaphila Mitchelli*
Red. *Adenanthera pavonina* and *Pterocarpus santalinus*
Sandwich Islands. *Santalum Freycinetianum* and *S. paniculatum*
W. Australian. *Fusanus spicatus* (*Santalum spicatum*)
White, or Indian. *Santalum album*
Yellow. See Sandal-wood, Citron
- Sandarac - gum - trée**. *Callitris quadrivalvis* (*Thuya articulata*)
- Sanders-wood**, Red, or Ruby-wood. *Pterocarpus santalinus*
Yellow. *Bucida capitata*
- Sanicle**, American. *Heuchera americana*
Alpine. The genus *Cortusa*
Bear's-ear. *Cortusa Matthioli*
Common. *Sanicula europaea*
Downy. *Cortusa pubens*
Yorkshire. *Pinguicula vulgaris*
- Santa-Maria-tree**. *Calophyllum Calaba*
- Saouari**, or Souari-wood. The wood of *Caryocar nuciferum* and *C. tomentosum*
- Sap-ball-Fungus**. See Fungus
- Sapodilla**, or Sapotilla, Plum. *Achras Sapota*
- Sapota**, White. *Casimiroa edulis*
- Sapote**, or Chupa - Chupa - tree. *Mutisia cordata*
- Sappan-fruit**. The fruit of *Inga dulcis*
- Sappan-wood**. *Cesalpinia Sappan*
- Sapucaia-nut**. See Nut
- Sarcocolla-tree**. *Penaea Sarcocolla*
- Sarsaparilla - plant**, Australian. *Smilax glycyphyllea* and *Hardenbergia monophylla*
Bristly. *Aralia hispida*
E. Indian, or Nunnari-Root. *Hemidesmus indicus* (*Periploca indica*)
Jamaica. *Smilax officinalis*
New Zealand. *Rhipogonium scandens*
Of Commerce. Various species of *Smilax*
Wild. *Aralia nudicaulis*
- Sassafras-tree**. *Laurus Sassafras*
Australian. *Doryphora Sassafras* and *Atherosperma moschata*
Brazilian, or Orinoco. *Nectandra cymbarum*
Californian. *Oreodaphne californica*
Cayenne. *Licania guianensis*
Chilian. *Laurelia sempervirens* and *Boldea fragans*
New Zealand. *Laurelia Novæ-Zelandiae*
Oriental. *Sassafras Parthenoxylon*
Orinoco. See Sassafras, Brazilian
Swamp. *Magnolia glauca*
Tasmanian. *Atherosperma moschata*
White. *Laurus albida*
- Sassy-tree**. *Erythrophleum guineense*
- Satin-bush**, African. *Podalyria sericea*
- Satin-flower**. *Lunaria biennis*
Bermuda. *Sisyrinchium Bermudianum*
Broad-leaved. *Sisyrinchium latifolium*
Crimson. *Brodiaea coccinea*
Grass-leaved. *Sisyrinchium anceps*
Purple. See Satin-flower, Spring
Red. *Hedysarum coronarium*
Spring, or Purple. *Sisyrinchium grandiflorum*
- Satin-flower**, Yellow. *Sisyrinchium californicum* and *S. striatum*
- Satin-leaf**. *Heuchera Richardsoni* (*H. americana*, *H. ribifolia*)
- “Satin-leaves.” The dried seed-vessels of *Lunaria biennis*
- Satin-wood-tree**. *Xanthoxybum caribaeum*
Bahamas. *Maba guineensis* (?)
- E. Indian. *Maba buxifolia*
E. Indian, Yellow. *Swietenia Chloroxylon*
- Sauce-alone**. *Erysimum Alliaria*
- Saul**, or Säl-tree. *Shorea robusta*
- Saunders-wood**. See Sanders-wood
- Savacu**. See Sabicù
- Savannah-flower**. *Echites suberecta* and other species
- Savannah-wood**. *Hosta caerulea*
- Savico**. See Sabicù
- Savin-tree**, Common. *Juniperus Sabina*
Dwarf. *Juniperus Sabina* var. *nana*
“Kindly.” *Juniperus Sabina* var. *cupressifolia*
- Savonette-tree**. *Pithecelobium micradenum*
- Savory**, Canadian. *Satureia Thymbra*
Dyer's. *Serratala tinctoria*
Summer. *Satureia hortensis*
Winter. *Satureia montana*
- Savoy-Cabbage**. See Cabbage
- Saw-grass**, Marsh. See Grass
- Saw-wort**. The genus *Serratula*
Alpine. *Saussurea alpina*
Common. *Serratula tinctoria*
Crowned. *Serratula coronata*
Large-leaved. *Saussurea macrophylla*
- Saxifrage**. The genus *Saxifraga*
“Aaron's-beard.” *Saxifraga sarmentosa*
Aizoon. *Saxifraga Aizoon*
Ambiguous. *Saxifraga ambigua*
Andrews's. *Saxifraga Andrewsii*
Aromatic. *Saxifraga aromatic*
Aretia. *Saxifraga aretioides*
Brook. *Saxifraga rivularis*
Bryum-leaved. *Saxifraga bryoides*
Buckland's. *Saxifraga Bucklandii*
Bugle-leaved. *Saxifraga ajugæfolia*
Burnet. *Pimpinella Saxifraga*
Burser's. *Saxifraga Burseriana*
Carinthian. *Saxifraga carinthiaca*
Channelled-leaved. *Saxifraga canaliculata*
Churchill's. *Saxifraga Churchillii*
Creeping. *Saxifraga sarmentosa*
Crusted-leaved. *Saxifraga crustata*
Diapensia. *Saxifraga diapensioides*
Downy. *Saxifraga pubescens*
Drooping. *Saxifraga cernua*
Early American. *Saxifraga virginiensis*
Early Silver. *Saxifraga coriophylla*
Early White-flowered. *Saxifraga Burseriana*
Elegant. *Saxifraga elegans*
Five-fingered. *Saxifraga pentadactylis*
Fox's-brush. *Saxifraga lantoscana*
Furrowed. *Saxifraga evarata*
Gibraltar. *Saxifraga gibraltarica*
Golden. The genus *Chrysosplenium*

- Saxifrage**, Gray. *Saxifraga cæsia*
 Great Strap-leaved. *Saxifraga ligulata*
 Great Californian. *Saxifraga peltata*
 Greenland. *Saxifraga groenlandica*
 Guthrie's. *Saxifraga Guthrieana*
 Hairy. *Saxifraga hirsuta*
 Hausmann's. *Saxifraga Hausmanniana*
 Heart-leaved. *Saxifraga (Megasea) cordifolia*
 Horn-leaved. *Saxifraga ceratophylla*
 Incurved-leaved. *Saxifraga incurvifolia*
 Ivy. *Saxifraga Cymbalaria*
 Juniper. *Saxifraga juniperina*
 Kerry. *Saxifraga affinis* (a variety of *S. hypnoides*)
 Kidney-leaved. *Saxifraga Geum*
 Lance-leaved. *Saxifraga lanceolata*
 Large Purple-flowered. *Saxifraga biflora*
 Large-flowered Pyrenean. *Saxifraga oppositifolia pyrenaica* var. *maxima*
 Lettuce. *Saxifraga erosa*
 London-pride. *Saxifraga umbrosa*
 Long-leaved. *Saxifraga longifolia*
 Long-leaved, Tall. *Saxifraga longifolia* var. *elatior*
 Marsh. *Saxifraga Hirculus*
 Mawe's. *Saxifraga Mawiana*
 May'l's. *Saxifraga Maylii*
 Meadow. *Saxifraga granulata*, *Silaus pratensis*, and the genus *Seseli*
 Mossy. *Saxifraga hypnoides*
 Mountain. *Saxifraga nivalis*
 Mountain, Large. *Saxifraga aizoides* var. *autumnalis*
 Mountain, Large Rosy-flowered. *Saxifraga oppositifolia* var. *pyrenaica maxima*
 Mountain, Small. *Saxifraga aizoides*
 Nepaul. *Saxifraga nepalensis*
 Palmate-leaved. *Saxifraga palmata*
 Pepper. *Silaus pratensis*
 Piedmont. *Saxifraga pedemontana*
 Polished. *Saxifraga polita*
 Pretty. *Saxifraga pulchella*
 Purple-flowered. *Saxifraga oppositifolia* and *S. retusa*
 Purple Himalayan. *Saxifraga purpurea*
 Pyramidal. *Saxifraga Cotyledon* and *S. pyramidalis*
 Pyramidal, House-leek-leaved. *Saxifraga mutata*
 Pyramidal, Margined. *Saxifraga Aizoon*
 Pyrenean. *Saxifraga longifolia*
 Rochel's. *Saxifraga Rocheliana*
 Roseted. *Saxifraga rosularis*
 Rosy-calyxæd. *Saxifraga calyciflora*
 Rough. *Saxifraga aspera*
 Round-leaved. *Saxifraga rotundifolia*
 Rue-leaved. *Saxifraga tridactylites*
 Saffron-flowered. *Saxifraga mutata*
 Scallop-leaved. *Saxifraga pectinata*
 Schrader's. *Saxifraga Schraderi*
 Shield-leaved. *Saxifraga peltata*
 Silver Moss. *Saxifraga cæsia*
 Slender. *Saxifraga tenella*
 Spoon-leaved. *Saxifraga spatulata*
 Spreading. *Saxifraga repanda*
 Stag's-horn. *Saxifraga ceratophylla*
 Starry. *Saxifraga stellaris*
- Saxifrage**, Sternberg's. *Saxifraga Sternbergii*
 Sturm's. *Saxifraga Sturmiana*
 Swamp. *Saxifraga pennsylvanica*
 Thick-leaved. *Saxifraga (Megasea) crassifolia*
 Three-spined. *Saxifraga tricuspidata*
 Tombe's. *Saxifraga Tombeana*
 Tufted. *Saxifraga cespitosa*
 Vandel's. *Saxifraga Vandelii*
 Various-leaved. *Saxifraga diversifolia*
 Vaudois. *Saxifraga valdensis*
 Wallace's. *Saxifraga Wallacei*
 Water. *Saxifraga rivularis*
 Wedge-leaved. *Saxifraga cuneifolia*
 Whip-cord. *Saxifraga flagellaris*
 Wilkomm's. *Saxifraga Wilkommiana*
 Yellow-flowered Dwarf. *Saxifraga sancta*
 Yellowish-leaved. *Saxifraga tenella*
 Yellow Mountain. *Saxifraga aizoides*
Scabious. The genus *Scabiosa*
 Blue. *Scabiosa succisa*
 Catch-fly-leaved. *Scabiosa silenifolia*
 Caucasian. *Scabiosa caucasica*
 Devil's-bit. *Scabiosa succisa*
 Field. *Scabiosa arvensis*
 Fischer's. *Scabiosa Fischeri*
 Grass-leaved. *Scabiosa graminifolia*
 Mt. Parnassus. *Pterocephalus Parnassii*
 Pale Yellow. *Scabiosa ochroleuca*
 Sheep's-bit. *Jasione montana*
 Silvery. *Centaurea argentea*
 Small. *Scabiosa Columbaria*
 Starry. The genus *Crupina*
 Sweet. *Scabiosa atropurpurea* and varieties
 Sweet, of N. America. *Erigeron annuus*
 Webb's. *Scabiosa Webbiana*
Scab-wort. An old name for *Elecampane*
Scale-fern. See Fern
Scallion. *Allium ascalonicum* var. *majus*.
 The name is also generally applied to all
 Onions that do not bulb, but form long
 necks like Leeks
Scammony - plant. *Convolvulus Scammonia*
 Montpelier. *Cynanchum monspeliacum* and *C. acutum*
Scariole. An old name for Endive
Scarlet-Runner. See Bean
Scarlet-seed. *Ternströmia obovalis* and
Lotia Thamnia
Scent-wood, Tasmanian. *Alyxia buxifolia*
Scoprete-flower. The genus *Sceptranthus*
Scimitar - pods. The pods of *Entada scandens*
Scoke, or Poke-weed. *Phytolacca decandra*
Scorpion-grass. See Grass
Scorpion - plant. *Renanthera arachnitis* and *Genista scorpius*
Scorpion-Senna. *Coronilla Emerica*
Scorzonera, French. *Scorzonera picrooides* (*Pteridium vulgare*)
 Garden. *Scorzonera hispanica*
Scotch-Aphodel. See Aphodel
Scotch-Attorney, of the W. Indies. The
 genus *Clusia*
Scotch-bonnets. *Agaricus (Marasmius) Oreades*
Scotch Fir. See Fir

Scotch Primrose. See Primrose
"Scotino." *Rhus Cotinus*
Scouring-Rush. See Rush
Screw-Moss. See Moss
Screw-Pine. The genus *Pandanus*
Screw-tree. The genus *Helicteres*
 Jamaica. *Helicteres jamaicensis*
 Large-fruited. *Helicteres Isora*
Scripture-wort. See Chink-wort
Serofula-leaf, or Serofula-weed. *Goodyera pubescens*
Scrub-Oak. See Oak
Scrub-wood, St. Helena. *Commidendron rugosum*
Scurvy-grass. *Cochlearia officinalis*
 Rock. *Kerneria (Cochlearia) saxatilis*
 "Scotch." *Convolvulus Soldanella*
Scythian Lamb. The woolly rhizome of *Cibotium Barometz*
Sea-Beet. *Beta maritima*
Sea-bells. *Convolvulus Soldanella*
Sea-belt. *Laminaria saccharina*
Sea-berry, of Australia. The genera *Halaragis* and *Rhagodia*
Sea-Bindweed. *Convolvulus Soldanella*
Sea-Buckthorn. *Hippophaë rhamnoïdes*
Sea - Bugloss. *Pulmonaria (Mertensia) maritima*
Sea-coal. *Convolvulus Soldanella*
Sea-colander. *Agarum Turneri*
Sea-Dock. See Dock
Sea-egg. *Medicago Echinus*
Sea-Foal-foot. See Foal-foot
Sea-Furbelows. *Laminaria bulbosa*
Sea-girdles. *Laminaria digitata*
Sea-Goose-foot. See Goose-foot
Sea-grape. *Salicornia herbacea*
Sea-grass. See Grass
Sea-hangers. *Laminaria bulbosa*
Sea-hay. *Zostera (Alga) marina*
Sea-Heath. *Frankenia pulverulenta*
Sea-Holly. *Eryngium maritimum* and other species
Sea-kale. *Crambe maritima*
Sea-laces. *Chorda Filum*
Sea-Lavender. Various species of *Statice*, especially *S. Limonium*
 Bonduelle's. *Statice Bonduellei*
 Caspian. *Statice caspia*
 Common. *Statice Limonium*
 Crimean. *Statice taurica*
 Daisy-leaved. *Statice bellidifolia*
 Downy. *Statice puberula*
 Dwarf. *Statice nana*
 Globularia - leaved. *Statice globulariae-folia*
 Gmelin's. *Statice Gmelini*
 Great. *Statice latifolia*
 Hoary. *Statice incana (Goniolimon calli-comum)*
 Holford's. *Statice Holfordii*
 Kaufmann's. *Statice Kaufmanniana*
 Matted. *Statice reticulata*
 Narrow-leaved. *Statice angustifolia*
 Olive-leaved. *Statice oleæfolia (S. vir-gata)*
 Pigmy. *Statice minuta*
 Profuse. *Statice profusa*
 Rock. *Statice auriculæfolia*

Sea - Lavender, Rosy-flowered. *Statice eximia*
 Showy. *Statice speciosa*
 Small. *Statice minuta*
 Spiked. *Statice spicata*
 Tall. *Statice elata (Goniolimon elatum)*
 Tartarian. *Statice tatarica*
Sea-Leaf. *Bryophyllum calycinum*
 "Sea-oats." *Uniola paniculata*
Sea - otter's - Cabbage. *Nereocystis Lutkeana*
Sea-Pink. *Statice Armeria*
Sea-Poppy. See Poppy
Sea-Purslane. See Purslane
Sea-Purslane-tree, Broad-leaved. *Atriplex Halimus*
Sea-Reed. *Psamma arenaria*
Sea-Rocket. See Rocket
Sea-Starwort. *Aster Tripolium*
Sea-thongs. *Himanthalia lorea*
Sea-wand. *Laminaria digitata*
Sea-weed. A general name for the marine *Algae*
 Cape Trumpet. *Ecklonia buccinalis*
 Corsican Anthelmintic. *Gigartina helminthocorton*
 Cultivated, Japan. *Porphyra vulgaris*
 Glaziers'. *Zostera mediterranea*
 Gulf. *Sargassum bacciferum*
 Swallow's-nest. *Plocaria tenax*
 Whip-cord. *Chordaria flagelliformis*
Seal-flower. *Dielytra (Dicentra) spectabilis*
Sebestens. The fruit of *Cordia latifolia* and *C. Myxa*
Sedge. The genus *Carex*
 Alpine. *Carex alpina*
 Axillary. *Carex axillaris*
 Beak. The genus *Rhynchospora*
 Black. *Carex atrata*
 Bladder. *Carex vesicaria*
 Bottle. *Carex ampullacea*
 Bracteated Marsh. *Carex divisa*
 Bracteated Sea. *Carex extensa*
 Capillary. *Carex capillaris*
 Carpeting. *Carex divulsa*
 Cotton. See Cotton-sedge
 Crimson-fruited. *Carex baccans*
 Curved. *Carex incurva*
 Cyperus-like. *Carex Pseudo-cyperus*
 Diceous. *Carex dioica*
 Dotted. *Carex punctata*
 Downy. *Carex tomentosa*
 Drooping Bog. *Carex limosa*
 Dwarf. *Carex humilis*
 Elongated. *Carex elongata*
 Few-flowered. *Carex pauciflorus*
 Fingered. *Carex digitata*
 Flea. *Carex pulicaris*
 Glaucous Heath. *Carex glauca*
 Great Pendulous. *Carex pendula*
 Great Spiked. *Carex vulpina*
 Greater Bank. *Carex riparia*
 Greater Tufted. *Carex stricta*
 Green-ribbed. *Carex binervis*
 Hairy. *Carex hirta*
 Hammer. *Carex hirta*
 Hare's-foot. *Carex lagopina*
 Highland. *Carex saxatilis*

Sedge, Hoary.	<i>Carex Buxbaumii</i>	Serpent's-beard.	<i>Ophiopogon japonicus</i>
Lesser Bank.	<i>Carex paludosa</i>	Serpent's-tongue.	<i>Erythronium americanum</i>
Lesser Prickly.	<i>Carex stellulata</i>	Serpentary-Root.	<i>Aristolochia Serpentaria</i>
Lesser Tufted.	<i>Carex vulgaris</i>	Serradella, or Serratella.	<i>Ornithopus sativus</i>
Loose-flowered.	<i>Carex distans</i> and <i>C. strigosa</i>	Service-berry.	<i>Amelanchier canadensis</i>
Mountain.	<i>Carex montana</i>	Service-tree, <i>Auricled.</i>	<i>Pyrus Sorbus auriculata</i>
Mountain, Stiff.	<i>Carex rigida</i>	Bastard.	<i>Pyrus pinnatifida</i>
Oval-spiked.	<i>Carex leporina</i> (<i>C. ovalis</i>)	Common.	<i>Pyrus Sorbus</i> (<i>P. domestica</i>)
Pale.	<i>Carex pallescens</i>	Maple.	<i>Pyrus terminalis</i>
Panicled.	<i>Carex paniculata</i>	Swedish.	<i>Pyrus scandica</i> (<i>P. intermedia</i>)
Paradoxical.	<i>Carex paradoxa</i>	Wild.	<i>Pyrus terminalis</i>
Pendulous.	<i>Carex pendula</i>	Sesame, or Oily-grain-plant.	<i>Sesamum orientale</i> and <i>S. indicum</i>
Pink-leaved.	<i>Carex panicea</i>	Sesban.	<i>Sesbania aegyptiaca</i>
Prickly.	<i>Carex muricata</i>	Seseli, Gum.	<i>Seseli gummiferum</i>
Remote-spikeleted.	<i>Carex remota</i>	Setter-wort.	<i>Helleborus fatidus</i>
Rock.	<i>Carex rupestris</i>	Set-wall.	An old name for <i>Valerian</i>
Round-headed.	<i>Carex pilulifera</i>	Shad-bush, or Shad-flower.	<i>Amelanchier canadensis</i>
Sea-side.	<i>Carex arenaria</i>	Shaddock-tree.	<i>Citrus decumana</i>
Slender-leaved.	<i>Carex filiformis</i>	Shade-leaf, Norfolk Island.	<i>Botryodendron latifolium</i>
Slender-spiked.	<i>Carex acuta</i>	Shadow-grass.	See Grass
Smooth.	<i>Carex lavigata</i>	Shaking-grass.	See Grass
Spring.	<i>Carex praecox</i>	Shallon-bush, or Salal-bush.	<i>Gaultheria Shallon</i>
Starveling.	<i>Carex depauperata</i>	Shallot.	<i>Allium ascalonicum</i>
Sword, of Australia.	<i>Lepidosperma gladiatum</i>	Shamrock, Blue-flowered.	<i>Parochetus communis</i>
Tawny.	<i>Carex fulva</i>	Four-leaved.	<i>Trifolium repens</i> var. <i>pureum</i>
Tufted.	<i>Carex cespitosa</i>	Indian.	<i>Trillium latifolium</i>
Tussock.	<i>Carex stricta</i>	Of Ireland.	<i>Trifolium repens</i> , for which <i>Medicago lupulina</i> is sometimes substituted
White.	<i>Carex canescens</i> (<i>C. curta</i>)	Share-wort.	<i>Aster Tripolium</i>
Wood.	<i>Carex sylvatica</i>	Shave-grass.	See Grass
Yellow.	<i>Carex flava</i>	Shawanese Salad.	See Salad
Seed-box.	<i>Ludwigia (Isnardia) alternifolia</i> and <i>L. hirtella</i>	Shear-grass.	See Grass
Sego.	<i>Calochortus Nuttallii</i>	Shea-tree.	<i>Bassia Parkii</i>
Segra-seed.	<i>Feuillea cordifolia</i>	Sheep-berry.	<i>Viburnum Lentago</i>
Selaginella-tree.	<i>Selaginella caesia arborea</i>	Sheep-fodder-plant, S. African.	<i>Pentzia virgata</i>
Self-heal.	<i>Prunella vulgaris</i>	Sheep-pest, of Australia and New Zealand.	<i>Acana ovina</i>
Hyssop-leaved.	<i>Prunella hyssopifolia</i>	"Sheep-poison," Californian.	<i>Lupinus densiflorus</i>
Large-flowered.	<i>Prunella grandiflora</i>	Sheep's-bane.	<i>Hydrocotyle vulgaris</i>
Large - flowered, Cut-leaved.	<i>Prunella grandiflora</i> var. <i>laciniata</i>	Sheep's-beard.	The genus <i>Arnopogon</i>
Pyrenean.	<i>Prunella pyrenaica</i>	Sheep's-bit-Scabious.	<i>Jasione montana</i>
Seneca Snake-root.	<i>Polygala Senega</i>	Dwarf.	<i>Jasione humilis</i>
Senegal-root.	The root of <i>Cocculus Bakis</i>	Perennial.	<i>Jasione perennans</i>
Sengreen.	<i>Sempervivum tectorum</i> and <i>Saxifraga nivalis</i>	Sheep's-Fescue-grass.	See Grass
Water.	<i>Stratiotes aloides</i>	Sheep's-Sorrel.	<i>Rumex Acetosella</i>
Senna-plant, Aleppo.	<i>Cassia obovata</i>	Shell-flower.	<i>Molucella laevis</i> and the genus <i>Chelone</i>
Alexandrian.	<i>Cassia lanceolata</i>	Brush.	<i>Alpinia</i> (<i>Hellenia</i>) <i>cærulea</i>
Bladder.	<i>Colutea arborescens</i>	Indian.	<i>Alpinia nutans</i>
Chili.	<i>Myoschilos oblongus</i>	Lyon's.	<i>Chelone Lyonii</i>
Italian.	<i>Cassia obovata</i>	Twisted.	<i>Chelone obliqua</i>
Jamaica.	<i>Cassia emarginata</i>	White.	<i>Chelone glabra</i>
Of Commerce.	<i>Cassia acutifolia</i> and <i>C. angustifolia</i>	Shelter-tree, Organ Mountain.	<i>Adenostephane organensis</i>
Scorpion.	<i>Coronilla Emerus</i>	Shepherd's-club.	<i>Verbascum Thapsus</i>
Tinnevelly.	<i>Cassia angustifolia</i>	Shepherd's-cress.	<i>Teesdalia Iberis</i>
Winged.	<i>Cassia alata</i>	Shepherd's-joy, Australian.	The genus <i>Geitonoplesium</i>
Sensitive Briar.	See Briar		
Sensitive Plant (true).	<i>Mimosa sensitiva</i>		
"Wild," of N. America.	<i>Cassia nictitans</i>		
Septfoil.	<i>Potentilla Tormentilla</i>		
Serapias Turbith.	An old name for <i>Aster Tripolium</i>		
Serpent-Moss.	See Moss		
Serpent-withie.	<i>Aristolochia odoratissima</i>		
Serpent-wood.	<i>Ophioxylon serpentinum</i>		
Serpent's-bane.	<i>Cerbera Ahouai</i>		

- Shepherd's-knot.** *Tormentilla officinalis*
- Shepherd's-purse.** *Capsella Bursa-pastoris*
- Shepherd's-rod,** or Shepherd's-staff. *Dipsacus pilosus* and *D. sylvestris*
- Shepherd's-scrip.** Another name for Shepherd's-purse
- Shepherd's-staff.** See Shepherd's-rod
- Shield-flower.** The genus *Aspidistra*
- Shingle-wood.** *Nectandra leucantha*
- Shin-leaf,** American. *Pyrola elliptica*
- "Shireesh," of India. *Acacia Serissa*
- Shittim-wood,** of Scripture. Supposed to be the wood of *Acacia nilotica*
- Shoe-black-plant,** or Shoe-flower. *Hibiscus Rosa-sinensis*
- Shoe-maker's-bark-tree.** *Byrsonima spicata*
- Shola,** or Solah-plant. *Æschynomene aspera*
- Shooting-star.** *Dodecatheon Meadia*
- Shore-grass.** See Grass
- Shot,** Indian. See Indian-Shot
- Shumee-tree.** *Acacia Suma*
- Shuttle-cock-plant.** *Periptera punicea* (*Sida Periptera*)
- Sickle-pod.** *Arabis canadensis*
S. American. *Drepanocarpus lunatus*
- Sickle-wort.** *Prunaria vulgaris*
- Side-saddle-flower.** The genus *Sarracenia*
Dark-red. *Sarracenia atrosanguinea*
Drummond's. *Sarracenia Drummondi*
Handsome. *Sarracenia formosa*
Hook-leaved. *Sarracenia variolaris*
Purple. *Sarracenia purpurea*
Red. *Sarracenia rubra* (*S. psittacina*)
Small. *Sarracenia minor*
Yellow. *Sarracenia flava*
- Silk-cotton-tree.** The genera *Bombax* and *Eriodendron*
Brazilian. *Pachira macrantha*
Malabar. *Bombax malabaricum*
New Granada. *Pachira (Carolinea) alba*
Of the Amazon. *Eriodendron Samauma*
Seven-leaved. *Bombax malabaricum*
W. Indian. *Eriodendron anfractuosum*
White, East Indian. *Eriodendron orientale*
- Silk-flower.** *Calliandra trinervia*
- Silk-fruit,** Maryland. *Seriocarpus conyzoides*
- Silk-grass.** See Grass
- Silk-plant,** Vegetable, Syrian. *Periploca graeca*
Vegetable, Brazil. *Chorissa speciosa*
- Silk-tree,** of Constantinople. *Acacia Julibrissin*
- Silk-vine.** *Periploca graeca*
- Silk-weed,** American. The genus *Asclepias*
- Silk-wood Tree.** *Muntingia Calabura*
- Silken Cissy.** An old name for the genus *Asclepias*
- "Silphium," of the Ancients. Supposed to be a species of *Ferula* (*Thapsia*), probably *F. glauca*, or *F. giganica*
- Silver-berry,** Missouri. *Elaeagnus argentea*
- Silver-bracts.** *Pachyphytum bracteosum*
- Silver-bush.** *Anthyllis Barba-Jovis*
- Silver Fir.** See Fir
- Silver-head.** *Paronychia argyrocoma*
- Silver-leaf,** Japanese. *Ligularia Kämpferi* var. *argentea*
- Silver-rod.** *Asphodelus ramosus*
- Silver-tree.** The genus *Elaeagnus*
Cape. *Leucadendron argenteum*
Missouri. *Elaeagnus argentea*
Queensland. *Tarrietia Argyrodendron* (*Argyrodendron trifoliatum*)
- Silver-weed.** *Potentilla anserina* and the genus *Argyreia*
Shining. *Argyreia acuta* (*Convolvulus splendens*)
- Silver-wood.** *Guettarda argentea*, *Quelia latioides*, and the genus *Mouriria*
- Simaruba-bark Tree.** *Quassia (Pieræna) excelsa*
- Simool-tree.** *Salmalia malabarica*
- Simpler's-joy.** *Verbena officinalis*
Of N. America. *Verbena hastata*
- Simson.** *Senecio vulgaris*
- Singapore Hat-plant.** *Æschynomene aspera*
- "Sink-field." An old name for *Potentilla reptans*
- Sipiri-tree.** *Nectandra Rodiae*
- Siris-Acacia.** *Albizia Lebbek*
- Sissoo-tree.** *Dalbergia Sissoo*
- Skewer-wood.** *Cornus sanguinea* and *Euonymus europaeus*
- Skirret.** *Sium Sisarum*
- Skir-wort.** An old name for Skirret
- Skoke.** *Phytolacca decandra*
- Skull-cap.** The genus *Scutellaria*
Alpine. *Scutellaria alpina*
Caucasian. *Scutellaria caucasica*
Common. *Scutellaria galericulata*
Entire-leaved. *Scutellaria integrifolia*
Japanese. *Scutellaria japonica*
Large-flowered. *Scutellaria macrantha*
"Mad-dog." *Scutellaria lateriflora*
Purple-flowered. *Scutellaria purpurascens*
- Scarlet-flowered. *Scutellaria Mocciniana*
- Scordium-leaved. *Scutellaria scordifolia*
- Siberian. *Scutellaria macrantha*
- Small. *Scutellaria minor*
- Snap-dragon. *Scutellaria antirrhinoides*
- Wright's. *Scutellaria Wrightii*
- Yellow-flowered. *Scutellaria orientalis*
- Skunk Cabbage,** or Skunk-weed. *Symplocarpus fætiidus*
- Sky-flower.** The genus *Duranta*
- Sleep-wort.** An old name for *Lactuca virosa*
- Sleet-bush,** African. *Diosma (Colconema) alba*
- Slipper-flower,** or Slipper-wort. The genus *Calceolaria*
Celandine. *Calceolaria chelidonioides*
Hardy. *Calceolaria Kellyana*
Wing-leaved. *Calceolaria pinnata*
- Slipper-Spurge.** The genus *Pedilanthus*
- Sloe-tree.** *Prunus spinosa*
- Slog-wood.** *Hufelandia pendula*
- Sloke.** *Ulva Lactuca* and some other edible species of *Ulva* and *Porphyra*
- Slow-match Tree.** *Careya arborea*
- Smallage,** or Smalledge. *Apium graveolens*

Smart-weed. <i>Polygonum Hydropiper</i>	Sneeze-weed, American. <i>Helenium autumnale</i> and other species
American. <i>Polygonum punctatum</i>	Sneeze-wood. <i>Ptaeroxylon utile</i>
Water. <i>Polygonum acre</i>	Sneeze-wort. <i>Achillea Ptarmica</i>
Smilax, Boston. <i>Myrsiphyllum asparagoides</i>	Sniddel. <i>Carex paludosa</i> and other species
Smoke-tree. <i>Rhus Cotinus</i>	Snow, Mountain. <i>Arabis albida</i>
Smoke-wood. <i>Clematis Vitalba</i>	Snow-ball, Wild. <i>Ceanothus americanus</i>
Smooth - Flower. <i>Leianthus longifolius</i> and other species	Snow-ball-tree. <i>Viburnum Opulus</i> Large-flowered. <i>Viburnum macrocephalum</i>
Smut-Fungus. <i>Uredo segetum</i>	Nine-bark. <i>Spiraea opulifolia</i>
Snail-Clover, or Snails. <i>Medicago scutellata</i>	Snow-berry, Creeping. <i>Chiogenes hispidula</i>
Snail-flower. <i>Phaseolus Caracalla</i>	Snow-berry - tree. <i>Symporicarpus racemosus</i>
Snake-charm. <i>Bauhinia anguina</i>	Small - leaved. <i>Symporicarpus microphyllus</i>
Snake-nut. See Nut	Snow-bush, Californian. <i>Ceanothus cordulatus</i>
Snake-plant. <i>Arum Dracunculus</i>	Victorian. <i>Olearia stellulata (Eurybia Gunniana)</i>
Snake-poison-Antidote, of S. America. <i>Mikania Guaco</i>	Snow-cups, Water. <i>Ranunculus aquatilis</i>
Snake-root, Black. <i>Actaea racemosa</i> and <i>Sanicula canadensis</i>	Snow-drop. The genus <i>Galanthus</i> Broad-leaved. <i>Galanthus latifolius</i> Common. <i>Galanthus nivalis</i> Cup-flowered. <i>Galanthus puculiformis</i> Crimean. <i>Galanthus plicatus</i> Early-flowering. <i>Galanthus praecox</i> Elwes's. <i>Galanthus Elwesii</i> Greenish-flowered. <i>Galanthus virescens</i> Imperati's. <i>Galanthus Imperati</i> Late-flowering. <i>Galanthus serotinus</i> Queen Olga's. <i>Galanthus Reginæ Olgae</i> Redouté's. <i>Galanthus Redoutii</i> Reflexed. <i>Galanthus reflexus</i> Shaylock's. <i>Galanthus Shaylocki</i> Summer. <i>Leucojum aestivum</i> Yellowish. <i>Galanthus lutescens</i>
Snake-seed. The seed of <i>Ophiocaryon paradoxum</i>	Snow-drop-tree. <i>Halesia tetaptera</i> African. <i>Royena lucida</i> Small-flowered. <i>Halesia parviflora</i> Two-winged-fruited. <i>Halesia diptera</i> W. Indian. <i>Hæmanthus (?) incrassatus</i>
Snake-weed. <i>Polygonum Bistorta</i>	Snow-flake. The genus <i>Leucojum</i> Autumn. <i>Leucojum autumnale</i> Carpathian. <i>Leucojum carpaticum</i> Many-flowered. <i>Leucojum trichophyllum (Acis trichophylla)</i> Rosy-flowered. <i>Leucojum roseum</i> Spring. <i>Leucojum vernum</i> Summer. <i>Leucojum aestivum</i> Summer, Small. <i>Leucojum Hernandezii (L. pulchellum)</i> Winter. <i>Leucojum hyemale</i>
Little. <i>Anacharis Alsinastrum (Elodea canadensis)</i>	Snow-flower. <i>Chionanthus virginica</i> Japanese. <i>Deutzia gracilis</i>
Snake-wood, Bahamas. <i>Colubrina ferruginea</i>	Snow-glory. <i>Chionodoxa Luciliae</i> Dwarf. <i>Chionodoxa nana</i>
E. Indian. <i>Strychnos Colubrina</i>	Snow-in-Summer. <i>Cerastium tomentosum</i>
Guiana. <i>Brosimum Aubletii</i>	Snow-mould. <i>Lanosa nivalis</i>
Jamaica. <i>Brosimum Alicastrum</i> and <i>Cecropia peltata</i>	Snow-plant. <i>Cerastium tomentosum</i> Californian. <i>Sarcodes sanguinea</i>
Snake's-beard. The genus <i>Ophiopogon</i>	Snow-Rosette. <i>Primula minima</i>
Golden-variegated. <i>Ophiopogon Jaburan aureo-variegatus</i>	Soap-bark-tree, Chili. <i>Quillaia Saponaria</i> Venezuela. <i>Pithecolobium bigeminum</i>
Japanese. <i>Ophiopogon japonicus</i>	Soap-berry-tree. The genus <i>Sapindus</i> American. <i>Sapindus marginatus</i>
Silver - variegated. <i>Ophiopogon spicatus argenteo-marginatus</i>	W. Indian. <i>Sapindus Saponaria</i>
Spiked. <i>Ophiopogon spicatus</i>	Soap-nut. The fruit of <i>Sapindus Saponaria</i> and <i>Acacia concinna (Mimosa abstergens)</i>
Snake's-head Fritillary. See Fritillary	
Snake's-mouth. <i>Pogonia ophioglossoides</i>	
Snake's-tail. <i>Lepturus incurvatus</i>	
Snake's-tongue. The genus <i>Lygodium</i>	
Snap-dragon. The genus <i>Antirrhinum</i>	
Common Garden. Varieties of <i>Antirrhinum majus</i>	
Heart-leaved. <i>Antirrhinum Asarina</i>	
Jamaica. <i>Ruellia tuberosa (Cryphiacanthus barbadensis)</i>	
Rock. <i>Antirrhinum rupestre (Linaria rupestris)</i>	
Small. <i>Antirrhinum Oronium</i>	
Snap-tree. <i>Justicia hyssopifolia</i>	
Snap-weed, American. Various species of <i>Impatiens</i>	

- Soap-plant, Indian.** *Chlorogalum pomeridianum*
Mexican. *Agave saponaria*
- Soap-pods, Chinese.** The pods of various species of *Cesalpinia*
E. Indian. The pods of *Acacia concinna*
- Soap-root, Californian.** *Leucocrinum montanum*
Spanish, or Egyptian. *Gypsophila Struthium*
- Soap-wood.** *Clethra tinifolia*
- Soap-wort.** The genus *Saponaria*: also applied to *Vaccaria vulgaris*
Brilliant-flowered. *Saponaria ocymoides var. splendens*
Common. *Saponaria officinalis*
Cow-herb. *Saponaria Vaccaria*
Daisy-leaved. *Saponaria bellidifolia*
Double - flowered. *Saponaria caucasica fl.-pl.*
Rock. *Saponaria ocymoides*
Tufted. *Saponaria cæspitosa*
- Soft-wood, Black.** *Myrsine lœta*
“Solah”-plant. *Æschynomene aspera*
- Soldier-bush.** *Inga purpurea*
- Soldier-wood.** *Calliandra purpurea*
- Soldier’s-herb.** *Piper angustifolium (Arantia elongata)*
- Solomon’s-seal.** The genus *Polygonatum*
Common. *Polygonatum officinale*
False. The genus *Smilacina*
Giant. *Polygonatum giganteum*
Many-flowered. *Polygonatum multiflorum*
Rosy-flowered. *Polygonatum roseum (Convallaria rosea)*
Whorled. *Polygonatum verticillatum*
- Sooly-Qua Gourd.** See Gourd
- Sophee-shrub, of Sylhet.** *Myrica integrifolia*
- Sorrel.** The genus *Oxalis*, some species of *Rumex*, and a few other plants
Buckler-shaped. See Sorrel, French
Climbing. *Begonia scandens*
French, or Buckler - shaped. *Rumex scutatus*
Indian, or Red. *Hibiscus Sabdariffa*
Maiden. *Rumex montanus*
Mountain. *Oxyria reniformis*
Red. See Sorrel, Indian
Switch. *Dodonæa viscosa*
Sheep’s. *Rumea Acetosella*
Tree. *Rumex Lunaria*
Wood. See Wood-Sorrel
- Sorrel-tree.** *Andromeda arborea*
Queensland. *Hibiscus heterophyllus*
- Sorrowful Tree.** *Nyctanthes Arbor-tristis*
- Souari, or Suwarro-nut-tree.** *Caryocar nuciferum*
- Souari-wood.** See Saouari-wood
- Sour-Gourd-tree.** *Adansonia digitata*
- Sour Sop.** *Anona muricata*
- Southern-wood.** *Artemisia Abrotanum*
Tartarian. *Artemisia Santonica*
- “Sowa”-plant, Bengal. *Anethum Sowa (Peucedanum graveolens)*
- Sow-bane.** *Chenopodium rubrum*
- Sow-bread.** *Cyclamen europeum*
- Sowd-wort.** *Salsola Kali*; also an old name for Columbine
- Sow-thistle, Blue - flowered.** *Mulgedium alpinum, M. macrorrhizum*, and the genus *Agathyrus*
Common. *Sonchus oleraceus*
Corn-field. *Sonchus arvensis*
Cut-leaved. *Sonchus laciniatus* and *S. elegansissimus*
Marsh. *Sonchus palustris*
Mountain. *Sonchus alpinus*
Purple-flowered. *Mulgedium Plumieri*
Shrubby. *Sonchus fruticosus*
Tree. *Atalanthus arboreus*
- Soy-plant, or Soy-bean.** *Dolichos Soja (Soja hispida)*
- “Spadic”-bush. *Erythroxylon Coca*
- Spætium, or Spatium.** *Levisia rediviva*
- “Spaniards,” of New Zealand. *Aciphylla squarrosa* and *A. Colensoi*
- Spanish-Arbour-Vine.** *Ipomæa tuberosa*
- Spanish - Bayonet,** or Spanish-Dagger. *Yucca aloifolia* and other species
- Spanish - juice - plant.** The Liquorice-plant (*Glycyrrhiza glabra*)
- Spanish-Needles.** *Bidens bipinnata*
- Spanish-Pick-tooth.** *Daucus Visnaga*
- Spanish-Tuft.** *Thalictrum aquilegifolium*
- Sparrow-grass.** A corruption of “Asparagus”
- Sparrow-tongue.** *Polygonum aviculare*
- Sparrow-wort.** *Passerina nivalis*
- Spart-grass.** See Grass
- Spatium.** See Spætium.
- Spear-flower.** The genus *Ardisia*
- Spear-grass.** See Grass
- Spear-mint.** See Mint
- Spear-wood,** Australian. *Acacia doratoxylon* and *Eucalyptus doratoxylon*
- Spear-wort, Adder’s-tongue.** *Ranunculus ophioglossifolius*
Great. *Ranunculus Lingua*
Small. *Ranunculus Flammula*
Water-Plantain. *Ranunculus alismæfolius*
- “Speck-boom,” of S. Africa. *Portulaca afra*
- Spelt.** *Triticum Spelta*
- Speedwell.** The genus *Veronica*
Alpine. *Veronica alpina*
Amethyst. *Veronica amethystina (V. paniculata, V. spuria)*
Anderson’s. *Veronica Andersonii*
Austrian. *Veronica austriaca*
Bastard. *Veronica spuria*
Brook-lime. *Veronica Beccabunga*
Buchanan’s. *Veronica Buchananii*
Buxbaum’s. *Veronica Buxbaumii*
Caucasian. *Veronica caucasica*
Caucasian, White. *Veronica peduncularis*
Clustered. *Veronica spicata corymbosa*
Common. *Veronica officinalis*
Corn-field. *Veronica arvensis*
Creeping. *Veronica repens*
Crimean. *Veronica taurica*
Cut-leaved. *Veronica incisa*
Daisy-leaved. *Veronica bellidoides*
Digger’s, of Australia. *Veronica perfoliata*
Falkland Islands. *Veronica decussata*
Fern-leaved. *Veronica laciniata*
Flesh-coloured. *Veronica incarnata*
Gentian. *Veronica gentianoides*

Speedwell, Gray-leaved. *Veronica neglecta*
 Great Virginian. *Veronica (Leptandra) virginica*
 Guthrie's. *Veronica Guthricana*
 Hungarian. *Veronica Teucrium*
 Ivy-leaved. *Veronica hederifolia*
 Japanese. *Veronica longifolia subsessilis*
 Leafy. *Veronica foliosa*
 Many-spiked. *Veronica corymbosa*
 Marsh. *Veronica scutellata*
 Money-wort. *Veronica Nummularia*
 Mountain. *Veronica montana*
 Naked-stalked. *Veronica aphylla*
 Narrow-leaved. *Veronica multifida*
 Pink - flowered. *Veronica officinalis var. rosea*
 Procumbent. *Veronica agrestis*
 Prostrate. *Veronica prostrata*
 Purslane. *Veronica peregrina*
 Rock. *Veronica saxatilis* and *V. rupestris*
 Rock, Rosy-flowered. *Veronica saxatilis var. Grievei*
 Savory-leaved. *Veronica satureiaefolia*
 Saw-leaved. *Veronica Teucrium*
 Scallop-leaved. *Veronica pectinata*
 Sea-side. *Veronica maritima*
 Shrubby-stalked. *Veronica fruticulosa*
 Siberian. *Veronica sibirica*
 Silvery. *Veronica candida*
 Thick-leaved. *Veronica pinguifolia*
 Thyme-leaved. *Veronica serpyllifolia*
 Variable-leaved. *Veronica triphyllus*
 Vernal. *Veronica verna*
 Vervain. *Veronica verbenacea*
 Virginian. *Veronica (Leptandra) virginica*
 Water. *Veronica Anagallis*
 Wedge-leaved. *Veronica cuneifolia*
 Welsh. *Veronica hybrida*
 White - flowered. *Veronica lactea* (*V. repens*)
 Willow-leaved. *Veronica salicifolia*
 Sperage. An old name for Asparagus
 Spice-bush. *Laurus (Lindera) Benzoin* (*Benzoin odoriferum*)
 Spice-tree, Californian. *Oreodaphne (Umbellularia) californica*
 Spider-flower. The genus *Cleome*
 Brazilian. The genus *Lasiandra*
 Spider-Orchis. See Orchis
 Spider-wort, Blue. *Commelinia caelestis*
 Branched. *Anthericum (Czackia) Liliago*
 Crowded-flowered. *Tradescantia congesta*
 Dwarf. *Tradescantia pilosa*
 Gentian-leaved. *Tradescantia Zanonii*
 Grass-leaved. *Tradescantia malabarica*
 Great Savoy. *Anthericum (Czackia) Liliastrum*
 Mountain. *Lloydia serotina*
 Purple-leaved. *Tradescantia discolor*
 Virginian. *Tradescantia virginica*
 White. *Tradescantia virginica var. alba*
 Spigelia, Common. *Meum Athamanticum*
 Broad-leaved. *Athamanta Cervaria*
 Fine-leaved. *Athamanta cretensis*
 Flix-weed-leaved. *Athamanta sicula*
 Mountain. *Athamanta Libanotis*
 Spike-flower, Australian Blue. *Calostasia cyanea*

Spike-grass. See Grass
 Spike-oil-plant. *Lavandula Spica*
 Spike-rush. See Rush
 Spikenard, American. *Aralia racemosa*
 Cretan. *Valeriana Phu*
 False. *Smilacina racemosa*
 Mountain. *Valeriana tuberosa*
 Ploughman's. *Conyzza squarrosa* and the genus *Baccharis*
 W. Indian. *Hyptis suaveolens*
Spinach, African. *Rumex vesicarius roseus*
 Australian. *Tetragonia implexicoma* (*T. trigyna*), *Chenopodium erosum*, and *C. auricomum*
 Beet, or Perpetual. *Beta maritima*
 Common Garden. *Spinacia oleracea*
 Cuban. *Claytonia cubensis*
 E. Indian. *Basella alba* and *B. rubra*
 Mountain. *Atriplex hortensis*
 New Zealand. *Tetragonia expansa* and *T. implexicoma* (*T. trigyna*)
 Prickly-seeded. *Spinacia oleracea var. spinosa*
 Round - seeded. *Spinacia oleracea var. glabra*
 Straw-berry. *Blitum capitatum*
 Victorian Bower. *Tetragonia implexicoma*
 Wild. *Chenopodium Bonus-Henricus*
Spindle-tree. The genus *Euonymus*
 Broad-leaved. *Euonymus latifolius*
 Dwarf. *Euonymus nanus*
 Fringed. *Euonymus fimbriatus*
 Garcinia-leaved. *Euonymus garciniaefolius*
 Golden-leaved. *Euonymus japonicus aureo-variegatus*
 Hamilton's. *Euonymus Hamiltonianus*
 Japanese. *Euonymus japonicus*
 Large-flowered. *Euonymus grandiflorus*
 Large-fruited. *Euonymus latifolius*
 Narrow-leaved. *Euonymus angustifolius*
 Obovate-leaved. *Euonymus obovatus*
 Silver-edged-leaved. *Euonymus japonicus argenteus*
 Three - coloured - leaved. *Euonymus japonicus tricolor*
 Trailing-stemmed. *Euonymus sarmentosus*
 Variegated Dwarf. *Euonymus japonicus radicans variegatus*
 Warty-barked. *Euonymus verrucosus*
 White-fruited. *Euonymus europaeus fructu albo*
Spindle-wort. *Atractylis acaulis*
 Spike-lily. See Lily
 Spire-reed. *Arundo Phragmites*
 Spirit-leaf, or Spirit-weed. *Ruellia tuberosa* (*Cryphiacanthus barbadensis*)
Spleen-wort. The genus *Asplenium*
 Alternate-leaved. *Asplenium alternifolium*
 Black. *Asplenium Adiantum-nigrum*
 Common, or Maiden - hair. *Asplenium Trichomanes*
 Ebony. *Asplenium ebenum*
 Ebony, Smaller. *Asplenium parrulum*
 Forked. *Asplenium septentrionale*
 Green. *Asplenium viride*
 Lance-fronded. *Asplenium lanceolatum*
 Maiden-hair. See Spleen-wort, Common
 New Zealand Common. *Asplenium bulbiferum*

Spleen-wort, New Zealand Hanging-tree.
Asplenium flaccidum
 New Zealand Shore. *Asplenium obtusatum*
 Scaly. *Asplenium Ceterach*
 Sea-side. *Asplenium marinum*
 Smooth Rock. *Asplenium fontanum*
 Wall-Rue. *Asplenium Ruta-muraria*

Split Moss. See Moss

Spogel - Seeds. The seeds of *Plantago decumbens*

Sponge-tree. *Acacia Farnesiana*

Sponge-wood, Bengal. *Eschynomene aspera*
 Isle of France. *Gastonina cutispongia*

Spoon-flower, Arrow-leaved. *Xanthosoma sagittifolia*

Spoon-wood-tree. *Kalmia latifolia*

Spoon-wort. The genus *Cochlearia*
 Common. *Cochlearia officinalis*

Sportsman's Climber. *Cissus venatorum*

"Spotted-tree," of Queensland. *Flindersia maculata*

Spread-Eagle. *Oncidium Carthaginense*

Spring-Beauty. *Claytonia virginica*

Spring-Bell. *Sisyrinchium grandiflorum*

Sprit. *Juncus articulatus*

Sprout-leaf. *Bryophyllum calycinum*

Spruce, or Spruce Fir. The genus *Abies*
 Alcock. *Abies Alcockiana*
 Black, or Double. *Abies nigra*
 Black, of British Columbia. *Abies Menziesii*
 Blue, or Tideland. *Pinus sitchensis* (*P. Douglasii*)
 Common, or Norway. *Abies excelsa*
 Dimsdale's Silver. *Abies alba* var. *glauca*
 Double. See Spruce, Black
 Dwarf. *Abies excelsa* var. *pygmaea*
 Eastern. *Abies orientalis*
 Engelmann's. *Abies commutata*
 Finedon Hall. *Abies excelsa* var. *Finedonensis*
 Hemlock. *Abies canadensis*
 Hemlock, Californian. *Tsuga* (*Abies*) *Mertensiana* and *T. Pattoniana*
 Hemlock, Indian. *Abies Brunoniana*
 Hemlock, Japan. *Abies Tsuga*
 Indian, or Himalayan. *Abies Morinda* (*A. Smithiana*)
 Lord Clanbrasil's Dwarf. *Abies excelsa* var. *Clanbrasiliana*
 Menzies'. *Abies Menziesii*
 Norway. *Abies excelsa*
 Norway, Weeping. *Abies excelsa* var. *pendula*
 New Zealand. *Dacrydium cupressinum*
 Rocky Mountain. *Picea pungens*
 Siberian. *Picea sibirica* and *P. obovata*
 Single. *Abies alba*
 Tideland. See Spruce, Blue
 Tiger's-tail. *Abies polita*
 White. *Abies alba*
 White, Dwarf. *Abies alba* var. *nana*
 White Hedge-hog. *Abies alba* var. *minima*

Spunk. See Amadou

Spurge. The genus *Euphorbia*
 Alleghany Mountain. *Pachysandra procumbens*

Spurge, Balsam. *Euphorbia balsamifera*
 Branched. *Ernobia littoralis*
 Broad-leaved. *Euphorbia platyphyllus*
 Caper. *Euphorbia Lathyris*
 Cucumber. *Euphorbia cucumerina*
 Cypress. *Euphorbia Cyparissias*
 Dwarf. *Euphorbia exigua*
 Flowering. *Euphorbia corollata*
 Gromwell-leaved. *Euphorbia Esula*
 Hairy. *Euphorbia pilosa*
 Hyssop. *Euphorbia Peplis*
 Indian Tree. *Euphorbia Tirucalli*
 Irish. *Euphorbia hibernica*
 Leafy. *Euphorbia Esula*
 Marsh. *Euphorbia palustris*
 Petty. *Euphorbia Peplis*
 Porcupine. *Euphorbia Hystrix*
 Portland. *Euphorbia segetalis* (*E. Portlandica*)
 Purple. *Euphorbia Peplis*
 Scarlet-flowered. *Euphorbia punicea*
 Sea-side. *Euphorbia Paralias*
 Slipper. The genus *Pedilanthus*
 Sun. *Euphorbia Helioscopia*
 Sweet. *Euphorbia dulcis*
 Trailing Red. *Euphorbia prostrata*
 White-flowered. *Euphorbia corollata*
 Wood. *Euphorbia amygdaloides*

Sprue. A market name for the smallest sprouts of Asparagus

Spurge-Flax. An old name for *Daphne Mezereum* and other species

Spurge-Laurel. See Laurel

Spurge - Nettle. *Jatropha urens* var. *stimulosa*

Spurge-Olive. See Olive

Spur-tree. *Petitia domingensis*

Spur-wort. *Sherardia arvensis*

Surrey. The genus *Spergula*
 Corn-field. *Spergula arvensis*
 Knotted. *Sagina nodosa*
 Lawn. *Spergula pilifera*
 Sand, or Sand-wort. The genera *Spergularia* and *Lepigonum*

Spurt-grass. See Grass

Squash, Long. *Cucurbita verrucosa*
 Summer. *Cucurbita Pepo*
 Winter. *Cucurbita maxima*

Squaw-Mint. *Hedemora pulegioides*

Squaw-root. *Cimicifuga racemosa*

Squaw-weed. *Euerigeron Philadelphicus* and *Senecio aureus*

Squill. The genus *Scilla*
 Amethyst. *Scilla amethystina*
 Autumn-flowering. *Scilla autumnalis*
 Californian. *Scilla* (*Camassia*) *Fraseri*
 Chinese. The genus *Barnardia*
 Crimean. *Scilla taurica*
 Dwarf Australian. *Chamaescilla* (*Casia*) *corymbosa*
 Early-flowering. *Scilla bifolia*
 Medicinal. *Urginea* (*Scilla*) *maritima*
 Pyramidal-flowered. *Scilla peruviana*
 Roman. The genus *Bellevalia*
 Sea-side. *Urginea* (*Scilla*) *maritima*
 Siberian. *Scilla sibirica*
 Spanish. *Scilla campanulata*
 Spring-flowering. *Scilla verna*
 Star-flowered. *Scilla amœna*

Squill, Striped-flowered.	<i>Puschkinia scilloides</i>	Star-wort, Greater.	<i>Stellaria Holostea</i>
Umbel-flowered.	<i>Scilla umbellata</i>	Heart-leaved.	<i>Aster cordifolius</i>
Squinancy-wort.	<i>Asperula cynanchica</i>	Heath-leaved.	<i>Aster ericoides</i>
"Squinant."	An old name for <i>Andropogon Schænanthus</i>	Hoary.	<i>Aster canescens</i>
Squirrel-corn.	<i>Dicentra canadensis</i>	Horizontal-branched.	<i>Aster horizontalis</i>
Squirrel-tail-grass.	See Grass	Hyssop-leaved.	<i>Aster hyssopifolius</i>
Squitch-grass.	See Grass	Italian.	<i>Aster Amellus</i>
Staff-tree.	The genus <i>Celastrus</i>	Large-flowered Altaian.	<i>Aster altaicus</i>
Scarlet-fruited.	<i>Celastrus baccatus</i>	Late-flowering.	<i>Aster tardiflorus</i>
Staff-Vine.	<i>Celastrus scandens</i>	Long-leaved.	<i>Aster longifolius</i>
Stagger-bush.	<i>Andromeda Mariana</i>	Loose-branched.	<i>Aster laxus</i>
Stagger-wort, or Staver-wort.	<i>Senecio Jacobaea</i>	Lesser.	<i>Stellaria graminea</i>
Star, Sea.	<i>Aster Tripolium</i>	Many-flowered.	<i>Aster multiflorus</i>
Stone-Mountain.	See Stone-Mountain-Star	Mauve-flowered.	<i>Aster turbinellus</i>
Star-Anise.	See Anise	New England.	<i>Aster Novæ-Angliae</i>
Star-apple.	<i>Chrysophyllum cæruleum</i>	N. S. Wales.	<i>Olearia dentata</i>
Star-bush, African.	<i>Grewia occidentalis</i>	New York.	<i>Aster Novi-Belgii</i>
Star-fish-flower.	<i>Stapelia Asterias</i> and other species	Northern.	<i>Stellaria borealis</i>
Star-flower.	<i>Trientalis europaea</i>	Oblique.	<i>Aster obliquus</i>
American.	<i>Trientalis americana</i>	Pendulous.	<i>Aster pendulus</i>
Bouquet.	<i>Aster ptarmicoides</i>	Purple-stemmed.	<i>Aster puniceus</i>
Green.	<i>Ornithogalum prasinum</i>	Pyrenean.	<i>Aster pyrenæus</i>
Lilac.	<i>Triteleia lilacina</i>	Red-stemmed.	<i>Aster rubricaulis</i>
Murray's.	<i>Triteleia Murrayana</i>	Reeves's.	<i>Aster Reevesi</i>
Spring.	<i>Triteleia uniflora</i>	Scorzonera-leaved.	<i>Aster scorzoneraefolius</i>
Turkish.	<i>Sternbergia Clusiana</i>	Sea-side.	<i>Aster Tripolium</i>
Yellow.	<i>Sternbergia lutea</i>	Short's.	<i>Aster Shortii</i>
Star-Glory.	<i>Ipomoea coccinea</i>	Showy.	<i>Aster spectabilis</i>
Star-grass.	<i>Hypoxis erecta</i> and the genus <i>Aletris</i>	Shrubby.	<i>Aster albescens</i> and <i>Eurybia ramulosa</i>
Common.	<i>Aletris farinosa</i>	Silky.	<i>Aster sericeus</i>
Golden-tipped.	<i>Aletris aurea</i>	Slender.	<i>Felicia tenella</i>
Star-head.	The genus <i>Astrocephalus</i>	Slender-leaved.	<i>Aster tenuifolius</i>
Star-jelly, or Fairies'-butter.	<i>Nostoc commune</i> and <i>N. edule</i>	Smooth.	<i>Aster laevis</i> var. <i>laevigatus</i>
Star-of-Bethlehem, Common.	<i>Ornithogalum umbellatum</i>	Spreading.	<i>Aster patens</i>
Bouche's.	<i>Ornithogalum Boucheanum</i>	Tarragon-like.	<i>Aster (Galatella) dracunculoides</i>
Bright-yellow.	<i>Gagea fistulosa</i>	Townshend's.	<i>Aster Townshendi</i>
Broad-leaved.	<i>Ornithogalum latifolium</i>	Various-coloured.	<i>Aster versicolor</i>
Drooping.	<i>Ornithogalum nutans</i>	Water.	<i>Stellaria aquatica</i> and the genus <i>Callitrichae</i>
Golden-flowered.	<i>Ornithogalum aureum</i>	Wood.	<i>Stellaria nemorum</i>
Narbonne.	<i>Ornithogalum narbonnense</i>	Yarrow-leaved.	<i>Aster ptarmicoides</i>
Pyrenean.	<i>Ornithogalum pyrenaicum</i>	Stave-wood.	<i>Simaruba amara</i>
Short-spiked.	<i>Ornithogalum comosum</i>	Staver-wort.	See Stagger-wort
Tall.	<i>Ornithogalum pyramidale</i>	Staves-acre.	<i>Delphinium Staphisagria</i>
Star-of-Hungary.	<i>Ornithogalum pannonicum</i>	Stay-plough.	<i>Ononis arvensis</i>
Star-of-Jerusalem.	<i>Tragopogon porrifolius</i>	Steeple-bush.	<i>Spiraea tomentosa</i>
Star-of-night.	<i>Clusia rosea</i>	Sterile-wood,	<i>Otago.</i> <i>Coprosma fætidissima</i>
Star-of-the-earth.	<i>Plantago Coronopus</i>	Sticadoue, or Sticados.	<i>Lavandula Stachas</i>
Star-thistle.	See Thistle	Stick-seed.	The genus <i>Echinopspermum</i>
Star-wort.	The genera <i>Aster</i> and <i>Stellaria</i>	Stick-tight.	See Beggar-ticks
Australian.	<i>Aster (Eurybia) argophylla</i>	Stickle-wort.	<i>Agrimonia Eupatoria</i>
Bog.	<i>Stellaria uliginosa</i>	Stiff-stalk, Mexican.	<i>Rigidella flammea</i>
Branching.	<i>Aster ramosus</i>	Stinging-bush.	<i>Jatropha stimulans</i>
Brittle.	<i>Aster fragilis</i>	Stink-horn, or Stinking-Polecat.	<i>Phallus impudicus</i> and <i>P. fætidus</i>
Bushy.	<i>Aster dumosus</i>	Lattice.	<i>Clathrus cancellatus</i>
Christmas-flowering.	<i>Aster Datschiyi</i>	Stinking-wood.	<i>Anagyris fætida</i> and <i>Cassia occidentalis</i>
Crimson-flowered.	<i>Aster coccineus</i>	Stink-weed.	<i>Diplotaxis muralis</i>
E. Indian.	<i>Aster cabulicus</i>	Stink-wood.	The wood of <i>Oreodaphne bullata</i> , <i>Fetidia mauritiana</i> , and <i>Zieria macrophylla</i>
Elegant.	<i>Aster elegans</i>	Tasmanian.	<i>Zieria lanceolata</i>
Fortune's.	<i>Aster Fortunei</i>	Stitch-wort, or Stitch-grass.	The genus <i>Stellaria</i>
		Golden.	<i>Stellaria graminea aurea</i>

- Stock**, or Stock-Gilliflower. Various species of *Matthiola*
 Brompton. *Matthiola incana* var. *coccinea*
 Cape. The genus *Heliophila*
 Cluster-leaved. *Matthiola fenestralis*
 Dark-flowered. *Matthiola tristis*
 Mediterranean. *Hesperis maritima*
 Persian. *Matthiola odoratissima*
 Queen's. *Matthiola incana*
 Sea-side. *Matthiola sinuata*
 Ten-weeks. *Matthiola annua*
 Ten-weeks, Double. *Matthiola annua* fl.-pl.
 Virgin, or Virginia. *Malcolmia maritima*
 Wall-flower-leaved, or Smooth-leaved. *Matthiola gracca*
- Stone-Basil**. See Basil
- Stone-crop**. The genus *Sedum*
 Asiatic. *Sedum asiaticum*
 Azure. *Sedum cyaneum*
 Bird's-foot. *Sedum pulchellum*
 Blood-red. *Sedum cruentum*
 Blunt-leaved. *Sedum obtusatum*
 Brilliant. *Sedum spectabile* (*S. Fabarium*)
 Brown's. *Sedum Bronnii*
 Cock's-comb. *Sedum Crista-galli*
 Common. *Sedum acre*
 Corsican. *Sedum corsicum*
 Crimson. *Sedum spurium*
 Dark-purple. *Sedum atropurpureum*
 Deep-green-flowered. *Sedum virens*
 Ditch, of N. America. *Penthorum sedoides*
 Elongated. *Sedum elongatum*
 English. *Sedum anglicum*
 Ewers's. *Sedum Eversii*
 Forster's. *Sedum Forsterianum*
 Fringed. *Sedum ciliare* (*S. oppositifolium*)
 Glaucous. *Sedum glaucum*
 Greenish-flowered. *Sedum virescens*
 Hairy. *Sedum villosum*
 Iberian. *Sedum ibericum*
 Large-fringed. *Sedum spurium*
 Lydian. *Sedum Lydium*
 Mealy. *Sedum farinosum*
 Meehan's. *Sedum Meehani*
 Naevius's. *Sedum Naevii*
 Narrow-petaled. *Sedum stenopetalum*
 Noble. *Sedum spectabile*
 Orange. *Sedum camtschaticum*
 Orpine-like. *Sedum telephioides*
 Poplar-leaved. *Sedum populifolium*
 Purple. *Sedum purpureum*
 Purple, American. *Sedum pulchellum*
 Purplish. *Sedum purpurascens*
 Recurved-leaved. *Sedum recurvatum*
 Rock. *Sedum rupestre*
 Rosy-flowered. *Sedum roseum* and *S. rhodanthum*
 Rose-coloured, Pale. *Sedum pallidum*
 roseum
 Round-leaved. *Sedum rotundifolium*
 St. Vincent's Rocks. *Sedum rupestre*
 Scarlet. *Sedum sempervivoides*
 Short-leaved. *Sedum brevifolium*
 Siebold's. *Sedum Sieboldii*
 Six-angled. *Sedum sexangulare*
 Spiral. *Sedum spirale*
 Spoon-leaved. *Sedum spatulafolium*
- Stone-crop**, Thick-leaved. *Sedum dasyphyllum* and *S. turgidum*
 Variegated Japanese. *Sedum japonicum* variegatum
 Welsh. *Sedum Forsterianum*
 White-flowered. *Sedum album*
 Wightmann's. *Sedum Wightmannianum*
- Stone-hore**, or Stone-Orpine. *Sedum reflexum*
- Stone-Mountain-Star**. *Gymnolomia Porteri*
- Stone-root**. *Collinsonia canadensis*
- Stone-wort**. The genus *Chara*
- Stonnord**. An old name for Stone-crop
- Storax-plant**. The genus *Styrax*
 Large-leaved. *Styrax grandifolia*
 Liquid. *Liquidambar orientalis*
 Officinal. *Styrax officinalis*
 Powdery. *Styrax pulverulenta*
 Smooth-leaved. *Styrax lavigata*
- Stork's-bill**. The genus *Pelargonium*
- Stover**. An old name for dried Grass or Fodder
- Strangle-Tare**. *Vicia sylvestris*, *V. lathyroides*, and *Cuscuta europaea*
- Strap-wort**. *Corrigiola litoralis*
- Straw**, Leghorn-bonnet. The straw of *Triticum Spelta*
- Straw-berry**. The genus *Fragaria*
 Alpine. *Fragaria collina*
 Barren. *Waldsteinia* (*Comaropsis*) *fragarioides*
 Chili. *Fragaria chilensis*
 Common. *Fragaria vesca* and vars.
 Dalmatian. *Arbutus Unedo*
 Green Pine. *Fragaria collina*
 Hautbois. *Fragaria elatior*
 Indian. *Fragaria indica*
 Old Scarlet, or Scarlet Virginia. *Fragaria virginiana*
 Rock. *Fragaria indica*
 Virginian Scarlet. *Fragaria virginiana*
- Straw-berry-Blite**. *Blitum capitatum*
- Straw-berry-bush**, American. *Euonymus americanus*
- "Straw-berry - Geranium."** *Saxifraga sarmentosa*
- Straw-berry-Saxifrage**. See Saxifrage
- Straw-berry-Spinach**. *Blitum capitatum*
- Straw-berry-Tomato**. See Tomato
- Straw-berry-tree**. *Arbutus Unedo*
 Alpine. *Arbutus alpina*
 Canadian. *Arbutus alpina*
 Menzies's. *Arbutus Menziesii*
 Oriental. *Arbutus Andrachne*
 Red-flowered. *Arbutus Unedo rubra*
 Scarlet-barked. *Arbutus Unedo* var. *Croomii*
- String - wood**, of St. Helena. *Acalypha rubra*
- Stringy-bark-tree**. *Eucalyptus obliqua*, *E. capitellata*, *E. macrorrhynca*, *E. pilularis*, and *E. piperita*
- Strong-man's-weed**. *Petiveria alliacea*
- Strychnine-plant**. *Strychnos Nux-vomica*
- Stub-wort**. An old name for *Oxalis Acetosella*
- Stud-flower**. *Helonias bullata* (*H. latifolia*)

Succory.	<i>Cichorium Intybus</i>	Sun-flower, Giant.	<i>Helianthus giganteus</i>
Blue.	<i>Catananche caerulea</i>	Graceful.	<i>Helianthus oryzalis</i>
Gum.	The genus <i>Chondrilla</i>	Jungle, of the Cape.	<i>Osteospermum moniliferum</i>
Lamb's, or Swine's.	<i>Arnoseris pusilla</i>	Many-flowered.	<i>Helianthus multiflorus</i>
Yellow.	<i>Catananche lutea</i>	Maximilian's.	<i>Helianthus Maximiliani</i>
Suckles.	An old name for Honeysuckles	Miniature.	<i>Heliopsis laevis</i>
Sugar-berry.	<i>Celtis occidentalis</i>	Nuttall's.	<i>Helianthus Nuttallii</i>
Sugar-bush, of the Cape.	<i>Protea mellifera</i>	Perennial.	<i>Helianthus multiflorus</i> and vars.
Sugar-cane, Bengal.	<i>Saccharum Bengalense</i>	Pigmy.	<i>Actinella grandiflora</i>
Common.	<i>Saccharum officinarum</i>	Prairie.	<i>Helianthus rigidus</i> (<i>Harpalium rigidum</i>)
Sugar-Pea.	See Pea	Primrose.	A variety of <i>Helianthus annuus</i>
Sugar-tree.	<i>Myoporum platycarpum</i>	Rough-leaved.	<i>Helianthus rigidus</i>
Sulphur-wort, or Sulphur-weed.	<i>Peucedanum officinale</i>	Silvery-leaved.	<i>Helianthus argophyllum</i>
Sultan, Sweet.	See Sweet-Sultan	Swamp, or False.	The genus <i>Helemium</i>
Sultan's-Parasol.	<i>Sterculia platanifolia</i>	Ten-petaled.	<i>Helianthus decapetalus</i>
Sumach.	The genus <i>Rhus</i>	Tick-seed.	<i>Coreopsis trichosperma</i>
Carolina.	<i>Rhus elegans</i>	Zig-zag.	<i>Helianthus flexuosus</i>
Coral.	<i>Rhus Metopium</i>	Sun-plant.	<i>Portulaca grandiflora</i> and other species
Cut-leaved.	<i>Rhus glabra</i> var. <i>laciniata</i>	Sun-rose.	The genus <i>Helianthemum</i>
Dwarf.	<i>Rhus pumila</i> and <i>R. copallina</i>	Alpine.	<i>Helianthemum alpestre</i>
Elm-leaved.	<i>Rhus Coraria</i>	Alyssum-like.	<i>Helianthemum alyssoides</i>
False Venetian.	<i>Rhus cotinoides</i>	Apennine.	<i>Helianthemum apenninum</i>
Fern-leaved.	<i>Rhus glabra</i> var. <i>laciniata</i>	Basil-like.	<i>Helianthemum oeymooides</i>
Five-leaved.	<i>Rhus pentaphylla</i>	Beautiful.	<i>Helianthemum formosum</i>
Fragrant.	<i>Rhus aromatica</i>	Bristly.	<i>Helianthemum hispidum</i>
Green-flowered.	<i>Rhus viridiflora</i>	Bryony-scented.	<i>Helianthemum fastidium</i>
Jamaica.	<i>Rhus Metopium</i>	Cairo.	<i>Helianthemum Kahircum</i>
Myrtle-leaved.	<i>Coriaria myrtifolia</i>	Cluster - flowered.	<i>Helianthemum glomeratum</i>
Osbeck's.	<i>Rhus Osbecki</i>	Cluster-leaved.	<i>Helianthemum laevipes</i>
Poison.	<i>Rhus venenata</i>	Colour-changing.	<i>Helianthemum mutabile</i>
Purple-fringed.	<i>Rhus Cotinus</i>	Common.	<i>Helianthemum vulgare</i> (<i>Cistus Helianthemum</i>)
Red Lac.	<i>Rhus succedanea</i>	Copper - colour - flowered.	<i>Helianthemum cupreum</i>
Rooting-branched.	<i>Rhus radicans</i>	Downy.	<i>Helianthemum Pilosella</i>
Scarlet.	<i>Rhus glabra</i>	Glaucous-leaved.	<i>Helianthemum glaucum</i>
Stag's-horn.	<i>Rhus typhina</i>	Hairy.	<i>Helianthemum hirsutum</i>
Swamp.	<i>Rhus venenata</i>	Hairy-flowered.	<i>Helianthemum lasianthum</i>
Sweet-scented.	<i>Rhus suaveolens</i>	Heath-like.	<i>Helianthemum Fumana</i>
Tanner's.	<i>Rhus Coraria</i>	Hoary - leaved.	<i>Helianthemum canum</i> (<i>Cistus marifolius</i>)
Venetian, or Venus's.	<i>Rhus Cotinus</i>	Italian.	<i>Helianthemum italicum</i>
Venetian, False.	<i>Rhus cotinoides</i>	Juniper-leaved.	<i>Helianthemum juniperinum</i>
Virginian.	<i>Rhus typhina</i>	Lagasca's.	<i>Helianthemum hirtum</i> var. <i>Lagascæ</i>
Walnut - leaved.	<i>Rhus juglandifolia</i> (<i>R. vernicifera</i>)	Large - flowered.	<i>Helianthemum grandiflorum</i> and <i>H. macranthum</i>
W. Indian.	<i>Brunellia comocladiifolia</i>	Lavender-leaved.	<i>Helianthemum larandulaefolium</i>
Zizyphus-like.	<i>Rhus zizyphina</i>	Marjoram-leaved.	<i>Helianthemum origanifolium</i> and <i>H. marjoranifolium</i>
Sumbul-root.	The root of <i>Ferula</i> (<i>Euryangium</i>) Sumbul. Also applied to the root of <i>Nardostachys Jatamansi</i>	Marum-leaved.	<i>Helianthemum marifolium</i>
Sun-dew.	The genus <i>Drosera</i>	Mealy-leaved.	<i>Helianthemum farinosum</i>
Common, or Round-leaved.	<i>Drosera rotundifolia</i>	Money-wort-leaved.	<i>Helianthemum Numularium</i>
Double-leaved.	<i>Drosera dichotoma</i>	Naked-stemmed.	<i>Helianthemum nudicaule</i>
English.	<i>Drosera anglica</i>	Narrow-leaved.	<i>Helianthemum angustifolium</i>
Long-leaved.	<i>Drosera longifolia</i>	Orache-leaved.	<i>Helianthemum atriplicifolium</i>
Portuguese.	<i>Drosophyllum lusitanicum</i>	Ovate-leaved.	<i>Helianthemum oratum</i>
Slender American.	<i>Drosera linearis</i>	Parti - coloured - flowered.	<i>Helianthemum versicolor</i>
Thread-leaved.	<i>Drosera filiformis</i>		
Sun-drops.	<i>Oenothera fruticosa</i>		
Sun-flower.	The genus <i>Helianthus</i>		
Carrot-rooted.	<i>Helianthus strumosus</i>		
Common.	<i>Helianthus annuus</i>		
Cucumber - leaved.	<i>Helianthus cucumerifolius</i>		
Dark-red.	<i>Helianthus atrorubens</i>		
Dwarf Annual.	<i>Helianthus indicus</i>		
Dwarf Tufted.	<i>Actinella scaposa</i>		
False.	See Sun-flower, Swamp		

- Sun-rose.** Pencilled. *Helianthemum penicillatum*
 Plantain-leaved. *Helianthemum Tuberaria*
 Polium-leaved. *Helianthemum polifolium*
 Powdered-leaved. *Helianthemum pulverulentum*
 Procumbent. *Helianthemum procumbens*
 Red-flowered. *Helianthemum rhodanthum*
 Rosemary-leaved. *Helianthemum rosmarinifolium*
 Rosy-flowered. *Helianthemum roseum*
 Rough. *Helianthemum scabrosum*
 Saffron-flowered. *Helianthemum croceum*
 Sea-Purslane-leaved. *Helianthemum halimifolium*
 Serpyllum-leaved. *Helianthemum serpyllifolium*
 Shining-leaved. *Helianthemum lucidum*
 Showy. *Helianthemum venustum*
 Slender Trailing. *Helianthemum vineale*
 Small-leaved. *Helianthemum microphyllum*
 Smooth. *Helianthemum lave*
 Soft-leaved. *Helianthemum molle*
 Spear-leaved. *Helianthemum lanceolatum*
 Spotted. *Helianthemum guttatum*
 Stiff-haired. *Helianthemum pilosum*
 Straw-coloured - flowered. *Helianthemum stramineum*
 Striped - flowered. *Helianthemum variegatum*
 Sulphur - flowered. *Helianthemum sulphureum*
 Surrey. *Helianthemum surrejanum*
 Thick-leaved. *Helianthemum crassifolium*
 Thyme-leaved. *Helianthemum thymifolium*
 Truffle. *Helianthemum Tuberaria*
 Twiggly. *Helianthemum virgatum*
 Umbel - flowered. *Helianthemum umbellatum*
 Upright-branched. *Helianthemum strictum*
 Various - leaved. *Helianthemum diversifolium*
 Violet-calyxed. *Helianthemum violaceum*
 Wall-flower-like. *Helianthemum cheiranthoides*
 White-leaved. *Helianthemum candidum* and *H. polifolium*
 Whitish-leaved. *Helianthemum canescens*
 Woody-stemmed. *Helianthemum lignosum*
 Woolly-leaved. *Helianthemum stachadiifolium* and *H. tomentosum*
Sunn-Hemp. See Hemp
Sunshine-plant, Australian. *Acacia discolor*
Sunt-wood. The wood of *Acacia arabica*
Supple-Jack, American. *Berchemia volubilis*
 Australian. *Clematis aristata*
 New Zealand. *Rubus australis*; also applied to the genera *Parsonia* and *Lygodium*
 W. Indian. *Paullinia barbadensis*, *P. curassavica*, and *P. polypylla*; also applied to *Berchemia volubilis* and *Cardiospermum grandiflorum*
Surinam-poison. *Tephrosia toxicaria*
Swallow-wort. The genera *Chelidonium* and *Asclepias*
 Tuberous-rooted. *Asclepias tuberosa*
- Swallow's - nest Seaweed.** *Plocaria tenax*
Swamp-weed, Victorian. *Selliera radicans*
Swan-neck. See Swan-wort
Swan-flower, of Surinam. *Cyanoches Lodigesii*
Swan-wort, or Swan-neck. The genus *Cyanoches*
Sweet-briar. *Rosa rubiginosa* and *R. Eger lanteria*
Sweet-briar Sponge. See Bedeguar
Sweet-Cicely. *Myrrhis odorata*
 Californian. The genus *Osmorrhiza*
Sweet-Flag, or Sweet-Sedge. *Acorus Calamus*
 Grass-leaved. *Acorus gramineus*
Sweet-Gale, or Sweet-Willow. *Myrica Gale*
Sweet-John. *Dianthus barbatus* var. *angustifolius*
Sweet-leaf. *Symplocos (Hopea) tinctoria*
Sweet-Maudlin. *Achillea Ageratum*
Sweet-Nancy. *Narcissus biflorus* Jl.-pl.
Sweet-Pea. *Lathyrus odoratus*
Sweet-Sedge. See Sweet Flag
Sweet-Sop. The fruit of *Anona squamosa* and *A. servicea*
Sweet-Sultan, Purple. *Amberboa (Centaurea) moschata*
 Red-flowered. *Amberboa (Centaurea) moschata* var. *rubra*
 Yellow. *Amberboa (Centaurea) suaveolens*
Sweet-weed. *Capraria biflora*
Sweet-William. *Dianthus barbatus*
 Barbadoes. *Ipomoea Quamoclit*
 Double-red. *Dianthus barbatus* var. *magnificus*
 Wild, of N. America. *Phlox maculata*
Sweet-Willow. See Sweet-Gale
Sweet-wood, Black. *Strychnodaphne floribunda*
 Jamaica. *Oreodaphne (Nectandra) exaltata*
 Loblolly, or Rio Grande. *Oreodaphne Leucoxylon*
 Lowland, Pepper, White, or Yellow. *Nectandra sanguinea*
 Mountain. *Acrodielidium jamaicense*
 Pepper. See Sweet-wood, Lowland
 Rio Grande. *Oreodaphne Leucoxylon*
 Shrubby. The genus *Amrys*
 Timber. *Acrodielidium jamaicense*, *Nectandra exaltata*, and *N. leucantha*
 W. Indian. *Croton Eluteria*
 White. *Nectandra leucantha* and *N. sanguinea*
 Yellow. See Sweet-wood, Lowland
Swimming-Herb. An old name for Duckweed
Swine's-bane. *Chenopodium rubrum*
Swine's-cress. *Senebiera Coronopus*
Swine's-grass. See Grass
Swine's-snout. *Taraxacum Dens-leonis*
Swine's-Succory. See Succory
Swiss Genipi. *Achillea moschata*
Sword-Lily. The genus *Gladiolus*. (See also Gladie)
 Australian Yellow. *Anigozanthus flavidus*
Sycamore-tree, of Scripture. Supposed to be either the Mulberry-tree or the wild Fig

- Sycamore-tree.** *Acer Pseudo-platanus*
 American. *Platanus occidentalis*
 Australian. *Brachychiton luridum*
 Californian. *Platanus racemosa*
 False. *Melia Azedarach*
 Purple-leaved. *Acer Pseudo-platanus purpureum*
 White-variegated. *Acer Pseudo-platanus albo-variegatum*
 Yellow-variegated. *Acer Pseudo-platanus flavo-variegatum*
- Sycomore-tree.** *Ficus Sycomorus*
- Syringa,** Common. *Philadelphus coronarius*
 Large-flowered. *Philadelphus grandiflorus*
 Showy. *Philadelphus speciosus*
- Taccada-plant.** *Scœvola Lobelia (S. Taccada)*
- “Tagasaste.”** *Cyperus proliferus*
- Tail-flower.** The genus *Anthurium*
- Tale-wort.** An old name for *Borago officinalis*
- Tallow-shrub.** *Myrica cerifera*
- Tallow-tree,** of China. *Stillingia sebifera*
 Sierra Leone. *Pentadesma butyracea*
- Tamarack.** *Larix americana*
- Tamarind-tree,** Australian. *Cupania australis*
 Bastard. *Acacia Julibrissin*
 Bastard, Jamaica. *Acacia trichophylloides*
 Black, Brown, Velvet, or Wild, of Sierra Leone. *Codarium acutifolium*
 Brown. See Tamarind-tree, Black
 Manilla. *Pithecellobium dulce*
 N.S. Wales. *Cupania australis*
 Sweet. *Inga edulis*
 Velvet. *Codarium acutifolium*
 Wild. The genus *Codarium*; also *Pithecellobium filicifolium*
- Wild, Jamaica. *Acacia arborea*
 Wild, Trinidad. *Pentaclethra filamentosa*
 Yellow. *Acacia villosa*
- Tamarisk-tree,** Common. *Tamarix gallica*
 E. Indian. *Tamarix indica*
 Feathery. *Tamarix plumosa*
 French. *Tamarix gallica*
 German. *Myricaria germanica*
 Showy. *Tamarix spectabilis*
 Small-flowered. *Tamarix parviflora*
- Tamarisk-Salt-tree.** *Tamarix orientalis*
- Tanekaha-tree,** of New Zealand. *Phillycladus trichomanoides*
- Tang.** *Fuscus nodosus*
- Tangle, Sweet.** *Laminaria saccharina*
- “Tanke.”** An old name for *Peucedanum sativum*
- Tanner’s-tree.** *Coriaria myrtifolia* and other species
- Tansy,** Common. *Tanacetum vulgare*
 Goose, or Wild. *Potentilla Anserina*
 Shrubby. *Tanacetum suffruticosum*
 Wild. See Tansy, Goose
- “Tanya,”** of S. Carolina. *Caladium esculentum*
- Tapa-cloth-tree,** of Polynesia. *Broussonetia papyrifera*
- Tape-grass.** See Grass
- Tape-worm-plant.** *Brayera anthelminatica*
- Tapioca-plant.** *Janipha (Manihot) utilisima*
- Tar-bush,** Californian. *Eriodictyon californicum*
- Tar-weed,** Californian. The genera *Madia* and *Hemizonia*
- Taraire-tree.** *Nesodaphne Tarairi*
- Tare,** Common. *Vicia hirsuta*
 One-flowered. *Eruca monanthos*
 Rough-podded. *Eruca hirsutum*
 Tine. *Lathyrus tuberosus*
- Taro, or Tara-plant,** Sandwich Islands. *Caladium esculentum*
 Of Tahiti. *Colocasia macrorrhiza*
- Tarragon-plant.** *Artemisia Dracunculus*
- Tartar-Bread-plant.** *Crambe tatarica*
- Tartarian-Lamb.** The woolly rhizome of *Cibotium (Polypodium) Barometz*
- Tassel-flower, Orange.** *Cacalia aurantiaca*
 Scarlet. *Cacalia coccinea*
- Tassel-grass.** See Grass
- “Tata”-shrub,** of Brazil. *Eugenia supra-axillaris*
- Tawa-tree,** of New Zealand. *Nesodaphne Tawa*
- Tawhai-tree,** of New Zealand. *Fagus fusca*
- Tea-berry.** *Gaultheria procumbens*
- Tea-plant,** or Tea-tree, Abyssinian, or Arabian. *Catha (Celastrus) edulis*
 African. *Lycium afrum*
- American Mountain.** *Gaultheria procumbens*
- Appalachian.** *Viburnum cassinoides* and *Prinos glaber*
- Arabian.** See Tea-plant, Abyssinian
- Assam.** *Thea Assamensis*
- Australian.** Various species of *Leptospermum* and *Melaleuca*
- Bee-balm.** *Monarda didyma*
- Bencoolen, or Malay.** *Glaphyria nitida*
- Bohea.** *Thea Bohea*
- Blue Mountain, or Golden-rod.** *Solidago odora*
- Bottle-green, of Victoria.** *Kunzea coriifolia*
- Bourbon, or Faham.** *Angraeum fragrans*
- Botany Bay, or Sweet.** *Smilax glycyphylla*
- Brazilian.** *Stachytarpheta jamaicensis*
- Broussa.** *Vaccinium Arctostaphylos*
- Bush, of the Cape.** *Cyclopia genistoides*
- Canary.** *Sida canariensis*
- Cape Colony.** *Helichrysum serpyllifolium*
- Captain Cook’s.** *Leptospermum scoparium*
- Carolina, or South Sea.** *Ilex vomitoria*
- Ceylon.** *Elaeodendron glaucum*
- Cochin-China.** *Theueria Thea*
- Duke of Argyll’s.** *Lycium barbarum*
- Faham.** *Angraeum fragrans*
- Green.** *Thea viridis*
- Golden-rod.** See Tea, Blue Mountain
- Gout, of the W. Indies.** *Cordia globosa*
- Isle of Bourbon.** *Angraeum fragrans*
- Jesuit’s, of Chili.** *Psoralea glandulosa*
- Labrador.** *Ledum latifolium*
- Malay.** *Eugenia variabilis*; see also Tea, Bencoolen
- Martinique.** *Capraria biflora*

Tea-plant, Mexican. *Psoralea glandulosa* and *Chenopodium (Ambrina) ambrosioides*
Mountain. *Gaultheria procumbens*
New Jersey. *Ceanothus americanus*
N. S. Wales. *Melaleuca uncinata, Callistemon pallidum*, and *C. salignum*
New Zealand. *Leptospermum flavescens* and *L. scoparium*
New Zealand. Sweet-scented. *Philadelphus aromaticus*
Oily. *Thea oleosa*
Oswego. *Monarda didyma*
Paraguay. *Ilex Paraguariensis*
St. Helena. *Beatsonia portulacæfolia*
South Sea. See Tea, Carolina
Surinam. Various species of *Lantana*
Swamp, of Australia. *Melaleuca squarrosa*
Sweet. See Tea, Botany Bay
Tasmanian. *Melaleuca squarrosa*
Theezan. *Rhamnus Theezans*
W. Indian. *Capraria biflora*
White, of Australia. *Melaleuca genistifolia*
Wild, of N. America. *Amorpha canescens*
Winter-berry. *Prinos glaber*
Teak-tree, African. *Oldfieldia africana*
 Ben. *Lagerstroemia microcarpa*
 E. Indian. *Tectona grandis*
 N. S. Wales. *Endiandra glauca*
 New Zealand. *Vitex littoralis*
Tear-thumb, Arrow-leaved. *Polygonum sagittatum*
 Halberd-leaved. *Polygonum arifolium*
Tear's, Job's. See Job's-Tears
 Juno's. See Juno's-Tears
 Of St. Peter. *Anthacanthus microphyllus*
Teasel, or Thistle, Fullers'. *Dipsacus Fullonum*
 Wild. *Dipsacus sylvestris*
 Wild, Small. *Dipsacus pilosus*
Teel, or Til, Oil-plant. See Oil-plant, Sesame
"Teff," of Abyssinia. *Poa abyssinica*
Teil, Teyl, or Til-tree. *Tilia europaea*
Telegraph-plant. *Desmodium gyrans*
Tench-weed. *Potamogeton natans* and other species
Tent-tree, of Lord Howe's Island. *Pandanus Forsteri*
Tent-wort. *Asplenium Ruta-muraria*
Teosinte-grass. See Grass
Terebinth-tree. *Pistacia Terebinthus*
Terra-japonica-plant. *Uncaria Gambier* and *U. acida*
 Merita (a kind of Turmeric). *Cureuma longa*
Tetter-berry. *Bryonia dioica*
Tetter-wort. *Chelidonium majus*
Tettigass, or Tettigaha tree. *Trichadenia zeylanica*
Texan Pride. *Phlox Drummondii*
Teyl-tree. See Teil-tree
"Thatch," of the W. Indies. *Calyptromona Swartzii* and *Copernicia tectorum*
 Palmetto. *Thrinax parviflora*
 Silver. *Thrinax argentea*
Thatch-grass, Cape. See Grass
Thick-leaf. The genus *Crassula*
Thick-stamen, American. *Pachysandra procumbens*

Thimble-berry. *Rubus occidentalis*
Thistle. The genus *Carduus*; applied also to some other plants
 Barnaby's, or St. Barnaby's. *Centaurea solstitialis*
 Blessed, or Holy. *Carduus benedictus* and *Silybum Marianum*
 Blume's. *Blumea longifolia*
 Brilliant. *Cirsium Douglastii*
 Canada. *Cirsium arvense*
 Carline. *Carlina vulgaris* and other species
 Cornfield or Way. *Serratula arvensis*
 Cotton. *Onopordon Acanthium*
 Cotton, Stemless. *Onopordon aculeale*
 Creeping. *Carduus (Cnicus) arvensis*
 "Cruel." *Cirsium ferox*
 "Cursed," of N. America. *Cirsium arvense*
 Distaff. *Carthamus lanatus*
 Dwarf. *Carduus (Cnicus) acaulis*
 Elephant, or Ivory. *Silybum eburneum*
 Fish-bone. *Chamaepetrum Casabonae*
 Fuller's. *Dipsacus Fullonum*
 "Gentle." *Carduus anglicus*
 Globe. *Echinops Ritro*
 Globe, E. Indian. *Sphaeranthus hirtus*
 Globe, Great. *Echinops sphærocephalus*
 Golden. *Scolymus hispanicus*
 Golden-spotted. *Scolymus maculatus*
 Grass. *Agathaea spathulata*
 Gum. Various species of *Euphorbia*
 Hare's. *Sonchus oleraceus*
 "Hedgehog." *Cactus Echinocactus*
 Herring-bone. *Chamaepetrum Casabonae*
 Holy. See Thistle, Blessed
 Horse. The genus *Cirsium*
 Ivory. See Thistle, Elephant
 Jersey. *Centaurea Isnardi*
 Marsh. *Carduus (Cnicus) palustris*
 Meadow. *Carduus (Cnicus) pratensis*
 Melancholy. *Carduus heterophyllus*
 Melon. The genus *Melocactus*
 Mexican. *Erythrolæna conspicua*
 Milk, or Our Lady's. *Carduus Marianus*
 Musk. *Carduus nutans*
 Our Lady's. See Thistle, Milk
 Plume. The genera *Cirsium* and *Cnicus*; also *Carduus lanceolatus*
 Plume, Yellow. *Cnicus Acarna*
 Saffron. *Carthamus tinctorius*
 St. Barnaby's. *Centaurea solstitialis*
 Scarlet Mexican. *Erythrolæna conspicua*
 Scotch (of artists). *Carduus nutans*
 Scotch (of gardeners). *Onopordon Acanthium*
 Slender. *Carduus pycnocephalus (C. tenuiiflorus)*
 Sow. *Sonchus oleraceus*. (See also Sow-thistle)
 Spear. *Carduus (Cnicus) lanceolatus*
 Star. *Centaurea Calcitrappa*
 Syrian. *Notobasis syriaca*
 Torch. The genus *Cereus*
 Tuberous-rooted. *Carduus (Cnicus) tuberosus*
 Waste. *Carduus arvensis*
 Way. See Thistle, Cornfield
 Welted. *Carduus acanthoides*
 Woolly-headed. *Carduus eriophorus*
 Yellow. *Argemone mexicana*

"Thistle - upon - Thistle." <i>Onopordon</i>	Thorn, White. See Thorn, Haw Willow, or Sallow. <i>Hippophaë rham-</i>
<i>Acanthium</i>	<i>noides</i>
Thomas's (St.)-Tree. <i>Bauhinia variegata</i>	Yellow-fruited. <i>Crataegus flava</i>
and <i>B. tomentosa</i>	
Thorn, African Cockspur. <i>Plectromia ven-</i>	Thorn-apple, Common. <i>Datura Stramo-</i>
<i>tosa</i>	<i>nium</i>
American Black, or Pear. <i>Crataegus tomen-</i>	Blue-flowered. <i>Datura Tatula</i>
<i>tosa</i>	Downy. <i>Datura Metel</i>
American Dwarf. <i>Crataegus parvifolia</i>	E. Indian. <i>Datura alba</i>
Aronia. <i>Crataegus Aronia</i>	Horn-stalked. <i>Datura ceratocaula</i>
Azarole. <i>Crataegus Azarolus</i>	Long-spined. <i>Datura ferox</i>
Black. <i>Prunus spinosa</i>	Purple-flowered. <i>Datura fastuosa</i>
Black-fruited. <i>Crataegus nigra</i>	Tree. <i>Datura arborea</i>
Buck, or Way. The genus <i>Rhamnus</i>	Thorn-Broom. <i>Ulex europaeus</i>
Buffalo. <i>Acacia latronum</i>	Thorough-wax, or Thorow-wax. <i>Bup-</i>
Camel's. <i>Hedysarum Alhagi</i>	<i>leurum rotundifolium</i>
Christ's. <i>Palmarus aculeatus</i> and <i>Zizyphus</i>	Tree. <i>Bupleurum fruticosum</i>
<i>Spina-Christi</i>	Thorough-wort. <i>Eupatorium hyssopi-</i>
Dotted-fruited. <i>Crataegus punctata</i>	<i>folium</i>
Douglas's. <i>Crataegus Douglasii</i>	Thousand-Seal. <i>Achillea Millefolium</i>
Eastern. <i>Crataegus orientalis</i>	Thread-flower, Crimson. <i>Poinciana (Cæs-</i>
Egyptian. <i>Acacia vera (Mimosa nilotica)</i>	<i>alpinia)</i> <i>Gilliesii</i>
Elephant. <i>Acacia tomentosa</i>	Thread-foot. <i>Podostemon ceratophyllum</i>
Evergreen. <i>Crataegus Pyracantha</i>	Thread-Moss. See Moss
Evergreen Glaucous. <i>Crataegus Pyra-</i>	Three-faces-under-a-hood. <i>Viola tri-</i>
<i>cantha glauca</i>	<i>color</i>
Evergreen, White-berried. <i>Crataegus Pyra-</i>	Thrift, Alpine. <i>Armeria alpina</i>
<i>cantha fructu-albo</i>	Alpine Rosy-flowered. <i>Armeria alpina</i>
Fontainebleau. <i>Crataegus latifolia</i>	<i>rosea</i>
Garland. <i>Palmarus aculeatus</i>	Broom. <i>Armeria Scoparia</i>
Glastonbury. <i>Crataegus Oxyacantha var.</i>	Common. <i>Armeria vulgaris</i>
<i>præcox</i>	Garlic. <i>Armeria alliacea</i>
Goat's. <i>Astragalus Tragacantha</i>	Great. <i>Armeria Cephalotes</i>
Haw, or White. <i>Crataegus Oxyacantha.</i>	Large-flowered. <i>Armeria grandiflora</i>
(See also Haw-thorn)	Plantain-leaved. <i>Armeria plantaginea</i>
Haw, New Zealand. <i>Discaria Toumatou</i>	Prickly. <i>Acantholimon glumaceum</i>
Hook. <i>Uncaria procumbens</i>	White - flowered. <i>Armeria maritima</i>
Jerusalem. <i>Parkinsonia aculeata</i>	<i>alba</i>
Kangaroo. <i>Acacia armata</i>	Throat-root. <i>Geum virginianum</i>
Lily. <i>Catesbeia spinosa</i>	Throat-wort. The genus <i>Trachelium</i> ; also
Lobed-leaved. <i>Crataegus lobata</i>	applied to <i>Campanula Cervicaria</i> and
Long-spined. <i>Crataegus macrantha</i>	<i>Digitalis purpurea</i>
Maple-leaved. <i>Crataegus cordata</i>	Blue. <i>Trachelium caruleum</i>
Mexican. <i>Crataegus mexicana</i>	Great. <i>Campanula Trachelium</i>
Morocco. <i>Crataegus maroccana</i>	Thrum-wort. The genus <i>Actinocarpus</i> ;
Mysore. <i>Cesalpinia sepiaria</i>	also applied to <i>Amarantus cardatus</i>
Oval-leaved. <i>Crataegus ovalifolia</i>	Thunder-dirt-Fungus of the New Zea-
Parsley-leaved. <i>Crataegus apifolia</i>	landers. <i>Ileodictyon cibarium</i>
Pear. See Thorn, American Black	Thyme, Alpine. <i>Thymus alpinus</i>
Pear-leaved. <i>Crataegus pyrifolia</i>	Azorean. <i>Thymus azoricus</i>
Plum-leaved. <i>Crataegus prunifolia</i>	Azure. <i>Thymus azureus</i>
Purple-bunched. <i>Crataegus purpurea</i>	Balm-leaved. <i>Thymus melissoides</i>
Quick, or Quick-set. <i>Crataegus Oxya-</i>	Basil. <i>Calamintha (Melissa) Acinos</i>
<i>cantha</i>	Cat. <i>Teucrium Marum</i> and <i>T. Polium</i>
Rain-berry. See Rain-berry-thorn	Common Garden. <i>Thymus vulgaris</i> and
St. Joseph of Arimathea's. <i>Crataegus</i>	vars.
<i>Oxyacantha var. præcox</i>	Corsican. <i>Thymus corsicus</i>
Scarlet-fruited. <i>Crataegus coccinea</i>	Downy. <i>Thymus lanuginosus</i>
Sea Buck, or Willow. <i>Hippophaë rham-</i>	Incense. <i>Thymus thuriferus</i>
<i>noides</i>	"Laced." An old name for Thyme-Dod-
Tasmanian Native. <i>Bursaria spinosa</i>	der
Thirsty. <i>Acacia Seyal</i>	Lemon-scented. <i>Thymus citriodorus</i>
Three-lobed-leaved. <i>Crataegus trilobata</i>	Lemon-scented. Variegated. <i>Thymus cit-</i>
Various-leaved. <i>Crataegus heterophylla</i>	<i>riodorus aureo-variegatus</i>
Virginian. <i>Crataegus virginica</i>	Marjoram-leaved. <i>Thymus (Acinos) pata-</i>
"Wait-a-bit." <i>Uncaria procumbens</i>	<i>rinus</i>
Washington. <i>Crataegus cordata</i>	Peppermint. <i>Thymus Piperella</i>
Way. See Thorn, Buck	Pot-herb. <i>Thymus vulgaris</i>
W. Indian. <i>Macromerium jamaicense</i>	Round-leaved. <i>Thymus rotundifolius</i>

- Thyme**, Virginian. *Pycnanthemum linifolium*
 Virginian, Narrow-leaved. *Pycnanthemum virginicum*
 Water. *Anacharis Alsinastrum* (*Elodea canadensis*)
 Wild. *Thymus Serpyllum*
 Wild Otago. *Samolus littoralis*
 Wild White-flowered. *Thymus Serpyllum* var. *album*
- Thyme-Dodder**. *Cuscuta Epithymum*
- Thyrse-flower**. The genus *Thyrsacanthus*
- Ti-plant**, N. Zealand. *Cordyline australis* and *C. indivisa*
- Tickle-my-fancy**. *Viola tricolor*
- Tick-seed**. The genus *Coreopsis*
 Dyers'. *Coreopsis tinctoria*
 Ear-leaved. *Coreopsis auriculata*
 Early-flowering. *Coreopsis praecox*
 Lance-leaved. *Coreopsis lanceolata*
 Large-flowered. *Coreopsis grandiflora*
 Philadelphian. *Coreopsis philadelphica*
 Six-leafleted. *Coreopsis senifolia*
 Slender-leaved. *Coreopsis tenuifolia*
 Whorled-leaved. *Coreopsis verticillata*
- Tick-Trefoil**, Canadian. *Desmodium canadense*
 Dillen's. *Desmodium Dilleni*
 Japanese. *Desmodium japonicum*
- Tick-weed**. *Hedeoma pulegioides*
 "Tidy-tips," of San Francisco. *Layia platyglossa*
- Tigarea-tree**. *Tetraceria Tigarea*
- Tiger-chop**. *Mesembryanthemum tigrinum*
- Tiger-flower**, Peacock. *Tigridia Pavonia*
 White. *Tigridia speciosa alba*
- Tiger-grass** Palm. See Palm
- Tiger-wood**. The wood of *Machærium Schomburgkii*
- Tigris**, Flower of. An old name for *Tigridia Pavonia*
- Til-tree**. *Laurus fætens*
- Tile-root**. The genus *Geissorrhiza*
 Rushy. *Geissorrhiza juncea*
- Tile-seed**, of Australia. The genus *Geissois*
- Till**. Another name for Lentil
- Timboe** Fish-poison-plant, of Brazil. *Serjania lethalis*
- Tinder**, German. See Amadou
- Tine**. *Vicia sylvestris*
- Topsy-wood**. *Galega frutescens*
 Brazil. *Phyllanthus Conami*
- Tithymale**. An old name for Spurge
- Toad-flax**. The genus *Linaria*
 Alpine. *Linaria alpina*
 American. *Linaria canadensis*
 Bastard. *Thesium linophyllum*
 Bastard, American. The genus *Comandra*
 Broom-leaved. *Linaria genistæfolia*
 Cloven-flowered. *Linaria bipartita*
 Common. *Linaria vulgaris*
 Creeping. *Linaria repens*
 Gold-and-purple. *Linaria reticulata aurea purpurea*
 Hairy. *Linaria pilosa*
 Hepatica-leaved. *Linaria hepaticæfolia*
 Ivy-leaved. *Linaria Cymbalaria*
 Large Yellow. *Linaria dalmatica*
- Toad-flax**, Marjoram-leaved. *Linaria origanifolia*
 Netted-flowered. *Linaria reticulata*
 Pelisser's. *Linaria Pelisseriana*
 Perez's. *Linaria Perezii*
 Pointed. *Linaria Elatine*
 Purple. *Linaria purpurea*
 Pyrenean. *Linaria pyrenaica*
 Round-leaved. *Linaria spuria*
 Shaggy. *Linaria villosa*
 Small. *Linaria minor*
 Tendrilled. *Linaria cirrhosa*
 Thick-leaved. *Linaria crassifolia*
 Three-birds. *Linaria triornithophora*
 Three-leaved. *Linaria triphylla*
 Trailing. *Linaria supina*
- Toad-flower**, African. *Stapelia bufonia*
- Toad-lily**. *Fritillaria nigra*
 Japanese. *Tricyrtis hirta*
- Toad-root**. *Actaea alba*
- Toad-stool**, Paddock-stool, or Fairy-Mushroom. Any of the poisonous Fungi or Mushrooms
- Tobacco-plant**. The genus *Nicotiana*
 Acute-leaved. *Nicotiana acutifolia*
 "English." An old name for *Hyoscyamus*
 Giant. *Nicotiana macrophylla gigantea*
 Glaucous-leaved perennial. *Nicotiana glauca*
 Savannah. *Nicotiana repanda*
 Indian. *Lobelia inflata*
 Latakia. *Nicotiana rustica*
 Long-flowered. *Nicotiana longiflora*
 Mountain. *Arnica montana*
 Native Australian. *Nicotiana suaveolens*
 Night-flowering. *Nicotiana noctiflora*
 Persian or Shiraz. *Nicotiana persica*
 Shiraz. See Tobacco-plant, Persian
 Shrubby. *Nicotiana fruticosa*
 Syrian, or Wild. *Nicotiana rustica*
 Tube-flowered. *Nicotiana tubiflora*
 Tuberose-flowered. *Nicotiana affinis*
 Vinca-flowered (perennial). *Nicotiana vinacea*
 Virginian. *Nicotiana Tabacum*
 Wild. *Nicotiana rustica*
- Toddy-Palm**. See Palm
- Tollon**, or Toyon, of California. *Heteromeles arbutifolia*
- Tolosa-wood**. *Pittosporum bicolor*
- Tolu-Balsam-plant**. *Myroxylon (Myroxylum) toluiferum*
- Tomato-plant**. *Solanum Lycopersicum*
 Cannibal's. *Solanum anthropophagorum*
 Cherry. *Solanum Lycopersicum* var. *cerasiforme*
 Strawberry. *Physalis Alkekengi* and *P. pubescens*
- Tong-pang-chong**. See Nasuta
- Tonga-bean-wood**. *Alyxia buxifolia*
 "Tonga" plant. *Epipremnum mirabile*
- Tongue-blade**. *Ruscus Hypoglossum*
- Tongue-flower**. *Glossula tentaculata*
 Australian. The genus *Glossodia*
- Tongue-grass**. *Lepidium sativum*
- Tonquin-bean-tree**. *Dipteris odorata*
- Tontel-tree**. *Tontelea (Salacia) pyrifloris*

- "Tooart"-tree.** *Eucalyptus gomphocarpa*
- "Toot," or "Tutu"-plant, New Zealand.** *Coriaria ruscifolia*
- Tooth-ache-tree.** The genus *Xanthoxylum*
Thornless. *Xanthoxylum mite*
Three-fruited. *Xanthoxylum tricarpum*
- Tooth-brush-tree.** *Salvadora persica*
- Tooth-cress, or Tooth-Violet.** *Dentaria bulbifera*
- Tooth-Cup.** *Ammania humilis*
- Tooth-flower, Australian.** *Dentella repens*
- Tooth-pick.** *Ammi Visnaga*
- Tooth-Violet.** See Tooth-cress
- Tooth-wort.** *Lathraea squamaria* and the genus *Dentaria*; also an old name for *Capsella Bursa-pastoris*
- Bulb-bearing. *Dentaria bulbifera*
Five-leaved. *Dentaria pentaphylla*
Hidden. *Lathrea clandestina*
Many-leaved. *Dentaria polyphylla*
Nine-leaved. *Dentaria enneaphylla*
Pinnate-leaved. *Dentaria pinnata*
Seven-leaved. *Dentaria pinnata*
Showy. *Dentaria digitata*
Three-leaved. *Dentaria triphylla*
Two-leaved. *Dentaria diphylla*
W. Indian. *Plumbago scandens*
- Tornilla-plant.** *Prosopis pubescens*
- "Torches."** An old name for *Verbascum Thapsus*
- Torch-lily.** The genus *Tritoma*
Burchell's. *Tritoma Burchelli*
Common. *Tritoma Uvaria*
Dwarf. *Tritoma pumila*
Dwarf Glaucous-leaved. *Tritoma Uvaria glaucescens*
Intermediate. *Tritoma media*
Large-flowered. *Tritoma Uvaria grandiflora*
Rooper's. *Tritoma Rooperi*
Tall. *Tritoma grandis*
- Torch-wood-tree.** *Amyris sylvatica*
Mountain. *Amyris balsamifera*
- Tormentil-root.** *Potentilla Tormentilla*
- Tortoise-plant.** *Testudinaria elephantipes*
- Tortoise-wood.** A variety of Zebra-wood
- Touch-me-not, Common.** *Impatiens Noli-me-tangere*
Pale. *Impatiens pallida*
- Touch-wood.** *Polyporus (Boletus) fomentarius* and *P. igniarius*
- Tow-tree, Tahiti.** *Cordia subcordata*
- Towai-tree, New Zealand.** *Fagus Menziesii*
- Tower-cress.** *Arabis Turrita*
- Town-cress.** *Lepidium sativum*
- Toyon.** See Tollen
- Toy-wort.** An old name for *Capsella Bursa-pastoris*
- Tragacanth-Gum-plant.** *Astragalus Tragacantha*
- Traveller's-Joy.** *Clematis Vitalba*
Spanish. *Clematis cirrhosa*
- Traveller's-tree, of Madagascar.** *Ravenala madagascariensis* (*Urania speciosa*)
- Treacle, Countryman's.** *Ruta graveolens*
Poor-Man's. *Allium sativum*
- Treacle-Clover.** See Clover
- Treacle - Mustard.** *Erysimum cheiranthoides* and *Lepidium campestre*
- Treacle-Wormseed.** *Erysimum cheiranthoides*
- "Tread - softly," Virginian.** *Jatropha urens* var. *stimulosa* (*Unidoscolus stimulosus*)
- Treasure-flower.** The genus *Gazania*
Peacock. *Gazania Pavonia*
- Tree-Celandine, Shubby.** *Bocconia frutescens*
- Tree-Fern.** See Fern
- Tree-hair Lichen.** See Lichen
- Tree-Mallow, or Sea-Mallow.** *Lavatera arborea*
African. *Lavatera africana*
Common Annual. *Lavatera trimestris*
Garden. *Lavatera Olbia*
Variegated. *Lavatera arborea variegata*
Wild. *Lavatera arborea*
- Tree-of-Chastity.** *Vitex Agnus-castus*
- Tree-of-Heaven.** *Ailanthus glandulosa*
- Tree-of-Life.** The genus *Arbor-vitæ*
- Tree-of-Long-Life.** *Glaphira nitida*
- Tree-of-Sadness, Night-scented.** *Nyctanthes Arbor-tristis*
- Tree-of-the-Gods.** *Ailanthus glandulosa*
- Tree-of-the-Sun.** *Retinospora obtusa*
- Trefoil.** The genus *Trifolium*. (See also Clover)
Alpine. *Trifolium alpinum*
Bean. *Cytisus Laburnum* and the genus *Anagyris*
Bird's-foot. *Lotus corniculatus*
Bird's-foot, Double. *Lotus corniculatus fl-pl.*
Bird's-foot, Edible. *Lotus edulis*
Bird's-foot, Greater. *Lotus major*
Bird's-foot, Red-flowered. *Lotus arabicus* and *L. australis*
Bird's-foot, Shubby. *Lotus Dorycnium*
Bird's-foot, Silvery. *Lotus argenteus*
Bird's-foot, Silvery Evergreen. *Lotus creticus*
Bitumen. *Psoralea bituminosa*
Bladder-podded. *Trifolium spumosum*
Golden. An old name for *Hepatica trifolia*
Hare's-foot. *Trifolium arvense*
Milk. See Milk-Trefoil
Moon. *Medicago arborea*
One-flowered. *Trifolium uniflorum*
Red. *Trifolium rubens*
Sand. *Trifolium suffocatum*
Scented, of Australia. *Melilotus parviflora*
Shrubby. *Ptelea trifoliata* and *Jasminum fruticans*
Starry. *Trifolium stellatum*
Striped-flowered. *Trifolium involucratum*
Sweet. *Melilotus caerulea*
Tick. The genus *Desmodium*
Tree. The genus *Cytisus*
Venomous. The genus *Dorycnium*
Water. *Menyanthes trifoliata*
Yellow. *Trifolium minus*
- "Tricolor."** *Amarantus tricolor*
- Trigger-plant.** *Stylidium graminifolium* and other species

Trincomalee-wood. The wood of <i>Berrya Ammonilla</i>	Tulip, Dwarf Yellow. <i>Tulipa Celsiana</i>
Trip-madam. <i>Sedum reflexum</i>	Elegant-flowered. <i>Tulipa elegans</i>
Tripoly. <i>Aster Tripolium</i>	Four-leaved. <i>Tulipa tetraphylla</i>
Troll-flower. An old name for the genus <i>Trollius</i>	Golden Star. <i>Cyclothora pulchella</i>
" Trompet Marin. " <i>Narcissus albicans</i>	Grieg's. <i>Tulipa Greigi</i>
Trottles. <i>Sympythium aspernum</i>	Hager's. <i>Tulipa Hageri</i>
True-love. <i>Paris quadrifolia</i>	Kolpakowsky's. <i>Tulipa Kolpakowskyana</i>
Truffle. <i>Tuber cibarium</i>	Korolkow's. <i>Tulipa Korolkovi</i>
African. The genus <i>Terfezia</i>	Orphanides. <i>Tulipa Orphanidesi</i>
English. <i>Tuber aestivum</i>	Parrot. <i>Tulipa Gesneriana</i> var. <i>laciniate</i>
French. <i>Tuber melanosporum</i>	Parrot, Florentine. <i>Tulipa turcica</i>
Piedmontese. <i>Tuber magnatum</i>	Persian. <i>Tulipa persica</i>
Red. <i>Tuber rufum</i> and <i>Melanogaster variegatus</i>	Star-flowered. <i>Tulipa stellata</i>
Tuckahoe. <i>Pachyma cocos</i>	Sun's-eye. <i>Tulipa Oculus-solis</i>
White, or False. <i>Tuber album</i> (<i>Choiromyces meandriformis</i>)	Sun's-eye, Large. <i>Tulipa praecox</i>
Truffles, Hart's. <i>Elaphomyces</i>	Sweet-scented. <i>Tulipa fragrans</i>
Trumpet-Creeper. <i>Tecoma radicans</i> and other species	Three-leaved. <i>Tulipa triphylla</i>
Trumpet-flower. A name applied to various large trumpet-shaped flowers, as those of <i>Tecoma</i> , <i>Bignonia</i> , &c.	Turkestan. <i>Tulipa turkestanica</i> and <i>T. Greigi</i>
Evergreen. <i>Bignonia sempervirens</i>	Two-flowered. <i>Tulipa biflora</i>
Fern-leaved. <i>Bignonia procura</i> (<i>Jacaranda Copaiæ</i>)	Van Thol. <i>Tulipa suaveolens</i>
Four-leaved. <i>Bignonia Unguis</i>	Van Thol, Double. <i>Tulipa suaveolens</i> fl.-pl.
Hardy. <i>Bignonia radicans</i>	Wild. <i>Tulipa sylvestris</i>
Hardy Four-leaved. <i>Bignonia capreolata</i>	Wild, of California. The genus <i>Calochortus</i>
Hardy Large. <i>Tecoma</i> (<i>Bignonia</i>) <i>grandiflora</i>	Tulip-tree. <i>Liriodendron tulipiferum</i>
Nepaul. <i>Beaumontia grandiflora</i>	Chinese. <i>Magnolia fuscata</i>
Peach-coloured. <i>Solandra grandiflora</i>	Laurel-leaved. The genus <i>Magnolia</i>
Peruvian. <i>Brugmansia suaveolens</i>	Queensland. <i>Stenocarpus sinuatus</i> (<i>S. Cunninghamii</i>)
Rooting-branched. <i>Tecoma radicans</i>	Tulip-wood-tree. <i>Physocalymma floribundum</i>
Shrubby. <i>Tecoma stans</i>	Queensland. <i>Harpalia Hillii</i> and <i>H. pendula</i>
Tendrilled. <i>Bignonia capreolata</i>	" Tulp. " of the Cape. Various species of <i>Moræa</i> and <i>Vicusseuxia</i> , especially <i>Moræa polyanthos</i> and <i>Vicusseuxia tripetaloides</i>
Virginian. <i>Tecoma radicans</i>	Tunhoof. <i>Nepeta Glechoma</i>
Trumpet - Honeysuckle. See Honey-suckle	Tupelo-tree. The genus <i>Nyssa</i>
Trumpet-leaf. The genus <i>Sarracenia</i>	Common. <i>Nyssa multiflora</i> (<i>N. sylvatica</i>)
Trumpet-tree. <i>Cecropia peltata</i>	Large. <i>Nyssa uniflora</i>
Trumpet-weed. <i>Eupatorium purpureum</i>	Mountain. <i>Nyssa biflora</i>
Trumpets. <i>Sarracenia flava</i>	Water. <i>Nyssa aquatica</i>
Tuberose. <i>Polianthes tuberosa</i>	Turanira-wood. The wood of <i>Bumelia retusa</i>
Tube-flower. <i>Clerodendron Siphonanthus</i>	Turbith, Quacksilver's. <i>Euphorbia Esula</i>
Tube-tongue. <i>Salpiglossis sinuata</i> and other species	Serapias. <i>Aster Tripolium</i>
Tuber-root. <i>Asclepias tuberosa</i>	Turkey-berry. <i>Solanum mammosum</i> and <i>S. torvum</i>
" Tule "-plant, of California. <i>Scirpus lacustris</i> var. <i>occidentalis</i>	Turkey-berry-tree. <i>Cordia Collococca</i>
Tulip. The genus <i>Tulipa</i>	Turkey-blossom. <i>Tribulus cistoides</i>
African. The genus <i>Hæmanthus</i>	Turkey-corn. <i>Corydalis formosa</i>
Bithynian. <i>Tulipa bithynica</i>	Turkey-pea, Wild. <i>Corydalis formosa</i>
Brilliant. <i>Tulipa fulgens</i>	Turkey's-beard. <i>Xerophyllum asphodeloides</i>
Butterfly. <i>Calochortus uniflorus</i>	Turk's-herb. An old name for <i>Herniaria glabra</i>
Cape. <i>Melanthium uniflorum</i> (<i>Tulipa Breyiana</i>)	Turmeric-plant. <i>Curcuma longa</i>
Cape, Red. <i>Hæmanthus coccineus</i>	Wild. <i>Curcuma aromatica</i>
Cels's. <i>Tulipa Celsiana</i>	Turmeric-root. <i>Hydrastis canadensis</i>
Clusius's. <i>Tulipa Clusiana</i>	Turmeric-tree, Australian. A species of <i>Zieria</i>
Common Garden. Varieties of <i>Tulipa Gesneriana</i>	Turnip, Common. <i>Brassica Rapa</i> var. <i>depressa</i>
Cowslip-scented. <i>Tulipa iliensis</i>	Devil's. <i>Bryonia dioica</i>
Dog's-tooth-Violet. <i>Tulipa erythronioides</i>	Hungarian. <i>Brassica oleracea gongylodes</i>
Drooping. <i>Fritillaria Meleagris</i>	Indian. <i>Arisaema triphyllum</i> and <i>Arum dracontium</i>
Dwarf Rosy-purple. <i>Tulipa pulchella</i>	

Turnip, Lion's. The roots of *Leontice Leontopetalum*
Prairie. *Psoralea esculenta*
St. Anthony's. *Ranunculus bulbosus*
Swedish. *Brassica campestris* var. *Rutabaga*
Teltow. A variety of *Brassica Napus*
Turnip-Radish. A variety of *Raphanus Raphanistrum*
Turnsole. *Croton (Chrozophora) tinctorium* and the genus *Heliotropium*
Peruvian. *Heliotropium peruvianum*
Turpentine-tree, American. *Pinus austalis* and *P. Taeda*
Australian. *Tristania conferta*, *T. albicans*, and *Syneargia laurifolia*
Brea. *Pinus Teocote*
Chian or Cyprian. *Pistacia Terebinthus (P. atlantica)*
European. *Pinus sylvestris*, *P. Laricio*, and *P. Pinaster*
Mt. Atlas. *Pistacia atlantica*
N. S. Wales. *Syneargia latifolia*
Queensland. *Syneargia laurifolia*
Strasburg. *Abies (Picea) pectinata*
Venice. *Larix europaea*
Turtle-head. *Chelone glabra*
Turtle-bloom. *Chelone glabra*
"Tusca" tree. *Acacia moniliformis*
Tussock-grass. See Grass
Tutsan. The genus *Hypericum*. (See St. John's-wort)
 Glossy-flowered. *Hypericum Hookerianum*
Tutu-poison-plant, of New Zealand. *Coriaria ruscifolia* or *C. thymifolia*
Tway-blade, American. *Listera convallarioides*
 British. *Listera ovata*
 Green-flowered. *Liparis Loeselii*
 Purple-flowered. *Liparis liliifolia*
 Small. *Listera cordata*
Twelve-o'clock-Flower. *Abutilon americanum*
Twig-rush. See Rush
Twin-flower. *Linnea borealis*
 Scarlet. *Bravaea geminiflora*
Twin-leaf. *Jeffersonia diphylla*
Twisted-stalk. The genus *Streptopus*
Twisted Stick, Twisted Horn, or Twisty, of S. India. The fruit of *Heliocetes Isora*
Twitch-grass. See Grass
Two-pence. See Herb Two-pence
Type-berry. *Jatropha multifida*
Udika-bread. *Irvingia Barteri*
Ugni-shrub. *Eugenia Ugni*
Umbel. *Cypripedium pubescens*
Umbra-tree. *Pircunia (Phytolacca) dioica*
Umbrella Grass. See Grass
Umbrella-leaf. *Diphyllia cymosa*
Umbrella-Pine. The genus *Sciadopitys*
 Whorled-leaved. *Sciadopitys verticillata*
Umbrella-plant. *Saxifraga peltata*
Umbrella-tree. *Maquilia tripetala (M. Umbrella)* and *Thespisia populnea*
 Ear-leaved. *Magnolia Fraseri*
Guinea. *Paritium guineense*
Queensland. *Brassia actinophylla*
Umbrella-wort. The genus *Oxybaphus*
Umire-tree. *Humirium floribundum*
Unicorn-plant. *Martynia lutea* and *M. proboscidea*
Unicorn-root. *Aletris farinosa*
 False. *Helonias dioica*
Unicorn's-horn. *Helonias dioica*
Upas Tree, of Java. *Antiaris toxicaria*
Urari. See Wourali
Urn-flower, Drooping. *Urceolina pendula*
 Golden. *Urceolina aurea*
Urn-fruit Tree. *Callicarpa incana*
Urn-Moss. See Moss
Ushoka-tree, of Bengal. *Jonesia Asoca*

Valerian. The genus *Valeriana*
 American. *Cypripedium pubescens*
 Cat's. *Valeriana officinalis*
 Elder-leaved. *Valeriana sambucifolia*
 False. *Senecio aureus*
 Garden. *Valeriana Phu*
 Globularia-leaved. *Valeriana globulariae-folia*
 Long-spurred. *Centranthus macrosiphon*
 Marsh. *Valeriana dioica*
 Medicinal. *Valeriana officinalis*
 Mountain. *Valeriana montana*
 Pyrenean. *Valeriana pyrenaica*
 Red, or Spur. *Centranthus ruber*
 Three-winged. *Valeriana tripteris*

Valonia. A commercial name for the acorn-cups of *Quercus Eglops*, which are used for tanning, dyeing, and making ink

Vanilla-plant. *Epidendrum Vanilla*
 N. America. *Liatris odoratissima*

Varnish-tree, Black, Burmah, or Martaban. *Melanorrhaea usitatisima*
 False. *Ailanthus glandulosa*
 Japan. *Rhus vernicifera*
 Martaban. See Varnish-tree, Black
 Moreton Bay. *Pentaceras australis (Ailanthus punctatus)*
 New Granada. *Elæagia utilis*
 Sylhet. *Semicarpus Anacardium*

Vegetable Antimony. *Eupatorium perfoliatum*

Vegetable Brimstone. *Lycopodium powder*

Vegetable Butter, or Phoolwa Oil, plant. *Bassia butyracea*

Vegetable Egg. *Lueuma (Sapota) mammosa*

Vegetable Fire-cracker. *Brodiaea coccinea*

Vegetable-Glue-plant. *Combretum Guayacan*

Vegetable Hair. *Tillandsia usneoides*

Vegetable Horse-hair. The fibre of *Chamærops humilis*

Vegetable Ivory. The nuts of *Phytelephas macrocarpa* and of *Sagus amicarum*

Vegetable Leather. *Euphorbia punicea*

Vegetable Marrow. *Cucurbita ovifera* (a variety of *C. maxima*); also the fruit of *Persea gratissima*

Vegetable Oyster. *Tragopogon porrifolius*

Vegetable Sheep, of New Zealand. *Itaoulia eximia*

Vegetable Silk. Obtained from the seed-pods of *Chorisia speciosa*

Vegetable Sweet-bread. <i>Agaricus Or-cella</i>	Vetch, Chickling. <i>Lathyrus sativus</i>
Vegetable - Tallow - plant. <i>Stillingia sebifera</i> and <i>Vateria indica</i>	Common. <i>Vicia sativa</i>
Vegetable Tinder. See Amadou	Crown. The genus <i>Coronilla</i>
Vegetable Wax. See Wax-plant and Wax-tree	Flat-podded. <i>Lathyrus Cicera</i>
Velvet-bur. <i>Piria echinata</i>	Four-seeded. <i>Vicia tetrasperma</i>
Velvet-flower. <i>Amarantus caudatus</i>	Grass. <i>Lathyrus Nissolia</i>
Velvet-leaf. <i>Lavatera arborea</i>	Hairy. <i>Vicia hirsuta</i>
E. Indian. <i>Tournefortia argentea</i>	Hatchet. <i>Biserrula Pelecinus</i> and <i>Coronilla Securigera</i>
N. American. <i>Abutilon Avicinnae</i>	Horse-shoe. <i>Hippocrepis comosa</i>
S. American. <i>Cissampelos Pareira</i>	Indian. <i>Eruvum dispermum</i>
Velvet-seed. <i>Guettarda elliptica</i>	Liquorice. <i>Astragalus glycyphyllos</i>
Venatica, or Vinatico, wood. The wood of <i>Persea indica</i>	Medick. The genus <i>Onobrychis</i>
Venus's-Basin. An old name for <i>Dipsacus sylvestris</i>	Milk. See Milk-Vetch
Venus's-Comb. <i>Scandix Pecten-Veneris</i>	Narbonne. <i>Vicia Narbonensis</i>
Venus's Fly-trap. <i>Dionaea muscipula</i>	Sensitive Joint. <i>Eschynomene hispida</i> and other species
Venus's Golden Apple. <i>Atalantia (Limonia) monophylla</i>	Silvery. <i>Vicia argentea</i>
Venus's Hair. <i>Adiantum Capillus-Veneris</i>	Spring. <i>Vicia lathyroides</i>
Venus's Looking - glass. <i>Specularia Speculum</i>	Tufted. <i>Vicia Cracca</i>
N. America. <i>Specularia perfoliata</i>	Tufted Carolina. <i>Vicia Caroliniana</i>
Venus's Navel-wort. The genus <i>Omphalodes</i>	Upright. <i>Vicia Oorobus</i>
Venus's, or Venice, Sumach. <i>Rhus Cotinus</i>	Wood. <i>Vicia sylvatica</i>
Verbena, Lemon-scented. <i>Aloysia citriodora</i>	Wood, American. <i>Vicia americana</i>
Sand. The genus <i>Abronia</i>	Wood, Great. <i>Vicia dumetorum</i>
Sand, Purple. <i>Abronia umbellata</i>	Yellow-flowered. <i>Vicia lutea</i>
Verbena-Oil-plant. <i>Andropogon citratrus</i>	Vetchling, Meadow. <i>Lathyrus Nissolia</i>
Vernal-grass. See Grass	Pea. <i>Lathyrus pisiformis</i>
Vervain. The genus <i>Verbena</i>	Yellow-flowered. <i>Lathyrus Aphaca</i>
Bastard. The genus <i>Stachytarpheta</i>	Vinatico-wood. See Venatica
Blue. <i>Verbena hastata</i>	Vine, Alleghany. <i>Adlumia cirrhosa</i>
Blue, American. <i>Verbena hastata</i>	American Grape. See Grape
Common. <i>Verbena officinalis</i>	Australian (East). <i>Vitis hypoglauca</i>
Creeping. <i>Zapania (Lippia) nodiflora</i>	Australian (North). <i>Vitis acetosa</i>
Cut-leaved. <i>Verbena Aubletia</i>	Balloon. <i>Cardiospermum Halicacabum</i>
Hardy, or Large-veined. <i>Verbena venosa</i>	Burdekin. <i>Vitis (Cissus) opaca</i>
Rocky Mountain. <i>Verbena montana</i> (<i>V. Aubletia</i>)	Climbing. <i>Psychotria parasitica</i>
Rose. <i>Verbena Aubletia</i>	Condor. <i>Gonolobus Cundurango</i>
White, or Nettle-leaved. <i>Verbena urticæ-folia</i>	Cross. <i>Bignonia capreolata</i>
Vetch. The genus <i>Vicia</i>	Cucumber. <i>Cucunis Dudaim</i>
Bastard. The genus <i>Phaca</i>	Currant. <i>Vitis vinifera var. corinthiaca</i>
Bastard, Spanish. <i>Phaca Bætica</i>	Eccremocarpus. <i>Calampelis (Eccremocarpus) scaber</i>
Bastard, Trailing. <i>Phaca australis</i>	Elephant's. <i>Cissus latifolia</i>
Bithynian. <i>Vicia bithynica</i>	Entire-leaved Ivy. <i>Vitis indivisa</i>
Bitter. The genus <i>Orobus</i>	Fragrant Wild. <i>Vitis riparia</i>
Bitter, Black. <i>Ervum Ervilia</i>	Gippsland Grape. <i>Vitis (Cissus) hypoglauca</i>
Bitter, Blue. <i>Orobus (Platystylis) cyaneus</i>	Glory. The genus <i>Cianthus</i>
Bitter, Crimean. <i>Orobus tauricus</i>	Golden. <i>Stigmaphyllo ciliatum</i>
Bitter, Dark Purple. <i>Orobus atropurpureus</i>	Gouty-stemmed. <i>Vitis gongylodes</i>
Bitter, Double-blossomed. <i>Orobus vicioides fl.-pt.</i>	Granadilla. <i>Passiflora quadrangularis</i>
Bitter, Hairy. <i>Orobus hirsutus</i>	Grape. Varieties of <i>Vitis vinifera</i>
Bitter, Lathyrus-like. <i>Orobus lathyroides</i>	Grape-flower. The genus <i>Wistaria</i>
Bitter, Orange-flowered. <i>Orobus aurantiacus</i>	Harvey's. <i>Sarcopetalum Harveyanum</i>
Bitter, Spring. <i>Orobus vernus</i>	Hedge. <i>Clematis Vitalba</i>
Bitter, Variegated. <i>Orobus variegatus</i>	Hop-leaved. <i>Vitis humulifolia</i>
Bladder. The genus <i>Phaea</i>	Ice. <i>Cissampelos Pareira</i>
Bush. <i>Vicia sepium</i>	India-rubber. <i>Cryptostegia grandiflora</i>
	Kangaroo, or Kanguru. <i>Cissus antarctica</i>
	Madeira. <i>Boussingaultia basselloides</i>
	Maple. <i>Menispermum canadense</i>
	Matrimony. <i>Lycium vulgare</i> and other species
	Milk. <i>Periploca græca</i>
	Mustang. <i>Vitis candicans</i>
	Mountain. <i>Viola lutea</i>
	Of Sodom. Supposed to be the Colocynth (<i>Citrullus Colocynthis</i>)

Vine, Ornamental-fruited. <i>Bryonopsis ery-throcarpa</i>	Violet, Hedge. <i>Viola sylvatica</i>
Parsley-leaved. <i>Vitis laciniosa</i>	Hollow-leaved. <i>Viola cucullata</i>
Pea. <i>Vicia americana</i>	Hook-spurred. <i>Viola canina var. adunca</i>
Pepper. <i>Ampelopsis bipinnata</i>	Horned. <i>Viola cornuta</i>
Pipe. <i>Aristolochia Siphon</i>	Kidney-leaved. <i>Viola renifolia</i>
Poison. <i>Rhus radicans</i>	Lance-leaved. <i>Viola lanceolata</i>
Potato. <i>Ipomoea pandurata</i>	Larkspur-leaved. <i>Viola delphinifolia</i>
Red-bead. <i>Abrus precatorius</i>	Long-spurred. <i>Viola rostrata</i>
Scrub, of Australia. The genus <i>Cassytha</i>	Long-stalked. <i>Viola pedunculata</i>
Seven-year. <i>Ipomoea tuberosa</i>	Many-flowered. <i>Viola multiflora</i>
Silk. <i>Periploca graeca</i>	Marsh. <i>Viola palustris</i>
Silver, of the W. Indies. <i>Pothos argyrea</i>	Mercury's. An old name for <i>Campanula Medium</i>
Smilax. <i>Myrsiphyllum asparagoides</i>	Mountain. <i>Viola lutea</i>
Sorrel. <i>Cissus acida</i>	Munby's. <i>Viola Munbyana</i>
Spanish-Arbour. <i>Ipomoea tuberosa</i>	Neopolitan. <i>Viola odorata var. pallida plena</i>
Squaw. <i>Mitchella repens</i>	New Holland. <i>Erpetion reniforme (Viola hederacea)</i>
Strainer. <i>Luffa acutangula</i>	Olympian. <i>Viola gracilis</i>
Turquoise - berried. <i>Vitis heterophylla humulifolia</i>	Pale. <i>Viola striata</i>
Variegated. <i>Vitis (Cissus) heterophylla variegata</i>	Palma. <i>Viola palmaensis</i>
Victoria Scrub. <i>Cassytha melantha</i>	Pennsylvanian. <i>Viola pennsylvanica</i>
Water. The genus <i>Phytocrene</i> ; also applied to <i>Doliocarpus Calinea</i>	Pinnate-leaved. <i>Viola pinnata</i>
White Wild. <i>Bryonia dioica</i>	Primrose-leaved. <i>Viola primulæfolia</i>
Wild Wood. <i>Ampelopsis quinquefolia</i>	Pyrenean. <i>Viola cornuta</i>
Wonga-Wonga. <i>Tecoma australis</i>	Rock. <i>Chroolepus Jolithus</i>
Vine-tie. <i>Arundo Ampelodesmos (Ampelodes mos tenax)</i>	Rouen. <i>Viola rothmagensis</i>
Vinegar-plant. <i>Penicillium glaucum</i>	Round-leaved. <i>Viola rotundifolia</i>
Vinegar-tree. <i>Rhus typhina</i> and <i>R. glabra</i>	Russian. <i>Viola suavis</i>
Vineyard-Cane, Italian. <i>Arundo Donax</i>	Shelton's. <i>Viola Sheltonii</i>
Violet. The genus <i>Viola</i>	Siberian. <i>Viola uniflora</i>
Adder's. <i>Goodyera pubescens</i>	Silvery-flowered. <i>Viola argentiflora</i>
Alpine. <i>Viola montana</i>	Spear-leaved. <i>Viola lanceolata</i>
Altaian. <i>Viola altaica</i>	Spurless. The genus <i>Erpetion</i>
American Common Blue. <i>Viola cucullata</i>	Spurred. <i>Viola calcarata</i>
Arrow-leaved. <i>Viola sagittata</i>	Striped-flowered. <i>Viola striata</i>
Beckwith's. <i>Viola Beckwithii</i>	Sweet-scented. <i>Viola odorata</i>
Bird's-foot. <i>Viola pedata</i>	Sweet White. <i>Viola blanda</i>
Bog. The genus <i>Pinguicula</i>	Tongue. The genus <i>Schweiggeria</i>
Broad-leaved. <i>Viola mirabilis</i>	Tooth. <i>Dentaria bulbifera</i>
Bulbous. An old name for the Snow-drop and the genus <i>Leucojum</i>	Tree. <i>Viola arborescens</i>
Calathian. <i>Gentiana Pneumonanthe</i>	Twin-flowered. <i>Viola biflora</i>
Canada. <i>Viola canadensis</i>	Water. <i>Hottonia palustris</i>
Cape. <i>Ionidium capense</i>	Water, American. <i>Hottonia inflata</i>
Corn. <i>Specularia hybrida</i>	Winter-flowering Double White. <i>Viola Belle de Chatenay</i>
Dame's. <i>Hesperis matronalis</i>	Violet-wood, or Myall-wood, Australian. <i>Acacia homalophylla</i>
Dog's-tooth. <i>Erythronium Dens-canis</i>	Brazil. Supposed to be a species of <i>Triptolomaea</i>
Dog's-tooth, Giant. <i>Erythronium giganteum</i>	Guiana. <i>Andira violacea</i>
Dog's-tooth, Nuttall's. <i>Erythronium Nuttallianum</i>	Viper's Bugloss. <i>Echium vulgare</i>
Dog's-tooth, Oregon. <i>Erythronium giganteum grandiflorum</i>	Viper's-grass. The genus <i>Scorzoneroides</i>
Dog's-tooth, White. <i>Erythronium albidum</i>	Virgin-tree. <i>Sassafras Parthenoxylon</i>
Dog's-tooth, Yellow. <i>Erythronium americanum</i>	Virgin's-Bower. <i>Clematis Vitalba</i>
Downy Yellow. <i>Viola pubescens</i>	American. <i>Clematis virginiana</i>
False. <i>Dalibarda repens</i>	Australian. <i>Clematis Moissana</i>
Fringed. See Fringed-Lily	Blue-flowered. <i>Clematis Viorna</i>
Fringed, of Australia. The genus <i>Thysanotus</i>	Purple-flowered. <i>Clematis Viticella</i>
Hairy. <i>Viola hirta</i>	Sweet-scented. <i>Clematis Flammula</i>
Halberd-leaved. <i>Viola hastata</i>	Virginian-Creeper. <i>Ampelopsis hederaea (A. quinquefolia)</i>
Hand-leaf. <i>Viola palmata</i>	Evergreen. <i>Ampelopsis sempervirens</i>

- Vitus's (St.)-wood.** *Rhus dioica*
"Vouvan"-tree. *Laurelia serrata*
Vutu-tree. The genus *Barringtonia*
- Waahoo,** of N. America. *Euonymus atropurpureus*
- Wafer-Ash.** See Ash
- Wahahe-tree.** See Kohé-tree
- Wake-Robin.** *Arum maculatum*
 American. *Arum dracontium*, *Trillium grandiflorum*, and *T. cernuum*
- Walking-fern,** of N. America. *Lycopodium alopecuroides*
- Walking-leaf,** or Walking-Fern. *Campylosorus rhizophyllus*
- Wallaba-tree.** *Eperua falcata*
- Wallaby-bush.** *Beyeria viscosa* and other species
- Wall-Cress.** The genus *Arabis*
- Wall-Fern.** *Polypodium vulgare*
- Wall-flower,** Alpine. *Erysimum ochroleucum* (*Cheiranthus alpinus*)
 Common. *Cheiranthus Cheiri* and vars.
 Fairy. *Erysimum pumilum*
 Long-leaved. *Cheiranthus longifolius*
 Himalayan. *Erysimum pachycarpum*
 Marshall's. *Cheiranthus Marshallii*
 Native Victorian. *Pultenaea daphnoidea*
 Rhaetian Dwarf. *Erysimum Rhæticum*
 Rock. *Erysimum pulchellum*
 Teneriffe. *Cheiranthus scorpiarius*
 Western. *Erysimum arkansanum*
- Walnut-tree.** Various species of *Juglans*
 American. *Juglans nigra*
 Belgaum. See Walnut, Indian
 Caucasian. *Juglans pterocarpa* (*Pterocarya caucasica*)
 Common. *Juglans regia*
 Country. See Walnut, Indian
 Cut-leaved. *Juglans regia* var. *laciniata*
 Indian, Belgaum, or Country. *Aleurites triloba*
 Jamaica. *Picredendron Juglans*
 Otaheite. *Aleurites moluccana* and *A. triloba*
 Titmouse. A thin-shelled variety of *Juglans regia*
 White. *Juglans cinerea*
- Wall-Pennywort.** See Penny-wort
- Wall-pepper.** See Pepper
- Wall-Rue.** See Rue
- Wall-wort.** An old name for *Sambucus Ebulus*
- Wampee-tree.** *Cookia punctata*
- Wandering Jew.** *Saxifraga sarmentosa*
- "Wandoo."** *Eucalyptus reduncra*
- "Wangara"-tree.** *Eucalyptus amygdalina*
- Wand-plant.** *Galax aphylla*
- Wapatoo-root,** of California. A species of *Sagittaria*
- Waratah-tree.** *Telopea speciosissima*
- Warden.** An old name for a variety of Pear used for making "Warden pies"
- Ware (Sea-weeds).** *Algae*
- Warence.** An old name for Madder
- Warmot.** An old name for Worm-wood
- Wart-cress,** or Swine's-cress. *Senebiera Coronopus*
 American. *Senebiera didyma*
- Wart-flower.** The genus *Phymatanthus*
- Wart-herb.** *Rhynchosia minima*
- Wart-wort.** *Euphorbia Helioscopia*
- Washingtonia.** The American name for *Wellingtonia* (*Sequoia*) *gigantea*
- Water-Agrimony,** or Water-Hemp. *Bidens tripartita*
- Water-Aloe.** *Stratiotes aloides*
- Water-Anemone.** *Ranunculus aquatilis*
- Water-Archer.** *Sagittaria sagittifolia*
- Water-Bean.** The genus *Nelumbium*
- Water-Betony.** *Scrophularia aquatica*
- Water-Blinks.** *Montia fontana*
- Water-Cress.** See Cress
- Water-Crown-Cup.** *Sparganophora verticillata*
- Water-Crow-foot.** *Ranunculus aquatilis*
- Water-Dock.** See Dock
- Water Dropwort.** *Oenanthe fistulosa*
- Water-Elder.** *Viburnum Opulus*
- Water-Feather-foil.** *Hottonia palustris*
- Water-Fennel.** *Oenanthe Phellandrium*
- Water-Fern.** *Osmunda regalis*
- "Water-fire,"** of India. *Bergia Ammanoides*
- Water-Flag.** *Iris Pseud-acorus*
- Water-Germander.** See Germander
- Water-Gladiole.** *Butomus umbellatus*
- Water-Hemlock.** See Hemlock
- Water-Hemp.** *Bidens tripartita*
- Water-Horehound.** *Lycopus europaeus*
- Water-Ivy.** See Ivy
- Water-leaf,** American. The genus *Hydrophyllum*
 Sitka. *Romanzoffia sitchensis*
- Water-Lemon.** *Passiflora laurifolia*
- Water-Lentils.** The genus *Lemna*
- Water-lily,** Amazon. *Nymphaea amazonica*
 Australian. *Nymphaea gigantea*
 Blue Indian. *Nymphaea cyanea*
 Chinese. *Nelumbium speciosum* and *Nymphaea (Castalia) pygmaea*
 Dwarf. *Villarsia nymphaeoides*
 E. Indian Red. *Nymphaea rubra*
 Edible-fruited. *Nuphar multisepala*
 Egyptian. *Nymphaea Lotus*
 Florida. *Nymphaea flava*
 Fringed. *Villarsia (Limnanthemum) nymphaeoides*
 Hungarian. *Nymphaea thermalis*
 "Indian Lotus." *Nymphaea pubescens*
 New Zealand, or "of the Shepherds." *Ranunculus Lyallii*
 Prickly. *Euryale ferox* (*Anneslea spinosa*)
 Pigmy. *Nymphaea pygmaea*
 Rose-coloured (hardy). *Nymphaea alba* var. *rosea*
 Rose-coloured, E. Indian. *Nymphaea rosea*
 Round-fruited. *Nymphaea sphærocarpa*
 Royal. *Victoria regia*
 Shield-leaved. *Nymphaea scutifolia*
 Striped-flowered. *Nuphar advena*
 Sweet-scented. *Nymphaea odorata*
 Three-coloured. *Nuphar advena*
 Toothed-leaved. *Nymphaea dentata*
 Victoria. *Victoria regia*
 White. *Nymphaea alba*

- Water-lily**, White, Tuberous-rooted. *Nymphaea tuberosa*
 Yellow. *Nuphar lutea*
 Yellow, Small. *Nuphar pumila* and *N. kalmiana*; also *Villarsia nymphaooides*
 Zanzibar. *Nymphaea stellata zanzibarensis*
- Water-Melon**. *Cucumis Citrullus*
- Water-Milfoil**. *Myriophyllum verticillatum*
- Water-Moss**. See Moss
- Water-Nymph**, Canadian. *Naias canadensis*
- Water-Parsnip**. *Sium latifolium*
- Water-Pepper**. *Polygonum Hydropiper*
 Mild. *Polygonum hydropiperoides*
- Water-Pimpernel**. *Veronica Beccabunga*
- Water-Plantain**. *Alisma Plantago*
- Water-Platter**. *Victoria regia*
- Water-Purslane**. *Pepis Portula*
- Water-Rose**. An old name for Water-Lily
- Water-Shield**. *Brasenia peltata*
- Water-Snow-cups**. *Ranunculus aquatilis*
- Water-Soldier**. *Stratiotes aloides*
- Water-Spike**. An old name for the genus
Potamogeton
- Water-Spurge**. *Euphorbia Helioscopia*
- Water-Star**. *Actinocarpus (Alisma) Damasonium*
- Water-Star-grass**. See Grass
- Water-Star-wort**. The genus *Callitricha*
- Water-Thyme**. See Thyme
- Water-tree**, Red. *Erythrophleum guineense*
 Sierra Leone. *Tetracera alnifolia*
- Water-Vine**. See Vine
- Water-Violet**. *Hottonia palustris*
 American. *Hottonia inflata*
- Water-weed**, New Granada. *Marathrum utile*
 N. American. *Anacharis Alsinastrum (Elodea canadensis)*
- Water-Willow**, American. *Dianthera americana*
- Water-wort**. The genus *Elatine*; also
 an old name for *Asplenium Trichomanes*
- Wattle**, African. *Acacia natalitia*
 Black. *Acacia decurrens* and *A. mollissima*
 Cape, or Crested. *Acacia (Albizia) lophantha*
 Golden, or Green. *Acacia pycnantha*
 Gum. *Acacia decurrens*
 "Raspberry-jam." *Acacia acuminata*
 Savannah. *Citharexylon quadrangulare*
 and *C. cinereum*
 Scrub. *Acacia stipuligera*
 Silver. *Acacia decurrens* var. *dealbata*
 Soap-pod. *Acacia concinna*
 Wallaby. *Acacia rigens*
- Wax-bush**, Blue. *Cuphea viscosissima*
- Wax-Dammar**. *Podocarpus neriifolia*
 Singapore. *Podocarpus polystachya*
- Wax-flower**. The genus *Hoya*
 Bell. *Hoya campanulata*
 Clustered. *Stephanotis floribunda*
 Fleshy-leaved. *Hoya carnosa*
 Imperial. *Hoya imperialis*
 Manilla. *Hoya coriacea*
 N. S. Wales. *Hoya australis*
- Wax-Myrtle**. *Myrica cerifera*
- Wax-plant**. *Cerinthe major*
 One-flowered. *Monotropa uniflora*
- Wax-tree**, Brazilian. *Vismia brasiliensis*
 Chinese. *Ligustrum lucidum*
 Guiana. *Vismia guianensis*
 New Granada. *Elæagia utilis*
 Otoba. *Myristica Otoba*
- Wax-weed**, Blue. *Cuphea viscosissima*
- Wax-work**. *Celastrus scandens*
- Wayaka**. See Yaka
- Way-bread**. An old name for *Plantago*
- Wayfaring-tree**. *Viburnum Lantana*
 Indian. *Viburnum cotinifolium*
- Weasel-chop**. *Mesembryanthemum mus-telinum*
- Weasel-snout**. *Galeobdolon Lamium*
- Wedding-flower**, Cape. *Dombeya natalensis*
 Lord Howe's Island. *Iris (Morea) Robin-soniana*
- Weed-wind**, or With-wind. An old name
 for Bind-weed
- Weenong-tree**. A species of *Tetrameles*
- Weeping Willow**, Ash, Beech, &c. See
 Willow, Ash, Beech, &c.
- Weevil-plant**. The genus *Cureuligo*
- Welcome-to-our-house**. *Euphorbia Cy-parissias*
- Weld**. *Reseda Lateola*
- Wellingtonia**. *Sequoia (Washingtonia) gigantea*
- Welsh Nut**. See Nut
- Welsh Onion**. See Onion
- Welsh Poppy**. See Poppy
- West Coast Creeper**. *Asclepias odoratissima*
- Whahoo**, or Winged Elm, of N. America.
Ulmus alata
- Whangee**, or Wanghee Cane. See Cane
- Wheat**. The genus *Triticum*
 Beech. *Fagopyrum cymosum*
 Buck. *Fagopyrum esculentum (Polygonum Fagopyrum)*
 Clock. A variety of *Triticum turgidum*
 Common, or Soft-grained. *Triticum sativum*
 Cow. See Cow-wheat
 Dinkel. *Triticum Spelta*
 Emmer. *Triticum dicoccum*
 Goat's. The genus *Tragopyrum*
 Guinea, or Turkey. *Zea Mays*
 Hard-grained. *Triticum durum*
 Humpy-grained. *Triticum turgidum*
 Lammas. See Wheat, Winter
 Mummy. *Triticum compositum*
 Polish. *Triticum polonicum*
 Reputed original of cultivated. *Aegilops ovata*
 Single-grained. *Triticum monococcum*
 Spelt. *Triticum Spelta*
 Spring, or Summer. *Triticum aestivum*
 Square-eared. *Triticum sativum* var. *com-pactum*
 Starch. *Triticum amylosum*
 Revet. A variety of *Triticum turgidum*
 "Trigo Moro." *Triticum Cevallos*
 Turkey. See Wheat, Guinea
 Winter, or Lammas. *Triticum hibernum*
- Wheel - seed**, Tasmanian. *Trochocarpa (Decaspora) thymifolia*
- Wheel-tree**, of Guiana. *Aspidosperma excelsum*

Whin. *Ulex europeus*Petty. *Genista anglica* and *Ononis arvensis***Whin-berry.** *Vaccinium Myrtillus***White Beam-tree.** *Pyrus Ária***White Bothen.** An old name for *Chrysanthemum Leucanthemum***White-bottle.** *Silene inflata***White Goldes.** An old name for *Chrysanthemum Leucanthemum***White Grass,** American. See Grass**White Hellebore.** The genus *Veratrum*, especially *V. album*American. *Veratrum viride*Dark-flowered. *Veratrum nigrum*White-flowered. *Veratrum album***White-hoop Wyth,** of Jamaica. *Tournefortia bicolor***White Man's Foot-print.** *Plantago major***White Pot-herb.** See Pot-herb**White-root.** An old name for Solomon's SealAmerican. *Ligusticum actaeifolium***White-rot.** *Hydrocotyle vulgaris***White Runner Bean.** See Bean**White-Sapota.** *Casimiroa edulis***White-thorn.** See Thorn**White-tree.** *Melaleuca Leucodendron***White-wand Plant.** *Galax aphylla***White-wood.** *Tilia americana*; also applied to *Liriodendron tulipiferum*, *Oreodaphne Leucoxylon*, *Nectandra leucantha*, *Tecoma Leucoxylon* and *T. pentaphylla*Australian. *Lagunaria Patersonii*Barbadoes. *Tecoma Leucoxylon*Isle of Bourbon Sweet-scented. *Ruizia cordata*Java. *Leucoxylon buxifolium*Of Victoria. *Pittosporum bicolor*Tasmanian. *Pittosporum bicolor***Whitlow-grass.** The genus *Draba*Alpine. *Draba alpina*Danish. *Draba aurea*Fringed. *Draba ciliata*Glacier. *Draba glacialis*Gray. *Draba cinerea*Hairy-leaved. *Draba aizoides*Hairy-podded. *Draba Aizoon* and *D. lasiocarpa*Large. *Draba gigas*Pigmy. *Draba nivalis*Pointed-leaved. *Draba cuspidata*Rock. *Draba rupestris*Sauter's. *Draba Sauteri*Sea-green. *Draba aizoides*Starry. *Draba stellata*Three-toothed. *Draba tridentata*Violet-flowered. *Draba violacea*Woolly-leaved. *Draba tomentosa*Yellow-flowered. *Draba aizoides*Yellow-flowered, Large. *Draba ciliaris*Yellow-flowered, Pale. *Draba bæotica***Whitlow-wort.** The genus *Paronychia*Forked. *Paronychia dichotoma*Whorl-leaved. *Paronychia verticillata***Whitten-tree.** *Viburnum Opulus***Whit-wort.** An old name for Feverfew**Whorl-flower,** Long-leaved. *Morina longifolia*Persian. *Morina persica***Whortle-berry.** *Vaccinium Myrtillus*Bird-Cherry-leaved. *Vaccinium padifolium*Box-leaved. *Vaccinium buxifolium*Broad-leaved. *Vaccinium amoenum*Bushy. *Vaccinium dumosum*Canadian. *Vaccinium canadense*Caracas. *Vaccinium caracasanum*Corymb-flowered. *Vaccinium corymbosum*Elongated. *Vaccinium elongatum*Gale-leaved. *Vaccinium galeans*Glossy-leaved. *Vaccinium nitidum*Jamaica. *Vaccinium meridionale*Madeira. *Vaccinium maderense*Myrsine-leaved. *Vaccinium Myrsinitis*Myrtillus-like. *Vaccinium myrtilloides*Myrtle-leaved. *Vaccinium myrtifolium*Large-flowered. *Vaccinium grandiflorum*Leafy. *Vaccinium frondosum*Narrow-leaved. *Vaccinium angustifolium*Oriental. *Vaccinium Arctostaphylos*Ovate-leaved. *Vaccinium ovatum*Pale-flowered. *Vaccinium pallidum*Pennsylvanian. *Vaccinium pennsylvanicum*Privet-leaved. *Vaccinium ligustrinum*Red, of Mount Ida. *Vaccinium Vitis-idaea*Red-twiggled. *Vaccinium erythrinum*Resinous. *Vaccinium resinosum*Rollisson's. *Vaccinium Rollissoni*Small-flowered. *Vaccinium minutiflorum*Smooth. *Vaccinium glabrum*Thick-leaved. *Vaccinium crassifolium*Trailing. *Vaccinium humifusum*Tree. *Vaccinium arboreum*Tufted. *Vaccinium cæpitosum*Twiggy. *Vaccinium virgatum*White-berried. *Vaccinium Myrtillus albiscaccis*White-lipped. *Vaccinium leucostomum*Willow-leaved. *Vaccinium salicinum***Whortle-berry-bush,** Victorian. *Wittsteinia vacciniacea***Wicken-tree.** See Quick-beam**Widow,** Mournful. *Scabiosa atropurpurea*Mourning. *Geranium phænum***Widow's-Flower.** *Scabiosa atropurpurea***Widow-wail.** The genus *Cneorum*“Widow-wisse.” An old name for *Genista tinctoria***Wig-tree.** *Rhus Cotinus***Wild-boar's-tree,** of San Domingo. *Hedwigia balsamifera***Wildling** (Crab-Apple). *Pyrus Malus***Wild Irishman,** of New Zealand. *Disocarpus Toumatou*“Wild Savage.” An old name for *Agrostemma Githago***Wild Snow-ball.** *Ceanothus americanus***Wild Spaniard,** of New Zealand. *Acyphilla squarrosa*, *A. Colensoi*, and other species**Wild William.** An old name for *Lychris Flos-cuculi***Will-o'-the-wisp.** *Nostoc commune***Willow.** The genus *Salix*Almond-leaved. *Salix amygdalina*American Black. *Salix nigra*American Dwarf Gray. *Salix tristis*

Willow, American Green. *Salix chlorophylla*
 American Heart-leaved. *Salix cordata*
 American Hoary. *Salix candida*
 American Long-leaved. *Salix longifolia*
 American Livid. *Salix livida* var. *occidentalis*
 American Prairie. *Salix humilis*
 American Shining. *Salix lucida*
 American Silky. *Salix sericea*
 American Silvery-fruited. *Salix argyrocarpa*
 American Water. *Dianthera americana*
 Australian. *Geijera parviflora*
 Bay. *Salix pentandra*
 Bedford. *Salix Russelliana*
 Bitter. *Salix purpurea*
 Boyton. *Salix purpurea* var. *Lambertiana*
 British Columbia. *Salix lasiandra*
 Californian. *Salix levigata*
 Common. *Salix alba*
 Crack. *Salix fragilis*
 Creeping. *Salix repens*
 Cutler's. *Salix Cutleri*
 Desert, of California. *Chilopsis saligna*
 Dishley. *Salix Russelliana*
 Downy. *Salix Lapponum*
 Dwarf. *Salix herbacea*
 Dwarf Thyme-leaved. *Salix serpyllifolia*
 French. *Salix triandra*
 French, or Persian. *Epilobium angustifolium*
 Goat, or Sallow. *Salix Caprea*
 Goat, Weeping. *Salix Caprea* var. *pendula*
 Golden. *Salix vitellina*
 Highland. *Salix reticulata*
 Huntingdon. *Salix alba*
 Kilmarnock. *Salix Caprea*
 Kilmarnock, Weeping. *Salix Caprea* var. *pendula*
 Laurel-leaved. *Salix pentandra*
 Leicester. *Salix alba* var. *cavrolea*
 Netted-leaved. *Salix reticulata*
 "Primrose," of the W. Indies. The genus
Enothera
 Purple. *Salix purpurea*
 Rose. *Salix purpurea* var. *Helix*
 Rosemary-leaved. *Salix rosmarinifolia*
 Round-eared. *Salix aurita*
 Rusty-branched. *Salix Doniana*
 Silvery. *Salix Regiae*
 Silvery Woolly-leaved. *Salix lanata*
 Swallow-tailed. *Salix alba*
 Sweet. *Salix pentandra*; also applied to
Myrica Gale
 Tea-leaved. *Salix phyllicifolia*
 Violet. *Salix daphnoides*
 Virginian. *Itea virginica*
 Weeping. *Salix Babylonica*
 Weeping Kilmarnock. *Salix Caprea* var.
pendula
 White. *Salix alba*
 White Welsh. *Salix fragilis* var. *decipiens*
 Whortle. *Salix Myrsiniflora*
 Woolly. *Salix lanata*
Willow-herb. The genus *Epilobium*
 American. *Epilobium molle* and *E. coloratum*
 Broad-leaved. *Epilobium montanum*

Willow-herb, Californian Dwarf. *Epilobium obcordatum*
 Californian Yellow-flowered. *Epilobium luteum*
 Chickweed - leaved. *Epilobium alsinæfolium*
 Dodoen's. *Epilobium Dodonaei*
 Hoary. *Epilobium parviflorum*
 Hooded. The genus *Scutellaria*
 Marsh. *Epilobium palustre*
 Mountain. *Epilobium alpinum*
 Pale-flowered. *Epilobium roseum*
 Rose-bay. *Epilobium angustifolium*
 Rosemary-leaved. *Epilobium rosmarinifolium* (*E. angustissimum*)
 Square-stemmed. *Epilobium tetragonum*
 White-flowered. *Epilobium angustifolium*
album
Willow-Thorn. *Hippophaë rhamnoïdes*
Willow- weed. *Lythrum Salicaria* and
Polygonum lapathifolium
Wind-flower. The genus *Anemone*
 Alpine. *Anemone alpina*
 Apennine. *Anemone apennina*
 Bastard. *Gentiana Pseudo-Pneumonanthe*
 Cape. *Anemone capensis*
 Carolina. *Anemone caroliniana*
 Cyclamen-leaved. *Anemone palmata*
 Forked. *Anemone dichotoma*
 Japanese. *Anemone japonica*
 Japanese, Pale. *Anemone elegans*
 Japanese, Vine-leaved. *Anemone japonica*
vitifolia
 Japanese, White. *Anemone japonica alba*
 Long-fruited. *Anemone cylindrica*
 Narcissus-flowered. *Anemone narcissiflora*
 Oregon. *Anemone deltoidea*
 Pau. *Anemone fulgens*
 Peacock. *Anemone pavonina*
 Pennsylvanian. *Anemone pennsylvanica*
 Poppy. *Anemone coronaria*
 River-side. *Anemone rivularis*
 Robinson's. *Anemone Robinsoni*
 Rocky Mountain. *Anemone multifida*
 Scarlet. *Anemone fulgens*
 Shaggy. *Anemone vernalis*
 Small-flowered. *Anemone parviflora*
 Snowdrop. *Anemone sylvestris*
 Star. *Anemone stellata*
 Sulphur-coloured. *Anemone sulphurea*
 Three-leaved. *Anemone trifolia*
 Virginian. *Anemone virginica*
 White. *Anemone alba*
 Winter. *Anemone blanda*
 Wood. *Anemone nemorosa*
 Wood, Double. *Anemone nemorosa plena*
Windle-straw. *Agrostis Spica-venti* and
Cynosurus cristatus
Wind-root. *Asclepias tuberosa*
Wind-Rose. *Papaver Argemone* and *Ranunculus hybrida*
Wine-berries. An old name for Whortleberries
Wine-berry-shrub, of New Zealand. *Coriaria sarmentosa*
Wine-celllar Fungus. See Fungus
Wing-Moss. See Moss
Wing-seed. *Ptelea trifoliata*
Winter Aconite. See Aconite

Winter-berry, Atom-bearing. <i>Prinos atomarius</i>	Wolf's-bane, Mountain. <i>Ranunculus Thora</i>
Carolina. <i>Prinos ambiguus</i>	Purple. <i>Aconitum Cammarum</i>
Deciduous. <i>Prinos deciduous</i>	Trailing. <i>Aconitum reclinatum</i>
Leathery-leaved. <i>Prinos coriaceus</i>	Wholesome. <i>Aconitum Anthora</i>
Plum-leaved. <i>Prinos prunifolius</i>	Wolf's-claw. <i>Lycopodium clavatum</i>
Shining. <i>Prinos glaber</i>	Wolf's Fists. An old name for Puff-balls
Smooth. <i>Prinos laevigatus</i>	Wolf's-milk. The genus <i>Euphorbia</i>
Spear-leaved. <i>Prinos lanceolatus</i>	Wombat-berry. The genus <i>Eustrephus</i>
Swamp. <i>Ilex verticillata</i>	Wood-bine. <i>Lonicera Periclymenum</i>
Winter-bloom. <i>Hamamelis virginica</i>	American. <i>Lonicera grata</i> and <i>Ampeleopsis quinquefolia</i>
Winter-Cherry. Various species of <i>Physalis</i>	Spanish, of the W. Indies. <i>Ipomoea tuberosa</i>
Cluster-flowered. <i>Physalis somnifera</i>	Wood-broney. An old name for the Ash-tree
Common. <i>Physalis Alkekengi</i>	Wood-Laurel. <i>Daphne Laureola</i>
Hairy Annual. <i>Physalis pruinosa</i>	Wood-lily. <i>Pyrola minor</i>
Tooth-leaved. <i>Physalis angulata</i>	American. The genus <i>Trillium</i>
Winter Clover. <i>Mitchella repens</i>	American, Drooping. <i>Trillium cernuum</i>
Winter-Cress. <i>Barbarea praecox</i>	American, Dwarf White. <i>Trillium nivale</i>
Variegated. <i>Barbarea praecox variegata</i>	American, Large White. <i>Trillium grandiflorum</i>
Winter-green. The genus <i>Pyrola</i>	American, Painted. <i>Trillium erythrocarpum</i>
Aromatic. <i>Gaultheria procumbens</i>	American, Purple. <i>Trillium erectum</i>
Common. <i>Pyrola minor</i>	Wood-March. An old name for <i>Sanicula europaea</i>
Creeping. <i>Gaultheria procumbens</i>	Wood-nep. An old name for <i>Ammi majus</i>
False, or Pear-leaved. <i>Pyrola rotundifolia</i>	Wood-Night-shade. See Nightshade
Intermediate. <i>Pyrola media</i>	Wood-nut. <i>Corylus Avellana</i>
Larger. <i>Pyrola rotundifolia</i>	Wood-of-St.-Martha. <i>Cæsalpinia echinata</i>
Notched-leaved. <i>Pyrola secunda</i>	Wood-Oil-plant. Several species of <i>Dipterocarpus</i>
One-flowered. <i>Pyrola uniflora</i>	China. <i>Aleurites (Dryandra) cordata</i>
Serrated. <i>Pyrola secunda</i>	Wood-Pea, or Wood-Vetch. <i>Orobus sylvaticus</i>
Spotted-leaved. <i>Pyrola maculata</i>	Wood-reed. <i>Calamagrostis Epigeios</i> and <i>C. lanceolata</i>
Umbelled. <i>Pyrola umbellata</i>	Woodrowel. An old name for Woodruff
Winter-sweet. <i>Origanum heracleoticum</i> and <i>Toxicophlea spectabilis</i>	Woodruff, Broad-leaved. <i>Asperula taurina</i>
Winter-weed. <i>Veronica hederifolia</i>	Creeping. <i>Asperula humifusa</i>
Winter Wolf's-bane. <i>Eranthis hyemalis</i>	Sweet. <i>Asperula odorata</i>
Winter's-Bark, or Winter's-Cinnamon. See Cinnamon, Winter's	Three-lobed. <i>Asperula tinctoria</i>
Wire-bent. <i>Nardus stricta</i>	Wood-rush. The genus <i>Luzula</i>
Wire-grass. See Grass	Curved. <i>Luzula arcuata</i>
Wistaria, American. <i>Wistaria frutescens</i>	Field. <i>Luzula campestris</i>
Chinese. <i>Wistaria sinensis</i>	Great. <i>Luzula sylvatica</i>
Japanese. <i>Wistaria japonica</i>	Hairy. <i>Luzula pilosa</i>
Tuberous-rooted. <i>Apios tuberosa</i>	Spiked. <i>Luzula spicata</i>
Witch, or Wych, Elm. See Elm	Wood-Sage. See Sage
Hazel. See Hazel	Wood-Sorrel. The genus <i>Oxalis</i>
Witches'-butter. <i>Exidia glandulosa</i>	Bowie's. <i>Oxalis Bowiei</i>
Witches'-thimble. <i>Silene maritima</i>	Brazilian. <i>Oxalis brasiliensis</i>
Withe, Basket, of Jamaica. <i>Heliotropium fruticosum</i>	Chilian. <i>Oxalis Valdiviana</i>
Prickly. See Prickly-withe	Common. <i>Oxalis Acetosella</i>
Withe-rod, American. <i>Viburnum nudum</i>	Deppe's. <i>Oxalis Deppei</i>
Withwind. See Weedwind	Dwarf. <i>Oxalis tenella</i>
Withy. <i>Salix viminalis</i>	Flesh-coloured. <i>Oxalis incarnata</i>
" Witloof. " See Chicory	Jamaica. <i>Begonia nitida</i>
Woad. <i>Isatis tinctoria</i>	Lobed-leaf. <i>Oxalis lobata (O. granulata)</i>
Wild. <i>Reseda Luteola</i>	Many-flowered. <i>Oxalis floribunda</i>
Woad-waxen, or Wood-waxen. <i>Genista tinctoria</i>	Nasturtium. <i>Oxalis tropaeoloides</i>
Wodier-tree. <i>Odina Wodier</i>	New Zealand. <i>Oxalis magellanica</i>
Wold-wolle-fibre-plant. <i>Pinus sylvestris</i> and <i>P. Laricio</i>	Nine-leaved. <i>Oxalis enneaphylla</i>
Wolf-berry. <i>Symporicarpus occidentalis</i>	Oregon. <i>Oxalis Oregana</i>
Wolf-chop. <i>Mesembryanthemum lupinum</i>	Plumier's. <i>Oxalis Plumieri</i>
Wolf's-bane. The genus <i>Aconitum</i> , especially <i>A. Lycocotonum</i>	Procumbent Yellow flowered. <i>Oxalis corniculata</i>
American. <i>Aconitum uncinatum</i>	

Wood - Sorrel, Purple - leaved.	<i>Oxalis atropurpurea</i>	Worm-wood, Variegated - leaved.	<i>Artemisia vulgaris variegata</i>
Red-flowered Procumbent.	<i>Oxalis corniculata var. rubra</i>	Wulfen's.	<i>Artemisia Wulfenii</i>
Rosy-flowered.	<i>Oxalis rosea</i>	Wound-wort.	<i>Stachys germanica</i> ; also <i>Anthyllis vulneraria</i>
Sand.	<i>Oxalis arenaria</i>	Clown's.	<i>Stachys palustris</i>
Scented.	<i>Oxalis odorata</i>	Corsican.	<i>Stachys corsica</i>
Sensitive.	<i>Oxalis Biophytum</i>	Doreas'.	<i>Solidago Virgaurea angustifolia</i>
Upright Yellow-flowered.	<i>Oxalis stricta</i>	Hercules'.	<i>Heracleum Panaces</i>
Violet.	<i>Oxalis violacea</i>	Scarlet.	<i>Stachys coccinea</i>
Woolly-stamened.	<i>Oxalis lasiandra</i>	Woolly.	<i>Stachys lanata</i>
Yellowish-flowered.	<i>Oxalis luteola</i>	Wourali, or Urari, poison-tree.	<i>Strychnos toxifera</i>
"Wood-Sower."	An old name for <i>Oxalis Acetosella</i>	Wrack, Grass.	<i>Zostera marina</i>
Wood-tongue.	The genus <i>Drymoglossum</i>	Wreath, Purple.	<i>Petraea volubilis</i>
Wood-Vetch.	See Wood-Pea	Wreathe-wort, Purple.	<i>Orchis mascula</i>
Wood-vine, Yellow.	<i>Morus Calcar-galli</i>	Writing-reed.	<i>Calamagrostis Epigeios</i>
Wood-waxen, or Woad-waxen.	<i>Genista tinctoria</i>	"Wungee."	<i>Cucurbita cicatrisatus</i>
Wood-grass.	See Grass	Wych, or Witch, Elm.	See Elm
Woollen.	An old name for Mullein	Wych-Hazel.	See Hazel
"Woolly-butt," of Australia.	<i>Eucalyptus longifolia</i> and <i>E. viminalis</i>	Wymot.	An old name for Marsh-Mallow
Worm-grass, Maryland.	<i>Spigelia marilandica</i>	Wyth, Basket.	See Basket-Wyth
Worm-seed.	<i>Artemisia maritima</i> var. <i>Stechmanniana</i> (<i>A. Lercheana</i>)	Wyth, White-hoop.	See White-hoop Wyth
Spanish.	<i>Halothamnus tamariscifolium</i>	Yacca-wood.	The wood of <i>Podocarpus coriaceus</i> and <i>P. Purdieana</i>
Treacle.	See Treacle-Wormseed	Yaka, or Wayaka, plant, of Fiji.	<i>Pachyrhizus angulatus</i>
Worm-wood.	The genus <i>Artemisia</i>	Yam, American Wild.	<i>Dioscorea villosa</i>
African.	<i>Artemisia afra</i>	Chinese, or Japanese.	<i>Dioscorea Batatas</i>
Alpine.	<i>Artemisia alpina</i> and <i>A. munitella</i>	Common Cultivated.	<i>Dioscorea sativa</i>
Biennial.	<i>Artemisia biennis</i>	Granada, or Guinea.	<i>Dioscorea bulbifera</i>
Bluish.	<i>Artemisia carulescens</i>	Indian.	<i>Dioscorea trifida</i>
Branchy.	<i>Artemisia ramosa</i>	Japanese.	See Yam, Chinese
Cliff.	<i>Artemisia rupestris</i>	Kaawi.	<i>Dioscorea aculeata</i>
Common.	<i>Artemisia Absinthium</i>	Port Moniz.	<i>Tamus edulis</i>
Creeping.	<i>Artemisia repens</i>	Red, or White.	<i>Dioscorea alata</i>
Dill-leaved.	<i>Artemisia anethifolia</i>	Tivoli.	<i>Dioscorea Nummularia</i>
Field.	<i>Artemisia campestris</i>	Uvi.	<i>Dioscorea alata</i>
Forked.	<i>Artemisia furcata</i>	White.	See Yam, Red
French.	<i>Artemisia gallica</i>	Yang-mae-tree.	<i>Myrica Nagi</i>
Glacier.	<i>Artemisia glacialis</i>	Yar-nut, or Yor-nut.	See Nut
Hoary.	<i>Artemisia cana</i>	Yarrow.	The genus <i>Achillea</i>
Holy.	<i>Artemisia Santonica</i>	Asplenium-leaved.	<i>Achillea asplenifolia</i>
Marschall's.	<i>Artemisia Marschalliana</i>	Common.	<i>Achillea Millefolium</i>
Medicinal.	<i>Artemisia Abrotanum</i>	Egyptian.	<i>Achillea egyptiaca</i>
Norwegian.	<i>Artemisia norvegica</i>	Golden-flowered.	<i>Achillea aurea</i>
Oriental.	<i>Artemisia orientalis</i>	Mongolian.	<i>Achillea mongolica</i>
Pale-flowered.	<i>Artemisia lactiflora</i>	Noble.	<i>Achillea Filipendula</i>
Pallas's.	<i>Artemisia Pallasii</i>	Pale-yellow-flowered.	<i>Achillea decolorans</i>
Potentilla-leaved.	<i>Artemisia potentillaefolia</i>	Rock.	<i>Achillea rupestris</i>
Rock.	<i>Artemisia saxatilis</i>	Serrate-leaved.	<i>Achillea serrata</i>
Roman.	<i>Artemisia pontica</i>	Silvery.	<i>Achillea Clavennae</i>
Roman, of N. America.	<i>Ambrosia artemisiæfolia</i>	Silvery Dwarf.	<i>Achillea (Ptarmica) umbellata</i>
Scallop-leaved.	<i>Artemisia pectinata</i>	Soldier's.	<i>Stratiotes aloides</i>
Sea-side.	<i>Artemisia maritima</i>	Woolly.	<i>Achillea tomentosa</i>
Sea-side, Cape.	<i>Artemisia cinerea</i>	Yate-tree, or Yeit-tree.	<i>Eucalyptus cornuta</i>
Silky-leaved.	<i>Artemisia sericea</i>	"Yaupon."	<i>Ilex Cassine</i>
Silvery.	<i>Artemisia argentea</i>	Yaw-root.	<i>Stillingia sylvatica</i>
Slender-leaved.	<i>Artemisia tenuifolia</i>	"Yeara," of California.	<i>Rhus diversiloba</i>
Spiked.	<i>Artemisia spicata</i>	Yeast-plant.	<i>Penicillium glaucum</i>
Steller's.	<i>Artemisia Stelleriana</i>	Yeit-tree.	See Yate-tree
Tall.	<i>Artemisia procera</i>	Yellow Archangel.	<i>Lamium Galeobdolon</i>
Tansy-leaved.	<i>Artemisia tanacetifolia</i>	Yellow Bird's-nest.	<i>Monotropa Hypopitys</i>
Trailing Evergreen.	<i>Artemisia aprica</i>	Yellow Bugle.	<i>Ajuga Chamapitys</i>
Tree.	<i>Artemisia arboreascens</i>	"Yellowby."	<i>Chrysanthemum segetum</i>
		Yellow Cress.	<i>Barbarea prœcox</i>

Yellow Crow-bells. See Crow-bells	Yew-tree, Common Erect. <i>Taxus baccata var. erecta</i>
Yellow Helmet-flower. See Helmet-flower	Dovaston's. <i>Taxus baccata var. Dovastoni</i>
Yellow Loose-strife. <i>Lysimachia vulgaris</i>	Florence Court, or Irish. <i>Taxus baccata var. fastigiata</i>
Yellow Parilla. See Parilla	Florida. <i>Taxus Floridana</i>
Yellow Pimpernel. <i>Lysimachia nemorum</i>	Irish. See Yew, Florence Court
Yellow Rattle. <i>Rhinanthus Crista-galli</i>	Japanese. <i>Podocarpus Koraiana</i> (<i>Taxus japonica</i>)
Yellow Rocket. <i>Barbarea vulgaris</i>	Japan, Short-leaved. <i>Taxus adpressa</i>
Yellow Sultan. <i>Centaurea suaveolens</i>	Jointed. The genus <i>Arthrotaxis</i>
Yellow-root-Shrub. <i>Xanthorrhiza apifolia</i>	Mexican. <i>Taxus globosa</i>
Yellow-tops. <i>Senecio Jacobaea</i>	Nidpath Castle. <i>Taxus baccata var. Nid-pathensis</i>
Yellow-weed. <i>Reseda Luteola</i>	Prince Albert's. <i>Saxgothea conspicua</i> (<i>Taxus patagonica</i>)
Yellow-wood, American. <i>Virgilia lutea</i> (<i>Cladrastis tinctoria</i>)	Scattered-leaved. <i>Taxus baccata var. sparsifolia</i>
Australian. <i>Oxleya Xanthoxylon</i> (<i>Flin-dersia Oxleyana</i>)	Silver-variegated. <i>Taxus baccata var. argentea</i>
Brazilian. <i>Ochrocyton punctatum</i>	Stinking. The genus <i>Torreya</i>
Cape. <i>Podocarpus Thunbergii</i>	Stinking, Large. <i>Torreya grandis</i>
E. Indian. <i>Podocarpus latifolia</i> and <i>Chloroxylon Swietenia</i>	Washington's. <i>Taxus canadensis</i> var. <i>Washingtoni</i>
Isle of Bourbon. <i>Ochrosia Borbonica</i>	Yellow-berried. <i>Taxus baccata</i> var. <i>fructu-luteo</i>
Moreton Bay. <i>Acronychia laevis</i> (<i>Cym-nosma oblongifolium</i>)	Yoke-Elm. See Elm
N. S. Wales. <i>Oxleya Xanthoxylon</i>	Yoke-Moss. See Moss
Prickly. See Yellow-wood, W. Indian	Yoke-wood. <i>Catappa longissima</i>
S. African. <i>Podocarpus elongata</i>	Yorkshire Sanicle. See Sanicle
W. Indian, or Prickly. <i>Xanthoxylon Clava-Herculis</i>	Youth-and-Old-Age. The genus <i>Zinnia</i>
Yellow-wort. <i>Chlora perfoliata</i>	Youth-wort. <i>Drosera rotundifolia</i>
Yerba Buena, of California. <i>Micromeria Douglasii</i>	Yulan. <i>Magnolia Yulan</i>
Yerba Mansa, of California. <i>Anemopsis californica</i>	Zante-wood. <i>Rhus Cotinus</i> and <i>Chloroxy-lon Swietenia</i>
Yevering Bells. <i>Pyrola secunda</i>	Zebra-plant. <i>Maranta (Calathea) zebrina</i>
Yew-tree. The genus <i>Taxus</i>	Zebra-poison, of S. Africa. <i>Euphorbia arborea</i>
American. <i>Taxus baccata</i> var. <i>canadensis</i>	Zebra-wood, E. Indian. <i>Guettarda speciosa</i>
"Blue John." <i>Taxus stricta</i>	Guiana. <i>Omphalobium Lambertii</i>
Californian. <i>Taxus brevifolia</i>	Guinea. <i>Omphalobium africanum</i>
Canadian. <i>Taxus canadensis</i>	Jamaica. <i>Eugenia fragrans</i>
Cheshunt. <i>Taxus baccata</i> var. <i>Cheshunt-ensis</i>	Zedoary, Long. <i>Curcuma Zerumbet</i>
Chinese. <i>Taxus nucifera</i> and <i>Podocarpus chinensis</i>	Round. <i>Curcuma Zedoaria</i>
Cluster-flowered. The genus <i>Cephalotaxus</i>	"Zeloak"-root. The root of <i>Iris juncea</i>
Cluster-flowered, Fortune's. <i>Cephalotaxus Fortunei</i>	Zelkowa-tree. The genus <i>Zelkova</i>
Cluster-flowered, Long-stalked. <i>Cephalotaxus pedunculata</i>	Common. <i>Zelkova crenata</i> (<i>Planera Ri-chardii</i>)
Cluster-flowered, Plum-fruited. <i>Cephalotaxus drupacea</i>	Zephyr-flower. The genus <i>Zephyranthes</i>
Common. <i>Taxus baccata</i>	Keeded. <i>Zephyranthes carinata</i>
	Rosy. <i>Zephyranthes rosea</i>
	Sulphur-coloured. <i>Zephyranthes sulphurea</i>
	Tube-spathed. <i>Zephyranthes tubispatha</i>
	White. <i>Zephyranthes candida</i>

A DICTIONARY
OF
ENGLISH PLANT NAMES.

PART II.

A DICTIONARY OF ENGLISH PLANT NAMES.

PART II.

ABBREVIATIONS.—*Sp.*, species; *var.*, variety; *fl.-pl.*, flore-pleno.

Abelmoschus esculentus. <i>Gobbo</i>	Abronia umbellata. <i>Purple Sand-Verbena</i>
Aberia Caffra. <i>Kai, Kai,</i> or <i>Kei</i> Apple-tree	Abrus precatorius. <i>Coral-bead plant, Love Pea, Red-bead Vine, Rosary-pea Tree, Wild Liquorice</i>
Abies. <i>Deal-tree, Fir-tree</i>	Abuta rufescens. <i>White Pareira Brava</i>
alba. <i>Single or White Spruce</i>	Abutilon. <i>Indian Mallow</i>
alba var. glauca. <i>Dimsdale's Silver Spruce</i>	Americanum. <i>Twelve-o'clock-Flower</i>
alba var. minima. <i>Hedgehog White Spruce</i>	Avicennæ. <i>American Velvet-leaf, Lantern-flower</i>
alba var. nana. <i>Dwarf White Spruce</i>	
Alcockiana. <i>Alcock Spruce</i>	Acacia acuminata. <i>Raspberry-jam Wattle</i>
balsamea (A. balsamifera). <i>Balm of Gilead Fir, Balsam Fir</i>	arabica. “ <i>Babool</i> ”-Bark, Sunt-wood, and <i>Gum Arabic-tree</i>
Brunonianæ. <i>Indian Hemlock Spruce</i>	arborea. <i>Wild Tamarind-tree of Jamaica</i>
canadensis. <i>Common Hemlock Spruce</i>	armata. <i>Kangaroo-Thorn</i>
commutata. <i>Engelmann's Spruce</i>	Catechu. <i>Catechu-tree, Wadalee-gum-tree, Khair-tree</i>
concolor. <i>Western White Fir</i>	Cavaria. “ <i>Cavan</i> ” of Chili
Cunninghami. <i>Moreton Bay Pine-tree</i>	concinna (Mimosa abstergens). <i>Soap-pod-tree, Soap-pod Wattle</i>
(Pseudotsuga) Douglasii. <i>Douglas Spruce, Nootka Fir</i>	cornigera. <i>Cuckold-tree</i>
excelsa var. Clanbrasiliiana. <i>Lord Clan-brasil's Dwarf Spruce</i>	dealbata. <i>Silver Wattle of Tasmania</i>
excelsa var. communis. <i>Common Norway Spruce, White Fir</i>	decurrans. <i>Black Wattle or Green Wattle of Australia</i>
excelsa var. Finedonensis. <i>Finedon Hall Spruce</i>	discolor. <i>Australian Sunshine Plant</i>
excelsa var. pendula. <i>Weeping Norway Spruce</i>	Doratoxylon. <i>Spear-wood of Australia</i>
excelsa var. pygmæa. <i>Dwarf Spruce</i>	falcata. <i>Lignum-vitæ of N. S. Wales</i>
Fortunei. <i>Intermediate Fir</i>	Farnesiana. <i>Cassi-oil-plant, Sponge-tree, West Indian Blackthorn</i>
Fraseri. <i>Fraser's Double, or Southern Balsam, Fir</i>	Giraffe. <i>Camelopard's Tree</i>
(<i>Larix</i>) Kämpferi. <i>Golden Larch</i>	gummifera. <i>Barbary or Morocco Gum-tree</i>
magnifica. <i>Western Red Fir</i>	homalophylla. <i>Myall-wood or Violet-wood of Australia</i>
Menziesii. <i>Menzies' Spruce</i>	horrida. <i>Cape Gum-tree, “Dorn-boom,” of S. Africa</i>
Mertensiana. <i>Californian Hemlock Spruce</i>	Julibrissin. <i>Bastard Tamarind, Silk-tree of Constantinople, Smooth-tree Acacia</i>
Morinda (A. Smithiana). <i>Indian Spruce, Prickly Fir</i>	juniperina. <i>Prickly Wattle</i>
nigra. <i>Black-leaved or Double Spruce, Red Fir</i>	Koa (A. heterophylla(?)). <i>Koa-tree of the Sandwich Islands</i>
(<i>Pinus</i>) nobilis. <i>Tuck-tuck Pine-tree</i>	Latronum. <i>Buffalo-thorn</i>
orientalis. <i>Eastern Spruce</i>	leucophlæa. <i>Kuteera-gum-tree</i>
Pattoniana. <i>Patton's Californian Spruce</i>	lophantha. <i>Two-spiked Acacia</i>
pectinata. <i>Silver Fir</i>	Melanoxylon. <i>Black-wood of N. S. Wales, Light-wood of Tasmania</i>
polita. <i>Tiger's-tail Spruce</i>	microbotrya. “ <i>Bad-jong</i> ” of S. W. Australia
religiosa. <i>Mexican Fir</i>	mollissima. <i>Black Wattle, Silver Wattle moniliformis. “Tusca”-tree</i>
rubra. <i>Newfoundland Red Pine, Red, or Arctic Spruce</i>	
Smithiana (A. Morinda). <i>Indian or Himalayan Spruce</i>	
Tsuga. <i>Japan Hemlock Spruce</i>	
Webbiana. <i>King Pine</i>	

Acacia Natalitia. <i>African Wattle</i>	Acer Monspessulanum. <i>Montpelier Maple</i>
Nilotica. <i>Gum-Arabic-tree, Shittim-wood (?)</i>	Neapolitanum. <i>Neapolitan Maple</i>
Oxycedrus. <i>Sharp Cedar</i>	Negundo (Negundo acerooides). <i>Ash-leaved Maple, Box-Elder</i>
pendula. <i>Myall-tree</i>	Negundo var. crispum. <i>Curled-leaved Box-Elder</i>
peninervis. <i>Black-wood of W. Australia</i>	oblongum. <i>Oblong-leaved Maple</i>
pycnantha. <i>Golden or Green Wattle</i>	obtusatum. <i>Blunt-lobed, or Hungarian Maple</i>
rigens. <i>Wallaby Wattle</i>	Opulus. <i>Italian Maple</i>
Sassa. <i>Abyssinian Myrrh-tree</i>	opulifolium. <i>French, or Guelder-rose-leaved Maple</i>
Senegal. <i>Gum-Arabic-tree</i>	palmatum. <i>Japanese Maple</i>
Serissa. <i>Shireesh, of India</i>	palmatum var. dissectum atro-purpureum. <i>Japanese Purple Maple</i>
Seyal. <i>Gum-Arabic-tree, Thirsty Thorn</i>	Penusylvanicum. <i>Moose-wood, Striped Dogwood, Striped Maple</i>
stenocarpa. <i>Gum-Arabic-tree</i>	platanoides. <i>Norway, or Platanus-leaved Maple</i>
stipuligera. <i>Scrub Wattle</i>	platanoides var. laciniatum. <i>Eagle's-claw Maple</i>
Suma. <i>Shumco-tree</i>	platanoides var. Lobelii. <i>Lobel's Platanus-leaved Maple</i>
tomentosa. <i>Elephant-thorn, Jungle-nail</i>	platanoides var. pubescens. <i>Downy Platanus-leaved Maple</i>
trichophylloides. <i>Bastard Tamarind of Jamaica</i>	platanoides variegatum. <i>Silver-variegated Platanus-leaved Maple</i>
vera (Mimosa nilotica). <i>Egyptian Thorn</i>	polymorphum var. atro-purpureum. <i>Crimson-leaved Japanese Maple</i>
Verek. <i>Gum-Arabic-tree of Kordofan</i>	Pseudo-Platanus. <i>Mock-Plane, Sycamore Tree</i>
villosa. <i>Yellow Tamarind-tree</i>	Pseudo-Platanus var. albo-variegatum. <i>White-variegated Sycamore</i>
Acæna. <i>New Zealand Bur</i>	Pseudo-Platanus var. flavum variegatum. <i>Yellow-variegated Sycamore</i>
microphylla (A. Novaæ-Zelandiæ). <i>Rosy-spined N. Zealand Bur</i>	Pseudo-Platanus var. purpureum. <i>Purple-leaved Sycamore</i>
myriophylla. <i>Fern-leaved N. Zealand Bur</i>	rubrum. <i>Red-flowered, or Swamp, Maple</i>
ovina. <i>Sheep-pest of Australia and New Zealand</i>	saccharinum. <i>Sugar Maple, Rock Maple</i>
Acalypha. <i>Three-seeded Mercury, Copper-leaf</i>	saccharinum var. nigrum. <i>Black Sugar-Maple</i>
rubra. <i>String-wood of St. Helena</i>	saccharinum var. "Bird's-eye" Maple, "Curled" Maple
Acantholimon glumaceum. <i>Prickly Thrift</i>	Sikkimense. <i>Sikkim Maple</i>
Acanthus. <i>Bear's-Breech, Bear's-foot, Branke Ursine, Cutberdole, or Cutbertill latifolius. Stately Bear's-Breech</i>	spicatum. <i>Mountain Maple, Spike-flowered Maple</i>
<i>longifolius. Long-leaved Bear's-Breech</i>	striatum. <i>Moose-wood, Striped-barked Maple, Striped Dog-wood</i>
<i>mollis. Common or Soft-leaved Bear's-Breech</i>	tataricum. <i>Tartarian Maple</i>
<i>spinosis. Spiny Bear's-Breech</i>	trifidum. <i>Trifid-leaved Maple</i>
<i>spinosissimus. Armed Bear's-Breech</i>	truncatum. <i>Truncate-leaved Maple</i>
Acer. <i>Maple-tree</i>	villosum. <i>Woolly-leaved Nepal Maple</i>
acuminatum. <i>Acute-leaved Maple</i>	Wieri laciniatum. <i>Wier's Cut-leaved Maple</i>
atheniense. <i>Athenian Maple</i>	Aceras anthropophora. <i>Green-man-Orchis, Man-Orchis</i>
barbatum. <i>Carolina Maple</i>	Acerates viridisflora. <i>Green Milk-weed</i>
campestre. <i>Common, or Field Maple, Dog Oak, Maser-tree</i>	Achania Malvaviscus. <i>Bastard Hibiscus</i>
campestre foliis variegatis. <i>Variegated Field Maple</i>	Achillea. <i>Milfoil, Yarrow</i>
campestre var. austriacum. <i>Austrian Maple</i>	egyptiaca. <i>Egyptian Yarrow</i>
campestre var. hebecarpum. <i>Downy-fruited Field Maple</i>	ageratum. <i>Sweet Maudlin, Sweet Milfoil</i>
circinatum. <i>Round-leaved Maple, Vine Maple</i>	alpina. <i>Alpine Milfoil</i>
coriaceum. <i>Thick-leaved Maple</i>	asplenifolia. <i>Asplenium-leaved Yarrow</i>
creticum. <i>Cretan Maple</i>	africana. <i>Black, or Chamomile-leaved, Milfoil</i>
dasycarpum. <i>Silver, Soft, or White Maple</i>	aurea. <i>Golden-flowered Yarrow</i>
dissectum. <i>Cut-leaved Maple</i>	Clavennæ. <i>Silvery-leaved Yarrow</i>
eriocarpum (A. dasycarpum). <i>Sir Charles Wager's Maple</i>	decolorans. <i>Pale-yellow-flowered Yarrow</i>
Granatense. <i>Spanish Maple</i>	filipendula. <i>Noble Yarrow</i>
Ginnala. <i>Crimson-leaved Maple</i>	macrophylla. <i>Feverfew-leaved Milfoil</i>
glaucum. <i>Glaucous-leaved Himalayan Maple</i>	
heterophyllum (A. sempervirens). <i>Evergreen Maple</i>	
Hyrcanum. <i>Hyrcanian Maple</i>	
Ibericum. <i>Iberian Maple</i>	
lobatum. <i>Siberian Maple</i>	
Loudoni. <i>Bohemian Maple, Loudon's Maple</i>	

- Achillea magna.** *Great Milfoil*
Millefolium. *Common Milfoil, Common Yarrow, Hundred-leaved Grass, Nose-bleed, Thousand-Salve*
- mongolica.* *Mongolian Yarrow*
moschata. *Musk Milfoil, Swiss Genipi nobilis. Showy Milfoil*
- Ptarmica.* *Bastard Peltitory, Fair-Maids-of-France, Goose-tongue, Sneeze-wort*
Ptarmica var. umbellata. *Dwarf Silvery Yarrow*
- pubescens.* *Downy Milfoil*
rupestris. *Rock Yarrow*
serrata. *Serrate-leaved Yarrow*
squarrosa. *Rough-headed Milfoil*
tomentosa. *Woolly Yarrow*
- Achlys triphylla.** *Oregon May-apple*
- Achras** (*Sapota*) *australis.* *Australian Brush-apple, Wild Plum, of N. S. Wales*
mammosa. *Surinam Medlar*
Sapota. *Nase-berry, Neese-berry, or Nisberry, Sapodilla or Sapotilla Plum*
Sideroxylon. *Nase-berry Bully-tree*
- Acidotom urens.** *Jamaica Cowitch, Cowage, or Cowhage*
- Aciphylla Colensoi** and *A. squarrosa.* *Spear-Grass, or "Wild Spaniard" of New Zealand*
- Acmena floribunda.** *Australian Myrtle, Lilly-pilly-tree*
- Acnida cannabina.** *Water-Hemp, Willow-Hemp*
- Acnistus arborescens.** *Deadly Dvale*
- Aconitum.** *Aconite, Monk's-hood, Wolf's-bane*
Anthona. *Jacquin's Yellow-flowered Monk's-hood, Wholesome Wolf's-bane, Yellow Helmet-flower*
Arctophorum. *Bear-bane*
autumnale. *Autumn Monk's-hood*
bicolor. *Two-coloured Monk's-hood*
Cammarum. *Purple Wolf's-bane*
chinense. *Chinese Monk's-hood*
ferox. *Bish, Bis, or Bikh-poison, Indian or Nepal Aconite*
japonicum. *Japanese Monk's-hood*
Lagoctonum. *Hare's-bane*
Lycoctonum. *Wolf's-bane*
Melocotonum. *Badger's-bane*
Mycoctonum. *Mouse-bane*
Napellus. *Bear's-foot, Common Aconite, Friar's, Soldier's, or Turk's Cap, Helmet-flower, Luckie's Mutch, Common Monk's-cowl or Monk's-hood*
paniculatum. *Panicled Monk's-hood*
pyramidalis. *Blue Rocket*
pyrenaicum. *Pyrenean Monk's-hood*
reclinatum. *Trailing Wolf's-bane*
septentrionale. *Northern Monk's-hood*
Theriophonum. *Beast's-bane*
Tragoctonum. *Goat's-bane*
uncinatum. *American Wolf's-bane*
variegatum. *Variegated-flowered Monk's-hood*
Vulparia. *Fox-bane*
- Acorus Calamus.** *Myrtle Flag, Myrtle Grass, Myrtle Sedge, Sweet Flag*
gramineus. *Grass-leaved Sweet-Flag*
gramineus variegatus. *Variegated Sweet-Flag*
- Acrocomia fusiformis** (*A. sclerocarpa*).
Gru-Gru, or Macaw, Palm
lasiostaphya. *Great Macaw-tree, Macuja or Mucuja Palm*
mexicana. *Coyoli Palm*
sclerocarpa. *Macuja Palm*
- Acrodicidium Camara.** *Ackawai Nutmeg-tree*
jamaicense. *Mountain, or Timber, Sweetwood*
- Acronychia laevis.** *Yellow-wood, of Moreton Bay*
- Acrostichum alcicorne.** *Elk's-horn Fern*
- Actaea alba.** *Toad-root, White Bane-berry, White-and-red Cohosh*
racemosa. *Black Snake-root, Bug-bane, Cohosh*
spicata. *Common Bane-berry, Grape-wort, Herb Christopher*
spicata var. rubra. *Red Bane-berry*
- Actinella grandiflora.** *Pigmy Sunflower*
scoposa. *Tufted Dwarf Sunflower*
- Actinocarpus.** *Thrum-wort*
(Alisma) Damasonium. *Water-star, Ray-pod*
- Actinostrobus.** *Swan River Cypress*
- Adansonia digitata.** *Baobab-tree, Ethiopian Sour Gourd, Indian Cork-tree, Monkey-bread*
Gregorii. *Cream-of-Tartar-tree, Gouty-stemmed-tree, Sour Gourd, of Australia*
- Adenanthera pavonina.** *Barbadoes Pride, Barricari-seed-plant, Coral Pea-tree, Peacock Flower-Fence, Red Sandal-wood*
- Adenium Honghel.** *Honghel-bush*
namaquanum. *Elephant's-trunk*
- Adenocarpus.** *Gland-pod*
- Adenophora.** *Gland Bell-flower*
- Adenostephanus organensis.** *Organ Mountain Shelter-tree*
- Adenostoma.** *"Chamiso," of California*
- Adhatoda cydoniæfolia.** *Brazilian Bower-plant*
Vasica. *Malabar Nut-tree*
- Adiantum aethiopicum.** *"English Maiden-hair" Fern, of New Zealand*
- Capillus-veneris.** *Black Maiden-hair, Capillaire, Dudder Grass, Maiden-hair, or Maiden-hair Fern, Venus's-hair*
dolabriiforme. *Miniature Basket-Fern*
Farleyense. *Great Maiden-hair Fern*
formosum. *Branching Maiden-hair Fern*
pedatum. *American Maiden-hair Fern*
rubellum. *Roseate Maiden-hair Fern*
- Adlumia cirrhosa.** *Alleghany Vine, Climbing Colic-weed, Climbing Fumitory, Mountain Fringe-Vine*
- Adonis astivalis.** *Summer Pheasant's-eye*
autumnalis. *Adonis-flower, Autumn Pheasant's-eye, Red Chamomile, Red Morocco, Rose-a-Ruby*
pyrenaica. *Pyrenean Adonis*
vernalis. *Ox-eye*
- Adoxa Moschatellina.** *Hollow-root, Moschatel, Musk-root, Tuberous Crow-foot, Tuberous Moschatel*
- Æcidium Berberidis.** *Barberry Fungus*
- Ægiceras majus.** *Queensland Salt Lake Tree*

Ægilops. <i>Goat-grass, Hard-grass</i> ovata. The reputed original of cultivated Wheat	Agaricus rubescens. <i>Brown Warty, or</i> <i>Red-fleshed Mushroom</i>
Ægle Marmelos. <i>Bael, or Bhel-fruit Tree,</i> <i>Bengal Quince, Golden Apple</i>	Agarum Turneri. <i>Sea-Colander</i>
Ægopodium Podagraria. <i>Ach-weed, Ash-</i> <i>weed, Ax-weed, Bishop's Elder, Bishop's</i> <i>Weed, Goat-weed, Gout-weed, Gout-wort,</i> <i>Ground Ash, Herb Gerard</i>	Agathæa amelloides. <i>Cape Aster</i> <i>celestis. Blue Marguerite</i> <i>spathulata. Grass-Thistle</i>
<i>Podagraria variegatum. Variegated Gout-</i> <i>weed</i>	Agathophyllum aromaticum. <i>Clove Nut-</i> <i>meg, of Madagascar, Ravensara-nut</i> <i>Tree</i>
Æonium arboreum. <i>House-leek Tree</i>	Agathyrus. <i>Blue-flowered Sow-thistle</i>
Æranthes grandiflorum. <i>Air-flower, Air-</i> <i>plant</i>	Agave americana. <i>American Aloe, Cen-</i> <i>tury-plant</i>
Ærides odorata. <i>Fragrant Air-plant</i>	<i>fœtida. Fetid Aloe</i>
Æschynanthus. <i>Blush-wort</i>	<i>lurida. Vera Cruz Aloe</i>
Æschynomene aspera. <i>Pith-hat plant,</i> <i>Singapore Hat-plant, Shola, or Solah-</i> <i>plant, Sponge-wood, of Bengal</i>	<i>mexicana and other species. Maguey-</i> <i>fibre plant</i>
(Ágati) <i>grandiflora.</i> <i>West Indian Pea-</i> <i>tree</i>	<i>saponaria. Mexican Soap-plant</i>
<i>hispida. Sensitive Joint-Vetch</i>	<i>Sissalana. Sisal Hemp-plant</i>
<i>montevidensis. Humming-bird Bush</i>	<i>utahensis. Utah Aloe</i>
<i>(Pavia) californica. Californian Buck-eye</i>	<i>Victoriae-Reginæ. Queen Victoria Cen-</i> <i>tury-plant</i>
<i>(Pavia) carnea. Red-flowered Buck-eye</i>	<i>Virginica. False Aloe, Rattlesnake's-</i> <i>Master</i>
<i>(Pavia) flava. Big Buck-eye, Sweet Buck-</i> <i>eye</i>	Ageratum. <i>Floss-flower</i>
<i>(Pavia) glabra. Fetid Buck-eye, Ohio</i> <i>Buck-eye</i>	<i>conyzoides. Bastard Agrimony</i>
Hippocastanum. <i>Horse-Chestnut, Oblion-</i> <i>ker-tree</i>	Aglaia odorata. <i>Chu-lan Tree</i>
Hippocastanum flore-pleno. <i>Double-</i> <i>flowered Horse-Chestnut</i>	Aglaonema commutata. <i>Poison-dart, of</i> <i>the Philippine Islands</i>
Hippocastanum var. pallida. <i>Pale-flowered</i> <i>Horse-Chestnut</i>	Agrimonia agrimonoides. <i>Three-leaved</i> <i>Agrimony</i>
Hippocastanum var. rubra. <i>Red-flowered</i> <i>Horse-Chestnut</i>	Eupatoria. <i>Cockle-bur, Stickle-wort, Com-</i> <i>mon Agrimony, Liver-wort</i>
Hippocastanum var. rubra fl. pl. <i>Double-</i> <i>flowered Red Horse-Chestnut</i>	<i>odorata. Sweet-scented Agrimony</i> <i>repens. Creeping Agrimony</i>
Æthionema coridifolium (Iberis jucunda).	Agrostemma (Lychnis) coronaria. <i>Rose</i> <i>Campion</i>
<i>Lebanon Candytuft</i>	<i>(Lychnis) Coronaria fl.-pl. Double-blos-</i> <i>somed Rose Campion</i>
<i>saxatile. Candy Mustard</i>	<i>Githago. Bastard Nigella, Corn-cockle,</i> <i>"Wild Savager"</i>
Æthusa Cynapium. <i>False Parsley, Fool's</i> <i>Cicely, Fool's, Asses', or Dog's Parsley,</i> <i>Lesser Hemlock</i>	Agrostis. <i>Cloud-grass, Spear-grass</i>
<i>Fatua. Fine-leaved Fool's Parsley</i>	<i>alba. Fine-top-grass</i>
Agamlyna longistyla. <i>Scarlet Root-blossom</i>	<i>elata. Thin-grass</i>
Agapanthus minor. <i>Small African Lily</i>	<i>nebulosa and A. pulchella. Ornamental</i> <i>Cloud-grass</i>
<i>umbellatus. Blue African Lily</i>	<i>perennans. Thin-grass</i>
<i>umbellatus var. albus. White African</i>	<i>scabra. Fly-away Grass, Hair-grass, of</i> <i>N. America</i>
<i>Lily</i>	<i>setacea. Deer's-foot Grass</i>
Agaricus arvensis. <i>Champignon, Cheese-</i> <i>room, Flaps, Horse-mushroom, Mushroom</i>	<i>Spica - venti. Corn - grass, Wind - grass,</i> <i>Windle-straw</i>
<i>Snow-ball</i>	<i>stolonifera. Fiorin Grass, Orcheston Grass</i>
<i>Cæsareus. Imperial Mushroom</i>	<i>vulgaris. Bent Grass, Black Quitch Grass,</i> <i>Herd's-grass, or Red-top, of N. America,</i> <i>Monkey's Grass</i>
<i>campestris. Common Mushroom</i>	Ailantus glandulosa. <i>Ailanto, False Varnish-tree, Japan Varnish-tree, Tree of</i>
<i>gambosus. St. George's Mushroom</i>	<i>Heaven, Tree of the Gods</i>
<i>muscarius. Bug Agaric, Fly-bane</i>	Aiphanes corallina. <i>Grigi Palm</i>
<i>nebularis. Clouded Mushroom</i>	Aira. <i>Hair-grass</i>
<i>olearius. Luminous Mushroom</i>	<i>caspitosa. Bent - grass, Hassock - grass,</i> <i>Tussock-grass</i>
<i>Orcella. Plum Mushroom, Vegetable</i>	<i>caryophylla. Mouse-grass</i>
<i>Sweet-bread</i>	<i>flexuosa. Bent-grass</i>
<i>(Marasmius) Oreades. Champignon, Fairy-</i>	Ajuga alpina. <i>Alpine Bugle</i>
<i>ring Mushroom, Scotch Bonnets</i>	<i>Chamaepitys. Field Cypress, Forget-me-</i>
<i>ostreatus. Oyster Mushroom</i>	<i>not, Gout Ivy, Ground Pine, Yellow</i>
<i>personatus. Blewits, Blue-hats, Blue-legs</i>	<i>Bugle</i>
<i>procerus. Parasol, or Scaly Mushroom</i>	<i>genevensis. Erect Bugle</i>
<i>Prunulus. Autumn Mousseron, Plum</i>	
<i>Mushroom</i>	

- Ajuga Iva.** *Herb Eve or Ivy, Musky Bugle*
pyramidalis. Pyramidal Bugle
reptans. Brown Bugle, Middle Comfrey,
Middle Consound
reptans variegata. Variegated-leaved
Bugle
- Alaria esculenta.** *Badderlocks, Hen-ware,*
Honey-ware
- Albizia Lebbek.** *Siris-Acacia*
- Alchemilla arvensis.** *Bowel-hive-grass,*
Fire-grass, Parsley Piert
sericea. Silky Lady's-mantle
- vulgaris.** *Bear's-foot, Duck's-foot, Great*
Sanicle, Lady's Mantle, Lion's-foot,
Lion's-paw
- Alchornea latifolia.** *Dove-wood of the*
W. Indies
- Alectoria jubata.** *Rock-hair-Moss*
sarmentosa. Jaffna Moss
- Alectra brasiliensis.** *Cane-killer*
- Alectryon excelsum.** *New Zealand Oak*
- Aletris aurea.** *Golden-tipped Star-grass*
farinosa. Aque-root, Colic-root, Common
Star-grass, Crow-corn, Unicorn-root
- Aleurites cordata.** *Chinese Wood-Oil-*
plant, Tung-oil-plant
- laccifera.** *Gum Lao Tree*
- moluccana.** *Otaheite Walnut*
- moluccensis.** *Candle-nut-tree*
- triloba.** *Bancoul, Kekune, Kekui, or*
Lumbang-oil-plant, Candle-nut Tree,
Indian, Belgaum, or Country Walnut,
Otaheite Walnut
- Algæ.** A general name for Sea-weeds
- Alhagi Camelorum.** *Alhagi Manna-plant,*
Camel's-thorn
- Maurorum.** Hebrew or Persian Manna-
plant
- Albertia edulis.** "Marmeladinho"
- Alisma natans.** *Floating Water-Plantain*
Plantago. Common Water-Plantain, Deil's-
spoons, Mad-dog Weed
- ranunculoides.** Small Water-Plantain
- Alliaria officinalis.** *Garlic Mustard, Gar-*
lic-wort, Hedge Garlic, Jack-by-the-
hedge
- Allium.** *Garlic, Leek, Onion*
acuminatum. Purple-flowered Garlic
alpinum. Alpine Garlic
Ampeloprasum. Blue Leek, Great-headed
Garlic, Levant Garlic, Pearl Onion,
Vine Leek, Wild Leek
- Ascalonicum.** *Shallot*
- Ascalonicum** var. *majus.* *Scallion*
- azureum.** *Azure-flowered Garlic*
- canadense.** *Wild Garlic of N. America*
- carinatum.** *Keeled Garlic*
- Cepa.** *Common Onion*
- Cepa** var. *aggregatum.* *Burn Onion, Po-*
tato Onion
- Cepa** var. *proliferum* (*bulbiferum*). *Ca-*
nada Onion, Tree Onion
- cernuum.** *Drooping-flowered Garlic*
- Chamaemoly.** *Dwarf Moly*
- ciliatum.** *Fringed Garlic*
- coruleum.** *Blue-flowered Garlic*
- falcifolium.** *Sickle-leaved Garlic*
- fstulosum.** *Ciboul, Stone Leek, Welsh*
Onion
- Allium flavum.** *Yellow-flowered Garlic*
(Nothoscordum) fragrans. Sweet-scented
Garlic
- grandiflorum.** *Large-flowered Garlic*
- inodorum.** *Carolina Garlic*
- leptophyllum.** *Himalayan Onion*
- lusitanicum.** *Perennial Ciboul*
- Moly.** *Golden-flowered Garlic, Lily Leek,*
Moly, Sorcerer's Garlic
- Murrayanum.** *Murray's Garlic*
- neapolitanum.** *Daffodil Garlic*
- nigrum.** *Black Garlic*
- odorum.** *Fragrant-flowered Garlic*
- oleraceum.** *Field Garlic*
- Ophioscorodon.** *Rocambole*
- paradoxum.** *Quaint Garlic*
- pedemontanum.** *Piedmont Garlic*
- Porrum.** *Common Leek*
- roseum.** *Rosy-flowered Garlic*
- sativum.** *Clown's Treacle, Common Gar-*
lic, Poor-Man's Treacle
- Schrenkianum.** *Chives*
- Scorodoprasum.** *Sand Leek, Spanish Gar-*
lic, Wild Rocambole
- sphaerocephalum.** *Round-headed Garlic*
- subhirsutum.** *Moly, of Dioscorides*
- tricoccum.** *Wild Leek, of N. America*
- triflorum.** *American Mountain Leek*
- triquetrum.** *Triangular-stemmed Garlic*
- uniflorum.** *One-flowered Garlic*
- ursinum.** *Bear's or Wild Garlic, Buck-*
rams, Gipsy Onion, Hog's Garlic, Ram-
sons, Wild Leek
- Victoriæ.** *Long-rooted Garlic*
- vineale.** *Crow Garlic, Crow Onion, Stag's*
Garlic
- Wallichianum.** *Wallich's Garlic*
- Allosorus acrostichoides.** *Oregon Rock*
Brake
- crispus.** *Curled Rock Brake, Parsley Fern*
- Alnus.** *Alder*
- glutinosa.** *Aar, Aul, Common Alder*
- cordifolia.** *Heart-leaved Alder*
- imperialis asplenifolia.** *Fern-leaved Alder*
- incana.** *Black, Hoary, or Speckled Alder*
- integrifolia.** *Kokra-wood, of India*
- maritima.** *Sea-side Alder*
- oblongata.** *Turkey Alder*
- rhombifolia.** *Californian Alder*
- rubra.** *Californian Red Alder*
- serrulata.** *Smooth Alder*
- viridis.** *Green, or Mountain Alder*
- Aloe barbadensis.** *Barbadoes Medicinal*
Aloes-tree
- dichotoma.** *Quiver-tree*
- ferox.** *Cape Aloe*
- margaritifera.** *Pearl Aloe*
- prolifera.** *Proliferous Aloe*
- socotrana.** *Socotrine Aloes-tree*
- variegata.** *Partridge-breast Aloe*
- vulgaris.** *Yellow-flowered Aloe*
- Aloexylon Agallochum.** *Aloes-wood, Ca-*
lambac-tree, Eagle-wood
- Alonsoa incisifolia.** *Cut-leaved Mask-flower*
- linearis.** *Narrow-leaved Mask-flower*
- Alopeurus agrestis.** *Black Grass, Hun-*
ger Grass, Land Grass, Mouse-tail Grass
- geniculatus.** *Black Grass, Elbowit Grass*
- pratensis.** *Fox-tail Grass*

- Alopecurus pratensis** variegatus. *Gold-striped Fox-tail Grass*
- Aloysia citriodora.** *Lemon-scented Verbena, Herb Louisa*
- Alphitonia excelsa.** *Cooper's-wood, Red Ash*
- Alpinia Cardamomum.** *Bastard Cardamom*
Galanga. *Galingale (true)*
(*Hellenia*) *corulea*. *Brush Shell-flower*
nutans. *Indian Shell-flower*
oficinarum. The rhizome of this plant
forms the *Galangal* of medicine
- Alsophila.** *Grove Fern*
australis. *Hill Tree-Fern*
contaminans. *Glaucous Tree-Fern*
excelsa. *Norfolk Island Tree-Fern*
Leichardtiana. *Whip-stick Fern*
Rebecca. *Slender Tree-Fern*
- Alstonia scholaris.** *Devil's-tree, Dita-bark-tree*
- Alstroemeria.** *Herb Lily*
Flos-Martini. *St. Martin's-flower*
pelegrina. *Lily of the Incas*
- Alternanthera.** *Joy-weed*
Achyrantha. *Chaff-flower*
- Althaea.** *Hollyhock*
fificolia. *Antwerp Hollyhock*
Narbonnensis. *Narbonne Hollyhock*
officialis. *Guimauve, Marsh-Mallow*,
White Mallow
rosea. *Common Hollyhock, Holy Hoke*
- Alyssum.** *Mad-wort*
alpestre. *Alpine Mad-wort*
calycinum. *Small Yellow Alysson*
deltoidium. *Purple Mad-wort*
denticulatum. *Toothed-leaved Mad-wort*
gemonense. *Hoary German Mad-wort*
maritimum. *Sweet Alysson, or Allison*
montanum. *Mountain Mad-wort*
olympicum. *Dwarf Mad-wort*
orientale. *Eastern Mad-wort*
saxatile. *Gold Basket, Gold-dust, Golden-tuft, Rock Mad-wort*
saxatile var. *variegatum*. *Variegated-leaved Mad-wort*
saxatile var. *compactum*. *Dense-flowered Mad-wort*
spinosum. *Spiny Mad-wort*
utriculatum. *Bladder-podded Mad-wort*
Wiersbeekii. *Wiersbeck's Mad-wort*
- Alyxia.** *Brushland Box of Australia*
buxifolia. *Tasmanian Scent-wood, Heath-Box-tree of Australia, Tonga-bean-wood*
- Amarantus.** *Amaranth*
Blitum. *Wild Blite*
caudatus. *Floramor, or Florimer, Love-lies-bleeding, Thrum-wort, Velvet-flower*
hypochondriacus. *Prince's-Feather*
oleraceus. *Edible Amaranth*
salicifolius. *Fountain-plant, Golden Amaranth*
speciosus. *Showy Amaranth*
spinosus. *Prickly Calalu, Thorny Amaranth*
tricolor. *Floramor, or Florimer, Flower Gentle, Joseph's Coat, Three-coloured Amaranth, "Tricolor"*
- Amaryllis.** *Daffodil-Lily*
Atamasco. *Atamasco Lily*
(*Lycoris*) *aurea*. *Golden Lily*
Belladonna. *Belladonna Lily*
(*Hippeastrum*) *equestris*. *Barbadoes Lily*
formosissima. *Jacobeae Lily, St. James's-Cross Lily*
ornata. *Cape Coast Lily*
Reginae. *Mexican Lily, Queen's Lily*
- Amberboa** (*Centaurea*) *moschata*. *Purple Sweet-Sultan*
suaveolens. *Yellow Sweet-Sultan*
- Ambrina ambrosioides** (*Ambrosia maritima*). "Cappadocian Oak," Demigods' Food, Hedge Mustard of the W. Indies
anthelmintica. Worm-seed-oil-plant
artemisiæfolia. Bitter-weed, Hog-weed, Roman Worm-wood of N. America
maritima (*Ambrina ambrosioides*). "Cappadocian Oak"
trifida. Great Kag-weed, of N. America
- Amelanchier** *Botryapium*. *Grape-pear, Snowy Mespilus*
canadensis. *Shad-bush, June-berry, Service-berry*
florida. *Flowering Amelanchier*
ovalis. *Medlar-bush, Oval-leaved Amelanchier*
sanguinea. *Red-branched Amelanchier*
vulgaris. *Common Amelanchier*
- Amianthium muscetoxicum.** American Fall-poison, or Fly-poison
- Ammania humilis.** *Tooth-cup*
- Ammi** *copticum*. Prickly-seeded Bishop's-weed, True Bishop's-weed
majus. *Amœus, Bull-wort, Common Bishop's-weed, Wood-nep, Herb William*
Visnaga. *Spanish Tooth-pick, Tooth-pick Bishop's-weed*
- Ammobium alatum.** Winged Everlasting, Winged-stalked Sand-flower
- Ammophila arenaria.** Sea Mat-weed
- Amomum aromaticum.** Bengal Cardamoms
- Cardamomum.** Round, or Clustered Cardamoms
maximum. Java Cardamoms
- Melegueta.** Malagueta, or Melegueta, Pepper. The seeds of this plant are the "Grains of Paradise," of medicine
xanthoides. Bastard Cardamoms, of Siam
- Amorphophallus canescens.** Lead-plant, Wild Tea of N. America
croceo - lanata. Yellow-woollen False-Indigo
fragrans. Fragrant False-Indigo
fruticosa. Shrubby False-Indigo
glabra. Smooth False-Indigo
herbacea (A. pubescens). Downy False-Indigo
nana. Dwarf False-Indigo
- Amorphophallus campanulatus.** Telinga Potato
- Ampelopsis bipinnata.** Pepper-vine, Two-winged Virginian Creeper
cordata. Heart-leaved Virginian Creeper
dissecta. Cut-leaved Virginian Creeper

- Ampelopsis hederacea** (*A. quinquefolia*). *American Ivy, Common Virginian Creeper, False Grape, Five-leaves, Wild Wood-vine, Wood-bine*
heterophylla marmorata. Variegated Virginian Creeper
sempervirens. Evergreen Virginian Creeper
Veitchi. Veitch's Virginian Creeper
- Amphicarpaea monoica**. *Hog-pea-nut, Wild Bean-Vine*
- Amygdalus communis**. *Common Almond-tree*
communis var. amara. Bitter Almond
communis var. macrocarpa. Long-fruited Almond
communis var. pendula. Weeping Almond
communis var. persicoides. Almond Peach
incana. Woolly Almond
nana. Dwarf Almond
*orientalis (*A. argentea*). Silvery-leaved Almond*
persica sinensis camelliae-flora. Camellia-flowered Peach
persica sinensis caryophylliflora. Carnation-flowered Peach
persica sinensis fl.-pl. albo. Double White Chinese Peach
persica sinensis fl.-pl. sanguineo. Double Crimson Chinese Peach
persica vulgaris. Common Peach
persica vulgaris flore-pleno. Double-blossomed Peach
persica vulgaris foliis purpureis. Purple-leaved Peach
persica vulgaris foliis variegatis. Variegated-leaved Peach
persica vulgaris fructu-pleno. Double-fruited Peach
persica vulgaris var. alba. White-flowered Peach
persica vulgaris var. compressa. Flat-fruited Peach
persica vulgaris var. hispanica. Spanish Peach
*persica vulgaris var. Nectarina (*A. p. laevis*). Nectarine-tree*
prostrata. Prostrate Almond
pumila. Double-flowered Dwarf Almond
sibirica. Siberian Almond
- Amyris**. *Shrubby Sweet-wood*
balsamifera. Candle-wood, or Rhodes-wood, of the W. Indies, Jamaica Rose-wood, Lignum Rhodium, Mountain Torch-wood
commiphora (Balsamodendron Roxburghii). False Myrrh
*elemifera (*A. Plumieri*). Gum-Elemi Tree*
Floridana. Florida Balsam Tree
toxifera. Janca-tree
sylvatica. Torch-wood Tree
- Anacardium**. *Monkey-nut*
occidentale. "Bean of Malacea," Cashew-nut Tree
rhinocarpus. Wild Cashew, of Guiana
- Anacampseros**. *Love-plant*
- Anacharis** *Alsinastrum* (*Elodea canadensis*). *American Water-weed, Babington's-curse, Choke Pond-weed, Little Snake-weed, Water-Thyme*
- Anacyclus** *Pyrethrum. Alexander's-foot, Bertram, Long-wort, Pelliitory, of Spain*
- Anaectangium**. *Branched Beardless-Moss*
- Anæctochilus setaceus**. "King of the Woods" Orchid, King-plant
- Anagallis arvensis**. *Poor-man's-Weather-glass, Red Pimpernel, Shepherd's-Clock*
*grandiflora (*A. collina*, *A. fruticosa*). Large-flowered Pimpernel*
- indica. Indian Pimpernel*
Monelli. Italian Pimpernel
tenella. Bog Pimpernel
- Anagyris**. *Bean Trefoil*
fœtida. Stinking-wood
- Anamirta** (*Menispernum*) *Coccusculus. Coccus-indicus-plant*
- Ananassa sativa**. *Pine-apple*
- Anastatica** *Hierochuntina. Resurrection-plant, Rose of Jericho*
- Anatherum bicorne**. *Ridging-grass, W. Indian Foxtail-grass*
macrorum. W. Indian Foxtail-grass
- Anchusa**. *Alkanet, Sea-Bugloss*
arvensis. Small Bugloss
capensis. Cape Alkanet, Cape Forget-me-not
hybrida. Hybrid Alkanet
italica. Italian Alkanet
sempervirens. Evergreen Alkanet
- Andira inermis**. *Bastard, or W. Indian Cabbage-tree, Partridge-wood (?), Worm-bark-tree*
violacea. Violet-wood, of Guiana
- Andracrine** *telephiooides. Bastard, or False, Orpine*
- Andreea**. *Split-Moss*
- Andrographis** (*Justicia*) *paniculata. Creyat, or Kariyat-plant*
- Andromeda acuminata**. *American Pipe-stem-wood*
arborea. Sorrel-tree, Sour-leaved Elk-tree
buxifolia. Box-leaved Andromeda
calyculata. Leather-Leaf
Catesbaei. Spiny-leaved Andromeda
coriacea. Thick-leaved Andromeda
fasciculata. Bundle-flowered Andromeda
(Cassiope) fastigiata. Himalayan Andromeda, Himalayan Heather
floribunda. Lily-of-the-Valley Tree, Free-flowering Andromeda
hypnoides. Moss-like Andromeda
jamaicensis. Jamaica Andromeda
japonica. Japanese Andromeda
Leschenaulti. Carbolic-acid-plant
Mariana. Lamb-kill Stagger-bush
polifolia. Oval-leaved Andromeda
polifolia. Marsh Holy Rose, Marsh Rosemary, Moor-wort, Wild Rosemary of N. America
- racemosa. Branching Andromeda, Pepper-bush of N. America*
- speciosa. Large-flowered Andromeda*
spicata. Spike-flowered Andromeda
(Cassiope) tetragona. Square-stemmed Andromeda
- Andropogon**. *Beard-grass*
bicornis. Mountain-grass, of Jamaica
citratus. Lemon-grass, or Siri-oil-plant
Gryllus. Brush-grass

Andropogon halepensis. <i>Cuba-grass</i>	Anemopsis californica. <i>Yerba Mansa, of California</i>
Iwarancusa. <i>Roosa, or Roussa-grass, of India</i>	Anethum graveolens. <i>Anet, Dill, or Dill-seed</i>
laniger. <i>Sweet Rush</i>	Sowa (<i>Peucedanum graveolens</i>). <i>Sowa-plant, of Bengal</i>
Martini. <i>Roosa, or Roussa - grass, of India</i>	Angelica sylvestris. <i>Ground Ash, Holy Ghost, Wild Angelica</i>
muricatus. <i>Cus-cus, Khus-khus, or Vetter-ve Oil-plant</i>	Angiopteris. <i>Turnip-Fern</i>
Nardus. <i>Ginger-grass Oil-plant, Indian Geranium</i>	Angophora. <i>Australian Mahogany, Gum Myrtle</i>
Schoenanthus. <i>Camel's-Hay, Geranium Grass, Namur, Nemaur, or Spikenard Oil-plant, Lemon-grass, Palmarosa Oil-plant, "Squintant," Sweet Rush</i>	lanceolata. <i>Apple-tree, of Victoria</i>
scoparius. <i>Broom Grass</i>	subvelutina. <i>Apple-tree, of N. S. Wales</i>
Androsace Chamaejasme. <i>Rock-Jasmine</i>	Angraeum fragrans. <i>Bourbon, or Faham Tea-plant</i>
Anemia. <i>Flower-Fern</i>	sesquipedale. <i>Long-spurred Orchid</i>
phyllitidis. <i>Ash-leaf Flower-Fern</i>	Anigozanthus. <i>Swan River Funeral-flower</i>
Anemone. <i>Wind-flower</i>	Manglesii. <i>Kangaroo's-foot Plant</i>
alba. <i>White Wind-flower</i>	flavidus. <i>Australian Yellow Sword-lily</i>
alpina. <i>Alpine Wind-flower</i>	Anisomeles malabarica. <i>Malabar Cat-mint</i>
apennina. <i>Apennine Wind-flower</i>	Anisophyllum laurinum. <i>Monkey-apple, of Sierra Leone</i>
blanda. <i>Winter Wind-flower</i>	Anoda Dilleniiana. <i>Blue Hibiscus</i>
capensis. <i>Cape Anemone</i>	Anomatheca cruenta. <i>Flowering Grass</i>
caroliniana. <i>Carolina Wind-flower</i>	Anona. <i>Custard-apple</i>
coronaria and vars. <i>Common Garden Anemone, Poppy Wind-flower</i>	Cherimolia. <i>Cherimoyer-tree, Peruvian Custard-apple</i>
cylindrica. <i>Long-fruited Wind-flower</i>	hexapetala. <i>Long-leaved Custard-apple</i>
deltoidea. <i>Oregon Wind-flower</i>	muricata. <i>Prickly Custard-apple, Sour-sop</i>
dichotoma. <i>Forked Wind-flower</i>	palustris. <i>Alligator Apple, Marsh Corkwood, Monkey-apple of the West Indies, Shining-leaved Custard-apple</i>
elegans. <i>Pale Japanese Wind-flower</i>	reticulata. <i>Bullock's-heart, Netted Custard-apple</i>
fulgens. <i>Pink Anemone, Scarlet Wind-flower</i>	squamosa. <i>Scaly Custard-apple, Sugar Apple, Sweet-sop</i>
Halleri. <i>Haller's Pasque-flower</i>	Anopterus glandulosus. <i>Tasmanian Laurel</i>
Hepatica. <i>Common Hepatica, Noble Liverwort</i>	Anredera scandens. <i>W. Indian Buckwheat</i>
Hepatica var. angulosa. <i>Large Hepatica</i>	Antennaria. <i>Cat's-ear</i>
japonica. <i>Japanese Wind-flower</i>	carpathica. <i>Carpathian Everlasting</i>
japonica alba. <i>White Japanese Wind-flower</i>	dioica. <i>Moor Everlasting, Mountain Cat's-foot, Mountain Cud-weed, Purple Mountain Cotton-weed</i>
japonica vitifolia. <i>Vine-leaved Japanese Wind-flower</i>	dioica var. minor. <i>Rosy-flowered Mountain Everlasting</i>
montana. <i>Mountain Pasque-flower</i>	margaritacea. <i>Pearl Cud-weed, Pearly Everlasting</i>
multifida. <i>Rocky Mountain Wind-flower</i>	plantaginifolia. <i>Mouse-ear Everlasting, Plantain-leaved Everlasting, Pussy's-foot</i>
narcissiflora. <i>Narcissus-flowered Anemone</i>	tomentosa. <i>Silvery Cud-weed</i>
nemorosa. <i>Wood Anemone, Wood Wind-flower</i>	Anthacanthus microphyllus. <i>Tears of St. Peter</i>
nemorosa plena. <i>Double White Wood Wind-flower</i>	Anthemis Aizoon. <i>Silvery Chamomile</i>
palmata. <i>Cyclamen-leaved Wind-flower</i>	arvensis. <i>Corn Chamomile</i>
parviflora. <i>Small-flowered Anemone</i>	Chia. <i>Cut-leaved Chamomile</i>
patens var. Nuttalliana. <i>American Pasque-flower</i>	Cotula. <i>Camovyne, Camowyne, Dog's Chamomile, Dog's-fennel, Madders, Mathes, Manther, May-weed, Stinking Chamomile, Stinking May-weed</i>
pavonina. <i>Peacock Wind-flower</i>	inodora fl.-pl. <i>Double Scentless May-weed</i>
pennsylvanica. <i>Pennsylvanian Wind-flower</i>	nobilis. <i>Camomile, or Chamomile, Camovyne or Camonyne, Roman Chamomile, Scotch Chamomile</i>
Pulsatilla. <i>Bluemony, Coventry Bells, Danes' Blood, Danes'-Flower, Flaw-flower, Pasque-flower, Pasque-flower</i>	tinctoria. <i>Yellow-flowered Chamomile</i>
ranunculoides. <i>Wood-Ginger, Yellow Wood Anemone</i>	
rivularis. <i>River-side Wind-flower</i>	
Robinsoni. <i>Robinson's Wind-flower</i>	
stellata. <i>Star Wind-flower</i>	
sulphurea. <i>Sulphur-coloured Wind-flower</i>	
sylvestris. <i>Snowdrop Anemone</i>	
trifolia. <i>Three-leaved Wind-flower</i>	
vernalis. <i>Shaggy Wind-flower</i>	
virginica. <i>Virginian Wind-flower</i>	

- Anthericum** (Czackia) *Liliago*. *Branched Spider-wort, St. Bernard's Lily*
 (Czackia, *Paradisia*) *Liliastrum*. *Great Savoy Spider-wort, St. Bruno's Lily*
Liliastrum majus. *Giant St. Bruno's Lily*
- Anthistiria** *ciliata* (A. *australis*). *Kangaroo-grass*
- Anthocercis**. *Australian Ray-flower*
- Antholyza** (*Gladiolus*) *aethiopica*. *African Corn-Flag*
- Anthospermum** *aethiopicum*. *Amber-tree*
moschatum. *Tasmanian Sassafras-tree*
- Anthoxanthum** *odoratum*. *Vernal or Sweet Vernal Grass*
- Anthriscus**. *Beaked Parsley*
Cerefolium. *Chervil*
sylvestris. *Cow-parsley, Cow-weed, Devil's Meal, Mock Chervil, Orchard-weed, Wild Caraway, Wild Chervil, Wild Cicely*
vulgaris. *Bur-Chervil*
- Anthurium**. *Banner-plant, Flamingo-plant, Tail-flower*
Andréanum. *André's Flamingo-plant*
Bakeri. *Baker's Flamingo-plant*
candidum. *White-flowered Flamingo-plant*
Lindigi. *Lindig's Flamingo-plant*
magnificum. *Splendid Flamingo-plant*
Palmeri. *Palmer's Flamingo-plant*
Saundersi. *Saunders' Flamingo-plant*
Scherzerianum. *Scherzer's Flamingo-plant*
Veitchii. *Veitch's Flamingo-plant*
Warocqueanum. *Warocque's Flamingo-plant*
- Antiaris** (*Lepurandra*) *saccidora*. *Sack-tree, of Western India*
toxicaria. *Malay Arrow-poison, Upas-tree, of Java*
- Antigonon** *leptopus*. *Mountain Rose, of the W. Indies*
- Antirrhinum**. *Snap-dragon*
Asarina. *Heart-leaved Snap-dragon*
majus. *Common Snap-dragon, Dragon's-mouth, Lion's-mouth*
Orontium. *Calf's-Snout, Small Snap-dragon*
rupestre. (*Linaria rupestris*). *Rock Snap-dragon*
- Anthyllis**. *Kidney-Vetch*
Barba-Jovis. *Jove's-beard, or Jupiter's-beard, Silver-bush*
erinacea. *Hedge-hog-plant, Rushy Kidney-Vetch*
montana. *Mountain Kidney-Vetch*
Vulneraria. *Common Kidney-Vetch, Lady's Fingers, Lamb's-toe, Wound-wort*
Vulneraria var. *rubra*. *Pink-flowered Kidney-Vetch*
- Antidesma**. *Nigger's-cord*
- Antigonon**. *Beetle-nut plant*
- Anychia** (*Queria*) *dichotoma*. *Forked Chick-weed*
- Apargia**. *Hawk-bit*
serotina. *Cat's-tongue*
- Apera** (*Agrostis*) *Spica-venti*. *Corn-grass, Wind-grass, Windle-straw*
- Aphyllanthes** *monspeliensis*. *Lily-pink, of Montpellier*
- Apophyllum**. *Naked Broom-rape, of N. America*
- uniflorum*. *One-flowered Cancer-root*
- Apios** *tuberosa*. *American Ground-nut, Mic-Mac Potato, Tuberous-rooted *Wis-taria*, "Wild Bean" of N. America*
- Apium** *Celery*
australe. *New Zealand Celery*
graveolens. *Ache, Common Celery, Marche, Marsh Parsley, Smallage or Smalledge, Wild Celery*
graveolens var. *rapaceum*. *Celeriac, or Turnip-rooted Celery*
graveolens rapaceum var. *tricolor*. *Three-coloured Celeriac*
prostratum. *Australian Celery*
- Aplophyllum**. *Simple-leaved Rue*
- Aplotaxis** *auriculata*. "Costus," of the Ancients
- Aplectrum** *hyemale*. *Adam-and-Eve, American Putty-root*
- Apocynum**. *Dog's-bane*
androsæmifolium. *Fly-trap, of N. America*. *Spreading Dog's-bane*
cannabinum. *Canada, or Indian, Hemp*
Venatum. *Venetian Dog's-bane*
- Aponogeton** *distachyon*. *Cape Asparagus, Cape Pond-weed, Hawthorn-scented Pond-weed*
- Aporosa** (*Lepidostachys*) *Roxburghii*. *Kokrawood*
- Aquilaria** *Agallochum*. *Agila-wood, Eagle-wood, Uggur-oil-plant*
ovata. *Eagle-wood, of Malacca*
- Aquilegia**. *Columbine*
alpina. *Alpine Columbine*
Burgeri. *Burger's Columbine*
cœrulea. *Rocky Mountain Columbine*
californica (*A. truncata*). *Californian, or Large Scarlet, Columbine*
canadensis. *Canadian Columbine*
chrysantha. *Golden-flowered Columbine*
fragrans. *Sweet-scented Columbine*
glandulosa. *Altaian Columbine*
grata. *Mauve-coloured Columbine*
leptoceras lutea. *Yellow Long-spurred Columbine*
- longibracteata*. *Long-bracted Columbine*
longissima. *Longest-spurred Columbine*
pyrenaica. *Pyrenean Columbine*
Skinneri. *Skinner's Columbine*
truncata (*A. californica*). *Large Scarlet Columbine*
- viridiflora*. *Green-flowered Columbine*
vulgaris. *Common Columbine*
vulgaris alba. *White-flowered Columbine*
- Arabis**. *Rock-cress*
albida. *Early-flowering White Rock-cress, Lady's-Cushion, Mountain Snow*
alpina. *White Alysson or Allison*
Androsace. *Rosette Rock-cress*
aubrietioides. *Pink-tinted Rock-cress*
blepharophylla. *Rosy-flowered Rock-cress*
canadensis. *Sickle-pod*
ciliata. *Fringed Rock-cress*
deltoidea. *Blue Rock-cress*
hirsuta. *Hairy Rock-cress*

<i>Arabis</i> , <i>lucida</i> . <i>Shining-leaved Rock-cress</i>	<i>Areca</i> <i>Catechu</i> . <i>Betel-nut</i> <i>Palm-tree</i>
<i>lucida variegata</i> . <i>Variiegated Rock-cress</i>	<i>Catechu Palm-tree</i> , "Drunken Date-tree,"
<i>perfoliata</i> . <i>Glabrous Rock-cress</i>	<i>Pinang Palm</i>
<i>petrea</i> . <i>Northern Rock-cress</i>	<i>monostachya</i> . <i>Walking-stick Palm</i>
<i>procurrens</i> . <i>Spreading Rock-cress</i>	<i>oleracea</i> . <i>Cabbage Palm</i>
<i>rosa</i> . <i>Rosy-flowered Calabrian Rock-cress</i>	(Kentia) <i>sapida</i> . <i>New Zealand Palm</i> ,
<i>stricta</i> . <i>Bristol Rock-cress</i>	<i>Nikan Palm</i>
<i>Thaliana</i> . <i>Thale-cress, or Thale Rock-cress</i>	<i>Arenaria</i> . <i>Sand-wort</i>
<i>Turrita</i> . <i>Tower-cress, or Tower Rock-cress</i>	<i>balearica</i> . <i>Balearic</i> or <i>Majorca Sand-wort</i>
<i>Arachis hypogaea</i> . <i>Earth-almond, Earth-nut, Grass-nut, Ground-nut or Earth-nut Oil-plant of Medicine, Teuss-oil-plant, Kit-jang or Manilla Nut, Monkey-nut, Pea-nut, Pindar, Underground Kidney-bean</i>	<i>cæspitosa</i> . <i>Tufted Sand-wort</i>
<i>Aralia hispida</i> . <i>Bristly Sarsaparilla, Wild Elder</i>	<i>ciliata</i> . <i>Fringed Sand-wort</i>
<i>nudicaulis</i> . <i>Rabbit-root, Wild Sarsaparilla</i>	<i>graminifolia</i> . <i>Grass-leaved Sand-wort</i>
<i>papyrifera</i> . <i>Chinese Rice-paper Plant</i>	<i>grandiflora</i> . <i>Large-flowered Sand-wort</i>
<i>racemosa</i> . <i>American Spikenard</i>	<i>Greenlandica</i> . <i>Mountain Sand-wort</i>
<i>spinosa</i> . <i>Hercules'-Club, Shot-bush, Virginian Angelica-tree</i>	<i>laricifolia</i> . <i>Larch-leaved Sand-wort</i>
<i>Araucaria Bidwillii</i> . <i>Bunya-Bunya Pine, of Queensland</i>	<i>montana</i> . <i>Mountain Sand-wort</i>
<i>brasiliensis</i> . <i>Brazilian Pine-tree</i>	<i>multicaulis</i> . <i>Many-stemmed Sand-wort</i>
<i>Cookii</i> . <i>Cook's New Caledonia Pine</i>	<i>pepoloides</i> . <i>Sea Chick-weed, Sea-purslane</i>
<i>Cunninghamii</i> . <i>Moreton Bay Pine</i>	<i>purpurascens</i> . <i>Purplish-flowered Sand-wort</i>
<i>excelsa</i> . <i>Norfolk Island Pine</i>	<i>rubra</i> . <i>Purple Chick-weed, Red Sand-wort</i>
<i>imbricata</i> . <i>Chilian Pine-tree, Monkey-Puzzle</i>	<i>segetalis</i> . <i>Sword-grass</i>
<i>Rulei</i> . <i>Rule's New Caledonia Pine</i>	<i>squarrosa</i> . <i>Pine-barren Sand-wort</i>
<i>Arbutus</i> . <i>Arbute-tree, Strawberry-tree</i>	<i>tetraquetra</i> . <i>Square stemmed Sand-wort</i>
<i>alpina</i> . <i>Alpine Strawberry-tree, Canadian Strawberry-tree</i>	<i>uliginosa</i> . <i>Bog Sand-wort</i>
<i>Andrachne</i> . <i>Oriental Strawberry-tree</i>	<i>verna</i> . <i>Vernal Sand-wort</i>
<i>densiflora</i> . <i>Densely-flowered Strawberry-tree</i>	<i>Argania</i> <i>Sideroxylon</i> . <i>Argan-tree, Morocco Iron-wood</i>
<i>Menziesii</i> . <i>Madrona, or Madrone, of California</i>	<i>Argemone hispida</i> . "Chicalote," of California
<i>procera</i> . <i>Tall Strawberry tree</i>	<i>grandiflora</i> . <i>White Mexican Poppy</i>
<i>tomentosa</i> . <i>Woolly-branched Strawberry-tree</i>	<i>mexicana</i> . <i>Corooko, or Thistle Oil-plant, Devil's Fig, Infernal Fig, Prickly Poppy, Yellow Mexican Poppy, Yellow Thistle</i>
<i>Unedo</i> . <i>Cane-apple, Common Arbutus-tree, Common Strawberry-tree, Dalmatian Strawberry-tree</i>	<i>Argyreia</i> . <i>Silver-weed</i>
<i>Unedo</i> var. <i>Croomei</i> . <i>Scarlet-barked Strawberry-tree</i>	<i>Argyrodendron trifoliatum</i> . <i>Iron-wood, of N. S. Wales</i>
<i>Unedo</i> var. <i>rubra</i> . <i>Red-flowered Strawberry-tree</i>	<i>Arisæma Dracontium</i> . <i>Dragon-root, Green Dragon</i>
<i>Archangelica atropurpurea</i> . <i>Great Angelica, of N. America</i>	<i>papillosum</i> . <i>Ceylon Snake-root</i>
<i>officinalis</i> . <i>Angelica (cultivated), Archangel</i>	<i>triphyllum</i> . <i>Indian Turnip, Jack-in-the-pulpit, Preacher-in-the-pulpit</i>
<i>Archemora rigida</i> . <i>American Cow-bane</i>	<i>Aristea major</i> . <i>Great Blue Flower-rod</i>
<i>Arctium Lappa</i> . <i>Beggar's-Buttons, Bur, Burr, Burdock, Clot-Bur, Clod-Bur, Cuckle, Cuckold, Harlock</i>	<i>Aristida dichotoma</i> . <i>Poverty-grass</i>
<i>Arctostaphylos (Arbutus) alpina</i> . <i>Alpine Bear-berry, Black Bear-berry</i>	<i>Aristolochia</i> . <i>Birthwort</i>
<i>glauca</i> and <i>A. pungens</i> . "Manzanita," of California	<i>Clematitis</i> . <i>Upright Birthwort</i>
<i>Uva-ursi</i> . <i>Bear-berry, or Bear Bilberry, Bear's Grape, Brawntins, Burren Myrtle, Creashak, Kinnikinnick, Mountain Box, Upland Cranberry</i>	<i>grandiflora</i> . <i>Pelican-flower, Poisonous Hog-weed</i>
<i>Ardisia</i> . <i>Spear-flower</i>	<i>Guaco</i> . "Guaco"-plant, of S. America
<i>coriacea</i> . <i>Red Beef-wood</i>	<i>odoratissima</i> . <i>Serpent-withe, Sweet-scented Birthwort</i>
<i>Arduina grandiflora</i> . <i>Natal Plum</i>	<i>recurvibrabra</i> . "Putchuck"
	<i>reticulata</i> . <i>Red River or Texan Snake-root</i>
	<i>rotunda</i> . "Apple-of-the-Earth"
	<i>Serpentaria</i> . <i>Serpentary-root, Virginian Snake-root</i>
	<i>Siphon</i> . <i>Broad-leaved Birthwort, Dutchman's Pipe, Pipe-Vine</i>
	<i>tomentosa</i> . <i>Woolly Birthwort</i>
	<i>Aristotelia Colensoi</i> . <i>Mountain Wine-berry, of New Zealand</i>
	<i>fruticosa</i> . <i>Mountain Currant, of New Zealand</i>
	<i>peduncularis</i> . <i>Bleeding Heart</i>
	<i>Armeniaca (Prunus Armeniaca)</i> . <i>Apricot-tree</i>

Armeniaca, brigantiaca *Briançon Apricot*
dasycarpa. *Thick-fruited Apricot*
sibirica. *Siberian Apricot*
vulgaris. *Common Apricot*
vulgaris foliis variegatis. *Variegated-leaved Apricot*
vulgaris var. *ovalifolia*. *Oval-leaved Apricot*

Armeria. *Thrift*
alliacea. *Garlic Thrift*
alpina. *Alpine Thrift*
alpina rosea. *Rosy-flowered Alpine Thrift*
Cephalotes. *Great Thrift*
grandiflora. *Large-flowered Thrift*
maritima. *Cliff-rose, Cushion Pink, Lady's-Cushion, Lady's - Pincushion, Marsh Daisy, Sea Gilly-flower, Sea Pink*
maritima alba. *White-flowered Thrift*
plantaginea. *Plantain-leaved Thrift*
scoparia. *Brown Thrift*
vulgaris. *Common Thrift*

Arnebia *echioides*. *Prophet-flower, Russian Bugloss, Spotted Golden Borage*

Arnica *montana*. *Medicinal Leopard's-Bane, Mountain Alkanet, Mountain Tobacco*

Arnoseris *pusilla*. *Dwarf Nipple-wort, Lamb's Succory, Swine's Succory*

Arnoglossum. *Sheep's-beard*

Aronia (*Pyrus*) *arbutifolia*. *Red Chokeberry*

Arracacha *esculenta* (*Conium Arracacha*).
 "Arracacha," *Peruvian Carrot*

Arrhenatherum *avenaceum*. *False Oat*

Artabotrys. *Tail-grape*

Artanema *fimbriata*. *Fringed Heath-cup, of Australia*

Artanthe *adunca*. *Spanish Elder, of the W. Indies*

Artemisia. *Worm-wood*
Abrotanum. *Boy's-love, Lad's-love, Maid's-love, Medicinal Worm-wood, Old-Man, Southern-wood*
Absinthium. *Absinth, Common Worm-wood, Old-Woman*
africana. *African Worm-wood*
alpina. *Alpine Worm-wood*
anethifolia. *Dill-leaved Worm-wood*
aprica. *Trailing Evergreen Worm-wood*
arboreascens. *Tree Worm-wood*
arbuscula. *Sage-bush, or Sage-brush, of N. America*
argentea. *Old-Woman, Silvery Worm-wood*
biennis. *Biennial Worm-wood*
cæruleascens. *Bluish Worm-wood*
campestris. *Field Worm-wood*
cana. *Hoary Worm-wood*
chinensis (*A. Moxa*). *Moxa-plant*
Dracunculus. *Tarragon-plant*
frigida. *Silky Worm-wood*
furcata. *Forked Worm-wood*
gallica. *French Worm-wood*
glacialis. *Glacier Worm-wood*
hirsuta. *E. Indian Mug-wort*
judaica. *Judean Worm-wood*
lactiflora. *Pale-flowered Worm-wood*
Ludoviciana. *Western Mug-wort*

Artemisia, *maritima*. *Garden Cypress, Sea-side Worm-wood*
maritima var. *Stechmanniana* (A. Lerchiana). *Worm-seed*
Marschalliana. *Marschall's Worm-wood*
Moxa. *Chinese or Japanese Moxa-plant*
mutellina. *Alpine Worm-wood*
norvegica. *Norwegian Worm-wood*
orientalis. *Oriental Worm-wood*
Pallasii. *Pallas's Worm-wood*
pectinata. *Scalloped-leaved Worm-wood*
pontica. *Roman Worm-wood*
potentillæfolia. *Potentilla-leaved Worm-wood*
procera. *Tall Worm-wood*
ramosa. *Branchy Worm-wood*
repens. *Creeping Worm-wood*
rupestris. *Cliff Worm-wood*
Santonica. *Holy Worm-wood, Tartarian Southern-wood*
saxatilis. *Rock Worm-wood*
sericea. *Silky-leaved Worm-wood*
spicata. *Spiked Worm-wood*
Stelleriana. *Steller's Worm-wood*
tanacetifolia. *Tansy-leaved Worm-wood*
taurica. *Taurian Worm-wood*
tenuifolia. *Slender-leaved Worm-wood*
tridentata and *A. trifida*. *Sage-bush, or Sage-brush, of N. America*
vulgaris. *Fellow-herb, Mother-wort, Mug-wort*
vulgaris variegata. *Variegated-leaved Worm-wood*

Arthropodium *cirratum*. *Fringed Lily, of New Zealand*

paniculatum. *Fringed Lily, or Fringed Violet, of Victoria*

Arthrostylidium *Schomburgkii*. *Blow-pipe Bamboo*

Arthrotaxis. *Jointed Yew*

Artocarpus *incisa*. *Bread-fruit Tree*

integrifolia. *Jaca, or Jack-tree*

Arum *Arisarum*. *Friar's Cowslip*
atro-rubens. *Brown Dragons*
crinitum. *Dragon's-Mouth*
divaricatum. *Indian Kale*
Dracontium. *American Wake-Robin, Elder-wort, Green Dragons, Indian Turnip*

Dracunculus. *Brook-leek, Dragon Arum, "Dragon's Female," "Faverole"*

italicum. *Italian Arum*

macrorhizone. *Roasting Coco*

maculatum. *Aaron, Adam-and-Eve, Adder's Meat, Arrow-root, Bloody-Man's-Finger, Bobbin-Joan, Bobbins, Bull-and-Cons, Calf's-foot, Cuckoo-pint, Friar's-Cowl, Lamb-in-a-pulpit, Lily Grass, Lords-and-Ladies, Mandrake, Nightingales, Portland Starch-root, Wake-Robin*

Arundinaria *falcata*. *Ningala Bamboo*

Hookeriana. *Praong Bamboo*

macrostachys. *Large Cane, of N. America*

spathulata. *Hardy Bamboo*

tecta. *Small Cane, of N. America*

Arundo. *Reed, Reed-grass*

Ampelodesmos (*Ampelodesmos tenax A-festucoides*). *Diss., Vine-tie*

Arundo , conspicua. <i>Silvery Reed-grass</i> , of New Zealand	Asphodelus albus. <i>White-flowered Asphodel</i>
Donax. <i>Distaff Cane, Great Reed, Italian Vineyard Cane</i>	<i>fistulosus. Onion-Asphodel</i>
occidentalis. <i>Trumpet Reed, W. Indian Reed-grass, Wild Cane</i>	<i>luteus. Jacob's-rod, King's Spear, Yellow Asphodel</i>
Phragmites. <i>Common Reed, Spire Reed</i>	<i>ramosus. Branching Asphodel, King's-spear, Silver-rod</i>
saccharoides. <i>Wild Cane</i>	<i>sub-alpinus. Sub-alpine Asphodel</i>
(Ampelodesmos) tenax (<i>A. festucoides</i>). <i>Diss, Vine-tie</i>	
Asagrea officinalis (<i>Veratrum officinale</i>). <i>Cebadilla, or Cébadilla-plant of Medicine</i>	Aspidistra . <i>Shield-flower</i>
Asarum canadense . <i>Canadian Snake-root, Indian Ginger</i>	<i>lurida. Parlour Palm</i>
caudatum. <i>Tailed Snake-root</i>	Aspidium . <i>Shield-Fern</i>
europeum. <i>Asarabacca, "Cabaret," Hazel-wort, Wild Nard</i>	<i>acrostichoides. Christmas Shield-Fern, of N. America</i>
virginicum. <i>Heart Snake-root, Sweet-scented Asarabacca</i>	<i>(Polystichum) aculeatum. Prickly Shield-Fern</i>
Asclepias . <i>Milk-weed, "Silken Cissy," Silk-weed, Swallow-wort</i>	<i>capense. Climbing Shield-Fern, of New Zealand</i>
Cornuti. <i>Common Milk-weed or Silk-weed curassavica. Bastard Ipecacuanha, Blood-flower of the W. Indies, Red-head, Wild Ipecacuanha</i>	<i>Lonchitis. Holly Fern</i>
Douglasii. <i>Douglas's Milk-weed</i>	<i>(Polystichum) munitum. Californian Shield-Fern</i>
incarnata. <i>Swamp Milk-weed</i>	<i>nevadense. Nevada Wood-Fern, Sierra Shield-Fern</i>
odoratissima. <i>West Coast Creeper</i>	Aspidosperma excelsum . <i>Paddle-wood, or Wheel-tree, of Guiana</i>
phytolaccoides. <i>Poke Milk-weed</i>	<i>Quebracho. White Quebracho-tree</i>
purpurascens. <i>Purple Milk-weed</i>	Asplenium . <i>Spleen-wort</i>
quadrifolia. <i>Four-leaved Milk-weed</i>	<i>Adiantum-nigrum. Black Oak Fern, Black Spleen-wort</i>
tuberosa. <i>Butterfly-weed, Pleurisy-root, Tuber-root, Wind-root</i>	<i>alternifolium. Alternate-leaved Spleen-wort</i>
variegata. <i>Variegated Milk-weed</i>	<i>bulbiferum. Common Spleen-wort, of New Zealand</i>
verticillata. <i>Whorled Milk-weed</i>	<i>Ceterach. Finger-Fern, Miltwaste, Scale Fern, Scaly Spleen-wort</i>
Asclepiodora decumbens . <i>Green Milk-weed</i>	<i>flaccidum. Hanging-tree Spleen-wort, of New Zealand</i>
Ascophora elegans . <i>Bread-mould</i>	<i>fontanum. Smooth Rock Spleen-wort</i>
Ascyrum Crux-Andreae . <i>St. Andrew's Cross</i>	<i>lanceolatum. Lanceolate Spleen-wort</i>
stans. <i>St. Peter's-wort</i>	<i>marinum. Sea Spleen-wort</i>
Asimina (Anona) triloba . <i>Virginian Papaw</i>	<i>Nidus. Bird's-nest Fern</i>
Aspalathus . <i>African Broom</i>	<i>obtusatum. Shore Spleen-wort, of New Zealand</i>
Asparagus acutifolius . <i>Asparagus, of S. Europe</i>	<i>parvulum. Smaller Ebony Spleen-wort</i>
ethiopicus. <i>Ethiopian Asparagus</i>	<i>rhizophyllum. Walking-leaf Fern</i>
albus. <i>Garden-hedge Asparagus, of Madeira</i>	<i>Ruta-muraria. Tent-wort, Wall-Rue, Wall-Rue Spleen-wort, White Maiden-hair</i>
Broussoneti. <i>Giant Asparagus</i>	<i>septentrionale. Forked Spleen-wort</i>
decumbens. <i>Decumbent Asparagus</i>	<i>Trichomanes. Common Spleen-wort, English Maiden-hair, Green Spleen-wort, Maiden-hair Spleen-wort, Water-wort</i>
falcatus. <i>Sickle-branched Asparagus</i>	<i>viride. Green Spleen-wort</i>
laricinus. <i>Asparagus, of S. Africa</i>	Astelia. Otago Cotton-plant
officinalis. <i>Common Asparagus, Sparrow-grass</i>	Aster . <i>Star-wort</i>
plumosus. <i>Feathery Asparagus</i>	<i>albescens. Shrubby Star-wort</i>
racemosus. <i>Itacemose Asparagus</i>	<i>alpinus. Blue Alpine Daisy</i>
tenuifolius. <i>Slender-leaved Asparagus</i>	<i>altaicus. Large-flowered Altaian Star-wort</i>
Aspergillus glaucus . <i>Blue-mould of cheese</i>	<i>Amellus. Italian Star-wort</i>
Asperugo procumbens . <i>German Madwort, Madder-wort</i>	<i>(Eurybia) argophylla. Australian Star-wort</i>
Asperula arvensis . <i>Quinsy-wort</i>	<i>bessarabicus. Dwarf Amellus Aster</i>
cynanchica. <i>Quinsy-wort, Quinancy-wort, or Squinancy-wort</i>	<i>cabulicus. E. Indian Star-wort</i>
humifusa. <i>Creeping Wood-ruff</i>	<i>canescens. Hoary Star-wort</i>
odorata. <i>Mugwort, Sweet Grass, Sweet Wood-ruff</i>	<i>coccineus. Crimson-flowered Star-wort</i>
taurina. <i>Broad-leaved Wood-ruff</i>	<i>cordifolius. Heart-leaved Star-wort</i>
tinctoria. <i>Three-lobed Wood-ruff</i>	<i>Datschyi. Christmas-flowering Star-wort</i>
	<i>(Galatella) dracunculoides. Tarragon-like Star-wort</i>
	<i>dumosus. Bushy Star-wort</i>

Aster, elegans. *Elegant Star-wort*
ericoides. *Heath-leaved Star-wort*
Fortunei. *Fortune's Star-wort*
fragilis. *Fragile Star-wort*
grandiflorus. *Christmas Daisy*
horizontalis. *Horizontal-branched Starwort*
hyssopifolius. *Hyssop-leaved Star-wort*
lævis var. lævigatus. *Smooth Star-wort*
laxus. *Loose-branched Star-wort*
longifolius. *Long-leaved Star-wort*
multiflorus. *Many-flowered Star-wort*
Nova Angliae. *New England Star-wort*
Novi Belgii. *New York Star-wort*
obliquus. *Oblique Star-wort*
patens. *Spreading Star-wort*
pendulus. *Pendulous Star-wort*
ptarmicoides. *Bouquet Star-flower, Yarrow-leaved Star-wort*
puniceus. *Purple-stemmed Star-wort*
pyrenæus. *Pyrenean Star-wort*
racemosus. *Branching Star-wort*
Reevesi. *Reeve's Star-wort*
rubricaulis. *Red-stemmed Star-wort*
seorzoneraefolius. *Scorzonera-leaved Star-wort*
sericeus. *Silky Star-wort*
Shortii. *Short's Star-wort*
spectabilis. *Showy Star-wort*
tardifolius. *Late-flowering Star-wort*
tenuifolius. *Slender-leaved Star-wort*
Townshendi. *Townshend's Star-wort*
Tradescanti. *Michaelmas Daisy*
turbanellus. *Mauve-flowered Star-wort*
Tripolium. *Blue Chamomile, Blue Daisy, Purple Chamomile, Sea-star, Sea Starnwort, Serapias Turbith, Share-wort, Tripoly*
versicolor. *Various-coloured Star-wort*

Astrocephalus stellatus. *Starry Pin-cushion-flower, Star-head*
atropurpureus. *Sweet Scabious*

Asterolinum stellatum. *Flax-star*

Astilbe. *False Goat's-beard*
decandra. *Common False Goat's-beard*
japonica. *Japanese False Goat's-beard*
rivarularis. *River-side False Goat's-beard*
rubra. *Red-flowered False Goat's-beard*

Astragalus. *Milk-Vetch*
Egiceras. *Goat's-Horn*
alpinus. *Mountain Milk-Vetch*
bæticus. *Triangular-podded Milk-Vetch, Swedish Coffee*
caryocarpus. *American Ground-Plum, Red-fruited Milk-Vetch*
dasylottis. *Clover Milk-Vetch*
galegæformis. *Galega Milk-Vetch*
glycyphyllos. *Liquorice-Vetch, Sweet-leaved Milk-Vetch*
Hornii. "Loco"-plant
hypoglottis. *Purple-flowered Milk-Vetch*
lentiginosus. *Rattle-weed*
monspessulanus. *Montpelier Milk-Vetch*
Onobrychis. *Saintfoin Milk-Vetch*
pannosus. *Shaggy Milk-Vetch*
ponticus. *Pontic Milk-Vetch*
Poterium. *Small Goat's-Horn*
sesameus. *Starry Milk-Vetch*
Tragacantha. *Goat's-thorn Milk-Vetch, Great Goat's-thorn, Gum-Tragacanth-plant*

Astragalus trimestris. *Egyptian Milk-Vetch*
vaginatus. *Sheathed Milk-Vetch*
vimeus. *Silvery Milk-Vetch*

Astrantia major. *Black Hellebore, Great Black Master-wort*
minor. *Small Black Master-wort*

Astrapæa. *Madagascar Fire-plant*

Astrebla (*Danthonia*) triticoides. *Mitchell-grass, of Australia*

Astrocaryum aculeatum. *In Palm tree, of Trinidad*
aculeatum. *Acyuru Palm, Greek-tree, of Murumuru. Murumuru Palm-tree*

Tucuma. Tucuma Palm
vulgare. Cumari Palm, "Gru-gru" Palm

Astroloma humifusum. *Australian Cranberry*

Astrotricha pterocarpa. *Plum-bush, of Australia*

Atalanthus arboreus. *Tree Sow-thistle*

Atalantia glauca. *Desert Lemon, of Australia monophylla. Wild Lime, of Coromandel*

Athamanta Cervaria. *Broad-leaved Spiguel, Mountain Hart-wort, "Much-good" cretensis. Candy Carrot, Cretan Carrot, Fine-leaved Spiguel*

Libanotis. Mountain Spiguel
macedonica. Macedonian Parsley
sicula. Flix-weed-leaved Spiguel

Atherosperma moschata. *Plume-Nutmeg of Australia, Tasmanian Sassafras*

Athanasia annua. *African Daisy*

Athyrium Filix-femina. *Female Polypody, Lady Fern*

Atractylis acaulis. *Spindle-wort*

Atragene (*Clematis*) alpina. *Alpine Clematis*
(*Clematis*) americana. *American Clematis*
(*Clematis*) occidentalis. *Western Clematis*
(*Clematis*) ochotensis. *Ochotsk Clematis*
(*Clematis*) sibirica. *Siberian Clematis*

Atriplex. *Orache*
albicans. *White Orache*
halimoides and other species. *Australian Salt-bush*

Halimus. Broad-leaved Sea Purslane-tree
hortensis. *Butter Leaves, Garden Orache, Mountain Spinach*
hortensis rubra. *Red-leaved Orache*
littoralis. *Grass-leaved Orache*
Nummularia. *Salt-bush, of Australia*
patula. *Common Orache, Delt Orache*
portulacoides. *Lesser Shrubby Orache, Purslane Orache, Sea-Purslane*

pedunculata. Stalked Orache
rosea. *Frosted Orache*

Atropa Belladonna. *Bane-wort, Black Cherry, Belladonna, Deadly Nightshade, Dvæle, Dvæy-berries, Great Morel, Naughty-Man's-Cherry*

Mandrakora. Autumnal Mandrake

Attalea cohune. *Cohune Palm*
compta. *Pindova Palm*
excelsa. *Urucuri Palm*

- Attalea funifera.** *Broom-Palm, Coquilla-nut-Palm, Monkey-grass or Para-grass-Palm, Piassaba Palm*
- Aubrieta purpurea.** *Purple Alysson, Purple Rock-cress*
- Aucuba himalaica.** *Himalayan Laurel japonica.* *Blotched-leaved Laurel, Gold-Leaf-plant, Spotted Laurel, Variegated Laurel*
- japonica vera.* *Green-leaved Aucuba*
- Audibertia polystachya.** *White Sage, of California*
- Auricula alpina.** *Yellow Alpine Auricula*
- Avena** *Oat, Oat-grass*
brevis. *Short Oat*
elatior. *Button-Grass, Couch Onion, Haver-Grass, Onion-Grass, Pearl-Grass*
fatua. *Drake, Droke, Flaver, Wild Oat*
flavescens. *Yellow Oat-grass*
nuda. *Naked Oat, Pill-corn, or Pil-corn*
orientalis. *Tartarian Oat*
pratensis. *Oat-grass, Perennial Oat*
sativa. *Common Cultivated Oat, Haver, or Haver*
- Smithii** and *A. striata.* *Wild Oat, of N. America*
- sterilis.* *Animal, Fly, or Hygrometric Oat*
- Averrhoa Bilimbi.** *Bilimbi Tree, Climbing Carambola, Caramba, or Carambola-tree, Coromandel Goose-berry, Country Gooseberry of India*
- Avicennia nitida.** *White Mangrove officinalis. New Zealand Mangrove*
- Azalea.** *False Honey-suckle*
amœna. *Bright-flowered Azalea*
arborescens. *Smooth Azalea, Tree Azalea*
bicolor. *Two-coloured Azalea*
calendulacea. *Flame-coloured Azalea, Marigold Azalea*
calendulacea var. *chrysoclesta.* *Fine Golden Azalea*
canescens. *Hoary Azalea*
crispiflora. *Crisp-flowered Azalea*
Danielsiana. *Daniel's Azalea*
glauca. *Dwarf Glauconous Azalea*
hispida. *Tall Glauconous Azalea*
indica. *Indian Azalea*
ledifolia. *Ledum-leaved Azalea*
mollis. *Soft-leaved Azalea*
nitida. *Shining-leaved Azalea*
nudiflora. *Pinaxter-flower*
nudiflora var. *prolifera.* *Proliferous Azalea*
obtusa. *Blunt-leaved Azalea*
ovata. *Ovate-leaved Azalea*
ovata var. *alba.* *White-flowered Azalea*
pontica. *Common Yellow Azalea*
sinensis. *Chinese Azalea*
speciosa. *Showy Azalea*
squamata. *Scaly Azalea*
viscosa. *White Swamp-Honey-suckle*
viscosa var. *odorata.* *Sweet-scented Azalea*
- Azorulus sativa.** *Neapolitan Medlar*
- Azorella** (*Bolax*) *glebaria.* *Balsam Bog*
- Babiana.** *Baboon-root*
- Baccharis.** *Ploughman's Spikenard*
angustifolia. *American Ploughman's Spike-nard*
cordifolia. *"Mio-Mio," of S. America*
- Baccharis halimifolia.** *Groundsel-tree, Penny-cil-tree*
- scoparia.* *Mountain Broom-tree*
- Backhousia australis.** *Lance-wood, of Australia*
- myrtifolia.* *Backhouse's Myrtle*
- Bactris Maraja.** *Marajah Palm*
- minor.* *Tobago Cane*
- Plumieriana.* *Prickly-pole, of the W. Indies*
- Badiera diversifolia.** *Bastard Lignum-vitæ*
- Badula** (*Anguillaria*) *Barthesia.* *Guinea-fowl-wood*
- Balanites ægyptiaca.** *Zachun-oil-tree*
- Balantium Culcita.** *Culcit Fern*
- Ballota nigra.** *Black, or Stinking, Horehound*
- Baloghia lucida.** *Blood-wood, of Norfolk Island*
- Balsamodendron** (*Amyris*) *Gileadense.*
Balm of Gilead Tree, Balsam of Mecca or Roghen
- Mukul.** *Bdellium-tree of the Scriptures, Googul, or Indian Bdellium-tree*
- Myrrha.** *Myrrh-gum-tree*
- Playfairii.** *Supposed to be the "Hotai"-resin-plant*
- pubescens.* *Bayee Balsam-tree*
- Balsamorrhiza.** *Balsam-root, of California*
- Bambusa.** *Bamboo*
arundinacea. *Common Bamboo*
aurea. *Yellow-stemmed Bamboo*
(*Arundinaria*) *falcata.* *Common Hardy Bamboo*
- Fortunei.** *Fortune's Bamboo*
- gracilis.* *Slender Bamboo*
- japonica* (*B. Metaké*). *Metaké Bamboo*
- latifolia.* *Orinoko Bamboo*
- nigra.* *Dark-stemmed Bamboo*
- reticulata.* *Netted-veined Bamboo*
- Simmondsii.* *Simmonds's Bamboo*
- striata.* *Striped Bamboo*
- viridi-glaucescens.* *Grayish Bamboo*
- Banksia australis.** *Tasmanian Honeysuckle*
- compar. *Beef-wood, of Queensland Cunninghamii, B. ericæfolia, and B. serrata. Australian Honeysuckle-tree*
- Baphia nitida.** *Shining Bar-wood or Cam-wood*
- Baptisia alba.** *White False-Indigo*
- australis.* *Blue False-Indigo*
- exaltata.* *Tall False-Indigo*
- tinctoria.* *Horse-fly-weed, Wild Indigo of N. America*
- Barbarea praecox.** *American Cress, Bank Cress, Belleisle Cress, Land Cress, Normandy Cress, Winter Cress, Yellow Cress, Yellow Rocket*
- praecox* variegata. *Variegated Winter Cress*
- vulgaris.* *Common Winter Cress, St. Barbara's Herb, Winter or Yellow Rocket*
- Barnardia scilloides.** *Chinese Squill*
- Barosma betulina.** *B. crenulata, and B. serratifolia. Buchu-leaf-plant*
- Baroxylon rufum.** *Red Heavy-wood*
- Barringtonia speciosa.** *Hutu, Vutu, or Futu-tree of Tahiti, S. Sea Island Bottle-brush-tree*
- Bartonia aurea.** *Golden Barton's-flower*

- Bartramia.** *Apple-Moss*
pomiformis. *Common Apple-Moss*
- Bartramidula.** *Dwarf Apple-Moss*
- Bartsia.** *Eye-bright Cow-wheat*
alpina. *Alpine Eye-bright Cow-wheat,*
Mountain Poly
- Odontites.* *Hen-Gorse, Red Eye-bright,*
Red Eye-bright Cow-wheat
- viscosa.* *Viscid Eye-bright Cow-wheat*
- Basella alba.** *E. Indian Spinach, White*
Malabar Nightshade
- rubra.* *E. Indian Spinach, Red Malabar*
Nightshade
- Bassia butyracea.** *Butter-tree of Nepaul,*
Phoolwa-oil-plant
- latifolia.* *Epie, Mahoua, or Yallah-oil-*
plant
- longifolia.* *Ilpa, Illipoo, or Illupie-oil-*
plant
- Parkii.* *African Butter-tree, Shea tree*
- Batatas edulis.** *Spanish, or Sweet, Potato*
(*Ipomoea*) *Jalapa.* *Mechoacan Jalap-plant*
- paniculata.* *Giant Sweet Potato*
- Batis maritima.** *Jamaica Samphire, W.*
Indian Salt-wort
- Bauera rubioides.** *River-rose, of Tasmania*
- Bauhinia anguina.** *Snake-charm, of the*
E. Indies
- Hookeri.* *Tree-bean, of Australia*
- racemosa.* *Maloo Creeper*
- tomentosa.* *St. Thomas's Tree*
- Vahlii.* *Maloo Creeper*
- variegata.* *Mountain Ebony, of the E.*
Indies, *Variegated St. Thomas's Tree*
- Beatsonia portulacæfolia.** *Tea-plant of St.*
Helena
- Beaufortia decussata.** *Beaufort Myrtle*
- Beaumontia grandiflora.** *Nepaul Trumpet-*
flower
- Bedfordia salicina.** *Tasmanian Dog-wood*
- Begonia.** *Elephant's-ear*
- albo-coccinea.* *White-and-scarlet Begonia*
- castaneæfolia.* *Chestnut-leaved Begonia*
- corallina.* *Coral-flowered Begonia*
- Davisi.* *Dwarf Scarlet Begonia*
- discolor.* *Two-coloured Begonia*
- Evansiana.* *Beefsteak-plant*
- Froebeli.* *Fröbel's Begonia*
- fuchsoides.* *Fuchsia Begonia*
- geranioides.* *Geranium-leaved Begonia*
- lucida.* *Shining Begonia*
- manicata.* *Collared Begonia*
- multiflora.* *Many-flowered Begonia*
- nitida.* *Jamaica Wood-sorrel*
- octopetala.* *Eight-petalled Begonia*
- peruviana.* *Peruvian Begonia*
- Rex.* *King Begonia*
- Roezlii.* *Röezl's Begonia*
- scandens.* *Climbing Sorrel*
- semperflorens.* *Ever-blooming Begonia*
- socotrana.* *Socotran Begonia*
- suaveolens.* *Sweet-scented Begonia*
- tuberosa.* *Tuberous-rooted Begonia*
- Veitchii.* *Veitch's Begonia*
- Bellevalia.** *Roman Squill*
- Bellis.** *Daisy*
- annua.* *Annual Daisy*
- aucubæfolia.* *Aucuba-leaved Daisy*
- hybrida.* *Italian Daisy*
- Bellis integrifolia.** *Texan or Western Daisy*
perennis. *Bairn-wort, Ban-wort, Ban-wood,*
- Benner-Gowan, Bone-flower, Bruise-wort,*
Common Daisy, Eve-Gowan, Herb
- Margaret, Gowan, Marguerite, May-*
Gowan
- perennis var. alba plena.* *Double White*
Daisy
- perennis var. hortensis.* *Garden Daisy*
- perennis var. prolifera.* *Apes-on-horse*
- back, "Hen-and-Chickens" Daisy*
- rotundifolia var. cerulea.* *Blue Round-*
leaved Daisy
- sylvestris.* *Portugal Wood-Daisy*
- Bellidiastrum.** *Daisy-star*
- Bellium bellidioides.** *Common Small Daisy,*
False Daisy
- crassifolium.* *Thick-leaved Small Daisy*
- minutum.* *Dwarf Small Daisy*
- Benincasa** (*Cucurbita*) *cerifera.* *Wax-*
Gourd, White Gourd
- Bentinckia coddapanna.** *Lord Bentinck's*
Palm
- Berberis.** *Barberry, or Berry*
- Aquifolium.* *Holly-leaved Barberry,*
"Oregon Grape"
- aristata.* *Indian Barberry Bark-tree*
- asiatica.* *Asiatic Barberry*
- Bealei.* *Beale's Barberry*
- canadensis.* *American Barberry*
- cratægina.* *Hawthorn-Barberry*
- cretica.* *Box-leaved Barberry*
- Darwini.* *Darwin's Barberry*
- dealbata* (*B. glauca*). *White-leaved Bar-*
berry
- dulcis.* *Edible-fruited Barberry*
- emarginata.* *Notch-petaled Barberry*
- empetrifolia.* *Fuegian Barberry*
- fascicularis.* *Bundle-flowered Barberry*
- floribunda.* *Many-flowered Barberry*
- glumacea.* *Glumaceous Barberry*
- heterophylla.* *Various-leaved Barberry*
- Hookeri.* *Hooker's Barberry*
- intermedia.* *Intermediate Barberry*
- japonica.* *Japanese Barberry*
- Lycium.* *Indian Barberry-Bark-tree*
- (*Mahonia*) *nervosa.* *Nerved-leaved Bar-*
berry
- (*Mahonia*) *repens.* *Creeping-rooted Bar-*
berry
- sibirica.* *Siberian Barberry*
- stenophylla.* *Golden Barberry, Narrow-*
leaved Barberry
- vulgaris.* *Common Barberry, or Berry*,
Jaundice-berry, Jaunulice-tree, Pippe-
ridge, or Piprage
- Wallichii.* *Wallich's Barberry*
- Berberidopsis corallina.** *Coral Barberry*
- Berchemia volubilis.** *American Supple-*
jack
- Bergera** (*Murraya*) *Koenigi.* *Curry-leaf*
Tree, Limblee-oil-tree
- Bergia Ammannoides.** *Water-fire-tree, of*
India
- Berrya Ammonilla.** *Trincomalee-wood*
mollis. *Pet-wood*
- Bertholletia excelsa.** *Brazilian-nut Tree,*
Castanha-oil-tree
- Beta.** *Bet*

Beta Cicla. <i>Chard Beet, Leaf Beet, Sicilian Beet, White Beet, Wild Beet</i>	Bignonia Unguis. <i>Cat-claw, Four-leaved Trumpet-flower</i>
<i>maritima.</i> <i>Beet Spinach, Perpetual Spinach, Sea-side Beet, Sugar Beet</i>	Billardiera. <i>Australian Apple-berry-tree longiflora. Long-flowered Apple-berry</i>
<i>vulgaris.</i> <i>Red Beet</i>	<i>mutabilis. Colour-changing Apple-berry</i>
<i>vulgaris var. macrorrhiza.</i> <i>Mangel, or Mangold-Wurtzel</i>	<i>ovalis. Oval-leaved Apple-berry</i>
Betonica grandiflora. <i>Large-flowered Betony</i>	<i>scandens. Climbing Apple-berry Tree</i>
Betula. <i>Birch-tree</i>	Biophytum sensitivum (<i>Oxalis sensitiva</i>). <i>"Biophytum," Sensitive Wood-Sorrel</i>
<i>alba.</i> <i>Bedewen, Bedren, Birk-tree or Burk-tree, Common Birch, Lady Birch</i>	Biota (<i>Thuja</i>) <i>orientalis. Common Chinese Arbor-vitæ</i>
<i>alba var. laciniate.</i> <i>Cut-leaved or Fern-leaved Birch</i>	<i>orientalis aurea. Golden Chinese Arbor-vitæ</i>
<i>alba var. laciniate pendula.</i> <i>Weeping Fern-leaved Birch</i>	<i>orientalis elegantissima. Dwarf Chinese Arbor-vitæ</i>
<i>alba var. pendula.</i> <i>Common Weeping Birch</i>	<i>orientalis falcata. Sickle-spined Chinese Arbor-vitæ</i>
<i>alba var. populifolia.</i> <i>American White, Gray, or Old Field Birch</i>	<i>orientalis pyramidalis. Pyramidal Chinese Arbor-vitæ</i>
<i>antarctica.</i> <i>Fuegian or Antarctic Birch-tree</i>	<i>orientalis Sieboldii</i> (<i>Thuja japonica</i>). <i>Japanese Arbor-vitæ</i>
Bhojputra. <i>E. Indian Birch</i>	Biscutella. <i>Buckler Mustard</i>
<i>glandulosa.</i> <i>American Dwarf Birch</i>	<i>auriculata. Ear-podded Buckler Mustard</i>
<i>lenta.</i> <i>Black Birch, Cherry Birch, Mahogany Birch, Mountain Mahogany, Sweet Birch</i>	Bisserula Pelecinus. <i>Hatchet-Vetch</i>
<i>lutea.</i> <i>Yellow, or Gray Birch</i>	Bixa orellana. <i>Arnotta, or Annota-tree</i>
<i>nana.</i> <i>Dwarf Birch</i>	Blakea triervis. <i>Jamaica Rose</i>
<i>nigra.</i> <i>Red, or River Birch</i>	<i>quinquenervia. Mussel-tree, of Guiana</i>
<i>papyracea.</i> <i>Canoe, or Paper Birch</i>	Blechnum brasiliense. <i>Dwarf Brazilian Tree-Fern</i>
<i>populifolia laciiniata.</i> <i>Cut-leaved Birch</i>	<i>Spicant (B. boreale). Hard Fern, Herring-bone Fern, Rusty-back, Snake-Fern</i>
<i>pumila.</i> <i>American Low Birch, Hairy Dwarf Birch</i>	Blighia (<i>Cupania</i>) <i>sapida. Akee-tree</i>
<i>tristis.</i> <i>Kamtschatka Weeping Birch</i>	Blitum capitatum. <i>Strawberry-Blite, Strawberry-Spinach</i>
Beureria havanensis and <i>B. succulenta.</i>	<i>maritimum. Coast-Blite</i>
<i>Poison-berry, of the W. Indies, W. Indian Currant-tree</i>	Blumea longifolia. <i>Blume's Thistle</i>
Beyeria viscosa. <i>Wallaby-bush</i>	Bobartia aurantiaca. <i>Bobart's Orange Iris</i>
Bigelovia nudata. <i>Rayless Golden-Rod</i>	Bocconia. <i>Plume-Poppy, Tree-Celandine</i>
Bidens (<i>Cosmos</i>) <i>atrosanguinea.</i> <i>Black Dahlia</i>	<i>cordata. Heart-leaved Tree-Celandine</i>
<i>Beckii.</i> <i>American Water-Marigold</i>	<i>frutescens. Parrot-weed, Shrubby Tree-Celandine</i>
<i>bipinnata.</i> <i>Spanish Needles</i>	Beshmeria (<i>Urtica</i>) <i>argentea. Silver-leaved Grass-cloth-plant</i>
<i>cernua.</i> <i>Water Hemp-Agrimony</i>	<i>cylindrica. American False-Nettle</i>
<i>connata.</i> <i>Swamp Beggar-ticks</i>	<i>nivea. China-grass, Grass-cloth-plant, Ramee, Ramie, or Rheea-grass</i>
<i>chrysanthemoides.</i> <i>Large Bur-Marigold, of N. America</i>	<i>Puya. Puya-fibre-plant</i>
<i>frondosa.</i> <i>Beggar-ticks, Stick-tight, Small Bur-Marigold, of America</i>	Boerhaavia. <i>Hog-weed, or Hog-meat</i>
<i>pilosa.</i> <i>New Zealand Covage</i>	<i>decumbens. Hog-meat, of Jamaica, Ipecacuanha, of Guiana</i>
<i>tripartita.</i> <i>Common Bur-Marigold, Water-Agrimony, Water-Hemp</i>	<i>erecta. American Hog-weed</i>
Bignonia alliacea. <i>Garlic-shrub, of Guiana</i>	<i>scandens. Climbing Hog-weed</i>
<i>capreolata.</i> <i>Cross-Vine, Four-leaved Hardy Trumpet-flower, Tendrilled Trumpet-flower</i>	Boerkhausia rubra. <i>Red Hawk-weed</i>
<i>Chica.</i> <i>Chica-plant</i>	Bolax gummifer. <i>Bog Balsam</i>
<i>Leucoxylon.</i> <i>Green Ebony-tree, of Jamaica, White Cedar, of Dominica</i>	Boldoia fragrans. <i>Boldo, or Boldu-tree, Chilean Sassafras</i>
<i>procera</i> (<i>Jacaranda Copai</i> a).	Boletus edulis. <i>Polish Mushroom</i>
<i>Trumpet-flower</i>	<i>(Polyporus) fomentarius and <i>B. ignarius</i>. Amadou, or German Tinder</i>
<i>(Tecoma) radicans.</i> <i>Ash-leaved Hardy Trumpet-flower</i>	Boltonia glastifolia. <i>False Chamomile</i>
<i>semperfervens.</i> <i>Carolina Yellow Jasmine, Evergreen Trumpet-flower</i>	Bombax Ceiba. <i>Silk Cotton-tree, of S. America</i>
<i>suberosa</i> (<i>Millingtonia hortensis</i>). <i>Cork-tree, of the E. Indies</i>	<i>malabaricum. Silk-cotton-tree, of Malabar</i>
	Bontia daphnoides. <i>Wild Olive, of Barbadoes</i>
	Borago officinalis. <i>Common Borage, Cool-tankard, Tale-wort</i>
	<i>laxillora. Bell-flowered Borage</i>

- Borago** orientalis (*B. cordifolia*). *Early-flowering Borage*
- Borassus** æthiopum. *Deleb Palm (?)*
flabelliformis. *Brab-tree, E. Indian Wine-Palm, Great Fan-Palm, Palmyra Palm-tree, Tal or Tala Palm*
- Boronia** serrulata. *Native Rose, of Australia*
- Borreria** (*Spermacoce*). *Button-weed*
- Borrichia** arborescens. *Sea-side Ox-eye frutescens. Jamaica Samphire, Sea-side Ox-eye*
- Bosea** Yervamora. *Tree Golden-rod*
- Bossiaea** Scolopendrium. *Australian Plank-plant*
- Boswellia** Carteri, B. thurifera, and B. serrata. *Frankincense-tree, or Olibanum tree*
- Botrychium**. *Grape-Fern, Moon-wort Lunaria, Lunary, Moon-Fern, Moon-wort lunarioides. American Grape-Fern ternatum. Moon-wort Fern, of New Zealand virginicum. Rattle-snake Fern*
- Botryodendron** latifolium. *Norfolk Island Shade-leaf*
- Boussingaultia** baselloides. *Madeira Vine*
- Bouteloua**. *Gram-a-grass, Muskit-grass*
- Bowenia** spectabilis. *Bowen's Fern-Palm*
- Brabeium** stellatifolium. *African Almond, Kaffir Chestnut, Wild Almond, or Wild Chestnut, of the Cape of Good Hope*
- Brachychæta** cordata. *False Golden-Rod*
- Brachychiton** acerifolium. *Flame-tree luridum. Sycamore, of Australia*
- Brachycome** iberidifolia. *Swan River Daisy*
- Brachypodium**. *False Brome-grass*
- Bragantia** Wallichii. *"Alpam root," of Malabar*
- Brasenia** peltata. *American Water-shield, Deer-food*
- Brassaaia** actinophylla. *Queensland Umbrella-tree*
- Brassica**. *Cabbage*
- campestris. *Bargeman's Cabbage, Navew, Summer Rape, Wild Cabbage*
- campesis var. Rutabaga. *Swedish Turnip*
- Caulo-rapha (*B. oleracea gongylodes*). *Hungarian Turnip, Kohl-Rabi, Turnip-rooted Cabbage*
- chinensis. *Chinese Cabbage, or Pak-choi, Shang-hae-oil-plant*
- Eruca. *Salad-Rocket*
- Erucastrum. *Bastard Rocket*
- muralis. *Wall-Rocket, Wild Rooket*
- Napo-brassica. *Turnip Cabbage*
- Napus. *Navew, Winter Rape*
- Napus var. oleifera. *Carcel-oil-plant, Cole, Colesat, Cole-seed, Colza or Colza*
- Napus var. Telton Turnip
- oleracea. *Garden Cabbage, or Cole-wort*
- oleracea var. acephala. *Borecole, or Kale*
- oleracea var. Botrytis cauliflora. *Cauliflower*
- oleracea var. Botrytis asparagoides. *Broccoli*
- oleracea var. bullata major. *Savoy Cabbage*
- Brassica** oleracea var. bullata minor. *Brussels Sprouts*
- oleracea var. capitata. *Drum-head Cabbage*
- oleracea var. costata. *Couve Tronchuda Cabbage*
- oleracea var. sabatica. *Scotch Kale*
- Rapa var. depressa. *Common Turnip*
- Bravoia** geminiflora. *Scarlet Twin-flower*
- Brayera** anthelmintica. *Abyssinian Tape-worm Plant*
- Bremontiera** Ammoxylon. *Sand-wood*
- Brevoortia** (*Brodiaea*) coccinea. *Crimson Satin-flower*
- Briza** maxima. *Pearl-Grass media. Dadder or Dodder Grass, Dithering or Dothing Grass, Doddle-Grass, Earthquakes, Jockey-Grass, Lady's Hair, Maiden-hair-Grass, Pearl-Grass, Quake or Quaking Grass, Shaking Grass*
- Brizoporum** spicatum. *Spike-Grass*
- Brodiea**. *Brodie's Lily, Californian or Missouri Hyacinth*
- coccinea. *Crimson-flowered Californian Hyacinth, Crimson Satin-flower, Vegetable Fire-Cracker*
- congesta. *Allium-like Californian Hyacinth*
- grandiflora. *Large-flowered Californian Hyacinth*
- ixioides (Calliprora lutea). *Ixia-like Californian Hyacinth*
- volubilis. *Twining Californian Hyacinth*
- Bromelia** Karatas. *Curra-Ton-plant*
- sphacelata. *Hardy Bromelia*
- Pinguin. *Penguin, or Penguin-plant, of the W. Indies, Wild Pine-apple*
- Bromus**. *Brome Grass*
- ciliatus. *Prairie Grass*
- Kalmii. *American Chess*
- mollis. *Blubber-Grass, Bull-Grass, Cock-Grass, Goose Corn, Haver-Grass, Hooded Grass, Lob, or Lop-Grass, Oat-Grass*
- Schraderi. *Prairie-Grass, Rescue-Grass*
- secalinus. *"Bruliaun," Chess or Cheats, Cock-Grass, Drake, Droke, Wild Oat*
- sterilis. *Black Grass, Drake, Droke, Haver-Grass*
- Brosimum** Alicastrum. *Bread-nut Tree, Snake-wood-tree*
- Aubletii. *Leopard-wood, Letter-wood, Snake-wood*
- Galactodendron. *Cow-tree, or Milk-tree, of Guiana, "Palo de Vaca"*
- spurium. *Milk-tree, of Jamaica*
- Broussonetia** papyrifera. *Paper-Mulberry, Tapa-cloth-tree, of Polynesia*
- Brownea** Rosa. *West Indian Mountain Rose*
- Brugmansia** (*Datura*) arborea. *Fever-plant*
- suaveolens. *Angel's-Trumpet-plant, White Peruvian Trumpet-flower*
- Brunellia** comocladifolia. *W. Indian Sarsaparilla*
- Brunsvigia** (Amaryllis) Josephinae. *Chandelier Flower, Royal Brunswick Lily*
- toxicaria. *Cape Poison-bulb*
- Brya** Ebenus. *Coccus-wood, Green Ebony, Jamaica or W. Indian Ebony*

- Bryonia.** *Bryony*
dioica. Devil's Turnip, Grape-wort, Isle-of-Wight-Vine, Mandrake, Murrain-berries, Tetter-berry, Red or White Bryony, White Wild Vine, Wild Hop
- Bryonopsis erythrocarpa.** *Ornamental-fruited Vine*
- Bryophyllum calycinum** (B. *proliferum*). *Life-plant, Sea-Leaf, Sprout-Leaf*
- Bryum.** *Thread-Moss*
affine. Many-stalked Thread-Moss
albicans. Pale-leaved Thread-Moss
alpinum. Red Alpine Thread-Moss
androgynum. Narrow-leaved Thread-Moss
argenteum. Silvery Thread-Moss
cæspititum. Lesser Matted Thread-Moss
capillare. Greater Matted Thread-Moss
carneum. Pink-fruited Thread-Moss
cuspidatum. Wood-Moss
dealbatum. Pale-leaved Thread-Moss
gracile. Slender Thread-Moss
hornum. Swan's-neck Thread-Moss
jubaceum. Slender-branched Thread-Moss
palustre. Marsh Thread-Moss
pyriforme. Golden Thread-Moss
roseum. Rosette Thread-Moss
rumale. Thatch-Moss
triquetrum. Long-stalked Thread-Moss
ventricosum. Swelling Bog Thread-Moss
- Bubon macedonicum.** *Macedonian Parsley*
- Buchanania latifolia.** *Cheerojee, or Cheerojee-oil-plant*
- Buchloe dactyloides.** *Buffalo-grass, of N. America*
- Buchnera americana.** *Blue-hearts*
- Bucida Buceras.** *Black Olive, of Jamaica, French Oak, Olive-bark-tree, Ox-horn capitata. Yellow Sanders-wood*
- Buddleia globosa.** *Orange-ball Tree*
- Buena hexandra.** *China-Bark-plant*
- Bulbocodium vernum.** *Spring Meadow-Saffron*
tenuifolium. Slender-leaved Meadow-Saffron
trigynum. Caucasian Meadow-Saffron
- Bumelia ingens.** *Black Bullet-tree*
lycoides. American Iron-wood, Southern Buck-thorn
- montana. Mountain Bully-tree, of Jamaica*
nigra. Black Bully-tree
retusa. Ballata-tree, Bastard Bullet-tree
salicifolia. Galimeta-wood
- Bunchosia.** *W. Indian Cherry*
- Bunias orientalis.** *Hill Mustard*
- Bunium Bulbocastanum.** *Large Earth-nut flexuosum. Ar-nut, Cat-nut, Cipper-nut, Deil's Oatmeal, Earth-nut, Earth-chestnut, Fare-nut or Vare-nut, Hare-nut, Hawk-nut, Hog-nut, Jur-nut, Kipper-nut, Knipper-nut, Pig-nut, St. Anthony's Nut*
- Buonaparteja juncea.** *Peruvian Hemp*
- Buphane (Haemanthus) toxicaria.** *Poison-bulb, of the Cape*
- Buphthalmum.** *Ox-eye*
aquaticum. Sweet-scented Ox-eye
salicifolium. Willow-leaved Ox-eye, Yellow Ox-eye
speciosum. Heart-leaved Ox-eye
- Bupleurum.** *Hare's-ear*
fruticosum. Shrubby Hare's-ear, Tree Thorough-wax
rotundifolium. Common Hare's-ear, "Modesty," of N. America, Thorough-wax or Thorow-wax
- Burchellia capensis.** *Buffelhorn-wood*
- Bursaria spinosa.** *Tasmanian Box, Christ-Tree, or Native Thorn*
- Bursera acuminata.** *Carana-resin-plant*
gummifera. American Gum-tree, Chibou, or Cachibou-resin-plant, Jamaica, or W. Indian Birch, W. Indian Mastich-tree
- Burtonia scabra.** *Burton's Pea-bush*
- Busbeckia arborea.** *Cape-tree, of N. S. Wales*
- Butea frondosa.** *Bengal-Kino-tree, Dhak-tree, Keeso-flower-tree, Palas-tree, or Pulas-tree*
superba. Deccan Bear-tree, Palas-tree, or Pulas-tree
- Butomus umbellatus.** *Flowering Rush, Lily-grass, Water-Gladiale*
- Butyrospermum (Bassia) Parkii.** *African, or Shea, Butter-tree*
- Buxus.** *Box-tree*
balearica. Minorca Box, Giant Box-tree
chinensis. Chinese Box
Fortunei rotundifolia. Fortune's Round-leaved Box
semperfervens. Common Box
semperfervens var. angustifolia. Narrow-leaved Box
semperfervens var. arborescens. Tree Box
semperfervens var. argentea. Silvery-leaved Box
semperfervens var. aurea. Gold-edged Box
semperfervens var. myrtifolia. Myrtle-leaved Box
semperfervens var. pyramidata. Pyramidal Box
semperfervens var. rosmarinifolia. Rosemary-leaved Box
semperfervens var. rotundifolia. Round-leaved Box
semperfervens var. suffruticosa. Dwarf Box
- Byrrhonia cinerea.** *Golden-spoon, of the W. Indies*
coriacea. W. Indian Locust-tree
spicata. Muruxi-Bark-tree, Shoe-maker's-hark-tree
- Cacalia (Emilia) atriplicifolia.** *Pale Indian Plantain, Wild Caraway*
aurantiaca. Orange Tassel-flower
coccinea. Candle-plant, Scarlet Tassel-flower
- Kleinia.** *Cabbage-tree, Carnation-tree*
reniformis. Great Indian Plantain
suaveolens. American Sweet Centaury
tuberosa. Tuberous Indian Plantain
- Cachrys Libanotis.** *Rosemary Frankincense*
- Cactus curassavicus.** *Pin-pillow Cactus*
Echinocactus. "Hedge-hog-thistle"
flagelliformis. Rat's-tail Cactus
Melocactus. Turk's-cap Melon-thistle
Opuntia. Indian Fig, Prickly Pear
peruviana. "Thorny Reed," of Peru

- Cæsalpinia bijuga.** Savin-tree, of Jamaica
Bonducella. Bonduc Seeds- or Grey Nicker
Seeds- or Nuts-plant
- brasiliensis.** Brazil-wood of commerce
brevifolia. "Algodorillo"
- coriaria.** Divi-Divi-tree
- Crista.** Bahama Braziletto
- echinata.** Fernambuc, or Red Brazil-
wood, Lima-wood, Nicaragua-wood,
Peach-wood, Wood-of-St. Martha
- Pipai.** Pipi-pod-tree
- (*Poinciana*) pulcherrima. Peacock Flower
Flower-fence of India, Pride of Barbadoes
- Sappan.** Bukkum-wood, Sappan-wood
- sepiaria.** Mysore Thorn
- Cæsia vittata.** Blue Grass-Lily
- Cajanus** indicus. Dhal, or Dhol, of India,
Catjang, Angola Pea, Pigeon Pea
indicus bicolor. Congo Pea, of Jamaica
indicus flavus. No-eye Pea, of Jamaica
- Cakile americana.** American Sea-Rocket
maritima. Common Sea-Rocket
- Caladium** esculentum. Indian Kale,
"Tanga," of S. Carolina, Taro, or Tara-
plant, of the Sandwich Islands
grandiflorum. Large-leaved Indian Kale
nymphaefolium. Water-lily-leaved In-
dian Kale
- sagittafolium. Arrow-leaved Indian Kale
seguinum. Dumb Cane
- Calamagrostis arenaria.** Sea-sand Reed
argentea. Silvery Wood-reed
canadensis. Blue Joint-grass
- Epigejos. Bush Grass, Common Wood-
reed, Feather-top Grass, Writing-reed
lanceolata. Spear-leaved Wood-reed
- Calamintha.** Calamint
- Acinos. Balm, Basil Thyme, Clairo, Field,
Stone, or Wild Basil, Field Calamint
- alpina. Alpine Calamint
- Clinopodium. Basil-reed, Field, Stone, or
Wild Basil, Hedge-Calamint, Horse-
Thyme
- glabella. Tom Thumb Calamint
- Nepeta. Field Balm, Field Calamint,
Small-flowered Calamint
- officinalis. Cat-mint, Medicinal Calamint
- sylvatica. Wood Calamint
- Calampelis** (*Eccremocarpus*) scaber. Eccre-
mocarpus Vine
- Calamus** (*Daemonorops*) Draco. Dragon's-
blood Palm. Yields the "Dragon's-blood"
of commerce
- flagellum. Reem Cane
- Rotang. Chair-bottom Cane, Rattan Cane
- rudentum. Chair-bottom Cane, Great
Rattan Cane
- Scipionum. Malacca Cane
- verus and *C. viminalis*. Chair-bottom Cane
- Calandrinia** discolor. Common Rock-Pur-
slane
- nitida. Shining Rock-Purslane
- umbellata. Umbel-flowered Rock-Purslane
- Calathea zebrina.** Zebra-plant
- Calceolaria.** Slipper-flower, Slipper-wort
chelidonioides. Celadine Slipper-flower
or Slipper-wort
- Kellyana. Kelly's Hardy Slipper-flower
or Slipper-wort
- Calceolaria pinnata.** Wing-leaved Slipper-
flower
- Calea lobata.** W. Indian Halbert-weed
- Calectasia cyanea.** Australian Blue Spike-
flower
- Calendula** (*Dimorphotheca*) *hybrida*. Large
Cape Marigold
- (*Dimorphotheca*) *pluvialis*. Small Cape
Marigold
- officinalis.* Golds, Goldins, Mary-bud, Pot-
Marigold
- Calla** (*Richardia*) *aethiopica*. Arum Lily,
Egyptian Lily, Lily-of-the-Nile
- palustris.* Bog Arum, Water Dragons
- Calliandra.** W. Indian Horse-wood
comosa. Horse-wood, of Jamaica
purpurea. Soldier-wood
trinervia. Silk-flower
- Callicarpa americana.** French Mulberry
incana. Urn-fruit Tree
- Callicopsis bicolor.** Eye-flower
- Callirhoe digitata.** Finger-leaved Poppy-
Mallow
- involucrata.* Crimson-flowered Poppy-
Mallow
- macrorrhiza.* White-flowered Poppy-Mallow
- pedata.* Long-stalked Poppy-Mallow
- triangulata.* Purple-flowered Poppy-Mallow
- Callistemma** hortense (*Callistephus hor-
tensis*). China Aster
- Callistemon.** Paper-bark-tree, of Australia
pallidum and *C. salignum*. Tea-tree, of
N. S. Wales
- Callistephus chinensis** (*Callistemma hor-
tense*). China Aster
- Callithamnion floridulum.** "Figs"
- Callitriches.** Star-grass, Water Star-wort
verna. Water Fennel
- Callitris australis.** Oyster Bay Pine-tree
quadrivalvis (*Thuja articulata*). Jointed
Arbor-vitæ, Juniper or Sandarach Gum-
tree, Pounce-tree
- Ventenatii. Camphor-wood
- vulgaris. Heather, Ling, Long Heath
- Calocephalus Brownii.** Australian Gar-
land-flower
- Calochortus.** Butterfly-Tulip, Butterfly-
weed, Mariposa Lily, Pretty-grass, Wild
Tulip, of California
- albus* (*Cyclobothra alba*). White Mari-
posa Lily
- cœruleus.* Blue Mariposa Lily
- citrinus.* Lemon-coloured Mariposa Lily
- Gunnisoni.* Gunnison's Mariposa Lily
- lilacinus.* Lilac Mariposa Lily
- luteus.* Yellow Mariposa Lily
- luteus* var. *oculatus.* Large-eyed Mariposa
Lily
- Nuttallii.** Sego
- pulchellus* (*Cyclobothra pulchella*). Pretty-
flowered Mariposa Lily
- splendens.* Brilliant Mariposa Lily
- uniflorus.* One-flowered Butterfly Tulip
- venustus.* Elegant-flowered Mariposa
Lily
- Calodendron capense.** Bucku-tree, Cape
Chestnut
- Calophaca wolgarica.** Wing-leaved Calo-
phaca

<i>Calophyllum angustifolium.</i> Piney-tree, of Penang	<i>Camellia compacta alba.</i> Fine White Camellia
<i>Calaba.</i> Calaba-tree, Keena-nut Tree, Santa-Maria Tree	<i>Dride.</i> Bright-rose-coloured Camellia euryoides. Small-flowered Camellia
<i>Inophyllum.</i> Alexandrian Laurel, Oondee, Pinnacoty, Poon-seed, or Poonay Oil-plant, St. Mary's-wood, Tamana or Dilo Oil-plant	fimbriata. Pure White, fringed, Camellia Grunelli. Large White Camellia imbricata. Carmine-rose Camellia japonica and vars. Common Camellia japonica Rosa-mundi. Rosé-of-the-World Kissi. Kissi Camellia Lombarda. Superb Rosy-flowered Camellia maliflora. Apple-flowered Camellia Matthotiana. Bright Crimson Camellia, Matthot's Camellia
<i>spurium.</i> Pootungee Oil-plant	Matthotiana alba. Pure White, Imbricated, Camellia
<i>Calonyction.</i> Midnight Lily	Mrs. Cope. White, crimson-striped Camellia ochroleuca. Creamy-white Camellia
<i>Calopogon pulchellus.</i> Gray-Pink Orchis	Optima. Bright-rose, crimson-rayed, Camellia
<i>Calothamnus.</i> Australian Net-brush	Queen Victoria. Red, white-ribbed, Camellia
<i>Calotropis gigantea.</i> Bow-string Hemp, or Mudar-plant, of India	reticulata. Captain Rawes's Camellia
<i>procera.</i> French Cotton, French Jasmine, Mudar-plant	Rubens. Deep-rose, large-flowered, Camellia
<i>Caltha.</i> Marsh-Marigold	Saccoi nova. Rosy-pink Camellia
grandiflora. Large-flowered Marsh-Marigold	Sasanqua. Lady Banks's Camellia, Tea-oil-plant
leptosepala. White-flowered Marsh-Marigold	Spinii. Snow-white Camellia
palustris. "Boots," Common Marsh-Marigold, Golds, Goldins, May-blobs, Meadow Bright, or Meadow Bout, Meadow Gowan, Water Butter-cup, Water, or Open Gowan, Yellow Gowan	sulcata. Yellowish-white Camellia
palustris flore-pleno. Double Marsh-Marigold	tricolor. Three-coloured Camellia
purpurascens. Purplish Marsh-Marigold	Triumphans. Large Crimson Camellia
<i>Calycanthus floridus.</i> Common Carolina Allspice	Valtevaredo. Fine Rosy-flowered Camellia
glaucus. Glaucous-leaved Carolina Allspice	<i>Cameraria latifolia.</i> False Manchineel Tree
läevigatus. Smooth-leaved Carolina Allspice	<i>Campanula.</i> Bell-flower
<i>Calycocarpum Lyonii.</i> Lyon's Cup-seed	aggregata. Crowded-flowered Bell-flower
<i>Calypso borealis.</i> Calypso Orchis	alliariæfolia. Alliaria-leaved Bell-flower
<i>Calyptranthes.</i> Lid-flower-tree	Allionii. Allion's Bell-flower
Chytraculia. Bastard Green-heart, of the W. Indies, White Rod-wood	americana. Tall Bell-flower, of N. America
Jambolana. Jambolan-tree, Java Plum	alpina. Alpine Hare-bell
<i>Calyptromona Swartzii.</i> "Thatch," of the W. Indies	aparinoides. Marsh Bell-flower, of N. America
<i>Calystegia.</i> Bear-bind, Bind-weed	attica. Attic Annual Bell-flower
dahurica (Convolvulus dahuricus). Dahurian Bind-weed	autumnalis (Platycodon autumnale). Autumn Bell-flower
pubescens plena. Double Chinese Bind-weed	barbata. Bearded Hare-bell
spithamea. Dwarf Bind-weed	Barrelieri. Barrelier's Bell-flower
<i>Calythrix tetragona.</i> Hair-cup-flower	cæspitosa (C. pumila). Tufted Hare-bell
<i>Camassia esculenta.</i> Bear's Grass, Quamash or Camash	carpatica. Carpathian Hare-bell
esculenta var. alba. White-flowered Quamash	celtidifolia. Nettle-leaved Bell-flower
(Scilla) Fraseri. Wild Hyacinth, of N. America	cenisia. Mont Cenis Hare-bell
Leichtlini. Californian White-flowered Quamash	Cervicaria. Throat-wort
<i>Camelina sativa.</i> "False-Flax," of N. America, Gold-of-pleasure, Oil-seed-plant, Siberian Oil-seed	collina. Sage-leaved Bell-flower
<i>Camellia.</i> Japan Rose	divaricata. Branching Bell-flower
alba plena. Double White Camellia	Elatines. Elatine Hare-bell
anemonæflora. Anemone-flowered Camellia	elegans. Elegant Bell-flower
Bealii. Bright Crimson Camellia	Erinus. Forked Bell-flower
candidissima. Creamy-White Camellia	fragilis. Brittle Hare-bell
caryophylloides. White, rosy-carmine-striped, Camellia	garganica. Mt. Gargano Hare-bell
commensa. Vermilion-red Camellia	glomerata. Clustered Bell-flower, Danes'-Blood
	grandiflora (Platycodon grandiflorum). Noble Hare-bell
	grandis. Great Bell-flower
	hederacea (Wahlenbergia hederacea). Ivy-leaved Hare-bell
	Hendersoni. Henderson's Bell-flower
	Hohenbäckeri. Hohenbäcker's Bell-flower

- C**ampanula Hostii. *Host's Bell-flower*
hybrida. *Corn-field Bell-flower, Corn
Violet*
isophylla (*C. floribunda*). *Ligurian Hare-
bell*
lactiflora. *Milk-white Bell-flower*
lanceolata. *Spear-leaved Bell-flower*
Langsdorffiana. *Langsdorff's Bell-flower*
latifolia. *Broad-leaved Bell-flower, Hash-
wort*
Leutweinii. *Leutwein's Bell-flower*
linifolia. *Flax-leaved Bell-flower*
linnaeifolia. *Swamp Bell-flower, of Cali-
fornia*
Loefflingi. *Loeffling's Annual Hare-bell*
longifolia. *Long-leaved Bell-flower*
Loreyi. *Lorey's Annual Hare-bell*
macrantha. *Large-flowered Bell-flower*
macrantha alba. *Large-flowered White
Bell-flower*
macrostyla. *Long-styled Annual Bell-
flower, Candelabrum Bell-flower*
Medium. *Canterbury Bells, Coventry
Bells, Coventry Rapes, Mariettes, "Mer-
cury's Violets"*
muralis. *Wall Bell-flower*
nitida. *Shining Hare-bell*
nobilis. *Long-flowered Hare-bell*
patula. *Spreading Bell-flower*
persicifolia. *Peach Bells, Peach-leaved
Bell-flower*
petraea. *Woolly-leaved Bell-flower*
Portenschlagiana. *Portenschlag's Bell-
flower*
primulæfolia. *Primrose-leaved Bell-
flower*
pulla. *Dark-coloured Dwarf Hare-bell,
Austrian Hare-bell*
pumila. *Dwarf Bell-flower*
punctata. *Spotted Bell-flower*
pusilla. *Diminutive Bell-flower*
pusilla alba. *Diminutive White Bell-flower*
pyramidalis. *Chimney-plant, Pyramidal
Bell-flower, Steeple Bells*
Raineri. *Rainer's Hare-bell*
Rapunculus. *Garden Rampion*
rapunculoides. *Creeping Bell-flower*
rhomboidea. *Diamond-leaved Bell-flower*
rotundifolia. *Blawort, Blue-bell of Scot-
land, Common Hare-bell or Hair-bell,
Lady's Thimble, Witches' Bells*
sarmatica (*C. gummifera*). *Gummy Bell-
flower*
Sibthorpii. *Sibthorp's Bell-flower*
soldanellæflora. *Soldanella-flowered Hare-
bell, Double-flowered Hare-bell*
speciosa. *Showy Hare-bell*
(Specularia) Speculum. *Lady's, or Venus's,
Looking-glass*
Thompsoni. *Thompson's Bell-flower*
Trachelium. *Blue Fox-glove, Canterbury-
Bells, Coventry-bells, Great Throat-wort,
Hask-wort, Nettle-leaved Bell-flower*
turbinata. *Turban Bell-flower, Vase-
flowered Hare-bell*
urticæfolia. *Nettle-leaved Bell-flower*
Van Houttei. *Van Houtte's Bell-flower*
(Symphiodandra) Wanneri. *Wanner's Bell-
flower*
- C**ampanula Zoysii. *Zoys's Hare-bell*
Campomanesia linearifolia. *Padillo-tree,*
of Peru
Camptosorus rhizophyllus. *Walking-leaf
Fern*
Cananga odorata. *Ilang-Ilang-tree*
Canarina Campanula. *Canary Island
Bell-flower*
Canarium commune. *Chinese Olive, Java
Almond, Kanari-oil-plant*
strictum. *Black Dammar-tree*
Canavalia ensiformis. *Horse-bean, of
Jamaica*
gladiata. *Horse-bean, of the W. Indies*
"Overlook" of Jamaica, *Sword-Bean*
obtusifolia. *Sea-side Bean, of the W.
Indies*
CaneLLA alba. *Canella Bark-tree, Wild
Cinnamon*
Canna indica. *Flowering Reed, Flowering
Shot, Indian Reed, Indian Shot*
peruviana. *Peruvian Arrow-root-plant*
Cannabis sativa. *Carl-hemp, Common
Hemp, Flimble, Gallow-grass*
Cantharellus cibarius. *Chantarelle Mush-
room*
Cantua buxifolia. *Peruvian Magic-tree*
Capparis aphylla. *Kureel-tree*
cynophallophora. *Bottle-cod-root, Devil's-
bean*
ferruginea. *Mustard-shrub*
sinaica. *Mountain Pepper*
sodada. *Timbuctoo Caper-bush*
spinosa. *Common Caper-bush*
Capraria biflora. *Goat-weed, Sweet-weed,
Tea-plant, of Martinique, W. Indian
Tea-tree*
Caprifolium belgicum. *Dutch Honey-
suckle*
Periclymenum. *Common Honey-suckle,
Wood-bine*
Caproxylon Hedgewigii. *West Indian
Pig-wood*
Capsella Bursa-pastoris. *Mother's-Heart,
Pick-purse, "Poor-man's Parmacetic,"
Shepherd's-purse or Shepherd's-scrip,
Tooth-wort, Toy-wort*
Capsicum. *Bird's-eye Pepper, Garden
Ginger*
annuum and *C. fastigiatum*. *Cayenne
Pepper, Chillies, Guinea Pepper, Red
Pepper*
baccatum. *Bird-pepper*
cerasiforme. *Cherry-pepper*
frutescens. *Goat-pepper, Spur-pepper*
grossum. *Bell-pepper*
tetragonum. *Bonnet-pepper*
Caragana. *Siberian Pea-tree*
Altagana. *Flat-podded Siberian Pea-tree*
arborescens. *Common Siberian Pea-tree*
arenaria. *Sand Siberian Pea-tree*
Chamлага. *Chinese Pea-tree*
frutescens. *Shrubby Siberian Pea-tree*
grandiflora. *Large-flowered Siberian Pea-
tree*
jubata. *Maned Siberian Pea-tree*
mollis. *Soft-leaved Siberian Pea-tree*
microphylla. *Small-leaved Siberian Pea-
tree*

<i>Caragana pygmaea.</i> <i>Pigmy Siberian Pea-tree</i>	<i>Carex Buxbaumii.</i> <i>Hoary Sedge</i>
<i>spinosa.</i> <i>Thorny Siberian Pea-tree</i>	<i>cæspitosa.</i> <i>Hassock-grass, Tufted Sedge</i>
<i>Redłowski.</i> <i>Redłowski's Siberian Pea-tree</i>	<i>canescens (C. curta).</i> <i>White Sedge</i>
<i>tragacanthoides.</i> <i>Goat's-thorn-like Siberian Pea-tree</i>	<i>capillaris.</i> <i>Capillary Sedge</i>
<i>Carapa angustifolia.</i> <i>Pottery-tree, of French Guiana</i>	<i>depauperata.</i> <i>Starveling Sedge</i>
<i>fasciculata.</i> <i>Tamacoari Balsam-tree</i>	<i>digitata.</i> <i>Fingered Sedge</i>
<i>guianensis.</i> <i>Curap, Crab, or Andiroba Oil-plant, Crab-wood, of Guiana</i>	<i>dioica.</i> <i>Diaceous Sedge</i>
<i>guineensis (C. Touloucouna).</i> <i>Coondi, Kundah, or Tallincoonah Oil-plant, Kun-doo-nut-tree</i>	<i>distans.</i> <i>Loose Sedge</i>
<i>Cardamine.</i> <i>Bitter-cress</i>	<i>divisa.</i> <i>Bracteated Marsh Sedge</i>
<i>amara.</i> <i>Large Bitter-cress</i>	<i>divulsa.</i> <i>Carpeting Sedge</i>
<i>asarifolia.</i> <i>Asarum-leaved Cuckoo-flower</i>	<i>elongata.</i> <i>Elongated Sedge</i>
<i>hirsuta.</i> <i>Hairy Bitter-cress, Lamb's Cress</i>	<i>extensa.</i> <i>Bracteated Sea Sedge</i>
<i>latifolia.</i> <i>Broad-leaved Cuckoo-flower</i>	<i>filiformis.</i> <i>Slender-leaved Sedge</i>
<i>macrophylla.</i> <i>Large-leaved Cuckoo-flower</i>	<i>flava.</i> <i>Hedge-hog Grass, Yellow Sedge</i>
<i>pratensis.</i> <i>Bread-and-Milk, Common Cuckoo-flower, Cuckoo's-Bread, Cuckoo-Spit, Lady's Smock, May-flower, Meadow-Bitter-cress, Meadow-cress</i>	<i>fulva.</i> <i>Tawny Sedge</i>
<i>pratensis fl.-pl.</i> <i>Double Cuckoo-flower</i>	<i>glauca.</i> <i>Carnation Grass, Gilliflower Grass, Glaucean Heath Sedge</i>
<i>rhomboidea.</i> <i>American Spring Cress</i>	<i>hirta.</i> <i>Hammer Sedge, Hairy Sedge</i>
<i>rotundifolia.</i> <i>American Mountain Water-cress, Round-leaved Cuckoo-flower</i>	<i>humilis.</i> <i>Dwarf Sedge</i>
<i>trifolia.</i> <i>Three-leaved Cuckoo-flower</i>	<i>incurva.</i> <i>Curved Sedge</i>
<i>Cardiospermum</i> <i>Corindum.</i> <i>Heart-seed, Indian Heart</i>	<i>lavigata.</i> <i>Smooth Sedge</i>
<i>grandiflorum.</i> <i>Supple-jack, of Jamaica</i>	<i>lagopina.</i> <i>Hare's-foot Sedge</i>
<i>Halicacabum.</i> <i>Balloon-Vine, Heart-Pea</i>	<i>leporina (C. ovalis).</i> <i>Oval-spiked Sedge</i>
<i>Cardopatium corybosum.</i> <i>Black Chameleon</i>	<i>limosa.</i> <i>Drooping Bog Sedge</i>
<i>Carduus.</i> <i>Thistle</i>	<i>montana.</i> <i>Mountain Sedge</i>
<i>acanthoides.</i> <i>Welted Thistle</i>	<i>muricata.</i> <i>Prickly Sedge</i>
<i>(Cnicus) acaulis.</i> <i>Dwarf Thistle</i>	<i>pallescens.</i> <i>Pale Sedge</i>
<i>anglicus.</i> <i>Gentle Thistle</i>	<i>paludosa.</i> <i>Lesser Bank Sedge, Sniddel</i>
<i>arvensis.</i> <i>Boar Thistle, Corn Thistle, Creeping Thistle, Dog Thistle, Waste Thistle</i>	<i>panicea.</i> <i>Carnation-grass, Gilliflower Grass, Pink-leaved Sedge</i>
<i>benedictus.</i> <i>Blessed Thistle</i>	<i>paniculata.</i> <i>Hassock-grass, Paniced Sedge</i>
<i>eriophorus.</i> <i>Friar's Crown, Woolly-headed Thistle</i>	<i>paradoxa.</i> <i>Paradoxical Sedge</i>
<i>heterophyllus.</i> <i>Melancholy Thistle</i>	<i>pauciflora.</i> <i>Few-flowered Sedge</i>
<i>lanceolatus.</i> <i>Bird Thistle, Boar Thistle, Bull Thistle, Bur Thistle, Plume Thistle, Spear Thistle</i>	<i>pendula.</i> <i>Great Pendulous Sedge</i>
<i>Marianus.</i> <i>Blessed Thistle, Milk Thistle, Our Lady's Thistle</i>	<i>pilulifera.</i> <i>Round-headed Sedge</i>
<i>nutans.</i> <i>Musk Thistle, Scotch Thistle (of artists)</i>	<i>precox.</i> <i>Spring Sedge</i>
<i>(Cnicus) palustris.</i> <i>Marsh Thistle</i>	<i>Pseudo-cyperus.</i> <i>Cyperus-like Sedge</i>
<i>(Cnicus) pratensis.</i> <i>Meadow Thistle</i>	<i>pulicaris.</i> <i>Flea Grass, Flea Sedge</i>
<i>pycnocephalus (C. tenuiflorus).</i> <i>Slender Thistle</i>	<i>punctata.</i> <i>Dotted Sedge</i>
<i>(Cnicus) tuberosus.</i> <i>Tuberous-rooted Thistle</i>	<i>remota.</i> <i>Remote-spikeleted Sedge</i>
<i>Carex.</i> <i>Blue Grass, Sedge, Shere Grass, Spire Grass</i>	<i>rigida.</i> <i>* Stiff Mountain Sedge</i>
<i>acuta.</i> <i>Slender-spiked Sedge</i>	<i>riparia.</i> <i>Greater Bank Sedge</i>
<i>alpina.</i> <i>Alpine Sedge</i>	<i>rupestris.</i> <i>Rock Sedge</i>
<i>ampullacea.</i> <i>Bottle Sedge</i>	<i>saxatilis.</i> <i>Highland Sedge</i>
<i>appressa.</i> <i>Otago Tupak-grass</i>	<i>stellulata.</i> <i>Lesser Prickly Sedge</i>
<i>arenaria.</i> <i>Sea-side Sedge</i>	<i>stricta.</i> <i>Greater Tufted Sedge, Tussock Sedge</i>
<i>atrata.</i> <i>Black Sedge</i>	<i>strigosa.</i> <i>Loose-flowered Sedge</i>
<i>axillaris.</i> <i>Axillary Sedge</i>	<i>sylvatica.</i> <i>Wood Sedge</i>
<i>baccans.</i> <i>Crimson-fruited Sedge</i>	<i>tomentosa.</i> <i>Downy Sedge</i>
<i>binervis.</i> <i>Green-ribbed Sedge</i>	<i>vesicaria.</i> <i>Bladder Sedge</i>

<i>Carica Papaya.</i> <i>Melon-tree, Papaw-tree</i>	<i>Carludovica.</i> <i>Small-Palmetto Palm</i>
<i>Carissa Carandas.</i> <i>Carandas-tree</i>	<i>insignis.</i> <i>Humble Palmetto Palm</i>
<i>Xylopicon.</i> <i>Bitter-wood, of Madagascar</i>	<i>palmata.</i> <i>Panama Hat-tree</i>
<i>Carline acanthifolia.</i> <i>Acanthus - leaved Carline-thistle</i>	<i>Carmichaelia australis.</i> <i>New Zealand Broom</i>
<i>gummifera.</i> <i>White Chamæleon</i>	
<i>vulgaris.</i> <i>Common Carline-thistle</i>	
<i>Carludovica.</i> <i>Small-Palmetto Palm</i>	
<i>insignis.</i> <i>Humble Palmetto Palm</i>	
<i>palmata.</i> <i>Panama Hat-tree</i>	
<i>Carmichaelia australis.</i> <i>New Zealand Broom</i>	

- Carolinea** (*Pachira*) Barrigon. *Barrigontree*, of Panama
princeps. *Guiana Chestnut*
- Carpinus** americana. *American Horn-beam*, *Blue Beech*, *Iron-wood*, *Water Beech*
Betulus. *Common Horn-beam*, *Horn Beech*,
Horse, *Horst*, or *Hurst Beech*, *White Beech*, *Yoke Elm*
Betulus var. incisa. *Cut-leaved Horn-beam*
Ostrya. *Hop Horn-beam*
- Carpodiscus** acidus. *Sour Pishamin-tree*,
of Sierra Leone
dulcis. *Sweet Pishamin-tree*
- Carthamus** lanatus. *Distaff Thistle*
tinctorius. *Bastard* or *False Saffron*,
Kossumba or *Safflower Oil-plant*, *Safflower*, *Saffron-thistle*
- Carum** carui. *Common Caraway*
(*Bunium*) Bulbocastanum. *Pig-nut*, *Tuberous-rooted Caraway*
Gairdneri and Kelloggii. *Edible-rooted Caraway*, of California
(*Sison*) verticillatum. *Whorled-leaved Caraway*
- Carumbium** populifolium (*Omalanthus populifolius*). *Queensland Poplar*
- Carya** (*Juglans*). *Hickory*
alba. *Shell-bark*, or *Shag-bark*, *Hickory*
amara. *Bitter-nut*, of N. America, *Swamp Hickory*, *White Hickory*
aquatica. *Water Hickory*
compressa. *Compressed-fruited Hickory*
integrifolia. *Entire-leafleted Hickory*
microcarpa. *Small-fruited Hickory*
(*Juglans*) myristicæformis. *Nutmeg-Hickory*
olivæformis. *Illinois Nut-tree*, *Pecan-nut-tree*
porcina. *Broom Hickory*, *Brown Hickory*, *Pig-nut*
sulcata. *Springfield Nut*, *Thick Shell-bark Hickory*, *Western Shell-bark Hickory*
tomentosa. *Mocker-nut*, *White-heart Hickory*
- Caryocarpus** laevigatus. *New Zealand Laurel*
- Caryocar** brasiliense. *Piquia-oil-plant*
nuciferum. *Butter-nut-tree*, of S. America,
Souari or *Sunarrow-nut Tree*
tomentosum. *Butter-nut*, of Guiana
- Caryophyllus** aromaticus. *Clove-tree*
- Caryota** urens. *Jaggery Palm*, *Bastard Sago-Palm*, *East Indian Wine-Palm*, *Toddy-Palm*
- Casearia** ulmifolia. *Brazilian Snake-root*
- Casimiroa** edulis. *Mexican Apple*, *White Sapota*
- Cassandra** (*Andromeda*) calyculata. *Leather-leaf*
- Cassia** acutifolia. *Senna-plant* of commerce
alata. *Ring-worm shrub*, *Winged Senna-plant*
angustifolia. *Senna-plant* of commerce,
Tinnevelly Senna-plant
- Brewsteri. *Cigar Cassia*, *Queensland Laburnum*
- Chamæcrista. *Partridge-Pea*
- Cassia** emarginata. *Notch-leaved Senna-tree*
Fistula. *Indian Laburnum*, *Purging Cassia*, *Pudding-Pipe-tree*
florida. *Iron-wood*, of Dutch E. Indies
glandulosa. *Dutchman's-butter*
lanceolata. *Alexandrian Senna-plant*, of commerce
marilandica. *Maryland Senna-plant*
nictitans. *Sensitive Pea*, or *Wild Sensitive Plant*, of N. America
obovata. *Aleppo*, or *Italian*, *Senna-plant*
occidentalis. *Stinking-weed*, or *Stinking-wood*
- Cassine** capensis. *Cape Phillyrea Colpoon*. *Cape Ladle-wood*, *Colpoon-tree*
Maurocenia. *Hottentot Cherry*
- Cassinia** fulgida. *Golden-bush*
- Cassinopsis** capensis. *Caffre Broom-tree*
- Cassytha**. *Scrub-Vine*, of Australia melantha. *Scrub-Vine*, of Victoria
- Castanea**. *Chestnut*
chrysophylla. *Golden-leaved Chestnut*
pumila. *Chinquapin*, of N. America
vesca. *Spanish*, or *Sweet Chestnut*
vesca variegata. *Variegated Chestnut*
vesca var. americana. *American Chestnut*
vesca var. asplenifolia. *Fern-leaved Chestnut*
- Castanopsis** chrysophylla. *Western Chin-quapin*
- Castanospermum** australe. *Australian Bean-tree*, *Moreton Bay Chestnut*
- Castellea** nicholsoni. *W. Indian Goat-bush*
- Castilleja** coccinea. *Scarlet Painted Cup*
- Castilloa** elastica. *Caoutchouc-tree*, of Panama
- Markhamiana. *Caoutchouc-tree*, of Panama
- Casuarina**. *Beef-wood*, *She-Oak*, of Australia
equisetifolia. *Iron-wood*, of the S. Sea Islands, *Swamp Oak*, of Australia, *Tree-Horse-tail*
glauca. *Desert She-Oak*
leptoclada. *River Oak*, of N. S. Wales
paludosa. *Australian Swamp Oak*
quadriavalvis. *Coast She-Oak*, *Tasmanian She-Oak*
stricta. *Australian Beef-wood*, *He-Oak*
suberosa. *Erect She-Oak*, *Swamp Oak*, of Australia
torulosa. *Forest Oak*, of Botany Bay
- Catabrosa** (*Aira*) aquatica. *Water Hair-grass*, *Water Whorl-grass*
- Catananche** cerulea. *Blue Cupidone*, *Blue Succory*, *Blue-flowered Cupid's-dart*
- lobata**. *Lobed-leaved Catananche lutea*. *Yellow Succory*
- Catalpa** bignonioides. *Indian Bean*, of N. America
longissima. *French Oak*, *Jamaica Yoke-wood*, *St. Domingo Oak*
- Catha** edulis. *Abyssinian*, or *Arabian*, *Tea-plant*
- Cathartocarpus** conspicua. *Drum-stick Tree*
marginatus. *Horse-Cassia*
- Cathcartia** villosa. *Cathcart's Poppy*
- Catesbeæa** spinosa. *Lily-thorn*, of the Bahamas

- Caucalis Anthriscus.** Hedge Parsley
daucoides. Bastard or Bur Parsley,
Hedge-hog Parsley, Hen's-foot
(Torilis) nodosa. Knotted Bur-weed
- Caulanthus** crassicaulis and C. procerus.
Wild Cabbage, of California
- Caulophyllum** thalictroides. Blue Cohosh,
Blue Ginseng, Pappoose-root, Squaw-root
- Ceanothus** americanus. Mountain-sweet,
New Jersey Tea-plant, Wild Snow-ball
azureus. Blue Bush, Blue-flowered Red-
root
- buxifolius. Box-leaved Red-root
chloroxylon. Jamaica Cog-wood
culubrinus (Colubrina ferruginosa). Ba-
hama Red-wood, Bahama Snake-wood
- cordulatus. Californian Snow-bush
dentatus. Tooth-leaved Red-root
floribundus. Free-flowering Red-root
integerimus. Beauty-of-the-Sierras, Cali-
fornian Lilac
- intermedius. Intermediate Red-root
mexicanus. Mexican Blue-bush
microphyllus. Small-leaved Red-root
ovatus. Ovate-leaved Red-root
papillosum. Pimpled Blue-bush
sanguineus. Crimson-twiggled Red-root
spinulosus. Californian Red-wood, Red
wood of Santa Barbara
- thyrsiflorus. Californian Lilac
- Cecropia peltata.** Trumpet-tree, W. Indian
Snake-wood
- Cedrela** australis. Red Cedar, of Australia
brasiliensis. Acajou-wood, Brazilian Cedar
odorata. Bastard Barbadoes Cedar, Cigar-
box-wood, False Cedar, Honduras, Ja-
maica, or W. Indian Cedar
- sinensis. Chinese Cedar, Cigar-box-wood
Toonah. Chittagong-wood, E. Indian
Cedar, Singapore Cedar
- Cedronella cana.** Hoary Balm of Gilead-
plant
- cordata. Heart-leaved Balm of Gilead
trifolia (Dracocephalum canariense).
Common Balm of Gilead-plant
- Cedrus.** Cedar
atlantica. African, or Mt. Atlas Cedar,
Silver Cedar
- Deodara. Deodar, East Indian Cedar,
Mountain-tree
- Deodara var. nivea. Silvery-leaved Deodar
- Deodara var. robusta. Heavy-branched
Deodar
- Libani. Cedar of Lebanon
- Celastrus.** Staff-tree
bulatus. Scarlet-fruited Staff-tree
- edulis. Abyssinian Tea-plant
- scandens. Climbing Bitter-sweet, David-
root, Fever-twig, Staff-tree, Staff-Vine,
Wax-work
- Celmisia.** New Zealand Aster
coriacea. New Zealand "Cotton-plant," or
"Leather-plant"
- Celosia cristata.** Cock's-comb
- Celsia cretica.** Cretan Mullein
- Celtis.** Nettle-tree
aculeata. Prickly Nettle-tree
australis. European Nettle-tree, Honey-
berry, of Greece, Lote-tree
- Celtis caucasica.** Caucasian Nettle-tree
crassifolia. Hoop Ash, Thick-leaved Nettle-
tree
- lævigata. Smooth Nettle-tree
Lima. File-leaved Nettle-tree
micrantha. Jamaica Nettle-tree
occidentalis. American False Elm, Hack-
berry, Nettle-tree, Rim-Ash, Sugar-berry
- orientalis. Eastern Nettle-tree
- parviflora. Small-flowered Nettle-tree
pumila. Dwarf Nettle-tree
sinensis. Chinese Nettle-tree
- Tourneforti. Tournefort's Nettle-tree
- Cenarrhenes nitida.** Port Arthur or Tas-
manian Plum
- Cenchrus echinatus.** W. Indian Bur-
grass
- tribuloides. Hedge-hog-grass, or Bur-grass,
of N. America
- Cenomyce pyxidata.** Cup Lichen, Cup Moss
rangiferina. Reindeer Moss
- Centaurea.** Centaury, Knap-weed, Mat-
fellow
- argentea. Silvery Knap-weed, Silvery Sea-
bious
- aspera. Jersey Centaury
- australis. Australian Centaury
- babylonica. Babylonian Centaury
- Calictrapa. Caitrops, Star-Thistle
- chironoides. Californian Centaury
- Cyanus. Blawort, Blue-blaw, Blue Bon-
nets, Blue-bottle, Blue Corn-flower, Corn-
bottle, Corn Centaury, Corn-flower, Hurt-
sickle
- dealbata. Mealy Centaury
- gymnocarpa. Silvery-leaved Knap-weed
- Isnardi. Jersey Thistle
- macrocephala. Great-headed Centaury
- montana. Mountain Centaury
- (Amberboa) moschata. Purple Sweet Sul-
tan
- (Amberboa) moschata var. rubra. Red-
flowered Sweet Sultan
- Myacantha. Mouse-thorn
- nigra. Bell-weed, Black Centaury, Bull-
weed, Button-weed, Crop-weed, Hard-
heads, Iron-hard, Iron-heads, Iron-weed,
Knap-weed, Knob-weed, Knot-weed, Log-
ger-heads
- Phrygia. Phrygian Centaury
- ruthenica. Russian Knap-weed
- Scabiosa. Black Top, Greater Centaury
- solstitialis. Barnabas, St. Barnaby's
Thistle, Yellow-flowered Centaury
- stricta. Erect Centaury
- (Amberboa) suaveolens. Yellow Sweet
Sultan
- uniflora. One-flowered Centaury
- Cetranthus macrosiphon.** Long-spurred
Valerian
- ruber. Fox's-Brush, German Lilac, Red
Valerian, Spur Valerian
- Centrosema virginianum.** Spurred Butter-
fly-Pea
- Centunculus minimus.** Bastard Pimper-
nel, Chaff-weed
- Cephalanthera grandiflora.** White Helle-
borine
- rubra. Red Helleborine

Cephalanthus occidentalis. Button-bush, Globe-flower-bush, Little - Snow-balls, Swamp Globe-flower, White Pond-Dogwood, of Louisiana

Cephalotaxus. Cluster-flowered Yew drupacea. Plum-fruited Cluster-flowered Yew

Fortunei. Fortune's Cluster-flowered Yew pedunculata. Long-stalked Cluster-flowered Yew

Cephalotus follicularis. Australian Pitcher-plant

Cerasus. Cherry-tree
(*Prunus*) Avium. Hedge-berry, Wild Gean Cherry
borealis. Northern Choke-Cherry
Capollin. Capollin Bird-Cherry
caproniana. Hautbois Cherry
caroliniana. Evergreen Cherry
Chamæcerasus. Ground-Cherry
Chamæcerasus var. fragrantissima. Sweet-scented Ground-Cherry
cornuta. Horned Cherry
depressa. Sand Cherry
duracina. White-heart Cherry
duracina var. cordigera. Bigarreau Cherry
Hixa. Tenerife Cherry-Bay
hyemalis. Black Choke-Cherry
Juliana. Gean Cherry, St. Julian's Cherry
Juliana var. Heaumiana. Helmet-fruited Cherry
(*Prunus*) japonica. Japan Cherry
Lauro-cerasus. Common Laurel, or Cherry-Laurel
Lauro-cerasus var. latifolia. Versailles Laurel
lusitanica. Portugal Laurel
lusitanica var. myrtifolia. Miniature Portugal Laurel
Mahaleb. Mahaleb Cherry, Perfumed Cherry
Marasca. Marasca Cherry
nepalensis. Nepal Bird-Cherry
nigra. Black-fruited Cherry
occidentalis. W. Indian Cherry
Padus. Common Bird-Cherry
Padus var. rubra. Red Cornish Cherry
persicæfolia. Peach-leaved Cherry
Pseudo-cerasus. Bastard-Cherry
pubescens. Downy Cherry
pumila. Canadian Cherry, Dwarf Cherry, Sand Cherry
pygmaea. Pigmy Cherry
salicina. Willow-leaved Cherry
sempervirens. Ever-flowering Cherry
serotina. Late-flowering Cherry, Cherry-oil-plant
serrulata. Saw-leaved Cherry
sphaerocarpa. Round-fruited Cherry
vulgaris (*Prunus Cerasus*). Common Cherry
vulgaris fl.-pl. Double-blossomed Cherry

Cerastium. Mouse-ear Chick-weed
alpinum. Alpine Mouse-ear Chick-weed
Biebersteini. Bieberstein's Mouse-ear Chick-weed
Boissieri. Boissier's Mouse-ear Chick-weed
glaciale. Glacier Mouse-ear Chick-weed
grandiflorum. Large-flowered Mouse-ear Chick-weed

Cerastrium latifolium. Broad-leaved Mouse-ear Chick-weed
tomentosum. Jerusalem Star, Snow-in-Summer, Snow-plant, Woolly Mouse-ear Chick-weed
triviale and C. vulgatum. Common Mouse-ear Chick-weed

Ceratiola ericooides. Sand-hill Rosemary

Ceratochloa. Horn-grass
unioloides. "Californian Prairie-grass," Rescue-grass

Ceratonia Siliqua. Algaroba Bean, Carob-tree, European Locust-tree, St. John's Bread-tree

Ceratopetalum. Leather-wood, of Australia
apetalum. Light-wood, of Australia
gummiferum. Christmas-tree, of Australia

Ceratophyllum demersum. Common Hornwort, or Horn-weed, Morass-weed

Ceratopteris thalictroides. Pod-Fern

Cerbera Ahouai. Serpent's-bane Tanghin. Ordeal-tree, of Madagascar

Cercis canadensis. American Judas Tree, Red-Bud
occidentalis. Californian Judas Tree, Californian Red-Bud

Siliquastrum. Common Judas Tree, Love-tree

Cercocarpus. Mountain Mahogany, of California
ledifolius. Wasatch Mountain Mahogany

Cereus. Torch-thistle
(*Aporocactus*) flagelliformis. Creeping Cereus
grandiflorus. Night-flowering Cereus
triangularis. Prickly-withe, of the W. Indies, Strawberry Pear

Cerinthe. Honey-wort
aspera. Rough-leaved Honey-wort
major. Wax-plant

Ceroxylon andicola. Wax-Palm, of New Granada

Cestrum. Bastard Jasmine, or Poison-berry, of the W. Indies
aurantiacum. Night-blooming Jasmine

Ceterach officinarum. Rusty-back, Scale-Fern, Stone-Fern

Cetraria islandica. Iceland Moss

Chærophyllum. Chervil
bulbosum (*Anthriscus bulbosus*). Parsnip Chervil, Tuberous-rooted or Turnip-rooted Chervil
sylvestre. Cow-Parsley, Wild Chervil
temulentum. Cow-Parsley

Chailletia toxicaria. Rat's-bane, or Rat-poison, of W. Africa

Chamaecyparis. Swamp Cypress, or Water Cedar

Chamædoris. Merman's Shaving-brush

Chamælirium luteum. Blazing-star, Devil's-bit, of N. America

Chamæpeuce Casabonæ. Fish-bone or Herring-bone Thistle

Chamælaucium. Fringe-Myrtle

Chamæranthemum. Brazilian Flower-of-the-Grove

Chamærops excelsa. Fan-Palm, of Nepal, Hemp-Palm

Chamærops Fortunei. <i>Chusan Palm</i> , <i>Shang-hae Fan-Palm</i>	<i>Cyphel.</i>
<i>humilis.</i> "African Hair" Palm, <i>Dwarf Fun Palm, European Palm</i> (<i>Rhipidophyllum</i>) <i>Hystrix, Blue Palmetto</i> (<i>Sabal</i>). <i>Palmetto, Cabbage Palm-tree, Cabbage Palmetto</i>	<i>Chickrassia tabularis. Chittagong-wood</i>
<i>Ritchieana. Tiger-grass Palm</i> <i>serrulata. Saw-Palmetto</i>	<i>Chilocloea. Fodder-grass</i>
Chamæscilla (<i>Cæsia</i>) <i>corymbosa. Dwarf Australian Squill</i>	<i>Chilosia saligna. Desert-Willow, of California</i>
Chara. <i>Stone-wort</i> <i>vulgaris. Feather-beds</i>	<i>Chimaphila maculata. Spotted Winter-green</i>
Chavica <i>Betle</i> . <i>Betle Pepper</i> <i>officinarum and C. Roxburghii. Long Pepper</i>	<i>umbellata. Prince's - Pine, Pipsissewa, Ground Holly</i>
Cheilanthes. <i>Lip-Fern</i> <i>gracillima. Californian Lace-Fern</i> <i>odora. Hay-scented Lip-Fern</i> <i>vestita. Hairy Lip-Fern</i>	<i>Chimonanthus fragrans (Calycanthus præcox). Japan Allspice</i>
Cheiranthus. <i>Gilliflower, Wall-flower</i> <i>Cheiri. Bleeding Heart, Bloody Warrior, Common Wall-flower, Wall, Winter, or Yellow Gilliflower</i>	<i>grandiflora. Large-flowered Japan Allspice</i>
<i>longifolius. Long-leaved Wall-flower</i> <i>Marshalli. Marshall's Wall-flower</i> <i>scoparius. Tenerife Wall-flower</i>	<i>Chiococca angustifolia. Brazilian Snake-root</i>
Cheirostemon <i>platanooides. Hand-flower-tree, Hand-plant</i>	<i>racemosa. David's-root, Snowberry-tree, of Jamaica</i>
Chelidonium. <i>Swallow-wort</i> <i>japonicum (C. grandiflorum). Japanese Celandine</i>	<i>Chiogenes hispidula. Creeping Snow-berry</i>
<i>majus. Cock-foot, Great Celandine, Tetter-wort</i>	<i>Chionanthus virginica. Fringe-tree, Poison Ash, Virginian Snow-flower</i>
Chelone <i>glabra. Balmony, Turtle-head, White Shell-flower, Salt-rheum-weed, Turtle-bloom</i>	<i>Chionodoxa Luciliae. Snow-glory</i>
<i>Lyoni. Lyon's Shell-flower</i> <i>obliqua. Twisted Shell-flower</i>	<i>Chlora perfoliata. Yellow Centaury, Yellow-wort</i>
Chenopodium. <i>Goose-foot</i> <i>album. Bacon-weed, Dirt-weed, Dirty Dick, Fat-Hen, Frost Blite, Lamb's-Quarters, Muck-weed, Pig-weed, White Goose-foot</i>	<i>Chloranthus inconspicuus. Chu-lan Tree</i>
<i>(Ambrina) ambrosioides. Demigod's-food, Mexican Goose-foot, Mexican Tea</i>	<i>Chloris truncata. Windmill-grass, of Australia</i>
<i>aristatum. Bearded Goose-foot</i>	<i>ventricosa. Warted Grass, of Australia</i>
<i>Atriplicis. Purple Goose-foot</i>	<i>Chlorocodon Whitei. Mundi-root</i>
<i>auricomum. Australian Spinach</i>	<i>Chlorogalum pomeridianum. Amole, or Soap-plant, of California, Indian Soap-plant</i>
<i>Bonus-Henricus. All-good, Blite, English, False or Wild Mercury, Flowery Docken, Good Henry, Good King Henry, Perennial Goose-foot, Wild Spinach</i>	<i>Chloroxylon Swietenia. Satin-wood, or Yellow-wood, of the E. Indies, Wood-oil-plant, Zante-wood</i>
<i>Botrys. Cut-leaved Goose-foot, Feather Geranium, Hind-heal, Jerusalem Oak, Oak-of-Paradise</i>	<i>Choisya ternata. Mexican Orange-flower</i>
<i>erosum. Australian Spinach</i>	<i>Chondrilla juncea. Common Gum Succory</i>
<i>glaucum. Oak-leaved Goose-foot</i>	<i>Chondrodendron convolvulaceum. Wild Grape, of the Peruvians</i>
<i>guineense. Guinea Goose-foot</i>	<i>tomentosum (Cissampelos Pareira). Pa-reira-Brava-plant</i>
<i>hybridum. Maple-leaved Goose-foot</i>	<i>Chondrus (Fucus) crispus. Alga marina, Carrageen, Carrageen, or Carrigeen Moss, Irish Moss, Pearl Moss</i>
<i>murale. Nettle-leaved Goose-foot</i>	<i>Chorda Filum. Sea-laces</i>
<i>polyspermum. All-seed, Many-seeded Goose-foot</i>	<i>Chordaria flagelliformis. Whipcord Seaweed</i>
<i>Quinoa. Petty Rice, of Peru, Quinoa or White Quinoa</i>	<i>Chorisia speciosa. Vegetable Silk-tree</i>
<i>rubrum. Red Goose-foot, Sow-bane, Swine's-bane</i>	<i>Chroolepus Jolithus. Rock Violet</i>
<i>urbicum. Upright Goose-foot</i>	<i>Chrysanthemum alpinum. Alpine Chrysanthemum</i>
<i>Vulvaria. Dog's - Orache, Notch-weed, Stinking Goose-foot</i>	<i>articum. Northern Chrysanthemum atro-coccineum. Scarlet Chrysanthemum Burridgeanum. Tricoloured Ox-eye Daisy</i>
	<i>carinatum. Tricoloured Chrysanthemum coronarium and vars. Crown Daisy, Old Garden Chrysanthemum, Sicilian Chrysanthemum</i>
	<i>frutescens. Marguerite, Paris Daisy</i>
	<i>indicum. Indian Chrysanthemum inodorum. Scentless Chrysanthemum lacustre. Marsh Feverfew, Marsh Ox-eye Daisy</i>
	<i>Leucanthemum. Big, Bull, Dog, Horse, Moon, or Ox-eye Daisy, Espilawn, Horse Gowan, Large White Gowan, Mathes, Manther, Midsummer Daisy, Moon-flower, Moon-penny, White Bothen, White Goldes</i>

- Chrysanthemum** millefoliatum. *Tansy-leaved Chrysanthemum*
montanum. *Mountain Chrysanthemum*
Parthenium. *Feverfew Chrysanthemum*
segetum. *Bigold, Boddle, Buddle, Corn-Field, or Wild Marigold, Gill Gowen, Gule Gowen, Golden or Yellow Corn-flower, Golds, Goldins, Yellowby*
sinense and vars. *Common Garden Chrysanthemum*
- Chrysobactron** Hookeri. *Hooker's Golden-wand*
- Chrysobalanus** ellipticus and C. luteus. *Pigeon Plum, of Sierra Leone*
Icaco. *West Indian Cocoa-plum*
- Chrysocoma** latifolia. *Broad-leaved Goldilocks*
Linosyris. *Common Goldilocks*
- Chrysophyllum** Buranheim. *Monesia-bark-tree*
Cainito. *W. Indian Star-apple*
oliviferum. *Damson-plum, of the West Indies, Wild Star-apple*
- Chrysopsis** Mariana. *Golden Aster, of Pennsylvania, Maryland Golden-star*
- Chrysosplenium**. *Golden Saxifrage*
alternifolium. *Alternate-leaved Golden Saxifrage*
oppositifolium. *Opposite-leaved Golden Saxifrage*
- Chrysostemma**. *Golden-Crown*
- Cibotium** Barometz. *Scythian Lamb, Tartarian Lamb*
regale. *Chignon Fern*
- Cicca** disticha. *Otaheite Gooseberry*
- Cicer** arietinum. *Calavanche, Chick-pea, "Chola," of India, Egyptian Pea, Gram, Garavance*
- Cichorium** Endivia. *Endive*
Intybus. *Chicory, Succory, Witloof*
- Cicutae** maculata. *Beaver-poison, Mus-quash-root, Spotted Cow-bane*
virosa. *Common Cow-bane, Water Hemlock*
- Cimicifuga** americana. *American Bugbane*
racemosa. *Fetid Bugbane*
Rattle-root, Squam-root
- Cinchona**. *Jesuit's-Bark-tree, Peruvian Bark-tree*
Calisaya. *Calisaya Bark, or Yellow Cinchona Bark*
latifolia. *Calisayo-bark, of Santa Fé, or Soft Columbian-bark*
officinalis (C. Condaminea). *Loxa Crown Bark*
peruviana. *Gray Bark*
Pitayensis. *Pitayo-bark*
succirubra. *Red Bark*
- Cinclidotus**. *Lattice-Moss*
fontinaloides. *Fountain Lattice-Moss*
- Cineraria** acanthifolia. *Silvery-leaved Cineraria*
alpina. *Alpine Cineraria*
(Ligularia) macrophylla. *Large-leaved Cineraria*
maritima. *Sea-side Ragwort, Silvery-leaved Cineraria*
- Cinna** arundinacea. *Wood Reed-grass*
- Cinnamodendron** corticosum. *Mountain Cinnamon, of the W. Indies*
- Cinnamomum**. Several species yield the *Cassia*-Bark of commerce
Cassia. *Chinese Cinnamon-tree*
Culiliwan. *Culiliwan Bark-plant*
Malabathrum. *Indian, or Malabar, Leaf Zeylanicum. Common Cinnamon-tree*
- Circæa** Lutetiana. *Bind-weed Night-shade, Enchanter's Nightshade*
- Cirrhoptetalum** Caput-Medusæ. *Medusa's-head Orchid*
- Cirsium**. *Horse-thistle, Plume-thistle*
arvense. *Canada Thistle, Creeping Thistle, "Cursed Thistle," of N. America*
(Chamæpeuce) Casabonæ. *Herring-bone Thistle*
Douglasii. *Brilliant Thistle*
ferox. *"Cruel Thistle"*
oleraceum. *Meadow Distaff*
- Cissampelos** Pareira. *False Pareira-Brava, Velvet-leaf, Ice-Vine, Pareira-Brava Velvet-Leaf*
- Cissus** acida. *Sorrel Vine*
antarctica. *Kangaroo or Kanguru Vine*
latifolia. *Elephant's Vine*
sicyoides. *Bastard Bryony, W. Indian China-root*
venatorum. *Sportsman's Climber*
- Cistus**. *Holly-rose, Rock-rose*
albidus. *Whitish-leaved Rock-rose*
asperifolius. *Rough-leaved Rock-rose*
candidissimus. *Canary Island Rock-rose*
Clusii. *Clusius's Rock-rose*
corbiensis. *Corbières Rock-rose*
creticus. *Cretan Rock-rose*
crispus. *Curled-leaved Rock-rose*
Cupaniatus. *Heart-leaved Rock-rose*
cymosus. *Cyme-flowered Rock-rose*
cyprinus. *Common Gum-Cistus*
Florentinus. *Florentine Rock-rose*
frutescens. *Shrubby Rock-rose*
heterophyllus. *Various-leaved Rock-rose*
hirsutus. *Hairy Rock-rose*
incanus. *Hoary Rock-rose*
ladaniferus. *Bog-Cistus, Ladanum Gum-Cistus*
latifolius. *Broad-leaved Rock-rose*
laxus. *Loose-flowered Rock-rose*
laurifolius. *Laurel-leaved Rock-rose*
Ledon. *Ledon Gum-Cistus, Many-flowered Rock-rose*
longifolius. *Long-leaved Rock-rose*
lusitanicus. *Dwarf Rock-rose*
monspeliensis. *Montpelier Rock-rose*
oblongifolius. *Oblong-leaved Rock-rose*
obtusifolius. *Blunt-leaved Rock-rose*
populifolius. *Poplar-leaved Rock-rose*
purpureus. *Purple-flowered Rock-rose*
salviæfolius. *Sage-leaved Rock-rose*
sericeus. *Silky-leaved Rock-rose*
undulatus. *Waved-leaved Rock-rose*
vaginatus. *Sheathed-stalked Rock-rose*
villosum. *Shaggy Rock-rose*
vulgaris. *Common Rock-rose*
- Citharexylon**. *Fiddle-wood, Guitar-wood*
cinereum. *Old-woman's-Bitter*
quadrangulare. *Savannah Wattle*

Citriobatus.	<i>Native Orange, or Orange Thorn, of Australia</i>	Clematis integrifolia.	<i>Entire-leaved Clematis</i>
Citrullus	<i>Coccygnathis. Bitter-apple, Bitter Gourd, Coccygnath-plant, Vine-of-Sodom (?)</i>	<i>Jackmanni and vars. Jackman's Clematis lanuginosa. Woolly Clematis Mossmania. Australian Virgin's-bower montana. Mountain Clematis orientalis. Oriental Clematis ovata. Oval-leaved Clematis paniculata. Paniced Clematis patens. Open-flowered Clematis reticulata. Net-veined-leaved Clematis Simsii. Sims's Clematis tubulosa. Tube-flowered Clematis Viorna. Blue Virgin's-Bower, Leather-flower</i>	<i>Virginiana. American Virgin's-bower Vitalba. Bindwith, Biting Clematis, Hedge - Vine, Lady's - bower, Maiden's Honesty, Old-Man, Old-Man's-Beard, Smoke-wood, Traveller's Joy, Virgin's-bower</i>
(Cucumis) Pseudo-coccygnathis.	<i>Himalayan Coccygnath</i>	<i>Viticella. Purple Virgin's-bower, Vine-bower Clematis</i>	<i>Viticella venosa. Veined Vine-bower Clematis</i>
Citrus acida.	<i>Lime-fruit-tree</i>	Cleome.	<i>Spider-flower</i>
Aurantium.	<i>Common, or Sweet, Orange-tree</i>	cardinalis.	<i>Mexican Cardinal-flower</i>
Aurantium var. amara.	<i>Seville, Bigarade, or Bitter Orange</i>	pungens.	<i>W. Indian Spider-flower</i>
Aurantium var. melitensis.	<i>Blood, or Maltese, Orange</i>	Clerodendron.	<i>Glory-tree</i>
australis (C. Planchoni).	<i>Native Orange, of Queensland</i>	fragrans.	<i>Glory-tree, of China</i>
australasica.	<i>Queensland Native Lime-fruit Tree</i>	Siphonanthus.	<i>Tube-flower</i>
Bergamia.	<i>Bergamot Orange, Lemon Bergamot Tree</i>	Clethra.	<i>White-Alder Bush</i>
buxifolia.	<i>Box-leaved Orange</i>	acuminata.	<i>Painted-leaved White-Alder</i>
decumana.	<i>Shaddock-tree</i>	alnifolia.	<i>Alder-leaved Sweet Pepper-bush, Common White-Alder</i>
japonica.	<i>Kumquat</i>	arborea.	<i>Tree White-Alder</i>
javanica.	<i>Java Lemon</i>	arborea minor.	<i>Smaller Tree White-Alder</i>
Limetta.	<i>Adam's Apple, Sweet Lime</i>	arborea variegata.	<i>Variegated Tree White-Alder</i>
Limonum.	<i>Common Lemon-tree</i>	ferruginea.	<i>Rusty-leaved White-Alder</i>
Lumia.	<i>Pear Lemon, Sweet Lemon</i>	Michauxi.	<i>Michaux's White-Alder</i>
Margarita.	<i>Pear Lemon</i>	paniculata.	<i>Paniced White-Alder</i>
Medica.	<i>Median Lemon</i>	scabra.	<i>Rough-leaved White-Alder</i>
Medica var. Cedra (C. acida).	<i>Citron (true)</i>	tinifolia.	<i>Bastard Locust-tree, Jamaica Sweet Pepper-bush, Soap-wood, Wild Pear, of the W. Indies</i>
nobilis var. major.	<i>Mandarin Orange</i>	tomentosa.	<i>Woolly White-Alder</i>
nobilis var. Tangeriana.	<i>Tangerine Orange</i>	Clianthus.	<i>Glory Pea, Glory Vine, Parrot-beak Plant</i>
Paradisi.	<i>Forbidden Fruit, Pomello</i>	carneus.	<i>Glory Pea, of Norfolk Island</i>
sarcodactylis.	<i>Fingered Citron</i>	Dampieri.	<i>Dampier's Glory Pea, Sturt's Desert Pea</i>
Cladium	<i>Mariscus. Marsh Saw-grass, Shear, or Shere Grass</i>	puniceus.	<i>Glory Pea, or Parrot's-bill, of New Zealand</i>
mariscoidea.	<i>Twig-rush, of N. America</i>	Clidemia.	<i>Indian Currant-bush</i>
Cladostachys tinctoria (Virgilia lutea).	<i>Yellow-wood Tree</i>	Clifforia illicifolia.	<i>African Evergreen Oak</i>
Clathrus cancellatus.	<i>Lattice Stink-horn</i>	Cliftonia ligustrina.	<i>Buck-wheat Tree</i>
Claviceps purpurea.	<i>Ergot-of-Rye Fruitus</i>	Clitoria Mariana.	<i>Butterfly-Pea</i>
Claytonia cubensis.	<i>Cuban Spinach</i>	Clivia.	<i>Caffre Lily</i>
perfoliata.	<i>Cuban Winter-Purslane</i>	Clusia.	<i>Balsam-tree, Card-leaf-tree, Scotch Attorney</i>
sibirica.	<i>Chinese Chick-weed, Siberian Purslane</i>	alba.	<i>Balsam-Fig, of the W. Indies</i>
virginica.	<i>Spring Beauty</i>	flava.	<i>Jamaica Balsam-Fig, or Balsam-tree, Fat-Pork, Monkey-Apple, Mountain or Wild Mango, Wild Fig</i>
Cleistocactus colubrinus.	<i>Snake Cactus</i>	rosea.	<i>Balsam Fig, Star-of-night</i>
Clematis æthusaefolia.	<i>Fool's - Parsley-leaved Clematis</i>	Cyrtosia Jonthlaspi.	<i>Buckler-Mustard</i>
alpina (Atragene austriaca).	<i>Austrian Clematis</i>	Cneorum.	<i>Widow-wail</i>
aristata.	<i>Australian Supple-Jack</i>	tricoccum.	<i>Spurge Olive, Smooth Widow-wail</i>
calycina (C. Balearica).	<i>Evergreen Clematis, Minorca Clematis, Winter-flowering Clematis</i>		
campanulata.	<i>Bell-flowered Clematis</i>		
chinensis.	<i>Chinese Clematis</i>		
cirrhosa.	<i>Evergreen Clematis, Spanish Traveller's-joy, Spanish Wild Cucumber</i>		
coccinea.	<i>Scarlet-flowered Clematis</i>		
crispa.	<i>Curled-sepaled Clematis</i>		
cylindrica.	<i>Cylindrical-flowered Clematis</i>		
Davidiana.	<i>David's Clematis</i>		
erecta.	<i>Erect Clematis</i>		
Flammula.	<i>Sweet-scented Virgin's-bower</i>		
florida.	<i>Large-flowered Clematis</i>		
glauca.	<i>Glaucous-leaved Clematis</i>		
indivisa lobata.	<i>New Zealand Clematis</i>		

- Cnicus.** *Plume-Thistle*
Acarna. *Yellow Plume-Thistle*
benedictus. *Blessed Thistle*
- Cobæa scandens.** *Mexican Ivy-plant, Cups-and-saucers*
- Coccinea indica.** *Scarlet-fruited Gourd*
- Coccoloba.** *Sea-side Grape-plant*
(Polygonum) adpressa. *Macquarie Harbour Grape-plant*
diversifolia. *Long-leaved, or Small, Pigeon-wood*
Florida. *Pigeon Plum*
leogenensis and *C. punctata.* *Small-leaved Pigeon-wood*
pubescens. *Leather-coat-leaf-tree, of the W. Indies*
uvifera. *Jamaica-Kino-tree*
- Cocculus Bakis.** *Senegal-root*
Pluknenetii and C. tuberosus. *Cocculus-indicus Plant*
- Cochlearia Armoracia.** *Common Horse-radish*
officinalis. *Scurvy-grass, Spoon-wort*
- Cochlospermum Gossypium.** *Kuteera-gum-tree, Leaf-Bellows Plant*
- Cocos (Acrocomia)** *aculeata.* *Prickly Macaw-tree*
butyracea. *New Granada Oil-Palm or Wine-Palm*
(Acrocomia) fusiformis. *Great Macaw-tree*
guineensis. *Small Prickly Cocoa-nut-tree*
nucifera. *Cocoa-nut Palm*
oleracea. *Iraiba Palm*
schizophylla. *Aricuri or Aracuri Palm*
- Codium.** *Wild Tamarind-tree*
acutifolium. *Black, Brown, Velvet, or Wild Tamarind, of Sierra Leone*
- Codiæum (Croton).** *South Sea Laurel*
- Codonorchis.** *Bell-Orchis*
- Coffea arabica.** *Arabian Coffee-tree*
sibirica. *Siberian Coffee-tree*
racemosa. *Peruvian Coffee-tree*
- Coix Lachryma.** *Gromwell-Reed, Job's Tears*
- Cola acuminata.** *Cola, Kolla, or Goora-nut Tree*
- Coleanthus subtilis.** *Sheath-flowering Grass*
- Coleus.** *Flame-Nettle*
aromaticus. *Patchouli Plant*
fruticosus. *Nettle Geranium*
- Colchicum.** *Meadow-Saffron*
alpinum. *Alpine Meadow-Saffron*
autumnale. *Autumn, Fog, Meadow, Michaelmas, or Purple Crocus, Common Meadow-Saffron, Naked-Ladies*
- Bivonea.** *Bivona's Meadow-Saffron*
- byzantinum.** *Byzantine Meadow-Saffron*
- chionense.** *Chian Meadow-Saffron*
- Parkinsonii.** *Parkinson's Chequered Meadow-Saffron*
- speciosum.** *Giant Meadow-Saffron*
tessellatum. *Chequered Meadow-Saffron*
variegatum (C. Agrippinæ). *Variegated Meadow-Saffron*
- Colletia biconiensis.** *Anchor-plant*
- Collinsia bicolor.** *Two-coloured Collins's-flower*
- Collinsia grandiflora.** *Large Collins's-flower*
multicolor. *Many-coloured Collins's-flower*
- Collinsonia canadensis.** *Canadian Horse-Mint, Collinson's-flower, Hard-hack, Heal-all, Horse-weed, Ox-balm, Richweed, Stone-root*
- Collophora.** *Com-tree, of the Rio Negro*
- Colocasia.** *W. Indian Kale*
antiquorum. *Cocoa-root or Coco, "Kolcas," of the Arabians and Egyptians*
esculenta. *Bleeding-Héart, Egyptian Ginger, Poë-plant of the Sandwich Islands*
- macrorrhiza.* *Taro, or Tara-plant, of Tahiti*
- Colophonia Mauritiana.** *Elemi-Resin-plant, of Mauritius*
- Colubrina asiatica.** *W. Indian Hoop-withe*
ferruginea. *W. Indian Green-heart, or Snake-wood*
- Colutea arborescens.** *Common Bladder-Senna*
cruenta. *Red-flowered Bladder-Senna*
Haleppica (C. Pocockii). *Pocock's Bladder-Senna*
- herbacea.** *Annual Bladder-Senna*
media. *Smaller Bladder-Senna*
nepalensis. *Nepaul Bladder-Senna*
- Comandra.** *Bastard-Toad-flax, of N. America*
- Comarostaphylis.** *Grit-berry*
- Comarum palustre.** *Bog Strawberry, Com-berry, Marsh Cinquefoil, Meadow-nut, Purple-wort*
- Combretum butyrosum.** *Caffe-Butter Guagea, Vegetable-glue-plant*
- Comesperma scoparium.** *Swan River Broom*
volubile. *Blue Creeper, or "Love," of Tasmania*
- Cometes alternifolia.** *Comet-plant*
- Commelina.** *Day-flower*
coelestis. *Blue Spider-wort*
cayennensis. *French-weed*
- Commersonia Fraseri.** *Black-fellow's Hemp, of Australia*
platyphylla. *Brown Kurrajong, of Australia*
- Commidendron rugosum.** *Gum-shrub, or Scrub-wood, of St. Helena*
spurium. *Cluster-leaved Gum-tree, Little Bastard Gum-wood, or Small-umbelled Cabbage-tree, of St. Helena*
- Comocladia.** *Maiden Plum*
dentata. *Toothed-leaved Maiden Plum*
integrifolia. *Maiden Plum, of Jamaica*
- Comptonia asplenifolia.** *Fern-leaved Gale, Shrubby Sweet Fern-bush*
- Condalia microphylla.** *Piquillin-bush*
obovata. *Blue Wood, Texan Log-wood*
- Conferva ægagropila.** *Moor-balls*
rivularis. *Crow-silk, Duck-mud*
- Conioselinum canadense.** *Hemlock-Parley, of N. America*
- Conium maculatum.** *Hemlock, Herb Bennet*
- Conocarpus erecta.** *Button-tree, Zaragosa Mangrove*

- Conoclinium cœlestinum.** *Mist-flower*
Conophallus Titanum. *Giant Arum, of Sumatra*
Conopholis (Orobanche) americana. *Canker-root, Squaw-root*
Conopodium denudatum. *Earth Chestnut*
Convallaria (Smilacina) bifolia. *Two-leaved Lily-of-the-Valley*
japonica. *Japanese Lily-of-the-Valley*
majalis. *Common Lily-of-the-Valley, Convall Lily, Lirionfancy, May Lily, Mugget*
Convolvulus althæoides. *Mallow Bind-weed, Riviera Bind-weed*
arvensis. *Bear-bind, Common Bind-weed, Bine or Bines, Corn-bind, Corn-lily*
bryoniaefolius. *Bryony-leaved Bind-weed*
cantabricus. *Cantabrian Bind-weed*
Cneorum. *Shrubby Bind-weed, Silvery Bind-weed*
erubescens. *Blushing Bind-weed, of Australia*
lineatus. *Pigmy Bind-weed*
mauritanicus. *Blue Rock Bind-weed (Ipomoea) Nil. Gay-bine*
pandurus. *Man-in-the-Ground, or Man-in-the-earth, Wild Jalap, Wild Potato*
Scammonia. *Scammony-plant*
sepium. *Bear-bind, Bed-bind, Bell-bind, Bell Wood-bind, Devil's-Garter, Hedge-bells, Hedge Lily*
sepium var. roseus. *Rosy-flowered Bind-weed*
sericeus. *Silky Bind-weed*
Soldanella. *Scotch Scurvy-grass, Sea-bells, Sea Bind-weed, Sea-coal, Sea Foal-foot*
Conyza squarrosa. *Ploughman's Spikenard*
rugosa. *St. Helena Flea-bane*
Cookia punctata. *"Wampee"-tree, of China*
Copaifera. *Several species yield Balsam of Copaiaba or Copaiava*
bracteata and C. pubiflora. *Purple-heart Tree, of Guiana*
Gibourtiana (Gibourtia copallifera). *Copal-tree, of Sierra Leone*
Mopane. *Iron-wood, of E. Tropical Africa*
officinalis. *Purple-heart Tree, of the W. Indies*
Copernicia cerifera. *Carnauba Palm, Wax-Palm, of Brazil*
Pumos Palm
tectorum. *"Thatch-Palm," of the W. Indies*
Coprinus comatus. *Maned Mushroom*
Coprosma. *Tasmanian Native Currant*
fotidissima. *Sterile-wood, of Otago*
lucida. *Otago Orange-leaf or Looking-glass Bush*
Coprosmanthus *herbaceus (Smilax herbacea).* *Carrion-flower*
Coptis Teeta. *Coptis Root, Mishmi-Bitter trifoliata.* *Three-leaved Gold-thread, Mouth-root*
Corallorrhiza. *Coral-root Orchid*
innata. *Spurless Coral-root*
odontorrhiza. *Adam-and-Eve, Coral-teeth, Crawley, Dragon's-claw*
Corchorus capsularis. *Gunny-bag Plant, Jute-plant (true)*
olitorius. *Jews'-Mallow*
siliquosus. *Broom-weed*
- Cordia Collococca.** *Clammy Cherry, of Jamaica, Turkey-berry-tree*
cylindrostachya. *Black Sage*
elliptica. *W. Indian "Man-jack"*
geraschanthoides. *Prince-wood, or Spanish Elm, of the W. Indies*
Geraschanthus. *Dominica Rose-wood, Panama Laurel*
globosa. *Gout-Tea, of the W. Indies*
latifolia. *"Sebestens Plum"*
macrophylla. *Broad-leaved Cherry, or Manjack, of the W. Indies*
Myxa. *"Assyrian Plum," "Sebestens Plum."* This tree is supposed to have supplied the Mummy-case-wood of the Egyptians
subcordata. *Ton-tree, of Tahiti*
Cordiceps. *Caterpillar-Fungus*
Cordyline. *Club Palm, Palm-Lily*
(Dracæna) australis and C. indivisa. *Cabbage-Palm, or Ti-plant, of New Zealand*
Jacquinii var. rosea. *Chinese Fire-leaf*
Corema (Empetrum) Conradii. *Broom Crow-berry*
lusitanicum. *Portugal Crake-berry*
Coreopsis. *Tick-seed*
auriculata. *Ear-leaved Tick-seed*
grandiflora. *Large-flowered Tick-seed*
lanceolata. *Lance-leaved Tick-seed*
philadelphica. *Philadelphian Tick-seed*
præcox. *Early Tick-seed*
senifolia. *Six-leafeted Tick-seed*
tenuifolia. *Slender-leaved Tick-seed*
tinctoria. *Dyers' Tick-seed*
trichosperma. *Tick-seed Sun-flower*
verticillata. *Whorled-leaved Tick-seed*
Coriandrum sativum. *Common Coriander*
Coriaria myrtifolia. *Myrtle-leaved Tanner's-tree*
nepalensis. *Nepaul Tanner's-tree*
ruscifolia. *Tutu-poison-plant, or "Toot-plant," of New Zealand*
sermentosa. *Wine-berry-shrub, of New Zealand*
thymifolia. *New Zealand Ink-plant*
Corispermum hyssopifolium. *Bug-seed*
Cornicularia jubata. *Horse-hair Lichen, Tree-hair*
Cornucopiacæ cucullatum. *Horn-of-Plenty-grass*
Cornus. *Cornel-tree, Dog-wood*
alba. *White-berried Dog-wood*
alternifolia. *Alternate-leaved Dog-wood*
asperifolia. *Rough-leaved Dog-wood*
canadensis. *Bunch-berry, Dwarf Cornel, Pudding-berry*
capitata. *Headed-flowered Dog-wood*
circinata. *Round-leaved Dog-wood*
florida. *Box-wood, of N. America, False Box-wood, Flowering Dog-wood, Green Osier of N. America*
grandis. *Tall Mexican Dog-wood*
macrophylla. *Large-leaved Dog-wood*
mascula. *Cornelian Cherry, Male Dog-wood*
oblonga. *Oblong-leaved Dog-wood*
paniculata. *Panicled-flowered Dog-wood or Cornel*

- Cornus sanguinea.** *Catteridge-tree, Common Cornel, Common Dog-wood, Dog-berry, Dog-cherry, Dog-tree, Gadrise, Gaiter or Gatter-tree, Hound-berry Tree, Peg-wood, Prick-wood, Skewer-wood*
- sericea.* *Blue-berried Dog-wood, Kinnikinnik, Silky Dog-wood or Cornel sibirica. Siberian Scarlet Dog-wood stolonifera. Red Osier Dog-wood stricta. Stiff Cornel, Upright-branched Dog-wood*
- suecica.* *Dwarf Cornel, Dwarf Honey-suckle, Plant-of-Gluttony*
- Coronilla.** *Crown-Vetch*
- Emerus.* *Scorpion Senna*
- iberica.* *Iberian Crown-Vetch*
- junccea.* *Rush-stemmed Crown-Vetch*
- minima.* *Least Crown-Vetch*
- montana.* *Mountain Crown-Vetch*
- valentina.* *Small Shrubby Crown-Vetch*
- varia.* *Rosy-flowered Crown-Vetch*
- Correa speciosa.** *Fuchsia, of Australia*
- Corriola littoralis.** *Bastard Knot-grass, Shore Strap-wort*
- Cortusa.** *Alpine Sanicle*
- Matthioli.* *Bear's-ear Sanicle*
- pubens.* *Downy Sanicle*
- Coryanthes.** *Helmet-Orchid*
- speciosa.* *Brazilian Helmet-flower*
- Corydalis** (*Fumaria*) *aurea.* *Golden Fume-wort*
- bulbosa* (*C. solida*). *Solid-rooted Fume-wort*
- cava* (*C. tuberosa*). *Hole-wort or Hollow-wort, "Hollow Leek"*
- cava* var. *albiflora.* *White-flowered Fume-wort*
- (*Fumaria*) *clavulata.* *Climbing Fumitory*
- formosa.* *Stagger-weed, Turkey-Corn, Wild Turkey-pea*
- glauca.* *Colic-weed, Pale Fume-wort*
- Ledebouriana.* *Ledebour's Fume-wort*
- (*Fumaria*) *lutea.* *Yellow-flowered Fumitory*
- Marschalliana.* *Marschall's Fume-wort*
- nobilis.* *Great-flowered Fume-wort*
- solida* (*Fumaria bulbosa*). *Solid-rooted Fume-wort*
- tuberosa* (*C. cava*). *Hollow Leek, Hollow-root or Hollow-wort, Hollow-rooted Fume-wort*
- Corylus.** *Hazel or Hazel-nut Tree*
- americana.* *American Wild Hazel*
- algeriensis.* *Mount Atlas Hazel*
- Avellana.* *Hale-nut, or Common Hazel-nut-tree, Nut Bush, Wood-nut*
- Avellana* var. *barcelonensis.* *Barcelona or Spanish Nut-tree*
- Avellana* var. *crispata.* *Frizzled Filbert*
- Avellana* var. *glomerata.* *Cluster Nut*
- Avellana* var. *grandis.* *Cob-nut*
- Avellana* var. *lacinata.* *Cut-leaved Filbert*
- Avellana* var. *Lamberti.* *Lambert's, Large Bond, Spanish, or Toker Nut*
- Avellana* var. *purpurea.* *Purple-leaved Filbert*
- Avellana* var. *tenuis.* *Cosford or Thin-shelled Nut*
- Avellana* var. *tubulosa.* *Red Filbert*
- Corylus Avellana** var. *tubulosa alba.* *White Filbert*
- Colurna.* *Constantinople Hazel*
- heterophylla.* *Japan Hazel*
- rostrata* (*C. cornuta*). *Beaked or Cuckold Hazel, of N. America*
- Corynephorus.** *Club-grass*
- Corynocarpus laevigatus.** *Church-tree, Karaka-nut, or Kopi-tree, of New Zealand, New Zealand Laurel*
- Corypha australis.** *Cabbage-tree, or Cabbage-Palm, of Australia*
- Gebanga.* *Gebang Palm*
- Talictora.* *Talictora or Tara Palm*
- umbraculifera.* *Great Fan-Palm, Talipot Palm*
- Cosmos** (*Bidens*) *atropurpureus.* *Black Dahlia*
- bipinnatus.* *Purple Mexican Aster*
- Costus.** *Wild Ginger, of the W. Indies*
- Cotoneaster.** *Quince-leaved Medlar, Rose-Box*
- acuminata.* *Pointed-leaved Cotoneaster*
- affinis.* *Allied Cotoneaster*
- buxifolia.* *Box-leaved Cotoneaster*
- frigida.* *Mountain Cotoneaster*
- laxiflora.* *Loose-flowered Cotoneaster*
- microphylla.* *Small-leaved Cotoneaster*
- Nummularia.* *Money-wort-leaved Cotoneaster*
- rotundifolia.* *Round-leaved Cotoneaster*
- tomentosa.* *Woolly Cotoneaster*
- vulgaris.* *Common Cotoneaster, Dwarf-Quince-leaved Medlar*
- vulgaris* var. *erythrocarpa.* *Red-fruited Cotoneaster*
- vulgaris* var. *melanocarpa.* *Black-fruited Cotoneaster*
- Cotyledon Umbilicus.** *Common Navel-wort, Corn-leaves, Hip-wort, Kidney-wort, Wall Penny-grass, Penny-leaf or Penny-wort, Venus's Navel-wort*
- Couroupita** (*Lecythis*) *guianensis.* *Can-non-ball-tree*
- Cowania mexicana.** *Mexican Cliff-Rose*
- Crambe.** *Cole-wort, Kale*
- cordifolia.* *Heart-leaved Cole-wort*
- fruticosa.* *Shrubby Cole-wort*
- junccea.* *Rushy Cole-wort*
- maritima.* *Sea Cabbage, Sea Cole-wort, Sea-kale*
- palmatifida.* *Large-leaved Ornamental Kale*
- tatarica.* *Tartar-Bread-plant*
- Crassula.** *Thick-leaf*
- Crataegus.** *Haw-thorn*
- aestivalis.* *American May, or Apple-Haw*
- apiifolia.* *American Parsley-leaved Thorn*
- Aronia.* *Aronia Thorn*
- Azarolus.* *Azarole Thorn, Neapolitan Medlar, Parsley-leaved Haw-thorn*
- cordata.* *Maple-leaved Thorn, Washington Thorn*
- crenulata.* *Scalloped-leaved Haw-thorn*
- Douglasii.* *Douglas's Haw-thorn*
- flava.* *Summer Haw, Yellow-fruited Thorn*
- glandulosa.* *Glandular Thorn*
- glauca.* *Glauous Evergreen Thorn*

<i>Crataegus heterophylla.</i> Various-leaved Thorn	<i>Crocus Aucheri</i> (C. Olivieri). <i>Aucher's Crocus</i>
<i>latifolia.</i> <i>Fontainebleau Thorn</i>	<i>biflorus.</i> <i>Scotch Crocus, Two-flowered Crocus</i>
<i>lobata.</i> <i>Lobed-leaved Thorn</i>	<i>Boryanus.</i> <i>White Autumn Crocus</i>
<i>macrantha.</i> <i>Long-spined Thorn</i>	<i>Byzantinus.</i> <i>Byzantine Crocus</i>
<i>maroccana.</i> <i>Morocco Thorn</i>	<i>cancellatus.</i> <i>Cross-barred Crocus</i>
<i>mexicana.</i> <i>Mexican Thorn</i>	<i>Cartwrightianus.</i> <i>Cartwright's Crocus</i>
<i>nigra.</i> <i>Black-fruited Thorn</i>	<i>Clusii.</i> <i>Clusius's Crocus</i>
<i>orientalis.</i> <i>Eastern Thorn</i>	<i>dalmaticus.</i> <i>Dalmatian Crocus</i>
<i>ovalifolia.</i> <i>Oval-leaved Thorn</i>	<i>Damascenus.</i> <i>Damascus Crocus</i>
<i>Oxyacantha.</i> <i>Azzy-tree, Bird-Eagles, Common Haw-thorn, May or May-bush, Quick or Quick-set Thorn, White-thorn</i>	<i>Elwesi.</i> <i>Elves's Crocus</i>
<i>Oxyacantha plena.</i> <i>Double White Haw-thorn</i>	<i>etruscus.</i> <i>Tuscan Crocus</i>
<i>Oxyacantha var. coccinea.</i> <i>Scarlet Haw-thorn</i>	<i>Fleischeri.</i> <i>Fleischer's Crocus</i>
<i>Oxyacantha var. coccinea plena.</i> <i>Double Scarlet Haw-thorn</i>	<i>Hadriaticus.</i> <i>Adriatic Crocus</i>
<i>Oxyacantha var. pendula.</i> <i>Weeping Haw-thorn</i>	<i>Imperati.</i> <i>Imperati's Crocus</i>
<i>Oxyacantha var. praecox.</i> <i>Glastonbury Thorn, St. Joseph of Arimathea's Thorn</i>	<i>Kotschyuanus.</i> <i>Kotschy's Crocus</i>
<i>Oxyacantha var. rosea.</i> <i>Pink-flowered Haw-thorn</i>	<i>lacteus.</i> <i>Cream-coloured Crocus</i>
<i>Oxyacantha var. rosea plena.</i> <i>Double Pink Haw-thorn</i>	<i>lagenaeflorus.</i> <i>Bottle-flowered Crocus</i>
<i>parvifolia.</i> <i>American Dwarf Thorn, Gooseberry-leaved Haw-thorn</i>	<i>longiflorus.</i> <i>Long-flowered Crocus</i>
<i>prunifolia.</i> <i>Plum-leaved Thorn</i>	<i>luteus.</i> <i>Common Yellow Crocus</i>
<i>punctata.</i> <i>Dotted-fruited Thorn</i>	<i>medius.</i> <i>Intermediate Crocus</i>
<i>purpurea.</i> <i>Purple-branched Thorn</i>	<i>minimus.</i> <i>Pigmy Crocus</i>
<i>Pyracantha.</i> <i>Christ's Thorn, Egyptian Thorn, Evergreen Thorn, Fire-bush</i>	<i>nudiflorus</i> (C. multifidus). <i>Naked-flowered Crocus</i>
<i>Pyracantha fructu-albo.</i> <i>White-berried Pyracanth</i>	<i>obscurus.</i> <i>Dark-flowered Crocus</i>
<i>pyrifolia.</i> <i>Pear-leaved Thorn</i>	<i>ochroleucus.</i> <i>Straw-coloured Crocus</i>
<i>spathulata.</i> <i>Spathulate-leaved Thorn</i>	<i>odorus.</i> <i>Sicilian Saffron, Sweet-scented Crocus</i>
<i>tanacetifolia.</i> <i>Tansy-leaved Haw-thorn</i>	<i>Orphanides.</i> <i>Orphanides' Crocus</i>
<i>tomentosa.</i> <i>American Black-thorn or Pear-thorn</i>	<i>peloponesiacus.</i> <i>Morean Crocus</i>
<i>trilobata.</i> <i>Three-lobed-leaved Thorn</i>	<i>pulchellus.</i> <i>Mount Athos Crocus</i>
<i>virginica.</i> <i>Virginian Thorn</i>	<i>pusillus.</i> <i>Dwarf Crocus</i>
<i>Crataeva gynandra</i> and C. Tapia. <i>Garlic Pear</i>	reticulatus (C. susianus). <i>Cloth-of-Gold Crocus</i>
<i>Crawfurdia japonica.</i> <i>Climbing Gentian</i>	<i>Saltzmannianus.</i> <i>Saltzmann's Crocus</i>
<i>Crepis.</i> <i>Hank's-beard</i>	<i>sativus.</i> <i>Common Saffron-plant, Saffron Crocus</i>
<i>aurea.</i> <i>Golden Hank's-beard</i>	<i>serotinus</i> (C. autumnalis). <i>Late-blooming Crocus</i>
<i>biennis.</i> <i>Rough Hank's-beard</i>	<i>Sieberi</i> (C. nivalis). <i>Sieber's Crocus</i>
<i>fetida.</i> <i>Fetid Hank's-beard</i>	<i>speciosus.</i> <i>Large Autumn Crocus</i>
<i>hieracioides.</i> <i>Hawk-weed, Hawk's-beard</i>	<i>stellaris.</i> <i>Star-flowered Crocus</i>
<i>paludosa.</i> <i>Marsh Hank's-beard</i>	<i>sulphureus.</i> <i>Sulphur-flowered Crocus</i>
<i>rubra.</i> <i>Red-flowered Hank's-beard</i>	<i>vernus.</i> <i>Spring Crocus</i>
<i>taraxacifolia.</i> <i>Beaked Hank's-beard</i>	<i>vernus</i> var. <i>niveus.</i> <i>White Spring Crocus</i>
<i>virens.</i> <i>Smooth Hank's-beard</i>	<i>versicolor.</i> <i>Various-coloured Crocus</i>
<i>Crescentia.</i> <i>Calabash-tree</i>	<i>Weldeni.</i> <i>Welden's Crocus</i>
<i>Cujete.</i> <i>Jamaica or Oval-fruited Calabash-tree</i>	<i>Crotalaria.</i> <i>Castanet-plant, Rattle-wort arborescens.</i> <i>Cape Rattle-snake-plant juncea.</i> <i>Bengal Hemp-plant, Sunn-Hemp sagittalis.</i> <i>Rattle-box tenuifolia.</i> <i>Jubbulpore Hemp-plant</i>
<i>Crinum angustifolium.</i> <i>Narrow-leaved Queensland Lily</i>	<i>Croton balsamiferum.</i> <i>Sea-side Balsam, Sea-side Sage</i>
<i>asiaticum.</i> <i>Asiatic Poison-bulb</i>	<i>Cascarilla</i> (C. Eleuteria). <i>Cascarilla-Bark Tree, W. Indian Sweet-wood, Wild Rosemary of Jamaica</i>
<i>australe</i> (C. pedunculatum). <i>Murray Lily</i>	<i>flavens.</i> <i>Yellow Balsam</i>
<i>capense.</i> <i>Cape Lily</i>	<i>gossypifolium.</i> <i>Blood-tree</i>
<i>giganteum.</i> <i>Large African Lily</i>	<i>humile.</i> <i>Pepper-rod</i>
<i>longifolium.</i> <i>Bengal Lily</i>	(Aleurites) <i>lacciferum.</i> <i>Gum-Lac Tree</i>
<i>spectabile.</i> <i>Cape Coast Lily</i>	<i>lucidum.</i> <i>False Bahama Cascarilla</i>
<i>Crithmum maritimum.</i> <i>Crest-marine, Peter's Cress, Samphire, Sea-Fennel</i>	<i>Malambo.</i> <i>Malambo, or Matius-bark-tree</i>
<i>Critho regiceras.</i> <i>Nepaul Barley</i>	<i>niveum.</i> <i>Copalchi-Bark-plant</i>
	<i>Pseudo-China.</i> <i>Mexican Copalchi-plant</i>
	<i>sebiferum.</i> <i>Tallow-tree</i>
	<i>Sloanei.</i> <i>Jamaica Cascarilla</i>
	<i>Tiglum.</i> <i>Croton-oil-plant</i>

- Croton** (*Chrozophora*) *tinctorum*. *Dyers Litmus-plant*, or *Turnsole variegatum*. *Variegated Laurel of India Verreauxii*. *Queensland Poison-tree*
- Crucianella**. *Cross-wort, Petty Madder maritima*. *Sea-side Cross-wort stylosa*. *Large-styled Cross-wort*
- Crupina**. *Starry Scabious*
- Cryptocarya**. *Australian Nutmeg (Laurus) australis*. *Moreton Bay Laurel glaucescens*. *Laurel of N. S. Wales moschata*. *Brazilian Nutmeg-tree*
- Cryptostegia** *grandiflora*. *India-rubber Vine madagascariensis*. *Madagascar Caoutchouc-plant*
- Cryptostemma** *calendulacea*. *Cape-weed of Australia*
- Cryptotaenia canadensis**. *American Honewort*
- Ctenium americanum**. *Tooth-ache-grass*
- Cubeba officinalis**. *Cubeb or Java Pepper*
- Cucubalus bacciferus**. *Berry-bearing Campion*
- Cucumis**. *Cucumber, Melon Anguria*. *Prickly-fruited Gherkin-Cucumber*
- Chate*. *Hairy Cucumber cicatrisatus*. "Wungee"-plant
- Citrullus*. *Water-melon (Citrullus) Coccynthis*. *Bitter Apple, Coccoynth*
- Conomon*. "Connemon" of Japan
- Dudaim*. *Apple Cucumber, Cucumber Vine, Sweet-scented Melon flexuosus*. *Snake-Cucumber*
- Melo*. *Common Melon prophetarum*. *Globe-Cucumber sativus*. *Common Cucumber*
- Cucurbita**. *Gourd, Pumpkin, Squash maxima*. *Great Pumpkin, Winter Squash Melopepo*. *Elector's-cap Gourd, Jerusalem-artichoke Gourd, Melon-pumpkin Squash ovifera*. *Vegetable Marron ovifera var. Succada*. *Succade Gourd Pepo*. *Common Pumpkin, Summer Squash perennis*. *Perennial Gourd verrucosa*. *Long Squash*
- Culcitium**. *Cushion-plant, or Lion's-ear, of the Andes*
- Cuminum Cyminum**. *Cumin, or Cummin-plant*
- Cunila Mariana**. *American Dittany*
- Cunonia capensis**. *Red Alder, of the Cape*
- Cupania americana**. *Loblolly-wood, of Jamaica*
- anacardioides*. *Brush-Deal, of Queen-land*
- australis*. *Tamarind-tree, of Australia*
- xylocarpa*. *Queensland Marsh Hickory*
- Cuphea eminens**. *Cigar-flower Jorullensis*. *Beetle-Sage silenoides*. *Catch-fly Loose-strife viscosissima*. *Blue Wax-Bush or Wax-weed*
- Cupressus**. *Cypress disticha*. *Deciduous Cypress excelsa*. *Tall Guatemala Cypress funebris*. *Funereal Cypress Goveniana*. *Goven's Californian Cypress Lawsoniana (C. fragrans)*. *Ginger Pine, Oregon White Cedar, Port Orford Cedar lusitanica*. *Cedar of Goa lusitanica var. pendula*. *Cedar of Bussaco, Portugal Cypress macrocarpa*. *Monterey Cypress Nutkänsis*. *Nootha Sound Cypress sempervirens*. *Common Pyramidal Evergreen, or Italian Cypress sempervirens var. horizontalis*. *Horizontal Cypress sempervirens var. stricta*. *Upright Cypress thurifera*. *Incense-bearing Mexican Cypress thyoides*. *White Cedar torulosa*. *Bhotan Cypress Whitleyana*. *Upright Indian Cypress Curatella americana*. *Sand-paper-tree Cureas multifidus*. *Jatropha, or Pinhoën-oil-plant purgans*. *Barbadoes Nut-plant, Jatrophæ, Napala, or Physic-nut-oil-plant Curculigo*. *Weevil-plant Cureuma Amada*. *Amada, or Mango, Ginger angustifolia*. *E. Indian Arrow-root-plant aromatica*. *Wild Turmeric-plant longa*. *Common Turmeric-plant Zedoaria*. *Round Zedoary*
- Zerumbet*. *Long Zedoary Curtisia faginea*. *Assagay, Assegay, or Hassagay, Tree Cuscuta*. *Dodder capitata*. *Bengal Dodder Epilinum*. *Flax Dodder, Wild Flax Epithymum*. *Hell-weed, Small Dodder, Thyme Dodder europea*. *Greater Dodder, Hell-weed, Strangle-tare Trifolii*. *Ail-weed, Clover Dodder Cyananthus incanus*. *Hoary-leaved Cyananth lobatus*. *Lobed-leaved Cyananth Cyathea arborea*. *Tasmanian Cup-Fern Burkei*. *Burke's Tree-Fern dealbata*. *Silvery Tree-Fern medullaris*. *Black-stemmed Tree-Fern, Gray Tree-Fern*
- Cyathodes Oxycedrus**. *Prickly Cedar, or Sharp Cedar, of Van Dieman's Land Cycadææ*. *Fern-Palms Cycas circinalis*. *Sago-Palm, of the E. Indies revoluta*. *Fern-Palm, or Sago-Palm, of Japan Cyclamen*. *Apple-of-the-Earth, Dilnote, Mitre-flower africanum* (C. algeriense macrophyllum). *Large-leaved Cyclamen Atkinsii*. *Atkins's Cyclamen Coum*. *Round-leaved Cyclamen Coum album*. *White-flowered Round-leaved Cyclamen Coum vernum* (C. Coum zonale). *Variegated Round-leaved Cyclamen*

Cyclamen europaeum. <i>Bleeding Nun, European or Common Cyclamen, Sow-bread hederæfolium. Ivy-leaved Cyclamen ibericum. Iberian Cyclamen Neapolitanum. Neopolitan Cyclamen persicum. Persian Cyclamen vernum (C. repandum). Spring Cyclamen Cyclanthera pedata. Climbing Cucumber Cyclobothra pulchella. Golden Star Tulip</i>	<i>Cypripedium japonicum. Japanese Lady's-slipper macranthum. Siberian Lady's-slipper niveum. Snow-white Lady's-slipper parviflorum. Small Yellow Lady's-slipper pubescens. Large Yellow Lady's-slipper, American Valerian, Nerve-root, Noah's Ark, Umbel, Yellow Moccasin-flower spectabile. Showy Lady's-slipper</i>
Cycloomba platyphyllum (Salsola platyphilla). <i>Winged Pig-weed</i>	<i>Cystopteris alpina. Alpine Bladder-Fern angustata. Narrow-fronded Bladder-Fern dentata. Toothed Bladder-Fern fragilis. Brittle Bladder-Fern montana. Mountain Bladder-Fern</i>
Cyclopia genistoides. <i>Bush-Tree, of the Cape</i>	<i>Cytisus. Milk-Trefoil, Shrub-Trefoil, Tree-Trefoil</i>
Cynoches. <i>Swan-neck, Swan-wort Loddigesii. Swan-flower, of Surinam</i>	<i>Adami. Adam's Laburnum albidus. Whitish-flowered Laburnum albus. Portugal Laburnum alpinus. Scotch Laburnum Ardoinii. Pigmy Laburnum argenteus. Silver-leaved Laburnum austriacus. Austrian Laburnum biflorus. Two-flowered Laburnum calycinus. Large-calyzed Laburnum capitatus. Cluster-flowered Laburnum ciliatus. Fringed-podded Laburnum falcatus. Sickle-podded Laburnum fragrans. Sweet-scented Laburnum grandiflorus. Large-flowered Laburnum hirsutus. Hairy Laburnum incarnatus. Flesh-coloured Laburnum Laburnum. Common Bean-Trefoil, Common Laburnum, False Ebony, Golden Chain, Golden-rain, He Broom Laburnum var. pendulus. Weeping Laburnum laniger. Woolly Laburnum lecanthus. White-flowered Laburnum mollis. Soft-leaved Laburnum multiflorus. Many-flowered Laburnum nanus. Dwarf Laburnum nigricans. Black-rooted Broom nubigenus. Tenerife Broom orientalis. Oriental Laburnum patens. Spreading Laburnum polytrichus. Many-haired Laburnum proliferus. Proliferous Laburnum purpureus. Purple-flowered Laburnum racemosus. Evergreen Laburnum (Sarothamnus) scoparius. Common Broom serotinus. Late-flowering Laburnum sessiliflorus. Stalkless-flowered Laburnum spinosus. Prickly Laburnum supinus. Trailing Broom triflorus. Three-flowered Laburnum</i>
Cynodon Dactylon. <i>Bahama Grass, Bermuda Grass, Dog's-tooth Grass, Doob Grass, Doorda, or Doorna-grass, of India</i>	<i>Cyttraria Darwini. Beech Fungus sp. Edible Tree-fungus, of Tierra del Fuego</i>
Cynoglossum. <i>Hound's-tongue alpinum. Alpine Hound's-tongue cheirifolium. Stock-leaved Hound's-tongue montanum (C. sylvaticum). Green Hound's-tongue</i>	<i>Dabeocia (Menziesia) polifolia. Irish, or St. Dabeoc's, Heath (Menziesia) var. alba. White-flowered Irish Heath</i>
Morisoni. <i>Beggar's-lice officinale. Common Dog's-tongue or Hound's-tongue, Gipsy-flower virginicum. Wild Comfrey, of N. America</i>	<i>Dacrydium cupressinum. Imou Pine, Red Pine or Spruce, Rimu-tree, of New Zealand</i>
Cynomorium coccineum ("Fungus melitensis"). <i>Scarlet Mushroom, of Malta</i>	<i>Franklini. Huon Pine</i>
Cynorchis. <i>Dog-Orchis</i>	<i>Dacryodes hexandra. Dominica Gum-tree</i>
Cynosurus cristatus. <i>Dog's-tail, or Dog's Grass, "Traneen" Grass echinatus. Cock's-comb Grass indicus. East Indian Wire-grass corymbosa. E. Indian Matting-Grass elegans. Knife-leaved Rush-plant esculentus. "Chufa," Earth, or Ground Almond, Edible Itush-nut longus. Cypress-root, Galangale, Galingale, Sweet Cypress proliferus. "Tagasaste"-plant rotundus var. Hydra. Nut-grass, or Rush-nut, of N. America tegetum. Galingale Itush</i>	
Cypripedium. <i>Lady's Slipper, Moccasin or Moccasin Flower</i>	
acaule. <i>Stemless Lady's-slipper</i>	
arietinum. <i>Ram's-head Lady's-slipper</i>	
barbatum. <i>Bearded Lady's-slipper</i>	
candidum. <i>Small White Lady's-slipper</i>	
caudatum. <i>Long-tailed Lady's-slipper</i>	
guttatum. <i>Hardy Spotted Lady's-slipper</i>	
humile. <i>Noah's Ark</i>	
insigne. <i>Twin-flowered Lady's-slipper</i>	
Irapeanum. <i>Mexican Lady's-slipper, Pelican-flower</i>	

- Dactylis** glomerata. *Cock's-foot Grass, Dem Grass, Hard Grass, Orchard Grass, Sticky Grass*
glomerata var. aurea. *Golden-edged Cock's-foot Grass*
- Dactyloctenium.** *Comb Finger-grass*
ægyptiacum. Egyptian Grass
- Dæmonorops.** *Rope-Palm*
- Dahlia** (Georgina) coccinea. *Scarlet Dahlia*
imperialis. *Giant or Tree Dahlia, Imperial Dahlia*
scapigera. *Long-flower-stemmed Dahlia*
superflua (vars. of). *Florists' Dahlia*
Yuarezi. *Cactus-Dahlia*
- Dais** cotinifolia. *African Button-flower*
- Dalbergia** Brownei. *W. Indian May-flower*
latifolia. *East Indian Black-wood or Ebony-tree, East Indian Rose-wood*
Melanoxyylon. *Senegal Ebony-tree*
nigra. *Brazilian Rose-wood, Caviuna-wood-tree, Rose-wood of commerce*
sissoides. *East Indian Rose-wood*
Sissoo. *Sissoo-wood, or Sissum-wood*
- Dalibarda** repens (D. violæoides). *False Violet*
- Dammara.** *Wax Pine*
(*Agathis*) australis. *Kauri, Kawrie, or Kowrie Pine-tree, New Zealand Copal-resin-plant*
- (*Agathis*) loranthifolia. *Amboyna Pitch-tree*
orientalis. *Amboyna Pine, Dammar Pine*
ovata. *New Caledonia Kauri Pine*
robusta (D. Brownii). *Dundathe Pine, Queensland Kauri Pine*
- Daniellia** thurifera. *Bumbo, or Bungo-tree, Frankincense-tree, of Sierra Leone*
- Danthonia.** *Wild Oat-grass, of North America*
penicillata. *Wallaby-Grass*
strigosa. *Bristle-pointed Oat*
- Daphne** alpina. *Alpine Daphne*
altaica. *Altaiian Daphne*
Aucklandiae. *Lady Auckland's Daphne*
cannabina (D. papyracea). *Indian-paper-tree*
chinensis. *Chinese Daphne*
Cneorum. *Garland Flower*
collina. *Neapolitan Daphne*
Fortunei. *Fortune's Daphne*
Gnidium. *Flax-leaved Daphne*
indica. *Indian Daphne*
indica var. rubra. *Red-flowered Indian Daphne*
japonica. *Japan Daphne*
Lagetta. *Lace-bark Tree*
Laureola. *Copse Laurel, Dwarf Bay, Spurge Laurel, Wood Laurel*
- Mezereum. *Dwarf Bay, Mezereon, Mysterious Plant, Spurge-Flax, Spurge-Olive*
neapolitana. *Neapolitan Daphne*
odora. *Sweet-scented Daphne*
odora variegata. *Variegated Daphne*
oleoides. *Olive-leaved Daphne*
pontica. *Pontic Daphne*
pubescens. *Downy Daphne*
rupestris. *Rock Daphne*
salicifolia. *Willow-leaved Daphne*
sericea. *Silky Daphne*
striata. *Streaked-barked Daphne*
- Daphne** Tariton-raira. "Herb Terrible,"
Silvery-leaved Daphne
Thymelæa. *Smooth-leaved Daphne*
tinifolia. *Bonnace, or Burn-nose-Tree, of Jamaica*
viridiflora. *Green-flowered Daphne*
- Daphnidostaphylis** glauca. *Red Bark, of California*
- Darlingtonia** Californica. *Californian Pitcher-plant*
- Dasyosoma.** *False Fox-glove*
- Datisca** cannabina. *Cretan Hemp-plant*
hirta. *American False Hemp*
- Datura** alba. *East Indian Thorn-apple*
arborea. *Tree Thorn-apple*
ceratocaula. *Horn-stalked Thorn-apple*
fastuosa. *Purple-flowered Thorn-apple*
ferox. *Long-spined Thorn-apple*
Metel. *Downy Thorn-apple*
- Stramonium** Apple-peru, *Common Thorn-apple, Devil's-trumpet, Dewtry, James-town-weed, Stink-weed*
- Tatula.** *Blue-flowered Thorn-apple*
- Daucus** Carota. *Bee's-nest, Bird's-nest, Wild Carrot*
Gingidium. *Shining-leaved Carrot*
(*Caucalis*) orientalis. *Candy Carrot*
Visnaga. *Spanish Carrot, or Pick-tooth*
- Davallia** fijiensis. *Fijian Hare's-foot Fern*
Mariesi. *Japan Hare's-foot Fern*
- Davidsonia** pruriens. *Queensland Itch-tree*
- Daviesia.** *Native Hop, of Australia*
latifolia. *Native Hop, of Victoria*
- Delabechea** rupestris. *Bottle-tree, or "Gouty-stemmed Tree," of Australia*
- Delphinium.** *Dolphin-flower, Larkspur*
Ajacis and vars. *Rocket Larkspur*
albiflorum. *White-flowered Larkspur*
alpinum. *Alpine Bee-Larkspur*
azureum. *Azure-flowered Larkspur*
Beatonii. *Beaton's Larkspur*
Belladonna. *Belladonna Larkspur*
bicolor. *Blue-and-white-flowered Larkspur*
cashmerianum. *Cashmere Larkspur*
- Consolida.** *Branching Larkspur, King's Consound, Knight's Spur, Wild Larkspur*
elatum. *Common Bee-Larkspur*
elegans. *Elegant Larkspur*
exaltatum. *American Bee-Larkspur*
formosum. *Showy Larkspur*
grandiflorum. *Large-flowered, or Siberian, Larkspur*
grandiflorum fl.-pl. *Double Siberian Larkspur*
- grandiflorum var. rubrum. *Large Red-flowered Larkspur*
- hyacinthiflorum. *Hyacinth-flowered Larkspur*
intermedium. *Intermediate Larkspur*
Keteleeri. *Keteleer's Larkspur*
moschatum. *Musk-scented Larkspur*
nudicaule. *Dwarf Red Larkspur*
puniceum. *Scarlet-flowered Larkspur*
Staphisagria. *Louse-wort, Stavesacre*
tricorne. *Three-spurred Dwarf Larkspur*
trolliifolium. "Cow-poison," of California
- Dendrobium** Myosurus. *Mouse-tail Orchid*
speciosum. *Rock-lily, of N. S. Wales*

- Dendrocalamus strictus.** *Male Bamboo*
Dendromecon rigidum. *Californian Poppy-tree or Tree-Poppy*
Dentaria. *American Pepper-root, Tooth-wort bulbifera.* *Bulb-bearing or Common Tooth-wort, Coral-root, Tooth-cress, Tooth-Violet*
digitata. *Shony Tooth-wort*
diphylla. *Two-leaved Tooth-wort*
enneaphylla. *Nine-leaved Tooth-wort*
pentaphylla. *Five-leaved Tooth-wort*
binnata. *Seven-leaved Tooth-wort*
polyphylla. *Many-leaved Tooth-wort*
trifolia. *Three-leaved Tooth-wort*
- Dentella repens.** *Australian Tooth-flower*
Desmodium. *Tick-Trefoil, West Indian Honeysuckle*
Aparines. *Bed-straw Tick-Trefoil*
canadense. *Canadian Tick-Trefoil*
Dilleni. *Dillen's Tick-Trefoil*
gyrans. *Moving Plant, Telegraph-plant*
japonicum. *Japanese Tick-Trefoil*
tortuosum. *Cock's-head, of the W. Indies*
- Desmoncus macracanthos.** *Jacitara Palm*
Detarium senegalense. "Dattock," of W. Tropical Africa
- Deutzia gracilis.** *Japanese Snow-flower*
Dialium guineense. *Velvet Tamarind, of Sierra Leone*
indicum. *Tamarind-Plum*
- Dianella.** *Flax-Lily, of Australia*
cœrulea. *Paroo Lily*
- Dianthera americana.** *American Water-Willow*
repens. *Balsam-herb*
- Dianthus.** *Pink*
alpinus. *Alpine Pink*
arbuscula. *China Tree-Pink*
arenarius. *Sand Pink*
Armeria. *Deptford Pink*
atropurpurea. *Dark-red Italian Pink*
barbatus. *London Tuft, Sweet William*
*barbatus var. *angustifolius.** *Sweet John*
*barbatus var. *magnificus.** *Double Red Sweet William*
cæsius. *Cheddar Pink, Clove Pink, Cliff Pink, Mountain Pink*
Carthusianorum. *German Pink*
Caryophyllus. *Carnation, Carnation, Clove Gilly-flower, Clove Pink, Coronation*
Caryophyllus var. *fruticosus.* *Shrubby Clove Pink*
caucasicus. *Caucasian Pink*
chinensis and vars. *Chinese Pink, Indian Pink, "Mignonette" of the French*
collinus. *Hungarian Pink*
corsicus. *Corsican Pink*
deltoides. *Maiden Pink*
dentosus. *Amoor Pink, Toothed Pink*
diadematus. *Diadem Pink*
Dunnettii *superba.* *Maroon - coloured Pink*
Fischeri. *Fischer's Pink*
floribundus. *Free-flowering Pink*
fragrans. *Sweet-scented Pink*
glacialis. *Glacier Pink*
hispanicus. *Spanish Pink*
Hedewigi. *Single-flowered Japan Pink*
- Dianthus Hedewigi** var. *diadematus.* *Double-flowered Japan Pink*
Hedewigi var. *laciniatus.* *Cut-flowered Japan Pink*
neglectus. *Grass Rose Pink*
petraeus. *Rock Pink*
pinifolius. *Pine-leaved Pink*
plumarius and vars. *Common Garden Pink, Feathered Pink, Indian Eye, Pheasant's-eye Pink*
plumarius var. *annulatus.* *Ringed-flowered Pink*
prolifer. *Proliferous Pink*
pungens. *Fragrant White Pink*
ramosissimus. *Bush Pink*
ruthenicus. *Russian Pink*
sinensis (*D. chinensis*). *Indian Pink*
suavis. *Sweet Pink*
superbus. *Fringed Pink*
sylvestris. *Wood Pink*
Tymphrestes. *Mt. Tymphrestes Pink*
vaginatus. *Sheathed Pink*
versicolor. *Colour-changing Pink*
viscidus. *Viscid Pink*
- Dicentra** (*Dieleytra*) *canadensis.* *Squirrel-corn*
Cucullaria. *Breeches-flower, Dutchman's-Breeches*
formosa. *Common Bleeding-Heart*
eximia. *Plumy Bleeding-Heart*
spectabilis. "Locks and Keys," *Seal-flower, Showy Bleeding-Heart*
- Dichelachne crinita.** *Australian Mouse Grass*
Dichopsis (*Isonandra*) *Gutta.* *Gutta-percha-tree*
- Dicksonia antarctica.** *Tasmanian Tree-Fern, Woolly Tree-Fern*
arborescens. *St. Helena Tree-Fern*
(Balantium) Culcita. *Cushion-Fern, of Madeira*
- dissecta.* *Jamaica Tree-Fern*
lanata and *squarrosa.* *New Zealand Tree-Fern*
pilosiuscula. *Hay-scented-Fern*
- Dicranum.** *Fork-Moss*
adiantoides. *Maiden-hair Fork-Moss*
bryoides. *Mungo Park's Moss*
cerviculatum. *Red-necked Fork-Moss*
flavescens. *Yellowish Fork-Moss*
fulvellum. *Tawny Fork-Moss*
glaucum. *White Fork-Moss*
heteromallum. *Silky-leaved Fork-Moss*
pellucidum. *Pellucid Fork-Moss*
scoparium. *Broom Fork-Moss*
- Dictamnus caucasicus.** *Caucasian Fraxinella*
Fraxinella. *Burning Bush, Dittany, Fraxinella, Gas-plant*
Fraxinella var. *albus.* *White-flowered Fraxinella*
- Dicypellium caryophyllum.** *Cayenne Rose, Clove-bark-tree, Clove Cassia, Pepper-wood*
- Dieffenbachia** (*Caladium*) *seguina.* *Dumb Cane*
- Dielytra.** See *Dicentra*
- Diervilla canadensis** (*D. trifida*). *Bush-Honeysuckle*

- Diates** (*Iris*) bicolor. *Butterfly Flag*
- Digitalis.** *Fox-glove*
ambigua. *Great Yellow Fox-glove*
grandiflora. *Large-flowered Fox-glove*
lanata. *Woolly Fox-glove*
lutea. *Small Yellow Fox-glove*
Mariana. *Sierra Morena Fox-glove*
obscura. *Willow-leaved Fox-glove*
ochroleuca. *Cream-coloured Fox-glove*
purpurea. *Dead-Men's-Bells, Bloody Finger, Common Fox-glove, Fairy Fingers, Finger Flower, Flap Dock, Lasmore Thapsi, Mullein Fox-glove*
- Digitaria sanguinalis.** *Red Finger-grass*
- Dillenia** *sarmentosa* and *D. scabrella.* *Sand-paper-tree*
- Dimorphotheca pluvialis.** *Great Cape Marigold*
- Dioidia teres** and *D. virginica.* *Button-weed*
- Dionaea muscipula.** *Venus's Fly-trap*
- Dioscorea aculeata.** *Kaawi Yam*
alata. *Red or White Yam, Uvi Yam*
Batatas. *Chinese, or Japanese, Yam*
bulbifera. *Yam, of Granada or Guinea*
Nummularia. *Money-wort-Yam, Tivoli Yam*
sativa. *Common Cultivated Yam*
trifida. *Indian Yam*
villosa. *American Wild Yam, Colic-root*
- Diosma** (*Coleonema*) *alba.* *African Sleet-bush*
- Diospyros** *Ebenaster.* *E. Indian Ebony, Omander-wood, of Ceylon*
Ebenum. *Ceylon Ebony*
Embryopteris. *Tumika-oil-plant*
Kaki. *Chinese Date-Plum, Keg-fig of Japan*
Kurzii. *Marble-wood, of the Andaman Islands*
Lotus. *European Date-plum*
Mabola (*D. discolor*). *Mabolo-tree*
Melanoxylon. *Coromandel Ebony-tree*
oppositifolia and *D. quæsita.* *Calamander, or Coromandel-wood*
reticulata. *Mauritius Ebony*
tetrasperma. *Pigeon-wood*
Texana. *Mexican Persimmon*
virginiana. *Persimmon-tree, Virginian Date-Plum*
virginiana var. *pubescens.* *Downy-leaved Virginian Date-Plum*
- Diotis maritima.** *Sea Cotton-weed, Sea Cudweed*
- Diphollis nigra.** *Bastard-tree or Bastard Bully-tree*
salicifolia. *Pigeon-wood, White Bully-tree*
- Diphyllieia cymosa.** *Umbrella-leaf*
- Diplarrhena Moræa.** *White Lily, of Tasmania*
- Diplopappus.** *Double-bristled Aster*
rigidus. *Rigid Double-bristled Aster*
- Diplotaxis muralis.** *Stink-weed*
tenuifolia. *Wall-Rocket*
- Diplothemium maritimum.** *Brazilian Coast Palm*
- Dipsacus.** *Teasel, "Venus's Bason"*
Fullonum. *Draper's Teasel, Fuller's Teasel or Thistle*
- Dipsacus pilosus.** *Shepherd's-rod or Shepherd's-staff, Small Teasel*
sylvestris. *Barber's Brushes, Card-thistle, Church Brooms, Shepherd's-rod, Wild Teasel*
- Dipterix eboënsis** (*D. oleifera*). *Eboe Nut-tree*
odorata. *Tonquin Bean-tree*
- Dipterocarpus.** Several species yield the "Wood Oil" of Medicine
tinctorius. *Gurjun-tree, Wood-oil-plant*
- Dirca palustris.** *Leather-wood, Moose-wood*
- Dissa grandiflora.** *Table Mountain Orchid*
- Discaria Toumatou.** *New Zealand Hawthorn, "Wild Irishman," of New Zealand*
- Discopleura.** *Mock Bishop-weed*
- Disemma** (*Passiflora*) *Herbertiana* and *D. coccinea* (*Passiflora Banksii*). *Australian Passion-flower*
- Diuris sulphurea.** *Dragon's-head, of Tasmania*
- Dodecatheon.** *American Cowslip*
elegans. *Elegant-flowered American Cowslip*
integerrimum. *Entire-leaved American Cowslip*
Jeffreyanum. *Giant American Cowslip*
Meadia. *Common American Cowslip, Shooting-star*
Meadia var. *splendens.* *Deep rose-coloured American Cowslip*
- Dodonæa.** *Native Hop, of Australia*
viscosa. *Switch-Sorrel, of Jamaica*
Waitziana. *Iron-wood, of Dutch E. Indies*
- Dolichos.** *Hyacinth-Bean*
albus. *White Hyacinth-Bean*
bicontortus. *Ram's-horn Bean*
biflorus. *Horse-gram*
Catjang. *Red Gram*
(Lab-lab) cultratus. *Japan Lab-lab*
filiformis. *Cat's-claw*
Lab-lab. *Egyptian Kidney-Bean, Purple Hyacinth-Bean*
(Lab-lab) perennans. *White China Lab-lab*
(Mucuna) pruriens. *Horse-eye Bean*
sesquipedalis. *Asparagus Bean*
(Vigna) sinensis. *Chowlee-plant*
Soya. *Chinese Soy-plant*
sphaerospermus. *Black-eyed Pea, of the W. Indies*
tuberous. *Yam Bean*
uniflorus. *Horse-gram*
(Mucuna) urens. *W. Indian Cow-itch*
(Lab-lab) vulgaris. *Common Lab-lab*
- Doliocarpus Calinea.** *Water-vine, of Guiana*
- Dombeya natalensis.** *Cape Wedding-flower*
- Dondia** (*Hacquetia, Astrantia*) *Epipactis. Dwarf Master-wort*
- Doona zeylanica.** *Doon-tree, of Ceylon*
- Dorema Ammoniacum.** *Gum Ammoniacum-plant*
- Doronicum austriacum.** *Austrian Leopard's-bane*
caucasicum. *Caucasian Leopard's-bane*
(Aronicum, Arnica) Clusii. *Clusius's Leopard's-bane*

Doronicum <i>Columnae. Columna's Leopard's-bane</i>	Drosera. <i>Sun-dew</i>
<i>nudicaule. American Leopard's-bane</i>	<i>anglica. Great English Sun-dew</i>
<i>Pardalianches. Common, or Cray-fish, Leopard's-bane</i>	<i>auriculata. Climbing Sun-dew</i>
<i>plantagineum. Plantain-leaved Leopard's-bane</i>	<i>binata. Old-man's Eye-brow</i>
Dorstenia <i>Contrayerva. Contrayerva-root-plant, South American Snake-root</i>	<i>dichotoma. Double-leaved Sun-dew</i>
Doryanthes <i>excelsa. Australian Giant Lily</i>	<i>filiformis. Thread-leaved Sun-dew</i>
<i>Palmeri. Spear-Lily, of Queensland</i>	<i>linearis. Slender Sun-dew</i>
Dorycnium. <i>Venomous Trefoil fruticosum. Spear-Pea</i>	<i>longifolia. Long-leaved Sun-dew</i>
Doryphora <i>Sassafras. Australian Sassafras</i>	<i>rotundifolia. Common or Round-leaved Sun-dew, Lust-wort, Red-rot, Youth-wort</i>
Draba. <i>Whitlow-grass</i>	Drosophyllum <i>lusitanicum. Portuguese Sun-dew</i>
<i>aizoides. Sea-green Whitlow-grass</i>	Dryas Drummondi. <i>Yellow-flowered Dryad</i>
<i>Aizoon. Hairy-podded Whitlow-grass</i>	<i>octopetala. Mountain Avens, White-flowered Dryad</i>
<i>alpina. Alpine Whitlow-grass</i>	<i>tenella. Labrador Mountain Avens</i>
<i>aurea. Danish Whitlow-grass</i>	Drymaria cordata. W. Indian Chick-weed
<i>boeotica. Pale-yellow-flowered Whitlow-grass</i>	Drymoglossum. Wood-tongue
<i>ciliaris. Large Yellow-flowered Whitlow-grass</i>	Dryobalanus aromatica. Camphor-tree, of Borneo
<i>ciliata. Fringed Whitlow-grass</i>	Drypetes glauca. Wild Orange, of the W. Indies
<i>cinerea. Gray Whitlow-grass</i>	Duboisia Hopwoodii. "Pitchery-bidgery," Pitury-shrub, of Australia
<i>cuspidata. Pointed-leaved Whitlow-grass</i>	<i>myoporoides. Cork-wood, of N. S. Wales</i>
<i>gigas. Large Whitlow-grass</i>	Duguetia quaiarensis. Lance-wood, of Cuba or Guiana
<i>glacialis. Glacier Whitlow-grass</i>	Duranta. Sky-flower
<i>lasiocarpa. Woolly-podded Whitlow-grass</i>	Durio zibethinus. Durian, or Duryon-tree
<i>nivalis. Pigmy Whitlow-grass</i>	Dysodia chrysanthemoides. Fétid Marigold
<i>rupestris. Rock Whitlow-grass</i>	Dysoxylon rufum. Bastard Cedar-pencil-wood, of N. S. Wales
<i>Sauteri. Sauter's Whitlow-grass</i>	Ecastaphyllum Brownei. W. Indian May-flower
<i>stellata. Starry Whitlow-grass</i>	Ecbalium agreste (Momordica Elaterium). Squirting Cucumber
<i>tomentosa. Woolly-leaved Whitlow-grass</i>	Eccremocarpus scaber. Chilian Glory-flower
<i>tridentata. Three-toothed Whitlow-grass</i>	Echinacea. Black Sampson, Purple Cone-flower
<i>verna. Common Nail-wort or Whitlow-grass</i>	<i>angustifolia. Narrow-leaved Purple Cone-flower</i>
<i>violacea. Violet-flowered Whitlow-grass</i>	Echinaria capitata. Hedge-hog Plant
Dracæna. <i>Dragon-plant</i>	Echinocactus electracanthus. Fly Cactus
<i>(Cordyline) australis. Hardy Dragon-plant, New Zealand Dragon-plant, or Ti-plant</i>	<i>myriostigma. Silvery Hedge-hog Cactus</i>
<i>borealis. Oval-leaved Dragon-plant</i>	<i>polycephalus. Many-headed Hedge-hog Cactus</i>
<i>Draco.</i> <i>Dragon's-blood-tree, Dragon-tree, of the Canary Islands</i>	<i>Simpsoni. Simpson's Hardy Hedge-hog Cactus</i>
<i>Goldieana. Zebra-striped Dragon-plant</i>	Echinochloa Crus-corvi. Crow's-foot Grass
<i>(Cordyline) indivisa. Hardy Dragon-plant</i>	Echinocystis lobata. Canadian Mock-apple, Wild Balsam-apple
<i>Dracocephalum argunense. Argunsk Dragon's-head</i>	Echinophora spinosa. Prickly Samphire, Sea-Parsnip
<i>austriacum. Austrian Dragon's-head</i>	Echinops. Globe-thistle
<i>grandiflorum. Betony-leaved Dragon's-head</i>	<i>bannaticus. Hungarian Globe-thistle</i>
<i>moldavicum. Moldavian Balm</i>	<i>exaltatus. Tall Globe-thistle</i>
<i>peregrinum. Prickly-leaved Dragon's-head, Twin-flowered Dragon's-head</i>	<i>Ritro. Small Globe-thistle</i>
<i>Ruyschianum. Hyssop-leaved Dragon's-head</i>	<i>ruthenicus. Russian Globe-thistle</i>
Dracontium <i>polyphyllum. Labaria-plant, of Demerara</i>	<i>sphaerocephalus. Great Globe-thistle</i>
Dracophyllum <i>latifolium and D. Traversi. "Nei-Nei"-plant, of New Zealand</i>	Echinospermum. Stick-seed
Drepanocarpus <i>lunatus. S. American Sickle-pod</i>	Echites nutans. Drooping Savannah-flower
Drimys <i>aromatica. Tasmanian Pepper-plant</i>	Echium. Viper's-Bugloss
<i>axillaris. Pepper-shrub, of New Zealand</i>	<i>pyrenaicum. Pyrenean Viper's-Bugloss</i>
<i>dipetala. Pepper-shrub, of N. S. Wales</i>	<i>rubrum. Red-flowered Viper's-Bugloss</i>
<i>Winteri. Winter's Bark, or Winter's Cinnamon</i>	<i>violaceum. Purple Viper's-Bugloss</i>

- Echium vulgare.** *Blue-weed*, of N. America,
Bugloss, *Common Viper's-Bugloss*, *Viper's-grass*
- Ecklonia buccinalis.** *Cape Trumpet-Sea-weed*, *Horn-plant*
- Eclipta brachypoda.** *American False Daisy*
- Edgeworthia Gardneri.** *Indian-paper-tree*
- Edraianthus Pumilio.** *Silvery Dwarf Hare-bell*
Pumiliorum. *Thrift-leaved Dwarf Hare-bell*
- Edwardsdia grandiflora** and E. microphylla.
New Zealand Laburnum
- Ehretia tinifolia.** *Bastard Cherry*, of the W. Indies
- Ekebergia capensis.** *Cape Ash-tree*
- Elæagia utilis.** *Varnish-tree*, or *Wax-tree*, of New Granada
- Elæagnus.** *Oleaster*
angustifolia. *Bohemian* or *Narrow-leaved Oleaster*, *Wild Olive*, *Zakkoum-oil-plant*
argentea. *Missouri Silver-berry* or *Silver-tree*, *Silvery-leaved Oleaster*
parvifolia. *Small-leaved Oleaster*
reflexa variegata. *Variegated Oleaster*
- Elæis guineensis.** "Macaw-fat," of the W. Indies, *Oil-Palm*, of Guinea
melanococca. *Caiané Palm*
- Elæocarpus grandis.** *Queensland Bracelet-tree*
Hinau. *Hinau*, or *Hino-tree*, of New Zealand
persicæfolius. *New Caledonia Bracelet-tree*
- Elæodendron australe.** *Olive-wood*, of N. S. Wales
croceum. *Saffron-wood*, of S. Africa
glaucum. *Ceylon Tea-tree*
integrifolium. *Olive-wood*, of Australia orientale. E. *Indian Olive-wood Tree*
- Elæoselinum.** *Marsh Parsley*
- Elaphomyces.** *Deer Balls*, *Hart's Truffles*, *Lycoperdon Nuts*
- Elatine.** *Water-wort*
americana. *American Water-wort*
Hydropiper. *Small Water Pepper-wort*
- Eleocharis.** *Spike-rush*
caspitosa. *Deer's-hair*
- Elephantopus.** *Elephant's-foot*
carolinensis. *Elephant's-foot*, of Carolina seabr. *Rough Elephant's-foot*
- Elettaria** (*Alpinia*) *Cardamomum.* *Small*, or *Malabar*, *Cardamoms*
- Eleusine coracana.** *Natchnee-plant*, or *Ruegee-plant*, of India
indica. *Crab-grass*, or *Dog's-tail-grass*, of N. America, *Wire-grass*
- Ellobocarpus oleraceus.** *Pod-Fern*
- Elymus.** *Lyme-grass*, *Wild Rye*, of N. America
arenarius. *Common Lyme-grass*
condensatus. *Bunch-grass*, of British Columbia
- Embothrium spathulatum.** *Australian Waratah Tree*
- Embryopteris glutinifera.** *Wild Mango-steen*
- Emmenosperma alphonioides.** *Illawarra Dog-wood*
- Empetrum nigrum.** *Black-berried Heath*, *Crake-berry*, *Crown-berry*, *Monox*, *Monnagh*, or *Mooneg Heather*
- Encalypta.** *Extinguisher Moss*
- Encephalartos Caffer.** *Caffe-Bread*
- Endandra glauca.** *Teak*, of N. S. Wales
virens. *Bat-and-Ball-tree*, of N. S. Wales
- Entada.** *Sword-Bean*
Gigalobium. *Sea-side Chestnut-plant*
Purætha. "Lady-nut"-tree
(*Mimosa*) scandens. *Match-box Bean*, of Queensland, *Cacoön* or *Cocoon*, of the W. Indies, *Scimitar-pod-plant*, "W. Indian Filbert"-tree
- Entelea arborescens.** *Mulberry*, or *Cork-tree*, of New Zealand
- Epacris.** *Australian Heath*
exserta. *Tasmanian Heath*
grandiflora. *Large-flowered Australian Heath*
- Eperua falcata.** *Wallaba-tree*, of Guiana
- Ephedra distachya.** *Great Shrubby Horse-tail*, *Sea-Grape*
monostachya. *Small Shrubby Horse-tail*
- Epidendrum conopseum.** *Bartram's Tree-Orchid*, *Florida Tree-Orchid*
- macrochilum.* *Dragon's-mouth Orchid*
Vanilla (*Vanilla planifolia*, V. *aromatica*). *Vanilla-plant*, of commerce
- Epigæa repens.** *American Ground-Laurel*, *May-flower* of New England, *Trailing Arbutus*
- Epilobium.** *Willow-herb*
alpinum. *Mountain Willow-herb*
alsinæfolium. *Chick-weed-leaved Willow-herb*
angustifolium. *Bay-Willow*, *Blood Vine*, *Blooming Sally*, *French* or *Persian Willow*, *Rose Bay*, *Rose Elder*
angustifolium var. *album.* *White-flowered Willow-herb*
- coloratum.* *American Willow-herb*
Dodonæi. *Dodonæa's Willow-herb*
hirsutum. *Apple-pie*, *Cherry-pie*, *Coddins-and-Cream*, *Custard-cups*, *Fiddle Grass*, *Gooseberry-pie*
- luteum.* *Yellow-flowered Californian Willow-herb*
- montanum.* *Broad-leaved Willow-herb*
- obcordatum.* *Dwarf Californian Willow-herb*
- palustre.* *Marsh Willow-herb*
- parviflorum.* *Hoary Willow-herb*
- roseum.* *Pale-flowered Willow-herb*
- rosmarinifolium* (E. *angustissimum*). *Rosemary-leaved Willow-herb*
- tetragonum.* *Square-stemmed Willow-herb*
- Epimedium alpinum.** *Bishop's-Hat*, *Common Barren-wort*
diphyllum (*Aceranthus diphylloides*). *Two-leaved Barren-wort*
- macranthum* (E. *grandiflorum*). *Large-flowered Barren-wort*
- Muschianum.* *Muschi's Barren-wort*
- pinnatum.* *Large-flowered Barren-wort*
- purpureum.* *Purple-flowered Barren-wort*
- violaceum.* *Violet-flowered Barren-wort*
- Epipactis.** *Helleborine*
palustris. *Marsh Helleborine*

- Epiphegus virginiana.** *Cancer-root, Virginian Beech-drops, Virginian Broom-rapé.*
- Epiphyllum.** *Leaf-flowering Cactus truncatum. Common Winter Cactus*
- Epipremnum mirabile.** *Tonga-plant*
- Equisetum.** *Horse-tail, Joint Grass, Pad-dock-pipes, Scrub Grass arvense. Bottle-Brush, False Horse-tail hyemale. Dutch Rush, Pewter-wort, Rough Horse-tail, Scouring Rush, Shave-grass limosum. Smooth Horse-tail Mackaii. Mackay's Horse-tail maximum. Fox-tailed Asparagus Moorei. Moore's Horse-tail palustre. Marsh Horse-tail ramosum. Long-branched Horse-tail robustum. American Horse-tail scirpoideus. Dwarf Horse-tail sylvaticum. Bottle-Brush, Wood Horse-tail*
- Telmateia. Great Horse-tail umbrosum. Blunt-topped Horse-tail variegatum. Variegated Horse-tail Wilsoni. Wilson's Horse-tail*
- Eragrostis elegans.** *Feather-grass, Love-grass*
- Eranthis hyemalis.** *Winter Aconite, Winter Hellebore, Winter Wolf's-bane*
- Erechthites hieracifolia** (*Senecio hieracifolius*). *American Fire-weed*
- Eremochloe.** *Desert-grass, of California*
- Eremophila.** *Desert Fuchsia, of Australia Mitchellii. Sandal-wood, of Queensland*
- Eremostachys.** *Desert-Rod*
- Erianthus.** *Woolly Beard-grass Ravennæ. Giant Woolly Beard-grass, Ravenna-grass*
- Erica.** *Heath arborea.* "Briar-root," of which pipes are made, *Tree Heath*
- australis. Spanish Heath*
- baccans. Berried Heath*
- carnea. Spring or Winter Heath*
- carnea var. alba. White-flowered Spring Heath*
- carnea var. hibernica. Connemara Heath, Black Heath, Carlin Heather, Scotch Heather, She Heather*
- ciliaris. Fringed Heath*
- codonodes. Bell-flowered Heath*
- mediterranea (E. carnea). Mediterranean Heath*
- multiflora. Many-flowered Heath*
- polytrichifolia. Polytrichum-leaved Heath*
- sicula. Sicilian Heath*
- stricta. Upright Heath*
- Tetralix. Bell Heath, or Bell Heather, Cross-leaved Heath*
- vagans. Cornish Heath, Moor Heath*
- Erigenia bulbosa.** *Harbinger-of-Spring*
- Erigeron acris.** *Blue-flowered Flea-bane*
- alpinus (E. uniflorus). Mountain Flea-bane*
- annuus. Daisy Flea-bane, Sweet Scabious of N. America*
- bellidifolius. Robin's Plantain*
- canadensis. Canadian Flea-bane, Butterweed, Horse-weed, Pride-weed, Colt's-tail*
- Erigeron glabellus.** *Smoothish Flea-bane*
- glaucus. Glaucous-leaved Flea-bane*
- grandiflorus. Large-flowered Flea-bane* (*Leptostelma*) *maximus. Mexican Daisy*
- mucronatus. Australian Flea-bane*
- multiradiatus. Many-rayed Flea-bane*
- Roylei. Royle's Flea-bane*
- speciosus (Stenactis speciosa). Showy Flea-bane*
- strigosus. Daisy Flea-bane*
- Erinosma.** *St. Agnes's-flower*
- Eriobotrya (Mespilus) japonica.** *Loquat, or Japan Medlar*
- Eriocaulon septangulare.** *Pipe-wort*
- Eriocoma cuspidata.** *Silk-grass, of N. America*
- Eriodendron.** *Silk Cotton-tree*
- anfractuosum (Bombax Ceiba). Cabbage-wood, Ceiba-tree, God-tree, Silk Cotton-tree of the W. Indies*
- orientale. East Indian White Silk Cotton-tree*
- Samauma. Silk Cotton-tree, of the Amazon*
- Eriodictyon californicum.** *Tar-bush, of California*
- Eriogonum fasciculatum.** "Bee-feed," or *Wild Buck-wheat, of California*
- Eriophorum.** *Cotton-grass, Cotton-rush, Moor-pawms, Moss-crops, Wild Cotton capitatum (E. Scheuchzeri). Globe Cotton-grass polystachyum. Common Cotton-sedge, Downy Ling, Tassel Cotton-grass*
- vaginatum. Canna-down, Cannach, Common Moss-crops, Hare's-tail Rush*
- Erisma Japura.** *Japura Tree, of Brazil*
- Erithalis fruticosa.** *Jasmine-scented-wood Tree*
- Eritrichium nanum.** *Fairy Borage*
- Ernodea littoralis.** *Branched Spurge*
- Erodium.** *Heron's-bill*
- alpinum. Alpine Heron's-bill*
- caruifolium. Caraway-leaved Heron's-bill*
- cheilanthes-leaved Heron's-bill*
- Ciconium.** *Long-beaked Heron's-bill*
- cicutarium.** *Common Heron's-bill, Pin-clover, or Pin-grass, of California, Wild Musk*
- hymenodes.** *Pelargonium Heron's-bill, Three-leaved Heron's-bill*
- macradenum.** *Black-eyed Heron's-bill*
- Manescavi.** *Showy Heron's-bill*
- maritimum. Sea-side Heron's-bill*
- moschatum. Ground-needle, Musk Heron's-bill*
- petraeum. Rock Heron's-bill*
- Reichardi.** *Fairy Heron's-bill*
- romanum.** *Roman Heron's-bill*
- trichomanefolium.** *Fern-leaved Heron's-bill*
- Erpetion.** *Spurless Violet*
- reniforme (Viola hederacea). Australian Pansy, New Holland Violet*
- Eruca sativa.** *Edible or Salad Rocket*
- Ervum dispermum.** *Indian Vetch*
- Ervilia.** *Black Bitter Vetch, Ers, Pigeon's-pea*
- hirsutum. Rough-podded Tare*

Ervum *Lens*. *Common Lentil, Red Pottage Pea*
monanthos. *One-flowered Tare*
Eryngium *alpinum*. *Alpine Eryngio*
amethystinum. *Amethystine Eryngio*
Bourgati. *Bourgati's Eryngio*
bromeliacifolium. *Pine-apple-leaved Eryngio*
campestre. *Field Eryngio*
eburneum. *Ivory-leaved Eryngio*
fœtidum. *Fitt-weed*
giganteum. *Giant Eryngio*
maritimum. *Sea Eryngio, Sea Holly*
pandanifolium. *Palm-leaved Eryngio*
planum. *Flat-leaved Eryngio*
pusillum. *Dwarf Eryngio*
spinâ-albâ. *White-spined Eryngio*
yuccafolium. *Button Snake-root, Rattle-snake's Master*

Erysimum *Alliaria*. "Eileber," *Garlic-wort, Sauce-alone*
arkansanum. *Western Wall-flower*
cheiranthoides. *Treacle-Mustard, Treacle-Worm-seed*
ochroleucum (*Cheiranthus alpinus*). *Alpine Wall-flower*
odoratum. *Sweet-scented Hedge-Mustard*
pachycarpum. *Himalayan Wall-flower*
Perofskianum. *Perofsky's Dwarf Wall-flower*
pulchellum. *Rock Wall-flower*
pumilum. *Fairy Wall-flower*
Rhaeticum. *Rhaetian Dwarf Wall-flower*

Erythrea. *Blush-wort, "Canchalagua," of California*
aggregata. *Clustered Blush-wort*
Centaurium. *Centaury, "Cristaldre," Earth-gall, Fever-wort*
littoralis. *Sea-shore Blush-wort*

Erythrina *Caffra*. *Kaffir's-tree*
Corallodendron. *Red Bean-tree, West Indian Coral-tree*
indica. *East Indian Coral-tree, Mootchie-wood*
monosperma. *Gum-Lac-tree, "Pismire-tree"*

Erythrolæna *conspicua*. *Scarlet Mexican Thistle*

Erythronium *albidum*. *White Dog's-tooth Violet*
americanum. *Serpent's-tongue, Yellow Adader's-tongue, Yellow Dog's-tooth Violet*
Dens-canis. *Common Dog's-tooth Violet*
giganteum. *Giant Dog's-tooth Violet*
grandiflorum. *Oregon Dog's-tooth Violet*
Nuttallianum. *Nuttall's Dog's-tooth Violet*

Erythrophleum *guineense*. *Gree-Gree-tree, or Sassy-tree, of Sierra Leone, Orange-bark-tree*
leonense. *Red-water Tree, of Sierra Leone*

Erythroxylon *areolatum*. *Jamaica Iron-wood*
Coca. *Coca-bush, or Spadic-bush, of S. America*
laurifolium. *Laurel-leaved Red-wood Tree*

Escallonia *macrantha*. *Chilian Gum-Box*

Eschscholtzia *californica*. *Californian Poppy, "Chrisceis"*
californica var. *alba*. *White Californian Poppy*

Eschscholtzia *californica* var. *crocea*
Orange Californian Poppy
californica var. *crocea rosea*. *Pink Californian Poppy*

Espeletia. *Lion's-ear, of the Andes*

Eucalyptus. *Australian Gum-tree*
albens. "White Box," of Australia, *White Gum-tree*
amygdalina. *Australian Kino-tree, Giant Gum-tree, Red Gum-tree, Tasmanian Peppermint-tree, "Wangara"-tree*
botryoides. *Blue Gum-tree, Swamp Mahogany, of N. S. Wales*
calophylla. *Red Gum-tree*
capitellata. *Peppermint-tree, Stringy-bark-tree*
coriacea. *Flooded, Swamp, Weeping, or White Gum-tree, Peppermint-tree*
cornuta. *Yate-tree or Yeit-tree*
corymbosa. *Blood-wood, of Victoria*
corynocalyx. *Sugar Gum-tree*
crebra. *Australian Iron-bark*
dealbata. "Gray Box," of Victoria, *River Gum-tree*
decipiens. *Flooded Gum-tree*
diversicolor. *Blue Gum-tree, Karri-tree of S. W. Australia*
doratoxylon. *Spear-wood, of Australia*
drapanophylla. *Australian Iron-bark*
dumosa. "Mallee"-tree, of Australia
eximia. *Blood-wood, of Australia, Rusty Gum-tree*
ficifolia. *Scarlet-flowered Gum-tree*
gigantea. *Stringy-bark-tree, of Tasmania*
globulus. *Blue Gum-tree, Fever Gum-tree*
gomphocephala. "Toart"-tree, of S. W. Australia
goniocalyx. *Spotted or White Gum-tree*
Gunnii. "Cider-tree," of Tasmania
haemastoma. *Blue or Spotted Gum-tree, Mountain Ash, of N. S. Wales*
Laboucherii. *Queensland Iron-bark*
Leucoxylon. *Australian Iron-bark, "Bastard Box," of Victoria, Black Mountain Ash*
Leucoxylon minor. *White Gum-tree*
longifolia. "Woolly-but"
loxopbleba. *York Gum-tree*
macrorhynca. *Stringy-bark-tree*
maculata. *Spotted Gum-tree*
maculata var. *ctriodora*. *Lemon-scented Gum-tree*
mannifera. *Manna-tree, of Australia*
marginata. *Jarrah-wood, Mahogany of S. W. Australia*
megacarpa. *Blue Gum-tree*
melanophloia. *Australian Iron-bark*
mellioida. *Red Gum-tree, "Yellow Box"*
obliqua. "Mess-mate," *Stringy-bark-tree*
odorata. *Peppermint-tree, Red Gum-tree*
oleosa. "Mallee"-tree, of Victoria
paniculata. *Blood-wood, of Queensland, She Iron-bark*
paniculata var. *fasciculosa*. *White Gum-tree*
pillaris. "Black-but," of S. Queensland and N. S. Wales, *Stringy-bark-tree*
pillularis var. *acmenioides*. *White Mahogany, of N. S. Wales*

Eucalyptus *Piperita*. *Stringy-bark-tree*, *Tasmanian Peppermint-tree*
platypus. *Maalok-tree*, of Australia
polyanthemos. *Lignum-vite*, of N. S.
Wales, "Red Box," of S. E. Australia,
Gippsland "Den"-tree
populifolia. "Bembil," *Shining-leaved Box Eucalyptus*
pulverulenta. *Argyle Apple*, *Silver-leaved Iron-bark Tree*
punctata. *Hickory-Eucalypt*, or *Leather-jacket*, of N. S. Wales
redunda. "Wandoo"-tree
resinifera. *Botany Bay Kino-tree*, *Gray* or *Red Gum-tree*, *Hickory* of N. S. Wales,
Leather-jacket, *Red Mahogany* of N. S. Wales
resinifera var. *Forest Mahogany* of N. S. Wales
Risdoni. *Drooping* or *Risdon Gum-tree*
robusta. *Brown Gum-tree*, *Swamp* or *White Mahogany*, of N. S. Wales
rostrata. *Jarrah-wood*, *Flooded Gum-tree*, *Red*, *River*, or *White Gum-tree*
rudis. *Flooded* or *Swamp Gum-tree*
saligna. *Gray* or *White Gum-tree*
salmonophloia. *Salmon-barked Gum-tree*
salubris. *Gimlet-wood*, *Fluted Gum-tree*
Sideroxylon. *Red Iron-bark Tree*
Sieberiana (*E. virgata*). "Gum-top"
stellulata. *Green*, *Olive-green*, *Lead*, or *White Gum-tree*
Stuartiana. *Apple-scented Gum-tree*, *But-but-tree*, of Australia, *Hickory*, of N. S. Wales
Stuartiana var. *longifolia*. *Turpentine Gum-tree*
tereticornis. *Blue* or *Red Gum-tree*
triantha (*E. acmenoides*). *White Mahogany*
viminalis. *Blue*, *Drooping*, or *Peppermint Gum-tree*, *Manna Gum-tree*, "Woolly-butt"
virgata. "Gum-top," *Mountain-Ash*, of N. S. Wales
Eucharis *amazonica*. *Amazon Lily*
Sanderi. *Sander's Lily*
Eucheuma *speciosum*. *Australian Jelly-plant*
Euchlæna (*Reeana*) *luxurians*. *Teosinte-grass*
Eucomis. *Pine-apple-flower*
regia. *King's Flower*
Eucryphia *pinnata*. *Brush-Bush*
Euerigeron *Philadelphicus*. *Frost-weed*, *Squaw-weed*
Eugenia. *W. Indian Myrtle*
(Jambos) acida. *Dome Myrtle*
acris. *Wild Clove-tree*
axillaris. *Red Rod-wood*
disticha. *Wild Coffee* of the W. Indies
fragrans. *Zebra-wood* of Jamaica
Jambos (*Jambosa vulgaris*). *E. Indian Rose-apple*, *Malabar Plum*
lineata. *Guava-berry*
Michellii. *Cayenne Cherry*
(Jambosa) malaccensis. *Malay Rose-apple*
neurocalyx. *Leba-tree*, of Fiji
pallens. *Black Rod-wood*

Eugenia *Pimenta*. *Jamaica Allspice-tree*, *W. Indian Bay-berry-tree*
Smithii. "Lilly Pillies," of Victoria
supra-axillaris. "Tata," of Brazil
Ugni. *Edible-fruited* or "Fruiting" *Myrtle*, *Ugni-shrub*, of Chili
uniflora. *Barbadoes Cherry*
variabilis. *Malay Tea-tree*
Eulalia *japonica* *zebrina*. *Zebra-striped Rush*
Eulophia *campestris*. *E. Indian Salep-plant*
Euonymus. *Spindle-tree*
americanus. *Strawberry-bush*, of N. America
angustifolius. *Narrow-leaved Spindle-tree*
atropurpureus. *Burning-bush*, *Waahoo*, of N. America
europaeus. *Ananbeam*, *Dog-wood*, *Cat-tree*, *Cat-wood*, *Louse-berry-tree*, *Peg-wood*, *Prick-wood*, *Skewer-wood*, *Spindle-tree*
europaeus fructu-albo. *White-fruited Spindle-tree*
fimbriatus. *Fringed Spindle-tree*
garciniaefolius. *Garcinia-leaved Spindle-tree*
grandiflorus. *Large-flowered Spindle-tree*
Hamiltonianus. *Hamilton's Spindle-tree*
japonicus. *Japanese Spindle-tree*
japonicus var. *argenteus*. *Silver-edged-leaved Spindle-tree*
japonicus var. *aureo-variegatus*. *Golden-leaved Spindle-tree*
japonicus var. *radicans*. *Japanese Box*
japonicus radicans *variegatus*. *Variegated Dwarf Spindle-tree*
japonicus var. *tricolor*. *Three-coloured-leaved Spindle-tree*
latifolius. *Broad-leaved Spindle-tree*, *Large-fruited Spindle-tree*
nanus. *Dwarf Spindle-tree*
obovatus. *Obovate-leaved Spindle-tree*
sarmamentosus. *Trailing-stemmed Spindle-tree*
Sieboldianus. *Pai-cha-wood*
verrucosus. *Warty-barked Spindle-tree*
Eupatorium *ageratoides*. *Nettle-leaved Hemp-Agrimony*, *White Snake-root*
aromaticum. *Aromatic Hemp-Agrimony*
cannabinum. *Andurion*, *Common Hemp-Agrimony*, *Dutch Agrimony*, *Hemp-weed*, *Holy Hope*, *Water Agrimony*, *Water Hemp*
glutinosum. *Matico*, of the Peruvians
hyssopifolium. *American Bone-set*, *Thorough-wort*
perfoliatum. *Bone-set*, *Indian Ague-weed*, *Vegetable Antimony*
purpureum. *Gravel-root*, *Joe-Pye-Weed*, *Purple Hemp-Agrimony*, *Trumpet-weed*
sessilifolium. *Upland Bone-set*
teucriifolium. *Wild Horehound*
tripinnerve. "Ayapana"
Euphorbia. *Devil's-milk*, *Gum-thistle*, *Spurge*, *Wolf's-milk*
amygdaloidea. *Wood-Spurge*
antiquorum. *Cattemundoo*, or *Callemundoo Gum-plant*
arborea. *Zebra-poison*, of S. Africa
balsamifera. *Balsam Spurge*

Euphorbia Caput-Medusæ. <i>Medusa's-Head</i>	Exocarpus cypressiformis. <i>Native Cherry</i> , of Australia
Cattimandoo. <i>Caoutchouc-plant</i> , of Madras	Exochorda (<i>Spiraea</i>) <i>grandiflora</i> . <i>Pearl-bush</i>
corollata. <i>White-flowered Spurge</i>	Exogonium <i>Purga</i> . <i>Jalap-plant</i> (true)
cucumerina. <i>Cucumber Spurge</i>	Exostemma <i>caribaeum</i> . " <i>Caribbean Bark</i> "-tree, <i>Sea-side Beech</i> , of Jamaical "W. Indian Bark"-tree
Cyprissias. <i>Cypress Spurge</i> , <i>Welcome-to-our-house</i>	floribundum. " <i>Caribean Bark</i> "-tree
dulcis. <i>Sweet Spurge</i>	
Esula. <i>Faitour's-Grass</i> , <i>Gromwell-leaved Spurge</i> , <i>Leafy Spurge</i> , <i>Quacksalver's Spurge</i> or <i>Turbitb</i>	Faba. <i>Bean</i>
exigua. <i>Dwarf Spurge</i>	<i>vulgaris</i> var. <i>chlorosperma</i> . <i>Green Windsor Bean</i>
Helioscopia. <i>Cat's-milk</i> , <i>Churn-staff</i> , <i>Irbydale Grass</i> , <i>Little-good</i> or <i>Little Goody</i> , <i>Sun-Spurge</i> , <i>Wart Grass</i> , <i>Wart-wort</i>	<i>vulgaris</i> var. <i>ensiformis</i> . <i>Long-pod Bean</i>
hiberna. <i>Irish Spurge</i> , <i>Mackinboy</i> or <i>Makin-bwee</i>	<i>vulgaris</i> var. <i>equina</i> . <i>Field, Horse, Pigeon, or Tick Bean</i>
Hystrix. <i>Porcupine Spurge</i>	<i>vulgaris</i> var. <i>hortensis</i> . <i>Garden Bean</i>
Lathyris. <i>Caper-bush</i> , <i>Caper-plant</i> , <i>Caper-Spurge</i> , <i>Euphorbia-oil-plant</i> , <i>Myrtle Spurge</i> , <i>Wild Caper</i>	<i>vulgaris</i> var. <i>macroisperma</i> . <i>Broad Windsor Bean</i>
maculata. <i>Milk Purslane</i> , <i>West Indian Eye-bright</i>	<i>vulgaris</i> var. <i>præcox</i> . <i>Mazagan Bean</i>
myrtifolia. <i>Negro's-slippers</i>	Fabiana <i>imbricata</i> . <i>False-Heath</i>
officinarum. <i>Poisonous Gum-thistle</i>	Fagara <i>lentiscifolia</i> . <i>Bastard Iron-wood</i> , or <i>Savin-tree</i> , of the W. Indies
palustris. <i>Marsh Spurge</i>	<i>Pterota</i> . <i>Iron-wood</i> , of the W. Indies
Paralias. <i>Sea-side Spurge</i>	<i>microphylla</i> . <i>Ram-goat</i>
Peplis. <i>Hyssop-Spurge</i> , <i>Purple Spurge</i>	Fagopyrum <i>esculentum</i> . <i>Brank, Buckwheat</i>
Peplus. <i>Petty Spurge</i>	<i>cymosum</i> . <i>Perennial Buck-wheat</i> , or <i>Beech-wheat</i>
pilosa. <i>Hairy Spurge</i>	Fagus. <i>Beech-tree</i>
platyphyllus. <i>Broad-leaved Spurge</i>	<i>betuloides</i> . <i>Evergreen Beech</i> , of <i>Tierra del Fuego</i>
Portlandica. <i>Portland Spurge</i>	<i>cliffortioides</i> . " <i>White Birch</i> ," of New Zealand
prostrata. <i>Trailing Red Spurge</i>	<i>Cunninghamii</i> . <i>Tasmanian "Myrtle"</i>
punicæa. <i>Scarlet-flowered Spurge</i> , <i>Jamaica Fire-flower</i> , <i>Vegetable Leather</i>	<i>ferruginea</i> . <i>American Beech</i> , <i>Purple Beech</i>
resinifera. <i>Euphorbium Gum-plant</i>	<i>fuscus</i> . <i>New Zealand Beech</i> , <i>Towai</i> , or <i>Tawhai-tree</i>
segetalis (E. <i>Portlandica</i>). <i>Portland Spurge</i>	<i>Menziesii</i> . <i>Otago "Birch," Towai, or Tawhai-tree</i>
Tirucalli. <i>Indian Tree-Spurge</i>	<i>obliqua</i> . <i>Oblique-leaved Beech</i>
Euphorbia Litchi. <i>Chinese Li-tchi</i> , or <i>Lee-chee</i>	<i>sylvatica</i> . <i>Common Beech</i>
Euphrasia officinalis. <i>Euphrasy</i> , <i>Eye-bright</i>	<i>sylvatica</i> var. <i>asplenifolia</i> . <i>Fern-leaved Beech</i>
Euryale ferox (Anneslea spinosa). <i>Gorgon-plant</i> , <i>Prickly Water-lily</i> , of the East Indies	<i>sylvatica</i> var. <i>cristata</i> . <i>Crested Beech</i>
Euryangium Sumbul. <i>Sumbul-Root</i>	<i>sylvatica</i> var. <i>cuprea</i> . <i>Copper-coloured Beech</i>
Eurybia . <i>Daisy-tree</i> , <i>Star-wort</i>	<i>sylvatica</i> var. <i>incisa</i> . <i>Cut-leaved Beech</i>
argophylla (<i>Aster argophyllus</i>). <i>Tasmanian Musk-tree</i>	<i>sylvatica</i> var. <i>pendula</i> . <i>Weeping Beech</i>
lyrata. <i>Tasmanian Daisy-tree</i>	<i>sylvatica</i> var. <i>purpurea</i> . <i>Purple Beech</i>
ramulosa. <i>Shrubby Star-wort</i>	<i>Solandri</i> . " <i>White Birch</i> ," of New Zealand
Eurycles amboinensis. <i>Amboyna Lily</i>	Fallucia <i>paradoxa</i> . <i>Apache Plume</i>
australasicæ (E. Cunninghamii). <i>Brisbane Lily</i> , <i>Moreton Bay Lily</i>	Faramea <i>odoratissima</i> . <i>Wild Coffee</i> , or <i>Wild Jasmine</i> , of the W. Indies
Euryops speciosissimus. <i>Resin-bush</i> , of S. Africa	Farfugium <i>grande</i> . <i>Spotted Colt's-foot</i>
Eusideroxylon Zuageri. <i>Iron-wood</i> , of Dutch E. Indies	Fedia <i>Cornucopiae</i> . <i>Horn-of-Plenty</i>
Eustrephus . <i>Wombat-berry</i>	Felicia <i>tenella</i> . <i>Slender Star-wort</i>
Euterpe edulis. <i>Assai Palm</i>	Feronia <i>elephantum</i> . <i>Elephant-apple</i> , or <i>Wood-apple</i> , of India
Euxolus caudatus. <i>Small-leaved Calalu viridis</i> . <i>Green Calalu</i>	Ferraria . <i>Black Iris</i>
Evolvulus Nummularius. <i>Monkey-wort</i>	Ferula . <i>Giant Fennel</i>
Exacum guianense. <i>Guiana Centaury</i>	<i>asparagifolia</i> . <i>Asparagus-leaved Giant Fennel</i>
Excæcaria Agallocha. <i>Blinding-tree glandulosa</i> . <i>Green Ebony</i>	<i>communis</i> . <i>Common Giant Fennel</i>
Exidia Auricula-Judæ. " <i>Jew's Ears</i> ," " <i>Judas's-Ear</i> "	<i>Ferulago</i> . <i>Broad-leaved Giant Fennel</i>
glandulosa. <i>Witches-butter Fungus</i>	<i>galbanifolia</i> . <i>Galbanum-plant</i>
	(<i>Thapsia</i>) <i>garganica</i> , or <i>F. glauca</i> . Supposed to be the " <i>Silphium</i> " of the ancients

<i>Ferula glauca.</i> <i>Glaucous Giant Fennel</i> nodiflora. <i>Knotted Giant Fennel</i> <i>persica.</i> <i>Persian Asafetida</i> <i>sulcata.</i> <i>Furrowed Giant Fennel</i> (<i>Euryangium</i>) <i>Sumbul.</i> <i>Sumbul-plant</i> <i>tingitana.</i> <i>Tunqier Giant Fennel</i>	<i>Flindersia Bennettiana.</i> <i>Booyum-Boylum-</i> <i>tree, of Queensland</i> <i>maculata.</i> "Spotted-tree," of Queensland
<i>Festuca.</i> <i>Fescue Grass</i> altissima. <i>Aral's Diss</i> duriuscula. <i>Hard Fescue</i> elatior. <i>Dover Grass</i> <i>glauca.</i> <i>Ornamental Blue Fescue-grass</i> (<i>Triodia</i>) <i>irritans.</i> <i>Australian Porcupine</i> <i>Grass</i>	<i>Flœckeria proserpinacoides.</i> <i>False Mermaid</i> <i>Fœniculum.</i> <i>Fennel</i> dulce. <i>Finocchio or Finicho, Sweet Fennel</i> piperitum. <i>Asses' Finocchio</i> vulgare. <i>Common Fennel, Fenkelle</i>
<i>Fœtida mauritiana.</i> <i>Stink-wood</i>	<i>Fœtidia mauritiana.</i> <i>Stink-wood</i>
<i>Fontinalis.</i> <i>Water-Moss</i> antipyretica. <i>Greater Water-Moss</i> squamosa. <i>Alpine Water-Moss</i>	<i>Fontinalis.</i> <i>Water-Moss</i> antipyretica. <i>Greater Water-Moss</i> squamosa. <i>Alpine Water-Moss</i>
<i>Fontanesia phillyraeoides.</i> <i>Syrian Privet</i> <i>Forsythia suspensa.</i> <i>Japanese Golden-ball</i> <i>tree</i>	<i>Fontanesia phillyraeoides.</i> <i>Syrian Privet</i> <i>Forsythia suspensa.</i> <i>Japanese Golden-ball</i> <i>tree</i>
<i>Myurus.</i> <i>Mouse-tail or Rat's-tail Grass</i> <i>ovina.</i> <i>Sheep's Fescue-grass</i> <i>pratensis.</i> <i>Meadow Fescue-grass</i> <i>rubra.</i> <i>Red or Creeping Fescue-grass</i> <i>scabrella.</i> <i>Bunch-grass, of British Colum-</i> <i>bia</i>	<i>viridissima.</i> <i>Chinese Golden-ball Tree</i>
<i>Myurus.</i> <i>Mouse-tail or Rat's-tail Grass</i> <i>ovina.</i> <i>Sheep's Fescue-grass</i> <i>pratensis.</i> <i>Meadow Fescue-grass</i> <i>rubra.</i> <i>Red or Creeping Fescue-grass</i> <i>scabrella.</i> <i>Bunch-grass, of British Colum-</i> <i>bia</i>	<i>Fothergilla alnifolia.</i> <i>American Witch</i> <i>Alder</i>
<i>Fouquiera splendens.</i> <i>Californian Candle-</i> <i>wood</i>	<i>Fouquiera splendens.</i> <i>Californian Candle-</i> <i>wood</i>
<i>Fourcroya gigantea.</i> <i>Giant Mexican Lily</i>	<i>Fourcroya gigantea.</i> <i>Giant Mexican Lily</i>
<i>Fragaria.</i> <i>Straw-berry</i> <i>chilensis.</i> <i>Chili Straw-berry</i> <i>collina.</i> <i>Alpine, or Green Pine Straw-berry</i> <i>elatior.</i> <i>Hautbois Straw-berry</i> <i>indica.</i> <i>Indian Straw-berry, Rock Straw-</i> <i>berry</i>	<i>Fragaria.</i> <i>Straw-berry</i> <i>chilensis.</i> <i>Chili Straw-berry</i> <i>collina.</i> <i>Alpine, or Green Pine Straw-berry</i> <i>elatior.</i> <i>Hautbois Straw-berry</i> <i>indica.</i> <i>Indian Straw-berry, Rock Straw-</i> <i>berry</i>
<i>Francescea uniflora.</i> <i>Vegetable Mercury</i>	<i>Francescea uniflora.</i> <i>Vegetable Mercury</i>
<i>Frangula caroliniana.</i> <i>Alder-Buckthorn,</i> of N. America	<i>Frangula caroliniana.</i> <i>Alder-Buckthorn,</i> of N. America
<i>Frankenia laevis.</i> <i>Common Sea Heath</i> pulverulenta. <i>Mealy Sea Heath</i>	<i>Frankenia laevis.</i> <i>Common Sea Heath</i> pulverulenta. <i>Mealy Sea Heath</i>
<i>Frasera verticillata.</i> <i>American Columbo-</i> <i>root, Gold Seal, Indian Lettuce</i>	<i>Frasera verticillata.</i> <i>American Columbo-</i> <i>root, Gold Seal, Indian Lettuce</i>
<i>Fraxinus.</i> <i>Ash or Ash-tree, Angelica-tree</i> of N. America	<i>Fraxinus.</i> <i>Ash or Ash-tree, Angelica-tree</i> of N. America
americana var. <i>alba.</i> <i>American White</i> <i>Ash</i>	americana var. <i>alba.</i> <i>American White</i> <i>Ash</i>
americana var. <i>aucubæfolia.</i> <i>Aucuba-</i> <i>leaved Ash</i>	americana var. <i>aucubæfolia.</i> <i>Aucuba-</i> <i>leaved Ash</i>
americana var. <i>cineræa.</i> <i>Gray Ash</i>	americana var. <i>cineræa.</i> <i>Gray Ash</i>
americana var. <i>elliptica.</i> <i>Oval-leaved</i> <i>Ash</i>	americana var. <i>elliptica.</i> <i>Oval-leaved</i> <i>Ash</i>
americana var. <i>fusca.</i> <i>Brown-branched</i> <i>Ash</i>	americana var. <i>fusca.</i> <i>Brown-branched</i> <i>Ash</i>
americana var. <i>longifolia.</i> <i>Long-leaved</i> <i>Ash</i>	americana var. <i>longifolia.</i> <i>Long-leaved</i> <i>Ash</i>
americana var. <i>mixta.</i> <i>Mixed Ash</i>	americana var. <i>mixta.</i> <i>Mixed Ash</i>
americana var. <i>ovata.</i> <i>Ovate-leaved Ash</i>	americana var. <i>ovata.</i> <i>Ovate-leaved Ash</i>
americana var. <i>pannosa.</i> <i>Cloth-leaved Ash</i>	americana var. <i>pannosa.</i> <i>Cloth-leaved Ash</i>
americana var. <i>palverulenta.</i> <i>Powdery Ash</i>	americana var. <i>palverulenta.</i> <i>Powdery Ash</i>
americana var. <i>richardii.</i> <i>Richard's Ash</i>	americana var. <i>richardii.</i> <i>Richard's Ash</i>
americana var. <i>rubicunda.</i> <i>Reddish-</i> <i>veined Ash</i>	americana var. <i>rubicunda.</i> <i>Reddish-</i> <i>veined Ash</i>
americana var. <i>boscii.</i> <i>Bosc's Ash</i>	americana var. <i>boscii.</i> <i>Bosc's Ash</i>
americana var. <i>rufa.</i> <i>Rufous-haired Ash</i>	americana var. <i>rufa.</i> <i>Rufous-haired Ash</i>
chinensis. <i>Chinese Ash</i>	chinensis. <i>Chinese Ash</i>
excelsior. <i>Common Ash-tree, Culverkeys</i>	excelsior. <i>Common Ash-tree, Culverkeys</i>
excelsior var. <i>angustifolia.</i> <i>Narrow-leaved</i> <i>Ash</i>	excelsior var. <i>angustifolia.</i> <i>Narrow-leaved</i> <i>Ash</i>
excelsior var. <i>argentea.</i> <i>Silver-striped</i> <i>leaved Ash</i>	excelsior var. <i>argentea.</i> <i>Silver-striped</i> <i>leaved Ash</i>
excelsior var. <i>aurea.</i> <i>Golden-barked Ash</i>	excelsior var. <i>aurea.</i> <i>Golden-barked Ash</i>
excelsior var. <i>pendula.</i> <i>Variegated</i> <i>Weeping Ash</i>	excelsior var. <i>pendula.</i> <i>Variegated</i> <i>Weeping Ash</i>
excelsior var. <i>fungosa.</i> <i>Fungous-barked Ash</i>	excelsior var. <i>fungosa.</i> <i>Fungous-barked Ash</i>

- Fraxinus excelsior** var. heterophylla. *Various-leaved Ash*
excelsior var. *horizontalis*. *Horizontal-branched Ash*
excelsior var. *jaspidea*. *Striped-barked Ash*
excelsior var. *Kincairnæ*. *Kincairney Ash*
excelsior var. *lutea*. *Yellow-edged-leafletted Ash*
excelsior var. *nana* (F. e. *humilis*). *Dwarf Ash*
excelsior var. *pallida*. *Pale-barked Ash*
excelsior var. *parvifolia*. *Small-leaved Ash*
excelsior var. *parvifolia argentea*. *Silvery-leaved Ash*
excelsior var. *parvifolia oxycarpa*. *Sharp-fruited Ash*
excelsior var. *pendula*. *Common Weeping Ash*
excelsior var. *purpurascens*. *Purple-barked Ash*
excelsior var. *verrucosa*. *Warted-barked Ash*
excelsior var. *verticillata*. *Whorled-leaved Ash*
floribunda. *Nepaul Ash*
lenticifolia. *Lenticus-leaved Ash*
Oregana. *Oregon Ash*
Ornus. *Flowering Ash*
Ornus var. *americana*. *American Flowering Ash*
Ornus var. *floribunda*. *Many-flowered Flowering Ash*
Ornus var. *mannifera*. *Manna-Ash-tree*
Ornus var. *rotundifolia*. *Round-leaved Flowering Ash*
Ornus var. *striata*. *Striped-barked Flowering Ash*
platycarpa. *Carolina Water-Ash*
pubescens. *American Red Ash*
quadrangulata. *American Blue Ash*
sambucifolia. *American Black Ash, Water-Ash*
Schiediana. *Schiede's Ash*
viridis. *American Green Ash*
Fremontia californica. "Slippery Elm," of California
Frenela robusta. *Murray Pine-tree*
verrucosa. *Cypress Pine*
Fritillaria. *Fritillary*
imperialis. *Crown Imperial*
latifolia. *Broad-leaved Fritillary*
Meleagris. *Chequered Daffodil, Chequered Lily, Drooping Tulip, Guinea-hen Flower, Snake's-head Fritillary*
Meleagris plena. *Double-flowered Fritillary*
Meleagris var. *alba*. *White Fritillary*
nigra. *Toad-lily*
persica. *Persian Lily*
pyrenaica. *Pyrenean Fritillary*
recurva. *Scarlet Fritillary*
tulipifolia. *Tulip-leaved Fritillary*
Fuchsia. *Ear-ring Flower, Lady's Eardrops*
coccinea. *Scarlet Fuchsia*
Colensoi. *New Zealand Fuchsia*
conica. *Conical-tubed Fuchsia*
corymbiflora. *Corymb-flowered Fuchsia*
- Fuchsia excorticata**. *Kotukutuki-tree, of New Zealand*
fulgens. *Brilliant Fuchsia*
globosa. *Globe-flowered Fuchsia*
gracilis. *Slender Fuchsia*
lycoides. *Box-thorn-leaved Fuchsia*
magellanica. *Fuegian Fuchsia*
microphylla. *Small-leaved Fuchsia*
minima. *Dwarf Trailing Fuchsia*
procumbens. *Basket Fuchsia, Trailing Fuchsia*
pumila. *Tom Thumb Fuchsia*
racemosa. *Edible-fruited Fuchsia*
Riccartoni. *Riccarton's Fuchsia*
serratifolia. *Saw-leaved Fuchsia*
Thompsoni. *Thompson's Fuchsia*
thymifolia. *Thyme-leaved Fuchsia*
Fucus amygdaceus. *Ceylon Moss*
nodosus. *Kelp-ware or Kelp-wrack, Tang or Knob-Tang*
vesiculosus. *Kelp-ware or Kelp-wrack, Ore, Ore-weed, Oar-weed, Sea Lettuce, Sea Oak*
Fuirena squarrosa. *Umbrella-grass*
Fumaria densiflora. *Dense-flowered Fumitory*
officinalis. *Common Fumitory, Fumiterre*
vesicaria. *Bladdered Fumitory*
Funaria. *Cord-Moss*
hibernica. *Irish Cord-Moss*
hygrometrica. *Hygrometric Moss*
Funkia. *Japanese Day-lily, Plantain lily*
albo-marginata. *White-margined Plantain-lily*
coerulea. *Blue Plantain-lily*
Fortunei. *Fortune's Plantain-lily*
japonica (*F. grandiflora*). *Sweet-scented Plantain-lily*
lanceolata. *Spear-leaved Plantain-lily*
ovata. *Common Blue Plantain-lily*
Sieboldi. *Siebold's Blue Plantain-lily*
subcordata. *Corfu Lily, White-flowered Plantain-lily*
undulata foliis argenteo-variegatis. *Silver-variegated Plantain-lily*
undulata foliis aureo-variegatis. *Golden-variegated Plantain-lily*
Fusanus acuminatus. *Quandang-nut, of Australia*
spicatus (*Santalum spicatum*). *Sandalwood, of W. Australia*
Gagea fistulosa. *Bright-yellow Star-of-Bethlehem*
Gahnia. *New Zealand Cutting-grass*
Gaillardia amblyodon. *Blunt-toothed Blanket-flower*
aristata. *Bristly Blanket-flower*
grandiflora. *Large-blossomed Blanket-flower*
lanceolata. *Lance-leaved Blanket-flower*
Loiselii. *Loisel's Blanket-flower*
Galactia. *American Milk-Pea*
Galanthus. *Snow-drop*
Elvesii. *Elves's Snow-drop*
Imperati. *Imperati's Snow-drop*
latifolius. *Broad-leaved Snow-drop*
lutescens. *Yellowish Snow-drop*

Galanthus nivalis. "Bulbous Violet," <i>Candlemas Bells, Common Snow-drop, Fair-Maids-of-February, Purification-flower</i>	Gastrodia Cunninghamii. <i>Peri-root, of New Zealand</i> <i>sesamoïdes. Native Potato, of Tasmania</i>
G. plicatus. <i>Crimean Snow-drop</i> <i>poculiformis. Cup-flowered Snow-drop</i> <i>præcox. Early-flowering Snow-drop</i> <i>Redoutéi. Redouté's Snow-drop</i> <i>reflexus. Reflexed Snow-drop</i> <i>Reginae Olga. Queen Olga's Snow-drop</i> <i>serotinus. Late-flowering Snow-drop</i> <i>Shaylocki. Shaylock's Snow-drop</i> <i>virescens. Greenish-flowered Snow-drop</i>	Gastrolobium bilobum and G. Callistachys. <i>Sheep-poison-plant, of Australia</i> <i>calycinum. York Road Poison, of W. Australia</i> <i>obovatum, G. spinosum, and G. trilobum. Cattle-poison-plants, of West Australia</i>
Galax aphylla. <i>Carpenter's-leaf, White-wand Plant</i>	Gaultheria antipoda. <i>New Zealand Bilberry</i> <i>procumbens. American Mountain Tea, Aromatic Winter-green, Box-berry, Chequer-berry, Creeping Winter-green, Partridge-berry, Spring Winter-green, Tea-berry</i>
Galeandra. <i>Casque-wort</i>	 Shallon. <i>Salal, or Shallon-shrub</i>
Gallega. <i>Goat's-Rue</i> <i>frutescens. Tipsy-wood</i> <i>officinalis. Common Goat's-Rue</i> <i>orientalis. Oriental Goat's-Rue</i>	Gaulthusaccia brachycera. <i>Box Huckleberry</i> <i>dumosa. Dwarf Huckle-berry</i> <i>frondosa. Blue Tangle, Dangle-berry</i> <i>resinosa. Black Huckle-berry</i>
Galeobdolon luteum. <i>Weasel's-snout, Yellow Arehangel</i>	Gazania. <i>Treasure-flower</i> <i>pavonia. Cape or Peacock Treasure-flower</i>
Galeopsis. <i>Hemp-nettle</i> <i>Ladanum. "Donninethell," Holy Hemp, Red-flowered Hemp-nettle</i> <i>ochroleuca. Downy Hemp-nettle</i> <i>Tetrahit. Bee, Day, or Daye Nettle, Common Hemp-Nettle</i> <i>willosa. Yellow Iron-wort</i>	Geaster. <i>Earth-star Fungus, Man-Fungus</i> Geijera parviflora. <i>Australian Willow</i> Geissois. <i>Tile-seed, of Australia</i> Geissorrhiza. <i>Tile-root</i> <i>juncea. Rushy Tile-root</i>
Galipea Cusparia. <i>Angostura Bark, Carony Bark, or Cusparia Bark-tree</i>	Geitonoplesium. <i>Australian Shepherd's-joy</i>
Gallium. <i>Bed-straw</i> <i>Aparine. Bur-weed, Catch-weed, Claver-grass, Clever-grass, Cleavers, Geckdor, Goose-bill, Goose-grass, Goose-tongue, Grip-grass, Gull-grass, Harif, Heiriff, Hair-eve, or Haritch, "Kandlegosses," Love-man, Mutton-chops or Mutton-tops, Turkey Grass</i> <i>aspellum. Rough Bed-straw, of N. America</i> <i>Bloomeri. Bloomer's Bed-straw</i> <i>boreale. Northern Bed-straw</i> <i>circæzans. Wild Liquorice, of N. America</i> <i>Cruciata. Cross-wort Bed-straw, Honeywort, May-wort, Mug-weed</i> <i>lanceolatum. Wild Liquorice, of N. America</i>	Gelsemium nitidum (<i>Bignonia semper-virens</i>). <i>Carolina Jasmine, Gelsemin, Wild Jessamine</i> Genipa americana. <i>Genipap-tree, Geniptree, Marmalade Box</i>
Mollugo. <i>Great Bed-straw, Hedge-straw, Sticky Grass, Wild Madder</i>	Genista. <i>Broom</i> <i>ægyptiaca. Egyptian Broom</i> <i>etnensis. Mt. Etna Broom</i> <i>amsantica (G. anxantica). Amsanto Broom</i> <i>anglica. Carlin-spurs, Cat's Whin, Moor Whin, Moss Whin, Needle Furze, Petty Whin</i> <i>aphylla. Leafless Broom, Violet-flowered Broom</i>
<i>palustre. Marsh Bed-straw</i> <i>parisiense. Wall Bed-straw</i> <i>saxatile. Heath Bed-straw</i> <i>tricorne. Corn Bed-straw</i> <i>tincturium. Small Cleavers</i> <i>uliginosum. Swamp Bed-straw</i> <i>verum. Cheese-rennet, Hundred-fold, Keeslip, Lady's Bed-straw, Maid's Hair, Yellox Bed-straw</i>	<i>bracteolata. Small-bracted Broom</i> <i>candidans. Whitish-leaved Broom</i> <i>clavata. Club-calyzed Broom</i> <i>congesta. Close-branched Broom</i> <i>diffusa. Sprawling Broom</i> <i>florida. Flowery Broom</i> <i>germanica. German Broom</i> <i>hispanica. Spanish Broom, Spanish Furze</i> <i>horrida. Large-spined Broom</i> <i>humifusa. Trailing Broom</i> <i>(Spartina) juncea. Fragrant Spanish Broom</i>
Garcinia Mangostana. <i>Mangosteen-tree</i> <i>Morella. Ceylon Gamboge-tree</i> <i>purpurea. Cocum, or Kokum-oil-plant</i>	<i>linifolia. Flax-leaved Broom</i> <i>lusitanica. Portugal Broom</i> <i>mantica. Mantuan Broom</i> <i>monosperma. White-flowered Broom</i> <i>multiflora. White Portugal Broom</i>
Gardenia edulis. <i>Bread-fruit-tree, of N. Australia</i> <i>florida. Cape Jasmine</i> <i>lucida. Dikamali, or Cambi, Resin-plant</i>	<i>ovata. Orate-leaved Broom</i> <i>parviflora. Small-flowered Broom</i> <i>patula. Spreading Broom</i> <i>pilocarpa. Hairy podded Broom</i> <i>pilosaa. Hairy Broom, Hairy Green-weed</i>
Gastonias eutispongia. <i>Sponge-wood, of the Isle of France</i>	
Gastridium lendigerum. <i>Nit-grass</i>	

Genista polygalæfolia. Milk-wort-leaved Broom
præcox. Early-flowering Broom
procumbens. Procumbent Broom
prostrata. Prostrate Broom
purgans. Purging Broom
radiata. Rayed-branched Broom
sagittalis. Arrow-jointed Broom, Hare's-foot Green-weed
Scorpius. Scorpion Broom, Scorpion-plant
sericea. Silky-leaved Broom
sibirica. Siberian Broom
sphærocarpa. Round-podded Broom
sylvestris. Wood Broom
tetragona. Quadrangular-branched Broom
tinctoria. Base Broom, Dyer's Broom,
Dyer's Green-weed, Green Weed or
Greening Weed, Kendal Green, "Widow-
wisse," Wood Waxen or Woad Waxen
tinctoria fl.-pl. Double-flowered Dyer's-
weed
triacanthos. Three-spined Broom
triangularis. Triangular-stemmed Broom
umbellata. Umbel-flowered Broom
virgata. Long-twiggled Broom

Gentiana. Gentian
acaulis. Gentianella
alba. Whitish Gentian
Amarella. Autumn Gentian, Bitter-wort,
Fel-wort
Andrewsii. Closed-flowered Gentian
asclepiadea. Milk-weed Gentian, Willow
Gentian
bavarica. Bavarian Gentian
brachyphylla. Small-leaved Gentian
Burseri. Burser's Gentian
campestris. Field Gentian
caucasica. Caucasian Gentian
cerina. New Zealand Sea-shore Gentian
crinita. Fringed Gentian
cruciata. Cross-wort Gentian
detonsa. Smaller Fringed Gentian
gelida. Cream-coloured Gentian
incarnata. Flesh-coloured Gentian
lutea. Yellow-flowered Gentian
nivalis. Small Mountain Gentian
ochroleuca. Yellowish-white Gentian
pannonica. Round-petaled Gentian
pleurogynoides. New Zealand Yellow
Gentian
Pneumonanthe. Autumn Bell-flower, Ca-
lathian Violet, Harvest Bells, Lung-
flower, Marsh Gentian
Pseudo - Pneumonanthe. Bastard Wind-
flower
punctata. Dotted-flowered Gentian
purpurea. Purple-flowered Gentian
pyrenaica. Pyrenean Gentian
quinqueflora. Five-flowered Gentian
septemfida. Crested Gentian
Saponaria. Barrel-flowered or Soap-wort
Gentian
saxosa. New Zealand Mountain Gentian
verna. "Lucy of Teesdale," Spring Gentian

Geodorum. Earthy-scented Orchid

Geoffroya. Bastard Cabbage-tree, of S.
America
superba. Almendor, or Almond-tree, of
Brazil

Geranium. Crane's-bill
anemonifolium. Anemone-leaved Crane's-
bill
armenum. Large Rosy-purple Crane's-
bill
argenteum. Silvery Crane's-bill
Backhousianum (G. armenum). Bach-
house's Crane's-bill
Carolinianum. Carolina Crane's-bill
cinereum. Gray Crane's-bill
collinum. Gill Crane's-bill
columbinum. Long-stalked Geranium,
Pigeon's-foot Crane's-bill
cristatum. Crested Crane's-bill
dissectum. Australian Geranium, Cut-
leaved Crane's-bill
Endresi. Endres's Crane's-bill
Fremontii. Fremont's Crane's-bill
ibericum. Iberian Crane's-bill
Lamberti. Lambert's Crane's-bill
lucidum. Shining-leaved Crane's-bill
macrorrhizum. Long-rooted Crane's-bill
maculatum. Crow-foot or Wild Crane's-bill
of N. America
molle. Dove's-foot Crane's-bill or Ger-
anium
odoratissimum. Geranium-oil-plant
parviflorum. Native Carrot, of Tasmania
phaeum. Dusky-flowered Crane's-bill, Mourning-Widow
platypetalum. Broad-petaled Crane's-
bill
pratense. Crow-foot, Crane's-bill, Meadow
Geranium, Wild Geranium
pusillum. Small flowered Geranium
pyrenaicum. Mountain Geranium
Robertianum. Dragon's-blood, Fox Ger-
anium, Fox Grass, Herb Robert, Nightin-
gales, Red-shanks, Stinking Robert
rotundifolium. Round-leaved Crane's-bill
sanguineum. Blood-red-flowered Crane's-
bill
sanguineum var. lancastriense. Walney
Crane's-bill
striatum. Striped Crane's-bill
subcaulescens (G. asphodeloides). Dwarf
Crane's-bill
sylvaticum. Bassinet Geranium, Wood
Crane's-bill, Wood Geranium
sylvaticum var. album. White-flowered
Crane's-bill
tuberosum. Tuberous-rooted Crane's-bill

Gerardia flava. Downy False-Fox-glove
pedicularia. American Louse-wort, Fever-
weed, Fern-leaved False-Fox-glove
purpurea. Common False-Fox-glove
queratifolia. Smooth False-Fox-glove

Gerrardanthus macrorrhiza. Natal Bitter-
root

Gethyllis. Cape Crocus

Geum aureum. Golden Avens
canadense. Chocolate-root
chiloënsis. Chiloë Avens
coccineum. Scarlet-flowered Avens
coccineum fl.-pl. Double Scarlet Avens
coccineum grandiflorum. Large-flowered
Scarlet Avens
montanum. Yellow-flowered Mountain
Avens

- Geum pyrenaicum.** *Pyrenean Avens*
repans. *Creeping Avena*
rivale. *Indian Chocolate, Drooping, Purple,*
or Water Avena
sylvaticum. *Wood Avena*
triflorum. *Three-flowered Avena*
urbanum. *City Avena, Clove-root, Herb*
Bennet, "Minarta"
virginianum. *Throat-root, White Avena*
- Gigarthina helminthocorton.** *Corsican An-*
thelmintic Sea-weed
- Gillenia trifoliata.** *Bowman's-root, Indian*
Physic, Western Drop-wort
- Stipulacea.** *American Ipêcuanha*
- Gladiolus.** *Gladiolus, Sword-lily*
angustus. *Narrow-leaved Sword-lily*
Brenchleyensis. *Brenchley Sword-lily*
cardinalis. *Cardinal-flowered Sword-lily*
Colvillei. *Colville's Sword-lily*
communis. *Fox-glove Sword-lily*
Cooperi. *Cooper's Sword-lily*
cruentus. *Blood-red Sword-lily*
dracocephalus. *Dragon's-head Sword-lily*
Gandavensis and vars. *Ghent Hybrid*
Sword-lily
Libanotis. *Hart-wort Sword-lily*
ochroleucus. *Sulphur-flowered Sword-lily*
Papilio. *Butter-fly Sword-lily*
præcox. *Early Sword-lily*
purpureus auratus. *Purple-and-gold Sword-*
lily
ramosus. *Branching Sword-lily*
Saundersi. *Saunders's Sword-lily*
segetum. *Corn-field Sword-lily, Corn-Flag*
tristis. *Sad-coloured Sword-lily*
- Glaphiria nitida.** *Bencoolen or Malay*
Tea-plant, Tree-of-Long-Life
- Glaucium.** *Horned-Poppy*
corniculatum. *Various-coloured Horned-*
Poppy
fulvum. *Orange-flowered Horned-Poppy*
luteum. *Common Yellow Horned, or Sea-*
Poppy
pheniceum. *Red-flowered Horned-Poppy*
tricolor. *Three-coloured Horned-Poppy*
- Glauxa maritima.** *Black Salt-wort, Sea*
Milk-weed, Sea Milkwort
- Glechoma hederacea** (*Nepeta Glechoma*).
Ground Ivy, Hedge-maids
- Gleditschia brachycarpa.** *Curved-spined*
Honey-Locust
- Bugotia pendula.** *Weeping Acacia*
caspica. *Caspian Honey-Locust*
ferox. *Flat-spined Honey-Locust*
indica. *East Indian Honey-Locust*
kevis. *Smooth Honey-Locust*
latissiliqua. *Broad-podded Honey-Locust*
macrospina. *Long-spined Honey-Locust*
microspina. *Small-spined Honey-Locust*
monosperma. *Water-Locust*
sinensis. *Chinese Honey-Locust*
triacanthos. *Common Honey-Locust, Three-*
thorned Acacia
- Gleichenia.** *Net-Fern*
- Globularia.** *Blue Daisy, Globe Daisy*
cordifolia. *Heart-leaved Globe Daisy*
nana. *Thyme-leaved Globe Daisy*
nudicaulis. *Naked-stalked Globe Daisy*
trichosantha. *Hair-flowered Globe Daisy*
- Globularia vulgaris.** *Common Globe Daisy*
Glochidion australe (*Bradieia australis*).
Australian Rivulet-tree
- Gloriosa nepalensis.** *Nepaul Lily*
simplex. *Senegal Lily*
superba. *Malabar Glory-Lily*
virescens. *Mozambique Lily*
- Glossodia.** *Australian Tongue-flower*
- Glossula tentaculata.** *Chinese Tongue-flower*
- Glyceria.** *Sweet Grass*
aquatica. *Leed, Reed Meadow-grass*
canadensis. *Rattle-snake-grass*
maritima. *Sea Spear-grass*
nervata. *Fowl-meadow-grass of N. Amer-*
ica
fluitans. *Float or Flote Grass, Manna*
Croup, Manna Grass, Poland Manna
- Glycosmis citrifolia.** *Jamaica Orange*
- Glycyrrhiza glabra.** *Liquorice-plant (cul-*
tivated)
- lepidota.** *Wild Liquorice of North Amer-*
ica
- Glyptostrobus.** *Embossed Cypress*
heterophyllus. *Water-Pine of China*
- Gnaphalium.** *Cotton-weed, Cud-weed,*
Everlasting
americanum. *"Life-everlasting," Jamaica*
Everlasting
arboreum. *Tree-Everlasting*
arvense. *Field Cud-weed*
(Helichrysum) Colensoi. *"Edelweiss" of*
New Zealand
- decurrens.** *Common Everlasting of N.*
America
- dioicum.** *Mountain Everlasting*
gallicum. *Narrow-leaved Cud-weed*
germanicum. *Common Cud-weed*
grandiceps. *"Edelweiss" of N. Zealand*
Leontopodium. *Bridal Everlasting, "Edel-*
weiss" of the Alps, Lion's-paw Cud-
weed
- luteo-album.** *Jersey Cud-weed, Jersey*
Live-long
- margaritaceum.** *Pearl Cud-weed*
- polyccephalum.** *Common Everlasting of N.*
America, Indian Posy, Sweet-scented
Everlasting, Old Field or White Bal-
sam
- purpureum.** *Purplish Cud-weed of N.*
America
- sanguineum.** *Crimson Everlasting*
- supinum.** *Dwarf Cud-weed*
- sylvaticum.** *Chafe-weed, Wood Cud-weed*
- uliginosum.** *Marsh Cud-weed*
- Gomphia.** *Button-flower-tree*
- guianensis.* *Candle-root of Jamaica*
- nitida.* *Glossy-leaved Button-flower*
- Gomphocarpus fruticosus.** *Wild Cotton*
of Australia
- Gomphrena globosa.** *Globe Amaranth,*
Red Globe Everlasting
- Gomutus saccharifera.** *Wine-Palm of the*
Moluccas
- Goniophlebium trilobum.** *Lizard's-herb*
- Gonolobus.** *Angle-pod*
carolinensis. *False Choke-dog*
Cundurango. *Condor Vine*
obliquus. *Choke-dog*
- Goodia latifolia.** *Salisbury Pea of Australia*

Goodyera. *Rattle-snake Plantain*
pubescens. Adder's Violet, Net-leaf Plantain, Rattle-snake-leaf, Scrofula-leaf, Scrofula-weed, Silvery Rattle-snake-Plantain
repens. Creeping Rattle-snake-Plantain

Gordonia *Hæmatoxylon. Blood-wood or Red-wood of Jamaica*
lasianthus. Common Loblolly-Bay
pubescens. Downy Loblolly-Bay

Gossypium. "Bombast," *Cotton-plant arboreum. Tree Cotton-plant barbadense. American or Barbadoes Cotton-plant herbaceum. Common Herbaceous Cotton-plant indicum. Indian Cotton-plant peruvianum. Peruvian Cotton-plant, "Kidney" Cotton-plant religiosum. Nankin Cotton-plant*

Gouania *domingensis. Chaw-stick of St. Domingo*

Gourliæa *decorticans. Chanar-tree*

Gracilaria *Helminthocorton. Corsican Moss*

Gramineæ. A general name for the *Grasses*

Grammatophyllum. *Letter-leaf or Letter-plant*
multipliciflorum. Letter-plant of the Philippine Islands
speciosum. "Queen of the Orchids"

Grangea (*Cotula*) *maderaspatana. Marcella*

Graptophyllum *hortense. Caricature-plant*

Gratiola aurea. *Golden-pert officinalis. Hedge-Hyssop, Poor-man's-herb*

Grayia. *Grease-wood*

Grevillea *robusta. Silk, Silky, or Silk-bark Oak of Australia*

Grewia *occidentalis. African Star-bush*

Grias *cauliflora. Anchovy Pear*

Grindelia. *Gum-plant of California*

Griselinia *lucida. New Zealand Broad-leaf or Pukatea-tree*

Guaiacum *officinale. Guaiacum-gum-tree, Guaiac-resin-plant, Lignum-vitæ-tree*

Guarea *grandifolia. Alligator-wood Swartzii. Musk-wood of Jamaica*

Guatteria *caffra. Caffre's Lance-wood longifolia. East Indian Mast-tree virgata. Jamaica or Guiana Lance-wood*

Guazuma *tomentosa. Bastard Cedar of S. America*
ulmifolia. Bastard Cedar of Jamaica

Guettarda *argentea. Black Guava, Silver-wood-tree*
elliptica. Velvet-seed
speciosa. Pigeon-wood of Jamaica, Zebra-wood of the E. Indies

Guevina *Avellana (Quadrinia heterophylla). Evergreen Hazel of Chili*

Guilandina *Bonduc. Bonduc-nut-tree, Sumatra Nicker-tree*
Bonducella. Common or Yellow-seeded Nicker-tree, Molucca Bean
Moringa. Horse-radish Tree

Guilfoylia (*Cadellia*) *monostylis. Golden Pyramid-tree*

Guilielma *speciosa. Peach Palm*

Guizotia *oleifera. Niger-seed-plant, Oil-seed, Ram-til, Huts-yellow, or Valisaloo-oil-plant*

Gymnadenia *Conopsea and G. odoratissima. Fragrant Orchis*

Gymnema *lactiferum. Ceylon Cow-plant*

Gymnocladus *canadensis. "Chicot," Kentucky Coffee-tree*

Gymnogramma. *Rue-leaved Fern leptophylla. Small Rue-leaved Fern*

Gymnolomia *Porteri. Stone-Mountain Star*

Gymnostachys *anceps. Australian Caterpillar-flower*

Gymnostichum *Hystrix. Bottle-brush-grass*

Gymnostomum. *Beardless Moss, Bladder Moss*

Gynoxys *argenteum. Pampas Grass roseum. Rosy-spiked Pampas Grass*

Gynocardia *odorata. "Chaulmugra Seed"-tree*

Gypsophila. *Chalk-plant Struthium. Egyptian Soap-root, Spanish Soap-root*

Gyrocarpus *asiaticus. Catamaran-wood Tree*

Gyrophora *murina. "Velvet Moss" vellea. Rock-tripe, "Tripe de Roche" Lichen*

Habenaria. *Fringed Orchis, Rein-Orchis bifolia. Common Butterfly Orchis blephariglottis. White Fringed Orchis chlorantha. Larger Butterfly Orchis ciliaris. Yellow Fringed-Orchis cristata. Small Yellow Fringed-Orchis fimbriata. Great or Purple Fringed Orchis lacera. Ragged Fringed-Orchis leucophaea. White Prairie-Orchis nivea. Surrey Orchis, White Butterfly-Orchis viridis. Frog Orchis*

Habzelia *ethiopica. African, Boulon, Ethiopian, Guinea, Malaghatta, Monkey, or Negro Pepper*

Hæmanthus. *Blood-flower coccineus. Red Cape Tulip*

Hæmatostaphis *Barteri. Blood Plum of Sierra Leone*

Hæmatoxylon *campechianum. Campeachy-wood, Log-wood*

Hagenia *abyssinica (Bragera anthelmintica). "Cusso" of Abyssinia*

Hakea. "Wooden-cherry"-tree of Australia laurina (*H. eucalyptoides*). *Cushion-flower of W. Australia ulicina. Native Furze of Australia*

Halenia *deflexa and other species. Spurred Gentian*

Halesia *diptera. Two-winged-fruited Snow-drop-tree parviflora. Small-flowered Snowdrop-tree*
tetrapetala. Common Snowdrop Tree, Silver-bell Tree

Halimodendron *argenteum. Silvery-leaved Salt-tree subvirescens. Greenish Salt-tree*
triflorum. Three-flowered Salt-tree

- Halleria lucida.** *African Fly-Honeysuckle*
Halogenet tamariscifolium. *Spanish Worm-seed*
- Haloragis.** *Sea-berry, of Australia*
citriodora. Piri-jiri shrub, of New Zealand
- Hamamelis virginica.** *American Witch-Hazel, Snapping Hazel-nut, Spotted Alder, Winter-bloom*
- Hamelia patens.** *Rat-poison Plant, of the W. Indies*
ventricosa. Prince-wood, of the W. Indies
- Hancornia speciosa.** *Mangaba, or Manava-tree, of Brazil*
- Hardenbergia monophylla.** *Lilao, or Sarsaparilla-tree, of Australia*
- Harpullia Hillii and H. pendula.** *Tulip-wood, of Queensland*
- Hartigsea spectabilis.** *Kohé or Wahahé-tree, of New Zealand*
- Hedeoma pulegioides.** *American Penny-royal, Squaw-Mint, Tick-weed*
- Hedera (Irvingia) australiana.** *Queensland Ivy*
Helix. Barren Ivy, Bent-wood, Bind-wood, Common Ivy
Helix var. arborea. Tree-Ivy
Helix var. arborea aurèo-marginata. Gold-edged Tree-Ivy
Helix var. argenteo-marginata. Silver-edged Tree-Ivy
Helix var. aureo-maculata. Gold-blotched Ivy
Helix var. canariensis (H. H. hibernica). Irish Ivy
Helix var. chrysocarpa. Yellow-berried Roman Ivy
Helix var. conglomerata. Clustered Ivy
Helix var. latifolia maculata. Marbled-leaved Ivy
Helix var. palmata. Palmate-leaved Ivy
Helix var. poetica. Poet's Ivy
Helix var. Rægneriana (H. H. colchica). Giant Ivy
Helix var. rhombea variegata. Variegated Japan Ivy
Helix var. taurica. Crimean Ivy
Helix var. tricolor. Three-coloured Ivy
Helix variegata. Variegated Ivy
- Hedwigia balsamifera.** *Pig-wood, Wild Boar's-tree, of San Domingo*
- Hedycarpa Pseudo-morus.** *Mulberry, of Australia*
angustifolia. Native Mulberry, of Victoria
- Hedychium coronarium.** *Fragrant Garland-flower*
- Hedyosmum nutans.** *W. Indian Headache-weed*
- Hedyotis umbellata.** *E. Indian Madder, or Chayroot*
- Hedysarum Alhagi.** *Camel's-Thorn*
canadense. Canadian Bush Clover
coronarium. French Honeysuckle, Maltese Clover, Red Satin-flower, Sola Clover
- Heisteria coccinea.** *Partridge-pea Tree*
- Helenium.** *Helen-flower, Sneeze-weed, Sneeze-wort*
atropurpureum. Dark-purple Helen-flower
autumnale. Autumn Helen-flower or Sneeze-wort, Smooth Helen-flower
- Helenium Hoopesii.** *Hoopes's Sneeze-weed*
pumilum. Dwarf Sneeze-wort
tenuifolium. Slender-leaved Sneeze-wort
- Heleocharis tuberosa.** *Petsi Rush*
- Heliamphora nutans.** *S. American Pitcher-plant*
- Helianthemum.** *Holly-Rose, Sun-Rose*
alpestre. Alpine Sun-rose
alyssoides. Alyssum-like Sun-rose
Andersoni. Anderson's Sun-rose
angustifolium. Narrow-leaved Sun-rose
apenninum. Apennine Sun-rose
arabicum. Arabian Sun-rose
atriplicifolium. Orache-leaved Sun-rose
Barrelieri. Barrelier's Sun-rose
braziliense. Brazilian Sun-rose
canadense. Forest-weed
candidum. White-leaved Sun-rose
canescens. Whitish-leaved Sun-rose
canum. Hoary-leaved Sun-rose
cheiranthoides. Wall-flower Sun-rose
corymbosum. Corymb-flowered Sun-rose
crassifolium. Thick-leaved Sun-rose
croceum. Saffron-flowered Sun-rose
cupreum. Copper-colour-flowered Sun-rose
dichotomum. Forked-branched Sun-rose
diversifolium. Various-leaved Sun-rose
eriosepalon. Woolly-sepalled Sun-rose
farinosum. Mealy-leaved Sun-rose
fœtidum. Bryony-scented Sun-rose
formosum. Beautiful Sun-rose
Fumana. Heath-like Sun-rose
glaucum. Glaucous-leaved Sun-rose
glomeratum. Cluster-flowered Sun-rose
glutinosum. Clammy Sun-rose
grandiflorum. Large-flowered Sun-rose
(Cistus) guttatum. Spotted Sun-rose
halimifolium. Sea-Purslane-leaved Sun-rose
- hirsutum. Hairy Sun-rose*
hirtum. Bristly-calyzed Sun-rose
hirtum var. Lagascae. Lagasca's Sun-rose
hispidum. Bristly Sun-rose
hyssopifolium. Hyssop-leaved Sun-rose
involutratum. Short-pedicelled Sun-rose
italicum. Italian Sun-rose
juniperinum. Juniper-leaved Sun-rose
kabiricum. Cairo Sun-rose
læve. Smooth Sun-rose
lævipes. Cluster-leaved Sun-rose
lanceolatum. Spear-leaved Sun-rose
lasianthum. Hairy-leaved Sun-rose
lavandulæfolium. Lavender-leaved Sun-rose
- leptocephalum. Slender-leaved Sun-rose*
lignosum. Woody-stemmed Sun-rose
lineare. Linear-leaved Sun-rose
- Lippii. Small-petaled Sun-rose*
lucidum. Shining-leaved Sun-rose
macranthum. Great-flowered Sun-rose
macranthum var. multiplex. Double-flowered Sun-rose
- marifolium. Marum-leaved Sun-rose*
marjoranifolium. Marjoram-leaved Sun-rose
- microphyllum. Small-leaved Sun-rose*
Milleri. Miller's Sun-rose
molle. Soft-leaved Sun-rose
mutabile. Colour-changing Sun-rose

Helianthemum nudicaule. *Naked-stemmed Sun-rose*
Nummularium. *Money-wort-leaved Sun-rose*
obovatum. *Obovate-leaved Sun-rose*
ocymoides. *Basil-like Sun-rose*
celandicum. *Eland Sun-rose*
origanifolium. *Marjoram-leaved Sun-rose*
ovatum. *Ovate-leaved Sun-rose*
paniculatum. *Panicle-flowered Sun-rose*
poliiifolium. *Podium-leaved or White Sun-rose*
penicillatum. *Pencilled Sun-rose*
Pilosella. *Downy Sun-rose*
pilosum. *Stiff-haired Sun-rose*
procumbens. *Procumbent Sun-rose*
pulchellum. *Neat Sun-rose*
pulverulentum. *Powdered-leaved Sun-rose*
racemosum. *Raceme-flowered Sun-rose*
rhodanthum. *Rose-flowered Sun-rose*
roseum. *Rosy-flowered Sun-rose*
rosmarinifolium. *Rosemary-leaved Sun-rose*
scabrosum. *Rough Sun-rose*
serpyllifolium. *Serpyllum-leaved Sun-rose*
sessiliflorum. *Sessile-leaved Sun-rose*
stoechadifolium. *Woolly-leaved Sun-rose*
stramineum. *Straw-coloured-flowered Sun-rose*
strictum. *Upright-branched Sun-rose*
sulphureum. *Sulphur-flowered Sun-rose*
surrejanum. *Surrey Sun-rose*
tauricum. *Taurian Sun-rose*
thymifolium. *Thyme-leaved Sun-rose*
tomentosum. *Woolly-leaved Sun-rose*
Tuberaria. *Plantain-leaved Sun-rose*,
Truffle Sun-rose
umbellatum. *Umbel-flowered Sun-rose*
variegatum. *Striped-flowered Sun-rose*
venustum. *Shony Sun-rose*
versicolor. *Parti-coloured-flowered Sun-rose*
vineale. *Slender Trailing Sun-rose*
violaceum. *Violet-calyzed Sun-rose*
virgatum. *Twiggy Sun-rose*
viride. *Green-leaved Sun-rose*
vulgare (*Cistus Helianthemum*). *Common Sun-rose*

Helianthus. *Sun-flower*
annuus. *Common Sun-flower, Golden Flower of Peru*
argophyllus. *Silvery-leaved Sun-flower*
atrorubens. *Dark Red Sun-flower*
cucumerifolius. *Cucumber-leaved Sun-flower*
decapetalus. *Ten-petaled Sun-flower*
flexuosus. *Zig-zag Sun-flower*
giganteus. *Giant Sun-flower*
indicus. *Dwarf Annual Sun-flower*
Maximiliani. *Maximilian's Sun-flower*
multiflorus. *Perennial Sun-flower*
Nuttallii. *Nuttall's Sun-flower*
orygialis. *Graceful Sun-flower*
rigitidus (*Harpalium rigidum*). *Prairie Sun-flower, Rough-leaved Sun-flower*
strumosus. *Carrot-rooted Sun-flower*
tuberosus. *Canada Potato, Jerusalem Artichoke*

Helichrysum. "Everlasting," or "Immortelle"-flower, *Golden Moth-wort*

Helichrysum apiculatum. *Tasmanian Everlasting*
(Gnaphalium) arenarium. *Common Yellow Everlasting*
bracteatum. *Bracted Everlasting*
bracteatum var. *nanum*. *Dwarf Everlasting*
(Astelma) eximium. *Crimson Cape Everlasting*
lucidum (*H. bracteatum*). *Australian Everlasting*
macranthum. *Large-flowered Everlasting*
orientale. *Yellow "Immortelle"-flower*
serpyllifolium. *Cape Colony Tea*
Stoechas. *Common Shubby Everlasting, God's-Flower, or Gold-flower, Golden Cassidony, Golden Stachas, Golden Tufts*
Helicia (*Macadamia*) *ternifolia*. *Queensland Nut-tree*
Heliconia *Bihai*. *False Plantain*
psittacorum. *Parrot's Plantain*
Helicteres. *Screw-tree*
Isora. *Large-fruited Screw-tree, Twisted Stick, Twisted Horn, or "Twisty, of S. India*
jamaicensis. *Screw-tree of Jamaica*
Helophilus. *Cape Stock*
pectinata. *Sun Cress*
Heliophytum *indicum*. *Indian Heliotrope*
Heliopsis *laevis*. *Ox-eye, of N. America*
platyglossa. *Ramtil-oil Plant*
Heliotropium. *Heliotrope, Turnsole*
europeum. *Common Heliotrope*
fruticosum. *Basket-withe, of Jamaica*
indicum. *Wild Clary*
peruvianum. *Peruvian Heliotrope or Turnsole, Cherry-pie Flower*
Helipteron. "Everlasting," or "Immortelle"-flower
Manglesii. *Australian Everlasting*
Helleborus. *Hellebore*
abchasicus. *Green-flowered Christmas-rose*
altifolius (*H. niger* var. *maximus*). *Giant Christmas-rose*
angustifolius. *Narrow-leaved Christmas-rose*
aruitifolius. *Holly-leaved Hellebore*
atro-rubens. *Purplish-red-flowered Christmas-rose*
colchicus. *Plum-coloured Christmas-rose*
foetidus. *Bar-foot, Bear-foot, Ox-heel, Setter-wort, Stinking Hellebore*
niger. *Bear's-foot, Black Hellebore, Common Christmas Rose, Christ's-wort*
niger var. *maximus* (*H. altifolius*). *Great or Giant Christmas-rose*
odoratus. *Sweet-scented Hellebore*
officinalis. *Black Hellebore of the ancients*
olympicus. *Olympian Hellebore*
orientalis. *Rose-coloured Christmas-rose*
purpurascens. *Purple-flowered Christmas-rose*
vescarius. *Syrian Christmas-rose*
viridis. *Bastard Hellebore, Bear's-foot, Boar's-foot, Green Hellebore*
Helminthia *echioides*. "Lang-de-beefe," *Ox-tongue*
Helonias *bullata* (*H. latifolia*). *Stud-flower*

<i>Helonias dioica.</i>	<i>Blazing-star, Devil's-bit, Unicorn's-horn</i>	<i>Hesperis matronalis</i> var. <i>alba plena</i> . <i>Double White Rocket</i>
<i>Heleoziadium inundatum.</i>	<i>Mud-weed (Sium) nodiflorum. Fool's Water-cress, Marsh-wort</i>	<i>matronalis</i> var. <i>purpurea plena</i> . <i>Double Purple Rocket</i>
<i>Helvella Mitra.</i>	<i>Bishop's-Mitre Mushroom</i>	<i>tristis. Melancholy Gentleman, Night-scented Rocket</i>
<i>Hemidesmus indicus</i> (<i>Periploca indica</i>). <i>E. Indian Sarsaparilla, or Nunnari-Root</i>		<i>violacea. Violet-flowered Rocket</i>
<i>Hemileia vastatrix.</i>	<i>Coffee Blight Fungus</i>	<i>Heteranthera. Mud-Plantain</i>
<i>Hemionitis palmata.</i>	<i>Mule Fern</i>	<i>Heteromeles arbutifolia. Tollen or Toyon, of California</i>
<i>Hemitelia Smithii.</i>	<i>Smith's Tree-Fern</i>	<i>Heterothalamus brunoides. Romerillo-dye-plant</i>
<i>Hemizonia.</i>	<i>Tar-weed, of California</i>	<i>Heterotoma lobelioides. Mexican Bird-plant</i>
<i>Hemerocallis.</i>	<i>Day-lily</i>	<i>Heterotrichum patens. "American Gooseberry," of the W. Indies</i>
<i>disticha.</i>	<i>Two-rowed Day-lily</i>	<i>Heuchera americana. Alum-root, American Sanièle</i>
<i>Dumortieri.</i>	<i>Dumortier's Day-lily</i>	<i>glabra. Smooth Alum-root</i>
<i>flava.</i>	<i>Yellow Day-lily</i>	<i>micrantha. Small-flowered Alum-root</i>
<i>fulva.</i>	<i>Tawny Day-lily</i>	<i>pubescens. Downy Alum-root</i>
<i>graminea.</i>	<i>Grass-leaved Day-lily</i>	<i>ribifolia. Currant-leaved Alum-root</i>
<i>Kwanso variegata.</i>	<i>Variegated-leaved Day-lily</i>	<i>Richardsoni (H. americana, H. ribifolia). Satin-leaf</i>
<i>lutea.</i>	<i>Dark-yellow Day-lily</i>	<i>Hevea brasiliensis. Caoutchouc-tree of Pará guianensis (Siphonia elastica). India-rubber-tree of Guiana</i>
<i>Hepatica acutiloba.</i>	<i>Sharp-lobed Hepatica or Liver-leaf</i>	<i>Hibiscus Abelmoschus. Musk Okro</i>
<i>angulosa.</i>	<i>Large Blue Hepatica</i>	<i>africanus. African Kettmia</i>
<i>triloba.</i>	<i>Golden Trefoil, Noble Liver-wort, Round-lobed Liver-leaf</i>	<i>arboreus. W. Indian Mahoe or Mohoe</i>
<i>Heracleum.</i>	<i>Cow-parsnip, Giant-parsnip</i>	<i>cannabirinus. Brown Hemp, of India, Hemp mallow</i>
<i>elegans.</i>	<i>Rough-leaved Cow-parsnip</i>	<i>clypeatus. Mahoe, of Congo</i>
<i>eminens.</i>	<i>Blunt-lobed Cow-parsnip</i>	<i>coccineus. American Scarlet Rose-mallow (Abelmoschus) esculentus. Okro, or Gombo-plant</i>
<i>flavescens</i> (<i>Heracleum austriacum</i>).	<i>Yellowish Cow-parsnip</i>	<i>heterophyllus. Green Kurrajong, of Australia, Queensland Sorrel-tree</i>
<i>giganteum.</i>	<i>Giant Cow-parsnip</i>	<i>militaris. Halbert-leaved Rose-mallow</i>
<i>lanatum.</i>	<i>American Cow-parsnip, American Master-wort</i>	<i>moschatus. E. Indian Musk-mallow</i>
<i>latifolium.</i>	<i>Broad-leaved Cow-parsnip</i>	<i>Moscheutos. Swamp Rose-mallow</i>
<i>Panaces.</i>	<i>Fig-leaved Cow-parsnip, Hercules' All-heal, Hercules' Wound-wort</i>	<i>palustris. Purple Marsh Rose-mallow</i>
<i>persicum.</i>	<i>Persian Cow-parsnip</i>	<i>Rosa - malabarica. Malabar Rose, Black-ing-plant, Chinese Rose-mallow, Shoe-black-plant, Shoe-flower</i>
<i>pubescens.</i>	<i>Downy Cow-parsnip</i>	<i>Rosa - malabarica var. schizopetalus. Fringed-flowered Rose-mallow</i>
<i>Sphondylium.</i>	<i>Cad-weed, Clog-weed, Common Cow-parsnip, Eltrot, Hog-weed, Madney, Meadow Parsnip</i>	<i>roseus. Rosy-flowered Rose-mallow</i>
<i>Wilhelmsii.</i>	<i>Wilhelm's Cow-parsnip</i>	<i>Sabdaria. E. Indian Sorrel-plant, Red Sorrel, of the W. Indies, "Rozelle"-plant, of the E. Indies, Thorny-mallow</i>
<i>Heritiera macrophylla</i> (<i>H. littoralis</i>). <i>minor.</i>	<i>Large-leaved Looking-glass Plant or Tree</i>	<i>speciosus. Hardy Scarlet Hibiscus</i>
<i>Herminiera</i>	<i>Elaphroxylon (Edenome mirabilis). Pith-tree, of the Nile</i>	<i>splendens. Queensland Hollyhock-tree</i>
<i>Herminium Monorchis.</i>	<i>Musk Orchis</i>	<i>syriacus. Common Althaea-frutex, Rose of Sharon</i>
<i>Hernandia guianensis.</i>	<i>Amadou-wood, of S. America</i>	<i>syriacus var. elegantissimus. Double Althaea-frutex</i>
<i>ovigera.</i>	<i>"Hernant Seeds"-tree</i>	<i>syriacus var. oculatus. Painted Lady Althaea-frutex</i>
<i>sonora.</i>	<i>E. Indian Jack-in-a-box, Jamaica Cog-wood</i>	<i>syriacus var. purpureus. Purple Althaea-frutex</i>
<i>Herniaria glabra.</i>	<i>Rupture-wort, "Turk's-herb"</i>	<i>tiliaceus. Cork-wood (Ketmia) Trionum. Bladder Ketmia, Flower-of-an-hour, Good-night-at-noon, Venice Mallow</i>
<i>Herpestis Monnierii.</i>	<i>Water Hyssop, of S. America</i>	<i>Hieracium. Hawk's-eye, Hawk-weed</i>
<i>Hesperantha.</i>	<i>Evening-flower</i>	<i>alpinum. Mountain Hawk-weed</i>
<i>graminifolia.</i>	<i>Grass-leaved Evening-flower</i>	<i>aurantiacum. Golden Mouse-ear, Grim-the-Collier, Orange-flowered Hawk-weed</i>
<i>Hesperis fragrans.</i>	<i>Evening-scented Rocket</i>	
<i>maritima.</i>	<i>Mediterranean Stock</i>	
<i>matronalis.</i>	<i>"Close Sciences," Dame's, Garden, or White Rocket, Dame's Violet, Queen's Gilliflower, Rogue's Gilliflower, Winter Gilliflower</i>	
<i>matronalis fl.-pl.</i>	<i>Double Rocket</i>	

- Hieracium canadense.** *Canada Hawk-weed*
cerinthoides. *Honey-wort Hawk-weed*
Gronovii. *Hairy Hawk-weed*
incarnatum. *Pink-flowered Hawk-weed*
longipilum. *Long-bearded Hawk-weed*
murorum. *Golden or French Lung-wort,*
Wall Hawk-weed
paniculatum. *Panicled Hawk-weed*
Pilosella. *Mouse-ear, Mouse-ear Hawk-weed*
prenanthes. *Wall-lettuce Hawk-weed*
Pseudo-pilosella. *Bastard Mouse-ear*
sabaudum. *Savoy Hawk-weed, Shrubby*
Hawk-weed
scabrum. *Rough Hawk-weed*
umbellatum. *Umbellate Hawk-weed*
venosum. *Rattle-snake-weed*
- Hierochloé.** *Holy-grass*
australis. *Southern Holy-grass*
borealis. *Northern Holy-grass*
macrophylla. *Large-leaved Vanilla-grass*
redolens. *Scented Grass, of New Zealand*
- Himanthalia lorea.** *Sea-thongs*
- Hippeastrum.** *Knight's-star Lily*
equestre. *Barbadoes Lily*
Reginae. *Mexican Lily*
- Hippobromus alatus.** *Paardepis-tree, of S. Africa*
- Hippocratea obcordata.** *W. Indian Wild Almond-tree*
- Hippocrepis comosa.** *Horse-shoe Vetch*
- Hippomane Mancinella.** *Manchineel-tree*
- Hippohaë canadensis.** *Canadian Sea-Buckthorn*
rhamnoidea. *Common Sea-Buckthorn, Sallow-, or Willow-, thorn*
salicifolia. *Willow-leaved Sea-Buckthorn*
- Hippuris.** *Mare's-tail*
vulgaris. *Bottle-Brush, Common Mare's-tail*
maritima. *Sea-shore Mare's-tail*
- Hirneola (Exidia) Auricula-Judæ.** *Jew's-Ear Fungus*
- Holcus lanatus.** *Dart Grass, Duffel Grass, Hose Grass, Meadow Soft-grass, Midge Grass, Rot Grass, Velvet Grass, Yorkshire Fog*
mollis. *Dart Grass, Duffel Grass, Wood Soft-grass, Rot Grass*
- Hoheria populnea.** *Otago Ribbon-wood*
- Holosteum umbellatum.** *Jagged Chick-weed*
- Honkenya peploides.** *Sea Pimpernel*
- Hordeum.** *Barley*
deficiens. *Red Sea Barley*
jubatum. *Squirrel-tail Grass*
maritimum. *Sea-side Barley, Squirrel-tail Grass*
marinum. *Mouse Barley, Wall Barley, Wild Barley, Squirrel-tail Grass*
nepalense (H. trifurcatum). *Nepaul Barley*
vulgare var. distichum. *Common Barley, Two-rowed Barley*
vulgare var. hexastichum. *Bear, Bere, Beer, Beir, or Bigg, Six-rowed Barley*
Zeocriton. *Battledore, Fan, Putney, or Sprat Barley*
- Horminum pyrenaicum.** *Pyrenean Dead-nettle*
- Hosta cærulea.** *Savannah-wood*
- Hottonia inflata.** *Water-Violet of N. America*
- Hottonia palustris.** *Common Water-Violet, Water Feather-foil, Water Gilliflower*
- Hovenia dulcis.** *Japanese Raisin-tree*
- Hoya.** *Honey-plant, Wax-flower Climber,*
australis. *N. S. Wales Wax-flower*
campanulata. *Bell Wax-flower-plant*
carnosa. *Fleshy-leaved Wax-flower-plant*
coriacea. *Manilla Wax-flower*
imperialis. *Imperial Wax-flower-plant*
- Hudsonia ericoides.** *American False Heath*
- Hufelandia pendula.** *Slog-wood*
- Humea elegans.** *Amaranth-Feathers*
- Humirium balsamiferum.** *Humiri- or Umire-Balsam-tree of French Guiana*
floribundum. *Umire-tree, of Brazil*
- Humulus Lupulus.** *Bine or Bines, Common Hop*
- Hura crepitans.** *Monkey's-Dinner-bell, Sand-box-tree*
- Hyacinthus.** *Hyacinth*
amethystinus. *Amethyst Hyacinth, Spanish Hyacinth*
(Galtonia) candidans. *Spire-Lily, White Cape Hyacinth*
non-scriptus (Scilla nutans). *Common Bluebell*
orientalis and vars. *Common Garden Hyacinth*
romanus (Bellevalia romana). *Roman Hyacinth*
serotinus. *Late-flowering Hyacinth*
- Hyænanthe globosa.** *Cape Hyæna-poison*
- Hydnocarpus venenata** (*H. inebrians*). *Fish-poison or Makooloo-tree of Ceylon*
- Hydnora.** *Madagascar Christmas-rose*
africana. *Jackal's-Kost*
- Hydnum Barba-Jovis.** *Jove's-beard, or Jupiter's-beard*
repandum. *Spiny or Hedge-hog Mushroom*
- Hydrangea arborescens.** *Wild Hydrangea of N. America*
arborescens var. discolor. *Two-coloured-leaved Hydrangea*
cordata. *Heart-leaved Hydrangea*
heteromalla. *Woolly-leaved Hydrangea*
hortensis. *Common Hydrangea*
hortensis var. cerulea. *Blue-flowered Hydrangea*
japonica. *Japan Hydrangea*
japonica variegata. *Silver-edged Hydrangea*
japonica var. aurea superba. *Golden-edged Hydrangea*
japonica var. cærulea. *Blue-flowered Japan Hydrangea*
japonica var. rosea. *Rosy-flowered Hydrangea*
nivea. *White-leaved Hydrangea*
Otaksa. *Hardy Flesh-coloured Hydrangea*
paniculata grandiflora. *Hardy White-flowered Hydrangea*
quercifolia. *Oak-leaved Hydrangea*
stellata. *Starry-flowered Hydrangea*
- Hydrastis canadensis.** *Ground Raspberry, Golden-seal, Orange-root, Turmeric-root, Yellow Puccoon*
- Hydrocera (Tytonia) natans.** *Water Balsam*
- Hydrocharis Morsus-ranae.** *Frog-bit*
- Hydrocotyle asiatica.** *Indian Penny-wort*

Hydrocotyle vulgaris. *Flowl-wort, Marsh Penny-wort, Penny-rot, Sheep's-bane, White-rot*

Hydrophyllum. *American Water-leaf virginicum. Shawanese Salad*

Hygrophorus virginicus. *Viscid White Mushroom*

Hymenæa Courbaril. *Brazilian Gum-Copal-tree. S. American Locust-tree*

Hymenanthera crassifolia. *Scrub Box-wood, of Chatham Island dentata. Scrub Box-wood of Victoria*

Hymenophyllum. *Filmy Fern Tunbridge. Tunbridge, or Common, Filmy Fern, Tunbridge Goldilocks Wilsoni. Wilson's Filmy Fern*

Hyoscyamus. *Hen-bane albus. White Hen-bane Canariensis. Canary Island Hen-bane niger. Common Hen-bane physaloides. Kite-flower, Purple-flowered Hen-bane pusillus. Dwarf Hen-bane reticulatus. Egyptian Hen-bane Scoparia. Nightshade-leaved Hen-bane*

Hyoseris minima. *Swine's-Succory*

Hypericum. *St. John's Grass, St. John's-wort, Tutsans*

egyptiacum. Egyptian St. John's-wort Androsænum. Park-leaves, Sweet Amber angulosum. Toothed-flowered St. John's-wort Ascyron. Red-leaved St. John's-wort, Siberian St. John's-wort balearicum. Majorca St. John's-wort Burseri. Burser's St. John's-wort calycinum. Aaron's-Beard, Large-flowered St. John's-wort canadense. Canadian St. John's-wort canariense. Canary Island St. John's-wort Caprifolium. Honeysuckle-leaved St. John's-wort chinense. Chinese St. John's-wort ciliatum. Hair-fringed St. John's-wort cordifolium. Heart-leaved St. John's-wort Coris. Heath-leaved St. John's-wort crispum. Curled-leaved St. John's-wort cuneatum. Mount Lebanon St. John's-wort decussatum. Cross-leaved St. John's-wort dolabiforme. Hatchet-like St. John's-wort dubium. Imperforate St. John's-wort elatum. Tall St. John's-wort elegans. Elegant St. John's-wort Elodes. Marsh St. John's-wort elodioides. Close-panicled St. John's-wort empetrifolium. Empetrum-leaved St. John's-wort ericooides. Heath-like St. John's-wort fasciculatum. Aspalathus-like St. John's-wort fimbriatum. Fringed St. John's-wort floribundum. Many-flowered St. John's-wort foliosum. Shining Leafy St. John's-wort frondosum, Dense-foliaged St. John's-wort galioides. Galium-like St. John's-wort glandulosum. Glandular St. John's-wort glaucum. Glauconous-leaved St. John's-wort grandiflorum. Large-flowered St. John's-wort heterophyllum. Various-leaved St. John's-wort

Hypericum hircinum. *Common, or Goat-scented, St. John's-wort*

hirsutum. Hairy St. John's-wort Hookerianum. Glossy-flowered St. John's-wort, or Tutsan

humifusum. Trailing St. John's-wort japonicum. Japanese St. John's-wort Kalmianum. Kalm's St. John's-wort levigatum. Smooth St. John's-wort lanuginosum. Downy St. John's-wort maculatum. Spotted-flowered St. John's-wort mexicanum. Mexican St. John's-wort montanum. Mountain St. John's-wort nepalense. Nepal St. John's-wort Numularium. Money-wort St. John's-wort nudiflorum. Naked-flowered St. John's-wort oblongifolium. Oblong-leaved St. John's-wort olympicum. Mt. Olympus St. John's-wort patulum. Spreading St. John's-wort perfoliatum. Perfoliate St. John's-wort pilosum. Stiff-haired St. John's-wort pulchrum. Slender St. John's-wort pusillum. Small St. John's-wort quadrangulare. Hard-hay, St. Peter's-wort, Square-stalked St. John's-wort quinquenervium. Small-flowered St. John's-wort reflexum. Reflexed leaved St. John's-wort repens, and Hypericum reptans. Creeping St. John's-wort Sarothra (Sarothra gentianoides). Bastard Gentian, Orange-grass, Pine-weed serpyllifolium. Thyme-leaved St. John's-wort simplex. Simple-stalked St. John's-wort sphærocarpum. Round-capsuled St. John's-wort tomentosum. Woolly St. John's-wort triflorum. Three-flowered St. John's-wort triplinerve. Three-nerved St. John's-wort Uralum. Urala St. John's-wort veronense. Verona St. John's-wort verticillatum. Whorl-leaved St. John's-wort virgatum. Twiggy St. John's-wort virginicum (Elodes virginica). Marsh St. John's-wort, Pink-flowered St. John's-wort

Hyphaëne thebaica. *Doum Palm, Ginger-bread-tree*

Hypnum. *Feather-moss*

abietinum. Spruce-tree Feather-moss albicans. Whitish Feather-moss alopecurum. Fox-tail Feather-moss atro-virens. Dark-green Feather-moss cæspitosum. Green-patch Feather-moss commutatum. Curled Feather-moss complanatum. Flat Feather-moss confertum. Clustered Feather-moss Crista-castrensis. Ostrich-plume Feather-moss cupressiforme. Cypress-leaved Feather-moss dendroides. Tree-like Feather-moss denticulatum. Sharp Fern-like Feather-moss filicinum. Lesser Golden Fern Feather-moss fluitans. Floating Feather-moss lutescens. Yellowish Feather-moss medium. Long-headed Feather-moss

Hypnum *micans*. Sparkling Feather-moss
molle. Soft-water Feather-moss
molluscum. Plumy-crested Feather-moss
moniliforme. Beaded Feather-moss
murale. Wall Feather-moss
myosuroides. Mouse-tail Feather-moss
nitens. Shining Feather-moss
palustre. Marsh Feather-moss
plumosum. Rusty Feather-moss
populeum. Matted Feather-moss
pulchellum. Elegant Feather-moss
pumilum. Dwarf Feather-moss
purum. Neat Meadow Feather-moss
repens. Creeping Feather-moss
rufescens. Red Mountain Feather-moss
salebrosum. Yellow Feather-moss
scorpioides. Scorpion Feather-moss
sericeum. Silky Feather-moss
speciosum. Showy Feather-moss
splendens. Glittering Feather-moss
stellatum. Yellow Starry Feather-moss
trichomanoides. Fern-like Feather-moss
umbratum. Shaded Feather-moss
undulatum. Waxy Feather-moss
velutinum. Velvet Feather-moss

Hypelate *paniculata*. Genip Tree, Honey-berry, Madeira-Wood

Hypocalymma. Peach-Myrtle
robustum. Swan River Peach-Myrtle

Hypocheiræs *radicata*. Cape-weed, of Australia and New Zealand, Long-rooted Cat's-eye

Hypoxis *erecta*. American Star-grass

Hyptis *suaveolens*. W. Indian Spikenard

Hyssopus *nepetoides*. Square-stalked Hyssop
officinalis. Common Hyssop

Iberis. Candy-tuft
alpina. Alpine Candy-tuft
amaria. Clown's Mustard, Sciatica-cress, Wild, or Bitter, Candy-tuft
Bubani. Buban's Candy-tuft
corifolia. Coris-leaved Candy-tuft
corœfolia (*I. Coriacea*). Late White Candy-tuft

Garrexiana. Garrex's Candy-tuft
gibraltarica. Gibraltar Candy-tuft
jucunda (*Æthionema coridifolium*). Glaucous Candy-tuft
linifolia. Flax-leaved Candy-tuft
petraea. Dwarf Alpine Candy-tuft
pinnata. Winged Candy-tuft
rosmarinifolia. Rosemary-leaved Candy-tuft
saxatilis. Rock Candy-tuft
semperflorens. Broad-leaved Candy-tuft
semperfiriens. Evergreen Candy-tuft
stylosa. Alpine Candy-tuft
Tenoreana. Tenore's Candy-tuft

Iberis *umbellata*. Common Candy-tuft, Purple Annual Candy-tuft

Icica. Several species yield the Elemi-Resin of Brazil

Abilo. Elemi-gum-tree (?)
altissima. Carana-wood, Samaria-wood, White Cedar of British Guiana
Aracouchini. Balsam-of-Acouchi-tree
Carana. Carana-gum-tree, S. American Balm-of-Gilead

Icica *heptaphylla*. Hyawa-tree, or Incense-wood, of Guiana

Tacamahaca. Coumia-resin-plant

Ileodictyon *cibarium*. "Thunder-dirt" Fungus, of the New Zealanders

Ilex *Aquifolium*. Christmas, Common Holly, or Holm

Aquifolium, var. *Altaclarensis*. High-Cleré Holly

Aquifolium, var. *angustifolia*. Narrow-leaved Holly

Aquifolium, var. *argenteo-variegata*. Silver-striped Holly

Aquifolium, var. *aureo-variegata*. Gold-striped Holly

Aquifolium, var. *ferox*. Hedge-hog Holly

Aquifolium, var. *ferox albo-pictum*. Milk-maid Holly

Aquifolium, var. *fructu luteo*. Yellow-berried Holly

Aquifolium, var. *fructu nigro*. Black-berried Holly

Aquifolium, var. *heterophylla*. Various-leaved Holly

Aquifolium, var. *myrtifolia*. Myrtle-leaved Holly

Aquifolium, var. *pendula variegata*. Variegated Weeping Holly

Aquifolium, var. *verticillata*. Whorled Holly, Swamp Winter-berry

balearica. Minorca Holly

canariensis. Canary Island Holly

Cassine. Black-drink-tree, of the N. Carolina Indians, Cassena, Yaupon

chinensis. Chinese Holly

crenata. Dwarf Japan Holly

crenata variegata. Dwarf Golden Holly

Dahoon. Dahoön Holly

Dahoon, var. laurifolia. Laurel-leaved Dahoön Holly

dipyrena. Two-seeded Holly

Fortunei. Fortune's Japanese Holly

latifolia. Broad-leaved Holly

latispina. Broad-spined Holly

laxiflora. Loose-flowered Holly

opaca. American Holly

Paraguayanensis. "Mate," Paraguay Tea-plant, S. American Holly

sideroxyloides. Dominica Oak

verticillata. Swamp Winter-berry, vomitoria. Carolina or South Sea Tea-plant, Emetic Holly

Illecebrum. Knot-grass

Illicium *anisatum*. Star-Anise-, or Star-Aniseed-, tree

Floridanum. Aniseed-tree, of Florida, Poison-Bay, of Alabama, Red-flowered Aniseed-tree

Ilysanthes *gratioloides*. False Pimpernel

Imantophyllum. Thong-lily miniatum. Natal Lily

Imbricaria *bordonica*. Mat-wood Tree

Impatiens. Balsam, Snap-weed, of N. America

Balsamina and vars. Common Garden Balsam

- Impatiens** fulva. *Orange-flowered Balsam, Spotted Jewel-weed*
glanduligera. *Hardy Indian Balsam, Nuns Noli-me-tangere.* *Common Yellow Balsam, Touch-me-not*
pallida. *Pale Touch-me-not*
Sultani. *Sultan's, or Zanzibar, Balsam*
- Imperata** arundinacea. *Lalong-Grass*
sacchariflora. *Amoor River Giant Silvery Grass*
- Imperatoria** Ostruthium. *False Pelliitory-of-Spain, Fellow-Grass, Great Master-wort*
- Indigofera** australis. *Australian Indigo-plant*
floribunda. *Purple-flowered Indigo-plant*
tinctoria. *Dyer's Indigo-plant*
- Inga** dulcis. *Sappan-fruit-tree*
edulis. *Sweet Tamarind Tree*
Feuillei. *Pacay-tree, of Lima*
purpurea. *Soldier-bush*
Sassa. *Sassa-gum-tree*
spectabilis. *Guava Real*
vera. *Coco-wood*
- Inocarpus** edulis. *Fiji Chestnut, Otaheite Chestnut*
- Intsia** amboinensis. *Iron-wood, of Dutch E. Indies*
- Inula** candida. *White Flea-bane*
Conyz'a. *Cinnamon-root, Flea-wort, Ladies' Gloves, Ploughman's Spikenard*
crithmoides. *Golden Samphire*
dysenterica. *Common Flea-bane*
glandulosa. *Georgian Flea-bane*
montana. *Pyrenean Flea-bane*
Helenium. *Elccampane, Elf-Dock, Else-Dock, Horse-Elder*
Oculus-Chricti. *Christ's-eye, Hoary Flea-bane*
Pulicaria. *Flea-bane, Flea-bane Mullet*
- Ionidium** capense. *Cape Green Violet*
Ipecacuanha. *False Brazilian, or White, Ipecacuanha*
- Ionopsis** acaule. *Carpet-plant, Violet-flowered Cress*
- Ipomoea.** *American Bind-weed, Morning-Glory*
Bona-nox. *Moon-creeper*
cærulea. *Blue-flowered Bind-weed*
caroliniana. *Cypress vine, of Carolina*
coccinea. *Scarlet-flowered Bind-weed, Star-glory*
fastigiata. *Wild Potato, of the W. Indies.*
Gerrardi. *Wild Cotton, of Natal*
hederacea coccinea. *Ivy-leaved Cypress-vine*
lacunosa (Convolvulus micranthus). *White-star Bind-weed*
leptophylla. *Colorado Man-root*
Nil. *Smaller Morning-Glory*
Orizabensis (I. batatoides). *Jalap-tops, Male Jalap*
pandurata. *"Man-of-the-Earth," "Mechameek," of the N. American Indians, Wild-Potato Vine*
Pes-caprae. *Sea-side Potato, of India*
purpurea. *Common Morning glory*
Quamoclit. *Sweet William, of Barbadoes*
sidæfolia. *Christmas Gambol*
tuberosa. *Sea-Apple, or Vina, Spanish Arbour-Vine, or Spanish Wood-bine, of Jamaica, Trellis Convolvulus, of the W. Indies*
Turpethum. *E. Indian Jalap*
- Ipomopsis elegans.** *Standing Cypress*
Iriartea exorrhiza. *Pashiuba, Paxiuba, Rasp, or Zanora Palm*
setigera. *Blowing-cane Palm*
- Iresine.** *Blood-leaf celosioides.* *Juba's-brush*
- Iridæa** edulis. *Dulse*
- Iris.** *Flag, Rain-bow-Flower*
alata. *Christmas-flowering Iris, Scorpion Iris*
amœna. *Delicately-tinted Iris*
attica. *Greek Iris*
caucasica. *Caucasian Iris*
cristata. *Dwarf Crested Iris, Lady's Calamus*
DeBerghii. *De Bergh's Iris*
dichotoma. *Blue-curls*
ensata. *Sword-leaved Iris*
erratica. *Erratic Iris*
fœtidissima. *Blue Seggin, Gladden, Gladin, Gladwyn, or Glader, Roast-beef-plant, Stinking Gladwyn*
fœtidissima variegata. *Variegated Gladwyn*
flavescens. *Yellowish Iris*
florentina. *Florentine Iris, Orrice, or Orris-root-plant*
germanica. *Common or German Iris, Fleur de Luce, Orrice, or Orris-root-plant*
graminea. *Grass-leaved Iris*
iberica (Onocyclylus ibericus). *Iberian Iris*
italica. *Italian Iris*
junccea (I. lusitanica). *Rush-leaved Iris*
Kœmpferi. *Kœmpfer's Iris*
lacustris. *Dwarf Lake Iris, of N. America*
levigata. *Smooth Iris*
longipetala. *Long-petaled Iris*
missouriensis. *Missouri Iris*
Monnierii. *Golden Iris, Monnier's Iris*
nudicaulis. *Naked-stemmed Iris*
ochroleuca. *Yellow-banded Iris*
olbiensis. *Sardinian Iris*
pallida. *Pale Blue Iris, Orrice, or Orris-root-plant*
Pseud-acorus. *Jacob's-Sword, Water-Flag, Yellow Flag, Yellow Fleur de Lucc*
pulchella. *Pretty-flowered Iris*
pumila. *Dwarf Iris*
reticulata. *Early Bulbous Iris*
(Morea) Robinsoniana. *Wedding-flower of Lord Howe's Island*
rubricaulis. *Red-stemmed Iris*
ruthenica. *Ever-blooming Iris, Russian Iris*
Saari. *Saar's Iris*
sambucina. *Elder-scented Iris*
scorpioides (Xiphium planifolium). *Twice-flowering Iris*
setosa. *Bristle-pointed Iris*
siberica. *Siberian Iris*
spatulata (I. desertorum). *Sweet-scented Iris*
spuria. *Spurious Iris*
squalens. *Brown-flowered Iris*
stenogyna. *Cream-coloured Iris*
stylosa. *Algerian Iris*
susiana. *Great Spotted Iris, Sad-flowered Iris*
Swertia. *Swert's Iris*
tectorum. *Wall Iris*
Tellervli. *Telford's Iris*
tenax. *Tough-leaved Iris*
tingitana. *Tangier Iris*
tridentata. *Labrador Iris*

Iris tuberosa. (*Hermodactylus* *tuberosus*).
Onion Iris, *Snake's-head Iris*
Van Houttei. *Van Houtte's Iris*
variegata. *Variegated Iris*
verna. *Dwarf Iris*, of N. America, *Spring-flowering Iris*
versicolor. *Larger Blue Flag*, of N. America
virginica. *Boston Iris*, *Slender Blue Flag*, of N. America
Xiphion. *Clouded Iris*, *Small Bulbous Iris*,
Spanish Flag, *Thunderbolt Iris*
xiphioides. "English" *Iris*, *Great Bulbous Iris*, *Pyrenean Flag*
Irvingia. *Wild Mango*
Barteri. *Dika*, or *Udika*, *Bread-tree*, of W. Africa
Isanthus *cæruleus*. *False Penny-royal*, of N. America
Isatis *tinctoria*. *Ash-of-Jerusalem*, *Woad*
Ismene *amancae*. *Peruvian Daffodil*
Isnardia *palustris*. *Water-Purslane*
Isoëtes. *Quill-wort*
alpinus. *Mountain Quill-wort*
lacustris. *Common Quill-wort*, *Merlin's Grass*
Isonandra *Gutta*. *Gutta-Percha Tree*
Itea *virginica*. *Virginian Willow*
Iva. *High-water Shrub*, *Marsh Elder*
Ixia. *African Corn-lily*
Ixiolirion. *Ixia-lily*
Ledebouri. *Ledebour's Ixia-lily*
montanum. *Mountain Ixia-lily*
Pallasii. *Pallas's Ixia-lily*
tataricum. *Tartarian Ixia-lily*
Ixora. *Wild Jasmine*, of the W. Indies
ferrea. *Hard-wood-tree*
Jacaranda *ovalifolia*. *Green Ebony*
Jacksonia *scoparia*. *Dog-wood*, of N. S. Wales, *Jackson's Broom*
Jacquinia *armillaris*. *Bracelet-wood Tree*, W. Indian *Currant-tree*
ruscifolia. *Cross-wood*, of San Domingo
Jambosa (*Eugenia*) *malaccensis*. *Malay Apple*
Jasione *humilis*. *Dwarf Sheep's-bit Scabious*
montana. *Common Sheep's-bit Scabious*
perennis. *Perennial Sheep's-bit Scabious*
Jasminum. *Jasmine*, or *Jessamine*
affine (*J. ochroleucum*). *Large White-flowered Jasmine*
angustifolium. *Narrow-leaved Jasmine*
arborescens. *Tree-like Jasmine*
aureum. *Golden-leaved Jasmine*
azoricum. *White Azorean Jasmine*
capense. *Cape Jasmine*
fruticans. *Common Yellow-flowered Jasmine*, *Make-bate*
grandiflorum. *Catalonian* or *Spanish Jasmine*, *Large-flowered Jasmine*
heterophyllum. *Various-leaved Jasmine*
humile. *Italian Yellow Jasmine*
laurifolium. *Bay-leaved Jasmine*
multiflorum. *Many-flowered Jasmine*
nudiflorum. *Winter-flowering Jasmine*
odoratissimum. *Jonquil-scented Jasmine*, *Yellow Azorean Jasmine*
officinale. *Common White-flowered Jasmine*
officinale fl.-pl. *Double-flowered Jasmine*
officinale foliis argenteis. *Silver-leaved Jasmine*

Jasminum *officinale foliis aureis*. *Golden-leaved Jasmine*
pubigerum. *Downy Nepaul Jasmine*
Reevesii. *Reeves's Jasmine*
revolutum. *Yellow Nepaul Jasmine*
sambac. *Arabian Jasmine*, *White-flowered Indian Jasmine*
Jasonia *glutinosa*. *Glutinous Flea-bane*
Jateorhiza *palmata* (*Cocculus palmatus*). *Calumba*, or *Colombo-root*
Jatropha *curcas* (*Curcas purgans*). *Physic-nut*, of S. America
gossypifolia. *Belly-ache Bush*
(Janipá) *Manihot* (*Manihot utilissima*).
Cassava-plant, *Mandioc-plant*, *Tapioca-plant*
multifida. *Coral-plant*, *Tyle-berry*
stimulans. *Stinging-bush*
urens var. *stimulosus*. (*Cnidoscolus stimulosus*). *Spurge-nettle*, *Virginian "Tread-softly"*
Jeffersonia *diphylla*. *Ground-squirrel Pea*, *Rheumatism-root*, of N. America, *Twine-leaf*
Jonesia *Asoca*. *Ushoka-tree*, of Bengal
Jubaea *spectabilis*. *Coquito Palm*, "Little Coker-nut" *Palm*
Juglans. *Walnut-tree*
cinerea. *Butter-nut*, of N. America, *White Walnut*
nigra. *American* or *Black Walnut*
pterocarpa (*Pterocarya caucasica*). *Caucasian Walnut*
regia. *Ban-nut-tree*, *Common Walnut-tree*, *French Nut*, *Welsh Nut*
regia var. *lacinata*. *Cut-leaved Walnut*
Juncus. *Rush*
acutus. *Great Sharp Sea-side Rush*
articulatus (*J. acutiflorus*). *Jointed Rush*, *Sprit*
balticus. *Baltic Rush*
biglumis. *Two-flowered Rush*
bufonius. *Frog-grass*, *Toad-grass*, *Toad Rush*
capitatus. *Cluster-headed Rush*, *Jersey Rush*
castaneus. *Black-spiked Rush*
compressus. *Round-fruited Rush*
communis. *Candle Rush*, *Common Soft Rush*
communis var. *conglomeratus*. *Dense-flowered Rush*
communis var. *conglomeratus spiralis*. *Cork-screw Rush*
communis, var. *effusus*. *Candle Rush*, *Loose-flowered Rush*, *Pin Rush*
filiformis. *Thread Rush*
glaucus. *Common Hard Rush*
maritimus. *Sea-side Rush*
obtusiflorus. *Blunt-flowered Rush*
squarrosum. *Goose-corn Rush*, *Heath Rush*, *Moss Rush*
trifidus. *Highland Rush*
triglumis. *Three-flowered Rush*
Jungermannia. *Scale Moss*
Juniperus. *Juniper*
barbadensis. *Barbadoes Cedar*
bermudiana. *Bermuda Cedar*, *Pencil-wood Cedar*
californica. *Californian Juniper*
cedrus. *Canary Island Cedar* or *Juniper*
cedrus var. *brevifolia*. *Azores Juniper*

Juniperus chinensis. *Chinese Juniper*
chinensis var. *aurea*. *Golden Chinese Juniper*
communis. *Common Juniper*
communis var. *hibernica* (*J. stricta*). *Irish*
Juniper
communis var. *suecica*. *Swedish Juniper*
drupacea. *Plum-fruited Juniper*
echiniformis (*J. hemisphaerica*). *Hedge-hog*
Juniper
excelsa var. *stricta*. *Tall Upright Juniper*
Henryana. *Pencil Cedar*, of British Colum-
bia
japonica. *Japan Juniper*
japonica var. *alba*. *White-variegated Japan*
Juniper
japonica var. *aurea*. *Golden-variegated Japan*
Juniper
macrocarpa. *Large Purple-fruited Juniper*
nana. *Dwarf Juniper*
occidentalis. *Californian Juniper*
Oxycedrus. *Brown-berried Juniper*, *Cade-*
oil plant, *Prickly Cedar*, *Sharp Cedar*
pachyphyllea. *Sweet-fruited Juniper*
procera. *Abyssinian Juniper*
prostrata. *Carpet Juniper*
Pseudo-Sabina. *Siberian Savin*
recurva. *Drooping Indian Juniper*
religiosa (*J. excelsa*). *Incense Juniper*
Sabina. *Common Savin*
Sabina var. *cypressifolia*. "Kindly Savin"
Sabina var. *nana*. *Dwarf Savin*, *Green-*
carpet Juniper
sabinoides. *Gray-carpet Juniper*
tamariscifolia (*J. sabinoides*). *Tamarisk-*
leaved Juniper
tetragona. *Mexican Juniper*
thurifera. *Spanish Juniper*
virginiana. *Virginian Red Cedar*
virginiana var. *argentea*. *Silvery-leaved Red*
Cedar
virginiana var. *humilis*. *Dwarf Red Cedar*
virginiana var. *pendula*. *Weeping Red Cedar*
Jussiaea *repens*. *Clove-strip*
suffruticosa. W. Indian *Loose-strife*
Justicia *comata*. *Balsam-herb*, of Jamaica
hyssopifolia. *Snap-tree*
Nasuta. *Nasuta*, or *Tong-pang-chong* *Shrub*,
of India
pectoralis. *Garden Balsam*, of the W.
Indies

Kæmpferia Galanga. E. Indian *Galingale*
Kageneckia oblonga. *Lyday-wood*, of Chili
Kalmia. *American Laurel*
angustifolia. *Sheep's-poison Laurel*
glauca. *American Swamp-Laurel*
latifolia. *American Mountain Laurel*, *Calico-*
bush, *Spoon-wood Tree*
rubra. *Red-flowered American Laurel*
arstenia quinquenervia. *Mess-Apple*
Kennedyia. *Native Bean-flower*, of Australia
prostrata. *Coral Creeper*
Kentia (*Areca*) *monostachya*. *Whip-stick*, or
Walking-stick, *Palm*
Baueri. *Norfolk Island Palm*
Belmoreana. *Curly Palm*, *Earl Belmore's*
Palm
Canterburyana. *Umbrella Palm*
sapida. *Nikau Palm*, of New Zealand

Kerneria (*Cochlearia*) *saxatilis*. *Rock Scurvy-*
grass
Khaya senegalensis. *African Mahogany*
Kibara macrophylla. *Queensland Black Ink-*
berry
Kingia australis. *Australian Grass-tree*
Kleinia nerifolia. *Carnation-tree*
Knightia excelsa. *Rewa-Rewa-tree*, of New
Zealand, *New Zealand Oak*
Kochia (*Chenopodium*) *Scoparia*. "Belvedere,"
Broom Goose-foot, *Broom* or *Summer Cypress*
villosa. *Cotton-bush*, of Australia
Kokoona zeylanica. *Kokoon-tree*, of Ceylon
Krameria Ixina. *Savanilla Rhatany-plant*
triandra. *Rhatany Root*
Krigia virginica. *Dwarf Dandelion*, of N.
America
Kunthia montana. *Snake Cane*, of New
Granada
Kunzea corifolia. *Bottle-green Tea-tree*, of
Victoria
Lachenalia. *Cape Cowslip*, *Leopard-lily*
serotina (*Uropetalum serotinum*). *Late-*
flowering Cape Cowslip
Lachnanthes *tinctoria*. *Paint-root* or *Red-*
root, of Carolina
Lachnocaulon Michauxii. *Hairy Pipe-wort*
Lactarius deliciosus. *Orange-milk Mushroom*
Lactuca. *Lettuce*
elongata (*L. canadensis*). *American Wild*
Lettuce, *Fire-weed*
intybaceae. *Lombard* or *Endive-leaved Lettuce*
(Prenanthes) muralis. *Wall Lettuce*
perennis. *Perennial Lettuce*
pulchella. *Californian Lettuce*
quercina. *Oak-leaved Lettuce*
saligna. *Least Lettuce*, *Willow Lettuce*
sativa and vars. *Common Garden Lettuce*
sativa var. *capitata*. *Cabbage*, or *Drum-*
head Lettuce
Scariola. *Prickly Lettuce*
sonchifolia. *Blue Dandelion*
virosa. *Medicinal Prickly Lettuce*, *Sleep-wort*,
Strong-scented Lettuce, *Wild Lettuce*
Laetia Guidonia. *Jamaica Rod-wood*
Thamnia. *Scarlet-seed*
Lagenaria vulgaris. *Common Bottle-Gourd*
vulgaris var. *clavata*. *Trumpet-Gourd*
Lagenophora. *New Zealand Daisy*
Lagerstroemia. *Crape Myrtle*, *Indian Lilac*
microcarpa. *Ben Teak*
Reginæ. *E. Indian Blood-wood*, *Jarool-wood*,
Queen's Flower
Lagetta *lintearia*. *Gauze-tree*, *Lace-bark-tree*,
of Jamaica
Lagecia cuminoides. *Wild Cumin*
Lagunaria Patersoni. *White-wood*, of Aus-
tralia, *Cow-itch-tree*, or *White Oak*, of
Norfolk Island
Laguncularia racemosa. *White Button-*
wood, *White Mangrove*
Lagurus ovatus. *Hare's-tail Grass*, *Turk's-*
head Grass
Laminaria. *Fyams*, *Tangle*
bulbosaa. *Sea-furbelows*, *Sea-hangers*
digitata. *Cairn-tangle*, *Cuwy*, *Dead-Man's-*
Toe, *Ore*, *Ore-weed*, *Oar-weed*, *Sea-girdles*,
Sea-wand

- Laminaria saccharina.** Devil's-apron, Honey-ware, Ribbon-weed, Sea-belt, Sweet Tangle
- Lamium.** Dead-Nettle
album. Archangel, Bee Nettle, Blind Nettle, Dumb Nettle, White Dead-Nettle
amplexicaule. Hen-bit, Lion's-snap
aureum. Golden Dead-Nettle
Galeobdolon. Weasel's-snout, Yellow Arch-angel, Yellow Dead-Nettle
garganicum. Mt. Gargano Dead-Nettle
longiflorum. Long-flowered Dead-Nettle
maculatum. Spotted Dead-Nettle, Variegated Dead-Nettle
Orvala. Balm-leaved Red Dead-Nettle
purpureum. Common Red Dead-Nettle
- Landolphia.** African-rubber-tree
- Lanosa nivalis.** Snow-mould
- Lansium domesticum.** "Langsat," or Lanseh-tree, of Malacca
- Lantana aculeata.** Jamaica Mountain-Sage mixta. W. Indian Coast Bramble (various species). Surinam Tea-plant
- Laportea canadensis.** Wood-nettle, of N. America
- Lappa.** Burdock
edulis. Giant Edible-rooted Burdock, "Gobbo," or "Gobo," of Japan
- Lapsana communis.** Nipple-wort
- Larix.** Larch-tree
americana. American Larch, Black Larch, Hackmatack, Tamarack
europaea. Common Larch
Griffithii. Himalayan or Sikkim Larch
Ledebourii. Altaiian Larch
microcarpa. Red American Larch
occidentalis. Oregon Larch
pendula. Weeping Larch
sibirica. Siberian Larch
- Larrea mexicana.** Creosote-bush, Creosote-plant
- Laserpitium.** Laser-wort
latifolium. Herb-Frankincense
- Lasiandra.** Brazilian Spider-flower
- Lastrea.** Buckler-Fern, Shield-Fern
cristata. Crested Shield-Fern, Darsham Fern
dilatata. Broad Prickly-toothed Fern
Filix-mas. Male Fern, Mate Polypody
Feniseccii (L. ænula). Hay-scented Fern, Recurved Prickly-toothed Fern
- Oreopteris.** Heath Fern, Mountain Shield-Fern, Scented Fern
rigida. Rigid Shield-Fern
spinulosa. Narrow Prickly-toothed Fern
Thelypteris. Ground Fern, Marsh Shield-Fern
- Latania Borbonica.** Common Bourbon-Palm
- Lathraea clandestina.** Hidden Tooth-wort
squamaria. Common Tooth-wort
- Lathyrus.** Everlasting Pea
amplicarpus. Earth Pea
Aphaca. Yellow-flowered Pea, Yellow-flowered Vetchling
californicus. Californian Everlasting Pea
Cicera. Flat-podded Vetch
grandiflorus. Large-flowered Everlasting Pea
hirsutus. Rough Pea
latifolius. Common Everlasting Pea

- Lathyrus macrorrhizus.** Bitter Vetch, Cara-mele, Heath Pea, Mouse Pea
magellanicus. Lord Anson's Pea
maritimus. Sea-side Pea
montanus. Mountain Everlasting Pea
Nissolia. Grass Pea, Grass Vetch, Meadow Vetchling
odoratus. Sweet Pea
palustris. Marsh Pea
pisiformis. Pea Vetchling, Siberian Everlasting Pea
pratinus. Angle-berries, Meadow Pea
roseus. Rosy-flowered Everlasting Pea
rotundifolius. Round-leaved Everlasting Pea
sativus. Chickling Vetch
Sibthorpei. Sibthorpe's Everlasting Pea
sylvestris. Wood Pea
tingitanus. Tangier Pea
tuberous. Dutch Mice, Earth-nut Pea, Tine Tare, Tuberous-rooted Everlasting Pea
- Laurelia aromatica.** Chili Laurel
Nova-Zealandiae. New Zealand Laurel, New Zealand Sassafras, Pukatea-tree
semperfervens. Chili Sassafras, Peruvian Nutmeg
serrata. "Vouvan"-tree
- Laurencia obtusa.** Corsican Moss
- Laurus.** Bay-tree, Laurel
estivalis. Summer Laurel
aggregata. Crowded-flowered Laurel
albida. White Sassafras, Whitish-leaved Laurel
azorica. Azores Laurel
Benzoin (Benzoin odoriferum). Benjamin-bush, Spice-bush, Spice-wood
bullata. African Oak, Cape Laurel
Camphora. Camphor-tree
canariensis. Canary Island Laurel (Persea) carolinensis. Carolina Laurel
Cassia. Bastard Cinnamon-tree
Catesbeiana. Catesby's Laurel
Chloroxylon. Cog-wood-tree, of the W. Indies, Jamaica Laurel
coriacea. Leather-leaved Laurel
crassifolia. Thick-leaved Laurel
Diospyros. Jove's-fruit Laurel
exaltata. Lofty Laurel
floribunda. Many-flowered Laurel
fœtens. Madeira Bay-tree, Strong-scented Laurel, Til-tree
geniculata. Jointed Laurel
indica. Indian Bay, Madeira Laurel
nivea. Snow-white Laurel
nobilis. Bay Laurel, Bay-tree, Poet's or Roman Laurel, Sweet Bay, Victor's Laurel
patens. Spreading Laurel
pendula. Weeping Laurel
regalis. Royal Laurel
salicifolia. Willow-leaved Laurel
Sassafras. Ague-tree, Sassafras-tree
splendens. Shining-leaved Laurel
thyrsiflora. Bunch-flowered Laurel
- Lavandula.** Lavender
dentata. Sweet-scented Lavender
Spica. Common Lavender
Stoechas. Cassidony, French Lavender, Sticadoue or Sticados
vera. True Lavender

- Lavatera africana.** African Tree-Mallow
arborea. Common Tree-Mallow or Sea-Mallow,
Velvet-leaf, Wild Tree-Mallow
arborea variegata. Variegated Tree-Mallow
Olbia. Garden Tree-Mallow
subovata. Subovate-leaved Tree-Mallow
trimestris. Common Annual Tree-Mallow
triloba. Three-lobed Tree-Mallow
unguiculata. Samian Tree-Mallow
- Lawsonia alba** (L. inermis). "Campfire,"
of Scripture, Egyptian Privet, Henna-plant,
Jamaica Mignonette
- Layia platyglossa.** "Tidy-tips," of San Francisco
- Lecanora pallescens.** Crab's-eye Lichen
tartarea. Cudbear or Cork Cudbear, Cup-Moss
- Lechea.** American Pin-weed
- Lecidea geographica.** Map-Lichen
- Lecythis Ollaria.** Monkey-pot Tree
Zabucajo. Sapucaya-nut Tree
- Ledum latifolium.** Labrador Tea-plant
palustre. Marsh Cistus, Marsh Rosemary
- Leersia lenticularis.** American Fly-catch-
Grass
oryzoides. Cut-Grass, Rice Cut-Grass
virginica. American White Grass
- Leiophyllum** (Ledum) buxifolium (Ammy-
sine buxifolia). Box-leaved Sand-Myrtle
- Lemma.** Duck-meat, Duck-weed
gibba. Thick-leaved Duck-weed
minor. Common Duck-weed, Greens, Greeds,
Water Lens, Water Lentils
polyrrhiza. Greater Duck-weed
trisulca. Ivy-leaved Duck-weed
- Lentinus lepidus.** Cellar Fungus
- Leonia glycycarpa.** Achocon-tree, of Peru
- Leonotis.** Lion's-ear
Leonurus. Lion's-tail
- Leontice Leontopetalum.** Lion's-leaf, Lion's
Turnip
- Leontodon.** Lion's-tooth
Taraxacum. Blow-ball, Canker-wort, Dandelion,
Horse-Gowan, Irish Daisy, Milk-Gowan,
Yellow Gowan
- Leontopodium alpinum.** Lion's-foot
- Leonurus Cardiaca.** Common Mother-wort
sibiricus. Siberian Mother-wort
- Leopoldinia major.** Jara-Assu Palm
Piassaba. Piassaba Palm
pulchra. Jara Palm
- Lepidium.** Cress, Pepper-wort
campestre. Churl's-Mustard, Mithridate
Mustard or Pepper-wort, Treacle-Mustard
- Cardamines. Spanish Cress
- Draba. Hoary Cress
latifolium. Broad-leaved Cress, Dittander,
Dittany
- oleraceum. New Zealand Cress
- Piscidium.** Fish-poison, of the S. Sea
Islanders
- ruderale. Narrow-leaved Cress
sativum. Garden Cress, Tongue-grass, Town
Cress
- virginicum. American Wild Pepper-grass
- Lepidosperma gladiatum.** Sword-Sedge, of
Australia
- Lepigonum.** Sand Spurrey
- Lepronia mucronata.** Chinese Mat-Rush
- Leptandra virginica.** Black-root
- Leptanthus gramineus.** Water Star-grass
- Leptomeria acerba.** Australian Currant
Billardieri. Native Currant, of Victoria
- Leptospermum.** South Sea Myrtle
flavescens. New Zealand Tea-plant
lanigerum. Tea-tree, of Australia
levigatum. "Sand-stay," of Australia
scoparium. Captain Cook's Tea-tree,
Manuka-scrub, of New Zealand
- Lepturus incurvatus.** Sea-side Hard-grass,
Snake's-tail
- Lespedeza.** Bush Clover, of N. America
striata. "Hoop-Koop"-plant, Japan Clover
- Lettsomia Bona-nox.** Clove-scented Creeper
- Leucadendron argenteum.** Cape Silver-tree
- Leucanthemum** (Chrysanthemum) arcticum.
Arctic Ox-eye Daisy
- Leucocoryne.** White Club-flower
- Leucocrinum montanum.** Californian
Soap-root, Rocky Mountain Dwarf White
Lily
- Leucæna (Acacia) glauca.** W. Indian Lead-tree
- Leucojum.** "Bulbous Violet," Snow-flake
æstivum. Loddon Lilies, Summer Snow-drop, Summer Snow-flake
autumnale. Autumn Snow-flake
carpathicum. Carpathian Snow-flake
Hernandezii (L. pulchellum). Small
Summer Snow-flake
- hyemale. Winter Snow-flake
roseum. Rosy-flowered Snow-flake
trichophyllum (Acis trichophylla). Many-
flowered Snow-flake
- vernun. Spring Snow-flake
- Leucopogon.** Australian "Native Currant"
Fraseri. Otago Heath
Richei. Australian Currant, Australian
Carrot-wood
- Leucoxylon buxifolium.** White-wood, of
Java
- Levisticum officinale** (Ligusticum Levisticum). Common Lovage, Italian Lovage,
Mountain Hemlock
- Lewisia rediviva.** Bitter-root, Spælum or
Spatium
- Leycesteria formosa.** Flowering Nutmeg,
Himalayan Honey-suckle
- Liatris.** Button-snake-root, Gay-feather
elegans. Hairy-cupped Button-snake-root
odoratissima. Vanilla-plant, of N. America
pynostachya. Dense-spiked Button-snake-
root, Kansas Gay-feather
- spicata. Long-spiked Button-snake-root
squarrosa. Devil's-bit, of N. America, Blaz-
ing-star
- Libocedrus.** Incense Cedar
chilensis. Chilean Arbor-vitæ
decurrens (Thuja gigantea). White Cedar, of
California
- Doniana. Kawaka-tree, New Zealand Arbor-
vitæ
- tetragona. Alerce-tree, of Chili
- Licania guianensis.** Cayenne Rose, Cayenne
Sassafras, Pepper-wood, Pottery-bark-tree
- Licuala acutifida.** Penang Lawyers
- Ligularia Kampferi** var. argentea. Japanese
Silver-leaf

Ligusticum *actaeifolium*. American White-root, *Angelico*, *Nondo*
Lyalli. *Maori Parsnip*
peregrinum. Parsley-leaved Lovage
scoticum. Scotch Lovage

Ligustrum. Privet
Fortunei. Fortune's Privet
japonicum. Japanese Privet
japonicum variegatum. Gold-blotted Privet
lucidum. Chinese Wax-tree, Shining-leaved Privet
ovalifolium. Oval-leaved Privet
sinense. Chinese Privet
sinense var. nanum. Dwarf Chinese Privet
spicatum. Spiked-flowered Privet
villosum. Hairy Privet
vulgare. Common Privet, Prim-print or Prim
vulgare variegatum. Variegated-leaved Privet
vulgare var. buxifolium. Box-leaved Privet
vulgare var. leucocarpum. White-berried Privet
vulgare var. sempervirens (*L. italicum*). Evergreen Privet
vulgare var. xanthocarpum. Yellow-berried Privet

Lilium. Lily
auratum. Gold-striped Lily
auratum var. *rubro-vittatum*. Scarlet-striped Lily
avenaceum. Oat-bulbed Lily
Brownii. Brown's Lily
bulbiferum. Bulb-bearing Lily
bulbiferum var. *aurantium*. Bulb-bearing Orange Lily
Buschianum. Busch's Lily
californicum. Californian Lily
callosum. Warty Red Japanese Lily
camtschatcense (*Fritillaria camtschateensis*). Black Lily
canadense. American Yellow Lily
candidum. Bourbon Lily, Juno's Rose, Madonna Lily, White Lily
carniolicum. Carniola Lily
carolinianum. Carolina Lily
Catesbeii. Southern Red Lily
chaleonicum. Scarlet Martagon Lily
colchicum (*L. Szovitzianum*). Crimson-anthered Lily, Tall Sulphur-flowered Lily
columbianum. Oregon Lily
concolor. Japanese Red-Star Lily
cordifolium. Heart-leaved Lily
cordifolium var. *giganteum*. Giant Heart-leaved Lily
Coridion. Japanese Yellow-Star Lily
croceum. Common Orange Lily, Saffron-coloured Lily.
dalmaticum. Black Martagon Lily
davuricum. Siberian Orange Lily
eximium. Transparent Trumpet Lily
giganteum. Giant Lily
Harrisi [*L. japonicum floribundum* (?)]. Bermuda Easter Lily
Humboldtii. Humboldt's Lily
japonicum. Japanese Lily
Kramerii. Kramer's Lily
lancifolium. Spear-leaved Japanese Lily
Leichtlinii. Max Leichtlin's Lily

Lilium *longiflorum*. Common Trumpet Lily
Martagon. Martagon Lily, Hulch Lily
medeoloides. Medeola Lily
monadelphum. Caucasian Lily
neilgherrense. Neilgherry Lily
pardalinum. Panther Lily
Parryi. Parry's Lily
Partheneion. Brownish-red Japanese Lily
parvum. Small Lily
Philadelphicum. Whorled-leaved American Lily, Wild Orange-Red Lily
polyphyllum. Himalayan White Lily
Pomponium. Turban Lily
pulchellum. Russian Lily, Siberian Scarlet Lily
pyrenaicum. Pyrenean Lily
Robinsoni. Robinson's Lily
speciosum (*L. lancifolium*). Spotted Lily
superbum. Great American Turk's-cap Lily, Swamp Lily
Szovitzianum (*L. colchicum*). Crimson-anthered Lily, Tall Sulphur-flowered Lily
tenuifolium. Tom Thumb Lily
testaceum. Buff-coloured Lily, Nankeen Lily
tigrinum. Tiger Lily
tigrinum var. *Fortunei*. Fortune's Tiger Lily
umbellatum. Umbel-flowered Lily
venustum (*L. Thunbergianum*). Late Orange Lily, Thunberg's Lily
Wallichianum. Wallich's Trumpet Lily
Washingtonianum. Nevada or Washington Lily
Washingtonianum var. *purpureum* (*L. rubescens*). Purple Washington Lily
Wilsoni. Wilson's Lily

Limnanthemum. Marsh-flower
lacunosum (*Villarsia cordata*). Floating-Heart
(*Villarsia*) *nymphæoides*. Fringed Buck-bean, Fringed Water-Lily, Water-Fringe

Limnobium Spongia. American Frog-bit

Limonia acidissima. Musk-deer Plant
carnosa. Keklam-fruit, of Bengal (?)
monophylla. Indian Wild Lime

Limosella aquatica. Mud-weed, Mud-wort

Linaria. Toad-flax
alpina. Alpine Toad-flax
bipartita. Cloven-flowered Toad-flax
canadensis. American Toad-flax
cirrhosa. Tendrilled Toad-flax
crassifolia. Thick-leaved Toad-flax
Cymbalaria. Coliseum or Kenilworth Ivy, Ivy-leaved Toad-flax, Ivy-wort, Mother-of-Thousands, Oxford Weed, Penny-wort
dalmatica. Large Yellow Toad-flax
Elatine. Cancer-wort, Pointed Toad-flax
genistæfolia. Broom-leaved Toad-flax
hepaticæfolia. Hepatica-leaved Toad-flax
minor. Small Toad-flax
origanifolia. Marjoram-leaved Toad-flax
Pelisseriana. Pelisser's Toad-flax
Perezii. Perez's Toad-flax
pilosâ. Hairy Toad-flax
purpurea. Purple Toad-flax
pyrenaica. Pyrenean Toad-flax
repens. Creeping Toad-flax
reticulata. Netted-flowered Toad-flax

- Linaria** reticulata var. aureo-purpurea. *Gold-and-purple Toad-flax*
spuria. Cancer-wort, Male Fluellin, Round-leaved Toad-flax
supina. Trailing Toad-flax
triornithophora. Three-birds Toad-flax
triphylla. Three-leaved Toad-flax
villosa. Shaggy Toad-flax
vulgaris. Butter-and-Eggs, Buttered Hay-cocks, Common Toad-flax, Dragon-bushes, Eggs-and-Bacon, Eggs-and-Butter, Flax-weed, Gall-wort, 'Ransted' or 'Ransted,' of N. America, Wild Flax, Yellow Toad-flax
- Lindelofia** spectabilis (*Cynoglossum longiflorum*). *Himalayan Lung-wort*
- Lindera** Benzoin. *Benjamin-bush, Fever-bush, Spice-bush, Wild All-spice*
melissæfolia. Jove's-Fruit
- Linnaea** borealis. *Twin-flower*
- Linociera** ligustrina. *Jamaica Rose-wood*
- Linosyris** vulgaris. *Goldilocks*
- Linum.** *Flax*
alpinum. Alpine Flax
alpinum var. album. Dwarf White-flowered Flax
angustifolium. Pale-flowered Flax
arboreum. Evergreen Flax
Berlandieri. Berlandier's Flax
catharticum. Dwarf, Fairy, Mountain or Purging Flax, Fairy Lint, Mill-mountain
flavum (L. campanulatum). Yellow Herba-ceous Flax
grandiflorum. Crimson-flowered Flax
Macraei (L. Chamissonis). Orange-flowered Flax
monogynum. Native Flax, of New Zealand, White-flowered Flax
narbonnense. Narbonne Flax
perenne. Perennial Flax
Provinciale. Bright Blue Perennial Flax
rubrum. Sicilian Red-flowered Flax
salsoloides. Heath-leaved Flax
striatum. Bog Flax, of N. America
suclatum. Large Yellow-flowered Flax, of N. America
tauricum. Crimean Flax.
trigynum. E. Indian Flax, Winter-flowering Flax
usitatissimum. Common Flax, Lin, Line, or Lint
virginianum. Virginian Yellow-flowered Flax
viscosum. Viscid Flax
- Liparis** liliifolia. *American Tway-blade, Purple-flowered Tway-blade*
Loeselii. Fen-Orchis, Green-flowered Tway-blade
- Lippia** (Zapania) lanceolata. *Fog-fruit (Aloysia) citriodora. Lemon-Tree, Lemon-scented "Verbena"*
- Liquidambar** orientalis. *Liquid-Storax-tree, Lord-wood*
styaciflora. Bilsted, Copalm Balsam-tree, Sweet Gum-tree
- Liriodendron** tulipiferum. *Canoe-wood, Lyre-tree, Saddle-tree, Tulip-tree, Western "Poplar," "Whitewood," of N. America, Yellow Poplar*
- Lissanthe** sapida. *Australian Cran-berry*
- Listera** convallarioides. *Common Tway-blade, of N. America*
cordata. Lesser Tway-blade
ovata, Bifoil, Double-leaf, Common Tway-blade
- Lithocarpus** javensis. *Stone Oak*
- Lithospermum.** *Gromwell arvense. Bastard Alkanet, Cornfield Gromwell (Batschia) canescens. Alkanet, of N. America, Deep-yellow-flowered Gromwell, Hoary Puccoon.*
fruticosum. Shrubby Gromwell Gastoni. Gaston's Gromwell hirtum. "Alkanna," Hairy Puccoon officinale. Common Gromwell, Grummel, or Graymille, Lichwale or Lychwale, Pearl-plant
petraeum. Rock Gromwell prostratum. Gentian Gromwell, Purple Gromwell
- purpureo-ceruleum. Creeping Gromwell rosmarinifolium. Rosemary-leaved Gromwell*
- Litobrochia** Currori. *Royal Fern, of Calabria*
- Litssea** dealbata. *Brush-land Mist-tree, of Australia*
- Littorella** lacustris. *Plantain Shoreweed, Shore Grass*
- Livistona** (Corypha) australis. *Cabbage-Palm, of Australia, Fan Palm, of N. S. Wales, Gippsland Palm-tree*
Jenkinsiana. Toko-pat Palm
Mariae. Palm-tree, of Central & W. Australia
- Lloydia** serotina. *Mountain Spider-wort*
- Loasa** lateritia. *Common Chili Nettle*
- Lobelia** assurgens. *Tree Lobelia*
azurea nana. Dwarf Blue Lobelia
cardinalis. Cardinal-flower Lobelia, Scarlet Lobelia
coronopifolia. Stag's-horn-leaved Lobelia
Dortmannia. Water Lobelia
erinoides. Trailing Lobelia
Erinus. Dwarf Spreading Blue Lobelia
Erinus var. compacta. Close-growing Dwarf Blue Lobelia
- fulgens. Brilliant Lobelia*
gracilis. Slender Lobelia
heterophylla major. Blue-and-white Lobelia
ilicifolia. Holly-leaved Lobelia
inflata. Asthma-weed, Emetic-weed, Indian Tobacco
- Laurentia. Italian Lobelia*
littoralis. Shore Lobelia
lutea. Yellow-flowered Lobelia
Paxtoniana. Dwarf Blue-and-white Lobelia
pumila. Dwarf Lobelia
ramosa. Branching Lobelia
speciosa. Showy Lobelia
syphilitica. Tall Blue Lobelia
Tupa. Mullein-leaved Lobelia
urens. Acrid Lobelia, Flower-of-the-axe
- Lodoicea** Seychellarum. *Double, or Sea-Cocoa-nut Palm*
- Loiseleuria** (Azalea) procumbens. *Alpine or Trailing Azalea*
- Lolium** italicum (L. perenne var. multiflorum). *Italian Ryegrass or Ray-Grass*

Lolium perenne. Ever-, or Eaver-, Grass, Ray-grass or Rye-Grass, Red Darnel, White None-suck
perenne var. multiflorum (*L. italicum*). Italian Rye-ygrass
temulentum. Cheat, Chess, Darnel, Ivray, Juray
Lomaria Spicant. Deer Fern
Lomatia ilicifolia. Native Holly, of Australia
Lonchocarpus (*Milletia*) Blackii. Queens-land Lance-pod
Lonicera. Honey-suckle
alpigena. Alpine Honey-suckle
angustifolia. Narrow-leaved Honey-suckle
brachypoda. Short-stalked Honey-suckle
brachypoda var. aureo-reticulata. Gold-netted Honey-suckle
cærulea. Blue-berried Honey-suckle
ciliata. Fly-Honey-suckle, of N. America
canadensis. Canadian Honey-suckle
Caprifolium. Caprifole, Perfoliate Honey-suckle, White Italian Honey-suckle
Caprifolium var. *flava.* Yellow Italian Honey-suckle
confusa. Confused Honey-suckle
Dierilla. Yellow-flowered Upright Honey-suckle
discolor. Two-coloured Honey-suckle
diversifolia. Various-leaved Honey-suckle
Douglasia. Douglas's Honey-suckle
etrusca. Tuscan Honey-suckle
etrusca var. rubra. Red Italian Honey-suckle
flava. Yellow Honey-suckle
flexuosa. Chinese Honey-suckle
fragrantissima. Winter-flowering Honey-suckle
grata. American Wood-bine, Evergreen Honey-suckle
hirsuta. Hairy Honey-suckle
iberica. Iberian Honey-suckle
implexa. Minorca Honey-suckle
japonica. Japan Honey-suckle
Ledebouria. Ledebour's Honey-suckle
ligustrina. Privet-leaved Honey-suckle
microphylla. Small-leaved Honey-suckle
nigra. Black-berried Honey-suckle
oblongifolia. Swamp Fly-Honey-suckle, of N. America
occidentalis. Western Honey-suckle
odoratissima. Sweetest Honey-suckle
orientalis. Eastern Honey-suckle
parviflora. Small Honey-suckle
Periclymenum. Bear-bind, Common Wood-bine or Honey-suckle
Periclymenum var. *belgica.* Dutch Honey-suckle
Periclymenum var. *rubra.* Red Dutch Honey-suckle
pubescens. Downy American Honey-suckle
punicea. Crimson-flowered Honey-suckle
pyrenaica. Pyrenean Honey-suckle
quadrifolia. Four-leaved Honey-suckle
sempervirens. Trumpet Honey-suckle
sempervirens var. minor. Small Trumpet Honey-suckle
Stabiana. Castellamare Honey-suckle
tatarica. Tartarian Honeysuckle
tomentella. Downy Honey-suckle

Lonicera triflora. Three-flowered Honey-suckle
villosa. Shaggy Honey-suckle
Xylosteum. Common Fly-Honey-suckle
Lophanthus. Giant Hyssop
anisatus. Anise-Hyssop
urticefolius. Nettle-leaved Giant Hyssop
Lophira africana. Scrubby Oak, of Africa
alata. Scrubby Oak, of Sierra Leone
Lophostemon australis. Red Box, of N. S. Wales
macrophyllus. Gray Box, of Queensland
Lotus. Bird's-foot-Trefoil
arabicus. Red-flowered Bird's-foot-Trefoil
argenteus. Silvery Bird's-foot-Trefoil
australis. Sheep-poison-plant, of Australia
corniculatus. Bird's-foot, Bird's-foot Clover,
Cat-in-clover, Cheese-cake Grass, Common
Bird's-foot-Trefoil, Crow's-foot, Eggs-and-Bacon, Fingers-and-Thumbs, Fingers-and-Toes, Ground Honey-suckle, Lamb's-toe
corniculatus fl.-pl. Double-flowered Bird's-foot-Trefoil
creticus. Silvery Evergreen Bird's-foot-Trefoil
Dorycnium. Shrubby Bird's-foot-Trefoil
edulis. Edible Bird's-foot-Trefoil
Jacobæus. St. James's Flower
major. Greater Bird's-foot-Trefoil
tetragonolobus. Winged Pea
tetraphyllus. Four-leaved Grass
thermalis. Hungarian Lotus or Water-lily
Loxopterygium Lorentzii. Red Quebracho-tree
Lucuma (*Sapota*) mammosa. Jamaica Bullet-tree, Marmalade-tree, Vegetable-Egg-tree
multiflora. Broad-leaved Nase-berry Bully-tree
Ludwigia. American False-Loose-strife
(*Isnardia*) alternifolia and *L. hirtella.* Seed-Box
palustris. American Water-Purslane
Luffa acutangula. Strainer Vine
ægyptiaca. Sooly-Qua Gourd, Towel or Washing Gourd
Lunaria annua. Annual Honesty
biennis. Bolbonac, Common Honesty, Money-flower, Satin-flower, Satin-leaves
biennis var. *albiflora.* White-flowered Honesty
rediviva. Perennial Honesty
Lupinus. Lupine, or Lupin
arboreus. Tree-Lupine of California
densiflorus. Californian "Sheep-poison"
Hartwegi. Hartweg's Lupine
insignis. Blue-flowered Lupine
linifolius. Flax-leaved Lupine
macrophyllus. Large-leaved Lupine
Moritzianus. Blue-and-white Lupine
mutabilis. Changeable-flowered Lupine
nanus. Dwarf Blue-flowered Lupine
Nutkatensis. Dwarf Perennial Lupine
polyphyllus. Tall Blue-flowered Perennial Lupine
subcarnosus. White-and-rose-flowered Lupine
venustus. Rosy-flowered Lupine
Luzula arcuata. Curved Wood-Rush
campestris. Black-head Grass, Chimney-sweeps, Cuckoo-grass, Field Wood-Rush, Glow-worm Grass, of Australia

- Luzula pilosa.** *Hairy Wood-Rush*
spicata. *Spiked Wood-Rush*
sylvatica. *Great Wood-Rush, Wood-grass,*
Shadow-grass
- Lychnis.** *Campion, Lamp-flower*
alpina. *Alpine Campion*
Bungeana. *Bunge's Campion*
Chalconica. *Campion or Flower of Constantinople, Common Rose-Campion, Flower of Bristow, Gardener's Delight or Garden-er's-Eye, Jerusalem Cross, None-such, Scarlet Lychnis*
Cœli-rosa. *Rose-of-Heaven, Smooth-leaved Rose-Campion*
diurna (L. *diocia*). *Adder's-Flower, Devil's-Flower, Hare's-eye, Red Campion*
diocia fl.-pl. *Double Red Campion*
Flos-cuculi. *Crow-flower, Crow-soap, Cuckoo-flower, Marsh-Gilia-flower, Meadow Lychnis, Meadow Pink, Ragged-Robin, Wild William*
Flos-Jovis. *Jupiter's - Flower, Umbelled Lychnis*
fulgens. *Brilliant Lychnis*
Githago. *Cockle or Corn-flower, Corn-Pink*
grandiflora (L. *coronata*). *Large-flowered Lychnis*
Haageana. *Shaggy Lychnis*
Lagascæ. *Rock Lychnis*
Nicæensis. *Italian Rose-Campion*
Preslii. *Presl's Lychnis*
pyrenaica. *Pyrenean Lychnis*
Senno. *Senno Campion*
Sieboldii. *Siebold's Lychnis*
vespertina. *White Campion or Lychnis*
Viscaria. *Clammy Lychnis, German Catch-fly, Lime-wort*
- Lycium.** *Asses' Box-tree, Box-Thorn, Prickly Box*
afrum. *African Tea-tree*
australe. *Murray Box-thorn*
barbarum. *Barbary Box-thorn, Duke of Argyll's Tea-tree, Matrimony-vine*
carolinense. *Carolina Box-thorn*
chinense. *Chinese Box-thorn*
cinereum. *Ash-coloured Box-thorn*
europæum. *European Box-thorn*
fuchsoides. *Fuchsia-like Box-thorn*
horridum. *Caffre Box-thorn, Very-prickly Box-thorn*
lanceolatum. *Lance-leaved Box-thorn*
microphyllum. *Small-leaved Box-thorn*
rigidum. *Stiff Box-thorn*
ruthenicum. *Russian Box-thorn*
Shawii. *Shaw's Box-thorn*
tenue. *Slender Box-thorn*
tetrandrum. *Four-stamened Box-thorn*
Trewianum. *Trew's Box-thorn*
turbinatum. *Top-shaped-fruited Box-thorn*
vulgare. *Matrimony-Vine*
- Lycopodon** *Bovista.* *Blind Ball, Devil's-Snuff-box, Fist-ball, Frog-cheese, Fuss-ball, Puff-ball*
giganteum. *Giant Puff-ball*
- Lycopersicum** *esculentum.* *Love-apple, Tomato*
- Lycopodium.** *Club-moss*
alopecuroides. *Walking-fern, of N. America*
alpinum. *Alpine Club-moss, Cypress-moss, Heath-Cypress, Savin-leaved Club-moss*

- Lycopodium clavatum.** *Buck-grass, Buck-horn Moss, Common Club-moss, Creeping Fox-tail, Bur, Stag's-horn Moss, Wolf's-claw dendroideum.* *Ground-Pine*
inundatum. *Marsh Club-moss*
lucidulum. *Moon-fruit Pine, Shining Club-moss*
rupestre. *Festoon Pine*
selaginoides. *Small Alpine Club-moss*
Selago. *Fir Club-moss, Fir-moss, Trec-moss*
- Lycopsis arvensis.** *Small Bugloss vesicaria.* *Bladder-seeded Wild Bugloss*
- Lycopus europæus.** *Gipsy-wort, Water Horehound*
virginicus. *Bugle-weed, of N. America*
- Lygeum Spartum.** *Cord-grass, Hooded Mat-weed*
- Lygodium.** *Snake's-tongue Fern*
articulatum. *Twining String-Fern, of New Zealand*
palmarium. *Climbing, or Hartford, Fern*
scandens. *Japanese Climbing Fern*
- Lyperanthus nigricans.** *Australian Flower-of-Sadness*
- Lyperia crocea.** *African Saffron*
- Lysiloma Sabicù.** *Sabicù, Saracù, or Savid-wood, of Cuba.*
- Lysimachia.** *Loose-strife*
angustifolia. *Narrow-leaved Loose-strife*
barystachya. *Heavy-spiked Loose-strife*
brachystachya. *Short-spiked Loose-strife*
ciliata. *Fringed Loose-strife*
clethroides. *Clethra-leaved Loose-strife*
dahurica. *Siberian Loose-strife*
Ephemerum. *Willow-leaved Loose-strife*
grandiflora. *Large-flowered Loose-strife*
Leschenaultii. *Carmine-flowered Loose-strife*
Linum-stellatum. *Flax-star*
nemorum. *Wood Loose-strife, Yellow Pimpernel*
Nummularia. *Creeping Jenny, Herb-Two-pence, Money-wort, Money-wort Loose-strife, Two-penny Grass*
Nummularia var. *aurea.* *Golden Creeping Jenny, Golden Money-wort*
punctata. *Dotted Loose-strife*
quadrifolia. *Four-leaved Loose-strife*
thrysiflora. *Tufted Loose-strife*
vulgaris. *Common Yellow Loose-strife*
- Lythrum alatum.** *Winged Loose-strife*
Græfferi. *Græffer's Loose-strife*
hyssopifolium. *Grass Poly, Hyssop-leaved Loose-strife*
- Salicaria.** *Common Purple Loose-strife, Willow-weed*
- Salicaria** var. *roseum.* *Rosy-flowed Loose-strife*
- virgatum.** *Slender-branched Purple Loose-strife*
- Maba.** *Ebony-tree, of Cochin-China and Coromandel*
buxifolia. *E. Indian Satin-wood*
guineensis. *Bahamas Satin-wood (?)*
- Macadamia ternifolia.** *Queensland Nut-tree*
- Machæranthera tanacetifolia** (Aster *tanacetifolius*). *Dagger-flower*
- Machærium Schomburgkii.** *Itaka-wood, Tiger-wood*

- Maclura aurantiaca.** *Osage Orange*
tinctoria. *Dyers' Fustic-wood*
- Macrochloa.** *Long Grass*
^{(Stipa) tenacissima.} *Alfa-, or Halfa-, Grass,*
Esparto-Grass
- Macromerium jamaicense.** *W. Indian*
Thorn
- Macropiper excelsum.** *Native Pepper,* of
New Zealand
- methylsticum.* *Ava-, or Kava-, shrub,* of the
South Sea Islands
- Macrozamia Fraseri.** *Swan River Fern-*
Palm
- Perowskiana* (*M. Denisonii*). *Giant Fern-*
Palm
- Madaria corymbosa** and *M. elegans.* *Mig-*
nnette-vine
- Madia.** *Tar-weed,* of California
sativa. *Madia-oil-plant*
- Maharanga Emodi.** *Rutton-root,* of India
- Mahonia.** *Ash-leaved Barberry*
repens. *Edging Barberry*
- Maianthemum bifolium** (*Smilacina bifolia*).
One-leaf, Two-leaved Lily of the Valley
- Magnolia.** *Laurel-leaved Tulip-tree*
acuminata. "Blue" *Magnolia, Cucumber-*
tree
- Campbelli.* *Campbell's Magnolia*
citriodora. *Lemon-scented Magnolia*
conspicua (*M. Yulan*). *Lily-flowered Mag-*
nolia, Yulan Magnolia
- cordata.* *Yellow Cucumber-tree*
- Fraseri.* *Ear-leaved Umbrella-tree, Indian*
Physic, Long-leaved Cucumber-tree
- fusca.* *Brown-stalked Magnolia, Chinese*
Tulip-tree
- glauca.* *Beaver-tree or Beaver-wood, Castor-*
wood, Elk-bark, Small Laurel Magnolia,
Swamp Sassafras, White Bay, White Laurel
- gracilis* (*M. conspicua*). *Slender Magnolia*
- grandiflora.* *Great Laurel-leaved Magnolia,*
Large-flowered Magnolia
- grandiflora* var. *lanceolata.* "Exmouth"
- Magnolia*
- Halleana.* *Halle's Magnolia*
- Lenné.* *Lenne's Magnolia*
- macrophylla.* *Great-leaved Magnolia*
- parviflora.* *Small-flowered Magnolia*
- purpurea* (*M. obovata*). *Purple-flowered*
Magnolia
- tripetala* (*M. Umbrella*). *Common Umbrella-*
tree
- Yulan* (*M. conspicua*). *Yulan-tree*
- Malaxis paludosa.** *Bog Orchis*
- Malcolmia maritima.** *Virgin, or Virginia,*
Stock
- Malope grandiflora.** *Large-flowered Mallow-*
wort
- malacoides.* *Barbary Mallow-wort*
- Malpighia coriacea.** *Locust-berry*
- glabra* and *M. punicifolia.* *Barbadoes, or*
W. Indian, Cherry
- sacharina.* *Sugar Plum, of Sierra Leone*
- urens.* *Cow-hage-, or Cow-itch, Cherry*
- Malva.** *Mallow*
- Alcea.* *Hollyhock Mallow, Vervain Mallow*
- campanulata.* *Bell-flowered Mallow*
- crispa.* *Curled-leaved Mallow*
- lateritia.* *Buff-coloured Mallow*
- Malva limensis.** *Blue-flowered Mallow*
- Morenii.* *Moren's Mallow*
- moschata.* *Musk Mallow*
- moschata* var. *alba.* *White Musk Mallow*
- rotundifolia.* *Dwarf Mallow*
- scoparia.* *Birch-leaved Mallow*
- sylvestris.* *Cheeses, Marsh Mallow, Maul,*
Mauls, or Maves, Round Dock
- Malvastrum.** *False Mallow*
- Mamea americana.** *Mammee-apple Tree,*
Wild Apricot
- humilis.* *Spanish Plum, of the Antilles*
- Mammillaria.** *Nipple-Cactus*
elephantidens. *Elephant's-tooth Cactus*
- Mandevilla suaveolens.** *Chili Jasmine*
- Mandragora autumnalis.** *Autumn-flowering*
Mandrake
- officinarum.* *Common, or Medicinal, Man-*
drake, Devil's-Apple
- Mangifera indica.** *Mango-tree*
- Manicaria Pluknetii.** *Sea-apple*
- saccifera.* *Bussu Palm, Troolie Palm, Wine-*
Palm, of Guiana
- Manihot Aipi.** *Sweet Cassava-plant*
- utilissima.* *Bitter Cassava-plant, Tapioca-*
plant
- Mantisia saltatoria.** *Dancing-Girls, Opera-*
Girls
- Maranta arundinacea.** *Arrow-root Plant*
^(Calathea) *zebrina.* *Zebra-plant*
- Marasmius oreades** and *M. urens.* *Fairy-*
ring Champignon or Mushroom
- Marathrum utile.** *Water-weed, of New*
Granada
- Marattia fraxinea.** *Ash-leaf Fern, of New*
Zealand
- salicina.* *Para-Fern, of New Zealand*
- Marcegravia umbellata.** *W. Indian Ivy*
- Marchantia conica.** *Conical Liver-wort*
- hemisphaerica.* *Hemispherical Liver-wort*
- polymorpha.* *Brook-, or Common, Liver-wort,*
Liver-grass
- Margyricarpus setosus.** *Pearl-berry, or*
Pearl-fruit
- Marica caerulea.** *Toad-cup Lily*
- irioides.* *Bermuda Iris*
- Mariscus cylindricus.** *American Hedgehog*
Club-rush
- Marliera (Rubachia) glomerata.** "Cambuca,"
of Brazil
- Marrubium vulgare.** *Marrow, White Hore-*
hound
- Marsdenia suaveolens.** *Fragrant Bower-*
plant, of Australia
- tinctoria.* *Indigo-plant, of Pegu*
- viridiflora.* *Native Potato, of N. S. Wales*
- Marsilea macropus** (*M. hirsuta, M. salvatrix*).
Nardoo-plant
- Martynia proboscidea.** *Elephant's-trunk,*
Unicorn-plant
- Mascarenhasia Curnowiana.** *Rosy-flowered*
Jasmine
- Masdevallia Chimera.** *Spectral-flowered*
Orchid
- Matisia cordata.** *Sapot-, or Chupa-Chupa-*
tree, of New Granada
- Maticaria Chamomilla.** *Dog's Chamomile,*
Dog-, or Horse-, Gowan, German Chamo-
mile

- Matricaria inodora.** *Dog-Gowan, May-weed*
- Matthiola.** *Stock, or Stock-Gilliflower*
annua. Ten-week Stock
annua fl.-pl. Double Ten-week Stock
fenestralis. Cluster-leaved Stock
græca. Wall-flower-leaved, or Smooth-leaved,
Stock
incana. "Hopes," Queen's Stock
incana var. coccinea. Brompton Stock
odoratissima. Persian Stock
sinuata. Great Sea-Stock
tristis. Dark-flowered Stock
- Mauritia Carana.** *Carana Palm*
flexuosa. Ita, Chiqui-Chiqui, Miriti, or
Morichi, Palm
vinifera. Brazilian Wine-Palm, Buriti Palm
- Maximiliana caribea.** *Crown Palm*
regia. Inija Palm, Jaqua Palm
- Mecconopsis aculeata.** *Himalayan Blue, or*
Prickly, Poppy
cambrica. Welsh Poppy
nepalensis. Nepaul Poppy
simplicifolia. Sikkim Poppy
Wallichiana. Satin Poppy-wort, Wallich's
Blue Poppy
- Medeola virginica.** *Indian Cucumber-root*
- Medicago.** *Medick, Snail-Clover*
arborea. Moon-Trefoil, Tree-Medick
denticulata. Denticulate Medick
Echinus. Calvary Clover, Crown-of-Thorns,
Sea-egg
falcata. Sickle-podded Medick
intertexta. Hedge-hog Medick
lupulina. Black Grass, Black Medick, Black
None-such, Hop Clover, Melilot Trefoil, Yellow
Clover, (sometimes sold in Ireland for
*the "Shamrock" (*Trifolium repens*)*
maculata. Heart-Clover, Heart-Trefoil, St.
Mawe's Clover, Spotted Medick
minima. Bur Medick
muricata. Thorny Buttons
sativa. "Alfalfa," Common Medick, Holy
Hay, Lucerne, Purple Medick
scutellata. Barbary-Buttons, Snails
- Megarrhiza californica** (*Echinocystis*
fabacea). *Californian Big-root, or Bitter-*
root
- Melaleuca.** *Australian Tea-tree*
genistæfolia. White Tea-tree, of Australia
hypericifolia. Bottle-brush flower
Leucadendron. Cajeput-, or Cajuput-, tree,
White-tree
minor. Small Cajeput-, or Cajuput-, tree
squarrosa. Swamp Tea-tree, of Australia,
Tasmanian Tea-tree
- uncinata. Tea-tree, of N. S. Wales*
Wilsoni. Palm-bark-tree
- Melampyrum.** *Cow-wheat*
arvense. Purple Cow-wheat
cristatum. Crested Cow-wheat
pratense. Common Cow-wheat
sylvaticum. Horse-flower, Small-flowered
Cow-wheat
- Melanodendron integrifolium.** *Bastard, or*
Black, Cabbage-tree, of St. Helena
- Melanogaster variegatus.** *Red Truffle*
- Melanorrhœa usitatissima.** *Black or Mar-*
taban Varnish-tree, Lignum-vite, of Pegu,
Varnish-tree, of Burmah
- Melanoselinum decipiens.** *Black Parsley*
- Melanoxyton Brauna.** *Brauna-wood, of*
Brazil
- Melanthium junceum.** *Rush-leaved Black*
Lily
*uniflorum (*Tulipa Breyiana*). Cape Tulip*
virginicum. American Bunch-flower
- Melastoma malabaricum.** *Malabar Laurel*
malabathrica (M. macrocarpum). Malabar
Goose-berry
- Melania Melanoxyton.** *Black-wood, or*
Ebony, of St. Helena
Erythroxylon. Red-wood, of St. Helena
- Melia.** *Bead-tree*
australis. White Cedar, of Australia
- Melia Azadirachta.** *Margosa-tree, Neem-tree*
Azedarach. False-Sycamore, Hill Margosa,
Holy-tree, Indian Lilac, Pride-of-China,
Pride-of-India, Syrian Bead-tree
guineensis. Guinea Lilac
semperfiriens. Hoop-tree
- Melianthus major.** *Great Cape Honey-*
flower
- Melica.** *Melick Grass*
nutans. Mountain Melick
uniflora. Wood Melick
- Melicocca bijuga.** *Genip-tree, or Honey-*
berry, of the W. Indies, Jamaica Bullace-
plum
- Melicytus ramiflorus.** *Mahoe or "Cow-*
leaf," of New Zealand
- Melilotus.** *Melilot, Sweet Clover*
alba. Bokhara Clover, Cabul Clover, White
Melilot
arvensis. Field Melilot
cerulea. Sweet Trefoil
leucantha. Bokhara Clover
officinalis. Common Melilot, Hart's Clover,
King's Clover, Plaster Clover, Wild Laburnum
parviflora. Scented Trefoil, of Australia
segetalis. Sword-grass
- Melissa (Calamintha) Acinos.** *Basil Thyme*
officinalis. Common Balm, Balm-leaf or
Baum-leaf, Baume, Baum
- Melittis Melissophyllum.** *Balm Melittis,*
Bastard Balm, Baum-leaf, Honey-Balm
- Melocactus.** *Melon-thistle, Turk's-cap Cactus*
communis. Common Melon-Cactus, Pope's-
head
- Melocanna bambusoides.** *Berry-bearing*
Bamboo
- Memecylon ferreum.** *Iron-wood of Dutch*
E. Indies
- Menispermum canadense.** *Moon-creeper,*
Moon-seed, Vine-Maple, Yellow Perilla
dauuricum. Daurian Moon-seed
smilacinum. Smilax-like Moon-seed
- Mentha.** *Mint*
aquatica. Fish Mint
arvensis. Corn Mint, Field Mint
arvensis var. glabrata. Chinese Pepper-mint
arvensis var. piperascens. Japanese Pepper-
mint
australis. Australian Pepper-mint
canadensis. Wild Mint, of N. America
cervina. Hyssop-leaved Mint, Stag Mint
citrata. Bergamot Mint
crispa. Curled, Crisped, or Cross Mint

- Mentha hirsuta.** *Brook Mint*
piperita. *Brandy-Mint, Common Pepper-mint*
piperita officinalis. *White Mint*
piperita vulgaris. *Black Mint*
Pulegium. *Flea Mint, Organ, Organs, Organy, Penny-royal, Pudding-grass*
Requieni (*Thymus corsicus*). *Requier's Penny-royal*
rotundifolia. *Apple-mint, Round-leaved Mint*
rotundifolia variegata. *Variegated Round-leaved Mint*
sativa. *Whorled Water Mint*
sylvestris. *Brook or Water Mint, Horse-Mint*
viridis. *Garden or Spear Mint, Mackerel Mint*
- Mentzelia ornata.** *Prairie-Lily*
- Menyanthes nymphæoides.** *Fringed Buck-bean*
trifoliata. *Beck-bean, Bog-bean, Bog-Hop, Bog-nut, Bog-Trefoil, Brook-bean, Buck-bean, Marsh Trefoil, Water Trefoil*
- Menziesia** (*Dabeocia*) *polifolia.* *Irish, or St. Dabeoc's, Heath*
- Mercurialis annua.** *Baron's Mercury, Boy's Mercury, French Mercury, Girl's Mercury*
perennis. *Dog's Mercury, Kentish Balsam*
perenniss var. aurea. *Golden Mercury*
- Merendera** *Bulbocodium* (*Colchicum monanthum*). *Pyrenean Meadow-Saffron*
- Meriandra bengalensis.** *Bengal Sage*
- Meriania.** *Jamaica Rose*
- Mertensia.** *Smooth Lung-wort*
alpina. *Alpine Lung-wort*
maritima. *Oyster-plant, Sea-Bugloss (Pulmonaria) dahurica.* *Siberian Lung-wort*
oblongifolia. *Blunt-leaved Lung-wort (Pulmonaria) virginica.* *Virginian Cowslip*
- Merulius lachrymans.** *Dry-rot Fungus, of Conifers*
- Mesembryanthemum.** *Fig - Marigold, "Mid-day-Flower," of Australia*
acinaciforme. *Scimetar-leaved Fig-Marigold*
aequilaterale. *Australian Pig's-faces*
agninum. *Lamb's-chop*
aurantiacum. *Orange Fig-Marigold*
aureum. *Golden Fig-Marigold*
australe. *New Zealand Ice-plant, New Zealand Pig's-faces*
caninum. *Dog-chop*
conspicuum. *Bright-red Fig-Marigold*
cordifolium. *Heart-leaved Fig-Marigold*
crystallinum. *Common Ice-plant*
edule. *Hottentot-Fig*
erminium. *Ermine-chop*
felinum. *Cat-chop*
glabrum. *Dew-plant*
lupinum. *Wolf-chop*
minimum. *Small Dumpling, Smallest Fig-Marigold*
murinum. *Mouse-chop*
mustelinum. *Weasel-chop*
obcordellum. *Greater Dumpling*
sessile album. *Small Ice-plant*
testiculare. *Broad White Fig-Marigold*
tigrinum. *Tiger-chop*
tricolor. *Annual, or Three-coloured, Fig-Marigold*
Tripolium. *Resurrection-plant*
- Mesembryanthemum truncatellum.** *Small Truncated Fig-Marigold*
vulpinum. *Fox-chop*
- Mespilus.** *Medlar-tree*
germanica. *Common, or Dutch, Medlar, Minshull Crab*
germanica var. diffusa. *Spreading Medlar*
germanica var. stricta. *Upright Medlar*
germanica var. sylvestris. *Wild Medlar*
grandiflora. *Snowy Medlar*
lobata. *Lobed-leaved Medlar*
Smithii. *Smith's Medlar*
- Mesua ferrea.** *E. Indian Iron-wood, "Nag-kushur," or "Nagkesur" tree, Nahor-oil-plant*
- Methonica superba.** *Superb Lily*
- Metrosideros florida** and *M. robusta.* *Rata-tree, of New Zealand*
scandens. *Aka-tree, or Lignum-vitæ, of New Zealand*
tomentosa. *Fire-tree, of New Zealand, Pohutu-kawa-tree*
vera. *Iron-tree (true)*
- Meum athamanticum.** *Badmoney, Baldmoney, Bear-wort, Meu, Spignel*
- Michauxia campanuloides.** *Michaux's Bell-flower*
- Michelia Champaca.** *Champaca- or Chum-paca-tree, of India, Champ-wood, Fragrant Champac, Pand-oil-plant*
- Miconia.** *W. Indian Currant-bush*
- Microcachrys tetragona.** *Strawberry-fruited Tasmanian Cypress*
- Micromeria Douglasii.** *"Yerba Buena," of California*
- Microstylis.** *Adder's-mouth Orchis*
- Mikania Guaco.** *"Guaco" plant, or Snake-poison Antidote, of S. America*
scandens. *Bone-set, Climbing Hemp-weed, Climbing Thorough-wort, German or Parlour Ivy*
- Milium effusum.** *Millet Grass*
- Milletia.** *Moulmein Rose-wood*
- Mimosa abstergens.** *Soap-nut Tree*
pubica. *Sensitive Plant, Humble Plant*
sensitiva. *Sensitive Plant (true)*
- Mimulus.** *Monkey-flower*
cardinalis. *Cardinal, or Scarlet, Monkey-flower*
cupreus. *Copper-coloured Monkey-flower*
glutinosus. *Orange Monkey-flower*
guttatus. *Spotted Monkey-flower*
Jamesii. *James's Monkey-flower*
luteus. *Yellow Monkey-flower*
maculosis. *Blotched Monkey-flower*
moschatus. *Musk, Musk-plant*
moschatus var. Harrisoni. *Large-flowered Musk-plant*
primuloides. *Primrose Monkey-flower*
repens. *Creeping Monkey-flower*
Tilingi. *Tiling's Monkey-flower*
- Mimusops.** *Monkey's-face*
elata. *Cow-tree, of Para*
Engeli. *Bukul-tree, W. Indian Medlar*
globosa. *Gutta-Percha Tree, of Guiana*
Sieberi. *Nase-berry*
sp. *Bullet-tree, or Bully-tree, of Guiana*
- Mirabilis californica.** *Californian Four-o'clock-flower*

- Mirabilis dichotoma.** Common Four-o'clock-flower
Jalapa. Common Marvel-of-Peru, False Jalap, Garden Jalap-plant
 longiflora. Sweet-scented Marvel-of-Peru
 multiflora. Many-flowered Marvel-of-Peru
Mitchella repens. Chequer-berry, Partridgeberry, Deer-berry, One-berry, Squaw-vine, Winter Clover
Mitella. Mitre-wort, or Bishop's-cap, of N. America
Mitraria coccinea. Scarlet Mitre-pod
Mohria caffrorum (*M. thurifraga*). Frankincense-Fern
Molinia caerulea. Indian Grass, Lavender-Grass, Purple Moor-Grass
Mollugo verticillata. Carpet-weed, Indian Chick-weed
Moluccella. Molucca Balm
 laevis. Shell-flower, Smooth Molucca-Balm
Momordica Balsamina. Apple-of-Jerusalem, Balsam-Apple, "Marvellous Apples"
 echinata. Gooseberry Gourd
 Elaterium. Squirting Cucumber
Monarda Bradburyana. Bradbury's Horse-Mint
 didyma. Bee-Balm, Mountain Mint, Oswego Tea
 fistulosa. American Wild Bergamot
 paniculata. Paniced Horse-mint
 punctata. Dotted Horse-Mint
Monozia edulis. Carrot-tree, of Madeira
Monodora Myristica. American, Calabash, Jamaica, or Mexican Nutmeg
Monotoca elliptica. Beech-tree, of N. S. Wales
Monotropa Hypopitys. False Beech-drops, Pine-sap, Yellow Bird's-nest
 uniflora. American Ice-plant, Corpse-plant, Fit-plant, Indian Pipe, One-flowered Wax-plant, Ova-ova
Montia fontana. Blinks, Water Chick-weed
Moquilea utilis. Pottery-tree, of Para
Mora excelsa. Mora-tree, or Mora-wood, of Guiana
Moræa papilionacea. Butterfly Iris
 Sisyrinchium. Spanish-nut Iris
Morchella esculenta. Morel
Morina longifolia. Long-leaved Whorl-flower
 persica. Persian Whorl-flower
Morinda. Morinda-bark-tree
 citrifolia. Avel-tree, E. Indian Mulberry
 tinctoria. Ach-root, Dyers' Indian Mulberry
Moringa pterygosperma. Ben-oil-plant, Horse-radish Tree
Moronoea coccinea (*Sympetrum globulifera*). Hog-gum-tree, of Jamaica
Morus. Mulberry-tree
 alba. White-fruited Mulberry
 alba var. Columbassa. Columba Mulberry
 alba var. italicica. Italian Mulberry
 alba var. macrophylla. Large-leaved Mulberry
 alba var. membranacea. Membranous Mulberry
 alba var. Morettiana. Dandolo's Mulberry
 alba var. multicaulis. Many-stemmed Mulberry
 alba var. pumila. Dwarf Mulberry
 alba var. romana. Roman Mulberry
- Morus alba** var. rosea. Rosy-leaved Mulberry
 alba var. sinensis. White Chinese Mulberry
 Calcar-galli. Cock-spur Mulberry, Yellow Wood-vine
Constantinopolitana. Constantinople Mulberry
indica. E. Indian Mulberry
 mauritiana. Mauritian Mulberry
 nigra. Black, or Common, Mulberry
 rubra. American Red Mulberry
 scabra (*M. canadensis*). Rough-leaved Mulberry
 tatarica. Tartarian Mulberry
Moschoxylon Swartzii. Musk-wood, of Jamaica, Pameroon-bark Tree
Mouriria. Silver-wood
 myrtilloides. Small-leaved Iron-wood
Mucuna (*Dolichos*) urens. Cowitch or Cowage, Horse-eye Bean, Ox-eye Bean
 gigantea. Cowitch, of N. S. Wales
Muhlenbeckia adpressa. Native Ivy, of Australia
Muhlenbergia. American Drop-seed Grass
 capillaris. Hair-grass, of N. America
 diffusa. "Nimble Will" Grass
Mulgedium. Bastard or False Lettuce
 alpinum and *M. macrorrhizum*. Blue Sow-thistle
 Plumieri. Purple Sow-thistle
Muntingia Calabura. Calabur-tree, Silk-wood Tree
Muraltia Heisteria. African Furze
Murraya exotica. Chinese Box
 sumatrana. Sumatra Orange
Murucuja ocellata. Bull-hoof
Musa Banksii. Queensland Banana
 Cavendishii. Chinese Banana, Dwarf Banana
 coccinea. Scarlet-bracted Banana
 Ensete. Abyssinian Banana
 Livingstoniana. Livingstone's Banana
 paradisiaca. Adam's Fig, Plantain-tree, "Pisang"
 sapientum. Common Banana-tree
 sumatrana. Sumatran Banana
 textilis. Manilla Hemp-plant
 vittata. Channelled-leaved Banana
 zebrina. Striped-leaved Banana
Muscaria. Grape-Hyacinth
 armeniacum. Armenian Grape-Hyacinth
 botryoides. Sky-blue Grape-Hyacinth
 botryoides var. album. "Pearls of Spain"
 commutatum. Dark Purple Grape-Hyacinth
 comosum. Fair-haired Hyacinth, Purse-tassels, Tassel Hyacinth
 comosum, var. monstruosum (*Hyacinthus monstruosus*). Feathered Grape-Hyacinth
 Heldreichii. Greek Grape-Hyacinth
 luteum. Yellow Grape-Hyacinth
 moschatum. Musk Grape-Hyacinth
 racemosum. Common Grape-Hyacinth, Starch Hyacinth
Musci. A general name for the Mosses
Myagrum perenne. Perennial Gold-of-pleasure
Myanthus (*Catasetum*). Fly-wort
Myllitta australis. Native Bread, of Australia
Mylocaryum ligustrinum. Buck-wheat Tree

- Myoporum.** Native Australian Blue-berry-tree
lætum. Guitar-wood, of New Zealand
platycarpum. Australian Sugar-tree
tenuifolium. False Sandal-wood
- Myoschilos** oblongus. Chili Senna
- Myosotidium** nobile. Chatham Island Forget-me-not
- Myosotis.** Forget-me-not, Scorpion-grass
alpestris (M. rupicola). Alpine Forget-me-not
arvensis. Field Forget-me-not
azorica. Azorean Forget-me-not
collina. Early Hill Forget-me-not
dissitiflora (M. montana). Early Forget-me-not
dissitiflora var. alba. White-flowered Early Forget-me-not
lingulata. Tongue-leaved Forget-me-not
palustris. Common Forget-me-not, Mouse-ear, Scorpion-grass, Snake-grass
repens. Blue Eye-bright, Creeping Forget-me-not
rupicola. Mountain Forget-me-not
semperflorens. Long-flowering Forget-me-not
sylvatica. Wood Forget-me-not
verna. American Forget-me-not
versicolor. Colour-changing Forget-me-not
- Myosurus** minimus. Blood-strange, Mouse-tail
- Myrcia** acris. Wild Cinnamon
- Myrica** arguta. Sharp-toothed-leaved Candle-berry-Myrtle
californica. Bay-berry, or Wax-Myrtle, of California
cerifera. Bay-berry, Candle-berry Myrtle, Tallow-shrub, Wax-Myrtle
- Myrica** Faya. Azorean Candle-berry Myrtle
Gale. Bog Myrtle, Common Candle-berry Myrtle, Dutch Myrtle, Gale or Sweet Gale, Golden Osier, Moor Myrtle, Sweet Willow
integrifolia. Sophee-shrub, of Sylhet Nagi. Yang-mae-tree, of China
- Myricaria** germanica. German Tamarisk
- Myriophyllum** verticillatum. Common Water-Milfoil
- Myristica** castaneæfolia. Fijian Nutmeg-tree
fatua. Long, or Wild, Nutmeg
insipida. Queensland Nutmeg-tree
moschata. Nutmeg-tree (true)
Otoba. Otoba-wax-tree, Santa Fé Nutmeg, (yields "White" Mace)
sebifera. Tallow-Nutmeg, of Cayenne, Yamadou-oil-plant
surinamensis. Dollee-wood
tomentosa. Male, or Wild, Nutmeg
- Myrospermum** pubescens. Myrrh-seed, Quinquino, or White Balsam, plant
- Myroxylon** (Myropernaum) Peruiferum (M. Pereiræ). Balsam-of-Peru-plant (Myrospermum) Toluiferum. Balsam-of-Tolu-plant
- Myrrhis** odorata. Anise, British Myrrh, Great Chervil, Sweet Chervil, Sweet Cicely, Sweet Fern
- Myrsine** africana. African Myrtle
laeta. Black Soft-wood, Bully-tree or Bullet-tree
variabilis. Smooth Beech, of Victoria
- Myrsiphyllum** asparagooides. Boston Smilax, Smilax Vine, Wreath-Lily
- Myrtus** communis. Common Myrtle
communis var. bætica. Orange-leaved Myrtle
communis var. belgica. Broad-leaved Dutch Myrtle
communis var. belgica fl.-pl. Double-flowered Myrtle
communis var. italicica. Upright Italian Myrtle
communis var. leucocarpa. White-berried Myrtle
communis var. lusitanica. Portugal Myrtle
communis var. lusitanica acuta. Nutmeg Myrtle
communis var. maculata. Spotted-leaved Myrtle
communis var. mucronata. Rosemary-leaved, Thyme-leaved, or Small-leaved Myrtle
communis var. romana. Roman, or Broad-leaved, Myrtle
communis var. tarentina. Box-leaved Myrtle
communis variegata. Variegated-leaved Myrtle
(Myrcianthes) edulis. Edible-fruited Myrtle, of Uruguay
- melastomoides. Moreton Bay Myrtle
mespiloïdes. Medlar-wood
Nummularia. Cran-berry Myrtle
tenuifolia. Slender-leaved Australian Myrtle
tomentosa. Woolly Myrtle
trinervis. Three-ribbed Australian Myrtle
- Nabalus** albus. American Lion's-foot, Rattle-snake-root, White Lettuce
Fraseri. Gall-of-the-earth, Lion's-foot virgatus. Slender Rattle-snake-root
- Nageia.** Catkin-bearing Laurel
japonica. Japan Laurel
- Naias** canadensis. Canadian Naiad or Water-Nymph
flexilis. Slender Naiad
- Namia** vera. Iron-wood, of Dutch E. Indies
Nandina domestica. Sacred Bamboo, of the Chinese
- Napaea** dioica. American Glade-Mallow
- Naravelia** zeylanica. Narawaal-shrub, of Ceylon
- Narcissus.** Daffodil
Ajax. Ajax Daffodil
albicans. "Trompet Marin"
angustifolius. Narrow-leaved Daffodil
bicolor. Two-coloured Daffodil
biflorus. Peerless Primrose or Primrose Peerless, Two-flowered Daffodil
biflorus fl.-pl. Sweet Nancy
Bulbocodium. Hoop-petticoat Daffodil
calathinus. Sea-shore Daffodil
Clusii. Clusius's Daffodil
crenulatus. Bazelman minor Daffodil
gracilis. Yellow Rush-leaved Daffodil
Graellsii. Graells's Daffodil
heminalis. Smaller Curled-cup Daffodil
Horsefieldi. Horsefield's Daffodil
incomparabilis. Incomparable Daffodil
interjectus. Larger Curled-cup Daffodil
Jonquilla. Common Jonquil
juncifolius. Rush-leaved Daffodil
lobularis. Tenby Six-lobed Daffodil

Narcissus maximus. Golden Daffodil
minimus. Pigmy Daffodil
minor. Dwarf Daffodil
monophyllus. One-leaved Daffodil
montanus. Mountain Daffodil
moschatus. Musk-scented Daffodil
obvallaris. Sibthorpi's Daffodil
odoros. Campernelle, Large Jonquil
orientalis. Eastern Daffodil
pachybulbos. Thick-bulbed Daffodil
pallidulus. Pale-flowered Daffodil
papyraceum. Paper-white Daffodil
patulus. White Musk-scented Daffodil
poeticus. Poet's Narcissus, Whitsun Lily
Pseudo-Narcissus. Affadil, Averill, Bell-rose, Bul-rose, Chalice-flower, Common Daffodil, Daffadowndilly, Lent Lily, Lent Rose, Yellow Crow-bells
pumilus. Dwarfish Daffodil
pusillus. Small Jonquil
pusillus plenus. Queen Anne's Jonquil
rupicola. Cliff Daffodil
Telamonius. Telamon's Daffodil
Tazetta. French Daffodil, Polyanthus Daffodil
tenuior. Slender Daffodil
tortuosus. Twisted Daffodil
Trewianus. Bazelman major Daffodil
triandrus. Cyclamen Daffodil, Rush Daffodil
viridiflorus. Green-flowered Daffodil
Nardosma (*Tussilago*) fragrans. Fragrant Colt's-foot, Winter Heliotrope
 palmata. Sweet Colt's-foot, of N. America
 sagittata. Arrow-leaved Colt's-foot
Nardus stricta. Common Nard, Mat-grass, Small Mat-weed, Wire Bent Grass
Narthecium americanum. American Bog Asphodel
 ossifragum. Common Bog Asphodel, Lancashire Asphodel, Maiden-hair, Yellow Grass
Nartherx Asafœtida-plant
Nasturtium amphibium. Great Water-cress, Water Radish, Yellow Cress
 lacustre. American Lake-Cress
 officinale. Common Water-cress, Water-grass
 palustre. Annual Water Radish, Marsh Water-cress, Yellow Cress
 sylvestre. Creeping Water-cress, Water Rocket
Nauclea cordifolia. Model-wood, of India
Nectandra cinnamomooides. Santa Fé Cinnamomon
 cymbarum. Brazilian, or Orinoco, Sassafras leucantha. Shingle-wood, White or Timber Sweet-wood
Puchury. Pichurim-Bean-tree, Sassafras-nut-tree
Rodiei. Beebeeree, or Bibiri-tree, Green-heart of Guiana, Sipiri-tree
 sanguinea. Lowland, Pepper, White, or Yellow Sweet-wood
Nectaroscordum. Honey-Garlic
Negundo californicum. Californian Box-Elder
Nelitris ingens. Cherry-tree, of N. S. Wales, Scarlet-berried Scrub Myrtle
Nelumbium aspericaule. Rough - stemmed Nelumbo
 luteum. Water Chinquapin, Yellow Nelumbo, Yellow Water-Bean

Nelumbium speciosum. Chinese Water-lily, Egyptian Bean, Sacred Bean
Nemopanthes canadensis. American Mountain Holly
Nemophila. Californian Blue-bell, Love-grove of N. America
Neottia Nidus-avis. Bird's-nest Orchis, Goose-nest
Nepeta cerulea. Blue-flowered Cat-mint
Cataria. Common Cat-mint, Cat-nep, Catnip, Nep or Neps
Glechoma. Ale-hoof, Blue Runner, Cat's-foot, Devil's Candlesticks, Gill or Gill-go-by-ground, Ground Ivy, Robin-run-in-the-hedge, Tun-hoof
 macrantha. Large-flowered Cat-mint
Mussini. Scalloped-leaved Cat-mint
Nepetella. Small Cat-mint
Nepenthes. E. Indian Pitcher-plant, Monkey-cup
 albo-marginata. White-margined Singapore Pitcher-plant
 ampullacea. Bottle-like Pitcher-plant
 bicalarata. Two-spurred Pitcher-plant
 distillatoria. Chinese Pitcher-plant
 Hookeriana. Dr. Hooker's Pitcher-plant
 intermedia. Intermediate Pitcher-plant
 laevis. Smooth Pitcher-plant
 Lawrenciana. Lawrence's Pitcher-plant
 Lindleyana. Dr. Lindley's Pitcher-plant
 Loddigesii. Loddige's Pitcher-plant
 Morganiana. Mrs. Morgan's Pitcher-plant
 phyllamphora. Ventricose Pitcher-plant
 Rafflesiana. Yellow Singapore Pitcher-plant
 Rajah. Rajah Pitcher-plant
 sanguinea. Blood-red Pitcher-plant
 superba. Brilliant-red Pitcher-plant
 villosa. Hairy Pitcher-plant
Nephelium lappaceum. Rambutan, or Ram-postan-tree
 Litchi. Litchi-, or Lee-chee-tree
 Longanum. Dragon's-eye, Longan-tree
 pinnatum. Dava-tree
Nephrodium (*Lastrea*). Boss Fern
 cristatum. Darshan Fern
 Filix-mas. Basket-fern, Male Fern
 Oreopteris. Mountain Fern
Nephrolepis cordifolia. Ladder Fern, of New Zealand
Nereocystis Lutkeana. Sea-otter's Cabbage
Nerine Fothergilli. Scarlet Guernsey Lily, Narcissus of Japan
Nerium. Oleander
 odorum. E. Indian Oleander, Sweet-scented Oleander
 Oleander. Common Oleander, Rose-Bay, "South Sea Rose," of Jamaica
 tinctorium. Dyers' Oleander
Nertera depressa. Coral-berried Duck-weed, Fruiting Duck-weed
Nesaea (*Decodon*) verticillata. Swamp Loose-strife
Nesodaphne Tarairi. Taraire-tree, of New Zealand
 Tawa. Tawa-tree, of New Zealand
Neurachne Mitchelliana. Mulga-grass, of Australia
Neuroleena. Halbert-weed

- Neuroleæna lobata.** Golden-rod, of the W. Indies
- Nicandra physaloides.** Apple-of-Peru
- Nicotiana.** Tobacco-plant
acutifolia. Acute-leaved Tobacco-Plant
affinis. Tuberose-flowered Tobacco-plant
fruticosa. Shrubby Tobacco-plant
glauca. Glaucous-leaved (perennial) Tobacco-plant
longiflora. Long-flowered Tobacco-plant
macrophylla gigantea. Giant Tobacco-plant
noctiflora. Night-flowering Tobacco-plant
persica. Persian or Shiraz Tobacco-plant
repanda. Havannah Tobacco-plant
rustica. Latakia Tobacco-plant, Syrian
Tobacco-plant, Wild Tobacco-plant
suaveolens. Native Australian Tobacco-plant
- Tabacum.** Virginian Tobacco-plant
tubiflora. Tube-flowered Tobacco-plant
vincæflora. Vinca-flowered (perennial) Tobacco-plant
- Nidularia campanulata.** Corn-bells
- Niemeysera** (Lucuma) prunifera. "Cainito," of Australia
- Nierembergia frutescens.** Tall Cup-flower
rivularis. Trailing White Cup-flower
- Nigella.** Fennel-flower, "Gith"
arvensis. Wild Fennel-flower
damascena. Devil-in-a-bush, Jack-in-prison,
Katherine's, or St. Katharine's, Flower,
Lady-in-the-Bower, Love-in-a-mist, Love-in-a-puzzle
hispanica. Spanish Fennel-flower
sativa. Black Cumin, Common Fennel-flower
- Nigritella coccinea.** Dark Scarlet-flowered Orchis
suaveolens. Fragrant Dark-flowered Orchis
- Nipa fruticans.** Nipa-tree, of the Philippine Islands
- Niphobolus heteractis.** Climbing Polypody
- Nirbisia Bisma.** Bikh-, or Bisk-, Poison, of Nepal
- Nitraria.** Nitre-bush
tridentata. Supposed to be the "Lotus-tree" of the Ancients
- Nolana.** Chilean Bell-flower
- Nonatella officinalis.** Asthma-plant, of Cayenne
- Nopalea** (*Opuntia*) coccinellifera. Cochineal-Cactus, Nopal-plant of Mexico
- Notelæa ligustrina.** Bastard Olive, of Victoria, Iron-wood, of Tasmania and N. S. Wales
longifolia. Iron-wood, of Norfolk Island
ovata. Dunga-runga Tree, of N. S. Wales
- Nothochlæna.** Cloak-fern
distans. Woolly Cloak-fern, of New Zealand
- Marantæ.** Hardy Cloak-fern
- Notobasis syriaca.** Syrian Thistle
- Notospartium Carmichæliae.** Pink Broom, of New Zealand
- Nostoc commune.** Fairies'-butter, Fallen Stars, Star-jelly, Will-o'-the-wisp
- Nuphar advena.** Three-coloured, or Stripe-flowered, Water-Lily
advena var. lutea. American Yellow Pond-Lily
- Kalmiana.** Small Yellow American Water-Lily
- Nuphar lutea.** Bobbins, Brandy-bottle, Cambie-leaf, Can-Dock, Clot, Clote, Yellow Water-Lily
multisepala. Edible-fruited Water-Lily
pumila. Small Yellow Water-Lily
- Nuttallia** *cerasiformis.* Oso-berry-tree, of California
- Nuytsia floribunda.** Flame-tree or Fire-tree, of S. W. Australia
- Nyctanthes Arbor-tristis.** "Hursingar," of the E. Indies, Indian Mourner, Night-Jasmine, Night-scented Tree-of-Sadness, Sad-tree, Sorrowful-tree
- Nymphaea alba.** Bobbins, Cambie-leaf, Can-Dock, Flatter Dock, White Water-Lily
alba var. rosea. Hardy Red Water-lily
Amazonica. Amazon Water-Lily
cyanea. Blue Indian Water-Lily
dentata. Toothed-leaved Water-lily
flava. Florida Yellow Water-lily
gigantea. Australian Water-lily
Lotus. Egyptian Lotus, Egyptian Water-lily
odorata. American Sweet-scented Water-lily
pubescens. E. Indian "Lotus" (Castalia) pygmæa. Chinese Water-lily, Pigmy Water-lily
rosea. E. Indian Rose-coloured Water-lily
rubra. E. Indian Red Water-lily
scutifolia. Shield-Leaved Water-lily
sphærocarpa. Round-fruited Water-lily
stellata zanzibarensis. Zanzibar Water-lily
thermalis. Hungarian Lotus, Hungarian Water-lily
tuberosa. Tuberous-rooted White Water-lily
- Nyssa.** Tupelo-tree
aquatica. Water Tupelo-tree
biflora. Mountain Tupelo-tree
candidans (N. capitata). Ogeechee Lime
multiflora (N. sylvatica). Black or Sour Gum-tree, Common Tupelo-tree, Pepperidge
uniflora. Cotton Gum-tree, Large Tupelo
- Ochna Mauritiana.** Jasmine-wood, of the Isle of France
- Ochroma Lagopus.** W. Indian Cork-wood or Down-tree
- Ochrosia Borbonica.** Isle of Bourbon Yellow-wood
- Ochroxylon punctatum.** Brazilian Yellow-wood
- Ocotea** (*Nectandra*) cymbarum. Orinoco Anise-, or Sassafras-, tree
- Ocimum Basilicum.** Sweet Basil
gratissimum. E. Indian Basil
minimum. Bush-Basil
sanctum. Holy Basil, Monks' Basil, Purple-stalked Basil
viride. Fever-plant, of Sierra Leone
- Odina** Wodier. Goompany-tree, or Wodier-tree, of India
- Odontoglossum madrense.** Almond-scented Orchid
Warneri. Violet-scented Orchid
- Edipodium.** Club-stalked Moss
- Enanthe crocata.** Belder-Root, Ben-Dock, Dead Tongue, Hemlock-Dropwort, Water Hemlock
fistulosa. Hemlock-Dropwort, Water-Dropwort

Enanthe Lachenalii. Marsh-parsley
Phellandrium. Edge-weed, Horse-bane, Water-
Fennel
pimpinelloides. Meadow-parsley

Enocarpus Batava. Bacaba-, or Patava-,
Palm-tree, Wine-Palm, of Guiana

Enothera. Evening-Primrose, Tree-Primrose
biennis. Common Evening-Primrose, Large
Rampion
bistorta Veitchii. Orange-flowered Evening-
Primrose

cespitosus. Tufted Evening-Primrose
Fraseri. Fraser's Evening-Primrose

fruticosa. Sun-drops
glauca. Glaucous Evening-Primrose
Jamesii. James's Evening-Primrose
Lamarckiana. Tall Large-flowered Evening-
Primrose

linearis. Narrow-leaved Evening-Primrose
marginata. Dwarf Large-flowered Evening-
Primrose

missouriensis (E. macrocarpa). Missouri
Evening-Primrose

montana. Mountain Evening-Primrose

pumila. Dwarf Evening-Primrose

riparia. Swamp Evening-Primrose

serrulata. Small-toothed-leaved Evening-
Primrose

sinuata. Scalloped-leaved Evening-Primrose

speciosa. Tall White Evening-Primrose

taraxacifolia. Dandelion-leaved Evening-
Primrose

trichocalyx. Hairy-calyx Evening-Primrose
Youngi. Young's Evening-Primrose

Oidium Tuckeri. Vine-Mildew Fungus

Olax zeylanica. Malla-tree, of Ceylon

Oldenlandia (Hedyotis) umbellata. Chay-
root, or Che-root, of India, E. Indian
Madder

Oldfieldia africana. African Oak, African Teak

Olea. Olive-tree
apetala. Botany Bay Olive, Iron-wood of
Norfolk Island

capensis. Iron-wood, of S. Africa

Cunninghamii. Black Maire, of New Zealand

dioica. Wild Olive, of India

europaea. European Olive-tree
(Osmanthus) fragrans. Sweet-scented Olive

ilicifolia (Osmanthus ilicifolius). Holly-leaved
Olive

Oleaster. Wild Olive-tree

paniculata. Queensland Olive-tree

sativa (O. europaea). Olive-tree (cultivated)

undulata. Iron-wood, of S. Africa

Oleandra neriformis. Oleander-Fern

Olearia dentata. N. S. Wales Star-wort
Haastii and other species. "Daisy-bush," of
New Zealand

ilicifolia. New Zealand Holly

stellulata (Eurybia Gunniana). Victorian
Snow-bush

Olivia cymosa. Hardpear, of S. Africa

Ombrophytum. Mountain Maize, of Peru

Omphalea diandra. Qua-be-oil-plant
triandra. Cob-nut, of Jamaica, Nut-tree of
the Antilles

Omphalobium africanum. Guinea Zebra-
wood

Lambertii. Zebra-wood, of Guiana

Omphalodes. Venus's Navel-wort
linifolia. Flax-leaved Navel-wort

Luciliae. Rock Forget-me-not, Rock Navel-
wort

verna. Creeping Forget-me-not

Oncidium carthaginense. Spread-eagle Orchid

Papilio. Butterfly-plant, of S. America

Sprucei. Armadillo's-tail Orchid

tigrinum. "Flower-of-the-Dead," of the
Mexicans

Oncosperma filamentosa. Nibung Palm

Onobrychis. Hen's-bill, Medick-Vetch

Caput-galli. Cock's-head

montana. Mountain Saintfoin

sativa. Cock's-head, Common Saintfoin,
Fodder-grass, French Grass

Onoclea sensibilis. Sensitive Fern

Onocarpus vitiensis. Itch-wood-tree

Ononis. Rest-harrow

alba. White-flowered Rest-harrow

angustissima. Very-narrow-leaved Rest-
harrow

antiquorum. Tall Rest-harrow

Apula. Apulian Rest-harrow

arborescens. Tree Rest-harrow

arenaria. Sand Rest-harrow

arragonensis. Arragon Rest-harrow

arvensis. Cammock or Cannick; Common
Rest-harrow, Fin, Ground Furze, Hen
Gorse, Land Whin, Petty Whin, Stay-
plough, Wild Liquorice

brachycarpa. Short-podded Rest-harrow

biflora. Two-flowered Rest-harrow

breviflora. Short-flowered Rest-harrow

capensis. Cape Rest-harrow

capitata. Round-headed Rest-harrow

cenisia. Mt. Cenis Rest-harrow

cuspidata. Pointed-leaved Rest-harrow

Denhardtii. Denhardt's Rest-harrow

diffusa. Spreading Rest-harrow

emarginata. Notched-leaved Rest-harrow

falcata. Sickle-podded Rest-harrow

foetida. Strong-scented Rest-harrow

fruticosa. Shrubby Rest-harrow

geminiflora. Twin-flowered Rest-harrow

glabra. Smooth Rest-harrow

hispanica. Spanish Rest-harrow

hispida. Bristly Rest-harrow

longifolia. Long-leaved Rest-harrow

minutissima. Pigmy Rest-harrow

Natrix. Goat-root, Ram Rest-harrow, Yellow-
flowered Shrubby Rest-harrow

oligophylla. Few-leaved Rest-harrow

peduncularis. Long-flower-stalked Rest-
harrow

pendula. Drooping Rest-harrow

picta. Painted-flowered Rest-harrow

procurrens. Rooting-branched Rest-harrow

ramosissima. Very-branching Rest-harrow

reclinata. Small Rest-harrow

rotundifolia. Round-leaved Rest-harrow

spinosa. Cammock, Thorny Rest-harrow

tribracteata. Three-bracted Rest-harrow

tridentata. Three-toothed Rest-harrow

viscosa. Clammy Rest-harrow

Onopordon Acanthium. "Argentine," Cotton-
thistle, Down Thistle, Scotch Thistle (of
gardeners), "Thistle-upon-thistle"

acaule. Stemless Cotton-thistle

Onosma Emodi. *Maharanga-dye-plant*, of India, Rutton-root
tauricum. *Golden-Drop*

Onosmodium. *False-Gromwell*

Opegrapha. *Chink-wort, Letter-Lichen, Scripture-wort*

Ophelia Chirata (Gentiana Chirayita). *Chirayta or Chiretta-plant*

Ophiocaryon paradoxum. *Snake-nut Tree, of Guiana*.

Ophioglossum lusitanicum. *Small Adder's-tongue Fern*
vulgatum. *Adder's-Spear, Common Adder's-tongue Fern*

Ophiopogon. *Snake's-beard*
Jaburao aureo-variegatus. *Golden-variegated Snake's-beard*
japonicus. *Japanese Snake's-beard*
spicatus. *Spiked Snake's-beard*
spicatus var. argenteo-marginatus. *Silver-variegated Snake's-beard*

Ophiorrhiza Mungos. *Earth-gall, of the Malays, E. Indian Snake-root*

Ophioxylon serpentinum. *E. Indian Serpent-wood*

Ophiurus. *Sea Hard Grass*

Ophrys apifera. *Bee-flower, Bee-Orchis*
arachnites. *Black-Spider Orchis, Late Spider-Orchis*
arachnoidea. *Spider-like Orchis*
aranifera. *Common Spider-Orchis, Early Spider-Orchis*
aranifera var. limbata. *Bordered Spider-Orchis*
bombylifera. *Bumble-bee-Orchis*
cornuta. *Horned Orchis*
Ferrum-equinum. *Horse-shoe-Orchis*
fucifera. *Drone-Orchis*
fusca. *Brown Orchis*
Loeselii. *Læsel's Orchis*
lutea. *Yellow Orchis*
muscifera. *Fly Orchis*
Scopolax. *Woodcock-Orchis*
Speculum. *Looking-glass-Orchis*
tabanifera. *Breeze-fly-Orchis*
tentredinifera. *Saw-fly-Orchis*
tentredinifera minor. *Small Saw-fly-Orchis*
vespifera. *Wasp-Orchis*

Opopanax Chironium (Pastinaca Opopanax).
Opopanax-plant

Opuntia. *Bastard Fig, Indian Fig, Prickly Pear*
cochinillifera. *Cochineal Cactus*
crassa. *Thick-lobed Indian Fig*
curassavica. *Pin-pillow Cactus*
humilis. *Hardy Dwarf Cactus, Hardy Prickly Pear*
missouriensis. *Hardy Prickly Pear*
missouriensis var. leucospina. *White-spined Hardy Cactus*
pubescens. *Downy Indian Fig*
Rafinesquii. *Hardy Dwarf Prickly Pear*
Tuna. *Cochineal-Cactus*
vulgaris. *Barbary Fig, Common Hardy Cactus, Indian Fig, Prickly Pear*

Orbignya phalerata. *Cusi-, or Cusich-, Palm-tree*

Orchis coriophora. *Bug-Orchis*
foliosa. *Madeira Orchis*

Orchis fusca. *Tawny Orchis*
hircina. *Lizard Orchis*
latifolia. *Cain-and-Abel, Marsh Orchis, Meadow Rocket, Mount Caper*
latifolia var. Lagotis. *Purple-spotted Broad-leaved Orchis*
laxiflora. *Guernsey Orchis, Loose-flowered Orchis*
longibracteata. *Long-bracted Orchis*
longicalcarata. *Long-spurred Algerian Orchis*
maculata. *Adder's Grass, Ballock Grass, Bloody-Man's Finger, Crake-feet, Cuckoo-flower, Cuckoo Orchis, Dead-Men's-Fingers, Gethsemane, Hand Orchis, "Long-purples" of Shakespeare, May Orchis, Purple Orchis, Purple Wreath-e-wort, Ram's-horns, Spotted Orchis*
militaris. *Military Orchis*
Morio. *Bleeding Willow, Crake-feet, Fool Orchis, "Gander-gosses," Goose-and-goslings, Green-winged Orchis, "Nuns," Salep Orchis*
nigra (Nigritella angustifolia). *Dark-flowered Orchis*
pallens. *Pale-flowered Orchis*
papilionacea. *Purple Butterfly-Orchis*
purpurea. *Lady-Orchis*
pyramidalis. *Pyramidal Orchis*
Robertiana. *Long-bracted Orchis*
sambucina. *Elder-scented Orchis*
Simia. *Ape-Orchis*
spectabilis. *Preacher-in-the-pulpit, Showy Orchis of N. America*
tephroanthos. *Ash-coloured Orchis, Monkey Orchis*
ustulata. *Dwarf Meadow Orchis*

Oreodaphne. *Mountain Laurel*
bullata. *Stink-wood, Mountain Laurel*
californica. *Balm-of-Heaven, Californian Cajeput-, Laurel-, Olive-, Sassafras-, or Spice, - tree*
cupularis. *Isle of France Cinnamon (Nectandra) exaltata. Sweet-wood, of Jamaica*
(*Laurus*) fœtens. *Fetid Laurel, or Til-tree, of Madeira*
Leucoxylon. *Loblolly-, or Rio Grande, Sweet-wood*

Oreodoxa (*Areca*) oleracea. *Cabbage-Palm, of the W. Indies*
regia. *Royal Wine-Palm*

Origanum. *Marjoram*
Dictamnus. *Dittany of Crete*
heracleoticum. *Winter Marjoram, Winter-sweet*
Marjorana. *Knotted or Sweet Marjoram*
Onites. *Pot Marjoram*
Sipyleum (*O. pulchellum*). *Little Hop-plant, Mt. Sipylos Marjoram*

Tournefortii. *Dittany of Amorgos*
vulgare. *English, Grove, or Wild Marjoram, Organ, Organs, or Organy*

Ormosia dasycarpa. *Necklace-tree, of the W. Indies*

Ornithocephalus gladiatus. *Bird's-head Orchis*

Ornithogalum. *Star-of-Bethlehem*
aureum. *Golden-flowered Star-of-Bethlehem*

- Ornithogalum** Boucheanum. Bouche's Star-of-Bethlehem
comosum. Short-spiked Star-of-Bethlehem latifolium. Broad-leaved Star-of-Bethlehem narbonnense. Narbone Star-of-Bethlehem nutans. Drooping Star-of-Bethlehem pannonicum. Star-of-Hungary prasinum. Green Star-flower pyramide. Tall Star-of-Bethlehem pyrenaicum. Bath or French Asparagus, Pyrenean Star-of-Bethlehem scilloides. Barbadoes Onion umbellatum. Common Star-of-Bethlehem, Eleven-o'clock Lady, Jack-go-to-bed-at-noon

Ornithoglossum. Birds'-tongue

Ornithopus. Bird's-foot compressus. Hairy Bird's-foot ebracteatus (*Arthrolobium* ebracteatum). Channel Islands Bird's-foot perpusillus. Common Bird's-foot sativus. "Serradella" or "Serratella"

Orobanche. Broom-rape cerulea. Blue-flowered Broom-rape caryophyllacea. Clove-scented Broom-rape elatior. Tall Broom-rape major. Great Broom-rape, New-Chapel-flower minor. Small Broom-rape rainosa. Branched Broom-rape rubra. Red Broom-rape virginica. Virginian Beech-drops

Orobus. Bitter-vetch atropurpureus. Dark Purple Bitter-vetch aurantius. Orange-flowered Bitter-vetch canescens. Hoary Bitter-vetch (*Platystylis*) cyaneus. Blue Bitter-vetch Gmelini. Gmelin's Bitter-vetch hirsutus. Hairy Bitter-vetch lathyroides. Lathyrus-like Bitter-vetch niger. Black Pea, Black-rooted Bitter-vetch sylvaticus. Wood-pea tauricus. Crimean Bitter-vetch tuberosus. Heath-pea, Tuberous-rooted Wood-pea variegatus. Variegated Bitter-vetch vernus. Spring Bitter-Vetch vicioides fl.-pl. Double-blossomed Bitter-Vetch

Orontium aquaticum. Golden-club

Orthrosanthus multiflorus. Morning-flower, of Australia

Orthotrichum. Bristle-Moss diaphanum. White-tipped Bristle-Moss Lugwigii. Club-fruited Bristle-Moss pulchellum. Elegant Bristle-Moss rivulare. River Bristle-Moss rupicola. Rock Bristle-Moss speciosum. Showy Bristle-Moss stramineum. Straw-like Bristle-Moss

Oryza. Rice-plant mutica. Mountain-Rice sativa. Cultivated Rice

Oryzopsis. American Mountain-Rice

Osmanthus americanus (*Olea americana*). Devil-wood fragrans. Fragrant Olive

Osmorrhiza. Sweet Cicely, of California

Osmunda. Flowering Fern cinnamomea. Cinnamon Fern

Osmunda Claytoniana. Clayton's Flowering Fern regalis. Bog Onion, Buck-horn Brake, Common Flowering Fern, Ditch Fern, Herb Christopher, King Fern, Osmund Royal, Osmund the Water-man, Royal Fern, Royal Osmund Fern, Water-Fern

Osteospermum. Bone-seed moniliferum. Jungle Sun-flower, of the Cape

Ostrya virginica. Iron-wood (*N. American*), Hop-Hornbeam, Lever-wood

Osyris alba (*Cassia poetica*). Gard-robe, Poel's Cassia, Poet's Rosemary

Othonna. African Ragwort cheirifolia. Barbary Ragwort

Ouvirandra Berneriana. Pink-flowered Lattice-leaf, or Lattice-leaf, Plant fenestrata. White-flowered Lace-leaf-, or Lattice-leaf-, Plant

Owenia cerasifera. Sweet Plum, of Queensland land venosa. Sour Plum, of Queensland

Oxalis. Wood-Sorrel Acetosella. Alleluia, Common Wood-Sorrel, Cuckoo-bread, Cuckoo-Sorrel, French Sorrel, Gowk-meat, Hallelujah, Stub-wort, "Wood-Sorrel"

arenaria. Sand Wood-Sorrel atro-purpurea. Purple-leaved Wood-Sorrel Biophytum. E. Indian Sensitive Wood-Sorrel

Bowiei. Bowie's Wood-Sorrel brasiliensis. Brazilian Wood-Sorrel caprina. Goat's-foot corniculata. Procumbent Yellow-flowered Wood-Sorrel corniculata var. rubra. Red-flowered Pro-cumbent Wood-Sorrel crenata. "Oca," of Peru Deppei. Deppe's Wood-Sorrel enneaphylla. Nine-leaved Wood-Sorrel floribunda. Many-flowered Wood-Sorrel incarnata. Flesh-coloured Wood-Sorrel lasiandra. Woolly-stamened Wood-Sorrel lobata (*O. granulata*). Lobed-leaved Wood-Sorrel luteola. Yellowish-flowered Wood-Sorrel magellanica. New Zealand Wood-Sorrel odorata. Scented Wood-Sorrel Oregana. Oregon Wood-Sorrel Plumieri. Plumier's Wood-Sorrel rosea. Rosy-flowered Wood-Sorrel stricta. Upright Yellow-flowered Wood-Sorrel tenella. Dwarf Wood-Sorrel tropaeoloides. Nasturtium Wood-Sorrel tuberosa. "Oca," of Peru, Tuberous-rooted Wood-Sorrel Valdiviana. Chilean Wood-Sorrel violacea. Violet Wood-Sorrel

Oxleya xanthoxyla (*Flindersia Oxleyana*). Yellow-wood, of Queensland and N. S. Wales

Oxybaphus. Umbrella-wort

Oxycoccus palustris. Moss-berry

Oxyria reniformis. Mountain Sorrel

Oxytropis campestris. Yellow-flowered Oxytropis foetida. Fétid Oxytropis pyrenaica. Pyrenean Oxytropis

- Oxytropis** *splendens*. Brilliant - flowered
Oxytropis
uralensis. Purple-flowered *Oxytropis*
- Pachira** (*Carolinea*) *alba*. Silk-cotton-tree, of
 New Granada
macrantha. Silk-cotton-tree, of Brazil
- Pachyma** *Cocos*. Tuckahoe Truffle
- Pachyphytum** *bracteosum*. Silver-bracts
- Pachyrrhizus** *angulatus*. Yaka, or Wayaka-
 plant, of Fiji
- Pachysandra** *procumbens*. Alleghany
 Mountain Spurge, American Thick-stamen
- Pachystigma** *Canbyi*. Canby's Mountain-
 lover
- Padina** *pavonia*. Peacock's-tail Seaweed,
 Turkey-feather Laver
- Pæderia** *fœtidia*. Chinese Fever-plant
- Pæonia**. Peony, Peony, or Piony
albiflora. White-flowered Peony
anemonæflora. Anemone-flowered Peony
arietina. Ram's-horn Peony
arborea (*P. Moutan*). Tree-Peony
corallina. "English," Steep Holmes, or Wild
 Peony
edulis. Edible-rooted Peony
humilis. Dwarf Peony
lobata. Lobed-leaved Peony
mollis. Soft-leaved Peony
Moutan (*P. arborea*). Chinese Tree-Peony
Moutan var. *Banksii*. Banks's Tree-Peony
Moutan var. *papaveracea*. Poppy-flowered
 Tree-Peony
Moutan var. *rosea*. Rosy-flowered Tree-
 Peony
odorata. Scented Peony
odorata var. *grandiflora*. Large-flowered
 Scented Peony
officialis. Common Garden Peony
sibirica. Siberian Peony
tenuifolia. Fennel-leaved Peony, Slender-
 leaved Peony
- Palicourea** *speciosa*. Gold-shrub
- Paliurus** *aculeatus*. Christ's Thorn, Garland-
 Thorn, Ram-of-Libya
- Palmella** *cruenta*. Gory Dew
- Panax** *Colensoi*. Otago Ivy-tree
crassifolium (*Aralia crassifolia*). New Zea-
 land Lance-wood
- dendroides*. Mountain-Ash, of Australia
- quinquefolium* (*Aralia quinquefolia*). Gin-
 sing-plant of N. America
- sambucifolium* (*P. dendroides*). Victorian
 Elder-berry Ash
- (*Aralia*) *trifolium*. Dwarf Ginseng, Ground-
 nut
- Pancratium** *indicum*. Indian Autumn Daf-
 fid
- maritimum*. Mediterranean Lily, Sea-Daf-
 fid
- Pandanus**. Screw-Pine
Candelabrum. Chandelier-tree, of Guiana
 Forsteri. Tent-tree, of Lord Howe's Island
javanicus. Javanese Screw-Pine
odoratissimus. Fragrant Screw-Pine, Keora-,
 or Pandang-, oil-plant, Moreton Bay
 Bread-fruit-tree, Nicobar Bread-fruit-
 tree
- pedunculatus*. Screw-Pine, of E. Australia
- Panicum**. Panick-Grass
altissimum. Tall Panick-grass
bulbosum. Bulbous Panick-grass
cæruleum. "Bajree" Millet
capillare. Old-witch Grass
colonum. Millet Rice
Crus-galli. Barn-yard, or Cock's-shin, Grass
 decompositum. Australian Millet, Umbrella-
 Grass
- frumentaceum*. Deccan-grass, Shamalo-grass
glutinosum. W. Indian Burr-grass, Ginger-
 grass
- jumentorum* (*P. maximum*). Guinea-grass
- leucophaeum*. Sour-grass
- milaceum*. Millet (true)
- molle*. Dutch-grass, Parn-grass, "Scotch-
 grass," of Jamaica
- stagninum*. Hedge-hog Grass
- virgatum*. Twiggy Panick-grass
- Papaver**. Poppy
alpinum. Alpine Poppy
- Argemone. Pale Poppy, Wind-Rose
- bracteatum*. Great Scarlet Poppy
- croceum*. Golden Poppy
- dubium*. Blind Eyes, Long-headed Poppy,
 Smooth-fruited Corn-Poppy
- hybridum*. Rough Poppy
- lateritium*. Orange Poppy
- nudicaule*. Yellow Arctic Poppy
- orientale*. Oriental Poppy
- pilosum*. Hairy-stemmed Poppy
- Rheas, fl.-pl. John, or Joan, Silver-pin
- somniferum*. Bale-wort, Carnation, Peony,
 or Opium Poppy, Joan Silver-pin, White
 Poppy
- somniferum*, fl.-pl. Double Opium Poppy
- somniferum*, var. *nigrum*. Black Opium
 Poppy
- spicatum*. Spiked Poppy
- umbrosum. Caucasian Scarlet Poppy, Dark-
 spotted, or Thompson's, Poppy
- Pappea** *capensis*. Wild Plum-tree, of the
 Cape
- Papyrus** *antiquorum* (*Cyperus Papyrus*).
 Paper-reed, or Paper-rush, of the Ancients
- corymbosus*. Indian-matting Plant
- odoratus*. Fragrant Paper-reed
- syriacus*. Syrian, or Sicilian, Paper-reed
- Parastranthus**. Inverted-flower
- Pardanthus** (*Ixia*) *chinensis*. Chinese Black-
 berry Lily, Chinese Leopard-flower
- Parietaria** *debilis*. New Zealand Pellitory
- officinalis*. Hammer-wort, Lich-wort, Pelli-
 tory-of-the-Wall
- pennsylvanica*. American Pellitory
- Parinarium** *excelsum*. Gray Plum, or
 Rough-skinned Plum, of Sierra Leone
- macrophyllum*. Ginger-bread-tree
- Mobola. Mobola or Mola Plum of the Zambesi
- Nonda. Nonda-tree of Australia
- Paris** *quadrifolia*. Four-leaved Grass, Herb-
 Paris, One-berry, True-love
- Paritium** *elatum*. Common, Blue, Gray, or
 Mountair Mahoe, Cuba Bast-tree
- guineense*. Umbrella-tree, of Guinea

- Parkia africana.** African Locust-tree, Nitta-tree
Parkinsonia aculeata. Jerusalem Thorn, W. Indian Prickly Broom
Parmelia omphalodes. Crotal or Crottle Lichen
 perlata. Canary Moss
Parmentiera cerifera. Candle-tree of Panama
Parnassia. Grass-of-Parnassus
 asarifolia. Asarum-leaved Grass-of-Parnassus
 caroliniana. Large Grass-of-Parnassus
 fimbriata. Fringed Grass-of-Parnassus
 nubicola. Himalayan Grass-of-Parnassus
 palustris. Common Grass-of-Parnassus
Parochetus communis. Blue-flowered Shamrock, Shamrock-Pea
Paronychia. Nail-wort, Willow-wort
 argyrocoma. Silver Chick-weed, Silver-head
 dichotoma. Forked Nail-wort or Whitlow-wort
 serpyllifolia. Thyme-leaved Nail-wort
 verticillata. Whorled Nail-wort
Parrotia persica. Iron-wood, of Persia
Parthenium Hysterophorus. Bastard Feverfew, Broom-bush, W. Indian Mugwort
Paspalum. Millet Grass
 conjugatum. W. Indian Sour-grass
 distichum. Silt-grass
 exile. Hungary Rice
 serobicentratum. Millet Khoda, of India
Passerina. Sparrow-wort
 nivalis. Alpine Sparrow-wort
 Stelleri. Ground Jasmine
Passiflora. Passion-flower
 (Disemma) aurantia. Norfolk Island Passion-flower
 cerulea. Common Blue Passion-flower
 edulis. Edible-fruited Passion-flower
 foetida. W. Indian Love-in-a-mist, or Wild Water-Lemon
 incarnata. Flesh-coloured Granadilla
 kermesina. Crimson Passion-flower
 laurifolia. Jamaica Honey-suckle, Water-Lemon
 macrocarpa. Pumpkin, or Large-fruited, Passion-flower
 maliformis. Sweet Calabash-plant, Water Lemon, of the W. Indies
 quadrangularis. Granadilla, Granadilla Vine, Square-stalked Passion-flower
 racemosa (P. princeps). Racemed Passion-flower
 tetrandra. New Zealand Passion-flower
 tiliaefolia. Lime-tree-leaved Passion-flower
 Vespertilio. Bat-winged Passion-flower
 vitifolia. Vine-leaved Passion-flower
Pastinaca Opopanax. Rough Parsnip
 sativa. Common Parsnip
Patersonia. Purple Lily, or Native Flag, of Australia
Paullinia barbadensis. W. Indian Supple-Jack
 curassavica. S. American Supple-Jack
 pinnata. Brazilian Fish-poison-tree
 polphylla. W. Indian Supple-Jack
 sorbilis. Guarana-tree, of S. America
Pavetta sp. Wild Jasmine, of Jamaica
- Pavia** (*Æsculus*). Buck-eye, Smooth-fruited Horse-Chestnut
 discolor. Red-and-yellow-flowered Dwarf Buck-eye
 flava. Yellow-flowered Buck-eye
 hybrida. Variegated-flowered Buck-eye
 macrocarpa. Long-fruited Buck-eye
 macrostachya. Long-spike-flowered Buck-eye
 neglecta. Neglected Buck-eye
 rubra. Red-flowered Buck-eye
 rubra var. arguta. Sharp-toothed-leaved Red-flowered Buck-eye
 rubra var. humilis. Dwarf Red-flowered Buck-eye
 rubra var. humilis pendula. Weeping Dwarf Red-flowered Buck-eye
 rubra var. sublaevis. Deep-toothed-leaved Red-flowered Buck-eye
Pavonia coccinea. Scarlet Mallow, of the Antilles
Pectis punctata. W. Indian Marigold
Pedicularis. Louse-wort
 canadensis. Wood-Betony, of N. America
 comosa. Spiked Louse-wort
 palustris. Marsh Louse-wort, Red-Rattle Grass
 Sceptrum-Carolinum. King Charles's Sceptre
 sylvatica. Common Louse-wort, Red-Rattle
Pedilanthus. Slipper Spurge
 tithymaloides. Jew-bush
Peganum Harmala. Syrian Rue
Pelargonium. Stork's-bill
Pellæa. Clif Brake-Fern
 densa. Oregon Clif Brake
 flexuosa. Zig-zag Clif Brake
 ornithopus. Bird's-foot Rock-Brake
Peltandra virginica. Arrow-Arum
Peltidea canina. Ground-Liver-wort
Peltogyne paniculata. Purple-heart Tree, of Trinidad
Peltophorum Linnæi (*Cæsalpinia brasiliensis*). Brazilletto-wood, of Jamaica
 Vogelianum. Brazilletto-wood, of Brazil
Penea Sarcocolla. Sarcocolla-tree
Penicillaria spicata. "Bajree," Gero Corn
Penicillium glaucum. Vinegar-plant, Yeast-plant
Penicillius. Merman's Shaving-brush.
Pentaceras australis (*Ailantus punctatus*). Moreton Bay Varnish-tree
 australis. White Cedar, of Queensland
Pentaclethra filamentosa. Wild Tamarind-tree, of Trinidad
 macrophylla. Owala-tree, of W. Africa
Pentadesma butyracea. Butter-and-Tallow-tree, of Sierra Leone
Penthorium sedoides. Ditch Stone-Crop, of N. America
Pentstemon. Beard-tongue
 acuminatus. Pointed-leaved Pentstemon
 argutus. Graceful Pentstemon
 barbatus. Bearded Pentstemon
 campanulatus. Bell-flowered Pentstemon
 centranthifolius. Centranthus-leaved Pentstemon
 Cobaea. Cobaea-flowered Pentstemon
 confertus (P. procerus). Whorled Pentstemon
 crassifolius. Thick-leaved Pentstemon
 diffusus. Spreading Pentstemon

- Pentstemon** *Digitalis*. *Fox-glove Pentstemon gentianoides* (P. Hartwegi). *Common Pentstemon*
glaber. *Dwarf Blue Pentstemon glaucus*. *Glaucous Pentstemon humilis*. *Dwarf Pentstemon Jaffrayanus*. *Gentian-blue Pentstemon latus*. *Flame-coloured Pentstemon Lewisii*. *Lewis's Pentstemon Murrayanus*. *Murray's Pentstemon ovatus*. *Oval-leaved Pentstemon Palmeri*. *Palmer's Pentstemon puniceus*. *Scarlet-flowered Pentstemon Scouleri*. *Scouler's Pentstemon secundiflorus*. *Side-flowered Pentstemon speciosus*. *Showy Pentstemon Torreyi*. *Torrey's Pentstemon Wrighti*. *Wright's Pentstemon Pentzia virgata*. *Sheep-fodder-bush*, of S. Africa
Peperomia. *Pepper-Elder*
Peplis Portula. *Water-Purslane*
Pereskia aculeata. *American, Barbadoes, or W. Indian Goose-berry*
Pergularia odoratissima. *West Coast Creeper*
Pericampylos incanus (*Cocculus Moorei*). *Grass Ivy*, of Australia
Periploca graeca. *Climbing Dog's-bane, Milk-vine, Silk-vine, Syrian Silk-plant, Virginian Silk Mauritanica*. *Coffee-Climber*
Periptera punicea (*Sida Periptera*). *Shuttlecock-plant*
Peristeria cerina. *Waxen Dove-flower elata*. *Common Dove-flower or Dove-Oncidium, Holy-Ghost-flower*
Peristylus (*Habenaria*) *viridis*. *Frog-Orchis*
Pernettya mucronata and other species. *Prickly Heath*
Peronospora infestans. *Potato-Fungus*
Persea carolinensis. *Alligator Pear, Isabella-wood of Carolina, Red Bay, Red Laurel cariophyllata*. *Pink-wood Tree gratissima*. *Alligator or Avocado Pear, Midshipman's Butter, Vegetable Marrow indica*. *Canary-wood, E. Indian Bay-tree, Venatica-, or Vinatico-, wood*
Persica canariensis. *Canary-wood*
Petalostemon. *Prairie Clover*
Petasites vulgaris. *Batter Dock, Bog Rhubarb, Butter-bur, Cleats, Water Docken*
Petitia domingensis. *Spur-tree*
Petiveria alliacea. *Common Guinea-hen-weed, Garlic-shrub, Strong-man's-weed octandra*. *Dwarf Guinea-hen-weed*
Petraea volubilis. *Purple Wreath*
Petrogium arboreum. *Rock-plant, of St. Helena*
Petrocallis pyrenaica. *Rock-Beauty*
Petroselinum sativum. *Common Garden Parsley*
segetum. *Corn Hone-wort, Corn Parsley*
Petunia nyctaginiflora. *Common White Petunia*
Peucedanum ammoniacum. *Gum-Ammoniac Plant*
Cervaria. *Mountain Hart-wort*
officinale. *Harstrong, or Horestrang, Hog's fennel, Sulphur-weed or Sulphur-wort*
- Peucedanum Oreoselinum**. *Mountain Parsley*
Ostruthium. *Master-wort*
palustre. *Brimstone-wort, Milk-Parsley sativum*. "Tanke," Wild Parsnip
Peziza. *Cup Mushroom*
coccinea. *Blood Cups, Jew's Ears cochleata*. *Flaps or Flats, Jew's Ears venosa*. *Jew's Ears*
Phaca. *Bastard-Vetch*
australis. *Trailing Bastard-Vetch*
Beticæ. *Spanish Bastard-Vetch*
Phædranassa. *Queen-Lily*
Phalænopsis. *Moth-plant, Moth Orchid amabilis*. *E. Indian Butterfly-plant*
Phalaris (*Digraphis*) *arundinacea*. *Canary Reed, Sword Grass*
arundinacea variegata. *Bride's Laces, French Grass, Gardeners' Garters, Lady Grass, Lady's Garters, Lady's Laces, Painted Grass, Ribbon-grass, Silver Grass canariensis*. *Canary Grass*
Phallus impudicus. *Devil's Horn, Stinkhorn, Stinking-Polecat Fungus*
Pharbitis (*Convolvulus*) *Nil*. *Kaladana Resin-plant*
Pharnaceum acidum. *Longwood Samphire, of St. Helena*
Pharus latifolius. *Oat, of the W. Indies*
Phascum. *Earth-Moss*
bryoides. *Tall Earth-Moss*
muticum. *Common Dwarf Earth-Moss*
Phaseolus aconitifolius. *Turkish Gram*
Caracalla. *Climbing Snail-flower*
diversifolius. *Diverse-leaved Kidney-bean Hernandezii*. *Frijol-bean, of Mexico lunatus*. *Hibbert Bean, Lima Kidney-bean, Sugar-bean*
multiflorus var. *albiflorus*. *White Runner Bean*
multiflorus var. *coccineus*. *Scarlet Runner Bean*
Mungo (*P. Max*). *Hairy-podded Kidney-bean*
Mungo var. *chlorospermus*. *Green Gram*
Mungo var. *melanospermus*. *Black Gram*
saccharatus. *Sugar Bean*
truxillensis. *Wrinkled Bean*
vulgaris. *Common Kidney-bean, French Bean, Year Bean*
Phebalium montanum. *Tasmanian Mountain Myrtle*
Philipæa Ludoviciana. *Broom-rape, of N. America*
Phellandrium aquaticum. *Water-Hemlock*
Phelloendron amurense. *Siberian Cork-tree*
Philadelphus. *Mock-Orange, Syringa aromaticus*. *Sweet-scented New Zealand Tea-tree*
coronarius. *Common Syringa or Mock-Orange*
coronarius, var. *grandiflorus*. *Large-flowered Mock-Orange*
floribundus. *Many-flowered Mock-Orange*
Gordonianus. *Gordon's Mock-Orange*
hirsutus. *Hairy-leaved Mock-Orange*
inodorus. *Scentless Mock-Orange*
latifolius. *Broad-leaved Mock-Orange*

- Philadelphus laxus.** *Loose-branched Mock-Orange*
Lewisii. *Lewis's Mock-Orange*
mexicanus. *Mexican Mock-Orange*
nanus. *Dwarf Mock-Orange*
speciosus. *Showy Mock-Orange*
tomentosus. *Woolly-leaved Mock-Orange*
verrucosus. *Warted Mock-Orange*
Zeyheri. *Zeyher's Mock-Orange*
- Phillyrea.** *Jasmine-Box, Mock-Privet*
- Phlebodium aureum.** *Golden Polypody*
- Phleum pratense.** *Cat's-tail Grass, Timothy Grass*
- Phlomis fruticosa** and other species. *Jerusalem Sage*
- Lychnites.** *Lamp-wick*
- Phlox cespitosa.** *Tufted Phlox*
canescens. *Gray-leaved Phlox*
carolina. *Carolina Phlox*
bifida. *Cleft-petaled Phlox*
bryoides. *Moss-like Phlox*
decussata. *Cross-leaved Phlox*
divaricata (*P. canadensis*). *Straggling Phlox*
- Drummondii.** *Texan Pride*
frondosa. *Leafy Phlox*
glaberrima. *Very Smooth Phlox*
longiflora. *Long-flowered Phlox*
maculata. *Wild Sweet William, of N. America*
Nelsoni. *Nelson's Phlox*
nivalis. *White-flowered Dwarf Phlox*
ovata. *Ovate-leaved Phlox*
paniculata and vars. *Tall Garden Phlox*
pilosa. *Hairy Phlox*
procumbens. *Procumbent Phlox*
reptans (*P. verna*, *P. stolonifera*). *Creeping Phlox*
- speciosa.* *Pride of Columbia*
subulata. *American Moss Pink*
- Phoenix dactylifera.** *Date Palm*
sylvestris. *E. Indian Wine Palm, Khujjoor or Kharjurah Palm, Wild Date Palm*
- tenuis.* *Slender Date Palm*
- Pholidota.** *Rattle-snake Orchid*
- Phoradendron flavescens.** *N. American Mistletoe*
- Phormium Colensoi.** *Small Flax-lily*
tenax. *Common Flax-lily, New Zealand Flax*
tenax variegatum. *Variegated New Zealand Flax*
- Photinia arbutifolia.** *Californian May-bush*
serrulata (*Crataegus glabra*) and other species. *Chinese Haw-thorn*
- Phragmites communis.** *Bennels, Common Reed, Ditch Reed*
- Phryma leptostachya.** *Lop-seed*
- Phrynum villosum** (*Calathea villosa*). *Demerara Frog-plant*
- Phygelius capensis.** *Cape Figwort*
- Phyllanthus Conami.** *Topsy-wood, of Brazil*
subcrenulatus. *Queensland Rock-Broom*
- Phyllis Nobla.** *Bastard Hare's-ear*
- Phyllocladus.** *Celery-leaved Pine-tree*
rhomboidalis. *Adventure Bay Pine, Celery Pine of Tasmania*
- Phyllocladus trichomanoides.** *Celery Pine, or Tanekaha-bark-tree, of New Zealand*
- Phyllocyrene jamaicensis.** *John-Crow's-nose, or Jim-Crow's-nose, of the W. Indies*
- Phyllostachys nigra.** *Whangee or Wanghee Cane*
- Phymatanthus.** *Wart-flower*
- Physalis.** *Ground-cherry, Winter-cherry*
Alkekengi. *Alkekengi, Bladder Herb, Red Nightshade, Red Winter-cherry, Strawberry-Tomato*
angulata. *Toothed-leaved Winter-Cherry*
edulis. *Edible Cape-Gooseberry*
peruviana. *Peruvian Cape-Gooseberry*
pruinosa. *Hairy Annual Winter-cherry*
pubescens. *Barbadoes Cape-Gooseberry, Strawberry Tomato*
somnifera. *Cluster-flowered Winter-cherry*
- Physianthus** (*Anjana*) *albens.* *White Bladder-flower*
- Physocalymma floribundum.** *Tulip-wood Tree, Brazilian Pink-wood*
- Physospermum cornubiense.** *Bladder-seed*
- Physostegia denticulata.** *Toothed False-Dragon-head*
imbricata. *Imbricated False Dragon-head*
virginiana. *Virginian False-Dragon-head*
- Physostigma venenosum.** *Calabar-Bean or Chop-nut*
- Phytelephas macrocarpa.** *Ivory-nut Palm, Negro's-head, Vegetable-Ivory-plant*
- Phyteuma.** *Horned-Rampion*
Charmillii. *Long-bracted Horned-Rampion*
comosum. *Tufted Horned-Rampion*
hemisphaericum. *Linear-leaved Horned-Rampion*
limonifolium. *Limonium-leaved Horned-Rampion*
- orbicularare.* *Round-headed Horned-Rampion*
pauciflorum. *Few-flowered Horned-Rampion*
spicatum. *Spiked Horned-Rampion*
- Phytocrena.** *Water-vine*
gigantea. *E. Indian Fountain-tree*
- Phytolacca acinosa.** *Indian Poke*
decandra. *Coakum, Crimson-berry-plant, Dyers'-grapes, Garget, Pigeon-berry, Red-ink-plant, Virginian Poke-weed, Poke or Scocke*
dioica. *Tree Poke, Umbra-tree of S. America*
electrica. *Electrical Poke*
icosandra. *Hydrangea-leaved Poke, Red-stemmed Poke*
octandra. *Spanish Calalu, W. Indian Fox-glove*
purpurea. *Purple-flowered Poke*
- Picea.** *Silver Fir*
amabilis. *Woolly-coned Silver Fir*
bracteata. *Leafy-bracted Silver Fir*
cephalonica. *Black Mountain Fir, Mount Enos Fir*
- firma.* *Japan Silver Fir*
(Pinus) grandis. *Great Californian Silver Fir*
- holophylla.* *Mandschurian Silver Fir*
nobilis. *Noble Silver Fir*
Nordmanniana. *Crimean Silver Fir*
numidica. *Algerian Silver Fir*

- Picea** obovata. *Siberian Spruce*
pectinata. *Common Silver Fir*
Pichta. *Pitch, or Siberian, Silver Fir*
Pindrow. *Upright Indian Silver Fir*
Pinsapo. *Spanish Silver Fir*
pungens. *Rocky Mountain Spruce*
religiosa. *Sacred Silver Fir*
religiosa var. glaucescens. *Mexican Silver Fir*
sibirica. *Siberian Spruce*
- Picraena** excelsa. *Bitter Ash, Jamaica Quassia* or *Picraena-wood*
- Picramnia**. *Bitter-wood*
Antidesma, *Macay-bitter*, of the W. Indies,
Majo-bitter-tree, *Old-Woman's-bitter*
- Picria** Fel-terra. *Chinese Earth-gall plant*
- Picrodendron** Juglans. *Jamaica Walnut*
- Pierardia** sapida. *Ramie-tree*, of Rangoon
- Pilea**. *Stingless Nettle*
grandis. *Dwarf Elder*
hermariifolia and *P. serpyllifolia*. *Artillery-plant*
pumila. *Clear-weed, Rich-weed*
- Pilocarpus** pinnatus. *Jaborandi-plant*, of the W. Indies
- Pilocereus** Houletti (*P. fossulatus*). *Houlett's Woolly-Cactus*
senilis. *Old-man's-head Cactus*
- Pilularia** globulifera. *Common Pill-wort*,
Pepper-grass, Pepper-moss.
- Pimelea**. *Rice-flower*
drupacea. *Victorian Bird-Cherry*
- Pimenta** acris. *Bay-berry-tree, Black Cinnamon, Wild Clove*, of the W. Indies
- Pimpinella** Anisum. *Aniseed-plant of commerce, Anise, Anny, Sweet Cumin*
- Saxifraga*. *Burnet Saxifrage, Pimpernel*
- Pinckneya** pubens. *Bitter-bark-tree, Fever-tree of Georgia, Georgia-Bark-tree*
- Pinguicula**. *Butter-wort*
alpina. *Mountain Butter-wort, White-flowered Butter-wort*
caudata. *Mexican Long-spurred Butter-wort*
grandiflora. *Large-flowered, or Irish, Butter-wort*
longifolia. *Long-leaved Butter-wort*
lusitanica. *Pale-flowered Butter-wort*
lutea. *Yellow-flowered Butter-wort*
vallisneriifolia. *Vallisneria-leaved Butter-wort*
- vulgaris. *Bog Violet, Butter-root, Common Butter-wort, Earning Grass, Eccle Grass, Rot-grass, Steep Grass, Yorkshire Sainicle*
- Pinus**. *Deal-tree, Pine-tree*
aristata. *Awned-cone Pine*
Arizona. *Arizona Yellow Pine*
australis. *Broom, Brown, Georgia Pitch-, Hard, Long-leaved, Southern, Yellow, or Virginia Pine*
austriaca. *Austrian Pine, Black Pine*
bahamensis. *Pitch Pine, of the Bahamas*
Balfouriana. *Fox-tail Pine, Hickory Pine*
Banksiana. *Gray, or Northern, Scrub-Pine-tree, Hudson's Bay, or Labrador, Pine-tree*
- Brutia. *Calabrian Cluster Pine*.
Bungeana. *Chinese Lace-bark Pine*
Cembra. *Russian Cedar, Swiss Stone Pine*
Cembra var. sibirica. *Siberian Pine*
- Pinus** contorta. *Twisted-branched Pine*
contorta var. Murrayana. *Tamarack Pine*
(*Abies*) Douglasii. *Oregon Pine, Yellow Pine* of Puget Sound
edulis. *American Nut-Pine, Pinon*
excelsa. *Bhotan Pine*
filifolia. *Thread-leaved Pine*
flexilis. *American White Pine*
Fremontiana (*P. monophylla*). *Californian Nut-Pine*
- Gerardiana. *Neozia Pine, Nepaul Nut-Pine*
glabra. *American Spruce Pine*
Halepensis. *Aleppo or Jerusalem Pine-tree*
inops. *New Jersey Scrub Pine*
insignis. *Monterey Pine*
insularis. *Timor Pine*
Kaempferi. *Golden Pine*
koraiensis. *Corean Pine*
Lambertiana. *Gigantic Californian Pine, Shake-Pine, Sugar-Pine*
- Laricio. *Corsican, Calabrian, or Larch Pine*
Laricio var. pygmaea. *Dwarf Corsican Pine*
- longifolia. *Cheer or Emodi Pine*
maritima. *Sea-side Pine*
mitis. *Short-leaved Pine, Spruce Pine, Yellow Pine*
- monophylla (*P. Fremontiana*). *Californian Nut Pine*
- monticola. *Mountain Pine*
Mugho. *Drooping-coned Pine*
Mugho var. nana. *Knee Pine*
muricata. *Bishop's Pine*
occidentalis. *W. Indian Pine*
orientalis. *Sapindus Fir*
Pallasiana. *Crimean Pine, Tartarian Pine*
Picea. *Silver Fir*
- Pinaster. *Cluster, or Star, Pine*
Pinaster var. Hamiltonii. *Lord Aberdeen's Pine*
- Pinaster var. minor. *Cortean Pine*
Pinea. *Italian Stone Pine*
Pinea var. fragilis. *Tarentina Pine*
ponderosa. "Bull," *Trucker, or Yellow Pine*
- Pumilio. *Upright-coned Mountain Pine*
Pumilio var. nana. *Knee Pine*
pungens. *Table Mountain Pine*
religiosa. *Oyamel Fir*
resinosa. "Norway" or *Red Pine*, of N. America
- rigida. *Pitch Pine, Sap Pine*
Sabiniana. *Digger Pine*
serotina. *Fox-tail or Pond Pine*
sinensis. *Chinese Pine*
sitchensis (*P. Douglasii*). *Blue or Tideland Spruce, of California*
- Strobos. *Pumpkin-Pine, of Canada, Weymouth Pine, White Pine of N. America*
- Strobos var. nivea. *White Weymouth, or Snow, Pine*
- sylvestris. *Birk Apples, Scotch Fir*
- sylvestris var. horizontalis. *Highland, or Spey-side, Pine*
- sylvestris var. nana. *Pigmy Scotch Fir*
- Tada. *Frankincense Pine, Loblolly Pine, Old Field Pine, Rosemary Pine, Slash Pine, Swamp Pine*
- Webbiana. *Dye-, or King, Pine*
- Zeocote. *Candle-wood Pine, Twisted Pine*

Piper. <i>Pepper</i>	Plantago. <i>Plantain, "Way-bread"</i>
<i>augustifolium</i> (<i>Artanthe elongata</i>). <i>Matico-plant, "Mohomoho," of Peru, Soldier's-herb Betle.</i> <i>Betle-leaf, or Betle Pepper</i>	<i>Coronopus. Buck-s-horn Plantain, Hart's-horn Plantain, Herb Eve, Herb Ivy, Star-of-the-earth</i>
<i>Cubeba. Cubeb Pepper, or Cubels</i>	<i>Cynops. Shrubby Plantain</i>
<i>(Cubeba) Clusii. African Cubeb, W. African Black Pepper</i>	<i>decumbens. "Spogel-seed"-plant</i>
<i>excelsum. Native Pepper, of New Zealand</i>	<i>lanceolata. Chimney-sweeps, Cock Grass, Cocks, Jack-straws, Rib-Grass, Rib-wort</i>
<i>methysticum. Ava-, or Kava-, shrub, of the South Sea Islands</i>	<i>Plantain, Ripple Grass, Hen-plant</i>
<i>nigrum. Common Black Pepper-plant</i>	<i>lanceolata major. Great Hen-plant</i>
<i>(Chavica) officinarum. Long Pepper</i>	<i>major. Greater Plantain, "White-Man's-Foot-print"</i>
<i>peltatum. Lizard's-tail Pepper</i>	<i>major var. rosea. Rose or Rose-bracted Plantain</i>
Piptadenia peregrina. <i>Niopo-tree, of Brazil</i>	<i>maritima. Sea-side Plantain</i>
<i>rigida. Anjico-gum-tree</i>	<i>maxima. Broad-leaved Plantain</i>
Piptanthus nepalensis. <i>Nepaul Laburnum</i>	<i>media. Fire-leaves, Fire-weed, Kemps, Hoary Plantain, Lamb's-tongue</i>
Pipturus argenteus. <i>Grass-cloth-plant, of Queensland</i>	<i>media var. atropurpurea. Purple-leaved Plantain</i>
Pircunia dioica. <i>Ombu-tree</i>	<i>Psyllium. Flea-wort Plantain</i>
Piscidia carthaginensis. <i>Black Dog-wood, Jamaica Bitch-wood</i>	Plasmodiophora Brassicæ. <i>Club-root Fungus</i>
<i>Erythrina. Jamaica White Dog-wood, or Fish-poison-tree</i>	Platanthera. <i>False Orchis</i>
Pisonia aculeata. <i>Cocks'-spur, of the W. Indies</i>	Platanus. <i>Plane-tree</i>
<i>cordata. Loblolly-wood</i>	<i>acerifolia. Maple-leaved Plane-tree</i>
<i>morindifolia. Lettuce-tree, of India</i>	<i>acerifolia var. hispanica. Spanish Plane-tree</i>
Pistacia Lentiscus. <i>Common Mastich-tree</i>	<i>acerifolia var. umbellata. Canopy Plane-tree</i>
<i>Terebinthus (P. atlantica). Algerian or Barbary Mastich-tree, Terebinth, or Turpentine-tree</i>	<i>cuneata. Wedge-leaved Plane-tree</i>
<i>vera. Pistachio-nut-tree</i>	<i>digitata. Caucasian Plane-tree</i>
Pistia Stratiotes. <i>Tropical Duck-weed, Water Lettuce, of the W. Indies.</i>	<i>heterophylla. Various-leaved Plane-tree</i>
Pisum maritimum (<i>Lathyrus maritimus</i>). <i>Sea-side Pea</i>	<i>mexicana. Mexican Plane-tree</i>
<i>Ochrus. Yellow-flowered Pea</i>	<i>occidentalis. American Plane-tree, American Sycamore, Button-wood, Water Beech, Western Plane-tree</i>
<i>sativum. Common Garden Pea</i>	<i>orientalis. Eastern, or Oriental, Plane-tree</i>
<i>sativum var. arvense. Field Pea, Gray Pea</i>	<i>racemosa. Californian Plane-tree, Californian Sycamore</i>
Pithecellobium. <i>Curl Brush Bean</i>	<i>striata. Streaked-barked Plane-tree</i>
<i>bigeminum. Soap-bark-tree, of Venezuela</i>	Platycerium alcicorne. <i>Australian Elk's-horn Fern</i>
<i>dulce. Manilla-Tamarind-tree</i>	<i>biforme. E. Indian Elk's-horn Fern</i>
<i>filicifolium. Wild Tamarind-tree</i>	<i>grande. Queensland Elk's-horn Fern, Stag's-horn Fern</i>
<i>micradenium. Shay-bark, Savonette-tree</i>	<i>Stenmaria. Guinea Elk's-horn Fern</i>
<i>Saman. Genisaro-tree, Rain-tree, Saman-, or Zamang-tree, of Venezuela</i>	<i>Wallichii. Wallich's Elk's-horn Fern</i>
<i>Unguis-cati. Black-bead-shrub, Cat's-claw</i>	Platycodon <i>grandiflorum. Chinese Bell-flower</i>
Pittosporum bicolor. <i>Cheese-wood or White-wood, of Victoria, Tolosa-wood, White-wood, of Tasmania</i>	Platylodium. <i>Flat Pea</i>
<i>crassifolium. Parchment-bark</i>	<i>formosum. Large-flowered Flat Pea</i>
<i>eugeniooides. New Zealand Hedge-Laurel</i>	Platylophus trifoliatus. <i>S. African "White Alder"</i>
<i>undulatum. "White Box," of N. S. Wales</i>	Platystemon californicus. <i>Californian Poppy, "Cream-cups"</i>
<i>revolutum. Yellow-flowered Brisbane Laurel</i>	Plectranthus. <i>Cockspur-flower</i>
<i>rhombifolium. Diamond-leaved Queensland Laurel</i>	<i>nudiflorus. Chinese Basil</i>
<i>undulatum. Victorian Laurel</i>	<i>ternatus. Omine-root</i>
Plagianthus betulinus. <i>Akaroa-tree, Cotton-tree, or Lace-bark, of New Zealand, Otago Ribbon-tree</i>	Plectronia ventosa. <i>African Cockspur-Thorn</i>
<i>Lyalli. New Zealand Ribbon-wood</i>	Pleione. <i>Indian Crocus</i>
<i>pubellus (Sida pubella). Victorian Hemp-bush</i>	<i>Hookeriana. Hooker's Indian Crocus</i>
<i>sidoides. Kurrajong, of Moreton Bay and Tasmania</i>	<i>humilis. Dwarf Indian Crocus</i>
Planera aquatica and other species. <i>Planer-tree</i>	<i>Lagenaria. Bottle-gourd Indian Crocus</i>
<i>Richardi (Zelkova crenata). Common Zelkova-tree</i>	<i>maculata. Spotted Indian Crocus</i>
	<i>præcox. Early-flowering Indian Crocus</i>
	<i>tricolor. Three-coloured Indian Crocus</i>
	<i>Wallichii. Wallich's Indian Crocus</i>
	Pleroma (Lasiandra) sarmentosa. <i>Peruvian Glory-bush</i>

- Plocaria lichenoides.** *Ceylon Moss*
tenax. *Swallow's-nest Sea-weed*
- Plucheia.** *Marsh Flea-bane*
camphorata. *Salt-marsh Flea-bane*
- Plumbago.** *Lead-wort*
capensis. *Cape Lead-wort*
europea. *European Lead-wort*
coccinea. *Scarlet-flowered Lead-wort*
Larpente. *Hardy Blue-flowered Lead-wort*
rosea. *Rosy-flowered Lead-wort*
scandens. *Devil's-herb, or Tooth-wort, of the W. Indies*
- Plumeria alba.** *Frangipani - plant, W. Indian Pagoda-tree, White Nosegay-tree*
rubra. *Frangipani-plant, Jasmine Mango, Red Nosegay-tree*
- Poa.** *Meadow-grass*
abyssinica. "Teff," of Abyssinia
amabilis. *Whorled Love-grass*
annua. *Causeway-grass, Common Meadow-grass, Low Spear-grass of N. America, Suffolk-grass*
australis. *Australian Ornamental Grass*
cæspitosa (P. australis). *Australian Meadow-grass*
compressa. *Wire-grass, of N. America*
nemoralis. *Wool-Meadow-grass*
pratensis. *Kentucky Blue-grass, Natural Grass, Smooth-stalked Meadow-grass*
ramigera. *Bamboo, of Australia*
trivialis. *Bird-grass, Fowl-grass, Fold Meadow-grass, Rough-stalked Meadow-grass*
- Podalyria sericea.** *African Satin-bush*
- Podocarpus andina.** *Plum Fir*
chinensis. *Chinese Yew-tree*
coriacea. *Yacca-wood, of the W. Indies*
cupressina. *Kaw-Tabua-tree, of Fiji*
(*Nageia*) *dacrydiodies.* *White Pine, of New Zealand*
elongata. *S. African Yellow-wood*
ferruginea. *Black Pine, or "Miro," of New Zealand*
Koraiana (Taxus japonica). *Japanese Yew*
latifolia. *E. Indian Yellow-wood*
neriifolia. *Nerium-leaved "Wax-Dammar"*
polystachya. "Wax-Dammar," of Singapore
- Purdieana.** *Yacca-wood-tree*
spicata. *Black Pine, of New Zealand, Otago Black Rue*
- spinulosa.* *Illawarra Pine, White Pine, Native Damson or Plum of N. S. Wales*
- Thunbergii.* *Yellow-wood, of the Cape*
(*Nageia*) *Totara.* *Mahogany Pine or Totara Pine, of New Zealand*
- Podophyllum Emodi.** *Himalayan May-apple*
peltatum. *American Mandrake or May-apple, Podophyllin Plant, Raccoon-berry, Wild Duck-foot, Wild Lemon*
- Podostemom ceratophyllum.** *Thread-foot, River-weed, of N. America*
- Pogonia ophioglossoides.** *Snake's-mouth Orchis*
(*Triphora*) *pendula.* *Three-Bird's Orchis*
- Pogostemon Patchouli.** *Patchouli-oil-plant, Pucha-pat*
- Poinciana (Cæsalpinia) Gilliesii.** *Crimson Thread-flower*
pulcherrima. *Barbadoes-Pride, "Spanish Carnation"*
regia. *Royal Peacock-flower*
- Poinsettia pulcherrima.** *Easter-flower, of Mexico, Lobster-flower, Mexican Flame-leaf*
- Polemonium cæruleum.** *Charity, Common Jacob's-ladder, Greek Valerian*
caruleum var. *Richardsoni.* *Richardson's Jacob's-ladder*
confertum. *Dense-clustered-flowered Jacob's-ladder*
humile. *Dwarf Jacob's-ladder*
repans. *Creeping Jacob's-ladder*
- Polianthes tuberosa.** *Garden Tuberose*
- Polykarpon tetraphyllum.** *Four-leaved All-seed*
- Polygala.** *Milk-wort or Milk-weed*
amarata. *Bitter Milk-wort*
calcarea. *Chalk Milk-wort*
Chamæbuxus. *Box-leaved Milk-wort*
paucifolia. *Fringed Milk-wort*
polygama. *Ground-flowering Milk-wort*
Senega. *Seneca Snake-root*
vulgaris. *Common Milk-wort, Cross-flower, Gang-flower, Procession-flower, Rogation-flower*
- Polygonatum.** *Solomon's-seal*
giganteum. *Giant Solomon's-seal*
multiflorum. *David's Harp, Fraxinell, Many-flowered Solomon's-seal, Ladder-to-Heaven, Lady's Seal, Lily-of-the-Mountain*
officinale. *Common Solomon's-seal*
roseum (Convallaria rosea). *Rosy-flowered Solomon's-seal*
- verticillatum.* *Whorled Solomon's-seal*
- Polygonum.** *Knot-grass, Knot-weed, "Tear-thumb," of N. America*
acre. *Water Smart-weed*
alpinum. *Alpine Knot-weed*
amphibium. *Amphibious Knot-weed, Willow-grass*
arifolium. *Halbert-leaved Tear-thumb*
articulatum. *American Joint-weed*
aviculare. *Armstrong, Beggar-weed, Common Knot-grass, Crab-grass, Crab-weed, "Door-weed," of N. America, Iron Grass, Ninety-knot, Pink-weed, Sparrow-tongue, Swine's-grass, Wire-grass*
- Bistorta.** *Adder-wort, Bistort, Dragon-wort, Easter Giant, Easter Ledges, Easter Maggians, Easter Mangians, Gentle Dock, Great Bistort, "Oysterloit," Patient Dock, Patience Dock, Red-legs, Snake-weed*
- Brunonis.** *E. Indian Knot-weed*
- Convolvulus.** *Bear-bind, Bind-corn, Climbing Buck-wheat, Corn-bind, Ivy Bind-weed*
- cuspidatum (P. Sieboldii).* *Giant Knot-weed*
- dumetorum.* *Copse Knot-weed*
- emarginatum.* *E. Indian Buck-wheat*
- Fagopyrum.** *Beech-wheat, Bock-wheat, or Buck-wheat, French Wheat*
- Hydroperip.** *Ciderage, Culrage, or Curage, Lake-weed, Red-Knees, Smart-weed, Water-pepper*

- Polygonum** *hydropiperoides*. *Mild Water-pepper*
lapathifolium. *Pale-flowered Knot-weed, Willow-weed*
maritimum. *Sea-side Knot-weed*
minus. *Slender Knot-grass*
orientale. *E. Indian Knot-weed*
Persicaria. *Crab's Claw, Lady's-Thumb, Peach-wort, "Persicaria," Red-shanks*
punctatum. *American Smart-weed*
sachalinense. *Giant Sachalin Knot-weed*
sagittatum. *Arrow-leaved Tear-thumb*
tinctorium. *Indigo-plant, of China and Japan*
vaccinifolium. *Rock Knot-weed, Whortleberry-leaved Knot-weed*
virginianum. *Virginian Knot-grass*
viviparum. *Serpent-grass, Small Bistort*

Polymnia. *Leaf-cup, of N. America*

Polypodium. *Polypody*
alpestre. *Alpine Polypody*
(Phlebodium) aureum. *Golden Polypody*
calcareum. *Lime-stone Fern, Rigid Three-branched Polypody*
cambricum. *Welsh Polypody*
Dryopteris. *Moss Fern, Oak Fern*
falcatum. *Oregon Wild Liquorice*
hibernicum. *Irish Polypody*
incanum. *Hoary Polypody, of N. America*
Phegopteris. *Beech Fern*
pustulatum. *Scented Polypody, of New Zealand*
serpens. *Twining Polypody, of New Zealand*
vulgare. *Adder's Fern, Common Polypody, Brake-root, Golden Locks, Golden Maiden-hair, Wall Fern, Wood Fern*

Polypogon. *Beard-grass*
littoralis. *Perennial Beard-grass*
monspeliensis. *Annual, or Montpelier, Beard-grass*

Polyporus (*Boletus*) *fomentarius*, and *P. igniarius*. *Amadou, German or Vegetable Tinder, Moxa, Punk, Spunk, Touchwood*
hybridus. *Dry-rot Fungus, of the Oak*
(Boletus) igniarius. *Hard Amadou or German Tinder*
ulmarius. *Dry-rot Fungus, of the Elm*

Polystichum *angulare*. *Soft Prickly Shield-Fern*
lobatum. *Lobed Prickly Shield-Fern*

Polytrichum. *Hair-Moss*
aloides. *Dwarf Long-headed Hair-Moss*
alpinum. *Alpine Hair-Moss*
commune. *Common Hair Moss, Moor Silk, Golden Maiden-hair, Goldilocks*
gracile. *Slender Hair-Moss*
juniperinum. *Bear's-bed, Ground Moss, Hair-cap Moss, Juniper-leaved Hair-Moss, Robin's-Rye*
nanum. *Dwarf Round-headed Hair-Moss*
urnigerum. *Urn-bearing Hair-Moss*

Pomaderris *apetala*. *Cooper's-wood, of N. S. Wales. Victorian Hazel*
elliptica. *Kumara-hou-tree, of New Zealand*
lanigera. *N. S. Wales Hazel*

Pongamia *glabra*. *Kurrunj, Kurrung-, or Poonga, oil-plant*

Pontederia. *Pickerel-weed*
azurea. *Sky-blue Pickerel-weed, Water-Plaintain of Jamaica*
cordata. *Heart-leaved Pickerel-weed*
crassipes. *Bladder-stalked Pickerel-weed*

Populus. *Poplar*
alba. *Abbey, Abele-tree, Dutch Beech, White Asp, White Poplar*
Accladesca. *Black Italian Poplar*
angulata. *Missouri Cotton-wood*
angustifolia. *Rocky Mountain Poplar*
balsamifera. *Balm of Gilead or Balsam Poplar, Tacamahac*
balsamifera var. *candidans* (*P. macrophylla*).
Ontario Poplar
canescens. *Gray Poplar*
canescens var. *pendula*. *Weeping Gray Poplar*
fastigiata. *Lady Poplar, Lombardy Poplar*
Fremontii. *Californian Cotton-wood, California Poplar*
græca. *Athenian Poplar*
grandidentata. *Large-toothed Aspen, Soft or Paper Poplar*
heterophylla. *Cotton Tree, Downy Poplar*
laurifolia. *Laurel-leaved Poplar*
monilifera. *Berry-bearing Poplar, Carolina Poplar, Cotton-wood, Necklace Poplar*
nigra. *Black Poplar*
nigra var. *salicifolia*. *Willow-leaved Poplar*
pendula. *Weeping Poplar*
suaveolens. *Fragrant Poplar*
tremula. *Asp, Asp, or Aspen, Haps-tree*
tremula var. *pendula*. *Weeping Aspen*
tremuloides. *American Aspen, Quaking Asp*

trichocarpa. *Californian Poplar*

Porphyra *laciiniata*. *Laver*
vulgaris. *Cultivated Sea-weed (Japan)*

Portlandia *hexandra*. *French Guiana Bark-tree*

Portulaca. *Purslane*
aurea. *Yellow-flowered Purslane*
grandiflora. *Large-flowered Purslane, Sun-plant*
oleracea. *Garden Purslane*
Thellusoni. *Crimson-flowered Purslane*
splendens. *Red-flowered Purslane*

Portulacaria *africana*. *Purslane-tree, "Speckboom," of S. Africa*

Potamogeton. *Pond-weed*
compressus. *Flat-stalked Pond-weed*
crispus. *Curly Pond-weed, Water Caltrops*
densus. *Close-leaved Pond-weed, Frog's Lettuce, Water Caltrops*
gramineus. *Grass-leaved Pond-weed*
heterophyllus. *Various-leaved Pond-weed*
lucens. *Shining Pond-weed*
natans. *Broad Pond-weed, Del's Spoons, Tench-weed*
pectinatus. *Fennel-leaved Pond-weed*
perfoliatus. *Perfoliate Pond-weed*
praelongus. *Long Pond-weed*
pusillus. *Slender Pond-weed*
rufescens. *Reddish Pond-weed*

Potentilla. *Cinquefoil*
alba. *White-flowered Cinquefoil*
alchemilloides. *Lady's-mantle Cinquefoil*
alpestris. *Alpine Cinquefoil*

Potentilla *anserina*. *Argemone, Argentine, Argentina, Dog's Tansy, Fair Grass, Fair Days, Goose-grass, Goose-Tansy, Marsh Corn Silver-weed, Wild Tansy argentea*. *Silvery Cinquefoil atrosanguinea*. *Dark Crimson Cinquefoil cæspitosa*. *Tufted Cinquefoil calabrica*. *Calabrian Cinquefoil canadensis*. *Canadian Five-fingers Clusiana*. *Clusius's Cinquefoil Comarum* (*Comarum palustre*). *Marsh Cinquefoil, Marsh Potentil Fragariastrum*. *Barren Strawberry, Strawberry-leaved Potentil frutescens*. *Tree Cinquefoil fruticosa*. *Shrubby Cinquefoil Hippiana*. *Colorado Silvery Cinquefoil hybrida*. *Garden varieties of Cinquefoil minima*. *Dwarfest Cinquefoil nana*. *Dwarf Cinquefoil nitida*. *Shining Cinquefoil nivalis*. *Snowy Cinquefoil norvegica*. *Norwegian Cinquefoil palustris*. *Marsh Five-fingers pyrenaica*. *Pyrenean Cinquefoil reptans*. *Creeping Cinquefoil, Five-finger Grass, Five-leaf, "Sink-field" rupestris*. *Rock Cinquefoil speciosa*. *Showy Cinquefoil splendens*. *Brilliant Cinquefoil Tormentilla*. *Blood-root, Tormentil, Ewe-daisy, Septfoil, Tormentil, Tormentil-root tridentata*. *Three-toothed-leaved Cinquefoil verna*. *Spring Cinquefoil Poterium canadense*. *Canadian Burnet Sanguisorba*. *Salad Burnet. Pothomorpha*. *W. Indian Colt's-foot Pothos argyreia*. *Silver Vine, of the W. Indies Poupartia dulcis*. *Otaheite Apple Prangos pubularia*. *Prangos or Hay-plant, of Tibet Prasium majus*. *Great Spanish Hedge-Nettle minus*. *Small Spanish Hedge-Nettle Prema integrifolia*. *Head-ache-tree, of the E. Indies Primula*. *Primrose acaulis* (*P. vulgaris*). *Common Primrose Allioni*. *Allionii's Primrose altaica*. *Altaian Primrose amœna*. *Caucasian Primrose Auricula*. *Baziers, Bear's Ears, Boar's Ears, Common Auricula, Dusty Miller, French Cowslip, Mountain Cowslip, Tanner's Apron auriculata*. *Ear-leaved Primrose calycina*. *Large-calyxed Primrose Candolleana*. *De Candolle's Primrose capitata*. *Round-headed Himalayan Primrose carniolica*. *Carniolic Primrose cashmeriana*. *Cashmere Primrose ciliata*. *Fringed Primrose commutata*. *Changeable Primrose cortusoides*. *Cortusa-leaved Primrose cortusoides var. amœna*. *Veitch's Primrose denticulata*. *Toothed-leaved Primrose elatior*. *Bardfield or True Ox-lip, Great Cowslip*

Primula *elatior* var. *cærulea*. *Blue Ox-lip elatior* (varieties of). *Common Polyanthus farinosa*. *Bird's-eye Primrose farinosa* var. *superba*. *Brilliant Bird's-eye Floerkiana*. *Floerk's Primrose Fortunei* (*P. erosa*). *Fortune's Primrose glaucescens*. *Glaucous-leaved Primrose glutinosa*. *Glutinous Primrose graveolens*. *Strong-scented Primrose Henryi*. *Henry's Primrose hirsuta*. *Hairy-leaved Primrose imperialis*. *Java Primrose integrifolia*. *Entire-leaved Primrose intricata*. *Pyrenean Cowslip involucrata*. *Creamy-flowered Primrose japonica*. *Japanese Primrose Kitaiabelii*. *Kitaiabel's Primrose luteola*. *Yellowish Primrose marginata*. *Silver-edged Primrose minima*. *Fairy Primrose, Snow Rosette mollis*. *Soft-leaved Primrose Munroi*. *Munro's Primrose nivalis* and *P. nivea*. *Snow-white Primrose Palinuri*. *Large-leaved Primrose, Neapolitan Primrose Parryi*. *Parry's Primrose Pedemontana*. *Piedmont Primrose pulcherrima*. *Yellow-eyed Globe-headed Purple Primrose purpurea*. *Globe-headed Purple Primrose rosea*. *Rosy Primrose scotica*. *Scotch Bird's-eye Primrose Sieboldi*. *Siebold's Primrose sikkimensis*. *Sikkim Cowslip sinensis*. *Chinese Primrose sinensis* var. *fimbriata*. *Fringed Chinese Primrose spectabilis*. *Showy Primrose Steinii*. *Stein's Primrose Stuartii*. *Stuart's Primrose suffrutescens*. *Californian Cowslip Tyrolensis*. *Tyrolean Primrose variabilis*. *Culverkeys, Common Ox-lip veris* (*P. officinalis*). *Bedlam Cowslip, Common Cowslip, Herb Peter, Palsy-wort, St. Peter's-wort* veris "flore et calyce crispo." *Gallegaskins or Gaskins* *verticillata*. *Abyssinian Primrose villosa*. *Shaggy-leaved Primrose viscosa*. *Clammy Primrose vulgaris* var. *acaulis*. *Common Primrose vulgaris* var. *caulescens*. *Ox-lip Wulfeniana*. *Wulfen's Primrose Pringlea*. *antiscorbutica*. *Kerguelen's-land Cabbage or Horse-radish* **Prinos** *ambiguus*. *Carolina Winter-berry atomarius*. *Atom-bearing Winter-berry coriaceus*. *Leathery-leaved Winter-berry deciduus*. *Deciduous Winter-berry glaber*. *Apalachian or Winter-berry Tea-plant, Ink-berry, Shining Winter-berry* *lævigatus*. *Smooth Winter-berry lanceolatus*. *Spear-leaved Winter-berry verticillatus*. *American Black Alder, Winter-berry* **Prionium** *Palmita*. *Palmite-Rush, of S-Africa*

Priva echinata. *Styptic or Velvet Bur*
Proserpinaca palustris. *Mermaid-weed*
Prosopis dulcis. *Cashaw-tree*
glandulosa. *Mezquit-bean, of Texas*
juliflora. *Algaroba or Honey-Mesquit, Ca-*
shaw-tree, July-flower of Jamaica, S.
Western Honey-Locust
pubescens. *Screw-bean, or Screw-pod Mes-*
quit, of California, Tornillo-bean
Prostanthera. *Australian Mint-bush or*
Mint-tree
lasianthos. *Australian Lilac, Mint-tree,*
Victorian Dog-wood or Mint-tree
violacea. *Violet-flowered Lilac, of Aus-*
tralia
Protea cynaroides. *Cape Artichoke-flower*
mellifera. *Cape Honey-flower or Sugar-*
bush
Protococcus nivalis. *Red Snow Lichen*
Prunnopus elegans. *Plum Fir*
Prunella (Brunella). *Self-heal*
grandiflora. *Large-flowered Self-heal*
grandiflora var. lacinata. *Out-leaved Large-*
flowered Self-heal
hyssopifolia. *Hyssop-leaved Self-heal*
pyrenaica. *Pyrenean Self-heal*
vulgaris. *All-heal, Brunel, Caravaun-beg,*
Carpenter Grass, Common Self-heal, Heart-
of-the-Earth, Herb Carpenter, Hook-heal,
Panay, Sickle-heal, Sickle-wort
Prunus. *Cherry-tree, Plum-tree*
americana. *American Wild Yellow or Red*
Plum, Canada Plum
Avium. *Crab Cherry, Gean-tree, Mazard*
or Mazzards, "Merries" of Suffolk,
"Merry Tree" of Cheshire, Wild Cherry
Brantiaca. *Marmottes-oil-plant*
candidans. *Whitish-leaved Plum*
caroliniana. *Carolina Plum or Mock-*
Orange
cerasifera. *Weeping Plum*
Cerasus. *Dwarf Wild Cherry*
Chicasa. *Chicasau Plum*
Claudiana. *Green-Gage Plum-tree*
Cocomilla. *Cocomilla Plum*
demissa. *Californian Wild Cherry*
divaricata. *Spreading Plum*
domestica. *Cultivated Plum-tree*
domestica flore pleno. *Double-blossomed*
Plum
domestica variegata. *Variegated-leaved Plum*
domestica var. damascena. *Damson Plum*
domestica var. heterophylla. *Various-leaved*
Plum
domestica var. myrobalana. *Cherry Plum,*
Myrorella Plum
domestica var. Turonensis. *Premier Swiss*
Plum
ilicifolia. *"Islay Plum," of California*
insititia. *Bullace, Bullas, or Bollas, Wild*
Damson
insititia flore pleno. *Double-blossomed Bul-*
lace
insititia fructu luteo-albo. *Yellowish-white-*
fruited Bullace
insititia fructu rubro. *Red-fruited Bullace*
japonica (P. sinensis). *Japanese Plum*
Lauro-cerasus. *Common Laurel*
lusitanica. *Portugal Laurel*

Prunus maritima. *Sand, or Beach, Plum,*
of N. America
Mume. *Mume Plum, of Japan*
occidentalis. *Prune-tree, of the W. Indies*
Padus. *Bird Cherry, Black Dog-wood, Egg-*
berry, Hack-berry, Hag-berry, Hedge-
berry, Hog-cherry
pennsylvanica. *American Bird-Cherry or*
Wild Red Cherry
pubescens. *Downy Plum*
pumila. *Dwarf Cherry, or Sand Cherry, of*
N. America
serotina. *American Wild Black Cherry*
sinensis. *Chinese Plum*
sinensis fl.-pl. *Double-flowered Chinese Plum*
spinosa. *Black-thorn, Buck-thorn, Bullace,*
Sloe-tree
subcordata. *Californian Wild Plum*
triloba. *Three-lobed-leaved Plum*
Virginiana. *American Choke-Cherry*
Psamma arenaria (Ammophila arundinacea).
Bent-grass, Maram or Marram, Marrem-
grass, Mat-grass, Mat-weed, Sea-Reed, Sea-
shore Bent-grass
Pseudo-Larix. *Chinese, or False Larch*
Pseudolmeria spuria. *Bastard Bread-*
nut
Psidium. *Guava-tree*
Cattleyanum. *Purple Guava*
cordatum. *Spice Guava*
indicum. *E. Indian Guava*
montanum. *Mountain Guava*
pomiferum. *Apple-shaped Guava*
pyrifferum. *Pear-shaped Guava*
Psophocarpus tetragonolobus. *Goa-bean-*
plant
Psoralea. *Scurvy Pea*
bituminosa. *Bitumen Trefoil*
corylifolia. *"Bawbee Seed"-plant*
esculenta. *Missouri Bread-root, "Pomme*
de Prairie," Prairie Turnip
glandulosa. *"Jesuit's Tea," of Chili, Mexi-*
can Tea-plant
Lupinella. *Small Lupine*
Psychotria daphnoides. *Brush-land Sage-*
tree, of Australia
emetica. *Black, Peruvian, or Striated Ipe-*
cacahana
parasitica. *Climbing Vine, of the W.*
Indies
Ptaeroxylon utile. *Sneezewood, of the Cape*
Ptelea trifoliata. *Hop-tree, Shrubby Trefoil,*
Swamp Dog-wood, Wafer Ash, Wing-seed.
trifoliata var. aurea. *Yellow-leaved Hop-*
tree
Pteris aquilina. *Adder-spit, Bracken, Brake-*
fern, Eagle Fern
esculenta. *Edible Fern of Tasmania and*
New Zealand, Tara-fern of Tasmania
incisa. *Bat's-wing Fern*
serrulata. *Spider Fern*
Pterocarpus dalbergioides. *Andaman Red-*
wood-tree, Burmese Kino-tree
Draco. *Dragon-gum-tree*
erinaceus (P. echinatus). *African or*
Gambia Gum Kino-tree, African Rose-
wood, Corn-wood of W. Africa, Kino-gum-
tree, Molompi-wood-tree
indicus. *Burmese Rose-wood, "Lingo-tree"*

- Pterocarpus Marsupium.** *E. Indian or Ambyna Kino-tree*
santalinus. *E. Indian Red-wood, Red Sandal-wood, Red Sanders Wood, or Ruby Wood*
- Pterocarya caucasica** (*Juglans fraxinifolia*).
Caucasian Walnut
- Pterocaulon pycnostachyum.** *American Black-root*
virgatum. Golden Cud-weed
- Pterocephalus Parnassi.** *Mt. Parnassus Scabiosus*
- Pterogonium.** *Wing-moss*
- Pterospermum indicum.** *Amboyna-wood*
- Pterospora Andromedea.** *American Dragon-claw or Dragon-root, Fever-root, Pine-drops*
- Pterygodium.** *Monk's-cowl Orchid*
- Ptilostephium trifidum.** *"Feather-crown," of Mexico*
- Ptychosperma.** *Australian Feather-palm*
Alexandriæ. Princess Alexandra's Palm
Cunninghamii. Illawarra Palm
- Ptychotis Ajowan.** *Adjouan, Adjouan, or Javanee-plant, of Bengal*
heterophylla. Square Parsley
- Puccinia** Anemones. *"Conjuror of Chalgrave's Fern"*
graminis. Wheat Mildew
- Pulmonaria.** *Lungwort*
angustifolia. Blue Cowslip, Narrow-leaved Lungwort
azurea. Azure-flowered Lung-wort
dahurica. Siberian Lung-wort
maritima. Sea-Bugloss
officinalis. Bedlam Cowslip, Beggar's Basket, Bugloss Cowslip, Common Lung-wort, Jerusalem Cowslip, "Sage of Bethlehem," Virgin Mary's Honeysuckle
(Mertensia) sibirica. Siberian Lung-wort
- Pultenæa daphnoidea.** *Native Victorian Wall-flower*
- Punica Granatum.** *Carthaginian Apple, Pomegranate-tree*
Granatum fl.-pl. Double-flowered Pomegranate
Granatum var. nana. Dwarf Pomegranate
- Puschkinia scilloides.** *Striped Squill*
- Putranjiva Roxburghii.** *Wild Olive, of India*
- Pycnanthemum.** *American Mountain Mint, American Wild Basil*
linifolium. Virginian Thyme
Monardella. Small Monarda
virginicum. Narrow-leaved Virginian Thyme, Prairie Hyssop
- Pycnocoma macrophylla.** *Bomah-nut-tree*
- Pyrethrum.** *Feverfew*
achilleefolium. Narrow-leaved Feverfew
alpinum. Alpine Feverfew
carneum (P. roseum). Rosy-flowered Feverfew
- (Chrysanthemum) lacustre.** *Marsh Feverfew*
- Parthenium.** *Common Feverfew or Featherfew, May-weed, Pellitory*
serotinum. Late-flowering Feverfew
- Tchihatchewi.** *Turfing Daisy*
- uliginosum.** *Great Ox-eye*
- Willemoti.** *Willemot's Feverfew*
- Pyrola.** *Winter-green*
elliptica. American Shin-leaf
maculata. Spotted-leaved Winter-green
media. Intermediate Winter-green
minor. Common Winter-green, Wood Lily
rotundifolia. Canker-Lettuce, False or Pear-leaved Winter-green, Larger Winter-green
secunda. Notched-leaved Winter-green
(Chimaphila) umbellata. Umbel-flowered Winter-green
uniflora. One-flowered Winter-green
- Pyrolirion.** *Fire-Lily, Flame-Lily*
- Pyrrhopappus carolinianus.** *False Dandelion*
- Pyrrhosia tingens.** *"Red" Mace-tree*
- Pyrularia** (*Hamiltonia*) *oleifera. Buffalo-nut, Elk-nut, or Oil-nut, of N. America*
- Pyrus.** *Apple-tree, Pear-tree, Quince-tree, Service-tree*
americana. Mountain-Ash, of N. America
augustifolia. American Narrow-leaved Crab-Apple
arbutilifolia. Arbutus-leaved Aronia, Chokeberry
Aria. Chess Apple, Hen Apple, Lot-tree, White Beam-tree
Aria var. salicifolia. Willow-leaved Beam-tree
Aucuparia. Care, Field Ash, Mountain-Ash, Quick-beam or Quicken-tree, Rantry, Rowan-tree or Roan-tree, Wicken
Aucuparia var. pendula. Weeping Mountain-Ash
baccata. Cherry-Apple, Siberian Crab
betulæfolia. Birch-leaved Pear-tree
Bollwylleriana. Woolly-leaved Pear
(Mespilus) Chamæmespilus. Bastard Quince, Dwarf Medlar
communis. Choke Pear
communis sativa and vars. Common Cultivated Pear
coronaria. American Crab-Apple, Garland-Crab, Sweet-scented Crab
crenata. Notched-leaved Pear
Cydonia. Common Quince-tree
elæagnifolia. Oleaster-leaved Pear
floribunda. Many-flowered Aronia
grandifolia. Large-leaved Aronia
intermedia (P. scandica). Swedish Beam-tree
Malus var. acerba. Bittersgall, Common Crab, Wilding (Crab-Apple)
Malus var. astracanica. Astrachan Apple
Malus var. baccata. Cherry-Crab, Scarlet-flowered Crab
Malus var. dioica. Diaceous Apple
Malus var. floribunda. Coral-flowered Apple
Malus var. præcox. Paradise Apple
Maulei. Maule's Japanese Quince
melanocarpa. Black-fruited Aronia
nivalis. Alpine Pear-tree, Snow Pear, White-leaved Pear
pinnatifida. Bastard Service-tree
prunifolia. Siberian Crab
pubescens. Downy-branched Aronia
rivularis. Oregon Crab-Apple, Pow-it-itch-tree of India
salicifolia. Willow-leaved Pear
salviæfolia. Aurelian or Sage-leaved Pear

- Pyrus** *sambucifolia*. *Western Mountain-Ash*
scandica (*P. intermedia*). *Swedish Beam-tree* or *Service-tree*
sinaica. *Mt. Sinai Pear*
sinensis. *Chinese Pear*
Sorbus (*P. domestica*). *Common Service-tree*
Sorbus var. *auriculata*. *Auricled Service-tree*
spectabilis. *Chinese Apple*
spectabilis fl.-pl. *Double-flowered Chinese Apple*
spectabilis var. *floribunda*. *Profuse-flowering Chinese Apple*
spuria var. *pendula*. *Weeping Pear*
torminalis. *Chequer-tree, Maple Service, Wild Service-tree*
trilobata. *Three-lobed-leaved Pear*
variolosa. *Variable-leaved Pear*
- Pyxidanthera** *barbulata*. *Pine-Barren Beauty*
- Quamoclit** *vulgaris*. *American Bell-flower, China Creeper, Cupid's-flower, Cypress-Vine, Indian Forget-me-not, Indian Pink*
- Quassia** *amarita*. *Quassia-tree, of Surinam (Picræna) excelsa. Quassia-tree, of Jamaica, Simaruba-bark-tree*
- Quelmania** *laetiooides*. *Silver-wood*
- Queltzia**. *Mock Narcissus*
- Quillaia** *Saponaria*. *Cullay-, or Quillai-, tree, Soap-bark-tree, of Chili*
- Quercus**. *Oak-tree*
- abelicea*. *False Sandal-wood, of Crete*
- Ægilops*. *Vallonea or Velani Oak*
- agnostifolia*. *Agnostus-leaved Oak*
- agrifolia*. *Enceno Oak*
- alba*. *American White Oak, "Quebec" Oak*
- anafolia*. *Golden Oak, of Cyprus*
- Andersoni*. *Anderson's Oak*
- aquatica*. *Water Oak*
- Ballota*. *Barbary Oak, Belote Oak, Sweet-Acorn-Oak*
- bicolor*. *Swamp White Oak*
- Breweri*. *"Chapparal" Oak, of California*
- Buergeri*. *Buerger's Oak*
- Castanea*. *Yellow Chestnut*
- Catesbeii*. *American Turkey Oak, Barren Scrub Oak, Forked-leaved Black Jack Oak*
- Cerris*. *Bitter, Iron, Mossy-cupped, Turkey, or Wainscot Oak*
- Cerris* var. *Fulhamensis*. *Fulham Oak*
- Cerris* var. *Lucombeana* (*Q. exoniensis*). *Devonshire, Exeter, or Lucombe Oak*
- Cerris* var. *Lucombeana crispa*. *New Lucombe Oak*
- Cerris* var. *Ragnal*. *Ragnal Oak*
- chrysolepis*. *Golden-cup Oak, Live Oak of California*
- cinerea*. *Blue Jack, Upland Willow Oak*
- coccifera*. *Kermes Oak*
- coccinea*. *Scarlet Oak*
- coccinea* var. *ambigua*. *Gray Oak*
- coccinea* var. *tinctoria*. *Bartram's Oak*
- Concordia*. *Golden Oak*
- conferta*. *Hungarian Oak*
- dentata*. *Mongolia Oak*
- Douglasii*. *Californian Blue Oak, Mountain White Oak*
- esculus*. *Italian Oak*
- Quercus** *falcata*. *American "Spanish" Oak*
- fastigiata*. *Cypress Oak*
- glabra*. *Japanes Oak*
- Gramuntia*. *Holly-leaved Oak*
- Ilex*. *Evergreen or Holm Oak, Holly-Oak*
- ilicifolia* (*Q. Banisteri*). *Bear or Black Scrub-Oak*
- imbricaria*. *Shingle Oak, Small Laurel Oak*
- lanata*. *Woolly, or Himalayan, Oak*
- lanuginosa*. *Nepaul Oak, Truffle Oak*
- laurifolia*. *Large Laurel Oak*
- Leana*. *Lea's Oak*
- Libani*. *Mt. Lebanon Oak*
- lobata*. *"Roble"-tree of Mexico, Sacramento White Oak*
- lusitanica*. *Portugal Oak*
- lusitanica* var. *infectoria*. *Aleppo Gall Oak, Nut-gall Oak*
- lyrata*. *Over-cup Oak, Swamp Post Oak, Water White Oak*
- macrocarpa*. *Burr Oak, Mossy-cup White Oak, Over-cup Oak*
- Mirbecki*. *Mirbeck's Oak*
- mongolica*. *Mongolia Oak*
- nigra*. *Barren Oak, or Black Jack, of N. America*
- oblongifolia*. *Californian Evergreen White Oak, Live Oak*
- obtusiloba* (*Q. stellata*). *Iron Oak, Post Oak, Rough or Box White Oak*
- palustris*. *Pin Oak, Swamp Spanish Oak*
- persica*. *Oak Manna-tree*
- Phellos*. *Willow Oak*
- Prinus*. *American Chestnut Oak*
- Prinus* var. *acuminata*. *Yellow Chestnut Oak*
- Prinus* var. *humilis*. *Chinquapin Oak, Dwarf Chestnut Oak*
- Prinus* var. *monticola*. *Rock Chestnut Oak*
- Pseudo-coccifera*. *Abram's Oak of Mamre*
- pubescens*. *Durmast Oak, Truffle Oak*
- Robur*. *Black Oak, Common Oak, Truffle Oak*
- Robur* var. *pedunculata*. *Common Oak (Long-flower-stalked), Female Oak*
- Robur* var. *sessiliflora*. *Bay or Chestnut Oak, Common Oak (Stalkless-flowered), Maiden Oak, Male Oak, White Oak*
- rubra*. *Red Oak*
- salicina*. *Willow Oak*
- sericea*. *Running Oak*
- serrata*. *Japanese Silk-worm Oak*
- striata*. *Striped Oak*
- Suber*. *Cork Oak-tree, Cork-tree*
- tinctoria*. *American Black Oak, Dyer's Oak, Quercitron, Yellow-barked Oak*
- undulata*. *Rocky Mountain Scrub Oak*
- virens*. *American Live Oak*
- Wisilizeni* var. *frutescens*. *"Desert Oak," of California*
- Quisqualis** *indica*. *Rangoon Creeper*
- Radiola** *millegrana*. *All-seed, Flax-seed*
- Ramondia** *pyrenaica*. *Rosette Mullein*
- Ramulina** *furfuracea*. *Angola-weed*
- Randia** *aculeata* and *R. latifolia*. *Indigo-plant, Ink-berry, or Ink-plant, of the W. Indies*
- Ranunculus**. *Crow-foot, Frog-flower*
- aconitifolius*. *Fair-Maids-of-France, Fair-Maids-of-Kent*

Ranunculus acris. Blister-plant, Butter-cup, Butter Daisy, Crow-flower, Meadow Ranunculus, Upright Crow-foot, Yellow Gowan alismæfolius. Water-Plantain Spear-wort alpestris. White Alpine Crow-foot alpinus. Yellow-tinted Alpine Crow-foot amplexicaulis. Snowy-flowered Crow-foot, White Butter-cup anemonoides. Anemone-flowered Crow-foot, Wind-flower Crow-foot aquatilis. "Ram's-foot," Lode-wort, Water-Anemone, Water Crow-foot, Water Snow-cups arvensis. Corn-field Crow-foot, Devil's Claws, Devil's Coach-wheel, Devil's Curry-comb, Hedge-hog, Hunger-weed asiaticus and vars. Common Garden Ranunculus, Double Persian Ranunculus, "Turkey Crow-foot" asiaticus var. sanguineus. Red, or Tripoly, Crow-foot auricomus. Goldilocks, Wood Crow-foot bulbosus. Bulbous-rooted Crow-foot, Butter-cup, Butter Daisy, Crow-flower, St. Anthony's-turnip bullatus. Blistered-leaved Crow-foot, "Portugal" Crow-foot chærophylloides. Chervil-leaved Butter-cup cortusefolius. Cortusa-leaved Crow-foot Cymbalaria. Sea-side Ivy-leaved Crow-foot fascicularis. American Early Ranunculus Ficaria. Butter-cup, Fig-wort, Crow-foot, Marsh Pile-wort, Small Celandine Flammula. Small Spear-wort floribundus. Profuse-flowering Crow-foot fuitans. Eel-beds, Eel-ware glacialis. Glacier Crow-foot Gouani. Gouan's Butter-cup gramineus. Grass-leaved Butter-cup hederaceus. Frog-wort, Ivy-leaved Crow-foot, Water-Ivy hirsutus. Hairy Crow-foot Lingua. Great Crow-foot, Great Spear-wort Lyallii. New Zealand Water-lily, Rockwood Lily, "Water-lily" of the New Zealand shepherds megaphyllus (R. grandifolius). Madeira Crow-foot millefoliatus. Thousand-leaved Crow-foot monspeliacus. Montpelier Butter-cup montanus. Mountain Butter-cup multifidus. Yellow Water Crow-foot ophioglossifolius. Adder's-tongue Spear-wort parnassiæfolius. Parnassia-leaved Crow-foot pârviflorus. Small-flowered Crow-foot pennsylvanicus. Bristly Crow-foot plataniifolius. Plane-tree-leaved Crow-foot pyrenaicus. Pyrenean Crow-foot recurvatus. Hooked Crow-foot repens. Butter-cup, Butter Daisy, Creeping Crow-foot, Crow-flower, Yellow Gowan rutæfolius (Callianthenum rutæfolium). Rue-leaved Crow-foot sceleratus. Celery-leaved Crow-foot speciosus (R. grandiflorus fl.-pl.). R. bullatus fl.-pl.) Large Double-flowered Crow-foot spicatus. Spiked Butter-cup Stevenii. Steven's Crow-foot

Ranunculus Thora. Kidney-leaved Crow-foot, Mountain Wolf's-bane uniflorus. One-flowered Crow-foot **Ranwolia canescens.** Hoary-leaved Milk-wood **Raoulia eximia.** Vegetable-sheep, of New Zealand **Raphanus caudatus.** Rat-tailed Radish Landra. Italian Radish, "Landra" maritimus. Sea-side Radish Raphanistrum. Jointed Charlock, Runch, White Charlock, Wild Radish sativus. Common Cultivated Radish **Raphia Ruffia** and R. tædigera. Raffia or Roffia Palm tædigera. Jupati Palm vinifera. Bamboo Palm, Wine Palm of W. Africa **Raphiolepis (Crataegus) indica.** E. Indian Haw-thorn **Ratonia apetala.** Bastard Locust, of Jamaica, Bastard Mahogany (Cupania) pyriformis. Australian Brush or Bush Apple **Ravenala madagascariensis** (Urania speciosa). Traveller's-tree, of Madagascar. **Renanthera arachnitis.** Scorpion-plant. **Renealmia.** Wild Ginger, of the W. Indies **Reseda Mignonette** alba. White Mignonette lutea. Base Rocket, Crumbling Rocket, "Italian Rocket" Luteola. Ash-of-Jerusalem, Base Rocket, Dyer's-Rocket, Dyer's-weed, Dyer's Yellow-weed, Weld, Wild Mignonette, Wild Woad, Yellow-weed odorata. Common Garden Mignonette odorata (grown under a special mode of treatment). Tree Mignonette odorata var. pyramidalis. Pyramidal Mignonette odorata var. rosea. Red-flowered Mignonette **Restio.** Rope-grass australis. Tasmanian Rope-grass chondropetalus. Cape Thatch-grass **Retinospora.** Japan Cypress or White Cedar filicoides. Fern-like Japan Cypress filifera. Thread-bearing Japan Cypress lycopodioides. Club-Moss-leaved Japan Cypress obtusa. Common Japan Cypress, Tree-of-the-Sun obtusa var. argentea. Silver-variegated Japan Cypress obtusa var. aurea. Golden variegated Japan Cypress obtusa var. compacta. Compact Japan Cypress obtusa var. pygmæa. Pigmy Japan Cypress pisifera. Pea-fruited Japan Cypress plumosa. Plume-like Japan Cypress plumosa var. argentea. Silvery Plume-like Cypress plumosa var. aurea. Golden Plume-like Japan Cypress **Rhabdochloa.** Twig-grass **Rhacicallis rupestris.** Ear-wort

Rhagodia. Australian Red-berry or Sea-berry	Rhizophora Mangle. Mangrove-tree
<i>hastata.</i> Saloop-bush of Australia	<i>mucronata.</i> Kunro-bark-tree
Rhamnus. Buck-thorn, Hart's-thorn, Ram	<i>racemosa.</i> Red Mangrove, of Upper Guinea
<i>Alaternus.</i> Barren Privet	Rhodanthe Manglesii. Pink-rosette Everlasting, Swan River Everlasting
<i>alpinus.</i> Alpine Buck-thorn	<i>Manglesii</i> var. <i>maculata.</i> Rosy-purple Everlasting
<i>almifolius.</i> American Alder-leaved Buck-thorn	Rhodiola rosea. Heal-all, Rose-root
<i>buxifolius.</i> Box-leaved Buck-thorn	Rhododendron albiflorum. White-flowered Rhododendron
<i>californica.</i> Californian Coffee-tree	<i>anthopogon.</i> Bearded-flowered Rhododendron
<i>catharticus.</i> Common Buck-thorn, French Berries, Hart's-thorn, Rain-berry-, or Rhine-berry-, thorn, Way-thorn	<i>arboreum.</i> Tree-Rhododendron
<i>chlorophorus.</i> Chinese "Green Indigo"-plant	<i>argenteum.</i> Silvery Rhododendron
<i>dahuricus.</i> Dahirian, or Siberian, Buck-thorn	<i>azaleoides.</i> Azalea-like Rhododendron
<i>Erythroxylon.</i> Red-wooded Buck-thorn	<i>barbatum.</i> Bearded-leaf-stalked Rhododendron
<i>Frangula.</i> Alder-Buck-thorn, Berry-bearing or Black Alder, Dog-wood	<i>blandfordiae.</i> Blandfordia-flowered Rhododendron
<i>franguloides.</i> Frangula-like Buck-thorn	<i>Brookeanum.</i> Rajah Brooke's Rhododendron
<i>hybridus.</i> Hybrid Alaternus	<i>californicum.</i> Californian Rhododendron
<i>inectorius.</i> Yellow-berried Buck-thorn. Yields the "Yellow" or "Persian" Berries of commerce	<i>campanulatum.</i> Bell-flowered Rhododendron
<i>latifolius.</i> Azorean, or Broad-leaved, Buck-thorn	<i>campylocarpum.</i> Curved-podded Rhododendron
<i>longifolius.</i> Long-leaved Buck-thorn	<i>Camtschaticum.</i> Kamtschatkan Rhododendron
<i>lycioides.</i> Lycium-like Buck-thorn	<i>Catawbiense.</i> Catawba Rhododendron
<i>oleoides.</i> Olive-leaved Buck-thorn	<i>Catesbeii.</i> Catesby's Rhododendron
<i>pubescens.</i> Downy Buck-thorn	<i>Caucasicum.</i> Caucasian Rhododendron
<i>pumilus.</i> Dwarf Buck-thorn	<i>Chamæcistus.</i> Thyme-leaved Rhododendron
<i>Purshianus.</i> Californian Bear-berry	<i>Championæ.</i> Mrs. Champion's Rhododendron
<i>pusillus.</i> Small Buck-thorn	<i>chrysanthum.</i> Golden-flowered Rhododendron
<i>rupestris.</i> Dwarf Rock Buck-thorn	<i>ciliatum.</i> Fringed Rhododendron
<i>saxatilis.</i> Rock Buck-thorn	<i>cinnabarinum.</i> Vermilion-flowered Rhododendron
<i>Theezans.</i> Theezan Tea-tree	<i>citrinum.</i> Citron-flowered Rhododendron
<i>tinctorius.</i> Dyer's Buck-thorn	<i>Dalhousie.</i> Epiphytal Rhododendron, Lady Dalhousie's Rhododendron
<i>utilis.</i> Chinese "Green Indigo"-plant, Lokao Dye-plant	<i>dahuricum.</i> Dahurian or Siberian Rhododendron
<i>valentinus.</i> Valencia Buck-thorn	<i>Farreræ.</i> Mrs. Farrer's Rhododendron
<i>virgatus.</i> Slender-branched Buck-thorn	<i>ferrugineum.</i> "Alpine Rose," Rusty-leaved Rhododendron
<i>Wulfenii.</i> Wulffen's Buck-thorn	<i>Gibsonii.</i> Gibson's Rhododendron
Rhapis flabelliformis. Ground Rattan Cane	<i>glaucum.</i> Glaucous-leaved Rhododendron
Rhaponticum cynaroides. Swiss Centaury	<i>gracile.</i> Slender Rhododendron
Rheedia lateriflora. Wild Mamme-tree, of Jamaica	<i>hybridum.</i> Herbert's Hybrid Rhododendron
Rheea. Rhubarb	<i>hirsutum.</i> "Alpine Rose," Hairy-leaved Rhododendron
<i>australe.</i> Nepal Rhubarb	<i>jasmuiniformis.</i> Jessamine-flowered Rhododendron
<i>compactum.</i> Thick-leaved Rhubarb	<i>javanicum.</i> Javanese Rhododendron
<i>crispum.</i> Curled-leaved Rhubarb	<i>Lapponicum.</i> Lapland Rose-Bay
<i>Emodi.</i> Red-veined Himalayan Rhubarb	<i>lepidotum.</i> Scaly Rhododendron
<i>nobile.</i> Sikkim Rhubarb	<i>longiflorum.</i> Long-flowered Rhododendron
<i>officinalis.</i> Medicinal Rhubarb	<i>Maddenii.</i> Major Madden's Rhododendron
<i>palmatum.</i> Palmate-leaved, or "Turkey," Rhubarb	<i>maximum.</i> American Great Laurel or Rose-Bay
<i>Rhaponticum.</i> Garden, or Tart, Rhubarb	<i>Metternichii.</i> Metternich's Rhododendron
<i>Ribes.</i> Currant-fruited, or Warted-leaved Rhubarb	<i>myrtifolium.</i> Myrtle-leaved Rhododendron
<i>undulatum.</i> Bucharian, or Wavy-leaved Rhubarb	<i>Nilagiricum.</i> Nilgerry Rhododendron
Rhexia virginica. Deer-grass, Meadow-Beauty	<i>niveum.</i> Snowy-leaved Rhododendron
Rhinanthus communis (<i>Justicia nasuta</i>). Ring-worm-root	<i>ponticum.</i> Pontic, or Purple-flowered, Rhododendron
Rhinanthus Crista-galli. Cock's-comb, Hen-penny Grass, Penny-grass, Rattle Grass, Yellow Rattle or Rattle-box	<i>ponticum</i> var. <i>odoratum.</i> Sweet-scented Rhododendron
Rhipogonum scandens. New Zealand Sarsaparilla	<i>præcox.</i> Early-blooming Rhododendron
	<i>punctatum.</i> Dotted-leaved Rhododendron
	<i>purpureum.</i> American Purple-flowered Rhododendron
	<i>Purshii.</i> Pursh's Rhododendron

Rhododendron *retusum*. *Blunt-leaved Rhododendron*
setosum. *Bristly Rhododendron*
striatum. "Alpine Rose"
verticillatum. *Whorled-leaved Rhododendron*
virgatum. *Slender-branched Rhododendron*
Rhodomyrtus *tomentosus*. *Hill Guava, or Hill Goose-berry, of India*
Rhodora *canadensis*. *Canadian Rhododendron*
Rhodorrhiza *florida* and *R. scoparia*. *Rhodium-oil-plant*
scoparia. *Canary Rose-wood, Lignum Rhodium*
Rhodoty whole *kerrioides*. "Jamabuki," of Japan, *White Kerria*
Rhodymenia *palmata*. *Dillisk, Dulse*
Rhus. *Sumach*
arborescens. *Poison-tree, of Jamaica*
aromatica. *Fragrant Sumach*
caustica. *Lithi-tree, of Chili*
copallina. *Dwarf Sumach*
Coriaria. *Elm-leaved Sumach, Tanner's Sumach*
Cotinus. *Purple Fringed Sumach, "Scotino," Smoke-plant or Smoke-tree, Venetian or Venus's Sumach, Wig-tree, Zante-wood. Yields "Young Fustic" of commerce*
cotinoides. *False Venetian Sumach*
diocia. *St. Vitus's-wood*
diversifolia. *Poison-Oak, or "Yeara," of California*
elegans. *Carolina Sumach*
glabra. *Scarlet Sumach, Vinegar-tree*
glabra var. *lacinata*. *Fern-leaved Sumach*
Juglandifolia (*R. vernicifera*). *Walnut-leaved Sumach*
lucida. *African Bower-tree*
Metopium. *Burn-wood, of the W. Indies, Coral Sumach, Doctor's-Gum-tree, Jamaica Sumach, Mountain Manchineel*
Osbecki. *Osbeck's Sumach*
pentaphylla. *Five-leaved Sumach*
pumila. *Dwarf Sumach*
radicans. *Poison Vine, Rooting-branched Sumach*
semialata. *Chinese, or Japanese, Nut-gall-tree*
suaveolens. *Sweet-scented Sumach*
succedanea. *Red Lac Sumach, Tallow Sumach, of Japan*
Toxicodendron. *American Poison-Ivy or Poison-Oak*
typina. *Stag's-horn Sumach, Vinegar-tree, Virginian Sumach*
venenata. *Poison Ash, Poison Elder, Poison Sumach, Swamp Sumach*
vernicifera. *Japan Lacquer-, or Varnish-Tree*
viridiflora. *Green-flowered Sumach*
zizyphina. *Zizyphus-like Sumach*
Rhynchosia *minima*. *Wart-herb*
precatoria. *Mexican Rosary-plant*
Rhynchospermum *jasminoïdes* (*Parechites Thunbergii*). *Chinese Ivy, Chinese Jessamine*
Rhynchospora. *Beak-rush, or Beak-sedge, of N. America*
alba. *White Beak-sedge*

Rhynchospora *corniculata*. *Horned Rush*
fusca. *Brown Beak-sedge*
Ribes. *Currant, Goose-berry*
aciculare. *Needle-spined Goose-berry*
albinervium. *White-ribbed-leaved Red Currant*
alpinum. *Alpine Red Currant, Tasteless Mountain Currant*
atropurpureum. *Dark-purple-flowered Black Currant*
aureum. *Buffalo, or Missouri, Currant, Golden-flowered Currant*
aureum var. *serotinum*. *Late-flowering Golden Currant*
bracteosum. *Californian Black Currant*
carpathicum. *Carpatican Red Currant*
caucasicum. *Caucasian Goose-berry*
cereum. *Waxy-leaved Black Currant*
Cynosbati. *Dog-Bramble, Dog-bramble Goose-berry*
diacantha. *Two-spined Goose-berry*
divaricatum. *Spreading-branched Gooseberry*
flavum. *Yellow-flowered Black Currant*
floridum. *Pennsylvania Black Currant*
fragrans. *Fragrant-flowered Goose-berry*
glaciæ. *Nepaul Black Currant*
glandulosum. *Glanded-calyxied Red Currant*
gracile. *Slender-branched-Goose-berry*
Grossularia. "Berries," *Cat-berries, Common Goose-berry*
hirtellum. *Hairy-branched Goose-berry*
Hudsonianum. *Hudson's Bay Black Currant*
inebrians. *Intoxicating Black Currant*
lacustre. *Swamp Goose-berry, of N. America*
lacustre var. *echinatum*. *Hedge-hog Goose-berry*
leptanthum. *Yellow-flowered Goose-berry*
Lobbii (*R. subvestitum*). *Lobb's Goose-berry, Vancouver Island Goose-berry*
longiflorum. *Long-flowered Black Currant*
macracanthum. *Large-spined Goose-berry*
Menziesii. *Menzies' Goose-berry*
microphyllum. *Small-leaved Goose-berry*
multiflorum. *Many-flowered Red Currant*
nigrum. *Common Black Currant, Gazels or Gazes, Quinsy-berry*
niveum. *White-flowered Goose-berry*
opulifolium. *Guelder-Rose-leaved Black Currant*
orientale. *Syrian Goose-berry*
oxyacanthoides. *Hawthorn-leaved Goose-berry*
petraeum. *Rock Red Currant*
procumbens. *Procumbent Red Currant*
prostratum. *Fetid Currant, of N. America*
punctatum. *Dotted-leaved Red Currant*
resinosum. *Resinous Red Currant*
rigens. *Stiff-racemed Red Currant*
rotundifolium. *Round-leaved Gooseberry*
rubrum. *Common Red Currant, Garnet-berry, Raisin-tree*
rubrum var. *album*. *White-fruited Currant*
sanguineum. *Red-flowered Currant*
sanguineum var. *album*. *White-flowered Currant*

Ribes sanguineum var. *plenum*. *Double-flowered Red Currant*
saxatile. *Rock Goose-berry*
setosum. *Bristly Goose-berry*
speciosum. *Fuchsia-flowered Goose-berry*
spicatum. *Spiked-flowered Red Currant*
subvestitum (*R. Lobbii*). *Vancouver's Island Goose-berry*
tenellum. *Yellow-flowered Currant*
tenuiflorum. *Slender-flowered Black Currant*
trifidum. *Trifid-calyzed Red Currant*
triflorum. *Three-flowered Goose-berry*
triste. *Dark-flowered Black Currant*
viscosissimum. *Very-clammy Black Currant*
Richardia (*Calla*) *aethiopica*. *Lily-of-the-Nile*, *Trumpet Lily*, *White Arum-Lily*
hastata. *Yellow Lily-of-the-Nile*, *Yellow Arum-Lily*
maculata. *Spotted-leaved Lily-of-the-Nile*
Richardsonia *scabra*. *Mexican Coca-plant*,
Undulated, or *White*, *Ipecacuanha*
Richea dracophylla. *Australian Grass-tree*
pandanifolia. *Palm Heath*
Ricinus communis. *Castor-bean*, *Castor-oil-plant*, *Palma-Christi*
sanguineus. *Red Castor-bean*
Rigidella flammea. *Mexican Stiff-stalk*
Ripogonum parviflorum. *Sarsaparilla*, of New Zealand
Rivea Bona-nox. *Midnapore Creeper*
Rivina. *W. Indian Hoop-withe* or *Hoop-withy*
humilis. *Blood-berry*, *Carpenters'-herb*, *Rougeberry* or *Rouge-plant*, of the W. Indies
octandra. *Hoop-withy*, of Jamaica
Robinia dubia. *Doubtful Locust-tree*
hispida. *Bristly Locust-tree*, *Common Rose-Acacia*
hispida var. *macrophylla*. *Large-leafleted Rose-Acacia*
Pseud-Acacia. *Fragrant White-flowered Locust-tree*
Pseud-Acacia var. *Decaisneana*. *Decaisne's Locust-tree*
umbraculifera. *Parasol Acacia*
viscosa. *Clammy Acacia*
Robinsonia thurifera. "Resino," of Juan Fernandez
Roccella fuciformis. *Angola-weed*, *Mauritius-weed*
tinctoria. *Archal*, *Orchal*, *Orchel*, or *Orchil*, *Cape-weed*, *Orchal* "Cork," *Litmus-plant*, *Rock Moss*
Rochea (Crassula) coccinea. *Garden Coral*
Rodgersia podophylla. *Rodgers's Bronze-leaf*
Roella ciliata. *African Hare-bell*
Rœmeria hybrida (*Glaucium violaceum*). *Violet-flowered Horned-Poppy*, *Wind-rose*
Rollinia longifolia and *R. multiflora*. *Guiana Lance-wood*
Sieberi. *Sugar-apple*
Romanzoffia sitchensis. *Sitka Water-leaf*
Rosa alpina. *Common Alpine Rose*
alpina var. *pyrenaica*. *Small Pyrenean Rose*
anemoneflora. *Anemone-flowered Rose*
arvensis. *Briar*, *Briar Bush*, *Field Rose*
arvensis var. *scandens*. *Ayrshire Rose*
Banksiae. *Lady Banks's Rose*

Rosa Bengalensis. *Bengal Rose*
berberidifolia. *Barberry-leaved Rose*
blanda. *Early Wild Rose*, of N. America,
Hudson's Bay Rose
Boursaulti. *Boursault Rose*
bracteata. *Macartney Rose*
Brunonii. *Brown's Rose*
canina. *Bird Briar*, *Briar-rose*, *Buckie-brieries*, *Canker*, *Canker-flower*, *Cat-Whin*, *Choop-tree*, *Dog-briar*, *Dog-rose*, *Hep-Briar*, *Hep-Rose*, or *Hep-Tree*
caryophyllacea. *Clove-scented Rose*
centifolia. *Cabbage Rose*, *Hundred-leaved Rose*
centifolia var. *muscosa*. *Common Moss Rose*
centifolia var. *muscosa cristata*. *Mossy-crested Rose*
centifolia var. *pomponia*. *Provins Rose*
cinnamomea. *Single Cinnamon Rose*
cinnamomea var. *fœcundissima*. *Double Cinnamon Rose*
damascena. *Damask Rose*
diversifolia. *Diverse-leaved Rose*
Eglanteria. *Eglantine*, *Sweet-Briar*
fraxinifolia. *Ash-leaved Rose*
gallica. *French Rose*
gallica var. *inaperta*. *Vilmorin Rose*
glutinosa. *Cretan Rose*
Grevillei. *Seven-sisters Rose*
hibernica. *Irish Rose*
hyacinthina. *Hyacinth-scented Rose*
indica. *China*, or *Monthly*, *Rose*
indica var. *Noisettiana*. *Noisette Rose*
indica var. *Thea*. *Tea-Rose*
læavigata. *Cherokee Rose*
Lawranceana. *Fairy Rose*, *Miss Lawrence's Rose*
longifolia. *Willow-leaved Rose*
lucida. *Dwarf Wild Rose*, of N. America,
Shining-leaved Rose
lutea. *Single Yellow Rose*
lutea var. *punicea*. *Austrian Rose*
majalis. *Dwarf Cinnamon Rose*
Montezumæ. *Mexican Rose*
moschata. *Musk-scented Rose*
mundi (or *Gloria-mundi*). *York-and-Lancaster Rose*
pimpinellifolia var. *pyrenaica*. *Pyrenean White Burnet Rose*
pisocarpa. *Pea-fruited Rose*
Pissartii. *Guiland Rose*
polyantha. *Bramble Rose*, *Many-flowered Rose*
pumila. *Dwarf Austrian Rose*
pyrenaica. *Pyrenean Dwarf Rose*
Regelianæ. *Dr. Regel's Rose*
rubifolia. *Bramble-leaved Rose*
rubiginosa. *Eglantine*, *Sweet-Briar*
rubrifolia. *Red-leaved Rose*
rubrifolia var. *Redoutéa*. *Redouté's Rose*
rugosa. *Turkestan Dwarf Rose*
rugosa var. *alba*. *Ramanas Rose*
Sabini. *Sabine's Rose*
semperflorens. *Red China Rose*
sempervirens. *Evergreen Rose*
sericea. *Silky-leaved Rose*
setigera. *Prairie Rose*, *Wild Climbing Rose* of N. America
sinica. *Three-leaved Rose*

Rosa spinosissima. *Barrow Rose, Fox Rose, Scotch Rose, White Burnet Rose*
spinossissima var. *carnea*. *Pink-shaded Burnet Rose*
sulphurea. *Double Yellow Rose, Sulphur-flowered Rose*
taurica. *Crimean Rose*
terebinthacea. *Turpentine Rose*
turbinata var. *Francofurtana*. *Frankfort Rose*
versicolor. *York-and-Lancaster Rose*
villosa. *Shaggy-fruited Rose*
villosa var. *pomifera*. *Apple-, or Apple-bearing, Rose*
viridiflora. *Green-flowered Rose*
Yvara. *Japanese Rose*

Rosmarinus officinalis. *Common Rosemary, Old Man*

Rottlera tinctoria (*Mallotus philippensis*). *Kamala-tree, of India. Yields the "Kamala" or "Kamela" of commerce*

Roupeillia grata. *Cream-fruit-tree, of Sierra Leone*

Royena lucida. *African Bladder-nut, African Snow-drop-tree*

Rubia. *Madder*
cordifolia. *Bengal Madder, Munjeet*
peregrina. *Evergreen Cliver, Wild Madder*
tinctorum. *Dyers' Madder*

Rubus. *Black-berry, Bramble*
arcticus. *Arctic Bramble, Dwarf Crimson-flowered Bramble*
australis. "Bush Lawyer," or *Supple-Jack*, of New Zealand, *New Zealand Bramble*
cæsius. *Blue Bramble, Dew-berry*
canadensis. *Canadian Bramble or Dewberry, Low Black-berry of N. America*
Chamaemorus. *Cloud-berry, Cnout-berry, Knot-berry, Mountain Bramble*
cratægifolius. *Hawthorn-leaved Bramble*
cuneifolius. *Sand Black-berry, of N. America*
deliciosus. *Showy White-flowered Bramble*
discolor fl.-pl. *Double-flowered Bramble*
echinatus. *Hedge-hog Bramble*
fruticosus. *Common Black-berry or Bramble, Garten-berries*
fruticosus fl.-pl. *Double-flowered Bramble*
fruticosus var. *laciniatus*. *Cut-leaved Bramble*
hispidus. *Running Swamp Black-berry*
Idæus. *Common Rasp-berry, Framboise, Framboys, Hind-berry or Hine-berry*
leucodermis. *White-skinned Rasp-berry*
nepalensis. *Nepaul Bramble*
Nutkanus. *Nootka-Sound Rasp-berry, Salmonberry*
occidentalis. *Black American Rasp-berry, Thimble-berry*
odoratus. *Purple-flowered American Rasperry, Sweet-scented Bramble*
parvifolius (*R. ribesifolius*). *Native Australian Bramble*
phenicolasius. *Japanese Climbing Bramble*
roseifolius. *Rose-leaved Bramble, Victorian Rasp-berry*
rotundifolius. *Indian Bramble*
rugosus. *Himalayan Rasp-berry*
saxatilis. *Bunch-berry, Roebuck-berry, Stone Bramble*

Rubus spectabilis. *Rose-flowered Bramble, Salmon-berry*
strigosus. *Wild Red Rasp-berry, of N. America*
triflorus. *Dwarf American Rasp-berry*
trivialis. *Low Bush Black-berry, of N. America*
ursinus. *Oregon Black-berry*
villosum. *Common, or High, Black-berry, of N. America*

Rudbeckia. *Yellow Cone-flower*
californica. *Californian Cone-flower*
Drummondii (*R. columnaris*, *Obeliscaria pulcherrima*). *Drummond's Cone-flower*
fulgida. *Glowing Cone-flower*
hirta. *Hairy Cone-flower*
laciniatia. *Cut-leaved Cone-flower*
maxima. *Large Cone-flower*
Newmanniana. *Newman's Cone-flower*
nitida. *Shining Cone-flower*
purpurea. *Purple Cone-flower*
speciosa. *Showy Cone-flower*
triloba. *Three-lobed Cone-flower*
virginiana. *Virginian Cone-flower*

Ruellia paniculata. *Christmas-Pride, of Jamaica*

tinctoria. *Room-, or Roum-, plant, of India*

tuberosa (*Cryptiacanthus barbadensis*). *Jamaica Snap-dragon, Many-root of the W. Indies, Menow-weed, Spirit-leaf or Spirit-weed*

Ruizia cordata. *Isle of Bourbon Sweet-scented White-wood*

Rulingia pannosa. *Black Kurrajong, of Illawarra*

Rumex. *Dock, Docken*
Acetosa. *Green-sauce, Sharp or Sour Dock, Sheep's-Sorrel, Sorrel-Dock, Sour Grass, Sour Leek*
alpinus. *Monk's Rhubarb*
aquaticus. *Eldin Docken, Grainless Dock*
Britannica. *Pale Dock, of N. America*
conglomeratus. *Clustered Dock*
crispus. *Curled Dock*
flexuosus. *New Zealand Dock*
Hydrolapathum. *Horse-Sorrel, Water Dock*
hymenosepalus. "Wild Pie-plant," of California

Lunaria. *Tree-Sorrel*

maritimus. *Golden Dock*

montanus. *Maiden Sorrel*

Nemolaphthum. *Grove Dock*

obtusifolius. *Bitter Dock, Butter Dock, Broad-leaved Dock, Kettle or Kettle Dock*

orbiculatus. *Great Water Dock, of N. America*

Patientia. *Monk's Rhubarb, Patience or Patient Dock*

pulcher. *Fiddle Dock*

salicifolius. *White Dock, of N. America, Willow-leaved Dock, of California*

sanguineus. *Bloody Dock, Blood-wort, Red-veined Dock*

scutatus. *Buckler-shaped or French Sorrel*

tuberous. *Tuberous-rooted Dock*

verticillatus. *Swamp Dock, of N. America*

vesicarius. *Bladder Dock*

vesicarius var. *roseus*. *African Spinach*

Ruppia maritima.	<i>Ditch-grass, of N. America, Sea-fennel, Sea-grass, Tassel-grass, Tassel Pond-weed</i>	Salix Caprea var. pendula.	<i>Kilmarnock Weeping Willow, Weeping Goat Willow</i>
Ruscus aculeatus.	<i>Box-Holly, Butcher's Broom, Jew's Myrtle, Knee Holly, Knee Holm, Pettigree or Pettigruie, Prickly Box, Shepherd's Myrtle, Wild Myrtle, androgynous. Climbing Butcher's Broom.</i>	chlorophylla.	<i>American Green Willow</i>
	<i>Hypoglossum. Double-leaved Butcher's Broom, Double-tongue, Horse-tongue, Tongue-blade</i>	cinerea.	<i>Gray Sallow</i>
	<i>Hypophyllum. Thick-leaved Butcher's Broom</i>	cordata.	<i>American Heart-leaved Willow</i>
	<i>Hypophyllum var. latifolius. Broad-leaved Butcher's Broom</i>	Cutleri.	<i>Cutler's Willow</i>
	<i>racemosus. Alexandrian Laurel</i>	daphnoides.	<i>Violet Willow</i>
Ruta . <i>Rue</i>	<i>albiflora. White-flowered Rue</i>	discolor.	<i>American Glaucous Willow</i>
	<i>bracteosa. Sicilian Rue</i>	Doniana.	<i>Rusty-branched Willow</i>
	<i>graveolens. Ave Grace, Common Rue, Countryman's Treacle, Herb-of-Grace, Herb-of-Repentance</i>	fragilis.	<i>Crack Willow</i>
	<i>montana. Mountain Rue</i>	fragilis var. decipiens.	<i>White Welsh Willow</i>
	<i>patavina. Padua Rue</i>	herbacea.	<i>Dwarf Willow</i>
Sabal (<i>Chamærops</i>) Blackburniana.	<i>Fan-Palm, or Thatch-Palm, of Jamaica</i>	humilis.	<i>Prairie Willow</i>
	<i>Palmetto. Palmetto Palm</i>	lævigata.	<i>Californian Willow</i>
	<i>umbraculifera. Jamaica Fan-Palm</i>	lanata.	<i>Woolly Willow, Silvery Woolly-leaved Willow</i>
Sabbatia .	<i>American Centaury</i>	Lapponum.	<i>Downy Willow</i>
	<i>angularis. Rose Pink</i>	lasiandra.	<i>British Columbia Willow</i>
Saccharum Bengalense.	<i>Bengal Sugar-cane</i>	livida var.	<i>American Livid Willow</i>
	<i>officinarum. Common Sugar-cane</i>	longifolia.	<i>American Long-leaved Willow</i>
	<i>Sara. Pen-reed-grass</i>	lucida.	<i>American Shining Willow</i>
Sagina .	<i>Pearl-weed or Pearl-wort</i>	Myrsinites.	<i>Whortle Willow</i>
	<i>glabra var. corsica (<i>Spergula pilifera</i>). Lawn Pearl-wort</i>	nigra.	<i>American Black Willow</i>
	<i>nodosa. Knotted Spurrey</i>	pentandra.	<i>Bay-leaved, Laurel-leaved, or Sweet Willow, Willow Bays</i>
Sagittaria chinensis.	<i>Chinese Arrow-head or Arrow-leaf</i>	phylicifolia.	<i>Tea-leaved Willow</i>
	<i>montevideensis. Chilian Arrow-head</i>	purpurea.	<i>Bitter Willow, Purple Osier, Purple Willow</i>
	<i>sagittifolia. Common Arrow-head or Arrow-leaf, Water-Archer</i>	purpurea var. Forbyana.	<i>Fine Basket Osier</i>
	<i>sagittifolia fl.-pl. Double-flowered Arrow-head</i>	purpurea var. Helix.	<i>Rose Willow</i>
	<i>simplex. Yellow-flowered Arrow-head</i>	purpurea var. Lambertia.	<i>Boyton Willow</i>
	<i>variabilis. Various-leaved Arrow-head</i>	Reginæ.	<i>Silvery Willow</i>
Saguerus saccharifera.	<i>Areng Palm, Gomuti Palm</i>	repens.	<i>Creeping Willow</i>
Sagus . <i>Sago Palm</i>	<i>amicarum. Vegetable Ivory-tree</i>	reticulata.	<i>Highland or Netted-leaved Willow</i>
	<i>farinifera. Sago Palm, of the Moluccas</i>	rosmarinifolia.	<i>Rosemary-leaved Willow</i>
	<i>lævis and S. Rumphii. Common Sago Palm</i>	rubra.	<i>Red Osier</i>
Salicornia herbacea.	<i>Crab-grass, English Scag-grape, Frog-grass, Grass-wort, Marsh Samphire</i>	Russelliana.	<i>Bedford or Dishley Willow</i>
Salisburia adiantifolia.	<i>Ginkgo-tree, Maiden-hair-tree</i>	sericea.	<i>American Silky Willow</i>
Salix . <i>Willow, Osier, Sallow</i>	<i>alba. Common White, Huntingdon, or Swallow-tailed Willow</i>	serpyllifolia.	<i>Thyme-leaved Willow</i>
	<i>alba var. cærulea. Leicester Willow</i>	triandra.	<i>French Willow</i>
	<i>amygdalina. Almond-leaved Willow</i>	tristis.	<i>American Dwarf Gray Willow</i>
	<i>aquatica. Water Sallow</i>	viminalis.	<i>"Augers," Common Osier or Osier, Common Withy, Velvet Osier</i>
	<i>argyrocarpa. American Silvery-fruited Willow</i>	vitellina.	<i>Golden Osier</i>
	<i>aurita. Round-cared Willow</i>	Salmalia malabarica.	<i>Silk-cotton-tree or Simool-tree, of Malabar</i>
	<i>Babylonica. Weeping Willow</i>	Salpiglossis sinuata.	<i>Scalloped Tube-tongue</i>
	<i>candida. American Hoary Willow</i>	Salsola fruticosa.	<i>Shrubby Salt-wort</i>
	<i>Caprea. Goat Willow, Great Sallow, Kilmarnock Willow, Northamptonshire "Palm"</i>	Kali.	<i>British Barilla-plant, Prickly Glasswort, Prickly Salt-wort</i>
		Soda.	<i>Barilla-plant of S. Europe</i>
		Salvadora persica.	<i>Kikuel-oil-plant, Tooth-brush-tree of Abyssinia</i>
		Salvia . <i>Sage</i>	
		ægyptiaca.	<i>Egyptian Sage</i>
		argentea (S. patula).	<i>Silvery Clary, Silvery-leaved Sage</i>
		arborea.	<i>Tree Sage</i>
		azurea.	<i>Southern Blue Sage, of N. America</i>
		bicolor.	<i>Red-and-white-flowered Sage</i>
		Camertoni.	<i>Cameron's Sage</i>
		campestris.	<i>Sibthorp's Blue-flowered Garden Sage</i>
		canariensis.	<i>Paper Sage</i>
		chionantha.	<i>White-flowered Sage</i>
		coccinea.	<i>Scarlet-flowered Sage</i>
		colorata.	<i>Orange-flowered Sage</i>

Salvia columbaria. "Chia"-plant, of California
 fulgens. Scarlet Sage, of Mexico
 gesneræfolia. Gesnera-leaved Sage
 glutinosa. Jupiter's-Distaff, Yellow-flowered
 Hardy Sage
 Grahami. Graham's Sage
 hians. Gaping-flowered, or Cashmere, Sage
 Horminum. Red-topped Sage
 interrupta. Ash-leaved Sage
 lyrata. Lyre-leaved Sage
 napifolia. Rape-leaved Sage
 nubicola. Yellow-flowered Green-house Sage
 officinalis. Common Garden Sage
 officinalis var. alba. White-flowered Garden
 Sage
 officinalis var. tricolor. Variegated Sage
 patens. Spreading Blue-flowered Sage
 patens var. alba. Spreading White-flowered
 Sage
 patula (S. argentea). Silvery-leaved Sage,
 White-flowered Sage
 pomifera. Apple-bearing Sage
 pratensis. Meadow Sage, Meadow Clary
 pratensis var. lupinoides. Lupine Sage
 Reuteriana. Dwarf Crimson-flowered Sage
 rutilans. Pine-apple-scented Sage
 sanguinea. Red-flowered Sage
 sanguinea var. grandiflora. Large Red-
 flowered Sage
 Scarea. Clary
 splendens. Scarlet-flowered Sage
 sylvestris. Wood Sage
 Texana. Texan Sage
 urticæfolia. Nettle-leaved Sage
 Verbenaca. Eye-seed-plant, Vervain Sage,
 Wild Clary, Wild Sage
 verticillata. Whorled Blue-flowered Sage
 violacea. Violet-flowered Sage
 virgata. Long-branched Sage
 viridis. Green-topped Sage
Samadera indica. Niepa-Bark-tree
Sambucus. Elder
 canadensis. American Elder, Autumn-
 flowering Elder
 chinensis. Chinese Elder
 Ebulus. Blood Hilder, Dane-ball, Dane's-
 blood, Dane-wort, Dane's-weed, Dead-wort,
 Dwarf Herbaceous Elder, Ground-Elder,
 Wall-wort
 glauca. Californian Elder
 humilis. Dwarf Elder
 nigra. Arn-tree, Boon-tree, Boor-tree, Boutry-
 tree, Bur-tree, Common Elder or Elder-
 berry
 nigra var. lacinata. Cut-leaved or Parsley-
 leaved Elder
 nigra var. macrophylla. Cauliflower Elder
 variegata. Variegated Cut-leaved Elder
 variegata var. rosæflora. Rosy-flowered Elder
 pubens. American Red-berried Elder
 racemosa. Hart's Elder, Scarlet-berried
 Elder
 xanthocarpa. N. S. Wales Elder
Samolus litoralis. Tasmanian Water Pim-
 pernel or Brook-weed, Wild Thyme of
 Otago
Valerandi. Common Brook-weed, Water Pim-
 pernel

Sandoricum. Sandal-tree
Sanguinaria canadensis. Blood-root, Red
 Puccoon
Sanguisorba officinalis. Great Burnet
Sanicula canadensis. Black Snake-root
 europæa. Common Sanicle, "Wood-March"
 marilandica. Black Snake-root
Sansevieria angolensis. Angola Hemp
 fasciata. Banded Bow-string Hemp
 guineensis. Bow-string Hemp, of Africa
 Roxburgii. Moorva-, or Marool-, plant, of
 Africa
Zeylanica. E. Indian Bow-string Hemp
Santalum acuminatum. Peach, or "Quan-
 dong"-tree, of Australia
 album. E. Indian, or White, Sandal-wood
 cygnorum. Nut-tree, of W. Australia
 Freycinetianum. Citron or Yellow Sandal-
 wood, of the Sandwich Islands
 latifolium. Sandal-Wood, of W. Australia
 paniculatum. Sandal-wood, of the Sandwich
 Islands
Preissianum (S. acuminatum). Australian
 Peach or "Quandong"-tree
Santolina. Lavender-Cotton
 alpina. Alpine Lavender-Cotton
 anthemoides. Chamomile-leaved Lavender-
 Cotton
 canescens. Hoary Lavender-Cotton
 Chamæcyprissus. Common Lavender-Cot-
 ton, Ground-Cypress
 crithmoides. Saphire-leaved Lavender-Cot-
 ton
 ericoïdes. Heath-like Lavender-Cotton
 incana. Woolly Lavender-Cotton
 pectinata. Scalloped-leaved Lavender-Cotton
 pinnata. Pinnate-leaved Lavender-Cotton
 rosmarinifolia. Rosemary-leaved Lavender-
 Cotton
 squarrosa. Spreading Lavender-Cotton
 viridis. Green Lavender-Cotton
 viscosa. Clammy Lavender-Cotton
Sapindus emarginatus. Poongum-, or Soap-
 nut, oil-plant
 marginatus. Carolina Soap-berry-tree
 Pappea. Wild Prune, of the Cape
Saponaria. W. Indian Soap-berry-, or Soap-
 nut-tree
 spinosus (Xanthoxylon sapindoides). Licca-
 tree, of Jamaica
Sapium laurifolium. Milk-wood, of Jamaica,
 W. Indian Gum-tree
Saponaria. Soap-wort
 bellidifolia. Daisy-leaved Soap-wort
 cæspitosa. Tufted Soap-wort
 caucasica fl.-pl. Double-flowered Soap-wort
 ocyoides. Rock Soap-wort
 ocyoides var. splendens. Brilliant-flowered
 Soap-wort
 officinalis. "Bouncing Bet" of N. America,
 Common Soap-wort, Crow-soap, Fuller's
 Herb, Hedge Pink, Soap-wort Gentian
Vaccaria. Cow-Basil, Cow-fat, Cow-herb, Cow-
 herb Soap-wort, "Glond"
Sapota Achras. Maze-berry, Nase-berry-, Nees-
 berry-, or Nis-berry-tree, Sapodilla Plum
 mammosa. Vegetable Egg
 rugosa. Beef Apple
 Sideroxylon. Bully-tree or Bullet-tree

- Sarcobatus vermiculatus.** Grease-wood, of California
- Sarcocephalus esculentus.** Guinea, Negro, or Sierra Leone Peach
- Sarcodes sanguinea.** Snow-plant, of California
- Sarcopetalum Harveyanum.** Harvey's Vine
- Sarcostemma glaucum.** Venezuelan Ipecacuanha
- Sarcostigma Kleinii.** Adul-, or Odal-, oil-plant
- Sargassum bacciferum.** Gulf Sea-weed, Gulf-wood, Sea-Lentils
- Sarothamnus scoparius.** Basam, Basom, Bassam, Bisom, or Beesom, Common Broom
- Sarracenia.** Indian Cup, N. American Pitcher-plant, Side-saddle-flower, Trumpet-leaf
- atrosanguinea. Dark-red Side-saddle-flower
- Drummondii. Drummond's Side-saddle-flower
- flava. "Trumpets," Yellow-flowered Huntsman's Horn, Yellow Side-saddle-flower
- formosa. Handsome Side-saddle-flower
- minor. Small Side-saddle-flower
- purpurea. Huntsman's Cup, Purple Side-saddle-flower
- rubra (S. psittacina). Red Side-saddle-flower
- variolaris. Hook-leaved Side-saddle-flower
- Sassafras Parthenoxylon.** Oriental Sassafras, Virgin-tree
- Satureia hortensis.** Summer Savory
- montana. Winter Savory
- Thymbra. Candian Savory
- viminea. Penny-royal-tree
- Sauvaglossum.** Lizard's-tongue
- Saururus cernuus.** American Swamp-Lily, Lizard's-tail
- Saussurea alpina.** Alpine Saw-wort
- macrophylla. Large-leaved Saw-wort
- Sauvagesia erecta.** Iron-shrub, St. Martin's herb
- Saxgothea conspicua** (*Taxus patagonica*). Prince Albert's Yew
- Saxifraga.** Breakstone, Rock-foil, Saxifrage
- affinis. Kerry Saxifrage
- aizoides. Small Yellow-flowered Mountain Saxifrage
- aizoides var. autumnalis. Larger Yellow-flowered Mountain Saxifrage
- Aizon. Margined Pyramidal Saxifrage
- ajugefolia. Bugle-leaved Saxifrage
- ambigua. Ambiguous Saxifrage
- Andrewsii. Andrews's Saxifrage
- aretioides. Aretia Saxifrage
- aromatica. Aromatic Saxifrage
- aspera. Rough Saxifrage
- biflora. Two-flowered Purple Saxifrage
- bryoides. Bryum-leaved Saxifrage
- Bucklandii. Buckland's Saxifrage
- Burseriana. Early White-flowered Saxifrage
- cæsia. Gray, or Silver Moss, Saxifrage
- cespitosa. Tufted Saxifrage
- calyciflora. Rosy-calyxied Saxifrage
- canaliculata. Channelled-leaved Saxifrage
- carinthiaca. Carinthian Saxifrage
- ceratophylla. Horn-leaved Saxifrage, Stay's-horn Saxifrage
- Saxifraga cernua.** Drooping Saxifrage
- Churchillii. Churchill's Saxifrage
- (Megasea) cordifolia. Heart-leaved Saxifrage
- coriophylla. Early Silver Saxifrage
- Cotyledon. Pyramidal Saxifrage
- (Megasea) crassifolia. Thick-leaved Saxifrage
- crustata. Crusted-leaved Saxifrage
- cuneifolia. Wedge-leaved Saxifrage
- Cymbalaria. Ivy-, or Ivy-leaved, Saxifrage
- diapensioides. Diapensia Saxifrage
- diversifolia. Various-leaved Saxifrage
- elegans. Elegant Saxifrage
- erosa. Lettuce Saxifrage
- exarata. Furrowed Saxifrage
- flagellaris. Whip-cord Saxifrage
- Geum. Kidney-leaved Saxifrage
- Geum var. serrata. "Prattling Parnell"
- gibraltarica. Gibraltar Saxifrage
- granulata. Fair-Maids-of-France, First-of-May, Meadow Saxifrage
- granulata fl.-pl. Mountain Rocket
- groenlandica. Greenland Saxifrage
- Guthrieana. Guthrie's Saxifrage
- Hausmanniana. Hausmann's Saxifrage
- Hirculus. Marsh Saxifrage
- hirsuta. Hairy Saxifrage
- hypnoidea. "Dovedale Moss," Eve's Cushion, Indian Moss, Mossy Saxifrage, Queen's-Cushion
- incurvifolia. Incurved-leaved Saxifrage
- juniperina. Juniper Saxifrage
- lanceolata. Lance-leaved Saxifrage
- lantoscana. Fox's-brush Saxifrage
- ligulata. Great Strap-leaved Saxifrage
- longifolia. Long-leaved Saxifrage, Pyrenean Saxifrage
- longifolia var. elatior. Tall Long-leaved Saxifrage
- Mawiana. Mawe's Saxifrage
- Maylia. Mayl's Saxifrage
- mutata. House-leek-leaved Pyramidal Saxifrage, Saffron-flowered Saxifrage
- nepalensis. Nepaul Saxifrage
- nivalis. Sengreen, Snowy Saxifrage, White Mountain Saxifrage
- oppositifolia. Purple-flowered Saxifrage
- oppositifolia var. pyrenaica maxima. Large Rosy-flowered Mountain Saxifrage
- palmata. Palmate-leaved Saxifrage
- pectinata. Scalloped-leaved Saxifrage
- pedemontana. Piedmont Saxifrage
- peltata. Great Californian Saxifrage, Shield-leaved Saxifrage, Umbrella-plant
- pennsylvanica. Swamp Saxifrage
- pentadactylis. Five-fingered Saxifrage
- polita. Polished Saxifrage
- pubescens. Downy Saxifrage
- pulchella. Pretty Saxifrage
- purpurascens. Himalayan Purple Saxifrage
- pyramidalis. Pyramidal Saxifrage
- repanda. Spreading Saxifrage
- retusa. Pyrenean Purple-flowered Saxifrage
- rivularis. Brook, or Water, Saxifrage
- Rocheliana. Rochel's Saxifrage
- rosularis. Rosette Saxifrage
- rotundifolia. Round-leaved Saxifrage
- sancta. Yellow-flowered Dwarf Saxifrage

- Saxifraga** sarmentosa. "Aaron's-beard"
Saxifrage, Creeping Sailor, Creeping Saxi-
 frage, Mother-of-Thousands, Old-Man's-
 Beard, Straw-berry Geranium, Straw-berry
Saxifrage, Wandering Jew
- Schraderi**. Schrader's *Saxifrage*
spatulata. Spoon-leaved *Saxifrage*
stellaris. Kidney-wort, Starry *Saxifrage*
Sternbergii. Sternberg's *Saxifrage*
Sturmiana. Sturm's *Saxifrage*
tenella. Yellowish-leaved *Saxifrage*
Tombeana. Tombe's *Saxifrage*
tricuspidata. Three-spined *Saxifrage*
tridactylites. Nail-wort, Rue-leaved *Saxifrage*,
 Whitlow-Grass
- umbrosa. King's-Feather, Leaf-of-St. Patrick,
 London Pride, "Mignonette" of the
 French, Nancy-pretty, None-so-pretty, St.
 Patrick's Cabbage
- valdensis. Vaudois *Saxifrage*
- Vandelii**. Vandel's *Saxifrage*
- virginensis. Early *Saxifrage*, of N. America
- virginensis fl.-pl. Double Virginian *Saxi-
 frage*
- Wallacei. Wallace's *Saxifrage*
- Wilkommiana. Wilkomm's *Saxifrage*
- Scabiosa**. Scabious, Pincushion-flower
arvensis. Clod-weed, Egyptian Rose, Field
 Scabious, Gipsies' Rose
- atropurpurea. Egyptian Rose, Mournful
 Widow, Sweet Scabious, Widow's-Flower
- caucasica. Caucasian Scabious
- Columbaria. Small or Lilac-flowered *Scabi-
 bios*
- Fischeri. Fischer's Scabious
graminifolia. Grass-leaved Scabious
- ochroleuca. Pale Yellow Scabious
- sileneifolia. Catch-fly-leaved Scabious
- succisa. Blue-ball, Blue Bonnets, Blue Buttons,
 Blue Kiss, Blue Scabious, Devil's-bit,
 Fore-bit, Forebitten More
- Webbiana. Webb's Scabious
- Scævola** cuneiformis. Fan-flower, of Tas-
 mania
- Lobelia (S. Taccada). Malay Rice-paper-
 plant, "Taccada"-plant of India
- Scandix** Pecten-Veneris. Adam's, Beggar's,
 Clock-, Crake-, Crow-, Poke-, Puck-, Pink,
 Shepherd's, Tailor's, Venus's, or Witches'
 Needle, Devil's Darning-needle, Ground-
 Enell, Lady's, Shepherd's, or Venus's Comb,
 Needle Chervil, Wild Chervil
- Scaphoglottis**. Boat-lip Orchid
- Sceptranthus**. Sceptre-flower
- Schæfferia** frutescens. Crab-wood Tree, False
 Box
- Schinus** molle. Australian Pepper-tree, Cali-
 fornian Pepper-tree, False Pepper, Peruv-
 ian Mastich-tree
- Schistostega**. Cavern-Moss
pennata. Feather Cavern-Moss, Iridescent
 Moss
- Schizivereckia** podolica. Russian Mad-wort
- Schizaea**. Comb-Fern or Rush-Fern, of New
 Zealand
- Schizanthus**. Butterfly-flower, Fringe-flower
Grahami. Graham's Fringe-flower
pinnatus. Pinnate-leaved Butterfly-flower
retusus. Notched Fringe-flower
- Schizophragma** hydrangeoides. Climbing
 Hydrangea
- Schizostylis** coccinea. Caffre Lily, Crim-
 son Flag
- Schleicheria** trijuga. Gum-Lac-tree
- Schoberia** fruticosa. Sea Rosemary, Shrubby
 Sea-Blite
- Schoenus** brevifolius. Cord-Rush, of Victoria
 nigricans. Bog-Rush
- Schoepfia** chrysophylloides. White Beef-wood
- Schollera** graminea. Water Star-grass, of N.
 America
- Schomburgkia** tibicinis. Cow-horn Orchid
- Schotia**. Caffre Bean-tree
latifolia. Elephant Hedge Bean-tree
- Schrankia** uncinata. Sensitive Briar, of
 N. America
- Schrebera** swietenoides. Muccaady-tree, of
 India
- Schwalbea** americana. Chaff-seed
- Schweiggeria**. Tongue-Violet
- Schweinitzia** odorata. Sweet Pine-sap
- Sciadophyllum** Brownei. "Galapee"-tree,
 of the W. Indies
capitatum. Broad-leaved Balsam, Candle-
 wood-tree, of S. America
- Jacquinii. Loblolly Sweet-wood
- Sciadopitys**. Umbrella-, or Parasol-, Pine
 or Fir
verticillata. Whorled-leaved Umbrella-Pine
- Scilla**. Squill, Wild Hyacinth
amena. Star-flowered Squill, Star Hyacinth
amethystina. Amethyst Squill
autumnalis. Autumn-flowering Squill, Winter
 Hyacinth
- bifolia*. Early Spring Squill
- brachypylla*. Cape Hyacinth
- campanulata*. Large or Spanish Blue-bell,
 Spanish Squill
- corymbosa*. Cape Hyacinth
 (Camassia) Fraseri. Californian Squill,
 Eastern Quamash, Wild Hyacinth of N.
 America
- Lilio-Hyacinthus. Lily-Hyacinth
nutans. Bell-Bottle, Common Blue-bell (of
 England), Crake-feet, Crow-bells, Crow-leek,
 Culverkeys, Dog's Leek, Hare-bell, Wild
 Hyacinth
- patula*. Spreading Blue-bell
- peruviana*. Cuban Lily, Pyramidal-flowered
 Squill
- sibirica*. Siberian Squill
- taurica*. Crimean Squill
- umbellata*. Umbel-flowered Squill
- verna*. Sea Onion, Spring-flowering Squill
- Scindapsus** pertusus (Monstera deliciosa).
 Indian Ivy
- Scirpus**. Club-grass, Club-Rush
acicularis. Needle Club-Rush
cespitosus. Deer-hair, Tufted Club-Rush
Eriophorum. Wool-grass, of N. America
fuitans. Floating Club-Rush
fluvialis. River Bul-Rush, of N. America
Holoschoenus. Clustered Club-Rush
lacustris. Bass, Bast, Common Bul-Rush,
 Frail-Rush, Lake Club-Rush, Mat-Rush,
 Pool-Rush, Spurt-grass
- lacustris* var. *occidentalis*. "Tule," of California

Scirpus maritimus.	<i>Sea-side Club-Rush,</i>	Scutellaria scordifolia.	<i>Scordium-leaved</i>
<i>Spur-grass</i>		<i>Skull-cap</i>	
<i>multicaulis.</i>	<i>Many-stalked Club-Rush</i>	<i>Wrightii.</i>	<i>Wright's Skull-cap</i>
<i>palustris.</i>	<i>Creeping Club-Rush</i>	Scyphanthus elegans.	<i>Chili Cup-flower</i>
<i>pauciflorus.</i>	<i>Few-flowered Club-Rush</i>	Scyphophorus pyxidatus.	<i>Cup-Lichen, Cup-Moss</i>
<i>pungens.</i>	<i>Sharp Club-Rush</i>		
<i>Savii.</i>	<i>Savi's Club-Rush</i>	Seaforthia (Ptychosperma) elegans.	<i>Bun-galow Palm, Cabbage-Palm of N. S. Wales</i>
<i>setaceus.</i>	<i>Bristly Club-Rush</i>	Sebastiania lucida.	<i>W. Indian Poison-wood</i>
<i>sylvaticus.</i>	<i>Wood Club-Rush</i>	Secale cereale.	<i>Common Rye</i>
<i>Tabernaemontani</i> var. <i>zebrinus.</i>	<i>Banded Rush</i>	<i>cornutum.</i>	<i>Spurred Rye</i>
	<i>triquetus.</i>	<i>fragile</i> var.	<i>Perennial Rye</i>
	<i>Triangular-stemmed Club-Rush</i>		
	<i>validus.</i>	Secchium edule.	<i>Chayota-plant, Choke-, Choco-, or Chaka,</i> plant of the W. Indies
Scleranthus annuus.	<i>Knawel</i>	Securidaca longipedunculata (<i>Lophostylis pallida</i>).	<i>Buaze-fibre-plant, of the Zambesi</i>
Scleria.	<i>Nut-Rush</i> of N. America	Securigera Coronilla.	<i>Ax-weed, Ax-wort, or Ax-sitch, Hatchet-Vetch</i>
	<i>flagellum.</i>		
	<i>Cutting-grass</i>	Securinega nitida (<i>Lithoxylon nitidum</i>).	
	<i>latifolia.</i>		<i>Myrtle, of Otaheite</i>
Scleroderma Cepa.	<i>False-Puff-ball</i>	Sedum.	<i>Stone-crop</i>
	<i>verrucosum.</i>		<i>acre.</i> Common or <i>Biting Stone-crop, Country-pepper, Creeping Jack, Gold Dust, Golden Moss, Jack-of-the-Buttery, Wall-Moss, Wall-pepper</i>
Scolopendrium.	<i>Hart's-tongue Fern</i>		<i>album.</i> Tall White <i>Stone-crop, Worm-grass</i>
	<i>crispum.</i>		<i>Anacampseros.</i> Evergreen <i>Orpine, Herb-of-Friendship</i>
	<i>Crиспум. Crisped Hart's-tongue Fern</i>		
	<i>erectum.</i>		<i>anglicum.</i> "English" or <i>Dwarf. White Stone-crop</i>
	<i>Tall Hart's-tongue Fern</i>		
<i>Hemionitis.</i>	<i>Mule's Fern</i>		<i>asiaticum.</i> Asiatic <i>Stone-crop</i>
<i>vulgare.</i>	<i>Burnt-weed, Button-hole, Christ's Hair, Common Hart's-tongue Fern, Horse-tongue</i>		<i>atropurpureum.</i> Dark-purple <i>Stone-crop</i>
Scolymus hispanicus.	<i>Golden Thistle, Spanish Oyster-plant</i>		<i>brevifolium.</i> Short-leaved <i>Stone-crop</i>
	<i>maculatus.</i>		<i>Brownii.</i> Brown's <i>Stone-crop</i>
	<i>Spotted Golden-Thistle</i>		<i>camtschaticum.</i> Orange <i>Stone-crop</i>
Scoparia australis (<i>Teucrium corymbosum</i>).	<i>Australian Wild Liquorice</i>		<i>ciliare</i> (<i>S. oppositifolium</i>). Fringed <i>Stone-crop</i>
	<i>dulcis.</i>		<i>corsicum.</i> Corsican <i>Stone-crop</i>
Scorodosma fetidum.	<i>Asafatida-plant</i>		<i>Crista-galli.</i> Cock's-comb <i>Stone-crop</i>
Scorpiurus.	<i>Caterpillar-plant</i>		<i>cruentum.</i> Blood-red <i>Stone-crop</i>
	<i>muricatus.</i>		<i>cyaneum.</i> Azure <i>Stone-crop</i>
	<i>Prickly Caterpillar-plant</i>		<i>dasyphyllum.</i> Thick-leaved <i>Stone-crop</i>
	<i>subvillosum.</i>		<i>elongatum.</i> Elongated <i>Stone-crop</i>
	<i>Hairy Caterpillar-plant</i>		<i>Ewersii.</i> Ewers's <i>Stone-crop</i>
	<i>sulcatus.</i>		<i>Fabarium</i> (<i>S. spectabile</i>). Brilliant <i>Stone-crop</i>
	<i>Furrowed Caterpillar-plant</i>		<i>farinosum.</i> Mealy <i>Stone-crop</i>
	<i>vermiculatus.</i>		<i>Forsterianum.</i> Welsh <i>Stone-crop</i>
Scorzonera hispanica.	" <i>Scorzonera</i> ," Viper's-grass		<i>glaucum.</i> Glaucous <i>Stone-crop</i>
Scrophularia.	<i>Fig-wort</i>		<i>ibericum.</i> Iberian <i>Stone-crop</i>
	<i>aquatica.</i>		<i>japonicum.</i> Japanese <i>Stone-crop</i>
	<i>Bishop's-leaves, Brook- or Water-Betony, Brown-wort, Stinking Christopher, Water Fig-wort</i>		<i>japonicum variegatum.</i> Variegated Japanese <i>Stone-crop</i>
	<i>mellifera.</i>		<i>Lydium.</i> Lydian <i>Stone-crop</i>
	<i>Barbary Fig-wort</i>		<i>Meehani.</i> Meehan's <i>Stone-crop</i>
	<i>nodosa.</i>		<i>Naevii.</i> Navius's <i>Stone-crop</i>
	<i>Great Pile-wort, Kernel-wort, Knot-rooted Fig-wort, Murrain-grass, Stinking Christopher</i>		<i>obtusatum.</i> Blunt-leaved <i>Stone-crop</i>
	<i>nodosa variegata.</i>		<i>pallidum roseum.</i> Pale Rose-coloured <i>Stone-crop</i>
	<i>Variegated Fig-wort</i>		<i>populinifolium.</i> Poplar-leaved <i>Stone-crop</i>
	<i>Scorodonnia.</i>		<i>puclchellum.</i> Bird's-foot <i>Stone-crop, Purple American Stone-crop</i>
	<i>Balm-leaved Fig-wort</i>		
	<i>vernalis.</i>		<i>purpurascens.</i> Purplish <i>Stone-crop</i>
Scutellaria.	<i>Helmet-flower, Skull-cap</i>		<i>purpureum.</i> Purple <i>Stone-crop</i>
	<i>alpina.</i>		<i>recurvatum.</i> Recurved-leaved <i>Stone-crop</i>
	<i>Alpine Skull-cap</i>		<i>reflexum.</i> Stone-hore or <i>Stone-Orpine, Trip-madam</i>
	<i>antirrhinoides.</i>		<i>rhodanthum.</i> Rose-flowered <i>Stone-crop</i>
	<i>Snap-dragon Skull-cap</i>		<i>roseum.</i> Rosy-flowered <i>Stone-crop</i>
	<i>caucasica.</i>		
	<i>Caucasian Skull-cap</i>		
	<i>galerucata.</i>		
	<i>Common Skull-cap, Hooded Willow-herb</i>		
	<i>integerrifolia.</i>		
	<i>Entire-leaved Skull-cap</i>		
	<i>japonica.</i>		
	<i>Japanese Skull-cap</i>		
	<i>lateriflora.</i>		
	<i>Hood-wort, Mad-dog Skull-cap, Mad-dog Weed, Side-flowering or Blue Skull-cap</i>		
	<i>macrantha.</i>		
	<i>Large-flowered Skull-cap</i>		
	<i>minor.</i>		
	<i>Hedge Hyssop, Small Skull-cap</i>		
	<i>Mocciniiana.</i>		
	<i>Scarlet-flowered Skull-cap</i>		
	<i>orientalis.</i>		
	<i>Yellow-flowered Skull-cap, Yellow-Helmet-flower</i>		
	<i>purpurascens.</i>		
	<i>Purplish-flowered Skull-cap</i>		

Sedum rotundifolium. Round-leaved Stone-crop
rupstre. St. Vincent's Rocks Stone-crop
sempervivoides. Scarlet Stone-crop
sexangulare. Six-angled or Six-rowed Stone-crop
Sieboldi. Siebold's Stone-crop
spatulæfolium. Spoon-leaved Stone-crop
spectabile (S. Fabarium). Brilliant Stone-crop
spirale. Spiral Stone-crop
spurium. Crimson Stone-crop, Large-fringed Stone-crop
stenopetalum. Narrow-petalled Stone-crop
Telephium. "Alpine" Live-long, Midsummer-men, Orphan-John, Orpine
telephoides. Orpine-like Stone-crop
turgidum. Thick-leaved Stone-crop
vilosum. Hairy Stone-crop
virens. Deep-green Stone-crop
virescens. Greenish-flowered Stone-crop
Wightmannianum. Wightmann's Stone-crop
Selaginella apus. Creeping-moss, of N. America
caesiæ arborea. Tree Club-moss
convoluta. Rock Lily
Kraussiana aurea. Golden Club-moss
lepidophylla. Resurrection Plant
rupestris. Dwarf Club-moss, of N. America
serpens. Serpent-Moss
Selenipedium. S. American Lady's-Slipper
Selinum carvifolium. Caraway-leaved Milk-parsley
palustre. Common Milk-parsley
Selliera radicans. Victorian Swamp-weed
Semecarpus Anacardium. "Kidney-bean" of Malacca, Malacca-bean-tree, Marking-nut or Marking-fruit-tree, Marsh-nut, Varnish-tree of Sylhet
Sempervivum. House-leek
anomalum. Anomalous House-leek
arachnoideum. Cob-web House-leek
(Æonium) arboreum. Tree House-leek
arenarium. Sand House-leek
barbulatum. Bearded House-leek
Boutignianum. Boutigny's House-leek
calcareum (S. californicum). Purple-tipped House-leek
ciliatum. Tenerife House-leek
fimbriatum. Fringed House-leek
flagelliforme. Long-runnered House-leek
Funckii. Funk's House-leek
globiferum. Hen-and-chickens House-leek
heterotrichum. Hair-tipped House-leek
Heuffeli. Heuffel's House-leek
hirtum. Hairy House-leek
Laggeri. Lagger's House-leek
Mettenianum. Metten's House-leek
montanum. Mountain House-leek
piliferum. Hairy-tufted House-leek
Pittoni. Pitton's House-leek
soboliferum. Hen-and-chickens House-leek
spinosum. Spiny House-leek
tabuleforme. Table-shaped House-leek
tectorum. Bullock's-eye, Common House-leek, "Fuet," Home-wort, Jupiter's-Beard, Jupiter's-Eye, Sengreen
tomentosum. Woolly House-leek

Sempervivum tortuosum. Gouty-stalked House-leek
triste. Red-leaved House-leek
ruthenicum. Russian House-leek
Wulfeni. Wulfen's House-leek
Senebiera Coronopus. Buck's-horn, Hog-grass, Swine's-Cress, Wart-Cress
didyma. American Swine's-Cress or Wart-Cress
Senecio. Groundsel, Rag-weed
abrotanifolius. Orange-flowered Groundsel
adonidifolius. Adonis-leaved Groundsel
argenteus. Silvery Groundsel
artemisiæfolius. Worm-wood-leaved Groundsel
aquaticus. Oak-leaved Rag-wort, Water Rag-wort
aureus. American Golden Rag-wort, False Valerian, Life-root, Squaw-weed
Bolanderi. Bolander's Groundsel
campestris. Field Groundsel, Woolly Groundsel
Cineraria. "Dusty Miller"
eruentus. Purple-flowered Groundsel
Doronicum. Large-flowered or Leopard's-bane Groundsel
elegans. Jacoby, Purple Jacobaea
erucæfolius. Narrow-leaved Groundsel
incanus. Hoary Groundsel
Jacobæa. Ben-weed or Bin-weed, Boliaun, Canker-weed, Common Rag-weed or Rag-wort, Fellon-weed, Kettle Dock, James's-, or St. James's-weed, St. James's-wort, Stag-ger-wort or Staver-wort, "Yellow-tops"
japonicus. Japanese Groundsel
lobatus. Butter-weed
Lyallii. Mountain Marigold, of New Zealand
macroglossus. Cape Ivy, Ivy-leaved Groundsel
mikanoides. Climbing Groundsel, German Ivy, Parlour Ivy
paludosus. Bird's-tongue
paludosus and S. palustris. Fen, or Marsh, Groundsel
Petasites. Plume-leaved Groundsel
pulcher. Tyerman's Groundsel
saracenicus. Broad-leaved Groundsel, "Saracen's Consound"
scandens. Yellow German Ivy
spatulæfolius. Spoon-leaved Groundsel
speciosus. Showy Groundsel
squalidus. Oxford Rag-wort
sylvaticus. Wood Groundsel
tomentosus. Woolly American Rag-wort
uniflorus. One-flowered Groundsel
viscosus. Clammy Groundsel
vulgaris. Common Groundsel, Flower of St. Macarius, Simson
Sequoia gigantea. "Big Tree" or Mammoth Tree, of California, Washingtonia, Wellingtonia
semperfiriens. Californian Evergreen Red-wood
Serapias cordigera. Heart-flowered Orchis Lingua. Tongue-flowered Orchis
Seriocarpus. White-topped Aster
conyzoides. Silk-fruit or White-topped Aster, of Maryland

- Serjania** *lethalis*. *Timboe Fish-poison*, of Brazil
- Serratula.** *Saw-wort*
- arvensis*. *Corn-thistle, Way-thistle*
 - coronata*. *Crowned Saw-wort*
 - tinctoria*. *Common Saw-wort, Dyer's Savory*
- Sesamum** *indicum*. *E. Indian Sesame or Oily-grain, Gingelly, or Gingilie, Oil-plant, Tit-, or Teet-, Oil-plant*
- indicum* and *S. orientale*. *Benne-oil-plant*
- Sesbania.** *Pea-tree*
- aculeata*. "Danchi-", or "Dhunchi-", plant, of India
 - egyptiaca*. *Sesban*
- Seseli.** *Meadow-Saxifrage*
- Hippomarathrum*. *Horse-fennel*
 - cerulea*. *Moor Grass*
- Sesuvium** *Portulacastrum*. *Samphire or Sea-side Purslane, of the W. Indies*
- Setaria** *germanica*. *Dew-grass, German Millet*
- italica*. *Bengal Grass, Chinese Corn, Italian Millet*
 - viridis*. *Bottle-grass, Green Fox-tail-grass*
- Seymeria** *macrophylla*. *Mullein-Fox-glove*
- Shepherdia** *argentea*. *Beef-suet Tree, Missouri Buffalo-berry, Rabbit-berry*
- Sherardia** *arvensis*. *Field Madder, Spur-wort*
- Shorea** *robusta*. *Sil-, or Saul-, tree, of India*
- Sibthorpia** *europea*. *Cornish Money-wort*
- europea variegata*. *Variegated Cornish Money-wort*
- Sicyos** *angulatus*. *One-seeded Star-cucumber*
- Sida.** *Indian Mallow*
- canariensis*. *Canary Island Tea-plant*
 - Periptera*. *Shuttle-cock-plant*
- Sideritis.** *Iron-wort*
- canariensis*. *Iron-wort, of the Canary Islands*
 - hyssopifolia*. *Hyssop-leaved Iron-wort*
 - syriaca*. *Syrian Iron-wort*
- Siderodendron** *triflorum*. *W. Indian Iron-tree*
- Sideroxylon** *capense*. *Iron-wood, of S. Africa*
- dulcificum*. "Miraculous-berry" tree, of W. Africa
- Silaus** *pratensis*. *Meadow Saxifrage, Pepper Saxifrage*
- Silene.** *Campion, Catch-fly*
- acaulis*. *Cushion-Pink, Moss Campion*
 - alpestris*. *Alpine Catch-fly*
 - anglica*. *Small-flowered Catch-fly*
 - antirrhina*. *Sleepy or Snap-dragon Catch-fly*
 - Armeria*. *Lobel's Catch-fly*
 - Bolanderi*. *Bolander's Catch-fly*
 - caucasica* (*S. Zawadskii*). *Caucasian Catch-fly*
 - conica*. *Striated Catch-fly*
 - Elisabethae*. *Elizabeth's Catch-fly*
 - falcata*. *Sickle-leaved Catch-fly*
 - gigantea*. *Giant Catch-fly*
 - Greigi*. *Greig's Catch-fly*
 - Hookeri*. *Hooker's Catch-fly*
 - inflata*. *Ben or White Ben, Bladder-Campion, Cow-bell, Spatling or Frothy Poppy, White Bottle*
- Silene** *maritima*. *Sea-side Catch-fly, Witches'-thimble*
- maritima fl.-pl.* *Double-flowered Sea-side Catch-fly*
 - noctiflora*. *Night-flowering Catch-fly*
 - nutans*. *Nottingham Catch-fly*
 - orchidea*. *Orchis-flowered Catch-fly*
 - orientalis*. *Umbel-flowered Catch-fly*
 - Oties*. *Spanish Campion*
 - paradoxa*. *Dover Catch-fly*
 - pendula*. *Drooping Catch-fly, Italian Catch-fly*
 - pennsylvanica*. *American Wild Pink, Pennsylvania Catch-fly*
 - Pumilio*. *Pigmy Rosy-flowered Catch-fly*
 - quadridentata*. *Four-toothed Catch-fly*
 - quadrifida*. *Four-cleft Catch-fly*
 - regia*. *Royal Catch-fly*
 - Requieni*. *Requier's Catch-fly*
 - rotundifolia*. *Large Scarlet-flowered Catch-fly, Round-leaved Catch-fly*
 - saxatilis*. *Twisted-petaled Catch-fly*
 - Saxifraga*. *Saxifrage Catch-fly*
 - Schafta*. *Autumn Catch-fly*
 - stellata*. *Starry Campion*
 - tenella*. *Pigmy White-flowered Catch-fly*
 - Vallesii*. *Swiss Catch-fly*
 - virginica*. *Fire-Pink*
 - viridiflora*. *Green-flowered Catch-fly*
- Silphium** *laciniatum*. *Compass-plant, Pilot-weed, Polar-plant, Rosin-weed*
- perforatum*. *American Cup-plant*
 - terebinthinaceum*. *Prairie Dock*
- Silybum** *Marianum*. *Blessed, Holy, or Milk Thistle, Our Lady's Thistle*
- eburneum*. *Elephant or Ivory Thistle, Ivory Milk-thistle*
- Simaba** *Cedron*. *Cedron-tree*
- Simaruba.** *Bitter-wood*
- amaria*. *Bitter or Mountain Damson, Stave-wood*
 - excelsa*. *Bitter Ash*
 - glauca*. *American Bitter-wood*
- Sinapis.** *Mustard*
- alba*. *Charlock, White or Salad Mustard*
 - arvensis*. *Brassicas, Brassock, Carlock, Charlock, Corn Mustard, Field Kale, Kedlock or Kerlock, Wild Kale, Wild Mustard*
 - nigra*. *Black, Brown, or Grocer's Mustard*
- Siphonanthus** *hastatus*. *Elephant's-ear*
- Siphonia** *elastica*. *India-rubber-plant, Se-ringa-oil-plant*
- Sison** *Amomum*. *Hedge Hone-wort, Stone-Parsley*
- Sisymbrium** *canescens*. *Tansy Mustard*
- Irio*. *London Rocket*
 - officinale*. *Bank Cress, Crambling Rocket, Hedge Mustard*
 - Sophia*. *Flix-weed or Flux-weed*
- Sisyrinchium.** *Pig-root, Rush-Lily, Satin-flower*
- anceps*. *Grass-leaved Satin-flower*
 - aureum*. *Golden Satin-flower*
 - Bermudianum*. *Bermuda Satin-flower, Blue-eyed Grass*
 - californicum*. *Yellow Californian Satin-flower*
 - grandiflorum*. *Purple Rush-Lily, Spring-bell, Spring Satin-flower*

Sisyrinchium <i>grandiflorum</i> var. <i>album</i> . White Rush-Lily latifolium. Broad-leaved Satin-flower odoratissimum. Sweet-scented Satin-flower striatum. Yellow Mexican Satin-flower	Solanum <i>Melongena</i> fructū-albo. White-fruited Egg-plant <i>Melongena</i> fructū-luteo. Yellow-fruited Egg-plant <i>Melonigena</i> fructū-rubro. Red-fruited Egg-plant <i>Melonigena</i> fructū-violaceo. Violet-fruited Egg-plant <i>nigrum</i> . Black-berried Nightshade, Garden Nightshade, Hound-, or Hounds-, Berry, Petty Morel nodiflorum. Branched Calalu ovigerum (S. <i>Melongena</i>). Egg-plant <i>Pseudo-Capsicum</i> . Jerusalem Cherry, Winter-Cherry Capsicum scandens. Climbing Nightshade sodomeum. Apple-of-Sodom or Dead-Sea Apple, Black-spined Nightshade
Sium . Water-Parsnip angustifolium. Narrow-leaved Water-Parsnip helenianum. "Jellico," of St. Helena latifolium. Broad-leaved Water-Parsnip Sisarum. Skirret	<i>stoloniferum</i> . Creeping-stemmed Potato stramonifolium. Broad-leaved Nightshade Texanum. Texan Nightshade torvum. Turkey-berry, of the W. Indies tuberosum. Common Potato vescum. "Gunnyang," of S. E. Australia Vespertilio. Canary Nightshade villosum and S. xanthocarpum. Yellow-berried Nightshade
Sloanea <i>jamaicensis</i> . "Break-axe" or Iron-wood, of the W. Indies	Soldanella <i>alpina</i> . Blue Moon-wort
Sloetia <i>Sideroxylon</i> . Iron-wood, of Dutch E. Indies	Solenostemma Argel. Argel or Arghel
Smilacina . False-Solomon's-seal bifolia. One-blade or One-leaf racemosa. False-Spikenard stellata. Star-flowered Lily-of-the-Valley	Solidago . Golden-rod canadensis. Canadian Golden-rod grandiflora. Large-flowered Golden-rod multiflora. Many-flowered Golden-rod multiradiata. Many-rayed Golden-rod nutans. Drooping-flowered Golden-rod stricta. Upright-branched Golden-rod Virgaurea. Common Golden-rod Virgaurea var. <i>angustifolia</i> . Doreas' Wound-wort Virgaurea var. <i>cambrica</i> . Dwarf Golden-rod
Smilax . Various species yield the Sarsaparilla of commerce aspera. Prickly Ivy China (S. <i>ferox</i>). China-Root glycyphyllea. Botany Bay or Sweet Tea-plant, Sarsaparilla of Australia herbacea. Carrion-flower officinalis. Jamaica Sarsaparilla rotundifolia. Green-Briar, of N. America	Sollya <i>heterophylla</i> . Australian Blue Bell Creeper
Smyrnium <i>apiifolium</i> . Candy Alexanders aureum. Golden Alexanders Olusatrum. "Black Pot-herb," Common Alexanders or Alisanders, Horse-Parsley	Sonchus . Sow-thistle alpinus. Mountain Sow-thistle arvensis. Corn Sow-thistle caeruleus. Blue-flowered Sow-thistle elegantissimum. Finely-cut-leaved Sow-thistle fruticosus. Shrubby Sow-thistle laciniatus. Cut-leaved Sow-thistle oleraceus. Common Sow-thistle, Hare's-Lettuce, Hare's-palace, Milk-thistle, Milkweed palustris. Marsh Sow-thistle (<i>Mulgedium</i>) Plumieri. Panicle-flowered Sow-thistle
Soja <i>hispidia</i> . Soja-Bean, of China, Soy-plant, White Gram	Sonneratia <i>apetala</i> . Kambala-tree
Solandra <i>grandiflora</i> . Peach-coloured Trumpet-flower	Sophora <i>japonica</i> . Chinese, or Japanese, Pagoda-tree
Solanum . Nightshade anguivi. Madagascar Potato anthropophagorum. Cannibal's Tomato arboreum. Tree-Nightshade bahamense. Canker-berry, of the W. Indies betaceum. Beet-leaved Nightshade campanulatum. Bell-flowered Nightshade campechiense. Purple-spined Nightshade Capsicastrum. Star-Capsicum Nightshade carolinense. American Horse-Nettle ciliatum. Fringed Nightshade coccineum. Scarlet-berried Nightshade crispum. Potato-tree discolor. Two-coloured Nightshade Dulcamara. Bittersweet or Woody Nightshade, Fellon-wood or Fellon-wort, Fellon-wort Mortal esculentum. Jew's-Apple, Mad-Apple flavum. Yellow-berried Nightshade guineense. Large Black-berried Nightshade hirsutum. Hairy Nightshade hybridum. Hybrid Guinea Nightshade igneum. Red-spined Nightshade jasminoides. Jasmine Nightshade laciniatum. Kangaroo-Apple Lycopersicum. Love-apple, Tomato Lycopersicum var. <i>cerasiforme</i> . Cherry Tomato mammosum. Macaw-bush, Nipple Nightshade, Turkey-berry of the W. Indies marginatum. White-edged Nightshade <i>Melonigena</i> (S. <i>ovigerum</i>). Bringall or Brinjal, "Brown Jolly" of the W. Indies, Egg-plant, Jew's-Apple	Sorghum . Millet-grass cernuum. Texas Millet halepense. Aleppo Millet-grass nutans. Broom-corn, Indian-grass, Wood-grass

- Sorghum** saccharatum. *Broom-corn, Chinese Sugar-cane, Imphee Cane, Caffre or Kaffir Corn, Sugar-Millet, Sweet Reed vulgare. Dhourra, Dhurra, Doura, or Durra, E. Indian Millet, Guinea corn*
- Sorindeia** trinera. *Balsam of St. Thomas, W. Africa*
- Soulamea** amara. *Bitter-king*
- Soymidea** (Swietenia) febrifuga. *E. Indian Mahogany, Red-wood of Coromandel, Rose-hun-Bark-tree*
- Sparaxis.** *African Harlequin-flower*
- Sparganium** natans. *Floating Bur-reed ramosum. Bede-Sedge, Common Bur-reed, Knop-Sedge simplex. Unbranched Bur-reed*
- Sparganophora** verticillata. *American Water Crown-cup*
- Sparmannia** africana. *African Hemp*
- Spartina** cynosuroides. *Fresh-water Cord-grass, Prairie-grass polystachya. Salt-water Reed-grass stricta. Common Cord-grass, Mat-weed, Spart-grass, Twin-spiked Cord-grass*
- Spartium** junceum. *Rush-Broom, Spanish Broom*
- Spatanthus** speciosus. *Cape Ribbon-flower*
- Spathelia** simplex. "May-pole" of Jamaica, Mountain-pride, or Mountain-green, of the W. Indies
- Specularia** hybrida. *Corn Violet perfoliata. Venus's-Looking-glass, of N. America Speculum. Common Venus's-Looking-glass*
- Spergula** arvensis. *Corn Spurrey, Toad-flax pilifera. Lawn Pearl-wort, Lawn Spurrey sativa. Spurrey-oil-plant*
- Spergularia** rubra. *Red Sand-wort, Sand Spurrey*
- Spermatoce** glabra. *Button-weed, of N. America*
- Sphaeralcea.** *Globe-Mallow*
- Sphaeranthus** hirtus. *E. Indian Globe-Thistle*
- Sphaeria** mortosa. "Black-knot" Fungus
- Sphaerococcus** (Gracilaria) lichenoides. *Ceylon, or Jaffna, Moss*
- Sphagnum.** *Bog-Moss, Gold Heath acutifolium. Slender Bog-Moss cuspidatum. Long-leaved Floating Bog-Moss cymbifolium. Blunt-leaved Bog-Moss squarrosum. Spreading-leaved Bog-Moss*
- Spigelia** Anthelmia. *Pink-root, of Demerara marilandica. Carolina Pink, Maryland Pink-root, Worm-grass*
- Spilanthes** Acmella. *Alphabet-plant oleracea. Pard Cress*
- Spinacia** oleracea. *Garden Spinach oleracea var. glabra. Round-seeded Spinach oleracea var. spinosa. Prickly-seeded Spinach*
- Spiraea**. *Meadow-sweet*
- ariæfolia. Shrubby Meadow-sweet corymbosa. Alleghany Meadow-sweet, "May" of N. S. Wales*
- Filipendula. Drop-wort, Italian "May"*
- Filipendula plena. Double-flowered Drop-wort*
- Spiræa** flagelliformis. *Long-sprayed Meadow-sweet*
- hypericifolia. Italian "May"*
- hypericifolia var. American "May"*
- lobata. Queen-of-the-Prairie*
- opulifolia. Nine-bark Snow-ball-tree, Virginian Guelder-Rose*
- pachystachya. Plumpy Meadow-sweet*
- salicifolia. American Meadow-sweet, Queen-of-the-Meadow*
- tomentosa. Hard-Hack, Steeple-bush*
- Ulmaria.** *Bitter-sweet, Bride-wort, Common Meadow-sweet, Courtship-and-Matrimony, Lady-of-the-Meadow, Maid-of-the-Meadow*
- Ulmaria** variegata. *Variegated Meadow-sweet*
- Spiranthes** aestivalis. *Summer Lady's-traces or Lady's-tresses*
- autumnalis. Autumn Lady's-traces or tresses*
- cernua. Drooping Lady's-tresses gemmipara. Irish Lady's-tresses*
- Splachnum.** *Collar Moss*
- rubrum. Bon-grace Moss*
- Spodiopogon** angustifolius. *Bunkuss-grass*
- Spondias.** *Hog-Plum dulcis. Otaheite Apple lutea. Golden Apple, Jamaica Plum Mombin (S. purpurea). Purple Hog-plum, or Spanish Plum, of the W. Indies*
- Sporobolus.** *American Drop-seed Grass*
- Sprekelia** (Amaryllis) formosissima. *Jacobea Lily*
- Stachys.** *Hedge-Nettle*
- arvensis. Field Betony*
- Betonica. Betony, Bishop's-wort, Wood Betony*
- coccinea. Scarlet Wound-wort*
- corsica. Corsican Wound-wort*
- germanica. Common Wound-wort, Lamb's-ear*
- lanata. Woolly Wound-wort*
- palustris. Clown's All-heal or Wound-wort, Marsh Betony*
- sylvatica. Archangel, Common Hedge-Nettle, Deye-nettle, Wild Nettle-grass, Wood Betony*
- Stachytarpheta.** *Bastard Vervain*
- indica. E. Indian False-Vervain*
- jamaicensis. Brazilian Tea-tree*
- Stadtmannia** (Cupania) Sideroxylon. *Bourbon Iron-wood*
- Stangeria** paradoxa. *Hottentot's-head*
- Stapelia.** *Carrión-flower*
- Asterias. Star-fish-flower*
- bufonia. Toad-flower*
- Staphylea** colchica. *Colchican or Ivory-flowered Bladder-nut*
- pinnata. Anthony-nut, or St. Anthony's-nut, Common, or European, Bladder-nut*
- trifoliata. American Bladder-nut*
- Statice.** *Sea-Lavender*
- alpina. Alpine Thrift*
- angustifolia. Narrow-leaved Sea-Lavender*
- Armeria. Common Thrift, Sea-pink*
- auriculæfolia. Rock Sea-Lavender*
- bellidifolia. Daisy-leaved Sea-Lavender*
- Bonduellei. Bonduelle's Sea-Lavender*
- caspia. Caspian Sea-Lavender*

- Statice elata** (*Goniolimon elatum*). *Tall Sea-Lavender*
eximia. *Rosy-flowered Sea-Lavender*
globulariaefolia. *Globularia-leaved Sea-Lavender*
Gmelini. *Gmelin's Sea-Lavender*
Holfordi. *Holford's Sea-Lavender*
incana (*Goniolimon callicomum*). *Hoary Sea-Lavender*
Kaufmanniana. *Kaufmann's Sea-Lavender*
latifolia. *Great Sea-Lavender*
Limonium. *Common Sea-Lavender, Wild Marsh-Beet*
minuta. *Pigmy Sea-Lavender*
nana. *Dwarf Sea-Lavender*
oleæfolia (*S. virgata*). *Olive-leaved Sea-Lavender*
profusa. *Profuse Sea-Lavender*
puberula. *Downy Sea-Lavender*
reticulata. *Matted Sea-Lavender*
speciosa. *Showy Sea-Lavender*
spicata. *Spiked Sea-Lavender*
tatarica. *Tartarian Sea-Lavender*
taurica. *Crimean Sea-Lavender*
- Stauracanthus aphyllus**. *Cross-spine*
- Stellaria**. *Star-wort, Stitch-grass, or Stitch-wort*
aquatica. *Water Star-wort*
borealis. *Northern Star-wort*
graminea. *Small Star-wort or Stitch-wort*
graminea *aureo-variegata*. *Golden Chick-weed or Stitch-wort*
- Holostea**. *Aquworm-flower, All-bone, Bird's-tongue, Break-bones, Easter Bell, Great Star-wort or Stitch-wort, May-grass, Miller's-star, Snap-stalks, Tongue-grass*
- media*. *Common Chick-weed*
nemorum. *Wood Star-wort*
pubera. *Great Chick-weed, of N. America*
uliginosa. *Boat Star-wort*
- Stemodia durantæfolia**. *Goat-weed*
maritima. *Bastard, or Sea-side, Germanander*
- Stenocarpus Cunninghamii**. *Tulip-tree, of Queensland*
salignus. *Beef-wood, of N. S. Wales*
sinnatus (*S. Cunninghamii*). *Queensland Tulip-tree or Fire-tree*
- Stenostomum bifurcatum**. *White or Wild Mahogany, of the W. Indies*
- Stenotaphrum americanum** (*S. glabrum*). *Australian Buffalo-grass*
- Stephanotis floribunda**. *Clustered Wax-flower, Madagascar Chaplet-flower, Madagascar Jasmine*
- Sterculia alata**. *Buddha's Cocoa-nut caribæa*. "Mahoe" of the W. Indies
diversifolia. *Bottle-tree, of Victoria*
platanifolia. *Chinese, or Sultan's, Parasol quadrifida*. "Calool" of Australia
(Delabechea) rupestris. *Barrel-tree, Bottle-tree, Gouty-stemmed-tree, of Australia*
Tragacantha. *Tragacanth-gum-tree, of Sierra Leone*
urens. *Kuteera-gum-tree*
villosa. *Oadal-, or Oo'dhall-, tree, of India*
- Sternbergia etnensis**. *Mount Etna Lily clusiana*. *Turkish Star-flower*
lutea. *Winter Daffodil. Supposed to be the "Lily of the Field," of Scripture*
lutea. *Yellow Star-flower*
- Sticta pulmonaria**. *Hazel-Crottles, Hazel-Raw, Lung Lichen, Lungs-of-the-Oak, Tree-Lungwort*
- Stictina scrobiculata**. *Aikraw*
- Stigmaphyllon ciliatum**. *Golden Vine*
- Stilago Bunius**. *Chinese Laurel*
- Stillingia sebifera**. *Tallow-tree, of China sylvatica*. *Queen's-delight, Queen's-root, Silver-leaf, Yaw-root*
- Stipa avenacea**. *Black Oat-grass*
pennata. *Feather-grass*
spartea. *Porcupine-grass*
(Macrochloa) tenacissima. *Esparto-grass*
- Stoebe cinerea**. *Cape Sea Worm-wood*
- Stokesia cyanæa**. *Stokes's Aster*
- Stratiotes aloides**. *Crab's-claw, Fresh-water-Soldier, Knight's Pond-wort, Soldier's Yarrow, Wading Pond-weed, Water-Aloe, Water-House-leek, Water-Sengreen, Water-Soldier*
- Strelitzia**. *Bird's-tongue-Flower, Bird-of-Paradise-Flower*
- Streptanthus obtusifolius**. *Arkansas Cabbage*
- Streptocarpus**. *Cape Primrose*
- Streptopus**. *Twisted-stalk*
- Strobilanthes**. *Cone-head*
- Strophanthus Kombe** (*S. hispidus*). *Tropical African, or Gaboon, Arrow-poison*
- Struthiopteris germanica** (*S. pennsylvanica*) *Ostrich-Fern, of N. America*
japonica. *Japanese Ostrich-Fern*
- Strychnodaphne floribunda**. *Black Sweet-wood*
- Strychnos Colubrina**. *E. Indian Snake-wood*
Ignatii. *St. Ignatius's Bean*
Nux-vomica. *Nux-vomica-tree. Yields False-Angostura Bark and Strychnine*
potatorum. *Water-filter Nut*
Pseudo-quina. *Brazilian Copalchi-plant*
toxifera. *Curari, Urari, Ourali, or Wourali*
Arrow-poison-plant, of Guiana
- Stylium graminifolium**. *Grass - leaved Trigger-plant*
- Stylophorum diphyllum**. *Celandine Poppy*
- Stylosanthes elatior**. *Pencil-flower*
- Styrax**. *Storax*
Benzoin. *Gum-Benzoin-, or Gum-Benjamin-, shrub*
grandifolia. *Large-leaved Storax*
lævigata. *Smooth-leaved Storax*
officinalis. *Official Storax*
pulverulenta. *Powdery Storax*
- Sueda maritima**. *Sea Blite, Sea-side Goose-foot, White Glass-wort*
- Subularia aquatica**. *Avl-wort*
- Sutherlandia frutescens**. *Bladder-Senna, of the Cape*
- Swainsona Greyana**. *Darling River Pea, Horse-poison-plant of Australia, Swainson or Poison Pea, of Australia*
- Swartzia tomentosa**. *Palo-Santo-tree, of Guiana. Yields Panococço Bark*
- Swertia perennis**. *Marsh Fel-wort*
- Swietenia Chloroxylon**. *Yellow Satin-wood, of the E. Indies*
Mahagoni. *American, or Spanish, Mahogany-tree*
senegalensis. *African, or False, Mahogany*

- Sycomorus antiquorum.** *Pharaoh's Fig*
Symphiandra (*Campanula pendula*). *Pendulous Bell-flower*
Symporicarpus. *St. Peter's-wort, Snow-berry-tree*
microphyllus. *Small-leaved Snow-berry-tree*
montana. *Mountain Snow-berry*
occidentalis. *Wolf-berry*
racemosus. *Common Snow-berry-tree, St. Peter's-wort*
vulgaris. *Coral-berry, Indian Currant*
- Symphtymum.** *Comfrey*
aspernum (S. peregrinum). *Prickly or Forage Comfrey, "Trotters"*
boemicum. *Bohemian Comfrey*
caucasicum. *Caucasian Comfrey*
ibericum. *Iberian Comfrey*
officinale. *Alum, Back-wort, Black Root, Black-wort, Bone-set, Comfrey Consound, Common Comfrey, Knit-back*
tauricum. *Crimean Comfrey*
tuberosum. *Tuberous-rooted Comfrey*
- Symplocarpus foetidus.** *Meadow-cabbage, Pole-cat Weed, Skunk Cabbage, Skunk Weed*
- Symplocos racemosa.** *Lodh-bark-tree (Hopea) tinctoria. Horse-sugar, or Sweet-leaf, of Carolina*
- Synadenium.** *African Milk-bush*
- Syncarpia latifolia.** *Turpentine-tree, of N. S. Wales*
laurifolia. *Turpentine-tree, of Queensland*
- Syngonium auritum.** *Five-fingers, of the W. Indies*
- Synœcum glandulosum** (*Trichilia glandulosa*). *Australian Rose-wood*
- Syringa.** *Lilac, Pipe-Privet, Pipe-tree*
chinensis. *Chinese Lilac*
Emodi. *Himalayan Lilac*
Josikæa. *Lady Josika's Lilac*
persica. *Persian Lilac*
persica var. alba. *White Persian Lilac*
persica var. laciniata. *Cut-leaved Persian Lilac*
persica var. salviæfolia. *Sage-leaved Persian Lilac*
rothomagensis. *Rouen Lilac (hybrid)*
vulgaris. *Common Lilac, Pipe-tree*
vulgaris var. alba. *Common White Lilac*
vulgaris var. alba-major. *Large White Common Lilac*
vulgaris var. alba-plena. *Double White Common Lilac*
vulgaris var. cerulea. *Blue Common Lilac*
vulgaris var. grandiflora. *Charles X. Lilac*
vulgaris var. nana. *Dwarf Lilac*
vulgaris var. rubra. *Red Common Lilac*
vulgaris var. rubra-major. *Large Red Common Lilac*
vulgaris var. rubra-plena. *Double Red Common Lilac*
vulgaris var. violacea. *Common Purple, or Scotch, Lilac*
- Tabernæmontana coronaria.** *Adam's Apple, E. Indian Rose-Bay*
utilis. *Cow-tree, of British Guiana*
- Tacca pinnatifida.** *Otakeite Salep-plant, Pi-plant, South-Sea-Arrow-root-plant*
- Tacsonia sanguinea.** *Blood-red Passion-flower*
Van Volxemi. *Van Volxem's Passion-flower*
- Tagetes erecta.** *African Marigold*
lucida. *Sweet-scented Mexican Marigold*
Parryi. *Parry's Marigold*
patula. *French Marigold*
patula var. pumila. *Dwarf Double French Marigold*
signata. *Striped Mexican Marigold*
signata var. pumila. *Dwarf Striped Marigold*
tenuifolia. *Slender-leaved Dwarf Marigold*
- Talinum patens.** *"Puchero," of Mexico*
teretifolium. *Fame-flower*
- Tamarix gallica.** *Common, or French, Tamarisk*
gallica var. mannifera. *Tamarisk Manna-plant*
indica. *E. Indian Tamarisk*
mannifera. *Manna-tree, of Mt. Sinai*
orientalis. *"Atlee-Gall"-tree, Tamarisk Salt-tree*
parviflora. *Small-flowered Tamarisk*
plumosa. *Feathery Tamarisk*
spectabilis. *Showy Tamarisk*
- Tamus communis.** *Black Bryony, Isle-of-Wight Vine, Murrain-berries, Lady's Seal, Mandrake, Ox berry*
edulis. *Port Moniz Yam*
- Tanacetum.** *Tansy*
Balsamita. *Ale-cost or Ale-coast, Cost, Costmary*
sufruticosum. *Shrubby Tansy*
vulgare. *Buttons, Common Tansy*
- Tanghinia (Cerbera) lactaria.** *Milk-tree, of Madagascar*
venenifera. *Ordeal-tree, of Madagascar*
- Taraxacum Dens-leonis** (*Leontodon Taraxacum*). *Dandelion, Priest's-crown, Swine's-snout*
- Tarchonanthus.** *African Flea-bane*
camphoratus. *Shrubby African Flea-bane, Wild Sage, of the Cape*
- Tarrietia** (*Argyrodendron* (*Argyrodendron trifoliatum*)). *Queensland Silver-tree*
- Tasmannia aromatica.** *Pepper-tree, of Tasmania*
- Taverniera Nummularia.** *E. Indian Moneywort*
- Taxodium capense.** *Cypress Broom*
distichum. *Bald, Black, or Deciduous Cypress, Sabino-tree*
distichum var. mexicanum (*T. mucronatum*). *Montezuma Cypress*
distichum var. pendulum. *Weeping Deciduous Cypress*
sinense. *Chinese Deciduous Cypress*
- Taxus.** *Yew-tree*
adpressa. *Short-leaved Japan Yew*
baccata. *Common Yew, "Palm"*
baccata var. argentea. *Silver-variegated Yew*
baccata var. aurea. *Golden Yew*
baccata var. canadensis. *American Yew, Ground Hemlock*
baccata var. canadensis (*Washingtoni*). *Washington's Yew*

- TAXUS** *baccata* var. *Cheshuntensis*. *Cheshunt Yew*
baccata var. *Dovastoni*. *Dovaston's Yew*
baccata var. *erecta*. *Erect Common Yew*
baccata var. *fastigiata*. *Florence Court, or Irish, Yew*
baccata var. *fructu-luteo*. *Yellow-berried Yew*
baccata var. *Nidpathensis*. *Nidpath Castle Yew*
baccata var. *sparsifolia*. *Scattered-leaved Yew*
brevifolia. *Californian Yew*
Floridana. *Florida Yew*
globosa. *Mexican Yew*
nucifera. *Chinese Yew*
stricta. "Blue John" Yew, of N. America
- TECOMA**. *Trumpet-flower*
australis. *Churchill Island Jasmine or Creeper, Wonga-Wonga-Vine*
capensis. *W. Indian Honey-suckle*
(Bignonia) grandiflora. *Large Hardy Trumpet-flower*
jasminoides. *Moreton Bay Trumpet Jasmine or Bower-plant*
Leucoxylon. *White-wood Cedar, White-wood, of Barbadoes*
pentaphylla. *W. Indian, or Jamaica, Boxwood*
radicans. *Rooting-branched, or Virginian, Trumpet-flower, Trumpet Creeper*
serratifolia. "Pony," *Saw-leaved Trumpet-flower*
stans. *Shrubby Trumpet-flower, Yellow Elder*
- TECOPHYLÆA** *cyanocrocus*. *Chilian Crocus*
Tectona australis. *Beech, of Australia grandis*. *E. Indian Oak or Teak-tree*
Teesdalia Iberis. *Shepherd's-cress nudicaulis*. *Pepper-cress*
Telephium Imperati. *Tree-Orpine*
Telopea speciosissima. "Waratah," of Australia
Templetonia retusa (*T. glauca*). *Coral-bush, of W. Australia*
Tephrosia. *Hoary Pea, of N. America*
Apollinea. *Egyptian Indigo-plant*
cinerea. *Goat's-Rue, of the W. Indies*
(Galega) toxicaria. *Indigo-plant, of the Niger, W. Indian Fish-poison-plant, Surinam-poison*
virginiana. *Cat-gut, Virginian Goat's-Rue*
Terfezia. *African Truffle*
Terminalia. *Myrobalan-tree*
Bellerica. *Bedda-nut-tree*
Catappa. "Country" *Almond-tree, of the E. Indies, Malabar Almond-tree*
Chebula. *Negroes' Olive-tree*
citrina. *Hara-nut Tree*
mauritiana. *False Benzoin*
Ternstroëmia obovalis. *Scarlet-seed*
Testudinaria elephantipes. *Elephant's-foot, Hottentot-bread, Tortoise-plant*
Tetracera alnifolia. *Water-tree, of Sierra Leone*
Tigarea. *Red Creeper, of Cayenne, Tigarea-tree, of Guiana*
Tetragonia expansa. *New Zealand Ice-plant, New Zealand Spinach*
- TETRAGONIA** *implexicoma* (*T. trigyna*). *Australian and New Zealand Spinach, Tasmanian Ice-plant, Victorian Bower Spinach*
- TETRAGONOLOBUS**. *Winged Pea*
purpureus. *Purple-flowered Winged-Pea*
- TETRAMELES**. *Jungle-bendy-tree, of India, Weenong-tree, of Java*
- TETRANEMA** *mexicana* (*Pentstemon mexicanum*). *Mexican Fox-glove*
- TETRANTHERA** *geniculata*. *Pond-spice*
- TEUCRIUM**
aureum. *Golden Germander, Golden Polybetonicum*
Madeira Germander
Botrys. *Jerusalem Oak*
campanulatum. *Small-flowered Germander canadense*. *American Germander or Wood-Sage*
Chamædrys. *Wall-, or Wild-, Germander*
flavescens. *Yellow Polyfruticans*
fruticans. *Tree-Germander*
lucidum. *Shining Germander*
Marum. *Cat Thyme*
Massiliense. *Sweet-scented Germander*
Polium. *Cat-Thyme, Hul-wort, Poly Germander*
Pseudo-Chamæpitys. *Bastard Ground-Pine*
Pseudo-Hyssopus. *Bastard Hyssop*
pyrenaicum. *Pyrenean Germander*
Scordium. *Water Germander*
Scorodonia. *Garlic Sage, Hind-heal, Mountain Sage, Wood-Germander, Wood-Sage*
Thea. *Cochin China Tea*
- THALASSIA** *testudinum*. *Manatu-grass, Turtle-grass*
- THALICTRUM**. *Meadow-Rue*
alpinum. *Alpine Meadow-Rue*
anemonoides. *Rue-Anemone, Wind-flower Meadow-Rue*
aquilegfolium. *Columbine Meadow-Rue, Feathered or Tufted Columbine, Spanish-Tuft*
atropurpureum. *Dark-flowered Meadow-Rue*
Cornutum. *Canadian Tall Meadow-Rue*
dioicum. *Early Meadow-Rue*
elatum. *Hungarian Tall Meadow-Rue*
foetidum. *Fetid Meadow-Rue*
flavum. *False Rhubarb, Fen Rue, Poor Man's Rhubarb, Yellow-flowered Meadow-Rue*
Maiden-hair or Small Meadow-Rue
purpurascens. *Purplish Meadow-Rue*
tuberosum. *Tuberous-rooted Meadow-Rue*
- THAMNOCHORTUS**. *Shrubby Grass*
- THAPSIA**. *Deadly Carrot*
fetida. *Stinking Carrot*
garganica. "Drias" plant, of Algeria
- THAPSPUS** *Laserpitii*. *Laser-wort*
- THASPIUM**. *Meadow-parsnip, of N. America*
- THEA**. *Tea-tree*
Assamensis (*T. Assamica*). *Assam Tea-tree*
Bohea. *Bohea Tea-tree*
cochin-chinensis. *Cochin-China Tea-tree*
oleosa. *Oily Tea-tree*
viridis. *Green Tea-tree*
- THELYGONUM** *Cynocrambe*. *Dog's-Cabbage*
- THELYMITRA**. *Woman's-cap Orchid*
nuda. *Tasmanian Hyacinth*
- THEOBROMA** *Cacao*. "Cocoa"-tree, Chocolate-nut-tree
- THESIUM** *linophyllum*. *Bastard Toad-flax*

- Thespesia populnea.** *Mahoc*, of Demarara,
Portia-nut-oil-plant, *Umbrella-tree*
- Thevetia nerifolia.** *Exile-oil-plant*
- Thlaspi.** *Bastard Cress*, *Besom-weed*
arvense. *Boor's Mustard*, *Dish Mustard*,
Penny-Cress, *Wild-Cress*
latifolium. *Showy Bastard-Cress*
- Thrinax argentea.** *Broom Palm*, "Chip"-tree,
Silver-leaved Palmetto Palm, *Silver Thatch*
parviflora. *Palmetto Thatch*, *Royal Palmetto*
Palm, *Small-flowered Jamaica Fan-Palm*
- Thuja.** *Arbor-vite*
aurea. *Golden Arbor-vite*
dumosa. *Bush Arbor-vite*
gigantea. *Cedar*, of British Columbia,
Western Arbor-vite, *White Cedar* of California
- Lobbii*. *Yellow Cypress*
- occidentalis*. *American Arbor-vite*, *White Cedar*
occidentalis var. *argentea*. *Silvery-leaved Arbor-vite*
occidentalis var. *densa* or *compacta*. *Bagshot Park Arbor-vite*
occidentalis var. *ericoides*. *American Tom Thumb Arbor-vite*
occidentalis var. *Vervaeana*. *Belgian Variegated Arbor-vite*
plicata. *Nootka Sound Arbor-vite*
semper-aurea. *Ever-golden Arbor-vite*
- Thujopsis.** *Broad-leaved Arbor-vite*
borealis (*Cupressus nutkaensis*). *Yellow Cedar*,
Yellow Cypress
dolabrata. *Hatchet-leaved Arbor-vite*
- Thymus.** *Thyme*
alpinus. *Alpine Thyme*
Azoricus. *Azorean Thyme*
azureus. *Azure Thyme*
citriodorus. *Lemon-Thyme*
citriodorus *aureo-variegatus*. *Variegated Lemon-Thyme*
corsicus. *Corsican Thyme*
lanuginosus. *Downy Thyme*
Mastichina. *Herb-Mastick*
melissoides. *Balm-leaved Thyme*
Nummularius. *Money-wort-Thyme*
(*Acinos*) *patavinus*. *Marjoram-leaved Thyme*
Piperella. *Small Peppermint Thyme*
rotundifolius. *Round-leaved Thyme*
Serpyllum. *Brother-wort*, *Hill-wort*, *Mother-of-Thyme*, *Pellamountain*, *Serpulet-oil-plant*,
Wild Thyme
Serpyllum var. *album*. *White-flowered Thyme*
Serpyllum var. *citratus*. *Lemon-scented Thyme*
thuriferus. *Incense Thyme*
Tragorumianum. *Goat's-Marjoram*
vulgaris. *Common*, or *Pot-herb*, *Thyme*
- Thrysacanthus.** *Thyrse-flower*
- Thysanocarpus** 'curvipes'. *Lacc-pod*
laciniatus var. *crenatus*. *Fringe-pod*
- Thysanotus.** *Fringe-Lily*, *Fringed Violet*,
of Australia
- Tiarella cordifolia*. *False Mitre-wort*
- Tiedemannia teretifolia.** *False Water-Dropwort*
- Tigridia.** *Tiger-Iris*, *Tiger-flower*
Pavonia. "Flower of Tigris," *Peacock Tiger-flower*, *Tiger-flower of Mexico*
speciosa alba. *White Tiger-flower*
- Tillæa muscosa.** "Mossy Red-shanks"
- Tillandsia usneoides.** *Long or Black Moss*,
New Orleans Moss, *Old-man's-beard*,
Spanish Moss, *Vegetable Hair*
- Tilia.** *Lime*, *Lime-tree*
americana. *American Bass-wood* or *White-wood*
americana var. *laxiflora*. *Loose-flowered American Lime-tree*
americana var. *pubescens*. *Downy-leaved American Lime-tree*
americana var. *pubescens* *leptophylla*.
Downy Narrow-leaved American Lime-tree
europaea. *European Lime-tree*, *Lin*, *Line*,
Linde, or *Linden-tree*, *Russian-Bast-tree*,
Tcil, *Teyl*, or *Til*, *tree*
europaea var. *alba*. *White-leaved Lime-tree*
europaea var. *argentea*. *Silver-leaved Lime-tree*
europaea var. *aurea*. *Golden-twiggled Lime-tree*
europaea var. *dasystyla*. *Hairy-styled Lime-tree*
europaea var. *intermedia*. *Common Lime-tree*
europaea var. *laciiniata*. *Cut-leaved Lime-tree*
europaea var. *microphylla*. "Bass," or
"Bast," *Small-leaved Lime-tree*
europaea var. *platyphylla*. *Broad-leaved Lime-tree*
europaea var. *platyphylla aurea*. *Golden-twiggled Broad-leaved Lime-tree*
europaea var. *rubra* or *corallina*. *Red-twiggled Lime-tree*
heterophylla. *American White Bass-wood*
parvifolia. *Bass*, *Bast*, *Small-leaved Lime-tree*
- Tilletia** *Caries*. "Bunt"-Fungus
- Tipuana heteroptera.** *Angelim* - wood, of Brazil
- Tipularia discolor.** *Crane-fly-Orchis*
- Tobinia coriacea.** *Yellow Mast-wood*
- Toddalia aculeata.** *Lopez Root*
- Todea.** *Crape-Fern*
- Tofieldia.** *False-Asphodel*
calyculata. *Small-calyxed False-Asphodel*
palustris. *Marsh False-Asphodel*, *Scotch Asphodel*
pubens. *Downy False-Asphodel*
- Tolpis barbata.** *Yellow Garden Hawk-weed*
- Tontelea** (*Salacia*) *pyriformis*. *Tontel-tree*
- Tordylium.** *Hart-wort*
apulum. *Small Hart-wort*
maximum. *Great Hart-wort*
officinale. *Officinal Hart-wort*
syriacum. *Broad Tooth-pick Chervil*
- Torilis Anthriscus.** *Hedge-parsley*
- Tomentilla officinalis.** *Shepherd's-knot*
- Torreya** *Stinking-Yew*
grandis. *Large Stinking-Yew*
- Myristica.** *Californian Nutmeg-tree*
- taxifolia*. *Stinking Cedar*
- Tortula.** *Screw-Moss*
canescens. *Hoary Screw-Moss*
murialis. *Wall Screw-Moss*
rigida. *Aloe-like Screw-Moss*
ruralis. *Great Hairy Screw-Moss*
tortuosa. *Frizzled Mountain Screw-Moss*
unguiculata. *Bird's-claw Screw-Moss*

- Tournefortia argentea.** E. Indian Velvet-leaf
bicolor. Basket-Wyth, or White-hoop-Wyth,
of Jamaica
heliotropoides. Summer Heliotrope
- Toxicophlæa spectabilis.** Winter-sweet
(*Acokanthera*) Thunbergii. Hottentot's Orange-deal-tree
- Trachelium.** Throat-wort
æceruleum. Blue Throat-wort
- Trachylobium** (*Hymenæa*) Hornemannianum. Zanzibar Copal-resin-plant
- Trachymene australis.** Victorian Parsnip
- Tradescantia.** Spider-wort
congesta. Crowded-flowered Spider-wort
discolor. Purple-leaved Spider-wort
malabarica. Grass-leaved Spider-wort
pilosa. Dwarf Spider-wort
virginica. Flower-of-a-day, Virginian Spider-wort
virginica var. alba. White Spider-wort
- Zanonia.** Gentian-leaved Spider-wort
- Tragia volubilis.** Twining Cow-itch
- Tragopogon porrifolius.** Jerusalem Star, Salsify, Vegetable-Oyster, Star-of-Jerusalem pratinus. Goat's-beard, Go-to-bed-at-noon, Joseph's Flower, Nap-at-noon, Noon-tide, Shepherd's-clock, Star-of-Jerusalem
- Tragopyrum.** Goat's-wheat
buxifolium. Box-leaved Goat's-wheat
lanceolatum. Lance-leaved Goat's-wheat
polygamum. Polygamous Goat's-wheat
- Trapa.** Water-Caltrops
bicornis and *T. bispinosa*. Singhara-nut-plant
natans. Jesuit's Nut, of Venice, "Ling," of the Chinese, Water-Caltrops, Water Chestnut
- Trautvetteria palmata.** False Bug-bane
- Treculia africana.** African Bread-fruit-tree
- Tremella albida.** Fairy Butter
- Auricula.** Earth-jelly
- Tribulus.** Caltrops
cistoides. Turkey-blossom, of the W. Indies
terrestris. Land Caltrops
- Trichadenia zeylanica.** *Tettigaha-*, or *Tettigass-*, tree, of Ceylon
- Trichilia emetica.** Roka-tree, of Arabia
glandulosa. Rose-wood, of N. S. Wales
hirta. Bastard Iron-wood, of the W. Indies
moschata. Musk-wood
- spondioides. White Butter-wood
- Trichobasis Rubigo vera.** "Rust" Fungus
- Trichocladus crinitus.** Hair-branch Tree
- Trichodesma zeylanica.** Ceylon Borage
- Trichodium.** Winter-green-grass
- Trichomanes.** Bristle-Fern
radicans. Common Bristle-Fern, Cup Goldilocks, Killarney Fern
- Trichonema speciosa.** African Crocus
- Trichosanthes anguina.** Snake Gourd, of India
colubrina. Serpent Cucumber, Viper Gourd, of Central America
- Trichosma (Eria) suavis.** Hair Orchid
- Trichostema dichotomum.** Bastard Penny-royal, "Blue Curls"
- lanatum. Black Sage, of California
- Trichostomum aciculare.** Dark Mountain Fringe-Moss
canescens. Hoary Fringe-Moss
funale. Cord-like Fringe Moss
lanuginosum. Woolly Fringe-Moss
patens. Spreading Fringe-Moss
- Tricuspidis purpurea.** Sand-grass, of N. America
seslerioides. Tall Red-top-grass, of N. America
- Tricyrtis hirta.** Japanese Toad-Lily
- Trientalis americana.** American Chick-weed
Winter-Green, Star-flower
- europea. European Chick-weed-Winter green, Star-flower
- Trifolium.** Clover, Trefoil
agrarium. Hop Clover, Yellow Clover
Alexandrinum. Bersin or Egyptian Clover
alpinum. Alpine Trefoil
alpestre. Oval-headed Clover
arvense. Hare's-foot Clover or Trefoil, Rabbit-foot, of N. America, Stone Clover
Bocconi. Boccone's Clover or Trefoil
carolinianum. Carolina Clover
filiforme. Yellow Suckling Clover
fragiferum. Straw-berry-, or Straw-berry-headed, Clover
glomeratum. Clustered Clover
hybridum. Alsike, or Bastard Clover
incarnatum. Crimson Clover or Trefoil
involucratum. Striped-flowered Clover or Trefoil
- Lupinaster. Bastard Lupine
- maritimum. Sea-side Clover or Trefoil
medium. Cow Grass, Marl Grass, Trefoil
Clover, Zig-zag Clover or Trefoil
minus. Yellow Trefoil
ochroleucum. Sulphur Clover or Trefoil
pratense. "Bee-bread," Common Clover, Cow Grass, Honey-suckle, Marl Grass, Purple Clover or Trefoil
- procumbens. Lesser Clover, Low Hop Clover, Yellow Clover
- reflexum. Buffalo Clover
- repens. Dutch or White Clover, Honey-suckle Clover, Honey-suckle Grass
- repens var. hibernicum. Shamrock, of Ireland
- repens var. purpureum. Four-leaved Shamrock
- resupinatum. Reversed Clover
- rubens. Red Clover or Trefoil
- scabrum. Rough Clover or Trefoil
- spadiceum. Brown Clover
- spumosum. Bladder-podded Clover or Trefoil
- stellatum. Starry Clover or Trefoil
- stoloniferum. Running Buffalo Clover
- striatum. Knotted Clover or Trefoil
- strictum. Upright Clover
- subrotundum. Mayad Clover
- subterraneum. Subterranean Clover
- suffocatum. Sand Clover or Trefoil
- uniflorum. One-flowered Trefoil
- Triglochin maritimum.** Sea Arrow-grass
palustre. Marsh Arrow-grass
- Trigonella foenum-graecum.** Common Fenugreek
- ornithopodioides. Bird's-foot Fenugreek
- ornithorrhynchos. Bird's-bill Fenugreek

- Trillium.** American Wood-Lily, Three-leaved Night-shade
cernuum. Drooping Wake-robin or Drooping Wood-lily, of N. America
erectum. Birth-root or Birth-root, Indian-Balm, Lamb's-quarters, Purple-flowered Wood-Lily
erythrocarpum. Painted Wood-Lily
latifolium. Ground-Lily, Indian Shamrock, Rattle-snake-root
grandiflorum, Large White Wood-Lily, Wake-Robin of N. America
nivale. Dwarf White Wood-Lily
pendulum. Indian Balm
- Trinia vulgaris.** Hone-wort
- Triodia decumbens.** Heath-grass
- Triosteum.** Fever-wort, of N. America, Horse-Gentian
perfoliatum. Common Fever-root
- Triphasia trifoliata.** Lime-berry-tree, of Manilla
- Triplaris Bonplandiana.** Ant-tree
- Tripsacum dactyloides.** Buffalo-grass, Gamma-grass, Sesame-grass
- Triptolomæa** sp. Violet-wood, of Brazil (?)
- Tristania albicans** and *T. conferta.* Turpentine-tree, of Australia
conferta (*Lophostemon arborescens*). Queenland Box
- neriifolia.* Water Gum-tree
- Triteleia.** Triplet-Lily
laxa. Ithuriel's Spear
lilacina. Lilac Star-flower
Murrayana. Murray's Star-flower
uniflora. Spring Star-flower
- Triticum.** Wheat, Wheat-grass
æstivum. Spring or Summer Wheat
amyleum. Avel Corn, Starch Wheat
caninum. Awned Wheat-grass, Dog's-tooth-grass
- Cevallos. *Trigo Moro* Wheat
compositum. Mummy Wheat, Pharaoh's Corn
- dicoccum.* Emmer Wheat, Two-grained Wheat
durum. Hard-grained Wheat
hybernum. Winter or Lammas Wheat
monococcum. Single-grained Wheat, St. Peter's Corn
- polonicum.* Polish Wheat
- repens.* Couch, Couch-grass, Couch-wheat, Dog-grass, "Felt," Lagoon-grass, of N. America, Quack-grass, Scutch-grass, Shelly-grass, Skally-grass, Squitch-grass
- sativum* and vars. Common or Soft-grained Wheat
- sativum* var. compactum. Square-eared Wheat
- Spelta.* Dinkel-, or Spelt-, Wheat
- turgidum.* Humpy-grained Wheat
- Tritoma.** Club-lily, Torch-lily
Burchelli. Burchell's Torch-lily
grandis. Tall Torch-lily
media. Intermediate Torch-lily
pumila. Dwarf Torch-lily
Rooperi. Rooper's Torch-lily.
- Uvaria.* Common Torch-lily, Flame-flower, Red-hot-poker Plant
- Uvaria* var. *glaucescens.* Glaucous-leaved Torch-lily
- Tritoma** *Uvaria* var. *grandiflora.* Large-flowered Torch-lily
- Triumfetta.** Paroquet-Bur, of Jamaica, W. Indian Bur-weed
- Lappula.* Great-wort
- semitriloba.* Bur-bark-tree
- Trochocarpa** (*Decaspora*) *laurina.* Australian Beech-cherry or Brush-cherry
- thymifolia.* Tasmanian Wheel-seed
- Trollius.** Globe-flower, Globe Ranunculus, Troll-flower
asiaticus. Asiatic Globe-flower
europæus. Bolts, Common Globe-flower, Golden Ball, Lapper, Lopper, Lockin, or Luckin Gowen, Troll-flower
- Fortunei.* Fortune's Globe-flower
- japonicus.* Japanese Globe-flower
- japonicus* fl. pl. Double Japanese Globe-flower
- laxus.* American Globe-flower, Spreading Globe-flower
- Loddigesii.* Giant Globe-flower
- napellifolius.* Napellus-leaved Globe-flower
- Tropæolum.** Garden Nasturtium, Indian Cress, Yellow Larkspur
- aduncum* (T. *peregrinum*). Canary-bird Nasturtium, Canary Creeper
- atrosanguineum.* Common Garden Nasturtium
- majus.* Tall Nasturtium
- minus.* Dwarf Nasturtium
- pentaphyllum.* Five-leaved Indian Cress
- polyphyllum.* Yellow Rock Indian Cress
- speciosum.* Flame-flowered Nasturtium or Indian Cress
- tuberosum.* Peruvian Nasturtium, Tuberous-rooted Nasturtium
- Trophicis.** Ramoon-tree
- aspera.* Paper-tree, of Siam
- Tsuga** (*Abies*) *Mertensiana* and *T. Patoniiana.* Hemlock Spruce, of California
- Tuber æstivum.** English Truffle
- album* (*Choiromyces meandriformis*). White or False Truffle
- cibarium.* Earth-ball, Truffle (true)
- magnatum.* Piedmontese Truffle
- melanosporum.* French Truffle
- rufum* (*Melanogaster variegatus*). Red Truffle
- Tulipa.** Tulip, Dalmatian Cap
- biflora.* Two-flowered Tulip
- bithynica.* Bithynian Tulip
- Celsiana.* Cels's Tulip, Dwarf Yellow Tulip
- Clusiana.* Clusius's Tulip
- elegans.* Elegant-flowered Tulip
- erythronioides.* Dog's-tooth-Violet Tulip
- fragrans.* Sweet-scented Tulip
- fulgens.* Brilliant Tulip
- Gesneriana* and vars. Common Garden Tulip
- Gesneriana* var. *laciniata.* Parrot Tulip
- Greigi.* Greig's Tulip, Turkestan Tulip
- Hageri.* Hager's Tulip
- iliensis.* Cowslip-scented Tulip
- Kolpakowskyana.* Kolpakowsky's Tulip
- Oculus-solis.* Sun's-eye Tulip
- Orphanidesi.* Orphanides's Tulip
- persica.* Persian Tulip
- præcox.* Large Sun's-eye Tulip
- pulchella.* Dwarf Rosy-purple Tulip

- Tulipa** *stellata*. *Star-flowered Tulip*
suaveolens. *Van Thol Tulip*
sylvestris. *Wild Tulip*
tetraphylla. *Four-leaved Tulip*
triphylla. *Three-leaved Tulip*
turcica. *Florentine Parrot Tulip*
turkestanica. *Turkestan Tulip*
- Tupistra**. *Mallet-flower*
- Turnera** *ulmifolia*. *Holly-rose or Sage-rose*,
 of the W. Indies
- Turpinia** *occidentalis*. *Cassava-wood*
- Tussilago**. *Colt's-foot*
alpina. *Alpine Colt's-foot*
Farfara. *Asses-foot, Bull's-foot, Clay-weed, Cleats, Common Colt's-foot, Cough-wort, Dove Dock, Foal-foot or Fole-foot, Hoofs, Horse-hoof*
- Farfara variegata*. *Variegated Colt's-foot*
- Tylophora** (*Asclepias*) *asthmatica*. *Country or E. Indian Ipecacuanha*
- Typha** (*angustifolia*). *Reree-plant, of India, Small Bul-Rush*
elephantum. *Elephant's-grass*
latifolia. *Baccobolts, Blackcap, Blackheads, Bul-Rush, Cat-o'-nine-tails, Dod, Flax-tail, March, Marish, or Marsh Beetle, Marsh Pestle, Mat-reed, Reed-mace*
- Tytonia** *natans*. *Water Balsam*
- Ulex**. *Furze*
europeus. *Common Furze, French Furze, Gorse, Goss, Thorn-Broom, Whin*
europeus plenus. *Double-blossomed Furze*
nanus. *Autumn-flowering Furze, Cat-whin, Dwarf Furze, Tam Furze*
provincialis. *Provence Furze*
strictus (*U. hibernicus*). *Irish Furze*
- Ulmus**. *Elm-tree*
alata. *American Small-leaved Elm, Whahoo, Winged Elm*
americana. *American White Elm*
campestris. *Alme, Aum-tree, Common Elm, English Elm*
campestris var. *acutifolia*. *Acute-leaved Elm*
campestris var. *betulaefolia*. *Birch-leaved Elm*
campestris var. *chinensis*. *Chinese Elm*
campestris var. *concavafolia*. *Concave-leaved Elm*
campestris var. *cornubiensis*. *Cornish Elm*
campestris var. *cucullata*. *Hooded-leaved Elm*
campestris var. *foliis aureis*. *Golden-variegated Elm*
campestris var. *foliis variegatis*. *White-variegated Elm*
campestris var. *latifolia*. *Broad-leaved Elm*
campestris var. *nana*. *Dwarf Elm*
campestris var. *parvifolia*. *Small-leaved Elm*
campestris var. *purpurea*. *Purple-leaved Elm*
campestris var. *sarniensis*. *Jersey Elm*
campestris var. *stricta*. *Red English Elm*
campestris var. *tortuosa*. *Twisted Elm*
campestris var. *viminalis*. *Twiggy Elm*
campestris var. *viminalis variegata*. *Variegated Elm*
- Ulmus** *campestris* var. *virens*. *Kidbrook Elm*
campestris var. *virgata*. *Twiggy Elm*
campestris var. *viscosa*. *Clammy Elm*
carpinifolia. *Hornbeam-leaved Elm*
Dampieri aurea. *Golden Elm*
effusa. *Spreading-flowered Elm*
fulva. *Moose Elm, Red Elm, Slippery Elm*
glabra. *Smooth-leaved, or Feathered, Elm*
glabra var. *glandulosa*. *Glandular-leaved Elm*
glabra var. *major*. *Canterbury Seedling Elm*
glabra var. *pendula*. *Downton Elm, Weeping Elm*
glabra var. *ramulosa*. *Fleetbeck Elm*
glabra var. *vegeta*. *Chichester Elm, Huntingdon Elm*
hollandica (*U. major*). *Dutch Elm*
(Holoptelea) integrifolia. *E. Indian Elm*
Kaki. *Japanese Elm*
major. *Declining-branched Elm*
montana. *Mountain Elm, Scotch Elm, Witch or Wych Elm or Hazel*
montana var. *cebbennensis*. *Cevennes Elm*
montana var. *crispia*. *Curled-leaved Elm*
montana var. *fastigiata*. *Exeter Elm*
montana var. *glabra*. *Smooth-leaved Wych Elm*
montana var. *major*. *Greater Wych Elm*
montana var. *minor*. *Small Wych Elm*
montana var. *nigra*. *Black Irish Elm*
montana var. *pendula*. *Camperdown Weeping Elm, Weeping Wych Elm*
montana var. *rugosa*. *Rough-leaved Wych Elm*
monumentalis. *Monumental Elm*
nemoralis. *Hornbeam-leaved Elm*
pumila. *Dwarf Elm*
racemosa. *American Cork Elm, Rock Elm, White Elm*
suberosa. *Cork-barked Elm, Dutch or Sand Elm*
suberosa var. *alba*. *White-barked Elm*
suberosa var. *angustifolia* and var. *latifolia*. *Hertfordshire Elm*
suberosa var. *erecta*. *Upright-branched Elm*
Wallichiana. *Himalayan Elm*
- Ulospermum**. *Broad-seed*
- Ulva** *Lactuca*. *Oyster-green, Sea Lettuce, Sloke*
latissima. *Broad-leaved Oyster-green, Green Laver, Green Sloke, Sea Moss*
- Umbilicaria**. *"Tripe de Roche" Lichen*
- Umbilicus** *chrysanthus*. *House-leek Pennywort*
- pendulinus*. *Kidney-wort*
spinulosus. *Spiny Pennywort*
- Uncaria** *acida* and *U. Gambier*. *Gambier, Gambier Catechu, Pale Catechu, or Terra japonica-plant, of Medicine*
- procumbens*. *Grapple-plant, Hook-thorn, or "Wait-a-bit"-thorn, of S. Africa*
- Uniola** *paniculata*. *"Sea Oats," Sea-side Oat, Spike-grass of N. America*
- Urceola** *elastica*. *Caoutchouc-tree, of Borneo*
- Urceolina** *aurea*. *Golden Urn-flower*
- pendula*. *Drooping Urn-flower*
- Uredo** *segetum*. *Smut of Corn*

Urena. <i>Indian Mallow</i>	Vaccinium leucostomum. White-lipped Whortle-berry
Urginea (Scilla) <i>maritima.</i> Medicinal Squill, Sea-Onion	<i>ligustrinum.</i> Privet-leaved Whortle-berry
Urtica. Nettle	<i>macrocarpon.</i> American Cran-berry, Large Cran-berry
(<i>Laportea</i>) <i>canadensis.</i> Kentucky Hemp	<i>maderense.</i> Madeira Whortle-berry
<i>cannabina.</i> Hemp-leaved Nettle, Kentucky Hemp	<i>meridionale.</i> Jamaican Bilberry
<i>chamædryoides.</i> American Germander-leaved Nettle	<i>minutiflorum.</i> Small-flowered Whortle-berry
<i>dioica.</i> Common Stinging Nettle	<i>Myrsinitis.</i> Myrsine-leaved Whortle-berry
(<i>Laportea</i>) <i>gigas.</i> Giant Nettle, of N. S. Wales	<i>myrtifolium.</i> Myrtle-leaved Whortle-berry
<i>gracilis.</i> Hudson's Bay Nettle	<i>myrtilloides.</i> Myrtillus-like Whortle-berry
<i>moroides</i> and <i>U. photiniphylla.</i> Nettle-tree, of Australia	<i>Myrtillus.</i> Black-berry, Black-heart, Blaeberry, Blue-berry, Bull-berries, Common Bilberry, Fraghan, Frocken, or Frughans, Hart-berries, Horts, Huckle-berry, Hurtleberry, Whin-berry, Whortle-bilberry
<i>pilulifera.</i> Roman Nettle	<i>Myrtillus</i> var. <i>albis-baccis.</i> White-berried Bilberry
<i>pumila.</i> Cool-weed, Rich-weed, Stingless Nettle	<i>nitidum.</i> Glossy-leaved Whortle-berry
(<i>Boehmeria</i>) <i>nivea.</i> "China-grass"-plant, Chinese Cotton-nettle, Chinese Cambric-grass-plant	<i>ovatum.</i> Ovate-leaved Whortle-berry
<i>urens.</i> Small British Nettle	<i>Oxycoccus.</i> Bog-berry, Corn-berries, Cranberry, Crane-berry, or Craw-berry, Croneberry, Fen-berry, Fen Grapes, Marsh or Marish Berries, Monox or Moonog Heather, Moor-berries or Moss-berries
Usnea <i>barbata.</i> Neck-lace Moss	<i>padifolium.</i> Bird-Cherry-leaved Whortle-berry
<i>jubata.</i> Tree-hair Lichen	<i>pallidum.</i> Pale-flowered Whortle-berry
<i>plicata.</i> Tree Moss	<i>penduliflorum.</i> "Ohelo," of the Sandwich Islands
Ustilago <i>fœtida.</i> Bunt or Pepper-brand Fungus	<i>pennsylvanicum.</i> Dwarf Blue-berry, Penn-sylvanian Whortle-berry
segetum. "Brancorn," "Brawn," Smut Fungus	<i>prestans.</i> Kamtschatkan Bilberry
Utricularia. Bladder-wort, Hooded Water-Milfoil	<i>resinosum.</i> Resinous Whortle-berry
<i>Endresi.</i> Endres's Bladder-wort	<i>Rollisoni.</i> Rollison's Whortle-berry
<i>inflata.</i> Inflated Bladder-wort	<i>salicinum.</i> Willow-leaved Whortle-berry
<i>minor.</i> Small Bladder-wort	<i>stamineum.</i> Deer-berry, Squaw Huckle-berry
<i>vulgaris.</i> Common Bladder-wort or Hooded Water-Milfoil	<i>uliginosum.</i> Bog Bilberry
Uvaria (<i>Unona</i>) <i>aromatica.</i> Negro Pepper-lanceolata. Jamaica Lance-wood	<i>vacillans.</i> Low Blue-berry
Uvularia <i>grandiflora.</i> Large-flowered Bell-wort	<i>virgatum.</i> Twiggly Whortle-berry
<i>sessilifolia.</i> Sessile-leaved Bell-wort	<i>Vitis-Ideæ.</i> Brawlns, Cow-berry, Flowering Box, Munshock, Red Whortle-berry, of Mt. Ida
Vaccaria <i>vulgaris</i> (<i>Saponaria</i> <i>Vaccaria</i>). Cow-herb, Soap-wort	Vaillantia Cruciatæ. Cross-wort
Vaccinium. Whortle-berry	Valeriana. Valerian
<i>albiflorum.</i> White-flowered Whortle-berry	<i>dioica.</i> Marsh Valerian
<i>amoenum.</i> Broad-leaved Whortle-berry	<i>globulariæfolia.</i> Globularia-leaved Valerian
<i>angustifolium.</i> Narrow-leaved Whortle-berry	<i>montana.</i> Mountain Valerian
<i>arboreum.</i> Farkle-berry, Tree Whortle-berry	<i>officialis.</i> All-heal, Cat's Valerian, Cut-jinger, Cut-heal, Herb Bennet, Medicinal Valerian, St. George's Herb
<i>Arctostaphylos.</i> Oriental Whortle-berry	<i>Phu.</i> Cretan Spikenard, Garden Valerian
<i>buxifolium.</i> Box-leaved Whortle-berry	<i>pyrenaica.</i> Capon's-tail Grass, Pyrenean Valerian
<i>cespitosum.</i> Tufted Whortle-berry	<i>sambucifolia.</i> Elder-leaved Valerian
<i>canadense.</i> Canada Blue-berry	<i>tripteris.</i> Three-winged Valerian
<i>caracasanum.</i> Caracas Whortle-berry	<i>tuberosa.</i> Mountain Spikenard
<i>corymbosum.</i> Common or Swamp Blue-berry, of N. America	Valerianella <i>Auricula.</i> Sharp-fruited Corn-salad
<i>crassifolium.</i> Thick-leaved Whortle-berry	<i>carinata.</i> Keeled Corn-salad
<i>dumosum.</i> Bushy Whortle-berry	<i>dentata.</i> Narrow-fruited Corn-salad
<i>elongatum.</i> Elongated Whortle-berry	<i>eriocarpa.</i> Italian Corn-salad
<i>erythrinum.</i> Red-twiggled Whortle-berry	<i>olitoria.</i> Common Corn-salad, Lamb's-Lettuce, Milk-grass, "White Pot-herb"
<i>frondosum.</i> Blue Tangles, Blue Whortle-berry, of N. America, Leafy Whortle-berry	Vallisneria spiralis. Eel-grass, Tape-grass
<i>galeans.</i> Gale-leaved Whortle-berry	Vallota <i>purpurea.</i> Scarborough Lily
<i>glabrum.</i> Smooth Whortle-berry	<i>purpurea</i> var. <i>eximia.</i> Scarlet Scarborough Lily
<i>grandiflorum.</i> Large-flowered Whortle-berry	
<i>humifusum.</i> Trailing Whortle-berry	

Vancouveria hexandra. American Barren-wort
Vanda furva. Cowslip-scented Orchid
Vandellia diffusa. Bitter-blain, of Guiana
Vanilla claviculata. "Green-withe," of the W. Indies, Purple-lip Orchid
Vascoa amplexicaulis. Liquorice-bush, of the Cape
Vateria indica. White Dammar-tree
Vella annua. Annual Cress-Rocket, Spanish Cress
Pseudo-cytisus. Perennial or Shrubby Cress-Rocket
Vepris lanceolata. White Iron-wood
Veratrum. White-Hellebore
album. Lang-wort or Lyng-wort, White-flowered White-Hellebore
nigrum. Dark-flowered White-Hellebore
viride. Indian Poke, Itch-weed, Swamp Hellebore, White-Hellebore of N. America
Verbascum. Mullein
Blattaria. Moth Mullein
Boerhaavii. Annual Mullein
Chaixii. Nettle-leaved Mullein
grandiflorum. Great-flowered Mullein
Lychnitis. White-flowered Mullein
macranthum. Long-flowered Mullein
Myconi. Borage-leaved Mullein
nigrum. Black-rooted Mullein
niveum. Snow-white Mullein
olympicum. Olympian Mullein
phlomoides. Woolly Mullein
pheniceum. Purple-flowered Mullein
pulverulentum. Hoary Mullein
Thapsus. Aaron's-Rod, Adam's-Flannel, Ag-leaf, Beggar's-Blanket, Blanket-leaf, Bullock's Lung-wort, Candle-wick, Clown's Lung-wort, Cow's Lung-wort, Duffle, Field-wood (?), Felt-wort, Flannel, Flannel-plant, Fluff-weed, Hag-taper, Hedge-taper, High-taper or High-taper, Hare's-beard, Jacob's-staff, Ladies' Fox-glove, Mullein Dock, Shepherd's-club, Torches, Velvet Dock, White Mullein
vernale. Tall Mullein
virgatum. Twiggy Mullein
Verbena Aubletia (V. montana). Cut-leaved Vervain, Rocky Mountain Verain, Rose Vervain
hastata. Blue Vervain, or Simpler's-Joy, of N. America, Wild Hyssop
montana (V. Aubletia). Rocky Mountain Vervain
nodiflora. Creeping Vervain
officinalis. Common Vervain, Holy Herb, Juno's Tears, Pigeon's Grass, Simpler's-Joy
urticafolia. Nettled-leaved or White Vervain
venosa. Hardy Garden Verbena, Large-veined Vervain
Verbesina. Crown-beard
Vernonia. Iron-weed, of N. America
anthelmintica. Khatzum-, or Kinka-, oil-plant
arborescens. W. Indian Flea-bane
Noveboracensis. "Flat-tops," of New York, New York Iron-weed
Veronica. Cancer-wort, Speedwell

Veronica agrestis. Garden Speedwell, German Chick-weed, Procumbent Field Speedwell
alpina. Alpine Speedwell
americana. American Brooklime
amethystina (V. paniculata, V. spuria). Amethyst Speedwell
Anagallis. "Faverell," Great Water Speedwell, Water Pimpernel
Andersoni. Anderson's Speedwell
aphylla. Naked-stalked Speedwell
arvensis. Spiked Field Speedwell, Wall Speedwell
austriaca. Austrian Speedwell
Beccabunga. Brooklime, Horse-well-grass, Water Pimpernel
bellidoides. Daisy-leaved Speedwell
Buchanani. Buchanan's Speedwell
Buxbaumii. Buxbaum's Speedwell
buxifolia. New Zealand Box
candida. Silvery Speedwell
caucasica. Caucasian Speedwell
Chamaedrys. Angel's-eyes, Bird's-eyes, Blew-wort, Blue-eyes, Blue Stars, Female Fluellen, Germander Speedwell, God's-eye
corymbosa. Many-spiked Speedwell
cuneifolia. Wedge-leaved Speedwell
decussata. Falkland Islands Speedwell
foliosa. Leafy Speedwell
fruticulosa. Shrubby-stalked Speedwell
gentianoides. Gentian Speedwell
Guthrieana. Guthrie's Speedwell
hederæfolia. Ivy-leaved Chick-weed, Ivy-leaved Speedwell, Mother-of-Wheat, Small Hen-bit, Winter-weed
hybrida. Welsh Speedwell
incarnata. Flesh-coloured Speedwell
incisa. Cut-leaved Speedwell
laciniata. Fern-leaved Speedwell
laetea (V. repens). White-flowered Speedwell
longifolia subsessilis. Japanese Speedwell
maritima. Sea-side Speedwell
montana. Mountain Speedwell
multifida. Narrow-leaved Speedwell
neglecta. Gray-leaved Speedwell
Nummularia. Money-wort Speedwell
officinalis. Common Medicinal-tea-Speedwell, Fluellen, Ground-helix
officinalis var. *rosea.* Pink-flowered Speedwell
pectinata. Scalloped-leaved Speedwell
peduncularis. White Caucasian Speedwell
peregrina. Neck-weed, Purslane Speedwell
perfoliata. Digger's Speedwell, of Australia
pinguifolia. Thick-leaved Speedwell
prostrata. Prostrate Speedwell
repens. Creeping Speedwell
rupestrис. Rock Speedwell
salicifolia. Willow-leaved Speedwell
saturejæfolia. Savory-leaved Speedwell
saxatilis. Deep-blue-flowered Rock Speedwell
saxatilis var. *Grievei.* Rosy-flowered Rock Speedwell
scutellata. Bog or Marsh Speedwell
serpyllifolia. Paul's-, or St. Paul's-, Betony, Thyme-leaved Speedwell
sibirica. Siberian Speedwell
spicata. Spike-flowered Speedwell
spicata var. *corymbosa.* Clustered-flowered Speedwell

- Veronica** *spuria*. *Bastard Speedwell*
taurica. *Taurian Speedwell*
Teucrium. *Hungarian or Saw-leaved Speedwell*
trifolios. *Variable-leaved Speedwell*
verbenacea. *Vervain Speedwell*
verna. *Vernal Speedwell*
(Leptandra) virginica. *Culver's Physic, Culver's Root, Great Virginian Speedwell*
- Verticillaria** *acuminata*. "Balsam of Maria"-tree
- Verticordia**. *Juniper Myrtle*
- Vesicaria**. *Bladder-pod or Bladder-seed*
græca. *Grecian Bladder-pod*
Shortii. *American Bladder-pod*
utriculata. *Inflated Bladder-pod*
- Vestia lycoides**. *Box-thorn, of Chili*
- Vexillaria virginica**. *Virginian Butterfly-weed or Flay-flower*
- Viburnum** *acerifolium*. *Dockmackie, Maple-leaved Arrow-wood*
cassinoides. *Appalachian Tea-tree*
cotinifolium. *Indian Wayfaring-tree*
Dahuricum. *Dahurian Guelder-Rose*
dentatum. *American Arrow-wood*
ellipticum. *Arrow-wood, of California*
levigatum. *Cassioberry-bush*
Lantana. *Common Wayfaring-tree, Cotton-tree, Coven-tree, Lithy-tree, Mealy-tree, The Cottoner*
lantanaoides. *American Wayfaring-tree, Hobble-bush*
Lentago. *Sheep-berry, Sweet Viburnum*
macrocephalum. *Large-flowered Snow-ball-tree*
nudum. *American Withe-rod*
Opulus. *Dog-Eller, Dog-Rowan-tree, Cranberry-tree, Guelder-Rose, Marsh, Marish, or Water Elder, Ople-tree, Snow-ball-tree, Whitten-tree*
Opulus var. *nanum*. *Dwarf Guelder-Rose*
Opulus var. *roseum*. *Red Guelder-Rose, Rose-Elder*
orientale. *Eastern Guelder-Rose*
Oxycoccus. *High Cran-berry, of N. America*
prunifolium. *American Black Haw*
pubescens. *Downy Arrow-wood*
Tinus. *Laurustinus*
Tinus var. *lucidum*. *Shining-leaved Laurustinus*
Tinus var. *strictum*. *Upright-branched Laurustinus*
- Vicia**. *Vetch*
americana. *American Wood-Vetch, "Pea Vine" of California*
argentea. *Silvery Vetch*
bithynica. *Bithynian Vetch*
caroliniana. *Carolina Tufted Vetch*
Cracca. *Common Tufted Vetch, Cow Vetch, Wild Fitches or Fitches*
dumetorum. *Great Wood-Vetch*
Faba. *Straight Bean*
hirsuta. *Common Tare, Hairy Vetch*
lathyroides. *Spring Vetch, Strangle-Tare*
lutea. *Yellow-flowered Vetch*
Narbonnensis. *Narbonne Vetch*
Orobus. *Upright Vetch*
sativa. *Common Vetch, Fetch, Fitch, Fitches, Lints*
- Vicia** *sepium*. *Bush Vetch*
sylvatica. *Wood-Vetch*
sylvestris. *Strangle-Tare, Tine-Tare*
tetrasperma. *Four-seeded Vetch*
- Victoria** *regia*. *Queen Victoria's Water-lily, Royal Water-lily, Victoria Water-lily, Water-Maize, Water-platter*
- Vieusseuxia**. *Peacock Iris*
glaukopis (*Iris Pavonia*). *Blue-eyed Peacock-Iris*
- Vigna** *luteola*. *Sea-side Bean, of the W. Indies*
sinensis. *Chowlee-plant, of India*
unguiculata. *Red Bean*
- Vilfa**. *Rush-grass*
- Villarsia** (*Limnanthemum*) *nymphæoides*.
Fringed Buck-bean, Fringed Water-lily, Round-leaved Buck-bean, Small Yellow Water-lily
- Vilmorinia** *multiflora*. *Vilmorin's Purple Pea-flower*
- Viminaria** *deundata*. *Australian Rush-Broom, Victorian Swamp Oak or Broom*
- Vinca**. *Periwinkle*
acutifolia. *Italian Periwinkle*
alba. *White-flowered Indian Periwinkle*
herbacea. *Herbaceous Periwinkle*
major. *Band-plant, Cut-finger, Large Periwinkle*
major var. *elegantissima*. *Variegated-leaved Periwinkle*
minor. *Small Periwinkle*
minor fl. pl. *purpurea*. *Double Purple Periwinkle*
minor var. *alba*. *Small White Periwinkle*
minor var. *atropurpurea*. *Dark-purple-flowered Periwinkle*
rosea. *Madagascar Periwinkle, "Old-maid" of the W. Indies, Rosy-flowered Indian Periwinkle*
- Vincetoxicum** *officinale*. *Tame Poison*
- Viola**. *Violet*
altaica. *Altaiian Violet*
arborescens. *Tree Violet*
argentiflora. *Silvery-flowered Violet*
Beckwithii. *Beckwith's Violet*
"Belle de Chatenay." *Double White Winter-flowering Violet*
biflora. *Twin-flowered Violet*
blanda. *Sweet White Violet*
calcarata. *Spurred Violet*
canadensis. *Canadian Violet*
canina. *Dog Violet*
canina var. *adunca*. *Hook-spurred Violet*
cornuta. *Horned, or Pyrenean, Violet*
cucullata. *Common Blue Violet of N. America, Hollow-leaved Violet*
delphinifolia. *Larkspur-leaved Violet*
gracilis. *Olympian Violet*
hastata. *Halberd-leaved Violet*
hirta. *Hairy Violet*
lanceolata. *Spear-leaved Violet*
lutea. *Mountain Violet*
mirabilis. *Broad-leaved Violet*
montana. *Alpine Violet*
multiflora. *Many-flowered Violet*
Munbyana. *Munby's Violet*
odorata. *March, or Sweet-scented, Violet*
odorata var. *pallida plena*. *Neapolitan Violet*

Viola palmaensis. *Palma Violet*
palmata. *Hand-leaf Violet*
palustris. *Marsh Violet*
pedata. *Bird's-foot Violet*
pedunculata. *Long-stalked Violet*
pennsylvanica. *Pennsylvanian Violet*
pinnata. *Pinnate-leaved Violet*
primulæfolia. *Primrose-leaved Violet*
pubescens. *Downy Yellow Violet*
renifolia. *Kidney-leaved Violet*
rostrata. *Long-spurred Violet*
rothomagensis. *Rouen Violet*
rotundifolia. *Round-leaved Violet*
sagittata. *Arrow-leaved Violet*
Sheltonii. *Shelton's Violet*
striata. *Pale, or Striped-flowered, Violet*
suavis. *Russian Violet*
sylvatica. *Dog Violet, Hedge Violet*
tricolor. *Cull-me-to-you, Fancy, Flamy, Garden-gate, Heart's-ease, Herb Trinity, Jump-up-and-kiss-me, Kiss-me, Kiss-me-at-the-garden-gate, Live-in-idleness, Love-in-idleness, Pansy, Pink-of-my-John, Three-faces-under-a-hood, Tickle-my-fancy*
uniflora. *Siberian Violet*
Virgilia lutea (*Cladranthus tinctoria*). *American Yellow-wood*
Virola sebifera. *Candle-nut-tree, of Guiana*
Viscum album. *Common Mistletoe*
Vismia brasiliensis. *Brazilian Wax-tree*
guianensis. *American Gamboge-tree or Gutta-Gum-tree, Wax-tree of Guiana*
Mocanera. *Mocan-shrub*
Vitex Agnus-castus. *Chaste Tree, Hemp-tree, Monk's Pepper-tree, Tree-of-Chastity*
Lignum-vitæ. *Queensland Lignum-vitæ*
littoralis. *New Zealand Teak or Puriri-tree*
trifolia. *Wild Pepper, of India*
umbrosa. *W. Indian Box-wood*
Vitis. *Vine*
acetosa. *Vine of N. Australia*
aestivalis. *American Summer Grape*
candidans. *Mustang Vine*
(Cissus) antarctica. *Port Jackson Black Grape, or Kangaroo Grape*
cordifolia. *Chicken-Grape, Frost-Grape, or Winter-Grape*
gongylodes. *Gouty-stemmed Vine*
(Cissus) heterophylla variegata. *Variegated Vine*
heterophylla humulifolia. *Turquoise-berried Vine*
humulifolia. *Hop-leaved Vine*
(Cissus) hypoglauca. *Gipps-land Grape Vine, Vine of Eastern Australia*
indivisa. *Entire-leaved Ivy Grape-Vine*
Labrusca. *American Plum-Grape, Bland's Grape, Isabella-Grape, Northern Fox-Grape*
laciniosa. *Parsley-leaved Vine*
(Cissus) opaca. *Burdekin Vine*
riparia. *Fragrant Wild Vine, of N. America*
rotundifolia. *American Bull-Grape*
vinifera and vars. *Cultivated Grape-Vine*
vulpina var. *corinthiaca.* *Currant Vine*
vulpina. *American Bullet-Grape, Muscadine, or Southern Fox-Grape*
vulpina var. *Scuppernong Grape*
Vittadenia australis (*V. triloba*). *New Holland Daisy*

Vittaria lineata. *Florida Ribbon-Fern*
Voandzeia subterranea. *Bambara Ground-nut, Pea-nut of Madagascar, Underground Bean*
Vochysia guianensis. *Copai-yé-wood, of Guyana*
Wahlenbergia capillaris. *Australian Bell-flower*
gracilis. *Australian Hare-bell*
(Campanula) hederacea. *Ivy-leaved Hare-bell*
littoralis. *Tasmanian Bell-flower*
lobelioides. *Madeira Bell-flower*
saxicola. *New Zealand Blue-bell*
Waldesteinia (*Comaropsis*) *fragarioides.* *Barren Straw-berry*
Walsura Piscidia. *E. Indian Fish-poison*
Washingtonia (*Sequoia*) *gigantea.* "Big Tree" or "Mammoth Tree" of California
Watsonia. *Bugle-Lily*
Wedelia carmosa. *Creeping Ox-eye, W. Indian Marigold*
Weigela rosea and vars. *Bush Honey-Suckle*
Weinmannia racemosa. *Tawai-bark-tree, of New Zealand*
Wellingtonia (*Sequoia*) *gigantea.* "Big Tree" or "Mammoth Tree" of California
Westringia rosmariniformis. *Victorian Rosemary*
Wickstromia indica. *Native Daphne, of Australia*
Widdringtonia. *African Cypress*
juniperoides. *Cape Gum-tree*
Wigandia urens (*W. Caracasana*). *Caraccas Big-leaf*
Wistaria (*Glycine*). *Grape-flower Vine*
frutescens. *American Kidney-bean Tree*
sinensis. *Chinese Kidney-bean Tree, "Fiji" or "Fu-ji," of Japan*
Wittsteinia vacciniacea. *Victorian Blae-berry or Whortle-berry Bush*
Woodwardia. *Chain-Fern*
angustifolia. *Narrow-fronded or Netted Chain-Fern*
radicans. *Californian Chain-Fern*
Wrightia. *Palay, or Ivory-tree, of the E. Indies*
antidysenterica. *Conessi-bark Tree*
tinctoria. *Pala Indigo-plant*
Xanthium. *Cockle-bur or Clot-bur*
spinosum. *Bathurst Bur, Spiny Clot-bur*
Strumarium. *Ditch-Bur, Louse-Bur, Small Burdock*
Xanthorrhæa. *Black Boy Tree, Grass-tree or Grass-Gum-tree, of Australia*
Xanthorrhiza apifolia. *American Yellow-root Shrub*
Xanthosoma atrovirens. *W. Indian Kale*
sagittæfolia. *Arrow-leaved Spoon-flower*
Xanthostemon (*Metrosideros*) *chrysanthus.* *Golden Myrtle, of Queensland*
Xanthoxylon. *Tooth-ache-tree*
americanum. *Northern Prickly Ash, Tooth-ache-tree*
capense. *Wild Cardamom, of S. Africa*
Caribæum. *Satin-wood Tree*

- Xanthoxylon** Clava-Herculis (*X. carolinianum*). Hercules'-Club, Southern Prickly Ash, W. Indian or Prickly Yellow-wood
Daniellii. Bitter Pepper, Star-Pepper
fraxineum. Prickly Ash
guianense. Negro's Pepper
mandschuricum. Anise Pepper-tree
mite. Thornless Tooth-ache-tree
piperitum. Chinese, or Japanese, Pepper
Pterota. Bastard Iron-wood
tricarpum. Three-fruited Tooth-ache-tree
- Xeranthemum**. "Everlasting" or "Immortelle"-flower
annuum. Annual Everlasting
- Xerophyllum** asphodeloides. Turkey's-beard
- Xerotes** longifolia. Tussock-grass, of Australia
- Ximenia** americana. False Sandal-wood, Hog-plum, Mountain-plum, Sea-side Plum of the W. Indies
- Xiphopteris** serrulata. Sword-Fern
- Xylia** dolabiformis (*Inga xylocarpa*). Burmah, or E. Indian, Iron-wood
- Xylomelon** pyriforme. "Wooden-Pear"-tree, of Australia
- Xylophylla** latifolia. Sea-side Laurel, of Jamaica
- Xylopia** frutescens. Bitter-wood, of Guiana
glabra. W. Indian Bitter-wood
- Xylostroma** giganteum. "Oak-leather" Fungus
- Xyris**. Yellow-eyed Grass of N. America
- Yucca**. Adam's-needle, Bear-grass, Spanish Bayonet
acuminata. Pointed-leaved Adam's-Needle
aloifolia. Aloe-leaved Adam's-Needle, Spanish Dagger
aloifolia var. *pendula*. Drooping-leaved Adam's-Needle
angustifolia. Narrow-leaved Adam's-Needle
canaliculata (*Y. Treculeana*). Channelled-leaved Adam's-Needle
concava. Hollow-leaved Adam's-Needle
conspicua. Conspicuous Adam's-Needle
crenulata. Scalloped-leaved Adam's-Needle
draconis. Drooping-leaved Adam's-Needle
filamentosa. Adam's-Needle-and-Thread, Thready Adam's-Needle, Silk-grass of Carolina
flaccida. Flaccid-leaved Adam's-Needle
gloriosa. Common Adam's-Needle, Mound-lily
gloriosa var. *glaucescens*. Glaucous Adam's-Needle
graminifolia. Grass-leaved Adam's-Needle
nivea. Silvery Adam's-Needle
obliqua. Oblique-leaved Adam's-Needle
recurva. Recurved-leaved Adam's-Needle
rufo-cincta. Reddish-edged Adam's-Needle
stricta. Upright-leaved Adam's-Needle
superba. Superb Adam's-Needle
- Yucca** *tenuifolia*. Slender-leaved Adam's-Needle
undulata. Wavy-leaved Adam's-Needle
- Zamia** *furfuracea* and *Z. integrifolia*. Jamaica Sago-tree
- Zannichellia** *palustris*. Horned Pond-weed
- Zanonia** *indica*. "Bandolier-fruit"-tree
- Zapania** (*Lippia*) *nodiflora*. Creeping Verain
- Zasmidium** *cellare*. Wine-cellar Fungus
- Zauschneria** *californica*. Californian Fuchsia
- Zea** *Curagua*. Saw-leaved Maize
japonica. Japanese Maize
Mays. Common Maize, Guinea Wheat, Indian Corn, "Meaties," Turkey Wheat
- Zelkova** *crenata*. (*Planera Richardi*). Common Zelkova-tree
- Zephyranthes**. Zephyr-flower
(Amaryllis) Atamasco. Atamasco Lily
candida. Peruvian Swamp-lily, White Zephyr-flower
carinata. Keeled Zephyr-flower
rosea. Rosy Zephyr-flower
sulphurea. Sulphur-coloured Zephyr-flower
tubipathia. Tube-spathe Zephyr-flower
- Zieria**. Turmeric-tree, of Australia
lanceolata. Stink-wool, of Tasmania
macrophylla. Australian Stink-wood
Smithii. Sand-fly Bush, of Australia
- Zingiber**. Ginger
Casumunar. Bengal Root
officinale. Common Ginger, E. Indian, Jamaica, or Red Ginger
Zerumbet. Broad-leaved Ginger
- Zinnia**. Youth-and-Old-Age
- Zizania** *aquatica* (*Hydropteryx esculentum*). Indian or Canada Rice, Water-Oats
- Zizia** *integerrima*. Golden Alexanders
- Zizyphus** *flexuosa*. Zig-zag Jujube-tree
incurva. Incurved-spined Jujube-tree
Jujuba. Common Jujube-tree
Jujuba var. Chinese Date
Lotus. *Lotus-*, or *Lotos*, tree
Spina-Christi. Christ's-Thorn, Nubk-tree of Palestine
- Zostera** (*Alga*) *marina*. Bell-ware, Glass Wrack, Glaziers' Sea-weed, Grass Wrack or Grass Weed, Turtle-grass, Sea-Hay, Wrack-grass
mediterranea. Glaziers' Sea-weed
nana. Dwarf Grass-wrack
- Zuelania** *latioides*. Wild Coffee, of the W. Indies
- Zygadenus** *venenosus*. "Death Quamash," Hog's Potato
- Zygodon**. Yoke Moss
conoides. Small Yoke Moss
- Zygophyllum**. Bean-Caper
Fabago. Syrian Bean-Caper

New York Botanical Garden Library

QK 9 .E5 M52
Miller, William/A dictionary of English

gen



3 5185 00118 1849

