

THIS BOOK MAY NOT BE PHOTOCOPIED

	Page		Page			
Yunx torquilla	1842,	}	Zeus roseus	1843,	85	
			Zonites fuliginosus	1834,	63	
Zanclus cornutus	1833,		walkeri	1834,	63	
Zapornia pusilla	1839,		Zoothera	1830-1,	172	
Zebrida adamsii	1847,		monticola	}	1830-1,	172
					1832,	15
Zenaida aurita	}		Zonotrichia matutina	1843,	113	
				Zoposis nodosa	1841,	116
Zeus aper	1833,		Zosterops	1845,	24	
childreni	1843,		albogularis	1836,	75	
conchifer	1845,		chloronotus	1840,	165	
	}		maderaspatanus	1839,	161	
faber		1846,		tenuirostris	1836,	76



THE END OF THE INDEX.

PROCEEDINGS

OF THE

ZOOLOGICAL SOCIETY

OF LONDON.



INDEX.

1848—1860.

PRINTED FOR THE SOCIETY;

SOLD AT THEIR HOUSE IN HANOVER SQUARE,

AND AT

MESSRS. LONGMAN, GREEN, LONGMANS, AND ROBERTS,

PATERNOSTER-ROW.

1863.

PROCEEDINGS

ZOOLOGICAL SOCIETY

OF LONDON

1881-1882

PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.

CONTENTS.



	Page
List of the Names of Contributors, from 1848 to 1860, with the Titles of and References to the several Articles con- tributed by each	1
List of the Illustrations, 1848 to 1860.....	67
Index of Species described and referred to, 1848 to 1860	91

CONTENTS

1. The History of the Republic of China
2. The Political System of the Republic of China
3. The Economic System of the Republic of China
4. The Cultural System of the Republic of China
5. The Social System of the Republic of China
6. The Foreign Relations of the Republic of China
7. The Military System of the Republic of China
8. The Education System of the Republic of China
9. The Health System of the Republic of China
10. The Environment of the Republic of China

LIST OF THE NAMES

OF

CONTRIBUTORS,

FROM 1848 TO 1860,

With the Titles of and References to the several Articles contributed by each.

	Page
<hr/>	
ADAMS, A. LEITH, M.D., A.M., Surgeon 22nd Regiment.	
Notes on the Habits, Haunts, &c. of some of the Birds of India (communicated by Messrs. T. J. and F. Moore)	1858, 466
Remarks on the Habits and Haunts of some of the Mammalia found in various parts of India and the West Himalayan Mountains (communicated by Messrs. T. J. and F. Moore)	1858, 512
The Birds of Cashmere and Ladakh	1859, 169
ADAMS, ARTHUR, F.L.S., Surgeon R.N.	
Description of a New Genus of Acephalous Mollusca, of the Family <i>Pectinacea</i>	1848, 133
Monograph of the Recent Species of <i>Trigonia</i> , including the description of a New Species from the Collection of Hugh Cuming, Esq.	1849, 159
On the animal of <i>Geomelania</i>	1849, 169
Descriptions of New Species of Shells from the Collection of Hugh Cuming, Esq.	1849, 169 ✓
PROC. ZOOL. SOC. INDEX, 1848-60.	1

6

ADAMS, ARTHUR, F.L.S., Surgeon R.N. (*continued*).

Monograph of the Species of <i>Myochama</i> , including the descriptions of Two New Species from the Collection of Hugh Cuming, Esq.	1850,	22
Description of New Species of the Genus <i>Cumingia</i> , with some additional generic characters.....	1850,	24
An arrangement of <i>Stomatellidæ</i> , including the characters of a New Genus and of several New Species	1850,	29
Monograph of the Genus <i>Anatinella</i>	1850,	40
Monographs of <i>Cyclostrema</i> , Marryatt, and <i>Separatista</i> , Gray, two genera of Gasteropodous Mollusks	1850,	41
On the Animal of <i>Liotia</i> , with descriptions of New Species of <i>Delphinula</i> and <i>Liotia</i> , from the Cumingian Collection	1850,	50
Monograph of <i>Sphænia</i> , a genus of Lamellibranchiate Mollusca	1850,	86
Monograph of <i>Scarabus</i> , a genus of air-breathing Gasteropodous Mollusca, from specimens in the Cumingian Collection	1850,	147
Monograph of <i>Phos</i> , a genus of Gasteropodous Mollusca	1850,	152
Monograph of <i>Macrochisma</i> , a genus of Gasteropodous Mollusca, belonging to the Family <i>Fissurellidæ</i>	1850,	202
Monograph of <i>Modulus</i> , a genus of Gasteropodous Mollusca, of the Family <i>Littorinidæ</i>	1850,	203
Monograph of <i>Cyllene</i> , a genus of Gasteropodous Mollusca	1850,	204
Catalogue of the Species of <i>Emarginula</i> , a genus of Gasteropodous Mollusca, belonging to the Family <i>Fissurellidæ</i> , in the Collection of Hugh Cuming, Esq. ..	1851,	82
Catalogue of the Species of <i>Nassa</i> , a genus of Gasteropodous Mollusca, belonging to the Family <i>Buccinidæ</i> , in the Collection of Hugh Cuming, Esq. ; with the Descriptions of some New Species	1851,	94
Descriptions of Fifty-two New Species of the Genus <i>Mitra</i> , from the Cumingian Collection	1851,	132

ADAMS, ARTHUR, F.L.S., Surgeon R.N. (*continued*).

Contributions towards a Monograph of the *Trochidae*, a family of Gasteropodous Mollusca 1851, 150 ✓

A Monograph of *Scutus*, a genus of Gasteropodous Mollusca, belonging to the Family *Fissurellidae* 1851, 221

A Monograph of the Genus *Monoptygma* of Lea 1851, 222

Descriptions of New Shells from the Cumingian Collection 1851, 224 ✓

Note on the Genus *Nematura*. 1851, 225

A Monograph of the Recent Species of *Rimula*, a genus of Mollusca, belonging to the Family *Fissurellidae* 1851, 226

A Monograph of *Puncturella*, a genus of Gasteropodous Mollusca, belonging to the Family *Fissurellidae*. 1851, 227

Descriptions of Sixteen New Species of *Rissoina*, a genus of Marine Gasteropodous Mollusks, from the Cumingian Collection 1851, 264

Descriptions of several New Species of *Murex*, *Rissoina*, *Planaxis*, and *Eulima*, from the Cumingian Collection 1851, 267

Descriptions of New Species of *Eulima*, *Triphoris*, &c., from the Collection of Hugh Cuming, Esq. 1851, 276 ✓

Descriptions of New Shells, from the Cumingian Collection 1852, 90 ✓

Descriptions of a New Genus, and of several New Species, of Mollusca, from the Cumingian Collection 1852, 92 ✓

Descriptions of New Shells, from the Collection of Hugh Cuming, Esq. 1853, 69 ✓

Descriptions of New Species of *Semele*, *Rhizochilus*, *Plotia*, and *Tiara*, in the Cumingian Collection 1853, 94

Descriptions of New Species of the Genus *Conus*, from the Collection of Hugh Cuming, Esq. 1853, 116

Monograph of *Plecotrema*, a New Genus of Gasteropodous Mollusks, belonging to the Family *Auricu-*

ADAMS, ARTHUR, F.L.S., Surgeon R.N. (*continued*).

<i>lidæ</i> , from specimens in the Collection of Hugh Cuming, Esq.	1853, 120
Descriptions of New Species of Shells in the Collection of Hugh Cuming, Esq.	1853, 173 ✓
A Monograph of <i>Pyramidella</i> , a genus of Gasteropodous Mollusca, belonging to the Family <i>Pyramidellidæ</i>	1853, 176
Contributions towards a Monograph of the Genus <i>Chemnitzia</i>	1853, 178
Descriptions of New Genera and Species of Gasteropodous Mollusca	1853, 182
A Monograph of <i>Fossar</i> , a genus of Gasteropodous Mollusca	1853, 186
A Monograph of <i>Umbonium</i> (<i>Rotella</i>), a genus of <i>Trochidæ</i>	1853, 187
A Monograph of <i>Isanda</i> , a New Genus of <i>Trochidæ</i> , allied to <i>Umbonium</i>	1853, 189
Further Contributions towards the Natural History of the <i>Trochidæ</i> ; with a Description of a New Genus, and of several New Species, from the Cumingian Collection	1854, 37 ✓
Description of a New Genus and of several New Species of Gasteropodous Mollusca, from the Cumingian Collection	1854, 41 ✓
Monographs of <i>Actæon</i> and <i>Solidula</i> , two genera of Gasteropodous Mollusca; with Descriptions of several New Species from the Cumingian Collection	1854, 58
A Monograph of <i>Cerithidea</i> , a genus of Mollusca; with Descriptions of several New Species from the Collection of Hugh Cuming, Esq.; to which are added Descriptions of Two New Species of <i>Colina</i> , and One of <i>Donax</i>	1854, 83
Descriptions of Thirty-nine New Species of Shells, from the Collection of Hugh Cuming, Esq.	1854, 130 ✓

ADAMS, ARTHUR, F.L.S., Surgeon R.N. (*continued*).

Descriptions of Twenty-seven New Species of Shells, from the Collection of Hugh Cuming, Esq.	1854, 311
Descriptions of Two New Genera and several New Species of Mollusca, from the Collection of Hugh Cuming, Esq.	1855, 119
Descriptions of Twenty-five New Species of Shells from the same Collection	1855, 221
Descriptions of Two New Shells discovered by Robert M'Andrew, Esq., on the coast of Norway . . .	1856, 1
Descriptions of Thirty-four New Species of Bivalve Mollusca (<i>Leda</i> , <i>Nucula</i> , and <i>Pythina</i>), from the Cumingian Collection.	1856, 47
Notice of a New Species of <i>Trichotropis</i> , from the Collection of Hugh Cuming, Esq.	1856, 369
Notes on the Scaly Ant-eater (<i>Manis javanica</i>), taken during life and after death	1859, 133
Description of a New Conchiferous Mollusk of the Genus <i>Pandora</i>	1859, 487
Note on the Fox of Japan	1860, 195

ADAMS, HENRY, F.L.S.

Description of a New Genus of Freshwater Bivalve Mollusca, belonging to the Family <i>Corbulidæ</i> , from the Collection of Hugh Cuming, Esq.	1860, 203
Description of a New Genus and Species of Mollusk.	1860, 241
On New Genera of Acephalous Mollusks	1860, 369
Descriptions of a New Genus and Species of Mollusca	1860, 450

ADAMS, H. & A.

Monographs of <i>Ellobium</i> and <i>Melampus</i> , two genera of Pulmoniferous Mollusca.	1854, 7
Contributions towards the Natural History of the <i>Auriculidæ</i> , a Family of Pulmoniferous Mollusca; with Descriptions of many New Species from the Cumingian Collection	1854, 30

ALLEN, WILLIAM, Capt. R.N.

Letter relating to skull of Antelope 1848, 88

ANGAS, G. F.

Description of *Tragelaphus Angasii* 1848, 89

BAIKIE, Dr. BALFOUR, F.R.G.S.

On the Skull of a *Manatus* from Western Africa . . 1857, 29

On the Species of *Crocodilus* inhabiting the rivers Kwóra and Bínuë (Niger and Tsádda) in Central Africa 1857, 48

On the Skull of a Species of *Mecistops* inhabiting the river Bínuë or Tsádda, in Central Africa. 1857, 57

BAIRD, W., M.D., F.L.S., &c.

Monograph of the Family *Limnadiadæ*, a family of Entomostracous Crustacea 1849, 84

Description of a New Crustacean 1850, 102

Descriptions of several New Species of Entomostraca 1850, 254

Monograph of the Family *Apodidæ*, a family of Crustaceans belonging to the Division Entomostraca; with a Description of a New Species of *Apus*, and Two Species of *Ostracoda* belonging to the Genus *Cypris* 1852, 1

Monograph of the Family *Branchipodidæ*, a family of Crustaceans belonging to the Division Entomostraca; with a Description of a New Genus and Species of the Family, and Two New Species belonging to the family *Limnadiadæ* 1852, 18

Descriptions of some New Species of Entozoa, from the Collection of the British Museum 1853, 18

Description of a New Species of *Cypris*. 1854, 6

Description of Two New Species of Entozoa 1858, 224

Description of a New Species of *Tenia* 1859, 111

Description of a Rare Entozoon from the Stomach of the Dugong. 1859, 148

BAIRD, W., M.D., F.L.S., &c. (*continued*).

Description of some new recent Entomostraca from Nagpur, collected by the Rev. S. Hislop	1859, 231
Description of a New Species of Entozoon (<i>Sclerostoma sipunculiforme</i>) from the Intestines of the Elephant	1859, 425
Description of a New Species of <i>Estheria</i> from Nagpoor, Central India	1860, 188
Note on the Genus <i>Cypridina</i> , Milne-Edwards, with a Description of some New Species	1860, 199
Description of a New Entomostracous Crustacean, belonging to the Order <i>Phyllopoda</i> , from South Australia	1860, 392
Description of Two New Species of Entomostracous Crustacea from India	1860, 445
Description of some New Species of Intestinal Worms (Entozoa) in the Collection of the British Museum	1860, 446

BARTLETT, A. D.

On the Genus <i>Apteryx</i>	1850, 274
On some Bones of <i>Didus</i>	1851, 280
Letter addressed to Dr. Gray respecting the Living African <i>Lepidosiren</i> in the Crystal Palace.....	1856, 346
Description of Chinese Sheep sent to H. R. H. Prince Albert by Rutherford Alcock, Esq., H. M. Vice-Consul at Shanghai, and presented by H. R. H. to the Zoological Society in April 1855	1857, 104
Description of a Rabbit said to be found on the Himalayan Mountains	1857, 159
Note on the Artificial Propagation of Salmon ...	1859, 125
Indications of the existence of a second species of Emeu (<i>Dromæus</i>)	1859, 205
Remarks on the Habits of a Herring Gull (<i>Larus argentatus</i>)	1859, 467

BARTLETT, A.D. (*continued*):

On the most efficient mode of preserving the Eggs of Birds in order that they may be afterwards hatched	1859, 468
Exhibition of the Head of a variety of the Common Goose, with the feathers of the back of the head reversed	1860, 99
Exhibition of the Gizzard of a Nicobar Pigeon	1860, 99
Note on some Young Hybrid Bears bred in the Gardens of the Society	1860, 130
Exhibition of a series of Eggs of Struthious Birds.	1860, 205
Notes on the Reproduction of the Australian Wattle-bird (<i>Talegalla lathamii</i>) in the Society's Gardens	1860, 426
Note on the <i>Balaniceps rex</i>	1860, 461

BATES, H. W.

Exhibition of an undescribed species of <i>Phyllostoma</i> , from Ega, Upper Amazon	1860, 99
---	----------

BEARDSWORTH, Rev. G.

Extract of a letter relating to two Cetaceans killed on the North Kentish coast, near Whitstable	1860, 373
--	-----------

BEATTIE, WILLIAM, Hon. Sec. Montrose Nat. Hist. Soc.

Note on the Reproduction of <i>Nemertes borlassii</i> (in a letter to Dr. Gray)	1858, 307
---	-----------

BECKER, LUDWIG.

Notes on the Young of <i>Menura superba</i> , in a letter addressed to John Gould, Esq., from Melbourne, Victoria, Sept. 24, 1859	1860, 61
---	----------

BENNETT, G., M.D., of Sydney, F.Z.S., &c.

Notes on the Habits of the <i>Scythrops novæ-hollandiæ</i> (communicated by John Gould, Esq.)	1858, 462
Notes on the Mooruk (<i>Casuarium bennettii</i>)	1859, 32
Notes on the Habits of the <i>Mycteria australis</i> or New Holland Jabiru (Gigantic Crane of the Colonists)	1859, 47

BENNETT, G., M.D., of Sydney, F.Z.S., &c. (*continued*).

Description of a New Species of *Perga*, or Saw-fly, found feeding upon the *Eucalyptus citriodora* of Hooker, or Wide Bay Lemon-scented Gum-tree 1859, 209

Notes on the Duck-bill (*Ornithorhynchus anatinus*) 1859, 213

On the Long-tailed Flying Opossum (*Belideus flaviventris*) in a state of nature and in captivity 1859, 218

Notes on Australian Cuckoos 1859, 221

On the Fish called *Glyphisodon biocellatus* 1859, 222

Notes on Sharks, particularly on two enormous specimens of *Carcharias leucas* captured in Port Jackson, Sydney, New South Wales 1859, 223

Notes on the range of some species of *Nautilus*, on the mode of capture, and on the use made of them as an article of food 1859, 226

Exhibition of specimens of the Egg of the Mooruk (*Cusuarius bennettii*) 1859, 351

Exhibition of a series of twelve coloured drawings of various species of Nudibranchiate Mollusks from the harbour and vicinity of Port Jackson, New South Wales, made by Mr. G. F. Angus, Sec. of the Australian Museum, Sydney 1859, 351

Notes on the habits of the Brown Coati (*Nasua fusca*, Desm.) 1860, 323

BLAND, Dr., Corr. Memb.

Letter 1849, 91

BOILEAU, T. S.

Letter relating to an Indian Wild Hog and an Owl . 1848, 98

BONAPARTE, H. I. H. PRINCE CHARLES LUCIEN.

On the Lorine Genus of Parrots, *Eclectus*; with the Description of a New Species, *Eclectus cornelia* 1849, 142

On the Trichoglossine Genus of Parrots, *Eos*; with the Descriptions of Two New Species 1850, 26

	Page
BONAPARTE, H. I. H. PRINCE CHARLES LUCIEN (<i>continued</i>).	
On the Garruline Birds, or Jays ; with Descriptions of New Species	1850, 79
Descriptions of Two New Species of Oriole	1850, 279
On the largest known Species of Phaleridine Bird..	1851, 201
BONYAN, Dr. G. R.	
Notes on the Raptorial Birds of British Guiana ..	1851, 53
BOURCHIER, R. J., Corr. Memb.	
Letters.....	1849, { 91 94
BOURGUIGNAT, M. J. R.	
Descriptions d'Ancyles nouveaux, de la Collection de M. Cuming, précédées d'une courte notice sur le genre <i>Ancylus</i> , et d'un Catalogue complet des espèces qui le composent	1853, 76
BOWERBANK, J. S., LL.D., F.R.S., &c.	
On the Pterodactyles of the Chalk Formation	1851, 14
BOWLES, Rear-Admiral.	
Letter relating to presentation of specimens of <i>Haliaëtus aguia</i> , Temm., and a male Condor, by Sir G. Seymour.....	1848, 112
BRODERIP, WILLIAM JOHN, B.A., F.R.S., V.P.Z.S., &c.	
Exhibition of a Picture containing a figure of the Dodo	1852, 70
Notice of an original Painting, including a figure of the Dodo, in the Collection of His Grace the Duke of Northumberland at Sion House.....	1853, 54
BUCKLAND, FRANK T.	
Exhibition of the Egyptian Ibis	1860, 184
BUIST, GEORGE, LL.D., F.R.S., &c.	
On Shark-fishing at Kurrachee (communicated by Col. Sykes).....	1850, 100

	Page
BURGESS, Captain B.	
Note on the Indian Weaver Bird (<i>Ploceus philip- pensis</i>).....	1852, 88
Notes on the Habits of Indian Birds.....	1854, { 1 45 102 142 158 255
Notes on the Habits of Indian Birds.....	1855, { 27 32 70 79 184
BUTTERWORTH, Lieut.-Col.	
Letter relating to a Leopard and Tree Kangaroo ..	1848, 98
Letter relating to the shipment of some additions to the Society's Menagerie	1849, 17
CARPENTER, P. P.	
Descriptions of (supposed) New Species and Varieties of Shells, from the Californian and West Mexican Coasts, principally in the Collection of H. Cuming, Esq.....	1855, 228
Notes on the Species of <i>Hipponyx</i> inhabiting the American coasts; with Descriptions of New Species. .	1856, 3
Descriptions of New Species of Shells collected by Mr. T. Bridges in the Bay of Panama and its vicinity, in the Collection of H. Cuming, Esq.	1856, 159
Descriptions of New Species and Varieties of <i>Calyptroidæ</i> , <i>Trochidæ</i> , and <i>Pyramidellidæ</i> , principally in the Collection of H. Cuming, Esq.....	1856, 166
Descriptions of Shells from the Gulf of California and the Pacific Coasts of Mexico and California ...	1856, 198
Monograph of the Shells collected by T. Nuttall, Esq., on the Californian coast, in the years 1834-5 ..	1856, 209
First Steps towards a Monograph of the Recent Species of <i>Petalocochus</i> , a genus of <i>Vermetidæ</i>	1856, 313

CARPENTER, P. P. (*continued*).

- First Steps towards a Monograph of the *Cæcidæ*, a family of the Rostriferous Gasteropoda, 1858, 413

CHITTY, HON. EDWARD.

- On the Jamaican *Cyclotus*, and the Descriptions of Twenty-one proposed New Species and Eight New Varieties of that subgenus from Jamaica 1857, 142

- On *Stoastomidæ* as a Family, and on Seven proposed New Genera, Sixty-one New Species, and Two New Varieties from Jamaica 1857, 162

CHURTON, H.

- Extracts from a Letter respecting Collections in New Zealand 1853, 30

CLERK, Rt. Hon. Sir GEORGE, Bart.

- Letter relating to Monaul 1848, 112

COBBOLD, T. SPENCER, M.D., F.L.S.

- Letter respecting the Cause of Death of a young Giraffe in the Society's Gardens 1859, 494

- Contributions to the Anatomy of the Giraffe. 1860, 99

CRISP, EDWARDS, M.D., F.Z.S.

- On the Anatomy of the Cuckoo. 1853, 67

- On Two Species of Entozoa 1853, 68

- On the Splenic Vein of the Giraffe. 1853, 99

- On the Relative Weight of the Body and of the Viscera of the Elephant 1855, 186

- On some points relating to the Anatomy of the Tasmanian Wolf (*Thylacinus cynocephalus*) and of the Cape Hunting-Dog (*Lycan pictus*) 1855, 188

- Observations on *Strongylus filaria* and *Botaurus stellaris* 1856, 53

- On the Viscera of *Esox lucius* 1856, 106

- Remarks on *Mus musculus*. 1856, 106

CRISP, EDWARD, M.D., F.Z.S. (*continued*).

On the Head and Brain of a Monoculous Lamb ..	1856,	149
On the presence or absence of Air in the Bones of Birds	1857,	{ 9 215
Exhibition of a Nest believed to be that of the Great Grey Shrike (<i>Lanius excubitor</i>).....	1857,	219
Exhibition of a Hen that had assumed the plumage of the Cock.....	1859,	127
Occurrence of a Bantam Hen sitting upon the Eggs of a Water Ouzel (<i>Cinclus aquaticus</i>), and hatching and rearing a young Bird	1859,	200
Exhibition of specimens of the Cock of the Rock (<i>Rupicola crocea</i>) which had been brought alive to and had died in this country	1860,	98
On the Causes of Death of the Animals in the Society's Gardens from 1851 to 1860	1860,	{ 175 190
Exhibition of specimens and drawings of <i>Cœnurus cerebralis</i> from the brains of the Common Sheep	1860,	185
Note on the Blood-corpuscles of the Japanese Gigantic Salamander (<i>Sieboldia maxima</i>)	1860,	203
On the Structure, Relative Size, and Use of the Tail-glands in Birds	1860,	254

DAVIDSON, THOMAS, F.G.S., &c.

Descriptions of a few New Recent Species of Brachiopoda	1852,	75
---	-------	----

DAVY, JOHN, M.D., F.R.S. L. & E.

Notice of a peculiarity of structure observed in the Aorta of the Wild Swan (communicated by Mr. Gulliver)	1849,	28
Observations on the Eye of the Mole (In a letter to W. Spence, Esq., F.R.S.)	1851,	129

DESHAYES, G. P.

Descriptions of Twenty New Species of the Genus <i>Cardita</i> , from the Collection of Hugh Cuming, Esq.	1852,	100
---	-------	-----

DESHAYES, G. P. (*continued*).

Descriptions of New Species of Shells, in the Collection of Mr. Cuming	1853,	1
Descriptions of Fourteen New Species of <i>Mactra</i> , in the Collection of Mr. Cuming	1853,	14
Descriptions of Two Species of <i>Clementia</i> , in the Collection of Mr. Cuming	1853,	17
Observations sur les Animaux de quelques genres de Mollusques Acéphales (<i>Chamostrea</i> , <i>Glauconome</i> , <i>Circe</i> , et <i>Capsa</i>)	1853,	167
Descriptions of New Species of Shells, from the Collection of Hugh Cuming, Esq.	1854,	{ 13 62 317
Sur le Genre <i>Galeomma</i>	1855,	167
Sur le Genre <i>Scintilla</i>	1855,	171
Descriptions de Nouvelles Espèces du Genre <i>Erycina</i>	1855,	181
A General Review of the Genus <i>Terebra</i>	1859,	270

DILLWYN, L. LLEWELLYN, M.P., F.G.S., &c.

On an undescribed Species of <i>Megapodius</i>	1851,	118
--	-------	-----

DOLMATOFF, M. DIMITRE DE.

Note on the capture of the Aurochs	1848,	16
--	-------	----

DOHRN, H.

Description of Thirteen New Species of <i>Paludinacea</i> from Ceylon, in the Collection of Hugh Cuming, Esq.	1857,	123
Descriptions of New Species of Land and Fresh-water Shells from Ceylon, in the Collection of Hugh Cuming, Esq.	1858,	133
Description of New Species of the Genus <i>Paludomus</i> , from Ceylon, in the Collection of H. Cuming, Esq.	1858,	535
Descriptions of New Species of <i>Mitra</i> from the Collection of Hugh Cuming, Esq.	1860,	366

DOUBLEDAY, E., F.L.S.

- Description of a New Genus of *Notodontidæ* 1848, 117
 Exhibition of specimens of the Larva, Pupa, and
 perfect Insect of *Sirex gigas* 1849, 95

DUGUID, Dr.

- Letter on the Deal Fish (communicated by Mr.
 Yarrell) 1851, 116

DUNCAN, JOHN, H. M. Vice-Consul at Whydah.

- Letter 1849, 106
 Letter relating to his interview with the King of
 Dahomey 1849, 163

DUNKER, Dr. W.

- Diagnoses Specierum novarum generis *Planorbis*
 collectionis Cumingiæ 1848, 40
 Limnæacea nova Collectionis Cumingianæ 1853, 53
 On New Shells from the Collection of Mr. Cuming. 1856, {354
 358

EARL, G. WINSOR.

- Notes on the Bovine Animals of the Malay Peninsula 1853, 29

ELLIOT, DANIEL G., of New York, F.Z.S., &c.

- Exhibition of three specimens of Hybrid Ducks
 from his own collection, obtained on the South Shore
 of Long Island, U. S. A. 1859, 437

ELPHINSTON, A.

- Letter relating to a Collection made for the Society
 in India 1849, 106

ELSEY, M.

- Letter containing Observations respecting various
 Species of Birds met with in the neighbourhood of the
 Victoria River Dépôt, N. W. Australia, lat. south
 17° 34' 30" (communicated by John Gould, F.R.S.,
 &c. 1857, 23

FRY, EDWARD.

- Remarks on the Morphology of the Vertebrate
Skeleton 1850, 15

GASKOIN, J. S., F.Z.S., F.L.S.

- Descriptions of New Species of the Genus *Cypræa* 1848, 90
 Descriptions of Seven New Species of *Marginella*,
 and Two of *Cypræa* 1849, 17
 On the Habits of *Helix lactea* 1850, 243
 Descriptions of Twenty Species of *Columbella* and
 One Species of *Cypræa* 1851, 2
 Descriptions of Two New Species of Land Shells .. 1854, 152
 On a peculiar Variety of *Mus musculus*..... 1856, 38
 On some Defects in the Growth of the Antlers, and
 some Results of Castration, in the *Cervidæ* 1856, 151

GÄTKÉ, HERR H., of Heligoland.

- On the Occurrence of American Birds in Europe .. 1860, 105

GOODWIN, WILLIAM.

- On an apparently New Species of Paradise-bird. . . . 1860, 243

GOSSE, P. H., F.R.S.

- On the Habits of *Ameiva dorsalis* 1848, 24
 On the Habits of *Mabouya agilis* 1848, 59
 On the Habits of *Cyclura lophoma*..... 1848, 99

GOULD, AUGUSTUS A., M.D.

- On the true *Nautilus umbilicatus* of Lister 1857 20

GOULD, JOHN, F.R.S., F.L.S., V.P.Z.S.

- Drafts for a New Arrangement of the *Trochilidæ*.. 1848, 11
 On Seven New Species of Australian Birds 1848, 38
 Description of a New Heron 1848, 58
 Description of a New Species of *Cinclosoma* 1848, 139
 Description of a New Species of Nutcracker 1849, 23

GOULD, JOHN, F.R.S., F.L.S., V.P.Z.S. (*continued*).

Description of Two New Species, with the characters of a New Genus, of <i>Trochilidæ</i>	1849,	95
On New Species of Mammalia and Birds from Australia	1849,	109
Descriptions of Three New Species of Indian Birds	1849,	112
Descriptions of New Birds	1850,	91
On Six New Species of Humming-Birds	1850,	162
On New Species of Birds from Australia	1850,	200
Remarks on <i>Notornis mantelli</i>	1850,	212
On New Australian Birds in the Collection of the Zoological Society of London	1850,	276
On a New and most Remarkable Form in Ornithology.....	1851,	1
Letter from J. W. G. Spicer, Esq., concerning Two Hybrid Birds	1851,	61
On a New Species of <i>Musophaga</i>	1851,	93
On a New Species of the Genus <i>Montifringilla</i> ..	1851,	114
On some New Species of <i>Trochilidæ</i>	1851,	115
Remarks on the Genus <i>Hapalotis</i>	1851,	126
Descriptions of Two New Species of Mammalia of the Genus <i>Antechinus</i>	1851,	284
Descriptions of a New Species of <i>Ptilotis</i> and a New Species of <i>Eopsaltria</i> ...	1851,	285
On the Genus <i>Thalurania</i>	1852,	8
Description of a new Species of <i>Aulacorhamphus</i> ..	1853,	45
On the Nest and Eggs of <i>Menura albertii</i>	1853,	45
Description of New Species of <i>Tetraogallus</i>	1853,	47
Description of Five New Species of Humming-Birds	1853,	61
Observations on the Nests of Humming-Birds	1853,	100
Descriptions of Two New Species of Humming-Birds from Peru	1853,	109
On a New Species of <i>Musophaga</i>	1854,	23

	Page
GOULD, JOHN, F.R.S., F.L.S., V.P.Z.S. (<i>continued</i>).	
Exhibition of <i>Fuligula ferinoïdes</i> , Bartlett.	1854, 95
Descriptions of Two New Species of <i>Pucrasia</i>	1854, 99
Description of a New Species of Humming-Bird from Quijos	1854, 109
Description of a New Species of <i>Momotus</i>	1854, 154
Description of a New Bird from Guatemala, form- ing the type of a New Genus.	1854, 285
Extracts from the Letters of his Son, Dr. Henry Gould, relating to the Natural History of Western India	1855, 39
Exhibition of a Collection of Birds from Scinde, being the first of his Son's Contributions to Indian Ornithology.	1855, 50
Descriptions of Eight New Species of Birds from South America	1855, 67
Exhibition of a portion of a Collection of Birds formed by Mr. Hauxwell on the Eastern Side of the Peruvian Andes	1855, 77
Description of a New Species of <i>Ruticilla</i> from Er- zeroum	1855, 78
On Two New Species of Humming-Birds	1855, 86
On a New Species of the Genus <i>Prion</i>	1855, 87
On some New Species of Birds collected by Mr. M'Gillivray	1855, 164
On a New Genus and Species of <i>Trochilidæ</i> from Ecuador	1855, 192
On a New Turkey (<i>Meleagris mexicana</i>)	1856, 61
On Two New Species of Birds (<i>Nestor notabilis</i> and <i>Spatula variegata</i>) from the Collection of Walter Mantell, Esq.	1856, 94
Descriptions of Two New Species of True Cuckoos (Genus <i>Cuculus</i> as restricted)	1856, 96
Descriptions of a New <i>Trogon</i> and a New <i>Odonto-</i> <i>phorus</i>	1856, 107

GOULD, JOHN, F.R.S., F.L.S., V.P.Z.S. (*continued*).

- On some Birds collected by Mr. John MacGillivray, the Naturalist attached to H.M. Surveying Ship Rattlesnake, and lately sent home by Capt. Denham, the Commander of the Expedition 1856, 135
- On Two New Species of Humming-Birds belonging to the Genus *Amazilius* 1856, 150
- Descriptions of Three New Species of the Genus *Phaëthornis*, Family *Trochilidae* 1857, 14
- Descriptions of Three New and very beautiful Species of Birds from Guatemala and from the Island of Lombock. 1857, 64
- Observations on his visit to the United States of America; with Description of a New Species of *Ceriornis* found in the Collection of Dr. Cabot, of Boston, U.S. 1857, 160
- On several New Species of Birds from various parts of the World 1857, 220
- On Four New Species of *Mus* and One of *Hapalotis*, from Australia 1857, 241
- On a New Species of Cassowary. 1857, 268
- Exhibition of British specimens of the *Motacilla flava*, Ray, and note from Mr. Thirtle of Lowestoft, as to its occurrence in that part of England 1858, 77
- Remarks on three specimens of Steller's Duck exhibited by Mr. Stevens 1858, 78
- Remarks on a series of Birds collected by Mr. A. R. Wallace in the Aru Islands 1858, 95
- On a New Species of Toucan (*Andigena spilorhynchus*) 1858, 149
- Exhibition of specimens of the American *Regulus calendulus* and the Night Heron 1858, 290
- Extract from a Letter addressed to him by his son Mr. Charles Gould 1858, 290
- On a New Species of Ptarmigan 1858, 354

GOULD, JOHN, F.R.S., F.L.S., V.P.Z.S. (<i>continued</i>).	
Descriptions of Two New Species of the Family <i>Hirundinidæ</i>	1858, 355
Exhibition of a Drawing of <i>Molossus australis</i> of Gray	1858, 372
Extract from a Letter addressed to him by Dr. George Bennett of Sydney, respecting the Semipal- mated Goose	1859, 39
Exhibition of a Drawing of a Pheasant (<i>Diardigal- lus fasciolatus</i>)	1859, 40
List of Birds from the Falkland Islands, with de- scriptions of the Eggs of some of the Species, from specimens collected principally by Capt. C. C. Abbott, of the Falkland Islands Detachment	1859, 93
On a New Species of <i>Odontophorus</i>	1859, 98
On the Members of the Genus <i>Rupicola</i> , and whether there are two or more species.....	1859, 99
On a New Species of <i>Dendrochelidon</i> or Tree Swift	1859, 100
Exhibition of all the known species of the Genus <i>Elanus</i> , with description of a New Species	1859, 126
Description of Two New Species of Birds; one be- longing to the Family <i>Cuculidæ</i> , the other to <i>Cotur- niceæ</i>	1859, 128
List of Birds collected at Tavoy, in the Tenasserim Provinces, by Captain Briggs, Deputy Commissioner of Tavoy	1859, 149
List of Birds collected in Siam by Sir R. H. Schom- burgk, H. B. M. Consul at Bangkok	1859, 151
On the Nidification of the Kingfisher (<i>Alcedo ispida</i>)	1859, 152
Exhibition of some specimens of Birds of the Genus <i>Urocissa</i> (<i>Corvidæ</i>).....	1859, 200
Exhibition of specimens of the New Paradise Bird (<i>Semioptera wallacii</i>), and a Drawing of the Nest and Egg of <i>Sittella chrysoptera</i>	1859, 351

GOULD, JOHN, F.R.S., F.L.S., V.P.Z.S. (*continued*).

Exhibition of a fine species of Pheasant from Siam, <i>Diardigallus crawfordii</i> (<i>D. fasciolatus</i> of Blyth), and of a specimen of the Royal Spoonbill of Australia, <i>Platalea regia</i>	1859, 353
On Two New Species of <i>Cinclus</i>	1859, 493
Description of a New Species of American Partridge	1860, 62
Exhibition of specimens of the Chough of the Himalayas (<i>Fregilus himalayanus</i>)	1860, 206
Descriptions of Twenty-two New Species of Humming-birds	1860, 304
Remarks on a Kangaroo living in the Society's Gardens	1860, 373
On a New Species of Kangaroo, of the Genus <i>Halmaturus</i>	1860, 375
Description of a New Species of Hornbill from Western Africa	1860, 380
Description of a New Species of the Genus <i>Moho</i> of Lesson	1860, 381
Description of a New <i>Odontophorus</i>	1860, 382
Exhibition of a series of Penguins, and descriptions of two New Species.	1860, 418

GRACE, W.

Letter	1849, 106
--------------	-----------

GRAY, G. R., F.L.S., F.Z.S.

On a New Species of Parrot	1848, 20
On a New Species of <i>Podica</i>	1848, 90
Description of a New Species of Parrot	1848, 125
Notice of two examples of the Genus <i>Gallus</i>	1849, 62
On a New Species of the Genus <i>Glareola</i>	1849, 63
Description of a New Species of the Genus <i>Cultrides</i>	1849, 63
On a New Species of <i>Suthora</i> , from China	1852, 70
On the Species of the Genus <i>Sericinus</i>	1852, 70

GRAY, G. R., F.L.S., F.Z.S. (*continued*).

Descriptions of Two New Species of <i>Ptilonopus</i> ..	1853,	48
On a New Species of <i>Thalassidroma</i>	1853,	62
On a New Species of <i>Somateria</i> , and the Female of <i>Lampronetta fischeri</i> , Brandt	1855,	211
On a New Species of Pigeon	1856,	6
On a New Species of Lepidopterous Insect	1856,	7
A List of Birds, with Descriptions of New Species, obtained by Mr. Alfred R. Wallace in the Aru and Ké Islands	1858,	169
On a New Genus of Goat-sucker, and on a New Species of <i>Enicurus</i> , both from Darjeeling, from the Collection of Brian H. Hodgson, Esq., Corr. Memb. Z.S.....	1859,	101
Notes on the New Bird of Paradise discovered by Mr. Wallace	1859,	130
Exhibition of a drawing of <i>Tringa pectoralis</i>	1859,	130
List of the Birds lately sent by Mr. A. R. Wallace from Dorey or Dorery, New Guinea	1859,	153
List of New-Caledonian Birds	1859,	160
Description of a New Species of Diver (<i>Colymbus</i>)	1859,	167
On a New Species of the Family <i>Papilionidæ</i> from Batchian	1859,	424
Synopsis of the Species of the Genus <i>Penelope</i>	1860,	269
List of Birds collected by Mr. Wallace at the Mo- lucca Islands, with descriptions of New Species, &c. ..	1860,	341

GRAY, JOHN EDWARD, Ph.D., F.R.S., F.L.S., V.P.Z.S.,
&c.

Description of a New Species of <i>Galidictis</i> from Madagascar	1848,	21
Description of a New Genus of Insectivorous Mam- malia or <i>Talpida</i> from Borneo	1848,	23
Observations on <i>Myodes hudsonicus</i> and the other species of the Genus <i>Myodes</i>	1848,	43

GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (*continued*).

Description of a New Species of <i>Anatifa</i>	1848,	44
On <i>Thaliella</i> , a New Genus of Cirripedes allied to <i>Scalpellum</i>	1848,	44
Description of <i>Sarcoptilus</i> , a New Genus of <i>Penna-</i> <i>tulidæ</i>	1848,	45
On a New Species of Monkey from Angola	1848,	56
Observations on some Brazilian Bats, with the De- scription of a New Genus	1848,	57
On the species of the Genus <i>Placenta</i> of Retzius ..	1848,	114
Description of Two Species of Mammalia from Ca- raccas	1848,	138
Descriptions of Three New Species of <i>Delphinidæ</i> ..	1849,	1
On some New or little-known Species of Monkeys..	1849,	7
Description of a New Species of <i>Herpestes</i>	1849,	11
Description of a New Species of Box Tortoise, from Mexico.....	1849,	16
Notes on the Skull of <i>Equus hemionus</i> and <i>Equus</i> <i>kiang</i>	1849,	29
On a very large Roe Deer (<i>C. leucotis</i>) in the Col- lection of the Earl of Derby	1849,	64
On the Genus <i>Bradypus</i> of Linnæus	1849,	65
Description of some Corals, including a New British Coral discovered by W. MacAndrew, Esq.	1849,	74
On the British Specimens of <i>Regalecus</i>	1849,	78
On the variation in the Teeth of the Crested Seal (<i>Cystophora cristata</i>), and on a New Species of the Genus from the West Indies	1849,	91
On the Species of <i>Anomiadæ</i>	1849,	113
On the <i>Cypræa umbilicata</i> and <i>C. eximia</i> of Sowerby	1849,	125
Descriptions of New Species of <i>Gorgonia</i> from Au- stralia	1849,	146

GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (*continued*).

Description of a New Genus and several New Species of Terrestrial, Fluvial, and Marine Molluscan Animals inhabiting New Zealand 1849, 164

Description of a New Species of *Chrysodomus* from the mouth of the Mackenzie River 1850, 14

On a Leech New to the British Fauna 1850, 52

On the occurrence of *Regalecus glesne* at Redcar, Yorkshire, in 1850 1850, 52

On the Characters of the Genera *Pusionella* and *Clavatula* 1850, 56

Description of a New Species of Monkey, recently living in the Society's Menagerie 1850, 77

Synopsis of the Species of Antelopes and Strepsicerces, with descriptions of some New Species 1850, 111

Synopsis of the Species of Deer (*Cervina*), with the description of a New Species in the Gardens of the Society 1850, 222

Descriptions of Two New Genera and some New Species of *Scutellidæ* and *Echinolampidæ*, in the Collection of the British Museum 1851, 34

Description of a New Genus and Family of Cyclo-saurian Lizards from Para 1851, 38

Description of a New Species of *Bulimus* from Cal-lao, collected by Erneste Denicke 1851, 92

Description of a New Genus of *Gorgoniadæ* 1851, 124

Description of a New Genus of Bivalve Shells, and a Sea Egg, from New Zealand 1851, 125

Notice of Two *Viverridæ* from Ceylon, lately living in the Gardens 1851, 131

On a New Genus of *Anomiadæ*, in the Collection of Mr. Cuming 1851, 197

Description of a New Form of Lamprey from Australia, with a Synopsis of the Family 1851, 235

On the Painted Pig of the Camaroons (*Potamo-chærus penicillatus*) 1852, 129

GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (*continued*).

On the Horns of the <i>Sanga</i> , or Galla Oxen, of Gibba	1852, 132
Description of a New Genus and some New Species of Tortoises	1852, 133
On a New Species of Salamander from California ..	1853, 11
Description of a New Species of Tortoise (<i>Testudo planiceps</i>), from the Galapagos Islands	1853, 12
Description of the Animal of <i>Cyclina sinensis</i>	1853, 25
On the Division of the Ctenobranchous Gasteropodous Mollusca into larger Groups and Families	1853, 32
Notice of a presumed New Species of <i>Rhinoceros</i> from South Africa	1853, 46
On the Synonyms of <i>Johnstonella catharina</i> , Gosse	1853, 94
Descriptions of Two New Genera (<i>Pfeifferia</i> and <i>Janella</i>) of Land Mollusca	1853, 109
On the attitudes and figures of the Morse	1853, 112
Observations on some Rare Indian Mammalia	1853, 190
Description of a New Genus and Species of Seal (<i>Heliophoca atlantica</i>) from Madeira	1854, 43
On the Reproduction of the Lost Part of the Operculum, and its probable Restoration when entirely destroyed	1854, 100
On <i>Runcina hancockii</i>	1854, 107
On the Genus <i>Modiolarca</i>	1854, 108
On the Genus <i>Mülleria</i> of Sowerby, or <i>Acostaa</i> , D'Orbigny	1854, 129
Description of a New Species of <i>Petrogale</i>	1854, 249
On a New Species of <i>Rhinoceros</i>	1854, 250
Notice of the Horns of an unrecorded Species of the Prong Horn (<i>Antilocapra</i>), in the Collection of the Derby Museum, Liverpool	1855, 9
Notice of the Horns and Skull of the Arnee	1855, 17

GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (<i>continued</i>).	
Extracts from Letters received from Francis Brent, Esq., of Sandgate, regarding the Destruction of Conger Eels	1855, { 49 26
An Arrangement of the Families of <i>Echinida</i> , with Descriptions of some New Genera and Species	1855, 35
Observations on the Species of Volutes— <i>Volutidæ</i>	1855, 50
On some species of Freshwater Tortoises from North America, Ceylon, and Australia, in the Collection of the British Museum	1855, 197
On a New Genus of Fish-scaled Lizards (<i>Scissosaræ</i>) from New Guinea	1855, 217
On the Genus <i>Assiminia</i> (Leach)	1856, 20
Description of the Animals and Teeth of <i>Tylodina</i> and other Genera of Gasteropodous Mollusca	1856, 41
On the Position of the Genus <i>Proserpina</i> in the System, and a Description of its Dentition	1856, 99
On the Nucleus of the Operculum of <i>Cyclostoma elegans</i>	1856, 147
On a Monstrosity of <i>Haliotis (albicans?)</i>	1856, 147
Notice of some Indian Tortoises (including the Description of a New Species presented to the British Museum by Professor Oldham)	1856, 181
On a New Species of Squirrel (<i>Sciurus macrotis</i>) from Borneo	1856, 341
Observations on a Living African <i>Lepidosiren</i> in the Crystal Palace	1856, 342
Description of a New Species of <i>Chelodina</i> from Australia	1856, 369
On the Structure of the Pelvis of <i>Chlamyphorus truncatus</i>	1857, 8
Observations on the Species of the Genus <i>Manatus</i>	1857, 59
On the Genus <i>Necturus</i> or <i>Menobranchnus</i> , with an Account of its Skull and Teeth	1857, 61
On the Animal and Bark of the Genus <i>Antipathes</i>	1857, 113

GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (*continued*).

Description of a New Genus of <i>Gorgoniadæ</i>	1857, 128
Description of a New Species of Antilope (<i>Oryx beatrix</i>) lately living in the Menagerie of the Society	1857, 157
Description of New Genera of <i>Gorgoniadæ</i>	1857, 158
Notice of a Large Species of <i>Lineus</i> taken on the Coast of Montrose	1857, 210
Observations on the Genus <i>Furcella</i> , Oken; and on the Genera <i>Teredo</i> and <i>Chæna</i>	1857, 243
On the Duiker Boks in the Society's Gardens	1857, 277
Notice of a New Species of Jaguar from Mazatlan, living in the Society's Gardens	1857, 278
Synopsis of the Families and Genera of Axiferous Zoophytes or Barked Corals	1857, 278
An attempt to distribute the Species of Olive (<i>Oliva</i> , Lamarck) into Natural Groups, and to define some of the Species	1858, 38
Notice of a New Genus of <i>Uropeltidæ</i> , from Ceylon, in the Collection of the British Museum	1858, 57
Notice of the Bosch Vark (<i>Potamochærus africanus</i>) living in the Society's Gardens	1858, 58
On a New Genus of <i>Mytilidæ</i> , and on some distorted forms which occur among Bivalve Shells	1858, 90
Observations on the Genus <i>Nerita</i> and its Opercu- lum	1858, 92
Observations on the Genus <i>Cuscus</i> , with the De- scription of a New Species	1858, 100
List of Species of Mammalia sent from the Aru Islands by Mr. A. R. Wallace to the British Museum	1858, 106
Description of <i>Aphroceras</i> , a New Genus of Cal- careous <i>Spongiadæ</i> , brought from Hong-Kong by Dr. Harland	1858, 113
On <i>Aphrocallistes</i> , a New Genus of <i>Spongiadæ</i> from Malacca	1858, 114

GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (*continued*).

Proposal to separate the Family of *Salamandridæ*, Gray, into Two Families, according to the form of the Skull 1858, 136

On the power of Dissolving Shells possessed by the Bernard Crab (*Pagurus*) 1858, 144

Description of a New Genus of *Boidæ* from Old Calabar, and a List of West African Reptiles 1858, 154

Description of a New Genus of Sponge (*Xenospongia*) from Torres Strait 1858, 229

Additional Observations on the Genus *Furcella* .. 1858, 258

On a New Genus and several New Species of *Uropeltidæ*, in the Collection of the British Museum.... 1858, 260

On *Carpenteria* and *Dujardinia*, two genera of a New Form of Protozoa with attached Multilocular Shells filled with Sponge, apparently intermediate between *Rhizopoda* and *Porifera* 1858, 266

Note on the Egg of the Mooruk (*Casuarium bennettii*, Gould) from New Britain, in the British Museum 1858, 271

On the Families *Aspergillidæ*, *Gastrochænidæ*, and *Humphreyiadæ* 1858, 307

On *Charadella* and *Lichenella*, New Forms of *Polyzoa* from Australia 1858, 319

Description of *Riama*, a New Genus of Lizards, forming a distinct Family 1858, 444

On the *Dysidea papillosa* of Dr. Johnston 1858, 531

Description of the Adult State of *Voluta mamilla*, Gray 1859, 34

Notice of *Notopteris*, a New Genus of Pteropine Bat from the Feejee Islands 1859, 36

Notice of a New Genus of Lophobranchiate Fishes from Western Australia 1859, 38

On the Sea-Bear of Forster, the *Ursus marinus* of Steller, *Arctocephalus ursinus* of Authors..... 1859, 102

GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (*continued*).

On the Eared Seal of the Cape of Good Hope (<i>Otaria delalandii</i>)	1859, 107
Descriptions of New Species of Salamanders from China and Siam	1859, 229
Description of <i>Scapha maria-emma</i> , a New Species of Volute	1859, 230
On the Sea-Lions, or Lobos marinos of the Spaniards, on the Coast of California	1859, 357
Description of <i>Macandrewia</i> and <i>Myliusia</i> , two new forms of Sponges	1859, 437
Description of a New Species of Squirrel (<i>Sciurus siamensis</i>) from Siam, in the Collection of the British Museum	1859, 478
Description of a New Species of Freshwater Tortoise from Siam	1859, 478
Description of some New Genera of Lithophytes, or Stony Zoophytes	1859, 479
Description of a New Species of <i>Cuscus</i> (<i>C. ornatus</i>) from the Island of Batchian, with a List of the Mam- malia collected in that Island by Mr. A. R. Wallace .	1860, 1
Description of a Soft Tortoise (<i>Aspidochelys living- stonii</i>) from the Zambesi, sent to the British Mu- seum by Dr. Livingstone	1860, 5
Description of a New Genus of <i>Boidæ</i> discovered by Mr. Bates on the Upper Amazon	1860, 132
Note on the Species of the Genus <i>Pithecia</i> , with De- scription of a New Species, <i>P. albicans</i>	1860, 228
Description of a New Species of <i>Geoclemmys</i> from Esmeraldas	1860, 231
Description of a New Species of <i>Emys</i> lately living in the Gardens of the Zoological Society	1860, 232
Description of a New Species of <i>Distichopora</i> from New Caledonia	1860, 244
On the African Trionyces with Hidden Feet (<i>Emyda</i>)	1860, 314

- GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (*continued*).
- Note on the Female of *Cuscus ornatus* 1860, 374
- Description of a New Coral (*Corallium johnsoni*)
from Madeira 1860, 393
- On the Genus *Manouria* and its affinities 1860, 395
- On the Genus *Hyperoodon*: the two British kinds
and their food 1860, 422
- Note on *Aspidochelys livingstonii* 1860, 430
- GRIFFITH, R. C., F.Z.S.
- Notice of the Habits of a Beaver 1848, 52
- Exhibition of some specimens of "Tsetze" 1850, 78
- GULLIVER, GEORGE, F.R.S., F.Z.S.
- Additional Measurements of the Red Corpuscles of
the Blood of Vertebrata 1848, 36
- Note on the Spermatozoa of the Giraffe..... 1849, 7
- Notes on a Cetaceous Animal stranded on the North-
east coast of Ireland 1853, 63
- On the size of the Red Corpuscles of the Blood of
the Great Ant-eater (*Myrmecophaga jubata*) 1854, 24
- GUNN, RONALD CAMPBELL, F.R.S.
- On the Habitat of *Cypræa umbilicata*, Sowerby. In
a letter to J. E. Gray, Esq. 1849, 124
- Letter relating to two young living specimens of
Thylacinus cynocephalus, presented to the Society by
himself and Dr. James Grant of Launceston 1850, 90
- GÜNTHER, DR. ALBERT, For. Mem. Z. S.
- On the Systematic Arrangement of the Tailless
Batrachians, and the Structure of *Rhinophrynus dor-*
salis..... 1858, 339
- On the Geographical Distribution of Reptiles 1858, 373
- On the Genus *Elaps* of Wagler 1859, 79

GÜNTHER, DR. ALBERT, FOR. MEMB. Z.S. (*continued*).

List of the Cold-blooded Vertebrata collected by Mr. Fraser in the Andes of Western Ecuador }	1859, 89
Second list of Cold-blooded Vertebrata collected by Mr. Fraser in the Andes of Western Ecuador	1859, 402
Description of a New Species of <i>Anolis</i> from Central America	1859, 421
On the Reptiles and Fishes collected by the Rev. H. B. Tristram in Northern Africa	1859, 469
On a New Snake from the Galapagos Islands	1860, 97
On the Reptiles of Siam	1860, 113
Contributions to a Knowledge of the Reptiles of the Himalaya Mountains	1860, 148
Third List of Cold-blooded Vertebrata collected by Mr. Fraser in Ecuador	1860, 233
Description of <i>Homalocranium laticeps</i> , a new Snake from Carthage	1860, 240
Exhibition of a dried Specimen of a Fish of the Genus <i>Centrolophus</i> , obtained by Mr. J. Crouch at Polperro, Cornwall	1860, 302
On New Reptiles and Fishes from Mexico	1860, 316
On a New Species of Fish, belonging to the Genus <i>Pagrus</i>	1860, 319
On a West-African Genus of Snakes (<i>Meizodon</i>) ..	1860, 427

HAMILTON, EDWARD, M.D., F.Z.S., &c.

Exhibition of three curiously plumaged Pheasants .	1859, 437
Exhibition of large Specimens of Hybrids between the Pheasant and Domestic Hen	1860, 1
Exhibition of Hen Pheasants in Male Plumage ..	1860, 373

HANLEY, H., Serjeant-Major 1st Life Guards.

Observations on the Breeding of the Nightingale in captivity	1850, 196
---	-----------

HANLEY, SYLVANUS, F.L.S., &c.

Descriptions of Four New Species of <i>Kelliadæ</i> in the Collection of Hugh Cuming, Esq.	1856, 340
---	-----------

HANLEY, SYLVANUS, F.L.S., &c. (*continued*).

Description of a New <i>Cyrena</i> from Ceylon, and of New <i>Siphonaria</i>	1858, 23
Descriptions of Two New Species of <i>Pinna</i>	1858, 136
On <i>Siphonaria</i>	1858, 151
Descriptions of New <i>Pinnae</i>	1858, { 225 254
Description of a New <i>Oniscia</i>	1858, 255
Description of a New <i>Cyrena</i> and <i>Bulla</i>	1858, 543
Descriptions of New Univalve Shells from the Col- lections of H. Cuming, Esq., and S. Hanley, Esq. ..	1859, 429
Systematic List of the Species of <i>Dolium</i>	1859, 487
On New Species of <i>Nuculaceae</i> in the Collection of Hugh Cuming, Esq.	1860, 370
Description of New <i>Nuculidæ</i>	1860, 440

HARCOURT, EDWARD VERNON, F.Z.S.

Notice of the Birds of Madeira (in a letter ad- dressed to the Secretary).....	1851, 141
Description of a New Species of <i>Regulus</i> from Ma- deira.....	1854, 153

HARDY, Lieut.

Note upon <i>Buceros ginginianus</i> (communicated by Colonel Sykes)	1850, 276
---	-----------

HARLEY, GEORGE, M.D., F.R.C.S.

On the Anatomy of a New Species of <i>Pentastoma</i> found in the Lung and Air-sac of an Egyptian Cobra	1857, 115
--	-----------

HARRIS, Lord, F.Z.S.

Letter	1849, 64
--------------	----------

HARTLAUB, Dr. GUSTAV, of Bremen, For. Memb. Z.S.

Note upon <i>Turdus vulpinus</i>	1850, 276
--	-----------

On New Species of Birds from Western Africa, in the Collection of the British Museum	1858, 291
---	-----------

- HARTLAUB, DR. GUSTAV, of Bremen, F.M.Z.S. (*continued*).
 Synopsis of the Fringilline Genus *Erythrura*. 1858, 461
 On a New Form of Grallatorial Bird nearly allied
 to the Cariama (*Dicholophus cristatus*) 1860, 334
- HARTLAUB, DR. G., and J. J. MONTEIRO.
 On some Birds collected in Angola. 1860, 109
- HAY, J. H. DRUMMOND, C.B., H. M. Consul-General in
 Morocco, Corr. Memb. Z.S.
 Letter offering to present Gazelles, and promising
 to transmit the Reptiles found in the neighbourhood
 of Tangier 1849, 62
- HAY, Major W. E., F.Z.S., &c.
 Notes on the Kiang of Thibet (*Equus kiang*) 1859, 353
- HEDDLE, ROBERT.
 On a Whale of the Genus *Physalus*, Gray, captured
 in Orkney 1856, 187
- HERRMANNSEN, DR., of Kiel.
 On some Genera of Shells, established in 1807 by
 the late H. F. Link 1851, 228
- HEWITSON, W. C., F.Z.S.
 Description of a New Species of Butterfly, of the
 Genus *Agrias*. 1848, 45
 Description of a New Species of *Satyridæ*. 1848, 115
 Descriptions of some Butterflies from the Collection
 of Mr. Wallace 1858, 464
 Descriptions of Butterflies from the Collection of
 Mr. Wallace 1859, 422
- HILL, RICHARD.
 Letter relating to the subject of procuring Reptiles
 for the Society from Jamaica 1849, 91

- HODGSON, BRIAN HOUGHTON, Corr. Memb. Z.S.**
 On the Géographical Distribution of the Mammalia
 and Birds of the Himalaya..... 1855, 124
- HOLDSWORTH, E. W. H., F.L.S., F.Z.S., &c.**
 Description of a New Sea Anemone 1855, 85
 Description of Two New Species of *Actinia* from the
 South Coast of Devon..... 1855, 235
 Description of a New Species of *Actinia* from the
 Devonshire Coast..... 1856, 172
 On *Electra verticillata*, with a Notice of its different
 Forms of Growth..... 1858, 306
 On *Zoanthus couchii*, Johnston 1858, 557
 Some additional observations on *Zoanthus couchii*.. 1859, 124
 On the Development of *Aurelia aurita*, in the So-
 ciety's Aquaria 1859, 201
- HORA, J. H.**
 Exhibition of a Female Specimen of *Ovis gmelinii*
 from Tauri, in the Persian Gulf..... 1849, 91
- HORSFIELD, THOMAS, M.D., F.R.S., &c.**
 Catalogue of a Collection of Mammalia from Nepal,
 Sikkim, and Thibet, presented to the Hon. East India
 Company by B. H. Hodgson, Esq. 1856, 393
- HUTTON, Major THOMAS.**
 Extract from a Letter addressed to Adam White,
 Esq., dated Mussoree, Nov. 27, 1855 1856, 5
- HUXLEY, G., R.N.**
 Description of the Animal of *Trigonia*, from actual
 dissection, with an Introductory Note by Prof. E.
 Forbes, F.R.S.,..... 1849, 30
- HUXLEY, THOMAS H., F.R.S., F.L.S., F.Z.S.**
 On the Anatomy and Development of *Echinococcus*
veterinorum..... 1852, 110

JONAS, Dr.

- Description of a New Species of the Genus *Thracia*.
 Communicated by Hugh Cuming, Esq. 1849, 170

JONES, J. MATTHEW, F.L.S.

- Extract from the Bermuda 'Royal Gazette,' relating
 to the recent capture of a large Species of *Gymnetrus* 1860, 185

KAUP, Dr. J., Director of the Museum of Darmstadt.

- Description of some New Birds in the Museum of
 the Earl of Derby 1851, 39
 On the Classification of the *Strigidae* 1852, 88
 On *Nemophis*, a New Genus of Ribband-shaped
 Fishes 1858, 168
 Description of a New Species of Fish, *Peristethus*
rieffelii 1859, 103

KELAART, Dr. W. C., F.L.S., Corr. Memb.

- Letter 1849, 91
 Catalogue of the Mammalia of Ceylon 1850, 155

KEPPEL, Hon. Capt., R.N.

- Letter relating to a Young Female Urang Utan .. 1849, 106

KREFFT, GERARD. †

- A few Remarks on the Habits and Economy of the
 Brown-capped *Pomatorhinus* (*P. ruficeps*, Hartlaub) 1858, 352

LAYARD, EDGAR L., F.Z.S., &c.

- Observations on the Genus *Paludomus* of Swainson,
 with descriptions of several New Species, and the
 description of a New Species of *Anculotus*. 1854, 87

LEA, ISAAC, LL.D.

- Description of Five New Species of *Anodontæ*, col-
 lected by H. Cuming, Esq., in the East Indies 1850, 197

LEA, ISAAC and HENRY C.

Description of a New Genus of the Family *Melania*, and of many New Species of the Genus *Melania*, chiefly collected by Hugh Cuming, Esq., during his Zoological Voyage to the East, and now first described 1850, 179

LEADBEATER, B., F.Z.S.

Exhibition of some Heads and Antlers of the American Wapiti Stag, and three Specimens of Buffon's Skua. 1860, 322

LEYCESTER, A. A.

Notes on the Habits of *Menura albertii*, in a letter addressed to John Gould, Esq. 1860, 113

LOWE, REV. R. T., M.A., Corr. Memb. Z.S.

An account of Fishes discovered or observed in Madeira since the year 1842 1850, 247

Catalogus Molluscorum Pneumonatorum Insularum Maderensium : or a List of all the Land and Fresh-water Shells, Recent and Fossil, of the Madeiran Islands : arranged in Groups according to their Natural Affinities : with Diagnoses of the Groups, and of the new or hitherto imperfectly defined Species 1854, 16

LYALL, DAVID, M.D., R.N.

On the Habits of *Strigops habroptilus*, or Kakapo 1852, 31

MACDONALD, Professor.

On the Vertebral Homologies as applicable to Geology 1848, 139

Exhibition of Diagrams illustrative of a New Scheme of Zoological Classification 1860, 303

MACK, Mr.

Remarks on the fact of Black Eggs being laid by a White Duck (communicated by Mr. Oswald) 1851, 192

MANTELL, Dr., F.R.S., &c.

- Notice of the Discovery by Mr. Walter Mantell in the Middle Island of New Zealand of a living specimen of the Notornis, a Bird of the Rail family allied to *Brachypteryx*, and hitherto unknown to Naturalists, except in a fossil state. 1850, 209

MARTENS, Dr. EDUARD VON.

- On the Mollusca of Siam (communicated by Dr. A. Günther, For. Memb.) 1860, 6

MELVILLE, Dr., M.R.C.S.

- On the Ideal Vertebra. 1848, 145
 Continuation of his Observations concerning the Ideal Vertebra. 1849, 11
 Oral exposition of Dr. Kaup's views of the Natural Arrangement of Birds 1849, 94

METCALFE, W.

- An enumeration of Species of recent Shells, received by W. J. Hamilton, Esq., from Borneo, in November 1850, with descriptions of the New Species 1851, 70

MEVES, M. W., Conservator at the Zoological Riks-Museum in Stockholm.

- On the Snipe's "Neighing" or Humming Noise, and on its Tail-feathers' Systematic Value. Translated and communicated by John Wolley, jun., Esq., F.Z.S., &c. 1858, 199

MITCHELL, D.W., B.A., F.L.S.

- Notice of a Hybrid Crowned Pigeon, hatched in the Menagerie 1849, 170
 Notice of a Hybrid Pigeon, between *Ectopistes migratorius* ♂ and *Turtur risorius* ♀ 1849, 172
 Notice of a Hybrid Bull 1849, 172
 On the Indian Pheasants bred in the Menagerie . . 1858, 544

MOORE, FREDERIC, Assistant Mus. East India Company.

A Monograph of the Genus <i>Ruticilla</i> , with descriptions of some New Species	1854, 25
Descriptions of some New and little-known Species of Birds from Northern India, contained in the Museum of the Honourable East India Company	1854, 74
Notice of the Species of the Genus <i>Orthotomus</i> of Horsfield, with descriptions of a New Species and of those hitherto known	1854, 78
Notice of a New Indian Swallow	1854, 104
Notice of some New Species of Birds contained in the Museum of the Honourable East India Company	1854, 104
Notice of all the known Species of the Genus <i>Accentor</i> , with the descriptions of an uncharacterized Species from Nepal	1854, 116
Descriptions of Three New Species of Titmice	1854, 139
Notice of some imperfectly known Species of Birds contained in the Museum of the Honourable East India Company	1854, 141
List of Malayan Birds collected by Theodore Cantor, Esq., M.D., with descriptions of the imperfectly known Species	1854, 258
Descriptions of Two New Species of the Genus <i>Orthotomus</i>	1854, 309
Notice of some New Species of Birds	1855, 215
Descriptions of some New Species of Lepidopterous Insects from Northern India	1857, 102
Monograph of the Asiatic Species of <i>Neptis</i> and <i>Athyma</i> , two genera of diurnal Lepidoptera belonging to the Family <i>Nymphalidæ</i>	1858, 3
Descriptions of some Asiatic Lepidopterous Insects belonging to the tribe <i>Bombyces</i>	1859, 197
Synopsis of the known Asiatic Species of Silk-producing Moths, with descriptions of some New Species from India	1859, 237

NEWTON, ALFRED, M.A., F.Z.S., &c.

Note on the supposed Occurrence of the <i>Hirundo bicolor</i> of North America in England.....	1860, 131
On some Hybrid Ducks	1860, 336
Remarks on the <i>Anas (Anser) erythropus</i> , Linn. ...	1860, 339
Notice of the recent Discovery of Bones, supposed to be those of the Dodo	1860, 443

NICHOLSON, Dr., H. E. I. C. Medical Service.

Note on a New Species of Francolin	1851, 128
Notes on an undescribed Species of Tailor-Bird ..	1851, 194
Notes on a New Species of <i>Artamus</i> from India ..	1851, 195

OWEN, Professor RICHARD, M.D., F.R.S., F.Z.S., Director of the Nat. Hist. Depart., British Museum.

On the Remains of the Gigantic and presumed extinct Wingless or Terrestrial Birds of New Zealand ..	1848, 1
On a New Species of Chimpanzee	1848, { 27 53
Notes on the Anatomy of the Male Aurochs.....	1848, 126
On the Gigantic Wingless Birds of New Zealand ..	1850, 45
On the Cranium of the large Species of <i>Dinornis</i> called <i>giganteus</i> and <i>ingens</i>	1850, 208
On a New Species of Pterodactyle (<i>Pterodactylus compressirostris</i> , Owen) from the Chalk; with some Remarks on the Nomenclature of the previously described Species.....	1851, 21
On the Anatomy of the Wart Hog (<i>Phacochærus pallasi</i> , Van der Hoeven)	1851, 63
On the Skeleton of <i>Troglodytes gorilla</i>	1851, 263
On the Capacity of the Cranium in the Negro, the Orang, and the Gorilla	1851, 264

OWEN, Professor RICHARD, F.R.S., &c. (*continued*).

Notes on the Eggs and Young of the *Apteryx*, and on the Casts of the Eggs and certain Bones of the *Æpyornis* (Isid. Geoffroy), recently transmitted to the Zoological Society of London 1852, 9

Notes on the Anatomy of the Tree-Kangaroo (*Dendrolagus inustus*, Gould) 1852, 103

On the Anatomy of the Walrus 1853, 103

On the Anatomy of the Great Anteater (*Myrmecophaga jubata*) 1854, 154

On the Bones of the Leg of *Dinornis* (*Palapteryx*) *struthioides* and the *Palapteryx gracilis* 1854, 244

On *Dinornis* (Part 7) : containing a Description of the Bones of the Leg and Foot of the *Dinornis elephantopus*, Owen 1856, 54

Osteological Contributions to the Natural History of the Chimpanzees and Orangs (*Troglodytes Pithecus*). No. 6 1856, 369

On the Anatomy of the Great Anteater (*Myrmecophaga jubata*, Linn.) 1857, 22

On the Gorilla (*Troglodytes gorilla*, Sav.) 1859, 1

PARKER, W. K., F.R.C.S.

Abstract of Notes on the Osteology of *Balaniceps rex* 1860, 324

PARLBY, Major.

Notice of the Capture of *Orthagoriscus mola* off the Chesil Bank, Dorsetshire 1849, 6

PEASE, W. HARPER.

Descriptions of New Species of Mollusca from the Sandwich Islands. Part I. 1860, 18

Descriptions of New Species of *Planariidæ* collected in the Sandwich Islands 1860, 37

PEASE, W. HARPER (*continued*).

Descriptions of New Species of Mollusca from the Sandwich Islands. Part II. 1860, 141

Descriptions of Three Species of Marine Shells from the Pacific Ocean, 1860, 189

Descriptions of Seventeen New Species of Marine Shells, from the Sandwich Islands, in the Collection of H. Cuming, Esq. 1860, 397

Descriptions of Forty-seven New Species of Shells, from the Sandwich Islands, in the Collection of H. Cuming, Esq. 1860, 431

Descriptions of Six New Species of Land Shells, from Ebou, Marshall's Group, in the Collection of H. Cuming, Esq. 1860, 439

PEGUS, Lieut.

On the Habits of the Mungoos (*Herpestes griseus*) 1852, 89

PETHERICK, JOHN, Corr. Memb. Zool. Soc., F.R.G.S.,
H. M. Consul in the Soudan.

Exhibition of the Head and Horns of a rare Antelope from Central Africa 1860, 193

Memoranda on the Hippopotamus and *Baleniceps* recently imported into England, and now in the Gardens of the Society 1860, 195

PFEIFFER, DR. LOUIS.

Descriptions of Twenty-three New Species of *Vitrina* 1848, 104

Descriptions of Twenty-nine New Species of *Helicina* 1848, 119

Descriptions of Twenty-four New Species of *Helicea*, from the Collection of Hugh Cuming, Esq. 1849, 126

Descriptions of Twelve New Species of *Vitrina* and *Succinea*, from the Collection of H. Cuming, Esq. .. 1849, 132

Descriptions of Thirty New Species of *Tornatellina*, *Cylindrella*, and *Clausilia*, from the Collection of Hugh Cuming, Esq. 1849, 134

PFEIFFER, DR. LOUIS (*continued*).

Description of a new <i>Pupina</i> and two new <i>Helicinas</i> , from the Collection of H. Cuming, Esq.....	1850, 97
Descriptions of New Land Shells from the Collection of H. Cuming, Esq.....	1851, 147
Descriptions of Forty-three New Species of <i>Cyclostomacea</i> , from the Collection of H. Cuming, Esq. ..	1851, 242
Descriptions of Fifty-four New Species of <i>Helicea</i> , from the Collection of H. Cuming, Esq.....	1851, 252
Descriptions of Sixty-six New Land Shells, from the Collection of H. Cuming, Esq.	1852, 56
Descriptions of Eighteen New Species of Land Shells, from the collection of H. Cuming, Esq.....	1852, 83
Descriptions of Fourteen New Species of Land Shells, from the Collection of H. Cuming, Esq.	1852, 135
Descriptions of Twenty-four New Species of Land Shells, collected by M. Sallé on the Island of St. Domingo, from Mr. Cuming's Collection	1852, 138
Descriptions of Fourteen New Species of Operculated Land Shells from Mr. Cuming's Collection	1852, 144
Descriptions of Twelve Species of Land Shells, from New Zealand	1852, 147
Descriptions of Eight Species of Land Shells, from the Island of Mauritius	1852, 149
Descriptions of Nineteen New Species of Land Shells, collected by M. Bourcier, Consul-General, Quito	1852, 151
Descriptions of Eighteen New Species of Land Shells, from the Collection of H. Cuming, Esq.	1852, 156
Descriptions of Twenty-three New Species of Land Shells, from the Collection of Hugh Cuming, Esq. ..	1853, 48
Descriptions of Eighteen New Species of Land Shells, from the Collections of Mr. Dennison and Mr. Cuming	1853, 57

PFEIFFER, DR. LOUIS (*continued*).

Descriptions of Nineteen New Species of <i>Helicea</i> , from the Collection of Hugh Cuming, Esq.	1853, 124
Descriptions of Forty-two New Species of <i>Helix</i> , from the Collection of H. Cuming, Esq.	1854, 49
Descriptions of Four New Species of <i>Bulimus</i> , from the Collection of H. Cuming, Esq.	1854, 57
Descriptions of Six New Species of <i>Auriculacea</i> , from the Collection of H. Cuming, Esq.	1854, 121
Descriptions of Sixteen New Species of <i>Helicea</i> , from the Collection of H. Cuming, Esq.	1854, 122
Descriptions of Eleven New Species of <i>Cyclostomacea</i> , from the Collection of H. Cuming, Esq.	1854, 126
Descriptions of Twenty-three Species of <i>Helicea</i> , from the Collection of H. Cuming, Esq.	1854, 145
Descriptions of Seven Species of <i>Cyclostomacea</i> and <i>Auriculacea</i> , from Mr. Cuming's Collection	1854, 150
Descriptions of Fifty-seven New Species of <i>Helicea</i> , from Mr. Cuming's Collection	1854, 286
Descriptions of Three New Species of <i>Pythia</i>	1854, 298
Descriptions of Eighteen New Species of <i>Cyclosto-</i> <i>macea</i> , from Mr. Cuming's Collection	1854, 299
A Monograph of the Genera <i>Realia</i> and <i>Hydrocena</i>	1854, 304
Descriptions of Twenty-seven New Species of <i>Acha-</i> <i>tinella</i> , from the Collection of H. Cuming, Esq., col- lected by Dr. Newcomb and Mons. D. Frick in the Sandwich Islands.	1855, 1
Descriptions of Nine New Species of Land Shells, also from the Collection of Mr. Cuming	1855, 7
Descriptions of Forty-seven New Species of <i>Helicea</i> , from the same Collection	1855, 91
Description of a New Genus and Twenty-three New Species of <i>Pneumonopoma</i> , from the same Collection .	1855, 101
Descriptions of Nine New Species of <i>Helicea</i> , from the same Collection	1855, 106

PFEIFFER, DR. LOUIS (*continued*).

Descriptions of Thirty-eight New Species of Land Shells, from the same Collection.....	1855, 111
Descriptions of Twenty-three New Species of <i>Achatinella</i> , collected by Mons. D. Frick in the Sandwich Islands, from the same Collection	1855, 202
Descriptions of Sixteen New Species of <i>Achatinella</i> , collected by Dr. Newcomb in the Sandwich Islands, from the same Collection	1855, 207
Descriptions of Five New Species of Terrestrial Mollusca, from the same Collection	1855, 210
Descriptions of Twenty-five New Species of Land Shells, from the Collection of H. Cuming, Esq.	1856, 32
Descriptions of Twenty-seven New Species of Land Shells collected by M. Sallé in the State of Vera Cruz, Mexico.....	1856, 318
Descriptions of Fifty-eight New Species of <i>Helicea</i> , from the Collection of H. Cuming, Esq.	1856, 324
Descriptions of Sixteen New Species of <i>Pneumopoma</i> , from the Collection of H. Cuming, Esq.....	1856, 336
Descriptions of Nineteen New Species of Land Shells, from the Collection of H. Cuming, Esq., collected by M. Ghiesbreght at Chiapa, Mexico	1856, 377
Descriptions of Eighteen New Species of Land Shells, collected on the Admiralty Islands, from the Collection of H. Cuming, Esq.	1856, 381
Descriptions of Thirty-three New Species of Land Shells, from the Collection of H. Cuming, Esq.	1856, 385
Descriptions of Two New Species of <i>Melampus</i> , from Mr. Cuming's Collection.....	1856, 393
Descriptions of Thirty-one New Species of Land Shells, from the Collection of H. Cuming, Esq.	1857, 107
Descriptions of Eleven New Species of Land Shells, from the Collection of H. Cuming, Esq.	1858, 20
Descriptions of Ten New Species of <i>Bulimus</i> , from the Collection of Hugh Cuming, Esq.	1858, 256

PFEIFFER, Dr. LOUIS (*continued*).

- Descriptions of Twenty-seven New Species of Land Shells, from the Collection of H. Cuming, Esq. 1859, 23
- Descriptions of Two New Species of *Melampus*, from the same Collection 1859, 29
- Descriptions of Eight New Species of *Achatinella*, from the same Collection 1859; 30
- Descriptions of Thirty-six New Species of Land Shells, from the Collection of Hugh Cuming, Esq. .. 1860, 133

PHILIPPI, Dr.

- Descriptioes Naticarum quarundam novarum ex collectione Cumingiana 1851, 233

PHILIPPS, Rev. T.

- Notes on the Habits of some Birds observed in the Plains of N.W. India in 1849 (communicated by Frederic Moore) ; 1857, 85

PRIME, TEMPLE, of New York.

- Descriptions of New Shells from the Collection of Hugh Cuming, Esq. 1860, 319

PROUDFOOT, Mr.

- Note on *Tragelaphus angasii* 1850, 199

RADDI, Professor.

- Exhibition of numerous Preparations illustrative of one of the Processes of his New Method of Preserving Animal Substances 1859, 200

REEVE, LOVELL, F.L.S., F.G.S., F.Z.S., &c.

- On *Fastigiella*, a New Genus of Shells of the Lamarckian Family *Canalifera* 1848, 14
- Descriptions of New Species of *Turbo* 1848, 49
- Description of a New Genus of Acephalous Mollusca, of the Family *Pectinacea* 1848, 133

REEVE, LOVELL, F.L.S., F.G.S., F.Z.S., &c. (<i>continued</i>).	
Description of a New Species of <i>Bulimus</i> , from the Collection of A. L. Gubba, Esq., of Havre	1849, 16
Descriptions of Sixteen New Species of <i>Bulimus</i> , in the Collection of H. Cuming, Esq., discovered by Mr. W. Lobb in the Andes of Peru '.....	1849, 96
Description of a New Species of <i>Cytherea</i>	1849, 126
On a New Species of <i>Lymnæa</i> from Thibet	1850, 49
Description of a New Species of <i>Bulimus</i> from Au- stralia	1851, 198
Description of a New Species of <i>Helix</i> from Van Diemen's Land	1852, 31
Descriptions of New Species of <i>Paludomus</i> , a Genus of Freshwater Mollusks	1852, 126
Description of a New Volute from New Caledonia..	1854, 73
Description of Three New Volutes from the Collec- tions of the Hon. Mrs. Cathcart and Mr. Cuming ..	1856, 2
Descriptions of Seven New Shells from the Collec- tion of the Hon. Sir David Barclay, of Port Louis, Mauritius.....	1857, 207
Descriptions of Two New Species of <i>Bulimus</i> from the Collection of Mrs. De Burgh	1859, 123
A Commentary on M. Deshayes's Revision of the Genus <i>Terebra</i>	1860, 448
REHÜLLER, M.	
On the Capture of <i>Delphinus orca</i> in South Green- land.....	1853, 103
REINHARDT, Professor J., For. M.Z.S.	
On the Affinities of <i>Balaeniceps</i>	1860, 377
RICHARDSON, Sir JOHN, M.D., C.B., F.R.S.L. & E., &c.	
Notices of Australian Fishes	1850, 58
On some Fishes from Asia Minor and Palestine ..	1856, 371
On <i>Siphonognathus</i> , a New Genus of <i>Fistulariidae</i> ..	1857, 237

RÖMER, DR. E., of Cassel.

Descriptions of New Species of the Genera *Dosinia* and *Cyclina* from the Collection of Hugh Cuming, Esq. 1860, 117

SALLÉ, M. AUGUSTE.

Liste des Oiseaux rapportés et observés dans la République Dominicaine (ancienne partie Espagnole de l'île St. Domingue ou d'Haiti), par M. A. Sallé, pendant son voyage de 1849 à 1851 1857, 230

SALMON, JOHN D., F.L.S., F.Z.S.

Exhibition of a Specimen of Baillon's Crake, with Seven Eggs 1858, 560

SALVIN, OSBERT, M.A., F.Z.S.

Exhibition of the Eggs of the Quesal (*Pharomacrus paradiseus*) 1860, 374

On the Reptiles of Guatemala 1860, 451

SANDWICH, HUMPHREY, C.B.

Notice of the Habits of the Aye-Aye of Madagascar (*Chiromys madagascariensis*) 1859, 111

SCHJÖDTE, M.

On some *Staphylinidæ* found in the Nests of *Termites* 1853, 101

SCHLAGINTWEIT, HERMANN.

Exhibition of Specimens of Heads of a Sheep from Thibet, showing a curious modification in the form of the Horns 1859, 350

SCHLEGEL, DR. H., Curator of the Royal Zoological Museum, Leyden.

Description of a New Genus of Batrachians from Swan River (extracted from a Letter to J. E. Gray, Esq.) 1850, 9
 PROC. ZOOL. SOC. INDEX, 1848-60. 4

SCLATER, PHILIP LUTLEY, Ph.D., M.A., F.R.S., F.L.S.,
Secretary to the Society.

On Two New Species of Birds of the Genus <i>Tæniop- ptera</i>	1851, 193
On Two New Species of South American Birds ..	1852, 34
On some New Species of <i>Dendrocolaptes</i>	1853, 68
Descriptions of New Species of <i>Bucconidæ</i>	1853, 122
Characters of some New or imperfectly described Species of Tanagers	1854, 95
List of a Collection of Birds received by Mr. Gould from the Province of Quijos in the Republic of Ecuador	1854, 109
Description of Two New Tanagers in the British Museum	1854, 157
Description of a New Tanager of the Genus <i>Calliste</i>	1854, 248
Description of a second Species of the Genus <i>Proce- nias</i>	1854, 249
On Two New Species of <i>Dacnis</i> , and on the General Arrangement of the Genus	1854, 251
Descriptions of Six New Species of the Subfamily <i>Formicarinæ</i>	1854, 253
On the Genus <i>Culicivora</i> of Swainson, and its com- ponent Species	1855, 11
Remarks on the Arrangement of the Jacamars (<i>Gal- bulidæ</i>), with Descriptions of some New Species	1855, 13
Characters of Six New Species of the Genus <i>Tham- nophilus</i>	1855, 18
Note on the Sixteen Species of Texan Birds named by Mr. Giraud, of New York, in 1841	1855, 65
On a New Species of the Genus <i>Todirostrum</i> of Lesson	1855, 66
On some New or little-known Species of Birds in the Derby Museum at Liverpool	1855, 74

SCLATER, PHILIP LUTLEY, Ph.D., &c. (*continued*).

Descriptions of Four New or little-known Tanagers	1855,	83
Descriptions of some New Species of Ant-Thrushes (<i>Formicariinæ</i>) from Santa Fé di Bogota	1855,	88
Descriptions of some New Species of Birds from Santa Fé di Bogota.	1855,	109
On the Birds received in collections from Santa Fé di Bogota.	1855,	131
Characters of some apparently New Species of <i>Bucconidæ</i> , accompanied by a Geographical Table of the Family.	1855,	193
Note on the Genus <i>Legriocinclus</i> , Lesson, and its Synonyms	1855,	212
Description of a newly discovered Tanager of the Genus <i>Buarremon</i>	1855,	214
Characters of Two New Species of Tanagers	1855,	227
Note on the Zoological Appendix to the 'Report of the U. S. Naval Astronomical Expedition to the Southern Hemisphere,' and on the Geographic Range and Distribution of the Tanagrine Genera <i>Calliste</i> and <i>Euphonia</i>	1856,	18
On some additional Species of Birds received in collections from Bogota	1856,	25
Note on <i>Psaltria flaviceps</i> , a third American Species of the Parine Genus <i>Psaltria</i>	1856,	37
Synopsis Avium Tanagrarum.—A Descriptive Catalogue of the known Species of Tanagers	1856,	{ 64 108 230
Note on <i>Buglodytes albicilius</i> , Bp.	1856,	97
On some New or Imperfectly-known Species of <i>Synallaxis</i>	1856,	97
List of Mammals and Birds collected by Mr. Bridges in the vicinity of the town of David, in the province of Chiriqui, in the State of Panama	1856,	138
Note on some Birds from the Island of Ascension. .	1856,	144

SCLATER, PHILIP LUTLEY, Ph.D., &c. (*continued*).

On the Species of the American Genus <i>Parra</i>	1856, 282
Catalogue of Birds collected by M. Auguste Sallé in Southern Mexico, with Descriptions of New Species . .	1856, 283
On a New Tanager of the Genus <i>Calliste</i>	1856, 311
Notes on the Birds in the Museum of the Academy of Natural Sciences of Philadelphia, and other Collections in the United States of America	1857, 1
Further Additions to the List of Birds received in Collections from Bogota	1857, 15
Characters of some apparently New Species of American Ant-Thrushes	1857, 46
Description of a New Tanager of the Genus <i>Euphonia</i>	1857, 66
Review of the Species of the South American Subfamily <i>Tityrinæ</i>	1857, 67
On <i>Parus meridionalis</i> and some other Species mentioned in the Catalogue of Birds collected by M. Sallé in Southern Mexico	1857, 81
On Three New Species of the Genus <i>Todirostrum</i>	1857, 82
List of Birds collected by Mr. Thomas Bridges, Corr. Memb., in the Valley of San José, in the State of California	1857, 125
Note on the Upland Goose	1857, 128
Descriptions of Twelve New or little-known Species of the South American Family <i>Formicariidæ</i>	1857, 129
List of Additional Species of Mexican Birds obtained by M. Auguste Sallé from the environs of Jalapa and S. Andres Tuxtla	1857, 201
On a collection of Birds made by Signor Matteo Botteri in the vicinity of Orizaba in Southern Mexico	1857, 210
Notes on an unnamed Parrot from the Island of St. Domingo, now living in the Society's Gardens; and on some other Species of the same Family	1857, 224

SCLATER, PHILIP LUTLEY, Ph.D., &c. (*continued*).

On a Collection of Birds received by M. Sallé from Southern Mexico	1857, 226
Review of the Species of the Fissirostral Family <i>Momotidæ</i>	1857, 248
On a Collection of Birds transmitted by Mr. H. W. Bates from the Upper Amazon	1857, 261
Description of Eleven New Species of Birds from Tropical America	1857, 271
Notes on Californian Birds. By Thomas Bridges, Corresponding Member. Communicated, with Remarks, by Mr. Selater	1858, 1
Notes on a Collection of Birds received from M. Verreaux, of Paris, from the Rio Napo, in the Republic of Ecuador	1858, 59
Notes on some Birds from Southern Mexico	1858, 95
On some New or little-known Species of <i>Accipitres</i> , in the Collection of the Norwich Museum	1858, 128
Note on the Variation of the Form of the Upper Mandible in a Rapacious Bird	1858, 150
Synopsis of the American Ant-birds (<i>Formicariidæ</i>). Part I., containing <i>Thamnophilinæ</i>	1858, 202
— . Part II., containing the <i>Formicivorinæ</i> , or Ant-Wrens	1858, 232
— . Part III., containing the <i>Formicariinæ</i> , or Ant-Thrushes	1858, 272
Additional Note on the Upland Goose (<i>Chloëphaga magellanica</i>)	1858, 289
On some New or little-known Species of Tanagers, from the Collection of M. Verreaux, of Paris	1858, 293
On a Collection of Birds received by M. Auguste Sallé from Oaxaca in Southern Mexico	1858, 294
Descriptions of a New Species of the Genus <i>Buteo</i> , from Mexico	1858, 356

SCLATER, PHILIP LUTLEY, Ph.D., &c. (*continued*).

- List of Birds collected by George Cavendish Taylor, Esq., in the Republic of Honduras 1858, 356
- Characters of Five New Species of American Birds 1858, 446
- List of Birds collected by Mr. Louis Fraser at Cuenca, Gualaquiza and Zamora, in the Republic of Ecuador 1858, 449
- On Two New Species of Ant-birds in the Collection of the Derby Museum, Liverpool 1858, 540
- Note on the Genus *Cichlopsis* of Cabanis 1858, 541
- On the Birds collected by Mr. Louis Fraser in the vicinity of Riobamba, in the Republic of Ecuador .. 1858, 549
- Descriptions of New Species of the American Family *Tyrannidæ* 1859, 40
- Description of a New Species of Owl of the Genus *Ciccaba* 1859, 131
- Note on the Spur-winged Geese (*Plectropterus*) now living in the Society's Gardens 1859, 131
- List of the First Collection of Birds made by Mr. Louis Fraser at Pallatanga, Ecuador, with Notes and Descriptions of New Species 1859, 135
- On some New Species of *Synallaxis*, and on the Geographical Distribution of the Genus..... 1859, 191
- Exhibition of two rare Species of Arctic Birds, *Colymbus adamsi* and *Eurinatorhynchus pygmaeus* 1859, 201
- A Record of the Number of Days of Incubation of Birds which breed in the Society's Gardens 1859, 205
- Remarks on exhibiting specimens of Two Species of Divers (*Colymbus*) from Mr. Gurney's Collection.. 1859, 206
- On a Collection of Birds from Vancouver's Island.. 1859, 235
- A Synopsis of the Thrushes (*Turdidæ*) of the New World 1859, 321
- Exhibition of an Egg laid by the Apteryx (*A. mantelli*) which had been living in the Gardens since 1852 1859, 350

SCLATER, PHILIP LUTLEY, Ph.D., &c. (*continued*).

Exhibition of Eggs of *Grus montignesia*, *G. virgo*,
and *G. cinerea*, also of an Egg of *Balæniceps rex*. 1859, 353

On a series of Birds collected in the vicinity of
Jalapa in Southern Mexico 1859, 362

List of Birds collected by M. A. Boucard in the
State of Oaxaca in South-western Mexico, with De-
scriptions of New Species 1859, 369

On some New or little-known Birds from the Rio
Napo 1859, 440

On some Hybrid Ducks bred in the Society's Gardens 1859, 442

Further Evidence of the Distinctness of the Gambian
and Rüppell's Spur-winged Geese (*Plectropterus gam-
bensis* and *P. rüppellii*) 1860, 38

List of Additional Species of Birds collected by Mr.
Louis Fraser at Pallatanga, Ecuador; with Notes and
Descriptions of New Species 1860, 63

List of Birds collected by Mr. Fraser in the vicinity
of Quito, and during excursions to Pichincha and Chim-
borazo; with Notes and Descriptions of New Species 1860, 73

List of Birds collected by Mr. Fraser in Ecuador,
at Nanegal, Calacali, Perucho, and Puellaro; with
Notes and Descriptions of New Species 1860, 83

Exhibition of a large Horned Owl (*Bubo maximus*,
var.) from Pângkông Lake, Thibet 1860, 99

Note on the Punjab Sheep living in the Society's
Gardens 1860, 126

Additions to the Menagerie during the months of
January and February 1860, 183

Exhibition of *Oreophasis derbianus*; and announce-
ment of the addition of *Sieboldia maxima* and *Balæ-
niceps rex* to the Society's Menagerie 1860, 184

Exhibition of an Egg of the King Vulture, and of a
second Egg of the *Apteryx*. 1860, 193

On the Rheas in the Society's Menagerie, with Re-
marks on the known Species of Struthious Birds 1860, 207

SCLATER, PHILIP LUTLEY, Ph.D., &c. (*continued*).

On the Black-shouldered Peacock of Latham (<i>Pavo nigripennis</i>)	1860, 221
On the Species of the Genus <i>Prioniturus</i> , and on the Geographical Distribution of the <i>Psittacidae</i> in the Eastern Archipelago	1860, 223
Additions to the Menagerie during the months of March and April.	1860, 242
List of Mammalia collected by Mr. J. J. Monteiro in Angola	1860, 245
Notes on Two Struthious Birds now living in the Society's Gardens	1860, 247
Notes on a Collection of Birds from the Vicinity of Orizaba and neighbouring parts of Southern Mexico. .	1860, 250
Exhibition of a specimen of a New Form of Dormouse (<i>Platacanthomys lasiurus</i>)	1860, 260
List of Birds collected by Mr. Fraser at Babahoyo in Ecuador, with descriptions of New Species	1860, 272
List of Birds collected by Mr. Fraser at Esmeraldas, Ecuador, with descriptions of New Species	1860, 291
Note on the Skull of the Red River-Hog (<i>Potamochoerus penicillatus</i>)	1860, 301
Exhibition of a Male example of the Bimaculated Duck of Yarrell	1860, 303
Description of a New Species of Manakin from Northern Brazil	1860, 312
Description of a New Tyrant-bird of the Genus <i>Elainea</i> from the Island of St. Thomas, West Indies	1860, 313
Exhibition of a Drawing of a species of Rock-Kangaroo just received by the Society from South Australia	1860, 323
Additions to the Menagerie during the month of May	1860, 371
Additions to the Menagerie during the month of June	1860, 372
Note on the Japanese Deer living in the Society's Menagerie	1860, 375
Catalogue of the Birds of the Falkland Islands	1860, 382

SCLATER, PHILIP LUTLEY, Ph.D., &c. (*continued*).

Additions to the Menagerie during the months of July, August, September, and October	1860, 415
Exhibition of Bird-skins from Port Churchill, Hudson's Bay.	1860, 418
Notice of some Rare Species of <i>Quadrumana</i> , now living in the Society's Menagerie	1860, 419
Additions to the Menagerie during the month of November	1860, 442
On the <i>Babirussa</i> and other <i>Suidæ</i> , now living in the Society's Menagerie	1860, 443
Note on the <i>Ovis polii</i> of Blyth	1860, 443
Report on the Indian Pheasants bred in the Society's Menagerie during the years 1858, 1859, and 1860 ..	1860, 444
Characters of Ten New Species of American Birds	1860, 461

SCLATER, PHILIP LUTLEY, Ph.D., M.A., F.R.S., F.L.S.,
Secretary to the Society, and OSBERT SALVIN, M.A.
F.Z.S.

Characters of Eleven New Species of Birds discovered by Osbert Salvin in Guatemala	1860, 298
--	-----------

SCOTT, A. W., M.A., Member of the Legislative Assembly, New South Wales.

On <i>Cystosoma saundersii</i>	1852, 14
On a New Lepidopterous Insect from Australia ..	1859, 207
Description of a species of <i>Perga</i> , or Sawfly	1859, 209

SHAW, A. N., F.Z.S.

Letters relating to Collections made at Bombay ..	1849, { 33 94
---	------------------

SHORTT, Dr., F.Z.S.

Remarks on the Civet Cats of India	1860, 98
--	----------

SIMMONDS, P. L.

- Extract from a letter, announcing the capture of a young female Gorilla 1860, 184

SMITH, J. P. G.

- Note on *Callichthys* and *Anableps* 1850, 53
 On a living *Octopus* (in a letter addressed to Dr. Gray) 1858, 533

SOTHEY, S. LEIGH.

- Note on a Talking Canary (addressed to Dr. Gray) 1858, 231

SOWERBY, G., F.L.S.

- Description of a New Species of the Genus *Tomigerus* 1849, 14
 Description of Two newly discovered Species of *Cyclostoma* 1849, 15
 Description of Shells in the Collection of Hugh Cuming, Esq. 1859, 428

SOWERBY, G. B., Jun., F.L.S.

- Descriptions of some New Species of *Ovulum* 1848, 135
 Descriptions of some New Species of *Cancellaria* . . 1848, 136
 On a New Genus of *Pholadidæ*, with notices of several New Species, and of a remarkable specimen of *Pholas calva* in Mr. Cuming's Collection 1849, 160

SPEKE, Capt. J. H., 46th B. N. I.

- Notes on the Habits of Two Mammals observed in the Somáli Country, Eastern Africa 1859, 234

STEVENS, SAMUEL.

- Exhibition of two beautiful new Butterflies collected by Mr. Wallace in the Island of Batchian . . . 1859, 351
 Exhibition of Birds and Lepidopterous Insects collected by Mr. Wallace in the Island of Batchian . . . 1860, 1

STEVENSON, Mrs.

- Letter 1849, 106

STEWART, THOMAS HOWARD, F.Z.S., M.R.C.S.

- Exhibition of specimens of *Corystes cassivelaunus*,
and the Young of *Comatula rosea* 1859, 495
- Remarks on the Stomach of the *Potamochærus*
penicillatus 1860, 194

STRICKLAND, H. E., M.A.

- On the Habits of a living specimen of *Nanina vitri-*
noides 1848, 142
- List of Birds procured in Kordofan by Mr. J. Pe-
therick, with Notes 1850, 214
- On some Bones of Birds allied to the Dodo 1852, 75

TAYLOR, E. CAVENDISH, M.A., F.Z.S., &c.

- Note on the Eggs of the Frigate Bird and the Cro-
codile of Jamaica. 1858, 318

TEGETMEIER, W. B.

- On the remarkable Peculiarities existing in the
Skulls of the Feather-crested variety of the Domestic
Fowl, now known as the Polish 1856, 366
- Exhibition of a Collection of Skins of New Va-
rieties of Domestic Fowls, the property of Charles
Darwin, Esq. 1857, 46
- Exhibition of Specimens illustrating the differences
produced in the Hens of the Common Pheasant and
Domestic Fowl by disease or degeneration of the Ovary 1857, 81

TEMPLE, ROBERT, Chief Justice of British Honduras.

- Letter referring to a species of Peccary 1860, 206

TEMPLETON, R.

- Description of a New Species of *Sorex*, from India 1853, 100

THOMASON, Hon. J.

Letter relating to a young Kiang 1848, 62

THOMPSON, Captain J. WYCLIFFE.

Notes on the Gouwa (*Bos frontalis*) of Western
India, called "the Bison" by English residents 1852, 96

THOMPSON, General PERRONET, F.R.S., M.P.

On the *Lepidosiren* (in a note to Dr. Gray) 1858, 535

THOMPSON, WILLIAM.

Description of a New Species of *Corynactis* 1853, 107
 Remarks on *Nika edulis*, Risso 1856, 102
 Remarks on the British *Actiniadæ* and Re-arrange-
 ment of the Genera 1858, 145
 On a species of *Eolis*, and also a species of *Loma-*
notus new to science; with the description of a
 specimen of *Eolis cærulea* of Montagu 1859, 65

TOMES, JOHN, F.R.S., &c.

On the Blood-coloured Exudation from the Skin of
 the Hippopotamus 1850, 160
 On the Structure of the Teeth of the American and
 Indian Tapirs 1851, 121

TOMES, ROBERT F., Corr. Mem. Z.S.

On the Occurrence and Habits of *Vespertilio emar-*
ginatus 1848, 112
 On Three Genera of Vespertilionidæ, *Furipterus*,
Natalus and *Hyonycteris*, with the Descriptions of
 Two New Species 1856, 172
 Monograph of the Genus *Lasiurus* 1857, 34
 Descriptions of Four undescribed Species of Bats . . 1857, 50
 On Two Species of Bats inhabiting New Zealand . . 1857, 134
 A Monograph of the Genus *Nyctophilus* 1858, 25

TOMES, ROBERT F., CORR. MEMB. Z.S. (*continued*).

- On the Characters of Four Species of Bats inhabiting Europe and Asia, and the description of a New Species of *Vespertilio* inhabiting Madagascar 1858, 78
- A Monograph of the Genus *Miniopterus* 1858, 115
- A Monograph of the Genus *Kerivoula* 1858, 322
- On the *Vespertilio suillus* of Temminck, the type of the Genera *Murina* (Gray) and *Ocyptes* (Lesson) . . 1858, 367
- Notes of Five Species of Bats in the Collection of L. L. Dillwyn, Esq., M.P., collected in Labuan by Mr. James Motley 1858, 536
- Notes on a Collection of Mammalia made by Mr. Fraser at Gualaquiza 1858, 546
- Description of Six hitherto undescribed Species of Bats 1859, 68
- A Monograph of the Genus *Epomophorus*, with the Description of a New Species 1860, 42
- Description of a New Species of Opossum, obtained by Mr. Fraser in Ecuador 1860, 58
- Notes on a Second Collection of Mammalia made by Mr. Fraser in the Republic of Ecuador 1860, 211
- Notes on a Third Collection of Mammalia made by Mr. Fraser in the Republic of Ecuador 1860, 260
- Additional Note on *Didelphys waterhousii* 1860, 303

TORRENS, H., B.A., V.P.AS.SOC. BENGAL.

- On Native Impressions regarding the Natural History of certain (Indian) Animals 1855, 129

TRISTRAM, REV. H. B., CORR. MEMB. Z.S.

- Exhibition of some Mammals, Reptiles, Batrachians, and Fishes collected in the Algerian Sahara . . 1859, 353
- Notes on the Reptiles and Fishes of the Sahara . . 1859, 475

TURNER, H. N., Jun.

- Observations on some of the Foramina at the Base of the Skull in Mammalia, and on the Classification of the Order *Carnivora* 1848, 63
- Notes on the dissection of *Paradoxurus typus* and of *Dipus ægyptius* 1849, 24
- On the Evidences of Affinity afforded by the Skull in the Ungulate Mammalia 1849, 147
- Contributions to the Anatomy of the Tapir 1850, 102
- On the Generic Subdivision of the *Bovidæ*, or Hollow-horned Ruminants 1850, 164
- Note on the Suborbital Gland of the Nylghau 1851, 116
- On the Change of Colour in a Chameleon (*Chamæleo vulgaris*) 1851, 203
- On the Arrangement of the Edentate Mammalia 1851, 205

TWEEDIE, J. N., Corr. Memb. Z.S.

- Letter relating to Collections made at Hayti 1849, 33

TYLER, Lieut. R.E.

- Letters 1849, { 64
94
106
- Notes on the Serpents of Santa Lucia; communicated by the Secretary 1849, 100
- On the Iguana of Santa Lucia 1850, 106

VAN DER HOEVEN, J.

- Contributions to the knowledge of the Animal of *Nautilus pompilius* 1850, 1

VEKEMANS, M.

- Letter 1849, 33

VERREAUX, M. JULES, Corr. Memb. Z.S.

- Note sur un Genre des Oiseaux de Proie 1856, 145
- Note sur le Messager ou Serpenteaire du Cap du Bonne-Espérance (*Serpentarius reptilivorus*, Daud.). 1856, 348

- VERREAUX, M. JULES, Corr. Memb. Z.S. (*continued*).
 Description d'une nouvelle espèce de Barbu de
 l'Afrique occidentale 1859, 393
- VON DEM BUSCH, Dr.
 On some New Freshwater Shells from Ecuador and
 New Granada, in the Collection of H. Cuming, Esq. 1859, 167
- WALLACE, ALFRED R.
 On the Umbrella Bird (*Cephalopterus ornatus*);
 communicated by Mr. S. Stevens 1850, 206
 On the Monkeys of the Amazon 1852, 107
 On some Fishes allied to *Gymnotus* 1853, 75
 Extract from a letter received by Mr. S. Stevens
 from Mr. Wallace, dated Batchian, October 29, 1858,
 referring to a new Bird of Paradise 1859, 129
 Notes on *Semioptera wallacii*, Gray, from a Letter
 addressed to John Gould, Esq., dated Amboyna,
 Sept. 30, 1859..... 1860, 61
- WALLICH, G. C., M.D.
 Note on a New Preservative Process 1858, 536
- WALPOLE, The Hon. F., Lieut. R.N.
 Notes on the *Didunculus*, a species of Pigeon, sup-
 posed to be peculiar to the Navigators' Islands 1852, 87
- WALTER, H. F., F.Z.S.
 On the Eggs of *Otogyys* and *Prosthemadera*..... 1853, 192
- WATERHOUSE, G. R.
 Description of a New Species of *Tupaia*, discovered
 in Continental India by W. Elliot, Esq. 1849, 106
- WESTERMANN, M.
 Letter 1849, 33

WESTWOOD, J. O., F.L.S.

Monograph of the large African Species of Nocturnal *Lepidoptera* belonging or allied to the Genus *Saturnia* 1849, 33

Observations on the destructive species of Dipterous Insects known in Africa under the names of the Tsetse, Zimb, and Tsaltsalya, and on their supposed connexion with the fourth plague of Egypt 1850, 258

Observations on the Dentition of the Tiger Beetles 1851, 198

Descriptions of New Species of *Cleridæ*, from Asia, Africa, and Australia 1852, 34

Descriptions of some New Species of Exotic Moths, belonging or allied to the Genus *Saturnia*..... 1853, 157

Descriptions of some Species of Lepidopterous Insects belonging to the Genus *Oiketicus* 1854, 219

Descriptions of some New Species of *Cleridæ*, collected at Singapore by Mr. Wallace 1855, 19

Exhibition of several new and remarkable Species of Beetles, belonging to the Families *Cicindelidæ* and *Carabidæ*..... 1855, 119

WHITE, ADAM, F.L.S., Assist. Zool. Dep. Brit. Mus.

Description of *Echinocerus cibarius* 1848, 47

Description of Two New Species of *Crustacea* 1848, 144

Description of apparently New Species of *Aptera*, from New Zealand 1849, 3

Description of some apparently New Species of Longicorn Coleoptera, in the Collection of the British Museum 1850, 10

Descriptions of Two Species of *Crustacea* in the British Museum 1850, 95

Monograph of the Genus *Ægosoma*, Serville, with the Description of a New Genus and Species allied to it 1853, 26

Descriptions of some Coleopterous Insects in the Collection of the British Museum, hitherto apparently unnoticed 1856, { 8
406

WHITE, ADAM, F.L.S., &c. (*continued*).

- Some remarks on *Crustacea* of the Genus *Lithodes*, with a brief Description of a Species apparently hitherto unrecorded. 1856, 132
- Description of *Mygale emilia*, a Spider from Panama hitherto apparently unrecorded 1856, 183
- Descriptions of some Longicorn Coleoptera, apparently as yet unrecorded 1858, 398
- Description of an *Attacus* from the East Indies, hitherto apparently unrecorded 1859, 115
- Descriptions of unrecorded Species of Australian Coleoptera of the Families *Carabidæ*, *Buprestidæ*, *Lamellicornia*, *Longicornia*, &c. 1859, 117

WILSON, F. H.

- Exhibition of four examples of a curiously coloured variety of the Common Mole (*Talpa europæa*). 1860, 206

WING, W., M.E.S.

- Character of Three New Genera and Species of *Lepidoptera*. 1849, 104

WOLLEY, JOHN, JUN., F.Z.S.

- On the Nest and Eggs of the Waxwing (*Bombycilla garrula*, Temm.) 1857, 55

WOODWARD, S. P., F.G.S.

- On *Panopæa aldrovandi*, Lam. 1855, 218
- On the Land and Freshwater Shells of Kashmir and Tibet, collected by Dr. T. Thompson. 1856, 185
- Exhibition of Preparations of the Mantle and Oral Apparatus of the Recent British Terebratula (*T. caput-serpentis*) 1856, 368
- On a New Species of Mollusk of the Genus *Scissurella*, D'Orb. 1859, 202
- Note on *Cyclostoma articulatum* 1859, 204
- On some New Freshwater Shells from Central Africa 1859, 348

WOODWARD, S. P., and LUCAS BARRETT.

On the Genus *Synapta* (communicated by J. S.
Gaskoin, Esq.) 1858, 360

YARRELL, W., F.L.S., F.Z.S., &c.

Letter on the Deal-fish, from Dr. Duguid to Dr.
Barker 1851, 116
Exhibition of *Echiodon drummondii* 1852, 14
Notice of the occurrence of *Otis tarda* in Berkshire 1856, 1

LIST OF THE ILLUSTRATIONS.

1848 to 1860.

MAMMALIA.

No. of Plate.		Page
I.	<i>Galidictis vittata</i> , Gray	1848, 22
II.	<i>Ptilocercus lowii</i> , Gray	1848, 24
III.	<i>Cercopithecus pluto</i> , Gray	1848, 56
IV.	<i>Tragelaphus angassii</i> , Gray. ♂	} 1848, 89
V.	— —. Gray. ♀ et juv.	
VI.	<i>Mycetes palliatus</i> , Gray	} 1848, 138
VII.	<i>Sciurus dorsalis</i> , Gray	
VIII.	<i>Herpestes ochraceus</i> , Gray	
IX.	<i>Cercopithecus melanogenys</i> , Gray. Fig. 1 ..	1849, 7
	— <i>ludio</i> , Gray. Fig. 2	1849, 8
X.	<i>Bradypus crinitus</i> , Browne. Fig. 1 (skull) ..	1849, 67
	— <i>affinis</i> , Gray. Fig. 2 (skull)	1849, 68
XI.	<i>Arctopithecus flaccidus</i> , Gray. Fig. 1 (skull)	1849, 72
	— <i>blainvillii</i> , Gray. Fig. 2 (skull)	1849, 71
	— <i>marmoratus</i> , Gray. Figs. 3, 4 (skull), pt.	1849, 71
	— <i>problematicus</i> , Gray. Fig. 5 (skull), pt.	1849, 73
	— <i>gularis</i> , Gray. Fig. 6, skull, pt.	1849, 70
XII.	<i>Capreolus leucotis</i> , Gray	1849, 64
XIII.	<i>Tupaia elliotii</i> , Waterh.	1849, 107
XIV.	Young Hippopotamus	1849, 163
XV.	Hybrid Bull	1849, 172
XVI.	<i>Presbytes albigena</i> , Gray	1850, 77
XVII.	<i>Phacocharus æthiopicus</i> , juv.	1850, 78
XVIII.	<i>Thylacinus cynocephalus</i> , juv.	1850, 89
XIX.	<i>Hippopotamus amphibius</i> , Linn.	1850,
XX.	<i>Adenota lechè</i> , Gray	1850, 130
XXI.	Exudation from the skin of the Hippopotamus	1850, 160
XXII.	<i>Coassus nemorivagus</i> , ♂	} 1850, 240
XXIII.	— —, Gray. ♀	
XXIV.	— <i>rufus</i> , Gray	1850, 241
XXV.	— <i>superciliaris</i> , Gray	} 1850, 242
XXVI.	— <i>auritus</i> , Gray	

No. of Plate.		Page	
XXVII.	{	<i>Coassus nemorivagus</i> , Gray. Figs. 1, 3, 5 ..	1850, 240
		— <i>rufus</i> , Gray. Fig. 2	1850, 241
		— <i>superciliaris</i> , Gray. Fig. 4	1850, 242
		— <i>auritus</i> , Gray. Fig. 6	1850, 242
XXVIII.	<i>Cariacus punctulatus</i> , Gray	1850, 239	
XXIX.	Molar Tooth of the American Tapir	1851, 121	
XXX.	<i>Herpestes smithii</i>	1851, 131	
XXXI.			<i>Cynictis maccarthice</i> , Gray
XXXII.	<i>Anomalurus beecroftii</i> , Fraser	1852, 17	
XXXIII.	<i>Hyrax dorsalis</i> , Fraser	1852, 99	
XXXIV.	<i>Potamochoerus penicillatus</i> , Gray	1852, 131	
XXXV.	<i>Poëphagus grummiens</i> , juv.	1853, 191	
XXXVI.	<i>Budorcas taxicolor</i> , Hodgs.	1853, 192	
XXXVII.	<i>Porcula salvonia</i> , Hodgs.		
XXXVIII.	<i>Felis macrosceloides</i> , Hodgs.		
XXXIX.	<i>Petrogale xanthopus</i> , Gray	1854, 249	
XL.	<i>Bos arnee</i> , H. Smith (head)	1855, 17	
XLI.	<i>Mus musculus</i> , var. 7, <i>nudo-plicatus</i> , Gasc. ..	1856, 38	
XLII.	<i>Furipterus cerulescens</i> , Tomes	1856, 172	
XLIII.			<i>Natalus stramineus</i> , Gray
XLIV.	<i>Physalus duguidii</i> , Heddle	1856, 187	
XLV.			
XLVI.	<i>Sciurus macrotis</i> , Gray	1856, 341	
XLVII.	<i>Paradoxurus strictus</i> , Hodgs.	1856, 396	
XLVIII.	— <i>quadriscriptus</i> , Hodgs.		
XLIX.	<i>Mustela strigidorsa</i> , Hodgs.	1856, 398	
L.	<i>Arctonyx isonyx</i> , Hodgs.		
LI.	<i>Manatus vogelii?</i> , Owen		1857, 29
LII.	Shanghai Sheep	1857, 104	
LIII.	<i>Scotophilus tuberculatus</i> , Forster	1857, 135	
LIV.	<i>Mystacina tuberculata</i> , Gray	1857, 138	
LV.	<i>Oryx beatrix</i> , Gray	1857, 157	
LVI.	<i>Lepus nigripes</i> , Bartlett.	1857, 159	
LVII.	{	<i>Cephalophus grimmii</i> , Gray	1857, 277
		— <i>burchellii</i> , Gray	
LVIII.	<i>Leopardus hernandesii</i> , Gray	1857, 278	
LIX.	<i>Pomatochoerus africanus</i> , Gray	1858, 58	
LX.	<i>Vespertilio formosus?</i> , Hodgs.	1858, 82	
LXI.	<i>Cuscus orientalis</i> , ♂ ♀, Gray	1858, 104	
LXII.	— <i>celebensis</i> , Gray	1858, 105	
LXIII.	<i>Dactylopsila trivirgata</i> , Gray	1858, 111	
LXIV.	<i>Myiictis wallacii</i> , Gray	1858, 112	
LXV.	{	<i>Miniopterus schreibersii</i>	1858, 117
		— <i>blepotis</i>	1858, 121
LXVI.	{	<i>Kerivoula arosa</i> , Tomes	1858, 332
		— <i>lanosa</i> , Smith	1858, 331
LXVII.	<i>Notopterus macdonaldii</i> , Gray	1859, 38	
LXVIII.	<i>Arctocephalus ursinus</i> (skull)	1859, 102	
LXIX.	— <i>delalandii</i> (skull)	1859, 107	
LXX.	— <i>gillespii</i> (skull)	1859, 110	
LXXI.	<i>Ornithorhynchus anatinus</i>	1859, 213	

No. of Plate.		Page
LXXII.	<i>Arctocephalus monteriensis</i> (skull).....	1859, 358
LXXIII.	<i>Equus kiang</i>	1859, 353
LXXIV.	<i>Cuscus ornatus</i>	1860, 1
LXXV.	<i>Epomophorus franquetii</i> , Tomes	1860, 54
LXXVI.	<i>Didelphys waterhousii</i>	1860, 58
LXXVII.	Section of the head of young Giraffe.....	} 1860, 99
LXXVIII.	Sacculated Peyerian gland of young Giraffe..	
LXXIX.	<i>Ovis vignii</i>	1860, 127
LXXX.	— <i>cycloceros</i>	1860, 128
LXXXI.	<i>Pithecia albicans</i>	1860, 228
LXXXII.	<i>Macacus ocreatus</i>	1860, 420
LXXXIII.	<i>Babirusa alfurus</i>	1860, 443

AVES.

I.	<i>Trochilus (Helianthea) eos</i> , Gould	1848, 11
II.	— (<i>Heliangelus</i>) <i>mavors</i> , Gould.....	1848, 12
III.	<i>Coracopsis? personata</i> , Gray	1848, 21
IV.	<i>Podica personata</i> , Gray	1848, 90
V.	<i>Psittacus rippellii</i> , Gray	1848, 125
VI.	<i>Cincoloma castaneothorax</i> , Gould	1848, 139
VII.	<i>Gallus temminckii</i> , Gray	1849, 62
VIII.	— <i>ceneus?</i> , Temm.....	} 1849, 63
IX.	<i>Glareola nuchalis</i> , Gray	
X.	<i>Cultrides rufipennis</i> , Gray.....	} 1849, 143
XI.	<i>Eclectus cornelia</i> , Bonap.	
XII.	<i>Ptilorhis victorice</i> , Gould	1849, 111
XIII.	Hybrid Crowned Pigeon	1849, 171
XIV.	<i>Eos cyanogenia</i> , Bonap.	} 1850, 27
XV.	— <i>semilarvata</i> , Bonap.	
XVI.	<i>Chalcopsitta rubiginosa</i> , Bonap.....	1850, 26
XVII.	<i>Garrulus lidthi</i> , Bonap.	1850, 80
XVIII.	<i>Oriolus broderipii</i> , Bonap.	1850, 279
XIX.	<i>Aquila audax</i> , Lath. (egg)	1850, 91
XX.	<i>Cephalopterus glabricollis</i> , Gould	1850, 92
XXI.	<i>Notornis mantellii</i> , Owen	1850, 212
XXII.	<i>Buteo rufipennis</i> , Strickl.	1850, 214
XXIII.	<i>Mirafra cordofanica</i> , Strickl.	1850, 218
XXIV.	<i>Alauda erythropygia</i> , Strickl.	1850, 219
XXV.	<i>Palœornis derbianus</i> , Fraser	} 1850, 245
XXVI.	— <i>erythrogenys</i> , Fraser	
XXVII.	<i>Crax albertii</i> , Fraser. ♂	} 1850, 246
XXVIII.	— —, Fraser. ♀	
XXIX.	<i>Penelope niger</i> , Fraser. ♂ ♀	} 1850, 274
XXX.	{ <i>Apteryx australis</i> , Shaw. Figs. 1, 2	
	{ — <i>mantellii</i> , Bartl. Figs. 3, 4.....	} 1850, 274
XXXI.	{ — <i>australis</i> , Shaw. Fig. 1	
	{ — <i>mantellii</i> , Bartl. Fig. 2	} 1850, 276
XXXII.	<i>Turdus vulpinus</i> , Hartl.	

No. of Plate.		Page
XXXIII.	<i>Machærihynchus flaviventer</i> , Gould	1850, 277
XXXIV.	<i>Ptilotis filigera</i> , Gould	1850, 278
XXXV.	<i>Baleniceps rex</i> , Gould	1851, 2
XXXVI.	<i>Saurophagus derbianus</i> , Kaup	1851, 44
XXXVII.	<i>Psaris fraserii</i> , Kaup. ♂	} 1851, 47
XXXVIII.	— —, Kaup. ♀	
XXXIX.	<i>Megapodius cumingii</i> , Dillwyn	1851, 119
XL.	<i>Francolinus yemensis</i> , Nicholson	1851, 128
XLI.	<i>Tænioptera erythropygia</i> , Selater	} 1851, 193
XLII.	— <i>striaticollis</i> , Selater	
XLIII.	<i>Artamus cucullatus</i> , Nicholson	1851, 196
XLIV.	<i>Sagmatorrhina lathamii</i> , Bonap.	1851, 202
XLV.	Metatarsal bone of <i>Didus nazareus</i> . Fig. 1	1851, 284
	— — of <i>Didus solitarius</i> . Fig. 2	1851, 283
	— — of <i>Didus ineptus</i> . Fig. 3	1851, 281
XLVI.	Egg of <i>Apteryx mantellii</i>	1852, 12
	— of <i>Sterna</i> —?	1852,
	— of <i>Strigops habroptilus</i>	1852, 32
	— of <i>Ocydromus australis</i>	1852,
XLVII.	<i>Culicivora boliviana</i> , Selater	} 1852, 34
XLVIII.	<i>Pipra flavo-tincta</i> , Selater	
XLIX.	<i>Suthora webbiana</i> , G. R. Gray	1852, 70
L.	<i>Bucco radiatus</i> , Selater	1853, 122
LI.	<i>Malacoptila substriata</i> , Selater	1853, 123
LII.	<i>Dendrocolaptes eytoni</i> , Selater	1853, 68
LIII.	Nest and Eggs of <i>Memura albertii</i>	1853, 45
LIV.	<i>Ptilonopus chrysogaster</i> , G. R. Gray	} 1853, 48
LV.	— <i>purpureocinctus</i> , G. R. Gray	
LVI.	Egg of <i>Otogyys auritus</i>	} 1853, 192
	<i>Prothemadiera novæ zelandiæ</i>	
LVII.	<i>Ruticilla phœnicuroïdes</i> , F. Moore	1854, 25
LVIII.	— <i>hodgsonii</i> , F. Moore	1854, 26
LIX.	— <i>rufogularis</i> , F. Moore	} 1854, 27
LX.	— <i>vigorsii</i> , F. Moore	
LXI.	— <i>nigrogularis</i> , F. Moore	1854, 29
LXII.	<i>Nemura hodgsonii</i> , F. Moore	1854, 76
LXIII.	<i>Delichon nipalensis</i> , F. Moore	1854, 104
LXIV.	<i>Buthraupis chloronota</i> , Selater	1854, 97
LXV.	<i>Euphonia hirundinacea</i> , Bonap.	} 1854, 98
	— <i>concinna</i> , Selater	
LXVI.	<i>Tyrannula phœnicura</i> , Selater. Fig. 1	} 1854, 113
	— <i>ornata</i> , Lafr. Fig. 2	
LXVII.	<i>Arremon spectabilis</i> , Selater	1854, 114
LXVIII.	<i>Chlorospingus melanotis</i> , Selater	1854, 157
LXIX.	<i>Tachyphonus xanthopygicus</i> , Selater	1854, 158
LXX.	<i>Myrmeciza leucapsis</i> , Selater	} 1854, 253
LXXI.	— <i>margaritata</i> , Selater	
LXXII.	<i>Pithys erythrophrys</i> , Selater	} 1854, 255
	<i>Hypocnemis melanolæma</i> , Selater	
LXXIII.	— <i>melanostieta</i> , Selater	} 1854, 254
LXXIV.	<i>Formicivora caudata</i> , Selater	

No. of Plate.		Page
LXXV.	<i>Malacocichla dryas</i> , Gould	1854, 285
LXXVI.	<i>Orthotomus derbianus</i> , F. Moore	1854, 309
LXXVII.	<i>Galbula fuscicapilla</i> , Selater	1855, 13
LXXVIII.	{ Egg of <i>Pterocles exustus</i>	} 1855, 30
	{ — of <i>Pterocles quadricinctus</i>	
LXXIX.	<i>Thamnophilus leucauchen</i> , Selater	1855, 18
LXXX.	— <i>melanonotus</i> , Selater	} 1855, 19
LXXXI.	— <i>nigrocinereus</i> , Selater	
LXXXII.	— <i>cæsius</i> , Selater	
LXXXIII.	— <i>melanurus</i> , Gould	1855, 69
LXXXIV.	{ <i>Todirostrum nigriceps</i> , Selater	1855, 66
	{ — <i>spiciferum</i> , Lafr.	1855, 67
LXXXV.	<i>Conirostrum ferrugineiventre</i> , Selater	1855, 74
LXXXVI.	<i>Synallaxis erythrothorax</i> , Selater	1855, 75
LXXXVII.	<i>Ramphocænis cinereiventris</i> , Selater	} 1855, 76
LXXXVIII.	<i>Cyphorhinus albigularis</i> , Selater	
LXXXIX.	<i>Arremon erythrorhynchus</i> , Selater	} 1855, 83
XC.	<i>Tachyphonus xanthopygius</i> , Selater	
XCI.	<i>Tanagra notabilis</i> , Jardine	} 1855, 84
XCII.	<i>Saltator arremonops</i> , Jardine	
XCIII.	<i>Prion brevirostris</i> , Gould	1855, 87
XCIV.	<i>Grallaria modesta</i> , Selater	} 1855, 89
XCv.	<i>Chamaea mollissima</i> , Selater	
XCVI.	<i>Formicivora callinota</i> , Selater	
XCvII.	<i>Dysithamnus semicinereus</i> , Selater	} 1855, 90
XCvIII.	<i>Pyriglena tyrannina</i> , Selater	
XCXIX.	<i>Nemosia albigularis</i> , Selater	} 1855, 109
C.	<i>Pyriglena ellisiana</i> , Selater	
CI.	<i>Anthus bogotensis</i> , Selater	} 1855, 110
CII.	<i>Otocorys peregrina</i> , Selater	
CIII.	<i>Vireolanius icterophrys</i> , Bonap.	1855, 151
CIV.	<i>Ampelion cinctus</i> , Tsch.	1855, 152
CV.	<i>Bucco hyperrhynchus</i> , Selater	1855, 193
CVI.	— <i>pulmentum</i> , Selater	1855, 194
CVII.	<i>Somateria V-nigra</i> , G. R. Gray	} 1855, 211
CVIII.	<i>Lampronetta fischeri</i> , Brandt	
CIX.	<i>Buarremon leucopterus</i> , Jardine	1855, 214
CX.	<i>Iridornis porphyrocephala</i> , Selater	1855, 227
CXI.	<i>Otocorys otogirostris</i> , Moore	} 1855, 215
CXII.	<i>Emberiza stracheyi</i> , Moore	
CXIII.	<i>Propasser thura</i> , male	
CXIV.	— — — — —, female	
CXV.	<i>Calenas (Phlegenus) stairii</i> , G. R. Gray	1856, 6
CXVI.	<i>Margarornis brunnescens</i> , Selater	1856, 27
CXVII.	<i>Oethoeca fumicolor</i> , Selater	} 1856, 28
CXVIII.	<i>Euscarthmus agilis</i> , Selater	
CXIX.	<i>Conopophaga cucullata</i> , Selater	1856, 29
CXX.	<i>Granatellus sallæi</i> , Selater	1856, 292
CXXI.	<i>Pipra mentalis</i> , Selater	1856, 299
CXXII.	Nest and eggs of <i>Bombycilla garrula</i> , Temm.	1957, 55
CXXIII.	<i>Cotinga amabilis</i> , Gould. ♂ ♀	1857, 64
CXXIV.	<i>Euphonia gouldii</i> , Selater	1857, 66

No. of Plate.		Page
CXXV.	<i>Todirostrum calopteryum</i> , Selater	1857, 82
	— <i>capitale</i> , Selater	1857, 83
	— <i>exile</i> , Selater	
CXXVI.	<i>Formicivora urosticta</i> , Selater	1857, 130
	— <i>hauzwelli</i> , Selater	1857, 131
CXXVII.	<i>Polychlorus westermanni</i> (Bonap.)	1857, 224
CXXVIII.	<i>Prionirhynchus carinatus</i> (Du Bus)	1857, 257
CXXIX.	<i>Casuarius bennettii</i> , Gould	1857, 268
CXXX.	<i>Anabazenops guttulatus</i> , Selater	1857, 272
CXXXI.	<i>Melanerpes rubigularis</i> , Selater	1858, 2
CXXXII.	<i>Euchates coccineus</i> , Selater	1858, 73
	<i>Creurgops verticalis</i> , Selater	
CXXXIII.	<i>Dacelo tyro</i> , G. R. Gray	1858, 171
CXXXIV.	<i>Todopsis cyanocephala</i> , G. R. Gray	1858, 177
CXXXV.	<i>Chalcopsitta rubrifrons</i> , G. R. Gray	1858, 182
CXXXVI.	<i>Ptilonopus wallacii</i> , G. R. Gray	1858, 185
CXXXVII.	— <i>aurantifrons</i> , G. R. Gray	
CXXXVIII.	— <i>coronulatus</i> , G. R. Gray	
CXXXIX.	<i>Thamnophilus amazonicus</i> , ♂ ♀, Selater	1858, 214
CXL.	<i>Dysithamnus leucostictus</i> , Selater	1858, 223
CXLI.	<i>Myrmotherula surinamensis</i> , ♂, Selater	1858, 234
	— <i>multostriata</i> , ♂ ♀, Selater	
CXLII.	<i>Formicivora erythrocerca</i> , Selater	1858, 240
CXLIII.	<i>Myrmelastes plumbeus</i> , ♂ ♀, Selater	1858, 274
CXLIV.	Egg of <i>Casuarius bennettii</i>	1858, 271
CXLV.	<i>Phrygilus ocularis</i> , ♂ ♀, Selater	1858, 449
CXLVI.	<i>Elainea griseigularis</i> , Selater	1858, 554
	— <i>stictoptera</i> , Selater	
CXLVII.	<i>Catreus wallichii</i> , juv. Fig. 1	1858, 544
	<i>Lophophorus impeyanus</i> , juv. Fig. 2	
CXLVIII.	<i>Gallophasis albocristatus</i> , juv. Fig. 1	
CXLIX.	— <i>horsfieldii</i> , juv. Fig. 2	1858, 544
	Eggs of <i>Gallophasis horsfieldii</i> (fig. 1), <i>G. melanotus</i> (fig. 2), <i>G. albocristatus</i> (fig. 3), <i>Catreus wallichii</i> (fig. 4), and <i>Lophophorus impeyanus</i> (fig. 5)	
CL.	<i>Dendrocincla anabatina</i> , Selater	1859, 54
CLI.	<i>Chloronerpes sanguinolentus</i> , Selater	1859, 60
CLII.	<i>Otothrix hodgsonii</i> , Gray	1859, 101
CLIII.	<i>Plectropterus gambensis</i> . Fig. 2 ♂	1859, 131
	— <i>rippellii</i> . Fig. 1 ♂	
CLIV.	<i>Vireo josephæ</i> , Selater	1859, 137
CLV.	<i>Carpophaga goliath</i> , G. R. Gray	1859, 165
CLVI.	<i>Montifringilla adamsii</i> , Moore	1859, 169
CLVII.	<i>Laimodon albiventris</i>	1859, 393
CLVIII.	Hybrid between <i>Tadorna vulpanser</i> and <i>Casarca cana</i>	1859, 442
CLIX.	<i>Oreomanes fraseri</i>	1860, 75
CLX.	<i>Euchlornis jucunda</i>	1860, 89
CLXI.	<i>Pytelia monteiri</i>	1860, 111
CLXII.	Egg of <i>Casuarius bennettii</i>	1860, 206
CLXIII.	<i>Coccothraustes maculipennis</i>	1860, 251

No. of Plate.		Page
CLXIV.	<i>Cyclorhis virenticeps</i>	1860, 274
CLXV. } CLXVI. }	Structure of the Gizzard of the Nicobar Pigeon and other granivorous birds	1860, 330
CLXVII. }	Hybrid between <i>Fuligula collaris</i> and <i>F. americana</i>	1860, 336
CLXVIII.	Hybrid between <i>Anas boschas</i> and <i>Dafila acuta</i>	1860, 336
CLXIX.	<i>Aquila gurneyi</i>	1860, 342
CLXX.	<i>Tanyptera sabrina</i>	1860, 347
CLXXI.	<i>Megapodius wallacii</i>	1860, 362
CLXXII.	<i>Habroptila wallacii</i>	1860, 365
CLXXIII.	<i>Chloëphaga rubidiceps</i>	1860, 387

REPTILIA.

I.	<i>Cyclura lophoma</i> , Gosse	1848, 99
II.	<i>Cistudo (Onychotria) mexicana</i> , Gray	1849, 17
III. }	<i>Iguana rhinolophus</i>	1850, 106
III. }	<i>Metopocerus cornutus</i> , Wagl.	1850, 106
IV.	<i>Pterodactylus longirostris</i> , Bowerbank	1851, 14
V.	Cancelled.	
VI. }	<i>Anadia ocellata</i> . Fig. 1	1851,
VI. }	<i>Emminia olivacea</i> . Fig. 2	1851,
VI. }	<i>Iphisa elegans</i> . Fig. 3	1851, 39
VII.	<i>Amblyostoma californicuse</i> , Gray	1853, 11
VIII.	<i>Corucia zebrata</i>	1855, 217
IX. }	<i>Testudo elongata</i> , Gray	1856, 181
IX a. }		
X. }	<i>Batagur ocellata</i> , Gray	1856, 182
X a. }		
XI.	<i>Lepidosiren annectens</i>	1856, 342
XII. }	<i>Chelodina expansa</i> , Gray	1856, 369
XII a. }		
XIII.	<i>Mitylia gerrardii</i> , Gray	1858, 57
XIV.	<i>Calabaria fusca</i> , Gray	1858, 155
XV. }	<i>Argalia olivacea</i> . Fig. 1	1858, 446
XV. }	<i>Riama unicolor</i> , Gray. Fig. 2	1858, 446
XV. }	<i>Callophis intestinalis</i> . Figs. A, B, C	1859, 82
XVI.	— <i>trimaculatus</i> . Fig. D, magnified	1859, 83
XVI.	— <i>maculiceps</i> . Fig. E, magnified	1859, 84
XVII. }	— <i>univirgatus</i> . Fig. A	1859, 83
XVII. }	<i>Vermicella occipitalis</i> . Fig. B	1859, 87
XVIII. }	<i>Elaps decoratus</i> , Jan. Fig. A, a	1859, 85
XVIII. }	— <i>filiformis</i> , Gthr. Fig. B, b	1859, 86
XIX.	<i>Cynops chinensis</i> , Gray. Fig. 1	1859, 229
XIX.	<i>Plethodon persimilis</i> , Gray. Fig. 2	1859, 230
XX.	<i>Cercosaurus rhombifer</i> , Gthr. Fig. A	1859, 405
XX.	<i>Liocephalus iridescens</i> , Gthr. Fig. B	1859, 409
XX.	<i>Lachesis nitidus</i> , Gthr. Fig. C	1859, 414
XXI.	<i>Geoclemmys macrocephala</i>	1859, 479
XXII.	<i>Aspidocheilus livingstonii</i>	1860, 5
XXIII.	<i>Herpeton tentaculatum</i>	1860, 114

No. of Plate.		Page
XXIV.	<i>Chrysenis batesii</i>	1860, 132
	{ <i>Barycephalus sykesii</i> , Gthr. Fig. A	1860, 150
XXV.	{ <i>Tiaris elliotii</i> , Gthr. Fig. B	1860, 151
	{ <i>Tiliqua schlegelii</i> , Gthr. Fig. C	1860, 153
XXVI.	{ <i>Ablapes owenii</i> , Gthr. Fig. A, <i>a</i>	1860, 155
	{ — <i>rappii</i> , Gthr. Fig. B, <i>b</i>	1860, 154
XXVII.	<i>Spilotes hodgsonii</i> , Gthr.	1860, 156
XXVIII.	{ <i>Rana liebigii</i> , Gthr. Fig. A, <i>a</i>	1860, 157
	{ <i>Dicroglossus adolfii</i> , Gthr. Fig. B, <i>b</i>	1860, 158
XXIX.	<i>Geoclemmys annulata</i>	1860, 231
XXX.	<i>Emys fuliginosus</i>	1860, 232
XXXI.	<i>Manouria fusca</i>	1860, 395
XXXII.	{ <i>Thamnocenchris aurifer</i> . Fig. 1	1860, 459
	{ <i>Hyla holochlora</i> . Fig. 2	1860, 460

PISCES.

I.	{ <i>Aploactis milesii</i> , Richdn. Figs. 1, 2	1850, 60
	{ <i>Apistes panduratus</i> , Richdn. Figs. 3, 4	1850, 58
II.	{ <i>Threpterus maculosus</i> , Richdn. Figs. 1, 2 ..	1850, 70
	{ <i>Cheilodactylus gibbosus</i> , Solander. Figs. 3, 4	1850, 65
III.	{ <i>Olisthops cyanomelas</i> , Richdn. Figs. 1, 2 ..	1850, 75
	{ <i>Cossyphus gouldii</i> , Richdn. Figs. 3, 4.....	1850, 72
	{ <i>Petromyzon marinus</i> . Fig. 1	1851, 236
	{ <i>Lampetra fluviatilis</i> . Fig. 2.....	1851, 237
IV.	{ <i>Geotria australis</i> . Fig. 3	1851, 239
	{ <i>Velasia chilensis</i> . Fig. 4	
	{ <i>Caragola lapicida</i> . Fig. 5	
	{ <i>Mordacia mordax</i> . Fig. 6	1851, 240
V.	<i>Geotria australis</i> , Gray	1851, 239
VI.	<i>Siphonognathus argyrophanes</i> , Richdn.....	1857, 237
VII.	<i>Haliichthys tæniophora</i>	1859, 39
VIII.	{ <i>Peristethus cataphractus</i> . Fig. 1	1859, 105
	{ — <i>orientalis</i> . Fig. 2	
	{ — <i>rieffelii</i> . Fig. 3	
IX.	{ <i>Glyphisodon biocellatus</i> . Fig. 1	1859, 222
	{ <i>Haligenes tristramii</i> . Fig. 2	1859, 471
	{ <i>Pimelodus cinerascens</i> , Gthr.	1860, 237
X.	{ — <i>elongatus</i> , Gthr.....	1860, 238
	{ — <i>modestus</i> , Gthr.....	1860, 239
XI.	<i>Pagrus bocagii</i> , Gthr.....	1860, 391

MOLLUSCA.

I.	{ <i>Placenta lincolni</i> , Gray. Fig. 1	1848, 114
	{ <i>Hemipecten forbesianus</i> , Adams & Reeve. Fig. 2	1848, 133
	{ <i>Nanina vitrioides</i> , Gray. Figs. 1, 2, 3	1849, 15
II.	{ <i>Cyclostoma aplustre</i> , Sow. Figs. 4, 5	1849, 14
	{ <i>Tomigerus principalis</i> , Sow. Figs. 6, 7	1849, 15
	{ <i>Cyclostoma fornosum</i> , Sow. Figs. 8, 9	1849, 16
	{ <i>Bulimus irróratu</i> s, Reeve. Fig. 10	1849, 16

No. of Plate.		Page
III.	<i>Trigonia pectinata</i> , Figs. 1, 2, 3	1849,
	— <i>jukesii</i> , A. Adams. Figs. 4, 5, 6	1849, 159
IV.	<i>Anomia (Patros) elyros</i> , Gray. Fig. 1	1849,
	— <i>achæus</i> , Gray. Fig. 2	1849, 118
V.	<i>Triumphalia globosa</i> (Quoy). Fig. 1	1849,
	— <i>pulcherrima</i> , G. B. Sow. Figs. 2, 2 a, 2 b	
	Insides of the valves of the same. Figs. 2 c, 2 d	1849,
	<i>Triumphalia cumingii</i> , G. B. Sow. Figs. 3, 3 a	
	<i>Phalacalva</i> , Sow., <i>in situ</i> , with a stony tube.	
	Fig. 4	1849, 160
VI.	— <i>tubifer</i> , Sow., <i>in situ</i> , with shelly tube.	
	Fig. 5	1849, 162
VI.	<i>Tellina squamulosa</i> , A. Adams. Fig. 1	1849,
	<i>Geomelania jamaicensis</i> , Pfr. Figs. 2, 3, 4	1849, 169
	<i>Panopæa japonica</i> , A. Adams. Fig. 5	
	<i>Sanguinolaria tellinoides</i> , A. Adams. Fig. 6	1849, 170
VII.	<i>Thracia magnifica</i> , Jonas. Fig. 7	
	<i>Chrysodomus heros</i> , Gray	1850, 15
VIII.	<i>Myochama transversa</i> . Fig. 1	1850,
	— <i>strangei</i> . Fig. 2	1850, 23
	<i>Cumingia clerii</i> . Fig. 3	
	— <i>similis</i> . Fig. 4	1850, 24
	— <i>striata</i> . Fig. 5	
	— <i>sinuosa</i> . Fig. 6	1850, 25
VIII.	— <i>fragilis</i> . Fig. 7	
	<i>Microtis tuberculata</i> . Figs. 8, 9, 10, 11, 12	1850, 36
	<i>Stomatia duplicata</i> . Figs. 13, 14, 15	1850, 34
	— <i>notata</i> . Fig. 16	1850, 35
	<i>Gena ornata</i> . Fig. 17	1850, 39
	<i>Liota peronii</i> . Figs. 18, 19, 20	
	— <i>pulcherrima</i> . Fig. 21	1850, 50
	<i>Cyclostrema spirula</i> . Fig. 22	1850, 42
IX.	<i>Helix vellicata</i> , Forbes. Fig. 1, a, b, c	
	— <i>kellestii</i> , Forbes. Fig. 2, a, b	1850, 55
	— <i>pandoræ</i> , Forbes. Fig. 3, a, b	
	— <i>labyrinthus</i> , var. <i>sipunculata</i> . Fig. 4, a, b	1850, 53
	<i>Bulimus achatinellinus</i> , Forbes. Fig. 5, a, b	1850, 56
	— <i>chemnitzoides</i> , Forbes. Fig. 6, a, b	1850, 55
	— <i>fimbriatus</i> , Forbes. Fig. 7, a, b	
	<i>Succinea cingulata</i> , Forbes. Fig. 8, a, b	1850, 56
	<i>Cyclostoma purum</i> , Forbes. Fig. 9, a, b	
	<i>Fusus kellestii</i> , Forbes. Fig. 10	1850, 274
X.	<i>Teinostoma politum</i> , A. Adams. Figs. 1, 2, 3	1850,
	<i>Hindsia nivea</i> , Pfeiffer. Figs. 4, 5	1850,
	— <i>bitubercularis</i> , A. Adams. Fig. 6	1850,
	<i>Sphænia philippinarum</i> , A. Adams. Figs. 7, 8, 9	1850, 89
	<i>Pseudoliva zebрина</i> , A. Adams. Fig. 10	1850,
	— <i>kellestii</i> , A. Adams. Fig. 11	1850,
XI.	<i>Pinaxia coronata</i> , A. Adams. Fig. 12	1850,
	<i>Trochita spirata</i> , Forbes. Fig. 1	1850, 271
	<i>Natica pritchardi</i> , Forbes. Fig. 2	1850, 272
	<i>Nassa woodwardi</i> , Forbes. Fig. 3	1850, 273

No. of Plate.		Page
XI.	<i>Nassa cooperi</i> , Forbes. Fig. 4	1850, 273
	<i>Planaxis pigra</i> , Forbes. Fig. 5	
	— <i>nigritella</i> , Forbes. Fig. 6	1850, 271
	<i>Trochus aureotinctus</i> , Forbes. Fig. 7	
	— <i>gallina</i> , Forbes. Fig. 8	1850, 272
	— <i>castaneus</i> , Nuttall. Fig. 9	
	— <i>hillii</i> , Forbes. Fig. 10	1850, 273
	— <i>purpuratus</i> , Forbes. Fig. 11	
	— <i>Purpura analoga</i> , Forbes. Fig. 12	1850, 274
	— <i>fuscata</i> , Forbes. Fig. 13	1851, 198
XII.	<i>Bulimus maconellii</i> , Reeve	1852, 144
XIII.	<i>Cyclostoma bairdii</i> , Pfr. Fig. 1	1852, 142
	— <i>nobile</i> , Pfr. Fig. 2	
	— <i>magnificum</i> , Sallé. Fig. 3	1852, 145
	<i>Cataulus pyramidatus</i> , Pfr. Fig. 4	
	— <i>eurytrema</i> , Pfr. Fig. 5	1852, 160
	— <i>layardii</i> , Gray. Fig. 6	
	— <i>Cylindrella menkeana</i> , Pfr. Fig. 7	1852, 140
	— <i>flamulata</i> , Pfr. Fig. 8	1852, 141
	<i>Cyclostoma bicolor</i> , Pfr. Fig. 9	1852, 145
	<i>Achatina richardii</i> , Pfr. Fig. 10	1852, 140
XIV.	<i>Helix launcestonensis</i> , Reeve. Fig. 11	1852, 31
	<i>Terebratula grayii</i> . Figs. 1, 2, 3	1852, 76
	— <i>bouchardii</i> . Figs. 4, 5, 6	1852, 77
	— <i>evansii</i> . Figs. 7, 8, 9	
	— ? <i>cumingii</i> . Figs. 10 to 16	1852, 78
	<i>Terebratulina cumingii</i> . Figs. 17, 18, 19 ..	1852, 79
	<i>Kraussia deshayesii</i> . Figs. 20, 21	1852, 80
	— <i>lamarckiana</i> . Figs. 22, 23	
	— <i>Argiope neapolitana</i> . Figs. 24, 25	1852, 81
	— <i>decollata</i> . Fig. 26	
— <i>cuneata</i> . Fig. 27	1852, 79	
— <i>cistellula</i> . Fig. 28		
— <i>Morrisia anomioides</i> . Fig. 29	1852, 81	
— <i>Rhynchonella nigricans</i> . Figs. 30, 31	1852, 82	
— <i>Orbicula evansii</i> . Figs. 32, 33, 34	1852, 90	
XV.	<i>Myochama keppelliana</i> , A. Adams. Fig. 1 ..	1852, 90
	— <i>strangei</i> , A. Adams. Fig. 2	
	— <i>transversa</i> , A. Adams. Fig. 3	1852, 90
	— <i>stutchburysii</i> , A. Adams. Fig. 4	
	<i>Aspergillum strangei</i> , A. Adams. Fig. 5	1852, 91
XVI.	<i>Crassatella cumingii</i> , A. Adams. Fig. 1	1852, 90
	— <i>obesa</i> , A. Adams. Fig. 2	
	<i>Trigonia strangei</i> , A. Adams. Fig. 3	1852, 91
	<i>Chiton insculptus</i> , A. Adams. Fig. 4	
	— <i>versicolor</i> , A. Adams. Fig. 5	1852, 92
— <i>muricatus</i> , A. Adams. Fig. 6	1852, 91	
XVII.	<i>Cardita excavata</i> , Desh. Figs. 1, 2, 3	1852, 100
	— <i>bimaculata</i> , Desh. Figs. 4, 5	1852, 102
	— <i>elegantula</i> , Desh. Figs. 6, 7	1852, 101
	— <i>amabilis</i> , Desh. Figs. 8, 9	1852, 102
	— <i>vestita</i> , Desh. Fig. 10	

No. of Plate.		Page
XVII.	<i>Cardita castanea</i> , Desh. Fig. 11	1852, 102
	— <i>purpurata</i> . Figs. 12, 13	1852, 100
	— <i>jukesii</i> . Fig. 14	1852, 101
	— <i>cumingii</i> . Fig. 15	1852, 102
	— <i>difficilis</i> . Figs. 16, 17	1852, 103
XVIII.	<i>Venerupis siliqua</i> , Desh. Fig. 1	1853, 5
	— <i>elegans</i> . Fig. 2	1853, 4
	— <i>cumingii</i> . Fig. 3	1853, 6
	— <i>insignis</i> . Fig. 4	1853, 4
	— <i>foliacea</i> . Fig. 5	1853, 4
	<i>Petricola bipartita</i>	1853, 4
	<i>Venerupis pulcherrima</i> , Desh. Fig. 7	1853, 4
XIX.	— <i>macrophylla</i> . Fig. 8	1853, 4
	<i>Petricola gracilis</i> . Fig. 9	1853, 4
	— <i>cultellus</i> . Fig. 10	1853, 4
	— <i>serratus</i> . Fig. 11	1853, 4
	— <i>rostralis</i> . Fig. 12	1853, 4
	<i>Venus tuberosa</i> . Fig. 1	1853, 8
	— <i>jukesii</i> . Fig. 2	1853, 8
XX.	<i>Tapes inflata</i> . Fig. 3	1853, 9
	— <i>turgidula</i> . Fig. 4	1853, 9
	— <i>biradiata</i> . Fig. 5	1853, 9
	— <i>quadriradiata</i> . Fig. 6	1853, 9
XXI.	<i>Metula cumingii</i> , A. Adams. Figs. 1, 2	1853, 173
	<i>Hipponyx granulata</i> , A. Adams. Fig. 3	1853, 176
	<i>Vanicoro quoyana</i> , A. Adams. Fig. 4	1853, 175
	<i>Holcostoma setigerum</i> , A. Adams. Fig. 5	1853, 174
	<i>Pyramidella subulata</i> , A. Adams. Fig. 6	1853, 177
	<i>Harpa striatula</i> , A. Adams. Figs. 7, 8	1853, 173
	— <i>solidula</i> , A. Adams. Figs. 9, 10	1853, 173
	<i>Fossar bicarinatus</i> , A. Adams. Figs. 11, 12	1853, 187
	— <i>reticulatus</i> , A. Adams. Fig. 13	1853, 186
	<i>Colina pupiformis</i> , A. Adams. Fig. 14	1853, 176
XXII.	<i>Chemnitzia varicosa</i> , A. Adams. Fig. 15	1853, 181
	<i>Clementia papyracea</i> , Gray. Fig. 1	1853, 171
	<i>Glauconome cerea</i> , Reeve. Fig. 2	1853, 169
	<i>Circe divaricata</i> , Chemn. Fig. 3	1853, 171
	<i>Chamostrea albida</i> , Desh. Figs. 4, 5, 6, 7	1853, 167
	<i>Achatinella gouldii</i> . Fig. 1	1853, 129
	— <i>ovata</i> . Figs. 2, 2 a	1853, 130
— <i>rufa</i> . Fig. 3	1853, 130	
— <i>splendida</i> . Fig. 4	1853, 131	
— <i>redfieldii</i> . Fig. 5	1853, 131	
XXIII.	— <i>nivosa</i> . Fig. 6	1853, 131
	— <i>melanostoma</i> . Fig. 7	1853, 132
	— <i>cestus</i> . Fig. 8	1853, 132
	— <i>swiftii</i> . Figs. 9, 9 a	1853, 133
	— <i>turgida</i> . Figs. 10, 10 a	1853, 133
	— <i>cylindrica</i> . Fig. 11	1853, 134
— <i>casta</i> . Fig. 12	1853, 134	
	— <i>intermedia</i> . Fig. 13	1853, 135

No. of Plate.		Page
XXII.	<i>Achatinella violacea</i> . Fig. 14	1853, 135
	— <i>sanguinea</i> . Fig. 15	
	— <i>porphyrea</i> . Fig. 16	
	— <i>gigantea</i> . Fig. 17	1853, 136
	— <i>subvirens</i> . Fig. 18	
	— <i>ampla</i> . Fig. 19	
	— <i>adamsii</i> . Fig. 20	1853, 137
	— <i>rutila</i> . Fig. 21	
	— <i>rugosa</i> . Figs. 22, 22 a	1853, 138
	— <i>multilineata</i> . Fig. 23	
	— <i>glabra</i> . Fig. 25	
	— <i>tessellata</i> . Fig. 26	1853, 139
	— <i>sordida</i> . Fig. 27	
	— <i>fumosa</i> . Fig. 28	
	— <i>lineolata</i> . Fig. 29	1853, 140
	— <i>nitida</i> . Fig. 30	
	— <i>crassilabrum</i> . Fig. 31	
	XXIII.	— <i>cornea</i> . Fig. 32
— <i>labiata</i> . Fig. 33		
— <i>vitrea</i> . Fig. 34		
— <i>affinis</i> . Fig. 35		1853, 142
— <i>acuta</i> . Fig. 36		
— <i>polita</i> . Fig. 37		
— <i>soror</i> . Fig. 38		1853, 143
— <i>obesa</i> . Figs. 39, 39 a		
— <i>terebra</i> . Fig. 40		
— <i>melanosis</i> . Fig. 41		1853, 144
— <i>pupoidea</i> . Fig. 42		
— <i>curta</i> . Fig. 43		
— <i>fusca</i> . Fig. 44		1853, 145
— <i>recta</i> . Fig. 45		
— <i>grana</i> . Fig. 46		
— <i>porcellana</i> . Fig. 47		1853, 146
— <i>venulata</i> . Figs. 48, 48 a		
— <i>mucronata</i> . Fig. 49		
XXIV.	— <i>johnsonii</i> . Fig. 50	1853, 147
	— <i>aplustris</i> . Fig. 51	
	— <i>hybrida</i> . Fig. 52	
	— <i>assimilis</i> . Fig. 53	1853, 148
	— <i>reticulata</i> . Fig. 54	
	— <i>ornata</i> . Fig. 55	
	— <i>albo-labris</i> . Fig. 56	1853, 149
	— <i>elegans</i> . Fig. 57	
	— <i>pfeifferi</i> . Fig. 58	
	— <i>cunningii</i> . Fig. 59	1853, 150
	— <i>solitaria</i> . Fig. 60	
	— <i>germana</i> . Fig. 61	
— <i>flavescens</i> . Fig. 62	1853, 151	
— <i>helena</i> . Fig. 63		
— <i>physa</i> . Fig. 64		
— <i>dubia</i> . Fig. 65	1853, 152	

No. of Plate.		Page
XXIV.	<i>Achatinella grisea</i> . Fig. 66	1853, 153
	— <i>mastersii</i> . Fig. 67	
	— <i>decipiens</i> . Fig. 68	1853, 154
	— <i>rubiginosa</i> . Fig. 69	
	— <i>variabilis</i> . Fig. 70	1853, 155
	— <i>crassa</i> . Fig. 71	
	— <i>baldwinii</i> . Fig. 72	1853, 156
	— <i>buddii</i> . Fig. 73	
	— <i>emersonii</i> . Fig. 74	1853, 157
	— <i>biplicata</i> . Fig. 75	
— <i>semicarinata</i> . Fig. 76	1853, 157	
— <i>moesta</i> . Fig. 77		
XXV.	— <i>obscura</i> . Fig. 78	1853, 157
	— <i>concinna</i> . Fig. 79	
	<i>Ancylus cumingianus</i> . Figs. 1 to 9	1853, 91
	— <i>drouetianus</i> . Figs. 10 to 17	1853, 92
XXVI.	— <i>baconii</i> . Figs. 18 to 25	1853, 89
	— <i>sauleyanus</i> . Figs. 26 to 33	1853, 92
XXVII.	<i>Voluta deshayesii</i> , Reeve	1854, 73
	<i>Turcica monilifera</i> . Fig. 1	1854, 37
	<i>Clanculus nodulosus</i> . Fig. 2	1854, 39
	<i>Larina strangei</i> . Fig. 3	1854, 41
	<i>Typhis grandis</i> . Fig. 4	1854, 42
	<i>Eudora coronata</i> . Fig. 5	
	<i>Desmoulea ringens</i> . Fig. 6	1854, 37
XXVIII.	<i>Ziziphinus spectabilis</i> . Fig. 7	1854, 42
	<i>Delphinula martinii</i> . Fig. 8	
	<i>Rostellaria melanocheilus</i> . Fig. 9	1854, 138
	<i>Rapana rhodostoma</i> . Fig. 1	1854, 133
	<i>Stomatia decorata</i> . Fig. 2	1854, 136
	<i>Clypidella baikiei</i> . Fig. 3	1854, 135
	<i>Tudicla recurva</i> . Fig. 4	1854, 134
	<i>Mitra morchii</i> . Fig. 5	1854, 136
	<i>Sconsia grayi</i> . Fig. 6	1854, 130
	<i>Pisania rhodia</i> . Fig. 7	
XXIX.	<i>Amphiperas rhodia hermannsenii</i> . Fig. 8 ..	1854, 129
	<i>Volva rosea</i> . Fig. 9	
	<i>Mulleria lobata</i> . Figs. 1, 2, 2 a, 3, 3 a ..	1854, 152
	<i>Bulimus bivaricosus</i> , Gask. Figs. 4, 5 ..	1855, 1
	<i>Achatinella</i> (<i>Newcombia</i>) <i>aptycha</i> . Fig. 1 ..	1855, 6
XXX.	— (<i>Achatinellastrum</i>) <i>pulchella</i> . Fig. 2 ..	1855, 2
	— (<i>Frickella</i>) <i>amena</i> . Fig. 3	
	— (<i>Bulimella</i>) <i>candida</i> . Fig. 4	1855, 3
	— (—) <i>cinerosa</i> . Fig. 5	
	— (—) <i>macrostoma</i> . Fig. 6	1855, 4
	— (—) <i>frickii</i> . Fig. 7	
	— (—) <i>planospira</i> . Fig. 8	1855, 3
	— (—) <i>monacha</i> . Fig. 9	
	— (—) <i>vidua</i> . Fig. 10	1855, 4
	— (—) <i>multicolor</i> . Fig. 11	

No. of Plate.		Page	
XXX.	<i>Achatinella (Bulinella) attenuata</i> . Fig. 12 ..	1855, 4	
	— (—) <i>swainsonii</i> . Fig. 13		
	— (—) <i>sowerbyana</i> . Fig. 14		
	— (—) <i>dolium</i> . Fig. 15		
	— (—) <i>forbesiana</i> . Fig. 16	1855, 5	
	— (<i>Laminella</i>) <i>rudis</i> . Fig. 17		
	— (—) <i>fusiformis</i> . Fig. 18		
	— (<i>Achatinellastrum</i>) <i>napus</i> . Fig. 19		
	— (—) <i>ventrosa</i> . Fig. 20	1855, 6	
	— (<i>Auriculella</i>) <i>cerea</i> . Fig. 21	1855, 2	
	— (—) <i>gracilis</i> . Fig. 22	1855, 6	
	— (—) <i>crassidentata</i> . Fig. 23		
	— (—) <i>valida</i> . Fig. 24		
	— (—) <i>globosa</i> . Fig. 25		
— (—) <i>conspersa</i> . Fig. 26	1855, 7		
— (<i>Labiella</i>) <i>dentata</i> . Fig. 27			
XXXI.	<i>Bulinus protractus</i> . Fig. 1	1855, 94	
	— <i>saccatus</i> . Fig. 2	1855, 95	
	— <i>musivus</i> . Fig. 3	1855, 96	
	— <i>amandus</i> . Fig. 4	1855, 93	
	— <i>yatesii</i> . Fig. 5	1855, 94	
	— <i>serratus</i> . Fig. 6	1855, 96	
	— <i>rectilinearis</i> . Fig. 7		
	— <i>melanacme</i> . Fig. 8	1855, 91	
	<i>Helix mozambicensis</i> . Fig. 9	1855, 92	
	— <i>matura</i> . Fig. 10	1855, 100	
	<i>Achatina insignis</i> . Figs. 11, 12	1855, 92	
	<i>Helix yatesii</i> . Figs. 13, 14	1855, 94	
	<i>Bulinus lucerta</i> . Fig. 15	1855, 106	
	XXXII.	<i>Spiraxis cumingiana</i> . Fig. 1	1855, 108
		<i>Bulinus macgillivrayi</i> . Fig. 2	
		<i>Helix migratoria</i> . Fig. 3	1855, 107
		— <i>traillii</i> . Fig. 4	
		<i>Bulinus cinerosus</i> . Fig. 5	1855, 106
— <i>traillii</i> . Fig. 6			
<i>Helix palawanica</i> . Fig. 7		1855, 107	
— <i>meleagris</i> . Fig. 8			
— <i>vitensis</i> . Fig. 9		1855, 108	
<i>Anaulus bombycinus</i> . Fig. 10		1855, 105	
XXXIII.	<i>Voluta americana</i> . Figs. 1, 2	1856, 2	
	— <i>africana</i> . Figs. 3, 4		
	— <i>cathartica</i> . Figs. 5, 6		
XXXIV.	<i>Haliotis albicans</i>	1856, 147	
	<i>Cylindrella boucardii</i> . Fig. 1	1856, 321	
XXXV.	— <i>polygyra</i> . Figs. 2, 3	1856, 322	
	— <i>apiostoma</i> . Figs. 4, 5		
	<i>Achatina (Varicella) orizaba</i> . Fig. 6	1856, 320	
	— (—) <i>speciosa</i> . Fig. 7	1856, 321	
	<i>Spiraxis shuttleworthii</i> . Fig. 8	1856, 320	
	— <i>turgidula</i> . Fig. 9		
	<i>Bulinus aurifluus</i> . Fig. 10	1856, 319	

No. of Plate.		Page
XXXV.	<i>Bulimus sulphureus</i> . Fig. 11	1856, 318
	— <i>drouëtii</i> . Fig. 12	1856, 319
	<i>Helix caduca</i> and var. Figs. 13, 14	
	<i>Simpulopsis salleana</i> . Figs. 15, 16	1856, 319
	<i>Helicina heloisæ</i> . Fig. 17	1856, 322
	— <i>notata</i> . Figs. 18, 19, 20	1856, 323
	<i>Proserpina (Ceres) salleana</i> . Figs. 21, 22 ..	1856, 322
	— <i>colina</i> . Figs. 23, 24	1856, 324
	<i>Cyclostoma (Cyclophorus) boucardii</i> . Fig. 25	1856, 323
	XXXVI.	<i>Cylindrella gheisbreghtii</i> , Pfr. Fig. 1
— <i>turris</i> , Pfr. Fig. 2		
— <i>clava</i> , Pfr. Fig. 3		
<i>Helix meta</i> , Pfr. Figs. 4, 5		1856, 381
— <i>lombei</i> , Pfr. Figs. 6, 7		1856, 382
XXXVII.	— <i>grevillei</i> , Pfr. Fig. 8	1856, 387
	<i>Cyclostoma eugeniæ</i> , Reeve. Fig. 1	1857, 209
	— <i>tubulum</i> , Reeve. Fig. 2	1857, 207
XXXVIII.	<i>Strombus taurus</i> , Reeve. Fig. 3	1857, 207
	<i>Trochus (Euchele) alabastrum</i> , Reeve. Fig. 1	1857, 209
	<i>Murex barclayi</i> , Reeve. Fig. 2	1857, 208
	<i>Pyrula (Rhizochilus) duburghia</i> , Reeve. Fig. 3	
XXXIX.	<i>Cypræa barclayi</i> , Reeve. Fig. 4	1857, 248
	<i>Furcella gigantea</i> . Figs. 1, 2, 3	1857, 248
	<i>Chæna annulata</i> . Fig. 4	
XL.	— <i>tessellata</i> . Fig. 5	
	<i>Cylindrella eximia</i> . Fig. 1	1858, 23
	<i>Bulimus marice</i> . Fig. 2	1858, 21
	<i>Helix frickii</i> . Fig. 3	
	— <i>purchasii</i> . Fig. 4	1858, 20
	— <i>wallacei</i> . Fig. 5	1858, 21
	— <i>testudo</i> . Fig. 6	
	— <i>congrua</i> . Fig. 7	
	<i>Achatinella gemma</i> . Fig. 8	1858, 22
	— <i>cinnamomea</i> . Fig. 9	
	— <i>minuscula</i> . Fig. 10	
XLI.	— <i>sulcata</i> . Fig. 11	
	<i>Stavelia torta</i> , Gray. Figs. 1, 1a	1858, 90
XLII.	<i>Hyria lanceolata</i> . Figs. 2, 3	
	<i>Bulimus williamsii</i> , Pfr. Fig. 1	1858, 257
	— <i>platystomus</i> , Pfr. Fig. 2	1858, 256
	— <i>vespertinus</i> , Pfr. Fig. 3	1858, 257
	— <i>binneyanus</i> , Pfr. Fig. 4	
XLIII.	— <i>catamarcanus</i> , Pfr. Fig. 5	1858, 256
	— <i>patasensis</i> , Pfr. Fig. 6	1858, 257
	— <i>ptychostylus</i> , Pfr. Fig. 7	1858, 256
	— <i>farrisii</i> , Pfr. Fig. 8	1858, 258
	<i>Oniscia ponderosa</i> , Hanley. Figs. 9, 10	1858, 255
XLIII.	<i>Helix rejecta</i> , Pfr. Fig. 1	1859, 25
	— <i>entodonta</i> , Pfr. Fig. 2	1859, 24
	— <i>plagioglossa</i> , Pfr. Fig. 3	1859, 26
	— <i>brevibarbis</i> , Pfr. Fig. 4	1859, 25

No. of Plate.		Page
XLIII.	<i>Achatina layardii</i> , Pfr. Fig. 5	1859, 27
	<i>Helix patasensis</i> , Pfr. Fig. 6	1859, 24
	— <i>monacha</i> , Pfr. Fig. 7	1859, 25
	— <i>ciliosa</i> , Pfr. Fig. 8	
XLIV.	<i>Cyclostoma fraserii</i> , Pfr. Fig. 1	1859, 28
	<i>Helix aphrodite</i> , Pfr. Fig. 2	1859, 26
	— <i>farrisii</i> , Pfr. Fig. 3	1859, 23
	— <i>patricia</i> , Pfr. Fig. 4	
	— <i>jaspidea</i> , Pfr. Fig. 5	1859, 24
	— <i>vipera</i> , Pfr. Fig. 6	
XLV.	<i>Cyclostoma principalis</i> , Pfr. Fig. 7	1859, 27
	<i>Voluta mamilla</i>	1859, 34
XLVI.	<i>Scissurella elegans</i> , D'Orb. Figs. 1 to 7	1859, 202
	— <i>mantellii</i> . Fig. 8	
	— <i>crispata</i> , Flem. Fig. 9	1859, 203
	<i>Cyclostoma articulatum</i> . Figs. 10 to 13	1859, 204
XLVII.	<i>Unio burtonii</i> . Fig. 1	1859, 349
	<i>Iridina (Pleidon) spekii</i> . Fig. 2	1859, 348
	<i>Lithoglyphus zonatus</i> . Fig. 3	1859, 349
<i>Melania nassa</i> . Fig. 4		
XLVIII.	<i>Scapha maria-emma</i>	1859, 230
XLIX.	<i>Conus proximus</i> . Fig. 1	1859, 429
	— <i>nigrescens</i> . Fig. 2	
	<i>Murex tæniatus</i> . Fig. 3	
	— <i>nubilus</i> . Fig. 4	1859, 428
	— <i>expansus</i> . Fig. 5	
	— <i>roseotinctus</i> . Fig. 6	1859, 429
	— <i>octogonus</i> . Fig. 7	1859, 428
	<i>Spondylus victoriæ</i> . Fig. 8	
L.	<i>Cylindrella splendida</i> , Pfr. Fig. 1	1860, 139
	— <i>arctospira</i> , Pfr. Fig. 2	
	— <i>grandis</i> , Pfr. Fig. 3	
	<i>Helix acmella</i> , Pfr. Fig. 4	1860, 135
	— <i>mouhoti</i> , Pfr. Fig. 5	1860, 136
	— <i>æquatoria</i> , Pfr. Fig. 6	1860, 133
	— <i>bougainvillei</i> , Pfr. Fig. 7	
	— <i>isis</i> , Pfr. Fig. 8	
	— <i>apollo</i> , Pfr. Fig. 9	
LI.	<i>Cypræa compta</i> , Pease. Fig. 1	1860, 189
	<i>Turcica coreensis</i> , Pease. Fig. 2	
	<i>Neptunea fuscolineata</i> , Pease. Fig. 3	
	<i>Bulinus colubrinus</i> , Pfr. Fig. 4	1860, 138
	— <i>fraserii</i> , Pfr. Fig. 5	1860, 137
	— <i>saturanus</i> . Fig. 6	1860, 136
	— <i>boucardii</i> , Pfr. Fig. 7	1860, 138
	— <i>stutchburyi</i> , Pfr. Fig. 8	1860, 137
	— <i>schomburgkii</i> , Pfr. Fig. 9	
	— <i>turnerii</i> , Pfr. Fig. 10	1860, 138

ANNULOSA.

I.	<i>Agrias ædon</i> , Hewitson	1848,	46
II.	<i>Echinocærus cibarius</i> , White	} 1848,	48
	— —, White. Figs. 1 to 4		
III.	<i>Scalpellum ornatum</i> } Fig. 5	} 1848,	44
	<i>Thaliella ornatum</i> , Gray. } <i>Anatifa ovalis</i> . Fig. 6		
IV.	<i>Corades enyo</i> , Hewitson	1848,	117
V.	<i>Hyleora eucalypti</i> , Doubleday	1848,	118
VI.	<i>Squilla multicaarinata</i> , White. Fig. 1	} 1848,	144
	<i>Cancer (Galene) dorsalis</i> , White. Fig. 2....		
VII.	<i>Saturnia vacuna</i> , Westw. Fig. 1.....	1849,	39
	— <i>arata</i> , Westw. Fig. 2.....	1849,	41
	— <i>tyrrhena</i> , Westw. Fig. 1	1849,	51
VIII.	— <i>belina</i> , Westw. Fig. 2	1849,	41
	— <i>mythimna</i> , Westw. Fig. 3.....	1849,	40
	— <i>hersilia</i> , Westw. Fig. 1	1849,	42
IX.	— <i>menippe</i> , Westw. Fig. 2.....	1849,	43
	— <i>nenia</i> , Westw. Fig. 3.....	1849,	57
	— <i>ethra</i> , Westw. Fig. 1	1849,	56
X.	— <i>sinope</i> , Westw. Fig. 2	1849,	60
	— <i>herilla</i> , Westw. Fig. 3	1849,	57
	— <i>delegorguei</i> , Westw. Fig. 4	1849,	59
	<i>Limnadia hermannii</i> , Brong. Fig. 1	1849,	86
	<i>Estheria melitensis</i> , Baird. Fig. 2	} 1849,	88
	— <i>polita</i> , Baird. Fig. 3		
XI.	— <i>brasiliensis</i> , Baird. Fig. 4	} 1849,	89
	— <i>donaciformis</i> , Parreyss. Fig. 5		
	— <i>boysii</i> , Baird. Fig. 6		
	— <i>similis</i> , Baird. Fig. 7.....		
XII.	<i>Sirex gigas</i>	1849,	95
	<i>Lamia (Cerosterna) trifasciella</i> . Fig. 1	1850,	13
	<i>Bimia bicolor</i> . Fig. 2	1850,	13
XIII.	<i>Calocomus morosus</i> . Fig. 3	1850,	11
	<i>Prionacalus atys</i> . Fig. 4	1850,	10
	<i>Pjrodes tenuicornis</i> . Fig. 5	1850,	11
	<i>Calloctenus pulcher</i> . Fig. 6	1850,	12
XIV.	<i>Trichomaplata vittata</i> , Wing. Fig. 1	1849,	105
	<i>Caligatus angasii</i> , Wing. Figs. 2, 3	1849,	104
	<i>Palparia lambertella</i> , Wing. Figs. 4, 5	1849,	105
XV.	<i>Potamobius serratus</i>	1850,	95
XVI.	<i>Gonodactylus cultrifer</i> . Figs. 1, 2	1850,	96
	<i>Acanthonotus testudo</i> . Figs. 3 to 5	1850,	97
	<i>Lepidurus viridis</i> . Fig. 1.....	1850,	254
XVII.	<i>Estheria dahalacensis</i> . Figs. 2, 3, 4	} 1850,	257
	<i>Cypridina marica</i> . Figs. 5, 6, 7		
	— <i>interpuncta</i> . Figs. 8, 9, 10		
	— <i>zealandica</i> . Figs. 11, 12, 13	1850,	102 257

No. of Plate.		Page
XVIII.	<i>Cythereis fistulosa</i> . Figs. 1, 2, 3	1850, 256
	— <i>deformis</i> . Figs. 4, 5, 6	
	— <i>runcinata</i> . Figs. 7, 8, 9	1850, 255
	— <i>australis</i> . Figs. 10, 11, 12	
	— <i>prava</i> . Figs. 13, 14, 15	1850, 256
	— <i>senticosa</i> . Figs. 16, 17, 18	
	<i>Cypris donnetii</i> . Figs. 19, 20, 21	1850, 254
	— <i>cuneata</i> . Figs. 22, 23, 24	1850, 255
	<i>Candona lactea</i> . Figs. 25, 26, 27	
	<i>Cythere setosa</i> . Figs. 28, 29, 30	
	— <i>tarentina</i> . Figs. 31, 32, 33	
XIX.	<i>Glossina morsitans</i> , Westw. Fig. 1	1850, 261
	— <i>tachinoides</i> , Westw. Fig. 2	1850, 267
	— <i>tabaniformis</i> , Westw. Fig. 3	1850, 268
	<i>Stylomyia leonum</i> , Westw. Fig. 4	1850, 269
XX.	<i>Distichocera kirbii</i> ♂, Newman	1851, 79
XXI.	<i>Cystocoma saundersii</i>	1852, 14
XXII.	<i>Apus domingensis</i> . Fig. 1	1852, 5
	<i>Lepidurus glacialis</i> . Fig. 2	1852, 6
	<i>Streptocephalus similis</i> . Figs. 3, 4	1852, 22
XXIII.	<i>Limnadia antillarum</i> . Fig. 1	1852, 30
	<i>Cypris cuneata?</i> Fig. 2	1852,
	— <i>schomburgkii</i> . Fig. 3	1852, 8
	— <i>belcheri</i> . Fig. 4	1852, 7
	<i>Estheria dallasii</i> . Fig. 5	1852, 30
XXIV.	<i>Cladiscus longipennis</i> . Fig. 1	1852, 39
	— <i>parrianus</i> . Fig. 2	
	— <i>bipectinatus</i> . Fig. 3	
	<i>Clerus (Xylobius?) albo-varius</i> . Fig. 4	1852, 40
	<i>Tillus (Tillecerus) chalybeus</i> . Fig. 5	1852, 41
	<i>Clerus (Xylobius?) dulcis</i> . Fig. 6	1852, 40
	<i>Tillus afzelii</i> . Fig. 7	1852, 38
	<i>Enoplium pustuliferum</i> . Fig. 8	1852, 52
	<i>Tillus (Macrotelus, Monophylla) uniformis</i> . Fig. 9	1852, 37
	<i>Clerus (Xylotretus) excavatus</i> . Fig. 10	1852, 46
	<i>Tillus dux</i> . Fig. 11	
		<i>Erymanthus horridus</i> . Fig. 12
XXV.	<i>Clerus (Hoploclerus) biaculeatus</i> . Fig. 1	1852, 52
	— (<i>Lemidius</i>) <i>corallipennis</i> . Fig. 2	1852, 47
	— (<i>—</i>) <i>festivus</i> . Fig. 3	
	<i>Thanasimus irregularis</i> . Fig. 4	1852, 38
	— <i>cursorius</i> . Fig. 5	1852, 53
	— <i>subscutellaris</i> . Fig. 6	1852, 44
	<i>Clerus sanguinalis</i> . Fig. 7	1852, 36
	<i>Thanasimus sellatus</i> . Fig. 8	1852, 42
	<i>Clerus sepulcralis</i> . Fig. 9	1852, 52
	— <i>subfasciatus</i> . Fig. 10	1852, 41
	— <i>bengala</i> . Fig. 11	
	— <i>posticalis</i> . Fig. 12	1852, 42
XXVI.	— (<i>Omaclius</i>) <i>mediofasciatus</i> . Fig. 1	1852, 44

No. of Platc.		Page
XXVI.	<i>Clerus (Omadius) prasinus</i> . Fig. 2.....	1852, 53
	— (—) <i>olivaceus</i> . Fig. 3.....	1852, 44
	— (<i>Stigmatius</i>) <i>nebulifer</i> . Fig. 4.....	1852, 36
	— (—) <i>rufiventris</i> . Fig. 5.....	1852, 45
	— (—) <i>elaphroides</i> . Fig. 6.....	
	<i>Opilus</i> 6-notatus. Fig. 7.....	1852, 51
	<i>Clerus (Stigmatius) dorsiger</i> . Fig. 8.....	1852, 37
	<i>Opilus sordidus</i> . Fig. 9.....	1852, 42
	— <i>mœrens</i> . Fig. 10.....	1852, 50
	<i>Clerus zebratus</i> . Fig. 11.....	1852, 43
	<i>Opilus hilaris</i> . Fig. 12.....	1852, 50
XXVII.	<i>Clerus (Hydnocerus?) flavo-lineatus</i> . Fig. 1.	1852, 48
	— (<i>Hydnocerus</i>) <i>bellus</i> . Fig. 2.....	1852, 47
	— (<i>Hydnocerus?</i>) <i>flavo-varius</i> . Fig. 3..	1852, 49
	— (<i>Hydnocerus</i>) <i>exilis</i> . Fig. 4.....	1852, 48
	— (—) <i>V-reversus</i> . Fig. 5.....	
	— (—) <i>pectoralis</i> . Fig. 6.....	1852, 49
	<i>Corynctes compactus</i> . Fig. 7.....	1852, 54
	<i>Thanasimus anthicoides</i> . Fig. 8.....	1852, 43
	<i>Clerus novem-guttatus</i> . Fig. 9.....	1852, 49
	<i>Necrobia pinguis</i> . Fig. 10.....	1852, 52
	<i>Opetiopalpus obesus</i> . Fig. 11.....	1852, 46
<i>Necrobia eximia</i> . Fig. 12.....	1852, 54	
XXVIII.	Development of <i>Echinococcus</i>	1852, 110
XXIX.		
XXX.	<i>Ascaris lævissima</i> , Baird. Fig. 1.....	1853, 19
	<i>Mermis rigidus</i> , Baird. Fig. 2.....	
	<i>Gordius violaceus</i> , Baird. Fig. 3.....	1853, 20
	— <i>pustulosus</i> , Baird. Fig. 4.....	
	— <i>sphaerura</i> , Baird. Fig. 5.....	
— <i>fasciatus</i> , Baird. Fig. 6.....	1853, 21	
	<i>Pentastoma annulatum</i> , Baird. Fig. 7.....	1853, 22
XXXI.	<i>Tænia calva</i> , Baird. Fig. 1.....	1853, 24
	— <i>zederi</i> , Baird. Fig. 2.....	
	— <i>falciformis</i> , Baird. Fig. 3.....	
	<i>Bothriocephalus antarcticus</i> , Baird. Fig. 4..	1853, 25
XXXII.	<i>Saturnia jorulla</i> . Fig. 1.....	1853, 159
	— <i>orizaba</i> . Fig. 2.....	1853, 158
	— <i>lavendera</i> . Fig. 3.....	1853, 160
	— <i>sapatoza</i> . Fig. 1.....	1853, 163
XXXIII.	— <i>calleta</i> . Fig. 2.....	1853, 161
	— <i>janeira</i> . Fig. 3.....	1853, 164
	— <i>zacateca</i> . Fig. 4.....	1853, 159
		<i>Oiketicus nigricans</i> . Fig. 1 and details....
XXXIV.	— <i>kirbii</i> . Fig. 2 and details.....	1854, 221
	— <i>macleaii</i> . Fig. 3 and details.....	1854, 222
	— <i>doubledaii</i> . Fig. 4 and details.....	1854, 235
	— <i>saundersii</i>	1854, 223
XXXV.	— <i>hübnerii</i> . Fig. 1 and details.....	1854, 228
	— <i>templetonii</i> . Fig. 2 and details.....	1854, 234
XXXVI.	— <i>consortus</i> . Fig. 3 and details.....	1854, 235

No. of Plate.		Page
XXXVII.	<i>Oiketicus lewini</i> . Fig. 1 and details	1854, 231
	— <i>boisdwalii</i> . Fig. 2 and details	1854, 232
	— <i>herrichii</i> . Fig. 3 and details	1854, 236
	— <i>cramerii</i> . Fig. 4 and details	1855, 20
	<i>Stigmatium ignavum</i> . Fig. 1	1855, 21
XXXVIII.	— <i>torulentum</i> . Fig. 2	1855, 22
	— <i>fervidum</i> . Fig. 3.	1855, 23
	— <i>granulosum</i> . Fig. 4.	1855, 22
	— <i>ambulator</i> . Fig. 5	1855, 23
	— <i>cylindrinum</i> . Fig. 6	1855, 22
	— <i>cursor</i> . Fig. 7	1855, 23
	<i>Omadius ctenostomoides</i> . Fig. 8	1855, 24
XXXIX.	— <i>fasciipes</i> . Fig. 9	1855, 25
	— <i>vigilans</i> . Fig. 10.	1855, 26
	— <i>seticornis</i> . Fig. 11	1855, 26
	— <i>clytiformis</i> . Fig. 12	1856, 7
	<i>Papilio (Ornithoptera) victoriae</i> , G. R. Gray ..	1856, 7
XL.	<i>Tragocephala comitessa</i> . Fig. 1	1856, 13
	— <i>chevolatii</i> . Fig. 2	1856, 14
	— <i>ducalis</i> . Fig. 3	1856, 14
	— <i>gemmaria</i> . Fig. 4	1856, 406
	— <i>querinii</i> . Fig. 5	1856, 406
	<i>Deucalion wollastonii</i> . Fig. 6	1856, 407
	<i>Moneilema albopictum</i> . Fig. 7	1856, 407
	— <i>Anisocerus onca</i> . Fig. 8	1856, 408
	— <i>capucinus</i> . Fig. 9	1856, 408
	— <i>dulcissimus</i> . Fig. 10	1856, 409
XLI.	<i>Phædinus xanthomelas</i> . Fig. 11	1856, 409
	<i>Phæbe concinna</i> . Fig. 12	1856, 410
	<i>Agelasta callizona</i> . Fig. 13	1856, 410
	— <i>amica</i> . Fig. 14	1856, 410
	— <i>newmannii</i> . Fig. 15	1856, 14
	<i>Trigonophorus hookeri</i> , ♂, ♀. Figs. 1, 2 ..	1856, 15
	<i>Stethodesma servillei</i> . Fig. 3	1856, 15
	<i>Clinteria ducalis</i> . Fig. 4	1856, 17
	— <i>hoffmeisterii</i> . Fig. 5	1856, 17
	<i>Cetonia procera</i> . Fig. 6	1856, 16
XLII.	<i>Schizorhina idæ</i> . Fig. 7	1856, 17
	— <i>bassii</i> . Fig. 8	1856, 17
	— <i>emilia</i> . Fig. 9	1856, 132
XLIII.	<i>Cetonia schaumii</i> . Fig. 10	1856, 132
XLIII.	<i>Lithodes (Petalocerus) bellianus</i> , White	1856, 183
XLIV.	<i>Mygale emilia</i> , White	1857, 102
	<i>Pieris nama</i> , Moore, ♂, ♀. Figs. 1, 2 ..	1857, 102
	— <i>seta</i> , Moore. Fig. 3	1857, 103
	— <i>sanaca</i> , Moore. Fig. 4	1857, 103
XLV.	— <i>indra</i> , Moore. Fig. 5	1857, 104
	— <i>durvasa</i> , Moore, ♀. Fig. 6	1857, 104
XLVI.	<i>Papilio janaka</i> , Moore	1857, 115
XLVI.	<i>Pentastoma multicinctum</i> , Harley	1857, 115
	— <i>polyzonum</i> , Harley	1857, 115

No. of Plate.		Page		
XLVII.	<i>Pentastoma multicinctum</i> . Ova in different stages of development	1857, 115		
XLVIII.	<i>Lineus beatticei</i> , Gray	1857, 210		
XLIX.	<i>Neptis pata</i> , Moore. Fig. 1	} 1858, 4 } 1858, 6 } 1858, 7 } 1858, 9 } 1858, 10 } 1858, 8 } 1858, 12 } 1858, 13 } 1858, 16 } 1858, 17 } 1858, 16		
	— <i>antara</i> , Moore. Fig. 2			
	— <i>narayana</i> , Moore. Fig. 3			
	— <i>amba</i> , Moore. Fig. 4			
	— <i>columella</i> , ♂, ♀. Fig. 5			
	— <i>soma</i> . Fig. 6			
	— <i>ida</i> , Moore. Fig. 7			
	— <i>duryodana</i> , Moore. Fig. 8			
	— <i>shepherdii</i> , Newm. Fig. 1			
	— <i>Athyma bahula</i> , Moore. Fig. 2			
L.	— <i>reta</i> , Moore. Fig. 3	} 1858, 12 } 1858, 13 } 1858, 16 } 1858, 13 } 1858, 17 } 1858, 16 } 1858, 19 } 1858, 20 } 1858, 225 } 1858, 224 } 1858, 225		
	— <i>kresna</i> , Moore. Fig. 4			
	— <i>nefte</i> , ♂, ♀. Fig. 5			
	— <i>inara</i> , Bd., ♂, ♀. Fig. 6			
	— <i>abiasa</i> , Moore. Fig. 7			
	— <i>subrata</i> , Moore, ♀. Fig. 1			
	— <i>kanwa</i> , Moore. Fig. 2			
	— <i>idita</i> , Moore. Fig. 3			
	— <i>illigera</i> , Esch. Fig. 4			
	— <i>dama</i> , Moore. Fig. 5			
LI.	— <i>kasa</i> . Fig. 6	} 1858, 19 } 1858, 20 } 1858, 225 } 1858, 224 } 1858, 225 } 1858, 398 } 1858, 402 } 1858, 405 } 1858, 399 } 1858, 412 } 1858, 400 } 1858, 464 } 1858, 465 } 1859, 148 } 1859, 111 } 1859, 115		
	— <i>gutama</i> , Moore. Fig. 7			
	— <i>Hedruris siredonis</i> . Figs. 1, 2, 3, 4			
	— Tail of <i>Hedruris androphora</i> . Fig. 5			
	— <i>Leptodera elongata</i> . Figs. 6, 7, 8, 9			
	— <i>Monohammus boweringii</i> . Fig. 1			
	— <i>championi</i> . Fig. 2			
	— <i>Phymasterna leucostictica</i> . Fig. 3			
	— <i>Diastocera catherina</i> . Fig. 4			
	— <i>Anoplostheta jardinei</i> . Fig. 5			
LIII.	— <i>Batocera una</i> . Fig. 6	} 1858, 399 } 1858, 412 } 1858, 400 } 1858, 464 } 1858, 465 } 1859, 148 } 1859, 111 } 1859, 115 } 1859, 117 } 1859, 118 } 1859, 122 } 1859, 119 } 1859, 120		
	— <i>Cereopsius helena</i> . Fig. 7			
	— <i>Acrocera ferruginosa</i> . Fig. 8			
	— <i>Diadema pandarus</i> . Figs. 1, 2			
	— <i>deois</i> . Figs. 3, 4, 5			
	— <i>Melanitis melane</i>			
	— <i>Ascaris halichoris</i> , Owen. Figs. 2, 2a, 2b, 2c			
	— <i>Tænia suliceps</i> , Baird. Figs. 1, 1a, 1b			
	— <i>Attacus edwardsii</i>			
	— <i>Platysma sturtii</i> . Fig. 1			
LVIII.	— <i>flindersii</i> . Fig. 2	} 1859, 117 } 1859, 118 } 1859, 122 } 1859, 119 } 1859, 120		
	— <i>Catadromus elseyi</i> . Fig. 3			
	— <i>Oryctes müllleranus</i> . Fig. 4			
	— <i>Aulacopris reichii</i> . Fig. 5			
	— <i>Distichocera thomsonella</i> . Fig. 6			
	— <i>Schizorhina bakewellii</i> . Fig. 7			
	— <i>Diaphonia metalleseens</i> . Fig. 8			
	— <i>Chrysodema louisae</i> . Fig. 1			
	LIX.		<i>Chrysodema louisae</i> . Fig. 1	1859, 120

No. of Plate.		Page
LIX.	<i>Stigmodera gulielmi</i> . Fig. 2	1859, 120
	— <i>parallela</i> . Fig. 3	1859, 119
	— <i>bakewellii</i> . Fig. 4	
	<i>Temognatha imperatrix</i> . Fig. 5	1859, 120
	<i>Zopherosis georgii</i> . Fig. 6	1859, 121
	<i>Rhytiphora amicula</i> . Fig. 7	1859, 122
<i>Platymopsis armatula</i> . Fig. 8		
LX.	<i>Trypanophora semihyalina</i> , ♂, ♀. Figs. 1, 2	1859, 197
	<i>Syntomis marsdenii</i> , Moore. Fig. 3	
	— <i>vigorsii</i> , Moore. Fig. 4	1859, 198
	— <i>pfeifferæ</i> , Moore. Fig. 5	
	— <i>wallacii</i> , Moore. Fig. 6	
	— <i>penangæ</i> , Moore. Fig. 7	
	— <i>rafflesii</i> , Moore. Fig. 8	
	— <i>walkerii</i> , Moore. Fig. 9	
	— <i>pravata</i> , Moore. Fig. 10	1859, 199
	— <i>crawfordii</i> , Moore. Fig. 11	
	— <i>cantorii</i> , Moore. Fig. 12	
		<i>Phalanna horsfieldii</i> , Moore. Fig. 13
	<i>Phauda mahisa</i> , Moore. Fig. 14	1859, 207
LXI.	<i>Hyphantidium sericarium</i>	1859, 209
LXII.	<i>Perga eucalypti</i>	1859, 232
LXIII.	<i>Estheria histopi</i> . Figs. 1, 1 a, 1 d	1859, 233
	<i>Cypris subglobosa</i> . Figs. 2, 2 a, 2 c	
	— <i>cylindrica</i> . Figs. 3, 3 a, 3 c	1859, 233
	— —, var. <i>major</i> . Figs. 4, 4 a, 4 f.	
— <i>marginato-dentata</i> . Figs. 5, 5 a, 5 c ..		
— —, var. Figs. 5 d, 5 f		
LXIV.	<i>Antheræa royllii</i> . Fig. 1	1859, 256
	— <i>helferi</i> . Fig. 2	1859, 257
	— <i>frithii</i> . Fig. 1	1859, 256
LXV.	<i>Saturnia grotei</i> . Fig. 2	1859, 265
	<i>Attacus guerini</i> . Fig. 3	1859, 269
LXVI.	<i>Papilio paradoxa</i> , var. Fig. 4	1859, 422
	— <i>noctis</i> . Figs. 5, 6	1859, 423
LXVII.	— <i>paradoxa</i> , var. Figs. 1, 2, 3	1859, 422
LXVIII.	— <i>cresus</i> , ♂	1859, 424
LXIX.	— —, ♀	
LXX.	<i>Peasia reticulata</i> . Figs. 1, 2	1860, 37
	— <i>inconspicua</i> . Figs. 3, 4	
	— <i>tentaculata</i> . Figs. 5, 6	
	— <i>maculata</i> . Figs. 7, 8	1860, 38
	— <i>irrorata</i> . Figs. 9, 10	
LXXI.	<i>Cypridina albomaculata</i> . Figs. 1, 1 a to 1 d	1860, 201
	— <i>godehevi</i> . Figs. 2, 2 a to 2 c	1860, 200
	— <i>ovum</i> . Figs. 3, 3 a, 3 b	1860, 201
	— <i>norvegica</i> . Figs. 4, 4 a to 4 d	1860, 200
	<i>Philomedes longicornis</i> . Figs. 5, 5 a to 5 c ..	1860, 202
	<i>Estheria compressa</i> . Figs. 6, 6 a, 6 b	1860, 188
LXXII.	— <i>birchii</i> . Figs. 1, 1 e	1860, 392
	<i>Streptocephalus dichotomus</i> . Figs. 2, 2 a ..	1860, 445
	<i>Daphnia newportii</i> . Figs. 3, 3 c	1860, 446

RADIATA.

I.	<i>Sarcoptilus grandis</i> , Gray	1848,	45
	{ <i>Heterocyathus cochlea</i> (Gm.). Figs. 1, 2, 2 a. }		
	{ — <i>hemisphaerica</i> , Gray. Figs. 3, 3 a, 4	1849,	77
II.	{ — <i>eupsammides</i> , Gr., & var. Figs. 5, 5 a, 6, 7 }		
	{ <i>Prinnoa australasiae</i> , Gray. Figs. 8, 9	1849,	146
	{ <i>Flabellum macandrewii</i> , Gray. Figs. 10, 11.	1849,	75
III.	{ <i>Gonigoria clavata</i> , Gray. Fig. 1	1851,	125
	{ <i>Nidalia occidentalis</i> , Gray. Fig. 2		
IV.	<i>Æquorea forskalea</i> , Peron	1851,	272
	{ <i>Scolanthus sphaeroïdes</i> . Figs. 1, 2, 3	1855,	85
V.	<i>Actinia pallida</i> . Fig. 4.	1855,	236
	{ — <i>ornata</i> . Figs. 5, 6, 7	1855,	237
	{ —, var. Fig. 8.		
VI.	<i>Antipathes spiralis</i> ?	1857,	114
VII.	<i>Nidalia occidentalis</i> , Gray	1857,	128
VIII.	<i>Sarcogorgia phidippus</i> , Gray	1857,	158
IX.	<i>Hyalonema mirabilis</i> , Gray	1857,	279
	{ <i>Aphroceras alcicornis</i> , Gray. Figs. 1, 2	1858,	113
X.	{ <i>Zoanthus couchii</i> , Johnston. Figs. 3-7.	1858,	557
	{ <i>Sidisia barleci</i> , Gray. Fig. 8	1858,	531
XI.	<i>Aphrocallistes beatrix</i> , Gray	1858,	114
XII.	<i>Xenospongia patelliformis</i> , Gray	1858,	229
XIII.	<i>Electra verticillata</i>	1858,	306
	{ <i>Synapta digitata</i> . Figs. 1-17	1858,	361
	{ — <i>inhærens</i> . Figs. 18-22.	1858,	363
XIV.	{ — <i>bidentata</i> . Figs. 23-25	1858,	365
	{ <i>Chiridota laevis</i> . Fig. 26		
	{ <i>Myriotrochus rinkii</i> . Figs. 27-31	1858,	366
XV.	<i>Macandrewia azorica</i>	1858,	438
XVI.	<i>Myliusia callocyathes</i>	1859,	439
XVII.	<i>Distichopora coccinea</i>	1860,	244
XVIII.	<i>Corallium johnsonii</i>	1860,	393

INDEX OF SPECIES

DESCRIBED AND REFERRED TO.

1848—60.

	Page		Page		
Ablabes collaris	}	1858, 382	Accentor cacharensis .. 1854, 116		
		1860, 161	calliope		
		1860, 168	himalayanus		
		1860, 170	huttonii		
		1860, 167	immaculatus		
		hodgsonii	}	155	modularis
				161	mollis
				172	montanellus
				154	nipalensis
				161	rubeculoïdes
owenii	}	1860, 168	rubidus		
		171	strophiatius		
		428	temminckii		
rufulus	1860, 428	variegatus			
Abrornis affinis	}	1854, 106	Accipiter affinis		
		1854, 106	badius		
		1854, 106	besra		
		1854, 106	carbonarius		
		1854, 106	chicquera		
xanthoschistos	}	1854, 106	cooperii		
		1857, 19	dussumierii		
Aburria carunculata ..	}	1858, 76	erythrauchen		
		1860, 272	erythrocnemius ..		
		1859, 485	erythrorhynchus ..		
Acabaria divaricata	1859, 485	fringillarius			
Acanthiza flavolateralis ..	1859, 161	fuscus			
Acanthocyathus grayii ..	1849, 76	hyogaster			
Acanthogorgia hirsuta ..	1857, 128	nisus			
Acanthonotus testudo ..	1850, 97	pileatus			
Acanthophis antarctica ..	1858, 384	poliocephalus			
Acanthylis albicollis ..	}	1854, 110	sphenurus		
		1858, 60			
		caudacuta	1854, 266		
		collaris	1854, 110		
		giganteus	1854, 266		
rutila	1855, 135				
Acca aceris	}	1858, 9			
		columena	1858, 7		
		heliodora	1858, 8		
		matuta	1858, 9		
		sulpitia	1858, 18		
		altalicus	1854, 120		
Accentor alpinus	}	1854, 116			
		117			
		120			
atrogularis	1854, 119				
	119				
	120				

	Page		Page
<i>Accipiter virgatus</i>	1854,	<i>Achatina triticea</i>	1854,
<i>Acheus torquatus</i>	1840,	<i>trypanodes</i>	1856,
<i>Achatina acicula</i>	1854,	<i>tuberculata</i>	1854,
<i>albersii</i>	1854,	<i>vestita</i>	1854,
<i>albicans</i>	1851,	<i>violacea</i>	1851,
<i>ambigua</i>	1856,	<i>virens</i>	1854,
<i>atramentaria</i>	1855,	<i>yatesii</i>	1855,
<i>attenuata</i>	1851,	(<i>Glandina</i>) <i>conularis</i> 1855,	100
<i>aurora</i>	1854,	(—) <i>filosa</i>	1855,
<i>capillacea</i>	1854,	(—) <i>insignis</i>	1855,
<i>carnea</i>	1852,	(—) <i>nystiana</i>	1855,
<i>cerea</i>	1852,	(<i>Oleacina</i>) <i>binneyana</i> 1855,	117
<i>chiapensis</i>	1856,	(—) <i>ghiesbreghtii</i> 1856,	379
<i>chinensis</i>	1854,	(—) <i>pulchella</i>	1856,
<i>chrysalis</i>	1855,	(<i>Varicella</i>) <i>cordovana</i> 1856,	321
<i>conspersa</i>	1852,	(—) <i>guadeloupensis</i> 1856,	335
<i>corrosula</i>	1856,	(—) <i>orizabæ</i>	1856,
<i>cylichna</i>	1854,	(—) <i>speciosa</i>	1856,
<i>deshayesi</i>	1852,	<i>Achatinella acuta</i>	1853,
<i>dunkerii</i>	1851,	<i>adamsii</i>	1854,
<i>erecta</i>	1855,	<i>adansonii</i>	1853,
<i>eulima</i>	1854,	<i>affinis</i>	1853,
<i>flexuosa</i>	1854,	<i>alba</i>	1850,
<i>folliculus</i>	1854,	<i>albida</i>	1855,
<i>fulgens</i>	1859,	<i>albolabris</i>	1853,
<i>fulgurata</i>	1851,	<i>amœna</i>	1855,
<i>fuliginæa</i>	1852,	<i>ampla</i>	1853,
<i>fusca</i>	1852,	<i>apicata</i>	1855,
<i>glutinosa</i>	1852,	<i>aplustre</i>	1853,
<i>gracilis</i>	1854,	<i>aptycha</i>	1855,
<i>granulata</i>	1852,	<i>assimilis</i>	1853,
<i>grevillei</i>	1860,	<i>attenuata</i>	1855,
<i>impressa</i>	1851,	<i>baldwinii</i>	1853,
<i>inæqualis</i>	1855,	<i>buddii</i>	1853,
<i>inornata</i>	1851,	<i>candida</i>	1855,
<i>isotoma</i>	1852,	<i>cerea</i>	1855,
<i>lævigata</i>	1854,	<i>cestus</i>	1853,
<i>layardii</i>	1859,	<i>chamissoi</i>	1855,
<i>leacociana</i>	1854,	<i>chlorotica</i>	1855,
<i>maderensis</i>	1854,	<i>cinerosa</i>	1855,
<i>maniensis</i>	1854,	<i>clementina</i>	1855,
<i>margaritacea</i>	1856,	<i>concaospira</i>	1859,
<i>melampoides</i>	1854,	<i>concinna</i>	1853,
<i>mitriformis</i>	1854,	<i>conspersa</i>	1855,
<i>natalensis</i>	1854,	<i>cornea</i>	1853,
<i>newcombi</i>	1851,	<i>crassa</i>	1853,
<i>oryza</i>	1854,	<i>crassidentata</i>	1855,
<i>ovuliformis</i>	1854,	<i>crassilabrum</i>	1853,
<i>pallens</i>	1856,	<i>cumingii</i>	1853,
<i>plicatula</i>	1851,	<i>cuneus</i>	1855,
<i>portoricensis</i>	1848,	<i>curta</i>	1853,
<i>producta</i>	1854,	<i>cylindrica</i>	1853,
<i>reeveana</i>	1848,	<i>decipiens</i>	1853,
<i>richardi</i>	1852,	<i>dentata</i>	1855,
<i>shuttleworthii</i>	1856,	<i>dimidiata</i>	1855,
<i>tornatellina</i>	1854,		205

	Page	Page	
<i>Achatinella dolium</i>	1855, 5	<i>Achatinella morbida</i>	1859, 30
<i>dubia</i>	1853, 152	<i>mucronata</i>	1853, 146
<i>dunkeri</i>	1855, 203	<i>multicolor</i>	1855, 4
<i>duplicata</i>	1853, 156	<i>multilineata</i>	1853, 138
<i>dwrightii</i>	1855, 207	<i>napus</i>	1855, 5
<i>elegans</i>	1853, 149	<i>nigra</i>	1855, 209
<i>elevata</i>	1855, 209	<i>nitida</i>	1853, 140
<i>emersonii</i>	1853, 156	<i>nivosa</i>	1853, 132
<i>extincta</i>	1855, 204	<i>nobilis</i>	1855, 202
<i>faba</i>	1859, 30	<i>obelavata</i>	1855, 98
<i>ferussaci</i>	1855, 203	<i>obelisca</i>	1855, 206
<i>flavescens</i>	1853, 151	<i>obosa</i>	1853, 143
<i>forbesiana</i>	1855, 5	<i>obscura</i>	1853, 157
<i>frickii</i>	1855, 3	<i>obtusa</i>	1855, 209
<i>fulgens</i>	1853, 131	<i>ornata</i>	1853, 149
<i>fulva</i>	1855, 208	<i>oryza</i>	1855, 206
<i>fumosa</i>	1853, 140	<i>ovata</i>	1853, 130
<i>fusca</i>	1853, 145	<i>oviformis</i>	1855, 208
<i>fusiformis</i>	1855, 5	<i>perdix</i>	1854, 311
<i>germana</i>	1853, 151	<i>petricola</i>	1855, 208
<i>gigantea</i>	1853, 136	<i>pfeifferi</i>	1853, 129
<i>glabra</i>	1853, 139	<i>physa</i>	1853, 150
<i>globosa</i>	1854, 310	<i> </i>	1853, 152
<i>globosa</i>	1855, 7	<i> </i>	1854, 311
<i>glutinosa</i>	1855, 204	<i> </i>	1854, 311
<i>goniostoma</i>	1855, 203	<i> </i>	1855, 3
<i>gouldii</i>	1853, 129	<i>plicata</i>	1851, 261
<i>gracilis</i>	1855, 6	<i> </i>	1853, 129
<i>grana</i>	1853, 146	<i> </i>	1853, 142
<i>grayana</i>	1855, 204	<i> </i>	1853, 146
<i>grisea</i>	1853, 153	<i> </i>	1853, 136
<i>grossa</i>	1855, 204	<i> </i>	1855, 6
<i>hanleyana</i>	1855, 202	<i> </i>	1855, 209
<i> </i>	1853, 151	<i> </i>	1853, 144
<i> </i>	1854, 311	<i> </i>	1854, 310
<i> </i>	1855, 207	<i> </i>	1853, 145
<i> </i>	1853, 147	<i> </i>	1853, 131
<i> </i>	1855, 203	<i> </i>	1854, 311
<i> </i>	1853, 135	<i> </i>	1855, 207
<i> </i>	1855, 205	<i> </i>	1853, 148
<i> </i>	1853, 147	<i> </i>	1854, 310
<i> </i>	1853, 141	<i> </i>	1853, 154
<i> </i>	1859, 30	<i> </i>	1854, 310
<i> </i>	1853, 140	<i> </i>	1855, 5
<i> </i>	1850, 54	<i> </i>	1853, 130
<i> </i>	1855, 204	<i> </i>	1853, 138
<i> </i>	1855, 206	<i> </i>	1853, 138
<i> </i>	1855, 2	<i> </i>	1854, 310
<i> </i>	1855, 207	<i> </i>	1859, 30
<i> </i>	1855, 206	<i> </i>	1853, 135
<i> </i>	1853, 153	<i> </i>	1853, 156
<i> </i>	1854, 311	<i> </i>	1855, 206
<i> </i>	1851, 262	<i> </i>	1859, 31
<i> </i>	1853, 132	<i> </i>	1853, 150
<i> </i>	1853, 144	<i> </i>	1853, 139
<i> </i>	1859, 31	<i> </i>	1853, 143
<i> </i>	1853, 157	<i> </i>	1855, 4
<i> </i>	1855, 3	<i> </i>	1853, 131

	Page		Page
<i>Achatinella subrostrata</i>	1859, 31	<i>Aciculina glabrata</i>	1851, 114
<i>subvirens</i>	1853, 136	<i>labiata</i>	1851, 114
<i>succincta</i>	1854, 310	<i>maculata</i>	1851, 114
<i>swainsonii</i>	1855, 209	<i>striata</i>	1851, 114
<i>swiftii</i>	1855, 4	<i>vittata</i>	1851, 114
<i>tæniolata</i>	1853, 133	<i>Aclesia areola</i>	1860, 24
<i>terebra</i>	1854, 310	<i>Aclis acuminata</i>	1860, 241
<i>teres</i>	1853, 144	<i>Acmaea aneylus</i>	1856, 221
<i>tessellata</i>	1855, 206	<i>mammillata</i>	1856, 222
<i>tetrao</i>	1853, 139	<i>marmorea</i>	1856, 222
<i>transversalis</i>	1854, 311	<i>mitra</i>	1856, 222
<i>turgida</i>	1854, 311	<i>paleacea</i>	1856, 204
<i>umbilicata</i>	1855, 207	<i>patina</i>	1856, 221
<i>undulata</i>	1855, 204	<i>pelta</i>	1856, 221
<i>valida</i>	1853, 134	<i>persona</i>	1856, 221
<i>variabilis</i>	1855, 205	<i>radiata</i>	1856, 221
<i>ventrosa</i>	1855, 209	<i>scabra</i>	1856, 222
<i>venulata</i>	1855, 6	<i>scurra</i>	1856, 222
<i>vidua</i>	1853, 154	<i>scutum</i>	1856, 222
<i>violacea</i>	1855, 6	<i>spectrum</i>	1856, 222
<i>virgulata</i>	1853, 146	<i>Acmocera ferruginosa</i>	1858, 400
<i>viridans</i>	1855, 3	<i>triangularis</i>	1858, 400
<i>vitrea</i>	1853, 135	<i>Acontias elegans</i>	1858, 156
<i>zebrina</i>	1854, 311	<i>punctata</i>	1858, 157
(<i>Achatinellastrum</i>)		<i>Acostæa guadasana</i>	1854, 129
<i>ovum</i>	1854, 310	<i>Acridotheres cristatellus</i>	1859, 433
(<i>Auriculella</i>) <i>chamissoi</i>	1853, 142	<i>fuscus</i>	1859, 150
(<i>Labiella</i>) <i>callosa</i>	1855, 98		445
(<i>Laminella</i>) <i>farcimen</i>	1858, 22	<i>ginginianus</i>	1858, 480
(<i>Leptachatina</i>) <i>obclavata</i>	1858, 22		1859, 173
(<i>Newcombia</i>) <i>cinamomea</i>	1858, 22	<i>griseus</i>	1860, 372
(—) <i>gemina</i>	1858, 22	<i>javanicus</i>	1859, 445
(—) <i>minuscula</i>	1858, 22	<i>nigricollis</i>	1859, 151
(—) <i>sulcata</i>	1858, 22		1859, 151
<i>Achatinellastrum clementinum</i>	1855, 205	<i>tristis</i>	1857, 97
<i>conspersum</i>	1855, 7		1858, 480
<i>crassidentatum</i>	1855, 6	<i>Acrilla acuminata</i>	1859, 173
<i>cuneum</i>	1855, 205	<i>gracilis</i>	1860, 241
<i>globosum</i>	1855, 7	<i>Acrocephalus arundinaceus</i>	1858, 493
<i>gracile</i>	1855, 6	<i>brunnescens</i>	1859, 183
<i>liliaceum</i>	1859, 31	<i>fasciolatus</i>	1860, 349
<i>ovum</i>	1856, 334	<i>orientalis</i>	1860, 349
<i>napus</i>	1855, 5	<i>Acrocinus longimanus</i>	1860, 372
<i>pulchellum</i>	1855, 6	<i>Acronotus bubalis</i>	1850, 139
<i>saccatum</i>	1859, 30	<i>caama</i>	1850, 140
<i>validum</i>	1855, 6	<i>Actæon bevaletii</i>	1854, 59
<i>ventrosum</i>	1855, 6	<i>cumingii</i>	1854, 59
<i>Acheus torquatus</i>	1849, 67	<i>denticulata</i>	1854, 32
<i>Acicula acicula</i>	1854, 201	<i>dianæ</i>	1854, 59
<i>eulima</i>	1854, 201	<i>flammeus</i>	1854, 59
<i>Aciculina costata</i>	1851, 114	<i>mariaë</i>	1854, 60
		<i>modestus</i>	1854, 60
		<i>oryza</i>	1854, 59
		<i>pudicus</i>	1854, 60
		<i>punctostriatus</i>	1854, 59
		<i>senegalensis</i>	1854, 59

	Page		Page			
<i>Actæon sieboldii</i>	1854,	59	<i>Adamsiella longicollis</i> ..	1854,	128	
<i>tornatilis</i>	1854,	59	<i>Addax nasomaculata</i> ..	1850,	135	
<i>venustus</i>	1854,	59			175	
<i>virgatus</i>	1854,	59			140	
<i>Actias lima</i>	1849,	36	<i>Adelomyia melano-</i>	1855,	145	
<i>luna</i>	1856,	5	<i>genys</i>	1859,	63	
<i>mænas</i>	1859,	264		1860,	70	
<i>selene</i>	1856,	5		1860,	94	
<i>sinensis</i>	1859,	264	<i>Adenota kob</i>	1850,	129	
<i>Actinella actinophora</i> ..	1854,	180	<i>lechê</i>	1850,	130	
<i>arcta</i>	1854,	180	<i>Admete borealis</i>	1855,	122	
<i>arridens</i>	1854,	180	<i>viridula</i>	1855,	122	
<i>lentiginosa</i>	1854,	180	<i>Ægialites cantianus</i>	1860,	415	
<i>stellaris</i>	1854,	180	<i>falklandicus</i>	1860,	386	
		145		1857,	127	
<i>Actinia bellis</i>	1858,	146	<i>vociferus</i>	1857,	206	
		149		1857,	236	
<i>biserialis</i>	1858,	148		1859,	369	
<i>candida</i>	1855,	235		1859,	393	
<i>clavata</i>	1858,	146	<i>Ægithalus flammiceps</i> ..	1858,	480	
		148	<i>flaviceps</i>	1855,	75	
<i>coriacea</i>	1858,	146		1856,	37	
		148	<i>Ægoceros argali</i>	1856,	404	
<i>crassicornis</i>	1855,	85		1860,	129	
	1859,	435	<i>Ægosoma cingalense</i> ..	1853,	27	
		145	<i>marginalis</i>	1853,	27	
<i>dianthus</i>	1858,	146	<i>ornaticolle</i>	1853,	27	
		149	<i>scabricorne</i>	1853,	26	
<i>equina</i>	1858,	146	<i>sinicum</i>	1853,	27	
<i>gemmaea</i>	1858,	146	<i>sulcipenne</i>	1853,	28	
<i>mesembryanthemum</i> ..	1858,	148	<i>tibiale</i>	1853,	28	
<i>ornata</i>	1855,	237	<i>Ægotheles wallacii</i>	1859,	154	
<i>pallida</i>	1855,	236	<i>Æolis parvula</i>	1860,	35	
		145	<i>semidecora</i>	1860,	36	
<i>parasitica</i>	1858,	146	<i>Æpyceros melampus</i> ..	1850,	116	
		149	<i>Æquorea atlantica</i>	1851,	275	
<i>rubida</i>	1855,	237	<i>ciliata</i>	1851,	275	
<i>trogloidytes</i>	1859,	434	<i>danica</i>	1851,	275	
		146	<i>forskalea</i>	1851,	275	
<i>viduata</i>	1858,	148	<i>forskalina</i>	1851,	275	
		172	<i>groenlandica</i>	1851,	275	
<i>vinosa</i>	1856,	172	<i>stauroglypha</i>	1851,	275	
<i>Actiniloba dianthus</i>	1858,	149	<i>violacea</i>	1851,	275	
<i>Actinodura rufifrons</i>	1854,	105	<i>Æthopyga miles</i>	1858,	496	
<i>Actitis brevipes</i>	1860,	364	<i>siparaja</i>	1859,	461	
		1855,	50	<i>Agama colonorum</i>	1858,	157
<i>hypoleuca</i>	1859,	150		1859,	470	
		1859,	151	<i>cristata</i>	1860,	453
		1858,	506	<i>occipitalis</i>	1858,	157
<i>hypoleucus</i>	1860,	364	<i>torquata</i>	1860,	454	
<i>ochropus</i>	1858,	506	<i>Agapornis azureus</i>	1859,	452	
<i>schlegelii</i>	1860,	365	<i>cana</i>	1860,	242	
<i>Actiturus bartramius</i> ..	1860,	253	<i>pullaria</i>	1859,	212	
<i>Acus sartoria</i>	1859,	316	<i>Agaronia cincta</i>	1858,	51	
		1858,	149	<i>contortuplicata</i>	1858,	52
<i>Adamsia palliata</i>	1859,	68	<i>hiatula</i>	1858,	52	
		1859,	432	<i>indusica</i>	1858,	51
<i>typica</i>	1856,	357	<i>nitelina</i>	1858,	52	

	Page		Page
Agaronia testacea	1858, 51	Aglaia nigrocincta	1850, 261
Agathirses dubius	1860, 411	nigroviridis	1850, 260
florina	1860, 411	paradisea	1850, 244
furcellus	1860, 413	peruviana	1850, 255
lima	1860, 413	ruficervix	1850, 259
multistriatus	1860, 411	schrankii	1850, 248
occlusus	1860, 411	striata	1850, 235
striatus	1860, 411	tatao	1850, 244
sulcatus	1860, 411	tau	1849, 34
Agathopus micropterus	1858, 69	viridissima	1850, 256
1857, 127		vittata	1850, 265
Agelæus gubernator	1857, 213	wilsonii	1855, 158
1859, 365		yeni	1850, 245
1857, 205		Agrias ædon	1848, 46
1859, 58		Agriolorhinus bonapartei	1855, 138
phœniceus	1859, 381	Agriornis andicola	1860, 78
1860, 243		solitaria	1858, 553
Agelaius coronatus	1856, 114	1860, 78	
Agelasta amica	1856, 410	1860, 92	
callizona	1856, 409	Agrodroma spraguii	1857, 5
newmannii	1856, 410	Ahætulla irregularis	1858, 161
polynesius	1856, 410	lateralis	1858, 380
wallacii	1856, 409	liocercus	1859, 412
Agelastes meleagrides	1849, 145	occidentalis	1859, 412
Aglaectis caumatonotus	1848, 12	mexicana	1860, 457
1857, 17		smaragdina	1858, 161
1860, 63		Aigocerus equinus	1850, 132
cupreipennis	1860, 70	leucophæus	1850, 133
1860, 81		niger	1850, 175
Aglaia atricapilla	1856, 259	1850, 133	
aurulenta	1856, 250	1850, 175	
cæruleocephala	1856, 262	Ailurus fulgens	1848, 80
cayana	1856, 254	ochraceus	1850, 399
chilensis	1856, 245	Aimophila rufescens	1850, 305
chrysoptera	1856, 255	ruficauda	1857, 7
citrinella	1856, 247	superciliosa	1850, 305
cucullata	1856, 253	Aix galericulata	1859, 206
cyanicollis	1856, 262	sponsa	1859, 206
1856, 247		1859, 477	
cyanocephala	1856, 236	1860, 442	
1856, 254		1851, 145	
cyanoptera	1856, 254	1857, 12	
diva	1856, 264	Alauda arvensis	1858, 484
erythrotis	1855, 157	1859, 184	
1856, 241		1860, 442	
fanny	1856, 142	chendoola	1857, 95
1856, 261		chrysolema	1855, 66
flava	1856, 253	deva	1854, 161
gyrola	1856, 255	erythropterygia	1850, 219
gyroloides	1856, 255	minor	1855, 66
igniventris	1856, 242	pratensis	1854, 285
labradorides	1856, 262		
melanota	1856, 254		
melanotis	1856, 248		
mexicana	1856, 258		
montana	1856, 239		

	Page		Page
<i>Alauda raytal</i>	1859,	<i>Aleyonium glaucum</i>	1859, 438
<i>spraguii</i>	1857,	<i>latum</i>	1859, 438
<i>trivialis</i>	1860,	<i>ocellatum</i>	1858, 532
<i>Alcacia rhamphostyla</i> ..	1856,	<i>Alecthelia urvillii</i>	1860, 362
<i>rubella</i>	1853,	<i>Alectrion complanata</i> ..	1851, 104
<i>Alcedo asiatica</i>	1854,	<i>crenulata</i>	1851, 103
<i>atricapilla</i>	1854,	<i>hirta</i>	1851, 103
	1858,	<i>jacksoniana</i>	1851, 103
<i>bengalensis</i>	1859,	<i>monilis</i>	1851, 103
	1859,	<i>nassoides</i>	1851, 103
	1859,	<i>nodifera</i>	1851, 103
<i>chlorocephala</i>	1854,	<i>papillosa</i>	1851, 103
	1854,	<i>seminodosa</i>	1851, 104
<i>collaris</i>	1858,	<i>variabilis</i>	1851, 103
	1860,	<i>Aletes squamigerus</i>	1856, 226
	1859,	<i>Alexia acuta</i>	1854, 33
	1860,	<i>bermudensis</i>	1854, 33
<i>dea</i>	1860,	<i>biasoletiana</i>	1854, 33
<i>diops</i>	1860,	<i>denticulata</i>	1854, 32
<i>erythaca</i>	1854,	<i>kutschigiana</i>	1854, 33
<i>fusca</i>	1854,	<i>myosotis</i>	1854, 33
<i>gaudichaudi</i>	1858,	<i>personata</i>	1854, 32
	1851,	<i>reflexilabris</i>	1854, 33
	1859,	<i>Alopecion fasciatum</i> ...	1858, 159
<i>ispida</i>	1859,	<i>Alopias vulpes</i>	1850, 253
	1860,	<i>Alsodes monticola</i> ...	1858, 343
	1860,	<i>Alvearella abbreviata</i> ..	1854, 212
<i>lazuli</i>	1860,	<i>cassidula</i>	1854, 212
<i>leucocephala</i>	1854,	<i>concinna</i>	1854, 212
<i>meninting</i>	1854,	<i>gibba</i>	1854, 212
<i>purpurea</i>	1854,	<i>Alycaeus distortus</i>	1860, 10
<i>rubra</i>	1854,	<i>Alytes obstetricans</i> ...	1858, 374
<i>rudis</i>	1854,	<i>Amadina acuticauda</i>	1859, 444
<i>sacra</i>	1854,	<i>cantans</i>	1850, 218
<i>senegalensis</i>	1854,	<i>fasciata</i>	1850, 218
<i>smyrnensis</i>	1854,	<i>molucca</i>	1860, 355
<i>tridactyla</i>	1854,	<i>nitens</i>	1850, 218
<i>Alcelaphus bubalis</i>	1850,	<i>punctularia</i>	1859, 443
<i>caama</i>	1850,	<i>Amalthea effodiens</i> ...	1856, 5
<i>lunatus</i>	1850,	<i>grayana</i>	1856, 4
<i>pygargus</i>	1850,	<i>panamensis</i>	1856, 3
<i>senegalensis</i>	1850,	<i>Amastira irregularis</i> ...	1855, 205
<i>Alces malchis</i>	1850,	<i>Amathella biserialis</i> ...	1858, 320
<i>Alcippe affinis</i>	1854,	<i>uniserialis</i>	1858, 320
<i>albogularis</i>	1854,	<i>Amathia cornuta</i>	1858, 319
<i>cantorii</i>	1854,	<i>lendigera</i>	1858, 320
<i>cinerea</i>	1854,	<i>Amathina bicarinata</i> ..	1860, 399
<i>cinerea</i>	1854,	<i>Amazilia alticola</i>	1860, 309
<i>magnirostris</i>	1854,	<i>dumerilii</i>	1860, 283
<i>monacha</i>	1858,		
<i>striata</i>	1854,	<i>riefferii</i>	1860, { 94
<i>Alcira elegans</i>	1860,		283
<i>Alcyna rubra</i>	1860,		296
<i>subangulata</i>	1860,		
<i>Aleyone affinis</i>	1860,		
	1858,		
<i>azurea</i>	1859,	<i>Amazilius arsinoë</i> ...	1856, 287
	1859,		1857, 212
<i>lessonii</i>	1859,		1858, 297
	1857,		1859, 367
<i>pulchra</i>	1858,		1859, 386
	1858,	<i>castaneiventris</i>	1856, 150

	Page		Page
<i>Amazilius castaneiventris</i>	1857, 16	<i>Ampelis garrula</i>	1860, 183
<i>cerviniventris</i> 1856, 150	<i>riefferi</i> 1854, 113
<i>corallirostris</i> { 1858, 358	<i>Amphidesma decisa</i> 1856, 213
<i>dubusii</i> { 1859, 386	<i>flavescens</i> 1856, 199
<i>ocai</i> { 1856, 287	<i>roseum</i> 1856, 213
<i>riefferi</i> { 1859, 386	<i>rubrolineata</i> 1856, 212
 { 1856, 140	<i>Amphiperas bimaculata</i>	1854, 131
 { 1856, 287	<i>concinna</i> 1854, 131
 { 1857, 16	<i>margarita</i> 1854, 130
 { 1859, 145	<i>ovum</i> 1853, 40
<i>Ambassis thermalis</i> 1856, 372	<i>pudica</i> 1854, 131
<i>Amblypneustes ovum</i>	.. 1855, 36	<i>pyrulina</i> 1854, 131
<i>Amyostoma californiense</i> 1853, 11	<i>rhodia</i> 1854, 130
<i>carolinæ</i> 1853, 11	<i>scitula</i> 1854, 131
<i>punctulatum</i> 1853, 11	<i>traillii</i> 1855, 222
<i>opacum</i> 1858, 144	<i>Amphisbæna fuliginosa</i>	1859, { 89
<i>Ameiva dorsalis</i> 1848, { 24	<i>Amphorella melampoidea</i>	1854, 203
 { 1859, 402	<i>mitriformis</i> 1854, 203
 { 1860, 233	<i>tornatellina</i> 1854, 203
 { 1860, 234	<i>Ampullaria celebensis</i>	{ 1851, 74
<i>Ammocetes bicolor</i> 1851, 241	<i>corrugata</i> 1860, 12
<i>branchialis</i> 1851, 240	<i>globosa</i> 1860, 12
<i>concolor</i> 1851, 241	<i>modesta</i> 1859, 168
<i>ruber</i> 1851, 241	<i>novæ-granadæ</i> 1859, 169
<i>unicolor</i> 1851, 241	<i>quitensis</i> 1859, 168
<i>Ammodromus ruficeps</i>	{ 1857, 214	<i>polita</i> 1860, 12
 { 1859, 380	<i>solida</i> 1859, 168
<i>Ammoperdix bonhami</i>	.. 1858, 503	<i>tischbeini</i> 1858, 134
<i>Amnicola</i> ? <i>antipodarum</i>	1849, 169	<i>woodwardii</i> 1858, 134
<i>zelandiæ</i> 1849, 169	<i>(Lanistes) sinistrorsa</i>	1859, 349
<i>Amoria lineata</i> 1855, 64	<i>Anabasitta squamigera</i>	.. 1855, 142
<i>maculata</i> 1855, 64	<i>Anabates amazonus</i> 1858, 61
<i>marmorata</i> 1855, 64	<i>atricapillus</i> 1856, 288
<i>reticulata</i> 1855, 64	<i>boissoneauui</i> 1855, 141
<i>turnerii</i> 1855, 64	<i>cervinigularis</i> { 1856, 288
<i>undulata</i> 1855, 64	<i>erythropterus</i> { 1859, 382
<i>zebra</i> 1855, 64	<i>erythrophthalmus</i>	.. 1858, 62
 { 1855, 152	<i>ferruginolentus</i> 1856, 288
<i>Ampelion arcuatus</i> { 1858, 553	<i>flammulatus</i> 1855, 141
 { 1860, 89	<i>guianensis</i> { 1856, 27
 { 1855, 152	<i>gutturatus</i> 1858, 62
<i>cinctus</i> { 1860, 67	<i>infuscatus</i> 1858, 61
 { 1860, 89	<i>lineaticeps</i> 1858, 61
<i>rubricristatus</i> { 1855, 152	<i>melanopezus</i> 1858, 61
 { 1858, 553	<i>melanorhynchus</i>	.. 1858, 61
<i>rubrocristatus</i> { 1860, 78	<i>ochraceus</i> 1858, 62
 { 1860, 89	<i>ochrolemus</i> 1858, 61
<i>rufocristatus</i> { 1855, 152	<i>pulvericolor</i> 1858, 62
 { 1856, 299	<i>pyrrhodes</i> 1858, 62
<i>Ampelis cedrorum</i> { 1858, 302	<i>rubiginosus</i> { 1856, 288
 { 1859, 364	<i>ruficaudatus</i> { 1859, 365
<i>cincta</i> { 1855, 152	<i>ruficaudatus</i> { 1856, 26
 { 1860, 67	<i>ruficaudatus</i> { 1858, 61
<i>garrula</i> { 1859, { 212		
 { 1859, 432		

	Page		Page
<i>Anabates ruficaudus</i>	1858,		
<i>squamiger</i>	1856,		
<i>striaticollis</i>	1857,		
<i>subalaris</i>	1859,		
<i>temporalis</i>	1859,		
<i>Anabazenops guttulatus</i>	1857,		
<i>rufo-superciliaris</i>	1856,		
<i>variegaticeps</i>	1856,		
	1859,		
<i>Anadema cælata</i>	1854,		
	1858,		
<i>Anas acuta</i>	1860,		
<i>antarctica</i>	1860,		
	1851,		
	1858,		
	1859,		
	1859,		
<i>boschas</i>	1859,		
	1860,		
	1860,		
	1860,		
	1860,		
	1860,		
<i>brachyptera</i>	1859,		
	1860,		
<i>cæruleata</i>	1860,		
<i>chiloensis</i>	1860,		
<i>cinereus</i>	1860,		
<i>clangula</i>	1860,		
	1858,		
<i>clypeata</i>	1860,		
	1851,		
<i>crecca</i>	1860,		
	1860,		
<i>creccoides</i>	1860,		
	1859,		
<i>cristata</i>	1860,		
	1860,		
<i>cyanopterus</i>	1860,		
<i>erythropus</i>	1860,		
<i>fretensis</i>	1860,		
<i>gambensis</i>	1860,		
	1857,		
<i>inornata</i>	1858,		
	1860,		
<i>inornatus</i>	1860,		
<i>intermedia</i>	1860,		
<i>leucomelas</i>	1860,		
<i>leucophrys</i>	1859,		
<i>maculirostris</i>	1860,		
<i>magellanica</i>	1860,		
<i>maxima</i>	1859,		
<i>mergoides</i>	1860,		
<i>mollissima</i>	1857,		
<i>nigricollis</i>	1860,		
	1859,		
<i>obscura</i>	1860,		
	1860,		
<i>picta</i>	1860,		
<i>pæcilorhyncha</i>	1858,		
<i>punctata</i>	1859,		
<i>pyrogaster</i>	1860,		
<i>radjah</i>	1860,		
	1859,		
<i>Anas rafflesii</i>	1859,		
	1860,		
<i>spinosa</i>	1860,		
	1859,		
<i>superciliosa</i>	1860,		
	1860,		
<i>urophasianus</i>	1860,		
<i>versicolor</i>	1860,		
<i>Anastomus lamelligerus</i>	1860,		
<i>Anatifa crassa</i>	1848,		
<i>Anatinella dilatata</i>	1850,		
<i>sibbaldii</i>	1850,		
<i>ventricosa</i>	1850,		
<i>Anatomus angulatus</i>	1859,		
<i>asper</i>	1859,		
<i>bertheloti</i>	1859,		
<i>conicus</i>	1859,		
<i>costatus</i>	1859,		
<i>crispatus</i>	1859,		
<i>d'orbigny</i>	1859,		
<i>indicus</i>	1859,		
<i>lævigatus</i>	1859,		
<i>reticulatus</i>	1859,		
<i>striatulus</i>	1859,		
<i>Anaulus bombycinus</i>	1855,		
<i>lorrainii</i>	1856,		
<i>Anazola acuminata</i>	1858,		
<i>gibbosa</i>	1858,		
<i>leucozonalis</i>	1858,		
<i>paniculata</i>	1858,		
<i>pulchella</i>	1858,		
<i>subulata</i>	1858,		
<i>undatella</i>	1858,		
<i>Ancilla maculata</i>	1858,		
<i>Ancillaria candida</i>	1853,		
<i>lineolata</i>	1851,		
<i>Anculotus carinatus</i>	1854,		
<i>Ancylus acutus</i>	1853,		
<i>albus</i>	1853,		
<i>aduncus</i>	1853,		
<i>baconii</i>	1853,		
<i>bahiensis</i>	1853,		
<i>barilensis</i>	1853,		
<i>beani</i>	1853,		
<i>caffier</i>	1853,		
<i>calcarius</i>	1853,		
<i>capuloides</i>	1853,		
<i>charpentierianus</i>	1853,		
<i>compressus</i>	1853,		
<i>concentricus</i>	1853,		
<i>corneus</i>	1853,		
<i>costatus</i>	1853,		
<i>costulatus</i>	1853,		
<i>crassus</i>	1853,		
<i>culicoides</i>	1853,		
<i>cumingianus</i>	1853,		
<i>cyclostoma</i>	1853,		
<i>decussatus</i>	1853,		
<i>deperditus</i>	1853,		

	Page		Page
<i>Ancylus depressus</i>	1853, 88	<i>Ancylus vitraceus</i>	1853, 88
<i>deshayesianus</i>	1853, 82	<i>Andigena baillonii</i>	1850, 93
<i>diaphanus</i>	1853, 82	<i>cucullatus</i>	1850, 93
<i>drouetianus</i>	1853, 92	<i>hypoglaucus</i>	1850, 93
<i>elegans</i>	1853, 88	<i>laminirostris</i>	1850, 93
<i>excentricus</i>	1853, 85	} 1859, 146	
<i>fabræi</i>	1853, 86	} 1860, 95	
<i>filosus</i>	1853, 82	} 1850, 93	
<i>fluviatilis</i>	1853, 83	} 1854, 115	
} 1854, 218		<i>nigrirostris</i>	1855, 161
<i>frayssianus</i>	1853, 87	} 1858, 75	
<i>fuscus</i>	1853, 82	} 1858, 149	
<i>gayanus</i>	1853, 84	<i>spilorhynchus</i>	1858, 149
<i>gibbosus</i>	1853, 82	<i>Andropadus erythropterus</i>	1858, 292
<i>gussonii</i>	1853, 89	<i>Anguinaria obtusa</i>	1860, 407
<i>haldemanii</i>	1853, 83	} 414	
<i>havanensis</i>	1853, 83	} 403	
<i>hermannii</i>	1853, 89	} 414	
<i>irroratus</i>	1853, 83	<i>rubra</i>	1860, 174
<i>janii</i>	1853, 83	<i>Anguis fragilis</i>	1860, 416
<i>lacustris</i>	1853, 88	<i>Anisocerus capucinus</i>	1856, 407
<i>luteolus</i>	1853, 86	<i>dulcissimus</i>	1856, 407
<i>marginatus</i>	1853, 83	<i>onca</i>	1856, 407
<i>matheronii</i>	1853, 89	<i>Anisognathus igniventris</i>	1856, 242
<i>meridionalis</i>	1853, 86	<i>lacrimosus</i>	1855, 157
<i>moquinianus</i>	1853, 89	} 1856, 242	
<i>moreletii</i>	1853, 83	} 1857, 287	
<i>moricandii</i>	1853, 84	<i>Annella reticulata</i>	1859, 483
<i>navicula</i>	1853, 84	<i>Anodon ciconia</i>	1856, 202
<i>nuttalii</i>	1853, 89	<i>nuttalliana</i>	1856, 218
<i>obliquus</i>	1853, 84	<i>oregonensis</i>	1856, 218
} 83		<i>wahlmatensis</i>	1856, 218
<i>oblongus</i>	1853, 89	<i>Anodonta arcuata</i>	1850, 199
<i>obscurus</i>	1853, 84	<i>callifera</i>	1860, 15
<i>obtusus</i>	1853, 84	<i>crepera</i>	1850, 198
<i>orbignyanus</i>	1853, 84	<i>cumingii</i>	1850, 199
<i>parallelus</i>	1853, 84	<i>gracilis</i>	1850, 197
<i>petitianus</i>	1853, 85	<i>latomarginata</i>	1850, 199
<i>pileolus</i>	1853, 85	<i>subcrassa</i>	1850, 198
<i>radiatilis</i>	1853, 85	<i>tenuis</i>	1850, 198
<i>radiatus</i>	1853, 85	(Lamproscapha)	
<i>radiolatus</i>	1853, 89	<i>schomburgkii</i>	1860, 15
<i>raymondii</i>	1853, 85	<i>Anodus alburnus</i>	1859, 419
<i>recurvus</i>	1853, 83	<i>troscheli</i>	1859, 418
<i>riparius</i>	1853, 85	<i>Anolis æneus</i>	1859, 89
<i>rivularis</i>	1853, 85	} 402	
<i>rotundatus</i>	1853, 89	} 89	
<i>rubicola</i>	1853, 87	<i>crystalinus</i>	1859, 402
<i>sauleyanus</i>	1853, 92	} 407	
<i>simplex</i>	1853, 86	} 1859, 407	
<i>sinuosus</i>	1853, 87	<i>fraserii</i>	1860, 233
<i>spina-rosæ</i>	1853, 82	} 1860, 234	
<i>stagnalis</i>	1853, 89	} 1860, 454	
<i>striatus</i>	1853, 88	} 1859, 421	
<i>strictus</i>	1853, 88	<i>sallæi</i>	1860, 453
<i>strigatus</i>	1853, 88	<i>Anomala angulata</i>	1854, 22
<i>tardus</i>	1853, 88	<i>cumingii</i>	1854, 22
<i>thermalis</i>	1853, 87	<i>inflata</i>	1854, 23

	Page		Page
<i>Anomala insignis</i>	1854,		
<i>isocardioides</i>	1854,		
<i>maritima</i>	1854,		
<i>nitidula</i>	1854,		
<i>notabilis</i>	1854,		
<i>Anomalurus beecroftii</i> ..	1852,		
<i>fraserii</i>	1852,		
<i>peli</i>	1852,		
<i>Anomia achæus</i>	1849,		
<i>acontes</i>	1849,		
<i>aculeata</i>	1849,		
<i>adamas</i>	1849,		
<i>ænigmatica</i>	1849,		
<i>alectus</i>	1849,		
<i>amabæus</i>	1849,		
<i>aspera</i>	1849,		
<i>belesis</i>	1849,		
<i>bifida</i>	1849,		
<i>cepa</i>	1849,		
<i>coronata</i>	1849,		
<i>costata</i>	1849,		
<i>cucullata</i>	1849,		
<i>cylindrica</i>	1849,		
<i>cymbiformis</i>	1849,		
<i>cytæum</i>	1849,		
<i>dryas</i>	1849,		
<i>electrica</i>	1849,		
<i>elegans</i>	1849,		
<i>elyros</i>	1849,		
<i>ephippium</i>	1849,		
<i>fidenas</i>	1849,		
<i>fornicata</i>	1849,		
<i>hamillus</i>	1849,		
<i>lampe</i>	1849,		
<i>larbas</i>	1849,		
<i>lens</i>	1849,		
<i>macrochisma</i>	1849,		
<i>margaritacea</i>	1849,		
<i>membranacea</i>	1849,		
<i>naviformis</i>	1849,		
<i>pacilus</i>	1849,		
<i>patellaris</i>	1849,		
<i>patelliformis</i>	1849,		
<i>pectiniformis</i>	1849,		
<i>plicata</i>	1849,		
<i>polymorpha</i>	1849,		
<i>punctata</i>	1849,		
<i>pyriformis</i>	1849,		
<i>radiata</i>	1849,		
<i>rosea</i>	1849,		
<i>scabra</i>	1849,		
<i>scabrella</i>	1849,		
<i>sella</i>	1848,		
<i>squama</i>	1849,		
<i>squamula</i>	1849,		
<i>striata</i>	1849,		
<i>Anomia striatula</i>	1849,		
<i>sulcata</i>	1849,		
<i>tenuistriata</i>	1849,		
<i>undulata</i>	1849,		
<i>violacea</i>	1849,		
<i>Anoplosthæta jardinei</i> ..	1858,		
<i>Anorrhinus galeritus</i> ..	1859,		
<i>Anostoma carinatum</i> ..	1853,		
<i>Anoura geoffroyii</i>	1858,		
<i>Anser albifrons</i>	1858,		
<i>cygnoïdes</i>	1859,		
<i>ferus</i>	1859,		
<i>finmarchicus</i>	1860,		
<i>gambensis</i>	1860,		
<i>leucopsis</i>	1860,		
<i>minutus</i>	1860,		
<i>segetum</i>	1851,		
<i>temminckii</i>	1860,		
<i>Antechinus maculatus</i> ..	1851,		
<i>minutissimus</i>	1851,		
<i>Anthea cereus</i>	1858,		
<i>Antheræa assama</i>	1859,		
<i>frithii</i>	1859,		
<i>helferi</i>	1859,		
<i>jana</i>	1859,		
<i>katinka</i>	1859,		
<i>larissa</i>	1859,		
<i>lola</i>	1859,		
<i>mylitta</i>	1859,		
<i>paphia</i>	1859,		
<i>pernyi</i>	1859,		
<i>perrotteti</i>	1859,		
<i>roylii</i>	1859,		
<i>simla</i>	1859,		
<i>thibeta</i>	1859,		
<i>zuleika</i>	1859,		
<i>Anthias buphthalmos</i> ..	1849,		
<i>gibbiceps</i>	1849,		
<i>Anthochaera senex</i>	1860,		
<i>Anthothreptes malaccen-</i> <i>sis</i>	1859,		
<i>Anthreptes flavigaster</i> ..	1859,		
<i>hypogrammica</i>	1859,		
<i>macularia</i>	1859,		
<i>malaccensis</i>	1859,		
<i>modesta</i>	1859,		
<i>nuchalis</i>	1859,		
<i>phænicotis</i>	1859,		
<i>Anthropoides virgo</i> ..	1855,		
<i>anthropoides</i>	1859,		
<i>Anthus agilis</i>	1858,		

	Page		Page
<i>Anthus aquaticus</i>	1860, 417		
<i>arboreus</i>	{ 1857, 13 1860, 350 1855, 109	<i>Antilope caama</i>	{ 1850, 132 1850, 139 1860, 182
<i>bogotensis</i>	{ 1855, 144 1858, 550 1859, 95	<i>campestris</i>	1850, 118
<i>correndera</i>	{ 1860, 384 1854, 285	<i>capreolus</i>	1850, 126
<i>euonyx</i>	1854, 285	<i>cervicapra</i>	1850, { 135 167
<i>gouldii</i>	1860, 110	<i>chicara</i>	1850, 117
<i>ludovicianus</i>	{ 1856, 293 1857, 126	<i>chickara</i>	1850, 117
<i>malayensis</i>	{ 1854, 285 1859, 150	<i>chiru</i>	1850, 112
<i>pratensis</i>	{ 1851, 142 1859, 151	<i>christii</i>	1850, 116
<i>richardii</i>	1859, { 150 151	<i>cinerea</i>	1850, 127
<i>rufescens</i>	1858, 550	<i>coerulea</i>	1850, 124
<i>rufulus</i>	{ 1854, 285 1858, 485 1859, 151	<i>colus</i>	1850, { 112 167
<i>trivialis</i>	1858, 485	<i>cora</i>	1850, 112
<i>Antidorcas euchore</i>	1850, 116	<i>corrugum</i>	1850, 140
<i>Antilocapra americana</i> .	{ 1850, 137 1855, 10	<i>crispa</i>	1850, 136
<i>anteflexa</i>	1855, 10	<i>cuvieri</i>	1850, 113
<i>Antilope addax</i>	{ 1850, 135 1860, 183	<i>dama</i>	1850, 114
<i>adenota</i>	1850, { 129 167	<i>dammah</i>	1850, 134
<i>albifrons</i>	1850, 141	<i>decula</i>	1850, 145
<i>albipes</i>	1850, 146	<i>defassa</i>	1850, { 131 141
<i>algazella</i>	1850, 134	<i>dorcas</i>	{ 1849, 94 1850, 112 1850, 113 1850, 140 1850, 141
<i>americana</i>	1850, { 136 137	<i>doria</i>	1850, 142
<i>andra</i>	1850, { 114 115	<i>dorsata</i>	1850, 116
<i>annulipes</i>	1850, 129	<i>duvaucellii</i>	1850, 136
<i>arabica</i>	1850, 113	<i>eleotragus</i>	1850, { 127 134
<i>arundinacea</i>	1850, 127	<i>ellipsiprymnus</i>	1850, 131
<i>aurita</i>	1850, 132	<i>ensicornis</i>	1850, 134
<i>barbata</i>	1850, { 132 133	<i>euchore</i>	1850, { 116 168
<i>beisa</i>	1850, 134	<i>euryceros</i>	{ 1848, 88 1850, 144
<i>bennettii</i>	1850, { 116 168	<i>forfex</i>	1850, { 130 167
<i>bezoartica</i>	{ 1850, 117 1850, 134 1858, 522	<i>frederici</i>	1850, 124
<i>bharatensis</i>	1850, 116	<i>fulvo-rubescens</i>	1850, 118
<i>bilineata</i>	1850, 117	<i>furcifer</i>	1850, 137
<i>bohor</i>	1850, 128	<i>gazella</i>	1850, 112
<i>bubalina</i>	{ 1850, 135 1856, 403 1860, 183	<i>gibbosa</i>	1850, 135
<i>bubalis</i>	1850, 139	<i>glauca</i>	1850, 132
<i>burchellii</i>	1850, 120	<i>gnu</i>	1850, 138
		<i>goral</i>	{ 1850, 136 1856, 403
		<i>gorgon</i>	1850, 139
		<i>goural</i>	1850, 136
		<i>grimmia</i>	1850, { 120 124
		<i>grisea</i>	1850, 118
		<i>gutturosa</i>	1850, { 115 167

	Page		Page
<i>Antilope harrissii</i>	1850,	<i>Antilope osanne</i>	1850,
<i>hazenna</i>	1850,	<i>ourebi</i>	1850,
<i>hemprichianus</i>	1850,	<i>pallida</i>	1850,
<i>hemprichii</i>	1850,	<i>palmata</i>	1850,
<i>hodgsonii</i>	1850,	<i>pediotragus</i>	1850,
<i>ibex</i>	1850,	<i>perpusilla</i>	1850,
<i>interscapularis</i>	1850,	<i>persica</i>	1850,
<i>iridis</i>	1850,	<i>personata</i>	1850,
<i>isabellina</i>	1850,	<i>philantomba</i>	1850,
<i>kemas</i>	1850,	<i>picta</i>	1850,
<i>kob</i>	1850,	<i>platous</i>	1850,
<i>koba</i>	1850,	<i>ptoox</i>	1850,
<i>lævipes</i>	1850,	<i>pygarga</i>	1850,
<i>lalandiana</i>	1850,	<i>pygargus</i>	1850,
<i>lalandii</i>	1850,	<i>pygmaea</i>	1850,
<i>lanata</i>	1850,	<i>quadricornis</i>	1850,
<i>lanigera</i>	1850,	<i>recticornis</i>	1850,
<i>leptoceros</i>	1850,	<i>redunca</i>	1850,
<i>leucophaeus</i>	1850,	<i>regia</i>	1850,
<i>leucopus</i>	1850,	<i>reversa</i>	1850,
<i>leucoryx</i>	1849,	<i>rubra</i>	1850,
<i>leucotis</i>	1849,	<i>rubro-albescens</i> ...	1850,
<i>lunata</i>	1850,	<i>rufa</i>	1850,
<i>maculata</i>	1850,	<i>rufescens</i>	1850,
<i>madoqua</i>	1850,	<i>ruficollis</i>	1850,
<i>marsupialis</i>	1850,	<i>rupestris</i>	1850,
<i>maxwellii</i>	1850,	<i>rupicapra</i>	1850,
<i>mazama</i>	1850,	<i>saiga</i>	1850,
<i>melampus</i>	1850,	<i>saliens</i>	1850,
<i>melanotis</i>	1850,	<i>saltatrix</i>	1850,
<i>melanura</i>	1850,	<i>saltiana</i>	1850,
<i>mergens</i>	1850,	<i>scoparius</i>	1850,
<i>mohr</i>	1850,	<i>scripta</i>	1850,
<i>montanus</i>	1850,	<i>senegalensis</i>	1850,
<i>monticola</i>	1850,	<i>sing-sing</i>	1850,
<i>mytilopes</i>	1850,	<i>soemmeringii</i>	1850,
<i>nasomaculata</i>	1849,	<i>spiniger</i>	1850,
<i>nasomaculatus</i>	1850,	<i>striaticollis</i>	1850,
<i>natalensis</i>	1850,	<i>subgutturosa</i>	1850,
<i>nictitans</i>	1850,	<i>subquadricornutus</i> ..	1850,
<i>niger</i>	1850,	<i>sumatrensis</i>	1850,
<i>ogilbii</i>	1850,	<i>suturosa</i>	1850,
<i>oreas</i>	1850,	<i>sylvatica</i>	1850,
<i>oreotragus</i>	1850,	<i>sylvicultrix</i>	1850,
<i>oryx</i>	1850,	<i>tao</i>	1850,
	133	<i>taurina</i>	1850,
	116	<i>tetracornis</i>	1850,
	120	<i>thar</i>	1850,
	120	<i>tragocamelus</i>	1850,
	112	<i>tragulus</i>	1850,
	403		
	116		
	135		
	113		
	127		
	128		
	112		
	168		
	129		
	131		
	140		
	141		
	115		
	127		
	127		
	126		
	137		
	113		
	133		
	146		
	94		
	134		
	182		
	190		
	1860,		
	1860,		
	1850,		
	145		
	122		
	116		
	124		
	137		
	116		
	167		
	118		
	119		
	120		
	121		
	114		
	119		
	124		
	135		
	94		
	135		
	123		
	120		
	121		
	123		
	133		
	123		
	143		
	119		
	119		
	134		
	143		

	Page		Page
<i>Antilope truteri</i>	1850, 132	<i>Aphantochroa gularis</i> ..	1860, 310
<i>unctuosa</i>	1850, 131	<i>Aphelia apollinaris</i>	1849, 61
<i>villosa</i>	1850, 126	<i>Aphriza virgata</i>	1859, 236
<i>zebra</i>	1850, 142	<i>Aphrocallistes beatrix</i> ..	1858, 115
<i>zebrata</i>	1850, 142	<i>Aphroceras albicornis</i> ..	1858, 114
(Mazama) <i>temma-</i>		<i>Aphrodita aculeata</i>	1856, 105
<i>mazama</i>	1850, 242	<i>Apistes panduratus</i>	1850, 58
(Tragelaphus) <i>phale-</i>		<i>Aploactis aspera</i>	1850, 60
<i>rata</i>	1850, 145	<i>milesii</i>	1850, 60
(—) <i>scripta</i>	1850, 145	<i>Aplocerus americanus</i> ..	1850, 174
<i>Antiope cristata</i>	1859, 68	<i>femmamazama</i>	1850, 137
<i>Antipathes abies</i>	1857, 292	<i>Aplocnemia bispecularis</i>	1858, 401
<i>alopecuroides</i>	1857, 294	<i>Aplonis atronitens</i>	1859, 164
<i>anguina</i>	1857, 291	<i>brevirostris</i>	1859, 163
<i>arborea</i>	1857, 294	<i>cassinii</i>	1859, 163
<i>atlantica</i>	1857, 291	<i>fusca</i>	1859, 163
<i>boscii</i>	1857, 290	<i>marginatus</i>	1859, 163
<i>clathrata</i>	1857, 290	<i>nigroviridis</i>	1859, 163
<i>compressa</i>	1857, 292	<i>obscura</i>	1859, 163
<i>corticula</i>	1857, 293	<i>striata</i>	1859, 163
<i>cupressina</i>	1857, 292	<i>tabuensis</i>	1859, 163
<i>cupressus</i>	1857, 292	<i>viridigrisea</i>	1859, 164
<i>dichotoma</i>	1857, { 113	<i>zealandica</i>	1859, 163
<i>ericoides</i>	1857, 294	<i>Aplysia depilans</i>	1856, 45
<i>flabellum</i>	1857, 294	<i>Aporrhais pes-pellicani</i> ..	1853, 41
<i>foeniculacea</i>	1857, { 290	<i>Aprosmictus dorsalis</i> ..	1860, 227
<i>fruticosa</i>	1857, 291	<i>erythropterus</i>	1857, { 27
<i>furcata</i>	1857, 291	<i>hypophonius</i>	1860, { 221
<i>glaberrima</i>	1857, 290	<i>vulneratus</i>	1860, { 227
<i>gracilis</i>	1857, 291	<i>Aptenodytes chrysocome</i>	1860, 390
<i>hirta</i>	1857, 293	<i>magellanicus</i>	1860, 390
<i>lacerata</i>	1857, 293	<i>papua</i>	1860, 390
<i>larix</i>	1857, 292	<i>patachonica</i>	1860, 390
<i>lingulata</i>	1857, 290	<i>pennantii</i>	{ 1859, 98
<i>mimosella</i>	1857, 292	<i>pennantii</i>	{ 1860, 390
<i>myriophyllum</i>	1857, 292	<i>Apteronotus albifrons</i> ..	1853, 75
<i>paniculata</i>	1857, 294	<i>Apteryx australis</i>	{ 1850, 211
<i>pectinata</i>	1857, 293	<i>mantellii</i>	{ 1850, 275
<i>pedata</i>	1857, 291	<i>owenii</i>	{ 1859, 350
<i>pinnacea</i>	1857, 293	<i>owenii</i>	{ 1860, 194
<i>pinnatifida</i>	1857, 292	<i>Apus cancriformis</i>	1852, 3
<i>pluma</i>	1857, 291	<i>domingensis</i>	1852, 5
<i>pyramidata</i>	1857, 293	<i>guldinigi</i>	1852, 3
<i>reticulata</i>	1857, 291	<i>longicaudatus</i>	1852, 4
<i>scoparia</i>	1857, 293	<i>obtusus</i>	1852, 4
<i>spinescens</i>	1857, 292	<i>pisciformis</i>	1852, 19
<i>spiralis</i>	1857, { 114	<i>Aquila audax</i>	1850, 91
<i>subpinnata</i>	1857, 293	<i>bifasciata</i>	1858, 470
<i>triquetra</i>	1857, 294	<i>bonellii</i>	{ 1859, 435
<i>ulex</i>	1857, 292	<i>bonellii</i>	{ 1860, 416
<i>wollastonii</i>	1857, 293	<i>canadensis</i>	1860, 417
<i>Antrostomus macromy-</i>		<i>canadensis</i>	{ 1855, 128
<i>stax</i>	1858, 296	<i>chrysaëtos</i>	{ 1858, 470
<i>vociferus</i>	1859, 367	<i>chrysaëtos</i>	{ 1860, 371
<i>Aonyx sikimensis</i>	1856, 399		

	Page		Page
<i>Aquila fusca</i>	1854, 3		
	1855, 128	<i>Arctocephalus gilliespii</i> .	1859, { 103
<i>imperialis</i>	{ 1857, 85		{ 110
	1860, 416	<i>hookerii</i>	1859, { 358
<i>malayensis</i>	{ 1858, 471		{ 109
	1859, 170	<i>lobatus</i>	1859, { 360
<i>nævia</i>	{ 1850, 215		{ 110
	1854, 3	<i>monteriensis</i>	1859, { 358
	1858, 470		{ 360
<i>nævioides</i>	1860, { 415	<i>nigrescens</i>	1859, { 358
	417		{ 360
<i>pennata</i>	1850, 215	<i>ursinus</i>	1859, { 103
(<i>Heteropus</i>) <i>gurneyi</i>	1860, 342		{ 108
	{ 1857, 266		{ 358
<i>Ara aracanga</i>	1859, 59		{ 359
	{ 1859, 435	<i>Arctomys bobac</i>	1858, 521
<i>ararauna</i>	1859, 433	<i>tibetanus</i>	{ 1856, 403
<i>chloroptera</i>	1859, 433		{ 1858, 521
<i>glauca</i>	1860, 372	<i>Arctonetta fischerii</i>	1855, 212
	{ 1857, 230	<i>Arctonyx collaris</i>	1856, 398
<i>militaris</i>	{ 1858, 76	<i>isonyx</i>	1856, 398
	1860, 372	<i>Arctopithecus blainvillei</i>	1849, { 71
<i>pachyrhyncha</i>	1859, 368		{ 73
	{ 1857, 266	<i>blainvillii</i>	1851, 208
<i>severa</i>	{ 1860, 242	<i>flaccidus</i>	1849, 72
	1860, 371	<i>gularis</i>	{ 1849, 70
<i>Arachnoides antipodarum</i>	1851, 126		{ 1851, 208
<i>Arachnoraphis flavigaster</i>	1859, 460	<i>marmoratus</i>	{ 1849, 71
<i>Arachnothera chryso-</i>			{ 1851, 208
<i>genys</i>	1859, 460	<i>problematicus</i>	1849, 73
<i>flavigastra</i>	1859, 460	<i>Ardea affinis</i>	1850, 221
<i>flavigenys</i>	1859, 460	<i>alba</i>	1860, 363
<i>latirostris</i>	1859, 460	<i>albolineata</i>	1859, 166
<i>modesta</i>	1859, 460	<i>aruensis</i>	1858, 188
<i>novæ-guineæ</i>	1858, 173	<i>bicolor</i>	1850, 221
	{ 1856, 143	<i>bubulcus</i>	1850, 221
	1857, 206	<i>caboga</i>	{ 1850, 221
<i>Aramides cayennensis</i> .	1859, 64		{ 1855, 70
	{ 1859, 393	<i>caledonica</i>	{ 1859, 166
	1857, 236		{ 1860, 364
<i>Aramus scolopaceus</i> ..	1859, 64	<i>chloriceps</i>	1860, 364
	{ 1860, 290		{ 1851, 146
<i>Arbelorhina cæreicolor</i> .	1854, 252		{ 1855, 35
<i>Arboricola torqueola</i> .	1858, 503	<i>cinerea</i>	{ 1857, 215
<i>Arca grânosa</i>	1860, 17		{ 1858, 508
<i>nodifera</i>	1860, 17		{ 1859, 188
<i>semitorta</i>	1858, 91		{ 1859, 435
<i>tortuosa</i>	1858, 91		{ 1860, 372
<i>Archiplanus leucorham-</i>		<i>comata</i>	1858, 508
<i>phus</i>	1855, 153	<i>coromandelensis</i> ..	1850, 221
<i>Arctibeus leucomus</i>	1848, 57	<i>coromandelica</i>	1860, 363
<i>lilium</i>	1860, 212	<i>ferruginea</i>	1859, 166
<i>perspicillatus</i>	1860, 260	<i>flavicollis</i>	1860, 364
<i>pusillus</i>	1860, 260	<i>goliath</i>	1849, 106
	{ 107	<i>javanica</i>	1860, 364
	{ 109	<i>jugularis</i>	1859, 166
<i>Arctocephalus delalandii</i>	1859, { 358	<i>leucophaea</i>	1848, 58
	{ 360		

	Page		Page
<i>Ardea lucida</i>	1850,	<i>Arremon assimilis</i>	1856,
<i>minuta</i>	221, 146	<i>atripileus</i>	1856,
<i>nigra</i>	1859, 188	<i>aurantiirostis</i>	1854, 114
<i>nycticorax</i>	1860, 364	<i>axillaris</i>	1856, 83
<i>purpurea</i>	1851, 146	<i>conirostris</i>	1859, 377
<i>robusta</i>	1851, 71	<i>devillii</i>	1854, 97
<i>ruficapilla</i>	1855, 146	<i>d'orbignii</i>	1855, 154
<i>russata</i>	1851, 146	<i>erythrorhynchus</i> ..	1856, 143
<i>scapularis</i>	1851, 146	<i>flavipectus</i>	1860, 275
<i>sparrmannii</i>	1860, 363	<i>flavirostris</i>	1856, 81
<i>stellaris</i>	1860, 364	<i>frontalis</i>	1855, 83
<i>syrmatophorus</i>	1859, 166	<i>giganteus</i>	1855, 154
<i>typhon</i>	1851, 146	<i>gutturalis</i>	1856, 86
<i>verrani</i>	1860, 363	<i>leucopterus</i>	1856, 87
<i>virgo</i>	1860, 363	<i>mystacalis</i>	1855, 155
(<i>Ardeola</i>) <i>coromanda</i>	1860, 363	<i>ophthalmicus</i>	1856, 89
(—) <i>russata</i>	1850, 221	<i>pallidinucha</i>	1856, 87
(<i>Ardetta</i>) <i>flavicollis</i>	1860, 364	<i>palmarum</i>	1856, 84
(<i>Butorides</i>) <i>viridiceps</i>	1860, 364	<i>personatus</i>	1856, 89
(<i>Egretta</i>) <i>alba</i>	1860, 363	<i>polionotus</i>	1856, 81
<i>Ardeola bubulcus</i>	1860, 197	<i>rubrirostris</i>	1856, 92
<i>coromanda</i>	1850, 221	<i>rufinucha</i>	1856, 87
<i>Ardetta cinnamomea</i> ..	1859, 150	<i>rufivertex</i>	1855, 157
<i>flavicollis</i>	1859, 150	<i>schistaceus</i>	1856, 242
<i>javanica</i>	1859, 151	<i>schlegelii</i>	1856, 88
<i>macrorhyncha</i>	1860, 364	<i>semirufus</i>	1856, 83
<i>minuta</i>	1848, 40	<i>semitorquatus</i>	1856, 88
<i>scapularis</i>	1848, 39	<i>silens</i>	1854, 97
<i>Areopagia siamensis</i> ..	1858, 508	<i>spectabilis</i>	1856, 82
<i>Argala javanica</i>	1860, 372	<i>superciliaris</i>	1855, 83
<i>Arges brachycephalus</i> ..	1859, 92	<i>tæniatus</i>	1856, 82
<i>Argiope cistellula</i>	1850, 150	<i>torquatus</i>	1858, 72
<i>cuneata</i>	151, 18	<i>Arsenura erythrinæ</i> ..	1856, 92
<i>decollata</i>	1860, 364	<i>Arses kaupii</i>	1856, 237
<i>forbesii</i>	1852, 81	<i>chrysomelas</i>	1856, 80
<i>neapolitana</i>	1852, 81	<i>telescopthalmus</i> ..	1856, 82
<i>Argobuccinum nodosum</i> ..	1852, 81	<i>Artamus cucullatus</i> ..	1854, 114
<i>Argonauta cornu</i>	1856, 209	<i>affinis</i>	1855, 83
<i>Argyropelicus hemigym-</i>	1850, 45	<i>albifrenatus</i>	1856, 88
<i>nus</i>	1850, 248		
<i>olfersii</i>	1850, 247		
<i>Argyrophis horsfieldii</i> ..	1860, 160		
<i>Arion ater</i>	1854, 162		
<i>empiricorum</i>	1854, 162		
<i>Aromochelys carinata</i> ..	1855, 199		
<i>odorata</i>	1855, 199		
<i>Arremon abeillii</i>	1856, 82		
<i>affinis</i>	1856, 84		
<i>albifrenatus</i>	1856, 88		

	Page		Page
<i>Artamus leucorhynchus</i>	1860,	<i>Aspergillum vaginiferum</i>	1858,
<i>melaleucus</i>	1859,	<i>zuluensis</i>	1858,
<i>papuensis</i>	1858,	<i>Aspidelaps lubricus</i>	1859,
<i>Artemia arietina</i>	1852,		88
<i>eulimene</i>	1852,	<i>Aspidochelys livingstonii</i>	1860,
<i>guildingii</i>	1852,		314
<i>koppeniana</i>	1852,		316
<i>milhausenii</i>	1852,		431
<i>salina</i>	1852,	<i>Aspis intestinalis</i>	1859,
<i>Artemis guildingii</i>	1852,	<i>Assiminea franciscii</i>	1860,
<i>Arthemis saccata</i>	1856,	<i>Assiminia fasciata</i>	1856,
<i>Arvicola amphibius</i>	1857,		23
<i>myothrix</i>	1856,	<i>grayana</i>	1853,
<i>Arytene tuberculatum</i>	1858,		43
<i>Ascaris bifaria</i>	1853,		20
<i>boddaërtii</i>	1860,		21
<i>dugonis</i>	1859,	<i>Asterope elliptica</i>	1850,
<i>halichloris</i>	1859,	<i>Astraliu calcar</i>	1851,
<i>lævissima</i>	1853,	<i>deplanatum</i>	1851,
<i>leptocephala</i>	1858,	<i>Astropyga depressa</i>	1855,
<i>lonchoptera</i>	1859,	<i>Astur atricapillus</i>	1858,
<i>obconica</i>	1860,	<i>griseogularis</i>	1860,
<i>osculata</i>	1853,	<i>henicogrammus</i>	1860,
<i>salvini</i>	1860,	<i>iogaster</i>	1860,
<i>similis</i>	1853,	<i>longicauda</i>	1859,
<i>Asinus hemionus</i>	1856,	<i>novæ-hollandiæ</i>	1859,
<i>kiang</i>	1858,		432
<i>Asio brachyotus</i>	1858,		371
<i>Aspergillum agglutinans</i>	1858,	<i>palumbarius</i>	1855,
<i>annulus</i>	1858,	<i>unicolor</i>	1854,
<i>australe</i>	1858,	<i>Asturina albifrons</i>	1859,
<i>clavatum</i>	1858,		368
<i>cumingianum</i>	1858,		285
<i>delessertianum</i>	1858,		261
<i>dichotomus</i>	1858,		451
<i>gracilis</i>	1858,	<i>magnirostris</i>	1859,
<i>incertum</i>	1858,		52
<i>incrassatum</i>	1858,		147
<i>javanum</i>	1858,		368
<i>listeri</i>	1858,		288
<i>novæ-hollandiæ</i>	1858,		201
<i>novæ-zelandiæ</i>	1858,		227
<i>ornatum</i>	1858,	<i>nitida</i>	1859,
<i>philippense</i>	1858,		368
<i>pulchellum</i>	1858,		389
<i>pulchrum</i>	1858,		288
<i>radix</i>	1858,	<i>schistacea</i>	1858,
<i>recluzianum</i>	1858,	<i>Asynchronia modestella</i>	1854,
<i>semifimbriatum</i>	1858,	<i>Atalanta peronii</i>	1850,
<i>sparsum</i>	1858,	<i>Atalapha americana</i>	1857,
<i>strangei</i>	1852,	<i>Ateles beelzebub</i>	1860,
<i>strangulatum</i>	1858,	<i>paniscus</i>	1852,
<i>tuberculatum</i>	1858,		107
<i>vaginiferum</i>	1858,		422
	308	<i>pentadactylus</i>	1860,
			183
			372
			422
		<i>Athene brahma</i>	1857,
		<i>brodiei</i>	1858,
		<i>cuculoïdes</i>	1857,
		<i>dominicensis</i>	1858,
		<i>humeralis</i>	1859,
		<i>hypogæa</i>	1857,
			86
			474
			474
			86
			474
			150
			231
			170
			201

	Page		Page
<i>Athene hypogramma</i> ..	1860, 344	<i>Attila bolivianus</i>	1859, 41
<i>infuscata</i>	1856, 285	<i>brasiliensis</i>	1859, 41
<i>malayensis</i>	1854, 262	<i>cinereus</i>	1859, 41
<i>noctua</i>	1860, 372	<i>citreopygia</i>	1857, 228
<i>radiata</i>	1854, 262	<i>citreopygius</i>	1859, 41
<i>rufostrigata</i>	1860, 344		366
<i>squamipila</i>	1860, 344		383
<i>theomacha</i>	1858, 170	<i>citriniventris</i>	1859, 43
<i>undulata</i>	1854, 262	<i>flammulatus</i>	1859, 41
<i>Atherura africana</i>	1859, 432	<i>rufus</i>	1859, 41
<i>Athyma abiasa</i>	1858, 16	<i>spadiceus</i>	1859, 41
<i>asita</i>	1858, 13	<i>thamnophiloides</i> ..	1859, 41
<i>asura</i>	1858, 17	<i>torrida</i>	1860, 280
<i>bahula</i>	1858, 12	<i>Attus abbreviatus</i>	1849, 5
<i>cama</i>	1858, 14	<i>cookii</i>	1849, 5
<i>dama</i>	1858, 19	<i>darwinii</i>	1849, 4
<i>eurynome</i>	1858, 10	<i>phrinoïdes</i>	1849, 5
<i>gutama</i>	1858, 20	<i>Atys debilis</i>	1860, 20
<i>helicopis</i>	1858, 8	<i>elongata</i>	1860, 19
<i>idita</i>	1858, 16	<i>semistriata</i>	1860, 20
<i>illigera</i>	1858, 19	<i>Auchenia huamel</i>	1850, 236
<i>inara</i>	1858, 13	<i>Augasma smaragdineum</i>	1860, 305
<i>jina</i>	1858, 18	<i>Aulacopris reichii</i>	1859, 118
<i>kanwa</i>	1858, 17	<i>Aulacorhampus albivitta</i>	1855, 161
<i>kasa</i>	1858, 19	<i>albivittatus</i>	1858, 75
<i>kresna</i>	1858, 12	<i>cæruleogularis</i>	1853, 45
<i>larymna</i>	1858, 12	<i>castaneirhynchus</i> ..	1855, 161
<i>leucothoë</i>	1858, 11	<i>hæmatopygius</i>	1859, 146
<i>mehesa</i>	1858, 15	<i>prasinus</i>	1856, 308
<i>nefte</i>	1858, 13		1859, 368
<i>opalina</i>	1858, 11	<i>wagleri</i>	1859, 388
<i>pravara</i>	1858, 19	<i>Aulapoma grande</i>	1855, 104
<i>ranga</i>	1858, 15	<i>Aulica aulica</i>	1855, 56
<i>reta</i>	1858, 12	<i>luteostoma</i>	1855, 57
<i>sankara</i>	1858, 18	<i>marmorata</i>	1855, 64
<i>selenophora</i>	1858, 14	<i>nivosa</i>	1855, 56
<i>strophia</i>	1858, 18	<i>norrisii</i>	1855, 56
<i>subrata</i>	1858, 13	<i>piperita</i>	1855, 56
<i>sulpitia</i>	1858, 18	<i>pulchella</i>	1855, 56
<i>venilia</i>	1858, 20	<i>punctata</i>	1855, 57
<i>vikasi</i>	1858, 7	<i>rutila</i>	1855, 56
<i>Atlapetes albinucha</i>	1856, 86	<i>scapha</i>	1855, 62
<i>chrysopogon</i>	1856, 86	<i>vespertilio</i>	1855, 56
<i>pallidinucha</i>	1856, 88	<i>Aurelia aurita</i>	1859, 201
<i>pileatus</i>	1858, 304	<i>Auricella carychium</i> ..	1854, 33
	1859, 380	<i>Auricella auricula</i>	1855, 1
<i>schistaceus</i>	1856, 88	<i>cerea</i>	1855, 2
<i>Atractaspis corpulentus</i> ..	1858, 163	<i>chamissoi</i>	1855, 98
<i>Atropus undulatus</i>	1860, 316	<i>lurida</i>	1855, 206
<i>Attacus atlas</i>	1859, 265	<i>obelisca</i>	1855, 206
<i>edwardsii</i>	1859, 115	<i>petitiana</i>	1855, 1
	266	<i>pusilla</i>	1855, 1
<i>guerinii</i>	1859, 269	<i>Auricula acuta</i>	1854, 33
<i>lunula</i>	1859, 267	<i>æqualis</i>	1854, 217
<i>mylitta</i>	1859, 247	<i>alba</i>	1854, 36
<i>ricini</i>	1859, 267	<i>angiotoma</i>	1854, 11
<i>Attagis chimborazensis</i> ..	1860, 82	<i>angulifera</i>	1854, 31
<i>Atticora pileata</i>	1858, 355	<i>auricella</i>	1854, 217

	Page		Page
<i>Auricula australis</i>	1854, 34	<i>Auricula olivula</i>	1854, 11
<i>avena</i>	1854, 32	<i>ovata</i>	1854, 34
<i>bidentata</i>	1854, 36	<i>ovula</i>	1854, 10
<i>bivonæ</i>	1854, 36	<i>pallescens</i>	1854, 10
<i>caffra</i>	1854, 10	<i>pallida</i>	1854, 7
<i>callavensis</i>	1854, 35	<i>panamensis</i>	1854, 10
<i>ceylanica</i>	1854, 10	<i>papillifera</i>	1854, 7
<i>chinensis</i>	1854, 152	<i>pellucens</i>	1854, 33
<i>cingulata</i>	1854, 11	<i>pepita</i>	1854, 35
<i>columbiensis</i>	1854, 10	<i>personata</i>	1854, 33
<i>concinna</i>	1854, 34	<i>petiveriana</i>	1850, } 147
<i>coniformis</i>	1854, 9	<i>philippi</i>	1854, } 148
<i>cornea</i>	1854, 10	<i>plicata</i>	1850, } 148
<i>coronula</i>	1854, 10	<i>politata</i>	1851, } 72
<i>costata</i>	1854, 13	<i>protracta</i>	1854, } 7
<i>cymbæformis</i>	1854, 35	<i>pulchella</i>	1954, } 11
<i>dactyla</i>	1854, 151	<i>pygmæa</i>	1854, } 33
<i>densata</i>	1854, 7	<i>pyriformis</i>	1854, } 10
<i>doliolum</i>	1854, 31	<i>recluziana</i>	1854, } 35
<i>elongata</i>	1854, 8	<i>reflexilabris</i>	1854, } 33
<i>erosa</i>	1854, 36	<i>reticulata</i>	1854, } 7
<i>exigua</i>	1854, 218	<i>rugata</i>	1854, } 31
<i>fabæ</i>	1854, 32	<i>saccata</i>	1854, } 121
<i>fasciata</i>	1854, 11	<i>sandwichensis</i>	1854, } 34
<i>felis</i>	{ 1851, 72	<i>sayi</i>	1854, } 36
<i>firminii</i>	{ 1854, 31	<i>scarabæus</i>	1850, } 147
<i>floridiana</i>	1854, 35	<i>sheepmakerii</i>	1854, } 148
<i>frumentum</i>	1854, 11	<i>sowerbyana</i>	1854, } 7
<i>fusca</i>	1854, 32	<i>stagnalis</i>	1854, } 7
<i>gracilis</i>	1854, 9	<i>sterna</i>	1856, } 203
<i>granifera</i>	1854, 217	<i>subnodosa</i>	1851, } 72
<i>granulina</i>	1854, 12	<i>subula</i>	1854, } 8
<i>helvæa</i>	1854, 7	<i>sulculosa</i>	1854, } 31
<i>infrequens</i>	1854, 8	<i>tenella</i>	1854, } 33
<i>judæ</i>	1854, 11	<i>tobagensis</i>	1854, } 9
<i>kraussii</i>	1854, 31	<i>tornatelliformis</i>	1854, } 7
<i>küstérii</i>	1854, 11	<i>turrita</i>	1854, } 121
<i>kutschigiana</i>	1854, 33	<i>umlaasiana</i>	1854, } 9
<i>leucodon</i>	1854, 9	<i>villosa</i>	1854, } 35
<i>leucodonta</i>	1854, 10	<i>Auxis vulgaris</i>	1850, } 248
<i>livida</i>	1854, 10	<i>Auxocrossa hopfferii</i>	1854, } 224
<i>lutea</i>	1854, 10	<i>Aviceda reinwardtii</i>	1860, } 343
<i>marinella</i>	1854, 35	<i>sumatrensis</i>	1860, } 343
<i>micheli</i>	1854, 36	<i>Avocettinus eurypterus</i>	1857, } 71
<i>microstoma</i>	1854, 36	<i>Axis ceylonensis</i>	1850, } 233
<i>midæ</i>	1854, 7	<i>maculata</i>	1850, } 157
<i>minima</i>	1854, 217	<i>major</i>	1850, } 233
<i>monile</i>	1854, 9	<i>medius</i>	1858, } 530
<i>mustelina</i>	{ 1851, 72	<i>minor</i>	1859, } 212
<i>myosotis</i>	{ 1854, 31	<i>porcinus</i>	1859, } 432
<i>nigra</i>	1854, 32		
<i>nitens</i>	1854, 35		
<i>nucleus</i>	1854, 10		
<i>oliva</i>	1854, 31		
	11		

	Page		Page
Babirussa	1848, 69	Basileuterus brasieri ..	1856, 292
	1849, 158		1859, 374
	1852, 131	chrysogaster	1859, 137
alfurus	1860, 442		1860, 273
	1860, 443	chrysophrys	1855, 65
	1851, 2		1857, 202
	1859, 353		1859, 374
	1860, 195	coronatus	1855, 144
Balæniceps rex	1860, 243		1859, 137
	1860, 324		1855, 66
	1860, 377	culicivorus	1856, 292
	1860, 461		1859, 374
Balantia orientalis	1858, 104		1855, 144
Balea dominicensis	1851, 148	delatrii	1860, 250
fragilis	1854, 215	mesochrysus	1860, 251
newcombii	1852, 67	nigricapillus	1860, 74
perversa	1854, 215	nigricristatus	1859, 440
Balearica pavonina ..	1859, 433	rubrifrons	1859, 363
	1860, 183		1856, 291
	1856, 301	ruffrons	1858, 299
Bananivorus affinis ..	1859, 365	semicervinus	1860, 84
Bankivia major	1851, 171		291
nitida	1851, 172	vermivorus	1855, 144
purpurascens	1851, 171	Basilinna leucotis	1856, 287
varians	1851, 171	Basiliscus americanus ..	1860, 453
Barbastellus communis ..	1856, 395	bivittatus	1860, 85
daubentonii	1856, 395	seemannii	1860, 233
Barbatula atroflava ..	1859, 398	Bassaris astuta	1848, 81
chrysocoma	1859, 398	Batagur baska	1856, 182
duchailloi	1859, 397	ocellata	1856, 182
erythronotus	1859, 398	Batara cinerea	1858, 207
flavimentum	1859, 398	othello	1858, 208
flavisquamata	1859, 397	striata	1858, 207
formosa	1859, 398	Bathmidura d'orbignyi ..	1859, 197
fuliginosa	1859, 397	Bathmidurus atricapillus	1857, 77
leucolaima	1859, 398		1851, 48
minuta	1859, 399	major	1857, 78
nana	1859, 399	marginatus	1851, 48
pusilla	1859, 399	melanoleucus	1857, 79
stellata	1859, 397	minor	1851, 48
subsulfurea	1859, 398	niger	1857, 76
Barita quoyi	1858, 180	surinamus	1857, 74
	150	tristis	1851, 48
	161	variegatus	1857, 77
	167	Batissa atrata	1854, 14
Barycephalus sykesii ..	1860, 170	australis	1854, 346
	171	compressa	1860, 320
	172	corbiculoides	1854, 14
	173	elongata	1860, 320
Baryphonus cyanocephalus	1857, 250	fortis	1860, 320
	255	fuscata	1860, 319
ruficapillus	1857, 258	gracilis	1860, 319
semirufus	1857, 254	humerosa	1854, 14
	1855, 65	inflata	1860, 320
Basileuterus bellii	1859, 374	insignis	1854, 13
	1859, 137	lenticularis	1854, 14
bivittatus	1855, 66	megadesma	1854, 14
brasieri		minor	1860, 320

	Page		Page
<i>Batissa producta</i>	1854, 13	<i>Biophorus paradisiacus</i> ..	1850, 84
<i>triquetra</i>	1854, 13	<i>Bison americanus</i>	1849, 90
<i>unioniformis</i>	1860, 319	<i>europæus</i>	1848, 126
<i>Batocera hercules</i>	1858, 399	<i>poëphagus</i>	1856, 133
<i>rubus</i>	1858, 399	<i>Bithynia inconspicua</i> ..	1857, 405
<i>una</i>	1858, 399	<i>orecula</i>	1857, 123
<i>Batrachia anura</i>	1858, 341	<i>stenothyroides</i>	1857, 123
<i>Batrachians</i>	1850, 9	<i>tentaculata</i>	1857, 123
<i>Batrachostomus auritus</i> ..	1854, 266	<i>truncata</i>	1860, 13
<i>cornutus</i>	1854, 266	<i>Bittium tricarinatum</i> ..	1860, 433
<i>javanensis</i>	1854, 266	<i>Blagrus leucogaster</i>	1854, 261
<i>psilopterus</i>	1860, 345	<i>Blandia bairdiana</i>	1857, 169
<i>stellatus</i>	1854, 266	<i>blandiana</i>	1857, 198
<i>Baza jerdonii</i>	1860, 342	<i>hilliana</i>	1857, 169
<i>lophotes</i>	1857, 86	<i>jeffreysiana</i>	1857, 199
<i>reinwardtii</i>	1860, 342	<i>macgillivrayana</i> ..	1857, 169
<i>stenozona</i>	1858, 169	<i>trailliana</i>	1857, 199
.....	1859, 153	<i>troscheliana</i>	1857, 169
<i>Bela arctica</i>	1855, 121	1857, 199
<i>Belideus ariel</i>	1858, 109	<i>Blastocerus campestris</i> ..	1850, 237
.....	1860, 5	<i>paludosus</i>	1850, 237
<i>flaviventris</i>	1859, 212	<i>Blastotrochus nutrix</i> ..	1849, 76
.....	1859, 218	<i>Blauneria gracilis</i>	1860, 145
.....	1860, 416	<i>Blennius palmicornis</i> ..	1859, 432
<i>Berenicornis comatus</i> ..	1859, 450	<i>viviparus</i>	1859, 433
.....	1857, 128	<i>Blue Hawk of the Cata-</i>	
<i>Bernicla antarctica</i> ..	1859, 96	<i>racts, The</i>	1851, 55
.....	1860, 388	<i>Boa</i>	1858, 386
<i>canadensis</i>	1860, 418	1859, 212
<i>hutchinsii</i>	1860, 418	<i>constrictor</i>	1860, 233
<i>indica</i>	1858, 509	1860, 372
.....	1857, 128	<i>diviniloqua</i>	1860, 416
.....	1858, 290	<i>hieroglyphica</i>	1849, 103
<i>inornata</i>	1859, 96	<i>liberiensis</i>	1858, 164
.....	1860, 387	<i>regia</i>	1858, 164
.....	1859, 477	<i>Boædon geometricus</i> ..	1858, 159
<i>leucopsis</i>	1860, 183	<i>lineatus</i>	1858, 158
.....	1860, 442	<i>niger</i>	1858, 158
<i>magellanica</i>	1860, 387	<i>quadrivirgatus</i>	1858, 158
<i>melanoptera</i>	1857, 128	<i>quadrivittatus</i>	1858, 158
<i>poliocephala</i>	1860, 242	<i>unicolor</i>	1858, 159
<i>sandvicensis</i>	1859, 206	<i>Boggo</i>	1848, 27
<i>Berniera viridis</i>	1858, 288	<i>Bolborhynchus catharina</i>	1857, 225
<i>Bethylus leverianus</i>	1856, 79	<i>Boletia pileolus</i>	1855, 36
<i>medius</i>	1856, 79	<i>Bolitoglossa mexicana</i> ..	1858, 144
<i>picatus</i>	1856, 79	<i>rubra</i>	1858, 144
<i>Bettongia cuniculus</i> ...	1860, 323	1858, 342
.....	371	<i>Bombinator igneus</i>	1858, 343
<i>ogilbyi</i>	1860, 417	395
<i>penicillata</i>	1860, 323		
.....	371		
<i>Bhuchanga annectans</i> ..	1854, 271		
.....	160		
<i>Biancia nigra</i>	1860, 167		
.....	173		
<i>Bibos frontalis</i>	1856, 405		
<i>Bimia bicolor</i>	1850, 13		
<i>Binoculus caudatus</i>	1852, 7		

	Page		Page
Bombinator sikkimensis	1860,	165	
Bombycilla garrula	1857,	55	
Bombycostomus fullertonii	1854,	206	
Bombyx alcinoë	1849,	50	
argus	1849,	49	
atlas	1859,	265	
caffraria	1849,	50	
certhia	1849,	37	
cyntia	1859,	267	
cytherea	1849,	44	
dione	1849,	45	
horsfieldii	1859,	244	
huttonii	1859,	243	
jana	1859,	256	
lugubris	1859,	244	
mori	1859,	237	
mylitta	1859,	247	
nictitans	1849,	55	
paphia	1859,	247	
perrotteti	1859,	257	
petiveri	1849,	46	
polyphemus	1849,	45	
religiosa	1859,	242	
spectabilis	1849,	37	
subnotata	1859,	244	
tyrreha	1849,	44	
wallichii	1849,	37	
Bonasa sabinii	1859,	236	
Bornia corbuloïdes	1856,	340	
Borsonia bifasciata	1860,	143	
crassicostata	1860,	143	
lutea	1860,	143	
nebulosa	1860,	143	
Bos arnee	1855,	17	
connochætes	1850,	138	
frontalis	1852,	96	
gaurus	1850,	157	
grunniens	1856,	405	
pegaseus	1850,	139	
taurus	1848,	127	
	1850,	157	
urus	1848,	16	
	1859,	436	
	1860,	415	
zebu	1860,	417	
Boselaphus bubalis	1850,	139	
caama	1850,	139	
derbianus	1850,	144	
Botaurus heliosylus	1859,	159	
	1856,	310	
lentiginosus	1857,	127	
	1859,	369	
	1850,	221	
stellaris	1856,	54	
	1857,	12	
Botaurus stellaris	1858,	188	
	1859,	188	
Bothriocephalus antarcticus	1853,	25	
Bothriophis distinctus ..	1858,	160	
Bourciera fraseri	1859,	28	
Bourciera fulgidigula .	1859,	145	
	1860,	81	
prunellii	1857,	16	
torquata	1857,	16	
Brachycephalus ephippium	1858,	343	
Brachycranion corpulentum	1858,	163	
Brachygalba albigularis .	1857,	262	
albiventris	1855,	15	
	1855,	15	
inornata	1857,	16	
	1857,	262	
	1855,	15	
melanosterna	1857,	262	
Brachymerus fasciatus ..	1858,	374	
Brachyorrhos tenuiceps .	1860,	161	
	1860,	167	
	1860,	171	
Brachyotus cassinii	1859,	390	
Brachypodius melanocephalus	1854,	278	
	1859,	150	
tristis	1854,	279	
Brachypternus auran- tius	1857,	100	
	1858,	475	
	1859,	174	
Brachypteryx acutirostris	1854,	276	
albogularis	1854,	275	
cruralis	1854,	74	
nigrocapitata	1854,	273	
nigrogularis	1854,	276	
nipalensis	1854,	74	
scapularis	1854,	75	
Brachyrhamphus mar- moratus	1859,	237	
Brachyurus calvus	1849,	10	
couxiu	1852,	107	
macklotii	1858,	175	
novæ-guineæ	1858,	175	
	1849,	8	
ouakari	1849,	10	
	1852,	107	
rubicundus	1852,	107	
Bradybates ventricosus .	1858,	138	
Bradypus affinis	1849,	68	
	1849,	67	
crinitus	1849,	69	
	1851,	207	
didactylus	1848,	37	
	1849,	66	
torquatus	1849,	66	
	1849,	68	

	Page		Page
<i>Bradypus tridactylus</i> ..	1849,		68
<i>Branchiopoda stagnalis</i> .	1852,		19
<i>Branchipus birostratus</i> ..	1852,		24
<i>cafer</i>	1852,		21
<i>ferox</i>	1852,		29
<i>lacunæ</i>	1852,		24
<i>melanurus</i>	1852,		19
<i>middendorffianus</i> ..	1852,		25
<i>milhausenii</i>	1852,		27
<i>pisciformis</i>	1852,		19
<i>schæfferii</i>	1852,		19
<i>spinosus</i>	1852,		20
<i>stagnalis</i>	1852,		19
<i>torvicornis</i>	1852,		21
<i>Breviceps gouldii</i>	1850,		10
<i>Briarea scolopendra</i>	1853,		94
<i>Briareum suberosum</i>	1859,		482
<i>Brochina glabra</i>	1858,	{	435
<i>glabriformis</i>	1858,	{	437
			437
<i>Brochus annulatus</i>	1858,	{	414
		{	423
<i>arcuatus</i>	1858,	{	414
		{	436
<i>glaber</i>	1858,	{	436
<i>glabrus</i>	1858,	{	414
<i>lævis</i>	1858,	{	414
		{	436
<i>reticulatus</i>	1858,	{	414
		{	423
<i>striatus</i>	1858,	{	414
		{	425
<i>trachiformis</i>	1858,	{	414
		{	416
		{	425
<i>Broderipia cumingii</i>	1850,		39
<i>iridescens</i>	1850,		39
<i>rosea</i>	1850,		39
<i>Brotogerys pyrrhopterus</i> ..	1860,		287
<i>Brycon dentex</i>	1860,	{	234
		{	240
<i>Bryopa aperta</i>	1858,		314
<i>lata</i>	1858,		315
<i>melitensis</i>	1857,		244
<i>Buarremon albifrenatus</i> ..	1855,		155
	1856,		88
	1855,		155
	1856,		86
<i>albinuchus</i>	1857,		205
	1859,		364
	1859,		377
	1855,		155
<i>assimilis</i>	1856,		85
	1859,		441
	1860,		76
	1856,		85
<i>brunneinuchus</i> ..	1856,		302
	1858,		72
<i>Buarremon brunneinuchus</i>	{	1858,	303
	{	1859,	138
	{	1859,	364
	{	1859,	377
	{	1859,	441
<i>castaneiceps</i>	{	1860,	86
<i>chrysopogon</i>	{	1856,	86
<i>fulviceps</i>	{	1856,	88
<i>gutturalis</i>	{	1856,	86
	{	1856,	87
	{	1858,	293
<i>latinuchus</i>	{	1860,	76
	{	1860,	85
	{	1855,	214
<i>leucopterus</i>	{	1856,	87
	{	1859,	138
	{	1855,	155
	{	1855,	214
<i>pallidinuchus</i>	{	1856,	87
	{	1858,	551
<i>personatus</i>	{	1856,	89
<i>phæopleurus</i>	{	1856,	85
<i>rufinuchus</i>	{	1856,	87
	{	1858,	293
	{	1855,	155
	{	1855,	214
<i>schistaceus</i>	{	1856,	88
	{	1858,	551
<i>semirufus</i>	{	1856,	88
<i>torquatus</i>	{	1856,	84
<i>virenticeps</i>	{	1856,	85
<i>xanthogenys</i>	{	1856,	86
<i>Bubalis albifrons</i>	1850,		141
<i>buffelus</i>	1850,		157
<i>koba</i>	1850,		140
<i>lunata</i>	1850,		140
<i>mauretanica</i>	1850,		139
<i>pygarga</i>	1850,		141
	{	1848,	98
<i>Bubo bengalensis</i>	{	1857,	86
	{	1858,	473
<i>crassirostris</i>	{	1858,	451
<i>maculosus</i>	{	1859,	435
<i>maximus</i>	{	1860,	99
<i>nudipes</i>	{	1858,	133
<i>orientalis</i>	{	1854,	262
<i>poënsis</i>	{	1853,	13
<i>virginianus</i>	{	1859,	390
	{	1860,	253
<i>Bubulus coromandensis</i>	1860,		363
<i>Buccanodon duchaillui</i> ..	1859,		397
<i>Buccinum</i>	1851,		109
<i>abbreviatum</i>	1851,		113
<i>acicula</i>	1859,		316
<i>aciculatum</i>	1859,	{	275
		{	299
<i>acus</i>	1859,		316

	Page		Page
Buccinum aethiops	1853, 182	Buccinum graniferum	1851, 101
albescens	1851, 96	gruneri	1851, 96
allium	1859, 489	hastatum	1859, 282
ambiguum	1851, 101	hecticum	1859, 318
angulatum	1851, 104	hirtum	1851, 103
antillarum	1851, 95	horridum	1851, 101
arabicum	1855, 58	incrassatum	1851, 111
arcularia	1851, 94	isabellei	1851, 95
ascanias	1851, 111	jacksonianum	1851, 103
asperulum	1851, 111	jonasii	1851, 96
asperum	1859, 316	lacepedii	1851, 111
bifasciatum	1859, 290	lanceatum	1859, 283
bronnii	1851, 104	letum	1851, 104
canaliculatum	{ 1851, 106 1859, 316	livescens	1851, 95
caperatum	1851, 96	lividulum	1859, 318
chalybeum	1859, 317	luteostoma	1851, 95
chinense	1859, 491	lyratum	1850, 205
cinereum	1859, 291	macula	1851, 111
clathratum	1851, 101	maculatum	1859, 280
coccinella	1851, 111	margaritiferum	1851, 96
commaculatum	1859, { 309 317	marginatum	1851, 94
concinnum	{ 1850, 205 1859, 287	miga	1851, 109
coronatum	1851, 94	minutum	1851, 111
corrugatum	1851, 104	monile	{ 1851, 103 1859, 319
costatum	1854, 313	mucronotum	1859, 319
costulatum	1851, 104	multigranum	1851, 112
crassum	1851, 96	muricatum	1851, 101
crenulatum	{ 1851, 103 1859, 276	muricinum	1859, 319
cuspidatum	1859, 317	murinum	1859, 319
cuvieri	1851, 104	mutabile	1851, 94
decussatum	1851, 111	nassoides	1851, 103
digitellum	1859, 317	niveum	1859, { 290 319
dimidiatum	1859, 281	nodiferum	1851, 95
dolium	1859, 491	noduliferum	1851, 109
duplicatum	1859, 292	nucleolus	1851, 109
echinophora	1851, 229	obliqueplicatum	1851, 112
edentulum	1859, 290	obliquum	1859, 319
elegans	1851, 104	olearium	1859, 488
elongatum	1859, 280	olivaceum	1851, 106
erinaceum	1851, 229	ornatum	1851, 106
fasciatum	1851, 111	papillosum	1851, 103
fasciolatum	1859, 317	pauperatum	1851, 95
felinum	1859, 281	perdix	1859, 492
ferussacii	1851, 104	pertusum	1859, 298
flumineum	1859, 318	phallus	1859, 319
fluviatile	1859, 318	pictum	1851, 104
galea	1859, 487	plumbeum	1853, 182
geminum	1859, 318	polygonatum	1851, 94
gemma	1851, 96	poulsonii	1856, 227
gemmulatum	1851, 95	pugio	1859, 319
gibbosulum	1851, 101	pullus	1851, 94
glans	1851, 104	punctulatum	1859, 320
glaucum	1851, 229	pyrostoma	1850, 153
grana	1850, 205	radiatum	1859, 320
		reevianum	1851, 105
		retusum	1851, 113

		Page			Page
<i>Buccinum roissyi</i>	1851,	109			
rudis	1851,	111			
rufulum	1851,	104			
scalariforme	1851,	109			
semigranosum	1851,	96			
senticosum	1850,	153			
sepimentum	1853,	182			
signatum	1851,	112			
splendidulum	1851,	96			
stolatum	1851,	103			
strigilatum	1859,	{ 287			
		291			
sturmii	1851,	95			
subdiaphanum	1851,	103			
subspinosum	1851,	101			
subulatum	1859,	307			
succinctum	1859,	320			
sulcosum	1859,	489			
suturale	1851,	104			
tessellatum	1859,	492			
thersites	1851,	102			
tiarula	1851,	94			
tigrinum	1859,	281			
tritoniformis	1851,	111			
tuberculatum	1859,	320			
unicolor	1851,	106			
variabile	1851,	103			
varicosum	1859,	{ 276			
		321			
venustum	1851,	95			
vibex	1851,	101			
virgineum	1859,	321			
zonale	1851,	103			
<i>Bucco atroflavus</i>	1859,	398			
aurovirens	1857,	268			
australis	1859,	455			
barbatula	1859,	399			
bicinctus	1855,	196			
calvus	1859,	397			
cayennensis	1857,	234			
chacuru	1855,	196			
chrysopogon	1859,	454			
chrysopterus	1859,	399			
chrysozonicus	1859,	399			
collaris	{ 1854,	110			
	1855,	196			
cyanotis	1859,	455			
dubius	1859,	394			
duvaucelli	1859,	455			
dysonii	1855,	{ 193			
		196			
elegans	1857,	268			
erythronotus	1859,	398			
frontalis	1859,	455			
gigas	1855,	193			
grandis	1859,	173			
hayii	1859,	455			
hyperrhynchus	1855,	193			
<i>Bucco hyperrhynchus</i> .	{ 1855,	196			
	1858,	60			
indicus	1859,	454			
lanceolatus	1855,	196			
leucocrissus	1860,	284			
leuconotus	1859,	395			
levaillantii	1859,	395			
	{ 1855,	136			
	1855,	193			
macrodactylus ..	{ 1857,	261			
	1858,	60			
	1854,	110			
macrorhynchus ..	{ 1855,	193			
	1855,	196			
maculatus	1855,	196			
margaritatus	1859,	399			
mystacophanes	1859,	454			
nanus	1859,	399			
niger	1859,	395			
ordi	{ 1855,	196			
	1857,	262			
parvus	1859,	399			
pectoralis	1855,	196			
personatus	1859,	395			
picatus	1855,	{ 194			
		196			
	{ 1855,	194			
	1855,	196			
	1857,	262			
pulmentum	{ 1855,	196			
	1857,	262			
pusillus	1859,	399			
quadricolor	1859,	454			
	{ 1853,	122			
	1855,	136			
radiatus	{ 1855,	196			
	1859,	454			
rafflesii	1853,	124			
rubecula	1855,	196			
ruficollis	1859,	395			
rufifrons	1859,	397			
scolopaceus	{ 1853,	123			
striatipectus	1855,	196			
subsulfureus	1859,	398			
subtactus	1860,	296			
swainsonii	1855,	196			
	{ 194				
	196				
tectus	1855,	196			
trimaculatus	1859,	455			
versicolor	1859,	454			
<i>Bucephalus capensis</i>	1858,	162			
<i>Buceros africanus</i>	1859,	446			
albirostris	1859,	448			
annulatus	1859,	451			
anthracinus	1859,	449			
bicolor	1859,	449			
bicornis	1859,	447			
carinatus	1859,	450			
cavatus	1859,	447			

	Page		Page
<i>Buceros comatus</i>	1859, 450		233
<i>convexus</i>	1859, 448	<i>Bufo aqua</i>	1860, 452
<i>diadematus</i>	1859, 446		460
<i>elliotti</i>	1859, 449	<i>arabicus</i>	1858, 166
<i>exaratus</i>	1860, 356	<i>cæruleostictus</i>	1859, 415
<i>galeatus</i>	1859, 446	<i>calamita</i>	1858, 345
<i>galeritus</i>	1859, 450	<i>chilensis</i>	1858, 395
<i>ginginianus</i>	{ 1850, 276	<i>cinereus</i>	1858, 165
	1857, 99	<i>gargarizans</i>	1860, 173
<i>homrai</i>	1859, 447	<i>granulosus</i>	{ 1858, 395
<i>hydrocorax</i>	1860, 356		1860, 460
<i>intermedius</i>	1859, 448	<i>guineensis</i>	1858, 166
<i>javanicus</i>	1859, 451	<i>intermedius</i>	1859, 89
<i>javanus</i>	1859, 451		415
<i>lugubris</i>	1859, 450	<i>kelaartii</i>	1858, 393
<i>lunatus</i>	{ 1859, 446	<i>lævis</i>	1858, 166
	1860, 356	<i>lentiginosus</i>	1858, 395
<i>malabaricus</i>	1859, 448	<i>maculatus</i>	1858, 165
<i>malayanus</i>	1859, 448		{ 1858, 393
<i>niger</i>	1859, 446		1860, 116
	451		1860, 165
<i>nigrirostris</i>	1859, 449		1860, 168
<i>obscurus</i>	1859, 451	<i>melanostictus</i>	{ 1860, 169
<i>pusaran</i>	1859, 451		1860, 170
<i>payanensis</i>	1860, 356		1860, 171
<i>plicatus</i>	{ 1859, 451		1860, 172
	1860, 356	<i>nebulifer</i>	{ 1860, 452
<i>poënsis</i>	1853, 14		460
<i>rhinoceros</i>	1859, 446	<i>pantherinus</i>	1858, 166
<i>ruficollis</i>	{ 1859, 158	<i>tuberosus</i>	1858, 165
	1860, 356	<i>viridis</i>	{ 1859, 470
<i>scutatus</i>	1859, 446		473
<i>sylvestris</i>	1859, 446		{ 1858, 390
<i>undulatus</i>	1859, 451		1858, 391
<i>violaceus</i>	1859, 448		1858, 395
<i>Bucorax abyssinicus</i>	1860, 197		1860, 165
	{ 1850, 173		1860, 167
<i>Budorcas taxicolor</i>	{ 1853, 191	<i>vulgaris</i>	{ 1860, 168
	1856, 405		1860, 169
<i>Budytes anthoïdes</i>	1854, 285		1860, 170
<i>beema</i>	1854, 285		1860, 171
<i>citreola</i>	{ 1858, 486		1860, 172
	1859, 179		1860, 174
<i>dubia</i>	1854, 285	<i>Buglodytes albicilius</i> ..	1856, 97
<i>flava</i>	1854, 285	<i>Bulimella attenuata</i>	1855, 4
<i>flaviventer</i>	1854, 285	<i>candida</i>	1855, 2
<i>melanocephala</i> ..	{ 1850, 217	<i>cinerosa</i>	1855, 2
	1858, 486	<i>concarospira</i>	1859, 30
<i>neglecta</i>	1854, 285	<i>dolium</i>	1855, 5
<i>rayi</i>	1860, 371	<i>faba</i>	1859, 30
<i>schisticeps</i>	1854, 285	<i>forbesiana</i>	1855, 5
	{ 1854, 285	<i>frickii</i>	1855, 3
	1857, 95	<i>hanleyana</i>	1855, 202
<i>viridis</i>	{ 1858, 486	<i>monacha</i>	1855, 3
	1859, 150	<i>morbida</i>	1859, 30
	1859, 179	<i>multicolor</i>	1855, 4
<i>Bufo aqua</i>	1859, 89	<i>nobilis</i>	1855, 202
	{ 415	<i>planospira</i>	1855, 3

	Page		Page
<i>Bulimella sowerbyana</i> ..	1855,	<i>Bulimus clausilioides</i> ..	1850,
<i>swainsonii</i>	1855,	<i>clouei</i>	1856,
<i>vidua</i>	1855,	<i>cocapatensis</i>	1855,
<i>Bulimus abscissus</i>	1855,	<i>cochinchinensis</i>	1856,
<i>acalles</i>	1851,	<i>colubrinus</i>	1860,
<i>achatellinus</i>	1850,	<i>columbiensis</i>	1854,
<i>achilles</i>	1852,	<i>columellaris</i>	1849,
<i>acus</i>	1852,	<i>columellaris</i>	1850,
<i>acutus</i>	1854,	<i>confluens</i>	1855,
<i>adumbratus</i>	1854,	<i>coniformis</i>	1854,
<i>æquatorius</i>	1852,	<i>convexus</i>	1855,
<i>æstivus</i>	1856,	<i>cordovanus</i>	1856,
<i>alto-peruvianus</i> ..	1849,	<i>coriaceus</i>	1856,
<i>alutaceus</i>	1849,	<i>costato-striatus</i>	1856,
<i>amandus</i>	1855,	<i>costatus</i>	1848,
<i>anthisanensis</i>	1852,	<i>cotopaxiensis</i>	1852,
<i>antioquiensis</i>	1854,	<i>cretaceus</i>	1854,
<i>arcuatostriatus</i> ..	1855,	<i>cuencanus</i>	1859,
<i>ascendens</i>	1852,	<i>cuneus</i>	1852,
<i>attenuatus</i>	1851,	<i>cuticula</i>	1855,
<i>aulacostylus</i>	1852,	<i>cuzeoensis</i>	1849,
<i>aureus</i>	1858,	<i>cyathostomus</i>	1856,
<i>aurifluus</i>	1856,	<i>cyrtopleurus</i>	1852,
<i>auris-felis</i>	1854,	<i>darnaudi</i>	1856,
<i>auris-judæ</i>	1854,	<i>deburghiæ</i>	1859,
<i>auris-midæ</i>	1854,	<i>decollatus</i>	1854,
<i>australis</i>	1854,	<i>decussatus</i>	1849,
<i>baranguillanus</i> ..	1852,	<i>denickei</i>	1851,
<i>barbadensis</i>	1852,	<i>denickei</i>	1851,
<i>belcheri</i>	1851,	<i>denticulatus</i>	1852,
<i>blandii</i>	1852,	<i>depstus</i>	1849,
<i>binneyanus</i>	1858,	<i>diaphanus</i>	1854,
<i>bivaricosus</i>	1854,	<i>dillwynianus</i>	1851,
<i>bogotensis</i>	1855,	<i>distans</i>	1856,
<i>bourcierii</i>	1852,	<i>drouëti</i>	1856,
<i>cærulescens</i>	1858,	<i>dubius</i>	1851,
<i>cæsar</i>	1854,	<i>dutaillyi</i>	1856,
<i>caillaudii</i>	1859,	<i>eddystonensis</i>	1855,
<i>calvus</i>	1850,	<i>eganus</i>	1851,
<i>candelaris</i>	1856,	<i>elæodes</i>	1851,
<i>candidissimus</i>	1859,	<i>episcopalis</i>	1855,
<i>capillaceus</i>	1855,	<i>eschariferus</i>	1850,
<i>cardinalis</i>	1852,	<i>excelsus</i>	1856,
<i>castloneaui</i>	1856,	<i>excoriatus</i>	1854,
<i>catamarcanus</i>	1858,	<i>fairbankii</i>	1857,
<i>catharinæ</i>	1856,	<i>fallax</i>	1852,
<i>catlowiæ</i>	1852,	<i>farrisi</i>	1858,
<i>ceratacme</i>	1855,	<i>filaris</i>	1853,
<i>chamæleon</i>	1855,	<i>fimbriatus</i>	1850,
<i>charbonnieri</i>	1856,	<i>flexilabris</i>	1853,
<i>chemnitzioides</i> ..	1850,	<i>flexuosus</i>	1852,
<i>chion</i>	1856,	<i>floridanus</i>	1856,
<i>chloris</i>	1851,	<i>fortunei</i>	1852,
<i>cinerosus</i>	1855,	<i>foveolatus</i>	1849,
<i>citrinus</i>	1851,	<i>fraserii</i>	1860,
<i>clarus</i>	1856,	<i>fuliginus</i>	1852,
<i>clathratus</i>	1858,	<i>galapaganus</i>	1854,
<i>clausilioides</i>	1849,	<i>gayi</i>	1856,

	Page		Page	Fam.
<i>Bulimus glaucophthal-</i>		<i>Bulimus meobambensis</i>	1855,	96
<i>mus</i>	1851, 255	<i>mercurius</i>	1852,	59
<i>gracillimus</i>	1850, 56	<i>microdon</i>	1851,	261
<i>grandis</i>	1859, 350	<i>miltecheilus</i>	1850,	54
<i>gueinzii</i>	1856, 330	<i>minimus</i>	1854,	33
<i>guttula</i>	1852, 154	<i>monachus</i>	1856,	333
<i>hæmastoma</i>	1849, 97	<i>monile</i>	1854,	9
<i>hainesii</i>	1855, 115	<i>monozonus</i>	1848,	110
<i>haplochrous</i>	1854, 125	<i>moussonii</i>	1851,	147
<i>hartwegii</i>	1850, 54	<i>musivus</i>	1855,	95
<i>hebraicus</i>	1852, 60	<i>myristicus</i>	1849,	99
<i>hermannii</i>	1852, 140	<i>newcombianus</i>	1851,	261
<i>histrio</i>	1854, 124	<i>nigroapicatus</i>	1856,	333
<i>hololeucus</i>	1855, 93	<i>nigrolimbiatus</i>	1851,	257
<i>hyaloideus</i>	1854, 292	<i>nigropileatus</i>	1849,	97
<i>imperator</i>	1848, 110	<i>nubeculatus</i>	1851,	257
<i>inaequalis</i>	1856, 330	<i>nucula</i>	1852,	60
<i>incarnatus</i>	1855, 95	<i>nux</i>	1850,	54
<i>incrassatus</i>	1852, 157	<i>nystianus</i>	1852,	154
<i>infundibulum</i>	1851, 255	<i>otostomus</i>	1854,	291
<i>integer</i>	1855, 114	<i>ovoideus</i>	1859,	350
<i>intermedius</i>	1854, 291	<i>ovulus</i>	1854,	10
<i>iostomus</i>	1850, 54	<i>palawanensis</i>	1856,	388
<i>iris</i>	1852, 136	<i>pallidior</i>	1856,	203
<i>irroratus</i>	1849, 16	<i>parallelus</i>	1856,	389
<i>janus</i>	1852, 85	<i>patasensis</i>	1858,	257
<i>jucundus</i>	1854, 290	<i>peelii</i>	1859,	123
<i>juvenilis</i>	1855, 97	<i>peregrinus</i>	1855,	59
<i>kanaiensis</i>	1856, 332	<i>pervariabilis</i>	1852,	59
<i>kellettii</i>	1850, 54	<i>perversus</i>	1860,	9
<i>keppellii</i>	1853, 50	<i>pervius</i>	1853,	50
<i>lacerta</i>	1855, 94	<i>petersii</i>	1855,	97
<i>lactifluus</i>	1856, 330	<i>phaeostylus</i>	1856,	329
<i>lanceolatus</i>	1854, 292	<i>pictus</i>	1854,	58
<i>lardeus</i>	1852, 157	<i>planospirus</i>	1852,	60
<i>lantalabris</i>	1855, 7	<i>platystomus</i>	1858,	256
<i>leptochilus</i>	1848, 111	<i>plicatus</i>	1851,	261
<i>liberianus</i>	1859, 350	<i>pliculatus</i>	1856,	390
<i>librosus</i>	1856, 388	<i>plumbeus</i>	1855,	114
<i>lindstedii</i>	1856, 388	<i>porphyrostomus</i>	1851,	261
<i>liratus</i>	1851, 261	<i>prætextus</i>	1849,	98
<i>lobbii</i>	1849, 98	<i>primularis</i>	1849,	100
<i>loricatus</i>	1854, 293	<i>pringii</i>	1854,	292
<i>lorraini</i>	1856, 332	<i>proletarius</i>	1854,	292
<i>loxostomus</i>	1852, 59	<i>protractus</i>	1855,	94
<i>luctuosus</i>	1851, 255	<i>ptychostylus</i>	1858,	256
<i>ludovici</i>	1852, 139	<i>puncticulatus</i>	1856,	390
<i>lusorius</i>	1854, 291	<i>purpuratus</i>	1849,	98
<i>macgillivrayii</i>	1855, 108	<i>pyrostomus</i>	1860,	137
<i>maconellii</i>	1851, 198	<i>radiatus</i>	1854,	58
<i>mahogani</i>	1849, 97	<i>rectilinearis</i>	1855,	96
<i>marcidus</i>	1852, 67	<i>requieni</i>	1852,	137
<i>mariae</i>	1858, 23	<i>reversalis</i>	1860,	9
<i>marmatensis</i>	1854, 125	<i>rhodolarynx</i>	1849,	98
<i>martensii</i>	1856, 318	<i>riparius</i>	1852,	155
<i>mauritanus</i>	1852, 150	<i>rosaceus</i>	1849,	97
<i>melanacme</i>	1855, 96	<i>rugulosus</i>	1850,	54
<i>meleagris</i>	1851, 257	<i>sabatierii</i>	1856,	380

	Page		Page
<i>Bulimus saccatus</i>	1855,	<i>Bullia elegans</i>	1856,
<i>saquinensis</i>	1854,	<i>Bullina lauta</i>	1860,
<i>saturanus</i>	1860,	<i>undata</i>	1860,
<i>scarabæus</i>	1850,	<i>vitrea</i>	1860,
<i>schomburgki</i>	1860,	<i>Bungarus annularis</i> ...	1855,
<i>scitulus</i>	1849,	<i>fasciatus</i>	1858,
<i>scytodes</i>	1851,	<i>Buprestis louisa</i>	1859,
<i>segregatus</i>	1856,	<i>Buselaphus caji</i>	1850,
<i>seiratus</i>	1855,	<i>Bustramantia capitaurea</i>	1855,
<i>siamensis</i>	1860,	<i>Butalis lugens</i>	1860,
<i>signifer</i>	1855,	<i>Buteo abbreviatus</i> ...	1858,
<i>simpliculus</i>	1854,	<i>albonotatus</i>	1858,
<i>singaporensis</i>	1855,	<i>borealis</i>	1860,
<i>solidulus</i>	1854,	<i>erythronotus</i>	1857,
<i>speciosus</i>	1854,	<i>fuliginosus</i>	1859,
<i>stenacme</i>	1856,	<i>ghiesbreghti</i>	1859,
<i>strangei</i>	1855,	<i>harlani</i>	1860,
<i>stutchburyi</i>	1860,	<i>insignatus</i>	1857,
<i>subfasciatus</i>	1852,	<i>lineatus</i>	1859,
<i>subinterruptus</i> ...	1851,	<i>montanus</i>	1857,
<i>sugillatus</i>	1856,	<i>pennsylvanicus</i> ..	1857,
<i>sulphureus</i>	1856,	<i>poliosoma</i>	1858,
<i>suturalis</i>	1851,	<i>rufipennis</i>	1860,
<i>tasmanicus</i>	1851,	<i>scolopterus</i>	1850,
<i>tenuiplicatus</i>	1852,	<i>swainsonii</i>	1855,
<i>terebralis</i>	1850,	<i>tachardus</i>	1857,
<i>tibetanus</i>	1856,	<i>teesa</i>	1860,
<i>tornatilis</i>	1854,	<i>tricolor</i>	1854,
<i>traillii</i>	1855,	<i>varius</i>	1859,
<i>tricolor</i>	1852,	<i>vulgaris</i>	1860,
<i>tristis</i>	1854,	<i>zonocercus</i>	1858,
<i>turnerii</i>	1860,	<i>Buteogallus æquinoctialis</i>	1858,
<i>unifasciatus</i>	1850,	<i>meridionalis</i>	1860,
<i>varicosus</i>	1851,	<i>nigricollis</i>	1858,
<i>variegatus</i>	1854,	<i>eximia</i>	1860,
<i>vegetus</i>	1856,	<i>albonotatus</i>	1854,
<i>ventrosus</i>	1854,	<i>borealis</i>	1859,
<i>verrucosus</i>	1855,	<i>erythronotus</i>	1860,
<i>vesicalis</i>	1856,	<i>fuliginosus</i>	416
<i>vespertinus</i>	1858,	<i>ghiesbreghti</i>	417
<i>victor</i>	1853,	<i>harlani</i>	130
<i>vitellinus</i>	1854,	<i>insignatus</i>	288
<i>williamsii</i>	1858,	<i>lineatus</i>	130
<i>woodwardii</i>	1856,	<i>montanus</i>	253
<i>yatesii</i>	1855,	<i>pennsylvanicus</i> ..	97
(<i>Laoma</i>) <i>leimonias</i> ..	1849,	<i>poliosoma</i>	240
(<i>Partula</i>) <i>decussatu-</i>		<i>rufipennis</i>	551
<i>lus</i>	1849,	<i>scolopterus</i>	157
(—) <i>navigatorius</i> ..	1849,	<i>swainsonii</i>	239
<i>Bulla canaliculata</i>	1859,	<i>tachardus</i>	98
<i>carpenterii</i>	1858,	<i>teesa</i>	240
<i>culcitella</i>	1856,	<i>tricolor</i>	157
<i>marmorea</i>	1860,	<i>varius</i>	239
<i>nebulosa</i>	1856,	<i>vulgaris</i>	98
<i>solidula</i>	1854,	<i>zonocercus</i>	157
(<i>Akera</i>) <i>culcitella</i> ..	1856,	<i>Buthraupis chloronota</i> }	240
(<i>Tornatina</i>) <i>cerealis</i>	1856,	<i>cucullata</i>	239
<i>Bullia cumingiana</i>	1856,	<i>eximia</i>	157
	355	<i>albonotatus</i>	240

	Page		Page
<i>Buthraupis montana</i> ..	1856, 239	<i>Cadus sepa</i>	1859, 489
	1856, 310	<i>Cæcella chinensis</i>	1854, 334
<i>Butorides virescens</i> ..	1857, 236	<i>convexa</i>	1854, 334
	1859, 63	<i>cumingiana</i>	1854, 334
	1859, 369	<i>horsfieldii</i>	1854, 335
<i>Butreron capellii</i>	1859, 464	<i>lata</i>	1854, 334
<i>Buzzard, The long and</i>		<i>oblonga</i>	1854, 335
<i>slender-legged</i> ..	1851, 58	<i>tenuis</i>	1854, 336
<i>The Parrot-beaked</i>	1851, 59	<i>transversalis</i>	1854, 335
<i>Byssoarca pernoïdes</i>	1856, 202	<i>turgida</i>	1854, 333
		<i>zebuensis</i>	1854, 334
		<i>zelandica</i>	1854, 335
<i>Cabestana africana</i>	1854, 312	<i>Cæcilia rostrata</i>	1858, 164
<i>bolteniana</i>	1854, 311	<i>Cæcum abnormale</i>	1858, 420
<i>Cacatua æquatorialis</i> ..	1860, 226	<i>annulatum</i>	1858, 423
<i>citrinocristata</i>	1860, 226	<i>antillarum</i>	1858, 433
		<i>bimarginatum</i>	1858, 431
<i>cristata</i>	1860, 227	<i>clarkii</i>	1858, 432
		<i>clathratum</i>	1858, 428
		<i>corrugulatum</i>	1858, 433
		<i>dextroversum</i>	1858, 433
<i>ducorspii</i>	1859, 436	<i>diminutum</i>	1858, 427
	1860, 228	<i>eburneum</i>	1858, 427
<i>eos</i>	1857, 26	<i>elegantissimum</i>	1858, 429
		<i>elongatum</i>	1858, 424
<i>galerita</i>	1857, 26	<i>farcimen</i>	1858, 431
		<i>firmatum</i>	1858, 427
<i>leadbeaterii</i>	1857, 26	<i>floridanum</i>	1858, 428
<i>leucolopha</i>	1860, 358	<i>glabrum</i>	1858, 436
		<i>gracile</i>	1858, 429
		<i>gurgulio</i>	1858, 426
<i>moluccensis</i>	1859, 436	<i>heptagonum</i>	1858, 422
	1860, 226	<i>imbricatum</i>	1858, 422
	1860, 358	<i>imperforatum</i>	1858, 413
<i>philippinarum</i>	1860, 225	<i>incurvatum</i>	1858, 434
<i>sanguinea</i>	1857, 26	<i>insculptum</i>	1858, 420
<i>sulphurata</i>	1860, 358	<i>læve</i>	1858, 431
		<i>laqueatum</i>	1858, 420
		<i>liratocinctum</i>	1858, 421
<i>triton</i>	1858, 184	<i>liratum</i>	1858, 421
	1859, 159	<i>mamillatum</i>	1858, 434
	1860, 227	<i>monstrosum</i>	1858, 427
		<i>nitidum</i>	1858, 439
		<i>obsoletum</i>	1858, 426
<i>Caccabis barbara</i>	1859, 436	<i>obtusum</i>	1858, 421
		<i>plicatum</i>	1858, 421
<i>chukar</i>	1858, 502	<i>pollicare</i>	1858, 432
	1859, 185	<i>pulchellum</i>	1858, 424
<i>Cacia antennata</i>	1858, 401	<i>pygmæum</i>	1858, 427
<i>grisella</i>	1858, 401	<i>pygmatum</i>	1858, 428
<i>latifasciata</i>	1858, 401	<i>quadratum</i>	1858, 428
<i>Cacicus bifasciatus</i>	1856, 300	<i>regulare</i>	1858, 428
<i>cristatus</i>	1858, 72	<i>reversum</i>	1858, 434
<i>devillii</i>	1857, 265	<i>searles-woodii</i>	1858, 430
<i>icteronotus</i>	1858, 455	<i>subimpressum</i>	1858, 424
		<i>subquadratum</i>	1858, 433
		<i>subspirale</i>	1858, 419
		<i>subulatum</i>	1858, 434
<i>montezumæ</i>	1856, 300		
	1858, 358		
	1859, 57		
	1859, 365		
<i>persicus</i>	1854, 114		
<i>uropygialis</i>	1855, 173		
<i>yuracarium</i>	1858, 72		
<i>yuracarius</i>	1857, 265		
<i>Cacomantis bronzinus</i> ..	1859, 164		
<i>sepulchralis</i>	1860, 359		
<i>tymbonotus</i>	1860, 359		
<i>Cadus cassius</i>	1859, 491		
<i>dolium</i>	1859, 491		

	Page		Page
<i>Cæcum teres</i>	1858, 434	<i>Calliphlox iridescens</i> ..	1860, 310
<i>trachea</i>	1858, 424	<i>Callispiza cayana</i>	1856, 252
<i>tumidum</i>	1858, 426	<i>citrinella</i>	1856, 247
<i>undatum</i>	1858, 430	<i>cyanoptera</i>	1856, } 19
<i>vitreum</i>	1858, 432	<i>festiva</i>	1856, } 255
<i>Cæreba cærulea</i>	1857, 263	<i>flaviventris</i>	1856, 247
<i>carneipes</i>	1859, 376	<i>gyrola</i>	1856, 257
<i>cyanea</i>	{ 1857, 263	<i>nigroviridis</i>	1856, 255
<i>lucida</i>	{ 1859, 376	<i>preciosa</i>	1856, 260
<i>nitida</i>	{ 1859, 53	<i>punctata</i>	1856, 254
<i>Caica barrabandi</i>	{ 1857, 266	<i>tatao</i>	1856, 249
<i>histrion</i>	{ 1858, 76	<i>thoracica</i>	1856, 244
<i>leucogastra</i>	{ 1857, 266	<i>tricolor</i>	1856, 248
<i>melanocephala</i> ..	{ 1857, 19	<i>vitriolina</i>	1856, 246
<i>xanthomeria</i>	{ 1858, 76	<i>Calliste albiventer</i>	1856, 252
<i>nitida</i>	{ 1857, 266	<i>analis</i>	1856, 256
<i>nitida</i>	{ 1859, 65	<i>argentea</i>	1856, } 19
<i>Cairina moschata</i>	{ 1859, 437	<i>arthusi</i>	1856, } 259
<i>nitida</i>	{ 1860, 258	<i>atricapilla</i>	{ 1854, 249
<i>nitida</i>	{ 1860, 337	<i>atrocærulea</i>	{ 1855, 158
<i>Calabaria fusca</i>	{ 1858, 155	<i>aurulenta</i>	{ 1856, 19
<i>nitida</i>	{ 1860, 330	<i>boliviana</i>	{ 1856, 259
<i>Calceas nicobarica</i>	{ 1860, 362	<i>bourcierii</i>	{ 1856, 19
(<i>Phlegænas</i>) <i>stairii</i> ..	1856, 7	<i>brasiliensis</i>	{ 1856, 256
<i>Calamaria atrocincta</i> ..	1860, 454	<i>cæruleocephala</i>	1856, 266
<i>nitida</i>	1860, 161	<i>calliparæa</i>	1856, 266
<i>meleagris</i>	1858, 163	<i>castaneoventris</i>	1856, 266
<i>obscurostriata</i>	1860, 161	<i>castanonota</i>	1856, } 19
<i>quadrimaculata</i>	1860, 114	<i>chilensis</i>	1856, } 254
<i>tenuiceps</i>	1860, 161	<i>chrysonota</i>	1856, } 19
<i>Calamoherpe orientalis</i> ..	1860, 349	<i>chrysophrys</i>	{ 1855, 157
<i>Calamophilus biarmicus</i> ..	1859, 436	<i>chrysotis</i>	{ 1856, 249
<i>Calandra palmarum</i>	1850, 19	<i>citrinella</i>	{ 1855, 157
<i>Calandrella brachydac-</i>	{ 1855, 50	<i>coelicolor</i>	{ 1856, 19
<i>tyla</i>	{ 1857, 95	<i>coelicolor</i>	{ 1856, 245
<i>Calao plicatus</i>	1859, 451		
<i>nitida</i>	{ 1851, 146		
<i>Calidris arenaria</i>	{ 1857, 230		
<i>nitida</i>	{ 1859, 369		
<i>Caligatus angasii</i>	1849, 104		
<i>Callene frontale</i>	1854, 75		
<i>Callichthys littoralis</i> ..	1856, 345		
<i>Callina rotula</i>	1854, 183		
<i>Calliope camtschatkensis</i> ..	1854, 120		
<i>cyana</i>	1858, 492		
<i>pectoralis</i>	{ 1858, 492		
<i>pectoralis</i>	{ 1859, 180		
<i>Calliparæa bourcierii</i> ..	1856, 266		
<i>phœnicotis</i>	1856, 266		
<i>nitida</i>	{ 1857, 127		
<i>nitida</i>	{ 1859, 206		
<i>Callipepla californica</i> ..	{ 1859, 432		
<i>nitida</i>	{ 1859, 436		
<i>nitida</i>	1858, 2		
<i>Callipara bullata</i>	1855, 62		

	Page		Page
<i>Calliste cucullata</i>	1856, { 19 253	<i>Calliste icterocephala</i> ...	1860, 87
	{ 1856, 18	<i>inornata</i>	{ 1855, 158 1856, 19
<i>cyaneicollis</i>	{ 1856, 19 1856, 262 1858, 452 1860, 292	<i>labradorides</i>	{ 1855, 158 1856, 19 1856, 262
<i>cyaneiventris</i>	1856, { 19 247	<i>lamprotis</i>	{ 1858, 294 1854, 248 1856, 264
<i>cyanescens</i>	1856, 260		{ 1856, 18 19
<i>cyanicollis</i>	{ 1854, 115 1855, 158	<i>larvata</i>	1856, { 142 260
<i>cyanolæma</i>	1856, { 19 252	<i>leucotis</i>	1856, 259
	{ 19	<i>lunigera</i>	{ 1856, 19 1856, 263 1860, 87
<i>cyanoptera</i>	1856, { 254 255	<i>melanonota</i>	1856, { 254 265
	{ 1858, 294	<i>mexicana</i>	{ 1855, 158 1856, 257
<i>cyanotis</i>	{ 1859, 441	<i>nigricincta</i>	1856, 261
<i>cyanovertris</i>	1856, 255	<i>nigriviridis</i>	{ 1855, 158 1856, 19 1856, 260
<i>desmaresti</i>	1856, { 19 256		{ 1854, 115
<i>diaconus</i>	1856, 233	<i>parzudaki</i>	{ 1855, 158 1856, 19 1856, 263
<i>fanny</i>	1856, 261		{ 1856, 19
<i>fastuosa</i>	1856, { 19 266	<i>peruviana</i>	1856, { 19 254
	{ 19	<i>phœnicotis</i>	1856, 266
<i>festiva</i>	1856, { 246	<i>pretiosa</i>	1856, 254
<i>flava</i>	1856, { 19 253		{ 1856, 19 1856, 251
	{ 19	<i>pulchra</i>	{ 1856, 251 1858, 74
<i>flaviventris</i>	1856, { 257	<i>punctata</i>	1856, { 19 248
	{ 142		{ 1855, 158
<i>franciscæ</i>	1856, { 261	<i>ruficapilla</i>	{ 1856, 19 1856, 252 1855, 158
<i>frugilegus</i>	{ 1856, 235		{ 1856, 19
	{ 1858, 453	<i>ruficervix</i>	{ 1856, 259 1859, 139
<i>graminea</i>	1856, { 19 250	<i>rufigena</i>	1857, 66
<i>guttata</i>	1856, 249	<i>rufigenis</i>	1856, 311
	{ 1855, 157	<i>rufigula</i>	1856, 19
<i>guttulata</i>	{ 1856, 19 1856, 249		{ 1856, 250
	{ 19	<i>rufigularis</i>	{ 1859, 440 1860, 86
<i>gyrola</i>	1856, { 255		{ 1854, 115 1856, 19
	{ 1854, 115	<i>schranksi</i>	{ 1856, 248 1857, 264 1858, 74 1858, 453
	{ 1855, 158		
	{ 1856, 18		
	{ 1856, 19		
	{ 1856, 142		
<i>gyroloides</i>	{ 1856, 255		
	{ 1857, 264		
	{ 1858, 74		
	{ 1858, 453		
	{ 1859, 139		
	{ 1860, 87		
	{ 1860, 292		
<i>icterocephala</i>	1856, { 19 251		

	Page		Page	
Calliste sclateri	1855,	Callopoma depressum ..	1855,	
	1856,		fluctuatum	1855,
	1856,		saxosum	1856,
tatao	1856,	Callorhinus ursinus ...	1859,	
thalassina	1854,	Callospiza barbadensis ..	1856,	
	1855,	boliviana	1856,	
	1856,	brasiliensis	1856,	
	1856,	calliparæa	1856,	
thoracica	1856,	cayennensis	1856,	
	1856,	cyanicollis	1856,	
tricolor	1856,	guttata	1856,	
	1856,	gyrola	1856,	
vassorii	1856,	mexicana	1856,	
	1856,	schrunkii	1856,	
venusta	1854,	xanthocephala ..	1854,	
	1855,	yeni	1856,	
	1856,	Calobates sulphurea ...	1854,	
	1858,	Calocitta bullockii ...	1858,	
vieilloti	1856,	formosa	1859,	
	1858,	sinensis	1850,	
virescens	1856,	Calocomus desmarestii..	1850,	
viridissima	1856,	kreuckelyi	1850,	
vitriolina	1856,	lycius	1850,	
	1860,	morosus	1850,	
vittata	1856,	Calopsitta novæ hollan-		
wilsoni	1856,	diæ	1860,	
	1854,	Calornis amboinensis ..	1860,	
xanthocephala ..	1854,	chalybeus	1859,	
	1856,	dauricus	1859,	
xanthogastra	1856,	metallica	1859,	
	1858,	metallicus	1860,	
	1854,	obscura	1860,	
	1855,	virescens	1859,	
yeni	1856,	viridescens	1858,	
	1858,	Calospiza cayana	1856,	
Callithea layardii	1854,	pulchra	1856,	
	1852,	Calotes mariæ	1860,	
Callithrix personatus ..	1852,	minor	1860,	
	1852,	tricarinatus	1860,	
sciureus	1852,	versicolor	1860,	
torquatus	1852,	Calothorax decoratus ..	1860,	
Callocephalon galeatum ..	1859,	eliza	1856,	
Calloctenus pulcher ...	1850,	fanniæ	1858,	
Callogorgia flabella	1859,			
gracilis	1859,			
plumatilis	1859,			
verticillata	1857,			
Callopholis bivirgatus ...	1859,			
calligaster	1859,			
gracilis	1859,			
intestinalis	1859,			
maculiceps	1859,			
trimaculatus	1859,			
univirgatus	1859,			

	Page		Page
<i>Calothorax heliodori</i> ..	1855,	141	
<i>lucifer</i>	1856,	288	
<i>micrurus</i>	1853,	109	
<i>mulsanti</i>	1855,	141	
	1859,	146	
	1860,	94	
<i>pulchra</i>	1859,	386	
<i>Calotragus melanotis</i> ..	1850,	118	
<i>tragulus</i>	1850,	118	
<i>Calotriton punctulatus</i> ..	1858,	139	
<i>Calurus antisianus</i>	1855,	137	
<i>auriceps</i>	1854,	110	
<i>fulgidus</i>	1855,	137	
<i>neoxenus</i>	1856,	63	
<i>resplendens</i>	1859,	52	
<i>Calypdomena caudacuta</i> .	1854,	267	
<i>rafflesii</i>	1854,	267	
<i>viridis</i>	1854,	267	
<i>Calyptræa imbricata</i> ..	1856,	169	
<i>sinensis</i>	1853,	44	
	1849,	7	
<i>Camelopardalis giraffa</i> .	1849,	94	
	1860,	99	
<i>Camelus dromedarius</i> ..	1849,	94	
<i>equinus</i>	1850,	236	
<i>Camilia jamaicensis</i> ...	1860,	233	
<i>Camitia grayi</i>	1854,	42	
<i>Campephaga atriceps</i> ..	1860,	353	
<i>aurea</i>	1860,	353	
<i>bicolor</i>	1860,	354	
<i>cæruleo-grisea</i>	1858,	179	
<i>caledonica</i>	1859,	102	
<i>ceramensis</i>	1860,	354	
<i>fimbriata</i>	1860,	354	
<i>hypoleuca</i>	1858,	179	
<i>magnirostris</i>	1860,	353	
<i>melanolora</i>	1860,	353	
<i>melanops</i>	1858,	179	
<i>melanotis</i>	1860,	353	
<i>nævia</i>	1859,	163	
<i>novæ guineæ</i>	1860,	353	
<i>papuensis</i>	1860,	354	
<i>polygrammica</i>	1858,	179	
(<i>Lalage</i>) <i>aurea</i>	1860,	353	
<i>Campephilus malherbii</i> .	1855,	161	
<i>Camptostoma imberbe</i> ..	1857,	203	
<i>Campylæa hispana</i>	1854,	169	
<i>lowei</i>	1854,	169	
<i>porto-sanctiana</i> ...	1854,	169	
<i>Campylopterus cuvieri</i> ..	1856,	140	
		53	
<i>delatirii</i>	1859,	367	
		385	
<i>latipennis</i>	1848,	14	
<i>lazulus</i>	1857,	16	
<i>obscurus</i>	1848,	13	
<i>pampa</i>	1856,	287	
	1859,	367	
<i>Campylopterus pampa</i> ..	1859,	385	
<i>Campylorhynchus brevi-</i>			
<i>rostris</i>	1855,	143	
<i>capistratus</i>	1859,	363	
		371	
<i>griseus</i>	1856,	97	
<i>gularis</i>	1860,	462	
<i>hypostictus</i>	1855,	68	
<i>jocosus</i>	1859,	371	
	1858,	298	
<i>megalopterus</i>	1859,	363	
	1859,	371	
<i>nigriceps</i>	1860,	461	
<i>nuchalis</i>	1857,	272	
<i>pardus</i>	1857,	271	
<i>scolopaceus</i>	1855,	68	
<i>striaticollis</i>	1857,	272	
<i>zonatoïdes</i>	1855,	143	
	1860,	272	
<i>zonatus</i>	1856,	290	
	1859,	363	
<i>Cancellaria clathrata</i> ..	1855,	123	
<i>crenulata</i>	1855,	124	
<i>excavata</i>	1848,	137	
	1848,	137	
<i>foveolata</i>	1855,	123	
<i>melanostoma</i>	1848,	137	
<i>nitidula</i>	1855,	123	
<i>tæniata</i>	1848,	137	
<i>tenuis</i>	1855,	123	
<i>undulata</i>	1848,	136	
<i>Cancer paludosus</i>	1852,	29	
<i>salinus</i>	1852,	26	
<i>serratus</i>	1850,	95	
<i>stagnatilis</i>	1852,	19	
(<i>Galene</i>) <i>dorsalis</i> ..	1848,	144	
<i>Cancilla môrchii</i>	1854,	134	
	1857,	206	
	1857,	220	
<i>Cancroma cochlearia</i> ..	1859,	369	
	1860,	324	
	1860,	328	
<i>Candona lactea</i>	1850,	255	
<i>reptans</i>	1850,	255	
	1850,	156	
<i>Canis aureus</i>	1856,	397	
	1858,	515	
<i>familiaris</i>	1850,	156	
	1858,	515	
<i>lupus</i>	1858,	515	
<i>niloticus</i>	1860,	415	
<i>Canrena neritoïdea</i>	1851,	231	
<i>Canthiridus articularis</i> ..	1851,	169	
<i>artizona</i>	1851,	170	
<i>cinguliger</i>	1851,	169	
<i>iridis</i>	1851,	169	
<i>moniliger</i>	1851,	169	
<i>nigricans</i>	1851,	170	

	Page		Page
<i>Canthiridus nitidulus</i> ..	1851, 169	<i>Capricornis thar</i>	1856, 403
<i>pallidulus</i>	1851, 170	<i>Caprimulgus cinerascens</i>	1854, 266
<i>punctulosus</i>	1851, 169	<i>europæus</i>	{ 1851, 146
<i>purpuratus</i>	1851, 169	{ 1857, 13
<i>rufozona</i>	1851, 170	{ 1860, 415
<i>tenebrosus</i>	1851, 170	<i>fulviventris</i>	1860, 109
<i>variegatus</i>	1851, 171	<i>imberbis</i>	1854, 266
<i>zealandicus</i>	1851, 169	<i>indicus</i>	1854, 266
<i>Capito amazonius</i>	1857, 268	<i>infuscatus</i>	1850, 216
<i>aurovirens</i>	1857, 268	<i>ironatus</i>	1854, 266
<i>bourcierii</i>	1855, 162	<i>macromystax</i>	1858, 296
<i>capistratus</i>	1857, 268	<i>macrourus</i>	1854, 266
<i>gayennensis</i>	1857, 268	<i>macrurus</i>	{ 1858, 170
<i>glaucogularis</i>	1857, 267	{ 1859, 154
<i>hartlaubi</i>	1855, 162	<i>pulcher</i>	1854, 266
<i>margaritatus</i>	1859, 399	<i>saturatior</i>	1854, 266
<i>maynanensis</i>	1857, 268	<i>Caprolagus hispidus</i>	1856, 402
.....	{ 1854, 115	<i>Capromys prehensilis</i> ..	1860, 371
.....	{ 1855, 162	<i>Caprovis argali</i>	{ 1856, 404
.....	{ 1857, 267	<i>vignei</i>	{ 1858, 527
.....	{ 1858, 75	1858, 526
<i>richardsoni</i>	1855, 162	<i>Capsa chinensis</i>	1854, 348
<i>rubrifrons</i>	1859, 399	<i>crassula</i>	1854, 349
<i>subsulfureus</i>	1859, 398	<i>difficilis</i>	1854, 347
<i>Capra æthiopica</i>	1850, 132	<i>layardii</i>	1854, 348
<i>ahu</i>	1850, 113	<i>lunulata</i>	1854, 349
<i>americana</i>	1850, 136	<i>minor</i>	1854, 347
<i>bezoartica</i>	1850, 117	<i>radiata</i>	1854, 348
<i>caucasica</i>	1858, 525	<i>rosacea</i>	1854, 348
.....	{ 117	<i>rufa</i>	1854, 347
<i>cervicapra</i>	1850, { 135	<i>solenella</i>	1854, 349
.....	1850, { 137	<i>tenuis</i>	1854, 349
.....	1850, { 112	<i>virescens</i>	1854, 349
.....	1850, { 139	<i>Capsella violacea</i>	1860, 18
.....	1850, 134	<i>Capulus hungaricus</i>	1853, 44
.....	1850, { 120	<i>mitrula</i>	1856, 3
.....	1850, { 121	<i>subrufus</i>	1856, 4
.....	1858, 523	<i>Caragola lapicida</i>	1851, 239
.....	{ 1850, 157	<i>Carapus brachyurus</i>	1853, 75
.....	{ 1860, 242	<i>Carbo cormoranus</i>	1859, 150
.....	{ 1860, 417	<i>sulcirostris</i>	1860, 366
.....	1856, 404	<i>Carcharias leucas</i>	1859, 223
.....	1850, 137	{ 1855, 66
.....	1850, 126	{ 1858, 299
.....	1850, 137	{ 1856, 292
.....	1850, 121	{ 1858, 299
.....	1850, 112	{ 1859, 363
<i>Capreolus capræa</i>	1850, 235	{ 1859, 374
<i>europæus</i>	1850, 236	{ 1855, 66
<i>leucotis</i>	1849, 64	{ 1858, 299
.....	{ 1849, 64	{ 1859, 374
.....	{ 1850, 236	<i>Cardinalia virgata</i>	1851, 151
.....	{ 1850, 135	<i>Cardinalis virginiana</i> ..	1860, 243
<i>Capricornis bubalina</i> ..	{ 1856, 403	{ 1856, 302
.....	{ 1858, 522	{ 1859, 365
.....	1850, 136	{ 1859, 378
.....	{ 135	<i>Cardita amabilis</i>	1852, 102
.....	{ 136	<i>belcheri</i>	1852, 101

i. nota

	Page		Page
<i>Cardita bimaculata</i>	1852,	<i>Cariama cristata</i>	1856,
<i>californica</i>	1852,	<i>Carmione ventricosa</i> ..	1858,
<i>castanea</i>	1852,	<i>Carocolla lapicida</i>	1854,
<i>corensis</i>	1852,	<i>Carpenteria balaniformis</i>	1858,
<i>crenulata</i>	1852,	<i>erythrinus</i> {	1857,
<i>cumingii</i>	1852,	<i>familiaris</i>	1856,
<i>difficilis</i>	1852,	<i>frontalis</i>	1857,
<i>elegantula</i>	1852,	<i>hæmorrhous</i>	1856,
<i>essingtoniensis</i>	1852,	<i>rhodochrous</i>	1858,
<i>excavata</i>	1852,	<i>rhodocolpus</i>	1857,
<i>gunnii</i>	1852,	<i>roseus</i>	1859,
<i>jukesii</i>	1852,	<i>thura</i>	1855,
<i>purpurata</i>	1852,	<i>Carpophaga ænea</i>	1859,
<i>quoyi</i>	1852,	<i>alba</i>	1860,
<i>sowerbyi</i>	1852,	<i>albogularis</i>	1860,
<i>umbilicata</i>	1852,	<i>assimilis</i>	1850,
<i>variegata</i>	1858,	<i>basalica</i>	1860,
<i>vestita</i>	1852,	<i>chalybura</i>	1858,
<i>zelandica</i>	1852,	<i>goliath</i>	1859,
<i>Cardium aculeatum</i>	1858,	<i>hypænochroma</i>	1859,
<i>æquale</i>	1854,	<i>leucomela</i>	1857,
<i>bicolor</i>	1854,	<i>luctuosa</i>	1858,
<i>californianum</i>	1856,	<i>magnifica</i>	1850,
<i>cruentatum</i>	1856,	<i>mülleri</i>	1858,
<i>cygnorum</i>	1854,	<i>myristicivora</i>	1859,
<i>debile</i>	1854,	<i>perspicillata</i>	1860,
<i>fabricii</i>	1854,	<i>pinon</i>	1858,
<i>festivum</i>	1854,	<i>puella</i>	1859,
<i>gossei</i>	1854,	<i>rufigastra</i>	1859,
<i>gratiosum</i>	1854,	<i>spilorrhœa</i>	1858,
<i>hudsoniense</i>	1854,	<i>sylvatica</i>	1859,
<i>lobulatum</i>	1854,	<i>zoeæ</i>	1858,
<i>luteolabrum</i>	1856,	<i>(Ducula) basalis</i> ..	1860,
<i>mauritanum</i>	1854,	<i>(Megaloprepia) for-</i>	1860,
<i>mirabile</i>	1854,	<i>mosa</i>	1860,
<i>nuttalli</i>	1856,	<i>(Myristicivora) me-</i>	1860,
<i>productum</i>	1854,	<i>lanura</i>	1860,
<i>quadragerarium</i>	1856,	<i>Carracarra Hawk</i>	1851,
<i>rusticum</i>	1858,	the Red-headed	1851,
<i>scruposum</i>	1854,	the Yellow-headed	1851,
<i>serrulatum</i>	1854,	<i>Carracolina barbula</i>	1854,
<i>substriatum</i>	1856,	<i>lenticula</i>	1854,
<i>transversale</i>	1854,	<i>Carrion Crow, the Com-</i>	1851,
<i>tumidum</i>	1854,	<i>mon</i>	1851,
<i>xanthocheilum</i>	1856,	the Yellow-necked	1851,
<i>Carduelis caniceps</i>	1858,	<i>Carychium exiguum</i>	1854,
<i>magellanica</i>	1856,	<i>indicum</i>	1854,
<i>mexicana</i>	1855,	<i>minimum</i>	1854,
<i>Cariacus lewisii</i>	1850,	<i>myosotis</i>	1856,
<i>macrotis</i>	1850,		
<i>punctulatus</i>	1850,		
<i>virginianus</i>	1850,		
<i>Cariama</i> —	1860,		

	Page		Page
<i>Carychium nanum</i>	1854,	<i>Cassidula sowerbyana</i> ..	1854,
<i>personatum</i>	1854,	<i>sulculosa</i>	1854,
<i>pygmæum</i>	1854,	<i>triticea</i>	1854,
<i>spectabile</i>	1854,	<i>zonata</i>	1854,
<i>spekeum</i>	1854,	(<i>Siona</i>) <i>avena</i>	1854,
<i>Caryophyllea ramea</i>	1849,	(—) <i>frumentum</i> ..	1854,
<i>Caryothraustes atro-oli-</i>	77	(—) <i>triticea</i>	1854,
<i>vaceus</i>	1856,	<i>Cassidulus morio</i>	1853,
<i>brasiliensis</i>	1855,	<i>Cassis umbilicata</i>	1860,
<i>cayanensis</i>	1856,	<i>Castor americanus</i>	1860,
<i>episcopus</i>	1856,	<i>fiber</i>	1860,
<i>Casarca cana</i>	1859,	<i>Casuarius australis</i>	1857,
<i>leucoptera</i>	1860,	<i>bennettii</i>	1860,
<i>rutila</i>	1859,	<i>bicarunculatus</i>	1860,
<i>Caseolus abjectus</i>	1859,	<i>emu</i>	1848,
<i>calculus</i>	1854,	<i>galeatus</i>	1849,
<i>commixtus</i>	1858,	<i>catadromus</i>	1858,
<i>compactus</i>	1859,	<i>catamblyrhynchus dia-</i>	1860,
<i>consors</i>	1859,	<i>dema</i>	1848,
<i>sphaerulus</i>	1859,	<i>catamenia analis</i>	1849,
<i>Casiornis typus</i>	1859,	<i>analoides</i>	1858,
<i>Cassiculus flavicrissus</i> ..	1860,	<i>homochroa</i>	1853,
<i>leucorhamphus</i>	1858,	<i>Cataulus aureus</i>	1860,
<i>melanicterus</i>	1859,	<i>cumingii</i>	1855,
<i>prevosti</i>	1856,	<i>duplicatus</i>	1856,
<i>Cassidea cornuta</i>	1859,	<i>eurytrema</i>	1854,
<i>flammea</i>	1859,	<i>hæmastomus</i>	1852,
<i>pennata</i>	1859,	<i>layardii</i>	1856,
<i>rufa</i>	1860,	<i>marginatus</i>	1852,
<i>testicula</i>	1860,	<i>pyramidatus</i>	1853,
<i>Cassidix crassirostris</i>	1859,	<i>thwaitesi</i>	1852,
<i>oryzivora</i>	1858,	<i>auratus</i>	1857,
<i>Cassidula angulifera</i>	1859,	<i>atratus</i>	1857,
<i>avena</i>	1854,	<i>aura</i>	1859,
<i>chemnitzii</i>	1854,	<i>rugata</i>	1859,
<i>coffea</i>	1854,		1860,
<i>cumingiana</i>	1854,		3
<i>decussata</i>	1854,		211
<i>doliolum</i>	1854,		51
<i>faba</i>	1854,		96
<i>frumentum</i>	1854,		287
<i>kraussii</i>	1854,		415
<i>mustelina</i>	1854,		3
<i>nucleus</i>	1854,		211
<i>rugata</i>	1854,		51
	31		93
	31		96

	Page		Page
Cathartes aura	1860,	{	287
			383
burrovianus	1857,		3
iota	{	1851,	53
		1857,	3
percnopterus	1851,		145
	{	1856,	294
Catharus aurantiro-		1858,	97
stris	{	1859,	136
		1859,	323
dryas	1859,		{
			137
			324
fuscata	1859,		{
			136
			324
immaculatus	1856,		294
	{	1858,	64
		1859,	137
maculatus	{	1859,	324
		1860,	64
		1858,	97
		1859,	136
melpomene	{	1859,	323
		1859,	362
		1859,	370
mexicanus	1859,		136
occidentalis	1859,		{
			323
			370
Catoblepas brookesii...	1850,		139
	{	1850,	138
gnu	{	1850,	173
		1860,	243
gorgon	1850,		139
	{	1850,	138
			139
			173
Catreus wallichii	{	1858,	499
		1858,	545
		1859,	205
Causus rhombeatus ..	{	1858,	163
		1860,	415
Cavia cobaya	1850,		157
Ceblephyrus aureus ...	1860,		353
plumbea	1858,		179
striga	{	1854,	272
		1852,	107
Cebus apella	{	1860,	183
		1860,	416
		1860,	422
capucinus	1860,		422
cirrifer	1860,		422
gracilis	1862,		107
satanus	1849,		9
Celeopicus verreauxii ..	1858,		74
Celeus badioides	{	1857,	229
		1858,	359
		1858,	359
castaneus	{	1859,	60
Celeus castaneus	1859,		383
grammicus	1858,		74
jumana	1858,		74
undatus	1860,		286
verreauxii	1858,		74
Cemoria flemingii	1851,		228
noachina	1851,		228
princeps	1851,		228
Cenchrus piscivorus ...	1860,		452
Centrolophus britannicus	1860,		302
morio	1860,		302
Centrophorus squamosus	1850,		253
Centropus affinis	1859,		458
bicolor	1860,		359
goliath	1860,		359
lepidus	1859,		458
medius	1860,		359
menebiki	{	1858,	184
		1859,	159
milo	{	1856,	136
		1854,	257
philippensis	{	1859,	150
		1859,	151
rufipennis	{	1857,	100
		1858,	470
spilopterus	1858,		184
viridis	1859,		457
Centurus carolinus	1857,		8
flaviventris	{	1857,	8
		1860,	252
		1857,	229
pucheranii	{	1859,	60
		1860,	286
		1860,	297
rubriventris	1855,		162
	{	1856,	307
		1857,	8
santacruzii	{	1858,	359
		1859,	60
		1859,	367
striatus	1857,		234
subelegans	{	1855,	162
		1856,	143
uropygialis	1857,		8
Cephalophus burchellii	{	1857,	277
		1860,	417
campbelliæ	1850,		121
coronatus	1850,		{
			122
			170
dorsalis	1850,		123
grimmia	1850,		{
			120
			170
grimmii	1857,		277
madoqua	1850,		122
	{	1850,	124
		1850,	170
maxwellii	{	1859,	435
		1860,	371

	Page		Page
<i>Cephalophus melanorheus</i>	1850, 125	<i>Cercopithecus griseoviri-</i>	
<i>monticola</i>	{ 1850, 124 1850, 170 1860, 417	<i>dis</i>	1860, 421
<i>natalensis</i>	{ 123 170	<i>ludio</i>	1849, 8
<i>niger</i>	1850, 123	<i>melanogenys</i>	{ 1849, 7 1860, 112 1860, 246
<i>ogilbyi</i>	{ 123 170	<i>mona</i>	1860, { 371 422
<i>philantomba</i>	1850, 125	<i>nictitans</i>	1849, 8
<i>punctulatus</i>	{ 125 170	<i>petaurista</i>	{ 1849, 8 1860, 416 1860, 422
<i>quadriscopa</i>	1850, 120	<i>pluto</i>	1848, 56
<i>rufilatus</i>	{ 123 170	<i>pygerythrus</i>	{ 1849, 28 1860, 183 1860, 242 1860, 421
<i>sylvicultrix</i>	1850, { 122 170	<i>ruber</i>	1860, 179
<i>whitfieldii</i>	1850, { 125 170	<i>rufoviridis</i>	1860, { 372 420
? <i>zebra</i>	1850, 142	<i>sabæus</i>	1860, 422
<i>Cephalopterus glabri-</i>	1850, 92	<i>Cercosaurus gaudichaudi</i>	1859, { 89 405
<i>collis</i>	{ 1859, 143 1850, 206 1857, 18	<i>rhombifer</i>	1859, 405
<i>ornatus</i>	{ 1857, 265 1858, 71 1859, 143 1859, 142	<i>Cereopsis novæ-hollan-</i>	{ 1857, 215 1859, 206
<i>penduliger</i>	{ 1860, 67 1860, 92	<i>diæ</i>	1859, 206
<i>Cephalotes peronii</i>	1859, 38	<i>Cereopsius helena</i>	1858, 412
<i>Cerambyx formosus</i>	1856, 12	<i>Ceres eolina</i>	1856, { 100 102
<i>marginalis</i>	1853, 27	<i>salleana</i>	1856, { 100 102
<i>scabricornis</i>	1853, 26	<i>Cereus gemmaceus</i>	1858, 148
<i>Cerastes hasselquistii</i>	1849, 95	<i>Cerionis cabotii</i>	1857, 161
<i>nasicornis</i>	1858, 163	<i>melanocephala</i> ..	{ 1858, 498 1859, 185
<i>Ceratites piperita</i>	1858, 403	<i>Cerithidea albivaricosa</i> ..	1854, 85
<i>Ceratophrys cornutus</i> ..	1859, 434	<i>albonodosa</i>	1856, 205
<i>Cercocebus fuliginosus</i> {	1859, 433 1860, 422	<i>balteata</i>	1854, 84
<i>Cercoleptes caudivolu-</i>		<i>bicarinata</i>	1854, 84
<i>lus</i>	1848, 76	<i>caillaudii</i>	1854, 83
<i>Cercomacra atrothorax</i> ..	1858, { 245 288	<i>charbonnieri</i>	1854, 83
<i>cærulescens</i>	1858, 244	<i>conica</i>	1854, 84
<i>cinerascens</i>	1858, 245	<i>cornea</i>	1854, 85
<i>maculosa</i>	1860, { 279 294	<i>crassilabrum</i>	1854, 84
<i>nigricans</i>	1858, 245	<i>decollata</i>	1854, 83
<i>tyrannina</i>	{ 1858, 245 1859, 55 1859, 383 1860, 294	<i>diemenensis</i>	1854, 84
<i>Cercopithecus delalandii</i>	1860, 421	<i>fortunei</i>	1854, 85
<i>diana</i>	{ 1848, 56 1860, 415 1860, 422	<i>fuscata</i>	1856, 206
<i>engythithia</i>	1859, 212	<i>hegewischii</i>	1854, 83
		<i>lafondii</i>	1854, 83
		<i>largilliertii</i>	1854, 84
		<i>layardii</i>	1854, 86
		<i>montagnei</i>	1854, 83
		<i>obtusa</i>	1854, 83
		<i>pauvilla</i>	1854, 86
		<i>pulchra</i>	1854, 83
		<i>raricostata</i>	1854, 85

	Page		Page
<i>Cerithidea rhizophora-</i>		<i>Certhia mexicana</i>	1859, { 362
rum	1854, 85	<i>siparaja</i>	1859, 461
<i>sacrata</i>	1856, { 206	<i>sperata</i>	1859, 462
<i>similis</i>	1854, 84	<i>Certhilauda bifasciata</i> . .	1855, 47
<i>sinensis</i>	1854, 83	<i>dumetorum</i>	1855, 50
<i>varicosa</i>	1854, 83	<i>Certhiola luteola</i>	{ 1855, 138
<i>Cerithium asperum</i>	1860, 433	<i>Cervequus andicus</i>	1850, 236
<i>bæticum</i>	1860, 433	<i>Cervicapra bezoartica</i> . .	1850, { 117
<i>bicarinatum</i>	1854, 84	<i>Cervulus moschatus</i>	{ 1850, 234
<i>caillaudii</i>	1854, 83	<i>reevesii</i>	{ 1856, 405
<i>charbonnierii</i>	1854, 83	<i>vaginalis</i>	{ 1850, 235
<i>conicum</i>	1854, 84	<i>Ceryx affinis</i>	{ 1850, 234
<i>decollatum</i>	1854, 83	<i>ahu</i>	1850, 236
<i>diemenense</i>	1854, 84	<i>albipes</i>	1850, 117
<i>dislocatum</i>	1859, 295	<i>alces</i>	{ 1850, 224
<i>fucatum</i>	1860, 432	<i>antisiensis</i>	1860, 183
<i>giganteum</i>	1860, 401	<i>aristotelis</i>	1850, 236
<i>gracile</i>	1860, 432	<i>aureus</i>	1850, 231
<i>hegewischii</i>	1854, 83	<i>auritus</i>	1850, 234
<i>lafondii</i>	1854, 83	<i>axis</i>	{ 1850, 240
<i>largilliertii</i>	1854, 84	<i>barbarus</i>	{ 1850, 233
<i>lutulentum</i>	1854, 84	<i>bengalensis</i>	1856, 151
<i>macrostoma</i>	1853, 176	<i>bezoarticus</i>	1850, 227
<i>montagnei</i>	1854, 83	<i>bifurcatus</i>	1860, 183
<i>obtusum</i>	{ 1851, 73	<i>campestris</i>	1850, 237
<i>paxillum</i>	{ 1854, 83	<i>canadensis</i>	{ 1850, 226
<i>pulchrum</i>	{ 1860, 17	<i>capreolus</i>	{ 1860, 322
<i>reevianum</i>	1860, 433	<i>cashmeriensis</i>	{ 1850, 235
<i>sardoum</i>	1854, 83	<i>caspianus</i>	{ 1850, 236
<i>sinense</i>	1854, 83	<i>chilensis</i>	1850, 237
<i>unicarinatum</i>	{ 1851, 73	<i>clavatus</i>	1850, 238
<i>unilineatum</i>	{ 1854, 83	<i>coronatus</i>	1850, 229
<i>validum</i>	1860, 432	<i>dama</i>	{ 1850, 229
<i>varicosum</i>	1854, 83	<i>dichotomus</i>	{ 1856, 151
(Potamis) <i>sacratum</i>	1856, { 206	<i>dimorphe</i>	1850, 237
<i>Cerosterna imitator</i>	1858, 404	<i>dolichurus</i>	1850, 241
<i>javana</i>	1858, 403	<i>eedii</i>	1850, 229
<i>plagiata</i>	1858, 403	<i>elaphus</i>	1850, 133
<i>tessellata</i>	1858, 404		
<i>Cerostoma nuttallii</i>	1856, 229		
<i>Certhia albifrons</i>	1855, 66		
<i>americana</i>	{ 1856, 290		
<i>brasiliana</i>	{ 1859, 235		
<i>chlorophæa</i>	1859, 462		
<i>fasciata</i>	1859, 160		
<i>himalayana</i>	1859, 174		
<i>incana</i>	1859, 160		
<i>lepida</i>	1859, 461		
<i>longirostra</i>	1859, 460		
<i>malaccensis</i>	1859, 461		
<i>mexicana</i>	{ 1856, 290		
	{ 1858, 297		

	Page
<i>Cervus elaphus</i>	1850, { 227 228
— v. <i>canadensis</i>	1850, 226
— <i>β. hippelaphus</i>	1850, 227
<i>equinus</i>	1850, 231
<i>germanicus</i>	1850, 227
<i>gymnotis</i>	1850, 238
<i>hamatus</i>	1850, 137
<i>heteroceros</i>	1850, 231
<i>hippelaphus</i>	{ 1849, 94 1850, 231 1850, 232 1856, 405 1860, 182
<i>humilis</i>	1850, 242
<i>kuhlii</i>	1850, 232
<i>leschenaultii</i>	1850, 232
<i>leucogaster</i>	1850, 237
<i>leucurus</i>	1850, 238
<i>lewisii</i>	1850, 239
<i>lyratus</i>	1850, 229
<i>macrotis</i>	1850, 239
— <i>β. columbiana</i>	1850, 239
<i>macrourus</i>	1850, 239
<i>major</i>	1850, 226
<i>malaccensis</i>	1850, 231
<i>mangivorus</i>	1850, 238
<i>marianus</i>	1850, 232
<i>melas</i>	{ 1850, 235 1856, 405
<i>mexicanus</i>	1850, 238
<i>mirabilis</i>	1850, 225
<i>moschus</i>	1850, 235
<i>muntjac</i>	1850, 234
<i>memoralis</i>	1850, 238
<i>nemorivagus</i>	{ 1848, 37 1850, 240 1850, 242
<i>nemorum</i>	1850, 241
<i>niger</i>	1850, 234
<i>nobilis</i>	1850, 227
<i>nudipalpebra</i>	1850, 233
<i>occidentalis</i>	1850, 226
<i>palmatus</i>	1850, 225
<i>paludosus</i>	1850, 237
<i>palustris</i>	1850, 237
<i>peronii</i>	1850, 232
<i>philippinus</i>	1850, 232
<i>platyceros</i>	1850, 229
<i>platyrhynchos</i>	1850, 225
<i>porcinus</i>	{ 1850, 157 1850, 234 1856, 406 1850, 233
<i>pseudaxis</i>	{ 1860, 376 235
<i>pudu</i>	1850, { 242
<i>pygargus</i>	1850, 227

	Page
<i>Cervus pygargus</i>	1850, 236
<i>ramosicornis</i>	1850, 238
<i>rangifer</i>	1850, 225
<i>ratwa</i>	1850, 235
<i>reevesii</i>	1850, 235
<i>rufus</i>	1850, { 241 242
<i>rusa</i>	1850, 232
<i>sika</i>	{ 1850, 228 1860, 376 1860, 415
<i>simplicicornis</i>	1850, 241
<i>smithii</i>	1850, 229
<i>strongyloceros</i>	1850, { 226 238
<i>subcornutus</i>	1850, 234
<i>taiouanus</i>	1860, 376
<i>tarandus</i>	{ 1850, 225 1860, 182
— <i>americanus</i>	1850, 225
— var. <i>arctica</i>	1850, 225
<i>tibetanus</i>	1856, 405
<i>tanjuc</i>	1850, 232
<i>unicolor</i>	1850, { 157 231
<i>vaginalis</i>	1850, 234
<i>virginianus</i>	{ 1849, 94 1850, 238 1850, 239
<i>vulgaris</i>	1850, 227
<i>wallichii</i>	{ 1850, 227 1850, 228 1858, 529
<i>wapiti</i>	1850, 226
(<i>Capreolus</i>) <i>leucotis</i>	1850, 236
(<i>Dama</i>) <i>americanus</i>	1850, 238
(<i>Hippelaphus</i>) <i>lepida</i>	1850, 233
(<i>Mazama</i>) <i>leucurus</i>	1850, 238
(—) <i>virginianus</i>	1850, 238
(<i>Rusa</i>) <i>frontalis</i>	1850, 230
<i>Ceryle alcyon</i>	{ 1857, 233 1859, 53 1859, 236 1859, 367 1860, 252 1855, 136
<i>amazona</i>	{ 1857, 202 1859, 53 1855, 136 1856, 139 1856, 286 1858, 358
<i>americana</i>	{ 1859, 53 1859, 367 1860, 284 1860, 296
<i>domingensis</i>	1857, 233

	Page		Page
<i>Ceryle rudis</i>	1850, 216	<i>Chalcopsitta rubiginosa</i> {	1850, 26
	1859, 174		1860, 227
	1857, 227	<i>rubrifrons</i>	1858, 182
<i>superciliosa</i>	1859, 53	<i>scintillans</i>	1860, 227
	1859, 387	<i>Chalcothraupis argentea</i>	1856, 259
	1856, 139	<i>atricapilla</i>	1856, 259
	1857, 202	<i>atrocaerulea</i>	1856, 258
<i>torquata</i>	1859, 53	<i>nigrocincta</i>	1856, 261
	1860, 284	<i>nigroviridis</i>	1856, 260
	1857, 89	<i>ruficervix</i>	1856, 259
	1859, 150	<i>Chama exogyra</i>	1856, 217
<i>Cetonia (Protætia) procera</i>	1856, 17	<i>frondosa</i>	1856, 217
(—) <i>schaumii</i> ..	1856, 17	<i>glycimeris</i>	1855, 218
<i>Ceyx azurea</i>	1858, 172	<i>mexicana</i>	1856, 217
<i>lepida</i>	1860, 348	<i>pellucida</i>	1856, 217
<i>lessonii</i>	1858, 172		1859, 434
<i>luzoniensis</i>	1854, 269		1859, 435
<i>meninting</i>	1858, 172	<i>Chamæleo africanus</i> ..	1859, 436
<i>microsoma</i>	1854, 269		1860, 416
<i>pusilla</i>	1858, 172		1860, 442
<i>rufidorsa</i>	1854, 270	<i>bironii</i>	1858, 158
	1858, 172	<i>burchellii</i>	1858, 158
<i>solitaria</i>	1859, 155	<i>cristatus</i>	1858, 157
<i>tridactyla</i>	1854, 269	<i>dilepis</i>	1858, 157
<i>uropygialis</i>	1860, 348	<i>gracilis</i>	1858, 158
<i>Chæna agglutinans</i>	1854, 330	<i>granulosus</i>	1858, 158
<i>annulata</i>	1858, 316	<i>owenii</i>	1858, 158
	1857, { 247	<i>planiceps</i>	1858, 157
<i>annulosa</i>	248	<i>senegalensis</i>	1858, 157
<i>grandis</i>	1854, 330	<i>tricornis</i>	1858, 158
<i>mumia</i>	1857, { 244		1849, 95
	247		1851, 203
	1857, 247	<i>vulgaris</i>	1858, 157
<i>tessellata</i>	1857, 248		1859, 470
	1858, 315		1859, 473
<i>Chætodon gibbosus</i>	1850, 65		1859, 475
<i>monodactylus</i>	1850, 65	<i>Chamæospiza torquata</i>	1858, 304
<i>Chætostoma lobarhynchus</i>	1859, 420		1859, 365
<i>Chætura brunneitorques</i>	1855, 135	<i>Chamæpelia amazilia</i> ..	1856, 30
	1850, 221	<i>granatina</i>	1855, 163
<i>Chætusia gregaria</i>	1858, 505		1858, 556
<i>Chaimarronis leucocephalus</i>	1857, 205		1855, 163
	1857, 236		1857, 205
<i>Chalceus alburnus</i>	1854, 30	<i>passerina</i>	1857, 236
<i>brevirostris</i>	1859, 419		1859, 369
<i>Chalcites smaragdineus</i>	1859, 420		1859, 391
<i>xanthorhynchus</i> ..	1860, 112		1860, 243
<i>Chalcoptaria cingalensis</i>	1859, 151		1860, 417
<i>phoenicotis</i>	1859, 463		1857, 19
<i>Chalcophaps angusta</i> ..	1859, 463	<i>rufipennis</i>	1858, 359
<i>chrysochlora</i>	1859, 467		1859, 61
	1859, 165		1859, 369
<i>indica</i>	150, 467	<i>Chamæpetes goudoti</i> ..	1856, 30
<i>javanica</i>	1860, 361	<i>Chamæza brevicauda</i> ..	1858, 278
<i>moluccensis</i>	1860, 361	<i>guatemalensis</i>	1856, 294
<i>stephanii</i>	1859, 159	<i>marginata</i>	1855, 145
<i>Chalcopsitta atra</i>	1860, 227	<i>meruloides</i>	1858, 278
		<i>mollissima</i>	1855, 89

	Page		Page
<i>Chamæza mollissima</i> ..	1855, 145	<i>Cheilodactylus nigricans</i>	1850, 63
	1858, 279	<i>nigripes</i>	1850, 66
<i>monticola</i>	1858, 281	<i>zonatus</i>	1850, 66
<i>nana</i>	1858, 284	<i>Cheilotrema lapicida</i> ..	1854, 197
	1855, 68	<i>midas</i>	1860, 372
<i>nobilis</i>	1858, 68		1858, 356
	1858, 279	<i>Chelidon cashmeriensis</i>	1858, 494
<i>olivacea</i>	1855, 145		1859, 175
	1858, 279	<i>Chelidoptera albipennis</i>	1855, 196
<i>Chamæzosa brevicauda</i> ..	1858, 278	<i>tenebrosa</i>	1855, 136
<i>marginata</i>	1858, 278		196
<i>olivacea</i>	1858, 279	<i>Chelifer pallipes</i>	1849, 6
<i>Chaptia malayensis</i>	1854, 271	<i>Chelodina collei</i>	1856, 370
<i>Charadella trifida</i>	1858, 320	<i>expansa</i>	1856, 370
	321	<i>longicollis</i>	1856, 370
<i>Charadrius alexandrinus</i>	1850, 221	<i>oblonga</i>	1856, 370
<i>annuligerus</i>	1860, 386	<i>sulcata</i>	1855, 206
<i>azaræ</i>	1860, 290	<i>sulcifera</i>	1856, 370
<i>cantianus</i>	1850, 221	<i>Chelonia imbricata</i>	1859, 432
<i>cirrhipedesmus</i>	1860, 363	<i>Chelydra collei</i>	1855, 200
<i>fallklandicus</i>	1860, 386	<i>longicollis</i>	1855, 200
<i>geoffroyi</i>	1860, 363	<i>oblonga</i>	1855, 200
<i>glaucopus</i>	1859, 165	<i>serpentina</i>	1855, 200
<i>hiaticula</i>	1850, 221	<i>Chelymys macquaria</i> ..	1856, 371
	1851, 146	<i>Chemnitzia acicularis</i> ..	1853, 181
<i>inornatus</i>	1858, 187	<i>bicarinata</i>	1856, 171
	1858, 505	<i>bittiformis</i>	1856, 171
<i>leschenaultii</i>	1859, 188	<i>boholensis</i>	1853, 180
<i>magnirostris</i>	1858, 187	<i>candida</i>	1853, 181
<i>minor</i>	1855, 80	<i>clathrata</i>	1853, 180
<i>pecuarius</i>	1850, 221	<i>communis</i>	1856, 170
	1851, 146	<i>concinna</i>	1853, 181
<i>pluvialis</i>	1855, 80	<i>cornea</i>	1853, 181
<i>pluvialis orientalis</i> ..	1860, 363	<i>costulata</i>	1853, 180
<i>resplendens</i>	1858, 556	<i>cumingii</i>	1856, 170
<i>rubecola</i>	1860, 386	<i>curvicostata</i>	1853, 180
<i>veredus</i>	1848, 38	<i>densecostata</i>	1853, 180
	1859, 150	<i>elegantissima</i>	1853, 179
<i>virginicus</i>	1859, 369	<i>fenestrata</i>	1853, 179
	1860, 108	<i>formosa</i>	1853, 179
<i>vociferus</i>	1859, 63	<i>fulvocincta</i>	1853, 179
<i>xanthocheilus</i>	1858, 187	<i>fusca</i>	1853, 181
<i>Charmosyna papuana</i> ..	1860, 227	<i>gracilis</i>	1853, 179
<i>pulchella</i>	1859, 158		1853, 180
	1860, 227	<i>grandis</i>	1860, 241
<i>Chaulcyon gaudichaudi</i>	1858, 171	<i>indistincta</i>	1853, 179
<i>Chaunax pictus</i>	1850, 250	<i>interrupta</i>	1853, 179
<i>Chaus lybicus</i>	1856, 396	<i>lirata</i>	1853, 181
	1858, 514	<i>obliquata</i>	1853, 180
<i>Cheilodactylus aspersus</i> ..	1850, 64	<i>pallida</i>	1853, 180
<i>brachydactylus</i>	1850, 67	<i>polyzonata</i>	1856, 170
<i>carponemus</i>	1850, 61	<i>pusilla</i>	1853, 179
<i>ciliaris</i>	1850, 67	<i>rubrofusca</i>	1856, 171
<i>fasciatus</i>	1850, 65	<i>rufa</i>	1853, 179
<i>gibbosus</i>	1850, 65	<i>rufescens</i>	1853, 179
<i>hecateius</i>	1850, 67	<i>scalaris</i>	1853, 179
<i>lineatus</i>	1850, 68	<i>tenuicula</i>	1856, 207
<i>macropterus</i>	1850, 62	<i>torquata</i>	1856, 207

	Page		Page
<i>Chemnitzia trilineata</i> ..	1853,	180	
<i>turritella</i>	1853,	180	
<i>vaicosa</i>	1853,	181	
<i>Chenalopex ægyptiacus</i> }	1850,	221	
	1859,	477	
<i>Chione californiensis</i> ..	1856,	216	
<i>callosa</i>	1856,	216	
<i>gibbosa</i>	1853,	7	
<i>nuttallii</i>	1856,	216	
<i>regularis</i>	1853,	7	
<i>sphæricula</i>	1853,	8	
<i>straminea</i>	1856,	215	
<i>ustulata</i>	1853,	8	
	1858,	99	
<i>Chionis alba</i>	1859,	95	
	1860,	386	
<i>Chiradota discolor</i>	1858,	366	
<i>lævis</i>	1858,	366	
<i>lumbricus</i>	1858,	366	
<i>purpurea</i>	1858,	366	
<i>verrucosa</i>	1858,	360	
<i>violacea</i>	1858,	366	
<i>Chirocephalus birostra-</i>			
<i>tus</i>	1852,	24	
<i>claviger</i>	1852,	24	
<i>diaphanus</i>	1852,	23	
<i>lactinæ</i>	1852,	23	
<i>middendorffianus</i> ..	1852,	25	
<i>Chiromachæris gutturosa</i>	1854,	114	
		89	
<i>manacus</i>	1860,	279	
		296	
<i>Chiromys madagascari-</i>			
<i>ensis</i>	1859,	111	
<i>Chiroxiphia melanoce-</i>			
<i>phala</i>	1855,	151	
<i>regina</i>	1856,	141	
	1857,	266	
<i>Chiton acutus</i>	1855,	232	
	1856,	221	
<i>armatus</i>	1856,	221	
<i>articulatus</i>	1855,	232	
<i>hartwegii</i>	1855,	231	
<i>insculptus</i>	1852,	91	
<i>macgillivrayii</i>	1855,	120	
<i>montereyensis</i>	1855,	231	
<i>muricatus</i>	1852,	91	
<i>muscosus</i>	1856,	221	
<i>nuttallii</i>	1855,	231	
	1856,	221	
<i>ornatus</i>	1855,	232	
	1856,	221	
<i>regularis</i>	1855,	232	
<i>versicolor</i>	1852,	92	
<i>Chlamydera cerviniven-</i>			
<i>tris</i>	1850,	201	
<i>maculata</i>	1850,	201	
<i>nuchalis</i>	1850,	201	
	1857,	26	
<i>Chlamydotherium gigan-</i>			
<i>teum</i>	1851,	216	
<i>humboldtii</i>	1851,	216	
<i>Chlamyphorus trunca-</i>			
<i>tus</i>	1851,	213	
	1857,	8	
	1857,	128	
	1858,	289	
<i>Chloëphaga magella-</i>			
<i>nica</i>	1859,	96	
	1860,	387	
	1860,	416	
	1857,	128	
	1858,	289	
<i>poliocephala</i>	1859,	96	
	1859,	206	
		387	
<i>rubidiceps</i>	1860,	415	
<i>Chlorochrysa callipa-</i>			
<i>ræa</i>	1855,	158	
	1856,	266	
	1858,	74	
<i>phœnicotis</i>	1856,	266	
	1860,	87	
<i>Chlorœnas albilinea</i> ..	1855,	163	
	1858,	556	
<i>bicolor</i>	1856,	30	
	1856,	309	
<i>fasciata</i>	1858,	305	
<i>flavirostris</i>	1856,	309	
<i>rufina</i>	1856,	143	
	1857,	19	
<i>speciosa</i>	1856,	309	
	1858,	76	
<i>Chloronerpes ærugino-</i>			
<i>sus</i>	1859,	388	
<i>callonotus</i>	1860,	286	
		297	
	1855,	161	
	1856,	143	
<i>cecilii</i>	1860,	286	
	1860,	297	
<i>erythrope</i>	1857,	268	
	1855,	161	
<i>fumigatus</i>	1859,	146	
	1856,	307	
<i>oleagineus</i>	1859,	367	
	1859,	388	
<i>passerinus</i>	1857,	234	
	1856,	307	
<i>rubiginosus</i>	1860,	286	
<i>sanguinolentus</i>	1859,	60	
<i>selysi</i>	1858,	74	
	1856,	307	
<i>yucatanensis</i>	1859,	60	
	1859,	367	
	1855,	137	
	1857,	263	
<i>Chlorophanes atrica-</i>			
<i>pillæ</i>	1858,	61	
	1858,	452	
	1859,	138	

	Page		Page
<i>Chlorophanes atricapilla</i>	1860, 292	<i>Chlorospingus superci-</i>	
<i>Chlorophis heterodermus</i>	1858, 158	<i>liaris</i>	1860, { 65
<i>Chlorophonia frontalis</i> ..	1856, 270		} 86
<i>longipennis</i>	{ 1855, 158	<i>verticalis</i>	{ 1855, 155
	{ 1856, 270		} 1856, 30
	{ 1856, 270	<i>xanthophrys</i>	{ 1856, 93
<i>occipitalis</i>	{ 1857, 205		} 30
	{ 1859, 364	<i>Chlorospiza chloris</i>	1857, 223
<i>pretrei</i>	{ 1855, 159	<i>melanodera</i>	1860, 385
	{ 1856, 270	<i>xanthogramma</i>	1860, 385
<i>viridis</i>	1856, 269	<i>Chlorostilbon acuticau-</i>	
<i>Chloropsaris atricapillus</i>	1851, 45	<i>dus</i>	1860, 308
<i>cuvierii</i>	1851, 45	<i>atala</i>	{ 1859, 145
<i>versicolor</i>	1851, 45		} 1860, 94
<i>Chloropsis gampsorhyn-</i>		<i>melanorhynchus</i> ..	1860, 308
<i>chus</i>	1854, 280	<i>osberti</i>	1860, 309
<i>malabaricus</i>	1858, 475	<i>Chlorostoma agreste</i>	1851, 180
<i>zosterops</i>	1854, 280	<i>argyrostoma</i>	1851, 180
<i>Chlorornis prasina</i>	1856, 78	<i>articulatum</i>	1851, 183
<i>riefferii</i>	1855, 154	<i>atrum</i>	1851, 180
<i>Chlorospingus albitem-</i>	{ 1855, 155	<i>bicanaliculatum</i> ..	1851, 181
<i>poralis</i>	{ 1856, 89	<i>carinatum</i>	1851, 181
	{ 1858, 293	<i>castaneum</i>	1851, 182
	{ 1854, 157	<i>cicer</i>	1851, 181
	{ 1855, 155	<i>corrugatum</i>	{ 1851, 182
<i>atripileus</i>	{ 1856, 91		} 1854, 40
	{ 1860, 76	<i>euryomphalus</i>	1851, 181
	{ 1860, 86	<i>funebreale</i>	1854, 316
	{ 1855, 155	<i>fuscum</i>	1854, 305
<i>canigularis</i>	{ 1856, 90	<i>gallina</i>	1851, 182
	{ 1859, 138	<i>impervium</i>	1851, 182
<i>castaneicollis</i>	{ 1858, 293	<i>laeve</i>	1851, 181
	{ 1855, 155	<i>maculosum</i>	{ 1851, 183
<i>flavigularis</i>	{ 1856, 91		} 1856, 204
	{ 1860, 86	<i>marginatum</i>	1851, 181
	{ 1855, 155	<i>merula</i>	1851, 181
<i>flavipectus</i>	{ 1856, 90	<i>mcestum</i>	{ 1851, 180
	{ 1856, 90		} 1854, 317
<i>flaviventris</i>	1856, 91	<i>nigerrimum</i>	{ 1851, 180
<i>leucophrys</i>	1856, 89		} 1854, 40
<i>lichtensteinii</i>	1856, { 30	<i>odontis</i>	1851, 182
	{ 93	<i>pfeifferii</i>	1851, 181
	{ 1854, 157	<i>pulligo</i>	1851, 182
<i>melanotis</i>	{ 1855, 155	<i>rugosum</i>	1851, 182
	{ 1856, 92	<i>sagittiferum</i>	1851, 181
	{ 1858, 294	<i>sauciatum</i>	1851, 181
<i>olivaceus</i>	1856, 90	<i>seminodosum</i>	1851, 183
	{ 1856, 89	<i>stenomphalus</i>	1851, 181
<i>ophthalmicus</i>	{ 1856, 302	<i>tabulare</i>	1851, 181
	{ 1859, 364	<i>tigrinum</i>	1851, 180
	{ 1859, 377	<i>tropidophorum</i> ...	1851, 183
	{ 1855, 155		} 182
<i>rubrirostris</i>	{ 1856, 92	<i>turbinatum</i>	1851, { 182
	{ 1858, 294		} 183
<i>spodocephalus</i>	1856, 91	<i>undulosum</i>	1851, 182
	{ 1855, 155	<i>xanthostigma</i>	1851, 183
	{ 1856, 30	<i>Choanopoma chittyi</i>	1857, 165
<i>superciliaris</i>	{ 1856, 92	<i>fimbriatulum</i>	1857, 165
	{ 1860, 63	<i>Choiropotamus africanus</i>	1852, 131

	Page		Page
Choiropotamus larvatus.	1852,	Chrysothraupis frugile-	1856,
pictus.....	1852,	gus	1858,
	1849,	icterocephala.....	1856,
Cholcepus didactylus..	1851,	parzudaki	1856,
	1856,	schrankii	1856,
Chondestes grammica ..	1859,	thalassina	1856,
ruficauda	1857,	thoracica	1856,
Chondropoma angusta-		xanthocephala	1856,
tum	1854,	Chrysotis albifrons	1858,
punctulatum	1854,	amazonica	1858,
venezuelense.....	1853,		1857,
Chromis fenestrata	1860,	autumnalis	1857,
nebulifera	1860,		1859,
	1859,		1859,
rivulata	1860,	coccineifrons	1857,
Chrysallida communis..	1856,	dominicensis	1857,
crebristriata	1856,	farinosa	1858,
Chrysenis batesii	1860,	guatemalæ	1860,
Chrysococyx basalis ..	1859,	leucocephala	1857,
	1859,	mercenaria.....	1858,
lucidus	1859,	ochroptera	1857,
	1860,	ochropterus	1859,
minutillus	1859,		1859,
Chrysocolaptes sultaneus	1859,	sallæi	1857,
Chrysodema louisa	1859,	vinaceicollis	1857,
Chrysodomus despectus.	1850,	viridigenalis	1857,
heros	1850,	vittata	1857,
Chrysolampis moschitus	1859,		1857,
Chrysomitris columbiana	1855,	Chrysuronina josephinae	1857,
	1858,		1854,
icterica	1860,	cenone	1855,
	1855,		1858,
	1856,	Ciccaba gisella	1856,
mexicana.....	1858,	huhula	1858,
	1859,	nigrolineata	1859,
	1859,	torquata:.....	1857,
	1856,	Cichalopia vulpina ...	1855,
notata	1858,	Cichla lineata	1850,
	1859,	Cichlerminia bonapartii.	1859,
	1859,	fuscata	1859,
spinescens	1855,		1857,
spinoides	1859,	Cichlopsis leucogonys .	1858,
yarellii	1857,		1851,
Chrysomus icterocephalus	1857,	Cicindela megalocephala	1851,
	1857,	Ciccinnurus spinturnix ..	1858,
Chrysonotus intermedius	1859,		1850,
rafflesii	1859,	Ciconia alba	1858,
	1858,		1855,
Chrysopelea ornata ..	1860,	leucocephala	1858,
	1858,		1851,
præornata	1858,	nigra	1858,
Chrysopoga typica	1856,	Cidaris annulata	1855,
Chrysoptilus canipileus .	1855,	ornata.....	1855,
	1855,	spinulosa	1855,
cayanensis	1855,	verticillata	1855,
punctigula	1855,	Cimoliornis diomedæus .	1851,
Chrysothraupis arthus ..	1856,	Cinclidium frontale	1854,
aurulenta	1856,		1851,
chrysotis	1856,		1851,
citrinella	1856,		1851,

	Page		Page
<i>Cinlocerthia brachyura</i>	1855, 214	<i>Circus pallidus</i>	1854, 5
<i>gutturalis</i>	1855, 214 1859, 338	<i>swainsonii</i>	1858, 472
<i>ruficauda</i>	1855, 214 1859, 338	<i>Cirrihippra filicauda</i>	1857, 265 1858, 71
<i>Cinclodes albidiventris</i>	1860, 77	<i>Cirripathes sieboldii</i>	1857, 291
<i>antarcticus</i>	1860, 385	<i>Cirsotrema attenuatum</i>	1860, 400
<i>bifasciatus</i>	1858, 448	<i>Cissopsis bicolor</i>	1856, 79
<i>excelsior</i>	1860, 77	<i>leveriana</i>	1856, 78
<i>vulgaris</i>	1860, 385	<i>media</i>	1856, 79
<i>Cinclops melanoleucus</i>	1855, 214 1859, 338	<i>minor</i>	1855, 154 1856, 79 1858, 454
<i>Cinlosoma castaneotho-</i> <i>rax</i>	1848, 139	<i>Cistothorus platensis</i>	1860, 384
<i>setifer</i>	1858, 488	<i>Cistudo carolinensis</i>	1855, 197
<i>Cinclus americanus</i>	1858, 3	<i>clausa</i>	1860, 415
<i>aquaticus</i>	1859, 200 1860, 258	<i>dentata</i>	1856, 183
<i>cashmeriensis</i>	1859, 494	<i>mexicana</i>	1849, 17 1855, 197
<i>interpres</i>	1860, 363	<i>Cistula cinclidodes</i>	1852, 142
<i>leucocephalus</i>	1857, 274	<i>Cithara sinuata</i>	1856, 162
<i>leuconotus</i>	1857, 274	<i>Cladiscus bipectinatus</i>	1852, 39
<i>mexicanus</i>	1859, 362	<i>longipennis</i>	1852, 39
<i>sordidus</i>	1859, 494	<i>parrianus</i>	1852, 39
<i>Cinnicerthia canifrons</i>	1855, 143	<i>Cladoscopus temmincki</i>	1855, 142
<i>unibrunnea</i>	1858, 550 1860, 74	<i>Clanculus acuminatus</i>	1851, 160
<i>unicolor</i>	1855, 143	<i>agrestis</i>	1851, 158
<i>unirufa</i>	1855, 143	<i>albinus</i>	1851, 160
<i>Cinnyricincla javanica</i>	1859, 461	<i>anus</i>	1851, 159
<i>Cinnyris aspasia</i>	1858, 173	<i>brunneus</i>	1851, 161
<i>clementiæ</i>	1858, 173	<i>carinatus</i>	1851, 162
<i>novæ-guineæ</i>	1858, 173	<i>cingulifer</i>	1851, 160
<i>orientalis</i>	1854, 257	<i>clanguloides</i>	1851, 158
<i>sericea</i>	1858, 173	<i>conspersus</i>	1851, 163
<i>zenobia</i>	1858, 173	<i>corallinus</i>	1851, 158
<i>Cinyxis denticulata</i>	1858, 166	<i>corrugatus</i>	1851, 159
<i>homeana</i>	1858, 166	<i>couturii</i>	1851, 158
<i>Circaëtus brachydactylus</i>	1850, 215	<i>depictus</i>	1854, 316
<i>gallicus</i>	1858, 472	<i>edentulus</i>	1851, 162
<i>solitarius</i>	1856, 145	<i>floridus</i>	1851, 158
<i>Circe latirostris</i>	1858, 297 1859, 367	<i>gibbosus</i>	1851, 162
<i>lenticularis</i>	1853, 7	<i>guanicus</i>	1851, 158
<i>metcalfei</i>	1853, 7	<i>jussieui</i>	1851, 159
<i>personata</i>	1853, 6	<i>kraussii</i>	1851, 159
<i>pulchra</i>	1853, 6	<i>limbatus</i>	1851, 158
<i>transversaria</i>	1853, 6	<i>ludwigii</i>	1851, 159
<i>Circus æruginosus</i>	1858, 472	<i>maculosus</i>	1851, 160
<i>cinereus</i>	1859, 94 1860, 384	<i>margaritarius</i>	1851, 159
<i>cyaneus</i>	1854, 5	<i>maugeri</i>	1851, 158
<i>hudsonius</i>	1857, 125 1857, 211 1859, 390	<i>mediterraneus</i>	1851, 158
<i>montagui</i>	1854, 5	<i>microdon</i>	1851, 162
<i>pallidus</i>	1858, 472 1850, 216	<i>minor</i>	1851, 161
		<i>nigricans</i>	1851, 162
		<i>nodiliratus</i>	1851, 163
		<i>nodulosus</i>	1854, 39
		<i>ochroleucus</i>	1851, 159
		<i>omalomphalus</i>	1851, 162
		<i>ormophorus</i>	1851, 159

	Page		Page
<i>Clanculus patagonicus</i> ..	1851,	<i>Clausilia strigata</i>	1849,
<i>personatus</i>	1851,	<i>thermopylarum</i>	1849,
<i>pharaonis</i>	1851,	<i>tristrami</i>	1860,
<i>ringens</i>	1851,	<i>turrita</i>	1849,
<i>scabrosus</i>	1851,	<i>Clausilla borneensis</i> ...	1854,
<i>smithii</i>	1851,	<i>crispa</i>	1854,
<i>spadiceus</i>	1851,	<i>deltostoma</i>	1854,
<i>stigmatarius</i>	1851,	<i>eburnea</i>	1854,
<i>sulcarius</i>	1851,	<i>exigua</i>	1854,
<i>textilosus</i>	1851,	<i>nivea</i>	1854,
<i>turbinoides</i>	1851,	<i>Clavagella aperta</i>	1858,
<i>turgidulus</i>	1851,	<i>australis</i>	1858,
<i>unedo</i>	1851,	<i>caillate</i>	1858,
<i>variegatus</i>	1851,	<i>coronata</i>	1858,
<i>zebrides</i>	1851,	<i>cristata</i>	1858,
<i>Claneophila auricularia</i> ..	1858,	<i>echinata</i>	1858,
<i>brasiliana</i>	1858,	<i>elongata</i>	1858,
<i>gibbosa</i>	1858,	<i>lagenalis</i>	1858,
<i>Clangula angustirostris</i> ..	1860,	<i>lata</i>	1858,
<i>glaucion</i>	1860,	<i>mammoi</i>	1858,
<i>Clathraria rubrinodis</i> ..	1859,	<i>melitensis</i>	1858,
<i>Clathurella balteata</i> ...	1860,	<i>rape</i>	1858,
<i>brunnea</i>	1860,	<i>vivens</i>	1858,
<i>buccinoides</i>	1860,	<i>Clea nigricans</i>	1855,
<i>cylindrica</i>	1860,	<i>Clementia cumingii</i> ...	1854,
<i>elegans</i>	1860,	<i>moretonensis</i>	1853,
<i>exilis</i>	1860,	<i>strangei</i>	1853,
<i>fuscomaculata</i>	1860,	<i>Clepsydra strangulata</i> ..	1858,
<i>harpa</i>	1860,	<i>Clerus æruginosus</i> ...	1852,
<i>paucicostata</i>	1860,	<i>atricornis</i>	1852,
<i>producta</i>	1860,	<i>bengala</i>	1852,
<i>pulchella</i>	1860,	<i>hilaris</i>	1852,
<i>Clausilia adamsiana</i> ...	1860,	<i>novemguttatus</i> ...	1852,
<i>belcheri</i>	1849,	<i>posticalis</i>	1852,
<i>bourcierii</i>	1852,	<i>sanguinalis</i>	1852,
<i>charpentieri</i>	1849,	<i>sepulchralis</i>	1852,
<i>claviformis</i>	1849,	<i>subfasciatus</i>	1852,
<i>canaliculata</i>	1849,	<i>ventralis</i>	1852,
<i>candida</i>	1849,	<i>zebratus</i>	1852,
<i>compressa</i>	1849,	(<i>Hoploclerus</i>) <i>biacu-</i>	
<i>cyclostoma</i>	1849,	<i>leatus</i>	1852,
<i>dunkeri</i>	1849,	(<i>Hydnocerus</i>) <i>bel-</i>	
<i>græca</i>	1849,	<i>lus</i>	1852,
<i>hanleyana</i>	1849,	(—) <i>exilis</i>	1852,
<i>homalorhaphæ</i>	1849,	(—) <i>flavolineatus</i> ..	1852,
<i>idæa</i>	1849,	(—) <i>flavovarius</i> ..	1852,
<i>lunellaris</i>	1849,	(—) <i>pectoralis</i> ..	1852,
<i>millerii</i>	1849,	(—) <i>V-reversus</i> ..	1852,
<i>negropontina</i>	1849,	(<i>Lemidius</i>) <i>coralli-</i>	
<i>puella</i>	1849,	<i>pennis</i>	1852,
<i>reeveana</i>	1849,	(—) <i>festivus</i> ...	1852,
<i>scalaris</i>	1849,	(<i>Omadius</i>) <i>medio-</i>	
<i>semidenticulata</i>	1849,	<i>fasciatus</i>	1852,
<i>sennaariensis</i>	1856,	(—) <i>olivaceus</i> ..	1852,
<i>sericata</i>	1849,	(—) <i>prasinus</i> ...	1852,
<i>shanghaiensis</i> ...	1852,	(<i>Stigmatius</i>) <i>dorsi-</i>	
<i>sieboldtii</i>	1848,	<i>ger</i>	1852,
<i>sowerbyana</i>	1849,	(—) <i>elaphroides</i> ..	1852,

	Page		Page		
<i>Clerus</i> (<i>Stigmatius</i>) <i>nebulifer</i>	1852,	36	<i>Coccothraustes</i> <i>viridis</i> ..	1856,	66
(—) <i>rufiventris</i> ..	1852,	45	<i>Coccyzus</i> <i>coromandus</i> ..	1859,	459
(<i>Xylobius</i>) <i>albovariorius</i>	1852,	40	<i>melanoleucos</i>	1857,	100
(—) <i>dulcis</i>	1852,	40	<i>Coccyzus</i> <i>americanus</i> ..	1860,	252
(<i>Xylotretus</i>) <i>chrysidens</i>	1852,	50	<i>badius</i>	1859,	485
(—) <i>excavatus</i> ..	1852,	46	<i>dominicus</i>	1857,	234
<i>Clinteria</i> <i>atra</i>	1856,	15	<i>erythrophthalmus</i> . } 1857,	214	
<i>biguttata</i>	1856,	15	<i>geoffroyi</i>	1860,	252
<i>ducalis</i>	1856,	15	<i>seniculus</i>	1849,	63
<i>funeraria</i>	1856,	15	<i>viridirostris</i>	1857,	234
<i>hoffmeisteri</i>	1856,	15	<i>viridirostris</i>	1856,	308
<i>Clotho</i> <i>arietans</i>	1860,	193	<i>Cochlea</i> <i>bengalensis</i> ...	1850,	148
<i>lateristriga</i>	1858,	163	<i>Cochleophasia</i> <i>tesselata</i> ..	1849,	35
<i>nasicornis</i>	1858,	163	<i>Cochlodesma</i> <i>leana</i> ...	1855,	229
<i>Clothonia</i> <i>johnii</i>	1860,	164	<i>Cœcilia</i> <i>gracilis</i>	1859,	417
<i>Clypidella</i> <i>baikiei</i>	1854,	136	<i>pachynema</i>	1859,	417
<i>Clypidina</i> <i>acuminata</i> ..	1851,	88	<i>rostrata</i>	1856,	287
<i>annulata</i>	1851,	88	<i>Cœligena</i> <i>fulgens</i>	1858,	297
<i>aspera</i>	1851,	87	<i>typica</i>	1859,	367
<i>candida</i>	1851,	88	<i>wilsoni</i>	1859,	386
<i>fungina</i>	1851,	87	<i>Cœlogenys</i> <i>fulvus</i>	1854,	111
<i>notata</i>	1851,	87	<i>paca</i>	1855,	140
<i>rudis</i>	1851,	87	<i>Cœlopeltis</i> <i>lacertina</i> ...	1859,	145
<i>rugosa</i>	1851,	87	<i>virgata</i>	1860,	94
<i>scabricula</i>	1851,	88	<i>Cœnurus</i> <i>cerebralis</i> ...	1860,	268
<i>stellata</i>	1851,	87	<i>paca</i>	1849,	28
<i>sulcifera</i>	1851,	87	<i>Cœlopeltis</i> <i>lacertina</i> ...	1860,	268
<i>Clytolæma</i> <i>rubinoides</i> ..	1855,	140	<i>virgata</i>	1858,	160
<i>Cnemidophorus</i> <i>undulatus</i>	1860,	233	<i>Cœnurus</i> <i>cerebralis</i> ...	1858,	158
<i>Coassus</i> <i>auritus</i>	1850,	242	<i>Cœpola</i> <i>rubescens</i>	1860,	185
<i>memorivagus</i>	1850,	240	<i>cyanea</i>	1849,	83
<i>pudu</i>	1850,	242	<i>Cœreba</i> <i>cærulea</i>	1855,	137
<i>rufus</i>	1850,	241	<i>nitida</i>	1857,	263
<i>superciliaris</i>	1850,	242	<i>nitida</i>	1856,	140
<i>Cobitis</i> <i>barbatula</i>	1859,	435	<i>cyanea</i>	1856,	286
<i>fossilis</i>	1860,	442	<i>nitida</i>	1857,	263
<i>Cocoborus</i> <i>chrysopeplus</i> ..	1858,	454	<i>Colaptes</i> <i>elegans</i>	1857,	264
<i>Coccothraustes</i> <i>abeillei</i> ..	1859,	365	<i>mexicanus</i>	1855,	162
<i>americana</i> <i>cærulea</i> ..	1856,	64	<i>mexicanus</i>	1858,	555
<i>cærulescens</i>	1856,	64	<i>mexicanus</i>	1860,	81
<i>canadensis</i>	1856,	65	<i>mexicanus</i>	1860,	95
<i>chrysopeplus</i>	1858,	454	<i>mexicanus</i>	1856,	307
<i>erythromelas</i>	1856,	65	<i>mexicanus</i>	1857,	127
<i>maculipennis</i>	1860,	251	<i>mexicanus</i>	1858,	305
<i>melanurus</i>	1860,	242	<i>mexicanus</i>	1859,	236
<i>olivaceus</i>	1858,	291	<i>mexicanus</i>	1859,	367
<i>sinensis</i>	1859,	444	<i>Colaris</i> <i>orientalis</i>	1860,	345
<i>vespertinus</i>	1860,	251	<i>Colibri</i> <i>anis</i>	1855,	139
			<i>cyanotis</i>	1855,	139
			<i>delphinæ</i>	1855,	139
			<i>Colibris</i> <i>thalassina</i>	1856,	287
			<i>Colina</i> <i>costata</i>	1854,	86
			<i>macrostoma</i>	1853,	176
			<i>pinguis</i>	1854,	86
			<i>pupiformis</i>	1853,	176
			<i>Colius</i> <i>macrurus</i>	1850,	219
			<i>senegalensis</i>	1850,	219

	Page		Page
<i>Colius senegalensis</i>	1860,	<i>Columba albilinea</i>	1860,
	197		72
<i>Collaris purpurascens</i> ..	1850,	<i>amboinensis</i>	1860,
	216		361
<i>Collocalia arborea</i>	1858,	<i>bantamensis</i>	1859,
	171		467
<i>esculenta</i>	1860,	<i>basalis</i>	1860,
	345		360
<i>hypoleuca</i>	1858,	<i>bicolor</i>	1856,
	170		30
<i>nidifica</i>	1860,		1859,
	345	<i>cæruleocephala</i>	1859,
<i>Collonia candida</i>	1858,		467
	170	<i>capellei</i>	1859,
<i>Collonia candida</i>	1860,		464
	436	<i>chalcoptera</i>	1860,
<i>Colluricincla fusca</i>	1860,		258
	436	<i>corensis</i>	1857,
<i>Collurio lahtora</i>	1859,		235
	335	<i>erythroptera</i>	1856,
<i>Collurio lahtora</i>	1859,		6
	180	<i>fasciata</i>	1859,
<i>Colobathris macularia</i> ..	1858,		236
	282		369
<i>rex</i>	1858,		369
	280	<i>flavirostris</i>	1859,
<i>tinniens</i>	1858,		391
	281	<i>gallus</i>	1860,
<i>Colcburis rufiventris</i> ..	1860,		362
	350	<i>guinea</i>	1850,
<i>Colobus angolensis</i>	1860,		219
	245	<i>hodgsonii</i>	1855,
<i>guereza</i>	1860,		126
	184	<i>holosericea</i>	1859,
	246		165
<i>leucomeros</i>	1860,	<i>hyogastra</i>	1860,
	246		359
<i>satanas</i>	1860,	<i>indica</i>	1859,
	246		467
<i>ursinus</i>	1860,	<i>intermedia</i>	1859,
	245		151
<i>vellerosus</i>	1860,	<i>jambu</i>	1859,
	246		465
<i>Colopterus cristatus</i>	1858,	<i>javanica</i>	1859,
	70		467
<i>Coluber annulatus</i>	1860,		235
	457		61
<i>boddaërtii</i>	1860,	<i>leucocephala</i>	1859,
	456		432
<i>callicephalus</i>	1860,		1860,
	162		417
<i>cenchoa</i>	1860,		1855,
	458		126
<i>cliffordii</i>	1858,	<i>leuconota</i>	1858,
	162		497
<i>conspicillatus</i>	1858,		1859,
	383		187
<i>constrictor</i>	1849,	<i>leucophrys</i>	1856,
	102		7
	106	<i>leucoptera</i>	1859,
<i>corais</i>	1860,		61
	456	<i>litoralis</i>	1859,
<i>corallinus</i>	1859,		1851,
	84		142
<i>crucifer</i>	1858,		1858,
	160		497
<i>dhumnades</i>	1860,	<i>livia</i>	1859,
	163		187
<i>elegans</i>	1858,		1860,
	160		258
<i>fulvus</i>	1859,		1860,
	85		333
<i>irregularis</i>	1858,	<i>malaccensis</i>	1859,
	161		466
<i>irrorata</i>	1858,		1851,
	159		142
<i>lacteus</i>	1859,		1858,
	88		497
<i>lævis</i>	1858,	<i>monacha</i>	1859,
	161		187
<i>latonia</i>	1859,		1860,
	89		333
<i>lemniscatus</i>	1859,	<i>malaccensis</i>	1859,
	85		466
<i>melanurus</i>	1859,		1860,
	83		359
<i>naja</i>	1860,	<i>müllerii</i>	1858,
	117		186
<i>nasicornis</i>	1858,	<i>nicobarica</i>	1860,
	163		362
<i>nigromarginatus</i>	1860,	<i>nigrirostris</i>	1859,
	163		390
<i>palmarum</i>	1858,		1851,
	161		146
<i>philippsii</i>	1858,	<i>oenas</i>	1855,
	160		34
<i>quadrilineatus</i>	1858,		1858,
	378		187
<i>rufescens</i>	1858,	<i>olax</i>	1859,
	161		465
<i>scaber</i>	1858,		1851,
	161		142
<i>sebæ</i>	1858,		1857,
	164		12
<i>sibilans</i>	1858,	<i>palumbus</i>	1859,
	160		187
<i>Columba alba</i>	1858,		1860,
	186		258
	1859,		1860,
	466		416
<i>albicapilla</i>	1860,	<i>perlata</i>	1858,
	361		185
<i>albilinea</i>	1860,	<i>perspicillata</i>	1860,
	63		360
		<i>phasianella</i>	1858,
			187
		<i>pinon</i>	1858,
			186
		<i>purpurea</i>	1859,
			465

	Page		Page
<i>Columba reinwardtii</i> ..	1860, 361	<i>Colymbus glacialis</i>	1859, 206
	{ 1859, 147	<i>pacificus</i>	1859, 207
<i>rufina</i>	{ 1860, 97	<i>Comatula rosea</i>	1859, 494
	{ 1860, 289	<i>Cominella crocea</i>	1853, 97
<i>rupestris</i>	{ 1859, 400	<i>elongata</i>	1856, 356
	{ 1859, 61	<i>maura</i>	1854, 313
<i>speciosa</i>	{ 1860, 298	<i>quoyana</i>	1854, 313
	{ 1860, 415	<i>Cominia maculata</i>	1854, 102
<i>striata</i>	{ 1859, 466	<i>Compsocoma elegans</i> ..	1856, 238
	{ 1858, 184	<i>flavinucha</i>	{ 1855, 84
<i>superba</i>	{ 1860, 360	{ 1856, 238	
<i>superciliaris</i>	{ 1859, 467	{ 1855, 84	
<i>suratensis</i>	{ 1860, 361	<i>notabilis</i>	{ 1856, 239
<i>sylvatica</i>	{ 1859, 466	{ 1855, 84	
<i>tigrina</i>	{ 1859, 467	{ 1856, 238	
<i>trigonigera</i>	{ 1850, 219	<i>sumptuosa</i>	{ 1859, 139
<i>trocaz</i>	{ 1851, 142	{ 1860, 86	
<i>trudeauii</i>	{ 1856, 309	{ 1855, 84	
	{ 1851, 146	<i>victorinii</i>	{ 1855, 157
<i>turtur</i>	{ 1857, 12	{ 1856, 238	
<i>vernans</i>	{ 1859, 465	<i>Compsothlypis brasiliانا</i>	1855, 143
	{ 1856, 30	<i>mexicana</i>	1858, 299
<i>vinacea</i>	{ 1860, 289	<i>Conchoderma virgata</i> ..	1858, 372
<i>viridis</i>	{ 1859, 465	<i>Concholepas antiquatus</i>	1856, 3
<i>zoeae</i>	{ 1858, 186	<i>subrufus</i>	1856, 4
<i>Columbella albinodulosa</i>	1851, 3	(<i>Corallioba</i>) <i>fimbri-</i>	
<i>australis</i>	1851, 5	<i>ata</i>	1852, 93
<i>austrina</i>	1851, 9	{ 1855, 75	
<i>baccata</i>	1851, 9	<i>Conirostrum albifrons</i> .	{ 1855, 138
<i>californiana</i>	1851, 12	{ 1859, 138	
<i>cancellata</i>	1851, 6	<i>atrocyaneum</i>	{ 1855, 75
<i>conspersa</i>	1851, 11	{ 1858, 452	
<i>contaminata</i>	1851, 7	<i>bicolor</i>	{ 1855, 75
<i>formosa</i>	1851, 11	<i>ceruleifrons</i>	{ 1855, 75
<i>hirundo</i>	1851, 12	{ 1855, 138	
<i>interrupta</i>	1851, 3	<i>cinereum</i>	1855, 75
<i>intexta</i>	1851, 7	<i>columbianum</i>	1855, 75
<i>iodostoma</i>	1851, 13	<i>ferrugineiventre</i> ..	1855, 74
<i>leucostoma</i>	1851, 4	<i>flaviventre</i>	1854, 252
<i>lineata</i>	1860, 399	{ 1858, 452	
<i>marquesa</i>	1851, 8	<i>fraserii</i>	{ 1860, 63
<i>pacifica</i>	1851, 4	{ 1860, 65	
<i>pellucida</i>	1860, 399	<i>fuscum</i>	1855, 75
<i>pulla</i>	1851, 6	<i>ornatum</i>	{ 1855, 75
<i>sagitta</i>	1851, 10	{ 1856, 37	
<i>santa-barbarensis</i> ..	1856, 203	<i>rufum</i>	{ 1855, 75
<i>tenuis</i>	1851, 2	{ 1858, 452	
<i>varicosa</i>	{ 1851, 5	<i>sitticolor</i>	{ 1855, 138
	{ 1858, 450	{ 1855, 75	
<i>Columbula cruziana</i> ..	{ 1858, 461	{ 1858, 299	
	{ 1860, 289	<i>Conopophaga angusti-</i>	1855, 146
<i>Colus strabonis</i>	1850, 112	<i>rostris</i>	1858, 252
<i>tartarica</i>	1850, 112	{ 1855, 145	
	{ 167	<i>ardesiaca</i>	{ 1857, 47
<i>Colymbus adamsii</i>	1859, 201	{ 1858, 286	
	{ 206	<i>aurita</i>	{ 1854, 113
<i>arcticus</i>	1859, 207	{ 1858, 285	
<i>glacialis</i>	1851, 146		

	Page		Page
<i>Conopophaga castaneiceps</i>	{ 1857, 47 1858, 286 1856, 29	<i>Conurus astec</i>	1850, 388
<i>cucullata</i>	{ 1858, 287 1858, 287	<i>aureus</i>	1857, 230
<i>dorsalis</i>	1858, 287	<i>callipterus</i>	1855, 162
<i>leucotis</i>	1858, 285	<i>chloropterus</i>	{ 1857, 225 234
<i>lineata</i>	1858, { 68 285	<i>erythrogenys</i>	{ 1859, 146 1860, 71 1860, 287
<i>melanogastra</i>	1858, 285	<i>guianensis</i>	{ 225 266
<i>melanops</i>	1858, 286	<i>holochlorus</i>	1859, 368
<i>nævia</i>	1858, 253	<i>jugularis</i>	1858, 76
<i>nævioides</i>	1858, 254	<i>maugæi</i>	1857, 225
<i>nana</i>	{ 1855, 145 1858, 284	<i>melanurus</i>	1857, 266
<i>nigrogenys</i>	1858, 287	<i>murinus</i>	{ 1859, 434 1860, 417
<i>perspicillata</i>	1858, 286	<i>nanus</i>	1857, 225
<i>peruviana</i>	{ 1857, 47 1858, 68 1858, 286	<i>petzi</i>	1857, 230
<i>ruficeps</i>	{ 1855, 149 1858, 287	<i>placens</i>	1860, 357
<i>theresæ</i>	1858, 253	<i>rubrilarvatus</i>	1859, 146
<i>torrida</i>	1858, { 68 285	<i>wagleri</i>	1855, 162
<i>vulgaris</i>	1858, 285	<i>weddellii</i>	1858, 76
<i>Conops stylatus</i>	1850, 270	<i>Conus achatinus</i>	1856, 206
<i>Conopsis nasus</i>	1860, 316	<i>anceps</i>	1853, 119
<i>Conovulus ater</i>	1854, 10	<i>angulatus</i>	1853, 118
<i>coffeus</i>	1854, 9	<i>assimilis</i>	1853, 118
<i>coniformis</i>	1854, 9	<i>cælatus</i>	1853, 117
<i>cumingianus</i>	1854, 31	<i>commodus</i>	1853, 117
<i>elongatus</i>	1854, 11	<i>comptus</i>	{ 1853, 119 1856, 206
<i>fasciatus</i>	1854, 11	<i>connectens</i>	1854, 136
<i>fuscus</i>	1854, 9	<i>cyanostomus</i>	1853, 116
<i>globulus</i>	1854, 11	<i>dealbatus</i>	1853, 117
<i>luteus</i>	1854, 10	<i>desidiosus</i>	1853, 119
<i>maurus</i>	1854, 11	<i>fasciatus</i>	1853, 119
<i>nitens</i>	1854, 10	<i>fusiformis</i>	1860, 398
<i>pellucidus</i>	1854, 11	<i>hevassii</i>	1853, 118
<i>sciari</i>	1854, 10	<i>inexus</i>	1853, 118
<i>triplicatus</i>	1854, 35	<i>lithoglyphus</i>	1854, 136
<i>Contopus ardesiacus</i> ..	{ 1859, 44 1859, 144 1860, 92	<i>luridus</i>	1853, 118
<i>bogotensis</i>	{ 1858, 459 1859, 44	<i>neglectus</i>	{ 1853, 117 1860, 398
<i>borealis</i>	{ 1858, 301 1859, 43 1859, 44 1859, 366 1859, 384	<i>nigrescens</i>	1859, 429
<i>mesoleucos</i>	1859, { 43 44	<i>novæ-hollandiæ</i> ..	1853, 119
<i>sordidulus</i>	1859, { 43 44	<i>optabilis</i>	1853, 116
<i>virens</i>	1859, 44	<i>præcellens</i>	1853, 119
<i>Conurus astec</i>	{ 1857, 230 1859, 59	<i>proximus</i>	1859, 429
		<i>pulchellus</i>	1853, 118
		<i>pulcher</i>	1853, 117
		<i>purpurascens</i>	1856, 206
		<i>pusillus</i>	1856, 206
		<i>ravus</i>	1856, 206
		<i>selectus</i>	1855, 121
		<i>siamensis</i>	1860, 17
		<i>spectabilis</i>	1853, 117
		<i>sticticus</i>	1853, 117
		<i>stigmaticus</i>	1853, 119
		<i>succinctus</i>	1853, 118

	Page		Page
<i>Conus sulciferus</i>	1853, 116	<i>Corbicula cyreniformis</i> ..	1860, 321
<i>traillii</i>	1855, 121	<i>grandis</i>	1854, 344
<i>vinctus</i>	1853, 118	<i>incrassata</i>	1854, 342
<i>Copiopteryx semiramis</i> ..	1849, 36	<i>malaccensis</i>	1854, 343
<i>Copsychus amoenus</i>	1854, 282	<i>maxima</i>	1860, 321
<i>mindanensis</i>	1854, 282	<i>obscura</i>	1854, 342
<i>sularis</i>	{ 1857, 94	<i>obsoleta</i>	1854, 343
	{ 1858, 491	<i>orientalis</i>	1860, 16
	{ 1859, 150	<i>ovalina</i>	1854, 343
	{ 1859, 151	<i>ovalis</i>	1860, 321
	{ 1854, 113	<i>regularis</i>	1860, 321
<i>Copurus filicauda</i>	1855, 148	<i>semisulcata</i>	1854, 343
	{ 1855, 148	<i>squalida</i>	1854, 342
	{ 1858, 71	<i>striatella</i>	1854, 344
	{ 1860, 294	<i>sulcatina</i>	1854, 345
<i>pœcilonotus</i>	1860, 294	<i>tenuistriata</i>	1860, 322
<i>Coracia micans</i>	1853, 110	<i>triangularis</i>	1854, 345
	{ 1850, 216	<i>trigona</i>	1854, 344
<i>Coracias abyssinica</i> ..	1860, 197	<i>tumida</i>	1854, 343
	{ 1850, 150	<i>Corbis cœlatus</i>	1853, 69
<i>affinis</i>	1859, 151	<i>scitulus</i>	1853, 70
	{ 1850, 216	<i>Corbula decussata</i>	1850, 86
	{ 1860, 109	<i>polychroma</i>	1856, 198
<i>caudata</i>	1856, 70	<i>Corethrura cayennensis</i> {	1854, 115
<i>cayana</i>	1856, 70	<i>rubra</i>	1859, 64
<i>cayennensis</i>	1856, 70	<i>perspicua</i>	1860, 300
<i>garrula</i>	1859, 172	<i>Coriocella</i>	1853, 35
	{ 1857, 98	<i>solitaria</i>	1858, 182
	{ 1858, 474	<i>Coriphilus placentis</i> ..	{ 1860, 357
	{ 1859, 172	<i>solitarius</i>	1860, 357
<i>levaillantii</i>	1850, 216	<i>Cornalia australasiæ</i> ..	1858, 321
<i>naevia</i>	1850, 216	<i>Cornufer unicolor</i>	1858, 396
<i>nuchalis</i>	1850, 216		{ 414
	{ 1854, 267	<i>Cornuoides major</i>	1858, { 416
	{ 1860, 345		{ 425
	{ 1858, 171	<i>minor</i>	1858, { 414
	{ 1859, 163		{ 436
	{ 1859, 164	<i>Coronaria coronata</i>	1854, 194
	{ 1854, 267	<i>coronula</i>	1854, 194
	{ 1858, 180	<i>tiarella</i>	1854, 194
<i>varians</i>	1848, 21	<i>Coronella australis</i>	1858, 384
<i>Coracopsis ? personata</i> ..	1848, 117	<i>austriaca</i>	1858, 378
<i>Corades enyo</i>	1848, 117	<i>callicephal</i>	1860, 162
<i>Coralliobia cancellata</i> ..	1860, 399		{ 1858, 378
<i>Coralliophila californica</i>	1855, 121	<i>cucullata</i>	{ 1859, 470
<i>radula</i>	1854, 137		{ 1860, 428
<i>Corallium johnsonii</i>	1860, 393		{ 1859, 412
<i>nobile</i>	1857, 287		{ 1860, 455
	{ 1857, 285	<i>decorata</i>	{ 1858, 162
	{ 1857, 287		{ 1860, 428
	{ 1859, 480	<i>fuliginoides</i>	{ 1860, 428
	{ 1860, 394	<i>girundica</i>	1858, 378
	{ 1857, 287	<i>olivacea</i>	1860, 428
<i>rubrum</i>	1859, 480	<i>puncticulata</i>	1860, 161
	{ 1860, 394	<i>semionata</i>	1860, 428
	{ 1857, 287	<i>triangularis</i>	1858, 161
<i>secundum</i>	1860, 394	<i>(Meizodon) bitor-</i>	
<i>Corbicula ambigua</i>	1854, 345	<i>quata</i>	1860, 428
<i>bengalensis</i>	1854, 344	<i>(—) dumerilii</i> ..	1860, 429
<i>bensonii</i>	1854, 345		
<i>cashmiriensis</i>	1854, 344		
<i>convexa</i>	1854, 342		

	Page		Page
Coronella (Meizodon) re-		Corvus pyrrhopterus ...	1860, 355
gularis	1860, 428	scapulatus	1850, 127
Corotoca melantho ...	1853, 102	}	1854, 143
phylo	1853, 102	}	1855, 127
Corucia zebrata	1855, 218	splendens	1857, 97
Corvus balicassius ...	1854, 271	}	1858, 477
caesius	1859, 162	}	1859, 171
caledonicus	{ 1850, 86	thibetanus	{ 1858, 477
carnivorus	1860, 252	}	1859, 171
cinereus	1859, 162	umbrinus	1850, 217
collurio	1856, 79	validissimus	1860, 354
}	1851, 145	validus	1860, 354
corax	{ 1858, 477	violaceus	1860, 354
}	1859, 171	yncas	1854, 114
}	1859, 436	Corsira caudata	1856, 400
}	1858, 477	newera ellia	1850, { 156
cornix	1860, 258	}	1850, 156
}	1851, 145	}	1850, 159
}	1858, 478	}	1856, 400
corone	{ 1859, 163	Corydon sumatranus ...	1854, 267
}	1859, 171	temminckii	1854, 267
coronoides	1859, 157	Corynactis allmanni ...	1859, 434
}	1854, 144	heterocera	1853, 107
}	1855, 127	Corynetes compactus ..	1852, 54
culminatus	{ 1857, 98	}	1858, 382
}	1858, 477	}	1860, 115
}	1859, 171	Coryphodon blumen-	1860, 163
}	1859, 445	bachii	{ 1860, 168
cyaneus	1850, 85	}	1860, 170
enca	1860, 354	}	1860, 171
}	1856, 40	carinatus	1860, { 163
}	1858, 477	}	1860, { 167
frugilegus	{ 1859, 171	fasciolatus	1860, 163
}	1860, 258	korros	{ 1860, 115
fuscicapillus	1859, 157	}	1860, { 163
galericulatus ...	{ 1850, 79	rhombifer	1860, { 233
}	1859, 446	}	1860, { 236
}	1850, 81	Coryphospingus cruentus	1860, 276
glandarius	{ 1857, 215	Coryphospiza pileata ..	1855, 160
inflatus	1859, 163	Corystes cassivelaunus ..	1859, 494
intermedius	1859, 171	Corythaix buffonii ...	1860, 183
jamaicensis	1857, 232	Corythophanes cristata ..	1860, 453
javanensis	1859, 444	Corythopsis anthoides ..	1858, 288
leucognaphalus ...	1857, 232	calcarata	1858, 287
leuconotus	1850, 217	nigricincta	1858, 288
leverianus	1856, 79	torquata	1858, 288
}	1858, 180	Cossypha natalensis ...	1860, 110
macrorhynchus ..	{ 1859, 446	Cossyphus darwinii ...	1850, 249
melanops	1858, 179	gouldii	1850, 72
}	1857, 12	maldat	1850, 72
monedula	{ 1858, 478	vulpinus	1850, 71
}	1859, 171	Cotinga amabilis	{ 1857, 64
moneduloides ...	1859, 163	}	1860, 252
orru	{ 1858, 180	cincta	1857, 65
}	1859, 157	maynana	1857, { 65
peruvianus	1854, 114	}	1857, { 265
pica	1857, 12		

	Page		Page
<i>Cotinga maynana</i>	1858, 71	<i>Craticula calathisca</i>	1854, 212
<i>nattererii</i>	1855, 152	<i>ferraria</i>	1854, 211
<i>tshudii</i>	1855, 152	<i>fusca</i>	1854, 211
<i>Coturniculus henslowii</i> {	1856, 305	<i>millegrana</i>	1854, 211
<i>passerinus</i>	1857, 82	<i>monticola</i>	1854, 212
<i>peruanus</i>	1859, 379	<i>Crax albertii</i>	1850, 246
<i>Coturnix argoondah</i>	1855, 31	<i>alector</i>	{ 1850, 246
<i>communis</i>	1858, 504	{ 1857, 19
<i>coromandelica</i>	1858, 504	{ 1859, 61
<i>dactylisonans</i>	{ 1850, 220	{ 1859, 212
.	{ 1855, 31	{ 1860, 253
.	{ 1858, 504	<i>globicera</i>	{ 206
<i>pentah</i>	{ 1859, 186	{ 242
<i>textilis</i>	{ 1855, 31	<i>Crenella bulla</i>	{ 253
.	{ 1857, 212	<i>undulata</i>	1856, 366
<i>Cotyle flavigastra</i>	{ 1859, 364	<i>Crenidens zebra</i>	1854, 108
<i>fulvipennis</i>	{ 1860, 274	<i>Crenidens zebra</i>	1850, 67
<i>riparia</i>	{ 1859, 364	<i>Crepidula aculeata</i>	1856, 225
<i>ruficollis</i>	{ 1858, 495	<i>californica</i>	1856, 225
<i>ruficollis</i>	{ 1859, 176	<i>explanata</i>	{ 205
<i>serripennis</i>	{ 1860, 292	{ 225
.	{ 1856, 285	<i>exuviata</i>	{ 205
.	{ 1859, 364	{ 225
<i>sinensis</i>	{ 1853, 495	<i>lacustris</i>	1856, 87
<i>subscata</i>	{ 1859, 176	<i>minuta</i>	1853, 87
<i>Coua cristata</i>	1857, 8	<i>navicelloides</i>	1856, 225
<i>madagascariensis</i>	1857, 8	<i>nummaria</i>	1856, 225
<i>reynaudii</i>	1857, 8	<i>oblonga</i>	1853, 87
<i>ruficeps</i>	1857, 8	<i>perforans</i>	{ 205
<i>Crab-eater, The</i>	1851, 59	{ 225
<i>Cracticus destructor</i>	1860, 242	<i>rugosa</i>	1856, 224
<i>nigrogularis</i>	1848, 40	<i>Creseis rugulosa</i>	1858, 425
<i>personatus</i>	{ 1858, 180	<i>Creurgops verticalis</i>	1858, 73
.	{ 1859, 157	<i>Crex baillonii</i>	{ 1851, 146
<i>picatus</i>	1848, 40	<i>pratensis</i>	{ 1858, 560
<i>quoyi</i>	1858, 180	{ 1850, 221
<i>Craneosaura seemanni</i>	1860, 234	<i>Cribrina coriacea</i>	1858, 148
<i>Craspedaria delphinula</i>	1854, 193	<i>Cricula trifenestrata</i>	1859, 245
.	{ 1849, 100	<i>Criniger cantori</i>	1854, 279
.	{ 1849, 106	<i>flavicaudus</i>	1860, 351
.	{ 1859, 89	<i>gularis</i>	1854, 279
.	{ 1859, 414	<i>Crithragra brasiliensis</i>	1859, 100
<i>Craspedocephalus atrox</i> {	1859, 414	<i>lutea</i>	1850, 218
<i>bilineatus</i>	1859, 414	<i>Crocodylus acutus</i>	1858, 319
<i>leucurus</i>	{ 89	<i>americanus</i>	{ 402
.	{ 414	{ 434
<i>Craspedopoma lucidum</i>	1854, 216	<i>binuensis</i>	1857, 50
<i>lyonnetianum</i>	1854, 217	<i>cataphractus</i>	{ 1857, 57
<i>Crassatella bellula</i>	1852, 95	{ 1858, 167
<i>compta</i>	1852, 95	<i>galeatus</i>	1860, 116
<i>concinna</i>	1852, 95	<i>leptorhynchus</i>	{ 1857, 57
<i>cumingii</i>	1852, 90	{ 1858, 167
<i>lævis</i>	1852, 94	<i>marginatus</i>	1857, 49
<i>obesa</i>	1852, 90	<i>vulgaris</i>	1857, 49
<i>obscura</i>	1852, 94	<i>Crotalus durissus</i>	1849, 93
<i>speciosa</i>	1852, 94	<i>horridus</i>	1858, 386
<i>truncata</i>	1852, 95	{ 1857, 234
		<i>Crotophaga ani</i>	{ 1860, 285

	Page		Page
<i>Crotophaga major</i>	1857,		
	268	<i>Cuculus curvirostris</i>	1859,
<i>rugirostris</i>	1858,		458
	359	<i>dumetorum</i>	1857,
	1856,		26
	1859,	<i>flavus</i>	1859,
	309		458
	1859,	<i>fugax</i>	1859,
	368		459
<i>sulcirostris</i>	1859,	<i>hyperythrus</i>	1856,
	388		96
	1860,	<i>inornatus</i>	1859,
	285		222
	1860,	<i>lathamii</i>	1859,
	297		459
<i>Crucibulum auriculatum</i>	1856,	<i>lucidus</i>	1859,
	168		459
<i>corrugatum</i>	1856,	<i>lugubris</i>	1859,
	204		459
<i>cumingii</i> , var. <i>carib-</i>		<i>malayanus</i>	1859,
<i>beense</i>	1856,		184
	167	<i>melanoleucus</i>	1850,
<i>imbricatum</i> , var. <i>bro-</i>			219
<i>deripii</i>	1856,	<i>merulinus</i>	1859,
	168		458
<i>imbricatum</i> , var. <i>cu-</i>		<i>mexicanus</i>	1859,
<i>mingii</i>	1856,		388
	167	<i>micropterus</i>	1859,
<i>pectinatum</i>	1856,		459
	168	<i>nisicolor</i>	1859,
<i>rude</i>	1856,		459
	168	<i>passerinus</i>	1850,
<i>spinosum</i>	1856,		219
	225	<i>pica</i>	1850,
<i>spinosum</i> , var. <i>com-</i>		<i>poliogaster</i>	1860,
<i>presso-conicum</i>	1856,		359
	167	<i>præsagus</i>	1860,
<i>umbrella</i>	1856,		359
	168	<i>pravata</i>	1859,
<i>violascens</i>	1856,		458
	166	<i>sepulcralis</i>	1860,
	1859,		359
<i>Crypsirhina varians</i>	150	<i>sonneratii</i>	1859,
	1860,		150
	354		458
<i>Cryptaxis leonina</i>	1854,	<i>strenuus</i>	1856,
	168		96
<i>undata</i>	1854,	<i>striatus</i>	1859,
	168		459
<i>vulcania</i>	1854,	<i>sumatranus</i>	1859,
	168		458
<i>Crypticus apiaster</i>	1857,	<i>tenuirostris</i>	1859,
	258		458
<i>carinatus</i>	1857,	<i>tymbonotus</i>	1860,
	257		359
<i>martii</i>	1857,	<i>varius</i>	1859,
	256		459
	1857,	<i>venustus</i>	1859,
<i>superciliaris</i>	257		458
	258	<i>viridis</i>	1859,
<i>Cryptodon nuttallii</i>	1856,		457
	210	(<i>Cacomantis</i>) <i>sepul-</i>	
<i>Cryptolopha cinereoca-</i>		<i>cralis</i>	1860,
<i>pilla</i>	1854,		359
	271	(—) <i>tymbonotus</i>	1860,
<i>Cryptomya californica</i>	1856,		359
	210	<i>Culex equinus</i>	1850,
<i>Cryptopodus aubryi</i>	1858,		258
	167	<i>Culicipeta poliogenys</i>	1854,
<i>Cryptopus aubryi</i>	1860,		106
	314	<i>Culicivora atricapilla</i>	1855,
	1858,		12
	167	<i>bilineata</i>	1855,
<i>senegalensis</i>	1860,		12
	314		34
	1860,	<i>boliviana</i>	1852,
	316		12
<i>Crystallus crystallina</i>	1854,		12
	178	<i>dumicola</i>	1855,
<i>Cteniza antipodum</i>	1849,		12
	3	<i>leucogastra</i>	1855,
<i>hexops</i>	1849,		12
	3	<i>mexicana</i>	1855,
<i>Cubina grandis</i>	1860,		12
	316	<i>stenura</i>	1855,
<i>Cuculus albopunctatus</i>	1859,		11
	459	<i>Cultellus caribbæus</i>	1856,
<i>assimilis</i>	1858,		212
	184	<i>cultellus</i>	1860,
<i>bengalensis</i>	1859,		212
	457	<i>dombeii</i>	1856,
<i>bronzinus</i>	1859,		212
	164	<i>strigillatus</i>	1856,
<i>canoroïdes</i>	1860,		212
	359	<i>Cultrides rufipennis</i>	1849,
	1851,		63
	145	<i>Cuma sulcata</i>	1856,
	1857,		42
	215	<i>Cumingia antillarum</i>	1850,
<i>canorus</i>	1858,		24
	476	<i>californica</i>	1856,
	1859,		213
	174	<i>clerii</i>	1850,
<i>chlorophæus</i>	1859,		24
	458	<i>fragilis</i>	1850,
<i>collaris</i>	1859,		25
	459	<i>similis</i>	1850,
<i>coromandus</i>	1859,		24
	459	<i>sinuosa</i>	1850,
			25
		<i>striata</i>	1850,
			25

	Page		Page
<i>Cuncuma leucogaster</i> ..	1858,	<i>Cyanocorax hyacinthinus</i>	1855,
<i>Cuneus truncatus</i>	1853,	incas	1855,
<i>Cuon primævus</i>	{ 1856,	luxuosus	1856,
<i>Cuora amboinensis</i>	1858,	melanocyaneus	1858,
trifasciata	1855,	nanus	{ 1857,
<i>Curimatus gilberti</i>	1859,	ornatus	1859,
<i>Cursorius chalcopterus</i> ..	1850,	peruvianus.....	1856,
coromandelicus	1858,	pileatus	1855,
<i>Curruca conspicillata</i> ..	1851,	pumilo	1857,
heinekenii	1851,	turcosus	1857,
<i>Cuscus albus</i>	1858,	ultramarinus	{ 1857,
amboinensis	1858,	unicolor	1857,
brevicaudatus	1858,	violaceus.....	{ 1858,
celebensis	{ 1858,	yncas	1854,
macrourus	1860,	<i>Cyanoloxia parellina</i> ..	1856,
maculatus	{ 1858,	<i>Cyanomyia cyanoce-</i>	1857,
orientalis.....	1858,	phala	1859,
ornatus	{ 1860,	franciæ	1855,
quoyii	1860,	quadricolor	{ 1856,
ursinus	{ 1860,	sordida	1859,
<i>Custa bicarinata</i>	1858,	violiceps.....	1859,
<i>Cyanalcyon funebris</i>	1859,	<i>Cyanophonia aureata</i> ..	1856,
<i>Cyanecula suecica</i>	1859,	musica	1856,
<i>Cyanicterus venustus</i> ..	404,	<i>Cyanopica cookii</i>	1850,
<i>Cyanocitta californica</i> .	492,	cyanea	1850,
coronata	{ 1857,	melanocephala	1850,
crassirostris	1858,	pallasi	1850,
diademata	302,	vallanti.....	1850,
floridana	{ 1859,	<i>Cyanopolius cooki</i>	1850,
nana	381,	<i>Cyanoptera discors</i>	1860,
ornata	{ 302,	<i>Cyanospiza ciris</i>	1859,
stelleri	359,	cyanea	1859,
turcosa	1859,	versicolor	1859,
ultramarina	57,	<i>Cyanotreron monachus</i> .	1860,
<i>Cyanocorax armillatus</i> .	{ 1857,	<i>Cyanura coronata</i>	1859,
azureus	1858,	<i>Cyanurus bullocki</i>	1850,
bicolor	397,	colliæ	1850,
coronatus	514,	coronatus	1859,
cyanocapillus.....	198,	cubo	1850,
guatemalensis	198,	diardi	1850,
harrisii	419,	dimidiatus.....	1859,
	220,	macrolophus	1859,
	504,	stelleri	1859,
	142,	<i>Cyathina smithii</i>	1849,
	142,	<i>Cyclanorbis petersii</i>	{ 1852,
	104,		1858,
	104,	<i>Cyclanosteus frenatus</i> .	{ 1860,
	102,		1860,
	{ 1858,		1860,
	105,		314
	2,		
	{ 101,		
	103,		
	{ 101,		
	108,		
	{ 1858,		
	104,		
	{ 1858,		
	109,		
	{ 1860,		
	2,		
	{ 1860,		
	3,		
	{ 1860,		
	1,		
	{ 374,		
	{ 1858,		
	104,		
	{ 1858,		
	109,		
	{ 1860,		
	2,		
	{ 1858,		
	103,		
	{ 1859,		
	404,		
	{ 1860,		
	346,		
	{ 1858,		
	492,		
	{ 1856,		
	122,		
	{ 1857,		
	127,		
	{ 1858,		
	302,		
	{ 1859,		
	381,		
	{ 302,		
	359,		
	{ 1859,		
	57,		
	{ 1860,		
	252,		
	{ 1856,		
	300,		
	{ 1857,		
	82,		
	{ 1857,		
	204,		
	{ 1859,		
	381,		
	{ 1859,		
	381,		
	{ 1857,		
	127,		
	{ 1858,		
	552,		
	{ 1860,		
	88,		
	{ 1857,		
	82,		
	{ 1855,		
	153,		
	{ 1857,		
	18,		
	{ 1857,		
	265,		
	{ 1857,		
	204,		
	{ 1859,		
	365,		
	{ 1855,		
	153,		
	{ 1859,		
	57,		
	{ 1855,		
	153,		

	Page		Page
<i>Cyclanosteus frenatus</i> ..	1860, 431	<i>Cyclorhynchus breviros-</i>	
	{ 1858, 167	<i>tris</i>	1859, 45
<i>petersii</i>	{ 1860, 5	<i>cinereiceps</i>	1859, 384
	{ 1860, 314	<i>fulvipectus</i>	1860, 92
<i>Cyclemys dentata</i>	1860, 315	<i>olivaceus</i>	{ 1858, 70
<i>platynota</i>	1855, 198	{ 1859, 45	{ 282
<i>Cyclina bombycina</i>	1855, 198	<i>subbrunneus</i>	{ 295
<i>pectunculus</i>	1860, 124	<i>Cyclostoma adolfi</i>	1852, 142
<i>producta</i>	1860, 125	<i>alabastrinum</i>	1854, 126
<i>sinensis</i>	1856, 161	<i>alatum</i>	1851, 250
<i>splendida</i>	1853, 25	<i>alternans</i>	1851, 249
<i>subquadrata</i>	1860, 124	<i>amboinense</i>	1852, 144
<i>Cycloderma frenatum</i> ...	1856, 201	<i>amoenum</i>	1852, 62
<i>Cyclope (Nasa) neriti-</i>	1860, 431	<i>angustatum</i>	1854, 128
<i>nea</i>	1856, 42	<i>aplustre</i>	1849, 15
<i>Cyclophis calamaria</i> ...	1858, 383	<i>appendiculatum</i> ..	1852, 61
<i>Cyclophorus æquivocus</i> ..	1857, 112	<i>articulatum</i>	1859, 204
<i>alabastrinus</i>	1854, 126	<i>bairdii</i>	1852, 144
<i>cereus</i>	1854, 301	<i>barclayanum</i>	1852, 158
<i>confluens</i>	1860, 140	<i>belairii</i>	1857, 209
<i>convexusculus</i>	1855, 104	<i>bensonii</i>	1852, 158
<i>cytora</i>	1849, 167	<i>biciliatum</i>	1851, 72
<i>deplanatus</i>	1854, 301	<i>bicolor</i>	1852, 145
<i>exaltatus</i>	1854, 300	<i>birostre</i>	1854, 300
<i>excellens</i>	1854, 126	<i>blandum</i>	1852, 143
<i>flavidus</i>	1860, 11	<i>boivini</i>	1857, 209
<i>floridus</i>	{ 1854, 300	<i>borneensis</i>	1851, 71
{ 1860, 10		<i>borni</i>	1852, 63
<i>forbesi</i>	1855, 104	<i>bourcierii</i>	1852, 151
<i>involutus</i>	1860, 11	<i>canescens</i>	1851, 245
<i>labiosus</i>	1853, 51	<i>carinatum</i>	1859, 204
<i>lignarius</i>	1857, 112	<i>carolinense</i>	1852, 65
<i>piriæanus</i>	1853, 51	<i>castaneum</i>	1851, 251
<i>polynema</i>	1854, 126	<i>castum</i>	1854, 150
<i>punctatus</i>	1860, 11	<i>cattaroënsis</i>	1854, 305
<i>shiplayi</i>	1856, 337	<i>cereum</i>	1854, 301
<i>siamensis</i>	1860, 10	<i>chinense</i>	1854, 299
<i>spironema</i>	1854, 127	<i>chloriticum</i>	1854, 151
<i>sumatranus</i>	1854, 301	<i>chrysalis</i>	1852, 158
<i>teniatus</i>	1854, 301	<i>cinclodes</i>	1852, 142
<i>thwaitesii</i>	1854, 127	<i>comorense</i>	1854, 151
<i>Cyclopsitta diophthalma</i>	1858, 183	<i>conula</i>	1854, 127
<i>Cyclorhamphus mar-</i>	{ 1859, 89	<i>crassum</i>	1851, 242
<i>moratus</i>	{ 415	<i>cumanense</i>	1851, 248
<i>Cyclorhis flavipectus</i> ...	1858, 448	<i>cumingii</i>	1850, 56
	{ 1856, 299	<i>cuvierianum</i>	1849, 15
<i>flaviventris</i>	{ 1858, 448	<i>denselineatum</i> ..	1852, 62
	{ 1859, 363	<i>deplanatum</i>	1854, 301
<i>guianensis</i>	1858, 448	<i>desciscens</i>	1851, 243
<i>nigrirostris</i>	{ 1855, 151	<i>diaphanum</i>	1851, 248
	{ 1858, 448	<i>disculus</i>	1851, 243
<i>ochrocephalus</i>	1858, 448	<i>dysoni</i>	1851, 243
<i>virenticeps</i>	1860, 274	<i>elatum</i>	1852, 159
<i>viridis</i>	1858, 448	<i>elegans</i>	1856, 147
<i>Cyclorhynchus æquino-</i>		<i>euchilum</i>	1851, 242
<i>tialis</i>	1858, 70	<i>eugeniæ</i>	1857, 209
<i>brevirostris</i>	1856, 296	<i>eusarcum</i>	1852, 143

	Page		Page
<i>Cyclostoma exaltatum</i>	1854, 300	<i>Cyclostoma pirrieianum</i>	1853, 51
<i>excellens</i>	1854, 126	<i>pleurophorum</i>	1851, 245
<i>expansilabre</i>	1852, 150	<i>plicosum</i>	1852, 61
<i>expansum</i>	1851, 242	<i>pœcilum</i>	1854, 302
<i>fallax</i>	1852, 65	<i>polynema</i>	1854, 126
<i>fasciculare</i>	1851, 245	<i>ponderosum</i>	1851, 243
<i>filosum</i>	1857, 210	<i>psilomitum</i>	1851, 250
<i>flammeum</i>	1854, 127	<i>ptero-cycloides</i>	1854, 300
<i>floridum</i>	1854, 300	<i>puncticulatum</i>	1854, 128
<i>formosum</i>	1849, 15	<i>purum</i>	1850, 56
<i>fornicatum</i>	1852, 146	<i>quitense</i>	1852, 61
<i>fortunei</i>	1852, 146	<i>radula</i>	1851, 246
<i>fulguratum</i>	1852, 63	<i>recluzianum</i>	1853, 51
<i>fusculum</i>	1851, 251	<i>regulare</i>	1851, 244
<i>gibbosum</i>	1852, 151	<i>rostratum</i>	1852, 66
<i>gradatum</i>	1854, 303	<i>rusticum</i>	1851, 250
<i>grateloupi</i>	1851, 246	<i>saccatum</i>	1852, 65
<i>griseum</i>	1853, 51	<i>scalare</i>	1851, 250
<i>guatemalense</i>	1851, 235	<i>sechellarum</i>	1854, 302
<i>guttatum</i>	1851, 251	<i>semiclausum</i>	1854, 302
<i>harpa</i>	1851, 247	<i>sericatum</i>	1851, 244
<i>heliciniforme</i>	1852, 151	<i>shuttleworthi</i>	1851, 246
<i>hemiotum</i>	1852, 143	<i>simplex</i>	1852, 143
<i>himalayanum</i>	1851, 242	<i>spironema</i>	1854, 127
<i>histrion</i>	1851, 247	<i>striatulum</i>	1852, 147
<i>ibyatense</i>	1852, 62	<i>subconicum</i>	1859, 27
<i>ignescens</i>	1851, 251	<i>subliratum</i>	1852, 65
<i>insulare</i>	1852, 64	<i>sumatrense</i>	1854, 301
<i>integrum</i>	1851, 247	<i>tæniatum</i>	1854, 301
<i>jucundum</i>	1852, 66	<i>tenuilabiatum</i>	1851, 71
<i>kienerii</i>	1854, 302	<i>thwaitesii</i>	1854, 127
<i>kraussianum</i>	1852, 64	<i>trochlea</i>	1851, 249
<i>kusteri</i>	1851, 249	<i>truncatulum</i>	1856, 22
<i>labiosum</i>	1853, 51	<i>tubuliferum</i>	1853, 51
<i>leucostomum</i>	1852, 144	<i>tubulum</i>	1857, 209
<i>ligatum</i>	1849, 16	<i>turritum</i>	1851, 248
<i>lineatum</i>	1852, 65	<i>undatum</i>	1851, 71
<i>liratum</i>	1852, 64	<i>unicolor</i>	1851, 243
<i>longicolle</i>	1854, 128	<i>venezuelense</i>	1853, 51
<i>loweanum</i>	1852, 142	<i>ventricosum</i>	1854, 304
<i>loxostomum</i>	1852, 146	<i>violaceum</i>	1851, 245
<i>lugubre</i>	1851, 249	<i>virgo</i>	1854, 150
<i>luridum</i>	1852, 63	<i>vitellinum</i>	1852, 64
<i>lutescens</i>	1851, 250	<i>(Aulopoma) grande</i>	1855, 104
<i>magnificum</i>	1852, 142	<i>(Chondropoma) cordovanum</i>	1856, 323
<i>margarita</i>	1851, 244	<i>(Cyclophorus) æquivocum</i>	1857, 112
<i>minutissimum</i>	1854, 305	<i>(—) boucardii</i>	1856, 323
<i>mite</i>	1852, 63	<i>(—) convexiusculum</i>	1855, 104
<i>montanum</i>	1854, 300	<i>(—) forbesianum</i>	1855, 104
<i>multiliratum</i>	1852, 150	<i>(—) lignarium</i>	1857, 112
<i>nobile</i>	1852, 142	<i>(—) shiplayi</i>	1856, 337
<i>orbigny</i>	1851, 149	<i>(Cyclostomus) anatonense</i>	1855, 105
<i>ovatum</i>	1851, 246	<i>(—) boivini</i>	1856, 338
<i>pallidum</i>	1851, 248	<i>(—) leve</i>	1855, 118
<i>parvispirum</i>	1854, 128		
<i>patera</i>	1852, 61		
<i>picturatum</i>	1852, 62		
<i>pingue</i>	1851, 248		

	Page		Page
<i>Cyclostoma</i> (<i>Cyclostoma</i>)		<i>Cyclotus bairdianus</i>	1857, 153
<i>microchasma</i>	1856, 338	<i>beswickii</i>	1857, { 145
(—) <i>principalis</i>	1859, 27	<i>birostratus</i>	1854, 300
(—) <i>sarcodes</i>	1856, 339	<i>bogotensis</i>	1855, 117
(—) <i>sinuatum</i>	1855, 104	<i>chinensis</i>	1854, 299
(<i>Cyclotus</i>) <i>bogotense</i>	1855, 117	<i>conicus</i>	1860, 10
(—) <i>daucinum</i>	1856, 337	<i>corrugatior</i>	1857, { 145
(—) <i>glaucostomum</i>	1855, 103	<i>corrugatissimus</i>	1857, { 145
(—) <i>irregulare</i>	1855, 117	<i>corrugatus</i>	1857, { 143
(—) <i>lindstedti</i>	1856, 391	<i>crassus</i>	1857, { 144
(—) <i>macgillivrayi</i>	1855, 103	<i>cycloatus</i>	1857, { 145
(—) <i>sordidum</i>	1855, 103	<i>daucinus</i>	1856, { 148
(<i>Leptopoma</i>) <i>barbatum</i>	1855, 104	<i>deburghæanus</i>	1857, { 145
(—) <i>duplicatum</i>	1856, 338	<i>dentistigmatus</i>	1857, { 152
(—) <i>hanleyanum</i>	1856, 384	<i>dubiosus</i>	1857, { 145
(—) <i>signatum</i>	1856, 338	<i>duffianus</i>	1857, { 149
(—) <i>wallacei</i>	1857, 112	<i>gemma</i>	1857, { 142
(<i>Opisthoporus</i>) <i>cochinchinensis</i>	1856, 337	<i>glaucostomus</i>	1855, { 145
(—) <i>euryomphalum</i>	1856, 337	<i>inutilis</i>	1857, { 155
(<i>Otopoma</i>) <i>listeri</i>	1859, 204	<i>irregularis</i>	1855, { 117
<i>Cyclostomus</i> <i>annatonensis</i>	1855, 105	<i>jamaicensis</i>	1857, { 142
<i>boivini</i>	1856, 338	<i>jugosus</i>	1857, { 144
<i>gradatus</i>	1854, 303	<i>lindstedti</i>	1856, 391
<i>kienerii</i>	1854, 302	<i>macgillivrayi</i>	1855, 103
<i>levis</i>	1855, 118	<i>montanus</i>	1854, 300
<i>microchasma</i>	1856, 338	<i>nodosus</i>	1857, { 145
<i>parvispirus</i>	1854, 128	<i>notatus</i>	1857, { 157
<i>sarcodes</i>	1856, 339	<i>notatus</i>	1857, { 145
<i>sinuatus</i>	1855, 105	<i>novæ-spei</i>	1857, { 148
<i>Cyclostrema</i> <i>angulata</i>	1850, 44	<i>novus-saltus</i>	1857, { 145
<i>cancellata</i>	1850, 41	<i>pallescens</i>	1857, { 154
<i>cingulifera</i>	1850, 43	<i>parvus</i>	1857, { 156
<i>cobijensis</i>	1850, 42	<i>perpallidus</i>	1857, { 145
<i>elegans</i>	1850, 44	<i>perpallidus</i>	1857, { 145
<i>excavata</i>	1856, 169		
<i>granulata</i>	1853, 183		
<i>micans</i>	1850, 44		
<i>nitida</i>	1850, 43		
<i>nivea</i>	1850, 42		
<i>octolirata</i>	1856, 169		
<i>pentagoniostoma</i>	1856, 169		
<i>plana</i>	1850, 43		
<i>planorbula</i>	1850, 43		
<i>reeviana</i>	1850, 42		
<i>spirula</i>	1850, 42		
<i>sulcata</i>	1850, 44		
<i>Cyclothurus</i> <i>didactylus</i> { 1851, 219			
{ 1856, 139			
{ 1859, 450			
<i>Cyclotus</i> <i>asperulus</i>	1857, { 143		
<i>bairdianus</i>	1857, { 145		
	1857, 145		

	Page		Page
<i>Cyclotus portlandensis</i> .. 1857,	{ 145	<i>Cylindrella flammulata</i> . 1852,	141
	147	ghiesbreghtii	1856, 380
pretiosus 1857,	{ 145	gouldiana	1851, 149
	153	grandis	1860, 139
ptero-cycloides 1854,	300	greyana	1857, 163
recluzianus 1853,	51	macrostoma	1857, 111
ruber 1857,	{ 145	malleata	1852, 140
	153	menkeana	1852, 140
rudis-planusque .. 1857,	{ 145	mexicana	1860, 139
	152	monilifera	1851, 148
rufilabris 1857,	{ 145	polygyra	1856, 322
	156	punctura	1852, 141
rupis-frontis 1857,	{ 145	salleana	1851, 149
	155	seminula	1860, 410
	144	sericea	1849, 134
seminudus 1857,	{ 145	splendida	1860, 139
	152	turris	1856, 380
sordidus 1855,	103	zebrina	1852, 68
striosus 1857,	{ 145	<i>Cylindrophis maculata</i> . 1858,	383
	156	<i>Cylindrus erythrostoma</i> . 1858,	42
subrugosus 1857,	{ 143	nigellus	1858, 42
	145	<i>Cyllene concinna</i>	1850, 205
	149	fuscata	1850, 205
	143	glabrata	1850, 206
suturalis 1857,	{ 145	grana	1850, 205
	149	grayi	1850, 205
tubulifera 1853,	51	lugubris	1850, 205
varians 1857,	{ 144	lyrata	1850, 205
	145	orientalis	1850, 205
	149	owenii	1850, 205
westmorelandensis . 1857,	{ 145	pallida	1850, 205
	156	pulchella	1850, 205
zigzag 1857,	{ 145	striata	1850, 205
	150	unimaculata	1855, 123
<i>Cyclura collei</i> 1849,	106	<i>Cymatium polygonum</i> .. 1851,	230
lophoma 1848,	99	<i>Cymba cymbium</i>	1855, 52
<i>Cygnus atratus</i> { 1859, 206		gracilis	1855, 52
	1860, 258	neptuni	1855, 52
	1860, 416	olla	1855, 51
coscoroba 1860,	388	patula	1855, 52
ferus 1849,	28	porcina	1855, 52
gambensis 1860,	42	proboscidalis	1855, 52
	1859, 98	rubiginosa	1855, 52
nigricollis { 1859, 206		tritonis	1855, 52
	1860, 388		
<i>Cylichna carpenteri</i> 1858,	543	<i>Cymbilanius lineatus</i> . { 1854, 112	
<i>Cylichnidia cylichna</i> .. 1854,	206	1858, 65	
ovuliformis 1854,	206	1858, 206	
<i>Cylindrella adamsiana</i> .. 1851,	148	<i>Cymbiola ancilla</i>	1855, 57
apiostoma 1856,	322	beckii	1855, 58
arctospira 1860,	139	brasiliانا	1855, 57
blandiana 1852,	68	colocynthis	1855, 57
boucardi 1856,	321	ferussacii	1855, 58
carinata 1852,	68	festiva	1855, 61
chordata 1855,	117	magellanica	1855, 57
clava 1856,	380	mitis	1855, 56
cretacea 1860,	140	nivosa	1855, 56
eximia 1858,	23	pacifica	1855, 58
		tuberculata	1855, 58

	Page		Page
<i>Cymbiola turnerii</i>	1853, 36	<i>Cyphorinus albicularis</i> {	1855, 76
<i>vespertilio</i>	1855, 56		1857, 4
<i>Cymbirhynchus affinis</i>	1859, 150	<i>griseicollis</i>	1860, 64
<i>macrorhynchus</i>	1854, 267	<i>leucostictus</i>	1855, 77
<i>Cymbium æthiopicum</i>	1855, {	<i>modulator</i>	1858, 63
<i>armatum</i>	1855, {	<i>phæocephalus</i>	1858, 63
<i>broderipii</i>	1855, {	<i>prostheleucus</i>	1860, 291
<i>cisium</i>	1855, {	<i>pusillus</i>	1858, 64
<i>coronatum</i>	1855, 54	<i>Cypræa adusta</i>	1858, 96
<i>cymbium</i>	1855, 52	<i>barclayi</i>	1859, 363
<i>diadema</i>	1855, {	<i>bicolor</i>	1859, 372
<i>georginæ</i>	1855, {	<i>clara</i>	1839, 372
<i>gracile</i>	1855, 53	<i>compta</i>	1848, 97
<i>indicum</i>	1855, 53	<i>cribellum</i>	1848, 208
<i>manilla</i>	1855, 55	<i>clara</i>	1851, 13
<i>melo</i>	1855, 53	<i>compta</i>	1860, 189
<i>miltonis</i>	1855, 53	<i>cribellum</i>	1849, 22
<i>neptuni</i>	1855, 52	<i>cribraria</i>	1849, 23
<i>olla</i>	1855, 51	<i>eximia</i>	1849, {
<i>papillatum</i>	1855, 51	<i>flaveola, var.</i>	1848, 124
<i>patulum</i>	1855, 52	<i>gracilis</i>	1848, 97
<i>porcinum</i>	1855, 52	<i>grando</i>	1848, 93
<i>proboscidale</i>	1855, 52	<i>helvola</i>	1848, 96
<i>rubiginosum</i>	1855, 52	<i>humphreysii</i>	1853, 41
<i>tessellatum</i>	1855, 54	<i>marginata</i>	1848, 98
<i>tritonis</i>	1855, 52	<i>nivea</i>	1848, 91
<i>umbilicatum</i>	1855, {	<i>obscura</i>	1848, 98
<i>Cymindis cayennensis</i>	{ 1859, 53	<i>onyx</i>	1848, 94
<i>uncinata</i>	{ 1860, 289	<i>oryza</i>	1848, 97
<i>wilsonii</i>	1857, 3	<i>piperita</i>	1848, 98
<i>Cynanthus cyanurus</i>	{ 1855, 140	<i>producta</i>	1848, 98
<i>macarthiæ</i>	{ 1860, 70	<i>pulex, var.</i>	1849, 23
<i>Cynictis macarthiæ</i>	1851, 131	<i>pulicaria</i>	1848, 97
<i>Cynocephalus anubis</i>	1860, 421	<i>pulla</i>	1848, 97
<i>babuin</i>	1860, 421	<i>quadrimaculata, var.</i>	1848, 97
<i>hamadryas</i>	{ 1849, 94	<i>sulcata</i>	1848, 95
<i>olivaceus</i>	{ 1860, 372	<i>thersites</i>	1848, 90
<i>sphinx</i>	{ 1860, 422	<i>turdus</i>	1848, 98
<i>thoth</i>	{ 1859, 434	<i>umbilicata</i>	1849, {
<i>Cynophis helena</i>	1858, 383	<i>vitrea</i>	1848, 95
<i>Cynopithecus nigrescens</i>	1860, 4	<i>Cypræus marinus</i>	1857, 292
<i>Cynops chinensis</i>	1859, 229	<i>Cypricardia californica</i>	1856, 217
<i>pyrrhogaster</i>	{ 1858, 138	<i>duperryi</i>	1856, 217
<i>Cynopteris horsfieldii</i>	{ 1859, 229	<i>Cypricia nuttallii</i>	1856, 210
<i>marginatus</i>	{ 1858, 537	<i>Cypridina adamsi</i>	1860, 199
	{ 1850, 156	<i>albomaculata</i>	1860, 201
	{ 1858, 35	<i>bimaculata</i>	1860, 199
	{ 1858, 537	<i>brenda</i>	1860, 199
		<i>cærulea</i>	1860, 199
		<i>elliptica</i>	1860, 199
		<i>excisa</i>	1860, 200
		<i>fimbriata</i>	1860, 200
		<i>gibbosa</i>	1860, 200
		<i>globosa</i>	1860, 200

	Page		Page
<i>Cypridina godehevi</i>	1860, 200	<i>Cypselus niger</i>	1859, 236
<i>hieroglyphica</i>	1850, 256	<i>palmarum</i>	1855, 28
<i>interpuncta</i>	1850, 257	<i>subfurcatus</i>	1854, 264
<i>interpunctata</i>	1860, 199	<i>unicolor</i>	1851, 142
<i>luteola</i>	1860, 200	<i>vittatus</i>	1854, 264
<i>macandrei</i>	1850, 257	<i>Cypsnagra ruficollis</i>	1856, 112
<i>macandrewii</i>	1860, 199	<i>Cyrena æquilatera</i>	1854, 20
<i>mariaë</i>	1850, 257	<i>affinis</i>	1854, 16
<i>mediterranea</i>	1860, 199	<i>altilis</i>	1856, 202
<i>norvegica</i>	1860, 199	<i>ambigua</i>	1856, 186
<i>oblonga</i>	1860, 200	<i>angulata</i>	1854, 22
<i>olivaceus</i>	1860, 200	<i>anomala</i>	1854, 21
<i>ovum</i>	1860, 201	<i>arctata</i>	1854, 20
<i>punctata</i>	1860, 200	<i>brunnea</i>	1860, 321
<i>reynaudii</i>	1860, 199	<i>cochinensis</i>	1858, 543
<i>zealandica</i>	1850, 102	<i>compta</i>	1854, 18
	1850, 257	<i>conjuncta</i>	1854, 15
	1860, 199	<i>consobrina</i>	1856, 186
<i>Cyprinodon dispar</i>	1859, 470	<i>cor</i>	1856, 186
<i>hammonis</i>	1856, 371	<i>cumingii</i>	1854, 22
<i>lunatus</i>	1859, 474	<i>decipiens</i>	1854, 17
<i>moseas</i>	1859, 474	<i>divaricata</i>	1854, 17
<i>Cyprinus auratus</i>	1859, 229	<i>dura</i>	1854, 20
<i>bithynicus</i>	1856, 372	<i>essingtonensis</i>	1854, 19
<i>carpis</i>	1856, 372	<i>euphratica</i>	1856, 186
<i>elatus</i>	1856, 372	<i>fallax</i>	1854, 15
<i>flavipinnis</i>	1856, 372	<i>flava</i>	1860, 320
<i>hungaricus</i>	1856, 372	<i>fluminalis</i>	1856, 186
<i>nordmanni</i>	1856, 372	<i>gemmellarii</i>	1856, 186
<i>Cypris belcherii</i>	1852, 7	<i>impresa</i>	1854, 18
<i>cuneata</i>	1850, 255	<i>incerta</i>	1854, 19
<i>cylindrica</i>	1859, 233	<i>inflata</i>	1854, 23
—, var. <i>major</i>	1859, 233	<i>inquinata</i>	1854, 15
<i>dentatmarginata</i>	1859, 233	<i>insignis</i>	1854, 20
<i>donnetii</i>	1850, 254	<i>isocardioides</i>	1854, 22
<i>schomburgkii</i>	1852, 8	<i>jukesii</i>	1854, 19
<i>subglobosa</i>	1859, 232	<i>lauta</i>	1854, 15
<i>triangularis</i>	1854, 6	<i>mactroides</i>	1854, 17
<i>Cyprovula eximia</i>	1849, 125	<i>maritima</i>	1854, 345
<i>umbilicata</i>	1849, 125	<i>mexicana</i>	1856, 202
	1854, 265	<i>moretonensis</i>	1854, 341
	1855, 28	<i>nitida</i>	1854, 23
<i>Cypselus affinis</i>	1855, 50	<i>nitidula</i>	1854, 21
	1857, 88	<i>notabilis</i>	1854, 21
	1858, 477	<i>oblonga</i>	1854, 341
	1859, 175	<i>obscura</i>	1860, 321
<i>apus</i>	1858, 477	<i>oviformis</i>	1854, 16
<i>australis</i>	1859, 175	<i>pallida</i>	1854, 17
<i>cayennensis</i>	1854, 264	<i>panormitana</i>	1856, 186
<i>giganteus</i>	1857, 232	<i>philippinarum</i>	1854, 340
<i>melba</i>	1854, 266	<i>pisiformis</i>	1854, 341
<i>murarius</i>	1858, 477	<i>placida</i>	1854, 19
<i>mystaceus</i>	1859, 175	<i>senegalensis</i>	1854, 341
	1851, 142	<i>similis</i>	1854, 16
	1858, 170	<i>sinuosa</i>	1854, 18
	1860, 345	<i>sphaericula</i>	1854, 340
		<i>tennentii</i>	1858, 23
		<i>triangularis</i>	1851, 74

	Page		Page
<i>Cyrena triangularis</i>	1856,		186
<i>trigonula</i>	1856,		186
<i>sublobata</i>	1854,		18
<i>subquadrata</i>	1854,		21
<i>ventricosa</i>	1854,		16
(<i>Corbicula</i>) <i>orientalis</i>	1860,		16
<i>Cyrenella lenticularis</i>	1854,		341
<i>poiocephala</i>	1854,		271
<i>Cyrtactis clavata</i>	1858,		148
<i>Cyrtonops punctipennis</i>	1853,		29
<i>Cyrtonyx massena</i>	1858,		305
<i>Cyrtophis scutatus</i>	1859,		88
<i>Cyrtostomus flammaxil-</i> <i>laris</i>	1859,		462
<i>frenatus</i>	1860,		348
<i>Cystignathus senegalen-</i> <i>sis</i>	1858,		165
<i>Cystophora antillarum</i>	1849,		93
<i>cristata</i>	1849,	}	91 93
<i>Cystosoma saundersii</i>	1852,		14
<i>Cythara garretti</i>	1860,		147
<i>pusilla</i>	1860,		147
<i>varia</i>	1860,		147
<i>Cythere setosa</i>	1850,		255
<i>tarentina</i>	1850,		255
<i>Cytherea callosa</i>	1856,		216
<i>elegans</i>	1853,		6
<i>nobilis</i>	1849,		126
<i>scripta</i>	1853,		6
<i>subtrigona</i>	1856,		357
(<i>Meretrix</i>) <i>impudica</i>	1860,		17
(—) <i>zonaria</i>	1860,		17
(<i>Trigonella</i>) <i>crassa-</i> <i>telloides</i>	1856,		216
<i>Cythereis australis</i>	1850,		255
<i>deformis</i>	1850,		256
<i>fistulosa</i>	1850,		256
<i>prava</i>	1850,		256
<i>runcinata</i>	1850,		256
<i>senticosa</i>	1850,		256
<i>Cyzicus</i>	1849,		85
<i>bravaisii</i>	1849,	}	85 87
<i>Daboia elegans</i>	1858,		383
	1860,		164
	1860,		168
	1860,		170
<i>Dacelo buccoides</i>	1854,		268
<i>chlorocephalus</i>	1858,		172
<i>gaudichaudi</i>	1858,		171
	1859,		154
<i>gigas</i>	1860,		371
<i>macrorhinus</i>	1859,		154
<i>pulchella</i>	1854,		268
<i>tyro</i>	1858,		171
<i>Dacnis angelica</i>	1854,		110
		}	1854, 1855, 1857, 1858, 1857,
<i>archangelica</i>			263
<i>atricapilla</i>	1854,		110 252
<i>cærebicolor</i>	1854, 1855,		252 137
	1854,		110
	1854,		252
<i>cayana</i>	1855, 1857,		137 263
	1858,		61
	1858,		452
<i>cyanomelas</i>	1854,		252
	1854,		251
	1855,		137
	1860,		65
<i>egregia</i>	1860,		85
	1860,		274
	1860,		292
	1854,		252
<i>flaviventris</i>	1857,		263
<i>hartlaubii</i>	1854,		251
<i>leucogenys</i>	1855,		138
<i>melanotis</i>	1857,		263
<i>nigripes</i>	1857,		263
<i>plumbea</i>	1854,		252
	1854,		252
<i>pulcherrima</i>	1855,		84
	1855,		137
<i>rufocinerea</i>	1855,		75 138
	1854,		252
<i>speciosa</i>	1855,		138
<i>Dacosta australis</i>	1858,		315
<i>Dactylethra capensis</i>	1858,		166
<i>lævis</i>	1858,		166
<i>mülleri</i>	1858,		166
<i>Dactylocalyx pumiceus</i>	1859,		439
<i>Dactylopsila trivirgata</i>	1858,		111
	1857,		206
	1859,		190
<i>Dafila acuta</i>	1859,		437
	1860,		303
	1860,		337
	1860,		338
<i>urophasianus</i>	1860,		389
<i>Dama vulgaris</i>	1850,		229
<i>Damalis albifrons</i>	1850,		141
<i>lunatus</i>	1850,		140
<i>pygarga</i>	1850,		141
			132
<i>senegalensis</i>	1850,		140 141
? <i>zebra</i>	1850,		142
(<i>Acronotus</i>) <i>lunatus</i>	1850,		140

	Page		Page
<i>Damalis</i> (<i>Acronotus</i>) <i>se-</i>		<i>Delphinula atrata</i>	1854, 42
<i>negalensis</i>	1850, 140	<i>calcar</i>	1850, 51
(<i>Boselaphus</i>) <i>canna</i>	1850, 143	<i>cobijensis</i>	1850, 42
(—) <i>oreas</i>	1850, 143	<i>costata</i>	1853, 186
(<i>Portax</i>) <i>risia</i>	1850, 146	<i>euracantha</i>	1850, 51
<i>Dandridgia dysderoïdes</i>	1849, 5	<i>martinii</i>	1854, 42
<i>Daphnella bella</i>	1860, 147	<i>nivea</i>	1850, 42
<i>interrupta</i>	1860, 147	<i>reeviana</i>	1850, 42
<i>maculosa</i>	1860, 148	<i>stellaris</i>	1850, 52
<i>sandwicensis</i>	1860, 148	<i>tyrria</i>	1854, 42
<i>Daphnia gigas</i>	1849, { 84	<i>Delphinus eutropia</i>	1849, 1
	87	<i>globiceps</i>	1853, { 63
	88	<i>orca</i>	1853, 103
<i>newportii</i>	1860, 446	<i>Demiegretta ludoviciana</i>	1860, 253
<i>Dasycephala albifrons</i>	1858, 273	<i>Dendraspis angusticeps</i>	1858, 160
<i>cinerea</i>	1859, 41	<i>jamesonii</i>	1858, 160
<i>citreopyga</i>	1859, 41	<i>Dendrexetastes capitoïdes</i>	1855, { 77
<i>hæmatodes</i>	1859, 41		142
<i>rubra</i>	1859, 41	<i>Dendrochelidon mysta-</i>	
<i>uropygialis</i>	1859, 41	<i>ceus</i>	1860, 345
<i>Dasyptelis inornata</i>	1858, 161	<i>wallacii</i>	1859, 100
<i>palmarum</i>	1858, 161	<i>Dendrocicla anabatina</i>	1859, { 54
<i>scabra</i>	1858, { 161		382
	379	<i>Dendrocitta rufa</i>	{ 1857, 98
<i>Dasyprocta aguti</i>	1860, 442		{ 1858, 479
<i>aurea</i>	1859, 436	<i>sinensis</i>	1858, 479
<i>azarae</i>	1849, 64	<i>vagabunda</i>	1859, 172
<i>caudata</i>	1860, 216	<i>Dendrocolaptes atrirostris</i>	1858, 63
<i>fuliginosa</i>	1860, 216	<i>cayennensis</i>	1857, 265
<i>nigra</i>	1860, 216	<i>eytoni</i>	1853, 69
<i>nigricans</i>	1860, 216	<i>lineatocephalus</i>	1855, 142
<i>Dasyptilus pecquetii</i>	1860, 227	<i>perrotii</i>	1855, 142
<i>Dasypus encoubert</i>	1860, 372	<i>promeropirhynchus</i>	1855, 142
<i>gigas</i>	1858, 340	<i>sancti-thomæ</i>	{ 1858, 96
<i>minutus</i>	1851, 214		{ 1859, 54
<i>peba</i>	{ 1859, 51	<i>Dendrocops albirostris</i>	1860, 88
	1860, 177		{ 66
<i>punctatus</i>	1851, 213	<i>atrirostris</i>	1860, { 278
<i>sexcinctus</i>	1851, 214		293
<i>villosus</i>	1851, 214	<i>tyranninus</i>	1855, 142
<i>Dasythamnus xantho-</i>		<i>Dendrocops sordidus</i>	1859, 455
<i>pterus</i>	1857, 132	<i>Dendrocygna arcuata</i>	1859, 150
<i>Dasyurus maculatus</i>	1860, 415	<i>autumnalis</i>	1858, 360
<i>ursinus</i>	1860, 242	<i>badia</i>	1860, 366
<i>Defrancia intercalaris</i>	1856, 163	<i>viduata</i>	1850, 221
<i>serrata</i>	1856, 163	<i>Dendroca æstiva</i>	1859, 363
<i>Delattria clemenciæ</i>	{ 1858, 297	<i>auduboni</i>	1860, 250
	1859, 367	<i>aureola</i>	1860, 291
	1856, 287	<i>blackburniæ</i>	1859, 363
<i>henrici</i>	{ 1858, 297	<i>chrysoparia</i>	1860, 298
	1859, 367	<i>coronata</i>	1859, 363
	1859, 386	<i>icterocephala</i>	1859, { 363
	1856, 287		374
<i>rhami</i>	{ 1857, 212	<i>maculosa</i>	1859, { 363
	1858, 297		374
	1859, 367	<i>nigrescens</i>	1859, 374
<i>Delichon nipalensis</i>	1854, 104	<i>olivacea</i>	1859, 363
<i>Delphinula aculeata</i>	1850, 51		

	Page		Page
<i>Dendroeca superciliosa</i> ..	1859,	<i>Desmodus rufus</i>	1860, 212
	{ 363	<i>Desmognathus fuscus</i> ..	1858, 144
<i>townsendi</i>	1859,	<i>Desmophyllum stokesii</i> ..	1849, 74
	{ 374	<i>Desmoulea abbreviata</i> ..	1851, 113
<i>virens</i>	1859,	<i>crassa</i>	1851, 113
	{ 363	<i>japonica</i>	1851, 113
<i>Dendroica auduboni</i>	1858,	<i>pinguis</i>	1851, 113
	298	<i>pyramidalis</i>	1851, 113
<i>blackburniæ</i>	1860,	<i>retusa</i>	1851, 113
	{ 64	<i>ringens</i>	1854, 42
<i>nigrescens</i>	1858,	<i>Deucalion wollastoni</i> ..	1856, 406
	298	<i>Diadema deois</i>	1858, 464
<i>olivacea</i>	1858,	<i>pandarus</i>	1858, 464
	298	<i>Diaphonia metallescens</i> ..	1859, 119
	{ 98	<i>Diardigallus crawfurdi</i> ..	1859, 353
<i>Dendrolagus inustus</i> ..	1852,	<i>fasciolatus</i>	1859, { 40
	{ 103	<i>prælatulus</i>	1859, { 353
	1858,	<i>Diastocera catherina</i>	1858, 402
	106	<i>Dicæum cruentatum</i> ..	1859, { 150
<i>ursinus</i>	1860,	<i>erythrothorax</i>	1860, 349
	181	<i>ignicapillum</i>	1859, 463
<i>Dendromanis anabatinus</i> ..	1858,	<i>ignicolle</i>	1858, 173
	106	<i>nigrum</i>	1858, 173
<i>homochrous</i>	1859,	<i>rubrocanum</i>	1860, 349
	382	<i>rushie</i>	1858, 291
<i>Dendrophis albovariata</i> ..	1858,	<i>schistaceiceps</i>	1860, 349
	161	<i>trigonostigma</i>	1859, 150
<i>chenonii</i>	1858,	<i>Dicholophus burmeisteri</i> ..	1860, 335
	161	<i>cristatus</i>	1860, 334
<i>colubrina</i>	1858,	<i>Dicotyles albirostris</i>	1860, { 262
	162		{ 442
<i>flavigularis</i>	1858,	<i>labiatus</i>	1848, 70
	162		{ 1860, 262
<i>liocercus</i>	1859,		{ 1859, 51
	413		{ 1860, 181
<i>nigrolineatus</i>	1858,		{ 1860, 206
	160	<i>torquatus</i>	1860, 242
<i>picta</i>	1858,		{ 1860, 262
	382		{ 1860, 417
<i>præornatus</i>	1860,		{ 1860, 443
	163	<i>Dicranoceros americanus</i> ..	1850, 174
<i>præornatus</i>	1858,		{ 158
	158	<i>Dicroglossus adolfi</i>	1860, { 164
<i>punctulata</i>	1858,		{ 168
	382		{ 170
	384	<i>Dicrurus affinis</i>	1854, 272
<i>smaragdina</i>	1858,	<i>amboinensis</i>	1860, 354
	161	<i>assimilis</i>	1858, 179
<i>viridis</i>	1859,		{ 1859, 157
	412	<i>atrocæruleus</i>	1860, 354
<i>Dendrornis brevirostris</i> ..	1858,	<i>aurita</i>	1860, 268
	63	<i>balicassius</i>	1854, 271
<i>erythropygia</i>	1859,	<i>bracteatus</i>	1858, 179
	{ 366	<i>cærulescens</i>	1858, 495
	{ 381	<i>canipennis</i>	1850, 217
<i>flavigastra</i>	1856,		
	289		
<i>guttata</i>	1859,		
	381		
<i>guttata</i>	1854,		
	111		
<i>pallidirostris</i>	1858,		
	63		
<i>temmincki</i>	1855,		
	{ 77		
	142		
<i>triangularis</i>	1855,		
	142		
	{ 1855, 142		
	289		
	1859,		
	140		
	1857,		
	206		
<i>Dendrortyx barbata</i> ..	1859,		
	369		
<i>Dentalium glabrum</i>	1858,		
	{ 414		
	435		
<i>imperforatum</i>	1858,		
	{ 414		
	425		
<i>incurvum</i>	1858,		
	425		
<i>minutum</i>	1858,		
	{ 413		
	435		
<i>trachea</i>	1858,		
	{ 414		
	425		
<i>Dentiger ponticerianus</i> ..	1854,		
	262		
<i>Dermophrys maja</i>	1859,		
	444		
<i>Desmodus d'orbignyi</i> ..	1858,		
	547		
<i>rufus</i>	1858,		
	547		

	Page		Page
<i>Dicrurus divaricatus</i>	1850, 217	<i>Dinornis casuarinus</i>	1848, 1
<i>longicaudatus</i>	1858, 495 1859, 180	<i>crassus</i>	1856, 55
<i>lugubris</i>	1850, 217	<i>curtus</i>	1848, 1
<i>macrocerus</i>	1854, 47 1857, 90 1859, 150	<i>didiformis</i>	1848, 1
<i>malabaricus</i>	1854, 272	<i>elephantopus</i>	1856, 54
<i>megalornis</i>	1858, 179	<i>giganteus</i>	1848, 1 1850, 45 1850, 208 1852, 10 1856, 55
<i>musicus</i>	1850, 217	<i>gracilis</i>	1854, 244
<i>paradiseus</i>	1857, 90	<i>otidiformis</i>	1848, 1
<i>Didelphys asiaticus</i>	1858, 106	<i>rheides</i>	1850, 45
<i>azaræ</i>	1860, 268	<i>robustus</i>	1856, 55
<i>canerivora</i>	1848, 37 1860, 268	<i>struthioïdes</i>	1854, 244
<i>cinerea</i>	1858, 548 1860, 60	<i>Diomedea fuliginosa</i>	1859, 98 1860, 390
<i>crassicaudata</i>	1860, 415	<i>melanophrys</i>	1859, 98 1860, 390
<i>noctivaga</i>	1860, 60	<i>Dione crocea</i>	1853, 2
<i>orientalis</i>	1858, 104	<i>phasianella</i>	1853, 2
<i>ornata</i>	1860, 268	<i>rufescens</i>	1853, 2
<i>pusilla</i>	1858, 548	<i>Diphylla ecaudata</i>	1860, 212
<i>virginianus</i>	1860, 183	<i>Diphylloides wilsoni</i>	1857, 6
<i>waterhousii</i>	1860, 58 217, 303	<i>Diplodonta globulosa</i>	1855, 226
	1848, 2	<i>orbella</i>	1856, 202 218
	1848, 3	<i>semiaspersa</i>	1856, 202
<i>Didus</i>	1848, 4	<i>subquadrata</i>	1855, 230
	1848, 5	<i>Diplommatina bensoni</i>	1852, 94
	1860, 443	<i>cantori</i>	1856, 336
<i>ineptus</i>	1851, 281	<i>capillacea</i>	1854, 303
<i>nazarenus</i>	1851, 284	<i>chordata</i>	1855, 105
<i>solitarius</i>	1851, 283	<i>huttoni</i>	1852, 157
	1855, 138	<i>macgillivrayi</i>	1854, 303
<i>Diglossa albilateralis</i>	1859, 138	<i>Diplopterus excellens</i>	1857, 229 1859, 60
	1860, 85	<i>nævius</i>	1860, 285
	1855, 138	<i>Dipsadoboa unicolor</i>	1858, 162
	1858, 551	<i>Dipsadomorphus biscu-</i>	1860, 452
<i>aterrima</i>	1859, 440	<i>tatus</i>	1860, 457
	1860, 76	<i>ceylonensis</i>	1858, 383
	1860, 85	<i> nigromarginatus</i>	1858, 383
	1856, 286	<i>trigonatus</i>	1860, 164
<i>baritula</i>	1859, 364	<i>Dipsas annulata</i>	1859, 89
	1859, 376	<i>biscutata</i>	1860, 457
<i>d'orbignyi</i>	1855, 138	<i>blandingii</i>	1858, 159
<i>humeralis</i>	1855, 138	<i>carinatus</i>	1858, 161
<i>indigotica</i>	1860, 85	<i>cenchoa</i>	1858, 386 1860, 457
<i>intermedia</i>	1855, 138	<i>fasciatus</i>	1858, 162
<i>lafresnayii</i>	1855, 138	<i>ferruginea</i>	1860, 163
	1855, 138	<i>fusca</i>	1858, 384
	1858, 551	<i>globiceps</i>	1858, 161
<i>personata</i>	1859, 138	<i>hippocrepis</i>	1858, 161
	1860, 76	<i>pulverulenta</i>	1858, 162
	1860, 85	<i>regalis</i>	1858, 162
<i>similis</i>	1855, 138	<i>trigonata</i>	1860, 167
<i>Dinophis angusticeps</i>	1858, 160		
<i>hammondii</i>	1858, 160		

	Page		Page
<i>Dipsas trigonata</i>	1860,	}	170
<i>valida</i>	1858,		162
<i>Dipus ægyptius</i>	{ 1849,	}	24
	1849,		28
	1859,		432
<i>Discula attrita</i>	1854,		188
<i>discina</i>	1854,		190
<i>lincta</i>	1854,		189
<i>papilio</i>	1854,		190
<i>polymorpha</i>	1854,		187
<i>pulvinata</i>	1854,		188
<i>senilis</i>	1854,		189
<i>tabellata</i>	1854,		189
<i>testudinalis</i>	1854,		191
<i>Dispholides lalandii</i>	1858,		162
<i>Dispotæa striata</i>	1855,		234
<i>Distichocera ferruginea</i>	1851,		76
<i>fulvipennis</i>	1851,		76
<i>kirbyi</i>	1851,		79
<i>macleayii</i>	1851,		81
<i>maculicollis</i>	1851,		75
<i>par</i>	1851,		78
<i>rufipennis</i>	1851,		76
<i>thomsonella</i>	1859,		122
<i>Distichurus maculatus</i>	1858,		163
<i>Distichopora coccinea</i>	1860,		244
<i>Distoma hepaticum</i>	1859,		427
<i>microcephalum</i>	1853,		22
<i>Distorsio pusilla</i>	1860,		397
<i>Distortrix anus</i>	1851,		231
<i>reticulata</i>	1851,		231
<i>Ditrupa gadus</i>	1858,		413
<i>Diucopis atra</i>	1856,		67
<i>capistrata</i>	1856,		67
<i>fasciata</i>	1856,		68
<i>leucophæa</i>	1856,		67
<i>speculigera</i>	1856,		68
<i>Diva albiventris</i>	1855,		158
<i>vassori</i>	{ 1855,	}	158
	1856,		264
	1860,		87
<i>Docimastes derbianus</i>	1855,		139
<i>ensiferus</i>	{ 1855,	}	139
	1858,		555
	1860,		81
<i>Dolabella variegata</i>	1860,		22
<i>Dolabrifera olivacea</i>	1860,		22
<i>Dolichonyx oryzivorus</i>	1858,		72
<i>Dolium amphora</i>	1859,		493
<i>ampulaceum</i>	1859,		491
<i>australe</i>	1859,		491
<i>cepa</i>	1859,		489
<i>chinense</i>	1859,		491
<i>costatum</i>	1859,		489
<i>crenulatum</i>	1859,		488
<i>cumingii</i>	1859,		491
<i>deshayesii</i>	1859,		490
<i>Dolium dunkeri</i>	1859,	}	431
<i>fasciatum</i>	1859,		489
<i>favannii</i>	1859,	}	430
<i>fimbriatum</i>	1859,		491
<i>galea</i>	1859,		487
<i>kieneri</i>	1859,		490
<i>latescens</i>	1859,		489
<i>latesulcatum</i>	1859,		489
<i>maculatum</i>	1859,		491
<i>marginatum</i>	1859,		493
<i>marmoreum</i>	1859,		489
<i>melanostoma</i>	1859,		488
<i>minjac</i>	1859,		492
<i>olearium</i>	1859,		488
<i>pennatum</i>	1859,		493
<i>perdix</i>	1859,		492
<i>plumatum</i>	1859,		489
<i>reevei</i>	1859,		493
<i>rufum</i>	1859,		492
<i>tenuè</i>	1859,		488
<i>variegatum</i>	1859,		490
<i>zonatum</i>	1859,		488
<i>Dolomedes lateralis</i>	1849,		4
<i>mirificus</i>	1849,		4
<i>sagittiger</i>	1849,		4
<i>Domicella garrula</i>	1860,		356
<i>punicea</i>	1849,		142
<i>Donacola castaneothorax</i>	1860,		371
<i>flaviprymna</i>	1857,		26
<i>Donax acuminata</i>	1854,		352
<i>acutangula</i>	1854,		350
<i>ænea</i>	1854,		350
<i>affinis</i>	1854,		351
<i>bella</i>	1854,		351
<i>californicus</i>	1856,	}	200
<i>clathrata</i>	1854,		213
<i>conradi</i>	{ 1854,	}	351
<i>culminatus</i>	1856,		213
<i>dysonii</i>	1856,		200
<i>flexuosus</i>	1854,		353
<i>flexuosus</i>	1856,		200
<i>granifera</i>	1854,		353
<i>interrupta</i>	1854,		353
<i>keyii</i>	1854,		87
<i>lævigata</i>	1854,		352
<i>nitida</i>	1854,		350
<i>obesula</i>	1854,		352
<i>obesus</i>	1856,	}	200
<i>ovalina</i>	1856,		213
<i>peruviana</i>	1854,		352
<i>peruviana</i>	1854,		350
<i>petalina</i>	1854,		350
<i>pulchellus</i>	1855,		230
<i>rostratus</i>	1856,		200
<i>semistriatus</i>	1855,		230

	Page		Page
Donax striatella	1854,	Dromæus irroratus	1860,
truncata	1854,		1859,
	352,		1860,
	351,		1860,
Dopasia gracilis	1860,	novæ-hollandiæ ..	1860,
	160,		1860,
	172,		1860,
Doras costata	1856,		372
Dorcopsis asiaticus	1858,	Dromicus margaritifera	1860,
Dorifera johannæ	1855,	rus	1860,
	139,	Dromococyx mexica-	1856,
ludovicæ	1855,	nus	1859,
	139,	Drymocataphus nigroca-	
	95,	pitatus	1854,
Doriopsis granulosa	1860,		273
Doris albopustulosa	1860,	Drymodes brunneopygia	1850,
cærulea	1859,	superciliaris	1850,
decora	1860,		201
echinata	1860,	Drymoica nipalensis....	1854,
excavata	1860,		77
foetida	1860,	Drymonax niger	1854,
grandiflora	1860,		271
marginata	1860,	Drymophila atra	1858,
nucleola	1860,		246
papillosa	1860,	cinerascens	1860,
picta	1860,	cinnamomea	1858,
pilosa	1860,	leucopus	1858,
prismatica, var. im-		longipes	1858,
perialis	1860,	loricata	1858,
	32	myiotherina	1858,
prismatica, var. li-		ruficauda	1858,
neata	1860,	trifasciata	1858,
	32	variegata	1858,
propinquata	1860,	velata	1854,
reticulata	1860,		270
rugosa	1860,		75
scabriuscula	1860,	Dryocopus albirostris..	1858,
setosa	1860,		460
vibrata	1860,		1859,
	28		1860,
Dorx pentamera	1856,		71
	9	erythroptus	1856,
Dosinia amethystina ...	1860,		306
callosa	1856,		229
coryne	1855,	fuscipennis	1860,
cydippe	1855,		286
derupta	1860,		297
deshayesii	1855,	grayi	1855,
dilecta	1855,		161
eburnea	1860,		146
erythraea	1860,		1857,
eunice	1855,		229
lineolata	1855,	guatemalensis	1858,
ovalis	1860,		359
rustica	1860,		1859,
salebrosa	1860,		388
simplex	1855,	hæmatogaster....	1855,
specularis	1860,		161
tenella	1860,		75
traillii	1855,		1858,
tripla	1860,	leucorhamphus ..	1857,
Drillia nodifera	1860,		229
punctato-striata ..	1856,		359
	164	pileatus	1858,
	1859,	pollens	1855,
	205	regius	1857,
	1860,		229
	205		306
Dromæus irroratus....	1860,		1857,
	211	scapularis	1858,
	1860,		359
	248		1859,
	248		367
	248	sclateri	1860,
	248		71
	248		286
	248	Dryophis kirtlandii	1858,
	248		159
	248	prasina	1860,
	248		417

	Page		Page
Dryophis (Coluber) acuminatus	1860, 233	Echidna nasicornis	1858, 163
Dryoscopus angolensis ..	1860, 111	Echimypera kalulu	1858, 113
Dubusia auricrissa	{ 1855, 227	Echymys cayennensis ..	{ 1858, 548
	{ 1856, 236		{ 1860, 265
	{ 1855, 157	semispinosus	{ 1860, 264
cyanocephala	{ 1855, 227	Echinanthus australasie	1851, 34
	{ 1856, 236	coleæ	1851, 35
	{ 1855, 157	explanatus	1851, 35
gigas	{ 1856, 240	oblongus	1851, 35
	{ 1855, 157	productus	1851, 35
olivicyanea	{ 1856, 237	testudinarius	1851, 35
	{ 1856, 237	Echinoceros cibarius ..	1848, 48
selysia	{ 1855, 157	Echinococcus veterino-	
	{ 1856, 237	rum	1852, 110
Ducula basalis	1860, 360	Echinocyamus australis .	1851, 38
Dujardinia mediterranea	1858, 270	Echinoglyphus frondosus	1851, 37
Dulus dominicus	1857, 232	Echinolampas depressus	1851, 38
palmarum	1856, 84	oviformis	1851, 37
poliocephalus	1856, 84	Echinus mammillaris ..	1856, 133
Dysactis biserialis	1858, 148	Echiodon drummondii ..	1852, 14
Dysidea fragilis	1858, 559	Echis carinata	1858, { 375
			{ 378
	{ 531	squamigera	1858, 163
papillosa	{ 557	Ecleetus aruensis	1858, 182
Dysithamnus guttulatus	1858, 221	cardinalis	1860, { 227
			{ 357
leucostictus	1858, { 66	ceylonensis	{ 1849, 143
	{ 223		{ 1860, 357
	{ 1855, 90	cornelia	{ 1849, 143
mentalis	{ 1858, 221		{ 1849, 146
	{ 1860, 67	grandis	{ 1860, 242
	{ 1860, 278		{ 1860, 357
olivaceus	{ 1858, 541	intermedius	{ 1849, 143
	{ 1860, 89		{ 1860, 226
plumbeus	{ 222	linnæi	{ 1860, 357
	{ 457		{ 1849, 143
schistaceus	1858, { 66	polychlorus	{ 1858, 182
	{ 222		{ 1860, 358
	{ 1855, 90	puniceus	{ 1849, 142
semicinereus	{ 1855, 147		{ 1858, 182
	{ 1858, 66	westermanni	1860, 358
	{ 1858, 222	Ecpleopus gaudichaudi .	1859, 405
unicolor	{ 1860, 278		{ 1849, 172
	{ 1859, 141	Ectopistes migratorius .	{ 1860, 416
xanthopterus	{ 1860, 89		
	{ 1857, 132	Edela ruficeps	1854, 79
	{ 1858, 222	Edolius malabaricus ...	1854, 272
Dyticus marginalis	1850, 19	paradiseus	1859, { 150
			{ 151
Eagle, The Crested and		rangoonensis	1854, 272
Booted	1851, 59	retifer	1854, 272
Eburna australis	1853, 182	Eglisia cumingii	1850, 204
Echeneis vittata	1850, 252	Egretta leuce	1860, 290
Echidna atricauda	1858, 378	Elainia agilis	1859, 46
communiformis cy-		albiceps	1859, 46
therea	1849, 44	aurifrons	1860, 467
gaboonica	1858, 163		
hystrix	1848, 37		
mauritanica	1858, 378		

	Page		Page
<i>Elainia cayennensis</i>	1859, 46	<i>Elaps lemniscatus</i>	1859, 85
<i>griseigularis</i>	1858, 554	<i>lubricus</i>	1859, 88
<i>luteiventris</i>	1859, 46	<i>maculiceps</i>	1859, 83
<i>modesta</i>	1859, 46	<i>marcgravi</i>	1859, 85
<i>olivacea</i>	1859, 46	<i>melanurus</i>	1859, 83
<i>pagana</i>	1859, 46	<i>mipartitus</i>	1859, 85
<i>placens</i>	1859, 46	<i>nigrocinctus</i>	1860, 457
<i>riisii</i>	1860, 314	<i>nigromaculatus</i>	1859, 83
<i>stictoptera</i>	1858, 554	<i>occipitalis</i>	1859, 87
	1859, 46	<i>psyche</i>	1859, 84
	1860, 68	<i>semipartitus</i>	1859, 414
	1860, 79	<i>subradiatus</i>	1858, 383
<i>texensis</i>	1859, 46	<i>surinamensis</i>	1859, 85
<i>variegata</i>	1859, 46	<i>tener</i>	1859, 86
<i>Elania cayennensis</i>	1854, 113	<i>trimaculatus</i>	1859, 83
<i>Elanus axillaris</i>	1859, 127	<i>tristis</i>	1859, 85
<i>hypoleucus</i>	1859, 127	<i>univirgatus</i>	1859, 83
<i>inscriptus</i>	1859, 127		1860, 164
<i>leucurus</i>	1857, 201	<i>zonatus</i>	1859, 87
	1859, 126	<i>Elasmatina reclusiana</i>	1849, 167
	1854, 3	<i>Electra verticillata</i>	1858, 306
	1854, 5	<i>Electrina succinea</i>	1857, 166
<i>melanopterus</i>	1854, 259	<i>Eleotragus adenota</i>	1850, 170
	1858, 472	<i>arundinaceus</i>	1850, 126
	1859, 126		170
<i>minor</i>	1854, 259	<i>capreolus</i>	1850, 126
<i>Elaphis quadrivirgatus</i>	1858, 383		170
<i>subradiatus</i>	1858, 383	<i>ellipsiprymnus</i>	1850, 170
<i>virgatus</i>	1858, 383	<i>isabellinus</i>	1850, 170
<i>Elapomorphus galvensis</i>	1858, 163	<i>leché</i>	1850, 170
<i>Elaps alternans</i>	1859, 85	<i>reduncus</i>	1850, 127
<i>bipunctiger</i>	1859, 85		171
<i>bivirgatus</i>	1859, 81	<i>sing-sing</i>	1850, 170
	81	<i>Elephas indicus</i>	1850, 158
<i>calligaster</i>	1859, 84	<i>sumatranus</i>	1849, 144
	84	<i>Eleuchus apicinus</i>	1851, 171
<i>circinalis</i>	1859, 84	<i>australis</i>	1851, 171
<i>collaris</i>	1859, 84	<i>badius</i>	1851, 170
	1859, 84	<i>bellulus</i>	1851, 171
<i>corallinus</i>	1860, 452	<i>irisodontes</i>	1851, 171
	1860, 457	<i>leucostigma</i>	1851, 171
<i>decoratus</i>	1859, 85	<i>lineatus</i>	1851, 170
<i>decussatus</i>	1859, 85	<i>roseus</i>	1851, 170
<i>diastema</i>	1859, 87	<i>rutilus</i>	1851, 171
<i>divaricatus</i>	1859, 87	<i>splendidulus</i>	1851, 171
<i>dorsalis</i>	1859, 88	<i>vulgaris</i>	1851, 171
<i>epistema</i>	1859, 85	<i>Elisma acutum</i>	1854, 198
<i>fetzingeri</i>	1860, 458	<i>ventrosum</i>	1854, 198
<i>filiformis</i>	1859, 86	<i>Ellipura cærulescens</i>	1858, 244
<i>flaviceps</i>	1859, 81	<i>ferruginea</i>	1858, 239
<i>flavifrons</i>	1859, 85	<i>grisea</i>	1858, 238
	85	<i>maculata</i>	1858, 242
<i>fulvius</i>	1860, 452	<i>malura</i>	1858, 241
	458	<i>rufa</i>	1858, 240
<i>fulvus</i>	1859, 85	<i>squamata</i>	1858, 241
<i>furcatus</i>	1859, 82	<i>Ellisella coccinea</i>	1857, 287
<i>gastrodelus</i>	1859, 87		
<i>hygiæ</i>	1859, 88		
<i>jamesonii</i>	1858, 160		

	Page		Page
<i>Ellisella coccinea</i>	1859,	<i>Emarginula excurvata</i> ..	1851,
<i>elongata</i>	1857, 287	<i>eximia</i>	1851, 86
<i>juncea</i>	1859, 481	<i>fissura</i>	1851, 82
<i>pectinata</i>	1857, 287	<i>fissurata</i>	1851, 82
<i>Ellobium auris-judæ</i> ..	1859, 481	<i>fuliginea</i>	1851, 84
<i>auris-midæ</i>	1857, 287	<i>fungina</i>	1851, 87
<i>ceylanicum</i>	1859, 481	<i>galericulata</i>	1851, 84
<i>elongatum</i>	1857, 287	<i>huzardii</i>	1851, 83
<i>granulium</i>	1859, 481	<i>incisura</i>	1851, 84
<i>helvaceum</i>	1857, 287	<i>lævicostata</i>	1851, 87
<i>incrassatum</i>	1859, 481	<i>lævis</i>	1851, 82
<i>oparicum</i>	1857, 287	<i>micans</i>	1851, 84
<i>oryx</i>	1859, 481	<i>obovata</i>	1851, 83
<i>pallidum</i>	1857, 287	<i>ossea</i>	1851, 88
<i>politum</i>	1859, 481	<i>panihensis</i>	1851, 90
<i>pusillum</i>	1857, 287	<i>parmophoroidea</i> ..	1851, 89
<i>semisculptum</i>	1859, 481	<i>pileolus</i>	1851, 82
<i>sheepmakeri</i>	1857, 287	<i>planulata</i>	1851, 86
<i>simplex</i>	1859, 481	<i>pulchra</i>	1851, 85
<i>simplicatum</i>	1857, 287	<i>punctata</i>	1851, 84
<i>subnodosum</i>	1859, 481	<i>puncticulata</i>	1851, 84
<i>subula</i>	1857, 287	<i>retecosa</i>	1851, 86
<i>tornatelliforme</i>	1859, 481	<i>reticulata</i>	1851, 82
<i>Elænia albiceps</i>	1854, 7	<i>rosea</i>	1851, 82
<i>cayennensis</i>	1858, 71	<i>rubra</i>	1851, 82
<i>luteiventris</i>	1855, 65	<i>rugosa</i>	1851, 87
<i>pagana</i>	1855, 150	<i>scabricostata</i>	1851, 85
<i>texensis</i>	1858, 458	<i>scabriuscula</i>	1851, 83
<i>variegata</i>	1858, 458	<i>solidula</i>	1851, 83
<i>Elysia ocellata</i>	1858, 71	<i>striatula</i>	1851, 83
<i>Emarginula aculeata</i> ..	1858, 71	<i>vanicorensis</i>	1851, 83
<i>aspera</i>	1856, 296	<i>variegata</i>	1851, 84
<i>australis</i>	1856, 297	<i>viminea</i>	1851, 85
<i>bellula</i>	1859, 35	<i>Emballonura fuliginosa</i> ..	1859, 77
<i>cancellata</i>	1851, 86	<i>monticola</i>	1859, 77
<i>candida</i>	1851, 87	<i>saxatilis</i>	1859, 79
<i>capuliformis</i>	1851, 87	<i>villosa</i>	1859, 79
<i>cinerea</i>	1851, 88	<i>Embalonura canina</i>	1860, 261
<i>clathrata</i>	1851, 88	<i>Emberiza albida</i>	1859, 184
<i>clypeus</i>	1851, 83	<i>aureola</i>	1860, 108
<i>concinna</i>	1851, 85	<i>belli</i>	1857, 7
<i>conica</i>	1851, 82	<i>bilineata</i>	1857, 7
<i>conoida</i>	1851, 87	<i>caniceps</i>	1858, 483
<i>crassa</i>	1851, 87	<i>castaniceps</i>	1859, 184
<i>curvirostris</i>	1851, 86	<i>cia</i>	1855, 215
<i>cuvieri</i>	1851, 86	<i>cioides</i>	1859, 215
<i>depressa</i>	1851, 82	<i>citrinella</i>	1859, 148
<i>dilecta</i>	1851, 83	<i>cyranopsis</i>	1857, 13
<i>élargie</i>	1851, 83	<i>flavifrons</i>	1858, 461
<i>elongata</i>	1851, 83	<i>fucata</i>	1856, 271
<i>emarginata</i>	1851, 89	<i>fulviceps</i>	1860, 242
		<i>melanocephala</i>	1856, 88
		<i>melanodera</i>	1854, 160
		<i>pusilla</i>	1860, 385
		<i>quadricolor</i>	1860, 108
		<i>rustica</i>	1858, 461
		<i>schœniclus</i>	1860, 108
			1857, 215

	Page		Page
<i>Emberiza stewartii</i>	1858,	<i>Engina albocincta</i>	1860,
<i>stracheyi</i>	1855,	<i>costata</i>	1860,
<i>striolata</i>	1850,	<i>monilifera</i>	1860,
<i>Emberizoides macrurus</i>	1856,		452
<i>marginalis</i>	1856,	<i>Engystoma carolinense</i>	1860,
<i>Embernagra albinucha</i>	1856,	<i>guttatum</i>	1858,
<i>chlorura</i>	1860,	<i>Enicognathus rhodogas-</i>	380
<i>chrysoma</i>	1860,	<i>ter</i>	1858,
	275	<i>Enicurus frontalis</i>	1854,
	293	<i>leschenaultii</i>	1854,
<i>conirostris</i>	1856,	<i>maculatus</i>	1858,
	143	<i>nigrifrons</i>	1859,
	1860,	<i>scolerii</i>	1858,
<i>longicauda</i>	1860,		1859,
<i>mexicana</i>	1856,	<i>Ennea anodon</i>	1855,
<i>olivascens</i>	1860,	<i>ceylanica</i>	1855,
<i>platensis</i>	1860,	<i>insignis</i>	1856,
<i>pyrgitoides</i>	1857,	<i>obovata</i>	1855,
<i>rufinucha</i>	1856,	<i>reeveana</i>	1855,
	87	<i>Enneoctonus cristatus</i>	1854,
	306	<i>supercilius</i>	1854,
	1858,	<i>tigrinus</i>	1854,
	304	<i>Enoplium pustuliferum</i>	1852,
	1859,	<i>Ensatina eschscholtzia</i>	1858,
	380	<i>Ensiculus cultellus</i>	1860,
	1860,	<i>Entomophila spilodera</i>	1859,
	275		89
<i>silens</i>	1856,	<i>Enyalius laticeps</i>	1859,
<i>striaticeps</i>	1856,		409
<i>torquata</i>	1856,	<i>Eolis adelaidæ</i>	1859,
<i>viridis</i>	1860,	<i>cærulea</i>	1859,
<i>Empagusia flavescens</i>	1860,	<i>coronata</i>	1859,
<i>Empidonax bairdii</i>	1858,	<i>landsburgii</i>	1859,
<i>flaviventris</i>	1859,	<i>papillosa</i>	1859,
	366	<i>Eopsaltria caledonica</i>	1859,
	1858,	<i>capito</i>	1851,
	301	<i>variegata</i>	1859,
<i>fulvifrons</i>	1859,	<i>Eos ater</i>	1860,
	45	<i>cardinalis</i>	1860,
<i>minimus</i>	1859,	<i>cervicalis</i>	1850,
<i>Emyda aubryi</i>	1858,		27
<i>ceylonensis</i>	1855,	<i>coccinea</i>	1850,
	201		1860,
	1860,	<i>cochinchinensis</i>	1850,
	159		1860,
	1860,		1850,
	170	<i>cyanogenia</i>	1859,
	1858,		1860,
	167		1860,
	1860,	<i>cyanostriata</i>	1850,
	316		1860,
<i>Emys caspica</i>	1848,	<i>fuscata</i>	1859,
<i>crassicollis</i>	1856,		1860,
<i>fuliginosus</i>	1860,	<i>guebiensis</i>	1850,
<i>hamiltonii</i>	1859,		1850,
<i>holbrookii</i>	1855,	<i>indica</i>	1860,
	197		1850,
	1852,	<i>isidorii</i>	1860,
	134		1850,
	1858,	<i>ornata</i>	1850,
	166		27
<i>nigra</i>	1856,		28
<i>ocellata</i>	1856,		28
<i>ornata</i>	1855,		357
<i>scripta</i>	1855,		357
<i>siamensis</i>	1860,		29
<i>tectum</i>	1859,		226
<i>tentoria</i>	1856,		1859,
<i>trijuga</i>	1848,		1860,
<i>Encope michelini</i>	1851,		1850,
<i>oblonga</i>	1851,		1850,
<i>subclausa</i>	1851,		227
<i>valenciennesii</i>	1851,		227

	Page		Page
<i>Eos reticulata</i>	1860, 226	<i>Erethizon dorsatum</i>	1860, 181
	{ 1850, 27	<i>Erinaceus collaris</i>	1858, 520
	{ 1850, 29	<i>Erinna newcombi</i>	1855, 120
<i>riciniata</i>	1860, 226	<i>Eriocnemis aureliæ</i>	1855, 140
	{ 1860, 227	<i>isaacsonii</i>	1855, 140
	{ 1860, 356	<i>luciani</i>	1860, { 81
	{ 1850, 28	<i>simplex</i>	1855, 140
<i>rubra</i>	1859, 450	<i>squamata</i>	1860, 311
	{ 1860, 226	<i>vestita</i>	1855, 140
	{ 1860, 356	<i>Eriopus cupreiventris</i> ..	1849, 96
<i>scintillata</i>	1850, 26	<i>simplex</i>	1849, 96
<i>semilarvata</i>	{ 1850, 27	<i>Erismatura dominica</i> ..	{ 1857, 206
	{ 1860, 357	<i>rubida</i>	1860, 254
<i>squamata</i>	1860, { 226	<i>rubida</i>	1859, 393
	{ 357	<i>Erycina australis</i>	1855, 183
<i>unicolor</i>	1860, 357	<i>bullula</i>	1855, 182
<i>variegata</i>	1850, 27	<i>cycladiformis</i>	1855, 181
(<i>Chalcopsitta</i>) <i>tor-</i>		<i>denticulata</i>	1855, 182
<i>rida</i>	1859, 158	<i>donacina</i>	1856, 341
<i>Epeira verrucosa</i>	1849, 5	<i>dubia</i>	1855, 183
<i>Ephialtes albopunctata</i> ..	1855, 135	<i>grata</i>	1855, 183
<i>flammeola</i>	1858, 96	<i>guttula</i>	1855, 182
<i>lempiji</i>	{ 1854, 262	<i>macrodonta</i>	1855, 182
	{ 1859, 150	<i>papyracea</i>	1855, 183
<i>leucospila</i>	1860, 344	<i>parva</i>	1855, 182
<i>magicus</i>	1860, 345	<i>rotunda</i>	1855, 181
<i>nudipes</i>	1858, 133	<i>zebuensis</i>	1855, 182
<i>Ephippium anglicanum</i>		<i>Erymanthus horridus</i> ..	1852, 35
<i>maximum</i>	1848, 114	<i>Erythrolampris venus</i> ..	{ 1859, { 89
<i>Epimachus magnificus</i> ..	1859, 155	<i>tissimus</i>	402
<i>Epomophorus crypturus</i> ..	1860, 52	<i>Erythronota elegans</i> ..	1860, 307
<i>franqueti</i>	1860, 54	<i>Erythrosterina erythaca</i> ..	1854, 283
<i>gambianus</i>	1860, 52	<i>leucura</i>	{ 1854, 284
<i>labiatus</i>	1860, 55	{ 1858, 492	
<i>macrocephalus</i>	1860, 50	<i>Erythrura cyanovirens</i> ..	1858, 462
<i>schoënsis</i>	1860, 56	<i>pealii</i>	1858, 462
<i>whitei</i>	1860, { 42	<i>phaëton</i>	1858, 462
	{ 50	<i>prasina</i>	1858, 461
<i>Eques americanus</i>	1850, 65	{ 1858, 462	
<i>Equus asinus</i>	1850, 158	{ 1859, 164	
<i>burchellii</i>	1849, 30	<i>pucheranii</i>	1858, 462
<i>caballus</i>	1850, 153	<i>trichroa</i>	1858, 461
	{ 1848, 62	<i>tricolor</i>	1858, 462
<i>hemionus</i>	{ 1849, 29	<i>viridis</i>	1858, 461
	{ 1849, 64	<i>Eryx jaculus</i>	1858, 278
	{ 1849, 29	<i>reinhardtii</i>	1858, 164
<i>kiang</i>	{ 1859, 353	<i>Esacus magnirostris</i> ..	1858, 187
	{ 1859, 435	<i>recurvirostris</i>	1859, 151
<i>polyodon</i>	1848, 62	{ 1856, 106	
<i>zebra</i>	1849, 30	<i>Esox lucius</i>	{ 1859, 477
4 / <i>Erato/columbella</i>	1856, 206	<i>Estheria birchii</i>	1860, 392
{ <i>fraserii</i>	1851, 47	{ 1849, 89	
{ <i>inquisitor</i>	1851, 47	{ 1860, 188	
<i>Erato leucophaea</i>	1856, 206	<i>boysii</i>	1860, 188
<i>maugeriae</i> , var. <i>pa-</i>		<i>brasiliensis</i>	1849, 89
<i>namensis</i>	1856, 162	<i>compressa</i>	1860, 188
<i>sandwicensis</i>	1860, 146	<i>cycladoides</i>	1849, 87
<i>Erethizon dorsatum</i>	1859, 436	<i>dahalacensis</i>	1849, 86

	Page		Page
<i>Estheria dahalacensis</i>	1849, 89	<i>Eudynamis picatus</i>	1860, 359
<i>dallasii</i>	1850, 257	<i>Eudynamys maculatus</i>	1854, 257
<i>donaciformis</i>	1852, 30	<i>orientalis</i>	1857, 101
<i>gigas</i>	1849, 85	<i>punctatus</i>	1859, 150
<i>hislopi</i>	1849, 87	<i>ransomi</i>	1859, 459
<i>melitensis</i>	1859, 232		1859, 159
<i>polita</i>	1360, 188		1860, 359
<i>similis</i>	1849, 88		1860, 359
<i>tetracera</i>	1849, 88	<i>Eudytes chrysocome</i>	1860, 390
	1860, 188	<i>chrysolophus</i>	1860, 418
	1849, 86	<i>diadematus</i>	1860, 419
<i>Estrela amandava</i>	1858, 481	<i>nigrivestis</i>	1860, 418
<i>annulosa</i>	1859, 151	<i>pachyrhynchus</i>	1860, 418
<i>lateralis</i>	1857, 26	<i>papua</i>	1859, 98
<i>musica</i>	1859, 432	<i>Eugenes fulgens</i>	1859, 53
<i>psittacea</i>	1850, 218	<i>Eugenia imperatrix</i>	1855, 192
<i>ruficauda</i>	1859, 164	<i>Eulabeornis castaneo-</i>	
<i>squamifrons</i>	1860, 371	<i>ventris</i>	1858, 188
<i>Ethalia guamensis</i>	1860, 371	<i>Eulabes javanus</i>	1859, 445
<i>striolata</i>	1850, 218	<i>Eulima aciculata</i>	1860, 438
<i>Eubucco aurantiacollis</i>	1853, 189	<i>acilis</i>	1851, 277
<i>bourcieri</i>	1853, 189	<i>acuta</i>	1851, 276
<i>erythrocephalus</i>	1857, 267	<i>cumingii</i>	1851, 277
<i>glaucogularis</i>	1854, 115	<i>cuspidata</i>	1851, 276
<i>hartlaubi</i>	1857, 267	<i>elegantissima</i>	1853, 179
<i>pictus</i>	1859, 146	<i>flexuosa</i>	1851, 277
<i>richardsoni</i>	1860, 95	<i>grandis</i>	1851, 276
<i>Eucephala cæruleolavata</i>	1860, 297	<i>guldinzi</i>	1851, 277
<i>hypocyanea</i>	1857, 268	<i>modicella</i>	1851, 276
<i>Euchætes coccineus</i>	1854, 115	<i>obesula</i>	1851, 276
<i>Euchele alabastrum</i>	1857, 267	<i>polygyra</i>	1851, 277
<i>Euchelus asper</i>	1858, 75	<i>porcellana</i>	1851, 276
<i>corrugatus</i>	1857, 268	<i>pyramidalis</i>	1851, 277
<i>denigratus</i>	1854, 316	<i>teinostoma</i>	1851, 276
<i>fimbriatus</i>	1860, 435	<i>vitrea</i>	1851, 277
<i>indicus</i>	1854, 316	<i>Eulimene albida</i>	1852, 26
<i>proximus</i>	1854, 316	<i>Eumomota supercilia-</i>	
<i>Euchlornis frontalis</i>	1858, 446	<i>ris</i>	1857, 257
<i>sclateri</i>	1854, 113	<i>Eunectes murinus</i>	1849, 106
	1859, 441	<i>Euparypha pisana</i>	1854, 171
<i>Eucometis albicollis</i>	1856, 117	<i>ustulata</i>	1854, 171
<i>cristata</i>	1858, 72	<i>Eupetes macrocerus</i>	1854, 273
<i>penicillata</i>	1856, 118	<i>Eupetomena macrura</i>	1857, 263
<i>Eudæmonia semiramis</i>	1856, 117	<i>Euphemia elegans</i>	1859, 434
<i>uroarge</i>	1849, 49	<i>Euphonia ænea</i>	1856, 276
<i>Eudromias urvillii</i>	1849, 49	<i>affinis</i>	1856, 274
	1860, 386	<i>aureata</i>	1856, 272
		<i>bicolor</i>	1856, 279
		<i>brevirostris</i>	1856, 275
		<i>castaneiventris</i>	1856, 279
		<i>cayana</i>	1856, 278
		<i>cayennensis</i>	1856, 279
		<i>chalybea</i>	1856, 276
		<i>chlorotica</i>	1854, 98

	Page		Page	
<i>Euphonia chlorotica</i>	1856,	}	1855, 159	
			1856, 275	
<i>cinerea</i>	1856,		1855, 159	
<i>coelestis</i>	1856,		1856, 270	
<i>cæruleocephala</i>	1856,		1856, 276	
<i>concinna</i>	1854, 98	}	1856, 276	
	1855, 159		1856, 18	
	1856, 275		1856, 279	
<i>crassirostris</i>	1856,		1857, 66	
	1856,		1858, 74	
	1857, 19	}	1858, 271	
	1860, 275		1856, 273	
	1855, 66		1856, 303	
	1856, 272		1855, 159	
<i>elegantissima</i>	1856, 303	}	1856, 275	
	1858, 303		1856, 273	
	1859, 364		1856, 274	
	1859, 378		1856, 279	
<i>flavifrons</i>	1856, 271		1854, 98	
<i>fortirostris</i>	1854, 98	}	1856, 277	
	1856, 277		1856, 269	
<i>frontalis</i>	1856, 270		1856, 275	
<i>fulvicrissa</i>	1856, 276		1858, 74	
<i>gouldi</i>	1857, 66	}	1858, 452	
	1857, 229		1859, 140	
	1854, 98		1860, 87	
	1856, 275	}	1860, 275	
	1856, 278		<i>Euphranor multifene-</i>	
<i>hirundinacea</i>	1856, 303		<i>strata</i>	1859, 246
	1859, 364		<i>trifenestrata</i>	1859, 245
<i>hirundinirostris</i>	1854, 98	<i>Euplectes bengalensis</i>	1854, 159	
<i>jamaicensis</i>	1856, 280	<i>flammiceps</i>	1860, 111	
	1854, 98	<i>Euplocamus albocrista-</i>		
<i>laniirostris</i>	1856, 277	<i>tus</i>	1858, 499	
	1856, 278	<i>melanotus</i>	1858, 499	
<i>leucopyga</i>	1856, 275	<i>Eupodotis denhami</i>	1850, 220	
	1855, 158	<i>edwardii</i>	1858, 504	
<i>longipennis</i>	1856, 270	<i>Euprepis albilabris</i>	1858, 156	
	1854, 98	<i>blandingii</i>	1858, 156	
<i>melanura</i>	1855, 159	<i>frenatus</i>	1858, 156	
	1856, 278	<i>harlani</i>	1858, 156	
	1855, 159	<i>perrotetii</i>	1858, 156	
<i>minuta</i>	1856, 274	<i>quinquetaniatus</i>	1858, 156	
	1856, 271	<i>raddoni</i>	1858, 156	
<i>musica</i>	1857, 231	<i>stangeri</i>	1858, 156	
	1855, 159	<i>striata</i>	1858, 156	
	1856, 272	<i>Euprepiste boliviana</i>	1855, 158	
<i>nigricollis</i>	1858, 551	<i>mexicana</i>	1855, 158	
	1860, 65	<i>Euproctus poireti</i>	1858, 391	
	1860, 87	<i>rusconii</i>	1858, 139	
<i>occipitalis</i>	1856, 270	<i>Eupsilostoma eximium</i>	1860, 69	
<i>olivacea</i>	1856, 274	<i>pusillum</i>	1860, 68	
<i>pardalotes</i>	1856, 276		283	
	1856, 279	<i>Eupsychortyx hypoleu-</i>		
<i>pectoralis</i>	1857, 66	<i>cus</i>	1860, 62	
<i>plumbea</i>	1856, 281	<i>leucotis</i>	1855, 163	
<i>poliocephala</i>	1856, 281	<i>parvicristatus</i>	1855, 163	
<i>pretrei</i>	1856, 270			

	Page		Page
<i>Eurinerhynchus pygmaeus</i>	1859, 201	<i>Falco æruginosus</i>	1857, 215
<i>Euromphala gueriniana</i>	1854, 176	<i>æsalon</i>	1858, 473
<i>pusilla</i>	1854, 176	<i>aguia</i>	1855, 134
<i>rotundata</i>	1854, 176	<i>anthracinus</i>	1858, 129
<i>Eurostopodus temminckii</i>	1854, 266	<i>ardesiacus</i>	{ 1857, 261 1858, 128
<i>Eurylaimus corydon</i>	1854, 267	<i>australis</i>	1859, 93
<i>cucullatus</i>	1854, 267	<i>bacha</i>	1854, 260
<i>horsfieldii</i>	1854, 267	<i>biarmicus</i>	1850, 215
<i>javanicus</i>	1854, 267	<i>bido</i>	1854, 260
<i>lemniscatus</i>	1854, 267	<i>blagrus</i>	1854, 261
<i>rafflesii</i>	1854, 267	<i>buteo</i>	{ 1851, 142 1857, 215
<i>Euryodon latidens</i>	1851, 216	<i>cærulescens</i>	1854, 258
<i>Eurypyga helias</i>	{ 1857, 268 1860, 73	<i>caligatus</i>	1854, 260
<i>Eurystomus afer</i>	1850, 216	<i>cenchris</i>	1859, 170
<i>australis</i>	1858, 171	<i>cervinalis</i>	1850, 215
<i>azureus</i>	1860, 346	<i>chiquera</i>	{ 1854, 6 1858, 473
<i>calornyx</i>	1854, 267	<i>chiqueroides</i>	1850, 215
<i>cyanicollis</i>	1854, 267	<i>cirrhatus</i>	1854, 259
<i>fuscicapillus</i>	1854, 267	<i>cristatellus</i>	1854, 260
<i>orientalis</i>	{ 1850, 216 1854, 267 1858, 171 1860, 345	<i>cuculoides</i>	1860, 344
<i>pacificus</i>	1859, 154	<i>dimidiatus</i>	1854, 261
<i>pileatus</i>	1860, 346	<i>feldeggi</i>	1850, 215
<i>rubescens</i>	1850, 216	<i>fringillarius</i>	1854, 258
<i>Euryta fulgurata</i>	1856, 206	<i>guianensis</i>	1858, 130
<i>Euscarthmus agilis</i>	1856, 28	<i>gyrfalco</i>	1850, 215
<i>albicristatus</i>	1856, 28	<i>haliaëtus</i>	1859, 160
<i>aurifrons</i>	1860, 467	<i>hiogaster</i>	1860, 343
<i>cinereus</i>	1858, 458	<i>histrionicus</i>	1860, 384
<i>cristatus</i>	1857, 84	<i>ichthaëtus</i>	1854, 260
<i>parulus</i>	1856, 28	<i>indus</i>	1854, 261
<i>Euspiza americana</i>	{ 1856, 142 1857, 205	<i>jugger</i>	{ 1850, 215 1850, 215
<i>aureola</i>	1859, 150	<i>lanarius</i>	{ 1855, 128 1854, 260
<i>lathamii</i>	1858, 483	<i>lathamii</i>	1854, 260
<i>luteola</i>	1858, 483	<i>leucogaster</i>	{ 1854, 260 1858, 169
<i>simillima</i>	1858, 483	<i>leucurus</i>	{ 1859, 93 1860, 383
<i>Eustera argus</i>	1849, 36	<i>limnaëtus</i>	1854, 259
<i>Euthlypis lacrymosa</i>	{ 1856, 291 1859, 363	<i>lugger</i>	{ 1850, 215 1854, 6
<i>Euthraupis analis</i>	1856, 243	<i>maritimus</i>	1854, 261
<i>dubusia</i>	1856, 243	<i>meridionalis</i>	1858, 130
<i>Eutoxeres aquila</i>	1855, 139	<i>milvus</i>	1857, 215
<i>Excalfactoria minima</i>	1859, 128	<i>nisus</i>	{ 1851, 145 1857, 12
<i>Exocetus volitans</i>	1858, 372	<i>novæ-zelandiæ</i>	1859, 93
<i>Fadyenia bowerbankiana</i>	1857, { 168 177	<i>peregrinator</i>	1858, 473
<i>fadyeniana</i>	1857, { 168 177	<i>peregrinoides</i>	1850, 215
<i>grayana</i>	1857, { 168 177	<i>peregrinus</i>	{ 1849, 146 1850, 215 1854, 5 1855, 128 1858, 472 1860, 258
<i>Falcinellus igneus</i>	{ 1858, 507 1860, 197		

	Page		Page		
<i>Falco peregrinus</i>	1860,	442	<i>Felis uncioides</i>	1856,	395
<i>poliosoma</i>	1860,	384	<i>viverrina</i>	1849,	1
<i>ponticerianus</i>	1854,	261	<i>gracilis</i>	1860,	117
<i>rubeus</i>	1850,	215	<i>Ferussacia folliculus</i>	1854,	200
<i>rufipes</i>	1848,	37	<i>gracilis</i>	1854,	200
<i>soloensis</i>	1860,	344	<i>Feylenia currori</i>	1858,	156
<i>tinnunculus</i>	1851,	142	<i>Fiber zibethicus</i>	1860,	416
<i>unicinctus</i>	1854,	6	<i>Fibularia australis</i>	1851,	38
<i>urubitinga</i>	1857,	215	<i>oblonga</i>	1851,	37
<i>virgata</i>	1859,	170	<i>Ficedula bengalensis</i>	1854,	281
<i>zonurus</i>	1860,	258	<i>phoenicura</i>	1854,	25
<i>(Lophotes) reinwardtii</i>	1860,	343	<i>Fish-Hawk, The Large</i>		
<i>Falcon, The Chestnut-bellied</i>	1858,	130	<i>Awl-beaked</i>	1851,	56
<i>Fasciolaria bistrata</i>	1858,	129	<i>Small Awl-beaked</i>	1851,	57
<i>salmo</i>	1854,	260	<i>Fishing-Hawk, The</i>	1851,	55
<i>tarentina</i>	1858,	129	<i>Fissurella alba</i>	1855,	234
<i>Fastigiella carinata</i>	1860,	342	<i>aspera</i>	1856,	223
<i>Felis charltoni</i>	1851,	60	<i>crenulata</i>	1856,	223
<i>chaus?</i>	1856,	207	<i>densiclathrata</i>	1856,	223
<i>chaus</i>	1856,	42	<i>exarata</i>	1856,	223
<i>domestica</i>	1850,	156	<i>macrochisma</i>	1850,	202
<i>duvaucelli</i>	1850,	274	<i>nigrocincta</i>	1855,	234
<i>eyra</i>	1849,	94	<i>nigropunctata</i>	1855,	234
<i>jubata</i>	1849,	94	<i>noachina</i>	1851,	228
<i>leo</i>	1849,	94	<i>ornata</i>	1856,	222
<i>leo</i>	1860,	243	<i>Fistulana clava</i>	1858,	315
<i>leopardus</i>	1860,	183	<i>Flabellum aculeatum</i>	1849,	76
<i>leopardus</i>	1860,	371	<i>affine</i>	1849,	75
<i>macrosceloides</i>	1853,	191	<i>bairdi</i>	1849,	76
<i>macrosceloides</i>	1855,	126	<i>candeanum</i>	1849,	76
<i>melas</i>	1856,	395	<i>compressum</i>	1849,	76
<i>mitis</i>	1850,	156	<i>crassum</i>	1849,	76
<i>mitis</i>	1849,	94	<i>crenulatum</i>	1849,	76
<i>mitis</i>	1859,	433	<i>cumingii</i>	1849,	76
<i>murmensis</i>	1855,	126	<i>debile</i>	1849,	76
<i>murmensis</i>	1856,	395	<i>distinctum</i>	1849,	76
<i>neglecta</i>	1860,	246	<i>elegans</i>	1849,	76
<i>ogilbyi</i>	1855,	126	<i>elongatum</i>	1849,	76
<i>pardalis</i>	1859,	477	<i>macandrewii</i>	1849,	75
<i>pardalis</i>	1860,	416	<i>owenii</i>	1849,	76
<i>pardochrous</i>	1855,	126	<i>pavoninum</i>	1849,	75
<i>pardus</i>	1856,	396	<i>profundum</i>	1849,	76
<i>pardus</i>	1858,	513	<i>spinosum</i>	1849,	76
<i>serval</i>	1859,	435	<i>stokesii</i>	1849,	76
<i>servalina</i>	1860,	246	<i>sumatrense</i>	1849,	76
<i>servalina</i>	1850,	156	<i>thouarsii</i>	1849,	76
<i>tigris</i>	1855,	129	<i>Florida cærulea</i>	1859,	63
<i>tigris</i>	1856,	395	<i>Florida cærulea</i>	1860,	253
<i>tigris</i>	1858,	513	<i>Florida cærulea</i>	1859,	53
<i>uncia</i>	1856,	395	<i>Florida cærulea</i>	1860,	95
			<i>Florisuga mellivora</i>	1860,	95
			<i>Flustra verticillata</i>	1858,	306
			<i>Fluvicola albiventris</i>	1855,	148
			<i>atripennis</i>	1860,	280
			<i>bicolor</i>	1855,	148
			<i>leucophrys</i>	1856,	28
			<i>cenanthoides</i>	1856,	28
			<i>pica</i>	1855,	148
			<i>ruficeps</i>	1855,	149

	Page		Page
Foëgia agglutinans	1858, 313	Formicivora consobrina	1860, 294
	{ 1858, 68	deluzæ	1858, 238
Formicarius analis	{ 1858, 277	domicella	1858, 246
	{ 1860, 294	erythroceræ	1858, 240
brevicauda	1858, 281	erythronota	1858, 236
	{ 1855, 69		{ 1854, 255
cayennensis	{ 1855, 145	ferruginea	{ 1858, 239
	{ 1857, 46	genæi	1858, 239
	{ 1858, 277	grisea	1858, 238
	{ 1855, 69	guttata	1858, 289
erythropterus	{ 1857, 47		{ 1857, 48
	{ 1858, 276	hæmatonota	{ 1858, 235
fuscater	1855, 145		{ 1857, 131
lineatus	1858, 247	håuxwelli	{ 1858, 67
	{ 1856, 294		{ 1858, 236
	{ 1857, 47	hemimelæna	1858, 249
moniliger	{ 1858, 278	intermedia	1858, 238
	{ 1859, 383	lafresnayana	1858, 289
	{ 1855, 68	leucophrys	1858, 238
	{ 1855, 145	loricata	1858, 248
nigrifrons	{ 1857, 47		{ 1855, 90
	{ 1858, 68	maculata	{ 1858, 241
	{ 1858, 277		{ 1858, 242
	{ 1857, 47	malura	1858, 241
nigromaculatus	{ 1858, 68	maura	1858, 246
	{ 1858, 276	melæna	{ 1857, 130
torquatus	1858, 275		{ 1858, 237
	{ 1857, 46	melanaria	1858, 245
trivittatus	{ 1858, 278	melanura	1858, 245
varius	1858, 280	menetriesi	1858, { 67
Formicivora alapi	1858, 245		{ 237
	{ 246	nigricollis	1858, 238
atra	{ 1858, 288		{ 1855, 147
	{ 1855, 147	ornata	{ 1858, 67
axillaris	{ 1858, 236		{ 1858, 235
	{ 1858, 300	pileata	1858, 233
boucardi	{ 1859, 55		{ 1855, 147
	{ 1859, 383	pygmæa	{ 1858, 67
	{ 1860, 279		{ 1858, 234
brevicauda	{ 1857, 131	quadrivittata	1858, 234
	{ 1858, 237		{ 1858, 241
	{ 1854, 112	quixensis	{ 1860, 279
cærulescens	{ 1857, 131	rufa	1858, 240
	{ 1858, 244	rufatra	1858, 239
	{ 1855, 89	rufimarginata	1858, 233
callinota	{ 1855, 147	squamata	1858, 241
	{ 1858, 242	strigilata	1858, 242
caloptera	1859, 142		{ 1857, 130
	{ 1854, 254	urosticta	{ 1858, 238
	{ 1855, 147	Fossar adansonii	1853, 186
caudata	{ 1858, 67	bicarinatus	1853, 187
	{ 1858, 240	clathratus	1853, 186
	{ 1859, 142	costatus	1853, 186
	{ 1857, 131	cumingii	1853, 187
cinerascens	{ 1858, 67	minutus	1853, 186
	{ 1858, 245	multicostatus	1860, 398
cinnamomea	1858, 249		{ 1853, 186
consobrina	1860, 279	reticulatus	{ 1856, 205

	Page		Page
Fossar trochlearis	1853, 187	Fringilla trichroa	1858, 461
variegatus	1853, 187	tricolor	1858, 462
(Isapis) ovoideus	1856, 205	viridis	1856, 66
Francolinus clappertoni	1850, 219	zena	1856, 231
ponticerianus	{ 1855, 31	Fulgoraria chinensis	1855, 60
rüppelli	{ 1859, 186	Fulguraria fulgura	1855, 60
sinensis	1850, 220	(Aurinia) dubia	1855, 55
spadiceus	1859, 151	Fulica americana	{ 1857, 206
vulgaris	1855, 31	{ 1859, 64
yemensis	{ 1855, 41	{ 1859, 369
Fregata aquila	1858, 502	{ 1849, 146
Fregilus graculus	{ 1859, 186	{ 1851, 146
himalayanus	1851, 128	{ 1855, 79
Frickella amoena	1858, 318	{ 1857, 13
Fringalauda nemoricola	{ 1858, 478	{ 1858, 508
Fringilla analis	1859, 172	{ 1859, 188
autumnalis	1860, 206	{ 1860, 258
bahamensis	1855, 2	{ 1860, 442
bella	1859, 184	{ 1860, 82
blandingiana	1855, 159	{ 1859, 369
butyracea	1856, 252	Fuligula affinis	{ 1859, 437
cana	1856, 231	americana	{ 1860, 337
cannabina	1855, 217	collaris	1860, 337
carduelis	1857, 7	cristata	{ 1859, 442
cayennensis	1851, 142	ferina	{ 1860, 242
celæno	1856, 66	{ 1860, 337
chloris	1856, 65	{ 1854, 95
coelebs	1851, 145	{ 1860, 337
detruncata	1857, 13	{ 1860, 338
domestica	{ 1850, 218	{ 1860, 337
episcopus	1851, 145	{ 1858, 510
gnatho	1857, 13	{ 1860, 337
hæmorrhœa	1856, 66	{ 1860, 337
jamaica	1856, 64	{ 1858, 510
jugularis	1856, 304	{ 1859, 437
macroura	1856, 280	{ 1860, 337
maja	1856, 77	Fungia compressa	1849, 76
montana	1856, 30	Funiculina cylindrica	{ 1857, 288
nisoria	1859, 444	mediterranea	{ 1859, 481
oryzivora	1859, 443	Furcella gigantea	1857, 288
passer	1859, 443	{ 247
petronia	1859, 443	{ 248
psittacea	1860, 179	Furcifer antisiensis	1850, 236
pulchella	1851, 142	campestris	1850, 237
punctularia	{ 1858, 462	huamel	1850, 236
quadrivittata	1859, 164	Furia horrens	1856, 175
rubrifrons	{ 1858, 462	Furipterus cærulescens	1856, 176
sphenura	1859, 164	horrens	1856, 175
texensis	1859, 164	Furnarius cinnamomeus	1860, 277
tintillon	1858, 462	griseus	1856, 97
	{ 1859, 164	longirostris	1860, 277
	1858, 462	roseus	1855, 141
	1859, 164	Fusillus oryza	1854, 204
	1858, 462	triticea	1854, 205
	1859, 164	tuberculatus	1854, 204

	Page		Page		
<i>Fusus albinus</i>	1855,	222	<i>Galeola volvarioides</i>	1858,	50
<i>ambustus</i>	1856,	208	<i>Galeomma ambigua</i>	1855,	168
<i>assimilis</i>	1855,	222	<i>angusta</i>	1855,	170
<i>dilectus</i>	1855,	221	<i>argentea</i>	1855,	169
<i>fasciolanus</i>	1858,	144	<i>chloroleuca</i>	1855,	170
<i>kelletii</i>	1850,	274	<i>formosa</i>	1855,	170
<i>nodicinctus</i>	1855,	222	<i>indecora</i>	1855,	169
<i>oregonensis</i>	1850,	274	<i>inflata</i>	1855,	170
<i>pallidus</i>	1856,	41	<i>layardi</i>	1855,	169
<i>salebrosus</i>	1850,	274	<i>macrochisma</i>	1855,	171
<i>spiralis</i>	1855,	221	<i>paucistriata</i>	1855,	170
<i>turbinella</i>	1858,	144	<i>polita</i>	1855,	169
<i>turbinelloides</i>	1856,	41	<i>splendida</i>	1855,	169
<i>turricula</i>	1855,	222	<i>turtoni</i>	1855,	167
<i>Gafrarium cælatum</i>	1853,	69			168
<i>scitulum</i>	1853,	70	<i>Galeoscoptes carolinensis</i>	1859,	336
<i>Galago</i> — ?	1852,	73			362
<i>Galbalcyrrhynchus leuco-</i>			<i>plumbeus</i>	1857,	370
<i>tis</i>	1855,	137	{ 1859,	337	
<i>Galbula albigularis</i> ...	{ 1855,	15	{ 1857,	231	
	{ 1857,	262	{ 1859,	336	
<i>albirostris</i>	1855,	14	<i>Galera barbara</i>	1859,	51
<i>chalcocephala</i>	{ 1855,	14	<i>Galerida chendoola</i> ..	{ 1855,	50
	{ 1857,	262	{ 1858,	485	
<i>chalcothorax</i>	{ 1854,	110	{ 1850,	219	
	{ 1855,	14	<i>Galerus fuscus</i>	1855,	233
	{ 1858,	61	<i>mamillaris</i>	1855,	233
<i>cyanicollis</i>	1855,	14	<i>regularis</i>	1855,	233
<i>cyanopogon</i>	1855,	14	<i>sinensis</i>	1855,	233
	{ 1855,	13	<i>striatus</i>	1855,	234
<i>fuscicapilla</i>	{ 1855,	136	<i>subreflexus</i>	1855,	233
	{ 1857,	262	<i>Galicdictis striata</i>	1848,	21
<i>leucogaster</i>	1858,	61	<i>vittata</i>	1848,	22
<i>maculicauda</i>	1855,	13	<i>Gallinago burka</i>	1860,	365
	{ 1855,	13	<i>gallinula</i>	{ 1858,	506
	{ 1856,	139	{ 1859,	189	
<i>melanogenia</i>	{ 1858,	357	{ 1860,	387	
	{ 1859,	53	{ 1860,	365	
	{ 1859,	387	{ 1858,	506	
<i>quadricolor</i>	1855,	13	{ 1856,	31	
<i>ruficauda</i>	1855,	{ 13	{ 1858,	506	
		{ 136	{ 1859,	189	
<i>rufoviridis</i>	1855,	13	{ 1860,	365	
<i>tombacea</i>	{ 1855,	13	{ 1859,	189	
	{ 1857,	262	{ 1859,	150	
<i>viridicauda</i>	1855,	13	{ 1856,	310	
<i>viridis</i>	1855,	13	{ 1859,	64	
<i>Galbuloides boersi</i>	1855,	15	{ 1859,	369	
<i>Galeodea echinophora</i> ..	1851,	229	{ 1851,	146	
<i>Galeola avellana</i>	1858,	49	{ 1858,	508	
<i>carniola</i>	1858,	49	{ 1859,	188	
<i>dactyola</i>	1858,	49	{ 1860,	258	
<i>irisans</i>	1858,	48	{ 1857,	237	
<i>lepida</i>	1858,	49	{ 1859,	150	
<i>picta</i>	1858,	50	{ 1851,	151	
<i>pygmæa</i>	1858,	50	{ 1858,	508	
<i>tigrina</i>	1858,	49	{ 1859,	188	
			<i>crex</i>	1860,	258
			<i>galeata</i>	1857,	237
			<i>phœnicura</i>	1859,	{ 150
					{ 151
			<i>Gallopavo sylvestris</i>	1856,	62
			<i>Gallophasis albocristatus</i>	1858,	544

	Page		Page
Gallopbasis alboerista-	1858,	Garrulus ornatus	1850,
	tus		83
	1859,		84
	205	ultramarinus	1850,
	1858,	vigorsii	1850,
	horsfieldii	1859,	64
	1858,	Garzetta candidissima . .	1859,
	545	Gastodon fanellensis . . .	1854,
	1859,	205	208
	melanonotus	1859,	205
	205	Gastrochæna	apertissi-
	1858,	ma	1854,
Gallus æneus	1849,	cucullata	1854,
	63	cuneiformis	1858,
	1857,	denticulata	1854,
	46	difficilis	1854,
	1858,	hians	1858,
	498	humilis	1854,
	1859,	impressa	1854,
	150	indistincta	1854,
	1860,	interrupta	1854,
	242	intersecta	1854,
	1860,	lævigata	1854,
	442	lamellosa	1854,
	1858,	macroschisma	1854,
	498	modiolina	1858,
	1859,	philippinensis	1854,
	185	plicatilis	1854,
	417	pupina	1854,
	442	rùppellii	1854,
	1855,	spathulata	1854,
	29	sprenylox	1858,
	1860,	tenera	1854,
	415	Gastrodon anconostoma .	1854,
	1849,	fanallensis	1854,
	62	umbilicata	1854,
	1859,	Gavia roseiventris	1859,
	393	1860,	97
	1860,	1860,	391
	290	Gavialis schlegeli	1849,
	1860,	1849,	144
	364	Gazella bennettii	1850,
	1859,	1850,	167
	237	colus	1850,
	1860,	1850,	168
	253	corinna	1850,
Gammarus stagnalis . . .	1852,	1849,	62
Ganga dilatata	1854,	1850,	114
	88	dama	1850,
	1854,	1850,	112
	88	1850,	115
	1854,	1850,	168
	88	1860,	415
Garelia æqualis	1855,	euchore	1850,
	38	1850,	168
	1855,	1850,	168
	38	1860,	415
	1850,	gutturosa	1850,
	79	1850,	168
	1859,	1850,	113
	446	1850,	168
	1850,	1850,	112
	86	1850,	112
	150	1850,	114
	151	1850,	115
Garrulax albogularis . .	1859,	1850,	168
	151	1850,	115
Garrulus atricapillus . .	1850,	1850,	168
	82	1850,	115
	1850,	1850,	168
	83	1850,	113
	1850,	1850,	168
	82	1850,	112
	1850,	1850,	114
	84	1850,	114
	1858,	1850,	112
	302	1850,	115
	1858,	1850,	168
	302	1860,	415
	1859,	1850,	168
	433	1850,	112
	1850,	1850,	112
	81	1850,	114
	1850,	1850,	115
	82	1850,	168
	1860,	1850,	141
	442	1850,	114
	1850,	1850,	115
	84	1850,	115
	1850,	1850,	112
	81	1850,	112
	1858,	1850,	114
	479	1850,	114
	1859,	1850,	115
	172	1850,	114
	1850,	1850,	114
	79	1850,	115
	1850,	1850,	115
	82	1850,	114
	1850,	1850,	115
	82	1850,	114
	1850,	1850,	115
	82	1850,	114
	1850,	1850,	115
	81	1850,	114
	1850,	1850,	115
	81	1850,	114
	1850,	1850,	115
	80	1850,	114
	1850,	1850,	114
	82	1850,	114
	1850,	1850,	114
	82	1850,	114
	1850,	1850,	114
	81	1850,	114
	1850,	1850,	115
	80	1850,	114
	1850,	1850,	114
	82	1850,	114
	1850,	1850,	114
	82	1850,	114
	1850,	1850,	114
	81	1850,	114
	1850,	1850,	115
	80	1850,	114
	1850,	1850,	114
	82	1850,	114
	1850,	1850,	114
	82	1850,	114
	1850,	1850,	114
	81	1850,	114
	1850,	1850,	115
	80	1850,	114
	1850,	1850,	114
	82	1850,	114
	1850,	1850,	114
	82	1850,	114
	1850,	1850,	114
	81	1850,	114
	1850,	1850,	115
	80	1850,	114
	1850,	1850,	114
	82	1850,	114
	1850,	1850,	114
	82	1850,	114
	1850,	1850,	114
	81	1850,	114
	1850,	1850,	115
	80	1850,	114
	1850,	1850,	114
	82	1850,	114
	1850,	1850,	114
	82	1850,	114
	1850,	1850,	114
	81	1850,	114
	1850,	1850,	115
	80	1850,	114
	1850,	1850,	114
	82	1850,	114
	1850,	1850,	114
	82	1850,	114
	1850,	1850,	114
	81	1850,	114
	1850,	1850,	115
	80	1850,	114
	1850,	1850,	114
	82	1850,	114
	1850,	1850,	114
	82	1850,	114
	1850,	1850,	114
	81	1850,	114
	1850,	1850,	115
	80	1850,	114
	1850,	1850,	114
	82	1850,	114
	1850,	1850,	114
	82	1850,	114
	1850,	1850,	114
	81	1850,	114
	1850,	1850,	115
	80	1850,	114
	1850,	1850,	114
	82	1850,	114
	1850,	1850,	114
	82	1850,	114
	1850,	1850,	114
	81	1850,	114
	1850,	1850,	115
	80	1850,	114
	1850,	1850,	114
	82	1850,	114
	1850,	1850,	114
	82	1850,	114
	1850,	1850,	114
	81	1850,	114
	1850,	1850,	115
	80	1850,	114
	1850,	1850,	114
	82	1850,	114
	1850,	1850,	114
	82	1850,	114
	1850,	1850,	114
	81	1850,	114
	1850,	1850,	115
	80	1850,	114
	1850,	1850,	114
	82	1850,	114

	Page		Page
Gazella soemmeringii ..	1850,	Geophis (Catostoma)	
	{ 115	chalybæa	1860, 316
subgutturosa	1850,	Geospiza cyanovirens ..	1858, 462
	{ 168	prasina	1858, 462
Gazola caledonica	1850,	Geospizopsis melanotis	{ 1856, 306
Gazzola caledonica	1859,		{ 1858, 98
Gecinus dimidiatus	1859,	typus	{ 1856, 306
squamatus	1858,		{ 1858, 98
Gecko rapicauda	1848,	Geothlypis macgillivraii	1859, { 363
reevesii	1858,		{ 373
	{ 114	semiflava	1860, { 273
verus	1860,	speciosa	1858, { 291
	{ 167	trichas	1859, { 447
	{ 170		{ 363
	{ 417	Geotria australis	1851, { 373
Gelochelidon anglicus ..	1858,	Geotriton fuscus	1858, { 239
Gena asperulata	1850,		{ 144
auricula	1850,		{ 391
concinna	1850,	Geotrygon albifacies ..	{ 1858, 98
irasata	1850,		{ 1859, 368
lineata	1850,		{ 1859, 391
lintricula	1850,	bourcieri	1860, 72
minima	1850,	caniceps	1858, 99
nebulosa	1850,		{ 1856, 143
nigra	1850,	chiriquensis	{ 1857, 206
ornata	1850,		{ 1858, 98
planulata	1850,	linearis	1855, 163
plumbea	1850,		{ 1856, 309
pulchella	1850,		{ 1857, 19
striatula	1850,		{ 1857, 235
strigosa	1850,	montana	{ 1859, 368
varia	1850,		{ 1859, 433
Genetta abyssinica	1860,		{ 1860, 416
bonapartei	1859,	mystacea	1855, 163
Gennæus lineatus	1859,	sylvatica	1860, 416
Geocichla albogularis ..	1854,	Geranoaëtus melanoleucus	1855, 134
innotata	1854,	Geranoaspiza cærulescens	1860, 238
	{ 274	gracilis	1856, 235
	{ 231	Gerbillus indicus	1858, 520
Geoclemmys annulata ..	1860,	Geronoaëtus aguia	1856, 145
	{ 233	Geronticus calvus	1859, 435
macrocephala	1859,	Gerrhonotus imbricatus .	1860, 316
	{ 479	tessellatus	1860, 316
	{ 1858, 305	wiegmanni	1860, 454
Geococcyx affinis	{ 1859, 368	Gerrhosaurus nigrolinea-	
	{ 1859, 387	tus	1858, 156
mexicanus	1857,	Gerygone chryzogaster ..	1858, 174
Geomyda spinosa	1860,	Geryonia æquorea	1851, 272
Goeffroius aruensis	1860,	Gibbula adansonii	1851, 185
	{ 227	adelaidæ	1851, 186
cyaneicollis	1860,	agathensis	1851, 185
	{ 226	capensis	1851, 185
heteroclitus	1860,	cineraria	1851, 184
jukesii	1860,	cinerea	1851, 184
personatus	1860,	declivis	1851, 184
pucheranii	1860,	divaricata	1851, 184
Geoffroyus cyanicollis ..	1860,	fanulum	1851, 184
Geomelania greyana	1857,	fasciata	1851, 185
jamaicensis	1849,		
Geopelia striata	1859,		
tranquilla	1857,		
Geophaps plumifera	1857,		

	Page		Page
<i>Gibbula fumosa</i>	1851,	<i>Glossina longipalpis</i>	1850,
<i>fuscata</i>	1851,	<i>morsitans</i>	1850,
<i>jucunda</i>	1851,	<i>tabaniformis</i>	1850,
<i>kalinota</i>	1851,	<i>tachinoides</i>	1850,
<i>lehmanni</i>	1854,	<i>Glossiptila ruficollis</i> ...	1856,
<i>leucosticta</i>	1851,	<i>Glossoliga poireti</i>	1858,
<i>magus</i>	1851,	<i>Glossophaga ecaudata</i> ..	1858,
<i>mindorensis</i>	1851,	<i>Glossotherium</i>	1851,
<i>multicolor</i>	1851,		1850,
<i>nivosa</i>	1851,	<i>Glottis canescens</i>	1859,
<i>obliquata</i>	1851,		1859,
<i>philberti</i>	1851,	<i>chloropus</i>	1850,
<i>porcellana</i>	1851,	<i>horsfieldi</i>	1860,
<i>pulcherrima</i>	1854,		1855,
<i>pulchra</i>	1851,	<i>melanoleuca</i>	1857,
<i>puncto-costata</i>	1854,		1858,
<i>quadrata</i>	1851,	<i>Glycimeris margaritaceus</i>	1858,
<i>rotelliformis</i>	1851,	<i>Glyciphila modesta</i> ..	1858,
<i>scabra</i>	1851,	<i>ocularis</i>	1859,
<i>sulcosa</i>	1851,	<i>poliotis</i>	1858,
<i>tumida</i>	1851,	<i>Glyphis aspera</i>	1859,
<i>umbilicata</i>	1851,	<i>Glyphisodon biocellatus</i>	1859,
<i>undosa</i>	1851,	<i>Glyphorhynchus castel-</i>	
<i>varia</i>	1851,	<i>naudi</i>	1859,
<i>venusta</i>	1851,		1855,
<i>vulnerata</i>	1857,	<i>cuneatus</i>	1858,
<i>Gisella harrisi</i>	1856,	<i>pectoralis</i>	1860,
<i>Gladius (Rostellaria) me-</i>		<i>Glyptodon clavipes</i>	1851,
<i>lanocheilus</i>	1854,	<i>ornatus</i>	1851,
<i>Glandina albersii</i>	1854,	<i>reticulatus</i>	1851,
<i>conularis</i>	1855,	<i>tuberculatus</i>	1851,
<i>filosa</i>	1855,	<i>Gnathodon cuneatus</i> ...	1858,
<i>flexuosa</i>	1854,	<i>mendica</i>	1856,
<i>insignis</i>	1855,	<i>trigona</i>	1856,
<i>nystiana</i>	1855,	<i>Goliathus africanus</i> ...	1856,
<i>Glandinaria californica</i> ..	1856,	<i>drurii</i>	1856,
<i>Glareola grallaria</i>	1860,	<i>giganteus</i>	1856,
<i>limbata</i>	1850,	<i>Golunda newera</i>	1850,
<i>nuchalis</i>	1849,		157,
<i>orientalis</i>	1850,		158,
<i>pratincta</i>	1855,	<i>Gongylophis conicus</i> ..	1860,
	1858,		164,
<i>Glaucidium californicum</i>	1857,		168,
<i>ferrugineum</i>	1860,		170,
<i>gnoma</i>	1857,		171,
<i>infuscatum</i>	1857,	<i>Gongylus ocellatus</i> ...	1849,
	1860,		1859,
<i>Glaucis melanura</i>	1860,		1859,
<i>ruckeri</i>	1860,	<i>Goniaphea caerulea</i>	1856,
<i>Glaucosome psammotella</i>	1853,	<i>concreta</i>	1856,
<i>rostralis</i>	1853,		1857,
<i>Glaucopsis leucopterus</i> ..	1859,	<i>parellina</i>	1856,
<i>Glenargus leucopterus</i> ..	1859,		1857,
<i>Globiocephalus macro-</i>		<i>Gonigeria clavata</i>	1851,
<i>rhynchus</i>	1860,	<i>Gonicidaris pistillaris</i> .	1855,
	423	<i>Gonodactylus chiragra</i> ..	1860,
		<i>cultrifer</i>	1850,
		<i>edwardsii</i>	1850,

	Page		Page
Gonodactylus graphurus	1850, 97	Graculus pygmaeus	1858, 509
scyllarus	1850, 96	sinensis	1858, 509
styliferus	1850, 97	sulcirostris	1859, 189
trispinosus	1850, 97		1860, 366
Gonyosoma frenatum	1860, 163	Grallaria brevicauda	1855, 89
	166		1858, 278
Gordius fasciatus	1853, 21		1858, 281
fulgur	1860, 447	ferrugineipectus	1857, 129
platyura	1853, 20		1858, 284
pustulosus	1853, 20	flavirostris	1858, 68
sphærerura	1853, 21		283
verrucosus	1853, 20	flaviventris	1858, 68
violacea	1853, 20		282
Gorgon fasciatus	1850, 139	fusca	1858, 280
Gorgonella sarmentosa	1857, 289		1856, 294
violacea	1857, 289		1858, 280
Gorgonia elongata	1857, 287	guatemalensis	1859, 366
flexuosa	1859, 480		1859, 383
furcata	1859, 480	hypoleuca	1855, 145
granulata	1857, 289		1858, 281
juncea	1857, 287	imperator	1858, 280
lepadifera	1857, 285		1857, 129
myura	1859, 484	loricata	1858, 68
pectinata	1857, 287		1858, 284
placomus	1848, 44	macularia	1858, 282
pretiosa	1857, 287	marginata	1858, 278
reseda	1857, 285		1855, 89
richardi	1859, 482	modesta	1855, 145
sarmentosa	1859, 480		1858, 281
spiralis	1857, 290		1857, 18
suberosa	1857, 288	monticola	1858, 281
	1859, 482		1860, 78
sulcifera	1857, 288		1855, 145
umbraculum	1857, 289	nana	1858, 284
verticillans	1859, 484	nuchalis	1859, 441
verticillata	1857, 286	ochroleuca	1858, 282
	1859, 484	olivacea	1858, 279
violacea	1859, 480	quitensis	1858, 281
Gorilla gina	1859, 3	regulus	1860, 66
Gouldia conversi	1855, 141	rex	1858, 280
langsdorfii	1854, 111		1855, 145
popelairi	1855, 141	ruficapilla	1858, 282
	1849, 171		1860, 63
	1859, 159		1860, 66
Goura coronata	1859, 206	rufula	1855, 145
	1860, 192		1858, 283
	1860, 362		1855, 145
victoriæ	1849, 171	squamigera	1858, 280
	1850, 246		1858, 553
	1858, 182		1860, 89
Gracula dumontii	1859, 158	tinniensi	1858, 281
glauca	1856, 231	varia	1858, 280
intermedia	1859, 436	Grallaricula ferruginei-	
religiosa	1859, 445	pectus	1858, 284
	1858, 509	flavirostris	1858, 283
Graculus carbo	1859, 189	loricata	1858, 284
melanoleucus	1860, 366	nana	1858, 284
melanops	1857, 25	Grallina australis	1857, 25

	Page		Page
Granatellus sallæi	1856, 292	Gymnobucco peli	1859, 397
	1858, 97	Gymnocichla nudiceps } 1858, 274	
	1859, 374		1859, 55
venustus	1858, 97	Gymnocorvus senex	1859, 157
	1859, 375	Gymnodactylus caudi-	
Grantia botryoides	1858, 114	scutatus	1859, 410
Graucalus hypoleucus	1848, 38	Gymnoderus fetidus	1857, 265
	1858, 179	Gymnogaster arcticus	1851, 117
magnirostris	1860, 353	Gymnomystax mexicanus	1854, 114
melanotis	1858, 179	Gymnopodus ægyptiacus	1848, 38
Grayia silurophaga	1858, 162	Gymnorhina tibicen	1860, 242
Grus americana	1857, 8	Gymnotus electricus	1853, 75
	1860, 329	rostratus	1853, 75
	1849, 95	Gypaëtus barbatus	1858, 467
antigone	1857, 215		1859, 170
	1858, 507	Gyparchus papa	1859, 51
	1860, 329		1860, 193
	1850, 221		1854, 258
cinerea	1858, 507	Gyps bengalensis	1858, 469
	1859, 353		1859, 170
fraterculus	1860, 418	indicus	1858, 468
hoyiana	1857, 8		1859, 170
montignesia	1859, 353	Gyrineum bufonium	1851, 231
paradisea	1860, 417	caudatum	1851, 231
	258	echinatum	1851, 231
pavonina	1860, 329	natator	1851, 231
	1855, 34	rana	1851, 231
virgo	1859, 353	scrobiculator	1851, 231
	1860, 108	verrucosum	1851, 231
Gryllivora brevirostris	1854, 282	Gyrola chrysoptera	1856, 255
longicauda	1854, 283	cyanoventris	1856, 255
magnirostra	1854, 282	viridissima	1856, 256
rosea	1854, 282		
Grymæomys scapulatus	1860, 303	Habroptila wallacii	1860, 365
Grypus spixi	1860, 304	Hæmatopota pluvialis	1850, 265
Gubernatrix cristatellus	1859, 434	Hæmatopus ater	1860, 386
	365	bachmanni	1860, 386
Guiraca cærulea	1859, 378	fuliginosus	1860, 386
	1859, 378	leucopus	1860, 386
concreta	1859, 378	longirostris	1858, 188
melanocephala	1857, 213	luctuosus	1860, 386
	365	niger	1860, 386
parellina	1859, 378		1858, 188
Gymnetrus —	1849, 82	ostralegus	1860, 258
ascanii	1849, 82	townsendii	1860, 386
	1849, 81	unicolor	1859, 96
banksii	1849, 82		1860, 387
	1849, 83	Hæmatornis cafer	1854, 48
	1860, 187	cheela	1857, 85
glesne	1860, 187	lugubris	1850, 217
gryllii	1849, 81		1858, 98
	82	Hæmophila rufescens	1859, 365
hawkenii	1849, 80		1859, 380
	1860, 187	superciliosa	1858, 98
hawkensis	1849, 79	Halcyon albicilla	1859, 154
northumbricus	1849, 82		1854, 268
remipes	1849, 82	atricapillus	1859, 150
Gymnobucco bonapartii	1859, 397		1859, 151
calvus	1859, 397		

	Page		Page
<i>Halcyon brunnicaps</i>	1854, 268	<i>Haliichthys tæniophora</i>	1859, 39
<i>cinereifrons</i>	1860, 110	<i>Haliotis albicans</i>	1856, 147
	1854, 269	<i>californiensis</i>	1856, 223
<i>collaris</i>	1858, 171	<i>cracherodii</i>	1856, 223
	1859, 151	<i>splendens</i>	1856, 223
	1860, 346	<i>Haliplana fuliginosa</i>	1859, 166
<i>diops</i>	1860, 346	<i>Halmaturus bennettii</i>	1860, 323
<i>fulgidus</i>	1857, 65		1859, 433
<i>funebri</i>	1860, 346	<i>billardieri</i>	1860, 323
<i>gural</i>	1854, 268		1860, 371
<i>javamica</i>	1854, 268	<i>brunii</i>	1858, 106
<i>lazuli</i>	1860, 346	<i>ruficollis</i>	1860, 323
	1854, 268	<i>stigmaticus</i>	1860, 375
<i>leucocephalus</i>	1859, 150	<i>thetidis</i>	1860, 323
	1859, 151		1860, 371
<i>pileatus</i>	1854, 268	<i>Hamadryas hannah</i>	1855, 131
	1857, 25	<i>Haminea crocata</i>	1860, 432
	1858, 172	<i>galba</i>	1860, 432
<i>sanctus</i>	1859, 154	<i>pusilla</i>	1860, 20
	1859, 160	<i>vesicula</i>	1856, 203
	1860, 346	<i>Hapalotis albipes</i>	1851, 126
<i>semicærulea</i>	1860, 197	<i>apicalis</i>	1851, 126
	1854, 268	<i>cervinus</i>	1851, 127
<i>smyrnensis</i>	1855, 28	<i>conditor</i>	1851, 127
	1857, 88	<i>gouldii</i>	1851, 127
	1858, 474	<i>hemileucura</i>	1857, 243
<i>sordida</i>	1858, 172	<i>hirsutus</i>	1851, 127
<i>varia</i>	1854, 268	<i>longicaudatus</i>	1851, 127
(<i>Syma</i> ?) <i>flavirostris</i>	1850, 200	<i>macrotis</i>	1851, 127
<i>Haliaëtus aguia</i>	1848, 112	<i>melanura</i>	1857, 243
<i>albicillus</i>	1859, 435	<i>mitchellii</i>	1851, 127
	1859, 93	<i>murinus</i>	1851, 127
<i>erythronotus</i>	1860, 384	<i>richardsonii</i>	1851, 127
	1858, 169	<i>Hapsidophrys cæruleus</i>	1858, 161
<i>girrenera</i>	1854, 261	<i>lineatus</i>	1858, 160
<i>indus</i>	1854, 261	<i>Harpa solidula</i>	1853, 173
	1854, 261	<i>striatula</i>	1853, 173
<i>leucogaster</i>	1858, 169	<i>Harpactes diardi</i>	1859, 460
	1858, 169	<i>duvaucelli</i>	1859, 459
<i>leucosternus</i>	1860, 342	<i>kasumba</i>	1859, 460
	1854, 259	<i>Harpagus circumcinctus</i>	1851, 43
<i>lineatus</i>	1858, 471	<i>diodon</i>	1857, 261
	1859, 170	<i>Harpes redivivus</i>	1859, 339
<i>macei</i>	1854, 260	<i>Harpiprion cayennensis</i>	1858, 77
<i>plumbeus</i>	1854, 261	<i>Harporynchus crissalis</i>	1859, 339
<i>sphenurus</i>	1854, 261		1859, 339
<i>vocifer</i>	1860, 197	<i>curvirostris</i>	1859, 370
(<i>Cuncuma</i>) <i>leucogaster</i>	1860, 342	<i>leontii</i>	1859, 339
	1857, 85	<i>longirostris</i>	1859, 339
<i>Haliastur indus</i>	1858, 471		1859, 362
	1859, 151	<i>redivivus</i>	1859, 339
	1859, 153	<i>rufus</i>	1859, 340
<i>leucosternus</i>	1860, 342	<i>Harpula bullata</i>	1855, 62
<i>Halichærus gryphus</i>	1848, 84	<i>carneolata</i>	1855, 59
<i>Halicore australis</i>	1856, 352	<i>fulminata</i>	1855, 60
	1858, 107	<i>fulva</i>	1855, 59
<i>dugong</i>	1850, 157	<i>guinaica</i>	1855, 59
<i>Haligenes tristrami</i>	1859, 471		
	476		

	Page		Page
Harpula harpa	1855,	Heliangelus clarisse	1855,
hebræa	1855,	mavors	1848,
lapponica	1855,	spencei	1848,
lævigata	1855,	strophianus	1848,
lyriformis	1855,	} 1860,	95
nitæformis	1855,	viola	1853,
musica	1855,	Heliania spinescens	1859,
nodulosa	1855,	Helianthea aurigaster ..	1855,
nucleus	1855,	aurora	1853,
polyzonalis	1855,	} 1848,	11
sulcata	1855,	bonapartii	1855,
thiarella	1855,	eos	1848,
vexillum	1855,	helianthea	1848,
Harpya destructor	1851,	iris	1853,
Harrier, The Brown-		lutetiæ	1860,
backed	1851,	typica	1855,
Chestnut	1851,	Helicella nitida	1856,
Hawk, Carracarra	1851,	Helicina acuta	1848,
The Bird	1851,	adamsiana	1848,
of the Cataracts, The		amœna	1848,
Blue	1851,	articulata	1853,
Brown-backed Short-		aruana	1859,
winged	1851,	barbadensis	1853,
Fishing	1851,	behniana	1859,
Large Awl-beaked		besckei	1848,
Fish-	1851,	bicolor	1852,
Large Sea-fishing ..	1851,	brevilabris	1856,
Laughing	1851,	bullæ	1852,
Plaid-chested Short-		campanula	1848,
winged	1851,	chiapensis	1856,
Red-headed Carra-		cingulata	1852,
carra	1851,	concentrica	1848,
Small Awl-beaked		conoidea	1853,
Fish-	1851,	constricta	1848,
Two-toothed Baridi	1851,	convexa	1848,
Yellow-cered Short-		cordillere	1856,
winged	1851,	cumingiana	1848,
Yellow-headed Car-		denticulata	1855,
racarra	1851,	diaphana	1850,
Hedruris androphora ..	1858,	dominicensis	1851,
siredonis	1858,	draytonensis	1856,
		dysonii	1848,
		egregia	1855,
		electrina	1859,
		exigua	1848,
		foviata	1853,
		funkii	1848,
		ghiesbreghtii	1856,
		gonochila	1848,
		gossei	1848,
		gratiosa	1856,
		guildingiana	1848,
		hanleyana	1848,
		heatei	1856,
		heleiœ	1856,
		idæ	1856,
		inæqualis	1859,
		kienerii	1848,
			122
Hedymeles ludovicianus	1855,		
} 1856,	301		
} 1859,	58		
} 1859,	365		
} 1860,	293		
} 1857,	213		
} 1858,	303		
} 1859,	365		
melanocephalus	1858,		
	1859,		
	95		
Helarctos malayanus ..	1849,		
} 1858,	518		
} 1859,	435		
tibetanus	1859,		
Heliodytes griseus	1856,		
minor	1856,		
Heliactis bellis	1858,		
Heliangelus amethysti-			
collis	1848,		
clarisse	1848,		

	Page		Page
<i>Helicina lindeni</i>	1848,	<i>Heliomaster longirostris</i>	1857,
<i>macgillivrayi</i>	1855,	<i>mesoleucus</i>	1853,
<i>merdigera</i>	1855,	<i>Heliophoca atlantica</i> ..	1854,
<i>merguiensis</i>	1857,	<i>Heliothrix auriculatus</i> ..	1855,
<i>minuscula</i>	1859,	<i>auritus</i>	1855,
<i>modesta</i>	1853,	<i>barroti</i>	1855,
<i>norfolkensis</i>	1856,	<i>phainolæma</i>	1855,
<i>notata</i>	1856,	<i>purpureiceps</i>	{ 1855,
<i>oleosa</i>	1852,		1860,
<i>orbignyi</i>	1848,	<i>Heliotrypha parzudakii</i> ..	1855,
<i>oweniana</i>	1848,	<i>viola</i>	{ 1859,
<i>paraensis</i>	1859,		1860,
<i>pictella</i>	1856,	<i>Helix abjecta</i>	1854,
<i>pisum</i>	1857,	<i>abnormis</i>	1854,
<i>plicatula</i>	1848,	<i>acalles</i>	1856,
<i>reeveana</i>	1848,	<i>acmella</i>	1860,
<i>repanda</i>	1855,	<i>actinophora</i>	1854,
<i>riparia</i>	1853,	<i>acutumargo</i>	1860,
<i>rohri</i>	1848,	<i>adamsi</i>	1850,
<i>rubella</i>	1853,	<i>adelaidæ</i>	1856,
<i>rudis</i>	1855,	<i>advena</i>	1854,
<i>rufa</i>	1856,	<i>æquatorialis</i>	1860,
<i>salleana</i>	1852,	<i>æruginea</i>	1854,
<i>sanguinea</i>	1848,	<i>afra</i>	1854,
<i>shanghaiensis</i>	1855,	<i>africana</i>	1849,
<i>sowerbiana</i>	1848,	<i>aglaia</i>	1854,
<i>sphæroidea</i>	1855,	<i>alata</i>	1856,
<i>spinifera</i>	1855,	<i>albersiana</i>	1851,
<i>sprucei</i>	1857,	<i>albersii</i>	1854,
<i>suavis</i>	1856,	<i>albicans</i>	1849,
<i>sublævigata</i>	1852,	<i>albicostis</i>	1860,
<i>tenuilabris</i>	1848,	<i>albizonata</i>	1858,
<i>tenuis</i>	1848,	<i>alpha</i>	1852,
<i>turbinella</i>	1855,	<i>amazonica</i>	1854,
<i>unidentata</i>	1848,	<i>ambigua</i>	1853,
<i>versicolor</i>	1851,	<i>ammiralis</i>	1856,
<i>virens</i>	1856,	<i>ammonoceras</i>	1854,
<i>zebriolata</i>	1855,	<i>angelica</i>	1856,
<i>(Alcacia) rhampho-</i>		<i>annatonensis</i>	1854,
<i>styla</i>	1856,	<i>annulifera</i>	1851,
<i>(Trochatella) semi-</i>	391	<i>anomala</i>	1848,
<i>lirata</i>	1848,	<i>antrorsa</i>	1855,
<i>Helicolimax lamarekii</i> ..	1854,	<i>aphrodite</i>	1859,
<i>Helicomela bowdichiana</i>	1854,	<i>apollo</i>	1860,
<i>punctulata</i>	1854,	<i>appendiculata</i>	1854,
<i>Helictis nipalensis</i>	{ 1853,	<i>arcinella</i>	1854,
	1856,	<i>areta</i>	1854,
	398	<i>areolata</i>	1850,
<i>Heliodoxa jacula</i>	{ 1849,	<i>arguta</i>	1856,
	96	<i>armida</i>	1853,
<i>jamesoni</i>	1855,	<i>armillata</i>	1854,
<i>leadbeateri</i>	139	<i>armitageana</i>	1854,
	94	<i>arridens</i>	1854,
<i>otero</i>	1849,	<i>aspersa</i>	1850,
<i>rubina</i>	1849,	<i>atrata</i>	1852,
<i>rubinoïdes</i>	1849,	<i>atrata</i>	1854,
<i>Heliomaster constantii</i> ..	1856,	<i>audebardi</i>	1851,
	140	<i>aulica</i>	1852,
<i>longirostris</i>	1856,		56
	140		

	Page		Page
<i>Helix auricula</i>	1855,	<i>Helix castrensis</i>	1856,
<i>auris</i>	1854,	<i>catenifera</i>	1852,
<i>auris-judæ</i>	1854,	<i>cellaria</i>	1854,
<i>auris-midæ</i>	1854,	<i>ceres</i>	1853,
<i>avus</i>	1852,	<i>ceroides</i>	1853,
<i>bactriana</i>	1856,	<i>chamissoi</i>	1855,
<i>barrakporensis</i>	1852,	<i>charpentieri</i>	1853,
<i>basidentata</i>	1856,	<i>cheiranthicola</i>	1854,
<i>baskervillei</i>	1849,	<i>chiapensis</i>	1856,
<i>batesii</i>	1860,	<i>chimmoi</i>	1856,
<i>bella</i>	1854,	<i>chionodiscus</i>	1856,
<i>beta</i>	1852,	<i>chrysomela</i>	1854,
<i>bicarinata</i>	1854,	<i>ciliosa</i>	1859,
<i>biciliata</i>	1855,	<i>cimex</i>	1854,
<i>bicolor</i>	1854,	<i>circe</i>	1853,
<i>biconcava</i>	1852,	<i>cleryi</i>	1856,
<i>bicuris</i>	1857,	<i>coagulata</i>	1856,
<i>bifrons</i>	1854,	<i>coarctata</i>	1849,
<i>binaria</i>	1856,	<i>cobresiana</i>	1854,
<i>birmana</i>	1857,	<i>coffea</i>	1855,
<i>bitulcata</i>	1852,	<i>columbiana</i>	1850,
<i>bituberculata</i>	1852,	<i>commixta</i>	1856,
<i>bogotensis</i>	1854,	<i>compacta</i>	1854,
<i>bombycina</i>	1854,	<i>compar</i>	1854,
<i>borncensis</i>	1849,	<i>concaospira</i>	1853,
<i>bougainvillei</i>	1860,	<i>conferta</i>	1856,
<i>bourcieri</i>	1852,	<i>confusa</i>	1855,
<i>bourgnignatii</i>	1856,	<i>congrua</i>	1858,
<i>bowdichiana</i>	1854,	<i>connivens</i>	1849,
<i>brardiana</i>	1851,	<i>conicoides</i>	1851,
<i>brevibarbis</i>	1859,	<i>conomphala</i>	1853,
<i>brevipila</i>	1849,	<i>consors</i>	1854,
<i>bridwilli</i>	1856,	<i>consul</i>	1854,
<i>brookei</i>	1853,	<i>continua</i>	1853,
<i>bullacea</i>	1855,	<i>convexiuscula</i>	1855,
<i>bulveriana</i>	1854,	<i>cordovana</i>	1856,
<i>busbyi</i>	1849,	<i>coronata</i>	1854,
<i>cæcilia</i>	1849,	<i>coronula</i>	1854,
<i>calabarica</i>	1855,	<i>corrugata</i>	1854,
<i>calabarica</i>	1856,	<i>costata</i>	1854,
<i>calathus</i>	1854,	<i>costulifera</i>	1856,
<i>calcareo</i>	1848,	<i>costulosa</i>	1854,
<i>calcareo</i>	1854,	<i>crassidens</i>	1852,
<i>calculus</i>	1848,	<i>crebriflammis</i>	1854,
<i>californensis</i>	1854,	<i>crystallina</i>	1852,
<i>calva</i>	1850,	<i>cumulus</i>	1854,
<i>camelus</i>	1856,	<i>curvidens</i>	1854,
<i>canicalensis</i>	1854,	<i>damahoyi</i>	1856,
<i>caperata</i>	1854,	<i>darnaudi</i>	1856,
<i>capitanea</i>	1854,	<i>dealbata</i>	1854,
<i>capsella</i>	1854,	<i>decidua</i>	1857,
<i>carneola</i>	1854,	<i>deflorata</i>	1854,
<i>carychium</i>	1854,	<i>delphinula</i>	1854,
<i>caseus</i>	1860,	<i>delta</i>	1856,
<i>casta</i>	1848,	<i>dennisoni</i>	1853,
	110		57

	Page		Page
<i>Helix depauperata</i>	1854,	<i>Helix goniomphala</i>	1854,
<i>difficilis</i>	1853,	<i>granum</i>	1857,
<i>dillwyniana</i>	1851,	<i>greenwoodii</i>	1849,
<i>dimorpha</i>	1852,	<i>grevillei</i>	1856,
<i>discina</i>	1854,	<i>grimardi</i>	1856,
<i>ductilis</i>	1856,	<i>groviana</i>	1854,
<i>dunkeri</i>	1852,	<i>guayaquilensis</i>	1852,
<i>dunniae</i>	1849,	<i>gueinzii</i>	1856,
<i>duplicata</i>	1854,	<i>guerineana</i>	1854,
<i>dupuyana</i>	1852,	<i>guttata</i>	1853,
<i>echinulata</i>	1854,	<i>hainesi</i>	1856,
<i>egesta</i>	1849,	<i>heldiana</i>	1852,
<i>elegantissima</i>	1853,	<i>helicinoides</i>	1856,
<i>ellipsostoma</i>	1854,	<i>helictomphala</i>	1856,
<i>emiliana</i>	1852,	<i>heroica</i>	1855,
<i>entodonta</i>	1859,	<i>hetæra</i>	1860,
<i>epsilon</i>	1852,	<i>hispana</i>	1854,
<i>erubescens</i>	1854,	<i>hombroni</i>	1856,
<i>eta</i>	1852,	<i>hondana</i>	1854,
<i>euspira</i>	1854,	<i>horiomphala</i>	1854,
<i>eustoma</i>	1856,	<i>huacheinensis</i>	1853,
<i>eva</i>	1852,	<i>hyæna</i>	1854,
<i>exalbida</i>	1854,	<i>hyphasma</i>	1853,
<i>exaltata</i>	1855,	<i>hypopolia</i>	1852,
<i>exarata</i>	1857,	<i>hystricella</i>	1859,
<i>excisa</i>	1854,	<i>ide</i>	1849,
<i>exserta</i>	1856,	<i>ignava</i>	1855,
<i>fanelleii</i>	1856,	<i>inæqualis</i>	1854,
<i>fanula</i>	1856,	<i>incisa</i>	1860,
<i>farrisi</i>	1859,	<i>infans</i>	1854,
<i>fatua</i>	1857,	<i>intusplicata</i>	1850,
<i>fausta</i>	1854,	<i>iota</i>	1852,
<i>fictilis</i>	1854,	<i>isabellina</i>	1854,
<i>fidelis</i>	1856,	<i>isis</i>	1860,
<i>flammigera</i>	1852,	<i>isodon</i>	1852,
<i>flexilabris</i>	1856,	<i>jacquinoti</i>	1849,
<i>flexuosa</i>	1855,	<i>jaspidea</i>	1859,
<i>fluctuosa</i>	1854,	<i>jeffreysiana</i>	1852,
<i>forsteriana</i>	1851,	<i>juliformis</i>	1854,
<i>foveata</i>	1853,	<i>kappa</i>	1852,
<i>fraseri</i>	1850,	<i>kawaiensis</i>	1854,
<i>fricki</i>	1858,	<i>kellettii</i>	1850,
<i>fringilla</i>	1855,	<i>keppellii</i>	1854,
	1856,	<i>kermadeci</i>	1856,
<i>fucata</i>	1853,	<i>labyrinthus</i> , var. si-	
<i>funiculata</i>	1854,	<i>punculata</i>	1850,
<i>furva</i>	1854,	<i>lacera</i>	1853,
<i>galactostoma</i>	1849,		1850,
<i>gamma</i>	1852,	<i>laciniosa</i>	1854,
<i>ganoma</i>	1853,		1854,
<i>gartneriana</i>	1851,	<i>lactea</i>	1850,
<i>gaskoini</i>	1851,		243
<i>gemma</i>	1848,		244
<i>generalis</i>	1854,	<i>læta</i>	1854,
<i>gramica</i>	1854,	<i>lais</i>	1853,
<i>glaberrima</i>	1854,	<i>lalloënsis</i>	1855,
<i>glabriuscula</i>	1851,	<i>lambda</i>	1852,
<i>glutinosa</i>	1851,	<i>lamellosa</i>	1858,
	174		147
	127		107
	254		165
	148		387
	190		385
	385		168
	157		152
	165		329
	186		176
	159		58
	186		32
	166		148
	179		385
	288		377
	83		114
	24		134
	57		169
	165		382
	57		53
	54		146
	383		59
	84		165
	166		124
	113		148
	108		25
	54		166
	32		92
	382		286
	33		401
	23		408
	107		413
	182		290
	196		93
	220		57
	147		52
	382		133
	112		84
	167		128
	254		24
	126		148
	244		194
	21		58
	113		52
	385		55
	59		50
	147		326
	165		
	130		53
	57		126
	124		244
	253		174
	260		243
	109		244
	123		287
	173		49
	52		111
	262		57
	70		22

	Page		Page
<i>Helix lampra</i>	1854,	<i>Helix moretonensis</i> ...	1854,
<i>lapidica</i>	1854,	<i>mormonum</i>	1857,
<i>latens</i>	1851,	<i>motacilla</i>	1855,
<i>launcestonensis</i>	1852,	<i>mozambicensis</i> ...	1855,
<i>layardi</i>	1851,	<i>mucida</i>	1856,
<i>lenticula</i>	1854,	<i>mucronata</i>	1852,
<i>lentiginosa</i>	1854,	<i>mühlfeldtiana</i> ...	1852,
<i>leonina</i>	1854,	<i>muralis</i>	1854,
<i>leptosticta</i>	1854,	<i>murina</i>	1856,
<i>leucorhaphæ</i>	1851,	<i>mustelina</i>	1854,
<i>leucostyla</i>	1855,	<i>nævia</i>	1854,
<i>lightfootii</i>	1852,	<i>nagporensis</i>	1860,
<i>lincta</i>	1854,	<i>nasuta</i>	1851,
<i>lindstedti</i>	1856,	<i>navigatorum</i>	1854,
<i>liratula</i>	1860,	<i>nematophora</i>	1854,
<i>liturata</i>	1851,	<i>nepos</i>	1855,
<i>livesayi</i>	1860,	<i>newcombi</i>	1854,
<i>lombei</i>	1856,	<i>niciensis</i>	1854,
<i>loweii</i>	1854,	<i>nickliniana</i>	1856,
<i>lucida</i>	1854,	<i>niphæ</i>	1857,
<i>ludersi</i>	1855,	<i>nitida</i>	1854,
<i>lurida</i>	1854,	<i>nitidiuscula</i>	1854,
<i>lutacea</i>	1857,	<i>nivosa</i>	1854,
<i>lutea-cornea</i>	1854,	<i>nobilis</i>	1849,
<i>lyelliana</i>	1854,	<i>novæ-hollandiæ</i> ..	1856,
<i>macandrewiana</i>	1853,	<i>novella</i>	1854,
<i>maculosa</i>	1850,	<i>nucleus</i>	1854,
<i>maderensis</i>	1854,	<i>nuda</i>	1852,
<i>majuscula</i>	1856,	<i>nuttalliana</i>	1850,
<i>malaccana</i>	1854,	<i>nympha</i>	1849,
<i>mansueta</i>	1854,	<i>oblita</i>	1851,
<i>margarita</i>	1851,	<i>obserata</i>	1854,
<i>marmatensis</i>	1854,	<i>obtecta</i>	1854,
<i>martinii</i>	1854,	<i>oenostoma</i>	1854,
<i>matura</i>	1855,	<i>omega</i>	1852,
<i>mauritiana</i>	1852,	<i>omissa</i>	1856,
<i>maxima</i>	1853,	<i>ophelia</i>	1854,
<i>mediocris</i>	1854,	<i>ophiria</i>	1856,
<i>meleagris</i>	1855,	<i>oregonensis</i>	1856,
<i>membranacea</i>	1854,	<i>ornatella</i>	1850,
<i>membranica</i>	1854,	<i>otostoma</i>	1851,
<i>mendicaria</i>	1860,	<i>oweniana</i>	1853,
<i>meobambensis</i>	1856,	<i>oxytropis</i>	1854,
<i>merziana</i>	1852,	<i>paciniana</i>	1854,
<i>meta</i>	1856,	<i>pagodula</i>	1854,
<i>micans</i>	1853,	<i>palawanica</i>	1855,
<i>michaudi</i>	1854,	<i>pandoræ</i>	1850,
<i>micromphala</i>	1854,	<i>papilio</i>	1854,
<i>microspira</i>	1853,	<i>partita</i>	1853,
<i>migratoria</i>	1855,	<i>patasensis</i>	1859,
<i>miguclina</i>	1856,	<i>patricia</i>	1859,
<i>militaris</i>	1855,	<i>paupercula</i>	1854,
<i>minerva</i>	1852,	<i>pfeifferi</i>	1856,
<i>monacha</i>	1859,	<i>phædra</i>	1852,
<i>monsoni</i>	1849,	<i>phlebobhora</i>	1854,
	126		166

	Page		Page
<i>Helix phlogophora</i>	1849,	<i>Helix sandvicensis</i>	1849,
<i>phthisica</i>	1856,	<i>sannio</i>	1854,
<i>pinicola</i>	1854,	<i>santanaënsis</i>	1854,
<i>pirreana</i>	1854,	<i>scabra</i>	1854,
<i>pisana</i>	1854,	<i>scarabæus</i>	1850,
<i>plagioglossa</i>	1859,	<i>scepasma</i>	1854,
<i>plagiostoma</i>	1856,	<i>schumacheriana</i>	1851,
<i>planorbis</i>	1860,	<i>sciadium</i>	1857,
<i>plattii</i>	1854,	<i>scintilla</i>	1854,
<i>platystyla</i>	1849,	<i>scytodes</i>	1854,
<i>pliculosa</i>	1856,	<i>sebacea</i>	1856,
<i>pœcilocostata</i>	1852,	<i>selenostoma</i>	1852,
<i>poiretiana</i>	1851,	<i>semiconvexa</i>	1854,
<i>politissima</i>	1853,	<i>semidecussata</i>	1851,
<i>polymorpha</i>	1854,	<i>senilis</i>	1854,
<i>portia</i>	1849,	<i>sericulata</i>	1849,
<i>portosanctana</i>	1854,	<i>shanghaiensis</i>	1853,
<i>præstans</i>	1853,	<i>shíplayi</i>	1856,
<i>procera</i>	1853,	<i>siamensis</i>	1856,
<i>propinqua</i>	1857,	<i>similaris</i>	1850,
<i>pruinosa</i>	1852,	<i>singularis</i>	1854,
<i>psammophora</i>	1854,	<i>solida</i>	1851,
<i>ptychomphala</i>	1851,	<i>solidula</i>	1854,
<i>ptychostyla</i>	1860,	<i>sophiæ</i>	1854,
<i>pubescens</i>	1851,	<i>souleyetiana</i>	1851,
	1854,	<i>sphærulea</i>	1854,
<i>pulchella</i>	177,	<i>spiroorbis</i>	1854,
	1856,	<i>squalida</i>	1854,
<i>pulvinata</i>	1854,	<i>stellaris</i>	1854,
<i>punctulata</i>	1854,	<i>stimpsoni</i>	1854,
<i>purchasi</i>	1858,	<i>strangei</i>	1848,
<i>purpurascens</i>	1853,	<i>striata</i>	1854,
<i>pusilla</i>	1854,	<i>strigella</i>	1856,
<i>pythia</i>	1850,	<i>striolata</i>	1860,
<i>pyxis</i>	1856,	<i>strongyloides</i>	1854,
<i>quercina</i>	1856,	<i>strumosa</i>	1852,
<i>quitensis</i>	1854,	<i>sturmiana</i>	1851,
<i>radians</i>	1851,	<i>stutchburyi</i>	1856,
<i>radiaria</i>	1854,	<i>subangula</i>	1854,
<i>radiatula</i>	1854,	<i>subconoidea</i>	1854,
<i>rapida</i>	1853,	<i>subdecussata</i>	1857,
<i>recedens</i>	1849,	<i>subfusca</i>	1848,
<i>redfieldi</i>	1852,	<i>subopaca</i>	1853,
<i>reglis</i>	1851,	<i>subplicata</i>	1854,
<i>regularis</i>	1854,	<i>subrudis</i>	1854,
<i>rehbeinii</i>	1852,	<i>subrugata</i>	1851,
<i>rejecta</i>	1859,	<i>subtecta</i>	1855,
<i>resplendens</i>	1851,	<i>subtilis</i>	1854,
<i>rhea</i>	1855,	<i>subvitrea</i>	1854,
<i>rhodostoma</i>	1854,	<i>sulphurea</i>	1859,
<i>richmondiana</i>	1851,	<i>swiftii</i>	1854,
<i>rosarium</i>	1849,	<i>tabellata</i>	1854,
<i>rotula</i>	1854,	<i>tapeina</i>	1860,
<i>rotundata</i>	1854,	<i>tectiformis</i>	1850,
<i>saccata</i>	1854,		1854,
	1855,	<i>testudinalis</i>	1854,
<i>sachalensis</i>	1856,	<i>testudo</i>	1858,
<i>salleana</i>	1849,		21

	Page		Page
<i>Helix tatrix</i>	1855,		92
<i>thomasi</i>	1854,		54
<i>thwaitesi</i>	1853,		125
<i>tiarella</i>	1854,		194
<i>tomentosa</i>	1854,		289
<i>tourannensis</i>	1860,		8
<i>townsendiana</i>	{ 1850,		53
	{ 1856,		220
<i>trailli</i>	1855,		107
<i>tricolor</i>	1849,		129
<i>triflora</i>	1853,		125
<i>tristrami</i>	1860,		136
<i>turneri</i>	1860,		135
<i>turricula</i>	{ 1850,		244
	{ 1854,		186
<i>umbraculum</i>	1852,		147
<i>undata</i>	{ 1850,		244
	{ 1854,		168
<i>undina</i>	1856,		34
<i>undulata</i>	1860,		7
<i>urnula</i>	1854,		49
<i>ursina</i>	1856,		384
<i>ustulata</i>	1854,		171
<i>vallicola</i>	1854,		289
<i>vancouverensis</i> ...	1856,		220
<i>vargasiana</i>	{ 1848,		109
	{ 1854,		172
<i>varicosa</i>	1852,		148
<i>vellicata</i>	1850,		55
<i>venulata</i>	1857,		108
<i>veracruzensis</i>	1856,		318
<i>vermetiformis</i>	1854,		186
<i>veronica</i>	1853,		58
<i>verrucula</i>	1854,		50
<i>vexillaris</i>	1855,		113
<i>vieta</i>	1854,		167
<i>vilis</i>	1851,		263
<i>villaris</i>	1854,		146
<i>vipera</i>	1859,		24
<i>vitellina</i>	1848,		109
<i>vitiensis</i>	1855,		108
<i>vittata</i>	1851,		70
<i>volutella</i>	1856,		33
<i>vulcania</i>	1854,		168
<i>vulgata</i>	1854,		173
<i>wallacei</i>	1858,		20
<i>webbiana</i>	1854,		197
<i>wollastonii</i>	1854,		198
<i>woodiana</i>	1851,		254
<i>xiphias</i>	1856,		383
<i>yatesi</i>	1855,		92
<i>yorkensis</i>	1854,		145
<i>zollingeri</i>	1852,		159
<i>zosterophora</i>	1854,		146
(<i>Carocolla</i>) <i>zelandiæ</i>	1849,		165
(<i>Nanina</i>) <i>dohrniana</i>	1860,		136
(—) <i>mouhoti</i> ..	1860,		136
(<i>Zonites</i>) <i>coma</i>	1849,		166
<i>Helminthophaga celata</i>	{ 1858,		298
	{ 1859,		235
	{ 1859,		373
<i>peregrina</i>	1859,		373
<i>ruficapilla</i>	1859,		{ 363
			{ 373
<i>Helmitheros celatus</i> ...	1857,		212
<i>chrysopterus</i>	1855,		{ 133
			{ 143
<i>rubricapillus</i>	1856,		291
<i>solitarius</i>	1856,		291
<i>sp. nov. ?</i>	1856,		291
<i>vermivorus</i>	1859,		363
<i>Heloderma horrida</i> ...	1857,		62
<i>Helotarsus ecaudatus</i> ...	1850,		215
<i>Hemicercus brunneus</i> ..	1859,		457
<i>concretus</i>	1859,		455
<i>Hemichelidon fuliginosa</i>	{ 1858,		493
	{ 1854,		182
	{ 1854,		270
<i>latirostris</i>	1859,		151
<i>Hemidactylus angulatus</i>	1858,		157
<i>formosus</i>	1858,		157
<i>Hemipecten forbesianus</i> .	1848,		133
<i>Hemipharis bakewellii</i> .	1859,		119
<i>emilia</i>	1856,		16
<i>idæ</i>	1856,		16
<i>insularis</i>	1856,		16
<i>Hemiplacuna rozieri</i> ..	1849,		124
<i>Hemisalamandra cristata</i>	1858,		143
<i>marmorata</i>	1858,		140
<i>Hemispingus rubrirostris</i>	1856,		92
<i>superciliaris</i>	1856,		93
<i>veneris</i>	1856,		90
<i>Hemisis guttatum</i> ...	1858,		343
<i>Hemithraupis flavicollis</i> .	1856,		110
<i>guira</i>	1856,		109
<i>melanoxantha</i> ...	1856,		110
<i>peruana</i>	1856,		111
<i>ruficeps</i>	1856,		111
<i>Hemitragus jemlaicus</i> .	{ 1856,		404
	{ 1858,		523
<i>quadrimammis</i> ...	1856,		404
<i>Hemitriton alpestris</i> ...	1858,		142
<i>asper</i>	1858,		139
<i>bibronii</i>	1858,		139
<i>cinereus</i>	1858,		139
<i>punctulatus</i>	1858,		139
<i>rugosus</i>	1858,		139
<i>Henicocichla auricapilla</i> .	1856,		293
<i>Henicoperis longicauda</i>	1859,		153
<i>Henucha? delegorguei</i> .	1849,		59
<i>grimmia</i>	1849,		59
<i>? smilax</i>	1849,		59
<i>Heptathyra aubryi</i> ...	1860,		315
<i>Hermes nassatella</i> ...	1853,		117
<i>spectabilis</i>	1853,		117
<i>violaceus</i>	1853,		117

	Page		Page
<i>Herodias alba</i>	1858,		
<i>albolineata</i>	1859,		
<i>bubulcus</i>	1858,		
<i>candidissima</i>	1857,		
		{	206
			236
<i>egretta</i>	{	1859,	369
		1860,	253
<i>flavicollis</i>	1860,		364
<i>garzetta</i>	1859,		150
<i>leuce</i>	1857,		236
<i>picata</i>	1858,		188
<i>Herpestes badius</i>	1849,		11
		{	1849,
			28
<i>fasciatus</i>	1859,		212
		{	1850,
			156
			89
<i>griseus</i>	1858,		516
	1859,		436
	1860,		416
	1860,		442
<i>mutzigella</i>	1849,		11
<i>nepalensis</i>	1860,		416
<i>nyula</i>	{	1856,	397
		1858,	516
<i>ochraceus</i>	1848,		138
<i>punctulatus</i>	1849,		11
<i>smithii</i>	1851,		131
<i>vitticollis</i>	1850,		156
<i>Herpetodryas bernierii</i> ..	1858,		380
<i>biserialis</i>	1860,		97
<i>boddaërtii</i>	1860,		{
			452
			456
	1859,		412
<i>brunneus</i>	1860,		233
	1860,		452
	1860,		456
<i>flavigularis</i>	1860,		{
			452
			456
<i>frenatus</i>	1860,		163
<i>fuscus</i>	1859,		{
			89
			412
<i>margaritiferus</i>	1860,		456
<i>quadrilineatus</i>	1858,		380
	1859,		412
<i>rappii</i>	1860,		452
	1860,		456
<i>Herpeton tentaculatum</i> ..	1860,		114
			{
			156
<i>Herpetorea sieboldii</i> ..	1860,		163
			167
			171
	1855,		134
	1857,		201
<i>Herpetotheres cachin-</i>	1859,		52
<i>nans</i>	1859,		368
	1859,		389
	1860,		288
	1860,		298
<i>Herpsilochmus argenta-</i>			
<i>tus</i>	1858,		250
	1857,		132
<i>pectoralis</i>	{	1858,	233
		1857,	132
<i>pileatus</i>	{	1858,	233
		1858,	233
<i>rufimarginatus</i>	1858,		233
<i>Hesperiphona icterioi-</i>	{	1858,	483
<i>des</i>		1859,	178
<i>Hesperomys albigularis</i> ..	1860,		264
<i>arvicoloides</i>	1860,		262
<i>aureus</i>	1860,		219
<i>bicolor</i>	1860,		{
			217
			263
<i>bimaculatus</i>	1860,		221
<i>caliginosus</i>	1860,		263
<i>cephalotes</i>	1858,		548
<i>darwinii</i>	1860,		221
<i>elegans</i>	1860,		{
			213
			221
<i>latimanus</i>	1860,		{
			213
			263
<i>longicaudatus</i>	{	1858,	548
		1860,	217
<i>longipilus</i>	1860,		221
<i>maculipes</i>	1860,		262
<i>minutus</i>	1860,		215
<i>nasutus</i>	1860,		221
<i>renggeri</i>	1860,		{
			213
			262
<i>squamipes</i>	1858,		548
<i>tumidus</i>	1860,		221
<i>Hesta splendens</i>	1860,		8
<i>vallicola</i>	1860,		8
<i>Heterocardia cumingii</i> ..	1854,		339
<i>fabagella</i>	1854,		340
<i>gibbosa</i>	1854,		340
<i>Heterocnemis albigularis</i> ..	1858,		67
<i>bambala</i>	1855,		146
<i>marginata</i>	1855,		145
<i>nævia</i>	1858,		247
<i>Heterocyathus æquicos-</i>			
<i>tatus</i>	1849,		77
<i>cochlea</i>	1849,		77
<i>eupsammides</i>	1849,		77
<i>hemisphærica</i>	1849,		77
<i>rousseauanus</i>	1849,		77
<i>Heterodon diadema</i>	1859,		80
<i>diversidens</i>	1851,		216
<i>Heteroglossa africana</i> ..	1858,		165
<i>Heterolepis bicarinatus</i> ..	1858,		162
<i>poensis</i>	1858,		162
<i>Heteronotus triangularis</i> ..	1858,		161
<i>Heteropelma amazonum</i> ..	1860,		{
			466
			467
<i>aurifrons</i>	1860,		467
<i>flavicapillum</i>	1860,		{
			466
			467

	Page		Page
<i>Heteropelma rufo-olivaceum</i>	1860, 467	<i>Hipponyx panamensis</i> ..	1856, 3
<i>turdinum</i>	1860, 467	<i>radiatus</i>	1856, 4
<i>unicolor</i>	1860, 467	<i>serratus</i>	1856, 3
<i>veræ-pacis</i>	1860, } 300	<i>subrufus</i>	1856, 4
	467	<i>tuberculatus</i>	1856, 4
<i>Heterornis pyrrhogenys</i> ..	1860, 355	(<i>Amalthea</i>) <i>effodiens</i> ..	1856, 4
<i>Heterura sylvana</i>	1859, 185	(—) <i>grayanus</i> ..	1856, 4
<i>Heterurus arcifasciatus</i> ..	1858, 380	<i>Hippopotamus amphibi-</i>	{ 1849, 163
<i>gaimardii</i>	1858, 380	<i>bius</i>	{ 1850, 160
<i>rufescens</i>	1858, 161		{ 1860, 195
<i>Hexabranchnus nebulosus</i> ..	1860, 33	<i>Hipposideros armiger</i> ..	1856, 394
<i>pulchellus</i>	1860, 33	<i>aruensis</i>	1858, 107
<i>Hiaticula azaræ</i>	1860, 298	<i>insignis</i>	1858, 108
<i>cantiana</i>	1860, 372	<i>speoris</i>	1858, 108
<i>collaris</i>	1860, 290	<i>Hircus megaceros</i>	1858, 525
<i>falklandica</i>	1860, 386	<i>Hirundinea ferruginea</i> ..	1855, 150
	{ 1858, 187	<i>Hirundo albicollis</i>	1854, 110
	1860, 363	<i>apus</i>	1857, 13
	1858, 505	<i>bicolor</i>	1860, 131
<i>philippina</i>	{ 1859, 188	<i>brevirostris</i>	1858, 171
	1858, 505	<i>collaris</i>	1854, 110
<i>Hiatula lamarckii</i>	1858, 52	<i>daurica</i>	{ 1858, 494
	{ 1854, 258		{ 1859, 175
<i>Hierax cærulescens</i> ..	{ 1860, 343	<i>domicola</i>	{ 1854, 264
	1854, 258		{ 1855, 29
<i>Hierocoeyx varius</i>	1859, 459		{ 1857, 88
<i>Himantopus candidus</i> ..	1858, 505	<i>filifera</i>	{ 1858, 494
<i>mexicanus</i>	1857, 237		{ 1859, 175
	{ 1857, 206	<i>flavigastra</i>	1860, 292
	1860, 290	<i>frontalis</i>	1859, 154
<i>Himella fluviatilis</i>	1860, 203	<i>fuciphaga</i>	1858, 171
<i>Hindsia acuminata</i>	1853, 182	<i>gutturalis</i>	{ 1854, 264
<i>angicostata</i>	1860, 142		{ 1860, 345
<i>bitubercularis</i>	1853, 183		{ 1854, 264
<i>carduus</i>	1853, 182	<i>javanica</i>	{ 1860, 345
<i>egregia</i>	1853, 183		{ 1854, 264
<i>nassoides</i>	1853, 182	<i>jewan</i>	1854, 264
<i>nivea</i>	1853, 182	<i>melanogaster</i>	1858, 296
<i>nodicostata</i>	1853, 183	<i>nidifica</i>	1858, 171
<i>suturalis</i>	1853, 183	<i>nigricans</i>	1858, 171
<i>varicifera</i>	1853, 183	<i>panayana</i>	1854, 264
	{ 159	<i>panayensis</i>	1860, 345
	167	<i>riparia</i>	{ 1851, 146
<i>Hinulia indica</i>	1860, } 171		{ 1857, 13
	172	<i>robini</i>	1855, 135
	173	<i>ruficollis</i>	1860, 292
<i>Hippocamelus dubius</i> ..	1850, 236		{ 1851, 146
<i>Hippocampus brevirostris</i> ..	1859, 212		{ 1854, 264
<i>Hipponœ sardica</i>	1855, 36		{ 1857, 13
<i>Hipponyx antiquatus</i> ..	1856, 3	<i>rustica</i>	{ 1858, 494
<i>australis</i>	1856, 3		{ 1859, 150
<i>barbatus</i>	1856, 3		{ 1859, 151
<i>costellatus</i>	1856, 4		{ 1859, 175
<i>foliaceus</i>	1856, 3	<i>rusticoides</i>	1854, 264
<i>granulata</i>	1853, 176	<i>rutila</i>	1855, 135
<i>grayanus</i>	1856, 226	<i>serripennis</i>	1856, 285
<i>mitrula</i>	1856, 3	<i>subfusca</i>	1856, 137
		<i>thalassina</i>	1859, 235
		<i>urbica</i>	1851, 146

	Page		Page
<i>Hirundo urbica</i>	1857, 13	<i>Hydrobata melanogaster</i>	1859, 181
<i>Hispidella armitageana</i> .	1854, 179	<i>Hydrocena acutilirata</i> ..	1855, 106
<i>deflorata</i>	1854, 179	<i>albescens</i>	1854, 306
<i>Histiophorus maculatus</i> .	1860, 36	<i>aurantiaca</i>	1854, 307
<i>Histiotus velatus</i>	1858, 546	<i>brevicula</i>	1854, 306
<i>Holcostoma setigerum</i> ..	1853, 174	<i>bridgesii</i>	1854, 305
<i>Holocnemis cinnamomea</i>	1858, 249	<i>cattaroënsis</i>	1854, 305
<i>flammatus</i>	1858, 247	{ 1860, 11	
<i>lineata</i>	1858, 247	<i>chinensis</i>	1857, 112
<i>nævia</i>	1858, 247	<i>cornea</i>	1854, 306
<i>Holopneustes porissimus</i>	1855, 36	<i>dubia</i>	1854, 308
<i>Holothuria digitata</i> . . .	1858, 361	<i>erosa</i>	1854, 307
<i>flava</i>	1858, 366	<i>expansilabris</i>	1854, 309
<i>inhærens</i>	1858, { 360, 363	<i>exquisita</i>	1854, 307
<i>Holuropholis olivaceus</i> .	1858, 159	<i>exserta</i>	1854, 306
<i>Homalocranium atrocinc-</i>		<i>fragilis</i>	1860, 439
<i>tum</i>	1860, 454	<i>glabrata</i>	1854, 308
<i>Homalocranium laticeps</i>	1860, 240	<i>globosa</i>	1854, 308
<i>melanocephalum</i> ..	1859, 412	<i>granum</i>	1854, 308
<i>Homarus vulgaris</i>	1859, 433	<i>gutta</i>	1854, 305
{ 1860, 371		<i>hieroglyphica</i>	1854, 307
<i>Homonotus audax</i>	1858, 159	<i>huaheinensis</i>	1854, 308
<i>Homraius bicornis</i>	1859, 447	<i>malleata</i>	1854, 308
<i>Hoplocephalus superbus</i> .	1860, 371	<i>minutissima</i>	1854, 305
<i>Hoploclerus biaculeatus</i>	1852, 52	<i>multilirata</i>	1854, 308
<i>Hoplophorus euphractus</i>	1851, 217	<i>oblonga</i>	1854, 305
<i>selloi</i>	1851, 217	<i>obtusa</i>	1854, 306
<i>Hoplopterus cayanus</i> . . .	1859, 63	<i>plicosa</i>	1854, 308
{ 1860, 290		<i>pupoides</i>	1854, 307
<i>persicus</i>	1850, 221	<i>pyramis</i>	1854, 306
<i>spinosus</i>	1850, 221	<i>radiata</i>	1854, 308
<i>ventralis</i>	1859, 150	<i>rosea</i>	1854, 307
<i>Horeites major</i>	1854, 105	<i>rubens</i>	1854, 307
<i>Hortulia regia</i>	1858, 164	<i>scitula</i>	1854, 307
<i>sebæ</i>	1858, 164	<i>sirkii</i>	1854, 305
<i>Huhua nipalensis</i>	1854, 263	<i>solidula</i>	1854, 305
<i>pectoralis</i>	1854, 263	<i>terebialis</i>	1854, 307
<i>Humphreyia strangei</i> . .	1858, 317	<i>vallata</i>	1854, 307
<i>Hyæna crocuta</i>	1860, 417	<i>ulpina</i>	1857, 112
{ 1856, 397		(<i>Omphalotropis</i>) <i>ce-</i>	
<i>striata</i>	1858, 514	<i>rea</i>	1857, 112
{ 1859, 477		(—) <i>guamensis</i>	1857, 113
<i>virgata</i>	1856, 397	(—) <i>navigatorum</i>	1857, 113
<i>Hyalonema mirabilis</i> . .	1857, 279	(—) <i>vestita</i>	1855, 106
<i>sieboldii</i>	1857, 279	<i>Hydrochelidon nigra</i> ..	1850, 221
<i>Hydnocerus bellus</i>	1852, 47	<i>Hydrocissa albirostris</i> ..	1859, 150
<i>exilis</i>	1852, 48	<i>convexa</i>	1859, 448
<i>flavolineatus</i>	1852, 48	<i>galerita</i>	1859, 450
<i>flavovarius</i>	1852, 49	<i>malayana</i>	1859, 448
<i>pectoralis</i>	1852, 48	<i>nigrirostris</i>	1859, 449
<i>V-reversus</i>	1852, 48	<i>Hydromedusa subde-</i>	
<i>Hydra tuba</i>	1859, 201	<i>pressa</i>	1852, 134
<i>Hydraspis spixii</i>	1852, 134	<i>Hydrophasianus chirur-</i>	
{ 1858, 489		<i>gus</i>	1858, 507
<i>Hydrobata asiatica</i> . . .	1859, 180	<i>sinensis</i>	1859, 150
{ 1858, 489		<i>Hydropsalis lyra</i>	1855, 135
<i>cinclus</i>	1859, 180	<i>segmentatus</i>	1855, 135
		<i>Hyelaphus porcinus</i> . . .	1850, 233

	Page		Page
<i>Hyelaphus porcinus</i> ..	1856, 406	<i>Hyperoodon rostratum</i> ..	1860, { 373 422
	1858, 530		
<i>Hygrobium lucidum</i> . . .	1854, 216	<i>Hyphantes baltimoren-</i>	1857, 205
	1858, 390	<i>sis</i>	
<i>Hyla arborea</i>	1858, 391		1859, 365
	1858, 395	<i>Hyphantidium sericarium</i>	1859, 207
	1860, 372	<i>Hyphantornis castaneo-</i>	
<i>aubryi</i>	1858, { 165 392	<i>fusca</i>	1859, 433
<i>euphorbiacea</i>	1858, 395	<i>textor</i>	1859, 433
<i>fasciata</i>	1859, 89		1854, 254
<i>holochlora</i>	1860, 460	<i>Hypocnemis cantator</i> .	1858, 67
<i>punctata</i>	1858, 165		
<i>rhodopepla</i>	1859, 89	<i>elegans</i>	1857, 47
<i>versicolor</i>	1858, 395		1858, 252
<i>viridis</i>	1859, 433	<i>erythrophrys</i>	1855, 146
<i>Hylæora eucalypti</i> . . .	1848, 118		1858, 252
<i>Hylarana erythræa</i> ..	1858, 393	<i>leucophrys</i>	1855, 146
	1860, 116		1858, 252
<i>Hylobates lar</i>	1859, { 8 16	<i>melanolæma</i>	1854, 254
<i>syndactylus</i>	1859, 5		1855, 146
<i>Hylocharis cæruleigula-</i>		<i>melanopogon</i>	1857, 130
<i>ris</i>	1856, 140		1858, 253
<i>chrysogaster</i>	1857, 17	<i>melanosticta</i>	1854, 254
<i>goudoti</i>	1857, 17		1855, 147
<i>portmanni</i>	1855, 141		1858, 67
<i>Hylodes conspicillatus</i> ..	1859, { 89 416		1858, 251
<i>lineatus</i>	1859, 89		1855, 146
<i>unistrigatus</i>	1859, 416	<i>myiotherina</i>	1857, 130
<i>Hylomanes gularis</i> . . .	1857, 256		1858, 67
	1857, 201		1858, 251
<i>momotula</i>	1857, 256	<i>nævia</i>	1857, 265
	1859, 54		1858, 253
	1859, 387	<i>nævioides</i>	1858, 254
<i>Hylophilus cæruleus</i> ..	1856, 109		1860, 294
<i>cinereiceps</i>	1860, 299	<i>ornata</i>	1858, 67
<i>cyanoleucus</i>	1856, 109		1854, 254
<i>flavipes</i>	1855, 144		1857, 18
<i>guira</i>	1856, 109	<i>pœcilonota</i>	1857, 130
<i>leucophrys</i>	1855, 155		1858, 67
	1856, 93		1858, 251
<i>melanoxanthus</i>	1856, 110	<i>schistacea</i>	1858, 252
<i>ochraceiceps</i>	1859, 375	<i>theresæ</i>	1858, { 67 253
<i>ruficeps</i>	1856, 111	<i>tintinnabulata</i>	1858, 250
<i>semibrunneus</i>	1855, 144	<i>Hypogrammica nuchalis</i>	1859, 461
<i>Hylotomus pileatus</i> . . .	1859, 236	<i>Hypopyrrhus pyrrogas-</i>	
<i>Hyonycteris albiventer</i> .	1856, 179	<i>ter</i>	1855, 154
<i>discifera</i>	1856, 179	<i>Hypostomus erinaceus</i> ..	1859, 420
<i>Hypotamus vectianus</i> .	1849, { 153 154	<i>Hypothlypis callophrys</i> .	1856, 268
<i>Hyperolius marmoratus</i> .	1858, 165	<i>iridina</i>	1856, 267
<i>ocellatus</i>	1858, 165	<i>Hypothymis cæsia</i>	1856, 299
<i>plicatus</i>	1858, 165	<i>melanops</i>	1859, 182
<i>viridiflavus</i>	1858, 165	<i>Hypotriorchis aurantius</i> .	1856, 285
<i>Hyperoodon butzkopf</i> ..	1860, 424	<i>columbarius</i>	1858, 450
<i>latifrons</i>	1860, 424	<i>femoralis</i>	1856, 285

	Page		Page
<i>Hypotriorchis femoralis</i>	1859, 368	<i>Icteria viridis</i>	1859, 363
<i>ruficularis</i>	{ 1855, 134 1859, 390	<i>Icterus abeillii</i>	1860, 252
<i>Hypselia producta</i>	1854, 202	<i>affinis</i>	{ 1859, 380 1855, 154
<i>Hypsibemon ruficapillus</i>	1858, 282	<i>atrigularis</i>	{ 1856, 301 1855, 65
<i>rufulus</i>	1858, 283	<i>auduboni</i>	{ 1859, 381 1859, 433
<i>Hypsipetes malaccensis</i>	1854, 280	<i>baltimorensis</i>	1859, 433
<i>psaroides</i>	{ 1858, 495 1859, 181	<i>cucullatus</i>	{ 1856, 301 6 232
<i>Hypsiprymnus brunni</i>	1858, 106	<i>dominicensis</i>	1857, { 6 232
<i>ursinus</i>	1858, 106	<i>giraudi</i>	{ 1855, 154 1857, 228 1857, 205 1857, 228
<i>Hypsirhina aër</i>	1860, 114	<i>gularis</i>	{ 1858, 358 1859, 365 1860, 415
<i>maura</i>	1858, 159	<i>jamaicai</i>	1860, 415
<i>Hypuroptila buffoni</i>	1855, 139	<i>melanicteris</i>	{ 1859, 380 1856, 301
<i>cæruleigaster</i>	1855, 139	<i>melanocephalus</i>	{ 1858, 97 1859, 365 1855, 154
<i>Hyracotherium cuniculus</i>	1849, 156	<i>melanopterus</i>	{ 1857, 228 1859, 58
<i>Hyrax dorsalis</i>	1852, 99	<i>mentalis</i>	{ 1857, 205 1855, 154 1856, 301
<i>habessinicus</i>	1859, 234	<i>mesomelas</i>	{ 1859, 58 1860, 277 1860, 293 1857, 6 1857, 228
<i>Hystriella bicarinata</i>	1854, 186	<i>parisorum</i>	{ 1858, 303 1860, 251 1857, 205
<i>cheiranthicola</i>	1854, 187	<i>pectoralis</i>	{ 1856, 301 1857, 7 1859, 58
<i>echinulata</i>	1854, 186	<i>prothemelas</i>	{ 1857, 7 1859, 58 1857, 228
<i>mustelina</i>	1854, 186	<i>pustulatus</i>	{ 1857, 228 1858, 303 1857, 6
<i>oxytropus</i>	1854, 186	<i>scottii</i>	{ 1857, 228 1858, 303
<i>turricula</i>	1854, 186	<i>spurius</i>	{ 1859, 380 1857, 7 1859, 381
<i>vermitiformis</i>	1854, 186	<i>wagleri</i>	{ 1857, 228 1859, 381 1855, 134 1856, 285
<i>Hystrix alophus</i>	1856, 401	<i>Ictinia plumbea</i>	{ 1859, 360 1859, 390
<i>cristata</i>	{ 1860, 442 1850, 157 1856, 401 1858, 520	<i>Iguana nudicollis</i>	{ 1860, 415 1850, 106 1848, 99 1849, 106 1859, 410 1860, 233
<i>leucurus</i>		<i>of Sta. Lucia</i>	
<i>Ianthia</i>	1854, 76	<i>tuberculata</i>	
<i>Ianthenas albogularis</i>	1860, 361		
<i>halmaheira</i>	{ 1860, 361 1856, 136 1859, 165		
<i>hypœnochroa</i>	{ 1859, 165 1854, 197		
<i>Iberus gualteriana</i>	1854, 197		
<i>wollastonii</i>	1854, 198		
<i>Ibex æthiopica</i>	1850, 221		
<i>imberbis</i>	1850, 112		
<i>Ibidorhynchus</i>	1858, 505		
<i>thersii</i>	{ 1859, 188 1857, 230		
<i>Ibis alba</i>	1857, 230		
<i>papillosa</i>	1855, 74		
<i>peregrinus</i>	{ 1860, 364 1857, 16 1858, 451		
<i>Ibycter americanus</i>	{ 1857, 16 1858, 451		
<i>Ichthyætus bicolor</i>	1854, 260		
<i>cultrunguis</i>	1854, 261		
<i>horsfieldi</i>	1854, 260		
<i>hucarius</i>	1854, 260		
<i>nanus</i>	1854, 261		
<i>Ichthyophis glutinosus</i>	1860, 166		
<i>Icteria longicauda</i>	{ 1856, 299 1856, 298 1859, 363 1859, 375 1856, 299		
<i>velasquezi</i>	{ 1859, 363 1859, 375		
<i>viridis</i>	1856, 299		

	Page		Page
Iguanodon	1848,	101	
Imperator, n. sp. ?	1856,	44	
Indri	1849,	10	
Infundibulum californi-			
cum	1851,	153	
cariniferum	1851,	152	
chloromphalus	1851,	153	
concauum	1851,	152	
delicatum	1851,	152	
depressum	1851,	153	
kochii	1851,	152	
radiatum	1851,	152	
saga	1851,	152	
Ino stagnalis	1852,	19	
Insect-eater, The	1851,	59	
Iodopleura isabellæ	1857,	266	
laplaci	1857,	266	
pipra	1857,	266	
Iolæma schreibersi	1854,	111	
Iora scapularis	1854,	281	
typhia	1854,	48	
viridissimus	1854,	281	
zeylanica	1858,	496	
Ioteron eugeniæ	1856,	137	
iogastra	1860,	359	
Ipalura variegata	1860,	160	
Iphigenia psammobialis .	1854,	346	
Iphisa elegans	1851,	39	
Ips gigas	1856,	10	
Irena puella	1854,	282	
malayana	1859,	150	
malayana	1854,	282	
Iridina (Pleiodon) spekii	1859,	348	
Iridornis analis	1855,	227	
dubusia	1856,	243	
dubusia	1855,	157	
porphyrocephala	1856,	242	
porphyrocephala	1855,	227	
porphyrocephala	1856,	243	
Iridosornis dubusia	1856,	243	
rufivertex	1856,	243	
Iris depauperata	1854,	174	
laciniosa	1854,	174	
squalida	1854,	174	
Irrisor erythrorhynchus .	1850,	216	
senegalensis	1850,	216	
Isanda coronata	1853,	189	
lepida	1853,	190	
pulchella	1853,	190	
sulcifera	1853,	190	
Isaura cycladoides	1849,	85	
tetracera	1849,	87	
tetracera	1849,	90	
Ischnognathus dekayi . . .	1858,	387	
occipitomaculatus . . .	1860,	456	
occipitomaculatus . . .	1860,	456	
Isidella coralloides	1857,	284	
elongata	1857,	283	
Isis aurantia	1857,	285	
coccinea	1859,	486	
coccinea	1857,	285	
coccinea	1859,	486	
coralloides	1857,	284	
dichotoma	1857,	284	
dichotoma	1859,	486	
elongata	1857,	283	
encrinula	1857,	284	
gracilis	1857,	283	
hippuris	1857,	283	
nobilis	1857,	287	
ochracea	1857,	285	
ochracea	1859,	485	
Isognomon costellata . . .	1856,	219	
costellata	1850,	216	
Ispida bicincta	1854,	269	
bitorquata	1850,	216	
bitorquata	1854,	269	
Ispidula variabilis	1858,	47	
Ixalus aurifasciatus	1858,	393	
concolor	1858,	165	
leucorhinus	1858,	393	
pœcilopleurus	1858,	393	
variabilis	1858,	393	
Ixidia cyaniventris	1854,	278	
Ixos atriceps	1854,	279	
erythrotis	1854,	278	
inornatus	1850,	217	
metallicus	1854,	279	
monticolus	1854,	278	
obscurus	1850,	217	
obscurus	1858,	292	
pyrrhotis	1854,	278	
vidua	1854,	279	
Ixothraupis chrysogaster	1856,	249	
guttulata	1856,	249	
punctata	1856,	249	
pusilla	1856,	250	
Ixulus castaneiceps	1854,	141	
occipitalis	1854,	141	
Jacamaraleyon tridactyla	1855,	16	
tridactyla	1855,	16	
Jacamerops grandis	1857,	263	
Jacchina	1849,	10	
Jacchus bicolor	1852,	107	
tamarin	1852,	107	
Janella antipodarum	1853,	111	
Janulus bifrons	1854,	178	
calathus	1854,	178	
Jemania henslowana	1858,	364	
Johnstonella catharina . .	1853,	94	
Juida chalybea	1850,	217	
eytoni	1856,	368	
longicauda	1856,	368	

	Page		Page
<i>Juida nitens</i>	1857,		
<i>rufiventris</i>	1850,		
	1857,	<i>Kinosternon pennsylvan-</i>	
<i>Juliamyia amabilis</i> ..	1860,	<i>nicum</i>	1855, 198
	1857,	<i>punctatum</i>	1855, 198
	1860,	<i>scorpiodes</i>	1849, 17
<i>typica</i>	1860,	<i>Kinyxis belliana</i>	1858, 166
	1860,	<i>castanea</i>	1858, 166
<i>Julis cyanogramma</i>	1850,	<i>erosa</i>	1858, 166
<i>dussumieri</i>	1850,	<i>homeana</i>	1858, 166
<i>Jumbi Bird</i>	1851,	<i>shoensis</i>	1858, 166
<i>Junceella juncea</i>	1857,	<i>Kite, The Scissors-tailed</i>	1851, 57
	1856,	<i>Kittacincla macroura</i> ..	1854, 283
	1857,		1857, 94
<i>Junco cinereus</i>	1857,	<i>Kobus adansonii</i>	1850, 129
	1858,	<i>ellipsiprymnus</i>	1850, 130
	1859,	<i>leché</i>	1850, 130
<i>hyemalis</i>	1857,	<i>sing-sing</i>	1850, 131
<i>oregonus</i>	1857,	<i>Kraussia deshayesii</i>	1852, 80
<i>phaenotus</i>	1856,	<i>lamarckiana</i>	1852, 80
	1856,	<i>pisum</i>	1852, 80
<i>Kakadoë albocristata</i> ..	1860,		
<i>cristata</i>	1860,	<i>Labiella callosa</i>	1856, 334
<i>Kakapo</i>	1852,	<i>dentata</i>	1855, 7
	1858,	<i>Labio articulata</i>	1851, 178
<i>Kaloula pulchra</i>	1860,	<i>cingulata</i>	1851, 178
	1858,	<i>concolor</i>	1851, 180
<i>Katostoma phlebophora</i> ..	1854,	<i>constrictor</i>	1851, 177
<i>psammophora</i>	1854,	<i>corrosa</i>	1851, 180
<i>Kellia tellinoides</i>	1856,	<i>crinita</i>	1851, 179
	1850,	<i>fulgurata</i>	1851, 179
<i>Kemas hodgsonii</i>	1856,	<i>fuliginea</i>	1851, 180
	1856,	<i>indecora</i>	1851, 179
<i>Kerivoula aërosa</i>	1858,	<i>lineata</i>	1851, 179
<i>brasiliensis</i>	1858,	<i>melanoloma</i>	1851, 179
	1858,	<i>nigerrima</i>	1851, 178
<i>formosa</i>	1858,	<i>pica</i>	1851, 179
	1858,	<i>porcata</i>	1851, 179
<i>grisea</i>	1858,	<i>porcifera</i>	1851, 179
<i>hardwickii</i>	1858,	<i>reticularis</i>	1851, 178
	1858,	<i>rudis</i>	1851, 179
<i>lanosa</i>	1858,	<i>scorpio</i>	1851, 179
	1858,	<i>striolata</i>	1851, 178
<i>papillosa</i>	1858,	<i>subrostrata</i>	1851, 178
	1850,	<i>sulcata</i>	1851, 178
	1856,	<i>tæniata</i>	1851, 178
	1858,	<i>tamsii</i>	1851, 179
<i>picta</i>	1858,	<i>tergestina</i>	1851, 179
	1858,	<i>tessellata</i>	1851, 178
	1858,	<i>zealandica</i>	1851, 178
	1858,	<i>zebra</i>	1851, 178
<i>poensis</i>	1858,	<i>Labrus gouldii</i>	1850, 72
<i>rufopicta</i>	1858,	<i>larvatus</i>	1850, 249
<i>sykesii</i>	1858,	<i>maculatus</i>	1859, 433
<i>trilatoides</i>	1858,	<i>mixtus</i>	1850, 249
	1858,	<i>scrofa</i>	1850, 249
<i>Ketupa ceylonensis</i> ..	1858,	<i>tetricus</i>	1850, 70
	1859,	<i>Lacerta ocellata</i>	1858, 155
<i>javanica</i>	1854,		1859, 470
	1854,		
<i>Kevel</i>	1850,		
	1850,		
<i>gris</i>	1850,		
<i>Kiang</i>	1848,		
<i>King Vulture</i>	1851,		
<i>Kinosternon hippocrepis</i>	1855,		

	Page		Page
<i>Lacerta ocellata</i>	1859,	<i>Laminella luctuosa</i>	1855, 204
<i>viridis</i>	1859,	<i>micans</i>	1859, 31
<i>Lachesis nitidus</i>	1859,	<i>rudis</i>	1855, 5
<i>Lachnolaimus gouldii</i> ..	1850,	<i>sericea</i>	1859, 31
<i>Lacuna carinifera</i>	1851,	<i>serrata</i>	1860, 439
<i>unifasciata</i>	1856,	<i>subrostrata</i>	1859, 31
<i>Lafresnaya flavicaudata</i> .	1855,	<i>transversalis</i>	1855, 204
<i>gayi</i>	1860,	<i>umbilicata</i>	1855, 204
<i>Lagena californica</i>	1851,	<i>Lampadia webbiana</i>	1854, 197
<i>Lagenorhynchus clanculus</i>	1849,	<i>Lampetra caeca</i>	1851, 241
<i>thicolea</i>	1849,	<i>fluviatilis</i>	1851, 237
<i>Lagomys nipalensis</i>	1856,	<i>lamottenii</i>	1851, 238
<i>roylei</i>	1858,	<i>major</i>	1851, 236
<i>Lagopus hemileucurus</i> ..	1858,	<i>minima</i>	1851, 241
<i>scoticus</i>	1849,	<i>neunauge</i>	1851, 241
<i>Lagothrix</i>	1849,	<i>planeri</i>	1851, 238
<i>humboldtii</i>	1852,	<i>rondeletii</i>	1851, 236
<i>Laimodon albiventris</i> ..	1859,	<i>sanguisuga</i>	1851, 238
<i>bifrenatus</i>	1859,	<i>subcinerea</i>	1851, 238
<i>hirsutus</i>	1859,	<i>Lampornis aurescens</i> ..	1857, 263
<i>leucocephalus</i>	1859,	<i>aurulenta</i>	1857, 233
<i>leucomelas</i>	1859,	<i>mango</i>	1857, 16
<i>nigrithorax</i>	1859,	<i>prevosti</i>	1857, 263
<i>saltii</i>	1859,	<i>veraguensis</i>	1856, 140
<i>undatus</i>	1859,	<i>Lamprocolius splendidus</i>	1860, 112
<i>unidentatus</i>	1859,	<i>Lampronetta fischeri</i> ..	1855, 212
<i>vieilloti</i>	1859,	<i>Lamprophis modestus</i> ..	1858, 163
<i>Laimodonta concinna</i> ..	1854,	<i>Lamproscapha schomburgki</i>	1860, 15
<i>layardi</i>	1854,	<i>Lamprospiza habia</i>	1856, 78
<i>sandwichensis</i>	1854,	<i>melanoleuca</i>	1856, 78
<i>sulcata</i>	1854,	<i>Lamprotes albicristatus</i> {	1855, 156
<i>tæniata</i>	1854,	<i>loricatus</i>	1856, 121
<i>Lalage aurea</i>	1860,	<i>rubricollis</i>	1856, 121
<i>nævia</i>	1859,	<i>rubrigularis</i>	1856, 121
<i>orientalis</i>	1854,	<i>viridis</i>	1856, 122
<i>rufiventris</i>	1858,	<i>Lamprotornis cantor</i> ..	1858, 181
<i>Lama huanacos</i>	1860,	<i>cyanotis</i>	1859, 445
<i>Lambidium oniscus</i>	1851,	<i>obscura</i>	1860, 355
<i>Lamellaria ophione</i>	1849,	<i>purpuroptera</i>	1860, 197
<i>Lamia assamensis</i>	1850,	<i>pyrrhopogon</i>	1860, 355
<i>nobilis</i>	1856,	<i>Lamprotreron holosericea</i>	1859, 165
<i>pedicornis</i>	1859,	<i>superba</i>	1858, 184
(<i>Cerosterna</i>) <i>trifasciella</i>	1850,	<i>Laniarius chrysogaster</i> ..	1860, 197
<i>Laminella albida</i>	1855,	<i>erythrogaster</i>	1860, 197
<i>extincta</i>	1855,	<i>Laniisoma arcuatum</i> ..	1854, 114
<i>farciemen</i>	1856,	<i>gonostigma</i>	1855, 156
<i>ferussaci</i>	1855,	<i>grayana</i>	1855, 204
<i>fusiformis</i>	1855,	<i>grossa</i>	1855, 204
<i>glutinosa</i>	1855,	<i>inflata</i>	1855, 203
<i>gonostigma</i>	1855,		
<i>grayana</i>	1855,		
<i>grossa</i>	1855,		
<i>inflata</i>	1855,		

	Page		Page
Lanio aurantius	{ 1856, 119 1856, 303 1857, 229 1855, 83	Lanius lictor	1851, 44
auritus	{ 1855, 156 1856, 116	lineatus	1858, 206
cristatus	1856, 115	longicaudatus	1859, 151
tenuirostris	1856, 114	lucionensis	1854, 272
versicolor	{ 1856, 119 1857, 264	luctuosus	1858, 211
vieillottii	1856, 115	ludovicianus	1857, 126
Lanistina concinna	1856, 366	lunulatus	1858, 208
nana	1856, 365	macrocerus	1860, 197
Lanius algeriensis	1850, 217	maculatus	1858, 208
arenarius	1850, 217	magnirostris	1854, 272
atricapillus	{ 1857, 77 1858, 215	melanocephalus	1854, 278
aurantius	1856, 118	melanotis	1854, 272
cæsius	1858, { 212 223	meleager	1858, 208
canadensis	1858, 215	mexicanus	1859, 375
caniceps	{ 1858, 488 1859, 180	mitratus	1857, 75
cayanus	1857, 69	musicus	1854, 282
collurio	{ 1848, 37 1850, 217	nævius	1858, 213
coronatus	{ 1850, 80 1859, 446	niger	1857, 72
cristatus	1854, 272	notodelos	1858, 246
cucullatus	1860, 353	nubicus	1850, 217
doliatus	1858, 217	palliatius	1858, 219
domicella	1858, 246	personatus	1850, 217
erythronotus	1857, 92	phœnicurus	{ 1854, 272 1860, 108
erythropterus	1850, 217	picatus	1856, 79
excubitor	{ 1850, 217 1854, 46 1857, 219	pileatus	1858, 215
excubitoroides	{ 1857, 126 1859, 375	pœcilurus	1858, 215
ferox	1854, 272	punctatus	1858, 213
ferrugiceps	1854, 272	rubiginosus	1858, 217
funebis	1858, { 66 207 258	rutilus	1854, 272
gularis	1854, 272	scalaris	1858, 220
guttulatus	1858, 221	scapulatus	{ 1850, 79 1859, 446
hardwickii	{ 1854, 46 1858, 488	septentrionalis	1849, 64
hypoleucus	1859, 150	severus	1858, 208
inquisitor	1857, 71	stagurus	1858, 209
insidiator	1859, 445	striatus	1859, 164
isabellinus	1850, 217	strigatus	1854, 272
jocosus	1854, 278	superciliaris	{ 1854, 272 1858, 488
keroula	1858, 489	téphronotus	1858, 489
lahtora	{ 1850, 217 1857, 91	tigrinus	1854, 272
leverianus	{ 1858, 488 1856, 79	validus	1857, 72
		variolosus	1858, 207
		vestitus	1858, 220
		virgatus	1854, 272
		Larina strangei	1854, 41
			{ 1851, 142 1857, 13
		Larus argentatus	{ 1859, 467 1860, 183 1860, 371
		belcheri	1859, 237
		brunneicephalus	{ 1858, 509 1859, 190
		canus	{ 1857, 13 1860, 258
		dominicanus	1859, 97

	Page		Page
<i>Larus dominicanus</i>	1860, 390	<i>Leda conradi</i>	1860, 440
<i>fuscus</i>	1860, 258	<i>costellata</i>	1856, 48
<i>glaucotes</i>	1860, 391	<i>crenifera</i>	1856, 48
<i>glaucus</i>	1860, 417	<i>decora</i>	1856, 50
<i>hæmatorhynchus</i>	1860, 391	<i>electa</i>	1856, 48
<i>heermanni</i>	1859, 237	<i>fastidiosa</i>	1856, 49
<i>jamesoni</i>	1859, 166	<i>fulgida</i>	1856, 50
<i>maculipennis</i>	1860, 391	<i>hindsii</i>	1860, 440
<i>marinus</i>	{ 1857, 13	<i>inconspicua</i>	1856, 49
<i>novæ-hollandiæ</i>	1860, 191	<i>inornata</i>	1856, 48
<i>ridibundus</i>	{ 1857, 13	<i>lepida</i>	1856, 49
<i>roseiventris</i>	1858, 509	<i>lugubris</i>	1856, 49
<i>rossii</i>	1860, 391	<i>metcalfi</i>	1860, 370
<i>sabinii</i>	1860, 108	<i>plicifera</i>	1856, 50
<i>scopulinus</i>	1860, 108	<i>semisulcata</i>	1856, 50
<i>scoresbii</i>	1859, 166	<i>siliqua</i>	1856, 48
<i>tridactylus</i>	1860, 391	<i>taylori</i>	1860, 370
<i>Larva aquatica</i>	1851, 146	<i>Legatus albicollis</i>	{ 1859, 46
<i>Larvivora cyanea</i>	1852, 19	<i>variegatus</i>	1860, 68
<i>Lasiocampa strigina</i>	1859, 183	<i>variegatus</i>	1859, 366
<i>Lasiurus aga</i>	1849, 37	<i>Leggata booduga</i>	1850, 157
<i>caudatus</i>	1857, 43	<i>Legrocinclus mexicanus</i>	1855, 213
<i>grayi</i>	1857, 42	<i>Leiopathes boscii</i>	1857, 290
<i>novæboracensis</i>	1857, 40	<i>glaberrima</i>	1857, 290
<i>pearsoni</i>	{ 1857, 34	<i>Leiostraca distorta</i>	1860, 438
<i>pruinosis</i>	1856, 395	<i>Leiostyla anglica</i>	1854, 208
<i>rufus</i>	1857, 35	<i>cheilogona</i>	1854, 208
<i>Lathriosoma typicum</i>	1857, 276	<i>irrigula</i>	1854, 208
<i>Latia neritoides</i>	1849, 168	<i>lævigata</i>	1854, 210
<i>Latiaxis fortuni</i>	1853, 99	<i>laurinea</i>	1854, 209
<i>nodosus</i>	1853, 98	<i>macilenta</i>	1854, 210
<i>rhodostoma</i>	1854, 138	<i>recta</i>	1854, 210
<i>Latirus armatus</i>	1854, 314	<i>sphinctostoma</i>	1854, 209
<i>contemptus</i>	1854, 315	<i>vineta</i>	1854, 208
<i>decoratus</i>	1854, 316	<i>Leiothrix cinerea</i>	1854, 142
<i>despectus</i>	1854, 315	<i>Leistes guianensis</i>	1857, { 19
<i>distinctus</i>	1854, 314	<i>Leiupeus viridis</i>	1860, 174
<i>elegans</i>	1854, 315	<i>Leiurus ornatus</i>	1858, 157
<i>flavidus</i>	1854, 314	<i>Lembus maculatus</i>	{ 1859, 418
<i>marquesanus</i>	1854, 315	<i>Lemidjus corallipennis</i>	1860, 234
<i>neglectus</i>	1854, 314	<i>festivus</i>	1852, 47
<i>newcombii</i>	1854, 314	<i>Lemniscia michaudii</i>	1854, 170
<i>strangei</i>	1854, 316	<i>Lemur albifrons</i>	1860, 422
<i>Latris hecateia</i>	1850, 67	<i>albimanus</i>	1860, 422
<i>Latyris tumens</i>	1856, 166	<i>hybridus</i>	1860, 422
<i>Laughing-Hawk, The</i>	1851, 56	<i>nigrifrons</i>	1860, 422
<i>Lebias dispar</i>	1859, 474	<i>rufifrons</i>	1849, 17
<i>Lebiasina bimaculata</i>	{ 1859, 418	<i>Leodia richardsonii</i>	1851, 36
<i>Lebiasina bimaculata</i>	1860, 234	<i>Leoneopenna blainvillii</i>	1858, 372
<i>Lebiasina bimaculata</i>	1860, 240	<i>Leopardus bengalensis</i>	1858, 514
<i>Leda bellula</i>	1856, 49	<i>concolor</i>	1859, 51
<i>brookii</i>	1860, 440	<i>hermandesii</i>	1857, 278
<i>concinna</i>	1856, 48	<i>horsfieldi</i>	1858, 514
		<i>onca</i>	1859, 51
		<i>pardalis</i>	1859, 51

	Page		Page
<i>Leopardus torquatus</i> ...	1858, 514	<i>Leptopoma conula</i>	1854, 127
<i>uncia</i>	1856, 395	<i>duplicatum</i>	1856, 338
<i>varius</i>	1858, 514	<i>flammeum</i>	1854, 127
<i>viverrinus</i>	1850, 156	<i>hanleyanum</i>	1856, 384
<i>Lepas rostrata</i>	1853, 86	<i>minutissimum</i>	1854, 305
<i>simplex</i>	1853, 86	<i>pœcilum</i>	1854, 302
<i>Lepidœnas speciosa</i> ..	1856, 309	<i>sechellarum</i>	1854, 302
	1859, 61	<i>signatum</i>	1856, 338
	1856, 342	<i>subconicum</i>	1859, 27
<i>Lepidosiren annectens</i> .	1858, 535	<i>wallacei</i>	1857, 112
	1859, 436		1857, 214
<i>paradoxa</i>	1856, 344	<i>Leptoptila albifrons</i> ..	1858, 99
<i>Lepidurus glacialis</i> ...	1852, 6		1859, 368
<i>productus</i>	1852, 6		1859, 391
<i>viridis</i>	1850, 254		1860, 289
<i>Leporinus frederici</i> ...	1859, 418	<i>dubusi</i>	1858, 76
<i>mülleri</i>	1859, 92	<i>jamaicensis</i>	1858, 99
<i>Leptachatina dimidiata</i> ..	1855, 205	<i>rufaxilla</i>	1856, 309
<i>margarita</i>	1855, 206		1858, 99
<i>oryza</i>	1855, 206	<i>verreauxii</i>	1855, 163
<i>semicostata</i>	1855, 206		1859, 147
<i>teres</i>	1855, 206		1860, 289
<i>Leptasthenura platensis</i> .	1859, 197	<i>Leptoptilus crumenife-</i>	
<i>Leptaxis erubescens</i> ...	1854, 165	<i>rus</i>	1860, 417
<i>furva</i>	1854, 165	<i>Leptorhynchus gutta-</i>	
<i>membranacea</i>	1854, 165	<i>tus</i>	1855, 90
<i>Lepterosas ibis</i>	1850, 221	<i>leuchtenbergi</i>	1850, 252
<i>Leptocephalus candidis-</i>		<i>striolatus</i>	1855, 90
<i>simus</i>	1849, 83	<i>Leptoxyura obsoleta</i> ..	1858, 242
<i>morrissii</i>	1849, 83	<i>semicinerea</i>	1859, 197
<i>Leptocoma hasselti</i> ...	1859, 462	<i>Lepus</i> — ?	1859, 353
	1859, 89	<i>brasiliensis</i>	1860, 264
<i>Leptodeira annulata</i> ..	1860, 457		1850, 157
<i>discolor</i>	1860, 317	<i>cuniculus</i>	1860, 372
<i>hippocrepis</i>	1858, 161		1860, 416
<i>rufescens</i>	1858, 161	<i>hibernicus</i>	1860, 372
<i>Leptodera elongata</i> ...	1858, 225	<i>hispidus</i>	1856, 402
<i>flexilis</i>	1858, 225		1850, 157
	1859, 89	<i>macrotus</i>	1856, 401
<i>Leptognathus catesbyi</i> ..	1859, 414		1858, 520
<i>indicus</i>	1858, 381		1850, 157
<i>milkani</i>	1859, 414	<i>nigricollis</i>	1858, 520
<i>Leptophis chenonii</i> ...	1858, 161		1857, 160
<i>gracilis</i>	1858, 158	<i>nigripes</i>	1858, 520
<i>kirtlandi</i>	1858, 159	<i>oiostolus</i>	1856, 401
<i>mexicana</i>	1860, 458	<i>pallipes</i>	1856, 402
<i>smaragdina</i>	1858, 158	<i>ruficaudatus</i>	1856, 401
<i>viridis</i>	1858, 160	<i>taloi</i>	1856, 401
<i>Leptopogon amauroce-</i>		<i>timidus</i>	1860, 183
<i>phalus</i>	1859, 384		1858, 501
<i>superciliaris</i>	1858, 71	<i>Lerva nivicola</i>	1859, 186
	1860, 69		1855, 140
<i>Leptopoma barbatum</i> ..	1855, 104		1858, 450
		<i>Lesbia amaryllis</i>	1858, 460
			1858, 555
			1860, 81

	Page		Page
<i>Lesbia amaryllis</i>	1860, 94	<i>Limax cinereus</i>	1858, 225
<i>cyanura</i>	{ 1855, 140	<i>flavus</i>	1854, 162
<i>gorgo</i>	1855, 140	<i>gagates</i>	1854, 162
<i>gouldi</i>	1855, 140	<i>maculata</i>	1854, 162
<i>gracilis</i>	{ 1858, 450	<i>maximus</i>	1854, 162
	1858, 460	<i>pardalis</i>	1854, 162
	1860, 63	<i>punctata</i>	1854, 162
	1860, 70	<i>variegatus</i>	1854, 162
	1860, 94	<i>virescens</i>	1854, 162
<i>Lestris antarctica</i>	1860, 390	<i>Limenitis aceris</i>	1858, 9
<i>cataractes</i>	{ 1851, 146	<i>columella</i>	1858, 7
<i>cephus</i>	1860, 390	<i>eurynome</i>	1858, 10
<i>Leucernaria auricula</i> ..	1859, 477	<i>heliodore</i>	1858, 4
<i>Leuciscus alburnus</i> ..	1859, 477	<i>hordonia</i>	1858, 4
<i>apollonitis</i>	1856, 376	<i>illigera</i>	1858, 19
<i>baldneri</i>	1856, 376	<i>inara</i>	1858, 13
<i>cephalus</i>	1859, 435	<i>larymna</i>	1858, 12
<i>cii</i>	1856, 375	<i>nefte</i>	1858, 13
<i>erythrophthalmus</i> ..	1856, 374	<i>sankara</i>	1858, 18
<i>lancasteriensis</i> ..	1856, 376	<i>selenophora</i>	1858, 14
<i>rutilus</i>	{ 1859, 435	<i>vikasi</i>	1858, 7
	477	<i>zaida</i>	1858, 6
<i>Leucocerca albofrontata</i> ..	1858, 495	<i>Limnadia</i> —	1849, 87
<i>fuscoventris</i>	1858, 495	<i>antillarum</i>	1852, 30
<i>javanica</i>	1859, 151	<i>hermanni</i>	1849, { 85
<i>Leuconerpes albolarvatus</i> ..	1858, 3		86
<i>Leuconia alba</i>	1854, 36	<i>mauritiana</i>	1849, { 88
<i>auricella</i>	1854, 37		85
<i>bivona</i>	1854, 36	<i>tetracera</i>	1849, { 87
<i>micheli</i>	1854, 36		86
<i>microstoma</i>	1854, 36		90
<i>sayi</i>	1854, 36	<i>Limnæa luteola</i>	1856, 186
<i>Leucopygia ruficollis</i> ..	1856, 112	<i>nuttalliana</i>	1856, 220
<i>Leucozonia angulata</i> ..	1856, 43	<i>peregra</i>	1856, 186
	{ 167	<i>pinguis</i>	1858, 134
	168	<i>stagnalis</i>	1856, 186
	169	<i>tigrina</i>	1858, 134
<i>Lewisia agassiziana</i>	1857, { 167	<i>truncatula</i>	1856, 186
	168	<i>Limnætus horsfieldii</i> ..	1854, 259
<i>macandrewiana</i>	1857, { 168	<i>Limnæus minutus</i>	1854, 218
	170	<i>trunculatus</i>	1854, 218
<i>philippiana</i>	1857, { 167	<i>Limnodynastes dorsalis</i> ..	1858, 345
	168	<i>Limnornis canifrons</i>	1855, 143
<i>woodwardiana</i>	1857, { 169	<i>unibrunnea</i>	1858, 550
	168	<i>unirufa</i>	1855, 143
<i>Liarea egea</i>	1854, 304	<i>Limosa ægocephala</i>	1858, 506
<i>Lichenella brentii</i>	1858, 322	<i>fedoa</i>	1859, 64
<i>Lichia vadigo</i>	1850, 248	<i>hudsonica</i>	{ 1859, 96
<i>Lima acuminata</i>	1856, 186		1860, 387
<i>auricularia</i>	1856, 186	<i>lapponica</i>	{ 1860, 258
<i>hookeri</i>	1856, 186		364
<i>tetrica</i>	1856, 203	<i>melanura</i>	{ 1851, 146
<i>Limax agrestis</i>	1854, 162		1860, 416
<i>antiquorum</i>	1854, 162	<i>uropygialis</i>	1848, 38
<i>ater</i>	1854, 162	<i>Lindsleya albersiana</i> ..	{ 1857, 169
<i>bitentaculatus</i> ..	1853, 111		190
<i>cinereus</i>	1854, 162	<i>alderiana</i>	{ 1857, 169
			194

	Page		Page
Lindsleya arthuriana ...	1857, { 169 195	Linota montium	{ 1855, 217 1858, 483
boissieriana	1857, { 169 192	Linsang pardicolor	1856, 396
bridgesiana	1857, { 169 185	Liocephalus iridescens..	1859, 409
denisoniana	1857, { 169 189	ornatus	1859, { 89 408
fischeriana	1857, { 169 190	Liophis cobella.....	1859, 412
gaskoiniana	1857, { 169 192	tæniurus	1859, { 89 412
gutierreziana	1857, { 169 196	Liotia affinis	1850, 50
henryana	1857, { 169 194	coronata	1850, 51
jayana	1857, { 169 189	duplicata	1850, 51
leana	1857, { 169 189	nodulosa	1850, 51
lindsleyana	1857, { 169 188	peronii	1850, 50
loweana	1857, { 169 200	pulcherrima	1850, 50
lukesiana	1857, { 169 200	scalarioides	1850, 50
moricandiana	1857, { 169 191	varicosa	1850, 50
newcombiana	1857, { 169 193	Lipaugus fuscocinereus	{ 1855, 153 1858, 71
oweniana	1857, { 169 196	holerythrus	1860, 300
pickeringiana	1857, { 169 188	hypopyrrhus	1857, 276
poeyana	1857, { 169 193	rufescens	1857, 276
polyblankiana	1857, { 169 190	unirufus	1859, 385
redfieldiana	1857, { 169 189	Lissotriton palmatus ..	1858, { 139 140
reeveana	1857, { 169 191	palmipes.....	1858, { 140 141
rüsseana	1857, { 169 193	punctatus	1858, 224
salleana	1857, { 169 195	Lithodes antarctica ...	1856, 133
shuttleworthiana ..	1857, { 169 191	arctica	1856, 133
wollastoniana	1857, { 169 197	breviceps	1856, 134
Lineus beattiaei.....	1857, 210	brevipes	1848, 48
longissimus	1858, 307	camschatica	1856, 133
Linota brevirostris....	{ 1855, 216 1858, 483 1859, 178 1859, 184	granulosa	1856, 134
cannabina	1855, 217	hystrix	1856, 133
fringillirostris	1855, 217	maia	1856, { 132 133
		(Echidnocerus) ci-	
		barius.....	1856, 132
		(Petalocerus) belli-	
		anus	1856, 134
		Lithodomus falcatus ..	1856, 202
		gruneri	1856, 202
		Lithoglyphus zonatus ..	1859, 349
		Lithophagus falcatus ..	1856, 202
		Litiopa divisa	1855, 234
		saxicola	1855, 234
		Littorina albicans.....	1851, 73
		littorea	1853, 43
		melanostoma.....	1851, 73
		nigerrima	1854, 41
		planaxis.....	1856, 226
		quadrifasciata	1856, 20
		scabra	1851, 73
		tenebrata	1856, 226
		Livona pica	1856, 204
		Lama vicuna.....	1860, 371

	Page		Page
Lobiger cumingii	1854,	Lorius cucullatus	1860,
pellucidus	1854,	cyanauchen	1859,
philippi	1854,	domicella	1860,
Lobivanellus albicapillus	1850,	garrulus	1860,
goensis	1858,	isidorii	1860,
lobatus	1859,	superbus	1859,
Lobophora aurita	1851,	tricolor	1849,
bifissa	1851,	unicolor	1859,
Loedorusa goiavier	1854,	Lottia pallida	1856,
Lœmodon leucocephalus	1860,	pintadina	1856,
vieilloti	1860,	punctata	1856,
Loepa katinka	1859,	scabra	1856,
thibeta	1859,	Loxia atricapilla	1859,
Lomanotus portlandicus	1859,	bonariensis	1856,
Lomelia epimethea	1849,	canadensis	1856,
Lomis dentata	1856,	capsicum	1856,
hirta	1856,	erythromelas	1856,
Lophastur jerdoni	1860,	frontalis	1850,
Lophinus palmatus	1858,	fuliginosa	1856,
Lophiodon	1849,	grossa	1856,
Lophocercus krohnii	1854,	gularis	1856,
sieboldii	1854,	javensis	1859,
Lophocitta ardesiaca	1859,	leucocephala	1859,
galericulata	1850,	maja	1859,
histrionica	1850,	malacca	1859,
Lophodytes cucullatus	1859,	melaleuca	1859,
Lophophanes galeatus	1858,	mexicana	1859,
wollweberi	1858,	moluca	1859,
Lophophorus impeya-	1848,	oryzivora	1859,
nus	1858,	prasina	1858,
Lophorina republica	1857,	punctularia	1859,
Lophornis delatarii	1857,	virens	1856,
helene	1856,	virginica	1856,
regina	1858,	Loxigilla violacea	1857,
Lophospiza cruenta	1860,	Lucapina crenulata	1856,
pileata	1855,	Lucidella inæqualis	1859,
Loricaria pleistoma	1856,	nana	1857,
Loriculus galgulus	1859,	Lucilla cellaria	1854,
stigmatus	1860,	scintilla	1854,
Loris gracilis	1850,	Lucina artemidis	1856,
tardigradus	1850,	bella	1856,
Lorius amboinensis	1849,	californica	1856,
borneus	1860,	childreni	1858,
cardinalis	1849,	lactea	1855,
chlorocercus	1856,	nuttalli	1856,
	1860,	orbella	1856,
	228		202
			218

	Page		Page
<i>Lucina pecten</i>	1856,	<i>Lyria costata</i>	1855,
(<i>Codakia</i>) <i>munda</i> ..	1855,	<i>delessertiana</i>	1855,
(<i>Cryptodon</i>) <i>plici-</i>	225	<i>festiva</i>	1855,
<i>fera</i>	1855,	<i>lyræformis</i>	1855,
(<i>Myrtæa</i>) <i>layardi</i> ..	225	<i>lyrata</i>	1855,
(—) <i>strangei</i>	1855,	<i>mitræformis</i>	1855,
<i>Lucinopsis undata</i> ...	1855,	<i>nucleus</i>	1855,
<i>Lupus laniger</i>	1856,	(<i>Enæta</i>) <i>cumingii</i> ..	1855,
<i>Lusciola aureora</i>	1854,	(—) <i>cylleniformis</i> ..	1855,
<i>Lutra aurobrunnea</i> ...	1855,	(—) <i>guildingii</i> ..	1855,
<i>chinensis</i>	1856,	(—) <i>harpa</i>	1855,
<i>indigitata</i>	1855,	<i>Mabouia brevis</i>	1860,
<i>monticola</i>	1855,	<i>Mabouya agilis</i>	1848,
<i>nair</i>	1850,	<i>sloanei</i>	1848,
<i>sinensis</i>	1855,	<i>Macabra squamulata</i> ...	1856,
<i>vulgaris</i>	1859,	<i>Macacus arctoides</i>	1860,
<i>Lutraria arcuata</i>	1854,	<i>cynomolgus</i>	1859,
<i>australis</i>	1854,	<i>erythræus</i>	1860,
<i>curta</i>	1854,	<i>fuscus</i>	1860,
<i>dissimilis</i>	1854,	<i>maurus</i>	1860,
<i>impar</i>	1854,	<i>nēmestrinus</i>	1860,
<i>intermedia</i>	1854,	<i>ocreatus</i>	1860,
<i>philippinarum</i>	1854,	<i>pileatus</i>	1859,
<i>sieboldia</i>	1854,	<i>radiatus</i>	1860,
<i>undulata</i>	1856,	<i>rhesus</i>	1856,
<i>ventricosa</i>	1856,	<i>silenus</i>	1860,
<i>Lutremys europæa</i> ...	1855,	<i>sinicus</i>	1859,
<i>Lycaon pictus</i>	1855,	<i>speciosus</i>	1860,
<i>Lycocorax pyrropterus</i> .	1860,	<i>Macandrewia azorica</i> ..	1859,
<i>Lycodon aulicus</i>	1858,	<i>Macgillivrayia straminea</i> .	1853,
<i>geometricus</i>	1858,	<i>Machæra lucida</i>	1856,
<i>horstockii</i>	1858,	<i>Machærirhynchus flavi-</i>	
<i>unicolor</i>	1858,	<i>venter</i>	1850,
<i>Lycophilidion horstockii</i> .	1858,	<i>xanthogenys</i>	1858,
<i>laterale</i>	1858,	<i>Machetes pugnax</i>	1860,
<i>Lymnæa catascopium</i> ..	1850,	<i>Macoma bruguieri</i>	1860,
<i>desidiosa</i>	1850,	<i>Macrochelys temminckii</i> .	1855,
<i>elodes</i>	1850,	<i>Macrochisma angustata</i> .	1850,
<i>hookeri</i>	1850,		
<i>palustris</i>	1850,		
<i>peregra</i>	1850,		
<i>stagnalis</i>	1850,		
<i>truncatula</i>	1850,		
<i>Lymneus minutus</i>	1854,		
<i>Lymnodytes albilabris</i> ..	1858,		
<i>Lyncornis temminckii</i> ..	1854,		
<i>Lynx chaus</i>	1856,		
<i>Lyonsia californica</i>	1856,		
<i>cuneata</i>	1855,		
<i>diaphana</i>	1855,		
<i>nitida</i>	1856,		
<i>Lypornis ruficapilla</i> ...	1853,		

	Page		Page
<i>Macrochisma compressa</i>	1850, 202	<i>Maetra eximia</i>	1853, 16
<i>cuspidata</i>	1850, 202	<i>exoleta</i>	1856, 200
<i>dilatata</i>	1850, 202	<i>explanata</i>	1854, 66
<i>hiatula</i>	1850, 202	<i>goniata</i>	1854, 70
<i>maxima</i>	1850, 202	<i>hepatica</i>	1854, 63
<i>megatrema</i>	1850, 202	<i>hiantina</i>	1854, 62
<i>producta</i>	1850, 202	<i>inæqualis</i>	1854, 64
<i>sinensis</i>	1855, 122	<i>incongrua</i>	1854, 64
<i>Macrodon tareira</i>	1859, 418	<i>intuspicta</i>	1854, 64
	1860, 233	<i>luzonica</i>	1854, 64
<i>Macronus ptilosus</i>	1854, 275	<i>mariae</i>	1856, 53
	1858, 170	<i>mendica</i>	1856, 200
<i>Macropteryx mystaceus</i>	1860, 345	<i>mera</i>	1853, 16
	1852, 106	<i>meretriciformis</i>	1853, 16
<i>Macropus bennettii</i>	1859, 493	<i>murchisonii</i>	1854, 64
<i>fuliginosus</i>	1860, 323	<i>obesa</i>	1853, 16
<i>giganteus</i>	1860, 323	<i>opposita</i>	1854, 65
	1849, 90	<i>pellucida</i>	1854, 68
<i>major</i>	1852, 104	<i>planulata</i>	1856, 214
	1860, 181	<i>plicatilis</i>	1854, 69
<i>penicillatus</i>	1852, 105	<i>pura</i>	1853, 15
<i>rufus</i>	1860, 372	<i>pusilla</i>	1855, 226
(<i>Osphranter</i>) <i>pictus</i>	1860, 373	<i>quadrangularis</i>	1853, 15
<i>Macropygia albicapilla</i>	1860, 361	<i>radiolata</i>	1854, 65
<i>amboinensis</i>	1860, 361	<i>reevei</i>	1853, 15
<i>doraya</i>	1859, 159	<i>rostralis</i>	1854, 69
<i>leptogrammica</i>	1860, 361	<i>scalpellum</i>	1854, 65
<i>phasianella</i>	1858, 187	<i>sericea</i>	1854, 65
<i>reinwardtii</i>	1860, 361	<i>silicula</i>	1854, 69
(<i>Reinwardtæna</i>)		<i>sublanceolata</i>	1854, 66
<i>reinwardtii</i>	1860, 361	<i>sulcataria</i>	1853, 15
<i>Macrorhamphus griseus</i>	1859, 237	<i>symmetrica</i>	1853, 17
<i>Macrosoma elegans</i>	1858, 160	<i>transversa</i>	1854, 66
<i>Macrotarsus bitorquatus</i>	1850, 220	<i>tristis</i>	1854, 69
<i>Macrotelus subnotatus</i>	1852, 37	<i>undulata</i>	1856, 200
<i>uniformis</i>	1852, 37	<i>veneriformis</i>	1853, 15
<i>Maetra æquilateralis</i>	1853, 17	<i>virgo</i>	1854, 66
<i>alta</i>	1854, 347	(<i>Mactrella</i>) <i>laciniata</i>	1856, 161
<i>angulifera</i>	1854, 70	<i>Macularia chrysomela</i>	1854, 167
<i>angusta</i>	1854, 67	<i>fluctuosa</i>	1854, 167
<i>aphrodina</i>	1854, 62	<i>Madrepora cochlea</i>	1849, 77
<i>attenuata</i>	1854, 62	<i>Maia camschatica</i>	1856, 133
<i>bilineata</i>	1854, 67	<i>vittata</i>	1855, 131
<i>bullata</i>	1854, 67	<i>Maina cristatelloides</i>	1859, 445
<i>californica</i>	1854, 68	<i>Malacocercus canorus</i>	1857, 92
	1856, 214	<i>caudatus</i>	1855, 50
<i>capillacea</i>	1854, 69		1857, 92
<i>carinulata</i>	1854, 67		1858, 486
<i>complanata</i>	1853, 14	<i>lineatus</i>	1859, 182
<i>contraria</i>	1854, 62	<i>malcolmi</i>	1858, 486
<i>corbiculoides</i>	1854, 62		1854, 285
<i>corbuloides</i>	1854, 63	<i>Malacocichla dryas</i>	1858, 64
<i>cornea</i>	1853, 16		1859, 324
<i>cuvieri</i>	1853, 17	<i>maculata</i>	1858, 64
<i>decora</i>	1854, 63		1857, 203
<i>dissimilis</i>	1854, 63	<i>mexicana</i>	1858, 64
<i>dolabrata</i>	1854, 66	<i>Malacocinclæ abbottii</i>	1854, 76
<i>egena</i>	1854, 68	<i>Malacopternon abbottii</i>	1854, 76

	Page		Page
<i>Malacopternon aureum</i>	1854, 278	<i>Mancinella aculeata</i>	1851, 230
<i>cinereum</i>	1854, 276	<i>armigera</i>	1851, 230
<i>coronatum</i>	1854, 275	<i>bezoar</i>	1851, 230
<i>macrodactylum</i>	1854, 275	<i>castanea</i>	1851, 230
<i>magnum</i>	1854, 275	<i>hystrix</i>	1851, 230
<i>squamatum</i>	1854, 276	<i>mutabilis</i>	1851, 230
<i>Malacoptila aspersa</i>	1853, 123	<i>Mangelia acuticostata</i>	1856, 162
<i>frontalis</i>	1855, 136	<i>rigida</i> , var. <i>fuscogli-</i>	
<i>fulvicularis</i>	1855, 196	<i>gata</i>	1856, 163
<i>fulvogularis</i>	1853, 123	<i>Manis africana</i>	1851, 220
<i>fusca</i>	1854, 110	<i>aurita</i>	1851, 220
<i>inornata</i>	1855, 196	<i>crassicaudata</i>	1856, 406
<i>mystacalis</i>	1855, 136	<i>javanica</i>	1851, 218
<i>nigrifusca</i>	1855, 196	<i>macroura</i>	1851, 219
<i>panamensis</i>	1855, 196	<i>multiscutata</i>	1851, 220
<i>rufa</i>	1858, 60	<i>pentadactyla</i>	1851, 219
<i>substriata</i>	1855, 196	<i>temminckii</i>	1851, 219
<i>torquata</i>	1855, 196	<i>tetradactyla</i>	1851, 220
<i>unitorques</i>	1858, 60	<i>tricuspis</i>	1860, 247
<i>Malea ringens</i>	1856, 43	<i>Manouria fusca</i>	1852, 134
<i>Malurus amabilis</i>	1850, 277	<i>gouldii</i>	1860, 395
<i>coronatus</i>	1857, 221	<i>Manucodia atra</i>	1859, 158
<i>cyaneus</i>	1859, 221	<i>keraudreni</i>	1859, 158
<i>elegans</i>	1850, 277	<i>Maracana weddellii</i>	1858, 76
<i>lamberti</i>	1850, 277	<i>Mareca chiloënsis</i>	1859, 96
<i>longicaudus</i>	1854, 81	<i>penelope</i>	1860, 389
<i>pulcherrimus</i>	1850, 277	<i>Margaratina vanderbu-</i>	1851, 146
<i>Manacus bogotensis</i>	1855, 151	<i>schiana</i>	1850, 199
<i>candei</i>	1856, 299	<i>Margarita acuminata</i>	1851, 190
<i>edwardsii</i>	1859, 385	<i>angulata</i>	1851, 190
<i>flaveolus</i>	1855, 151	<i>arctica</i>	1851, 189
<i>gutturosus</i>	1855, 151	<i>argentea</i>	1851, 190
<i>Manatus americanus</i>	1857, 29	<i>aspecta</i>	1854, 40
<i>australis</i>	1857, 33	<i>balteata</i>	1851, 191
<i>latirostris</i>	1857, 59	<i>biangulosa</i>	1854, 40
<i>nasutus</i>	1857, 29	<i>bicarinata</i>	1851, 190
<i>senegalensis</i>	1857, 33	<i>cærulescens</i>	1851, 191
<i>vogelii</i>	1857, 30	<i>calostoma</i>	1851, 190
	33	<i>carinata</i>	1851, 190
		<i>carnea</i>	1851, 189
		<i>cinerea</i>	1851, 190
		<i>costellata</i>	1851, 190
		<i>cumingii</i>	1851, 191
		<i>dilecta</i>	1854, 40
		<i>expansa</i>	1851, 191
		<i>glauca</i>	1851, 189
		<i>grœnlandica</i>	1851, 189
		<i>helicina</i>	1851, 189
		<i>helicoides</i>	1851, 189
		<i>lineata</i>	1851, 192
		<i>margarita</i>	1851, 189
		<i>marmorea</i>	1860, 435

	Page		Page	
<i>Margarita nitiligineus</i> ..	1851,	190	<i>Mastophora lamourouxii</i> 1858,	322
<i>obscura</i>	1851,	189	<i>Mastula lamellosa</i>	1854,
<i>sigaretina</i>	1851,	191	<i>1859,</i>	214
<i>solariformis</i>	1851,	190	<i>Maticora lineata</i>	82
<i>striata</i>	1851,	189	<i>Mazama americana</i>	1850,
<i>sulcata</i>	1851,	190	<i>campestris</i>	1850,
<i>tæniata</i>	1851,	191	<i>dorsata</i>	1850,
<i>tessellata</i>	1851,	191	<i>furcata</i>	1850,
<i>umbilicalis</i>	1851,	189	<i>sericea</i>	1850,
<i>undulata</i>	1851,	185	<i>Mécistops bennettii</i> ..	1857,
<i>vahlîi</i>	1851,	189	<i>cataphractus</i>	1858,
<i>variabilis</i>	1851,	191	<i>journei</i>	1857,
<i>violacea</i>	1851,	192	<i>leptorhynchus</i>	1857,
<i>vulgaris</i>	1851,	189	<i>Medusa æquorea</i>	1851,
<i>Margarops densirostris</i> ..	1859,	336	<i>aurita</i>	1851,
<i>fuscatus</i>	1859,	336	<i>patina</i>	1851,
<i>montanus</i>	1859,	336	<i>pelagica</i>	1851,
<i>Margarornis brunnes-</i>	1856,	27	<i>Megacephala æquinoc-</i>	
<i>cens</i>	1860,	88	<i>tialis</i>	1851,
<i>perlata</i>	1855,	142	<i>australasiæ</i>	1851,
	1855,	142	<i>euphratica</i>	1851,
	1858,	553	<i>quadrisignata</i>	1851,
<i>squamigera</i>	1860,	63	<i>senegalensis</i>	1851,
	1860,	66	<i>sepulchralis</i>	1851,
	1860,	88	<i>testudinea</i>	1851,
<i>Marginella angystoma</i> ..	1849,	19	<i>Megaderma lyra</i>	1856,
<i>contaminata</i>	1849,	20	<i>schistacea</i>	1856,
<i>cornea</i>	1849,	20	<i>Megæra trigonocephala</i> ..	1858,
<i>faba</i>	1849,	21	<i>Megalæma barbatula</i> ..	1859,
<i>gemma</i>	1855,	122	<i>bilineata</i>	1859,
<i>jewettii</i>	1856,	207	<i>leucotis</i>	1859,
<i>lineato-labrum</i>	1849,	20	<i>Megalaima australis</i>	1860,
<i>oryza</i>	1860,	147	<i>capistrata</i>	1857,
<i>pudica</i>	1849,	18	<i>chrysopogon</i>	1859,
<i>pulcherrima</i>	1849,	21	<i>duvaucelli</i>	1859,
<i>quadrilineata</i>	1849,	17	<i>indica</i>	1857,
<i>radiata</i>	1855,	64	<i>mystacophanos</i>	1858,
<i>sagittata</i>	1849,	22	<i>philippensis</i>	1859,
<i>sandwicensis</i>	1860,	147	<i>versicolor</i>	1859,
<i>serrata</i>	1849,	19	<i>virens</i>	1858,
<i>tessellata</i>	1849,	19	<i>Megalestris antarctica</i> ..	1859,
<i>triplicata</i>	1849,	19	<i>1860,</i>	390
<i>triticea</i>	1849,	20	<i>Megalomastoma compla-</i>	
<i>Marinula æqualis</i>	1854,	35	<i>natum</i>	1856,
<i>callaensis</i>	1854,	35	<i>myersii</i>	1860,
<i>cymbæformis</i>	1854,	35	<i>Megalonyx jeffersonii</i> ..	1851,
<i>marinella</i>	1854,	35	<i>Megalophrys gigas</i>	1860,
<i>patula</i>	1854,	35	<i>Megalophus mexicanus</i> ..	1856,
<i>pepita</i>	1854,	35	<i>Megaloprepia formosa</i> ..	1860,
<i>punctata</i>	1854,	35	<i>Megalorhynchus hayi</i> ..	1859,
<i>recluziana</i>	1854,	35	<i>spinus</i>	1859,
<i>xanthostoma</i>	1854,	35	<i>Megapicus sclateri</i>	1860,
<i>Martes abietum</i>	1858,	517	<i>Megapodius cumingii</i> ..	1851,
<i>flavigula</i>	1856,	398	<i>duperreyii</i>	1858,
	1858,	516	<i>forsteni</i>	1860,
<i>gwatkinsi</i>	1858,	516		
<i>Masius chrysopterus</i>	1855,	152		
<i>coronulatus</i>	1860,	91		

	Page		Page
<i>Melania cornuta</i>	1850,		188
<i>crebrum</i>	1850,	<i>Melania virginica</i>	190
<i>crenifera</i>	1850,	<i>zeylanica</i>	194
<i>cumingii</i>	1850,	(Melanella) <i>nasa</i> ..	349
<i>dactylus</i>	1850,	<i>Melanitis melane</i>	465
<i>datura</i>	1858,	<i>Melanocorypha tartarica</i>	484
<i>denticulata</i>	1850,	<i>torquata</i>	484
<i>dermestoidea</i>	1850,	} 1858,	184
<i>diadema</i>	1850,	} 1859,	95
<i>elegantissima</i>	1853,	<i>Melanodera typica</i>	385
<i>episcopalis</i>	1850,	<i>xanthogramma</i>	95
<i>ferruginea</i>	1850,	<i>Melanopsis buccinoides</i> ..	43
<i>flammulata</i>	1850,	<i>helena</i>	14
<i>foeda</i>	1850,	<i>Melanoptila glabriros-</i>	275
<i>fraseri</i>	1859,	<i>tris</i>	55
<i>fuscopunctata</i>	1859,	} 1859,	337
<i>granifera</i>	1850,	<i>Melanotis caerulea</i> ..	337
<i>hastula</i>	1850,	<i>hypoleucus</i>	370
<i>impura</i>	1850,	} 1859,	337
<i>indefinita</i>	1850,	<i>Melasoma edolioides</i> ..	217
<i>juncea</i>	1850,	<i>Meleagris cristata</i>	269
<i>laevissima</i>	1850,	<i>gallopavo</i>	62
<i>lancea</i>	1850,	<i>mexicana</i>	61
<i>lateritia</i>	1850,	} 1859,	62
<i>layardi</i>	1858,	<i>ocellata</i>	192
<i>luzoniensis</i>	1850,	<i>Meles leucurus</i>	398
<i>maxima</i>	1850,	<i>taxus</i>	183
<i>microstoma</i>	1850,	} 1860,	371
<i>mindoriensis</i>	1850,	<i>Melias diardi</i>	458
<i>mirifica</i>	1853,	<i>Melibe pilosa</i>	34
<i>modicella</i>	1850,	<i>Melierax canorus</i>	215
<i>nana</i>	1850,	<i>gabarr</i>	215
<i>obruta</i>	1850,	<i>musicus</i>	215
<i>orientalis</i>	1853,	} 1850,	215
<i>pagoda</i>	1850,	<i>polyzonus</i>	435
<i>pallida</i>	1853,	<i>Meliphaga javensis</i>	280
<i>polygonata</i>	1850,	<i>Melitaea aurantia</i>	285
<i>recta</i>	1850,	<i>coccinea</i>	285
<i>reticulata</i>	1850,	<i>lutea</i>	485
<i>rudis</i>	1850,	} 1857,	285
<i>rufa</i>	1853,	} 1859,	485
<i>scabra</i>	1850,	<i>ochracea</i>	285
<i>scalaris</i>	1853,	} 1857,	285
<i>semiplicata</i>	1850,	<i>retifera</i>	486
<i>simplex</i>	1850,	} 1859,	486
<i>sobria</i>	1850,	<i>rissoi</i>	285
<i>speciosa</i>	1853,	} 1857,	285
<i>spinulosa</i>	1850,	<i>tenella</i>	486
<i>subsuturalis</i>	1851,	} 1859,	486
<i>subula</i>	1850,	} 1857,	285
<i>tessellata</i>	1850,	<i>textiformis</i>	486
<i>tornatella</i>	1850,	<i>Melitella coccinea</i>	486
<i>torriculus</i>	1850,	<i>elongata</i>	485
<i>transversa</i>	1850,	<i>retifera</i>	486
<i>truncata</i>	1850,	<i>tenella</i>	486
	187	<i>Mellisuga minima</i>	233
	187	<i>Mellita erythraea</i>	36
	187	<i>hexapora</i>	36
	187	<i>lobata</i>	36

	Page		Page
Mellita quinquefora	1851,	Merops daudini	1854,
similis	1851,	erythropterus	1850,
testudinaria	1851,	javanicus	1854,
Melo æthiopicus	1855,	lafresnayei	1850,
armatus	1855,	lamarcki	1850,
broderipii	1855,	latreillei	1854,
cylindratus	1855,	leschenaulti	1854,
cymbiola	1855,	minulus	1850,
diadema	1855,	nubicus	1850,
georginæ	1855,	ornatus	1859,
indicus	1855,	philippinus	1860,
miltonis	1855,	quinticolor	1854,
mucronatus	1855,	sumatranus	1854,
nauticus	1855,	superbus	1850,
regius	1855,	typicus	1854,
senticosus	1855,	urica	1854,
tessellatus	1855,	viridis	1850,
umbilicatus	1855,	viridissimus	1850,
Melopelia leucoptera	1859,	Merula atrosericæa	1859,
Melopsittacus undulatus	1857,	dominicensis	1859,
Melospiza fallax	1859,	falklandica	1859,
lincolni	1859,	fuscata	1859,
Meminna indica	1850,	leucogenys	1859,
Menetrix impudica	1860,	nestor	1855,
zonaria	1860,	olivacea	1857,
Menobranchus maculatus	1857,	silens	1859,
Menopoma alleghanien-		surinamensis	1856,
sis	1857,	tristis	1856,
fusca	1857,	vinitincta	1859,
lateralis	1857,	vulgaris	1856,
Menura alberti	1853,	Merulaxis atra	1858,
superba	1860,	griseicollis	1854,
Meretrix grata	1853,	orthonyx	1860,
Merganetta columbiana	1855,	Mesalia decussata	1851,
Mergellus albellus	1858,	plicata	1855,
albellus	1857,	striata	1851,
anataris	1860,	Mesodesma angulus	1854,
cucullatus	1860,	angusta	1854,
meretrix	1859,	crassula	1854,
Mermis rigidus	1853,	elongata	1854,
spiralis	1853,	heterodon	1854,
Merops ægyptius	1850,		
amictus	1860,		
apiaster	1854,		
badius	1851,		
bicolor	1851,		
cæruleocephalus	1858,		
castaneus	1859,		
collaris	1854,		
cyanopygius	1854,		

	Page		Page
<i>Mesodesma intermedia</i> ..	1854, 338	<i>Microglossum aterri-</i>	1859, 159
<i>lanceolata</i>	1854, 337	<i>mum</i>	1860, 227
<i>layardi</i>	1854, 339	<i>Micronisus badius</i>	1858, 473
<i>macrodon</i>	1854, 339	<i>monogrammicus</i> ..	1860, 109
<i>mactroides</i>	1854, 336	<i>soloensis</i>	1860, 344
<i>mitis</i>	1854, 339	<i>Micropalama himantopus</i>	1860, 290
<i>nitida</i>	1854, 338	<i>Microphractus humeralis</i>	1859, } 90
<i>ovalis</i>	1854, 336		} 402
<i>præcisa</i>	1854, 338	<i>Micropogon fuliginosus</i> .	1859, 455
<i>retusa</i>	1854, 338	<i>margaritatus</i>	1859, 399
<i>sulcata</i>	1854, 339	<i>sulphuratus</i>	1859, 399
<i>transversa</i>	1854, 336	<i>Micropternus badius</i> ...	1859, 457
	{ 1855, 140	<i>Micropterus brachypte-</i>	
	{ 1858, 555	<i>rus</i>	1860, 389
<i>Metallura tyrianthina</i> .	{ 1859, 145	<i>cinereus</i>	1859, 96
	{ 1860, 63	<i>rufonotus</i>	1860, 368
	{ 1860, 95	<i>Microtarsus cantori</i> ...	1859, 150
<i>Metcalfeia bacquieana</i> .	{ 1857, 168	<i>melanoleucos</i>	1854, 279
	{ 180	<i>Microtis tuberculata</i> ...	1854, 279
<i>chittyana</i>	{ 1857, 168	<i>Microtis tuberculata</i> ...	1850, 36
	{ 179	<i>Milvago australis</i>	1860, 383
<i>dohrniana</i>	{ 1857, 168	<i>carunculatus</i>	1860, 81
	{ 182	<i>leucurus</i>	{ 1859, 93
<i>layardiana</i>	{ 1857, 168		{ 1860, 383
	{ 183	<i>megalopterus</i>	{ 1858, 555
<i>metcalfeiana</i>	{ 1857, 168		{ 1860, 82
	{ 179	<i>Milvulus monachus</i> ...	1859, 384
<i>mitchelliana</i>	{ 1857, 168		{ 1855, 150
	{ 182	<i>tyrannus</i>	{ 1856, 141
<i>morchiana</i>	{ 1857, 168		{ 1856, 297
	{ 181		{ 1858, 358
<i>sinclairiana</i>	{ 1857, 168		{ 1859, 55
	{ 182	<i>Milvus affinis</i>	1854, 4
<i>sutherlandiana</i>	{ 1857, 168	<i>ater</i>	1858, 471
	{ 180		{ 1854, 259
<i>swiftiana</i>	{ 1857, 168	<i>govinda</i>	{ 1857, 85
	{ 183		{ 1858, 471
<i>verreauxiana</i>	{ 1857, 168	<i>indicus</i>	{ 1859, 170
	{ 181	<i>melanotis</i>	1854, 259
<i>Metopias typhlops</i>	1850, 251	<i>parasiticus</i>	1854, 259
<i>Metoponia pusilla</i>	{ 1858, 484	<i>pondicerianus</i>	1860, 417
	{ 1859, 178		1854, 4
<i>Metoporphina irrorata</i> .	1858, 159	<i>regalis</i>	1860, } 183
<i>Metula cumingii</i>	1853, 173	<i>rotundicollis</i>	} 416
	{ 1856, 285	<i>subhimalayanus</i> ..	1854, 262
<i>Micrastur concentricus</i>	{ 1857, 261	<i>Mimeta mülleri</i>	1854, 259
	{ 1858, 96		1858, 175
	{ 1860, 96	<i>Mimocichla</i>	1859, 336
	{ 1857, 261	<i>Mimus cærulescens</i> ...	1856, 294
<i>gilvicollis</i>	{ 1858, 96	<i>calandra</i>	1859, 343
	{ 1860, 96		{ 1856, 294
<i>guerilla</i>	1858, 96	<i>carolinensis</i>	{ 1859, 336
<i>xanthothorax</i>	1859, 368		{ 1855, 145
<i>Micrhyala achatina</i>	1858, 343	<i>columbianus</i>	{ 1859, 342
<i>Micræca conspicillata</i> .	1859, 156		{ 1857, 232
<i>flavovirescens</i>	1858, 178	<i>dominicus</i>	{ 1859, 341
<i>Microglossum alecto</i> ...	1860, 227	<i>dorsalis</i>	1859, 341
<i>aterrimum</i>	1858, 184	<i>gilvus</i>	1859, 342

	Page		Page
<i>Mimus gracilis</i>	1859,	}	55
			343
<i>gundlachii</i>	1859,		342
<i>leucospilus</i>	1859,		344
<i>lividus</i>	1859,		342
<i>longicaudatus</i>	1859,		345
<i>longirostris</i>	1856,		294
<i>melanopterus</i>	{	1855,	145
		1859,	342
<i>melanotis</i>	1859,		345
<i>modulator</i>	1859,		343
<i>montanus</i>	1859,		340
<i>orpheus</i>	1859,		341
<i>parvulus</i>	1859,		345
<i>patagonicus</i>	1859,		344
<i>peruvianus</i>	1859,		344
	{	1857,	212
		1859,	340
<i>polyglottus</i>		1859,	433
		1860,	250
	{	1860,	417
		1859,	336
<i>rubripes</i>	1859,		336
<i>rufus</i>	1860,		108
<i>saturninus</i>	1859,		344
<i>thenca</i>	1859,		344
<i>trifasciatus</i>	1859,		345
<i>triurus</i>	1859,		341
<i>Mniopteris australis</i> ..	{	1858,	125
		1860,	4
<i>blepotis</i>	1858,		121
<i>dasythrix</i>	1858,		118
<i>schreibersii</i>	1858,		117
<i>tristis</i>	1858,		124
<i>ursinii</i>	1858,		117
<i>Minla cinerea</i>	1854,		142
<i>Mino dumontii</i>	1858,		182
<i>Mionectes assimilis</i>	1859,	}	45
			46
	{	1856,	296
		1858,	71
<i>oleagineus</i>		1859,	45
		1859,	46
	{	1860,	283
		1859,	144
<i>striaticollis</i>	1860,		93
<i>Mirafrassamica</i>	1857,		95
<i>cordofanica</i>	1850,		218
<i>Mitra adusta</i>	1853,		36
<i>albina</i>	1851,		137
<i>amoena</i>	1851,		137
<i>antonellii</i>	1860,		367
<i>antoni</i>	1860,		368
<i>asperulata</i>	1851,		136
<i>astygis</i>	1860,		367
<i>autumnalis</i>	1860,		367
<i>bellula</i>	1851,		138
<i>castanea</i>	1851,		140
<i>Mitra cingulata</i>	1851,		136
<i>columbellina</i>	1851,		141
<i>compta</i>	1851,		134
<i>cratitia</i>	1851,		132
<i>crenilabris</i>	1851,		140
<i>crenicipitata</i>	1851,		139
<i>cyri</i>	1860,		367
<i>dealbata</i>	1851,		140
<i>delicata</i>	1851,		137
<i>dichroma</i>	1851,		140
<i>echinata</i>	1851,		138
<i>episcopalis</i>	1853,		36
<i>ericea</i>	1860,		146
<i>exarata</i>	1851,		133
<i>eximia</i>	1851,		135
<i>ferruginea</i>	1854,		134
<i>flammea</i>	1851,		141
<i>formosa</i>	1851,		138
<i>gibba</i>	1860,		368
<i>insculpta</i>	1851,		133
<i>insignis</i>	1851,		132
<i>interrupta</i>	1851,		135
<i>judæorum</i>	1860,		367
<i>jukesii</i>	1851,		139
<i>læta</i>	1851,		135
<i>lævis</i>	1851,		132
<i>ligata</i>	1851,		134
<i>luctuosa</i>	1851,		133
<i>lyræformis</i>	1855,		60
<i>macrospira</i>	1851,		138
<i>maria</i>	1851,		140
<i>marmorea</i>	1851,		139
<i>marquesana</i>	1851,		270
<i>maura</i>	1856,		227
<i>mirabilis</i>	1851,		136
<i>morchii</i>	1854,		134
<i>multilirata</i>	1851,		135
<i>nebulosa</i>	1851,		270
<i>nitida</i>	1851,		134
<i>nodilirata</i>	1851,		136
<i>nodulifera</i>	1851,		140
<i>nux-avellana</i>	1860,		368
<i>ornata</i>	1851,		135
<i>pallida</i>	{	1851,	139
		1860,	146
<i>peasei</i>	1860,		366
<i>philippinarum</i>	1851,		141
<i>pia</i>	1860,		366
<i>pigra</i>	1851,		133
<i>plebeia</i>	1860,		368
<i>propinqua</i>	1851,		270
<i>pudica</i>	1860,		146
<i>punctostriata</i>	1854,		134
<i>pura</i>	1851,		136
<i>pusilla</i>	1851,		141
<i>reticulata</i>	1851,		136
<i>rubiginea</i>	1854,		134
<i>rufescens</i>	1851,		137

	Page		Page
<i>Mitra rufocincta</i>	1851,	134	1859, 365
<i>rutifa</i>	1851,	137	1860, 252
<i>sacerdotalis</i>	1851,	138	1857, 223
<i>samuelis</i>	1860,	368	<i>Momotus æquatorialis</i> .
<i>scitula</i>	1851,	138	1857, 250
<i>serotina</i>	1851,	132	<i>bahamensis</i>
<i>serpentina</i>	1851,	270	<i>brasilienis</i>
<i>straminea</i>	1851,	132	<i>caeruleiceps</i>
<i>tiarella</i>	1851,	133	<i>castaneiceps</i>
<i>tigrina</i>	1851,	132	<i>cyanogaster</i>
<i>turricula</i>	1851,	139	<i>dombeyi</i>
<i>virex</i>	1851,	134	<i>gularis</i>
<i>wisemani</i>	1860,	367	<i>lessoni</i>
<i>Mitreola punctostriata</i> ..	1854,	134	<i>levaillanti</i>
<i>Mitrephorus fulvifrons</i> ..	1859,	45	<i>martii</i>
<i>phæocercus</i>	1859,	{ 44	<i>mexicanus</i>
		{ 366	<i>microstephanus</i> ..
		{ 384	<i>momota</i>
<i>Mitylia gerrardi</i>	1858,	58	<i>momotula</i>
	{ 1855,	133	<i>nattereri</i>
	{ 1855,	143	<i>parvirostris</i>
	{ 1856,	140	<i>platyrhynchus</i> ...
<i>Mniotilta varia</i>	{ 1856,	291	<i>psalura</i>
	{ 1858,	298	<i>rubricapillus</i>
	{ 1859,	363	<i>ruficapillus</i>
	{ 1859,	373	<i>semirufus</i>
<i>Moa</i>	1850,	209	<i>subhutu</i>
<i>Mocoa africana</i>	1858,	156	<i>subrufescens</i>
<i>sikkimensis</i>	1860,	160	<i>superciliaris</i>
<i>Modiola capax</i>	1856,	218	<i>tutu</i>
<i>nitens</i>	1856,	202	<i>varius</i>
<i>recta</i>	1856,	218	<i>yucatanensis</i>
<i>trapezina</i>	1854,	108	<i>Monacanthus auriga</i> ...
<i>Modiolarca subtorta</i> ...	1856,	365	<i>filamentosus</i>
<i>trapezina</i>	1854,	108	<i>Monarcha bimaculata</i> ..
<i>Modulus carchedonicus</i> .	1850,	203	<i>cesia</i>
<i>cerodes</i>	1850,	204	<i>chrysomela</i>
<i>cidaris</i>	1850,	204	<i>cinerascens</i>
<i>disculus</i>	1856,	205	<i>dichroa</i>
<i>dorsuosus</i>	1856,	205	<i>gouldii</i>
<i>duplicatus</i>	1850,	204	<i>griseogularis</i>
<i>lenticularis</i>	1850,	203	<i>1858,</i> 177
<i>tectum</i>	1850,	203	<i>1860,</i> 351
<i>Moho apicalis</i>	1860,	380	<i>1859,</i> 156
<i>Mole</i>	1851,	130	<i>1860,</i> 352
<i>Molge striata</i>	1858,	144	<i>1858,</i> 177
<i>Molossus acetabulosus</i> ..	1859,	78	<i>1860,</i> 351
<i>australis</i>	1858,	372	<i>1859,</i> 156
<i>fuliginosus</i>	1858,	546	<i>1860,</i> 352
<i>fumarius</i>	1860,	213	<i>1858,</i> 177
<i>nasutus</i>	1859,	78	<i>1860,</i> 352
<i>norfolcensis</i>	1859,	78	<i>1858,</i> 177
<i>obscurus</i>	{ 1858,	546	<i>1860,</i> 352
	{ 1860,	213	
	{ 1856,	300	
<i>Molothrus æneus</i>	{ 1859,	365	
	{ 1859,	381	
<i>pecoris</i>	1857,	213	

	Page		Page
Monarcha guttula	1858,	Monodonta atrata	1851,
inornata	1858,	australis	1851,
leucotis	{ 1850,	baccata	1851,
leucura	1858,	canalifera	1851,
melanoptera	1858,	carchedonicus	1850,
nigrimentum	1860,	circumcincta	1851,
telescophthalma	{ 1858,	clathrata	1851,
trivirgata	1859,	constricta	1851,
velata	1850,	couturii	1851,
Monasa atra	1854,	crassa	1851,
flavirostris	1855,	crenulata	{ 1851,
nigrifrons	{ 1855,	draparnaudii	1854,
personata	1855,	dunkeri	1851,
peruana	{ 1855,	edentula	1851,
Moneilema albo-pictum	1856,	exasperata	1851,
laeviodorsale	1856,	exigua	1851,
longipes	1856,	fermonii	1851,
Monilea benzi	1851,	foveolata	1851,
callifera	1851,	fragarioides	1851,
calyculus	1851,	gemmata	1851,
kalisoma	1851,	inconspicua	1851,
lentiginosa	{ 1851,	indecora	1851,
lirata	1854,	interrupta	1851,
menkei	1851,	jussieui	1851,
nucleus	1854,	kranzii	1851,
philippii	1851,	labio	1851,
plumbea	{ 1851,	librostoma	1851,
pusilla	1854,	lineata	1851,
swainsonii	1851,	lugubris	1851,
Monitor gouldi	1860,	lupina	1851,
niloticus	{ 1858,	margaritaria	1851,
Monoceros brevidens	1860,	melanoloma	1851,
brevidentatum	1856,	olivieri	1851,
engonatum	1856,	patagonica	1851,
lapilloides	1856,	philippii	1851,
maculatum	1856,	philippina	1851,
punctatum	1856,	punctigera	1851,
punctulatum	1856,	punicea	1851,
unicarinatum	1856,	regulosa	1851,
Monoculus lenticularis	1849,	retusa	1850,
Monodonta alveolata	1851,	ringens	1851,
angulifera	1851,	rosea	1851,
apicina	1851,	rubra	1851,
araonis	1851,	sayii	1850,
articulata	1851,	scorpio	1851,
aspera	1851,	spilota	1851,
aspersa	1851,	strangei	1851,
		subrostrata	1851,
		sulcifera	1851,
		tricarinata	1851,
		tricingulata	1851,
		tuberculata	1851,
		turbinata	1851,
		turrita	1851,
		vieilloti	1851,
		virgata	1851,
		viridis	1851,

	Page		Page
Monohammus armatus ..	1858, 405	Morphnus schistaceus .	1857, 261
asperulus	1858, 411		1858, 128
bowringii	1858, 398	urubitinga	1857, { 227
brianus	1858, 409		261
championi	1858, 398	Morrisia anomioides ...	1852, 79
fredericus	1858, 408	Morsus norvegicus	1853, 113
georgius	1858, 407	Mortonia australis	1851, 38
larvatus	1858, 406	Morulus cidaris	1850, 204
luridus	1858, 398	Morum tuberculatum ..	1853, 144
melanosticticus ...	1858, 407	xanthostoma	1853, 174
nivosus	1858, 409	Morunga	1848, 88
obfuscatus	1858, 411	Moschus delicatula	1850, 241
offinator	1858, 409	grimmiæ	1850, 120
ruber	1858, 399	leucogaster	1856, 404
sierricola	1858, 410		1858, 528
stephanus	1858, 406	meminna	1848, 37
subcruciatus	1858, 410	moschiferus	1856, 404
sublineatus	1858, 410		1858, 528
tesserula	1858, 408	pygmæus	1850, 126
Monophylla uniformis ..	1852, 37	Motacilla alba	1851, 145
Monoplocus dorsalis ...	1859, 404	alpina	1854, 116
Monoptygma amœna ..	1851, 223	atrata	1854, 26
casta	1851, 223	aureora	1854, 28
fulva	1851, 222	bistrigata	1854, 284
granulata	1851, 222		1851, 142
lauta	1851, 223	boarula	1854, 284
speciosa	1851, 223		1858, 486
spirata	1851, 223		1859, 178
striata	1851, 222	cærulea	1855, 11
styliua	1851, 224	—, var.	1855, 12
suturalis	1851, 224	campestris	1856, 269
tenella	1851, 224	capensis	1850, 217
Monornis perpulchra ..	1859, 467	ceraunia	1854, 27
Montacuta coquimbensis	1856, 340	cingalensis	1859, 463
Monticola cinclorhyncha	1859, 181	dukhunensis	1858, 486
Montifringilla adamsii .	1858, 482	erythaca	1854, 25
	1859, 178	erythrogastra	1854, 27
	1851, 115	flava	1858, 77
hæmatopygia	1858, 482	flavescens	1860, 350
	1859, 178	gibraltariensis	1854, 26
nemoricola	1858, 482	grisea	1858, 238
	1857, 284	guira	1856, 109
Mopsea dichotoma	1859, 486	longicauda	1854, { 81
elongata	1857, 283		284
enclinula	1857, 284	luzoniensis	1858, 486
erythracea	1857, 283		1859, 150
gracilis	1857, 283		1859, 178
mediterranea	1857, 283	maderaspatana	1858, 486
verticillata	1857, 284	modularis	1854, 118
Mopsella dichotoma ..	1857, 284	montanella	1854, 118
	1859, 486	phœnicura	1854, 25
gracilis	1859, 486	sepium	1854, 79
Mordacia mordax	1851, 240	subviridis	1854, 281
Morelia argus	1848, 38	sulphurea	1854, 284
Morphnus anthracinus ..	1857, { 211		1851, 194
	227	sutoria	1854, 81
mexicanus	1858, 129		1854, 284
schistaceus	1857, 227	typhia	1854, 281

	Page		Page
<i>Motacilla velia</i>	1856,	267	
<i>viridis</i>	1854,	285	
<i>xanthoschistos</i>	1854,	284	
<i>yarrelli</i>	1860,	417	
<i>Mucronalia nitidula</i>	1860,	437	
<i>ovata</i>	1860,	437	
<i>rosea</i>	1860,	437	
<i>Mulleripicus javensis</i> ..	1859,	455	
<i>pulverulentus</i>	1859,	455	
<i>Munia acuticauda</i>	1859,	444	
<i>amandava</i>	1857,	96	
<i>maja</i>	1859,	444	
<i>malabarica</i>	1858,	481	
<i>molucca</i>	1860,	355	
<i>punctularia</i>	1859,	151	
<i>sinensis</i>	1859,	444	
<i>undulata</i>	1858,	481	
<i>Muntjacus vaginalis</i> ..	1850,	157	
	1850,	234	
	1856,	405	
<i>Muræna anguilla</i>	1849,	84	
<i>Murex alabaster</i>	1855,	121	
<i>arausiacus</i>	1855,	60	
<i>armatus</i>	1853,	71	
<i>australiensis</i>	1853,	72	
<i>barclayi</i>	1857,	209	
<i>bifasciatus</i>	1851,	269	
<i>cantinelosus</i>	1855,	59	
<i>castus</i>	1853,	71	
<i>coccineus</i>	1853,	72	
<i>coreanicus</i>	1853,	72	
<i>costularis</i>	1856,	356	
<i>crassus</i>	1851,	269	
<i>cumingii</i>	1851,	270	
<i>decollatus</i>	1854,	83	
<i>delectus</i>	1855,	120	
<i>despectus</i>	1853,	72	
<i>diadema</i>	1853,	70	
<i>euracanthus</i>	1851,	268	
<i>exasperatus</i>	1851,	268	
<i>excavatus</i>	1851,	269	
<i>expansus</i>	1859,	428	
<i>fimbriatus</i>	1853,	71	
<i>fulgora</i>	1855,	60	
<i>fusiformis</i>	1851,	268	
<i>inornatus</i>	1851,	269	
<i>iostomus</i>	1851,	267	
<i>lignarius</i>	1851,	268	
<i>lyratus</i>	1851,	269	
<i>nitens</i>	1853,	72	
<i>niveus</i>	1851,	270	
<i>noduliferus</i>	1851,	268	
<i>nubilus</i>	1859,	428	
<i>obeliscus</i>	1851,	269	
<i>octogonus</i>	1859,	428	
<i>pagodus</i>	1851,	269	
<i>pauillus</i>	1853,	71	
<i>Murex pulcher</i>	1851,	270	
<i>pumilus</i>	1853,	70	
<i>pusio</i>	1850,	56	
<i>roseotinctus</i>	1859,	429	
<i>salleanus</i>	1853,	70	
<i>scalaris</i>	1853,	71	
<i>serotinus</i>	1851,	268	
<i>singaporensis</i>	1851,	270	
<i>solidus</i>	1851,	267	
<i>speciosus</i>	1855,	121	
<i>spinosus</i>	1851,	268	
<i>subspinosus</i>	1853,	72	
<i>tæniatus</i>	1859,	428	
<i>trigonulus</i>	1857,	209	
<i>trivialis</i>	1853,	71	
<i>Muricea myura</i>	1859,	484	
<i>verticillaris</i>	1857,	286	
	1856,	394	
<i>Murina suillus</i>	1857,	45	
	1858,	370	
<i>Mus æquicaudalis</i>	1856,	401	
<i>assimilis</i>	1857,	241	
<i>bandicota</i>	1850,	157	
<i>barbarus</i>	1858,	520	
<i>caudatior</i>	1860,	416	
<i>caudatior</i>	1856,	401	
<i>decumanus</i>	1850,	157	
<i>decumanus</i>	1857,	241	
<i>fuscipes</i>	1857,	241	
<i>gouldi</i>	1857,	242	
<i>gracilicauda</i>	1857,	242	
<i>manicatus</i>	1857,	242	
<i>morungensis</i>	1856,	401	
<i>musculus</i>	1850,	157	
<i>musculus</i>	1856,	38	
<i>musculus</i>	1856,	106	
<i>myothrix</i>	1856,	401	
<i>nanus</i>	1857,	242	
<i>nipalensis</i>	1856,	400	
<i>niviventer</i>	1850,	157	
<i>nudo-plicatus</i>	1856,	38	
<i>pilorides</i>	1849,	105	
<i>plurimammis</i>	1856,	401	
<i>rattus</i>	1857,	242	
<i>rattus</i>	1860,	247	
<i>rattus</i>	1860,	264	
<i>sordidus</i>	1857,	242	
<i>squamipes</i>	1858,	548	
<i>tarayensis</i>	1856,	400	
<i>Muscicapa anthoides</i> ..	1853,	288	
<i>aurantia</i>	1857,	75	
<i>azurea</i>	1854,	271	
<i>belli</i>	1855,	65	
<i>belli</i>	1859,	374	
<i>bivittata</i>	1859,	137	
<i>bivittata</i>	1855,	66	
<i>brasieri</i>	1856,	292	
<i>brasieri</i>	1859,	374	

	Page		Page
<i>Muscicapa cærulea</i>	1854, 271	<i>Muscicapa tricolor</i>	1854, 283
	1855, 11		1860, 351
<i>cæruleocephala</i>	1854, 271	<i>turdina</i>	1854, 114
<i>cæsia</i>	1858, 223		1860, 467
<i>caledonica</i>	1859, 162	<i>virescens</i>	1854, 114
<i>carolinensis</i>	1859, 336	<i>vulnerata</i>	1855, 65
<i>chalybeocephalus</i>	1859, 156		1856, 292
<i>chrysomela</i>	1858, 177	<i>uropygiata</i>	1859, 41
<i>cinerea</i>	1859, 41	<i>xanthetræa</i>	1859, 162
<i>cinereocapilla</i>	1854, 271	<i>xanthopygia</i>	1854, 283
<i>cooperi</i>	1851, 51	<i>Muscigralla brevicauda</i>	1860, 281
<i>crinita</i>	1851, 51	<i>Muscipeta aurantia</i>	1857, 79
<i>delalandii</i>	1858, 287	<i>castanea</i>	1854, 270
	1855, 65	<i>marginata</i>	1857, 77
<i>dérhamii</i>	1856, 292	<i>melaleuca</i>	1860, 351
<i>elisabethæ</i>	1857, 5	<i>nigriceps</i>	1857, 75
<i>enado</i>	1858, 177	<i>paradisi</i>	1859, 182
<i>eques</i>	1857, 75	<i>princeps</i>	1854, 271
<i>eximia</i>	1860, 69	<i>Muscisaxicola albifrons</i>	1860, 78
<i>fuliginosa</i>	1859, 43	<i>alpina</i>	1860, 92
	1855, 65	<i>macloviana</i>	1859, 95
<i>fulvifrons</i>	1858, 301		1860, 385
	1859, 45	<i>maculirostris</i>	1860, 92
<i>galeata</i>	1856, 117		1856, 295
<i>goiavier</i>	1854, 278	<i>Muscivora mexicana</i>	1858, 301
<i>grisola</i>	1857, 215		1859, 45
<i>guttula</i>	1858, 177		1859, 56
<i>hæmatodes</i>	1859, 41	<i>occidentalis</i>	1860, 282
<i>inornata</i>	1858, 177		1855, 67
<i>irritabilis</i>	1851, 51	<i>regia</i>	1858, 301
<i>javanica</i>	1854, 271		1859, 45
<i>latirostris</i>	1854, 270	<i>Musculium lacustre</i>	1851, 232
<i>lawrencei</i>	1855, 65	<i>Musophaga africana</i>	1851, 145
<i>legatus</i>	1859, 46	<i>rossæ</i>	1851, 93
<i>leucomus</i>	1855, 66	<i>rossiæ</i>	1854, 24
<i>melanops</i>	1856, 117	<i>violacea</i>	1854, 23
<i>miniata</i>	1856, 292	<i>Mustela canadensis</i>	1860, 417
<i>nævia</i>	1859, 163	<i>canigula</i>	1856, 398
<i>nigriceps</i>	1857, 75	<i>erminea</i>	1858, 517
<i>nitida</i>	1854, 271	<i>fluviatilis</i>	1851, 238
<i>occipitalis</i>	1854, 271	<i>kathiah</i>	1856, 398
<i>olivacea</i>	1859, 162	<i>striata</i>	1848, 21
<i>pectoralis</i>	1854, 270	<i>strigidorsa</i>	1856, 398
<i>poonensis</i>	1854, 270	<i>strigodorsa</i>	1853, 191
<i>psidii</i>	1854, 278	<i>subhimalayana</i>	1858, 517
<i>pygmæa</i>	1858, 234	<i>vulgaris</i>	1860, 415
	1856, 123	<i>Mya arenaria</i>	1855, 220
<i>rubra</i>	1859, 41	<i>semistriata</i>	1850, 86
<i>rubrifrons</i>	1858, 299	<i>Mycetes beelzebub</i>	1852, 107
<i>rufa</i>	1857, 79	<i>caraya</i>	1852, 107
<i>rufescens</i>	1857, 79	<i>palliatu</i> s	1848, 138
<i>rugensis</i>	1857, 5	<i>ursinus</i>	1852, 107
<i>splendens</i>	1857, 77		1859, 47
<i>stenura</i>	1855, 11	<i>Mycteria australis</i>	1859, 150
<i>surinama</i>	1857, 74		1860, 328
<i>telescopthalma</i>	1858, 177	<i>senegalensis</i>	1860, 196
<i>texensis</i>	1855, 65	<i>Mygale antipodum</i>	1849, 3
<i>thamnophiloides</i>	1859, 41	<i>emilia</i>	1856, 183

	Page		Page
<i>Mygale emilia</i>	1856,	<i>Myiobius cinnamomeus</i> .	1860,
hexops	1849,	crypterythrus	1860,
rosea	1856,	cryptoxanthus	1860,
versicolor	1856,		
zebra	1856,		
<i>Myiabeillia typica</i>	1856,	erythrurus	{ 1858,
<i>Myiabeillia guimeti</i>	1857,		{ 1860,
<i>Myiadestes armillata</i> ..	1857,		{ 1860,
elisabethæ	1857,	flavicans.....	1860,
	1857,	fuscocapilla	1855,
griseiventris	{ 1860,	nævius	1860,
	64,	ornatus	{ 1859,
leucotis	1858,		{ 1860,
	542,		{ 1860,
	1856,	phœnicurus.....	{ 1858,
	299,		{ 1860,
	1857,	pulcher	1860,
obscurus	{ 1857,	pyrrhopterus	1855,
	213,		{ 1859,
	1859,	sulphureipygius ..	{ 1859,
	364,		{ 1860,
	1859,	vicillotides.....	1860,
	376,	vicilloti	1855,
	1856,	villosus	{ 1860,
townsendi	{ 1857,		{ 465
	5,	xanthopygius	1860,
	1858,	<i>Myiocichla ochrata</i>	1858,
	97,		{ 1854,
	1856,		{ 1855,
	299,	<i>Myiodioctes canadensis</i> {	1858,
	1857,		{ 1858,
unicolor	{ 1857,	chrysophrys	1855,
	213,		{ 133
	1858,	coronatus	1855,
	97,		{ 144
	1857,	mitratus.....	1856,
venezuelensis	{ 1860,		{ 1856,
	64,		{ 1859,
<i>Myiagra azurea</i>	1854,	pusillus	{ 1859,
flaviviridis.....	1858,		{ 1859,
galeata	1860,	tristriatus	1859,
lucida	{ 1858,	<i>Myiodynastes atrifrons</i> .	1859,
	176,		{ 43
	1859,	audax.....	1859,
manadensis	1860,		{ 45
nitens.....	1860,		{ 1859,
pectoralis	1854,	chrysocephalus ..	{ 1859,
perspicillata	1859,		{ 1860,
viridinitens	1859,		{ 1860,
<i>Myiagrus lineatus</i>	1858,		{ 42
<i>Myiarchus cinerascens</i> ..	1859,		{ 43
cooperi	1859,		{ 45
ferox	1855,		{ 56
fuscus	1859,		{ 366
	366,		{ 383
	1859,		{ 1859,
lawrencii	{ 366,		{ 1859,
	384,		{ 1860,
mexicanus	1856,		{ 1860,
	296,		{ 42
	1860,		{ 43
	{ 68		{ 45
nigriceps	1860,		{ 56
	{ 295		{ 366
phæocephalus	1860,		{ 383
uropygiatus	1859,		{ 1859,
virens	1855,		{ 1859,
<i>Myiiodioctes mitratus</i> ..	1858,		{ 1860,
pusillus	1858,		{ 1860,
<i>Myiobatrachus paradox-</i>	1849,		{ 42
<i>us</i>	145,		{ 43
	1859,		{ 45
	45,		{ 56
	1860,		{ 366
<i>Myiobius barbatus</i>	{ 1860,		{ 383
	282,		{ 1859,
	1860,		{ 1859,
	295,		{ 1860,
	1860,		{ 1860,
	465,		{ 42
cinnamomeus	1858,		{ 43
	554,		{ 295
			{ 1860,
			{ 1859,
			{ 43
			{ 295
			{ 1859,
			{ 43

	Page		Page
<i>Myiolestes aruensis</i>	1858,	<i>Myiothlypis luteoviri-</i>	
<i>gouldii</i>	1858,	<i>dis</i>	1855, 143
<i>griseatus</i>	1858,	<i>nigricristata</i>	1855, 143
<i>megarhynchus</i>	1859,		1859, 440
<i>phaionotus</i>	1860,	<i>Myioturdus fuscater</i>	1858, } 64
<i>Myiophonus</i> tem-	1858,	<i>lineatus</i>	1858, } 289
<i>minckii</i>	1859,	<i>marginatus</i>	1858, 247
<i>Myiopsitta lineola</i>	1857,	<i>ochroleucus</i>	1858, 278
<i>tigrina</i>	1856,	<i>palikour</i>	1858, 282
<i>Myiothera albifrons</i>	1857,	<i>perspicillatus</i>	1858, 275
<i>analis</i>	1858,	<i>rex</i>	1858, 286
<i>ardesiaca</i>	1858,	<i>tetema</i>	1858, 280
<i>brachyura</i>	1854,	<i>tinniens</i>	1858, 277
<i>caerulea</i>	1854,	<i>Myiozetetes cayennensis</i>	1859, 45
<i>calcarata</i>	1858,	<i>columbianus</i>	1860, 295
<i>campanisona</i>	1858,	<i>guianensis</i>	1860, 283
<i>castanea</i>	1858,	<i>texensis</i>	1859, } 45
<i>cinerea</i>	1858,		56
<i>colma</i>	1858,	<i>Myliusia callocyathes</i>	1859, } 366
<i>domicella</i>	1858,	<i>harlani</i>	1851, 439
<i>epilepidota</i>	1854,	<i>robustus</i>	1851, } 210
<i>ferruginea</i>	1858,		206
<i>fuliginosa</i>	1858,	<i>Myobatrachus gouldii</i>	1851, } 210
<i>grallaria</i>	1858,	<i>paradoxus</i>	1850, 10
<i>leucophrys</i>	1858,	<i>Myobius stolidus</i>	1851, 51
<i>longirostris</i>	1858,	<i>Myochama anomioides</i>	1850, 23
<i>loricata</i>	1858,	<i>keppelliana</i>	1852, 90
<i>maculata</i>	1858,	<i>strangei</i>	1850, 23
<i>malura</i>	1858,	<i>stutchburyi</i>	1852, 90
<i>malura</i>	1858,	<i>transversa</i>	1850, 23
<i>margaritacea</i>	1858,	<i>Myodes groenlandicus</i>	1848, 43
<i>mentalis</i>	1858,	<i>helvulus</i>	1848, 43
<i>nigromaculata</i>	1858,	<i>hudsonicus</i>	1848, 43
<i>nudiceps</i>	1854,	<i>lemurus</i>	1848, 43
<i>perspicillata</i>	1857,	<i>trimucronatus</i>	1848, 44
<i>pileata</i>	1858,	<i>Myoictis wallacei</i>	1858, 112
<i>plumbea</i>	1858,	<i>Myriotrochus rinkii</i>	1858, 366
<i>poecilonota</i>	1858,	<i>Myristicivora bicolor</i>	1859, 466
<i>poecilopectera</i>	1858,	<i>melanura</i>	1860, 361
<i>poliocephala</i>	1858,	<i>Myrmeciza argentata</i>	1858, 250
<i>rufa</i>	1858,	<i>cinnamomea</i>	1858, 249
<i>ruficeps</i>	1858,	<i>exsul</i>	1858, 540
<i>rufimarginata</i>	1858,		1860, 294
<i>scapularis</i>	1858,	<i>hemimelæna</i>	1857, 48
<i>squamata</i>	1858,		1858, 249
<i>strictothorax</i>	1858,	<i>leucaspis</i>	1854, 253
<i>strigilata</i>	1858,		1855, 147
<i>superciliaris</i>	1858,	<i>longipes</i>	1858, 274
<i>tetema</i>	1858,		1855, 147
<i>thamnophiloides</i>	1858,	<i>loricata</i>	1858, 249
<i>variegata</i>	1858,		1857, 48
<i>yarrelli</i>	1858,	<i>margaritata</i>	1858, 248
<i>Myiotheretes erythro-</i>		<i>melanura</i>	1854, 253
<i>gus</i>	1860,		1858, 221
<i>striaticollis</i>	1860,		1858, 246
	78		
	92		

	Page		Page
<i>Myrmeciza ruficauda</i> ...	1858,	}	248
			289
<i>Myrmecophaga annulata</i>	1851,		218
<i>bivittata</i>	1860,		262
	1851,		217
	1854,		24
<i>jubata</i>	1854,		154
	1857,		22
	1860,		181
<i>longicaudata</i>	1851,		218
<i>tamandua</i>	1851,		218
<i>tetradactyla</i>	1860,		262
<i>Myrmelastes nigerrimus</i>	1858,		275
<i>plumbeus</i>	1858,		274
<i>Myrmonax cinnamomeus</i>	1858,		249
<i>leucophrys</i>	1855,		146
	1858,		252
<i>longipes</i>	1858,		249
<i>loricatus</i>	1858,		248
<i>lugubris</i>	1858,		288
<i>myiotherinus</i>	1858,		251
<i>Myrmothera atricapilla</i>	1858,		288
<i>axillaris</i>	1858,		236
<i>cærulescens</i>	1858,		244
<i>campanella</i>	1858,		250
<i>colma</i>	1858,		277
<i>formicivora</i>	1858,		275
<i>fuscicapilla</i>	1858,		277
<i>gularis</i>	1858,		235
<i>guttata</i>	1858,		235
<i>leucophrys</i>	1858,		288
<i>longipes</i>	1858,		249
<i>melanoleuca</i>	1858,		288
<i>menetriesi</i>	1858,		237
<i>minuta</i>	1858,		234
<i>rufa</i>	1858,		288
<i>tessellata</i>	1858,		289
<i>tetema</i>	1858,		277
<i>trogodytes</i>	1855,		146
<i>unicolor</i>	1858,		288
<i>vittata</i>	1858,		288
<i>Myrmotherula axillaris</i>	1858,		236
<i>brevicauda</i>	1858,		237
<i>erythronota</i>	1858,		236
<i>gularis</i>	1858,		235
<i>guttata</i>	1858,		235
<i>hæmatonota</i>	1858,		235
<i>hauxwelli</i>	1858,		236
<i>melæna</i>	1858,		237
	1858,		237
<i>menetriesi</i>	1860,		67
	1860,		89
<i>multistriata</i>	1858,		234
<i>ornata</i>	1858,		235
<i>pygmæa</i>	1858,		234
<i>surinamensis</i>	1858,		234
<i>urosticta</i>	1858,		238
<i>Myron richardsonii</i>	1858,		384
<i>Mysia tumida</i>	1856,		215
<i>Mystacina tuberculata</i> ..	1857,		138
<i>Mytilia gerrardi</i>	1858,		263
<i>melanogaster</i>	1858,		264
<i>templetonii</i>	1858,		263
<i>unimaculata</i>	1858,		264
<i>Mytilimeria nuttalli</i>	1856,		211
<i>Mytilus adamsianus</i>	1856,		360
<i>atropurpureus</i>	1856,		359
<i>bifurcatus</i>	1856,		219
<i>californianus</i>	1856,		219
<i>curvatus</i>	1856,		361
<i>edulis</i>	1856,		219
<i>glomeratus</i>	1856,		202
<i>horridus</i>	1856,		359
	1858,		90
<i>latissimus</i>	1856,		219
<i>morrisi</i>	1856,		360
<i>niger</i>	1856,		359
<i>obscurus</i>	1856,		360
<i>rostratus</i>	1856,		358
<i>smaragdinus</i>	1860,		17
<i>splendens</i>	1856,		358
<i>tortus</i>	1858,		90
<i>Myura simplex</i>	1859,		484
<i>Myzomela boiei</i>	1860,		349
<i>erythrocephala</i>	1858,		173
<i>nigrita</i>	1858,		173
	1859,		155
<i>simplex</i>	1860,		349
<i>Nacella depicta</i>	1856,		204
<i>Naga rhombeatus</i>	1858,		163
<i>Naia haje</i>	1849,		95
<i>Naja angusticeps</i>	1858,		160
<i>fula-fula</i>	1859,		88
			163
			375
<i>haje</i>	1858,		378
			379
			380
<i>sommersetta</i>	1859,		88
	1858,		380
	1858,		381
	1858,		382
	1860,		117
<i>tripudians</i>	1860,		164
	1860,		167
	1860,		169
	1860,		170
	1860,		171
<i>Nandinia binotata</i>	1860,		247
<i>Nanina albaiensis</i>	1853,		110
<i>birmana</i>	1860,		7
<i>celinde</i>	1849,		164
<i>distincta</i>	1860,		7
<i>dohrniana</i>	1860,		136
<i>erigone</i>	1849,		165

	Page		Page
<i>Nanina hainesi</i>	1860,	<i>Nassa crenulata</i>	1851,
? <i>kiwi</i>	1849,	<i>cumingii</i>	1851,
<i>mariae</i>	1849,	<i>dealbata</i>	1851,
<i>mouhoti</i>	1860,	<i>decussata</i>	1851,
<i>siamensis</i>	1860,	<i>delicata</i>	1851,
<i>tullia</i>	1849,	<i>denticulata</i>	1851,
(<i>Hesta</i>) <i>splendens</i> ..	1860,	<i>dentifera</i>	1851,
(—) <i>vallicola</i> ...	1860,	<i>dispar</i>	1851,
(<i>Trochomorpha</i>)—?	1860,	<i>distorta</i>	1851,
<i>Nanotragus perpusillus</i> .	1850,	<i>dorsuosa</i>	1851,
<i>regius</i>	1850,	<i>echinata</i>	1851,
<i>Napothera atricapilla</i> ..	1854,	<i>elegans</i>	1851,
<i>coronata</i>	1854,	<i>exilis</i>	1851,
<i>pyrrhomelanura</i> ...	1854,	<i>fasciata</i>	1851,
<i>Narica ovoidea</i>	1856,	<i>festiva</i>	1851,
<i>Nasica flavigaster</i>	1856,	<i>filosa</i>	1851,
<i>guttata</i>	1854,	<i>fissilabris</i>	1851,
<i>Nasiterna pygmæa</i>	1860,	<i>fuscata</i>	1851,
<i>Nassa abbreviata</i>	1851,	<i>gaudiosa</i>	1851,
<i>abyssicola</i>	1851,	<i>gayii</i>	1851,
<i>albescens</i>	1851,	<i>gemma</i>	1851,
<i>ambigua</i>	1851,	<i>gemmulata</i>	1851,
<i>angulifera</i>	1851,	<i>gemmulifera</i>	1851,
<i>anomala</i>	1851,	<i>geniculata</i>	1851,
<i>antillarum</i>	1851,	<i>gibbosula</i>	1851,
<i>arcularia</i>	1851,	<i>glans</i>	1851,
<i>ascanias</i>	1851,	<i>granifera</i>	1851,
<i>australis</i>	1851,	<i>gruneri</i>	1851,
<i>badia</i>	1851,	<i>hirta</i>	1851,
<i>bellula</i>	1851,	<i>hispidula</i>	1851,
<i>bimaculosa</i>	1851,	<i>horrida</i>	1851,
<i>bronnii</i>	1851,	<i>isabellei</i>	1851,
<i>cælata</i>	1851,	<i>jacksoniana</i>	1851,
<i>callosa</i>	1851,	<i>japonica</i>	1851,
<i>callospira</i>	1851,	<i>jonasi</i>	1851,
<i>canaliculata</i>	1851,	<i>labecula</i>	1851,
<i>cancellata</i>	1851,	<i>læta</i>	1851,
<i>candens</i>	1851,	<i>lentiginosa</i>	1851,
<i>caperata</i>	1851,	<i>leptospira</i>	1851,
<i>cinctella</i>	1851,	<i>livescens</i>	1851,
<i>cinnamomea</i>	1851,	<i>luctuosa</i>	1851,
<i>circumcincta</i>	1851,	<i>luteostoma</i>	1851,
<i>clathrata</i>	1851,	<i>lyrilla</i>	1851,
<i>clathratula</i>	1851,	<i>margaritifera</i>	1851,
<i>complanata</i>	1851,	<i>marginulata</i>	1851,
<i>compta</i>	1851,	<i>marmorea</i>	1851,
<i>concinna</i>	1851,	<i>micans</i>	1851,
<i>cooperi</i>	1850,	<i>microstoma</i>	1860,
<i>coronata</i>	1851,	<i>miga</i>	1851,
<i>coronula</i>	1851,	<i>mitralis</i>	1851,
<i>corrugata</i>	1851,	<i>mœsta</i>	1851,
<i>corticata</i>	1851,	<i>monilis</i>	1851,
<i>costata</i>	1851,	<i>mucronata</i>	1851,
<i>costellifera</i>	1851,	<i>multicostata</i>	1851,
<i>crassa</i>	1851,	<i>multigrana</i>	1851,
<i>cremata</i>	1851,	<i>muricata</i>	1851,
<i>crenellifera</i>	1851,	<i>mutabilis</i>	1851,
<i>crenolirata</i>	1851,	<i>myristicata</i>	1851,

	Page		Page
<i>Nassa nana</i>	1851,	<i>Nassa succincta</i>	1851,
<i>nassoides</i>	1851,	<i>sulcata</i>	1851,
<i>nivea</i>	1851,	<i>sulcifera</i>	1851,
<i>nodata</i>	1851,	<i>suturalis</i>	1851,
<i>nodicincta</i>	1851,	<i>teretiuscula</i>	1851,
<i>nodicostata</i>	1851,	<i>thersites</i>	1851,
<i>nodifera</i>	1851,	<i>tiarula</i>	1851,
<i>nodulifera</i>	1851,	<i>trifasciata</i>	1851,
<i>nucleolus</i>	1851,	<i>tritoniformis</i>	1851,
<i>obliquata</i>	1851,	<i>trivittata</i>	1851,
<i>obliqueplicata</i>	1851,	<i>turrita</i>	1851,
<i>obtusata</i>	1851,	<i>unicolor</i>	1851,
<i>olivacea</i>	1851,	<i>variabilis</i>	1851,
<i>orbiculata</i>	1851,	<i>varicifera</i>	1851,
<i>ornata</i>	1851,	<i>variegata</i>	1851,
<i>pallida</i>	1851,	<i>venusta</i>	1851,
<i>pallidula</i>	1851,	<i>verrucosa</i>	1851,
<i>papillosa</i>	1851,	<i>vibex</i>	1851,
<i>pauperata</i>	1851,	<i>woodwardi</i>	1850,
<i>perpinguis</i>	1851,	<i>zonalis</i>	1851,
<i>picta</i>	1851,		1859,
<i>planocostata</i>	1851,	<i>Nasua fusca</i>	1860,
<i>plicatella</i>	1851,		1860,
<i>polygonata</i>	1851,	<i>Natalus stramineus</i>	1856,
<i>pulchella</i>	1851,	<i>Natica californica</i>	1856,
<i>pullus</i>	1851,	<i>caribæa</i>	1851,
<i>punctata</i>	1851,	<i>catenata</i>	1851,
<i>pusio</i>	1851,	<i>collaria</i>	1860,
<i>ranida</i>	1851,	<i>excavata</i>	1856,
<i>reevei</i>	1851,	<i>fossar</i>	1853,
<i>reeviana</i>	1851,	<i>incei</i>	1851,
<i>retecosa</i>	1851,	<i>intemerata</i>	1851,
<i>reticulata</i>	1851,	<i>intricata</i>	1850,
<i>retusa</i>	1851,	<i>lineata</i>	1860,
<i>roissyi</i>	1851,	<i>maculosa</i>	1851,
<i>rufocincta</i>	1851,		1860,
<i>rufula</i>	1851,	<i>maroccana</i>	1856,
<i>sanctæ helenæ</i>	1851,	<i>pomum</i>	1851,
<i>scabriuscula</i>	1851,	<i>pritchardi</i>	1850,
<i>scalariformis</i>	1851,	<i>pulchella</i>	1853,
<i>scalaris</i>	1851,	<i>vestalis</i>	1851,
<i>semigranosa</i>	1851,	<i>Natrix lacertina</i>	1858,
<i>seminodosa</i>	1851,	<i>lubrica</i>	1859,
<i>semiplicata</i>	1851,	<i>Nauclerus furcatus</i>	1851,
<i>serotina</i>	1851,	<i>riocouri</i>	1850,
<i>sertula</i>	1851,	<i>Nautilus macromphalus</i>	1859,
<i>signata</i>	1851,	<i>pompilius</i>	1850,
<i>sinusigera</i>	1851,		1859,
<i>siquijorensis</i>	1851,	<i>scrobiculatus</i>	1857,
<i>sordida</i>	1851,		1857,
<i>speciosa</i>	1851,	<i>umbilicatus</i>	1859,
<i>spirata</i>	1851,	<i>Navicella livesayi</i>	1858,
<i>splendidula</i>	1851,	<i>squamata</i>	1858,
<i>stigmæria</i>	1851,	<i>Neæra fragilis</i>	1855,
<i>stolida</i>	1851,	<i>Necrobia eximia</i>	1852,
<i>sturmii</i>	1851,	<i>pinguis</i>	1852,
<i>subspinosa</i>	1851,	<i>Nectarinia angolensis</i>	1860,
		<i>asiatica</i>	1857,

	Page		Page
Nectarinia asiatica	1858, 497	Nemoricola indica	1857, 95
aspasia	{ 1858, 173	Nemosia albigularis ..	{ 1855, 109
aspasioides	{ 1859, 155		{ 1855, 155
auriceps	1860, 348	atra	1856, 67
australis	{ 1850, 201	auricollis	1856, 111
chlorolæma	{ 1858, 173	blanda	1856, 112
cingalensis	1860, 110	diademata	1856, 241
cyanocephala	1859, 463		{ 1855, 109
cyanolæma	1860, 110	flavicollis	{ 1856, 110
eques	1860, 110		{ 1857, 264
erythrothorax	1859, 155	fulvescens	1856, 112
	1860, 110	guira	{ 1855, 155
flamaxillaris	1859, { 151		{ 1856, 109
	{ 462	guirina	1856, 110
	{ 1850, 201	insignis	1856, 110
frenata	{ 1858, 173	nigricollis	1856, 109
	{ 1860, 348	ornata	1859, 138
goalpariensis	1858, 496	peruana	1856, 111
hasseltii	1859, 462	pileata	1856, 109
hypogrammica	1859, 461	rubrirostris	1856, 92
javanica	1859, 461	ruficapilla	1856, 111
jugularis	1859, 462	ruficeps	1856, 112
lathamii	1859, 461	sordida	1856, 112
lepida	1859, 461	superciliaris	1856, 92
melanorhynchus	1850, 216	torquata	1855, { 84
metallica	1850, 216		{ 138
mystacalis	1859, 461	verticalis	1856, 93
perreinii	1860, 110	Nemura hodgsonii	1854, 76
phayrei	1859, 462	Neochloë brevipennis . .	1857, 213
phœnicotis	1859, 463	Neocorys spraguii	1857, 5
pulchella	1850, 216	Neodon sikimensis	1856, 401
rubescens	1860, 110		{ 1850, 214
siparaja	1859, 461	Neophron percnopterus	{ 1854, 2
solaris	1860, 348		{ 1858, 469
	{ 1858, 173		{ 1859, 170
zenobia	{ 1859, 155	Neornis cærulea	1856, 269
	{ 1860, 348	Neotragus hemprichia-	
zeylonica	1858, 497	nus	1850, 120
Necturus maculatus	1857, 61	madoka	1850, 120
maculosus	1856, 343		{ 120
Neilo cumingii	1852, 93	saltiana	1850, { 169
Nematura deltæ	1851, 225	Nephœcetes borealis . . .	1859, 236
glabrata	1851, 226	niger	1859, 236
minima	1851, 225	Neptis aceris	1858, 9
olivacea	1851, 226	amba	1858, 7
polita	1851, 226	ananta	1858, 5
puncticulata	1851, 226	antara	1858, 4
Nemertes borlassii	1858, 307	columella	1858, 7
Nemophis lessoni	1858, 168	duryodana	1858, 10
Nemorhædus bubalina . . .	1850, 173	heliodora	1858, 8
sumatrensis	1850, 173	heliodore	1858, 4
taxicolor	1856, 405	hordona	1858, 4
Nemorhedus goral	{ 1856, 403	ida	1858, 10
	{ 1858, 523	jumba	1858, 7
proclivis	1850, 135	manasa	1858, 5
Nemorhina palpalis	1850, 262	matuta	1858, 9
		miah	1858, 4

	Page		Page
<i>Neptis nandina</i>	1858,	<i>Ninox scutulatus</i>	1854,
<i>narayana</i>	1858,	<i>Niphæa hyemalis</i>	1856,
<i>nata</i>	1858,	<i>oregona</i>	1856,
<i>pata</i>	1858,	<i>rufidorsis</i>	1856,
<i>radha</i>	1858,	<i>Nisaëtus nipalensis</i>	1854,
<i>shepherdi</i>	1858,	<i>pallidus</i>	1854,
<i>soma</i>	1858,	<i>Nisus chionogaster</i>	1851,
<i>tiga</i>	1858,	<i>Nitidella gouldii</i>	1856,
<i>vikasi</i>	1858,	<i>Nitidula ænea</i>	1850,
<i>zaida</i>	1858,	<i>Noctilinia lasyura</i>	1857,
<i>Neptunea fuscolineata</i> ..	1860,	<i>Noctilio leporinus</i>	1860,
<i>Nerita albicilla</i>	1858,	<i>Noctua indica</i>	1854,
<i>atra</i>	1858,	<i>perlineata</i>	1854,
<i>chameleon</i>	1858,	<i>Noctula leucippe</i>	1858,
<i>costata</i>	1853,	<i>Noctulinia escholtzii</i> ..	1858,
<i>exuvia</i>	1858,	<i>lasyura</i>	1858,
<i>inconspicua</i>	1858,	<i>Nonnulla frontalis</i>	1855,
<i>lineolata</i>	1858,		1858,
<i>malaccensis</i>	1858,	<i>rubecula</i>	1853,
<i>ornata</i>	1858,		1855,
<i>peloronta</i>	1858,	<i>ruficapilla</i>	1855,
<i>plicata</i>	1858,	<i>Notauges superbus</i>	1860,
<i>polita</i>	1858,	<i>Nothocercus sallæi</i>	1856,
<i>senegalensis</i>	1858,		1859,
<i>signata</i>	1858,	<i>Notophthalma miniata</i> ..	1858,
<i>tessellata</i>	1858,	<i>viridescens</i>	1858,
<i>variabilis</i>	1858,	<i>Notopterus macdonaldii</i> ..	1859,
<i>versicolor</i>	1858,	<i>Notornis</i>	1848,
<i>(Synccera) hepatica</i>	1856,		208
<i>Neritina beckii</i>	1851,	<i>mantelli</i>	1850,
<i>crepidularia</i>	1851,		209
	1860,		212
<i>dubia</i>	1851,	<i>Nototrema marsupiatum</i> ..	1859,
<i>melanostoma</i>	1860,		402
<i>neglecta</i>	1860,	<i>Notoxus pulcher</i>	1852,
<i>piperina</i>	1851,	<i>Novaculina olivacea</i>	1851,
	1855,	<i>Nucifraga caryocatactes</i> ..	1849,
<i>Nesocichla eremita</i> ...	1856,		23
	1856,	<i>hemispila</i>	1849,
<i>Nesotragus moschatus</i> ..	1850,		1858,
<i>Nestor hypopolius</i>	1856,		1859,
<i>notabilis</i>	1856,	<i>multipunctata</i>	1849,
<i>Nettapus coromandelicus</i> ..	1859,	<i>Nucula antipodum</i>	1860,
<i>pulchellus</i>	1857,	<i>bellotii</i>	1856,
<i>Newcombia chlorotica</i> ..	1855,	<i>castanea</i>	1856,
<i>cinnamomea</i>	1858,	<i>crenulata</i>	1856,
<i>gemma</i>	1858,	<i>divaricata</i>	1860,
<i>minuscula</i>	1858,	<i>gibba</i>	1856,
<i>sulcata</i>	1858,	<i>layardii</i>	1856,
<i>zebrina</i>	1855,	<i>m'andrewii</i>	1860,
	1851,	<i>malabarica</i>	1860,
<i>Nidalia occidentalis</i> ..	1851,	<i>margaritacea</i>	1856,
	1857,	<i>nitidula</i>	1856,
<i>Nightingale</i>	1851,	<i>nucleus</i>	1856,
<i>Nika edulis</i>	1856,	<i>obliqua</i>	1860,
	102	<i>paulula</i>	1856,
	105	<i>paytensis</i>	1856,
<i>Niltava sundara</i>	1858,	<i>sculpta</i>	1860,
	492	<i>simplex</i>	1856,
	1859,	<i>strangei</i>	1856,
<i>Ninox jeridius</i>	1854,		52
<i>nipalensis</i>	1854,		262

	Page		Page
<i>Odontophorus columbianus</i>	1850, 94	<i>Oiketicus m'leaii</i>	1854, 222
<i>dentatus</i>	1850, 94	<i>nigricans</i>	1854, 220
	1859, 99	<i>saundersii</i>	1854, 223
<i>erythrops</i>	1859, 147	<i>templetoni</i>	1854, 234
	1860, 72	<i>tertius</i>	1854, 234
	1860, 298	<i>Oleacina binneyana</i>	1855, 117
	1856, 103	<i>boucardi</i>	1859, 27
<i>guttatus</i>	1856, 309	<i>ghiesbreghtii</i>	1856, 379
	1859, 391	<i>indusiata</i>	1860, 138
<i>hyperythrus</i>	1857, 223	<i>pulchella</i>	1856, 379
<i>lineolatus</i>	1856, 310	<i>Oligodon sublineatus</i> ..	1858, 383
<i>marmoratus</i>	1855, 163	<i>Olisthops cyanomelas</i> ..	1850, 75
<i>melanonotus</i>	1860, 382	<i>Oliva acuminata</i>	1858, 50
	1856, 310	<i>alba</i>	1858, 44
<i>thoracicus</i>	1859, 369	<i>alectona</i>	1858, 53
	107	<i>amazora</i>	1858, 53
<i>veraguensis</i>	1856, 143	<i>ancillarioides</i>	1858, 52
<i>Odostomia achates</i>	1856, 206	<i>angulata</i>	1858, 41
<i>carychium</i>	1854, 33	<i>anomina</i>	1858, 45
<i>clathrata</i>	1853, 180	<i>aquatilis</i>	1858, 48
<i>fenestrata</i>	1853, 179	<i>araneosa</i>	1858, 44
<i>formosa</i>	1853, 179	<i>atalina</i>	1858, 44
<i>gravida</i>	1856, 207	<i>athenia</i>	1858, 49
<i>indistincta</i>	1853, 180	<i>attenuata</i>	1858, 55
<i>lactea</i>	1853, 179		39
<i>rufa</i>	1853, 179	<i>auricularia</i>	1858, 48
<i>scalaris</i>	1853, 179		56
<i>(Chrysallida) crebri-</i>		<i>aurora</i>	1858, 49
<i>striata</i>	1856, 170	<i>australis</i>	1858, 45
<i>Edemia fusca</i>	1860, 442	<i>avellana</i>	1858, 49
	1850, 220		41
<i>Edicnemus affinis</i>	1860, 197	<i>azemula</i>	1858, 43
	1859, 212		47
<i>australis</i>	1850, 220	<i>bicincta</i>	1858, 47
	1851, 146	<i>bicingulata</i>	1858, 47
<i>crepitans</i>	1855, 81	<i>biplicata</i>	1858, 56
	1858, 504	<i>brasiliana</i>	1858, 48
	1859, 435		46
	1858, 187	<i>bulbiformis</i>	1858, 47
<i>magnirostris</i>	1860, 363		49
	1855, 82	<i>bullata</i>	1858, 53
<i>recurvirostris</i>	1850, 220		47
<i>senegalensis</i>	1858, 144	<i>cærulea</i>	1858, 54
<i>Edipus variegatus</i>	1858, 144	<i>caldania</i>	1858, 52
	259	<i>calosoma</i>	1858, 49
<i>Estrus bovis</i>	1850, 265	<i>candida</i>	1858, 47
	1850, 259	<i>carneola</i>	1858, 49
<i>equi</i>	1850, 259	<i>caroliniana</i>	1858, 46
<i>hæmorrhoidalis</i>	1850, 259	<i>cincta</i>	1858, 51
<i>tarandi</i>	1850, 259	<i>cingulata</i>	1858, 50
<i>Oiketicus boisduvalii</i> ..	1854, 232	<i>claneophila</i>	1858, 48
	1854, 235	<i>columba</i>	1858, 53
<i>consortus</i>	1854, 236	<i>columellaris</i>	1858, 55
<i>crameri</i>	1854, 235	<i>conoidalis</i>	1858, 54
<i>doubledaii</i>	1854, 223	<i>contortuplicata</i>	1858, 52
<i>elongatus</i>	1854, 223	<i>cumingii</i>	1858, 45
<i>herrichii</i>	1854, 232	<i>dactyliola</i>	1858, 49
<i>hubneri</i>	1854, 228	<i>dama</i>	1858, 55
<i>kirbii</i>	1854, 227	<i>dealbata</i>	1858, 54
<i>lewini</i>	1854, 231		

	Page		Page
<i>Oliva duclosii</i>	1858,	<i>Oliva micans</i>	1858,
<i>eburnea</i>	1858,	<i>millepunctata</i>	1858,
<i>elegans</i>	1858,	<i>miriadina</i>	1858,
<i>episcopalis</i>	1858,	<i>monilifera</i>	1858,
<i>erythrostoma</i>	1858,	<i>multiplicata</i>	1858,
<i>esther</i>	1858,	<i>mustelina</i>	1858,
<i>evania</i>	1858,	<i>mutica</i>	1858,
<i>fabigina</i>	1858,	<i>nana</i>	1858,
<i>fimbriata</i>	1858,	<i>nebulosa</i>	1858,
<i>flammulata</i>	1858,	<i>neoslina</i>	1858,
<i>flaveola</i>	1858,	<i>nitelina</i>	1858,
<i>fulgida</i>	1858,	<i>nitidula</i>	1858,
<i>fulminans</i>	1858,	<i>nivea</i>	1858,
<i>funebralis</i>	1858,	<i>nobilis</i>	1858,
<i>fura</i>	1858,	<i>nodulina</i>	1858,
<i>fusiformis</i>	1858,	<i>nux</i>	1858,
<i>galeola</i>	1858,	<i>obesina</i>	1858,
<i>gibbosa</i>	1858,	<i>obtusaria</i>	1858,
<i>glandiformis</i>	1858,	<i>olorinella</i>	1858,
	52	<i>olympiadina</i>	1858,
<i>gracilis</i>	1858,	<i>oriola</i>	1858,
	55		
<i>granitella</i>	1858,	<i>oryza</i>	1858,
<i>guildingii</i>	1858,		
<i>guttata</i>	1858,	<i>ozodina</i>	1858,
<i>harpularia</i>	1858,		
<i>hemiltona</i>	1858,	<i>paniculata</i>	1858,
	46		
<i>hepatica</i>	1858,	<i>patula</i>	1858,
	43	<i>paxilla</i>	1858,
	44	<i>pellucida</i>	1858,
<i>hiatula</i>	1858,	<i>peruviana</i>	1858,
	51	<i>philantha</i>	1858,
<i>hieroglyphica</i>	1858,	<i>pica</i>	1858,
<i>indusica</i>	1858,	<i>picta</i>	1858,
<i>inflata</i>	1858,	<i>pindarina</i>	1858,
	47	<i>pintamella</i>	1858,
<i>irisans</i>	1858,	<i>polpasta</i>	1858,
	49	<i>ponderosa</i>	1858,
<i>ispidula</i>	1858,	<i>porphyria</i>	1858,
	47	<i>propatula</i>	1856,
<i>jaspidea</i>	1858,	<i>puelchana</i>	1858,
	45		
<i>julieta</i>	1854,	<i>pulchella</i>	1858,
<i>kaleontina</i>	1854,		
<i>lanceolata</i>	1854,	<i>purpurata</i>	1858,
<i>lentiginosa</i>	1854,	<i>pygmæa</i>	1858,
<i>lepida</i>	1854,	<i>quersolina</i>	1858,
<i>lepta</i>	1854,		
<i>leucophaea</i>	1854,	<i>razamola</i>	1858,
<i>leucostoma</i>	1854,		
<i>leucozonalis</i>	1854,	<i>reticulata</i>	1858,
<i>ligneola</i>	1854,	<i>rosalina</i>	1858,
<i>lineolata</i>	1854,	<i>ruffasciata</i>	1858,
<i>litterata</i>	1854,	<i>rufula</i>	1858,
<i>lugubris</i>	1854,	<i>sandwicensis</i>	1860,
<i>luteola</i>	1858,	<i>sanguinolenta</i>	1858,
<i>macleaya</i>	1858,	<i>schumacheriana</i> ..	1858,
<i>maculata</i>	1858,	<i>scripta</i>	1858,
<i>mandarina</i>	1858,	<i>selasia</i>	1858,
<i>mantichora</i>	1858,	<i>semisulcata</i>	1858,
<i>maura</i>	1858,	<i>senegalensis</i>	1858,
<i>mica</i>	1858,		
	54		

	Page		Page
<i>Oliva sidelia</i>	1858,	<i>Olivina jaspidea</i>	1858,
<i>splendidula</i>	1858,	<i>lanceolata</i>	1858,
<i>stainforthii</i>	1858,	<i>lepta</i>	1858,
<i>steeriae</i>	1858,	<i>lineolata</i>	1858,
<i>stellata</i>	1858,	<i>mandarina</i>	1858,
<i>strigata</i>	1858,	<i>mica</i>	1858,
<i>subulata</i>	1858,	<i>miriadina</i>	1858,
<i>tehuelchana</i>	1858,	<i>mutica</i>	1858,
<i>tergina</i>	1858,	<i>paniculata</i>	1858,
<i>tessellata</i>	1858,	<i>puelchana</i>	1858,
<i>testacea</i>	1856,	<i>pulchella</i>	1858,
	209	<i>razamola</i>	1858,
<i>textilina</i>	1858,	<i>selasia</i>	1858,
<i>tigridella</i>	1858,	<i>semisulcata</i>	1858,
<i>tigrina</i>	1858,	<i>strigata</i>	1858,
	42	<i>tehuelchana</i>	1858,
	47	<i>tergina</i>	1858,
<i>timoria</i>	1858,	<i>tunquina</i>	1858,
<i>todosina</i>	1858,	<i>zanoieta</i>	1858,
<i>tremulina</i>	1858,	<i>zenopira</i>	1858,
<i>tricolor</i>	1858,	<i>zigzag</i>	1858,
<i>tringa</i>	1858,	<i>zonalis</i>	1858,
<i>triticea</i>	1858,	<i>Omadius clytiformis</i>	1855,
<i>tunquina</i>	1858,	<i>ctenostomoides</i>	1855,
<i>undata</i>	1858,	<i>fasciatus</i>	1852,
<i>undatella</i>	1858,	<i>fasciipes</i>	1855,
<i>ustulata</i>	1858,	<i>mediofasciatus</i>	1852,
<i>utricula</i>	1858,	<i>modestus</i>	1855,
<i>venulata</i>	1858,	<i>olivaceus</i>	1852,
<i>vermiculata</i>	1858,	<i>prasinus</i>	1852,
<i>volutella</i>	1858,	<i>seticornis</i>	1855,
<i>volvarioides</i>	1858,	<i>vigilans</i>	1855,
<i>zanoieta</i>	1858,	<i>Ommatotriton vittatus</i>	1858,
<i>zebra</i>	1858,	<i>Omphalius ater</i>	1856,
<i>zeilanica</i>	1858,	<i>aureotinctus</i>	1856,
<i>zenopira</i>	1858,	<i>cælatus</i>	1854,
<i>zigzag</i>	1858,	<i>fuscescens</i>	1856,
	54	<i>marginatus</i>	1856,
<i>zonalis</i>	1858,	<i>pfeifferi</i>	1856,
	55	<i>sticticus</i>	1854,
	48	<i>Omphalotropis auran-</i>	1852,
<i>Olivancillaria auricularia</i>	1858,	<i>tiaca</i>	1854,
	56	<i>cerea</i>	1857,
<i>Olivella glandinaria</i>	1856,	<i>dubia</i>	1852,
<i>intorta</i>	1856,		308
<i>lineolata</i>	1858,	<i>erosa</i>	1852,
<i>volutella</i>	1858,		151
<i>Olivina alectona</i>	1858,	<i>expansilabris</i>	1854,
<i>anzora</i>	1858,		309
<i>bullata</i>	1858,	<i>exquisita</i>	1854,
<i>cærulea</i>	1858,	<i>glabrata</i>	1854,
<i>caldania</i>	1858,	<i>globosa</i>	1852,
<i>columba</i>	1858,		151
<i>columellaris</i>	1858,	<i>granum</i>	1854,
<i>dealbata</i>	1858,	<i>guamensis</i>	1857,
<i>esther</i>	1858,		113
<i>fimbriata</i>	1858,	<i>hieroglyphica</i>	1852,
<i>fulgida</i>	1858,		151
<i>fura</i>	1858,	<i>huaheinensis</i>	1854,
<i>gracilis</i>	1858,		308
<i>gualdingii</i>	1858,		308

	Page		Page
<i>Omphalotropis maculatus</i>	1860,	<i>Opisthoglossa oxydactyla</i>	1858,
<i>malleata</i>	1854,		347
<i>multilirata</i>	} 1852,	<i>platydactyla</i>	} 341
<i>navigatorum</i>	1854,		} 344
<i>plicosa</i>	1857,		} 347
<i>pupoides</i>	} 1852,	<i>Opisthoporus cochinchin-</i>	
<i>radiata</i>	1854,	<i>nensis</i>	1856,
<i>rosea</i>	} 1852,	<i>euryomphalus</i>	1856,
<i>rubens</i>	1854,	<i>siamensis</i>	1860,
<i>scitula</i>	} 1852,	<i>Opostsitta desmaresti</i>	1860,
<i>terebialis</i>	1854,	<i>diophtalma</i>	1860,
<i>vallata</i>	} 1852,	<i>Orbicula cumingii</i>	1852,
<i>vestita</i>	1855,	<i>evansii</i>	1852,
<i>Oniscia grandis</i>	1853,	<i>strigata</i>	1852,
<i>ponderosa</i>	1858,	<i>Orchesticus abeillii</i>	1856,
<i>testudo</i>	1850,	<i>ater</i>	1856,
<i>Onychocephalus liberi-</i>		<i>capistratus</i>	1856,
<i>ensis</i>	1858,	<i>occipitalis</i>	1856,
<i>nigrolineatus</i>	1858,	<i>Oreas canna</i>	1850,
<i>Onychodactylus japoni-</i>		<i>derbianus</i>	1850,
<i>cus</i>	1858,	<i>Oreomanes fraseri</i>	1860,
<i>Onychognathus hartlaubii</i>	1858,	<i>Oreophasis derbianus</i>	1860,
<i>Onychophis liberiensis</i>	1858,	<i>Oreopyra leucaspis</i>	1860,
<i>nigrolineatus</i>	1858,	<i>Oreortyx pictus</i>	1859,
<i>punctata</i>	1858,	<i>Oreoscoptes montanus</i>	1859,
<i>Onychoprion fuliginosus</i>	1856,	<i>Oreothraupis arremonops</i>	1856,
<i>serrata</i>	1859,	<i>Oreotragus melanotis</i>	1850,
<i>Onychotria mexicana</i>	1849,	<i>saltatrix</i>	1850,
<i>Operculatum pictum</i>	1854,	<i>scoparius</i>	1850,
<i>Opetiopalpus obesus</i>	1852,	<i>tragulus</i>	1850,
<i>Opetiorhynchus antarc-</i>	} 1859,	<i>Oreotrochilus chimborazo</i>	1860,
<i>ticus</i>	} 1860,	<i>pichincha</i>	1860,
<i>vulgaris</i>	} 1859,	<i>Oriolus aureus</i>	} 1850,
<i>Ophicardelus australis</i>	1860,	<i>baraffii</i>	1854,
<i>concinna</i>	1854,	<i>broderipii</i>	1850,
<i>layardii</i>	1854,	<i>castanopterus</i>	1854,
<i>quoyi</i>	1854,	<i>chinensis</i>	} 1854,
<i>sandwichensis</i>	1854,	<i>cochinchinensis</i>	} 1859,
<i>stutchburyi</i>	1856,	<i>furcatus</i>	1850,
<i>sulcata</i>	1854,	<i>galbula</i>	} 1850,
<i>taniata</i>	1854,	<i>hippocrepis</i>	1851,
<i>Ophidium glesne</i>	1849,	<i>indicus</i>	} 1850,
<i>imberbe</i>	1849,	<i>kundoo</i>	} 1857,
<i>Opilus hilaris</i>	1852,	<i>leucogaster</i>	1854,
<i>mcerens</i>	1852,	<i>leucopterus</i>	1856,
<i>sexnotatus</i>	1852,	<i>melaleucus</i>	1856,
<i>sordidus</i>	1852,	<i>melanocephalus</i>	1859,
<i>Opisthocomus cristatus</i>	1857,	<i>moloxita</i>	1850,
<i>Opisthoglossa oxydactyla</i>	1858,	<i>mülleri</i>	1858,
	} 341	<i>musicus</i>	1856,
	} 344	<i>phæochromus</i>	1860,
		<i>regens</i>	1850,

	Page		Page
Oriolus striatus	1859, 156	Orthocera trachea	1858, { 414
	{ 1854, 139		{ 423
Orites erythrocephalus	{ 1854, 140	Orthogonys cyanicterus	1856, 122
	{ 1858, 480	viridis	1856, 122
glaucogularis	1854, 140	Orthotomus atrogularis	1854, 78
jouschistos	1854, { 139	bennettii	1854, { 81
leucogenys	1854, 139	cineraceus	1854, 80
niveogularis	1854, 140	cucullatus	1854, 81
Ornismya kingii	1855, 140	derbianus	1854, 309
lessoni	1858, 297	edela	{ 1854, 79
silphia	1855, 140	edela	{ 1859, 150
Ornithion inermis	1857, 204	edela	{ 1859, 151
Ornithoptera croesus	1859, 424	flavoviridis	1854, 79
priamus	1859, 425	lingoo	{ 1854, 81
richmondia	1859, 425	lingoo	{ 284
victoriæ	1856, 8	longicauda	{ 1854, 81
Ornithorhynchus anatini- nus	1859, 213	longicauda	{ 1854, 284
	{ 1856, 294	longicaudatus	1858, 488
Orpheus cærulescens	{ 1859, 337	longirostris	1854, 80
calandria	1859, 343	maculicollis	1854, 309
curvirostris	1859, 339	patia	{ 1854, 81
dorsalis	1859, 341	patia	{ 284
longirostris	{ 1856, 294	ruficapillus	1854, { 81
longirostris	{ 1859, 339	ruficeps	1854, { 284
melanotis	1859, 345	ruficeps	1854, 79
montanus	1859, 340	sepium	{ 78
parvulus	1859, 345	sepium	{ 80
patagonicus	1859, 344	sphenurus	{ 1854, 81
polyglottus	1859, 341	sphenurus	{ 284
rufus	1859, 340	sutorius	1854, 81
thenca	1859, 344	Ortygometra crex	1851, 146
tricaudatus	1859, 341	Ortyx leylandi	1859, 62
trifasciatus	1859, 345	nigrogularis	1859, 63
Ortalida arcuata	1860, 72	nigrogularis	{ 1856, 310
goudoti	1856, 30	pectoralis	{ 1857, 206
guttata	1858, 76	pectoralis	{ 1859, 369
leucogastra	1859, 391	thoracicus	1856, 310
	{ 1857, 19	Ortyxelos meiffreni	1850, 220
	{ 1858, 76	Orycteropus capensis	1848, 67
montagnii	1858, 556	Oryctes müllneranus	1859, 118
	{ 1860, 63	Oryx beatrix	1857, 158
	{ 1860, 72	beisa	{ 1850, 134
	{ 1860, 97	beisa	{ 1857, 157
poliocephala	1856, 310	capensis	{ 1850, 134
ruficeps	1860, 289	capensis	{ 1850, 134
rufiventris	1859, 147	gazella	{ 1850, 175
	{ 1856, 310	gazella	{ 1857, 157
	{ 1859, 62	leucoryx	{ 1850, 134
vetula	1859, 369	leucoryx	{ 1850, 175
	{ 1859, 391	leucoryx	{ 1857, 157
Orthagoriscus mola	{ 1849, 6	Oryzivora leucotis	1859, 443
	{ 1850, 19		{ 88
Orthalicus boucardi	1860, 138	Oryzoborus æthiops	1860, { 276
Orthis anomioïdes	1852, 79	funereus	1859, 378
Orthocera glabra	1858, 436	occidentalis	1860, 276
imperforata	1858, 425	torridus	1858, 455

	Page		Page
<i>Oryzornis oryzivora</i>	1859, 443	<i>Otus crassirostris</i>	1858, 450
<i>Osilinus gallina</i>	1856, 204	<i>palustris</i>	1859, 94 1860, 384
<i>Osmotreron olax</i>	1859, 465	<i>vulgaris</i>	1848, 37
<i>viridis</i>	1859, 465	<i>Ouakaria calvus</i>	1849, 10
<i>Osphranter rufus</i>	1860, 323	<i>spixii</i>	1849, 10
<i>Osteodesma diaphana</i>	1855, 228	<i>Ovatella bivona</i>	1854, 32
<i>nitidum</i>	1855, 229 1856, 199	<i>Ovibos moschatatus</i>	1850, 177
<i>Ostinops atrovirens</i>	1859, 140 1860, 88	<i>Ovis ammon</i>	1859, 350 1860, 129
<i>bifasciatus</i>	1856, 300	<i>ammonoïdes</i>	1856, 404 1860, 129
<i>cristatus</i>	1855, 153 1858, 455	<i>argali</i>	1856, 404 1850, 157
<i>montezumæ</i>	1859, 380	<i>aries</i>	1856, 149 1856, 404 1858, 527
<i>Ostrea anomialis</i>	1849, 118	<i>barwal</i>	1856, 404
<i>conchaphila</i>	1856, 220	<i>burrhel</i>	1860, 129
<i>striata</i>	1849, 122	<i>changeluk</i>	1856, 404
<i>Ostreum striatum</i>	1849, 122	<i>cycloceros</i>	1860, 128
<i>Otaria californica</i>	1859, 359	<i>gmelini</i>	1849, 91
<i>delalandii</i>	1859, 108 109	<i>hodgsoni</i>	1856, 404 1860, 129
<i>gilliespii</i>	1859, 110	<i>honia</i>	1856, 404
<i>leonina</i>	1859, 102 359	<i>hunia</i>	1859, 350
<i>peronii</i>	1859, 108	<i>montana</i>	1850, 136
<i>pusilla</i>	1859, 108	<i>nahoor</i>	1856, 404 1860, 129
<i>Otilophus margaritifer</i>	1859, 89 416	<i>polii</i>	1860, 130 443
<i>Otina fusca</i>	1851, 225	<i>tragelaphus</i>	1849, 1
<i>Otis aurita</i>	1855, 33	<i>vignii</i>	1860, 127
<i>houbara</i>	1848, 37	<i>Ovula pudica</i>	1854, 131
<i>macqueenii</i>	1858, 504	<i>Ovulum aciculare</i>	1848, 135 136
<i>nigriceps</i>	1855, 32 1858, 504	<i>birostre</i>	1848, 136
<i>rhaad</i>	1850, 220	<i>deflexum</i>	1848, 136
<i>tarda</i>	1848, 37 1856, 1	<i>lanceolatum</i>	1848, 135
<i>tetrax</i>	1855, 33	<i>margarita</i>	1848, 135
<i>Otocompsa jocososa</i>	1854, 278	<i>philippinarum</i>	1848, 136
<i>chrysolæma</i>	1855, 66 1859, 110	<i>secale</i>	1848, 136
<i>chrysomela</i>	1856, 306	<i>simile</i>	1848, 136
<i>cornuta</i>	1859, 373	<i>subrostratum</i>	1848, 136
<i>longirostris</i>	1855, 215	<i>traillii</i>	1855, 222
<i>penicillata</i>	1855, 215	<i>umbilicatum</i>	1848, 135
<i>peregrina</i>	1855, 110 160	<i>uniplicatum</i>	1848, 135
<i>spraguii</i>	1857, 5	<i>Owl, The Large Long-</i> <i>legged, or Jumbi</i>	
<i>Otocyon lalandii</i>	1848, 37 76	<i>Bird</i>	1851, 61
<i>Otogyps auricularis</i>	1850, 214	<i>Little Long-legged</i>	1851, 61
<i>calvus</i>	1858, 469	<i>Small-booted Brown</i>	1851, 61
<i>nubicus</i>	1853, 192	<i>Oxybelis kirtlandi</i>	1858, 159
<i>Otothrix hodgsoni</i>	1859, 101	<i>lecomptei</i>	1858, 159
<i>brachyotus</i>	1857, 212 1860, 384 1860, 442	<i>Oxyglossus lima</i>	1860, 116
		<i>Oxylophus afer</i>	1850, 219
		<i>glandarius</i>	1850, 219
		<i>jacobinus</i>	1850, 219

	Page		Page
<i>Oxylophus melanoleucus</i>	1858, 1859, 1850	476, 174, 219	
<i>serratus</i>	1860	221	
<i>Oxymycterus</i>	1848, 1855	14, 140	
<i>Oxypogon guerini</i>	1848, 1855, 1855	14, 140, 140	
<i>lindeni</i>	1848	14	
<i>paradisiae</i>	1855	140	
<i>paulinae</i>	1855	140	
<i>Oxyrhopus petolaris</i> ..	1859, 1859	{ 89, 414	
<i>plumbeus</i>	1859	414	
<i>praernatus</i>	1858	158	
<i>Oxyrhopus trigeminus</i> .	1859	477	
<i>Pachycephala griseiceps</i> .	1858	178	
<i>melanura</i>	1860	353	
<i>monacha</i>	1858	179	
<i>rufipennis</i>	1858	178	
<i>xanthetraea</i>	1859	162	
<i>xanthocnemis</i>	1860	353	
<i>Pachychilus cumingii</i> ..	1850	179	
<i>laevissima</i>	1850	179	
<i>Pachydactylus tristis</i> ..	1858, 1851, 1856	157, 46, 297	
<i>Pachyrhamphus aglaiae</i> }	1857, 1857, 1855	5, 74, 77	
<i>albogriseus</i>	1857, 1855	78, 77	
<i>atricapillus</i>	1857, 1857	67, 75	
<i>cinereus</i>	1857	75	
<i>cuvieri</i>	1857, 1857	{ 67, 75	
<i>dimidiatus</i>	1857	75	
<i>dorsocinereus</i>	1860	67	
<i>griseus</i>	1857, 1859	18, 142	
<i>homochrous</i>	1860, 1857	279, 74	
<i>latirostris</i>	1857, 1857	78, 204	
<i>major</i>	1858, 1859, 1856	97, 366, 298	
<i>marginatus</i>	1857, 1858, 1858	77, 71, 97	
<i>minor</i>	1857, 1855	73, 150	
<i>niger</i>	1857, 1851	72, 46	
<i>nigrescens</i>	1857	72	
<i>nigriventris</i>	1857	76	
<i>pectoralis</i>	1851, 1857	46, 18	
	1857	73	
<i>Pachyrhamphus pectoralis</i>	1859	142	
<i>polychropterus</i> ..	{ 1857, 1859	77, 56	
<i>roseicollis</i>	1857	73	
<i>rufescens</i>	1857	79	
<i>semifasciatus</i>	1851	46	
<i>spodiurus</i>	1860	{ 279, 296	
<i>squamatus</i>	1855	150	
<i>surinamus</i>	1857	74	
<i>validus</i>	{ 1851, 1857, 1855	46, 72, 150	
<i>versicolor</i>	{ 1857, 1858	76, 71	
<i>viridis</i>	1857	75	
<i>Pachyrhynchus aglaiae</i> ..	1857	74	
<i>albifrons</i>	1857	{ 75, 77	
<i>aterrimus</i>	1857	72	
<i>cayanus</i>	1857	70	
<i>cinerascens</i>	1857	72	
<i>cuvieri</i>	1857	75	
<i>leucogaster</i>	1857	75	
<i>marginatus</i>	1857	77	
<i>niger</i>	1857	76	
<i>pectoralis</i>	1857	73	
<i>polychropterus</i> ...	1857	77	
<i>rufescens</i>	1857	79	
<i>ruficeps</i>	1857	79	
<i>semifasciatus</i>	1857	70	
<i>spixii</i>	1857	77	
<i>squamatus</i>	1857	76	
<i>swainsoni</i>	1857	77	
<i>variegatus</i>	1857	77	
<i>Pachysoma aegyptiacum</i> .	1860	44	
<i>brevicaudatum</i>	1858	537	
<i>duvaucellii</i>	1860	44	
<i>gambianus</i>	1860	52	
<i>labiatus</i>	1860	55	
<i>macrocephala</i>	1860	50	
<i>marginatum</i>	1858	537	
<i>stramineum</i>	1860	44	
<i>whitei</i>	1860	50	
<i>Padda oryzivora</i>	1859	443	
<i>Pagrus bocagii</i>	1860	391	
<i>Paguma grayi</i>	1856	396	
<i>Pagurus bernhardi</i>	1859	433	
<i>prideauxii</i>	1859	432	
<i>Palæmon serratus</i>	1859	433	
	{ 1854, 1857	256, 99	
<i>Palæornis alexandri</i> ..	{ 1858, 1859, 1859	490, 151, 173	
<i>barbatus</i>	{ 1860, 1859	417, 151	

	Page		Page
<i>Palæornis bengalensis</i> ..	1854,	<i>Paludinella microspora</i> ..	1854,
<i>caniceps</i>	1859,		207
<i>cubicularis</i>	1850,	<i>Paludomus abbreviatus</i> {	1852,
	1857,		127
	1858,		88
	1859,	<i>acutus</i>	1852,
<i>cynocephalus</i> ... {	1859,		127
	1859,	<i>æreus</i>	1854,
	1859,		88
	1860,	<i>baccula</i>	1852,
<i>derbianus</i>	356		128
	1850,	<i>bacula</i>	1854,
<i>erythrogenys</i> ... {	245		88
	1850,		129
	1859,	<i>bicinctus</i>	1854,
<i>javanica</i>	436		88
	1850,		90
<i>longicauda</i>	246	<i>bifasciatus</i>	1854,
	1859,		88
<i>malaccensis</i>	453	<i>chilinoidea</i>	1854,
	1858,		88
<i>schisticeps</i>	491		89
	1859,	<i>clavatus</i>	1852,
	1850,		129
	1854,	<i>conicus</i>	1854,
	1857,		88
<i>torquatus</i>	99		129
	1858,	<i>constrictus</i>	1854,
	1859,		88
	1859,		90
	1860,	<i>cumingianus</i>	1857,
	1848,		124
<i>Palæotherium</i>	130		127
	1849,	<i>decussatus</i>	1854,
	1849,		88
<i>Palapteryx</i>	208		90
	209	<i>dilatatus</i>	1852,
<i>dromioides</i>	1848,		128
	1848,	<i>distinguentus</i>	1854,
<i>geranoides</i>	1		91
<i>gracilis</i>	1854,	<i>dromedarius</i>	1857,
	244		124
	1848,	<i>erinaceus</i>	1852,
	1850,		128
<i>ingens</i>	45	<i>fulguratus</i>	1857,
	1850,		123
	1850,	<i>globulosus</i>	1854,
	1850,		88
	1852,		90
<i>robustus</i>	11	<i>hanleyi</i>	1858,
	1854,		535
<i>struthioides</i>	244	<i>lævis</i>	1854,
<i>Pallénura javensis</i>	1854,		89
	285	<i>layardii</i>	1852,
<i>Paloplotherium</i>	1849,		128
	158	<i>loricatus</i>	1852,
<i>Palparia lambertella</i>	1849,		128
	105		125
<i>Paludina angularis</i>	1860,	<i>maurus</i>	1852,
	13		127
<i>bengalensis</i> , var. ..	1856,	<i>nasutus</i>	1854,
<i>ceylonica</i>	1857,		88
<i>cingulata</i>	1860,		90
<i>desnoyersii</i>	1854,	<i>paludinoidea</i> ... {	1854,
<i>fasciata</i>	1860,		88
<i>hamiltoni</i>	1851,		90
<i>inflata</i>	1851,	<i>palustris</i>	1854,
<i>japonica</i>	1860,		88
<i>oxytropis</i>	1860,		89
<i>polygramma</i>	1860,	<i>parvus</i>	1854,
<i>tricarinata</i>	1860,		90
<i>trochoides</i>	1860,	<i>phasianinus</i>	1852,
	12		127
<i>Paludinella edentula</i> ..	1854,	<i>phasianus</i>	1854,
<i>limnæana</i>	1854,		88
	206	<i>pictus</i>	1854,
	206		88
	206	<i>punctatus</i>	1852,
	206		127
	206	<i>pyriformis</i>	1854,
	206		88
	206	<i>rudis</i>	1858,
	206		536
	206		126
	206		88

	Page		Page
<i>Paludomus skinneri</i>	1857,	<i>Papilio plautilla</i>	1858,
<i>solidus</i>	1857,	<i>sulpitia</i>	1858,
<i>sphæricus</i>	1857,	<i>telamon</i>	1852,
<i>spiralis</i>	1854,	<i>telearchus</i>	1859,
<i>stephanus</i>	1854,	<i>venilia</i>	1858,
<i>sulcatus</i>	1857,	<i>victoriæ</i>	1856,
<i>swainsoni</i>	1857,	(<i>Ornithoptera</i>) <i>cree-</i>	
<i>torrenticola</i>	1858,	<i>sus</i>	1859,
<i>trifasciatus</i>	1852,	<i>Papio ocreatus</i>	1860,
<i>Palumbus torquatus</i>	1858,	<i>Paractis viduata</i>	1858,
<i>Pandion</i>	1851,	<i>Paradigalla carunculata</i>	1857,
<i>haliaëtus</i>	1859,		1858,
<i>humilis</i>	1854,	<i>Paradisea apoda</i>	1858,
<i>ichthyaëtus</i>	1854,	<i>bartlettii</i>	1860,
<i>Pandora claviculata</i>	1855,	<i>papuana</i>	1859,
<i>punctata</i>	1855,	<i>regia</i>	1858,
<i>wardiana</i>	1859,	<i>wallacei</i>	1859,
<i>Panolia acuticornis</i>	1850,	<i>wallaciana</i>	1858,
<i>eedii</i>	1850,	(<i>Semioptera</i>) <i>wal-</i>	
<i>platyceros</i>	1850,	<i>lacei</i>	1860,
<i>Panopæa abbreviata</i>	1855,	<i>Paradoxurus aureus</i>	1860,
<i>aldrovandi</i>	1855,	<i>grayi</i>	1856,
<i>antarctica</i>	1855,	<i>hermaphrodita</i>	1858,
<i>australis</i>	1855,	<i>musanga</i>	1860,
<i>generosa</i>	1855,	<i>nipalensis</i>	1856,
<i>intermedia</i>	1855,	<i>quadriscruptus</i>	1853,
<i>japonica</i>	1849,	<i>strictus</i>	1856,
<i>middendorffii</i>	1855,		1849,
<i>natalensis</i>	1855,	<i>typus</i>	1849,
<i>norvegica</i>	1855,		1859,
<i>solandri</i>	1855,	<i>zeylanicus</i>	1860,
<i>zelandica</i>	1855,	<i>Parapholas acuminata</i>	1856,
<i>Panoplites flavescens</i>	1855,	<i>bisulcata</i>	1856,
<i>mathewsii</i>	1859,	<i>californica</i>	1856,
<i>Panthalops hodgsoni</i>	1856,	<i>penita</i>	1856,
<i>Pantholops hodgsoni</i>	1858,	<i>Parasia carlinella</i>	1854,
<i>Pantoporia nefte</i>	1858,	<i>Pardalotus maculatus</i>	1859,
<i>Papilio aceris</i>	1858,	<i>Parias maculata</i>	1860,
<i>actorion</i>	1848,	<i>Parmophorus australis</i>	1851,
<i>calisto</i>	1858,	<i>breviculus</i>	1851,
<i>columella</i>	1858,	<i>corrugatus</i>	1851,
<i>heliodora</i>	1858,	<i>elongatus</i>	1851,
<i>heliodore</i>	1858,	<i>gibbosus</i>	1851,
<i>hordonia</i>	1858,	<i>granulatus</i>	1851,
<i>janaka</i>	1857,	<i>imbricatus</i>	1851,
<i>leucothoë</i>	1858,	<i>intermedius</i>	1851,
<i>nefte</i>	1858,	<i>tumidus</i>	1851,
<i>noctis</i>	1859,	<i>Paroaria cucullata</i>	1859,
<i>pandarus</i>	1858,	<i>Paroides flammiceps</i>	1859,
<i>paradoxa</i>	1859,	<i>Parolomis granulosa</i>	1856,
<i>pipleis</i>	1858,	<i>Parra africana</i>	1860,
		<i>brasiliensis</i>	1856,
		<i>cordifera</i>	1856,

	Page		Page
<i>Parra gallinacea</i>	1860, 365	<i>Parus carolinensis</i>	1856, 293
	{ 1856, 283	<i>caudatus</i>	{ 1857, 215
	{ 1857, 206	<i>cinereus</i>	{ 1858, 479
<i>gymnostoma</i>	{ 1858, 360	<i>dichrous</i>	{ 1859, 176
	{ 1859, 64	<i>erythropis</i>	{ 1858, 480
	{ 1859, 393	<i>leucotis</i>	{ 1858, 299
	{ 1856, 143	<i>melanolophos</i>	{ 1855, 65
<i>hypomelaena</i>	{ 1856, 283	<i>melanolophus</i>	{ 1856, 292
	{ 1857, 20	<i>melanotus</i>	{ 1858, 479
<i>intermedia</i>	{ 1856, 282	<i>meridionalis</i>	{ 1859, 176
	{ 1856, 282	<i>palustris</i>	{ 1858, 299
<i>jacana</i>	{ 1856, 282	<i>rufomuchalis</i>	{ 1856, 293
	{ 1860, 290	<i>xanthogenys</i>	{ 1857, 81
<i>jassana</i>	{ 1856, 282	<i>zonarius</i>	{ 1858, 299
<i>melanopygia</i>	{ 1856, 283	<i>domesticus</i>	{ 1859, 363
<i>nigra</i>	{ 1856, 282	<i>indica</i>	{ 1857, 215
<i>sinensis</i>	{ 1859, 188	<i>indicus</i>	{ 1859, 177
<i>variabilis</i>	{ 1856, 282	<i>montanus</i>	{ 1858, 479
<i>Parthenia crenata</i>	1853, 179	<i>simplex</i>	{ 1856, 481
<i>elegantissima</i>	1853, 179	<i>Passerculus alaudinus</i> ..	{ 1859, 177
<i>turritella</i>	1853, 180	<i>domesticus</i>	{ 1859, 177
<i>Partula alabastrina</i>	1856, 390	<i>indica</i>	{ 1857, 96
<i>callifera</i>	1856, 333	<i>indicus</i>	{ 1858, 481
<i>dentifera</i>	1852, 85	<i>montanus</i>	{ 1859, 443
<i>filosa</i>	1851, 262	<i>simplex</i>	{ 1860, 417
<i>glutinosa</i>	1852, 85	<i>zonarius</i>	{ 1856, 218
<i>laevigata</i>	1856, 334	<i>Passer cinnamomeus</i> ..	{ 1856, 305
<i>lilacina</i>	1856, 334	<i>domesticus</i>	{ 1858, 303
<i>macgillivrayi</i>	1855, 97	<i>geospizopsis</i>	{ 1855, 160
<i>mastersi</i>	1857, 110	<i>lincolni</i>	{ 1856, 306
<i>micans</i>	1852, 138	<i>zonarius</i>	{ 1858, 303
<i>minuta</i>	1856, 384	<i>domesticus</i>	{ 1859, 365
<i>mucida</i>	1855, 98	<i>lincolni</i>	{ 1856, 305
<i>nitens</i>	1854, 293	<i>zonarius</i>	{ 1857, 82
<i>nodosa</i>	1851, 262	<i>domesticus</i>	{ 1858, 303
<i>pacifica</i>	1854, 125	<i>Passerita mycterizans</i> ..	{ 1858, 383
<i>purpurascens</i>	1856, 333	<i>Pastor fuscus</i>	{ 1859, 455
<i>pusilla</i>	1855, 1	<i>mahrattensis</i>	{ 1855, 40
<i>reeveana</i>	1852, 138	<i>malayensis</i>	{ 1859, 445
<i>repanda</i>	1855, 98	<i>musicus</i>	{ 1859, 445
<i>salomonis</i>	1852, 137	<i>nigrocinctus</i>	{ 1857, 6
<i>stenostoma</i>	1855, 97	<i>roseus</i>	{ 1854, 158
<i>strigosa</i>	1856, 384	<i>tristis</i>	{ 1855, 40
<i>suturalis</i>	1855, 98	<i>tristis</i>	{ 1858, 481
<i>turneri</i>	1860, 140	<i>tristis</i>	{ 1854, 144
<i>Parula americana</i>	1858, 299	<i>Patagona gigas</i>	{ 1858, 555
	{ 1859, 137	<i>antiquata</i>	{ 1860, 81
<i>brasiliانا</i>	{ 1860, 84	<i>Patella ambigua</i>	{ 1851, 221
	{ 1860, 273	<i>antiquata</i>	{ 1856, 3
	{ 1860, 291	<i>auriculata</i>	{ 1856, 168
<i>mexicana</i>	{ 1855, 75	<i>australis</i>	{ 1856, 3
	{ 1858, 299	<i>cinis</i>	{ 1856, 221
	{ 1858, 299	<i>cornea</i>	{ 1853, 86
<i>superciliosa</i>	{ 1859, 373	<i>crystallina</i>	{ 1851, 82
<i>Parulus ruficeps</i>	1856, 98	<i>cumingii</i>	{ 1856, 221
<i>Parus annexus</i>	1858, 299	<i>diaphana</i>	{ 1856, 221
	{ 1856, 293	<i>elongata</i>	{ 1851, 221
<i>atricapillus</i>	{ 1857, 81		
<i>ceruleus</i>	1857, 215		

	Page		Page
<i>Patella fenestrata</i>	1856,	<i>Pelagia cyanella</i>	1851,
<i>fissura</i>	1851,	<i>Pelamys sarda</i>	1850,
<i>fissurata</i>	1851,		1859,
<i>fissurella</i>	1851,	<i>Pelecanoides berardi</i> ..	1860,
<i>fluviatilis</i>	1853,		1857,
<i>lacustris</i>	1853,	<i>Pelecanus conspicillatus</i> .	1849,
<i>leucophæa</i>	1856,	<i>crispus</i>	1860,
<i>mammillata</i>	1856,	<i>dimidiatus</i>	1858,
<i>monticola</i>	1856,		1859,
<i>noachina</i>	1851,	<i>fiber</i>	1860,
<i>notata</i>	1851,		1858,
<i>nuttalliana</i>	1856,	<i>javanicus</i>	1860,
<i>oblonga</i>	1853,	<i>onocrotalus</i>	1859,
<i>ocoradiata</i>	1851,	<i>philippinus</i>	1859,
<i>oregona</i>	1856,	<i>plotus</i>	1850,
<i>picolissima</i>	1853,	<i>rufescens</i>	1858,
<i>pileata</i>	1856,		1858,
<i>sandwicensis</i>	1860,	<i>Pelias berus</i>	1860,
<i>scabra</i>	1856,		1850,
<i>scurra</i>	1856,	<i>Pelidna minuta</i>	1850,
<i>spectrum</i>	1856,	<i>subarquata</i>	1850,
<i>strigillata</i>	1856,		1858,
<i>tenuilirata</i>	1855,	<i>Pelobates cultripes</i> ...	1858,
<i>tessellata</i>	1856,		1858,
<i>toreuma</i>	1855,	<i>fuscus</i>	1858,
<i>tricostata</i>	1851,	<i>Pelodytes punctatus</i> ...	1858,
<i>umbonata</i>	1856,	<i>Pendulinus chrysocephalus</i>	1857,
<i>unguis</i>	1851,	<i>lus</i>	1857,
<i>verriculata</i>	1856,	<i>dominicensis</i>	1857,
<i>Patelloida depicta</i>	1856,	<i>flavigaster</i>	1857,
	1855,	<i>hypomelas</i>	1857,
<i>Pavo cristatus</i>	1858,	<i>Penellus blainvillii</i> ...	1858,
	1860,	<i>Penelope aburri</i>	1857,
<i>muticus</i>	1860,	<i>boliviana</i>	1860,
<i>nigripennis</i>	1860,	<i>brasiliensis</i>	1860,
<i>Pavonaria scirpea</i>	1857,	<i>bridgesi</i>	1860,
<i>Paxillus minor</i>	1852,	<i>cristata</i>	1860,
<i>Peasia inconspicua</i> ...	1860,	<i>guttata</i>	1858,
<i>irrorata</i>	1860,		1860,
<i>maculata</i>	1860,	<i>jacucaca</i>	1860,
<i>reticulata</i>	1860,		1860,
<i>tentaculata</i>	1860,	<i>jacupeba</i>	1860,
<i>Pecten latiauratus</i> ...	1856,	<i>jacupema</i>	1860,
<i>monotimeris</i>	1856,	<i>jacupemba</i>	1860,
<i>varius</i>	1859,	<i>lichtensteinii</i>	1860,
<i>Pectinator spekii</i>	1859,	<i>marail</i>	1860,
<i>Pectunculus flammeus</i> ..	1856,	<i>montana</i>	1860,
<i>grayanus</i>	1856,	<i>niger</i>	1850,
<i>Pedicularia sicula</i>	1853,	<i>nigra</i>	1860,
<i>Pedipes adansonii</i>	1854,	<i>nigricapilla</i>	1860,
	1854,	<i>obscura</i>	1860,
<i>afra</i>	1854,	<i>pileata</i>	1860,
	1854,		1855,
<i>angulata</i>	1854,	<i>pipile</i>	1858,
<i>globulus</i>	1854,		1859,
<i>ovalis</i>	1854,		1859,
<i>quadridens</i>	1854,	<i>purpurascens</i>	1859,
<i>sandwicensis</i>	1860,		1860,
<i>tridens</i>	1854,		1860,

	Page		Page
<i>Penelope purpurascens</i>	1860,		269
<i>ruficeps</i>	1860,		289
<i>sclateri</i>	1860,		270
<i>superciliosa</i>	1860,		271
			272
<i>Penicillus ambiguus</i>	1858,		311
<i>aquarius</i>	1857,		244
	1858,		312
<i>javanus</i>	1858,		311
<i>mirabilis</i>	1857,		288
<i>radix</i>	1858,		312
<i>Penitella wilsoni</i>	1856,		209
	1853,		21
<i>Pentastoma annulatum</i>	1853,		86
	1857,		115
<i>megacephalum</i>	1853,		21
<i>Penthopthera nigricans</i>	1854,		220
<i>Pentonyx gambonensis</i>	1858,		166
<i>Perameles (Echimipera)</i> <i>doreyanus</i>	1858,		113
			435
<i>Perca fluviatilis</i>	1859,		477
			504
<i>Perdicula asiatica</i>	1858,		12
	1857,		12
<i>Perdix cinerea</i>	1860,		258
<i>coturnix</i>	1851,		142
<i>hodgsoniæ</i>	1859,		185
<i>hodgsoni</i>	1858,		503
<i>indica</i>	1850,		220
<i>picta</i>	1855,		30
<i>reticulata</i>	1859,		492
<i>rubra</i>	1851,		142
	1857,		12
	1860,		258
<i>Perga eucalypti</i>	1859,		211
	1858,		494
<i>Pericrocotus flammeus</i>	1859,		182
	1860,		354
<i>peregrinus</i>	1858,		494
<i>speciosus</i>	1854,		271
	1857,		89
<i>Periops parallelus</i>	1858,		162
	1855,		229
<i>Periploma argentaria</i>	1856,		211
<i>excurva</i>	1855,		229
<i>leana</i>	1855,		229
<i>papyracea</i>	1855,		229
<i>planiuscula</i>	1856,		211
<i>Periporphyrus atropur-</i> <i>puratus</i>	1856,		65
<i>erythromelas</i>	1856,		65
<i>Peristedion cataphrac-</i> <i>tum</i>	1859,		105
<i>chabrontera</i>	1859,		105
<i>malamart</i>	1859,		105
<i>orientale</i>	1859,		105
<i>Peristera albifacies</i>	1858,		98
<i>brachyptera</i>	1858,		99
			1856,
			309
<i>Peristera cinerea</i>	1859,		61
	1859,		391
<i>melanoptera</i>	1860,		82
<i>mexicana</i>	1858,		98
			99
<i>Peristernia nodulosa</i>	1854,		313
<i>stigmataria</i>	1854,		313
<i>Peristethus brevifurcatus</i>	1859,		107
<i>cataphractus</i>	1859,		105
<i>gigas</i>	1859,		106
<i>orientalis</i>	1859,		105
<i>rieffeli</i>	1859,		106
<i>Perna costellata</i>	1856,		219
<i>Pernis apivorus</i>	1860,		416
<i>cristatus</i>	1854,		4
<i>Persona tuberosa</i>	1858,		145
<i>Petalocerus bellianus</i>	1856,		134
<i>Petalocnchus cereus</i>	1856,		316
<i>cochlidium</i>	1856,		314
<i>flavescens</i>	1856,		314
			226
<i>macrophragma</i>	1856,		313
<i>nerinæoides</i>	1856,		316
<i>octosectus</i>	1856,		317
<i>renisectus</i>	1856,		315
<i>varians</i>	1856,		315
<i>woodwardii</i>	1856,		316
<i>Petasophora cyanotis</i>	1855,		139
	1859,		145
<i>delphinæ</i>	1855,		139
	1858,		450
	1858,		459
	1858,		555
<i>iolata</i>	1859,		145
	1860,		81
	1860,		94
	1858,		297
<i>thalassina</i>	1859,		367
	1859,		386
<i>Petaurus sciureus</i>	1858,		109
<i>Petitia adamsiana</i>	1857,		168
			185
<i>anthoniana</i>	1857,		168
			184
<i>carpenteriana</i>	1857,		169
			187
<i>cumingiana</i>	1857,		168
			184
<i>fortuneana</i>	1857,		168
			185
<i>grevilleana</i>	1857,		169
			187
<i>petitiana</i>	1857,		168
			184
<i>stevensiana</i>	1857,		168
			184
<i>stokesiana</i>	1857,		169

	Page		Page
<i>Petitia stokesiana</i>	1857,	<i>Petromyzon maximus</i> ..	1851, 236
<i>stricklandiana</i>	1857,	<i>mordax</i>	1851, 240
<i>tayloriana</i>	1857,	<i>niger</i>	1851, 240
(? <i>Lewisia</i>) <i>bar-</i>	1857,	<i>nigricans</i>	1851, 237
<i>roniana</i>	1857,	<i>plumbeus</i>	1851, 240
<i>Petricola arcuata</i>	1856,	<i>sanguisuga</i>	1851, 238
<i>bulbosa</i>	1856,	<i>septecil</i>	1851, 240
<i>californica</i>	1856,	<i>tridentatus</i>	1851, 240
<i>carditoides</i>	1856,	<i>Petrophassa albipennis</i> .	1857, 27
<i>cordieri</i>	1856,	<i>Peucea bachmanni</i>	1857, 7
<i>cylindracea</i>	1856,	<i>lincolni</i>	1857, 82
<i>robusta</i>	1856,	<i>ruficeps</i>	1859, 380
<i>sinuosa</i>	1856,	<i>Pezites brevirostris</i> . . .	1858, 455
<i>Petrochelidon bicolor</i> . . .	1857,	<i>Pfeifferia micans</i>	1853, 110
<i>cyanoleuca</i>	1859,	<i>Phacochoerus aethiopi-</i>	1850, 78
<i>fulva</i>	1858,	<i>cus</i>	1860, 443
<i>lunifrons</i>	1858,	<i>pallasi</i>	1851, 63
<i>murina</i>	1860,	<i>Phaedinus xanthomelas</i> .	1856, 408
<i>swainsoni</i>	1860,	<i>Phaenodon ringens</i>	1850, 251
<i>Petrocincla affinis</i>	1859,	<i>Phaëlaema aequatorialis</i>	1860, 70
<i>cyanea</i>	1858,	<i>rubinoides</i>	1859, 145
<i>longirostris</i>	1859,	<i>Phaëthon aethereus</i> . . .	1856, 144
<i>Petrodroma mexicana</i>	1855,	<i>candidus</i>	1856, 144
<i>Petrogale lateralis</i>	1854,	<i>flavirostris</i>	1856, 144
<i>penicillata</i>	1859,	<i>phœnicurus</i>	1856, 144
<i>penicillatus</i>	1860,	<i>Phaëthornis adolphi</i> . . .	1856, 287
<i>xanthopus</i>	1854,	<i>anthophilus</i>	1859, 367
<i>Petroica cerviniventris</i> . . .	1857,	<i>emiliae</i>	1859, 385
<i>hypoleuca</i>	1859,	<i>episcopus</i>	1855, 139
<i>Petromyzon</i> —	1851,	<i>eremita</i>	1857, 14
<i>americanus</i>	1851,	<i>griseogularis</i>	1851, 115
<i>appendix</i>	1851,	<i>guy</i>	1855, 139
<i>argenteus</i>	1851,	<i>guyi</i>	1859, 145
<i>bicolor</i>	1851,	<i>longirostris</i>	1855, 139
<i>branchialis</i>	1851,	<i>moorii</i>	1857, 227
<i>cæcus</i>	1851,	<i>obscura</i>	1860, 296
<i>fluviatilis</i>	1851,	<i>obscura</i>	1857, 14
<i>jurae</i>	1859,	<i>pygmæus</i>	1857, 14
<i>lamproie</i>	1851,	<i>striigularis</i>	1854, 111
<i>maculosus</i>	1851,	<i>superciliosus</i>	1855, 139
<i>marinus</i>	1851,	<i>symmatophorus</i>	1854, 111
	237	<i>viridicaudata</i>	1859, 145
	237	<i>yaraqui</i>	1857, 14
	237	<i>zonura</i>	1860, 94
	237	<i>Phainopepla nitens</i>	1860, 305
	237	<i>Phalacrocorax caruncu-</i>	1858, 543
	237	<i>latus</i>	1860, 391
	237	<i>cirrhatus</i>	1860, 391
	237	<i>erythrops</i>	1860, 391
	237	<i>flavirostris</i>	1860, 366
	237	<i>imperialis</i>	1860, 391
	237	<i>magellanicus</i>	1860, 391
	237	<i>melanoleucus</i>	1860, 366

	Page		Page
Phalacrocorax mexi-	1857,	Pharomacrus antisianus.	1858,
canus	65		60
Phalæna atlas	1849,	auriceps	{ 1858, 60
brachyura	33		{ 1859, 144
capensis	1849,	mocinno	{ 1860, 93
cynthia	44		{ 1856, 139
guineensis	1859,	paradiseus	{ 1859, 52
— flava perele-	1849,		{ 1860, 374
gans	45	Phascogale (Antechinus)	
maxima	1849,	melas	1858, 106
	37	Phasianella compta ...	1856, 204
paphia	{ 1849,	leucostigma	{ 1851, 171
	45		{ 1857, 81
ricini	{ 1859,	Phasianus colchicus ..	{ 1860, 1
	247		{ 1860, 258
tyrreha	1849,	impeyanus	{ 1860, 373
(Attacus) alinda ..	51		{ 1857, 215
(—) atlas	1859,	torquatus	{ 1859, 212
(—) cynthia ...	265		{ 1860, 415
(—) epimethea ..	267	Phauda mahisa	1859, 200
(—) fenestrata ..	1849,	Pheasants, Hybrid ...	1851, 62
(—) jana	50	Phenilia sanguinolenta .	1859, 482
(—) lucina	1859,	Phœcticus aureiventris .	1855, 154
(—) luna	246	aureiventris	1858, 551
(—) mylitta ...	1859,		{ 1858, 450
(—) paphia ...	256	chrysogaster	{ 1858, 454
(—) perspicua ..	261		{ 1858, 551
(—) phædusa ..	1849,		{ 1860, 87
(Bombyx) mori ...	51	Philene aperta	1854, 95
Phalænopsis jardinii ..	1859,	orientalis	1854, 94
minutissima	237	schroeteri	1854, 95
Phalangista alba	1855, 134	Philentoma cyanocephala	
cavifrons	1858,	la	1858, 177
chrysorrhos	104	velatum	1854, 270
fuliginosa	1858,	Philetærus nitens	1850, 218
maculata	101	Philinopsis nigra	1860, 22
nudicaudata ...	432	speciosa	1860, 21
orientalis	1858,	Philippia layardii	1854, 317
papuensis	103	oxytropis	1854, 317
quoyi	{ 1849,	Philodryas goudotii ...	1858, 380
rufa	110	miniatus	1858, 350
ursina	1858,	viridissimus	1860, 417
vulpina	104	Philomachus pugnax ..	1858, 506
	{ 1859,	Philomedes longicornis .	1860, { 200
	433	olivaceus	{ 203, 200
	1860,	Philopotamis regalis ...	1854, { 88
	372	sulcatus	{ 88, 93
	415	thwaitesii	{ 88, 93
Phalangium listeri ...	1849,	Phlegoenas stairi	1856, 7
Phalaropus hyperboreus.	1860,	Phlogophilus hemileucu-	
Phalcobænus caruncula-	81	rus	1860, 310
tus	1860,	Phlogopsis erythropterus	1858, 276
Phalium erinaceum ...	229	nigromaculatus ...	1858, 276
glaucum	1851,	Phoca barbata	1849, 93
Phallanna horsfieldi ...	229	californica	1859, 359
polymena	1859,		
polymena	200		
Phalus testaceus	1859,		
Phaps histrionica	200		
Pharomacrus antisianus .	1858,		
	311		
	1857,		
	27		
	1860,		
	70		

	Page		Page
<i>Phoca parva</i>	1859, 107	<i>Pholas calva</i>	1849, 162
<i>pusilla</i>	1859, 107	<i>concamerata</i>	1856, 210
<i>ursina</i>	1859, 102	<i>constricta</i>	1849, 161
<i>vitulina</i>	1860, 416	<i>fragilis</i>	1849, 161
<i>Phœbe concinna</i>	1856, 403	<i>inci</i>	1849, 161
<i>Phœnicophaus crawfordii</i>	1859, 458	<i>janellii</i>	1856, 209
<i>curvirostris</i>	1859, 458	<i>laqueata</i>	1849, 161
<i>javanicus</i>	1859, 458	<i>latissima</i>	1849, 162
<i>viridirostris</i>	1859, 458	<i>manillæ</i>	1849, 161
<i>Phœnicophilus palmarum</i>	1856, 84	<i>multistriata</i>	1849, 162
<i>poliocephalus</i>	1857, 232	<i>ovoidea</i>	1856, 198
<i>Phœnicopterus antiquorum</i>	1849, 94	<i>penita</i>	1856, 210
<i>erythræus?</i>	1859, 436	<i>spathulata</i>	1849, 162
<i>roseus</i>	1858, 509	<i>terediniformis</i>	1849, 161
<i>ruber</i>	1857, 236	<i>tubifer</i>	1849, 162
<i>Phœnicornis peregrinus</i>	1854, 48	<i>Pholeoptynx cunicularia</i>	1860, 96
<i>Phœnicothraupis erythrolaimus</i>	1856, 120	<i>hypogœa</i>	1859, 368
<i>gutturalis</i>	1855, 156	<i>Pholidus badius</i>	1854, 263
<i>rubica</i>	1856, 119	<i>Phonipara canora</i>	1855, 159
<i>rubicoides</i>	1856, 120	<i>gutturalis</i>	1855, 160
<i>rubra</i>	1856, 303	<i>olivacea</i>	1855, 159
<i>rubra</i>	1859, 58	<i>pusilla</i>	1856, 304
<i>rubra</i>	1859, 364	<i>pusilla</i>	1859, 365
<i>rubra</i>	1859, 377	<i>pusilla</i>	1859, 379
<i>rubra</i>	1856, 120	<i>Phorcus californicus</i>	1851, 157
<i>Phœnicura albifrons</i>	1854, 25	<i>carneus</i>	1851, 156
<i>atrata</i>	1854, 26	<i>cruciatus</i>	1851, 156
<i>cæruleocephala</i>	1854, 29	<i>dentatus</i>	1851, 156
<i>frontalis</i>	1854, 29	<i>fuscescens</i>	1851, 157
<i>fuliginosa</i>	1854, 29	<i>granifer</i>	1851, 157
<i>leucocephala</i>	1854, 30	<i>liratus</i>	1851, 157
<i>leucoptera</i>	1854, 28	<i>margarita</i>	1851, 189
<i>lineoventris</i>	1854, 30	<i>melaleucos</i>	1851, 156
<i>muraria</i>	1854, 25	<i>modestus</i>	1851, 156
<i>nipalensis</i>	1854, 26	<i>nodicinctus</i>	1851, 157
<i>plumbea</i>	1854, 30	<i>occutus</i>	1851, 156
<i>reevesii</i>	1854, 26	<i>quadricarinatus</i>	1851, 156
<i>reevesii</i>	1854, 28	<i>quadricostatus</i>	1851, 156
<i>rubricauda</i>	1854, 30	<i>scalaris</i>	1851, 156
<i>ruticilla</i>	1854, 25	<i>semigranosus</i>	1851, 157
<i>schisticeps</i>	1854, 29	<i>umbilicaris</i>	1851, 156
<i>Phœnisoma æstiva</i>	1856, 123	<i>variegatus</i>	1851, 156
<i>ardens</i>	1855, 156	<i>Phos articulatus</i>	1850, 153
<i>azaræ</i>	1856, 124	<i>biplicatus</i>	1856, 166
<i>bidentatum</i>	1856, 126	<i>blainvillii</i>	1850, 153
<i>bivittatum</i>	1856, 126	<i>blainvillii</i>	1850, 154
<i>hepatica</i>	1856, 124	<i>cancellatus</i>	1850, 153
<i>rubra</i>	1856, 123	<i>crassus</i>	1850, 153
<i>Pholadidea melanura</i>	1856, 209	<i>cumingii</i>	1850, 153
<i>ovoidea</i>	1856, 198	<i>cyanoostoma</i>	1850, 155
<i>Pholadopsis pectinata</i>	1856, 209	<i>cyllenoides</i>	1850, 155
<i>Pholas aperta</i>	1849, 161	<i>fasciatus</i>	1853, 175
<i>californica</i>	1856, 209	<i>filosus</i>	1853, 175
		<i>gaudens</i>	1850, 153
		<i>lævigatus</i>	1850, 155
		<i>ligatus</i>	1853, 175

	Page		Page
<i>Phos nodicostatus</i>	1850,	154	
<i>plicatus</i>	1853,	175	
<i>retecosus</i>	1850,	153	
<i>roseatus</i>	1850,	153	
<i>rufocinctus</i>	1850,	154	
<i>scaliarioides</i>	1850,	154	
<i>senticosus</i>	1850,	153	
<i>spinicostatus</i>	1850,	154	
<i>textilis</i>	1850,	154	
<i>turritus</i>	1850,	154	
<i>veraguensis</i>	1850,	153	
<i>virgatus</i>	1850,	153	
<i>Photina cærulescens</i>	1851,	191	
<i>expansa</i>	1851,	191	
<i>fusca</i>	1851,	192	
<i>lineata</i>	1851,	192	
<i>nigra</i>	1851,	192	
<i>sandwichiana</i>	1851,	192	
<i>sigaretina</i>	1851,	191	
<i>tæniata</i>	1851,	191	
<i>violacea</i>	1851,	192	
<i>Phractogonus galeatus</i>	1858,	167	
<i>Phrygilus alaudinus</i>	{ 1858,	552	
	{ 1860,	87	
<i>geospizopsis</i>	1855,	160	
<i>melanoderus</i>	1860,	385	
	{ 1858,	450	
	{ 1858,	454	
<i>ocularis</i>	{ 1858,	552	
	{ 1860,	87	
	{ 1856,	306	
<i>unicolor</i>	{ 1860,	76	
<i>xanthogrammus</i>	1860,	385	
<i>Phryniscus cruciger</i>	1858,	343	
<i>lævis</i>	1858,	343	
<i>nigricans</i>	1858,	343	
	{ 161		
<i>Phrynocephalus tickelii</i>	1860,	{ 167	
		{ 173	
<i>Phrynorhamphus capensis</i>	1851,	52	
<i>Phursa jarai</i>	1856,	405	
<i>Phycis furcatus</i>	1850,	252	
<i>mediterraneus</i>	1850,	252	
<i>Phygidium (Trichomycterus) dispar</i>	1859,	90	
<i>Phyllomanes mystacalis</i>	1855,	84	
<i>Phyllorhina aurita</i>	1859,	76	
<i>bicolor</i>	1859,	76	
<i>bifer</i>	1858,	108	
<i>caffra</i>	1859,	76	
<i>cervina</i>	1859,	{ 77	
<i>insignis</i>	1859,	76	
<i>labuanensis</i>	{ 1858,	537	
	{ 1859,	76	
<i>nobilis</i>	1859,	76	
<i>speoris</i>	1858,	537	
<i>Phyllorhina speoris</i>	1859,	76	
<i>Phyllornis cochinchinensis</i>	1854,	280	
<i>cyanopogon</i>	1854,	280	
<i>icterocephala</i>	1854,	281	
<i>javensis</i>	1854,	280	
<i>malabaricus</i>	1854,	280	
<i>moluccensis</i>	1854,	280	
<i>mystacalis</i>	1854,	280	
<i>Phylloscopus lugubris</i>	1859,	182	
<i>nitidus</i>	1858,	493	
<i>tristis</i>	{ 1858,	493	
	{ 1859,	182	
<i>trochilus</i>	{ 1850,	216	
	{ 1858,	493	
<i>Phyllostoma hastatum</i>	1858,	547	
<i>lilium</i>	1860,	212	
<i>pusillum</i>	1860,	260	
<i>rotundatum</i>	1848,	58	
(<i>Aretibeus</i>) <i>lilium</i>	1860,	212	
<i>Phymasterna leucostictica</i>	1858,	402	
<i>senilis</i>	1858,	402	
<i>Physa elata</i>	1856,	203	
<i>salleana</i>	1853,	53	
<i>Physalus antiquorum</i>	1856,	195	
<i>boops</i>	1856,	195	
<i>Physocorax moneduloides</i>	1859,	163	
<i>Phytotoma tridactyla</i>	1859,	396	
	{ 1854,	115	
<i>Piaya cayana</i>	{ 1856,	308	
	{ 1860,	285	
<i>circe</i>	1860,	285	
<i>macrura</i>	1860,	285	
	{ 1858,	75	
	{ 1858,	460	
<i>mehleri</i>	{ 1859,	146	
	{ 1860,	95	
	{ 1860,	285	
	{ 1856,	308	
	{ 1858,	359	
<i>mexicana</i>	{ 1859,	60	
	{ 1859,	368	
	{ 1855,	285	
<i>nigricrissa</i>	1860,	297	
	{ 1855,	285	
<i>rutila</i>	1860,	297	
	{ 1859,	368	
<i>thermophila</i>	{ 1860,	285	
<i>viridirostris</i>	1856,	308	
<i>Pica albicollis</i>	1850,	86	
<i>bactriana</i>	1859,	172	
<i>bottanensis</i>	1858,	479	
<i>bullockii</i>	{ 1850,	84	
	{ 1859,	381	
<i>cinerea</i>	1859,	162	
<i>collicei</i>	1850,	84	
<i>cyanea</i>	1850,	85	

	Page		Page
<i>Pica erythrorhyncha</i> ...	1858, 479	<i>Picus major</i>	} 1857, 215
<i>formosa</i>	{ 1850, 84		
<i>megaloptera</i>	{ 1859, 381		
<i>melanocephalos</i> ...	1858, 479		
<i>miles</i>	1850, 85		
<i>pyrrhoptera</i>	1850, 84		
<i>stridens</i>	1860, 355		
<i>tibetana</i>	1850, 82		
	{ 1858, 479		
	{ 1859, 172		
	{ 1856, 289		
<i>Picolaptes affinis</i>	{ 1859, 365		
<i>albolineatus</i>	{ 1859, 381		
<i>cinnamomeus</i>	1858, 63		
	{ 1855, 142		
<i>lacrymiger</i>	{ 1859, 140		
	{ 1860, 88		
<i>leucogaster</i>	1858, 297		
<i>lineaticeps</i>	1860, 252		
<i>souleyetii</i>	{ 278		
	{ 293		
<i>Picumnus granadensis</i> ..	1860, { 95		
<i>granadensis</i>	{ 287		
<i>olivaceus</i>	1855, 162		
<i>squamulatus</i>	1855, 162		
<i>Picus æruginosus</i>	1856, 307		
<i>badioides</i>	1859, 60		
<i>badius</i>	1859, 457		
<i>brachyurus</i>	1859, 457		
<i>cafer</i>	1859, 399		
<i>callonotus</i>	1860, 286		
<i>cancellatus</i>	1856, 308		
<i>castaneus</i>	1858, 359		
<i>concretus</i>	1859, 455		
<i>crawfordii</i>	1859, 456		
<i>gairdneri</i>	1859, 236		
<i>gardineri</i>	1857, 127		
<i>guayaquilensis</i> ...	1860, 286		
<i>gularis</i>	1859, 456		
<i>harrisi</i>	{ 1857, 127		
	{ 1858, 3		
<i>hartlaubii</i>	1859, 445		
<i>himalayanus</i>	{ 1858, 475		
	{ 1859, 173		
<i>horsfieldii</i>	1859, 455		
<i>imperialis</i>	1856, 63		
	{ 1856, 308		
	{ 1857, 214		
<i>jardinii</i>	{ 1858, 359		
	{ 1859, 367		
	{ 1859, 388		
<i>javensis</i>	1859, 455		
<i>labarum</i>	1859, 456		
<i>leucogaster</i>	1859, 455		
<i>mackloti</i>	1859, 455		
<i>mahrattensis</i>	1858, 475		
	{ 1856, 307		
	{ 1857, 127		
	{ 1858, 3		
<i>oleaginus</i>	1856, 307		
<i>parvus</i>	1856, 307		
<i>phaeopus</i>	1859, 457		
<i>poecilophus</i>	1859, 457		
<i>pollens</i>	1855, 161		
<i>pubescens</i>	1857, 127		
<i>pulverulentus</i>	1859, 455		
<i>puniceus</i>	1859, 456		
<i>rafflesii</i>	1859, 456		
<i>rivoli</i>	1855, 161		
<i>rubiginosus</i>	1859, 457		
	{ 1856, 307		
<i>scalaris</i>	{ 1857, 127		
	{ 1859, 367		
<i>squamatus</i>	1859, 173		
<i>strenuus</i>	1859, 456		
<i>stricklandi</i>	1859, 367		
<i>sultaneus</i>	1859, 456		
<i>tristis</i>	1859, 457		
<i>validus</i>	1859, 455		
	{ 1856, 308		
	{ 1858, 305		
<i>varius</i>	{ 1859, 367		
	{ 1859, 388		
<i>villosus</i>	1857, 127		
<i>viridis</i>	1857, 12		
<i>wilsoni</i>	1856, 308		
(Hemicercus) con-			
<i>cretus</i>	1860, 358		
<i>Pieris durvasa</i>	1857, 103		
<i>indra</i>	1857, 103		
<i>nama</i>	1857, 102		
<i>sanaca</i>	1857, 103		
<i>seta</i>	1857, 102		
<i>Piezorhynchus chalybeo-</i>			
<i>cephalus</i>	1859, 156		
<i>lucidus</i>	1859, 156		
<i>rufolateralis</i>	{ 1858, 176		
	{ 1859, 156		
<i>Pileopsis mitrula</i>	1856, 3		
<i>subrufa</i>	1856, 4		
	{ 234		
	{ 237		
<i>Pimelodus cinerascens</i> ..	1860, { 234		
<i>elongatus</i>	1860, { 238		
<i>modestus</i>	1860, 234		

	Page		Page
<i>Pimelodus modestus</i> ...	1860,	<i>Pipilopsis semirufus</i> ...	1856,
<i>Pinaxia coronata</i>	239, 185,	<i>superciliaris</i>	88, 92
<i>Pinna assimilis</i>	1858,	<i>Pipistrellus aleythoë</i> ...	1858,
<i>carolinensis</i>	255, 225,	<i>blepotis</i>	1858,
<i>chemnitzii</i>	1858,	<i>noctula</i>	81, 81
<i>cumingii</i>	136, 1858,	<i>pictus</i>	1858,
<i>d'orbignyi</i>	254, 228,	<i>savii</i>	81, 81
<i>euglypta</i>	1858,	<i>Pipra albifrons</i>	1858,
<i>fumata</i>	228, 1858,	<i>atricapilla</i>	273, 75
<i>gouldii</i>	227, 1858,	<i>auricapilla</i>	1857,
<i>hystrix</i>	255, 1858,	<i>chlorocapilla</i>	457, 269
<i>kraussii</i>	226, 1858,	<i>cinerea</i>	1856,
<i>menkei</i>	226, 1858,	<i>coracina</i>	1857,
<i>minax</i>	228, 1858,	<i>coracina</i>	75, 20
<i>pectinata</i>	227, 1858,	<i>coronata</i>	1858,
<i>regia</i>	136, 1858,	<i>cornuta</i>	71, 265
<i>rostellum</i>	227, 1858,	<i>cyaneocapilla</i>	1857,
<i>rumphii</i>	227, 1858,	<i>cyanocephala</i>	1858,
<i>strangei</i>	136, 1858,	<i>deliciosa</i>	114, 272
<i>Pionus chalcopterus</i> ..	254, 1855,	<i>elata</i>	90, 150
<i>cobaltinus</i>	162, 1859,	<i>elegantissima</i>	1855,
<i>corallinus</i>	147, 1859,	<i>elegantissima</i>	66, 272
<i>fuscicapillus</i>	147, 1859,	<i>filicauda</i>	1856,
<i>hæmatotis</i>	159, 1860,	<i>filicauda</i>	152, 313
<i>menstruus</i>	300, 1857,	<i>flavicapilla</i>	1855,
<i>menstruus</i>	19, 1857,	<i>flavitincta</i>	152, 151
<i>menstruus</i>	266, 1858,	<i>flavotincta</i>	1852,
<i>menstruus</i>	460, 1860,	<i>flavotincta</i>	34, 66
<i>menstruus</i>	287, 1856,	<i>galericulata</i>	1855,
<i>senilis</i>	306, 1857,	<i>galericulata</i>	1856,
<i>seniloides</i>	230, 1855,	<i>herbacea</i>	1854,
<i>vinaceicollis</i>	162, 1857,	<i>herbacea</i>	114, 313
<i>Pipilo albicollis</i>	225, 1858,	<i>heterocerca</i>	1860,
<i>arcticus</i>	304, 1859,	<i>heterocerca</i>	467, 114
<i>chlorurus</i>	380, 1857,	<i>inornata</i>	1860,
<i>chlorurus</i>	127, 1860,	<i>inornata</i>	114, 152
<i>fuscus</i>	275, 1856,	<i>isidori</i>	1855,
<i>fuscus</i>	304, 1857,	<i>isidori</i>	152, 114
<i>fuscus</i>	127, 1856,	<i>leucocilla</i>	1855,
<i>fuscus</i>	304, 1857,	<i>leucocilla</i>	29, 265
<i>maculatus</i>	304, 1858,	<i>leucocilla</i>	1857,
<i>maculatus</i>	380, 1859,	<i>leucotis</i>	1858,
<i>mesoleucus</i>	380, 1856,	<i>leucotis</i>	285, 114
<i>oregonus</i>	304, 1857,	<i>manacus</i>	1854,
<i>oregonus</i>	127, 1859,	<i>manacus</i>	299, 385
<i>oregonus</i>	235, 1859,	<i>mentalis</i>	1859,
<i>rufipileus</i>	7, 1857,	<i>mentalis</i>	271, 253
<i>Pipilopsis albitemporalis</i>	89, 1856,	<i>musica</i>	1856,
<i>atripileus</i>	92, 1856,	<i>nævia</i>	1858,
<i>canigularis</i>	90, 1856,	<i>nævia</i>	253, 151
<i>cristatus</i>	156, 1855,	<i>pareolides</i>	1855,
<i>cristatus</i>	118, 1856,	<i>pectoralis</i>	1856,
<i>flavigularis</i>	91, 1856,	<i>pectoralis</i>	279, 463
<i>flavipectus</i>	90, 1856,	<i>percussa</i>	1859,
<i>fulviceps</i>	88, 1856,	<i>percussa</i>	265, 99
<i>personatus</i>	89, 1856,	<i>rubricapilla</i>	1857,
<i>rubrirostris</i>	92, 1856,	<i>rubricapilla</i>	99, 152
<i>ruficeps</i>	108, 1856,	<i>rupicola</i>	1859,
<i>semirufus</i>	125, 1855,	<i>rupicola</i>	1855,
		<i>rupicola</i>	1857,
		<i>rupicola</i>	265, 72
		<i>striolata</i>	1857,
		<i>striolata</i>	1858,
		<i>Pipreola aureipectus</i> ...	1855,
		<i>chlorolepidota</i> ...	153, 113
		<i>chlorolepidota</i> ...	1854,
		<i>jucunda</i>	1859,
		<i>jucunda</i>	89, 1860,

	Page		Page
Pipreola melanolaema ..	1860,	{	63
		{	67
riefferi	{	1854,	113
sclateri	{	1855,	153
Pipridea castaneiventris.	1856,		113
cyanea	1856,		266
melanonota	1856,		265
venezuelensis	{	1856,	265
	{	1860,	65
Piprites chlorion	{	1855,	15
	{	1858,	72
chloris	{	1855,	15
	{	152,	206
Pirena californica	1856,		226
Pirenella bicarinata	1854,		84
caillaudii	1854,		83
conica	1854,		84
diemenensis	1854,		84
largilliertii	1854,		84
layardii	1854,		86
pauvilla	1854,		86
Pisania crenilabrum	1854,		138
elegans	1856,		41
filaris	1854,		313
hermannsenii	1854,		138
reticulata	1854,		138
Pisidium angulatum ..	1860,		322
retusum	1860,		322
Pitangus chrysocephalus	1855,		150
	{	1856,	297
derbianus	{	1859,	45
	{	1859,	56
	{	1859,	366
sulphuratus	1859,		45
Pithecica albicans	1860,		231
albinasa	{	229,	231
	{	229,	229
capillamentosa	1860,		230
chrysocephala	1860,		228
	{	229,	229
	{	230,	230
hirsuta	1860,		229
	{	230,	230
inusta	1860,		229
	{	230,	230
irrorata	{	1852,	107
	{	1860,	230
	{	1849,	9
	{	1849,	10
leucocephala	{	1860,	228
	{	1860,	229
	{	1860,	230
	{	1860,	231
miriquouina	1860,		228
monachus	1849,		9
Pithecica monachus	1860,		228
ochrocephala	1860,		230
pogonia	1860,		228
rufibarbata	1860,		228
	{	1849,	9
rufiventer	{	1860,	228
	{	1860,	229
	{	1860,	230
Pithecus morio	1848,		31
satyrus	1848,		28
	{	1848,	34
wurmbii	{	1848,	35
Pithex oinops	1856,		394
Pithys albifrons	{	1855,	145
	{	1858,	67
	{	1858,	273
	{	1854,	255
erythrophrys	{	1855,	146
	{	1858,	252
leucaspsis	1858,		274
	{	1854,	255
leucophrys	{	1855,	146
	{	1858,	252
leucops	1858,		273
pectoralis	1858,		273
rufigularis	1858,		273
Pitta affinis	1854,		273
atricapilla	1858,		175
boschii	1854,		273
brachyura	{	1857,	65
	{	1860,	351
cærulea	1854,		273
coccinea	1854,		274
concinna	1857,		65
cucullata	1854,		274
cyanonota	1860,		351
cyanoptera	{	1854,	274
	{	1860,	351
elegans	1854,		273
gigas	1854,		273
granatina	1854,		274
inornata	1860,		350
mackloti	{	1858,	175
	{	1859,	155
macularia	1858,		282
malaccensis	1854,		274
maxima	1860,		351
nigricollis	1854,		274
novæ-guinæ	{	1858,	175
	{	1859,	156
rhodogaster	1854,		274
schlegelii	1854,		274
trioestegus	1858,		489
Pitylus atrochalybeus ..	1856,		64
atro-olivaceus	1856,		65
atropurpuratus	1856,		65

	Page		Page
<i>Pitylus brasiliensis</i>	1856, 66	<i>Planaxis succincta</i>	1851, 271
<i>cærulescens</i>	1856, 65	<i>zonata</i>	1851, 271
<i>canadensis</i>	1856, 65	<i>Planesticus casius</i>	1859, 330
<i>capistratus</i>	1856, 67	<i>Planorbis chinensis</i>	1848, 41
<i>celæno</i>	1856, 65	<i>corinna</i>	1849, 167
<i>chrysogaster</i>	1858, 454	<i>coromandelicus</i>	1856, 186
<i>erythromelas</i>	1856, 65	1860, 12	
<i>erythrorhynchus</i>	1856, 64	<i>cumingianus</i>	1848, 41
<i>flavocinereus</i>	1856, 66	<i>elegantulus</i>	1858, 134
<i>fuliginosus</i>	1856, 64	<i>fokkesii</i>	1848, 42
<i>gnatho</i>	1856, 64	<i>fuscus</i>	1848, 42
	1855, 154	<i>gilberti</i>	1848, 40
<i>grossus</i>	1856, 64	<i>hindsianus</i>	1848, 41
	1857, 264	<i>inflatus</i>	1848, 40
	1860, 293	<i>limosus</i>	1848, 42
<i>personatus</i>	1856, 66	<i>nanus</i>	1856, 186
	1856, 66	<i>nitidulus</i>	1848, 40
<i>poliogaster</i>	1856, 302	<i>obesus</i>	1848, 41
	1859, 376	<i>panamensis</i>	1848, 41
<i>viridis</i>	1856, 65	<i>philippianus</i>	1848, 43
<i>Placenta ehippium</i>	1848, 114	<i>refulgens</i>	1853, 54
<i>lincolni</i>	1848, 114	<i>ruppellii</i>	1848, 42
<i>orbicularis</i>	1848, 115	<i>salleanus</i>	1853, 54
<i>papyracea</i>	1848, 114	<i>sericeus</i>	1848, 42
<i>sella</i>	1848, 114	<i>sibiricus</i>	1848, 42
<i>Placentula compar</i>	1854, 195	<i>stelzneri</i>	1858, 134
<i>dealbata</i>	1854, 196	<i>stramineus</i>	1848, 42
<i>fictilis</i>	1854, 196	<i>subcrenatus</i>	1856, 220
<i>leptosticta</i>	1854, 195	<i>trivolvus</i>	1860, 12
<i>maderensis</i>	1854, 195	<i>Platacanthomys lasiurus</i>	1860, 260
<i>micromphala</i>	1854, 195	<i>Platalea ajaja</i>	1857, 206
<i>spirorbis</i>	1854, 195	<i>leucorodia</i>	1855, 71
<i>Placotrochus lævis</i>	1849, 76	1858, 507	
<i>Placuna papyracea</i>	1848, 114	<i>regia</i>	1859, 353
<i>placenta</i>	1848, 115	<i>Platycercus adelaidæ</i>	1860, 371
<i>sella</i>	1848, 114	<i>amboinensis</i>	1859, 158
<i>Placunanomia abnormalis</i>	1849, 121	<i>ater</i>	1850, 26
<i>alope</i>	1849, 122	<i>barnardi</i>	1849, 64
<i>broderipii</i>	1849, 121	<i>caledonicus</i>	1859, 164
<i>cepio</i>	1849, 121	<i>cornutus</i>	1859, 164
<i>colon</i>	1849, 123	<i>cyanogenys</i>	1855, 165
<i>cumingii</i>	1849, 120	1860, 166	
<i>echinata</i>	1849, 120	<i>hypophonius</i>	1860, 356
<i>foliata</i>	1849, 120	1855, 165	
<i>ione</i>	1849, 123	<i>palliceps</i>	1855, 166
<i>macrochisma</i>	1849, 121	1857, 221	
<i>patelliformis</i>	1849, 122	<i>pileatus</i>	1859, 212
<i>pectinata</i>	1849, 121	<i>tabuensis</i>	1849, 14
<i>rudis</i>	1849, 120	<i>Platylophus galericulatus</i>	1859, 446
<i>zealandica</i>	1849, 123	<i>Platymopsis armatulus</i>	1859, 122
<i>Planaxis buccinea</i>	1851, 272	<i>Platyodon cancellata</i>	1856, 210
<i>cingulata</i>	1851, 271	<i>Platyonyx agassizii</i>	1851, 211
<i>fulva</i>	1851, 271	<i>brongniartii</i>	1851, 211
<i>labiosa</i>	1851, 272	<i>bucklandi</i>	1851, 211
<i>nigritell</i>	1850, 273	<i>cuvieri</i>	1851, 211
<i>obscura</i>	1851, 271	<i>minutus</i>	1851, 211
<i>pigra</i>	1850, 273	<i>owenii</i>	1851, 211

	Page		Page
<i>Platypteryx</i> <i>affinis</i>	1859,	<i>Pleiodon</i> <i>spekii</i>	1859,
<i>aglaiae</i>	1859,	<i>Plestiodon</i> <i>sikkimensis</i>	1860,
<i>latirostris</i>	1857,	<i>Plestriodon</i> <i>harlani</i>	1858,
<i>Platypteryx</i>	1849,	<i>Plethodon</i> <i>fuscum</i>	1858,
<i>Platyrhynchus</i> <i>albogularis</i>	1860,	<i>glutinosum</i>	1858,
<i>cancroma</i>	1856,	<i>persimilis</i>	1859,
<i>cancrominus</i>	1858,	<i>Pleurobranchus</i> <i>margi-</i>	1860,
<i>capensis</i>	1851,	<i>natus</i>	1860,
<i>ceylonensis</i>	1854,	<i>pellucidus</i>	1860,
<i>coronatus</i>	1858,	<i>reticulatus</i>	1860,
<i>duponti</i>	1857,	<i>rufus</i>	1860,
<i>hirundinaceus</i>	1855,	<i>variens</i>	1860,
<i>melanops</i>	1858,	<i>Pleurodeles</i> <i>walti</i>	1858,
<i>perspicillatus</i>	1854,	<i>waltlii</i>	1858,
<i>pusillus</i>	1859,	<i>Pleurotoma</i> <i>babylonica</i>	1850,
<i>rostratus</i>	1858,	<i>bicarinata</i>	1850,
<i>Platysma</i> <i>flindersii</i>	1859,	<i>concinna</i>	1856,
<i>sturtii</i>	1859,	<i>coronata</i>	1850,
<i>Platysmurus</i> <i>leucopterus</i>	1859,	<i>gracillima</i>	1856,
<i>Plebecula</i> <i>lurida</i>	1854,	<i>oxytrophis</i>	1850,
<i>vulgata</i>	1854,	<i>virginis</i>	1856,
<i>Plecotrema</i> <i>bella</i>	1854,	<i>virgo</i>	1850,
<i>clausa</i>	1853,	<i>Plexaura</i> <i>suberosa</i>	1859,
<i>concinna</i>	1853,	<i>Ploceus</i> <i>abyssinicus</i>	1859,
<i>decussata</i>	1853,	<i>baya</i>	1857,
<i>exarata</i>	1853,	<i>hypoxanthus</i>	1858,
<i>imperfurata</i>	1853,	<i>luteolus</i>	1859,
<i>inæqualis</i>	1853,	<i>manyar</i>	1850,
<i>labrella</i>	1853,	<i>personatus</i>	1855,
<i>lirata</i>	1853,	<i>philippensis</i>	1859,
<i>monilifera</i>	1853,	<i>personatus</i>	1850,
<i>punctato-striata</i>	1853,	<i>philippensis</i>	1852,
<i>punctigera</i>	1853,	<i>sanguinirostris</i>	1850,
<i>typica</i>	1853,	<i>Plotia</i> <i>mirifica</i>	1860,
<i>Plecotus</i> <i>auritus</i>	1858,	<i>orientalis</i>	1853,
<i>darjelingensis</i>	1856,	<i>Plotus</i> <i>anhinga</i>	1857,
<i>homochrous</i>	1856,	<i>pluvianus</i>	1859,
<i>timoriensis</i>	1858,	<i>longicaudata</i>	1859,
<i>velatus</i>	1858,	<i>Podargus</i> <i>auritus</i>	1859,
<i>Plectrophanes</i> <i>melan-</i>		<i>crinifrons</i>	1854,
<i>mus</i>	1860,	<i>marmoratus</i>	1859,
<i>Plectropteron</i> <i>dianæ</i>	1859,	<i>ocellatus</i>	1858,
<i>selene</i>	1859,	<i>stellatus</i>	1854,
<i>Plectropterus</i> <i>gambensis</i>	1859,	<i>Podica</i> <i>personata</i>	1848,
<i>melanonotus</i>	1860,	<i>podiceps</i> <i>calipareus</i>	1859,
<i>rüppellii</i>	1860,	<i>dominicus</i>	1860,
<i>Plectrurus</i> <i>perrotettii</i>	1858,	<i>minor</i>	1857,
	265		1859,
			1855,

	Page		Page
Podiceps philippensis	1855, 184	Pogonothraupis atrica-	
	1858, 510	pilla	1856, 118
rollandi	1859, 98	Polioptila albiloris	1860, 298
(Sylbeocyclus) tri-	1860, 389	bilineata	1855, 12
color	1860, 366	cærulea	1860, 273
Podilymbus carolinensis	1859, 65	dumicola	1855, 11
Pododesmus decipiens	1849, 120	leucogastra	1859, 363
Pœcilonetta bahamensis	1860, 389	mexicana	1855, 12
Pœcilophis dorsalis	1859, 88		1855, } 12
hygiæ	1859, 88		} 151
Pœcilornis rufivertex	1856, 243		} 363
Pœcilothraupis igniven-			} 373
tris	1856, 242	Poliornis teesa	1858, 472
lacrimosa	1856, 242	Polyartemia forcipata	1852, 29
lunulata	1856, 241	Polyboroides radiatus	1850, 216
	1858, 551		1857, 211
	1860, 76	Polyborus tharus	1859, 368
	1860, 86		1860, 288
Pœocephalus meyeri	1860, 197	Polybranchia pellucida	1860, 141
Pœophagus	1855, 125	Polycera quadrilineata	1859, 68
grunniens	1853, 191	Polychlorus intermedius	1857, 226
	1856, 405	magnus	1857, 226
	1858, 529	westermanni	1860, 226
Pœophila gouldiæ	1857, 26		1860, 227
paddoni	1858, 462		1857, 226
pandoni	1859, 164	Polydonta aspera	1851, 154
personata	1859, 164	concinna	1851, 154
Pogonias bidentatus	1857, 26	corrugata	1851, 155
bifrenatus	1859, 394	costata	1851, 153
brucii	1859, 396	elegantula	1851, 154
dubius	1859, 396	gibberula	1851, 155
erythromelas	1859, 394	hanleyana	1851, 154
fuscescens	1859, 396	ignobilis	1851, 155
hæmatops	1859, 396	inæqualis	1851, 153
hirsutus	1859, 396	incarnata	1851, 155
lævirostris	1859, 395	incrassata	1851, 154
levallantii	1859, 395	lineata	1851, 154
major	1859, 394	maculata	1851, 153
melanocephalus	1859, 396	mariaë	1855, 222
niger	1859, 395	ochroleucos	1851, 154
nigrithorax	1859, 395	pallidula	1851, 155
personatus	1859, 395	pustulosa	1851, 155
rolleti	1859, 394	regia	1851, 153
rubescens	1850, 219	reticulata	1851, 154
rufifrons	1859, 396	spengleri	1851, 154
saltii	1859, 396	squamigera	1851, 155
senegalensis	1850, 219	tentorium	1851, 153
stephani	1859, 395	tiarata	1851, 154
sulcirostris	1859, 394	turris	1851, 155
undatus	1859, 396	vernalis	1851, 154
unidentatus	1859, 395	verrucosa	1851, 153
vieilloti	1850, 219	viridescens	1851, 154
Pogonorhamphus	1859, 394	(Infundibulum) æ-	
		mulans	1854, 132
		(—) concinnum	1854, 132
		(—) neptuni	1854, 132
		(—) tritonis	1854, 132

	Page		Page
Polypedates eques	1858, 393	Pratincola caprata	1859, 180
	{ 1858, 393		{ 1855, 50
	{ 1860, 116	indica	{ 1858, 492
maculatus	{ 1860, 165		{ 1859, 180
	{ 1860, 168	Pregistoma cumingiana ..	1853, 52
	{ 1860, 170	Presbys canifrons	1855, 143
microtyimpanum ..	1858, 393	unirufa	1855, 143
schlegelii	1858, 391	Presbytes cephalopterus ..	1850, 155
Polyphasia merulina ...	1859, 458		{ 1856, 393
sonnerati	1859, 458		{ 1859, 477
tenuirostris	1859, 458	entellus'	{ 1860, 183
Polypus mirabilis	{ 1857, 288		{ 1860, 242
	{ 1859, 481		{ 1860, 422
Polysticte quopopa	1859, 399	priamus	1850, 155
Polyteles melanurus ...	1859, 433	thersites	1850, 155
Polytrema miniaceum ..	1858, 270	Presbytis albigena	1850, 77
Pomarea nigra	1857, 5	melalophus	1850, 78
Pomatia subplicata	1854, 171	obscurus	1850, 78
Pomatorhinus isidori ..	1859, 156	Primnoa antarctica ...	{ 1857, 286
ruficeps	1858, 352		{ 1859, 483
turdinus	{ 1857, 126	australasiæ	{ 1849, 146
	{ 1859, 339		{ 1857, 286
Pomaulax undosus	1856, 224	flabellum	1857, 286
Poecetes gramineus ...	1859, 379	lepadifera	{ 1857, 285
Poospiza belli	1857, 7		{ 1859, 483
bilineata	1857, 7	nyura	1859, 484
olivacea	1856, 90	verticillata	1857, 286
Porcellana glabella	1853, 37	Primnoella australasiæ } 1857, 286	
	{ 1853, 191		{ 1859, 483
Porcula salvania	{ 1856, 406	Prinia cinereocapilla ...	1854, 77
Porcus monstrosus	1853, 113	crinigera	1859, 183
Porphyrio alleni	1860, 112	gracilis	1859, 183
martinica	1859, 64	hodgsonii	1858, 487
	{ 1859, 434	inornata	1854, 143
melanotus	{ 1860, 371	socialis	1858, 487
	{ 1860, 372	Priodontes gigas	1851, 215
simplex	1856, 144	Prion ariel	1855, 88
smaragdinus	1860, 365	brevirostris	1855, 88
smaragnotus	1849, 94	Prionacalus atys	1850, { 10
Portax picta	1850, { 146		{ 11
	{ 175	cacicus	1850, { 10
tragelaphus	1850, 146		{ 10
	{ 1850, 146	iphis	1850, { 11
trago-camelus ...	{ 1858, 523	Prionichilus niger	1858, 173
Potamis fuscata	1856, 206	Prionirhynchus carina-	{ 1857, 257
sacrata	1856, 206	tus	{ 1858, 357
Potamobius franklinii ..	1850, 96	platyrhynchus ...	1857, 256
serratus	1850, 95	Prionites bahamensis ..	1857, 252
Potamochoerus africa-	{ 1852, 131	brasiliensis	1857, 250
nus	{ 1858, 58	cæruleocephalus ..	1857, 253
	{ 1860, 443	cæruleiceps	1857, 253
	{ 1852, 131	castaneiceps	1857, 254
	{ 1858, 58	dombeyanus	1857, 258
penicillatus	{ 1860, 190	gularis	1857, 256
	{ 1860, 194	lessoni	1857, 253
	{ 1860, 301	levaillanti	1857, 255
	{ 1860, 443	martii	{ 1855, 136
Pratincola caprata	1857, 94		{ 1857, 254

	Page		Page
<i>Prionites martii</i>	1857, 256	<i>Propasser rhodochrous</i> ..	1855, 216
<i>mexicanus</i>	1857, 254	<i>rhodopeplus</i>	1855, 216
<i>momota</i>	1857, 250	<i>thura</i>	1855, 215
<i>ruficapillus</i>	1857, { 255	<i>Proserpina eolina</i>	1856, 100
<i>superciliaris</i>	1857, 257	<i>salleana</i>	1856, 100
<i>tutu</i>	1857, 255	(<i>Ceres</i>) <i>salleana</i> ..	1856, 322
<i>yucatanensis</i>	1857, 258	<i>Prosthemadera novæ-</i>	{ 1849, 14
<i>Prioniturus discurus</i> ..	1860, 224	<i>seelandia</i>	{ 1853, 192
<i>flavicans</i>	1860, { 223	<i>Prosymna meleagris</i>	1858, 163
<i>platurus</i>	1860, 223	<i>Protætia ferruginea</i>	1856, 17
<i>setarius</i>	1860, { 223	<i>procera</i>	1856, 17
<i>wallacii</i>	1860, 223	<i>regalis</i>	1856, 17
<i>Prionochilus maculatus</i> ..	1859, 464	<i>schaumii</i>	1856, 17
<i>percussus</i>	1859, 463	<i>Proteus anguinus</i>	{ 1848, 38
<i>Prionodon pardicolor</i> ..	1856, 396	<i>melas</i>	{ 1857, 63
<i>Prionus scabricornis</i>	1853, 6	<i>muntjac</i>	{ 1856, 343
<i>Proboscidifera hamiglos-</i>		<i>Protonopsis horrida</i> ..	{ 1856, 345
<i>sa</i>	1856, 41	<i>prox albipes</i>	{ 1857, 62
<i>Procraura gutturosa</i>	1850, 115	<i>melas</i>	1850, 235
<i>pecticauda</i>	{ 1850, 116	<i>muntjac</i>	1850, 234
	{ 1856, 403	<i>ratwa</i>	1850, 235
	{ 1858, 523	<i>reevesii</i>	1850, 235
<i>Procellaria anginho</i>	1851, 142	<i>stylocercus</i>	1850, 235
<i>anglorum</i>	1851, 142	<i>Psalidocoptus scaber</i>	1856, 12
<i>berardi</i>	1860, 390	<i>Psalidognathus friendii</i> ..	1856, 10
<i>bulwerii</i>	1851, 142	<i>Psaltria erythrocephala</i> ..	1859, 177
<i>conspicillata</i>	1860, 390	<i>exilis</i>	1856, 38
<i>gigantea</i>	1860, 390	<i>flaviceps</i>	1856, 37
<i>glacialis</i>	1860, 334	<i>melanotis</i>	1856, 37
<i>leachii</i>	1851, 146	<i>minima</i>	{ 1856, 37
<i>obscura</i>	1851, 142	<i>psaltriparus melanotis</i> ..	{ 1857, 126
<i>pelagica</i>	1851, 146	<i>personatus</i>	1858, 299
<i>puffinus</i>	1851, 142	<i>Psammodia abrupta</i>	1854, 324
<i>Prochilodus humeralis</i> ..	1859, 419	<i>amœna</i>	1854, 323
<i>Procnias heinei</i>	{ 1854, 249	<i>angusta</i>	1854, 320
	{ 1856, 259	<i>anomala</i>	1854, 320
	{ 1854, 249	<i>aurantia</i>	1855, 167
	{ 1855, 153	<i>bicarinata</i>	1854, 322
	{ 1858, 74	<i>candidula</i>	1854, 319
<i>occidentalis</i>	{ 1858, 452	<i>compta</i>	1854, 321
	{ 1860, 275	<i>corrugata</i>	1854, 324
	{ 1860, 292	<i>decora</i>	1856, 212
<i>viridis</i>	1856, 269	<i>dispar</i>	1854, 325
<i>Procnopsis argentea</i>	1856, 259	<i>elegans</i>	1854, 322
<i>atrocærulea</i>	1856, 258	<i>grata</i>	1854, 318
<i>melanota</i>	1856, 265	<i>insignis</i>	1854, 322
<i>vassori</i>	1856, 264	<i>intermedia</i>	1854, 319
<i>Proctoporus pachyurus</i> ..	1859, { 89	<i>lata</i>	1854, 318
	{ 407	<i>layardii</i>	1854, 323
<i>Procyon cancrivorus</i>	1859, 432	<i>marmoræa</i>	1854, 324
	{ 1857, 201	<i>maxima</i>	1854, 317
	{ 1857, 232	<i>menkeana</i>	1854, 319
<i>Progne dominicensis</i> ..	{ 1859, 364	<i>modesta</i>	1854, 319
	{ 1860, 292	<i>nivosa</i>	1854, 317
<i>Propasser pulcherrimus</i> ..	1855, 216	<i>oblonga</i>	1854, 321
		<i>oriens</i>	1854, 318

	Page		Page
<i>Psammobia ornata</i>	1854,		323
<i>pacifica</i>	1856,		212
<i>pallida</i>	1854,		323
<i>palmula</i>	1854,		325
<i>pennata</i>	1854,		325
<i>petalina</i>	1854,		320
<i>præstans</i>	1854,		322
<i>puella</i>	1854,		320
<i>pulcherrima</i>	1854,		325
<i>rubicunda</i>	1854,		324
<i>striata</i>	1854,		321
<i>tenuis</i>	1854,		320
<i>togata</i>	1854,		318
<i>tripartita</i>	1854,		321
<i>tristis</i>	1854,		318
<i>vitrea</i>	1855,	{	167
<i>zelandica</i>	1854,	{	171
		{	319
		{	163
<i>Psammodynastes pul-</i>		{	166
<i>verulentus</i>	1860,	{	167
		{	170
		{	171
<i>Psammophis collaris</i>	1860,		161
<i>crucifer</i>	1858,		160
<i>elegans</i>	1858,		160
<i>flavicularis</i>	1860,		456
<i>irregularis</i>	1858,		160
<i>lineatus</i>	1858,		386
<i>moniliger</i>	1858,		160
<i>philippisii</i>	1858,		160
<i>sibilans</i>	1858,	{	160
<i>temminckii</i>	1860,	{	380
<i>temminckii</i>	1860,		97
<i>Psammosaurus griseus</i>	1849,		95
<i>Psaris aglaïæ</i>	1851,		46
<i>atricapillus</i>	1857,		74
<i>brasiliensis</i>	1851,		45
<i>cayana</i>	1851,		46
<i>brasiliensis</i>	1857,		70
<i>cayana</i>	1857,		70
<i>cayanensis</i>	1857,		69
<i>cristatus</i>	1857,		72
<i>cuvieri</i>	1851,		45
<i>cyanus</i>	1857,		75
<i>erythrogenys</i>	1851,		46
<i>erythrogenys</i>	1851,		47
<i>erythrogenys</i>	1857,		71
<i>erythrogenys</i>	1851,		47
<i>erythrogenys</i>	1855,		77
<i>fraserii</i>	1855,	{	150
<i>fraserii</i>	1857,	{	71
<i>fraserii</i>	1859,	{	56
<i>guianensis</i>	1857,		69
<i>habia</i>	1856,		78
<i>inquisitor</i>	1851,		47
<i>inquisitor</i>	1857,		71
<i>jardinii</i>	1851,		47
<i>Psaris jardinii</i>	1857,		71
<i>major</i>	1851,	{	48
<i>major</i>	1857,	{	78
<i>marginatus</i>	1851,	{	48
<i>marginatus</i>	1857,	{	77
<i>maximus</i>	1851,		46
<i>megacephalus</i>	1857,		72
<i>melanoleucus</i>	1857,		79
<i>mexicana</i>	1856,		141
<i>mexicana</i>	1857,		70
<i>minor</i>	1851,		48
<i>nævius</i>	1857,		69
<i>nattereri</i>	1851,		47
<i>nattereri</i>	1857,		71
<i>niger</i>	1857,		76
<i>nigrescens</i>	1851,		46
<i>nigrescens</i>	1851,		48
<i>parinus</i>	1855,	{	77
<i>parinus</i>	1857,	{	76
<i>pectoralis</i>	1851,	{	46
<i>pectoralis</i>	1857,	{	73
<i>roseicollis</i>	1857,		73
<i>selbyi</i>	1851,		47
<i>selbyi</i>	1857,		71
<i>semifasciatus</i>	1851,		46
<i>semifasciatus</i>	1857,		70
<i>strigatus</i>	1857,		72
<i>surinamus</i>	1851,		49
<i>tityroides</i>	1856,		141
<i>tityroides</i>	1857,		70
<i>tristis</i>	1851,		48
<i>validus</i>	1851,		46
<i>versicolor</i>	1851,		45
<i>virgata</i>	1857,		69
<i>Psarocolius gularis</i>	1857,		205
<i>melanocephalus</i>	1855,		65
<i>pectoralis</i>	1857,		205
<i>Psaroglossa spiloptera</i>	1858,		481
<i>Psephotus chrysoptery-</i>			
<i>gius</i>	1857,		220
<i>multicolor</i>	1859,		433
<i>multicolor</i>	1860,		371
<i>pulchellus</i>	1860,		243
<i>Pseudechis porphyriaca</i>	1860,		371
<i>Pseudemys concinna</i>	1855,		197
<i>serrata</i>	1855,		197
<i>Pseudocervus wallichii</i>	1850,		227
<i>Pseudocheirus nudi-</i>			
<i>caudatus</i>	1849,		110
<i>caudatus</i>	1858,		103
<i>Pseudocolaptes boisso-</i>			
<i>neauti</i>	1860,		88
<i>semicinnamomeus</i>	1855,		142
<i>Pseudois nahoor</i>	1856,		404
<i>nahoor</i>	1858,		527
<i>Pseudoliva æthiops</i>	1853,		184
<i>ancilla</i>	1859,		429
<i>australis</i>	1853,		184
<i>kelletii</i>	1853,		185

	Page		Page		
<i>Pseudoliva livida</i>	1854,	136	<i>Psittacus cyanicollis</i>	1860,	358
<i>monoceros</i>	1853,	184	<i>cyanonotus</i>	1860,	357
<i>nassoides</i>	1859,	430	<i>discosurus</i>	1860,	223
<i>plumbea</i>	1853,	184	<i>dorsalis</i>	1859,	158
<i>sepimenta</i>	1853,	184	<i>erythacus</i>	{ 1857,	215
<i>septimenta</i>	1854,	136	<i>erythacus</i>	{ 1860,	258
<i>striatula</i>	1853,	184	<i>fuscicapillus</i>	1860,	358
<i>zebrina</i>	1853,	184	<i>galeritus</i>	1858,	184
<i>Pseudomeles leucurus</i> ..	1856,	398	<i>galgulus</i>	1859,	454
<i>Pseudotrion salmoneus</i> .	1857,	63	<i>garrulus</i>	1860,	356
<i>Pseudotyphlops oxy-</i>			<i>geoffroyanus</i>	1860,	358
<i>rhynchus</i>	1858,	264	<i>goliath</i>	1858,	184
<i>philippinus</i>	1858,	263	<i>grandis</i>	{ 1849,	143
<i>Psilorhamphus gutta-</i>	{ 1855,	90	<i>grandis</i>	{ 1860,	357
<i>tus</i>	{ 1858,	243	<i>hæmatodus</i>	1860,	357
<i>maculatus</i>	1858,	288	<i>hueti</i>	1857,	19
<i>Psilorhinus bullocki</i> ...	1850,	84	<i>incertus</i>	1859,	452
<i>flavirostris</i>	1858,	479	<i>leucocephalus</i>	1857,	225
<i>gubernatrix</i>	1850,	84	<i>leucorhynchus</i>	1856,	306
	{ 1856,	300	<i>longicaudus</i>	1859,	453
<i>morio</i>	{ 1859,	57	<i>lory</i>	1849,	145
	{ 1859,	365	<i>macrorhynchus</i>	1860,	358
<i>occipitalis</i>	1858,	479	<i>macrorhynchus</i>	{ 1857,	226
<i>Psittacara chloroptera</i> ..	1857,	{ 225	<i>magnus</i>	{ 1858,	182
		{ 234	<i>magnus</i>	{ 1860,	358
<i>erythrogenys</i>	{ 1859,	146	<i>malaccensis</i>	1859,	{ 452
<i>maugæi</i>	{ 1860,	71	<i>malaccensis</i>		{ 453
<i>Psittacodis interme-</i>	1857,	225	<i>mascarinus</i>	1857,	226
<i>dus</i>	{ 1850,	26	<i>megalorhynchus</i> ..	1860,	358
	{ 1857,	226	<i>mercenarius</i>	1858,	75
<i>magnus</i>	{ 1850,	26	<i>meyeri</i>	1848,	126
<i>sinensis</i>	1857,	226	<i>moluccensis</i>	1860,	{ 356
<i>stravorinii</i>	1850,	26	<i>moluccensis</i>		{ 357
<i>westermanni</i>	1860,	227	<i>nasutus</i>	1860,	358
<i>Psittacula cœlestis</i>	{ 1850,	26	<i>novæ-hollandiæ</i> ...	1857,	215
	{ 1857,	226	<i>paragua</i>	1857,	226
<i>conspicilla</i>	1860,	287	<i>personatus</i>	1860,	358
<i>diopthalma</i>	1855,	162	<i>placentis</i>	{ 1858,	182
<i>lineola</i>	1858,	183	<i>placentis</i>	{ 1860,	357
<i>lineolata</i>	1857,	230	<i>platurus</i>	1860,	223
<i>passerina</i>	1856,	306	<i>polychlorus</i>	1860,	358
<i>reticulata</i>	1854,	115	<i>pucherani</i>	1859,	159
<i>Psittacula amazonicus</i> ..	1859,	452	<i>pulverulentus</i>	1858,	75
	1858,	75	<i>puniceus</i>	{ 1849,	142
<i>aruensis</i>	1858,	183	<i>puniceus</i>	{ 1860,	357
<i>aterrimus</i>	1858,	184	<i>pyrrhopterus</i>	1860,	287
<i>bisetis</i>	1859,	164	<i>riciniatus</i>	1860,	356
<i>borneus</i>	1860,	356	<i>ruber</i>	1860,	357
<i>cæruleatus</i>	1860,	357	<i>rubra</i>	1859,	454
<i>capistratus</i>	1858,	183	<i>rufiventris</i>	1848,	126
<i>cardinalis</i>	1849,	142	<i>ruppellii</i>	1848,	126
<i>ceylonensis</i>	{ 1849,	143	<i>setarius</i>	1860,	223
<i>ceylonensis</i>	{ 1860,	357	<i>sinensis</i>	1860,	358
<i>cochinsinensis</i>	1860,	356	<i>spatuliger</i>	1860,	{ 223
<i>cornutus</i>	1859,	164	<i>spatuliger</i>		{ 224
<i>cristatus</i>	1860,	358	<i>torquatus</i>	1859,	453
<i>cucullatus</i>	1860,	356	<i>torquatus</i>		
<i>cyanauchen</i>	1859,	158	<i>(Geoffroyus) cyanei-</i>		
			<i>collis</i>	1860,	358

	Page		Page
<i>Psittacus</i> (Geoffroius)		<i>Pteroglossus erythro-</i>	
<i>personatus</i>	1860, 358	<i>gius</i>	1860, 286
(<i>Platycercus</i>) <i>hypo-</i>		{ 1854, 115	
<i>phonius</i>	1860, 356	<i>flavivirostris</i>	{ 1857, 267
(<i>Psittacula</i>) <i>cyani-</i>		{ 1858, 75	
<i>collis</i>	1860, 358	<i>humboldti</i>	1857, 267
(—) <i>grandis</i>	1860, 357	<i>pluricinctus</i>	1858, 75
(<i>Trichoglossus</i>) <i>pla-</i>		{ 1857, 205	
<i>centis</i>	1860, 357	{ 1858, 359	
<i>Psittuteles placens</i> ..	{ 1858, 182	<i>torquatus</i>	{ 1859, 59
	{ 1860, 357	{ 1859, 388	
<i>Psittinus malaccensis</i> ..	1859, 452	<i>wiedi</i>	1855, 15
<i>Psittospiza prasina</i>	1856, 78	<i>Pterogorgia pectinata</i> ..	1857, 287
<i>riefferi</i>	{ 1856, 78	<i>sulcifera</i>	1857, 288
	{ 1860, 76	<i>Pteromys caniceps</i>	1856, 402
<i>Psittovius tovi</i>	1855, 162	<i>magnificus</i>	1856, 403
<i>Psyche stettinella</i>	1849, 35	<i>nitidus</i>	1850, 157
<i>Pterocles alchata</i>	1860, 183	<i>nobilis</i>	1856, 402
<i>arenarius</i>	{ 1858, 501	<i>Pteronotus speciosus</i>	1855, 121
	{ 1860, 258	<i>Pterophanes cyanopterus</i>	1855, 139
<i>bicinctus</i>	1850, 220	<i>temmincki</i>	1855, 139
<i>exustus</i>	{ 1855, 30	<i>Pteropus amplexicauda-</i>	
	{ 1858, 502	<i>tus</i>	1859, 38
	{ 1850, 220	<i>argentatus</i>	1858, 107
<i>fasciatus</i>	{ 1858, 502	<i>conspicillatus</i>	1849, 109
	{ 1859, 186	<i>dasymallus</i>	1860, 44
	{ 1850, 220	<i>edulis</i>	{ 1858, 537
<i>quadricinctus</i>	{ 1855, 30	{ 1860, 44	
	{ 1850, 220	{ 1850, 156	
<i>Pterocyanea discors</i>	1859, 64	<i>edwardsii</i>	{ 1858, 512
<i>Pterocyclos biciliatum</i> ..	1851, 72	{ 1860, 44	
<i>bifrons</i>	1855, 117	<i>epomophorus</i>	1860, { 42
<i>cumingii</i>	1852, 158	{ 1849, 110	
(<i>Spiraculum</i>) <i>housei</i>	1860, 10	<i>funereus</i>	{ 1858, 536
<i>Pterocyclus lineatus</i>	1858, 488	{ 1858, 537	
<i>Pterodactylus breviros-</i>		<i>gambianus</i>	1860, 52
<i>tris</i>	1851, 15	<i>hypomelanus</i>	{ 1858, 536
<i>compressirostris</i> ..	1851, { 21	{ 1860, 44	
	{ 32	<i>labiatus</i>	1860, 55
<i>crassirostris</i>	1851, { 15	<i>macrocephalus</i>	{ 1860, 43
	{ 29	<i>marginatus</i>	1858, 537
<i>cuvieri</i>	1851, { 15	<i>megacephalus</i>	{ 1860, 43
	{ 29	{ 1849, 109	
<i>diomedeus</i>	1851, { 28	<i>poliocephalus</i>	{ 1849, 110
	{ 14	{ 1860, 44	
<i>giganteus</i>	1851, { 21	<i>rubricollis</i>	1860, 44
	{ 28	<i>schoënsis</i>	{ 1860, 46
<i>longirostris</i>	1851, { 15	{ 1860, 56	
	{ 29	<i>Ptilinopus melanocephalus</i>	1849, 61
<i>Macronyx</i> (<i>buck-</i>		<i>ius</i>	1848, 24
<i>landi</i>)	1851, 17	<i>Ptilocercus lowii</i>	1854, 114
<i>Pterogasteron bellum</i> ..	1860, 36	<i>Ptilochloris arcuata</i>	1854, 114
<i>ornatum</i>	1860, 36	<i>remigialis</i>	{ 1854, 114
<i>Pteroglossus araçari</i>	1855, 15	{ 1854, 114	
<i>beauharnaisi</i>	1857, 267	<i>rufo-olivaceus</i>	{ 1860, 467
<i>castanotis</i>	{ 1854, 115		
	{ 1855, 161		
<i>erythropterygius</i>	1860, 71		

	Page		Page
<i>Ptilochloris virescens</i>	1854, 114	<i>Pucrasia nipalensis</i>	1854, 100
	1860, 467	<i>Puncturella cognata</i>	1851, 228
	1856, 299	<i>conica</i>	1851, 228
	1858, 302	<i>cucullata</i>	1851, 228
<i>Ptilogonys cinereus</i>	1858, 542	<i>fastigiata</i>	1851, 228
	1859, 364	<i>galeata</i>	1851, 228
<i>leucotis</i>	1859, 376	<i>noachina</i>	1851, 227
	1858, 542	<i>princeps</i>	1851, 228
<i>nitens</i>	1858, 542	<i>Pupa abbreviata</i>	1854, 213
	543	<i>albersii</i>	1854, 295
<i>Ptilonopus aurantiifrons</i>	1858, 185	<i>anconostoma</i>	1854, 208
<i>chryzogaster</i>	1853, 48	<i>anglica</i>	1854, 208
<i>coronulatus</i>	1858, 185	<i>bacillus</i>	1856, 35
<i>cyanovirens</i>	1860, 360	<i>barbadensis</i>	1852, 69
<i>diadematus</i>	1860, 360	<i>calathiscus</i>	1854, 212
<i>formosus</i>	1860, 360	<i>cassida</i>	1854, 212
<i>greyi</i>	1859, 165	<i>cassidula</i>	1854, 212
<i>holosericeus</i>	1859, 165	<i>ceylanica</i>	1855, 9
<i>hyogaster</i>	1860, 359	<i>cheilogona</i>	1854, 208
<i>iozonus</i>	1858, 186	<i>concinna</i>	1854, 212
<i>monachus</i>	1860, 359	<i>conoidea</i>	1852, 70
<i>perlatus</i>	1858, 185	<i>cumingiana</i>	1852, 68
<i>porphyreus</i>	1860, 360	<i>dilucida</i>	1854, 207
<i>prasinorrhous</i>	1858, 185	<i>edentula</i>	1854, 206
<i>purpureocinctus</i>	1853, 48	<i>exigua</i>	1854, 33
	1858, 184	<i>fanalensis</i>	1854, 208
<i>superbus</i>	1859, 159	<i>ferraria</i>	1854, 211
	1860, 360	<i>fragilis</i>	1854, 215
<i>swainsoni</i>	1857, 27	<i>fusca</i>	1854, 211
<i>viridis</i>	1860, 360	<i>gibba</i>	1854, 213
<i>wallacii</i>	1858, 185	<i>huttoniana</i>	1856, 186
(Cyanotreron) <i>monachus</i>	1860, 359	<i>indica</i>	1854, 295
(Iotreron) <i>iogaster</i>	1860, 359	<i>irrigua</i>	1854, 208
(Lamprotreron) <i>superbus</i>	1860, 360	<i>küsterii</i>	1852, 69
<i>Ptilonorhynchus holosericeus</i>	1849, 61	<i>lævigata</i>	1854, 210
<i>melanotis</i>	1858, 181	<i>lamellosa</i>	1854, 214
<i>Ptilopus purpuratus</i>	1859, 165	<i>laurinea</i>	1854, 209
<i>Ptiloris paradiseus</i>	1849, 111	<i>limnæana</i>	1854, 206
<i>victoriæ</i>	1849, 111	<i>linearis</i>	1854, 207
<i>Ptilotis chrysolis</i>	1859, 155	<i>macilenta</i>	1854, 210
<i>fasciolaris</i>	1851, 285	<i>microspora</i>	1854, 207
	1850, 278	<i>millegranata</i>	1854, 211
<i>filigera</i>	1858, 174	<i>minutissima</i>	1854, 207
	1859, 155	<i>monticola</i>	1854, 212
<i>megarhynchus</i>	1858, 174	<i>newcombi</i>	1852, 69
	1859, 155	<i>novoseelandica</i>	1852, 149
<i>similis</i>	1858, 174	<i>oblonga</i>	1852, 69
	1859, 155	<i>obovata</i>	1855, 9
<i>unicolor</i>	1850, 278	<i>pirriæ</i>	1854, 295
<i>Ptychodes honduræ</i>	1858, 412	<i>pygmæa</i>	1854, 214
<i>Ptyonura albifrons</i>	1860, 78	<i>recta</i>	1854, 210
<i>Pucrasia castanea</i>	1854, 99	<i>saxicola</i>	1854, 214
	1854, 99	<i>seminulum</i>	1854, 214
<i>macrolopha</i>	1858, 560	<i>sennaariensis</i>	1856, 35
	1859, 186	<i>sphinctostoma</i>	1854, 209
		<i>strangei</i>	1852, 69
		<i>substriata</i>	1854, 211
		<i>teres</i>	1856, 35

	Page		Page
Pupa umbilicata	1854,	207	
vincta	1854,	208	
Puperita pupa	1858,	94	
Pupina bilinguis	1850,	97	
cumingiana	1853,	52	
nicobarica	1852,	145	
superba	1855,	118	
templemani	1852,	158	
Purpura analoga	1850,	273	
aperta	1856,	227	
carolensis	1850,	274	
columellaris	1850,	274	
conradi	1856,	228	
cornigera	1856,	229	
costata	1853,	186	
decemcostata	1850,	274	
emarginata	1856,	228	
fasciata	1856,	357	
freycineti	1850,	274	
fuscata	1850,	274	
harpa	1856,	228	
lapillus	1850,	273	
macrostoma	1856,	227	
pansa	1856,	208	
patula	1856,	208	
planospira	1850,	274	
spirata	1856,	228	
(Monoceros) brevi-			
dens	1856,	229	
(—) engonata ..	1856,	228	
(—) lapilloides ..	1856,	229	
Pusionella grandis	1853,	73	
lirata	1853,	73	
Pustularia rosea	1858,	271	
Putorius communis	1860,	183	
striatus	1848,	21	
tibetanus	1856,	398	
Pycnonotus barbatus ..	{ 1850,	217	
	{ 1858,	496	
bengalensis	{ 1857,	93	
	{ 1858,	495	
	{ 1859,	181	
finlaysoni	{ 1859,	150	
	{ 1854,	278	
goiavier	{ 1859,	151	
	{ 1858,	495	
hæmorrhous	{ 1858,	495	
humeraloides	{ 1854,	272	
	{ 1854,	278	
jocosus	{ 1855,	40	
	{ 1858,	496	
	{ 1859,	150	
leucogenys	{ 1858,	496	
	{ 1859,	181	
leucotis	{ 1858,	496	
nigripileus	{ 1859,	150	
pygæus	{ 1857,	93	
Pycnoptilus floccosus ..	{ 1850,	{ 95	
		{ 279	
Pyctorhis longirostris ..	1854,	104	
	{ 1854,	105	
sinensis	{ 1857,	94	
	{ 1858,	488	
Pygoptila maculipennis ..	1858,	220	
margaritata	1858,	221	
Pygmornis adolphi	1856,	287	
Pygosceles papua	1860,	390	
wagleri	1860,	390	
Pyramidella aclis	1851,	224	
auris-cati	1853,	177	
glans	1853,	177	
gracilis	1853,	178	
maculosa	1853,	177	
magnifica	1853,	177	
metula	1851,	224	
mitralis	1853,	177	
nitida	1853,	178	
plicata	1853,	177	
propinqua	1853,	177	
punctata	1853,	177	
subulata	1853,	177	
variegata	1853,	178	
Pyramis acutus	1851,	151	
architectonicus	1851,	152	
cærulescens	1851,	151	
crenatus	1853,	179	
crenulatus	1851,	152	
dentatus	1851,	151	
elegantissima	1853,	179	
fenestratus	1851,	151	
indistinctus	1853,	180	
leucogaster	1851,	152	
mauritanus	1851,	151	
noduliferus	1851,	151	
obeliscus	1851,	151	
prasinus	1851,	151	
triserialis	1851,	151	
	{ 1855,	156	
	{ 1856,	123	
	{ 1856,	142	
	{ 1856,	303	
	{ 1858,	73	
Pyrranga æstiva	{ 1858,	358	
	{ 1859,	364	
	{ 1859,	377	
	{ 1860,	65	
	{ 1860,	293	
	{ 1860,	371	
albicollis	{ 1855,	156	
	{ 1856,	117	
ardens	{ 1856,	126	
	{ 1859,	139	
azaræ	{ 1855,	156	
	{ 1856,	124	
	{ 1856,	126	
bidentata	{ 1857,	205	
	{ 1859,	364	

	Page		Page
Pyrrangia bivittata	1855, 156	Pyrriglena leucoptera ..	1858, 246
	1856, 126	maculicaudis	1858, 247
cucullata	1855, 156	nudiceps	1854, 113
cyanictera	1856, 125		1857, 47
dentata	1856, 212		1858, 274
erythrocephala ..	1856, 125	picea	1860, 279
	1859, 377		294
erythromelæna ..	1856, 303	quixensis	1854, 112
	1859, 364		1855, 147
erythromelana	1856, 126		1858, 66
	1855, 156		1858, 241
erythromelas	1856, 123	rufiventris	1854, 112
	1856, 125		1858, 67
erythropis	1856, 125		1858, 241
	1856, 124	serva	1858, 66
hepatica	1857, 213		247
	1858, 303	tyrannina	1855, 90
	1859, 364		1855, 147
	1859, 377		1858, 245
icteropus	1856, 122	Pyrocephalus mexicanus	1859, 45
ignicapilla	1856, 120		56
	1855, 156		366
leucoptera	1856, 126		1859, 46
	1856, 114	nanus	1859, 144
luctuosa	1856, 125		1860, 282
	1857, 213		1860, 295
ludoviciana	1859, 377	obscurus	1859, 46
	1856, 65		1854, 113
mexicana	1856, 124		1855, 149
mississippiensis	1856, 125	rubineus	1856, 296
pyrrhocephala	1856, 125		1859, 45
quajacina	1856, 120	Pyroderus grenadensis ..	1855, 153
	1857, 6	Pyrodes smithianus	1850, 12
roseogularis	1857, 66	tenuicornis	1850, 11
rubica	1856, 119	Pyromelana ignicolor ..	1850, 218
	1855, 156	Pyronicia marmorata ..	1858, 140
rubra	1856, 123	punctata	1858, 141
	1858, 73	Pyrrhocomma personata ..	1856, 89
rubriceps	1855, 156	ruficeps	1856, 108
	1856, 125	Pyrrhocorax alpinus ..	1858, 478
saira	1856, 124		1859, 172
sanguinolenta	1856, 126	Pyrrhula abeillei	1856, 66
versicolor	1856, 119		1858, 484
Pyrena terebralis	1859, 316	aurantia	1859, 177
Pyrgella leacociana	1854, 205	aurantiaca	1857, 222
Pyrgita domestica	1854, 160	cærulea	1856, 241
flavicollis	1854, 160		1857, 223
swainsoni	1850, 219	erythrocephala ...	1858, 483
Pyrgula clathrata	1853, 185		1859, 177
quadricostata	1856, 162	frontalis	1856, 304
	1858, 66	raptor	1856, 69
Pyrriglena atra	1858, 246	rosea	1860, 108
	1854, 112	vulgaris	1857, 223
domicella	1855, 109	Pyrrhulagra ruficollis ..	1856, 269
	1858, 66	violacea	1857, 231
	1858, 246	Pyrrhulauda crucifer ..	1854, 255
	1855, 109		1857, 95
ellisiana	1855, 147	grisea	1858, 483
	1858, 246		

	Page		Page
Pyrrhulinota hæmorrhœa	1856, 304	Querquedula discors	1860, 254
Pyrrhuphonia jamaica	1856, 280	versicolor	1860, 389
Pyrrota coryphæus	1856, 114	Querula cruenta	1855, 153
leucoptera	1856, 113	minor	1857, 73
valeryi	1856, 114	rubricollis	1857, 265
Pyrula lignaria	1856, 41	Quiscalus —	1856, 300
(Rhizochilus) de		barita	1857, 232
burghiæ	1857, 208	lugubris	1857, 265
Pytelia elegans	1850, 218	macrurus	1856, 300
monteiri	1860, 111		1858, 358
Pythia celebensis	1854, 299	major	1859, 58
macgillivrayi	1854, 298	subalaris	1855, 153
ovata	1854, 299	sumichrasti	1859, 365
pepita	1854, 35		381
scarabæa	1851, 232	Radja eytoni	1860, 365
Pythina arcuata	1856, 47	Rallina tricolor	1858, 188
cumingii	1856, 47		1859, 159
mactroides	1856, 340	Rallus aquaticus	1859, 436
nuculoides	1856, 341	australis	1860, 371
paula	1856, 47	gularis	1859, 150
peculiaris	1856, 47	indicus	1858, 508
triangularis	1856, 47	semitlunbeus	1856, 31
Python bellii	1858, 164	striatus	1858, 508
bivittatus	1858, 164	virginianus	1856, 31
liberiensis	1858, 164	Ramola volutella	1858, 47
molurus	1860, 192	Ramphastos ambiguus	1855, 160
regius	1849, 106	carinatus	1856, 308
	1859, 432	citreolæmus	1855, 161
sebæ	1859, 164	culminatus	1858, 75
Pyxipoma anguillæ	1860, 410		460
	412	cuyieri	1855, 161
cylindrella	1860, 410		1857, 266
	412	discolorus	1856, 368
	409	momota	1857, 250
lacteus	1860, 412	toco	1860, 416
	413	vitellinus	1860, 242
tahitensis	1860, 410	Ramphiculus jambu	1859, 465
	412	Ramphocænus guttatus	1858, 243
Querquedula cæruleata	1859, 96	maculatus	1858, 242
	1857, 215	rufiventris	1859, 383
	1859, 65	trinitatis	1858, 288
carolinensis	1859, 237	viridis	1858, 288
	1859, 369	Ramphocelus affinis	1856, 130
	1860, 254	atrisericeus	1856, 130
circia	1858, 510	aurinotus	1856, 131
	1858, 510	brasilius	1854, 97
crecca	1859, 190		1856, 127
	1860, 303	chrysonotus	1856, 131
	1859, 96	coccineus	1856, 127
creccoides	1860, 389	dimidiatus	1856, 129
	1855, 164		142
	1856, 311	dorsalis	1854, 97
cyanoptera	1859, 237		1856, 127
	1860, 389	flammigerus	1856, 131
	1857, 206		1856, 131
discors	1857, 237	icteronotus	1859, 139
	1859, 393		1860, 65

	Page		Page
Ramphocelus icteronotus	1860, { 86 274 292		1858, 390
jacapa	1856, 128	Rana temporaria	{ 1858, 391 1858, 394 1860, 174 1860, 204
luciani	1856, 130		{ 1858, 393 1860, 164
magnirostris	1856, 129	tigrina	{ 1860, 168 1860, 170
nigrigularis	1856, 128		{ 1858, 393 1860, 116
passerinii	{ 1856, 130 1859, 59	vittigera	{ 1860, 164 1860, 168 1860, 170 1860, 171
purpureus	1856, 128	Ranella cœlata	1856, 44
sanguinolentus	{ 1856, 132 1856, 303 1859, 59 1859, 364 1859, 377	jucunda	1853, 70
unicolor	{ 1856, 128 1857, 19	luteostoma	1860, 397
uropygialis	1856, 130	producta	1860, 397
varians	1856, 131	triquetra	1856, 227
venezuelensis	1856, 129	Rapana clathrata	1853, 97
Ramphopsis affinis	1856, 130	coralliophila	1853, 98
atrisericus	1856, 130	fortunii	1853, 99
atrococcineus	1856, 128	fragilis	1853, 98
brasilia	1856, 127	nodosa	1853, 98
coccinea	1856, 127	pulchella	1853, 98
dimidiatus	1856, 129	scala	1853, 98
flammigerus	1856, 131	suturalis	1853, 98
icteronotus	1856, 131	(Latiaxis) rhodostoma	1854, 138
jacapa	1856, 128	Raphicerus acuticornis	1850, 128
luciani	1856, 130	subulata	1850, 128
melanogaster	1856, 129	Realia cattaroënsis	1854, 305
nigrigularis	1856, 128	egea	{ 1849, 167 1854, 304
passerinii	1856, 131	gutta	1854, 305
Rana albilabris	1858, 165	minutissima	1854, 305
bibronii	1858, 164	rubella	1854, 304
esculenta	{ 1858, 390 1858, 391 1858, 394 1859, 470 1859, 473	turriculata	1854, 304
galamensis	1858, 164	ventricosa	1854, 304
halecina	{ 1858, 394 1860, 460	Rectes dichrous	1858, 179
hexadactyla	1858, 393	ferrugineus	1858, 180
kuhlii	1858, 393	kirrocephalus	1859, 157
leontii	1858, 395	strepitans	{ 1858, 180 1859, 157
liebigii	1860, { 157 165 168 170	Regalecus glesne	{ 1849, 78 1849, 81 1849, 82 1850, 52
malabarica	1858, 393	grillii	1849, 81
oxyrhina	1858, 394	remipes	{ 1849, 78 1850, 82
rugosa	1858, 391	Regenia ocellata	{ 1858, 155 1860, 372
subsigillata	1858, 164	Registoma complanatum	1860, 440
superciliaris	1858, 165	Reguloides proregulus	1859, { 150 151
sylvatica	1858, 394	Regulus calendula	1857, 202
temporaria	1858, 374		

	Page		Page
<i>Regulus calendula</i>	1859, {	<i>Rhea americana</i>	1860, 207
	362	<i>darwinii</i>	1860, 207
	371	<i>macrorhyncha</i>	1860, 207
<i>calendulus</i>	1858, {		{
	290		1855, 133
	300	<i>Rhimamphus æstivus</i>	{
<i>cristatus</i>	{		1855, 143
	1858, 493		1856, 141
	1859, 185		{
<i>maderensis</i>	1854, 153		1857, 202
	1857, 212	<i>blackburniæ</i>	{
<i>satrapa</i>	{		1855, 133
	1859, 235		1855, 143
	1860, 250		{
<i>Reinwardtaena typica</i>	1860, 361		1858, 64
<i>Reinwardtipicus validus</i>	1859, 455	<i>cæruleus</i>	{
<i>Resania taylorii</i>	1851, 305		1857, 18
<i>Rhabdodon fuscus</i>	1858, 160		{
<i>Rhabdosoma crassicaudatum</i>	1859, 411	<i>coronatus</i>	1856, 291
	{	<i>olivaceus</i>	1856, 291
	89	<i>pensilis</i>	1856, 291
<i>elaps</i>	1859, {	<i>striatus</i>	1855, {
	411		133
<i>maculatum</i>	1859, 411		{
	165	<i>virens</i>	1856, 291
<i>Rhacophorus maximus</i>	1860, {	<i>Rhinoceros crossii</i>	1854, 250
	168	<i>oswellii</i>	1853, 46
	171	<i>Rhinocryptes amphibia</i>	1856, 346
<i>Rhamphastos ambi-</i>	{	<i>Rhinolophus cornutus</i>	1859, 76
<i>guus</i>	1859, 146	<i>crumeniferus</i>	1858, 108
	{	<i>ferrum-equinum</i>	1858, 81
<i>ariel</i>	1859, 432	<i>hippocrepis</i>	1859, 76
	{	<i>insignis</i>	1858, 108
	1849, 94	<i>marsupialis</i>	1858, 108
<i>carinatus</i>	{	<i>perniger</i>	1856, 394
	1859, 59	<i>speoris</i>	1858, 108
	1859, 368	<i>tragatus</i>	1856, 394
	1859, 388	<i>Rhinophis oxyrhynchus</i>	1858, 264
<i>erythrorhynchus</i>	1859, 432	<i>philippinus</i>	1858, 263
<i>tocard</i>	1860, 70	<i>punctatus</i>	1858, 264
<i>Rhamphocœnus cine-</i>	{		{
<i>reiventris</i>	1855, 76		339
	{	<i>Rhinophrynus dorsalis</i>	1858, {
	1858, 244		343
<i>melanurus</i>	{		348
	1855, 76	<i>Rhinoplax scutatus</i>	1859, 446
	1858, 243	<i>Rhinoptilus chalcopterus</i>	1850, 220
	1855, 76	<i>Rhinortha caniceps</i>	1859, 458
<i>rufiventris</i>	{	<i>chlorophœa</i>	1859, 458
	1857, 202	<i>Rhinostoma cupreum</i>	1858, 387
	1858, 244	<i>occipitale</i>	1858, 387
<i>trinitatis</i>	1855, 76	<i>Rhipidura albiscapa</i>	1859, 221
<i>viridis</i>	1855, 76	<i>albofrontata</i>	1857, 89
<i>Rhamphocelus chryso-</i>	{	<i>assimilis</i>	1858, 176
<i>notus</i>	1855, 157	<i>atripennis</i>	{
	{		1858, 175
	1855, 156		{
<i>dimidiatus</i>	1858, 73		1860, 351
	{	<i>gularis</i>	1859, 156
	1855, 157	<i>hyperythra</i>	1858, 176
<i>flammigerus</i>	1855, 157	<i>isura</i>	1858, 176
<i>icteronotus</i>	1855, 157	<i>javapica</i>	1854, 271
<i>unicolor</i>	1858, 453	<i>maculipectus</i>	1858, 176
<i>Rhamphocinclus bra-</i>	{	<i>melanolœtica</i>	1860, 351
<i>chyurus</i>	1855, 214		{
	{		1858, 175
	1859, 338	<i>mimoides</i>	{
<i>gutturalis</i>	1855, 214		1860, 351
	{	<i>poliogenys</i>	1854, 106
	1859, 338	<i>squamata</i>	1860, 351
	1855, 214	<i>tricolor</i>	1860, 351
	1859, 338		
<i>Rhamphomicon hetero-</i>	{		
<i>pogon</i>	1855, 140		
<i>microrhynchum</i>	1855, 140		
<i>stanleii</i>	1860, 81		
<i>Rhea americana</i>	1859, 205		

	Page		Page
<i>Rhizochilus asper</i>	1854,	<i>Rissoa truncata</i>	1854,
<i>californicus</i>	1855,	<i>Rissoina bellula</i>	1851,
<i>clathratus</i>	1853,	<i>clathrata</i>	1851,
<i>coralliophilus</i>	1853,	<i>celata</i>	1851,
<i>de burghia</i>	1857,	<i>concinna</i>	1851,
<i>exaratus</i>	1860,	<i>costata</i>	1851,
<i>fragilis</i>	1853,	<i>d'orbignyi</i>	1851,
<i>pulchellus</i>	1853,	<i>eulimoides</i>	1851,
<i>radula</i>	1854,	<i>fasciata</i>	1851,
<i>scala</i>	1853,	<i>micans</i>	1851,
<i>suturalis</i>	1853,	<i>monilis</i>	1851,
<i>Rhizomys badius</i>	1856,	<i>nitida</i>	1851,
<i>Rhizotrochus typus</i>	1849,	<i>nivea</i>	1851,
<i>Rhodinocichla rosea</i>	1855,	<i>nodicincta</i>	1851,
<i>Rhopoterpe gularis</i>	1858,	<i>plicata</i>	1851,
<i>guttata</i>	1858,	<i>pyramidalis</i>	1851,
<i>torquata</i>	1858,	<i>scalariana</i>	1851,
<i>Rhopothera punctulata</i>	1858,	<i>semiglabrata</i>	1851,
<i>Rhyacophilus glareola</i>	1859,	<i>striolata</i>	1851,
<i>solitarius</i>	1860,	<i>triticea</i>	1860,
<i>Rhynchæa picta</i>	1855,	<i>turricula</i>	1860,
<i>Rhynchaspis clypeata</i>	1855,	<i>Romicia calcarata</i>	1859,
<i>Rhynchea bengalensis</i>	1858,	<i>Rostellaria melanocheila</i>	1854,
<i>Rhynchonella concinna</i>	1852,		1858,
<i>nigricans</i>	1852,	<i>Rostrhamus sociabilis</i>	1859,
	1855,		1860,
<i>Rhynchops nigra</i>	1858,	<i>Rotella aucta</i>	1853,
	1860,	<i>conica</i>	1853,
<i>Rhynchopsitta pachy-</i>		<i>costata</i>	1853,
<i>rhyncha</i>	1857,	<i>elegans</i>	1853,
<i>Rhynchotis perdix</i>	1860,	<i>gigantea</i>	1853,
<i>Rhyticeros plicatus</i>	1859,	<i>guamensis</i>	1853,
<i>subruficollis</i>	1859,	<i>javanica</i>	1853,
	150,	<i>lineolata</i>	1853,
	452,	<i>monilifera</i>	1853,
<i>Rhytina borealis</i>	1859,	<i>rosea</i>	1853,
<i>stelleri</i>	1859,	<i>sagittata</i>	1853,
<i>Rhytiphora amicula</i>	1859,	<i>suturalis</i>	1853,
	1858,	<i>Rotula digitata</i>	1851,
<i>Riama unicolor</i>	1859,	<i>ramphii</i>	1851,
	89,	<i>Rucervus duvaucellii</i>	1850,
<i>Rimula arcinella</i>	1854,	<i>elaphoides</i>	1850,
<i>calva</i>	1854,	<i>Rumina decollata</i>	1854,
<i>capsella</i>	1854,	<i>Runcina hancockii</i>	1854,
<i>carinata</i>	1851,	<i>Rupellaria lamellifera</i>	1856,
<i>cognata</i>	1851,	<i>Rupicapra americana</i>	1850,
<i>cucullata</i>	1851,	<i>capella</i>	1850,
<i>cumingii</i>	1851,	<i>pyrenaica</i>	1850,
<i>exquisita</i>	1851,	<i>tragus</i>	1850,
<i>fausta</i>	1854,		137,
<i>flemingii</i>	1851,		174,
<i>galeata</i>	1851,	<i>Rupicola aurantia</i>	1859,
<i>noachina</i>	1851,	<i>cayana</i>	1859,
<i>obserata</i>	1854,	<i>crocea</i>	1859,
<i>propinqua</i>	1851,	<i>elegans</i>	1859,
<i>Rissoa bella</i>	1851,		1860,
<i>elegans</i>	1851,	<i>peruviana</i>	1855,
<i>gracilis</i>	1860,		1858,
<i>lucullana</i>	1853,		1859,
<i>membranacea</i>	1853,		99
	43		99

	Page		Page
<i>Rupicola sanguinolenta</i>	{ 1859, 99 1859, 100 1860, 91	<i>Sacalis indicus</i>	1856, 397
<i>Rusa aristotelis</i>	{ 1850, 230 1856, 405	<i>Saccopteryx lepturus</i>	1858, 547
<i>dimorphe</i>	{ 1850, 231 1856, 405	<i>Sacfa hodgsoniæ</i>	1859, 185
<i>equinus</i>	{ 1850, 231 1850, 231	<i>Sagmatorrhina lathamii</i>	1851, 202
<i>hippelaphus</i>	{ 1856, 405 1856, 405	<i>Saiga tatarica</i>	1850, 112
<i>jarai</i>	1856, 405	<i>Saimaris sciurea</i>	1856, 139
<i>javanica</i>	1860, 376	<i>Saki</i>	1849, 8
<i>kuhlii</i>	1850, 232	<i>Salamandra atra</i>	{ 1858, 142 1860, 174
<i>lepida</i>	1850, 232	<i>corsica</i>	1858, 142
<i>peronii</i>	1850, 232	<i>maculosa</i>	1858, { 142 391
<i>philippinus</i>	1850, 232	<i>nigra</i>	1860, 372
<i>saput</i>	1850, 232	<i>vulgaris</i>	1859, { 432 433
<i>tanjuc</i>	1850, 232	<i>Salassa lola</i>	1859, 246
<i>ubi</i>	1850, 232	<i>Salmo fario</i>	1848, 38
<i>Ruticilla atrata</i>	1854, 26	<i>salar</i>	1860, 442
<i>aurea</i>	1854, 28	<i>Salpinctes mexicanus</i>	{ 1855, 66 1857, 212
<i>cæruleocephala</i>	1854, 29	<i>obsoletus</i>	1859, 371
<i>erythrogastra</i>	{ 1854, 27 1858, 492 1859, 179	<i>Salpiza cristata</i>	1860, 271
<i>erythronota</i>	1854, 30	<i>jacucaca</i>	1860, 271
<i>erythroprocta</i>	1855, 87	<i>marail</i>	1860, 269
<i>frontalis</i>	{ 29 75	<i>obscura</i>	1860, 271
<i>fuliginosa</i>	{ 1854, 29 1858, 492 1859, 179	<i>pileata</i>	1860, 270
<i>grandis</i>	{ 1849, 112 1854, 27	<i>purpurascens</i>	1860, 269
<i>hodgsonii</i>	1854, 26	<i>superciliaris</i>	1860, 272
<i>indica</i>	{ 1854, 26 1858, 492 1859, 179	<i>Saltator albicollis</i>	1856, 75
<i>leucocephala</i>	{ 1854, 30 1858, 492 1859, 179	<i>arremonops</i>	{ 1855, 84 1856, 80
<i>leucoptera</i>	1854, 28	<i>ater</i>	1856, 67
<i>melanura</i>	1854, 29	<i>atriceps</i>	{ 1856, 69 1858, 358
<i>nigrogularis</i>	1854, 29	<i>atricollis</i>	{ 1859, 58 1859, 364 1859, 377
<i>nipalensis</i>	1854, 26	<i>atripennis</i>	1856, 77
<i>phœnicura</i>	1854, 25	<i>aurantiirostris</i>	{ 1857, 6 1859, 138
<i>phœnicuroides</i>	1854, 25	<i>azaræ</i>	{ 1860, 85 1856, 74
<i>plumbea</i>	1854, 30	<i>bicolor</i>	{ 1856, 73 1858, 72
<i>reevesii</i>	1854, 26	<i>cærulescens</i>	1856, { 72 73
<i>rufogularis</i>	1854, 27	<i>cayennensis</i>	1856, 70
<i>schisticeps</i>	1854, 29	<i>cyanoptera</i>	1856, 233
<i>simplex</i>	1854, 30	<i>elegans</i>	1856, 78
<i>sylvestris</i>	1854, 25	<i>flavidicollis</i>	1860, 274
<i>tithys</i>	{ 1854, 25 1855, 79	<i>flavus</i>	1856, 124
<i>vigorsii</i>	{ 1854, 27 1858, 492	<i>gigantoides</i>	1856, 69
		<i>grandis</i>	{ 1856, 72 1857, 205 1859, 58

	Page		Page		
<i>Saltator grandis</i>	1859,	} 364 377	<i>Sanguinolaria miniata</i> ..	1856,	199
<i> guadalupensis</i>	1856,		<i> nuttallii</i>	1856,	212
<i> gularis</i>	1856,	<i> pacifica</i>	1856,	212	
<i> gutturalis</i>	1856,	<i> purpurea</i>	} 1854, 1856,	346	
<i> icterophrys</i>	} 1856, 1857,	<i> rubroradiata</i>		1856,	212
<i> icteropygius</i>		1856,	<i> tellinoides</i>	1849,	170
<i> maculipectus</i>	1856,	<i> vitrea</i>	1854,	326	
	1856,	<i>San-zjak</i>	1850,	84	
	1856,	<i>Saperda læta</i>	1856,	12	
	1856,	<i>Sapphironia lucida</i>	} 1858, 1859,	297	
<i> magnoides</i>	1856,	<i>Sarciidiornis africana</i> ...		1860,	42
	1859,	<i>Sarciophorus pileatus</i> ..	1850,	221	
	1859,	<i>Sarcogorgia phidippus</i> ..	1857,	} 159 294	
	1855,	<i>Sarcoptilus grandis</i> ...	1848,		45
	1856,	<i>Sarcorhamphus papa</i> ..	} 1851, 1855, 1857,	53	
	1858,	<i>Sarkidiornis africana</i> ...		1850,	221
	1859,	<i>Sarochalinus rufigularis</i> .		1858,	63
<i> magnus</i>	1860,	<i>Saturnia acetes</i>	1849,	53	
	1860,	<i> agathylla</i>	1849,	58	
	1860,	<i> alcinôe</i>	1849,	50	
<i> martinicensis</i>	1856,	<i> alinda</i>	1849,	50	
<i> maxillosus</i>	1856,	<i> alopia</i>	1849,	55	
	1856,	<i> angasana</i>	1849,	52	
<i> melanoleucus</i>	} 1856, 1857,	<i> apollonia</i>	1849,	} 36 47	
<i> melanopsis</i>		1856,	<i> arata</i>		1849,
<i> melanopterus</i>	1857,	<i> argus</i>	1849,	49	
<i> mutus</i>	1856,	<i> arrundi</i>	1859,	267	
<i> niger</i>	1856,	<i> assamensis</i>	1859,	258	
<i> nigrigenys</i>	1856,	<i> belina</i>	1849,	41	
	1856,	<i> cæcigena</i>	1849,	33	
<i> olivascens</i>	} 1856, 1857,	<i> caffra</i>	1849,	50	
		1856,	<i> calleta</i>	1853,	161
	1857,	<i> campionea</i>	1849,	49	
<i> orenocensis</i>	1856,	<i> carpini</i>	1849,	33	
<i> plumbeus</i>	1856,	<i> cedo-nulli</i>	1849,	36	
<i> psittacinus</i>	1856,	<i> chapata</i>	1853,	162	
<i> raptor</i>	1856,	<i> cometes</i>	1849,	47	
<i> riefferi</i>	1856,	<i> cynthia</i>	1859,	267	
<i> ruber</i>	1856,	<i> cytherea</i>	1849,	44	
<i> rubicoides</i>	1856,	<i> delegorguei</i>	1849,	59	
	1856,	<i> dione</i>	1849,	} 44 46	
<i> rubicus</i>	1856,	<i> epimethea</i>	1849,		50
	1856,	<i> ethra</i>	1849,	56	
<i> ruficapilla</i>	1856,	<i> forda</i>	1849,	52	
	1856,	<i> grimmia</i>	1849,	59	
<i> rufiventris</i>	} 72 74	<i> grotei</i>	1859,	265	
		1856,	<i> herilla</i>	1849,	57
<i> similis</i>	1856,	<i> hersilia</i>	1849,	42	
<i> sordidus</i>	1856,	<i> isis</i>	1849,	} 47 53	
<i> striaticeps</i>	1856,	<i> janeira</i>	1853,		164
<i> striatipectus</i>	1855,				
	1855,				
	1856,				
<i> superciliaris</i>	1856,				
	1856,				
<i> validus</i>	1856,				
<i> vigorsi</i>	1856,				
<i> virescens</i>	1856,				
<i>Samia cynthia</i>	1859,			267	
<i>Sanguinolaria californiana</i>	1856,			212	

	Page		Page
<i>Saturnia jorulla</i>	1853,	<i>Sauloprocta melanoleuca</i>	1860,
<i>katinka</i>	1859,		1851,
<i>larissa</i>	1859,		1851,
<i>lavendera</i>	1853,		1856,
<i>lola</i>	1859,		1851,
	246		1851,
<i>lucina</i>	1849,		1856,
	{		1851,
	37		1851,
	56		1856,
<i>luna</i>	1849,		1851,
	{		1856,
	38		1851,
	47		1856,
<i>mænas</i>	1849,		1851,
	{		1856,
	36		1851,
	54		1857,
<i>maia</i>	1849,		1857,
	{		1856,
	106		1856,
<i>melvilla</i>	1853,		1855,
<i>menippe</i>	1849,		1855,
	{		1855,
	47		1858,
	48		1859,
<i>mimosæ</i>	1849,		1860,
	{		1855,
	1849,		1858,
	46		1859,
<i>mylitta</i>	1859,		1860,
	{		1856,
	247		1857,
<i>mythimnia</i>	1849,		1859,
	{		1859,
	40		1857,
<i>nenia</i>	1849,		1859,
	{		1857,
	57		1859,
<i>nictitans</i>	1849,		1857,
	{		1859,
	55		1857,
<i>orizaba</i>	1853,		1857,
	{		1859,
	158		1857,
<i>orizaba</i>	1853,		1859,
	{		1857,
	36		1859,
<i>pandiona</i>	1849,		1857,
	{		1859,
	46		1857,
<i>paphia</i>	1849,		1859,
	{		1857,
	247		1859,
<i>pavonia</i>	1849,		1857,
	{		1859,
	36		1857,
<i>pernyi</i>	1859,		1859,
	{		1857,
	255		1859,
<i>perspicilla</i>	1849,		1857,
	{		1859,
	36		1857,
<i>phædusa</i>	1849,		1859,
	{		1857,
	51		1859,
<i>pluto</i>	1853,		1857,
	{		1859,
	33		1857,
	36		1859,
<i>pyra</i>	1849,		1857,
	{		1859,
	46		1857,
<i>pyretorum</i>	1859,		1859,
	{		1857,
	265		1859,
<i>ricini</i>	1859,		1857,
	{		1859,
	267		1857,
<i>sapatoza</i>	1853,		1859,
	{		1857,
	163		1859,
<i>selene</i>	1849,		1857,
	{		1859,
	47		1857,
<i>semiramis</i>	1849,		1859,
	{		1857,
	49		1859,
<i>simla</i>	1859,		1857,
	{		1859,
	257		1857,
<i>simla</i>	1859,		1859,
	{		1857,
	33		1859,
<i>spini</i>	1849,		1857,
	{		1859,
	36		1857,
<i>thibeta</i>	1853,		1859,
	{		1857,
	166		1859,
<i>thibeta</i>	1859,		1857,
	{		1859,
	260		1857,
<i>trifenestrata</i>	1859,		1859,
	{		1857,
	245		1859,
<i>tyrrhea</i>	1849,		1857,
	{		1859,
	43		1857,
<i>tyrrhena</i>	1849,		1859,
	{		1857,
	51		1859,
<i>vacuna</i>	1849,		1857,
	{		1859,
	39		1857,
<i>wahlbergii</i>	1849,		1859,
	{		1857,
	46		1859,
<i>zacateca</i>	1853,		1857,
	{		1859,
	159		1857,
<i>zuleika</i>	1859,		1859,
	{		1857,
	245		1859,
(<i>Aphelia</i>) <i>apollina-</i>			
<i>ris</i>	1849,		
	{		
	61		
(<i>Henucha</i> ?) <i>smilax</i>	1849,		
	{		
	59		
(<i>Urota</i>) <i>sinope</i>	1849,		
	{		
	60		
<i>Saucerotia atala</i>	1856,		
	{		
	140		
<i>cyaneifrons</i>	1857,		
	{		
	17		
<i>niveiventris</i>	1856,		
	{		
	140		
<i>sophiæ</i>	1855,		
	{		
	141		
<i>viridigastra</i>	1857,		
	{		
	16		

	Page		Page
Scapha dubia	1855, 55	Scaphorhynchus mexi-	1858, 358
ferussacii	1855, 58	canus	1859, 45
	1859, 36		1859, 366
	1855, 58	pitangua	1851, 44
fusiformis	1859, 35		1859, 45
	1859, 36	Scaphula biplicata	1858, 56
javanica	1859, 36	rosalina	1858, 56
junonia	1855, 57	Scarabella cassida	1854, 212
leucostoma	1859, 36	Scarabus borneensis	1850, 152
leuteostoma	1855, 57	castaneus	1850, 150
magellanica	1859, 36	cecillii	1850, 149
	1855, 57	chalcostomus	1850, 152
magnifica	1859, 35	cumingianus	1850, 150
	1855, 55	imbrium	1850, 147
mamilla	1859, 35	imperfuratus	1850, 151
	1859, 36	lekithostoma	1850, 150
maria-emma	1859, 231	lessoni	1850, 147
megaspira	1855, 58		1850, 151
	1855, 56	pantherinus	1850, 152
nivosa	1859, 35	petiverianus	1850, 148
norrisii	1855, 56		1850, 148
	1855, 58	plicatus	1851, 72
pacifica	1859, 36	pollex	1850, 150
piperita	1855, 56	pyramidatus	1850, 149
pulchella	1855, 56		1850, 152
	1855, 57	semisulcatus	1850, 151
punctata	1859, 36	sinuosus	1850, 151
rossiniana	1859, 231	striatus	1850, 148
	1855, 56	trigonus	1850, 148
rutila	1859, 35	undatus	1850, 149
sophia	1859, 35		1856, 309
	1855, 56	Scardafella inca	1859, 61
vesperilio	1859, 35		1859, 391
Scaphella fusiformis	1855, 58	Scelidotherium leptoce-	
junonia	1855, 57	phalum	1851, 210
maculata	1855, 64	Sceloporus chlorolepido-	
papillosa	1855, 63	tis	1860, 371
reticulata	1855, 64	Schasicheila minuscula	1859, 29
turneri	1855, 64	Schismotis excisa	1856, 148
undulata	1855, 64	Schistes albogularis	1860, 70
zebra	1855, 64	geoffroyi	1855, 139
(Alcithoë) fulgetrum	1855, 63		1860, 70
(—) fusiformis	1855, 58	personatus	1860, 311
(—) fusus	1855, 58	Schistochlamys abeillei	1856, 67
(—) gracilis	1855, 58	atra	1855, 154
(—) megaspira	1855, 58		1856, 67
(—) pacifica	1855, 58	capistrata	1856, 67
(—) papillosa	1855, 58	fasciata	1856, 68
(—) tuberculata	1855, 58	leucophæa	1856, 67
Scaphorhynchus atriceps	1851, 44	speculigera	1855, 69
audax	1851, 44		1856, 68
	1851, 44	Schizorhina emilia	1856, 16
	1851, 45	idæ	1856, 16
chrysocephalus	1859, 43	(Hemipharis) bake-	
	1860, 281	welli	1859, 119
flaviceps	1851, 44	Schizorhis zonura	1860, 197
mexicanus	1857, 204		

	Page		Page
<i>Schœniculus magnus</i> ..	1848,	<i>Scissurella elegans</i>	1859,
<i>Sciæna abdominalis</i> ...	1850,	<i>indica</i>	1859,
<i>lineata</i>	1850,	<i>lævigata</i>	1859,
<i>macroptera</i>	1850,	<i>mantelli</i>	1859,
<i>Sciænoides abdominalis</i> .	1850,	<i>plicata</i>	1850,
<i>Scincus officinalis</i>	1859,	<i>reticulata</i>	1859,
<i>Scintilla adamsi</i>	1855,	<i>striatula</i>	1850,
<i>anomala</i>	1855,	<i>Sciuropterus alboniger</i> ..	1856,
<i>aurantiaca</i>	1855,	<i>caniceps</i>	1856,
<i>candida</i>	1855,	<i>chrysothrix</i>	1856,
<i>crocea</i>	1855,	<i>nobilis</i>	1856,
<i>crystallina</i>	1855,	<i>senex</i>	1856,
<i>cumingii</i>	1855,	<i>Sciurus æstuans</i>	1858,
<i>cuvieri</i>	1855,	<i>boothiaë</i>	1860,
<i>faba</i>	1855,	<i>dorsalis</i>	1859,
<i>flavida</i>	1855,	<i>horsfieldi</i>	1848,
<i>forbesii</i>	1855,	<i>lokria</i>	1850,
<i>hanleyi</i>	1855,	<i>lokrioides</i>	1855,
<i>hyalina</i>	1855,	<i>macrotis</i>	1856,
<i>hydatina</i>	1855,	<i>macruroides</i>	1855,
<i>hydrophana</i>	1855,	<i>macrurus</i>	1856,
<i>jukesi</i>	1855,	<i>maximus</i>	1850,
<i>opalina</i>	1855,	<i>m'clellandi</i>	1860,
<i>ovulina</i>	1855,	<i>mollipilosus</i>	1856,
<i>oweni</i>	1855,	<i>palmarum</i>	1859,
<i>pallidula</i>	1855,	<i>purpureus</i>	1850,
<i>pellicula</i>	1855,	<i>siamensis</i>	1858,
<i>philippensis</i>	1855,	<i>trilineatus</i>	1860,
<i>porulosa</i>	1855,	<i>vulgaris</i>	1855,
<i>pudica</i>	1855,	<i>Sclerostoma sipunculi-</i>	1858,
<i>recluziana</i>	1855,	<i>forme</i>	1857,
<i>reevei</i>	1855,	<i>Sclerurus brunneus</i> ..	1856,
<i>rosea</i>	1855,	<i>caudacutus</i>	1857,
<i>scintillans</i>	1855,	<i>fuscus</i>	1856,
<i>solidula</i>	1855,	<i>guatimalensis</i>	1857,
<i>strangei</i>	1855,	<i>mexicanus</i>	1856,
<i>striatina</i>	1855,	<i>aspera</i>	1857,
<i>succinea</i>	1855,	<i>bertheloti</i>	1859,
<i>tenuis</i>	1855,	<i>conica</i>	1859,
<i>timorensis</i>	1855,	<i>costata</i>	1859,
<i>turgescens</i>	1855,	<i>crispata</i>	1850,
<i>turgida</i>	1855,	<i>decussata</i>	1859,
<i>vitrea</i>	1855,	<i>d'orbigny</i>	1850,
<i>Scirpearia dichotoma</i> ..	1859,	<i>orbigny</i>	1859,
<i>mirabilis</i>	1857,	<i>Sciolanthus sphaeroides</i> ..	1855,
<i>Scissurella angulata</i> ..	1850,	<i>Scolopacinus rufiventris</i> .	1858,
<i>aspera</i>	1859,	<i>Scolopax burka</i>	1860,
<i>bertheloti</i>	1859,	<i>capensis</i>	1858,
<i>conica</i>	1859,	<i>frenata</i>	1858,
<i>costata</i>	1859,	<i>gallinago</i>	1858,
<i>crispata</i>	1850,	<i>gallinula</i>	1858,
<i>decussata</i>	1850,		
<i>d'orbigny</i>	1850,		
<i>orbigny</i>	1859,		

	Page		Page
<i>Scolopax gigantea</i>	1856, 31	<i>Scotophilus greyii</i>	1859, } 68
<i>grisea</i>	1860, 108		} 70
<i>hudsonica</i>	1860, 387		1857, 51
<i>magellanica</i>	1860, 387	<i>kuhlii</i>	1859, 70
<i>major</i>	1858, 201		1859, 71
<i>nemoricola</i>	1855, 80		1859, 72
	{ 1851, 142	<i>leisleri</i>	1859, } 69
<i>rusticola</i>	1858, 201		} 70
	{ 1858, 506	<i>lobatus</i>	1858, } 539
<i>uniclavatus</i>	1860, 365		1859, 70
<i>Scomber colias</i>	1850, 248		1857, 51
<i>scomber</i>	1860, 205	<i>marginatus</i>	1859, 70
<i>Sconsia grayi</i>	1854, 136		1859, 72
<i>striata</i>	1854, 137	<i>microdon</i>	1859, 68
<i>Scopelus barbatus</i>	1850, 251	<i>minutus</i>	1857, 51
<i>humboldtii</i>	1850, 251	<i>morio</i>	1858, 121
<i>maderensis</i>	1850, 251	<i>nathusii</i>	1859, 72
<i>Scopophorus montanus</i>	1850, 119	<i>nitidus</i>	1858, 538
<i>ourebi</i>	1850, 118	<i>noctula</i>	1858, 28
<i>Scops asio</i>	1858, 133	<i>pachyomus</i>	1857, 50
<i>atricapilla</i>	1858, 133	<i>picatus</i>	1857, 51
<i>choliba</i>	{ 1855, 134	<i>pipistrellus</i>	1857, 51
	{ 1858, 133		1859, 70
<i>flammeola</i>	1858, } 96	<i>pruinus</i>	1857, 37
<i>grammicus</i>	1858, } 133	<i>pumiloides</i>	1857, 51
<i>griseus</i>	1854, 262	<i>pumilus</i>	1857, 51
<i>javanicus</i>	1854, 262		1859, 68
<i>lettia</i>	1854, 262	<i>serotinus</i>	1858, 28
<i>lettoides</i>	1854, 262		1858, 539
<i>leucotis</i>	1850, 216	<i>tralatitius</i>	1859, 70
<i>lophotes</i>	1858, 133	<i>tuberculatus</i>	1858, 122
<i>maccalli</i>	1858, } 133	<i>ursula</i>	1859, 72
<i>nudipes</i>	1858, } 296	<i>Scotornis climacurus</i>	1850, 216
<i>portoricensis</i>	1855, 134	<i>Serobicularia angulata</i>	1855, 230
<i>trichopsis</i>	1858, 133	<i>biangulata</i>	1855, 230
<i>usta</i>	1858, 357		1856, 213
<i>watsoni</i>	1858, 132	<i>producta</i>	1855, 230
<i>Scotophilus abramis</i>	1859, 70	<i>seychellarum</i>	1856, 53
<i>carolinensis</i>	{ 1857, 51	<i>viridotincta</i>	1856, 160
	{ 1858, 27	<i>Scurria mitra</i>	1856, 222
	{ 1858, 28	<i>scurra</i>	1856, 222
<i>circumdat</i>	1858, 540	<i>Scutella emarginata</i>	1851, 37
	{ 1856, 394	<i>quinqueloba</i>	1851, 37
	{ 1858, 35	<i>Scutellina cancellata</i>	1860, 437
<i>coromandelicus</i>	1858, 336	<i>Scutibranchiata rhipido-</i>	
	{ 1858, 539	<i>glossa</i>	1856, 44
	{ 1859, 74	<i>Scutus angustatus</i>	1851, 222
<i>darwini</i>	1859, 70	<i>antipodis</i>	1851, 221
<i>discolor</i>	1857, 51	<i>corrugatus</i>	1851, 222
<i>furinalis</i>	1858, 546	<i>elongatus</i>	1851, 221
	{ 1857, 136	<i>granulatus</i>	1851, 221
<i>gouldii</i>	1858, 122	<i>imbricatus</i>	1851, 222
	{ 1859, 69	<i>tumidus</i>	1851, 222
<i>greyii</i>	1857, 51	<i>unguis</i>	1851, 221
		<i>Scytalopus fuscus</i>	1860, 385
		<i>griseicollis</i>	1854, 111
			1855, 142
			1856, 290

	Page		Page
<i>Scytalopus griseicollis</i> ..	1858, 64		
<i>magellanicus</i>	1860, 385	<i>Seps tridactylus</i>	1859, { 470 473 476
<i>prostheleucus</i>	{ 1856, 290 1858, 63 1858, 96	<i>Serialia convoluta</i>	1858, 321
<i>senilis</i>	1855, 142	<i>Sericaria mori</i>	1859, 238
<i>squamiger</i>	1855, 142	<i>Sericinus fasciatus</i>	1852, 72
<i>Scythrops novæ-hol-</i>	{ 1858, 462	<i>fortunei</i>	1852, 72
<i>landiæ</i>	{ 1860, 359	<i>greyi</i>	1852, 72
<i>Seiranota perspicillata</i> ..	1858, 137	<i>montela</i>	1852, 71
<i>Seiurus aurocapillus</i>	1857, 231	<i>telamon</i>	1852, 71
<i>Selasphorus anna</i>	1857, 126	<i>telamona</i>	1852, 72
<i>heloisæ</i>	{ 1856, 288 1859, 386	<i>Sericossypha sumptu-</i>	{ 1855, 156
<i>platycercus</i>	{ 1856, 288 1858, 297	<i>osa</i>	{ 1856, 121
<i>ruber</i>	{ 1857, 126 1858, 297	<i>Sericulus anais</i>	1857, 6
<i>Selenidera langsdorfi</i> ..	1857, 267	<i>Serinus jamaicensis</i>	1856, 230
<i>reinwardti</i>	1858, 75	<i>Serpentarius orientalis</i> ..	1856, 352
<i>Semele amabilis</i>	1853, 97	<i>reptilivorus</i>	1856, 348
<i>ancæna</i>	1853, 95	<i>Serpophaga cinerea</i> ..	{ 1858, 458 1859, 144
<i>californica</i>	1853, 96	<i>parulus</i>	1858, 554
<i>casta</i>	1853, 96	<i>Serpula ammonoides</i> ...	{ 1860, 401 412 402 412
<i>compta</i>	1853, 97	<i>anguina</i>	1860, 412
<i>decisa</i>	1856, 213	<i>anguinarius</i>	1860, 412
<i>decora</i>	1853, 97	<i>annularis</i>	1860, 407
<i>flavescens</i>	1856, 199	<i>aquaria</i>	1858, 312
<i>gruneri</i>	1853, 95	<i>archimedis</i>	1860, 412
<i>jovis</i>	1853, 94	<i>arenaria</i>	1860, 412
<i>jucunda</i>	1853, 96	<i>clairbonensis</i>	1860, 415
<i>jukesii</i>	1853, 95	<i>incurvata</i>	1858, 436
<i>læta</i>	1853, 96	<i>muricata</i>	1860, { 402 414
<i>luteola</i>	1853, 95	<i>penes</i>	1858, 312
<i>martinii</i>	1853, 97	<i>perforata</i>	1858, 311
<i>modesta</i>	1853, 95	<i>porosa</i>	1860, 414
<i>planata</i>	1856, 160	<i>recta</i>	1858, { 425 436
<i>proxima</i>	1856, 199	<i>spirorbis</i>	1859, 203
<i>pulchella</i>	1853, 97	<i>variegata</i>	1860, 415
<i>rubrolineata</i>	1856, 212	<i>volvox</i>	1860, { 402 415
<i>simplex</i>	1856, 212	<i>Setophaga albidiema</i> ..	{ 1855, 144 1856, 28
<i>sinensis</i>	1853, 95	<i>brasiliانا</i>	1855, 143
<i>sponsa</i>	1853, 95	<i>chrysogastra</i>	1859, 137
<i>venusta</i>	1853, 96	<i>cinerea</i>	1858, 458
<i>vestalis</i>	1853, 96	<i>cinnamomeiven-</i>	{ 1855, 144
<i>virginea</i>	1853, 96	<i>tris</i>	{ 1856, 28
<i>Semioptera wallacei</i> ..	{ 1859, 130 1859, 351 1860, 61 1860, 355	<i>coronata</i>	1859, 137
<i>Semnopithecus bicolor</i> ..	1860, 246	<i>flammea</i>	{ 1851, 50 1855, 77
<i>entellus</i>	1858, 512	<i>flaveola</i>	{ 1851, 50 1855, 144
<i>schistaceus</i>	{ 1856, 393 1858, 512	<i>intermedia</i>	1855, 77
<i>vellerosus</i>	1860, 246	<i>leucomphomma</i> ..	{ 1851, 49 1855, 144
<i>Separatista chemnitzii</i> ..	1850, 45	<i>melanocephala</i>	1851, 50
<i>grayii</i>	1850, 45		
<i>Sepia octopodia</i>	1856, 133		

	Page		Page	
Setophaga miniata	1856, 292	Sigaretus debilis	1856, 207	
	1858, 299		242	
	1859, 363		Silenus veter.	1860, 243
	1859, 374			371
multicolor	1851, 50	vetus	1859, 434	
nigricincta	1855, 143	Siliqua lucida	1856, 211	
nigrocincta	1854, 111	nuttallii	1856, 211	
ornata	1851, 50	Siliquaria anguillæ	1860, 412	
	1855, 144	australis	1860, 411	
	1851, 50	cumingii	1860, 411	
picta	1855, 66	dubia	1860, 401	
	1856, 292	encaustica	1860, 411	
	1858, 299	florina	1860, 401	
	1859, 374	lima	1860, 401	
rubra	1855, 65	muricata	1860, 403	
ruficapilla	1856, 292	obtusa	1860, 411	
	1851, 49	senegalensis	1860, 408	
ruficoronata	1851, 49	sulcata	1860, 411	
	1855, 144	trochlearis	1860, 411	
	1858, 550	Siliquarius incisus	1860, 411	
rufifrons	1860, 74	lacteus	1860, 401	
	1855, 144	ponderosus	1860, 411	
rufipectus	1856, 291	tostus	1860, 411	
	1855, 144	Siloboura ceylonica	1858, 262	
ruticilla	1851, 49	elliotti	1858, 261	
	1854, 111	Simia abellii	1848, 53	
	1855, 133	chiroptotes	1849, 8	
	1855, 144	melanocephalus	1849, 9	
	1856, 292	sagulata	1849, 8	
sallæi	1860, 292	satyrus	1859, 10	
	1856, 292	silenus	1860, 178	
tricolor	1851, 50	sinicus	1850, 156	
venusta	1855, 143	troglodytes	1859, 10	
	1851, 50	Simocephalus poensis	1860, 178	
verticalis	1855, 144	Simiotes coccineus	1858, 376	
	1859, 137	purpurascens	1858, 377	
	1860, 84		1860, 161	
vulnerata	1851, 50	russellii	1860, 166	
	1855, 65		1860, 167	
Sialia cæruleicollis	1856, 293	Simpulopsis chiapensis	1860, 170	
	1856, 293		1860, 171	
mexicana	1857, 126	trinitatus	1858, 382	
	1859, 235		1860, 161	
	1859, 362	cordovana	1856, 319	
occidentalis	1856, 293	salleana	1856, 319	
	1856, 293			
wilsoni	1858, 299			
	1859, 362			
	1859, 371			
Sidisia barleei	1858, 532			
Sieboldia maxima	184			
	1860, 193			
	203			
Sigaretus costatus	1853, 186			

	Page		Page
<i>Siona avena</i>	1854,	32	
<i>frumentum</i>	1854,	32	
<i>triticea</i>	1854,	32	
<i>Sipho noachina</i>	1851,	228	
<i>Siphonaria acuta</i>	1858,	151	
<i>adansoni</i>	1858,	151	
<i>æquilorata</i>	1858,	151	
<i>albicans</i>	1858,	151	
<i>algesiræ</i>	1858,	151	
<i>alternata</i>	1858,	151	
<i>alternicostata</i>	1858,	151	
<i>amara</i>	1858,	151	
<i>antarctica</i>	1858,	151	
<i>aspera</i>	1858,	151	
<i>atra</i>	1858,	151	
<i>australis</i>	1858,	151	
<i>baconi</i>	1858,	151	
<i>belcheri</i>	1858,	153	
<i>bifurcata</i>	1858,	151	
<i>blainvillei</i>	1858,	153	
<i>brasilians</i>	1858,	151	
<i>brunnea</i>	1858,	{ 24	
		151	
<i>cancer</i>	1858,	151	
<i>capensis</i>	1858,	151	
<i>carbo</i>	1858,	{ 24	
		151	
<i>characteristica</i>	1858,	151	
<i>cochleariformis</i>	1858,	151	
<i>concinna</i>	1858,	151	
<i>conica</i>	1858,	151	
<i>coreensis</i>	1858,	151	
<i>cornuta</i>	1858,	151	
<i>corrugata</i>	1858,	151	
<i>costata</i>	1858,	151	
<i>crenata</i>	1858,	151	
<i>denticulata</i>	1858,	151	
<i>diemenensis</i>	1858,	151	
<i>exigua</i>	1858,	151	
<i>exulorum</i>	1858,	152	
<i>exulum</i>	1858,	25	
<i>ferruginea</i>	1858,	152	
<i>fuliginata</i>	1858,	152	
<i>funiculata</i>	1858,	152	
<i>gigas</i>	1858,	152	
<i>grisea</i>	1858,	152	
<i>guamensis</i>	1858,	152	
<i>inculta</i>	1858,	152	
<i>japonica</i>	1858,	152	
<i>javanica</i>	1858,	152	
<i>jonasii</i>	1858,	152	
<i>kurracheensis</i>	1858,	152	
<i>lævis</i>	1858,	152	
<i>læviuscula</i>	1858,	152	
<i>lateralis</i>	1858,	152	
<i>lecanium</i>	1858,	152	
<i>lepida</i>	1858,	152	
<i>lessoni</i>	1858,	152	
<i>Siphonaria leucopleura</i>	1858,	152	
<i>lineolata</i>	1858,	152	
<i>lirata</i>	1858,	152	
<i>luzonica</i>	1858,	152	
<i>macgillivrayi</i>	1858,	152	
<i>magellanica</i>	1858,	152	
<i>maura</i>	1858,	152	
<i>natalensis</i>	1858,	152	
<i>nuttallii</i>	1858,	153	
<i>obliquata</i>	1858,	152	
<i>oculus</i>	1858,	152	
<i>palpebra</i>	1858,	152	
<i>parma</i>	1858,	{ 24	
		152	
<i>pectinata</i>	1858,	152	
<i>pica</i>	1858,	152	
<i>picta</i>	1858,	152	
<i>placentula</i>	1858,	152	
<i>plana</i>	1858,	152	
<i>plicata</i>	1858,	152	
<i>punctata</i>	1858,	152	
<i>radiata</i>	1858,	152	
<i>redimiculum</i>	1858,	{ 25	
		152	
<i>savignyi</i>	1858,	152	
<i>scabra</i>	1858,	152	
<i>scutellum</i>	1858,	152	
<i>sipho</i>	1858,	152	
<i>siquijorensis</i>	1858,	152	
<i>soverbyi</i>	1858,	152	
<i>spinosa</i>	1858,	152	
<i>stellata</i>	1858,	153	
<i>striatocostata</i>	1858,	153	
<i>subrugosa</i>	1858,	153	
<i>tristensis</i>	1858,	153	
<i>umbonata</i>	1858,	153	
<i>variabilis</i>	1858,	153	
<i>venosa</i>	1858,	153	
<i>viridis</i>	1858,	153	
<i>zebra</i>	1858,	153	
<i>zelandica</i>	1858,	153	
<i>Siphonium nebulosum</i> ..	1860,	{ 401	
		412	
<i>Siphonognathus argyro-</i> <i>phanes</i>	1857,	238	
<i>Siredon mexicanus</i>	1858,	224	
<i>Siren lacertina</i>	1856,	345	
<i>Sirex gigas</i>	1849,	95	
<i>Sitta aculeata</i>	{ 1857,	126	
	{ 1858,	300	
<i>cæsia</i>	1860,	243	
	1856,	293	
	1857,	126	
<i>carolinensis</i>	{ 1858,	300	
	1859,	363	
	1859,	373	
<i>himalayana</i>	{ 1858,	494	
	1859,	174	

	Page		Page
<i>Sitta leucopsis</i>	1849,	<i>Soriculus nigrescens</i>	1856, 400
<i>pygmaea</i>	1859,	<i>Sparus desfontainii</i>	1859, { 474
<i>surinamensis</i>	1858,		477
<i>Sittace militaris</i>	1858,	<i>Sparvius gilvicollis</i>	1857,
<i>petzi</i>	1857,	<i>Spatha compressa</i>	1860,
<i>Sittasomus erithacus</i> ...	1860,	<i>rostrata</i>	1860,
	{ 278	<i>rubens</i>	1860,
	293	<i>wahlbergi</i>	1860,
<i>sylvioides</i>	{ 1856,	<i>Spathura cissiura</i>	1853,
	365	<i>melanathera</i>	{ 1859,
<i>Sittella chrysoptera</i>	1859,	<i>peruana</i>	1853,
<i>Siurus auricapillus</i>	1859,	<i>spatuligera</i>	1855,
	{ 363	<i>underwoodi</i>	1855,
<i>ludovicianus</i>	1859,		{ 1856,
<i>noveboracensis</i>	1859,	<i>Spatula clypeata</i>	1859,
<i>Siva occipitalis</i>	1854,	<i>maculata</i>	1856,
<i>Sivatherium</i>	1849,	<i>rhynchotis</i>	1856,
<i>Skenea rota</i>	1858,	<i>variegata</i>	1856,
<i>serpuloides</i>	1851,		{ 137
<i>Snake-eater, The Long-</i>	1851,	<i>Spelerpes rubra</i>	1858,
<i>legged</i>	59		{ 144
	{ 1857,	<i>Spermagra erythroce-</i>	{ 1855,
<i>Solanderia gracilis</i>	284	<i>phala</i>	1856,
	{ 1859,	<i>Spermestes cheet</i>	1854,
<i>Solea lingula</i>	482	<i>poënsis</i>	1860,
<i>Solecardia eburnea</i>	1849,	<i>Spermolegus montanellus</i>	1854,
<i>Solecortus californianus</i> .	83	<i>Spermophila albigularis</i> .	1856,
<i>lucidus</i>	1856,	<i>corvina</i>	1859,
<i>maximus</i>	1856,	<i>gutturalis</i>	{ 1855,
<i>nuttallii</i>	1856,		1860,
<i>radiatus</i>	1856,		{ 1855,
<i>splendens</i>	1856,	<i>luctuosa</i>	1858,
<i>subteres</i>	1856,		{ 1858,
<i>Solen anguinus</i>	1860,	<i>martha</i>	1855,
<i>Solenella cumingii</i>	1860,	<i>minuta</i>	1855,
<i>Soletellina truncata</i>	1860,		{ 1856,
<i>Solidula affinis</i>	1854,	<i>moreleti</i>	1859,
<i>concinata</i>	1854,		{ 1859,
<i>glabra</i>	1854,	<i>olivaceoflava</i>	1855,
<i>insculpta</i>	1854,		{ 276
<i>nitidula</i>	1854,	<i>ophthalmica</i>	1860,
<i>pusilla</i>	1854,		{ 293
<i>solidula</i>	1854,	<i>torqueola</i>	1858,
<i>suturalis</i>	1854,	<i>Spermophilus guttatus</i> .	1859,
<i>tessellata</i>	1854,	<i>Spes bifasciatus</i>	1854,
<i>Somateria mollissima</i> ..	1855,	<i>Sphænia binghami</i>	1850,
<i>spectabilis</i>	1855,	<i>californica</i>	1856,
<i>V-nigrum</i>	1855,	<i>decurtata</i>	1850,
<i>Sorex aterrimus</i>	1856,	<i>decussata</i>	1850,
<i>caudatus</i>	1856,	<i>elliptica</i>	1850,
<i>leucops</i>	1856,	<i>mindorensis</i>	1850,
	399	<i>philippinarum</i>	1850,
	{ 1850,	<i>princeps</i>	1850,
<i>murinus</i>	156	<i>rüppellii</i>	1850,
	{ 1850,	<i>semistriata</i>	1850,
<i>nemorivagus</i>	159	<i>Sphærium inconspicuum</i>	1860,
<i>purpurascens</i>	1856,	<i>indicum</i>	1854,
<i>pygmaeus</i>	1853,	<i>novæ zelandiæ</i>	1854,
<i>saturatior</i>	1856,	<i>subtransversum</i>	1860,
<i>sikkimensis</i>	1856,		322
<i>soccatus</i>	1856,		342
	400		342

	Page		Page
<i>Sphærops anomalus</i>	1860, 442	<i>Spiraxis subcallosa</i>	1855, 99
<i>Sphærotheca strigata</i> ..	1860, 165	<i>turgidula</i>	1856, 320
<i>Sphasus gracilipes</i>	1849, 5	<i>Spirorbula latens</i>	1854, 175
<i>Sphecotheres australis</i> ..	1849, 112	<i>obtecta</i>	1854, 175
<i>flaviventris</i>	1849, 111	<i>paupercola</i>	1854, 175
<i>Spheniscus magellanicus</i> 1860,	390		
<i>Sphenops capistratus</i> ..	1849, 95		
<i>Sphenorhina elegans</i> ...	1858, 156	<i>Spiza ciris</i>	1856, 304
<i>Sphenura ruficeps</i>	1856, 97		1858, 358
<i>Sphyropicus ruber</i>	1859, 236		1859, 58
<i>Spilornis bacha</i>	1854, 260		1859, 434
<i>rufipectus</i>	1857, 222		1860, 243
<i>Spilotes corais</i>	1860, 456		1856, 304
	156	<i>cyanea</i>	1860, 243
	163		1860, 416
<i>hodgsonii</i>	1860, 167	<i>versicolor</i>	1857, 214
	173		1859, 365
	174	<i>Spizaëtus cirrhatus</i> ...	1854, 259
<i>melanurus</i>	1860, 163	<i>isidori</i>	1855, 134
	174	<i>limnæetus</i>	1854, 259
<i>pæcilostoma</i>	1859, 89	<i>occipitalis</i>	1860, 417
	402		1857, 201
	115	<i>ornatus</i>	1859, 52
<i>radiatus</i>	1860, 162		1859, 389
	163		1855, 134
	166	<i>tyrannus</i>	1858, 357
<i>reticularis</i>	1860, 167		1860, 253
	171	<i>Spizella pallida</i>	1859, 379
	174		1856, 305
<i>variabilis</i>	1860, 417		1858, 304
<i>Spindalis bilineatus</i>	1856, 230	<i>socialis</i>	1859, 235
<i>multicolor</i>	1856, 230		1859, 365
	1857, 231	<i>Spizigeranus uncinatus</i> .	1860, 288
<i>nigricephalæ</i>	1856, 230	<i>Spondylus victoriae</i>	1859, 428
<i>pretrei</i>	1856, 231	<i>Spongia suberea</i>	1858, 532
<i>zena</i>	1856, 231	<i>Sporadinus auriceps</i>	1856, 287
<i>Spinites atrigularis</i>	1857, 7	<i>caniveti</i>	1856, 287
<i>Spirachtha eurymedusa</i>	1853, 102		1859, 367
<i>Spiraculum housei</i>	1860, 10	<i>elegans</i>	1857, 233
<i>Spiralia spiralis</i>	1858, 321	<i>Squama magna</i>	1849, 122
<i>unispiralis</i>	1858, 321		1859, 95
<i>Spiraxis auriculacea</i>	1856, 320	<i>Squatarola cincta</i>	1860, 386
<i>barclayi</i>	1855, 99		1850, 220
<i>biconica</i>	1856, 378	<i>helvetica</i>	1860, 363
<i>bistorta</i>	1854, 293	<i>Squilla multica rinata</i> ..	1848, 144
<i>catenata</i>	1856, 378	<i>Stachyris chryseæ</i>	1859, 184
<i>cumingiana</i>	1855, 106	<i>pyrrhops</i>	1854, 141
<i>dubia</i>	1856, 378	<i>ruficeps</i>	1854, 141
<i>dunkeri</i>	1855, 9	<i>Staurodon pygmæa</i>	1854, 214
<i>erecta</i>	1855, 9	<i>saxicola</i>	1854, 214
<i>euptycta</i>	1856, 378	<i>seminulum</i>	1854, 214
<i>mandarina</i>	1855, 9	<i>Stavelia torta</i>	1858, 90
<i>oblonga</i>	1856, 378	<i>Steatornis caripensis</i> ..	1855, 135
<i>obsoleta</i>	1856, 335	<i>Stellio vulgaris</i>	1849, 95
<i>paradoxa</i>	1853, 128	<i>Stenogyra erecta</i>	1860, 9
<i>parvula</i>	1856, 379	<i>turricula</i>	1860, 9
<i>sandwichensis</i>	1856, 335	<i>Stenorhynchus</i>	1848, 88
<i>shuttleworthi</i>	1856, 320		1855, 213
		<i>ruficauda</i>	1855, 214
			1859, 338

	Page		Page
<i>Stenotherus derbianus</i> ..	1858,		167
<i>Stephanophorus caeruleus</i>	1856,	<i>Stoastoma pfeifferianum</i>	1857, { 168
<i>leucocephalus</i>	1856,		178
	241	<i>philippianum</i>	1857, { 167
<i>Stephanopoma rosea</i> ..	1860,		169
	414		162
<i>Sterna anglica</i>	1850,		166
<i>antarctica</i>	1860,	<i>pisum</i>	1857, { 167
<i>cassini</i>	1860,		168
<i>dougallii</i>	1851,		170
<i>fuliginosa</i>	1859,		166
<i>gracilis</i>	1859,	<i>redfieldianum</i>	1857, { 189
	1851,		175
<i>hirundo</i>	1858,	<i>tappanianum</i>	1857, { 163
	509		171
	1859,	<i>wilkinsonæanum</i> ..	1857, { 168
<i>javanica</i>	1858,		179
<i>melanauchen</i>	1859,	(<i>Electrina</i>) <i>succi-</i>	} 1857, {
	184	<i>neum</i>	
<i>melanogaster</i>	1855,	<i>Stomatella arabica</i>	1853, { 74
	190	<i>articulata</i>	1850, { 30
<i>meridionalis</i>	1860,	<i>baconii</i>	1853, { 73
<i>nigra</i>	1851,	<i>biporcata</i>	1850, { 33
<i>serrata</i>	1859,	<i>calliostoma</i>	1853, { 74
<i>torresii</i>	1858,		30
<i>velox</i>	1860,	<i>cancellata</i>	{ 1850, { 133
<i>Sternopteryx diaphana</i>	1850,		1854, { 133
<i>olfersii</i>	1850,	<i>clathratula</i>	1854, { 33
	247	<i>coccinea</i>	1850, { 133
<i>Stethodesma servillei</i> ..	1856,	<i>compta</i>	1854, { 30
	15	<i>costellata</i>	1850, { 74
<i>Stigmatium ambulator</i> ..	1855,	<i>cumingii</i>	1853, { 31
<i>cursor</i>	1855,	<i>decolorata</i>	1850, { 32
<i>cylindrinum</i>	1855,	<i>fulgurans</i>	1850, { 32
<i>fervidum</i>	1855,		32
<i>granulosum</i>	1855,	<i>haliotidea</i>	{ 1850, { 133
<i>ignavum</i>	1855,		1854, { 30
<i>torulentum</i>	1855,		1854, { 133
<i>Stigmatius dorsiger</i>	1852,	<i>imbricata</i>	{ 1850, { 31
<i>elaphroides</i>	1852,		1854, { 30
<i>nebulifer</i>	1852,	<i>japonica</i>	1850, { 31
<i>rufiventris</i>	1852,	<i>maculata</i>	1850, { 31
<i>Stigmodera bakewellii</i> ..	1859,	<i>malukana</i>	1850, { 33
<i>guelmi</i>	1859,	<i>margaritana</i>	1850, { 30
<i>parallela</i>	1859,	<i>monilifera</i>	1850, { 31
	119	<i>orbiculata</i>	1850, { 31
<i>Stoastoma agassizianum</i>	1857, { 167	<i>papyracea</i>	1850, { 32
<i>anthonianum</i>	1857,	<i>sanguinea</i>	1850, { 133
<i>blandianum</i>	1857,	<i>selecta</i>	1854, { 32
<i>chittyanum</i>	1857,	<i>speciosa</i>	1850, { 30
<i>cumingianum</i>	1857,	<i>sulcifera</i>	1850, { 33
	169	<i>tigrina</i>	1850, { 31
<i>fadyenianum</i>	1857,	<i>tumida</i>	1850, { 34
<i>gouldianum</i>	1857,	<i>Stomatia acuminata</i> ...	1850, { 34
<i>hollandianum</i>	1857,	<i>angulata</i>	1850, { 34
<i>jayanum</i>	1857,	<i>australis</i>	1850, { 74
<i>leanum</i>	1857,	<i>bicarinata</i>	1853, { 35
	166	<i>candida</i>	1850, { 133
	189	<i>decorata</i>	1854, { 34
<i>lindsleyanum</i>	1857,	<i>decussata</i>	1850, { 34
	167	<i>duplicata</i>	1850, { 35
<i>livesayanum</i>	1857,	<i>lirata</i>	1850, { 35
	168	<i>notata</i>	1850, { 36
<i>moricanianum</i>	1857,		36
<i>petitianum</i>	1857,		191
	184		184

	Page		Page
<i>Stomatia pallida</i>	1850,		36
<i>phymotis</i>	1850,		34
<i>rubra</i>	{ 1850,		35
<i>splendidula</i>	1854,		134
<i>splendidula</i>	1854,		133
<i>Stomoxys calcitrans</i>	1850,		258
<i>Stoparola melanops</i>	1858,		493
<i>Strebloceras cornuoides</i> .	1858,		441
<i>solutum</i>	1858,		441
<i>Strephona angulata</i>	1858,		41
<i>anomina</i>	1858,		45
<i>atalina</i>	1858,		44
<i>australis</i>	1858,		45
<i>caroliniana</i>	1858,		46
<i>cruenta</i>	1858,		41
<i>cumingii</i>	1858,		45
<i>episcopalis</i>	1858,		42
<i>erythrostroma</i>	1858,		42
<i>flammulata</i>	1858,		45
<i>flaveola</i>	1858,		45
<i>hemiltona</i>	1858,		46
<i>jaspidea</i>	1858,		45
<i>kaleontina</i>	1858,		45
<i>lentiginosa</i>	1858,		45
<i>ligneola</i>	1858,		46
<i>litterata</i>	1858,		43
<i>lugubris</i>	1858,		46
<i>maura</i>	1858,		42
<i>multiplicata</i>	1858,		46
<i>neolina</i>	1858,		46
<i>nitidula</i>	1858,		44
<i>olorinella</i>	1858,		45
<i>oriola</i>	1858,		44
<i>paxillus</i>	1858,		44
<i>peruviana</i>	1858,		43
<i>pintamella</i>	1858,		44
<i>polpasta</i>	1858,		44
<i>porphyria</i>	1858,		41
<i>quersolina</i>	1858,		44
<i>reticularis</i>	1858,		43
<i>rufula</i>	1858,		46
<i>schumacheriana</i> ..	1858,		46
<i>scripta</i>	1858,		43
<i>sidelia</i>	1858,		46
<i>splendidula</i>	1858,		44
<i>stainforthii</i>	1858,		44
<i>stellata</i>	1858,		45
<i>textilina</i>	1858,		43
<i>tigridella</i>	1858,		45
<i>tricolor</i>	1858,		42
<i>tringa</i>	1858,		45
<i>Strepsiceros angasii</i>	1850,		171
<i>capensis</i>	1850,		143
<i>decula</i>	1850,		171
<i>derbianus</i>	1850,		171
<i>euryceros</i>	1850,		179
<i>excelsus</i>	1850,		143
<i>kudu</i>	1850,		143
<i>Strepsiceros kudu</i>	{ 1850,		146
	1850,		171
	1857,		158
<i>oreas</i>	1850,		171
<i>scriptus</i>	1850,		171
<i>sylvaticus</i>	1850,		171
<i>Strepsilas collaris</i>	1860,		363
	{ 1851,		146
<i>interpres</i>	1859,		166
	1860,		363
<i>Streptaxis conoidea</i>	1854,		149
<i>cumingiana</i>	1849,		126
<i>discus</i>	1851,		252
<i>fortunei</i>	1854,		149
<i>glabra</i>	1849,		126
<i>uberiformis</i>	1848,		108
<i>Streptocephalus cafer</i> ..	1852,		21
<i>dichotomus</i>	1860,		445
<i>similis</i>	1852,		22
<i>torvicornis</i>	1852,		20
<i>Streptophorus drozii</i> ...	1859,		412
<i>sebae</i>	1860,		452
	{ 1860,		454
<i>Strigatella fuscescens</i> ..	1860,		146
<i>picea</i>	1860,		146
<i>Strigilla carnaria</i>	1856,		200
<i>disjuncta</i>	1856,		160
<i>fucata</i>	1856,		200
<i>miniata</i>	1856,		200
<i>Strigops habroptilus</i> ...	1852,		31
<i>Strix aluco</i>	1857,		215
<i>americanus</i>	1857,		215
<i>badia</i>	1854,		263
<i>ceylonensis</i>	1854,		263
<i>crucigera</i>	1858,		133
<i>erythroptera</i>	1854,		262
	{ 1851,		142
<i>flammea</i>	1857,		215
	1859,		151
	1860,		180
<i>flammeola</i>	1858,		96
	{ 1858,		133
<i>hirsuta</i>	1854,		262
	{ 1854,		262
<i>infausta</i>	1857,		4
	1857,		126
<i>javanica</i>	1857,		87
<i>ketupa</i>	1854,		263
<i>lapponica</i>	1857,		56
<i>lempiji</i>	1854,		262
<i>lugubris</i>	1854,		262
<i>noctula</i>	1854,		262
<i>orientalis</i>	1854,		262
<i>otus</i>	{ 1857,		215
	1860,		258
<i>pagodarum</i>	1854,		263
<i>passerina</i>	{ 1848,		37
	1857,		4

	Page		Page
<i>Strix passerinoides</i>	1857,	}	4
	126		1858,
<i>pratincola</i>	1859,		480
	390	<i>Sturnus vulgaris</i>	173
<i>punctatissima</i>	1860,	}	258
	82		1860,
<i>radiata</i>	1854,		137
<i>scutulata</i>	1854,	<i>Stylifer barronii</i>	1854,
<i>seloputo</i>	1854,		137
<i>strepitans</i>	1854,	<i>corallinus</i>	1855,
<i>sumatrana</i>	1854,		122
<i>tengmalmi</i>	1857,	<i>exaratus</i>	1855,
<i>undulata</i>	1858,		122
<i>Strombus ater</i>	1859,	<i>robustus</i>	1860,
<i>cancellatus</i>	1860,		437
<i>obtusus</i>	1854,	<i>subangulatus</i>	1855,
<i>oniscus</i>	1851,		122
<i>taurus</i>	1857,	<i>Stylina fulvescens</i>	1853,
<i>Strongylus filaria</i>	1856,		73
<i>Struthio camelus</i>	1849,	<i>Stylocerus ratwa</i>	{
<i>casuarius</i>	1858,		1850,
<i>epoasticus</i>	1860,		235
<i>Struthiolaria monoceros</i>	1853,		405
<i>Struthus atrimentalis</i>	1857,	<i>Stylogaster stylatus</i>	1850,
<i>caniceps</i>	{		270
	1857,	<i>Stylomia confusa</i>	1850,
	7		269
	1858,	<i>leonum</i>	1850,
	304	<i>Subemarginula alveolata</i>	1851,
	1858,		90
	450	<i>arabica</i>	1851,
	1858,		90
	455	<i>australis</i>	1851,
<i>Sturnella bellicosa</i>	{		91
	1858,	<i>catillus</i>	1851,
	552		91
	1860,	<i>clathrata</i>	1851,
	277		90
	1856,	<i>crassilabrum</i>	1851,
	30		91
	1856,	<i>cratitia</i>	1851,
<i>hippocrepis</i>	{		92
	1859,	<i>denticulata</i>	1851,
	58		91
	1859,	<i>depressa</i>	1851,
	365		90
	1859,	<i>élargie</i>	1851,
	381		90
	1856,	<i>emarginata</i>	1851,
<i>ludoviciana</i>	{		89
	1856,	<i>galeata</i>	1851,
	142		90
	1858,	<i>imbricata</i>	1851,
	358		91
	1859,	<i>nodulosa</i>	1851,
	94		91
<i>militaris</i>	{	<i>ocoradiata</i>	1851,
	1860,		90
	385	<i>panihensis</i>	1851,
	1857,		90
<i>neglecta</i>	{	<i>polygonalis</i>	1851,
	127		91
	1859,	<i>pumila</i>	1851,
	235		91
<i>Sturnia elegans</i>	1859,	<i>sculptilis</i>	1851,
	151		92
	1857,	<i>tricostata</i>	1851,
	97		90
<i>pagodarum</i>	{	<i>Subergorgia compressa</i>	{
	1858,		1857,
	480		288
	1859,		1859,
<i>pyrrhopogon</i>	{		482
	1860,		159
	355	<i>suberosa</i>	{
<i>Sturnira spectrum</i>	{		1857,
	1857,		288
	97		1859,
<i>Sturnopastor contra</i>	{		482
	1859,	<i>Subula dimidiata</i>	1859,
	150		281
<i>Sturnus collaris</i>	1854,	<i>maculata</i>	1859,
<i>dauricus</i>	1859,		280
<i>maritimus</i>	1854,	<i>Succinea acuta</i>	1849,
<i>militaris</i>	1860,		132
	385	<i>asperula</i>	1856,
	1858,		326
	480	<i>baconii</i>	1854,
<i>unicolor</i>	{		298
	1859,	<i>bensoni</i>	1849,
	173		133
	1851,	<i>bermudensis</i>	1857,
	145		110
<i>vulgaris</i>	{	<i>ceylanica</i>	1854,
	1857,		297
	97	<i>chinensis</i>	1857,
	13		110
	1857,	<i>cingulata</i>	1850,
	97		56
	1857,	<i>daucina</i>	1854,
	97		298
	1857,	<i>dominicensis</i>	1851,
	97		147
	1857,	<i>guamensis</i>	1857,
	97		110
	1857,	<i>indica</i>	1849,
	97		133
	1857,	<i>margarita</i>	1853,
	97		60
	1857,	<i>newcambia</i>	1854,
	97		297
	1857,	<i>oregonensis</i>	1856,
	97		220
	1857,	<i>pfeifferi</i>	1856,
	97		186
	1857,	<i>picta</i>	1849,
	97		133

	Page		Page
<i>Succinea planti</i>	1856,		326
<i>punctata</i>	1854,		297
<i>pusilla</i>	1849,		134
<i>repanda</i>	1854,		123
<i>rubicunda</i>	1849,		134
<i>salleana</i>	1849,		133
<i>simplex</i>	1854,		123
<i>solidula</i>	1849,		134
<i>strigata</i>	1854,		297
<i>subgranosa</i>	1849,		132
<i>tomentosa</i>	1854,		297
<i>vitrea</i>	1854,		298
<i>Sula alba</i>	1851,		146
<i>australis</i>	1856,		145
	1856,		145
	1859,		212
<i>bassana</i>	1859,		435
	1860,		328
	1860,		371
<i>capensis</i>	1856,		145
	1860,		112
<i>cyanops</i>	1856,		145
	1858,		188
<i>fiber</i>	1860,		366
	1856,		144
	1857,		237
<i>fusca</i>	1858,		188
	1859,		167
<i>piscatrix</i>	1856,		145
<i>variegata</i>	1856,		145
<i>Sunetta scripta</i>	1851,		232
<i>Suricata zenik</i>	1859,		436
<i>Surniculus lugubris</i>	1859,		459
<i>Sus africanus</i>	1852,		131
	1852,		130
<i>aper</i>	1856,		406
<i>barbarus</i>	1860,		443
	1848,		73
	1850,		158
<i>indicus</i>	1852,		130
	1856,		406
	1860,		181
<i>koiropotamus</i>	1852,		131
<i>larvatus</i>	1852,		131
<i>papuensis</i>	1858,		107
<i>penicillatus</i>	1852,		132
	1850,		158
	1858,		531
<i>scrofa</i>	1860,		183
	1860,		443
—, var. <i>indicus</i> ..	1856,		406
<i>vittatus</i>	1860,		442
			443
<i>Suthora webbiana</i>	1852,		72
	1851,		195
<i>Sutoria agilis</i>	1854,		78
	1854,		284
<i>Suya atrogularis</i>	1854,		77
<i>Suya lepida</i>	1855,		47
			50
<i>Sycalis aureipectus</i>	1855,		159
<i>Sylphitreron perlatus</i> ..	1858,		185
<i>Sylvia affinis</i>	1859,		182
<i>atrata</i>	1854,		26
<i>atricapilla</i>	1851,		142
<i>bilineata</i>	1855,		12
<i>bivittata</i>	1855,		12
<i>cærulecula</i>	1860,		107
<i>caligata</i>	1860,		108
<i>certhiola</i>	1860,		108
<i>chrysophrys</i>	1855,		65
<i>culicivora</i>	1855,		66
<i>curruca</i>	1858,		493
<i>dumicola</i>	1855,		12
<i>erythrogastra</i>	1854,		27
<i>erythronota</i>	1854,		30
<i>flavescens</i>	1860,		349
<i>guzuratta</i>	1854,		81
			284
<i>halseii</i>	1855,		65
	1858,		298
<i>hortensis</i>	1851,		145
<i>javanica</i>	1860,		108
<i>leucogastra</i>	1855,		12
			151
<i>leucophœa</i>	1854,		272
<i>leucorhoa</i>	1850,		216
<i>longicauda</i>	1854,		81
<i>magellanica</i>	1860,		385
<i>melanocausta</i>	1858,		298
<i>melanoxantha</i>	1856,		110
<i>mexicana</i>	1858,		299
<i>modularis</i>	1854,		118
<i>montanella</i>	1854,		118
<i>œnanthe</i>	1857,		13
<i>olivacea</i>	1855,		66
	1856,		291
<i>phœnicura</i>	1854,		25
<i>platensis</i>	1860,		384
<i>rubecula</i>	1851,		142
<i>rubetra</i>	1857,		215
<i>rubicula</i>	1857,		13
<i>ruficapilla</i>	1856,		111
<i>sibilatrix</i>	1857,		215
<i>sutoria</i>	1854,		81
<i>tæniata</i>	1855,		66
<i>tithys</i>	1854,		25
<i>trochilus</i>	1857,		215
<i>Sylvicola americana</i>	1857,		202
<i>aureola</i>	1860,		291
<i>blackburniæ</i>	1854,		111
<i>canadensis</i>	1857,		231
<i>coronata</i>	1857,		231
<i>palmarum</i>	1857,		231
<i>superciliosa</i>	1858,		291
<i>tæniata</i>	1856,		291

	Page		Page
<i>Sylvicola virens</i>	1860,		
	108		
<i>Sylviorthorhynchus</i>	1856,		
	26		
<i>Syma flavirostris</i>	1858,		
	172		
<i>tirotoro</i>	1850,		
	200		
<i>torotoro</i>	1858,		
	172		
<i>Sympheletes</i> (<i>Platymop-</i>			
<i>sis</i>) <i>armatulus</i> ..	1859,		
	122		
<i>Symphemia semipalmata</i>	1860,		
	253		
<i>Synallaxis ægithaloides</i> .	1859,		
	193		
<i>albescens</i>	{ 1856,		
	98		
	{ 1859,		
	192		
<i>albiceps</i>	1859,		
	194		
	{ 1858,		
	63		
<i>albigularis</i>	{ 1858,		
	456		
	{ 1859,		
	192		
<i>albilora</i>	1859,		
	193		
<i>alopezias</i>	1859,		
	197		
<i>anthoides</i>	1859,		
	193		
	{ 1858,		
	457		
<i>antisiensis</i>	{ 1859,		
	192		
<i>azarae</i>	1856,		
	98		
<i>brachyura</i>	1859,		
	197		
<i>brachyurus</i>	1855,		
	141		
	{ 1856,		
	99		
<i>brunnea</i>	{ 1859,		
	197		
	{ 1858,		
	62		
<i>brunneicaudalis</i> ...	{ 1858,		
	457		
<i>brunneicaudis</i>	1859,		
	192		
<i>candæi</i>	1859,		
	194		
	{ 1856,		
	98		
<i>caniceps</i>	{ 1859,		
	194		
<i>castanea</i>	1859,		
	193		
	{ 1855,		
	75		
<i>cinerascens</i>	{ 1859,		
	194		
<i>cinereus</i>	1856,		
	97		
<i>cinnamomea</i>	1859,		
	194		
	{ 1855,		
	141		
<i>cinnamomeus</i>	{ 1856,		
	26		
<i>dorsomaculata</i>	1859,		
	193		
	{ 1856,		
	25		
<i>elegans</i>	{ 1859,		
	141		
	{ 1859,		
	192		
<i>erythrops</i>	1860,		
	66		
	{ 1855,		
	75		
<i>erythrothorax</i> ...	{ 1856,		
	288		
	{ 1859,		
	192		
	{ 1859,		
	382		
<i>flammula</i>	1859,		
	194		
<i>flammulata</i>	1860,		
	76		
	{ 1856,		
	99		
<i>flavigularis</i>	{ 1859,		
	193		
<i>frontalis</i>	1859,		
	197		
<i>fuliginiceps</i>	1859,		
	197		
<i>fuliginosa</i>	1859,		
	192		
	{ 1855,		
	141		
<i>fuliginosus</i>	{ 1856,		
	26		
	{ 1855,		
	141		
<i>gularis</i>	{ 1856,		
	26		
		<i>Synallaxis gularis</i>	{ 1859,
			192
			{ 1860,
			89
		<i>humicola</i>	1859,
			193
		<i>hyposticta</i>	1859,
			197
		<i>inornata</i>	1859,
			194
		<i>kollari</i>	1859,
			197
		<i>læmosticta</i>	1859,
			192
		<i>leucocephala</i>	1859,
			197
		<i>maluroides</i>	1859,
			193
		<i>modesta</i>	{ 1856,
			99
			{ 1859,
			193
		<i>mœsta</i>	{ 1856,
			26
			{ 1859,
			193
		<i>multostriata</i>	{ 1857,
			273
			{ 1859,
			194
		<i>olivascens</i>	1856,
			97
		<i>pallida</i>	1859,
			192
		<i>patagonica</i>	1859,
			197
		<i>phryganophila</i> ...	1859,
			193
		<i>propinqua</i>	1859,
			197
			{ 1859,
			191
		<i>pudica</i>	{ 1860,
			88
			{ 1860,
			278
			{ 1860,
			294
		<i>pulvericolor</i>	1858,
			62
			{ 1856,
			25
			{ 1856,
			97
		<i>ruficapilla</i>	{ 1856,
			98
			{ 1859,
			192
		<i>ruficauda</i>	1859,
			193
		<i>ruficeps</i>	1856,
			98
		<i>rufigularis</i>	1859,
			193
		<i>rutilans</i>	1859,
			193
		<i>scutata</i>	1859,
			191
		<i>setaria</i>	1859,
			194
		<i>sordida</i>	{ 1856,
			99
			{ 1859,
			193
			{ 1856,
			98
		<i>spixi</i>	{ 1859,
			192
		<i>stictothorax</i>	1859,
			191
		<i>striaticeps</i>	1859,
			193
			{ 1855,
			141
		<i>striaticollis</i>	{ 1859,
			197
		<i>striolata</i>	1859,
			197
		<i>terrestris</i>	1859,
			192
		<i>torquata</i>	1859,
			193
		<i>troglydytoides</i> ...	1859,
			197
		<i>unirufa</i>	1859,
			194
		<i>unirufus</i>	{ 1855,
			141
			{ 1856,
			26
		<i>vulpina</i>	1859,
			194
		<i>Synapta beselii</i>	1858,
			{ 360
			{ 366
		<i>bidentata</i>	1858,
			365
		<i>digitata</i>	{ 1858,
			361
			{ 366
		<i>duvernæa</i>	1858,
			366
		<i>inhærens</i>	1858,
			363

	Page		Page
<i>Synapta inhærens</i>	1858,	<i>Tachymenis vivax</i>	1858,
<i>lappa</i>	366	<i>axillaris</i>	1856,
<i>maculata</i>	1858,	<i>beauperthuyi</i>	1856,
<i>mamillosa</i>	366	<i>brevipes</i>	1855,
<i>radiosa</i>	1858,	<i>canigularis</i>	1856,
<i>reciprocans</i>	1858,	<i>capistratus</i>	1856,
<i>serpentina</i>	1858,	<i>chloricterus</i>	1856,
<i>verrucosa</i>	1858,	<i>coronatus</i>	1854,
<i>vittata</i>	1858,	<i>coryphæus</i>	1856,
<i>Syncera hepatica</i>	1856,	<i>cristatus</i>	1855,
<i>Syntomis cantori</i>	1859,	<i>delatirii</i>	1856,
<i>crawfurdi</i>	1859,	<i>elegans</i>	1856,
<i>humeralis</i>	1859,	<i>flavinucha</i>	1856,
<i>marsdeni</i>	1859,	<i>flavipectus</i>	1856,
<i>penanga</i>	1859,	<i>lacrimosus</i>	1856,
<i>pfeifferæ</i>	1859,	<i>leucopterus</i>	1856,
<i>pravata</i>	1859,	<i>loricatus</i>	1856,
<i>rafflesi</i>	1859,	<i>luctuosus</i>	1854,
<i>vigorsi</i>	1859,	<i>lunulatus</i>	1855,
<i>walkeri</i>	1859,	<i>melaleucus</i>	1856,
<i>wallacei</i>	1859,	<i>nigerrimus</i>	1856,
<i>Syphonota bipes</i>	1860,	<i>ochropygos</i>	1856,
<i>elongata</i>	1860,	<i>olivicyaneus</i>	1856,
<i>grandis</i>	1860,	<i>palmarum</i>	1856,
<i>Syrnium albigulare</i> ..	1855,	<i>penicillatus</i>	1856,
<i>albipunctatum</i> ..	1858,	<i>phœniceus</i>	1856,
<i>albitarse</i>	1857,	<i>quadricolor</i>	1856,
<i>albogulare</i>	1860,	<i>ruber</i>	1856,
<i>hylophilum</i>	1855,	<i>ruficeps</i>	1856,
<i>macabrum</i>	1858,	<i>ruficollis</i>	1856,
<i>nebulosum</i>	1858,	<i>rufigularis</i>	1856,
<i>polygrammicum</i> ..	1858,	<i>rufiventer</i>	1856,
<i>rufipes</i>	1858,	<i>rufiventris</i>	1857,
<i>selo-puto</i>	1854,	<i>sanguinolentus</i> ...	1856,
<i>squamulatum</i> ...	1856,	<i>saucius</i>	1856,
<i>virgatum</i>	1858,	<i>serrirostris</i>	1856,
<i>zonocercum</i>	1858,	<i>suchii</i>	1856,
<i>zonocercus</i>	1856,	<i>sumptuosus</i>	1856,
<i>Syrhaptus paradoxus</i> ..	1850,	<i>surinamus</i>	1856,
<i>tibetanus</i>	1858,	<i>tæniatus</i>	1856,
<i>Tachydromus asiaticus</i> ..	1855,	<i>tenuirostris</i>	1856,
<i>fordii</i>	1858,	<i>valerii</i>	1856,
	155	<i>versicolor</i>	1856,
		<i>victorini</i>	1856,

	Page		Page
Tachyphonus vigorsi ...	1850,	Tanagra analis	1856, 243
	1854,	archiepiscopus	1856, 234
xanthopygius	1855, 83	argentina	1856, 233
	1855,	argentea	1856, 255
	1856,	arthus	1856, 251
Tachyspiza soloensis ...	1860, 344	assimilis	1856, 85
Tadorna radjah	1860, 365	atra	1856, 67
	1859,	atricapilla	1856, 118
vulpanser	1859, 442	atricollis	1856, 77
	1860,	aureata	1856, 272
	1860,	auricapilla	1856, 117
Taenia bremseri	1853, 23	auricrissa	1856, 236
calva	1853, 24	aurulenta	1856, 250
denticula	1853, 24	axillaris	1856, 68
expansa	1853, 24	barbadensis	1856, 256
falciformis	1853, 24	bonariensis	1856, 121
goezii	1853, 24	brasilica	1856, 127
sulcipectus	1859, 111	brasiliensis	1856, 256
zederi	1853, 24	brunnea	1856, 115
Taenioptera alpina	1860, 78		1855, 157
erythroptera	1851, 193		1856, 232
	1860,	cana	1859, 139
rufiventris	1859, 331		1860, 274
	1851,		1860, 292
striaticollis	1855, 77	capistrata	1856, 67
	1860,		1855, 252
variegata	1859, 331	cayana	1856, 279
Talegalla lathamii	1860, 426	cayennensis	1856, 279
	1858,	chalybea	1856, 276
Talegallus cuvieri	1859, 187	chlorocyanea	1856, 279
	1859,	chloroptera	1856, 253
Talpa cryptura	1856, 399	chlorotica	1856, 273
europæa	1860, 206	chrysome	1856, 238
micrura	1856, 399		1855, 235
Talpacotia rufipennis ..	1858, 359	chrysogaster	1856, 272
Tamandua tetradactyla ..	1860, 262		1855, 279
Tamatia erythroptera ..	1859, 399	chrysolopha	1856, 243
gigas	1855, 193	citrinella	1856, 247
hyperrhynchus	1855, 193		1854, 115
pulmentum	1855, 194	cœlestis	1856, 232
	72	columbiana	1856, 125
	230	conspicillata	1856, 67
	232		1855, 157
	235	constantii	1856, 241
	246	coryphæa	1856, 114
Tanagra —?	1856, 247	cristata	1856, 115
	254	cucullata	1856, 239
	269	cyanicollis	1856, 262
	270	cyanilia	1856, 233
	272		1856, 236
	273	cyanocephala	1856, 247
	1856,		1859, 139
abbas	1858, 358		1860, 63
	1859,	cyanomelas	1856, 268
	1859,	cyanoptera	1856, 233
aestiva	1856, 123	cyanoventris	1856, 247
affinis	1856, 274	darwini	1856, 235
albirostris	1856, 128		
analis	1855, 227		

	Page		Page
<i>Tanagra darwini</i>	{ 1858, 450 1858, 453 1858, 551 1860, 86	<i>Tanagra melanonota</i>	1856, 265
<i>desmaresti</i>	{ 1856, 115 1856, 142 1856, 233	<i>melanopis</i>	{ 1856, 67 1856, 235 1858, 74
<i>diaconus</i>	{ 1856, 303 1859, 59 1859, 364	<i>melanoptera</i>	{ 1858, 74 1858, 453 1860, 292
<i>diademata</i>	{ 1856, 241	<i>melanota</i>	1856, 265
<i>dubusia</i>	{ 1856, 243	<i>mexicana</i>	1856, 257
<i>duplicata</i>	{ 1856, 78	<i>mississippiensis</i> ...	1856, 123
<i>elegans</i>	{ 1856, 247 1855, 157	<i>montana</i>	1856, 239
<i>episcopus</i>	{ 1856, 231 1856, 233 1855, 156	<i>multicolor</i>	1856, 230
<i>erythromelas</i>	{ 1856, 126	<i>musica</i>	1856, 271
<i>erythrotis</i>	{ 1856, 241	<i>muta</i>	1856, 72
<i>eximia</i>	{ 1856, 240	<i>nigerrima</i>	1856, 113
<i>fasciata</i>	{ 1856, 68	<i>nigricephalæ</i>	1856, 230
<i>fastuosa</i>	{ 1856, 246	<i>nigricollis</i>	1856, 109
<i>festiva</i>	{ 1856, 246	<i>nigrigula</i>	1856, 109
<i>flammiceps</i>	{ 1856, 119	<i>nigrogularis</i>	1856, 128
<i>flava</i>	{ 1856, 253	<i>nigroviridis</i>	1856, 260
<i>flavifrons</i>	{ 1856, 271	<i>noir</i>	1856, 113
<i>flavinucha</i>	{ 1856, 238	<i>notabilis</i>	{ 1855, 84 1856, 239
<i>flaviventris</i>	{ 1856, 257	<i>occipitalis</i>	1856, 66
<i>flavivertex</i>	{ 1856, 238	<i>olivacea</i>	1856, 274
<i>formosa</i>	{ 1856, 253	<i>olivascens</i>	1856, 234
<i>frugilegus</i>	{ 1854, 97 1856, 235 1858, 453	<i>olivicyanea</i>	1856, 237
<i>fumigata</i>	{ 1856, 113	<i>ornata</i>	1856, 234
<i>glauca</i>	{ 1856, 232	<i>palmarum</i>	{ 1855, 157 1856, 234 1856, 235
<i>graminea</i>	{ 1856, 250	<i>palpebrosa</i>	{ 1855, 157 1856, 242
<i>grandis</i>	{ 1856, 72	<i>partialis</i>	1856, 115
<i>gubernatrix</i>	{ 1856, 115	<i>parzudakii</i>	1856, 263
<i>gyrola</i>	{ 1856, 254 255	<i>penicillata</i>	{ 1855, 156 1856, 117
<i>hirundinacea</i>	{ 1856, 112	<i>peruviana</i>	1856, 254
<i>ignescens</i>	{ 1856, 128	<i>pileata</i>	1856, 109
<i>igniventris</i>	{ 1856, 241	<i>porphyrio</i>	1856, 119
<i>inornata</i>	{ 1856, 233	<i>præolata</i>	1856, 233
<i>iridina</i>	{ 1856, 267 1857, 264	<i>prasina</i>	1856, 78
<i>jacapa</i>	{ 1856, 128	<i>pretrei</i>	1856, 231
<i>jugularis</i>	{ 1856, 77	<i>psittacina</i>	1856, 64
<i>labradorides</i>	{ 1856, 262	<i>punctata</i>	1856, 248
<i>leucocampter</i>	{ 1856, 116	<i>riefleri</i>	1856, 78
<i>leucocephala</i>	{ 1856, 241	<i>roux</i>	1856, 67
<i>leucophæa</i>	{ 1856, 67	<i>rubra</i>	1856, 123
<i>loricata</i>	{ 1856, 121	<i>rubricollis</i>	1856, 121
<i>ludoviciana</i>	{ 1856, 125	<i>rubrigularis</i>	1856, 121
<i>lunulata</i>	{ 1856, 241	<i>rufa</i>	1856, 113
<i>magna</i>	{ 1856, 70	<i>ruficervix</i>	1856, 259
<i>maximiliani</i>	{ 1856, 236	<i>ruficollis</i>	1856, 269
		<i>rufiventer</i>	1856, 115
		<i>rufiventris</i>	1856, 279
		<i>saira</i>	1856, 124
		<i>sanguinolenta</i> ...	1856, 132
		<i>sayaca</i>	1856, 233
		<i>schistacea</i>	1856, 83

	Page		Page
<i>Tanagra schrankii</i>	1856,	<i>Tanalia reevei</i>	1854,
<i>selysia</i>	1856,	<i>similis</i>	1854,
<i>semirufa</i>	1856,	<i>tennentii</i>	1854,
<i>septicolor</i>	1856,	<i>torrenicola</i>	1858,
<i>serioptera</i>	1856,	<i>undata</i>	1854,
<i>silens</i>	1856,	<i>violacea</i>	1854,
<i>speculifera</i>	1856,		88
	1854,		91
<i>striata</i>	1856,		88
	1858,		92
<i>sumptuosa</i>	1856,		2
<i>superciliaris</i>	1856,	<i>Tantalus leucocephalus</i> {	72
<i>swainsoni</i>	1856,	<i>loculator</i>	1859,
<i>tatao</i>	1856,	<i>melanocephalus</i> ...	1860,
<i>thoracica</i>	1856,	<i>Tanygnathus gramineus</i> ..	1860,
<i>trichroa</i>	1856,	<i>lucionensis</i>	1860,
<i>tricolor</i>	1856,	<i>macrorhynchus</i> ...	1857,
<i>varia</i>	1856,	<i>marginatus</i>	1857,
<i>variegata</i>	1856,	<i>megalorhynchus</i> ..	1860,
<i>vassorii</i>	1856,		226
<i>vegeta</i>	1856,		227
<i>vicaria</i>	1856,		358
<i>vicarius</i>	1859,	<i>mülleri</i>	1857,
<i>victorini</i>	1856,	<i>sumatranus</i>	1860,
<i>violacea</i>	1856,	<i>Tanysiptera dea</i>	1860,
<i>virens</i>	1856,	<i>galatea</i>	1859,
<i>viridis</i>	1856,	<i>hydrocharis</i>	1860,
<i>vittata</i>	1856,	<i>isis</i>	1860,
<i>yeni</i>	1856,	<i>margarethæ</i>	1860,
<i>zena</i>	1856,	<i>nais</i>	1860,
<i>zenoides</i>	1856,	<i>nympha</i>	1860,
(<i>Aglaia</i>) <i>diaconus</i> ..	1856,	<i>sabrina</i>	1860,
(<i>Saltator</i>) <i>eximia</i> ..	1856,	<i>sylvia</i>	1850,
<i>Tanagrella calophrys</i> ..	1856,	<i>sylvia</i>	1860,
<i>cyanomelas</i>	1856,	<i>Tapes alba</i>	1853,
	1855,	<i>biradiata</i>	1853,
<i>elegantissima</i>	1856,	<i>cinerea</i>	1853,
	1857,	<i>fabagella</i>	1853,
<i>iridina</i>	1856,	<i>gracilis</i>	1856,
	1857,	<i>grata</i>	1853,
<i>multicolor</i>	1856,	<i>inflata</i>	1853,
<i>ruficollis</i>	1856,	<i>japonica</i>	1853,
<i>rufigula</i>	1856,	<i>obscurata</i>	1853,
<i>tenuirostris</i>	1856,	<i>punicea</i>	1853,
<i>velia</i>	1856,	<i>quadriradiata</i>	1853,
<i>Tanalia aerea</i>	1854,	<i>similis</i>	1853,
	88	<i>straminea</i>	1856,
<i>crinascens</i>	1854,	<i>tenerrima</i>	1856,
	88	<i>tumida</i>	1856,
<i>funiculata</i>	1854,	<i>turgidula</i>	1853,
	88	<i>variegata</i>	1853,
<i>gardnerii</i>	1854,	<i>violascens</i>	1853,
	88	<i>Taphozous lepturus</i> ...	1858,
<i>layardii</i>	1854,	<i>Tapirus americanus</i> ...	1850,
	88		102
<i>loricata</i>	1854,		
	88		
<i>reevei</i>	1854,		
	88		

	Page		Page
<i>Tapirus americanus</i> ..	{ 1851, 121 1859, 51 1860, 181 1860, 261	<i>Tellina cuspidata</i>	1854, 360
<i>suillus</i>	1860, 261	<i>decolorata</i>	1854, 370
<i>Tarandus rangifer</i>	1850, 225	<i>delicatula</i>	1854, 163
<i>sylvestris</i>	1850, 225	<i>denticulata</i>	1854, 365
<i>Tardivola macroura</i>	1856, 30	<i>deshayesii</i>	1856, 160
<i>Tarentola aegyptiaca</i> ..	1849, 95	<i>dialeuca</i>	1854, 368
<i>mauritanica</i>	1859, { 470 473 476	<i>diaphana</i>	1854, 364
<i>Taricha torsa</i>	1858, 138	<i>diemenensis</i>	1854, 361
<i>Tarsiger superciliaris</i> ..	1854, 76	<i>dilatata</i>	1854, 359
<i>Tatao fastuosus</i>	1856, 246	<i>discula</i>	1854, 360
<i>festiva</i>	1856, 247	<i>dissimilis</i>	1854, 370
<i>larvatus</i>	1856, 260	<i>donaciformis</i>	1854, 357
<i>paradisea</i>	1856, 244	<i>dubia</i>	1854, 371
<i>tricolor</i>	1856, 246	<i>edentula</i>	1856, 213
<i>yeni</i>	1856, 245	<i>egregia</i>	1854, 366
<i>Tatusia affinis</i>	1851, 212	<i>fabagella</i>	1854, 355
<i>hybrida</i>	1851, 213	<i>flammula</i>	1854, 367
<i>septemcincta</i>	1851, 212	<i>gemma</i>	1856, 200
<i>Tautoga parila</i>	1850, 70	<i>glabrella</i>	1854, 366
<i>Taxidea leucura</i>	1856, 398	<i>grata</i>	1854, 369
<i>leucurus</i>	1853, 190	<i>gratiosa</i>	1854, 369
<i>Tchitrea affinis</i>	1854, 270	<i>incerta</i>	1854, 367
<i>melampyra</i>	1860, 111	<i>inquinata</i>	1854, 357
<i>paradisi</i>	{ 1857, 89 1858, 495	<i>japonica</i>	1854, 265
<i>Tectula albersii</i>	1854, 192	<i>layardii</i>	1854, 357
<i>bulveriana</i>	1854, 192	<i>leda</i>	1854, 364
<i>lyelliana</i>	1854, 191	<i>ligamentina</i>	1856, 213
<i>tectiformis</i>	1854, 192	<i>mazatlanica</i>	1854, 359
<i>Tectura radiata</i>	1860, 437	<i>miniata</i>	1856, 199
<i>Tedinia pernoides</i>	1851, 198	<i>moesta</i>	1854, 361
<i>Tegenaria antipodiana</i> ..	1849, 5	<i>moretonensis</i>	1854, 355
<i>Tegula pellis-serpentis</i> }	{ 1851, 152 1856, 44	<i>nasuta</i>	1856, 213
<i>Teinostoma politum</i>	1853, 184	<i>nitens</i>	1854, 358
<i>Teleopus luxatus</i>	1860, 395	<i>nucleolus</i>	1854, 355
<i>Telephonus cucullatus</i> ..	1858, 292	<i>obesa</i>	1854, 354
<i>minutus</i>	1858, 292	<i>obliquaria</i>	1854, 356
<i>Tellina abbreviata</i>	1854, 362	<i>obtusalis</i>	1854, 356
<i>ænigmatica</i>	1840, 118	<i>ornata</i>	1854, 370
<i>æqualis</i>	1854, 358	<i>petalina</i>	1854, 367
<i>alta</i>	1856, 213	<i>pretiosa</i>	1854, 360
<i>amboynensis</i>	1854, 366	<i>pura</i>	1856, 199
<i>amoena</i>	1854, 369	<i>radians</i>	1854, 366
<i>attenuata</i>	1854, 363	<i>recurva</i>	1854, 361
<i>australis</i>	1854, 362	<i>resecta</i>	1854, 364
<i>brevirostris</i>	1854, 362	<i>rombergii</i>	1854, 355
<i>callosa</i>	1854, 361	<i>rubella</i>	1854, 364
<i>clausa</i>	1854, 360	<i>rubra</i>	1854, 364
<i>compressa</i>	1854, 359	<i>rufa</i>	1854, 367
<i>contabulata</i>	1854, 356	<i>sanguinolenta</i>	1854, 359
<i>contorta</i>	1854, 359	<i>secta</i>	1856, 213
<i>crassula</i>	1854, 354	<i>semiaspera</i>	1854, 365
		<i>sieboldii</i>	1854, 368
		<i>silicula</i>	1854, 363
		<i>solenella</i>	1854, 365
		<i>splendida</i>	1854, 370
		<i>squamifera</i>	1854, 365
		<i>squamulosa</i>	1849, 169
		<i>straminea</i>	1854, 363

	Page		Page
<i>Tellina strangei</i>	1854,		362
<i>suensonii</i>	1854,	<i>Tenagodus polygonus</i> ...	1860,
<i>sulcatina</i>	1854,		411
<i>tersa</i>	1856,	<i>porosa</i>	1860,
<i>tessellata</i>	1854,		411
<i>textilis</i>	1854,	<i>roseus</i>	1860,
<i>ticanica</i>	1854,		414
<i>tristis</i>	1854,	<i>ruber</i>	1860,
<i>turgida</i>	1854,		411
<i>ventricosa</i>	1854,	<i>senegalensis</i>	1860,
<i>venusta</i>	1854,	<i>spinosa</i>	1860,
<i>vinosa</i>	1854,	<i>spiralis</i>	1860,
(<i>Areopagia</i>) <i>siamen-</i>		<i>squamata</i>	1860,
<i>sis</i>	1860,		411
	18	<i>striatus</i>	1860,
<i>Telmatobius peruvianus</i> ..	1858,		411
<i>Telophonus senegalus</i> ..	1850,	<i>sulcatus</i>	1860,
<i>Temnodon saltator</i>	1850,		414
<i>vadigo</i>	1850,	<i>terebella</i>	1860,
	36	<i>tuberculata</i>	1860,
<i>Temnopleurus tchitrea</i> ..	1855,	<i>variegata</i>	1860,
	127	<i>vitis</i>	1860,
<i>Temognatha imperatrix</i> ..	1859,	<i>volvex</i>	1860,
<i>Tenagodus ammonoides</i> ..	1860,		415
<i>anguilus</i>	1860,	(<i>Pyxipoma</i>) <i>anguillæ</i> ..	1860,
<i>anguinarius</i>	1860,		410
	412	(—) <i>cylindrella</i> ..	1860,
<i>anguinus</i>	1860,		413
	411	(—) <i>lacteus</i>	1860,
<i>annularis</i>	1860,		413
<i>archimedis</i>	1860,	(—) <i>tahitensis</i> ..	1860,
<i>clairbonensis</i>	1860,		414
<i>costæ</i>	1860,	(<i>Siliquarius</i>) <i>aus-</i>	1860,
<i>cristata</i>	1860,	<i>tralis</i>	412
	413	(—) <i>conifer</i>	1860,
<i>dubius</i>	1860,	(—) <i>cumingii</i> ..	1860,
	411		408
<i>echinata</i>	1860,	(—) <i>encausticus</i> ..	1860,
	413		413
<i>florina</i>	1860,	(—) <i>ferruginea</i> ..	1860,
	411		407
<i>furcellus</i>	1860,	(—) <i>incisus</i>	1860,
	413		413
	402	(—) <i>japonica</i> ...	1860,
<i>gigas</i>	1860,	(—) <i>lævilirata</i> ..	1860,
	411		405
	413	(—) <i>lineata</i>	1860,
<i>glabra</i>	1860,		408
<i>grantii</i>	1860,	(—) <i>lumbricalis</i> ..	1860,
	413		405
<i>lævigata</i>	1860,	(—) <i>multilirata</i> ..	1860,
	411		406
	413	(—) <i>obtusus</i>	1860,
<i>lævis</i>	1860,		407
	413	(—) <i>platyomphala</i> ..	1860,
<i>lima</i>	1860,		414
	411	(—) <i>ponderosus</i> ..	1860,
	413		409
<i>multistriatus</i>	1860,	(—) <i>rosea</i>	1860,
	411		409
	414	(—) <i>rudis</i>	1860,
<i>muricata</i>	1860,		404
	414	(—) <i>scalariformis</i> ..	1860,
<i>occlusus</i>	1860,		406
	411	(—) <i>tæniata</i>	1860,
	414		406
<i>ornata</i>	1860,	(—) <i>tostus</i>	1860,
	414		405
	411	(—) <i>trochlearis</i> ..	1860,
<i>papillosa</i>	1860,		415
	411		408
	414		413
<i>polygonus</i>	1860,		
	403		

	Page		Page
<i>Tephrodornis gularis</i> ..	1854, 272 1860, 354 1857, 92	<i>Terebra bifrons</i>	1859, 297 1859, 284
<i>pondicerianus</i>	1858, 489 1859, 180 1859, 275	<i>bipartita</i>	1860, 449 1859, 313
<i>Terebra aciculata</i>	1860, 449 1859, 316 1859, 287	<i>hitorquata</i>	1860, 450 1859, 298
<i>aciculina</i>	1859, 316 1859, 287 1860, 449	<i>blanda</i>	1859, 298 1859, 288
<i>acumen</i>	1860, 449 1859, 315 1860, 450	<i>bourguignati</i>	1860, 449 1859, 296
<i>acuta</i>	1860, 450 1859, 291 1860, 449	<i>brevicula</i>	1859, 296 1859, 297
<i>adansoni</i>	1859, 293 1859, 299 1860, 449	<i>bruguierei</i>	1859, 297 1859, 316
<i>adita</i>	1859, 293 1859, 299 1860, 449	<i>buccinoidea</i>	1859, 316 1859, 282
<i>affinis</i>	1860, 449 1859, 296 1859, 316	<i>buccinulum</i>	1859, 282 1859, 304
<i>africana</i>	1859, 296 1859, 316 1859, 301	<i>cælata</i>	1859, 304 1859, 290
<i>alba</i>	1859, 301 1860, 450 1859, 280	<i>cærulescens</i>	1859, 290 1859, 287
<i>albicosta</i>	1860, 450 1859, 280 1859, 295	<i>caliginosa</i>	1859, 287 1859, 300
<i>albida</i>	1859, 280 1859, 295 1860, 450	<i>cancellata</i>	1859, 300 1859, 305 1860, 450
<i>alboinsecta</i>	1860, 450 1859, 314 1859, 283	<i>carnea</i>	1859, 317 1859, 317
<i>albomarginata</i>	1859, 314 1859, 283 1860, 449	<i>casta</i>	1859, 284 1860, 449 1859, 290
<i>albula</i>	1860, 449 1859, 298 1859, 315	<i>castanea</i>	1859, 300 1860, 449
<i>alveolata</i>	1859, 298 1859, 315 1859, 297	<i>cerithina</i>	1859, 299 1859, 295
<i>amanda</i>	1859, 315 1859, 297 1859, 291	<i>chilensis</i>	1859, 295 1860, 450
<i>amœna</i>	1859, 297 1859, 291 1860, 449	<i>chincensis</i>	1859, 309 1860, 450
<i>anomala</i>	1859, 291 1860, 449 1859, 284	<i>chlorata</i>	1860, 450 1859, 280
<i>apicina</i>	1860, 449 1859, 284 1859, 299	<i>cinctella</i>	1859, 305 1860, 450
<i>approximata</i>	1859, 299 1860, 450 1859, 314	<i>cinerea</i>	1860, 449 1859, 291
<i>archimedis</i>	1860, 450 1859, 305 1860, 450	<i>cingula</i>	1859, 278 1860, 449
<i>areolata</i>	1859, 305 1860, 450 1859, 286	<i>cingulifera</i>	1859, 313 1860, 450
<i>argenvillii</i>	1860, 449 1859, 309 1856, 206	<i>circinata</i>	1859, 315 1860, 450
<i>argus</i>	1859, 309 1859, 276 1859, 293	<i>circumcincta</i>	1859, 283 1859, 299
<i>arguta</i>	1859, 276 1859, 293 1860, 450	<i>columellaris</i>	1860, 450 1859, 310
<i>armillata</i>	1860, 450 1859, 302 1860, 450	<i>columnaris</i>	1859, 310 1860, 450
<i>aspera</i>	1859, 302 1860, 450 1859, 310	<i>commaculata</i>	1859, 309 1859, 287
<i>babylonia</i>	1859, 310 1859, 285 1860, 449	<i>concinna</i>	1859, 287 1860, 449
<i>bacillus</i>	1860, 449 1859, 300 1859, 306	<i>consobrina</i>	1859, 308 1859, 309
<i>badia</i>	1859, 300 1859, 306 1860, 450	<i>consors</i>	1860, 449 1860, 450
<i>belcheri</i>	1859, 306 1859, 300 1860, 450	<i>conspersa</i>	1859, 306 1859, 286
<i>bermonti</i>	1860, 450 1859, 293 1859, 295	<i>continua</i>	1859, 286 1859, 300
<i>bernardii</i>	1859, 293 1859, 295	<i>copula</i>	1859, 300 1859, 313
<i>bicincta</i>	1859, 295	<i>corrugata</i>	1860, 450

	Page		Page
<i>Terebra cosentini</i>	1859, 275 1860, 449	<i>Terebra fuscomaculata</i>	1859, 318 1859, 296
<i>costata</i>	1859, 282 317	<i>geminata</i>	1860, 450 1859, 294
<i>crassidula</i>	1859, 282	<i>gemma</i>	1860, 449 1860, 450
<i>crassula</i>	1860, 449	<i>glabra</i>	1859, 281 1860, 449
<i>crenifera</i>	1859, 298 1860, 450	<i>glauc</i>	1859, 302 1860, 450
<i>crenulata</i>	1859, 276 1860, 449	<i>gouldi</i>	1859, 278
<i>crossii</i>	1859, 289 1860, 449	<i>gracilis</i>	1859, 306 318
<i>cumingii</i>	1859, 311	<i>granulosa</i>	1859, 318
<i>cuspidata</i>	1859, 285	<i>hastata</i>	1859, 282 1860, 449
<i>decorata</i>	1859, 314 1860, 450	<i>hindsii</i>	1859, 295 1860, 450
<i>decussata</i>	1859, 305	<i>histrio</i>	1859, 308
<i>difficilis</i>	1859, 304	<i>hopei</i>	1859, 309
<i>dillwynii</i>	1859, 279	<i>hupei</i>	1860, 450
<i>dimidiata</i>	1859, 281 1860, 449	<i>incol</i>	1859, 283 1860, 449
<i>dislocata</i>	1859, 295	<i>incomparabilis</i>	1859, 307 1860, 450
<i>dispar</i>	1859, 284	<i>inconstans</i>	1859, 291 1860, 449
<i>dunkeri</i>	1859, 285	<i>insignis</i>	1859, 308 1860, 450
<i>duplicata</i>	1859, 292 1860, 449	<i>interlineata</i>	1859, 277
<i>dussumieri</i>	1859, 292	<i>intertincta</i>	1859, 303 1860, 450
<i>eburnea</i>	1859, 280 1860, 449	<i>jamaicensis</i>	1859, 290 1860, 449
<i>elata</i>	1859, 285 1860, 449	<i>jukesi</i>	1859, 293
<i>elegans</i>	1859, 304	<i>kieneri</i>	1859, 294
<i>elongata</i>	1859, 317	<i>knorii</i>	1859, 318
<i>evoluta</i>	1859, 317	<i>lactea</i>	1859, 285 1860, 449
<i>exigua</i>	1859, 292	<i>laevigata</i>	1859, 310
<i>cxigua</i>	1859, 301	<i>laevis</i>	1859, 318
<i>eximia</i>	1859, 314	<i>lamarckii</i>	1859, 292 1860, 449
<i>fatua</i>	1859, 278 1860, 449	<i>lanceata</i>	1859, 283
<i>felina</i>	1859, 317	<i>larviformis</i>	1859, 303
<i>fenestrata</i>	1859, 311	<i>laurina</i>	1859, 290 1860, 449
<i>festiva</i>	1859, 278 1860, 449	<i>lepida</i>	1859, 288
<i>fictilis</i>	1859, 306	<i>ligata</i>	1859, 308
<i>fimbriata</i>	1859, 276 1860, 449	<i>lima</i>	1859, 312
<i>flammea</i>	1859, 280 1859, 309	<i>lineolata</i>	1859, 318
<i>flava</i>	1859, 318	<i>lingualis</i>	1859, 308 1860, 450
<i>flavescens</i>	1860, 450	<i>longiscata</i>	1859, 294
<i>formosa</i>	1859, 180 1859, 307	<i>loroisi</i>	1859, 313 1860, 450
<i>fortunii</i>	1859, 312	<i>luctuosa</i>	1859, 290 1860, 449
<i>fulgurata</i>	1859, 276		
<i>funiculata</i>	1859, 312 1860, 450		
<i>fusca</i>	1859, 318		

	Page		Page	
<i>Terebra maculata</i>	1859,	}	280 318	
marginata	{ 1859,			296
	{ 1860,		450	
marmorata	1859,		279	
matheroniana	{ 1859,	}	287 287	
	{ 1860,			449
	{ 1859,		286	
mera	{ 1860,		449	
	{ 1859,		291	
micans	{ 1860,		449	
	{ 1859,		288	
modesta	{ 1860,		449	
monilis	1859,		312	
muscaria	1859,		281	
myuros	{ 1859,		309	
	{ 1860,		450	
nana	1859,		291	
nassoides	1859,		306	
	}		298 313 319	
nebulosa				1859,
nimbosa	1859,		289	
	{ 1859,		288	
nitida	{ 1860,		449	
	{ 1859,		276	
nodosoplicata	{ 1860,		449	
nodularis	1859,		295	
nubeculata	1859,		319	
obesa	1859,		283	
obsoleta	1859,		310	
	{ 1859,		307	
oculata	{ 1860,		450	
ornata	1859,		307	
	{ 1859,		311	
pallida	{ 1860,		450	
	{ 1859,		277	
patagonica	{ 1860,		449	
	{ 1859,		302	
peasii	{ 1860,		450	
penicillata	1859,		283	
	{ 1859,		298	
pertusa	{ 1860,		450	
	}		295 319	
petitii				1859,
	{ 1859,		302	
petiveriana	{ 1860,		450	
philippiana	1859,		289	
	{ 1859,		305	
picta	{ 1860,		450	
plicata	1859,		303	
	{ 1859,		293	
plicatella	{ 1860,		449	
	{ 1859,		305	
plumbea	{ 1860,		449	
polita	1859,		319	
polygyrata	1859,		301	
prælonga	1859,		315	
<i>Terebra pretiosa</i>	1859,		311	
pulchella	1859,		297	
pulchra	1859,		301	
punctata	1859,	}	313 320	
punctatostriata	1859,			
	{ 1859,		280	
puncticulata	{ 1860,		450	
punctulata	1859,		320	
pura	1859,		281	
pygmæa	1859,		289	
radula	1859,		302	
raphanula	1859,		279	
	{ 1859,		277	
reevei	{ 1860,		449	
	{ 1859,		311	
regina	{ 1860,		450	
	{ 1859,		307	
robusta	{ 1860,		450	
roseata	1859,		300	
	{ 1859,		302	
rudis	{ 1860,		450	
	{ 1859,		295	
rufocinerea	{ 1860,		450	
rustica	1859,		306	
salleana	1859,		287	
	{ 1859,		309	
scabrella	{ 1860,		450	
	{ 1859,		278	
senegalensis	{ 1859,		319	
	{ 1860,		449	
serotina	1859,		312	
solida	1859,		282	
souleyeti	1859,		303	
sowerbyana	1859,		277	
specillata	1859,		303	
	{ 1859,		279	
speciosa	{ 1860,		449	
	{ 1859,		294	
spectabilis	{ 1860,		450	
	{ 1859,		281	
splendens	{ 1860,		449	
	{ 1859,		311	
straminea	{ 1860,		450	
	}		299 310	
striata				1859,
	}		320 320	
striatula				1859,
strigata	1859,		280	
	{ 1859,		291	
strigilata	{ 1860,		449	
	{ 1859,		290	
stylata	{ 1860,		449	
subangulata	1859,		300	
subdivisa	1859,		306	
	{ 1859,		295	
subnodosa	{ 1860,		450	
subulata	1859,		307	

	Page		Page
<i>Terebra succinea</i>	1859,	<i>Testacella maugei</i>	1854,
<i>swainsoni</i>	1859,	<i>Testudo denticulata</i>	1858,
<i>tæniolata</i>	1859,	<i>elephantopus</i>	1853,
<i>tabitensis</i>	1859,	<i>elongata</i>	1856,
<i>tenera</i>	1859,	<i>emys</i>	1849,
<i>tessellata</i>	1859,	<i>erosa</i>	1858,
<i>textilis</i>	1859,	<i>gopher</i>	1849,
<i>tiarella</i>	1859,	<i>græca</i>	1856,
<i>tigrina</i>	1859,	<i>horsfieldi</i>	1856,
<i>torquata</i>	1859,	<i>indica</i>	1853,
<i>traillii</i>	1859,	<i>mauritanica</i>	1848,
<i>tricolor</i>	1859,	<i>planiceps</i>	1853,
<i>triseriata</i>	1859,	<i>radiata</i>	1858,
<i>tristis</i>	1859,	<i>schoepfii</i>	1860,
<i>trochlea</i>	1859,	<i>senegalensis</i>	1858,
<i>tuberculosa</i>	1859,	<i>sulcata</i>	1858,
<i>tuberosa</i>	1859,	<i>tabulata</i>	1848,
<i>undatella</i>	1859,	<i>Tetrabothrium gerrardii</i> .	1860,
<i>undulata</i>	1860,	<i>Tetracerus iodes</i>	1850,
<i>ustulata</i>	1859,	<i>paccerois</i>	1850,
<i>varicosa</i>	1859,	<i>quadricornis</i>	1850,
<i>variegata</i>	1860,	<i>subquadricornutus</i> .	1850,
<i>venosa</i>	1859,	<i>Tetragonops</i>	1857,
<i>verreauxi</i>	1860,	<i>Tetragonopterus æneus</i> .	1860,
<i>violascens</i>	1859,	<i>peruanus</i>	1859,
<i>virginea</i>	1859,	<i>rutilus</i>	1860,
<i>vittata</i>	1859,	<i>Tetrao coturnix</i>	1858,
<i>zebra</i>	1859,	<i>francolinus</i>	1858,
<i>Terebratella australis</i> ..	1852,	<i>obscurus</i>	1858,
<i>bouchardii</i>	1852,	<i>Tetraogallus himalay-</i>	1859,
<i>californiana</i>	1852,	<i>ensis</i>	1858,
<i>cumingii</i>	1852,	<i>tibetanus</i>	1853,
<i>dorsata</i>	1852,	<i>Tetrarhynchus rugosus</i> .	1853,
<i>evansii</i>	1852,	<i>strangulatus</i>	1853,
<i>grayii</i>	1852,	<i>Thais fuscus</i>	1851,
<i>rubicunda</i>	1852,	<i>hæmastoma</i>	1851,
<i>spitzbergensis</i>	1852,	<i>minuta</i>	1851,
<i>zealandica</i>	1852,	<i>patula</i>	1851,
<i>Terebratula capensis</i> ...	1852,	<i>persica</i>	1851,
<i>caput-serpentis</i> ...	1856,	<i>Thala roseata</i>	1854,
<i>depressa</i>	1852,	<i>Thalasseus torresii</i> ...	1858,
<i>neapolitana</i>	1852,	<i>Thalassidroma hornbyi</i> .	1853,
<i>seminulum</i>	1852,	<i>neréis</i>	1859,
<i>Terebratulina cumingii</i> .	1852,	<i>obscura</i>	1860,
<i>Teredo arenaria</i>	1858,	<i>Thaliella ornata</i>	1848,
<i>navalis</i>	1857,	<i>Thalotia australis</i>	1851,
<i>norvegica</i>	1857,	<i>crenellifera</i>	1851,
<i>Testacella haliotidea</i> ...	1854,	<i>elongata</i>	1851,
	163	<i>lehmanni</i>	1851,
		<i>obscura</i>	1851,

	Page		Page
<i>Thalotia picta</i>	1851,	172	
<i>pulcherrima</i>	1851,	172	
<i>pyrgos</i>	1851,	172	
<i>strigata</i>	1851,	172	
<i>suturalis</i>	1851,	173	
<i>tricungulata</i>	1851,	173	
<i>zebrides</i>	1851,	173	
<i>zebuensis</i>	1851,	172	
<i>Thalurania colombica</i> ..	1855,	141	
	1858,	460	
<i>tschudii</i>	1860,	312	
<i>verticeps</i>	1860,	95	
	1848,	13	
<i>viridipectus</i>	1854,	111	
	1857,	16	
<i>Thalurina columbiana</i> ..	1852,	8	
<i>eriphile</i>	1852,	9	
<i>furcata</i>	1852,	8	
<i>glaucopis</i>	1852,	9	
<i>nigrofasciata</i>	1852,	8	
<i>refulgens</i>	1852,	9	
<i>venusta</i>	1852,	9	
<i>verticeps</i>	1852,	9	
<i>viridipectus</i>	1852,	9	
<i>waglerii</i>	1852,	9	
<i>watertonii</i>	1852,	9	
<i>Thamnistes anabatinus</i> ..	1860,	299	
	1854,	142	
<i>Thamnobia fulicata</i> ..	1857,	94	
	1858,	491	
<i>Thamnocenchrus aurifer</i> ..	1860,	459	
<i>Thamnomanes cæsius</i> ..	1858,	223	
	27		
<i>glaucus</i>	1858,	223	
	65		
<i>Thamnophilus æthiops</i> ..	1858,	212	
	457		
<i>affinis</i>	1858,	288	
<i>albicans</i>	1855,	148	
<i>albicollis</i>	1858,	249	
<i>albinuchalis</i>	1855,	18	
	1858,	216	
<i>albiventer</i>	1858,	209	
<i>amazonicus</i>	1858,	214	
<i>ambiguus</i>	1858,	213	
<i>aspersiventer</i>	1855,	148	
<i>aspersiventris</i>	1858,	217	
<i>atricapillus</i>	1858,	215	
<i>atropileus</i>	1858,	220	
<i>axillaris</i>	1858,	288	
<i>badius</i>	1858,	220	
<i>bicolor</i>	1858,	209	
<i>brevirostris</i>	1855,	148	
	1856,	141	
<i>bridgesi</i>	1858,	212	
<i>cærulescens</i>	1858,	213	
<i>cæsius</i>	1855,	19	
	1858,	212	
<i>Thamnophilus capistra-</i>			
<i>tus</i>	1858,	218	
<i>capitalis</i>	1858,	65	
	214		
<i>cinereus</i>	1858,	207	
<i>cinnamomeus</i>	1858,	209	
	219		
<i>cirrhatus</i>	1858,	215	
<i>corvinus</i>	1855,	69	
	1858,	65	
	1858,	210	
<i>crisatellus</i>	1858,	207	
<i>crisatus</i>	1858,	215	
	1856,	141	
	1856,	295	
	1858,	217	
<i>doliatus</i>	1858,	457	
	1859,	57	
	1859,	366	
	1859,	383	
<i>fasciatus</i>	1858,	220	
<i>ferrugineus</i>	1858,	213	
<i>fuliginosus</i>	1858,	208	
	222		
<i>gigas</i>	1858,	207	
	238		
<i>griseus</i>	1858,	239	
	288		
<i>gularis</i>	1858,	235	
<i>guttatus</i>	1858,	208	
	249		
<i>hyperythrus</i>	1855,	70	
	1858,	211	
	1855,	148	
<i>immaculatus</i>	1858,	65	
	1858,	211	
	1860,	89	
<i>jani</i>	1858,	288	
<i>leachi</i>	1858,	207	
<i>leucauchen</i>	1855,	18	
	1858,	216	
<i>leuconotus</i>	1858,	246	
<i>lineatus</i>	1858,	206	
	203		
<i>luctuosus</i>	1858,	211	
<i>lunulatus</i>	1858,	203	
<i>maculatus</i>	1858,	208	
	213		
	65		
<i>maculipennis</i>	1858,	220	
<i>magnus</i>	1858,	209	
<i>major</i>	1858,	209	
	1857,	133	
<i>melanoceps</i>	1858,	65	
	1858,	210	
<i>melanocrissus</i>	1860,	252	
<i>melanonotus</i>	1855,	19	
	1858,	216	

	Page		Page
Thamnophilus melano-	1857, 133	Thamnophilus tenuipunc-	
thorax	1858, 210	tatus	1858, 219
	1855, 69	torquatus	1858, 220
	1855, 147		1855, 18
	1856, 142	transandeanus ...	1858, 210
	1857, 203		1860, 278
melanurus	1858, 65		1860, 294
	1858, 209	undulatus	1858, 207
	1859, 57	ventralis	1858, 213
	1859, 383	vigorsii	1858, 207
	1860, 252	viridis	1858, 208
meleager	1858, 208	Thanasimus anthicoides.	1852, 43
mentalis	1858, 221	capicola	1852, 38
	1855, 148	cursorius	1852, 53
multistriatus	1858, 219	irregularis	1852, 38
	1855, 146	sellatus	1852, 42
myiotherinus	1858, 251	subscutellaris	1852, 44
	1855, 148	Tharrhaleus modularis .	1854, 118
	1858, 65	Thaumalea picta	1860, 183
nævius	1858, 213	Thaumantias candidus.	1858, 358
	1860, 278		1859, 386
	1860, 294	linnæi	1858, 460
niger	1858, 208	milleri	1857, 17
nigricans	1858, 213	Thaumastura duponti ..	1856, 288
	1855, 19	Thaumasus gigas	1856, 10
nigrocinereus	1858, 212	Thaumantias ceruleiceps.	1860, 307
	1858, 288	candidus	1856, 287
olivaceus	1858, 288	nitidifrons	1860, 308
	1858, 208	viridiceps	1860, 307
othello	1858, 208	Thecacera pennigera ..	1859, 65
palliatus	1858, 219	leucurus	1854, 109
pectoralis	1858, 220	Therosa solitaria	1858, 172
	1858, 213	Thlypopsis fulvescens ..	1856, 112
pileatus	1858, 233	fulviceps	1856, 112
	1854, 112	Thracia curta	1856, 210
quixensis	1858, 66	magnifica	1849, 170
	1858, 241	squamosa	1855, 229
radiatus	1858, 218	Thrasops flavigularis ..	1858, 162
rufater	1858, 239	Thraupis cana	1856, 232
ruficapillus	1858, 220	cyanocephala.....	1856, 236
ruficeps	1858, 207	episcopera.....	1856, 234
ruficollis.....	1858, 214	episcopus	1856, 232
	1854, 112	glaucocolpa	1856, 233
rufiventris	1858, 67	olivascens	1856, 234
	1858, 241	ornata	1856, 234
rufus	1858, 207	sayaca	1856, 234
scalaris	1858, 220	vicarius	1856, 235
	1855, 148	Threnetes cervinicauda..	1854, 109
schistaceus	1858, 223		1854, 111
	1858, 208	Threpterus maculosus..	1850, 70
severus	1858, 208	Thryothorus albipectus .	1860, 273
stagurus	1858, 209	bewickii	1859, 372
	1854, 112	coraya	1858, 64
stellaris	1858, 220	euophrys	1860, 74
	1858, 222	fasciatoventris ..	1855, 143
striatothorax	1858, 221		1857, 4
striatus	1858, 250	felix	1859, 371
	1858, 65	maculipectus.....	1856, 290
strigilatus	1858, 215		
swainsoni	1858, 208		

	Page		Page
<i>Thryothorus maculipectus</i>	1859, { 363 372	<i>Tillus (Macrotelus) uniformis</i>	1852, 37
<i>mexicanus</i>	1855, 66	<i>(Tillicerus) chalybeus</i>	1852, 41
<i>modulator</i>	1858, 63	<i>Timalia erythronota</i>	1854, 276
<i>mystacalis</i>	1860, { 64 74	<i>erythroptera</i>	1854, 276
<i>nigricapillus</i>	1860, { 84 291	<i>grisea</i>	1854, 103
<i>rufalbus</i>	{ 1855, 143 1856, 140	<i>hyperythra</i>	1854, 103
<i>rutilans</i>	1855, 143	<i>hypoleuca</i>	{ 1854, 103 1857, 94 1858, 488
<i>rutilus</i>	1855, 143	<i>maculata</i>	1854, 276
<i>striatulus</i>	1855, 143	<i>malcolmii</i>	1854, 102
<i>Thylacinus cynocephalus</i>	{ 1850, 89 1855, 188	<i>nigricollis</i>	1854, 276
<i>Thymallus vulgaris</i>	1848, 38	<i>pectoralis</i>	1854, 276
<i>Thynnus vulgaris</i>	1860, 205	<i>pyrrhophæa</i>	1854, 276
<i>Tiara speciosa</i>	1853, 99	<i>trichorros</i>	1854, 275
<i>Tiaris cruenta</i>	1860, 276	<i>Tinamus boucardi</i>	1859, 391
<i>elliotti</i>	1860, { 151 160 167 172	<i>canus</i>	1857, 20
<i>olivaceus</i>	1856, 304	<i>castaneus</i>	1857, 277
<i>pusillus</i>	{ 1855, 159 1856, 304	<i>julius</i>	{ 1855, 163 1858, 76
<i>Tichodroma muraria</i>	{ 1858, 494 1859, 174	<i>major</i>	{ 1859, 63 1860, 253
<i>Tiga amictus</i>	1859, 456	<i>meserythrus</i>	1859, 392
<i>intermedia</i>	1859, 456	<i>parvirostris</i>	{ 1857, 277 1860, 289
<i>tridactyla</i>	1859, { 150 151	<i>robustus</i>	1860, 253
<i>Tigris regalis</i>	1858, 513	<i>sallæi</i>	1859, { 369 392
<i>Tigrisoma brasiliense</i>	{ 1857, 268 1859, 63 1860, 72	<i>tataupa</i>	1857, 277
<i>leucolophum</i>	1860, 371	<i>Tinnunculus alaudarius</i>	{ 1850, 215 1858, 473
	{ 1849, 106 1855, 163 1857, 268	<i>cenchris</i>	1858, 473
<i>tigrinum</i>	{ 1858, 359 1858, 461 1860, 253 1860, 290	<i>moluccensis</i>	1860, 343
	{ 114 160 167 169 170 171 172		{ 1856, 284 1857, 125 1857, 231 1858, 295 1858, 357 1858, 554
<i>Tiliqua rufescens</i>	1860, { 153 160	<i>sparverius</i>	{ 1859, 52 1859, 147 1859, 236 1859, 368 1859, 390 1860, 96
<i>schlegelii</i>	1860, { 153 160		{ 1855, 77 1855, 150
<i>Tillicerus chalybeus</i>	1852, 41	<i>Tityra albitorques</i>	{ 1857, 71 1859, 56 1859, 384
<i>Tillus afzelii</i>	1852, 38	<i>atricapilla</i>	1857, 72
<i>dux</i>	1852, 46	<i>brasiliensis</i>	1857, 70
<i>(Macrotelus) subnotatus</i>	1852, 37	<i>castanea</i>	1857, 79
		<i>cayana</i>	{ 1855, 150 1857, 69 1857, 265

	Page		Page
<i>Tityra cinerea</i>	1857, 69	<i>Todirostrum grana-</i>	1855, 77
<i>habia</i>	1856, 78	<i>dense</i>	1855, 148
<i>inquisitrix</i>	1857, 18	<i>gulare</i>	1857, 84
<i>leuconota</i>	1857, 71	<i>maculatum</i>	1857, 84
<i>marginata</i>	1857, 72	<i>margaritaceiventre</i>	1855, 149
<i>mexicana</i>	1854, 113	<i>multicolor</i>	1857, 83
<i>personata</i>	1856, 141	<i>nigriceps</i>	1857, 84
<i>pileata</i>	1856, 297	<i>palpebrosum</i>	1855, 67
<i>rufa</i>	1857, 70	<i>pectorale</i>	1855, 77
<i>semifasciata</i>	1857, 70	<i>picatum</i>	1855, 148
<i>surinama</i>	1859, 56	<i>poliocephalum</i>	1857, 84
<i>vieilloti</i>	1859, 366	<i>ruficeps</i>	1855, 67
<i>viridis</i>	1859, 385	<i>rufilatum</i>	1857, 84
<i>Tivela tripla</i>	1860, 295	<i>schistaceiceps</i>	1859, 384
<i>vulgaris</i>	1857, 72	<i>spiciferum</i>	1855, 67
<i>Toccos hartlaubi</i>	1857, 72	<i>squamicristatum</i>	1857, 84
<i>Toccos erythrorhynchus</i>	1857, 70	<i>striaticolle</i>	1855, 149
<i>Todirhamphus collaris</i>	1857, 74	<i>sylvia</i>	1857, 84
<i>diops</i>	1857, 75	<i>Todopsis bonapartii</i>	1859, 156
<i>lazuli</i>	1857, 75	<i>cæruleocephala</i>	1859, 156
<i>occipitalis</i>	1851, 232	<i>cycnocephala</i>	1858, 177
<i>pectoralis</i>	1851, 232	<i>cyanocephala</i>	1859, 156
<i>ruficeps</i>	1860, 380	<i>Todus angustirostris</i>	1857, 233
<i>varius</i>	1850, 219	<i>cinereus</i>	1855, 67 ✓
<i>Todirostrum auriculare</i>	1854, 269	<i>cyanocephalus</i>	1857, 83 ✓
<i>calopteryx</i>	1860, 346	<i>dominicensis</i>	1858, 177 ✓
<i>capitale</i>	1860, 346	<i>macrorhynchus</i>	1859, 156 ✓
<i>chrysocrotaphum</i>	1854, 269	<i>marginatus</i>	1857, 77 ✓
<i>cinereigulare</i>	1851, 52	<i>melanocephalus</i>	1855, 67 ✓
<i>cinereum</i>	1851, 52		148 ✓
<i>caudatum</i>	1851, 52		
<i>exile</i>	1854, 268		
<i>flavifrons</i>	1854, 268		
<i>fumifrons</i>	1857, 84		
<i>furcatum</i>	1855, 67		
<i>galeatum</i>	1855, 148		
<i>gracilipes</i>	1856, 141		
<i>granadense</i>	1857, 82		
	1857, 203		
	1858, 458		
	1860, 283		
	1857, 86		
	1857, 83		
	1857, 84		
	1855, 67		
	1857, 84		
	1857, 84		
	1857, 84		
	1858, 70		
	1855, 149		
	1857, 84		
	1855, 67		

	Page		Page
✓ <i>Todus melanocephalus</i> ..	1857,	<i>Totanus griseopygius</i> ..	1860,
<i>nasutus</i>	1854,	<i>hypoleucus</i>	1850,
<i>subulatus</i>	1857,	<i>macropterus</i>	1855,
<i>Tolypeutes tricinctus</i> ..	1851,	<i>ochropus</i>	1859,
<i>Tomigerus principalis</i> ..	1849,	<i>pulverulentus</i>	1860,
<i>venezuelensis</i>	1856,	<i>solitarius</i>	1856,
<i>Tomodon dorsatus</i>	1860,	<i>vociferus</i>	1855,
<i>lineatus</i>	1860,	(<i>Glottis</i>) <i>horsfieldi</i> ..	1860,
<i>strigatus</i>	1860,	(<i>Tringoides</i>) <i>hypo-</i>	
<i>Tomopterna delalandii</i> ..	1860,	<i>leucus</i>	1860,
<i>strigata</i>	1860,	<i>Toxicodryas blandingii</i> ..	1858,
<i>Tomopterus onisciformis</i> ..	1853,	<i>Toxostoma crissalis</i>	1859,
<i>Toreumatica concava</i> ..	1855,	<i>curvirostre</i>	1857,
<i>granulosa</i>	1855,	<i>lecontii</i>	1859,
<i>hardwickii</i>	1855,	<i>rediviva</i>	1859,
<i>reevesii</i>	1855,	<i>redivivum</i>	1857,
<i>Toria capellei</i>	1859,	<i>vetula</i>	1857,
<i>nipalensis</i>	1859,	<i>Trachinus vipera</i>	1860,
<i>Tornatella bevaletii</i>	1854,	<i>Trachischium fuscum</i> ..	1860,
<i>concinata</i>	1854,	<i>obscuristriatum</i> ..	1860,
<i>coniformis</i>	1854,	<i>rugosum</i>	1860,
<i>fasciata</i>	1854,	<i>Trachycomus ochroce-</i>	
<i>flammea</i>	1854,	<i>phalus</i>	1854,
<i>glabra</i>	1854,	<i>Trachydosaurus rugosus</i> ..	1860,
<i>insculpta</i>	1854,	<i>Trachyphonus cafer</i>	1859,
<i>nitidula</i>	1854,	<i>margaritatus</i>	1850,
<i>oryza</i>	1854,	<i>purpuratus</i>	1859,
<i>pedipes</i>	1854,	<i>squamiceps</i>	1859,
<i>pellucida</i>	1854,	<i>subsulfureus</i>	1859,
<i>punctostriata</i>	1854,	<i>vallanti</i>	1859,
<i>pusilla</i>	1854,	<i>Trachypterus falx</i>	1850,
<i>senegalensis</i>	1854,	<i>gryphurus</i>	1850,
<i>sieboldii</i>	1854,	<i>iris</i>	1850,
<i>solidula</i>	1854,	<i>vogmarus</i>	1851,
<i>tessellata</i>	1854,	<i>Tragelaphus angasii</i> ..	1848,
<i>venusta</i>	1854,	<i>caii</i>	1850,
<i>virgata</i>	1854,	<i>decula</i>	1850,
<i>Tornatellina achatinoïdes</i> ..	1852,	<i>euroyceros</i>	1850,
<i>cumingiana</i>	1849,	<i>hippelaphus</i>	1850,
<i>gouldi</i>	1856,	<i>scriptus</i>	1850,
<i>küsteri</i>	1854,	<i>sylvaticus</i>	1850,
<i>mauritiana</i>	1852,		
<i>newcombi</i>	1850,		
<i>nitida</i>	1860,		
<i>novoseelandica</i>	1852,		
<i>perforata</i>	1856,		
<i>petitiana</i>	1855,		
<i>Tornatina cerealis</i>	1856,		
<i>culcitella</i>	1856,		
<i>gracilis</i>	1860,		
<i>inculta</i>	1856,		
<i>sandwicensis</i>	1860,		
<i>Totanus calidris</i>	1858,		
<i>glottis</i>	1851,		
<i>griseopygius</i>	1858,		
	1848,		

	Page		Page
<i>Tragocephala angolator</i>	1856,	<i>Trichas marilandica</i>	1856,
<i>buquetiana</i>	1856,	<i>nigricristatus</i>	1855,
<i>chevrolatii</i>	1856,	<i>personata</i>	1860,
<i>comitessa</i>	1856,	<i>Trichastoma abbottii</i>	1854,
<i>ducalis</i>	1856,	<i>rostratum</i>	1854,
<i>formosa</i>	1856,	<i>Trichecus rosmarus</i>	1853,
<i>galathea</i>	1856,	<i>Trichixos pyrrophyga</i>	1854,
<i>gemmaria</i>	1856,	<i>Trichoglossus capistratus</i>	1858,
<i>guerinii</i>	1856,	<i>coccineifrons</i>	1858,
<i>lucia</i>	1856,	<i>concinus</i>	1860,
<i>nobilis</i>	1856,	<i>cyanogrammus</i>	1860,
<i>pieta</i>	1856,	<i>euteles</i>	1860,
<i>pulchella</i>	1856,	<i>forsteni</i>	1860,
<i>scenica</i>	1856,	<i>hæmatodus</i>	1860,
<i>tenuicornis</i>	1856,	<i>iris</i>	1860,
<i>trifasciella</i>	1856,	<i>massena</i>	1860,
<i>variegata</i>	1856,	<i>nigrogularis</i>	1858,
<i>Tragomma bennettii</i>	1850,	<i>ornatus</i>	1860,
<i>Tragopan hastingsii</i>	1858,	<i>placens</i>	1860,
<i>Tragops bennettii</i>	1850,	<i>placentis</i>	1860,
<i>Tragus javanicus</i>	1859,	<i>rubritorquis</i>	1857,
<i>Tragus dorcas</i>	1850,	<i>swainsoni</i>	1860,
<i>Tralia angiotoma</i>	1854,	<i>versicolor</i>	1857,
<i>cingulata</i>	1854,	<i>Tricholæma flavipunctata</i>	1859,
<i>costata</i>	1854,	<i>hirsuta</i>	1859,
<i>elongata</i>	1854,	<i>Trichomaplata vittata</i>	1849,
<i>exarata</i>	1854,	<i>Trichophorus cinerascens</i>	1858,
<i>exigua</i>	1854,	<i>crispiceps</i>	1854,
<i>fasciata</i>	1854,	<i>flavicaudus</i>	1860,
<i>floridiana</i>	1854,	<i>flavicollis</i>	1858,
<i>globula</i>	1854,	<i>sulphureus</i>	1860,
<i>granifera</i>	1854,	<i>Trichothraupis albicollis</i>	1856,
<i>in frequens</i>	1854,	<i>penicillata</i>	1855,
<i>küsterii</i>	1854,	<i>quadricolor</i>	1856,
<i>maura</i>	1854,	<i>Trichotropis bicarinatus</i>	1853,
<i>mitralis</i>	1854,	<i>borealis</i>	1853,
<i>nitidula</i>	1854,	<i>gouldii</i>	1856,
<i>olivula</i>	1854,	<i>Trictenotoma ænea</i>	1856,
<i>panamensis</i>	1854,	<i>childrenii</i>	1856,
<i>pellucida</i>	1854,	<i>grayii</i>	1856,
<i>puchella</i>	1854,	<i>templetonii</i>	1856,
<i>pusilla</i>	1854,	<i>Triforis macandracæ</i>	1856,
<i>Treron aromatica</i>	1860,	<i>Trigla hamata</i>	1859,
<i>bicineta</i>	1859,	<i>interpretes</i>	1859,
<i>ionogaster</i>	1860,	<i>lyra</i>	1859,
<i>magnirostris</i>	1859,	<i>pectoralis</i>	1859,
<i>nipalensis</i>	1859,	<i>Triglyphodon fuscum</i>	1858,
<i>nudirostris</i>	1860,		
<i>phœnicoptera</i>	1858,		
<i>vernans</i>	1859,		
<i>viridis</i>	1860,		
<i>Triceus crinitus</i>	1857,		
<i>Trichas delafieldi</i>	1856,		
<i>luteoviridis</i>	1855,		

	Page		Page
<i>Triglyphodon fuscum</i> ..	1858,	164	
<i>Trigona crassatelloides</i> .	1856,	216	
<i>tantilla</i>	1856,	201	
<i>Trigonia jukesii</i>	1849,	159	
<i>lamarckii</i>	1849,	159	
<i>margaritacea</i>	1849,	159	
<i>nobilis</i>	1853,	73	
<i>pectinata</i>	1849,	159	
<i>strangei</i>	1852,	91	
<i>Trigonocephalus affinis</i> .	1860,	{	164
			167
			172
<i>blomhoffii</i>	{	1858,	378
		1858,	383
		1860,	173
<i>halys</i>	{	1858,	378
		1860,	172
<i>hypnalis</i>	{	1858,	383
<i>Trigonophorus delessertii</i>	1856,	15	
<i>hookeri</i>	1856,	14	
<i>Trilatitius blepotis</i>	1858,	121	
<i>Trimesurus albolabris</i> ..	1860,	115	
<i>bicolor</i>	1860,	{	164
			166
<i>elegans</i>	1860,	{	164
			166
<i>maculatus</i>	1860,	164	
<i>Tringa bonapartii</i>	1860,	387	
<i>cinerea</i>	1851,	146	
<i>helvetica</i>	1860,	363	
<i>hyperborea</i>	1858,	188	
<i>hypoleuca</i>	1860,	364	
<i>interpres</i>	1860,	363	
<i>minuta</i>	1858,	506	
<i>pectoralis</i>	{	1856,	310
		1858,	556
<i>pugnax</i>	{	1851,	146
		1860,	258
<i>pusilla</i>	1856,	311	
<i>rufescens</i>	1860,	108	
<i>schinzii</i>	1860,	387	
<i>subarquata</i>	{	1851,	146
		1860,	365
<i>urvillii</i>	1860,	386	
<i>variabilis</i>	1851,	146	
<i>wilsoni</i>	{	1859,	237
		1860,	253
<i>Tringoides hypoleuca</i> .	1859,	189	
	{	1860,	365
		1857,	215
		1858,	450
<i>macularius</i>	{	1858,	461
		1860,	254
		1860,	298
<i>Triumphalia cumingii</i> ..	1849,	161	
<i>globosa</i>	1849,	160	
<i>pulcherrima</i>	1849,	161	
<i>Trionyx ægyptiacus</i> ...	1858,	167	
<i>Trionyx labiatus</i>	1858,	167	
<i>mortoni</i>	1858,	167	
<i>Triphoris affinis</i>	1860,	434	
<i>albidus</i>	1851,	278	
<i>alternata</i>	1860,	434	
<i>cingulatus</i>	1851,	279	
<i>cingulifera</i>	1860,	434	
<i>clavata</i>	1860,	434	
<i>festivus</i>	1851,	278	
<i>flammulata</i>	1860,	434	
<i>fucata</i>	1860,	433	
<i>incisa</i>	1860,	434	
<i>labiatus</i>	1851,	279	
<i>nigrofuscus</i>	1851,	278	
<i>pulchellus</i>	1851,	278	
<i>scitulus</i>	1851,	278	
<i>triticea</i>	1860,	433	
<i>variegatus</i>	1851,	277	
<i>vestalis</i>	1851,	278	
<i>Tripsurus auritus</i>	1859,	457	
<i>Triptorhinus orthonyx</i> ..	1855,	142	
<i>Triquetra contorta</i>	1858,	91	
<i>lanceolata</i>	1858,	91	
<i>Tritia concinna</i>	1851,	112	
<i>costellifera</i>	1851,	113	
<i>dealbata</i>	1851,	112	
<i>gayii</i>	1851,	112	
<i>reticulata</i>	1851,	112	
<i>sulcata</i>	1851,	112	
<i>trifasciata</i>	1851,	113	
<i>trivittata</i>	1851,	112	
<i>Triton africanus</i>	1854,	312	
<i>anomalus</i>	1851,	111	
<i>asper</i>	1858,	141	
<i>bibronii</i>	1858,	143	
<i>boltenianus</i>	1854,	311	
<i>chennitzii</i>	1856,	209	
<i>comptus</i>	1854,	312	
<i>crebristriatus</i>	1856,	165	
	{	1856,	346
<i>cristatus</i>	{	1858,	143
		1858,	224
		1860,	204
<i>lævis</i>	1858,	141	
<i>marmoratus</i>	1858,	143	
<i>minor</i>	1858,	139	
<i>obscurus</i>	1854,	312	
<i>perforatus</i>	1856,	209	
<i>punctatus</i>	1858,	141	
<i>puncticulatus</i>	1858,	139	
<i>pusilla</i>	1860,	434	
<i>pyriformis</i>	1854,	302	
<i>subcristatus</i>	1858,	391	
<i>vittatus</i>	1858,	140	
<i>Tritonella anomala</i> ...	1851,	111	
<i>ascanius</i>	1851,	111	
<i>decussata</i>	1851,	111	
<i>dentifera</i>	1851,	111	

	Page		Page
<i>Tritonella fasciata</i>	1851, 111	<i>Trochilus sabinæ</i>	1855, 140
<i>festiva</i>	1851, 111	<i>saucerotii</i>	1848, 14
<i>fuscata</i>	1851, 112	<i>spencei</i>	1848, 12
<i>multigrana</i>	1851, 112	<i>strophianus</i>	1848, 12
<i>obliqueplicata</i>	1851, 112	<i>uropygialis</i>	1855, 140
<i>scabriuscula</i>	1851, 111	(Selosphorus) <i>scin-</i>	
<i>signata</i>	1851, 112	<i>tilla</i>	1850, 162
<i>tritoniformis</i>	1851, 111	(Thaluranian) <i>venusta</i>	1850, 163
<i>Tritonia hawaiiensis</i>	1860, 33	(Thaumatias?) <i>chi-</i>	
<i>varicosa</i>	1851, 111	<i>onura</i>	1850, 162
<i>Triumphis distorta</i>	1856, 41	<i>Trochiscus norrisii</i>	1856, 224
<i>Trochalopteron rufifulare</i>	1858, 488	<i>Trochita spirata</i>	1850, 271
<i>rufifulare</i>	1859, 182		152
<i>Trochatella excavata</i>	1855, 101		154
<i>Trochetia subviridis</i>	1850, 52		156
<i>Trochilus allardi</i>	1855, 140		163
<i>amabilis</i>	1851, 115		164
<i>amethysticollis</i>	1848, 12	<i>Trochus</i> —	1851, 165
<i>bonapartii</i>	1848, 11		166
<i>brachyrhynchus</i>	1855, 140		179
<i>brevirostris</i>	1850, 163		184
? <i>cæruleogularis</i>	1850, 163		185
<i>caligatus</i>	1848, 14		191
? <i>castaneoventris</i>	1850, 163	<i>acutangulus</i>	1851, 150
<i>cephalus</i>	1857, 227	<i>acutus</i>	1851, 151
<i>clarisse</i>	1848, 12	<i>adansonii</i>	1851, 185
	1856, 287	<i>adelaidæ</i>	1851, 186
<i>colubris</i>	1857, 212	<i>ægyptiacus</i>	1851, 184
	1859, 367	<i>agathensis</i>	1851, 185
	1859, 386	<i>agrestis</i>	1851, 158
<i>coruscus</i>	1855, 140		180
<i>cupripennis</i>	1848, 12	<i>alabastrites</i>	1850, 271
<i>cuvieri</i>	1856, 140	<i>albidus</i>	1851, 163
<i>cyanicollis</i>	1853, 61	<i>annulatus</i>	1851, 164
<i>cyanurus</i>	1855, 140	<i>antonii</i>	1851, 165
<i>edwardi</i>	1850, 164	<i>anus</i>	1851, 159
<i>eos</i>	1848, 11	<i>argyrostomus</i>	1851, 180
	1848, 14	<i>armillatus</i>	1851, 164
<i>erythronotus</i>	1850, 164	<i>asper</i>	1851, 154
	1855, 140	<i>asperulus</i>	1851, 150
<i>exortis</i>	1855, 140	<i>ater</i>	1851, 180
<i>floriceps</i>	1853, 62	<i>atratus</i>	1851, 178
	1852, 8	<i>atropurpureus</i>	1851, 180
<i>furcatus</i>	1858, 460	<i>attenuatus</i>	1851, 172
	1860, 312	<i>aureotinctus</i>	1856, 224
<i>goudotii</i>	1850, 163		171
<i>guerini</i>	1848, 14	<i>australis</i>	1851, 172
<i>helianthea</i>	1848, 11	<i>badius</i>	1851, 170
<i>lafresnayi</i>	1855, 140	<i>belcheri</i>	1854, 39
<i>latirostris</i>	1858, 297	<i>bellulus</i>	1851, 171
<i>leadbeateri</i>	1849, 96	<i>benzi</i>	1851, 188
<i>lindenii</i>	1848, 14	<i>biasoletti</i>	1851, 184
<i>longirostris</i>	1850, 163	<i>bicanaliculatus</i>	1851, 181
<i>mavors</i>	1848, 12	<i>bicingulatus</i>	1851, 166
<i>nigrofasciatus</i>	1848, 13	<i>bicolor</i>	1851, 191
<i>niveoventer</i>	1850, 164	<i>brazilianus</i>	1851, 156
<i>pamela</i>	1848, 12	<i>byronianus</i>	1851, 156
<i>parvirostris</i>	1855, 140	<i>cærulescens</i>	1851, 151
<i>rufus</i>	1850, 162		

	Page		Page
<i>Trochus callichrous</i>	1851,	<i>Trochus eximius</i>	1851,
<i>calliferus</i>	1851,	<i>fanulum</i>	1851,
<i>calyculus</i>	} 1851,	<i>fasciatus</i>	1851,
<i>canaliculatus</i>	1851,	<i>fastigiatus</i>	1851,
<i>capensis</i>	1851,	<i>fenestratus</i>	1851,
<i>carinatus</i>	1851,	<i>filosus</i>	} 1851,
<i>cariniferus</i>	1851,	<i>flammiger</i>	1856,
<i>carneus</i>	1851,	<i>flavidus</i>	1856,
<i>castaneus</i>	} 1850,	<i>formosus</i>	1851,
<i>cateniferus</i>	1851,	<i>foveolatus</i>	1851,
<i>chlorostomus</i>	1856,	<i>fragilis</i>	1851,
<i>cicer</i>	1851,	<i>fulguratus</i>	1851,
<i>ciliaris</i>	1851,	<i>fumosus</i>	1851,
<i>cinerarius</i>	1851,	<i>fuscatus</i>	1851,
<i>cinereus</i>	1851,	<i>fuscescens</i>	1851,
<i>cingulatus</i>	1851,	<i>gabaldianus</i>	1851,
<i>clanguloides</i>	1851,	<i>gallina</i>	} 1851,
<i>clangulus</i>	1851,	<i>gemmosus</i>	1856,
<i>clelandi</i>	1851,	<i>gilvus</i>	1851,
<i>concameratus</i>	1851,	<i>granatum</i>	1851,
<i>concauus</i>	1851,	<i>granulatus</i>	1851,
<i>concinuus</i>	1851,	<i>guianicus</i>	1851,
<i>conicus</i>	1851,	<i>guineensis</i>	1851,
<i>conuloides</i>	1851,	<i>hanleyanus</i>	1851,
<i>conulus</i>	1851,	<i>ignobilis</i>	1851,
<i>conus</i>	1851,	<i>impervius</i>	1851,
<i>corallinus</i>	1851,	<i>inaequalis</i>	1851,
<i>corrugatus</i>	} 1851,	<i>incarnatus</i>	1851,
<i>costalis</i>	1854,	<i>incrassatus</i>	1851,
<i>costatus</i>	1851,	<i>indecorus</i>	1851,
<i>crassus</i>	1851,	<i>indistinctus</i>	1851,
<i>crenulatus</i>	1851,	<i>inflatus</i>	1851,
<i>crinitus</i>	1851,	<i>interruptus</i>	1851,
<i>cruciatus</i>	1851,	<i>iridis</i>	1851,
<i>cumingii</i>	1851,	<i>iris</i>	1851,
<i>decoratus</i>	1851,	<i>irisodontes</i>	1851,
<i>delicatulus</i>	1851,	<i>javanicus</i>	1854,
<i>dentatus</i>	1851,	<i>jucundus</i>	1851,
<i>depictus</i>	1851,	<i>jujubinus</i>	1851,
<i>depressus</i>	1851,	<i>kochii</i>	1851,
<i>discrepans</i>	1851,	<i>lævigatus</i>	1851,
<i>divaricatus</i>	1851,	<i>lævis</i>	1851,
<i>doliarius</i>	} 1851,	<i>langieri</i>	1851,
<i>dubius</i>	1856,	<i>lehmanni</i>	} 1851,
<i>electissimus</i>	1851,	<i>lenticularis</i>	1854,
<i>elegantulus</i>	1851,	<i>leucostigma</i>	1850,
<i>elongatus</i>	1851,	<i>ligatus</i>	1851,
<i>erythroleucus</i>	1851,	<i>limbatus</i>	1856,
<i>euryomphalus</i>	1851,	<i>limbatus</i>	1851,
<i>euxinicus</i>	1851,	<i>lineatus</i>	1851,
<i>exasperatus</i>	1851,	<i>lineolatus</i>	1851,
<i>excavatus</i>	1851,	<i>listeri</i>	1851,
<i>exiguus</i>	1851,	<i>littoralis</i>	1851,
	185	<i>ludwigi</i>	1851,

	Page		Page
Trochus lugubris	1851, 181	Trochus pellis-serpentis .	1851, 152
luridus	} 1851, 166	perforatus	1851, 184
lyonsii	} 1856, 224	personatus	1851, 159
maculatus	1851, 163	perspectivus	1851, 166
magulus	1851, 184	pfeifferi	1851, 181
magus	1851, 184	pharaonis	1851, 157
marcidus	1856, 204	philberti	1851, 185
margaritus	1851, 189	picoides	1856, 204
marginatus	1851, 181	pictus	1851, 172
marmoratus	1851, 150	porcatus	1851, 172
martini	1851, 166	prasinus	1851, 151
matonii	1851, 164	preissianus	1854, 40
maugeri	1851, 158	preissii	1851, 172
mauritanus	1851, 151	pulcherrimus	1851, 172
maximus	1851, 150	pulligo	1851, 182
mediterraneus	1851, 158	punctatus	1851, 164
melaleucos	1851, 156	punctulatus	1851, 179
melanoloma	1851, 179	purpuratus	1851, 169
merula	1851, 181	pustulosus	1851, 155
metaformis	1851, 166	pyramidatus	1851, 164
microstomus	1851, 181	pyramis	1851, 164
miliaris	1851, 166	pyrgos	1851, 172
millegranus	1851, 166	quadratus	1851, 184
miniatus	1851, 166	quadricarinatus	1851, 156
minutus	1851, 165	quadricostatus	1851, 156
modestus	1851, 156	rackettii	1851, 184
modulus	1850, 203	radiatus	1851, 152
mœstus	1851, 180	radula	1851, 178
montagui	1851, 164	rarilineatus	1851, 184
multicolor	1851, 185	regius	1851, 153
nassaviensis	1851, 185	reticularis	1851, 178
neritoides	1851, 189	reticulatus	1851, 154
niger	1854, 40	richardi	1851, 181
nigerrimus	} 1851, 180	rotelliformis	1851, 186
niloticus	} 1854, 40	rubro-flammulatus	1851, 156
nitens	1851, 185	rusticus	1851, 180
nitidulus	1851, 169	saga	1851, 152
nihiligineus	1851, 190	sagittiferus	1851, 181
noduliferus	1851, 151	sartorii	1851, 165
notatus	1851, 169	sauciatus	1851, 181
nucleus	1851, 188	scaber	1851, 184
obeliscus	1851, 151	scabrosus	1851, 159
obliquatus	1851, 186	scalaris	1851, 156
obliquerradiatus	1851, 185	sedgwickii	1851, 163
obscurus	1851, 172	selectus	1851, 163
occidentalis	1851, 163	signatus	1851, 172
occultus	1851, 156	sinensis	1851, 181
ochroleucos	1851, 154	sisyphinus	1851, 163
odontis	} 159	smithii	1851, 158
ornatus	1851, 182	solandri	1854, 41
pallidulus	1851, 164	spadiceus	1851, 159
pallidus	1856, 355	spengleri	1851, 154
papillosus	1856, 224	spinus	1851, 150
parvus	1851, 163	stellatus	1851, 153
patholatus	1851, 185	stenomphalus	1851, 181
		striatus	1851, 164
		strigillatus	1851, 152
		strigosus	1851, 166

	Page
<i>Trochus striolatus</i>	1851, 178
<i>suavis</i>	1851, 182
<i>subucula</i>	1851, 158
<i>subviridis</i>	1851, 154
<i>sulcatus</i>	1851, 178
<i>tabularis</i>	1851, 181
<i>tæniatus</i>	1851, } 178
	191
<i>tamsii</i>	1851, 179
<i>tectum</i>	1850, 203
<i>tentorium</i>	1851, 153
<i>tenuis</i>	1851, 163
<i>tergestinus</i>	1851, 179
<i>tessellatus</i>	1851, 178
<i>tiaratus</i>	1851, 154
<i>tigrinus</i>	1851, 180
<i>torulosus</i>	1851, 156
<i>tranquebaricus</i>	1851, 164
<i>tricolor</i>	1851, 164
<i>tridens</i>	1851, 181
<i>triserialis</i>	1851, 151
<i>trochiformis</i>	1850, 271
<i>tuberculatus</i>	1851, 184
<i>tumidus</i>	1851, 184
<i>turbinoides</i>	1851, 185
<i>turgidulus</i>	1851, 159
<i>turris</i>	1851, 155
<i>umbilicalis</i>	1851, 185
<i>umbilicaris</i>	1851, 184
<i>umbilicatus</i>	1851, 185
<i>undosus</i>	1856, 224
<i>varians</i>	1851, 185
<i>variegatus</i>	1851, 156
<i>varius</i>	1851, 185
<i>vermis</i>	1851, 154
<i>vernalis</i>	1851, 154
<i>verrucosus</i>	1851, 153
<i>versicolor</i>	1851, 184
<i>vestiarius</i>	1853, 187
<i>vinctus</i>	1851, 166
<i>violaceus</i>	1851, 168
<i>virgatus</i>	1851, 151
<i>virgineus</i>	1856, 224
<i>viridescens</i>	1851, 154
<i>viridis</i>	1851, 154
<i>viridulus</i>	1851, 156
<i>vittatus</i>	1851, 165
<i>vulneratus</i>	1851, 185
<i>zealandicus</i>	1851, 178
<i>zebra</i>	1851, 178
<i>zebrinus</i>	1851, 179
<i>ziziphinus</i>	} 1850, 271
	1851, 163
(<i>Euchele</i>) <i>alabastrum</i>	1857, 209
(<i>Margarita</i>) <i>hillii</i>	1850, 272
(—) <i>purpuratus</i>	1850, 272
(<i>Monodonta</i>) <i>aureo-</i> <i>tinctus</i>	1850, 271

	Page
<i>Trochus</i> (<i>Monodonta</i>)	
<i>gallina</i>	1850, 271
(—) <i>pyriformis</i>	1856, 204
<i>Troglodytes aëdon</i>	} 1858, 298
	1859, 363
	1859, 372
<i>æquinoctialis</i>	1855, 142
<i>brunneicollis</i>	} 1858, 297
	1859, 372
<i>europæus</i>	1851, 145
<i>furvus</i>	} 1859, 137
	1860, 273
	1860, 291
<i>gladiator</i>	} 1855, 76
	1858, 243
	1848, 53
<i>gorilla</i>	} 1848, 56
	1851, 263
	1859, 1
<i>hyemalis</i>	1856, 290
<i>niger</i>	1848, } 27
	30
	35
	53
<i>nipalensis</i>	} 1858, 489
	1859, 185
<i>palustris</i>	1856, 290
<i>platensis</i>	1859, 95
<i>rectirostris</i>	1858, 243
<i>savagei</i>	1848, } 27
	53
	56
<i>solstitialis</i>	} 1858, 550
	1860, 84
<i>Trogon ambiguus</i>	1859, 387
<i>antisiensis</i>	1855, 137
<i>aurantiiventris</i>	1856, } 107
	139
	285
	1856, 286
<i>caligatus</i>	} 1859, 367
	1859, 387
	1860, 284
	1855, 137
<i>collaris</i>	} 1856, 368
	1860, 69
<i>curucui</i>	1855, 137
<i>diardi</i>	1859, 460
<i>duvaucellii</i>	1859, 459
<i>elegans</i>	1858, 357
<i>eytoni</i>	1856, 368
<i>fasciatus</i>	1859, 460
<i>kasumba</i>	1859, 460
<i>luzoniensis</i>	1859, 395
<i>massenæ</i>	} 1858, 96
	1859, 53
	1859, 387
<i>melanocephalus</i>	1857, 227

	Page		Page
Trogon melanocephalus	1858,	Tropidonotus stolatus .	1858,
	1859,		1860,
	1859,		1860,
	1859,		1860,
melanopterus	1854,		162
melanurus	1857,	subminiatus	1860,
	1860,		170
mexicanus	1859,	tigrinus	1858,
	367	umbratus	1855,
	387		1860,
personatus	1855,	vibakari	1858,
	1858,	viperinus	1858,
	1859,	Tropidorhynchus bou-	375
	1860,	roensis	383
	1856,	chrysotis	1859,
puella	1856,	diemenensis	1859,
	1859,	gilolensis	1860,
	367	lessoni	1859,
pulchellus	1855,	moluccensis	1860,
resplendens	1856,	novæ-guineæ	1858,
roseigaster	1857,	plumigenis	1858,
rutilus	1859,	subcornutus	1860,
sallæi	1856,	Truncatella barbadensis .	1856,
temminckii	1859,	californica	1857,
	460	ceylanica	1856,
viridis	1857,	costulata	1854,
	16	littorea	1856,
xalapensis	1858,	montagui	1856,
Tropæa mænas	1856,	teres	1856,
selene	1859,	truncatula	1854,
sinensis	1859,	truncatella	1856,
Trophon morrиси	1856,	Truncatellina linearis . .	1854,
Tropidolepis torquatus .	1860,	minutissima	1854,
Tropidonotus ceraso-	1858,	Trupialis guianensis . . .	1857,
gaster	1860,	Trypanophora semihya-	265
chrysargos	1858,	lina	1859,
chrysargus	1860,	Tryphœna heloisæ	1858,
dekayi	1860,	1859,	297
dipsas	1860,	Tudicla armigera	1855,
fasciatus	1858,	fusoides	1854,
hydrus	1858,	recurva	1854,
	375	spirillus	1851,
	378	Tugali carinata	1851,
natrix	1858,	cicatricosa	1851,
	375	cinerea	1851,
	1860,	decussata	1851,
ordinatus	1858,	elegans	1851,
	375	intermedia	1851,
picturatus	1860,	ossea	1851,
	384	parmophoroidea	1851,
	162	radiata	1851,
	166	scutellaris	1851,
platyceps	1860,	Tugalia oblonga	1860,
	167	Tupaia ellioti	1849,
	171		107
	172		108
quincunciatus	1858,		
	375		
	1858,		
	1860,		
	1860,		
	1860,		
sirtalis	1860,		
	455		

	Page		Page
<i>Tupaia ferruginea</i>	1849,	{	107
			108
<i>javanica</i>	1849,		108
<i>tana</i>	1849,	{	107
			108
<i>Turacœna truncatula</i> ..	1856,		136
<i>Turbo acutus</i>	1853,		179
<i>araucanus</i>	1854,		41
<i>argyrostomus</i>	1860,		16
<i>articulatus</i>	1848,		51
<i>carneus</i>	1851,		190
<i>carychium</i>	1854,		33
<i>cinereus</i>	1851,		190
<i>circularis</i>	1848,		51
<i>corallinus</i>	1848,		50
<i>costatus</i>	1853,		186
<i>declivis</i>	1851,		184
<i>elegantissimus</i>	1853,		179
<i>fluctuatus</i>	{	1848,	52
		1855,	234
<i>francesiæ</i>	1856,	{	20
			23
<i>gemmatus</i>	1848,		50
<i>helicinus</i>	1851,		189
<i>histrion</i>	1848,		52
<i>incarnatus</i>	1851,		190
<i>inflatus</i>	1851,		189
<i>japonicus</i>	1848,		51
<i>lacteus</i>	1853,		179
<i>laminiferus</i>	1848,		49
<i>lehmanni</i>	1854,		41
<i>lineatus</i>	1851,		179
<i>lugubris</i>	1848,		50
<i>lunaris</i>	1851,		178
<i>margarita</i>	1851,		189
<i>militaris</i>	1848,		51
<i>murreus</i>	1848,		49
<i>natalensis</i>	1848,		49
<i>nigerrimus</i>	{	1851,	178
		1854,	41
<i>niveus</i>	1850,		42
<i>nivosus</i>	1848,		51
<i>obscurus</i>	1851,		190
<i>ovalis</i>	1854,		59
<i>pica</i>	1851,		179
<i>porcatus</i>	1848,		51
<i>pulcher</i>	1854,		83
<i>pustulatus</i>	1848,		50
<i>pyropus</i>	1848,		50
<i>quoyi</i>	1854,		41
<i>sandwicensis</i>	1860,		436
<i>sanguineus</i>	1851,		184
<i>saxosus</i>	1848,		49
<i>semicostatus</i>	1860,		435
<i>separatista</i>	1850,		45
<i>similis</i>	1853,		179
<i>trochoides</i>	1848,		50
<i>tumidulus</i>	1848,		51
<i>Turbo turcicus</i>	1848,		50
<i>Turbonilla decussata</i> ...	1860,		438
<i>Turcica corensis</i>	1860,		189
<i>monilifera</i>	1854,		37
<i>Turdampelis lanioides</i> ..	1858,		542
<i>rufococcyx</i>	1858,		542
<i>Turdinus macrodactylus</i> .	1854,		275
<i>Turdirostris superciliaris</i>	1854,		275
<i>Turdus alapi</i>	1858,		245
<i>albicollis</i>	{	1857,	203
		1859,	329
		1858,	451
<i>albiventris</i>	{	1859,	136
		1859,	328
		1860,	272
<i>aliciæ</i>	1859,		326
<i>amaurochalinus</i>	1859,		329
<i>analisis</i>	1854,		278
<i>ardosiaceus</i>	1859,		337
<i>armillaris</i>	1860,		353
<i>arsinoë</i>	1850,		217
	{	1857,	202
		1859,	327
<i>assimilis</i>	{	1859,	362
		1859,	370
<i>atrogularis</i>	1858,		490
	{	1859,	136
<i>atrosericeus</i>	{	1859,	333
		1860,	83
<i>atrothorax</i>	1858,		245
<i>aurantiiostris</i>	1856,		294
<i>aurantius</i>	1859,		333
<i>auritus</i>	1858,		285
<i>bambula</i>	1855,		146
	{	1855,	213
<i>brachyurus</i>	{	1855,	214
		1859,	338
<i>brevicaudus</i>	1858,		278
<i>brunneus</i>	1858,		542
<i>cantator</i>	1858,		250
<i>capucinus</i>	1859,		327
<i>carbonarius</i>	1859,		334
<i>casius</i>	1859,		330
<i>chalybeus</i>	1859,		445
	{	1858,	450
		1858,	451
<i>chiguanco</i>	{	1858,	550
		1859,	333
<i>chochi</i>	1859,		332
<i>cinnamomeus</i>	1858,		249
<i>cirrhatus</i>	1858,		215
<i>colma</i>	1858,		277
	{	1857,	203
<i>crotopezus</i>	{	1859,	327
		1859,	336
<i>densirostris</i>	1859,		336
<i>densus</i>	1859,		325
<i>dominicus</i>	1859,		341

	Page		Page
<i>Turdus erythropterus</i> ..	1850, 217	<i>Turdus luridus</i>	1857, 274
<i>falklandicus</i>	{ 1859, 330	<i>macrourus</i>	1854, 283
<i>felivox</i>	{ 1860, 384	<i>magellanicus</i>	{ 1859, 330
<i>ferrugineus</i>	{ 1859, 336	<i>melanotis</i>	{ 1860, 384
<i>flavipes</i>	{ 1858, 542	<i>melodius</i>	1859, 337
<i>flavirostris</i>	{ 1859, 334	<i>melpomene</i>	1859, 325
<i>flaviventris</i>	{ 1859, 332	<i>merula</i>	1858, 97
<i>formicivorus</i>	{ 1857, 273	<i>merula</i>	1851, 142
<i>fulviventris</i>	{ 1858, 275	<i>merula</i>	{ 1856, 294
<i>fulviventris</i>	{ 1859, 331	<i>merula</i>	{ 1857, 5
<i>fumigatus</i>	{ 1855, 145	<i>migratorius</i>	{ 1857, 126
<i>fumigatus</i>	{ 1857, 274	<i>migratorius</i>	{ 1858, 300
<i>fumigatus</i>	{ 1859, 329	<i>migratorius</i>	{ 1859, 235
<i>fuscatus</i>	{ 1859, 332	<i>migratorius</i>	{ 1859, 331
<i>fuscatus</i>	{ 1859, 335	<i>migratorius</i>	{ 1859, 362
<i>fuscescens</i>	{ 1859, 326	<i>mindanensis</i>	{ 1854, 282
<i>fuscescens</i>	{ 1855, 144	<i>mindanensis</i>	{ 1854, 111
<i>fuscescens</i>	{ 1858, 450	<i>mindanensis</i>	{ 1855, 145
<i>fuscescens</i>	{ 1858, 451	<i>minimus</i>	{ 1857, 212
<i>fuscescens</i>	{ 1858, 550	<i>minimus</i>	{ 1858, 64
<i>gigas</i>	{ 1859, 136	<i>minimus</i>	{ 1859, 326
<i>gigas</i>	{ 1859, 332	<i>minimus</i>	{ 1855, 145
<i>gigas</i>	{ 1860, 63	<i>minor</i>	{ 1857, 4
<i>gigas</i>	{ 1860, 84	<i>minor</i>	{ 1859, 325
<i>gilvus</i>	1859, 342	<i>minutus</i>	1859, 161
<i>grallarius</i>	1858, 280	<i>modestus</i>	1854, 274
<i>grallarius</i>	{ 1856, 294	<i>montanus</i>	1859, 336
<i>grallarius</i>	{ 1857, 274	<i>montanus</i>	{ 1851, 145
<i>grayii</i>	{ 1859, 330	<i>musicus</i>	{ 1855, 165
<i>grayii</i>	{ 1859, 362	<i>musicus</i>	{ 1857, 13
<i>grayii</i>	{ 1859, 370	<i>musicus</i>	{ 1860, 258
<i>griseus</i>	1858, 238	<i>musicus</i>	{ 1856, 294
<i>guttatus</i>	1859, 325	<i>musicus</i>	{ 1859, 55
<i>gymnophthalmus</i> ..	1859, 329	<i>mustelinus</i>	{ 1859, 325
<i>gymnopus</i>	1859, 329	<i>mustelinus</i>	{ 1859, 362
<i>gymnopus</i>	{ 1856, 294	<i>mustelinus</i>	{ 1857, 4
<i>helvolus</i>	{ 1859, 330	<i>nævius</i>	{ 1858, 3
<i>herminieri</i>	1859, 335	<i>nævius</i>	{ 1859, 331
<i>ignobilis</i>	{ 1857, 273	<i>nævius</i>	{ 1857, 4
<i>ignobilis</i>	{ 1859, 328	<i>nanus</i>	{ 1859, 325
<i>iliacus</i>	{ 1851, 145	<i>nudigenys</i>	1859, 329
<i>iliacus</i>	{ 1857, 13	<i>ochrocephalus</i> ...	1854, 279
<i>infuscatus</i>	{ 334	<i>olivaceus</i>	{ 1857, 212
<i>infuscatus</i>	{ 362	<i>olivaceus</i>	{ 1859, 329
<i>infuscatus</i>	{ 370	<i>olivater</i>	1859, 333
<i>jamaicensis</i>	1859, 327	<i>orientalis</i>	1854, 272
<i>javanicus</i>	1854, 274	<i>orpheus</i>	1859, 341
<i>lereboulletii</i>	1859, 327	<i>orpheus</i>	{ 1858, 300
<i>leucauchen</i>	{ 1858, 447	<i>pallasi</i>	{ 1859, 325
<i>leucauchen</i>	{ 1859, 328	<i>palliatus</i>	1859, 332
<i>leucogonys</i>	{ 1858, 542	<i>palmarum</i>	1856, 84
<i>leucogonys</i>	{ 1859, 333	<i>pectoralis</i>	1858, 273
<i>leucomelas</i>	1859, 327	<i>phæopygos</i>	1858, 64
<i>leucopterus</i>	1858, 246	<i>phæopygus</i>	1859, 327
<i>lineatus</i>	1858, 246	<i>pilaris</i>	1857, 13
<i>lividus</i>	{ 336	<i>pinicola</i>	{ 334
<i>lividus</i>	{ 342	<i>pinicola</i>	{ 362

	Page		Page		
<i>Turdus pinicola</i>	1860,	250	<i>Turricula approximata</i> ..	1860,	146
<i>plumbeus</i>	1859,	337	<i>bella</i>	1860,	145
<i>polyglottus</i>	1859,	340	<i>layardii</i>	1854,	135
<i>rex</i>	1858,	280	<i>mirifica</i>	1854,	135
<i>rubripes</i>	1859,	336	<i>roseata</i>	1854,	135
<i>ruficollis</i>	1860,	108	<i>Turris monilifera</i>	1860,	398
<i>rufifrons</i>	1858,	212	<i>Turritella costulata</i>	1853,	180
<i>rufigula</i>	1858,	273	<i>elegantissima</i>	1853,	179
<i>rufitorques</i>	1859,	334	<i>fulvocincta</i>	1853,	179
<i>rufiventris</i>	1859,	332	<i>indistincta</i>	1853,	179
<i>rufopalliatus</i>	1859,	332	<i>interrupta</i>	1853,	179
<i>rufulus</i>	1854,	274	<i>truncata</i>	1853,	180
<i>rufus</i>	1858,	212	<i>Turtur bitorquatus</i>	1860,	361
<i>schistaceus</i>	1858,	490	<i>cambayensis</i>	1855,	34
<i>serranus</i>	1859,	330	<i>chinensis</i>	1859,	467
<i>silens</i>	1857,	212	<i>humilis</i>	1858,	497
<i>solitarius</i>	1858,	300	<i>meena</i>	1859,	150
<i>speciosus</i>	1859,	325	<i>orientalis</i>	1859,	151
<i>striga</i>	1857,	4	<i>risorius</i>	1859,	187
<i>strigatus</i>	1857,	212	<i>senegalensis</i>	1858,	498
<i>surinamensis</i>	1859,	325	<i>suratensis</i>	1859,	187
<i>swainsoni</i>	1854,	271	<i>tigrina</i>	1849,	172
<i>thenca</i>	1859,	445	<i>tigrinus</i>	1855,	34
<i>timniens</i>	1859,	445	<i>tylosina atlantica</i>	1860,	371
<i>tintinnabulatus</i>	1856,	115	<i>citrina</i>	1858,	498
<i>torquatus</i>	1857,	212	<i>punctulata</i>	1859,	498
<i>tricolor</i>	1858,	300	<i>rafinesquii</i>	1859,	150
<i>tristis</i>	1858,	450	<i>typhlops diardii</i>	1859,	151
<i>triurus</i>	1859,	326	<i>oxyrhynchus</i>	1860,	361
<i>unicolor</i>	1860,	84	<i>philippinus</i>	1859,	467
<i>ustulatus</i>	1859,	344	<i>tenuis</i>	1860,	363
<i>varius</i>	1858,	281	<i>Typhosia robusta</i>	1860,	363
<i>viridis</i>	1858,	250	<i>temminckii</i>	1860,	363
<i>viscivorus</i>	1860,	371	<i>Tyrannula affinis</i>	1859,	44
<i>vulpinus</i>	1854,	283	<i>ardesiaca</i>	1859,	144
<i>wilsoni</i>	1856,	294	<i>ardosiaca</i>	1855,	149
<i>xanthopus</i>	1859,	330	<i>barbirostris</i>	1859,	44
<i>xanthosceles</i>	1859,	341	<i>cayennensis</i>	1856,	296
(<i>Monticola</i>) <i>ery-</i>	1858,	490	<i>cinchoneti</i>	1855,	149
<i>thropterus</i>	1859,	181	<i>cineracea</i>	1858,	457
<i>Turnix pugnax</i>	1854,	286	<i>cinnamomea</i>	1855,	149
	1857,	13	<i>cooperi</i>	1851,	51
	1858,	489	<i>coronata</i>	1856,	296
	1859,	181	<i>crinita</i>	1851,	51
	1860,	350	<i>diadema</i>	1855,	149
	1850,	276			
	1855,	141			
	1857,	4			
	1859,	326			
	1859,	161			
	1859,	334			
	1860,	350			
	1859,	150			
	1859,	151			

	Page		Page
<i>Tyrannula erythrura</i>	1855, 149		
<i>gossii</i>	1851, 51		
<i>icterophrys</i>	1855, 149	<i>Tyrannus melancholicus</i>	1858, 457
<i>mexicana</i>	1851, 51		1859, 55
<i>nigricans</i>	1855, 149		1859, 143
<i>obscura</i>	1857, 127		1859, 366
<i>ornata</i>	1859, 44		1860, 92
<i>pallida</i>	1855, 149	<i>niveigularis</i>	1860, 281
<i>phœnicura</i>	1859, 144	<i>rufescens</i>	1860, 281
<i>ruficeps</i>	1857, 127	<i>rufinus</i>	1859, 41
<i>rufipectus</i>	1854, 113	<i>rufiventris</i>	1855, 150
<i>rufula</i>	1858, 70	<i>thamnophiloides</i>	1855, 77
<i>setophagoides</i>	1855, 149	<i>vociferans</i>	1859, 331
<i>stolida</i>	1851, 51	<i>Tyrse argus</i>	1859, 41
<i>sulphureipygia</i>	1856, 296	<i>niloticus</i>	1858, 383
<i>Tyrannulus chrysops</i>	1858, 458	<i>Uarus niloticus</i>	1858, 167
<i>cinereiceps</i>	1859, 144	<i>ocellatus</i>	1858, 167
<i>elatus</i>	1860, 93	<i>Ulula fasciata</i>	1858, 155
<i>flavidifrons</i>	1860, 69	<i>Umbellularia greenlandica</i>	1859, 440
<i>nigricans</i>	1856, 296	<i>Umbonium chalconotum</i>	1853, 188
<i>nigricapillus</i>	1855, 150	<i>conicum</i>	1853, 188
<i>rufipectus</i>	1860, 93	<i>costatum</i>	1853, 188
<i>semiflavus</i>	1856, 28	<i>depressum</i>	1853, 188
<i>Tyrannus atricapillus</i>	1860, 300	<i>elegans</i>	1853, 188
<i>atrifrons</i>	1858, 215	<i>excisum</i>	1851, 232
<i>audax</i>	1857, 274	<i>giganteum</i>	1853, 188
<i>boissoneauii</i>	1859, 43	<i>guamense</i>	1853, 189
<i>borealis</i>	1855, 150	<i>javanicum</i>	1853, 188
<i>cæsius</i>	1856, 297	<i>moniliferum</i>	1853, 188
<i>canadensis</i>	1859, 42	<i>sagittatum</i>	1853, 188
<i>cooperi</i>	1855, 150	<i>striolatum</i>	1853, 189
<i>curtipes</i>	1858, 554	<i>suturale</i>	1853, 188
<i>erythrogygius</i>	1858, 301	<i>vestiarium</i>	1851, 232
<i>fumigatus</i>	1857, 232	<i>zelandicum</i>	1853, 187
<i>intrepidus</i>	1858, 302	<i>Umbracella granulata</i>	1857, 280
<i>matutinus</i>	1859, 55	<i>umbraculum</i>	1859, 482
<i>melancholicus</i>	1859, 383	<i>Umbrella mediterranea</i>	1856, 46
	1857, 232	<i>ovalis</i>	1856, 161
	1855, 150	<i>Uncia charltoni</i>	1856, 396
	1858, 554	<i>irbis</i>	1856, 395
	1857, 232	<i>Unio bengalensis</i>	1850, 198
	1858, 302	<i>burtoni</i>	1859, 349
	1859, 55	<i>eximius</i>	1860, 15
	1859, 383	<i>gravidus</i>	1860, 14
	1857, 232	<i>grayii</i>	1858, 91
	1855, 150	<i>hainesianus</i>	1860, 15
	1856, 141	<i>housei</i>	1860, 14
	1856, 297	<i>humilis</i>	1860, 15
	1858, 70	<i>inornatus</i>	1860, 15
		<i>myersianus</i>	1860, 14
		<i>rusticus</i>	1860, 14
		<i>sagittarius</i>	1860, 15
		<i>scobinatus</i>	1860, 15

	Page		Page
<i>Unio tumidulus</i>	1860,	<i>Urubitinga zonura</i>	1860,
<i>tumidus</i>	1850,	<i>Urubitornis solitaria</i> ..	1856,
<i>Upucerthia vulgaris</i>	1859,	{ 1858,	130
{ 1851,	145	<i>Urva cancrivora</i>	1856,
{ 1855,	27		
<i>Upupa epops</i>	1857,	<i>Vacca marina</i>	1853,
{ 1858,	474	<i>Valvaria alba</i>	1854,
{ 1859,	174	<i>Valvata piscinalis</i>	1853,
<i>nigripennis</i>	1859,	{ 1856,	186
<i>senegalensis</i>	1855,	<i>Vanellus bilobus</i>	1855,
<i>Urochoma hueti</i>	1857,	<i>cayennensis</i>	1855,
<i>Urochroa bougieri</i>	1860,	<i>cinctus</i>	1860,
<i>Urocissa flavirostris</i>	1859,	{ 1851,	146
{ 172	200	{ 1858,	505
<i>magnirostris</i>	1859,	<i>goensis</i>	1855,
{ 151	200	<i>melanogaster</i>	1860,
{ 172	200	<i>ptiloscelis</i>	1858,
<i>occipitalis</i>	1859,	{ 1858,	556
{ 200	200	<i>resplendens</i>	1860,
<i>sinensis</i>	1859,	{ 1860,	82
<i>Urogalba amazonum</i> ..	1855,	<i>strigilatus</i>	1850,
{ 1855,	14	<i>Vanga cristata</i>	1859,
{ 1857,	262	<i>striata</i>	1858,
<i>Uroloncha molucca</i>	1859,	<i>Vanganella taylorii</i>	1851,
<i>punctularia</i>	1859,	<i>Vanicoro quoyiana</i>	1853,
{ 161	167	{ 1853,	174
<i>Uromastix griseus</i>	1860,	<i>rugata</i>	1853,
{ 167	170	<i>Vanikoro imbricata</i>	1860,
{ 1849,	95	<i>semiplicata</i>	1860,
{ 1859,	470	<i>Varanus heraldicus</i>	1860,
{ 1859,	475	<i>Varicella cordovana</i>	1856,
{ 1860,	192	<i>guadeloupensis</i>	1856,
<i>Uropeltis ceylonicus</i>	1858,	<i>orizabæ</i>	1856,
{ 262	262	{ 1856,	320
<i>grandis</i>	1858,	<i>speciosa</i>	1856,
<i>pardalis</i>	1858,	<i>Vasum ceramicum</i>	1851,
<i>philippinus</i>	1858,	<i>Velasia chilensis</i>	1851,
<i>Urosticte benjamini</i>	1860,	<i>Velletia filosa</i>	1853,
<i>Urota sinope</i>	1849,	{ 1853,	89
<i>Urrua bengalensis</i>	1854,	<i>Velutina haliotideae</i>	1853,
{ 1859,	477	{ 1851,	225
{ 1860,	130	<i>Venerupis chinensis</i>	1853,
<i>Ursus americanus</i>	1860,	{ 1856,	214
{ 1860,	180	<i>cordieri</i>	1853,
{ 1860,	417	{ 1853,	4
{ 130	372	<i>cumingii</i>	1853,
<i>arctos</i>	1860,	{ 1853,	3
{ 372	105	{ 1853,	4
<i>isabellinus</i>	1849,	{ 1853,	5
{ 1858,	517	{ 1853,	6
{ 1850,	156	{ 1853,	5
{ 1857,	140	{ 1853,	5
{ 1858,	520	{ 1853,	4
<i>labiatus</i>	1859,	{ 1853,	4
{ 1858,	129	{ 1853,	5
<i>marinus</i>	1859,	{ 1853,	5
{ 1858,	295	<i>Venilia callonota</i>	1860,
<i>Urubitinga anthracina</i> .	1859,	{ 1859,	286
{ 128	52	{ 1859,	457
{ 129	128	{ 1859,	456
<i>schistacea</i>	1858,	{ 1859,	456
{ 129	150	{ 1859,	456
{ 1858,	150	{ 1859,	456
{ 1859,	147	<i>Venus californiensis</i>	1856,
{ 1858,	129	{ 1853,	3
<i>unicincta</i>	1859,	<i>casina</i>	1853,
{ 1858,	129		
{ 1859,	129		
{ 1858,	129		

	Page		Page
<i>Venus clathrata</i>	1853,		
	3	<i>Vespertilio daubentonii</i> .	1858,
<i>consobrina</i>	1853,		89
	3		1848,
<i>crispata</i>	1853,		112
	2		1857,
<i>dispar</i>	1856,	<i>emarginatus</i>	45
	215		1858,
<i>excavata</i>	1856,		80
	216		1858,
<i>lamellifera</i>	1856,		336
	214		1858,
<i>leucodon</i>	1856,	<i>escholtzii</i>	12
	216	<i>ferrugineus</i>	1858,
<i>listeri</i>	1853,		53
	3	<i>formosa</i>	1857,
<i>nuttalli</i>	1856,		53
	216	<i>formosus</i>	1858,
<i>scripta</i>	1853,		82
	6		368
<i>sculpta</i>	1853,	<i>furinalis</i>	1858,
	3		546
<i>sowerbyi</i>	1853,	<i>hardwickii</i>	1858,
	2		329
<i>straminea</i>	1856,	<i>hasseltii</i>	1857,
	215		54
<i>tantilla</i>	1856,	<i>hilairii</i>	1858,
	201		89
<i>Vermetus lævis</i>	1860,	<i>imbricatus</i>	1858,
	413		539
<i>variatus</i>	1856,	<i>isidori</i>	1858,
	315		89
<i>Vermicella annulata</i>	1859,	<i>kerivoula</i>	1858,
	87		78
<i>occipitalis</i>	1859,	<i>lanosus</i>	1858,
	87		331
<i>Vermiculum incurvatum</i>	1858,	<i>lasiurus</i>	1857,
	436		35
<i>Verpa penis</i>	1851,	<i>lepturus</i>	1858,
	232		547
<i>Vertagus graniferus</i>	1860,	<i>leucippe</i>	1859,
	433		72
<i>Vertigo nitens</i>	1860,	<i>macropus</i>	1857,
	439		53
<i>Vertumnus cranchii</i>	1850,	<i>madagascariensis</i> ..	1858,
	97		89
<i>Vespertilio abramus</i>	1858,	<i>marginatus</i>	1858,
	538		537
<i>akokomuli</i>	1858,	<i>maximus</i>	1857,
	539		52
<i>albescens</i>	1860,	<i>miniopteris</i>	1858,
	261		81
<i>alcythoë</i>	1859,	<i>monachus</i>	1857,
	72		35
<i>aristippe</i>	1858,	<i>murinus</i>	1857,
	81		52
<i>bechsteinii</i>	1859,		89
	72	<i>mystacinus</i>	1858,
<i>bechsteinii</i>	1858,		539
	546		1859,
<i>blepotis</i>	1858,		73
	121	<i>natalensis</i>	1859,
<i>blosseivillii</i>	1857,		74
	35		1858,
<i>blythii</i>	1857,		118
	53		1857,
<i>brachypterus</i>	1858,		53
	538	<i>nattereri</i>	1857,
<i>brachypterus</i>	1858,		140
	539		1858,
<i>caliginosus</i>	1859,		27
	69		1858,
<i>caliginosus</i>	1859,		81
	73		1859,
<i>cappacini</i>	1858,		74
	81	<i>nigricans</i>	1858,
<i>carolii</i>	1857,		546
	54		1860,
<i>carolinensis</i>	1857,		211
	45	<i>noctivagans</i>	1857,
<i>chiloënsis</i>	1858,		45
	89	<i>pachypus</i>	1858,
<i>chiloënsis</i>	1858,		538
	546		539
<i>chiloënsis</i>	1860,	<i>pallidus</i>	1857,
	211		45
<i>chinensis</i>	1860,		1858,
	261		546
<i>chinensis</i>	1857,		1856,
	52		178
<i>cinereus</i>	1857,	<i>papillosus</i>	1858,
	37		35
<i>circumdatu</i>	1858,		1858,
	540		327
<i>coromandelicus</i> ..	1856,	<i>parvulus</i>	1858,
	394		89
<i>coromandelicus</i> ..	1858,		1859,
	539		73
<i>creeks</i>	1857,		87
	45	<i>pearsoni</i>	1858,
<i>crepuscularis</i>	1857,		368
	45		371
<i>cyclope</i>	1858,	<i>pellucidus</i>	1858,
	108		329
<i>darjelingensis</i>	1856,	<i>picta</i>	1856,
	394		175
<i>dasyncnemus</i>	1857,		78
	54	<i>pictus</i>	1858,
<i>dasythrix</i>	1858,		325
	117		
<i>daubentonii</i>	1857,		
	54		

	Page		Page
<i>Vespertilio pipistrellus</i> ..	1850,	<i>Vipera trimaculata</i>	1859,
polythrix	1858,	V-nigrum	1858,
pruinosis	1857,		1857,
pulverulentus	1857,	<i>Vireo altiloquus</i>	1859,
rubellus	1857,		1857,
ruber	1858,	flavifrons	1860,
rufoniger	1858,	gilvus	1858,
	82	huttoni	1858,
	83		1859,
	79	josephæ	1860,
rufopictus	1858,		1860,
	85	modestus	1860,
	368		1857,
savii	1859,		1857,
schreibersii	1858,	noveboracensis ..	1859,
scotinus	1858,		1860,
sericeus	1859,		1856,
siligorensis	1856,	solitarius	1859,
speoris	1858,		1859,
	1856,	versicolor	1855,
	1856,		1857,
suillus	1857,	<i>Vireolanius icterophrys</i>	1857,
	1858,		1857,
	1858,	melitophrys	1857,
	370		1859,
tasmanensis	1857,		1859,
tasmaniensis	1858,	<i>Vireosylvia agilis</i>	1860,
tenuis	1858,		1860,
	539	altiloqua	1855,
	1859,	cobanensis	1860,
tessellatus	1857,	flavoviridis	1856,
tibialis	1858,		1859,
timoriensis	1858,	frenata	1855,
	538		1859,
	539	gilva	1856,
tralatitius	1858,		1858,
	89		1855,
trilatitius	1859,	olivacea	1855,
	1859,		1859,
tristis	1858,	philadelphica	1860,
tuberculatus	1857,		1855,
	81	virescens	1855,
ursinii	1858,		1860,
	117	<i>Virgularia australis</i>	1859,
	27	<i>Vison</i>	1848,
velatus	1858,	<i>Vitrina abyssinica</i>	1848,
	28	americana	1852,
	546	aperta	1848,
villosissimus	1857,	aurea	1854,
	35	beckiana	1848,
vispistrellus	1858,	behni	1854,
	1859,	bensonii	1848,
vulpinus	1856,	bicolor	1848,
<i>Vexilla fusconigra</i>	1860,	borneensis	1856,
lineata	1853,	castanea	1852,
nigrofusca	1860,	celebensis	1856,
	369		325
<i>Vidua paradisea</i>	1850,		
	218		
principalis	1860,		
	442		
<i>Vinago capellei</i>	1859,		
	464		
giganteus	1859,		
	464		
<i>Vipera berus</i>	1855,		
	191		
	1858,		
	374		
	1860,		
hexacera	1858,		
	163		
nasicornis	1858,		
	163		
psyche	1859,		
	84		

	Page		Page
<i>Vitrina comorensis</i>	1856,		
	325	<i>Volatinia jacarina</i>	1859, 365
<i>crenularis</i>	1848,		
	106	<i>splendens</i>	1859, 140
<i>cumingii</i>	1848,		
	104		1860, 275
<i>darnaudi</i>	1856,	<i>Volsella arata</i>	1856,
	325		361
<i>dimidiata</i>	1852,	<i>flavida</i>	1856,
	56	<i>fortunei</i>	1856,
<i>flemingi</i>	1856,	<i>glaberrima</i>	1856,
	324	<i>gubernaculum</i>	1856,
<i>grandis</i>	1848,	<i>inconstans</i>	1856,
	108	<i>japonica</i>	1856,
<i>guimarasensis</i>	1848,	<i>perfragilis</i>	1856,
	104	<i>setigera</i>	1856,
<i>gutta</i>	1848,	<i>splendida</i>	1856,
	105	<i>subpurpurea</i>	1856,
<i>heliciformis</i>	1854,	<i>subsulcata</i>	1856,
	296	<i>subtorta</i>	1856,
<i>hians</i>	1848,	<i>tristis</i>	1856,
	107	<i>undulata</i>	1856,
<i>hyalina</i>	1854,		363
	296	<i>Voluta æthiopica</i>	1855,
<i>idæ</i>	1856,		54
	325	<i>africana</i>	1856,
<i>irradians</i>	1852,	<i>alba</i>	1854,
	156	<i>americana</i>	1856,
<i>keppellii</i>	1853,	<i>amphora</i>	1855,
	60	<i>ancilla</i>	1855,
<i>lamarckii</i>	1854,	<i>angulata</i>	1855,
	163	<i>anna</i>	1855,
	164	<i>annulata</i>	1858,
<i>leucospira</i>	1856,	<i>arabica</i>	1855,
	326	<i>arausiaca</i>	1855,
<i>leytensis</i>	1848,	<i>armata</i>	1855,
	105	<i>auguria</i>	1855,
<i>luzonica</i>	1849,	<i>aulica</i>	1855,
	132	<i>auris-cati</i>	1853,
<i>marcida</i>	1854,	<i>auris-judæ</i>	1854,
	164	<i>auris-midæ</i>	1854,
	165	<i>balleata</i>	1858,
<i>margarita</i>	1848,	<i>beckii</i>	1855,
	104	<i>bidentata</i>	1854,
<i>media</i>	1854,	<i>bifasciata</i>	1854,
	164	<i>brasiliana</i>	1855,
<i>milligani</i>	1852,	<i>bullata</i>	1855,
	56	<i>carneola</i>	1858,
<i>monticola</i>	1848,	<i>catenata</i>	1849,
	107	<i>cathartæ</i>	1856,
<i>nitida</i>	1854,	<i>ceramica</i>	1855,
	164	<i>chlorosina</i>	1855,
<i>papillata</i>	1848,	<i>chrysostoma</i>	1855,
	106	<i>cithara</i>	1855,
<i>planospira</i>	1853,	<i>coffea</i>	1854,
	60		9
<i>planti</i>	1856,	<i>concinna</i>	1855,
	324	<i>corneolata</i>	1855,
<i>planulata</i>	1848,	<i>corona</i>	1855,
	106	<i>costata</i>	1855,
<i>politissima</i>	1848,	<i>cruenta</i>	1858,
	105	<i>cumingii</i>	1855,
<i>resiliens</i>	1848,	<i>cylleniformis</i>	1855,
	106		61
<i>rufescens</i>	1848,		
	106		
<i>ruivensis</i>	1854,		
	163		
<i>rüppelliana</i>	1848,		
	107		
<i>salomon</i>	1853,		
	60		
<i>sennaariensis</i>	1856,		
	325		
<i>siamensis</i>	1860,		
	7		
<i>smaragdulus</i>	1848,		
	104		
<i>spiruloides</i>	1856,		
	169		
<i>strangei</i>	1849,		
	132		
<i>teneriffæ</i>	1854,		
	163		
<i>verreauxii</i>	1849,		
	132		
<i>virens</i>	1848,		
	108		
<i>Vitularia sandwicensis</i>	1860,		
	397		
<i>Viverra civetta</i>	1859,		
	212		
<i>indica</i>	1860,		
	417		
<i>malaccensis</i>	1850,		
	156		
<i>zebra</i>	1848,		
	77		
<i>zibetha</i>	1850,		
	142		
	1856,		
	396		
<i>Viverricula indica</i>	1860,		
	5		
	1856,		
	396		
<i>malaccensis</i>	1860,		
	183		
	1856,		
	396		
<i>Volatinia jacarina</i>	1855,		
	160		
	1856,		
	304		

	Page		Page
<i>Voluta cymbiola</i>	1855, 63	<i>Voluta lyrata</i>	1855, 61
<i>cymbium</i>	1855, 52	<i>maculata</i>	1855, 64
<i>delessertiana</i>	1855, 61	<i>magellanica</i>	1858, 49
<i>denticulata</i>	1854, 33	<i>magnifica</i>	1855, 57
<i>deshayesii</i>	1856, 22	<i>mamilla</i>	1855, 55
<i>diadema</i>	1854, 73	<i>marmorata</i>	1859, 34
<i>dubia</i>	1855, 56	<i>megaspira</i>	1855, 64
<i>ducalis</i>	1855, 54	<i>melo</i>	1855, 58
<i>dufresni</i>	1855, 55	<i>micans</i>	1855, 53
<i>ebræa</i>	1855, 54	<i>minuta</i>	1858, 57
<i>elongata</i>	1855, 62	<i>mitis</i>	1854, 9
<i>erythrostroma</i>	1855, 59	<i>nitiformis</i>	1855, 56
<i>fasciata</i>	1855, 58	<i>modesta</i>	1855, 60
<i>ferussacii</i>	1858, 42	<i>multicosta</i>	1855, 63
<i>festiva</i>	1854, 11	<i>musica</i>	1855, 61
<i>flammea</i>	1855, 58	<i>narisa</i>	1855, 59
<i>flammula</i>	1855, 58	<i>nautica</i>	1855, 62
<i>flava</i>	1855, 61	<i>navicula</i>	1855, 54
<i>flavicans</i>	1856, 3	<i>neptuni</i>	1855, 51
<i>fluctuata</i>	1854, 59	<i>nifidula</i>	1855, 52
<i>fulgetrum</i>	1855, 63	<i>nivea</i>	1858, 57
<i>fulminata</i>	1854, 9	<i>nivosa</i>	1855, 54
<i>fulva</i>	1855, 63	<i>nobilis</i>	1855, 56
<i>fusiformis</i>	1855, 64	<i>nodulosa</i>	1855, 62
<i>fuscus</i>	1855, 63	<i>norrisii</i>	1855, 59
<i>gibbosa</i>	1855, 60	<i>nucleus</i>	1855, 56
<i>glans</i>	1855, 59	<i>oliva</i>	1858, 61
<i>gracilis</i>	1855, 58	<i>olla</i>	1855, 38
<i>gouldingii</i>	1855, 57	<i>oryza</i>	1858, 42
<i>guineaica</i>	1855, 47	<i>pacifica</i>	1855, 49
<i>harpa</i>	1855, 51	<i>pallida</i>	1855, 51
<i>hebræa</i>	1855, 62	<i>papillaris</i>	1856, 64
<i>hiatula</i>	1856, 3	<i>papillosa</i>	1855, 51
<i>imperialis</i>	1858, 52	<i>pellis-serpentis</i>	1855, 63
<i>incrassata</i>	1855, 57	<i>pepo</i>	1855, 56
<i>indica</i>	1858, 62	<i>perdicina</i>	1855, 52
<i>insularis</i>	1855, 41	<i>pinguis</i>	1858, 61
<i>ispidula</i>	1855, 53	<i>piperita</i>	1855, 48
<i>jaspidea</i>	1855, 60	<i>plicata</i>	1855, 56
<i>junonia</i>	1855, 58	<i>polyzonalis</i>	1855, 59
<i>lævigata</i>	1855, 38	<i>porcina</i>	1855, 52
<i>lapponica</i>	1858, 41	<i>porphyria</i>	1858, 38
<i>lineata</i>	1855, 57	<i>præputium</i>	1855, 41
<i>livida</i>	1858, 54	<i>proboscidalis</i>	1855, 53
<i>luteostoma</i>	1855, 57	<i>pulchra</i>	1855, 52
<i>lyræformis</i>	1855, 58	<i>punctata</i>	1855, 56
	60	<i>punctata</i>	1855, 57
		<i>pusilla</i>	1854, 10
		<i>pusio</i>	1855, 59
		<i>reticulata</i>	1855, 64
		<i>ringens</i>	1854, 32
			1858, 52

	Page		Page
<i>Voluta rosiniana</i>	1859,	<i>Vulpes indicus</i>	1856,
<i>rubiginosa</i>	1855,	<i>leucopus</i>	1858,
<i>rudis</i>	1855,	<i>montanus</i>	1855,
<i>rupestris</i>	1855,	<i>pusillus</i>	1856,
<i>rutila</i>	1855,	<i>vulgaris</i>	1858,
<i>scapha</i>	1855,	<i>Vultur bengalensis</i> ...	1854,
<i>scrofa</i>	1855,	<i>changoun</i>	1851,
<i>serpentina</i>	1855,	<i>cinereus</i>	1855,
<i>solidula</i>	1854,	<i>fulvus</i>	1855,
<i>sophia</i>	1855,	<i>indicus</i>	1854,
<i>spectabilis</i>	1855,	<i>iota</i>	1851,
<i>spiralis</i>	1853,	<i>leuconotus</i>	1854,
<i>strangulata</i>	1855,	<i>occipitalis</i>	1850,
<i>subnodosa</i>	1855,	<i>papa</i>	1851,
<i>sulcata</i>	1855,	<i>pondicerianus</i> ...	1858,
<i>tenebrosa</i>	1858,	<i>ponticerianus</i>	1854,
<i>tessellata</i>	1855,	<i>tenuirostris</i>	1855,
<i>tiarella</i>	1855,	<i>Vulture, The King</i>	1851,
<i>tigrina</i>	1858,	<i>Warnea australis</i>	1858,
<i>tornatilis</i>	1854,	<i>vaginifera</i>	1858,
<i>triplicata</i>	1854,	<i>Wilkinsonæa abbottiana</i>	1857,
<i>tuberculata</i>	1855,	<i>bensoniana</i>	1857,
<i>turneri</i>	1855,	<i>dysoniana</i>	1857,
<i>undulata</i>	1855,	<i>gouldiana</i>	1857,
<i>utriculus</i>	1858,	<i>greenwoodiana</i> ...	1857,
<i>ventricosa</i>	1858,	<i>hanleyana</i>	1857,
<i>vesperilio</i>	1855,	<i>hollandiana</i>	1857,
<i>vexillum</i>	1855,	<i>jardiniana</i>	1857,
<i>virescens</i>	1855,	<i>laidlawiana</i>	1857,
<i>volva</i>	1855,	<i>moussoniana</i>	1857,
<i>volvacea</i>	1855,	<i>schomburgkiana</i> ..	1857,
<i>zebra</i>	1855,	<i>tappaniana</i>	1857,
<i>Volutella angulata</i>	1855,	<i>wilkinsonæana</i> ...	1857,
<i>cymbiola</i>	1855,	<i>Xancus maculatus</i>	1851,
<i>fulgetrum</i>	1855,	<i>pyrum</i>	1851,
<i>imperialis</i>	1855,	<i>Xanthocephalus ictero-</i>	
<i>papillosa</i>	1855,	<i>cephalus</i>	1859,
<i>scapha</i>	1855,	<i>Xantholema indica</i> ...	1859,
<i>sophia</i>	1855,		
<i>volvacea</i>	1855,		
<i>Volutilites abyssicola</i> ..	1855,		
<i>Volutomitra cinnamomea</i>	1854,		
<i>corniculum</i>	1854,		
<i>digna</i>	1854,		
<i>vineta</i>	1854,		
<i>Volva birostrata</i>	1854,		
<i>rosea</i>	1854,		
<i>Volvatella fragilis</i>	1860,		
<i>Vulpes azaræ</i>	1859,		
<i>bengalensis</i>	1856,		
<i>ferrilatus</i>	1856,		
<i>flavescens</i>	1858,		

	Page		Page	
<i>Xanthopygia leucophrys</i>	1854, 283	<i>Zamenis atrovirens</i>	1858, 378	
<i>tricolor</i>	1854, 283	<i>caudolineatus</i>	1858, 378	
<i>Xanthornus affinis</i>	1856, 301	<i>cliffordii</i>	1858, { 162 378	
<i>Xanthoura peruviana</i>	1855, 153	<i>dahlia</i>	1858, 378	
<i>Xenodon macrophthal-</i>	1860, { 161 166 167	<i>hippocrepis</i>	1858, 378	
<i>mus</i>		<i>mexicanus</i>	1860, 316	
<i>rhabdocephalus</i>		1860, 442	<i>ventrimaculatus</i>	1858, { 375 378
<i>severus</i>	1859, { 89 402	<i>Zanclostomus æneus</i>	1860, 112	
<i>Xenogenys azureus</i>	1860, 353	<i>diardi</i>	1859, 458	
<i>Xenopeltis unicolor</i>	1860, 114	<i>javanicus</i>	1859, 458	
	1856, 289	<i>sirkee</i>	1859, { 150 151	
<i>Xenops genibarbis</i>		1858, 63	<i>sumatranus</i>	1859, 458
		1858, 457	<i>Zanthopygia leucophrys</i>	1854, 283
	<i>tricolor</i>		1854, 283	
<i>mexicanus</i>	1856, 289		<i>Zelima paradoxa</i>	1859, 422
<i>rutilans</i>	1856, 27		1858, 450 1858, 460	
<i>Xenospongia patellifor-</i>	1858, 230	<i>Zenaida hypoleuca</i>		1858, 556
<i>mis</i>		<i>leucoptera</i>	1860, 97	
<i>Xenurus antiquus</i>	1851, 215		1856, 309 1858, 305	
<i>nudicaudis</i>	1851, 215	<i>pentheria</i>		1856, 30
<i>unicinctus</i>	1851, 215	<i>ruficauda</i>	1856, 30	
<i>Xerophila armillata</i>	1854, 170		1856, 309 1857, 235	
<i>caperata</i>	1854, 169	<i>Zenaidura carolinensis</i>		1858, 305
<i>Xiphocolaptes albicollis</i>	1857, 202		1859, 369 1859, 391	
<i>promeropirhynchus</i>	1859, 140	<i>Zenatia cumingiana</i>		1854, 72
<i>Xiphorhynchus flavigas-</i>	1856, 289	<i>solenoides</i>	1854, 72	
<i>ter</i>		<i>gallus</i>	1850, 247	
<i>grenadensis</i>	1858, 63	<i>Zidona angulata</i>	1855, 62	
<i>procurvus</i>	1854, 111	<i>Ziziphinus agrestis</i>	1851, 166	
<i>pucherani</i>	1855, 142	<i>alabastrum</i>	1851, 163	
<i>pusillus</i>	1860, 278	<i>annulatus</i>	{ 1851, 164 1856, 224	
<i>thoracicus</i>	1860, { 277 293	<i>antonii</i>	1851, 165	
<i>Xylobius albovarius</i>	1852, 40	<i>armillatus</i>	1851, 164	
<i>dulcis</i>	1852, 40	<i>asperulatus</i>	1851, 168	
<i>Xylobucco scolopaceus</i>	1859, 397	<i>bicingulatus</i>	1851, 166	
<i>Xylotretus chrysidens</i>	1852, 50	<i>californicus</i>	1851, 168	
<i>excavatus</i>	1852, 46	<i>canaliculatus</i>	1851, 163	
<i>Yetus cymbium</i>	1855, 52	<i>chlorostomus</i>	1851, 166	
<i>navicula</i>	1855, 51	<i>ciliaris</i>	1851, 165	
<i>neptuni</i>	1855, 52	<i>comptus</i>	1854, 38	
<i>olla</i>	{ 1853, 36 1855, 51	<i>conulus</i>	1851, 163	
<i>proboscidalis</i>	1855, 52	<i>cunninghami</i>	1851, 164	
<i>Yoldia gloriosa</i>	1855, 226	<i>decoratus</i>	1851, 165	
<i>lanceolata</i>	1855, 226	<i>decussatus</i>	1851, 167	
<i>lepidula</i>	1856, 50	<i>doliarius</i>	1851, 163	
<i>woodwardi</i>	1860, 370	<i>dubius</i>	1851, 165	
<i>Yphantis baltimorensis</i>	1856, 142	<i>duplicatus</i>	1851, 168	
<i>Yunx indica</i>	1849, 112			
<i>pectoralis</i>	1849, 112			
<i>torquilla</i>	{ 1850, 219 1860, 243			

	Page		Page
Ziziphinus elegantulus ..	1851, 167	Zonites? coresia	1849, 166
euglyptus	1854, 38	crystallinus	1854, 178
exiguus	1851, 165	Zonœnas mülleri	1858, 186
eximius	1851, 165	pinon	1858, 186
filosus	1851, 165	zoææ	1858, 186
gemmosus	1851, 165	Zonotrichia aureigula ..	1856, 86
gilvus	1851, 166	botterii	1857, 214
granatum	1851, 164	cassinii	1857, 214
granulatus	1851, 163	comata	1857, 7
indistinctus	1851, 164	gambelli	{ 1857, 7
interruptus	1851, 164	{ 1857, 127	
japonicus	1851, 167	{ 1859, 235	
javanicus	1854, 40	leucophrys	1857, { 7
jujubinus	1851, 165	{ 1857, 127	
lævigatus	1851, 165	mortoni	1857, 7
langieri	1851, 164	mystacalis	{ 1856, 305
luridus	1851, 166	{ 1859, 379	
metaformis	1851, 166	{ 1855, 160	
millegranus	1851, 166	{ 1857, 7	
miniatus	1851, 166	{ 1858, 450	
montagui	1851, 164	{ 1858, 454	
nebulosa	1851, 168	pileata	{ 1858, 552
ornatus	1851, 164	{ 1859, 140	
perspectivus	1851, 166	{ 1860, 63	
picturatus	1851, 168	{ 1860, 76	
polychroma	1851, 168	querula	1857, 7
pyramidatus	1851, 164	{ 1855, 214	
pyramis	1851, 164	{ 1859, 338	
rubropunctatus	1851, 167	Zoothera cinclaps	{ 1859, 470
scitulus	1854, 38	vivipara	1860, 174
selectus	1851, 163	Zopherosis georgii	1859, 121
speciosus	1854, 38	Zosterops atriceps	1860, 350
spectabilis	1854, 37	chloris	1860, 350
striatus	1851, 165	citrinella	1858, 175
strigosus	1851, 166	dorsalis	1855, 164
ticaonicus	1851, 167	griseonota	1859, 161
tigris	1851, 163	griseotincta	1858, 175
tranquebaricus	1851, 164	palpebrosus	{ 1858, 496
unicinctus	1851, 167	{ 1859, 183	
vulgaris	1851, 163	strenuus	1855, { 165
zonamestus	{ 1851, 166	{ 1855, 165	
{ 1854, 40		tephropleurus	1855, { 166
Zoantharia cauliculata ..	1857, 289	xanthochroa	1859, 161
Zoanthus bertholetii ..	1858, 558	{ 1854, 199	
couchii	{ 1858, 557	Zua lubrica	{ 1856, 186
{ 1859, 124		maderensis	1854, 199
Zonites cellarius	1854, 177	Zurama pulchella	1854, 176
chiron	1849, 166		



THE END OF INDEX.

