



W. C. D.

A 3/6/1980

*D^r Hopkins New York
from R. Barclay*
Sweet's Hortus Britannicus:

*t.2
t. H-C*
OR,

A CATALOGUE OF PLANTS

CULTIVATED IN

THE GARDENS OF GREAT BRITAIN;

ARRANGED IN

NATURAL ORDERS:

WITH THE ADDITION OF THE

*Linnean Classes and Orders to which they belong, Reference to the Books where
they are described, their Native Places of Growth, when introduced, Time of
Flowering, Duration, & Reference to Figures; with numerous Synonyms.*

PART II.

BY ROBERT SWEET, F.L.S.


*Author of Hortus Suburbanus Londinensis, Botanical Cultivator, Geraniaceæ,
Cistineæ, The British Flower Garden, British Warblers, &c.*

A. S. HITCHCOCK,



London:

PRINTED FOR JAMES RIDGWAY, 169, PICCADILLY.



1826.


СТИЛИЗОВАННОГО ПОДАЧА

BRUNO GATTI

110610.37

TILLING, PRINTER, CHELSEA.

POSTSCRIPT.



THE Author now feels it a duty incumbent on him to acknowledge his obligations for the information he has received from various friends, since the commencement of the present publication; particularly to A. B. Lambert, Esq. whose extensive Library and Herbarium has been always open to his inspection, and which is, from its richness, and the liberality of its owner, of more real service to science than any other collection in this country.

To Miss Lousada he has to return his best thanks for the kind interest she has taken in this work; also to Mr. George Charlwood, both for the loan of Books, and for information that was of much importance. He feels also obliged to Messrs. George and David Don, for interesting communications, and the use of Monographs, &c.; and to many other friends, who have rendered him more or less assistance;—to the whole of whom he returns his most grateful acknowledgments.

Not having received the second Volume of M. Decandolle's *Prodromus* before that part of the present work was printed, he has made the alterations necessary in the Addenda, with the addition of many other Plants, that he has seen or heard of, since the former Part of the work has been printed.

ABBREVIATIONS in addition to those in PART I.

B.A. Barton's American Flora.
C.R. Colla's Hortus Ripulensis.
D. Desfontaines.
Ell. Elliot's Flora of South Carolina, &c.
F.T. Cunningham's Appendix to Baron
Field's Travels.
G.C. Catalogue of the Botanic Garden of
Glasgow.
H.A. Herbert's Appendix.
H.G.W. { Sinclair's Hortus Gramineus
S. G.W. } Woburnensis.
I. h. Intermediate House between Hot-
house and Greenhouse.

K.P. Knight's Proteæ.
K.R. Ker's Review of the Amaryllideæ.
L.P. Lambert's Pinus.
M.P. Martius's Palms.
P.B. Palisot de Beauvois, Agrostographiæ.
R.L. Redoute's Liliaceæ.
R.Sc. Roseoe's Scitamineæ.
Sc. Schrader.
S.A.B. Salisbury in Annals of Botany.
S.P. Salisbury's Prodromus.
Tr. Trinius.

SUBORDO VIII. ANTHEMIDEÆ. Kth. synops. 2. p. 513.

CEPHALOPHORA. W.	CEPHALOPHORA.	Syngenesia Polygamia Æqualis. W.	
<i>glauca. w.</i>	<i>glaucous.</i>	Chili.	1798. 7. 8. H.○. Cavan. ic. 6. t. 509.
<i>Græmia aromatica.</i> Hook. ex. flor. 189.			
ETHULIA. W.	ETHULIA.	Syngenesia Polygamia Æqualis. W.	
1 <i>conyzoides. w.</i>	panicled.	India.	1776. 7. 8. S.○. Linn. fil. dec. t. 1.
2 <i>divaricata. w.</i>	spreading.	—	1815. — S.○. Lam. ill. t. 699.
<i>Epaltes divaricata.</i> Cas.			
3 <i>ramosa. H.B.</i>	branching.	—	1818. — S.○.
4 <i>brasiliensis. L.en.</i>	Brazilian.	Brazil.	1822. — S.○.
TARCHONANTHUS. W.	AFRICAN FLEABANE.	Syngenesia Polygamia Æqualis. L.	
1 <i>camphoratus. w.</i>	strong-scented.	C. B. S.	1690. 6. 10. G. h. Lam. ill. t. 671.
2 <i>dentatus. p.s.</i>	scentless.	—	1816. — G. h.
OTANTHUS. L.en.	OTANTHUS.	Syngenesia Polygamia Æqualis.	
<i>maritimus. L.en.</i>	sea-side.	England.	— 7. 9. H. h. Eng. bot. 141.
<i>Santolina maritima. E.B.</i>			
SANTOLINA. W.	LAVENDER-COTTON.	Syngenesia Polygamia Æqualis. L.	
1 <i>Chamae-Cyparissus. w.</i>	w. common.	S. Europe.	1573. 7. H. h. Lam. ill. t. 671. f. 3.
2 <i>squarrosa. w.</i>	hoary.	—	1570. 7. 8. H. h. Moris. s. 6. t. 8. f. 17.
3 <i>viridis. w.</i>	dark-green.	—	1727. 7. H. h.
4 <i>rosmarinifolia. w.</i>	Rosemary-ld.	—	1683. 7. 9. H. h. Sm. exot. bot. 2. t. 62.
5 <i>alpina. w.</i>	Alpine.	Italy.	1798. — H. 4. Barr. rar. t. 522.
6 <i>eriosperma. p.s.</i>	woolly-seeded.	—	1818. — H. h.
7 <i>crithmifolia. w.en.</i>	Samphire-ld.	S. Europe.	1823. — H. 4.
8 <i>pinnata. viv.</i>	wing-leaved.	—	1791. — G. h.
9 <i>anthemoides. w.</i>	Chamomile-ld.	—	1727. 7. 8. H. 4. Flor. græc. t. 854.
ATHANASIA. W.	ATHANASIA.	Syngenesia Polygamia Æqualis. L.	
1 <i>crenata. w.</i>	crenated.	C. B. S.	1516. 6. 8. G. h.
2 <i>punctata. w.</i>	punctated.	—	1822. 5. 7. G. h. Petiv. gaz. t. 81. f. 6.
3 <i>capitata. w.</i>	hairy.	—	1774. 1. 8. G. h. Moris. s. 6. t. 3. f. 48.
4 <i>pubescens. w.</i>	villous-leaved.	—	1768. 6. 8. G. h. Comm. hort. 2. t. 47.
5 <i>canescens. w.</i>	canescent.	—	1822. — G. h. Cavan. ic. 1. t. 3.
<i>lanuginosa. Cav.</i>			
6 <i>cuneifolia. p.s.</i>	wedge-leaved.	—	1816. 7. 9. G. h. Lam. ill. t. 670. f. 3.
7 <i>annua. w.</i>	annual.	Barbary.	1686. 7. 8. H.○. Botan. magaz. 2276.
8 <i>dentata. w.</i>	tooth-leaved.	C. B. S.	1759. — G. h. Comm. rar. t. 41.
9 <i>trifurcata. w.</i>	trifid-leaved.	—	1710. — G. h. Comm. hort. 2. t. 49.
10 <i>virgata. w.</i>	twiggy.	—	1815. — G. h. Jacq. schœn. 2. t. 148.
11 <i>tomentosa. w.</i>	Lavender-ld.	—	1774. 5. 6. G. h. Lam. ill. t. 670. f. 1.
<i>cinerea. L.</i>			
12 <i>filiformis. w.</i>	fine-leaved.	—	1787. 8. G. h.
13 <i>crithmifolia. w.</i>	Samphire-ld.	—	1723. 7. 8. G. h. Comm. hort. 2. t. 50.
14 <i>parviflora. w.</i>	small-flow'r d.	—	1731. 4. G. h. Jacq. schœn. 2. t. 149.
15 <i>tricuspid. p.s.</i>	three-pointed.	—	1816. — G. h.
16 <i>pectinata. w.</i>	pectinated.	—	1774. 5. 6. G. h.
17 <i>pinnata. w.</i>	pinnated.	—	1824. 6. 8. G. h. Lam. ill. t. 670. f. 4.
BALSAMITA. W.	COSTMARY.	Syngenesia Polygamia Æqualis. W.	
1 <i>virgata. w.</i>	twiggy.	Italy.	1791. 6. 7. H. 4. Jacq. obs. 4. t. 81.
2 <i>ageratifolia. w.</i>	Ageratum-ld.	Candia.	1605. 6. 10. G. h. Alp. exot. t. 326.
3 <i>vulgaris. w.</i>	common.	Italy.	1568. 8. 9. H. 4. Schk. hand. 3. t. 240.
4 <i>annua. DC.</i>	annual.	S. Europe.	1629. 7. 8. H.○. Mill. ie. 2. t. 227. f. 1.
<i>Tanacetum annuum. w.</i>			
PENTZIA. Th.	PENTZIA.	Syngenesia Polygamia Æqualis. W.	
<i>flabelliformis. w.</i>	fan-leaved.	C. B. S.	1774. 5. 8. G. h. Botan. magaz. 212.
<i>Tanacetum flabelliforme. B.M.</i>			
TANACETUM. W.	TANSY.	Syngenesia Polygamia Superflua. L.	
1 <i>vestitum. w.</i>	imbricated.	C. B. S.	1816. 8. 9. G. h.
2 <i>linifolium. w.</i>	Flax-leaved.	—	1774. 8. G. h.
3 <i>suffruticosum. w.</i>	shrubby.	—	1751. 5. 9. G. h.
4 <i>sibiricum. w.</i>	Siberian.	Siberia.	1823. — H. 4.
5 <i>argenteum. w.</i>	silvery.	Levant.	1812. — H. 4.
6 <i>grandiflorum. w.</i>	great-flowered.	C. B. S.	1825. — G. 4.
7 <i>myriophyllum. w.</i>	many-leaved.	Levant.	1818. — H. 4.
<i>Achillea bipinnata. L.</i>			

8	angulatum. w.	angular-cupp'd. Levant.	—	—	H. 4.
	<i>Achillea filipendulina</i> . P.S.				
9	canariense. DC.	Canary.	Canaries.	1816.	G. h.
10	vulgare. w.	common.	Britain.	H. 4.
	β <i>crispum</i> .	curled.			Eng. bot. 1229.
ARTEMISIA. W.					
1	judaica. w.	WORMWOOD.	Syngenesia	Polygamia Superflua.	L.
2	valentina. w.	Judean.	Levant.	1688. 8.	G. h.
3	arragonensis. w.	Spanish.	Spain.	1739. 7. 8.	F. h.
4	subcanescens. w.en.	snowy white.	—	1816.	F. h.
5	Abrotanum. w.	hoary-leaved.	S. Europe.	F. h.
6	procera. w.	Southernwood.	—	1548. 8. 10.	H. h.
	<i>paniculata</i> . Lam.	tall.	S. Europe.	1816.	F. h.
7	tenuifolia. w.	slender-leaved.	—	1732. 9. 12.	G. h.
8	afræ. w.	Cape.	C. B. S.	1816.	G. h.
9	arborescens. w.	tree.	Levant.	1640.	6. 8. H. h.
10	argentea. w.	silvery.	Madeira.	1777.	6. 7. G. h.
11	pauciflora. M.B.	few-flowered.	Russia.	1824.	H. h.
12	glacialis. w.	silky.	Switzerland.	1739.	7. 8. H. 4.
13	rupestris. w.	stone.	N. Europe.	H. h.
14	mutellina. w.	Alpine.	Alps of Eur.	1815.	H. 4.
15	pedemontana. L.en.	Swiss.	Switzerland.	1823.	H. 4.
16	caucasica. w.	Caucasian.	Caucasus.	1804.	6. 7. H. 4.
17	spicata. w.	spiked.	Switzerland.	1790.	H. 4.
18	pectinata. w.	comb-leaved.	Dauria.	1806.	H. \odot .
19	tanacetifolia. w.	Tansy-leaved.	Siberia.	1768.	7. 8. H. δ .
20	laciniata. w.	jagged.	Dauria.	1823.	H. 4.
21	insipida. w.	insipid.	S. Europe.	—	H. 4.
22	Santonica. w.	Tartarian.	Siberia.	1596.	9. 11. H. h.
23	scoparia. w.	besom.	Hungary.	1796.	7. 9. H. \odot .
24	campestris. w.	field.	England.	8. H. 4.
25	herbacea. w.	herbaceous.	Siberia.	1817.	H. 4.
26	desertorum. w.en.	desert.	—	—	H. 4.
27	inodora. M.B.	few-flowered.	Siberia.	1800.	H. 4.
	<i>pauciflora</i> . w.				
28	palustris. w.	marsh.	—	1804.	7. 8. H. \odot .
29	neglecta. w.en.	neglected.	—	1815.	H. 4.
30	camphorata. w.	Camphor-scent'd.	S. Europe.	1820.	H. \ddot{h} .
31	albida. w.en.	white-leaved.	—	—	H. 4.
32	humilis. w.en.	dwarfish.	Carniola.	8. 10. H. \ddot{h} .
33	erithmifolia. w.	Samphire-ld.	Portugal.	1739.	8. 10. H. h.
34	saxatilis. w.	rock.	Hungary.	1816.	6. 8. H. 4.
35	glauea. w.	glaucous.	Siberia.	1806.	H. 4.
36	nutans. w.	nodding.	Tartary.	1819.	7. 9. H. 4.
37	monogyna. w.	one-styled.	Hungary.	1816.	H. 4.
38	palmata. w.	palmated.	S. Europe.	1739.	6. 7. G. h.
39	nivea. w.en.	snowy.	Siberia.	1815.	H. 4.
40	maritima. w.	drooping-fl.	Britain.	8. 9. H. 4.
41	gallica. w.	upright-flow'r'd.	—	—	H. 4.
42	salina. w.	sea-side.	Germany.	1817.	H. 4.
43	fragrans. w.	Lavender-ld.	Armenia.	1739.	6. 7. H. 4.
44	austriaca. w.	Austrian.	Austria.	1597.	8. 10. H. 4.
45	vallesiac. w.	downy.	Italy.	1739.	7. 8. H. 4.
46	taurica. w.	Taurian.	Tauria.	1824.	H. 4.
47	orientalis. w.	oriental.	Armenia.	8. 10. H. 4.
48	sericea. w.	silky-leaved.	—	1796.	6. 7. H. 4.
49	repens. w.	creeping.	—	1805.	6. 7. H. 4.
50	balsamita. w.en.	Balsam-scent'd.	—	1816.	H. 4.
51	pontica. w.	Roman.	Austria.	1570.	9. H. 4.
52	chamæmelifolia. w.	Chamomile-ld.	S. Europe.	1739.	7. 8. F. 4.
53	annua. w.	annual.	Siberia.	1741.	H. \odot .
54	biennis. Ph.	biennial.	Missouri.	1804.	H. δ .
55	Absinthium. w.	common.	Britain.	7. 10. H. 4.
56	Siversiana. w.	Sivers's.	Siberia.	1800.	7. 8. H. δ .
57	vulgaris. w.	Mugwort.	Britain.	8. 9. H. 4.
58	procumbens. DC.	procumbent.	Siberia.	1823.	H. 4.
59	incisa. w.en.	cut-leaved.	—	—	H. 4.
60	fasciculata. M.B.	fascicled.	Iberia.	1820.	H. 4.
61	indica. w.	Indian.	E. Indies.	1796.	9. 10. F. 4.

62 integrifolia. w.	entire-leaved.	Siberia.	1759.	7. 8. H. 4.	Gm. sib. 2. t. 48. f.1.2.
63 japonica. w.	Japanese.	Japan.	1804.	10. 11. H. 4.	
64 cærulescens. w.	blueish.	England.	8. 10. H. ½.	Eng. bot. 2426.
65 Redowskii. Led. inodora. W.en. non M.B.	inodorous.	Siberia.	1548.	7. 8. H. 4.	Gm.sib.2.t.59&60.f.1.
66 Dracunculus. w.	Taragon.	S. Europe.	—	— H. 4.	
67 chinensis. w.	Chinese.	China.	1816.	— H. ½.	Gmel. sib.2. t.61. f.1.2.
ERIOCEPHALUS. W.	WOOLHEAD.	Syngenesia	Polygamia	Necessaria. L.	
1 africanus. w. frutescens. H.K.	cluster-leaved.	C. B. S.	1732.	1. 4. G. ½.	Botan. magaz. 833.
2 decussatus. B.T.	cross-leaved.	—	1816.	3. 6. G. ½.	
3 purpureus. B.T.	purple.	—	—	— G. ½.	
4 racemosus. w.	silver-leaved.	—	1739.	3. 4. G. ½.	
5 spinescens. B.T.	spiny.	—	1816.	— G. ½.	
HIPPIA. W.	HIPPIA.	Syngenesia	Polygamia	Necessaria. L.	
1 frutescens. w.	shrubby.	C. B. S.	1710.	2. 8. G. ½.	Botan. magaz. 1855.
2 integrifolia. w.	annual.	E. Indies.	1777.	7. 8. S. ⊙.	Hout. n. hist. t.67. f.2.
SOLIVA. L.T.	SOLIVA.	Syngenesia	Polygamia	Necessaria.	
1 anthemifolia.	Chamomile-ld.	S. America.	1812.	4. 12. H. ⊙.	J. ann. mus. t. 61. f.1.
Gymnostyles anthemifolia. p.s.	Chamomile-ld.	S. America.	1812.	4. 12. H. ⊙.	
2 stolonifera. L.T. Hippia stolonifera. p.s.	stoloniferous.	Portugal?	1818.	— H. ⊙.	
3 pedicellata. p.s.	pedicelled.	S. America.	—	— H. ⊙.	
LIDBECKIA. W.	LIDBECKIA.	Syngenesia	Polygamia	Superflua. W.	
1 lobata. w. Lancisia lobata. p.s.	lobe-leaved.	C. B. S.	1816.	5. 6. G. ½.	Lam. ill. t. 701. f.3.
2 pectinata. w.	Cotula quinqueloba. L.	—	—	—	
CENIA. J.	silver-leaved.	C. B. S.	1774.	5. 6. G. ½.	Ber. cap. 306. t.5. f.9.
turbinata. p.s. Lidbeckia turbinata.	CENIA.	Syngenesia	Polygamia	Superflua.	
7 turbinata. p.s.	turbinate.	C. B. S.	1713.	7. 8. H. ⊙.	Lam. ill. t. 701. f.1.
w. Cotula turbinata. L.	w. Cotula turbinata. L.	—	—	—	
COTULA. W.	COTULA.	Syngenesia	Polygamia	Superflua. W.	
1 anthemoides. w.	Anthemis-like.	St. Helena.	1696.	7. 8. S. ⊙.	Dill. elth. t. 23. f. 25.
2 aurea. w.	golden.	S. Europe.	1823.	7. 9. H. ⊙.	
3 nudicaulis. w.	naked-stalked.	C. B. S.	1816.	— G. ¼.	Houtt. syst. t. 69. f. 4.
4 coronopifolia. w.	Buck's Horn.	—	1683.	— G. ⊙.	Lam. ill. t. 700. f. 1.
5 viscosa. w.	clammy.	Vera Cruz.	1739.	8. S. ¼.	
6 tanacetifolia. w.	Tansy-leaved.	C. B. S.	1780.	6. 8. H. ⊙.	Pluk. man. t.430. f.7.
7 sericea. w.	silky.	—	1816.	— G. ¼.	
GRANGEA. J.	GRANGEA.	Syngenesia	Polygamia	Superflua.	
1 cuneifolia. Lam.	wedge-leaved.	China.	1816.	7. 9. H. ⊙.	Lam. ill. t. 699. f. 2.
2 minima. w.	least.	—	1768.	— H. ⊙.	Burm. ind. t. 58. f. 3.
3 decumbens. Des.	decumbent.	N. Holland.	1815.	— H. ⊙.	
4 maderaspatica. Lam.	Madras.	E. Indies.	1780.	7. 8. S. ⊙.	Lam. ill. t. 699. f. 3.
Cotula maderaspatica. w.	—	—	—	—	
5 bicolor. L.en. Cotula bicolor. w. latifolia. p.s.	two-coloured.	—	1804.	— S. ⊙.	— t. 699. f. 1.
6 cinerea. L.en.	grey.	Egypt.	1825.	— H. ⊙.	
ANACYCLUS. W.	ANACYCLUS.	Syngenesia	Polygamia	Superflua. W.	
1 creticus. w.	trailing.	Candia.	1759.	6. 8. H. ⊙.	Ann. mus. 11. t. 22.
2 orientalis. w.	oriental.	Sevantis.	1731.	— H. ⊙.	Boer. lugd. 1. t. 110.
3 aureus. w.	golden-flow'r'd.	—	1570.	— H. ⊙.	Lam. ill. t. 700. f. 2.
4 radiatus. L.en.	rayed.	—	1823.	— H. ⊙.	
5 clavatus. L.en.	clavate.	Barbary.	—	— H. ⊙.	
6 Pyrethrum. L.en. Anthemis Pyrethrum. w.	Pellitory of Spain. S. Europe.	1570.	6. 7. H. 4.	Botan. magaz. 462.	
7 valentinus. w.	fine-leaved.	Spain.	1656.	6. 7. H. ⊙.	Schk. han. 3. t. 254. b.
8 divaricatus. cav.	spreading.	—	1824.	— H. ⊙.	
ANTHEMIS. W.	CHAMOMILE.	Syngenesia	Polygamia	Superflua. L.	
1 rigescens. w.en. nigricans. Hort.	rigid.	Caucasus.	1805.	7. 9. H. 4.	W. hort. ber. 1. t. 62.
2 Cota. w.	Venetian.	Italy.	1714.	7. 8. H. ⊙.	Pluk. alm. t.17. f. 5.
3 altissima. w.	tall.	S. Europe.	1731.	8. H. ⊙.	Flor. græc. 881.
4 punctata. w.	dotted.	Levant.	1825.	7. 9. G. ½.	Desf. atl. 2. t. 139.
5 maritima. w.	sea.	England.	7. 8. H. ⊙.	Eng. bot. 2370.
6 tomentosa. w.	downy.	Levant.	1795.	7. 10. H. 4.	
7 ruthenica. M.B.	Russian.	Tauria.	1823.	— H. ⊙.	
8 fruticulosa. M.B.	frutescent.	—	—	— H. ½.	Barrel. ic. 451.
9 pubescens. w.	pubescent.	S. Europe.	1803.	7. 8. H. 4.	
10 mixta. w.	simple-leaved.	France.	1731.	— H. ⊙.	Mich. gen. t. 30. f. 1.

COMPOSITÆ.

11 <i>saxatilis</i> . w.en.	rock.	Hungary.	1807.	—	H. 4.	
12 <i>coronopifolia</i> . w.	Buckshorn-ld.	Spain.	—	—	H. 4.	
13 <i>australis</i> . w.	procumbent.	S. France.	1818.	—	H. 4.	
14 <i>alpina</i> . w.	Alpine.	Europe.	—	—	H. 4.	Jacq. aust. 6. ap. t. 30.
15 <i>carpatica</i> . w.	Carpathian.	Carpathian-m.	—	—	H. 4.	
16 <i>corymbosa</i> . w.	corymbose.	Austria.	1821.	—	H. 4.	
17 <i>Chamomilla</i> . w.en.	various-leaved.	S. Europe.	—	—	H. 4.	
18 <i>chia</i> . w.	cut-leaved.	Chio.	1731.	6. 10.	H. 4.	
19 <i>nobilis</i> . w.	common.	Britain.	—	7. 9.	H. 4.	Eng. bot. 980.
20 <i>arvensis</i> . w.	corn.	—	—	6. 8.	H. 4.	— 602.
21 <i>austriaca</i> . w.	Austrian.	Austria.	1759.	5. 8.	H. 4.	Jacq. aust. 5. t. 444.
22 <i>Cotula</i> . w.	stinking.	Britain.	—	6. 9.	H. 4.	Eng. bot. 1772.
23 <i>fallax</i> . w.en.	false Chamomile.	—	—	—	H. 4.	
24 <i>fuscata</i> . w.	brown-scaled.	Portugal.	1805.	7. 8.	H. 4.	
25 <i>peregrina</i> . w.	close-branched.	Piedmont.	1817.	—	H. 4.	
26 <i>montana</i> . w.	mountain.	Italy.	1759.	7. 10.	H. 4.	Ger. prov. t. 8.
27 <i>incrassata</i> . L.en.	thick-stalked.	S. Europe.	1823.	—	H. 4.	
28 <i>petraea</i> . L.en.	long-stalked.	Naples.	—	—	H. 4.	
29 <i>globosa</i> . w.	globe.	—	—	8. 9.	G. 4.	Jacq. schoen. 3. t. 371.
30 <i>valentina</i> . w.	purple-stalked.	S. Europe.	1596.	7. 8.	H. 4.	Breyn. cent. t. 75.
31 <i>tinctoria</i> . w.	Ox Eye.	Britain.	—	6. 11.	H. 4.	Eng. bot. 1472.
32 <i>discoidea</i> . w.	saw-leaved.	Italy.	1800.	7. 8.	H. 4.	
33 <i>apiifolia</i> . b.n.r.	Parsley-leav'd.	—	—	1764.	8. 9. H. 4.	Botan. regist. 527.
CLADANTHUS. Cas.	CLADANTHUS.	Syngenesia	Polygamia	Superflua.		
arabicus. cas.	Arabian.	Barbary.	1759.	7. 8.	H. 4.	Smith spic. 9. t. 10.
<i>Anthemis arabica</i> . w.						
MATRICARIA. W.	MATRICARIA.	Syngenesia	Polygamia	Superflua. L.		
1 <i>suaveolens</i> . w.	sweet.	Europe.	1781.	6. 8.	H. 4.	
2 <i>Chamomilla</i> . w.	Wild Chamomile.	Britain.	—	5. 7.	H. 4.	Eng. bot. 1232.
3 <i>capensis</i> . w.	Cape.	C. B. S.	1699.	7. 9.	G. 4.	Seb. thes. 1. t. 16. f. 2.
4 <i>pusilla</i> . w.en.	small.	—	—	—	H. 4.	
ACHILLEA. W.	MILFOIL.	Syngenesia	Polygamia	Superflua. L.		
1 <i>lingulata</i> . w.	tongue-leaved.	Hungary.	1815.	7. 8.	H. 4.	
2 <i>Herba-rota</i> . w.	Herbarota.	France.	1640.	6. 7.	H. 4.	W. et K. hung. 1. t. 2.
3 <i>grandiflora</i> . M.B.	great-flowered.	Caucasus.	1815.	7. 8.	H. 4.	All. ped. 1. t. 9. f. 3.
4 <i>Ptarmica</i> . w.	Sneezewort.	Britain.	—	7. 11.	H. 4.	Eng. bot. 757.
β <i>flore pleno</i> .	double-flowered.	—	—	—	—	
5 <i>cristata</i> . w.	slender-branch'd.	Italy.	1784.	7. 8.	H. 4.	
6 <i>Ageratum</i> . w.	Sweet Maudlin.	S. Europe.	1570.	8. 10.	H. 4.	
7 <i>decolorans</i> . w.en.	pale yellow.	—	1798.	6. 8.	H. 4.	
8 <i>speciosa</i> . w.en.	spear-leaved.	—	1804.	7. 9.	H. 4.	
9 <i>biserrata</i> . M.B.	two-toothed.	Iberia.	1825.	—	H. 4.	
10 <i>alpina</i> . w.	Alpine.	Siberia.	1731.	7. 11.	H. 4.	Bocc. mus. 144. t. 101.
11 <i>serrata</i> . w.	saw-leaved.	Switzerland.	1686.	8. 9.	H. 4.	
12 <i>coronopifolia</i> . w.	buckshorn-ld.	Levant.	1816.	—	H. 4.	
13 <i>Clavennæ</i> . w.	silver-leaved.	Austria.	1656.	6. 7.	H. 4.	Botan. magaz. 1287.
14 <i>impatiens</i> . w.	impatient.	Siberia.	1759.	6. 9.	H. 4.	Gmel. sib. 2. t. 83. f. 1.
15 <i>pectinata</i> . w.	comb-leaved.	Hungary.	1801.	8. 9.	H. 4.	W. et K. hung. 1. t. 34.
<i>ochroleuca</i> . W.K. non w.	various-leaved.	Siberia.	1816.	—	H. 4.	
16 <i>Gerberi</i> . w.	rough-headed.	—	1775.	7. 8.	H. 4.	Gmel. sib. 2. t. 83. f. 2.
17 <i>squarrosa</i> . w.	sickle-leaved.	Levant.	1739.	6. 9.	H. 4.	Lam. ill. t. 683. f. 3.
18 <i>falcata</i> . w.	slender-leaved.	—	1733.	6. 8.	H. 4.	Flor. græc. 891.
19 <i>tennifolia</i> . w.	Lavender-cotton-ld.	—	1759.	—	H. 4.	
20 <i>Santolina</i> . w.	Chamomile-like.	—	—	—	H. 4.	Jacq. aust. 1. t. 77.
21 <i>anthemoides</i> . w.	black-capped.	Austria.	1596.	7. 9.	H. 4.	— 5. t. ap. 33.
22 <i>atratula</i> . w.	musk.	Italy.	1775.	6. 7.	H. 4.	All. ped. 1. t. 9. f. 3.
23 <i>moschata</i> . w.	dwarf.	—	1759.	6. 8.	H. 4.	Bocc. mus. t. 34.
24 <i>nana</i> . w.	Cretan.	Candia.	1739.	7. 8.	H. 4.	Flor. græc. 892.
25 <i>cretica</i> . w.	Egyptian.	Levant.	1640.	7. 9.	G. 4.	Triumf. obs. t. 23.
26 <i>ægyptiacæ</i> . w.	large-leaved.	Italy.	1710.	7. 8.	H. 4.	
27 <i>macrophylla</i> . w.	golden-flow'r'd.	Levant.	1739.	6. 9.	H. 4.	
28 <i>aurea</i> . w.	Caspian.	Caspian Shres.	1803.	7. 8.	H. 4.	
29 <i>Eupatorium</i> . w.	compact.	—	—	—	H. 4.	
30 <i>compacta</i> . w.	downy.	Levant.	1739.	6. 9.	H. 4.	
31 <i>pubescens</i> . w.	Samphire-ld.	Hungary.	1804.	7. 8.	H. 4.	W. et K. hung. 1. t. 66.
32 <i>crithmifolia</i> . w.	Tansy-leaved.	Switzerland.	1658.	—	H. 4.	Moris. s. 6. t. 11. f. 14.
33 <i>tanacetifolia</i> . w.	branching.	Italy.	1804.	7. 8.	H. 4.	All. ped. t. 53. f. 1.
34 <i>distans</i> . w.	woolly.	—	—	—	H. 4.	
35 <i>lanata</i> . w.en.						

36 magna. w.	great.	S. Europe.	1683.	6. 11. H. 4.	Flor. græc. 896.
37 Millefolium. w.	Yarrow.	Britain.	6. 10. H. 4.	Eng. bot. 758.
β rubra.	red-flowered.	—	—	— H. 4.	
38 albida. w.en.	white woolly.	—	1819.	— H. 4.	
39 asplenifolia. p.s.	Rose-coloured.	N. America.	1803.	6. 8. H. 4.	Vent. cels. t. 93.
40 micrantha. w.	small-flower'd.	Levant.	1805.	6. 10. H. 4.	
41 tomentosa. w.	tomentose.	S. Europe.	1648.	5. 10. H. 4.	
42 ochroleuca. w.	cream-colour'd.	—	1804.	7. 9. H. 4.	
43 montana. Sch.	mountain.	Switzerland.	1795.	— H. 4.	
44 bannatica. w.K.	Hungarian.	Hungary.	1823.	— H. 4.	
45 microphylla. w.	small-leaved.	Spain.	1800.	— H. 4.	
46 ligustica. w.	Ligurian.	Italy.	1791.	6. 8. H. 4.	Barr. ic. 1114.
47 nobilis. w.	showy.	Germany.	1640.	— H. 4.	Flor. græc. 897.
48 myriophylla. w.en.	many-leaved.	—	1798.	7. 9. H. 4.	Schlk. hand. 3. t. 255.
49 odorata. w.	sweet-scented.	Spain.	1729.	6. 8. H. 4.	Jacq. col. 1. t. 21.
50 setacea. w.	bristly.	Hungary.	1805.	— H. 4.	W. et K. hung. 1. t. 80.
51 abrotanifolia. w.	Southernwood-ld.	Levant.	1739.	— H. 4.	
52 chamæmelifolia. DC.	Chamomile-ld.	Pyrenees.	1820.	— H. 4.	
53 mongolica. F.	Mongolic.	Tartary.	1823.	— H. 4.	
54 sibirica. Desf.	Siberian.	Siberia.	1800.	— H. 4.	
55 rosea. w.K.	rosy.	Hungary.	1803.	— H. 4.	
56 decumbens. Lam.	decumbent.	Spain.	1800.	— H. 4.	
57 dubia. F.	doubtful.	Siberia.	—	— H. 4.	
58 heterophylla. Spr.	different-ld.	—	1804.	7. 9. H. 4.	
59 leptophylla. M.B.	narrow-leaved	Tauria.	1823.	— H. 4.	
60 holosericea. F.G.	silky-leaved.	Greece.	—	— H. 4.	
CHRYSANTHEMUM. W. CHRYSANTHEMUM. Syngenesia Polygamia Superflua. L.					
1 atratum. w.	fleshy-leaved.	Austria.	1731.	7. 8. H. 4.	
2 Leucanthemum. w.	Ox-eye Daisy.	Britain.	6. 7. H. 4.	Eng. bot. 601.
3 montanum. w.	mountain.	France.	1759.	— H. 4.	Jacq. obs. 4. t. 91.
4 heterophyllum. w.	various-leaved.	Switzerland.	1806.	7. 8. H. 4.	
5 paludosum. w.	marsh.	Barbary.	1817.	8. 9. H. 4.	Desf. atl. 2. t. 238.
6 rotundifolium. w.	round-leaved.	Hungary.	1819.	7. 8. H. 4.	
7 graminifolium. w.	Grass-leaved.	Montpelier.	1739.	5. 7. H. 4.	Jacq. obs. 4. t. 92.
8 pulverulentum. P.S.	powdered.	Spain.	—	8. 10. H. ⊖.	Barrel. ic. 421.
9 anomalum. P.S.	anomalous.	—	1824.	7. 9. H. 4.	
10 daucifolium. P.S.	carrot-leaved.	—	—	— H. 4.	
11 monspeliense. w.	Montpelier.	—	1739.	6. 9. H. 4.	Jacq. obs. 4. t. 93.
12 Achilleæ. w.	Milfoil-leaved.	Italy.	1775.	6. 8. H. 4.	Mich. gen. 34. t. 29.
13 argenteum. w.	silver-leaved.	Levant.	1731.	7. 8. H. 4.	
14 arcticum. w.	northern.	Kamtschatka.	1801.	6. 8. H. 4.	Willd. hort. ber. 33.
15 carinatum. w.	three-coloured.	Barbary.	1796.	7. 10. H. ⊖.	Botan. magaz. 508.
16 pumilum. w.en.	small.	—	1806.	— H. ⊖.	
17 sylvestre. w.en.	field.	—	1804.	6. 7. H. 4.	Eng. bot. 540.
18 segetum. w.	corn.	Britain.	6. 8. H. ⊖.	Jacq. obs. 4. t. 94.
19 Myconis. w.	tongue-leaved.	Italy.	1775.	7. 8. H. ⊖.	
20 italicum. w.	Italian.	—	1796.	6. 7. H. 4.	
21 coronarium. w.	garden.	Sicily.	1629.	7. 9. H. ⊖.	Lam. ill. t. 678. f. 6.
22 indicum. P.S.	Indian.	China.	1819.	10. 12. G. ḥ.	Hort. trans. v. 4. pl. 12.
23 sinense. L.T.	variable chinese.	—	1790.	H. ḥ.	
<i>Anthemis artemisiæfolia. w. Chrysanthemum indicum. B.M. non L.</i>					
β purpureum.	old purple.	—	—	— H. ḥ.	Botan. magaz. 327.
γ varabile.	changeable white.	—	1802?	— H. ḥ.	— 2042.
δ tubulosum album.	quilled white.	—	1808.	— H. ḥ.	Botan. regist. 4.
ε superbum.	superb white.	—	1817.	— H. ḥ.	— 455.
ζ tessellatum.	tasseled white.	—	1816.	— H. ḥ.	
η tubulosum luteum.	quilled yellow.	—	1802.	— H. ḥ.	
δ sulphureum.	straw-coloured.	—	—	— H. ḥ.	
ι aureum.	golden yellow.	—	—	— H. ḥ.	
κ discolor.	large lilac.	—	1808.	— H. ḥ.	
λ lilacinum.	pink or lilac.	—	1798.	— H. ḥ.	
μ cupreum.	buff or copper-col'd.	—	—	— H. ḥ.	
ν fulvum.	Spanish brown.	—	1806.	— H. ḥ.	Hort. trans. v. 4. pl. 14.
ξ flammeum.	quilled flame yellow.	—	1819.	— H. ḥ.	Botan. regist. 616.
ο tubulosum roseum.	quilled pink.	—	—	— H. ḥ.	Hort. trans. v. 5. pl. 3. inf.
π atropurpureum.	early crimson.	—	1820.	← H. ḥ.	— v. 5. pl. 3. f. sup
ρ aurantiacum.	large quilled orange.	—	—	— H. ḥ.	Botan. magaz. 2556.
σ expansum.	expanded light purple.	—	—	— H. ḥ.	
τ purpurascens.	quilled light purple.	—	—	— H. ḥ.	

<i>v involutum.</i>	<i>curled lilac.</i>	China.	—	—	H. $\frac{1}{2}$.	Swt. br. fl. gar. 7.
ϕ <i>fasciculatum.</i>	<i>superb clustered yellow.</i>	—	—	—	H. $\frac{1}{2}$.	— — — 14.
χ <i>tubulosum carneum.</i>	<i>semidouble quilled pink.</i>	—	—	—	H. $\frac{1}{2}$.	Hort. tr. v. 5. pl. 17*. inf.
ψ <i>album semiduplic.</i>	<i>semidouble quilled white.</i>	—	—	—	H. $\frac{1}{2}$.	Hort. tr. v. 5. pl. 17** inf.
ω <i>tubulosum aurantium.</i>	<i>semidouble quilled orange.</i>	—	—	—	H. $\frac{1}{2}$.	Hort. tr. v. 5. pl. 17** inf.
<i>aa serotinum.</i>	<i>late pale purple.</i>	—	—	—	H. $\frac{1}{2}$.	H. $\frac{1}{2}$.
$\beta\beta$ <i>salmoneum.</i>	<i>quilled salmon-col'd.</i>	—	—	—	H. $\frac{1}{2}$.	Hort. tr. v. 5. pl. 17* sup.
$\gamma\gamma$ <i>parvulum.</i>	<i>small yellow.</i>	—	—	—	H. $\frac{1}{2}$.	Hort. t. 5. pl. 17** f. sup.
$\delta\delta$ <i>papyracum.</i>	<i>paper white.</i>	—	1821.	—	H. $\frac{1}{2}$.	H. $\frac{1}{2}$.
$\epsilon\epsilon$ <i>pallidum.</i>	<i>pale pink.</i>	—	1822.	—	H. $\frac{1}{2}$.	H. $\frac{1}{2}$.

CENTROSPERMUM. Sp. CENTROSPERMUM. Syngenesia Polygamia Superflua.
chrysanthemum. sp. yellow-flower'd. Spain. 1821. 8. 10. H. \odot .

Heteranthemis hirta. Schott.

PYRETHRUM. W.	FEVERFEW.	Syngenesia Polygamia Superflua. W.				
1 <i>foeniculaceum.</i> w.en.	Fennel-leaved.	Teneriffe. 1815. 1. 12. G. $\frac{1}{2}$.	—	—	Botan. regist. 272.	
2 <i>erithmifolium.</i> w.en.	Samphire-ld.	—	—	G. $\frac{1}{2}$.		
3 <i>anethifolium.</i> w.en.	Dill-leaved.	—	—	G. $\frac{1}{2}$.		
4 <i>frutescens.</i> w.en.	shrubby.	Canaries. 1699.	—	G. $\frac{1}{2}$.		
5 <i>coronopifolium.</i> w.en.	Buckshorn-ld.	—	—	G. $\frac{1}{2}$.		
6 <i>grandiflorum.</i> w.en.	great-flowered.	—	1815.	—	G. $\frac{1}{2}$.	
7 <i>speciosum.</i> w.en.	large-flowered.	—	—	G. $\frac{1}{2}$.		
8 <i>ptarmicæfolium.</i> w. Sneezewort-ld.	Caucasus. 1803. 7. 8. H. $\frac{1}{2}$.					
9 <i>serotinum.</i> w.	creeping-root'd. N.America. 1731. 9. 10. H. $\frac{1}{2}$.			Jacq. obs. 4. t. 90.		
10 <i>uliginosum.</i> w.	marsh.	Hungary. 1816. 7. 9. H. $\frac{1}{2}$.				
11 <i>alpinum.</i> w.	Alpine.	Switzerland. 1759. 7. 8. H. $\frac{1}{2}$.				
12 <i>Halleri.</i> w.en.	Haller's.	—	1820.	—	H. $\frac{1}{2}$.	Barrel. ic. 458. f. 2.
13 <i>ceratophyloides.</i> w.en.	Stags-horn-ld.	Piedmont. 1808. 6. 7. H. $\frac{1}{2}$.		All. ped. t. 37. f. 1.		
	<i>Chrysanthemum ceratophyloides.</i> All.					
14 <i>pinnatifidum.</i> w.en.	cut-leaved.	Madeira. 1777. 5. 8. G. $\frac{1}{2}$.				
15 <i>maximum.</i> DC.	broad-leaved.	Pyrenees. 1816. —	H. $\frac{1}{2}$.			
	<i>latifolium.</i> w.					
16 <i>Balsamita.</i> w.	various-leaved.	Levant. 1779. —	H. $\frac{1}{2}$.	Jacq. obs. 4. t. 89.		
17 <i>macrophyllum.</i> w.	large-leaved.	Hungary. 1803. —	H. $\frac{1}{2}$.	W. et K. hung. 1. t. 94.		
18 <i>roseum.</i> w.en.	scarlet-flow'r'd.	Caucasus. 1804. 8. 9. H. $\frac{1}{2}$.		Botan. magaz. 1080.		
	<i>Chrysanthemum coccineum.</i> B.M.					
19 <i>corymbosum.</i> w.	mountain.	Germany. 1596. 6. 8. H. $\frac{1}{2}$.		Jacq. aust. 4. t. 379.		
20 <i>pulverulentum.</i> w.en.	powdered.	Iberia. 1806. 6. 8. H. $\frac{1}{2}$.				
21 <i>Parthenium.</i> w.	common.	Britain. 1806. 6. 9. H. $\frac{1}{2}$.		Eng. bot. 1231.		
	β <i>flore pleno.</i>	double-flowered.	—			
22 <i>parthenifolium.</i> w.	Parthenium-ld.	Caucasus. 1804. 6. 7. H. $\frac{1}{2}$.		Vent. cels. t. 43.		
23 <i>cancasicum.</i> w.	Caucasian.	—	—			
24 <i>tenuifolium.</i> w.en.	slender-leaved.	—	1806. —	H. $\frac{1}{2}$.		
25 <i>sericeum.</i> M.B.	silky.	Iberia. 1824. —	H. $\frac{1}{2}$.			
26 <i>inodorum.</i> w.	scentless.	Britain. 1824. —	8. 9. H. \odot .	Eng. bot. 676.		
27 <i>maritimum.</i> w.	sea.	—	1824. —	—	979.	
28 <i>parviflorum.</i> w.	small-flow'r'd.	—	6. 10. H. $\frac{1}{2}$.			
29 <i>achillæfolium.</i> M.B.	Milfoil-like.	Cumana. —	—	H. \odot .		
30 <i>millefoliatum.</i> w.	Milfoil-leaved.	Siberia. 1731. 5. 9. H. $\frac{1}{2}$.		Mill. ic. 1. t. 9.		
31 <i>bipinnatum.</i> w.	wing-leaved.	—	1796. 6. 7. H. $\frac{1}{2}$.	Gmel. sib. 2. t. 85. f. 1.		
32 <i>indicum.</i> H.K.	Indian.	E. Indies. 1810. 6. 9. H. \odot .		Botan. magaz. 1521.		

ORDO CII.

LOBELIACEÆ. Juss. ann. mus. 18. p. 1.

LOBELIA. R.S.

LOBELIA. Pentandria Monogynia. R.S.

1 <i>linearis.</i> R.S.	linear-leaved.	C. B. S. 1791. 5. 8. G. $\frac{1}{2}$.				
2 <i>setacea.</i> R.S.	bristle-leaved.	1816. —	G. $\frac{1}{2}$.	Act. Gorenk. 1811.f. 11.		
3 <i>simplex.</i> R.S.	simple-stalked.	1794. —	G. $\frac{1}{2}$.			
4 <i>unidentata.</i> R.S.	single-toothed.	—	G. $\frac{1}{2}$.	Botan. magaz. 1484.		
5 <i>pinifolia.</i> R.S.	Pine-leaved.	1752. —	G. $\frac{1}{2}$.	Andr. deposit. 240.		
6 <i>Dortmanna.</i> R.S.	water.	Britain. 1810. —	7. 8. H. w. $\frac{1}{2}$.	Eng. bot. 140.		

7 paludosa. R.S.	marsh.	N. America.	1823.	— H.w. 2.	
8 Tupa. R.S.	Mullein-leav'd.	Peru.	1824.	8. 10. G. h.	Botan. magaz. 2550.
9 salicifolia. II.S.L.	Willow-leaved.	Chili.	1794.	6. 8. G. h.	— 1325.
Tupa. H.K. non L. gigantea. B.M. non Cav.					
10 Kalmii. R.S.	Kalm's.	N. America.	1820.	7. 9. H. 2.	— 2238.
11 Nuttallii. R.S.	Nuttall's.	—	—	H. 2.	
gracilis. N. nec aliorum.					
12 pauciflora. K.S.	few-flowered.	Mexico.	1824.	— G. 2.	
commutata. R.S.					
13 chinensis. R.S.	Chinese.	China.	1822.	— H. ⊙.	
14 bellidifolia. R.S.	Daisy-leaved.	C. B. S.	1790.	5. 8. G. 2.	
15 rhizophyta. R.S.	rooting branch'd.	—	1814.	— G. 2.	Botan. magaz. 2519.
decumbens. B.M. 2277?					
16 triquetra. R.S.	triangular.	—	1774.	— G. 2.	
17 longiflora. R.S.	long-flowered.	Jamaica.	1752.	— S. 2.	Botan. magaz. 2563.
18 tomentosa. R.S.	tomentose.	C. B. S.	1816.	— G. 2.	
19 secunda. R.S.	side-flowering.	—	1790.	— G. 2.	
20 trialata. D.P.	three-winged.	Nepaul.	1820.	— G. 2.	Hook. ex. flor. t. 44.
micrantha. H.E.F. non K.S.					
21 alata. B.P.	winged-stalked.	N. S. W.	1804.	— G. 2.	Lab. nov. hol. 1. t. 72.
22 acuminata. R.S.	taper-pointed.	Jamaica.	1822.	6. 9. S. h.	Sloan. his. 1. t. 95. f. 2.
23 nicotianefolia. R.S.	Tobacco-ld.	E. Indies.	—	— S. 2.	
24 persicifolia. R.S.	Peach-leaved.	W. Indies.	1818.	— S. 2.	
25 Cavanillesiana. R.S.	Cavanille's.	New Spain.	1825.	— S. 2.	Cavan. ic. 6. t. 518.
persicifolia. Cav. non Lam.					
26 Claytoniana. R.S.	Clayton's.	N. America.	1799.	6. 8. H. 2.	Willd. hort. ber. 30.
goodenioides. W. pallida. Roth.					
27 assurgens. R.S.	purple.	W. Indies.	1787.	6. 10. S. h.	Andr. deposit. 553.
28 pyramidalis. D.P.	pyramidal.	Nepaul.	1819.	7. 10. G. 2.	Botan. magaz. 2387.
29 fulgens. R.S.	fulgent.	Mexico.	1809.	5. 9. F. 2.	Botan. regist. 165.
30 splendens. R.S.	splendid.	—	1814.	— F. 2.	— 60.
31 cardinalis. R.S.	Cardinal flow'r.	Virginia.	1629.	— F. 2.	Botan. magaz. 320.
32 sylphilitica. R.S.	blue cardinal.	—	1665.	8. 10. H. 2.	Botan. regist. 537.
33 debilis. R.S.	feeble.	C. B. S.	1774.	4. 8. H. ⊙.	
34 gracilis. B.P.	slender.	N. S. W.	1801.	7. 10. G. ⊙.	Botan. magaz. 741.
35 purpurascens. B.P.	purplish.	—	1809.	6. 8. G. 2.	
36 surinamensis. R.S.	Surinam.	W. Indies.	1786.	1. 7. S. h.	Botan. magaz. 225.
37 Cliffortiana. S.S.	purple-flow'r'd.	S. America.	1723.	7. 8. H. ⊙.	Lin. h. clif. 426. t. 26.
38 Michauxii. N.	Michaux's.	—	•••	H. ⊙.	
Cliffortiana. M. non L.					
39 inflata. R.S.	bladder-podded	N. America.	1759.	— H. ⊙.	Swt. br. fl. gar. t. 99.
40 urens. R.S.	acrid.	England.	—	6. 7. H. 2.	Eng. bot. 953.
41 puberula. R.S.	downy.	N. America.	1819.	— H. 2.	
42 amena. R.S.	bright blue.	—	1812.	6. 8. H. 2.	Ann. mus. 18. t. 1. n. 1.
43 minuta. R.S.	small.	C. B. S.	1772.	6. 9. H. 2.	Botan. magaz. 2590.
44 minima. B.M.	least.	—	—	6. 10. G. 2.	— 2077.
45 Laurentia. R.S.	Italian.	Italy.	1778.	7. H. ⊙.	Mich. gen. 18. t. 14.
46 campanuloides. R.S.	campanulate.	Japan.	1819.	7. 9. G. 2.	Botan. regist. 733.
47 Erinus. R.S.	ascending.	C. B. S.	1752.	6. 9. H. 2.	Botan. magaz. 901.
48 erinoides. R.S.	trailing.	—	1759.	6. 8. G. 2.	Herm. lugd. t. 109.
49 bicolor. R.S.	spotted.	—	1795.	— H. ⊙.	Botan. magaz. 514.
50 illicifolia. B.M.	Holly-leaved.	—	1815.	5. 9. G. 2.	— 1896.
51 pubescens. R.S.	downy-leaved.	—	1780.	6. 8. G. 2.	Jacq. schoen. 2. t. 178.
52 hirsuta. R.S.	blue-fl'd. hairy.	—	1759.	5. 9. G. 2.	Burm. afr. t. 40. f. 2.
53 zeylanica. R.S.	Ceylon.	E. Indies.	1824.	— S. 2.	
54 lutea. R.S.	yellow.	C. B. S.	1774.	6. 7. G. 2.	Botan. magaz. 1319.
55 variifolia. B.M.	various-leaved.	—	1812.	— G. 2.	— 1692.
56 coronopifolia. R.S.	Buckshorn-ld.	—	1752.	7. 8. G. 2.	— 644.
57 Thunbergii.	upright-raceme-fl'd.	—	1812.	7. 10. G. 2.	
coronopifolia. Th. non B.M.					
58 crenata. R.S.	notched-leav'd.	—	1794.	4. 5. G. 2.	
59 Simsii.	long-peduncl'd.	—	1819.	8. 11. G. 2.	Botan. magaz. 2251.
pedunculata. B.M. non B.P.					
60 concolor. B.P.	self-coloured.	N. S. W.	—	5. 6. G. 2.	
61 inundata. B.P.	inundated.	—	1822.	5. 8. G. w. 2.	
62 pedunculata. B.P.	long-stalked.	—	—	G. 2.	
63 dentata. B.P.	toothed.	—	1819.	— G. 2.	Cavan. ic. 6. t. 522.
64 gibbosa. B.P.	gibbous.	—	1824.	— G. 2.	Lab. nov. hol. 1. t. 71.
65 racemosa. B.M.	racemed.	Caribeas.	1818.	7. 9. S. h.	Botan. magaz. 2137.

MONOPSIS. Sal.	MONOPSIS.	Pentandria Monogynia.			
1 conspicua. H.T.	conspicuous.	C. B. S.	1812.	7. 8. H.○.	Botan. magaz. 1499.
<i>Lobelia speculum.</i> B.M.					
2 inconspicua. H.T.	inconspicuous.	—	—	H.○.	
ISOTOMA. B.R.	ISOTOMA.	Pentandria Monogynia.			
axillaris. B.R.	axillary-fld.	N. Holland.	1824.	7. 10. H.○.	Botan. regist. 964.
CYPHIA. R.S.	CYPHIA.	Pentaandria Monogynia. W.			
1 volubilis. R.S.	climbing.	C. B. S.	1795.	6. 8. S. ¼.	
2 bulbosa. R.S.	bulb-bearing.	—	1791.	8. 9. S. ¼.	Burm. afr. t. 38. f. 2.
3 Phyteuma. R.S.	Phyteuma-ld.	—	1820.	2. 5. S. ¼.	Botan. regist. 625.
4 Cardamines. R.S.	Cardamine-ld.	—	—	S. ¼.	

ORDO CHI.

STYLIDEÆ. *Brown prodr.* 1. p. 565.

STYLIUM. B.P.	STYLIUM.	Gynandria Diandria.			
1 graminifolium. B.P.	grass-leaved.	N. S. W.	1803.	4. 8. G. ¼.	Botan. regist. 90.
2 lineare. B.P.	linear-leaved.	—	1820.	— G. ¼.	Sm. exot. bot. 2. t. 67.
<i>Venetenia minor.</i> Ex. b.					
3 scandens. B.P.	climbing.	N. Holland.	1803.	7. 8. G. ¼.	
4 fruticosum. B.P.	frutescent.	—	—	5. 10. G. ½.	Sal. par. lond. 77.
<i>glandulosum.</i> P.L.					
5 laricifolium. B.R.	Larch-leaved.	N. S. W.	1818.	— G. ½.	Botan. regist. 550.
<i>tenuifolium.</i> B.M. 2249.					
6 adnatum. B.P.	adnate.	N. Holland.	1824.	— G. ½.	— — — — 914.

ORDO CIV.

GOODENOVIEÆ. *Brown prodr.* 1. p. 573.

GOODENIA. B.P.	GOODENIA.	Pentandria Monogynia. W.			
1 bellidifolia. B.P.	Daisy-leaved.	N. S. W.	1823.	6. 9. G. ¼.	
2 paniculata. B.P.	panicled.	—	—	— G. ¼.	Cavan. ic. 6. t. 507.
3 ovata. B.P.	oval-leaved.	—	1793.	6. 10. G. ½.	Andr. deposit. 68.
4 grandiflora. B.P.	large-flowered.	—	1802.	6. 8. G. ½.	Botan. magaz. 890.
5 hederacea. B.P.	Ivy-leaved.	—	1823.	— G. ¼.	
EUTHALES. B.P.	EUTHALES.	Pentandria Monogynia. R.S.			
trinervis. B.P.	three-nerved.	N. Holland.	1803.	5. 9. G. ¼.	Botan. magaz. 1137.
<i>Goodenia tenella.</i> A.R. 466.					
VELLEIA. B.P.	VELLEIA.	Pentandria Monogynia. R.S.			
1 paradoxa. B.P.	paradoxical.	N. S. W.	1823.	6. 8. G. ¼.	
2 lyrata. B.P.	lyrate-leaved.	—	1819.	4. 6. G. ¼.	Botan. regist. 551.
3 spatulata. B.P.	spatulate.	—	1823.	— G. ¼.	
LECHENAULTIA. B.P.	LECHENAULTIA.	Pentandria Monogynia. R.S.			
formosa. B.P.	handsome.	N. Holland.	1823.	6. 9. G. ½.	Botan. regist. 916.
SCÆVOLA. B.P.	SCÆVOLA.	Pentandria Monogynia. R.S.			
1 Königii. R.S.	König's.	E. Indies.	1818.	— S. ½.	
2 Plumieri. R.S.	Plumier's.	W. Indies.	1724.	— S. ½.	Jacq. amer. t. 179. f. 88.
<i>Lobelia Plumieri.</i> Jacq.					
3 Taccada. F.I.	Indian.	E. Indies.	1818.	— S. ½.	Gaert. fruct. 1. t. 25.
4 crassifolia. B.P.	thick-leaved.	N. Holland.	1805.	8. 10. G. ½.	Lab. nov. hol. 1. t. 79.
5 cuneiformis. B.P.	wedge-leaved.	V. Diem. Isl.	1823.	— G. ¼.	— — — — 1. t. 80.
6 microcarpa. B.P.	small-fruited.	N. S. W.	1790.	5. 9. G. ¼.	Botan. magaz. 287.
<i>Goodenia laevigata.</i> B.M.					
7 suaveolens. B.P.	sweet-scented.	—	1798.	— G. ¼.	Andr. deposit. 22.
<i>Goodenia calendulacea.</i> A.R.					

8 <i>hispida</i> , B.P.	branching.	N. S. W.	1820.	5. 8. G. 4.	Sm. new. hol. 15. t. 5.
<i>Goodenia ramosissima</i> , Sm.					
DAMPIERA, B.P.	DAMPIERA.	Pentandria Monogynia, R.S.			
stricta, B.P.	upright.	N. S. W.	1814.	6. 8. G. 4.	

ORDO CV.

CAMPANULACEÆ. *Juss. gen.* 163.

CANARINA, W.	CANARINA.	Hexandria Monogynia, W.			
Campanula, w.	Canary.	Canaries.	1696.	1. 3. G. 4.	Botan. magaz. 444.
MICHAUXIA, W.	MICHAUXIA.	Octandria Monogynia, W.			
campanuloides, w.	rough-leaved.	Levant.	1787.	6. 8. G. 3.	Botan. magaz. 219.
LIGHTFOOTIA, R.S.	LIGHTFOOTIA.	Pentandria Monogynia, R.S.			
1 <i>oxyccoides</i> , R.S.	lance-leaved.	C. B. S.	1787.	7. G. ½.	Sm. exot. bot. 2. t. 69.
2 <i>subulata</i> , R.S.	awl-leaved.	—	—	G. 4.	L'Herit. s. angl. 4. t. 5.
ADENOPHORA, F.	ADENOPHORA.	Pentandria Monogynia.			
1 <i>marsupiiflora</i> , F.	bellied.	Dahuria.	1815.	7. 8. H. 4.	Botan. regist. 149.
<i>Campanula coronata</i> , B.R.					
2 <i>Gmelini</i> , F.	Gmelin's.	—	1823.	5. 8. H. 4.	Gmel. sib. 3. t. 33.
3 <i>coronopifolia</i> , F.	buck's-horn-ld.	—	1822.	— H. 4.	Swt. br. fl. gar. 104.
4 <i>denticulata</i> , F.	toothed.	—	—	5. 7. H. 4.	— — — 116.
<i>Campanula tricuspidata</i> , R.S.					
5 <i>communis</i> , F.	common.	Siberia.	1784.	5. 9. H. 4.	Botan. regist. 236.
<i>Campanula liliifolia</i> , B.R.					
β <i>sweetolens</i> , R.S.	sweet-scented.	Hungary.	1816.	— H. 4.	
γ <i>hybrida</i> , R.S.	upright-flow'r'd.	—	—	— H. 4.	
6 <i>intermedia</i> .	intermediate.	Siberia.	1820.	— H. 4.	
<i>Campanula intermedia</i> , R.S.					
7 <i>stylosa</i> , F.	long-styled.	—	—	— H. 4.	Gmel. sib. 3. t. 27.
8 <i>verticillata</i> , F.	whorl-leaved.	—	1783.	6. H. 4.	Pall. it. 3. t. G. f. 1.
WAHLENBERGIA, Sc.	WAHLENBERGIA.	Pentandria Monogynia.			
1 <i>grandiflora</i> , Sc.	great-flowered.	Siberia.	1782.	6. 8. H. 4.	Botan. magaz. 252.
<i>Campanula grandiflora</i> , B.M.					
2 <i>pendula</i> , Sc.	pendulous.	Madeira.	1777.	7. 8. H. ⊖.	
<i>Campanula lobelioides</i> , R.S.					
3 <i>elongata</i> , Sc.	elongated.	—	1816.	— H. ⊖.	
CAMPANULA, R.S.	CAMPANULA.	Pentandria Monogynia, L.			
1 <i>cenisia</i> , R.S.	ciliated.	Switzerland.	1775.	6. 7. H. 4.	All. ped. 1. t. 6. f. 2.
2 <i>Bellardi</i> , R.S.	Bellardi's.	Italy.	1813.	— H. 4.	— — — t. 85. f. 5.
3 <i>pulla</i> , R.S.	dark-flowered.	Austria.	1779.	— H. 4.	Botan. magaz. 2492.
4 <i>Zoysii</i> , R.S.	blunt-leaved.	Carniola.	1813.	6. 8. H. 4.	Jacq. ic. 2. t. 334.
5 <i>diffusa</i> , R.S.	diffuse.	Italy.	1818.	— H. 4.	
β <i>fragilis</i> , L.en.	brittle.	—	—	— H. 4.	Cyr. pl. rar. n. t. 11.f. 2.
6 <i>carpathica</i> , R.S.	Carpathian.	Carp. Alps.	1774.	— H. 4.	Botan. magaz. 117.
7 <i>rotundifolia</i> , R.S.	round-leaved.	Britain.	...	— H. 4.	Eng. bot. 866.
8 <i>excisa</i> , B.S.	cut-flowered.	Switzerland.	1816.	— H. 4.	Lodd. bot. cab. 561.
9 <i>pusilla</i> , R.S.	small.	Europe Alps.	—	— H. 4.	Scheuch. it. 4. f. 4.
10 <i>pumila</i> , R.S.	dwarf.	Switzerland.	—	6. 8. H. 4.	Botan. magaz. 512.
11 <i>caespitosa</i> , R.S.	tufted.	Carniola.	1818.	— H. 4.	Scop. carn. ed. 2. t. 4.
12 <i>pubescens</i> , R.S.	pubescent.	Bohemia.	1813.	— H. 4.	
13 <i>gracilis</i> , B.M.	slender.	N. S. W.	1794.	4. 8. G. 3.	Botan. magaz. 691.
14 <i>stricta</i> , Sm.	upright.	—	—	— G. 3.	Sm. exot. bot. 45.
15 <i>littoralis</i> , Lab.	sea-side.	—	1820.	— G. 3.	Lab. nov. hol. 1. t. 70.
16 <i>quadrifida</i> , B.P.	quadrifid.	—	1822.	— G. 3.	
17 <i>Waldsteiniana</i> , R.S.	Waldstein's.	Hungary.	—	6. 8. H. 4.	W. et K. hung. t. 136.
18 <i>virgata</i> , R.S.	twiggy.	N. America.	1823.	— H. 4.	
19 <i>linifolia</i> , R.S.	Flax-leaved.	Sweden.	1816.	— H. 4.	Vill. delph. 1. t. 10.
20 <i>Scheuchzeri</i> , s.s.	Scheuchzer's.	Alps Europe.	1813.	— H. 4.	Lodd. bot. cab. 485.
21 <i>patula</i> , R.S.	spreading.	Britain.	...	7. 8. H. 4.	Eng. bot. 42.
22 <i>neglecta</i> , R.S.	neglected.	Europe.	1818.	— H. 4.	
23 <i>Rapunculus</i> , R.S.	Rampion.	Britain.	—	— H. 4.	Eng. bot. 283.

24	<i>persicifolia</i> . R.S.	Peach-leaved.	Europe.	1596.	7. 9.	H. 4.	Flor. dan. t. 1087.
	α <i>cærulea</i> .	blue-flowered.	—	—		H. 4.	
	β <i>alba</i> .	white-flowered.	—	—		H. 4.	
	γ <i>maxima</i> . B.M.	large-flowered.	—	—		H. 4.	
	δ <i>albo-plena</i> .	double white.	—	—		H. 4.	
	ϵ <i>cæruleo-plena</i> .	double blue.	—	—		H. 4.	
25	<i>pyramidalis</i> . R.S.	pyramidal.	Carniola.	1596.	—	H. 4.	
26	<i>versicolor</i> . R.S.	various-color'd.	Greece.	1788.	—	H. 4.	Botan. magaz. 397.
	<i>planiflora</i> . W.en. non	Lam. <i>Willdenowiana</i> . R.S.					Andr. deposit. 396.
27	<i>obliqua</i> . R.S.	oblique-fl'd.	N. Europe.	1813.	6. 7.	H. 3.	Jacq. schoen. 3. t. 336.
28	<i>americana</i> . R.S.	American.	N. America.	1763.	7.	H. 3.	
29	<i>nitida</i> . H.K.	glossy.	—	1731.	7. 8.	H. 4.	Dodart. mem. 4. t. 113.
	α <i>cærulea</i> .	blue-flowered.	—	—		H. 4.	
	β <i>alba</i> .	white-flowered.	—	—		H. 4.	
30	<i>aurea</i> . R.S.	golden-flow'r'd.	Madeira.	1777.	7. 9.	G. h.	Botan. regist. 57.
	α <i>latifolia</i> . R.S.	broad-leaved.	—	—		G. h.	Duham. ed. nov. t. 41.
	β <i>angustifolia</i> . R.S.	narrow-leaved.	—	—		G. h.	Jacq. schoen. 4. t. 472.
31	<i>rhomboidea</i> . R.S.	Germander-ld.	Switzerland.	1775.	7.	H. 4.	Barrel. ic. 567.
32	<i>Alpinii</i> . R.S.	Alpinus'.	Italy.	1823.	7. 9.	H. 4.	
33	<i>latifolia</i> . R.S.	giant.	Britain.	—	7.	H. 4.	Eng. bot. 302.
	<i>alba</i> .	white-flowered.	—	—		H. 4.	Flor. dan. t. 85.
34	<i>macrantha</i> . L.en.	great-flowered.	Russia.	1822.	6. 7.	H. 4.	Botan. magaz. 2553.
35	<i>eriocarpa</i> . R.S.	woolly-capsul'd.	Caucasus.	1824.	—	H. 4.	
36	<i>urticifolia</i> . R.S.	Nettle-leaved.	Germany.	1800.	8.	H. 4.	
37	<i>Trachelium</i> . R.S.	throatwort.	Britain.	—	6. 8.	H. 4.	Eng. bot. 12.
38	<i>rapunculoides</i> . R.S.	creeping.	England.	—	6. 7.	H. 4.	— 1369.
39	<i>infundibuliformis</i> . B.M.	funnel-shap'd.	—	1817.	—	H. 4.	Botan. magaz. 2632.
40	<i>ucranica</i> . R.S.	Ukraine.	Ukraine.	1819.	—	H. 4.	
41	<i>trachelioides</i> . R.S.	throatwort-like.	Caucasus.	1818.	—	H. 4.	
42	<i>bononiensis</i> . R.S.	panicked.	Italy.	1773.	8. 9.	H. 4.	Moris. s. 5. t. 4. f. 38.
43	<i>simplex</i> . DC.	simple-stalk'd.	—	1823.	7. 8.	H. 4.	
44	<i>obliquifolia</i> . R.S.	oblique-leaved.	—	1820.	—	H. 4.	Ten. fl. neap. t. 17.
45	<i>trichocalycina</i> . R.S.	long-pointed-calyx'd.	Italy.	1824.	7. 8.	H. 4.	— t. 16.
46	<i>ruthenica</i> . R.S.	Russian.	Russia.	1815.	6. 8.	H. 4.	Buxb. cent. 5. t. 19.
47	<i>graminifolia</i> . R.S.	grass-leaved.	Hungary.	1823.	—	H. 4.	W. et K. hung. 2. t. 154.
48	<i>glomerata</i> . R.S.	clustered.	Britain.	—	5. 9.	H. 4.	Eng. bot. 90.
49	<i>elliptica</i> . R.S.	elliptic-leaved.	Hungary.	1819.	—	H. 4.	Bocc. mus. 70. t. 58.
50	<i>aggregata</i> . R.S.	crowded-fl'd.	Bavaria.	—	—	H. 4.	
51	<i>speciosa</i> . R.S.	specious.	Siberia.	—	—	H. 4.	Botan. regist. 620.
	<i>glomerata</i> β <i>dahurica</i> B.R.						
52	<i>foliosa</i> . R.S.	leafy.	Italy.	—	6. 9.	H. 4.	Ten. fl. neap. t. 18.
53	<i>Cervicaria</i> . R.S.	wave-leaved.	Germany.	1768.	7.	H. 3.	Flor. dan. t. 787.
54	<i>multiflora</i> . R.S.	many-flowered.	Hungary.	1814.	6. 7.	H. 3.	W. et K. hung. t. 263.
	<i>macrostachya</i> . W.en.						
55	<i>collina</i> . R.S.	Sage-leaved.	Caucasus.	1863.	7. 8.	H. 4.	Botan. magaz. 927.
56	<i>azurea</i> . R.S.	azure.	Switzerland.	1778.	6. 7.	H. 4.	— 551.
57	<i>Lorei</i> . R.S.	Pollini's.	Mt. Baldo.	1819.	6. 9.	H. 3.	— 2581.
58	<i>lactiflora</i> . R.S.	milk-coloured.	Caucasus.	1814.	7. 9.	H. 4.	Botan. regist. 241.
59	<i>thyrsodea</i> . R.S.	long-spiked.	Switzerland.	1785.	6. 8.	H. 3.	Botan. magaz. 1290.
60	<i>peregrina</i> . R.S.	rough-leaved.	C. B. S.	1794.	—	G. 3.	— 1257.
61	<i>cernua</i> . R.S.	nodding-fl'd.	—	1804.	—	G. 3.	
62	<i>capensis</i> . R.S.	Cape.	—	1803.	—	G. 3.	Botan. magaz. 782.
	<i>Roella decurrens</i> . A.R. 238.						
63	<i>Allioni</i> . R.S.	Allioni's.	S. Europe.	1818.	—	H. 4.	All. ped. n. 418. t. 6.f.3.
64	<i>barbata</i> . R.S.	bearded.	Italy.	1752.	—	H. 4.	Botan. magaz. 1258.
65	<i>punctata</i> . R.S.	dotted-flower'd.	Siberia.	1813.	5. 6.	H. 4.	— 1723.
66	<i>Medium</i> . R.S.	Canterbury.	Germany.	1597.	6. 9.	H. 3.	Knor. delic. 1. t. 9.
67	<i>betonicifolia</i> . R.S.	Betony-leaved.	Olympus.	1823.	—	H. 3.	Flor. græc. t. 210.
68	<i>spicata</i> . R.S.	spiked.	Switzerland.	1786.	7.	H. 3.	All. ped. 1. t. 46. f. 2.
69	<i>alpina</i> . R.S.	Alpine.	—	1779.	—	H. 4.	Botan. magaz. 957.
70	<i>mollis</i> . R.S.	soft.	Syria.	1788.	5. 8.	G. 4.	— 404.
71	<i>saxatilis</i> . R.S.	rock.	Candia.	1768.	—	G. 4.	Barrel. ic. t. 813.
72	<i>alliariaefolia</i> . R.S.	Alliaria-leav'd.	Caucasus.	1803.	8. 9.	H. 4.	Sal. par. lond. 26.
	<i>macrophylla</i> . B.M.						
73	<i>sarmatica</i> . B.R.	gum-bearing.	Siberia.	—	6. 8.	H. 4.	Botan. regist. 237.
	<i>gummifera</i> . R.S.						
74	<i>lamifolia</i> . R.S.	Lamium-ld.	Caucasus.	1818.	—	H. 4.	Buxb. cent. 5. t. 18.
75	<i>pendula</i> . R.S.	pendulous.	—	1824.	—	H. 4.	
76	<i>sibirica</i> . R.S.	Siberian.	Siberia.	1783.	7. 9.	H. 4.	Botan. magaz. 659.

77	<i>divergens</i> . R.S. <i>spathulata</i> . W.K.	divergent.	Hungary.	1814.	6. 7. H.♂.	W. et K. hung. t. 258.
78	<i>lingulata</i> . R.S.	tongue-leaved.	—	1804.	7. 8. H.♀.	— — — 1. t. 64.
79	<i>caucasica</i> . R.S.	Caucasian.	Caucasus.	—	— H.♀.	Andr. deposit. 385.
80	<i>laciiniata</i> . R.S.	jagged-leaved.	Greece.	1788.	5. 8. G.♀.	Botan. magaz. 811.
81	<i>capitata</i> . R.S.	headed.	—	1768.	6. 7. H.♀.	
82	<i>lanuginosa</i> . R.S.	woolly.	—	1824.	— H.♂.	Moris. s. 5. t. 3. f. 25.
83	<i>Erinus</i> . R.S.	forked.	S. Europe.	1768.	7. 8. H.○.	Flor. græc. t. 215.
84	<i>drabifolia</i> . R.S.	Draba-leaved.	Athens.	1823.	— H.○.	Herm. lugd. t. 111?
85	<i>crinoides</i> . R.S.	Erinus-like.	Africa.	—	— H.○.	All. ped. n. 422. t. 7. f. 1.
86	<i>Elatines</i> . R.S.	trailing-stalk'd.	S. Europe.	—	7. 9. H.♀.	Eng. bot. 73.
87	<i>hederacea</i> . R.S.	Ivy-leaved.	England.	—	5. 6. H.♀.	Comm. hort. 2. t. 37.
88	<i>hispidula</i> . R.S.	hispid-calyxed.	C. B. S.	1816.	7. 9. H.○.	
PRISMATOCARPUS. L'H. VENUS-LOOKING-GLASS. Pentandria Monogynia.						
1	<i>fruticosus</i> . L'H.	shrubby.	C. B. S.	1787.	8. G.‡.	Botan. magaz. 102.
2	<i>nitidus</i> . L'H.	shining.	—	—	6. 8. H.○.	L'Her. sert. ang. 2. t. 3.
3	<i>Speculum</i> . L'H.	common.	S. Europe.	1596.	5. 8. H.○.	
	β <i>albus</i> .	white-flowered.	—	—	— H.○.	
4	<i>hirsutus</i> . T.N.	hairy.	Italy.	1822.	— H.○.	Ten. fl. neap. t. 19.
5	<i>falcatus</i> . T.N.	falcate.	—	—	— H.○.	— — — t. 20.
6	<i>hybridus</i> . L'H.	corn.	England.	—	— H.○.	Eng. bot. 375.
7	<i>pentagonius</i> . L'H.	five-angled.	Turkey.	1686.	— H.○.	Botan. regist. 56.
8	<i>perfoliatus</i> .	perfoliate.	N. America.	1680.	— H.○.	Moris. s. 5. t. 2. f. 23.
<i>Campanula perfoliata</i> . R.S. <i>amplexicaulis</i> . M.						
ROELLA. R.S.						
1	<i>ciliata</i> . R.S.	ROELLA. ciliate.	C. B. S.	1774.	6. 9. G.‡.	Botan. magaz. 378.
2	<i>filiformis</i> . R.S.	filiform.	—	1816.	— G.‡.	Lam. ill. t. 123. f. 2.
3	<i>decurrans</i> . R.S.	decurrent.	—	1787.	7. 9. H.○.	L'Her. sert. ang. 4. t. 6.
4	<i>squarrosa</i> . R.S.	trailing.	—	—	7. 8. G.♀.	
5	<i>muscosa</i> . R.S.	moss-like.	—	1802.	8. 10. H.○.	
PHYTEUMA. R.S.						
1	<i>pauciflorum</i> . R.S.	few-flowered.	Germany.	1823.	6. 8. H.♀.	
2	<i>globulariaefolium</i> . R.S. <i>Globularia</i> -Id.	S. Europe.	—	—	— H.♀.	
3	<i>Scheuchzeri</i> . R.S.	Scheuchzer's.	Switzerland.	1813.	5. 6. H.♀.	Botan. magaz. 1797.
4	<i>scorzonerifolium</i> . R.S. <i>Scorzonerá</i> -Id.	Scorzonerá.	Europe.	1817.	— H.♀.	— — — 2271.
5	<i>hemisphaericum</i> . R.S. linear-leaved.	Switzerland.	1752.	7.	H.♀.	Jacq. ic. 2. t. 333.
6	<i>comosum</i> . R.S.	tufted.	Austria.	—	6. 7. H.♀.	Jacq. aust. ap. t. 50.
7	<i>orbiculare</i> . R.S.	round-headed.	England.	—	6. 8. H.♀.	Eng. bot. 142.
8	<i>Charmelii</i> . R.S.	long-bracted.	Pyrenees.	1819.	— H.♀.	Vill. delph. 2. t. 11. f. 3.A
9	<i>cordatum</i> . B.M.	heart-leaved.	S. Europe.	1804.	7. 8. H.♀.	Botan. magaz. 1466.
10	<i>ellipticum</i> . R.S.	elliptic-leaved.	Switzerland.	1820.	— H.♀.	Vill. delph. 2. t. 11. f. 2.
11	<i>nigrum</i> . R.S.	black-flowered.	Bohemia.	—	— H.♀.	
12	<i>betonicifolium</i> . R.S.	Betony-leaved.	Switzerland.	1816.	6. 8. H.♀.	Botan. magaz. 2066.
13	<i>spicatum</i> . R.S.	spiked.	Europe.	1597.	— H.♀.	Flor. dan. 362.
14	<i>Halleri</i> . R.S.	Haller's.	Switzerland.	1819.	— H.♀.	
	β <i>ovatum</i> . W.	oval-spiked.	—	1814.	— H.♀.	
15	<i>strictum</i> . B.M.	upright.	S. Europe.	1819.	— H.♀.	Botan. magaz. 2145.
16	<i>virgatum</i> . R.S.	slender-branch'd.	Levant.	1823.	7. 9. H.♀.	Lab. syr. 2. p. 11. t. 6.
17	<i>campanuloides</i> . R.S.	Campanula-like.	Caucasus.	1804.	6. 8. H.♀.	Botan. magaz. 1015.
18	<i>canescens</i> . R.S.	canescent.	Hungary.	1804.	6. 8. H.♀.	W. et K. hung. 1. t. 14.
19	<i>pinnatum</i> . R.S.	winged-leav'd.	Candia.	1640.	— G.♀.	Venten. cels. 52.
TRACHELIUM. R.S.						
1	<i>cæruleum</i> . R.S.	THROATWORT. blue.	Italy.	1640.	7. 9. H.♂.	Botan. regist. 72.
2	<i>diffusum</i> . R.S.	shrubby.	C. B. S.	1787.	— G.‡.	
JASIONE. R.S.						
1	<i>montana</i> . R.S.	SHEEP'S SCABIOUS. Pentandria Monogynia. W.	mountain.	—	— H.♀.	Eng. bot. 882.
2	<i>perennis</i> . R.S.	perennial.	Britain.	—	6. 7. H.♀.	Botan. regist. 505.
3	—	—	France.	1787.	— H.♀.	

ORDO CVI.

GESNEREÆ. *Rich. et Juss. ann. mus. 5. p. 428.*

GESNERIA. L.

- 1 tomentosa. s.s.
2 scabra. s.s.
3 corymbosa. s.s.
4 prasinata. s.s.
5 aggregata. s.s.
6 bulbosa. s.s.
7 acaulis. s.s.

BESLERIA. L.

- 1 cristata. s.s.
2 coccinea. s.s.
3 dichrus. s.s.
4 pulchella. s.s.
5 melittifolia. s.s.
6 serrulata. s.s.
7 lutea. s.s.
8 grandifolia. s.s.
9 hirtella. s.s.
10 incarnata. s.s.
- GLOXINIA. S.S.
1 maculata. s.s.
2 speciosa. s.s.
β alba.

GESNERIA. Didynamia Angiospermia. L.

- woolly. S. America. 1752. 11. 6. S. h.
rough. Jamaica. 1822. 6. 8. S. h.
corybose. ——— ——— ——— S. h.
green-flowered. Brazil. 1816. 5. 6. S. h.
clustered. ——— ——— 6. 10. S. h.
bulbous-rooted. ——— ——— 5. 8. S. ¼.
stemless. Jamaica. 1793. ——— S. ¼.

BESLERIA. Didynamia Angiospermia. L.

- crested. W. Indies. 1739. 6. 8. S. h.
scarlet. Guiana. 1824. 5. 8. S. h.
two-coloured. Brazil. 1823. ——— S. h.
large-flowered. W. Indies. 1806. ——— S. h.
Balm-leaved. Guiana. 1739. 6. 7. S. h.
saw-leaved. W. Indies. 1806. ——— S. h.
yellow-flow'r'd. Guiana. 1739. 7. 8. S. h.
large-leaved. Brazil. 1823. ——— S. h.
hairy-leaved. ——— ——— S. h.
flesh-coloured. Guiana. ——— ——— S. h.

GLOXINIA. Didynamia Angiospermia. W.

- spotted-stalk'd. S. America. 1739. 7. 10. S. ¼.
many-flow'r'd. Brazil. 1815. 6. 11. S. ¼.
white-flowered. ——— ——— S. ¼.

Botan. magaz. 1023.

Botan. regist. 428.

329.

343.

Sloan.jam.l.t.102.f.1.

Botan. magaz. 1146.

Sm. exot. bot. 1. t. 54.

Jacq. scheen. 3. t. 290.

Plum. ic. 49. f. 1.

Aub. gui. 2. t. 256.

Botan. magaz. 1191.

Botan. regist. 213.

ORDO CVII.

VACCINIEÆ. DC. theor. ed. 1. p. 216.

VACCINIUM. W.

- 1 Myrtillus. w.
2 stamineum. ph.
3 album. Ph.
stamineum. A.R. non Ph.
4 pallidum. w.
5 uliginosum. w.
6 diffusum. w.
arboreum. M.
7 dumosum. B.M.
hirtellum. H.K.
β humile. W.D.
8 frondosum. w.
9 venustum. H.K.
10 resinosum. w.
β rubescens.
11 parviflorum. A.R.
12 corymbosum. w.
13 amœnum. w.
14 virgatum. w.
β angustifolium. W.D. narrow-leaved.
15 mariannum. w.D.
16 grandiflorum. w.D.
17 elongatum. w.D.
18 minutiflorum. w.D.

WHORTLE-BERRY. Oct-Decandria Monogynia.

- Blea-berry. Britain. 4. 6. H. h.
long-stamen'd. N.America. 1772. 5. 6. H. h.
white-flowered. ——— ——— H. h.

pale. ——— ——— H. h.
great Bilberry. Britain. 4. 5. H. h.
tree. N.America. 1765. 5. 11. H. h.

bushy. ——— 1774. 5. 6. H. ¼. ——— ——— 1106.

dwarf. ——— ——— H. h.
blunt-leaved. ——— 1761. ——— H. h.
red-twigg'd. ——— 1770. ——— H. h.
clammy. ——— 1772. ——— H. h.
red-flowered. ——— ——— H. h.
small-flower'd. ——— 1804. ——— H. h.
corybose. ——— 1806. 6. 7. H. h.
broad-leaved. ——— 1765. 5. 6. H. h.
twiggy. ——— 1767. 4. 5. H. h.
Maryland. ——— 1812. 5. 6. H. h.
great-flower'd. ——— ——— 7. 8. H. h.
elongated. ——— ——— H. h.
minute-flow'r'd. ——— ——— H. h.

Eng. bot. 456.

Pluk. alm. t. 339. f. 3.

Andr. reposit. 263.

Eng. bot. 581.

Botan. magaz. 1607.

Wats. dend. brit. 32.

Andr. reposit. 140.

Wang. am. t. 30. f. 69.

Botan. magaz. 1288.

Andr. reposit. 125.

Wats. dend. brit. 123.

Botan. regist. 400.

Andr. reposit. 181.

Wats. dend. brit. 34.

——— 124.

——— 125. A.

——— 125. B.

——— 125. C.

19	glabrum. w.d.	smooth.	N. America.	—	H. h.	Wats. dend. brit. 125. D.
20	mucronatum. L.	mucronate.	—	5. 6. H. h.	
21	fuscatum. w.	cluster-flow'r'd.	—	1770.	H. h.	Botan. regist. 302.
	<i>formosum</i> . A.R. 97.					
	β <i>angustifolium</i> . Ph.	narrow-leaved.	—	—	H. h.	
22	galezans. M.	Gale-leaved.	—	1806.	H. h.	
23	ligustrinum. w.	Privet-leaved.	—	H. h.	
24	tenellum. w.	Pensylvanian.	—	1772.	H. h.	Wats. dend. brit. 35.
	<i>pensylvanicum</i> . M.					
25	angustifolium. w.	narrow-leaved.	—	1776.	4. 5. H. h.	
	<i>myrtilloides</i> . M.					
26	Arctostaphylos. w.	oriental.	Levant.	1777.	6. 8. H. h.	Botan. magaz. 974.
27	maderense. s.s.	Madeira.	Madeira.	1810.	7. 9. H. h.	Andr. reposit. 30.
	<i>Arctostaphylos</i> . A.R.					
28	meridionale. w.	Jamaica.	Jamaica.	1778.	3. 6. G. h.	
29	crassifolium. s.s.	thick-leaved.	Carolina.	1787.	6. 7. F. h.	Botan. magaz. 1152.
30	myrtifolium. M.	Myrtle-leaved.	—	1812.	5. 7. F. h.	
31	nitidum. s.s.	glossy-leaved.	—	1794.	5. 6. F. h.	Botan. regist. 480.
	β <i>decumbens</i> . B.M.	<i>decumbent</i> .	—	—	F. h.	Botan. magaz. 1550.
32	myrsinites. M.	Myrsine-leav'd.	—	F. h.	
33	buxifolium. s.s.	Box-leaved.	N. America.	1794.	H. h.	Botan. magaz. 928.
34	Vitis Idæa. w.	Cow-berry.	Britain.	4. 6. H. h.	Eng. bot. 598.
	α minor.	<i>smaller</i> .	—	H. h.	Lodd. bot. cab. 1023.
	β major.	<i>larger</i> .	N. America.	H. h.	—
35	halleriæfolium. Lod.	Halleria-leav'd.	—	5. 6. H. h.	616.
OXYCOCCUS. P.S.		CRANBERRY.	Octandria Monogynia.			
1	palustris. P.S.	common.	Britain.	5. 6. H. h.	Eng. bot. 319.
	<i>Vaccinium Oxyccos</i> . E.B. Schollera	<i>Oxycoccus</i> . Roth.				
2	macrocarpus. Ph.	large-fruited.	N. America.	1760.	5. 8. H. h.	Wats. dend. brit. 122.
3	erectus. Ph.	upright.	—	1806.	6. 8. H. h.	—
	<i>Vaccinium erythrocarpum</i> . M.					31.
4	hispidulus. P.S.	Thyme-leaved.	—	1776.	5. 7. H. h.	Mich. amer. 1. t. 23.
	<i>Vaccinium hispidulum</i> . w. <i>Arbutus thymifolia</i> . Ait. <i>Gaultheria serpyllifolia</i> . Ph.					

ORDO CVIII.

ERICEÆ. *Don Prodr.* p. 148.

Sect. I. ERICEÆ VERÆ.

ARCTOSTAPHYLOS. K.S. ARCTOSTAPHYLOS. Decandria Monogynia.

1	Uva-ursi. s.s.	Bear-berry.	Britain.	4. 6. H. h.	Eng. bot. 714.
	<i>Arbutus Uva-ursi</i> . E.B. <i>Mairania Uva-ursi</i> . Desv.					
2	alpina. s.s.	Alpine.	Scotland.	4. 5. H. h.	—
						2030.
ARBTUS. K.S.		STRAWBERRY-TREE.	Decandria Monogynia.	L.		
1	Unedo. s.s.	common.	Ireland.	9. 12. H. h.	Eng. bot. 2377.
	β <i>rubra</i> .	<i>red-flowered</i> .	—	H. h.	Lodd. bot. cab. 123.
	γ <i>flore pleno</i> .	<i>double-flowered</i> .	—	H. h.	
	δ <i>schizopetalia</i> .	<i>jagged-petaled</i> .	—	H. h.	
	ϵ <i>integrifolia</i> .	<i>entire-leaved</i> .	—	H. h.	
	ζ <i>crispa</i> .	<i>curled-leaved</i> .	—	H. h.	
	η <i>salicifolia</i> .	<i>Willow-leaved</i> .	—	H. h.	
2	canariensis. s.s.	long-leaved.	Canaries.	1796.	5. 6. G. h.	Botan. magaz. 1577.
3	hybrida. s.s.	hybrid.	Hybrid.	H. h.	Botan. regist. 619.
	<i>serratifolia</i> . B.C. 580.	<i>andrachnoides</i> . L.en.				
4	Andrachne. s.s.	oriental.	Levant.	1724.	3. 4. G. h.	—
5	laurifolia. s.s.	Laurel-leaved.	Mexico.	1825.	G. h.	
6	phillyreæfolia. s.s.	Phillyrea-ld.	Peru.	1812.	G. h.	
7?	pumila. s.s.	dwarf.	Magellan.	1824.	G. h.	
GUALTHERIA. S.S.		GUALTHERIA.	Decandria Monogynia.	L.		
1	procumbens. s.s.	trailing.	N. America.	1762.	7. 9. H. h.	Andr. reposit. 116.
2	fragrans. D.P.	fragrant.	Nepaul.	1824.	H. h.	Wal. as. res. 13. p. 297. ic.

ERICÆ.

ENKIANTHUS. B.M.	ENKIANTHUS.					
1 <i>quinqueflorus.</i> B.R.	Canton.	Decandria Monogynia.				
2 <i>reticulatus.</i> B.R.	netted-leaved.	China. 1812. 10. 2. G. h.				Botan. regist. 884.
ANDROMEDA. N.	ANDROMEDA.	1820. — G. h.				885.
1 <i>hypnooides.</i> w.	Moss-like.	Decandria Monogynia. L.				
2 <i>mariana.</i> w.	Maryland.	Lapland. 1798. 6. 7. H. h.				Flor. dan. 10.
α <i>ovalis.</i>	oval-leaved.	N. America. 1736. — H. h.				Pluk. mant. t. 448. f. 6.
β <i>oblonga.</i>	oblong-leaved.	— — — — H. h.				Botan. magaz. 1579.
3 <i>jamaicensis.</i> w.	Jamaica.	Jamaica. 1793. ... S. h.				
4 <i>speciosa.</i> Ph.	large-flowered.	Carolina. 1800. 6. 9. H. h.				Botan. magaz. 970.
α <i>nitida.</i> Ph.	smooth-leaved.	— — — — H. h.				
<i>cassinifolia.</i> B.M.	glaucous-leaved.	— — — — H. h.				
β <i>glaucia.</i> W.D.	mealy-leaved.	— — — — H. h.				Wats. dend. brit. 26.
γ <i>pulverulenta.</i> Ph.	Rosemary-ld.	N. America. 5. 9. H. h.				Botan. magaz. 667.
5 <i>rosmarinifolia.</i> s.s.	glaucophylla. Len.	glaucous-leav'd.	— — H. h.		Pall. ros. 2. t. 70. f. B.
6 <i>polifolia.</i> β <i>latifolia.</i> B.C.	— — — —	— — — — H. h.				Lodd. bot. cab. 546.
7 <i>polifolia.</i> w.	marsh.	Europe.	— — H. h.			
α <i>media.</i> H.K.	wild Rosemary.	Britain.	— — H. h.			Eng. bot. 713.
β <i>oleifolia.</i>	Olive-leaved.	Europe.	— — H. h.			
γ? <i>subulata.</i> P.S.	awl-leaved.	— — — — H. h.				
8 <i>calyculata.</i> Ph.	Box-leaved.	— — — — 1748. 2. 4. H. h.				
α <i>ventricosa.</i> H.K.	globe-flowered.	Russia. — — — — H. h.				Botan. magaz. 1286.
β <i>nuna.</i> B.C.	dwarf.	— — — — H. h.				Lodd. bot. cab. 862.
γ <i>latifolia.</i> H.K.	broad-leaved.	Newfoundland. — — — — H. h.				530.
9 <i>angustifolia.</i> Ph.	narrow-leaved.	N. America.	— — H. h.			
<i>crispia.</i> Len.	— — — —	— — — — H. h.				
10 <i>fasciculata.</i> w.	bundled-fld.	Jamaica. 1822. S. h.				
11 <i>buxifolia.</i> P.S.	Box-leaved.	Mauritius. — — — — S. h.				Sm. ic. ined. 1. t. 59.
12 <i>coriacea.</i> w.	thick-leaved.	N. America. 1765. 6. 8. H. h.				Botan. magaz. 1095.
nitida. M. <i>lucida.</i> Lam.	<i>mariana.</i> Jacq. ic. 3. t. 465. ncc aliorum.	— — — —	8. H. h.			
13 <i>acuminata.</i> w.	acute-leaved.	— — — —	— — H. h.			Sm. exot. bot. 2. t. 89.
14 <i>Catesbaei.</i> w.	spiny-leaved.	— — — — 1793. 6. 7. H. h.				Botan. magaz. 1955.
<i>spinulosa.</i> Ph.	— — — —	— — — — H. h.				
15 <i>axillaris.</i> w.	axil-flowering.	— — — — 1765. 5. 8. H. h.				Duham. ar.ed.nov.t.39.
β <i>longijolia.</i>	long-leaved.	— — — — H. h.				Botan. magaz. 2357.
16 <i>floribunda.</i> Ph.	many-flowered.	Georgia. 1812. 5. 6. H. h.				— — — — 1566.
17 <i>racemosa.</i> w.	branching.	N. America. 1736. 7. H. h.				
18 <i>spicata.</i> W.D.	spiked.	— — — — 6. 7. H. h.				Wats. dend. brit. 36.
19 <i>arborea.</i> w.	Sorrel-tree.	— — — — 1752. 7. 9. H. h.				Botan. magaz. 905.
20 <i>ovalifolia.</i> D.P.	oval-leaved.	Nepaul. 1823. G. h.				Wall. as. res. 13. p. 39. ic.
LYONIA. N.	LYONIA. Decandria Monogynia. N.					
1 <i>ferruginea.</i> N.	rusty-leaved.	Georgia. 1784. 6. 7. G. h.				Venten. malm. 80.
<i>Andromeda ferruginea.</i> w.	— — — —	— — — — H. h.				
2 <i>rigida.</i> N.	rigid.	— — — — 1774. 4. 5. G. h.				Lodd. bot. cab. 430.
3 <i>salicifolia.</i> W.D.	Willow-leaved.	N. America. 6. 7. H. h.				Wats. dend. brit. 38.
4 <i>paniculata.</i> N.	panicked.	— — — — 1748. 5. 6. H. h.				— — — — t. 37.
5 <i>caprifolia.</i> W.D.	tendril-leaved.	— — — — 1812. 7. H. h.				— — — — t. 127.
6 <i>multiflora.</i> W.D.	many-flowered.	— — — — H. h.				— — — — t. 128.
7 <i>frondosa.</i> N.	bristly-flow'r'd.	— — — — 1806. 5. 6. H. h.				
MYLOCARYUM. W.en.	BUCKWHEAT-TREE.	Decandria Monogynia. W.				
ligustrinum. Ph.	Privet-leaved.	Georgia. 1786. 5. 6. G. h.				Botan. magaz. 1625.
<i>Cliftonia ligustrina.</i> s.s.	— — — —	— — — — H. h.				
CLETHRÆA. W.	CLETHRÆA. Decandria Monogynia. W.					
1 <i>alnifolia.</i> s.s.	Alder-leaved.	N. America. 1731. 8. 10. H. h.				Lam. ill. t. 369.
2 <i>tomentosa.</i> s.s.	woolly-leaved.	— — — — H. h.				Wats. dend. brit. t. 39.
3 <i>scabra.</i> s.s.	rough-leaved.	Georgia. 1806. — — H. h.				
4 <i>acuminata.</i> s.s.	acute-leaved.	Carolina. — — — — H. h.				
5 <i>paniculata.</i> s.s.	panicked.	N. America. 1770. — — H. h.				
6 <i>arborea.</i> s.s.	tree.	Madeira. 1784. — — G. h.				Botan. magaz. 1057.
β <i>variegata.</i>	variegated.	— — — — G. h.				
γ <i>minor.</i>	dwarf.	— — — — G. h.				
7 <i>ferruginea.</i> s.s.	ferruginous.	S. America. 1818. — — G. h.				
CYRILLA. L.	CYRILLA. Pentandria Monogynia. L.					
racemiflora. L.	Carolina.	Carolina. 1765. 6. 8. F. h.				Botan. magaz. 2456.
caroliniana. P.S.	<i>Itea Cyrilla.</i> w.	— — — —				
BROSSÆA. L.	BROSSÆA. Pentandria Monogynia. L.					
coccinea. L.	scarlet.	S. America. S. h.				Lam. ill. t. 111. f. 3.

BLÆRIA. W.

- 1 ericoides. s.s.
2 muscosa. s.s.
3 fasciculata. s.s.
4 paucifolia. s.s.
5 articulata. s.s.
6 scabra. s.s.
7 depressa. R.S.
8 purpurea. s.s.
9 dumosa. s.s.
10 glabella. s.s.
11 ciliaris. s.s.

SYMPIEZA. R.S.

capitellata. R.S.

Blæria bracteata. Wend.

CALLUNA. Sal.

vulgaris. W.en.

Erica vulgaris. E.B. α carnea. β alba. γ multiplex.

ERICA. W.

1 absinthoides. H.K.

2 actæa. L.en.

3 acuminata. A.H.

 β pallida.

4 acuta. A.H.

5 acutangularis. Lod.

6 adenophora. s.s.

7 aggregata. s.s.

8 Aitoniana. H.K.

9 albens. H.K.

10 albida. Lod.

11 alopecuroides. s.s.

12 ambigua. s.s.

cylindrica. A.H. non Th.

13 amoena. H.K.

plumosa. A.H.

14 ampullacea. H.K.

15 andromedæflora. H.K.

16 anthina. s.s.

17 aperta. s.s.

18 Áphanes. s.s.

19 arborea. s.s.

 β stylosa. P.S.

20 arbuscula. B.C.

21 arctata. Lod.

22 Archeriana. H.K.

23 ardens. H.K.

24 argentiflora. s.s.

25 aristata. H.K.

26 armata. s.s.

27 assurgens. L.en.

28 aurea. H.K.

29 auricularis. L.T.

30 australis. H.K.

31 axillaris. w.

32 azaleæfolia. L.T.

33 baccans. H.K.

34 Bandoniæ. Lod.

35 Banksii. H.K.

36 barbata. H.K.

37 bella. s.s.

38 Bergiana. H.K.

quadriiflora. A.H. v. 2.

39 bicolor. w.

calathiflora. L.T.

40 biflora. B.C.

41 blanda. H.K.

BLÆRIA. Tetrandria Monogynia. W.

- heath-leaved. C. B. S. 1774. 8. 10. G. h. Wendl. coll. 1. t. 25.
Moss-leaved. ——— 6. 8. G. h.
close-headed. ——— 1812. ——— G. h.
few-leaved. ——— 1795. 5. 6. G. h.
jointed. ——— 1806. ——— G. h.
rough. ——— 1816. ——— G. h.
depressed. ——— 1791. ——— G. h.
purple-flow'r'd. ——— 1806. 6. 8. G. h.
bushy. ——— 1816. ——— G. h.
smooth. ——— 1795. ——— G. h.
fringed. ——— 1812. 6. 8. G. h.

SYMPIEZA. Tetrandria Monogynia. R.S.

headed. C. B. S. 1812. 6. 8. G. h. Wendl. coll. 2. t. 37.

CALLUNA. Octandria Monogynia.

- common. Britain. ····· 6. 8. H. h. Eng. bot. 1013.
flesh-coloured. ——— ····· H. h.
white-flowered. ——— ····· H. h.
double-flowered. ——— ····· H. h.

HEATH. Octandria Monogynia. L.

- Wormwood-like. C. B. S. 1792. 3. 6. G. h.
cluster-leaved. ——— 1810. ——— G. h.
pointed-leaved. ——— 1798. 5. 6. G. h.
pale-flowered. ——— ——— G. h.
pointed-cupp'd. ——— 1799. 5. 8. G. h.
acute-angled. ——— 1823. ——— G. h.
gland-haired. ——— 1810. ——— G. h.
clustered. ——— ——— G. h.
Aiton's. ——— 1790. 6. 9. G. h.
pallid. ——— 1789. 3. 8. G. h.
white-flowered. ——— 1823. 5. 8. G. h.
fox-tail. ——— 1812. ——— G. h.
ambiguous. ——— 1798. ——— G. h.

cylindrica. A.H. non Th. feathery. ——— 1795. 3. 7. G. h. Wend. eric. 17. p. 73. ic.*plumosa*. A.H. ——— ——— ——— Botan. magaz. 303. ——— 1250.

14 ampullacea. H.K. flask. ——— 1790. 6. 8. G. h. Botan. magaz. 303.

15 andromedæflora. H.K. Andromeda-fld ——— 1803. 3. 6. G. h. ——— 1250.

16 anthina. s.s. full-flowering. ——— 1811. ——— G. h.

17 aperta. s.s. open-flowered. ——— ——— G. h.

18 Áphanes. s.s. Parsley-piert. ——— 1820. ——— G. h.

19 arborea. s.s. tree. S. Europe. 1658. 2. 6. G. h. ——— ———

long-styled. ——— ——— G. h. ——— ———

20 arbuscula. B.C. little-tree. C. B. S. 1818. 4. 8. G. h. Lodd. bot. cab. 843.

21 arctata. Lod. arched. ——— ——— G. h. ——— ———

22 Archeriana. H.K. Lady Archer's. ——— 1796. 8. 11. G. h. Andr. heath. v. 2. ic.

23 ardens. H.K. ardent. ——— 1800. 4. 6. G. h. Botan. regist. 115.

24 argentiflora. s.s. silvery-flow'r'd. ——— 1816. ——— G. h. Andr. heath. c. ic.

25 aristata. H.K. awned. ——— 1801. 3. 8. G. h. Botan. magaz. 1249.

26 armata. s.s. spiny-cupped. ——— 1816. ——— G. h. ——— ———

27 assurgens. L.en. assurgent. ——— ——— 5. 8. G. h. Andr. heath. v. 2.

28 aurea. H.K. golden. ——— 1799. 7. 9. G. h. ——— ———

29 auricularis. L.T. eared. ——— ——— 3. 7. G. h. Andr. heath. v. 3.

30 australis. H.K. Spanish. Spain. 1769. 4. 7. H. h. ——— ———

31 axillaris. w. axillary. C. B. S. 1798. 5. 7. G. h. ——— ———

32 azaleæfolia. L.T. Azalea-leaved. ——— ——— 5. 8. G. h. ——— ———

33 baccans. H.K. Arbutus-fld. ——— 1774. 4. 7. G. h. Botan. magaz. 358.

34 Bandoniæ. Lod. Lady Bandon's. ——— 1816. 5. 8. G. h. ——— ———

35 Banksii. H.K. Banks's. ——— 1787. 2. 7. G. h. Andr. heath. v. 1.

36 barbata. H.K. bearded. ——— 1799. 5. 8. G. h. ——— ——— v. 2.

37 bella. s.s. pretty. ——— ——— ——— G. h. ——— ———

38 Bergiana. H.K. Bergius's. ——— 1787. 4. 8. G. h. Lodd. bot. cab. 939.

quadriflora. A.H. v. 2. two-coloured. ——— 1790. 8. 3. G. h. ——— ———

39 bicolor. w. calathiflora. L.T. two-flowered. ——— 1820. 5. 8. G. h. Lodd. bot. cab. 683.

40 biflora. B.C. charming. ——— 1800. 4. 9. G. h. Andr. heath. v. 3.

ERICÆ.

42 Blandfordiana. H.K.	Blandford's.	C. B. S.	1803.	3. 6.	G. h.	Botan. magaz. 1793.
43 Bonplandiana. B.M.	Bonpland's.	—	1816.	—	G. h.	2126.
44 borboniaefolia. L.T.	Borbonia-ld.	—	—	—	G. h.	
45 Bowieana. B.C.	Bowie's.	—	—	3. 9.	G. h.	Lodd. bot. cab. 842.
46 brachialis. L.T.	armed.	—	1792.	—	G. h.	
47 bracteata. W.	red-bracted.	—	1800.	5. 7.	G. h.	
48 bracteolaris. P.S.	bracteate.	—	—	3. 7.	G. h.	
49 brevifolia. L.T.	short-leaved.	—	—	8. 1.	G. h.	
50 bruniaes. W.	Brunia-like.	—	1790.	4. 7.	G. h.	
51 buccinæformis. L.T.	Buccinium-fld.	—	—	—	G. h.	
52 cæsia. L.T.	grey.	—	1795.	2. 5.	G. h.	Lodd. bot. cab. 196.
53 caffra. A.H.	sweet-scented.	—	1774.	8. 10.	G. h.	Andr. heath. ic.
54 callosa. s.s.	callous-leaved.	—	1799.	6. 9.	G. h.	
canaliculata β minor. A.H.	canalliculata	—	—	—	G. h.	
55 calycina. W.	calycine.	—	1800.	5. 7.	G. h.	
56 calyculata. P.S.	rusty-flowered.	—	1791.	4. 8.	G. h.	Andr. heath. v. 1.
57 campanulata. H.K.	bell-flowered.	—	1802.	3. 5.	G. h.	
58 campylophylla. s.s.	hook-leaved.	—	—	—	G. h.	
incurva. A.H.	—	—	—	—	G. h.	
59 canaliculata. H.K.	channelled.	—	1799.	8. 2.	G. h.	Andr. heath. v. 3.
60 canescens. H.K.	canescent.	—	1790.	5. 8.	G. h.	— v. 2.
eriocephala. A.H. non Lam.	—	—	—	—	G. h.	
61 capax. L.T.	capacious.	—	1806.	—	G. h.	
62 capitata. H.K.	downy-headed.	—	1774.	3. 7.	G. h.	Andr. heath. v. 1.
63 carduifolia. L.T.	Carduus-leav'd.	—	1806.	5. 7.	G. h.	Lodd. bot. cab. 1071.
64 carinata. B.C.	keeled.	—	—	6. 9.	G. h.	Botan. magaz. 471.
65 earnea. H.K.	early dwarf.	Germany.	1763.	1. 8.	H. h.	
herbacea. B.M.	—	—	—	—	G. h.	
66 carniula. B.C.	flesh-coloured.	C. B. S.	1816.	5. 8.	G. h.	Lodd. bot. cab. 926.
67 catervæfolia. L.T.	huddled-leav'd.	—	1790.	4. 7.	G. h.	
68 Celsiana. Lod.	Cels's.	—	—	—	G. h.	
69 cephalotes. W.	purple-headed.	—	1812.	3. 7.	G. h.	
70 cerithoides. H.K.	honeywort-fld.	—	1774.	5. 9.	G. h.	Botan. magaz. 220.
α glabriuscula.	smoothish.	—	—	—	G. h.	
β hispida.	bristly.	—	—	—	G. h.	
71 cernua. H.K.	drooping-fld.	—	1791.	8. 12.	G. h.	
72 cerviciflora. L.T.	Stag's-horn-fld.	—	—	3. 7.	G. h.	
inaperta. Hort.	—	—	—	—	G. h.	
73 chlamydiflora. L.T.	cloak'd-fld.	—	1801.	5. 9.	G. h.	
74 ciliaris. W.	ciliated.	Portugal.	1759.	7. 9.	H. h.	Botan. magaz. 484.
75 ciliiflora. L.T.	fringe-flower'd.	C. B. S.	—	5. 8.	G. h.	
76 cinerascens. W.	greyish.	—	—	—	G. h.	
77 cinerea. W.	fine-leaved.	Britain.	—	6. 9.	H. h.	Eng. bot. 1015.
α atropurpurea.	dark-purple.	—	—	—	H. h.	
β rubra.	red-flowered.	—	—	—	H. h.	
γ carnea.	flesh-coloured.	—	—	—	H. h.	
δ alba.	white-flowered.	—	—	—	H. h.	
78 cistifolia. L.en.	Cistus-leaved.	C. B. S.	1799.	5. 8.	G. h.	Andr. heath. ic.
barbata β minor. A.H.	club-flowered.	—	1779.	8. 10.	G. h.	Andr. heath. v. 2.
79 clavæflora. H.K.	clubbed.	—	—	—	G. h.	
sessiliflora. A.H. non L.	Lady Clinton's.	—	1812.	—	G. h.	Andr. heath. ic.
80 clavata. s.s.	—	—	1816.	5. 8.	G. h.	
81 Clintoniæ. Lee.	close.	—	—	—	G. h.	Wendl. eric. f. 19. n. 1.
82 coarctata. s.s.	scarlet-flow'r'd.	—	1783.	1. 12.	G. h.	Andr. heath. v. 1.
83 coccinea. H.K.	changing-col'd.	—	1812.	1. 6.	G. h.	Botan. regist. 601.
84 colorans. B.R.	tufted.	—	1787.	4. 8.	G. h.	Ic. hort. kew. 18.
85 comosa. H.K.	red-flowered.	—	—	—	G. h.	Wendl. eric. 12. p.7. ic.
α rubra.	white-flowered.	—	—	—	G. h.	Andr. heath. v. 2.
β alba.	flattened.	—	—	—	G. h.	
86 complanata. s.s.	Ly Northampton's.	—	1820.	—	G. h.	Andr. heath. ic.
87 Comptoniana. s.s.	—	—	1808.	2. 5.	G. h.	Lodd. bot. cab. 134.
88 concava. B.C.	concave-fld.	—	—	—	G. h.	Andr. heath. v. 2.
89 concinna. H.K.	blush.	—	1773.	7. 10.	G. h.	
90 concolor. Lod.	self-coloured.	—	—	3. 6.	G. h.	
91 conferta. H.K.	crowded-fld.	—	1800.	10. 2.	G. h.	Andr. heath. v. 2.
92 confertifolia. s.s.	crowded-leav'd	—	—	5. 8.	G. h.	
93 congesta. s.s.	close-headed.	—	1812.	—	G. h.	Wendl. eric. f. 17. n.5.
94 conica. Lod.	conical.	—	1820.	—	G. h.	
95 conspicua. H.K.	conspicuous.	—	1774.	—	G. h.	Andr. heath. v. 2.

96	constantia. Lee.	constant-flg.	C. B. S.	G. h.	
97	cordata. H.K.	heart-leaved.	—	1799.	4. 7.	G. h.
98	corifolia. H.K.	Coris-leaved.	—	1774.	8. 12.	G. h.
	articularis. B.M. <i>calycina</i> . A.H.					Botan. magaz. 422.
99	corydalis. L.T.	winged anther'd.	—	2. 5.	G. h.
100	costata. H.K.	ribbed-flow'r'd.	—	1795.	2. 6.	G. h.
101	Coventryana. B.C.	LordCoventry's.	—	1808.	5. 6.	G. h.
102	cristæflora. L.T.	crested.	—	1803.	—	G. h.
103	crossota. s.s.	fringed-calyx'd.	—	—	G. h.
104	cruciformis. s.s.	cross-like.	—	1818.	—	G. h.
105	cruenta. H.K.	bloody-flow'r'd.	—	1774.	9. 5.	G. h.
106	cubica. H.K. β minor. B.C.	cube-flowered.	—	1790.	4. 7.	G. h.
107	cumuliflora. L.T.	lesser cube-fl'd.	—	—	—	G. h.
108	curviflora. H.K.	heap-flowered.	—	1801.	5. 9.	G. h.
109	curvirostris. L.T. declinata. Hort.	curve-flowered. declining.	—	1774.	7. 10.	G. h.
			—	1790.	—	G. h.
110	Cushiniana. Lee.	Cushin's.	—	1816.	—	G. h.
111	cuspidigera. L.T.	cuspidate.	—	2. 5.	G. h.
112	cyrillæflora. L.T.	Cyrilla-flow'r'd.	—	1800.	2. 8.	G. h.
113	daphnæflora. B.C.	Daphne-fl'd.	—	1791.	4. 5.	G. h.
114	daphnooides. B.C.	Daphne-like.	—	—	—	G. h.
115	decorolorans. w.	discoloured.	—	—	G. h.
116	decora. H.K.	graceful.	—	1790.	11. 1.	G. h.
117	deflexa. Lod.	deflexed.	—	5. 8.	G. h.
118	demissa. Lod.	low.	—	1810.	—	G. h.
119	densa. s.s.	dense.	—	—	—	G. h.
120	densifolia. w.	dense-leaved.	—	1811.	3. 8.	G. h.
121	denticulata. w.	tooth-calyxed.	—	—	—	G. h.
122	depressa. H.K. <i>rupestris</i> . A.H.	depressed.	—	1789.	6. 8.	G. h.
123	dianthifolia. L.T.	pink-leaved.	—	1796.	3. 8.	G. h.
124	diaphana. s.s. <i>transparens</i> . B.C. 177.	transparent.	—	1800.	5. 8.	G. h.
125	dichrus. s.s. <i>bicolor</i> . A.H. <i>non</i> w.	Andrew's 2-color'd.	—	1790.	8. 5.	G. h.
126	Dickensoni. Lod. α alba. β rubra.	Mr. Dickenson's.	—	1809.	—	G. h.
127	diosmæfolia. L.T.	white-flowered.	—	—	—	G. h.
128	diotaeflora. L.T.	red-flowered.	—	—	—	G. h.
129	discolor. H.K.	Diosma-leaved.	—	1792.	3. 7.	G. h.
130	doliiformis. L.T.	Diotis-flower'd.	—	1795.	3. 8.	G. h.
131	Donniana. Lee.	different-col'd.	—	1788.	10. 3.	G. h.
132	dumosa. A.H.	tun-bellied.	—	1798.	5. 9.	G. h.
133	echiiflora. H.K.	Donn's.	—	1812.	—	G. h.
134	elata. H.K.	bushy.	—	—	—	G. h.
135	elegans. H.K.	Echium-fl'd.	—	1798.	2. 7.	G. h.
136	elongata. B.C.	tall.	—	1790.	7. 9.	G. h.
137	emarginata. A.H.	elegant.	—	1799.	11. 5.	G. h.
138	embothriifolia. L.T.	elongated.	—	1820.	3. 6.	G. h.
139	empetrifolia. H.K.	hairy cupped.	—	1800.	6. 10.	G. h.
140	empetroides. H.K.	Embothrium-l'd.	—	2. 5.	G. h.
141	epistomia. Lod.	crowberry-l'd.	—	1774.	4. 7.	G. h.
142	equisetifolia. L.T. <i>articulata</i> . Hort.	close-flowered.	—	1788.	5. 8.	G. h.
		spiggot.	—	1800.	—	G. h.
		Equisetum-l'd.	—	—	—	G. h.
143	erosa. B.C.	gnawed-petal'd.	—	1816.	—	G. h.
144	erubescens. H.K.	reddish-fl'd.	—	1800.	3. 8.	G. h.
145	Ewerana. H.K. α glabra. β longiflora. γ pilosa.	Ewer's.	—	1793.	7. 11.	G. h.
146	exigua. L.T.	smooth-leaved.	—	—	—	G. h.
147	eximia. Lod.	long-flowered.	—	—	—	G. h.
148	exserta. Lod.	hairy-leaved.	—	—	—	G. h.
149	expansa. Lod.	small downy.	—	1790.	3. 9.	G. h.
150	expronta. s.s.	choice.	—	1811.	—	G. h.
151	exsudans. B.C.	exserted.	—	1820.	—	G. h.
152	exsurgens. H.K.	expanded.	—	1811.	—	G. h.
		woolly-branch'd.	—	—	—	G. h.
		sweating.	—	1810.	8. 10.	G. h.
		quiver-formed.	—	1792.	1. 12.	G. h.

153 <i>fabrilis</i> . L.T.	tiled-leaved.	C. B. S.	1791.	4. 8. G. h.	
154 <i>fallax</i> . L.T.	viscous-flow'r'd.	— — —	... 11. 3.	G. h.	
155 <i>fascicularis</i> . H.K.	cluster-flow'r'd.	— — —	1787.	2. 7. G. h.	Andr. heath. v. 1.
<i>coronata</i> . A.H. <i>radiiflora</i> . L.T.	Walker's.	— — —	1792.	2. 7. G. h.	— — — v. 1.
156 <i>fastigiata</i> . w. <i>Walkeri</i> . A.H.					
157 <i>fausta</i> . L.T.	bristly-leaved.	— — —	1795.	4. 6. G. h.	
158 <i>ferruginea</i> . H.K.	rusty.	— — —	1798.	5. 7. G. h.	Andr. heath. v. 3.
159 <i>festa</i> . L.T.	angular-stalk'd.	— — —	... 3. 5.	G. h.	
160 <i>fibula</i> . L.en.	button.	— — —	1812.	5. 6. G. h.	
161 <i>filamentosa</i> . H.K.	long-pedunc'l'd.	— — —	1800.	1. 12. G. h.	Botan. regist. 6.
162 <i>filiformis</i> . L.T.	filiform.	— — —	... 2. 5.	G. h.	
163 <i>fimbriata</i> . A.H.	fringed.	— — —	1800.	3. 7. G. h.	Andr. heath. ic.
164 <i>finimita</i> . Lod.	related.	— — —	... 3. 7.	G. h.	
165 <i>festulæflora</i> . L.T. <i>tenuiflora</i> β <i>alba</i> . A.H.	white slender-fl'd.	— — —	1800.	7. 11. G. h.	Andr. heath. v. 3.
166 <i>flaccida</i> . L.en.	flaccid.	— — —	1810.	— G. h.	
167 <i>flagellaris</i> . L.en.	whipcord.	— — —	—	— G. h.	
168 <i>flammea</i> . H.K. <i>bibax</i> . L.T.	flame-flow'r'd.	— — —	1798.	10. 5. G. h.	Andr. heath. v. 2.
169 <i>flava</i> . H.K. β <i>imbricata</i> . B.M.	3-leaved yellow. imbricated.	— — —	1795.	9. 4. G. h.	— — — v. 2.
170 <i>flexicaulis</i> . H.K. <i>glandulosa</i> . A.R. nec <i>aliorum</i> .	crook-stalked.	— — —	1800.	5. 1. G. h.	Botan. magaz. 1815. Andr. heath. v. 2.
171 <i>flexuosa</i> . H.K.	zigzag.	— — —	1792.	4. 7. G. h.	Andr. heath. v. 1.
172 <i>floribunda</i> . B.C.	many-flowered.	— — —	1800.	11. 3. G. h.	Lodd. bot. cab. 176.
173 <i>florida</i> . H.K.	florid.	— — —	1803.	5. 8. G. h.	Thunb. eric. n. 64. t. 6.
174 <i>follicularis</i> . H.K. <i>Petiveriana</i> . A.H.	yellow pencil'l'd.	— — —	1794.	2. 7. G. h.	Andr. heath. v. 1.
175 <i>formosa</i> . w. <i>a alba</i> .	handsome.	— — —	1795.	3. 8. G. h.	Thunb. eric. n. 82. t. 3.
β <i>rubra</i> .	white flowered. <i>reflexa alba</i> . Hort.				
176 <i>fragrans</i> . H.K.	red-flowered. <i>reflexa rubra</i> . Hort.				
177 <i>fucata</i> . Wend.	fragrant.	— — —	1803.	3. 7. G. h.	Botan. magaz. 2181.
178 <i>fugax</i> . L.T.	painted.	— — —	1811.	— G. h.	
179 <i>furfurosa</i> . H.K. <i>monadelpha</i> . A.H. non B.M.	fugacious.	— — —	1800.	3. 5. G. h.	
180 <i>gelida</i> . H.K. <i>gilva</i> . w. <i>alveiflora</i> . L.T.	columnar-threaded.	— — —	1789.	8. 12. G. h.	Andr. heath. v. 1.
	green verticillate.	— — —	1790.	4. 7. G. h.	— — — v. 2.
181 <i>gemmifera</i> . B.M.	jewel.	— — —	1802.	7. 10. G. h.	Botan. magaz. 2266.
182 <i>genistæfolia</i> . L.T.	Genista-leaved.	— — —	... 10. 5.	G. h.	
183 <i>glabra</i> . L.en.	glabrous.	— — —	1802.	5. 8. G. h.	
184 <i>glandulosa</i> . Th.	glandular-haired.	— — —	1801.	— G. h.	
185 <i>glaucia</i> . H.K.	glaucous-leaved.	— — —	1792.	— G. h.	Botan. magaz. 580.
186 <i>globosa</i> . w.	globular-fl'd.	— — —	1789.	7. 9. G. h.	Andr. heath. ic.
187 <i>glomerata</i> . s.s.	glomerate.	— — —	1812.	— G. h.	Andr. heath. ic.
188 <i>glomiflora</i> . L.T.	round-flower'd.	— — —	... 4. 9.	G. h.	
189 <i>glutinosa</i> . H.K. <i>drosroides</i> . A.H.	glutinous.	— — —	1787.	7. 10. G. h.	Icon. hort. kew. 17.
190 <i>gnaphalodes</i> . w.	cudweed-like.	— — —	1812.	2. 4. G. h.	Pluk.m.68. t.346. f.11.
191 <i>gracilis</i> . H.K.	gracile.	— — —	1794.	2. 6. G. h.	Wend. eric. 8. p. 9. ic.
192 <i>grandiflora</i> . H.K.	great-flowered.	— — —	1775.	5. 9. G. h.	Botan. magaz. 189.
193 <i>grandinosa</i> . B.C.	hail-flowered.	— — —	1820.	— G. h.	Lodd. bot. cab. 627.
194 <i>halicacaba</i> . H.K.	bladder-fl'd.	— — —	1780.	5. 8. G. h.	Andr. heath. v. 2.
195 <i>helianthemifolia</i> . L.T.	plain-leaved.	— — —	1796.	6. 9. G. h.	
196 <i>Hibertiana</i> . H.K.	Hibert's.	— — —	1800.	— G. h.	Andr. heath. v. 3.
197 <i>hirsuta</i> . B.C.	hairy.	— — —	1812.	5. 8. G. h.	Lodd. bot. cab. 754.
198 <i>hirta</i> . w.	hairy-leaved.	— — —	1795.	4. 7. G. h.	Thunb. eric. n. 56. t. 2.
199 <i>hirtiflora</i> . B.M.	hairy-flowered.	— — —	1790.	— G. h.	Botan. magaz. 481.
200 <i>hispida</i> . s.s.	hispid.	— — —	1791.	7. 9. G. h.	Andr. heath. ic.
201 <i>hispidula</i> . w.	bristly-stemm'd.	— — —	— 6. 8.	G. h.	
202 <i>holosericea</i> . L.T.	velvety.	— — —	... 2. 7.	G. h.	
203 <i>horizontalis</i> . H.K.	horizontal-l'd.	— — —	1800.	7. 9. G. h.	Andr. heath. v. 2.
204 <i>Humeana</i> . B.C.	Sir A. Hume's.	— — —	1808.	5. 7. G. h.	Lodd. bot. cab. 389.
205 <i>humifusa</i> . L.T.	low.	— — —	... 6. 7.	G. h.	
206 <i>hyacinthoides</i> . H.K.	Hyacinth-fl'd.	— — —	1798.	6. 8. G. h.	Andr. heath. v. 3.
207 <i>hyssopifolia</i> . L.T.	Hyssop-leaved.	— — —	1800.	5. 9. G. h.	
208 <i>ignescens</i> . H.K.	fiery.	— — —	1792.	3. 7. G. h.	Andr. heath. v. 2.
209 <i>imbecilla</i> .	feeble.	— — —	1793.	6. 7. G. h.	
<i>gracilis</i> . L.T. nec <i>aliorum</i> .					

	C. B. S.	1786.	5. 8.	G. h.		
210 imbricata. w.	imbricated.	1816.	—	G. h.	Andr. heath. ic.	
211 imperialis. s.s.	imperial.	—	—	G. h.	Wend. er. f. 18. n.4. ic.	
212 incana. s.s.	hoary.	—	—	G. h.	Andr. heath. ic.	
213 incarnata. w.	flesh-coloured.	1791.	—	G. h.		
214 incurva. w.	incurved.	—	—	G. h.		
215 inflata. w.	inflated.	1800.	5. 9.	G. h.	Lodd. bot. cab. 589.	
216 infundibuliformis.	funnel-flow'r'd.	1812.	—	G. h.	— — — — 1034.	
217 intertexta. B.C.	interwoven.	1810.	—	G. h.		
218 intervallaris. L.T.	distant-leaved.	—	5. 11.	G. h.		
219 Irbyana. A.H.	Irby's.	1800.	6. 10.	G. h.	Andr. heath. v. 3.	
220 jasminiflora. H.K.	Jasmine-fld.	1794.	—	G. h.	— — — — v. 1.	
221 jubata. s.s.	crest-flowered.	1816.	—	G. h.	Lodd. bot. cab. 799.	
222 Juliana. s.s.	Julian's.	—	—	G. h.		
223 labialis. L.T.	lipped.	—	—	G. h.		
224 lachneæfolia. H.K.	Lachnea-leav'd.	1793.	5. 7.	G. h.	Andr. heath. v. 3.	
225 lactiflora. B.C.	milk-coloured.	1816.	—	G. h.	Lodd. bot. cab. 901.	
226 laevis. A.H.	smooth.	1790.	3. 6.	G. h.	Andr. heath. v. 3.	
227 Lambertiana. H.K.	Lambert's.	1800.	5. 8.	G. h.	— — — — v. 2.	
228 lanata. w.	woolly.	1775.	2. 5.	G. h.	Wend. eric. f. 5. n. 2.	
229 lanceolata. P.S.	spear-leaved.	1791.	6. 12.	G. h.		
230 lanuginosa. H.K.	large brown-fld.	1803.	9. 1.	G. h.	Andr. heath. v. 3.	
231 lasciva. L.T.	imbricate-calyx'd.	1800.	1. 8.	G. h.		
232 lasiophylla. s.s.	downy-leaved.	1816.	5. 8.	G. h.		
233 lateralis. H.K.	side-flowered.	1791.	3. 7.	G. h.	Andr. heath. v. 1.	
234 latifolia. H.K.	broad-leaved.	1800.	5. 8.	G. h.	— — — — v. 2.	
235 lavandulæfolia. L.T.	Lavender-ld.	1795.	—	G. h.		
236 Lawsoni. B.M.	red slender-fla.	1802.	4. 7.	G. h.	Botan. magaz. 1720.	
237 laxa. H.K.	loose-flowered.	1800.	9. 2.	G. h.	Andr. heath. v. 3.	
238 Leeana. H.K.	Lee's.	1788.	8. 1.	G. h.	— — — — v. 1.	
239 leucantha. Len. leucanthera. A.H. non L.	white-blossom'd.	1803.	1. 5.	G. h.	— — — — v. 2.	
240 leucanthera. w.	white-tipped.	1803.	2. 6.	G. h.		
241 Linnaæa. H.K. Linnaoides. A.H.	Linnaeus's.	1790.	1. 5.	G. h.	Andr. heath. v. 2.	
242 longiflora. B.C.	long-flowered.	—	—	4. 8.	G. h.	Lodd. bot. cab. 983.
243 longifolia. w. pined. Wend.	long-leaved.	1787.	2. 7.	G. h.	Wend. eric. t. 3.	
244 longipedunculata.	long-stalked.	1818.	3. 8.	G. h.	Lodd. bot. cab. 103.	
245 lucida. H.K.	lucid.	1800.	4. 1.	G. h.	Andr. heath. v. 2.	
246 lutea. H.K.	yellow.	1774.	2. 5.	G. h.	— — — — v. 1.	
247 lyrigera. L.T.	lyre-bearing.	1790.	—	G. h.		
248 magnifica. s.s.	magnificent.	1816.	4. 8.	G. h.	Andr. heath. ic.	
249 mammosa. w. α purpurea. β pallida.	nipple. purple-flowered. pale-flowered.	1762.	7. 10.	G. h.	— — — — v. 1.	
250 margaritacea. H.K.	pearl-flowered.	1775.	5. 9.	G. h.	Lodd. bot. cab. 125.	
251 marifolia. H.K.	Marum-leaved.	1773.	5. 7.	G. h.	— — — — 951.	
252 Massoni. H.K.	Masson's.	1787.	7. 10.	G. h.	Andr. heath. v. 1.	
253 mediterranea. w.	Mediterranean.	Portugal.	1648.	3. 5.	H. h.	Botan. magaz. 336.
254 melanthera. w.	dark-anthered.	C. B. S.	1803.	6. 8.	G. h.	— — — — 471.
255 melastoma. A.H.	black-anthered.	—	1795.	4. 7.	G. h.	Lodd. bot. cab. 867.
256 mellifera. s.s.	honey-bearing.	1816.	—	G. h.	— — — — 333.	
257 metulæflora. H.K.	nine-pin.	1798.	6. 8.	G. h.	Botan. magaz. 612.	
258 microphylla. Lod.	small-leaved.	—	—	G. h.		
259 microstoma. s.s.	aggregate-fld.	1816.	—	G. h.		
260 mirabilis. Lod.	wonderful.	—	—	3. 8.	G. h.	
261 modesta. L.T.	modest.	—	—	—	G. h.	
262 mollearis. P.S.	soft-leaved.	1803.	4. 10.	G. h.		
263 mollis. s.s.	soft.	1816.	—	G. h.		
264 mollissima. Lod.	softest.	—	—	—	G. h.	
265 monadelpha. B.M. Banksia β purpurea.	monadelphous. A.H.	1789.	5. 7.	G. h.	Botan. magaz. 1370.	
266 Monsoniæ. H.K.	LadyMonson's.	1787.	4. 9.	G. h.	— — — — 1915.	
267 montana. Lod.	mountain.	1816.	—	G. h.		
268 moschata. A.H.	musky.	1805.	5. 7.	G. h.	Andr. heath. ic.	
269 mucosa. H.K.	muconous.	1787.	2. 4.	G. h.	— — — — v. 1.	
270 mucronata. s.s.	mucronate.	1812.	4. 8.	G. h.	Andr. heath. ic.	
271 multiflora. H.K.	many-flow'r'd.	France.	1731.	6. 11.	G. h.	— — — — v. 2.
272 munda. L.T.	neat-flowered.	C. B. S.	—	5. 7.	G. h.	

ERICÆ.

	C. B. S.	1816.	3. 8.	G. h.	Lodd. bot. cab. 114.
273 mundula. B.C.	neat.	1790.	—	G. h.	Andr. heath. v. 1.
274 Muscari. H.K.	musk.	1798.	2. 10.	G. h.	— v. 3.
275 mutabilis. H.K.	mutable.	1792.	5. 8.	G. h.	
276 nana. L.T. depressa. A.H.	dwarf.				
277 nidiflora. L.T.	nest-flowered.	—	10. 5.	G. h.	Lodd. bot. cab. 764.
278 nidularia. B.C.	nest-like.	1816.	5. 8.	G. h.	
279 nigricans. s.s.	black-stamen'd.	—	—	G. h.	Andr. heath. v. 1.
280 nigrita. H.K.	black-tipped.	—	1790.	3. 7.	G. h.
281 nitida. H.K.	shining.	—	1800.	7. 10.	G. h.
282 nivea. s.s.	snowy.	—	1816.	5. 9.	G. h.
283 Niveni. H.K.	Niven's.	—	1799.	2. 7.	G. h.
284 nodiflora. L.T.	knot-flowered.	—	—	3. 8.	G. h.
285 nolæflora. L.T.	bell-shaped.	—	—	2. 5.	G. h.
286 notabilis. s.s.	notable.	—	1816.	3. 8.	G. h.
287 nudiflora. w.	small-bracted.	—	1783.	7. 8.	G. h.
288 obbata. H.K.	bottle.	—	1796.	4. 7.	G. h.
289 obcordata. s.s.	obcordate.	—	1812.	—	G. h.
290 obliqua. H.K.	oblique-leaved.	—	1789.	8. 10.	G. h.
291 obtusa. B.C.	obtuse.	—	1816.	5. 8.	G. h.
292 octogona. Lod.	eight-angled.	—	—	—	G. h.
293 odorata. H.K.	perfumed.	—	1804.	4. 7.	G. h.
294 ollula. s.s.	close-smooth-l'd.	—	1812.	—	G. h.
295 onosmæflora. L.T. glutinosa. A.H. <i>viscosa</i> . Wend.	Onosma-l'd.	—	1789.	9. 5.	G. h.
296 oppositifolia. A.H.	opposite-leav'd.	—	1804.	3. 5.	G. h.
α <i>alba</i> .	white-flowered.	—	—	—	Andr. heath. c. ic.
β <i>rubra</i> . B.C.	red-flowered.	—	—	—	Lodd. bot. cab. 1060.
297 ovata. B.C.	ovate.	—	1791.	2. 5.	G. h.
298 oxyccifolia. L.T.	Cranberry-l'd.	—	—	—	— 417.
299 pallens. s.s.	pale.	—	1812.	3. 8.	G. h.
300 pallida. s.s.	pallid.	—	—	—	Andr. heath. ic.
301 palliiflora. L.T.	pale-flowered.	—	—	2. 8.	G. h.
302 palustris. H.K.	marsh.	—	1799.	5. 10.	G. h.
303 paniculata. w.	panicled.	—	1774.	2. 8.	G. h.
304 pannosa. L.T.	cloth-flowered.	—	—	2. 6.	G. h.
305 parilis. L.T.	matched.	—	1789.	5. 8.	G. h.
306 Parmentieri. B.C. <i>rosea</i> . Lod.	Parmentier's. rose-coloured.	—	1816.	—	G. h.
307 parviflora. L.T.	small-l'd. downy.	—	—	—	Lodd. bot. cab. 197.
308 Passerina. w.	sparrow-wort.	—	1790.	3. 9.	G. h.
309 patens. A.H.	spreading.	—	1800.	11. 5.	G. h.
310 Patersoni. H.K.	Paterson's.	—	—	3. 6.	G. h.
311 pavettæflora. L.T.	Pavetta-l'd.	—	1791.	3. 8.	G. h.
312 pectinifolia. L.T.	pectinated.	—	—	5. 8.	G. h.
313 pedunculata. s.s.	peduncled.	—	1800.	11. 6.	G. h.
314 pellucida. A.H.	pellucid.	—	1810.	5. 9.	G. h.
315 pendula. w.	pendulous.	—	1800.	10. 6.	G. h.
316 penicillata. A.H.	pencilled.	—	1791.	7. 8.	G. h.
317 penicilliflora. L.T.	white-pencil'd.	—	1774.	4. 7.	G. h.
318 periplocæfloria. L.T.	Periploca-l'd.	—	1792.	5. 8.	G. h.
319 persoluta. H.K.	garland.	—	—	8. 12.	G. h.
320 perspicua. H.K. β <i>Linnaea</i> . A.H. v. 2.	clear-flower'd.	—	1774.	2. 5.	G. h.
321 petiolata. H.K.	rosemary-l'd.	—	1790.	3. 6.	G. h.
322 Petiveriana. H.K.	Petiver's.	—	1774.	3. 7.	G. h.
323 Peziza. B.C.	button-flower'd.	—	—	—	Andr. heath. v. 3.
324 phylloides. w.	Phylica-like.	—	—	5. 8.	G. h.
325 physodes. H.K.	sticky.	—	1800.	4. 7.	G. h.
326 picta. Lod.	painted.	—	1788.	3. 7.	G. h.
327 pilosa. s.s.	pilose.	—	1800.	—	G. h.
328 pilulifera. w.	ball-bearing.	—	—	—	Lodd. bot. cab. 606.
329 pinea. s.s.	Pine-tree-l'd.	—	1789.	4. 5.	G. h.
330 pityophylla. s.s. <i>pinifolia</i> . A.H.	Pine-leaved.	—	1790.	8. 12.	G. h.
		—	—	6. 12.	G. h.
331 Plukenetiana. H.K.	Plukenet's.	—	1774.	4. 7.	G. h.
β <i>pallida</i> .	pale-flowered.	—	—	—	Andr. heath. v. 1.
332 præcox. Lod.	early dwarf.	—	1805.	2. 5.	G. h.

333	<i>prægnans</i> . A.H. β <i>coccinea</i> .	swelled.	C. B. S.	1796.	5. 7.	G. h.	Andr. heath. v. 3.
334	<i>præstans</i> . s.s.	scarlet-flowered.	—	—	—	G. h.	Andr. heath. ic.
335	<i>primuloides</i> . A.H.	excelling.	—	—	—	G. h.	Botan. magaz. 1548.
336	<i>princeps</i> . H.K.	Cowslip-fld.	—	1802.	4. 7.	G. h.	Andr. heath. v. 2.
337	<i>procera</i> . s.s.	fine red.	—	1800.	—	G. h.	
338	<i>procumbens</i> . s.s.	lofty.	—	1791.	—	G. h.	
339	<i>propendens</i> . H.K.	procumbent.	—	1816.	—	G. h.	
340	<i>protrudens</i> . L.en.	pendent.	—	1800.	7. 8.	G. h.	Botan. magaz. 2140.
341	<i>pubescens</i> . H.K.	protruding.	—	1816.	5. 8.	G. h.	
342	<i>pubigera</i> . L.T.	pale downy.	—	1790.	2. 12.	G. h.	
343	<i>pudibunda</i> . L.T. <i>nutans</i> . Wend.	pubescent-fld.	—	1792.	1. 5.	G. h.	
344	<i>pulchella</i> . w.	nodding.	—	1812.	3. 8.	G. h.	
345	<i>pulverulenta</i> . Lod.	neat.	—	—	—	G. h.	
346	<i>pulviniformis</i> . L.T.	powdered.	—	—	—	G. h.	
347	<i>pumila</i> . s.s.	cushion.	—	—	2. 5.	G. h.	
348	<i>pura</i> . B.C.	short.	—	1812.	3. 8.	G. h.	Andr. heath. ic.
349	<i>purpurea</i> . H.K.	clear.	—	—	5. 8.	G. h.	Lodd. bot. cab. 72.
350	<i>pusilla</i> . L.T.	purple-flow'r'd.	—	1789.	1. 12.	G. h.	Andr. heath. v. 2.
351	<i>pygmæa</i> . s.s.	low.	—	—	6. 7.	G. h.	
352	<i>pyramidalis</i> . H.K.	pigmy.	—	1812.	5. 8.	G. h.	Andr. heath. ic.
353	<i>pyramidiformis</i> . s.s.	pyramidal.	—	1787.	2. 5.	G. h.	Botan. magaz. 366.
354	<i>quadraëflora</i> . L.T.	pyramid-form'd.	—	1818.	—	G. h.	
355	<i>radiata</i> . H.K.	four-flowered.	—	—	3. 8.	G. h.	
356	<i>racemosa</i> . w.	rayed.	—	1798.	8. 11.	G. h.	Andr. heath. v. 1.
357	<i>racemifera</i> . H.K.	racemed.	—	1795.	4. 5.	G. h.	
358	<i>ramentacea</i> . H.K.	compact-flow'r'd.	—	1803.	4. 6.	G. h.	Andr. heath. v. 2.
359	<i>ramulosa</i> . viv.	slender-branch'd.	—	1786.	7. 12.	G. h.	
360	<i>recurvata</i> . B.C.	Italian.	Italy.	1826.	5. 8.	H. h.	
361	<i>reflexa</i> . s.s.	recurved.	C. B. S.	—	—	G. h.	Lodd. bot. cab. 1093.
362	<i>refulgens</i> . A.H.	reflexed.	—	—	—	G. h.	
363	<i>regerminans</i> . w.	refulgent.	—	1816.	5. 9.	G. h.	Andr. heath. ic.
364	<i>resinosa</i> . H.K. <i>vernæ</i> . A.H. v. 3.	clustered-fld.	—	1791.	5. 8.	G. h.	
365	<i>retorta</i> . H.K.	varnished.	—	1803.	—	G. h.	Botan. magaz. 1139.
366	<i>retroflexa</i> . H.K. <i>pulchella</i> . A.H. non Th.	recurved-ld.	—	1787.	—	G. h.	Botan. magaz. 362.
367	<i>rigidifolia</i> . s.s.	jointed.	—	—	7. 9.	G. h.	Andr. heath. ic.
368	<i>rosea</i> . H.K.	rigid-leaved.	—	1816.	6. 8.	G. h.	
369	<i>rubella</i> . B.M.	rose-coloured.	—	1798.	6. 10.	G. h.	Andr. heath. v. 2.
370	<i>rubens</i> . H.K.	reddish.	—	1812.	5. 8.	G. h.	Botan. magaz. 2165.
371	<i>rugosa</i> . s.s.	red-flowered.	—	1798.	6. 9.	G. h.	
372	<i>Russeliana</i> . B.C.	wrinkled.	—	1812.	—	G. h.	Andr. heath. ic.
373	<i>sacciflora</i> . L.T.	Duke of Bedford's.	—	—	—	G. h.	Lodd. bot. cab. 1013.
374	<i>Sainsburyana</i> . s.s.	sack-flowered.	—	—	3. 7.	G. h.	
375	<i>salax</i> . L.T.	Sainsbury's.	—	1804.	7. 9.	G. h.	Andr. heath. ic.
376	<i>Salisburyana</i> . s.s.	broad-stigma'd.	—	1796.	5. 9.	G. h.	
377	<i>sanguinea</i> . B.C.	Salisbury's.	—	—	—	G. h.	Andr. heath. ic.
378	<i>sanguinolenta</i> . B.M.	bloody.	—	—	3. 8.	G. h.	Lodd. bot. cab. 36.
379	<i>Savileana</i> .	dark-flowered.	—	1812.	—	G. h.	Botan. magaz. 2263.
380	<i>scabriuscula</i> . B.C.	Savile's.	—	1800.	6. 7.	G. h.	Lodd. bot. cab. 96.
381	<i>scariosa</i> . B.C.	roughish.	—	1800.	—	G. h.	
382	<i>sceptrifloris</i> . L.T.	scariose.	—	1790.	5. 9.	G. h.	517.
383	<i>Schollii</i> . B.C.	sceptre-like.	—	—	—	G. h.	477.
384	<i>scoparia</i> . w.	Scholl's.	—	—	—	G. h.	
385	<i>Sebana</i> . H.K. α <i>fusca</i> . Lod.	small green-fld.	—	1770.	4. 5.	F. h.	Lodd. bot. cab. 538.
	β <i>lutea</i> . Lod.	Seba's.	—	1774.	3. 6.	G. h.	Linn. eric. n. 14. f. fl.
	γ <i>minor</i> . Lod.	brown-flowered.	—	—	—	G. h.	Andr. heath. v. 1.
386	<i>selaginifolia</i> . L.T.	yellow-flowered.	—	—	—	G. h.	Lodd. bot. cab. 266.
387	<i>serpyllifolia</i> . B.C.	smaller.	—	—	—	G. h.	
388	<i>serratifolia</i> . H.K.	Selago-leaved.	—	1801.	2. 6.	G. h.	
389	<i>serrulata</i> . Lod.	Serpillum-ld.	—	1812.	5. 8.	G. h.	Lodd. bot. cab. 744.
390	<i>setacea</i> . A.H.	saw-leaved.	—	1790.	8. 12.	G. h.	Andr. heath. v. 1.
391	<i>sexfaria</i> . H.K.	sawed.	—	1814.	6. 8.	G. h.	
392	<i>Shannonie</i> . A.H.	bristly-leaved.	—	1796.	2. 8.	G. h.	Andr. heath. v. 1.
393	<i>sicæfolia</i> . L.T.	six-angled.	—	1774.	5. 8.	G. h.	
394	<i>simpliciflora</i> . H.K.	LadyShannon's.	—	1800.	6. 7.	G. h.	v. 2.
		dagger-leaved.	—	1791.	2. 7.	G. h.	Lodd. bot. cab. 168.
		single-flowered.	—	1774.	3. 7.	G. h.	Wend. eric. 17. p. 69. ic.

395 <i>Smithiana</i> . Lod.	Smith's.	C. B. S.	1810.	—	G. h.	
396 <i>socciflora</i> . L.T.	green-pencil'd.	—	1799.	4. 5.	G. h.	Andr. heath. v. 1.
<i>Sebana viridis</i> . A.H.						
397 <i>Solandri</i> . H.K.	Solander's.	—	1800.	3. 9.	G. h.	Andr. heath. v. 2.
398 <i>sordida</i> . H.K.	sordid.	—	1790.	8. 5.	G. h.	— v. 1.
<i>laniflora</i> . Wend.						
399 <i>Sparrmanni</i> . H.K.	Sparrman's.	—	1794.	9. 3.	G. h.	Andr. heath. v. 3.
<i>aspera</i> . A.H. <i>hystriciflora</i> . L.T.						
400 <i>sparsa</i> . Lod.	scattered.	—	1816.	3. 8.	G. h.	
401 <i>speciosa</i> . H.K.	specious.	—	1800.	6. 9.	G. h.	Andr. heath. v. 2.
402 <i>spicata</i> . H.K.	spiked.	—	1789.	1. 12.	G. h.	— v. 1.
403 <i>spiralis</i> . Lod.	spiral.	—	1816.	5. 8.	G. h.	
404 <i>splendens</i> . W.	splendid.	—	1792.	4. 9.	G. h.	
405 <i>spumosa</i> . H.K.	spumous.	—	1786.	5. 8.	G. h.	Wend. eric. 8. p.5. ic.
406 <i>spuria</i> . H.K.	spurious.	—	1796.	4. 8.	G. h.	Lodd. bot. cab. 566.
407 <i>squamæflora</i> . L.T.	scaly-flowered.	—	—	5. 11.	G. h.	Andr. heath. v. 1.
408 <i>squamosa</i> . H.K.	scaly-cupped.	—	1794.	4. 6.	G. h.	Andr. heath. v. 3.
409 <i>squarrosa</i> . L.T.	squarrose.	—	—	3. 8.	G. h.	
410 <i>stagnalis</i> . L.T.	stagnant.	—	1790.	3. 6.	G. h.	
411 <i>staminea</i> . A.H.	reflex-stamen'd.	—	1799.	6. 9.	G. h.	Andr. heath. v. 3.
412 <i>stellata</i> . B.C.	starry.	—	1806.	—	G. h.	Lodd. bot. cab. 893.
413 <i>stellifera</i> . s.s.	star-bearing.	—	—	4. 8.	G. h.	Andr. heath. ic.
414 <i>stricta</i> . H.K.	straight-branch'd.	—	1765.	8. 11.	G. h.	— v. 2.
415 <i>strigosa</i> . H.K.	dwarf downy.	C. B. S.	1775.	3. 8.	G. h.	
416 <i>struthiolæflora</i> . Lod.	Struthiola-fl'd.	—	1812.	5. 8.	G. h.	
417 <i>stylaris</i> . s.s.	prominent-styl'd.	—	—	—	G. h.	
418 <i>stylosa</i> . L.T.	long-styled.	—	1789.	1. 8.	G. h.	
419 <i>suaveolens</i> . B.C.	sweet.	—	—	5. 11.	G. h.	Lodd. bot. cab. 24.
420 <i>subulata</i> . s.s.	awl-leaved.	—	1818.	6. 8.	G. h.	
421 <i>sulphurea</i> . B.M.	sulphur-color'd.	—	1812.	3. 5.	G. h.	Botan. magaz. 1984.
422 <i>Swainsoniana</i> . s.s.	Swainson's.	—	—	6. 7.	G. h.	Andr. heath. ic.
423 <i>tardiflora</i> . L.T.	pubescent.	—	1790.	3. 8.	G. h.	Botan. magaz. 480.
<i>pubescens</i> . B.M. non L.						
424 <i>taxifolia</i> . H.K.	yew-leaved.	—	1788.	7. 11.	G. h.	Andr. heath. v. 1.
425 <i>tegulæfolia</i> . L.T.	tiled.	—	—	1. 5.	G. h.	Andr. heath. v. 2.
426 <i>tenella</i> . H.K.	delicate.	—	1791.	8. 5.	G. h.	— v. 3.
427 <i>tenuiflora</i> . A.H.	slender yellow-fl'd.	—	1800.	4. 6.	G. h.	Seb. mus. 1. t. 73. f. 6.
428 <i>teuifolia</i> . H.K.	slender-leaved.	—	1794.	4. 8.	G. h.	
429 <i>tenuis</i> . L.T.	slender.	—	1790.	8. 2.	G. h.	
430 <i>tenuissima</i> . s.s.	very-slender.	—	1803.	2. 8.	G. h.	Wend. eric. 6. p.9. ic.
431 <i>tetragona</i> . H.K.	square-flower'd.	—	1789.	7. 9.	G. h.	Andr. heath. v. 3.
432 <i>Tetralix</i> . H.K.	cross-leaved.	Britain.	—	6. 8.	H. h.	Eng. bot. 1014.
<i>α rubra</i> .	red-flowered.	—	—	—	H. h.	
<i>β carnea</i> .	flesh-coloured.	—	—	—	H. h.	
<i>γ alba</i> .	white-flowered.	—	—	—	H. h.	
433 <i>teucriifolia</i> . s.s.	Teucrium-fl'd.	C. B. S.	1812.	5. 9.	G. h.	
434 <i>thalictriflora</i> . s.s.	meadow-rue-fl'd.	—	1810.	—	G. h.	
435 <i>Thunbergii</i> . H.K.	Thunberg's.	—	1794.	5. 8.	G. h.	Botan. magaz. 1214.
436 <i>thymifolia</i> . H.K.	Thyme-leaved.	—	1789.	—	G. h.	Andr. heath. v. 2.
437 <i>tiareflora</i> . H.K.	turban-flow'r'd.	—	1800.	—	G. h.	— v. 3.
438 <i>togata</i> . B.M.	large-cupped.	—	1812.	6. 8.	G. h.	Botan. magaz. 1626.
439 <i>tomentosa</i> . L.T.	woolly-flow'r'd.	—	—	2. 8.	G. h.	
440 <i>tortuosa</i> . Lod.	twisted.	—	1816.	3. 6.	G. h.	
441 <i>tragulifera</i> . L.T.	broad-anther'd.	—	—	5. 8.	G. h.	
442 <i>translucens</i> . Lee.	translucent.	—	1797.	—	G. h.	
443 <i>transparens</i> . Th.	transparent.	—	1800.	—	G. h.	
444 <i>triceps</i> . B.C.	three-headed.	—	1809.	—	G. h.	
445 <i>tricolor</i> . H.S.L.	three-coloured.	—	1803.	6. 9.	G. h.	
<i>aristata minor</i> . A.H.	<i>non tricolor</i> . s.s.					
446 <i>triflora</i> . H.K.	three-flowered.	—	1774.	3. 6.	G. h.	Wend. eric. 12. p. 13.
447 <i>triphylla</i> . L.en.	three-leaved.	—	1812.	—	G. h.	
448 <i>triumphans</i> . B.C.	triumphant.	—	—	5. 10.	G. h.	Lodd. bot. cab. 257.
449 <i>trossula</i> . B.C.	dapper.	—	—	—	G. h.	— 668.
450 <i>tuberularis</i> . L.T.	tubercled.	—	1790.	2. 8.	G. h.	Andr. heath. v. 1.
451 <i>tubiflora</i> . H.K.	tube-flowered.	—	1775.	4. 7.	G. h.	Botan. regist. 65.
452 <i>tumida</i> . B.R.	tumid.	—	1812.	5. 9.	G. h.	
453 <i>turbiniflora</i> . L.T.	top-flowered.	—	1793.	10. 2.	G. h.	
454 <i>turgida</i> . L.en.	turgid.	—	1800.	3. 6.	G. h.	
455 <i>turrigeria</i> . L.T.	Cypress.	—	1796.	6. 9.	G. h.	
<i>cupressina</i> . Hort.						

456	<i>umbellata</i> . H.K.	umbelled.	Portugal.	1782.	5. 7.	G. $\frac{1}{2}$.	Andr. heath. v. 2.
457	<i>unica</i> . s.s.	one-flowered.	C. B. S.	1812.	—	G. $\frac{1}{2}$.	
	<i>pedunculata</i> . A.H.	<i>nec aliorum</i> .					
458	<i>urceolaris</i> . H.K.	pitcher-flow'r'd.		1778.	—	G. $\frac{1}{2}$.	Icon. hort. kew. 16.
459	<i>ursina</i> . Lee.	shaggy.		1812.	4. 8.	G. $\frac{1}{2}$.	
460	<i>vagans</i> . H.K.	Cornish.	Cornwall.	—	7. 8.	H. $\frac{1}{2}$.	Eng. bot. 3.
	β <i>alba</i> .	white-flowering.				H. $\frac{1}{2}$.	
461	<i>velitaris</i> . L.T.	javelin-flow'r'd.	C. B. S.	1790.	1. 6.	G. $\frac{1}{2}$.	
462	<i>velleriflora</i> . H.K.	woolly-flow'r'd.		1774.	2. 6.	G. $\frac{1}{2}$.	Andr. heath. v. 1.
	<i>brunniades</i> . A.H.						
463	<i>ventricosa</i> . H.K.	porcelain.		1787.	4. 9.	G. $\frac{1}{2}$.	Botan. magaz. 350.
464	<i>verecunda</i> . L.T.	blushing.		—	—	G. $\frac{1}{2}$.	Andr. heath. ic.
	α <i>cernua</i> . A.H.						
465	<i>verniciiflora</i> . L.T.	viscous-leaved.		1804.	3. 9.	G. $\frac{1}{2}$.	
466	<i>versicolor</i> . H.K.	various-color'd.		1790.	11. 5.	G. $\frac{1}{2}$.	Andr. heath. v. 1.
467	<i>verticillata</i> . A.H.	verticillate.		1774.	7. 10.	G. $\frac{1}{2}$.	— v. 1.
468	<i>vesicularis</i> . L.T.	bladdered.		1796.	2. 8.	G. $\frac{1}{2}$.	
469	<i>vestitiflora</i> . L.T.	clothed.		—	3. 6.	G. $\frac{1}{2}$.	
470	<i>vestita</i> . H.K.	tremulous.		1789.	1. 12.	G. $\frac{1}{2}$.	
	α <i>alba</i> . H.K.	white.		—	—	G. $\frac{1}{2}$.	Andr. heath. v. 1.
	β <i>incarnata</i> . H.K.	flesh-coloured.		1789.	1. 12.	G. $\frac{1}{2}$.	— v. 2.
	γ <i>purpurea</i> . H.K.	purple-flowered.		—	—	G. $\frac{1}{2}$.	— v. 1.
	δ <i>rosea</i> . H.K.	rose-coloured.		—	—	G. $\frac{1}{2}$.	— v. 2.
	ε <i>fulgida</i> . H.K.	bright red.		—	—	G. $\frac{1}{2}$.	— v. 2.
	ζ <i>coccinea</i> . H.K.	scarlet.		—	—	G. $\frac{1}{2}$.	— v. 1.
	η <i>lutea</i> . H.K.	yellow.		—	—	G. $\frac{1}{2}$.	— v. 3.
471	<i>villosa</i> . H.K.	villous.		1800.	2. 6.	G. $\frac{1}{2}$.	— v. 3.
472	<i>viridescens</i> . B.C.	greenish.		—	1. 6.	G. $\frac{1}{2}$.	Lodd. bot. cab. 233.
473	<i>viridipurplea</i> . w.	green & purple.	Portugal.	—	5. 8.	F. $\frac{1}{2}$.	Linn. eric. n. 9. f. fl.
474	<i>viridis</i> . H.K.	green-flowered.	C. B. S.	1800.	—	G. $\frac{1}{2}$.	Andr. heath. v. 2.
475	<i>viscaria</i> . H.K.	clammy-flow'r'd.		1774.	3. 7.	G. $\frac{1}{2}$.	Icon. hort. kew. 1.
476	<i>xeranthemifolia</i> . L.T.	Xeranthemum-ld.		1812.	5. 8.	G. $\frac{1}{2}$.	
MENZIESIA. Sm.		MENZIESIA. Octandria Monogynia.					
1	<i>ferruginea</i> . s.s.	ferruginous.	N. America.	1811.	5. 6.	H. $\frac{1}{2}$.	Sm. ic. ined. 1. t. 56.
2	<i>globularis</i> . s.s.	globular-fld.		1806.	—	H. $\frac{1}{2}$.	Sal. par. lond. 44.
	<i>ferruginea</i> β . B.M. 1571.						
3	<i>polifolia</i> . s.s.	Irish.	Ireland.	—	6. 9.	H. $\frac{1}{2}$.	Eng. bot. 35.
	<i>Erica Duboccia</i> . E.B.						
	β <i>nana</i> .	dwarf.		—	—	H. $\frac{1}{2}$.	
4	<i>cærulea</i> . s.s.	yew-leaved.	Scotland.	—	6. 7.	H. $\frac{1}{2}$.	Eng. bot. 2169.
PYROLA. S.S.		WINTER-GREEN. Decandria Monogynia. L.					
1	<i>uniflora</i> . s.s.	single-flower'd. Britain.		—	6. 7.	H. $\frac{1}{2}$.	Eng. bot. 146.
2	<i>secunda</i> . s.s.	serrated.		—	—	H. $\frac{1}{2}$.	— 517.
3	<i>minor</i> . s.s.	lesser.		—	—	H. $\frac{1}{2}$.	— 158.
	β <i>rosea</i> . E.B.	rose-coloured.	England.	—	7. 8.	H. $\frac{1}{2}$.	— 2543.
4	<i>media</i> . s.s.	intermediate.		—	6. 7.	H. $\frac{1}{2}$.	— 945.
5	<i>rotundifolia</i> . s.s.	round-leaved.	Britain.	—	—	H. $\frac{1}{2}$.	— 213.
6	<i>asarifolia</i> . s.s.	Asarum-leaved.	N. America.	1822.	—	H. $\frac{1}{2}$.	
7	<i>chlorantha</i> . s.s.	cream-colour'd.		—	—	H. $\frac{1}{2}$.	
CHIMAPHILA. Ph.		CHIMAPHILA. Decandria Monogynia.					
1	<i>umbellata</i> . s.s.	umbellated.	N. America.	1752.	6. 8.	H. $\frac{1}{2}$.	Botan. magaz. 778.
	<i>corymbosa</i> . Ph.	<i>Pyrola umbellata</i> . L.					
2	<i>maculata</i> . s.s.	spotted-leaved.		—	—	H. $\frac{1}{2}$.	Botan. magaz. 897.
DIAPENSIA. W.		DIAPENSIA. Pentandria Monogynia. L.					
	<i>lapponica</i> . w.	obtuse-leaved.	Lapland.	1801.	2. 3.	H. $\frac{1}{2}$.	Botan. magaz. 1108.
PYXIDANTHERA. M.		PYXIDANTHERA. Pentandria Monogynia.					
	<i>barbulata</i> . M.	barbed.	Carolina.	1806.	7.	G. $\frac{1}{2}$.	Mich. amer. t. 17.
GALAX. W.		GALAX. Pentandria Monogynia. W.					
	<i>aphylla</i> . w.	heart-leaved.	N. America.	1786.	6. 7.	H. $\frac{1}{2}$.	Botan. magaz. 754.
	<i>cordifolia</i> . H.K.	<i>Blandfordia cordata</i> . A.R.					

Sect. II. MONOTROPEÆ. *Don prodr. p. 151.*

HYPOPITHYS. N. YELLOW BIRDS-NEST. Decandria Monogynia. L.

europaea. n. common. Britain. 6. 7. H. $\frac{1}{2}$. Eng. bot. 69.*Monotropa Hypopitys*. E.B.

MONOTROPA. N.
uniflora. n.

MONOTROPA.
one-flowered.

Decandria Monogynia. L.
N.America. 1822. 6. 8. H. 4. Hook. ex. flor. 85.

Sect. III. RHODORACEÆ. *Don prodr.* p. 152.

KALMIA. W.

- 1 latifolia. w.
- 2 angustifolia. w.
- β variegata.
- γ minima.
- δ nana.
- ϵ pumila.
- ζ rosea.
- η rubra. B.C.
- ϑ ovata. Ph.
- 3 glauca. w.
- 4 rosmarinifolia. Ph.
- 5 hirsuta. w.

PIGÆA. W.

- repens. w.

RHODORA. W.

- canadensis. w.

RHODODENDRON. W.

- 1 maximum. w.
- 2 album. Ph.
- 3 purpureum. Ph.
- 4 ponticum. w.
- β roseum.
- γ album.
- δ variegatum.
- ϵ marginatum.
- ζ multiplex.
- 5 punctatum. w.
- α minus. W.D.
- β major. B.R.
- 6 obtusum. W.D.
- 7 azaleoides. s.s.

- ponticum β subdeciduum. A.R.

- 8 hybridum. B.R.

- 9 arboreum. Sm.

- β roseum.

- γ niveum.

- 10 campanulatum. D.P.

- 11 anthopogon. D.P.

- 12 setosum. D.P.

- 13 dauricum. w.

- β altaicum. F.

- γ atrovirens. B.R.

- 14 myrtifolium. B.C.

- 15 ferrugineum. w.

- 16 hirsutum. w.

- 17 chrysanthum. w.

- α officinale. P.L.

- 18 caucasicum. w.

- 19 catawbiense. M.

- 20 Catesbeii. Lod.

- 21 camtschaticum. w.

- 22 chamæcistus. w.

AZALEA. W.

- 1 indica. w.

- α punicea.

- β alba.

- γ purpurea.

- δ lutea.

- 2 sinensis. B.C.

KALMIA. Decandria Monogynia. L.

- broad-leaved. N.America. 1734. 5. 7. H. $\frac{1}{2}$.
- narrow-leaved. ——— 1736. ——— H. $\frac{1}{2}$.
- variegated. ——— H. $\frac{1}{2}$.
- γ least. ——— H. $\frac{1}{2}$.
- δ dwarf. ——— H. $\frac{1}{2}$.
- ϵ small. ——— H. $\frac{1}{2}$.
- ζ rosea. ——— H. $\frac{1}{2}$.
- η red-flowered. ——— H. $\frac{1}{2}$.
- ϑ oval-leaved. New Jersey. H. $\frac{1}{2}$.
- ζ glaucous. N.America. 1767. 4. 5. H. $\frac{1}{2}$.

- hairy. ——— 1786. 8. 9. H. $\frac{1}{2}$.

PIGÆA. Decandria Monogynia. L.

- creeping. N.America. 1736. 7. 8. H. $\frac{1}{2}$.

RHODORA. Decandria Monogynia. L.

- Canadian. N.America. 1767. 4. 5. H. $\frac{1}{2}$.

RHODODENDRON. RHODODENDRON. Decandria Monogynia. L.

- large. N.America. 1736. 6. 8. H. $\frac{1}{2}$.

- white-flower'd. ——— 1811. ——— H. $\frac{1}{2}$.

- purple-flow'r'd. ——— H. $\frac{1}{2}$.

- common. Gibraltar. 1763. 5. 6. H. $\frac{1}{2}$.

- rose-coloured. ——— H. $\frac{1}{2}$.

- white. ——— H. $\frac{1}{2}$.

- variegated. ——— H. $\frac{1}{2}$.

- silver-edged. ——— H. $\frac{1}{2}$.

- double-blossom'd. ——— H. $\frac{1}{2}$.

- dotted-leaved. N.America. 1786. 6. 8. H. $\frac{1}{2}$.

- smallest. ——— H. $\frac{1}{2}$.

- larger. ——— 1812. ——— H. $\frac{1}{2}$.

- blunt-leaved. Hybrid. 6. 8. H. $\frac{1}{2}$.

- Azalea-like. ——— H. $\frac{1}{2}$.

Herbert's hybrid. ——— H. $\frac{1}{2}$.

- tree. India. 1817. 4. 6. G. $\frac{1}{2}$.

- rose-coloured. ——— G. $\frac{1}{2}$.

- snowy white. ——— G. $\frac{1}{2}$.

- Nepaul. 1824. G. $\frac{1}{2}$.

- bearded-fl'd. ——— G. $\frac{1}{2}$.

- bristly. ——— 1820. G. $\frac{1}{2}$.

- Daurian. Siberia. 1780. 2. 4. H. $\frac{1}{2}$.

- Altay. ——— 1824. ——— H. $\frac{1}{2}$.

- dark green. ——— H. $\frac{1}{2}$.

- Myrtle-leaved. Hybrid. 6. 8. H. $\frac{1}{2}$.

- rusty-leaved. Switzerland. 1752. 5. 7. H. $\frac{1}{2}$.

- hairy-leaved. ——— 1656. ——— H. $\frac{1}{2}$.

- yellow. Siberia. 1796. 6. 7. H. $\frac{1}{2}$.

- Caucasian. Caucasus. 1803. 5. 7. H. $\frac{1}{2}$.

- Catawba. N.America. 1809. 6. 8. H. $\frac{1}{2}$.

- Catesby's. ——— H. $\frac{1}{2}$.

- Kamtschatka. Kamtschatka. 1802. H. $\frac{1}{2}$.

- Thyme-leaved. Siberia. 1786. 5. 6. H. $\frac{1}{2}$.

AZALEA. Pentandria Monogynia. L.

- Indian. China. 1808. 3. 5. G. $\frac{1}{2}$.

- red-flowered. ——— 1819. ——— G. $\frac{1}{2}$.

- white-flowered. ——— G. $\frac{1}{2}$.

- double-purple. ——— G. $\frac{1}{2}$.

- double yellow. ——— 1826. ——— G. $\frac{1}{2}$.

- Chinese. ——— 1824. ——— G. $\frac{1}{2}$.

Botan. magaz. 175. 331.

Lodd. bot. cab. 502.

Botan. magaz. 177.

Botan. magaz. 138.

Botan. regist. 201.

Botan. magaz. 474.

Botan. magaz. 951.

Botan. magaz. 650.

Andr. deposit. 36.

Wats. dend. brit. 162.

Botan. regist. 37.

Wats. dend. brit. 162.

Andr. deposit. 379.

Botan. magaz. 636.

Botan. regist. 194.

Lodd. bot. cab. 908.

Jacq. aust. 3. t. 255.

Botan. magaz. 1853.

Sal. par. lond. 80.

Botan. magaz. 1145.

————— 1671.

Pall. ros. 1. t. 33.

Botan. magaz. 488.

Botan. magaz. 1480.

Botan. regist. 811.

Botan. magaz. 2509.

Lodd. bot. cab. 885.

3	<i>pontica</i> . w.	yellow.	Turkey.	1793.	5. 6.	H. h.	Botan. magaz. 433.
	β <i>cuprea</i> .	copper-coloured.	—	—	—	H. h.	
	γ <i>glauca</i> .	glaucous.	—	—	—	H. h.	
	δ <i>pallida</i> .	pale.	—	—	—	H. h.	
	ϵ <i>albiflora</i> , B.M.	white-flowered.	—	—	—	H. h.	
	ζ <i>tricolor</i> .	three-coloured.	—	—	—	H. h.	
4	calendulacea. ph.	yellow American.	N. America.	1806.	—	H. h.	
	α <i>crocea</i> .	saffron-coloured.	—	—	—	H. h.	
	β <i>chrysocoma</i> .	golden.	—	—	—	H. h.	
	γ <i>grandiflora</i> .	large-flowered.	—	—	—	H. h.	
	δ <i>cuprea</i> .	copper-coloured.	—	—	—	H. h.	
	ϵ <i>splendens</i> .	shining.	—	—	—	H. h.	
	ζ <i>flammea</i> .	flame-coloured.	—	1812.	—	H. h.	
	η <i>triumphans</i> .	triumphant.	—	—	—	H. h.	
	ϑ <i>ignescens</i> .	fiery-flowered.	—	—	—	H. h.	
5	canescens. M.	canescent.	—	1812.	5. 6.	H. h.	
6	speciosa. W.en.	large-calyxed.	—	—	—	H. h.	
	α <i>major</i> .	large scarlet.	—	—	—	H. h.	
	β <i>crispa</i> .	curled.	—	—	—	H. h.	
	γ <i>aurantia</i> .	orange.	—	—	—	H. h.	
	δ <i>obliqua</i> .	oblique-leaved.	—	—	—	H. h.	
	ϵ <i>prunifolia</i> .	Plum-leaved.	—	—	—	H. h.	
	ζ <i>cucullata</i> .	hollow-leaved.	—	—	—	H. h.	
	η <i>revoluta</i> .	revolute.	—	—	—	H. h.	
	ϑ <i>ciliata</i> .	fringed.	—	—	—	H. h.	
	ι <i>acutifolia</i> .	acute-leaved.	—	—	—	H. h.	
	κ <i>undulata</i> .	wave-leaved.	—	—	—	H. h.	
	λ <i>tortuifolia</i> .	twisted-leaved.	—	—	—	H. h.	
7	nudiflora. w.	small calyxed.	—	1734.	—	H. h.	
	α <i>alba</i> .	early white.	—	—	—	H. h.	
	β <i>albo-plena</i> .	double white.	—	—	—	H. h.	
	γ <i>blanda</i> .	blush-flowered.	—	—	—	H. h.	
	δ <i>carnea</i> .	pale red.	—	1734.	—	H. h.	
	ϵ <i>caroliniana</i> .	Carolina.	—	—	—	H. h.	Botan. regist. 120.
	ζ <i>coccinea</i> .	scarlet.	—	—	—	H. h.	
	η <i>corymbosa</i> .	corymb-flower'd.	—	—	—	H. h.	Botan. magaz. 180.
	ϑ <i>crispa</i> .	curled.	—	—	—	H. h.	
	ι <i>cumulata</i> .	bundled.	—	—	—	H. h.	
	κ <i>discolor</i> .	two-coloured.	—	—	—	H. h.	
	λ <i>fastigiata</i> .	crowded.	—	—	—	H. h.	
	μ <i>florida</i> .	abundant-fld.	—	—	—	H. h.	
	ν <i>globosa</i> .	globose.	—	—	—	H. h.	
	ξ <i>glomerata</i> .	clustered.	—	—	—	H. h.	
	\o <i>incana</i> .	hoary-leaved.	—	—	—	H. h.	
	π <i>incarnata</i> .	flesh-coloured.	—	—	—	H. h.	
	ρ <i>mirabilis</i> .	wonderful.	—	—	—	H. h.	
	σ <i>montana</i> .	mountain.	—	—	—	H. h.	
	τ <i>pallida</i> .	pale-flowered.	—	—	—	H. h.	
	v <i>paludosa</i> .	marsh.	—	—	—	H. h.	
	ϕ <i>papilionacea</i> .	Butterfly.	—	—	—	H. h.	
	χ <i>partita</i> .	five-parted.	—	—	—	H. h.	
	ψ <i>parviflora</i> .	small-flowered.	—	—	—	H. h.	
	ω <i>prolifera</i> .	proliferous.	—	—	—	H. h.	
	$\alpha\alpha$ <i>pumila</i> .	dwarf.	—	—	—	H. h.	
	$\beta\beta$ <i>purpurascens</i> .	purplish.	—	—	—	H. h.	
	$\gamma\gamma$ <i>purpurea</i> .	purple.	—	—	—	H. h.	
	$\delta\delta$ <i>purpureo-plena</i> .	double purple.	—	—	—	H. h.	
	$\epsilon\epsilon$ <i>rosea</i> .	rosy.	—	—	—	H. h.	
	$\zeta\zeta$ <i>ruberrima</i> .	dark-red.	—	—	—	H. h.	
	$\eta\eta$ <i>rubescens</i> .	reddish.	—	—	—	H. h.	
	$\theta\theta$ <i>rubicunda</i> .	rubicund.	—	—	—	H. h.	
	u <i>rubra</i> . B.C.	red-flowered.	—	—	—	H. h.	
	$\kappa\kappa$ <i>rubro-plena</i> .	double-red.	—	—	—	H. h.	
	$\lambda\lambda$ <i>rufa</i> .	rufous.	—	—	—	H. h.	
	$\mu\mu$ <i>rutilans</i> .	deep red.	—	—	—	H. h.	
	$\nu\nu$ <i>semiduplex</i> .	semidouble.	—	—	—	H. h.	
	$\xi\xi$ <i>staminea</i> .	long-stamened.	—	—	—	H. h.	
	$o\o$ <i>stellata</i> .	starry.	—	—	—	H. h.	
	$\pi\pi$ <i>tricolor</i> .	three-coloured.	—	—	—	H. h.	

$\rho\rho$ variabilis.	variable.	N. America.	5. 6. H. h.	
$\sigma\sigma$ variegata.	variegated.	—	—	H. h.	
$\tau\tau$ versicolor.	various-coloured.	—	—	H. h.	
vv violacea.	violet.	—	—	H. h.	
8 bicolor. Ph.	two-coloured.	1734.	—	H. h.	Trew. ehrct. t. 48.
9 viscosa. Ph.	viscid.	—	7. 8.	H. h.	Meerb. ic. 2. t. 9.
a odorata.	common white.	—	—	H. h.	
β crispa.	curled.	—	—	H. h.	
γ dealbata.	powdered.	—	—	H. h.	
δ vittata.	striped-flowered.	—	—	H. h.	
ϵ penicillata.	pencilled.	—	—	H. h.	
ζ variegata.	variegated.	—	—	H. h.	
η rubescens.	reddish-flower'd.	—	—	H. h.	Lodd. bot. cab. 441.
θ pubescens.	pubescent.	—	—	H. h.	
i fissa.	narrow-petaled.	—	—	H. h.	
10 arborescens. Ph.	arborescent.	1818.	5. 7.	H. h.	
11 nitida. Ph.	glossy-leaved.	1812.	6. 8.	H. h.	Botan. regist. 414.
12 glauca. Ph.	glaucoous dwarf.	1784.	6.	H. h.	Wats. dend. brit. 5.
13 hispida. Ph.	tall glaucoous.	—	6. 8.	H. h.	— 6.
LOISELEURIA. R.S.	LOISELEURIA.	Pentandria Monogynia. R.S.			
procumbens. R.S.	procumbens. L.	Chamaelodon procumbens. L.en.	Britain. 4. 5. H. h.	Eng. bot. 865.
<i>Azalea</i> procumbens.	AMMYRSINE. Ph.	AMMYRSINE.	Decandria Monogynia. Ph.		
buxifolia. Ph.	box-leaved.	N. America.	1736.	4. 5. H. h.	Botan. regist. 531.
<i>Ledum</i> buxifolium. w.	Leiophyllum thymifolium. s.s.				
LEDUM. Ph.	LEDUM.	Decandria Monogynia. L.			
1 palustre. w.	marsh.	Europe.	1762.	4. 5. H. h.	Flor. dan. 1031.
β decumbens.	dwarf.	Hudson's-bay.	—	H. h.	
2 latifolium. w.	broad-leaved.	N. America.	1763.	—	H. h.
BEFARIA. L.	BEFARIA.	Dodecadria Monogynia. L.			
racemosa. s.s.	sweet-scented.	Florida.	1810.	6. 7. G. h.	Vent. cels. t. 51.
? paniculata. M.	<i>Bejaria</i> racemosu. Ph.				
? ITEA. L.	ITEA.	Pentandria Monogynia. L.			
virginica. L.	Virginian.	N. America.	1744.	6. 8. H. h.	Wats. dend. brit. 12.

ORDO CIX.

EPACRIDEÆ. Brown prodr. 1. p. 535.

Sect. I. EPACRIDEÆ VERÆ.

DRACOPHYLLUM. B.P.	DRACOPHYLLUM.	Pentandria Monogynia.			
secundum. B.P.	side-flowering.	N. S. W.	1824.	4. 6. G. h.	
SPRENGELIA. Sm.	SPRENGELIA.	Pentandria Monogynia.			
incarnata. B.P.	flesh-coloured.	N. S. W.	1793.	4. 6. G. h.	Botan. magaz. 1719.
ANDERSONIA. B.P.	ANDERSONIA.	Pentandria Monogynia.			
sprengelioides. B.P.	Sprengelia-like.	N. Holland.	1803.	3. 7. G. h.	Botan. magaz. 1645.
LYSINEMA. B.P.	LYSINEMA.	Pentandria Monogynia.			
1 conspicuum. B.P.	conspicuous.	N. Holland.	1824. G. h.	
2 pungens. B.P.	pungent.	N. S. W.	1804.	3. 6. G. h.	Cav. ic. 4. t. 346.
α alba. ~	white-flowered.	—	—	G. h.	Lodd. bot. cab. 38.
<i>Epacris</i> attenuata. B.C.					
β rubra.	red-flowered.	—	—	G. h.	Botan. magaz. 1199.
<i>Epacris</i> rosea. B.C. s.s.	<i>Epacris</i> pungens. B.M.				
EPACRIS. B.P.	EPACRIS.	Pentandria Monogynia.			
1 purpurascens. B.P.	rigid.	N. S. W.	1803.	2. 6. G. h.	Botan. magaz. 844.
pungens. B.M.					
β rubra.	red-flowered.	—	—	G. h.	Lodd. bot. cab. 876.
2 pulchella. B.P.	sweet-scented.	—	1804.	3. 6. G. h.	— 170.
3 microphylla. B.P.	small-leaved.	—	1817.	G. h.	
4 grandiflora. B.P.	crimson.	—	1803.	1. 6. G. h.	
5 impressa. B.P.	impressed.	V. Diem. Isl.	1824.	2. 5. G. h.	Botan. magaz. 982.
					Lab. nov. hol. 1. t. 58.

6 obtusifolia, B.P.	blunt-leaved.	N. S. W.	1804.	4. 6.	G. h.	Sm. exot. bot. 1. t. 40.
7 paludosa, B.P.	marsh.		1824.	—	G. h.	
8 exserta, B.P.	exserted.	V. Diem. Isl.	1812.	—	G. h.	

Sect. II. STYPHELIÆ.

TROCHOCARPA. B.P.	TROCHOCARPA.	Pentandria Monogynia.				
laurina, B.P.	Laurel-leaved.	N. S. W.	1820.	G. h.	Linn. trans. 8. t. 9.
<i>Styphelia cornifolia</i> . L.T.						
MONOTOMA. B.P.	MONOTOMA.	Pentandria Monogynia.				
1 lineata, B.P.	lined.	V. Diem. Isl.	1804.	5. 8.	G. h.	Lab. nov. hol. 1. t. 61.
2 elliptica, B.P.	elliptic-leaved.	N. S. W.	1802.	—	G. h.	
LEUCOPOGON. B.P.	LEUCOPOGON.	Pentandria Monogynia.				
1 lanceolatus, B.P.	small-flowered.	N. S. W.	1790.	5. 8.	G. h.	Andr. deposit. 287.
<i>Styphelia parviflora</i> . A.R.						
2 Richei, B.P.	oblong-leaved.		1824.	—	G. h.	Lab. nov. hol. 1. t. 60.
3 virgatus, B.P.	twiggy.			—	G. h.	— 1. t. 64.
4 amplexicaulis, B.P.	stem-clasping.		1815.	—	G. h.	Linn. trans. 8. t. 8.
5 microphyllus, B.P.	small-leaved.		1818.	—	G. h.	Cavan. ic. 4. t. 349. f.2.
6 juniperinus, B.P.	Juniper-leaved.		1804.	4. 6.	G. h.	Lodd. bot. cab. 447.
LISSANTHE. B.P.	LISSANTHE.	Pentandria Monogynia.				
1 subulata, B.P.	awl-leaved.	N. S. W.	1823.	4. 7.	G. h.	Sm. new hol. 48.
2 strigosa, B.P.	strigose.			—	G. h.	
CYATHODES. B.P.	CYATHODES.	Pentandria Monogynia.				
glauca, B.P.	glaucous.	V. Diem. Isl.	1818.	4. 6.	G. h.	Lab. nov. hol. 1. t. 81.
STENANTHERA. B.P.	STENANTHERA.	Pentandria Monogynia.				
pinifolia, B.P.	Pine-leaved.	N. S. W.	1811.	5. 7.	G. h.	Botan. regist. 218.
ASTROLOMA. B.P.	ASTROLOMA.	Pentandria Monogynia.				
humifusum, B.P.	Juniper-leav'd.	N. S. W.	1807.	5. 10.	G. h.	Botan. magaz. 1439.
STYPHELIA. B.P.	STYPHELIA.	Pentandria Monogynia.				
1 tubiflora, B.P.	crimson.	N. S. W.	1802.	5. 8.	G. h.	Sm. new hol. 45. t. 14.
2 triflora, B.P.	three-flowered.		1796.	—	G. h.	Botan. magaz. 1297.
3 viridiflora, B.P.	green-flower'd.		1791.	4. 6.	G. h.	Andr. deposit. 312.
4 latifolia, B.P.	broad-leaved.		1823.	G. h.	
5 longifolia, B.P.	long-leaved.		1807.	4. 6.	G. h.	Botan. regist. 24.

*** SUBCLASSIS III. COROLLIFLORÆ. DC.

ORDO CX.

SYMPLOCINEÆ. *Don Prodr. p. 144.*

SYMPLOCOS. L'H.	SYMPLOCOS.	Polyadelphia Polyandria. L.				
1 coccinea, K.S.	scarlet.	Mexico.	1825.	S. h.	H. et B. pl. æq. 1. t. 52.
2 tinctoria. w.	Laurel-leaved.	Carolina.	1780.	G. h.	Catesb. car. 1. t. 54.
<i>Hopea tinctoria</i> . Ph.						
3 sinica, B.R.	Chinese.	China.	1822.	4. 6.	G. h.	Botan. regist. 710.
4 crataegoides, D.P.	Hawthorn-like.	Nepaul.	1824.	G. h.	

ORDO CXI.

STYRACINEÆ. *Kth. synops. 2. p. 315.*

STYRAX. W.	STORAX.	Decandria Monogynia. L.				
1 officinale. w.	officinal.	Italy.	1597.	7.	H. h.	Andr. deposit. 631.
2 grandifolium. w.	great-leaved.	N. America.	1765.	—	H. h.	Wats. dend. brit. 129.

STYRACINEÆ.

3 pulverulentum. M.	powdered.	N.America. 1794.	6. 7. H. h.	Wats. dend. brit. t. 41.
4 lævigatum. w.	smooth.	—————	1765. 7. 8. H. h.	Botan. magaz. 921.
glabrum. W.D. 40. non Sw.				
HALESIA. W.		SNOWDROP-TREE. Dodecadenia Monogynia. L.		
1 tetraptera. w.	four-winged.	Carolina. 1756.	4. 5. H. h.	Botan. magaz. 910.
2 parviflora. B.R.	small-flower'd.	—————	1812. 5. H. h.	Botan. regist. 952.
3 diptera. w.	two-winged.	N.America. 1758.	4. 5. H. h.	Cavan. dis. 6. t. 187.

ORDO CXII.

MYRSINEÆ. *Brown prodr.* 532.

MÆSA. J.		MÆSA. Pentandria Monogynia.		
1 indica.		Indian. E. Indies.	1812. 2. 6. S. h.	Botan. magaz. 2052.
<i>Baeobotrys indica.</i> F.I.				
2 tomentosa. D.P.	tomentose.	Nepaul.	1818. — S. h.	
3 argentea. F.I.	silvery-leaved.	E. Indies.	—— — S. h.	
4 macrophylla. F.I.	large-leaved.	—————	1823. — S. h.	
JACQUINIA. W.		JACQUINIA. Pentandria Monogynia. W.		
1 arborea. w.	blunt-leaved.	W. Indies.	1820. — S. h.	
2 armillaris. w.	armed-leaved.	—————	1768. — S. h.	Jacq. amer. piet. t. 56.
3 aurantiaca. H.K.	orange-color'd.	Sandwich Isl.	1796. 4. 9. S. h.	Botan. magaz. 1639.
4 ruscifolia. w.	Rucus-leaved.	S. America.	1729. — S. h.	
5 macrocarpa. Cav.	large capsuled.	—————	1820. — S. h.	Cavan. ic. 5. t. 483.
ARDISIA. W.		ARDISIA. Pentandria Monogynia. W.		
1 acuminata. w.	acuminate.	Guiana.	1803. 7. 8. S. h.	Botan. magaz. 1678.
<i>Myrsine Icacorea.</i> R.S.				
2 solanacea. w.	Nightshade-like.	E. Indies.	1798. 6. 9. S. h.	Botan. magaz. 1677.
3 paniculata. F.I.	panicked.	—————	1818. 3. 8. S. h.	Botan. regist. 638.
4 colorata. F.I.	red-flowered	—————	1816. — S. h.	Lodd. bot. cab. 465.
5 umbellata. F.I.	umbel-flower'd.	—————	1809. 6. 9. S. h.	————— 531.
<i>littoralis.</i> A.R. 630.				
6 lanceolata. F.I.	leathery-leav'd.	—————	1818. — S. h.	
7 elegans. A.R.	elegant.	—————	1809. 7. 9. S. h.	Andr. deposit. 623.
<i>crenata.</i> F.I.				
8 punctata. B.R.	spotted-fl'd.	China.	1823. 6. 9. S. h.	Botan. regist. 827.
9 lentiginosa. B.R.	freckled.	—————	1809. 3. 12. G. h.	————— 533.
<i>crenulata.</i> B.C. 2. non Vent. <i>crenata.</i> B.M. 1950.				
10 macrocarpa. F.I.	large-fruited.	Nepaul.	1824. — S. h.	
11 complanata. F.I.	pubescent.	Pinang.	—— — S. h.	
12 thyrsiflora. D.P.	thyrsse-flower'd.	Nepaul.	—— — S. h.	
13 pyramidalis. cav.	pyramidal.	Santa Cruz.	1818. 4. 9. S. h.	Lodd. bot. cab. 448.
14 excelsa. w.	Laurel-leaved.	Madeira.	1784. 7. 8. G. h.	Gært. sem. 1. t. 77. f. 1.
<i>Myrsine Heberdenia.</i> R.S.				
15 serrulata. w.	saw-leaved.	W. Indies.	1820. — S. h.	Plum. ic. 80.
16 crenulata. v.	crenulated.	Antilles.	1809. 6. 9. S. h.	Venten. choix. t. 5.
17 lateriflora. w.	side-flowering.	W. Indies.	1793. — S. h.	
18 canaliculata. w.	channelled.	E. Indies.	1824. 4. 8. S. h.	Lodd. bot. cab. 1083.
EMBELIA. L.		EMBELIA. Pentandria Monogynia. L.		
1 robusta. F.I.	robust.	E. Indies.	1823. — S. h.	
MYRSINE. B.P.		MYRSINE. Polygamia Dicecia. L.		
1 africana. s.s.	African.	C. B. S.	1691. 3. 5. G. h.	Comm. hort. I. t. 64.
2 retusa. s.s.	round-leaved.	Azores.	1778. 6. G. h.	Venten. cels. 86.
3 semiserrata. F.I.	semiserrate.	Nepaul.	1822. — G. h.	
4 capitellata. F.I.	axillary headed.	—————	— G. h.	
5 bifaria. F.I.	bifarious.	—————	— G. h.	
6 subspinosa. D.P.	spiny-leaved.	—————	— G. h.	
7 coriacea. B.P.	leathery-l'd.	Jamaica.	1822. — S. h.	
<i>Samara coriacea.</i> Sw.				
8 Samara. s.s.	oval-leaved.	C. B. S.	1770. 11. 2. G. h.	
<i>Sumara pentandra.</i> w.				
9 melanophleos. s.s.	Laurel-leaved.	—————	1783. 3. 6. G. h.	Jacq. vind. I. t. 71.
<i>Sideroxylon melanophleum.</i> w.				

10 mitis. s.s.	pointed-leav'd. C. B. S.	6. 9.	G. h.	Botan. magaz. 1858.
Sideroxylon mite. B.M.	<i>Scleroxylum</i> mite. W.en. <i>Manglilla Milleriana</i> . p.s.			
11 venulosa. s.s.	veined-leaved.	1816.	G. h.	
12 canariense. s.s.	Canary.	Canaries.	G. h.	

13 variabilis. B.P.	variable.	N. S. W.	1820.	G. h.
---------------------	-----------	----------	-------	-------

ORDO CXIII.

SAPOTEÆ. *Brown prodr.* 1. p. 528.

INOCARPUS. W.	OTAHEITE-CHESTNUT.	Decandria Monogynia.	W.
edulis. w.	eatable.	South-seaIsl. 1793.	S. h.
BUMELIA. S.S.	BUMELIA.	Pentandria Monogynia.	W.
1 lycoides. s.s.	Boxthorn-ld.	N.America. 1758.	8.
2 oblongifolia. N.	oblong-leaved.	Mississipi. 1818.	7. 8.
3 tenax. R.S.	silvery-leaved.	Carolina. 1765.	H. h.
chrysophylloides. W.D.	<i>Sideroxylon tenax</i> . L.		
4 lanuginosa. R.S.	woolly-leaved.		H. h.
5 reclinata. s.s.	reclined.	1806.	H. h.
6 strigosa. s.s.	strigose.	G. h.
Sideroxylon strigosum. W.en.			
7 nigra. s.s.	black.	W. Indies. 1806.	S. h.
8 salicifolia. s.s.	Willow-leav'd.	S. America. 1758.	S. h.
9 foetidissima. s.s.	fetid.	W. Indies. 5. 7.	S. h.
10 rotundifolia. s.s.	round-leaved.	1816.	S. h.
SERSALISIA. B.P.	SERSALISIA.	Pentandria Monogynia.	
sericea. B.P.	silky-leaved.	N.Holland. 1772.	G. h.
Sideroxylon sericeum. W.			
SIDEROXYLON. W. IRON-WOOD.	Pentandria Monogynia.	L.	
1 inerme. w.	smooth.	C. B. S. 1692.	7.
2 tomentosum. w.	tomentose.	E. Indies. 1818.	S. h.
ARGANIA. R.S.	ARGANIA.	Pentandria Monogynia.	
Sideroxylum. r.s.	spiny.	Morocco. 1711.	H. h.
Sideroxylon spinosum. L. <i>Elaeodendron Argan</i> . W.			
CHRYSOPHYLLUM. W. STAR-APPLE.	Pentandria Monogynia.	L.	
1 Cainito. w.	broad-leaved.	W. Indies. 1737.	5. 6.
β jamaicense.	purple-fruited.	S. h.
γ caeruleum.	blue-fruited.	S. h.
δ microphyllum.	small-leaved.	S. h.
2 monopyrenum. w.	acute-leaved.	1816.	S. h.
3 argenteum. w.	silvery.	Martinico. 1758.	S. h.
4 macrophyllum. G.D.	large-leaved.	SierraLeon. 1822.	S. h.
5 glabrum. w.	smooth-leaved.	Martinico. 1818.	S. h.
NYCTERISITION. R.P.	NYCTERISITION.	Pentandria Monogynia.	
ferrugineum. R.P.	ferruginous.	S. America. 1823.	S. h.
ACHRAS. J.	SAPOTA.	Hexandria Monogynia.	S.S.
1 Sapota. w.	common.	S. America. 1731.	4. 6.
β Zapotilla. Jacq.	Naseberry-tree.	S. h.
2 australis. B.P.	New Holland.	N. S. W. 1823.	G. h.
LUCUMA. J.	LUCUMA.	Pentandria Monogynia.	
1 mammosum. K.S.	Mamme.	S. America. 1739.	5. 8.
2 Bonplandii. K.S.	Bonpland's.	Havannah. 1822.	S. h.
3 obovatum. K.S.	obovate-leaved.	Peru.	S. h.
4 salicifolium. K.S.	Willow-leaved.	Mexico. 1823.	S. h.
MIMUSOPS. W.	MIMUSOPS.	Octandria Monogynia.	L.
1 Elengi. s.s.	pointed-leaved.	E. Indies. 1796.	5. 7.
2 dissecta. s.s.	oval-leaved.	South-seaIsl. 1804.	S. h.
3 hexandra. s.s.	hexandrous.	E. Indies. 1816.	S. h.
4 Kauki. s.s.	obtuse-leaved.	1796.	5. 8.
IMBRICARIA. J.	IMBRICARIA.	Octandria Monogynia.	
borbonica. G.	Bourbon.	Bourbon. 1820.	S. h.
BASSIA. L.	BASSIA.	Dodecadandra Monogynia.	L.
1 longifolia. w.	long-leaved.	E. Indies. 1811.	S. h.
2 latifolia. w.	broad-leaved.	1799.	S. h.
3 butyracea. D.P.	butter-tree.	Nepaul. 1823.	S. h.

Jacq. amer. t. 37. f. 1.

_____ t. 52.

_____ t. 37.

Jacq. amer. pict. t. 53.

Burm. amer. t. 69.

Jacq. amer. pict. t. 51.

Jacq. amer. pict. t. 55.

Flor. peruv. 2. t. 187.

Jacq. amer. 57. t. 41.

_____ 57. t. 41.b.

Jacq. amer. t. 182. f. 19.

Flor. peruv. 3. t. 239.

Rumph. amb. 3. t. 8.

Roxb. cor. 1. t. 14.

Lam. ill. t. 398.

Roxb. cor. 1. t. 19.

ORDO CXIV.

EBENACEÆ. *Brown prodr.* 1. p. 524.

MABA. J.	MABA.	<i>Dicecia Hexandria.</i> W.				
<i>buxifolia.</i> P.S.	<i>southern.</i>	<i>Box-leaved.</i>	E. Indies.	1810.	S. h.
<i>Ferreola buxifolia.</i> Roxb.						Roxb. cor. 1. t. 45.
CARGILLIA. B.P.	CARGILLIA.	<i>Polygamia Diœcia.</i>				
<i>australis.</i> B.P.	<i>southern.</i>	<i>N. S. W.</i>	1816.	G. h.	
DIOSPYROS. S.S.	DATE PLUM.	<i>Polygamia Diœcia.</i> W.				
<i>1 virginiana.</i> s.s.	<i>Virginian.</i>	<i>N. America.</i>	1629.	6. 7.	H. h.	Wats. dend. brit. 146.
<i>2 pubescens.</i> s.s.	<i>pubescent.</i>	—	1812.	4.	H. h.	
<i>3 reticulata.</i> s.s.	<i>netted.</i>	<i>Mauritius.</i>	1823.	S. h.	
<i>4 Ebenaster.</i> s.s.	<i>Ebenus-like.</i>	<i>E. Indies.</i>	1792.	S. h.	Rumph. amb. 1. t. 6.
<i>5 melanoxyylon.</i> s.s.	<i>black-wooded.</i>	—	1817.	S. h.	Roxb. cor. 1. t. 46.
<i>6 Ebennum.</i> s.s.	<i>smooth.</i>	—	1792.	S. h.	Robt. act. hafn. 2. t. 5.
<i>7 montana.</i> s.s.	<i>mountain.</i>	—	1819.	S. h.	
<i>8 obovata.</i> s.s.	<i>four-seeded.</i>	<i>W. Indies.</i>	1796.	5. 7.	S. h.	Jacq. schœn. 3. t. 312.
<i>9 sylvatica.</i> s.s.	<i>wood.</i>	<i>E. Indies.</i>	1812.	S. h.	Roxb. cor. 1. t. 47.
10 Embryopteris. s.s.	<i>glutinous.</i>	—	1796.	5. 8.	S. h.	Botan. regist. 499.
	<i>Embryopteris glutinifera.</i> B.C. 1. t. 70.					
<i>11 lobata.</i> s.s.	<i>lobed-fruited.</i>	<i>China.</i>	1822.	—	G. h.	
<i>12 vaccinioides.</i> Lod.	<i>Vaccinium-like.</i>	—	—	—	G. h.	
<i>13 edulis.</i> Lod.	<i>eatable.</i>	<i>E. Indies.</i>	—	S. h.	
<i>14 Lotus.</i> s.s.	<i>European.</i>	<i>Italy.</i>	1596.	6. 7.	H. h.	Mill. ic. t. 116.
<i>15 Kaki.</i> s.s.	<i>Japan.</i>	<i>Japan.</i>	1789.	—	G. h.	Kæmp. amœn. t. 806.
<i>16 hirsuta.</i> s.s.	<i>hairy.</i>	<i>Ceylon.</i>	1816.	S. h.	
<i>17 chloroxylon.</i> s.s.	<i>cluster-flower'd.</i>	<i>E. Indies.</i>	1822.	S. h.	
<i>18 cordifolia.</i> s.s.	<i>heart-leaved.</i>	—	1794.	S. h.	Roxb. cor. 1. t. 50.
ROYENA. W.	ROYENA.	<i>Decandria Digynia.</i> L.				
<i>1 lucida.</i> w.	<i>shining-leaved.</i>	<i>C. B. S.</i>	1690.	5. 6.	G. h.	Lam. ill. t. 370. f. 1.
<i>2 villosa.</i> w.	<i>heart-leaved.</i>	—	1774.	6. 7.	G. h.	
<i>3 pallens.</i> w.	<i>pale.</i>	—	1789.	—	G. h.	
<i>4 myrtifolia.</i> Wen.	<i>Myrtle-leaved.</i>	—	1812.	—	G. h.	
<i>5 glabra.</i> w.	<i>smooth.</i>	—	1731.	7. 9.	G. h.	Comm. hort. 1. t. 65.
<i>6 pubescens.</i> W.en.	<i>pubescent.</i>	—	1752.	—	G. h.	Botan. regist. 500.
<i>7 hirsuta.</i> w.en.	<i>hairy-leaved.</i>	—	—	—	G. h.	Lam. ill. t. 370. f. 2.
<i>8 angustifolia.</i> w.	<i>willow-leaved.</i>	—	1789.	6. 7.	G. h.	
<i>9 latifolia.</i> w.en.	<i>broad-leaved.</i>	—	1816.	G. h.	
<i>10 ambigua.</i> v.w.	<i>obovate-leaved.</i>	—	1815.	6. 7.	G. h.	Vent. malm. t. 17.
<i>11 polyandra.</i> w.	<i>oval-leaved.</i>	—	1774.	G. h.	

ORDO CXV.

OLEINÆ. *Brown prodr.* 1. p. 522.

FRAXINUS. W.	ASH-TREE.	<i>Polygamia Diœcia.</i> L.				
<i>1 excelsior.</i> w.	<i>common.</i>	<i>Britain.</i>	4. 5.	H. h.	Eng. bot. 1692.
<i>β argentea.</i>	<i>silver-striped.</i>	—	—	—	H. h.	
<i>γ pendula.</i>	<i>weeping.</i>	—	—	—	H. h.	
<i>δ horizontalis.</i>	<i>horizontal.</i>	—	—	—	H. h.	
<i>ε jaspidea.</i>	<i>coloured branch'd</i>	—	—	—	H. h.	
<i>ζ erosa.</i>	<i>erose-leaved.</i>	—	—	—	H. h.	
<i>2 aurea.</i> W.en.	<i>yellow barked.</i>	H. h.	
<i>3 atrovirens.</i> P.S.	<i>green curl'd-ld.</i>	H. h.	
<i>4 nana.</i> W.en.	<i>dwarf.</i>	H. h.	

5 <i>verrucosa</i> . L.en.	warted.	4. 5.	H. h.	
6 <i>heterophylla</i> . s.s. <i>simplicifolia</i> . E.B.	various-leaved.	England.	—	H. h.	Eug. bot. 2476.
7 <i>parvifolia</i> . s.s.	small-leaved.	Levant.	1816.	— H. h.	
8 <i>lenticisifolia</i> . s.s.	Lentiscus-ld.	Aleppo.	1710.	5. 6. H. h.	Pluk. alm. t. 182. f. 4.
9 <i>argentea</i> . s.s.	silver-leaved.	Corsica.	1825.	— H. h.	
10 <i>sambucifolia</i> . s.s.	Elder-leaved.	N.America.	1800.	— H. h.	
11 <i>oxycarpa</i> . s.s. <i>oxyphylla</i> . M.B.	sharp-leaved.	Tauria.	1815.	5. 6. H. h.	
12 <i>pallida</i> . s.s.	pale.	N.America.	1818.	— H. h.	
13 <i>rufa</i> . s.s.	rufous.	—	1822.	— H. h.	
14 <i>fusca</i> . s.s.	brown branch'd.	—	—	— H. h.	
15 <i>nigra</i> . s.s.	black-twigg'd.	—	1818.	4. 6. H. h.	
16 <i>elliptica</i> . s.s.	elliptic-leaved.	—	1824.	— H. h.	
17 <i>ovata</i> . s.s.	oval-leaved.	—	—	— H. h.	
18 <i>Richardii</i> . s.s.	Richard's.	—	—	— H. h.	
19 <i>alba</i> . s.s.	grey branched.	—	1825.	— H. h.	
20 <i>cinerea</i> . s.s.	cinerous.	—	1818.	— H. h.	
21 <i>viridis</i> . s.s.	green-branch'd.	—	1816.	— H. h.	
22 <i>longifolia</i> . s.s.	long-leaved.	—	1825.	— H. h.	
23 <i>rubicunda</i> . s.s.	red-veined.	—	—	— H. h.	
24 <i>pulverulenta</i> . s.s.	powdered.	—	—	— H. h.	
25 <i>mixta</i> . s.s.	mixed.	—	—	— H. h.	
26 <i>expansa</i> . s.s.	expanded.	—	—	— H. h.	
27 <i>platycarpa</i> . s.s.	flat-seeded.	—	1816.	4. 6. H. h.	Catesb. car. t. 80.
28 <i>quadrangulata</i> . s.s.	four-sided.	—	1811.	— H. h.	Mich. f. arb. ic.
29 <i>epiptera</i> . s.s. <i>discolor</i> . M.	dotted-stalked.	—	—	— H. h.	— t. 33.
30 <i>lancea</i> . Bosc.	lance-leaved.	—	1823.	— H. h.	
31 <i>pannosa</i> . s.s.	cloth-leaved.	—	1818.	— H. h.	
32 <i>pubescens</i> . s.s.	pubescent.	—	1783.	5. H. h.	Du Roi. ed. 2. t. 1.
33 <i>caroliniana</i> . s.s.	Carolina.	—	1811.	4. 6. H. h.	
34 <i>juglandifolia</i> . s.s.	Walnut-leaved.	—	1783.	— H. h.	
35 <i>acuminata</i> . s.s.	taper-pointed.	—	1723.	— H. h.	
36 <i>americana</i> . s.s.	white.	—	—	— H. h.	
ORNUS. P.S.	FLOWERING ASH.	Diandria Monogynia.	P.S.		
1 <i>americana</i> . Ph.	American.	N.America.	1812.	5. 6. H. h.	
2 <i>europea</i> . P.S.	European.	Italy.	1710.	— H. h.	Flor. græc. 1. t. 4.
<i>Fraxinus Ornus</i> . W.					
3 <i>rotundifolia</i> . P.S.	manna.	—	1697.	4. 5. H. h.	
4 <i>striata</i> .	streak-barked.	1818.	— H. h.	
<i>Fraxinus striata</i> . s.s.					
5 <i>floribunda</i> .	many-flowered.	Nepaul.	—	— H. h.	
<i>Fraxinus floribunda</i> . F.I.					
CHIONANTHUS. S.S.	FRINGE-TREE.	Diandria Monogynia.	L.		
1 <i>virginica</i> . w.	smooth-leaved.	N.America.	1736.	5. 7. H. h.	Catesb. car. 1. t. 68.
2 <i>maritima</i> .	pubescent-ld.	—	—	— H. h.	Wats. dend. brit. t. 1.
<i>virginica</i> β <i>maritima</i> . Ph.	<i>virginica</i> β <i>angustifolia</i> . w.d.				
3 <i>axillaris</i> . B.P.	axil-flowering.	N. Holland.	1810.	— S. h.	
LINOCIERA. S.S.	LINOCIERA.	Diandria Monogynia.	S.S.		
1 <i>ligustrina</i> . s.s.	Privet-like.	W. Indies.	1820.	— S. h.	
2 <i>cotinifolia</i> . s.s.	Cotinus-leav'd.	Ceylon.	1818.	— S. h.	
3 <i>compacta</i> . s.s.	Caribbean.	W. Indies.	1793.	— S. h.	Jacq. coll. 2. t. 6. f. 1.
FONTANESIA. S.S.	FONTANESIA.	Diandria Monogynia.	W.		
<i>phillyreaeoides</i> . s.s.	Phillyrea-ld.	Syria.	1787.	6. S. H. h.	
NOTELEA. B.P.	NOTELEA.	Diandria Monogynia.	S.S.		
1 <i>longifolia</i> . B.P.	long-leaved.	N. S. W.	1790.	3. 6. G. h.	Wats. dend. brit. t. 2.
<i>Olea apetala</i> . A.R. 316.					Venten. choix. 25.
2 <i>ovata</i> . B.P.	oval-leaved.	—	1818.	— G. h.	
3 <i>ligustrina</i> . B.P.	Privet-leaved.	V. Diem. Isl.	1807.	7. 8. G. h.	
4 <i>rigida</i> . R.S.	rigid-leaved.	—	1820.	— G. h.	
OLEA. B.P.	OLIVE.	Diandria Monogynia.	L.		
1 <i>europea</i> . s.s.	European.	S. Europe.	1570.	6. 8. G. h.	
α <i>Oleaster</i> . R.S.	spiny-branched.	Portugal.	—	— G. h.	Flor. græc. 1. t. 3.
β <i>longifolia</i> . R.S.	long-leaved.	S. Europe.	—	— G. h.	Lodd. bot. cab. 456.
γ <i>ferruginea</i> . R.S.	ferruginous.	—	—	— G. h.	
δ <i>latifolia</i> . R.S.	broad-leaved.	—	—	— G. h.	
ε <i>obliqua</i> . R.S.	oblique-leaved.	—	—	— G. h.	
ζ <i>buxifolia</i> . R.S.	Box-leaved.	—	—	— G. h.	

OLEINÆ.

2 verrucosa. s.s.	warted.	C. B. S.	1814.	—	G. h.	
3 americana. s.s.	American.	N. America.	1758.	6.	G. h.	Catesb. car. 1. t. 61.
4 fragrans. s.s.	fragrant.	China.	1771.	6. 8.	G. h.	Botan. magaz. 1552.
5 lancea. s.s.	lance-leaved.	Mauritius.	1818.	—	S. h.	
6 dioica. F.I.	diœcious.	E. Indies.	—	S. h.	
7 capensis. s.s.	Cape.	C. B. S.	1730.	6. 9.	G. h.	Botan. regist. 613.
8 undulata. s.s.	wave-leaved.	—	—	—	G. h.	Lodd. bot. cab. 379.
9 emarginata. R.S.	emarginate.	Mauritius.	1816.	S. h.	
10 excelsa. s.s.	Laurel-leaved.	Madeira.	1784.	5. 6.	G. h.	Jacq. scheen. 3. t. 251.
11 cernua. s.s.	drooping-fld.	Mauritius.	1816.	S. h.	
12 angustifolia.	narrow-ld. Phillyrea.	S. Europe.	1597.	5. 6.	H. h.	Lam. ill. t. 8. f. 3.
<i>Phillyrea angustifolia</i> . s.s.						
α lanceolata.	spear-leaved.	—	—	—	H. h.	
β rosmarinifolia.	Rosemary-ld.	—	—	—	H. h.	
γ brachiata.	cross-branched.	—	—	—	H. h.	
13 media. R.S.	twiggy Phillyrea.	—	—	—	H. h.	
β buxifolia.	Box-leaved.	—	—	—	H. h.	
14 ligustrifolia. R.S.	Privet-leaved.	—	—	—	H. h.	
15 pendula. R.S.	pendulous.	—	—	—	H. h.	
16 oleæfolia. R.S.	Olive-ld. Phillyrea.	—	—	—	H. h.	
17 lœvis. R.S.	smooth-leaved.	—	—	—	H. h.	
18 latifolia. R.S.	broad-leaved.	—	—	—	H. h.	
19 obliqua. R.S.	oblique-leaved.	—	—	—	H. h.	
20 spinosa. R.S.	Holly-leaved.	—	—	—	H. h.	

Phillyrea ilicifolia. W.en.

LIGUSTRUM. W.

- 1 vulgare. R.S.
 β variegatum.
 γ angustifolium.
 δ leucocarpum.
 ϵ italicum. Mill.

- 2 Incudatum. R.S.

SYRINGA. R.S.

- 1 vulgaris. w.
 α lilacina.
 β purpurea.
 γ violacea.
 δ alba.
 ϵ variegata.
2 chinensis. w.
3 persica. w.
 α lilacina.
 β alba.
 γ laciniata.

PRIVET. Diandria Monogynia. L.

- common. Britain. 6. 7. H. h.
- striped-leaved. — — H. h.
- narrow-leaved. — — H. h.
- white-berried. — — H. h.

- evergreen. Italy. — H. h.

- Wax-tree. China. 1794. 6. 9. F. h.

LILAC. Diandria Monogynia. L.

- common. Persia. 1597. 5. H. h.
- pale-flowered. — — H. h.
- purple-flowered. — — H. h.
- violet. — — H. h.
- white-flowered. — — H. h.
- variegated-ld. — — H. h.

- Siberian. Siberian. 1795. — H. h.

- Persian. Persia. 1640. — H. h.

- pale-flowered. — — H. h.

- white-flowered. — — H. h.

- cut-leaved. — — H. h.

Eng. bot. 764.

Wats. dend. brit. 137.

Schk. hand. 1. t. 2.

Botan. magaz. 183.

Botan. magaz. 486.

Schmidt arb. 2. t. 79.

ORDO CXVI.

JASMINEÆ. Brown prodr. 1. p. 520.

NYCTANTHES. W.

- arbor tristis. w.

JASMINUM. W.

- 1 Sambac. s.s.

- β multiplex.

- γ trifoliatum.

- 2 undulatum. s.s.

- 3 hirsutum. s.s.

- multipliciflorum*. A.R. 406.

- 4 angustifolium. F.I.

- 5 laurifolium. F.I.

- 6 trinerve. s.s.

- 7 glaucum. s.s.

- 8 bracteatum. s.s.

NYCTANTHES. Diandria Monogynia. L.

- square-stalked. E. Indies. 1781. 6. 9. S. h.

Botan. regist. 399.

JASMINE. Diandria Monogynia. L.

- single Arabian. E. Indies. 1665. 1. 12. S. h. Botan. regist. 1.

- semidouble. — 1700. — S. h. Andr. reposit. 497.

- Tuscan. — 1730. — S. h. Botan. magaz. 1785.

- wave-leaved. — 1812. 2. 6. S. h. Botan. regist. 436.

- hairy Indian. — 1759. 5. 12. S. h. Sm. ex. bot. 2. t. 118.

- narrow-leaved. — 1816. 1. 12. S. h. Rheed. mal. 6. t. 53.

- Laurel-leaved. — — — S. h. Botan. regist. 521.

- three-nerved. Java. 1804. 4. 6. S. h. — 918.

- glaucous. C. B. S. 1774. 6. 8. S. h. Sal. stirp. rar. t. 8.

- bracteate. Sumatra. 1820. — S. h.

9 latifolium. s.s.	broad-leaved.	E. Indies.	1817.	—	S. h. .
10 arborescens. s.s.	arborecent.	—	1824.	S. h. .
11 scandens. s.s.	scandent.	—	—	S. h. .
12 simplicifolium. s.s.	simple-leaved.	Society Isl.	3. 6.	S. h. . Botan. magaz. 980.
13 elongatum. s.s.	long-branched.	E. Indies.	1823.	S. h. .
14 gracile. s.s.	slender.	Norfolk Isl.	1791.	1. 12.	G. h. . Andr. deposit. 127.
15 acuminatum. s.s.	acuminate.	N. Holland.	1820.	6. 9.	G. h. .
16 auriculatum. s.s.	auriculate.	E. Indies.	1790.	5. 9.	S. h. . Botan. regist. 264.
17 paniculatum. s.s.	variable-l'd.	China.	1812.	2. 12.	S. h. .
18 flexile. s.s.	acute 3-leaved.	E. Indies.	1820.	4. 8.	S. h. .
19 tortuosum. s.s.	twisting.	C. B. S.	—	—	S. h. . Jacq. schœn. 4. t. 490.
flexile. Jacq. non w.					
20 campanulatum. s.s.	bell-shaped calyx'd.	—	—	—	S. h. .
21 capense. s.s.	Cape.	C. B. S.	1816.	—	G. h. .
22 azoricum. s.s.	white Azorian.	Madeira.	1724.	4. 11.	G. h. . Botan. regist. 89.
23 dispermum. s.s.	two-seeded.	Nepaul.	1825.	G. h. .
24 fruticans. s.s.	common yellow.	S. Europe.	1570.	4. 10.	H. h. . Botan. magaz. 461.
25 humile. s.s.	Italian.	1656.	6. 9.	H. h. . Botan. regist. 350.
26 odoratissimum. s.s.	yellow Azorian.	Madeira.	—	5. 11.	G. h. . Botan. magaz. 285.
27 revolutum. s.s.	yellow Nepaul.	Nepaul.	1812.	3. 10.	H. h. . Botan. regist. 178.
chrysanthemum. F.I.					
28 officinale. s.s.	common white.	E. Indies.	1548.	6. 10.	H. h. . Botan. magaz. 31.
β leucophyllum.	white-edged.	—	—	—	H. h. .
γ chrysophyllum.	yellow-edged.	—	—	—	H. h. .
δ multiplex.	double-blossom'd.	—	1823.	—	H. h. .
29 grandiflorum. s.s.	Catalonian.	—	1629.	—	G. h. . Botan. regist. 91.

ORDO XVII.

APOCINEÆ. Brown prodr. 1. p. 465.

ALYXIA. B.P.

Richardsoni.

RAUWOLFIA. S.S.

1 nitida. s.s.

2 ternifolia. s.s.

3 canescens. s.s.

4 tomentosa. s.s.

OPHIOXYLON. W.

serpentinum. w.

STRYCHNOS. S.S.

1 Nux vomica. s.s.

2 colubrina. s.s.

3 potatorum. s.s.

CARISSA. L.

5 spinosa. s.s.

6 axillaris. s.s.

CARISSA Arduina. P.S.

1 Carandas. s.s.

2 spinarum. s.s.

3 ovata. B.P.

ARDUINA. L.

4 Xylopicon. s.s.

GELSEMIUM. J.

bispinosa. s.s.

THEOPHRASTA. S.S.

Jussiæ. s.s.

VALLESIA. R.P.

sempervirens. p.s.

nitidum. R.S.

Bignonia sempervirens. w.

VALLESIA. R.P.

cymbæfolia. R.S.

Rauwolfia glabra. w.

ALYXIA. Pentandria Monogynia.

Richardson's. N. Holland. 1823. 4. 6. S. h. . Botan. regist. ined.

RAUWOLFIA. Pentandria Monogynia. W.

shining. S. America. 1752. 6. 9. S. h. . Lodd. bot. cab. 339.

three-leaved. — 1822. — S. h. . Botan. magaz. 2440.

hoary. Jamaica. 1739. S. h. . Plum. ic. t. 236, f. 2.

woolly. S. America. 1823. S. h. . Jacq. amer. pict. t. 46.

OPHIOXYLON. Polygamia Monœcia. W.

serpent-wood. E. Indies. 1690. 5. 6. S. h. . Botan. magaz. 784.

STRYCHNOS. Pentandria Monogynia. W.

Poison-nut. E. Indies. 1778. S. h. . Roxb. cor. 1. t. 4.

muricate-fruit'd. — 1818. S. h. . Rheed. mal. 7. t. 5.

clearing-nut. — 1794. S. h. . Roxb. cor. 1. t. 5.

CARISSA. Pentandria Monogynia. L.

spiny. — 1824. S. h. . Roxb. cor. 1. t. 77.

axillary-fl'd. E. Indies. 1818. S. h. . Lodd. bot. cab. 162.

CARISSA. Pentandria Monogynia. L.

Jasmine-fl'd. E. Indies. 1790. 7. 8. S. h. . Roxb. cor. 1. t. 24.

Box-leaved. — 1809. 8. 12. S. h. . Rheed. mal. 7. t. 5.

oval-leaved. N. Holland. 1817. 6. 9. G. h. . Roxb. cor. 1. t. 5.

ARDUINA. Pentandria Monogynia. L.

nerved-leaved. Mauritius. 1820. — S. h. . Aub. Thou. obs. p. 24. ic.

ARDUINA. Pentandria Monogynia. L.

two-spined. C. B. S. 1760. 3. 8. G. h. . Mill. ic. 2. t. 300.

THEOPHRASTA. Pentandria Monogynia.

Jussieu's. S. America. 1818. S. h. . Lind. coll. t. 26.

GELSEMIUM. Pentandria Monogynia.

evergreen. N. America. 1640. 6. 7. G. h. . Catesb. car. 1. t. 53.

VALLESIA. Pentandria Monogynia.

boat-leaved. S. America. 1816. 6. 8. S. h. . Cavan. ic. 3. t. 297.

APOCINEÆ.

CERBERA. W.	CERBERA. Pentandria Monogynia. L.	
1 Ahouai. s.s.	oval-leaved. Brazil. 1739. 6. 7. S. h.	Botan. magaz. 737.
2 ovata. s.s.	ovate-leaved. N. Spain. — S. h.	Cavan. ic. 3. t. 270.
3 fruticosa. s.s.	purple-flower'd. Pegu. 1817. 3. 9. S. h.	Botan. regist. 391.
4 Odallam. L.T.	spear-leaved. E. Indies. 1759. 6. 9. S. h.	Botan. magaz. 1845.
<i>Manghas.</i> B.M. non L.T.		
5 lactaria. L.T.	Milk-tree. — — — — S. h.	Rumph. amb. 2. t. 81.
<i>Manghas.</i> G. 2. t. 123 et 124. f. 1. non L.T.		
6 laurifolia. B.C.	Laurel-leaved. — — — 1819. — S. h.	Lodd. bot. cab. 989.
7 maculata. s.s.	waved-leaved. Bourbon. 1782. 6. 7. S. h.	Andr. deposit. 130.
<i>undulata.</i> A.R.		
8 thevetioides. s.s.	revolute-margin'd. N. Spain. 1820. S. h.	
9 Thevetia. s.s.	linear-leaved. S. America. 1735. S. h.	Jacq. amer. 48. t. 34.
OCHROSIA. J.	OCHROSIA. Pentandria Monogynia. R.S.	
borbonica. R.S.	Bourbon. Bourbon. 1823. S. h.	
<i>Cerbera borbonica.</i> s.s. <i>Ophioxylon Ochrosia.</i> P.S.		
DISSOLENA. R.S.	DISSOLENA. Pentandria Monogynia. R.S.	
verticillata. r.s.	whorl-leaved. China. 1812. S. h.	
ALLAMANDA. S.S.	ALLAMANDA. Pentandria Monogynia. L.	
1 cathartica. s.s.	Willow-leaved. Guiana. 1785. 6. 7. S. h.	Botan. magaz. 338.
2? verticillata. s.s.	whorl-leaved. E. Indies. 1812. S. h.	
<i>Nerium tinctorium.</i> Hort.		
VINCA. R.S.	PERIWINKLE. Pentandria Monogynia. L.	
1 herbacea. r.s.	herbaceous. Hungary. 1816. 6. 7. H. 4.	Botan. regist. 301.
2 minor. r.s.	lesser. Britain. 3. 9. H. h.	Eng. bot. 917.
<i>α cærulea.</i>	<i>blue-flowered.</i> — — — — H. h.	
<i>β alba.</i>	<i>white-flowered.</i> — — — — H. h.	
<i>γ atropurpurea.</i>	<i>dark-purple.</i> — — — — H. h.	
<i>δ multiplex.</i>	<i>double-flowered.</i> — — — — H. h.	
<i>ε variegata.</i>	<i>variegated.</i> — — — — H. h.	
3 major. r.s.	greater. England. — H. h.	Eng. bot. 514.
4 pusilla. r.s.	small-flowered. E. Indies. 1778. 8. S. ⊙.	Rheed. mal. 9. t. 33.
<i>parviflora.</i> w.		
5 rosea. r.s.	Madagascar. — — — 1756. 3. 10. S. h.	Botan. magaz. 248.
<i>β alba.</i>	<i>white-flowered.</i> — — — — S. h.	
<i>γ ocellata.</i>	<i>red-eyed.</i> — — — — S. h.	
WRIGHTIA. S.S.	WRIGHTIA. Pentandria Monogynia. S.S.	
1 antidyserterica. s.s.	oval-leaved. E. Indies. 1778. S. h.	
2 zeylanica. s.s.	spear-leaved. — — — — S. h.	
3 dubia. s.s.	doubtful. — — — — 5. 8. S. h.	Burm. zeyl. t. 77. t. 12. f. 2.
<i>Cameraria dubia.</i> B.M.		
4 coccinea.	scarlet. — — — 1820. 6. 8. S. h.	Lodd. bot. cab. 894.
<i>Nerium coccineum.</i> B.C.		
5 tinctoria. s.s.	dyer's. — — — 1812. — S. h.	Botan. regist. 933.
STROPHANTHUS. DC.	STROPHANTHUS. Pentandria Monogynia. P.S.	
1 dichotomus. DC.	forked. China. 1816. 2. 10. S. h.	Botan. regist. 469.
2 sarmentosus. DC.	sarmentose. Sierra Leon. 1822. S. h.	Desf. an. mus. I. t. 27.
NERIUM. R.S.	OLEANDER. Pentandria Monogynia. L.	
1 Oleander. R.S.	common. S. Europe. 1596. 6. 10. G. h.	Flor. græc. t. 248.
<i>β alba.</i>	<i>white-flowered.</i> — — — — G. h.	Lodd. bot. cab. 700.
<i>γ splendens.</i>	<i>double-hybrid.</i> Hybrid. 1815. — — G. h.	Botan. regist. 74.
2 odoratum. R.S.	sweet-scented. E. Indies. 1683. 6. 8. S. h.	Rheed. mal. 9. t. 2.
<i>β carneum.</i>	<i>flesh-coloured.</i> — — — — S. h.	Botan. magaz. 2032.
<i>γ flore pleno.</i>	<i>double-flowered.</i> — — — — S. h.	Rheed. mal. 9. t. 1.
3 flavescens. r.s.	<i>yellowish.</i> 1816. — S. h.	
TABERNÆMONTANA. TABERNÆMONTANA. Pentandria Monogynia. L.		
1 citrifolia. r.s.	Citron-leaved. Jamaica. 1734. 5. 8. S. h.	Plum. ic. t. 248. f. 2.
2 alba. R.S.	white-flow'r'd. W. Indies. 1780. — — S. h.	Jacq. amer. t. 175. f. 13.
<i>citrifolia.</i> Jacq. non L.		
3 laurifolia. R.S.	Laurel-leaved. — — — 1768. — — S. h.	Botan. regist. 716.
4 cymosa. R.S.	cyme-flowered. S. America. 1820. S. h.	Jacq. amer. t. 181. f. 14.
5 amygdalifolia. R.S.	Peach-leaved. — — — 1780. 4. 8. S. h.	Botan. regist. 338.
6 discolor. R.S.	two-coloured. Jamaica. 1822. — — S. h.	
7 arcuata. R.S.	arch'd follicled. Peru. 1820. — — S. h.	Flor. peruv. 2. t. 143.
8 crispa. L.T.	wave-leaved. E. Indies. 1818. 5. 10. S. h.	Rheed. mal. 1. t. 46.
9 coronaria. L.T.	broad-leaved. — — — 1710. 6. 10. S. h.	Lodd. bot. cab. 406.
<i>β flore pleno.</i>	<i>double-flowered.</i> — — — — S. h.	Botan. magaz. 1865.
<i>Nerium coronarium.</i> B.M.		
10 undulata. R.S.	waved. Trinidad. 1824. ... S. h.	

11 odorata. s.s.	yellow-flow'r'd. Cayenne.	1793.	10. 11. S. h.	Aub. guian. 1. t. 102.
<i>Cameraria lutea</i> . w.	<i>Cameraria Tumayuarina</i> . Anb.			
CAMERARIA. S.S.	BASTARD MANGENEEL. <i>Pentandria Monogynia</i> . L.			
1 latifolia. s.s.	broad-leaved. Havannah. 1733. 8. S. h.	Andr. deposit. 261.		
2 angustifolia. s.s.	narrow-leaved. S. America. 1752. 9. S. h.	Plum. ic. t. 72. f. 2.		
AMSONIA. R.S.	AMSONIA. <i>Pentandria Monogynia</i> . P.S.			
1 latifolia. r.s.	broad-leaved. N. America. 1759. 5. 6. H. 4.	Botan. regist. 151.		
2 salicifolia. r.s.	Willow-leaved. ——— 1812. ——— H. 4.	Botan. magaz. 1873.		
3 angustifolia. r.s.	hairy-stalked. ——— 1774. ——— H. 4.	Venten. choix. 29.		
PLUMERIA. S.S.	PLUMERIA. <i>Pentandria Monogynia</i> . L.			
1 rubra. r.s.	red-flowered. Jamaica. 1690. 7. 8. S. h.	Botan. regist. 780.		
2 purpurea. r.s.	purple. Peru. 1820. ——— S. h.	Flor. peruv. 2. t. 137.		
3 acuminate. H.K.	acute-leaved. E. Indies. 1790. 6. 9. S. h.	Botan. regist. 114.		
<i>acutifolia</i> . r.s.				
4 obtusa. r.s.	blunt-leaved. W. Indies. 1733. 7. 8. S. h.	Catesb. car. 1. t. 93.		
5 alba. r.s.	white. Jamaica. ——— 7. 8. S. h.	Jacq. amer. t. 174. f. 2.		
6 bicolor. R.P.	two-coloured. S. America. 1815. 6. 9. S. h.	Botan. regist. 480.		
7 tricolor. R.P.	three-coloured. ——— ——— S. h.	——— 510.		
8 lutea. R.P.	yellow-flow'r'd. ——— ——— S. h.	Flor. peruv. 2. t. 142.		
9 pudica. r.s.	wax-flowered. ——— 7. 8. S. h.			
10 longifolia. r.s.	long-leaved. Madagascar. 1816. ——— S. h.			
11 tuberculata. B.C.	tubercl. S. America. 1820. 6. 8. S. h.	Lodd. bot. cab. 681.		
12 tenuifolia. Lod.	slender-leaved. ——— ——— S. h.			
13 Northiana. Lod.	North's. ——— ——— S. h.			
14 mexicana. B.C.	Mexican. Mexico. ——— 6. 9. S. h.	Lodd. bot. cab. 1024.		
15 Blandfordiana. Lod.	Blandford's. S. America. ——— ——— S. h.			
16 nivea. Lod.	snowy white. ——— ——— S. h.			
17 conspicua. Lod.	conspicuous. ——— ——— S. h.			
18 macrophylla. Lod.	large-leaved. ——— ——— S. h.			
19 leucantha. Lod.	white-blossom'd. ——— ——— S. h.			
PRESTONIA. S.S.	PRESTONIA. <i>Pentandria Monogynia</i> . S.S.			
1 tomentosa. s.s.	tomentose. Brazil. 1820. 5. 8. S. h.			
2 glabrata. s.s.	smooth. S. America. 1823. ——— S. h.			
ALSTONIA. S.S.	ALSTONIA. <i>Pentandria Monogynia</i> . S.S.			
1 scholaris. s.s.	whorl-leaved. E. Indies. 1816. ——— S. h.	Rheed. mal. 1. t. 45.		
2 venenata. s.s.	poisonous. ——— 1823. ——— S. h.			
THENARDIA. K.S.	THENARDIA. <i>Pentandria Monogynia</i> .			
floribunda. k.s.	abundant-fl. Mexico. 1823. ——— S. h.	H. et B. 3. t. 240.		
ECHITES. R.S.	ECHITES. <i>Pentandria Monogynia</i> . L.			
1 longiflora. s.s.	long-flowered. Brazil. 1816. 5. 8. S. h.			
2 bispinosa. s.s.	two-spined. C. B. S. 1795. 7. 11. S. h.			
3 succulenta. s.s.	succulent. ——— 1820. ——— S. h.	Th.n.act.pet.14.t.9.f.2.		
4 tuberosa. H.S.S.	tuberous-root'd. ——— 1813. ——— S. h.			
5 biflora. s.s.	twin-flowered. W. Indies. 1793. 7. 8. S. h.	Jacq. amer. 30. t. 21.		
6 umbellata. s.s.	umbelled. Jamaica. 1733. 7. S. h.	——— 30. t. 22.		
7 torosa. s.s.	climbing. ——— 1778. 6. 8. S. h.	Jacq. amer. 33. t. 27.		
8 suberecta. s.s.	Savanna-fl. ——— 1759. ——— S. h.	Botan. magaz. 1064.		
9 caryophyllata. s.s.	Clove-scented. E. Indies. 1812. 9. 11. S. h.	——— 1919.		
10 difformis. s.s.	deformed. Carolina. 1806. 6. 7. G. h.			
11 reticulata. s.s.	netted-leaved. E. Indies. 1818. ——— S. h.			
12 Heynii. s.s.	Heyne's. ——— ——— S. h.			
13 frutescens. H.B.	frutescent. ——— 1816. ——— S. h.			
14 paniculata. H.B.	panicled. ——— ——— S. h.			
BEAUMONTIA. B.R.	BEAUMONTIA. <i>Pentandria Monogynia</i> .			
1 grandiflora. B.R.	oval-leaved. E. Indies. 1812. 5. 7. S. h.	Botan. regist. 911.		
2 longifolia. Lod.	long-leaved. ——— 1818. ——— S. h.			
HÆMADICTYON. H.T.	HÆMADICTYON. <i>Pentandria Monogynia</i> .			
venosum. H.T.	red-veined. W. Indies. 1820. 4. 8. S. h.	Botan. magaz. 2473.		
<i>Echites nutans</i> . B.M.				
VALLARIS. S.S.	VALLARIS. <i>Pentandria Monogynia</i> . S.S.			
Pergulanus. s.s.	smooth-leaved. E. Indies. 1818. ——— S. h.	Rumph. amb. 5. t. 29.		
<i>Pergularia glabra</i> . w.	<i>Emericia Pergularia</i> . r.s.			
ICHNOCARPUS. S.S.	ICHNOCARPUS. <i>Pentandria Monogynia</i> . S.S.			
frutescens. s.s.	shrubby. E. Indies. 1759. 7. 8. S. h.	Burm. zeyl. t. 12. f. 1.		
PARSONSIA. R.S.	PARSONSIA. <i>Pentandria Monogynia</i> . R.S.			
1 corymbosa. r.s.	corymb-flow'r'd. W. Indies. 1820. 6. 8. S. h.	Jacq. amer. pict. t.37.		
<i>Echites corymbosa</i> . Jacq.				
2 floribunda. r.s.	many-flowered. Jamaica. ——— ——— S. h.			
<i>Echites floribunda</i> . w.				

WILLUGHBEIA. S.S.	WILLUGHBEIA. Pentandria Monogynia. S.S.
edulis. s.s.	eatable. E. Indies. 1818. 6. 8. S. h. ~.
LYONIA. B.P.	LYONIA. Pentandria Monogynia. S.S.
straminea. B.P.	climbing. N. S. W. 1820. 6. 8. S. h. ~.
MELODINUS. R.S.	MELODINUS. Pentandria Mono-Digynia.
1 scandens. R.S.	climbing. N. Caledonia. 1775. S. h. ~. Lam. ill. t. 179.
2 monogynus. B.R.	one-styled. E. Indies. 1816. 4. 8. S. h. ~. Botan. regist. 834.
APOCYNUM. S.S.	DOG'S-BANE. Pentandria Monogynia. R.S.
1 androsemifolium. s.s.	Tutsan-leaved. N. America. 1688. 7. 9. H. 2. Botan. magaz. 280.
2 cannabinum. s.s.	Hemp-like. 1699. 7. 9. H. 2. Moris. s. 15. t. 3. f. 14.
3 hypericifolium. s.s.	Hypericum-ld. 1758. 6. 7. H. 2. Jacq. vind. 3. t. 66.
4 venetum. s.s.	Venetian. Adriatic Isl. 1690. — H. 2. Lob. ic. 372. f. 1. 2.

ORDO CXVIII.

ASCLEPIADEÆ. Brown prodr. 1. p. 458.

PERIPLOCA. R.S.	PERIPLOCA. Pentandria Digynia. L.
1 greca. R.S.	Virginian-silk. Syria. 1597. 7. 8. H. h. ~. Botan. regist. 803.
2 mauritiana. R.S.	long-leaved. Mauritius. 1823. S. h. ~. Rheed. mal. 9. t. 11.
3 laevigata. R.S.	smooth. Canaries. 1779. 6. 8. G. h. Cavan. ic. 3. t. 217.
HEMIDESMUS. R.S.	HEMIDESMUS. Pentandria Digynia. R.S.
indicus. R.S.	Indian. Ceylon. 1796. S. h. Burm. zeyl. t. 83. f. 1.
CRYPTOSTEGIA. B.R.	CRYPTOSTEGIA. Pentandria Digynia. S.S.
grandiflora. B.R.	large-flowered. E. Indies. 1812. 6. 8. S. h. ~. Botan. regist. 435.
SECAMONE. R.S.	SECAMONE. Pentandria Digynia. R.S.
1 emetica. R.S.	narrow-leaved. India. 1816. S. h. Willd. phyt. 1. t. 5. f. 2.
2 ægyptiaca. H.K.	Egyptian. Egypt. 1752. 7. G. h. ~. Alp. ægyp. t. 134.
Alpini. R.S. <i>Periploca Secamone. w.</i>	
DUVALLIA. H.S.S.	DUVALLIA. Pentandria Digynia. H.S.
1 reclinata. H.S.	reclined. C. B. S. 1795. 8. 10. D.S. h. Botan. magaz. 1397.
2 elegans. H.S.	elegant. — — — D.S. h. — — — 1184.
<i>Stapelia elegans. B.M.</i>	
3 hirtella. s.s.	hairy. — — — D.S. h.
<i>Stapelia hirtella. Jacq.</i>	
4 cæspitosa. H.S.	tufted. — — — 1790. 8. 11. D.S. h. Mass. stap. 20. t. 29.
5 radiata. H.S.	radiated. — — — 1795. 9. 11. D.S. h. Botan. magaz. 619.
6 replicata. s.s.	replicate. — — — 1806. 8. 10. D.S. h.
<i>Stapelia replicata. Jacq.</i>	
7 mastodes. s.s.	teat. — — — 1821. — D.S. h.
8 Jacquiniana. R.S.	Jacquin's. — — — 1802. 7. 9. D.S. h. Jacq. stap. t. 37.
<i>Stapelia radiata. Jacq. non B.M.</i>	
9 tuberculata. H.S.S.	tubercled. — — — 1774. 7. 11. D.S. h.
10 laevigata. H.S.S.	smooth. — — — 1808. — D.S. h.
11 glomerata. H.S.S.	clustered. — — — — D.S. h.
12 compacta. H.S.S.	compact. — — — 1800. 8. 11. D.S. h.
PECTINARIA. H.S.S.	PECTINARIA. Pentandria Digynia. H.S.
articulata. H.S.S.	jointed. C. B. S. 1774. 8. 9. D.S. h. Mass. stap. 20. t. 30.
<i>Stapelia articulata. Mas.</i>	
ORBEA. H.S.	ORBEA. Pentandria Digynia. H.S.
1 maculosa. H.S.	spotted. C. B. S. 1804. 6. 9. D.S. h. Botan. magaz. 1833.
2 mixta. H.S.	mixed. — — — 1795. — D.S. h. Mass. stap. 23. t. 38.
<i>Stapelia mixta. Mas.</i>	
3 mutabilis. s.s.	changeable. — — — 1823. 6. 9. D.S. h. Jacq. stap. ic.
<i>Stapelia mutabilis. Jacq.</i>	
4 quinque nervia. H.S.	five-nerved. — — — 1810. 10. 12. D.S. h.
5 bisulca. H.S.	bisulcate. — — — 1806. — D.S. h.
6 variegata. H.S.	variegated. — — — 1727. 6. 10. D.S. h. Moris. s. 15. t. 3. f. 4.
<i>Stapelia variegata. L. non B.M.</i>	
7 Curtisi. H.S.	Curtis's. — — — 1787. — D.S. h. Botan. magaz. 26.
<i>Stapelia variegata. B.M.</i>	
8 lepida. H.S.S.	pretty. — — — 1805. 7. 8. D.S. h. Jacq. stap. ic.
9 orbicularis. H.S.	large orb'd. — — — 1799. 7. 11. D.S. h. Andr. deposit. 448.

10 <i>bufonia</i> . H.S.	toad-like.	C. B. S.	1806.	8. 10. D.S. \ddot{h} .	Botan. magaz. 1676.
<i>Stapelia Bufonis</i> . B.M.					
11 <i>clypeata</i> . H.S.s.	shield-flower'd.	1799.	6. 11.	D.S. \ddot{h} .	Jacq. stap. ic.
12 <i>planiflora</i> . H.S.s.	flat-flowered.	1805.	7. 11.	D.S. \ddot{h} .	— c. ic.
13 <i>inodora</i> . H.S.s.	scentless.	1788.	6. 8.	D.S. \ddot{h} .	
14 <i>rugosa</i> , s.s.	rugged.	1805.	5. 8.	D.S. \ddot{h} .	Jacq. stap. ic.
15 <i>Wendlandiana</i> . R.S.	Wendland's.	—	6. 9.	D.S. \ddot{h} .	Wendl. coll. 2. t. 52.
<i>Stapelia rugosa</i> . Wend. non Jacq.					
16 <i>marginata</i> . R.S.	margined.	1805.	—	D.S. \ddot{h} .	
17 <i>conspurcata</i> , R.S.	dirty'd.	1795.	6. 10.	D.S. \ddot{h} .	Jacq. stap. ic.
18 <i>normalis</i> . R.S.	sulphur-col'd.	1821.	—	D.S. \ddot{h} .	Botan. regist. 755.
19 <i>marmorata</i> . R.S.	marbled.	—	—	D.S. \ddot{h} .	
20 <i>retusa</i> . H.S.	retuse.	1808.	9. 10.	D.S. \ddot{h} .	
21 <i>anguinea</i> . H.S.	snake.	1806.	8. 9.	D.S. \ddot{h} .	Lodd. bot. cab. 328.
22 <i>picta</i> . H.S.	painted.	1799.	6. 9.	D.S. \ddot{h} .	Botan. magaz. 1169.
23 <i>Woodfordiana</i> . H.S.	Woodford's.	1805.	—	D.S. \ddot{h} .	
24? <i>arida</i> . s.s.	dry.	1795.	8.	D.S. \ddot{h} .	Mass. stap. 21. t. 33.
<i>Stapelia arida</i> . Mas.					
25? <i>aperta</i> . s.s.	open-flower'd.	—	7. 8.	D.S. \ddot{h} .	— 23. t. 37.
<i>Stapelia aperta</i> . Mas.					
STAPELIA. H.S.	CARRION-FLOWER. Pentandria Digynia. L.				
1 <i>grandiflora</i> . R.S.	great-flowered.	C. B. S.	1795.	9. 12.	D.S. \ddot{h} .
2 <i>spectabilis</i> . H.S.	showy.	1802.	—	D.S. \ddot{h} .	Botan. magaz. 585.
<i>grandiflora</i> . B.M. non Mas.					
3 <i>ambigua</i> . R.S.	ambiguous.	—	1795.	6. 11.	D.S. \ddot{h} .
4 <i>sororia</i> . R.S.	sister.	—	1797.	6. 8.	D.S. \ddot{h} .
5 <i>patula</i> . R.S.	spreading.	—	—	D.S. \ddot{h} .	Jacq. stap. c. ic.
<i>sororia</i> . Jacq. non Mas.					
6 <i>deflexa</i> . B.M.	deflexed.	—	1806.	—	D.S. \ddot{h} .
<i>reflexa</i> . H.S.					Botan. magaz. 1890.
7 <i>lucida</i> . R.S.	glossy.	—	1821.	—	D.S. \ddot{h} .
8 <i>brevirostris</i> . W.en.	short-beaked.	—	—	D.S. \ddot{h} .	
9 <i>Massoni</i> . H.S.	Masson's.	—	1808.	—	D.S. \ddot{h} .
10 <i>Asterias</i> . R.S.	Starfish.	—	1795.	5. 11.	D.S. \ddot{h} .
11 <i>stellaris</i> . H.S.s.	starry.	—	1804.	8. 10.	D.S. \ddot{h} .
12 <i>hirsuta</i> . R.S.	hairy.	—	1710.	6. 8.	D.S. \ddot{h} .
β <i>aatra</i> . B.R.	dark-flowered.	—	—	D.S. \ddot{h} .	Botan. regist. 756.
13 <i>lanifera</i> . H.S.s.	woolly-flow'r'd.	—	1814.	6. 9.	D.S. \ddot{h} .
14 <i>flavicomata</i> . H.S.s.	yellow-haired.	—	1810.	—	D.S. \ddot{h} .
15 <i>hamata</i> . R.S.	hooked.	—	1805.	—	D.S. \ddot{h} .
16 <i>comata</i> . R.S.	very-hairy.	—	1821.	—	D.S. \ddot{h} .
17 <i>rufa</i> . R.S.	rusty brown.	—	1795.	6. 11.	D.S. \ddot{h} .
18 <i>pulvinata</i> . R.S.	cushioned.	—	—	D.S. \ddot{h} .	Botan. magaz. 1240.
19 <i>fissirostris</i> . R.S.	cloven-beaked.	—	1821.	—	D.S. \ddot{h} .
20 <i>plifera</i> . R.S.	hairy-tubercl'd.	—	1790.	6. 8.	D.S. \ddot{h} .
21 <i>concinna</i> . R.S.	spruce.	—	1795.	—	D.S. \ddot{h} .
22 <i>glandulifera</i> . R.S.	hairy-glanded.	—	—	D.S. \ddot{h} .	— 15. t. 18.
23 <i>hispidula</i> . R.S.	hispid.	—	1821.	—	D.S. \ddot{h} .
24 <i>glanduliflora</i> . R.S.	gland-flowered.	—	1795.	8. 11.	D.S. \ddot{h} .
25 <i>acuminata</i> . R.S.	acuminated.	—	—	7. 9.	D.S. \ddot{h} .
26? <i>ramosa</i> . R.S.	branched.	—	—	6. 8.	D.S. \ddot{h} .
27? <i>mammillaris</i> . R.S.	mammillary.	—	1774.	—	D.S. \ddot{h} .
28? <i>cordata</i> . H.S.	heart-shaped.	—	1805.	—	D.S. \ddot{h} .
29? <i>canescens</i> . H.S.	canescent.	—	1795.	—	D.S. \ddot{h} .
30? <i>ophiuncula</i> . H.S.	serpent-like.	—	1805.	—	D.S. \ddot{h} .
TRIDENTEA. H.S.	TRIDENTEA. Pentandria Digynia. H.S.				
1 <i>gemmiflora</i> . H.S.	gem-flowered.	C. B. S.	1795.	10. 11.	D.S. \ddot{h} .
2 <i>stygia</i> . H.S.	Stygian.	—	1800.	8. 10.	D.S. \ddot{h} .
<i>Stapelia gemmiflora</i> . β . B.M.					Botan. magaz. 1830.
3 <i>moschata</i> . H.S.s.	musk-scented.	—	1799.	9. 11.	D.S. \ddot{h} .
<i>Stapelia hircosa</i> . Jacq.					Lodd. bot. cab. 1051.
4 <i>vetula</i> . H.S.	purple smooth.	—	1793.	5. 11.	D.S. \ddot{h} .
5 <i>Simsii</i> . H.S.	Sims's.	—	1800.	—	D.S. \ddot{h} .
<i>Stapelia vetula</i> . B.M.					Botan. magaz. 1234.
6? <i>paniculata</i> . R.S.	panicled.	—	1805.	6. 9.	D.S. \ddot{h} .
7? <i>juvenula</i> . s.s.	short-flowered.	—	—	D.S. \ddot{h} .	Jacq. stap. ic.
8? <i>depressa</i> . R.S.	depressed.	—	—	D.S. \ddot{h} .	c. ic.
TROMOTRICHÆ.H.S.TROMOTRICHÆ.	Pentandria Digynia. H.S.				
1 <i>fuscata</i> . H.S.s.	brown-flow'r'd.	C. B. S.	1814.	6. 10.	D.S. \ddot{h} .
<i>Stapelia fuscata</i> . Jacq.					Jacq. stap. ic.

2 glauca. H.S.S.	large glaucous.	C. B. S.	1799.	6. 11.	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
3 revoluta. H.S.	revolute-fl'd.	—	1790.	6. 9.	D.S. $\frac{1}{2}$.	Botan. magaz. 724.
<i>Stapelia revoluta.</i> B.M.						
4? pruinosa. H.S.	frosted.	—	1795.	6. 8.	D.S. $\frac{1}{2}$.	Mass. stap. 24. t. 41.
5 obliqua. R.S.	oblique-flow'r'd.	—	1805.	6. 9.	D.S. $\frac{1}{2}$.	
PODANTHES. H.S.	PODANTHES.	Pentandria	Digynia. H.S.			
1 pulchra. H.S.	beautiful sulphur.	C. B. S.	1800.	8. 10.	D.S. $\frac{1}{2}$.	
β major.	larger.	—	—	—	D.S. $\frac{1}{2}$.	Botan. magaz. 786.
<i>Stapelia verrucosa.</i> B.M. nec aliorum.						
2 irrorata. H.S.	dewy.	—	1795.	7. 9.	D.S. $\frac{1}{2}$.	Mass. stap. 12. t. 9.
3 verrucosa. H.S.	warted.	—	—	8. 10.	D.S. $\frac{1}{2}$,	— 11. t. 8.
4 roriflua. R.S.	dew-bearing.	—	1802.	—	D.S. $\frac{1}{2}$.	Jacq. stap. ic.
<i>Stapelia roriflua.</i> Jacq.						
5 pulchella. H.S.	beautiful.	—	1795.	5. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 22. t. 36.
6 incarnata. S.S.	flesh-coloured.	—	1793.	4. 8.	D.S. $\frac{1}{2}$.	— 22. t. 34.
7? ciliata. H.S.	fringed.	—	1795.	10. 12.	D.S. $\frac{1}{2}$.	— 9. t. 1.
<i>Stapelia ciliata.</i> Mas.						
OBESIA. H.S.	OBESIA.	Pentandria	Digynia. H.S.			
1 serrulata. S.S.	sawed.	C. B. S.	1805.	6. 8.	D.S. $\frac{1}{2}$.	Jacq. stap. ic.
<i>Stapelia serrulata.</i> Jacq.						
2 geminata. H.S.	twin-flowered.	—	1795.	5. 11.	D.S. $\frac{1}{2}$.	Botan. magaz. 1326.
<i>Stapelia geminata.</i> B.M.						
3 decora. H.S.	neat.	—	—	—	D.S. $\frac{1}{2}$.	Mass. stap. 19. t. 26.
GONOSTEMON. H.S.	GONOSTEMON.	Pentandria	Digynia. H.S.			
1 divaricatum. H.S.	divaricated.	C. B. S.	1793.	6. 11.	D.S. $\frac{1}{2}$.	Botan. magaz. 1007.
<i>Stapelia divaricata.</i> B.M.						
2 strictum. H.S.S.	upright.	—	1819.	10. 12.	D.S. $\frac{1}{2}$.	Botan. magaz. 2037.
<i>Stapelia stricta.</i> B.M.						
3 pallidum. R.S.	pale-flowered.	—	—	—	D.S. $\frac{1}{2}$.	Wendl. coll. 2. t. 51.
4? Gordoni. S.S.	Gordon's.	—	1796.	D.S. $\frac{1}{2}$.	Mass. stap. 24. t. 40.
<i>Stapelia Gordonii.</i> Mas.						
CARUNCULARIA. H.S.	CARUNCULARIA.	Pentandria	Digynia. H.S.			
pedunculata. H.S.	long-pedunc'l'd.	C. B. S.	1790.	6. 11.	D.S. $\frac{1}{2}$.	Botan. magaz. 793.
<i>Stapelia pedunculata.</i> B.M.						
PIARANTHUS. B.	PIARANTHUS.	Pentandria	Digynia. H.S.			
1 punctatus. R.S.	purple dotted.	C. B. S.	1795.	7. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 18. t. 24.
2 pullus. R.S.	many-flowered.	—	1774.	8. 9.	D.S. $\frac{1}{2}$.	Botan. magaz. 1648.
<i>Stapelia pulla.</i> B.M.						
3? parviflorus. S.S.	small-flowered.	—	1795.	6. 8.	D.S. $\frac{1}{2}$.	Mass. stap. 22. t. 35.
HUERNIA. B.	HUERNIA.	Pentandria	Digynia. R.S.			
1 reticulata. H.S.	netted.	C. B. S.	1793.	7. 8.	D.S. $\frac{1}{2}$.	Botan. magaz. 1662.
<i>Stapelia reticulata.</i> B.M.						
2 campanulata. H.S.	bell-shaped.	—	1795.	7. 10.	D.S. $\frac{1}{2}$.	Botan. magaz. 1227.
3 clavigera. H.S.S.	club-haired.	—	—	—	D.S. $\frac{1}{2}$.	— 1661.
<i>Stapelia campanulata.</i> B.M. nec aliorum.						
4 venusta. H.S.	showy.	—	—	6. 7.	D.S. $\frac{1}{2}$.	Mass. stap. 10. t. 3.
5 lentiginosa. H.S.	freckled.	—	—	7. 11.	D.S. $\frac{1}{2}$.	Botan. magaz. 506.
6 guttata. H.S.	red-spotted.	—	—	8. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 10. t. 4.
7 humilis. H.S.	humble.	—	—	—	D.S. $\frac{1}{2}$.	— 10. t. 5.
8 tubata. H.S.	tube-flowered.	—	1805.	—	D.S. $\frac{1}{2}$.	Jacq. stap. ic.
9 crispa. H.S.	curled.	—	—	—	D.S. $\frac{1}{2}$.	
10 barbata. H.S.	bearded.	—	1795.	—	D.S. $\frac{1}{2}$.	Mass. stap. 11. t. 7.
BRACHYSTELMA. B.R.	BRACHYSTELMA.	Pentandria	Digynia. S.S.			
tuberous. B.R.	tuberous-root'd.	C. B. S.	1820.	4. 10.	S. $\frac{1}{2}$.	Botan. regist. 722.
CARALLUMA. H.S.	CARALLUMA.	Pentandria	Digynia. S.S.			
1 adscendens. H.S.	ascending.	E. Indies.	1804.	7.	D.S. $\frac{1}{2}$.	Roxb. cor. I. t. 30.
2 umbellata. H.S.	umbelled.	—	—	—	D.S. $\frac{1}{2}$.	
HOYA. B.P.	HOYA.	Pentandria	Digynia. R.S.			
1 crassifolia. H.S.S.	large-leaved.	China.	1817.	10. 1.	D.S. $\frac{1}{2}$.	
2 carnosa. H.K.	fleshy-leaved.	—	1802.	7. 10.	G. $\frac{1}{2}$.	Botan. magaz. 788.
3 pallida. B.R.	pale.	—	1820.	—	S. $\frac{1}{2}$.	Botan. regist. 951.
α acuta. H.R.						
4 Pottsiæ.	Potts's.	—	1822.	—	S. $\frac{1}{2}$.	
TYLOPHORA. B.P.	TYLOPHORA.	Pentandria	Digynia. R.S.			
1 grandiflora. B.P.	great-flowered.	N. S. W.	1822.	6. 8.	G. $\frac{1}{2}$.	
2 barbata. B.P.	bearded.	—	—	—	G. $\frac{1}{2}$.	
3 exilis. L.T.	slender.	E. Indies.	1823.	—	S. $\frac{1}{2}$.	Linn. trans. 12. t. 16.
CEROPEGIA. R.S.	CEROPEGIA.	Pentandria	Digynia. R.S.			
1 aphylla. H.S.	leafless.	Canaries.	1808.	S. $\frac{1}{2}$.	

2 dichotoma. H.R.	forked.	E. Indies.	1806.	8.	S. $\frac{1}{2}$:	
3 juncea. R.S.	rushy.	1820.	S. $\frac{1}{2}$.	Roxb. cor. 1. t. 10.	
4 africana. B.R.	African.	C. B. S.	1821.	4. 11.	S. $\frac{1}{2}$.	Botan. regist. 626.
5 bulbosa. R.S.	bulbous-rooted.	E. Indies.	—	—	S. $\frac{1}{2}$.	Roxb. cor. 1. t. 7.
6 tuberosa. R.S.	tuberous-root'd.	—	—	S. $\frac{1}{2}$.	— 1. t. 9.
PERGULARIA. R.S.	PERGULARIA.	Pentandria Dignya. R.S.				
1 odoratissima. R.S.	large.	E. Indies.	1781.	6. 7.	S. $\frac{1}{2}$.	Botan. regist. 412.
2 minor. R.S.	smaller.	—	1790.	5. 8.	S. $\frac{1}{2}$.	Botan. magaz. 755.
3 sanguinolenta. B.M.	bloody-juiced.	Sierra Leon.	1822.	8. 9.	S. $\frac{1}{2}$.	— 2532.
MARSDENIA. B.P.	MARSDENIA.	Pentandria Dignya. R.S.				
1 suaveolens. B.P.	sweet-scented.	N. S. W.	1816.	3. 8.	G. $\frac{1}{2}$.	Botan. regist. 489.
2 erecta. R.S.	upright.	Syria.	1597.	7. 8.	G. $\frac{1}{2}$.	Jacq. vind. 1. t. 38.
DISCHIDIA. B.P.	DISCHIDIA.	Pentandria Dignya. S.S.				
bengalensis. L.T.	Bengal.	E. Indies.	1818.	6. 8.	S. $\frac{1}{2}$.	Linn. trans. 12. t. 15.
GYMNEMA. B.P.	GYMNEMA.	Pentandria Dignya. R.S.				
1 sylvestre. R.S.	netted-leaved.	Ceylon.	1816.	6. 8.	S. $\frac{1}{2}$.	Willd. phyt. 1. t. 5. f. 3.
2 tingens. s.s.	pointed-leaved.	E. Indies.	1823.	—	S. $\frac{1}{2}$.	
3 tenacissimum. s.s.	tough.	—	1806.	S. $\frac{1}{2}$.	
SARCOLOBUS. R.S.	SARCOLOBUS.	Pentandria Dignya. R.S.				
1 globosus. R.S.	globular-fruit'd.	E. Indies.	1823.	S. $\frac{1}{2}$.	Wall. as. res. 12. t. 4.
2 carinatus. R.S.	keeled-fruited.	—	—	S. $\frac{1}{2}$.	— 12. t. 5.
GOONOLOBUS. R.S.	GOONOLOBUS.	Pentandria Dignya. R.S.				
1 maritimus. R.S.	sea-side.	Caracas.	1823.	6. 10.	S. $\frac{1}{2}$.	Botan. regist. 931.
2 suberosus. R.S.	cork-barked.	America.	1732.	7. 9.	S. $\frac{1}{2}$.	Dill. elt. t. 229. f. 296.
3 crispiiflorus. R.S.	curled-flower'd.	S. America.	1741.	7. 8.	S. $\frac{1}{2}$.	Plum. ic. t. 216. f. 1.
4 rostratus. R.S.	beaked-petal'd.	Trinidad.	1823.	—	S. $\frac{1}{2}$.	
5 niger. R.S.	black-flower'd.	Mexico.	1825.	S. $\frac{1}{2}$.	Cavan. ic. 2. t. 159.
<i>Cynanchum nigrum.</i> Cav.						
6 uniflorus. K.S.	solitary-fl'd.	—	—	S. $\frac{1}{2}$.	H. et B. 3. t. 238.
7 carolinensis. N.	yellowish-fl'd.	N. America.	1820.	7. 9.	H. $\frac{1}{2}$.	Lodd. bot. cab. 365.
<i>hirsutus. B.C. nec aliorum.</i>						
8 hirsutus. R.S.	hairy.	—	1806.	6. 9.	H. $\frac{1}{2}$.	Swt. br. fl. gar. 1.
9 macrophyllus. N.	large-leaved.	—	1822.	—	H. $\frac{1}{2}$.	
10 discolor. R.S.	Virginian.	—	1809.	7. 9.	H. $\frac{1}{2}$.	Botan. magaz. 1273.
<i>Cynanchum discolor.</i> B.M.						
11 obliquus. R.S.	oblique-fl'd.	Carolina.	1818.	—	H. $\frac{1}{2}$.	Jacq. ic. 2. t. 311.
12 Nuttallianus. s.s.	Nuttall's.	Mississippi.	1822.	—	H. $\frac{1}{2}$.	
<i>viridiflorus. N. non R.S.</i>						
13 levis. R.S.	smooth.	—	1806.	6. 7.	H. $\frac{1}{2}$.	
14 diadematus. B.R.	red-crowned.	Mexico.	1812.	9. 10.	S. $\frac{1}{2}$.	Botan. regist. 252.
ASCLEPIAS. R.S.	SWALLOW-WORT.	Pentandria Dignya. R.S.				
1 syriaca. R.S.	Virginian.	N. America.	1629.	7. 8.	H. $\frac{1}{2}$.	Blackw. t. 521.
2 exaltata. L.en.	tall.	—	—	—	H. $\frac{1}{2}$.	
3 phytolaccoides. R.S.	Phytolacca-like.	—	1812.	—	H. $\frac{1}{2}$.	
4 parviflora. R.S.	small-flowered.	—	1774.	7. 10.	H. $\frac{1}{2}$.	
5? salicifolia. B.C.	Willow-leaved.	S. America.	1816.	6. 9.	G. $\frac{1}{2}$.	Lodd. bot. cab. 272.
6 curassavica. R.S.	Curassavian.	—	1692.	6. 10.	S. $\frac{1}{2}$.	Botan. regist. 81.
7 nivea. R.S.	Almond-leav'd.	N. America.	1730.	7. 9.	H. $\frac{1}{2}$.	Botan. magaz. 1181.
8 incarnata. R.S.	flesh-coloured.	—	1710.	7. 8.	H. $\frac{1}{2}$.	Botan. regist. 250.
9 pulchra. R.S.	hairy.	—	—	—	H. $\frac{1}{2}$.	
10 amoena. R.S.	oval-leaved.	—	1732.	—	H. $\frac{1}{2}$.	Dill. elt. t. 27. f. 30.
11 purpurascens. R.S.	purple.	—	—	—	H. $\frac{1}{2}$.	— t. 28. f. 31.
12 variegata. R.S.	variegated.	—	1597.	—	H. $\frac{1}{2}$.	Botan. magaz. 1182.
13 obtusifolia. R.S.	blunt-leaved.	—	1823.	—	H. $\frac{1}{2}$.	
14 amplexicaulis. R.S.	stem-clasping.	—	—	—	H. $\frac{1}{2}$.	
15 laurifolia. M.	Laurel-leaved.	—	1823.	—	H. $\frac{1}{2}$.	Pluk. amal. t. 358. f. 2.
<i>periplocæfolia. N. acuminata. Ph.</i>						
16 quadrifolia. R.S.	four-leaved.	—	—	8. 9.	H. $\frac{1}{2}$.	Jacq. obs. 2. t. 33.
17 verticillata. B.S.	whorl-leaved.	—	1759.	8. 10.	H. $\frac{1}{2}$.	Swt. br. fl. gar. 144.
18 mexicana. R.S.	Mexican.	Mexico.	1823.	7. 9.	G. $\frac{1}{2}$.	Cavan. ic. 1. t. 58.
19 rosea. K.S.	rose-coloured.	—	1824.	—	G. $\frac{1}{2}$.	
20 linifolia. R.S.	Flax-leaved.	—	—	—	G. $\frac{1}{2}$.	
21 Linaria. R.S.	toadflax-leav'd.	—	1802.	—	G. $\frac{1}{2}$.	Cavan. ic. I. t. 57.
22 rubra. R.S.	red-flowered.	N. America.	1820.	—	H. $\frac{1}{2}$.	
23 tuberosa. R.S.	tuberous-root'd.	—	1690.	7. 9.	H. $\frac{1}{2}$.	Botan. regist. 76.
β decumbens. Ph.	decumbent.	—	1731.	—	H. $\frac{1}{2}$.	
ACERATES. Ell.	ACERATES.	Pentandria Dignya.				
longifolia. Ell.	long-leaved.	N. America.	1816.	7. 8.	H. $\frac{1}{2}$.	
<i>Asclepias longifolia.</i> r.s. <i>Gomphocarpus longifolius.</i> s.s.						

ASCLEPIADEÆ.

ANANTHERIX. N.	ANANTHERIX.	Pentandria Digynia. N.			
viridis. n.	green-flower'd.	N. America. 1812.	8. 10. H. 4.		
STYLANDRA. N.	STYLANDRA.	Pentandria Digynia. N.			
pumila. n.	dwarf.	Carolina. 1812.	7. 8. G. 4.		
<i>Podostigma pubescens.</i> s.s. <i>Asclepias pedicellata.</i> Ph.					
GOMPHOCARPUS. R.S.	GOMPHOCARPUS.	Pentandria Digynia. R.S.			
1 arborescens. R.S.	broad-leaved.	C. B. S.	1714. 12. G. h.	Jacq. schœnb. I. t. 50.	
2 crispus. R.S.	curled-leaved.	——	1774. 7. G. h.	Moris. s. 15. t. 3. f. 37.	
3 fruticosus. R.S.	Willow-leaved.	——	1714. 6. 9. G. h.	Botan. magaz. 1628.	
<i>Asclepias fruticosa.</i> w.					
OXYSTELMA. R.S.	OXYSTELMA.	Pentandria Digynia. R.S.			
esculentum. r.s.	esculent.	E. Indies.	1816. ... S. 4. Roxb. corom. I. t. 11.		
XYSMALOBIUM. R.S.	XYSMALOBIUM.	Pentandria Digynia. R.S.			
undulatum. r.s.	waved-leaved.	C. B. S.	1783. 7. 8. G. h.	Comm. rar. t. 16.	
CALOTROPIS. R.S.	CALOTROPIS.	Pentandria Digynia. R.S.			
1 procera. r.s.	bell-flowered.	Persia.	1714. 7. 9. S. h.	Andr. deposit. 271.	
<i>Asclepias gigantea.</i> A.R.					
2 gigantea. r.s.	curl'd-flower'd.	E. Indies.	1690. — S. h.	Botan. regist. 58.	
CYNANCHUM. R.S.	CYNANCHUM.	Pentandria Digynia. L.			
1 acutum. r.s.	acute-leaved.	Europe.	1596. 7. H. 4. Flor. græc. 250.		
2 monspeliacum. r.s.	Montpelier.	S. Europe.	— 8. 9. H. 4. — 251.		
3 pilosum. r.s.	hairy.	C. B. S.	1726. 6. 9. G. h. Botan. regist. 111.		
<i>Periploca africana.</i> A.R. 557.					
4 crassifolium. R.S.	thick-leaved.	——	1816. ... G. h. —		
5 capense. R.S.	Cape.	——	1820. ... G. h. —		
6 roseum. R.S.	rosy.	Dahuria.	1816. 7. 8. H. 4. Gmel. sib. 4. t. 42.		
<i>Asclepias davurica.</i> W.					
7 nigrum. R.S.	black.	S. Europe.	1596. 5. 8. H. 4. Botan. magaz. 2390.		
8 medium. R.S.	middle. — H. 4. —		
9 <i>Vincetoxicum.</i> R.S. officinal.		Europe.	1596. — H. 4. Flor. dan. 849.		
<i>Asclepias Vincetoxicum.</i> w.					
10 fuscatum. s.s.	yellow-flow'r'd.	——	— H. 4.		
11 sibiricum. R.S.	Siberian.	Siberia.	1775. 7. 8. H. 4. Murr. gott. 2. t. 7.		
12 foetidum. R.S.	fetid.	Mexico.	1823. — G. h. Cavan. ic. 2. t. 158.		
13 viridiflorum. B.M.	green-flowered.	E. Indies.	1814. 10. 12. S. h. Botan. magaz. 1929.		
14 ? undatum. A.R.	wave-leaved.	——	1803. 7. 8. S. h. Andr. deposit. 410.		
15 ? mucronatum. A.R.	sharp-pointed.	Trinidad.	1804. — S. h. — 515.		
DÆMIA. R.S.	DÆMIA.	Pentandria Digynia. R.S.			
1 extensa. r.s.	smooth-leaved.	E. Indies.	1778. 7. 8. S. h. Jacq. ic. 1. t. 54.		
2 bicolor.	two-coloured.	——	1806. — S. h. Andr. deposit. 562.		
<i>Cynanchum bicolor.</i> A.R.					
DIPLOLEPIS. R.S.	DIPLOLEPIS.	Pentandria Digynia.			
1 vomitoria. H.T.	dull-leaved.	China.	1820. 6. 9. S. h. —		
2 apiculata. H.T.	glossy-leaved.	——	— S. h. —		
SARCOSTEMMA. R.S.	SARCOSTEMMA.	Pentandria Digynia. R.S.			
1 viminalis.	twisting.	E. Indies.	1731. 7. S. h. —		
2 Swartzianum. r.s.	Swartz's.	W. Indies. S. h. Sloan. hist. 1. t. 131. f. 1.		
EUSTEGIA. R.S.	EUSTEGIA.	Pentandria Digynia. R.S.			
hastata. r.s.	halberd-leaved.	C. B. S.	1816. 6. 8. G. h. Spr. n. ent. t. 1. f. 5-10.		
<i>Apocynum hastatum.</i> w.					
MICROLOMA. R.S.	MICROLOMA.	Pentandria Digynia. R.S.			
1 sagittatum. r.s.	arrow-leaved.	C. B. S.	1775. 7. 8. G. h. Jacq. schœn. I. t. 38.		
2 lineare. r.s.	linear-leaved.	——	1816. — G. h. Pluk. mant. 17. t. 335. f. 5		
ASTEPHANUS. R.S.	ASTEPHANUS.	Pentandria Digynia. R.S.			
1 triflorus. r.s.	three-flowered.	C. B. S.	1816. 7. 9. G. 4. —		
2 linearis. r.s.	panicked.	——	— G. 4. —		

ORDO CXIX.

GENTIANÆ. Brown prodr. 1. p. 449.

GENTIANA. R.S.	GENTIAN.	Tetr-Pentandria Digynia.		
1 lutea. r.s.	yellow.	Alps Europ. 1596. 6. 7. H. 4.	Mill. ic. t. 130.	
2 hybrida. r.s.	hybrid.	Switzerland. 1825. — H. 4.		

3	<i>purpurea</i> . R.S.	purple.	Switzerland.	1768.	—	H. 4.	Andr. deposit. 117.
4	<i>pannonica</i> . R.S.	round-petal'd.	—	—	H. 4.	Jacq. aust. 2. t. 136.
5	<i>punctata</i> . R.S.	dotted-flow'r'd.	—	1775.	—	H. 4.	5. t. ap. 28.
6	<i>septemfida</i> . R.S. <i>β guttata</i> .	crested.	Levant.	1804.	—	H. 4.	Botan. magaz. 1229.
7	<i>asclepiadea</i> . R.S.	<i>spotted</i> .	—	—	—	H. 4.	1410.
8	<i>cruciata</i> . R.S.	swallowwort-l'd.	Austria.	1629.	7. 8.	H. 4.	1078.
9	<i>macrophylla</i> . R.S.	Crosswort.	—	1596.	6. 7.	H. 4.	Jacq. aust. 4. t. 372.
10	<i>adscendens</i> . S.S. <i>β decumbens</i> . R.S.	long-leaved.	Siberia.	1796.	7. 8.	H. 4.	Botan. magaz. 1414.
11	<i>frigida</i> . R.S.	ascending.	—	1799.	6. 7.	H. 4.	705.
12	<i>algida</i> . R.S.	<i>decumbent</i> .	—	—	—	H. 4.	723.
13	<i>gelida</i> . R.S.	frigid.	Carpathian m.	1816.	—	H. 4.	Frøl. gent. n. 13. ic.
14	<i>Pneumonanthe</i> . R.S. <i>β guttata</i> . B.M.	narrow-leaved.	Siberia.	1808.	—	H. 4.	Pall. ros. 2. t. 95.
15	<i>linearis</i> . R.S.	cream-colour'd.	Caucasus.	1816.	—	H. 4.	Eng. bot. 20.
16	<i>triflora</i> . R.S.	<i>Calathian violet</i> , England.	—	—	8. 9.	H. 4.	Botan. magaz. 1101.
17	<i>Saponaria</i> . B.M.	<i>spotted-flowered</i> .	—	—	—	H. 4.	Pall. ross. 1. t. 93. f. 1.
18	<i>Catesbeii</i> . N.	linear-leaved.	N. America.	1816.	—	H. 4.	Botan. magaz. 1039.
19	<i>intermedia</i> . B.M.	three-flowered.	Siberia.	1807.	6. 7.	H. 4.	Andr. deposit. 418.
20	<i>incarnata</i> . B.M.	barrel-flow'r'd.	N. America.	1776.	8. 9.	H. 4.	Botan. magaz. 2303.
21	<i>ochroleuca</i> . R.S.	Gatesby's.	—	—	6. 8.	H. 4.	1856.
22	<i>quinqueflora</i> . R.S. <i>amarilloides</i> . M.	intermediate.	—	1820.	8. 9.	H. 4.	1551.
23	<i>aurea</i> . R.S. <i>quinquefolia</i> . F.D.	flesh-coloured.	—	1812.	9. 11.	H. 4.	
24	<i>umbellata</i> . M.B.	pale-flowered.	—	1803.	8. 9.	H. 4.	
25	<i>acaulis</i> . R.S.	five-flowered.	—	1823.	7. 9.	H. 5.	
26	<i>alpina</i> . R.S.	large involucr'd.	Norway.	—	—	H. 5.	Flor. dan. t. 344.
27	<i>pyrenaica</i> . R.S.	umbel-flow'r'd.	Caucasus.	—	8. 10.	H. ⊖.	
28	<i>pumila</i> . R.S.	dwarf.	Wales.	—	3. 6.	H. 4.	Eng. bot. 1594.
29	<i>verna</i> . R.S.	Alpine.	Switzerland.	1818.	—	H. 4.	Lodd. bot. cab. 476.
30	<i>bavarica</i> . R.S.	Pyrenean.	Pyrenees.	1825.	—	H. 4.	W. et K. hung. t. 207.
31	<i>imbricata</i> . R.S.	small.	Switzerland.	—	—	H. 4.	Jacq. obs. 2. t. 49.
32	<i>utriculosa</i> . R.S.	spring.	England.	—	—	H. 4.	Eng. bot. 493.
33	<i>nivalis</i> . R.S.	Bavarian.	Germany.	1775.	7.	H. 4.	Vill. delph. 2. t. 10.
34	<i>germanica</i> . R.S.	imbricated.	Switzerland.	1825.	—	H. 4.	Barrel. ic. 101. f. 2.
35	<i>Amarella</i> . R.S.	bladdered.	—	—	7. 9.	H. ⊖.	W. et K. hung. t. 206.
36	<i>caucasica</i> . R.S.	small alpine.	Scotland.	—	8. 9.	H. ⊖.	Eng. bot. 896.
37	<i>campestris</i> . R.S.	German.	Germany.	1825.	—	H. ⊖.	Mayrh. fl. mon. t. 278.
38	<i>angustifolia</i> . R.S.	autumnal.	Britain.	—	8. 10.	H. ⊖.	Eng. bot. 236.
39	<i>glacialis</i> . R.S.	Caucasean.	Caucasus.	1804.	7. 8.	H. ⊖.	Botan. magaz. 1038.
40	<i>ciliata</i> . R.S.	field.	Britain.	—	8. 10.	H. ⊖.	Eng. bot. 237.
41	<i>crinita</i> . R.S. <i>fimbriata</i> . A.R. 509.	slender-leav'd.	N. America.	1820.	8. 9.	H. 4.	Sch. rom. arc. 1. t. 2. f. 5.
42	<i>barbata</i> . R.S. <i>ciliata</i> . B.M.	northern.	N. Europe.	1826.	—	H. ⊖.	Jacq. aust. t. 113.
		fringe-flow'r'd.	S. Europe.	1759.	8. 9.	H. 4.	Swt. br. fl. gar. 139.
		jagged-flow'r'd.	N. America.	1804.	7. 10.	H. 5.	
		bearded.	Siberia.	—	8. 9.	H. 5.	Botan. magaz. 639.
		FELWORT.	Tetr-Pentandria Digynia.				
		marsh.	England.	—	7. 8.	H. 4.	Eng. bot. 1441.
		American.	N. America.	1824.	—	H. 5.	
		YELLOW-WORT.	Octandria Monogynia. L.				
		sessile-leaved.	Italy.	1826.	—	H. ⊖.	
		perfoliate.	Britain.	—	6. 7.	H. ⊖.	Eng. bot. 60.
		FRASERA.	Tetrandria Monogynia. R.S.				
		Walter's.	N. America.	1795.	7. 8.	H. 5.	
		ERYTHRÆA.	Pentandria Monogynia. P.S.				
		common.	Britain.	—	7. 8.	H. ⊖.	Eng. bot. 417.
		broad-leaved.	Lancashire.	—	—	H. ⊖.	Eng. bot. 458.
		dwarf branching.	England.	—	8. 9.	H. ⊖.	— 2305.
		simple dwarf.	Britain.	—	6. 8.	H. ⊖.	
		close-flowered.	Spain.	1818.	5. 11.	H. 4.	
		cluster-branch'd.	Nepaul.	1824.	3. 11.	H. 4.	
		sea-side.	S. Europe.	1777.	7. 8.	H. 4.	
		yellow-flow'r'd.	—	—	—	H. ⊖.	
		SABBATIA.	Pentandria Monogynia. R.S.				
		slender.	N. America.	—	7.	H. 5.	Sal. par. lond. 32.
		angular-stalk'd.	—	1823.	7. 8.	H. 5.	Botan. magaz. 1600.
		dichotomous.	—	1812.	6. 8.	H. 5.	

GENTIANEÆ.

4 chloroides. R.S.	Chlora-like.	N.America. 1817.	8. 9. H.♂.	
5 paniculata. R.S.	panicled.	—	—	H.‡.
EUSTOMA. P.L.	EUSTOMA.	Pentandria Monogynia.		
silenifolium. P.L.	Silene-leaved.	Providence Isl. 1804.	7.	S.○.
CHIRONIA. R.S.	CHIRONIA.	Pentandria Monogynia. L.		Sal. par. lond. 241.
1 jasminoides. R.S.	Jasmine-like.	C. B. S.	1812.	4. 7. G.‡.
2 lychnoides. R.S.	Lychnis-fld.	—	1816.	— G.‡.
3 nudicaulis. R.S.	naked-stalked.	—	—	G.‡.
4 linoides. R.S.	flax-leaved.	—	1787.	7. 9. G.‡.
5 baccifera. R.S.	berry-bearing.	—	1759.	6. 7. G.‡.
6 angustifolia. B.M.	narrow-leaved.	—	1800.	6. 8. G.‡.
7 frutescens. R.S.	frutescent.	—	1756.	6. 9. G.‡.
β albiflora.	white-flowered.	—	—	G.‡.
8 decussata. R.S.	cross-leaved.	—	1789.	— G.‡.
HIPPION. S.S.	HIPPION.	Pentandria Monogynia. S.S.		Botan. magaz. 707.
viscosum. s.s.	clammy.	Canaries.	1781.	6. 7. G.♂.
Exacum viscosum. Sm.	Gentiana viscosa. H.K.			Sm. ic. fas. 3. t. 18.
SEBÆA. B.P.	SEBÆA.	Tetr-Pentandria Monogynia. S.S.		
1 ovata. B.P.	oval-leaved.	N. S. W.	1820.	8. 10. G.○.
2 albens. B.P.	white-flowered.	C. B. S.	—	— G.○.
3 cordata. B.P.	heart-leaved.	—	1815.	7. 8. H.○.
CICENDIA. Adans.	CICENDIA.	Tetrandria Monogynia.		
filiforme.	slender-stalk'd.	Britain.	—	7. 8. H.○.
Exacum filiforme. E.B.	Microcale filiforme. Lk.			Eng. bot. 235.
EXACUM. B.P.	EXACUM.	Tetrandria Monogynia. L.		
tetragonum. D.P.	square-stalked.	Nepaul.	1820.	8. 10. H.○.
MITRASACME. B.P.	MITRASACME.	Tetrandria Monogynia. R.S.		
1 polymorpha. B.P.	variable.	N. S. W.	1822.	6. 8. G.‡.
2 canescens. B.P.	canescent.	—	1820.	— G.‡.
HOUSTONIA. R.S.	HOUSTONIA.	Tetrandria Monogynia. L.		
1 cœrulea. R.S.	blue-flowered.	N.America.	1785.	5. 8. H.‡.
2 purpurea. R.S.	purple-flow'r'd.	—	1800.	— H.‡.
SPIGELIA. R.S.	WORM-GRASS.	Pentandria Monogynia. L.		
1 Anthelmia. R.S.	annual.	W. Indies.	1759.	7. S.○.
2 marylandica. R.S.	perennial.	N.America.	1694.	7. 8. H.‡.
LISIANTHUS. R.S.	LISIANTHUS.	Pentandria Monogynia. L.		
1 longifolius. R.S.	long-leaved.	Jamaica.	1793.	7. 9. S.‡.
2 glaucifolius. R.S.	glaucous-leav'd.	W. Indies.	—	S.‡.
3 exsertus. R.S.	oval-leaved.	—	1793.	7. 9. S.‡.
4 latifolius. R.S.	broad-leaved.	—	1822.	— S.‡.
5 umbellatus. R.S.	umbel-flower'd.	—	—	S.‡.
6 cordifolius. R.S.	heart-leaved.	—	1816.	6. 8. S.‡.
7 acutangulus. R.S.	acute-angled.	Peru.	1820.	— S.‡.
8 angustifolius. K.S.	narrow-leaved.	S.America.	1824.	7. 10. S.○.
LOGANIA. B.P.	LOGANIA.	Pentandria Monogynia. R.S.		
1 latifolia. B.P.	broad-leaved.	N. Holland.	1816.	— G.‡.
Exacum vaginalis. Lab.				Lab. nov. hol. 1. t. 61.
2 floribunda. B.P.	many-flowered.	N. S. W.	1797.	4. 5. G.‡.
Euosma albiflora. A.R.	revolute-leav'd.	—	1822.	— G.‡.
3 revoluta. B.P.				Andr. deposit. 520.
VILLARSIA. R.S.	VILLARSIA.	Pentandria Monogynia. R.S.		
1 nymphoides. R.S.	common.	England.	—	6. 7. H.w.‡. Eng. bot. 217.
Menyanthes nymphoides. E.B.				
2 indica. R.S.	Indian.	E. Indies.	1790.	6. 8. S.w.‡. Botan. magaz. 658.
3 sarmentosa. R.S.	sarmentose.	N. S. W.	1806.	— G.w.‡. — 1323.
Menyanthes sarmentosa. B.M.				
4 lacunosa. v.	smooth-fld.	N.America.	1812.	6. 7. G.w.‡. Venten. choix. 9.
5 reniformis. B.P.	kidney-leaved.	N. S. W.	1820.	— G.w.‡.
6 parnassiifolia. B.P.	tall.	—	1805.	6. 10. G.w.‡. Botan. magaz. 1029.
Menyanthes exaltata. B.M.	Menyanthes exaltata. B.M.	Swertia purnassiifolia. Lab. n. hol. t. 97.		
7 ovata. R.S.	oval-leaved.	C. B. S.	1786.	5. 7. G.w.‡. Botan. magaz. 1909.
MENYANTHES. R.S.	BUCK-BEAN.	Pentandria Monogynia. L.		
1 trifoliata. E.B.	common.	Britain.	—	6. 7. H.w.‡. Eng. bot. 495.
2 americana.	American.	N. America.	—	4. 6. H.w.‡.
trifoliata β minor. P.S.				

ORDO CXX.

BIGNONIACEÆ. *Brown prodri. 1. p. 470.*

CHILOPSIS. D.D.	CHILOPSIS.	Didynamia Angiospermia.			
linearis.	linear-leaved.	Mexico.	1825.	S. h. Cavan. ic. 3. t. 269.
<i>Bignonia?</i> linearis. Cav.					
CATALPA. J.	CATALPA.	Diandria Monogynia. S.S.			
1 syringifolia. s.s.	common.	N. America.	1726.	6. 8. H. h.	Botan. magaz. 1094.
<i>Bignonia Catalpa.</i> L.					
2 longissima. s.s.	wave-leaved.	W. Indies.	1777.	S. h. Plum. ic. t. 57.
3 microphylla. s.s.	small-leaved.	Hispaniola.	1820.	S. h. ————— t. 55.
BIGNONIÁ. S.S.	TRUMPET-FLOWER.	Didynamia Angiospermia. L.			
1 Unguis. s.s.	Barbadoes.	W. Indies.	1759.	S. h. Plum. amer. t. 94.
2 staminea. s.s.	long-stamen'd.	Hispaniola.	1820.	6. 9. S. h.	Plum. ic. 56. f. 2.
3 capreolata. s.s.	four-leaved.	N. America.	1710.	6. 8. H. h.	Botan. magaz. 864.
4 pubescens. s.s.	downy.	New Spain.	1759.	6. 7. S. h.	
5 æquinoctialis. s.s.	equinoctial.	W. Indies.	1768.	6. 8. S. h.	Plum. ic. t. 55. f. 1.
6 Chamberlainii. B.M.	Chamberlayne's.	S. America.	1818.	—	S. h. Botan. magaz. 2148.
7 chrysoteuca. s.s.	yellow & white.	—	1824.	—	S. h.
8 alliacea. s.s.	garlick-scent'd.	W. Indies.	1790.	—	S. h.
9 spectabilis. s.s.	showy.	S. America.	1824.	—	S. h.
10 picta. k.s.	flat-stemmed.	—	—	—	S. h.
11 laurifolia. s.s.	Laurel-leaved.	Guiana.	1804.	—	S. h.
12 rigescens. s.s.	rigid-leaved.	S. America.	1816.	6. 8. S. h.	Jacq. schœn. 2. t. 210.
13 grandifolia. B.R.	large-leaved.	—	—	4. 7. S. h.	Botan. regist. 418.
14 latifolia. s.s.	broad-leaved.	Cayenne.	1824.	—	S. h.
15 elongata. s.s.	long-racemed.	S. America.	1820.	—	S. h. Vahl. ecl. 2. t. 16.
16 mollissima. k.s.	soft-leaved.	Caracas.	1812.	—	S. h.
17 diversifolia. k.s.	different-leav'd.	Mexico.	1824.	—	S. h.
18 floribunda. k.s.	abundant-fl'd.	—	—	—	S. h.
19 crnigera. s.s.	cross-bearing.	S. America.	1759.	6. 8. S. h.	Plum. ic. t. 58.
20 heterophylla. s.s.	various-leaved.	Guiana.	1820.	—	S. h. Aub. gui. 2. t. 260.
21 venusta. s.s.	comely.	S. America.	1816.	9. 12. S. h.	Botan. regist. 249.
22 incarnata. s.s.	flesh-coloured.	Guiana.	1818.	6. 9. S. h.	Aub. gui. 3. t. 261.
23 mollis. s.s.	soft.	—	—	—	S. h. Vahl. ecl. 2. t. 10.
<i>tomentosa.</i> Rich. non Th.					
24 littoralis. k.s.	sea-side.	Mexico.	1824.	—	S. h.
25 viridiiflora. B.C.	green-flowered.	S. America.	1820.	6. 9. S. h.	Lodd. bot. cab. 1026.
26 triphylla. s.s.	three-leaved.	Mexico.	1733.	—	S. h.
27 pallida. B.R.	pale.	S. America.	1823.	7. 8. S. h.	Botan. regist. 965.
28 fluvialis. s.s.	marsh.	—	1818.	—	S. h. Aub. gui. 2. t. 267.
29 Leucoxylon. s.s.	white-wooded.	W. Indies.	1759.	6. 7. S. h.	Andr. reposit. 43.
30 chrysanthra. s.s.	golden-flow'r'd.	Caracas.	1822.	—	S. h. Jacq. schœn. 2. t. 211.
31 æsculifolia. s.s.	Æsculus-leav'd.	Mexico.	1824.	—	S. h.
32 serratifolia. s.s.	saw-leaved.	Trinidad.	1822.	—	S. h.
33 bijuga. s.s.	Madagascar.	Madagascar.	—	—	S. h.
34 Clematis. k.s.	Clematis-l'd.	Caracas.	—	—	S. h.
35 chelonoides. s.s.	tree.	E. Indies.	1808.	—	S. h. Rheed. mal. 6. t. 26.
36 variabilis. s.s.	variable-leav'd.	Caracas.	1820.	6. 8. S. h.	Jacq. schœn. 2. t. 212.
37 indica. w.	Indian.	E. Indies.	1775.	—	S. h. Rheed. mal. 1. t. 43.
38 jasminifolia. k.s.	Jasmine-leaved.	S. America.	1824.	—	S. h.
39? alba. w.	white-flowered.	Guiana.	1823.	—	S. h. Aub. gui. 2. t. 266.
<i>Jacaranda alba.</i> s.s.					
40? echinata. w.	bristly-fruited.	—	1804.	—	S. h. Aub. gui. 2. t. 264.
<i>Jacaranda cchinata.</i> s.s.					
41 purpurea. Lod.	purple.	S. America.	1822.	—	S. h.
42? tomentosa. Th.	tomentose.	Japan.	1823.	—	S. h. Kämpf. amoen. t. 860.
<i>Incarvillea tomentosa.</i> s.s.					
MILLINGTONIA. L.	MILLINGTONIA.	Didynamia Angiospermia. L.			
hortensis. L.	cork-barked.	E. Indies.	1818.	—	S. h.
<i>Bignonia suberosa.</i> Roxb.					

BIGNONIACEÆ.

TECOMA. J.	TECOMA. Didynamia Angiospermia. S.S.
1 pentaphylla. s.s.	five-leaved. Jamaica. 1733. S. h. Marc. bras. t. 118.
2 digitata. k.s.	digitate-leaved. S. America. 1818. S. h.
3 australis. b.p.	broad-leaved. N. S. W. 1793. 4. 7. G. h. Botan. magaz. 865.
<i>Bignonia Pandoræ. B.M.</i>	
4 meonantha.	narrow-leaved. —— 1815. —— G. h. ——
<i>Bignonia meonantha. L.en.</i>	
5 mollis. k.s.	soft-leaved. Mexico. 1824. S. h.
6 radicans. s.s.	Ash-leaved. N. America. 1640. 7. 8. H. h. ——
α major. H.K.	great. —— —— —— H. h. Botan. magaz. 485.
β minor. H.K.	smaller. —— —— —— H. h. Catesb. car. I. t. 65.
7 grandiflora.	large-flowered. China. 1800. 6. 9. G. h. Botan. magaz. 1398.
<i>Bignonia grandiflora. B.M. Incarvillea grandiflora. s.s.</i>	
8 stans. s.s.	upright ash-leaved. S. America. 1730. 7. 9. S. h. Plum. ic. t. 54.
9 incisa.	cut-leaved. Trinidad. 1824. S. h.
JACARANDA. S.S.	JACARANDA. Didynamia Angiospermia. S.S.
1 tomentosa. D.D.	tomentose. Brazil. 1821. S. h.
2 mimosifolia. B.R.	Mimosa-leaved. —— 1818. 4. 5. S. h. Botan. regist. 631.
<i>ovalifolia. B.M. 2327.</i>	
3 bahamensis. B.M.	Bahama. Bahama Isl. 1724. 7. 8. S. h. Catesb. car. I. t. 42.
<i>Bignonia caerulea. w.</i>	
4 copaia. D.D.	Box-leaved. Guiana. 1793. S. h. Aub. gui. 2. t. 265.
<i>Bignonia procera. w.</i>	
5 rhombifolia. s.s.	rhomb-leaved. Surinam. 1823. S. h.
<i>filicifolia. D.D.</i>	
SPATHODEA. S.S.	SPATHODEA. Didynamia Angiospermia. S.S.
1 uncata. s.s.	hooked. Guiana. 1804. 6. 9. S. h. Botan. magaz. 1511.
<i>Bignonia uncata. B.M.</i>	
2 corymbosa. s.s.	corymb-flid. Trinidad. 1823. S. h.
3 Rheedii. s.s.	Rheede's. E. Indies. 1794. S. h. Roxb. cor. 2. t. 141.
<i>Bignonia spathacea. w.</i>	
4 Roxburghii. s.s.	Roxburgh's. —— 1820. S. h.
<i>Bignonia quadrilocularis. Roxb.</i>	
5 fraxinifolia. k.s.	Ash-leaved. Caracas. 1821. S. h. ——
<i>Bignonia fraxinifolia. s.s.</i>	
AMPHILOPHIUM. K.S. AMPHILOPHIUM.	Didynamia Angiospermia. S.S.
paniculatum. k.s.	panicle. S. America. 1788. S. h. Jacq. amer. t. 116.
<i>Bignonia paniculata. Jacq.</i>	
ECCREMOCARPUS.	ECCREMOCARPUS. Didynamia Angiospermia. S.S.
1 scaber. s.s.	rough. Chili. 1823. 7. 9. G. h. Botan. regist. 939.
2 longiflorus. k.s.	long-flowered. Peru. 1824. G. h. ——
FIELDIA. Cun.	FIELDIA. Didynamia Angiospermia.
australis. Cun.	New Holland. N. Holland. 1824. G. h. Ap. to B. Field's trav. ic.

ORDO CXXI.COBÆACEÆ. *D. Don in Edinb. phil. journ.*

COBÆA. Cav.	COBÆA. Pentandria Monogynia.
scandens. cav.	climbing. Mexico. 1792. 5. 10. G. h. Botan. magaz. 851.

ORDO CXXII.

PEDALINÆ. *Brown prodr. 519.*

PEDALIUM. S.S.	PEDALIUM. Didynamia Angiospermia. S.S.
Murex. s.s.	prickly-fruited. E. Indies. 1778. 8. 9. S. ⊕. Lam. ill. t. 538.

ORDO CXXIII.

SESAMEÆ. *Brown.*

TOURRETTIA. S.S.	TOURRETTIA.	Didynamia Angiospermia. S.S.			
lappacea, s.s.	scarlet-flower'd.	Peru.	1788.	6. 8.	S.○.
<i>Dombeya lappacea.</i> Sal.					Sal. stirp. rar. 5. t. 3.
MARTYNIA. J.	MARTYNIA.	Didynamia Angiospermia. L.			
1 diandra, s.s.	two-stamened.	New Spain. 1731.	7. 8.	S.○.	Andr. deposit. 575.
2 proboscidea, s.s.	horn-capsuled.	America.	1738.	6. 8.	G.○.
<i>annua.</i> L.					Botan. magaz. 1056.
3 longiflora, s.s.	long-flowered.	C. B. S.	1781.	7. 8.	G.○.
CRANIOLARIA. J.	CRANIOLARIA.	Didynamia Angiospermia. L.			
<i>annua.</i> K.S.	annual.	S. America. 1733.	7. 8.	S.○.	Jacq. amer. t. 110.
<i>Martynia Craniolaria.</i> w.					
SESAMUM. S.S.	OILY-GRAIN.	Didynamia Angiospermia. L.			
1 orientale, s.s.	oriental.	E. Indies. 1731.	7.	S.○.	Rheed. mal. 9. t. 54.
2 indicum, s.s.	Indian.	—	—	—	Botan. magaz. 1788.

ORDO CXXIV.

POLEMONIACEÆ. *D. Don in Edinb. phil. journ.*

POLEMONIUM. S.S.	GREEK VALERIAN.	Pentandria Monogynia. L.			
1 cœruleum, s.s.	common.	Britain.	6.	H. 4.
β album.	white-flowered.	—	—	H. 4.
γ maculatum, s.s.	spot-flowered.	—	—	H. 4.
2 gracile, w.en.	slender.	Dahuria.	1818.	6. 7.	H. 4.
3 mexicanum, s.s.	Mexican.	Mexico.	1817.	4. 6.	H. 4.
4 reptans, s.s.	creeping.	N. America.	1758.	4. 5.	H. 4.
5 sibiricum, D.D.	bipinnate.	Siberia.	1800.	6.	H. 4.
PHLOX. R.S.	LYCHNIDEA.	Pentandria Monogynia. L.			
1 paniculata, R.S.	paniced.	N. America.	1732.	8. 9.	H. 4.
β alba.	white-flowered.	—	1813.	—	H. 4.
2 undulata, R.S.	wave-leaved.	—	1759.	7. 8.	H. 4.
3 acuminate, R.S.	cross-leaved.	—	1812.	6. 8.	H. 4.
<i>decussata.</i> N.					Botan. magaz. 1880.
4 virginica, Lod.	Virginian.	—	—	—	H. 4.
5 intermedia, Lod.	intermediate.	—	7. 9.	H. 4.
6 maculata, R.S.	spotted-stalked.	—	1740.	7. 8.	H. 4.
7 pyramidalis, R.S.	pyramidal.	—	1800.	6. 8.	H. 4.
8 latifolia, R.S.	broad-leaved.	—	1812.	—	H. 4.
9 carolina, R.S.	rough-stemm'd.	—	1728.	7. 9.	H. 4.
10 glaberrima, R.S.	smooth-stalked.	—	1725.	6. 8.	H. 4.
11 triflora, R.S.	flesh-coloured.	—	1816.	7. 9.	H. 4.
<i>carnnea.</i> B.M. 2155.					Swt. br. fl. gar. 29.
12 suaveolens, R.S.	white-flowered.	—	1766.	7. 8.	H. 4.
13 suffruticosa, B.R.	glossy-leaved.	—	1790.	7. 9.	H. 4.
14 ovata, w.	ovate-leaved.	—	1759.	5. 7.	H. 4.
15 reptans, M.	creeping.	—	1800.	6. 9.	H. 4.
<i>stolonifera.</i> B.M.					563.
16 pilosa, B.M.	hairy-leaved.	—	1759.	5. 6.	H. 4.
<i>aristata.</i> M.					1307.
17 amœna, B.M.	Fraser's hairy.	—	1809.	6. 7.	H. 4.
<i>pilosa.</i> β. R.S.					1308.
18 divaricata, R.S.	early-flowering.	—	1746.	4. 6.	H. 4.
					163.

19 subulata. R.S.	awl-leaved.	N. America. 1786.	— H. $\frac{1}{2}$.	Botan. magaz. 411.
20 nivalis. B.C.	snowy white.	1820.	— H. $\frac{1}{2}$.	Lodd. bot. cab. 780.
21 setacea. R.S.	bristle-leaved.	1786.	4. 5. H. $\frac{1}{2}$.	Botan. magaz. 415.
GILIA. R.P.	GILIA.	Pentandria Monogynia. S.S.		
1 coronopifolia. s.s.	elegant.	Carolina. 1726.	8. 9. G. δ .	Sm. exot. bot. 1. t. 13.
Cantua coronopifolia. w.	Ipomopsis elegans. Ex. B.			
2 inconspicua.	small blue.	America. 1793.	9. 11. H. \odot .	— — — 1. t. 14.
Ipomopsis inconspicua. Ex. bot.				
HOITZIA. J.	HOITZIA.	Pentandria Monogynia. S.S.		
coccinea. K.S.	scarlet.	Mexico. 1826.	— S. $\frac{1}{2}$.	Cavan. ic. 6. t. 365.
CALDASIA. S.S.	CALDASIA.	Pentandria Monogynia.		
heterophylla. s.s.	various-leaved.	New Spain. 1813.	5. 12. S. \odot .	Botan. regist. 92.
Bonplandia geminiflora. Cav. ic. 6. t. 532.				

ORDO CXXV.

HYDROLEACEÆ. *Kth. synops. 2. p. 234.*

HYDROLEA. S.S.	HYDROLEA.	Pentandria Digynia. L.		
1 spinosa. s.s.	thorny.	S. America. 1791.	7. 8. S. $\frac{1}{2}$.	Botan. regist. 566.
2 quadrvivalvis. s.s.	four-valved.	Carolina. 1824.	— G. $\frac{1}{2}$.	
NAMA. S.S.	NAMA.	Pentandria Digynia. L.		
jamaicensis. s.s.	Jamaica.	Jamaica. 1812.	6. 9. S. \odot .	Lam. ill. t. 184.

ORDO CXXVI.

CONVOLVULACEÆ. *Brown prodr. 1. p. 481.*

?RETZIA. R.S.	RETZIA.	Pentandria Monogynia. R.S.		
spicata. R.S.	spiked.	C. B. S. 5. 6. G. $\frac{1}{2}$.	Lam. ill. t. 103.	
CONVOLVULUS. B.P.	BINDWEED.	Pentandria Monogynia. L.		
1 arvensis. R.S.	small.	Britain. 6. 9. H. $\frac{1}{2}$ Eng. bot. 312.		
2 chinensis. B.R.	Chinese.	China. 1816.	H. $\frac{1}{2}$ Botan. regist. 322.	
3 emarginatus. s.s.	emarginate. 1824.	H. $\frac{1}{2}$	
4 bicuspidatus. s.s.	two-pointed.	Davuria. — — — H. $\frac{1}{2}$		
5 Scammonia. R.S.	Scammony.	Levant. 1596. 7. 8. H. $\frac{1}{2}$ Mill. ic. 1. t. 102.		
6 erubescens. R.S.	maiden blush.	N. S. W. 1803. 7. 9. G. δ Botan. magaz. 1067.		
7 dentatus. R.S.	toothed-lobed.	E. Indies. 1820. S. $\frac{1}{2}$		
8 pannifolius. R.S.	cloth-leaved.	Canaries. 1805. 6. 9. G. $\frac{1}{2}$ Botan. regist. 222.		
9 canariensis. R.S.	Canary. 1690. — — G. $\frac{1}{2}$ Botan. magaz. 1228.		
10 Massoni. R.S.	Masson's. 1788. — — G. $\frac{1}{2}$ Botan. regist. 133.		
Dryandri. s.s. suffruticosus. B.R.				
11 bogotensis. K.S.	Bogota.	S. America. 1820. S. $\frac{1}{2}$		
12 tiliaceus. R.S.	Lime-tree-ld.	Brazil. — 6. 8. H. $\frac{1}{2}$		
13 guianensis. R.S.	Guiana. — — S. $\frac{1}{2}$ Aub. gui. 1. t. 52.		
14 ciliatus. R.S.	fringed-leav'd.	Cayenne. — — — S. $\frac{1}{2}$		
15 maximus. R.S.	great Ceylon.	Ceylon. 1799. 7. S. $\frac{1}{2}$ Rheed. mal. 11. t. 53.		
16 pentanthus. R.S.	five-flowered.	W. Indies. 1808. 4. 10. S. $\frac{1}{2}$ Botan. regist. 439.		
17 farinosus. R.S.	mealy-stalked.	Madeira. 1777. 5. 6. G. $\frac{1}{2}$ Sal. par. lond. 45.		
18 Hermanniæ. s.s.	Peruvian.	Peru. 1799. 8. 9. G. $\frac{1}{2}$ Jacq. ic. 2. t. 315.		
crenatus. Jacq.				
19 tenuissimus. R.S.	slender-leaved.	Levant. 6. 10. G. $\frac{1}{2}$ Flor. græc. t. 195.		
20 althæoides. R.S.	Althæa-leaved. 1597. 6. 9. F. $\frac{1}{2}$ — — — t. 194.		
21 bryoniæfolius. R.S.	Bryony-leaved.	China. 1802. 7. 8. G. $\frac{1}{2}$ Botan. magaz. 943.		
22 italicus. R.S.	Italian.	Italy. — F. $\frac{1}{2}$ Ten. fl. neap. 1. t. 15.		
hirsutus. T.N. non M.B.				
23 hirsutus. M.B.	hairy.	Tauria. 1824. — H. $\frac{1}{2}$		

24	alceifolius. R.S.	Hollyhock-l'd.	C. B. S.	1823.	—	G. $\frac{1}{2}$. . .	
25	macrocarpus. R.S.	long-fruited.	S. America.	1752.	—	S. \odot . . . Burm. amer. t. 91. f. 1.	
26	quinquefolius. R.S.	five-leaved.	Vera Cruz.	—	S. \odot . . . Pluk. aln. t. 167. f. 6.	
27	glaber. R.S.	smooth.	Cayenne.	1806.	S. $\frac{1}{2}$. . . Aub. gui. t. 1. p. 53.	
28	siculus. R.S.	small-flowered.	S. Europe.	1640.	6. 8.	H. \odot .	Botan. regist. 445.
29	elongatus. s.s.	long-pedunc'l'd.	Canaries.	1815.	7. 8.	H. \odot .	— 498.
	<i>pseudo-siculus.</i> R.S.						
30	Sibthorpii. R.S.	Sibthorp's.	Samos.	1823.	—	H. $\frac{1}{2}$.	Flor. græc. t. 193.
	<i>sagittifolius.</i> F.G. non M.						
31	hirtus. R.S.	hairy-stalked.	E. Indies.	1806.	6. 8.	S. \odot .	
32	multifidus. R.S.	multifid.	C. B. S.	1822.	—	G. $\frac{1}{2}$.	
33	tricolor. R.S.	three-coloured.	S. Europe.	1629.	7. 9.	H. \odot .	Botan. magaz. 27.
	β <i>albiflorus.</i>	<i>white-flowered.</i>			—	H. \odot .	
34	pentapetaloides. R.S.	Majorca.	Majorca.	1789.	6. 7.	H. \odot .	Jacq. col. 4. t. 22. f. 2.
35	lineatus. R.S.	dwarf.	S. Europe.	1714.	—	H. $\frac{1}{2}$.	Flor. græc. t. 199.
36	Gerardi. R.S.	Gerard's.		—	H. $\frac{1}{2}$.	Barrel ic. t. 311.
37	undulatus. R.S.	waved.		1816.	6. 10.	H. \odot .	Cavan. ic. 3. t. 277. f. 1.
	<i>humilis.</i> Jacq. col. 4. t. 22. f. 3. <i>evolvuloides.</i> F.G. 198.		<i>ciliatus.</i> P.S.				
38	Cneorum. R.S.	silvery-leaved.	Levant.	1640.	5. 9.	G. $\frac{1}{2}$.	Botan. magaz. 459.
39	saxatilis. R.S.	rock.	S. Europe.	1796.	6. 8.	F. $\frac{1}{2}$.	Bocc. mus. 138. t. 96.
40	floridus. R.S.	many-flowered.	Teneriffe.	1779.	8. 9.	G. $\frac{1}{2}$.	Jacq. ic. 1. t. 34.
41	Cantabrica. R.S.	flax-leaved.	S. Europe.	1680.	5. 9.	H. $\frac{1}{2}$.	Jacq. aust. 3. t. 296.
42	salvifolius. L.en.	Sage-leaved.	Palestine.	1825.	—	H. $\frac{1}{2}$.	
43	linearis. R.S.	narrow-leaved.	S. Europe.	1770.	—	G. $\frac{1}{2}$.	Botan. magaz. 289.
44	Dorycium. R.S.	silky-leaved.	Levant.	1806.	6. 7.	H. $\frac{1}{2}$.	
45	holosericeus. R.S.	silky.	Tauria.	1824.	—	H. $\frac{1}{2}$.	
46	scoparius. R.S.	broom.	Canaries.	1733.	8. 9.	G. $\frac{1}{2}$.	Venten. choix. t. 24.
47	arborescens. K.S.	arborecent.	Mexico.	1818.	—	S. $\frac{1}{2}$.	
	CALYSTEGIA. B.P.	BEARBIND.	Pentandria Monogynia. R.S.				
1	sepium. R.S.	great-hedge.	Britain.	6. 9.	H. $\frac{1}{2}$. . .	Eng. bot. 313.
	β <i>incarnata.</i>	<i>red-flowered.</i>	N. America.	—	H. $\frac{1}{2}$. . .	Botan. magaz. 732.
2	sylvestris. R.S.	wood.	Hungary.	1815.	—	H. $\frac{1}{2}$. . .	
	<i>Convolvulus sylvestris.</i> W.en.						
3	dahurica. B.M.	Dahurian.	Dahuria.	1820.	7. 8.	H. $\frac{1}{2}$. . .	Botan. magaz. 2609.
4	tomentosa. R.S.	woolly.	N. America.	1818.	6. 7.	H. $\frac{1}{2}$.	
	<i>Convolvulus stans.</i> M.						
5	spithamea. R.S.	small upright.		1796.	7. 8.	H. $\frac{1}{2}$.	Hook. ex. flor. 97.
6	Soldanella. R.S.	sea-side.	Britain.	6. 7.	H. $\frac{1}{2}$.	Eng. bot. 314.
	<i>Convolvulus Soldanella.</i> E.B.						
7	reniformis. B.P.	kidney-leaved.	N. S. W.	1822.	6. 8.	F. $\frac{1}{2}$.	Swt. br. fl. gar. v. 2.
8	Keriana.	Mr. Ker's.	Manritius.	1818.	6. 8.	S. \odot .	Botan. regist. 318.
	<i>Convolvulus involucratus.</i> B.R. non Beau. <i>Convolvulus bicolor.</i> B.M. 2205. <i>nec aliorum.</i>						
	IPOMEA. B.P.	IPOMEA.	Pentandria Monogynia. R.S.				
•1	Quamoclit. R.S.	wing-leaved.	E. Indies.	1629.	7. 9.	S. \odot . . .	Botan. magaz. 244.
	β <i>albiflora.</i>	<i>white-flowered.</i>		—	—	S. \odot . . .	
2	dissecta. R.S.	cut-leaved.	Tropic's.	1813.	6. 9.	S. $\frac{1}{2}$. . .	Willd. phyt. 1. t. 2. f. 3.
3	tuberosa. R.S.	tuberous-root'd.	W. Indies.	1731.	8. 10.	S. $\frac{1}{2}$. . .	Botan. regist. 768.
4	digitata. R.S.	fingered.	S. America.	—	S. $\frac{1}{2}$. . .	Plum. ic. 92. f. 1.
5	sinuata. R.S.	sinuated.	N. America.	1813.	6. 9.	G. $\frac{1}{2}$. . .	Jacq. vind. t. 159.
	<i>dissecta.</i> Ph. non W.	<i>Convolvulus dissectus.</i> M.					
6	tuberculata. R.S.	tubercl'd.	Bourbon.	1818.	—	S. $\frac{1}{2}$. . .	Jacq. schœn. 2. t. 199.
	<i>stipulacea.</i> Jacq.						
7	pes-tigridis. R.S.	palmed.	E. Indies.	1732.	8. 10.	S. \odot .	Rheed. mal. 2. t. 59.
8	cairica.	jagged-leaved.	Egypt.	1680.	6. 9.	S. $\frac{1}{2}$. . .	Botan. magaz. 699.
	<i>Convolvulus cairicus.</i> B.M.						
9	pendula. B.P.	pendulous-fl'd.	N. S. W.	1808.	5. 10.	G. $\frac{1}{2}$. . .	Botan. regist. 632.
10	dasyperma. J.E.	warted.	E. Indies.	1815.	8. 9.	G. \odot . . .	— 86.
	<i>tuberculata.</i> B.R.						
11	platensis. B.R.	Plata.	S. America.	1817.	6. 9.	S. $\frac{1}{2}$. . .	— 333.
12	setosa. B.R.	bristly-stalked.	Brazil.	—	8. 10.	S. $\frac{1}{2}$. . .	— 335.
13	paniculata. R.S.	panicled.	E. Indies.	1799.	6. 9.	S. $\frac{1}{2}$. . .	— 62.
14	insignis. A.R.	large purple.		1814.	—	S. $\frac{1}{2}$. . .	— 75.
	<i>gossypifolia.</i> R.S.						
15	splendens. G.D.	splendid.	Sierra Leon.	1822.	—	S. $\frac{1}{2}$. . .	
16	parviflora. R.S.	small-flowered.	SantaCruz.	—	7. 10.	S. \odot . . .	Sloan. hist. 1. t. 97. f. 1.
17	heterophylla. R.S.	various-leaved.	S. America.	1817.	—	S. $\frac{1}{2}$.	Jacq. frag. t. 42. f. 4.
18	macrorhizos. R.S.	large-rooted.	W. Indies.	—	—	S. $\frac{1}{2}$.	Plum.cat.mss.v.2.t.58.
19	umbellata. R.S.	umbelled.	S. America.	1739.	6. 7.	S. $\frac{1}{2}$.	Burm. amer. t. 92. f. 2.
20	carolina. R.S.	Carolina.	Carolina.	1732.	7. 8.	G. $\frac{1}{2}$. . .	Dill. elth. t. 84. f. 98.

CONVOLVULACEÆ.

21	venosa. R.S.	veined-leaved.	Mauritius.	1820.	—	S. h. —.	
22	pentaphylla. R.S.	five-leaved.	W. Indies.	1739.	8. 9.	S. O. —. Jacq. ic. 2. t. 319.	
23	Cavanillesii. R.S.	Cavanille's.	S. America.	1815.	—	S. h. —. Cavan. ic. 3. t. 256.	
	<i>pentaphylla.</i> Cav. non Jacq.						
24	armata. R.S.	armed-calyxed.	Mexico.	1824.	7. 10.	S. O. —.	5. t. 478. f. 2.
	<i>muricata.</i> Cav. non Jacq.						
25	coccinea. R.S.	bright-scarlet.	W. Indies.	1713.	6. 9.	S. O. —.	Andr. reposit. 99.
26	luteola. R.S.	common scarlet.	Guatimala.	1759.	—	H. O. —.	Botan. magaz. 221.
	<i>coccinea.</i> B.M.						
27	angularis. R.S.	angular-leaved.	E. Indies.	1806.	—	S. O. —.	
	<i>phanicea.</i> F.I.						
28	lacunosa. R.S.	starry.	N. America.	1640.	7. 8.	H. O. —.	Dill. elth. t. 87. f. 102.
29	Batatas. R.S.	sweet potatoe.	India.	1597.	—	S. 4.	Rheed. mal. 7. t. 50.
	<i>Convolvulus Batatas.</i> W.						
30	Turpethum. R.S.	square-stalked.	Ceylon.	1752.	3. 6.	S. 4. —.	Botan. regist. 279.
31	chryseides. B.R.	golden.	China.	1817.	6. 10.	S. 4. —.	— 270.
32	Jalapa.	true Jalap.	S. America.	1733.	8. 11.	S. h. —.	Botan. magaz. 1572.
	<i>Jalapa. β rosea.</i> B.R. 621. <i>Convolvulus Jalapa.</i> B.M.						
33	Michauxii.	Michaux's.	Georgia.	1815.	—	G. 4. —.	Botan. regist. 342.
	<i>Jalapa. α. B.R. macrorhiza.</i> M. non R.S.						
34	sanguinea. R.S.	blood-flowered.	W. Indies.	1812.	2. 11.	S. h. —.	— 9.
35	repanda. R.S.	scalloped.	—	1793.	5. 10.	S. h. —.	Sal. par. lond. 81.
36	varia. R.S.	variable-leav'd.	S. America.	1816.	—	S. 4. —.	
	<i>Convolvulus pubescens.</i> s.s.						
37	hederacea. B.R.	deep-lobed.	N. America.	1729.	8. 10.	H. O. —.	Botan. regist. 85.
	<i>barbata.</i> Roth.						
38	cuspidata. R.S.	sharp-pointed.	S. America.	1732.	6. 7.	H. O. —.	Flor. per. 2. t. 119. f.a.
39	Dillenii. R.S.	Dillenius's.	Guinea.	—	—	S. O. —.	Dill. elth. t. 81. f. 93.
40	Nil. P.S.	blue.	S. America.	1597.	7. 9.	S. O. —.	Botan. magaz. 188.
41	cerulea. B.R.	East Indian.	E. Indies.	1815.	—	S. O. —.	Botan. regist. 276.
42	triloba. R.S.	three-lobed.	W. Indies.	1752.	6. 7.	S. O. —.	
43	hederifolia. R.S.	Ivy-leaved.	S. America.	1773.	7.	H. O. —.	Plum. ic. t. 93. f. 2.
44	hepaticifolia. R.S.	Hepatica-l'd.	E. Indies.	1759.	8. 9.	S. O. —.	Burm. ind. t. 20. f. 2.
45	punctata. R.S.	spotted-calyx'd.	S. America.	—	7. 11.	S. O. —.	Dill. elth. t. 83. f. 96.
46	scabra. R.S.	white-flowered.	—	1823.	7. 11.	S. O. —.	
47	mutabilis. B.R.	changeable.	—	1812.	5. 9.	S. h. —.	Botan. regist. 39.
48	commutata. R.S.	hairy-capsuled.	N. America.	—	—	H. O. —.	Dill. elth. t. 84. f. 98.
49	gangetica.	Ganges.	E. Indies.	1812.	—	S. h. —.	
	<i>Convolvulus gangeticus.</i> F.I.						
50	muricata. R.S.	rough.	E. Indies.	1777.	7. 8.	S. O. —.	Jacq. schœn. 3. t. 323.
	<i>bona nox β purpurascens.</i> B.R. 290. <i>Convolvulus muricatus.</i> W.						
51	carnea. R.S.	flesh-coloured.	S. America.	1799.	8. 9.	S. O. —.	Jacq. amer. 26. t. 18.
52	invulucrata. R.S.	invulcered.	Sierra Leon.	1822.	8. 10.	S. O. —.	Beauv. fl. d'ow. 2. t. 89.
53	barbigera. B.F.G.	bearded-calyx'd.	America.	1824.	7. 10.	H. O. —.	Swt. br. fl. gar. 86.
54	purpurea. R.S.	purple.	—	1629.	6. 9.	H. O. —.	Botan. magaz. 113.
	<i>β incarnata.</i>	<i>flesh-coloured.</i>	—	—	—	H. O. —.	
	<i>γ leucantha.</i>	<i>white-flowered.</i>	—	—	—	H. O. —.	
	<i>δ varia.</i> B.M.	<i>striped-flowered.</i>	—	—	—	H. O. —.	Botan. magaz. 1682.
	<i>ε elatior.</i> B.M.	<i>spotted-flower'd.</i>	—	—	—	H. O. —.	— 1005.
	<i>discolor.</i> Jacq.						
55	violacea. R.S.	purple-flow'r'd.	S. America.	1732.	8. 9.	S. O. —.	Plum. ic. t. 93. f. 1.
56	corymbosa. R.S.	corybose.	India.	1823.	—	S. h. —.	— t. 89. f. 2.
57	campanulata. H.S.	bell-flowered.	E. Indies.	1800.	—	S. O. —.	Rheed. mal. 2. t. 56.
58	polyanthes. R.S.	umbel-flow'r'd.	W. Indies.	1739.	6. 7.	S. 4. —.	Plum. amer. 88. t. 102.
	<i>Convolvulus umbellatus.</i> W.						
59	multiflora. R.S.	many-flowered.	Jamaica.	—	—	S. 4. —.	Pluk. phyt. t. 167. f. 1.
60	malabarica. R.S.	Malabar.	E. Indies.	1823.	—	S. h. —.	Rheed. mal. 2. t. 51.
61	solanifolia. R.S.	Nightshade-l'd.	America.	1759.	7. 8.	S. 3. —.	Plum. ic. 94. f. 1.
62	leucantha. R.S.	white-flowered.	S. America.	1823.	8. 10.	H. O. —.	Jacq. ic. 2. t. 318.
63	obscura. R.S.	hairy.	E. Indies.	1732.	6. 8.	S. O. —.	Botan. regist. 239.
64	fastigiata.	crowded.	—	1816.	—	S. 4. —.	
	<i>Convolvulus fastigiatus.</i> F.I.						
65	blanda.	blush-flowered.	—	1820.	—	S. h. —.	
	<i>Convolvulus blandus.</i> F.I.						
66	laurifolia.	Laurel-leaved.	—	1822.	5. 8.	S. h. —.	
	<i>Convolvulus laurifolius.</i> F.I.						
67	sphaerocephala.	round-headed.	—	1816.	8. 10.	S. O. —.	
	<i>Convolvulus sphærocephalus.</i> F.I.						
68	sibirica. R.S.	Siberian.	Siberia.	1779.	7. 8.	H. O. —.	Pall. it. 3. p. 723. t. K.

69 <i>tamnifolia</i> . R.S.	Tamus-leaved.	Carolina.	1732.	7.	H.○.~.	Dill. elth. t.318. f. 410.
70 <i>capitata</i> . R.S.	headed.	E. Indies.	1823.	7. 10.	S.γ.~.	
71 <i>triquetra</i> . R.S.	triquetrous.	Santa Cruz.	***	—	S.↳.	
72 <i>pilosa</i> .	various-ld hairy.	E. Indies.	1815.	—	S.○.~.	
	<i>Convolvulus pilosus</i> . F.I.					
73 <i>denticulata</i> . B.P.	denticulate.	—	1778.	7. 8.	S.○.~.	Botan. regist. 317.
	<i>Convolvulus Medium</i> . w.					
74 <i>bicolor</i> .	two-coloured.	—	1815.	—	S.γ.~.	
	<i>Convolvulus bicolor</i> . F.I.					
75 <i>grandiflora</i> . R.S.	great-flowered.	E. Indies.	1802.	9.	S.↳.~.	Andr. deposit. 188.
76 <i>latiflora</i> . R.S.	broad-flower'd.	W. Indies.	***	9. 10.	S.↳.~.	Jacq. vind. 3. t. 69.
77 <i>filiformis</i> . R.S.	filiform.	—	1823.	—	S.↳.~.	Jacq. amer. pict. t.26.
78 <i>salicifolia</i> . F.I.	Willow-leaved.	E. Indies.	1816.	5. 7.	S.♂.~.	
79 <i>Roxburghii</i> .	Roxburgh's.	—	1817.	—	S.↳.~.	
	<i>multiflora</i> . F.I. nec <i>aliorum</i> .					
80 <i>sepiaria</i> . F.I.	hedge.	—	—	—	S.↳.~.	Rheed. mal. 11. t. 53.
81 <i>pandurata</i> . B.R.	Virginian.	N. America.	1732.	6. 9.	G.γ.~.	Botan. regist. 588.
	<i>Convolvulus panduratus</i> . B.M. 1930.					
82 <i>candidans</i> .	hoary.	—	—	6. 8.	G.γ.~.	Botan. magaz. 1603.
	<i>Convolvulus candidans</i> . B.M.					
83 <i>glaucofolia</i> . R.S.	glaucous-leav'd.	Mexico.	1732.	5. 7.	G.γ.~.	Dill. elth. t. 87. f. 101.
84 <i>repants</i> . R.S.	creeping.	E. Indies.	1806.	—	S.γ.~.	Rumph.am.5.t.155.f.1.
85 <i>longiflora</i> . K.S.	long-flowered.	Cuba.	1803.	—	S.γ.~.	
86 <i>hastigera</i> . K.S.	halberd-leaved.	Mexico.	1824.	—	S.↳.~.	
87 <i>angustifolia</i> . R.S.	narrow-leaved.	E. Indies.	1800.	7. 8.	S.○.~.	Jacq. ic. rar. t. 317.
88 <i>tridentata</i> . R.S.	trifid.	—	1778.	—	S.○.~.	Rheed. mal. 2. t. 65.
89 <i>stans</i> . R.S.	Mexican.	Mexico.	1824.	—	S.γ.~.	
90 <i>bignonioides</i> . B.M.	trumpet-fl'd.	Cayenne.	1823.	—	S.γ.~.	Botan. magaz. 2645.
91 <i>sagittifolia</i> . B.R.	arrow-leaved.	Carolina.	1819.	6. 9.	G.γ.~.	Botan. regist. 437.
	<i>Convolvulus sagittifolius</i> . R.S.					
92 <i>cœrulescens</i> . F.I.	pale blue.	E. Indies.	1820.	—	S.γ.~.	
93 <i>vitifolia</i> .	Vine-leaved.	—	—	—	S.↳.~.	Burm. ind. t. 18. f. 1.
	<i>Convolvulus vitifolius</i> . R.S.					
94 <i>stipulacea</i> .	stipuled.	—	1805.	8. 10.	S.γ.~.	
	<i>Convolvulus stipulaceus</i> . F.I.					
95 <i>brasiliensis</i> .	three-flowered.	Brazil.	1726.	6. 7.	S.γ.~.	Plum. amer. 89. t. 104.
	<i>Convolvulus brasiliensis</i> . w.					
96 <i>pes-capræ</i> .	single-flower'd.	E. Indies.	1770.	—	S.γ.~.	Botan. regist. 319.
	<i>maritima</i> . B.R. <i>Convolvulus pes-capræ</i> . F.I.					
ARGYREIA. S.S.	ARGYREIA. Pentandria Monogynia. S.S.					
1 <i>splendens</i> .	glossy-leaved.	E. Indies.	1814.	11. 1.	S.↳.~.	Botan. magaz. 2628.
	<i>Ipomoea splendens</i> . B.M. <i>Lettsonia splendens</i> . F.I.					
2 <i>speciosa</i> .	broad-leaved.	—	1778.	7. 9.	S.↳.~.	— 2446.
	<i>Ipomoea speciosa</i> . B.M. <i>Convolvulus speciosus</i> . w. <i>Lettsonia nervosa</i> . F.I.					
3 <i>cuneata</i> . B.R.	wedge-leaved.	—	1817.	6. 9.	S.↳.~.	Botan. regist. 661.
	<i>Lettsonia cuneata</i> . F.I. <i>Ipomoea atrosanguinea</i> . B.M. 2170.					
4 <i>cymosa</i> .	cyme-flowered.	—	1823.	—	S.↳.~.	
	<i>Lettsonia cymosa</i> . F.I.					
5 <i>bona-nox</i> .	night-flow'rинг.	—	1799.	6. 9.	S.↳.~.	
	<i>Lettsonia bona-nox</i> . F.I.					
6 <i>uniflora</i> .	kidney-leaved.	—	1817.	—	S.↳.~.	
	<i>Lettsonia uniflora</i> . F.I.					
7 <i>ornata</i> .	large white-fl'd.	—	1824.	—	S.↳.~.	
	<i>Lettsonia ornata</i> . F.I.					
DINETUS. B.F.G.	DINETUS. Pentandria Monogynia.					
1 <i>racemosus</i> . B.F.G.	cluster-flow'r'd.	Nepaul.	1823.	7. 11.	H.○.~.	Swt. br. fl. gar. 127.
	<i>Porana racemosa</i> . F.I.					
2 <i>paniculatus</i> .	panicled.	E. Indies.	—	—	S.↳.~.	
	<i>Porana paniculata</i> . F.I.					
PORANA. W.	PORANA. Pentandria Digynia.					
volubilis. w.	climbing.	E. Indies.	1823.	—	S.↳.~.	Burm. ind. t. 21. f. 1.
EVOLVULUS. S.S.	EVOLVULUS. Pentandria Digynia. R.S.					
1 <i>nummularius</i> . R.S.	round-leaved.	Jamaica.	1816.	10.	S.○.~.	Jacq. amer. t.260. f.23.
2 <i>gangeticus</i> . R.S.	Ganges.	E. Indies.	1823.	—	S.○.~.	
3 <i>emarginatus</i> . R.S.	kidney-leaved.	—	1816.	—	S.○.~.	Burm. ind. t. 30. f. 1.
4 <i>alsinoides</i> . R.S.	chickweed-ld.	—	1733.	6. 7.	S.γ.~.	Rheed. mal. 11. t. 64.
5 <i>linifolius</i> . R.S.	flax-leaved.	Jamaica.	1782.	8. 9.	S.○.~.	Brown. jam. t. 10. f.2
6 <i>Nuttallianus</i> . R.S., argenteus. N.	Nuttall's.	Missouri.	1821.	5. 6.	H.γ.~.	

7 latifolius. R.R.	broad-leaved.	Brazil.	1819.	6. 7. S. 4.	Botan. regist. 401.
CRESSA. R.S.	CRESSA. Pentandria Digynia. L.				
cretica. r.s.	Cretan.	Levant.	1822.	7. 9. H. ⊖.	Flor. græc. t. 256.
DICHONDRA. R.S.	DICHONDRA. Pentandria Digynia. L.				
1 repens. r.s.	creeping.	N. S. W.	1803.	6. 8. G. 4.	Sm. ic. ined. 1. t. 8.
2 rotundifolia. L.en.	round-leaved.	Persia.	1816.	— H. 4.	
3 caroliniana. r.s.	Carolina.	Carolina.	1812.	— G. 4.	
4 sericea. s.s.	silky.	W. Indies.	1793.	— S. 4.	Swartz. ic. t. 10.
5 argentea. r.s.	silvery.	New Spain.	1818.	— S. 4.	Willd. hort. ber. t. 81.
FALKIA. R.S.	FALKIA. Pentandria Digynia. L.				
repens. r.s.	creeping.	C. B. S.	1774.	5. 8. G. 4.	Andr. reposit. 257.
CUSCUTA. R.S.	DODDER. Pentandria Digynia. R.S.				
1 europaea. R.S.	great.	England.	8. 9. H. ⊖.	Eng. bot. 378.
2 Epithymum. R.S.	lesser.	Britain.	7. 10. H. 4.	—— 55.
3 chinensis. R.S.	Chinese.	China.	1803.	— G. ⊖.	
4 australis. B.P.	New Holland.	N. Holland.	1818.	— G. 4.	
5 chilensis. B.R.	Chili.	Chili.	1821.	1. 12. G. 4.	Botan. regist. 603.
6 verrucosa. B.F.G.	warted-calyx'd.	Nepaul.	1822.	9. 11. H. 4.	Swt. br. fl. gar. 6.
7 Hookeri.	Hooker's.	E. Indies.	1823.	— H. ⊖.	Hook. ex. flor. 150.
reflexa. var. verrucosa. H.E.F. excl. synon.					

ORDO CXXVII.

BORAGINEÆ. Brown prodr. 1. p. 492.

TIARIDIUM. S.S.	TIARIDIUM.	Pentandria Monogynia. S.S.			
indicum. s.s.	Indian.	W. Indies.	1713.	6. 8. S. ⊖.	Botan. magaz. 1837.
Heliotropium indicum. B.M.					
HELIOTRÓPIUM. S.S. TURNSOLE.	PENTANDRIA MONOGYNIA. L.				
1 peruvianum. s.s.	Peruvian.	Peru.	1757.	5. 9. G. 4.	Botan. magaz. 141.
β hybridum.	More's hybrid.	Hybrid.	1815.	— G. 4.	
2 corymbosum. s.s.	large-flowered.	—	1808.	— G. 4.	Botan. magaz. 1609.
grandiflorum. L.en.					
3 maroccanum. s.s.	Morocco.	Morocco.	1821.	— G. 4.	
4 parviflorum. s.s.	small-flowered.	India.	1732.	7. 9. S. 4.	Dill. elth. t. 146. f. 175.
5 europæum. s.s.	European.	S. Europe.	1562.	6. 10. H. ⊖.	Jacq. aust. 3. t. 207.
6 commutatum. R.S.	smaller.	—	— H. ⊖.	
7 suaveolens. s.s.	sweet-scented.	Caucasus.	1823.	— H. ⊖.	
8 coromandelianum. s.s.	Coromandel.	E. Indies.	1812.	7. 10. S. 4.	
9 curassavicum. s.s.	glaucous.	S. America.	1731.	6. 7. S. 4.	
10 anisophyllum. Beau.	unequal-leav'd.	Africa.	1822.	— S. 4.	
11 chenopodioides. R.S.	smooth-leaved.	S. America.	1820.	— S. 4.	
12 zeylanicum. R.S.	Ceylon.	Ceylon.	1815.	— S. 4.	
13 linifolium. R.S.	flax-leaved.	C. B. S.	—	— G. 4.	Burm. ind. t. 16. f. 2.
Myosotis fruticosa. w.					
14 demissum. R.S.	dwarf.	S. America.	1752.	5. 6. S. 4.	Plum. ic. 227. f. 2.
Tournefortia humilis. w.					
15 supinum. s.s.	trailing.	S. Europe.	1640.	6. 7. H. ⊖.	Tourn. voy. 1. t. 23.
LITHOSPERMUM. S.S. GROMWELL.	PENTANDRIA MONOGYNIA. L.				
1 fruticosum. s.s.	shrubby.	S. Europe.	1683.	5. 6. H. 4.	Flor. græc. t. 161.
2 prostratum. s.s.	prostrate.	—	1825.	— H. 4.	Lois. fl. gall. add. 1.t.4.
3 avense. s.s.	corn.	Britain.	— H. ⊖.	Eng. bot. 123.
4 officinal.	official.	—	5. 8. H. 4.	—— 134.
5 latifolium. s.s.	broad-leaved.	America.	1816.	— H. 4.	
6 distichum. s.s.	two-spiked.	Mexico.	1806.	— G. 4.	
7 orientale. s.s.	yellow-flow'r'd.	Levant.	1713.	— H. 4.	
8 lineatum. s.s.	lined.	—	1816.	— H. 4.	Botan. magaz. 515.
9 apulum. s.s.	small.	S. Europe.	1768.	6. 7. H. ⊖.	Flor. græc. t. 158.
10 villosum. s.s.	villous.	—	1820.	— H. 4.	
11 tinctorium. s.s.	dyer's.	—	1596.	6. 10. H. 4.	
12 purpureo-caeruleum.	creeping.	England.	5. 6. H. 4.	Eng. bot. 117.
13 tenuiflorum. s.s.	slender-fl.	Egypt.	1796.	— H. ⊖.	Jacq. ic. 2. t. 313.
14 dispermum. s.s.	two-seeded.	Spain.	1799.	6. 7. H. ⊖.	Linn. dec. 1. t. 7.

15	davuricum. s.s.	Daurian.	Davuria.	1812.	5. 6. H. 4.	Swt. br. fl. gar. 121.
	Pulmonaria davurica.	B.M. 1743.	N.America.	1801.	— H. 4.	
16	denticulatum. s.s.	toothed.	Siberia.	—	6. 7. H. 4.	Gmel. sib. 4. n. 15. t. 39.
17	sibiricum. s.s.	Siberian.	Britain.	—	— H. 4.	Eng. bot. 368.
18	maritimum. s.s.	sea-side.	N.America.	1699.	3. 5. H. 4.	Botan. magaz. 160.
	Pulmonaria maritima.	E.B.	Hudson's Bay.	1778.	5. 6. H. 4.	Botan. regist. 146.
19	pulchrum. s.s.	Virginian.	Louisiana.	1813.	— H. 4.	
	Pulmonaria virginica.	B.M.				
20	paniculatum. s.s.	panicked.				
	Pulmonaria paniculata.	B.R.				
21	marginatum. s.s.	margined.				
	Pulmonaria lanceolata.	Ph. marginata.				
BATSCHIA. M.		BATSCHIA.	Pentandria Monogynia.			
1	Gmelini. M.	Carolina.	Carolina.	1812.	5. 7. H. 4.	
	caroliniana. R.S.	Lithospermum hirtum.	s.s.			
2	canescens. M.	canescent.	N.America.	—	— H. 4.	Mich. amer. I. t. 14.
3	longiflora. N.	long-flowered.	Missouri.	1812.	— H. 4.	
PULMONARIA. S.S.		LUNGWORT.	Pentandria Monogynia. L.			
1	azurea. s.s.	azure.	Hungary.	1823.	5. H. 4.	
2	angustifolia. s.s.	narrow-leaved.	Britain.	—	4. 5. H. 4.	Eng. bot. 1628.
3	tuberosa. s.s.	tuberous-root'd.	Hungary.	1824.	5. H. 4.	
4	mollis. s.s.	soft-leaved.	—	1816.	— H. 4.	Swt. br. fl. gar. ic.
5	officinalis. R.S.	common.	England.	—	— H. 4.	Eng. bot. 118.
6	saccharata. L.en.	white-flowered.	Germany.	1816.	— H. 4.	Moris. s. 11. t. 29.
7	grandiflora. R.S.	large-flowered.	—	—	— H. 4.	DC. ic. ined. t. 64.
8	oblongata. Schr.	oblong-leaved.	Germany.	1820.	— H. 4.	
ONOSMODIUM. M.		ONOSMODIUM.	Pentandria Monogynia. R.S.			
1	hispidum. R.S.	hispid.	N.America.	1759.	6. H. 4.	Moris. s. 11. t. 28. f. 3.
2	molle. R.S.	soft.	—	1812.	6. 8. H. 4.	Mich. amer. t. 15.
ONOSMA. R.S.		ONOSMA.	Pentandria Monogynia. L.			
1	echoideas. s.s.	hairy.	S. Europe.	1683.	3. 6. H. 4.	Flor. græc. t. 172.
2	giganteum. s.s.	gigantic.	Tauria.	1818.	— H. 4.	
3	arenarium. R.S.	sand.	Hungary.	1804.	3. 7. H. 4.	W. et K. hung. 3. t. 279.
4	stellulatum. W.K.	starry-haired.	—	1816.	— H. 4.	— 2. t. 173.
5	tauricum. B.M.	golden-flow'r'd.	Tauria.	1801.	4. 6. F. 4.	
6	rupestre. R.S.	rock.	Caucasus.	1823.	— H. 4.	Botan. magaz. 889.
7	orientale. s.s.	oriental.	Levant.	1752.	5. 6. G. 4.	
8	divaricatum. s.s.	spreading.	Caucasus.	1818.	4. 6. H. 4.	
9	simplicissimum. R.S.	linear-leaved.	Siberia.	1768.	— H. 4.	Botan. magaz. 2248.
10	trinervium. s.s.	three-nerved.	Mexico.	1825.	— G. 4.	
11	sericeum. R.S.	silky-leaved.	Levant.	1752.	6. 7. F. 4.	
SYMPHYTUM. R.S.		COMFREY.	Pentandria Monogynia. L.			
1	officinale. R.S.	common.	Britain.	—	5. 7. H. 4.	Eng. bot. 817.
	β. purpurascens.	purple.	—	—	— H. 4.	
2	bohemicum. P.S.	red-flowered.	Bohemia.	—	— H. 4.	
3	caucasicum. R.S.	Caucasean.	Caucasus.	1816.	— H. 4.	
4	tuberosum. R.S.	tuberous-root'd.	Scotland.	—	5. 10. H. 4.	Eng. bot. 1502.
5	orientale. R.S.	eastern.	Turkey.	1752.	5. 7. H. 4.	Botan. magaz. 1912.
6	bullatum. s.s.	blistered.	Tauria.	1806.	— H. 4.	— 1787.
	tauricum. B.M.					
7	cordatum. W.K.	heart-leaved.	Hungary.	1813.	— H. 4.	W. et K. hung. 6. t. 7.
8	aspernum. R.S.	roughest.	Caucasus.	1799.	5. 9. H. 4.	Botan. magaz. 929.
9	peregrinum. s.s.	oblique-leaved.	Poland.	1816.	5. 7. H. 4.	
CERINTHE. R.S.		HONEYWORT.	Pentandria Monogynia. L.			
1	major. R.S.	great.	S. Europe.	1596.	7. 8. H. ⊖.	Botan. magaz. 333.
2	aspera. R.S.	rough.	—	1633.	— H. ⊖.	Flor. græc. t. 170.
3	minor. R.S.	small.	Austria.	1570.	6. 10. H. ⊖.	Jacq. aust. 2. t. 121.
4	maculata. R.S.	spotted.	Tauria.	1804.	— H. 3.	
ECHIUM. R.S.		VIPER'S-BUGLOSS.	Pentandria Monogynia. L.			
1	fruticosum. R.S.	frutescent.	C. B. S.	1759.	5. 6. G. h.	Botan. regist. 86.
2	hispidum. R.S.	hispid-leaved.	—	1816.	— G. h.	
3	laevigatum. R.S.	smooth-stalked.	—	1774.	6. 7. G. h.	
4	glaucophyllum. R.S.	glaucous-leav'd.	—	1792.	6. 8. G. h.	Jacq. ic. t. 312.
5	glabrum. R.S.	smooth.	—	1791.	5. 6. G. h.	
6	paniculatum. R.S.	panicked.	—	1815.	— G. h.	
7	grandiflorum. R.S.	great-flower'd.	—	1787.	6. 7. G. h.	Botan. regist. 124.
	formosum. P.S.					
8	ferociissimum. A.R.	prickly-stalked.	—	1794.	— G. h.	Andr. reposit. 39.
9	spicatum. R.S.	spiked dwarf.	—	1799.	3. 5. G. h.	

10 caudatum. R.S.	tailed.	C. B. S.	1815.	6. 9.	G. h.	
11 capitatum. R.S.	headed.	——	1822.	——	G. h.	
12 verrucosum. R.S.	warted.	——	1820.	5. 8.	G. h.	
13 argenteum. R.S.	silvery.	——	1789.	6. 7.	G. h.	Andr. reposit. 154.
14 lasiophyllum. L.en.	woolly-leaved.	1819.	——	G. h.	
15 strigosum. R.S.	strigose.	C. B. S.	——	——	G. h.	
16 giganteum. R.S.	gigantic.	Canaries.	1779.	7. 11.	G. h.	
17 aculeatum. R.S.	prickly.	——	1815.	5. 8.	G. h.	
18 molle. R.S.	soft-leaved.	——	——	——	G. h.	
19 nervosum. H.K.	sinewy-leaved.	Madeira.	1777.	6. 8.	G. h.	
20 bifrons. DC.	two-fronted.	Canaries.	1815.	——	G. h.	
21 ambiguum. DC.	ambiguous.	——	——	5. 7.	G. h.	DC. ic. mons. ined. t. 20.
22 virescens. DC.	green-leaved.	——	——	——	G. h.	
23 candicans. R.S.	hoary tree.	Madeira.	1777.	5. 6.	G. h.	Botan. regist. 43.
24 cynoglossoides. R.S.	hound's-tongue-ld.	Canaries.	1816.	——	G. h.	
25 densiflorum. DC.	dense-flowered.	——	——	——	G. h.	DC. ic. m. ined. t. 22.
26 fastuosum. H.K.	fastuous.	——	1779.	4. 8.	G. h.	Jacq. f. eclog. t. 41.
27 strictum. R.S.	upright.	——	——	5. 12.	G. ♂.	Jacq. schœn. 1. t. 35.
28 lineatum. R.S.	lined.	——	1815.	5. 6.	G. h.	Jacq. f. eclog. t. 42.
29 macrophyllum. R.S.	large-leaved.	1812.	——	G. h.	
30 foliosum. R.S.	leafy.	——	——	G. h.	
31 simplex. DC.	simple-stalked.	Canaries.	——	5. 12.	G. ♂.	DC. ic. m. ined. t. 21.
32 brachyanthum. R.S.	short-flowered.	Madeira.	1820.	5. 7.	G. h.	
33 seabrum. R.S.	rough.	C. B. S.	——	——	G. h.	
34 plantagineum. R.S.	Plantain-leav'd.	Italy.	1776.	7. 10.	H. ⊙.	Flor. græc. t. 179.
35 lusitanicum. R.S.	Portugal.	S. Europe.	1731.	7. 8.	H. ⊙.	
36 plantagineoides. R.S.	Plantain-like.	——	1825.	——	H. ⊙.	Jacq. vind. 1. t. 45.
37 prostratum. R.S.	prostrate.	Egypt.	1824.	——	H. ♀.	
38 macranthum. R.S.	large-flowered.	Barbary.	——	7. 10.	H. ⊙.	Desf. atl. 1. t. 46.
39 australe. R.S.	oval-leaved.	S. Europe.	1824.	——	H. ⊙.	Swt. br. fl. gar. 101.
40 maritimum. R.S.	sea-side.	Italy.	1815.	——	H. ⊙.	Bocc. mus. 2. t. 78.
41 italicum. R.S.	white.	Jersey.	——	7. 8.	H. ♂.	Eng. bot. 2081.
42 pyrenaicum. R.S.	Pyrenean.	Pyrenees.	1815.	7. 8.	H. ♂.	
43 thyrsodeum. R.S.	bunch-flowered.	——	1823.	——	H. ♂.	Botan. magaz. 1822.
44 rubrum. R.S.	red-flowered.	Hungary.	1791.	——	H. ♀.	Eng. bot. 181.
45 vulgare. R.S. β album.	common.	Britain.	——	——	H. ♂.	
46 violaceum. R.S.	white-flowered.	——	——	——	H. ♂.	
47 parviflorum. H.K. micranthum. R.S.	violet-flower'd.	Austria.	1658.	——	H. ⊙.	
48 tenue. s.s.	slender.	——	1824.	——	H. ⊙.	
49 Sibthorpii. R.S. hispidum. F.G. nec aliorum. elegans.	Sibthorp's.	Naples.	——	——	H. ♂.	Flor. græc. t. 181.
50 creticum. R.S.	Cretan.	Levant.	1683.	7. 9.	H. ⊙.	—— t. 183.
51 orientale. R.S.	oriental.	——	1780.	7. 8.	H. ⊙.	Tourn. it. 2. f. 107.
52 salmanticum. R.S.	long-stamen'd.	Spain.	1824.	——	H. ⊙.	
53 longiflorum. Dum.	long-flowered.	C. B. S.	1806.	6. 7.	G. h.	
54 pyramidatum. Dum.	pyramidal.	——	1824.	——	G. h.	
NONEA. DC.	NONEA.	Pentandria Monogynia.	R.S.			
1 violacea. DC. <i>Lycopsis vesicaria</i> . W.	violet-coloured.	S. Europe.	1686.	5. 7.	H. ⊙.	Moris. s. 11. t. 26. f. 11.
2 nigricans. DC.	black-flowered.	——	——	——	H. ⊙.	Zanon. hist. 56. t. 38.
3 pulla. DC.	dark-flowered.	Germany.	1648.	6. 7.	H. ♀.	Jacq. aust. 2. t. 188.
4 ciliata. R.S.	fringed.	Levant.	1804.	——	H. ⊙.	
5 rosea. L.en. <i>Anchusa rosea</i> . M.B.	rose-coloured.	Caucasus.	1824.	——	H. ⊙.	
6 versicolor.	various-color'd.	——	1820.	——	H. ⊙.	
<i>Anchusa versicolor</i> . R.S.						
7 lutea. DC.	pale yellow.	S. Europe.	1805.	——	H. ⊙.	NoCC. hort. tran. t. 3.
<i>Anchusa lutea</i> . R.S.	<i>Lycopsis lutea</i> . s.s.					
8 picta.	Painted.	Tauria.	1818.	——	H. ⊙.	
<i>Anchusa picta</i> . M.B.	<i>Lycopsis picta</i> . s.s.					
LYCOPSIS. L. arvensis. L.	WILD BUGLOSS.	Pentandria Monogynia.	L.			
ASPERUGO. L. procumbens. L.	common.	Britain.	5. 8.	H. ⊙.	Eng. bot. 938.
ANCHUSA. R.S.	GERMAN MADWORT.	Pentandria Monogynia.	L.			
1 Barrelieri. s.s.	procumbent.	Britain.	4. 5.	H. ⊙.	Eng. bot. 601.
<i>Myosotis obtusa</i> . W.K.	BUGLOSS.	Pentandria Monogynia.	L.			
		Hungary.	1815.	6. 7.	H. ♀.	W. et K. hung. 1. t. 100.

2 paniculata. R.S. <i>italica</i> . B.R. 488.	panicled.	S. Europe.	1597.	6. 10. H. 4.	Flor. græc. t. 163.
3 Milleri. R.S.	Miller's.	H. ♂.	
4 stylosa. R.S.	long-styled.	Tauria.	1824.	H. ♂.	M.B. cent. pl. rar. t. 23.
5 procura. s.s.	tall.	Poland.	1822.	H. 4.	
6 lycosoides. L.en.	Lycopsis-like.	—	H. 4.	
7 variegata. s.s. <i>Lycopsis variegata</i> . F.G.	variegated.	Levant.	1683.	6. 7. H. ♂.	Flor. græc. t. 178.
8 ovata. s.s. <i>Lycopsis orientalis</i> . R.S.	oval-leaved.	—	1796.	H. ♂.	Buxb. cent. 5. t. 30.
9 tinctoria. R.S.	dyer's.	—	1596.	6. 10. H. 4.	Flor. græc. t. 166.
10 hispida. R.S.	hispid.	Egypt.	1823.	H. 4.	
11 tenella. R.S. <i>zeylanica</i> . Jacq.	slender.	China.	1816.	H. ♂.	Jacq. f. ecl. t. 29.
12 officinalis. R.S.	common.	Britain.	—	H. 4.	Eng. bot. 662.
13 incarnata. Schr.	flesh-coloured.	Europe.	—	H. 4.	
14 undulata. R.S.	wave-leaved.	S. Europe.	1739.	6. 8. H. 4.	Botan. magaz. 2119.
15 ochroleuca. R.S.	pale-flowered.	Caucasus.	1810.	7. 8. H. 4.	— 1608.
16 angustifolia. R.S.	narrow-leaved.	Europe.	1640.	5. 6. H. 4.	Flor. græc. t. 164.
17 leptophylla. R.S. <i>angustifolia</i> . B.M.	blue-flowered.	—	—	H. 4.	Botan. magaz. 1897.
18 capensis. R.S.	Cape.	C. B. S.	1800.	7. 8. G. ♂.	Andr. reposit. 336.
19 hybrida. R.S.	villous.	Naples.	1818.	7. 10. H. ♂.	Ten. fl. neap. t. 11.
20 Agardhii. R.S.	tubercle-leav'd.	Siberia.	1823.	7. 9. H. 4.	
21 verrucosa. R.S.	warted.	Egypt.	—	7. 10. H. ♂.	Jacq. vind. 3. t. 21.
22 rupestris. R.S.	rock.	Siberia.	1802.	7. H. 4.	Pall. it. 3. ap. t. E. f. 3.
23 sericea. R.S.	silky.	—	—	6. 8. H. 4.	
MYOSOTIS. R.S.	SCORPION-GRASS. Pentandria Monogynia, L.				
1 palustris. E.B. <i>scorpioides</i> . w.	marsh.	Britain.	—	6. 9. H.w. 4.	Eng. bot. 1973.
2 cæspitosa. s.s.	tufted.	—	—	5. 7. H.w. 4.	
3 intermedia. s.s.	intermediate.	—	—	4. 6. H. ♂.	Fl. dan. 583. f. maj.
4 sylvatica. R.S.	wood.	—	—	6. 8. H. 4.	Raii syn. t. 9. f. 2.
5 alpestris. R.S. <i>rupicola</i> . E.B.	rock.	Scotland.	—	6. 8. H. 4.	Eng. bot. 2559.
6 lithospermifolia. R.S.	Gromwell-ld.	Caucasus.	1823.	H. 4.	
7 suaveolens. R.S.	sweet-scented.	Europe.	—	H. 4.	
8 arvensis. E.B.	corn.	Britain.	—	6. 9. H. ♂.	Eng. bot. 2558.
9 versicolor. E.B.	various-colour'd.	—	—	4. 6. H. ♂.	— 480. f. 1.
10 sparsiflora. R.S.	scattered-fl'd.	Europe.	1818.	H. ♂.	
11 stricta. R.S.	upright.	—	—	H. ♂.	
12 nana. R.S.	dwarf.	—	—	6. 8. H. 4.	
13 peduncularis. s.s.	peduncled.	Astracan.	1823.	H. ♂.	Hacq. pl. alp. car. t. 2. f. 6
ECHINOSPERMUM. S.S. ECHINOSPERMUM.	Pentandria Monogynia. S.S.				
1 virginianum. s.s. <i>Myosotis virginiana</i> . w.	Virginian.	Virginia.	1699.	6. 7. H. ♂.	Moris. s. 11. t. 30. f. 9.
2 deflexum. s.s.	<i>Rochelia virginiana</i> . R.S.	—	—		
3 Lappula. s.s.	common.	Hungary.	1823.	H. ♂.	Wahl. a. holm. 1810. t. 4.
4 squarrosum. L.en. <i>patulum</i> . s.s.	squarrose.	Europe.	1656.	4. 8. H. ♂.	Flor. dan. t. 692.
5 Redowskii. Lehm.	Redowski's.	Russia.	1821.	6. 7. H. ♂.	
6 barbatum. s.s.	bearded.	Tauria.	1819.	H. ♂.	
7 marginatum. s.s.	margined.	Astracan.	—	H. ♂.	
OMPHALODES. Lehm.	OMPHALODES.	Pentandria Monogynia. L.en.			
1 nitida. Lehm.	shining.	Portugal.	1812.	4. 6. H. 4.	Botan. magaz. 2529.
2 verna. L.en.	<i>Cynoglossum nitidum</i> . B.M. <i>Picotia nitida</i> . R.S.	S. Europe.	1633.	3. 5. H. 4.	
3 brassicæfolia. <i>amplexicaulis</i> . Lehm.	Comfrey-ld.	—	—		Botan. magaz. 7.
4 linifolia. L.en.	stem-clasping.	Spain.	1824.	6. 8. H. ♂.	Lehm. m. ber. 8. 2. t. 6.
5 scorpioides. L.en.	<i>Picotia brassicæfolia</i> . R.S.	Venus Navelwort. Portugal.	1648.	H. ♂.	Barrel. ic. 1234.
6 sempervirens. D.P.	variable-ld.	Bohemia.	1823.	H. ♂.	Lehm. m. ber. 8. 2. t. 7.
<i>Anchusa sempervirens</i> . E.B.	evergreen.	Britain.	—	5. 6. H. 4.	Eng. bot. 45.
RINDERÄ. R.S.	RINDERÄ.	Pentandria Monogynia. R.S.			
lævигата. R.S.	smooth.	Siberia.	1824.	6. 7. H. 4.	Pall. ross. 2. t. 88.
tetraspis. Pall.	<i>Cynoglossum Rindera</i> . Pall. <i>Cynoglossum lævигatum</i> . w.	MATTIA. Pentandria Monogynia. R.S.			
1 umbellata. R.S.	umbel-flower'd.	Hungary.	1818.	6. 7. H. 4.	W. et K. hung. 2. t. 148.

2 lanata. R.S.	woolly.	Levant.	1800.	— G. 4.	Tourn. an. mus. 10. t. 37.
Cynoglossum lanatum. w.					
CYNOGLOSSUM. R.S.	HOUND'S-TONGUE.	Pentandria Monogynia. L.			
1 officinale. R.S.	common.	Britain.	6. 7.	H. ♂.	Eng. bot. 921.
2 Hænkii. R.S.	rough-leaved.	Hungary.	1815.	— H. ♂.	
3 sylvaticum. R.S.	green-leaved.	Britain.	—	— H. ♂.	— 1642.
4 Diocoridis. R.S.	Diocoride's.	Dauphiny.	1818.	— H. ♂.	
5 bicolor. R.S.	two-coloured.	Germany.	—	— H. ♂.	
6 elongatum. R.S.	long-branched.	—	—	— H. ♂.	
7 pictum. R.S.	Madeira.	Madeira.	1658.	8. G. ♂.	Clus. hist. 2. f. 2.
8 hirsutum. R.S.	hairy.	C. B. S.	1806.	7. 8. H. ♂.	Jacq. scheen. 4. t. 489.
9 virginicum. s.s.	stem-clasping.	N. America.	1812.	6. 7. H. 4.	
amplexicaule. M.					
10 clandestinum. R.S.	hidden-fld.	Barbary.	1823.	— G. ♂.	Desf. atl. 1. t. 42.
11 canescens. R.S.	canescent.	E. Indies.	1815.	7. 10. G. ♂.	
12 apenninum. R.S.	Apennine.	Italy.	1731.	4. 7. H. ♂.	Sabb. hort. rom. 2. t. 36.
13 magellense. R.S.	woolly.	—	1823.	5. 7. H. 4.	
14 australe. B.P.	New Holland.	N. S. W.	1820.	— G. 4.	
15 cheirifolium. s.s.	silvery-leaved.	Levant.	1596.	6. 7. H. ♂.	
Anchusa lanata. R.S.					
TRICHODESMA. B.P.	TRICHODESMA.	Pentandria Monogynia. R.S.			
1 indicum. R.S.	Indian.	E. Indies.	1759.	6. 10. H. ♂.	Pluk. alm. 30. t. 76. f. 3.
Borago indica. L.					
2 africanum. R.S.	African.	C. B. S.	—	7. 8. H. ♂.	Isn. act. par. 1718. t. 11.
3 zeylanicum. R.S.	Ceylon.	E. Indies.	1799.	— S. ♂.	Jacq. ic. 2. t. 314.
BORAGO. R.S.	BORAGE.	Pentandria Monogynia. L.			
1 officinalis. R.S.	common.	Britain.	—	6. 9. H. ♂.	Eng. bot. 36.
β albiflora.	white-flowered.	—	—	— H. ♂.	
2 orientalis. R.S.	oriental.	Turkey.	1752.	3. 5. H. 4.	Botan. regist. 288.
3 cretica. R.S.	Cretan.	Greece.	1823.	5. 6. H. 4.	Flor. græc. t. 176.
4 laxiflora. R.S.	bell-flowered.	Corsica.	1813.	5. 8. H. ♂.	Botan. magaz. 1798.
5 crassifolia. R.S.	thick-leaved.	Persia.	1824.	— H. 4.	Venten. cels. t. 100.
TOURNEFORTIA. R.S.	TOURNEFORTIA.	Pentandria Monogynia. L.			
1 cymosa. R.S.	broad-leaved.	Jamaica.	1777.	7. S. ♂.	Jacq. ic. t. 31.
2 foetidissima. R.S.	Tobacco-leav'd.	—	1739.	9. S. ♂.	Plum. ic. 226. t. 230.
3 bicolor. R.S.	two-coloured.	—	1812.	— S. ♂.	
4 suffruticosa. R.S.	hoary-leaved.	—	1759.	6. 9. S. ♂.	Sloan. hist. 2. t. 162. f. 4.
5 mutabilis. R.S.	changeable.	Java.	1820.	— S. ♂.	Venten. choix. t. 3.
6 gnaphalodes. R.S.	Gnaphalium-like.	W. Indies.	—	— S. ♂.	Jacq. amer. t. 173. f. 11.
Heliotropium gnaphalodes. w.					
7 fruticosa. R.S.	shrubby.	Canaries.	1779.	6. 10. G. ♂.	Botan. regist. 464.
Messerschmidia fruticosa. w.					
8 angustifolia. R.S.	narrow-leaved.	—	—	— G. ♂.	
9 argentea. R.S.	silvery-leaved.	E. Indies.	1822.	— S. ♂.	Rumph. amb. 4. t. 55.
10 Arguzia. R.S.	herbaceous.	Siberia.	1780.	— H. 4.	Gmel. it. 2. t. 27.
MESSERSCHMIDIA. R.S.	MESSERSCHMIDIA.	Pentandria Monogynia. R.S.			
1 hirsutissima. R.S.	very hairy.	S. America.	1818.	5. 8. S. ♂.	Sloan. hist. 2. t. 212. f. 1.
Tournefortia hirsutissima. w.					
2 volubilis. R.S.	climbing.	Jamaica.	1752.	7. 8. S. ♂.	— 1. t. 143. f. 2.
Tournefortia volubilis. w.					
3 scandens. R.S.	scandent.	S. America.	1816.	— S. ♂.	Flor. peruv. 2. t. 148.
4 laurifolia. R.S.	Laurel-leaved.	W. Indies.	1823.	— S. ♂.	Venten. choix. t. 2.
BEURRERIA. G.	BEURRERIA.	Pentandria Monogynia. R.S.			
1 succulenta. s.s.	oval-leaved.	W. Indies.	1758.	5. 7. S. ♂.	Jacq. obs. 2. t. 26.
2 exsucca. s.s.	dry-fruited.	—	1804.	— S. ♂.	Jacq. amer. t. 173. f. 17.
EHRETIA. S.S.	EHRETIA.	Pentandria Monogynia. L.			
1 tinifolia. s.s.	Tinus-leaved.	Jamaica.	1734.	6. 7. S. ♂.	Trew Ehret. t. 24.
2 acuminata. B.P.	acuminata.	N. S. W.	1820.	— G. ♂.	
3 laxa. s.s.	loose-flowered.	Mauritius.	1821.	— S. ♂.	Jacq. scheen. 1. t. 41.
4 internodis. s.s.	axillary-fld.	—	—	— S. ♂.	L'Herit. stirp. 1. t. 24.
5 laevis. s.s.	smooth.	E. Indies.	1816.	— S. ♂.	Roxb. corom. 1. t. 56.
6 buxifolia. s.s.	Box-leaved.	—	—	— S. ♂.	— 1. t. 57.
7 microphylla. s.s.	small-leaved.	—	1818.	6. 8. S. ♂.	Pluk. phyt. 31. f. 1.
8 aspera. s.s.	rough-leaved.	—	1795.	— S. ♂.	Roxb. corom. 1. t. 55.
CORDIA. B.P.	CORDIA.	Pentandria Monogynia. L.			
1 Myxa. R.S.	smooth-leaved.	E. Indies.	1640.	— S. ♂.	Rheed. mal. 4. t. 37.
2 monoica. R.S.	Birch-leaved.	—	1799.	3. 4. S. ♂.	Roxb. corom. 1. t. 58.
3 Collococca. R.S.	long-leaved.	Jamaica.	1759.	— S. ♂.	Sloan. hist. 2. t. 203. f. 2.
4 micranthus. R.S.	small-flowered.	—	1822.	— S. ♂.	

5	Geraschanthus. n.s.	Spanish Elm.	W. Indies.	1789.	5.	S. h.	Jacq. amer. t. 175. f. 16.
6	nodososa. n.s.	hairy.	Guiana.	1803.	6. 7.	S. h.	Aub. gui. 1. t. 86.
	hirsuta. w.	<i>Collococcus</i> . Aub. non. L.					
7	flavescens. R.S.	yellow-fruited.		1818.	S. h.	— I. t. 89.
8	spinescens. R.S.	spiny.	E. Indies.	—	S. h.	
9	macrophylla. R.S.	broad-leaved.	W. Indies.	1752.	S. h.	Sloan. hist. 2. t. 221. f. 1.
10	Sebestena. R.S.	rough-leaved.		1728.	7. 8.	S. h.	Botan. magaz. 794.
11	reticulata. R.S.	netted-leaved.	E. Indies.	1820.	—	S. h.	
	<i>angustifolia</i> . F.I.						
12	dentata. R.S.	toothed.	Caracas.	1823.	S. h.	
13	elliptica. R.S.	elliptic-leaved.	W. Indies.	1804.	S. h.	
14	dichotoma. R.S.	forked.	N. Holland.	1824.	S. h.	
15	angustifolia. R.S.	narrow-leaved.	Santa Cruz.	1808.	6. 8.	S. h.	
16	curassavica. R.S.	long-spiked.	S. America.	1759.	—	S. h.	Centur. amer. t. 56.
	<i>Varronia curassavica</i> . W.						
17	martinicensis. R.S.	Martinico.	Martinico.	1795.	8. 9.	S. h.	Jacq. amer. 41. t. 32.
18	bullata. R.S.	blister-leaved.	W. Indies.	1823.	S. h.	Jacq. amer. pict. t. 43.
19	monosperma. R.S.	single-seeded.	Caracas.	1820.	S. h.	Jacq. schœn. 1. t. 39.
20	lineata. R.S.	round-spiked.	W. Indies.	1793.	6. 9.	S. h.	Brown. jam. t. 13. f. 2.
	<i>Varronia lineata</i> . W.						
21	mirabiloides. R.S.	jointed.	Hispaniola.	1798.	9.	S. h.	Jacq. amer. 41. t. 33.
22	alba. R.S.	white-flowered.	Cartagena.	1818.	S. h.	Comm. hort. 1. t. 80.
23	bifurcata. R.S.	forked.	Peru.	—	S. h.	Flor. peruv. 2. t. 146. f. a.
	<i>Varronia dichotoma</i> . R.P. <i>parviflora</i> . P.S.						
<hr/>							
PATAGONULA. R.S. PATAGONULA. Pentandria Monogynia. R.S.							
americana. R.S. spear-leaved. S. America. 1732. 6. 8. G. h.							
Cordia Patagonula. W.							
<hr/>							

ORDO CXXVIII.

HYDROPHYLLEÆ. Brown.

HYDROPHYLLUM. L. WATER-LEAF. Pentandria Monogynia. L.

1	virginicum. L.	Virginian.	N. America.	1739.	5. 6. H. 4.		Botan. regist. 331.
2	canadense. L.	Canadian.	Canada.	1759.	— H. 4.		— 242.
<hr/>							
PHACELIA. B.P. PHACELIA. Pentandria Monogynia. R.S.							
1	magellanica. B.P.	woolly.	Magellan.	1816.	6. 10. H. 4.	Lam. j. hist. nat. t. 19.	
	<i>Hydrophyllum magellanicum</i> . Lam. <i>Aldea circinata</i> . W.en.						
2	Aldea. B.P.	various-leaved.	Peru.	1820.	— G. 4.	Flor. peruv. 2. t. 14.	
	<i>Aldea pinnata</i> . R.P.						
<hr/>							
NEMOPHILA. N. NEMOPHILA. Pentandria Monogynia. S.S.							
1	phacelioides. N.	Phacelia-like.	N. America.	1822.	6. 9. H. ⊖.	Swt. br. fl. gar. 32.	
2	paniculata. s.s.	panicked.		1812.	5. 6. H. 4.		
	<i>Hydrophyllum appendiculatum</i> . M.						
<hr/>							
ELLISIA. R.S. ELLISIA. Pentandria Monogynia. W.							
Nyctelea. R.S. cut-leaved. Virginia. 1755. 7. 8. H. ⊖.							
<hr/>							

ORDO CXXIX.

SOLANEÆ. Brown prodr. 1. p. 443.

· Sect. I. PERICARPIUM CAPSULARE.

ANTHOCERCIS. B.P. ANTHOCERCIS. Didynamia Angiospermia. S.S.

1	littorea. B.P.	yellow.	N. Holland.	1803.	5. 8. G. h.	Botan. regist. 212.
2	albicans. Cun.	white-flowered.		1823.	4. 6. G. h.	Ap. to B. Field trav. ic.
3	viscosa. B.P.	viscous.		—	— G. h.	

SOLANEÆ.

CELSIA. S.S.

- 1 orientalis. s.s.
2 Arcturus. w.
3 coromandelina. w.
4 cretica. s.s.
5 viscosa. s.s.
6 betonicæfolia. s.s.
7 sublanata. B.R.
8 lanceolata. s.s.

VERBASCUM. L.

- 1 Thapsus. R.S.
2 elongatum. W.en.
3 thapsoides. R.S.
4 thapsiforme. R.S.
5 crassifolium. R.S.
6 cuspidatum. R.S.
7 gossypinum. M.B.
8 niveum. R.S.
9 macranthum. R.S.
10 australe. R.S.
11 phlomoides. R.S.
rugulosum. w.

- 12 condensatum. R.S.

- 13 nemorosum. R.S.

- 14 collinum. R.S.

- 15 versiflorum. R.S.

- 16 sinuatum. R.S.

- 17 undulatum. R.S.

- plicatum. F.G.

- 18 bipinnatifidum. B.M. bipinnatifid.

- 19 pinnatifidum. R.S. pinnatifid.

- 20 Chaixi. R.S.

- 21 Boerhaavii. R.S.

- 22 ovalifolium. B.M. oval-leaved.

- 23 formosum. B.R.

- 24 Lychnitis. R.S.

- 25 austriacum. R.S.

- 26 pulverulentum. R.S. powdered.

- 27 pyramidatum. R.S. pyramidal.

- 28 ovatum. R.S.

- 29 rotundifolium. R.S. round-leaved.

- 30 floccosum. R.S.

- 31 leptostachyum. R.S. slender-spiked.

- 32 angustifolium. R.S. narrow-leaved.

- 33 longifolium. R.S. long-leaved.

- 34 nigrum. R.S.

- 35 orientale. R.S.

- 36 Alopecurus. R.S.

- 37 virgatum. R.S.

- 38 speciosum. R.S.

- 39 grandiflorum. R.S.

- 40 Blattaria. R.S.

- β album.

- 41 repandum. R.S.

- 42 glabrum. R.S.

- 43 haemorrhoidale. R.S.

- 44 cupreum. R.S.

- 45 pheniceum. R.S.

- 46 puniceum. R.S.

- 47 rubiginosum. R.S.

- 48 ferrugineum. R.S.

- 49 triste. R.S.

- ferrugineum. A.R. nec aliorum.

- 50 spectabile. M.B.

- 51 spinosum. R.S.

- 52 Osbeckii.

- RAMONDA. P.S.

- pyrenaica. P.S.

- Verbascum Myconi. B.M.

CELSIA. Pentandria Monogynia. L.

oriental.	Levant.	1713.	7. 8. H. ♂.	Lam. ill. t. 532.
scalloped-leaved.	Candia.	1780.	7. 9. F. ♂.	Botan. magaz. 1962.
Coromandel.	E. Indies.	1783.	7. 8. S. ♂.	
great-flowered.	Crete.	1752.	7. 9. F. ♂.	Botan. magaz. 964.
clammy.	1816.	— F. ♂.	
Betony-leaved.	Barbary.	1824.	— F. ♂.	
woolly.	1818.	— H. ♀.	Botan. regist. 438.
spear-leaved.	Levant.	1816.	— F. ♂.	Venten. cels. t. 27.
MULLEIN. Pentandria Monogynia. L.				
Shepherd's club.	Britain.	7. 8. H. ♂.	Eng. bot. 549.
long-spiked.	Europe.	1813.	— H. ♂.	
branching.	Portugal.	— H. ♂.	Schrad. verb. t. 5. f. 2.
simple-stalked.	Europe.	— H. ♂.	
thick-leaved.	S. Europe.	1816.	— H. ♂.	H. et Lk. fl. port. l. t. 26
sharp-pointed.	Austria.	— H. ♂.	Schrad. verb. t. 1. f. 1.
cottony.	Iberia.	1824.	6. 8. H. ♂.	
snowy.	Naples.	—	— H. ♂.	Ten. fl. neap. t. 22.
large-flowered.	Portugal.	1823.	— H. ♂.	H. et Lk. fl. port. t. 27.
southern.	S. Europe.	1816.	— H. ♂.	Schrad. verb. t. 2.
woolly.	Italy.	1739.	— H. ♂.	Mill. ic. t. 273.
close-flowered.	Austria.	1818.	— H. ♂.	Schrad. verb. t. 3.
wood.	—	—	— H. ♂.	— t. 1. f. 2.
hill.	Germany.	1820.	— H. ♂.	— t. 5. f. 1.
scattered-fld.	—	1815.	6. 8. H. ♀.	
scalloped-leaved.	S. Europe.	1570.	7. 8. H. ♂.	Flor. græc. t. 227.
plaited-leaved.	Levant.	1816.	— H. ♂.	— t. 226.
Tauria.	1813.	—	H. ♂.	Botan. magaz. 1777.
Archipelago.	1788.	5.	G. ♀.	
French.	1816.	7. 8. H. ♂.		Vill. delph. 2. t. 13.
S. Europe.	1731.	—	H. ♂.	Mill. ic. 2. t. 273.
Caucasus.	1804.	7. 9. H. ♀.		Botan. magaz. 1037.
Russia.	1814.	7. 8. H. ♂.		Botan. regist. 558.
Britain.	6. 8. H. ♂.		Eng. bot. 58.
Austria.	1819.	—	H. ♂.	
England.	—	H. ♂.	Eng. bot. 487.
Caucasus.	1804.	7. 8. H. ♀.		Swt. br. fl. gar. 31.
.....	—	H. ♂.	Schrad. h. gott. t. 15.
Naples.	1826.	—	H. ♂.	Ten. fl. neap. t. 23.
Hungary.	1805.	6. 7. H. ♂.		W. et K. hung. 1. t. 79.
S. France.	1824.	7. 9. H. ♂.		
Naples.	1822.	—	H. ♂.	
England.	6. 8. H. ♀.		Ten. fl. neap. t. 21.
Caucasus.	1820.	—	H. ♀.	Eng. bot. 59.
France.	1818.	—	H. ♀.	
Britain.	8.	H. ♂.	Eng. bot. 550.
Austria.	1820.	6. 8. H. ♀.		Schrad. h. gott. t. 16.
.....	1816.	—	H. ♀.	— t. 15.
Britain.	7. 9. H. ♂.		Eng. bot. 393.
white-flowered.	—	—	H. ♂.	
waved.	—	1813.	7. 8. H. ♂.	
smooth.	—	1805.	—	
Madeira.	1777.	6. 8. G. ♂.		Botan. magaz. 1226.
copper-coloured.	Hybrid.	1798.	5. 9. H. ♀.	— 885.
purple-flower'd.	S. Europe.	1596.	5. 8. H. ♀.	Schrad. h. gott. t. 14.
pink-flowered.	—	1815.	—	W. et K. hung. 2. t. 197.
brown-flower'd.	Hungary.	—	—	Trew Ehret. t. 16. f. 1.
rusty.	S. Europe.	1683.	—	Andr. deposit. t. 162.
dark-flowered.	Levant.	1788.	—	
Tauria.	1822.	6. 8. H. ♂.		
Candia.	1824.	5. 8. G. ♂.		
Spain.	1752.	7. 8. H. ♂.		
RAMONDA. Pentandria Monogynia. P.S.				
Borage-leaved.	Pyrenees.	1731.	5. H. ♀.	Botan. magaz. 236.

HYOSCYAMUS. R.S. HENBANE.	Pentandria Monogynia. L.		
1 niger. R.S.	common.	Britain.	6. 7. H. ♂.
2 agrestis. R.S.	field.	Hungary. 1816.	6. 9. H. Ⓜ.
3 pallidus. R.S.	pale-flowered.	1815. —	H. Ⓜ.
4 reticulatus. R.S.	Egyptian.	Egypt. 1640.	7. 9. H. Ⓜ.
5 albus. R.S.	white.	S. Europe. 1570.	7. 8. H. Ⓜ.
6 aureus. R.S.	golden.	Levant. 1640.	3. 10. G. ♀.
7 Senecionis. R.S.	yellow-flow'r'd.	Egypt. 1812.	— G. ♀.
8 canariensis. B.R.	various-leaved.	Canaries. 1816.	1. 12. G. ♂.
9 muticus. R.S.	three-coloured.	Egypt. 1818.	5. 8. G. ♂.
10 pusillus. R.S.	dwarf.	Persia. 1691.	7. H. Ⓜ.
11 physaloides. R.S.	purple-flow'r'd.	Siberia. 1777.	3. 4. H. ♀.
12 orientalis. R.S.	oriental.	Iberia. 1815.	— H. ♀.
SCOPOLIA. Jacq.	Scopolia. Pentandria Monogynia. R.S.		
carniolica. Jacq.	Nightshade-ld. Carniola. 1780.	4. 5. H. ♀.	
atropoides. R.S. <i>Hyoscyamus Scopolia.</i> B.M.			Botan. magaz. 1126.
NICOTIANA. R.S.	TOBACCO. Pentandria Monogynia. L.		
1 chinensis. R.S.	Chinese.	China. 1815.	6. 8. G. ♀.
2 fruticosa. R.S.	frutescent.	C. B. S. 1699.	7. 9. G. ♀.
3 latissima. DC.	broad-leaved.	America.	H. Ⓜ.
<i>macrophylla.</i> R.S.			
4 Tabacum. R.S.	Virginian.	1570.	— H. Ⓜ.
α attenuata.	slender.	—	H. Ⓜ.
β pallescens.	pale-flowered.	—	H. Ⓜ.
γ alipes.	winged.	—	H. Ⓜ.
δ serotina.	late-flowered.	—	H. Ⓜ.
ϵ gracilipes.	slender-stalked.	—	H. Ⓜ.
ζ Verdan.	Verdan.	—	H. Ⓜ.
η lingua.	tongue-leaved.	—	H. Ⓜ.
5 angustifolia. R.S.	narrow-leaved.	Chili. 1822.	— H. Ⓜ.
6 viscosa. R.S.	viscous.	Buenos Ayres. 1824.	— H. Ⓜ.
7 pusilla. R.S.	Primrose-ld.	Vera Cruz. 1733.	8. S. ♂.
8 glutinosa. R.S.	clammy.	Peru. 1759.	7. 9. H. Ⓜ.
9 rustica. R.S.	common.	America. 1570.	— H. Ⓜ.
10 humilis. L.en.	lesser.	—	— H. Ⓜ.
11 paniculata. R.S.	panicled.	Peru. 1752.	— H. Ⓜ.
12 cerinthoides. R.S.	honeywort.	America. 1816.	— H. Ⓜ.
13 Langsdorffii. s.s.	Langsdorff's.	S. America. 1824.	— H. Ⓜ.
14 repanda. R.S.	stem-clasping.	Havannah. 1822.	8. 10. H. Ⓜ.
<i>lyrata.</i> K.S.			
15 plumbaginifolia. R.S. <i>curled-leaved.</i>	America.	1816.	5. 10. G. ♀.
<i>crispæ.</i> Jacq.			Jacq. fragm. t. 81.
16 suaveolens. R.S.	sweet-scented.	N. S. W. 1800.	5. 9. G. ♀.
<i>undulata.</i> B.M.			Botan. magaz. 673.
17 vincæflora. s.s.	Vinca-flower'd.	S. America. 1825.	8. 10 H. Ⓜ.
18 dilatata. L.en.	dilated-leaved.	—	— H. Ⓜ.
19 nana. B.R.	dwarf.	—	H. Ⓜ.
20 quadrivalvis. R.S.	four-valved.	N. America. 1811.	7. 8. H. Ⓜ.
PETUNIA. J.	PETUNIA. Pentandria Monogynia. R.S.		
<i>nyctaginiflora.</i> J.	large-flowered.	S. America. 1824.	4. 10. G. ♀.
DATURA. R.S.	THORN-APPLE. Pentandria Monogynia. L.		
1 ferox. R.S.	Chinese.	China. 1731.	7. 10. H. Ⓜ.
2 Stramonium. R.S.	common.	England.	— H. Ⓜ.
3 Tatula. R.S.	light blue.	S. America. 1629.	— H. Ⓜ.
4 muricata. s.s.	muricated.	—	H. Ⓜ.
5 Metel. R.S.	downy.	Asia. 1596.	6. 10. H. Ⓜ.
6 quercifolia. K.S.	Oak-leaved.	Mexico. 1824.	— H. Ⓜ.
7 fastuosa. R.S.	purple.	Egypt. 1629.	— H. Ⓜ.
8 laevis. R.S.	smooth-fruited.	Africa. 1780.	— H. Ⓜ.
9 ceratocaula. R.S.	horn-stalked.	Cuba. 1805.	— H. Ⓜ.
10 fruticosa. L.en.	frutescent.	—	S. ♀.
BRUGMANSIA. P.S.	BRUGMANSIA. Pentandria Monogynia. R.S.		
1 candida. p.s.	downy-stalked.	Peru. 1818.	8. 9. S. ♀.
<i>Datura arborea.</i> L.			Flor. peruv. 2. t. 128.
2 suaveolens.	smooth-stalked.	S. America. 1733.	— S. ♀.
<i>Datura arborea.</i> Hort.			
VESTIA. W.	VESTIA. Pentandria Monogynia. W.		
<i>lycioides.</i> W.en.	Box-thorn-like.	Chili. 1815.	1. 12. G. ♀.
			Botan. regist. 299.

Sect. II. PERICARPIUM BACCATUM.

ANISODUS. S.S.	ANISODUS.	Pentandria Monogynia. S.S.	
luridus. s.s.	lurid.	Nepaul. 1823. 8. 10. H. 4.	
WHITEYA. B.F.G.	WHITEYA.	Pentandria Monogynia.	
stramonifolia. B.F.G.	Stramonium-ld.	Nepaul. 1818. 7. 9. H. 4.	Swt. br. fl. gar. 125.
ATROPA. R.S.	ATROPA.	Pentandria Monogynia. L.	
1 Belladonna. r.s.	deadly nightshade.	Britain. 6. 7. H. 4.	Eng. bot. 592.
2 arborescens. r.s.	shrubby.	Peru. 1819. — G. h.	Flor. peruv. 2.t.182.f.a.
SARACHA. R.S.	SARACHA.	Pentandria Monogynia.	
1 procumbens. R.P.	procumbent.	Peru. 1822. 7. 9. H. 4.	Cavan. ic. 1. t. 72.
Atropa procumbens.	Cav. Bellinia procumbens. R.S.	umbel-flower'd. Peru. — — — H. 4.	Swt. br. fl. gar. 85.
2 umbellata. DC.			
MANDRAGORA. J.	MANDRAKE.	Pentandria Monogynia. R.S.	
1 præcox. B.F.G.	small-leaved.	Switzerland. 1818. 3. 4. H. 4.	Swt. br. fl. gar. ic.
2 vernalis. s.s.	large-leaved.	S. Europe. 1562. 5. 6. H. 4.	
3 autumnalis. s.s.	autumn-flow'r'd.	Levant. — 8. 9. H. 4.	Flor. græc. t. 232.
NOLANA. R.S.	NOLANA.	Pentandria Monogynia. L.	
1 prostrata. r.s.	trailing.	Peru. 1761. 7. 9. H. ⊙.	Botan. magaz. 731.
2 paradoxa. B.R.	violet-coloured.	Chili. 1822. — H. ⊙.	————— 2604.
NICANDRA. R.S.	NICANDRA.	Pentandria Monogynia. R.S.	
1 physaloides. r.s.	American.	America. 1759. 7. 9. H. ⊙.	Botan. magaz. 2458.
2 indica. r.s.	Indian.	Nepaul. 1823. — H. ⊙.	Rumph. amb. 6.t.26.f.1.
PHYSALIS. R.S.	WINTER CHERRY.	Pentandria Monogynia. L.	
1 arborescens. w.	arborescent.	Campeachy. 1733. 6. 8. S. h.	Mill. ic. 2. t. 206. f. 2.
2 frutescens. DC.	frutescent.	Spain. 1737. 1. 3. G. h.	Cavan. ic. 2. t. 102.
Atropa frutescens. R.S.	bearded.	Canaries. 1779. 5. 8. G. h.	
3 aristata. w.			
Atropa aristata. R.S.			
4 somnifera. r.s.	clustered.	Mexico. 1596. 7. 8. G. h.	Cavan. ic. 2. t. 103.
5 flexuosa. r.s.	flexuose.	E. Indies. 1759. — G. h.	Jacq. f. ecl. t. 23.
6 curassavica. r.s.	Curassavian.	S. America. 1699. 6. 9. S. 4.	Pluk. alm. t. 111. f. 5.
7 viscosa. r.s.	clammy.	America. 1732. 7. H. 4.	Botan. magaz. 2625.
8 pensylvanica. r.s.	Pensylvanian.	N. America. 1726. 7. 9. H. 4.	
9 Jacquinii. L.en.	Jacquin's.	— — — H. 4.	Jacq. vind. 2. t. 136.
viscosa. Jacq. non L.			
10 Alkekengi. R.S.	common.	S. Europe. 1548. — H. 4.	Flor. græc. t. 234.
11 tuberosa. R.S.	tuberous-root'd.	— 1816. — S. 4.	
12 chenopodifolia. R.S.	goose-foot-ld.	S. America. 1798. 7. 8. S. h.	
13 peruviana. R.S.	Peruvian.	Peru. 1773. — S. 4.	
14 edulis. B.M.	eatable.	S. America. — — S. 4.	
15 pubescens. R.S.	pubescent.	America. 1640. — H. ⊙.	
16 micrantha. L.en.	small-flowered.	— — — H. ⊙.	
17 nodosa. R.S.	knotted.	— — — H. ⊙.	
18 barbadensis. R.S.	Barbadoes.	W. Indies. 1798. — H. ⊙.	
19 dubia. L.en.	dubious.	Brazil. 1819. — H. ⊙.	
20 foetidissima. R.S.	stinking.	New Spain. — — H. ⊙.	
21 angulata. R.S.	angular-branch'd.	India. 1732. 6. 9. H. ⊙.	Dill. elth. t. 12. f. 12.
22 atriplicifolia. R.S.	Atriplex-ld.	— 1798. 7. 8. H. ⊙.	Jacq. frag. t. 85. f. a.
chenopodifolia. W.			
23 minima. R.S.	least.	E. Indies. 1759. — H. ⊙.	Rheed. mal. 10. t. 71.
24 pruinosa. R.S.	hairy annual.	America. 1726. 7. 8. H. ⊙.	Dill. elth. 10. t. 9. f. 9.
25 Lagascæ. R.S.	Lagasca's.	New Spain. 1824. — H. ⊙.	
26 prostrata. R.S.	trailing.	Peru. 1782. — H. ⊙.	Andr. reposit. 75.
CAPSICUM. R.S.	CAPSICUM.	Pentandria Monogynia. L.	
1 annum. R.S.	annual.	India. 1548. 6. 7. G. ⊙.	Rheed. mal. 2. t. 35.
2 longum. R.S.	long-fruited.	— — — G. ⊙.	Dodon. pemph. 716. f. 3.
3 cordiforme. R.S.	heart-shaped.	India. — — — G. ⊙.	
4 tetragonum. R.S.	four-sided.	— — — G. ⊙.	
5 angulosum. R.S.	angular-fruit'd.	— — — S. ⊙.	
6 sphæricum. R.S.	round-fruited.	— 1807. 4. 7. S. h.	
7 ovatum. R.S.	oval-fruited.	— — — S. h.	
8 pendulum. R.S.	pendulous.	— 1804. — S. h.	
9 grossum. R.S.	various-fruited.	India. 1759. 5. 8. S. h.	
α globosum. R.S.	globular-fruited.	— — — S. h.	
β luteum. R.S.	yellow oval-fruit'd.	— — — S. h.	Besl. cyst. 2. t. 2. f. 1.

10 conoides. R.S.	conical-fruited.	India.	... 5. 8.	S. h.	
11 pyramidale. R.S.	pyramidal.	Egypt.	... —	S. h.	
12 cerasiforme. R.S.	Cherry-fruit'd.	W. Indies.	1759.	—	S. h.
13 Milleri. R.S.	Miller's.	New Spain.	—	—	S. h.
cerasiforme. Mil.					
14 frutescens. R.S.	shrubby.	India.	1656.	6. 9.	S. h.
β torulosum.	twisted.	—	...	—	S. h.
15 bicolor. R.S.	purple-flow'r'd.	W. Indies.	1801.	—	S. h.
nigrum. W.en. violaceum. DC.					Botan. magaz. 1835.
16 baccatum. R.S.	Bird pepper.	India.	1731.	—	S. h.
17 sinense. R.S.	oval Chinese.	China.	1807.	—	S. h.
18 microcarpum. R.S.	small-fruited.	S. America.	1824.	—	S. h.
19 micranthum. R.S.	small-flowered.	Brazil.	—	—	S. h.
LYCOPERSICUM. R.S. LOVE-APPLE.	Pentandria Monogynia.	R.S.			
1 pimpinellifolium. R.S.	Pimpinella-ld.	S. America.	... 6. 8.	S. 2.	
2 peruvianum. R.S.	Peruvian.	Peru.	... —	G. 2.	Jacq. ic. t. 327.
<i>Solanum peruvianum</i> . W.					
3 Humboldtii. R.S.	Humboldt's.	S. America.	1815.	—	H. ⓧ.
4 pyriforme. R.S.	Pear-fruited.	—	...	—	H. ⓧ.
5 cerasiforme. R.S.	Cherry-fruited.	Peru.	1800.	7. 9.	H. ⓧ.
<i>Solanum pseudolycopersicum</i> . Jacq.					
α ruber.	red-fruited.	—	—	—	H. ⓧ.
β luteum.	yellow-fruited.	—	—	—	H. ⓧ.
6 esculentum. R.S.	Tomato.	S. America.	1596.	—	H. ⓧ.
α erythrocarpum.	red-fruited.	—	—	—	H. ⓧ.
β chrysocarpum.	yellow-fruited.	—	—	—	H. ⓧ.
γ leucocarpum.	white-fruited.	—	—	—	H. ⓧ.
7 procumbens. R.S.	procumbent.	—	... 7.	—	H. ⓧ.
SOLANUM. R.S.	NIGHTSHADE.	Pentandria Monogynia. L.			
1 tuberosum. R.S.	Potatoe.	Peru.	1597.	6. 8.	H. 2.
2 appendiculatum. R.S.	appendaged.	Mexico.	1823.	—	S. h.
3 Seaforthianum. R.S.	Seaforth's.	Barbadoes.	1804.	7. 9.	S. h.
4 betaceum. R.S.	Beet-leaved.	New Spain.	1803.	6. 7.	S. h.
5 muricatum. R.S.	warted.	Peru.	1785.	7. 8.	S. h.
6 diversifolium. R.S.	different-leav'd.	Caracas.	1824.	—	S. h.
7 oliganthum. R.S.	climbing.	Orinoco.	—	—	S. h.
8 reclinatum. R.S.	reclining.	Peru.	—	—	S. h.
9 laciniatum. B.P.	cut-leaved.	N. Holland.	1772.	—	G. h.
α fruticosum.	frutescent.	N. S. W.	—	—	G. h.
β herbaceum.	herbaceous.	V. Diem. Isl.	—	—	G. 2.
10 quercifolium. R.S.	Oak-leaved.	Peru.	1787.	6. 7.	H. 2.
11 radicans. R.S.	rooting.	—	1771.	7. 8.	G. 2.
12 cymbosum. R.S.	corymb-flow'r'd.	—	1786.	—	S. 2.
13 Dulcamara. R.S.	bitter-sweet.	Britain.	—	6. 8.	H. h.
β album.	white-flowered.	—	—	—	H. h.
γ variegatum.	variegated.	—	—	—	H. h.
14 littorale. L.en	sea-side.	Europe.	—	—	H. h.
15 Tegore. R.S.	hairy-stemmed.	Guiana.	1820.	—	S. h.
16 quitense. s.s.	Lima.	Lima.	1825.	—	S. h.
17 macrocarpon. s.s.	large-fruited.	Peru.	1759.	5. 9.	S. h.
18 calycinum. R.S.	large-calyxed.	Mexico.	1825.	—	S. h.
19 racemiflorum. R.S.	racemed.	S. America.	1818.	7. 9.	H. ⓧ.
20 æthiopicum. R.S.	Ethiopian.	Ethiopia.	1597.	—	H. ⓧ.
21 Zuccagnianum. R.S.	Zuccagni's.	—	1818.	—	H. ⓧ.
22 pseudo-capsicum.	Winter-cherry.	Madeira.	1596.	6. 9.	G. h.
23 Dillenii. R.S.	Dilleniuss's.	Hungary.	—	—	H. ⓧ.
24 nodiflorum. R.S.	knot-flowered.	Guiana.	1815.	—	G. ⓧ.
25 guineense. R.S.	large-berried.	Guinea.	—	—	H. ⓧ.
26 nigrum. R.S.	black-berried.	Britain.	—	—	H. ⓧ.
27 suffruticosum. R.S.	frutescent.	Barbary.	1804.	5. 9.	G. h.
28 oleraceum. R.S.	cultivated.	W. Indies.	—	6. 9.	S. ⓧ.
29 pterocaule. R.S.	wing-stalked.	America.	—	—	H. ⓧ.
30 judaicum. R.S.	rough-stalked.	Europe.	—	—	H. ⓧ.
31 triangulare. R.S.	three-sided.	E. Indies.	—	—	S. ⓧ.
32 rubrum. R.S.	red-berried.	S. America.	—	—	H. ⓧ.
33 miniatum. R.S.	pubescent-stalk'd.	Europe.	—	—	H. ⓧ.
34 humile. R.S.	small.	S. Europe.	—	—	H. ⓧ.
35 flavum. R.S.	yellow-berried.	Hungary.	1816.	—	H. ⓧ.
<i>ochroleucum</i> . Dun.					

SOLANEÆ.

36 <i>villosum</i> , R.S.	villous annual.	S. Europe.	H.○.	Dill. elth. t. 274. f. 353.
37 <i>hirsutum</i> , R.S.	hairy annual.	Egypt.	H.○.	
38 <i>longiflorum</i> , R.S. <i>longifolium</i> , Dun.	long-flowered.	Guiana.	1823.	6. 8. S. h.	Dunal solan. t. 9.
39 <i>triquetrum</i> , R.S.	triquetrous.	New Spain.	1821.	—	S. h.
40 <i>bombense</i> , R.S.	Bomba.	S. America.	1818.	—	S. h.
41 <i>pubigerum</i> , R.S. <i>Cervantesii</i> , Lag.	downy.	Mexico.	1823.	—	S. h.
42 <i>verbascifolium</i> , R.S.	Mullein-leaved.	W. Indies.	1749.	—	S. h.
43 <i>auriculatum</i> , R.S.	ear-leaved.	Madagascar.	1773.	—	S. h.
44 <i>pubescens</i> , R.S.	pubescent.	E. Indies.	1816.	6. 8.	S. h.
45 <i>argenteum</i> , R.S.	silvery.	Brazil.	—	—	S. h.
46 <i>diphyllum</i> , R.S.	two-leaved.	W. Indies.	1699.	6. 7.	S. h.
47 <i>arboreum</i> , R.S.	tree.	Cumana.	1819.	—	S. h.
48 <i>havanense</i> , R.S.	Havannah.	W. Indies.	1793.	7. 8.	S. h.
49 <i>aggregatum</i> , R.S.	crowded.	Guinea.	—	—	S. h.
50 <i>lycioides</i> , R.S.	spiny.	Peru.	1791.	5. 6.	S. h.
51 <i>monanthum</i> , R.S.	one-flowered.	New Spain.	1816.	—	S. ♀.
52 <i>fugax</i> , R.S.	fugacious.	Caracas.	—	—	S. h.
53 <i>stellatum</i> , R.S.	starry.	S. America.	—	—	S. h.
54 <i>virgatum</i> , R.S.	twiggy.	W. Indies.	1819.	—	S. h.
55 <i>lentum</i> , R.S.	climbing woolly.	New Spain.	1823.	6. 8.	S. h.
56 <i>elaeagnifolium</i> , R.S.	Elaeagnus-l'd.	Chili.	—	—	S. h.
57 <i>stelligerum</i> , R.S.	starry-haired.	N. Holland.	1820.	—	S. h.
58 <i>racemosum</i> , R.S.	wave-leaved.	W. Indies.	1781.	7. 8.	S. h.
59 <i>igneum</i> , R.S.	red-spined.	S. America.	1714.	3. 11.	S. h.
60 <i>subarmatum</i> , R.S.	partly armed.	—	1823.	—	S. h.
61 <i>bahamense</i> , R.S.	Bahama.	Bahama.	1732.	6. 7.	S. h.
62 <i>hirtum</i> , R.S.	hairy-calyxed.	Trinidad.	1823.	—	S. h.
63 <i>tomentosum</i> , R.S.	tomentose.	S. America.	1662.	—	S. h.
64 <i>hybridum</i> , R.S.	hybrid.	Guinea.	1815.	—	S. h.
65 <i>coccineum</i> , R.S.	scarlet-fruited.	—	1820.	—	S. h.
66 <i>jamaicense</i> , R.S.	Jamaica.	Jamaica.	—	—	S. h.
67 <i>cuneifolium</i> , R.S.	wedge-leaved.	W. Indies.	—	—	S. h.
68 <i>heterophyllum</i> , R.S.	variable-leav'd.	Guiana.	1823.	7. 9.	S. h.
69 <i>volubile</i> , R.S.	twining.	Hispaniola.	—	—	S. h.
70 <i>lanceæfolum</i> , R.S.	lance-leaved.	S. America.	—	—	S. h.
71 <i>bonariense</i> , R.S.	Buenos Ayres.	BuenosAyres.	1727.	6. 9.	H. h.
72 <i>fastigiatum</i> , R.S.	fastigiate.	S. America.	1820.	—	S. h.
73 <i>oporinum</i> , R.S. <i>macrophyllum</i> , Dun.	large-leaved.	—	—	—	S. h.
74 <i>subinerme</i> , R.S.	spear-leaved.	W. Indies.	1752.	7. 8.	S. h.
75 <i>lanceolatum</i> , R.S.	lanceolate.	New Spain.	—	6. 7.	S. h.
76 <i>astroides</i> , Jacq.	Aster-like.	S. America.	1823.	—	S. h.
77 <i>glutinosum</i> , R.S.	glutinous.	—	1818.	6. 8.	S. h.
78 <i>Brownii</i> , R.S. <i>violaceum</i> , B.P., non Jacq.	Brown's.	N. S. W.	1820.	—	S. h.
79 <i>giganteum</i> , R.S.	tall.	C. B. S.	1792.	—	G. h.
80 <i>torvum</i> , R.S.	curved-prickl'd.	W. Indies.	1816.	—	S. h.
81 <i>ferrugineum</i> , R.S.*	ferruginous.	—	—	—	S. h.
82 <i>esculentum</i> , R.S.	eatable.	Tropics.	1597.	6. 9.	G.○.
83 <i>ovigerum</i> , R.S. α <i>violaceum</i> . β <i>album</i> . γ <i>luteum</i> . δ <i>ruber</i> .	Egg-plant.	Arabia.	—	—	G.○.
84 <i>undatum</i> , R.S.	violet-fruited.	—	—	—	G.○.
85 <i>fuscatum</i> , R.S.	white-fruited.	—	—	—	G.○.
86 <i>sodomeum</i> , R.S.	yellow-fruited.	—	—	—	G.○.
87 <i>incanum</i> , R.S.	red-fruited.	—	—	—	G.○.
88 <i>indicum</i> , R.S.	waved.	E. Indies.	1818.	—	S. h.
89 <i>coagulans</i> , R.S.	brown branch'd.	America.	—	7. 8.	G.○.
90 <i>sanctum</i> , R.S.	black-spined.	Africa.	1688.	6. 7.	G. h.
91 <i>marginatum</i> , R.S.	hoary.	Mauritius.	1823.	—	S. h.
92 <i>congense</i> , Len.	Indian.	India.	1732.	7.	S. h.
93 <i>campechiense</i> , R.S.	scalloped-leaved.	ArabiaFelix.	1802.	—	S. h.
94 <i>platanifolium</i> , B.M.	oblique-leaved.	Egypt.	—	—	S. h.
95 <i>myriacanthum</i> , R.S.	white margin'd.	Africa.	1775.	6. 9.	G. h.
96 <i>aculeatissimum</i> , R.S.	Congo.	—	1815.	—	G. h.
	purple-spined.	America.	1732.	7.	G. h.
	Plane-leaved.	S. America.	1822.	7. 9.	S. h.
	many-spined.	—	—	—	S. h.
	very-prickly.	—	1800.	—	S. h.

Botan. magaz. 1921.

Jacq. schoen. 3. t. 334.

Dunal sol. t. 3. f. E.

Blackw. t. 549.

Rheed. mal. 2. t. 37.

Jacq. ic. 1. t. 42.

Flor. græc. t. 235.

Scop. del. 1. t. 1.

Dill. elth. t. 270. f. 349.

Jacq. schoen. 4. t. 469.

Botan. magaz. 1928.

Dill. elth. t. 268. f. 347.

Botan. magaz. 2618.

Jacq. ic. 1. t. 41.

97 mammosum. R.S.	nipple.	W. Indies.	1699.	7. 8.	H.○.	Merian. surin. t. 27.
98 ciliatum. R.S.	ciliated.	1816.	—	H.○.	Dunal sol. t. 18.
99 stramonifolium. R.S.	broad-leaved.	E. Indies.	1778.	6. 9.	S.↳.	Jacq. ic. 1. t. 44.
100 flavescent. R.S.	yellowish.	Trinidad.	1822.	—	S.↳.	
101 ferox. R.S.	Malabar.	Malabar.	1795.	8. 9.	S.↳.	Dunal sol. ed. 2. t. 68.
102 campanulatum. B.P.	bell-flowered.	N. S. W.	1818.	—	G.○.	Dunal sol. ed. 2. t. 69.
103 armatum. B.P.	armed.	1819.	—	S.↳.	
104 pungetium. B.P.	pungent.	1823.	—	G.○.	
105 cinereum. B.P.	grey.	—	—	G.↳.	ed. 2. t. 70.
106 Milleri. R.S.	Miller's.	C. B. S.	1762.	7. 8.	G.↳.	Jacq. ic. 2. t. 330.
107 trilobatum. R.S.	three-lobed.	W. Indies.	1759.	8.	S.↳.	Pluk. alm. t. 316. f. 5.
108 acetosæfolium. R.S.	Sorrel-leaved.	E. Indies.	—	—	S.↳.	Burm. ind. t. 22. f. 2.
109 rigescens. R.S.	rigid.	C. B. S.	1815.	6. 8.	G.↳.	Jacq. schoen. 1. t. 42.
110 carolinense. R.S.	Carolina.	Carolina.	1732.	7. 9.	G.↳.	Jacq. ic. 2. t. 331.
111 pyracanthum. B.M.	orange-thorn'd.	Madagascar.	1789.	8. 9.	S.↳.	Sm. exot. bot. 2. t. 64.
β inermis.	smooth-calyxed.	—	—	S.↳.	Botan. magaz. 2547.
112 virginianum. R.S.	Virginian.	Virginia.	1662.	5. 8.	H.○.	Dill. elth. t. 267. f. 346.
113 Jacquinii. R.S.	Jacquin's.	E. Indies.	1801.	9. 11.	S.○.	Jacq. ic. 2. t. 332.
114 Balbisii. R.S.	Balbis's.	S. America.	1816.	4. 9.	S.↳.	Botan. magaz. 2568.
decurrens. B.R. 140.	brancæfolium. Jacq. f. ecl. t. 7. viscosum. DC.	—	—	—	—	
115 scandens. R.S.	scandent.	Surinam.	1822.	—	S.↳.~.	
NYCTERIUM. V.	NYCTERIUM.	Pentandria Monogynia.				
1 cordifolium. v.	Canary.	Canaries.	1779.	3. 4.	G.↳.	Venten. malm. 85.
Solanum vespertilio. R.S.	—	—	—	—	—	
2 Amazonium. B.M.	Lambert's.	Brazil.	1814.	5. 9.	S.↳.	Botan. magaz. 1801.
Solanum Amazonium. B.R. 71.	—	—	—	—	—	
3 cornutum. L.en.	horned.	S. America.	1825.	—	S.↳.	Juss. ann. mus. 3. t. 9.
4 lobatum.	Missouri.	Missouri.	1813.	7. 9.	H.○.	Pursh fl. amer. 1. t. 7.
Solanum heterandrum. Ph. Androcera lobata. N.	—	—	—	—	—	
5 rostratum. L.en.	beaked.	Mexico.	1823.	—	H.○.	Dunal sol. t. 24.
6 Fontanesianum.	Desfontaine's.	Brazil.	1813.	—	H.○.	Botan. regist. 177.
7 heterodoxum. L.en.	very prickly.	Mexico.	1824.	—	H.○.	Dunal sol. t. 25.
WITHERINGIA. R.S.	WITHERINGIA.	Tetr-Pentandria Monogynia.				
1 solanacea. R.S.	yellow-flower'd.	S. America.	1742.	5. 9.	S.↳.	L'Herit. sert. angl. t. 1.
2 stramonifolia. K.S.	Stramonium-ld.	Mexico.	1823.	—	S.↳.	
3 crassifolia. R.S.	thick-leaved.	C. B. S.	—	—	G.↳.	Dill. elth. t. 273. f. 352.
4 montana. R.S.	mountain.	Peru.	1822.	—	G.↳.	Feuil. peruv. t. 46.
5 phyllantha. R.S.	annual.	—	—	7. 9.	H.○.	Cavan. ic. 4. t. 359.f.1.
6 pinnatifida. R.S.	pinnatifid.	—	—	6. 8.	G.↳.	Flor. peruv. 2.t.170.f.b.
CESTRUM. R.S.	CESTRUM.	Pentandria Monogynia. L.				
1 laurifolium. R.S.	Laurel-leaved.	W. Indies.	1691.	5. 8.	S.↳.	Smith spicil. 2. t. 2.
2 citrifolium. R.S.	Citron-leaved.	—	1816.	—	S.↳.	
3 macrophyllum. R.S.	large-leaved.	W. Indies.	1812.	—	S.↳.	Venten. choix. 18.
4 venenatum. R.S.	poisonous.	C. B. S.	1787.	2. 4.	G.↳.	
5 nocturnum. R.S.	night-smelling.	E. Indies.	1732.	11.	S.↳.	Dill. elth. t. 153. f. 185.
6 hirtum. R.S.	hairy.	Jamaica.	1822.	5. 8.	S.↳.	
7 Parqui. R.S.	Willow-leaved.	S. America.	1787.	6. 7.	G.↳.	Botan. magaz. 1770.
8 suberosum. R.S.	cork-barked.	—	1815.	—	S.↳.	Jacq. schoen. 4. t. 452.
9 auriculatum. w.	eared-leaved.	Peru.	1774.	—	S.↳.	L'Herit. s. nov. 1. t. 35.
10 tinctorium. R.S.	dying.	Caracas.	1823.	5. 6.	S.↳.	Jacq. schoen. 3. t. 332.
11 undulatum. R.S.	waved-leaved.	Peru.	—	—	S.↳.	Flor. peruv. 2. t. 155.
12 latifolium. R.S.	broad-leaved.	Trinidad.	1822.	—	S.↳.	
13 hirsutum. R.S.	hairy-stalked.	—	—	—	S.↳.	Jacq. schoen. 3. t. 324.
14 cauliniform. R.S.	stem-flowering.	Martinica.	1818.	—	S.↳.	————— 3. t. 325.
15 salicifolium. R.S.	Sallow-leaved.	Caracas.	—	3. 6.	S.↳.	————— 3. t. 326.
16 pendulinum. R.S.	pendulous.	—	1820.	—	S.↳.	————— 3. t. 327.
17 vespertinum. R.S.	cluster-flow'r'd.	W. Indies.	1759.	5. 7.	S.↳.	————— 3. t. 328.
18 foetidissimum. R.S.	stinking.	—	—	5. 8.	S.↳.	————— 3. t. 329.
19 fastigiatum. R.S.	Honeysuckle.	—	—	10. 12.	S.↳.	Botan. magaz. 1729.
20 odontospermum. R.S.	smooth.	—	1793.	7. 9.	S.↳.	
21 diurnum. R.S.	day smelling.	W. Indies.	1732.	10. 11.	S.↳.	Dill. elth. t. 154. f. 186.
22 tomentosum. R.S.	downy.	S. America.	1790.	6. 7.	S.↳.	
23 angustifolium. B.C.	narrow-leaved.	—	1820.	—	S.↳.	Lodd. bot. cab. 618.
LYCIUM. R.S.	BOX-THORN.	Pentandria Monogynia. L.				
1 afrum. R.S.	African.	C. B. S.	1712.	6. 7.	H.↳.	Bot. reg. 354.
2 tenue. R.S.	slender.	—	—	—	H.↳.	
3 rigidum. R.S.	rigid.	—	1795.	—	H.↳.	
4 carnosum. P.S.	fleshy-leaved.	—	—	—	H.↳.	Trew Ehret. t. 21. f. 1.
5 microphylla. R.S.	small-leaved.	—	—	—	H.↳.	

6 <i>ruthenicum</i> . R.S.	Russian.	Siberia.	1804.	—	H. h.	Pall. ros. 1. t. 49.
7 <i>tetrandrum</i> . R.S.	tetrandrous.	C. B. S.	—	H. h.	
8 <i>barbarum</i> . R.S.	Willow-leaved.	Barbary.	1696.	5. 8.	H. h.	Wats. dend. brit. 9.
9 <i>Shawii</i> . R.S.	white-flowered.	—	—	—	H. h.	Shaw afric. f. 349.
10 <i>Trewianum</i> . R.S.	Trew's.	China.	—	—	H. h.	Trew Ehret t. 68.
11 <i>chinense</i> . R.S.	Chinese.	—	—	—	H. h.	Wats. dend. brit. 8.
12 <i>lanceolatum</i> . P.S.	spear-leaved.	S. Europe.	—	H. h.	Duham. arb. nov. t. 32.
13 <i>turbinatum</i> . P.S.	top-shaped.	China.	1709.	—	H. h.	— t. 31.
14 <i>cinereum</i> . R.S.	gray.	C. B. S.	1815.	6. 8.	H. h.	
15 <i>europaeum</i> . R.S.	European.	S. Europe.	1730.	5. 8.	H. h.	Flor. græc. t. 236.
16 <i>horridum</i> . R.S.	succulent-l'd.	C. B. S.	1791.	7. 8.	H. h.	L'Herit. stirp. t. 83.
17 <i>boerhaaviæfolium</i> .	glaucous-l'd.	Peru.	1780.	4. 5.	G. h.	
18 <i>carolinianum</i> . R.S.	Carolina.	Carolina.	1806.	7. 9.	H. h.	
SOLANDRA. R.S.	SOLANDRA.	Pentandria Monogynia. R.S.				
1 <i>grandiflora</i> . R.S.	large-flower'd.	Jamaica.	1781.	3. 8.	S. h.	Botan. magaz. 1874.
2 <i>nitida</i> . R.S.	glossy-leaved.	—	—	—	S. h.	
3 <i>viridiflora</i> . s.s.	green-flower'd.	Brazil.	1816.	5. 6.	S. h.	Botan. magaz. 1948.

Sect. III. GENERA SOLANEIS AFFINIA.

BRUNFELSIA. W.

- 1 *undulata*. w.
2 *americana*. w.
 α *latifolia*.
 β *angustifolia*.

CRESCENTIA. W.

- 1 *Cujete*. w.
2 *acuminata*. K.S.
3 *cucurbitina*. w.

? TANÆCIUM. W.

- pinnatum*. w.

Crescentia pinnata. Jacq. *Trippinnaria africana*. s.s.

BRUNFELSIA. Didynamia Angiospermia. L.

- large-flowered. Jamaica. 1780. 6. 7. S. h.
American. W. Indies. 1735. — S. h.
broad-leaved. — — — S. h.
narrow-leaved. — — — S. h.
purple-stalked. — 1820. — S. h.

CALABASH-TREE. Didynamia Angiospermia. L.

- oval-fruited. Jamaica. 1690. S. h.

- acuminate. Cuba. 1822. S. h.

- round-fruited. W. Indies. 1733. S. h.

TANÆCIUM. Didynamia Angiospermia. W.

- wing-leaved. Mauritius. 1823. S. h.

Botan. regist. 228.

Botan. magaz. 393.

Lod. bot. cab. 792.

Jacq. amer. t. 111.

Plum. ic. t. 109.

Jacq. coll. 3. t. 18.

ORDO CXXX.

SCROPHULARINÆ. Brown prodr. 1. p. 433.

Sect. I. STAMINA(4) ANTERIFERA.

BUDDLEA. S.S.

- 1 *madagascariensis*.
2 *saligna*. s.s.
3 *paniculata*. s.s.
4 *salvifolia*. s.s.
5 *Neemda*. s.s.
6 *brasiliensis*. s.s.
7 *globosa*. s.s.
8 *salicifolia*. s.s.
9 *diversifolia*. R.S.

SCOPARIA. L.

- dulcis*. L.

CAPRARIA. S.S.

- 1 *undulata*. s.s.
2 *cuneata*. s.s.
3 *lanceolata*. s.s.
4 *biflora*. s.s.
5 *humilis*. w.

BUDDLEA. Tetrandria Monogynia. L.

- Madagascar. Madagascar. 1824. S. h.
Willow-like. C. B. S. 1816. 8. 9. G. h.
paniced. Nepaul. 1823. G. h.
Sage-leaved. C. B. S. 1760. 8. 9. G. h.
Nepaul. Nepaul. 1822. G. h.
Brazilian. Brazil. — G. h.
round-headed. Chili. 1774. 5. 7. H. h.
Willow-leaved. S. America. 1823. S. h.
various-leaved. Java. — S. h.

Lam. enc. 1. t. 69. f. 3.

Jacq. schœn. 1. t. 29.

Jacq. schœn. 1. t. 28.

Botan. magaz. 174.

SCOPARIA. Tetrandria Monogynia. L.

- sweet. S. America. 1730. 6. 9. S. \odot .
Goat-weed. Didynamia Angiospermia. L.
wave-leaved. C. B. S. 1774. 3. 7. G. h.
wedge-leaved. S. America. 1759. 6. 8. S. h.
spear-leaved. C. B. S. 1774. 5. 7. G. h.
two-flowered. S. America. 1752. 7. 8. S. h.
dwarf. E. Indies. 1781. — S. \odot .

Herm. parad. t. 241.

Botan. magaz. 1556.

Pl. sel. h. ber. t. 4.

Jacq. amer. t. 115.

TEEDIA. S.S.

1 lucida, s.s.

Capraria lucida. W.

2 pubescens, s.s.

1 lucida, s.s.

2 elliptica, s.s.

STEMODIA. S.S.

1 suffruticosa, s.s.

2 viscosa, s.s.

3 verticillaris, s.s.

4 parviflora, h.k.

5 maritima, s.s.

RUSSELIA. S.S.

1 floribunda, k.s.

2 multiflora, s.s.

TREVIRANIA. S.S.

coccinea, s.s.

Cyrilla pulchella, B.M.

COLUMNEA. S.S.

1 scandens, s.s.

2 hirsuta, s.s.

3 rutilans, s.s.

MAURANDIA. S.S.

1 semperflorens, s.s.

2 antirrhiniflora, s.s.

DODARTIA. S.S.

orientalis, s.s.

CYMBARIA. S.S.

davurica, s.s.

NEMESIA. S.S.

1 chamædryfolia, s.s.

Antirrhinum macrocarpum, W.

2 bicornis, s.s.

3 fetens, s.s.

ANARRHINUM. S.S.

bellidifolium, s.s.

ANTIRRHINUM. S.S.

SNAP-DRAGON.

1 majus, s.s.

 β coccinea, β bicolor, δ multiplex.

2 meonanthum, L.en.

3 angustifolium, Poir.

4 siculum, s.s.

5 Oronitium, s.s.

6 calycinum, L.en.

7 Asarina, s.s.

8 molle, s.s.

LINARIA. S.S.

1 frutescens, s.s.

Antirrhinum frutescens, Th.

2 dalmatica, s.s.

3 scoparia, s.s.

4 Cymbalaria, s.s.

5 pubescens, s.s.

6 pilosa, s.s.

7 Elatine, s.s.

8 cirrhosa, s.s.

9 spurium, s.s.

Antirrhinum spurium, E.B.

10 lanigera, s.s.

11 dealbata, s.s.

12 latifolia, s.s.

13 triphylla, s.s.

14 reflexa, s.s.

15 origanifolia, s.s.

16 virgata, s.s.

17 thymifolia, s.s.

TEEDIA. Didynamia Angiospermia. S.S.

shining, C. B. S. 1774. 4. 7. G. \ddot{h} .*Borkhausenia lucida*, Roth.pubescent. — 1816. 5. 10. G. \ddot{h} .

HALLERIA. Didynamia Angiospermia. L.

shining-leaved, C. B. S. 1752. 6. 8. G. \ddot{h} .elliptic-leaved. — 1816. — G. \ddot{h} .

STEMODIA. Didynamia Angiospermia. W.

suffrutescent, S. America, 1823. 5. 8. S. \ddot{h} .viscous, E. Indies, 1818. 7. 10. S. \odot .whorled, Brazil, 1822. — H. \odot .small-flowered, S. America, 1759. 7. 8. S. \ddot{u} .sea-side, Cuba, 1822. — S. \odot .

RUSSELLIA. Didynamia Angiospermia. W.

abundant-flow'g, Mexico, 1824. 6. 8. S. \ddot{u} .many-flowered. — 1812. — S. \ddot{u} .

TREVIRANIA. Didynamia Angiospermia. S.S.

scarlet, Jamaica, 1778. 8. 10. S. \ddot{u} .*Cyrilla pulchella*, B.M. *Achimenes coccinea*, P.S.

COLUMNEA. Didynamia Angiospermia. L.

climbing, W. Indies, 1759. 8. 9. S. \ddot{h} .hairy. — 1780. 8. 11. S. \ddot{h} .red-leaved. — 1823. — S. \ddot{h} .

MAURANDIA. Didynamia Angiospermia. W.

red-flowered, Mexico, 1796. 1. 12. G. \ddot{h} . — Botan. magaz. 460.blue-flowered. — 1814. — G. \ddot{h} . — 1643.

DODARTIA. Didynamia Angiospermia. L.

oriental, Levant, 1752. 7. 8. H. \ddot{u} .

CYMBARIA. Didynamia Angiospermia. L.

Daurian, Dauria, 1796. 6. 7. H. \ddot{u} .

NEMESIA. Didynamia Angiospermia. S.S.

Chamædry's-l'd, C. B. S. 1787. 4. 9. G. \ddot{u} .*Antirrhinum macrocarpum*, W.2 horned. — 1774. 7. 8. G. \odot .3 fetid. — 1798. 4. 9. G. \ddot{u} .

ANARRHINUM. Didynamia Angiospermia. S.S.

Daisy-leaved, France, 1629. 6. 8. H. \ddot{u} .

ANTIRRHINUM. Didynamia Angiospermia. L.

great, England, ... 6. 8. H. \ddot{u} . β scarlet, — — H. \ddot{u} . β bicolor, — — H. \ddot{u} . δ double-flowered, — — H. \ddot{u} .2 smaller-flow'r'd, S. Europe, 1820. — H. \ddot{u} .3 narrow-leaved, Italy, 1818. — H. \ddot{u} .4 Sicilian, Sicily, 1804. 7. 8. H. \ddot{u} .5 Calf's-snout, Britain, ... 7. 9. H. \odot .6 long-calyxed, S. Europe, ... — H. \odot .7 heart-leaved, Italy, 1699. 7. F. \ddot{u} .8 soft-leaved, Spain, 1752. 7. 10. F. \ddot{u} .

TOAD-FLAX. Didynamia Angiospermia. S.S.

frutescent, C. B. S. 1816. 5. 7. G. \ddot{h} .Levant, 1731. 6. 7. G. \ddot{h} .3 broom-like, Teneriffe, 1815. — G. \ddot{h} .Ivy-leaved, England, ... 5. 11. H. \ddot{u} .5 pubescent, Italy, 1824. — H. \ddot{u} .6 hairy-leaved, — 1800. 6. 9. H. \ddot{u} .7 sharp-pointed, England, ... 7. 11. H. \odot .8 cirrhose, Egypt, 1777. 7. 8. H. \odot .9 round-leaved, England, ... 7. 9. H. \odot .

Didynamia Angiospermia. S.S.

S. Europe, 1820. — H. \odot .Portugal, 1820. 7. 9. H. \odot .Barbary, 1800. 6. 7. H. \odot .three-leaved, Sicily, 1596. 6. 9. H. \odot .reflex-flower'd, S. Europe, 1824. — H. \odot .Marjoram-l'd, 1785. 6. 9. F. \ddot{u} .slender-stalked, Barbary, 1824. — H. \odot .Thyme-leaved, S. Europe, — — H. \odot .

Botan. regist. 210.

214.

Botan. magaz. 1744.

Burm. afr. t. 84. f. 1.

Jacq. amer. t. 174. f. 66.

Botan. magaz. 1528.

Botan. magaz. 374.

Botan. regist. 805.

Brown. jam. t. 30. f. 3.

Swt. br. fl. gar. 147.

Amm. ruth. t. 1. f. 2.

Lk. fl. port. 1. t. 56.

Eng. bot. 129.

Eng. bot. 1155.

Botan. magaz. 902.

Buxb. cent. 1. t. 24.

Eng. bot. 502.

Jacq. obs. 2. t. 48.

Eng. bot. 692.

Jacq. vind. 1. t. 82.

Eng. bot. 691.

Desf. atl. 2. t. 134.

Botan. magaz. 324.

All. misc. taur. 2. t. 1.

Barrel. ic. 598.

Desf. atl. 2. t. 135.

SCROPHULARINÆ.

18 villosa. s.s.	villous.	Spain.	1786.	7. 8.	F. 4.	Barrel. ic. 597.
19 rubrifolia. s.s.	red-leaved.	S. France.	1824.	—	F. 4.	Jacq. ic. 1. t. 117.
20 hirta. s.s.	shaggy-leaved.	Spain.	1759.	6. 9.	H. ⊖.	
<i>Antirrhinum viscosum.</i> B.M. 368.						
21 triornithophora.	three bird's.	Portugal.	1710.	—	F. 4.	Botan. magaz. 523.
22 bipartita. s.s.	clove-flower'd.	Barbary.	1801.	—	H. ⊖.	Swt. br. fl. gar. 30.
<i>speciosa.</i> Donn.						
23 minor. s.s.	little erect.	England.	6. 11.	H. ⊖.	Eng. bot. 2014.
24 littoralis. s.s.	shore.	Austria.	1824.	—	H. ⊖.	
25 chalepensis. s.s.	white-flowered.	Levant.	1680.	6. 7.	H. ⊖.	Moris. s. 5. t. 35. f. 9.
26 tristis. s.s.	melancholy.	Spain.	1727.	7. 8.	G. 4.	Botan. magaz. 74.
27 versicolor. s.s.	various-colour'd.	France.	1777.	7. 9.	H. ⊖.	Jacq. ic. 1. t. 116.
28 micrantha. s.s.	small-flowered.	Spain.	1825.	5. 7.	H. ⊖.	Cavan. ic. 1. t. 69. f. 3.
29 viscosa. s.s.	clammy.	—	1786.	7.	H. ⊖.	
30 purpurea. s.s.	purple.	S. Europe.	1648.	7. 9.	H. 4.	Botan. magaz. 99.
31 arenaria. s.s.	sand.	Hungary.	1825.	—	H. ⊖.	
32 alpina. s.s.	Alpine.	Austria.	1570.	7. 11.	H. 4.	Botan. magaz. 205.
33 lusitanica. s.s.	Portugal.	S. Europe.	1820.	6. 7.	H. 4.	
34 Hælava.	hairy calyxed.	Egypt.	1803.	7. 9.	H. ⊖.	
35 pelisseriana. s.s.	violet-coloured.	S. Europe.	1640.	6. 9.	H. ⊖.	
36 repens. W.K.	creeping rooted.	England.	7. 10.	H. 4.	Barrel. ic. 1162.
37 amethystina. s.s.	bright blue.	S. Europe.	1816.	—	H. ⊖.	Eng. bot. 1253.
<i>Antirrhinum bipunctatum.</i> Cav. nec aliorum.						Cavan. ic. 1. t. 33. f. 1.
38 supina. s.s.	trailing.	Spain.	1728.	—	H. ⊖.	
39 bipunctata. s.s.	two-spotted.	—	1749.	6. 8.	H. ⊖.	Botan. magaz. 260.
40 sparteia. s.s.	branching.	—	1772.	6. 10.	H. ⊖.	Jacq. ic. 3. t. 499.
41 simplex. s.s.	upright.	S. Europe.	1816.	7. 8.	H. ⊖.	
42 arvensis. s.s.	corn.	—	—	H. ⊖.	
43 multicaulis. s.s.	many-stalked.	Levant.	1728.	5. 7.	H. ⊖.	Bocc. sic. t. 19. f. 1.
44 macroura. L.en.	large-spurred.	Caucasus.	1823.	6. 9.	H. 4.	
45 reticulata. s.s.	netted-flower'd.	Algiers.	1788.	5. 7.	F. 4.	Smith ic. pict. 2.
46 glauca. s.s.	glaucous-leav'd.	S. Europe.	1800.	6. 8.	H. ⊖.	Buxb. cent. 4. t. 37.
47 ægyptiaca. s.s.	Egyptian.	Egypt.	1771.	7.	H. ⊖.	
48 silenifolia. LK.	Silene-leaved.	Portugal.	1820.	7. 9.	H. ⊖.	
49 genistifolia. s.s.	Broom-leaved.	Austria.	1704.	7. 8.	H. 4.	Jacq. aust. 3. t. 244.
50 linifolia. s.s.	flax-leaved.	Italy.	1824.	—	H. 4.	
51 vulgaris. s.s.	common.	Britain.	6. 9.	H. 4.	Eng. bot. 658.
<i>Antirrhinum Linaria.</i> E.B.						——— 260.
β Peloria.	regular-flower'd.	—	—	—	H. 4.	
52 Loeselii. s.s.	Loesel's.	Russia.	1824.	—	H. ⊖.	
53 juncea. s.s.	rush-stalked.	Spain.	1780.	7. 8.	H. ⊖.	Venten. cels. 49.
54 canadensis. s.s.	Canadian.	N.America.	1812.	6. 8.	H. ⊖.	
SCROPHULARIA. L. FIGWORT. <i>Didynamia Angiospermia.</i> L.						
1 marilandica. s.s.	Maryland.	N.America.	1759.	5. 7.	H. 4.	
2 peregrina. s.s.	Nettle-leaved.	Italy.	1640.	6. 8.	H. ♂.	Camer. hort. t. 43.
3 nodosa. s.s.	knotty-rooted.	Britain.	5. 7.	H. 4.	Eng. bot. 1544.
4 aquatica. s.s.	water.	—	—	—	H. 4.	——— 854.
5 glabrata. s.s.	spear-leaved.	Canaries.	1779.	4. 5.	G. ♂.	Jacq. schœn. 2. t. 209.
6 biserrata. s.s.	double-serrate.	—	1816.	5. 7.	H. 4.	
7 arguta. s.s.	slender upright.	Canaries.	1778.	—	H. ⊖.	
8 vernalis. s.s.	yellow.	Britain.	3. 5.	H. ♂.	Eng. bot. 567.
9 Smithii. L.en.	Smith's.	Canaries.	1815.	4. 8.	G. 4.	W. et K. hung. t. 214.
10 glandulosa. s.s.	glandular.	Hungary.	1806.	6. 9.	H. 4.	Scop. carn. 2. t. 32.
11 rugosa. W.K.	rugged.	—	1816.	—	H. 4.	Eng. bot. 2209.
12 Scopoli. P.S.	Scopoli's.	Germany.	—	—	H. 4.	Mur. com. got. 4. t. 2.
13 Scorodonia. s.s.	balm-leaved.	Britain.	7. 8.	H. 4.	Barrel. ic. 274.
14 altaica. s.s.	white-flowered.	Siberia.	1786.	5. 6.	H. 4.	
15 betonicaefolia. s.s.	Betony-leaved.	Spain.	1752.	6. 8.	H. 4.	Lobel. ic. 533.
16 hirsuta. L.en.	hairy.	S. Europe.	1822.	—	H. 4.	Jacq. schœn. 3. t. 286.
17 appendiculata. s.s.	heart-leaved.	Morocco.	1805.	7.	H. 4.	W. et K. hung. 2. t. 170.
18 Balbisii. s.s.	Balbis's.	Italy.	1823.	6. 8.	H. 4.	
19 auriculata. s.s.	ear-leaved.	Spain.	1772.	7. 8.	H. 4.	
20 trifoliata. s.s.	three-leaved.	Africa.	1731.	5. 9.	H. ♂.	
21 laciniata. W.K.	jag-leaved.	Hungary.	1806.	7.	H. 4.	
22 verbenæfolia. Poir.	Vervain-leav'd.	—	1816.	7. 8.	H. 4.	
23 adscendens. W.en.	ascending.	—	—	—	H. 4.	
24 variegata. s.s.	variegated.	Caucasus.	—	—	H. 4.	
25 ebulifolia. s.s.	Elder-leaved.	—	1824.	—	H. 4.	
26 grandiflora. DC.	large-flowered.	—	1816.	—	H. 4.	

27 frutescens. s.s.	shrubby.	Portugal.	1768.	6. 8.	F. $\frac{1}{2}$.	Herm. lugd. t. 547.	
28 orientalis. s.s.	oriental.	Levant.	1710.	7. 8.	H. $\frac{1}{2}$.	Schk. hand. 2. t. 173.	
29 melissæfolia. s.s.	balm-like.	—	1823.	—	H. $\frac{1}{2}$.	W. hort. ber. 1. t. 55.	
30 lyrata. s.s.	lyrate-leaved.	Portugal.	1816.	—	H. $\frac{1}{2}$.	Desf. atl. 2. t. 143.	
31 mellifera. s.s.	honey-bearing.	Barbary.	1786.	—	H. $\frac{1}{2}$.	Mill. ic. 2. t. 231.	
32 sambucifolia. s.s.	Elder-like.	Spain.	1640.	7. 9.	H. $\frac{1}{2}$.	W. hort. ber. 1. t. 55.	
33 hispida. s.s.	hispid.	Levant.	1820.	—	H. $\frac{1}{2}$.	Lobel. ic. 2. p. 55.	
34 tanacetifolia. s.s.	Tansy-leaved.	Tauria.	1804.	—	H. $\frac{1}{2}$.	W. hort. ber. 1. t. 59.	
35 canina. s.s.	wing-leaved.	S. Europe.	1683.	6. 8.	H. $\frac{1}{2}$.	— 1. t. 57.	
36 chrysanthemifolia.	Chrysanthemum-ld.	Tauria.	1816.	—	H. $\frac{1}{2}$.	W. hort. ber. 1. t. 56.	
37 lucida. s.s.	shining-leaved.	Levant.	1596.	—	H. $\frac{1}{2}$.	Tourn. it. t. 85.	
38 filicifolia. s.s.	Fern-leaved.	Crete.	—	—	H. $\frac{1}{2}$.	W. hort. ber. 1. t. 58.	
39 multifida. s.s.	multifid-leaved.	—	1816.	—	H. $\frac{1}{2}$.	Sm. exot. bot. 2. t. 73.	
DIGITALIS. S.S.	FOXGLOVE. Didynamia Angiospermia. L.	Madeira shrubby.	Madeira.	1777.	7. 8.	G. $\frac{1}{2}$.	Botan. regist. 48.
1 Sceptrum. s.s.	Canary.	Canaries.	1698.	6. 7.	G. $\frac{1}{2}$.	— 251.	
2 canariensis. s.s.	small yellow.	France.	1629.	7. 8.	H. $\frac{1}{2}$.	— 257.	
3 lutea. s.s.	small-flowered.	—	1798.	6. 8.	H. $\frac{1}{2}$.	Lind. digit. t. 26.	
4 parviflora. s.s.	middle yellow.	Germany.	1816.	7. 8.	H. $\frac{1}{2}$.	Lind. digit. 5. 6.	
5 media. s.s.	Willow-leaved.	Spain.	1778.	—	H. $\frac{1}{2}$.	— t. 20.	
6 obscura. s.s.	small-blossom'd.	Switzerland.	1824.	—	H. $\frac{1}{2}$.	Botan. regist. 554.	
7 micrantha. s.s.	dwarf.	Spain.	1789.	6. 7.	H. $\frac{1}{2}$.	Botan. magaz. 1159.	
8 minor. s.s.	blush-flowered.	Italy.	1776.	—	H. $\frac{1}{2}$.	Lind. digit. t. 14.	
9 purpurascens. s.s.	golden.	—	—	—	—	— t. 13.	
erubescens. H.K.	iron-coloured.	Italy.	1597.	—	H. $\frac{1}{2}$.	— t. 12.	
10 orientalis. s.s.	shining-leaved.	Hungary.	1810.	—	H. $\frac{1}{2}$.	— t. 10.	
11 lanata. s.s.	tawny.	—	1820.	6. 8.	H. $\frac{1}{2}$.	— t. 9.	
12 leucophæa. s.s.	greater yellow.	Switzerland.	1596.	7. 8.	H. $\frac{1}{2}$.	Botan. regist. 64.	
13 aurea. s.s.	sulphur-color'd.	Germany.	1816.	—	H. $\frac{1}{2}$.	Lind. digit. t. 8.	
14 ferruginea. s.s.	netted-flow'r'd.	Hungary.	1824.	—	H. $\frac{1}{2}$.	Sm. exot. bot. 1. t. 43.	
15 lævigata. s.s.	tomentose.	Portugal.	1820.	6. 8.	H. $\frac{1}{2}$.	Eng. bot. 1297.	
16 fulva. s.s.	Mullein.	Spain.	1752.	5. 8.	H. $\frac{1}{2}$.	Trew Ehret. t. 83.	
17 ambigua. w.	common.	Britain.	—	6. 9.	H. $\frac{1}{2}$.	Botan. regist. 175.	
grandiflora. s.s.	white-flowered.	—	—	—	H. $\frac{1}{2}$.	Botan. magaz. 1864.	
18 ochroleuca. s.s.	CHELONE. Didynamia Angiospermia. L.	white-flowered.	N. America.	1730.	8. 10.	H. et B. 2. t. 173.	
19 fuscens. s.s.	red-flowered.	—	—	1752.	—	Botan. magaz. 1425.	
20 tomentosa. s.s.	Lyon's.	—	1812.	7. 9.	H. $\frac{1}{2}$.	Moris. s. 11. t. 21. f. 3.	
21 Thapsi. s.s.	rose-coloured.	Mexico.	1825.	—	G. $\frac{1}{2}$.	Botan. magaz. 1878.	
22 purpurea. s.s.	scarlet.	—	1794.	6. 9.	H. $\frac{1}{2}$.	Pentstemon pubescens. B.M.	
β alba.	bell-flowered.	—	—	3. 10.	F. $\frac{1}{2}$.	—	
CHELONE. S.S.	Pentstemon campanulata. Jacq. schen. 3. t. 362.	narrow-leaved.	—	1825.	—	H. et B. 2. t. 173.	
1 glabra. w.	smooth.	N. America.	1776.	8. 9.	H. $\frac{1}{2}$.	Pentstemon digitalis. B.M. 2587.	
2 obliqua. w.	narrow-ld. hairy.	—	1758.	—	H. $\frac{1}{2}$.	Botan. magaz. 1424.	
3 Lyoni. s.s.	broad-ld. hairy.	—	—	—	H. $\frac{1}{2}$.	—	
major. B.M.	Pentstemon pubescens. B.M.	foxglove-fld.	Arkansa.	1824.	6. 8.	Swt. br. fl. gar. 120.	
4 rosea. Cerv.	Pentstemon digitalis. B.M. 2587.	blue-flowered.	Louisiana.	1811.	7. 9.	Botan. magaz. 1672.	
5 barbata. s.s.	crested.	—	—	—	F. $\frac{1}{2}$.	—	
6 campanulata. s.s.	slender blue.	—	—	—	F. $\frac{1}{2}$.	—	
Pentstemon angustifolium. Ph.	Pentstemon angustifolium. Ph.	great-flowered.	—	—	—	—	
15 grandiflora. s.s.	dwarf.	—	—	—	F. $\frac{1}{2}$.	—	
16 albida. s.s.	upright.	Brazil.	1823.	6. 8.	S. $\frac{1}{2}$.	HERPESTIS. G.	
HERPESTIS. G.	thyme-leaved.	S. America.	1772.	7. 9.	S. $\frac{1}{2}$.	Ehret. pict. t. 14. f. 2.	
1 stricta. s.s.	Purslane-ld.	—	1823.	—	S. $\frac{1}{2}$.	Botan. magaz. 2557.	
2 Monnieria. k.s.	wedge-leaved.	N. America.	1812.	8.	H. $\frac{1}{2}$.	—	
3 portulaccea. B.M.	stem-clasping.	Carolina.	1822.	6. 8.	H. $\frac{1}{2}$.	—	
4 cuneifolia. Ph.	—	—	—	—	R.	—	
5 amplexicaulis. s.s.	—	—	—	—	—	—	

MAZUS. B.P.	MAZUS. <i>Didynamia Angiosperma. S.S.</i>
<i>rugosus. B.P.</i>	<i>China. 1780. 5. 10. H.○. Swt. br. fl. gar. 36.</i>
<i>Lindernia japonica. Th.</i>	<i>Hornemannia bicolors W.en.</i>
TORENIA. B.P.	TORENIA. <i>Didynamia Angiosperma. S.S.</i>
1 ovata.	oval-leaved. <i>Manila. 1823. 5. 10. H.○. Pl. sel. hort. ber. t. 9.</i>
<i>Hornemannia ovata. L.en.</i>	<i>Tittmannia ovata. s.s.</i>
2 viscosa.	viscous. <i>E. Indies. — — S.○.</i>
<i>Hornemannia viscosa. W.en.</i>	<i>Tittmannia viscosa. s.s.</i>
LINDERNIA. B.P.	LINDERNIA. <i>Didynamia Angiosperma. L.</i>
<i>Pyxidaria. w.</i>	<i>European. S. Europe. 1789. 6. 8. H.○.</i>
MIMULUS. L.	MONKEY-FLOWER. <i>Didynamia Angiosperma. L.</i>
1 glutinosus. s.s.	orange-colored. <i>California. 1794. 1. 12. G. ḥ.</i>
2 ringens. s.s.	gaping. <i>N. America. 1759. 7. 8. H. Ȑ.</i>
3 alatus. s.s.	oval-leaved. <i>— 1783. — H. Ȑ.</i>
4 guttatus. DC.	spotted-fl'd. <i>America. 1812. 6. 9. F. Ȑ.</i>
<i>luteus. B.M. non L.</i>	
5 parviflerna. B.R.	small-flowered. <i>Mexico. 1824. — H.○.</i>
BROWALLIA. L.	BROWALLIA. <i>Didynamia Angiosperma. L.</i>
1 elata. w.	upright. <i>Peru. 1768. 6. 9. G.○.</i>
2 demissa. w.	spreading. <i>S. America. 1735. — G.○.</i>
ANGELONIA. K.S.	ANGELONIA. <i>Didynamia Angiosperma. L.</i>
<i>salicariæfolia. K.S.</i>	<i>Salicaria-ld. S. America. 1818. 7. 10. S. ḥ.</i>
ALONSOA. R.P.	ALONSOA. <i>Didynamia Angiosperma. H.K.</i>
1 incisifolia. R.P.	Nettle-leaved. <i>Chili. 1795. 5. 10. G. ḥ.</i>
<i>Celsia urticæfolia. B.M.</i>	<i>Hemimeris urticæfolia. w.</i>
2 acutifolia. R.P.	acute-leaved. <i>Peru. 1790. — G. ḥ.</i>
3 linearis. H.K.	linear-leaved. <i>— — — G. ḥ.</i>
<i>Celsia linearis. B.M.</i>	<i>Hemimeris coccinea. w.</i>
DIASCIA. L.en.	DIASCIA. <i>Didynamia Angiosperma. S.S.</i>
1 Bergiana. L.en.	Bergius's. <i>C. B. S. 1816. 7. 10. H.○.</i>
<i>Hemimeris diffusa. w.</i>	
VANDELLIA. S.S.	VANDELLIA. <i>Didynamia Angiosperma. L.</i>
<i>diffusa. s.s.</i>	spreading. <i>S. America. 1824. 7. 9. S.○.</i>
LIMOSHELLA. L.	MUDWORT. <i>Didynamia Angiosperma. L.</i>
<i>aquatica. L.</i>	water. <i>Britain. — 7. 9. H.○.</i>
DISANDRA. L.	DISANDRA. <i>Heptandria Monogynia. L.</i>
<i>prostrata. L.</i>	trailing. <i>Madeira. 1771. 5. 8. G. Ȑ.</i>
SIBTHORPIA. L.	SIBTHORPIA. <i>Didynamia Angiosperma. L.</i>
<i>europæa. L.</i>	Cornish money-wort. <i>England. — 7. 8. H. Ȑ.</i>
ERINUS. S.S.	ERINUS. <i>Didynamia Angiosperma. L.</i>
1 Lychnidea. s.s.	Phlox-flower'd. <i>C. B. S. 1821. 3. 10. G. ḥ.</i>
2 fragrans. H.K.	fragrant. <i>— 1776. 5. 6. G. ḥ.</i>
3 alpinus. P.S.	smooth-leaved. <i>Pyrenees. 1739. 3. 4. H. Ȑ.</i>
4 hispanicus. P.S.	hairy-leaved. <i>Spain. — — H. Ȑ.</i>
MANULEA. S.S.	MANULEA. <i>Didynamia Angiosperma. L.</i>
1 viscosa. s.s.	clammy. <i>C. B. S. 1774. 6. 11. G. ḥ.</i>
<i>Buchnera viscosa. B.M.</i>	
2 tomentosa. s.s.	tomentose. <i>— 1774. 5. 12. G. ḥ.</i>
3 oppositifolia. v.	opposite-leav'd. <i>— — — G. ḥ.</i>
4 villosa. P.S.	villous. <i>— 1783. 6. 7. G.○.</i>
<i>Buchnera capensis. w.</i>	
5 rubra. s.s.	red. <i>— 1790. 4. 9. G. ḥ.</i>
6 Cheiranthus. s.s.	Wallflower-like. <i>— 1795. 6. 8. G. ḡ.</i>
7 argentea. s.s.	silvery. <i>— 1801. 7. 11. G.○.</i>
8 pedunculata. P.S.	solitary-fl'd. <i>— 1790. 6. 11. G. ḥ.</i>
9 fœtida. s.s.	stinking. <i>— 1794. 6. 9. G.○.</i>
<i>Buchnera fœtida. A.R.</i>	
10 rhynchantha. s.s.	wedge-leaved. <i>— 1816. — G. ḥ.</i>
11 violacea. s.s.	violet-flowered. <i>— — — G. ḥ.</i>
12 cordata. s.s.	trailing heart-ld. <i>— — — G. Ȑ.</i>
BUCHNERA. S.S.	BUCHNERA. <i>Didynamia Angiosperma. L.</i>
<i>americana. s.s.</i>	American. <i>N. America. 1733. 6. 8. H. Ȑ.</i>
EUPHRASIA. W.	EYE-BRIGHT. <i>Didynamia Angiosperma. L.</i>
1 linifolia. s.s.	flax-leaved. <i>S. France. 1823. 7. 9. H.○.</i>
2 lutea. s.s.	yellow. <i>S. Europe. 1816. — H.○.</i>
3 alpina. s.s.	Alpine. <i>— 1823. — H.○.</i>
4 officinalis. s.s.	common. <i>Britain. — — H.○.</i>
BARTSIA. S.S.	BARTSIA. <i>Didynamia Angiosperma. L.</i>
1 viscosa. s.s.	yellow viscid. <i>Britain. — 7. 8. H.○.</i>

Lam. ill. t. 522.

Botan. magaz. 354.
283.

Botan. magaz. 1501.

Botan. regist. 874.

Botan. magaz. 34.
1136.

Botan. regist. 415.

Botan. magaz. 417.

Botan. magaz. 210.

Pluk. phyt. 320. f. 5.

Marc. bras. I. c.15. f.1.

Eng. bot. 357.

Botan. magaz. 218.

Eng. bot. 619.

Botan. regist. 748.

Burm. afr. t. 49. f. 4.

Botan. magaz. 310.

Botan. magaz. 217.

—— 322.

Burm. afr. t. 50. f. 2.

Comm. hort. 2. t. 42.

Andr. deposit. 84.

—— 80.

Jacq. aust. t. 398.

Eng. bot. 1416.

Eng. bot. 1045.

2 <i>alpina</i> . s.s.	<i>Alpine.</i>	<i>Britaln.</i>	7. 8. H.○.	Eng. bot. 361.
3 <i>Odontites</i> . s.s.	<i>red-flowered.</i>	<i>—</i>	7. 9. H.○.	— 1415.
4 <i>Trixago</i> . s.s.	<i>simple-stalked.</i>	<i>S. Europe.</i>	1820.	— H.○.	Column.ecphr.1.t.197.
EUCHROMA. N.	<i>PAINTED CUP.</i>	<i>Didynamia Angiospermia. N.</i>			
1 <i>coccinea</i> . N.	<i>scarlet.</i>	<i>N.America.</i>	1787.	7. H.♀.	Pluk. alm. t. 102. f. 5.
	<i>Bartsia coccinea</i> . L.				
2 <i>grandiflora</i> . N.	<i>large-flowered.</i>	<i>Louisiana.</i>	1811.	7. 8. H.♀.	
	<i>Castilleja sessiliflora</i> . Ph.				
CASTILLEJA. S.S.	<i>CASTILLEJA.</i>	<i>Didynamia Angiospermia. S.S.</i>			
1 <i>integrifolia</i> . s.s.	<i>entire-leaved.</i>	<i>S. America.</i>	1825. G.½.	Sm. ic. ined. t. 39.
2 <i>tolucensis</i> . s.s.	<i>procumbent.</i>	<i>Mexico.</i>	— G.½.	
3 <i>septentrionalis</i> . B.R.	<i>northern.</i>	<i>N.America.</i>	1824.	7. 8. H.○.	Botan. regist. 925.
4 <i>pallida</i> . s.s.	<i>pale-flowered.</i>	<i>Siberia.</i>	1782.	6. 9. H.♀.	Gmel. sib. 3. t. 42.
	<i>Bartsia pallida</i> . w.				
RHINANTHUS. W.	YELLOW RATTLE.	<i>Didynamia Angiospermia. L.</i>			
1 <i>Crista-galli</i> . w.	<i>Cock's-comb.</i>	<i>Britain.</i>	6. 8. H.○.	Eng. bot. 657.
2 <i>Alecterocephalus</i> . L.en. <i>villous.</i>		<i>Germany.</i>	1816.	— H.○.	Bull. herb. t. 125.
	<i>villusus</i> . P.S.				
MELAMPYRUM. S.S.	COW-WHEAT.	<i>Didynamia Angiospermia. L.</i>			
1 <i>cristatum</i> . E.B.	<i>crested.</i>	<i>England.</i>	7. 8. H.○.	Eng. bot. 41.
2 <i>arvense</i> . E.B.	<i>corn-field.</i>	<i>—</i>	6. 7. H.○.	— 53.
3 <i>nemorosum</i> . s.s.	<i>colour'd-bract'd.</i>	<i>Europe.</i>	1823.	— H.○.	Flor. dan. t. 305.
4 <i>pratense</i> . E.B.	<i>common.</i>	<i>Britain.</i>	7. 8. H.○.	Eng. bot. 113.
5 <i>sylvaticum</i> . E.B.	<i>wood.</i>	<i>—</i>	— H.○.	— 804.
PEDICULARIS. S.S.	LOUSEWORT.	<i>Didynamia Angiospermia. L.</i>			
1 <i>incarnata</i> . s.s.	<i>flesh-coloured.</i>	<i>Austria.</i>	1796.	6. 7. H.♀.	Jacq. aust. 2. t. 140.
2 <i>rostrata</i> . s.s.	<i>beaked.</i>	<i>S. Europe.</i>	1823.	— H.♀.	— — t. 205.
3 <i>tuberosa</i> . s.s.	<i>tuberous.</i>	<i>Switzerland.</i>	1799.	7. 8. H.♀.	Hall. helv. n. 323. t. 10.
4 <i>ascendens</i> . Schl.	<i>ascending.</i>	<i>—</i>	1825.	— H.♀.	
5 <i>gyroflea</i> . s.s.	<i>bending.</i>	<i>—</i>	—	— H.♀.	Vill. delph. 2. t. 9.
6 <i>atrorubens</i> . DC.	<i>dark-red.</i>	<i>—</i>	—	— H.♀.	
7 <i>uncinata</i> . s.s.	<i>hooked-fld.</i>	<i>Siberia.</i>	1815.	— H.♀.	Gmel. sib. 3. t. 45.
8 <i>compacta</i> . s.s.	<i>close-headed.</i>	<i>—</i>	—	— H.♀.	
9 <i>resupinata</i> . s.s.	<i>resupinate.</i>	<i>—</i>	1816.	5. 7. H.♀.	Gmel. sib. 3. t. 44.
10 <i>palustris</i> . E.B.	<i>marsh.</i>	<i>Britain.</i>	6. 7. H.♀.	Eng. bot. 399.
11 <i>euphrasioides</i> . s.s.	<i>eyebright-ld.</i>	<i>Siberia.</i>	1816.	— H.♀.	Gmel. sib. 3. t. 43.
12 <i>canadensis</i> . s.s.	<i>Canadian.</i>	<i>N.America.</i>	1800.	7. 8. H.♀.	Swt. br. fl. gar. 37.
13 <i>sylvatica</i> . E.B.	<i>common.</i>	<i>Britain.</i>	5. 7. H.♀.	Eng. bot. 400.
14 <i>myriophylla</i> . s.s.	<i>Milfoil-leaved.</i>	<i>Dahuria.</i>	1816.	— H.♀.	Pall. it. 3. ap. t. 8. f. 1.
15 <i>sudetica</i> . s.s.	<i>Swedish.</i>	<i>N.Europe.</i>	—	— H.♀.	
16 <i>flammea</i> . s.s.	<i>upright.</i>	<i>—</i>	1775.	7. H.♀.	Hall. helv. t. 8. f. 3.
17 <i>versicolor</i> . s.s.	<i>various-colour'd.</i>	<i>Switzerland.</i>	1825.	7. 8. H.♀.	
18 <i>comosa</i> . s.s.	<i>spiked.</i>	<i>Italy.</i>	1775.	— H.♀.	All. ped. 1. t. 4. f. 1.
19 <i>Sceptrum</i> . s.s.	<i>sceptred.</i>	<i>Sweden.</i>	1793.	— H.♀.	Flor. dan. t. 26.
20 <i>recutita</i> . s.s.	<i>jagged-leaved.</i>	<i>Austria.</i>	1787.	7. 8. H.♀.	Jacq. aust. 3. t. 258.
21 <i>foliosa</i> . s.s.	<i>leafy.</i>	<i>—</i>	1786.	— H.♀.	— — 2. t. 139.
22 <i>verticillata</i> . s.s.	<i>whorled.</i>	<i>—</i>	1790.	5. 6. H.♀.	— — 3. t. 206.
23 <i>rosea</i> . s.s.	<i>rose-coloured.</i>	<i>S. Europe.</i>	1825.	7. 8. H.♀.	Jacq. ic. 1. t. 115.
GERARDIA. S.S.	GERARDIA.	<i>Didynamia Angiospermia.</i>			
1 <i>delphinifolia</i> . s.s.	<i>Larkspur-ld.</i>	<i>E. Indies.</i>	1800.	6. 7. S.♀.	Roxb. corom. 1. t. 90.
2 <i>purpurea</i> . s.s.	<i>purple.</i>	<i>N.America.</i>	1772.	7. 8. H.♂.	Botan. magaz. 2048.
3 <i>tenuifolia</i> . s.s.	<i>slender-leaved.</i>	<i>—</i>	1812.	— H.♂.	Pluk. alm. t. 12. f. 4.
4 <i>maritima</i> . s.s.	<i>sea-side.</i>	<i>—</i>	1823.	— H.♂.	
5 <i>flava</i> . s.s.	<i>yellow.</i>	<i>—</i>	1796.	— H.♀.	Pluk. amal. t. 389. f. 3.
6 <i>quercifolia</i> . s.s.	<i>oak-leaved.</i>	<i>—</i>	1812.	— H.♀.	Pursh amer. 1. t. 19.
SEYMERIA. S.S.	SEYMERIA.	<i>Didynamia Angiospermia. S.S.</i>			
1 <i>tenuifolia</i> . s.s.	<i>slender-leaved.</i>	<i>Carolina.</i>	7. 9. H.○.	
	<i>Afzelia cassioides</i> . Gmel.	<i>Gerardia Afzelia. M.</i>			
2 <i>pectinata</i> . s.s.	<i>pectinated.</i>	<i>—</i>	— H.○.	

Sect. II. STAMINA (2) ANTERIFERA.**CALCEOLARIA. R.S. SLIPPERWORT.**

1 <i>Fothergillii</i> . R.S.	<i>Fothergill's.</i>	<i>Diandria Monogynia. L.</i>		
2 <i>corymbosa</i> . R.S.	<i>corymb-fld.</i>	<i>Falkland Isl.</i>	1777.	5. 8. G.♀.

Botan. magaz. 348.

Botan. regist. 723.

SCROPHULARINÆ.

3 rugosa. R.P.	rugged-leaved.	Chili.	1823.	6. 8.	G. $\frac{1}{2}$.	Hook. ex. flor. 99.
crenata. B.R. 700.		—	—	—	G. $\frac{1}{2}$.	
4 integrifolia. R.P.	entire-leaved.	—	—	—	G. $\frac{1}{2}$.	Botan. regist. 744.
rugosa. B.M. 2523.						
5 pinnata. R.S.	wing-leaved.	Peru.	1773.	7. 9.	H. \odot .	Botan. magaz. 41.
6 seabiœfolia. R.S.	Scabious-ld.	—	1823.	—	G. $\frac{1}{2}$.	2405.
SCHIZANTHUS. R.P.	SCHIZANTHUS.	Diandria Monogynia.				
1 pinnatus. H.E.F.	winged-leav'd.	Chili.	1823.	7. 10.	H. \odot .	Swt. br. fl. gar. 63.
2 porrigens. H.E.F.	spreading.	—	—	—	H. \odot .	76.
SCHWENCKIA. R.S.	SCHWENCKIA.	Diandria Monogynia. W.				
americana. R.S.	American.	Cayenne.	1781.	8. 9.	S. δ .	Schw. h. m. haag. t. 1.
BONNAYA. S.S.	BONNAYA.	Diandria Monogynia. S.S.				
1 brachiata. s.s.	brachiate.	E. Indies.	1825.	6. 9.	H. \odot .	Pl. sel. h. ber. t. 11.
2 veronicaefolia. s.s.	Speedwell-ld.	—	1798.	—	S. δ .	Rheed. mal. 9. t. 59.
Gratiola veronicaefolia. w.						
3 reptans. s.s.	creeping.	—	1820.	—	S. \odot .	
GRATIOLA. B.P.	HEDGE-HYSSOP.	Diandria Monogynia. L.				
1 latifolia. B.P.	broad-leaved.	N. S. W.	1822.	6. 8.	G. $\frac{1}{2}$.	
2 officinalis. R.S.	officinal.	Europe.	1568.	5. 8.	H. $\frac{1}{2}$.	Flor. dan. 363.
3 virginica. R.S.	Virginian.	Virginia.	1759.	8.	H. $\frac{1}{2}$.	
WULFENIA. R.S.	WULFENIA.	Diandria Monogynia. R.S.				
carinthiaca. R.S.	blue-flowered.	Carinthia.	1817.	6. 9.	H. $\frac{1}{2}$.	Swt. br. fl. gar. 66.
PÆDEROTA. R.S.	PÆDEROTA.	Diandria Monogynia. L.				
Ageria. R.S.	sulphur-col'd.	Italy.	1825.	6. 7.	H. $\frac{1}{2}$.	Jacq. vind. 2. t. 121.
LEPTANDRA. N.	LEPTANDRA.	Diandria Monogynia. N.				
1 virginica.	Virginian.	Virginia.	1714.	7. 9.	H. $\frac{1}{2}$.	Pluk. alm. t. 70. f. 2.
Veronica virginica. w.						
β incarnata.	flesh-coloured.	—	—	—	H. $\frac{1}{2}$.	
2 sibirica. n.	Siberian.	Siberia.	1779.	7. 8.	H. $\frac{1}{2}$.	Amm. ruth. 20. t. 4.
VERONICA. R.S.	SPEEDWELL.	Diandria Monogynia. L.				
1 foliosa. R.S.	leafy.	Hungary.	1895.	7. 9.	H. $\frac{1}{2}$.	W. et K. hung. 2. t. 102.
2 crenulata. R.S.	notch-flowered.	S. Europe.	1804.	—	H. $\frac{1}{2}$.	Hoff. phyt. p. 95. t. E.f.3.
villosa. Schr. V. t. 1. f. 3.	sea-side.	—	1570.	—	H. $\frac{1}{2}$.	Schrad. ver. t. 1. f. 1.
3 maritima. R.S.	Host's.	Italy.	—	—	H. $\frac{1}{2}$.	Tabern. n. kreut. 2. f. 4.
4 Hostii. R.S.	spurious.	Siberia.	1731.	—	H. $\frac{1}{2}$.	Gmel. it. 1. t. 39.
5 spuria. R.S.						
amethystina. W.en.						
6 paniculata. R.S.	panicked.	Tartary.	1797.	6. 7.	H. $\frac{1}{2}$.	
7 complicata. R.S.	bundled.	S. Europe.	1812.	9. 10.	H. $\frac{1}{2}$.	Hoff. phyt. p. 98. t. E.f.4.
8 azurea. R.S.	azure.	—	1818.	6. 9.	H. $\frac{1}{2}$.	
9 glabra. R.S.	smooth.	S. Europe.	1804.	7. 9.	H. $\frac{1}{2}$.	Schrad. ver. p. 25. t. 1.f.4
10 brachyphylla. R.S.	short-leaved.	—	1818.	—	H. $\frac{1}{2}$.	
brachyphylla. L.en.						
11 elatior. R.S.	tall.	S. Europe.	1808.	—	H. $\frac{1}{2}$.	
12 acuta. R.S.	acute-leaved.	—	1820.	—	H. $\frac{1}{2}$.	
13 arguta. R.S.	sharp-notched.	S. Europe.	1812.	—	H. $\frac{1}{2}$.	Schrad. ver. n. 7. t. 2.f.2.
14 nitida. L.en.	glossy-leaved.	—	1816.	—	H. $\frac{1}{2}$.	
15 longibracteata. L.en.	long-bracted.	—	—	—	H. $\frac{1}{2}$.	
β latifolia.	broad-leaved.	—	—	—	H. $\frac{1}{2}$.	
16 media. R.S.	long-spiked.	Germany.	1804.	—	H. $\frac{1}{2}$.	Schrad. ver. n. 8. t. 1. f. 2.
17 persicifolia. R.S.	Peach-leaved.	—	1819.	—	H. $\frac{1}{2}$.	
18 australis. R.S.	pubescent.	S. Europe.	1812.	—	H. $\frac{1}{2}$.	— n. 9. t. 2. f. 3.
19 longifolia. R.S.	long-leaved.	—	1731.	—	H. $\frac{1}{2}$.	— p. 26. t. 2. f. 1.
20 neglecta. R.S.	canescent.	Siberia.	1797.	—	H. $\frac{1}{2}$.	Swt. br. fl. gar. 55.
21 angustifolia. s.s.	narrow-leaved.	—	1823.	—	H. $\frac{1}{2}$.	
22 incana. R.S.	hoary.	Russia.	1759.	7. 9.	H. $\frac{1}{2}$.	Hoff. c. gott. 15. t. 6.
23 elegans. R.S.	elegant.	—	—	—	H. $\frac{1}{2}$.	
24 spicata. R.S.	spiked.	England.	—	—	H. $\frac{1}{2}$.	Eng. bot. t. 2.
25 Clusii. n.s.	Clusius's.	N. Europe.	—	—	H. $\frac{1}{2}$.	Flor. dan. t. 52.
26 menthaefolia. R.S.	Mint-leaved.	Austria.	1818.	—	H. $\frac{1}{2}$.	
27 Barrelieri. R.S.	Barrelier's.	S. Europe.	—	—	H. $\frac{1}{2}$.	Barrel. ic. t. 682.
28 orchidea. R.S.	Orchis-like.	Europe.	—	—	H. $\frac{1}{2}$.	
29 crassifolia. R.S.	thick-leaved.	Hungary.	1818.	—	H. $\frac{1}{2}$.	
30 hybrida. R.S.	Welsh.	England.	—	—	H. $\frac{1}{2}$.	Eng. bot. 673.
31 longiflora. R.S.	long-flowered.	—	1823.	—	H. $\frac{1}{2}$.	
32 rutenica. R.S.	Russian.	Russia.	—	—	H. $\frac{1}{2}$.	Gouan. ill. t. 1. f. 1.
33 Pona. R.S.	dwarf.	Pyrenees.	—	—	H. $\frac{1}{2}$.	
34 polystachya. L.en.	many-spiked.	—	1819.	—	H. $\frac{1}{2}$.	Hoff. c. gott. 15. t. 10.
35 pinnata. R.S.	wing-leaved.	Siberia.	1776.	6. 8.	H. $\frac{1}{2}$.	

36	incisa. R.S.	cut-leaved.	Siberia.	1779.	6. 8.	H. 4.	
37	laciñiata. R.S.	jagged-leaved.	—	1780.	—	H. 4.	Jung. ic. rar. C. 1. f. 2.
38	gentianoides. R.S.	Gentian-leav'd.	Levant.	1748.	5. 6.	H. 4.	Botan. magaz. 1002?
39	pallida. R.S.	pale.	—	1816.	—	H. 4.	
40	bellidioïdes. R.S.	Daisy-leaved.	Switzerland.	1775.	6. 7.	H. 4.	Hall. hist. t. 15. f. 1.
41	fruticulosa. R.S.	flesh-coloured.	Scotland.	—	6. 8.	H. 4.	Eng. bot. 1028.
42	saxatilis. R.S.	blue rock.	—	—	7.	H. 4.	— 1027.
43	nummularia. R.S.	moneywort.	Pyrenees.	1820.	6. 8.	H. 4.	Gouan. ill. 1. t. 1. f. 2.
44	alpina. R.S.	Alpine.	Scotland.	—	5. 6.	H. 4.	Eng. bot. 484.
	<i>a acutifolia.</i>	acute entire-l'd.	Europe.	—	—	H. 4.	
	<i>β pumila.</i> All.	saw-leaved.	—	—	—	H. 4.	Allion. ped. t. 22. f. 5.
	<i>γ obtusifolia.</i>	blunt entire-l'd.	Scotland.	—	—	H. 4.	Eng. bot. 484.
	<i>δ integrifolia.</i> W.	entire-leaved.	Europe.	—	—	H. 4.	Krocker siles. t. 3.
	<i>ε heterophylla.</i>	various-leaved.	—	—	—	H. 4.	
	<i>ζ rotundifolia.</i>	round-leaved.	—	—	—	H. 4.	
45	dapauperata. R.S.	few-flowered.	Hungary.	1819.	—	H. 4.	Braun. salish. n. 15. t. 2.
46	serpyllifolia. R.S.	smooth.	Britain.	—	4. 7.	H. 4.	W. et K. hung. 3. t. 245.
	<i>α ovata.</i>	common.	—	—	—	H. 4.	Eng. bot. 1075.
	<i>β tenella.</i> Schm.	roundish-leaved.	Europe.	—	—	H. 4.	
	<i>γ neglecta.</i> Schm.	neglected.	—	—	—	H. 4.	
	<i>δ quaternata.</i>	four-leaved.	—	—	—	H. 4.	
	<i>ε nummulariafolia.</i>	moneywort-l'd.	—	—	—	H. 4.	
	<i>ζ humifusa.</i> L.T.	trailing.	—	—	—	H. 4.	
47	hirsuta. R.S.	bristly.	Scotland.	—	—	H. 4.	
	<i>setigera.</i> S.S.						
48	tenella. R.S.	slender.	Pyrenees.	1820.	5. 6.	H. 4.	Allion. ped. t. 22. f. 1.
49	parviflora. R.S.	small-flowered.	N. Zealand.	1822.	6. 8.	H. 4.	
50	decussata. R.S.	cross-leaved.	Falkland Isl.	1776.	—	F. 4.	Botan. magaz. 242.
51	aphylla. R.S.	naked-stalked.	Italy.	1775.	5.	H. 4.	Seguier. ver. t. 3. f. 2.
52	Beccabunga. R.S.	brook-lime.	Britain.	—	5. 6.	H.w. 4.	Eng. bot. 655.
53	Anagallis. R.S.	long-l'd. water.	—	—	6. 8.	H.w. 4.	— 781.
54	scutellata. R.S.	marsh.	—	—	—	H.w. 4.	— 782.
55	Parmularia. R.S.	tooth-l'd. marsh.	Austria.	1816.	6. 8.	H.w. 4.	Trattin. fl. aust. b. 20.
56	pectinata. R.S.	pectinated.	Levant.	1820.	—	H. 4.	Buxb. C. 1. t. 39. f. 1.
57	orientalis. R.S.	various-leaved.	—	1748.	—	H. 4.	Sal. stirp. rar. 7. t. 4.
58	trichocarpa. R.S.	hairy-capsuled.	—	1820.	—	H. 4.	
	<i>pilocarpa.</i> Len.						
59	Jacquinii. R.S.	Jacquin's.	Austria.	1748.	—	H. 4.	Jacq. aust. 4. t. 329.
	<i>austriaca.</i> Jacq. non L.						
60	austriaca. R.S.	Austrian.	—	—	—	H. 4.	
	<i>polymorpha.</i> W.en.						
61	multifida. R.S.	multifid-leaved.	Siberia.	—	—	H. 4.	Botan. magaz. 1679.
62	caucasica. R.S.	Caucasean.	Caucasus.	1815.	—	H. 4.	
63	taurica. W.	Taurian.	Tauria.	—	—	H. 4.	Lodd. bot. cab. 911.
64	Allionii. R.S.	shining-leaved.	S. Europe.	1748.	—	H. 4.	Allion. ped. 1. t. 46. f. 3.
65	officinalis. R.S.	officinal.	Britain.	—	4. 7.	H. 4.	Eng. bot. 765.
66	Mulleriana. R.S.	Muller's.	Styria.	1825.	5. 7.	H. 4.	
67	Chaixi. R.S.	Chaixi's.	S. Europe.	—	—	H. 4.	
68	prostrata. R.S.	trailing.	Germany.	1774.	5. 6.	H. 4.	Bauh. hist. 3. p. 287. ic.
69	plicata. R.S.	plaited-leaved.	Bohemia.	1823.	—	H. 4.	Pohl tent. fl. b. p. 15. f. 1.
70	micantha. R.S.	soft-leaved.	Portugal.	—	—	H. 4.	Hoff. f. port. t. 57.
	<i>mollis. zea.</i>						
71	latifolia. R.S.	broad-leaved.	Austria.	1748.	6. 7.	H. 4.	Swt. br. fl. gar. 23.
72	Tencrium. R.S.	sawed-leaved.	Europe.	1596.	6. 8.	H. 4.	Lodd. bot. cab. 425.
73	dentata. R.S.	toothed-leaved.	S. Europe.	1816.	—	H. 4.	
74	Schmidtii. R.S.	Schmidt's.	Bohemia.	1797.	6. 7.	H. 4.	
	<i>paniculata.</i> W. non Pall.						
75	Chamædrys. R.S.	Germander.	Britain.	—	5. 8.	H. 4.	Eng. bot. 623.
76	urticafolia. R.S.	Nettle-leaved.	Austria.	1776.	6. 7.	H. 4.	Jacq. aust. 1. t. 59.
77	montana. R.S.	mountain.	Britain.	—	7. 8.	H. 4.	Eng. bot. 766.
78	peduncularis. R.S.	peduncled.	Caucasus.	1825.	6. 8.	H. 4.	Buxb. C. 1. t. 41. f. 1.
79	plebeia. B.P.	plebeian.	N. S. W.	1822.	—	G. 4.	
	<i>arguta.</i> R.S.						
80	Brownii. B.P.	sharp-toothed.	—	—	—	G. 4.	
81	gracilis. B.P.	slender.	—	—	—	G. 4.	
82	perfoliata. B.P.	perfoliate.	—	1815.	7. 8.	G. 4.	Botan. magaz. 1936.
83	labiata. B.P.	labiated.	N. Holland.	1802.	4. 7.	F. 4.	— 1660.
	<i>Derwentia.</i> B.P. 531.						
84	mollissima. R.S.	softest.	—	1819.	6. 8.	H. 4.	

SCROPHULARIÆ.

85 Waldsteiniana. R.S.	Waldstein's.	1819.	6. 8. H. 4.	
86 verna. R.S.	vernal.	Britain.	4. 5. H. ⊖.	Eng. bot. 25.
87 digitata. R.S.	fingered.	Spain.	1805.	6. 7. H. ⊖.	Eng. bot. 26.
88 triphyllus. R.S.	variable-leav'd.	Britain.	4. 5. H. ⊖.	784.
89 hederifolia. R.S.	Ivy-leaved.	3. 10.	H. ⊖.	Flor. græc. t. 9.
90 Cymbalaria. R.S.	fleshy-leaved.	Levant.	1823.	4. 8. H. ⊖.	Flor. dan. 407.
91 peregrina. R.S.	knotgrass-ld.	N. Europe.	1680.	5. 6. H. ⊖.	M.B.cent.ros. t.1. f.18.
92 amœna. R.S.	pretty.	Iberia.	1823.	— H. ⊖.	Allion. ped. t. 1. f. 1.
93 præcox. R.S.	early-flowered.	Europe.	—	3. 5. H. ⊖.	Poit. et Turp. par. 1. t. 23
94 acinifolia. R.S.	Basil-leaved.	S. Europe.	1788.	4. 5. H. ⊖.	Eng. bot. 734.
95 arvensis. R.S.	wall.	Britain.	4. 7. H. ⊖.	783.
96 agrestis. R.S.	field.	1. 12.	H. ⊖.	
α polita.	polished.	—	H. ⊖.	
β versicolor.	various-coloured.	—	H. ⊖.	
γ opaca.	dull-coloured.	—	H. ⊖.	
97 pulchella. R.S.	neat.	1823.	3. 6. H. ⊖.	Ten. fl. nap. t. 1.
98 Buxbaumii. s.s.	Buxbaum's.	S. Europe.	1820.	— H. ⊖.	Buxb. cent. 1. t. 40. f. 1.
99 filiformis. s.s.	long-stalked.	Levant.	1780.	5. H. ⊖.	
100 persica. s.s.	Persian.	Persia.	1816.	1. 12. H. ⊖.	Linn. trans. v. 11. t. 31.
DIPLOPHYLLUM. S.S.	DIPLOPHYLLUM.	Diandria Monogynia. S.S.			
veronicæforme. s.s.	Speedwell-like.	Caucasus.	1813.	4. 6. H. ⊖.	
Veronica crista galli. L.T.					
HEMIMERIS. L.	HEMIMERIS.	Diandria Monogynia.			
montana. L.	mountain.	C. B. S.	1816.	6. 8. G. 4.	Lam. ill. t. 532.

ORDO CXXXI.

LABIATÆ. Brown prodr. 1. p. 499.

LYCOPUS. R.S.	WATER-HOREHOUND.	Diandria Monogynia. L.	
1 australis. B.P.	New Holland.	N. S. W. 1823.	5. 7. G. 4.
2 europæus. R.S.	Europæan.	Britain. 7. 8. H. 4.
3 exaltatus. R.S.	tall.	Italy.	1739. — H. 4.
4 virginicus. R.S.	Virginian.	N.America. 1760.	8. 9. H. 4.
β quercifolius. Ph.	Oak-leaved.	— H. 4.
5 intermedius.	intermediate.	Europe. 7. 8. H. 4.
AMETHYSTEA. R.S.	AMETHYSTEA.	Diandria Monogynia. L.	
cœrulea. R.S.	blue-flowered.	Siberia.	1759. 6. 7. H. ⊖.
CUNILA. N.	CUNILA.	Diandria Monogynia. L.	
marianna. N.	Mint-leaved.	N.America.	1759. 7. 9. H. 4.
HEDEOMA. N.	HEDEOMA.	Diandria Monogynia. P.S.	
1 pulegioides. N.	Pennyroyal-ld.	N.America.	1777. 6. 8. H. ⊖.
2 thymoides. P.S.	Thyme-leaved.	France.	1699. — H. ⊖.
ZIZIPHORA. S.S.	ZIZIPHORA.	Diandria Monogynia. L.	
1 clinopodioides. R.S.	headed.	Siberia.	1799. 7. 8. H. ⊖.
Cunila capitata. L.	Thyme-leaved.	— H. ⊖.
2 acinoides. W.en.	middle.	— H. Ȑ.
3 media. L.en.	oval-leaved.	Syria.	1752. — H. ⊖.
4 capitata. R.S.	Spanish.	Spain.	1759. 6. H. ⊖.
5 hispanica. R.S.	spear-leaved.	Levant.	1752. 6. 7. H. ⊖.
6 tenuior. R.S.	Taurian.	Tauria.	1816. 7. 9. H. ⊖.
7 taurica. R.S.	sweet-scented.	Caucasus.	1803. 7. 8. H. Ȑ.
8 serpyllacea. R.S.	hairy-flowered.	Siberia.	1803. 6. 8. H. Ȑ.
9 dasyantha. R.S.			
Pouschkini. B.M.			
MONARDA. R.S.	MONARDA.	Diandria Monogynia. L.	
1 fistulosa. R.S.	fistulous.	N.America.	1656. 6. 8. H. 4.
2 media. R.S.	purple-bracted.	6. 9. H. 4.
3 mollis. R.S.	soft.	6. 7. H. 4.
4 oblongata. R.S.	long-leaved.	1761. 7. 9. H. 4.
5 altissima. R.S.	tallest.	1818. — H. 4.
6 affinis. L.en.	affined.	— H. 4.
7 rugosa. R.S.	white-flowered.	1761. — H. 4.

Mill. ic. t. 122. f. 2.

Swt. br. fl. gar. 98.

Flor. græc. 1. t. 13.

Lam. ill. t. 18. f. 1.

— t. 18. f. 2.

M.B.cent.pl.rar.2.t.82.

Botan. magaz. 906?

— 1093.

8 <i>purpurea</i> . R.S.	purple-flower'd. N.America.	1789.	6. 8. H. 4.	Botan. magaz. 145.
<i>festulosa</i> . var. <i>crimson</i> . B.M.	pubescent-fld.	1813.	— H. 4.	Pursh. amer. 1. t. 1.
9 <i>Kalmiana</i> . R.S.	Oswego Tea.	1752.	— H. 4.	Botan. magaz. 546.
10 <i>didyma</i> . R.S.	Russel's.	1823.	— H. 4.	Swt. br. fl. gar. 160.
11 <i>Russelliana</i> . N.	wild basil-ld.	1771.	7. H. 4.	
12 <i>clinopodia</i> . Ph.	slender.	1824.	7. 8. H. 4.	Pluk. alm. t. 161. f. 3.
13 <i>gracilis</i> . R.S.	blue-flowered.	1798.	7. H. 4.	
14 <i>ciliata</i> . R.S.	hairy.	— —	7. 9. H. 4.	
15 <i>hirsuta</i> . R.S.	spotted.	1714.	6. 10. F. 4.	Botan. regist. 87.
16 <i>punctata</i> . R.S.	Citron-scented. New Spain.	1823.	— F. 4.	
17 <i>citriodora</i> . R.S.	ROSEMARY. <i>Diandria Monogynia</i> . L.			
ROSMARINUS. R.S.	common. S. Europe.	1548.	1. 4. H. h.	Flor. græc. 1. t. 14.
1 <i>officinalis</i> . R.S.	narrow-leaved.	— —	— H. h.	
α <i>angustifolius</i> .	broad-leaved.	— —	— H. h.	
β <i>latifolius</i> .	silver-striped.	— —	— H. h.	
γ <i>argenteus</i> .	gold-striped.	— —	— H. h.	
δ <i>aureus</i> .	Chili.	Chili.	1795. 7. G. h.	
2 <i>chilensis</i> . R.S.	SAGE. <i>Diandria Monogynia</i> . L.			
3 <i>Salvia</i> . R.S.	Apple-bearing. <i>Candia</i> .	1699.	7. 8. H. 4.	Flor. græc. t. 15.
1 <i>promifera</i> . R.S.	broad-calyxed. <i>Greece</i> .	1823.	— G. h.	— t. 16.
2 <i>calycina</i> . R.S.	Canary.	1697.	6. 9. G. h.	Trew. pl. rar. 2. t. 19.
3 <i>canariensis</i> . R.S.	golden.	C. B. S.	1731. 4. 11. G. h.	Botan. magaz. 182.
4 <i>aurea</i> . R.S.	tooth-leaved.	— —	1774. 12. 1. G. h.	
5 <i>dentata</i> . R.S.	splendid.	Brazil.	1823. 8. 3. S. h.	Botan. regist. 687.
6 <i>splendens</i> . s.s.	long-bracted.	Syria.	1788. 6. 8. G. h.	Pluk. alm. t. 194. f. 6.
7 <i>bracteata</i> . s.s.	interrupted.	Barbary.	1825. 5. 6. H. h.	Swt. br. fl. gar. 169.
8 <i>interrupta</i> . R.S.	winged-leaved.	Levant.	1731. 7. H. 3.	Boer. lugd. 1. t. 167.
9 <i>pinnata</i> . R.S.	Taurian.	Tauria.	1795. 8. H. h.	Botan. magaz. 1429.
10 <i>Habiliziana</i> . R.S.	lance-leaved.	S. America.	1818. 7. 9. H. 4.	Jacq. f. ecl. t. 12.
11 <i>lanceolata</i> . R.S.	hirsute.	Mexico.	1801. 5. 6. H. 4.	Jacq. schoen. 3. t. 252.
12 <i>hirsuta</i> . R.S.	white-flowered.	— —	1825. ... G. 4.	Cavan. ic. 1. t. 24.
13 <i>leucantha</i> . R.S.	narrow-leaved.	— —	1806. 6. 7. G. 4.	— 4. t. 317.
14 <i>angustifolia</i> . R.S.				
<i>repans</i> . Jacq. schoen. t. 319.				
15 <i>azurea</i> . R.S.	azure-flowered.	Carolina.	— 8. 9. H. 4.	Botan. magaz. 1728.
16 <i>occidentalis</i> . R.S.	West Indian.	W. Indies.	1820. — S. 4.	
17 <i>pseudococcinea</i> .	pale scarlet.	S. America.	1797. 6. 8. S. h.	Jacq. ic. 2. t. 209.
18 <i>amœna</i> . B.M.	fine blue.	W. Indies.	1793. 9. 12. S. h.	Botan. magaz. 1294.
<i>Boosiana</i> . Jacq. f. ecl. 1. t. 47. <i>amœna</i> . B.R. 446.				
19 <i>rosea</i> . R.S.	rose-coloured.	E. Indies.	1816. 6. 9. S. h.	
20 <i>tubifera</i> . R.S.	long-tubed.	Mexico.	1824. — S. 4.	Cavan. ic. 1. t. 25.
21 <i>mexicana</i> . R.S.	Mexican.	— —	1724. 5. 7. G. h.	— 1. t. 26.
22 <i>chamædryoides</i> . R.S.	Germander-like.	— —	1795. 6. 9. G. h.	Botan. magaz. 808.
23 <i>caesia</i> . R.S.	grey.	S. America.	1813. — G. h.	
24 <i>involutucrata</i> . R.S.	large-bracted.	Mexico.	1825. ... S. h.	Cavan. ic. 2. t. 105.
25 <i>purpurea</i> . R.S.	purple.	— —	— 5. 7. S. 4.	— 2. t. 166.
26 <i>hispanica</i> . R.S.	Spanish.	Spain.	1739. 6. 8. H. 4.	Botan. regist. 359.
27 <i>serotina</i> . R.S.	late-flowering.	Chio.	1803. 8. G. h.	Jacq. ic. 1. t. 3.
28 <i>dominica</i> . R.S.	Dominican.	W. Indies.	1759. 7. S. 4.	Swartz. obs. p. 18. t. 1. f. 1
29 <i>tiliaefolia</i> . R.S.	Lime-leaved.	S. America.	1793. 6. 8. S. 4.	Jacq. schoen. 3. t. 254.
30 <i>micrantha</i> . R.S.	small-flowered.	— —	1818. — S. 4.	
31 <i>leonuroides</i> . R.S.	shining-leaved.	Peru.	1783. 4. 10. G. h.	Lam. ill. t. 20. f. 3.
<i>formosa</i> . B.M. 376.				
32 <i>coccinea</i> . R.S.	scarlet-flow'r'd.	S. America.	1774. — G. h.	
33 <i>pulchella</i> . R.S.	pretty.	— —	— 8. 12. G. h.	Murr. c. gott. 1778. t. 1.
34 <i>amarissima</i> . R.S.	bitter.	Mexico.	1803. 7. 8. G. 4.	Botan. regist. 347.
35 <i>glutinosa</i> . R.S.	glutinous.	Europe.	1596. 6. 9. H. 4.	Sabb. hort. rom. t. 3.
36 <i>nubicola</i> . B.F.G.	Nepaul.	Nepaul.	1824. 8. 10. H. 4.	Swt. br. fl. gar. 140.
37 <i>ægyptiaca</i> . R.S.	Egyptian.	Egypt.	1770. 6. 7. H. 4.	Jacq. vind. 2. t. 108.
38 <i>cretica</i> . R.S.	Cretan.	Crete.	1760. 6. 8. F. h.	Rivin. monop. t. 128.
39 <i>paniculata</i> . R.S.	panicked.	C. B. S.	1758. — G. h.	Mill. ic. t. 225. f. 1.
40 <i>africana</i> . R.S.	African.	— —	1731. 4. 6. G. h.	Comm. hort. 2. t. 91.
41 <i>colorata</i> . R.S.	colour'd-calyxed.	— —	1758. 7. 8. G. h.	Mill. ic. t. 225. f. 2.
42 <i>officinalis</i> . R.S.	garden.	S. Europe.	1597. 6. 7. H. 4.	Lam. ill. t. 20. f. 1.
β <i>variegata</i> .	variegated.	— —	— H. h.	
γ <i>tenuior</i> .	narrow-leaved.	Spain.	— — H. h.	
43 <i>Spielmanni</i> . R.S.	Spielman's.	Caucasus.	1813. — H. 4.	Jacq. f. ecl. 2. t. 15.
44 <i>philomoides</i> . R.S.	Mullein-leav'd.	Spain.	1805. 5. 6. H. 4.	Reem. script. his. t. 1. f. 1.
45 <i>urticifolia</i> . R.S.	Nettle-leaved.	N.America.	1799. 6. 7. H. 4.	Moris. his. 3. t. 13. f. 31.

46 <i>lusitanica</i> . R.S. <i>bullata</i> . W.en. <i>elongata</i> . Spr.	blistered.	Portugal.	1804.	7. 8. H. 4.	Jacq. f. ecl. t. 38.
47 <i>rugosa</i> . R.S.	wrinkle-leaved.	C. B. S.	1775.	— H. b.	
48 <i>verticillata</i> . R.S. β <i>parviflora</i> .	whorled. small-flowered.	Germany.	1658.	6. 11. H. 4.	Mirb. an. m. 15. t. 15. f. 10
49 <i>indica</i> . R.S.	Indian.	India.	1731.	5. 7. H. 4.	
50 <i>Tenorii</i> . R.S.	Tenore's.	Italy.	1820.	5. 8. H. 4.	Botan. magaz. 395. Swt. br. fl. gar. 26.
51 <i>candidissima</i> . R.S. <i>crassifolia</i> . F.G. non Cay.	hoary-leaved.	Levant.	1804.	6. 7. G. 4.	Flor. græc. t. 26.
52 <i>verbascifolia</i> . R.S.	Verbascum-ld.	Iberia.	1825.	— H. 4.	
53 <i>odorata</i> . R.S.	sweet-scented.	Bagdad.	1804.	7. F. b.	Jacq. f. ecl. t. 16.
54 <i>compressa</i> . R.S.	compressed.	Levant.	1816.	7. 8. H. 4.	Venten. cels. t. 59.
55 <i>mollis</i> . R.S.	soft.	Siberia.	1596.	6. 10. H. 4.	Jacq. f. ecl. t. 37.
56 <i>grandiflora</i> . R.S.	great-flower'd.	S. Europe.	1616.	6. 9. H. 4.	_____ t. 36.
57 <i>crassifolia</i> . R.S.	thick-leaved.	1804.	— H. b.	
58 <i>pratensis</i> . R.S.	meadow.	England.	5. 11. H. 4.	Eng. bot. 153.
59 <i>variegata</i> . R.S.	variegated.	Hungary.	1814.	6. 8. H. 4.	
60 <i>hamatodes</i> . R.S.	bloody-veined.	Italy.	1699.	7. 8. H. 4.	Barrel. ic. t. 185.
61 <i>nepetifolia</i> . R.S.	Catmint-leav'd.	1823.	— H. ♂.	
62 <i>viscosa</i> . R.S.	clammy.	Italy.	1773.	5. 6. H. 4.	Jacq. ic. 1. t. 5.
63 <i>disermas</i> . R.S.	long-spiked.	Syria.	—	7. H. 4.	Barrel. ic. 187.
64 <i>nutans</i> . R.S.	nodding.	Russia.	1780.	6. 8. H. 4.	Botan. magaz. 2436.
65 <i>pendula</i> . R.S. β <i>betonicaefolia</i> . w.	Betony-leaved.	1804.	— H. 4.	
66 <i>amplexicaulis</i> . R.S.	large-flowered.	— H. 4.	
67 <i>austriaca</i> . R.S.	stem-clasping.	Levant.	1813.	7. 9. H. 4.	Jacq. aust. 2. t. 112.
68 <i>syriaca</i> . R.S.	Austrian.	Austria.	1776.	6. 7. H. 4.	Arduin. spec. 1. t. 1.
69 <i>nubia</i> . R.S.	Syrian.	Levant.	1759.	7. G. b.	Murr. e. gott. 1778. t. 3.
70 <i>virgata</i> . R.S.	Nubian.	Africa.	1784.	6. 7. G. 4.	Jacq. schœn. 1. t. 37.
71 <i>campestris</i> . R.S.	long-branched.	Armenia.	1758.	7. 11. H. 4.	
72 <i>sylvestris</i> . R.S.	field.	Tauria.	1813.	6. 7. H. 4.	Jacq. aust. 3. t. 212.
73 <i>nemorosa</i> . R.S.	wood.	Germany.	1759.	6. 10. H. 4.	
74 <i>patula</i> . R.S.	spear-leaved.	1728.	— H. 4.	
75 <i>tingitana</i> . R.S.	spreading.	Portugal.	1805.	5. 7. H. 4.	Rivin. monop. 1. t. 52.
76 <i>Sclarea</i> . R.S.	Tangier.	Barbary.	1796.	7. G. b.	Flor. græc. 1. t. 25.
77 <i>spinosa</i> . R.S.	common Clary.	Italy.	1562.	7. 9. H. ♂.	Jacq. ic. 1. t. 7.
78 <i>Æthiopis</i> . R.S.	thorny-calyxed.	Egypt.	1789.	6. G. ♂.	Jacq. aust. 3. t. 211.
79 <i>argentea</i> . R.S.	woolly.	Austria.	1570.	5. 6. H. ♂.	Flor. græc. 1. t. 27.
80 <i>aplanata</i> . R.S.	silvery.	Crete.	1759.	5. 7. H. 4.	
81 <i>Horminum</i> . R.S. α <i>violacea</i> .	short-spined.	1818.	6. 8. H. ♂.	Flor. græc. 1. t. 20.
β <i>rubra</i> .	annual Clary.	S. Europe.	1596.	— H. ♂.	
82 <i>viridis</i> . R.S.	purple-topped.	—	— H. ♂.	Flor. græc. 1. t. 19.
83 <i>pyramidalis</i> . R.S.	red-topped.	—	— H. ♂.	
84 <i>verbenaca</i> . R.S.	green topped.	Italy.	1759.	— H. ♂.	
85 <i>triloba</i> . R.S.	pyramidal.	1825.	— H. 4.	
86 <i>lyrata</i> . R.S.	wild clary.	Britain.	6. 10. H. 4.	Eng. bot. 154.
87 <i>gigantea</i> . R.S.	three-lobed.	S. Europe.	1596.	6. 7. H. b.	Flor. græc. 1. t. 17.
88 <i>abyssinica</i> . R.S.	lyre-leaved.	N.America.	1728.	— H. 4.	Moris. s. 11. t. 13. f. 27.
89 <i>nilotica</i> . R.S.	giant.	1816.	— H. ♂.	
90 <i>Forskohlii</i> . R.S.	Abyssinian.	Abyssinia.	1775.	6. 7. G. 4.	Jacq. ic. 1. t. 6.
91 <i>napifolia</i> . R.S.	Egypt.	1780.	6. 8. H. ♂.	Jacq. vind. 3. t. 92.
92 <i>aurita</i> . R.S.	Forskohli's.	Levant.	1800.	— H. 4.	Botan. magaz. 988.
93 <i>bicolor</i> . R.S.	Rape-leaved.	Italy.	1776.	6. 7. H. 4.	Jacq. vind. 2. t. 262.
94 <i>laciniata</i> . R.S.	ear-leaved.	C. B. S.	1795.	5. 6. G. b.	Botan. magaz. 1774.
95 <i>runcinata</i> . R.S.	two-coloured.	Barbary.	1793.	6. 7. H. 4.	
96 <i>scabra</i> . R.S.	jagged-leaved.	1818.	— H. 4.	
97 <i>erosa</i> . R.S.	runcinate.	C. B. S.	1795.	— G. b.	Jacq. schœn. 1. t. 8.
98 <i>multifida</i> . L.en. <i>polymorpha</i> . R.S.	rough-leaved.	1774.	4. 9. G. b.	Flor. græc. 1. t. 23.
99 <i>clandestina</i> . R.S.	erose-leaved.	1823.	6. 9. H. ♂.	
100 <i>ceratophylla</i> . R.S.	multifid.	S. Europe.	—	5. 6. H. 4.	1. t. 24.
101 <i>ceratophyloides</i> .	cut-leaved.	Italy.	1739.	4. 7. H. ♂.	Pluk. alm. t. 194. f. 5.
102 <i>prismatica</i> . R.S.	stag's-horn-ld.	Persia.	1699.	7. 8. H. ♂.	Arduin. spec. 2. t. 2.
COLLINSONIA . R.S.	branching.	Egypt.	1771.	6. 8. H. ♂.	
1 canadensis. R.S.	slender-spiked.	Mexico.	1822.	— H. ♂.	
2 <i>scabriuscula</i> . R.S.	Nettle-leaved.	Diandria Monogynia. L.		
3 <i>ovalis</i> . R.S.	rough-stalked.	N.America.	1735.	8. 10. H. 4.	Linn. hort. clif. t. 5.
	oval-leaved.	Florida.	1770.	7. 9. H. 4.	
		Carolina.	1812.	8. H. 4.	

4 <i>tuberosa</i> . M. <i>serotina</i> . R.S.	tuberous.	Carolina.	1806.	8.	H. 4.	
5 <i>anisata</i> . R.S.	Anise-scented.	—	—	10.	H. 4.	Botan. magaz. 1213.
LUMNITZERA. S.S.	LUMNITZERA.	Didynamia	Gymnospermia.	S.S.		
1 <i>ocymoides</i> . s.s.	Basil-like.	1823.	6. 8.	S. ♂.		
2 <i>polystachya</i> . s.s.	many-spiked.	E. Indies.	1783.	7. 8.	S. ♂.	Murr. c. gott. 3. t. 3.
<i>Ocymum polystachion</i> . w.						
3 <i>tenuiflora</i> . s.s.	slender-spiked.	—	1708.	—	S. ♂.	Rumph. amb. 5. t. 92. f. 2.
4 <i>capitata</i> . s.s.	small-headed.	China.	1806.	—	H. ♂.	
<i>Ocymum capitellatum</i> . w.						
OCYMIUM. W.	BASIL.	Didynamia	Gymnospermia.	L.		
1 <i>thyrsiflorum</i> . s.s.	thyrs-flower'd.	E. Indies.	1806.	7. 8.	S. ♂.	Jacq. vind. 3. t. 72.
2 <i>gratissimum</i> . s.s.	shrubby.	—	1752.	—	S. ♂.	Jacq. ic. 3. t. 495.
3 <i>Basilicum</i> . w.	common sweet.	India.	1548.	—	H. ♂.	Blackw. t. 104.
4 <i>pilosum</i> . w.en.	hairy.	—	1816.	7. 9.	H. ♂.	
5 <i>micranthum</i> . s.s.	small-flowered.	—	—	—	S. ♂.	
6 <i>viride</i> . s.s.	green.	E. Indies.	—	—	S. ♂.	
7 <i>suave</i> . s.s.	sweet-scented.	—	—	—	S. ♂.	
8 <i>canum</i> . B.M.	hoary.	China.	1822.	—	H. ♂.	Botan. magaz. 2452.
9 <i>sanctum</i> . s.s.	purple-stalked.	E. Indies.	1758.	—	S. ♂.	Rheed. mal. 10. t. 92.
10 <i>febrifugum</i> . s.s.	Feverwort.	Sierra Leon.	1821.	—	S. ♂.	Botan. regist. 753.
11 <i>album</i> . s.s.	large white-fld.	E. Indies.	1816.	—	S. ♂.	Jacq. vind. 3. t. 86.
12 <i>americanum</i> . s.s.	American.	S. America.	1789.	7. 8.	S. ♂.	
13 <i>caryophyllum</i> . H.B.	Clove-scented.	E. Indies.	1817.	—	S. ♀.	
14 <i>villosum</i> . H.B.	villous.	—	—	—	S. ♀.	
15 <i>menthaoides</i> . s.s.	Mint-leaved.	—	1783.	—	S. ♂.	
16 <i>inodorum</i> . Lam.	scentless.	—	1823.	—	S. ♂.	
17 <i>crustatum</i> . H.B.	crested.	—	1812.	—	S. ♂.	
18 <i>grandiflorum</i> . s.s.	great-flower'd.	Abyssinia.	1802.	9. 10.	G. ♀.	L'Herit. s. nov. t. 43.
19 <i>minimum</i> . s.s.	bush.	—	1573.	—	H. ♂.	Schk. handb. 2. t. 166.
PLECTRANTHUS. S.S.	PLECTRANTHUS.	Didynamia	Gymnospermia.	S.S.		
1 <i>fruticosus</i> . s.s.	shrubby.	C. B. S.	1774.	6. 9.	G. ♀.	L'Herit. stirp. 85. t. 41.
2 <i>scutellarioides</i> . s.s.	Skulcap-like.	E. Indies.	1764.	7. 8.	S. ♂.	Botan. magaz. 1446.
<i>Ocymum scutellarioides</i> . B.M.						
3 <i>galeatus</i> . s.s.	helmetted.	Nepaul.	1820.	—	S. ♂.	
4 <i>graveolens</i> . B.P.	strong-scented.	N. S. W.	—	—	G. ♀.	
5 <i>australis</i> . B.P.	New Holland.	—	1823.	—	G. ♂.	
6 <i>incanus</i> . s.s.	hoary.	Nepaul.	—	—	G. ♀.	
7 <i>monachorum</i> . s.s.	monk's basil.	E. Indies.	1796.	—	S. ♂.	
<i>Ocymum monachorum</i> . w.						
8 <i>mollis</i> . s.s.	heart-leaved.	—	1781.	9. 10.	S. ♂.	
9 <i>Forskohlei</i> . s.s.	Forskohl's.	Abyssinia.	1806.	10. 11.	S. ♂.	Botan. magaz. 2036.
<i>barbatus</i> . A.R. 594.						
10 <i>strobiliferus</i> . H.B.	thick-spiked.	E. Indies.	1804.	6. 9.	S. ♂.	Rheed. mal. 10. t. 90.
11 <i>secundus</i> . H.B.	side-flowering.	—	1816.	—	S. ♂.	
12 <i>punctatus</i> . s.s.	dotted.	Africa.	1775.	1. 5.	G. ♂.	L'Herit. stirp. 1. t. 41.
13 <i>rotundifolius</i> . s.s.	round leaved.	Mauritius.	1823.	6. 8.	S. ♂.	
14 <i>parviflorus</i> . s.s.	small-flowered.	S. America.	1805.	6. 9.	G. ♀.	W. hort. ber. 1. t. 65.
15 <i>cordifolius</i> . D.P.	heart-leaved.	Nepaul.	1823.	—	G. ♀.	
16 <i>comosus</i> . B.M.	tufted.	—	1820.	—	S. ♂.	Botan. magaz. 2318.
17 <i>coloratus</i> . D.P.	coloured bracted.	—	1823.	—	G. ♀.	
18 <i>Coetsa</i> . D.P.	canescent.	—	—	—	G. ♀.	
19 <i>ternatus</i> . B.M.	ternate-leaved.	Madagascar.	1820.	11.	S. ♀.	Botan. magaz. 2460.
PRUNELLA. S.S.	SELF-HEAL.	Didynamia	Gymnospermia.	L.		
1 <i>vulgaris</i> . s.s.	common.	Britain.	—	7. 8.	H. 4.	Eng. bot. 961.
β <i>alba</i> .	white-flowered.	—	—	—	H. 4.	
2 <i>pensylvanica</i> . s.s.	Pensylvanian.	N. America.	1801.	7. 9.	H. ♂.	W. hort. ber. 1. t. 9.
3 <i>grandiflora</i> . s.s.	great-flowered.	Austria.	1596.	—	H. 4.	Botan. magaz. 2014.
4 <i>intermedia</i> . s.s.	intermediate.	S. Europe.	1790.	—	H. 4.	— 337. —
<i>grandiflora</i> . B.M.						
5 <i>incisa</i> . L.en.	cut-leaved.	—	—	—	H. 4.	
6 <i>laciniata</i> . L.	yellow-flow'r'd.	Austria.	1713.	—	H. ♂.	Lam. ill. t. 516. f. 2.
7 <i>hastata</i> . s.s.	halberd-leaved.	Portugal.	—	—	H. 4.	
8 <i>longifolia</i> . P.S.	long-leaved.	France.	—	—	H. 4.	
9 <i>hyssopifolia</i> . s.s.	hyssop-leaved.	S. Europe.	1731.	7. 9.	H. 4.	Moris. s. 11. t. 5. f. 7.
MELISSA. S.S.	BALM.	Didynamia	Gymnospermia.	L.		
1 <i>officinalis</i> . w.	common.	S. Europe.	1573.	6. 10.	H. 4.	
β <i>hiruta</i> .	hairy.	—	—	—	H. 4.	

2 <i>cordifolia</i> . P.S.	heart-leaved.	S. Europe.	6. 10. H. Ȑ.	
3 <i>attissima</i> . S.S.	tall.	1823.	H. Ȑ.	
HORMINUM. P.S.	HORMINUM.	Didynamia Gymnospermia. P.S.		
pyrenaicum. P.S.	Pyrenean.	Pyrenees.	1820. 6. 7. H. Ȑ.	
1 <i>virginianum</i> . s.s.	Virginian.	N. America.	1683. 7. 9. H. Ȑ.	
2 <i>speciosum</i> . B.F.G.	beautiful.		1820. — H. Ȑ.	
3 <i>denticulatum</i> . s.s.	toothed.	Carolina.	1787. 8. 9. H. Ȑ.	
4 <i>variegatum</i> . s.s.	variegated.		1812. — H. Ȑ.	
5 <i>Ruyschiana</i> . s.s.	Hyssop-leaved.	N. Europe.	1699. 6. 9. H. Ȑ.	
6 <i>austriacum</i> . s.s.	Austrian.	Austria.	1597. 6. 7. H. Ȑ.	
7 <i>botryoides</i> . s.s.	woolly-leaved.	Caucasus.	1823. — H. Ȑ.	
8 <i>palmatum</i> . s.s.	palmated.	Siberia.	1815. 6. 8. H. Ȑ.	
9 <i>canariense</i> . s.s.	Balm of Gilead.	Canaries.	1697. 7. 9. G. Ȑ.	
10 <i>peregrinum</i> . s.s.	prickly-leaved.	Siberia.	1759. 7. 8. H. Ȑ.	
11 <i>argunense</i> . s.s.	Fischer's.		1822. 7. 9. H. Ȑ.	
12 <i>grandiflorum</i> . s.s.	great-flowered.		1759. — H. ⓧ.	
13 <i>altaiene</i> . s.s.	Betony-leaved.	Georgia.	1787. — H. Ȑ.	
14 <i>Moldavica</i> . s.s.	Moldavian.	Moldavia.	1596. 7. 8. H. ⓧ.	
15 <i>canescens</i> . s.s.	hoary-leaved.	Levant.	1711. — H. ⓧ.	
16 <i>peltatum</i> . s.s.	Willow-leaved.		— — H. ⓧ.	
17 <i>thymiflorum</i> . s.s.	small-flowered.	Siberia.	1752. 6. 9. H. ⓧ.	
18 <i>nutans</i> . s.s.	nodding.		1731. 7. 8. H. Ȑ.	
19 <i>sibiricum</i> . s.s.	Siberian.		1760. 6. 8. H. Ȑ.	
PRASIUM. S.S.	PRASIUM.	Didynamia Gymnospermia. L.		
1 <i>majus</i> . s.s.	great.	S. Europe.	1699. 6. 8. G. Ȑ.	
2 <i>minus</i> . s.s.	smaller.		1752. — F. Ȑ.	
PHRYMA. S.S.	PHRYMA.	Didynamia Gymnospermia. L.		
leptostachya. s.s.	slender-spiked.	N. America.	1802. 8. 9. H. Ȑ.	
CLEONIA. S.S.	CLEONIA.	Didynamia Gymnospermia. L.		
lusitanica. s.s.	sweet-scented.	Portugal.	1710. 6. 7. H. ⓧ.	
TRICHOSTEMMA. S.S.	TRICHOSTEMMA.	Didynamia Gymnospermia. L.		
1 <i>dichotomum</i> . s.s.	Majororam-d.	N. America.	1759. 6. 7. H. ⓧ.	
2 <i>linearis</i> . s.s.	linear-leaved.		— — H. ⓧ.	
THYMUS. S.S.	THYME.	Didynamia Gymnospermia. L.		
1 <i>villosus</i> . s.s.	hairy.	Portugal.	1759. 6. 7. F. Ȑ.	
2 <i>cephalotus</i> . s.s.	great headed.		7. 8. H. Ȑ.	
3 <i>capitatus</i> . L.en.	headed.	1823.	H. Ȑ.	
4 <i>odoratissimum</i> . s.s.	very sweet.	Tauria.	— — H. Ȑ.	
5 <i>acicularis</i> . s.s.	needle-shaped.	Hungary.	1806. 6. 8. H. Ȑ.	
6 <i>hirsutus</i> . s.s.	hairy.		1816. — H. Ȑ.	
7 <i>Zygis</i> . s.s.	Spanish.	Spain.	1771. 8. H. Ȑ.	
8 <i>Marschallianus</i> . s.s.	Marschall's.	Russia.	1815. 6. 8. H. Ȑ.	
9 <i>glabrescens</i> . L.en.	smooth.	S. Europe.	1823. — H. Ȑ.	
10 <i>angustifolius</i> . s.s.	narrow-leaved.	Europe.	— — H. Ȑ.	
11 <i>Serpillum</i> . s.s.	wild or mother of.	Britain.	— — H. Ȑ.	
12 <i>exserens</i> . s.s.	exserted.		— — H. Ȑ.	
13 <i>citriodorus</i> . L.en.	Lemon.	Europe.	— — H. Ȑ.	
14 <i>collinus</i> . s.s.	hill.	Tauria.	1823. — H. Ȑ.	
15 <i>montanus</i> . W.K.	mountain.	Hungary.	1800. 6. 7. H. Ȑ.	
16 <i>nummularius</i> . M.B.	moneywort.	Caucasus.	1818. — H. Ȑ.	
17 <i>pannonicus</i> . W.en.	Hungarian.	Hungary.	— — H. Ȑ.	
18 <i>lanuginosus</i> . s.s.	woolly.	Europe.	— — 6. 8. H. Ȑ.	
19 <i>tomentosus</i> . s.s.	tomentose.	Spain.	1816. — H. Ȑ.	
20 <i>albicans</i> . s.s.	white-leaved.	Portugal.	— — H. Ȑ.	
21 <i>adscendens</i> . L.en.	ascending.	S. Europe.	— — H. Ȑ.	
22 <i>lucidus</i> . s.s.	shining-leaved.		— — H. Ȑ.	
23 <i>vulgaris</i> . s.s.	comamon.	S. Europe.	1816. — H. Ȑ.	
β <i>latifolius</i> .	broad-leaved.		S. Europe.	1548. 5. 8. H. Ȑ.
24 <i>Mastichina</i> . s.s.	Mastick.	Spain.	1596. 7. 9. F. Ȑ.	
25 <i>elongatus</i> . L.en.	elongated.		1816. — F. Ȑ.	
26 <i>Tragoriganum</i> . s.s.	goat's.	Candia.	1640. 5. 6. F. Ȑ.	
27 <i>filiformis</i> . s.s.	filiform.	Minorca.	1770. 6. 7. G. Ȑ.	
28 <i>fruticulosus</i> . s.s.	frutescent.	Sicily.	1823. — H. Ȑ.	
29 <i>croaticus</i> . P.S.	oval-leaved.	Hungary.	1802. 7. 8. H. Ȑ.	
Piperella. W.K. non L.				
30 <i>ericæfolius</i> . W.en.	Heath-leaved.	Spain.	1806. 6. 8. H. Ȑ.	
CALAMINTHA. Ph.	CALAMINT.	Didynamia Gymnospermia.		
1 <i>marifolia</i> . P.S.	Marum-leaved.	Spain.	1788. 6. 7. H. Ȑ.	
<i>Nepeta marifolia</i> . cav.	<i>Thymus marifolius</i> . W.en.		Cavan. ic. 6. t. 576.	
			Jacq. vind. 2. t. 183.	
			Botan. magaz. 467.	
			Swt. br. fl. gar. 93.	
			Botan. magaz. 214.	
			Venten. cels. t. 44.	
			Flor. dan. 121.	
			Jacq. ic. 1. t. 112.	
			Comm. hort. 2. t. 41.	
			Botan. magaz. 1084.	
			Swt. br. fl. gar. 47.	
			Botan. magaz. 1009?	
			Nov.com.pet. t.29. f.3.	
			Lam. ill. t. 513. f. 1.	
			Swt. br. fl. gar. 38.	
			Lam. ill. t. 513. f. 2.	
			Gmel. sib. 3. t. 50.	
			Botan. regist. 841.	
			Botan. magaz. 2185.	
			Flor. græc. 584.	
			Lam. ill. t. 516.	
			Mill. ic. 1. t. 70.	
			Lam. ill. t. 515.	
			Hof. et Lk. fl. lus. t.14.	
			—— — — — t. 13.	
			W. et K. hung. 2. t. 147.	
			Barrel. ic. 777.	
			Hof. et Lk. fl. lus. t. 15.	
			Eng. bot. 1514.	
			W. et K. hung. 1. t.71.	
			Blackw. t. 134.	
			Alp. exot. t. 78.	
			W. et K. hung.2. t.156.	

2 <i>cretica</i> . P.S.	Cretan.	S. Europe.	1596.	6. 7.	F. $\frac{1}{2}$.	Barrel. ic. 1166.
3 <i>fruticosa</i> . P.S.	shrubby.	Spain.	1752.	7. 9.	F. $\frac{1}{2}$.	
4 <i>alba</i> . L.en.	white.	Hungary.	1818.	—	H. $\frac{1}{2}$.	
5 <i>Nepeta</i> . P.S.	lesser.	England.	—	7. 10.	H. $\frac{1}{2}$.	Eng. bot. 1414.
<i>Melissa Nepeta</i> . L. <i>Thymus Nepeta</i> . E.B.			—	7. 8.	H. $\frac{1}{2}$.	— 1676.
6 <i>vulgaris</i> . common.			—	—	—	
<i>Melissa Calamintha</i> . L. <i>Thymus Calamintha</i> . E.B.			—	—	—	
7 <i>grandiflora</i> . P.S.	great-flowered.	Italy.	1596.	6. 9.	H. $\frac{1}{2}$.	Botan. magaz. 208.
<i>Melissa grandiflora</i> . B.M.			—	—	—	
8 <i>caroliniana</i> . N.	Carolina.	Carolina.	1804.	6. 7.	F. $\frac{1}{2}$.	— 997.
<i>Thymus grandiflorus</i> . B.M.			—	—	—	
ACINOS. P.S.	ACINOS.	Didynamia Gymnospermia. P.S.				
1 <i>vulgaris</i> . P.S.	Basil-leaved.	Britain.	—	6. 8.	H. \odot .	Eng. bot. 411.
<i>Thymus Acinos</i> . E.B.			—	—	—	
2 <i>graveolens</i> . L.en.	strong-scented.	Tauria.	1823.	—	H. $\frac{1}{2}$.	
3 <i>villusos</i> . P.S.	villous.	Germany.	1817.	—	H. \odot .	
4 <i>alpinus</i> . P.S.	Alpine.	Austria.	1731.	6. 9.	H. β .	Jacq. aust. 1. t. 97.
5 <i>purpurascens</i> . P.S.	purple.	Spain.	1820.	—	H. β .	
6 <i>patavinus</i> . P.S.	Marjoram-ld.	S. Europe.	1776.	6. 8.	H. β .	Jacq. obs. 4. t. 87.
7 <i>rotundifolius</i> . P.S.	round-leaved.	Spain.	1820.	—	H. $\frac{1}{2}$.	
THYMBRA. S.S.	THYMBRA.	Didynamia Gymnospermia. L.				
1 <i>spicata</i> . L.	spiked-flow'r'd.	Levant.	1699.	6. 7.	G. $\frac{1}{2}$.	Plak. alm. t. 116. f. 5.
2 <i>verticillata</i> . L.	whorl-flowered.	Spain.	1702.	—	G. $\frac{1}{2}$.	
LEPECHINIA. S.S.	LEPECHINIA.	Didynamia Gymnospermia. W.				
<i>spicata</i> . s.s.	spiked.	Mexico.	1800.	7. 8.	H. $\frac{1}{2}$.	W. hort. ber. t. 21.
CLINOPODIUM. S.S.	WILD-BASIL.	Didynamia Gymnospermia. L.				
1 <i>vulgare</i> . s.s.	common.	Britain.	—	6. 8.	H. $\frac{1}{2}$.	Eng. bot. 1401.
2 <i>ægyptiacum</i> . s.s.	Egyptian.	Egypt.	1759.	—	H. $\frac{1}{2}$.	
MELITTIS. S.S.	BASTARD-BALM.	Didynamia Gymnospermia. L.				
1 <i>Melissophyllum</i> . s.s. common.	England.	—	6. 8.	H. $\frac{1}{2}$.	Eng. bot. 577.	
β <i>alpina</i> .	Alpine.	Switzerland.	—	—	H. $\frac{1}{2}$.	Eng. bot. 636.
2 <i>grandiflora</i> . s.s.	great-flowered.	England.	—	5.	H. $\frac{1}{2}$.	
SCUTELLARIA. S.S.	SKULLCAP.	Didynamia Gymnospermia. L.				
1 <i>galericulata</i> . s.s.	common.	Britain.	—	6. 9.	H. $\frac{1}{2}$.	Eng. bot. 523.
2 <i>hastifolia</i> . s.s.	hastate-leaved.	Germany.	1798.	6. 7.	H. $\frac{1}{2}$.	
3 <i>minor</i> . s.s.	lesser.	Britain.	—	7. 8.	H. $\frac{1}{2}$.	
4 <i>parvula</i> . s.s.	slender.	N. America.	1823.	—	H. $\frac{1}{2}$.	
5 <i>havanensis</i> . s.s.	Havannah.	Havannah.	1793.	5. 6.	S. $\frac{1}{2}$.	Jacq. obs. 2. t. 29.
6 <i>humilis</i> . B.P.	dwarf.	N. S. W.	1822.	6. 8.	G. $\frac{1}{2}$.	
7 <i>grandiflora</i> . s.s.	large-flowered.	Siberia.	1804.	7. 8.	H. $\frac{1}{2}$.	Botan. magaz. 635.
8 <i>lateriflora</i> . s.s.	Virginian.	N. America.	1752.	6. 9.	H. $\frac{1}{2}$.	
9 <i>orientalis</i> . s.s.	yellow-flow'r'd.	Levant.	1729.	7. 9.	H. $\frac{1}{2}$.	Swt. br. fl. gar. 45.
10 <i>altaica</i> . F.	Altay.	Siberia.	1816.	—	H. $\frac{1}{2}$.	
11 <i>alpina</i> . s.s.	Alpine.	Hungary.	1752.	6. 10.	H. $\frac{1}{2}$.	Swt. br. fl. gar. t. 90.
12 <i>peregrina</i> . s.s.	Florentine.	Italy.	1783.	—	H. $\frac{1}{2}$.	W. et K. hung. 2. t. 125.
13 <i>altissima</i> . s.s.	tall.	Levant.	1731.	7. 8.	H. $\frac{1}{2}$.	
14 <i>pallida</i> . s.s.	pale-flowered.	Tauria.	1824.	—	H. $\frac{1}{2}$.	
15 <i>Columnæ</i> . s.s.	heart-leaved.	Italy.	1806.	6. 8.	H. $\frac{1}{2}$.	Swt. br. fl. gar. 52.
16 <i>rubicunda</i> . s.s.	rubricund.	—	1815.	—	H. $\frac{1}{2}$.	
17 <i>albida</i> . s.s.	hairy white.	Levant.	1771.	6. 7.	H. $\frac{1}{2}$.	Flor. græc. 581.
18 <i>lupulina</i> . s.s.	Tartarian.	Tartary.	1739.	6. 9.	H. $\frac{1}{2}$.	Schmidel ic. t. 73.
19 <i>integrifolia</i> . s.s.	entire-leaved.	N. America.	1731.	6. 9.	H. $\frac{1}{2}$.	Plak. alm. t. 441. f. 6.
20 <i>hyssopifolia</i> . W.	Hysop-leaved.	—	—	—	H. $\frac{1}{2}$.	
21 <i>purpurascens</i> . s.s.	purplish.	W. Indies.	1823.	—	S. $\frac{1}{2}$.	
22 <i>caroliniana</i> . s.s.	Carolina.	Carolina.	1811.	—	H. $\frac{1}{2}$.	Lam. ill. t. 515. f. 3.
23 <i>pilosa</i> . s.s.	pilose.	N. America.	—	—	H. $\frac{1}{2}$.	
24 <i>serrata</i> . s.s.	saw-leaved.	—	1800.	—	H. $\frac{1}{2}$.	Andr. deposit. 494.
25 <i>scordifolia</i> . F.	Scordium-ld.	Siberia.	1823.	—	H. $\frac{1}{2}$.	
26 <i>verna</i> . Bess.	vernal.	—	—	5. 6.	H. $\frac{1}{2}$.	
PROSTANTHERA. B.P.	PROSTANTHERA.	Didynamia Gymnospermia.				S.S.
1 <i>lasianthus</i> . B.P.	villous-flower'd.	N. S. W.	1808.	6. 7.	G. $\frac{1}{2}$.	Botan. regist. 143.
2 <i>linearis</i> . B.P.	linear-leaved.	—	1823.	—	G. $\frac{1}{2}$.	
3 <i>denticulata</i> . B.P.	tooth-leaved.	—	—	—	G. $\frac{1}{2}$.	
4 <i>violacea</i> . B.P.	violet-coloured.	—	—	4. 6.	G. $\frac{1}{2}$.	
AJUGA. S.S.	AJUGA.	Didynamia Gymnospermia. L.				
1 <i>Iva</i> . s.s.	musky.	S. Europe.	1759.	7. 8.	H. \odot .	Cavan. ic. 2. t. 120.
2 <i>reptans</i> . s.s.	common.	Britain.	—	5. 6.	H. $\frac{1}{2}$.	Eng. bot. 489.
α <i>cærulea</i> .	blue-flowered.	—	—	—	H. $\frac{1}{2}$.	
β <i>rubra</i> .	red-flowered.	—	—	—	H. $\frac{1}{2}$.	
γ <i>alba</i> .	white-flowered.	Britain.	—	5. 6.	H. $\frac{1}{2}$.	

3 alpina. s.s.	Alpine.	England.	5. 7.	H. 4.	Eng. bot. 477.
4 genevensis. s.s.	Geneva.	Switzerland.	1656.	5. 6.	Bull. herb. t. 361.
5 pyramidalis. s.s.	pyramidal.	Britain.	—	Eng. bot. 1270.
6 orientalis. s.s.	oriental.	Levant.	1732.	—	Swt. br. fl. gar. ic.
7 Chamæpitys. s.s.	ground pine.	England.	4. 7.	Eng. bot. 77.
ANISOMELES. B.P.	ANISOMELES.	Didynamia Gymnospermia. S.S.			
1 ovata. s.s.	broad-leaved.	E. Indies.	1783.	7. 8.	Burm. zeyl. t. 71. f. 1.
2 malabarica. s.s.	Malabar.	1817.	—	Rheed. mal. 10. t. 93.
3 furcata.	forked.	Nepaul.	1823.	—	Dill. elt. t. 284. f. 366.
nepalensis. s.s. <i>Ajuga furcata.</i> L.en.					Botan. magaz. 245.
TEUCRIUM. S.S.	GERMANDER.	Didynamia Gymnospermia. L.			
1 fruticans. w.	narrow-l'd. shrubby.	Spain.	1640.	6. 9.	Jacq. vind. 3. t. 41.
2 latifolium. L.	broad-l'd. shrubby.	—	H. h.	Jacq. obs. 2. t. 30.
3 heterophyllum. s.s.	various-leaved.	Madeira.	1759.	6. 7.	Moris. s. t. 22. f. 19.
4 Laxmanni. s.s.	Laxmann's.	Siberia.	1800.	6. 8.	Pluk. alm. t. 65. f. 1.
5 brevifolium. s.s.	short-leaved.	Crete.	1824.	—	Bocc. mus. t. 117.
6 asiaticum. s.s.	Asiatic.	1777.	6. 10.	Magn. hort. 52.
7 cubense. s.s.	Cuba.	Cuba.	1733.	5.	Eng. bot. 680.
8 Nissolianum. s.s.	Nissole's.	Spain.	1752.	6. 7.	— 828.
9 campanulatum. s.s.	bell-flowered.	Levant.	1728.	7. 8.	Cavan. ic. 1. t. 31.
10 regium. s.s.	royal.	Spain.	1699.	5. 10.	Ger. emac. 525. f. 2.
11 multiflorum. s.s.	many-flowered.	1731.	7. 9.	Barrel. rar. t. 1080.
12 lucidum. s.s.	shining.	S. Europe.	1730.	6. 9.	— t. 1092.
13 Chamaedrys. s.s.	wall.	England.	—	Jacq. aust. 5. t. 417.
14 Scordium. s.s.	water.	5. 8.	H. 4.	Barrel. rar. t. 1074.
15 scordiooides. s.s.	likened.	S. Europe.	1816.	—	Col. ephr. 1. t. 67.
16 spinosum. s.s.	thorny.	Spain.	1640.	5. 6.	Cavan. ic. 2. t. 119.
17 Botrys. s.s.	cut-leaved.	S. Europe.	1633.	7. 9.	Barrel. rar. t. 1066.
18 trifidum. s.s.	trifid-leaved.	C. B. S.	1791.	6. 8.	— t. 1083.
19 angustissimum. s.s.	narrow-leaved.	Spain.	1818.	—	Cavan. ic. 2. t. 117.
20 pumilum. s.s.	small.	1816.	7. 8.	Barrel. rar. t. 1073.
21 thymifolium. s.s.	Thyme-leaved.	Spain.	—	6. 10.	Botan. magaz. 2013.
22 supinum. s.s.	procumbent.	Austria.	1752.	—	Jacq. schoen. 3. t. 358.
23 montanum. s.s.	dwarf-mountain.	S. Europe.	1710.	7. 10.	Eng. bot. 1543.
24 Polium. s.s.	Poley.	1562.	7. 9.	Botan. magaz. 1114.
25 Pseudohyssopus. s.s. <i>Hyssop-leav'd.</i>		Italy.	1804.	6. 7.	Park. theat. 109. f. 1.
26 capitatum. s.s.	round-headed.	Spain.	1731.	7. 8.	Jacq. vind. 1. t. 94.
27 lusitanicum. s.s.	Portugal.	Portugal.	1816.	—	Desf. atl. 2. t. 117.
28 pycnophyllum. s.s.	clustered.	Spain.	—	H. 4.	Park. theat. 17. f. 2.
29 gnaphalodes. s.s.	woolly-calyx'd.	—	7. 9.	Botan. magaz. 1279.
30 aureum. s.s.	golden Poley.	S. Europe.	1731.	6. 7.	Andr. deposit. 214.
31 flavescens. P.S.	yellow Poley.	—	7. 9.	Schk. hand. 2. t. 157.
32 hyrcanicum. s.s.	Betony-leaved.	Persia.	1763.	8. 10.	Barrel. ie. t. 301.
33 inflatum. s.s.	thick-spiked.	Jamaica.	1778.	—	Hoff. et Lk. lus. 1. t. 4.
34 virginicum. s.s.	Virginian.	N. America.	1768.	5. 6.	Botan. magaz. 401.
35 canadense. s.s.	Canadian.	—	8. 9.	
36 abutiloides. s.s.	Mulberry-l'd.	Madeira.	1777.	4. 5.	
37 Scorodonia. s.s.	wood sage.	Britain.	7.	
38 betonicum. s.s.	hoary.	Madeira.	1775.	5. 8.	
39 flavum. s.s.	yellow-flow'r'd.	S. Europe.	1640.	7. 9.	
40 massiliense. s.s.	sweet-scented.	France.	1731.	6. 7.	
41 resupinatum. s.s.	resupinate.	Barbary.	1801.	7. 8.	
42 Marum. s.s.	Cat-thyme.	Spain.	1640.	7. 9.	
43 subspinous. s.s.	Minorca.	Minorca.	1816.	—	
44 creticum. s.s.	Cretan.	Crete.	1825.	—	
45 pyrenaicum. s.s.	Pyrenean.	Pyrenees.	1731.	6. 8.	
46 orientale. s.s.	great-flower'd.	Levant.	1752.	7. 8.	
47 sibiricum. L.	Siberian.	Siberia.	1804.	7.	
WESTRINGIA. S.S.	WESTRINGIA.	Didynamia Gymnospermia. S.S.			
1 rosmariniformis. B.P.	Rosemary like.	N. S. W.	1791.	5. 8.	
2 Dampieri. B.P.	Dampier's.	N. Holland.	1803.	5. 7.	
3 angustifolia. B.P.	narrow-leaved.	V. Diem. Isl.	1823.	—	
LAVANDULA. S.S.	LAVENDER.	Didynamia Gymnospermia. L.			
1 Spica. s.s.	common.	S. Europe.	1568.	7. 9.	
β alba.	white-flowered.	—	—	H. h.	
2 latifolia. s.s.	broad-leaved.	—	—	H. h.	
3 Stachys. s.s.	French.	S. Europe.	1562.	5. 7.	
4 viridis. s.s.	Madeira.	Madeira.	1777.	—	
5 dentata. s.s.	tooth-leaved.	Spain.	1597.	6. 9.	

LABIATÆ.

6 pinnata. s.s.	pinnated.	Madeira.	1777.	4. 8.	G. $\frac{1}{2}$.	Botan. magaz. 400.
7 heterophylla. s.s.	various-leaved.	1816.	—	G. $\frac{1}{2}$.	
8 formosa. L.en.	handsome.	—	—	G. $\frac{1}{2}$.	
9 multifida. s.s.	cut-leaved.	Canaries.	1597.	7. 9.	G. $\frac{1}{2}$.	Lobel. ic. 432.
10 abrotanoides. s.s.	Southernwood-ld.	1699.	6. 9.	G. $\frac{1}{2}$.	Comm. rar. t. 27.
11? carnosa. w.	thick-leaved.	E. Indies.	1788.	6. 7.	S. $\frac{1}{2}$.	Linn. amoen.ac. 10. t. 3.
Plectranthus dubius. SIDERITIS. S.S.	s.s.	IRONWORT.	Didynamia Gymnospermia. L.			
1 canariensis. s.s.	Canary.	Canaries.	1697.	5. 8.	G. $\frac{1}{2}$.	Jacq. vind. 3.-t. 30.
2 candicans. s.s.	Mullein-leav'd.	Madeira.	1714.	4. 7.	G. $\frac{1}{2}$.	Comm. hort. 2. t. 99.
3 eretica. s.s.	Cretan.	Crete.	1823.	—	G. $\frac{1}{2}$.	
4 montana. s.s.	mountain.	Austria.	1752.	7. 8.	H. \odot .	Jacq. aust. 5. t. 434.
5 elegans. s.s.	dark-flowered.	1787.	7.	H. \odot .	Murr. com. got. 1. t. 4.
6 romana. s.s.	Roman.	Italy.	1759.	6. 8.	H. \odot .	Cavan. ic. 2. t. 187.
7 syriaca. s.s.	Syrian.	Levant.	1597.	6. 9.	G. $\frac{1}{2}$.	Sabb. hort. 3. t. 40.
8 taurica. W.en.	Taurian.	Tauria.	1818.	—	G. $\frac{1}{2}$.	
9 perfoliata. s.s.	perfoliate.	Levant.	1731.	8. 11.	H. $\frac{1}{2}$.	
10 incana. s.s.	Lavender-ld.	Spain.	1752.	7. 8.	H. $\frac{1}{2}$.	Cavan. ic. 2. t. 186.
11 angustifolia. s.s.	narrow-leaved.	1825.	—	H. $\frac{1}{2}$.	
12 spinosa. s.s.	spiny.	—	—	6. 9.	H. $\frac{1}{2}$.	Cavan. ic. 3. t. 209.
13 ilicifolia. s.s.	Holly-leaved.	Levant.	—	—	H. $\frac{1}{2}$.	
14 serrata. s.s.	saw-leaved.	Spain.	1818.	—	H. $\frac{1}{2}$.	
15 hyssopifolia. s.s.	Hyssop-leaved.	Pyrenees.	1597.	6. 11.	H. $\frac{1}{2}$.	Schk. hand. 2. t. 158.
16 fetida. L.en.	strong-scented.	—	—	H. $\frac{1}{2}$.	
17 pyrenaica. s.s.	Pyrenean.	Pyrenees.	1816.	—	H. $\frac{1}{2}$.	
18 chamædryfolia. s.s.	Germander-ld.	Spain.	—	—	H. $\frac{1}{2}$.	
19 scordioides. s.s.	scollop-leaved.	France.	1597.	8. 11.	H. $\frac{1}{2}$.	Barrel. ic. t. 343.
20 hirsuta. s.s.	hairy.	S. Europe.	1731.	6. 7.	H. $\frac{1}{2}$.	Cavan. ic. 4. t. 302.
21 crispata. s.s.	curled-leaved.	Gibraltar.	1816.	6. 9.	F. $\frac{1}{2}$.	
ORIGANUM. S.S.	MARJORAM.	Didynamia Gymnospermia. L.				
1 vulgare. s.s.	common.	Britain.	—	6. 10.	H. $\frac{1}{2}$.	Eng. bot. 1143.
2 virens. s.s.	green.	Portugal.	1816.	—	H. $\frac{1}{2}$.	Hoff. et Lk. fl.p.l. t. 9.
3 heracleoticum. s.s.	winter, sweet.	S. Europe.	1640.	—	H. $\frac{1}{2}$.	Lobel. ic. 492.
4 creticum. s.s.	Cretan.	—	—	—	H. $\frac{1}{2}$.	Schk. hand. 2. t. 164.
5 macrostachyon. s.s.	long-spiked.	Portugal.	1820.	—	H. $\frac{1}{2}$.	
6 hirtum. L.en.	hairy.	S. Europe.	—	—	H. $\frac{1}{2}$.	
7 oblongatum. L.en.	oblong-spiked.	—	1823.	—	H. $\frac{1}{2}$.	
8 smyrnaeum. L.	Smyrna.	Smyrna.	1722.	6. 7.	G. $\frac{1}{2}$.	
9 Onites. s.s.	pot.	Sicily.	1759.	7. 11.	H. $\frac{1}{2}$.	Bocc. mus. t. 38.
10 Maru. w.	Lavender-scent'd.	Crete.	1822.	—	F. $\frac{1}{2}$.	Botan. magaz. 2605.
11 Majoranoides. w.	shrubby-sweet.	—	—	—	F. $\frac{1}{2}$.	
12 Majorana. s.s.	knotted.	Portugal.	1573.	6. 7.	F. $\frac{1}{2}$.	Moris. s. 11. t. 3. f. 1.
13 indicum. s.s.	Indian knotted.	E. Indies.	1820.	—	S. $\frac{1}{2}$.	
14 salvifolium. Roth.	Sage-leaved.	—	—	—	F. $\frac{1}{2}$.	
15 Tournefortii. s.s.	Tournefort's.	Amorgos.	1788.	8. 9.	F. $\frac{1}{2}$.	Andr. deposit. 537.
16 sipyrum. s.s.	Mount Sipylus.	Levant.	1699.	6. 9.	F. $\frac{1}{2}$.	Herm. lugd. t. 463.
17 Dictamnus. s.s.	Dittany of Crete.	Candia.	1551.	—	F. $\frac{1}{2}$.	Botan. magaz. 298.
18 aegyptiacum. s.s.	Egyptian.	Egypt.	1731.	6. 8.	G. $\frac{1}{2}$.	Alp. aegypt. t. 95.
PYCNANTHEMUM. M.	PYCNANTHEMUM.	Didynamia Angiospermia. S.S.				
1 linifolium. s.s.	Flax-leaved.	N.America.	1739.	7. 8.	H. $\frac{1}{2}$.	Herm. parad. t. 218.
2 lanceolatum. s.s.	spear-leaved.	—	1812.	—	H. $\frac{1}{2}$.	
3 aristatum. s.s.	awned.	—	1752.	8.	H. $\frac{1}{2}$.	Mich. amer. 2. t. 33.
4 verticillatum. s.s.	whorl-leaved.	—	1816.	7. 8.	H. $\frac{1}{2}$.	
5 Monardella. s.s.	Monarda-like.	—	—	—	H. $\frac{1}{2}$.	
6 incanum. s.s.	hoary.	—	1732.	7. 10.	H. $\frac{1}{2}$.	Dill. eld. t. 74. f. 85.
ISANTHUS. M.	ISANTHUS.	Didynamia Gymnospermia. S.S.				
ceruleus. M.	blue.	N.America.	1732.	6. 8.	H. $\frac{1}{2}$.	Dill. eld. t. 285. f. 369.
Trichostema brachiata. L.						
SATUREJA. S.S.	SAVORY.	Didynamia Gymnospermia. L.				
1 approximata. s.s.	bundle-leaved.	Sicily.	1825.	5. 7.	F. $\frac{1}{2}$.	
2 viminea. s.s.	Pennyroyal tree.	Jamaica.	1783.	—	S. $\frac{1}{2}$.	
3 montana. s.s.	winter.	S. Europe.	1562.	6. 7.	H. $\frac{1}{2}$.	
4 rupestris. s.s.	rock.	Carniola.	1798.	—	H. $\frac{1}{2}$.	Jacq. ic. 3. t. 494.
5 obovata. s.s.	ovate-leaved.	Spain.	1824.	—	H. $\frac{1}{2}$.	
6 tenuifolia. s.s.	slender-leaved.	Italy.	1820.	—	H. $\frac{1}{2}$.	
7 Juliana. s.s.	linear-leaved.	—	1596.	5. 9.	F. $\frac{1}{2}$.	Lam. ill. t. 504. f. 1.
8 græca. s.s.	Grecian.	Greece.	1759.	6. 7.	F. $\frac{1}{2}$.	Alp. exot. t. 264.
9 hirsuta. s.s.	hairy.	Sicily.	1824.	—	F. $\frac{1}{2}$.	

10 Teneriffæ. s.s.	Teneriffe.	1815.	F. 2.	
11 hortensis. s.s.	summer.	1652.	6. 8. H. ⊖.	Lam. ill. t. 504. f. 1.
12 capitata. w.	ciliated.	1596.	6. 10. H. Ȣ.	Barrel. ic. t. 897.
13 nervosa. s.s.	nerved.	1824.	— H. Ȣ.	
14 Thymbra. s.s.	whorl-flower'd.	Candia.	1640.. 5. 7. G. Ȣ.	Barrel. ic. t. 898.
15 congesta. s.s.	close-flowered.	1825. — G. Ȣ.	
BYSTROPOGON. S.S.	BYSTROPOGON.	Didynamia	Gymnospermia. S.S.	
1 origanifolius. s.s.	Marjoram-ld.	Teneriffe.	1815. 7. 8. G. Ȣ.	
2 plomosus. s.s.	woolly-flow'r'd.	Canaries.	1779. 6. 7. G. Ȣ.	
3 canariensis. s.s.	Canary.	1714. 6. 8. G. Ȣ.	Comm. hort. 2. t. 65.
4 punctatus. s.s.	cluster-flow'r'd.	Madeira.	1775. 7. 9. G. Ȣ.	
POGOSTEMON. S.S.	POGOSTEMON.	Didynamia	Gymnospermia. S.S.	
plectranthoides. s.s.	Plectranthus-like.	1818. 6. 8. S. Ȣ.	Desf. m. mus. 2. t. 6.
HYSSOPUS. S.S.	Hyssop.	Didynamia	Gymnospermia.	
1 officinalis. s.s.	common.	S. Europe.	1548. 6. 9. H. Ȣ.	Jacq. aust. 3. t. 254.
2 orientalis. w.	narrow-leaved.	Caucasus. — H. Ȣ.	Botan. magaz. 2299.
angustifolius. M.B.				
3 Lophanthus. s.s.	Mint-leaved.	Siberia.	1752. 8. 9. H. Ȣ.	Jacq. vind. 2. t. 182.
4 nepetoides. s.s.	square-stalked.	N. America.	1692. 8. 10. H. Ȣ.	—— — 1. t. 68.
5 scrophulariolius.	Figwort-leav'd.	1800. 7. 8. H. Ȣ.	Herm. parad. t. 106.
ELSHOLTZIA. S.S.	ELSHOLTZIA.	Didynamia	Gymnospermia. W.	
1 cristata. s.s.	crested.	Siberia.	1789. 5. 7. H. ⊖.	Botan. magaz. 2560.
2 ocyoides. s.s.	Basil-like.	E. Indies.	1823. — S. Ȣ.	
PERILLA. W.	PERILLA.	Didynamia	Gymnospermia. L.	
1 ocyoides. w.	Basil-leaved.	India.	1770. 7. 8. H. ⊖.	Arduin. spec. 2. t. 13.
2 fruticosa. D.P.	frutescent.	Nepaul.	1818. — S. Ȣ.	
MENTHA. L.	MINT.	Didynamia	Gymnospermia. L.	
1 quadrifolia. D.P.	four-leaved.	Nepaul.	1823. 6. 8. G. Ȣ.	
2 viridis. w.	spear.	Britain. 8. H. Ȣ.	Eng. bot. 2424.
3 laevigata. W.en.	smooth-leaved.	Germany. 6. 8. H. Ȣ.	
4 balsamea. W.en.	Balsam-scent'd.	Italy.	1804. 7. 8. H. Ȣ.	
5 crispata. W.en.	crumpled.	1807. — H. Ȣ.	
6 piperita. E.B.	pepper.	England. 8. 9. H. Ȣ.	Eng. bot. 687.
7 niliaca. s.s.	Egyptian.	Egypt.	1796. 7. 8. H. Ȣ.	Jacq. vind. 3. t. 87.
8 sylvestris. E.B.	wild.	Britain. — H. Ȣ.	Eng. bot. 686.
9 nemorosa. W.en.	wood. — H. Ȣ.	Flor. dan. t. 484.
10 hirta. W.en.	hairy. — H. Ȣ.	
11 pubescens. W.en.	pubescent. — H. Ȣ.	
12 Auricularia. W.	Indian.	E. Indies.	1796. — S. Ȣ.	Rumph. amb. 6. t. 16.
13 crispa. w.	curled.	Siberia.	1640. — H. Ȣ.	
14 pyramidalis. T.N.	pyramidal.	Naples.	1821. — H. Ȣ.	
15 undulata. W.en.	wave-leaved.	1816. — H. Ȣ.	
16 incana. W.en.	hoary.	1790. — H. Ȣ.	
17 lavandulacea. W.en.	Lavender-ld.	Spain.	1825. — H. Ȣ.	
18 capensis. w.	Cape.	C. B. S.	1816. — G. Ȣ.	
19 rotundifolia. E.B.	round-leaved.	Britain. 8. 9. H. Ȣ.	Eng. bot. 446.
β variegata.	variegated. — H. Ȣ.	
20 macrostachya. T.N.	long-spiked.	Naples.	1820. — H. Ȣ.	
21 gratissima. w.	oblong-leaved.	Britain. 7. 8. H. Ȣ.	
22 citrata. s.s.	Bergamot.	England. — H. Ȣ.	Eng. bot. 1025.
odorata. E.B.				
23 hirsuta. E.B.	hairy water.	Britain. 7. 9. H.w. Ȣ.	Eng. bot. 447.
24 acutifolia. E.B.	acute-leaved.	England. 9. H.w. Ȣ.	—— 2415.
25 sativa. E.B.	tall-red.	8. 9. H.w. Ȣ.	—— 448.
26 rubra. E.B.	common red.	Britain. 9. H.w. Ȣ.	—— 1413.
27 gentilis. E.B.	bushy red.	7. 8. H.w. Ȣ.	—— 2118.
28 gracilis. H.K.	narrow-leaved. — H.w. Ȣ.	—— 449.
29 palustris. S.M.	marsh.	9. H.w. Ȣ.	
30 villosa. S.M.	horse.	7. 8. H.w. Ȣ.	
31 pratensis. S.M.	meadow. — H.w. Ȣ.	Sole's Mints. t. 17.
32 rivalis. S.M.	river. — H.w. Ȣ.	
33 paludosa. S.M.	brook.	9. H.w. Ȣ.	
34 arvensis. E.B.	corn.	7. 9. H. Ȣ.	Eng. bot. 2119.
35 preeox. S.M.	early-flow'ring.	6. H. Ȣ.	Sole's Mints ic.
36 agrestis. E.B.	field.	7. 8. H. Ȣ.	Eng. bot. 2120.
37 austriaca. s.s.	Austrian.	Austria.	1818. — H. Ȣ.	
38 dentata. w.	toothed.	Germany.	1816. — H. Ȣ.	
39 canadensis. w.	Canadian.	N. America.	1801. — H. Ȣ.	
40 glabrata. s.s.	smooth.	Egypt.	1802. — H. Ȣ.	

41 <i>Pulegium</i> , s.s.	<i>Pennyroyal.</i>	<i>Britain.</i>	8. 9.	<i>H. w. 4.</i>	<i>Eng. bot.</i> 1026.
42 <i>cervina</i> , s.s.	<i>Hyssop-leaved.</i>	<i>S. France.</i>	1648.	6. 8. <i>H. 4.</i>	<i>Moris.</i> s. 3. t. 7. f. 7.
GALEOBDOLON. <i>S.S.</i>	DEAD-NETTLE.	<i>Didynamia Angiospermia.</i> S.S.			
luteum, E.B.	yellow.	<i>Britain.</i>	... 5. 6.	<i>H. 4.</i>	<i>Eng. bot.</i> 787.
GALEOPSIS. <i>S.S.</i>	HEMP-NETTLE.	<i>Didynamia Gymnospermia.</i> L.			
1 <i>Ladanum</i> , E.B.	red.	<i>Britain.</i>	7. 9.	<i>H. ⊙.</i>	<i>Eng. bot.</i> 884.
2 <i>angustifolia</i> , P.S.	narrow-leaved.	<i>Europe.</i>	1820.	— <i>H. ⊙.</i>	
3 <i>pubescens</i> , s.s.	pubescent.	<i>Germany.</i>	—	— <i>H. ⊙.</i>	
4 <i>ochroleuca</i> , s.s.	downy.	<i>Britain.</i>	7. 8.	<i>H. ⊙.</i>	<i>Eng. bot.</i> 2353.
<i>villosa</i> , E.B.					
5 <i>Tetrahit</i> , E.B.	common.	—	—	<i>H. ⊙.</i>	— 207.
6 <i>versicolor</i> , E.B.	various-colour'd.	—	—	<i>H. ⊙.</i>	— 667.
<i>cannabinia</i> , W.					
LAMIUM. <i>S.S.</i>	ARCHANGEL.	<i>Didynamia Gymnospermia.</i> L.			
1 <i>Orvala</i> , s.s.	<i>Balm-leaved.</i>	<i>Italy.</i>	1506.	5. 7. <i>H. 4.</i>	<i>Botan. magaz.</i> 172.
2 <i>rugosum</i> , s.s.	rough.	—	1766.	7. 8. <i>H. 4.</i>	<i>Bocc. mus.</i> 5. t. 23.
3 <i>maculatum</i> , E.B.	spotted.	<i>Britain.</i>	... 4. 5.	<i>H. 4.</i>	<i>Eng. bot.</i> 2550.
4 <i>album</i> , E.B.	white.	—	... 4. 9.	<i>H. 4.</i>	— 768.
5 <i>bifidum</i> , s.s.	<i>bifid-helmetted.</i>	<i>Naples.</i>	1825.	— <i>H. 4.</i>	<i>Cyr. rar. fasc.</i> 1. t. 7.
6 <i>moschatum</i> , s.s.	<i>musk-scented.</i>	<i>Levant.</i>	1739.	7. 9. <i>H. ⊙.</i>	
7 <i>molle</i> , s.s.	<i>Pellitory-leav'd.</i>	—	1683.	4. 5. <i>H. 4.</i>	
8 <i>flexuosum</i> , T.N.	<i>flexuose.</i>	<i>Naples.</i>	1824.	4. 8. <i>H. 4.</i>	
9 <i>garganicum</i> , s.s.	<i>woolly.</i>	<i>Italy.</i>	1729.	7. 8. <i>H. 4.</i>	<i>Sm. exot. bot.</i> 1. t. 48.
10 <i>laevigatum</i> , s.s.	<i>smooth.</i>	—	1711.	3. 10. <i>H. 4.</i>	<i>Pluk. alm.</i> t. 198. f. 1.
11 <i>purpureum</i> , s.s.	<i>purple.</i>	<i>Britain.</i>	... 2. 8.	<i>H. ⊙.</i>	<i>Eng. bot.</i> 769.
<i>β albidum.</i>	<i>white-flowered.</i>	—	—	— <i>H. ⊙.</i>	
12 <i>incisum</i> , s.s.	<i>cut-leaved.</i>	<i>England.</i>	... 5. 7.	<i>H. ⊙.</i>	— 1933.
13 <i>amplexicaule</i> , s.s.	<i>Henbit.</i>	<i>Britain.</i>	... —	<i>H. ⊙.</i>	— 770.
14 <i>multifidum</i> , s.s.	<i>multifid-leaved.</i>	<i>Levant.</i>	1752.	4. 5. <i>H. ⊙.</i>	<i>Comm. rar.</i> t. 26.
GLECHOMA. <i>L.</i>	GROUND-IVY.	<i>Didynamia Gymnospermia.</i> L.			
1 <i>hederacea</i> , E.B.	<i>common.</i>	<i>Britain.</i>	... 3. 5.	<i>H. 4.</i>	<i>Eng. bot.</i> 853.
2 <i>hirsuta</i> , P.S.	<i>hairy.</i>	<i>Hungary.</i>	—	<i>H. 4.</i>	<i>W. et K. hung.</i> t. 119.
NEPETA. <i>L.</i>	CATMINT.	<i>Didynamia Gymnospermia.</i> L.			
1 <i>croatica</i> , s.s.	<i>Hungarian.</i>	<i>Hungary.</i>	1820.	6. 8. <i>H. 4.</i>	
2 <i>grandiflora</i> , s.s.	<i>large-flowered.</i>	<i>Caucasus.</i>	1806.	7. 8. <i>H. 4.</i>	
3 <i>melissæfolia</i> , s.s.	<i>Balm-leaved.</i>	<i>Candia.</i>	1752.	— <i>H. 4.</i>	
4 <i>longiflora</i> , H.K.	<i>long-flowered.</i>	<i>Persia.</i>	1802.	6. 8. <i>H. 4.</i>	<i>Venten. cels.</i> 66.
5 <i>Mussini</i> , H.K.	<i>scalloped-ld.</i>	<i>Siberia.</i>	1804.	5. 8. <i>H. 4.</i>	<i>Botan. magaz.</i> 923.
<i>longiflora</i> , B.M. non V.					
6 <i>incana</i> , s.s.	<i>hoary.</i>	<i>Levant.</i>	1723.	8. <i>H. 4.</i>	
7 <i>graveolens</i> , s.s.	<i>strong-smelling.</i>	<i>S. Europe.</i>	1804.	7. 8. <i>H. 4.</i>	<i>All. ped.</i> t. 2. f. 1.
8 <i>amethystina</i> , Poir.	<i>amethystine.</i>	—	1820.	— <i>H. 4.</i>	
9 <i>Nepetella</i> , s.s.	<i>small.</i>	—	1758.	— <i>H. 4.</i>	
10 <i>teucriifolia</i> , s.s.	<i>Tencrium-ld.</i>	<i>Armenia.</i>	1816.	— <i>H. 4.</i>	
11 <i>lamiiifolia</i> , s.s.	<i>Lamium-leav'd.</i>	—	1806.	— <i>H. 4.</i>	
12 <i>angustifolia</i> , s.s.	<i>narrow-leaved.</i>	<i>Spain.</i>	1798.	6. 7. <i>H. 4.</i>	
13 <i>Cataria</i> , s.s.	<i>common.</i>	<i>Britain.</i>	... 7. 9.	<i>H. 4.</i>	<i>Eng. bot.</i> 137.
14 <i>ucranica</i> , s.s.	<i>Ukrainian.</i>	<i>Ukraine.</i>	1789.	7. 8. <i>H. 4.</i>	
15 <i>nuda</i> , L.	<i>naked.</i>	<i>S. Europe.</i>	1710.	— <i>H. 4.</i>	<i>Jacq. aust.</i> 1. t. 24.
16 <i>pannonica</i> , L.	<i>close-flowered.</i>	<i>Hungary.</i>	1683.	8. 10. <i>H. 4.</i>	— 2. t. 129.
17 <i>violacea</i> , s.s.	<i>violet-coloured.</i>	<i>Spain.</i>	1723.	7. 9. <i>H. 4.</i>	<i>Bocc. mus.</i> t. 36.
18 <i>cœrulea</i> , s.s.	<i>blue-flowered.</i>	—	1777.	5. 6. <i>H. 4.</i>	
19 <i>latifolia</i> , s.s.	<i>broad-leaved.</i>	<i>Pyrenees.</i>	1818.	7. 8. <i>H. 4.</i>	
20 <i>maerura</i> , s.s.	<i>long-tailed.</i>	<i>Siberia.</i>	—	— <i>H. 4.</i>	
21 <i>crispá</i> , s.s.	<i>curl-leaved.</i>	<i>Levant.</i>	1800.	— <i>H. 4.</i>	
22 <i>diffusa</i> , s.s.	<i>spreading.</i>	<i>Siberia.</i>	1820.	— <i>H. 4.</i>	
23 <i>imbricata</i> , s.s.	<i>imbricated.</i>	<i>Spain.</i>	1825.	— <i>H. 4.</i>	
24 <i>teucrioides</i> , s.s.	<i>Teucrium-like.</i>	<i>Levant.</i>	1819.	— <i>H. 4.</i>	
25 <i>italica</i> , W.	<i>Italian.</i>	<i>Italy.</i>	1640.	6. 8. <i>H. 4.</i>	<i>Jacq. vind.</i> 2. t. 112.
26 <i>marrubioïdes</i> , W.en.	<i>horehound-ld.</i>	—	... —	<i>H. 4.</i>	
27 <i>multibracteata</i> , s.s.	<i>many-bracted.</i>	<i>Barbary.</i>	1823.	— <i>H. 4.</i>	
28 <i>lanata</i> , s.s.	<i>woolly.</i>	<i>S. Europe.</i>	1774.	5. 6. <i>H. 4.</i>	<i>Jacq. obs.</i> 3. t. 75.
29 <i>tuberosa</i> , s.s.	<i>tuberous-root'd.</i>	<i>Spain.</i>	1683.	6. 8. <i>H. 4.</i>	<i>Barrel. ic.</i> t. 602.
30 <i>reticulata</i> , s.s.	<i>netted.</i>	<i>Morocco.</i>	1801.	7. 8. <i>H. 4.</i>	<i>Desf. atl.</i> 2. t. 124.
31 <i>Scordotis</i> , s.s.	<i>sessile-spiked.</i>	<i>Crete.</i>	1823.	— <i>G. ½.</i>	<i>Alp. exot.</i> t. 283.
32 <i>suaveolens</i> , Rœm.	<i>sweet-scented.</i>	—	1804.	— <i>H. 4.</i>	
33 <i>multifida</i> , W.	<i>multifid.</i>	<i>Siberia.</i>	1797.	7. 8. <i>H. 4.</i>	<i>Gmel. sib.</i> 3. t. 55.
34 <i>botryoides</i> , W.	<i>annual.</i>	—	1779.	6. 7. <i>H. ⊙.</i>	<i>Cavan. ic.</i> 1. t. 49.
<i>bipinnata</i> , Cav.					

LABIATÆ.

HYPTIS. S.S.

- 1 ebracteata, s.s.
2 radiata, s.s.
3 capitata, s.s.
4 polyanthes, s.s.
5 brevipes, s.s.
6 recurvata, s.s.
7 albida, s.s.
8 persica, P.S.
Broteria persica, L.T.

- 9 spicata, s.s.
10 Plumieri, K.S.

- 11 stachyodes, s.s.
12 pectinata, s.s.

STACHYS. S.S.

- 1 spinosa, s.s.
2 glutinosa, s.s.
3 fruticulosa, s.s.
4 æthiopica, s.s.
5 corsica, s.s.
6 angustifolia, s.s.
7 rugosa, s.s.
8 betonicæfolia, s.s.
9 stenophylla, s.s.
10 orientalis, s.s.
11 maritima, s.s.
12 annua, s.s.
13 hirta, s.s.
14 arvensis, s.s.
15 arenaria, s.s.
16 diffusa, Schwei.
arenaria, B.M. non Desf. *rubra*, Donn.

- 17 iberica, M.B.
18 scordifolia, W.en.

- 19 aspera, M.

- 20 tenuifolia, M.B.

- 21 Balbisii, Len.

- 22 nepetæfolia, s.s.

- 23 arabica, s.s.

- 24 ambigua, s.s.

- 25 sylvatica, s.s.

- 26 Foeniculum, s.s.

- Hysopos anisatus*, N?

- 27 circinata, s.s.

- canaariensis*, Jacq. ic. 1. t. 108.

- 28 mollissima, W.en.

- 29 decumbens, P.S.

- 30 coccinea, s.s.

- 31 recta, s.s.

- 32 heraclea, w.

- phlomoides*, W.en.

- 33 obliqua, P.S.

- 34 palustris, s.s.

- 35 germanica, s.s.

- 36 intermedia, w.

- 37 sibirica, Len.

- 38 polystachya, s.s.

- 39 salvæfolia, s.s.

- 40 cretica, s.s.

- 41 alpina, s.s.

- 42 lanata, s.s.

- 43 latifolia, s.s.

- 44 biennis, Roth.

- 45 lusitanica.

- Eriostemon lusitanicum*, Lk.

ZIETENIA. P.S.

- orientalis, P.S.

- lavandulifolia*, L.en.

HYPTIS. Didynamia Gymnospermia. S.S.

- small-headed. W. Indies. 1778. 10. 1. S.○.
Carolina. Carolina. 1690. 6. 7. G.‡.
Jamaica. W. Indies. 1714. — S.♂.
many-flowered. S. America. 1819. — S.○.
short pedunc'l'd. W. Indies. 1822. — S.○.
recurved. Cayenne. — — S.♀.
white-leaved. Mexico. 1825. — S.‡.
Persian. Persia. 1800. 7. G.‡.

L.

- spiked. S. America. 1819. 7. 9. G.○.
Plumier's. — — — S.○.
whorl-spiked. Brazil. 1820. — S.○.
pectinated. W. Indies. 1776. 12. 1. S.‡.
HEDGE-NETTLE. Didynamia Gymnospermia. L.
thorny. Candia. 1640. 7. F.‡.
clammy. — 1729. 6. 7. H.‡.
frutescent. Caucasus. 1825. — H.‡.
Ethiopian. C. B. S. 1770. 4. 7. G.‡.
Corsican. Corsica. 1825. — H.‡.
narrow-leaved. Tauria. 1823. 6. 7. H.‡.
rough. C. B. S. 1774. 7. 8. G.‡.
Betony-leaved. Crete. 1812. 6. 7. H.‡.
linear-leaved. S. Spain. 1819. — F.‡.
oriental. Levant. 1768. — H.‡.
sea-side. S. Europe. 1714. 7. H.‡.
annual. — 1713. 6. 8. H.○.
procumbent. Spain. 1725. — H.‡.
corn. Britain. 7. 8. H.○.
sand. Barbary. 1824. 6. 8. H.‡.
diffuse. S. Europe. 1804. — H.‡.

- Iberian. Iberia. 1823. — H.‡.
wedge-leaved. — 1816. 7. 8. H.‡.
harsh-leaved. N. America. — — H.‡.
slender-leaved. Tauria. 1819. — H.‡.
Balbis's. Italy. 1823. — H.‡.
Catmint-leaved. Levant. 1805. 6. 8. H.‡.
Arabian. Arabia. 1820. — H.○.
ambiguous. Britain. 6. 7. H.‡.
common. — 7. 8. H.‡.
Fennel-scent'd. Missouri. 1820. — H.○.

- Barbary. 1777. 5. 7. H.‡.
Corfu. 1806. 7. 8. H.‡.
decumbent. 1816. 5. 7. H.‡.
scarlet. S. America. 1798. 6. 8. F.‡.
upright. S. Europe. 1683. 6. 8. H.‡.
Phlomis-leav'd. Italy. 1816. 6. 7. H.‡.

- oblique-leaved. Hungary. — — H.‡.
Clown's all-heal. Britain. 8. H.‡.
downy. England. 7. 8. H.‡.
oblong-leaved. Carolina. 1762. 6. 7. H.‡.
Siberian. Siberia. 1822. 6. 8. H.‡.
many-spiked. Naples. 1824. — H.‡.
Sage-leaved. — — H.‡.
Cretan. Candia. 1640. — F.‡.
Alpine. Germany. 1597. — H.‡.
woolly. Siberia. 1782. 6. 9. H.‡.
broad-leaved. — 1775. 6. 7. H.‡.
biennial. Germany. 1801. 6. 8. H.♂.
Portugal. Portugal. 1800. — H.‡.

- ZIETENIA. Didynamia Gymnospermia. P.S.
Lavender-ld. Levant. 1816. 5. 7. H.‡.
Stachys lavandulifolia, W.

- Poit. an. mus. 7. t. 29. f. 2.

- 7. t. 27. f. 2.

- 7. t. 27. f. 1.

- Poit. an. mus. t. 4. f. 3.

- Linn. trans. 6. t. 12.

- Poit. an. mus. t. 28. f. 2.

- Plum. ic. t. 163. f. 1.

- Poit. an. mus. 7. t. 30.

- Moris. s. 11. t. 10. f. 9.

- 11. t. 4. f. 17.

- Jacq. obs. 4. t. 77.

- Jacq. ic. 3. t. 493.

- Jacq. vind. 1. t. 70.

- Jacq. aust. 4. t. 360.

- All. ped. 1. t. 2. f. 3.

- Eng. bot. 1154.

- Desf. atl. 2. t. 126.

- Botan. magaz. 1915.

- Eng. bot. 2080.

- 416.

- L'Herit. s. nov. t. 26.

- W. hort. ber. t. 60.

- Botan. magaz. 666.

- Jacq. aust. 4. t. 359.

- All. ped. t. 84. f. 1.

- W. et K. hung. t. 133.

- Eng. bot. 1675.

- 829.

- Swt. br. fl. gar. 100.

- Walt. hort. 108. t. 19.

- Lap. pyr. 1. t. 8.

- Jacq. ic. 1. t. 107.

LEONURUS. S.S.

- 1 Cardiaca. s.s.
 - 2 villous. s.s.
 - 3 marrubiastrum.
 - 4 crispus. s.s.
 - 5 supinus. s.s.
 - 6 tataricus. s.s.
 - 7 sibiricus. s.s.
 - 8 condensatus. s.s.
 - 9 heterophyllum. B.F.G. various-leav'd.
 - 10 multifidus. Desf.
 - 11 neglectus. Sch.
 - 12 lanatus. s.s.
- Balota lanata*. W.

BALLOTA. S.S.

- 1 vulgaris. s.s.
- 2 foetida. L.en.
- a nigra.
- β alba.

BETONICA. S.S.

- 1 officinalis. s.s.
- 2 stricta. s.s.
- 3 incana. s.s.
- 4 orientalis. s.s.
- 5 alopecuroides. s.s.
- 6 hirsuta. s.s.
- 7 grandiflora. s.s.

MARRUBIUM. S.S.

- 1 Alyssum. s.s.
- 2 astracanicum. s.s.
- 3 peregrinum. w.
- 4 candidissimum. s.s.
- 5 creticum. w.
- 6 affine. L.en.
- 7 supinum. s.s.
- 8 catariaefolium. s.s.
- 9 vulgare. s.s.
- 10 africanum. s.s.
- 11 crispum. s.s.
- 12 apulum. T.N.
- 13 cinereum. s.s.
- 14 hirsutum. w.
- 15 hispanicum. w.
- 16 acetabulosum. s.s.
- 17 Pseudo-Dictamnus.

PHLOMIS. S.S.

- 1 fruticosa. s.s.
 - 2 ferruginea. s.s.
 - 3 lanata. s.s.
 - 4 cretica. s.s.
 - 5 scariosa. s.s.
 - 6 virens. s.s.
 - 7 purpurea. s.s.
 - 8 italicica. s.s.
 - 9 Nissolii. s.s.
 - 10 Lychnites. s.s.
 - 11 Samia. s.s.
 - 12 Russelliana. Lag.
- lunarifolia* β *Russelliana*. B.M. 2542.

- 13 Herba-venti. s.s.
- 14 pungens. s.s.
- 15 alpina. s.s.
- 16 tuberosa. s.s.
- 17 laciniata. s.s.

LEUCAS. B.P.

- 1 chinensis. s.s.
- 2 zeylanica. s.s.
- 3 linifolia. s.s.

MOTHERWORT.	Didynamia Gymnospermia. L.
common.	Britain. 7. 8. H. 4.
villous.	Tauria. 1824. — H. 4.
small-flowered.	Austria. 1710. 6. 8. H. ⊖.
curl-leaved.	Siberia. 1658. 7. 8. H. 4.
procumbent.	— 1816. 6. 8. H. 4.
Tartarian.	Tartary. 1756. 8. 10. H. 3.
Siberian.	Siberia. 1759. 6. 8. H. 3.
condensed.	— 1824. — H. 4.
G. various-leav'd.	S. America. — — H. ⊖.
multifid.	— — H. ⊖.
neglected.	— — H. 4.
woolly.	Siberia. 1752. — H. 4.

Eng. bot. 286.
Jacq. aust. 5. t. 405.
Murr. c. gott. 8. t. 4.
Mill. ic. 1. t. 80.
Sm. exot. bot. 2. t. 94.
Swt. br. fl. gar. ic.
Gmel. sib. 3. t. 54.

STINKING HOEHOUND. Didynamia Gymnospermia. L.

common.	Europe. 7. 9. H. 4.
strong-scented.	Britain. — H. 4.
purple-flowered.	— — H. 4.
white-flowered.	— — H. 4.

Eng. bot. 1142.
Botan. magaz. 2125.
Lam. ill. t. 507. f. 2.
Jacq. aust. 1. t. 78.
Mur. com. got. 2. t. 3.
Botan. magaz. 700.

BETONY. Didynamia Gymnospermia. L.

wood.	Britain. 7. 8. H. 4.
Danish.	Denmark. 1592. 6. 7. H. 4.
hoary.	Italy. 1759. — H. 4.
oriental.	Levant. 1737. — H. 4.
Foxtail.	S. Europe. 1759. 7. H. 4.
hairy.	Italy. 1710. 6. 7. H. 4.
great-flower'd.	Siberia. 1800. — H. 4.

Ger. herb. 379. f. 1.
Jacq. ic. 1. t. 109.
Jacq. aust. 2. t. 160.
Dill. elt. 274. f. 214.

HOREHOUND. Didynamia Gymnospermia. L.

plaited-leaved.	Spain. 1597. 7. 8. H. 4.
Astracan.	Levant. 1816. — H. 4.
Sicilian.	Sicily. 1640. 7. 9. H. 4.
woolly white.	Levant. 1732. — H. 4.
Cretan.	— 1596. — H. 4.
related.	Siberia. 1816. — H. 4.
procumbent.	S. Europe. 1714. 8. 10. H. 4.
Catmint-leav'd.	Levant. 1823. 7. 9. H. 4.
common.	Britain. 6. 9. H. 4.
African.	C. B. S. 1710. 7. 9. G. 4.
curled-leaved.	S. Europe. 1714. 7. 8. H. 4.
Italian.	Italy. 1824. 6. 9. H. 4.
cinereous.	S. Europe. — — H. 4.
hairy.	— 6. 7. H. 4.
Spanish.	Spain. 1714. 7. 8. H. 4.
saucer-leaved.	Candia. 1676. 6. 8. F. 4.
shrubby white.	— 1596. 7. 8. F. 4.

Bocc. mus. 2. t. 96.
Eng. bot. 410.
Comm. hort. 2. t. 90.
Herm. parad. t. 200.
Herm. parad. t. 201.
Barrel. ic. 129.
Lam. ill. t. 508. f. 2.

JERUSALEM-SAGE. Didynamia Gymnospermia. L.

shrubby.	Spain. 1596. 6. 7. H. 4.
ferruginous.	Naples. — H. 4.
small shrubby.	S. Europe. 1596. — — H. 4.
Cretan.	Crete. 1823. — — G. 4.
scariose-bract'd.	Italy. — — — F. 4.
green shrubby.	Levant. — — F. 4.
purple.	S. Europe. 1661. 6. 8. F. 4.
Italian.	Italy. — — — F. 4.
Nissole's.	Levant. 1757. 6. 7. F. 4.
lamp-wick.	S. Europe. 1658. 6. 8. G. 4.
Samian.	N. Africa. 1714. 6. 7. H. 4.
Russell's.	Levant. 1821. — H. 4.

Smith spicil. 6. t. 3.
Mill. ic. 2. t. 204.
Botan. magaz. 999.
—— 1891.
Russ. alep. 2. t. 16.

rough-leaved.	S. Europe. 1596. 7. 9. H. 4.
pungent.	Levant. 1818. 6. 8. H. 4.
Alpine.	Siberia. 1802. 6. 9. H. 4.
tuberous-root'd.	— 1759. 6. 10. H. 4.
jagged-leaved.	Levant. 1731. 7. H. 4.
LEUCAS. Didynamia Gymnospermia. S.S.	
Chinese.	China. 1822. 6. 8. S. 4.
Ceylon.	E. Indies. 1777. 6. 10. S. ⊖.
Flax-leaved.	— 1816. — S. ⊖.

2 T

LABIATÆ.

4 cephalotes. s.s.	large-headed.	E. Indies.	1811.	—	S.○.
5 aspera. s.s.	rough.	Persia.	1823.	—	S.○.
6 indica. s.s.	Indian.	E. Indies.	1789.	7. 8.	S.○.
7 urticæfolia. s.s.	Nettle-leaved.		1810.	—	S.○.
8 martinicensis.	West-Indian.	W. Indies.	1781.	7. 8.	S.○.
<i>Phlomis martinicensis.</i> W.					Jacq. ic. 1. t. 110.
9 biflora. s.s.	two-flowered.	E. Indies.	1820.	—	S.○.
LEONOTIS. S.S.	LION'S-EAR.	Didynamia	Gymnospermia.	S.S.	Burm. zeyl. t. 63. f. 1.
1 Leonurus. s.s.	narrow-leaved.	C. B. S.	1712.	10. 12.	G. h.
<i>Phlomis Leonurus.</i> W.					Botan. magaz. 478.
2 ovata. s.s.	dwarf shrubby.		1713.	6. 7.	G. h.
3 intermedia. s.s.	intermediate.	S. Africa.	1823.	—	G. h.
4 nepetifolia. s.s.	Catmint-leav'd.	E. Indies.	1778.	9. 10.	S.○.
MOLUCCA. S.S.	MOLUCCA-BALM.	Didynamia	Gymnospermia.	L.	Mill. ic. 2. t. 162. f. 1.
1 tuberosa. s.s.	tuberous-root'd.	Tartary.	1796.	7.	H. ♀.
2 lœvis. s.s.	smooth.	Syria.	1570.	7. 8.	H.○.
3 spinosa. s.s.	prickly.	Levant.	1596.	—	H.○.
PYCNOSTACHYS.	PYCNOSTACHYS.	Didynamia	Gymnospermia.		Pall. it. 3. app. t. T.
cœrulea. H.E.F.	blue-flowered.	Madagascar.	1825.	8. 10.	F.○.
					Botan. regist. 850.
					281.
					Lam. ill. t. 510.
					Hook. ex. flor. 202.

ORDO CXXXII.

VERBENACEÆ. Brown prodr. 1. p. 510.

CLERODENDRUM. B.P. CLERODENDRUM. Didynamia Angiospermia. L.

1 ligustrinum. s.s.	Privet-leaved.	Mauritius.	1789.	8. 11.	S. h.	Jacq. col. sup. t. 5. f. 1.
2 inerme. s.s.	smooth.	E. Indies.	1692.	—	S. h.	— t. 4. f. 1.
3 angustifolium. s.s.	narrow-leaved.	Jamaica.	1823.	—	S. h.	Lam. ill. t. 544. f. 2.
4 volubile. s.s.	climbing.	Guinea.	1822.	S. h.	
5 buxifolium. s.s.	Box-leaved.	1818.	7. 8.	S. h.	
<i>Volkameria buxifolia.</i> W.en.						
6 heterophyllum. s.s.	various-leaved.	Mauritius.	1805.	8. 9.	S. h.	Andr. reposit. 554.
<i>Volkameria angustifolia.</i> A.R.						
7 macrophyllum. B.M.	large-leaved.		1822.	—	S. h.	Botan. magaz. 2536.
8 serratum. s.s.	saw-leaved.	E. Indies.	—	—	S. h.	
9 lividum. B.R.	livid-bracted.	China.	1824.	9. 11.	S. h.	Botan. regist. 945.
10 cernuum. wal.	drooping.	E. Indies.	1822.	S. h.	
11 Siphonanthus. s.s.	whorl-leaved.	1796.	S. h.	Burm. ind. t. 43. f. 1.
<i>Siphonanthus indica</i> et <i>Ovidea mitis.</i> L.						
12 verticillatus. D.P.	four-leaved.	Nepaul.	1818.	S. h.	
13 odoratum. D.P.	odoriferous.	—	1820.	S. h.	
14 foetidum. D.P.	strong-scented.	—	—	S. h.	
15 nutans. D.P.	nodding.	—	—	S. h.	
16 scandens. s.s.	scandent.	Guinea.	1822.	S. h.	
17 trichotomum. s.s.	three-forked.	Japan.	1800.	—	G. h.	
18 fortunatum. s.s.	spear-leaved.	E. Indies.	1784.	7.	S. h.	Osb. it. t. 11.
19 squamatum. s.s.	scarlet.	China.	1790.	6. 9.	S. h.	Jacq. ic. 3. t. 500.
20 tomentosum. s.s.	downy.	N. S. W.	1791.	3. 5.	G. h.	Botan. magaz. 1518.
21 infortunatum. s.s.	long-flowered.	E. Indies.	—	S. h.	
22 phlomoides. s.s.	Phlomis like.	—	1820.	5. 7.	S. h.	Burm. ind. t. 45. f. 1.
23 fragrans. s.s.	fragrant.	China.	1790.	12. 8.	S. h.	Venten. malm. 70.
β multiplex.	double-flowered.	—	—	—	S. h.	Botan. magaz. 1834.
24 viscosum. s.s.	clammy.	E. Indies.	1796.	5. 8.	S. h.	— 1805.
25 paniculatum. s.s.	pancled.	Java.	1809.	7. 10.	S. h.	Botan. regist. 406.
26 urticifolium. H.B.	Nettle-leaved.	E. Indies.	1822.	—	S. h.	
27 violaceum. L.en.	violet-coloured.	—	—	S. h.	
28 japonicum.	Japan.	Japan.	1823.	S. h.	
<i>Volkameria japonica.</i> Th.						

VOLKAMERIA. S.S. VOLKAMERIA. Didynamia Angiospermia. L.

aculeata. s.s.	prickly.	W. Indies.	1739.	8. 10.	S. h.	Brown. jam. t. 20. f. 2.
ÆGIPHILA. R.S.	ÆGIPHILA.	Tetrandria	Monogynia.	L.		
1 martinicensis. r.s.	Martinico.	W. Indies.	1780.	11. 1.	S. h.	Lodd. bot. cab. 132.
2 arborescens. r.s.	arborescent.	Trinidad.	1823.	S. h.	Aub. gui. I. t. 24.

3 elata. R.S.	tall.	W. Indies.	1823.	7. 11. S. h.	Botan. regist. 946.
4 fetida R.S.	fetid.	—	1800.	6. 7. S. h.	Andr. deposit. t. 578. f. 1.
5 diffusa. R.S.	diffuse.	—	1804.	7. 8. S. h.	— t. 578. f. 2.
6 obovata. R.S.	oval-leaved.	—	—	— S. h.	
CALLICARPA. R.S.	CALLICARPA.	Tetrandria Monogynia. L.			
1 americana. R.S.	American.	Carolina.	1724.	6. 7. G. h.	Catesb. car. 2. t. 47.
2 cana. R.S.	hoary.	E. Indies.	1799.	— S. h.	
3 lanata. R.S.	woolly.	—	1788.	— S. h.	Gært. fruct. 1. t. 94.
4 incana. F.I.	white-leaved.	—	1816.	6. 10. S. h.	
5 macrophylla. R.S.	large-leaved.	—	1808.	— S. h.	
6 lanceolaria. F.I.	lance-leaved.	—	1816.	— S. h.	
7 ferruginea. R.S.	rusty.	Jamaica.	1794.	6. 7. S. h.	
8 reticulata. R.S.	netted-leaved.	—	1822.	— S. h.	
9 longifolia. R.S.	long-leaved.	China.	—	— S. h.	
10 rimbella. B.R.	red-flowered.	—	—	— S. h.	
11 purpurea. F.I.	purple-flower'd.	—	—	7. 9. S. h.	
12 arborea. F.I.	tree.	Nepaul.	—	— S. h.	
VITEX. S.S.	CHASTE-TREE.	Didynamia Angiospermia. L.			
1 ovata. s.s.	oval-leaved.	China.	1796.	7. 8. S. h.	
2 triflora. s.s.	three-flowered.	Cayenne.	1823.	— S. h.	
3 altissima. s.s.	tall.	Ceylon.	1802.	— S. h.	
4 alata. s.s.	winged.	E. Indies.	1818.	6. 8. S. h.	
5 bicolor. s.s.	two-coloured.	—	1810.	— S. h.	
6 trifolia. s.s.	three-leaved.	—	1759.	— S. h.	
7 Negundo. s.s.	Ash-leaved.	—	—	— S. h.	
8 Agnus-castus. W.	common.	Sicily.	1570.	9. H. h.	
β latifolia.	broad-leaved.	—	—	— H. h.	
9 incisa. s.s.	cut-leaved.	China.	1758.	7. 9. G. h.	
<i>Negundo. B.M.</i>					Botan. magaz. 364.
10 saligna. H.B.	Willow-leaved.	E. Indies.	1823.	— S. h.	
11 Doniana.	Don's.	SierraLeon.	1824.	— S. h.	
<i>umbrosa. H.T. non Sw.</i>					
WALLROTHIA. S.S.	WALLROTHIA.	Didynamia Angiospermia. S.S.			
Leucoxylon. s.s.	white-wooded.	Ceylon.	1793.	— S. h.	
<i>Vitex Leucoxylon. L.</i>					
CHLOANTHES. B.P.	CHLOANTHES.	Didynamia Angiospermia. S.S.			
1 stachadis. B.P.	white-leaved.	N. S. W.	1822.	6. 8. G. h.	
2 glandulosa. B.P.	glandular-l.	—	1824.	— G. h.	
PREMNA. S.S.	PREMNA.	Didynamia Angiospermia. S.S.			
1 integrifolia. s.s.	entire-leaved.	E. Indies.	1822.	— S. h.	Rumph. amb. 3. t. 133.
2 spinosa. H.B.	spiny.	—	—	— S. h.	
3 esculenta. H.B.	esculent.	—	1824.	— S. h.	
HOLMSKIOOLDIA.	HOLMSKIOOLDIA.	Didynamia Angiospermia. S.S.			
1 sanguinea. s.s.	scarlet.	E. Indies.	1796.	10. 4. S. h.	Botan. regist. 692.
<i>Hastingia coccinea.</i>	Sm. ex. bot. so.				
2 scandens.	climbing.	—	1824.	— S. h. ~	
<i>Hastingia scandens. H.B.</i>					
PETRÆA. S.S.	PETRÆA.	Didynamia Angiospermia. L.			
1 volubilis. s.s.	climbing.	Vera Cruz.	1733.	7. 8. S. h. ~	Botan. magaz. 628.
2 rugosa. k.s.	rough-leaved.	Caracas.	1824.	— S. h.	
HOSTA. Jacq.	HOSTA.	Diandria Monogynia.			
1 cœrulea. Jacq.	blue-flowered.	S. America.	1733.	6. 9. S. h.	Jacq. schœnb. 1. t. 114.
<i>Cornutia punctata. B.M. 261.</i>					
2 latifolia. k.s.	broad-leaved.	Mexico.	1824.	— S. h.	
CORNUTIA. P.S.	CORNUTIA.	Diandria Monogynia. S.S.			
pyramidalis. p.s.	pyramidal.	W. Indies.	1733.	— S. h.	Lam. ill. t. 541.
GMELINA. S.S.	GMELINA.	Didynamia Angiospermia. L.			
1 arborea. s.s.	tree.	E. Indies.	1812.	— S. h.	Rheed. mal. 1. t. 41.
2 villosa. H.B.	villous.	—	1818.	— S. h.	
3 asiatica. s.s.	oval-leaved.	—	1792.	— S. h.	Lam. ill. t. 542.
4 parviflora. p.s.	small-flowered.	—	1817.	— S. h.	Roxb. corom. 1. t. 32.
<i>parvifolia. s.s.</i>					
CITHAREXYLUM. W.	FIDDLE-WOOD.	Didynamia Angiospermia. L.			
1 caudatum. s.s.	upright.	Jamaica.	1763.	— S. h.	Jacq. ic. 3. t. 501.
<i>erectum. Jacq.</i>					
2 villosum. s.s.	hairy-leaved.	W. Indies.	1784.	— S. h.	— 1. t. 118.
3 subserratum. s.s.	subserrate.	Hispaniola.	1819.	— S. h.	
4 quadrangulare. s.s.	square-stalked.	Jamaica.	1759.	6. 8. S. h.	Jacq. vind. 1. t. 22.
5 cinereum. s.s.	ash-coloured.	W. Indies.	1739.	— S. h.	Jacq. amer. t. 118.

6 molle. s.s.	soft-leaved.	1822.	—	S. h.		
7 pentandrum. s.s.	pentandrous.	Portorico. 1815.	—	S. h.	Vent. cels. t. 47.	
DURANTA. S.S.	DURANTA.	Didynamia Angiospermia. L.				
1 Plumieri. B.R.	smooth.	S. America. 1733.	6. 10.	S. h.		
2 Ellisia. B.M.	prickly.	W. Indies. 1739.	8.	S. h.	Botan. regist. 244.	
3 inermis. Mill.	unarmed.	S. America. —	—	S. h.	Botan. magaz. 1759.	
4 xalapensis. K.S.	Mexican.	Mexico. 1822.	—	S. h.		
5 Mutisii. K.S.	Mutis's.	S. America. —	6. 8.	S. h.		
AMASONIA. S.S.	AMASONIA.	Didynamia Angiospermia. S.S.				
punicea. s.s.	punicous.	Trinidad. 1823.	—	S. h.		
LANTANA. S.S.	LANTANA.	Didynamia Angiospermia. L.				
1 aculeata. s.s.	changeable-col'd.	W. Indies. 1692.	4. 11.	S. h.		
2 purpurea. s.s.	purple-flow'r'd.	S. America. 1822.	—	S. h.		
3 scabrida. s.s.	rough.	W. Indies. 1774.	7. 10.	S. h.		
4 mista. w.	Nettle-leaved.	—	1732.	8. 10.	S. h.	
5 melissæfolia. s.s.	Balm-leaved.	—	—	7. 9.	S. h.	
6 nivea. s.s.	snowy white.	E. Indies.	—	—	S. h.	
7 stricta. s.s.	narrow-leaved.	Jamaica. 1733.	—	S. h.		
8 Radula. w.	Rasp-leaved.	W. Indies. 1803.	—	S. h.		
9 salviæfolia. s.s.	Sage-leaved.	C. B. S. 1823.	—	G. h.		
10 recta. s.s.	upright.	Jamaica. 1758.	6. 8.	S. h.		
11 involucrata. s.s.	round-leaved.	W. Indies. 1690.	5. 7.	S. h.		
12 odorata. s.s.	sweet-scented.	—	1758.	5. 11.	S. h.	
13 Camara. s.s.	various-colour'd.	—	1691.	4. 9.	S. h.	
14 trifolia. s.s.	three-leaved.	—	—	6. 9.	S. h.	
15 annua. s.s.	annual.	S. America. —	—	7. 8.	S. ⓧ.	
16 fucata. s.s.	painted.	Brazil. 1822.	—	S. h.		
17 lavandulacea. s.s.	Lavender-like.	—	—	—	S. h.	
18 crocea. L.en.	saffron-colour'd.	Jamaica. —	—	—	S. h.	
19 violacea. Desf.	violet-coloured.	S. America. 1824.	—	—	S. h.	
20 brasiliensis. L.en.	Brazilian.	Brazil. —	—	—	S. h.	
21 alba. L.en.	white-flowered.	S. America. —	—	—	S. h.	
22 horrida. K.S.	horrid.	Mexico. 1825.	—	—	S. h.	
SPIELMANNIA. S.S.	SPIELMANNIA.	Didynamia Augiospermia. S.S.				
africana. s.s.	African.	C. B. S. 1710.	2. 11.	G. h.		
TECTONA. W.	TEAK-WOOD.	Pentandria Monogynia. L.				
grandis. w.	great.	E. Indies. 1777.	—	S. h.		
COLEBROOKIA. S.S.	COLEBROOKIA.	Didynamia Gymnospermia. S.S.				
1 oppositifolia. D.P.	opposite-leav'd.	Nepaul. 1816.	6. 9.	S. h.		
2 ternifolia. s.s.	three-leaved.	E. Indies. —	—	—	S. h.	
STREPTIUM. S.S.	STREPTIUM.	Didynamia Angiospermia. S.S.				
asperum. s.s.	rough.	E. Indies. 1799.	7. 8.	S. ♀.		
Tortula aspera. w.	Priva leptostachya. P.S.					
PRIVA. S.S.	PRIVA.	Didynamia Angiospermia. S.S.				
1 lappulacea. P.S.	bristly-fruited.	S. America. 1822.	6. 8.	S. ♀.		
echinata. K.S.	Mexican.	Mexico. 1726.	8. 9.	S. ♀.	Jacq. obs. 1. t. 24.	
2 mexicana. P.S.	thorny-fruited.	W. Indies. 1733.	8.	S. ⓧ.	Dill. elth. t. 302. f. 389.	
hispida. K.S. Verbena mexicana. L.	curassavica. P.S. Ghinia spinosa. w.	TAMONEA.	Diandria Monogynia.			
TAMONEA. S.S.						
verbenacea. s.s.	thorny-fruited.	W. Indies. 1733.	8.	S. ⓧ.	Banks. vel. Hous. t. 2.	
curassavica. P.S. Ghinia spinosa. w.						
STACHYTARPHETA. BASTARD VERVAIN.	Diandria Monogynia. S.S.					
1 angustifolia. R.S.	narrow-leaved.	S. America. —	6. 9.	S. ⓧ.		
2 indica. R.S.	Indian.	Ceylon. 1732.	8. 9.	S. ⓧ.	Jacq. obs. 4. t. 86.	
3 urticifolia. B.M.	Nettle-leaved.	S. America. —	5. 9.	S. ⓧ.		
4 jamaicensis. R.S.	Jamaica.	W. Indies. 1714.	6. 9.	S. ⓧ.	Botan. magaz. 1848.	
5 cayennensis. s.s.	Cayenne.	Cayenne. 1819.	—	S. h.	— 1860.	
6 prismatica. R.S.	Germander-l'd.	W. Indies. 1699.	5. 6.	S. ⓧ.		
7 orubica. R.S.	Orubian.	S. America. —	6. 8.	G. ⓧ.	Jacq. ic. 2. t. 208.	
8 mutabilis. R.S.	changeable-fld.	—	1801.	3. 9.	S. h.	Ehr. pict. t. 5. f. 1.
Verbena mutabilis. w. Cymburus mutabilis. P.L. 49.					Botan. magaz. 976.	
9 hirsutissima. L.en.	hairy.	Brazil. 1821.	6. 9.	S. ♀.		
ZAPANIA. J.	ZAPANIA.	Didynamia Angiospermia. P.S.				
1 stœchadifolia. P.S.	oval-spiked.	W. Indies. 1732.	8. 9.	S. ♀.	Brown. jam. t. 3. f. 1.	
2 nodiflora. n.p.	knot-flowered.	America. 1664.	7. 8.	G. ♀.	Flor. græc. 553.	
Verbena nodiflora. L. Lippia nodiflora. s.s.						
ALOYSIA. P.S.	ALOYSIA.	Didynamia Angiospermia. P.S.				
citrodora. P.S.	Lemon-scent'd.	Chili. 1784.	5. 9.	G. h.	Botan. magaz. 367.	
Verbena triphylla. B.M. Lippia citrodora. K.S.						

VERBENA. S.S.		VERVAIN. Didynamia Angiospermia. S.S.
1 angustifolia. s.s.	narrow-leaved.	N. America. 1802. 6. 8. H. 4.
2 paniculata. s.s.	panicked.	1800. 7. 8. H. 4.
3 bonariensis. s.s.	cluster-flow'r'd.	Buenos Ayres. 1732. 7. 10. H. 3.
4 caroliniana. s.s.	Carolina.	N. America. — 6. 9. H. 4.
5 urticæfolia. s.s.	Nettle-leaved.	1683. 7. 9. H. 4.
6 stricta. s.s.	upright.	1802. 7. 8. H. 4.
7 lasiostachys. s.s.	woolly-spiked.	California. 1823. — H. 4.
8 bracteosa. s.s.	long-bracted.	N. America. 1812. 7. H. 4.
9 Aubletia. s.s.	rose.	— 1774. 6. 8. F. 3.
10 Lamberti. B.M.	Lambert's.	Peru. 1816. — F. 4.
11 hastata. s.s.	halberd-leaved.	Canada. 1710. — H. 4.
12 scabra. s.s.	rough.	Mexico. 1825. — H. 4.
13 officinalis. E.B.	common.	Britain. — 6. 9. H. 4.
14 sororia. D.P.	sister.	Nepaul. 1823. 8. 10. H. 4.
15 spuria. s.s.	jagged-leaved.	N. America. 1731. 7. 8. H. 3.
16 erinoides. s.s.	Erinus-like.	Peru. 1820. — H. ⊙.
multifida. R.P.		
17 canescens. s.s.	canescent.	Mexico. — — H. 4.
18 supina. s.s.	trailing.	Spain. 1640. 6. 7. H. ⊖.
19 prostrata. H.K.	prostrate.	N. America. 1794. — H. 4.
LIPPIA. J.		LIPPIA. Didynamia Angiospermia. S.S.
purpurea. s.s.	purple.	Mexico. 1823. 6. 8. G. h.
HEBENSTREITIA. S.S.		HEBENSTREITIA. Didynamia Angiospermia. L.
1 scabra. w.	rough-leaved.	C. B. S. 1816. 5. 9. G. h.
2 integrifolia. w.	entire-leaved.	— 1792. 4. 6. G. h.
aurea. A.R.		Andr. deposit. 252.
3 dentata. w.	dwarf-tooth'd-ld.	— 1739. 5. 9. G. ⊙.
4 ciliata. w.	ciliated.	— 1815. 5. 7. G. h.
5 spicata. P.S.	spiked.	— — — G. h.
6 erinoides. s.s.	Erinus-leaved.	— 1816. 5. 11. G. h.
7 fruticosa. B.M.	frutescent.	— — — G. h.
8 cordata. s.s.	heart-leaved.	— 1774. 7. 8. G. h.
SELAGO. S.S.		SELAGO. Didynamia Gymnospermia. L.
1 canescens. s.s.	canescent.	C. B. S. 1812. 7. 11. G. h.
2 diffusa. s.s.	spreading.	— 1807. 7. 8. G. h.
3 spinea. L.en.	reflex-leaved.	— 1816. — G. h.
4 ovata. s.s.	oval-headed.	— 1774. 6. 7. G. h.
5 spicata. s.s.	spiked.	— 1815. — G. h.
6 ramulosa. s.s.	branching.	— — 6. 9. G. h.
7 bracteata. s.s.	imbriate-bract'd.	— 1816. — G. h.
8 dentata. s.s.	round-leaved.	— — — G. h.
9 polygaloides. s.s.	Milkwort-like.	— 1807. 7. 11. G. h.
10 rapunculoides. s.s.	Rampion-like.	— 1815. — G. h.
11 fasciculata. s.s.	cluster-flower'd	— 1774. 6. 7. G. h.
12 lucida. v.	shining-leaved.	— 1812. — G. h.
13 rotundifolia. s.s.	round-leaved.	— 1816. 7. 9. G. h.
14 corymbosa. s.s.	fine-leaved.	— 1699. — G. h.
15 spuria. s.s.	linear-leaved.	— 1779. 7. 10. G. ⊙.

Dill. elt. t. 300. f. 387.	—— t. 301. f. 388.
Rob. ic. 26.	Botan. magaz. 1976.
Botan. magaz. 308.	—— 2200.
Herm. parad. t. 242.	
Eng. bot. 769.	Swt. br. fl. gar. ic.
Flor. peruv. I. t. 33. f.c.	
H. et. B. 2. t. 136.	Park. theat. 675. f. 2.
Jacq. f. eclog. t. 85.	

Botan. magaz. 483.	
Botan. magaz. 1970.	
Botan. magaz. 186.	
Botan. regist. 184.	Venten. malm. t. 10.
Comm. hort. 2. t. 40.	

ORDO CXXXIII.

MYOPORINÆ. Brown prodr. p. 514.

MYOPORUM. B.P.	MYOPORUM.	Didynamia Angiospermia. S.S.
1 ellipticum. B.P.	smooth-leaved.	N. S. W. 1789. 1. 3. G. h.
Pogonia glabra. A.R.		Andr. deposit. 283.
2 acuminatum. B.P.	acuminate.	— 1812. G. h.
3 montanum. B.P.	mountain.	— 1822. 2. 6. G. h.
4 parvifolium. B.P.	small-leaved.	N. Holland. 1803. 3. 9. G. h.
5 debile. B.P.	procumbent.	N. S. W. 1793. 5. 8. G. h.
6 diffusum. B.P.	diffuse.	N. Holland. 8. 2. G. h.
		Botan. magaz. 1691. — 1830.

7 tuberculatum. B.P.	tubercléd.	N. Holland.	1803.	5. 8. G. h.	
8 viscosum. B.P.	viscid.	—	—	— G. h.	
9 crassifolium. s.s.	thick-leaved.	N. Zealand.	1822.	— G. h.	
10 oppositifolium. s.s.	opposite-leav'd.	N. Holland.	1803.	1. 12. G. h.	
STENOCHILUS. B.P.	STENOCHILUS.	Didynamia Angiospermia. S.S.			
1 glaber. B.P.	smooth-leaved.	N. Holland.	1803.	1. 12. G. h.	
2 maculatus. B.R.	spott'd-flow'r'd.	—	1820.	4. 8. G. h.	Botan. magaz. 1942.
BONTIA. S.S.	BONTIA.	Didynamia Angiospermia. L.			Botan. regist. 647.
daphnoïdes. s.s.	Barbadoes.	W. Indies.	1690.	6. S. h.	Dill. elth. t. 49. f. 57.
AVICENNIA. B.P.	AVICENNIA.	Didynamia Angiospermia. L.			
tomentosa. B.P.	downy-leaved.	India.	1793. S. h.	Palisot. d'Owar. t. 47.

ORDO CXXXIV.

ACANTHACEÆ. *Brown prod. 1. p. 472.*

ACANTHUS. S.S.	BEARS-BREECH.	Didynamia Angiospermia. L.			
1 mollis. w.	soft-leaved.	Italy.	1548.	7. 9. H. 4.	Lam. ill. t. 550.
2 niger. L.en.	shining-leaved.	Portugal.	1759.	— H. 4.	
3 spinosus. B.M.	prickly-leaved.	S. Europe.	1629.	— H. 4.	Botan. magaz. 1808.
4 spinosissimus. P.S.	white-spined.	—	—	— H. 4.	
5 carduifolius. s.s.	Cape.	C. B. S.	1816.	— G. 4.	Rheed. mal. 2. t. 48.
6 ilicifolius. s.s.	Holly-leaved.	E. Indies.	1759. S. h.	
BLEPHARIS. J.	BLEPHARIS.	Didynamia Angiospermia. P.S.			
1 capensis. s.s.	simple-spined.	C. B. S.	1816.	5. 9. G. h.	
2 furcata. s.s.	fork-spined.	—	—	6. 8. G. h.	
3 procumbens. s.s.	procumbent.	—	1825.	— G. h.	
THUNBERGIA. S.S.	THUNBERGIA.	Didynamia Angiospermia. S.S.			
1 grandiflora. s.s.	large-flowered.	E. Indies.	1822.	3. 8. S. h. —	Botan. regist. 495.
2 fragrans. s.s.	white Indian.	—	1796.	5. 9. S. h. —	Botan. magaz. 1881.
3 cordata. C.R.	heart-leaved.	Brazil.	1823.	3. 8. S. h. —	Coll. h. rip. t. 21.
4 capensis. s.s.	Cape.	C. B. S.	1816.	— G. h. —	
5 alata. B.M.	winged.	Zanzibar.	1825.	1. 12. S. h. —	Botan. magaz. 2591.
6 angulata. H.E.F.	angular-stalk'd.	Mauritius.	1824.	5. 8. S. h. —	Hook. ex. flor. 166.
7 coccinea. D.P.	scarlet-flow'r'd.	Nepaul.	—	6. 2. S. h. —	195.
BARLERIA. S.S.	BARLERIA.	Didynamia Angiospermia. L.			
1 buxifolia. s.s.	Box-leaved.	E. Indies.	1763.	6. 7. S. h.	Rheed. mal. 2. t. 47.
2 Prionitis. s.s.	thorny.	—	1759.	7. 8. S. h.	— 9. t. 41.
3 longifolia. s.s.	long-leaved.	—	1781.	7. 9. S. 4.	Pluk. alm. t. 133. f. 4.
4 cristata. s.s.	crested.	—	1796.	4. 9. S. h.	Botan. magaz. 1615.
5 alba. B.C.	white-flowered.	—	1818.	— S. h.	Lodd. bot. cab. 360.
6 flava. s.s.	yellow-flow'r'd.	Arabia.	1816.	— S. h.	Jacq. f. ecl. t. 46.
mitis. B.R. 191.	<i>Justicia flava.</i> w. <i>Eranthemum flavum.</i> w.en.				
7 longiflora. s.s.	long-flowered.	E. Indies.	—	6. 9. S. h.	Vahl symb. 1. t. 16.
8 purpurea. B.C.	purple.	—	1817.	— S. h.	Lodd. bot. cab. 344.
9 dichotoma. H.B.	forked.	—	1823.	— S. h.	
10 caerulea. H.B.	blue-flowered.	—	—	— S. h.	
HYGROPHILA. B.P.	HYGROPHILA.	Didynamia Angiospermia. S.S.			
ringens. s.s.	gaping-flow'r'd.	E. Indies.	1807.	7. 8. S. h.	
RUELLIA. S.S.	RUELLIA.	Didynamia Angiospermia. L.			
1 ocyoides. s.s.	Basil-like.	Mexico.	1815.	7. 8. S. h.	Cavan. ic. 5. t. 456.
2 ciliata. s.s.	fringed.	E. Indies.	1806.	— S. h.	
3 australis. s.s.	New Holland.	N. S. W.	1820.	6. 9. G. h.	Cavan. ic. 6. t. 586. f. 1.
4 foetida. s.s.	strong-scented.	Mexico.	1824.	— G. h.	
5 biflora. s.s.	two-flowered.	Carolina.	1765.	7. G. 4.	
6 violacea. s.s.	violet-flowered.	Guiana.	1822.	6. 9. S. 4.	Aub. gui. 2. t. 271.
7 salicifolia. s.s.	Willow-leaved.	E. Indies.	—	— S. h.	
8 ovata. s.s.	oval-leaved.	Mexico.	1800.	7. 8. S. 4.	Cavan. ic. 3. t. 254.
9 patula. s.s.	spreading.	E. Indies.	1774.	— S. h.	Jacq. ic. 1. t. 119.

ACANTHACEÆ.

29 Keriana.	Ker's.	China.	1815.	6. 9.	S. $\frac{1}{2}$.	Botan. regist. 309.
<i>eustachiana</i> . B.R.—B.M. 2076. non Jacq.	white-flowering.	E. Indies.	1790.	2. 10.	S. $\frac{1}{2}$.	Botan. magaz. 325.
30 nasuta. R.S.	lance-leaved.	—	1818.	8. 12.	S. $\frac{1}{2}$.	
31 lanceolaria. F.I.	beautiful.	—	1823.	—	S. $\frac{1}{2}$.	Rumph. amb. 6.t.22.f.1.
32 speciosa. F.I.	Roxburghiana.	—	1815.	6. 9.	S. $\frac{1}{2}$.	
33 Roxburghiana. R.S.	Roxburgh's.	—	1795.	4. 8.	S. $\frac{1}{2}$.	
<i>tinctoria</i> . F.I. non Lour. <i>baphica</i> . s.s.	forked.	Peru.	—	—	—	
34 pectoralis. R.S.	Garden Balsam.	W. Indies.	1787.	5. 6.	S. $\frac{1}{2}$.	Botan. regist. 796.
35 periplocæfalia. R.S.	Periploca-ld.	S. America.	1799.	6. 8.	S. $\frac{1}{2}$.	Jacq. coll. s. t. 7. f. 2.
36 furcata. R.S.	—	—	—	—	—	Botan. magaz. 430.
<i>peruviana</i> . B.M. Cavan. ic. 1. t. 25.	—	—	—	—	—	
37 lithospermifolia.	Gromwell-ld.	—	1796.	—	S. $\frac{1}{2}$.	Jacq. schœn. 1. t. 4.
38 caracasana. R.S.	Caracas.	Caracas.	1818.	—	S. $\frac{1}{2}$.	Jacq. ic. 2. t. 206.
39 Adhatoda. R.S.	Malabar-nut.	Ceylon.	1699.	5. 7.	G. $\frac{1}{2}$.	Botan. magaz. 861.
40 Betonica. R.S.	Betony-leaved.	E. Indies.	1739.	—	S. $\frac{1}{2}$.	Rheed. mal. 2. t. 21.
41 ramosissima. F.I.	branching.	—	1812.	8. 12.	S. $\frac{1}{2}$.	
42 plumbaginifolia. R.S.	Plumbago-ld.	—	1819.	6. 9.	S. $\frac{1}{2}$.	Jacq. f. ecl. t. 12.
43 formosa. R.S.	handsome	—	—	—	S. $\frac{1}{2}$.	
44 maculata. B.C.	spotted-leaved.	W. Indies.	1823.	—	S. $\frac{1}{2}$.	Lodd. bot. cab. 626.
45 hyssopifolia. R.S.	Hyssop-leaved.	Canaries.	1690.	3. 8.	G. $\frac{1}{2}$.	Mill. ic. 9. t. 13.
46 orchoides. R.S.	Broom-leaved.	C. B. S.	1774.	8.	G. $\frac{1}{2}$.	Vent. malm. t. 51.
47 retusa. B.C.	retuse.	—	1816.	7. 9.	S. $\frac{1}{2}$.	Lodd. bot. cab. 724.
48 calytricha. H.E.F.	yellow-flower'd.	—	1825.	1. 3.	S. $\frac{1}{2}$.	Hook. ex. flor. 212.
DICLIPTERA. J.	DICLIPTERA.	Diandria Monogynia. R.S.				
1 chinensis. R.S.	Chinese.	China.	1816.	8. 12.	S. $\frac{1}{2}$.	Burm. ind. t. 4. f. 1?
2 bivalvis. R.S.	two-valved.	E. Indies.	1820.	—	S. $\frac{1}{2}$.	
3 resupinata. R.S.	resupinate.	N. Spain.	1805.	5. 8.	S. $\frac{1}{2}$.	Cavan. ic. 3. t. 203.
<i>Justicia sexangularis</i> .	Cav. non L.					
4 pectinata. R.S.	pectinated.	E. Indies.	1801.	7. 9.	S. $\frac{1}{2}$.	Roxb. corom. 2. t. 153.
<i>Justicia parviflora</i> . W.						
5 scorpioides. R.S.	Scorpion-grass-ld.	Vera Cruz.	—	—	S. $\frac{1}{2}$.	Reliqu. Houst. t. 1.
6 sexangularis. R.S.	chickweed-ld.	S. America.	1733.	7.	S. \odot .	Pluk. alm. t. 279. f. 6.
HYPÖESTES. R.S.	HYPÖESTES.	Diandria Monogynia. R.S.				
1 purpurea. R.S.	purple-flower'd.	China.	1822.	6. 8.	S. $\frac{1}{2}$.	
<i>Justicia purpurea</i> . L.						
2 serpens. R.S.	creeping-stalked.	Mauritius.	1823.	—	S. $\frac{1}{2}$.	
3 involucrata. R.S.	involucred.	E. Indies.	1811.	7. 8.	S. $\frac{1}{2}$.	
ERANTHEMUM. R.S.	ERANTHEMUM.	Diandria Monogynia. R.S.				
1 variabile. B.P.	variable.	N. S. W.	1820.	6. 9.	G. $\frac{1}{2}$.	
2 pulchellum. F.I.	nervose.	E. Indies.	1796.	1. 10.	S. $\frac{1}{2}$.	Andr. deposit. 88.
<i>Justicia nervosa</i> . B.M. 1358.						
3 strictum. F.I.	upright.	—	1822.	—	S. $\frac{1}{2}$.	Botan. regist. 867.
4 crenulatum. B.R.	crenulate.	—	1824.	—	S. $\frac{1}{2}$.	— 879.
5 bicolor. s.s.	two-coloured.	Philippines.	1802.	5. 8.	S. $\frac{1}{2}$.	Botan. magaz. 1423.
<i>Justicia bicolor</i> . B.M.						
6 spinosum. R.S.	thorny.	W. Indies.	1733.	7. 8.	S. $\frac{1}{2}$.	Jacq. amer. 2. t. 2. f. 1.

ORDO CXXXV.

OROBANCHEÆ. *Ventenat.*

LATHRÆA. S.S.	TOOTHWORT.	Didynamia Angiospermia. L.		
squamaria. s.s.	scaly.	Britain.	... 4.	H. $\frac{1}{2}$.
OROBANCHE. S.S.	BROOM-RAPE.	Didynamia Angiospermia. L.		Eng. bot. 50.
1 major. E.B.	greater.	Britain.	... 6. 7.	H. $\frac{1}{2}$.
2 elatior. E.B.	taller.	—	... 7. 8.	H. $\frac{1}{2}$.
3 minor. E.B.	smaller.	—	—	H. $\frac{1}{2}$.
4 rubra. E.B.	red.	Ireland.	... 8.	H. $\frac{1}{2}$.
5 cœrulea. E.B.	blue.	Britain.	... 7.	H. $\frac{1}{2}$.
6 ramosa. E.B.	branching.	—	... 8. 9.	H. $\frac{1}{2}$.

ORDO CXXXVI.

LENTIBULARIÆ. *Brown prodr.* 1. p. 429.

PINGUICULA. L.

- 1 vulgaris. s.s.
- 2 alpina. s.s.
- 3 grandiflora. s.s.
- 4 lusitanica. s.s.
- 5 lutea. B.R.
- 6 edentula. H.E.F.
- 1 vulgaris. E.B.
- 2 intermedia. E.B.
- 3 minor. E.B.

BUTTERWORT. Diandria Monogynia. L.

common.	Britain.	5.	H.w. 2.	Eng. bot. 70.
Alpine.	Europe.	1794.	4.	H.w. 2.	Flor. dan. t. 453.
great-flowered.	Ireland.	5. 6.	H.w. 2.	Eng. bot. 2184.
pale.	Britain.	6. 7.	H.w. 2.	Eng. bot. 145.
yellow.	Carolina.	1816.	—	H.w. 2.	Botan. regist. 126.
toothless.	N.America.	1821.	4. 5.	H.w. 2.	Hook. ex. flor. 16.
HOODED MILFOIL. Diandria Monogynia. L.					
common.	Britain.	7.	H. 2.	Eng. bot. 253.
intermediate.	Ireland.	—	H. 2.	— 2489.
lesser.	Britain.	—	H. 2.	— 254.

UTRICULARIA. L.

- 1 vulgaris. E.B.
- 2 intermedia. E.B.
- 3 minor. E.B.

ORDO CXXXVII.

PRIMULACEÆ. *Brown prodr.* p. 427.

CYCLAMEN. L.

- 1 coum. R.S.
- 2 vernum. B.F.G.
- 3 europæum. R.S.
- 4 persicum. R.S.
- α inodorum.
- β odoratum.
- γ albiflorum.
- 5 hederæfolium. E.B.
- α purpurascens.
- β album.
- 6 neapolitanum. T.N.
- 7 repandum. F.G.
- 8 latifolium. F.G.
- 9 linearifolium. R.S.

CYCLAMEN. Pentandria Monogynia. L.

green, round-leaved.	S. Europe.	1596.	1. 4.	H. 2.	Botan. magaz. 4.
spring.	—	1814.	2. 5.	H. 2.	Swt. br. fl. gar. 9.
round-leaved.	Europe.	1596.	7. 8.	H. 2.	Jacq. aust. 5. t. 401.
Persian.	Cyprus.	1731.	2. 4.	G. 2.	Botan. magaz. 44.
scentless.	—	—	—	G. 2.	
sweet-scented.	—	—	—	G. 2.	
pure white.	—	—	—	G. 2.	
Ivy-leaved.	Britain.	6. 8.	H. 2.	Eng. bot. 1001.
purple-flower'd.	—	—	—	H. 2.	
white-flowered.	—	—	—	H. 2.	
Neapolitan.	Naples.	1826.	—	H. 2.	Mat.med. veg. p. 43. t. 41
angular-leaved.	Greece.	3. 4.	F. 2.	Swt. br. fl. gar. 117.
broad-leaved.	—	1823.	—	F. 2.	Flor. græc. t. 185.
linear-leaved.	S. France.	1824.	—	F. 2.	D.C. ic. gall. rar. 1. t. 8.

DODECATHEON. L. AMERICAN COWSLIP. Pentandria Monogynia. L.

- Meadia. R.S.
- β albiflora.

Meadia.	Virginia.	1744.	4. 6.	H. 2.	Botan. magaz. 12.
white-flowered.	—	1820.	—	H. 2.	

SOLDANELLA. R.S. SOLDANELLA. Pentandria Monogynia. L.

- 1 montana. R.S.
- 2 alpina. R.S.
- 3 minima. R.S.
- 4 pusilla. Baum.

mountain.	Bohemia.	1816.	4.	H. 2.	Swt. br. fl. gar. 11.
Alpine.	Switzerland.	1656.	—	H. 2.	Botan. magaz. 49.
small.	Carp. mount.	1820.	—	H. 2.	Hop. in Sturm. fl. fas. 20.
lesser.	S. Europe.	1824.	—	H. 2.	

CORTUSA. L. BEARS-EAR SANICLE. Pentandria Monogynia. L.

- Mathioli. R.S.

short calyxed.	Austria.	1596.	4. 6.	H. 2.	Botan. magaz. 987.
----------------	----------	-------	-------	-------	--------------------

PRIMULA. L. PRIMROSE. Pentandria Monogynia. L.

- 1 prænitens. B.R.
- sinensis*. L.C. non Loar.
- 2 cortusoides. R.S.
- 3 dentiflora. A.R.
- 4 suaveolens. R.S.
- Columnæ*. T.N.
- 5 inflata. R.S.
- 6 brevistyla. R.S.
- β ver sicolor.
- 7 veris. R.S.
- β rubra.

glossy.	China.	1820.	1. 12.	F. 2.	Botan. regist. 539.
Cortusa-leaved.	Siberia.	1794.	5. 7.	H. 2.	Botan. magaz. 399.
tooth-flowered.	—	—	—	H. 2.	Andr. reposit. 451.
sweet-scented.	Naples.	1826.	—	H. 2.	Ten. fl. neap. 1. t. 13.
bellied-calyxed.	Hungary.	1824.	—	H. 2.	
short-styled.	France.	—	H. 2.	
various-coloured.	—	—	H. 2.	
Cowslip.	Britain.	5. 6.	H. 2.	Eng. bot. 5.
red cowslip.	—	—	H. 2.	

8	acaulis. R.S.	common.	Britain.	3. 5. H. 4.	Eng. bot. 4.	
	vulgaris. E.B.	double-white.	H. 4.		
	β albo-plena.	double-sulphur.	H. 4.		
	γ sulphureo-plena.	double-copper.	H. 4.		
	δ cupreo-plena.	double-salmon.	H. 4.		
	ε salmoneo-plena.	double-lilac.	H. 4.		
	ζ lilacino-plena.	double Scotch.	H. 4.		
	η rubro-plena.	double dark purple.	H. 4.		
	δ purpureo-plena.	Oxlip.	Britain.	H. 4.		
9	elatior. R.S.	Polyanthus.	H. 4.	Botan. magaz. 229.	
	β polyantha.	coloured-calyxed.	H. 4.	Eng. bot. 518.	
	γ calycantha.	Perrein's.	Spain.	H. 4.	Flugg. an.mus.12. t.37.	
10	Perreiniana. R.S.	Pallas's.	Altay.	1820.	H. 4.		
	Fluggeana. Leh.	Auricula.	Switzerland.	1596.	4. 5. H. 4.	Botan. regist. 896.	
11	Pallasiæ. R.S.	yellow-flowered.	H. 4.	Jacq. aust. 5. t. 415.	
12	Auricula. R.S.	yellow-calyxed.	H. 4.		
	β lutea.	entire-leaved.	H. 4.	Trattin. tabul. t. 431.	
	γ calycantha.	garden.	H. 4.	— t. 432.	
	δ integrerrima.	unequal-bract'd.	Palinuri.	1816.	H. ½.	Swt. br. fl. gar. 8.	
	ε hortensis.	Balbis's.	Italy.	1826.	H. 4.	Moret.fl.vicent.p.7. ic.	
13	Palinuri. R.S.	silver-edged.	Switzerland.	1777.	3. 4. H. 4.	Botan. magaz. 191.	
14	Balbisii. R.S.	long-flowered.	—	1818.	4. 6. H. 4.		
15	marginata. B.M.	long-leaved.	Levant.	1790.	4. 5. H. 4.	Jacq. aust. 5. t. 46.	
	crenata. R.S.	Bird's-eye.	Britain.	4. 7. H. 4.	Botan. magaz. 392.	
16	longiflora. R.S.	Scotch bird's-eye.	Scotland.	7. H. 4.	Eng. bot. 6.	
17	longifolia. B.M.	Horneman's.	N. Europe.	1822.	6. 7. H. 4.	Hook. fl. lond. t. 133.	
	auriculata. R.S.	Horinemanniana. s.s.				Flor. dan. t. 1385.	
18	farinosa. R.S.	davurica. R.S.	Siberian bird's-eye.	Davuria.	1806.	5. 6. H. 4.	
19	scotica. s.s.	intermedia. B.M.				Botan. magaz. 1219.	
20	stricta. R.S.	pasilla. s.s.	American bird's-eye.	N. America.	1819.	H. 4.	
	Hornemanniana. s.s.	finmarchica. R.S.	Norwegian.	Norway.	1798.	H. 4.	Hook. ex. flor. t. 68.
21	davurica. R.S.	nivalis. R.S.	snowy mountain.	Davuria.	1790.	4. 5. H. 4.	Flor. dan. t. 188.
	intermedia. B.M.	viscosa. R.S.	clammy.	Piedmont.	1792.	H. 4.	Pall. it.3. app. t.9. f. 2.
22	pasilla. s.s.	integrifolia. R.S.	entire-leaved.	Pyrenees.	—	6. 7. H. 4.	Trattin. tabul. t. 434.
23	finmarchica. R.S.	Simsii.	Sims's.	Switzerland.	—	H. 4.	Botan. magaz. 942.
24	nivalis. R.S.	villosa β flore albo. B.M.				— 1161.	
25	viscosa. R.S.	nivea. F.	snowy white.	Siberia.	H. 4.	
26	integrifolia. R.S.	nivalis. Hort. nec aliorum.					
27		helvetica. B.C.	Swiss.	Switzerland.	1790.	H. 4.	Lodd. bot. cab. 348.
30	pubescens. R.S.	pubescent.	Pyrenees.	1768.	H. 4.	Trattin. tabul. t. 427.	
	villosa. B.M. 14. non	Jacq.					
31	villosa. R.S.	villosa.	S. Europe.	—	H. 4.		
32	ciliata. R.S.	ciliated.	Switzerland.	H. 4.	Jacq. aust. 5. t. 27.	
	decora. B.M. 1922.						
33	glutinosa. R.S.	glutinous.	S. Europe.	1820.	H. 4.		
34	minima. R.S.	smallest.	Switzerland.	1819.	4. 5. H. 4.	Jacq. aust. t. 26.	
ANDROSACE. L.	ANDROSACE.	ANDROSACE.	Pentandria Monogynia. L.			Botan. regist. 581.	
1	maxima. R.S.	oval-leaved.	Austria.	1597.	3. 6. H. ⊖.	Jacq. aust. 4. t. 331.	
2	elongata. R.S.	cluster-flow'r'd.	—	1776.	4. 5. H. ⊖.	— 4. t. 330.	
3	nana. R.S.	dwarf.	S. Europe.	1825.	H. ⊖.		
4	septentrionalis. R.S.	tooth-leaved.	Russia.	1755.	H. ⊖.	Botan. magaz. 2021.	
5	coronopifolia. A.R.	Buckshorn-ld.	Siberia.	1806.	6. 9. H. 3.	Andr. reposit. 647.	
6	lactiflora. R.S.	filiform.	—	1823.	H. ⊖.	Gmel. sib. 4. t. 44. f. 4.	
7	formiflora. R.S.	villous.	Pyrenees.	1790.	6. 7. H. 4.	Botan. magaz. 743.	
8	villosa. R.S.	grass-leaved.	Austria.	1768.	6. 8. H. 4.	Lodd. bot. cab. 232.	
9	chamaejasme. R.S.	white-flowered.	—	1752.	H. 4.	Botan. magaz. 868.	
10	lactea. R.S.	awl-leaved.	Switzerland.	1768.	7. 8. H. 4.	Lodd. bot. cab. 40.	
11	carnea. R.S.	blunt-leaved.	—	1820.	H. 4.	All. ped. 1. t. 46. f. 1.	
ARETIA. W.	ARETIA.	ARETIA.	Pentandria Monogynia. L.			Schk. hand. 1. t. 32.	
1	helvetica. w.	imbricated.	Switzerland.	1775.	5. 6. H. 4.	Lap. pyr. ic. ined. t.67.	
2	argentea.	silvery.	—	1826.	H. 4.	Jacq. aust. 5. app. t.18.	
	Androsace argentea. R.S.					Lodd. bot. cab. 166.	
3	alpina. w.	linear-leaved.	—	1775.	H. 4.		
4	Vitaliana. w.	grass-leaved.	Pyrenees.	1787.	H. 4.		
	Primula sedifolia. P.L. 107. Androsace Vitaliana. R.S.						

GLAUX. L.	BLACK-SALTWORT.	Pentandria Monogynia. L.		
maritima. R.S.	sea-side.	Britain. 5. 6. H. 4.	Eng. bot. 13.	
TRIENTALIS. W.	WINTER-GREEN.	Heptandria Monogynia. L.		
1 europaea. w.	oval-leaved.	Britain. 5. 6. H. 4.	Eng. bot. 15.	
2 americana. Ph.	spear-leaved.	N. America. 1816. 7. 8. H. 4.		
CORIS. L.	CORIS.	Pentandria Monogynia. L.		
monspeleensis. L.	Montpellier.	S. Europe. 1640. 6. 7. G. ♂.	Botan. regist. 536.	
HOTTONIA. L.	WATER-VIOLET.	Pentandria Monogynia. L.		
palustris. E.B.	marsh.	England. 7. 8. H.w. 4.	Eng. bot. 364.	
LYSIMACHIA. L.	LOOSE-STRIFE.	Pentandria Monogynia. L.		
1 vulgaris. R.S.	common.	Britain. 7. 9. H. 4.	Eng. bot. 761.	
2 Ephemeral. R.S.	Willow-leaved.	Spain. 1730. — H. 4.	Murr. c. gott. 1782. t. 2.	
3 atropurpurea. R.S.	dark purple.	Levant. — H. ⊖.	Hook. ex. flor. 180?	
4 dubia. R.S.	purple-flow'r'd. 1759. — H. ♂.	Flor. græc. t. 188.	
5 stricta. R.S.	upright.	N. America. 1781. 7. 8. H. 4.	Botan. magaz. 104.	
bulbifera. B.M. <i>racemosa</i> . M.				
6 capitata. R.S.	headed. 1813. 5. 7. H. 4.		
7 thyrsiflora. R.S.	tufted.	England. 5. 7. H. 4.	Eng. bot. 176.	
8 quadrifolia. R.S.	four-leaved.	N. America. 1798. 7. 8. H. 4.	Lam. ill. 1. t. 101. f. 2.	
<i>hirsuta</i> . M.				
9 longifolia. R.S.	long-leaved. — — — H. 4.	Botan. magaz. 660.	
quadriflora. B.M.				
10 verticillata. R.S.	whorl-leaved.	Hungary. 1818. 6. 8. H. 4.	Swt. br. fl. gar. 21.	
11 ciliata. R.S.	ciliated.	N. America. 1732. — H. 4.	Wachend. hort. t. 12.	
12 punctata. R.S.	punctated.	S. Europe. 1658. 7. 8. H. 4.	Jacq. aust. 4. t. 366.	
13 angustifolia. R.S.	narrow-leaved.	N. America. 1803. 7. 9. H. 4.		
14 hybrida. R.S.	hybrid. 1806. — H. 4.		
15 nemorum. R.S.	wood.	Britain. 5. 7. H. 4.	Eng. bot. 527.	
16 maculata. B.P.	spotted.	N. S. W. 1822. — G. 4.	Eng. bot. 528.	
17 Nummularia. R.S.	Moneywort.	Britain. 6. 7. H. 4.		
LUBINIA. S.S.	LUBINIA.	Pentandria Monogynia. S.S.		
atropurpurea. s.s.	dark-purple.	C. B. S. 1823. 7. 9. H. 4.	Link et Ot. h. ber. t. 27.	
ASTEROLINON. Lk.	ASTEROLINON.	Pentandria Monogynia. L.en.		
stellatum. L.en.	starry.	Italy. 1658. 6. H. ⊖.	Flor. græc. t. 189.	
<i>Lysimachia Linum-stellatum</i> . F.G.				
ANAGALLIS. L.	PIMPERNELL.	Pentandria Monogynia. L.		
1 arvensis. E.B.	red-flowered.	Britain. 6. 9. H. ⊖.	Eng. bot. 529.	
<i>phanicea</i> . R.S.				
2 carnea. Schl.	flesh-coloured.	Switzerland. — — H. ⊖.		
3 indica. B.F.G.	Indian.	E. Indies. 1824. — — H. ⊖.	Swt. br. fl. gar. 132.	
4 cœrulea. R.S.	blue-flowered.	Britain. — — H. ⊖.	Eng. bot. 1823.	
5 collina. R.S.	large-flowered.	Morocco. 1803. 5. 7. G. ♂.	Botan. magaz. 831.	
<i>fruticosa</i> . B.M. <i>grandiflora</i> . A.R. 367.				
6 latifolia. R.S.	broad-leaved.	Spain. 1759. — — G. ♂.	— — — 2389.	
7 Monelli. R.S.	blue Italian.	Italy. 1648. 5. 9. G. 4.	— — — 319.	
8 linifolia. R.S.	Flax-leaved.	Portugal. 1796. 6. 7. G. 4.	Moris. s. 5. t. 26. f. 3.	
9 tenella. R.S.	bog.	Britain. 7. 8. H. 4.	Eng. bot. 530.	
CENTUNCULUS. L.	BASTARD PIMPERNELL.	Tetrandria Monogynia. L.		
minimus. E.B.	least.	Britain. 6. 7. H. ⊖.	Eng. bot. 531.	
? SAMOLUS. B.P.	BROOK-WEED.	Pentandria Monogynia. L.		
1 Valerandi. E.B.	common.	Britain. 6. 8. H. 4.	Eng. bot. 703.	
2 littoralis. B.P.	sea-side.	N. S. W. 1806. 7. 9. G. 4.	Lab. n. holl. 1. t. 54.	
3 campanuloides. s.s.	Campanulalike.	C. B. S. 1816. — — G. 4.		
<i>Campanula porosa</i> . w.				

ORDO CXXXVIII.

GLOBULARIÆ. Lam. et DC. fl. fr. ed. 3. v. 3. p. 427.

GLOBULARIA. L.	GLOBULARIA.	Tetrandria Monogynia. L.		
1 longifolia. w.	Willow-leaved.	Madeira. 1775. 7. 8. G. ½.	Botan. regist. 685.	
<i>salicina</i> . R.S.				
2 Alypum. R.S.	three-toothed.	S. Europe. 1640. 8. 9. G. ½.	Garid. aix. t. 42.	
β <i>integrijolia</i> .	entire-leaved. 1755. — — G. ½.	Rœm. et Ust.b.m. 7. t. 5.	
		2 U 2		

GLOBULARIÆ.

3 linifolia. R.S.	Flax-leaved.	Spain.	1818.	5. 6.	H. 4.	
4 vulgaris. R.S.	common.	Europe.	1640.	—	H. 4.	Swt. br. fl. gar. 20.
5 spinosa. R.S.	prickly-leaved.	Spain.	—	—	F. 4.	
6 cordifolia. R.S.	wedge-leaved.	Germany.	1633.	6. 7.	H. 4.	Swt. br. fl. gar. 34.
7 nana. R.S.	dwarf.	S. France.	1818.	—	H. 4.	DC. ic. pl. gal. rar. t. t. 3.
8 nudicaulis. R.S.	naked-stalked.	Germany.	1629.	—	H. 4.	Jacq. aust. 3. t. 230.
9 bellidifolia. R.S.	Daisy-leaved.	Italy.	1824.	—	H. 4.	

**** SUBCLASSIS IV. MONOCHLAMYDEÆ.

ORDO CXXXIX.

PLUMBAGINEÆ. Brown prodr. 1. p. 425.

STATICE. T.

1 vulgaris.	common.	Pentandria Pentagynia. L.				
<i>Armeria vulgaris.</i> R.S.		Europe.	—	6. 8.	H. 4.	Schk. handb. t. 87.
2 arenaria. P.S.	sand.	France.	—	5. 8.	H. 4.	
3 alpina.	flattish-stalked.	Carinthia.	—	—	H. 4.	
4 littoralis.	ciliate-leaved.	Portugal.	—	—	H. 4.	
<i>Armeria littoralis.</i> R.S.						
5 maritima. Mill.	sea-side.	Britain.	—	5. 7.	H. 4.	Eng. bot. 226.
<i>Armeria. E.B. Armeria maritima.</i> R.S.						
6 humilis. P.S.	dwarf.	Portugal.	—	—	H. 4.	
7 juniperifolia. w.	Juniper-leaved.	Spain.	1818.	—	H. 4.	Quer. hisp. 6. t. 15. f. 1.
8 pinifolia. Brot.	Pine-leaved.	Portugal.	—	—	H. 4.	
9 pungens. Brot.	pungent-leav'd.	—	—	—	H. 4.	
10 alliacea. w.	Garlic-leaved.	Spain.	1798.	5. 6.	H. 4.	Cavan. ic. 2. t. 109.
11 scorzonerafolia.	spear-leaved.	S. Europe.	1816.	—	H. 4.	
<i>Armeria scorzonerafolia.</i> s.s.						
12 denticulata. Bert.	tooth-leaved.	Italy.	—	—	H. 4.	
13 latifolia.	broad-leaved.	Portugal.	1740.	5. 7.	H. 4.	Jacq. vind. 1. t. 42.
<i>cephalotes. H.K. Armeria latifolia.</i> R.S.						
14 plantaginea.	Plantain-leav'd.	S. Europe.	1816.	5. 6.	H. 4.	
15 dianthoides. B.F.G.	Pink-like.	—	1824.	5. 7.	H. 4.	Swt. br. fl. gar. ic.
<i>Armeria dianthoides.</i> s.s.						
16 hirta.	hairy.	Gibraltar.	1818.	—	H. 4.	
<i>Armeria hirta.</i> R.S.						
17 fasciculata. P.S.	bundle-leaved.	Portugal.	—	4. 8.	H. 4.	Venten. cels. t. 38.
TAXANTHEMA. B.P. SEA LAVENDER. Pentandria Pentagynia.						
1 graminifolia. R.S.	Grass-leaved.	Siberia.	1780.	6. 7.	H. 4.	
2 Limonium. R.S.	common.	England.	—	5. 8.	H. 4.	Eng. bot. 102.
<i>Statice Limonium.</i> E.B.						
3 elata. s.s.	tall.	Siberia.	1824.	—	H. 4.	
4 Gmelini. r.s.	Gmelin's.	—	1796.	6. 8.	H. 4.	Gmel. sib. 2. t. 90.
5 caroliniana. R.S.	Carolina.	N. America.	1824.	—	H. 4.	
6 scoparia. R.S.	Broom.	Siberia.	1796.	—	H. 4.	
7 latifolia. R.S.	broad-leaved.	—	1791.	5. 7.	H. 4.	Hoff. c. gott. 1796. t. 1.
8 purpurata. R.S.	purple.	C. B. S.	1800.	6. 7.	G. 4.	
9 bellidifolia. R.S.	Daisy-leaved.	Greece.	1823.	—	G. 4.	
10 globulariæfolia. R.S.	Globularia-ld.	S. Europe.	—	—	F. 4.	Flor. græc. t. 296.
11 oleæfolia. R.S.	Olive-leaved.	Italy.	1688.	5. 8.	H. 4.	Lobel. ic. p. 295. f. 2.
12 Willdenowiana.	Willdenow's.	S. France.	1804.	6. 8.	H. 4.	Willd. h. ber. t. 63.
<i>Statice spathulata.</i> W. non Desf.						
13 auriculæfolia. R.S.	Auricula-ld.	Barbary.	1781.	7. 8.	F. 4.	
14 incana. R.S.	hoary.	Levant.	1823.	—	H. 4.	Gmel. it. 2. t. 34.
15 spathulata. R.S.	spatula-leaved.	Barbary.	1804.	6. 8.	F. 4.	Botan. magaz. 1617.
16 cordata. R.S.	retuse-leaved.	S. Europe.	1752.	5. 7.	F. 4.	Barrel. ic. 805.
17 emarginata. R.S.	emarginate.	Gibraltar.	—	—	F. 4.	
18 caspia. R.S.	Caspian.	Siberia.	—	7. 8.	H. 4.	
19 scabra. R.S.	rough-branch'd.	C. B. S.	1788.	5. 7.	G. 4.	Gmel. sib. 2. t. 89. f. 2.
20 tetragona. R.S.	square-stalked.	—	1816.	—	G. 4.	

21 reticulata. R.S.	matted.	England.	7. 8. H. 4.	Eng. bot. 328.
<i>Statice reticulata.</i> E.B.					
22 dichotoma. R.S.	forked.	Spain.	1818.	— H. 4.	Cavan. ic. 1. t. 50.
23 virgata. R.S.	twiggy.		...	— H. 4.	
24 viminea. R.S.	slender.		1823.	— H. 4.	
25 echooides. R.S.	rough-leaved.	S. Europe.	1752.	7. 8. F. 4.	Flor. græc. t. 298.
26 speciosa. B.F.G.	Plantain-leav'd.	Russia.	1776.	— H. 4.	Swt. br. fl. gar. 105.
<i>Statice speciosa.</i> B.M. 656.					
27 conspicua. R.S.	conspicuous.		1804.	— H. 4.	Botan. magaz. 1629.
<i>Statice conspicua.</i> B.M.					
28 tatarica. B.F.G.	Tartarian.		1731.	6. 7. H. 4.	
29 flexuosa. R.S.	zigzag.	Siberia.	1791.	7. 8. H. 4.	Swt. br. fl. gar. 37.
30 minuta. R.S.	small.	S. Europe.	1658.	6. 7. H. 4.	Gmel. sib. 2. t. 89. f. 1?
31 pectinata. R.S.	triangular-stalk'd.	Canaries.	1780.	9. 10. F. 4.	Bocc. sic. t. 13. f. 3.
32 macrophylla. s.s.	large-leaved.		1816.	7. 9. F. 4.	
33 suffruticosa. R.S.	narrow-leaved.	Siberia.	1779.	5. 9. H. 4.	Gmel. sib. 2. t. 88. f. 2.3.
34 monopetalala. R.S.	Sicilian shrubby.	Sicily.	1731.	7. 8. F. 4.	Bocc. sic. t. 16. 17.
35 ferulacea. R.S.	Fennel-like.	Siberia.	1796.	5. H. 4.	Moris. s. 15. t. 1. f. 23.
36 sinuata. R.S.	scollop-leaved.	Levant.	1629.	5. 9. F. 4.	Botan. magaz. 71.
37 Thouini. R.S.	Thouin's.	Africa.	...	6. 10. F. 4.	Mart. cent. t. 84.
38 alata. R.S.	winged.		1806.	— F. 4.	
39 ægyptiaca. R.S.	Egyptian.	Egypt.	1816.	— F. 4.	Botan. magaz. 2363.
40 mucronata. R.S.	curled.	Barbary.	1781.	— F. 4.	L'Herit. stirp. t. 13.
PLUMBAGO. L.	LEADWORT.	Pentandria Monogynia. L.			
1 europaea. R.S.	European.	S. Europe.	1596.	9. 10. H. 4.	Botan. magaz. 2139.
2 lapathifolia. R.S.	Dock-leaved.	Iberia.	1821.	— H. 4.	
3 capensis. R.S.	blue-flowered.	C. B. S.	1818.	9. 3. S. 4.	Botan. regist. 417.
4 tristis. H.K.	dark-flowered.		1792.	5. 6. G. 4.	
5 zeylanica. R.S.	Ceylon.	E. Indies.	1731.	4. 9. S. 4.	Rheed. mal. 10. t. 8.
6 occidentalis.	West Indian.	W. Indies.	1817.	— S. 4.	
<i>zeylanica</i> β. R.S. scandens. Hort.					
7 rosea. R.S.	rose-coloured.	E. Indies.	1777.	3. 7. S. 4.	Botan. magaz. 230.
8 scandens. R.S.	climbing.	W. Indies.	1699.	7. 8. S. 4.	Jacq. amer. piet. t. 13.

ORDO CXL.

PLANTAGINEÆ. Juss. gen. 89.

PLANTAGO. L.

- 1 major. R.S.
β rosea.
 2 asiatica. R.S.
 3 Cornuti. R.S.
Gouani. s.s.
 4 Brutia. R.S.
 5 exaltata. R.S.
 6 cordata. R.S.
 7 maxima. R.S.
 8 crassa. s.s.
crispa. Jacq. *bulbata.* Dom.
 9 media. R.S.
 10 camtschatica. s.s.
 11 lanceolata. R.S.
 12 sibirica. R.S.
 13 montana. R.S.
 14 capensis. R.S.
 15 altissima. R.S.
 16 Lagopus. R.S.
 17 eriostachya. R.S.
 18 sphærocephala. R.S.
alpina. Jacq. non L.
 19 lusitanica. R.S.
 20 virginica. R.S.

PLANTAIN. Tetrandria Monogynia. L.

greater.	Britain.	5. 7. H. 4.	Eng. bot. 1558.
<i>rose-bracted.</i>		— H. 4.	
broad-leaved.	Siberia.	1787.	7. H. 4.	Gmel. sib. 4. t. 37.?
Cornuti's.	S. Europe.	1801.	7. 8. H. 4.	Corn. canad. p. 163. ic.
Calabrian.	Calabria.	1824.	7. 8. H. 4.	
tallest.		— H. 4.	
heart-leaved.	N. America.	1818.	— H. 4.	Jacq. f. ecl. t. 72.
hollow-leaved.	Siberia.	1763.	— H. 4.	Jacq. ic. 1. t. 26.
succulent.	S. Europe.	1793.	6. 7. H. 4.	Jacq. col. sup. 34. t. 16.
hoary.	Britain.	5. 7. H. 4.	Eng. bot. 1559.
Kamtschatkan.	Kamtschatka.	1819.	— H. 4.	
Rib-grass.	Britain.	5. 7. H. 4.	Eng. bot. 507.
Siberian.	Siberia.	1823.	— H. 4.	
mountain.	S. Europe.	—	— H. 4.	
Cape.	C. B. S.	1788.	5. 8. G. 4.	
tall.	Italy.	1774.	6. 7. H. 4.	Jacq. obs. 4. t. 83.
round-headed.	Spain.	1683.	— H. 4.	Wein. phyt. 4. t. 820. f.a.
woolly-spiked.	Naples.	1825.	7. 8. H. 4.	
round-headed.	Austria.	1774.	6. 7. H. 4.	Jacq. vind. 2. t. 125.
Portugal.	Portugal.	1781.	7. 8. H. 4.	Barrel. ic. t. 745.
Virginian.	N. America.	1688.	6. 9. H. 4.	Moris. s. 8. t. 15. f. 8.

PLANTAGINEÆ.

21	depressa. R.S.	depressed.	N. America.	1818.	—	H. 4.	
22	sparsiflora. R.S.	scattered-fl'd.	—	—	—	H. ⊙.	
23	saxatilis. R.S.	rock.	Iberia.	1820.	6. 8.	H. 4.	
24	sericea. R.S.	silky.	Hungary.	—	—	H. 4.	W. et K. hung. t. 151.
25	albicans. R.S.	woolly.	S. Europe.	1776.	6. 9.	H. 4.	Flor. græc. t. 145.
26	mexicana. s.s.	Mexican.	Mexico.	1820.	6. 7.	H. 4.	
27	patagonica. R.S.	Patagonian.	Patagonia.	1793.	6. 9.	H. ⊙.	Jacq. ic. 2. t. 306.
28	microcephala. R.S.	small-headed.	—	—	—	H. ⊙.	
29	Bellardi. R.S.	Bellard'i's.	S. Europe.	1797.	—	H. ⊙.	Flor. græc. t. 146.
30	cretica. R.S.	Cretan.	Candia.	1711.	6. 7.	H. ⊙.	— t. 147.
31	graminea. R.S.	grass-leaved.	France.	1804.	—	H. 4.	Dod. pempt. 108. ic.
32	maritima. R.S.	sea-side.	Britain.	—	7.	H. 4.	Eng. bot. 175.
33	salsa. R.S.	saltwort.	Tauria.	1819.	—	H. 4.	
34	crassifolia. R.S.	thick-leaved.	Egypt.	1824.	—	H. 4.	
35	hirsuta. R.S.	hairy.	C. B. S.	1801.	6. 7.	G. 3.	Jacq. schœn. 3. t. 258.
36	tumida. Len.	tumid-capsuled.	Chili.	1819.	—	H. ⊙.	
37	alpina. R.S.	Alpine.	S. Europe.	1774.	—	H. 4.	
38	tenuiflora. R.S.	slender-flow'r'd.	Hungary.	1819.	—	H. ⊙.	W. et K. hung. 1. t. 39.
39	recurvata. R.S.	recurved-leav'd.	S. Europe.	1799.	—	H. 3.	Murr. c. gott. 1780. t. 6.
40	Wulfeni. R.S.	Wulfen's.	Carinthia.	1802.	—	H. 4.	
41	subulata. R.S.	awl-leaved.	S. Europe.	1596.	7.	H. 4.	Lobel. ic. 429.
42	Holosteum. R.S.	Scopoli's.	Carniola.	1825.	7. 8.	H. 4.	Jacq. coll. 1. t. 10.
43	Coronopus. R.S.	star of the earth.	Britain.	—	4. 9.	H. ⊙.	Eng. bot. 892.
44	Jacquin. R.S.	Jacquin's.	S. Europe.	1801.	7. 8.	H. 4.	Jacq. ic. 1. t. 27.
	Cornuti. Jacq.						
45	Serraria. R.S.	saw-leaved.	Barbary.	1640.	6. 7.	H. 4.	Moris. s. 8. t. 16. f. 19.
46	macrorhiza. R.S.	large-rooted.	Morocco.	1798.	7. 8.	H. 4.	Bocc. sic. t. 15. f. 2.
47	Lœflingii. R.S.	narrow-leaved.	Spain.	—	—	H. ⊙.	Jacq. vind. 2. t. 126.
48	amplexicaulis. R.S.	stem-clasping.	—	1797.	6. 7.	H. ⊙.	Cavan. ic. 2. t. 125.
49	villosa. R.S.	villous.	Germany.	1804.	—	H. ⊙.	
50	vaginata. R.S.	sheathed.	Canaries.	1816.	—	G. 2.	Venten. cels. t. 29.
51	Cynops. R.S.	shrubby.	S. Europe.	1596.	5. 8.	H. 2.	Jacq. fragm. t. 182.
52	afrä. R.S.	Barbary.	Barbary.	1640.	6.	F. 2.	Moris. s. 8. t. 17. f. 4.
53	divaricata. R.S.	spreading.	—	1824.	—	H. 4.	Jacq. ic. 1. t. 28.
54	squarrosa. R.S.	leafy-spiked.	Egypt.	1787.	8. 9.	H. ⊙.	Moris. s. 8. t. 17. f. 4.
55	Psyllium. R.S.	Fleawort.	S. Europe.	1562.	7. 8.	H. ⊙.	W. et K. hung. 1. t. 51.
56	arenaria. R.S.	sand.	Hungary.	1804.	5. 8.	H. ⊙.	Moris. s. 3. 8. t. 17. f. 2.
57	stricta. R.S.	upright.	Morocco.	—	7. 8.	H. ⊙.	
58	Ispaghul. R.S.	East Indian.	E. Indies.	1819.	—	S. ⊙.	Murr. c. gott. 1778. t. 5.
59	indica. R.S.	Indian.	India.	1780.	7. 8.	H. ⊙.	Botau. magaz. 2616.
60	pumila. R.S.	dwarf.	S. Europe.	1790.	—	H. ⊙.	
61	brasiliensis. B.M.	Brazilian.	Brazil.	1822.	7. 10.	S. 4.	
LITTORELLA. L.	SHORE-WEED.	Monecia Tetrandria. L.	Plantain-leav'd. Britain.	—	6. 9.	H. 4.	Eng. bot. 468.
lacustris. E.B.	Plantain-leav'd. Britain.	—	—				

ORDO CXLI.

NYCTAGINEÆ. Juss. gen. 90.

OXYPAPHUS. R.S.

- 1 viscosus. R.S.
2 glabrifolius. R.S.
3 ovatus. R.S.
4 Cervantesii. Lag.
5 expansus. R.S.
6 aggregatus. R.S.
7 nyctaginea. N.
Allionia nyctaginea. M. Calymenia nyctaginea. N.
8 pilosa. N.
Calymenia pilosa. N. Allionia orata. Ph.
9 hirsuta. N.
10 angustifolia.
Allionia linearis. Ph. Calymenia angustifolia. N.
11 decumbens. N.

UMBRELLA-WORT. Triandria Monogynia. R.S.

- viscid. Peru. 1793. 5. 9. H. 4.
smooth-leaved. New Spain. 1811. 7. 8. H. 4.
oval-leaved. Peru. 1820. — H. 4.
Cervantes'. Mexico. 1822. 7. 10. H. 4.
expanded. Lima. — — H. 4.
aggregate. New Spain. 1811. — H. 4.
heart-leaved. Missouri. 1823. 7. 9. H. 4.
pilose. — 1812. — H. 4.
Allionia orata. Ph. — — H. 4.
hairy. Louisiana. — — H. 4.
narrow-leaved. — — H. 4.
Calymenia angustifolia. N. — — H. 4.
decumbent. Missouri. 1818. — H. 4.

- Botan. magaz. 434.
Cavan. ic. 4. t. 379.
Flor. peruv. 1. t. 75. f.b.
Swt. br. fl. gar. 84.
Flor. peruv. 1. t. 75. f.a.
Cavan. ic. 5. t. 437.

MIRABILIS. R.S.

- 1 dichotoma. R.S.
- 2 Jalapa. R.S.
 α alba.
- β flava.
- γ rubra.
- δ rubro-flava.
- ϵ rubro-alba.

- 3 hybrida. R.S.
- 4 longiflora. R.S.
- 5 suaveolens. K.S.

ABRONIA. R.S.

- umbellata. R.S.

ALLIONIA. K.S.

- 1 violacea. K.S.
- 2 incarnata. K.S.

BOERHAAVIA. L.

- 1 erecta. R.S.
- 2 procumbens. F.I.
- 3 diffusa. R.S.
- 4 hirsuta. R.S.
- 5 plumbaginea. R.S.
- 6 discolor. K.S.
- 7 viscosa. K.S.
- 8 scandens. R.S.
- 9 excelsa. R.S.

PISONIA. L.

- 1 grandis. B.P.
- 2 hirtella. K.S.
- 3 fragrans. S.S.
- 4 nigricans. S.S.
- 5 obtusata. S.S.
- 6 mexicana. L.en.

Boerhaavia arborescens. P.S.

- 7 nitida. W.en.
- 8 aculeata. S.S.

BOLDOA. S.S.

- lanceolata. s.s.

Salpinthus arenarius. K.S.

? ASTRANTHUS. S.S.

- cochininchinensis.

MARVEL OF PERU. Pentandria Monogynia. L.

- | | | | | |
|------------------|---------|-------|--------------------------|--------------------|
| forked. | Mexico. | 1640. | 7. 8. G. $\frac{1}{2}$. | |
| common. | India. | 1596. | 6. 9. H. $\frac{1}{2}$. | |
| white-flowered. | — | — | H. $\frac{1}{2}$. | |
| yellow-flowered. | — | — | H. $\frac{1}{2}$. | |
| red-flowered. | — | — | H. $\frac{1}{2}$. | |
| red and yellow. | — | — | H. $\frac{1}{2}$. | |
| red and white. | — | — | H. $\frac{1}{2}$. | |
| hybrid. | Hybrid. | 1818. | 6. 9. H. $\frac{1}{2}$. | |
| long-flowered. | Mexico. | 1759. | — | H. $\frac{1}{2}$. |
| sweet-scented. | — | 1824. | — | H. $\frac{1}{2}$. |

ABRONIA. Pentandria Monogynia. R.S.

- | | | | | |
|-----------------|-------------|-------|--------------------------|--|
| flesh-coloured. | California. | 1823. | 6. 8. H. $\frac{1}{2}$. | |
|-----------------|-------------|-------|--------------------------|--|

ALLIONIA. Tetrandria Monogynia. L.

- | | | | | |
|------------------|---------|-------|--------------------|--|
| violet-coloured. | Cumana. | 1820. | 7. 9. H. \odot . | |
|------------------|---------|-------|--------------------|--|

flesh-coloured.

- | | | | | |
|---|---|---|--------------|--|
| — | — | — | H. \odot . | |
|---|---|---|--------------|--|

HOGWEED. Mono-Tetrandria Monogynia.

- | | | | | |
|----------|------------|-------|--------------------------|--|
| upright. | W. Indies. | 1733. | 7. 9. S. $\frac{1}{2}$. | |
|----------|------------|-------|--------------------------|--|

procumbent.

- | | | | | |
|------------|---|---|--------------------|--|
| E. Indies. | — | — | S. $\frac{1}{2}$. | |
|------------|---|---|--------------------|--|

spreading.

- | | | | |
|------------|-------|--------------------------|--|
| W. Indies. | 1690. | 8. 9. S. $\frac{1}{2}$. | |
|------------|-------|--------------------------|--|

scarlet trailing.

- | | | | |
|----------|-------|--------------------------|--|
| Jamaica. | 1733. | 5. 8. S. $\frac{1}{2}$. | |
|----------|-------|--------------------------|--|

Plumbago-ld.

- | | | | |
|--------|-------|---|--------------------|
| Spain. | 1822. | — | S. $\frac{1}{2}$. |
|--------|-------|---|--------------------|

two-coloured.

- | | | | |
|------------|-------|---|--------------------|
| Guayaquil. | 1825. | — | S. $\frac{1}{2}$. |
|------------|-------|---|--------------------|

viscous.

- | | | | |
|---|---|---|--------------------|
| — | — | — | S. $\frac{1}{2}$. |
|---|---|---|--------------------|

climbing.

- | | | | |
|----------|-------|--------------------------|--|
| Jamaica. | 1691. | 4. 9. S. $\frac{1}{2}$. | |
|----------|-------|--------------------------|--|

lofty.

- | | | | |
|-------------|-------|---|--------------------|
| S. America. | 1820. | — | S. $\frac{1}{2}$. |
|-------------|-------|---|--------------------|

PISONIA. Heptandria Monogynia. L.

- | | | | | |
|---------|-------------|-------|---|--------------------|
| superb. | N. Holland. | 1805. | — | G. $\frac{1}{2}$. |
|---------|-------------|-------|---|--------------------|

hairy.

- | | | | |
|---------|-------|---|--------------------|
| Mexico. | 1825. | — | G. $\frac{1}{2}$. |
|---------|-------|---|--------------------|

fragrant.

- | | | | |
|---|---|---|--------------------|
| — | — | — | S. $\frac{1}{2}$. |
|---|---|---|--------------------|

black.

- | | | | |
|------------|-------|--------------------------|--|
| W. Indies. | 1806. | 5. 7. S. $\frac{1}{2}$. | |
|------------|-------|--------------------------|--|

blunt-leaved.

- | | | | |
|---|-------|---|--------------------|
| — | 1822. | — | S. $\frac{1}{2}$. |
|---|-------|---|--------------------|

Mexican.

- | | | | |
|---------|-------|---|--------------------|
| Mexico. | 1825. | — | S. $\frac{1}{2}$. |
|---------|-------|---|--------------------|

Madagascar.

- | | | | |
|-------|---|---|--------------------|
| 1824. | — | — | S. $\frac{1}{2}$. |
|-------|---|---|--------------------|

prickly.

- | | | | |
|----------|-------|--------------------------|--|
| Jamaica. | 1739. | 3. 4. S. $\frac{1}{2}$. | |
|----------|-------|--------------------------|--|

BOLDOA. Triandria Monogynia. S.S.

- | | | | | |
|---------------|---------|-------|--------------------------|--|
| lance-leaved. | Mexico. | 1824. | 5. 7. G. $\frac{1}{2}$. | |
|---------------|---------|-------|--------------------------|--|

? ASTRANTHUS. S.S.

- | | | | | |
|-------------|-----------------------------|--|--|--|
| ASTRANTHUS. | Heptandria Tetragynia. S.S. | | | |
|-------------|-----------------------------|--|--|--|

cochininchinensis.

- | | | | | |
|----------|--------|-------|--------------------------|--|
| Chinese. | China. | 1821. | 6. 7. S. $\frac{1}{2}$. | |
|----------|--------|-------|--------------------------|--|

Plenck ic. off. t. 139.

Botan. magaz. 371.

Sm. exot. bot. I. t. 23.

Hook. ex. flor. 194.

L'Herit. stirp. t. 31.

Jacq. vind. 1. t. 5. 6.

Rheed. mal. 7. t. 56.

Jacq. vind. 1. t. 7.

Cavan. ic. 2. t. 112.

Jacq. vind. 1. t. 4.

Lam. ill. t. 861.

H. et B. pl. æq. I. t. 44.

Botan. magaz. 2659.

ORDO CXLII.

AMARANTHACEÆ. Brown prodr. p. 413.

AMARANTHUS. L.

- 1 tenuifolius. w.
- 2 angustifolius. w.
- 3 pallidus. s.s.
- 4 persicarioides. s.s.
- 5 Acroglochin. s.s.
- 6 albus. w.
- 7 græcizans. w.
- 8 polygonoides. w.
- 9 Blitum. E.B.
- 10 viridis. w.
- 11 campestris. w.
- 12 polygonoides. w.
- 13 melancholicus. w.
- 14 tricolor. w.
- 15 bicolor. w.

AMARANTH. Monocia Pentandria. L.

- | | | | | |
|------------------|-------------|-------|---------------------|--------------|
| fine-leaved. | E. Indies. | 1801. | 7. 9. H. \odot . | |
| narrow-leaved. | Levant. | 1723. | — | H. \odot . |
| pale. | Tauria. | 1823. | — | H. \odot . |
| Persicaria-like. | Nepaul. | 1818. | 9. 11. H. \odot . | |
| spiny-bracted. | — | 1820. | — | H. \odot . |
| white. | N. America. | 1778. | 7. 9. H. \odot . | |
| Pellitory-leav'd | — | 1759. | — | H. \odot . |
| hermaphrodite. | E. Indies. | 1780. | — | H. \odot . |
| wild. | England. | — | 6. 8. H. \odot . | |
| green. | Brazil. | 1768. | 8. 9. H. \odot . | |
| field. | E. Indies. | 1818. | — | H. \odot . |
| spotted-leaved. | Jamaica. | 1778. | 7. 8. H. \odot . | |
| melancholy. | E. Indies. | 1731. | 6. 9. H. \odot . | |
| three-coloured. | — | 1548. | — | G. \odot . |
| two-coloured. | — | 1802. | 7. 9. H. \odot . | |

W. amar. 9. t. 1. f. 2.

— 8. t. 4. f. 7.

Rumph. amb. 5. t. 82.

Eng. bot. 2212.

W. amar. 18. t. 8. f. 16.

W. amar. 11. t. 6. f. 12.

— 15. t. 9. f. 18.

Knor. thes. 2. t. A. 3.5.

AMARANTHACEÆ.

16	gangeticus. w.	oval-spiked.	E. Indies.	1778.	7. 9. H.○.	W. amar. 16. t. 6. f. 11.
17	mangostanus. w.	rhomb-leaved.	—	1801.	— H.○.	— 13. t. 12.
18	polystachyus. w.	many-spiked.	—	1816.	— H.○.	
19	tristis. w.	round-headed.	China.	1759.	6. 8. H.○.	W. amar. 21. t. 5. f. 10.
20	inamœnus. w.	inelegant.	—	1816.	— H.○.	
21	incomptus. w.en.	slovenly.	—	—	— H.○.	
22	lividus. w.	livid.	N.America.	1759.	7. 9. H.○.	W. amar. 20. t. i. f. 1.
23	oleraceus. w.	eatable.	E. Indies.	1764.	7. 8. H.○.	— 17. t. 5. f. 9.
24	lanceofolius. H.B.	lance-leaved.	—	1816.	8. 10. H.○.	
25	atropurpureus. H.B.	dark-purple.	—	1821.	— H.○.	
26	gracilis. s.s.	oval-leaved.	Guinea.	1806.	7. 8. H.○.	Jacq. ic. 2. t. 344.
	<i>Chenopodium caudatum.</i> Jacq.					
27	prostratus. w.	trailing.	France.	1730.	7. 9. H.○.	
28	scandens. w.	climbing.	S. America.	1796.	7. 8. S.○.	
29	deflexus. w.	bending.	—	1805.	— H.○.	W. amar. 10. t. 10. f. 20.
30	fuscatus. H.B.	fuscate.	E. Indies.	1820.	8. 10. H.○.	
31	bullatus. s.s.	blistered.	—	—	7. 9. H.○.	
32	spicatus. P.S.	spiked.	France.	—	— H.○.	
33	cauliflorus. L.en.	stem-flowering.	Nepaul.	1816.	8. 10. H.○.	
34	pumilus. s.s.	dwarf.	N. America.	—	6. 9. H.○.	
35	hybridus. w.	clustered.	—	1656.	6. 9. H.○.	W. amar. 26. t. 9. f. 17.
36	hecticus. w.	oval-spiked.	—	1796.	8. H.○.	— 25. t. 7. f. 13.
37	laetus. w.	blunt-leaved.	Italy.	1799.	7. 9. H.○.	— 28. t. 8. f. 15.
38	strictus. w.	upright.	—	1793.	— H.○.	— 27. t. 3. f. 5.
39	paniculatus. w.	panicked.	N. America.	1798.	— H.○.	— 32. t. 2. f. 4.
40	celosiodes. K.S.	Spinach-like.	S. America.	1824.	9. 11. H.○.	
41	caracasanus. K.S.	Caracas.	Caracas.	1821.	— H.○.	W. amar. 33. t. 11. f. 21.
42	retroflexus. w.	hairy.	N. America.	1759.	7. 9. H.○.	— 35. t. 3. f. 6.
43	flavus. w.	pale yellow.	India.	—	— H.○.	— 34. t. 10. f. 19.
44	chlorostachys. w.	nodding.	—	1796.	— H.○.	
45	parisiensis. s.s.	Paris.	—	1819.	— H.○.	
46	hypochondriacus. w.	Prince's feather.	Virginia.	1684.	— H.○.	
47	sanguineus. w.	spreading.	Bahama Isl.	1775.	— H.○.	W. amar. 31. t. 2. f. 3.
48	cruentus. w.	various-leaved.	China.	1728.	6. 8. H.○.	
49	speciosus. D.P.	showy.	Nepaul.	1819.	9. 11. H.○.	Botan. magaz. 2227.
50	caudatus. w.	Love lies bleeding.	E. Ind.	1596.	8. 9. H.○.	
	β maximus.	tree.	—	—	— H.○.	
51	spinosus. w.	prickly.	W. Indies.	1683.	7. 9. H.○.	W. amar. 38. t. 4. f. 8.
52	frumentaceus. H.B.	cultivated.	E. Indies.	1819.	— H.○.	
CELOSIA. R.S.		COCKS-COMB.	Pentandria	Monogynia. L.		
1	argentea. R.S.	silvery-spiked.	China.	1714.	6. 9. S.○.	Mart. cent. t. 7.
	β linearis.	narrow-leaved.	E. Indies.	—	— S.○.	Rheed. mal. 10. t. 39.
2	margaritacea. R.S.	pearl-flowered.	India.	—	— S.○.	— 10. t. 38.
3	ristata. R.S.	common.	Asia.	1570.	— S.○.	Rumph. amb. 5. t. 84.
	α elata.	tall red.	—	—	— S.○.	Knor. del. 1. t. H. 5. 6.
	β compacta.	dwarf red.	—	—	— S.○.	
	γ flavescens.	yellow.	—	—	— S.○.	
4	comosa. R.S.	tufted.	E. Indies.	1802.	— S.○.	
5	coccinea. R.S.	scarlet.	China.	1597.	— S.○.	Barrel. rar. t. 1195.
6	castrensis. R.S.	branched.	E. Indies.	1739.	— S.○.	Andr. deposit. 635.
7	cernua. A.R.	drooping.	—	1809.	7. 8. S.○.	Pluk. alm. 11. t. 334. f. 4.
8	Monsoniae. R.S.	downy.	—	1778.	7. 9. S.○.	
	<i>Achyranthes Monsoniae.</i> s.s. <i>Illecebrum Monsoniae.</i> L.					
9	nodiflora. R.S.	knotted.	—	1780.	— S.○.	Jacq. vind. 1. t. 98.
LESTIBUDESIA. R.S.	LESTIBUDESIA.	Pentandria	Monogynia.	R.S.		
1	virgata. R.S.	wave-leaved.	W. Indies.	1815.	8. 10. S. h.	Jacq. ic. 2. t. 339.
	<i>Celosia virgata.</i> Jacq.					
2	paniculata. R.S.	panicked.	Jamaica.	1733.	6. 9. S. ♂.	Sloan. hist. 1. t. 91. f. 2.
3	trigyna. R.S.	oval-leaved.	Senegal.	1777.	8. 10. S. ♂.	Jacq. vind. 3. t. 15.
DEERÍNGIA. R.S.		DEERÍNGIA.	Pentandria	Monogynia.	R.S.	
1	indica. s.s.	Berry-bearing.	E. Indies.	1804.	8. 10. S. ♂.	
2	celosiodes. B.P.	Cockscomb-like.	N. Holland.	1822.	— S. h.	
CHAMISSOÁ. K.S.		CHAMISSOÁ.	Pentandria	Monogynia.	R.S.	
	altissima. K.S.	tall.	S. America.	1819.	5. 6. S. h. — H. et B.u. gen. 2. t. 125.	
CLADOSTACHYS. D.P.	CLADOSTACHYS.	Pentandria	Monogynia.			
1	frutescens. D.P.	frutescent.	E. Indies.	1777.	8. 11. S. h.	Rumph. amb. 5. t. 83.
	<i>Achyranthes muricata.</i> L. <i>Chamissoa muricata.</i> s.s.					
2	alternifolia.	alternate-leav'd.	—	1789.	7. 8. S.○.	Pluk. alm. t. 260. f. 1.
	<i>Achyranthes alternifolia.</i> w. <i>Desmodæta alternifolia.</i> D.C.					

ACHYRANTHES. R.S.	ACHYRANTHES.	Pentandria Monogynia. L.			
1 argentea. R.S.	upright.	Sicily.	1713.	5. 10. H. $\frac{1}{2}$.	Bocc. sic. 16. t. 9.
2 aspera. R.S.	rough.	India.	1751.	— S. $\frac{1}{2}$.	Mill. ic. t. 11. f. 2.
3 obtusifolia. Lam.	blunt-leaved.	—	—	— S. $\frac{1}{2}$.	
4 crispa. R.S.	curl-leaved.	—	1816.	— S. $\frac{1}{2}$.	
5 virgata. R.S.	slender.	Portorico.	1823.	— S. $\frac{1}{2}$.	
6 fruticosa. R.S.	shrubby.	E. Indies.	1816.	— S. $\frac{1}{2}$.	
7 nivea. R.S.	white.	Canaries.	1780.	5. 7. G. $\frac{1}{2}$.	
8 pubescens. R.S.	pubescent.	—	1824.	— S. $\frac{1}{2}$.	
9 porrigens. R.S.	crimson-fl'd.	Peru.	1802.	4. 8. G. $\frac{1}{2}$.	Botan. magaz. 830.
DESMOCHÆTA. R.S.	DESMOCHÆTA.	Pentandria Monogynia. R.S.			
1 atropurpurea. DC.	dark-purple.	E. Indies.	1759.	8. 10. S. $\frac{1}{2}$.	Rheed. mal. 10. t. 59.
<i>Achyranthes lappacea.</i> L. <i>Pupalia lappacea.</i> J.					
2 flavescentis. DC.	yellowish.	—	—	— S. $\frac{1}{2}$.	D.C. h. mons. ined. t. 79.
3 prostrata. DC.	prostrate.	—	1793.	7. 8. S. $\frac{1}{2}$.	Rumph. amb. 6. t. 11.
ALTERNANTHERA.	ALTERNANTHERA.	Pentandria Monogynia. R.S.			
1 sessilis. R.S.	sessile-flow'r'd.	E. Indies.	1778.	7. 10. S. $\frac{1}{2}$.	Rheed. mal. 10. t. 11.
2 ficoides. R.S.	creeping-stalk'd.	S. America.	1819.	— S. $\frac{1}{2}$.	Jacq. amer. pict. t. 90.
<i>Gomphrena ficoides.</i> Jacq.					
3 spinosa. R.S.	spiny.	—	—	— S. $\frac{1}{2}$.	
<i>axillaris.</i> DC. <i>Achyranthes spinosa.</i> Horn.					
4 Achyrantha. R.S.	creeping.	Buenos Ayres.	1732.	6. 8. S. $\frac{1}{2}$.	Dill. elt. 8. t. 7. f. 7.
5 frutescens. R.S.	frutescent.	Peru.	1822.	— S. $\frac{1}{2}$.	L'Herit. stirp. 1. t. 37.
6 polygonoides. R.S.	Persicaria-l'd.	America.	1731.	— G. $\frac{1}{2}$.	Herm. parad. t. 17.
ÆRUA. J.	ÆRUA.	Pentandria Monogynia. R.S.			
1 lanata. R.S.	woolly.	E. Indies.	1691.	4. 8. S. $\frac{1}{2}$.	Mill. ic. 1. t. 11. f. 1.
<i>Illecebrum lanatum.</i> L.					
2 javanica. R.S.	spear-leaved.	—	1786.	— S. $\frac{1}{2}$.	Burm. ind. t. 65. f. 2.
PHILOXERUS. B.P.	PHILOXERUS.	Pentandria Monogynia. R.S.			
1 brasiliensis. R.S.	upright.	Brazil.	1790.	7. 10. S. $\frac{1}{2}$.	Jacq. ic. 2. t. 346.
<i>Gomphrena brasiliensis.</i> Jacq.					
2 vermicularis. R.S.	creeping.	S. America.	—	— S. $\frac{1}{2}$.	Herm. parad. t. 15.
3 aggregatus. R.S.	clustered.	Cumana.	1819.	— S. $\frac{1}{2}$.	
GOMPHRENA. R.S.	GLOBE AMARANTH.	Pentandria Monogynia. L.			
1 globosa. R.S.	annual.	India.	1714.	5. 10. S. \odot .	Rheed. mal. 10. t. 37.
β alba.	white-flowered.	—	—	— S. \odot .	
2 decumbens. R.S.	decumbent.	Mexico.	—	— S. \odot .	Jacq. schoen. t. 482.
3 perennis. R.S.	perennial.	S. America.	1732.	7. 10. S. $\frac{1}{2}$.	Botan. magaz. 2614.
4 arboreascens. R.S.	tree.	—	1802.	— S. $\frac{1}{2}$.	
5 lactea. R.S.	milk-coloured.	—	1818.	— S. $\frac{1}{2}$.	DC.h.mons. ined. t. 93.
6 interrupta. R.S.	trailing.	W. Indies.	1733.	— S. $\frac{1}{2}$.	Jacq. ic. 1. t. 51.
IRESINE. S.S.	IRESINE.	Dioecia Pentandria. L.			
1 celosioides. s.s.	Florida.	America.	1733.	7. 8. F. $\frac{1}{2}$.	Lam. ill. t. 313.
2 elatior. s.s.	tall.	S. America.	1820.	8. 10. S. \odot .	
3 diffusa. s.s.	spreading.	—	1812.	7. 9. S. $\frac{1}{2}$.	
4 elongata. s.s.	long-stalked.	—	1823.	— S. $\frac{1}{2}$.	

ORDO CXLIII.

PHYTOLACEÆ. Brown.

PHYTOLACCA. W.	PHYTOLACCA.	Decandria Decagynia. L.			
1 octandra. w.	white-flowered.	Mexico.	1732.	7. 11. G. $\frac{1}{2}$.	Dill. elt. t. 239. f. 308.
2 abyssinica. w.	African.	Africa.	1775.	5. 6. S. $\frac{1}{2}$.	Hoff. c. gæt. t. 2.
3 heptandra. s.s.	7-anthered.	—	1819.	7. 10. G. $\frac{1}{2}$.	
4 bogotensis. k.s.	variable anther'd.	S. America.	1823.	— G. $\frac{1}{2}$.	
5 decandra. w.	Virginian poke.	Virginia.	1615.	8. 9. H. $\frac{1}{2}$.	Botan. magaz. 931.
6 dodecandra. w.	recurved-l'd.	—	—	5. 6. S. $\frac{1}{2}$.	
7 mexicana.	Mexican.	Mexico.	1824.	7. 10. G. $\frac{1}{2}$.	Botan. magaz. 2633.
<i>icosandra.</i> B.M. non W.					
8 icosandra. w.	red.	E. Indies.	1758.	7. 11. S. $\frac{1}{2}$.	Mill. ic. t. 207.
9 dioica. w.	tree.	S. America.	1768.	— S. $\frac{1}{2}$.	L'Herit. st. nov. t. 70.

RIVINA. R.S.	RIVINA. Tetrandria Monogynia. L.
1 humilis. R.S.	downy. W. Indies. 1699. 1. 10. S. h. Botan. magaz. 1781.
2 laevis. R.S.	smooth. ——— 1733. 2. 9. S. h. Lam. ill. t. 81. f. 2.
3 brasiliensis. R.S.	wave-leaved. Brazil. 1790. 6. 7. S. h.
4 purpurascens. R.S.	purple. W. Indies. 1815. 5. 8. S. h. Schrad. gen. nov. t. 5.
5 lanceolata. L.en.	spear-leaved. Brazil. ——— S. h.
6 octandra. R.S.	climbing. W. Indies. 1752. 5. 6. S. h. —. Plum. ic. 241.
MICROTEA. K.S.	MICROTEA. Pentandria Dignynia. R.S.
debilis. k.s.	slender. S. America. 1824. 7. 9. S. ⊙.
PETIVERIA. W.	PETIVERIA. Heptandria Monogynia. L.
1 alliacea. w.	Garlic-scented. Jamaica. 1759. 6. 7. S. h. Lodd. bot. cab. 148.
2 octandra. w.	dwarf. W. Indies. 1737. ——— S. h. Plum. ic. 213. t. 219.
GISEKIA. W.	GISEKIA. Pentandria Pentagynia. L.
pharnacioides. w.	trailing. E. Indies. 1783. 6. S. ⊙. Roxb. corom. 2. t. 183.

ORDO CXLIV.

CHENOPODEÆ. Brown prodr. p. 405.

BASELLA. R.S.	MALABAR-NIGHTSHADE. Pentandria Trigynia. L.
1 rubra. R.S.	red-flowered. E. Indies. 1731. 7. 9. S. ♀. Rheed. mal. 7. t. 24.
2 alba. R.S.	white-flowered. ——— 1688. 7. 11. S. ♀. Pluk. alm. t. 63. f. 1.
3 lucida. R.S.	shining. ——— 1802. ——— S. ⊙..
4 cordifolia. R.S.	heart-leaved. ——— ——— S. ⊙..
5 tuberosa. R.S.	tuberous-root'd. S. America. 1824. ——— S. ♀..
6 marginata. R.S.	margined. ——— ——— S. ♀..
ANREDERA. J.	ANREDERA. Pentandria Trigynia.
spicata. k.s.	spiked. Cuba. 1749. 7. 9. S. ♀. Sloan. hist. I. t. 90. f. 1.
Basella vesicaria.	Lam. ill. t. 215. f. 1. Polygonum scandens. w.
ANABASIS. L.	ANABASIS. Pentandria Dignynia. L.
1 aphylla. R.S.	leafless. Levant. 1823. 5. 7. F. h. Buxb. cent. I. t. 18.
2 tamariscifolia. R.S.	Tamarisk-ld. Spain. 1752. 6. 7. F. h. Cavan. ic. 3. t. 283.
SALSOLA. R.S.	SALTWORT. Pentandria Dignynia. L.
1 Kali. R.S.	prickly. Britain. 7. 8. H. ⊙. Eng. bot. 634.
2 Tragus. R.S.	smooth. S. Europe. 1816. ——— H. ⊙. Pall. ill. 2. t. 29. f. 2.
3 crassa. R.S.	thick-leaved. Caucasus. 1823. 8. 10. H. ⊙. Buxb. cent. I. t. 14. f. 2.
4 rosacea. R.S.	rose-coloured. Asia. 1759. 7. 8. H. ⊙. Schlk. hand. I. t. 57.
5 vermiculata. R.S.	fruticoso. Siberia. ——— ——— H. h. Gmel. sib. 3. t. 18. f. 2.
6 microphylla. R.S.	small-leaved. Spain. ——— ——— H. ⊙. Cavan. ic. 3. t. 287.
7 verrucosa. R.S.	warted. Caucasus. 1822. ——— H. h. Pall. ill. 2. t. 16.
8 laniflora. R.S.	woolly-flow'r'd. Siberia. 1797. 6. 8. H. ⊙. ——— 2. t. 21.
9 sativa. R.S.	cultivated. Spain. 1783. 7. 8. H. ♀. Cavan. ic. 3. t. 291.
10 Soda. R.S.	long fleshy-ld. S. Europe. 1683. ——— H. ⊙. Jacq. vind. I. t. 68.
KOCHIA. R.S.	KOCHIA. Pentandria Dignynia. R.S.
1 arenaria. R.S.	sand. Hungary. 1819. 7. 9. H. ⊙. W. et K. hung. I. t. 78.
2 prostrata. R.S.	trailing. S. Europe. 1780. 6. 8. F. h. Jacq. aust. 3. t. 294.
Salsola prostrata. Jacq.	slender-leav'd. Spain. 1804. 7. 8. H. ⊙. Cavan. ic. 3. t. 289.
3 trigyna. L.en.	Salsola altissima. Cav. Chenopodium trigynum. R.S.
Salsola altissima. Cav.	Hysop-leaved. Siberia. 1801. 6. 8. H. ⊙. Pall. it. 1. ap. t. H. f. 1.
4 hyssopifolia. R.S.	Stonecrop-like. Tauria. 1823. ——— H. ♀. ——— 3. t. M. f. 8.
5 sedoides. R.S.	woolly. Spain. 1816. ——— H. ⊙. Trattin. arch. t. 124.
6 eriophora. R.S.	Summer Cypress. Greece. 1629. 6. 9. H. ♀. Buxb. cent. I. t. 16.
7 scoparia. R.S.	Chenopodium Scoparia. w.
CHENOLEA. L.	CHENOLEA. Pentandria Monogynia. L.
diffusa. w.	silky. C. B. S. 1758. 8. 9. G. h.
Salsola sericea. H.K.	Kochia sericea. R.S. Chenopodium sericeum. s.s.
CHENPODIUM. R.S.	GOOSE-FOOT. Pentandria Dignynia. L.
1 Bonus-Henricus.	English Mercury. Britain. 5. 8. H. ♀. Eng. bot. 1033.
2 urbicum. E.B.	upright. ——— 8. H. ⊙. ——— 717.
3 Atriplicis. R.S.	purple. China. 1780. 8. 9. H. ⊙. Jacq. vind. 3. t. 80.
4 giganteum. D.P.	gigantic. Nepaul. 1820. 9. 11. H. ⊙.
5 rubrum. R.S.	red. Britain. 8. 9. H. ⊙. Eng. bot. 1721.

6	melanospermum. s.s. black-seeded.	Britain.	8. 9.	H.○.		
7	rhombofolium. R.S. angular-leaved.	N. America.	1807.	7. 9.	H.○.	
8	guineense. w.	Guinea.	1790.	8. 9.	H.○.	
9	murale. E.B.	nettle-leaved.	Britain.	—	H.○.	
10	serotinum. R.S.	late-flowering.	S. Europe.	—	H.○.	
11	ficifolium. E.B.	Fig-leaved.	England.	—	H.○.	
12	album. E.B.	white.	Britain.	6. 9.	H.○.	
	β subrotundum.	round-leaved.	—	—	H.○.	
	γ viride. w.	green.	—	—	H.○.	
	δ integrifolium.	entire-leaved.	—	—	H.○.	
	ε crassifolium.	thick-leaved.	—	—	H.○.	
13	opulifolium. R.S.	Guelder-rose-ld.	S. Europe.	—	H.○.	
14	hybridum. E.B.	Maple-leaved.	Britain.	8. 9.	H.○.	
15	Botrys. R.S.	cut-leaved.	S. Europe.	1548.	6. 9.	H.○.
16	multifidum. R.S.	multifid.	BuenosAyres.	1732.	6. 10.	G.‡.
17	botryoides. E.B.	many clustered.	Britain.	—	6. 8.	H.○.
18	ambrosioides. R.S.	Mexican.	Mexico.	1640.	6. 10.	H.○.
19	suffruticosum. R.S.	suffrutescent.	—	1819.	—	G.‡.
20	anthelminticum. w.	American.	America.	1732.	7. 8.	G.‡.
21	graveolens. R.S.	strong-scented.	Mexico.	1819.	8. 11.	H.○.
22	glaeum. R.S.	Oak-leaved.	England.	—	7. S.	H.○.
23	crassifolium. R.S.	fleshy-leaved.	—	1820.	—	H.○.
24	radiatum. R.S.	rayed.	N. America.	1803.	6. 8.	H.○.
	Kochia dentata. w.	Salsola platyphylla. M.	—	—	—	W. hort. ber. I. t. 28.
25	olidum. E.B.	stinking.	Britain.	—	7. 8.	H.○.
	faetidum. R.S. Vulvaria. w.	—	—	—	—	Eng. bot. 1034.
26	polyspermum. R.S.	Allseed.	—	—	—	Eng. bot. 1480.
27	acutifolium. E.B.	acute-leaved.	—	—	—	—
28	laterale. R.S.	oblong-leaved.	—	1781.	8. 9.	S.○.
29	sepium. R.S.	hedge.	Bohemia.	1822.	7. 8.	H.○.
30	strictum. R.S.	upright.	E. Indies.	—	9. 11.	H.○.
31	aristatum. R.S.	bearded.	Virginia.	1771.	6. 9.	H.○.
32	lanceolatum. R.S.	spear-leaved.	Pennsylvania.	1809.	7.	H.○.
33	fruticosum. R.S.	shrubby.	England.	—	8. 9.	H.‡.
	Salsola fruticosa. E.B.	—	—	—	—	Eng. bot. 635.
34	altissimum. R.S.	Grass-leaved.	Italy.	1775.	7. 8.	H.○.
35	hirsutum. R.S.	hairy.	Denmark.	1791.	—	H.○.
	Salsola hirsuta. F.D.	—	—	—	—	Flor. dan. t. 187.
36	salsum. R.S.	Saltwort.	Astracan.	1782.	8. 9.	H.○.
37	spicatum. R.S.	spiked.	Spain.	1816.	8. 10.	H.○.
38	setigerum. R.S.	setiferous.	—	—	—	H.○.
39	maritimum. R.S.	sea blite.	Britain.	—	8.	H.○.
ATRIPLEX. R.S.	ORACHE.	Polygamia Monococcia. L.	—	—	—	
1	Halimus. R.S.	tall shrubby.	Spain.	1640.	7. 8.	H.‡.
2	portulacoides. R.S.	dwarf shrubby.	Britain.	—	—	H.‡.
3	albicans. R.S.	white.	C. B. S.	1774.	6. 7.	G.‡.
4	glaucum. w.	glaucous.	S. Europe.	1732.	7. 8.	F.‡.
5	linifolia. K.S.	Flax-leaved.	S. America.	1819.	—	G.‡.
6	rosea. w.	rose.	S. Europe.	1739.	6. 7.	H.○.
7	sibirica. w.	Siberian.	Siberia.	1783.	7. 8.	H.○.
8	tatarica. w.	Tartarian.	Tartary.	1778.	—	H.○.
9	hortensis. w.	garden.	—	1548.	—	H.○.
	β intermedia.	intermediate.	—	—	—	H.○.
	γ rubra.	red garden.	—	—	—	H.○.
10	acuminata. W.K.	acuminate.	Hungary.	1820.	—	H.○.
11	veneta. w.	Venetian.	—	—	—	H.○.
12	incana. R.S.	hoary-leaved.	Spain.	1818.	—	H.○.
13	laciniata. w.	frosted sea.	Britain.	—	—	H.○.
14	hastata. w.	halberd-leav'd.	Europe.	—	—	H.○.
15	obtusa. w.	blunt-leaved.	Siberia.	1825.	—	H.○.
16	microperma. w.	small-seeded.	Hungary.	1800.	—	H.○.
17	oblongifolia. W.K.	oblong-leaved.	—	—	—	H.○.
18	patula. E.B.	spreading.	Britain.	—	6. 9.	H.○.
19	angustifolia. E.B.	narrow-leaved.	—	—	6. 8.	H.○.
20	erecta. E.B.	upright.	England.	—	8.	H.○.
21	littoralis. E.B.	grass-leaved.	Britain.	—	8. 9.	H.○.
22	pedunculata. E.B.	pedunculated.	England.	—	7. 9.	H.○.
23	verticillata. R.S.	whorl-leaved.	Spain.	1824.	—	H.○.
24	sulcata. Schr.	sulcate.	—	—	—	H.○.

CHENOPODEÆ.

RHAGODIA. B.P.	RHAGODIA. Polygamia Monocia.			
1 Billardieri. B.P.	narrow-leaved. N. S. W. 1822. 6. 7. G. h.			Lab. nov. hol. 1. t. 96.
<i>Chenopodium baccatum.</i> Lab.				
2 hastata. B.P.	halberd-leaved. —— 1803. —— G. h.			
BETA. R.S.	BEET. Pentandria Digynia. L.			
1 vulgaris. R.S.	common. S. Europe. 1548. 8. H. ♂.			Schk. hand. 1. t. 56.
α viridis.	green. —— —— —— H. ♂.			Plenck off. t. 169.
β rubra.	red. —— —— —— H. ♂.			
γ lutea.	yellow. —— —— —— H. ♂.			Kern. abbild. t. 235.
δ macrorhiza.	<i>Mangle wurzel.</i> —— H. ♂.			
2 Cicla. R.S.	white. Portugal. 1570. —— H. ♂.			Plenck off. t. 170.
3 crispa. R.S.	curled-leaved. —— H. ♂.			
4 trigyna. R.S.	Hungarian. Hungary. 1796. 7. 8. H. ♀.			W. et K. hung. 1. t. 35.
5 maritima. E.B.	sea-side. Britain. 6. 8. H. ♂.			Eng. bot. 285.
6 patula. R.S.	spreading. Madeira. 1778. 8. G. ♂.			
SPINACIA. W.	SPINAGE. Diœcia Pentandria. L.			
oleracea. w.	common. 1568. 3. 10. H. ♂.			Schk. hand. 3. t. 324.
α spinosa. w.	prickly. —— H. ♂.			
β inermis.	round. —— H. ♂.			
ACNIDA. W.	VIRGINIAN HEMP. Diœcia Pentandria. L.			
cannabina. w.	common. N. America. 1640. 6. 7. H. ♂.			
BOSEA. R.S.	GOLDEN-ROD. Pentandria Digynia. L.			
yervamora. R.S.	tree. Canaries. 1728. 6. 9. G. h.			Jacq. f. eclog. t. 25.
CORISPERMUM. L.	TICK-SEED. Monandria Digynia. L.			
1 hyssopifolium. R.S.	Hyssop-leav'd. Europe. 1739. 7. H. ♂.			Flor. græc. 1. t. 1.
2 canescens. R.S.	canescent. Hungary. 1822. 7. 9. H. ♂.			
3 intermedium. R.S.	intermediate. Prussia. —— —— H. ♂.			
4 tenue. L.en.	slender. 1823. —— H. ♂.			
5 squarrosum. R.S.	rough-spiked. Russia. 1759. 8. 9. H. ♂.			Pall. ros. 2. t. 99.
BLITUM. R.S.	STRAWBERRY-BLITE. Monandria Digynia. L.			
1 capitatum. R.S.	berry-headed. Austria. 1633. 5. 8. H. ♂.			
2 virgatum. R.S.	slender. S. Europe. 1680. 5. 9. H. ♂.			Poit. et T. fl. p. 1. t. 2.
3 petiolare. L.en.	petiolate. 1818. —— H. ♂.			Botan. magaz. 276.
4 maritimum. N.	sea-side. N. America. 1823. —— H. ♂.			
CERATOCARPUS. L.	CERATOCARPUS. Monocia Monandria. L.			
arenarius. L.	sand. Tartary. 1757. 6. 7. H. ♂.			Buxb. in act. pet. 1. t. 9.
SALICORNIA. L.	GLASSWORT. Monandria Monogynia. L.			
1 herbacea. s.s.	marsh. Britain. 8. 9. H. ♂.			Eng. bot. 415.
2 procumbens. E.B.	procumbent. England. —— H. ♂.			—— 2475.
3 radicans. E.B.	rooting. Britain. 9. H. ♀.			—— 1691.
4 perennans. R.S.	perennial. Siberia. 1823. 8. 9. H. ♀.			Pall. it. 1. ap. T.D. f. 1.
5 fruticosa. E.B.	shrubby. Britain. —— H. ♂.			
6 arabica. R.S.	Arabian. Arabia. 1758. —— G. h.			Moris. s. 2. t. 33. f. 7.
POLYCNEMUM. R.S.	POLYCNEMUM. Triandria Monogynia. L.			
1 arvense. R.S.	trailing. S. Europe. 1640. 7. H. ♂.			Jacq. aust. 4. t. 365.
2 oppositifolium. R.S.	opposite-leav'd. Tartary. 1820. 7. 8. H. ♂.			Pall. it. ap. T.E. f. 2.
CAMPHOROSMA. L.	CAMPHOROSMA. - Tetrandria Monogynia. L.			
1 monspeliacum. w.	hairy. S. Europe. 1640. 8. 9. G. h.			Schk. hand. 1. t. 26.
perenne. R.S.				
2 ovatum. R.S.	Hungarian. Hungary. 1823. —— H. ♂.			W. et K. hung. 1. t. 63.
GALENIA. W.	GALENIA. Octandria Digynia. L.			
africana. w.	African. C. B. S. 1752. 6. 8. G. h.			Lam. ill. t. 314.
AXYRIS. W.	AXYRIS. Monocia Triandria. L.			
1 amaranthoides. w.	simple-spiked. Siberia. 1758. 6. 7. H. ♂.			Gmel. sib. t. 2. f. 2.
2 hybrida. w.	bastard. —— 1780. 6. 8. H. ♂.			—— t. 4. f. 1.
3 prostrata. w.	trailing. —— 1798. 7. 8. H. ♂.			—— t. 4. f. 2.
DIOTIS. W.	DIOTIS. Monocia Tetrandria. L.			
ceratoïdes. w.	shrubby. Siberia. 1780. 8. H. ♂			Jacq. ic. 1. t. 189.
<i>Axyris ceratoïdes.</i> Jacq. <i>Ceratospermum papposum.</i> P.S.				

ORDO CXLV.

BEGONIACEÆ. *Ventenat. et Don prodr. p. 223.*

BEGONIA. L.

- 1 nitida. s.s.
- 2 dichotoma. s.s.
- 3 reniformis. s.s.
- 4 spatulata. s.s.
- 5 odorata. s.s.
- 6 disticha. s.s.
- 7 macrophylla. s.s.
- 8 hirtella. s.s.
- 9 Evansiana. A.R.
discolor. H.K. published 1813. *Evansiana. A.R.* published 1811. B.M. 1812.
- 10 picta. Sm.
- 11 palmata. D.P.
- dubia*. H.S.S?
- 12 pauciflora. B.R.
- 13 patula. H.S.S.
- 14 tuberosa. s.s.
- 15 acutifolia. s.s.
- 16 acuminate. s.s.
- 17 lucida. H.R.
- 18 argyrostigma. B.R.
maculata. s.s.
- 19 suaveolens. B.C.
- 20 humilis. H.E.F.
- 21 hirsuta. s.s.
- 22 ulmifolia. s.s.
- 23 scandens. s.s.

BEGONIA. Monœcia Polyaenia. L.

- | | | | | | |
|-----------------|-------------|-------|--------|--------------------|---------------------------------|
| shining-leaved. | Jamaica. | 1777. | 5. 12. | S. $\frac{1}{2}$. | Sal. par. lond. 72. |
| forked. | Caracas. | 1800. | 7. 8. | S. $\frac{1}{2}$. | Jacq. ic. 3. t. 619. |
| kidney-leaved. | Brazil. | 1823. | — | S. $\frac{1}{2}$. | Linn. trans. 1. t. 14. f. 1. 2. |
| spatula-leaved. | W. Indies. | 1813. | 8. 10. | S. $\frac{1}{2}$. | Lodd. bot. cab. 17. |
| sweet-scented. | S. America. | 1823. | 6. 8. | S. $\frac{1}{2}$. | |
| distichous. | — | 1820. | — | S. $\frac{1}{2}$. | |
| large-leaved. | Jamaica. | 1793. | 5. 9. | S. $\frac{1}{2}$. | |
| fringed. | W. Indies. | 1818. | — | S. $\frac{1}{2}$. | |
| Evan's. | China. | 1804. | — | S. $\frac{1}{2}$. | Botan. magaz. 1473. |
| painted. | Nepaul. | 1823. | — | S. $\frac{1}{2}$. | Sm. exot. bot. t. 101. |
| palmated. | — | 1825. | — | S. $\frac{1}{2}$. | |
| few-flowered. | W. Indies. | 1816. | — | S. $\frac{1}{2}$. | Botan. regist. 471. |
| spreading. | — | 1811. | — | S. $\frac{1}{2}$. | |
| tuberous. | Amboyna. | 1810. | 7. 9. | S. $\frac{1}{2}$. | Rumph. am. 5. t. 169. f. 2. |
| acute-leaved. | W. Indies. | 1822. | — | S. $\frac{1}{2}$. | Sloan. jam. t. 127. f. 1. 2. |
| pointed-leav'd. | Jamaica. | 1790. | 5. 12. | S. $\frac{1}{2}$. | Botan. regist. 364. |
| polished. | Trinidad. | 1820. | — | S. \odot . | |
| silver-spotted. | Brazil. | 1819. | 7. 9. | S. $\frac{1}{2}$. | Botan. regist. 666. |
| fragrant. | W. Indies. | 1816. | 5. 9. | S. $\frac{1}{2}$. | |
| dwarf. | — | 1788. | 10. | S. $\frac{1}{2}$. | Hook. ex. flor. 17. |
| shaggy-leaved. | — | 1789. | 5. 6. | S. $\frac{1}{2}$. | Aub. gui. 2. t. 348. |
| Elm-leaved. | S. America. | 1820. | 6. 1. | S. $\frac{1}{2}$. | Hook. ex. flor. 57. |
| climbing. | Jamaica. | 1824. | 7. 9. | S. $\frac{1}{2}$. | Aub. gui. 2. t. 349. |

ORDO CXLVI.

POLYGONEÆ. *Brown prodr. p. 419.*

COCCOLOBA. L.

- 1 uvifera. s.s.
 - 2 pubescens. s.s.
 - 3 excoriata. s.s.
 - 4 punctata. s.s.
 - 5 laurifolia. w.en.
 - 6 diversifolia. s.s.
 - 7 obtusifolia. s.s.
 - 8 microstachya. s.s.
 - 9 barbadensis. s.s.
 - 10 latifolia. s.s.
 - 11 acuminate. K.S.
 - 12 longifolia. L.en.
 - 13 tenuifolia. s.s.
- BRUNNICHIA. S.S.
cincinnata. s.s.
- POLYGONUM. L.
- 1 Bistorta. w.
 - 2 viviparum. E.B.

SEASIDE-GRAPE. Octandria Trigynia. L.

- | | | | | | |
|-------------------|----------------------------|-------|--------------------------|--------------------|---------------------------|
| round-leaved. | W. Indies. | 1690. | — | S. $\frac{1}{2}$. | Jacq. amer. t. 73. |
| downy. | — | — | — | S. $\frac{1}{2}$. | Pluk. phyt. 222. f. 8. |
| oval-leaved. | — | 1733. | — | S. $\frac{1}{2}$. | Plum. ic. t. 146. f. 1. |
| spear-leaved. | — | — | — | S. $\frac{1}{2}$. | Jacq. amer. 114. t. 77. |
| Laurel-leaved. | S. America. | 1816. | — | S. $\frac{1}{2}$. | |
| different-leav'd. | Hispaniola. | — | — | S. $\frac{1}{2}$. | |
| blunt-leaved. | S. America. | 1823. | — | S. $\frac{1}{2}$. | Jacq. amer. t. 76. |
| small-spiked. | W. Indies. | — | — | S. $\frac{1}{2}$. | — t. 74. |
| Barbadoes. | Barbadoes. | 1790. | — | S. $\frac{1}{2}$. | Jacq. obs. 1. t. 8. |
| broad-leaved. | S. America. | 1812. | — | S. $\frac{1}{2}$. | Lam. ill. t. 316. f. 4. |
| sharp-pointed. | — | 1824. | — | S. $\frac{1}{2}$. | |
| long-leaved. | — | 1818. | — | S. $\frac{1}{2}$. | |
| small-leaved. | Jamaica. | 1824. | — | S. $\frac{1}{2}$. | Brown. jam. 210. f. 3. |
| BRUNNICHIA. | Decandria Trigynia. W. | — | — | | |
| Carolina. | Carolina. | 1787. | — | G. $\frac{1}{2}$. | Gaert. s. 1. t. 48. f. 2. |
| PERSICARIA. | Tetr-Octandria Di-Trigyna. | — | — | | |
| Snake's-weed. | Britain. | — | 5. 9. H. $\frac{1}{2}$. | Eng. bot. 509. | |
| alpine bistort. | — | — | 5. 9. H. $\frac{1}{2}$. | — | 669. |

POLYGONEÆ.

3 petiolatum. D.P.	petiolate.	Nepaul.	1823.	5. 9. H. ¼.	
4 macrophyllum. D.P.	large-leaved.	— —	1822.	— H. ¼.	
5 affine. D.P.	related.	— —	1823.	— H. ¼.	
6 mite. P.S.	tasteless.	N. America.	1818.	6. 9. H. ⊖.	
7 scandens. w.	climbing.	— —	1749.	7. 9. H. ¼. —	Pluk. aln. t. 177. f. 7.
8 Fagopyrum. w.	Buck-wheat.	England.	— —	7. 8. H. ⊖.	Eng. bot. 1044.
9 emarginatum. w.	Indian buckwheat.	Nepaul.	1796.	— H. ⊖.	
10 tataricum. w.	Tartarian.	Siberia.	1759.	— H. ⊖.	Gmel. sib. 3. t. 13. f. 1.
11 Convolvulus. w.	common climbing.	Britain.	— —	5. 9. H. ⊖.	Eng. bot. 941.
12 dumetorum. w.	bush.	S. Europe.	1803.	— H. ⊖.	Flor. dan. t. 759.
13 adpressum. B.P.	polygamous.	N. S. W.	1822.	— G. ½.	Lab. n. hol. 1. t. 127.
14 sagittatum. w.	arrow-leaved.	N. America.	1759.	7. 8. H. ⊖.	Linn. h. cliff. t. 12.
15 chinense. w.	Chinese.	China.	1795.	— H. ⊖.	Burm. ind. t. 30. f. 3.
16 patens. D.P.	spreading.	Nepaul.	1823.	— H. ¼.	
17 elegans. s.s.	elegant.	Naples.	1824.	— H. ½.	
18 alpinum. w.	Alpine.	Italy.	1816.	— H. ¼.	
19 undulatum. w.	wave-leaved.	Siberia.	1789.	6. 7. H. ¼.	Bocc. mus. 2. t. 27.
20 divaricatum. w.	divaricated.	— —	1759.	7. 8. H. ¼.	Gmel. sib. 3. t. 10.
21 salignum. w.	Willow-like.	— —	1816.	5. 8. H. ¼.	— — 3. t. 11. f. 1.
22 acidulum. w.	narrow-leaved.	— —	— —	6. 7. H. ¼.	
23 aviculare. E.B.	Knot-grass.	Britain.	— —	4. 10. H. ⊖.	Eng. bot. 1252.
24 Dryandri. s.s. elegans. H.K.	Dryander's.	E. Indies.	1796.	4. 8. S. ¼.	
25 arenarium. W.K.	sand.	Hungary.	1807.	5. 8. H. ⊖.	W. et K. hung. t. 67.
26 littorale. L.en.	sea-side.	S. Europe.	1816.	— H. ½.	
27 Bellardi. P.S.	Bellardi's.	— —	1822.	— H. ¼.	All. ped. t. 90. f. 2.
28 patulum. M.B.	spreading-branch'd.	Tauria.	— —	— H. ¼.	
29 maritimum. w.	sea-shore.	S. Europe.	1816.	6. 8. H. ½.	
30 acetosum. M.B.	Sorrel-leaved.	Astracan.	1823.	— H. ¼.	
31 erectum. w.	upright.	N. America.	1792.	7. 8. H. ¼.	
32 pensylvanicum. w.	Pensylvanian.	— —	1819.	— H. ⊖.	
33 orientale. w. β album.	common.	E. Indies.	1707.	7. 10. H. ⊖.	Botan. magaz. 213.
34 tinctorium. w.	white-flowered.	— —	— —	— H. ⊖.	
35 decipiens. B.P.	dyer's.	China.	1776.	7. 8. G. ½.	
36 plebeium. B.P.	decipient.	N. S. W.	1822.	— G. ¼.	
37 Persicaria.	linear-leaved.	— —	— —	— G. ¼.	
38 ineanum. w.en.	spotted.	Britain.	— —	— H. ⊖.	Eng. bot. 756.
39 persicariooides. k.s.	hoary.	Germany.	1804.	— H. ⊖.	Schrank. bav. 1. t. 3.
40 Hydropiper. E.B.	Mexican.	Mexico.	1825.	— H. ¼.	
41 glabrum. w.	Water pepper.	Britain.	— —	— H. ⊖.	Eng. bot. 989.
42 minus. E.B.	smooth.	E. Indies.	1823.	— S. ¼.	
43 arifolium. w.	slender.	England.	— —	— H. ⊖.	Eng. bot. 1043.
44 ocreatum. w.	Arum-leaved.	N. America.	1816.	5. 10. H. ⊖.	Pluk. aln. t. 398. f. 3.
45 virginianum. w.	spear-leaved.	Siberia.	1780.	6. 9. H. ¼.	Gmel. sib. 3. t. 8.
46 amphibium. w.	Virginian.	N. America.	1640.	8. 9. H. ¼.	Park. theat. 857. f. 6.
47 barbatum. w.	amphibious.	Britain.	— —	6. 8. H.w. ¼.	Eng. bot. 436.
48 gracile. B.P.	bearded.	China.	1822.	— G. ¼.	
49 acetosæfolium. P.S.	slender-stalk'd.	N. S. W.	— —	— G. ¼.	
50 ramosum. Len.	Brazilian.	Brazil.	— —	— S. ½.	Venten. cels. t. 88.
TRAGOPYRUM.M.B.	branching.	Siberia.	— —	— H. ¼.	
1 lanceolatum. M.B.	TRAGOPYRUM.	Octandria Trigynia. R.S.			
Polygonum frutescens. B.R.	spear-leaved.	Siberia.	1770.	7. 8. H. ½.	Botan. regist. 255.
2 buxifolium. M.B.	Box-leaved.	Caucasus.	1800.	— H. ½.	Botan. magaz. 1065.
Polygonum crispulum. B.M.					
ATRAPHAXIS. L.	ATRAPHAXIS.	Hexandria Digynia. L.			
1 spinosa. s.s.	prickly.	Levant.	1732.	8. G. ¼.	L'Herit. stirp. 1. t. 14.
2 undulata. s.s.	waved-leaved.	C. B. S.	— —	6. 7. G. ½.	Dill. elt. t. 32. f. 36.
OXYRIA. Sm.	OXYRIA.	Hexandria Digynia. Sm.			
reniformis. Sm.	kidney-leaved.	Britain.	— —	6. 7. H. ¼.	Eng. bot. 910.
Rumex digynus. E.B.					
RUMEX. L.	DOCK.	Hexandria Trigynia. L.			
1 Hydrolaphathum. s.s.	great water.	Britain.	— —	7. 8. H.w. ¼.	Eng. bot. 2104.
aquaticus. E.B.					
2 Britannica. s.s.	Virginian.	N. America.	— —	6. 7. H. ¼.	
3 maximus. s.s.	great.	Europe.	— —	— H. ¼.	
4 acutus. E.B.	sharp.	Britain.	— —	— H. ¼.	Eng. bot. 721.
5 Nemolaphathum. w.	flat-valved.	Europe.	1816.	— H. ¼.	
6 nemorosus. w.en.	wood.	— —	— —	— H. ¼.	

7 sanguineus. E.B.	bloody-veined.	England.	6. 7. H. 4.	Eng. bot. 1533.
8 condylodes. M.B.	spreading.	Caucasus.	1823.	— H. 4.	
9 crispus. E.B.	curled.	Britain.	— H. 4.	Eng. bot. 1998.
10 Patientia. w.	Patience.	Italy.	1573.	— H. 4.	
11 confertus. w.en.	close-leaved.	—	1816.	— H. 4.	
12 brasiliensis. L.en.	Brazilian.	Brazil.	1823.	— G. 4.	
13 verticillatus. s.s.	whorled.	N.America.	1818.	— H. 4.	
14 spathulatus. P.S.	spatulate-ld.	C. B. S.	1824.	8. 2. G. 4.	
15 purpureus. P.S.	purple.	Europe.	6. 7. H. 4.	
16 linearis. s.s.	linear-leaved.	C. B. S.	1824.	8. 12. G. 4.	
17 obtusifolius. E.B.	broad-leaved.	Britain.	6. S. H. 4.	Eng. bot. 1999.
18 nepalensis. s.s.	Nepalese.	Nepaul.	1823.	— H. 4.	
19 palustris. E.B.	yellow marsh.	England.	7. 8. H. 4.	Eng. bot. 1932.
20 maritimus. E.B.	sea-side.	Britain.	— H. 4.	— 725.
21 divaricatus. w.	divaricate.	Italy.	1793.	— H. 4.	Till. pis. t. 37. f. 2.
22 strictus. L.en.	upright.	—	1824.	— H. 4.	
23 persicarioides. w.	Persicaria-like.	N.America.	1773.	6. 7. H. 4.	
24 dentatus. w.	dentated.	Egypt.	1732.	7. 8. H. ⊖.	Dill. eld. t. 158. f. 191.
25 aegyptiacus. w.	Egyptian.	—	1734.	6. 7. H. ⊖.	Till. pis. t. 37. f. 1.
26 ucranicus. s.s.	Ukraine.	Ukraine.	1820.	— H. ⊖.	
27 crispatulus. M.	curled-leaved.	N.America.	—	— H. ⊖.	
28 cristatus. DC.	crested.	—	—	— H. 4.	
29 pulcher. E.B.	fiddle.	Britain.	6. 8. H. 4.	Eng. bot. 1576.
30 scutatus. w.	French sorrel.	France.	1596.	6. 7. H. 4.	Jacq. ic. 1. t. 67.
31 hastifolius. M.B.	hastate-leaved.	Caucasus.	1816.	— H. 4.	
32 vesicularis. w.	bladder.	Africa.	1656.	7. 8. H. ⊖.	Moris. s. 5. t. 28. f. 7.
33 tingitanus. w.	Tangier.	Barbary.	1680.	6. 8. H. 4.	Zamon. hist. 9. t. 6.
34 sarcorhizus. L.en.	fleshy-rooted.	C. B. S.	1824.	8. 12. G. 4.	
35 Burchellii. s.s.	Burchell's.	—	1816.	8. 10. G. 4.	Pluk. alm. t. 252. f. 3.
36 Lunaria. w.	tree.	Canaries.	1698.	6. 7. G. 4.	
37 domesticus. s.s.	various-leaved.	Sweden.	1823.	— H. 4.	
38 roseus. w.	rose.	Egypt.	1737.	7. 8. H. ⊖.	Cavan. ic. 1. t. 41. f. 1.
39 bucephalophorus.	Basil-leaved.	Italy.	1683.	6. H. ⊖.	
40 fimbriatus. s.s.	fringe-valved.	C. B. S.	1816.	7. 9. G. 4.	Eng. bot. 127.
41 Acetosa. E.B.	common Sorrel.	Britain.	6. 8. H. 4.	— 1674.
42 Acetosella. E.B.	sheep's sorrel.	—	5. 7. H. 4.	Jacq. vind. 3. t. 98.
43 abyssinicus. Jacq.	Abyssinian.	Abyssinia.	1823.	— G. 4.	
44 tuberosus. w.	tuberous-root'd.	S. Europe.	1752.	6. 8. H. 4.	
45 arifolius. w.	Arum-leaved.	Africa.	1775.	12. 4. G. 4.	
46 amplexicaulis. s.s.	stem-clasping.	Pyrenees.	1816.	6. 8. H. 4.	
47 luxurians. L.	luxuriant.	S. Europe.	— H. 4.	
48 alpinus. w.	Alpine.	France.	1597.	6. 7. H. 4.	Zorn. ic. 261.
49 frutescens. s.s.	frutescent.	Tristan d'Ac.	1816.	6. 9. G. 4.	
50 giganteus. H.K.	tall.	Sandwich Isl.	1796.	6. 8. G. 4.	
EMEX. S.S.	EMEX. Hexandria Trigynia. S.S.	Candia.	1656.	6. 7. H. ⊖.	
spinosis. s.s.	spiny-seeded.				
Rumex spinosus. w.					
PODOPTERUS. K.S.	PODOPTERUS.	Hexandria Trigynia. S.S.			
mexicanus. k.s.	Mexican.	Mexico.	1825. G. 4.	H. et B. pl. aeq. 2. t. 107.
TRIPLARIS. K.S.	TRIPLARIS.	Dicecia Enneandria: L.			
americana. k.s.	American.	S. Amerika.	1823.	5. 8. S. 4.	Jacq. amer. 13. t. 173. f. 5
RHEUM. L.	RHUBARB.	Enneandria Trigynia. L.			
1 Rhaponticum. w.	common.	Asia.	1573.	5. 6. H. 4.	Sabb. hort. 1. t. 34.
2 undulatum. w.	waved-leaved.	China.	1734.	— H. 4.	L. amen. acad. 3. t. 4.
3 palmatum. w.	officinal.	—	1763.	4. 5. H. 4.	Linn. fasc. 7. t. 4.
4 compactum. w.	thick-leaved.	Tartary.	1758.	5. 6. H. 4.	Mill. ic. 2. t. 218.
5 tataricum. w.	Tartarian.	—	1793.	— H. 4.	
6 hybridum. w.	bastard.	Asia.	1778.	— H. 4.	Murr. c. gott. t. 1.
7 nutans. p.	nodding.	—	1824.	— H. 4.	
8 Ribes. w.	warted-leav'd.	Levant.	1724.	— F. 4.	Ann. mus. 1. t. 49.
9 austriacum. And.	Austrian.	Austria.	1819.	— H. 4.	
10 Emodii. Wal.	Nepaul.	Nepaul.	1826. H. 4.	
11 crispum. And.	curl-leaved.	—	1820.	5. 6. H. 4.	
12 sibiricum. And.	Siberian.	Siberia.	1819.	— H. 4.	
13 fenestratum. Mill.	transparent.	—	1760.	— H. 4.	
ERIOGONUM. M.	ERIOGONUM.	Enneandria Trigynia. N.			
1 tomentosum. M.	woolly.	Carolina.	1811.	5. 6. H. 4.	Mich. amer. t. 24.
2 flavum. N.	silky.	Missouri.	—	7. H. 4.	
sericeum. Ph.					
3 longifolium. N.	long-leaved.	Arkansa.	1824.	— H. 4.	

CALLIGONUM. W. Pallasia. w.	CALLIGONUM. Dodecandra Tetragynia, L. Caspian.	Caspian shores. 1780.8. H. h.	Pall. ros. 2. t. 77.78.
KŒNIGIA. W. islandica. w.	KŒNIGIA. Triandria Trigynia, L. Iceland.	Iceland. 1773. 4. H. ⊙.	Lam. ill. gen. t. 51.

ORDO CXLVII.

LAURINÆ. *Brown prod. p. 401.*

LAURUS. W.	
1 nobilis. w.	SWEET BAY. S. Europe. 1561. 4. 5. H. h.
β undulata.	wave-leaved. — — — — H. h.
γ salicifolia.	Willow-leaved. — — — — H. h.
δ variegata.	variegated. — — — — H. h.
2 coriacea. s.s.	leathery-leav'd. Jamaica. 1822. S. h.
3 salicifolia. s.s.	Willow-leav'd. W. Indies. — S. h.
4 Catesbaei. P.S.	Catesby's. Florida. 1811. 4. 6. G. h.
5 carolineensis. M.	Carolina. N. America. 1806. — G. h.
α glabra.	smooth-leaved. — — — — G. h.
β pubescens.	downy. — — — — G. h.
γ obtusa.	blatant-leaved. — — — — G. h.
6 Borbonia. W.	Bourbon. S. America. 1739. — G. h.
7 thrysiflora. s.s.	bunch-flower'd. Madagascar. 1824. S. h.
8 indica. w.	royal bay. Madeira. 1665. 10. 3. G. h.
9 foetens. w.	Madeira or Til. — 1760. — G. h.
10 canariensis. w.en.	Canary. Canaries. 1815. — G. h.
11 aggregata. B.M.	clustered. China. 1812. — S. h.
12 Chloroxylon. w.	Cogwood-tree. Jamaica. 1778. S. h.
13 pendula. w.	pendulous. — 1822. S. h.
14 glauca. w.	glaucous. Japan. 1806. G. h.
15 aestivalis. w.	veined-leaved. N. America. 1765. 4. 5. G. h.
16 Benzoin. w.	Benjamin-tree. — 1683. — H. h.
17 Diospyrus. P.S.	twiggly. — 1810. — H. h.
18 geniculata. M.	flexuous. — 1759. — H. h.
19 Sassafras. w.	Sassafras-tree. — 1633. 5. 6. H. h.
20 aliba. n.	white Sassafras. — H. h.
PERSEA. G.	ALLIGATOR-PEAR. Enneandria Monogynia. S.S.
gratissima. G.	common. W. Indies. 1739. 4. 6. S. h.

Laurus Persea. w.

CINNAMOMUM. B.P.	CINNAMON. Enneandria Monogynia.
1 Cassia?	pubescent. E. Indies. 1768. 5. 9. S. h.
<i>Laurus Cinnamomum.</i> A.R. <i>Persea Cassia.</i> s.s.	
2 verum.	true. Ceylon. 1763. 6. 9. S. h.
<i>Laurus Cassia.</i> B.M. <i>Persea Cinnamomum.</i> s.s.	
3 nitidum. H.E.F.	glossy-leaved. Sumatra. 1824. — S. h.
4 Bejolghota.	square-branch'd. E. Indies. 1805. S. h.
<i>Laurus Bejolghota.</i> L.T. <i>Laurus malabathrica.</i> H.B.?	
5 Culitlaban.	three-flowered. Moluccas. S. h.
<i>Laurus Culitlaban.</i> H.B.	
6 gracile. Hort.	slender. E. Indies. 1805. S. h.
7 Camphora.	Camphire-tree. Japan. 1727. 3. 6. G. h.
<i>Laurus Camphora.</i> B.M. <i>Persea Camfora.</i> s.s.	
CRYPTOCARYA. B.P.	CRYPTOCARYA. Enneandria Monogynia. S.S.
1 glaucescens. B.P.	glaucous-leav'd. N. S. W. 1820. G. h.
2 obovata. B.P.	obovate-leaved. — 1823. G. h.
TETRANTHERA. B.P.	TETRANTHERA. Enneandria Monogynia. S.S.
1 laurifolia. B.R.	Laurel-leaved. Japan. 1823. 1. 5. G. h.
2 apetala. B.P.	petalless. E. Indies. — G. h.
3 involucrata. Rox.	involucrated. — 1820. G. h.
CASSYTHA. L.	CASSYTHA. Enneandria Monogynia. S.S.
1 filiformis. L.	slender. C. B. S. 5. 8. G. 4. R.
2 glabella. B.P.	smooth. N. S. W. 1822. — G. 4. R.

Pluk. alm. t. 267. f. 1.

Andr. deposit. 596.

Botan. magaz. 1636.

Hook. ex. flor. 176.

Rumph. amb. 2. t. 14.

Botan. magaz. 2658.

Roxb. corom. 2. t. 147.

Botan. regist. 893.

LAURINIS AFFINE.

GYROCARPUS. B.P. GYROCARPUS.		Polygamia Monœcia.			
1 americanus. w.	American.	W. Indies. 1816.	S. h.	Jacq. amer. t. 178. f. 80.	
2 asiaticus. w.	Asiatic.	E. Indies. 1812.	S. h.	Roxb. corom. 1. t. 1.	
<i>Jacquini. R.C.</i>					
HERNANDIA. L.	JACK IN A BOX.	Monœcia Triandria. L.			
1 sonora. w.	peltate-leaved.	W. Indies. 1693.	S. h.	Rumph. amb. 2. t. 85.	
2 guianensis. w.	Guiana.	Guiana. 1823.	S. h.	Aub. gui. 2. t. 309.	
3 ovigera. w.	oval-leaved.	E. Indies. 1820.	S. h.	Rumph. amb. 3. t. 123.	

ORDO CXLVIII.

MYRISTICÆ. *Brown prodr. p. 399.*

MYRISTICA. W.	NUTMEG.	Dioœcia Monadelphia. L.			
1 moschata. w.	true.	E. Indies. 1795.	S. h.	Hook. ex. flor. 155-156.	
<i>officinalis. H.E.F. aromatica. Lam.</i>					
2 fatua. w.	tasteless.	Surinam. 1812.	S. h.	Pluk. alm. t. 250. f. 6.	

ORDO CXLIX.

PROTEACEÆ. *Brown Linn. trans. 10. p. 46.*

AULAX. P.L.	AULAX.	Dioœcia Tetrandria. H.K.			
1 pinifolia. L.T.	Pine-leaved.	C. B. S. 1780. 7. 9. G. h.		Andr. deposit. 76.	
<i>Protea pinifolia. A.R.</i>					
2 umbellata. L.T.	umbelled.	1774. 6. 8. G. h.		Andr. deposit. 248.	
LEUCADENDRON. L.T.	LEUCADENDRON.	Dioœcia Tetrandria. H.K.			
1 argenteum. L.T.	Silver-tree.	C. B. S. 1693. 6. 8. G. h.		Botan. regist. 979.	
<i>Protea argentea. W.</i>					
2 plumosum. L.T.	feathered.	1774. — G. h.		Thunb. diss. 40. t. 4.	
<i>Protea parviflora. Th.</i>					
3 retusum. L.T.	retuse-leaved.	1825. G. h.			
4 spathulatum. L.T.	spathulate.	1812. 6. 8. G. h.			
5 angustum. L.T.	narrow-leav'd.	1824. G. h.			
6 imbricatum. L.T.	imbricated.	1790. 6. 8. G. h.			
7 buxifolium. L.T.	Box-leaved.	1812. — G. h.		Wend. h. herr. t. 14?	t. 1.
8 Levisanus. L.T.	short-leaved.	1774. 4. 6. G. h.			Jacq. schoen. I. t. 26.
9 linifolium. L.T.	Flax-leaved. — G. h.			Botan. magaz. 881.
10 stellatum.	starry. 5. 6. G. h.			
<i>Protea stellaris. B.M. squarrosa. K.P.</i>					
11 tortum. L.T.	twisted-leaved.	1790. 3. 5. G. h.		Botan. regist. 826.	
12 cinereum. L.T.	gray-leaved.	1774. 7. 8. G. h.			
13 corymbosum. L.T.	corymbed.	1790. 4. 7. G. h.		Botan. regist. 402.	
14 decorum. L.T.	decorous. 5. 8. G. h.			
15 squarrosum. L.T.	squarrose.	1812. — G. h.			
<i>strobilina. L.</i>					
16 concolor. L.T.	one-coloured.	1774. 3. 6. G. h.		Andr. deposit. 307.	
<i>Protea globosa. B.M. 878. strobilina. Schrad. s. han. 1. t. 1.</i>					
17 grandiflorum. L.T.	great-flower'd.	1789. 4. 6. G. h.			
18 ovale. L.T.	oval-leaved.	1818. — G. h.		Sal. par. lond. 105.	
19 venosum. L.T.	veined-leaved.	1815. — G. h.			

PROTEACEÆ.

20	decurrans, L.T.	decurrent.	C. B. S.	1812.	6. 8.	G. h.	
21	glabrum, L.T.	smooth.	—	—	3. 6.	G. h.	
22	strictum, L.T.	upright.	—	1795.	4. 6.	G. h.	Sal. par. lond. 75.
	<i>Eurypermum salicifolium</i> , P.L. <i>Protea conifera</i> , A.R. 541.						
23	virgatum, L.T.	slender.	—	—	—	G. h.	
24	ascendens, L.T.	ascending.	—	1774.	6. 8.	G. h.	Pluk. mant. t. 229. f. 6.
25	concinnum, L.T.	neat.	—	1800.	—	G. h.	
26	salignum, L.T.	Willow-leaved.	—	1774.	4. 6.	G. h.	Boer. lugd. 2. p. 204. ic.
27	uliginosum, L.T.	swamp.	—	1795.	—	G. h.	Breyn. cent. 21. t. 9.
28	floridum, L.T.	florid.	—	—	—	G. h.	Andr. deposit, 572?
29	platyspermum, L.T.	flat-seeded.	—	1818.	—	G. h.	
30	comosum, L.T.	tufted.	—	1812.	5. 8.	G. h.	
31	æmulum, L.T.	related.	—	1789.	6. 9.	G. h.	
	<i>Protea incurva</i> , A.R. 429?						
32	abietinum, L.T.	Pine-leaved.	—	—	7. 9.	G. h.	Andr. deposit. 461.
33	scabrum, L.T.	rough.	—	1812.	4. 6.	G. h.	
34	sericeum, L.T.	silky-leaved.	—	1818.	—	G. h.	
35	Globularia, L.T.	globe-headed.	—	1810.	—	G. h.	Lam. ill. I. t. 53.
36	inflexum, L.en.	inflexed.	—	1812.	—	G. h.	
37	caudatum, L.en.	tailed.	—	—	—	G. h.	
38	marginatum, L.en.	villous-margin'd.	—	1818.	—	G. h.	
	PETROPHILA , L.T.	PETROPHILA . <i>Tetrandria Monogynia</i> , R.S.					
1	pulchella, L.T.	Fennel-leaved.	N. S. W.	1790.	7. 8.	G. h.	Botan. magaz. 796.
2	diversifolia, L.T.	various-leaved.	N. Holland.	1803.	4. 6.	G. h.	
3	trifida, L.T.	trifid-leaved.	—	1824.	—	G. h.	
	ISOPOGON , L.T.	ISOPOGON . <i>Tetrandria Monogynia</i> , R.S.					
1	teretifolius, L.T.	round-leaved.	N. Holland.	1824.	—	G. h.	
2	anethifolius, L.T.	Dill-leaved.	N. S. W.	1796.	3. 6.	G. h.	Cavan. ic. 6. t. 549.
3	formosus, L.T.	handsome.	N. Holland.	1805.	—	G. h.	
4	anemonifolius, L.T.	Anemone-l'd.	N. S. W.	1791.	7. 9.	G. h.	Botan. magaz. 697.
5	trilobus, L.T.	three-lobed.	N. Holland.	1803.	5. 6.	G. h.	
6	longifolius, L.T.	long-leaved.	—	1820.	—	G. h.	Botan. regist. 900.
7	attenuatus, L.T.	attenuated.	—	1824.	—	G. h.	
	PROTEA , L.T.	PROTEA . <i>Tetrandria Monogynia</i> , L.					
1	cynaroides, L.T.	Artichoke-fl'd.	C. B. S.	1774.	11. 3.	G. h.	Botan. magaz. 770.
2	latifolia, L.T.	ray-flowered.	—	1806.	7. 9.	G. h.	— 1717.
	α coccinea.	scarlet-flower'd.	—	—	—	G. h.	Andr. deposit. 646.
	β viridiflora.	green-flowered.	—	—	—	G. h.	— 646.
3	compacta, L.T.	compact.	—	1810.	—	G. h.	
4	longiflora, L.T.	long-flowered.	—	1795.	1. 4.	G. h.	Sm. exot. bot. 2. t. 81.
	α ochroleuca, Sm. <i>lacticolor</i> , P.L. 27.						
5	coccinea, L.T.	scarlet-flow'r'd.	—	1810.	5. 6.	G. h.	
6	speciosa, L.T.	splendid.	—	1786.	3. 6.	G. h.	Knight's prot. c. ic.
7	obtusa, K.P.	obtuse.	—	—	—	G. h.	Andr. deposit. 110.
	<i>speciosa</i> , B.M. 1183.	<i>Erodendrum obtusum</i> , K.P.					
8	macrophylla, L.T.	large-leaved.	—	1810.	—	G. h.	
9	formosa, L.T.	handsome.	—	1789.	5. 6.	G. h.	Botan. magaz. 1713.
	<i>coronata</i> , A.R. 469.	<i>Erodendrum formosum</i> , P.L. 76.					
10	melaleuca, L.T.	black-fringed.	—	1786.	3. 7.	G. h.	Andr. deposit. 103.
11	Lepidocarpion, L.T.	crested.	—	1806.	—	G. h.	Wein. phyt. 4. t. 895.
12	neriifolia, L.T.	Oleander-l'd.	—	—	2. 4.	G. h.	Botan. regist. 208.
13	pulchella, L.T.	wave-leaved.	—	1795.	3. 8.	G. h.	— 20.
	α ciliata.	fringe-leaved.	—	—	—	G. h.	Andr. deposit. 270.
	β glabra.	smooth-leaved.	—	—	—	G. h.	— 277.
	γ speciosa.	speciosus.	—	—	—	G. h.	— 442.
14	patens, L.T.	spreading.	—	1789.	3. 6.	G. h.	— 543.
15	magnifica, A.R.	magnificent.	—	—	—	G. h.	— 438.
16	incompta, L.T.	villus-branch'd.	—	1807.	5. 7.	G. h.	
17	longifolia, L.T.	long-leaved.	—	1798.	3. 8.	G. h.	Botan. regist. 47.
18	umbonalis, K.P.	embossed.	—	—	—	G. h.	Andr. deposit. 144.
	<i>longifolia</i> , var. <i>cono turbinato</i> , A.R.	<i>Erodendrum umbonale</i> , K.P.					
19	ligulaefolia, K.P.	strap-leaved.	—	—	—	G. h.	Andr. deposit. 133.
	<i>longiloba ferruginoso-purpurea</i> , A.R.	<i>Erodendrum ligulaefolium</i> , K.P.					
20	mellifera, L.T.	honey-bearing.	—	1774.	12. 5.	G. h.	Botan. magaz. 346.
	β alba.	white-flowered.	—	—	—	G. h.	Andr. deposit. ic.
21	grandiflora, L.T.	great-flowered.	—	1787.	5. 6.	G. h.	Botan. magaz. 2447.
	β marginata.	red margined.	—	—	—	G. h.	Botan. regist. 569.
22	Scalymus, L.T.	small-flower'd.	—	1780.	—	G. h.	Botan. magaz. 698.
23	muconifolia, L.T.	dagger-leaved.	—	1803.	7. 12.	G. h.	— 933.

24 nana. L.T.	dwarf.	C. B. S.	1787.	4. 7. G. h.	Sm. exot. bot. 1. t. 44.
rosacea. Sm. acuifolia. P.L. 2.		—	1806.	3. 6. G. h.	
25 pendula. L.T.	pendulous.	—	1801.	2. 5. G. h.	Sal. par. lond. 70.
26 tenax. L.T.	tough.	—	1800.	12. 2. G. h.	Andr. deposit. 437.
27 canaliculata. L.T.	channel-leaved.	—	1809.	3. 6. G. h.	Botan. magaz. 1694.
28 acuminata. B.M.	sharp-pointed.	—	1802.	5. 9. G. h.	Wein. phyt. 4. t. 898.
29 acaulis. L.T.	short-stalked.	—	—	7. 9. G. h.	Sal. par. lond. 11.
30 glaucocephala. P.L.	glaucous-leav'd.	—	1810.	— G. h.	
31 elongata. L.T.	elongated.	—	1809.	— G. h.	
32 angustata. L.T.	narrow-leaved.	—	1818.	— G. h.	
33 revoluta. L.T.	revolute-leav'd.	—	1816.	— G. h.	
34 tenuifolia. L.T.	slender-leaved.	—	1806.	5. 7. G. h.	Botan. magaz. 2439.
35 laevis. L.T.	smooth-leaved.	—	—	—	
longifolia. P.L. non A.R.					
36 scabra. L.T.	rough-leaved.	—	1809.	— G. h.	
37 repens. L.T.	creeping.	—	1800.	6. 8. G. h.	Wein. phyt. 4. t. 897.a.
38 turbiniflora. L.T.	turfy.	—	1803.	4. 5. G. h.	Sal. par. lond. 103.
39 Scopolendrium. L.T.	Hart's-tongue.	—	1802.	— G. h.	
40 cordata. L.T.	heart-leaved.	—	1790.	3. 5. G. h.	Andr. deposit. 289.
41 amplexicaulis. L.T.	stem-clasping.	—	1802.	1. 3. G. h.	Sal. par. lond. 67.
42 humili. L.T.	low-flowering.	—	—	6. 8. G. h.	Andr. deposit. 532.
43 acerosa. L.T.	Pine-leaved.	—	1803.	3. 5. G. h.	Botan. regist. 351.
LEUCOSPERMUM. L.T. LEUCOSPERMUM. Tetrandria Monogynia. R.S.					
1 lineare. L.T.	linear-leaved.	C. B. S.	1774.	8. 9. G. h.	Thunb. dis. n. 35. t. 4.
2 attenuatum. L.T.	attenuated.	—	1810.	— G. h.	
3 Tottum. L.T.	smooth-bracted.	—	1774.	6. 8. G. h.	
4 medium. L.T.	oval-leaved.	—	1794.	— G. h.	Andr. deposit. 17?
Protea formosa. A.R.?					
5 ellipticum. L.T.	elliptic.	—	1803.	5. 8. G. h.	
6 Conocarpum. L.T.	many-toothed.	—	1774.	— G. h.	Boer. lugd. 2. p.196.ic.
7 grandiflorum. L.T.	great-flower'd.	—	1800.	5. 7. G. h.	Sal. par. lond. 116.
Leucadendron grandiflorum. P.L.					
8 puberum. L.T.	downy-leaved.	—	1774.	5. 8. G. h.	
9 spathulatum. L.T.	spatulate.	—	1810.	— G. h.	
10 tomentosum. K.P.	cottony.	—	1789.	8. 9. G. h.	
11 parile. K.P.	matched.	—	1790.	— G. h.	
12 candicans. A.R.	Rose-scented.	—	—	— G. h.	Andr. deposit. 294.
Protea candicans. A.R.					
13 Hypophyllum. L.T.	trifid-leaved.	—	1787.	— G. h.	Pluk. mant. t.440. f.3.
MIMETES. L.T.	MIMETES. Tetrandria Monogynia. R.S.				
1 hirta. L.T.	hairy.	C. B. S.	1774.	6. 8. G. h.	Wein. phyt. 4. t.899. f.a.
2 palustris. K.P.	marsh.	—	1802.	— G. h.	Boer. lugd. 2. p.194.ic.
3 ciliolata. L.T.	three-toothed.	—	1789.	— G. h.	Pluk. alm. t.304. f.6.
Protea cucullata. w.					
4 Hartogii. L.T.	woolly-leaved.	—	1810.	— G. h.	Wein. phyt. 4. t.906.a.
5 divaricata. L.T.	divaricate.	—	1795.	6. 9. G. h.	
6 vacciniifolia.	Vaccinium-ld.	—	1800.	— G. h.	
Diastella vacciniifolia. K.P.					
7 purpurea. L.T.	Heath-leaved.	—	1789.	11. 12. G. h.	
SERRURIA. L.T.	SERRURIA. Tetrandria Monogynia. R.S.				
1 diffusa. L.T.	diffuse.	C. B. S.	1810.	6. 8. G. h.	
2 abrotanifolia. K.P.	Southernwood-ld.	—	1803.	— G. h.	Andr. deposit. 522.
Protea abrotanifolia hirta. A.R.					
3 millefolia. K.P.	thousand-leav'd.	—	—	— G. h.	337.
4 artemisiæfolia. K.P.	Wormwood-ld.	—	1789.	— G. h.	264.
5 pinnata. L.T.	slender.	—	1803.	— G. h.	512.
6 arenaria. L.T.	sand.	—	—	— G. h.	
7 cyanoïdes. L.T.	trifid-leaved.	—	—	— G. h.	Pluk. mant. t.345. f.6.
8 pedunculata. L.T.	woolly-headed.	—	1789.	— G. h.	Andr. deposit. 264.
9 scoparia. L.T.	Broom.	—	1809.	— G. h.	
10 Niveni. L.T.	Niven's.	—	1800.	— G. h.	Andr. deposit. 349.
Protea decumbens. A.R.					
11 villosa. L.T.	villous.	—	1810.	— G. h.	
12 foeniculacea. L.T.	Fennel-leaved.	—	1816.	— G. h.	
13 ciliata. L.T.	ciliated.	—	1803.	— G. h.	
14 congesta. L.T.	crowded.	—	1816.	— G. h.	
15 squarrosa. L.T.	squarrose.	—	1810.	— G. h.	
16 phylicoides. L.T.	Phylica-flow'r'd.	—	1788.	— G. h.	Andr. deposit. 507. f.4.
Protea abrotanifoliu. A.R.					

PROTEACEÆ.

17 æmula. L.T.	grey-branched.	C. B. S.	1803.	—	G. h.	
18 parilis. K.P.	matched.	—	—	—	G. h.	Andr. deposit. 507.
19 odorata.	sweet-scented.	—	—	—	G. h.	545.
<i>Protea abrotanifolia</i> <i>odorata</i> . A.R.						
20 emarginata.	emarginate.	—	1800.	—	G. h.	536.
<i>arenaria</i> . K.P. <i>Protea abrotanifolia minor</i> . A.R.						
21 decumbens. L.T.	decumbent.	—	1816.	—	G. h.	Thunb. diss. 1. t. 1.
22 flagellaris. L.T.	procumbent.	—	—	—	G. h.	
23 glomerata. L.T.	many-headed.	—	1789.	—	G. h.	Burm. afr. t. 99. f. 2.
24 decipiens. L.T.	decipient.	—	1806.	—	G. h.	
25 Roxburghii. L.T.	Roxburgh's.	—	—	—	G. h.	
26 Burmanni. L.T.	Burmann's.	—	1786.	—	G. h.	Burm. afr. t. 99. f. 1.
<i>Protea Serraria</i> . L.						
27 triternata. L.T.	silvery-flowered.	—	1802.	—	G. h.	Andr. deposit. 447.
<i>Protea argentea</i> <i>flora</i> . A.R.						
28 elongata. L.T.	long-peduncled.	—	1800.	—	G. h.	
29 crithmifolia. L.T.	Samphire-leav'd.	—	1816.	—	G. h.	
NIVENIA. L.T.	NIVENIA. <i>Tetrandria Monogynia</i> . R.S.					
1 Scepturnum. L.T.	sceptre-like.	C. B. S.	1790.	5. 6.	G. h.	Sparm. a. st. 1777. t. 1.
2 spathulata. L.T.	maiden hair-ld.	—	—	7. 8.	G. h.	Thunb. dis. n. 58. t. 5.
3 parvifolia. L.T.	small-leaved.	—	1810.	—	G. h.	
4 spicata. L.T.	spiked.	—	1786.	6. 8.	G. h.	
5 crithmifolia. L.T.	Samphire-ld.	—	1797.	—	G. h.	Andr. deposit. 243.
<i>Protea Lagopus</i> . A.R.						
6 media. L.T.	middle.	—	1803.	—	G. h.	234?
<i>Protea spicata</i> . A.R?						
7 Lagopus. L.T.	Hare's-foot.	—	1810.	—	G. h.	
SOROCEPHALUS. L.T. <i>SOROCEPHALUS. Tetrandria Monogynia</i> . R.S.						
1 imberbis. L.T.	smooth.	C. B. S.	1806.	6. 8.	G. h.	
2 spatuloides. L.T.	club-bearing.	—	1803.	—	G. h.	
3 tenuifolia. L.T.	slender-leaved.	—	1802.	—	G. h.	
4 lanatus. L.T.	woolly.	—	1790.	6. 9.	G. h.	Thunb. dis. n. 30. t. 3.
5 imbricatus. L.T.	imbricated.	—	1794.	4. 7.	G. h.	Andr. deposit. 517.
6 diversifolius. L.T.	various-leaved.	—	1807.	—	G. h.	
SPATALLA. L.T.	SPATALLA. <i>Tetrandria Monogynia</i> . R.S.					
1 nivea. L.T.	snowy-bearded.	C. B. S.	1806.	4. 8.	G. h.	
2 bracteata. L.T.	bracteate.	—	—	—	G. h.	
3 prolifera. L.T.	proliferous.	—	1800.	6. 8.	G. h.	Thunb. dis. n. 27. t. 4.
4 incurva. L.T.	incurved-leaved.	—	1789.	5. 6.	G. h.	n. 22. t. 3.
5 caudata. L.T.	tailed.	—	1812.	—	G. h.	sec. ic. t. 2.
6 Thunbergii. L.T.	Thunberg's.	—	1806.	—	G. h.	
CONOSPERMUM. L.T. <i>CONOSPERMUM. Triandria Monogynia</i> .						
1 ellipticum. L.T.	elliptic-leaved.	N. S. W.	1822.	5. 7.	G. h.	Linn. trans. 10. t. 17. f. 1.
2 ericifolium. L.T.	Heath-leaved.	—	1820.	—	G. h.	Sm. exot. bot. 2. t. 82.
3 longifolium. L.T.	long-leaved.	—	1824.	G. h.	
PERSÖONIA. L.T.	PERSÖONIA. <i>Tetrandria Monogynia</i> . R.S.					
1 pinifolia. L.T.	Pine-leaved.	N. S. W.	1818.	5. 7.	G. h.	Linn. trans. 10. t. 16. f. 1.
2 juniperina. L.T.	Juniper-leav'd.	V. Diem. Isl.	1823.	—	G. h.	Lab. n. holl. 1. t. 45.
3 hirsuta. L.T.	hairy.	N. S. W.	1800.	—	G. h.	Lodd. bot. cab. 327.
4 mollis. L.T.	soft.	—	1818.	—	G. h.	Botan. magaz. 760.
5 linearis. L.T.	linear-leaved.	—	1794.	7. 8.	G. h.	Lodd. bot. cab. 922.
6 flexifolia. L.T.	bending-leav'd.	—	1822.	—	G. h.	Andr. deposit. 74.
7 lanceolata. L.T.	spear-leaved.	—	1791.	6. 7.	G. h.	280?
β latifolia. B.P.	broad-leaved.	—	—	—	G. h.	Cavan. ic. 4. t. 389?
8 salicina. L.T.	Willow-leaved.	—	1795.	6. 7.	G. h.	Sm. exot. bot. 2. t. 83.
9 ferruginea. L.T.	ferruginous.	—	1818.	—	G. h.	
BRABEJUM. L.T.	AFRICAN ALMOND. <i>Polygamia Monocælia</i> . L.					
stellatifolium. L.T.	common.	C. B. S.	1731.	3. 4.	G. h.	Hout. n. h. par. 2. t. 6. f. 37
GREVILLEA. L.T.	GREVILLEA. <i>Tetrandria Monogynia</i> . R.S.					
1 punicea. L.T.	purple-flow'r'd.	N. S. W.	1822.	4. 9.	G. h.	Sm. n. holl. t. 9. f. 5.
2 dubia. L.T.	doubtful.	—	—	—	G. h.	
3 sericea. L.T.	silky.	—	1790.	—	G. h.	Botan. magaz. 862.
4 linearis. L.T.	linear-leaved.	—	—	—	G. h.	Andr. deposit. 272.
α incarnata. B.M.	flesh-coloured.	—	—	—	G. h.	Botan. magaz. 2661.
β alba. B.C.	white-flowered.	—	—	—	G. h.	Lodd. bot. cab. 858.
5 stricta. L.T.	upright.	—	1822.	—	G. h.	
6 riparia. L.T.	river-side.	—	1791.	4. 5.	G. h.	
7 rosmarinifolia. F.T.	Rosemary-ld.	—	1824.	—	G. h.	
8 juniperina. L.T.	Juniper-like.	—	1821.	—	G. h.	Lodd. bot. cab. 1003.

9 arenaria, L.T.	sand.	N. S. W.	1803.	4. 9.	G. h.	
10 acuminata, L.T.	acute-leaved.	—	1805.	—	G. h.	
11 cinerea, L.T.	grey.	—	1821.	—	G. h.	Lodd. bot. cab. 857.
12 mucronulata, L.T.	mucronulate.	—	1809.	—	G. h.	
13 sulphurea, F.I.	sulphur-colour'd	—	1823.	—	G. h.	
14 phylloides, L.T.	Phylica-like.	—	—	—	G. h.	
15 buxifolia, L.T.	Box-leaved.	—	1790.	2. 9.	G. h.	Botan. regist. 443.
16 podalyriæfolia, c.c.	Podalyria-ld.	N. Holland.	1821.	5. 8.	S. h.	
17 berberifolia, c.c.	Berberry-ld.	—	—	—	S. h.	
18 acanthifolia, F.T.	Acanthus-ld.	—	—	—	S. h.	B. Field. trav. c. ic.
19 heterophylla,	various-leaved.	—	—	—	S. h.	
20 trifurcata, c.c.	three-forked.	—	—	—	S. h.	
21 aspleniiifolia, L.T.	Spleenwort-ld.	N. S. W.	1806.	—	S. h.	
HAKEA, L.T.	HAKEA.	Tetrandria Monogynia.	R.S.	—	—	
1 pugioniformis, L.T.	dagger-fruited.	N. S. W.	1796.	5. 6.	G. h.	Lodd. bot. cab. 353.
2 parilis, K.P.	matched.	V. Diem. Isl.	—	—	G. h.	
3 epiglottis, L.T.	curved-fruited.	—	1822.	—	G. h.	Lab. nov. hol. 1. t. 40.
4 obliqua, L.T.	oblique-flow'r'd	N. Holland.	1803.	6. 9.	G. h.	
5 gibbosa, L.T.	gibbous-fruited.	N. S. W.	1790.	5. 6.	G. h.	Cavan. ic. 6. t. 534.
6 acicularis, L.T.	needle-leaved.	—	—	—	G. h.	Venten. malm. t. 111.
<i>Conchium aciculare</i> , v.						
7 suaveolens, L.T.	sweet-scented.	N. Holland.	1803.	11. 1.	G. h.	
8 Lamberti, N.L.E.	Lambert's.	—	1823.	—	G. h.	
9 microcarpa, L.T.	small-fruited.	V. Diem. Isl.	1818.	4. 8.	G. h.	Botan. regist. 475.
10 trifurcata, L.T.	trifurcate.	N. Holland.	1824.	—	G. h.	
11 linearis, L.T.	linear-leaved.	—	—	—	G. h.	
12 florida, L.T.	many-flower'd.	—	1803.	5. 6.	G. h.	Botan. magaz. 2579.
13 ilicifolia, L.T.	Holly-leaved.	—	—	7. 9.	G. h.	
14 nitida, L.T.	glossy.	—	—	6. 8.	G. h.	Botan. magaz. 2246.
15 amplexicaulis, L.T.	smooth-stalked.	—	—	—	G. h.	
16 prostrata, L.T.	pubescent.	—	—	—	G. h.	
17 ceratophylla, L.T.	horn-leaved.	—	—	—	G. h.	
18 acanthophylla, L.en.	Acanthus-ld.	—	—	—	G. h.	
19 undulata, L.T.	wave-leaved.	—	—	6. 8.	G. h.	
20 propinqua, F.T.	related.	—	1823.	—	G. h.	
21 oleifolia, L.T.	Olive-leaved.	—	1794.	6. 7.	G. h.	
22 saligna, L.T.	Willow-leaved.	—	1791.	3. 7.	G. h.	
23 marginata, L.T.	marginate.	—	1824.	—	G. h.	Andr. deposit. 215.
24 ruscifolia, L.T.	Ruscus-leaved.	—	—	—	G. h.	
25 cinerea, L.T.	hoary-leaved.	—	1803.	6. 7.	G. h.	Lab. nov. hol. 1. t. 39.
26 canescens, L.en.	canescent.	N. S. W.	1800.	6. 8.	G. h.	
27 dactyloides, L.T.	nerved-leaved.	—	1790.	—	G. h.	Cavan. ic. 6. t. 535.
28 elliptica, L.T.	oval-leaved.	N. Holland.	1794.	—	G. h.	
29 clavata, L.T.	clavate.	—	1824.	—	G. h.	Lab. nov. hol. 1. t. 41.
LAMBERTIA, L.T.	LAMBERTIA.	Tetrandria Monogynia.	R.S.	—	—	
1 uniflora, L.T.	single-flowered.	N. Holland.	1824.	—	G. h.	
2 inermis, L.T.	unarmed.	—	—	—	G. h.	
3 formosa, L.T.	handsome.	N. S. W.	1788.	6. 8.	G. h.	Botan. regist. 528.
4 echinata, L.T.	lobe-leaved.	N. Holland.	1824.	—	G. h.	
XYLOMELUM, L.T.	WOODEN-PEAR-TREE.	Tetrandria Monogynia.	R.S.	—	—	
pyriforme, L.T.	prickly-leaved.	N. S. W.	1789.	—	G. h.	Cavan. ic. 6. t. 536.
RHOPALA, L.T.	RHOPALA.	Tetrandria Monogynia.	R.S.	—	—	
1 montana, L.T.	mountain.	Guiana.	1823.	4. 6.	S. h.	Aub. gui. 1. t. 32.
2 dentata, L.T.	tooth-leaved.	—	1802.	5. 8.	S. h.	
3 sessilifolia, L.T.	sessile-leaved.	—	1803.	—	S. h.	Rudg. gui. 1. t. 31.
TELOPEA, L.T.	WARATAH.	Tetrandria Monogynia.	R.S.	—	—	
speciosissima, L.T.	splendid.	N. S. W.	1789.	5. 7.	G. h.	Botan. magaz. 1128.
<i>Embothrium speciosissimum</i> , B.M.	LOMATIA.	Tetrandria Monogynia.	R.S.	—	—	
LOMATIA, L.T.	cut-leaved.	N. S. W.	1792.	6. 8.	G. h.	Botan. magaz. 1272.
1 silaifolia, L.T.	various-leaved.	V. Diem. Isl.	1822.	—	G. h.	Lab. n. hol. 1. t. 42-43.
2 tinctoria, L.T.	long-leaved.	N. S. W.	1816.	5. 8.	G. h.	Botan. regist. 442.
3 longifolia, L.T.	tooth-leaved.	Chili.	1824.	—	G. h.	Flor. peruv. 1. t. 94. a.
4 dentata, L.T.	STENOCARPUS.	Tetrandria Monogynia.	R.S.	—	—	
STENOCARPUS, L.T.	sweet-scented.	N. S. W.	1815.	6. 9.	G. h.	Botan. regist. 441.
salignus, L.T.	BOTRYCERAS.	Tetrandria Monogynia.	R.S.	—	—	
BOTRYCERAS, W.	Laurel-like.	N. Holland.	1820.	6. 9.	G. h.	W.m.b.1811.t.10.f.10.
laurinum, w.	BANKSIA.	Tetrandria Monogynia.	R.S.	—	—	
BANKSIA, L.T.	small-flowered.	N. Holland.	1803.	—	G. h.	
1 pulchella, L.T.						

2 sphærocarpa. L.T.	round-fruited.	N. Holland.	1803.	G. h.
3 nutans. L.T.	nodding-fl'd.	—	—	4. 6.	G. h.
4 ericifolia. L.T.	Heath-leaved.	N. S. W.	1788.	1. 12.	G. h.
5 spinulosa. L.T.	spiny-leaved.	—	—	12. 5.	G. h.
6 collina. L.T.	hill.	—	1800.	G. h.
7 occidentalis. L.T.	west-coast.	N. Holland.	1803.	G. h.
8 littoralis. L.T.	sea-side.	—	—	4. 7.	G. h.
9 marginata. L.T.	various-leaved.	N. S. W.	1804.	5. 8.	G. h.
10 australis. L.T.	southern.	V. Diem. Isl.	1816.	—	G. h.
11 insularis. L.T.	Island.	—	1823.	G. h.
12 integrifolia. L.T.	entire-leaved.	N. S. W.	1788.	5. 8.	G. h.
13 compar. L.T.	related.	N. Holland.	1823.	G. h.
14 verticillata. L.T.	whorl-leaved.	—	1794.	7. 11.	G. h.
15 coccinea. L.T.	scarlet-flow'r'd.	—	1803.	G. h.
16 paludosa. L.T.	marsh.	N. S. W.	1805.	1. 4.	G. h.
17 intermedia. ψ.	intermediate.	N. Holland.	1824.	G. h.
18 oblongifolia. L.T.	oblong-leaved.	N. S. W.	1788.	5. 8.	G. h.
19 latifolia. L.T.	broad-leaved.	—	1802.	—	G. h.
20 marcescens. L.T.	short-leaved.	N. Holland.	1794.	1. 12.	G. h.
<i>præmorsa</i> . A.R. <i>asplenijifolia</i> . K.P.					
21 attenuata. L.T.	attenuated, smooth-fl'd.	—	1794.	G. h.
22 serrata. L.T.	saw-leaved.	N. S. W.	1788.	7. 9.	G. h.
23 æmula. L.T.	deeply-sawed.	—	—	1. 6.	G. h.
24 dentata. L.T.	tooth-leaved.	N. Holland.	1822.	S. h.
25 quercifolia. L.T.	Oak-leaved.	—	1805.	G. h.
26 dryandroïdes. ψ.	Dryandra-like.	—	1824.	G. h.
27 speciosa. L.T.	long-leaved.	—	1805.	5. 8.	G. h.
28 grandis. L.T.	great-flowered.	—	1794.	G. h.
29 prostrata. ψ.	prostrate.	—	1824.	G. h.
30 repens. L.T.	creeping.	—	1803.	G. h.
31 ilicifolia. L.T.	Holly-leaved.	—	1824.	G. h.
DRYANDRA. L.T.					
1 floribunda. L.T.	Tetrandria Monogynia. R.S.	—	—	—	—
2 cuneata. L.T.	many-flowered.	N. Holland.	1803.	1. 12.	G. h.
<i>a brevifolia.</i>	wedge-leaved.	—	—	11. 2.	G. h.
<i>β longifolia.</i>	short-leaved.	—	—	—	G. h.
3 armata. L.T.	long-leaved.	—	—	—	G. h.
4 falcata. L.T.	acute-leaved.	—	—	1. 12.	G. h.
5 formosa. L.T.	falcate-leaved.	—	1824.	G. h.
6 mucronulata. L.T.	splendid.	—	1803.	1. 12.	G. h.
7 plumosa. L.T.	pointed-leaved.	—	1824.	G. h.
8 obtusa. L.T.	feathered.	—	1803.	1. 8.	G. h.
9 nivea. L.T.	blunt-leaved.	—	—	G. h.
10 longifolia. L.T.	white-leaved.	—	—	7. 9.	G. h.
11 Baxteri. ψ.	long-leaved.	—	1805.	1. 12.	G. h.
12 tenuifolia. L.T.	Baxter's.	—	1824.	G. h.
13 nervosa. ψ.	slender-leaved.	—	1803.	3. 5.	G. h.
14 pteridifolia. L.T.	nerved-leaved.	—	1824.	G. h.
	Pteris-leaved.	—	—	—	G. h.

ORDO CL.

THYMELÆÆ. Brown prodr. p. 358.

DIRCA. W.	
<palustris. p="" w.<=""></palustris.>	
LAGETTA. J.	
lintearia. J.	
DAPHNE. W.	
1 Mezereum. w.	
<i>a album.</i>	
<i>β rubrum.</i>	
<i>γ autumnale.</i>	

LEATHER-WOOD. Octandria Monogynia. L.	
marsh.	Virginia. 1750. 3. 4. H. h.
LACE-BARK. Octandria Monogynia. S.S.	
Jamaica.	Jamaica. 1793. 12. 1. S. h.
DAPHNE. Octandria Monogynia. L.	
Mezereum.	England. 2. 4. H. h.
<i>white-flowered.</i> — H. h.
<i>red-flowered.</i> — H. h.
<i>autumnal-flow'r'd.</i> 8. 12. H. h.

Botan. magaz. 738.
Andr. deposit. 457.

Botan. magaz. 1947.
Botan. regist. 787.

Cavan. ic. 6. t. 546.

Hook. ex. flor. 96.
Bauer. n. holl. ic.
Botan. regist. 697.

Lodd. bot. cab. 241.

Cavan. ic. 6. t. 543.

Andr. deposit. 258.

Andr. deposit. 82.
Botan. regist. 688.

Lab. voy. 1. t. 23.

Linn. trans. 10. t. 3.

Lab. voy. 1. t. 24.
Botan. magaz. 1582.

Botan. magaz. 1581.

2 Laureola. w.	spurge-laurel.	Britain.	1. 3. H. h.	Eng. bot. 119.
3 pontica. w.	Pontic.	Pontus.	1750.	4. 5. H. h.	Botan. magaz. 1282.
4 tinifolia. w.	Bonace-bark.	Jamaica.	1733.	5. 7. S. h.	
5 Gnidium. w.	Flax-leaved.	Spain.	1597.	6. 8. H. h.	Lodd. bot. cab. 150.
6 odora. w.	sweet-scented.	China.	1771.	12. 3. G. h.	Botan. magaz. 1587.
7 alpina. w.	Alpine.	Italy.	1759.	5. 7. H. h.	Lodd. bot. cab. 66.
8 altaica. w.	Altaic.	Siberia.	1796.	4. 5. H. h.	Botan. magaz. 1875.
9 Cneorum. w.	trailing.	Austria.	1752.	4. 9. H. h.	313.
10 striata. s.s.	streaked.	Hungary.	— H. h.	
11 collina. s.s.	hairy.	Italy.	1752.	1. 6. H. h.	Botan. magaz. 428.
12 sericea. s.s.	silky-leaved.	Levant.	1818.	— H. h.	
13 oleoides. s.s.	Olive-leaved.	Crete.	1815.	1. 12. H. h.	Botan. magaz. 1917.
14 napolitana. B.C.	Neapolitan.	Italy.	1823.	1. 6. H. h.	Lodd. bot. cab. 719.
collina β neapolitana.	B.R. 822.				
15 Thymelæa. w.	smooth-leaved.	Spain.	1815.	2. 4. H. h.	Pluk. alm. t. 229. f. 2.
16 Tarton-raira. w.	silvery-leaved.	France.	1640.	5. 7. H. h.	— t. 318. f. 6.
GNIDIA. L.	GNIDIA. Octandria Monogynia. L.				
1 pinifolia. w.	Pine-leaved.	C. B. S.	1768.	5. 6. G. h.	Botan. regist. 19.
2 radiata. B.C.	radiate.	—	1818.	— G. h.	Lodd. bot. cab. 29.
3 imberbis. H.K.	smooth-scaled.	—	1792.	8. 4. G. h.	Botan. magaz. 1463.
4 simplex. H.K.	Flax-leaved.	—	1786.	5. 6. G. h.	812.
5 juniperifolia. w.	Juniper-leaved.	—	1822.	— G. h.	
6 capitata. w.	purple-twigg'd.	—	1788.	6. 7. G. h.	
7 imbricata. w.	imbricated.	—	1822.	4. 8. G. h.	Botan. regist. 757.
denudata. B.R.					
8 oppositifolia. H.K.	opposite-leav'd.	—	1783.	5. 7. G. h.	— 2.
9 tomentosa. s.s.	tomentose.	—	1822.	— G. h.	
10 sericea. w.	silky.	—	1786.	— G. h.	Andr. deposit. 225.
oppositifolia. A.R. nec aliorum.					
LACHNÆA. W.	LACHNÆA. Octandria Monogynia. L.				
1 buxifolia. Lam.	green box-ld.	C. B. S.	1800.	5. 7. G. h.	Botan. magaz. 1657.
2 glauca. H.K.	glaucous.	—	—	— G. h.	— 1658.
3 purpurea. w.	purple-flow'r'd.	—	—	— G. h.	— 1594.
4 eriocephala. w.	woolly-headed.	—	1793.	6. 7. G. h.	— 1295.
5 conglomerata. w.	clustered.	—	1773.	— G. h.	
PASSEURINA. W.	SPARROW-WORT. Octandria Monogynia. L.				
1 uniflora. w.	one-flowered.	C. B. S.	1759.	4. 7. G. h.	Wend. obs. t. 2. f. 18.
2 laxa. w.	loose.	—	1804.	6. 7. G. h.	Lodd. bot. cab. 755.
3 tenuiflora. w.	slender-fl'd.	—	1812.	— G. h.	
4 filiformis. w.	filiform.	—	1752.	6. 8. G. h.	Wend. obs. t. 2. f. 15.
5 capitata. w.	headed.	—	1789.	6. 10. G. h.	— t. 2. f. 17.
6 hirsuta. w.	hairy.	S. Europe.	1759.	— G. h.	Botan. magaz. 1949.
7 striata. Lam.	striate.	C. B. S.	1822.	— G. h.	
8 ericooides. w.	Heath-like.	—	—	— G. h.	
9 ciliata. w.	fringed.	—	1819.	— G. h.	Seb. mus. 2. t. 12. f. 9.
10 grandiflora. w.	great-flowered.	—	1789.	5. 6. G. h.	Botan. magaz. 292.
11 spicata. w.	spiked.	—	1787.	5. 7. G. h.	Lodd. bot. cab. 311.
12 anthylloides. w.	Anthyllus-like.	—	1816.	— G. h.	
SELLERA. W.	SELLERA. Octandria Monogynia. L.				
Passerina. w.	Flax-leaved.	S. Europe.	1759.	7. 8. H. ⊙	Jaeq. ic. 1. t. 68.
Passerina annua. s.s.					
DAIS. L.	DAIS. Decandria Monogynia. L.				
cotinifolia. w.	Cotinus-leaved.	C. B. S.	1776.	6. 7. G. h.	Botan. magaz. 147.
STRUTHIOLA. L.	STRUTHIOLA. Tetrandria Monogynia. L.				
1 virgata. H.K.	twiggy.	C. B. S.	1779.	4. 8. G. h.	Andr. deposit. 139.
2 ciliata. A.R.	ciliated.	—	—	— G. h.	— 149.
3 lateriflora. R.S.	side-flowering.	—	1816.	— G. h.	
4 pubescens. R.S.	downy.	—	1790.	— G. h.	Botan. magaz. 1212.
5 glabra. R.S.	upright smooth.	—	1798.	4. 9. G. h.	Wendl. obs. t. 2. f. 10.
erecta. w. stricta. Donn.	drooping.	—	1758.	— G. h.	
6 juniperina. R.S.	narrow-leaved.	—	1816.	— G. h.	Botan. magaz. 222.
erecta. B.M.	hoary.	—	1802.	7. 8. G. h.	Lodd. bot. cab. 11.
7 angustifolia. R.S.	tiled-leaved.	—	1794.	4. 8. G. h.	Andr. deposit. 113.
8 incana. B.C.	oval-leaved.	—	1792.	2. 6. G. h.	119.
9 imbricata. R.S.	downy-leaved.	—	1799.	8. 9. G. h.	334.
10 ovata. R.S.					
11 tomentosa. R.S.					
PIMELEA. B.P.	PIMELEA. Diandria Monogynia. R.S.				
1 limifolia. B.P.	flax-leaved.	N. S. W.	1793.	2. 8. G. h.	Botan. magaz. 891.

THYMELEÆ.

2 glauca. B.P.	glaucous-leav'd. N. S. W.	1822.	—	G. h.	Linn. trans. 10. t. 13. f. 2.
3 ligustrina. B.P.	Privet-like.	1823.	—	G. h.	Lab. nov. holl. 1. t. 3.
4 decussata. B.P.	cross-leaved.	—	4. 8.	G. h.	— — — 1. t. 5.
<i>ferruginea</i> . Lab.					
5 rosea. B.P.	rose-coloured.	N. Holland.	1800.	3. 9.	Botan. magaz. 1458.
6 linooides. F.T.	flax-like.	N. S. W.	1824.	—	
7 pauciflora. B.P.	few-flowered.	V. Diem. Isl.	1812.	—	Lodd. bot. cab. 179.
8 drupacea. B.P.	drupe-bearing.	—	1820.	—	— — — 540.
9 spicata. B.P.	spiked.	N. S. W.	1824.	—	Linn. trans. 10. t. 14. f. 2.

ORDO CLI.

OSYRIDEÆ. Brown.

OSYRIS. W.	POET'S CASSIA.	Diœcia Triandria. L.			
alba. w.	white.	S. Europe.	1739.	—	G. h.
EXOCARPOS. B.P.	EXOCARPOS.	Pentandria Monogynia.			Lam. ill. t. 802.
1 cypressiformis. B.P.	Cypress-like.	N. Holland.	1820.	—	G. h.
2 humifusa. B.P.	low-procumbent.	V. Diem. Isl.	1822.	—	Labill. voy. 1. t. 14.
3 stricta. B.P.	upright.	N. S. W.	—	—	G. h.

ORDO CLII.

SANTALACEÆ. Brown *prodr.* p. 350.

SANTALUM. B.P.	SANDAL-WOOD.	Tetrandria Monogynia. W.			
1 album. F.I.	white.	E. Indies.	1804.	—	S. h.
2 myrtifolium. F.I.	Myrtle-leaved.	—	1819.	—	G. h.
3 obtusifolium. B.P.	blunt-leaved.	N. S. W.	1823.	—	G. h.
FUSANUS. B.P.	FUSANUS.	Polygamia Monœcia. L.			
compressus. H.K.	flat-stalked.	C. B. S.	1776.	—	G. h.
LEPTOMERIA. B.P.	LEPTOMERIA.	Pentandria Monogynia. R.S.			
1 acida. B.P.	acid.	N. S. W.	1823.	—	G. h.
2 Billardieri. B.P.	Billardiere's.	—	—	—	G. h.
<i>Thesium drupaceum</i> . Lab.					
THESIUM. R.S.	THESIUM.	Pentandria Monogynia. L.			
1 linophyllum. R.S.	common.	England.	—	6. 7.	H. 4.
2 intermediate. R.S.	intermediate.	Germany.	1818.	—	H. 4.
3 montanum. R.S.	mountain.	Europe.	—	—	H. h.
4 alpinum. R.S.	Alpine.	—	1814.	—	H. 4.
5 ebracteatum. R.S.	blunt-leaved.	Germany.	—	—	H. 4.
6? amplexicaule. R.S.	stem-clasping.	C. B. S.	1787.	—	G. h.
COMANDRA. N.	COMANDRA.	Pentandria Monogynia. N.			
umbellata. N.	umbelled.	N. America.	1782.	6.	H. 4.
<i>Thesium umbellatum</i> . W.					
HAMILTONIA. W.	OIL-NUT.	Polygamia Diœcia. W.			
oleifera. w.	Olive-bearing.	N. America.	1800.	—	G. h.
<i>Pyricularia pubera</i> . M.					
NYSSA. R.S.	TUPELO.	Polygamia Diœcia. L.			
1 villosa. R.S.	hairy-leaved.	N. America.	1806.	5.	H. h.
2 aquatica. R.S.	water.	—	1739.	4. 5.	H. h.
<i>biflora</i> . W.					
3 candidans. R.S.	hoary.	—	1812.	—	H. h.
4 capitata. H.K.	headed.	Carolina.	1806.	—	H. h.
5 tomentosa. R.S.	tomentose.	—	1812.	—	H. h.
6 denticulata. R.S.	toothed.	N. America.	1795.	5. 6.	H. h.

Rumph. amb. 2. t. 11.
Roxb. corom. 1. t. 2.

Berg. cap. 38. t. 1. f. 1.

Lab. nov. hol. 1. t. 93.

Eng. bot. 247.
Schkuhr hand. t. 51.
Hayn. sc. j. t. 119.
Jacq. aust. 5. t. 416.
Hayn. l. c. t. 7.

Pluk. mant. t. 342. f. 1.

Pursh. amer. 1. t. 13.

Mich. arb. 2. t. 21.
— — — 2. t. 22.

Mich. arb. 2. t. 20.

Mich. arb. 2. t. 19.
Catesb. car. 1. t. 60.

ORDO CLI.

ELÆAGNEÆ. *Don prodr. p. 67.*

HIPPOPHAE. L.	SEA-BUCKTHORN.	Diœcia Tetrandria. L.			
1 rhamnoides. w.	common.	England. 4. 5. H. h.	Eng. bot. 425.		
2 salicifolia. D.P.	Willow-leav'd.	Nepaul. 1819. H. h.			
SHEPHERDIA. N.	SHEPHERDIA.	Diœcia Octandria. N.			
1 argentea. n.	silvery.	Missouri. 1818. H. h.			
<i>Hippophae argentea.</i> Ph.					
2 canadensis. n.	Canadian.	——— 1759. 4. 5. H. h.			
<i>Hippophae canadensis.</i> w.					
ELÆGNUS. L.	OLEASTER.	Tetrandria Monogynia. L.			
1 angustifolia. R.S.	narrow-leaved.	S. Europe. 1633. 7. H. h.	Pall. ros. 1. t. 4.		
2 orientalis. R.S.	oriental.	Levant. 1748. 7. 8. G. h.	——— 1. t. 5.		
3 argentea. Ph.	silvery.	N. America. 1813. —— H. h.	Wats. dend. brit. 161.		
4 arborea. F.I.	tree.	Nepaul. 1819. H. h.			
5 conferta. F.I.	close-flowered.	——— H. h.	Burm. zeyl. t. 39. f. 1.		
6 latifolia. R.S.	broad-leaved.	E. Indies. 1712. 7. 8. S. h.	——— t. 39. f. 2.		

ORDO CLIV.

ASARINÆ. *Kunth synops. 1. p. 442.*

ASARUM. L.	ASARABACCA.	Dodecandra Monogynia. L.			
1 europeum. s.s.	common.	England. 5. H. 4.	Eng. bot. t. 1083.		
2 canadense. s.s.	Canadian.	Canada. 1713. 4. 7. H. 4.	Swt. br. fl. gar. 95.		
3 virginicum. w.	Virginian.	Virginia. 1759. 4. 5. H. 4.	——— t. 18.		
4 arifolium. s.s.	Arum-leaved.	Carolina. 1818. 5. 6. H. 4.	Hook. ex. flor. 40.		
ARISTOLOCHIA. W.	BIRTHWORT.	Gynandria Hexandria. L.			
1 bilobata. w.	bilobed.	W. Indies. 1822. ... S. h.	Plum. amer. t. 106.		
2 trilobata. w.	three-lobed.	S. America. 1775. 6. 7. S. h.	Vahl. symb. 2. t. 47.		
3 ringens. w.	gaping.	——— 1820. —— S. h.	Botan. regist. 689.		
4 labiosa. B.R.	lipped.	——— 5. 9. S. h.	———		
5 panduriformis. w.	fiddle-leaved.	Caracas. 1823. S. h.			
6 maxima. w.	great.	New Spain. 1759. 7. S. h.	Jacq. amer. t. 146.		
7 Siphon. w.	broad-leaved.	N. America. 1763. 6. 7. H. h.	Botan. magaz. 534.		
8 tomentosa. B.M.	downy.	——— 1799. —— H. h.	——— 1369.		
9 odoratissima. w.	sweet-scented.	Jamaica. 1737. 7. S. h.	Sloan. jam. 1. t. 104. f. 1.		
10 barbata. w.	bearded.	Caracas. 1796. 6. 8. S. h.	Jacq. ic. 3. t. 608.		
11 indica. w.	Indian.	E. Indies. 1780. 6. 7. S. h.	Rheed. mal. 8. t. 25.		
12 acuminata. w.	taper-pointed.	Mauritius. 1820. S. h.			
13 foetida. K.S.	fetid.	Mexico. 1822. 6. 8. S. h.	H. et B. 2. t. 114.		
14 hastata. K.S.	halberd-leaved.	Havannah. —— S. h.	——— 2. t. 116.		
15 bœtica. w.	Spanish.	Spain. 1596. 5. 6. H. h.	Moris. s. 12. t. 17. f. 6.		
16 glauca. w.	glaucous.	Barbary. 1785. 6. 8. G. h.	Botan. magaz. 1115.		
17 sempervirens. w.	evergreen.	Candia. 1727. 5. 6. G. h.	——— 1116.		
18 longa. w.	long-rooted.	S. Europe. 1548. 6. 10. H. 4.	Mill. ic. t. 51. f. 2.		
19 Serpentaria. w.	Snake-root.	N. America. 1632. 6. 7. H. 4.	Jacq. schen. 3. t. 385.		
20 sagittata. Muhl.	arrow-leaved.	——— 1819. —— H. 4.			
21 bracteata. w.	bracteate.	E. Indies. 1793. 7. S. 4.			
22 Pistolochia. w.	small.	S. Europe. 1597. 6. 7. H. 4.			
23 rotunda. w.	round-rooted.	——— 1596. 3. 10. G. 4.			
24 pallida. w.	pale-flowered.	Italy. 1640. 5. 8. H. 4.	Moris. s. 12. t. 18. f. 2.		
25 hirta. w.	hairy.	Chio. 1759. 5. 6. G. 4.	Tourn. it. 1. t. 147.		
26 Clematis. w.	common.	England. 5. 8. H. 4.	Eng. bot. 398.		
27 arborescens. w.	tree.	America. 1737. 6. 7. G. h.			

ORDO CLV.

PASSIFLOREÆ. Juss. ann. mus. 6. p. 102.

PASSIFLORA. J.

	PASSION-FLOWER. Monadelphia Pentandria. W.	
1 serratifolia. w.	notched-leav'd. W. Indies. 1731.	5. 10. S. h. — Botan. magaz. 651.
2 coccinea. w.	scarlet-flow'r'd. Guiana. 1823.	— S. h. — Aub. gui. 3. t. 324.
3 pallida. w.	pale-flowered. W. Indies. 1820.	5. 10. S. h. — Botan. regist. 660.
4 cuprea. w.	copper-colour'd. Bahama-Isl. 1724.	7. 8. S. h. — Jacq. ic. 3. t. 606.
5 tiliifolia. w.	Lime-tree-ld. Peru. 1822.	— S. h. — Cavan. diss. 10. t. 285.
6 maliformis. w.	Apple fruited. W. Indies. 1731.	7. 11. S. h. — Botan. regist. 95.
7 albida. B.R.	white-flower'd. Brazil. 1816.	— S. h. — — — — 677.
8 angulata.	angular-stalk'd. Mexico. 1823.	— S. h. —
9 quadrangularis. w.	square-stalked. Jamaica. 1768.	8. 9. S. h. — Botan. regist. 14.
10 alata. w.	wing-stalked. W. Indies. 1772.	4. 8. S. h. — Botan. magaz. 66.
11 ligularis. J.	ligulate. S. America. 1822.	— S. h. — J. ann. mus. 6. t. 40.
12 laurifolia. w.	Laurel-leaved. W. Indies. 1690.	6. 7. S. h. — Botan. regist. 13.
13 tinifolia. J.	Tinus-leaved. — 1822.	— S. h. — J. ann. mus. 6. t. 41. f. 2.
14 mucronata. w.	mucronate. Brazil. — — — —	S. h. — Cavan. diss. 10. t. 282.
15 multiflora. w.	many-flowered. Vera Cruz. 1731.	6. 9. S. h. — Plum. amer. t. 90.
16 rubra. w.	red-fruited. W. Indies. — —	4. 9. S. h. — Botan. regist. 95.
17 normalis. w.	linear-lobed. Vera Cruz. 1771.	5. 6. S. h. —
18 lunata. w. β acutiloba.	crescent-leav'd. Jamaica. 1733.	6. 8. S. h. — Sm. ic. pict. 1. t. 1.
19 mexicana. J.	long acute-lobed. — — — —	S. h. — Botan. regist. 577.
20 Vespertilio. w.	Mexican. Mexico. 1812.	— S. h. — J. ann. mus. t. 38. f. 2.
21 discolor. L.en. vespertilio. B.R. 597.	bat-winged. W. Indies. 1732.	5. 6. S. h. — Dill. elt. t. 137. f. 164.
22 cuneata. L.en.	two-coloured. Brazil. 1820.	6. 10. S. h. — Pl. sel. hort. ber. t. 5.
23 oblongata. w.	Maximiliana. Bory.	
24 tuberosa. B.R.	wedge-leaved. S. America. — — — —	S. h. —
25 punctata. B.C. 101. rotundifolia. w.	oblong-leaved. Jamaica. 1822.	— S. h. —
26 punctata. w.	tuberous-root'd. S. America. 1784.	— S. h. — Botan. regist. 432.
27 lutea. w.	yellow. America. 1714.	— G. 4. — Botan. regist. 79.
28 maculata. Donn. pelata. Ph. nec aliorum.	spotted-leaved. N. America. 1812.	6. 10. G. 4. —
29 gracilis. L.en.	slender. S. America. 1823.	— S. O. — Botan. regist. 870.
30 stipulata. w.	large-stipuled. Guiana. 1815.	8. 9. S. h. — Aub. gui. 3. t. 325.
31 angustifolia. w. heterophylla. Jacq. schœn. 2. t. 181.	narrow-leaved. W. Indies. 1773.	6. 9. S. h. — Botan. regist. 188.
32 minima. w.	small. Curassao. 1690.	7. 8. S. h. — — — — 144.
33 hirsuta. w.	hairy. W. Indies. 1778.	9. S. h. — Plum. amer. t. 88. f.A.
34 suberosa. w.	Cork-barked. — 1750.	6. 9. S. h. — Sm. exot. bot. 1. t. 28.
35 peltata. w.	peltate. — — — —	1778. 8. 9. S. h. — Botan. regist. 507.
36 hederacea. w.	Ivy-leaved. Antilles. — — — —	6. 7. S. h. — Plum. amer. t. 84.
37 glauca. w.	glaucous-leav'd. Cayenne. 1779.	8. 9. S. h. — Botan. regist. 88.
38 picturata. B.R.	pictured. Brazil. 1823.	6. 9. S. h. — — — — 673.
39 racemosa. L.T.	racemed. — — — —	1816. 1. 12. S. h. — — — — 285.
40 cœruleo-racemosa.	Whitley's mule. Hybrid. 1820.	— G. h. — Lodd. bot. cab. 573.
41 alato-cœrulea. B.R.	Masters's mule. — 1823.	4. 8. G. h. — Botan. regist. 848.
42 vitifolia. K.S.	Vine-leaved. S. America. 1824.	— S. h. —
43 holosericea. w.	silky-leaved. Vera Cruz. 1733.	5. 8. S. h. — Botan. regist. 59.
44 foetida. w.	stinking. W. Indies. 1731.	7. 9. S. 3. — Botan. magaz. 2619.
45 hircina.	shrubby stinking. Brazil. — — — —	5. 10. S. h. — Botan. regist. 321.
foetida. B.R. nec aliorum. hirsuta. B.C. 138. nec aliorum.		
46 ciliata. w.	ciliated. Jamaica. 1783.	7. 9. S. h. — Botan. magaz. 288.
47 edulis. B.M.	eatable-fruited. Brazil. 1816.	6. 10. S. h. — — — — 1989.
incarnata. β. B.R. 152.		
48 incarnata. w.	flesh-coloured. N. America. 1629.	7. 8. H. 4. — Botan. regist. 332.
49 Colvillii. B.F.G.	Colvill's. Hybrid. 1823.	— H. h. — Swt. br. fl. gar. 126.
50 coerulea. w.	common. Brazil. 1699.	— H. h. — Botan. regist. 488.
β glaucophylla.	glaucous-leaved. — — — —	H. h. —
γ angustifolia.	narrow-leaved. — — — —	H. h. —

51 chinensis.	Chinese.	China.	1819.	—	G. h. —.
52 filamentosa. w.	palmate-leav'd.	S. America.	—	—	G. h. —. Botan. regist. 584.
<palmita. 97.<="" b.c.="" td=""><td></td><td></td><td></td><td></td><td></td></palmita.>					
53 serra. w.	saw-leaved.	Martinique.	1800.	S. h. —. Cavan. diss. 10. t. 296.
54 pedata. w.	curl-flowered.	W. Indies.	1781.	S. h. —. Plum. amer. t. 81.
55 heterophylla. Lam.	various-leaved.	—	1817.	S. h. —. Plum. ic. 139.
MURUCUIA. J.	MURUCUIA.	Monadelphia Pentandria.	P.S.		
1 ocellata. P.S.	ocellated.	W. Indies.	1739.	7. S.	S. h. —. Botan. regist. 574.
<i>Passiflora Murucuja.</i> B.R.					
2 perfoliata.	perfoliate-ld.	—	1806.	—	S. h. —. —. —. —. —. 78.
<i>Passiflora perfoliata.</i> B.R.					
3 Herbertiana.	Mr. Herbert's.	N. Holland.	1822.	6. 10.	G. h. —. —. —. —. —. 737.
<i>Passiflora Herbertiana.</i> B.R.					
4 adiantifolia.	Adiantum-ld.	Norfolk-Isl.	1792.	—	G. h. —. —. —. —. —. 233.
<i>Passiflora adiantifolia.</i> B.R.					
TACSONIA. J.	TACSONIA.	Monadelphia Pentandria.	P.S.		
peduncularis. P.S.	long-pedunc'l'd.	S. America.	1815.	S. h. —. Cavan. ic. 5. t. 426.
<i>Passiflora peduncularis.</i> Cav.					
MODECCA. B.R.	MODECCA.	Monadelphia Pentandria.			
1 lobata. B.R.	lobe-leaved.	Sierra Leon.	1816.	6. 9.	S. h. —. Botan. regist. 433.
2 trilobata. H.B.	three-lobed.	E. Indies.	1823.	S. h. —.
3 tuberosa. H.B.	tuberous-root'd.	E. Indies.	1822.	6. 9.	S. h. —. Rumph. amb. 8. t. 20.
SMEAETHMANNIA. L.T.	SMEAETHMANNIA.	Polyandria Pentagynia.	L.T.		
lævigata. L.T.	smooth.	Sierra Leon.	1822.	S. h.

ORDO CLVI.

EUPHORBIACEÆ. *Juss. gen. 384.*

MERCURIALIS. W.	MERCURY.	Dioecia Enneandria. L.			
1 perennis. w.	perennial.	Britain.	4. 5. H. 4.	Eng. bot. 1872. :
2 ambigua. w.	doubtful.	Spain.	1806.	7. 8. H. ②.	Limn. f. dec. 1. t. 8.
3 annua. w.	annual.	Britain.	7. 9. H. ②.	Eng. bot. 559.
4 elliptica. w.	oval-leaved.	Portugal.	1802.	5. 7. G. h.	Venten. cels. 12.
5 tomentosa. w.	woolly.	Spain.	1640.	7. 9. H. h.	
PEDILANTHUS. Neck.	SLIPPER-SPURGE.	Dodecadria Trigynia. L.en.			
1 titthymaloides. B.R.	Myrtle-leaved.	S. America.	1699.	6. 7. D.S. h.	Botan. regist. 837.
<i>myrtifolius.</i> L.en.	<i>Crepidaria myrtifolia.</i> H.s.s.				
2 carinatus.	keel-leaved.	W. Indies.	1809.	—	D.S. h. Botan. magaz. 2514.
<i>Euphorbia carinata.</i> B.M.	<i>Crepidaria carinata.</i> H.s.s.				
3 subcarinatus. H.R.	small-keeled.	—	1819.	—	D.S. h.
4 canaliculatus.	channelled-ld.	—	—	—	D.S. h. Lodd. bot. cab. 727.
<i>Euphorbia canaliculata.</i> B.C.					
5 padifolius. H.S.	Padus-leaved.	—	1699.	—	D.S. h. Dill. elct. t. 288. f. 372.
6 cordellatus.	small-heart-ld.	—	1795.	D.S. h.
<i>Crepidaria cordellata.</i> H.S.					
EUPHÓRBIA. W.	SPURGE.	Dodecadria Trigynia. L.			
1 uncinata. DC.	twin-spined.	C. B. S.	1795.	6. 8. D.G. h.	DC. plant. gras. 151.
<i>Scopolendrea.</i> H.S.					
2 trigona. H.S.	upright 3-sided.	E. Indies.	1768.	7. 8. D.S. h.	
3 antiquorum. H.S.	spreading 3-sided.	—	1688.	—	D.S. h. Comm. hort. 1. t. 12.
4 lactea. H.S.	marbled.	—	1804.	—	D.S. h.
5 grandidens. H.P.	large-toothed.	C. B. S.	1820.	D.G. h.
6 canariensis. W.	Canary.	Canaries.	1697.	3. 4. D.G. h.	DC. plant. gras. 140.
7 heptagona. W.	seven-angled.	C. B. S.	1731.	7. 11. D.G. h.	Bradl. suc. 2. t. 13.
α nigra. H.S.	black-spined.	—	—	—	D.G. h.
β rubra. H.S.	red-spined.	—	—	—	D.G. h.
8 enneagona. H.S.	nine-angled.	—	1790.	7. 10. D.G. h.	
9 mammillaris. w.	warty-angled.	—	1759.	7. 8. D.G. h.	Comm. præl. t. 9.
10 cereiformis. w.	naked.	—	1731.	6. 7. D.G. h.	Burm. afr. t. 9. f. 3.
11 officinarum. w.	officinal.	Africa.	1597.	—	D.G. h. DC. plant. gras. 77.
12 odontophylla. W.en.	white-spined.	C. B. S.	1824.	D.G. h.

EUPHORBIACEÆ.

13 polygona. H.S.	many-angled.	C. B. S.	1790.	7. 9.	D.G. h.	
14 nereifolia. w.	Oleander-ld.	India.	1690.	6. 7.	D.S. h. DC. plant. gras. 46.	
15 <i>Hystrix</i> . w. <i>loricata</i> . p.s. <i>Treisia</i> <i>Hystrix</i> . H.S.	Porcupine.	C. B. S.	1695.	—	D.G. h. Jacq. schœn. 2. t. 207.	
16 varians. H.S.	variable-stemm'd.	E. Indies.	1800.	6. 9.	D.S. h.	
17 grandifolia. H.S.	great-leaved.	Sierra Leon.	1798.	—	D.S. h.	
18 erosa. w.en.	erose.	1818.	D.S. h.	
19 cucumerina. w.	Cucumber-like.	C. B. S.	5. 9.	D.G. h. Vail. it. t. 5.	
20 meloformis. w.	Melon-like.	1774.	—	D.G. h. Andr. reposit. 617.	
21 clava. w.	club.	—	3. 12.	D.G. h. Jacq. ic. 1. t. 85.	
22 <i>Treisia tuberculata</i> . H.S.s.	Haworth's.	—	D.G. h.	
23 <i>Haworthia</i> .	<i>Treisia clava</i> . H.S. excl. syn. w.	cone-shaped.	1791.	6. 7.	D.G. h. Jacq. schœn. 1. t. 106.	
24 <i>Caput medusæ</i> . w.	great Medusa's head.	Africa.	1731.	8.	D.G. h. Comm. præl. t. 7.	
<i>Medusea major</i> . H.S.						
β <i>humilis</i> .	dwarf.	1768.	—	D.G. h. Burm. afr. t. 8.	
25 <i>tessellata</i> . H.S.	chequer'd-M'-head.	1788.	—	D.G. h.	
26 <i>fructus-pini</i> . H.S.	small M'-head.	C. B. S.	1731.	—	D.G. h. DC. plant. gras. 150.	
β <i>geminata</i> .	twin-branched.	—	—	D.G. h. Burm. afr. 18. t. 9. f. 1.	
27 <i>procumbens</i> . H.S.	least M'-head.	1768.	—	D.G. h. — t. 10. f. 1.	
28 <i>patula</i> . Mill.	spreading.	—	—	D.G. h.	
<i>Dactylanthes patula</i> . H.S.						
29 <i>anacantha</i> . w.	scaly.	1727.	9. 10.	D.G. h. Botan. magaz. 2520.	
30 <i>globosa</i> . B.M.	roundish-jointed.	1822.	6. 11.	D.G. h. — 2624.	
<i>Dactylanthes globosa</i> . H.P.						
31 <i>tuberculata</i> . w.	tuberculate.	1805.	6. 8.	G. h. Jacq. schœn. 2. t. 208.	
32 <i>hamata</i> . H.S.	hooked.	1795.	G. h. Burm. afr. t. 6. f. 3.	
33 <i>Ornithopus</i> . W.en.	Bird's-foot.	1816.	6. 8.	G. h. Jacq. fragm. t. 120.	
34 <i>lophogona</i> . w.	curl-winged.	Madagascar.	1824.	D.S. h. DC. plant. gras. ic.	
35 <i>pendula</i> . L.en.	pendulous.	1808.	D.S. h.	
<i>Tithymalus pendulus</i> . H.						
36 <i>Tirucalli</i> . w.	Indian tree.	India.	1690.	D.S. h. Rheed. mal. 2. t. 34.	
37 <i>mauritanica</i> . w.	Barbary.	Africa.	1732.	6. 8.	G. h. Dill. elt. t. 280. f. 373.	
38 <i>Lamarckii</i> . H.S.L.	Lamarck's.	1808.	—	G. h.	
<i>mauritanica</i> . Lam. nec aliorum. <i>virgata</i> . p.s. non w.k.						
39 <i>aphylla</i> . W.en.	leafless.	Teneriffe.	1815.	6. 8.	G. h.	
40 <i>atropurpurea</i> . W.en.	dark purple.	—	—	—	G. h.	
41 <i>variegata</i> . B.M.	variegated.	Louisiana.	1811.	—	H.○.	Botan. magaz. 1747.
42 <i>piscatoria</i> . w.	smooth spear-ld.	Canaries.	1777.	—	G. h.	
43 <i>balsamifera</i> . w.	balsam.	—	1779.	—	G. h.	
44 <i>laurifolia</i> . P.s.	Laurel-leaved.	Peru.	1820.	—	G. h.	
45 <i>bracteata</i> . Jac.	bracteated.	1809.	S. h.	
46 <i>dendroides</i> . w.	tree-like.	Italy.	1768.	6. 8.	H. h. Barrel. ic. 910.	
47 <i>læta</i> . w.	Mezereon-ld.	S. Europe.	1758.	—	G. h. Jacq. ic. 1. t. 87.	
48 <i>punicea</i> . w.	scarlet-flow'r'd.	Jamaica.	1778.	1. 9.	S. h. Botan. regist. 190.	
49 <i>heterophylla</i> . w.	various-leaved.	W. Indies.	1690.	4. 9.	S. h. Plum. ic. t. 251. f. 3.	
50 <i>cyathophora</i> . w.	coloured.	S. America.	1806.	7. 8.	S. h. Jacq. ic. 3. t. 480.	
51 <i>repanda</i> .	waved.	E. Indies.	1808.	8.	S. h.	
<i>Tithymalus repandus</i> . H.S.						
52 <i>biglandulosa</i> . H.S.	twin-glanded.	Isl. Bourbon.	—	9.	S. h.	
53 <i>geniculata</i> . p.s.	jointed.	Cuba.	1823.	7. 10.	S. ○.	Jacq. schœn. 3. t. 277.
<i>prunifolia</i> . H.K. <i>Tithymalus prunifolius</i> . H.S.	naked-flow'r'd.	1800.	8.	S. h.	
54 <i>midiflora</i> .						Jacq. ic. 3. t. 470.
55 <i>cotinifolia</i> . w.	Cotinus-leaved.	S. America.	1690.	7. 8.	S. h.	Comm. hort. 1. t. 15.
56 <i>petiolaris</i> . H.K.	long-stalked.	W. Indies.	1800.	5. 6.	D.S. h.	Botan. magaz. 883.
57 <i>mellifera</i> . w.	honey-bearing.	Madeira.	1784.	4. 5.	G. h.	— 1305.
58 <i>toxicaria</i> . L.en.	poisonous.	1825.	S. h.	
59 <i>picta</i> . w.	painted.	S. America.	1789.	5. 7.	S. ♀.	Jacq. ic. 3. t. 477.
60 <i>silenifolia</i> .	Silene-leaved.	C. B. S.	1821.	—	G. ♀.	
<i>Tithymalus silenifolius</i> . H.R.						
61 <i>crispa</i> . H.R.	curl-leaved.	—	—	—	G. ♀.	
62 <i>toberosa</i> . w.	tuberous.	Ethiopia.	1800.	10. 12.	G. h.	Burm. afr. 9. t. 4.
63 <i>affinis</i> . dc.	affined.	1823.	6. 8.	G. h.	Jacq. ic. 1. t. 86.
64 <i>linarifolia</i> . w.	toad-flax-ld.	1794.	—	S. h.	
65 <i>linifolia</i> . w.	Flax-leaved.	W. Indies.	—	—	S. h.	
66 <i>ocymoidea</i> . w.	Basil-leaved.	S. America.	1733.	6. 8.	S. ○.	
67 <i>dentata</i> . M.	dentated.	N. America.	1806.	6. 7.	H. ○.	
68 <i>hypericifolia</i> . w.	Hypericum-ld.	America.	1727.	6. 9.	H. ○.	Comm. præl. t. 10.

69	Humboldtii. w.en.	Humboldt's.	S. America.	1809.	7. 10.	S. ♂.	
70	prostrata. w.	trailing-red.	W. Indies.	1758.	—	S. ♂.	
71	rosea. w.	rosy.	E. Indies.	1808.	8.	S. ♂.	
72	maculata. w.	spotted.	S. America.	1660.	7.	H. ♂.	Jacq. vind. 2. t. 186.
73	humifusa. w.en.	trailing.	1824.	6. 8.	H. ♂.	
74	pilulifera. w.	globular.	E. Indies.	1800.	—	S. ♀.	Jacq. ic. 3. t. 478.
75	hyssopifolia. w.	Hyssop-leaved.	W. Indies.	1787.	8. 9.	S. ♂.	
76	thymifolia. w.	Thyme-leaved.	India.	1699.	7. 8.	S. ♂.	Pluk. alm. t. 113. f. 2.
77	parviflora. w.	small-flowered.	E. Indies.	1818.	—	S. ♂.	Burm. zeyl. t. 105. f. 2.
78	canescens. w.	canescent.	Spain.	—	—	H. ♂.	Cavan. ic. 1. t. 63.
79	Chamaesyce. w.	scallop-leaved.	S. Europe.	1752.	—	H. ♂.	Moris. s. 10. t. 2. f. 19.
80	Peplis. w.	purple.	Devonshire.	—	—	H. ♂.	Eng. bot. 2002.
81	polygonifolia. w.	knotgrass-ld.	N. America.	1704.	6. 7.	H. ♂.	Jacq. col. s. t. 13. f. 3.
82	Ipecacuanhae. w.	Ipecacuanha.	—	1812.	—	H. ♀.	Botan. magaz. 1494.
83	Peplis. w.	petty.	Britain.	—	7. 8.	H. ♂.	Eng. bot. 959.
84	peploides. DC.	least.	S. Europe.	1800.	7. 9.	H. ♂.	
	<i>Esula minima</i> . H.S.						
85	falcata. w.	sickle-leaved.	S. Europe.	1699.	6. 8.	H. ♂.	Jacq. aust. 2. t. 121.
86	acuminata. M.B.	acuminate.	Iberia.	1823.	—	H. ♂.	
87	exigua. w.	dwarf.	Britain.	—	7.	H. ♂.	Eng. bot. 1336.
88	diffusa. w.	diffuse.	Austria.	1798.	7. 8.	H. ♂.	Jacq. ic. 1. t. 88.
89	undulata. M.B.	undulate.	Caucasus.	1820.	—	H. ♀.	
90	mierantha. w.	small-flowered.	Persia.	1803.	7. 9.	H. ♂.	
91	Lathyris. w.	Caper.	England.	—	5. 10.	H. ♂.	Eng. bot. 2255.
92	terracina. w.	retuse-leaved.	S. Europe.	1818.	7. 10.	H. ♂.	
93	valentina. P.S.	Spanish.	Spain.	1804.	7. 8.	H. ♂.	
94	Apios. w.	pear-rooted.	Candia.	1596.	6. 7.	H. ♀.	
95	genistoides. w.	Genista-like.	C. B. S.	1808.	7. 8.	G. ♀.	
96	spinosa. w.	prickly.	Levant.	1710.	5. 9.	F. ♀.	Herm. lugdb. t. 601.
97	fruticosa. L.en.	shrubby.	Sicily.	1825.	—	F. ♀.	Biv. pl. sic. cent. 1. 35.
98	epithymoides. w.	broad-leaved.	Austria.	1805.	5. 6.	H. ♀.	Andr. deposit. 616.
99	villosa. w.k.	villous.	Hungary.	1818.	6. 9.	H. ♀.	W. et K. hung. t. 93.
100	condylocarpa. M.B.	warted-fruited.	Caucasus.	1824.	—	H. ♀.	
101	ducis. w.	sweet.	S. Europe.	1759.	5. 6.	H. ♀.	Jacq. aust. 3. t. 213.
102	ambigua. w.k.	ambiguous.	Hungary.	1824.	—	H. ♀.	W. et K. hung. t. 135.
103	carniolica. w.	Carniolian.	Carniola.	1795.	8.	H. ♀.	Scop. carn. t. 21.
104	angulata. w.	angular-stalk'd.	Austria.	1819.	7. 8.	H. ♀.	Jacq. ic. t. 481.
105	nummulariæfolia.	moneywort-ld.	—	1800.	7.	G. ♀.	
106	erythrina. L.en.	purple-margin'd.	C. B. S.	1816.	—	G. ♀.	
107	neapolitana. T.N.	Neapolitan.	Naples.	1825.	7. 8.	H. ♀.	Ten. fl. neap. t. 62.
108	Pithysa. w.	Juniper-leaved.	S. Europe.	1741.	6. 7.	F. ♀.	Bocc. sic. t. 5.
109	portlandica. w.	Portland.	Britain.	—	5. 9.	H. ♀.	Eng. bot. 441.
110	saxatilis. w.	rock.	Austria.	1816.	6. 8.	H. ♀.	Jacq. aust. t. 345.
111	glareosa. M.B.	stony.	Caucasus.	1819.	—	H. ♀.	
112	Paralias. w.	sea.	England.	—	7. 9.	H. ♀.	Eng. bot. 195.
	β suffruticosa.	shrubby sea.	—	—	—	F. ♀.	
113	juncea. w.	rushy.	Madeira.	1779.	7. 8.	G. ♀.	Jacq. schœn. 1. t. 107.
114	congesta. w.en.	fiddle-leaved.	Spain.	1817.	—	H. ♀.	
115	aleppica. w.	Aleppo.	Crete.	1739.	—	F. ♀.	Alp. exot. t. 64.
116	taurinensis. w.en.	Italian.	Italy.	1818.	—	H. ♀.	All. ped. 2. t. 83. f. 2.
117	segetalis. w.	corn.	S. Europe.	1699.	—	H. ♂.	Jacq. aust. 5. t. 450.
118	biumbellata. DC.	double-umbel'd.	Barbary.	1780.	8.	H. ♂.	Poir. it. ed. germ. t. 1.
119	angustifolia.	narrow-leaved.	—	—	7. 8.	H. ♀.	
	<i>Esula angustifolia</i> . H.S.						
120	multicorymbosa.	many-flowered.	—	1805.	—	H. ♀.	
121	provincialis. w.	linear-leaved.	S. Europe.	1800.	8. 11.	H. ♂.	
122	juncoides. H.S.	Rush-like.	—	—	7. 8.	S. ♂.	
123	helioscopia. w.	Wartwort.	Britain.	—	—	H. ♂.	Eng. bot. 883.
124	bilata. L.en.	two-winged.	—	1819.	—	H. ♂.	
125	serrata. w.	narrow notch-ld.	S. Europe.	1710.	7.	G. ♀.	Jacq. ic. 3. t. 483.
126	uralensis. F.	Fischer's.	Tauria.	1824.	—	H. ♀.	
127	cretica. w.	Cretan hoary.	Levant.	1768.	—	H. ♀.	
128	Haworthii.	Haworth's.	—	1795.	7. 8.	F. ♀.	
	<i>Galarhæus rigidus</i> . H.S.						
129	verrucosa. w.	warted.	France.	1800.	6.	H. ♀.	Moris. s. 10. t. 3. f. 3.
130	corollata. w.	great-flowered.	N. America.	1803.	7. 9.	H. ♀.	Lodd. bot. cab. 390.
131	spathulifolia. H.S.	spatula-leaved.	—	1800.	8.	G. ♀.	
132	corallioïdes. w.	Coral-stalked.	S. Europe.	1752.	6. 9.	H. ♀.	
133	androsæmifolia. H.S.	Tutsan-leaved.	Hungary.	1804.	7. 9.	H. ♀.	

134 pilosa. w.	hairy.	Siberia.	1758.	5. 8. H. ¼.	Gmel. sib. 2. t. 93.
135 orientalis. w.	oriental.	Levant.	1739.	6. 7. H. ¼.	
136 fragifera. L.en.	Strawberry-like.	Italy.	1825.	— H. ¼.	
137 virgata. w.k.	twiggy.	Hungary.	1807.	7. H. ¼.	W. et K. hung. t. 162.
138 platyphylla. H.s.	annual warted.	England.	—	7. 8. H. ⊖.	Jacq. aust. t. 376.
139 stricta. E.B.	upright warted.	—	—	— H. ⊖.	Eng. bot. 333.
140 literata. w.	blotch-leaved.	—	1790.	8. H. ⊖.	Jacq. ic. 3. t. 482.
141 crispata. L.en.	crisp-leaved.	—	1819.	7. 9. H. ¼.	Eng. bot. 1399.
142 Esula. w.	leafy-branch'd.	Britain.	—	5. 7. H. ¼.	
143 Gerardiana. w.	Gerard's.	Germany.	1801.	7. H. ¼.	Jacq. aust. t. 436.
144 Cyparissias. w.	Cypress.	England.	—	5. 9. H. ¼.	Eng. bot. 840.
145 niceænensis. w.	sharp-leaved.	Spain.	1809.	— F. ¼.	Jacq. ic. 3. t. 485.
146 myrsinoides. w.	glaucous.	S. Europe.	1570.	4. 6. H. ¼.	
147 rigidia. M.B.	rigid.	Tauria.	1819.	6. 8. H. ¼.	Botan. regist. 274.
148 imbricata. w.	imbricated.	Portugal.	1804.	8. 9. F. ½.	
149 glaucescens. w.en.	glaucescent.	—	1819.	— H. ¼.	
150 agraria. M.B.	field.	Tauria.	—	6. 8. H. ¾.	Flor. dan. 866.
151 palustris. w.	marsh.	Sweden.	1570.	5. 8. H. ¼.	
152 pallida. w.	pale.	Hungary.	1818.	6. 8. H. ¼.	
153 lucida. w.k.	glossy.	—	1820.	— H. ¼.	W. et K. hung. t. 55.
154 procera. M.B.	tall.	Terek.	1821.	— H. ¼.	Ten. fl. neap. t. 63.
155 ceratocarpa. T.N.	horn-capsuled.	Naples.	—	— H. ¼.	
156 emarginata. w.	freckled.	Italy.	1758.	7. 8. H. ¼.	
157 hiberna. E.B.	Irish.	Ireland.	—	5. 6. H. ¼.	Eng. bot. 1337.
158 salicifolia. w.	Willow-leaved.	Hungary.	1804.	— H. ¼.	Lodd. bot. cab. 973.
159 sylvatica. w.	wood.	S. Europe.	1768.	7. 9. F. ½.	
160 amygdaloïdes. w.	Almond-leav'd.	England.	—	3. 6. H. ¼.	Eng. bot. 256.
161 Characias. w.	upright red.	—	—	— F. ½.	— 442.
162 veneta. L.en.	venomous.	Europe.	—	— F. ½.	
163 marginata. K.S.	margined.	N. Spain.	1823.	4. 6. S. ¼.	
CICCA. L.	CICCA. Monœcia Tetrandria. L.				
disticha. w.	long-leaved.	E. Indies.	1796.	— S. ½.	Jacq. schœn. 2. t. 194.
BUXUS. W.	BOX-TREE. Monœcia Tetrandria. L.				
1 chinensis. L.en.	China.	China.	1812.	4. 8. G. ½.	
2 balearica. w.	Minorca.	Minorca.	1780.	7. H. ½.	
3 sempervirens. w.	common.	England.	—	4. H. ½.	Eng. bot. 1341.
a arborescens. Mill.	tree.	—	—	— H. ½.	
† argentea.	silvery-leaved.	—	—	— H. ½.	
‡ aurea.	golden-leaved.	—	—	— H. ½.	
marginata.	margined.	—	—	— H. ½.	
β angustifolia. Mill.	narrow-leaved.	—	—	— H. ½.	
† variegata.	variegated.	—	—	— H. ½.	
γ myrtifolia. Mill.	myrtle-leaved.	—	—	— H. ½.	
δ suffruticosa.	dwarf.	—	—	— H. ½.	
PACHYSANDRA. M.	PACHYSANDRA. Monœcia Tetrandria. W.				
1 procumbens. M.	procumbent.	N. America.	1800.	3. 4. H. ¼.	Botan. regist. 33.
2 coriacea. H.E.F.	coriaceous.	Nepaul.	1820.	4. 6. G. ½.	Hook. ex. flor. 148.
PLUKENETIA. W.	PLUKENETIA. Monœcia Monadelphia. L.				
volubilis. w.	twining.	W. Indies.	1739.	7. 8. S. ½.	Plum. ic. t. 226.
DALECHAMPIA. W.	DALECHAMPIA. Monœcia Monadelphia.				
1 scandens. w.	climbing.	W. Indies.	1739.	6. 7. S. ½.	Jacq. amer. 252. t. 160.
2 brasiliensis. w.	Brazilian.	Brazil.	1820.	— S. ½.	
ACALYPHA. W.	ACALYPHA. Monœcia Monadelphia. W.				
1 diversifolia. w.	various-leaved.	Caracas.	1824.	— S. ½.	
2 virginica. w.	Virginian.	N. America.	1759.	7. 8. H. ⊖.	Schk. hand. 3. t. 311.
3 caroliniana. w.	Carolina.	—	1811.	— H. ⊖.	Lam. ill. t. 780. f. 2.
4 ciliata. w.	ciliated.	E. Indies.	1799.	— S. ⊖.	Vahl symb. 1. t. 20.
5 reptans. w.	creeping.	Jamaica.	1822.	— S. ½.	Sloan. hist. 1. t. 82. f. 3.
6 indica. w.	Indian.	E. Indies.	1759.	7. 9. S. ⊖.	Rheed. mal. 10. t. 81.
7 hispida. w.	hispid.	—	1820.	— S. ⊖.	
8 cuspidata. w.	cuspidate.	Caracas.	—	— S. ½.	Jacq. schœn. 2. t. 243.
9 rubra. w.en.	red.	S. America.	1823.	6. 9. S. ⊖.	
10 brachystachya. w.en.	short-spiked.	China.	1816.	7. 8. H. ⊖.	
11 pauciflora. w.en.	few-flowered.	—	—	— H. ⊖.	
12 alopecuroidæa. w.	Fox-tail.	Venezuela.	1804.	7. 9. H. ⊖.	Jacq. ic. 3. t. 620.
13 lævigata. w.	smooth.	Jamaica.	1819.	— S. ½.	
14 virgata. w.	twiggy.	—	1822.	— S. ½.	Brown. jam. t. 36. f. 2.
15 macrostachya. w.	long-spiked.	Caracas.	1824.	— S. ½.	Jacq. schœn. 2. t. 245.
16 polystachya. w.	many-spiked.	—	—	— S. ½.	— 2. t. 246.
17 seabrosa. w.	rough.	Jamaica.	1822.	— S. ½.	

CROTON. W.

- 1 variegatum. w.
a *latifolium*. H.B.
B *crispum*. H.B.
γ *medium*. H.B.
2 pictum. B.C.
3 lineare. Jac.
4 Cascarilla. w.
5 maritimum. w.
6 palustre. w.
7 glabellum. w.
8 tinctorium. w.
9 argenteum. w.
10 Tiglum. w.
11 glandulosum. w.
12 Eluteria. w.
13 lucidum. w.
14 micans. w.
15 pungens. w.
16 penicillatum. w.
17 macrophyllum. w.
18 aromaticum. w.
19 humile. w.
20 moluccanum. w.
Aleurites ambinux. P.S.

- 21 Astroites. w.
22 lobatum. w.
23 gossypifolium. w.
24 tomentosum. L.en.
25 digitatum. F.
26 lacerum. Desf.

JATROPHIA. W.

- 1 gossypifolia. w.
2 panduræfolia. w.
3 integrifolia. w.
4 Curcas. w.
5 multifida. w.
6 fragrans. K.S.
7 urens. w.
8 coccinea. L.en.
9 herbacea. w.
10 napæifolia. w.

JANIPHA. K.S.

- 1 fetida. K.S.
2 Lœflingii. K.S.
Jatropha carthaginensis. Jacq. *Janipha*, w.
3 æsculifolia. K.S.
4 Manihot. K.S.

ALEURITES. W.

- triloba. w.

RICINUS. W.

- 1 communis. w.
2 viridis. w.
3 africanus. w.
4 lividus. w.
5 inermis. w.
6 armatus. A.R.
7 Tanarius. w.

OMPHALEA. W.
triandra. w.HIPPOMANE. W.
Mancinella. w.

SAPIUM. W.

- 1 acuparium. w.
2 indicum. w.
3 ilicifolium. w.

SIPHONIA. W.
Cahuchu. w.
elastica. P.S.

CROTON. Monœcia Monadelphia. L.

- variegated. E. Indies. 1804. 6. 9. S. h. Rheed. mal. 6. t. 61.
broad-leaved. ——— ——— S. h. Rumph. amb. 4.t.26.f.2.
curl-leaved. ——— ——— S. h. ——— 4. t. 25.
narrow-leaved. ——— 1820. ——— S. h. Lodd. bot. cab. 870.
painted-leaved. ——— ——— S. h. Jacq. amer. t. 162. f.4.
Willow-leaved. W. Indies. 1733. 7. S. h. Catesb. car. 2. t. 46.
Cascarilla. S. America. 1778. 7. 8. S. h.
sea-side. Carolina. 1786. ——— G. h.
marsh. Vera Cruz. 1731. ——— S. O. Mart. dec. 4. t. 88.
Laurel-leaved. Jamaica. 1778. 5. 8. S. h. Sloan. jam. 2. t. 174. f.2.
officinal. S. Europe. 1570. 7. H. O. Nis. act. par. 1712. t. 17.
silvery-leaved. S. America. 1733. 7. 8. S. O. Rheed. mal. 2. t. 33.
purging. E. Indies. 1796. 8. 9. S. h. Pluk. alm. t. 220. f. 5.
glandular. W. Indies. 1818. ——— S. O. Jacq. ic. 1. t. 194.
sea-side Balsam. Jamaica. 1748. ——— S. h. Sloan. hist. 2. t. 174. f.2.
shining. ——— 1822. ——— S. h.
glittering. ——— 1815. ——— S. h. Venten. choix. 12.
pungent. Caracas. 1791. ——— S. h.
pencilled. Cuba. 1799. 7. 8. S. h.
large-leaved. Jamaica. 1822. ——— S. h.
aromatic. Ceylon. 1793. ——— S. h.
humble. Jamaica. 1799. ——— S. h.
Molucca. Ceylon. 1803. ——— S. h.
Aleurites ambinux. P.S.

- woolly-leaved. W. Indies. 1782. 7. 8. S. h. Mart. dec. 5. t. 46.
various-leaved. Vera Cruz. 1730. ——— S. O. Vahl. symb. t. 49.
Cotton-leaved. Trinidad. 1823. ——— S. h.
tomentose. ——— ——— S. h.

- fingered. N. S. W. 1810. ——— G. h.
torn-leaved. ——— 1822. ——— S. h.
Physic-nut. Monœcia Monadelphia. L.

- Cotton-leaved. W. Indies. 1690. 5. 8. S. h. Botan. regist. 746.
fiddle-leaved. Cuba. 1800. ——— S. h. Botan. magaz. 604.
spicy. ——— 1809. ——— S. h. ——— 1464.
angular-leaved. S. America. 1731. ——— S. h. Jacq. vind. 3. t. 63.
multifid. ——— 1696. 6. 8. S. h. Sal. par. lond. 91.
fragrant. Cuba. 1822. ——— S. h.
stinging. Brazil. 1690. 5. 7. S. h. Jacq. vind. 1. t. 21.
scarlet. ——— 1822. ——— S. h.
annual. Vera Cruz. 1759. 7. 8. S. O. Reliq. houst. 6. t. 15.
Napæa-leaved. Antilles. 1823. ——— S. h.

- Janipha*. Monœcia Decandria.
strong-scented. Mexico. 1824. 7. 8. S. h. Jacq. amer. t. 162. f.1.
Lœfling's. S. America. ——— ——— S. h.

- Æsculus-leav'd*. ——— 1825. ——— S. h. H. et. B. 2. t. 109.
Cassava. ——— 1739. 7. 8. S. h. Sloan. jam. 1. t. 85.

- Aleurites*. Monœcia Monadelphia. L.
three-lobed. Society Isl. 1793. ——— S. h.
Palma-Christi. Monœcia Monadelphia. L.

- Castor-oil plant. E. Indies. 1548. 7. 8. H. O. Lam. ill. t. 792.
green. ——— 1802. 8. H. O. W. hort. ber. 49.
African. Africa. ——— 7. 8. G. h.
livid-leaved. C. B. S. 1795. ——— G. h.

- smooth-capsul'd. India. 1758. ——— S. δ. ——— 1. t. 195.
rough-capsuled. Malta. 1807. ——— S. δ. Andr. reposit. 430.
scollop-leaved. E. Indies. 1810. 7. 9. S. h. Rumph. amb. 3. t. 121.

- Omphalea*. Monœcia Monadelphia. L.
long-leaved. Jamaica. 1763. 6. 7. S. h. Lodd. bot. cab. 519.
Manchineel-tree. Monœcia Monadelphia. L.

- common. W. Indies. 1690. ——— S. h. Catesb. car. 2. t. 95.
Sapium. Monœcia Monadelphia. L.
two-glanded. W. Indies. 1692. ——— S. h. Jacq. amer. t. 158.
Indian. E. Indies. 1817. ——— S. h.
Holly-leaved. S. America. 1820. ——— S. h. Plum. ic. 171. f. 1.
Elastic-gum-tree. Monœcia Monadelphia. W.
common. S. America. 1823. ——— S. h. Lam. ill. t. 790.

AGYNEJA. W.

1 impubes. w.
2 pubera. w.

STILLINGIA. W.

1 sylvatica. w.
2 ligustrina. w.
3 sebifera. w.

HURA. W.

1 strepens. W.en.
2 crepitans. W.en.

BRADLEJA. W.

1 sinica. w.
2 nitida. H.B.

PHYLANTHUS. W.

1 obovatus. w.
2 maderaspatensis. w.

3 gracilis. H.B.

4 longifolius. w.

5 lanceolatus. w.

6 nutans. w.

7 grandifolius. w.

8 virosus. w.

9 turbinatus. B.M.

10 Conami. w.

11 obcordatus. H.B.

12 reticulatus. B.C.

13 lucens. w.

14 racemosus. w.

15 cantoniensis. L.en.

16 cuneatus. W.en.

17 Niruri. w.

18 Urinaria. w.

19 microphyllus. K.S.

20 polyphyllus. w.

21 mimosoides. w.

22 rhamnoides. w.

23 strictus. H.B.

24 fraxinifolius. B.C.

25 juglandifolius. W.en.

26 scandens. Roxb.

EMBLICA. L.T.

officinalis. L.T.

KIRGANELIA. J.

elegans. J.

Phyllanthus Kirganelia. w.

XYLOPHYLLA. W.

1 longifolia. w.

Phyllanthus ceramica. P.S.

2 latifolia. w.

3 speciosa.

arbuscula. w. Phyllanthus speciosus. Jacq.

4 angustifolia. w.

5 linearis. P.S.

6 elongata. B.C.

7 montana. w.

8 falcatata. w.

9 ramiflora. w.

10 obovata. W.en.

ANDRACHNE. W.

telephioides. w.

BRIEDELIA. W.

scandens. w.

CLUYTIA. W.

1 collina. w.

2 patula. w.

3 pulchella. w.

4 heterophylla. w.

5 tomentosa. w.

6 pubescens. w.

AGYNEJA. Monœcia Monadelphia. W.

smooth. China. 1820. 7. 9. H.○.

woolly. ——— 1823. ... S. h.

STILLINGIA. Monœcia Monadelphia. W.

wood. Carolina. 1787. 7. 8. G. 2.

Privet-leaved. N.America. 1812. ... G. h.

Tallow-tree. China. 1703. 9. S. h.

SANDBOX-TREE. Monœcia Monadelphia. W.

unequal-tooth'd. S.America. ... 7. 9. S. h.

equal-toothed. ——— 1733. ... S. h.

BRADLEJA. Monœcia Monadelphia. W.

Chinese. China. 1816. 7. 9. S. h.

glossy. E. Indies. 1820. ... S. h.

PHYLANTHUS. PHYLANTHUS.

Monœcia Monadelphia. W.

annual. N.America. 1803. 7. 8. H.○.

Madras. E. Indies. 1783. — S. h.

slender. ——— 1820. — S. 4.

long-leaved. Isl. Bourbon. 1822. ... S. h.

spear-leaved. ——— — 6. 8. S. h.

nodding. Jamaica. — — S. h.

great-leaved. Portorico. 1771. — — S. h.

venomous. E. Indies. 1802. ... S. h.

shining-leaved. China. ... 7. 9. S. h.

Brazilian. Brazil. 1791. — — S. h.

obcordate. E. Indies. 1818. — — S. 4.

netted. ——— — 8. 9. S. h.

thick-veined. China. 1822. 7. 9. S. h.

racemed. E. Indies. 1793. 7. 8. S. h.

Canton. China. 1819. — — H.○.

wedge-leaved. ——— — — H.○.

Indian. E. Indies. 1692. 6. 9. S. ○.

stinging. ——— 1819. — — S. ○.

small-leaved. S. America. 1824. ... S. h.

many-leaved. E. Indies. 1805. 7. 9. S. h.

Mimosa-like. W. Indies. 1820. — — S. h.

Rhamnus-like. E. Indies. — — S. h.

upright. ——— 1823. — — S. h.

Ash-leaved. ——— 1818. — — S. h.

Walnut-leaved. ——— — 6. 9. S. h.

climbing. E. Indies. 1803. ... S. h.

EMLICA. Monœcia Syngenesia. L.T.

officinal. E. Indies. 1768. 6. 9. S. h.

KIRGANELIA. KIRGANELIA.

Monœcia Monadelphia.

elegant. Mauritius. 1820. 6. 9. S. h.

Pluk. amal. t. 390. f. 2.

Lam. ill. t. 793.

Gært.sem.2. t.109. f.1.

Lam. ill. t. 156. f. 1.

Jacq. schœn.2. t.193.

Botan. magaz. 1862.

Aub. gni. 2. t. 354.

Lodd. bot. cab. 577.

Rheed. mal. 10. t. 15.

Rumph.amb.6. t.17.f.2.

Lodd. bot. cab. 721.

Lodd. bot. cab. 731.

Lodd. bot. cab. 548.

Rumph. amb. 7. t. 12.

Botan. magaz. 1021.

Jacq. ic. 3. t. 616.

Lodd. bot. cab. 1091.

Botan. magaz. 2652.

Botan. regist. 373.

Pall.it.3. t. E. f. 2.

Lam. ill. t. 797.

BRIEDELIA. Polygamia Monœcia. W.

climbing. E. Indies. 1804. 7. 9. S. h.~.

Roxb. corom. 2. t.173.

CLUYTIA. Diœcia Gynandria. L.

hill. E. Indies. 1807. ... S. h.~.

spreading. ——— 1812. ... S. h.~.

broad-leaved. C. B. S. 1739. 1. 6. G. h.~.

various-leaved. ——— 1816. 2. 4. G. h.~.

tomentose. ——— 1812. 4. 6. G. h.~.

pubescent. ——— 1817. — — G. h.~.

7	polifolia. w.	Poley-leaved.	C. B. S.	1790.	4. 6.	G. h.	Jacq. schoen. 2. t. 50.
8	ericoides. w.	Heath-leaved.	—	—	—	G. h.	Botan. regist. 779.
9	daphnoides. w.	Daphne-like.	—	1731.	5. 6.	G. h.	W. hort. ber. 52.
10	polygonoides. w.	Polygonum-like.	—	1790.	12. 3.	G. h.	— 51.
11	alaternoides. w.	narrow-leaved.	—	1692.	—	G. h.	Botan. magaz. 1321.
		EXCŒCARIA. <i>Diœcia</i> Monadelphia. L.					
		Indian.	E. Indies.	1823.	•••	S. h.	Rumph. amb. 2. t. 79.80.
		saw-leaved.	Chili.	1796.	11. 2.	G. h.	
		ADELIA. <i>Diœcia</i> Monadelphia. L.					
1	Bernardia. w.	villous-leaved.	Jamaica.	1768.	7. 8.	S. h.	
2	Ricinella. w.	smooth-leaved.	—	—	6. 8.	S. h.	
3	Acidoton. w.	Box-leaved.	—	—	6. 7.	S. h.	
		LOUREIRA. <i>Diœcia</i> Monadelphia. W.					
1	cuneifolia. w.	wedge-leaved.	Mexico.	1824.	6. 8.	G. h.	Cavan. ic. 5. t. 429.
	<i>Mozzina spathulata.</i>	Ort. dec. 8. t. 13.	—	1799.	—	G. h.	— 5. t. 430.
2	glandulosa. w.	glandulous.	—	—	—	—	
		BORYA. <i>Diœcia</i> Diandria. W.					
1	porulosa. w.	Florida.	Florida.	1806.	7. 8.	H. h.	
2	ligustrina. w.	Privet-leaved.	N. America.	1812.	—	H. h.	
3	prinoides. w.en.	Prinos-like.	—	1816.	—	H. h.	
4	nitida. w.en.	glossy-leaved.	—	—	—	H. h.	
5	retusa. w.en.	retuse-leaved.	—	1812.	—	H. h.	
6	acuminata. w.	pointed.	—	—	—	H. h.	Mich. amer. 2. t. 48.
	<i>Adelia acuminata.</i> M.						
		SECURINEGA. <i>Monecia</i> Pentandria.					
		Otaheite Myrtle. <i>Otaheite.</i>	1793.	3. 8.	S. h.	Lindl. collect. t. 9.	
		TRAGIA. <i>Monecia</i> Triandria. W.					
1	volubilis. w.	twinning.	W. Indies.	1739.	6. 7.	S. h.	Trew. pl. rar. 2. t. 15.
2	involucrata. w.	involucred.	E. Indies.	1759.	—	S.○.	Jacq. ic. 1. t. 190.
3	mercurialis w.	Mercury-like.	—	1818.	—	S.○.	Rheed. mal. 10. t. 82.
4	corniculata. w.	two-horned.	Trinidad.	1824.	—	S.○.	
5	urens. w.	stinging.	Virginia.	1699.	8.	H.○.	Pluk. alm. t. 107. f. 5.
6	Chamælea. w.	lance-leaved.	E. Indies.	1793.	6. 7.	S.○.	Rheed. mal. 2. t. 34.
7	cannabina. w.	Hemp-leaved.	—	1699.	—	S. 4.	Burm. ind. t. 63. f. 1.

ORDO CLVII.

ANTIDESMEÆ.

		ANTIDESMA. <i>Diœcia</i> Pentandria. L.					
1	alexiteria. w.	Laurel-leaved.	E. Indies.	1793.	5. 6.	S. h.	Rheed. mal. 5. t. 11.
2	pubescens. w.	pubescent.	—	1818.	—	S. h.	Roxb. corom. 2. t. 167.
3	paniculata. w.	panicled.	—	1800.	—	S. h.	
		STILAGO. <i>Diœcia</i> Triandria. W.					
1	Bunius. w.	Laurel-leaved.	E. Indies.	1757.	8.	S. h.	Rheed. mal. 4. t. 56.
2	diandra. w.	diandrous.	—	1800.	•••	S. h.	Roxb. corom. 2. t. 166.

ORDO CLVIII.

URTICEÆ. *Juss. gen. 400.*

FICUS. L.		FIG-TREE. <i>Polygamia</i> <i>Diœcia</i> . W.					
1	<i>religiosa</i> . R.S.	Poplar-leaved.	E. Indies.	1731.	•••	S. h.	Rheed. mal. 1. t. 27.
2	<i>superstitiosa</i> . L.en.	superstitious.	—	—	—	S. h.	
3	<i>nymphæifolia</i> . R.S.	Water-lily-ld.	—	1759.	•••	S. h.	
4	<i>cordata</i> . R.S.	heart-leaved.	C. B. S.	1802.	•••	S. h.	Thunb. fic. p. 8. c. ic.

URTICEÆ.

5 oblongata. L.en.	oblong-leaved.	C. B. S.	1816.	S. h.	
6 crassinervia. R.S.	thick-nerved.	S. America.	—	S. h.	
7 rubiginosa. R.S. <i>australis</i> . W.	ferrugineous.	N. S. W.	1789.	3. 6.	G. h.	Venten. malm. t. 114.
8 costata. R.S.	rib-leaved.	E. Indies.	1763.	S. h.	
9 coronata. R.S.	crowned-fruit'd.	N. S. W.	1807.	3. 6.	G. h.	Colla h. rip. t. 8.
10 lucida. R.S.	shining-ld.	E. Indies.	1772.	S. h.	
11 scandens. R.S.	climbing.	S. America.	1816.	S. h.	
12 stipulata. R.S.	trailing.	China.	1771.	G. h.	
13 pedunculata. R.S.	Willow-leaved.	S. America.	1776.	S. h.	Pluk. alm. t. 178. f. 4.
14 venosa. R.S.	vein-leaved.	E. Indies.	1763.	6. 8.	S. h.	Rheed. mal. 3. t. 64.
15 leucotoma. R.S. <i>venosa</i> . W. non H.K.	white-spotted.	—	—	—	S. h.	W. hort. ber. 1. t. 36.
16 tinctoria. R.S.	Otaheite.	Society Isl.	1783.	5. 6.	S. h.	
17 benjamina. R.S.	oval-leaved.	E. Indies.	1757.	S. h.	Rheed. mal. 1. t. 26.
18 glabrata. K.S.	smooth.	Teneriffe.	1816.	G. h.	
19 benghalensis. R.S.	Bengal.	E. Indies.	1690.	4. 5.	S. h.	Rheed. mal. 1. t. 28.
20 microcarpa. R.S.	small-fruited.	Guinea.	1823.	S. h.	
21 americana. R.S.	American.	Jamaica.	1822.	S. h.	Plum. spec. t. 132. f. 2.
22 racemosa. R.S.	clustered.	E. Indies.	1759.	S. h.	Rheed. mal. 1. t. 25.
23 pertusa. R.S.	Laurel-leaved.	S. America.	1780.	S. h.	
24 terebrata. R.S.	obovate-leaved.	Mauritius.	1822.	S. h.	Bory it. t. 17.
25 pumila. R.S.	dwarf.	China.	1759.	G. h.	Kämp. amœn. t. 804.
26 glomerata. R.S.	crowded.	E. Indies.	1818.	S. h.	Roxb. corom. 2. t. 123.
27 Hookeri. <i>nitida</i> . H.E.F. nec aliorum.	Hooker's.	W. Indies.	1816.	1. 4.	S. h.	Hook. ex. flor. 111.
28 nitida. R.S.	glossy-leaved.	E. Indies.	1786.	3. 6.	S. h.	Rheed. mal. 3. t. 55.
29 ciliolosa. R.S.	fringe stipuled.	—	1816.	—	S. h.	
30 cotinifolia. K.S.	Cotinus-leaved.	Mexico.	1824.	S. h.	
31 obtusifolia. K.S.	blunt-leaved.	—	—	—	S. h.	
32 coriacea. R.S.	leathery-leav'd.	E. Indies.	1772.	S. h.	
33 populnea. R.S.	Poplar-leaved.	—	—	—	S. h.	
34 macrophylla. R.S.	large-leaved.	N. Holland.	1816.	G. h.	
35 elastica. H.B.	Indian rubber.	E. Indies.	1815.	G. h.	
36 Brassii. H.T.	Brass's.	Sierra Leon.	1822.	S. h.	
37 lasiophylla. L.en.	downy-leaved.	—	1816.	S. h.	
38 retusa. R.S.	retuse-leaved.	E. Indies.	1793.	S. h.	
39 laurifolia. R.S. <i>martinicensis</i> . W.	Laurel-leaved.	W. Indies.	1759.	S. h.	Sloan. jam. 2. t. 223.
40 brasiliensis. L.en.	Brazilian.	Brazil.	1820.	S. h.	
41 laevigata. R.S.	smooth-leaved.	W. Indies.	1822.	S. h.	
42 indica. R.S.	Banyan-tree.	E. Indies.	1759.	S. h.	Rheed. mal. 3. t. 63.
43 salicifolia. R.S.	Willow-leaved.	Arabia.	1818.	S. h.	
44 aurantiaca. Lod.	orange-color'd.	—	—	—	S. h.	
45 pendula. L.en.	pendulous.	—	1824.	S. h.	
46 myrtifolia. L.en.	Myrtle-leaved.	—	—	—	S. h.	
47 lanceolata. H.B.	spear-leaved.	E. Indies.	1820.	S. h.	
48 obtusata. L.en.	obtuse-tooth'd.	—	—	—	S. h.	
49 munifica. L.en.	rough-leaved.	N. Holland.	1818.	G. h.	
50 ulmifolia. R.S.	Elm-leaved.	Philippine.	1825.	S. h.	
51 capensis. R.S.	Cape.	C. B. S.	1816.	G. h.	
52 exasperata. R.S. <i>scabra</i> . W. non Forst.	very rough.	Guinea.	1822.	S. h.	Willden. fic. t. 2.
53 hispida. R.S. <i>oppositifolia</i> . Rox. <i>scabra</i> . Jacq. schœn. 3. t. 315.	opposite-leaved.	E. Indies.	1802.	S. h.	Roxb. corom. 2. t. 124.
54 aquatica. W.	water.	—	1758.	S. h.	
55 heterophylla. R.S.	various-leaved.	—	1816.	S. h.	Rheed. mal. 3. t. 62.
56 repens. R.S.	creeping-stemm'd	—	1805.	S. h.	
57 virgata. H.B.	twiggy.	—	1817.	G. h.	
58 Carica. R.S.	common.	S. Europe.	1548.	6. 7.	H. h.	Trew-Ehret. t. 73. 74.
ARTOCARPUS. W.	BREAD-FRUIT.	Monœcia Monandria. W.				
I incisa. W.	true.	S. Sea Isl.	1793.	S. h.	Rumph. amb. 1. t. 33.
<i>a nucifera</i> .	nut-bearing.	—	—	—	S. h.	
<i>β apyrena</i> .	seedless.	—	—	—	S. h.	Rumph. amb. 1. t. 32.
2 integrifolia. W.	Jaca-tree.	E. Indies.	1778.	6.	S. h.	Rheed. mal. 3. t. 26-28.
<i>β heterophylla</i> . Lam.	various-leaved.	—	—	—	S. h.	Rumph. amb. 1. t. 30.
MACLURA. N.	MACLURA.	Dioœcia Tetrandria. N.				
1 aurantiaca. N.	Osage Apple.	Missouri.	1824.	H. h.	Lamb. pin.v. 2.ap.t.12.
2 tinctoria. D.D.	Fustick-wood.	W. Indies.	1739.	S. h.	Plum. ic. t. 204.
<i>Morus tinctoria</i> . W. <i>Broussonetia tinctoria</i> . K.S.						

BROUSSONETIA. W.	PAPER MULBERRY.	Diœcia Tetraudria. W.						
papyrifera. w.	common.	Japan.	1751.	4. 7.	H. \natural .			Andr. deposit. 488.
MORUS. W.	MULBERRY.	Monœcia Tetrandria. L.						
1 alba. w.	white.	China.	1596.	6.	H. \natural .			Schk. hand. 3. t. 290.
2 tatarica. w.	Tartarian.	Tartary.	1784.	—	H. \natural .			Pall. ros. 2. t. 52.
3 italicica. P.S.	Italian.	Italy.	—	—	H. \natural .			
4 constantinopolitana.	Constantinople.	Constantinople.	—	—	H. \natural .			
5 nigra. w.	common.	Italy.	1548.	—	H. \natural .			
6 rubra. w.	red.	N. America.	1629.	6. 7.	H. \natural .			
7 seabra. W.en.	rough.	—	1812.	—	H. \natural .			
8 pensylvanica. L.C.	Pensylvanian.	—	—	—	H. \natural .			
9 pumila. L.C.	dwarf.	—	—	—	H. \natural .			
10 indica. w.	Indian.	E. Indies.	1820.	—	S. \natural .			Rheed. mal. 1. t. 49.
11 sinensis. L.C.	Chinese.	China.	—	—	G. \natural .			Jacq. ic. 3. t. 617.
12 mauritiana. w.	Mauritius.	Mauritius.	—	—	S. \natural .			
BŒHMERIA. W.	BŒHMERIA.	Monœcia Tetrandria. W.						
1 caudata. w.	tailed.	W. Indies.	1822.	—	S. \natural .			
2 cylindrica. w.	cylindrical.	Virginia.	1759.	6. 8.	H. \natural .			Sloan. j. 1. t. 52. f. 2.
3 macrophylla. D.P.	large-leaved.	Nepaul.	1820.	—	G. \natural .			
4 rotundifolia. D.P.	round-leaved.	—	1819.	6. 8.	G. \natural .			
5 platyphylla. D.P.	rough-leaved.	—	1818.	—	G. \natural .			
6 ramiflora. w.	branch-flowering.	W. Indies.	1822.	—	S. \natural .			Lam. ill. t. 763.
Catrus ramiflorus. L.								
7 elongata. L.en.	elongated.	Brazil.	—	7. 9.	H. \odot .			
8 lateriflora. w.	side-flowering.	N. America.	1816.	6. 8.	H. \natural .			
9 rubescens. w.	tree.	Canaries.	1779.	2. 5.	G. \natural .			Jacq. frag.n.30. t.5.f.1.
Urtica arborea. L'Her. stirp. t. 20.								
10 frondosa. D.P.	frondose.	Nepaul.	1818.	—	G. \natural .			
11 frutescens. w.	frutescent.	—	1819.	—	G. \natural .			
URTICA. W.	NETTLE.	Monœcia Tetrandria. L.						
1 pilulifera. w.	Roman.	England.	—	6. 8.	H. \odot .			Eng. bot. 148.
2 balearica. w.	Balearic.	Balearic Isl.	1731.	6. 7.	H. \odot .			Blackw. t. 321. f. 1.
3 Dodartii. w.	Dodart's.	S. Europe.	1683.	7. 8.	H. \odot .			
4 pumila. w.	dwarf.	N. America.	1817.	—	H. \odot .			
5 crassifolia. w.	thick-leaved.	S. America.	1822.	—	S. \natural .			
6 grandifolia. w.	great-leaved.	Jamaica.	1793.	7. 8.	S. \natural .			Sloan. jam.1. t.83. f.2.
7 reticulata. w.	net-leaved.	—	—	6. 8.	S. \natural .			
8 involucrata. B.M.	imbossed.	W. Indies.	1823.	10. 11.	S. \natural .			Botan. magaz. 2481.
9 diffusa. w.	spreading.	—	—	8. 10.	S. \natural .			
10 rufa. w.	rusty.	Jamaica.	1793.	6. 9.	S. \natural .			
11 scabrella. L.en.	rough.	E. Indies.	1815.	10. 12.	G. \natural .			
12 scripta. D.P.	black-lined.	Nepaul.	1823.	—	H. \natural .			
13 heterophylla. w.	various-leaved.	—	—	—	H. \natural .			
14 urens. w.	small.	Britain.	—	6. 10.	H. \odot .			Rheed. mal. 2. t. 41.
15 dioica. w.	common.	—	—	7. 9.	H. \natural .			Eng. bot. 1236.
16 chamaedryoides. Ph.	Germander-like	Georgia.	1813.	—	H. \odot .			—
17 membranacea. w.	membranaceous	S. Europe.	1818.	—	H. \natural .			1750.
18 angustifolia. F.	narrow-leaved.	Russia.	1824.	—	H. \natural .			
19 ardens. L.en.	burning.	Nepaul.	1819.	8. 11.	H. \odot .			
20 cannabina. w.	Hemp-leaved.	Siberia.	1749.	7. 9.	H. \natural .			Amm. ruth. 249. t. 25.
21 rugosa. w.	rough-leaved.	Jamaica.	1793.	5. 7.	S. δ .			
22 gracilis. w.	slender-stalked.	Hudson's bay.	1782.	6. 8.	H. \natural .			
23 Parietaria. w.	Pellitory-leav'd.	Jamaica.	1793.	7. 9.	S. \natural .			Sloan. j. 1. t. 93. f. 1.
24 ciliata. w.	ciliated.	—	1815.	—	S. \natural .			
25 nummularifolia. w.	moneywort-ld.	—	1822.	—	S. \natural .			Sloan. hist.1. t.131. f.4.
26 depressa. w.	depressed.	—	—	—	S. \natural .			
27 microphylla. w.	small-leaved.	W. Indies.	1793.	4. 5.	S. δ .			Sloan. j. 1. t. 93. f. 2.
28 pulchella. L.en.	neat.	E. Indies.	1816.	—	S. \natural .			
29 diversifolia. L.en.	different-ld.	—	1820.	—	S. \natural .			Jacq. schœn. 3. t. 388.
30 æstuans. w.	Surinam.	Surinam.	1803.	6. 7.	S. δ .			
31 capitata. w.	headed.	N. America.	1820.	—	H. \natural .			Pluk. alm. t. 239. f. 2.
32 canadensis. w.	Canadian.	Canada.	1656.	8. 10.	H. \natural .			Jacq. vind. 2. t. 166.
33 nivea. w.	white-leaved.	China.	1739.	8. 9.	H. \natural .			Jacq. schœn. 3. t. 386.
34 caracasana. w.	Caracas.	Caracas.	1820.	—	S. \natural .			
35 caravellana. L.en.	pointed-leaved.	S. America.	—	8. 10.	H. \odot .			
36 bacifera. w.	berry-bearing.	—	1793.	7. 8.	S. \natural .			
37 elongata. w.	elongated.	Philippines.	1823.	—	S. \natural .			
38 ferociissima.	ferocious.	Nepaul.	1805.	8. 10.	H. \odot .			Andr. deposit. 454.
horrida. L.en. non K.S.	pendulous.	E. Indies.	—	—	S. \natural .			
39 pentandra. H.B.	pendulous.	E. Indies.	—	—	S. \natural .			

FORSKOHLEA. L.	FORSKOHLEA.	Monœcia Monandria. J.	
1 tenacissima. w.	clammy.	Egypt. 1767. 7. 8. H. ⊖.	Jacq. vind. I. t. 48.
2 candida. w.	rough.	C. B. S. 1774. 6. 7. G. Ȑ.	Murr. c. gott. p. 24. t. 2.
3 angustifolia. w.	narrow-leaved.	Teneriffe. 1779. 7. 8. H. ⊖.	
PARIETARIA. W.	PELLITORY.	Polygamia Monœcia. L.	
1 indica. w.	Indian.	E. Indies. 1790. 4. 5. S. Ȑ.	
2 officinalis. w.	common.	Britain. 6. 9. H. Ȑ.	Eng. bot. 879.
3 judaica. w.	Basil-leaved.	Germany. 1728. — H. Ȑ.	Schkuh. hand. 3. t. 34.
4 pensylvanica. w.	Pensylvanian.	N. America. 1816. — H. ⊖.	
5 urticæfolia. w.	Nettle-leaved.	Isl. Bourbon. 1700. — S. ⊖.	
6 lusitanica. w.	chickweed-ld.	Spain. 1710. 7. 8. H. ⊖.	Bocc. sic. t. 24. f. 13.
7 cretica. w.	Cretan.	Crete. 1818. — H. ⊖.	
8 prostrata. L.en.	prostrate. 1823. — H. Ȑ.	
9 polygonoides. w.	Polygonum-ld.	Armenia. 1728. — H. ⊖.	
PILEA. L.col.	PILEA.	Monœcia Tetrandria.	
muscosa. L.col.	mossy.	W. Indies. 1793. 4. 5. S. Ȑ.	Lindl. coll. 4.
CANNABIS. W.	HEMP.	Dicecia Tetrandria. L.	
sativa. w.	common.	India. 6. 7. H. ⊖.	Schkuh. hand. 3. t. 325.
HUMULUS. W.	HOP.	Dicecia Tetrandria. L.	
Lupulus. w.	common.	Britain. 6. 8. H. Ȑ.	Eng. bot. 427.
THELYGONUM. W.	DOG'S-CABBAGE.	Monœcia Polyandria. L.	
Cynocrambe. w.	common.	S. Europe. 1710. 7. H. ⊖.	Schkuh. hand. 3. t. 299.
GNETUM. W.	GNETUM.	Monœcia Monadelphia. L.	
Gnemon. w.	Indian.	India. 1815. S. Ȑ.	Rumph. amb. 1. t. 71.
CECROPIA. W.	SNAKE-WOOD.	Dicecia Diandria. L.	
1 peltata. w.	peltated.	Jamaica. 1778. S. Ȑ.	Lam. ill. t. 800.
2 palmata. w.	palmated.	Brazil. 1823. S. Ȑ.	
3 concolor. w.	self-coloured. — — S. Ȑ.	
GUNNERA. W.	GUNNERA.	Gynandria Diandria. L.	
perpensa. w.	marsh-marygold-ld.	C. B. S. 1688. G. Ȑ.	Botan. magaz. 2376.
DORSTENIA. W.	DORSTENIA.	Tetrandria Monogynia. L.	
1 cordifolia. w.	heart-leaved.	W. Indies. 1822. 5. 8. S. Ȑ.	Swart. obs. t. 7. f. 2.
2 brasiliensis. w.	Brazilian.	S. America. 1792. 3. 4. S. Ȑ.	
3 Houstoni. w.	Houston's. 1747. 6. 7. S. Ȑ.	
4 arifolia. w.	Arum-leaved.	Brazil. 1823. — S. Ȑ.	
5 Contrayerva. w.	Contrajerva-root.	S. America. 1748. 5. 8. S. Ȑ.	
6 Drakena. w.	round-rooted.	Vera Cruz. — S. Ȑ.	
MERTENSIA. K.S.	MERTENSIA.	Polygamia Monœcia. R.S.	
1 lœvigata. K.S.	Mexican.	Mexico. 1825. S. Ȑ.	H. et B. n.gen. 2. t. 103.
2 iguanæa. R.S.	Jamaica.	Jamaica. 1791. S. Ȑ.	
<i>Rhamnus iguanæa.</i> L.	Zizyphus iguanæa.	<i>Celtis aculeata.</i> w.	
CELTIS. K.S.	NETTLE-TREE.	Polygamia Monœcia. L.	
1 micrantha. w.	smooth.	Jamaica. 1739. 8. 9. S. Ȑ.	Plum. ic. t. 206. f. 1.
2 orientalis. w.	oriental.	E. Indies. 1820. S. Ȑ.	Rheed. mal. 4. t. 40.
3 pumila. ph.	dwarf.	N. America. 1812. 5. H. Ȑ.	
4 crassifolia. w.	heart-leaved. — — 5. 6. H. Ȑ.	Duham. arb. 2. t. 9.
<i>cordifolia.</i> Duh.			
5 occidentalis. w.	American. 1656. 4. 5. H. Ȑ.	Wats. dend. brit. 147.
<i>β cordata.</i> R.S.	heart-leaved. — — H. Ȑ.	
<i>γ scabriuscula.</i> R.S.	rough-leaved. — — H. Ȑ.	
6 Willdenowiana. R.S.	Willdenow's.	China. H. Ȑ.	
7 sinensis. R.S.	Chinese. H. Ȑ.	
8 lœvigata. R.S.	smooth.	Louisiana. 1812. 4. 5. H. Ȑ.	
9 Tournefortii. w.	Tournefort's.	Levant. 1738. H. Ȑ.	Tourn. it. 2. t. 41.
10 australis. w.	European.	S. Europe. 1796. 5. H. Ȑ.	Wats. dend. brit. 105.
PLANERA. M.	PLANERA.	Tetrandria Dignya. S.S.	
1 Richardi. M.	Richard's.	N. America. 1760. 4. 5. H. Ȑ.	Wats. dend. brit. 106.
<i>carpinifolia.</i> w.D.	<i>Ulmus nemoralis.</i> H.K.	Gmelin's. 1816. H. Ȑ.	
2 Gimelini. M.			
<i>aquatica.</i> N.			
ULMUS. R.S.	ELM-TREE.	Pentandria Dignya. L.	
1 campestris. E.B.	common English.	Britain. 4. 5. H. Ȑ.	Eng. bot. 1886.
2 suberosa. E.B.	cork-barked. — — 3. 4. H. Ȑ.	——— 2161.
3 glabra. E.B.	smooth. — — H. Ȑ.	——— 2248.
4 major. E.B.	declining-branch'd. — — H. Ȑ.	——— 2542.
5 montana. E.B.	Wych. — — 4. 5. H. Ȑ.	——— 1887.
6 effusa. w.	spreading-fl'd. — — H. Ȑ.	Schkuh. hand. t. 57.
7 alba. w.	white.	Hungary. 1816. — H. Ȑ.	
8 crispa. w.	curl-leaved.	N. America. — H. Ȑ.	

9 <i>americana</i> . w.	white.	N. America.	1752.	4.	5.	H. h.	
10 <i>pendula</i> . W.en.	pendulous.	—	—	—	—	H. h.	
11 <i>fulva</i> . M.	slippery.	—	—	—	—	H. h.	Mich. arb. 3. t. 6.
12 <i>sacra</i> . Mill.	rough.	—	—	—	—	H. h.	
13 <i>pumila</i> . w.	dwarf.	Siberia.	1771.	—	—	H. h.	Pall. ros. 1. t. 48.
14 <i>parvifolia</i> . W.en.	small-leaved.	—	—	—	—	H. h.	Jacq. schœn. t. 262.
15 <i>microphylla</i> . P.s.	jagged-leaved.	Siberia.	—	—	—	H. h.	Pall. r. I. t. 48. f. A. B. C.
16 <i>alata</i> . M.	winged.	N. America.	1816.	—	—	H. h.	Mich. arb. 3. t. 5.
17 <i>chinensis</i> . P.s.	Chinese.	China.	—	—	—	G. h.	

ORDO CLIX.

AMENTACEÆ. *Juss. gen. 407.*SUBORDO I. *SALICEÆ*. Kth. synops. 1. p. 364.

SALIX. W.

- 1 *præcox*. s.s.
2 *pomeranica*. W.en.
3 *cineræa*. E.B.
4 *angustata*. Ph.
5 *Wulffiana*. s.s.
6 *silesiaca*. s.s.
7 *Ammanniana*. s.s.
8 *acutifolia*. s.s.
9 *hastata*. w.
10 *malifolia*. E.B.
11 *serrulata*. w.
hastata. F.D.

- 12 *phylicifolia*. E.B.
13 *Andersoniana*. E.B.
14 *tenuifolia*. E.B.
15 *fragilis*. E.B.
16 *Russelliana*. E.B.
17 *Trevirani*. L.en.
18 *hippophæfolia*. L.en.
19 *triandra*. E.B.
20 *amygdalina*. E.B.
21 *Hoppeana*. w.
22 *ambigua*. Ph.
23 *decipiens*. E.B.
24 *vittelina*. E.B.
25 *alba*. E.B.
26 *cœrulea*. E.B.
27 *pedicellaris*. s.s.
28 *babylonica*. w.
29 *myricoides*. s.s.
30 *lucida*. s.s.
31 *rigida*. s.s.
32 *cordata*. s.s.
33 *nigra*. s.s.
34 *riparia*. w.
35 *incana*. DC.
36 *incanescens*. Sch.
37 *lanata*. w.
38 *pentandra*. E.B.
39 *Meyeriana*. s.s.
40 *tetrasperma*. w.
41 *gariepina*. B.T.
42 *Humboldtiana*. w.
43 *finmarchica*. s.s.
44 *Villarsiana*. w.
45 *myrtilloides*. s.s.

WILLOW. Diœcia 1-2-3-5-andra-Monadelpha.

early.	Europe.	—	3.	4.	H. h.	
2 pomeranian.	Pomeranian.	1816.	3.	5.	H. h.	
3 cinerea.	gray.	Britain.	—	5.	H. h.	Eng. bot. 1897.
4 angustata.	narrow-leaved.	Pennsylvania.	1811.	3.	4.	H. h.
5 Wulffiana.	Wulffén's.	Switzerland.	1818.	4.	5.	H. h.
6 silesiaca.	Silesian.	Silesia.	1820.	—	—	H. h.
7 Ammanniana.	Amman's.	Carinthia.	—	—	—	Hoffm. salic. 1.t.17.f.2.
8 acutifolia.	acute-leaved.	Caucasus.	1824.	—	—	H. h.
9 hastata.	halberd-leaved.	Lapland.	1780.	5.	H. h.	Lin. f. lap. t. 8. f. g.
10 malifolia.	Apple-leaved.	England.	—	4.	H. h.	Eng. bot. 1617.
11 serrulata.	saw-leaved.	Lapland.	1820.	5.	H. h.	Flor. dan. t. 1238.
12 phylicifolia.	Tea-leaved.	Scotland.	—	—	H. h.	Eng. bot. 1958.
13 Andersoniana.	Anderson's.	—	—	—	H. h.	— 2343.
14 tenuifolia.	slender-leaved.	Britain.	—	5.	6.	H. h.
15 fragilis.	crack.	—	—	4.	5.	H. h.
16 Russelliana.	Bedford.	England.	—	—	—	H. h.
17 Trevirani.	Treviranus's.	Germany.	1825.	—	—	H. h.
18 hippophæfolia.	Sea-buckthorn-ld.	—	1823.	—	—	H. h.
19 triandra.	long-leaved.	Britain.	—	5.	8.	H. h.
20 amygdalina.	Almond-leaved.	—	—	4.	5.	H. h.
21 Hoppeana.	Hoppe's.	Switzerland.	1817.	—	—	H. h.
22 ambigua.	ambiguous.	N. America.	1813.	4.	H. h.	
23 decipiens.	varnished.	England.	—	5.	H. h.	Eng. bot. 1937.
24 vitellina.	yellow twigg'd.	—	—	3.	5.	H. h.
25 alba.	common white.	Britain.	—	4.	5.	H. h.
26 cœrulea.	blue.	England.	—	—	H. h.	— 2130.
27 pedicellaris.	pedicellated.	N. America.	1811.	—	—	H. h.
28 babylonica.	weeping.	Levant.	1692.	5.	H. h.	— 1389.
29 myricoides.	Myrica-like.	N. America.	1811.	4.	H. h.	Rauw. it. 183. t. 25.
30 lucida.	shining.	—	—	5.	H. h.	Ann. bot. 2. t. 5. f. 2.
31 rigida.	rigid.	—	—	4.	5.	H. h.
32 cordata.	heart-leaved.	—	—	—	H. h.	— 2. t. 5. f. 4.
33 nigra.	black.	—	—	5.	H. h.	— 2. t. 5. f. 8.
34 riparia.	rivulet.	Europe.	1820.	—	—	H. h.
35 incana.	hoary.	—	—	—	H. h.	— 2. t. 5. f. 5.
36 incanescens.	incanescence.	Switzerland.	1823.	—	—	H. h.
37 lanata.	woolly.	Lapland.	—	—	—	H. h.
38 pentandra.	Bay-leaved.	Britain.	—	3.	6.	H. h.
39 Meyeriana.	Meyer's.	Germany.	1823.	4.	5.	H. h.
40 tetrasperma.	four-seeded.	E. Indies.	1796.	—	—	S. h.
41 gariepina.	Cape.	C. B. S.	1816.	—	—	G. h.
42 Humboldtiana.	Humboldt's.	Peru.	1821.	—	—	G. h.
43 finmarchica.	Finmark.	Sweden.	—	4.	5.	H. h.
44 Villarsiana.	Villars's.	S. France.	1818.	5.	6.	H. h.
45 myrtilloides.	Myrtle-leaved.	Sweden.	1772.	5.	H. h.	Vill. delph. 3. t. 50. f. 11.

46 retusa. w.	blunt-leaved.	Italy.	1763.	—	H. h.	
47 serpyllifolia. w.	Thyme-leaved.	Switzerland.	1818.	—	H. h.	
48 Uva-ursi. s.s.	Bearberry-like.	Labrador.	1811.	4. 5.	H. h.	
49 herbacea. E.B.	least.	Britain.	6.	H. h.	Eng. bot. 1907.
50 monandra. Ard.	monandrous.	Europe.	3. 4.	H. h.	Ard. mem. I. t. 11.
51 purpurea. E.B.	bitter purple.	England.	3.	H. h.	Eng. bot. 1388.
52 Helix. E.B.	Rose.	Britain.	3. 4.	H. h.	— — — 1343.
53 Lambertiana. E.B.	Boyton;	England.	—	H. h.	— — — 1359.
54 rubra. E.B.	red-stemmed.	—	4. 5.	H. h.	— — — 1145.
55 Forbiana. E.B.	basket osier.	—	4.	H. h.	— — — 1344.
56 viminalis. E.B.	common osier.	Britain.	4. 5.	H. h.	— — — 1898.
57 mollissima. s.s.	softest.	Germany.	—	H. h.	
58 Smithiana. s.s.	Smith's.	England.	—	H. h.	Eng. bot. 1509.
<i>mollissima. E.B. non W.</i>						
59 acuminata. E.B.	acuminate.	Britain.	4.	H. h.	Eng. bot. 1434.
60 holosericea. w.	holosericeous.	Germany.	—	H. h.	
61 aurita. w.	eared.	Europe.	4. 5.	H. h.	Hoff. sal. I. t. 22. f. 1.
62 uliginosa. W.en.	marsh.	Britain.	4. 6.	H. h.	Eng. bot. 1487.
<i>aurita. E.B. non W.</i>						
63 paludosa. L.en.	fen.	Germany.	—	H. h.	
64 aquatica. E.B.	water.	Britain.	4.	H. h.	Eng. bot. 1437.
65 spatulata. W.en.	spatulate.	Germany.	—	H. h.	
66 caprea. E.B.	great round-ld.	Britain.	4. 5.	H. h.	Eng. bot. 1488.
67 sphacelata. E.B.	withered-pointed.	Scotland.	—	H. h.	— — — 2333.
68 laurina. w.	Laurel-leaved.	England.	—	H. h.	— — — 1806.
<i>bicolor. E.B. non Ehr.</i>						
69 bicolor. w.	two-coloured.	Germany.	1818.	—	H. h.	
70 Pontederana. w.	Pontedera's.	—	—	—	H. h.	
71 Forsteriana. E.B.	Forster's.	Scotland.	—	H. h.	Eng. bot. 1403.
72 nigricans. E.B.	dark broad-ld.	England.	4.	H. h.	— — — 1213.
73 violacea. s.s.	violet.	—	4. 5.	H. h.	Andr. deposit. ic.
74 Weigeliana. s.s.	long-styled.	Silesia.	1820.	—	H. h.	
75 cotinifolia. E.B.	Quince-leaved.	Britain.	4.	H. h.	Eng. bot. 1403.
76 conifera. s.s.	cone-bearing.	N.America.	1800.	5.	H. h.	Wang. amer. t. 31. f. 72.
77 prinoides. s.s.	Prinos-like.	—	1811.	3. 4.	H. h.	
78fuscata. s.s.	brown-stemm'd.	—	—	4.	H. h.	
79 recurvata. s.s.	recurve-flower'd.	—	—	—	H. h.	
80 tristis. s.s.	linear-leaved.	—	1765.	—	H. h.	
81 Muhlenbergiana.	Muhlenberg's.	—	1811.	—	H. h.	Ann. bot. 2. t. 5. f. 9.
82 grisea. W.en.	brown.	—	1816.	—	H. h.	
83 lanceolata. E.B.	sharp-leaved.	England.	4. 5.	H. h.	Eng. bot. 1436.
84 stipularis. E.B.	auricled.	Britain.	3.	H. h.	— — — 1214.
85 undulata. s.s.	wave-leaved.	Germany.	1819.	4. 5.	H. h.	
86 petiolaris. E.B.	dark long-ld.	N.America.	4.	H. h.	Eng. bot. 1147.
87 patula. s.s.	spreading.	Italy.	1818.	—	H. 4.	
88 candida. s.s.	hoary.	N.America.	1811.	4. 5.	H. h.	
89 discolor. s.s.	brown-branched.	—	—	4.	H. h.	Ann. bot. 2. t. 5. f. 1.
90 arenaria. E.B.	sand.	Scotland.	5.	H. h.	Eng. bot. 1809.
91 repens. E.B.	creeping.	Britain.	5.	H. h.	— — — 183.
92 incubacea. w.	trailing.	Europe.	1775.	—	H. h.	
93 rosmarinifolia. E.B.	Rosemary-ld.	Britain.	4. 5.	H. h.	Eng. bot. 1365.
94 Arbuscula. E.B.	little tree.	Scotland.	4.	H. h.	— — — 1366.
95 fusca. E.B.	brown.	Britain.	5.	H. h.	— — — 1960.
96 parvifolia. E.B.	small-leaved.	England.	4. 5.	H. h.	— — — 1961.
97 adscendens. E.B.	ascending.	—	—	H. h.	— — — 1962.
98 prostrata. E.B.	prostrate.	Britain.	5.	H. h.	— — — 1959.
99 canescens. W.en.	canescent.	Germany.	1815.	4. 5.	H. h.	
100 leucophylla. W.en.	white-leaved.	—	—	—	H. h.	
101 elaeagnoides. L.en.	Elaegnus-like.	Switzerland.	1823.	—	H. h.	
102 argentea. E.B.	silky sand.	Britain.	5.	H. h.	Eng. bot. 1364.
103 versifolia. s.s.	various-leaved.	N. Europe.	1824.	—	H. h.	
104 prunifolia. E.B.	Plum-leaved.	Scotland.	4. 5.	H. h.	Eng. bot. 1361.
105 Dicksoniana. E.B.	Dickson's.	—	5.	H. h.	— — — 1390.
106 humilis. W.en.	humble.	—	1824.	—	H. h.	
107 formosa. w.	handsome.	Switzerland.	1820.	—	H. h.	
108 myrsinites. E.B.	Whortle-leav'd.	Scotland.	4. 6.	H. h.	Eng. bot. 1360.
109 venulosa. E.B.	veiny-leaved.	—	4. 5.	H. h.	— — — 1362.
110 vacciniifolia. E.B.	Bilberry-ld.	—	—	H. h.	— — — 2341.
111 carinata. E.B.	folded-leaved.	—	—	H. h.	— — — 1363.

112	arbutifolia. w.	Arbutus-leav'd.	Switzerland. 1818.	—	H. h.	
113	rupestris. E.B.	rock.	Scotland.	4.	H. h.	Eng. bot. 2342.
114	livida. s.s.	livid.	Lapland. 1824.	—	H. h.	Ann. bot. 2. t. 5. f. 6.
115	longifolia. s.s.	long-leaved.	N. America. 1819.	4. 5.	H. h.	Eng. bot. 1810.
116	glaucia. E.B.	glaucous.	Scotland.	5.	H. h.	Vill. delph. 3. t. 51. f. 27.
117	sericea. w.	silky.	Alps Europe. 1816.	—	H. h.	Eng. bot. 2586.
118	Stuartiana. E.B.	Stuart's.	Scotland.	7. 8.	H. h.	— 1908.
119	reticulata. E.B.	wrinkled.	Britain.	6. 7.	H. h.	— 1404.
120	hirta. E.B.	hairy-branch'd.	England.	4. 5.	H. h.	— 1402.
121	oleifolia. E.B.	Olive-leaved.	Britain.	3.	H. h.	— 1146.
122	Croweana. E.B.	Crowe's.	England.	4. 5.	H. h.	
123	fagifolia. w.	Beech-leaved.	Hungary. 1819.	—	H. h.	
124	cordifolia. Ph.	heart-shaped.	N. America. 1811.	—	H. h.	
125	planifolia. Ph.	flat-leaved.	Labrador. —	4. 5.	H. h.	
126	falcata. Ph.	sickle-leaved.	N. America. —	—	H. h.	
127	tetrapla. L.en.	elegant.	—	—	H. h.	
128	obtusa. L.en.	blunt-leaved.	Switzerland. —	—	H. h.	
129	eriantha. L.en.	woolly-flow'r'd.	—	—	H. h.	
130	cæsia. Vill.	cæsius.	N. Europe. —	4. 5.	H. h.	Vill. delph. 3. t. 50. f. 11.
131	ulmifolia. W.en.	Elm-leaved.	Switzerland. —	—	H. h.	
132	foliosa. w.	leafy.	Lapland. 1818.	—	H. h.	
133	obtusifolia. w.	obtuse-leaved.	—	—	H. h.	
134	atrovirens. Sch.	dark-green.	Switzerland. 1824.	—	H. h.	
135	australis. Sch.	southern.	—	—	H. h.	
136	carpinifolia. Sch.	Hornbeam-ld.	—	3. 4.	H. h.	
137	cydoniifolia. Sch.	Cydonia-leav'd.	—	—	H. h.	
138	subalpina. Sch.	subalpine.	—	4. 5.	H. h.	
139	proteæfolia. Sch.	Protea-leaved.	—	1820.	4.	H. h.
140	strepida. Sch.	creaking.	—	—	H. h.	
141	glabrata. Sch.	smooth.	—	1823.	4. 5.	H. h.
142	decumbens. Sch.	decumbent.	—	—	H. h.	
143	heterophylla. Deb.	different-leav'd.	—	—	H. h.	
144	murina. Sch.	wall.	Switzerland. 1824.	3. 4.	H. h.	
145	nervosa. Sch.	nerved.	—	—	H. h.	
146	pannosa. Sch.	cloth-leaved.	—	4. 5.	H. h.	
147	pallescens. Sch.	pallid.	—	—	H. h.	
148	pallida. Sch.	pale.	—	—	H. h.	
149	alaternoides. Sch.	Alaternus-like.	—	1823.	—	H. h.
150	albescens. Sch.	whitish.	—	—	H. h.	
151	annularis. L.C.	annular-leaved.	—	—	H. h.	
152	cerasifolia. Sch.	Cherry-leaved.	Switzerland. 1824.	4.	H. h.	
153	cinnamomea. Sch.	Cinnamon-scented.	—	—	4. 5.	H. h.
154	clethraefolia. Sch.	Clethra-leaved.	—	—	H. h.	
155	grisophylla. Sch.	gray-leaved.	—	—	H. h.	
156	lacustris. Sch.	lake.	—	—	H. h.	
157	mespilifolia. Sch.	Mespilus-ld.	—	—	H. h.	
158	obtuse-serrata. Sch.	bluntly-sawed.	—	—	H. h.	
159	pyrifolia. Sch.	Pear-leaved.	—	—	H. h.	
160	Schleicheriana. w.	Schleicher's.	—	—	H. h.	
POPULUS. L.						
1	alba. E.B.	Abele-tree.	Britain.	3. 4.	H. h.	Eng. bot. 1618.
2	canescens. E.B.	gray.	England.	—	H. h.	— 1619.
3	nivea. w.	snowy.	Europe.	—	H. h.	
4	trepida. w.	trembling.	N. America. 1812.	—	H. h.	Mich. arb. 3. t. 8. f. 1.
5	tremula. w.	Aspen.	Britain.	3. 4.	H. h.	Eng. bot. 1909.
6	lævigata. w.	smooth.	N. America. 1769.	—	H. h.	Mich. arb. 3. t. 11.
7	tremuloides. M.	trembling-like.	—	1811.	—	Duham. arb. 2. t. 53.
8	græca. w.	Athenian.	Archipelago. 1779.	—	H. h.	— 184. t. 54.
9	nigra. w.	black.	Britain.	—	H. h.	Eng. bot. 1910.
10	hudsonica. M.	American black.	N. America.	—	H. h.	Mich. arb. 3. t. 10. f. 1.
11	betulifolia. Ph.	Lombardy.	Italy. 1758.	—	H. h.	
12	dilatata. w.	Canadian.	Canada. 1772.	3. 5.	H. h.	Wats. dend. brit. 102.
13	monilifera. w.	Carolina.	Carolina. 1738.	3.	H. h.	Mich. arb. 3. t. 12.
14	angulata. w.	large-toothed.	N. America. 1812.	4.	H. h.	
	grandidentata. M.	weeping.	—	1820.	—	
	β pendula. N.	Tacamahac.	—	1692.	—	Mich. arb. 3. t. 13. f. 1.
15	balsamifera. w.	heart-leaved.	—	1772.	3.	Catesb. car. 1. t. 34.
16	candidans. w.	various-leaved.	—	1765.	4. 5.	Mich. arb. 3. t. 9.

SUBORDO II. BETULINÆ. Kth. synops. I. p. 363.

ALNUS. W.

- 1 glutinosa. w.
 β emarginata.
 γ incisa. w.
 δ laciniata. w.
 ϵ quercifolia.
2 incana. w.
 β angulata. H.K.
 γ pinnata.
3 oblongata. w.
 β elliptica.
4 undulata. w.
 crispia. Ph. *Betula crispia*. H.K.
5 serrulata. w.
6 cordifolia. T.P.
7 macrophylla. Desf.
8 rubra. Desf.
9 pumila. L.C.
10 oxyacanthifolia. L.C.
11 subrotunda. Desf.

BETULA. W.

- 1 alba. w.
 β verrucosa. Ehr.
 γ pendula. Roth.
 δ dalecarlica. L.
 ϵ pontica. W.D.
 ζ macrocarpa.
2 pubescens. P.S.
3 populifolia. w.
4 excelsa. w.
5 davurica. w.
6 nigra. w.
7 lutea. M.
8 lanulosa. M.
 rubra. Mich. arb. 2. t. 3.
9 papyracea. w.
10 lenta. w.
11 carpinifolia. W.en.
12 ovata. w.
 viridis. Vill. *Alnus viridis*. DC.
13 fruticosa. w.
14 glandulosa. M.
15 pumila. w.
16 nana. w.
 β macrophylla. Sch.
17 tristis. L.en.

CARPINUS. W.

- 1 Betulus. w.
 β variegata.
 γ incisa. H.K.
 δ quercifolia. Desf.
2 americana. w.
3 orientalis. w.

OSTRYA. W.

- 1 vulgaris. w.
2 virginica. w.

CORYLUS. W.

- 1 Avellana. w.
 β alba. H.K.
 γ rubra. H.K.
 δ ovata. Lam.
 ϵ barcelonensis. L.C.
 ζ grandis. H.K.
 η glomerata. H.K.
2 tubulosa. w.

ALDER. Monœcia Tetrandria. W.

- common. Britain. 3. 4. H. h. Eng. bot. 1508.
emarginate. ——— ——— H. h.
cut-leaved. ——— ——— H. h.
jagged-leaved. ——— ——— H. h.
Oak-leaved. ——— ——— H. h.

- hoary-leaved. Europe. 1780. 6. H. h.
angular-leaved. ——— ——— H. h.
pinnated. ——— ——— H. h.
oblong-leaved. S. Europe. 1730. 7. H. h.
elliptic-leaved. ——— ——— H. h.
undulate. N. America. 1782. 5. 6. H. h.

- notch-leaved. ——— 1769. 3. H. h. Abb. ins. 2. t. 92.

- heart-leaved. Naples. 1820. 3. 4. H. h.
large-leaved. ——— 1823. H. h.
red. ——— ——— H. h.
dwarf. ——— ——— H. h.
roundish-leav'd. ——— 1822. H. h.

BIRCH. Monœcia Polyandria. L.

- common. Britain. 4. 6. H. h. Eng. bot. 2198.
warted. ——— ——— H. h.
weeping. ——— ——— H. h.
palmate-leaved. ——— ——— H. h.
eastern. Asia. ——— H. h.
large-fruited. ——— ——— H. h.
pubescent. Europe. 4. 6. H. h.
Poplar-leaved. N. America. 1750. 7. H. h. Wats. dend. brit. 94.
tall. ——— 1767. 5. H. h.
Daurian. Dauria. 1786. 7. H. h.
black. N. America. 1736. 7. 8. H. h.
yellow. ——— 1816. 5. 6. H. h.
woolly. ——— 1812. ——— H. h.

- paper. ——— 1750. 5. 6. H. h. Wats. dend. brit. 151.
soft. ——— 1759. 7. H. h. ——— 144. Pall. ros. 1. t. 30.

- Hornbeam-ld. ——— 1812. ——— H. h. Wats. dend. brit. 153.
oval-leaved. Europe. 6. 7. H. h.

- shrubby. Siberia. 1816. ——— H. h. Wats. dend. brit. 96.
glandular. N. America. ——— 5. H. h.
hairy dwarf. ——— 1762. 4. 5. H. h. Wats. dend. brit. 154.

- smooth dwarf. Scotland. 5. H. h. Wats. dend. brit. 97.
large-leaved. Switzerland. 1823. ——— H. h. Eng. bot. 2326.

- dark. Kamtschatka. 1824. H. h. Wats. dend. brit. 157.
HORNBEAM. Monœcia Polyandria. L. ——— 98.

- common. Britain. 3. 5. H. h. Eng. bot. 2032.
striped-leaved. ——— ——— H. h.
cut-leaved. ——— ——— H. h.

- Oak-leaved. ——— ——— H. h.
American. N. America. 1812. ——— H. h.
eastern. Levant. 1739. 5. 6. H. h.

- HOP-HORNBEAM. Monœcia Polyandria. W. common. Italy. 1724. 5. H. h. Wats. dend. brit. 143.
American. N. America. 1692. 5. 6. H. h. Abb. ins. 2. t. 75.

- NUT-TREE. Monœcia Polyandria. L. common Hazel. Britain. 2. 4. H. h. Eng. bot. 723.

- white Filbert. ——— ——— H. h.
red Filbert. ——— ——— H. h.
oval-fruited. ——— ——— H. h.
Barcelona. Spain. ——— H. h.
Cob. ——— ——— H. h.
clustered. ——— ——— H. h.
Lambert's. S. Europe. 1759. 3. 4. H. h. Lam. ill. t. 780.

3 *americana*. w.
4 *humilis*. w.
5 *rostrata*. w.
6 *Colurna*. w.

Cuckold. N. America. 1798. — H. h. Wang, am. t. 29. f. 63.
dwarf cuckold. — ... — H. h. Willd. arb. t. 1. f. 2.
common cuckold. — 1745. — H. h. Wats. dend. brit. 99.
Constantinople. Constantinople. 1665. — H. h.

SUBORDO III. CUPULIFERÆ. Kth. synops. I. p. 353.

QUERCUS. W.

- 1 *Phellos*. w.
 β *humilis*. Ph.
2 *maritima*. w.
3 *sericea*. w.
4 *virens*. w.
5 *cinerea*. w.
6 *imbricaria*. w.
7 *laurifolia*. w.
 β *obtusa*. Ph.
8 *lutea*. w.
9 *glaucia*. w.
10 *gramuntica*. w.
11 *Ballota*. w.
12 *rotundifolia*. w.
13 *Ilex*, w.
 α *integrifolia*. H.K.
 β * *serrata*. H.K.
 γ *oblonga*. H.K.
 δ *fagifolia*. L.C.
 ε *crispa*. L.C.
14 *Suber*. w.
15 *coccifera*. w.
16 *inectoria*. w.
17 *Turneri*. w.en.
18 *Prinus*. w.
19 *bicolor*. w.
20 *montana*. w.
21 *Castanea*. w.
22 *prinoides*. w.
Chinquapin. Ph.
23 *heterophylla*. Ph.
24 *aquatica*. Ph.
25 *hemisphaerica*. w.
26 *nana*. w.
27 *triloba*. w.
28 *nigra*. w.
29 *tinctoria*. w.
30 *discolor*. w.
31 *lanuginosa*. D.P.
32 *coccinea*. w.
33 *ambigua*. M.
34 *rubra*. w.
35 *Catesbaei*. w.
36 *falcata*. M.
elongata. w.
37 *palustris*. w.
38 *Banisteri*. w.
ilicifolia. w.
39 *stellata*. w.
obtusiloba. M.
40 *macrocarpa*. w.
41 *pseudo-suber*. w.
42 *Egilops*. w.
43 *alba*. w.
44 *repanda*. L.en.
45 *Esculus*. w.

OAK.	<i>Monœcia Polyandria</i> . L.					
Willow-leaved.	N. America. 1723.	5. 6.	H. h.	Mich. arb. I. t. 12.		
dwarf.	1812.	—	H. h.	Catesb. car. I. t. 22.		
sea.	1811.	—	H. h.	Mich. querc. t. 13. f. 1.		
running.	1724.	—	H. h.	Mich. arb. 2. t. 15.		
live.	1739.	5.	H. h.	— 2. t. 11.		
ash-coloured.	1789.	5. 6.	H. h.	— 2. t. 14.		
tile-cupped.	1786.	—	H. h.	— 2. t. 13.		
Laurel-leaved.	—	5.	H. h.	Mich. querc. t. 17.		
blunt-leaved.	—	—	H. h.	— t. 18.		
yellow.	Mexico.	1825.	H. h.		
glaucous.	Japan.	1822.	H. h.	Banks ic. Kämp. t. 17.	
Holly-leaved.	S. France.	1730.	6.	H. h.		
Barbary.	Barbary.	1818.	H. h.		
round-leaved.	Spain.	—	H. h.		
evergreen.	S. France.	1581.	5. 6.	H. h.	Wats. dend. brit. 90.	
entire-leaved.	—	—	H. h.			
saw-leaved.	—	—	H. h.	Duham. arb. I. t. 123.		
long-leaved.	—	—	H. h.	— 1. t. 124.		
Beech-leaved.	—	H. h.			
curl-leaved.	—	H. h.			
Cork-tree.	—	1699.	6.	H. h.	Wats. dend. brit. 89.	
Kermes.	—	1683.	5.	H. h.	— 91.	
Levant.	Levant.	1812.	H. h.		
Turner's.	—	—	H. h.			
Chestnut-leaved.	N. America.	1730.	5. 6.	H. h.	Mich. arb. 2. t. 7.	
white swamp.	—	1811.	5.	H. h.	— 2. t. 6.	
rock Chestnut.	—	1800.	—	H. h.	— 2. t. 8.	
yellow Chestnut	—	1816.	—	H. h.	— 2. t. 9.	
dwarf Chestnut.	—	—	H. h.	— 2. t. 10.		
various-leaved.	—	—	H. h.	— 2. t. 16.		
water.	—	1723.	—	H. h.	— 2. t. 17.	
hemispherical.	—	1816.	—	H. h.	Mich. querc. t. 20. f. 2.	
dwarf.	—	1738.	—	H. h.	Abb. ins. 2. t. 59.	
three-lobed.	—	1800.	—	H. h.	Mich. querc. t. 26.	
black.	—	1739.	—	H. h.	Mich. arb. 2. t. 18.	
dyer's.	—	1800.	—	H. h.	Mich. querc. t. 24.	
two-coloured.	—	1763.	—	H. h.	— t. 25.	
Nepaul.	Nepaul.	1818.	G. h.		
scarlet.	N. America.	1691.	5.	H. h.	Mich. arb. 2. t. 23.	
gray.	—	1800.	—	H. h.	— 2. t. 24.	
champion.	—	1739.	5.	H. h.	— 2. t. 26.	
barren scrub.	—	1820.	—	H. h.	— 2. t. 20.	
downy-leaved.	—	1763.	—	H. h.	— 2. t. 21.	
marsh.	—	1800.	—	H. h.	— 2. t. 25.	
Banister's.	—	—	—	H. h.	— 2. t. 19.	
starred.	—	—	—	H. h.	— 2. t. 4.	
overcup-white.	—	1800.	—	H. h.	— 2. t. 3.	
cork-like.	Spain.	1818.	—	H. h.	Sant. itin. t. 4,	
Velanida.	S. Europe.	1731.	H. h.	Mill. dict. n. 7. t. 215.	
white.	N. America.	1724.	5.	H. h.	Mich. arb. 2. t. 1,	
repand.	—	—	—	H. h.	Mich. querc. t. 5. f. 2.	
Italian.	S. Europe.	1739.	—	H. h.		

AMENTACEÆ.

46 Robur. w. <i>sessiliflora</i> . E.B.	sessile-fruited.	Britain.	4. 5.	H. h.	Eng. bot. 1845.
47 pedunculata. w. <i>Robur</i> . E.B. non W.	common.	—	—	H. h.	Eng. bot. 1342.
48 pubescens. w.	Durmast.	England.	—	H. h.	Second. d. chen. t. 5.
49 conglomerata. P.S.	clustered.	Europe.	—	H. h.	
50 olivæformis. M.	mossy-cup.	N. America. 1811.	5.	H. h.	Mich. arb. 2. t. 2.
51 lyrata. w.	lyre-leaved.	—	1786.	H. h.	— 2. t. 5.
52 Tazin. P.S.	soft jagged-lid.	S. Europe.	—	H. h.	
β <i>laciniata</i> . Desv.	<i>cut-leaved</i> .	—	—	H. h.	
γ <i>digitata</i> . Desv.	<i>fingered</i> .	—	—	H. h.	
53 Cerris. w.	Turkey.	—	1735.	H. h.	Wats. dend. brit. 92.
α <i>frondosa</i> . H.K.	common.	—	—	H. h.	
β <i>bullata</i> . H.K.	rough-leaved.	—	—	H. h.	
γ <i>sinuata</i> . H.K.	narrow-leaved.	—	—	H. h.	
δ <i>dentata</i> . W.D.	<i>Fulham</i> .	—	—	H. h.	Wats. dend. brit. 93.
54 Lucombeana. <i>exoniensis</i> . L.C.	Lucombe's.	—	—	5. 6.	H. h.
55 austriaca. W.en.	Austrian.	Austria.	—	4. 5.	H. h.
56 mexicana. K.S.	Mexican.	Mexico.	1824.	—	G. h.
57 spicata. K.S.	spiked.	—	—	—	G. h.
58 Bonplandiana. <i>ambigua</i> . K.S. non M.	Bonpland's.	—	—	—	G. h.
FAGUS. W.	BEECH.	Monœcia Polyandria. L.			
1 americana. <i>sylvatica</i> . Ph.	white.	N. America.	—	5.	H. h.
2 sylvatica. w.	common.	Britain.	—	4. 5.	H. h.
β <i>purpurea</i> . H.K.	dark purple.	Germany.	—	—	Eng. bot. 1846.
3 ferruginea. w.	ferruginous.	N. America.	1796.	5. 6.	H. h.
4 comptoniaefolia. Desf.	Fern-leaved.	—	—	—	Mich. arb. 2. t. 9.
<i>sylvatica</i> γ <i>asppleniiifolia</i> . H.S.L.					
CASTANEA. G.	CHESTNUT.	Monœcia Polyandria. W.			
1 americana. P.S.	American.	N. America.	—	5. 6.	H. h.
2 vesca. w.	common.	England.	—	—	Mich. arb. 2. t. 6.
β <i>variegata</i> .	striped-leaved.	—	—	—	Eng. bot. 386.
γ <i>asppleniiifolia</i> .	fern-leaved.	—	—	—	
3 pumila. w.	dwarf.	N. America.	1699.	7.	H. h.
?SALISBURIA. L.T.	MAIDENHAIR-TREE.	Monœcia Polyandria. H.K.			
adiantifolia. L.T.	Japan.	Japan.	1754.	4. 5.	H. h.
<i>Ginkgo biloba</i> . L.					Wats. dend. brit. 168.

SUBORDO IV. PLATANEÆ.

PLATANUS. W.	PLANE-TREE.	Monœcia Polyandria. L.			
1 orientalis. w.	oriental.	Levant.	1548.	4. 5.	H. h.
2 cuneata. w.	wave-leaved.	—	1739.	—	H. h.
3 acerifolia. w.	Maple-leaved.	—	1724.	—	H. h.
4 occidentalis. w.	American.	N. America.	1640.	—	H. h.
LIQUIDAMBAR. W.	SWEET-GUM-TREE.	Monœcia Polyandria. L.			
1 Styraciflua. w.	Maple-leaved.	N. America.	1683.	3. 4.	H. h.
2 imberbe. w.	oriental.	Levant.	1759.	—	H. h.
					Catesb. car. 2. t. 65.

SUBORDO V. MYRICEÆ. Kth. synops. 1. p. 361.

COMPTONIA. W.	COMPTONIA.	Monœcia Triandria. W.			
<i>asppleniiifolia</i> . w.	Fern-leaved.	N. America.	1714.	3. 5.	H. h.
MYRICA. W.	CANDLEBERRY-MYRTLE.	Diœcia Tetrandria. L.			
1 Gale. w.	Sweet Gale.	Britain.	—	5.	H. h.
2 cerifera. w.	common.	N. America.	1699.	5. 6.	H. h.
3 carolinensis. Ph.	broad-leaved.	—	1730.	5.	H. h.
4 pensylvanica. Ph.	Pennsylvanian.	—	—	—	H. h.
5 Faya. w.	Azorian.	Azores.	1777.	6. 7.	F. h.
					Wats. dend. brit. 166.
					Eng. bot. 562.
					Catesb. car. 1. t. 69.
					— 1. t. 13.
					Duham. arb. ed. n. 2. t. 55
					— 2. t. 56.

6 mexicana. W.en.	Mexican.	Mexico.	1824.	6. 8.	G. h.	
7 esculenta. D.P.	eatable.	Nepaul.	—	G. h.	Jacq. ic. 3. t. 625.
8 segregata. w.	netted-leaved.	S. America.	—	G. h.	Pluk. alm. t. 48. f. 8.
9 aethiopica. w.	African.	C. B. S.	1795.	6. 7.	G. h.	Burm. afr. t. 98. f. 1.
10 serratia. w.	saw-leaved.	—	1793.	8.	G. h.	Jacq. frag. 2. t. 1. f. 4.
11 laciniata. W.en.	smooth Oak-ld.	—	1752.	6. 7.	G. h.	Pluk. alm. t. 319. f. 7.
12 quercifolia. W.en.	hairy Oak-ld.	—	—	—	G. h.	
13 cordifolia. w.	heart-leaved.	—	1759.	5. 7.	G. h.	
CASUARINA. W.	CASUARINA.	Monoclea Monandria. W.				
1 equisetifolia. w.	Horse-tail.	S. Sea Isl.	1793.	S. h.	Rumph. amb. 3. t. 57.
2 nodiflora. w.	knotted-flower'd	—	1818.	S. h.	
3 stricta. w.	upright.	N. S. W.	1775.	11. 2.	G. h.	Andr. deposit. 346.
4 distyla. w.	two-styled.	—	1812.	—	G. h.	Vent. dec. pl. nov. t. 62.
5 quadrivalvis. P.S.	four-valved.	N. Holland.	—	—	G. h.	Lab. nov. hol. 2. t. 218.
6 torulosa. w.	cork-barked.	N. S. W.	1772.	4. 6.	G. h.	
7 muricata. L.en.	muricate.	E. Indies.	1816.	S. h.	

ORDO CLX.

HAMAMELIDEÆ. Brown.

HAMAMELIS. W.

1 virginica. w.

2 macrophylla. Ph.

FOTHERGILLA. W.

1 alnifolia. w.

2 major. B.M.

3 Gardeni. Jacq.

4 serotina. B.M.

WITCH-HAZEL. Tetrandria Digynia. L.

Virginian. N. America. 1736. 11. 5. H. h.

Lodd. bot. cab. 598.

large-leaved. — 1812. — H. h.

FOTHERGILLA. Polyandria Digynia. L.

obtuse-leaved. N. America. 1765. 4. 6. H. h.

Botan. magaz. 1341.

large-leaved. — 5. 6. H. h.

— 1342.

acute-leaved. — — — H. h.

Jacq. ic. 1. t. 100.

green-leaved. — — — H. h.

ORDO CLXI.

CONIFERÆ. Juss. gen. 411.

SUBORDO I. TAXINÆ. Richard.

EPHEDRA. W.

1 distachya. w.

2 monostachya. w.

3 altissima. w.

TAXUS. W.

1 baccata. w.

2 canadensis. w.

3 ? nucifera. w.

PODOCARPUS. L'H.

1 asplenifolia. P.S.

2 elongata. P.S.

3 chinensis.

Taxus chinensis. H.B.

4 verticillata.

5 macrophylla. L.en.

6 nereifolia. L.P.

EPHEDRA. Diœcia Monadelphia. L.

great. France. 1570. 6. 7. H. h.

Schk. hand. 3. t. 339.

small. Siberia. 1772. 9. 11. H. h.

Wats. dend. brit. 142.

tall. Barbary. 1823. H. h.

Desf. atl. 2. t. 253.

YEW-TREE. Diœcia Monadelphia. L.

common. Britain. 2. 4. H. h.

Eng. bot. 746.

Canadian. Canada. 1818. — H. h.

Acorn-bearing. China. 1764. G. h.

Kämpf. amœn. t. 815.

Monoclea Monadelphia.

Fern-leaved. V. Diem. Isl. 1825. G. h.

Lab. n. holl. 2. t. 221.

African. C. B. S. 1774. 7. G. h.

Chinese. China. 5. 7. H. h.

Wax-Dammar. P. Wales Isl. 1809. S. h.

Kämpf. ic. t. 24.

Japan. 1812. G. h.

Rumph. amb. 3. t. 26.

China. 1804. 7. 8. G. h.

SUBORDO II. CUPRESSINÆ. Richard.

JUNIPERUS. W.

- 1 *thurifera*. w.
- 2 *barbadensis*. w.
- 3 *bermudiana*. w.
- 4 *chinensis*. w.
- 5 *excelsa*. w.
- 6 *Sabina*. w.
β *variegata*.
- 7 *tamariscifolia*.
- 8 *prostrata*. P.S.
- 9 *daurica*. A.R.
- 10 *virginiana*. w.
- 11 *glauca*. W.en.
- 12 *recurvra*. D.P.
- 13 *communis*. W.
- 14 *suecica*. Mill.
- 15 *nana*. w.
- 16 *Oxycedrus*. w.
- 17 *phœnicea*. w.
- 18 *lycia*. w.
- 19 *capensis*. Lam.
- 20 *drupacea*. Lab.

THUJA. W.

- 1 *occidentalis*. w.
- 2 *pyramidalis*. T.P.
- 3 *orientalis*. w.
- 4 *plicata*. L.P.
- 5 *cupressoides*. w.
- 6 *articulata*. w.
- 7 *pendula*. L.P.

CUPRESSUS. W.

- 1 *sempervirens*. w.
α *stricta*.
β *horizontalis*.
- 2 *lusitanica*. w.
- 3 *pendula*. Th.
- 4 *thyoides*. w.
- 5 *bacciformis*. W.en.
- 6 *jumperoides*. w.
- 7 *australis*. P.S.

TAXODIUM. Rich.

- distichum*. Rich.
Cupressus disticha.
α *patens*. H.K.
β *nutans*. H.K.

DACRYDIUM. L.P.

- cupressinum*. L.P.

JUNIPER. Diœcia Monadelphia. L.

- | | | | | |
|-------------------|------------------|-------|-------|-------|
| Spanish. | S. Europe. | 1752. | 5. 6. | H. h. |
| Barbadoes. | Barbadoes. | 1811. | | G. h. |
| Bermudas | Cedar. Bermudas. | 1683. | 5. 6. | F. h. |
| Chinese. | China. | 1804. | 5. 6. | H. h. |
| tall. | Siberia. | 1806. | | H. h. |
| Savin. | S. Europe. | 1548. | 5. 6. | H. h. |
| variegated. | — | — | — | H. h. |
| Tamarisk-ld. | — | — | — | H. h. |
| prostrate. | N. America. | | — | H. h. |
| Daurian. | Dauria. | 1791. | 6. 8. | H. h. |
| red Cedar. | N. America. | 1664. | 5. 6. | H. h. |
| glaucous. | China. | 1814. | — | H. h. |
| recurve-branch'd. | Nepaul. | 1822. | | H. h. |
| common. | Britain. | | 5. 6. | H. h. |
| Swedish. | N. Europe. | | — | H. h. |
| dwarf. | Siberia. | 1815. | — | H. h. |
| brown-berried. | Spain. | 1739. | — | H. h. |
| Phœnician. | S. Europe. | 1683. | — | H. h. |
| Lycian. | — | 1693. | — | H. h. |
| Cape. | C. B. S. | 1816. | | G. h. |
| drupaceous. | — | — | — | H. h. |

ARBOR-VITÆ. Monœcia Monadelphia. L.

- | | | | | |
|----------------------------------|---------------|-------|-------|-------|
| American. | N. America. | 1596. | 5. | H. h. |
| pyramidal. | — | 1824. | — | H. h. |
| Chinese. | China. | 1752. | 2. 3. | H. h. |
| Fee's. | Nootka sound. | 1796. | — | H. h. |
| African. | C. B. S. | 1799. | | G. h. |
| jointed. | Barbary. | 1815. | 2. 5. | F. h. |
| weeping. | Tartary. | 1810. | — | H. h. |
| CYPRESS. Monœcia Monadelphia. L. | — | — | — | — |
| common. | Candia. | 1548. | 5. | H. h. |
| upright. | — | — | — | H. h. |
| horizontal. | — | — | — | H. h. |
| Cedar of Goa. | Goa. | 1683. | 4. 5. | F. h. |
| pendulous. | Japan. | 1818. | | F. h. |
| white Cedar. | N. America. | 1736. | 4. 5. | H. h. |
| berry-like. | — | 1818. | — | H. h. |
| African. | C. B. S. | 1756. | — | G. h. |
| New Holland. | N. Holland. | — | — | G. h. |

TAXODIUM. Monœcia Monadelphia.

- | | | | | |
|------------------------------|----------|-------|----|-------|
| deciduous. | America. | 1640. | 5. | H. h. |
| w. <i>Schubertia</i> . Mirb. | — | — | — | — |
| spreading. | — | — | — | H. h. |
| long-leaved. | — | — | — | H. h. |

DACRYDIUM. Monœcia Monadelphia.

- N. Zealand spruce. N. Zealand. 1825. G. h.

Pluk. alm. t. 197. f. 4.
Herm. lugd. t. 347.

Andr. deposit. 534.
Mich. arb. 3. t. 5.

Eng. bot. 1100.

Pall. ros. 2. t. 54. f. A.B.
Duham. arb. 2. t. 128.
Pall. ros. 2. t. 57.
— 2. t. 56.

Wats. dend. brit. 150.

Wats. dend. brit. 149.
Lamb. pin. v. 2. p. 19. t.

Vahl. symb. 2. t. 48.
Lamb. pin. v. 2.

Pall. ros. 2. t. 53.

Lamb. pin. 95. t. 42.

Wats. dend. brit. 156.

Mich. arb. 3. t. 1.

Lamb. pin. v. 1. t. 41.

SUBORDO III. ABIETINÆ. Richard.

DAMMARA. L.P.

- 1 *australis*. L.P.
- 2 *orientalis*. L.P.
- loranthifolia. L.en.

ARAUCARIA. J.

- 1 *imbricata*. w.
- 2 *brasiliiana*. L.P.
- 3 *excelsa*. H.K.

Dombeya excelsa. L.P.

DAMMARA. Monœcia Monadelphia. L.en.

- | | | | | |
|----------------------|-------------|-------|------|-------|
| Cowrie-tree. | N. Zealand. | 1823. | | G. h. |
| Amboyna pitchi-tree. | Amboyna. | 1804. | | S. h. |

Lamb. pin. 2. p. 14. t. 6.
— v. 1. t. 38. — v. 2. p. 16.

ARAUCARIA. Diœcia Monadelphia. W.

- | | | | | |
|-----------------|--------------|-------|------|-------|
| Chili Pine. | Chili. | 1796. | | H. h. |
| Brazil Pine. | Brazil. | 1816. | | G. h. |
| Norfolk Island. | Norfolk Isl. | 1793. | | G. h. |

Lamb. pin. 2. p. 9. t. 4. B.
— 2. p. 12. t. 5.
— 1. t. 39. 40.

BELIS. L.T. jaculifolia. L.T. <i>Pinus lanceolata</i> . L.F.	BELIS. <i>Monocæcia Monadelphia</i> . L.en. spear-leaved. China. 1804. G. h. Lamb.pin.l.p.52. t.34.
PINUS. W.	PINE or FIR. <i>Monocæcia Monadelphia</i> . W.
1 sylvestris. w.	Scotch. Scotland. 5. H. h. Lamb. pin. l. t. 1.
2 Larioio. P.S.	Corsican. Corsica. 1814. 4. 5. H. h. — v. 2. p. 28. t. 9.
3 uncinata. DC.	hooked. Pyrenees. 1820. H. h.
4 Pumilio. w.	upright-coned. Carniola. 1779. 4. 5. H. h. Lamb. pin. p. 5. t. 2.
5 Mughus. W.	nodding-coned. Austria. H. h. Jacq. ic. 1. t. 193.
6 pungens. M.	prickly-coned. N.America. 1804. H. h. Mich. arb. l. t. 5.
7 Banksiana. Ph.	Hudson's Bay. Hudson's bay. 1785. 5. 6. H. h. Lamb. pin. p. 7. t. 3.
8 Pallasiana. L.P.	Pallas's. Crimea. 1804. — H. h. — v. 2. p. 1. t. 1.
9 Pinaster. w.	cluster. S. Europe. 1596. 4. 5. H. h. — v. 1. p. 9. t. 4.5.
10 Pinea. w.	stone. — 1548. 5. H. h. — v.1.p.11.t.6.7.8.
11 maritima. w.	maritime. — 1759. 5. 6. H. h. — v. 2. p. 30. t. 10.
12 halepensis. w.	Aleppo. Levant. 1683. 5. H. h. — v.1.p.15. t.11.
13 inops. Ph.	Jersey. N.America. 1739. — H. h. — v.1. p. 18. t.13.
14 resinosa. Ph.	pitch. — 1756. — H. h. — v.1. p. 20. t.14.
15 variabilis. Ph.	2 and 3-leaved. — 1739. 5. 6. H. h. — v.1. p. 22. t.15.
16 canariensis. L.en.	Canary. Canaries. 1815. G. h.
17 Clanbrassiliiana. L.C.	dwarf. — 1810. H. h.
18 Tæda.. Ph.	frankincense. N.America. 1713. 5. 6. H. h. — v.1.p.23.t.16.17.
19 serotina. Ph.	Fox-tail. — — — — H. h. Mich. arb. l. t. 7.
20 rigida. Ph.	three-leaved. — 1759. — H. h. Lamb.pin.p.25.t.18.19.
21 palustris. Ph.	swamp. — 1730. H. h. — p. 27. t. 20.
22 longifolia. w.	long-leaved. E. Indies. 1801. H. h. — p. 29. t. 21.
23 occidentalis. w.	West Indian. W. Indies. 1820. S. h. Plum. sp. 17. t.161.
24 Cembra. w.	Siberian stone. Siberia. 1746. 5. H. h. Lamb.pin.p.34.t.23.24.
25 Strobus. w.	Weymouth. N.America. 1705. 4. H. h. — p. 31. t. 22.
26 excelsa. D.P.	Bhotan. Nepaul. 1822. H. h. — v. 2. p. 5. t. 3.
27 Cedrus. w.	Cedar of Lebanon. Levant. 1683. 5. H. h. — v.1. p. 59. t.37.
28 Deodara. L.P.	Indian Cedar. Nepaul. 1822. H. h. — v. 2. p. 8. t.4.
29 pendula. w.	black Larch. N.America. 1739. 5. H. h. — v.1. p. 56. t.36.
30 microcarpa. w.	red Larch. — 1760. — H. h. — p. 58. t. 37.
31 Larix. w.	common Larch. Germany. 1629. 3. 4. H. h. — p. 53. t. 35.
32 canadensis. w.	hemlock Spruce. N.America. 1736. 5. H. h. — p. 50. t. 32.
33 dumosa. D.P.	bushy. Nepaul. 1820. H. h.
34 taxifolia. Ph.	Yew-leaved. Columbia. 1822. H. h. Lam. pin.v.1.p.51.t.33.
35 nigra. Ph.	black Spruce. N.America. 1700. 5. H. h. — v. 1. p.41. t.27.
36 rubra. Ph.	red Spruce. — 1755. — H. h. — v.1. p. 43. t.28.
37 alba. Ph.	white Spruce. — 1700. 5. 6. H. h. — v.1. p. 39. t.26.
38 Abies. w.	Norway Spruce. N. Europe. 1548. 4. H. h. — v.1. p. 37. t. 25.
39 Picea. w.	silver Fir. Germany. 1603. 5. H. h. — p. 46. t. 30.
40 spectabilis. D.P.	purple-coned. Nepaul. 1825. H. h. — v. 2. p. 3. t. 2.
41 Balsamea. w.	Balm of Gilead. N.America. 1696. 5. H. h. — v. 1. p. 48. t.31.
42 Fraseri. Ph.	double balsam. Pennsylvania. 1811. — H. h.
43 adunca. Bosc.	crooked. — 1822. H. h.
44 Romania. H.Bel.	Roman. — — — — H. h.
45 sibirica. Dut.	Siberian. Siberia. — — — — H. h.
46 Pichta. F.	pigmy. — 1824. H. h.
47 orientalis. w.	oriental. Levant. — — — — H. h. Lamb.pin.v.1.p.45.t.29

CLASSIS II.

MONOCOTYLEDONEÆ seu ENDOGENÆ. DC.

* SUBCLASSIS I. *PHANEROGANEÆ. DC.*

ORDO CLXII.

CYCADEÆ. *Brown prodr. 346.*

ZAMIA. W.

- 1 pungens. w.
 - 2 cycadifolia. w.
 - 3 tridentata. w.
 - 4 angustifolia. Jac.
 - 5 tenuis. w.
 - 6 media. w.
 - 7 debilis. w.
 - 8 integrifolia. w.
 - 9 pygmæa. B.M.
 - 10 furfuracea. w.
 - 11 spiralis. B.P.
 - 12 longifolia. w.
 - 13 lanuginosa. w.
 - 14 Cycadis. w.
 - 15 horrida. w.
 - 16 latifolia. L.C.
 - 17 prunifera. L.C.
 - 18 pumila. L.C.
 - 19 repanda. L.C.
- ZYCAS. W.**
- 1 circinalis. w.
 - 2 glauca. L.en.
 - 3 revoluta. w.
 - 4 squamosa. L.C.

ZAMIA. Diœcia Polyandria. W.

needle.	C. B. S.	1775.	G. $\frac{1}{2}$.	Till. pis. 129. t. 45.
Cycas-leaved.	—	—	G. $\frac{1}{2}$.	Jacq. frag. 1. t. 25. 26.
three-toothed.	—	1820.	G. $\frac{1}{2}$.	
narrow-leaved.	Bahama Isl.	7. 8.	S. $\frac{1}{2}$.	Jacq. ic. 3. t. 636.
slender-leaved.	—	1823.	S. $\frac{1}{2}$.	
intermediate.	W. Indies.	7. 8.	S. $\frac{1}{2}$.	Botan. magaz. 1838.
weak.	—	1777.	—	S. $\frac{1}{2}$.	Comm. hort. 1. t. 58.
dwarf.	—	1768.	—	S. $\frac{1}{2}$.	Botan. magaz. 1851.
least.	—	5.	S. $\frac{1}{2}$.	— 1741.
chaffy.	—	1691.	7. 8.	S. $\frac{1}{2}$.	Trew ehret. t. 61.
spiral.	N. S. W.	1796.	—	G. $\frac{1}{2}$.	
long-leaved.	C. B. S.	1820.	G. $\frac{1}{2}$.	Jacq. frag. 1. t. 29.
woolly.	—	G. $\frac{1}{2}$.	— 1.t.30.31.
Cycas-like.	—	1775.	G. $\frac{1}{2}$.	Thunb. a. ups. 2. t.6.
glaucous spiny.	—	1800.	G. $\frac{1}{2}$.	Jacq. frag. t. 27. 28.
broad-leaved.	—	G. $\frac{1}{2}$.	
Plum-like.	—	S. $\frac{1}{2}$.	
small.	—	S. $\frac{1}{2}$.	
repand.	—	S. $\frac{1}{2}$.	
ZYCAS. Diœcia Polyandria. W.					
broad-leaved.	E. Indies.	1700.	S. $\frac{1}{2}$.	Rheed. mal. 8. t. 13-21
glaucous-l'd.	—	1814.	S. $\frac{1}{2}$.	
narrow-leaved.	China.	1737.	7. 8.	S. $\frac{1}{2}$.	Linn. trans. 6. t. 29.
scaly.	—	S. $\frac{1}{2}$.	

ORDO CLXIII.

HYDROCHARIDEÆ. *Brown prodr. 344.*

VALLISNERIA. L.

spiral. L.

HYDROCHARIS. L.

Morsus-ranae. L.

DAMASONIUM. W.

1 indicum. w.

2 ovalifolium. B.P.

STRATIOTES. W.

aloides. w.

VALLISNERIA. Diœcia Diandria. L.

S. Europe. 1818. G.w. $\frac{1}{2}$. Mich.n.g.12.t.10.f.1.2.

FROG-BIT. Diœcia Enneandria. L.

common. Britain. 6. 7. H.w. $\frac{1}{2}$. Eng. bot. 808.

DAMASONIUM. Hexandria Polygynia. W.

Indian. E. Indies. 1800. 7. 9. S.w. $\frac{1}{2}$. Botan. magaz. 1201.

oval-leaved. N. S. W. 1820. — G.w. $\frac{1}{2}$.

WATER-SOLDIER. Diœcia Dodecadandra. L.

Aloe-like. England. 6. 7. H.w. $\frac{1}{2}$. Eng. bot. 379.

ORDO CLXIV.

ALISMACEÆ. *Kth. synops.* 1. p. 261.

SAGITTARIA. W.

- 1 sagittifolia. w.
2 latifolia. Ph.
3 sinensis. B.M.
4 obtusifolia.
5 Doniana.
hastata. D.P. *non* Ph.

	ARROW-HEAD.	Monœcia Polyandria. L.	
1 sagittifolia. w.	common.	England.	6. 8. H.w. 4. Eng. bot. 84.
2 latifolia. Ph.	broad-leaved.	N.America. 1816.	6. 8. H.w. 4.
3 sinensis. B.M.	Chinese.	China. 1812.	9. 11. G.w. 4. Botan. magaz. 1631.
4 obtusifolia.	blunt-leaved.	1804.	7. 8. G.w. 4. Rheed. mal. 11. t. 45.
5 Doniana.	Don's.	Nepaul. 1820.	— G.w. 4.

6 hastata. Ph.

- 7 obtusa. Ph.
8 heterophylla. Ph.
9 laucifolia. w.
10 falcata. Ph.
11 rigida. B.M.
12 graminea. Ph.
13 natans. M.

6 hastata. Ph.	hastate-leaved.	N.America. 1816.	— H.w. 4.
7 obtusa. Ph.	obtuse-leaved.	1822.	6. 9. H.w. 4.
8 heterophylla. Ph.	various-leaved.	—	6. 8. H.w. 4.
9 laucifolia. w.	lance-leaved.	W. Indies. 1787.	6. 7. G.w. 4. Botan. magaz. 1792.
10 falcata. Ph.	falcate-leaved.	Carolina. 1811.	— H.w. 4.
11 rigida. B.M.	brittle-leaved.	N.America. 1806.	— H.w. 4. ————— 1632.
12 graminea. Ph.	grass-leaved.	Carolina. 1812.	7. 8. H.w. 4.
13 natans. M.	floating.	—	H.w. 4.

ACTINOCARPUS. B.P. ACTINOCARPUS. Hexandria Hex-Octagynia.

- 1 minor. B.P.
2 Damasonium.

Alisma Damasonium.

1 minor. B.P.	small.	N. S. W.	5. 8. G.w. 4.
2 Damasonium.	common.	England.	6. 8. H.w. 4. Eng. bot. 1615.

ALISMA. B.P.

- 1 Plantago. w.
2 lanceolata. with.
3 trivialis. Ph.
4 parnassifolia. w.
5 natans. E.B.
6 ranunculoides. E.B.
7 repens. Cav.

WATER-PLANTAIN. Hexandria Polygynia. L.

1 Plantago. w.	greater.	Britain.	6. 7. H.w. 4. Eng. bot. 837.
2 lanceolata. with.	spear-leaved.	—	H.w. 4.
3 trivialis. Ph.	blunt-leaved.	N.America. 1816.	— H.w. 4.
4 parnassifolia. w.	Parnassus-ld.	Italy. 1824.	— H.w. 4.
5 natans. E.B.	floating.	Wales.	7. 8. H.w. 4. Eng. bot. 775.
6 ranunculoides. E.B.	lesser.	Britain.	8. H.w. 4. ————— 326.
7 repens. Cav.	creeping.	England.	9. 10. H.w. 4. Cavan. ic. 1. t. 55.

ORDO CLXV.

BUTOMEÆ. *Kth. synops.* 1. p. 260.

BUTOMUS. L.

- 1 umbellatus. L.
2 latifolius. D.P.

FLOWERING RUSH. Enneandria Hexagynia. L.

1 umbellatus. L.	umbelled.	Britain.	6. 7. H.w. 4. Eng. bot. 651.
2 latifolius. D.P.	broad-leaved.	Nepaul. 1823.	— H.w. 4.

LIMNOCHARIS. K.S. LIMNOCHARIS. Polyandria Polygynia. B.M.

- Plumieri. k.s. Plumier's. S. America. 1822. 6. 10. S. 3. Botan. magaz. 2525.
emarginata. H. et B. pl. æq. 1. t. 34. *Alisma flava.* L.

ORDO CLXVI.

JUNCAGINEÆ. *Kth. synops.* 1. p. 258.

SCHEUCHZERIA. L. SCHEUCHZERIA. Hexandria Trigynia. L.

- palustris. E.B.
TRIGLOCHIN. L.

palustris. E.B.	marsh.	England.	5. 6. H.w. 4. Eng. bot. 1801.
TRIGLOCHIN. L.	ARROW-GRASS.	Hexandria Trigynia. L.	

- 1 elatum. N. long-spiked. N.America. 1820. 5. 8. H.w. 4.

2 maritimum. E.B.	sea-side.	Britain.	—	H.w. 4. Eng. bot. 255.
3 palustre. E.B.	marsh.	7. 8.	H.w. 4.	— 366.
4 decipiens. B.P.	New Holland.	N. S. W.	1820.	—	G. 4.
5 Barrelieri. s.s.	Barrelier's.	Italy.	1825.	—	H. 4.
6 bulbosum. B.M.	bulbous-rooted.	C. B. S.	1806.	10.	G. 4. Botan. magaz. 1445.

ORDO CLXVII.

FLUVIALES. *Kth. synops. 1. p. 134.*

POTAMOGETON. L. POND-WEED.	Tetrandria Tetragynia. L.
1 natans. E.B.	broad-leaved. Britain. 7. 8. H.w. 4. Eng. bot. 1822.
2 heterophyllum. E.B.	various-leaved. ——— 7. 9. H.w. 4. ——— 1285.
3 perfoliatum. E.B.	perfoliate. ——— 7. 8. H.w. 4. ——— 168.
4 densum. E.B.	close-leaved. ——— 5. 7. H.w. 4. ——— 397.
5 fluitans. E.B.	long-leaved. ——— 7. 9. H.w. 4. ——— 1286.
6 lucens. E.B.	shining. ——— 6. 8. H.w. 4. ——— 376.
7 lanceolatum. E.B.	spear-leaved. England. 7. 8. H.w. 4. ——— 1985.
8 crispum. E.B.	curled. Britain. 6. 7. H.w. 4. ——— 1012.
9 compressum. E.B.	flat-stalked. ——— ——— H.w. 4. ——— 418.
10 cuspidatum. E.F.	sharp-pointed. ——— 7. H.w. 4. Loes. pruss. t. 66.
11 gramineum. E.B.	Grass-leaved. ——— 7. 8. H.w. 4. Eng. bot. 2253.
12 pusillum. E.B.	small. ——— ——— H.w. 4. ——— 215.
13 pectinatum. E.B.	Fennel-leaved. ——— 6. 7. H.w. 4. ——— 323.
RUPPIA. L.	RUPPIA. Tetrandria Tetragynia. L.
maritima. E.B.	sea. Britain. 8. 9. H.w. 4. Eng. bot. 136.
APONOGETON. L.	APONOGETON. Hex-Dodecandra Tri-Tetragynia.
1 monostachyon. w.	simple-spiked. E. Indies. 1803. 8. 10. S.w. 4. Andr. reposit. 406.
2 distachyon. w.	broad-leaved. C. B. S. 1788. 5. 7. G.w.b. Botan. magaz. 1293.
3 angustifolium. w.	narrow-leaved. ——— 4. 9. G.w.b. ——— 1268.
CERATOPHYLLUM. L. HORNWORT.	Monœcia Polyantria. L.
1 demersum. E.B.	spiny-fruited. Britain. 7. 9. H.w. 4. Eng. bot. 947.
2 submersum. E.B.	naked-fruited. ——— 9. H.w. 4. ——— 679.
NAJAS. L.	NAJAS. Monœcia-Tetrandria. L.
monosperma. w.	single-seeded. Europe. 1816. 7. 9. H.w. 4. Mich. N.gen. 11.t.8.f.2.
ZANNICHELLIA. L.	WATER-WEED. Monœcia Monandria. L.
palustris. E.B.	horned. Britain. 7. 8. H.w. 4. Eng. bot. 1844.
CALLITRICE. L.	WATER-STARWORT. Monandria Dignynia. L.
1 verna. E.F.	vernal. Britain. 4. 10. H.w. 4. Eng. bot. 722.
<aquatica. a="" e.b.<=""></aquatica.>	
2 autumnalis. E.F.	autumnal. ——— 6. 10. H.w. 4. Loes. prus. t. 38.
LEMNA. L.	DUCK-WEED. Monoœcia Diandria.
1 trisulca. E.B.	Ivy-leaved. Britain. 5. 6. H.w. 4. Eng. bot. 926.
2 minor. E.B.	lesser. ——— 6. 7. H.w. 4. ——— 1095.
3 gibba. E.B.	thick-leaved. ——— ——— H.w. 4. ——— 1233.
4 polyrrhiza. E.B.	greater. ——— 7. 8. H.w. 4. ——— 2458.

ORDO CLXVIII.

HIPPURIDEÆ. *Link enum. h. ber. 1. p. 5.*

HIPPURIS. L.	MARE'S-TAIL.	Mónandria Monogynia. L.
vulgaris. L.	common.	Britain. 5. H.w. 4. Eng. bot. 763.

ORDO CLXIX.

PANDANEÆ. *Brown prodr.* 340.

PANDANUS. L:	SCREW-PINE.	Diœcia Monandria. L:			
1 integrifolius. Lour.	entire-leaved.	China. 1823.	S. h.		
2 odoratissimus. W.	green-spined.	——— 1771.	S. h.	Roxb. corom. 1. t. 94--6.	
3 utilis. W.en.	red-spined.	———	S. h.	
4 humili. W.	dwarf.	Mauritius.	S. h.	Jacq. fragm. t. 14. f. 2.	
5 latifolius. L.C.	broad-leaved.	E. Indies. 1820.	S. h.	
6 foetidus. H.B.	strong scented.	——— 1822.	S. h.	
7 marginatus. H.B.	red-margined.	Mauritius. 1823.	S. h.	
8 furcatus. H.B.	forked.	E. Indies. ——	S. h.	Rheed. mal. 2. t. 8.
9 pedunculatus. B.P.	peduncled.	N. Holland. 1825.	S. h.	
10 spiralis. B.P.	spiral.	——— 1805.	S. h.	
11 amaryllifolius. H.B.	Amaryllis-ld.	E. Indies. 1820.	S. h.	
12 inermis. H.B.	spineless.	———	S. h.	
13 albus. L.C.	white-spined.	——— 1823.	S. h.	
14 reflexus. L.C.	reflexed-ld.	——— 1820.	S. h.	
15 longifolius. L.C.	long-leaved.	——— 1823.	S. h.	
16 turbinatus. L.C.	top-shaped.	——— ——	S. h.	
PHYTELEPHAS. R.P.	PHYTELEPHAS.	Diœcia Polyandria. P.S.			
macrocarpa. R.P.	large-fruited.	Peru. 1822.	S. h.		

ORDO CLXX.

TYPHINÆ. *Kth. synops.* 1. p. 132.

TYPHA. L.	CAT'S-TAIL.	Monocècia Triandria. L.	
1 latifolia. E.B.	great.	Britain. 7.	H.w. 4. Eng. bot. 1455.
2 media. D.C.	dwarf.	England. ——	H.w. 4. —— 1457.
minor. E.B.			
3 angustifolia. E.B.	lesser.	Britain. ——	H.w. 4. Eng. bot. 1456.
4 minima. W.	least.	Europe. 1819. ——	H.w. 4.
SPARGANIUM. L.	BUR-REED.	Monocècia Triandria. L.	
1 ramosum. E.B.	branched.	Britain. 7. 8.	H.w. 4. Eng. bot. 744.
2 simplex. E.B.	unbranched.	——— ——	H.w. 4. —— 745.
3 americanum. N.	American.	N.America. 1823.	— H.w. 4.
4 natans. E.B.	floating.	England. 7.	H.w. 4. Eng. bot. 273.

ORDO CLXXI.

AROIDÆ. *Juss. gen.* 23.Sect. I. ORONTIACEÆ. *Brown prodr.* 1. p. 337.

POTHOS. L.	POTHOS.	Tetrandria Monogynia. L.	
1 scandens. R.S.	climbing.	E. Indies. 1818. 4. 6.	S. h. ~. Rheed. mal. 7. t. 40.
2 officinalis. F.I.	officinal.	——— 1820. 4. 7.	S. h. ~.

AROIDEÆ.

3 Peepla. F.I.	Peeplee.	E. Indies.	1820.	4. 7.	S. $\frac{1}{2}$.	—
4 gigantea. F.I.	gigantic.	—	1824.	—	S. $\frac{1}{2}$.	—
5 pertusa. F.I.	perforated.	—	—	—	S. $\frac{1}{2}$.	Rheed. mal. 12. t. 20. 21.
6 lanceolata. R.S.	lance-leaved.	Barbadoes.	1790.	4. 7.	S. $\frac{1}{2}$.	Plum. amer. 47. t. 62.
7 acaulis. R.S.	stemless.	W. Indies.	—	—	S. $\frac{1}{2}$.	Lodd. bot. cab. 483.
8 violacea. R.S.	blue-fruited.	Jamaica.	1793.	4. 6.	S. $\frac{1}{2}$.	Hook. exot. flor. 55.
9 cannæfolia. R.S.	sweet-scented.	W. Indics.	1785.	4. 5.	S. $\frac{1}{2}$.	Botan. magaz. 603.
10 crassinervia. R.S.	thick-nerved.	S. America.	1796.	4. 6.	S. $\frac{1}{2}$.	Jacq. ic. 3. t. 609.
11 cordata. R.S.	heart-leaved.	—	1770.	4.	S. $\frac{1}{2}$.	Plum. ic. 26. t. 38.
12 sagittata. B.M.	arrow-leaved.	W. Indies.	1800.	8.	S. $\frac{1}{2}$.	Botan. magaz. 1584.
13 macrophylla. R.S.	large-leaved.	—	1794.	5. 6.	S. $\frac{1}{2}$.	Jacq. ic. 3. t. 610.
14 obtusifolia. R.S.	blunt-leaved.	Barbadoes.	1790.	—	S. $\frac{1}{2}$.	—
15 coriacea. H.E.F.	leathery.	Brazil.	1824.	6.	S. $\frac{1}{2}$.	Hook. ex. flor. 210.
16 Harrisii. H.E.F.	Harris's.	—	—	—	S. $\frac{1}{2}$.	— 211.
17 pinnata. W.	wing-leaved.	E Indies.	1820.	—	S. $\frac{1}{2}$.	Rumph. amb. 5. t. 183. f. 2
18 decursiva. F.I.	pinnatifid-l'd.	—	1824.	—	S. $\frac{1}{2}$.	—
19 heterophylla. F.I.	various-leaved.	—	1822.	—	S. $\frac{1}{2}$.	—
20 Lasia. F.I.	prickly.	—	1819.	—	S. $\frac{1}{2}$.	—
21 digitata. R.S.	fingered.	Caracas.	1823.	—	S. $\frac{1}{2}$.	Jacq. ic. 3. t. 611.
22 palmata. R.S.	palmated.	S. America.	1803.	6. 7.	S. $\frac{1}{2}$.	Plum. amer. t. 64. 65.
23 pentaphylla. R.S.	five-leaved.	Cayenne.	—	10. 11.	S. $\frac{1}{2}$.	Botan. magaz. 1375.
24 rubrinervia. L.en.	red-nerved.	S. America.	1820.	—	S. $\frac{1}{2}$.	—
25 Scolopendrium. Spr.	Hart's-tongue.	—	1820.	—	S. $\frac{1}{2}$.	—
SYMPLOCARPUS. N.	SCUNKWEED.	Tetrandria Monogynia. N.	—	—	—	—
fœtidus. n.	fœtid.	N. America.	1735.	3. 5.	H. $\frac{1}{2}$.	Swt. br. fl. gar. 57.
Pothis fœtida. B.M.	836. <i>Dracontium fœtidum</i> . w.	—	—	—	—	—
DRACONTIUM. W.	DRAGON.	Heptandria Monogynia. L.	—	—	—	—
1 polyphyllum. w.	purple-stalk'd.	India.	1759.	3. 6.	S. $\frac{1}{2}$.	Botan. regist. 700.
2 spinosum. w.	prickly.	Ceylon.	—	4. 5.	S. $\frac{1}{2}$.	—
GYMNOSTACHYS. B.P.	GYMNOSTACHYS.	Tetrandria Monogynia.	—	—	—	—
anceps. B.P.	flat-stemmed.	N. S. W.	1820.	6. 8.	G. $\frac{1}{2}$.	—
HOUTTUYNIA. J.	HOUTTUYNIA.	Polyandria Polygynia. P.S.	—	—	—	—
cordata. P.S.	heart-leaved.	China.	1820.	6. 8.	G. $\frac{1}{2}$.	Thunb. jap. 26.
CARLUDOVICA. R.P.	CARLUDOVICA.	Monœcia Polyandria. P.S.	—	—	—	—
1 palmata. R.S.	palmate.	S. America.	1818.	—	S. $\frac{1}{2}$.	—
Salvia palmata. R.S.	<i>Ludovia palmata</i> . P.S.	—	—	—	—	—
2 latifolia. R.P.	broad-leaved.	Peru.	1819.	—	S. $\frac{1}{2}$.	Lodd. bot. cab. 1068.
3 angustifolia. R.P.	narrow-leav'd.	—	—	—	S. $\frac{1}{2}$.	—
4 jamaicensis. L.C.	Jamaica.	Jamaica.	1823.	—	S. $\frac{1}{2}$.	—
CYCLANTHUS. J.	CYCLANTHUS.	—	—	—	—	—
Plumieri. J.	Plumier's.	W. Indies.	1820.	—	S. $\frac{1}{2}$.	—
ACORUS. L.	SWEET-FLAG.	Hexandria Monogynia. L.	—	—	—	—
1 Calamus. s.s.	common.	Britain.	—	6. 7.	H.w. $\frac{1}{2}$.	Eng. bot. 356.
2 terrestris. s.s.	Chinese.	China.	1822.	—	H.w. $\frac{1}{2}$.	—
3 gramineus. s.s.	grass-leaved.	—	1786.	2.	H.w. $\frac{1}{2}$.	Smith spic. 15. t. 17.
ORÖNTIUM. L.	ORÖNTIUM.	Hexandria Monogynia. L.	—	—	—	—
aquaticum. s.s.	aquatic.	N. America.	1775.	6.	H. $\frac{1}{2}$.	Hook. ex. flor. 19.
ROHDEA. S.S.	ROHDEA.	Hexandria Monogynia. S.S.	—	—	—	—
japonica. s.s.	Japan.	Japan.	1788.	1. 4.	H. $\frac{1}{2}$.	Botan. magaz. 898.
<i>Orontium japonicum</i> . B.M.	TUPISTRÆ.	Hexandria Monogynia. S.S.	—	—	—	—
squalida. B.M.	brown-flow'r'd.	E. Indies.	1810.	4. 6.	S. $\frac{1}{2}$.	Botan. regist. 704.
ASPIDISTRA. B.R.	ASPIDISTRA.	Octandria Monogynia. S.S.	—	—	—	—
lurida. B.R.	brown-flow'r'd.	China.	1820.	2. 4.	S. $\frac{1}{2}$.	Botan. regist. 628.
punctata. B.R. 977.	—	—	—	—	—	—

Sect. II. AROIDEÆ VERÆ. Brown prodr. 335.

CALLA. K.S.	CALLA.	Heptandria Monogynia. L.	—	—	—	—
1 palustris. w.	marsh.	N. Europe.	1768.	7. 8.	H.w. $\frac{1}{2}$.	Botan. magaz. 1831.
2 pertusa. k.s.	perforated.	W. Indies.	1752.	4. 6.	S. $\frac{1}{2}$.	Jacq. schœn. 2. t. 184. 5.
<i>Dracontium perlungum</i> . Jacq.	—	—	—	—	—	—
3 aromaticæ. B.M.	aromatic.	E. Indies.	1817.	—	S. $\frac{1}{2}$.	Botan. magaz. 2279.
4 occulta. B.C.	hidden-spiked.	China.	1817.	5. 7.	G. $\frac{1}{2}$.	Lodd. bot. cab. 12.
RICHARDIA. Kth.	RICHARDIA.	Heptandria Monogynia.	—	—	—	—
æthiopica. Kth.	Ethiopian.	C. B. S.	1731.	1. 5.	G. $\frac{1}{2}$.	Botan. magaz. 832.
<i>Calla æthiopica</i> . B.M.	—	—	—	—	—	—

ARUM. W.	
1 crinitum. w.	Monœcia Polyandria. L.
2 Dracunculus. w.	hairy-sheathed. Minorca. 1777. 3. 4. F. 4.
3 Dracontium. w.	common Dragon. S. Europe. 1548. 6. 7. H. 4.
4 bulbiferum. B.M.	green Dragon. N. America. 1759. 6. H. 4.
5 venosum. w.	bulb-bearing. E. Indies. 1813. 3. 6. S. 4.
6 campanulatum. H.B.	purple-flow'r'd. 1774. 3. S. 4.
7 triphyllum. w.	bell-flowered. E. Indies. 1816. 4. 6. S. 4.
β Zebrinum. B.M.	three-leaved. N. America. 1664. 5. 6. H. 4.
8 pedatum. W.en.	striped. ——— ——— H. 4.
9 polyphyllum. L.en.	pedate-leaved. S. America. 1815. ——— S. 4.
10 ringens. w.	many-leaved. 1818. ——— S. 4.
11 atrorubens. w.	gaping. Japan. 1822. ——— G. 4.
12 ternatum. w.	purple-stalked. N. America. 1758. 6. 7. H. 4.
13 Colocasia. w.	Japan. 1774. 5. 7. F. 4.
14 orixense. B.P.	Egyptian. Levant. 1551. 6. 8. G. 4.
15 macrorhizone. w.	Orixian. E. Indies. 1802. 8. 10. S. 4.
16 pictum. w.	long-rooted. 1803. S. 4.
17 divaricatum. w.	white-veined. S. Europe. 1820. 5. 6. H. 4.
18 trilobatum. w.	divaricated. E. Indies. 1759. 6. 7. S. 4.
β auriculatum. B.M.	three-lobed. Ceylon. 1714. 5. 6. S. 4.
19 maculatum. w.	eared. ——— ——— S. 4.
20 orientale. M.B.	common. Britain. 5. 7. H. 4.
21 italicum. w.	oriental. Caucasus. 1818. ——— H. 4.
22 minutum. w.	Italian. Italy. 1683. 5. 6. H. 4.
23 proboscideum. w.	small. E. Indies. 1812. 5. 7. S. 4.
24 Arisarum. w.	proboscis. Apennines. 1825. ——— H. 4.
25 tenuifolium. w.	Friar's Cowl. S. Europe. 1596. 4. 6. F. 4.
26 spirale. w.	grass-leaved. 1570. ——— H. 4.
27 flagelliforme. B.C.	spiral. E. Indies. 1816. ——— S. 4.
28 sagittifolium. L.en.	whip-cord. ——— ——— S. 4.
29 hederaeum. w.	arrow-leaved. ——— ——— S. 4.
30 obtusilobum. L.en.	Ivy-leaved. W. Indies. 1793. 5. 6. S. h.
31 indicum. Lour.	blunt-lobed. 1816. ——— S. h.
32 ramosum. L.en.	Indian. China. ——— S. h.
33 lingulatum. w.	branching. ——— S. h.
34 integrifolium. L.en.	tongue-leaved. W. Indies. 1793. ——— S. h.
CALADIUM. V.	entire-leaved. 1820. S. h.
1 helleborifolium. w.	CALADIUM. Monœcia Polyandria. W.
2 pinnatifidum. w.	Caracas. 1796. 6. 7. S. 4.
3 bicolor. w.	——— 1817. ——— S. 4.
4 nymphæfolium. w.	pinnatifid. ——— 1817. ——— S. 4.
5 esculentum. w.	two-coloured. Brazil. 1773. ——— S. 4.
6 odorum. B.R.	Water-lily-ld. E. Indies. 1800. S. 4.
7 viviparum. H.B.	esculent. America. 1739. 6. 8. S. 4.
8 sagittifolium. w.	odoriferous. E. Indies. 1818. 5. 7. S. 4.
9 virginicum. H.E.F.	viviparous. 1816. ——— S. 4.
Arun virginicum. w.	arrow-leaved. W. Indies. 1710. ——— S. 4.
10 seguinum. w.	Virginian. N. America. 1759. 6. 7. H. 4.
11 maculatum. B.C.	Dumb Cane. America. ——— 5. S. h.
seguinum β maculatum.	spotted. Trinidad. 1820. 4. 12. S. h.
Bot. mag. 2606.	
12 cucullatum. P.S.	hooded. China. 1816. S. h.
13 xanthorrhizum. w.	yellow-rooted. 4. 8. S. h.
14 grandifolium. w.	large-leaved. Caracas. 1803. 3. 7. S. h.
15 arborescens. w.	tree. W. Indies. 1759. 6. 7. S. h.
16 lacerum. w.	torn-leaved. Caracas. 1822. S. h.
17 tripartitum. w.	ternate-leaved. 1816. S. h.
18 auritum.	ear-leaved. S. America. 1739. 6. 8. S. h.
19 pedatum. H.E.F.	pedate-leaved. Brazil. 1824. ——— S. h.
AMBROSINIA. W.	AMBROSINIA. Monœcia Monandria. W.
Bassii. w.	flat oval-leav'd. S. Europe. 1823. 6. 8. H. 4.

Botan. regist. 831.
Moris. s. 13. t. 5. f. 46.
Botan. regist. 668.
Botan. magaz. 2508.

Lodd. bot. cab. 820.
Botan. magaz. 950.
Pl. sel. hort. ber. t. 8.

Pluk. alm. t. 77. f. 5.

Rumph. amb. 5. t. 109.
Botan. regist. 450.
Herm. parad. 73.

Rheed. mal. 11. t. 20.
Botan. magaz. 339.

2324.

Eng. bot. 1298.

Botan. magaz. 2432.

Rheed. mal. 11. t. 17.

Bocc. mus. 2. t. 50.

Jacq. schœn. 2. t. 192.

Botan. regist. 512.

Botan. magaz. 2220.

Lodd. bot cab. 396.

Jacq. amer. t. 152.

Plum. ic. 26. t. 37.

Jacq. ic. 3. t. 613.

Jacq. schœn. 2. t. 187.

Botan. magaz. 2543.

Rheed. mal. 11. t. 22.

Sloan. jam. 1. t. 106. f. 1.

Botan. regist. 641.

Lodd. bot. cab. 281.

Jacq. vind. 2. t. 157.

Hook. ex. flor. 182.

Hook. ex. flor. 1.

Lodd. bot. cab. 608.

Jacq. schœn. 2. t. 188.

Botan. magaz. 2643.

Plum. amer. 44. t. 60.

Jacq. schœn. 2. t. 190.

2. t. 191.

Hook. ex. flor. 206.

Lam. ill. t. 737.

Sect. III. TACCACEÆ.

TACCA. W.

1 piunatifida. w.

TACCA. Hexandria Monogynia. L.

Salep. E. Indies. 1793. 6. 8. S. 4.

Lodd. bot. cab. 692.

2 aspera. H.B.	rough-stemm'd. E. Indies.	1820.	... S. $\frac{1}{4}$.	
3 lœvis. H.B.	smooth.	—	... S. $\frac{1}{4}$.	
4 integrifolia. B.M.	entire-leaved.	1810.	5. 7. S. $\frac{1}{4}$.	Botan. magaz. 1488.

Sect. IV. GENERA AROIDEIS AFFINIA.

ZOSTERA. L.
marina. E.B.SEA MATWEED. Monœcia Monandria. L.
common. Britain. 8. 9. H. $\frac{1}{4}$. Eng. bot. 467.

ORDO CLXXII.

PIPERACEÆ. Kth. synops. 1. p. 103.

SAURURUS. W.

cernuus. w.

PIPER. R.P.

1 peplatum. R.S.

2 umbellatum. R.S.

3 macrophyllum. R.S.

4 aduncum. R.S.

5 hirsutum. R.S.

6 hispidum. R.S.

7 tuberculatum. R.S.

8 Amalago. R.S.

9 Betle. R.S.

10 nigrum. R.S.

11 triocicum. F.I.

12 reticulatum. R.S.

13 decumanum. R.S.

14 Siriboa. R.S.

15 longum. R.S.

16 glabrum. H.S.S.

17 laurifolium. H.S.S.

18 racemosum. H.S.S.

Staphyle. R.S.

19 acutifolium. R.S.

20 colubrinum. L.en.

21 plantagineum. R.S.

medium. Jacq.

22 marginatum. L.en.

23 unguiculatum. R.S.

glaucescens. Jacq. ecl.

1. t. 76.

24 humile. Mill.

25 tomentosum. H.S.S.

26 nitidum. R.S.

PEPEROMIA. R.P.

1 brachyphyllea.

Piper brachyphylgium.

R.S.

2 amplexicaulis. R.S.

3 magnoliæfolia. R.S.

4 obtusifolia. R.S.

Piper clusiæfolium.

Jacq. id. 2. t. 212.

5 cuneifolia. R.S.

6 alata. R.P.

7 acuminata. R.S.

8 maculosa. R.S.

9 pellucida. K.S.

10 rotundifolia. K.S.

11 hispidula. R.S.

12 nummularifolia. K.S.

LIZARD'S-TAIL. Heptandria Tetragynia. L.

drooping. Virginia. 1759. 9. H. $\frac{1}{4}$.

PEPPER. Diandria Trigynia. L.

peltated. W. Indies. 1748. ... S. $\frac{1}{4}$.umbelled. — 1800. ... S. $\frac{1}{2}$.broad-leaved. — 1748. 5. S. $\frac{1}{2}$.hooked. — 1793. 7. S. $\frac{1}{2}$.hairy-leaved. — 1816. ... S. $\frac{1}{2}$.black. Jamaica. 1759. ... S. $\frac{1}{2}$.netted. E. Indies. 1804. ... S. $\frac{1}{2}$.great. — 1790. ... S. $\frac{1}{2}$.Siriboa. — 1818. ... S. $\frac{1}{2}$.Carthagena. 1768. — S. $\frac{1}{2}$.E. Indies. — S. $\frac{1}{2}$.long. — 1788. ... S. $\frac{1}{2}$.smooth. Laurel-leaved. — S. $\frac{1}{2}$.racemed. — S. $\frac{1}{2}$.Campeachy. 1768. ... S. $\frac{1}{2}$.Jamaica. — S. $\frac{1}{2}$.Campeachy. — S. $\frac{1}{2}$.Peru. 1823. ... S. $\frac{1}{2}$.Brazil. 1820. ... S. $\frac{1}{2}$.Plantain-ld. W. Indies. — S. $\frac{1}{2}$.purple-edged. S. America. 1811. ... S. $\frac{1}{2}$.claw-pointed. Peru. 1822. ... S. $\frac{1}{2}$.

glaucescens. Jacq. ecl. 1. t. 76.

humble. Jamaica. 1768. ... S. $\frac{1}{2}$.oval-ld. downy. Vera Cruz. — S. $\frac{1}{2}$.glossy. Jamaica. 1793. 5. 6. S. $\frac{1}{2}$.Diandria Trigynia. — 1818. ... S. $\frac{1}{2}$.short-leaved. W. Indies. 1793. 6. 9. S. $\frac{1}{2}$.stem-clasping. — 1. 3. S. $\frac{1}{2}$.blunt-leaved. S. America. 1739. 4. 7. S. $\frac{1}{2}$.wedge-leaved. Caracas. 1809. ... S. $\frac{1}{2}$.winged. S. America. 1812. ... S. $\frac{1}{2}$. acuminate. W. Indies. — 4. 9. S. $\frac{1}{2}$.spot-stalked. St. Domingo. 1790. 9. S. $\frac{1}{2}$.pellucid. S. America. 1748. 4. 9. S. \odot .round-leaved. — 1823. ... S. $\frac{1}{2}$.annual hispid. Jamaica. 1818. 8. 10. S. \odot .money-wort-ld. — 4. 9. S. $\frac{1}{2}$.

Lam. ill. t. 1.

Plum. amer. t. 74.

Flor. peruv. 1. t. 59. f.a.

Sloan. hist. I. t. 88. f.1.

Jacq. ic. 2. t. 210.

Jacq. ic. 2. t. 211.

Sloan. hist. I. t. 87. f.1.

Rheed. mal. 7. t. 15.

—— 7. t. 12.

Plum. amer. t. 75.

Jacq. ic. 2. t. 215.

Rumph. am. 5. t. 117. f.2.

Rheed. mal. 7. t. 14.

Flor. per. 1. t. 61. f.a.

Jacq. ic. 1. t. 8.

Jacq. ic. 2. t. 215.

Flor. per. 1. t. 57. f.b.

Jacq. ic. 2. t. 214.

Flor. per. 1. t. 48. f.b.

Botan. magaz. 1882.

Plum. amer. t. 66.

—— t. 72.

Trew ehret. 54. t. 96.

Jacq. ic. 2. t. 213.

Trew ehret. 54. t. 96.

Swartz icon. t. 4.

13 pubescens. R.S.	pubescent.	1818.	4. 9.	S. 2.	
14 subrotunda. H.S.S.	small Clusia-ld.	1811.	—	S. 2.	
15 repens. K.S.	creeping.	S. America.	1823.	—	S. 2.	
16 serpens. R.S.	trailing.	Jamaica.	—	—	S. 2.	
17 incana. H.E.F.	great downy.	Brazil.	1814.	2. 6.	S. 2.	
18 amplexifolia. L.en.	clasping-leaved.	Jamaica.	1822.	—	S. 2.	Hook. ex. flor. 66.
19 talinifolia. K.S.	Talinum-ld.	S. America.	—	4. 8.	S. 2.	H. et B. n. gen. 1. t. 8.
20 pulchella. R.S.	small-leaved.	Jamaica.	1778.	7. 10.	S. 2.	Lodd. bot. cab. 574.
21 pereskiaefolia. K.S.	Pereskia-ld.	S. America.	1820.	5. 6.	S. 2.	Hook. ex. flor. 67.
22 blanda. K.S.	villous.	Caracas.	1802.	5. 11.	S. 2.	—
23 verticillata. R.S.	whorl-leaved.	Jamaica.	1816.	6. 10.	S. 2.	—
24 polystachia. H.E.F.	many-spiked.	W. Indies.	1775.	6. 7.	S. 2.	Hook. ex. flor. 23.
25 quadrifolia. H.E.F.	four-leaved.	Santa Cruz.	1818.	5. 10.	S. 2.	—
26 Haworthii.	Haworth's.	India.	1809.	9. 10.	S. 2.	—
<i>Piper pubescens.</i> H.S.	non Vahl.					22.
27 inaequalifolia. R.P.	unequal-leaved.	Peru.	1800.	8. 10.	S. 2.	Flor. peruv. 1. t. 46. f.a.
28 stellata. R.S.	starry.	Jamaica.	1802.	5. 7.	S. 2.	Jacq. vind. 2. t. 217.
29 rubricaulis. L.en.	red-stalked.	W. Indies.	1815.	—	S. 2.	Nees hort. ber. t. 8.
30 rubella. H.E.F.	red-leaved.	Jamaica.	1820.	—	S. 2.	Hook. ex. flor. 58.
31 trifolia. R.S.	three-leaved.	S. America.	1802.	6. 8.	S. 2.	Plum. amer. t. 68.
32 distachya. R.S.	two-rowed.	W. Indies.	1793.	—	S. 2.	—
33 discolor. R.S.	two-coloured.	Jamaica.	1821.	7. 8.	S. 2.	Lodd. bot. cab. 610.
34 coriacea. B.C.	coriaceous.	—	1815.	—	S. 2.	—
35 capensis. R.S.	Cape.	C. B. S.	1816.	—	G. 2.	—
36 tricarinata. H.S.S.	triple-keeled.	1817.	—	S. 2.	128.

ORDO CLXXIII.

CYTINEÆ. *Brogniart.*

NEPENTHES. L.	PITCHER-PLANT.	Diœcia Monadelphia. L.	
1 distillatoria. w.	cylindrical.	Ceylon.	1789. 4. 5. S.w. 2. Burn, zeyl. 42. t. 17.
2 Phyllamphora. w.	ventricose.	China.	1822. 6. 8. S.w. 2. Botan. magaz. 2629.
<i>distillatoria. B.C. 1017. nec aliorum.</i>			

ORDO CLXXIV.

ORCHIDÆ. *Juss. gen. 64.*

ORCHIS. B.P.	ORCHIS. Gynandria Monandria. H.K.	
1 Morio. w.	meadow.	Britain. 4. 6. H.b. 2. Eng. bot. 2059.
2 longicornu. w.	flat-spurred.	Barbary. 1815. — H.b. 2. Botan. regist. 202.
3 pallens. w.	pale.	Switzerland. 1825. 5. 6. H.b. 2. Jacq. aust. t. 45.
4 mascula. w.	early purple.	Britain. 4. 5. H.b. 2. Eng. bot. 631.
5 palustris. w.	marsh.	Europe. 1824. — H.b. 2. Jacq. ic. t. 181.
6 ustulata. w.	dwarf.	England. 5. 6. H.b. 2. Eng. bot. 18.
7 militaris. w.	military.	Switzerland. 1825. 4. 6. H.b. 2. Swt. br. fl. gar. 163.
8 Rivini. B.F.G.	Rivinus's.	— 5. 6. H.b. 2. — 162.
9 Smithii. B.F.G.	Smith's.	England. — H.b. 2. Eng. bot. 1873.
<i>militaris. E.B. non W.</i>		
10 fusca. w.	brown.	— — H.b. 2. Jacq. aust. 4. t. 307.
11 Simia. P.S.	Ape.	— — H.b. 2.
12 undulatifolia. B.B.	wave-leaved.	Italy. 1818. — H.b. 2. Botan. regist. 375.
13 acuminatea. w.	pointed-fld.	S. Europe. 1815. 4. 6. H.b. 2. Botan. magaz. 1932.
14 variegata. w.	variegated.	Switzerland. 1825. — H.b. 2. Hall, helv. t. 30.
15 globosa. w.	round-spiked.	— 1792. 6. 7. H.b. 2. Jacq. aust. 3. t. 265.
16 pyramidalis. w.	pyramidal.	Britain. — H.b. 2. Eng. bot. 110.

ORCHIDÆ.

17 coriophora. w.	strong-scented.	S. Europe.	1825.	5. 6.	H.b. 4.	Jacq. aust. 2. t. 122.
18 hircina. w.	Lizard.	England.	6. 7.	H.b. 4.	Eng. bot. 34.
<i>Satyrium hircinum.</i> E.B.						
19 Robertiana. P.S.	long-bracted.	S. Europe.	1818.	5. 6.	H.b. 4.	Botan. regist. 357.
<i>longibracteata.</i> B.B. non Schmidt.						
20 sulphurea. B.M.	pale-yellow.	—	1823.	—	H.b. 4.	Botan. magaz. 2569.
21 sambucina. w.	Elder-scented.	Europe.	1825.	4. 5.	H.b. 4.	Jacq. aust. 2. t. 108.
22 Schleicheri. B.F.G.	Schleicher's.	Switzerland.	—	—	H.b. 4.	Swt. br. fl. gar. ic.
<i>sambucina</i> β <i>rubra.</i> Sch. non Jacq.						
23 maculata. w.	spotted-palmate.	Britain.	6. 7.	H.b. 4.	Eng. bot. 632.
24 spectabilis. w.	showy American.	N. America.	1801.	—	H.b. 4.	Swt. br. fl. gar. 65.
25 papilionacea. w.	papilionaceous.	S. Europe.	1788.	—	H.b. 4.	Buxb. cent. 3. t. 3.
26 Cyrilii. T.S.	Cyrillo's.	Naples.	1825.	—	H.b. 4.	Cyrill. ic. ined.
27 pauciflora. T.S.	few-flowered.	Italy.	—	—	H.b. 4.	
28 Nicodemii. T.S.	Nicodemus's.	—	—	—	H.b. 4.	Cyrill. ic. ined.
29 parviflora. T.S.	small-flowered.	—	1824.	—	H.b. 4.	
GYMNADENIA. H.K.	GYMNADENIA.	Gynandria Monandria.	H.K.			
1 conopsea. H.K.	fragrant.	Britain.	6. 7.	H.b. 4.	Eng. bot. 10.
<i>Orchis conopsea.</i> E.B.						
2 odoratissima. Rich.	sweet-scented.	Switzerland.	1824.	—	H.b. 4.	Jacq. aust. 3. t. 264.
ACERAS. H.K.	ACERAS.	Gynandria Monandria.	H.K.			
anthropophora. H.K.	green-man.	England.	6.	H.b. 4.	Swt. br. fl. gar. 168.
HERMINIUM. H.K.	HERMINIUM.					
1 Monorchis. H.K.	musk.	England.	6. 7.	H.b. 4.	Eng. bot. 71.
<i>Ophrys Monorchis.</i> E.B.						
2 alpinum.	Alpine.	Switzerland.	1825.	—	H.b. 4.	Jacq. vind. 1. t. 9.
<i>Ophrys alpina.</i> Jacq.						
HABENARIA. H.K.	HABENARIA.					
1 nigra. H.K.	dark-flowered.	N. Europe.	1759.	6. 7.	H.b. 4.	Flor. dan. 998.
2 viridis. H.K.	Frog.	Britain.	—	H.b. 4.	Eng. bot. 94.
<i>Satyrium viride.</i> E.B.						
3 bracteata. H.K.	long-bracted.	N. America.	1805.	5. 6.	H.b. 4.	Swt. br. fl. gar. 62.
4 albida. H.K.	small white.	Britain.	6. 7.	H.b. 4.	Eng. bot. 505.
<i>Satyrium albidum.</i> E.B. <i>Orchis albida.</i> w.						
5 hyberborea. H.K.	northern.	N. Europe.	1805.	—	H.b. 4.	
6 bifolia. H.K.	Butterfly.	Britain.	5. 6.	H.b. 4.	Eng. bot. 22.
<i>Orchis bifolia.</i> E.B. <i>Platanthera bifolia.</i> Rich.						
7 herbola. H.K.	American.	N. America.	1789.	6. 7.	H.b. 4.	
8 dilatata. H.E.F.	dilated.	—	1822.	7. 8.	H.b. 4.	Hook. ex. flor. 95.
9 orbiculata. H.E.F.	round-leaved.	—	1823.	—	H.b. 4.	— 145.
10 tridentata. H.E.F.	three-toothed.	—	1819.	5. 6.	H.b. 4.	— 81.
11 ciliaris. H.K.	yellow-fringed.	—	1796.	6. 7.	H.b. 4.	Botan. magaz. 1668.
12 blephariglottis. H.E.F.	white fringed.	—	1822.	—	H.b. 4.	Hook. ex. flor. 87.
13 cristata. H.K.	yellow crested.	—	1806.	9.	H.b. 4.	
14 psycodes.	yellow jagged.	—	1823.	6. 8.	H.b. 4.	
<i>Orchis psycodes.</i> w.						
16 lacera. B.C.	torn-flowered.	—	1818.	7.	H.b. 4.	Lodd. bot. cab. 229.
17 fimbriata. H.K.	purple-fringed.	—	1777.	—	H.b. 4.	Botan. regist. 405.
BARTHOLINA. H.K.	BARTHOLINA.	Gynandria Monandria.	H.K.			
pectinata. H.K.	pectinated.	C. B. S.	1787.	10.	G.b. 4.	Jour. Sc. v. 4. t. 8. f. 2.
<i>Orchis Burmanniana.</i> Sw. <i>pectinata.</i> w.						
BONATEA. W.	BONATEA.	Gynandria Monandria.				
speciosa. w.	handsome.	C. B. S.	1820.	7. 9.	G.b. 4.	Lodd. bot. cab. 284.
SERAPIAS. H.K.	SERAPIAS.	Gynandria Monandria.	H.K.			
1 Lingua. w.	tongue-lipped.	S. Europe.	1786.	5. 6.	F.b. 4.	Hook. ex. flor. 11.
2 longipetala.	long-flowered.	Italy.	1825.	—	H.b. 4.	
<i>Helleborine longipetala.</i> T.S.						
3 cordigera. w.	heart-lipped.	S. Europe.	1806.	7. 8.	F.b. 4.	And. reposit. 475.
OPHRYS. H.K.	OPHRYS.	Gynandria Monandria.	H.K.			
1 apifera. w.	Bee.	England.	6. 7.	H.b. 4.	Eng. bot. 383.
2 tenthredinifera. w.	Saw-fly.	S. Europe.	1815.	4. 5.	H.b. 4.	Botan. regist. 205.
3 arachnites. w.	black Spider.	Switzerland.	1805.	—	H.b. 4.	Botan. magaz. 2516.
4 aranifera. w.	common Spider.	England.	—	H.b. 4.	Eng. bot. 65.
5 arachnoides. A.R.	Spider-like.	Italy.	1805.	—	H.b. 4.	Andr. reposit. 470.
6 Speculum. B.R.	looking-glass.	S. Europe.	1818.	—	H.b. 4.	Botan. regist. 370.
7 lutea. H.E.F.	yellow.	—	1821.	—	H.b. 4.	Hook. ex. flor. 10.
8 muscifera. E.B.	Fly.	England.	5. 6.	H.b. 4.	Eng. bot. 64.
<i>myodes.</i> w.						

SATYRIUM. H.K.	SATYRIUM.	Gynandria Monandria. H.K.	
1 cucullatum. H.K.	cucullate.	C. B. S.	1787. 6. 9. G.b. 4. Botan. regist. 416.
2 membranaceum. w.	membranaceous.	—	1822. — G.b. 4.
3 coriifolium. w.	leather-leaved.	—	1819. 5. 6. G.b. 4. Botan. regist. 2172.
4 parviflorum. w.	small-flowered.	—	1787. — G.b. 4. Jacq. schen. 2. t. 179.
5 carneum. H.K.	great-flowered.	—	7. 9. G.b. 4. Botan. mag. 1512.
PTERYGODIUM. W.	PTERYGODIUM.	Gynandria Monandria. H.K.	
1 alatum. w.	winged.	C. B. S.	1821. 6. 8. G.b. 4.
2 volucris. w.	arrow-lipped.	—	1797. 6. 7. G.b. 4.
DISA. W.	DISA.	Gynandria Monandria. H.K.	
1 grandiflora. w.	large-flowered.	C. B. S.	1823. 7. 8. G.b. 4. Botan. regist. 926.
2 cornuta. w.	horned.	—	1805. 6. 7. G.b. 4.
3 Draconis. w.	Dragon.	—	1823. — G.b. 4.
4 ferruginea. w.	ferruginous.	—	1816. — G.b. 4.
5 bracteata. w.	small-flowered.	—	1818. — G.b. 4. Botan. regist. 324.
6 flexuosa. w.	flexuose.	—	1822. — G.b. 4.
7 prasinata. B.R.	green-flower'd.	—	1815. — G.b. 4. Botan. regist. 209.
8 spathulata. w.	spathulate.	—	1805. — G.b. 4. Journ. sc. v. 4. t. 8. f. 3.
9 graminifolia.	Grass-leaved.	—	1822. — G.b. 4. — v. 6. t. 1. f. 2.
10 maculata. w.	spotted-stalk'd.	—	1816. 7. 8. G.b. 4.
DISPERIS. W.	DISPERIS.	Gynandria Monandria. H.K.	
1 capensis. w.	Cape.	C. B. S.	1816. 5. 6. G.b. 4.
2 cucullata. w.	cucullate.	—	1822. 6. 7. G.b. 4.
3 secunda. w.	side-flowering.	—	1797. — G.b. 4.
CORYCIUM. W.	CORYCIUM.	Gynandria Monandria.	
1 orobanchoides. w.	Orobanchoides-like.	C. B. S.	1825. 6. 8. G.b. 4.
2 crispum. w.	curled-leaved.	—	— 5. 6. G.b. 4. Buxb. cent. 3. t. 11.
GLOSSULA. B.R.	GLOSSULA.	Gynandria Monandria.	
tentaculata. B.R.	horned.	China.	1824. 5. 6. G.b. 4. Botan. regist. 862.
GOODYERA. H.K.	GOODYERA.	Gynandria Monandria. H.K.	
1 repens. H.K.	creeping.	Scotland.	... 7. 8. H. 4. Eng. bot. 289.
<i>Satyrium repens.</i> E.B.	<i>Neottia repens.</i> w.		
2 tessellata. B.C.	tessellated.	N. America.	1823. 6. 7. H. 4. Lodd. bot. cab. 952.
<i>Neottia repens.</i> Ph.	<i>Goodyera pubescens.</i> β minor. B.M. 2540.		
3 pubescens. H.K.	downy.	—	1802. — H. 4. Lindl. coll. t. 25.
4 procera. H.E.F.	Nepaul.	Nepaul.	1821. 7. 12. G. 4. Hook. ex. flor. 39.
<i>Neottia procera.</i> B.R. 639.	red-leaved.	S. America.	1815. 10. 12. S. 4. Botan. regist. 271.
PELEXIA. B.R.	PELEXIA.	Gynandria Monandria. B.R.	
spiranthoides. B.R.	decurrent-lipp'd.	W. Indies.	1823. 3. S. 4. Botan. regist. 985.
<i>Neottia adnata.</i> Sw.			
NEOTTIA. H.K.	NEOTTIA.	Gynandria Monandria. H.K.	
1 speciosa. H.K.	showy.	W. Indies.	1790. 5. 6. S. 4. Botan. magaz. 1374.
2 orchiooides. w.	frosted-fl'd.	Jamaica.	1806. — S. 4. Botan. regist. 701.
3 bicolor. B.R.	two-coloured.	W. Indies.	1821. 7. 8. S. 4. — 794.
4 elata. w.	tall.	—	1790. 4. 6. S. 4. Botan. magaz. 2026.
5 picta. H.K.	painted-leaved.	Trinidad.	1805. 2. 4. S. 4. — 1562.
6 cernua. H.K.	nodding-fl'd.	N. America.	1796. 8. 10. H. 4. Swt. br. fl. gar. 42.
7 tortilis. w.	twisting-spiked.	W. Indies.	1822. 6. 7. S. 4.
8 aestivalis. M.	summer.	N. America.	— — H. 4.
<i>tortilis.</i> Ph. non Sw.	Ladies-traces.	Britain.	... 8. 9. H.b. 4. Eng. bot. 541.
9 spiralis. H.K.			
<i>Ophrys spiralis.</i> E.B.	modest.	China.	1819. 9. 12. G.b. 4. Lindl. coll. 30.
10 pudica.			
<i>australis.</i> β . B.R. 602.	southern.	N. S. W.	1826. ... G.b. 4.
CALOCHILUS. B.P.	CALOCHILUS.	Gynandria Monandria. B.P.	
1 campestris. B.P.	field.	N. S. W.	1826. ... G.b. 4.
2 paludosus. B.P.	marsh.	—	... G.b. 4.
PONTHIEVA. H.K.	PONTHIEVA.	Gynandria Monandria. H.K.	
1 glandulosa. H.K.	glandular.	W. Indies.	1800. 1. 3. S. 4. Botan. magaz. 842.
2 petiolata. B.R.	stalked.	—	1823. 7. 8. S. 4. Botan. regist. 760.
PRASOPHYLLUM. B.P.	PRASOPHYLLUM.	Gynandria Monandria. B.P.	
1 elatum. B.P.	tall.	N. S. W.	1826. ... G.b. 4.
2 flavum. B.P.	yellow.	—	... G.b. 4.
3 striatum. B.P.	streaked.	—	... G.b. 4.
4 fuscum. B.P.	brown.	—	... G.b. 4.
5 patens. B.P.	spreading.	—	... G.b. 4.
6 rufum. B.P.	rufous.	—	... G.b. 4.

7 fimbriatum. n.p.	fringed.	N. S. W.	1826.	G.b. 4.
CRYPTOSTYLIS. B.P.	CRYPTOSTYLIS.	Gynandria Monandria. B.P.			
1 erecta. B.P.	upright.	N. S. W.	1826.	G. 4.
2 longifolia. B.P.	long-leaved.	—	1822.	5. 6.	G. 4.
<i>Malaxis subulata</i> . Lab.					Lab. n. holl. 2. t. 212.
ORTHOCEAS. B.P.	ORTHOCEAS.	Gynandria Monandria. B.P.			
strictum. B.P.	upright.	N. S. W.	1826.	G.b. 4.
DIURUS. B.P.	DIURUS.	Gynandria Monandria. B.P.			
1 maculata. B.P.	spotted.	N. S. W.	1823.	3. 5.	G.b. 4.
2 aurea. B.P.	golden-flower'd.	—	1810.	4. 5.	G.b. 4.
3 pedunculata. B.P.	peduncled.	—	1822.	2. 4.	G.b. 4.
4 sulphurea. B.P.	sulphur-col'd.	—	1826.	G.b. 4.
5 elongata. B.P.	elongated.	—	—	G.b. 4.
THELYMITRA. B.P.	THELYMITRA.	Gynandria Monandria. B.P.			
1 ixiooides. B.P.	spotted blue.	N. S. W.	1810.	4. 6.	G.b. 4.
2 media. B.P.	middle.	—	1820.	—	G.b. 4.
3 pauciflora. B.P.	few-flowered.	—	1826.	G.b. 4.
4 angustifolia. B.P.	narrow-leaved.	—	—	G.b. 4.
5 carneae. B.P.	flesh-coloured.	—	1823.	G.b. 4.
6 venosa. B.P.	veined.	—	1826.	G.b. 4.
LISTERA. H.K.	LISTERA.	Gynandria Monandria. H.K.			
1 ovata. H.K.	Tway-blade.	Britain.	5. 6.	H. 4.
<i>Ophrys ovata</i> . E.B.	<i>Epipactis ovata</i> . W.				Eng. bot. 1548.
2 cordata. H.K.	heart-leaved.	—	6. 7.	H. 4.
EPIPACTIS. H.K.	EPIPACTIS.	Gynandria Monandria. H.K.			
1 latifolia. w.	broad-leaved.	Britain.	7. 8.	H. 4.
<i>Serapias latifolia</i> . E.B.					Eng. bot. 269.
2 palustris. w.	marsh.	—	—	H. 4.
3 pallens. w.	white.	—	6.	H. 4.
<i>Serapias grandiflora</i> . E.B.					271.
4 ensifolia. w.	narrow-leaved.	—	—	H. 4.
5 rubra. w.	purple.	—	6. 7.	H. 4.
6 Nidus-avis. w.	Bird's-nest.	—	5.	H. 4.
<i>Ophrys Nidus-avis</i> . E.B.					48.
POGONIA. H.K.	POGONIA.	Gynandria Monandria. H.K.			
1 divaricata. H.K.	Lily-leaved.	N. America.	1787.	6. 7.	H. 4.
2 ophioglossoides. B.R.	Adder's-tongue.	—	1816.	—	H. 4.
3 pendula. B.R.	drooping.	—	1824.	—	H. 4.
<i>Arethusa pendula</i> . W.	<i>parviflora</i> . M.	<i>Triphora pendula</i> . N.			
MICROTIS. B.P.	MICROTIS.	Gynandria Monandria. B.P.			
parviflora. B.P.	small-flowered.	N. S. W.	1826.	4. 6.	G.b. 4.
ACIANTHUS. B.P.	ACIANTHUS.	Gynandria Monandria. B.P.			
1 forniciatus. B.P.	enclosed.	N. S. W.	1822.	4. 6.	G.b. 4.
2 exsertus. B.P.	exserted.	—	—	—	G.b. 4.
3 candatus. B.P.	long-awned.	—	1826.	G.b. 4.
CYRTOSTYLIS. B.P.	CYRTOSTYLIS.	Gynandria Monandria. B.P.			
reniformis. B.P.	kidney-leaved.	N. S. W.	1824.	4. 5.	G. 4.
CHILOGLOTTIS. B.P.	CHILOGLOTTIS.	Gynandria Monandria. B.P.			
diphylla. B.P.	two-leaved.	N. S. W.	1826.	G.b. 4.
PRESCOTIA. H.E.F.	PRESCOTIA.	Gynandria Monandria.			
plantaginifolia. H.E.F.	Plantain-lđ.	Rio Janeiro.	1822.	9. 4.	S. 4.
LIPARIS. Rich.	LIPARIS.	Gynandria Monandria. H.K.			
1 foliosa. B.R.	leafy.	Mauritius.	1823.	9.	S. 4.
2 bituberculata. B.R.	two-warted.	Nepaul.	1822.	2. 3.	S. 4.
3 Loeselii. B.R.	Loesel's.	Britain.	7.	H.b. 4.
<i>Malaxis Loeselii</i> . E.B.					Eng. bot. 47.
4 Correana. N.	two-leaved.	N. America.	1823.	5. 6.	H.b. 4.
5 liliifolia. B.R.	Lily-leaved.	—	1758.	6. 7.	H.b. 4.
<i>Malaxis liliifolia</i> . B.M.	<i>Ophrys liliifolia</i> . A.R. 65.				Botan. magaz. 2004.
6 reflexa. B.R.	reflexed.	N. Holland.	1824.	—	G.b. 4.
ERIOCHILUS. B.P.	ERIOCHILUS.	Gynandria Monandria. B.P.			
autumnalis. B.P.	autumnal.	N. S. W.	1823.	9. 10.	G.b. 4.
<i>Epipactis cucullata</i> . Lab.		Lab. n. holl. 2. t. 211. f. 2.			
CALADENIA. B.P.	CALADENIA.	Gynandria Monandria. H.K.			
1 alba. B.P.	white.	N. S. W.	1810.	7. 8.	G.b. 4.
2 carneae. B.P.	flesh-coloured.	—	1826.	G.b. 4.
3 coerulea. B.P.	blue-flowered.	—	—	G.b. 4.
4 alata. B.P.	winged.	—	1823.	6. 8.	G.b. 4.
5 testacea. B.P.	fringe-flower'd.	—	1826.	G.b. 4.

LYPERANTHUS. B.P.	LYPERANTHUS.	Gynandria Monandria. B.P.	
1 suaveolens. B.P.	sweet-scented.	N. S. W. 1822. 5. 7. G.b. 4.	
2 ellipticus. B.P.	elliptic-leaved.	1826. G.b. 4.	
3 nigricans. B.P.	heart-leaved. G.b. 4.	
GLOSSODIA. B.P.	GLOSSODIA.	Gynandria Monandria. B.P.	
1 major. B.P.	larger.	N. S. W. 1810. 6. 8. G.b. 4.	
2 minor. B.P.	lesser.	1826. G.b. 4.	
PTEROSTYLIS. B.P.	PTEROSTYLIS.	Gynandria Monandria. B.P.	
1 concinna. B.P.	neat.	N. S. W. 1826. G.b. 4.	
2 ophioglossa. B.P.	adder's-tongue. G.b. 4.	
3 curta. B.P.	short-lipped.	1822. 4. 6. G.b. 4.	
4 acuminata. B.P.	taper-pointed.	1826. G.b. 4.	
5 cucullata. B.P.	hooded.	V. Diem. Isl. 1823. 5. 7. G.b. 4.	
6 nutans. B.P.	nodding.	N. S. W. 1826. G.b. 4.	
7 obtusa. B.P.	blunt-lipped.	1810. 7. 8. G.b. 4.	
8 reflexa. B.P.	reflexed.	1826. G.b. 4.	
9 grandiflora. B.P.	large-flowered. G.b. 4.	
10 longifolia. B.P.	long-leaved.	1823. 6. 8. G.b. 4.	
11 gibosa. B.P.	gibbous.	1826. G.b. 4.	
CORYSANTHES. B.P.	CORYSANTHES.	Gynandria Monandria. B.P.	
1 fimbriata. B.P.	fringed.	N. S. W. 1822. 5. 7. G.b. 4.	
2 unguiculata. B.P.	pendulous-fl'd. G.b. 4.	
3 bicalcarata. B.P.	two-spurred. G.b. 4. Sal. par. lond. 83?	
<i>Corybas aconitiflorus.</i> P.L.?			
CALEYA. H.K.	CALEYA.	Gynandria Monandria. H.K.	
1 major. H.K.	smooth-lipped.	N. S. W. 1810. 6. 7. G.b. 4.	
2 minor.	tubercl-e-lipp'd.	1822. G.b. 4.	
<i>Calceana minor.</i> B.P.			
CALOPOGON. H.K.	CALOPOGON.	Gynandria Monandria. H.K.	
pulchellus. H.K.	tuberous root'd.	N. America. 1771. 7. 8. H.b. 4. Swt. br. fl. gar. 115.	
<i>Limodorum tuberosum.</i> B.M. 116. <i>Cymbidium pulchellum.</i> w.			
ARETHUSA. H.K.	ARETHUSA.	Gynandria Monandria. H.K.	
1 bulbosa. H.K.	bulbous.	N. America. 5. 6. H.b. 4. Botan. magaz. 2204.	
2? plicata. A.R.	plaited.	E. Indies. 1806. 6. 8. S.b. 4. Andr. deposit. 321.	
BLETIA. H.K.	BLETIA.	Gynandria Monandria. H.K.	
1 Tankervilliae. H.K.	LyTankerville's. China.	1778. 3. 4. S. 4. Botan. magaz. 1924.	
<i>Limodorum Tankervilliae.</i> w.			
2 pallida. B.C.	pale-flowered.	1820. 4. 8. S. 4. Lodd. bot. cab. 629.	
3 florida. H.K.	purple.	W. Indies. 1786. 7. 8. S. 4. Redoute. lil. 83.	
4 verecunda. H.K.	tall.	1733. 1. 5. S. 4. Botan. magaz. 930.	
<i>Limodorum altum.</i> B.M. <i>Cymbidium verecundum.</i> w.			
5 hyacinthina. H.K.	hyacinthine.	China. 1802. 3. 9. G. 4. Botan. magaz. 1492.	
<i>Cymbidium hyacinthinum.</i> B.M.			
6 capitata. H.K.	capitate.	W. Indies. 1795. 5. 7. S. 4.	
GEODORUM. H.K.	GEODORUM.	Gynandria Monandria. H.K.	
1 purpureum. H.K.	purple.	E. Indies. 1800. 6. 8. S. 4. Roxb. cor. 1. t. 40.	
<i>Limodorum nutans.</i> R.C.			
2 citrinum. H.K.	Lemon-colour'd.	10. 12. S. 4. Andr. deposit. 626.	
3 dilatatum. H.K.	shovel-lipped.	5. 8. S. 4. Botan. regist. 675.	
<i>Limodorum recurvum.</i> R.C. 1. t. 39.			
CALYPSO. H.K.	CALYPSO.	Gynandria Monandria. H.K.	
americana. H.K.	American.	N. America. 1805. 5. 6. H.b. 4. Sal. par. lond. 89.	
borealis. H.E.F. 12.			
MALAXIS. Rich.	MALAXIS.	Gynandria Monandria. H.K.	
paludosa. E.B.	marsh.	England. 7. H. 4. Eng. bot. 47.	
MICROSTYLLIS. N.	MICROSTYLLIS.	Gynandria Monandria. N.	
ophioglossoides. n.	Adder's tongue.	N. America. 1820. 4. 5. H.b. 4. Pluk. amal. t. 434. f. 4.	
CORALLORRHIZA. H.K.	CORALLORRHIZA.	Gynandria Monandria. H.K.	
1 innata. H.K.	spurless.	Scotland. 6. 7. H. 4. Eng. bot. 1547.	
2 multiflora. H.E.F.	many-flower'd.	N. America. 1824. 5. 6. H. 4. Hook. ex. flor. 174.	
3 odontorhiza. n.	tooth-rooted. 6. 7. H. 4.	
STELIS. H.K.	STELIS.	Gynandria Monandria. H.K.	
1 ophioglossoides. H.K.	Adder's-tongue.	W. Indies. 1791. 5. 6. S. 4. Botan. regist. 935.	
2 micrantha. H.K.	small-flowered.	Jamaica. 1805. 11. 12. S. 4. Hook. ex. flor. 158.	
RODRIGUEZIA. R.P.	RODRIGUEZIA.	Gynandria Monandria. B.R.	
secunda. K.S.	side-flowering.	S. America. 1819. 6. 12. S. 4. Botan. regist. 930.	
GOMEZA. B.M.	GOMEZA.	Gynandria Monandria. B.M.	
recurvra. B.M.	recurved.	Brazil. 1814. 5. 6. S. 4. Botan. magaz. 1748.	

ORCHIDÆ.

NOTYLIA. B.R.	NOTYLIA.	Gynandria Monandria.		
punctata. B.R.	dotted.	Trinidad. 1823. 7. 8. S. 4.	Botan. regist. 759.	
<i>Pleurothallis punctata.</i> B.R.		<i>Gomeza tenuiflora.</i> B.C. 806.		
CIRRHÆA. B.R.	CIRRHÆA.	Gynandria Monandria.		
dependens. B.R.	pendent.	China. 1824. 6. 8. S. 4.	Lodd. bot. cab. 936.	
<i>Cymbidium dependens.</i> B.C.				
CYMBIDIUM. H.K.	CYMBIDIUM.	Gynandria Monandria. H.K.		
1 aloifolium. H.K.	Aloe-leaved.	China. 1789. 5. 6. S. 4.	Botan. magaz. 387.	
<i>Epidendrum aloifolium.</i> B.M.				
2 sinense. H.K.	Chinese.	1793. 9. 10. S. 4.	888.	
3 lancifolium. H.E.F.	lance-leaved.	E. Indies. 1823. 5. 8. S. 4.	Hook. ex. flor. 51.	
4 ensifolium. H.K.	sword-leaved.	China. 1780. 6. 10. S. 4.	Botan. magaz. 1751.	
5 xiphiiifolium. B.R.	Xiphium-ld.	1814. 5. 8. S. 4.	Botan. regist. 529.	
6 suave. B.P.	sweet-scented.	N. S. W. 1826. G. 4.		
7 reflexum. B.P.	reflexed.	1820. 6. 8. G. 4.		
8 tripterum. w.	triangular-fruit'd.	Jamaica. 1790. 6. 7. S. 4.	Sm. ic. pict. 14.	
ANISOPETALUM. H.E.F.	ANISOPETALUM.	Gynandria Monandria.		
<i>Careyanum.</i> H.E.F.	Carey's.	Nepaul. 1823. 8. 10. G. 4.	Hook. ex. flor. 149.	
BRASSIA. H.K.	BRASSIA.	Gynandria Monandria. H.K.		
1 maculata. H.K.	spotted.	Jamaica. 1806. 6. 7. S. 4.	Botan. magaz. 1691.	
2 caudata. B.R.	long-tailed.	W. Indies. 1823. — S. 4.	Botan. regist. 832.	
ANGULOA. K.S.	ANGULOA.	Gynandria Monandria.		
grandiflora. K.S.	large-flowered.	S. America. 1823. 6. 8. S. 4.	H. et B. pl. æq. 1. t. 27.	
CATASETUM. K.S.	CATASETUM.	Gynandria Monandria. B.M.		
1 tridentatum. H.E.F.	three-toothed.	Trinidad. 1823. 8. 12. S. 4.	Botan. magaz. 2559.	
2 Claveringia. B.R.	Clavering's.	Brazil. — — — S. 4.	Botan. regist. 840.	
3 floribundum. H.E.F.	many-flowered.	— — — S. 4.	Hook. ex. flor. 151.	
4 semiapertum. H.E.F.	greenish-fld.	1825. 5. S. 4.	213.	
5 Hookeri. L.col.	Hooker's.	1816. — — S. 4.	Lindl. coll. 40.	
6 cristatum. B.R.	crested.	1823. — — S. 4.	Botan. regist. 966.	
CYRTOPODIUM. B.R.	CYRTOPODIUM.	Gynandria Monandria. H.K.		
1 Andersonii. H.K.	Anderson's.	W. Indies. 1804. 4. 8. S. 4.	Botan. magaz. 1800.	
2 glutinosum. Mey.	gummy.	S. America. 1825. S. 4.		
3 Woodfordii. B.M.	Woodford's.	— — — 1814. 10. S. 4.	Botan. magaz. 1814.	
LISSOCHILUS. B.R.	LISSOCHILUS.	Gynandria Monandria. B.R.		
1 speciosus. B.R.	showy.	C. B. S. 1818. 5. 6. S. 4.	Botan. regist. 573.	
2 luteus.	yellow.	— — — 1822. 2. 5. S. 4.		
ONCIDIUM. H.K.	ONCIDIUM.	Gynandria Monandria. H.K.		
1 altissimum. w.	sharp-petaled.	W. Indies. 1793. 8. 9. S. 4.	Jacq. amer. t. 141.	
2 carthaginense. w.	spread-eagle.	— — — 1791. 5. 6. S. 4.	Botan. magaz. 777.	
<i>Epidendrum undulatum.</i> B.M.				
3 luridum. B.R.	lurid.	Trinidad. 1818. 2. 6. S. 4.	Botan. regist. 727.	
4 Papilio. B.R.	Butterfly.	— — — 1823. 4. 6. S. 4.	910.	
5 flexuosum. B.M.	Zigzag.	Brazil. 1818. 6. 7. S. 4.	Botan. magaz. 2203.	
6 barbatum. L.col.	bearded.	S. America. — — 4. 5. S. 4.	Lindl. coll. 27.	
7 pnumilum. B.R.	dwarf.	Brazil. 1824. 6. 7. S. 4.	Botan. regist. 920.	
8 bifolium. H.K.	two-leaved.	S. America. 1811. 7. 8. S. 4.	Botan. magaz. 1491.	
9 triquetrum. H.K.	triangular-ld.	Jamaica. 1793. — — S. 4.		
10 variegatum. w.	variegated.	— — — 1825. — — S. 4.	Sloan. hist. 1. t. 148. f. 2.	
11 tetrapetalum. w.	four-petaled.	— — — 1824. — — S. 4.	Jacq. amer. t. 142.	
12 Cebolleta. w.	awl-leaved.	Carthagea. — — — S. 4.	— t. 131. f. 2.	
MACRADENIA. B.R.	MACRADENIA.	Gynandria Monandria. B.R.		
lutescens. B.R.	yellowish.	Trinidad. 1821. 12. 2. S. 4.	Botan. regist. 612.	
CŒLOGYNE. B.R.	CŒLOGYNE.	Gynandria Monandria.		
fimbriata. B.R.	fringed.	China. 1824. 9. S. 4.	Botan. regist. 868.	
MEGACLINIUM. B.R.	MEGACLINIUM.	Gynandria Monandria. B.R.		
falcateum. B.R.	falcate.	W. Indies. 1824. 6. 9. S. 4.	Botan. regist. 989.	
TRIZEUXIS. L.col.	TRIZEUXIS.	Gynandria Monandria.		
falcata. L.col.	falcate.	Trinidad. 1820. 2. 6. S. 4.	Lindl. coll. 2.	
PLEUROTHALLIS. H.K.	PLEUROTHALLIS.	Gynandria Monandria. H.K.		
1 ruscifolia. H.K.	Ruscus-leaved.	W. Indies. 1791. 5. 6. S. 4.	Hook. ex. flor. 197.	
2 racemiflora. H.E.F.	racemed.	— — — 1822. 7. 8. S. 4.	— — — 123.	
ORNITHOCEPHALUS. BIRD'S-HEAD.		Gynandria Monandria.		
gladiatus. H.E.F.	sword-leaved.	Trinidad. 1822. 5. 8. S. 4.	Hook. ex. flor. 127.	
OCTOMERIA. H.K.	OCTOMERIA.	Gynandria Monandria. H.K.		
1 graminifolia. H.K.	Grass-leaved.	W. Indies. 1793. 6. 7. S. 4.	Plum. ic. 176. f. 1.	
2 spicata. D.P.	spiked.	Nepaul. 1823. — — S. 4.		
TRIBRACHIA. B.R.	TRIBRACHIA.	Gynandria Monandria.		
pendula. B.R.	pendulous-spiked.	Sierra Leon. 1822. 6. 11. S. 4.	Botan. regist. 963.	

GÖNGORA. R.P.	GÖNGORA. Gynandria Monandria.		
atropurpurea. H.E.F.	dark-flowered. Trinidad. 1824. 6. 7. S. 4.	Hook. ex. flor. 178.	
DIPODIUM. B.P.	DIPODIUM. Gynandria Monandria. B.P.		
punctatum. B.P.	spotted. N. S. W. 1822. 6. 8. G. 4.	Sm. exot. bot. 1. t. 12.	
Dendrobium punctatum. Sm.			
CAMARIDIUM. B.R.	CAMARIDIUM. Gynandria Monandria. B.R.		
ochroleucum. B.R.	pale-flowered. Trinidad. 1823. 7. 10. S. 4.	Botan. regist. 844.	
Dendrobium? album. H.E.F. 142.			
ERIA. B.R.	ERIA. Gynandria Monandria. B.R.		
1 stellata. B.R.	starry. E. Indies. 1818. 5. 6. S. 4.	Botan. regist. 904.	
2 pubescens. B.R.	pubescent. ——— 1820. 3. 4. S. 4.	Hook. ex. flor. 124.	
Dendrobium pubescens. H.E.F.			
3 rosea. B.R.	rose-coloured. ——— 1824. 10. S. 4.	Botan. regist. 978.	
XYLOBIUM. B.R.	XYLOBIUM. Gynandria Monandria.		
squalens. B.R.	squalid. Brazil. 1822. 7. 8. S. 4.	Botan. regist. 732.	
Dendrobium squalens. B.R.			
MAXILLARIA. R.P.	MAXILLARIA. Gynandria Monandria. B.R.		
1 Barringtoniae. B.R.	Barrington's. W. Indies. 1790. 6. 8. S. 4.	Sm. ic. pict. 25.	
Dendrobium Barringtoniae. H.E.F. 119.			
2 Harrisoniae. B.R.	Mrs. Harrison's. Brazil. 1820. 4. 8. S. 4.	Botan. regist. 897.	
3 parvula. H.E.F.	small. ——— 1824. 3. 5. S. 4.	Hook. ex. flor. 217.	
4 aromaticæ. H.E.F.	aromatic. ——— 1825. 5. S. 4.	————— 219.	
SARCOCHILUS. B.P.	SARCOCHILUS. Gynandria Monandria. B.P.		
falcatus. B.P.	falcate. N. S. W. 1821. 5. 8. G. 4.		
DENDROBIUM. H.K. DENDROBIUM.	DENDROBIUM. Gynandria Monandria. H.K.		
1 speciosum. B.P.	showy. N. S. W. 1801. 6. 8. G. 4.	Sm. exot. bot. 1. t. 10.	
2 æmulum. B.P.	rival. ——— 1822. —— G. 4.		
3 linguisiforme. B.P.	tongue-leaved. ——— 1810. —— G. 4.	Sm. exot. bot. 1. t. 11.	
4 teretifolium. B.P.	filiform-leaved. ——— 1823. —— G. 4.		
5 cucullatum. B.R.	cucullate. E. Indies. 1815. 3. 5. S. ½.		
6 Pierardi. H.E.F.	Pierard's. ——— —— 12. 6. S. ½.		
7 Calceolaria. H.E.F.	hollow-lipped. ——— 1820. —— S. ½.		
8 fimbriatum. H.E.F.	fringed. ——— 1818. 4. 6. S. ½.		
9 crumenatum. w.	pouched. Java. 1822. —— S. ½.		
10 moniliforme. w.	glassy. China. 1824. 6. 8. S. ½.	Rumph. amb. 6. t. 47. f. 2.	
ORNITHIDIUM. H.K. ORNITHIDIUM.	Gynandria Monandria. H.K.		
coccineum. H.K.	scarlet-flow'rd. W. Indies. 1790. 1. 12. S. 4.	Kämpf. amœn. t. 865.	
Cymbidium coccineum. B.M. 1437.		Hook. ex. flor. 38.	
ISOCHILUS. H.K.	ISOCHILUS. Gynandria Monandria. H.K.		
1 linearis. H.K.	linear-leaved. W. Indies. 1791. 5. 7. S. 4.	Botan. regist. 745.	
Epidendrum lineare. Jacq. amer. t. 131. f. 1.	Cymbidium lineare. w.		
2 graminoides. H.E.F.	grass-like. W. Indies. 1823. —— S. 4.	Hook. ex. flor. 196.	
3 prolifer. H.K.	proliferous. ——— 1793. 6. 11. S. 4.	Botan. regist. 825.	
POLYSTACHIA. H.E.F.	POLYSTACHYA. Gynandria Monandria.		
1 luteola. H.E.F.	smooth. W. Indies. 1818. 7. 8. S. 4.	Hook. ex. flor. 103.	
Dendrobium polystachyum. w.			
2 puberula. B.R.	downy. Sierra Leon. 1821. 8. S. 4.	Botan. regist. 851.	
BRASSAVOLA. H.K. BRASSAVOLA.	Gynandria Monandria. H.K.		
1 cucullata. H.K.	single-flowered. W. Indies. 1793. 6. 7. S. 4.	Botan. magaz. 543.	
Epidendrum cucullatum. B.M.			
2 nodosa. Ly.	many-flowered. ——— 1824. 10. S. 4.		
BROUGHTONIA. K.H. BROUGHTONIA.	Gynandria Monandria. H.K.		
sanguinea. H.K.	blood-coloured. Jamaica. 1793. 6. 7. S. 4.	Lodd. bot. cab. 793.	
CATTELEYA. L.col.	CATTELEYA. Gynandria Monandria. H.E.F.		
1 labiata. L.col.	great-lipped. S. America. 1818. 4. 10. S. 4.	Lindl. coll. 33.	
2 Loddigesii. H.E.F.	Loddiges'. ——— 1810. —— S. 4.	Hook. ex. flor. 186.	
Epidendrum violaceum. B.C. 337.			
3 Forbesii. B.R.	yellow. Brazil. 1823. 9. S. 4.	Botan. regist. 953.	
EPIDENDRUM. H.K. EPIDENDRUM.	Gynandria Monandria. H.K.		
1 cochleatum. w.	shell-flowered. W. Indies. 1786. 1. 12. S. 4.	Botan. magaz. 572.	
2 fragrans. w.	sweet-scented. ——— 1778. 10. S. 4.	————— 1669.	
3 secundum. w.	pale-flowered. ——— 1793. 6. 7. S. 4.	Jacq. amer. t. 137.	
4 polybulbon. w.	many-bulbed. ——— 1822. —— S. 4.	Hook. ex. flor. 112.	
5 verrucosum. w.	warted. ——— 1824. —— S. 4.	Lodd. bot. cab. 1084.	
6 nutans. w.	nodding. ——— 1794. —— S. 4.	Hook. ex. flor. 50.	
7 umbellatum. w.	umbelled. Jamaica. 1793. —— S. 4.	Botan. regist. 80.	
8 diffusum. w.	diffuse. W. Indies. 1818. 4. 5. S. 4.	Lodd. bot. cab. 846.	
9 anceps. B.C.	two-edged. ——— 1820. 8. 10. S. 4.	————— 887.	
10 nocturnum. w.	night-smelling. ——— —— 4. 6. S. 4.	————— 713.	

11 fuscatum. w.	brown.	W. Indies.	1790.	6. 7.	S. 4.	Botan. regist. 67.
12 elongatum. w.	long-stalked.	Caracas.	1798.	5. 8.	S. 4.	Botan. magaz. 611.
13 ellipticum. H.E.F.	elliptic-leaved.	Brazil.	1824.	3. 8.	S. 4.	Hook. ex. flor. 207.
14 conopseum. H.K.	Florida.	Florida.	1775.	8.	S. 4.	
15 monophyllum. H.E.F.	one-leaved.	W. Indies.	1822.	7.	S. 4.	Hook. ex. flor. 109.
16 ciliare. B.R.	fringed.	—	1790.	6. 10.	S. 4.	Botan. regist. 784.
17 cuspidatum. B.R.	pointed.	—	1808	—	S. 4.	————— 783.
CRYPTARRHENA. B.R.	CRYPTARRHENA. Gynandria Monandria. B.R.					
lunata. B.R.	crescent-lipped. W. Indies.	1815.	5. 8.	S. 4.	Botan. regist. 153.	
EULOPHIA. B.R.	EULOPHIA. Gynandria Monandria. B.R.					
1 virens. B.R.	green.	E. Indies.	1823.	6. 8.	S. 4.	Roxb. corom. 1. t. 38.
<i>Limodorum virens</i> . R.C.						
2 guineensis. B.R.	Guinea.	Sierra Leone.	1822.	11. 2.	S. 4.	Botan. regist. 686.
3 gracilis. B.R.	slender.	—	—	6. 9.	S. 4.	————— 742.
4 triste. B.R.	dark-flowered.	C. B. S.	1825.	5. 6.	G. 4.	
5 longicorne. B.R.	long-spurred.	—	—	6. 8.	G. 4.	
6 barbatum. B.R.	bearded.	—	1822.	—	G. 4.	
CALANTHE. B.R.	CALANTHE.	Gynandria Monandria. B.R.				
1 veratrifolia. B.R.	Veratrum-ld.	E. Indies.	1819.	1. 9.	S. 4.	Botan. regist. 720.
2 sylvestris. Ly.	loose-spiked.	Madagascar.	1823.	6. 7.	S. 4.	
ANGRÆCUM. L.col.	ANGRÆCUM.	Gynandria Monandria. B.R.				
1 maculatum. B.R.	spotted.	S. America.	1819.	10. 12.	S. 4.	Botan. regist. 618.
2 falcatum. L.col.	falcate.	China.	1815.	—	S. 4.	————— 283.
<i>Limodorum falcatum</i> . B.R.						
3 luridum. Ly.	lurid.	Sierra Leone.	1822.	7.	S. 4.	
IONOPSIS. K.S.	IONOPSIS. Gynandria Monandria.	Trinidad.	1822.	6. 9.	S. 4.	Hook. ex. flor. 113.
utricularioides. L.col.	pale-flowered.					
<i>Ianthe pallida</i> . H.E.F.						
AERANTHES. B.R.	AERANTHES.	Gynandria Monandria. B.R.				
1 grandiflora. B.R.	large-flowered.	Madagascar.	1823.	7. 8.	S. 4.	Botan. regist. 817.
2 sesquipedalis. Ly.	long-flowered.	—	—	—	S. 4.	
AERIDES. H.K.	AIR-PLANT.	Gynandria Monandria. H.K.				
1 odoratum. H.K.	fragrant.	China.	1800.	—	S. 4.	
2 arachnites. w.	common.	Japan.	1793.	—	S. 4.	
<i>Epidendrum flos aeris</i> . L.						
PHOLIDOTA. H.E.F.	PHOLIDOTA.	Gynandria Monandria. H.E.F.				
imbricata. H.E.F.	imbricated.	Nepaul.	1823.	7.	S. 4.	Hook. ex. flor. 138.
SARCANTHUS. L.col.	SARCANTHUS.	Gynandria Monandria. B.R.				
1 paniculatus. L.col.	panicled.	China.	1812.	5. 8.	S. 4.	Botan. regist. 220.
<i>Aerides paniculata</i> . B.R.						
2 succisus. Ly.	bitten.	—	1824.	—	S. 4.	
3 rostratis. B.R.	rostrate.	—	1819.	6. 12.	S. 4.	Botan. regist. 981.
4 teretifolius. Ly.	round-leaved.	—	—	—	S. 4.	————— 676.
<i>Vanda teretifolia</i> . B.R.						
TRICHHORHIZA. Ly.	TRICHHORHIZA.	Gynandria Monandria.				
teretifolia. L.C.	round-leaved.	E. Indies.	1819.	10.	S. 4.	Hook. ex. flor. 72.
<i>Vanda? trichorhiza</i> . H.E.F.						
VANDA. B.R.	VANDA.	Gynandria Monandria. B.R.				
1 cruenta. L.C.	red-flowered.	China.	1819.	—	S. 4.	Lindl. coll. 38.
2 multiflora. L.col.	many-flowered.	—	1800.	6. 10.	S. 4.	Botan. regist. 506.
3 Roxburghii. B.R.	Roxburgh's.	E. Indies.	1816.	10. 12.	S. 4.	Roxb. cor. 1. t. 42.
4 tessellata. L.C.	tessellate.	—	—	—	S. 4.	
<i>Cymbidium tessellatum</i> . R.C.						
VANILLA. W.	VANILLA.	Gynandria Monandria. H.K.				
1 aromatic. H.K.	aromatic.	S. America.	1739.	6. 8.	S. 4.	Plum. ic. 183. t. 188.
2 planifolia. H.K.	flat-leaved.	W. Indies.	1800.	4. 6.	S. 4.	Andr. deposit. 538.
CYPRIOPEDIUM. W.	LADIES'-SLIPPER.	Gynandria Diandria. H.K.				
1 Calceolus. w.	common.	England.	—	5. 7.	H. 4.	Eng. bot. 1.
2 parviflorum. w.	small-flowered.	N. America.	1759.	—	H. 4.	Swt. br. fl. gar. 80.
3 pubescens. w.	yellow-downy.	—	1790.	—	H. 4.	————— 71.
4 spectabile. w.	showy.	—	1731.	6. 7.	H. 4.	Lodd. bot. cab. 697.
<i>album</i> . B.M. 216.						
5 humile. w.	two-leaved.	—	1786.	5. 6.	H. 4.	Botan. magaz. 192.
6 arietinum. w.	ram's-head.	—	1808.	—	H. 4.	————— 1569.
7 venustum. B.R.	handsome.	Nepaul.	1816.	7. 10.	S. 4.	Botan. regist. 788.
8 insigne. L.col.	noble.	—	1819.	—	S. 4.	Lindl. coll. 32.

ORDO CLXXV.

SCITAMINEÆ. *Brown prodr.* 1. p. 305.**GLOBBA.** L.

- 1 marantina. W.
2 bulbifera. F.I.
3 orixensis. F.I.
4 versicolor. Ex. B.
Hura. F.I.

- 5 pendula. F.I.
6 Careyana. F.I.
7 sessiliflora. B.M.

MANTISIA. B.M.

- 1 saltatoria. B.M.
Globba subulata. F.I. *purpurea.* A.R. 615. *saltatoria.* R. Sc.

- 2 spathulata. R.S.
Globba spathulata. F.I.

CURCUMA. W.

- 1 Zerumbet. F.I.
2 aromaticata. P.L.
3 Zedoaria. F.I.
4 zanthorrhiza. F.I.
5 latifolia. R.Sc.
6 elata. F.I.
7 cæsia. F.I.
8 æruginosa. F.I.
9 ferruginea. F.I.
10 rubescens. F.I.
11 comosa F.I.
12 leucorrhiza. F.I.
13 angustifolia. F.I.
14 longa. F.I.
15 Amada. F.I.
16 viridiflora. F.I.
17 montana. F.I.
18 reclinata. F.I.
19 petiolata. F.I.
20 rubricaulis. L.T.

KÆMPFERIA. L.

- 1 Galanga. w.
2 rotunda. w.
3 latifolia. s.s.
4 angustifolia. F.I.
5 pandurata. F.I.
6 ovalifolia. F.I.
7 marginata. R.S.

ROSCOEÆ. L.T.

- 1 purpurea. L.T.
2 gracilis. L.T.
3 elatior. L.T.
4 spicata. L.T.
5 capitata. L.T.

ZINGIBER. L.T.

- 1 officinale. F.I.
2 Zerumbet. F.I.
3 Casumunara. B.M.
pureum. L.T. *Cliffordia.* A.R. t. 555.
4 roseum. F.I.
5 ligulatum. F.I.
6 rubens. F.I.
7 squarrosum. F.I.

GLOBBA. Monandria Monogynia. L.

marantine.	E. Indies.	1800.	7. 8.	S. 4.	Exot. bot. 2. t. 103.
bulb-bearing.	——	1818.	—	S. 4.	
Orixian.	——	1819.	—	S. 4.	
various-col'd.	——	1820.	—	S. 4.	Sm. exot. bot. 2. t. 117.
pendulous-fld.	——	1822.	6. 8.	S. 4.	
Carey's.	——	1822.	—	S. 4.	Lodd. bot. cab. 691.
sessile-flower'd.	——	1807.	—	S. 4.	Botan. magaz. 1428.
<i>Globba subulata.</i>	<i>Opera-girl's.</i>	E. Indies.	1808.	6.	S. 4.
spathulate.	——	1822.	6. 8.	S. 4.	Botan. magaz. 1320.

TURMERIC. Monandria Monogynia. L.

Zedoary.	E. Indies.	1807.	4. 8.	S. 4.	Rumph. amb. 5. t. 68.
aromatic.	——	1797.	—	S. 4.	Sal. par. lond. 96.
silky-leaved.	——	—	—	S. 4.	Botan. magaz. 1546.
yellow-rooted.	Amboyna.	1819.	4. 5.	S. 4.	
broad-leaved.	E. Indies.	—	—	S. 4.	Rosc. scitam. ic.
tall.	——	—	—	S. 4.	
clouded-leaved.	——	—	5. 6.	S. 4.	
verdigrease.	——	1807.	4. 8.	S. 4.	
rusty.	——	1819.	—	S. 4.	
red.	——	—	4. 6.	S. 4.	Rox. scitam. ic.
close-flowered.	——	—	—	S. 4.	
white-rooted.	——	—	—	S. 4.	
narrow-leaved.	——	1822.	—	S. 4.	
long-rooted.	——	1759.	6. 8.	S. 4.	Botan. regist. 886.
Mango-ginger.	——	1819.	—	S. 4.	Rosc. scitam. ic.
green-flowered.	——	1820.	—	S. 4.	
mountain.	——	1823.	4. 6.	S. 4.	Roxb. corom. 2. n. 151.
reclining.	——	1824.	—	S. 4.	
petiolate.	——	1822.	—	S. 4.	
red-stalked.	——	1818.	—	S. 4.	

KÆMPFERIA. Monandria Monogynia. L.

officinal.	E. Indies.	1724.	6. 9.	S. 4.	Botan. magaz. 850.
round-rooted.	——	1768.	7. 8.	S. 4.	————— 920.
broad-leaved.	——	1803.	4. 7.	S. 4.	
narrow-leaved.	——	—	—	S. 4.	Rosc. scitam. ic.
fiddle-lipped.	——	1812.	—	S. 4.	Botan. regist. 173.
oval-leaved.	——	1819.	—	S. 4.	Rosc. scitam. ic.
red-margined.	——	1820.	—	S. 4.	————— c. ic.

ROSCOEÆ. Monandria Monogynia.

purple-flowered.	Nepaul.	1819.	7. 8.	S. 4.	Sm. exot. bot. 2. t. 108.
slender.	——	1820.	—	S. 4.	
tall.	——	—	—	S. 4.	
spiked.	——	1821.	—	S. 4.	
headed.	——	1819.	—	S. 4.	

GINGER. Monandria Monogynia. H.K.

narrow-leaved.	E. Indies.	1605.	6. 8.	S. 4.	Rosc. scitam. ic.
broad-leaved.	——	1690.	9. 11.	S. 4.	Sm. exot. bot. 2. t. 112.
downy-leaved.	——	1796.	8.	S. 4.	Botan. mag. 1426.
rose-coloured.	——	1823.	6. 8.	S. 4.	Roxb. corom. 2. t. 126.
ligulate.	——	—	—	S. 4.	
red-flowered.	——	1820.	5. 8.	S. 4.	Rosc. scitam. ic.
squarrose.	——	—	—	S. 4.	

8 panduratum. F.I.	fiddle-leaved.	E. Indies.	1819.	5. 8.	S. 2.	
9 Mioga. L.T.	Japanese.	Japan.	1796.	—	S. 2.	Kämpf. ic. Banks. t.1.
10 chrysanthum. R. Sc.	yellow-flower'd.	E. Indies.	1823.	—	S. 2.	Rosc. scitam. ic.
11 capitatum. F.I.	headed.	—	1820.	6. 8.	S. 2.	— ic.
12 elatum. F.I.	tall.	—	—	—	S. 2.	
AMOMUM. F.I.	AMOMUM. Monandria Monogynia. L.					
1 Afzelii. L.T.	sweet-scented.	Sierra Leon.	1795.	5. 6.	S. 2.	Ann. bot. 1. t. 13.
2 grandiflorum. R.S.	large-flowered.	—	—	6. 7.	S. 2.	Sm. exot. bot. t. 111.
3 sylvestre. R.S.	wood.	Jamaica.	1804.	5. 7.	S. 2.	Sloan. hist. t. 105. f.1.
4 Cardamomum. F.I.	bastard Cardamon.	E. Indies.	1820.	4. 6.	S. 2.	Rumph. amb. 5. t. 65. f.1.
5 angustifolium. F.I.	narrow-leaved.	Madagascar.	—	—	S. 2.	Sonnerat. it. 2. f. 137.
6 aculeatum. F.I.	bristly-capsul'd.	E. Indies.	1823.	6. 8.	S. 2.	
7 maximum. F.I.	great.	—	—	—	S. 2.	
8 dealbatum. F.I.	insipid-seeded.	—	1819.	—	S. 2.	
9 subulatum. F.I.	subulate-bracted.	—	—	5. 7.	S. 2.	
10 aromaticum. F.I.	aromatic.	—	1823.	—	S. 2.	
11 sericeum. F.I.	silky-leaved.	—	1819.	6. 8.	S. 2.	
12 granum-paradisi. w.	Grains of Paradise.	Madagascar.	—	2. 4.	S. 2.	Blackw. t. 385.
COSTUS. F.I.	COSTUS. Monandria Monogynia. L.					
1 speciosus. F.I.	large-flowered.	E. Indies.	1794.	8. 9.	S. 2.	Jacq. ic. 1. t. 1.
2 nepalensis. R. Sc.	Nepaul.	Nepaul.	1818.	—	S. 2.	Rosc. scitam. ic.
speciosus β . B.R. 665.						
3 Pisonis. B.R.	Brazilian.	Brazil.	1822.	5. 9.	S. 2.	Botan. regist. 899.
4 afer. B.R.	African.	Sierra Leon.	—	—	S. 2.	— 683.
5 maculatus. R. Sc.	spotted.	—	—	—	S. 2.	Rosc. scitam. ic.
6 lanatus. L.C.	woolly.	—	—	S. 2.	
7 spicatus. L.T.	spiked.	S. America.	1793.	6.	S. 2.	Rose. scitam. ic.
8 comosus. L.T.	tufted.	—	1815.	—	S. 2.	Jacq. ic. 3. t. 202.
Alpinia comosa. Jacq.						
9 spiralis. L.T.	spiral.	—	—	5. 7.	S. 2.	Jacq. schœn. 1. t. 1.
10 villosissima. R.S.	villous.	W. Indies.	1823.	—	S. 2.	Jacq. fragm. t. 80.
11 arabicus. L.T.	Arabian.	Arabia.	1752.	8.	S. 2.	
HELLENIA. B.P.	HELLENIA. Monandria Monogynia. W.					
1 cerulea. B.P.	blue-flowered.	N. Holland.	1820.	5. 6.	G. 2.	Rosc. scitam. ic.
2 Allughas. w.	Ceylon.	E. Indies.	1796.	2. 3.	G. 2.	Andr. deposit. 501.
ALPINIA. L.T.	ALPINIA. Monandria Monogynia. L.					
1 racemosa. L.T.	clustered.	W. Indies.	1752.	7. 9.	S. 2.	Plum. ic. 11. t. 20.
2 Galanga. F.I.	Galanga-major.	E. Indies.	1818.	6. 10.	S. 2.	Rumph. amb. 5. t. 63.
3 Roxburghii.	Roxburgh's.	—	1820.	—	S. 2.	
bracteata. F.I. non L.T.						
4 malaccensis. F.I.	woolly-leaved.	—	1799.	4. 6.	S. 2.	Botan. regist. 328.
5 nutans. F.I.	nodding-fld.	—	1792.	—	S. 2.	Botan. magaz. 1903.
Renealmia nutans. A.R. 360.						
6 cernua. B.M.	drooping.	—	—	—	S. 2.	— 1900.
7 auriculata. R. Sc.	eared.	—	1822.	—	S. 2.	Rosc. scitam. ic.
8 exaltata. R.S.	tall.	—	1824.	—	S. 2.	
9 diffissa. L.T.	cloven.	China.	—	4. 6.	S. 2.	Rosc. scitam. ic.
10 mutica. F.I.	spurless.	E. Indies.	1811.	4. 9.	S. 2.	— ic.
11 calcarata. F.I.	upright spiked.	China.	1804.	9.	S. 2.	Andr. deposit. 421.
12 spicata. F.I.	spiked.	E. Indies.	1823.	6. 9.	S. 2.	
13 striata. L.en.	striated.	—	1818.	—	S. 2.	
14 bracteata. L.T.	bracted.	China.	1823.	5. 8.	S. 2.	
Roscooeana. R.S.						
GETHYRA. Sal.	GETHYRA. Monandria Monogynia.					
1 occidentalis.	occidental.	Jamaica.	1793.	5. 7.	S. 2.	Gært. fruct. 1. t. 12.
Alpinia occidentalis. L.T.						
2 tubulata.	Mr. Lambert's.	Demarara.	1820.	7. 8.	S. 2.	Botan. regist. 777.
Alpinia tubulata. B.R.						
3 punicea.	bright-red.	E. Indies.	—	—	S. 2.	
Alpinia punicea. F.I.						
4 Cardamomum medium. 9-winged.	—	—	—	—	S. 2.	
5 linguiformis. F.I.	tongue-lipped.	—	1825.	—	S. 2.	
ELETTARIA. L.T.	CARDAMON. Monandria Monogynia.					
Cardamomum. L.T. true.	E. Indies.	1815.	—	—	S. 2.	
Alpinia Cardamomum. F.I. Anomum Cardamomum. L.						
HEDYCHIUM. F.I.	GARLAND-FLOWER. Monandria Monogynia. L.					
1 angustifolium. R. Sc.	narrow-leaved.	E. Indies.	1815.	5. 12.	S. 2.	Rosc. scitam. ic.
2 aurantiacum. R. Sc.	orange-color'd.	—	—	—	S. 2.	— ic.
angustifolium. B.R. 157. non Roxb.						

3 coccineum. R. Sc.	scarlet.	Nepaul.	1818.	5. 12.	S. 4.	Rosc. scitam. ic.
<i>angustifolium.</i> B.M.	<i>non Roxb.</i>					
4 longifolium. R. Sc.	long-leaved.	E. Indies.	1820.	6. 8.	S. 4.	— — ic.
5 carneum. R. Sc.	flesh-coloured.	—	—	—	S. 4.	Botan. magaz. 2637.
6 flavum. R. Sc.	yellow.	—	1819.	—	S. 4.	Rosc. scitam. ic.
7 flavescentia. R. Sc.	yellowish.	—	1822.	—	S. 4.	— — ic.
8 heteromallum. B.R.	woolly.	—	—	—	S. 4.	Botan. regist. 767.
9 villosum. F.I.	villous.	—	—	—	S. 4.	
10 glaucum. R. Sc.	glaucous.	—	1820.	—	S. 4.	Rosc. scitam. ic.
11 ellipticum. R. Sc.	elliptic-leaved.	—	—	5. 8.	S. 4.	— — ic.
12 acuminatum. R. Sc.	taper-pointed.	—	1822.	—	S. 4.	— — ic.
13 elatum. B.R.	tall.	Nepaul.	1818.	7. 12.	S. 4.	Botan. regist. 526.
14 speciosum. F.I.	beautiful.	E. Indies.	1823.	8. 10.	S. 4.	
15 maximum. R. Sc.	large-flowered.	—	1819.	5. 9.	S. 4.	Rosc. scitam. ic.
16 coronarium. F.I.	sweet-scented.	—	1793.	7. 9.	S. 4.	Botan. magaz. 708.
17 Gardnerianum. R. Sc.	Gardner's.	Nepaul.	1818.	—	S. 4.	Botan. regist. 771.
18 thyrsiflorum. R. Sc.	thyrs-flower'd.	—	1822.	—	S. 4.	Rosc. scitam. ic.
19 spicatum. B.M.	spiked.	—	1820.	8. 11.	S. 4.	Botan. magaz. 2300.
20 gracile. F.I.	slender.	E. Indies.	1821.	—	S. 4.	

ORDO CLXXVI.

CANNEÆ. *Brown prodr. 1. p. 307.*

PHRYNIUM. F.I.	PHRYNIUM.	Monandria Monogynia. L.				
1 dichotomum. F.I.	forked.	E. Indies.	1807.	6. 9.	S. 4.	Rumph. amb. 4. t. 7.
2 virgatum. F.I.	slender-stem'd.	—	1818.	—	S. 4.	
3 spicatum. F.I.	spiked.	—	—	—	S. 4.	
4 imbricatum. F.I.	imbricated.	—	1824.	5. 8.	S. 4.	
5 grandiflorum. R. Sc.	great-flowered.	—	1819.	6. 8.	S. 4.	Rosc. scitam. ic.
6 parviflorum. F.I.	small-flowered.	—	—	5. 9.	S. 4.	— — ic.
7 capitatum. F.I.	capitate.	—	1820.	—	S. 4.	Rheed. mal. 11. t. 34.
8 obliquum. L.C.	oblique-leaved.	—	1824.	—	S. 4.	
9 angustifolium. L.C.	narrow-leaved.	—	—	—	S. 4.	
THALIA. W.	THALIA.	Monandria Monogynia. W.				
dealbata. L.T.	mealy.	Carolina.	1791.	7. 9.	H.w. 4.	Botan. magaz. 1690.
CANNA. W.	INDIAN SHOT.	Monandria Monogynia. L.				
1 indica. L.T.	common.	E. Indies.	1570.	1. 12.	S. 4.	Botan. regist. 776.
2 coccinea. L.T.	scarlet.	W. Indies.	1731.	—	S. 4.	Lodd. bot. cab. 739.
3 lutea. L.T.	yellow.	E. Indies.	1629.	—	S. 4.	Botan. regist. 773.
β maculata.	spotted-flowered.	—	1820.	—	S. 4.	Botan. magaz. 2085.
4 orientalis. R. Sc.	oriental.	—	—	—	S. 4.	Rosc. scitam. ic.
5 patens. B.R.	spreading.	China.	1771.	7. 10.	H. 4.	Botan. regist. 576.
6 speciosa. B.M.	showy.	Nepaul.	1820.	—	H. 4.	Botan. magaz. 2317.
7 gigantea. B.R.	gigantic.	America.	1788.	1. 12.	S. 4.	Botan. regist. 206.
8 latifolia. B.C.	broad-leaved.	—	—	—	S. 4.	Lodd. bot. cab. 634.
9 edulis. B.R.	eatable.	Peru.	1820.	6. 10.	S. 4.	Botan. regist. 775.
10 Lamberti. B.R.	Mr. Lambert's.	Trinidad.	1818.	5. 8.	S. 4.	— — 470.
11 excelsa. B.C.	tall.	Brazil.	1820.	1. 12.	S. 4.	Lodd. bot. cab. 743.
12 occidentalis. B.R.	West Indian.	W. Indies.	1822.	—	S. 4.	Botan. regist. 772.
13 limbata. R. Sc.	bordered.	Brazil.	1818.	—	S. 4.	Lodd. bot. cab. 449.
14 pallida. R. Sc.	pale.	—	1823.	—	S. 4.	Rosc. scitam. ic.
15 compacta. R. Sc.	compact.	E. Indies.	—	—	S. 4.	— — ic.
16 pedunculata. B.M.	stalked.	—	1820.	—	S. 4.	Botan. magaz. 2323.
17 denudata. R. Sc.	naked-stalked.	Brazil.	1822.	—	S. 4.	Rosc. scitam. ic.
18 lanceolata. L.C.	spear-leaved.	—	—	—	S. 4.	
19 esculenta. L.C.	esculent.	S. America.	—	—	S. 4.	
20 sanguinea. L.C.	bloody.	—	1824.	—	S. 4.	
21 polymorpha. L.C.	variable.	—	—	—	S. 4.	
22 iridiiflora. B.M.	nodding-fld.	Peru.	1816.	—	S. 4.	Botan. regist. 609.
23 flaccida. R. Sc.	flaccid.	S. Carolina.	1788.	—	S. 4.	Rosc. scitam. ic.
24 glauca. L.T.	glaucous.	S. America.	1732.	—	S. 4.	Sm. exot. bot. 102.
β rufa. B.M.	brown.	—	—	—	S. 4.	Botan. magaz. 2302.

MARANTA. R.S.	ARROW-ROOT.	Monandria Monogynia, L.		
1 arundinacea. R.S.	Indian.	S. America. 1732. 7. 8. S. 4.		Botan. magaz. 2307.
2 indica. R.S.	smooth-leaved.	India. S. 4.		Sloan. jam. t. 149.
3 Tonchat. R.S.	ovate.	E. Indies. 1819. S. 4.		Rumph. amb. 4. t. 7.
4 Jacquinii. R.S.	Jacquin's.	Caracas. 1809. 6. 7. S. 4.		Jacq. ic. 2. t. 20.
lutea. Jacq. non Lam.				
5 angustifolia. B.M.	narrow-leaved.	W. Indies. 1820. 7. 8. S. 4.		Botan. magaz. 2398.
6 bicolor. B.R.	two-coloured.	S. America. 1823. 1. 12. S. 4.		Botan. regist. 786.
7 gibba. R.S.	gibbous.	—— —— —— S. 4.		Rosc. scitam. ic.
8 obliqua. R.S.	oblique.	Guiana. 1803. 10. 1. S. 4.		Rudg. gui. t. 11.
9 sylvatica. L.T.	wood.	W. Indies. 1799. 8. 9. S. 4.		
10 comosa. R.S.	close-spiked.	Surinam. 1812. 6. 7. S. 4.		
CALATHEA. S.S.	CALATHEA.	Monandria Monogynia, S.S.		
1 discolor. s.s.	two-coloured.	Caracas. 1823. 6. 8. S. 4.		Jacq. frag. t. 63. f. 4.
Maranta Casupo. Jacq.				
2 violacea. B.R.	violet-coloured.	Brazil. — — — S. 4.		Botan. regist. 961.
3 flavescens. B.R.	yellowish.	—— —— —— S. 4.		————— 932.
4 Zebrina. B.R.	striped-leaved.	—— 1815. 4. 7. S. 4.		————— 385.
Maranta Zebrina. B.M. 1926.				
5 Rossii. L.C.	Ross's.	—— 1825. — — S. 4.		
6 villosa. L.C.	villous.	—— —— —— S. 4.		

ORDO CLXXVII.

MUSACEÆ. Juss. gen. 61.

MUSA. L.	PLANTAIN-TREE.	Polygamia Monococcia, L.		
1 paradisiaca. w.	common.	India. 1690. 10. 12. S. ½.		Trew ehret. 3. t. 18-20.
2 sapientum. w.	Banana-tree.	W. Indies. 1729. 10. 3. S. ½.		————— 4. t. 21-23.
3 maculata. w.	spotted.	Mauritius. 1818. — — S. ½.		
4 rosacea. w.	rose-coloured.	—— 1805. 3. 6. S. ½.		
5 coccinea. w.	scarlet-flow'r'd.	China. 1792. 12. 3. S. ½.		
6 ornata. F.I.	handsome.	E. Indies. 1823. S. ½.		Botan. regist. 706.
7 superba. F.I.	superb.	—— —— —— S. 4.		Andr. deposit. t. 47.
8 glauca. F.I.	glaucous.	—— 1824. S. 4.		
URANIA. W.	URANIA.	Hexandria Monogynia. W.		
speciosa. w.	Plantain-ld.	Madagascar. 1813. S. ½.		Jacq. schœn. 1. t. 93.
Ravenalia madagascariensis. Jacq.				
STRELITZIA. H.K.	STRELITZIA.	Pentandria Monogynia. H.K.		
1 augusta. H.K.	Plantain-like.	C. B. S. 1791. 2. 5. S. ½.		Ker's Strelitz. ic.
2 reginae. H.K.	Canna-leaved.	—— 1773. 4. 5. I. 4.		Redout. lil. 77. 78.
3 ovata. H.K.	oval-leaved.	—— 1777. 2. 4. I. 4.		Botan. magaz. 119, 120.
4 humilis. L.en.	dwarf.	—— —— —— I. 4.		
5 farinosa. H.K.	mealy-stalked.	—— 1795. — — I. 4.		
6 angustifolia. H.K.	narrow-leaved.	—— 1778. 5. 6. I. 4.		
7 parvifolia. H.K.	small-leaved.	—— 1796. 5. 7. I. 4.		
β juncea. B.R.	rush-like.	—— —— —— I. 4.		
HELICONIA. R.S.	HELICONIA.	Pentandria Monogynia. L.		
1 Bihai. w.	Plantain-ld.	W. Indies. 1786. 4. 5. S. 4.		Botan. regist. 374.
2 humilis. R.S.	dwarf.	Caracas. 1798. 5. 6. S. 4.		Jacq. schœn. 1. t. 48-49.
3 psittacorum. R.S.	Parrot-beaked.	W. Indies. 1797. 8. 9. S. 4.		Andr. deposit. 124.
4 Swartziana. R.S.	Swartz's.	Jamaica. — — S. 4.		Botan. magaz. 502.
psittacorum β. B.M.				
5 dealbata. L.C.	mealy.	S. America. 1823. — — S. 4.		
6 hirsuta. R.S.	hairy-bracted.	—— —— —— S. 4.		
7 buccinata. F.I.	Indian.	E. Indies. 1820. S. 4.		Rumph. amb. 5. t. 62. f. 2.

ORDO CLXXVIII.

IRIDEÆ. Brown prodr. 302.

IRIS. B.M.

- 1 susiana. R.S.
 2 livida. Trat.
 3 florentina. R.S.
 4 germanica. R.S.
nepalensis. B.M. 818, non D.P.
 5 subbiflora. B.M.
 6 pallida. R.S.
 7 longiflora. R.S.
 8 flavescens. R.S.
 9 sordida. W.en.
 10 sambucina. R.S.
 11 squalens. R.S.
 12 lurida. R.S.
 13 variegata. R.S.
 14 neglecta. R.S.
 15 Swertia. R.S.
 16 plicata. R.S.
amana β *hungarica*. R.L. *aphylla*. γ . B.M. 870.
 17 biflora. R.S.
 18 furcata. R.S.
 19 cristata. R.S.
 20 fimbriata. v.
chinensis. B.M. 373.
 21 dichotoma. R.S.
 22 nudicaulis. R.S.
aphylla. w.
 23 arenaria. R.S.
 24 lutescens. R.S.
 25 flavissima. R.S.
 26 pumila. R.S.
 27 violacea.
pumila. var. *violacea*. B.M.
 28 hungarica. R.S.
 29 iberica. R.S.
 30 moræoides. s.s.
Moræa iridioides. B.M.
 31 Pseud-Acorus. R.S. yellow-water.
 β *pallido-flava*. B.M. pale-yellow.
 32 Monnierii. R.S.
 33 foetidissima. R.S.
 β *variegata*.
 34 versicolor. R.S.
 35 fulva. B.M.
cuprea. Ph. published 1814. *fulva*. B.M. published 1812.
 36 tridentata. Ph. three-toothed.
tripetala. N.
 37 virginica. R.S.
 38 gracilis. Bolt.
Boltoniana. R.S.
 39 spuria. B.M.
 40 notha. M.B.
halophila. B.M.
 41 ochroleuca. L.
 42 halophila. Pal.
 43 stenogyna. R.L.
 44 desertorum. Guld.
spatulata. W.en.

FLOWER-DE-LUCE. Triandria Monogynia. L.

Chalcedonian.	Levant.	1596.	3. 4. H. 4.	Botan. magaz. 91.
livid.	—	—	H. 4.	Redout. lil. 1. t. 18.
Florentine.	S. Europe.	1596.	5. 6. H. 4.	Botan. magaz. 671.
German.	Germany.	1573.	— H. 4.	————— 670.
double-bearing.	Portugal.	1596.	4. 5. H. 4.	Botan. magaz. 1130.
pale Turkey.	Turkey.	—	5. 6. H. 4.	————— 685.
long-flowered.	—	1824.	— H. 4.	
pale yellow.	Switzerland.	1825.	— H. 4.	
dull-flowered.	—	1818.	— H. 4.	
Elder-scented.	S. Europe.	1658.	6. H. 4.	Botan. magaz. 187.
brown-flower'd.	—	1768.	6. H. 4.	————— 787.
dark brown.	—	1758.	4. 5. H. 4.	————— 669. 986.
variegated.	Hungary.	1597.	5. 6. H. 4.	————— 16.
Horneman's.	—	1820.	6. H. 4.	————— 2435.
reflex-fl.	—	1748.	5. 6. H. 4.	Redout. lil. 6. t. 360.
plaited-leaved.	Hungary.	1823.	— H. 4.	————— t. 336.
R.L. <i>aphylla</i> . γ . B.M. 870.				
two-flowered.	S. Europe.	1596.	4. 9. H. 4.	Besl. h. eyst. 8. f. 1.
forked.	Tauria.	1822.	3. 4. H. 4.	Botan. regist. 801.
crested.	N. America.	1756.	5. H. 4.	Botan. magaz. 412.
fringed.	China.	1792.	5. 6. F. 4.	Vent. cels. t. 9.
forked.	Dauria.	1784.	6. 8. H. 4.	Swt. br. fl. gar. 96.
naked-stalked.	—	1748.	5. 6. H. 4.	
sand.	Hungary.	1802.	5. 6. H. 4.	Botan. regist. 549.
pale yellow.	Germany.	1748.	4. 5. H. 4.	Redout. lil. 5. t. 263.
bright yellow.	Siberia.	1814.	5. 6. H. 4.	Jacq. ic. 3. t. 220.
dwarf.	Austria.	1596.	4. 5. H. 4.	Botan. magaz. 9.
violet-coloured.	S. Europe.	—	— H. 4.	————— 1261.
Hungarian.	Hungary.	1815.	5. H. 4.	Swt. br. fl. gar. 74.
Iberian.	Iberia.	1821.	5. 6. H. 4.	
Moræa-like.	C. B. S.	1758.	4. 8. G. 4.	Botan. magaz. 693.
Pseud-Acorus. R.S. yellow-water.	Britain.	—	6. H. 4.	Eng. bot. 578.
β <i>pallido-flava</i> . B.M. pale-yellow.	N. America.	1812.	— H. 4.	Botan. magaz. 2230.
Monnierii. R.S.	Monnier's.	1820.	6. 7. H. 4.	Redout. lil. 4. t. 236.
foetidissima. R.S.	Gladwyn.	—	6. H. 4.	Eng. bot. 596.
β <i>variegata</i> .	striped-leaved.	—	— H. 4.	
versicolor. R.S.	various-color'd.	N. America.	1732. 5. 6. H. 4.	Botan. magaz. 21.
fulva. B.M.	copper-color'd.	—	1812. 6. 7. H. 4.	————— 1496.
<i>cuprea</i> . Ph. published 1814. <i>fulva</i> . B.M. published 1812.				
tridentata. Ph. three-toothed.	—	1824.	7. H. 4.	
<i>tripetala</i> . N.				
Virginian.	Virginia.	1758.	6. 7. H. 4.	Botan. magaz. 703.
Bolton's.	N. America.	—	— H. 4.	
spurious.	Siberia.	1759.	7. H. 4.	Botan. magaz. 58.
hybrid.	—	1780.	— H. 4.	————— 875.
sulphur-color'd.	Levant.	1757.	— H. 4.	Botan. magaz. 61.
long-leaved.	Siberia.	1780.	7. 9. H. 4.	————— 1131.
cream-colour'd.	Caucasus.	1804.	7. H. 4.	————— 1515.
sweet-scented.	Russia.	1811.	— H. 4.	————— 1514.

45 verna. M.	vernal.	N. America.	1748.	4. 5. H. ¼.	Swt. br. fl. gar. 68.
46 ventricosa. R.S.	bellied.	Dahuria.	1800.	6. H. ¼.	Pall. it. 3. t. B. f. 1.
47 sibirica. R.S. β alba.	Siberian. white-flowered.	Siberia.	1596.	5. 6. H. ¼.	Botan. magaz. 50. ——— 1163.
48 acuta. W.en.	acute-leaved.	———	———	H. ¼.	
49 triflora. W.en.	three-flowered.	Italy.	1816.	——— H. ¼.	
50 hematophylla. F. sanguinea. R.S. sibirica γ sanguinea. B.M. 1604.	red-leaved.	Siberia.	1790.	4. 5. H. ¼.	Swt. br. fl. gar. 118.
51 flexuosa. R.S.	flexuose.	Germany.	———	5. 6. H. ¼.	Murr. c. gott. 7. t. 4. 4.
52 prismatica. R.S.	New Jersey.	N. America.	1812.	——— H. ¼.	Botan. magaz. 1504. ——— 681.
53 graminea. R.S.	grass-leaved.	Austria.	1597.	6. H. ¼.	——— 1123.
54 humilis. M.B.	pigny.	Siberia.	1804.	5. 6. H. ¼.	——— 1393.
55 ruthenica. R.S.	Russian.	Russia.	1810.	4. 5. H. ¼.	Pall. it. 3. t. C. f. 2.
56 tenuifolia. W.	slender-leaved.	Dauria.	1796.	5. H. ¼.	
57 nepalensis. D.P.	Nepaul.	Nepaul.	1824.	6. 7. H. ¼.	
58 Pallasiæ. B.M. β chinensis. B.M.	Pallas's.	Siberia.	1820.	——— H. ¼.	
59 longispatha. B.M.	Chinese.	China.	———	——— H. ¼.	Botan. magaz. 2331.
60 brachycuspis. B.M.	long-spated.	Russia.	1822.	——— H. ¼.	——— 2528.
61 celestina.	short-pointed.	Siberia.	1819.	6. H. ¼.	——— 2326.
62 tuberosa. R.S.	sky-blue.	N. America.	1824.	——— F. ¼.	
63 reticulata. R.S.	snake's-head.	Levant.	1597.	3. 4. H.b. ¼.	Botan. magaz. 531.
64 Xiphium. R.S.	netted-rooted.	Iberia.	1821.	4. 5. H.b. ¼.	
65 lusitanica. R.S.	small bulbous.	Spain.	1596.	6. H.b. ¼.	Botan. magaz. 686.
66 Xiphoides. R.S.	Portuguese.	Portugal.	———	4. 5. H.b. ¼.	——— 679.
67 caucasica. R.S.	great bulbous.	Spain.	1571.	6. H.b. ¼.	——— 687.
68 alata. Lam. scorpioides. Desf.	Caucasian.	Caucasus.	1821.	——— H.b. ¼.	
69 persica. R.S.	winged.	S. Europe.	1801.	——— H.b. ¼.	Desf. atl. 1. t. 6?
MORÆA. B.M.	Persian.	Persia.	1629.	3. H.b. ¼.	Botan. magaz. 1.
1 Sisyrinchium. B.M.	MORÆA. Triandria Monogynia. L.	Spanish nut.	1597.	5. 6. F.b.	Botan. magaz. 1407.
2 Tenoreana. B.F.G.	Tenore's.	Naples.	1824.	6. 7. F.b.	Swt. br. fl. gar. 110.
3 minuta. B.R.	small.	C. B. S.	1825.	——— F.b.	Botan. magaz. 750. ——— 1061.
4 papilionacea. B.R.	Butterfly.	———	1795.	5. 6. F.b.	——— 1012.
5 ciliata. B.R.	fringed-leaved.	———	1787.	4. 6. F.b.	——— 1284.
6 barbigena. Sal.	bearded.	———	———	4. 5. F.b.	——— 577.
7 crispa. B.R.	short-spated.	———	1803.	——— F.b.	——— 771.
8 tristis. B.R.	dull-coloured.	———	1768.	——— F.b.	
9 ramosa. B.R.	branching.	———	1789.	5. 6. F.b.	
10 plumaria. B.R.	feathered.	———	1825.	——— F.b.	Botan. magaz. 587.
11 viscaria. B.R.	bird-limed.	———	1800.	6. F.b.	——— 1045.
12 bituminosa. B.R.	clammy.	———	1787.	4. 5. F.b.	
13 polystachya. B.R.	many-spiked.	———	1825.	6. 7. F.b.	
14 longiflora. B.R.	long-flowered.	———	1801.	6. 7. F.b.	Botan. magaz. 712.
15 setacea. B.R.	bristle-leaved.	———	1825.	——— F.b.	Thunb. Ir. t. 1. f. 1.
16 edulis. B.M.	long-leaved.	———	1792.	5. 6. F.b.	Botan. magaz. 613.
17 odora. P.L.	sweet-scented.	———	———	——— F.b.	Sal. par. lond. 10.
18 longifolia. A.R. edulis γ lutescens. B.M. 1238.	pale-yellow.	———	1808.	——— F.b.	Andrews' reposit. t.45.
19 angusta. B.R.	rolled-leaved.	———	1790.	——— F.b.	Botan. magaz. 1276.
MARICA. H.K.	MARICA. Triandria Monogynia. H.K.	blue.	1810.	4. 10. S. ¼.	Botan. regist. 713.
1 cervulea. B.C.	Brazil.	St. Thomas.	1822.	9. 11. S. ¼.	Hort. trans. v. 6. pl. 1.
2 Sabini. H.T.	Sabine's.	Brazil.	1789.	4. 8. S. ¼.	Botan. magaz. 654.
3 Northiana. H.K.	broad-stemmed.	———	———	——— S. ¼.	
Moræa Northiana. A.R. 255.	———	———	———	——— S. ¼.	
4 paludosa. B.M.	marsh.	Guiana.	1792.	7. 8. S. ¼.	Botan. magaz. 646.
5 semiaperta. B.C.	half-opened.	Brazil.	1820.	5. 7. S. ¼.	Lodd. bot. cab. 685. ——— 1081.
6 humilis. B.C.	dwarf.	———	1823.	——— S. ¼.	Botan. magaz. 416.
7 martinicensis. H.K.	Martinico.	W. Indies.	1782.	——— S. ¼.	
Iris martinicensis. B.M. Cipura martinicensis. K.S. Trimezia lurida. Sal.	———	———	———	——— S. ¼.	
CYPELLA. B.M.	CYPELLA. Monadelphia Triandria. B.M.	———	———	——— S. ¼.	
Herberti. B.M.	Mr. Herbert's.	Buenos Ayres.	1823.	6. 9. F.b.	Botan. magaz. 2599.
Tigridia Herberti. B.M. Moræa Herberti. B.R. 949.	———	———	———	——— S. ¼.	
VIEUSSEUXIA. DC.	VIEUSSEUXIA. Triandria-Monadelphia Triandria.	———	———	——— S. ¼.	
1 tripetaloides. DC.	three-petal-like.	C. B. S.	1802.	4. 5. F.b.	Botan. magaz. 702.
Moræa tripetala. B.M. Iris tripetala. W.	———	———	———	——— S. ¼.	
2 pavonia. DC.	Peacock.	———	1790.	5. 6. F.b.	Botan. magaz. 1247.
Moræa pavonia. B.M. Iris pavonia. W.	———	———	———	——— S. ¼.	

3 <i>villosa</i> . s.s.	villous-leaved.	C. B. S.	1780.	4. 5.	F.b.	Botan. magaz. 571.
4 <i>tricuspis</i> . s.s.	trident-petaled.	—	1776.	6.	F.b.	— 696.
5 <i>glaucopis</i> . DC.	white-flowered.	—	—	5. 7.	F.b.	Redout. lil. 1. t. 42.
<i>Iris pavonia</i> . B.M. 168. <i>nec aliorum</i> .						
6 Bellendeni.	Mr. Ker's.	—	1803.	6. 7.	F.b.	Botan. magaz. 772.
<i>Moræa tricuspis</i> γ <i>lutea</i> . B.M. certainly a very distinct species.						
7 <i>tenuis</i> . R.S.	slender.	—	1807.	5. 6.	F.b.	— 1047.
8 <i>spiralis</i> . R.S.	spiral-flowered.	—	1825.	—	F.b.	De la Roch. dis. 1. t. 5.
9 <i>unguicularis</i> . R.S.	long-clawed.	—	1802.	—	F.b.	Botan. magaz. 593.
10 <i>lurida</i> .	Mr. Griffin's.	—	1817.	6.	F.b.	Botan. regist. 312.
<i>Moræa lurida</i> . B.R.						
HOMERIA. V.	HOMERIA. <i>Monadelphia Triandria</i> .					
1 <i>spicata</i> .	spiked.	C. B. S.	1785.	5. 6.	F.b.	Botan. magaz. 1283.
<i>Moræa spicata</i> . B.M.						
2 <i>collina</i> .	hill.	—	1768.	—	F.b.	— 1033.
<i>Moræa collina</i> . B.M.						
3 <i>exaltata</i> . B.F.G.	tall upright.	—	—	—	F.b.	Swt. br. fl. gar. ic.
<i>Moræa collina</i> . γ. B.M. 1103.						
4 <i>lineata</i> . B.F.G.	lined-leaved.	—	1825.	—	F.b.	Swt. br. fl. gar. ic.
5 <i>porrifolia</i> . B.F.G.	leek-leaved.	—	—	—	F.b.	— ic.
6 <i>elegans</i> .	elegant.	—	—	—	F.b.	Jacq. schœn. 1. t. 2.
7 <i>flaccida</i> .	flaccid.	—	1810.	—	F.b.	Botan. mag. 1612.
<i>Moræa collina</i> (a) <i>miniatu minor</i> . B.M. 1612.						
8 <i>miniatu</i> . B.F.G.	spot-flowered.	—	1799.	—	F.b.	Swt. br. fl. gar. 152.
9 <i>virgata</i> .	slender.	—	1825.	—	F.b.	Jacq. ic. 2. t. 228.
10 <i>flexuosa</i> .	flexuose.	—	1803.	—	F.b.	Botan. magaz. 695.
PARDANTHUS. S.S.	PARDANTHUS. <i>Triandria Monogynia</i> . S.S.					
1 <i>chinensis</i> . s.s.	Chinese.	China.	1759.	6. 7.	H. 4.	Botan. magaz. 171.
<i>Ixia chinensis</i> . B.M.						
2 <i>nepalensis</i> .	<i>Belamcanda chinensis</i> . DC.					
BOBARTIA. L.	Nepaul.	Nepaul.	1823.	—	H. 4.	
1 <i>gladiata</i> .	BOBARTIA. <i>Triandria Monogynia</i> . L.					
<i>Marica gladiata</i> . B.R. <i>Moræa gladiata</i> . W.	hairy-stalked.	C. B. S.	1815.	6. 8.	G. 4.	Botan. regist. 229.
2 <i>spathacea</i> . L.	sheathed.	—	1798.	7.	G. 4.	
SISYRINCHIUM. L.	SISYRINCHIUM. <i>Monadelphia Triandria</i> .					
1 <i>latifolium</i> . H.K.	broad-leaved.	W. Indies.	1737.	6. 8.	S. 4.	Botan. magaz. 655.
<i>Marica plicata</i> . B.M. <i>Moræa plicata</i> . W.						
2 <i>bermudianum</i> . W.	Iris-leaved.	Bermudas.	1732.	5. 7.	G. 4.	Botan. magaz. 94.
<i>iridioides</i> . B.M.						
3 <i>Nuttallii</i> .	Nuttall's.	N.America.	1823.	—	H. 4.	
<i>bermudianum</i> . N. nec <i>aliorum</i> .						
4 <i>anceps</i> . W.	narrow-leaved.	—	1693.	6. 7.	H. 4.	Botan. magaz. 464.
5 <i>mucronatum</i> . M.	pointed-flow'r'd.	—	1812.	—	H. 4.	
6 <i>convolutum</i> . W.	convolute.	S. America.	1816.	5. 7.	F. 4.	Wild. h. ber. t. 91.
7 <i>temnifolium</i> . W.	slender-leaved.	—	—	—	F. 4.	— t. 92.
8 <i>luteum</i> . L.en.	yellow-flow'r'd.	—	1823.	—	F. 4.	
9 <i>californicum</i> . H.K.	Californian.	California.	1796.	5. 9.	F. 4.	Botan. magaz. 983.
<i>Marica californica</i> . B.M.						
10 <i>micranthum</i> . W.	small-flowered.	Peru.	1822.	—	F. 4.	Cavan. diss. 6.t. 191.f. 2.
11 <i>iridifolium</i> . K.S.	Iris-leaved.	S. America.	—	—	F. 4.	Botan. regist. 646.
<i>luxum</i> . s.s. <i>Marica iridifolia</i> . B.R.						
12 <i>striatum</i> . H.K.	streaked-fld.	Mexico.	1788.	—	F. 4.	Sm. ic. pict. 9.
<i>Marica striata</i> . B.M.						
13 <i>palmifolium</i> . W.	Palm-leaved.	Brazil.	1779.	1. 5.	S. 4.	
RENEALMIA. B.P.	RENEALMIA. <i>Triandria-Monadelphia Triandria</i> .					
1 <i>paniculata</i> . B.P.	panicled.	N. S. W.	1823.	5. 8.	F. 4.	
2 <i>grandiflora</i> . B.P.	largest-flow'r'd.	N. Zealand.	1822.	4. 9.	H. 4.	Swt. br. fl. gar. 64.
3 <i>pulchella</i> . B.P.	neat.	N. S. W.	1823.	—	F. 4.	
PATERSONIA. B.P.	PATERSONIA. <i>Monadelphia Triandria</i> . H.K.					
1 <i>sericea</i> . B.P.	silky.	N. S. W.	1803.	5. 7.	F. 4.	Botan. magaz. 1041.
2 <i>longifolia</i> . B.P.	long-leaved.	—	1822.	—	F. 4.	
3 <i>media</i> . B.P.	middle.	—	1824.	—	F. 4.	
4 <i>glabrata</i> . B.P.	smooth.	—	1814.	—	F. 4.	Botan. regist. 50.
5 <i>glaucia</i> . B.P.	glaucous.	—	1826.	—	F. 4.	Lab. nov. hol. 1. t. 9.
WITSENIA. H.K.	WITSENIA. <i>Triandria Monogynia</i> .					
1 <i>maura</i> . H.K.	downy-flow'r'd.	C. B. S.	1790.	11. 1.	G. 4.	Botan. regist. 5.
2 <i>corymbosa</i> . H.K.	corymbose.	—	1803.	4. 9.	G. 4.	Botan. magaz. 895.
3 <i>ramosa</i> . s.s.	branching.	—	1809.	—	G. 4.	
ARISTEA. Ker.	ARISTEA. <i>Triandria Monogynia</i> . L.					
1 <i>cyanea</i> . H.K.	woolly-headed.	C. B. S.	1759.	4. 6.	G. 4.	Botan. magaz. 458.

2 pusilla. B.M.	flat-stemmed.	C. B. S.	1806.	6. 7.	G. 4.		Botan. magaz.	1231.
3 spiralis. H.K.	spiral-flowered.	—	1795.	4. 5.	G. 4.		—	520.
4 capitata. H.K.	tallest.	—	1790.	7. 8.	G. 4.		—	605.
major. A.R. 160.	<i>Moræa cærulea</i> . Th. mor. t. 2. f. 2.							
5 melaleuca. H.K.	three-coloured.	—	1786.	5. 6.	G. 4.		Botan. magaz.	1277.
FERRARIA. Ker.	FERRARIA. <i>Monadelphia</i>	Triandria. H.K.						
1 angustifolia.	narrow-leaved.	C. B. S.	1825.	4. 6.	F.b.		Botan. magaz.	751.
2 antherosa. B.M.	green variegated.	—	1800.	3. 7.	F.b.			
<i>Ferrariola</i> . H.K.	<i>viridiflora</i> . A.R. 285.							
3 uncinata. B.F.G.	hook-leaved.	—	1825.	—	F.b.		Swt. br. fl. gar.	161.
4 undulata. w.	curled.	—	1755.	—	F.b.		Botan. magaz.	144.
5 divaricata. B.F.G.	spreading-anther'd.	—	1825.	3. 7.	F.b.		Swt. br. fl. gar. ic.	148.
6 obtusifolia. B.F.G.	blunt-leaved.	—	—	—	F.b.			
TIGRIDIA. J.	TIGER-FLOWER. <i>Monadelphia</i>	Triandria. H.K.						
1 pavonia. H.K.	red-flowered.	Mexico.	1796.	5. 9.	H.b.		Redouté lil.	t. 6.
<i>Ferraria pavonia</i> . A.R. 178.	<i>Tigridia</i> . B.M. 532.						Swt. br. fl. gar.	128.
2 conchiflora. B.F.G.	yellow-flower'd.	—	1824.	—	H.b.			
GALAXIA. Ker.	GALAXIA. <i>Monadelphia</i>	Triandria. H.K.					Andr. deposit.	94.
1 ovata. w.	oval-leaved.	C. B. S.	1799.	5. 9.	F.b.		—	164.
2 grandiflora. A.R.	large-flowered.	—	—	—	F.b.		Jacq. ic. t. 291.	f.inf.sin.
3 mucronularis. Sal.	mucronated.	—	—	—	F.b.		—	f.inf. ad dextr.
4 versicolor. sal.	various-colour'd.	—	—	—	F.b.		Botan. magaz.	1292.
5 graminea. w.	narrow-leaved.	—	1795.	7. 8.	F.b.			
LAPEYROUSIA. Ker.	LAPEYROUSIA. <i>Triandria</i>	Monogynia. H.K.					Botan. magaz.	595.
1 corymbosa. B.M.	level-topped.	C. B. S.	1791.	5. 6.	F.b.		Thunb. dis.	4. t. 1.f. 3.
2 falcatia. B.M.	sickle-leaved.	—	1825.	—	F.b.		Jacq. ic. 2. t. 291.	
3 fasciculata. B.M.	fascicled.	—	—	—	F.b.			
<i>Galaxia plicata</i> . Jacq.	<i>Ixia heterophylla</i> . Vahl.	<i>Ovieda fasciculata</i> . s.s.					Botan. magaz.	1246.
4 fissifolia. B.M.	leafy-spiked.	—	1809.	8. 9.	F.b.		Swt. br. fl. gar. ic.	
5 aculeata. B.F.G.	prickly-stemmed.	—	1825.	5. 7.	F.b.		—	143.
6 anceps. B.F.G.	flat-stemmed.	—	—	—	F.b.		Jacq. ic. 2. t. 270.	
7 silenoides. B.M.	Silene-like.	—	1822.	—	F.b.			
8 Fabricii. B.M.	slender-branch'd.	—	1825.	—	F.b.		Botan. magaz.	606.
ANOMATHECA. Ker.	ANOMATHECA. <i>Triandria</i>	Monogynia. H.K.					Andr. deposit.	t. 137.
juncea. H.K.	cut-leaved.	C. B. S.	1791.	4. 5.	F.b.			
<i>Lapeyrouisia juncea</i> . B.M.	<i>Gladiolus polystachyus</i> . A.R. 66.						Botan. magaz.	410.
BABIANA. Ker.	BABIANA. <i>Triandria</i>	Monogynia. S.S.					—	583.
1 nana. s.s.	dwarf.	C. B. S.	1807.	4. 6.	F.b.			
<i>Gladiolus nanus</i> . A.R.							Jacq. ic. 2. t. 284.	
2 rubro-cyanea. B.M.	red and blue.	—	1794.	—	F.b.		Botan. magaz.	1052.
3 villosa. B.M.	dark red.	—	1778.	8.	F.b.		—	621.
<i>Ixia punicea</i> . Jacq. ic. 2. t. 287.							—	637.
4 obtusifolia. B.M.	blunt-leaved.	—	1825.	5. 6.	F.b.			
<i>Ixia villosa</i> . Jacq. non H.K.							Swt. br. fl. gar. ic.	
5 purpurea. B.M.	dark purple.	—	1806.	—	F.b.		Botan. magaz.	1053.
6 stricta. B.M.	upright.	—	1757.	—	F.b.		Jacq. ic. 2. t. 253.	
7 augustifolia.	narrow-leaved.	—	—	—	F.b.		Botan. magaz.	576.
<i>stricta</i> (a) B.M.	<i>Ixia villosa</i> var. Jacq. frag. t. 14. f. 3.						—	626.
8 tenuiflora. B.F.G.	slender-fld.	—	1825.	—	F.b.			
9 sulphurea. B.M.	pale-flowered.	—	1803.	—	F.b.		Botan. magaz.	638.
10 mucronata. B.M.	mucronate.	—	1825.	—	F.b.		—	1019.
11 plicata. B.M.	sweet-scented.	—	1774.	—	F.b.		—	680.
12 disticha. B.M.	two-ranked.	—	—	6. 7.	F.b.			
<i>Gladiolus plicatus</i> . Jacq. ic. t. 237. nec aliorum.							847.	
13 ochroleuca.	cream-colour'd.	—	1825.	5. 7.	F.b.		Lodd. bot. cab.	1006.
14 spathacea. B.M.	stiff-leaved.	—	1801.	—	F.b.			
15 sambucina. B.M.	Elder-scented.	—	1799.	4. 5.	F.b.			
16 tubata.	long-flowered.	—	1774.	—	F.b.			
<i>Gladiolus tubatus</i> . Jacq. ic. 2. t. 264.								
17 tubiflora. B.M.	long-tubed.	—	—	—	F.b.			
18 ringens. B.M.	gaping-fld.	—	1752.	5. 6.	F.b.			
19 <i>Antholyza</i> (Thunbergii). B.M.	many-spiked.	—	1774.	—	F.b.			
<i>Antholyza plicata</i> . W.								
ANTHOLYZA. Ker.	ANTHOLYZA.	Triandria Monogynia. L.						
1 æthiopica. B.M.	flag-leaved.	C. B. S.	1759.	1. 4.	F.b.		Botan. magaz.	561.
2 præalta. DC.	tall.	—	—	—	F.b.		Redouté lil.	t. 7. t. 387.
<i>æthiopica</i> . var. (β) B.M. 1172. <i>vittigera</i> . Sal.								
3 montana. B.C.	mountain.	—	1824.	5. 7.	F.b.		Lodd. bot. cab.	1022.
ANISANTHUS. B.F.G.	ANISANTHUS.	Triandria Monogynia.						
1 splendens. B.F.G.	splendid.	C. B. S.	1825.	4. 6.	F.b.		Swt. br. fl. gar. ic.	

2 <i>Cunonia</i> , B.F.G.	scarlet.	C. B. S.	1756.	5. 6.	F.b.	Botan. magaz. 343.
<i>Antholyza Cunonia</i> , B.M.	<i>Gladiolus Cunonia</i> , H.K.					
3 <i>quadrangularis</i> .	four-channelled.		1799.	3. 4.	F.b.	567.
	<i>Gladiolus quadrangularis</i> , B.M. abbreviatus. A.R. 166.					
WATSONIA. Ker.		WATSONIA. <i>Triandria Monogynia</i> , H.K.				
1 <i>alstrodes</i> , B.M.	Aletris-flow'r'd.	C. B. S.	1774.	5. 7.	F.b.	Botan. magaz. 441.
β <i>variegata</i> . B.M.	<i>variegated</i> .				F.b.	533.
2 <i>humilis</i> , B.M.	lake-coloured.		1754.	—	F.b.	— 631.
3 <i>Meriana</i> , B.M.	red-flowered.		1750.	—	F.b.	418.
4 <i>iridifolia</i> . Jac.	Iris-leaved.		1795.	—	F.b.	Jacq. ic. 2. t. 234.
5 <i>fulgida</i> , Sal.	scarlet.				F.b.	Botan. magaz. 600.
<i>Antholyza fulgens</i> , A.R. 192.						
6 <i>roseo-alba</i> , B.M.	two-coloured.		—	7. 8.	F.b.	537.
β <i>variegata</i> .	<i>variegated-fld.</i>		—	—	F.b.	— 1193.
7 <i>brevifolia</i> , B.M.	short-leaved.		1794.	5. 7.	F.b.	601.
8 <i>strictiflora</i> , B.M.	upright-fld.		1810.	6.	F.b.	1406.
9 <i>rosea</i> , B.M.	pyramidal.		1803.	7. 8.	F.b.	1072.
10 <i>marginata</i> , B.M.	broad-leaved.		1774.	6. 7.	F.b.	608.
β <i>minor</i> , B.M.	<i>shining-leaved</i> .		1812.	—	F.b.	— 1530.
11 <i>punctata</i> , H.K.	dotted-flow'r'd.		1800.	4. 5.	F.b.	Andr. deposit. 177.
<i>Ixia punctata</i> , A.R.						
12 <i>plantaginea</i> , B.M.	Fox-tail.		1774.	6. 7.	F.b.	Botan. magaz. 553.
13 <i>spicata</i> , B.M.	hollow-leaved.		1791.	5.	F.b.	— 523.
<i>Ixia fistulosa</i> , B.M.						
GLADIOLUS. Ker.		CORN-FLAG. <i>Triandria Monogynia</i> , L.				
1 <i>viperatus</i> , B.M.	perfumed.	C. B. S.	1787.	4. 5.	F.b.	Swt.br. fl. gar. 156.
2 <i>alatus</i> , B.M.	wing-flowered.		1795.	5. 6.	F.b.	Botan. magaz. 586.
3 <i>algoensis</i> .	Algoa bay.		1824.	7.	F.b.	— 2608.
<i>alatus</i> β <i>algoensis</i> , B.M.						
4 <i>namaquensis</i> , B.M.	thick-leaved.		1800.	5. 6.	F.b.	Botan. magaz. 592.
5 <i>permeabilis</i> , R.S.	tall.		1825.	—	F.b.	De la Roch. dis. t. 2.
6 <i>Watsonius</i> , B.M.	Watson's.		1791.	3. 5.	F.b.	Botan. magaz. 450.
β <i>variegata</i> .	<i>variegated-fld.</i>		1801.	—	F.b.	— 569.
7 <i>brevifolius</i> , H.K.	short-leaved.		1802.	—	F.b.	— 727, 992.
8 <i>hirsutus</i> , H.K.	rose-coloured.		1795.	4. 6.	F.b.	— 574, 823.
9 <i>versicolor</i> , B.M.	various-color'd.		1794.	5. 6.	F.b.	Andr. deposit. 19.
10 <i>binervis</i> .	two-nerved.		1806.	—	F.b.	Botan. magaz. 1042. ε.
<i>versicolor</i> ε. <i>binervis</i> , B.M.						
11 <i>recurvus</i> , B.M.	Violet-scent'd.		1758.	4. 5.	F.b.	Botan. magaz. 578.
12 <i>gracilis</i> , B.M.	slender.		1800.	—	F.b.	— 562.
13 <i>maculatus</i> .	spotted-flow'r'd.		1799.	—	F.b.	— 556.
<i>versicolor</i> γ. <i>tenuior</i> , D.M.						
14 <i>debilis</i> , B.M.	weak.		1822.	—	F.b.	Botan. magaz. 2585.
15 <i>trichonemifolius</i> , B.M.	slender-l'd.		1810.	5. 6.	F.b.	— 1483.
16 <i>concolor</i> , P.L.	pale yellow.		1790.	—	F.b.	Sal. par. lond. 8.
17 <i>tristis</i> , B.M.	square-leaved.		1745.	—	F.b.	Botan. magaz. 272.
18 <i>hyalinus</i> , Jacq.	transparent.		1825.	—	F.b.	Jacq. ic. 2. t. 242.
19 <i>tenellus</i> , Jacq.	feeble.		—	—	F.b.	— t. 248.
20 <i>Colvillii</i> , B.F.G.	Colvill's.	Hybrid.	1823.	—	F.b.	Swt. br. fl. gar. 155.
21 <i>angustus</i> , B.M.	narrow-leaved.	C. B. S.	1757.	—	F.b.	Botan. magaz. 602.
22 <i>hastatus</i> , B.M.	spade.		1816.	4. 5.	F.b.	— 1564.
23 <i>edulis</i> , B.R.	eatable.		—	5. 6.	F.b.	Botan. regist. 169.
24 <i>carneus</i> , B.M.	flesh-coloured.		1796.	—	F.b.	Botan. magaz. 591.
25 <i>cuspidatus</i> , B.M.	sharp-pointed.		1795.	4. 5.	F.b.	— 582.
26 <i>undulatus</i> , B.M.	waved-flow'r'd.		1760.	—	F.b.	Jacq. ic. 2. t. 251.
α <i>pallidus</i> .	pale-flowered.		—	—	F.b.	Botan. magaz. 647.
β <i>carneus</i> .	flesh-coloured.		—	—	F.b.	— 538.
27 <i>blandus</i> , B.M.	fairest.		1774.	6.	F.b.	— 625.
28 <i>albidus</i> , Vahl.	white-flowered.		—	—	F.b.	— 648.
29 <i>campanulatus</i> , A.R.	bell-flowered.		1794.	5. 6.	F.b.	Andr. deposit. 188.
30 <i>pictus</i> .	Painted-fld.		—	—	F.b.	Botan. magaz. 1665.
<i>blandus</i> , δ. B.M.						
31 <i>trimaculatus</i> , Vahl.	three-spotted.		—	—	F.b.	Mill. ic. t. 286. f. 1.
32 <i>involutus</i> , B.M.	involute.		1757.	—	F.b.	Thunb. diss. t. 1. f. 1.
33 <i>flexuosus</i> , B.M.	flexuous.		1825.	—	F.b.	Botan. magaz. 610.
34 <i>floribundus</i> , B.M.	large-flowered.		1788.	5. 7.	F.b.	— 632.
35 <i>Milleri</i> , B.M.	Miller's.		1751.	4. 5.	F.b.	— 135.
36 <i>cardinalis</i> , B.M.	superb.		1789.	7. 8.	F.b.	— 874.
37 <i>byzantinus</i> , B.M.	Turkish.		1629.	6. 7.	H.b.	

38 <i>communis</i> . B.M.	common.	S. Europe.	1596.	H.b.	Botan. magaz.	86.
β <i>carneus</i> . B.M.	pale-flowered.	—	—	H.b.	—	1575.
SPHÆROSPORA.	SPHÆROSPORA.	Triandria Monogynia.				
segetum.	European.	S. Europe.	1596.	6. 7.	H.b.	Botan. magaz. 719.
<i>Gladiolus segetum</i> .	B.M. <i>Antholyza segetum</i> . Ker.					
SYNNOTIA. B.F.G.	SYNNOTIA.	Triandria Monogynia.				
1 <i>variegata</i> . B.F.G.	variegated-fld.	C. B. S.	1825.	4. 6.	F.b.	Swt. br. fl. gar. 150.
2 <i>bicolor</i> . B.F.G.	two-coloured.	—	1786.	3. 4.	F.b.	Botan. magaz. 548.
<i>Ixia bicolor</i> . B.M.	<i>Sparaxis bicolor</i> . Ker. <i>Gladiolus bicolor</i> . W.					
3 <i>galeata</i> . B.F.G.	helmet-flow'r'd.	—	1825.	—	F.b.	Jacq. ic. 2. t. 258.
<i>Gladiolus galeatus</i> . Jacq.						
SPARAXIS. Ker.	SPARAXIS.	Triandria Monogynia. H.K.				
1 <i>tricolor</i> . H.K.	three-colour'd.	C. B. S.	1789.	5.	F.b.	Botan. magaz. 381.
2 <i>versicolor</i> . B.F.G.	various-colour'd.	—	1811.	—	F.b.	Swt. br. fl. gar. 160.
3 Griffini.	Mr. Griffin's.	—	—	—	F.b.	Bot. magaz. 1482.f.inf.
tricolor γ <i>violaceo-purpurea</i> . B.M.						
4 <i>blanda</i> .	blush-flowered.	—	—	—	F.b.	—
tricolor δ. <i>subroseo-albida</i> . B.M.						1482.f.med.
5 <i>grandiflora</i> . H.K.	large-flowered.	—	1758.	4. 5.	F.b.	Botan. magaz. 541.
α <i>purpurea</i> .	velvet-flowered.	—	—	—	F.b.	Andr. deposit. 87.
β <i>striata</i> .	streaked-flower'd.	—	—	—	F.b.	Botan. magaz. 779.
6 <i>Liliago</i> .	Lily-flowered.	—	—	—	F.b.	Redout. lil. 2. t. 109.
<i>Ixia Liliago</i> . R.L.	<i>Sparaxis grandiflora</i> γ <i>Liliago</i> . B.R.	258.				
7 <i>bulbifera</i> . H.K.	bulb-bearing.	—	1758.	5. 6.	F.b.	Botan. magaz. 545.
8 <i>fragrans</i> . B.M.	fragrant.	—	1825.	—	F.b.	Jacq. ic. 2. t. 274.
9 <i>anemonæflora</i> . B.M.	Anemone-fld.	—	—	—	F.b.	—
<i>Ixia anemonæflora</i> . Jacq.						2. t. 273.
TRITONIA. Ker.	TRITONIA.	Triandria Monogynia. H.K.				
1 <i>crispia</i> . H.K.	curled-leaved.	C. B. S.	1787.	4. 5.	F.b.	Botan. magaz. 678.
2 <i>anigozanthiflora</i> .	Anigozanthus-fld.	—	1825.	6. 8.	F.b.	
3 <i>viridis</i> . B.M.	green-flowered.	—	1788.	7.	F.b.	Botan. magaz. 1275.
4 <i>rosea</i> . H.K.	rosy.	—	1793.	6. 7.	F.b.	—
5 <i>capensis</i> . B.M.	Cape.	—	1811.	8. 10.	F.b.	—
6 <i>pallida</i> . B.M.	pale-flowered.	—	1806.	—	F.b.	Jacq. ic. 2. t. 262.
7 <i>longiflora</i> . B.M.	long-flowered.	—	1774.	6. 8.	F.b.	Botan. magaz. 256.
<i>Hexaglottis longiflora</i> . v. <i>Gladiolus longiflorus</i> . Jacq. <i>Ixia longiflora</i> . B.M.						
8 <i>tenuiflora</i> . B.M.	slender-flow'r'd.	—	1811.	4. 6.	F.b.	Botan. magaz. 1502.
9 <i>concolor</i> .	self-coloured.	—	—	—	F.b.	—
10 <i>Rocheana</i> .	bending-fld.	—	—	8.	F.b.	—
11 <i>pectinata</i> . B.M.	pectinated.	—	1825.	5. 6.	F.b.	—
12 <i>striata</i> . B.M.	streaked.	—	—	—	F.b.	Jacq. ic. 2. t. 260.
13 <i>lineata</i> . B.M.	pencilled.	—	1774.	—	F.b.	Botan. magaz. 487.
14 <i>securigera</i> . B.M.	copper-color'd.	—	—	5.	F.b.	—
15 <i>flava</i> . B.M.	yellow.	—	1780.	4. 6.	F.b.	Botan. regist. 747.
16 <i>refracta</i> . B.R.	reflexed.	—	1815.	5. 6.	F.b.	—
17 <i>squalida</i> . B.M.	sweet-scented.	—	1774.	—	F.b.	Botan. magaz. 581.
18 <i>fenestrata</i> . B.M.	open-flowered.	—	1801.	—	F.b.	—
19 <i>crocata</i> . B.M.	Crocus-flow'r'd.	—	1758.	—	F.b.	—
<i>Ixia crocata</i> . B.M.						184.
20 <i>deusta</i> . B.M.	spotted.	—	1774.	—	F.b.	Botan. magaz. 622.
21 <i>miniata</i> . B.M.	late-flowered.	—	1795.	8.	F.b.	—
22 <i>xanthospila</i> . s.s.	yellow-spotted.	—	1825.	5. 6.	F.b.	Redout. lil. 3. t. 124.
IXIA. Ker.	IXIA.	Triandria Monogynia. L.				
1 <i>linearis</i> . H.K.	slender.	C. B. S.	1796.	4. 5.	F.b.	Botan. magaz. 570.
2 <i>capillaris</i> . B.M.	capillary.	—	1774.	—	F.b.	—
3 <i>aulica</i> . H.K.	rose-coloured.	—	—	—	F.b.	—
4 <i>fucata</i> . B.M.	painted.	—	—	6. 7.	F.b.	—
5 <i>incarnata</i> . Jacq.	flesh-coloured.	—	—	—	F.b.	Jacq. ic. 2. t. 282.
6 <i>aristata</i> . B.M.	salver-flower'd.	—	1800.	—	F.b.	Botan. magaz. 589.
7 <i>flexuosa</i> . B.M.	flexuous.	—	1757.	4. 5.	F.b.	—
8 <i>hybrida</i> . B.M.	spurious.	—	—	—	F.b.	—
9 <i>leucantha</i> . P.S.	white-flowered.	—	1779.	5. 8.	F.b.	—
10 <i>patens</i> . B.M.	spreading-fld.	—	—	4. 6.	F.b.	—
11 <i>crateroides</i> . B.M.	crimson.	—	1778.	—	F.b.	—
12 <i>monadelpha</i> . B.M.	monadelphous.	—	1792.	—	F.b.	—
13 <i>curta</i> . A.R.	shortened.	—	—	—	F.b.	Andr. deposit. t. 554.
<i>monadelpha</i> β. B.M.	1378.					
14 <i>columellaris</i> . B.M.	variegated.	—	1790.	6. 8.	F.b.	Botan. magaz. 630.
15 <i>conica</i> . B.M.	orange-color'd.	—	1757.	4. 5.	F.b.	—
						539.

16 <i>dubia</i> . R.S.	doubtful.	C. B. S.	4. 5.	F.b.	Redout. lil. 2. t. 64.
17 <i>viridiflora</i> . R.S.	green-flowered.	—	1780.	5. 6.	F.b.	Botan. magaz. 549.
18 <i>maculata</i> . W.	spot-flowered.	—	—	—	F.b.	Jacq. schœn. t.20.21.&c
19 <i>ovata</i> .	ovate-spiked.	—	—	—	F.b.	Andr. deposit. 23.
20 <i>capitata</i> . A.R.	headed.	—	—	—	F.b.	— 159.
21 <i>ochroleuca</i> .	cream-colour'd.	—	1809.	—	F.b.	Botan. magaz. 1285.
22 <i>erecta</i> . H.K.	upright.	—	1757.	—	F.b.	Jacq. schœn. 1. t. 18.
α <i>albiflora</i> .	white-flowered.	—	—	—	F.b.	Botan. magaz. 623.
β <i>incarnata</i> .	flesh-coloured.	—	—	—	F.b.	Andr. deposit. 155.
γ <i>lutea</i> .	yellow-flowered.	—	—	—	F.b.	Botan. magaz. 846.
23 <i>retusa</i> . H.K.	sweet-scented.	—	1793.	2. 4.	F.b.	Jacq. ic. 2. t. 275.
<i>polystachia</i> . B.M. 629.						
24 <i>scillaris</i> . B.M.	Squill-flower'd.	—	1787.	—	F.b.	Botan. magaz. 542.
25 <i>crispa</i> . B.M.	curled-leaved.	—	—	4. 5.	F.b.	— 599.
MELASPHÆRULA. Ker.	MELASPHÆRULA.	Triandria Monogynia. H.K.				
1 <i>iridifolia</i> . B.F.G.	Iris-leaved.	C. B. S.	1825.	2. 4.	F.b.	Swt. br. fl. gar. ic.
2 <i>intermedia</i> .	intermediate.	—	1787.	4. 8.	F.b.	Botan. magaz. 615.
<i>graminea</i> . B.M. excl.	<i>synonym</i> .					
3 <i>graminea</i> .	grass-leaved.	—	1825.	2. 5.	F.b.	Jacq. ic. 2. t. 236.
<i>Gladiolus gramineus</i> .	<i>Gladiolus gramineus</i> . Jacq.	<i>Diasia graminifolia</i> . Red. lil. t. 163.				
HESPERANTHA. Ker.	EVENING-FLOWER.	Triandria Monogynia. H.K.				
1 <i>cinnamomea</i> . H.K.	curl'd-leaved.	C. B. S.	1787.	4. 5.	F.b.	Botan. magaz. 1054.
2 <i>falcata</i> . H.K.	sickle-leaved.	—	—	—	F.b.	— 566.
3 <i>graminifolia</i> .	Grass-leaved.	—	1808.	8. 9.	F.b.	— 1254.
4 <i>pilosa</i> . H.K.	hairy.	—	1811.	4. 5.	F.b.	— 1475.
5 <i>angusta</i> . B.M.	narrow-leaved.	—	1825.	—	F.b.	Jacq. ic. 2. t. 279.
<i>Ixia angusta</i> . Jacq.						
6 <i>radiata</i> . H.K.	nodding-fl'd.	—	1794.	4. 6.	F.b.	Botan. magaz. 573.
GEISSORHIZA. Ker.	TILE-ROOT.	Triandria Monogynia. H.K.				
1 <i>Rocheana</i> .	plaid.	C. B. S.	1790.	5.	F.b.	Botan. magaz. 598.
2 <i>setacea</i> . B.M.	bristle-leaved.	—	1809.	6. 7.	F.b.	— 1255.
3 <i>obtusata</i> . H.K.	pale-yellow.	—	1801.	5.	F.b.	— 672.
4 <i>vaginata</i> . B.F.G.	sheathed.	—	1825.	6. 9.	F.b.	Swt. br. fl. gar. 138.
5 <i>secunda</i> . B.M.	one-ranked.	—	1795.	5. 6.	F.b.	Jacq. ic. 2. t. 277.
α <i>cærulea</i> .	blue-flowered.	—	—	—	F.b.	Botan. magaz. 597.
β <i>albescens</i> .	whitish-flowered.	—	—	—	F.b.	— 1105.
6 <i>sublatea</i> . B.M.	yellowish.	—	1825.	—	F.b.	
<i>Ixia sublatea</i> . Lam.						
7 <i>imbricata</i> . B.M.	imbricated.	—	—	—	F.b.	
8 <i>hirta</i> . B.M.	hairy.	—	—	—	F.b.	
9 <i>ciliaris</i> . Sal.	fringed.	—	—	—	F.b.	
10 <i>excisa</i> . B.M.	dwarf cut-l'd.	—	1789.	4. 5.	F.b.	Botan. magaz. 584.
<i>Ixia excisa</i> . B.M.						
TRICHONEMA. Ker.	TRICHONEMA.	Triandria Monogynia. H.K.				
1 <i>Bulbocodium</i> . H.K.	channel-leav'd.	S. Europe.	1739.	3. 4.	H.b.	Botan. magaz. 265.
2 <i>purpurascens</i> .	purple.	Naples.	1825.	—	H.b.	Ten. fl. nap. v. 1. t. 2.
<i>Ixia purpurascens</i> . T.S.						
3 <i>Columnæ</i> . T.P.	Columna's.	—	—	—	H.b.	
4 <i>cœlestinum</i> .	blue.	N.America.	1820.	—	H.b.	Bartr. it. t. 3.
<i>Ixia cœlestina</i> . Ph.						
5 <i>roseum</i> . B.M.	rose-coloured.	C. B. S.	1808.	6. 7.	F.b.	Botan. magaz. 1225.
6 <i>speciosum</i> . B.M.	crimson.	—	—	3. 4.	F.b.	— 1476.
7 <i>pubicum</i> . B.M.	blush.	—	—	6. 8.	F.b.	— 1244.
8 <i>caulescens</i> . B.M.	caulescent.	—	1810.	6. 7.	F.b.	— 1392.
9 <i>monadelphum</i> .	monadelphous.	—	1825.	6. 8.	F.b.	
10 <i>cruciatum</i> . B.M.	square-leaved.	—	1758.	5. 6.	F.b.	Jacq. ic. 2. t. 290.
11 <i>quadrangulum</i> .	quadrangular.	—	1825.	—	F.b.	
<i>Ixia quadrangula</i> . R.S.						
12 <i>recurvum</i> . s.s.	recurved-l'd.	—	1812.	5. 7.	F.b.	Redout. lil. 5. p. 251.f.1.
13 <i>chloroleucum</i> . B.M.	milk-coloured.	—	1825.	—	F.b.	Jacq. ic. 2. t. 270.
CROCUS. L.	CROCUS.	Triandria Monogynia. L.				
1 <i>vernus</i> . E.B.	spring.	England.	2. 4.	H.b.	Eng. bot. 344.
β <i>neapolitanus</i> . R.S.	Neapolitan.	Naples.	—	H.b.	Botan. magaz. 860.
γ <i>boratarius</i> . R.S.	boratarius.	S. Europe.	—	H.b.	— 2240.
2 <i>striatus</i> . L.en.	striated.	—	—	—	H.b.	
3 <i>versicolor</i> . H.K.	party-coloured.	—	1629.	—	H.b.	Botan. magaz. 1110.
4 <i>biflorus</i> . H.K.	Scotch.	Crimea.	—	2. 3.	H.b.	— 845.
5 <i>pusillus</i> . R.S.	small.	Italy.	1824.	—	H.b.	Swt. br. fl. gar. 106.
6 <i>albiflorus</i> . R.S.	white-flowered.	Hungary.	—	2. 4.	H.b.	

7 reticulatus. M.B.	netted.	Caucasus.	1825.	—	H.b.	M. B. cent. pl. rar. t.1.
8 susianus. H.K.	Cloth of Gold.	Turkey.	1605.	2. 3.	H.b.	Botan. magaz. 652.
9 stellaris. H.T.	starry cloth of gold. S.Europe.	1629.	—	—	H.b.	Hort. trans. 1. p.136. ic.
10 sulphureus. B.M.	pale yellow.	—	—	—	H.b.	Botan. magaz. 1384.
11 lagenæflorus. P.L.	Gourd-flower'd. Greece.	—	—	—	H.b.	—
α pallidus.	pale-flowered.	—	—	—	H.b.	2655.
β aureus.	golden.	—	—	—	H.b.	Sal. par. lond. 106.
12 mæsiacus. B.M.	great yellow.	—	1629.	—	H.b.	Flor. græc. 35.
13 sativus. R.S.	saffron.	England.	—	9. 10.	H.b.	Bot. mag. 1111, & 45.
14 serotinus. R.S.	late-flowered.	S. Europe.	1629.	9. 11.	H.b.	Eng. bot. 343.
15 Pallasii. M.B.	autumnal.	Tauria.	—	—	H.b.	Botan. magaz. 1267.
16 autumnalis. R.S.	naked-flow'r'd. England.	—	—	10. 11.	H.b.	Eng. bot. 491.

ORDO CLXXIX.

HÆMODORACEÆ. *Brown prodr.* 299.

WACHENDORFIA. L. WACHENDORFIA. Triandria Monogynia. L.

1 thyrsiflora. R.S.	tall-flowered.	C. B. S.	1759.	5. 6.	G. 4.	Botan. magaz. 1060.
2 paniculata. R.S.	panicled.	—	1700.	2. 5.	F.b.	—
3 Herbarti.	Herbert's.	—	1823.	—	F.b.	—
β . H. in B.M.	—	—	—	—	—	2610.
4 hirsuta. R.S.	hairy.	—	1687.	4. 6.	F.b.	Botan. magaz. 614.
5 brevifolia. B.M.	short-leaved.	—	1795.	3. 4.	F.b.	—
6 Breyniana. R.S.	Breynius's.	—	1825.	—	F.b.	Breyn. cent. f. 37.
7 graminea. S.S.	Grass-leaved.	—	1810.	6.	G. 4.	—
8 tenella. R.S.	slender-leaved.	—	1816.	—	G. 4.	—

XIPHIDIUM. J.

1 albidum. s.s.	XIPHIDIUM.	Triandria Monogynia. W.	—	—	—	—
β . floribundum. Swartz.	white.	W. Indies.	1787.	6. 8.	S. 4.	Sw. fl. ind. oc. 1. t. 2.

2 cœruleum. s.s.

blue.	—	1793.	—	S. 4.	Aub. gui. I. t. 11.	
HÆMODORUM. B.P.	HÆMODORUM.	Triandria Monogynia. R.S.	—	—	—	—

1 planifolium. B.P.

flat-leaved.	N. S. W.	1810.	7. 11.	F. 4.	Botan. magaz. 1610.
2 teretifolium. B.P.	round-leaved.	—	1822.	—	F. 4.

DILATRIS. Ker.

1 corymbosa. w.	DILATRIS.	Triandria Monogynia. R.S.	—	—	—	—
β . umbellata. L.	broad-petaled.	C. B. S.	1790.	5. 6.	F. 4.	Sm. exot. bot. 1. t. 16.

2 viscosa. w.

clammy.	—	1795.	—	F. 4.	—
3 paniculata. w.	panicled.	—	1825.	—	F. 4.

GYROTHECA. H.T.

tinctoria.	GYROTHECA.	Triandria Monogynia.	—	—	—	—
<i>Lachnanthes tinctoria</i> . Ell.	red-rooted.	N.America. 1812.	6. 7.	H. 4.	Mich. amer. 1. t. 4.	

LOPHIOLA. B.M.

LOPHIOLA.	Hexandria Monogynia. B.M.	—	—	—	—	—
<i>aurea</i> . B.M.	golden-flow'r'd.	N.America. 1811.	5. 7.	H. 4.	Botan. magaz. 1596.	

Conostylis americana. Ph.

LANARIA. Hexandria Monogynia. W.	—	—	—	—	—	—
<i>plumosa</i> . w.	woolly.	C. B. S.	1787.	—	G. 4.	—

CONOSTYLLIS. B.P.

CONOSTYLLIS. Hexandria Monogynia. S.S.	—	—	—	—	—	—
<i>aculeata</i> . B.P.	prickly-leaved.	N.Holland.	1824.	F. 4.	—

2 serrulata. B.P.

serrulate.	—	—	—	—	F. 4.	—
ANIGOZANTHOS. B.P.	ANIGOZANTHOS. Hexandria Monogynia.	—	—	—	—	—

1 flava. B.P.

russet-green.	N.Holland.	1803.	5. 9.	F. 4.	Botan. magaz. 1151.
2 rufa. B.P.	rufous.	—	1824.	F. 4.

Labill. voy. 1. t. 22.

ORDO CLXXX.

HYPOXIDEÆ. Brown.

HYPOXIS. L.	HYPOXIS. Hexandria Monogynia. L.							
1 juncea. w.	rushy.	Carolina.	1787.	6. 7.	H.b.		Sm. spic. 15. t. 16.	
2 hygrometrica. B.P.	hairy-leaved.	N. Holland.	1820.	—	F.b.		Lab. nov. holl. 1. t. 8.	
3 alba. w.	white.	C. B. S.	1806.	—	F.b.		Lodd. bot. cab. 1074.	
4 linearis. A.R.	linear-leaved.	—	1792.	4. 5.	F.b.		Andr. reposit. 171.	
5stellata. w.	yellow starry.	—	1752.	4. 6.	F.b.		Botan. magaz. 662.	
6 elegans. P.S.	white starry.	—	—	—	F.b.		— 1223.	
stellata β . B.M. certainly a distinct species.								
7 serrata. w.	saw-leaved.	—	1788.	6. 7.	F.b.		Botan. magaz. 709.	
8 ovata. w.	smooth-leaved.	—	1806.	2. 5.	F.b.		— 1010.	
9 veratrifolia. w.	plaited-leaved.	—	1788.	6. 7.	F. 2.		Jacq. ic. 2. t. 367.	
plicata. Jacq.								
10 carolinensis. M.	Carolina.	Carolina.	1822.	—	F.b.		Mill. ic. 1. t. 39. f. 2.	
11 decumbens. w.	decumbent.	Jamaica.	1755.	6. 9.	S. 2.		Botan. regist. 663.	
12 stellipilis. B.R.	starry-haired.	C. B. S.	1821.	6. 12.	F. 2.		Andr. deposit. 195.	
13 obliqua. w.	oblique-leaved.	—	1795.	6. 7.	F. 2.			
14 pratensis. B.P.	field.	N. S. W.	1822.	—	F.b.		Botan. magaz. 710.	
15 erecta. s.s.	upright.	N. America.	1752.	6. 7.	H.b.		— 711.	
16 sobolifera. w.	creeping.	C. B. S.	1774.	6. 9.	F. 2.		Jacq. ic. 2. t. 307.	
17 villosa. w.	villous.	—	—	—	F. 2.		Botan. regist. 169.	
18 obtusa. B.R.	obtuse.	—	1816.	—	F. 2.			
19 aquatica. w.	water.	—	1787.	6. 7.	F. 2.			
CURCULIGO. B.P.	CURCULIGO.	Hexandria Monogynia. S.S.						
1 plicata. B.R.	plaited.	C. B. S.	1788.	6. 7.	F. b.		Jacq. schœn. 1. t. 80.	
β glabra.	smooth-leaved.	—	1816.	—	F.b.		Botan. regist. 345.	
2 orchoides. s.s.	narrow-leaved.	E. Indies.	1800.	—	S. 2.		Roxb. corom. 1. t. 13.	
3 brevifolia. s.s.	short-leaved.	—	1804.	5. 7.	S. 2.		Botan. magaz. 1076.	
4 latifolia. s.s.	broad-leaved.	—	—	5. 8.	S. 2.		Botan. regist. 754.	
5 sumatrana. B.C.	Sumatra.	Sumatra.	1818.	—	S. 2.		Lodd. bot. cab. 443.	
6 recurvata. s.s.	recurved.	Bengal.	1805.	—	S. 2.		Botan. regist. 770.	

ORDO CLXXXI.

AMARYLLIDEÆ. Brown prodr. p. 296.

STERNBERGIA. W.K. STERNBERGIA. Hexandria Monogynia.								
1 colchiciflora. B.R.	Colchicum-flid.	Hungary.	1816.	9. 10.	H.b.		W. et K. hung. 2. t. 157.	
2 Clusiana. B.R.	Clusius's.	Constantinople.	—	—	H.b.		Clus. hist. 1. t. 163.	
3 lutea. B.R.	common yellow.	S. Europe.	1596.	—	H.b.		Botan. magaz. 290.	
Amayllis lutea. B.M.	narrow-leaved.	—	—	—	H.b.			
β angustifolia.								
ZEPHYRANTHES. H.A. ZEPHYRANTHES. Hexandria Monogynia.								
1 chloroleuca. H.A.	one-leaved.	5. 8.	G.b.		Ker's rev. pl. 8. f. 1.	
2 Atamasco. H.A.	Atamasco Lily.	N. America.	1629.	5. 6.	H.b.		Botan. magaz. 239.	
Amayllis Atamasco. B.M.	tube-sheathed.	S. America.	5. 7.	S.b.			
3 tubispatha. H.A.							Botan. magaz. 1586.	
Amayllis tubispatha. B.M.	white-flowered.	Peru.	1822.	7. 10.	H.b.			
4 candida. B.M.							Botan. magaz. 2607.	
Amayllis candida B.R. 724.								
5 rosea. B.R.	rose-coloured.	Havannah.	—	9. 10.	G.b.		Botan. regist. 821.	
6 striata. B.M.	striped.	Mexico.	1824.	6. 8.	H.b.		Botan. magaz. 2593.	
7 verecunda. B.M.	modest.	—	—	—	H.b.		— 2583.	
					3 F			

AMARYLLIDEÆ.

8 carinata. B.M.	keeled-leaved.	Mexico.	1821.	6. 8.	H.b.	
9 grandiflora. B.R.	large-flowered.		1825.	—	H.b.	Botan. magaz. 2594. Botan. regist. 902.
HABRANTHUS. B.M.	HABRANTHUS.					
1 gracilifolius. B.M.	slender-leaved.	S. America.	1823.	9. 11.	G.b.	Botan. magaz. 2464. ————— 2639.
2 angustus. B.M.	narrow.	Buenos Ayres.	1825.	—	G.b.	————— 2485.
3 versicolor. B.M.	changeable.	S. America.	1823.	1. 4.	G.b.	
4 lorifolius. B.M.	lorate-leaved.		1824.	—	G.b.	
5 bifidus. B.M.	two-cleft.	Buenos Ayres.	1825.	6. 9.	G.b.	Botan. magaz. 2597.
6 spathaceus. B.M.	broad-spathed.		—	—	G.b.	
AMARYLLIS. L.	AMARYLLIS.					
1 Pumilio. w.	dwarf.	Hexandria Monogynia. L.				
2 pudica. K.R.	modest.	C. B. S.	1774.	11.	G.b.	
3 blanda. B.M.	charming.		1795.	5. 7.	F.b.	Ker's rev. t. 8. f. 2.
4 Belladonna. w.	Belladonna Lily.	W. Indies?	1712.	7. 9.	H.b.	Botan. magaz. 226. ————— 783.
5 pallida. H.A.	pale.	C. B. S.	—	—	F.b.	Botan. regist. 714.
6 reticulata. w.	netted-veined.	Brazil.	1777.	4. 5.	S.b.	Botan. magaz. 657.
7 striatifolia.	striped-leaved.		1815.	—	S.b.	Botan. regist. 352.
8 brevifolia. c.c.	short-leaved.	Hybrid.	1821.	1. 12.	S.b.	
9 superba. c.c.	superb-flow'r'd.		—	—	S.b.	
10 grandiflora. c.c.	large-flowered.		—	—	S.b.	
11 atrorubens. c.c.	dark-red.		—	—	S.b.	
12 obscura. c.c.	clouded.		—	—	S.b.	
13 intermedia. c.c.	intermediate.		—	—	S.b.	
14 sulcata. c.c.	channelled.		—	—	S.b.	
15 recurvata. c.c.	recurved-fl'd.		—	—	S.b.	
16 Wellsiana. c.c.	Mr. Wells's.		—	—	S.b.	
17 Valleti.	Vallets'.		—	—	S.b.	
Vattesii. c.c. errata.			—	—	S.b.	
18 rugosa. c.c.	rugged.		—	—	S.b.	
19 rubescens. c.c.	light red.		—	—	S.b.	
20 purpurascens.	purplish.		—	—	S.b.	
21 patens.	spreading.		—	—	S.b.	
22 versicolor.	various-colored.		—	—	S.b.	
23 costata.	strongly ribbed.		—	—	S.b.	
24 dioica.	barren-stamen'd.		—	—	S.b.	
25 amena.	delightful.		—	—	S.b.	
26 Colvillii.	Colvill's.		—	—	S.b.	
27 undulæflora.	wave-flowered.		—	—	S.b.	
28 palliiflora.	pale-flowered.		—	—	S.b.	
29 discolor.	two-coloured.		—	—	S.b.	
30 expansa.	expanded.		—	—	S.b.	
31 decora. c.c.	neat.		—	—	S.b.	
32 variegata. c.c.	variegated-fl'd.		—	—	S.b.	
33 nervifolia.	nerve-leaved.		—	—	S.b.	
34 phœnicea.	red-purple.		—	—	S.b.	
35 stemantha.	narrow-fl'd.		—	—	S.b.	
36 patentissima.	spreading-fl'd.		—	—	S.b.	
37 bracteata.	large-bracted.		—	—	S.b.	
38 Annesleyana.	Ld. Mountnorris'.		—	—	S.b.	
39 striatiflora.	streaked-fl'd.		1823.	—	S.b.	
40 consobrina.	cousin.		—	—	S.b.	
41 Johnsoni.	Johnson's mule.		1810.	—	G.b.	
spectabilis. B.C.						Miss Chapman's ic.
42 reginæ. w.	Mexican Lily.	S. America.	1725.	5. 7.	S.b.	
43 pallescens.	palish.	Hybrid.	1821.	1. 12.	S.b.	Lodd. bot. cab. 159.
44 rubicunda.	rubicund.		—	—	S.b.	Botan. magaz. 453.
45 accedens.	approaching.		—	—	S.b.	
46 coccinea.	scarlet.		—	—	S.b.	
47 ringens.	gaping.		—	—	S.b.	
48 carnescens.	flesh-coloured.		—	—	S.b.	
49 roseo-alba.	rosy and white.		—	—	S.b.	
50 spathacea.	large-spathed.		—	—	S.b.	
62 imbuta.	stained.		—	—	S.b.	
53 compacta.	compact.		—	—	S.b.	
54 consanguinea.	double hybrid.		—	—	S.b.	
55 vittata. w.	striped.	S. America.	1769.	4. 5.	S.b.	Botan. magaz. 2315.
β latifolia. L. col.	broad-leaved.		1816.	—	G.b.	Botan. magaz. 129. Lindl. coll. bot. ic.
56 lineata. Colla.	lined-flowered.		1820.	—	S.b.	Coll. hort. rip. ic.
vittata γ . Harrisonia. B.R. 988.						

57 vittifera.	stripe-flower'd.	Hybrid.	1823.	5. 6.	G.b.	
58 pulchra.	pretty.	—	—	4. 8.	G.b.	
59 variabilis.	variable.	—	—	—	G.b.	
60 advena. B.M.	streaked.	S. America.	1807.	5. 6.	S.b.	Botan. magaz. 1125.
61 rutila. K.R.	fiery.	Brazil.	1815.	1. 12.	S.b.	Botan. regist. 23.
62 splendens. H.A.	splendid.	Hybrid.	1819.	—	G.b.	Herb. append. p.52.ic.
63 attenuata.	attenuated.	—	1822.	—	S.b.	
64 punctata.	punctured.	—	—	—	S.b.	
65 fulgida. K.R.	fulgid.	Brazil.	1810.	—	S.b.	Botan. regist. 226.
66 subbarbata.	slightly-beard'd.	—	1823.	—	S.b.	Botan. magaz. 2475.
67 mutabilis.	changeable.	Hybrid.	1822.	—	S.b.	
68 rubro-crocea.	red and saffron.	—	—	—	S.b.	
69 cuprea.	copper-colored.	—	1821.	—	S.b.	
70 crocata. K.R.	saffron-colored.	Brazil.	1810.	4. 6.	S.b.	Botan. regist. 38.
71 stylosa.	long-styled.	Maranham.	1821.	2. 6.	S.b.	Botan. magaz. 2278.
maranensis. B.R. 710.	<i>Hippeastrum stylosum</i> . B.M.					
72 acuminata. B.R.	acute-flowered.	—	—	4. 8.	S.b.	Bot. regist. 534.
<i>Hippeastrum pulverulentum</i> . B.M. 2273.						
73 venosa.	veined.	Hybrid.	1822.	10. 6.	G.b.	
74 lateritia.	brick-coloured.	—	—	—	G.b.	
75 fulva.	tawny.	—	—	—	G.b.	
76 tricolor.	three-coloured.	—	—	—	G.b.	
77 glaucescens.	glaucescent.	—	—	—	G.b.	
78 Hoodii.	Mr. Hood's.	—	—	—	G.b.	
79 macrantha.	great-flowered.	—	—	—	G.b.	
80 crispiflora.	curl-flowered.	—	—	—	G.b.	
81 breviflora.	short-flowered.	—	—	—	G.b.	
82 dilecta.	choice.	—	—	—	G.b.	
83 tortuliflora.	twisted-flow'r'd.	—	—	—	G.b.	
84 amabilis.	grand.	—	—	—	G.b.	
85 ignescens.	flaming.	—	—	—	G.b.	
86 princeps.	princely.	—	—	—	G.b.	
87 imperialis.	imperial.	—	—	—	G.b.	
88 angusta.	narrow-petal'd.	—	—	—	S.b.	
89 delicata.	delicate.	—	—	—	S.b.	
90 equestris. K.R.	Barbadoes Lily. W. Indies.	1710.	7. 10.	S.b.		Botan. magaz. 305.
β major. B.R.	larger.	—	—	—	S.b.	Botan. regist. 234.
γ plena.	double-flow'r'd.	—	1809.	—	S.b.	
91 miniata. R.P.	vermilion.	S. America.	—	—	S.b.	Lindl. coll. bot. t.11.
92 solandriiflora. L.col.	Solandra-fl'd.	—	1820.	4. 6.	S.b.	
a chloroleuca.	dull-coloured.	—	—	—	S.b.	
β rubro-striata.	red-striped.	—	—	—	S.b.	Botan. magaz. 2573.
γ purpurascens.	purple-tubed.	—	—	—	S.b.	
δ striata.	purple-striped.	—	—	—	S.b.	Botan. regist. 876.
93 calyptata. K.R.	green-flowered.	Brazil.	1816.	5. 8.	S.b.	————— 164.
94 aulica. K.R.	crowned.	—	—	1. 6.	S.b.	————— 444.
95 psittacina. K.R.	parrot-like.	—	—	—	S.b.	————— 199.
96 retinervia.	netted-nerved.	Hybrid.	1822.	10. 6.	S.b.	
97 tortuosa.	twisted.	—	—	—	S.b.	
98 quadricolor.	four-coloured.	—	—	—	S.b.	
99 multistriata.	many-lined.	—	—	—	S.b.	
100 canaliculata.	channelled.	—	—	—	S.b.	
101 retiflora.	net-flowered.	—	—	—	S.b.	
102 recurviflora.	recurved-petal'd.	—	—	—	S.b.	
103 sexmaculata.	six-spotted.	—	—	—	S.b.	
104 campanulata.	bell-flowered.	—	—	—	S.b.	
105 formosissima. w.	Jacoeba Lily. S. America.	1658.	5. 6.	F.b.		Botan. magaz. 47.
NERINE. H.A.	NERINE. Hexandria Monogynia.					
1 curvifolia. H.A.	curve-leaved.	C. B. S.	1794.	7. 9.	F.b.	Botan. magaz. 725.
<i>Amaryllis curvifolia</i> .	B.M. <i>Fothergillia</i> . A.R. 163.					
2 corusca. H.A.	brilliant.	—	1809.	—	F.b.	Botan. magaz. 1089.
3 rosea. B.M.	rose-coloured.	—	—	—	F.b.	————— 2124.
4 venusta. H.A.	poppy-colored.	—	1806.	6. 8.	F.b.	————— 1090.
5 sarniensis. H.A.	Guernsey Lily.	—	1659.	9. 10.	F.b.	————— 294.
6 radiata.	Snowdrop-fl'd.	China.	1758.	. 9.	G.b.	Botan. regist. 596.
<i>Amaryllis radiata</i> . B.R. <i>Lycoris radiata</i> . H.A.	golden.	—	1777.	8. 12.	G.b.	Botan. regist. 611.
7 aurea.	—	—	—			
<i>Amaryllis aurea</i> . B.R. <i>Lycoris aurea</i> . H.A.	pretty.	C. B. S.	1820.	7. 9.	F.b.	Botan. magaz. 2407.
8 pulchella. H.A.						

AMARYLLIDEÆ.

9 flexuosa. H.A.	zigzag.	C. B. S.	1795.	9. 10.	F.b.		Botan. regist. 172.
10 humilis. H.A.	small.	—	—	7. 10.	F.b.		Botan. magaz. 726.
11 undulata. H.A.	waved-flow'r'd.	—	1767.	7. 10.	F.b.		369.
12 versicolor. H.A.	changeable-cold. Hybrid.	—	1815.	—	F.b.		Herb. append. ic.
STRUMARIA. Ker.	STRUMARIA. Hexandria Monogynia. L.						
1 truncata. w.	truncated.	C. B. S.	1795.	4. 5.	F.b.		Jacq. ic. 2. t. 357.
2 rubella. w.	pale red.	—	—	5. 6.	F.b.		2. t. 358.
3 angustifolia. w.	narrow-leaved.	—	—	4. 5.	F.b.		2. t. 359.
4 linguæfolia. w.	tongue-leaved.	—	—	—	F.b.		2. t. 356.
5 filifolia. B.R.	fine-leaved.	—	1774.	10. 12.	F.b.		Botan. regist. 440.
6 spiralis. B.M.	spiral-stalked.	—	—	4. 8.	F.b.		Botan. magaz. 1383.
7 crispa. B.M.	curled-flower'd.	—	1790.	—	F.b.		1363.
<i>Amaryllis crispa.</i> Jacq. schœn. t. 72.							
8 undulata. w.	waved.	—	1825.	—	F.b.		Jacq. ic. t. 360.
9 stellaris. B.M.	starry.	—	1794.	10. 11.	F.b.		Jacq. schœn. 1. t. 71.
10 gemmata. B.M.	gynandrous.	—	1810.	8. 10.	F.b.		Botan. magaz. 1620.
BRUNSVIGIA. Ker.	BRUNSVIGIA. Hexandria Monogynia. H.K.	C. B. S.	1818.	3. 6.	F.b.		Botan. regist. 497.
1 laticoma.	broad-headed.	—	1820.	—	F.b.		Botan. regist. 954.
lucida. H.A. <i>Amaryllis laticoma.</i> B.R.	lesser.	—	1752.	6. 8.	F.b.		Bot. magaz. 1619.
2 minor. B.R.	many-flowered.	—	—				
3 multiflora. B.M.							
<i>Amaryllis orientalis.</i> w.							
4 Josephinae. B.R.	Josephine's.	—	1814.	—	F.b.		Redout. lil. t. 370-372.
β minor. B.R.	smaller.	—	—	—	F.b.		Botan. regist. 192, 193.
γ striata. B.M.	striped-flowered.	—	1823.	—	F.b.		Botan. magaz. 2578.
5 striata. H.K.	striated.	—	1795.	9. 10.	F.b.		Jacq. schœn. 1. t. 70.
6 radula. H.K.	rasp-leaved.	—	1790.	4. 8.	F.b.		1. t. 68.
7 marginata. H.K.	red-margined.	—	1795.	9. 10.	F.b.		1. t. 65.
8 falcata. B.M.	sickle-leaved.	—	1774.	5. 6.	F.b.		Botan. magaz. 1443.
<i>Amaryllis falcata.</i> w. <i>Ammocharis falcata.</i> H.A.							
9 coranica.	Mr. Burchell's.	—	1816.	7. 8.	F.b.		Botan. regist. 139.
<i>Amaryllis coranica.</i> B.R. <i>Ammocharis coranica.</i> H.A.							
10 ciliaris. B.R.	fringed-leaved.	—	1752.	6. 8.	F.b.		Breyn. cent. t. 39.
<i>Hæmanthus ciliaris.</i> w. <i>Buphane ciliaris.</i> H.A.							
11 toxicaria. B.R.	Poison-bulb.	—	1774.	9. 10.	F.b.		Botan. regist. 567.
<i>Hæmanthus toxicarius.</i> w. <i>Buphane toxicaria.</i> H.A.							
12 disticha.	distichous.	—	1823.	—	F.b.		Patters. iter. t. I.
<i>Amaryllis disticha.</i> Pat. <i>Buphane disticha.</i> B.M.							
PHYCELLA. B.R.	PHYCELLA. Hexandria Monogynia.						
1 ignea. B.R.	fiery.	Chili.	1824.	8. 10.	G.b.		Botan. regist. 809.
2 cyrtanthoides. B.R.	Cyrtanthus-like.	—	1821.	6. 8.	G.b.		Botan. magaz. 2399.
<i>Amaryllis cyrtanthoides.</i> B.M.							
GRIFFINIA. B.R.	GRiffinia. Hexandria Monogynia. B.R.						
1 hyacinthina. B.R.	largest.	Brazil.	1815.	6. 9.	S.b.		Botan. regist. 163.
<i>Amaryllis hyacinthina.</i> B.R.							
2 intermedia. B.R.	intermediate.	—	1825.	5. 7.	S.b.		990.
3 paryiflora. B.R.	small-flowered.	—	1820.	—	S.b.		511.
HÆMANTHUS. W.	BLOOD-FLOWER. Hexandria Monogynia. L.						
1 coccineus. s.s.	salmon-colour'd.	C. B. S.	1629.	8. 10.	F.b.		
2 coarctatus. s.s.	compressed.	—	1795.	2. 3.	F.b.		
3 tigrinus. s.s.	Tiger-spotted.	—	1790.	12. 2.	F.b.		
4 rotundifolius. s.s.	round-leaved.	—	—	6. 10.	F.b.		
5 crassipes. s.s.	thick-leaved.	—	1816.	—	F.b.		
6 hyalocarpus. s.s.	clear-berried.	—	—	—	F.b.		
7 quadrivalvis. s.s.	four-valved.	—	1790.	9. 10.	G.b.		
8 humili. s.s.	small.	—	1825.	—	F.b.		
9 Pumilio. s.s.	dwarf.	—	1789.	8. 9.	F.b.		
10 pubescens. s.s.	villous-leaved.	—	1774.	—	F.b.		
11 albiflos. w.	smooth broad-l'd.	—	1791.	4. 8.	F.b.		
12 carneus. s.s.	flesh-coloured.	—	1819.	6. 8.	F.b.		
13 lanceæfolius. s.s.	spear-leaved.	—	1794.	9. 10.	F.b.		
14 carinatus. p.s.	keel-leaved.	—	1759.	8. 9.	F.b.		
15 amaryilloides. s.s.	Amaryllis-like.	—	1825.	—	F.b.		
16 moschatus. s.s.	musk-scented.	—	1816.	—	F.b.		
17 sanguineus. s.s.	crimson.	—	1820.	6. 8.	F.b.		
18 puniceus. s.s.	waved-leaved.	—	1722.	5. 9.	G.b.		
19 multiflorus. s.s.	many-flowered.	Sierra Leon.	1783.	5. 9.	S.b.		
CRINUM. H.A.	CRINUM. Hexandria Monogynia. L.						
1 longiflorum. H.A.	long-flowered.	W. Indies.	1816.	5. 8.	S.b.		Botan. regist. 303.
<i>Amaryllis longifolia</i> γ <i>longiflora.</i> B.R.							

2 aquaticum. H.A.	water.	C. B. S.	1816.	5. 8.	G.b.		Botan. magaz. 2352.
3 revolutum. H.A.	revolute.	—	1774.	9.	G.b.		Botan. regist. 623.
<i>Amaryllis revoluta</i> . A.-B.R.							615.
4 crassifolium. H.A.	thick-leaved.	—	—	—	G.b.		
<i>Amaryllis revoluta</i> . B.-B.R.							
5 riparium. H.A.	bank.	—	1816.	6. 9.	G.b.		Botan. regist. 546.
6 capense. H.A.	common Cape.	—	1752.	7. 9.	H.b.		Botan. magaz. 661.
<i>Amaryllis longifolia</i> . B.M.							
7 flacidum. H.A.	flaccid.	N. S. W.	1820.	—	G.b.		2133.
<i>Amaryllis australasica</i> . B.R. 426.							
8 arenarium. B.M.	sand.	N. Holland.	1818.	5. 8.	S.b.		Botan. magaz. 2355.
β blandum.	blush-flowered.	—	1821.	—	S.b.		— 2531.
9 confertum. B.M.	crowded-fld.	—	1822.	6. 7.	S.b.		Botan. magaz. 2522.
10 angustifolium. B.P.	rough-edged.	—	1823.	—	S.b.		
11 Goweni.	Gowen's hybrid.	Hybrid.	—	—	H.b.		Hort. trans. ic.
12 formosum. H.A.	handsome.	Brazil.	1820.	—	S.b.		
13 moluccanum. H.A.	Molucca.	Moluccas.	1819.	—	S.b.		Botan. magaz. 2292.
14 speciosum. H.A.	specious.	E. Indies.	—	—	S.b.		— 2217.
15 insignie.	noble.	—	—	4. 8.	S.b.		Botan. regist. 579.
<i>Amaryllis insignis</i> . B.R.							
16 latifolium. H.A.	broad-leaved.	—	1806.	7. 9.	S.b.		Rheed. mal. 11. t. 39.
17 zeylanicum. H.A.	Ceylon.	Ceylon.	1771.	7. 8.	S.b.		Botan. magaz. 1171.
<i>Amaryllis zeylanica</i> . B.M.							
18 seabrum. H.A.	rough-leaved.	S. America.	1810.	1. 12.	S.b.		Botan. magaz. 2180.
19 Careyanum. B.M.	Dr. Carey's.	Mauritius.	1820.	—	S.b.		— 2466.
20 submersum. B.M.	lake.	Brazil.	1823.	8. 10.	S.b.		— 2463.
21 giganteum. A.R.	gigantic.	Sierra Leon.	1792.	7. 8.	S.b.		Andr. deposit. 169.
<i>petiolatum</i> . H.A. <i>Amaryllis gigantea</i> . B.M. 923.							
22 distichum. H.A.	distichous.	Sierra Leon.	1740.	6. 10.	S.b.		Botan. magaz. 1253.
<i>Amaryllis ornata</i> . B.M.							
23 yuccædum. H.A.	Yucca-flow'r'd.	—	—	—	S.b.		
24 Broussoneti. H.A.	Broussonet's.	—	—	—	S.b.		Botan. magaz. 2121.
25 macrocarpon. H.A.	large-fruited.	Pegu.	1820.	6. 8.	S.b.		
26 breviliimum. H.A.	short-limbed.	Pacific Isl.	—	—	S.b.		
27 sumatranum. K.R.	Sumatra.	Sumatra.	1810.	—	S.b.		
28 sinicum. H.A.	Chinese.	China.	1819.	—	S.b.		
29 procerum. H.A.	lofty.	Pegu.	1820.	—	S.b.		
30 anomalam. H.A.	plaited-leaved.	China.	1822.	—	S.b.		
31 canaliculatum. K.R.	channel-leaved.	E. Indies.	1810.	4. 8.	S.b.		
32 exaltatum. H.A.	high.	—	1820.	—	S.b.		
33 pedunculatum. B.P.	New Holland.	N. S. W.	1790.	—	G.b.		Botan. regist. 52.
34 bracteatum. B.R.	short-leaved.	Mauritius.	1810.	6. 8.	S.b.		— 179.
<i>brevifolium</i> . H.A.							
β <i>angustifolium</i> . H.A. narrow-leaved.	—	—	—	—	S.b.		
35 asiaticum. K.R.	Poison-bulb.	China.	1732.	—	S.b.		Botan. magaz. 1073.
<i>toxicarium</i> . H.A.							
36 elegans. H.A.	elegant.	Pegu.	1820.	9. 11.	S.b.		2592.
37 verecundum. H.A.	blush.	E. Indies.	—	6. 9.	S.b.		
38 canalifolium. H.A.	channelled.	—	—	—	S.b.		
39 Commelinii. K.R.	Commelin's.	S. America.	1798.	—	S.b.		Jacq. scheen. 2. t. 202.
40 lorifolium. K.R.	lorate-leaved.	E. Indies.	1819.	—	S.b.		
41 longifolium. K.R.	long-leaved.	—	1810.	—	S.b.		
42 mauritianum. B.M.	Mauritius.	Mauritius.	1816.	—	S.b.		Lodd. bot. cab. 650.
43 venustum. H.A.	pretty.	E. Indies.	1820.	—	S.b.		
44 multiflorum. Desf.	many-flowered.	—	1822.	4. 8.	S.b.		
45 amoenum. K.R.	delightful.	E. Indies.	1810.	—	S.b.		
46 humile. B.M.	humble.	—	1816.	—	S.b.		Botan. magaz. 2636.
47 americanum. W.	American.	S. America.	1752.	7. 8.	S.b.		— 1034.
48 strictum. B.M.	upright.	—	1820.	4. 8.	S.b.		— 2635.
49 ensifolium. K.R.	sword-leaved.	E. Indies.	—	—	S.b.		— 2301.
50 defixum. K.R.	marsh.	—	1810.	—	S.b.		— 2208.
51 declinatum. H.A.	declined.	—	1819.	—	S.b.		— 2231.
52 brachyandrum. K.R.	short-anthered.	N. Holland.	—	—	S.b.		
53 augustum. K.R.	august.	Mauritius.	—	—	S.b.		Botan. magaz. 2397.
54 amabile. K.R.	beautiful.	E. Indies.	1810.	1. 12.	S.b.		— 1605.
55 cruentum. B.R.	red-flowered.	S. America.	—	6. 8.	S.b.		Botan. regist. 171.
56 erubescens. K.R.	blush-coloured.	—	1789.	—	S.b.		Botan. magaz. 1232.
<i>a rubriflimbum</i> . H.A.	red-limbed.	—	—	—	S.b.		
β major. H.A.	larger.	—	—	—	S.b.		
γ minor. H.A.	smaller.	—	—	—	S.b.		

57. <i>hybridum</i> . B.M.	<i>hybrid.</i>	<i>Hybrid.</i>	—	S.b.	Botan. magaz. 2336.
VALLOTA. H.A.	VALLOTA.	Hexandria Monogynia.			
<i>purpurea</i> . H.A.	purple-stalked.	C. B. S.	1774.	5. 8. F.b.	
<i>Amaryllis purpurea</i> . W.	<i>larger.</i>	—	—	F.b.	Botan. magaz. 1430.
<i>α major.</i>	<i>lesser.</i>	—	—	F.b.	Botan. regist. 552.
<i>β minor.</i>					
GASTRONEMA. H.A.	GASTRONEMA.	Hexandria Monogynia.			
<i>clavatum</i> . H.A.	<i>clavate.</i>	C. B. S.	1816.	5. 8. F.b.	Botan. magaz. 2291.
<i>Cyrtanthus uniflorus</i> . B.R. 168.					
CYRTANTHUS. W.	CYRTANTHUS.	Hexandria Monogynia. W.			
1 <i>obliquus</i> . w.	<i>oblique-leaved.</i>	C. B. S.	1774.	5. 8. G.b.	Botan. magaz. 1133.
2 <i>striatus</i> . B.M.	<i>striped.</i>	—	1823.	— G.b.	— 2534.
3 <i>spiralis</i> . B.R.	<i>spiral-leaved.</i>	—	1790.	— G.b.	Botan. regist. 167.
4 <i>collinus</i> . B.R.	<i>hill.</i>	—	1816.	— G.b.	— 162.
5 <i>pallidus</i> . B.M.	<i>pale-flowered.</i>	—	1822.	— G.b.	Botan. magaz. 2471.
6 <i>ventricosus</i> . w.	<i>bellied.</i>	—	1770.	— G.b.	Jacq. schœn. 1. t. 76.
7 <i>angustifolius</i> . w.	<i>narrow-leaved.</i>	—	1774.	5. 6. G.b.	Botan. magaz. 271.
8 <i>odorus</i> . B.R.	<i>sweet-scented.</i>	—	1818.	5. 7. G.b.	Botan. regist. 503.
STENOMESSON. H.A.	STENOMESSON.	Hexandria Monogynia.			
1 <i>flavum</i> . B.M.	<i>slender-tooth'd.</i> Peru.	—	1823.	5. 11. G.b.	Botan. magaz. 2641.
<i>Chrysiphiala flava</i> . B.R. 778.					
2 <i>curvidentatum</i> . B.M.	<i>curve-toothed.</i>	—	1824.	— G.b.	Botan. magaz. 2640.
3 <i>pauciflorum</i> .	<i>few-flowered.</i>	—	1822.	— G.b.	Hook. ex. flor. 132.
<i>Chrysiphiala pauciflora</i> . H.E.F.					
CHLIDANTHUS. H.A.	CHLIDANTHUS.	Hexandria Monogynia.			
<i>fragrans</i> . H.A.	<i>yellow fragrant.</i>	S. America.	1821.	6. 8. G.b.	Botan. regist. 640.
EUCROSIA. B.R.	EUCROSIA.	Hexandria Monogynia.			
<i>bicolor</i> . B.R.	<i>two-coloured.</i>	Cape Horn.	1816.	4. 5. S.b.	Botan. regist. 207.
CALOSTEMMA. B.P.	CALOSTEMMA.	Hexandria Monogynia.			
1 <i>luteum</i> . B.R.	<i>yellow.</i>	N. Holland.	1819.	8. 10. F.b.	Botan. regist. 421.
2 <i>purpureum</i> . B.P.	<i>purple.</i>	—	—	— F.b.	— 422.
3 <i>album</i> . B.P.	<i>white-flowered.</i>	—	1824.	— G.b.	
EURYCLES. Sal.	EURYCLES.	Hexandria Monogynia.			
1 <i>nuda</i> .	<i>naked stamen'd.</i>	E. Indies.	1822.	5. 7. S.b.	
<i>Crinum nervosum</i> . H.B.					
2 <i>alata</i> .	<i>wing-stamen'd.</i>	N. Holland.	1821.	— S.b.	Botan. regist. 715.
<i>Pancratium australasicum</i> . B.R.					
3 <i>coronata</i> .	<i>crowned.</i>	E. Indies.	1759.	— S.b.	Botan. magaz. 1419.
<i>Pancratium amboinense</i> . B.M.	<i>Proiphys amboinensis</i> . H.A.				
PANCRATIUM. W.	PANCRATIUM.	Hexandria Monogynia.			
1 <i>speciosum</i> . K.R.	<i>large-flowered.</i>	W. Indies.	1759.	5. 9. S.b.	Botan. magaz. 1453.
2 <i>ovatum</i> . K.R.	<i>oval-leaved.</i>	—	—	— S.b.	Botan. regist. 43.
3 <i>amoenum</i> . K.R.	<i>handsome.</i>	Guiana.	1790.	— S.b.	Botan. magaz. 1467.
4 <i>fragrans</i> . L.T.	<i>fragrant.</i>	W. Indies.	—	— S.b.	Lodd. bot. cab. 834.
5 <i>guianense</i> . B.R.	<i>Guiana.</i>	Guiana.	1818.	— S.b.	Botan. regist. 265.
6 <i>caribæum</i> . K.R.	<i>Caribbean.</i>	W. Indies.	1730.	— S.b.	Botan. magaz. 826.
7 <i>declinatum</i> . B.C.	<i>declining.</i>	Brazil.	—	— S.b.	Lodd. bot. cab. 558.
8 <i>undulatum</i> . K.R.	<i>wave-leaved.</i>	S. America.	—	— S.b.	
9 <i>expansum</i> . B.M.	<i>expanded.</i>	W. Indies.	1818.	— S.b.	Botan. magaz. 1941.
10 <i>pedale</i> . B.C.	<i>foot-flowered.</i>	Brazil.	1815.	— S.b.	Lodd. bot. cab. 809.
11 <i>patens</i> . K.R.	<i>spreading.</i>	W. Indies.	—	— S.b.	Redout. lil. 6. t. 380.
12 <i>littorale</i> . K.R.	<i>sea side.</i>	S. America.	1758.	— S.b.	Jacq. vind. 3. t. 75.
13 <i>Dryandri</i> . K.R.	<i>Dryander's.</i>	—	—	— S.b.	Botan. magaz. 825.
14 <i>distichum</i> . H.A.	<i>two-ranked.</i>	—	—	— S.b.	Botan. regist. 221.
15 <i>angustum</i> . K.R.	<i>narrow-leaved.</i>	—	—	— S.b.	
16 <i>crassifolium</i> . H.A.	<i>thick-leaved.</i>	—	—	— S.b.	
17 <i>acutifolium</i> .	<i>acute-leaved.</i>	Mexico.	1824.	— G.b.	Botan. regist. 940.
<i>mexicanum</i> . B.R. nec <i>aliorum</i> .	<i>Hymenocallis litoralis</i> . ♂ <i>acutifolia</i> . B.M. 2621.				
18 <i>rotatum</i> . K.R.	<i>large-crowned.</i>	Carolina.	1803.	7. 9. G.b.	Botan. magaz. 827.
19 <i>mexicanum</i> . K.R.	<i>Mexican.</i>	Mexico.	1732.	8. G.b.	Ker's review. pl. 3. f.2.
20 <i>carolinianum</i> . K.R.	<i>Carolina.</i>	Carolina.	1759.	6. 7. G.b.	— pl. 3. f.1.
21 <i>maritimum</i> . K.R.	<i>sea Daffodil.</i>	S. Europe.	1597.	5. 7. G.b.	Botan. regist. 161.
<i>carolinianum</i> . B.R. 927. nec <i>aliorum</i> .					
22 <i>canariense</i> . B.R.	<i>Canary.</i>	Canaries.	1815.	6. 7. G.b.	Botan. regist. 174.
23 <i>illyricum</i> . K.R.	<i>Ilyrian.</i>	S. Europe.	1615.	5. 6. G.b.	Botan. magaz. 718.
24 <i>vereendum</i> . K.R.	<i>Narcissus-l.</i>	E. Indies.	1776.	6. 8. G.b.	Botan. regist. 413.
25 <i>zeylanicum</i> . K.R.	<i>one-flowered.</i>	Ceylon.	1752.	— S.b.	Botan. magaz. 2538.

ISMENE. Sal.	ISMENE. Hexandria Monogynia.						
1 nutans. H.A.	nodding.	Brazil.	1810.	6. 8.	S.b.	Botan. magaz.	1561.
<i>Pancratium calathinum.</i> B.M. non R.L.							
2 calathinum. H.A.	cup-flowered.	—	—	6. 7.	S.b.	Botan. regist.	215.
3 Amancaes. H.A.	Narcissus-fl'd.	Peru.	1804.	—	S.b.	Botan. magaz.	1224.
<i>Pancratium Amancaes.</i> B.M. <i>Narcissus Amancaes.</i> R.P. s. t. 283. f. a.							
NARCISSUS. L.	NARCISSUS. Hexandria Monogynia, L.						
1 obvalaris. H.S.S.	Sibthorp's.	S. Europe.	—	3. 4.	H.b.	Bot. mag.	1301. f. inf.
2 bicolor. B.M.	two-coloured.	Spain.	1629.	4. 5.	H.b.	—	1187.
<i>Ajax lorifolius.</i> H.S.S.							
3 tubæflorus. S.P.	tube-flowered.	S. Europe.	—	3. 5.	H.b.	Botan. magaz.	924.
<i>Ajax bicolor.</i> H.S.S.						—	1300.
4 moschatus. B.M.	greater white.	Spain.	1629.	4.	H.b.		
5 albus. L.T.	white flowered.	—	1759.	3. 4.	H.b.		
<i>moschatus.</i> δ. B.M. <i>Ajax albus.</i> H.S.S.							
6 abscissus. H.S.S.	clipt trunk.	—	—	—	H.b.	Park. parad.	t. 107. f. 1.
7 major. B.M.	large.	Spain.	1629.	—	H.b.	Botan. magaz.	51.
8 propinquus. S.P.	great jagged.	S. Europe.	—	—	H.b.	—	1301. f. sup.
<i>major</i> β. B.M. <i>Ajax propinquus.</i> H.S.S.							
9 Telamonius. H.S.S.	Telamonian.	—	—	—	H.b.	Park. parad.	t. 101. f. 7.
β plenus. H.S.S.	double Daffodil.	—	—	—	H.b.		
γ grandiplenus. H.S.S.	great double.	—	—	—	H.b.		
10 nobilis. H.S.S.	noble.	—	—	—	H.b.		
11 spurius. H.S.S.	spurious.	England.	—	—	H.b.		
12 serratus. H.S.S.	serrate.	—	—	—	H.b.		
β suavis. H.S.S.	sweet-scented.	—	—	—	H.b.		
13 Pseudo-Narcissus.	Daffodil.	—	—	3. 4.	H.b.	Eng. bot.	t. 17.
β scoticus. H.S.S.	Scotch Daffodil.	Scotland.	—	—	H.b.	Park. parad.	t. 101. f. 9.
γ plenus. H.S.S.	double French.	—	—	—	H.b.	—	t. 101. f. 6.
δ plenissimus. H.S.S.	rose double.	—	—	—	H.b.	Besl. eyst.	3. fol. 5. f. 4.
14 pumilus. S.P.	small wedge-fl'd.	S. Europe.	—	3.	H.b.	Botan. magaz.	6.
<i>Ajax cuneiflorus.</i> H.S.S.						—	2588.
15 minor. B.M.	small.	Spain.	1629.	3. 5.	H.b.	Botan. regist.	762.
16 Macleaii. B.M.	Macleay's.	Levant.	—	4. 5.	H.b.	Swt. br. fl. gar.	114.
17 Sabini. B.R.	Sabine's.	—	—	—	H.b.		
18 tenuifolius. L.T.	slender-leaved.	Biscay.	1760.	3. 4.	H.b.	Lobel. aduers.	462. ic.
19 lobulatus. H.S.S.	lobed.	—	—	—	H.b.	Botan. magaz.	88.
20 obesus. S.P.	inflated.	Portugal.	1796.	—	H.b.		
21 albicans. H.S.S.	Trompet Marin.	—	1629.	—	H.b.		
22 Bulbocodium. w.	hoop petticoat.	S. Europe.	—	—	H.b.		
<i>Corbularia Bulbocodium.</i> H.S.S.							
23 aurantius. H.S.S.	orange rimmed.	—	—	—	H.b.	Park. parad.	t. 71. f. 2.
<i>Queltia aurantia.</i> H.S.S.							
β luteo-aurantius.	Butter and eggs.	—	—	—	H.b.		
24 incomparabilis. B.M. peerless.	Portugal.	—	—	4. 5.	H.b.	Botan. magaz.	121.
25 sulphureus.	self coloured peerless.	—	1629.	4. 5.	H.b.		
<i>Queltia concolor.</i> H.S.S.							
β plenus.	double orange crown.	—	—	—	H.b.		
26 semipartitus. H.S.S.	clove-cupped.	—	1818.	3. 4.	H.b.		
27 Queltia.	peerless white.	—	—	4.	H.b.		
<i>Queltia alba.</i> H.S.S.							
β niveo-aurantius.	Orange Phœnix.	—	—	—	H.b.		
28 montanus. B.R.	mountain.	Pyrenees.	1620.	—	H.b.	Botan. regist.	123.
29 galanthifolius. H.S.	Snowdrop-fl'd.	—	1720.	5.	H.b.	Park. parad.	73.
30 capax. H.S.S.	capacious.	—	—	—	H.b.	Redout. lil.	177.
<i>calathinus.</i> R.L. <i>Queltia capax.</i> H.S.S.							
31 orientalis. L.	oriental.	Levant.	1778.	4. 5.	H.b.	Botan. magaz.	948.
incomparabilis. β. B.M.	<i>Schisanthes orientalis.</i> H.S.S.						
32 cernuus. S.P.	drooping.	Portugal.	1620.	4.	H.b.	Botan. magaz.	48.
<i>triandrus.</i> B.M. non L.	<i>Ganymedes cernuus.</i> H.S.S. <i>ochroleucus.</i> H.R.						
33 triandrus. L.	white drooping.	S. Europe.	1620.	—	H.b.	Park. parad.	t. 93. f. 2.
<i>Ganymedes albus.</i> H.R.							
34 nutans. H.S.S.	yellow cupped.	—	1789.	3. 5.	H.b.	Botan. magaz.	945.
<i>trilobus.</i> B.M. <i>Ganymedes nutans.</i> H.S.S.							
35 concolor. H.S.S.	self-coloured.	—	1626.	4.	H.b.		
36 striatulus. H.S.S.	faint-striped.	—	—	—	H.b.		
37 pulchellus. H.S.S.	white-cupped.	—	1620.	—	H.b.		
38 rugulosus. H.S.S.	wrinkle-cupp'd.	—	—	—	H.b.		
39 odorus. L.	starry-flower'd.	Corsica.	1720.	3.	H.b.	Botan. magaz.	934.
<i>calathinus.</i> a. B.M. <i>Phylogyne odora.</i> H.S.S.							

40 interjectus. H.S.S.	great curled cup.	4.	H.b.	
41 trilobus. L.	three-lobed. Spain.	1629.	3.	H.b.
odoros. B.M. <i>Phylogyne triloba</i> . H.S.S. <i>calathina</i> . Sal.				Botan. magaz. 78.
42 heminalis. H.S.S.	lesser curled cup.	4.	H.b.	
43 Jonquilla. B.M.	Jonquil. Spain.	1596.	4. 5.	H.b.
β plenus.	double Jonquil.			H.b.
44 similis. H.S.S.	lesser Jonquil.	1626.	—	H.b.
45 bifrons. B.M.	double-faced.	1807.	4.	H.b.
46 compressus. L.T.	Jasmine Jonquil.	1790.	3. 4.	H.b.
47 primulinus. H.S.	Cowslip-cupp'd.			H.b.
bifrons. β. B.M. <i>Hermione primulina</i> . H.S.S.				
48 tereticaulis. L.T.	cream-colour'd. Levant.	4.	H.b.	
49 citrinus. H.S.S.	Citroniere.		H.b.	
orientalis. γ. B.M.				Botan. magaz. 1186.
50 floribundus. H.S.S.	grand monarque.	—	—	H.b.
51 Trewianus. B.M.	Bazelman major.	—	—	H.b.
<i>Hermione grandiflora</i> . H.S.S.				Botan. magaz. 940.
52 crenulatus. H.S.	Bazelman minor.	—	—	H.b.
53 Tazetta. L.	French Daffodil.	1626.	—	H.b.
54 fistulosus. H.S.	pipe-stemmed.	—	—	H.b.
55 cerinus. H.S.	waxen cupped.	—	5.	H.b.
56 Luna. H.S.S.	broad white.	—	4.	F.b.
57 papyratius. B.M.	paper white. Italy.	—	2. 3.	F.b.
unicolor. T.N. <i>Hermione papyratia</i> . H.S.S.				Botan. magaz. 947.
58 italicus. B.M.	Italian.	—	—	F.b.
præcox. T.N. <i>Hermione italicica</i> . H.S.S.				1188.
γ semiplenus.	semidouble.	—	3.	F.b.
δ plenus.	double Roman.	—	—	F.b.
59 gracilis. B.R.	slender.	—	4.	H.b.
60 tenuior. B.M.	slender 2-flow'r'd. Italy.	1626.	—	H.b.
61 latifolius. H.S.S.	broad-l'd. orange. Levant.	—	4. 5.	H.b.
62 multiflorus. H.S.S.	common yellow.	—	—	H.b.
<i>Tazetta</i> . B.M. non L.				Botan. magaz. 925.
α aurantius.	great orange.	—	—	H.b.
β aureus.	golden.	—	—	H.b.
63 obsoletus. H.S.S.	leafy autumnal. Spain.	1629.	9. 10.	H.b.
64 viridiflorus. B.M.	green-flower'd. Barbary.	1620.	—	F.b.
<i>Chloraster fissus</i> . H.P.				Botan. regist. 816.
65 poeticus. L.	Poet's. Greece.	—	4.	F.b.
66 angustifolius. B.M.	narrow-leaved. Switzerland.	1626.	—	H.b.
67 majalis. B.M.	May-flowering. England?	—	5.	H.b.
poeticus. E.B. non L.	<i>patellaris</i> . S.P.			Eng. hot. 275.
β exsertus. H.S.S.	long-stamen'd.	—	—	H.b.
γ plenus. H.S.S.	double-flowered.	—	—	H.b.
68 biflorus. B.M.	two-flowered.	—	4. 5.	H.b.
GALANTHUS . L.	SNOWDROP .	Hexandria Monogynia . L.		
1 nivalis. w.	common.	Britain.	1. 3.	H.b.
2 plicatus. B.R.	plaited.	S. Europe.	2. 4.	H.b.
LEUCOJUM . L.	SNOWFLAKE .	Hexandria Monogynia . L.		
1 vernum. w.	spring.	Germany.	1596.	2. 4.
β carpathicum.	Carpathian.	Carp. mount.	1816.	H.b.
2 aestivum. w.	summer.	England.	—	4. 5.
3 pulchellum. P.L.	neat.		—	H.b.
4 trichophyllum. P.S.	winter.	Barbary.	1812.	1. 2.
5 autumnale. w.	autumnal.	Portugal.	1629.	F.b.
GETHYLLIS . L.	GETHYLLIS .	Hexandria Monogynia . L.		
1 spiralis. w.	spiral-leaved.	C. B. S.	1780.	6. 7.
2 ciliaris. w.	fringed.		1788.	G.b.
3 villosa. w.	hairy.		1787.	G.b.
4 lanceolata. w.	spear-leaved.		1790.	G.b.
ALSTRÆMERIA . W.	ALSTRÆMERIA .	Hexandria Monogynia . L.		
1 Ligula. w.	striped-flow'r'd. Lima.		1776.	2. 4. S. 4.
2 Pelegrina. w.	spotted flower'd. Peru.		1753.	6. 9. F. 4.
3 Simsii. s.s.	red-flowered.	Chili.	1822.	F. 4.
pulchella. B.M. & H.E.F. 64. non L.				
4 Hookeri.	rose-coloured.			Hork. ex. flor. 181.
rosea. H.E.F. non R.P.				
5 Flos Martini. B.R.	St. Martin's.			Botan. regist. 731.
pulchra. B.M. 2421. tricolor. H.E.F. 65.				

6 ovata. s.s.	oval-leaved.	Mexico.	1824.	F. 4.	Cavan. ic. 1. t. 76.
7 Salsilla. w.	climbing.	S.America.	1806.	6. 7.	S. 4.	Botan. magaz. 1613.
edulis. A.R. 649.						
8 hirtella. K.S.	hairy.	Mexico.	1824.	S. 4.	
DORYANTHES. B.P.	DORYANTHES.	Hexandria Monogynia. S.S.				
excelsa. B.P.	gigantic.	N. S. W.	1800.	7. 10.	G. 4.	Botan. magaz. 1685.

ORDO CLXXXII.

HEMEROCALLIDEÆ. Brown prodr. 1. p. 295.

HEMEROCALLIS. S.S. DAY LILY. Hexandria Monogynia. L.							
1 graminea. B.M.	narrow-leaved. Siberia.	1759.	6. 7.	H. 4.	Botan. magaz.	873.	
2 flava. B.M.	yellow.	1596.	—	H. 4.		19.	
3 disticha. B.F.G.	fan-like.	1798.	5. 7.	H. 4.	Swt. br. fl. gar.	28.	
4 fulva. B.M.	copper-colour'd. Levant.	1596.	6. 8.	H. 4.	Botan. magaz.	61.	
FUNKIA. S.S.	FUNKIA. Hexandria Monogynia. S.S.						
1 alba.	white-flower'd. Japan.	1790.	8. 9.	H. 4.	Botan. magaz.	1433.	
subcordata. s.s. Hemerocallis japonica. B.M. alba. A.R. 75.							
2 cœrulea.	blue-flowered.	—	—	6. 8. H. 4.	Botan. magaz.	894.	
ovata. s.s. Hemerocallis cœrulea. B.M.							
AGAPANTHUS. W.	AFRICAN LILY. Hexandria Monogynia. L.						
1 umbellatus. w.	large-flowered. C. B. S.	1692.	8. 2.	G. 4.	Botan. magaz.	500.	
β variegatus.	striped-leaved.	—	—	G. 4.			
2 precox. W.en.	early-flowering.	—	—	1. 4. G. 4.	Lodd. bot. cab.	42.	
3 minor. B.C.	small.	—	—	G. 4.			
POLIANTHES. L.	POLIANTHES. Hexandria Monogynia. L.						
1 gracilis. L.en.	slender. Brazil.	1822.	8. 10.	S. 4.			
2 tuberosa. w.	common. E. Indies.	1629.	—	S. 4.	Botan. regist.	63.	
β flore pleno.	double-flowered.	—	—	S. 4.			
BLANDFORDIA. B.P.	BLANDFORDIA. Hexandria Monogynia. S.S.				Botan. regist.	286.	
1 nobilis. B.P.	noble. N. S. W.	1803.	7. 8.	G. 4.			
2 grandiflora. B.P.	large-flowered.	1812.	—	G. 4.		911.	
TRITOMA. B.M.	TRITOMA. Hexandria Monogynia. S.S.						
1 Uvaria. H.K.	great. C. B. S.	1707.	8. 9.	H. 4.	Botan. magaz.	758.	
2 media. H.K.	lesser.	—	1789.	12. 6.	H. 4.		744.
3 pumila. H.K.	least.	—	1774.	9. 11.	F. 4.		764.
VELTHEIMIA. B.M.	VELTHEIMIA. Hexandria Monogynia. W.						
1 viridifolia. w.	green-leaved. C. B. S.	1768.	11. 4.	G. b.	Botan. magaz.	501.	
Aletris capensis. B.M.							
2 intermedia.	subglaucous.	—	1819.	—	G. b.		
3 glauca. w.	glaucous.	—	1781.	1. 4.	G. b.	Botan. magaz.	1091.
ALETRIS. W.	COLIC-ROOT. Hexandria Monogynia. L.						
1 farinosa. w.	common. N. America.	1768.	6.	H. 4.	Botan. magaz.	1418.	
2 aurea. Ph.	golden tipped.	—	1811.	7. 8.	H. 4.	Willd. hort. ber.	8.
SANSEVIERA. W.	SANSEVIERA. Hexandria Monogynia. W.						
1 glauca. H.S.	glaucous. Sierra Leon.	—	—	S. 4.			
2 polyphylla. H.S.	upright-glaucous. Guinea.	1690.	6. 11.	S. 4.	Botan. magaz.	1180.	
3 guineensis. H.S.	Guinea.	—	—	S. 4.			
4 lætevirens. H.S.	light green.	—	—	S. 4.	Botan. magaz.	2634.	
5 longiflora. B.M.	long-flowered.	—	—	7. 8.	S. 4.	Cavan. ic. 3. t. 246.	
6 spicata. H.S.	spiked.	—	—	S. 4.			
7 fulvocincta. H.S.s.	brown-edged. Brazil.	1818.	—	S. 4.	Botan. regist.	160.	
8 zeylanica. H.S.	Ceylon.	1731.	6. 11.	S. 4.	Rheed. mal. 11. t. 42.		
9 lanuginosa. w.	woolly. E. Indies.	—	—	S. 4.			
10 ensifolia. H.S.	sword-leaved.	—	—	S. 4.			
11 grandicuspis. H.S.	large-pointed.	—	—	S. 4.			
12 pumila. H.S.	dwarf. C. B. S.	1796.	—	S. 4.			
13 stenophylla. L.en.	slender-leaved.	1818.	—	S. 4.			
14 carnea. A.R.	flesh-coloured. China.	1792.	4. 10.	H. 4.	Andr. reposit.	361.	
TULBAGIA. W.	TULBAGIA. Hexandria Monogynia. L.						
1 alliacea. w.	Narcissus-ld.	C. B. S.	1774.	5. 7.	G. 4.	Botan. magaz.	806.
2 affinis. L.en.	linear-leaved.	—	1820.	—	G. 4.		
3 cepacea. w.	Onion-scented.	—	1795.	4.	G. 4.		
				3 G			

HEMEROCALLIDÆ.

BRODIEA, L.T.	BRODIEA. <i>Triandria Monogynia, L.T.</i>						
1 <i>grandiflora, L.T.</i>	large-flowered.	1806.	6.	G.b.	Sal. par. lond.	t. 98.	
<i>Hookera coronaria, P.L.</i>							
2 <i>congesta, L.T.</i>	close-headed.	—	5.	G.b.	Linn. trans. v. 10, t. I.		
3 <i>ixoides, B.M.</i>	Ixia-like.	Chili.	1821.	7.	H.b.	Botan. magaz. 2382.	
PACHIDENDRON, H.R.	PACHIDENDRON. <i>Hexandria Monogynia, H.R.</i>						
1 <i>africanum, H.R.</i>	African.	C. B. S.	1731.	7.	D.G. h.		
<i>α latum, H.R.</i>	broad-leaved.	—	—	D.G. h.			
<i>β angustum, H.R.</i>	narrow-leaved.	—	—	D.G. h.	Botan. magaz. 2517.		
<i>Aloe pseudo-africana</i> L.en. <i>Aloe africana, β, angustior, B.M.</i>							
2 <i>principis, H.R.</i>	revolving red-spin'd.	—	—	D.G. h.			
3 <i>angustifolium, H.R.</i>	narrow-leaved.	—	1812.	—	D.G. h.		
4 <i>ferox, H.R.</i>	great hedgehog.	—	1759.	4. 5.	D.G. h.	Botan. magaz. 1975.	
<i>Aloe ferox, B.M.</i>							
5 <i>pseudo-ferox, H.R.</i>	false hedgehog.	—	—	D.G. h.	Comm. prælud. t. 20.		
6 <i>supralæve, H.R.</i>	upright hedgehog.	—	1731.	—	D.G. h.		
ALOE, H.R.	ALOE. <i>Hexandria Monogynia, L.</i>						
1 <i>dichotoma, H.S.</i>	smooth-stem'd.	C. B. S.	1780.	—	D.G. h.		
2 <i>purpurascens, H.S.</i>	purple.	—	1789.	7. 10.	D.G. h.	Botan. magaz. 1474.	
3 <i>soccotrina, H.S.</i>	soccotrine.	—	1731.	4. 6.	D.G. h.	—	472.
4 <i>spicata, H.R.</i>	white spotted.	—	1795.	—	D.G. h.		
5 <i>pluridens, H.P.</i>	many-toothed.	—	1822.	—	D.G. h.		
6 <i>arborescens, H.S.</i>	tree.	—	1731.	11. 3.	D.G. h.	Botan. magaz. 1306.	
7 <i>gracilis, H.P.</i>	slender-stalk'd.	—	1822.	—	D.G. h.		
8 <i>flavispina, H.S.</i>	yellow-spined.	—	1790.	8.	D.G. h.		
9 <i>mitraeformis, H.S.</i>	mitre.	—	1732.	—	D.G. h.	Botan. magaz. 1270.	
10 <i>nobilis, H.S.</i>	great mitre.	—	1800.	7. 8.	D.G. h.		
11 <i>Commelinæ, H.R.</i>	Commeline's.	—	1813.	—	D.G. h.		
<i>β mitraeformis, H.R.</i>	yellowish-tooth'd.	—	—	D.G. h.			
12 <i>distans, H.S.</i>	small mitre.	—	1732.	8.	D.G. h.	Botan. magaz. 1362.	
<i>γ depressa, H.R.</i>	depressed.	—	—	D.G. h.			
13 <i>xanthacantha, H.S.s.</i>	yellow mitre.	—	1817.	—	D.G. h.		
14 <i>vulgaris, DC.</i>	yellow-flow'r'd.	W. Indies.	1596.	8.	D.S. h.	DC. plant. gras. 27.	
<i>barbadensis, H.S.</i>							
15 <i>chinensis, H.S.s.</i>	Chinese.	China.	1817.	—	D.G. h.		
16 <i>cæsia, H.S.s.</i>	cæsious tree.	C. B. S.	1818.	—	D.G. h.		
<i>β elatior, H.S.s.</i>	tall.	—	—	D.G. h.			
17 <i>frutescens, H.S.s.</i>	lesser tree.	—	—	D.G. h.			
18 <i>albispina, H.S.</i>	white-spined.	—	1796.	—	D.G. h.		
19 <i>glauca, H.S.</i>	glaucous red-spin'd.	—	1731.	1. 9.	D.G. h.		
<i>α major, H.S.</i>	larger.	—	—	D.G. h.			
<i>β rhodocantha, B.M.</i>	lesser red-spined.	—	—	D.G. h.	Botan. magaz. 1278.		
<i>γ spinosior, H.R.</i>	long-spined.	—	1820.	—	D.G. h.		
20 <i>lineata, H.S.</i>	striped red-spined.	—	1789.	—	D.G. h.		
<i>α viridis, H.R.</i>	greenest-leaved.	—	—	D.G. h.			
<i>β glaucescens, H.R.</i>	glaucous.	—	—	D.G. h.			
21 <i>depressa, H.S.</i>	depressed.	—	1731.	8.	D.G. h.	Botan. magaz. 1332.	
22 <i>brevifolia, H.S.</i>	short-leaved.	—	—	6. 8.	D.G. h.	Botan. regist. 996.	
23 <i>prolifera, H.R.</i>	proliferous.	—	1818.	—	D.G. h.		
24 <i>serra, DC.</i>	saw-leaved.	—	—	D.G. h.	Jacq. eclog. ic.		
25 <i>striata, H.S.</i>	streaked.	—	1795.	—	D.G. h.		
26 <i>striatula, H.P.</i>	stripe-sheath'd.	—	1820.	—	D.G. h.		
27 <i>ciliaris, H.P.</i>	fringe-leaved.	—	—	D.G. h.			
28 <i>tenuior, H.P.</i>	green-sheathed.	—	1819.	—	D.G. h.		
29 <i>albocincta, H.S.s.</i>	pearl edged.	—	1812.	—	D.G. h.		
30 <i>seirrulata, H.S.</i>	serrulated.	—	1789.	7. 8.	D.G. h.	Botan. magaz. 1415.	
31 <i>obscura, H.S.</i>	great soap.	—	1727.	6. 10.	D.G. h.	—	1323.
<i>picta, α, B.M.</i>							
<i>β glauclor, H.R.</i>	glaucous-leaved.	—	1819.	—	D.G. h.		
<i>γ magnidens, H.R.</i>	large-toothed.	—	—	D.G. h.			
32 <i>pallescens, H.R.</i>	pale serrulate.	—	1820.	—	D.G. h.		
33 <i>latifolia, H.S.</i>	broad-leaved.	—	1795.	7. 8.	D.G. h.	Botan. magaz. 1346.	
34 <i>saponaria, H.S.</i>	common soap.	—	1727.	—	D.G. h.	—	1460.
<i>β luteo-striata, H.R.</i>	yellow striped.	—	1821.	—	D.G. h.		
35 <i>microcantha, H.S.s.</i>	small-spined.	—	1819.	—	D.G. h.	Botan. magaz. 2272.	
36 <i>virens, H.S.</i>	apple green.	—	1790.	8. 9.	D.G. ¼.	—	1355.
37 <i>subrecta, H.S.</i>	lesser hedgehog.	—	1789.	3. 6.	D.G. ¼.		
<i>β semiguttata, H.R.</i>	half-warted.	—	1819.	—	D.G. ¼.		
38 <i>acuminata, H.S.</i>	middle hedgehog.	—	1795.	—	D.G. ¼.	Botan. magaz. 757.	
<i>humilis, B.M. non H.S.</i>							

HEMEROCALLIDEÆ.

39	<i>echinata</i> . H.R.	greattuberced. C. B. S.	1821.	3. 6.	D.G. 4.
40	<i>tuberculata</i> . H.S.	tuberced. ———	1796.	—	D.G. 4.
41	<i>aristata</i> . H.P.	bearded many-l'd. ———	1819.	—	D.G. 4.
42	<i>subtuberculata</i> . H.P.	rough & smooth. ———	—	—	D.G. 4.
43	<i>humilis</i> . H.S.	dwarf hedgehog. ———	1731.	—	D.G. 4. DC. plant. gras. 39.
44	<i>incurva</i> . H.S.	incurved hedgehog. ———	1796.	—	D.G. 4. Botan. magaz. 828.
	<i>humilis</i> β <i>incurva</i> . B.M.				
45	<i>tenuifolia</i> . H.R.	thin-leaved. ———	1821.	—	D.G. 4.
46	<i>variegata</i> . H.S.	partridge-breast. ———	1720.	3. 12.	D.G. 4. Botan. magaz. 513.
RHIPIDODENDRON. W. RHIPIDODENDRON. Hexandria Monogynia.					
	<i>plicatile</i> . H.R.	fan. Africa. ———	1723.	6. 7.	D.G. ½. Botan. magaz. 457.
	<i>distichum</i> . W. <i>Aloe plicatilis</i> . B.M.				
	β <i>major</i> . H.R.	<i>larger fan</i> . ———	1820.	—	D.G. ½.
GASTERIA. H.S.					
1	<i>obliqua</i> . H.S.	<i>TONGUE-ALOE</i> . Hexandria Monogynia. H.S.	1759.	6. 8.	D.G. ½. Botan. magaz. 979.
	<i>Aloe lingua</i> . a. B.M.	broad-marbled. C. B. S.			
2	<i>pulchra</i> . H.S.	narrow-marbl'd. ———	—	7. 8.	D.G. ½. Botan. magaz. 765.
	<i>Aloe maculata</i> . B.M.				
3	<i>acinacifolia</i> . H.R.	long sword-l'd. ———	1818.	—	D.G. 4. Botan. magaz. 2369.
4	<i>nigricans</i> . H.S.	dark-leaved. ———	1790.	6. 7.	D.G. 4. ————— 838.
	β <i>crassifolia</i> . H.R.	<i>thick-leaved</i> . ———	1820.	—	D.G. 4.
	γ <i>fasciata</i> . H.R.	<i>fasciated</i> . ———	—	—	D.G. 4.
	δ <i>marmorata</i> . H.R.	<i>marbled</i> . ———	—	—	D.G. 4.
5	<i>mollis</i> . H.R.	soft muddy l'd. ———	1819.	D.G. 4.
6	<i>candicans</i> . H.R.	rough marbled white. ———	1818.	7. 8.	D.G. 4.
7	<i>nitida</i> . B.M.	shining. ———	1820.	—	D.G. 4. Botan. magaz. 2304.
	<i>a parvipunctata</i> . H.R. <i>small dotted</i> .	—	—	—	D.G. 4.
	β <i>grandipunctata</i> . H.R. <i>large-dotted</i> .	—	—	—	D.G. 4.
8	<i>trigona</i> . H.R.	<i>trigonal</i> . ———	—	—	D.G. 4.
	<i>a elongata</i> . H.R.	<i>elongated</i> . ———	—	—	D.G. 4.
	β <i>obtusa</i> . H.R.	<i>blunt</i> . ———	—	—	D.G. 4.
9	<i>glabra</i> . H.S.	smooth-keeled. ———	1796.	6. 7.	D.G. 4.
	β <i>minor</i> . H.R.	<i>smaller</i> . ———	1820.	—	D.G. 4.
10	<i>subcarinata</i> . H.S.S.	partly keeled. ———	—	—	D.G. 4.
	β <i>striata</i> . H.R.	<i>striated</i> . ———	—	—	D.G. 4.
11	<i>carinata</i> . H.S.	rough keeled. ———	1731.	—	D.G. 4. Botan. magaz. 1331.
12	<i>latifolia</i> . H.S.	acute tongue. ———	3. 11.	D.G. 4.
	β <i>multifaria</i> . H.S.	<i>multifarious</i> . ———	—	—	D.G. 4.
13	<i>denticulata</i> . H.S.S.	denticulated. ———	1818.	6. 7.	D.G. 4.
14	<i>ensifolia</i> . H.P.	long sword-l'd. ———	1820.	—	D.G. 4.
15	<i>angulata</i> . H.S.	retuse. ———	1791.	3. 11	D.G. 4.
16	<i>angustifolia</i> . H.S.	narrow. ———	1731.	—	D.G. 4.
	β <i>laxis</i> . H.R.	<i>smooth</i> . ———	1820.	—	D.G. 4.
17	<i>longifolia</i> . H.S.	long-leaved. ———	1796.	—	D.G. 4.
18	<i>conspurcata</i> . H.R.	<i>dirtyed</i> . ———	—	—	D.G. 4.
19	<i>obtusifolia</i> . H.R.	blunt-leaved. ———	—	—	D.G. 4.
20	<i>excavata</i> . L.en.	excavated. ———	1824.	—	D.G. 4.
21	<i>pseudo-angulata</i> . L.en.	<i>false-angled</i> . ———	—	—	D.G. 4.
22	<i>pseudo-nigricans</i> . H.R.	blackish. ———	1820.	—	D.G. 4.
	β <i>glabra</i> .	<i>smooth</i> . ———	—	—	D.G. 4.
23	<i>subverrucosa</i> . L.en.	large-warted. ———	—	—	D.G. 4.
	α <i>grandipunctata</i> . H.R.	<i>large-dotted</i> . ———	—	—	D.G. 4.
	β <i>parvipunctata</i> . H.R.	<i>small-dotted</i> . ———	—	—	D.G. 4.
24	<i>brevifolia</i> . H.S.	short-leaved. ———	1809.	7. 8.	D.G. 4.
25	<i>intermedia</i> . H.S.	intermediate. ———	1790.	3. 11.	D.G. 4.
	β <i>asperrima</i> . H.R.	<i>rough-leaved</i> . ———	1820.	—	D.G. 4.
26	<i>repens</i> . H.R.	creeping-root'd. ———	—	—	D.G. 4.
27	<i>verrucosa</i> . H.S.	pearl. ———	1731.	3. 11.	D.G. 4. Botan. magaz. 837.
	β <i>latifolia</i> . H.R.	<i>broad-leaved</i> . ———	1820.	—	D.G. 4.
BOWIEA. H.P. Hexandria Monogynia.					
	<i>africana</i> . H.P.	African. C. B. S.	1820.	4. 10.	D.G. 4.
HAWORTHIA. H.S.S. Hexandria Monogynia. H.S.					
1	<i>viscosa</i> . H.S.	clammy. C. B. S.	1732.	5. 7.	D.G. 4. Botan. magaz. 814.
	<i>Aloe viscosa</i> . B.M.				
2	<i>aspera</i> . H.S.	rough triangular. ———	1795.	—	D.G. 4.
3	<i>indurata</i> . H.R.	hard branched. ———	1819.	—	D.G. 4.
4	<i>pseudo-tortuosa</i> . H.S.S.	twisted triangular. ———	1818.	D.G. 4.
5	<i>concinna</i> . H.S.S.	neat triangular. ———	—	—	D.G. 4.
6	<i>cordifolia</i> . H.S.S.	heart-leaved. ———	—	5. 7.	D.G. 4.
			3 G 2		

HEMEROCALLIDÆ.

7	asperiuscula.	H.S.S.	roughish.	C. B. S.	1818.	5. 7.	D.G. 24.
8	tortuosa.	H.S.	twisted.	—	1794.	5. 9.	D.G. 24. Botan. magaz. 1937.
	<i>Aloe rigidula</i> .	B.M. non DC.					
	β curta.	H.R.	short twisted.	—	1817.	—	D.G. 24.
	γ tortella.	H.R.	lesser twisted.	—	—	—	D.G. 24.
9	expansa.	H.S.	spreading-l'd.	—	1795.	7. 10.	D.G. 24. DC. plant. gras. 62.
	<i>Aloe rigidula</i> .	D.C.					
10	hybrida.	H.R.	bastard pearl.	—	1821.	5. 9.	D.G. 24.
11	scabra.	H.R.	rugged.	—	1818.	—	D.G. 24.
12	sordida.	H.R.	sordid.	—	—	—	D.G. 24.
13	recurva.	H.R.	recurved.	—	1795.	8.	D.G. 24. Botan. magaz. 1353.
14	nigricans.	H.P.	granulated black.	—	1820.	5. 9.	D.G. 24.
15	parva.	H.P.	dwarf.	—	—	—	D.G. 24.
16	tessellata.	H.P.	dark chequer'd.	—	1822.	—	D.G. 24.
17	asperula.	H.P.	pale rough.	—	—	—	D.G. 24.
18	multifaria.	H.P.	many-leaved.	—	—	—	D.G. 24.
19	retusa.	H.S.	smooth cushion.	—	1720.	—	D.G. 24. Botan. magaz. 455.
	<i>Aloe retusa</i> .	B.M.					
20	mutica.	H.R.	blunt cushion.	—	1819.	—	D.G. 24.
21	mirabilis.	H.S.S.	rough cushion.	—	1795.	—	D.G. 24. Botan. magaz. 1354.
22	turgida.	H.S.S.	turgid cushion.	—	1818.	—	D.G. 24.
23	late-virens.	H.S.S.	light-green.	—	—	—	D.G. 24.
24	papillosa.	H.S.S.	papillose.	—	—	—	D.G. 24.
	β semipapillosa.	H.R.	partly warted.	—	—	—	D.G. 24.
25	erecta.	H.R.	upright pearl.	—	1818.	—	D.G. 24. DC. plant. gras. 57.
	<i>margaritifera</i> .	D.C.					
26	fasciata.	H.S.S.	barred pearl.	—	—	—	D.G. 24.
	β major.	H.R.	larger.	—	—	—	D.G. 24.
27	granata.	H.S.S.	small pearl.	—	1732.	—	D.G. 24. Dill. elth. t. 16. f. 18.
	<i>Aloe margaritifera</i> .	γ minimu.	Dill.				
28	brevis.	H.S.S.	short-leaved.	—	1810.	—	D.G. 24. Botan. magaz. 1360.
	<i>Aloe margaritifera</i> .	γ minima.	B.M.				
29	minor.	H.S.	lesser pearl.	—	—	5. 8.	D.G. 24. Botan. magaz. 815.
30	margaritifera.	H.S.S.	pearl.	—	1725.	—	D.G. 24. Bradl. succ. 3. t. 21.
31	semiglabrata.	H.S.S.	half-smoothed.	—	1810.	—	D.G. 24.
32	radula.	H.S.	raspy pearl.	—	1805.	6. 9.	D.G. 24. Jacq. schœn. t. 35.
33	attenuata.	H.S.	chalky pearl.	—	1790.	5. 8.	D.G. 24. Botan. magaz. 1345.
	<i>Aloe radula</i> .	B.M. non Jacq.					
34	Reinwardti.	H.R.	chequer'd-pearl.	—	1821.	—	D.G. 24.
35	semimargaritifera.		semi-peary.	—	1801.	—	D.G. 24.
	α maxima.	H.S.S.	largest.	—	—	—	D.G. 24. Comm. hort. 2. t. 10.
	β major.	H.S.S.	large.	—	1817.	—	D.G. 24.
	γ minor.	H.S.S.	smaller.	—	1818.	—	D.G. 24.
	δ multiperlata.		many pearled.	—	—	—	D.G. 24.
36	coarctata.	H.P.	upright dull-spotted.	—	1822.	—	D.G. 24.
37	albicans.	H.S.	white-edged.	—	1795.	9. 10.	D.G. 24. Botan. magaz. 1452.
38	levis.	H.R.	narrow-border'd.	—	1820.	—	D.G. 24. Comm. hort. 2. t. 7.
39	ramifera.	H.R.	branching white.	—	—	—	D.G. 24.
40	virescens.	H.R.	bordered green.	—	—	—	D.G. 24.
	β minor.	H.R.	lesser.	—	—	—	D.G. 24.
41	arachnooides.	H.S.	cobweb.	—	1727.	8. 9.	D.G. 24. Botan. magaz. 756.
42	translucens.	H.S.S.	transparent.	—	1795.	5. 8.	D.G. 24. — 1417.
	<i>Aloe arachnooides</i> β translucens.	B.M.					
43	setata.	H.S.S.	bristle edged.	—	1818.	—	D.G. 24.
	β nigricans.	H.R.	blackish.	—	—	—	D.G. 24.
	γ media.	H.R.	middle.	—	—	—	D.G. 24.
	δ major.	H.R.	larger.	—	—	—	D.G. 24.
44	pallida.	H.R.	pale green.	—	—	—	D.G. 24.
45	atrovirens.	H.R.	dark green.	—	1752.	5.	D.G. 24. Botan. magaz. 1361.
	<i>Aloe atrovirens</i> .	D.C. <i>arachnooides pumila</i> .	B.M.				
46	chlorocantha.	H.R.	green-toothed.	—	1820.	5. 8.	D.G. 24.
47	angustifolia.	H.P.	slender-leaved.	—	—	6. 7.	D.G. 24.
48	reticulata.	H.S.	netted.	—	1794.	5. 8.	D.G. 24. Botan. magaz. 1314.
	<i>Aloe arachnooides</i> γ <i>reticulata</i> .	B.M.					
49	cymbiformis.	H.S.	boat-leaved.	—	1795.	6. 8.	D.G. 24. Botan. magaz. 802.
	α concava.	H.R.					
50	altilinea.	H.P.	ridge-lined.	—	1821.	—	D.G. 24.
51	obtusa.	H.P.	small blunt-l'd.	—	—	—	D.G. 24.
52	planifolia.	H.P.	flat oval-l'd.	—	—	—	D.G. 24.

HEMEROCALLIDEÆ.

53	mucronata. H.R.	membrane-point'd. C. B. S.	1818	6. 8.	D.G. $\frac{1}{2}$.
54	limpida. H.R.	limpid.	—	—	D.G. $\frac{1}{2}$.
55	aristata. H.R.	pin-pointed.	—	—	D.G. $\frac{1}{2}$.
56	cuspidata. H.R.	sharp-pointed.	—	—	D.G. $\frac{1}{2}$.
57	denticulata. H.R.	pale pin-point'd.	—	—	D.G. $\frac{1}{2}$.
APICRA. H.S.S.					
1	spiralis. H.S.S.	great spiral. C. B. S.	1790.	8. 9.	D.G. $\frac{1}{2}$.
2	spirella. H.S.S.	small spiral.	1808.	—	D.G. $\frac{1}{2}$.
3	bullulata. H.S.S.	blistered.	1818.	—	D.G. $\frac{1}{2}$. Jacq. frag. t. 100.
4	pentagona. H.S.S.	five-sided.	1731.	6. 8.	D.G. $\frac{1}{2}$. Botan. magaz. 1338.
	β torta. H.S.S.	twisted.	—	—	D.G. $\frac{1}{2}$.
5	rigida. w.	gunpowdered.	1818.	—	D.G. $\frac{1}{2}$. Jacq. fragm. t. 108.
	<i>pseudo-rigida</i> . H.S.S.				
6	aspera. H.S.S.	rough triangled.	—	—	D.G. $\frac{1}{2}$.
	α minor. H.S.S.	lesser.	—	—	D.G. $\frac{1}{2}$.
	β major. H.S.S.	larger.	1795.	—	D.G. $\frac{1}{2}$.
7	bicarinata. H.S.S.	double-keeled.	1819.	—	D.G. $\frac{1}{2}$.
8	nigra. H.P.	rough black.	1820.	5. 8.	D.G. $\frac{1}{2}$.
9	imbricata. H.R.	rough-flowered.	1731.	6. 7.	D.G. $\frac{1}{2}$. Botan. magaz. 1455.
	<i>Aloe spiralis</i> . B.M. non H.S.				
10	foliolosa. H.P.	many small-l'd.	1795.	6. 8.	D.S. $\frac{1}{2}$. Botan. magaz. 1352.

ORDO CLXXXII.

DIOSCOREÆ. *Brown prodr. 1. p. 294.*

RAJANIA. W.	RAJANIA. Diœcia Hexandria. L.				
1 hastata. w.	halberd-leaved. W. Indies.	1822.	7. 8.	S. $\frac{1}{2}$. \sim .	Plum. amer. 84. t. 96.
2 cordata. w.	heart-leaved.	1786.	—	S. $\frac{1}{2}$. \sim .	Plum. ic. 155. f. 1.
3 quinquefolia. w.	five-leaved.	1820.	—	S. $\frac{1}{2}$. \sim .	155. f. 2.
DIOSCOREA. W.	YAM. Diœcia Hexandria. L.				
1 pentaphylla. w.	five-leaved. E. Indies.	1768.	—	S. $\frac{1}{2}$. \sim .	Rheed. mal. 7. t. 35.
2 triphylla. w.	three-leaved.	1818.	—	S. $\frac{1}{2}$. \sim .	Jacq. ic. t. 627.
3 quinqueloba. w.	five-lobed. Japan.	1822.	7. 9.	G. $\frac{1}{2}$. \sim .	Kämpf. ic. t. 15.
4 brasiliensis. w.	Brazilian. Brazil.	1818.	—	S. $\frac{1}{2}$. \sim .	
5 heterophylla. H.B.	various-leaved. E. Indies.	—	—	S. $\frac{1}{2}$. \sim .	
6 aculeata. w.	prickly-stem'd.	1803.	7. 9.	S. $\frac{1}{2}$. \sim .	Rheed. mal. 7. t. 37.
7 rubella. H.B.	reddish.	—	—	S. $\frac{1}{2}$. \sim .	
8 purpurea. H.B.	purple.	1816.	—	S. $\frac{1}{2}$. \sim .	
9 nummularia. w.	Money-wort.	1820.	—	S. $\frac{1}{2}$. \sim .	Rumph. amb. 5. t. 162.
10 alata. w.	wing-stalked.	1739.	—	S. $\frac{1}{2}$. \sim .	Rheed. mal. 7. t. 38.
11 bulbifera. w.	bulb-bearing.	1692.	7. 9.	S. $\frac{1}{2}$. \sim .	Sal. par. lond. 17.
12 crispata. H.B.	curl-stalked.	1818.	—	S. $\frac{1}{2}$. \sim .	
13 anguina. H.B.	snake.	1803.	—	S. $\frac{1}{2}$. \sim .	
14 pulchella. H.B.	pretty.	1819.	—	S. $\frac{1}{2}$. \sim .	
15 atropurpurea. H.B.	dark purple.	1820.	—	S. $\frac{1}{2}$. \sim .	
16 globosa. H.B.	globular.	1818.	—	S. $\frac{1}{2}$. \sim .	
17 fasciculata. H.B.	bundled.	1817.	—	S. $\frac{1}{2}$. \sim .	
18 glabra. H.B.	smooth.	1803.	7. 9.	S. $\frac{1}{2}$. \sim .	
19 sativa. w.	common. W. Indies.	1733.	—	S. $\frac{1}{2}$. \sim .	Rheed. mal. 8. t. 51.
20 piperifolia. w.	Pepper-leaved. S. America.	1817.	—	S. $\frac{1}{2}$. \sim .	Plum. ic. 117. f. 1.
21 nepalensis.	Nepaul.	1816.	7. 8.	H. $\frac{1}{2}$. \sim .	
22 quaternata. Ph.	four-leaved. N. America.	1811.	7.	H. $\frac{1}{2}$. \sim .	
23 villosa. Ph.	pubescent.	1752.	8.	H. $\frac{1}{2}$. \sim .	Jacq. ic. 3. t. 626.
24 oppositifolia.	opposite-leav'd. E. Indies.	1803.	—	S. $\frac{1}{2}$. \sim .	Petiv. gaz. t. 31. f. 6.
TESTUDINARIA. B.T. TESTUDINARIA. Diœcia Hexandria.					
1 Elephantipes. B.R.	Elephant's-foot. C. B. S.	1774.	7. 8.	G. $\frac{1}{2}$. \sim .	Botan. regist. 92.
	<i>Tamus Elephantipes</i> . E.M. 1347.				
2 montana. B.T.	glaucous-l'd.	—	1816.	—	G. $\frac{1}{2}$. \sim .

ORDO CLXXXIII.

TAMEÆ. *Brown prodr. 294 in obs.*

TAMUS. L.

- 1 *communis*. w.
2 *cretica*. w.

BLACK BRYONY. *Dioecia Hexandria. L.*

- common. England. 5. 8. H. 4. ~. Eng. bot. 91.
Cretan. Candia. 1739. 7. 8. H. 4. ~.

ORDO CLXXXIV.

SMILACEÆ. *Brown prodr. 292.*

SMILAX. L.

- 1 *aspera*. s.s.
β *auriculata*.
2 *nigra*. s.s.
3 *catalonica*. s.s.
4 *mauritanica*. s.s.
5 *excelsa*. s.s.
6 *horrida*. s.s.
7 *zeylanica*. s.s.
8 *quadrangularis*. s.s.
9 *longifolia*. s.s.
10 *Watsoni*.
longifolia. w.d. non Rich.

SMILAX. *Dioecia Hexandria. L.*

- rough bindweed. S. Europe. 1648. 9. H. h. ~. Schk. handb. 3. t. 328.
ear-leaved. ——— ——— ——— H. h. ~. Pluk. alm. t. 110. f. 3.
black. ——— 1817. ——— H. h. ~.
Catalonian. ——— ——— ——— H. h. ~.
red-berried. ——— 1820. 8. 10. F. h. ~.
tall. Syria. 1739. 8. 9. F. h. ~. Buxb. cent. 1. t. 32.
straight-spined. N. America. 1820. ——— H. h. ~.
Ceylon. E. Indies. 1778. ——— S. h. ~. Rumph. amb. 5. t. 161.
square-stalked. N. America. 1812. 6. 8. H. h. ~. Wats. dend. brit. 109.
long-leaved. Cayenne. 1823. S. h. ~.
Watson's. N. America. 1811. 7. 8. H. h. ~. Wats. dend. brit. 110.

11 *Sarsaparilla*. s.s.

medicinal. ——— 1664. ——— H. h. ~. Wats. dend. brit. 111.

12 *brasiliensis*. s.s.

Brazilian. Brazil. 1820. ——— S. h. ~.

13 *hastata*. s.s.

halberd-leaved. Carolina. 1822. ——— F. h. ~. Pluk. alm. t. 111. f. 3.

14 *China*. s.s.

Chinese. China. 1759. G. h. ~. Kæmpf. amœn. t. 782.

15 *acuminata*. s.s.

sharp-pointed. W. Indies. 1822. 6. 7. S. h. ~. Plum. ic. 83.

16 *glaucia*. B.M.

glauconous-ld. N. America. 1811. 5. 7. H. h. ~. Botan. magaz. 1846.

17 *australis*. B.P.

oblong-leaved. N. S. W. 1815. G. h. ~.

18 *rotundifolia*. s.s.

round-leaved. N. America. 1760. 7. 8. H. h. ~.

19 *laurifolia*. s.s.

Laurel-leaved. ——— 1739. ——— H. h. ~. Catesb. car. 1. t. 15.

20 *tamnooides*. s.s.

Tamus-leaved. ——— ——— 6. 7. H. h. ~. ——— 1. t. 52.

21 *caduca*. s.s.

deciduous. ——— 1759. ——— H. h. ~.

22 *havanensis*. s.s.

Havannah. S. America. 1823. S. h. ~. Jacq. amer. t. 179. f. 102.

23 *ovalifolia*. D.P.

oval-leaved. Nepaul. 1822. H. h. ~.

24 *Bona-nox*. s.s.

fringed. N. America. 1739. 6. 7. H. h. ~. Pluk. alm. t. 111. f. 1.

25 *maculata*. D.P.

spotted. Nepaul. 1819. H. h. ~.

26 *prolifera*. H.B.

proliferous. E. Indies. ——— S. h. ~.

27 *glabra*. H.B.

smooth. ——— 1820. S. h. ~.

28 *Alpini*. s.s.

Grecian. Greece. ——— 6. 8. F. h. ~.

29 *latifolia*. B.P.

broad-leaved. N. Holland. 1791. F. h. ~.

30 *lanceolata*. Ph.

spear-leaved. N. America. 1785. 5. 6. H. h. ~. Catesb. car. 2. t. 84.

31 *herbacea*. s.s.

herbaceous. ——— 1699. 7. H. 4. ~. Botan. magaz. 1920.

32 *peduncularis*. s.s.

long-pedunc'l'd. ——— 1812. 5. 7. H. 4. ~.

33 *globifer*. s.s.

Surinam. Surinam. 1819. S. h. ~.

34 *macrophylla*. s.s.

large-leaved. W. Indies. 1822. S. h. ~.

35 *Pseudo-china*. s.s.

Bastard China. S. America. 1739. 5. 6. S. h. ~. Sloan. jam. 1. t. 143. f. 1.

36 *glyciphylla*. B.P.

Botany-bay Tea. N. S. W. 1815. ——— S. h. ~.

37 *canariensis*. s.s.

Canary. Canaries. 1816. ——— F. h. ~.

38 *pubera*. s.s.

downy. N. America. 1806. ——— H. h. ~.

39 *rubens*. w.d.

pink-flowered. ——— 1811. 7. 8. H. h. ~. Wats. dend. brit. 108.

RIPOGONUM. B.P.

white-flowered. N. S. W. 1820. 4. 6. G. h. ~.

RUSCUS. L.	BUTCHER'S-BROOM.	<i>Dicæcia Monadelphia, L.</i>		
1 aculeatus. w.	prickly.	England.	12. 6. H. $\frac{1}{2}$.	Eng. bot. 560.
2 laxus. L.T.	loose.	Europe.	1. 6. H. $\frac{1}{2}$.	
3 Hypophyllum. w. β latifolius. w.	thick-leaved.	Italy. 1640.	5. 6. H. $\frac{1}{2}$.	Botan. magaz. 2049.
4 Hypoglossum. w.	broad-leaved.	S. Europe. —	— H. $\frac{1}{2}$.	Dill. elt. t. 251. f. 303.
5 androgynus. w.	double-leaved.	Italy. 1596.	4. 5. H. $\frac{1}{2}$.	Schk. handb. 3. t. 340.
6 reticulatus. w.	climbing.	Canaries. 1713.	— G. $\frac{1}{2}$.~	Botan. magaz. 1898.
7 volubilis. w.	netted-leaved.	C. B. S. 1816.	— G. $\frac{1}{2}$.~	
8 racemosus. w.	many-nerved.	— — —	— G. $\frac{1}{2}$.~	
	Alexandrian Laurel. Portugal. 1713.	6. H. $\frac{1}{2}$.	Wats. dend. brit. 145.	
POLYGONATUM. D.	SOLOMON'S-SEAL.	<i>Hexandria Monogynia,</i>		
1 leptophyllum. D.P.	slender-leaved.	Nepaul. 1816.	6. 7. H. $\frac{1}{2}$.	Lodd. bot. cab. 640.
2 oppositifolium. D.P.	opposite-leaved.	— — —	— H. $\frac{1}{2}$.	
<i>Convallaria oppositifolia. B.C.</i>				
3 vulgare. D.	common.	England.	5. 6. H. $\frac{1}{2}$.	Eng. bot. 280.
<i>Convallaria Polygonatum. E.B.</i>				
4 pubescens. Ph.	pubescent.	N. America. 1812.	— H. $\frac{1}{2}$.	Willd. hort. ber. t. 45.
5 canaliculatum. Ph.	channel-leaved.	— — —	6. H. $\frac{1}{2}$.	
6 angustifolium. Ph.	narrow-leaved.	— — —	1824. 5. 6. H. $\frac{1}{2}$.	
7 multiflorum. D.	many-flowered.	Britain.	— H. $\frac{1}{2}$.	Eng. bot. 279.
8 latifolium. D.	broad-leaved.	Europe. 1802.	— H. $\frac{1}{2}$.	Jacq. aust. 3. t. 232.
9 macrophyllum.	large-leaved.	N. America. 1823.	— H. $\frac{1}{2}$.	
<i>latifolium. Ph. nec aliorum.</i>				
10 polyanthemum. M.B.	many-flowered.	Caucasus. — —	H. $\frac{1}{2}$.	
SMILACINA. D.	SMILACINA.	<i>Hexandria Monogynia. Ph.</i>		
1 racemosa. D.	cluster-flow'r'd.	N. America. 1640.	5. 6. H. $\frac{1}{2}$.	Botan. magaz. 899.
<i>Convallaria racemosa. B.M.</i>				
2 stellata. D.	star-flowered.	— — —	1633. — H. $\frac{1}{2}$.	— — — 1043.
3 trifolia. D.	three-leaved.	— — —	1812. 6. 7. H. $\frac{1}{2}$.	Gmel. sib. 1. t. 6.
4 canadensis. Ph.	Canadian.	— — —	— — — H. $\frac{1}{2}$.	Pluk. alm. t. 434. f. 4.
5 bifolia. D.	least.	N. Europe. 1596.	5. 6. H. $\frac{1}{2}$.	Botan. magaz. 510.
<i>Convallaria bifolia. B.M.</i>				
6 borealis. B.M.	oval-leaved.	N. America. 1778.	5. 6. H. $\frac{1}{2}$.	Botan. magaz. 1403.
7 umbellata. D.	umbel-flower'd.	— — —	— H. $\frac{1}{2}$.	— — — 1155.
OPHIOPOGON. B.M.	SNAKE'S-BEARD	<i>Hexandria Monogynia. B.M.</i>		
1 japonicus. B.M.	Japan.	Japan. 1784.	6. F. $\frac{1}{2}$.	Botan. magaz. 1063.
2 spicatus. B.R.	spiked.	China. 1821.	8. 10. F. $\frac{1}{2}$.	Botan. regist. 593.
3 intermedius. D.P.	intermediate.	Nepaul. 1824.	— F. $\frac{1}{2}$.	
CONVALLARIA. D.	LILY OF THE VALLEY.	<i>Hexandria Monogynia. L.</i>		
majalis. E.B.	common.	Britain.	5. 6. H. $\frac{1}{2}$.	Eng. bot. 1035.
α alba.	white-flowered.	— — —	— H. $\frac{1}{2}$.	
β rosea.	rose-coloured.	— — —	— H. $\frac{1}{2}$.	
γ plena.	double-flowered.	— — —	— H. $\frac{1}{2}$.	
STREPTOPUS. M.	STREPTOPUS.	<i>Hexandria Monogynia. Ph.</i>		
1 amplexifolius. R.L.	heart-leaved.	Europe. 1752.	5. H. $\frac{1}{2}$.	W. et K. hung. t. 167.
2 distortus. M.	distorted.	N. America. —	— H. $\frac{1}{2}$.	
3 roseus. M.	rose-coloured.	— — —	1806. 6. 7. H. $\frac{1}{2}$.	Botan. magaz. 1489.
<i>Uvularia rosea. B.M.</i>				
4 lanuginosus. M.	woolly.	— — —	1812. — H. $\frac{1}{2}$.	
5 simplex. D.P.	simple-stalked.	Nepaul. 1822.	— H. $\frac{1}{2}$.	Botan. magaz. 1490.
MEDEOLA. S.S.	INDIAN CUCUMBER.	<i>Hexandria Trigynia. L.</i>		
virginica. s.s.	Virginian.	Virginia. 1759.	6. H. $\frac{1}{2}$.	Botan. magaz. 1316.
<i>Gymnia virginica. N.</i>				
TRILLIUM. L.	TRILLIUM.	<i>Hexandria Trigynia. L.</i>		
1 sessile. s.s.	sessile-flow'r'd.	N. America. 1759.	4. 5. H. $\frac{1}{2}$.	Botan. magaz. 40.
2 petiolatum. s.s.	Plantain-leav'd.	— — —	1811. — H. $\frac{1}{2}$.	
3 erythrocarpum. M.	painted-fld.	— — —	— 5. 6. H. $\frac{1}{2}$.	
<i>pictum. Ph.</i>				
4 undulatum. s.s.	wave-flower'd.	— — —	— H. $\frac{1}{2}$.	
5 pusillum. s.s.	dwarf.	Carolina. 1812.	— F. $\frac{1}{2}$.	
6 ovatum. s.s.	purple-flow'r'd.	N. America. —	— F. $\frac{1}{2}$.	
7 cernuum. s.s.	drooping-fld.	— — —	1758. 4. 5. H. $\frac{1}{2}$.	Botan. magaz. 954.
8 erectum. w.	stinking.	— — —	1759. — H. $\frac{1}{2}$.	— — — 470.
9 pendulum. s.s.	white-flow'r'd.	— — —	1805. — H. $\frac{1}{2}$.	W. hort. ber. 1. t. 35.
<i>erectum β. B.M. 1027.</i>				
10 obovatum. s.s.	obovate-petal'd.	— — —	1824. — H. $\frac{1}{2}$.	
11 grandiflorum. s.s.	large-flowered.	— — —	1799. 4. 6. H. $\frac{1}{2}$.	Sal. par. lond. 1.
<i>erythrocarpum. B.M. non M.</i>				
12 stylosum. N.	long-styled.	Carolina. 1823.	— F. $\frac{1}{2}$.	

PARIS. L.

- 1 quadrifolia. E.B.
2 verticillata. M.B.
3 polyphylla. D.P.

HERB-PARIS. Octandria Tetragynia. L.

- True-love or 1-berry. Engld. 5. 6. H. 4. Eng. bot. 7.
whorl-leaved. Siberia. 1825. — H. 4.
many-leaved. Nepaul. 1816. — H. 4.

ORDO CLXXXV.

ASPHODELEÆ. Brown prod. 1. p. 274.

ASPHODELUS. L.

ASPHODEL. Hexandria Monogynia. L.

1 clavatus. H.B.	club-seeded.	E. Indies.	1808.	7. 10. S. ⊖.	
2 fistulosus. s.s.	Onion-leaved.	S. Europe.	1596.	6. 9. H. 4.	Botan. magaz. 984.
3 intermedius. L.en.	intermediate.	Canaries.	1824.	— F. 4.	
4 albus. s.s.	upright.	S. Europe.	5. 7. H. 4.	Blackw. t. 238.
5 æstivus. s.s.	summer.	Portugal.	1819.	— H. 4.	
6 ramosus. s.s.	branched.	S. Europe.	1551.	— H. 4.	Botan. magaz. 799.
7 tenuior. s.s.	slender-leaved.	Caucasus.	1823.	7. H. 4.	— 2626.
8 creticus. s.s.	Cretan.	Candia.	1821.	6. 7. H. 4.	Lodd. bot. cab. 915.
9 tauricus. s.s.	Taurian.	Tauria,	1812.	5. 7. H. 4.	
10 luteus. s.s.	common yellow.	Sicily.	1596.	5. 6. H. 4.	Botan. magaz. 773.
EREMURUS. S.S.	EREMURUS. Hexandria Monogynia. S.S.				
spectabilis. s.s.	channel-leaved.	Caucasus.	1800.	5. 6. H. 4.	Swt. br. fl. gar. ic.
Asphodelus alticus. w.					

CZACKIA. S.S.

ST. BRUNO'S LILY. Hexandria Monogynia. S.S.

Liliastrum. s.s.	Savoy Spiderwort. Switzerld.	1629.	5. 6. H. 4.	Botan. magaz. 318.
Anthericum Liliastrum. B.M. Hemerocallis Liliastrum. W.en.				

PHALANGIUM. J.

PHALANGIUM. Hexandria Monogynia.

1 Liliago. B.M.	grass-leaved.	S. Europe.	1596.	5. 6. H. 4.	Redout. lil. t. 269.
a major. B.M.	larger.	—	—	H. 4.	Botan. magaz. 1635.
β minor. B.M.	lesser.	—	—	H. 4.	— 914.
2 ramosum. B.M.	branching.	—	1570.	— H. 4.	— 1055.
Anthericum ramosum. w.					
3 nepalense. B.R.	Nepaul.	Nepaul.	1822.	6. 10. F. 4.	Botan. regist. 998.
4 glaucum P.S.	glaucous.	S. America.	1816.	— G. 4.	
5 pomeridianum.	afternoon flg.	—	1818.	— G. 4.	Botan. regist. 564.
Anthericum pomeridianum. B.R. Scilla pomeridiana. DC.					
6? sulphureum.	pale yellow.	Hungary.	1818.	— H. 4.	Botan. magaz. 2623.
Anthericum sulphureum. B.M.					

ANTHERICUM.

ANTHERICUM. Hexandria Monogynia. L.

1 canaliculatum. w.	channel-leaved.	C. B. S.	1774.	4. 5. G. 4.	Botan. magaz. 1124.
2 bipedunculatum. w.	two-flowered.	—	1825.	— G. 4.	Jacq. ic. 2. t. 410.
3 triflorum. w.	three-flowered.	—	1782.	8. 10. G. 4.	
4 undulatum. w.	wave-leaved.	—	1825.	4. 6. G. 4.	
5 pilosum. w.	pilose.	—	—	G. 4.	Jacq. ic. 2. t. 416.
6 hirsutum. w.	hairy.	—	1822.	— G. 4.	
7 longifolium. w.	long-leaved.	—	1825.	— G. 4.	Jacq. ic. 2. t. 413.
8 graminifolium. w.	grass-leaved.	—	1794.	6. 7. G. 4.	— 2. t. 411.
9 vespertinum. w.	afternoon-flg.	—	1803.	5. 9. G. 4.	Botan. magaz. 1040.
10 falcatum. w.	sickle-leaved.	—	1825.	— G. 4.	
11 revolutum. w.	curled-flow'r'd.	—	1731.	9. 12. G. 4.	Botan. magaz. 1044.
12 floribundum. w.	thick-spiked.	—	1774.	3. 4. G. 4.	
13 squameum. w.	scaly.	—	1820.	— G. 4.	
14 filiforme. w.	thread-leaved.	—	1774.	4. G. 4.	
15 flexifolium. w.	flexuose-leav'd.	—	1795.	5. 6. G. 4.	Jacq. ic. 2. t. 412.

BULBINE. L.

BULBINE. Hexandria Monogynia. L.

1 hispida. L.	hairy-leaved.	C. B. S.	1774.	5. 6. D.G. 4.	Jacq. ic. 2. t. 409.
2 semibarbata. s.s.	half bearded.	N. S. W.	1820.	4. 8. D.G. 4.	Lodd. bot. cab. 320.
Anthericum semibarbatum. B.P.					
3 australis. s.s.	bulbous.	—	1819.	— D.G. 4.	
Anthericum bulbosum. B.P.					
4 annua. s.s.	annual.	C. B. S.	1731.	5. 6. H. ⊖.	Botan. magaz. 1451.
Anthericum annum. B.M.					
5 longiscapa. s.s.	glaucous-leav'd.	—	1759.	4. 8. D.G. 4.	Botan. magaz. 1339.
6 asphodeloides. s.s.	upright-leav'd.	—	—	6. 8. D.G. 4.	Jacq. vind. t. 181.

7 rostrata. s.s.	glaucous shrubby. C. B. S.	1812.	3. 8.	D.G. $\frac{1}{2}$. Jacq. ic. 2. t. 403.
8 frutescens. w.	shrubby.	1702.	—	D.G. $\frac{1}{2}$. Botan. magaz. 816.
9 pugioniformis. s.s.	dagger-leaved.	1793.	4. 6.	D.G. $\frac{1}{2}$. — 1454.
10 triquetra. s.s.	triquetrous.	1825.	—	D.G. $\frac{1}{2}$.
11 scabra. s.s.	rough.	—	—	D.G. $\frac{1}{2}$.
12 ciliata. s.s.	fringed.	—	—	D.G. $\frac{1}{2}$.
13 præmorsa. s.s.	bitten-rooted.	1816.	—	D.G. $\frac{1}{2}$. Jacq. ic. 2. t. 406.
14 graminea. H.R.	Grass-leaved.	1819.	6. 8.	D.G. $\frac{1}{2}$.
15 aloides. w.	Aloe-leaved.	1732.	4. 8.	D.G. $\frac{1}{2}$. Botan. magaz. 1317.
<i>Anthericum aloides</i> . B.M.				
16 nutans. s.s.	nodding.	1812.	—	D.G. $\frac{1}{2}$. Jacq. ic. 2. t. 407.
17 latifolia. s.s.	broad-leaved.	—	—	D.G. $\frac{1}{2}$. — 2. t. 408.
ARTHROPODIUM. B.P. ARTHROPODIUM. Hexandria Monogynia. S.S.				
1 cirratum. B.R.	large-flowered.	N. Zealand.	1819.	5. 8. F. $\frac{1}{2}$. Botan. regist. 709.
2 paniculatum. B.P.	panicked.	N. S. W.	1800.	6. 9. F. $\frac{1}{2}$. Botan. magaz. 1421.
minus. B.R. 866, non B.P.				
3 minus. B.P.	simple-racem'd.	1819.	—	F. $\frac{1}{2}$.
4 pendulum. s.s.	pendulous-fl'd.	N. Holland.	1817.	— F. $\frac{1}{2}$.
<i>Anthericum pendulum</i> . W.en.				
5 fimbriatum. B.P.	fringe-flow'r'd.	N. S. W.	1825.	— F. $\frac{1}{2}$.
STYPANDRA. B.P. STYPANDRA. Hexandria Monogynia.				
1 glauca. B.P.	glauconous.	N. S. W.	1819.	4. 6. F. $\frac{1}{2}$.
2 cæspitosa. B.P.	turfy.	—	1824.	— F. $\frac{1}{2}$.
3 umbellata. B.P.	umbel-flow'r'd.	—	1820.	— F. $\frac{1}{2}$.
CÆSIA. B.P. CÆSIA. Hexandria Monogynia. S.S.				
vittata. B.P.	nodding-fl'd.	N. S. W.	1816.	7. 8. F. $\frac{1}{2}$.
TRICORYNE. B.P. TRICORYNE. Hexandria Monogynia. S.S.				
1 simplex. B.P.	simple-stalked.	N. S. W.	1819.	7. 9. H. \odot .
2 elatior. B.P.	tall.	—	1825.	— G. $\frac{1}{2}$.
CHLOROPHYTUM. B.P. CHLOROPHYTUM. Hexandria Monogynia. S.S.				
1 inornatum. B.M.	green-flowered.	Sierra Leon.	6. 8. S. $\frac{1}{2}$. Botan. magaz. 1071.
2 orchidastrum. B.R.	Orchis-like.	—	1822.	1. 12. S. $\frac{1}{2}$. Botan. regist. 813.
3 elatum. B.P.	tall.	C. B. S.	1751.	8. 9. G. $\frac{1}{2}$. Redout. lit. 191.
PUSCHKINIA. M.B. PUSCHKINIA. Hexandria Monogynia. M.B.				
scilloides. M.B.	Squill-like.	Iberia.	1819.	5. 6. H.b. Lindl. col. bot. 24.
ALBUCA. Ker. ALBUCA. Hexandria Monogynia. L.				
1 altissima. w.	tall.	C. B. S.	1780.	4. 5. F.b. Jacq. ic. 1. t. 63.
2 major. w.	great.	—	1759.	— F.b. Botan. magaz. 804.
3 minor. w.	small.	—	1768.	5. 6. F.b. — 720.
4 flaccida. w.	flaccid.	—	1791.	— F.b. Jacq. ic. 2. t. 444.
5 viridiflora. w.	green-flowered.	—	1794.	6. 7. F.b. Botan. magaz. 1656.
6 coarctata. w.	channel-leaved.	—	1774.	5. 6. F.b. Andr. reposit. 450.
7 fastigiata. w.	level-topped.	—	—	Jacq. ic. 2. t. 442.
8 caudata. w.	upright-fl'd.	—	1791.	5. 7. F.b. Botan. magaz. 1481.
9 setosa. w.	bristly-rooted.	—	1795.	— F.b. Jacq. ic. 2. t. 441.
10 aurea. w.	golden-flower'd.	—	1825.	— F.b. —
11 abyssinica. w.	African.	—	—	Jacq. scheen. 1. t. 81.
12 fragrans. w.	sweet-scented.	—	1791.	6. 7. F.b. Jacq. scheen. 1. t. 81.
13 viscosa. w.	clammy-leaved.	—	1779.	5. 6. F.b. Jacq. ic. 2. t. 445.
14 spiralis. w.	spiral-leaved.	—	1795.	6. F.b. — 2. t. 439.
15 vittata. B.M.	ribbon.	—	1802.	7. 8. F.b. Botan. magaz. 1329.
16 physodes. B.M.	dingy-flowered.	—	1804.	6. 7. F.b. — 1046.
17 exuvia. B.M.	Adder skin.	—	1795.	5. 7. F.b. — 871.
<i>Anthericum exuviatum</i> . Jacq. ic. 2. t. 415.				
18 anthericoides.	Anthericum-like.	—	1788.	8. F.b. —
<i>Anthericum albucoides</i> . w.				
19 filifolia. Ker.	filiform-leaved.	—	1825.	7. 8. F.b. Jacq. ic. 2. t. 414.
20 fugax. B.R.	fugacious.	—	1795.	4. 6. F.b. Botan. regist. 311.
<i>Anthericum fragrans</i> . Jacq. scheen. 1. t. 86.				
ORNITHOGALUM. L. STAR OF BETHLEHEM. Hexandria Monogynia. L.				
1 uniflorum. w.	one-flowered.	Siberia.	1781.	5. 6. H.b. Nov.act.pet.18. t.6.f.3.
2 ixioides. H.K.	Ixia-like.	California.	1796.	— H.b.
3 montanum. T.N.	mountain.	Naples.	1825.	— H.b. Ten. fl. nap. 1. t. 33.
4 umbellatum. E.B.	common.	England.	Eng. bot. 130.
5 refractum. W.en.	reflexed.	S. Europe.	1825.	— H.b. Ten. fl. nap. 1. t. 34.
6 excapum. T.N.	short-stalked.	Naples.	1823.	— H.b. Botan. regist. 555.
7 fimbriatum. M.B.	fringed.	Tauria.	1820.	2. 3. H.b. Jacq. ic. 2. t. 426.
8 comosum. w.	short-spiked.	Austria.	1596.	6. 8. H.b. — 2. t. 428.
9 conicum. w.	conical.	C. B. S.	1818.	— F.b. —

ASPHODELEÆ.

10 niveum. w.	snowy.	C. B. S.	1774.	6. 8.	F.b.		Botan. regist. 235.
11 ovatum. w.	oval-leaved.	—	1816.	4. 8.	F.b.		
12 ciliatum. w.	ciliated.	—	1818.	4. 6.	F.b.		
13 crenulatum. w.	crenulate.	—	1825.	6. 8.	F.b.		
14 maculatum. w.	spotted-fl'd.	—	—	—	F.b.		
15 tenellum. w.	slender.	—	1816.	5. 8.	F.b.	Jacq. ic. 2. t. 427.	
16 pilosum. w.	hairy-leaved.	—	—	—	F.b.		
17 revolutum. w.	revolute-fl'd.	—	1795.	4. 8.	F.b.	Botan. regist. 315.	
18 corymbosum. B.R.	corymbose.	Peru.	1822.	—	H.b.		906.
19 tenuifolium. s.s.	slender-leaved.	C. B. S.	1812.	—	F.b.	Redout. lil. t. 312.	
Rudolph. Jacq. ecl. t. 20.							
20 prasinum. B.R.	green-flow'r'd.	—	1816.	6. 7.	F.b.	Botan. regist. 158.	
21 virens. B.R.	greenish.	—	1823.	—	F.b.		814.
22 suaveolens. w.	fragrant.	—	1816.	—	F.b.	Jacq. ic. 2. t. 431.	
23 barbatum. w.	bearded.	—	1795.	5. 7.	F.b.	Jacq. schoen. 1. t. 91.	
24 polyphyllum. w.	many-leaved.	—	1825.	—	F.b.	Jacq. ic. 2. t. 430.	
25 rupestre. w.	rock.	—	1795.	5. 8.	F.b.		
26 juncifolium. w.	Rush-leaved.	—	1794.	7. 8.	F.b.	Botan. magaz. 792.	
27 fuscatum. w.	brown-flow'r'd.	—	1825.	4. 6.	F.b.	Jacq. ic. 2. t. 429.	
28 odoratum. w.	sweet-scented.	—	1795.	5. 6.	F.b.	Andr. deposit. 260.	
29 elatum. A.R.	Egyptian.	Egypt.	1804.	6. 7.	H.b.		528.
30 pyramidale. w.	pyramidal.	Spain.	1752.	—	H.b.	Jacq. ic. 2. t. 425.	
31 latifolium. w.	broad-leaved.	Egypt.	1629.	—	H.b.	Botan. magaz. 876.	
32 japonicum. w.	Japanese.	Japan.	1821.	—	H.b.		
33 longebracteatum. w.	long-bracted.	C. B. S.	1812.	7. 12.	F.b.	Jacq. vind. 1. t. 29.	
34 caudatum. w.	long-spiked.	—	1774.	2. 8.	F.b.	Botan. magaz. 805.	
35 scilloides. w.	Squill-like.	—	1795.	6. 7.	F.b.	Jacq. schoen. 1. t. 888.	
36 narbonense. w.	Narbonne.	S. Europe.	1810.	7. 8.	H.b.	Botan. magaz. 2519.	
37 pyrenaicum. w.	spiked.	England.	6. 7.	H.b.	Eng. bot. 499.	
38 stachyoides. w.	close-spiked.	S. Europe.	1771.	4. 7.	H.b.	Renealm. spec. t. 90.	
39 lacteum. w.	milk white.	C. B. S.	1796.	6. 7.	F.b.	Botan. magaz. 1134.	
40 nutans. w.	nodding.	Britain.	4. 5.	H.b.	Eng. bot. 1997.	
41 coarctatum. w.	close-flowered.	C. B. S.	1804.	6. 7.	F.b.	Jacq. ic. 2. t. 435.	
42 aureum. w.	golden.	—	1790.	—	F.b.	Botan. magaz. 190.	
miniatum. Jacq. ic. t. 438.							
43 flavissimum. Jacq.	great yellow.	—	—	—	F.b.	Jacq. ic. 2. t. 436.	
44 thyrsoides. w.	thyrs-flower'd.	—	1757.	—	F.b.	Botan. magaz. 1164.	
α album.	white-flowered.	—	—	—	F.b.	Botan. regist. 316.	
β flavescens.	pale-yellow.	—	—	—	F.b.		305.
45 arabicum. w.	great-flowered.	Egypt.	1629.	3. 4.	F.b.	Botan. magaz. 728.	
46 maritimum.	official Squill.	S. Europe.	—	4. 5.	F.b.		918.
Squilla. B.M. <i>Scilla maritima</i> . w.							
47 unifolium. B.M.	one-leaved.	Gibraltar.	1805.	6. 7.	F.b.	Bot. magaz. 953 & 935.	
GAGEA. S.A.B.	GAGEA. Hexandria Monogynia.						
1 striata.	streak-flower'd. Siberia.		1789.	5. 7.	H.b.		
Ornithogalum striatum. s.s.							
2 serotina. Ker.	mountain.	Wales.	6.	H.b.	Eng. bot. 793.	
Anthericum serotinum. E.B.							
3 fascicularis. S.A.B.	bundle-flow'r'd. Britain.		3. 4.	H.b.	Swt. br. fl. gar. 182.	
lutea. B.M. 1200. <i>Ornithogalum luteum</i> . E.B. 21. non L.							
4 glauca. B.F.G.	glaucous-leav'd. Switzerland.	1825.	—	—	H.b.	Swt. br. fl. gar. 177.	
5 bracteolaris. S.A.B.	sheathing-bracted.	—	—	H.b.		158.
Ornithogalum luteum. L. non E.B.							
6 minima.	corn-field.	Europe.	1825.	—	H.b.	Pers. in Ust.an. t.1.f.2.	
stellaris. S.A.B. <i>Ornithogalum arvense</i> . s.s.							
7 villosa. M.B.	villous.	Caucasus.	—	—	H.b.		
8 Sternbergii. Hop.	Sternberg's.	Switzerland.	—	—	H.b.		
9 spathacea. w.	sheathed.	Germany.	1759.	5.	H.b.		
10 pusilla. Schm.	small.	Bohemia.	1823.	—	H.b.		
11 circinata. L.	netted.	Siberia.	1789.	5. 6.	H.b.	Pall. it. 3. ap. t.D. f.2.	
SCILLA. W.	SQUILL. Hexandria Monogynia. L.						
1 non scripta. L.en.	Harebells.	Britain.	3. 6.	H.b.	Eng. bot. 377.	
nutans. E.B. <i>Hyacinthus non scriptus</i> . L.							
2 cernua. L.en.	flesh-coloured.	Spain.	—	H.b.	Botan. magaz. 1461.	
3 campanulata. w.	bell-flowered.	—	1633.	5. 6.	H.b.		128. 1102.
4 corymbosa. s.s.	Cape.	C. B. S.	1793.	8. 12.	F.b.		991.
<i>Massonia corymbosa</i> . B.M. <i>Hyacinthus corymbosus</i> . L.							
5 brevifolia. B.M.	short-leaved.	—	1811.	1. 3.	F.b.	Botan. magaz. 1468.	
6 sibirica. H.K.	Siberian.	Siberia.	1796.	2. 3.	H.b.		1325.

7 pumila. s.s.	small.	Portugal.	1819.	4. 5.	H.b.	
8 bifolia. w.	two-leaved.	England.	—	2. 4.	H.b.	Eng. bot. 24.
α cærulea.	blue-flowered.	—	—	—	H.b.	
β alba.	white-flowered.	—	—	—	H.b.	
9 præcox. w.	early-flowering.	—	1790.	3. 4.	H.b.	
10 Lilio-hyacinthus. w.	Lily-rooted.	S. Europe.	1597.	5. 7.	H.b.	Redout. lil. 205.
11 verna. w.	vernal.	Britain.	—	4. 5.	H.b.	Eng. bot. 23.
12 amœna. w.	nodding.	Levant.	1596.	3. 4.	H.b.	Botan. magaz. 341.
13 umbellata. s.s.	umbel-flower'd.	Pyrenees.	1817.	—	H.b.	
14 italicæ. s.s.	Italian.	Italy.	1605.	4. 7.	H.b.	Botan. magaz. 663.
15 autumnalis. w.	autumnal.	England.	—	8.	H.b.	Eng. bot. 78.
16 peruviana. w.	corymbose.	Spain.	1607.	5.	H.b.	Botan. magaz. 749.
α cærulea.	blue-flowered.	—	—	—	H.b.	
β alba.	white-flowered.	—	—	—	H.b.	
17 lusitanica. B.M.	Portugal.	Portugal.	1777.	—	H.b.	Botan. magaz. 1999.
18 hyacinthoides. w.	Hyacinth-like.	Madeira.	1585.	8.	H.b.	— 1140.
19 monophylla. L.K.	one-leaved.	Portugal.	—	5. 6.	H.b.	
20 esculenta. B.M.	Quamash.	N.America.	1811.	5. 7.	H.b.	Botan. magaz. 1574.
HYACINTHUS. S.S.						
1 orientalis. w.	common.	Levant.	1596.	3. 5.	H.b.	Botan. regist. 995.
α cæruleus.	blue-flowered.	—	—	—	H.b.	
β ruber.	red-flowered.	—	—	—	H.b.	
γ flavus.	yellow-flowered.	—	—	—	H.b.	
δ albus.	white-flowered.	—	—	—	H.b.	
ε semiplenus.	semidouble.	—	—	—	H.b.	
ζ plenus.	double-flowered.	—	—	—	H.b.	
η multiplex.	full-flowered.	—	—	—	H.b.	
2 amethystinus. w.	Amethyst-colour'd. S.Europe.	—	1759.	4. 5.	H.b.	Swt. br. fl. gar. 135.
UROPETALON. B.R.						
1 viride. B.R.	UROPETALON.	Hexandria Monogynia.	B.R.			Redout. lil. 203.
<i>Hyacinthus viridis</i> . L.	green-flowered.	C. B. S.	1774.	8.	F.b.	
2 glaucum. B.R.	glauconous-leav'd.	—	1816.	7. 8.	F.b.	Botan. regist. 156.
3 crispum. B.R.	curled-leaved.	—	—	—	F.b.	
4 longifolium. B.R.	long-leaved.	—	1822.	—	F.b.	Botan. regist. 974.
5 serotinum. B.R.	late-flowering.	Spain.	1629.	6. 8.	F.b.	Botan. magaz. 859.
6 fulvum. H.S.L.	tile-red.	Mogador.	1808.	6. 9.	F.b.	— 1185.
<i>Scilla serotina</i> . β. B.M.						
BELLEVALIA. Lap.						
romana.	Roman.	Italy.	1596.	5.	H.b.	Botan. magaz. 939.
operculata. Lap.	<i>Scilla romana</i> . B.M.	<i>Hyacinthus romanus</i> . L.				
MUSCARI. S.S.						
1 moschatum. s.s.	GRAPÉ HYACINTH.	Hexandria Monogynia.	S.S.			
α flavum. B.M.	musk.	Levant.	1596.	4. 5.	H.b.	Botan. magaz. 734.
2 comosum. s.s.	yellow.	—	1812.	—	H.b.	— 1565.
β monstrosum.	purple.	S. Europe.	1596.	—	H.b.	— 133.
3 ciliatum. s.s.	feathered.	—	—	—	H.b.	Moris. s.4. t. 11. f. 2.
4 pallens. s.s.	ciliated.	Tauria.	1818.	—	H.b.	Botan. regist. 394.
5 racemosum. s.s.	pale-flowered.	—	—	—	H.b.	
α major.	starch.	Britain.	—	—	H.b.	Eng. bot. 1391.
β minor.	larger.	—	—	—	H.b.	
6 botryoides. s.s.	smaller.	—	—	—	H.b.	
α azureum. B.F.G.	bunch-flower'd.	Italy.	1596.	—	H.b.	Botan. magaz. 122.
β pallidum. B.F.G.	bright-blue.	—	—	—	H.b.	— 157.
γ album. B.F.G.	pale blue.	—	—	—	H.b.	Swt. br. fl. gar. 15. f.a.
LACHENALIA. W.						
1 pendula. w.	LACHENALIA.	Hexandria Monogynia.	W.			
α viridifolia.	pendulous.	C. B. S.	1774.	3. 4.	F.b.	Jacq. ic. 2. t. 400.
β maculata.	green-leaved.	—	—	—	F.b.	Botan. magaz. 590.
2 quadricolor. B.M.	spotted-leaved.	—	—	—	F.b.	
α viridifolia.	four-coloured.	—	1789.	3. 5.	F.b.	Jacq. ic. 2. t. 388.
β colorata.	green-leaved.	—	—	—	F.b.	Botan. magaz. 588.
3 luteola. jacq.	coloured-leaved.	—	—	—	F.b.	— 1097.
α viridifolia.	yellow-flow'r'd.	—	1774.	4. 5.	F.b.	Jacq. ic. 2. t. 395.
β maculata.	green-leaved.	—	—	—	F.b.	Botan. magaz. 1020.
4 tricolor. B.M.	spotted-leaved.	—	—	—	F.b.	— 1704.
5 rubida. w.	three-coloured.	—	—	—	F.b.	— 82.
6 punctata. s.s.	dotted-flower'd.	—	1803.	9. 10.	F.b.	— 993.
7 flava. A.R.	spotted-flow'r'd.	—	1825.	6. 8.	F.b.	Jacq. ic. 2. t. 397.
8 isopetala. w.	bright-yellow.	—	1805.	5. 6.	F.b.	Andr. reposit. 77.
	equal-flowered.	—	1804.	—	F.b.	Jacq. ic. 2. t. 401.

ASPHODELEÆ.

9 sessiliflora. A.R.	sessile-flower'd. C.B.S.	1804.	5. 6.	F.b.	Andr. deposit. 460.	
10 unifolia. w.	one-leaved.	1795.	3. 4.	F.b.	Botan. magaz. 766.	
11 rosea. A.R.	rose-coloured.	1800.	4. 5.	F.b.	Andr. deposit. 296.	
12 pusilla. w.	dwarf.	1825.	—	F.b.	Jacq. ic. 2. t. 385.	
13 bifolia. B.M.	cowl-leaved.	1813.	3. 4.	F.b.	Botan. magaz. 1611.	
14 contaminata. w.	contaminated.	1774.	2. 4.	F.b.	1401.	
15 purpurea. w.	purple.	1819.	4. 5.	F.b.	Jacq. ic. 2. t. 393.	
16 violacea. w.	violet.	1795.	3. 4.	F.b.	— 2. t. 394.	
17 lucida. B.M.	glossy-leaved.	1798.	3. 5.	F.b.	Botan. magaz. 1372.	
18 racemosa. B.M.	racemed.	1811.	5.	F.b.	1517.	
19 fragrans. w.	sweet-scented.	1798.	3. 5.	F.b.	Jacq. schoen. 1. t. 82.	
20 unicolor. B.M.	self-coloured.	1806.	5. 6.	F.b.	Botan. magaz. 1373.	
21 anguinea. B.F.G.	snake.	1825.	4. 5.	F.b.	Swt. br. fl. gar. 178.	
22 purpureo-cœrulea.	purple-blue.	1798.	—	F.b.	Botan. magaz. 745.	
23 pustulata. w.	blistered.	1790.	1. 4.	F.b.	— 817.	
24 liliiflora. w.	Lily-flowered.	1820.	4. 6.	F.b.	Jacq. ic. 2. t. 387.	
25 patula. w.	spreading-fld.	1795.	4. 5.	F.b.	— 2. t. 384.	
26 nervosa. B.M.	nerved-leaved.	1810.	6.	F.b.	Botan. magaz. 1497.	
27 angustifolia. w.	narrow-leaved.	1793.	4. 5.	F.b.	735.	
28 hyacinthoides. w.	Hyacinth-fld.	1812.	3. 4.	F.b.	Jacq. ic. 2. t. 382.	
29 pallida. w.	pale-flowered.	1782.	—	F.b.	Botan. regist. 314.	
30 mutabilis. B.F.G.	changeable.	1825.	2. 5.	F.b.	Swt. br. fl. gar. ic.	
31 orchoides. w.	Orchis-like.	1752.	2. 4.	F.b.	Botan. magaz. 1269.	
32 glaucina. w.	sea-green.	1795.	3. 4.	F.b.	Jacq. ic. 2. t. 391.	
DRIMIA. S.S.	DRIMIA. Hexandria Monogynia. S.S.					
1 revoluta. H.S.L.	revolute-fld.	C.B.S.	1774.	8. 10.	F.b.	Botan. magaz. 1380.
lanceæfolia β. B.M.	Hyacinthus revolutus. H.K. Lachenalia reflexa. A.R. 187.					
2 lanceæfolia. B.M.	lance-leaved.		1800.	9. 10.	F.b.	Botan. magaz. 643.
Lachenalia lanceæfolia. B.M.						
3 undulata. s.s.	wave-leaved.		1825.	8. 10.	F.b.	Jacq. ic. 2. t. 376.
4 purpurascens. s.s.	purplish.		—	—	F.b.	
5 ciliaris. s.s.	ciliated.		...	—	F.b.	Botan. magaz. 1444.
6 pusilla. s.s.	dwarf.		1793.	5. 6.	F.b.	Jacq. ic. 2. t. 374.
7 media. s.s.	semicylindrical-ld.		1818.	7. 8.	F.b.	Jacq. ic. 2. t. 375.
8 elata. s.s.	tall.		1799.	10. 11.	F.b.	Botan. magaz. 822.
9 altissima. s.s.	tallest.		1791.	8. 9.	F.b.	1074.
ERIOSPERMUM. W.	ERIOSPERMUM. Hexandria Monogynia. W.					
1 parvifolium. s.s.	small-leaved.	C.B.S.	1795.	6. 8.	F.b.	Jacq. ic. 2. t. 422.
2 latifolium. s.s.	broad-leaved.		1800.	—	F.b.	— 2. t. 420.
3 Bellendeni.	Mr. Ker's.		—	—	F.b.	Botan. magaz. 1382.
latifolium a. B.M. non Jacq.						
4 lanceæfolium. s.s.	lance-leaved.		1795.	—	F.b.	Jacq. ic. 2. t. 421.
5 pubescens. s.s.	pubescent.		1820.	—	F.b.	Botan. regist. 578.
6 lanuginosum. s.s.	woolly-leaved.		—	—	F.b.	Jacq. scheen. 3. t. 265.
7 folioliferum. B.M.	leaflet-bearing.		1806.	—	F.b.	Andr. deposit. 521.
8 paradoxicum. B.M.	paradoxical.		1820.	—	F.b.	Jacq. col. sup. 81. t. 1.
MASSONIA. S.S.	MASSONIA. Hexandria Monogynia. W.					
1 grandiflora. B.R.	honey-bearing.	C.B.S.	1825.	1. 4.	F.b.	Botan. regist. 958.
2 candida. Burch.	white-flowered.		1816.	2. 5.	F.b.	— 694.
longifolia β. candida. B.R.						
3 longifolia. s.s.	long-leaved.		—	—	F.b.	Botan. magaz. 848.
4 latifolia. s.s.	broad-leaved.		1775.	3. 4.	F.b.	
5 cordata. s.s.	heart-leaved.		1820.	—	F.b.	Botan. magaz. 559.
6 muricata. s.s.	prickly-leaved.		1790.	4. 5.	F.b.	Andr. deposit. 220.
7 scabra. H.K.	shagreen-ld.		—	1. 4.	F.b.	
pustulata. B.M. 642.						
8 echinata. s.s.	rough-leaved.		—	5.	F.b.	
9 pauciflora. s.s.	few-flowered.		—	—	F.b.	
10 angustifolia. s.s.	narrow-leaved.		1775.	3. 4.	F.b.	Botan. magaz. 736.
11 undulata. s.s.	wave-leaved.		1791.	4.	F.b.	
12 ensifolia. s.s.	trumpet-fld.		1790.	9. 2.	F.b.	Botan. magaz. 554.
violacea. A.R. 46.	Agapanthus ensifolius. w. Hyacinthus bifolius. cav.					
EUCOMIS. S.S.	EUCOMIS. Hexandria Monogynia. W.					
1 nana. s.s.	dwarf.	C.B.S.	1774.	5.	F.b.	Botan. magaz. 1495.
2 bifolia. s.s.	two-leaved.		1792.	4. 5.	F.b.	— 840.
3 purpureocaulis. s.s.	purple-stalked.		1794.	3. 4.	F.b.	Andr. deposit. 369.
4 regia. s.s.	tongue-leaved.		1702.	3. 5.	F.b.	Dill. elth. t. 92. f. 109.
5 undulata. s.s.	wave-leaved.		1760.	—	F.b.	Botan. magaz. 1083.
6 punctata. s.s.	spotted.		1783.	7.	F.b.	— 913.
7 striata. H.K.	streaked.		1790.	6. 12.	F.b.	1539.

ALLIUM. L.	GARLIC.	Hexandria Monogynia. L.				
1 sativum. G.D.	common.	Sicily.	1548.	6. 7.	H.b.	Lobel. ic. t. 158.
2 Ophioscorodon. G.D.	Rocambole.	Crete.	1596.	8.	H.b.	Clus. his. p. 191. t. 210.
3 contraversum. G.D.	simple-rooted.	Egypt.	1823.	—	H.b.	Cord. hist. p. 144. f.1.
<i>Ophioscorodon. L. en.</i>						
4 arenarium. G.D.	sand.	Britain.	6. 8.	H.b.	Eng. bot. 1358.
5 Scorodoprasum. G.D.	wild Rocambole.	Denmark.	1596.	7.	H.b.	Flor. dan. t. 219. et 1455.
6 littoreum. G.D.	Italian sand.	Italy.	1824.	8.	H.b.	
<i>monspessulanum. w.</i>						
7 vineale. G.D.	Crow.	Britain.	6. 8.	H.b.	Eng. bot. 1974.
8 pruinatum. G.D.	frosted.	Spain.	1819.	—	H.b.	
9 compactum. G.D.	two-headed crow.	France.	—	—	H.b.	
10 Purshii. G.D.	Pursh's crow.	N. America.	1824.	—	H.b.	Moris. sect. 4. t. 15. f.3.
<i>vineale. Ph. nec aliorum.</i>						
11 carneum. G.D.	blush-coloured.	France.	1816.	6. 7.	H.b.	
12 prolifera. G.D.	tree Onion.	Egypt.	7.	H.b.	Botan. magaz. 1469.
<i>Cepa β bulbifera. B.M.</i>						
13 Porrum. G.D.	Leek.	Switzerland.	1562.	5. 7.	H.b.	Plenck. ic. t. 421.
14 Ampeloprasum. G.D.	blue Leek.	England.	7. 8.	H.b.	Eng. bot. 1657.
15 rubicundum. G.D.	marbled leek.	C. B. S.	—	F.b.	Botan. magaz. 1560.
<i>ampeloprasum β. B.M.</i>						
16 erectum. G.D.	upright leek.	—	1824.	—	F.b.	
17 exsertum. G.D.	long-stamen'd.	Russia.	1819.	7.	H.b.	
18 pedemontanum. G.D.	Piedmont.	Piedmont.	1820.	6. 7.	H.b.	Allion. ped. t. 254.
<i>nigrum. All.</i>						
19 rotundum. G.D.	round headed.	S. Europe.	1819.	—	H.b.	Clus. hist. p. 195. t. 220.
<i>β majus. G.D.</i>	<i>pale-flowered.</i>	—	1818.	—	H.b.	Flor. græc. t. 312.
<i>Ampeloprasum. F.G.</i>						
20 acutiflorum. G.D.	sharp-flower'd.	France.	—	—	H.b.	Moris. sect. 4. t. 15. f.4.
21 lineare. G.D.	linear-leaved.	Siberia.	1819.	—	H.b.	Gmel. sib. I. t. 13 et 14. f.1
22 descendens. G.D.	early flowering.	Switzerland.	1766.	6.	H.b.	Hall. all. p. 355. f. 2.
23 spherocephalon. G.D.	late-flowered.	Germany.	1759.	7.	H.b.	Botan. magaz. 1764.
24 Synnotii. G.D.	Synnot's.	C. B. S.	1825.	6. 7.	F.b.	
25 ascalonicum. G.D.	Shallot.	Palestine.	1548.	6. 7.	H.b.	Moris. sect. 4. t. 14. f.4.
<i>β chinense. G.D.</i>	<i>Chinese Shallot.</i>	China.	—	H.b.	
<i>γ majus. G.D.</i>	<i>Scallion.</i>	Asia minor.	—	H.b.	Matt. opus. p. 420. ic.
<i>Cepa fissilis. Matt.</i>						
26 Cepa. G.D.	Onion.	6.	H. ♂. b.	Flor. græc. t. 326.
<i>β aggregatum. G.D.</i>	<i>Potatoe Onion.</i>	—	H.b.	
27 Schoenoprasum. G.D.	Chives.	Britain.	5. 6.	H.b.	Eng. bot. 2438.
28 foliosum. G.D.	leafy Chives.	France.	1820.	—	H.b.	Redout. lil. 4. t. 214.
29 sibiricum. G.D.	Siberian Chives.	Siberia.	1778.	6. 8.	H.b.	Botan. magaz. 1141.
30 fistulosum. G.D.	Welsh Onion.	—	1629.	4. 5.	H. ♂. b.	1230.
<i>β majus. G.D.</i>	Altaic.	Altay.	1823.	—	H.b.	
31 obliquum. G.D.	oblique-leaved.	Siberia.	1759.	6. 7.	H.b.	Botan. magaz. 1408.
32 ramosum. G.D.	branching Chives.	—	1824.	6.	H.b.	
33 Pallasi. G.D.	Pallas's Chives.	Russia.	—	H.b.	Murr. c. got. 6. 1775. t. 3.
34 pusillum. G.D.	small.	Italy.	1824.	6. 7.	H.b.	Redout. liliac. ic.
35 oxypetalum. G.D.	acute-petal'd.	Switzerland.	1822.	7.	H.b.	
36 oleraceum. G.D.	purple-striped.	England.	7.	H.b.	Eng. bot. 488.
37 carinatum. G.D.	keeled.	—	5. 6.	H.b.	— 1658.
38 foetidum. G.D.	twisted.	Siberia.	1823.	—	H.b.	
39 violaceum. G.D.	violet-flowered.	Hungary.	1819.	7.	H.b.	W. et K. hung. 3. t. 278.
<i>flexum. W.K.</i>						
40 flexosum. G.D.	flexuose.	Greece.	1826.	—	F.b.	
41 fuscum. G.D.	brown.	Hungary.	1823.	—	H.b.	W. et K. hung. ic.
42 asperum. G.D.	rough-leaved.	S. Europe.	1820.	—	H.b.	Red. lil. 7. t. 368.
<i>carinatum. D.C. nec aliorum.</i>						
43 longispathum. G.D.	long-spathe'd.	—	1779.	6. 7.	H.b.	Red. lil. 6. t. 316.
<i>pallens. B.M. 1420.</i>						
44 paniculatum. G.D.	panicled.	—	1780.	—	H.b.	Botan. magaz. 1432.
45 pallens. G.D.	pale-flowered.	—	1779.	—	H.b.	Redout. lil. 5. t. 272.
46 parviflorum. G.D.	small-flowered.	—	1781.	—	H.b.	
47 pulchellum. G.D.	beautiful.	Russia.	1819.	8.	H.b.	Redout. lil. 5. t. 252.
<i>paniculatum. R.L. coloratum. s.s.</i>						
48 flavum. G.D.	yellow-leafy.	S. Europe.	1759.	6. 7.	H.b.	Botan. magaz. 1330.
49 caucaseum. G.D.	Caucasian.	Caucasus.	1810.	—	H.b.	— 973.
50 rupestre. G.D.	small Caucasian.	—	1824.	—	H.b.	
51 montanum. G.D.	mountain.	Greece.	—	—	H.b.	

52 saxatile. G.D.	rock.	Caucasus.	1825.	6. 7.	H.b.	
53 globosum. G.D.	globular-headed.	Siberia.	1820.	7.	H.b.	Gmel. sib. v. 1. t. 10.
54 moschatum. G.D. <i>setaceum</i> . W.K.	small-leaved.	Hungary.	1805.	7. 8.	H.b.	W. et K. hung. t. 63.
55 strictum. G.D.	upright.	Siberia.	1820.	7.	H.b.	Schrad. h. gott. 1. t. 1.
56 nutans. G.D.	great nodding.	———	1785.	7. 8.	H.b.	Botan. magaz. 1143.
57 senescens. G.D.	Narcissus-ld.	———	1596.	7.	H.b.	Gmel. sib. 1. t. 11. f. 2.
58 Andersonii. G.D.	Anderson's.	———	1819.	—	H.b.	
59 hybridum. G.D.	bastard.	Germany.	—	—	H.b.	
60 glaucum. G.D. <i>senescens</i> . B.M. non L.	glaucous.	———	1596.	6. 7.	H.b.	Botan. magaz. 1150.
<i>baicalense</i> . W.en.						
61 angulosum. G.D.	angular-stalk'd.	———	1739.	6. 7.	H.b.	Botan. magaz. 1149.
62 acutangulum. G.D.	acute-angled.	———	1816.	—	H.b.	Ger. emac. p. 186. ic.
63 danubiale. G.D.	short-leaved.	———	—	—	H.b.	
64 laxum. G.D.	loose umbell'd.	Russia.	1824.	—	H.b.	
65 serotinum. G.D.	late-flowering.	Switzerland.	—	8.	H.b.	
66 albidum. G.D.	whitish-flow'r'd.	Caucasus.	1823.	6. 8.	H.b.	
67 denudatum. G.D.	half naked.	Siberia.	1819.	8.	H.b.	Redout. lil. 6. t. 357.
68 rubens. G.D. <i>bisulcum</i> . B.M.	red-rooted.	S. Europe.	1805.	5.	H.b.	Botan. magaz. 1318.
69 prostratum. G.D.	small trailing.	Siberia.	6.	H.b.	
70 congestum. G.D.	crowded-fl'd.	———	6.	H.b.	
71 narcissiflorum. G.D.	large-flowered.	France.	1818.	—	H.b.	Vill. dauph. 2. t. 6.
72 suaveolens. G.D.	sweet-scented.	———	1801.	6. S.	H.b.	Jacq. ic. 2. t. 364.
73 ochroleucum. G.D.	cream-colour'd.	Hungary.	1816.	7.	H.b.	W. et K. hung. 2. t. 186.
74 cernuum. G.D.	drooping.	N. America.	1806.	6. 7.	H.b.	Botan. magaz. 1325.
75 stellatum. G.D.	starry-flower'd.	———	1811.	—	H.b.	——— 1576.
76 reticulatum. G.D.	net-rooted.	———	—	7.	H.b.	——— 1840.
77 carolinianum. G.D.	Carolina.	———	1819.	—	H.b.	Redout. lil. 2. t. 101.
78 paradoxum. G.D.	paradoxical.	Siberia.	1823.	4.	H.b.	
79 canadense. G.D.	Canadian.	N. America.	1739.	6. 7.	H.b.	Kalm. it. v. 3. p. 79.
80 mutabile. G.D.	changeable.	———	7.	H.b.	Redout. lil. 4. t. 240.
81 magicum. G.D.	broad-leaved.	Spain.	1596.	6. 7.	H.b.	Park. parad. p. 141.
82 palustre. G.D.	marsh.	———	1823.	—	H.b.	
83 incarnatum. G.D.	flesh-coloured.	Greece.	—	5.	H.b.	Botan. magaz. 978.
84 amœnum. G.D. <i>carneum</i> . Best.	fine red-fl'd.	Italy.	1820.	—	H.b.	Ten. fl. nap. t. 28.
85 roseum. G.D.	rose-coloured.	Spain.	1752.	6.	H.b.	
86 subhirsutum. G.D. β obtusum.	hairy.	S. Europe.	1596.	—	H.b.	Redout. lil. 4. t. 213.
87 Clusianum. G.D.	Clusius's.	———	—	—	H.b.	Cyr. pl. r. nap. 2. t. 3.
88 Chamæ-Moly. G.D.	dwarf-Moly.	———	1803.	6. 8.	H.b.	Botan. magaz. 774.
89 majale. G.D.	large Moly.	———	1774.	2. 4.	F.b.	Clus. hist. 1. p. 192.
90 Cowani. G.D.	Cowan's.	Italy.	1825.	6.	F.b.	Botan. magaz. 1203.
91 neapolitanum. G.D. <i>album</i> . Bivon.	Neapolitan.	Chili.	1824.	5.	F.b.	Ten. fl. nap. 1. t. 28.
92 triquetrum. G.D.	triquetrous.	S. Europe.	1759.	5. 6.	H.b.	Botan. regist. 758.
93 pendulinum. G.D.	pendulous.	Italian.	1824.	4. 5.	H.b.	Botan. br. fl. gar. ic.
94 nigrum. G.D. <i>magicum</i> . B.M. β rubescens.	black.	S. Europe.	1596.	6.	H.b.	
95 Moly. G.D.	pale red-flow'r'd.	Greece.	—	H.b.	Flor. græc. t. 323.
96 tricoccum. G.D.	large yellow.	S. Europe.	1604.	—	H.b.	Botan. magaz. 499.
97 ursium. G.D.	three-seeded.	N. America.	1770.	7.	H.b.	
98 ursinoides. G.D.	sharp-fl'd.	Ramson.	4. 5.	H.b.	Eng. bot. 122.
99 Victoriae. G.D.	blunt fl'd.	Europe.	—	H.b.	Redout. lil. 6. t. 303.
100 odorum. G.D. <i>tataricum</i> . B.M. 1142.	long-rooted.	Austria.	1739.	5.	H.b.	Botan. magaz. 1222.
	sweet-flowered.	Siberia.	1787.	6. 7.	H.b.	Redout. lil. 2. t. 98.
101 inodorum. B.M. <i>fragrans</i> . Vent. cels. t. 26. <i>gracile</i> . W.	fragrant.	Carolina.	1776.	3. 4.	H.b.	Botan. magaz. 1129.
102 striatum. G.D. <i>Ornithogalum gramineum</i> . B.M. 2419.	striated.	America.	1800.	5. 6.	H.b.	Bot. mag. 1524 & 1035.
103 caspium. G.D. <i>Amaryllis caspica</i> . W.	Caspian.	Astracan.	1820.	4. 5.	H.b.	Pall. it. 2. ap. t. 2.
	<i>Crinum caspicum</i> . Pal.					
SOWERBÆA. B.P.	SOWERBÆA.		Hexandria Monogynia. S.S.			
junccea. B.P.	Rush-leaved.	N. S. W.	1792.	5. 7.	G. 4.	Botan. magaz. 1104.
LAXMANNIA. B.P.	LAXMANNIA.		Hexandria Monogynia. S.S.			
gracilis. B.P.	slender.	N. S. W.	1822.	5. 7.	G. 4.	
APHYLLANTHES. L.	LILY PINK.		Hexandria Monogynia.			
monspeliensis. L.	Rush-like.	France.	1791.	6. 7.	H. 4.	Botan. magaz. 1132.

THYSANOTUS. B.P.	THYSANOTUS.	Hexandria Monogynia. S.S.	
1 tuberosus. B.P.	tuberous-root'd.	N. S. W. 1822. 7. 9. G. 4.	
2 elatior. B.P.	tall.	— — — — G. 4.	
3 isantherus. B.P.	equal-anther'd.	V. Diem. Isl. — — — G. 4.	
4 junceus. B.P.	rush-like.	N. S. W. — — — G. 4.	
<i>Chlamysporum juncifolium.</i> P.L. 103.			Botan. regist. 655. 656.
CYANELLA. L.	CYANELLA.	Hexandria Monogynia. L.	
1 alba. s.s.	1-flower'd white.	C. B. S. 1825. 4. 6. F.b.	
2 lutea. s.s.	yellow-flower'd.	— — — 1788. 5. 12. F.b.	Botan. magaz. 1252.
3 orchidiformis. s.s.	Orchis-like.	— — — 1825. 4. 8. F.b.	Jacq. ic. 2. t. 447.
4 lineata. B.T.	lined.	— — — 1816. — — F.b.	
5 capensis. s.s.	purple-flower'd.	— — — 1768. — — F.b.	Botan. magaz. 568.
CONANTHERA. R.P.	CONANTHERA.	Hexandria Monogynia. P.S.	
1 bifolia. R.P.	two-leaved.	Chili. 1823. 3. 5. F.b.	Lodd. bot. cab. 904.
2 Simsii.	Sims's.	— — — — F.b.	Botan. magaz. 2496.
<i>bifolia.</i> B.M. non R.P.			
3 campanulata. H.E.F.	bell-flowered.	— — — — 4. 6. F.b.	Hook. ex. flor. 214.
DIANELLA. B.P.	DIANELLA.	Hexandria Monogynia. W.	
1 ensifolia. B.M.	whitish-fld.	E. Indies. 1731. 8. S. 4.	Botan. magaz. 1404.
<i>Dracæna ensifolia.</i> H.K.			
2 nemorosa. Lam.	blue Indian.	— — — — 6. 8. S. 4.	Rumph. amb. 5. t. 73.
3 cœrulea. B.P.	rough edged.	N. S. W. 1783. 5. 8. F. 4.	Botan. magaz. 505.
4 longifolia. B.P.	long-leaved.	— — — 1820. — — F. 4.	Botan. regist. 734.
5 laevis. B.P.	smooth-leaved.	— — — 1823. — — F. 4.	
6 revoluta. B.P.	revolute-margin'd.	— — — 1822. — — F. 4.	
7 divaricata. B.P.	divaricated.	N. Holland. 1805. 7. 8. G. 4.	
8 strumosa. B.R.	strumous.	— — — 1822. 5. 8. G. 4.	Botan. regist. 751.
LUZURIAGA. B.P.	LUZURIAGA.	Hexandria Monogynia. S.S.	
1 cymosa. B.P.	cymose.	N. S. W. 1820. 4. 6. G. ½.	
2 montana. B.P.	mountain.	— — — 1823. — — G. ½.	
EUSTREPHUS. B.P.	EUSTREPHUS.	Hexandria Monogynia. S.S.	
1 latifolius. B.P.	broadest-leav'd.	N. S. W. 1800. 6. 9. G. ½. — Botan. magaz. 1245.	
2 angustifolius. B.P.	narrow-leaved.	N. Holland. 1816. — — G. ½. —	
MYRSIPHYLLUM. S.S.	MYRSIPHYLLUM.	Hexandria Trigynia. S.S.	
1 asparagooides. s.s.	broadest-leav'd.	C. B. S. 1702. 10. 3. G. ½. — Herm. lugd. t. 681.	
<i>Medeola asparagooides.</i> L.			
2 angustifolium. s.s.	narrow-leaved.	— — — 1752. 12. 3. G. ½. — Till. pis. 17. t. 12. f. 2.	
ASPARAGUS. L.	ASPARAGUS.	Hexandria Monogynia. L.	
1 amarus. s.s.	bitter.	S. France. 1820. 6. 8. H. 4.	
2 officinalis. s.s.	common.	England. — — — — H. 4.	Eng. bot. 339.
3 sylvaticus. s.s.	wood.	Hungary. — — — — H. 4.	W. et K. hung. 3. t. 201.
4 declinatus. s.s.	long-leaved.	C. B. S. 1759. — — — F. 4.	
5 decumbens. s.s.	decumbent.	— — — 1792. 5. F. ½.	Jacq. schoen. 1. t. 97.
6 flexuosus. s.s.	flexuose.	— — — — 7. 8. F. ½. —	
7 dauricus. s.s.	Daurian.	1819. 6. 8. H. 4.	
8 maritimus. s.s.	sea-side.	1820. — — — H. 4.	
9 verticillaris. s.s.	whorl-leaved.	Caucasus. 1752. — — — H. 4.	
10 acutifolius. s.s.	needle-leaved.	Spain. 1840. — — — H. 4.	Buxb. cent. 5. ap. t. 37.
11 racemosus. s.s.	branching.	E. Indies. 1808. — — — S. 4.	Park. theat. f. 3.
12 sarmentosus. s.s.	linear-leaved.	Ceylon. 1710. 8. S. 4.	Rheed. mal. 10. t. 10.
13 falcatus. s.s.	sickle-leaved.	E. Indies. 1792. — — — S. 4.	Burm. zeyl. t. 13. f. 2.
14 retrofractus. s.s.	Larch-leaved.	Africa. 1759. 8. 9. G. 4.	Pluk. alm. t. 375. f. 3.
15 capensis. s.s.	Cape.	C. B. S. 1691. 4. 5. G. 4.	Jacq. schoen. 3. t. 266.
16 æthiopicus. w.	angular-stalk'd.	— — — 1816. — — — G. 4.	
17 scandens. w.	climbing.	— — — 1795. 5. 6. G. ½. —	Pluk. alm. t. 15. f. 4.
18 asiaticus. s.s.	Asiatic.	Asia. 1759. — — — G. 4.	
19 subulatus. s.s.	awl-leaved.	C. B. S. 1811. — — — G. 4.	
20 albus. s.s.	white.	Spain. 1840. 5. 7. F. ½.	Moris. s. 1. t. 1. f. 3.
21 aphyllus. s.s.	prickly.	S. Europe. 1640. — — — F. ½.	— sect. 1. t. 1. f. 2.
22 horridus. s.s.	long-spined.	— — — 1819. — — — F. ½.	Cavan. ic. 2. t. 136.
23 Broussoneti. L.en.	Broussonet's.	Canaries. 1815. — — — F. 4.	Jacq. eclog. 2. t. 40.
PHYLLOMA. B.M.	PHYLLOMA.	Hexandria Monogynia.	
1 aloiflorum. B.M.	Aloe-like.	Bourbon. 1766. 4. 6. S. 4.	Botan. magaz. 1585.
<i>Lomatophyllum borbonicum.</i> w. <i>Dracæna marginata.</i> H.K. <i>dentata.</i> P.S.			
2 macra. L.en.	lean.	Mauritius. 1817. 6. 7. S. 4.	
<i>Aloe macra.</i> H.S.S.			
3 rufocincta.	rosy-edged.	E. Indies. 1818. — — — S. 4.	
<i>Aloe rufocincta.</i> H.S.S.			

DRACÆNA. W.	DRAGON-TREE.	Hexandria Monogynia. L.
1 Draco. s.s.	common.	E. Indies. 1640. S. $\frac{1}{2}$.
2 ensifolia. H.S.	sword-leaved.	1800. S. $\frac{1}{2}$.
3 indivisa. s.s.	undivided.	N.Zealand. 1819. G. $\frac{1}{2}$.
4 australis. s.s.	Forster's.	— — — G. $\frac{1}{2}$.
5 stricta. R.R.	loose-panicled.	N.Holland. 1821. 3. 5. S. $\frac{1}{2}$.
6 congesta.	crowded-panicl'd.	— — — S. $\frac{1}{2}$.
7 arborea. s.s.	tree.	Africa. 1810. — — S. $\frac{1}{2}$.
8 fragrans. s.s.	fragrant.	1768. 2. 5. S. $\frac{1}{2}$.
9 ferrea. L.	dark-purple.	China. 1771. 3. 4. S. $\frac{1}{2}$.
10 terminalis. w.	red-leaved.	India. 1812. S. $\frac{1}{2}$.
11 umbraculifera. s.s.	umbrella.	Mauritius. 1788. 4. 6. S. $\frac{1}{2}$.
12 cernua. s.s.	drooping.	— — — S. $\frac{1}{2}$.
13 tessellata. s.s.	red-margined.	Madagascar. 1816. S. $\frac{1}{2}$.
marginata. P.S.		
14 mauritiana. s.s.	Mauritius.	Mauritius. — S. $\frac{1}{2}$.
15 undulata. s.s.	wave-leaved.	C. B. S. — G. $\frac{1}{2}$.
16 ovata. B.M.	oval-leaved.	Sierra Leon. 1790. 8. 9. S. $\frac{1}{2}$.
17 nodosa. L.C.	knotted.	— 1822. S. $\frac{1}{2}$.
18 reflexa. s.s.	reflex-leaved.	Madagascar. 1816. S. $\frac{1}{2}$.
CORDYLINE. B.P.	CORDYLINE.	Hexandria Monogynia.
hemicrypha. P.S.	golden-leaved.	Bourbon. 1823. S. $\frac{1}{2}$.
PHORMIUM. W.	FLAX-LILY.	Hexandria Monogynia. W.
tenax. w.	Iris-leaved.	N.Zealand. 1788. 8. F. $\frac{1}{2}$.
XANTHORRHÆA. B.P.	GUM-TREE.	Hexandria Monogynia. S.S.
1 australis. B.P.	southern.	V. Diem. Isl. 1820. F. $\frac{1}{2}$.
2 hastile. B.P.	yellow gum.	N. S. W. 1803. 4. 5. F. $\frac{1}{2}$.
3 media. B.P.	intermediate.	— 1819. F. $\frac{1}{2}$.
4 minor. B.P.	small.	— 1804. F. $\frac{1}{2}$.
5 bracteata. B.P.	long-bracted.	— 1810. 4. 5. F. $\frac{1}{2}$.

Blackw. t. 358.

Botan. regist. 956.

Botan. magaz. 1081.

Redout. lit. 91.

Rumph. amb. 4.t.34.f.1.

Lodd. bot. cab. 289.

Jacq. schœn. I. t. 96.

Botan. magaz. 1180.

Cook. it. v. 2. t. 96.

ORDO CLXXXVI.

BROMELIACEÆ. Juss. gen. 49.

AGAVE. L.	1 americana. H.S.
	2 Milleri. H.S.
	3 flaccida. H.S.
	4 lurida. B.M.
	5 angustifolia. H.S.
	6 yuccafolia. H.S.S.
	7 mexicana. H.S.S.
	8 Karatto. H.S.
	9 vivipara. H.S.
	10 polyacantha. H.R.
	11 virginica. H.S.

FURCRÆA. V.	1 gigantea.
	Agave <i>factida</i> . w.
	2 tuberosa. H.K.
	3 cubensis. H.S.
	4 rigida. H.S.
	5 australis. H.S.
	6 madagascariensis. H.
	7 cantala. H.S.S.

LITTÆA. H.S.S.	geminiflora. H.S.S.
	Agave <i>geminiflora</i> . Ker. <i>Buonaparte juncea</i> . H.S. nec aliorum.

BROMELIA. L.	1 Ananas. s.s.
	2 semiserrata. s.s.
	3 lucida. W.en.
	4 lingulata. s.s.

AGAVE. Hexandria Monogynia. L.	large American. S. America. 1640. 8. 10. D.G. $\frac{1}{2}$.
Miller's.	1768. D.G. $\frac{1}{2}$.
flaccid.	1790. D.S. $\frac{1}{2}$.
Vera Cruz.	Vera Cruz. 1731. 6. 7. D.S. $\frac{1}{2}$.
narrow-leaved.	St. Helena. 1770. D.S. $\frac{1}{2}$.
Yucca-leaved. 1817. D.S. $\frac{1}{2}$.
Mexican.	Mexico. 1818. D.G. $\frac{1}{2}$.
Karatto.	S. America. 1768. D.S. $\frac{1}{2}$.
viviparous.	— 1731. 8. 10. D.S. $\frac{1}{2}$.
black spined. 1800. D.S. $\frac{1}{2}$.
Virginian.	N. America. 1765. 9. F. $\frac{1}{2}$.
FURCRÆA. Hexandria Monogynia. H.S.	Botan. magaz. 1157.
gigantic.	S. America. 1690. 9. 1. D.S. $\frac{1}{2}$.

tuberous.	1739. 8. 9. D.S. $\frac{1}{2}$.
Cuba.	— D.S. $\frac{1}{2}$.
Vera Cruz.	1768. D.S. $\frac{1}{2}$.
entire-leaved. 1811. D.S. $\frac{1}{2}$.
Madagascar.	Madagascar. 1818. D.S. $\frac{1}{2}$.
Canton.	China. — D.G. $\frac{1}{2}$.
LITTÆA. Hexandria Monogynia. H.S.S.	Journ. of sc. n. 3. t. 1.
twin-flowered.	S. America. 1810. S. $\frac{1}{2}$.
Agave <i>geminiflora</i> . Ker. <i>Buonaparte juncea</i> . H.S. nec aliorum.	
PINE-APPLE. Hexandria Monogynia. L.	
common.	S. America. 1690. 1. 12. S. $\frac{1}{2}$.
semiserrate.	— S. $\frac{1}{2}$.
shining-leaved.	— S. $\frac{1}{2}$.
tongue-leaved.	1759. 5. 6. S. $\frac{1}{2}$.

Botan. magaz. 1554.

.

.

.

Plum. ic. t. 64. f. 1.

5	bracteata. s.s.	red-bracted.	Jamaica.	1785.	9. 10.	S. $\frac{1}{2}$.	Sal. par. lond. 40.
6	fastuosa. L.col.	noble.	S. America.	1815.	8. 10.	S. $\frac{1}{2}$.	Lind. coll. t. 1.
7	melanantha. B.R.	black-flowered.	Trinidad.	1823.	5. 7.	S. $\frac{1}{2}$.	Botan. regist. 766.
8	nudicaulis. B.R.	naked-stalked.	S. America.	2. 3.	S. $\frac{1}{2}$.	203.
	<i>pyramidalis. B.M.</i>						
9	Hookeri.	Hooker's.	Trinidad.	1822.	4. 6.	S. $\frac{1}{2}$.	Hoek. ex. flor. 143.
	<i>nudicaulis. H.E.F. non B.R.</i>						
10	Karatas. s.s.	upright-leaved.	W. Indies.	1739.	S. $\frac{1}{2}$.	Jacq. vind. 1. t. 31. 32.
11	humilis. s.s.	dwarf.	—	1789.	3.	S. $\frac{1}{2}$.	Jacq. ic. 1. t. 60.
12	pallida. B.R.	pale.	S. America.	1810.	6. 11.	S. $\frac{1}{2}$.	Botan. regist. 344.
13	Pinguin. s.s.	broad-leaved.	W. Indies.	1699.	3. 4.	S. $\frac{1}{2}$.	Jacq. am. ed. pict. t. 91.
14	chrysantha. s.s.	yellow-flow'r'd.	S. America.	1820.	—	S. $\frac{1}{2}$.	Jacq. schœn. 1. t. 55.
15	exudans. B.C.	clammy.	—	1816.	—	S. $\frac{1}{2}$.	Lodd. bot. cab. 801.
16	paniculigera. s.s.	panicled.	W. Indies.	1822.	—	S. $\frac{1}{2}$.	
17	sylvestris. s.s.	wild.	S. America.	1820.	7. 8.	S. $\frac{1}{2}$.	Botan. magaz. 2392.
18	Acanga. s.s.	recurved.	—	1824.	S. $\frac{1}{2}$.	Pis. bras. t. 91.
19	sessiliflora. L.C.	sessile-flow'r'd.	—	—	S. $\frac{1}{2}$.	
	GUZMANNIA. R.P.						
	tricolor. R.P.	GUZMANNIA.	Hexandria Monogynia. S.S.				
		three-coloured.	S. America.	1818.	5. 6.	S. $\frac{1}{2}$.	Lind. coll. bot. 8.
	PITCAIRNIA. S.S.						
1	staminea. s.s.	PITCAIRNIA.	Hexandria Mono γ nia. L.				
2	integrifolia. s.s.	long-stamen'd.	S. America.	1823.	1. 3.	S. $\frac{1}{2}$.	Botan. magaz. 2111.
3	latifolia. s.s.	entire-leaved.	W. Indies.	1800.	8.	S. $\frac{1}{2}$.	—
4	bracteata. R.L.	broad-leaved.	—	1785.	8. 9.	S. $\frac{1}{2}$.	—
5	sulphurea. A.R.	large bract ^d . red.	—	1799.	4. 5.	S. $\frac{1}{2}$.	Redout. lil. 73. 74.
	<i>bracteata β sulphurea. B.M. 1416.</i>	yellow-flow'r'd.	—	1797.	6. 8.	S. $\frac{1}{2}$.	Andr. deposit. 249.
6	albillos. B.M.	white-flowered.	Brazil.	1824.	9. 12.	S. $\frac{1}{2}$.	Botan. magaz. 2642.
7	bromeliæfolia. s.s.	Pine-apple-ld.	Jamaica.	1781.	6. 8.	S. $\frac{1}{2}$.	—
8	angustifolia. s.s.	narrow-leaved.	Santa Cruz.	1777.	12. 1.	S. $\frac{1}{2}$.	—
9	furfuracea. B.M.	mealy.	S. America.	1818.	7. 9.	S. $\frac{1}{2}$.	—
10	media. L.C.	intermediate.	—	1823.	—	S. $\frac{1}{2}$.	—
11	iridiflora. L.C.	Iris-flowered.	—	—	—	S. $\frac{1}{2}$.	
12	humilis. L.C.	dwarf.	—	—	—	S. $\frac{1}{2}$.	
	POURRETIA. R.P.						
1	pyramidata. K.S.	POURRETIA.	Hexandria Monogynia. S.S.				
2	coarctata. R.P.	pyramidal.	S. America.	1822.	4. 6.	S. $\frac{1}{2}$.	Flor. Peruv. 3. t. 257.
	TILLANDSIA. L.	crowded-spik'd.	Chili.	—	S. $\frac{1}{2}$.	Feuil. per. 3. t. 39.
1	Bartramii. s.s.	TILLANDSIA.	Hexandria Monogynia. L.				
2	recurvata. s.s.	Bartram's.	Carolina.	1825.	S. $\frac{1}{2}$.	
3	xiphoides. B.R.	recurve-leaved.	Jamaica.	1793.	7.	S. $\frac{1}{2}$.	Sloan. jam. 1. t. 121. f. 1.
4	serrata. s.s.	Xiphium-like.	Buenos Ayres.	1815.	—	S. $\frac{1}{2}$.	Botan. regist. 105.
5	lingulata. s.s.	saw-leaved.	Jamaica.	1793.	6. 7.	S. $\frac{1}{2}$.	Plum. ic. 63. t. 75. f. 1.
6	setacea. s.s.	tongue-leaved.	—	1776.	—	S. $\frac{1}{2}$.	Jacq. amer. t. 62.
7	stricta. s.s.	bristle-leaved.	—	1822.	—	S. $\frac{1}{2}$.	
8	bulbosa. H.E.F.	stiff-leaved.	Brazil.	1810.	11.	S. $\frac{1}{2}$.	Botan. magaz. 1529.
9	aloifolia. H.E.F.	bulbous.	Trinidad.	1823.	8. 9.	S. $\frac{1}{2}$.	Hook. ex. flor. 173.
10	pulchra. H.E.F.	Aloe-leaved.	—	1824.	11. 12.	S. $\frac{1}{2}$.	—
11	anceps. B.C.	pretty.	—	1822.	10. 11.	S. $\frac{1}{2}$.	—
12	utriculata. s.s.	two-edged.	W. Indies.	1819.	7.	S. $\frac{1}{2}$.	Lodd. bot. cab. 771.
13	tenuifolia. s.s.	bottle.	S. America.	1793.	7. 8.	S. $\frac{1}{2}$.	
14	acutifolia. Len.	slender-leaved.	W. Indies.	1822.	—	S. $\frac{1}{2}$.	Plum. ic. 232. f. 2.
	<i>flexuosa β pallida. B.R.</i>	acute-leaved.	Brazil.	1815.	—	S. $\frac{1}{2}$.	Botan. regist. 749.
15	flexuosa. s.s.	flexuose.	W. Indies.	1790.	—	S. $\frac{1}{2}$.	Jacq. amer. t. 63.
16	nutans. s.s.	nodding-spik'd.	—	1793.	—	S. $\frac{1}{2}$.	
17	fasciculata. s.s.	bundled.	—	1822.	—	S. $\frac{1}{2}$.	
18	nitida. H.E.F.	shining broad-ld.	Jamaica.	1823.	11. 12.	S. $\frac{1}{2}$.	Hook. ex. flor. 218.
19	polystachya. s.s.	many-spiked.	W. Indies.	1820.	7. 9.	S. $\frac{1}{2}$.	
20	angustifolia. s.s.	narrow-leaved.	—	1822.	—	S. $\frac{1}{2}$.	
21	paniculata. s.s.	panicled.	—	1817.	—	S. $\frac{1}{2}$.	Plum. ic. 237.
22	coarctata. G.C.	crowded.	—	1822.	—	S. $\frac{1}{2}$.	
23	compressa. G.C.	compressed.	—	—	—	S. $\frac{1}{2}$.	
24	gracilis. G.C.	slender.	—	—	—	S. $\frac{1}{2}$.	
25	ramosa. G.C.	branching.	—	—	—	S. $\frac{1}{2}$.	
26	rigida. G.C.	rigid.	—	—	—	S. $\frac{1}{2}$.	
	BONAPARTEA. R.P.						
	<i>junccea. R.P.</i>	BONAPARTEA.	Hexandria Monogynia.				
		rush-leaved.	Peru.	1800.	S. $\frac{1}{2}$.	Flor. peruv. 3. t. 242.

ORDO CLXXXVII.

TULIPACEÆ. *Kth. synops.* 1. p. 292.

YUCCA. L.

- 1 conspicua. H.S.S.
 2 aloifolia. H.S.S.
 3 serrulata. H.S.S.
 4 Dracomis. H.S.S.
 5 crenulata. H.S.S.
 6 arcuata. H.S.S.
 7 tenuifolia. H.S.S.
 8 concava. H.S.S.
 9 filamentosa. H.S.S.
 10 flaccida. H.S.S.
 11 recurva. H.S.S.
 12 glaucescens. H.S.S.
glauca. B.M. 2662?
- 13 stricta. B.M.
 14 angustifolia. H.S.S.
 15 superba. H.S.S.
gloriosa. A.R. nec aliorum.
 16 gloriosa. H.S.S.
 17 rufocincta. H.S.S.
 18 obliqua. H.S.S.
β major. H.S.S.

TULIPA. L.

- 1 biflora. s.s.
 2 tricolor. F.
 3 Celsiana. s.s.
Breyniana. B.M. nec aliorum.
 4 sylvestris. s.s.
 5 turcica. w.en.
 6 altaica. s.s.
 7 oculus solis. s.s.
 8 præcox. s.s.
 9 cornuta. R.L.
 13 Clusiana. s.s.
 11 suaveolens. s.s.
 12 pubescens. s.s.
 13 Gesneriana. s.s.
β versicolor.
γ plena.
δ laciniata.

FRITILLARIA. L.

- 1 præcox.
Melegris β præcox. P.S.
 2 Meleagris. E.B.
 3 tenella. M.B.
racemosa. u. minor. B.M. *orientalis.* Adam.
 4 nervosa. s.s.
latifolia. β minor. B.M.
 5 lutea. M.B.
 6 latifolia. w.
 7 ruthenica. s.s.
 8 verticillata. w.
 9 messanensis. s.s.
 10 lusitanica. s.s.
 11 nigra. B.M.
pyrenaica. B.M. nec aliorum. aquitanica. clus.
 12 pyrenaica. w.
racemosa. B.M. 952.

ADAMS-NEEDLE. Hexandria Monogynia. L.

- broad rough-edg'd. 1810. 8. 10. F. h.
 Aloe-leaved. W. Indies. 1696. — G. h.
 narrow saw-ld. Carolina. 1808. F. h.
 drooping-ld. — 1732. 8. 9. F. h.
 rough-edged oblique. 1818. F. h.
 arcuated. 1817. F. h.
 slender-leaved. Malta? — F. h.
 hollow-thready. N. America. 1816. 7. 8. H. ¼.
 common-thready. Virginia. 1675. 7. 10. H. ¼.
 flaccid thready. N. America. 1816. — H. ¼.
 recurve-leaved. Georgia. 1795. 8. 9. H. h.
 glaucous. N. America. 1815. 7. 8. H. ¼.
- straight-leaved. Carolina. 1811. — H. h.
 narrow-leaved. Missouri. — — H. h.
 superb. 8. 10. G. h.

TULIP. Hexandria Monogynia. L.

- handsome. America. 1596. 7. 8. H. h.
 red-edged. 1816. — H. ¼.
 oblique-leaved. 1808. — H. ¼.
larger. — H. ¼.
- wild. England. 4. 5. H.b.
 Florentine. S. Europe. — H.b.
 Altaic. Altay. 1824. — H.b.
 Sun's-eye. S. Europe. 1816. — H.b.
 early-flowering. Naples. 1825. 3. 4. H.b.
 horn-petaled. Levant. 1816. 5. H.b.
 Clusius's. Sicily. 1636. 6. H.b.
 Van-Thol. S. Europe. 1603. 3. 4. H.b.
 woolly-stalked. — H.b.
 common. Levant. 1577. 4. 5. H.b.
various-colour'd. — — — H.b.
double-flower'd. — — — H.b.
Parrot. — — — H.b.

FRITILLARY. Hexandria Monogynia. L.

- early white. Europe. 3. 4. H.b.
 chequered. Britain. 3. 5. H.b.
 slender. Caucasus. 1824. — H.b.
 nerved-leaved. — 4. 5. H.b.
 large yellow. — 1812. — H.b.
 broad-leaved. — 1604. — H.b.
 Russian. — 1820. — H.b.
 whorl-leaved. Siberia. — — H.b.
 Italian. Italy. 1825. — H.b.
 Portugal. Portugal. — — H.b.
 dark-flowered. Pyrenees. 1596. 5. H.b.
cluster-flow'r'd. Russia. 1605. 5. 6. H.b.

Botan. magaz. 1700.

Dill. elt. t. 324. f. 417.

Botan. magaz. 900.

Sal. par. lond. 31.
Swt. br. fl. gar. 53.

Botan. magaz. 2222.

2236.

Andr. reposit. 473.

Botan. magaz. 1260.

Botan. regist. 535.

Botan. magaz. 717.

Eng. bot. 63.

Botan. regist. 204.

Swt. br. fl. gar. 157.

Botan. regist. 127.

Botan. magaz. 1390.

839.

Swt. br. fl. gar. 78.

Botan. regist. 380.

Botan. magaz. 1135.

Eng. bot. 622.

Botan. magaz. 1216.

Botan. magaz. 853.

Botan. magaz. 1538.

1207.

Botan. magaz. 664.

Botan. magaz. 952.

13 obliqua. B.M.	Tulip-leaved.	Caucasus.	4.	H.b.	Botan. magaz. 857.
<i>tulipifolia</i> . M.B. <i>caucasica</i> . Adam.					
14 persica. B.M.	Persian.	Persia.	1596.	4. 5. H.b.	Botan. magaz. 1537.
β minor. B.M.	lesser.				_____ 962.
15 pudica. s.s.	dwarf.	N.America.	1825.	— H.b.	Pursh. fl. amer. t. 8.
<i>Lilium pudicum</i> . Ph.					
16 lanceolata. Ph.	spear-leaved.		1823.	— H.b.	
17 camtschaticensis.	Camtschatka.	Camtschatka.	1759.	5. H.b.	Linn. trans. 10. t. 11.
<i>Lilium camtschaticense</i> . W.					
18 alba. N.	white-flowered.	N.America.	1825.	— H.b.	
19 Imperialis. w.	Crown Imperial-Persia.		1596.	3. 4. H.b.	Botan. magaz. 194.
α rubra.	red-flowered.				_____ 1215.
β flava.	yellow-flowered.				
LILIUM. L.	LILY. Hexandria Monogynia. L.				
1 candidum. w.	common white.	Levant.	1596.	6. 7. H.b.	Botan. magaz. 278.
β striatum.	striped-flowered.				
γ spicatum.	monstrous-fld.				
δ variegatum.	striped-leaved.				
2 bulbiferum. w.	bulb-bearing.	Italy.	1596.	— H.b.	
β umbellatum. B.M.	umbel-flowering.				
3 croceum. L.en.	saffron-color'd.	S. Europe.	—		
4 latifolium. L.en.	broad-leaved.				
5 spectabile. F.	showy Siberian.	Siberia.	1754.	— H.b.	
<i>pensylvanicum</i> . B.M.	<i>stizanthoides</i> .				
6 lancifolium. s.s.	lance-leaved.	China.	1824.	— H.b.	Botan. magaz. 1165.
7 concolor. s.s.	self-coloured.		1806.	7. 8. F.b.	Botan. regist. 132.
8 pumilum. s.s.	dwarf.	Dahuria.	1816.	6. 8. H.b.	
<i>angustifolium</i> . F. <i>linifolium</i> . Horn.					
9 andinum. N.	umbel-flower'd.	Andes.	1811.	7. 8. H.b.	Botan. regist. 504.
<i>umbellatum</i> . Ph.	<i>philadelphicum</i> β <i>andinum</i> . B.R.				
10 philadelphicum. w.	Philadelphia.	N.America.	1757.	— H.b.	Botan. magaz. 510.
11 Catesbæi. w.	Catesby's.	Carolina.	1787.	7. 9. H.b.	_____ 259.
12 carolinianum. M.	Carolina.		1820.	— H.b.	Botan. regist. 580.
13 longiflorum. w.	long-flowered.	Japan.	1819.	— F.b.	_____ 560.
14 japonicum. w.	Japan.		1804.	7. 8. F.b.	Botan. magaz. 1591.
15 pyrenaicum. s.s.	Pyrenean.	Pyrenees.	1596.	6. 7. H.b.	
16 pomponium. w.	scarlet pompon.	Siberia.	1629.	5. 6. H.b.	Botan. magaz. 971.
17 chaledonicum. w.	scarlet Martagon.	Levant.	1596.	6. 7. H.b.	_____ 30.
18 monadelphum. M.B.	monadelphous.	Caucasus.	1800.	— H.b.	_____ 1405.
19 tigrinum. B.M.	tiger-spotted.	China.	1804.	7. 9. H.b.	_____ 1237.
20 canadense. B.M.	Canadian.	N.America.	1629.	7. 8. H.b.	_____ 800.
β <i>penduliflorum</i> . R.L. <i>red-flowered</i> .					Redout. lil. t. 105.
<i>canadense</i> β . <i>rubra</i> . B.M. 858.					
21 superbum. w.	superb.		1727.	6. 8. H.b.	Botan. magaz. 936.
22 glabrum. s.s.	smooth.				
23 Martagon. w.	Turk's-cap.	Germany.	1596.	6. 7. H.b.	Redout. lil. t. 146.
α <i>glabrum</i> .	smooth-stalked.				Botan. magaz. 1634.
β <i>pubescens</i> .	hairy-stalked.				_____ 893.
GLORIOSA. L.	GLORIOSA. Hexandria Monogynia. L.				
1 virescens. B.M.	greenish-fld.	Mozambique.	1822.	7. 8. S. 4. —	Botan. magaz. 2539.
2 superba. L.	superb.	E. Indies.	1690.	— S. 4. —	Botan. regist. 77.
3 simplex. L.	simple-leaved.	Senegal.	1756.	— S. 4.	
<i>Methonica gloriosa</i> . Sal.					
ERYTHRONIUM. L.	Dog's-ToothVIOLET. Hexandria Monogynia. L.				
1 Dens canis. w.	common.	Europe.	1596.	3. 4. H.b.	Botan. magaz. 5.
α major.	large-flowered.				
β minor.	smaller-flowered.				
γ ? album.	white-flowered.				
2 americanum. B.M.	yellow-flow'r'd.	N.America.	1665.	4. 5. H.b.	Botan. magaz. 1113.
<i>lanceolatum</i> . Ph.					
3 albidum. N.	whiteAmerican.		1825.	— H.b.	

ORDO CLXXXVIII.

MELANTHACEÆ. *Brown prodri. 272.***BULBOCODIUM. W. BULBOCODIUM.** Hexandria Monogynia. L.

1 vernum. s.s.	spring-flowering.	Spain.	1629.	2. 3. H.b.
2 versicolor. s.s.	various-colored.	Russia.	1820.	9. 10. H.b.

Botan. magaz. 153.
Botan. regist. 571.

Colchicum versicolor. B.R.

COLCHICUM. S.S.	MEADOW SAFFRON. Hexandria Trigynia. L.
1 byzantinum. s.s.	broad-leaved. Levant.
2 autumnale. E.B.	common. Britain. — H.b.
β album.	white flowered. — H.b.
γ multiplex.	double-flowered. — H.b.
3 crociflorum. B.M.	Crocus-flower'd. — H.b.
4 variegatum. w.	chequer-flower'd. Greece.
5 arenarium. s.s.	sand. Hungary. 1816. 9. 10. H.b.
β umbrosum. B.R.	wood. — H.b.
6 montanum. s.s.	mountain. S. Europe. 1818. — H.b.

Botan. magaz. 1122.
Eng. bot. 133.

UVULARIA. S.S.

1 perfoliata. s.s.	UVULARIA. Hexandria Monogynia. L.
2 flava. s.s.	perfiliate. N. America. 1710. 5. 6. H. $\frac{1}{2}$.
3 lanceolata. H.K.	yellow-flow'r'd. — H. $\frac{1}{2}$.
4 grandiflora. H.K.	spear-leaved. 1710. 7. 8. H. $\frac{1}{2}$.
5 sessilifolia. s.s.	large yellow. 1802. 5. 6. H. $\frac{1}{2}$.
6 puberula. s.s.	sessile-leaved. 1790. 6. H. $\frac{1}{2}$.
	pubescent. 1818. — H. $\frac{1}{2}$.

Sm. exot. bot. 1. t. 49.
——— 1. t. 50.

Cornut. canad. t. 41.
Sm. exot. bot. 1. t. 51.

——— 1. t. 52.

DISPORUM. D.P.

1 parviflorum. D.P.	small-flowered. Nepal. 1823. 6. 8. F. $\frac{1}{2}$.
2 fulvum. sat.	brown-flower'd. China. 1801. 6. 11. F. $\frac{1}{2}$.

Botan. magaz. 916.

Uvularia chinensis. B.M.

SCHELHAMMERA. B.P.	SCHELHAMMERA. Hexandria Monogynia. S.S.
undulata. B.P.	wave-leaved. N. S. W. 1822. 6. 9. F. $\frac{1}{2}$.

———

BURCHARDIA. B.P.	BURCHARDIA. Hexandria Monogynia. S.S.
umbellata. B.P.	umbel-flower'd. N. S. W. 1825. 6. 8. F. $\frac{1}{2}$.

———

ANGUILLARIA. B.P.	ANGUILLARIA. Hexandria Trigynia.
1 dioica. B.P.	dioecious. N. S. W. 1826. F. $\frac{1}{2}$.
2 biglandulosa. B.P.	two-glandled. 1822. 6. 8. F. $\frac{1}{2}$.
3 indica. B.P.	Indian. E. Indies. — — F. $\frac{1}{2}$.

———

Melanthium indicum. L.**ORNITHOGLOSSUM. S.S. BIRD'S-TONGUE.** Hexandria Trigynia. S.S.

1 undulatum. B.F.G.	wave-leaved. C. B. S. 1825. 8. 10. F.b.
2 viride. s.s.	green-flowered. — 1788. 10. 11. F.b.

Swt. br. fl. gar. 131.
Sal. par. lond. 54.

Melanthium viride. B.M. 994.**ANDROCYMBIUM. W. ANDROCYMBIUM.** Hexandria Trigynia. S.S.

1 melanthioides. s.s.	narrow-leaved. C. B. S. 1825. 8. 10. F.b.
2 eucomoides. s.s.	Tulip-leaved. — 1794. 3. 5. F.b.

Swt. br. fl. gar. 165.

Melanthium eucomoides. B.M. 641.

3 volutare. B.T.	rolled-leaved. — 1816. — F.b.
------------------	-------------------------------

———

MELANTHIUM. W. MELANTHIUM. Hexandria Trigynia. L.

1 uniflorum. w.	yellow. C. B. S. 1787. 6. 7. F.b.
2 junceum. w.	Rush-leaved. — 1788. 6. 11. F.b.
3 secundum. w.	side-flowering. — 1812. — F.b.
4 capense. w.	spotted-fld. — 1768. 5. 6. F.b.
5 ciliatum. w.	fringed. — 1825. — F.b.

Botan. magaz. 767.

——— 558.

Lam. ill. t. 269. f. 2.

WURMBEA. W. WURMBEA. Hexandria Trigynia. W.

1 campanulata. w.	bell-flowered. C. B. S. 1788. 5. 6. F.b.
<i>Melanthium monopetalum.</i> B.M.	purple. — — — — F.b.

Botan. magaz. 1291.

———

Botan. magaz. 694.

———

Botan. magaz. 694.

2 purpurea. H.K.	purple. — — — — F.b.
<i>Melanthium spicatum.</i> B.M. <i>Wurmbea capensis.</i> A.R. 221.	dwarf. — 1800. 5. 6. F.b.

———

———

———

3 pumila. w.	long-flowered. — — — — F.b.
4 longiflora. w.	long-flowered. — — — — F.b.

———

———

TOFIELDIA. L.T. TOFIELDIA. Hexandria Trigynia. S.S.

1 palustris. L.T.	Scotch. Britain. 7. 8. H. $\frac{1}{2}$.
-------------------	--

Eng. bot. 536.

2 alpina. L.T. <i>pulustris</i> . DC.	Alpine.	Europe.	7. 8. H. 4.	Redont. lili. t. 256.
3 pubens. L.T.	downy.	N.America. 1790.	4. 5. H. 4.	Pluk. mant. 29.t.342.f.3
XEROPHYLLUM. M.	XEROPHYLLUM.	Hexandria Trigynia. S.S.		
1 gramineum. s.s.	grass-leaved.	N.America. 1812.	5. 6. H. 4.	Botan. mag. 1599.
<i>Helonias graminea</i> . B.M.				
2 tenax. s.s.	tough-leaved.	—— 1811.	—— H. 4.	Ph. amer. 1. t. 9.
3 asphodeloides. s.s.	Asphodel-like.	—— 1765.	—— H. 4.	Botan. magaz. 748.
<i>Helonias asphodeloides</i> . B.M.				
HELONIAS. W.	HELONIAS.	Hexandria Trigynia. L.		
1 bullata. w.	broad-leaved.	N.America. 1758.	4. 5. H. 4.	Botan. magaz. 747.
<i>latifolia</i> . M.				
2 erythrosperma. m.	channel-leav'd.	—— 1770.	6. H. 4.	Botan. magaz. 803.
<i>læta</i> . B.M. <i>Melanthium lætum</i> . W.				
3 angustifolia. m.	narrow-leaved.	—— 1812.	—— H. 4.	Botan. magaz. 1540.
ZIGADENUS. M.	ZIGADENUS.	Hexandria Monogynia. S.S.		
1 glaberrimus. w.	smooth-leaved.	N.America. 1811.	5. 6. H. 4.	Mich. amer. 1. t. 22.
<i>Helonias glaberrima</i> . B.M. 1680.				
2 bracteatus.	bracted.	—— — — —	H. 4.	Botan. magaz. 1703.
<i>Helonias bracteata</i> . B.M.				
NOLINA. M.	NOLINA.	Hexandria Trigynia. S.S.		
<i>georgiana</i> . M.	Georgian.	Georgia. 1812.	7. 8. H. 4.	Pluk. mant. t. 342. f. 1.
LEIMANTHIUM. W.	LEIMANTHIUM.	Polygamia Monœcia.		
1 virginicum. w.	Virginian.	N.America. 1768.	6. 7. H. 4.	Botan. magaz. 985.
<i>Helonias virginica</i> . B.M. <i>Melanthium virginicum</i> . Ph.				
2 monoicum.	monoecious.	—— 1817.	—— H. 4.	
<i>Melanthium monoicum</i> . Ph.				
3 hybridum.	hybrid.	—— 1822.	—— H. 4.	
<i>Melanthium hybridum</i> . Ph. <i>racemosum</i> . M.				
VERATRUM. L.	WHITE HELLEBORE.	Polygamia Monœcia. L.		
1 nigrum. w.	dark-flowered.	Siberia. 1596.	6. 7. H. 4.	Botan. magaz. 963.
2 album. w.	white-flowered.	S. Europe. 1548.	6. 8. H. 4.	Flor. dan. 1120.
3 Lobelianum. W.en.	Lobel's.	—— 1818.	—— H. 4.	
4 viride. w.	green-flower'd.	N.America. 1742.	7. 8. H. 4.	
5 parviflorum. m.	small-flowered.	—— 1809.	—— H. 4.	Botan. magaz. 1096.
6 angustifolium. ph.	narrow-leaved.	—— 1823.	—— H. 4.	
CHAMÆLIRIUM. W.	CHAMÆLIRIUM.	Diœcia Hexandria.		
carolinianum. w.	spiked-flowered.	N.America. 1759.	7. 8. H. 4.	Botan. magaz. 1062.
<i>Helonias lutea</i> . B.M. <i>dioica</i> . Ph. <i>Ophyostachys virginica</i> . R.L.				

ORDO CLXXXIX.

PONTEDEREÆ. *Kth. synops.* 1. p. 273.

PONTEDERIA. L.	PONTEDERIA.	Hexandria Monogynia. L.	
1 cordata. s.s.	heart-leaved.	N.America. 1759.	6. 8. H.w. 4. Botan. magaz. 1156.
2 azurea. s.s.	blue-flowered.	Jamaica. 1822.	—— S.w. 4.
3 lanceolata. s.s.	lanceolate.	Carolina.	8. 9. G.w. 4. Lodd. bot. cab. 613.
4 angustifolia. s.s.	narrow-leaved.	N.America. 1806.	6. 8. H.w. 4.
5 crassipes. s.s.	thick footstalk'd.	Brazil. 1822.	—— S.w. 4. Mart. n. pl. bras. t. 4.
6 dilatata. s.s.	spreading.	E. Indies. 1806.	5. S.w. 4. Andr. deposit. 490.
HETERANTHERA. R.S.	HETERANTHERA.	Triandria Monogynia. W.	
1 reniformis. R.S.	kidney-leaved.	S. America. 1812.	6. 7. G.w. 4. Flor. per. 1. t. 71. f.a.
2 acuta. w.	acute-leaved.	N.America. — —	— H.w. 4.
3 limosa. R.S.	oval-leaved.	W. Indies. 1822.	—— S.w. 4.
LEPTANTHUS. M.	LEPTANTHUS.	Triandria Monogynia. Ph.	
gramineus. M.	grass-like.	N.America. 1823.	7. 8. H.w. 4. Hook. ex. flor. 94.
<i>Heteranthera graminea</i> . Ph. <i>Schollera graminifolia</i> . W.			

ORDO CXC.

COMMELINEÆ. Brown prodr. p. 268.

DICHORISANDRA. S.S. DICHORISANDRA. Hexandria Monogynia. S.S.

1 thrysiflora. s.s.	bunch-flow'r'd. Brazil.	1820.	8. 10.	S. $\frac{1}{2}$.	Botan. regist. 682.
2 gracilis. s.s.	slender.	—	—	—	S. $\frac{1}{2}$.
3 puberula. s.s.	pubescent.	—	—	—	S. $\frac{1}{2}$.

CAMPELIA. K.S.

Zanonia. k.s.	CAMPELIA. Hexandria Monogynia. S.S.	Gentian-leav'd. S. America.	1759.	7. 12.	S. $\frac{1}{2}$.	Redout. lil. 4. t. 192.
Commelinia Zanonia. R.L.	Tradescantia Zanonia. w.	Zanonia bibracteata. Cram.				

TRADESCANTIA. L. SPIDERWORT. Hexandria Monogynia. L.

1 fuscata. s.s.	rusty.	S. America.	1820.	8. 12.	S. $\frac{1}{2}$.	Botan. regist. 482.
2 malabarica. s.s.	Grass-leaved.	E. Indies.	1776.	7. 8.	S. $\frac{1}{2}$.	Rheed. mal. 9. t. 63.
3 tuberosa. s.s.	tuberous-root'd.	—	1817.	—	S. $\frac{1}{2}$.	
4 speciosa. s.s.	handsome.	Mexico.	1825.	—	S. $\frac{1}{2}$.	
5 discolor. s.s.	purple-leaved.	S. America.	1783.	4. 9.	S. $\frac{1}{2}$.	Botan. magaz. 1192.
6 cordifolia. s.s.	heart-leaved.	Jamaica.	1822.	—	S. \odot .	
7 erecta. s.s.	upright.	Mexico.	1794.	7. 8.	H. \odot .	Botan. magaz. 1340.
8 undata. s.s.	wave-leaved.	S. America.	1817.	8. 10.	H. \odot .	
9 pulchella. s.s.	pretty.	Mexico.	1825.	—	G. $\frac{1}{2}$.	
10 crassifolia. s.s.	thick-leaved.	—	1796.	7. 10.	H. $\frac{1}{2}$.	Botan. magaz. 1598.
11 subaspera. s.s.	Lyon's.	N. America.	1812.	5. 10.	H. $\frac{1}{2}$.	— 1597.
12 virginica. s.s.	Virginian.	—	1629.	5. 8.	H. $\frac{1}{2}$.	Park. parad. t. 151. f. 4.
α cerulea.	blue-flowered.	—	—	—	H. $\frac{1}{2}$.	Botan. magaz. 105.
β rubra.	red-flowered.	—	—	—	H. $\frac{1}{2}$.	
γ albida.	whitish-flowered.	—	—	—	H. $\frac{1}{2}$.	
δ nivea.	snowy white.	—	1824.	—	H. $\frac{1}{2}$.	
13 rosea. s.s.	rose-colour'd.	Carolina.	1802.	5. 10.	H. $\frac{1}{2}$.	Swt. br. fl. gar. 181.
14 multiflora. s.s.	many-flowered.	Jamaica.	1824.	—	S. $\frac{1}{2}$.	
15 procumbens. s.s.	procumbent.	Caracas.	1823.	—	S. $\frac{1}{2}$.	Jacq. ic. 2. t. 355.
multiflora. Jacq. non w.						

16 parviflora. s.s.	small-flowered.	Peru.	1822.	—	H. $\frac{1}{2}$.	Flor. per. 3. t. 272. f. 2.
17 latifolia. s.s.	broad-leaved.	Lima.	1820.	9. 11.	H. \odot .	— 3. t. 272.
18 divaricata. s.s.	spreading.	Trinidad.	—	5. 8.	S. $\frac{1}{2}$.	Aub. gui. 1. t. 12.
19 geniculata. s.s.	knotted.	W. Indies.	1783.	7. 8.	S. $\frac{1}{2}$.	Jacq. amer. t. 64.
20 paniculata. s.s.	panicled.	E. Indies.	1824.	—	S. \odot .	

CYANOTIS. D.P.

1 axillaris. D.P.	CYANOTIS. Hexandria Monogynia.	axil-flowered.	E. Indies.	1822.	8. 10.	S. \odot .	Rheed. mal. 10. t. 13.
2 cristata. D.P.	—	crest-bunched.	Ceylon.	1770.	7. 9.	S. \odot .	Botan. magaz. 1435.

Tradescantia cristata. B.M.

3 barbata. D.P.	bearded.	Nepaul.	1824.	—	H. \odot .		
CARTONEMA. B.P.	CARTONEMA. Hexandria Monogynia.	spiked.	N. Holland.	1822.	7. 8.	S. $\frac{1}{2}$.	

CALLISIA. L.

repens. L.	CALLISIA. Triandria Monogynia.	creeping.	W. Indies.	1776.	6. 7.	S. $\frac{1}{2}$.	Jacq. amer. t. 11.
ANEILEMA. B.P.	ANEILEMA. Triandria Monogynia.	two-flowered.	N. S. W.	1820.	7. 8.	F. $\frac{1}{2}$.	

ANEILEMA. B.P.

1 biflora. B.P.	sharp-pointed.	—	1822.	—	F. $\frac{1}{2}$.	
2 acuminata. B.P.	long-leaved.	Zanzibar.	1823.	8. 9.	S. $\frac{1}{2}$.	Hook. ex. flor. 204.
3 longifolia. H.E.V.	Chinese.	China.	1820.	5. 6.	G. $\frac{1}{2}$.	Botan. regist. 659.
4 sinica. B.R.	naked-flower'd.	E. Indies.	—	8. 10.	S. \odot .	Rheed. mal. 9. t. 63.
5 nudiflora. B.P.	spear-leaved.	—	1783.	7. 8.	S. \odot .	
6 spirata. B.P.						

Commelinia spirata. L.

7 affinis. B.P.	rough-angled.	N. S. W.	1825.	—	F. $\frac{1}{2}$.		
COMMELINA. B.P.	COMMELINA. Triandria Monogynia L.	narrow-leaved.	Carolina.	1812.	7. 8.	F. $\frac{1}{2}$.	
1 angustifolia. R.S.	bright-blue.	N. S. W.	1820.	—	F. $\frac{1}{2}$.		
2 cyanea. B.P.	Pink-leaved.	—	1816.	—	S. $\frac{1}{2}$.	Redout. lil. 7. t. 390.	
3 dianthifolia. DC.	long-stalked.	Caracas.	1806.	8.	S. $\frac{1}{2}$.	Jacq. ic. 2. t. 294.	
4 longicaulis. R.S.	hairy.	N. America.	1820.	7. 8.	H. $\frac{1}{2}$.		
5 hirtella. R.S.	Virginian.	—	1779.	—	H. $\frac{1}{2}$.		
6 virginica. R.S.	yellow-flow'r'd.	C. B. S.	1759.	5. 10.	G. $\frac{1}{2}$.	Pluk. alm. t. 174. f. 4.	
7 africana. R.S.	woolly tuber'd.	Lima.	1817.	—	H. $\frac{1}{2}$.	Botan. magaz. 1431.	
8 fasciculata. R.S.						Flor. peruv. I. t. 72. f. b.	

9 communis. R.S.	common.	America.	1732.	6. 7. H.○.	Redout. lil. 4. t. 206.
10 polygama. R.S.	Polygamous.	Japan.	H. 4.	Kämpf. am. p. 888. ic.
11 caroliniana. R.S.	Carolina.	Carolina.	H. 4.	
12 dubia. R.S.	dubious.	Mexico.	1819.	7. 9. H. 4.	Redout. lil. 6. t. 359.
13 tuberosa. R.S.	tuberous-root'd.	Mexico.	1732.	— H. 4.	Andr. deposit. 399.
14 celestis. R.S.	sky-blue.	1813.	7. 10. H. 4.	Swt. br. fl. gar. 3.
15 pallida. R.S.	pale-flowered.	Mexico.	1822.	— H. 4.	Willd. hort. ber. 2. t. 87.
16 erecta. R.S.	upright.	Virginia.	1732.	8. 9. H. 4.	Dill. elt. 94. t. 77. f. 88.
17 mollis. R.S.	soft.	Caracas.	1804.	— H. 4.	Jacq. ic. 2. t. 293.
18 bengalensis. R.S.	Bengal.	Bengal.	1794.	6. S. 4.	Burm. ind. t. 7. f. 3.
19 parviflora. L.en.	small-flowered.	1823.	— S. 4.	
20 deficiens. B.M.	deficient.	Brazil.	1825.	1. 12. S. 4.	Botan. magaz. 2614.

ORDO CXCI.

PALMÆ. Brown prodr. p. 266.

CHAMÆDOREA. W.	CHAMÆDOREA.	Dicæcia Hexandria. W.			
1 gracilis. w.	slender.	Caracas.	1803. S. h.	Jacq. schœn. 2. t. 247-8.
2 fragrans. M.P.	fragrant.	Peru.	1823.	Martius Palm. ic.
SABAL. P.S.	SABAL.	Hexandria Trigynia. P.S.			
1 Adansoni. B.M.	dwarf.	Florida.	1810.	6. 8. S. 4.	Botan. magaz. 1434.
Corypha minor. Jacq. vind. s.t. s.	Chamaerops acaulis. M.				
2 Blackburniana. L.C.	Blackburn's.	S. America.	1824. S. 4.	
3 graminifolia. L.C.	grass-leaved.	1822. S. 4.	
4 umbraculifera. L.C.	umbrella. S. 4.	
RHAPIS. W.	RHAPIS.	Polygamia Monococcia. W.			
1 flabelliformis. w.	creeping-root'd. China.	1774.	8. S. h.	
2 arundinacea. w.	simple-leaved.	Carolina.	1765.	9. G. h.	Botan. magaz. 1371.
CHAMÆROPS. W.	CHAMÆROPS.	Polygamia Dicæcia. W.			
1 excelsa. L.C.	tall.	Nepaul.	1822. S. h.	
2 gracilis. L.C.	slender.	S. America. S. h.	
3 guianensis. L.C.	Guiana.	Guiana.	1824. S. h.	
4 humilis. s.s.	dwarf fan palm.	S. Europe.	1731.	2. 3. G. h.	
5 serrulata. s.s.	saw-leaved.	N. America.	1809. G. h.	Andr. deposit. 599.
6 Hystrix. s.s.	Porcupine.	Georgia.	1801. G. h.	
7 Palmetto. s.s.	smooth-stem'm'd.	Carolina.	1809. G. h.	
LIVISTONA. B.P.	LIVISTONA.	Hexandria Monogynia. S.S.			
1 inermis. B.P.	spineless.	N. Holland.	1823. S. h.	
2 humilis. B.P.	dwarf spiny. S. h.	
LATANIA. W.	LATANIA.	Dicæcia Monadelphia. W.			
1 rubra. w.	red.	Mauritius.	1788. S. h.	Jacq. frag. 1. t. 8.
2 glaucophylla. L.C.	glaucous-leav'd.	1821. S. h.	
3 borbonica. w.	Bourbon.	Bourbon. S. h.	Jacq. frag. 1. t. 11.
chinensis. Jacq. <i>Livistona species?</i> B.P.					
CORYPHA. L.	FAN PALM.	Hexandria Monogynia. W.			
1 australis. B.P.	New Holland.	N. S. W.	1822. S. h.	
2 elata. H.B.	tall.	E. Indies.	1820. S. h.	
3 glaucescens. L.C.	glaucescens. S. h.	
4 umbraculifera. w.	great.	1742. S. h.	Rheed. mal. 3. t. 1-12.
5 Utan. s.s.	Molucca.	1822. S. h.	
TALIERA. S.S.	TALIERA.	Hexandria Monogynia. S.S.			
bengalensis. s.s.	Bengal.	E. Indies.	1822. S. h.	
Corypha Taliera. H.B.					
PHÆNIX. W.	DATE PALM.	Dicæcia Hexandria. W.			
1 dactylifera. w.	common.	Levant.	1597. G. h.	Kämpf. am. 686. t. 1. 2.
2 sylvestris. H.B.	wood.	E. Indies.	1820. S. h.	
3 paludosa. H.B.	marsh. S. h.	
4 reclinata. w.	reclining.	C. B. S.	1792. G. h.	Jacq. frag. 1. t. 24.
5 farinifera. w.	small.	E. Indies.	1800. S. h.	Roxb. corom. 1. t. 74.
6 acaulis. s.s.	stalkless.	1820. S. 4.	
7 leonensis. L.C.	African.	Sierra Leon.	— S. h.	
8 pygmæa. L.C.	pigmy.	— S. 4.	

SAGUS. W.	SAGO PALM.	Monœcia Hexandria. W.	
1 Rumphii. w.	Rumphius's.	E. Indies. 1800. S. h.	Rumph. amb. 1.t.17.18.
2 vinifera. M.P.	prickly-leaved.	Africa. 1820. S. h.	Beauv. fl. d'ow. t. 45.
3 Ruffia. w.	Madagascar.	Madagascar. — S. h.	Jacq. frag. p.7.t.4.f.2.
4 pedunculata. Poir.	peduncled.	— S. h.	
HYPHÆNE. G.	HYPHÆNE.	Dicecia Hexandria.	
coriacea. G.	leathery.	Egypt. 1822. S. h.	
Cucifera thebaica. Del.			
ARECA. W.	CABBAGE-TREE.	Monœcia Monadelphia. W.	
1 Catechu. w.	medicinal.	E. Indies. 1690. S. h.	Roxb. corom. 1. t. 75.
2 humilis. w.	dwarf.	— 1814. S. h.	Rumph. amb. 1. t. 7.
3 rubra. w.	red.	Isl. France. 1823. S. h.	
4 crinita. w.	hairy.	— 1819. S. h.	
5 olerecea. w.	esculent.	W. Indies. 1656. S. h.	Jacq. amer. t. 170.
6 triandra. H.B.	three-anther'd	E. Indies. 1819. S. h.	
7 lutescens. w.	yellowish.	Mauritius. — S. h.	
8 exilis. L.C.	slender.	— 1822. S. h.	
9 Manicot. L.C.	Manicot.	— S. h.	
10 montana. L.C.	mountain.	— 1819. S. h.	
ŒNOCARPUS. M.P.	ŒNOCARPUS.	Monœcia Hexandria.	
Bataua. M.P.	American.	S. America. 1822. S. h.	Martius. palm. ic.
EUTERPE. G.	EUTERPE.	Polygamia Monœcia.	
1 globosa. G.	globular.	E. Indies. 1819. S. h.	
Areca spicata. Lam.			
2 pisifera. G.	Pea-bearing.	— S. h.	
WALLICHIA. S.S.	WALLICHIA.	Polygamia Monœcia.	
caryotoides. s.s.	Caryota-like.	E. Indies. 1818. S. h.	Roxb. corom. ic.
ELAIS. W.	OILY PALM.	Dicecia Hexandria. W.	
1 guineensis. w.	Guinea.	Guinea. 1730. S. h.	Jacq. amer. t. 172.
2 melanococca. G.	black-fruited.	S. America. 1820. S. h.	
3 pernambucana. L.C.	Pernambuca.	— S. h.	
SYAGRUS. M.P.	SYAGRUS.	Polygamia Monœcia.	
cocoidea. M.P.	Cocoa-like.	Brazil. 1823. S. h.	Martius palm. ic.
ELATE. W.	ELATE.	Monœcia Hexandria.	
sylvestris. w.	prickly-leaved.	E. Indies. 1763. 4. 6. S. h.	Rheed. mal. 3.t.22-25.
ACROCOMIA. M.P.	ACROCOMIA.	Monœcia Hexandria.	
1 sclerocarpa. M.P.	dry-fruited.	Brazil. 1822. S. h.	Mart. palm. ic.
2 aculeata. L.C.	prickly.	W. Indies. 1796. S. h.	Jacq. amer. 278. t. 169.
Cocos aculeata. w.	great Macaw-tree.	— 1731. S. h.	
3 fusiformis.	lesser.	S. America. 1823. S. h.	
Cocos fusiformis. w.	COCOA-NUT-TREE.	Monœcia Hexandria. W.	
4 minor. L.C.	common.	E. Indies. 1690. S. h.	Roxb. corom. 1. t. 73.
COCOS. W.	flexuose.	Brazil. 1823. S. h.	Mart. palm. ic.
1 nucifera. w.	feathered.	W. Indies. — S. h.	
2 flexuosa. M.P.			
3 plumosa. L.C.			
MAXIMILIANA. M.P.	MAXIMILIANA.	Polygamia Monœcia.	
regia. M.P.	membranous-fld.	Brazil. 1822. S. h.	Mart. palm. ic.
THRINAX. W.	THRINAX.	Hexandria Monogynia. W.	
parviflora. w.	small.	Jamaica. 1778. S. h.	
ASTROCARYUM. M.P.	ASTROCARYUM.	Monœcia Hexandria.	
1 acaule. M.P.	stalkless.	Brazil. 1823. S. 4.	Mart. palm. ic.
2 campestre. M.P.	field.	— 1824. S. h.	— — — ic.
3 aculeatum. s.s.	prickly.	Guiana. — S. h.	
4 vulgare. M.P.	common.	Brazil. 1823. S. h.	Mart. palm. ic.
5 Murumuru. M.P.	tall.	— S. h.	— — — ic.
GEONOMA. W.	GEONOMA.	Dicecia Hexandria.	
1 simplicifrons. w.	simple-fronded.	S. America. 1823. S. 4.	
2 macrostachys. M.P.	large-spiked.	— S. 4.	Mart. palm. ic.
3 acaulis. M.P.	stalkless.	Brazil. 1822. S. 4.	— — — ic.
4 pinnatifrons. w.	pinnated.	S. America. — S. 4.	
5 Schottiana. L.C.	Schott's.	Brazil. — S. 4.	
MAURITIA. L.	MAURITIA.	Dicecia Hexandria. W.	
1 flexuosa. w.	flexuose.	W. Indies. 1819. S. h.	
2 armata. M.P.	spiny.	Brazil. 1822. S. h.	Mart. palm. ic.
3 vinifera. M.P.	straight-stem'd.	— S. h.	— — — ic.
LICUALA. W.	LICUALA.	Hexandria Monogynia. W.	
1 spinosa. w.	spiny.	E. Indies. 1802. S. h.	Rumph. amb. 1. t. 9.
2 peltata. H.B.	peltate.	— 1819. S. h.	

CALAMUS. W.	CALAMUS. Hexandria Monogynia. S.S.					
1 verus. s.s.	E. Indies. 1820.	S. h.	Rumph.	amb. 5.	t. 54.
2 niger. s.s.	black.	S. h.			5. t. 52.
3 Zalacca. s.s.	Java.	1812.	S. h.	Gært.	fr. 2. t. 139. f. 2.
4 albus. P.S.	common.	S. h.	Rumph.	amb. 5. f. 52.
5 Draco. s.s.	Dragon.	1819.	S. h.		5. t. 58. f. 1.
SEAFORTHIA. B.P.	SEAFORTHIA. Polygamia Monœcia.					
elegans. B.P.	N. Holland. 1822.	S. h.	Rheed.	mal. 1.	t. 11.
CARYOTA. W.	CARYOTA. Monœcia Polyandria. W.					
1 urens. w.	torn-leaved.	E. Indies. 1788.	S. h.		
2 horrida. w.	horrid.	S. America. 1820.	S. h.		
DIPLOTHEMIUM. M.P.	DIPLOTHEMIUM. Polygamia Monœcia.					
1 maritimum. M.P.	sea-side.	Brazil. 1823.	S. 4.	Mart.	palm. ic.
2 campestre. M.P.	field.	—	S. 4.		— ic.
ATTALEA. K.S.	ATTALEA. Monœcia Polyandria.					
1 humiliis. M.P.	dwarf.	Brazil. 1823.	S. h.	Mart.	palm. ic.
2 compta. M.P.	decked.	—	S. h.		— ic.
3 funifera. M.P.	rope-bearing.	—	S. h.		— ic.
4 excelsa. M.P.	lofty.	—	S. h.		— ic.
5 speciosa. M.P.	handsome.	—	S. h.		— ic.
6 Rossii. L.C.	Ross's.	—	S. h.		
7 spectabilis. L.C.	showy.	—	S. h.		
GOMUTUS. S.S.	GOMUTUS. Monœcia Polyandria.					
saccharifer. s.s.	sugar-bearing.	E. Indies. 1820.	S. h.		
MANICARIA. G.	MANICARIA. Polygamia Monœcia.					
saccifera. g.	bag-like.	E. Indies. 1822.	S. h.	Gært.	sem. 2. t. 176.
BORASSUS. W.	BORASSUS. Diœcia Hexandria. W.					
flabelliformis. w.	fan-leaved.	E. Indies. 1771.	S. h.	Roxb.	corom. I. t. 71. 72.
NIPA. W.	NIPA. Monœcia Monadelphia. W.					
fruticans. w.	shrubby.	E. Indies. 1822.	S. h.	Rumph.	amb. 1. t. 16.
DESMONCUS. M.P.	DESMONCUS. Monœcia Monadelphia.					
1 polyacanthus. M.P.	many-spined.	Brazil. 1822.	S. h.	Mart.	palm. ic.
2 orthacanthus. M.P.	long-spined.	—	S. h.		— ic.
3 americanus. L.C.	American.	S. America. 1823.	S. h.		
4 dubius. L.C.	doubtful.	—	S. h.		
BACTRIS. W.	BACTRIS. Monœcia Hexandria. W.					
1 pectinata. M.P.	pectinated.	Brazil. 1825.	S. h.	Mart.	palm. ic.
2 cuspidata. M.P.	sharp-pointed.	—	S. h.		
3 minor. w.	lesser.	S. America. 1691.	S. h.	Jacq.	amer. t. 171. f. 1.
4 macracantha. M.P.	large-spined.	Brazil. 1822.	S. h.	Mart.	palm. ic.
5 major. w.	greater.	Carthagena. 1800.	S. h.	Jacq.	amer. t. 171. f. 2.
6 caryotæfolia. M.P.	Caryota-leaved.	Brazil. 1825.	S. h.	Mart.	palm. ic.

ORDO CXCII.

JUNCEÆ. Brown prodr. 1. p. 257.

XEROTES. B.P.	XEROTES. Diœcia Hexandria.					
1 flexifolia. B.P.	bending-leav'd. N. S. W.	1819.	6. 8.	F. 4.	Thunb.	diiss. drac. 17. f. 2
2 mucronata. B.P.	mucronated.	—	1823.	—	F. 4.	
3 filiformis. B.P.	filiform.	—	—	—	F. 4.	Th. dis. drac. n. 1. ic.
<i>Dracæna filiformis.</i> Th.						
4 denticulata. B.P.	toothed.	—	1825.	—	F. 4.	
5 laxa. B.P.	loose-flowered.	—	1819.	—	F. 4.	
6 rigida. B.P.	stiff-leaved.	N. Holland.	1796.	6. 7.	F. 4.	Lodd. bot. cab. 798.
<i>Lomandra rigidula.</i> Lab. n. hol. 1. t. 120.						
7 montana. B.P.	mountain.	N. S. W.	1824.	—	F. 4.	
8 longifolia. B.P.	long-leaved.	—	1796.	—	F. 4.	Lab. nov. hol. 1. t. 19.
<i>Lomandra longifolia.</i> Lab.						
9 Hystrix. B.P.	Porcupine.	—	1823.	—	F. 4.	
10 æmula. B.P.	rival.	—	—	—	F. 4.	
PLEEA. M.	PLEEA. Enneandria Trigynia. Ph.					
tenuifolia. M.	slender-leaved. Carolina.	1812.	5. 8.	F. 4.	Botan. magaz.	1956.

ARTHECIUM. E.B.	NARTHECIUM.	Hexandria Monogynia.		
1 ossifragum. E.B.	Lancashire Asphodel.	Britain. 7. 8. H. 4.	Eng. bot. 535.	
2 americanum. B.M.	American.	N. America. 1811. — H. 4.	Botan. magaz. 1505.	
LUZULA. DC.	WOODRUSH.	Hexandria Monogynia. S.S.		
1 vernalis. DC.	spring.	Britain. 3. 5. H. 4.	Eng. bot. 736.	
<i>Juncus pilosus.</i> E.B.	yellowish.	S. Europe. 1817. — H. 4.	Host. gram. 3. t. 94.	
2 flavescentis. s.s.	Forster's.	England. 5. 6. H. 4.	Eng. bot. 1293.	
3 Forsteri. DC.	smooth.	Switzerland. 1825. — H. 4.	Leers. herb. t. 13. f. 6.	
4 glabratus. s.s.	white.	— 1815. — H. 4.	Vill. delph. 2. t. 6.	
5 albida. DC.	yellow.	— — — H. 4.	Scheuch. gram. t. 7. f. 7.	
6 lutea. DC.	light red.	Europe. 1816. — H. 4.	Eng. bot. 737.	
7 spadicea. DC.	snowy.	Switzerland. 1770. — H. 4.		
8 nivea. DC.	wood.	Britain. 5. H. 4.		
9 maxima. DC.				
<i>Juncus sylvaticus.</i> E.B.				
10 arcuata. s.s.	fringe-bracted.	Scotland. 7. H. 4.	Wahl. lapp. t. 4.	
11 spicata. DC.	spiked.	— — — H. 4.	Eng. bot. 1176.	
12 congesta. s.s.	close-headed.	Britain. 6. H. 4.	Purt. suppl. t. 9.	
<i>Juncus liniger.</i> Purt.				
13 sudetica. DC.	Swedish.	Sweden. 1824. — H. 4.	Krock. siles. t. 52.	
14 pediformis. DC.	foot-shaped.	S. Europe. 1822. 5. 6. H. 4.	Eng. bot. 672.	
15 campestris. DC.	field.	Britain. 4. 5. H. 4.		
16 multiflora. s.s.	many-flowered.	Europe. 1822. 5. 6. H. 4.		
JUNCUS. DC.	RUSH.	Hexandria Monogynia. L.		
1 polycephalus. E.F.	many-headed.	Scotland. 6. 7. H. 4.	Eng. bot. 2144.	
2 obtusiflorus. L.T.	blunt-flowered.	Britain. 7. 8. H. 4.	— 2143.	
3 lampocarpus. L.T.	shining-fruited.	— — — H. 4.	— 238.	
4 acutiflorus. L.T.	sharp-flowered.	— — — 6. 7. H. 4.		
<i>articulatus.</i> E.B.				
5 subverticillatus. L.T.	whorled.	— — — 7. 8. H. 4.	Flor. dan. t. 817.	
6 castaneus. E.B.	black-spiked.	Scotland. 7. H. 4.	Eng. bot. 900.	
7 biglumis. E.B.	two-flowered.	— — — 8. H. 4.	— 898.	
8 triglumis. E.B.	three-flowered.	Britain. 7. H. 4.	— 899.	
9 capitatus. s.s.	headed.	— — — 5. 7. H. ⊖.	Weig. obs. t. 2. f. 5.	
10 supinus. L.T.	dwarf.	— — — 7. H. 4.	Flor. dan. 1099.	
11 uliginosus. E.B.	little bulbous.	— — — 7. 8. H. 4.	Eng. bot. 801.	
12 trifidus. E.B.	three-leaved.	Scotland. — — — H. 4.	— 1482.	
13 Gesneri. E.B.	Gesner's.	— — — 7. H. 4.	— 2174.	
<i>gracilis.</i> E.B. non B.P.				
14 bufonius. E.B.	toad.	Britain. 6. 8. H. 4.	Eng. bot. 802.	
15 caenosus. L.T.	mud.	— — — 7. 8. H. 4.	Eng. bot. 934.	
16 compressus. L.T.	round-fruited.	— — — H. 4.		
<i>bulbosus.</i> E.B.				
17 squarrosus. E.B.	Goose-corn.	— — — 6. 7. H. 4.	— 933.	
18 Tenageia. s.s.	annual.	Europe. 1816. — H. ⊖.	Flor. dan. t. 1160.	
19 aristatus. M.	awned.	N. America. 1820. — H. 4.		
20 plebeius. B.P.	linear-leaved.	N. S. W. 1816. — F. 4.		
21 planifolius. B.P.	flat-leaved.	— 1822. 7. 8. F. 4.		
22 pauciflorus. B.P.	few-flowered.	— — — F. 4.		
23 vaginalis. B.P.	sheathed.	— 1823. — F. 4.		
24 filiformis. E.B.	least.	Britain. 8. H. 4.	Eng. bot. 1175.	
25 arcticus. w.	arctic.	Scotland. 7. 8. H. 4.	Flor. dan. t. 1095.	
26 effusus. E.B.	soft.	Britain. 5. 8. H. 4.	Eng. bot. 836.	
27 conglomeratus. E.B.	common.	— — — 6. 7. H. 4.	— 835.	
28 glaucus. E.B.	glaucous.	— — — 7. 8. H. 4.	— 665.	
29 maritimus. E.B.	sea-side.	— — — 8. H. 4.	— 1725.	
30 acutus. E.B.	great sharp sea.	— — — 7. 8. H. 4.	— 1614.	
? FLAGELLARIA.	FLAGELLARIA.	Hexandria Trigynia. L.		
indica. L.	Indian.	India. 1782. 6. 7. S. $\frac{1}{2}$.	Redout. lit. 257.	
? PHILYDRUM.	PHILYDRUM.	Monandria Monogynia. B.M.		
lanuginosum. B.P.	woolly.	N. S. W. 1801. 6. 7. S. w. ♂.	Botan. magaz. 783.	
? BURMANNIA.	BURMANNIA.	Triandria Monogynia.		
1 distachya. B.P.	two-spiked.	N. S. W. 1822. 6. 8. G.w. 4.	Burm. zeyl. t. 20. f. 1.	
2 biflora. L.	two-flowered.	Virginia. 9. G.w. 4.		
? GILLIESIA.	GILLIESIA.	Hexandria Monogynia.		
graminea. B.R.	Grass-like.	S. America. 1824. 5. 7. G. 4.	Botan. regist. 992.	

ORDO CXIII.

RESTIACEÆ. *Brown prodr. p. 243.***XYRIS. B.P.**

- 1 laevis. B.P.
2 bracteata. B.P.
3 juncea. B.P.
4 gracilis. B.P.
5 operculata. B.P.
6 brevifolia. M.

ERIOCAULON. L.

- 1 septangulare. E.B.
2 australe. B.P.

HYPOLÆNA. B.P.

- 1 fastigiata. B.P.
2 exulca. B.P.

LEPTOCARPUS. B.P.

- tenax. B.P.

Schanodus tenax *femina*. Lab.**ELEGIA. W.**

- 1 juncea. w.
2 racemosa. w.

LEPYRODIA. B.P.

- gracilis. B.P.

WILDENOVIA. S.S.

- 1 striata. s.s.

- 2 teres. s.s.

THAMNOCHORTUS. B.P.

- dichotomus. B.P.

RESTIO. B.P.

- 1 australis. B.P.

- 2 gracilis. B.P.

- 3 tectorum. s.s.

- 4 vaginatus. s.s.

- 5 fastigiatus. B.P.

- 6 virgatus. s.s.

- 7 paniculatus. s.s.

- 8 lateriflorus. B.P.

Calorophus elongata. Lab.

- 9 tetraphyllus. B.P.

XYRIS. Triandria Monogynia. L.

- smooth. N. S. W. 1819. 6. 8. G. 4.
bracteate. ——— 1825. ——— G. 4.
rushy. ——— 1822. ——— G. 4.
slender. V. Diem. Isl. 1821. ——— G. 4.
rush-leaved. N. S. W. 1804. 6. 7. G. 4. Botan. magaz. 1158.
short-leaved. Carolina. 1812. 6. 8. F. 4.

PIPEWORT. Triandria Trigynia. L.

- jointed. Scotland. 9. H.w. 4. Eng. bot. 733.
New Holland. N. S. W. 1822. 8. 10. G.w. 4.

HYPOLÆNA. Diœcia Triandria.

- crowded. N. S. W. 1821. 6. 8. F. 4.
round-stalked. ——— ——— F. 4.

LEPTOCARPUS. Diœcia Triandria.

- tough. N. S. W. 1824. 6. 8. F. 4. Lab. nov. holl. 2. t. 229.

Schanodus tenax *femina*. Lab.**ELEGIA. Diœcia Triandria. W.**

- Rush-like. C. B. S. 1789. 7. 8. F. 4. Rottb. gram. 10. t. 3. f. 2.
racemed. ——— 1804. 5. 6. F. 4. Lam. ill. t. 884. f. 4.

LEPYRODIA. Diœcia Triandria.

- slender. N. S. W. 1823. 5. 6. F. 4.

WILDENOVIA. Diœcia Triandria. W.

- striated. C. B. S. 1816. 6. 8. F. 4. Th.act.hol. 1790. t. 2. f. 1.
round-stalked. ——— 1790. ——— F. 4. ——— 1790. t. 2. f. 2.

THAMNOCHORTUS. B.P. THAMNOCHORTUS. Diœcia Triandria.

- forked. C. B. S. 1816. 6. 8. F. 4. Rottb. gram. t. 2. f. 1.

ROPE-GRASS. Diœcia Triandria. L.

- southern. V. Diem. Isl. 1812. 4. 6. F. 4. Rottb. gram. 10. t. 3. f. 2.

slender. N. S. W. 1823. 6. 8. F. 4.

- thatch. C. B. S. 1793. 5. 6. F. 4. Rottb. gram. t. 1. f. 2.

sheathed. ——— 1816. ——— F. 4.

- crowded. N. S. W. 1824. ——— F. 4. Rottb. gram. t. 2. f. 3.

twiggy. C. B. S. 1816. ——— F. 4.

- panicled. ——— ——— F. 4. ——— ——— t. 2. f. 3.

side-flowering. N. S. W. 1819. ——— F. 4.

- four-leaved. ——— 1825. ——— F. 4. Labil. nov. hol. 2. t. 228.
—— ——— 2. t. 226.

ORDO CXIV.

CYPERACEÆ. *Brown prodr. 1. p. 212.***CAREX. L.**

- 1 dioica. w.
2 Davalliana. w.
3 pauciflora. E.B.
4 pyrenaica. s.s.
5 pulicaris. E.B.
6 Fraserialana. H.K.
7 cyperoides. s.s.
8 foetida. s.s.
9 incurva. E.B.
10 stenophylla. s.s.

SEDGE. Monœcia Triandria. L.

- dicccious. Britain. 5. 6. H. 4. Eng. bot. 543.
Davall's. ——— H. 4. ——— 2123.
few-flowered. ——— 6. H. 4. ——— 2041.
Pyrenean. Pyrenees. 1816. ——— H. 4. Eng. bot. 1051.
Flea. Britain. 6. 7. H. 4. Botan. magaz. 1391.
Fraser's. N. America. 1809. 4. 6. H. 4. Schk. caric. t. A. f. 5.
Bohemian. Bohemia. 1801. 6. 7. H. 4. ——— t. Hh. f. 96.
stinking. Switzerland. 1791. 7. 8. H. 4. Eng. bot. 927.
curved. Scotland. ——— H. 4. Schk. caric. t. G. f. 32.
slender-leaved. Europe. 1824. ——— H. 4. ———

CYPERACEÆ.

11	chordorrhiza, s.s.	creeping-root'd.	Germany.	1824.	7.	S.	H. 4.	Schk. caric. t. G. f. 31.
12	stellulata, E.B.	little prickly.	Britain.	5.	6.	H. 4.	Eng. bot. 806.
13	rosea, s.s.	Rose.	N. America.	1812.	—	—	H. 4.	Schk. caric. Zzz. f.179.
14	foenea, s.s.	short-spiked.	—	1819.	—	—	H. 4.	
15	muricata, E.B.	greater prickly.	Britain.	—	—	H. 4.	Eng. bot. 1097.
16	brizoides, s.s.	Briza-like.	Germany.	1815.	5.	7.	H. 4.	Host. gram. 36. t. 47.
17	argyroglochin, s.s.	silver-spiked.	—	1823.	—	—	H. 4.	Schk. caric. t. Xxx. f.174
18	straminea, s.s.	slender-stalked.	N. America.	1803.	6.	7.	H. 4.	— t. Hhh. f.132.
19	stipata, s.s.	sharp-scaled.	—	1820.	—	—	H. 4.	Host. gram. 1. t. 46.
20	Schreberi, s.s.	Schreber's.	Germany.	1800.	—	—	H. 4.	Eng. bot. 306.
21	ovalis, E.B.	oval-spiked.	Britain.	—	—	H. 4.	— 1386.
22	curta, E.B.	white.	—	6.	—	H. 4.	— 1096.
23	divisa, E.B.	bracteated.	—	5.	7.	H. 4.	Schk. caric. t. Lll. f.142.
24	sparcianooides, s.s.	Sparganium-like.	N. Amer.	1822.	—	—	H. 4.	Eng. bot. 928.
25	arenaria, E.B.	sand.	Britain.	—	6.	H. 4.	— 2042.
26	intermedia, E.B.	soft brown.	—	5.	7.	H. 4.	Host. gram. 1. t. 45.
27	schœnoides, w.	Schœnus-like.	Austria.	1819.	—	—	H. 4.	Schk. caric. t. Yyy. f.177
28	lagopodioides, w.	Hare's-foot.	N. America.	1805.	6.	7.	H. 4.	Eng. bot. 1920.
29	elongata, E.B.	elongated.	England.	5.	6.	H. 4.	— 832.
30	remota, E.B.	remote.	Britain.	—	—	H. 4.	— 993.
31	axillaris, E.B.	axillary.	England.	—	—	H. 4.	— 629.
32	divulsa, E.B.	gray.	Britain.	5.	—	H. 4.	Eng. bot. 307.
33	nemorosa, s.s.	shady wood.	Germany.	5.	7.	H. 4.	Schk. caric. t. Xxx. f.175
34	vulpina, E.B.	great spiked.	Britain.	5.	8.	H. 4.	— t. Lll. f.144.
35	appressa, B.P.	close-spiked.	N. S. W.	1802.	—	—	F. 4.	— t. E. f. 21.
36	inversa, B.P.	inversed.	—	1820.	—	—	F. 4.	Eng. bot. 1065.
37	scoparia, w.	broom.	N. America.	1812.	6.	7.	H. 4.	— 1064.
38	multiflora, w.	many-flowered.	—	1819.	—	—	H. 4.	Schk. caric. t. P. f.104.
39	paradoxa, w.	paradoxical.	Germany.	—	—	—	H. 4.	— t. S. f. 66.
40	teretiuscula, E.B.	lesser-panicked.	Britain.	5.	6.	H. 4.	Eng. bot. 927.
41	paniculata, E.B.	great paniced.	England.	6.	7.	H. 4.	Sch. car. t. Aaaa. f.181.
42	tenella, E.F.	slender.	Scotland.	6.	—	H. 4.	— t. Ggg. f.131.
43	norvegica, w.	Norway.	Norway.	1823.	—	—	H. 4.	Schk. caric. t. Ppp. f.155
44	atratia, E.B.	black.	Britain.	6.	7.	H. 4.	— t. X. f. 76.
45	bicolor, w.	two-coloured.	Switzerland.	1823.	—	—	H. 4.	— t. Aaa. f.97.
46	pedunculata, w.	peduncled.	N. America.	—	—	—	H. 4.	Eng. bot. 2124.
47	longifolia, B.P.	long-leaved.	N. S. W.	—	—	—	F. 4.	— 615.
48	thuriniagiaca, w.	Thuringian.	Hungary.	—	—	—	H. 4.	Schk. caric. t. U. f.70.
49	Buxbaumii, w.	Buxbaum's.	S. Europe.	1819.	5.	6.	H. 4.	Eng. bot. 885.
50	glareosa, w.	narrow-leaved.	Norway.	—	—	—	H. 4.	Schk. caric. t. F. f.29.
51	clandestina, E.B.	dwarf silvery.	Britain.	5.	—	H. 4.	Schk. caric. t. I. f. 42.
52	digitata, E.B.	fingered.	England.	5.	6.	H. 4.	Eng. bot. 1099.
53	plantaginea, w.	broad-leaved.	N. America.	1805.	—	—	H. 4.	— 2046.
54	pilulifera, E.B.	round-headed.	Britain.	4.	6.	H. 4.	— 833.
55	montana, s.s.	mountain.	Europe.	1819.	5.	6.	H. 4.	— 1294.
	collina, w.							— 1773.
56	ciliata, w.	fringed.	Germany.	—	—	—	H. 4.	Host. gram. 1. t. 59.
57	præcox, E.B.	vernal.	Britain.	4.	—	H. 4.	Eng. bot. 2293.
58	tomentosa, E.B.	downy-fruited.	England.	6.	—	H. 4.	Schk. caric. t. M. f. 48.
59	extensa, E.B.	long-bracted.	Britain.	—	—	H. 4.	— t. I. f. 40.
60	flava, E.B.	yellow.	—	5.	6.	H. 4.	Eng. bot. 2047.
61	Œderi, E.B.	Œder's.	England.	6.	7.	H. 4.	— 2045.
62	alba, w.	bristle-leav'd.	Germany.	1819.	—	—	H. 4.	— 1507.
63	Mielichhoferi, E.B.	loose-spiked.	Scotland.	7.	8.	H. 4.	— 914.
64	ferruginea, w.	ferruginous.	Europe.	1820.	6.	8.	H. 4.	Schk. caric. t. G. f. 35.
65	saxatilis, w.	rock.	N. Europe.	—	—	—	H. 4.	Host. gram. 1. t. 71.
66	rigida, E.B.	rigid.	Britain.	6.	7.	H. 4.	— 1. t. 69.
67	pulla, E.B.	russet.	Scotland.	7.	—	H. 4.	Schk. caric. t. Vvv. f.169.
68	cæspitosa, E.B.	tufted bog.	Britain.	5.	6.	H. 4.	— t. Fff. f.128.
69	stricta, E.B.	straight-leaved.	—	4.	5.	H. 4.	Eng. bot. 1235.
70	alpestris, w.	Alpine.	Europe.	1804.	5.	6.	H. 4.	— 1234.
71	nitida, w.	glossy.	Austria.	1805.	—	—	H. 4.	— 1295.
72	umbrosa, w.	shade.	—	1818.	6.	7.	H. 4.	
73	granularis, w.	grain-seeded.	N. America.	1807.	—	—	H. 4.	
74	anceps, w.	two-edged.	—	1805.	7.	8.	H. 4.	
75	demissa, s.s.	low.	Norway.	1825.	—	—	H. 4.	
76	binervis, E.B.	green-ribbed.	Britain.	6.	—	H. 4.	
77	distantans, E.B.	loose.	—	—	—	H. 4.	
78	fulva, E.B.	tawny.	—	—	6.	H. 4.	

79 <i>Michelii</i> . w.	<i>Micheli's</i> .	Europe.	1818.	6. 7. H. ¼.	Host. gram. I. t. 72.
80 <i>pendula</i> . E.B.	great pendulous.	Britain.	5. 6. H. ¼.	Eng. bot. 2315.
81 <i>strigosa</i> . E.B.	loose pendulous,	—	H. ¼.	— 994.
82 <i>depauperata</i> . E.B.	starved-wood.	England.	6. 7. H. ¼.	— 1098.
83 <i>pilosa</i> . s.s.	hairy.	Germany.	1819.	—	Schk. caric. t. M. f.49.
84 <i>panicea</i> . E.B.	Pink-leaved.	Britain.	5. 7. H. ¼.	Eng. bot. 1505.
85 <i>oligocarpa</i> . w.	few-seeded.	N.America.	1825.	—	Schk. caric. t. Vvv. f.178
86 <i>rostrata</i> . w.	beaked.	—	1818.	—	— t. Hhh. f.134.
87 <i>conglobata</i> . w.	globular-fruit'd.	Hungary.	—	H. ¼.	
88 <i>sylvatica</i> . E.B.	wood.	Britain.	5. 6. H. ¼.	Eng. bot. 995.
<i>Drimaea</i> . w.					
89 <i>Pseudocyperus</i> . w.	Bastard Cypress.	—	6. 7. H. ¼.	Eng. bot. 242.
90 <i>junccea</i> . s.s.	rush-like.	N.America.	1823.	—	
91 <i>pallescens</i> . E.B.	pale.	Britain.	4. 6. H. ¼.	Eng. bot. 2185.
92 <i>limosa</i> . E.B.	green and gold.	—	6. H. ¼.	— 2043.
93 <i>rariflora</i> . E.B.	loose-flowered.	Scotland.	—	H. ¼.	— 2516.
94 <i>capillaris</i> . E.B.	capillary.	Britain.	7. 8. H. ¼.	— 2069.
95 <i>lævigata</i> . E.B.	smooth-stalked.	—	5. 6. H. ¼.	— 1387.
96 <i>ustulata</i> . E.B.	scorchedalpine.	Scotland.	6. 7. H. ¼.	— 2404.
97 <i>flexuosa</i> . w.	bending.	N.America.	1807.	—	Schk. car. t. Ddd. f.124.
98 <i>recurva</i> . E.B.	glaucous heath.	England.	—	5. 6. H. ¼.	Eng. bot. 1506.
<i>β Micheliana</i> . E.B.	smooth-fruited.	—	—	H. ¼.	— 2236.
99 <i>nutans</i> . w.	nodding.	Austria.	1815.	6. 7. H. ¼.	Host. gram. I. t. 83.
100 <i>acuminata</i> . w.	taper-pointed.	Istria.	1819.	—	— 1. t. 97.
101 <i>hirta</i> . E.B.	hairy.	Britain.	5. 6. H. ¼.	Eng. bot. 685.
102 <i>filiformis</i> . E.B.	slender-leaved.	—	6. 7. H. ¼.	— 904.
103 <i>acuta</i> . E.B.	slender-spiked.	—	5. 6. H.w. ¼.	— 580.
104 <i>paludosa</i> . E.B.	lesser common.	—	H.w. ¼.	— 807.
105 <i>riparia</i> . E.B.	great common.	—	4. 6. H.w. ¼.	— 579.
106 <i>vesicaria</i> . E.B.	short-spiked.	—	5. 6. H. ¼.	— 779.
107 <i>ampullacea</i> . E.B.	slender-beak'd.	—	H. ¼.	— 780.
108 <i>bullata</i> . w.	blistered.	N.America.	1811.	6. H. ¼.	Schk. caric. Uuu. f.166.
109 <i>hordeiformis</i> . w.	Barley-like.	France.	1805.	6. 7. H. ¼.	
110 <i>crinita</i> . w.	haired.	N.America.	1807.	—	Schk. caric. t. Eee. f.125
111 <i>aquatalis</i> . w.	water.	Lapland.	1819.	—	
112 <i>secaliua</i> . w.	rye-like.	Europe.	1820.	—	Schk. caric. t. Ddd. f.121
113 <i>salina</i> . w.	salt marsh.	Norway.	6. H. ¼.	
KOBRESIA. W.		KOBRESIA. Monœcia Triandria. W.			
<i>caricina</i> . w.	Carex-like.	Britain.	8. H. ¼.	Eng. bot. 1410.
<i>Schænus monoicus</i> . E.B.	<i>Carex hybrida</i> . s.s.				
SCLERIA. W.		SCLERIA. Monœcia Triandria. W.			
1 <i>hirtella</i> . w.	hairy.	N.America.	1822.	6. 7. H. ¼.	
2 <i>ciliata</i> . w.	fringed.	—	1823.	—	H. ¼.
SCHEGENUS. B.P.	Bog-RUSH.	Triandria Monogynia. L.			
1 <i>nigricans</i> . w.	black.	Britain.	7. H.w. ¼.	Eng. bot. 1121.
1 <i>mucronatus</i> . R.S.	clustered.	S. Europe.	1781.	4. 5. H.w. ¼.	Flor. græc. I. t. 43.
3 <i>imberbis</i> . B.P.	beardless.	N. S. W.	1818.	4. 5. F. ¼.	
4 <i>melanostachys</i> . B.P.	black-spiked.	—	1822.	6. 8. F. ¼.	
CHÆTOSPORÆ. B.P.	CHÆTOSPORÆ.	Triandria Monogynia. S.S.			
1 <i>ferruginea</i> . s.s.	brown.	Switzerland.	1818.	7. 8. H.w. ¼.	Host. gram. 4. t. 71.
<i>Schænus ferrugineus</i> . R.S.					
2 <i>turbinata</i> . B.P.	turbinate.	N. S. W.	1822.	—	F. ¼.
LEPIDOSPERMA. B.P.	LEPIDOSPERMA.	Triandria Monogynia. S.S.			
1 <i>gladiata</i> . B.P.	flat-stemmed.	N.Holland.	1819.	7. 8. F.w. ¼.	Lab. nov. hol. 1. t. 12.
DULICHIUM. P.S.	DULICHIUM.	Triandria Monogynia. S.S.			
<i>spathaceum</i> . P.S.	sheathed.	N.America.	1818.	7. 8. H.w. ¼.	Pluk. alm. t. 301. f. 1.
RHYNCHOSPORÆ. R.S.	RHYNCHOSPORÆ.	Triandria Monogynia. S.S.			
1 <i>alba</i> . R.S.	white headed.	Britain.	8. H.w. ¼.	Eng. bot. 985.
<i>Schænus albus</i> . E.B.					
2 <i>fusca</i> . R.S.	brown-headed.	—	H.w. ¼.	Eng. bot. 1575.
3 <i>distans</i> . Ph.	filiform-leaved.	N.America.	1820.	7. 8. H.w. ¼.	
4 <i>comata</i> . R.S.	leafy.	Brazil.	—	S.w. ¼.	
CLADIUM. B.P.	CLADIUM.	Diandria Monogynia. S.S.			
1 <i>Mariscus</i> . B.P.	prickly.	England.	7. 8. H.w. ¼.	Eng. bot. 950.
<i>Schænus Mariscus</i> . E.B.	<i>Mariscus germanicus</i> . R.S.				
2 <i>glomeratum</i> . B.P.	close-headed.	N. S. W.	1819.	—	F.w. ¼.
3 <i>juncceum</i> . B.P.	rushy.	—	1823.	—	F.w. ¼.
4 <i>schienoides</i> . B.P.	Bogrush-like.	—	—	F.w. ¼.	Lab. nov. hol. 1. t. 18.
	<i>Schænus acutus</i> . Lab.				

FIMBRISTYLIS. B.P.	FIMBRISTYLIS.	Triandria Monogynia.	R.S.
1 annua. R.S.	annual.	S. Europe.	1818. 7. 9. H.w.○. Host. gram. 3. t. 63.
2 puberula. R.S.	pubescent.	N. America.	1820. 7. 8. H.4.
3 dichotoma. R.S.	forked.	E. Indies.	1817. 7. 9. S.w.○. Rottb. gram. t. 13. f.1.
ABILDGAARDIA. B.P.	ABILDGAARDIA.	Triandria Monogynia.	R.S.
1 monostachya. B.P.	one-spiked.	W. Indies.	1819. 6. 8. S.4. Sloan. jam. 1. t. 79. f.2.
ELEOCHARIS. B.P.	ELEOCHARIS.	Triandria Monogynia.	R.S.
1 acuta. B.P.	acute-scaled.	N. S. W.	1819. 7. 8. F.w.4.
2 geniculata. R.S.	jointed.	America.	— — — F.w.4. Sloan. hist. 1. t. 83. f.3.
3 palustris. R.S.	marsh.	Britain.	— — — 7. H.w.4. Eng. bot. 131.
<i>Scirpus palustris.</i> E.B.			
4 ovata. R.S.	ovate.	Germany.	1818. 7. 8. H.w.4. Host. gram. 3. t. 56.
5 multicaulis. E.F.	many-stalked.	Britain.	— — — 7. H.w.4. Eng. bot. 1187.
<i>Scirpus multicaulis.</i> E.B.			
6 acicularis. R.S.	upright needle.	— — —	— — — H.w.4. Eng. bot. 749.
7 obtusa. R.S.	obtuse-scaled.	N. America.	1818. 7. 8. H.w.4.
8 glaucescens. R.S.	glaucous.	— — —	— — — H.w.4.
9 tenuis. R.S.	slender.	— — —	— — — H.w.4.
ISOLEPIS. B.P.	ISOLEPIS.	Triandria Monogynia.	R.S.
1 fluitans. R.S.	floating.	Britain.	— — — 7. 8. H.w.4. Eng. bot. 216.
<i>Scirpus fluitans.</i> E.B.			
2 gracilis.	knotted.	N. Holland.	1820. — — — G.w.4. Rottb. gram. 52. t. 8. f.3.
<i>nodosa.</i> B.P. <i>Scirpus gracilis.</i> L.T. 10. t. 15. f.2.			
3 setacea. R.S.	bristle-like.	Britain.	— — — 7. 8. H.w.○. Eng. bot. 1693.
4 Holoschoenus. R.S.	round-headed.	— — —	— — — H.w.4. — — — 1612.
5 romana. R.S.	Roman.	S. Europe.	— — — H.w.4. Jacq. aust. 5. t. 448.
6 complanata. R.S.	flat-stemmed.	E. Indies.	1823. — — — S.w.4.
SCIRPUS. B.P.	CLUB-RUSH.	Triandria Monogynia.	L.
1 cæspitosus. E.B.	scaly-stalked.	Britain.	— — — 7. H.w.4. Eng. bot. 1029.
2 pauciflorus. E.B.	chocolate-headed.	— — —	— — — 8. H.w.4. — — — 1122.
<i>Baeothryon.</i> R.S.			
3 mucronatus. R.S.	mucronated.	— — —	— — — H.w.4. Scheuch. agr. t. 9. f.14.
4 Luzulae. R.S.	clustered.	E. Indies.	1776. 7. 9. S.w.4.
5 lacustris. E.B.	tall.	Britain.	— — — 7. H.w.4. Eng. bot. 666.
6 glaucus. E.B.	glaucous.	England.	— — — 7. 8. H.w.4. — — — 2321.
7 cariciinus. s.s.	compressed.	Britain.	— — — 7. H.w.4. — — — 791.
<i>Schoenus compressus.</i> E.B.			
8 rufus. s.s.	rusty.	— — —	— — — 6. 7. H.w.4. Eng. bot. 1010.
<i>Schoenus rufus.</i> E.B.			
9 triquetus. E.B.	triangular.	England.	— — — 8. H.w.4. Eng. bot. 1694.
10 carinatus. E.B.	blunt-edged.	— — —	— — — 7. 8. H.w.4. — — — 1983.
11 maritimus. E.B.	salt marsh.	Britain.	— — — 7. 9. H.w.4. — — — 542.
12 sylvaticus. E.B.	wood.	— — —	— — — H.w.4. — — — 919.
13 radicans. R.S.	rooting.	Germany.	— — — H.w.4. Schk. in Ust. an. 4. t. 1.
14 atrovirens. R.S.	dark-green.	N. America.	1818. — — — H.w.4.
15 quinquangularis. R.S.	five-angled.	E. Indies.	1823. — — — S.w.4.
CYPERUS. L.	CYPERUS.	Triandria Monogynia.	L.
1 Aitonii. R.S.	Aiton's.	C. B. S.	— — — 6. 8. G.w.4.
2 articulatus. R.S.	jointed.	S. America.	1820. — — — S.w.4. Sloan. hist. 1. t. 81. f.1.
3 viscosus. R.S.	clammy.	Jamaica.	1781. 5. 8. S.w.4. Jacq. ic. 2. t. 295.
4 tenellus. R.S.	slender.	C. B. S.	1819. 7. 9. H.○.
5 mucronatus. R.S.	pointed.	Levant.	— — — F.w.4. Flor. græc. 1. t. 49.
6 pannonicus. R.S.	dwarf.	Hungary.	1781. 7. 8. H.○. Jacq. aust. ap. t. 6.
7 brizæus. R.S.	Briza-like.	W. Indies.	1824. — — — S.w.4.
8 alternifolius. R.S.	alternate-l.d.	Madagascar.	1781. — — — S.w.4. Jacq. ic. 2. t. 298.
9 elegans. R.S.	elegant.	Jamaica.	1801. 5. 9. S.δ. Sloan. jam. 1. t. 75. f.1.
10 compressus. R.S.	compressed.	S. America.	1819. — — — S.w.4. Rottb. gram. t. 9. f. 3.
11 vegetus. R.S.	smooth.	America.	1790. — — — G.w.4. Jacq. vind. 3. t. 12.
<i>compressus.</i> Jacq. non W.			
12 Luzulae. R.S.	compact.	W. Indies.	— — — S.w.4. Rottb. gram. t. 13. f.2.
<i>polycephalus.</i> Lam. non L.en.			
13 paniculatus. R.S.	panicked.	— — —	— — — 1804. 5. 7. S.w.4.
14 flavescens. R.S.	yellowish.	Germany.	1776. 6. 9. F.w.4. Flor. græc. t. 47.
15 fuscus. R.S.	brown.	England.	1777. 7. 9. H.○. Host. gram. 3. t. 73.
16 conglomeratus. R.S.	many-flowered.	Java.	1820. 5. 9. S.w.4. Rottb. gram. t. 15. f.7.
17 erubescens. L.en.	blush.	— — —	— — — S.w.4.
18 australis. R.S.	southern.	S. Europe.	— — — H.○. Seguier. veron. 3.t.2.f.2.
19 esculentus. R.S.	Rush-nut.	— — —	— — — 1597. 7. H.4. Host. gram. 3. t. 75.
20 Hydra. M.	American.	N. America.	1812. — — — H.4.

21	Pangorei.	R.S.	Ceylon.		1823.	7. 9.	S.w. 4.	Rottb. gram. t. 7. f. 3.
22	badius.	R.S.	saw-leaved.	Algiers.	1800.	—	F.w. 4.	Desf. atl. 1. t. 7. f. 2.
23	patulus.	R.S.	spreading.	Hungary.	1818.	—	H.w. 4.	Host. gram. 3. t. 74.
24	longus.	E.B.	sweet.	England.	•••	7.	H.w. 4.	Eng. bot. 1309.
25	tenuiflorus.	R.S.	slender-flower'd.	S. Europe.	1818.	7. 8.	H.w. 4.	Jacq. ic. 2. t. 296.
26	Monti.	R.S.	spreading-spiked.	—	—	—	H.w. 4.	Host. gram. 4. t. 67.
27	Paramatta.	R.S.	tuberous-root'd.	—	—	—	H.w. 4.	
28	strigosus.	R.S.	bristle-spiked.	W. Indies.	1786.	7. 9.	S.w. 4.	
29	Iria.	R.S.	tall.	E. Indies.	1802.	7.	S.w. 4.	Rheed. mal. 12. t. 56.
30	distans.	R.S.	distant.	W. Indies.	1820.	7. 8.	S.w. 4.	Jacq. ic. t. 299.
31	fastigiatus.	R.S.	lofty.	E. Indies.	1800.	5. 8.	S.w. 4.	Rottb. gram. t. 7. f. 2.
32	alopecuroides.	R.S.	fox-tailed.	C. B. S.	1804.	—	G.w. 4.	— 38. t.s. f. 2.
33	cruentus.	R.S.	purple-spotted.	Arabia.	1820.	—	S.w. 4.	— 21. t. 5. f. 1.
34	glomeratus.	R.S.	round-headed.	Italy.	1804.	—	H. 4.	
35	polypephalus.	L.en.	many-headed.	S. Europe.	1819.	6. 8.	H.w. 4.	
36	polystachyos.	R.S.	many-spiked.	E. Indies.	—	—	S.w. 4.	Rottb. gram. t. 11. f. 1.
37	diiformis.	R.S.	deformed.	—	—	—	S.w. 4.	— t. 9. f. 2.
38	protractus.	L.en.	protracted.	Egypt.	1820.	—	H. 4.	Delil. æg. 152. t. 5. f. 3.
39	dives.	S.S.	large-bracted.	—	—	7.	H. 4.	
PAPYRUS. S.S.			PAPER-RUSH.	Triandria Monogynia. S.S.				
1	antiquorum.	S.S.	common.	Egypt.	1802.	7. 9.	S.w. 4.	Michel. gen. pl. t. 19.
<i>Cyperus Papirus.</i> R.S.								
2	laxiflorus.	S.S.	loose-flowered.	Madagascar.	1822.	—	S.w. 4.	
3	odoratus.	S.S.	fragrant.	W. Indies.	1819.	—	S.w. 4.	Rudg. gui. 17. t. 20.
MARISCUS. R.S.			MARISCUS.	Triandria Monogynia. R.S.				
1	aggregatus.	R.S.	clustered.	—	1820.	7. 9.	S.w. 4.	
2	levius.	B.P.	smooth.	N. S. W.	1819.	6. 8.	G.w. 4.	
3	ovularis.	R.S.	oval-spiked.	Carolina.	1818.	—	F.w. 4.	Pluk. alm. t. 91. f. 4.
4	umbellatus.	R.S.	umbelled.	E. Indies.	1789.	—	S.w. 4.	Rottb. gram. t. 4. f. 2.
5	elatus.	R.S.	tall.	—	1805.	—	S.w. 4.	Jacq. ic. 2. t. 300.
6	confexus.	L.en.	contracted.	Brazil.	1819.	7. 8.	S.w. 4.	
KYLLINGA. W.			KYLLINGA.	Triandria Monogynia. L.				
1	monocephala.	R.S.	one-headed.	India.	1793.	6. 7.	S.w. 4.	Rottb. gram. t. 4. f. 4.
2	intermedia.	B.P.	intermediate.	N. S. W.	1822.	—	G.w. 4.	
3	triceps.	R.S.	three-headed.	E. Indies.	1776.	9. 11.	S.w. 4.	Rottb. gram. t. 4. f. 6.
4	uncinata.	L.en.	hook-seeded.	Brazil.	1820.	7. 8.	S.w. 4.	
5	polyccephala.	L.en.	many-headed.	—	—	—	S.w. 4.	
FUIRENA. B.P.			FUIRENA.	Triandria Monogynia. L.				
	umbellata.	R.S.	umbelled.	W. Indies.	1822.	6. 8.	S.w. 4.	Rottb. gram. t. 19. f. 3.
ELYNA. R.S.			ELYNA.	Triandria Monogynia. R.S.				
	spicata.	R.S.	simple-spiked.	Europe.	1819.	6. 8.	H.w. 4.	Vill. delph. 2. t. 6.
	<i>Carex Bellardi.</i>	Hort. gram. 4. t. 77.						
TRICHOPHORUM. P.S.			TRICHOPHORUM.	Triandria Monogynia. P.S.				
1	cyperinum.	P.S.	cyperine.	N.America.	1802.	5. 9.	H.w. 4.	Pluk. mant. t. 419. f. 3.
2	alpinum.	P.S.	Alpine.	Scotland.	•••	7.	H.w. 4.	Eng. bot. 311.
	<i>Eriophorum alpinum.</i>	E.B.						
ERIOPHORUM. L.			COTTON-GRASS.	Triandria Monogynia. L.				
1	vaginatum.	E.B.	Hare's-tail.	Britain.	•••	3. 4.	H.w. 4.	Eng. bot. 873.
2	capitatum.	E.B.	round-headed.	Scotland.	•••	8. 9.	H.w. 4.	— 2387.
3	gracile.	E.B.	slender.	—	•••	7. 8.	H.w. 4.	— 2402.
4	angustifolium.		narrow-leaved.	Britain.	•••	4. 5.	H.w. 4.	— 564.
5	virginicum.	R.S.	Virginian.	N.America.	1802.	5. 8.	H.w. 4.	Pluk. alm. t. 299. f. 4.
6	polystachion.	E.B.	broad-leaved.	Britain.	•••	4.	H.w. 4.	Eng. bot. 563.
7	pubescens.	E.F.	pubescent.	—	•••	4. 5.	H.w. 4.	

ORDO CXCV.GRAMINEÆ. *Juss. gen. p. 28.*

NARDUS. R.S.

stricta. E.B.

ORYZOPSIS. M.

asperifolia. M.

MAT-GRASS. *Triandria Monogynia. L.*

upright. Britain. ••• 6. 7. H.w. 4. Eng. bot. 290.

ORYZOPSIS. *Triandria Monogynia. R.S.*

rough-leaved. N.America. 1822. 7. 8. H. 4. Mich. amer. 1. t. 9.

LYGEUM. R.S.	LYGEUM.	Triandria Monogynia, L.		
Spartum, r.s.	rush-leaved.	Spain. 1776. 5. 6. H. 4.		Schreb. gram. t. 52.53.
CORNUCOPIÆ. R.S.	HORN OF PLENTY.	Triandria Monogynia, L.		
cucullatum, R.S.	hooded.	Levant. 1788. 8. H. 4.		Flor. græc. I. t. 51.
CENCHRUS. R.S.	CENCHRUS.	Triandria Monogynia, L.		
1 tribuloides, R.S.	spinous.	N. America. 1818. 5. 8. H. 4.		Sloan. hist. I. t. 65. f. 1.
2 echinatus, R.S.	rough-spiked.	W. Indies. 1691. 8. 12. S. 3.		Cavan. ic. 5. p. 39. t. 462.
3 australis, B.P.	New Holland.	N. S. W. 1822. 6. 8. H. 4.		
PENNISETUM. R.S.	PENNISETUM.	Triandria Monogynia, R.S.		
1 setosum, R.S.	setose.	W. Indies. 1804. 7. 8. H. 4.		Rumph. amb. 6. t. 7. f. 2.
2 polystachyum, R.S.	many-spiked.	E. Indies. — — — H. 4.		Giseck. ic. 1. t. 23.
3 cenchroides, R.S.	ciliated.	C. B. S. 1777. 7. 8. H. 4.		
<i>Cenchrus ciliaris</i> , L.				
4 orientale, R.S.	oriental.	Levant. 1819. — — F. 4.		
5 compressum, B.P.	flat-stemmed.	N. S. W. 1820. — — H. 4.		
6 holcoides, R.S.	Holcus-like.	E. Indies. 1823. — — S. 4.		
<i>Panicum holcoides</i> , F.I.				
7 barbatum, R.S.	bearded.	— — — — — S. 4.		
8 dichotomum, R.S.	forked.	Egypt. 1824. — — H. 4.		Delil. ægyp. t. 8. f. 3.
9 nepalense, s.s.	Nepaul.	Nepaul. 1822. — — H. 4.		
PENICILLARIA. R.S.	PENICILLARIA.	Polygamia Monœcia, W.		
1 spicata, R.S.	spiked.	E. Indies. 1592. 6. 7. H. 4.		Pluk. alm. t. 32. f. 4.
2 alopecuroides.	Fox-tail.	Jamaica. 1739. 7. 10. H. 4.		— — — t. 92. f. 5.
<i>ciliata</i> , w.en. <i>cylindrica</i> , R.S. <i>Panicum alopecuroides</i> , L. <i>Alopecurus indicus</i> , L.				
SETARIA. R.S.	SETARIA.	Triandria Dignyia, R.S.		
1 sericea, R.S.	silky.	W. Indies. 1780. 5. 9. H. 4.		
2 verticillata, R.S.	rough.	England. — — — H. 4.		Eng. bot. 874.
3 viridis, R.S.	green.	— — — — — H. 4.		— — — 875.
<i>Panicum viride</i> , E.B.	<i>Pennisetum viride</i> , B.P.			
4 pumila, R.S.	dwarf.	— — — — — H. 4.		
5 macrochaeta, R.S.	long-spiked.	— — — — — H. 4.		
6 purpurascens, R.S.	purple.	S. America. 1822. — — H. 4.		
7 intermedia, R.S.	intermediate.	E. Indies. 1819. 8. 10. H. 4.		
8 Weinmanni, R.S.	Weinman's.	Teneriffe. 1816. — — H. 4.		
9 glauca, R.S.	glaucous.	S. Europe. 1771. 7. 8. H. 4.		
10 helvola, R.S.	pale red.	E. Indies. 1822. 8. 10. H. 4.		
11 erubescens, R.S.	blush.	S. America. — — — H. 4.		
12 geniculata, R.S.	jointed.	Antilles. 1805. 7. 8. H. 4.		
13 maritima, R.S.	sea-side.	— — — — — H. 4.		
14 germanica, R.S.	German.	Germany. 1548. — — H. 4.		
15 italicca, R.S.	Italian.	Italy. 1616. — — H. 4.		
<i>Panicum italicum</i> . Host. gram. 4. t. 14.	<i>Pennisetum italicum</i> , B.P.			
16 composita, R.S.	compound.	S. America. 1823. — — H. 4.		
17 cylindrica, R.S.	cylindrical.	— — — — — H. 4.		
18 setosa, R.S.	bristly.	W. Indies. 1822. — — H. 4.		
19 polystachia, R.S.	many-spiked.	Brazil. 1824. — — S. 4.		
20 tenacissima, R.S.	tough.	— — — — — H. 4.		
21 Pennisetum, R.S.	Indian.	E. Indies. 1820. 6. 8. S. 4.		
22 scandens, R.S.	climbing.	— — — — — H. 4.		
23 muricata, R.S.	sea-side.	N. America. 1819. — — H. 4.		
24 auricoma, Lk.	golden-headed.	— — — — — H. 4.		
ANTHOXANTHUM. R.S. SPRING-GRASS.	Diandria Dignyia, L.			
1 odoratum, E.B.	sweet-scented.	Britain. — — — 5. H. 4.		Eng. bot. 647.
β laxa.	loose-spiked.	— — — — — H. 4.		Loes. ic. 22.
γ pubescens.	downy-spiked.	— — — — — H. 4.		
δ ramosa.	branching-spiked.	— — — — — H. 4.		
2 amarum, R.S.	bitter.	S. Europe. 1810. 7. H. 4.		
3 gracile, R.S.	slender.	Italy. 1825. 7. 8. H. 4.		Biv. Bern. st. rar. t. 1. f. 1
4 ovatum, R.S.	oval-spiked.	Spain. 1824. — — H. 4.		
SPARTINA. R.S.	SPARTINA.	Triandria Monogynia, R.S.		
1 cynosuroides, R.S.	Dog's-tail.	N. America. 1781. 8. 9. H. 4.	Linn. fil. fasc. I. t. 9.	
<i>Dactylis cynosuroides</i> , L. <i>Trachynotis cynosuroides</i> , M. <i>Limnetis cynosuroides</i> , P.S.				
2 stricta, R.S.	upright.	Britain. — — — 8. H. 4.	Eng. bot. 380.	
<i>Dactylis stricta</i> , E.B. <i>Limnetis pungens</i> , P.S.				
3 polystachia, R.S.	many-spiked.	N. America. 1781. 8. 9. H. 4.		
4 pumila, R.S.	dwarf.	— — — — — H. 4.		
5 juncea, R.S.	rushy.	— — — — — H. 4.		
6 patens, R.S.	spreading.	— — — — — H. 4.		
7 geniculata, R.S.	jointed.	Java. 1822. — — S. 4.	Burm. ind. t. 12. f. 3.	

ZOYSIA. R.S.	ZOYSIA.	Triandria Digynia. W.		
pungens. r.s.	pungent.	E. Indies. 1819. 6. 8. S. 4.		
LEERSIA. B.P.	LEERSIA.	Triandria Digynia. W.		
1 oryzoides. s.s.	Rice-like.	S. Europe. 1793. 7. 8. H. 4.	Host. gram. 1. t. 35.	
2 virginica. s.s.	Virginian.	N. America. — — H. 4.		
3 australis. B.P.	southern.	N. S. W. 1819. — — H. 4.		
PEROTIS. R.S.	PEROTIS.	Triandria Digynia. W.		
latifolia. r.s.	broad-leaved.	E. Indies. 1777. 8. 9. S. ⊖.	Rheed. mal. 12. t. 62.	
ALOPECURUS. R.S.	FOXTAIL-GRASS.	Triandria Digynia. L.		
1 agrestis. E.B.	slender.	Britain. 7. 8. H. ⊖.	Eng. bot. 848.	
2 utriculatus. R.S.	bladdered.	Italy. 1777. — — H. ⊖.	Flor. græc. t. 63.	
3 pratensis. E.B.	meadow.	Britain. 5. H. 4.	Eng. bot. 759.	
4 nigricans. R.S.	blackish.	Europe. 1815. 6. 7. H. 4.	Jacq. ecl. gram. t. 13.	
Tauntoniensis. S.G.W.				
5 geniculatus. E.B.	floating.	Britain. 5. 8. H.w. 4.	Eng. bot. 1250.	
6 fulvus. E.B.	orange-spiked.	England. 6. H.w. 4.	——— 1467.	
7 alpinus. E.B.	Alpine.	Scotland. 5. 6. H. 4.	——— 1126.	
8 ramosus. R.S.	branching.	N. America. 1823. — — H. 4.		
9 arundinaceus. R.S.	Reed-like. 1819. — — H. 4.		
10 macrostachyos. R.S.	large-spiked.	Barbary. 1824. 6. 8. H. 4.		
11 bulbosus. E.B.	bulbosus.	England. 7. H. 4.	Eng. bot. 1249.	
12 colobochnoides. R.S.	Siberian.	Siberia. 1826. 6. 7. H. 4.		
13 Gerardii. Trin.	Gerard's.	S. Europe. 1820. 6. 8. H. 4.	Jacq. ic. t. 301.	
Phleum Gerardii. R.S.				
PHLEUM. R.S.	CAT'S-TAIL-GRASS.	Triandria Digynia. L.		
1 pratense. r.s.	common.	Britain. 7. H. 4.	Eng. bot. 1076.	
α majus. S.G.W.	greater.	——— — — H. 4.	Sinc. gr. wob. p. 195. ic.	
β minus. S.G.W.	lesser.	——— 7. 8. H. 4.	——— p. 197. ic.	
2 nodosum. w.	knotted.	——— 7. 9. H. 4.	Flor. dan. t. 380.	
3 Bertolonii. R.S.	Bertoloni's.	France. 1818. — — H. 4.		
4 alpinum. R.S.	alpine.	Scotland. 7. H. 4.	Eng. bot. 519.	
5 commutatum. R.S.	confused.	Piedmont. 1819. — — H. 4.		
6 felinum. R.S.	Grecian.	Greece. 1822. — — H. ⊖.		
7 echinatum. R.S.	hedgehog.	Dalmatia. — — 8. 9. H. ⊖.	Host. gram. 3. t. 11.	
ACHNODONTON. R.S.	ACHNODONTON.	Triandria Digynia. R.S.		
1 Bellardi. R.S.	bulbosus.	Spain. 1798. 6. 7. H. ⊖.		
Phalaris Bellardii. w. bulbosa. L.				
2 tenue. R.S.	slender.	S. Europe. 1826. — — H. ⊖.	Host. gram. t. 36.	
3 arenaria. L.en.	sand.	Britain. 6. 7. H. ⊖.	Eng. bot. 222.	
Phalaris arenaria. E.B.	Phleum arenarium. F.D. t. 915. Chilochola arenaria. R.S.		
CHILOCHLOA. R.S.	CHILOCHLOA.	Triandria Digynia. R.S.		
1 Boehmeri. R.S.	Phalaris-like.	England. 7. 9. H. 4.	Eng. bot. 459.	
Phalaris phleoides. E.B.	Phleum phalaroides. Kœl. Boehmeri. w.			
2 cuspidata. R.S.	sharp-pointed.	Tyrol. 1824. 7. 8. H. 4.	Host. gram. 4. t. 20.	
3 Michelii. L.en.	Michelii's.	Scotland. 6. 7. H. 4.	Eng. bot. 2265.	
Phleum Michelii. E.B.				
4 aspera. R.S.	rough.	England. 7. H. ⊖.	Eng. bot. 1077.	
Phleum paniculatum. E.B.	Phleum asperum. Jacq. ic. t. 14. Phalaris aspera. w.			
5 annua. R.S.	annual.	Caucasus. 1825. 7. 8. H. ⊖.		
SCHMIDTIA. S.S.	SCHMIDTIA.	Diandria Digynia. S.S.		
subtilis. s.s.	close umbellled.	Bohemia. 1824. 6. 8. H. ⊖.	Tratt. fl. aus. t. 451.	
Coleanthus subtilis. R.S.				
POLYPOGON. R.S.	POLYPOGON.	Triandria Digynia. W.		
1 monspeliensis. R.S.	chaffy.	Britain. 7. 8. H. ⊖.	Eng. bot. 1704.	
Agrostis panicea. E.B.				
2 littoralis. E.F.	sea-side.	——— 8. H. 4.	Eng. bot. 1251.	
3 maritimus. R.S.	shore.	S. Europe. 1822. — — H. ⊖.		
4 glomeratus. R.S.	clustered.	N. America. — — 7. 8. H. 4.		
5 tataricus. F.	Tartarian.	Tartary. 1825. — — H. ⊖.		
CERESIA. P.S.	CERESIA.	Triandria Digynia. P.S.		
elegans. P.S.	elegant.	Peru. 1818. 8. 9. H. 4.	Jacq. frag. t. 86.	
Paspalum membranaceum. S.S.				
PASPALUM. W.	PASPALUM.	Triandria Digynia. L.		
1 dissectum. s.s.	dissected.	S. America. 1822. 8. 10. H. ⊖.		
2 scrobiculatum. s.s.	dimpled.	E. Indies. 1778. 7. 9. S. 4.	Hout. n. his. t. 89. f. 3.	
3 stoloniferum. s.s.	purple.	Peru. 1794. — — G. 4.	Jacq. ic. 2. t. 302.	
4 paniculatum. s.s.	panicked.	W. Indies. 1782. — — S. ⊖.	Sloan. hist. I. t. 72. f. 2.	
5 virgatum. s.s.	twiggy.	——— 1822. — — S. 4.	——— 1. t. 69. f. 2.	
6 laeve. M.	smooth.	N. America. 1818. — — H. 4.	Lecompt. pasp. t. 91.	

GRAMINEÆ.

7 difforme. R.S.	deformed.		H. 4.	Lecomt.pas.t.91.p.284.
8 pusillum. R.S.	small.	St.Thomas. 1822.	S. 4.	
9 conjugatum. S.S.	conjugate.	W. Indies. —	S. 4.	Gært.fruct.2. t. 80. f.4.
10 notatum. S.S.	two-spiked.	— 1776. 7.	S. 3.	Swartz obs. t. 2. f. 1.
11 molle. S.S.	soft.	St.Thomas. 1822.	S. 4.	
12 Kora. R.S.	smooth-fl.	E. Indies. 1818. 7. 8.	S. 4.	
13 setaceum. M.	bristly.	N.America. —	H. 4.	
14 dubium. S.S.	doubtful.	—	H. 4.	
15 glabrum. S.S.	smooth.	W. Indies. 1823.	S. 4.	
16 tenellum. W.	elegant.	— 1817.	S. 4.	
elegans. S.S.				
17 laxum. R.S.	loose.	S. America. 1819.	S. 4.	
18 inaequale. L.en.	unequal-valv'd.	Manilla. 1822.	S. 4.	
AMPHIPOGON. B.P.	AMPHIPOGON.	Triandria Digynia. S.S.		
strictus. B.P.	upright.	N. S. W. 1823. 5. 6.	G. 4.	
GASTRIDIUM. R.S.	GASTRIDIUM.	Triandria Digynia. R.S.		
1 australis. R.S.	yellow.	England. 8.	H. 4.	Eng. bot. 1107.
Milium lendiferum. E.B.	beardless.	Sicily. 1819. 7. 8.	H. 4.	
2 muticum. R.S.	CHÆTURUS. Triandria Digynia. R.S.			
CHÆTURUS. R.S.	fasciculatus. R.S.	S. Europe. 1815. 7. 9.	H. 4.	
MILIUM. R.S.	MILLET-GRASS. Triandria Digynia. L.			
1 effusum. E.B.	common.	Britain. 6. 7.	H. 4.	Eng. bot. 1106.
2 verna. R.S.	vernal.	Caucasus. 1819. 4. 5.	H. 4.	
3 gallicum. R.S.	capillary.	Gallicia. —	H. 4.	
4 velutinum. R.S.	downy.	Mexico. 1823. —	H. 4.	
PIPTATHERUM. R.S.	PIPTATHERUM. Triandria Digynia. R.S.			
1 paradoxum. R.S.	black-seeded.	France. 1771. 6. 7.	H. 4.	Host. gram. 3. t. 23.
Agrostis paradoxum. L.	Milium paradoxum. w. Urachne virescens. Trin.			
2 cœrulescens. R.S.	blueish.	Barbary. 1819. —	H. 4.	Desf. atl. 1. t. 12.
3 multiflorum. R.S.	many-flowered.	S. Europe. 1778. —	H. 4.	Host. gram. 3. t. 45.
Milium arundinaceum. F.G. t. 66. Agrostis miliacea. L.				
CALAMAGROSTIS. S.S.	CALAMAGROSTIS. Triandria Digynia. S.S.			
1 epigejos. S.S.	wood.	Britain. 7.	H. 4.	Eng. bot. 403.
2 littorea. S.S.	sea-side.	Switzerland. 1824. 7. 8.	H. 4.	Schrad.fl.ger.1.t.4.f.2.
3 laxa. Host.	loose.	—	H. 4.	Host. gram. 4. t. 23.
4 glauca. R.S.	glauca.	N.America. —	H. 4.	
5 Halleriana. S.S.	Haller's.	Switzerland. 1819. —	H. 4.	Schrad. fl.ger.1.t.4.f.3.
Arundo pseudophragmites. R.S.				
6 stricta. S.S.	upright.	Scotland. 7. 8.	H. 4.	Eng. bot. 2160.
7 varia. Host.	various.	S. Europe. 1813. —	H. 4.	Host. gram. 4. t. 47.
8 acutiflora. R.S.	sharp-flowered.	Germany. 1819. —	H. 4.	
9 sylvatica. DC.	wood.	Europe. 1813. —	H. 4.	Host. gram. 4. t. 49.
arundinacea. Roth.	Agrostis arundinacea. L. pyramidalis. Host.			
10 Langsdorffii. S.S.	Langsdorff's.	— 1823. —	H. 4.	
11 confinis. S.S.	hairy-flowered.	N.America. 1820. —	H. 4.	
12 montana. Host.	mountain.	Europe. —	H. 4.	Host. gram. 4. t. 46.
13 Hostii. R.S.	Host's.	—	H. 4.	4. t. 48.
sylvatica. Host. nec aliorum.				
14 lanceolata. S.S.	common.	England. 7.	H. 4.	Eng. bot. 2159.
Arundo Calamagrostis. E.B.	Agrostis lanceolata. R.S.			
15 speciosa. Host.	beautiful.	Germany. 1813. 7. 8.	H. 4.	Host. gram. 4. t. 45.
Agrostis Calamagrostis. R.S.				
STIPA. R.S.	FEATHER-GRASS. Triandria Digynia. L.			
1 pennata. E.B.	common.	Britain. 7. 8.	H. 4.	Eng. bot. 1356.
2 tortilis. R.S.	twisted-awned.	S. Europe. 1823. —	H. 4.	Desf. atl. 1. t. 31. f. 1.
3 juncea. R.S.	rushy.	France. 1772. —	H. 4.	Flor. græc. 1. t. 85.
4 gigantea. R.S.	gigantic.	Spain. 1823. —	H. 4.	
5 capillata. R.S.	capillary.	S. Europe. —	H. 4.	
6 tenacissima. R.S.	tough.	— 1822. —	H. 4.	
7 Aristella. R.S.	awned.	Montpelier. 1806. —	H. 4.	
8 conferta. R.S.	close panicled.	— 1819. —	H. 4.	
9 sibirica. R.S.	Siberian.	Siberia. 1777. —	H. 4.	Gmel. sib. 1. t. 22.
TRICHODIUM. R.S.	WINTER-GREEN-GRASS. Triandria Digynia. R.S.			
1 caninum. R.S.	brown.	Britain. 7.	H. 4.	Eng. bot. 1856.
Agrostis canina. E.B.				
2 alpinum. R.S.	Alpine.	S. Europe. 1818. 7. 8.	H. 4.	Host. gram. 3. t. 49.
3 rupestre. R.S.	rock.	Pyrenees. —	H. 4.	— 3. t. 50.
4 neglectum. R.S.	neglected.	Hungary. 1822. —	H. 4.	

5	flavescens. R.S.	yellowish.	S. Europe. ——	H. 4.	Host. gram. 4. t. 52.
6	setaceum. R.S.	bristly.	Britain.	H. 4.	Eng. bot. 1188.
	<i>Agrostis setacea</i> . E.B.				
7	rubrum. R.S.	red.	Lapland. 1824.	H. 4.	
8	hybridum. R.S.	hybrid.	Switzerland. ——	H. 4.	
9	diffusum. L.en.	spreading. 1823.	H. 4.	
10	decumbens. R.S.	decumbent.	N. America. 1786.	6. 7. H. 4.	Fraser mon. c. ic.
11	laxiflorum. R.S.	loose-flowered. 1816.	H. 3.	Mich. amer. I. t. 8.
12	elegans. R.S.	elegant.	France. ——	7. 9. H. ⊙.	Lois journ. bot. 2.t.8.f.1.
AGROSTIS. R.S.					
1	stolonifera. R.S.	BENT-GRASS.	Triandria Digynia. R.S.		
a	<i>latifolia</i> . S.G.W.	creeping.	Britain.	7. 8. H. 4.	Eng. bot. 1532.
β	<i>angustifolia</i> . S.G.W.	<i>Fiorin grass</i>	H. 4.	Sinc. gr. wob. p.225. ic.
γ	<i>aristata</i> . S.G.W.	narrow-leaved.	H. 4.	————— p.346. ic.
δ	<i>nemoralis</i> . S.G.W.	awned.	H. 4.	————— p.345. ic.
ε	<i>palustris</i> . S.G.W.	wood.	H. 4.	
2	diffusa. R.S.	marsh.	H. 4.	
3	neglecta. R.S.	spreading.	Europe. 1816.	H. 4.	Host. gram. 4. t. 55.
4	capillaris. R.S.	neglected.	Hungary. ——	H. 4.	
5	tenella. R.S.	capillary.	S. Europe. ——	H. ⊙.	Sm. ic. ined. t. 54.
6	alba. R.S.	slender.	Switzerland. 1824.	H. 4.	Schad. fl. ger. 1.t.5.f.1.
β	<i>purpurascens</i> .	white rooted.	Britain.	7. H. 4.	Sinc. gr. wob. p.342. ic.
γ	<i>vivipara</i> .	purpleish.	H. 4.	Eng. bot. 1189.
7	<i>tenuifolia</i> . R.S.	viviparous.	H. 4.	
8	<i>patula</i> . R.S.	slender-leaved.	Caucasus. 1819.	7. 8. H. 4.	
9	<i>valentina</i> . R.S.	knotted spreading.	Switzerld. 1824.	H. 4.	
10	<i>dubia</i> . R.S.	Valentia.	Spain. ——	H. 4.	
11	<i>gigantea</i> . R.S.	doubtful.	Germany. 1818.	H. 4.	Leers fl. herb. t. 4. f. 41
12	<i>frondosa</i> . R.S.	gigantic.	Caucasus. ——	H. 4.	
13	<i>vulgaris</i> . R.S.	frondose.	Naples. 1824.	H. 4.	
14	<i>ambigua</i> . R.S.	fine.	Britain.	H. 4.	Eng. bot. 1671.
15	<i>Juressi</i> . R.S.	ambiguous.	Germany. 1820.	H. 4.	Host. gram. t. 56.
16	<i>virginica</i> . R.S.	close paniced.	H. 4.	
17	<i>Forsteri</i> . R.S.	Virginian.	N. America. ——	H. 4.	Lab. nov. holl. I. t. 23.
	<i>Avena filiformis</i> . Forst.	Forster's.	N. Zealand. 1822.	H. 4.	
18	<i>Billardieri</i> . B.P.	Labillardiere's.	N. Holland. 1806.	H. 4.	Lab. nov. holl. I. t. 31,
19	<i>plebeia</i> . B.P.	plebeian.	N. S. W. 1822.	H. 4.	
20	<i>æmula</i> . B.P.	flat-leaved. 1806.	H. 4.	
21	<i>Spica venti</i> . E.B.	silky.	England.	6. 7. H. ⊙.	Eng. bot. 951.
22	<i>pallida</i> . DC.	pale.	France. 1818.	H. ⊙.	
23	<i>interrupta</i> . R.S.	interrupted.	S. Europe. ——	H. ⊙.	Host. gram. 3. t. 48.
24	<i>purpurea</i> . R.S.	purple. 1820.	H. ⊙.	
25	<i>pauciflora</i> . R.S.	few-flowered.	Switzerland. 1824.	6. 8. H. 4.	Schrad. fl. ger. 1.t.3.f.2,
26	<i>decumbens</i> . Host.	decumbent.	Hungary. ——	H. 4.	Host. gram. 4. t. 54.
SPOROBOLUS. B.P.					
1	<i>diandrus</i> . R.S.	SPOROBOLUS.	Triandria Digynia.		
2	<i>indicus</i> . B.P.	diandrous.	E. Indies. 1820.	6. 8. S. ⊙.	
3	<i>purpurascens</i> . R.S.	Indian.	India. 1773.	8. 10. H. ⊙.	Sloan. hist. I. t. 73. f.1.
4	<i>tenacissimus</i> . L.en.	purplish.	Jamaica. 1820.	S. ⊙.	
5	<i>elongatus</i> . B.P.	tough.	W. Indies. 1801.	S. 4.	Jacq. ic. I. t. 16.
COLPODIUM. Trin.					
1	<i>Steveni</i> . Trin.	COLPODIUM.	Triandria Digynia.		
	<i>Agrostis versicolor</i> . Stev.	various-colour'd.	Caucasus. 1823.	7. 8. H. 4.	
2	<i>latifolium</i> .	broad-leaved.	Melville Isl. 1821.	H. ⊙.	
TRICHOCHLOA. Tr.					
1	<i>tenuiflora</i> .	TRICHOCHLOA.	Triandria Digynia.		
	<i>longisetu</i> . Tr.	slender-fl.	N. America. 1820.	7. 8. H. 4.	Willd. hort. ber. t. 12.
2	<i>mexicana</i> . Tr.	Mexican.	America. 1780.	6. 9. H. 4.	
3	<i>foliosa</i> . Tr.	leafy.	N. America. 1819.	7. 8. H. 4.	
	<i>Agrostis filiformis</i> . W.en.	<i>Cinna filiformis</i> . L.en.			
4	<i>sobolifera</i> . Tr.	soboliferous.	H. 4.	
5	<i>microsperma</i> . DC.	small-seeded.	Mexico. 1818.	8. 10. H. ⊙.	
6	<i>capillaris</i> . DC.	capillary.	Carolina. ——	H. 4.	
CINNA. L.					
	<i>arundinacea</i> . L.	Reed-like.	Canada. 1789.	7. H. 4.	Schreb. gram. t. 49.
KNAPPIA. E.B.					
	<i>agrestidea</i> . E.B.	KNAPPIA.	Triandria Digynia. S.S.		
	<i>Agrostis minima</i> . W.	small.	Wales.	3. 4. H. ⊙.	Eng. bot. 1127.
			<i>Chumagrostis minima</i> . R.S. <i>Sturmia verna</i> . P.S.		

COLOBACHNE. R.S.	COLOBACHNE.	Triandria Digynia. R.S.				
vaginata. r.s.	sheathed.	Levant.	1818.	4.	H. 4.	Flor. græc. t. 64.
<i>Alopecurus angustifolius.</i> f.g.	<i>Polypogon vaginatus.</i> w.					
CRYPSIS. R.S.	CRYPSIS.	Triandria Digynia. L.				
1 alopecuroides. r.s.	Foxtail-like.	Germany.	1816.	7. 8.	H. ⊙.	Host. gram. 1. t. 29.
<i>Heleocholo alopecuroides.</i> Host.						
2 schoenoides. r.s.	Schoenus-like.	S. Europe.	1783.	—	H. ⊙.	Jacq. ic. 1. t. 15.
3 aculeata. r.s.	prickly.	—	—	—	H. ⊙.	Host. gram. 1. t. 31.
LAPPAGO. W.	LAPPAGO.	Triandria Digynia. W.				
racemosa. w.	branching.	S. Europe.	1771.	7. 8.	H. ⊙.	Flor. græc. t. 101.
<i>Tragus racemosus.</i> r.s.	<i>Cenchrus racemosus.</i> L.					
MUHLENBERGIA. W.	MUHLENBERGIA.	Triandria Digynia. W.				
diffusa. r.s.	spreading.	N. America.	1816.	5. 6.	H. 4.	Schreb. gram. t. 51.
CHÆTARIA. R.S.	CHÆTARIA.	Triandria Digynia. R.S.				
1 adscensionis. r.s.	West Indian.	W. Indies.	1822.	7. 8.	S. 4.	Sloan. hist. 1. t. 2. f. 56.
<i>Aristida adscensionis.</i> w.						
2 Hystrix. r.s.	Porcupine.	E. Indies.	—	—	S. 4.	Pluk. alm. t. 191. f. 5.
3 divaricata. r.s.	spreading.	S. America.	1818.	7. 8.	G. 4.	Jacq. eclog. gram. t. 6.
4 cœrulescens. r.s.	blueish.	Canaries.	—	—	H. ⊙.	Desf. atl. t. 21. f. 2.
ARISTIDA. R.S.	ARISTIDA.	Triandria Digynia. L.				
vagans. r.s.	spreading-panicked.	N. S. W.	1820.	7. 8.	F. 4.	Cavan. ic. 5. t. 471.
HORDEUM. R.S.	BARLEY.	Triandria Digynia. L.				
1 vulgare. r.s.	spring.	Levant.	—	7.	H. ⊙.	Host. gram. 3. t. 34.
✓ β giganteum.	giant.	—	—	—	H. ⊙.	
2 coeleste. r.s.	naked-seeded.	—	—	—	H. ⊙.	Viborg cereal. t. 1.
3 nigrum. r.s.	black-seeded.	—	—	—	H. ♂.	Viborg cereal. t. 2.
4 hexastichon. r.s.	winter.	—	—	—	H. ⊙.	Flor. græc. 1. t. 98.
5 bulbosum. r.s.	bulbous.	S. Europe.	1770.	—	H. 4.	Viborg cereal. t. 3.
6 jubatum. r.s.	long-bearded.	N. America.	1782.	7. 8.	H. ♂.	
7 distichon. r.s.	common.	Tartary.	—	7.	H. ⊙.	
β imberbe. r.s.	beardless.	—	—	—	H. ⊙.	
8 nudum. r.s.	naked seeded.	—	—	—	H. ⊙.	
9 Zeocriton. r.s.	Battledore.	—	—	8.	H. ⊙.	
10 murinum. r.s.	wall.	Britain.	—	4. 8.	H. ⊙.	
11 pratense. r.s.	meadow.	—	—	6.	H. 4.	
12 scutellinum. Roth.	rye-like.	Europe.	—	—	H. ⊙.	
13 maritimum. E.B.	sea-side.	Britain.	—	6. 7.	H. ⊙.	
14 nepalense.	Nepaul.	Nepaul.	1825.	7. 8.	H. ⊙.	
15 Hystrix. r.s.	hedgehog.	Spain.	1817.	—	H. ⊙.	
ÆGOPOGON. R.S.	ÆGOPOGON.	Triandria Digynia. R.S.				
1 pusillus. r.s.	small.	S. America.	1822.	7. 8.	H. ⊙.	Cav.h.r.mad.1.t.5.f.2.
2 trisetus. r.s.	three awned.	—	—	—	H. ⊙.	————— 1.t.5.f.3.
MICROCHLOA. B.P.	MICROCHLOA.	Triandria Digynia. R.S.				
setacea. B.P.	bristly.	Tropics.	1806.	7.	H. ⊙.	Roxb. corom. 2. t. 132.
MELINIS. S.S.	MELINIS.	Triandria Digynia. S.S.				
minutiflora. s.s.	glutinous.	Brazil.	1822.	6. 7.	S. 4.	Nees Hort. ber. 54. t. 7.
<i>Tristegis glutinosa.</i> Nees.	<i>Suardia picta.</i> Schrank h. mon. 11. t. 58.					
DIGITARIA. R.S.	DIGITARIA.	Triandria Digynia. R.S.				
1 sanguinalis. r.s.	slender-spiked.	Britain.	—	8.	H. ⊙.	Eng. bot. 849.
<i>Panicum sanguinale.</i> E.B.						
2 bicornis. r.s.	two-horned.	E. Indies.	1825.	8. 9.	H. ⊙.	
3 affinis. r.s.	related.	S. America.	1820.	7. 8.	H. ⊙.	
4 egyptiaca. r.s.	Egyptian.	Egypt.	1794.	—	H. ⊙.	Jacq. obs. 3. t. 30.
5 filiformis. s.s.	filiform.	N. America.	1781.	—	H. ⊙.	
6 Roxburghii. s.s.	Roxburgh's.	E. Indies.	1823.	—	H. ⊙.	
<i>Panicum filiforme.</i> F.I.						
7 villosa. s.s.	villous.	N. America.	1781.	7. 9.	H. ⊙.	
8 glabra. r.s.	smooth.	S. Europe.	1817.	—	H. ⊙.	Schrad. germ. 1.t.3.f.6.
<i>Syntherisma glabrum.</i> Schrad.						
9 spataloides. r.s.	trailing.	N. America.	—	—	H. ⊙.	
10 ciliaris. r.s.	fringed.	S. Europe.	1804.	—	H. ⊙.	Host. gram. 4. t. 15.
11 bifloris. r.s.	two-formed.	Canaries.	1820.	—	H. ⊙.	
12 marginata. r.s.	margined.	Brazil.	1825.	—	H. ⊙.	
13 linearis. r.s.	linear-spiked.	India.	1804.	—	H. ⊙.	Burm. ind. 25. t.10. f.3.
CYNODON. R.S.	CYNODON.	Triandria Digynia. R.S.				
1 Dactylon. r.s.	creeping.	England.	—	7. 8.	H. 4.	Eng. bot. 850.
β indicus.	<i>Doob-grass.</i>	India.	1820.	—	S. 4.	Sinc.gr. wob. p.290. ic.
2 linearis. r.s.	linear-leaved.	E. Indies.	1796.	—	S. 4.	
3 stellatus. r.s.	starry.	St. Helena.	1823.	—	S. 4.	

4 præcox. r.s.	early-flow'ring. N.America. 1823.	6. 7. H. 4.	
<i>Digitaria sanguinalis.</i> M.			
PHALARIS. R.S.	CANARY-GRASS. <i>Triandria Digynia.</i> R.S.		
1 canariensis. r.s.	common. Britain. 6. 8. H.○. Eng. bot. 1310.		
2 microstachya. DC.	small-spiked. N.America. 1818. — H.○.		
3 aquatica. R.S.	water. Egypt. 1778. 6. 7. H.○. Host. gram. 2. t. 38.		
4 commutata. R.S.	changed. Italy. 1823. — H.○. Barrel. ic. 700. f. 2.		
5 capensis. R.S.	Cape. C. B. S. 1804. — H.○.		
6 bulbosa. R.S.	bulb-bearing. Spain. 1824. — H. 4.		
7 cœrulescens. R.S.	blueish. S. Europe. — — H.○. Buxb. cent. 4. t. 53.		
8 paradoxa. R.S.	paradoxical. — — H.○. Flor. græc. 1. t. 58.		
9 appendiculata. R.S.	appendaged. Egypt. 1823. — H.○.		
DIGRAPHIS. Tr.	DIGRAPHS. <i>Triandria Digynia.</i>		
1 arundinacea. Tr.	Reed-like. Britain. 7. H.w. 4. Eng. bot. 402.		
<i>Arundo colorata.</i> E.B.	<i>Phalaris arundinacea.</i> L. <i>Baldingera.</i> Fl. wet.		
β variegata.	striped-leaved. — — H. 4.		
2 americana. s.s.	American. N. America. — H. 4.		
LAGURUS. R.S.	HARE'S-TAIL-GRASS. <i>Triandria Digynia.</i> L.		
ovatus. E.B.	oval-spiked. Guernsey. 6. H.○. Eng. bot. 1334.		
ECHINOPOGON. R.S.	ECHINOPOGON. <i>Triandria Digynia.</i>		
ovatus. r.s.	ovate panicle. N.Holland. 1820. 7. 8. H. 4. Lab. nov. holl. 1. t. 21.		
<i>Agrostis ovata.</i> Lab.			
HIEROCHLOE. P.B.	HIEROCHLOE. <i>Triandria Digynia.</i> R.S.		
1 borealis. R.S.	northern. Scotland. 5. 6. H. 4. Sinc.gr.wob.p.167. ic.		
<i>Holcus odoratus.</i> F.D.	<i>repens.</i> Host. gram. 3. t. 3.		
2 australis. R.S.	southern. S. Europe. 1777. 6. 7. H. 4.		
3 fragrans. R.S.	fragrant. N.America. — — H. 4.		
CATABROSA. R.S.	CATABROSA. <i>Triandria Digynia.</i> R.S.		
1 aquatica. R.S.	water. Britain. 5. 6. H.w. 4. Eng. bot. 1557.		
<i>Aira aquatica.</i> E.B.			
2 viridula. R.S.	close-panicle. — — H.w. 4.		
3 humilis. Tr.	dwarf. Caucasus. 1824. 6. 7. H. 4.		
AIRA. R.S.	HAIR-GRASS. <i>Triandria Digynia.</i> L.		
1 flexuosa. E.B.	waved. Britain. 7. 8. H. 4. Eng. bot. 1519.		
2 versicolor. R.S.	various-color'd. S. Europe. 1823. — H. 4.		
3 caryophyllea. E.B.	silver. Britain. H.○. Eng. bot. 812.		
4 elegans. R.S.	elegant. Switzerland. 1824. — H.○. Host. gram. 4. t. 35.		
5 pulchella. R.S.	pretty. Spain. 1820. — H.○.		
6 pallens. R.S.	pale. N.America. — — H. 4.		
7 arundinacea. R.S.	Reed-like. Cumana. 1823. — — H. 4.		
8 semineutra. s.s.	doubtful. Hungary. 1819. 6. 7. H. 4.		
DESCHAMPSIA. R.S.	DESCHAMPSIA. <i>Triandria Digynia.</i> R.S.		
1 cespitosa. R.S.	turfy. Britain. 8. H. 4. Eng. bot. 1453.		
<i>Aira cespitosa.</i> E.B.			
2 Biebersteiniana.	Bieberstein's. Caucasus. 1823. 6. 8. H. 4.		
3 alpina. R.S.	Alpine. Scotland. 5. 6. H. 4. Eng. bot. 2102.		
<i>Aira lavigata.</i> E.B.	<i>alpina.</i> L. <i>Avena alpina.</i> Tr.		
4 bottnica. Tr.	bristle-leaved. Bottnia. 1824. — H. 4.		
<i>Aira bottnica.</i> R.S.			
SCHISMUS. R.S.	SCHISMUS. <i>Triandria Digynia.</i> R.S.		
1 Gouani. Tr.	Gouan's. Montpellier. 1820. 6. 7. H. 4.		
<i>Aira media.</i> Gouan.	<i>Deschampsia media.</i> R.S.		
2 marginatus. R.S.	margined. Spain. 1781. — H.○. Cavan. ic. 1. t. 44. f. 2.		
<i>Festuca calycina.</i> W.			
CORYNÉPHORUS. R.S.	CORYNÉPHORUS. <i>Triandria Digynia.</i> R.S.		
1 canescens. r.s.	canescent. England. 7. 8. H. 4. Eng. bot. 1190.		
<i>Aira canescens.</i> E.B.			
2 articulata. r.s.	jointed. S. Europe. 1824. — H. 4. Desf. atl. 1. t. 13.		
PERIBALLIA. Tr.	PERIBALLIA. <i>Triandria Digynia.</i> R.S.		
hispanica. Tr.	Spanish. Spain. 1820. 6. 7. H.○. Cavan. ic. 1. t. 44. f. 1.		
<i>Aira involucrata.</i> Cav.	<i>Airopsis involucrata.</i> R.S.		
AIROPSIS. R.S.	AIROPSIS. <i>Triandria Digynia.</i> R.S.		
1 globosa. R.S.	globe-flowered. S. Europe. 1823. 6. 8. H.○. Cavan. ic. 3. t. 274. f. 1.		
2 obtusata. R.S.	blunt-flowered. N.America. — — H. 4.		
3 brevifolia. R.S.	short-leaved. Missouri. 1818. — — H. 4.		
4 agrostidea. R.S.	Agrostis-like. S. Europe. 1823. — — H. 4. DC. ic. rar. t. 1.		
<i>Poa agrostidea.</i> DC.	<i>Aira agrostidea.</i> Lois.		
MELICA. R.S.	MELIC-GRASS. <i>Triandria Digynia.</i> L.		
1 ciliata. R.S.	ciliated. Europe. 1771. 7. H. 4. Flor. græc. 1. t. 70.		

2 nutans. R.S.	mountain.	Britain.	6. 7. H. 2.	Eng. bot. 1059.
3 uniflora. R.S.	wood.	—	5. 6. H. 2.	— 1058.
4 Bauhini. R.S.	Italian.	Italy.	1806.	6. 7. H. 2.	Host. gram. 4. t. 23.
5 pyramidalis. R.S.	pyramidal.	Barbary.	1804.	— H. 2.	Barrel. ic. t. 96. f. 1.
6 speciosa. R.S. glabra. Ph.	handsome.	N.America.	1812.	— H. 2.	Schreb. gram. t. 54.
7 altissima. R.S.	tallest.	Siberia.	1770.	7. 8. H. 2.	Host. gram. 2. t. 9.
8 sylvatica. Lk.	wood.	Europe.	1824.	— H. 2.	
MOLINIA. P.B.	MOLINIA. Triandria Digynia. R.S.	—	8. H. 2.	Eng. bot. 750.
cœrulea. P.B.	purple.	Britain.	—	H. 2.	
varia. s.s. <i>Melica cœrulea</i> . E.B.	<i>Enodium cœruleum</i> . R.S.				
DINEBA. R.S.	DINEBA. Triandria Digynia. R.S.				
1 arabica. R.S.	Arabian.	Levant.	1816.	8. 9. H. 2.	Jacq. fragm. t. 121; f. 1.
2 divaricata. R.S.	spreading.	Egypt.	1823.	— H. 2.	
WANGENHEIMIA. Tr.	WANGENHEIMIA. Triandria Digynia. R.S.				
Lima. Tr.	imbricated.	Spain.	1776.	7. 8. H. 2.	Cavan. ic. 1. t. 91.
<i>Cynosurus Lima</i> . Cav.	<i>Dineba Lima</i> . R.S.				
SACCHARUM. R.S.	SUGAR-CANE. Triandria Digynia. L.				
1 officinarum. R.S.	common.	India.	1597.	Rumph. amb. 5. t. 74. f. 1.
2 sinense. F.I.	Chinese.	China.	1822.	
3 procerum. F.I.	lofty.	E. Indies.	—	
4 violaceum. R.S.	violet-coloured.	W. Indies.	1816.	
5 caudatum. R.S.	tailed.	—	—	
6 contractum. R.S.	contracted.	S. America.	1823.	Sloan. hist. 1. t. 70. f. 1.
7 Munja. F.I.	slender.	E. Indies.	1805.	
IMPERATA. R.S.	IMPERATA. Triandria Digynia. R.S.				
1 arundinacea. R.S.	Reed-like.	N. Holland.	1820.	7. 8. F. 2.	Cyril. ic. fasc. 2. t. 11.
2 spontanea. R.S.	spontaneous.	E. Indies.	1818.	Rheed. mal. 12. t. 46.
TRICHOLÆNA. R.S.	TRICHOLÆNA. Triandria Digynia. R.S.				
micrantha. R.S.	small-flowered.	S. Europe.	1816.	7. 8. H. 2.	Jacq. ecl. gram. t. 34.
<i>Saccharum Teneriffæ</i> . Jacq.					
ERIANTHUS. R.S.	ERIANTHUS. Triandria Digynia. R.S.				
1 saccharoides. R.S.	Sugar-cane-like.	N. America.	1816.	7. 8. H. 2.	
<i>Saccharum giganteum</i> . Ph.					
2 brevibarbis. R.S.	short-bearded.	—	1822.	— H. 2.	
RIPIDIUM. Tr.	RIPIDIUM. Polygamia Monœcia. Tr.				
1 Ravennæ. Tr.	rough.	S. Europe.	1816.	7. 8. H. 2.	Host. gram. 3. t. 1.
<i>Andropogon Ravennæ</i> . Host.	<i>Saccharum Ravennæ</i> . W.				
2 strictum. Tr.	upright.	Hungary.	1802.	— H. 2.	— 2. t. 2.
<i>Saccharum adpressum</i> . Kit.	<i>Andropogon strictus</i> . Host.				
ANDROPOGON. R.S.	ANDROPOGON. Polygamia Monœcia. L.				
1 argenteus. DC.	silvery.	Mexico.	1822. G. 2.	
2 saccharoides. R.S.	Sugar-cane-like.	Jamaica.	1818.	— S. 2.	DC.h.mons. ined.t.69.
3 laguroides. R.S.	hares-tail-like.	New Spain.	1820. S. 2.	
4 hirtus. R.S.	hairy.	S. Europe.	1802.	7. 8. S. 2.	Host. gram. 4. t. 1.
5 angustifolius. R.S.	narrow-leaved.	—	1818.	— H. 2.	Jacq. aust. 4. t. 384.
6 Ischaënum. R.S.	woolly.	—	1768.	— H. 2.	Gerard.gall.p.107.t.4.
7 serratus. R.S.	saw-leaved.	Japan.	1816. G. 2.	
<i>laxus</i> . W.					
8 comosus. R.S.	tufted.	Egypt.	1824. H. 2.	
9 annulatus. R.S.	annular.	—	— S. 2.	Forsk. egyp. t. 7.
10 furcatus. R.S.	forked.	N.America.	1818.	7. 8. H. 2.	
CHRYSOPOGON. Tr.	CHRYSOPOGON. Polygamia Monœcia.				
<i>Gryllus</i> . Tr.	purple-fld.	S. Europe.	1791.	6. 7. H. 2.	Flor. græc. 1. t. 67.
<i>Andropogon Gryllus</i> . F.G.	<i>Holcus Gryllus</i> . B.P.				
POLLINIA. R.S.	POLLINIA. Polygamia Monœcia.				
1 distachya. R.S.	two-spiked.	S. Europe.	1805.	7. 8. H. 2.	Flor. græc. 1. t. 69.
2 striata. R.S.	nerve-glumed.	E. Indies.	1793.	8. S. 2.	
3 undata. R.S.	waved.	Mauritius.	1823. S. 2.	Jacq. ic. 3. t. 361.
CYMOPOGON. R.S.	CYMOPOGON. Polygamia Monœcia.				
Schœnanthus. R.S.	Lemon-grass.	E. Indies.	1786. S. 2.	Rumph. amb. 5. t. 72. f. 2.
<i>Andropogon Schœnanthus</i> . W.					
HETEROPOGON. R.S.	HETEROPOGON. Polygamia Monœcia.				
1 Allionii. R.S.	Allionii's.	S. Europe.	1816.	7. 8. H. 2.	Allion.fl.ped.t.91. f. 4.
2 contortus. R.S.	twisted.	E. Indies.	1779.	7. 9. S. 2.	Schk. hand. t. 342. f. a.
<i>Andropogon contortus</i> . W.					
APLUDA. R.S.	APLUDA. Polygamia Monœcia. L.				
aristata. R.S.	awned.	E. Indies.	1820. S. 2.	Schreb. gram. 2. t. 42.

ANATHERUM. R.S.	ANATHERUM.	Polygamia Monœcia.			
1 muricatum. R.S.	muricate.	E. Indies. 1823.	8. 4.		
<i>Andropogon muricatus.</i> Retz. <i>squarrosum.</i> W.					
2 virginicum. R.S.	Virginian.	N. America. 1819.	7. 8. H. 4.		
3 muticum. R.S.	smooth spikèd.	C. B. S. 1794.	7. 9. G. 4.	Sloan. jam. I. t. 68. f. 27	
ANTHISTIRIA. R.S.	ANTHISTIRIA.	Polygamia Monœcia. L.			
1 ciliata. R.S.	fringed.	Jamaica. 1821.	8. 10. S. ⊙.	Cavan. ic. 5. t. 459.	
2 australis. B.P.	New Holland.	N. Holland. 1818.	— F. 4.		
SORGHUM. R.S.	SORGHUM.	Polygamia Monœcia.			
1 vulgare. R.S.	Indian Millet.	India. 1596.	7. H. ⊙.	Host. gram. 4. t. 2.	
2 nigrum. R.S.	black-glumed.	—	— H. ⊙.	Ard. sag. pad. I. t. 5. f. 1.	
3 bicolor. R.S.	two-coloured.	Persia. 1731.	— H. ⊙.	Mieg. ac. helv. 8. t. 4. f. 4.	
4 cernuum. R.S.	nodding.	—	— H. ⊙.	Host. gram. 4. t. 3.	
5 rubens. R.S.	red.	Africa. 1817.	— H. ⊙.		
6 saccharatum. R.S.	yellow-seeded.	India. 1759.	7. 8. S. 3.	Host. gram. 4. t. 4.	
7 caffrorum. R.S.	Cape.	C. B. S. 1816.	— H. ⊙.	Ard. sag. pad. I. t. 1. f. 1.	
<i>Arduini.</i> Jacq. ecl. gram. t. 18.					
8 avenaceum. R.S.	Oat-like.	—	1816. 7. 9. H. ⊙.		
9 halepense. R.S.	panicled.	Syria. 1691.	7. 8. H. 4.	Flor. græc. I. t. 68.	
10 elongatum. R.S.	long-panicled.	N. Holland. 1823.	— F. 4.		
HOLCUS. R.S.	SOFT-GRASS.	Polygamia Monœcia. L.			
1 mollis. R.S.	creeping.	Britain. —	7. 8. H. 4.	Eng. bot. 1170.	
2 lanatus. R.S.	meadow.	—	— 6. 7. H. 4.	— 1169.	
ARRHENATHERUM. R.S.	ARRHENATHERUM.	Polygamia Monœcia.			
1 avenaceum. R.S.	Oat-like.	Britain. —	6. 7. H. 4.	Eng. bot. 813.	
<i>Holcus avenaceus.</i> E.B. <i>Avena elatior.</i> F.D. t. 165.					
β muticum.	awnless.	Scotland. —	— H. 4.		
2 bulbosum.	bulbosous.	Germany. —	— H. 4.	Host. gram. 4. t. 30.	
<i>Holcus bulbosus.</i> Host. <i>Avena bulbosa.</i> W.					
ATHEROPOGON. R.S.	ATHEROPOGON.	Polygamia Monœcia.			
apludoides. R.S.	Apluda-like.	N. America. 1808.	6. 7. H. 4.	Jacq. ecl. gram. t. 7.	
<i>Chloris curtipendula.</i> M.					
CHLORIS. R.S.	CHLORIS.	Polygamia Monœcia. L.			
1 ciliata. R.S.	ciliated.	Jamaica. 1779.	7. 9. S. 4.		
2 radiata. R.S.	many-spiked.	W. Indies. 1739.	8. 9. S. ⊙.	Hayn. term. bot. t. 40. f. 2	
3 pallida. R.S.	pale-spiked.	S. France. 1816.	— H. ⊙.		
4 barbata. R.S.	bearded.	E. Indies. 1777.	6. 7. S. ⊙.	Jacq. ecl. gram. I. t. 8.	
5 Roxburghiana. R.S.	Roxburgh's.	—	1824. 7. 8. S. ⊙.		
6 inflata. R.S.	inflated.	California. —	— H. 4.		
7 fasciculata. R.S.	crowded.	Brazil. —	— H. ⊙.		
8 polydactyla. R.S.	many-spiked.	W. Indies. 1818.	— S. ⊙.	Jacq. ecl. gram. I. t. 9.	
9 elegans. R.S.	elegant.	Mexico. 1825.	— H. ⊙.	H. et B. n. gen. I. t. 49.	
10 compressa. R.S.	compressed.	S. France. 1820.	6. 8. H. ⊙.		
11 ventricosa. B.P.	swelled.	N. S. W. 1818.	— G. 4.		
12 truncata. B.P.	truncated.	—	1822. — G. 4.		
13 dolichostachya. R.S.	long-spiked.	Philippine Isl. 1824.	7. 8. H. ⊙.		
14 retusa. R.S.	retuse-glumed.	Buenos Ayres. —	— H. ⊙.		
15 gracilis. s.s.	slender.	—	— H. ⊙.		
<i>Durandiana.</i> R.S.					
EUSTACHYS. R.S.	EUSTACHYS.	Polygamia Monœcia.			
petraea. R.S.	flat-stalked.	Jamaica. 1779.	7. 8. S. 4.	Jacq. ecl. gram. I. t. 11.	
<i>Chloris petraea.</i> W.					
CHRYSURUS. R.S.	CHRYSURUS.	Polygamia Monœcia.			
1 aureus. s.s.	golden-spiked.	Levant. 1770.	7. H. ⊙.	Host. gram. 3. t. 4.	
<i>cynosuroides.</i> R.S. <i>Cynosurus aureus.</i> F.G. I. t. 79. <i>Lamarcckia aurea.</i> DC.					
2 echinatus. R.S.	rough.	England. —	8. H. ⊙.	Eng. bot. 1333.	
<i>Cynosurus echinatus.</i> E.B.					
3 effusus. R.S.	spreading.	S. Europe. 1824.	7. 8. H. ⊙.		
4 elegans. R.S.	elegant.	—	— H. ⊙.	Desf. atl. I. t. 17.	
ISCHÆMUM. S.S.	ISCHÆMUM.	Polygamia Monœcia. L.			
1 aristatum. s.s.	bearded.	E. Indies. 1803.	6. 7. S. 4.		
2 australe. B.P.	southern.	N. S. W. 1822.	7. 8. F. 4.		
3 rugosum. s.s.	rough.	E. Indies. 1791.	— S. ⊙.	Sal. stirp. rar. I. t. 1.	
ROTTBOELLIA. R.S.	ROTTBOELLIA.	Triandria Digynia. L.			
1 exaltata. R.S.	tall.	E. Indies. 1806.	— S. 3.		
2 perforata. R.S.	perforated.	—	1822. — S. 4.	Roxb. corom. t. 182.	
LEPTURUS. B.P.	HARD-GRASS.	Triandria Digynia.			
1 incurvatus. Tr.	sea-side.	Britain. —	7. H. ⊙.	Eng. bot. 760.	
<i>Rottboellia incurvata.</i> E.B.					

GRAMINEÆ.

2 <i>fiformis</i> . Tr.	thready.	S. Europe. 1800. 7.	H. 4.	Barrel. ic. t. 6.
3 <i>cylindricus</i> . Tr.	cylindrical.	Portugal. 1806. —	H. 4.	Giorn. pis. 4. f. 4-8.
<i>Rottboellia cylindrica</i> . w. <i>subulata</i> . DC.	<i>Monerma subulata</i> . R.S.			
PHOLIURUS. Tr.	PHOLIURUS.	Triandria Digynia.		
pannonicus. Tr.	Hungarian.	Hungary. 1804. —	H. 4.	Host. gram. 1. t. 24.
MONERMA. R.S.	MONERMA.	Monandria Digynia.		
monandra. R.S.	monandrous.	Spain. 1804. 7.	H. 4.	Cavan. ic. t. 39. f. 1.
<i>Rottboellia monandra</i> . Cav.	<i>Nardus aristata</i> . L.	<i>Psilurus nardooides</i> . Tr.		
MANISURIS. R.S.	MANISURIS.	Polygamia Monœcia. W.		
granularis. R.S.	round grained.	E. Indies. 1784. 6. 7.	S. 4.	Roxb. corom. 2. t. 118.
ANTHEPHORA. R.S.	ANTHEPHORA.	Triandria Monogynia.		
elegans. R.S.	elegant.	Jamaica. 1776. 8. 9.	S. 4.	Schreb. gram. t. 44.
<i>Tripsacum hermaphroditum</i> . L.	<i>Cenchrus laevigatus</i> . s.s.			
TRIPSACUM. S.S.	TRIPSACUM.	Monecia Triandria. L.		
1 <i>dactyloides</i> . s.s.	rough-seeded.	Virginia. 1640. 8.	H. 4.	Lam. ill. t. 750.
2 <i>monostachyon</i> . s.s.	single-spiked.	N.America. 1815. —	H. 4.	Willd. hort. ber. t. 1.
ECHINOCHLOA. R.S.	ECHINOCHLOA.	Triandria Digynia. R.S.		
1 <i>stagnina</i> . R.S.	pond.	E. Indies. 1802. 7. 8.	H. 4.	
2 <i>commutata</i> . R.S.	Hungarian.	Hungary. —	H. 4.	Host. gram. 3. t. 51.
<i>Panicum stagninum</i> . Host.				
3 <i>intermedia</i> . R.S.	intermediate. 1816. —	H. 4.	
4 <i>erythrosperma</i> . R.S.	red-seeded. 1825. —	H. 4.	
5 <i>Crus-Corvi</i> . R.S.	Crow's-foot.	E. Indies. 1781. —	H. 4.	
6 <i>Crus-Galli</i> . R.S.	Cock's-foot.	England. —	H. 4.	Eng. bot. 876.
<i>Panicum Crus-Galli</i> . E.B.				
7 <i>echinata</i> . R.S.	bristly.	N.America. 1825. —	H. 4.	
8 <i>setigera</i> . R.S.	setigerous.	E. Indies. 1820. —	S. 4.	
ORTHOPOGON. B.P.	ORTHOPOGON.	Triandria Digynia. S.S.		
1 <i>hirtellus</i> . s.s.	hairy.	W. Indies. 1795. 6. 7.	S. 4.	
2 <i>undulatifolius</i> . s.s.	wave-leaved.	S. Europe. —	H. 4.	Host. gram. 3. t. 52.
<i>Panicum hirtellum</i> . Host. non L.				
3 <i>Burmanni</i> . R.S.	Burman's.	E. Indies. 1819.	S. 4.	Burm. ind. t. 12. f. 1.
4 <i>africanus</i> .	African.	Africa. 1822. 7. 9.	S. 4.	Pal. fl. d'ow. 2. t. 67. f. 1.
<i>Opismenus africanus</i> . R.S.				
5 <i>compositus</i> . s.s.	compoundspiked.	E. Indies. 1819. —	S. 4.	Linn. pfl. sys. 12. t. 96. f. 1
PANICUM. R.S.	PANIC-GRASS.	Triandria Digynia. R.S.		
1 <i>colonum</i> . R.S.	purple.	E. Indies. 1699. 7. 8.	H. 4.	
2 <i>brizoides</i> . R.S.	Briza-like.	— 1801. 6. 7.	S. 4.	Ehret pict. t. 3. f. 3.
3 <i>flavidum</i> . R.S.	yellowish.	— 1823. —	S. 4.	Jacq. gram. fasc. t. 2. 2.
4 <i>fasciculatum</i> . R.S.	fascicled.	Jamaica. 1801. —	H. 4.	
5 <i>plicatum</i> . R.S.	plaited.	E. Indies. 1824. 6. 8.	S. 4.	
6 <i>palmifolium</i> . R.S.	Palm-leaved.	— 1804. —	S. 4.	
7 <i>nudreos</i> . R.S.	nerved-leaved.	Nepaul. 1823. —	G. 4.	Jacq. ecl. gram. t. 1.
<i>nervosum</i> . F.I. non Lam.				
8 <i>costatum</i> . F.I.	ribbed.	Mauritius. 1805. —	S. 4.	
9 <i>carthaginense</i> . R.S.	Carthagena.	S. America. 1818. —	S. 4.	
10 <i>indicum</i> . F.I.	Indian.	E. Indies. —	S. 4.	
11 <i>hispidulum</i> . R.S.	hispid.	— 1804. 7. 8.	H. 4.	
12 <i>frumentaceum</i> . F.I.	cultivated.	— 1810. —	H. 4.	
13 <i>dichotomum</i> . R.S.	forked.	N.America. 1817. —	H. 4.	Sp. m. act. pet. 1810. t. 4.
14 <i>coloratum</i> . R.S.	coloured.	Egypt. 1771. 7. 9.	H. 4.	Jacq. ic. 1. t. 58?
15 <i>repens</i> . R.S.	slender.	S. Europe. 1777. —	H. 4.	Flor. græc. 1. t. 61.
16 <i>proliferum</i> . R.S.	proliferous.	N.America. 1816. —	H. 4.	
17 <i>numidianum</i> . R.S.	Numidian.	Barbary. —	H. 4.	
18 <i>miliaceum</i> . R.S.	Millet.	E. Indies. 1596. —	H. 4.	
19 <i>attenuatum</i> . R.S.	attenuated.	— 1825. —	H. 4.	Desf. atl. 1. t. 11.
20 <i>muricatum</i> . R.S.	prickly.	E. Indies. 1805. 7. 9.	H. 4.	Host. gram. 2. t. 20.
21 <i>capillare</i> . R.S.	hair-paniced.	America. 1758. 6. 8.	H. 4.	
β <i>minor</i> . R.S.	smaller.	— —	H. 4.	
22 <i>maximum</i> . R.S.	Guinea-grass.	Tropics. 1822. —	S. 4.	
23 <i>asperrimum</i> . R.S.	rough.	S. America. 1824. 7. 9.	H. 4.	
24 <i>fuseum</i> . R.S.	brown.	Jamaica. 1822. —	S. 4.	
25 <i>latifolium</i> . R.S.	broad-leaved.	N.America. 1765. 8. 9.	H. 4.	
26 <i>clandestinum</i> . R.S.	hidden-flow'r'd.	— 1802. 7.	H. 4.	
27 <i>virgatum</i> . R.S.	twiggy.	— 1781. 8. 9.	H. 4.	
28 <i>anceps</i> . R.S.	flat-edged.	— 1816. 7. 8.	H. 4.	
29 <i>uliginosum</i> . R.S.	marsh.	E. Indies. 1819. —	S. w. 4.	
30 <i>nitidum</i> . R.S.	glossy.	N.America. 1811. —	H. 4.	
31 <i>arundinaceum</i> . R.S.	Reed-like.	Jamaica. 1819. —	S. 4.	

32 brevifolium. R.S.	short-leaved.	E. Indies.	1800.	7. 8.	S.○.	Pluk. alm. t. 189. f. 4.
33 divaricatum. R.S.	divaricate.	Jamaica.	1800.	—	S.‡.	Jacq. schœn. I. t. 25.
34 interruptum. R.S.	interrupted.	E. Indies.	1820.	—	S.‡.	
35 arborescens. R.S.	arborescent.	—	1776.	3. 4.	S.‡.	
36 patens. R.S.	spreading.	—	1804.	7. 8.	S.‡.	Burm. ind. t. 10. f. 3.
37 altissimum. R.S.	lofty.	—	1816.	—	H.○.	
38 marginatum. B.P.	margin-leaved.	N. S. W.	1822.	—	F.‡.	
39 bicolor. B.P.	two-coloured.	—	—	—	F.‡.	
ISACHNE. B.P.	ISACHNE. Triandria Digynia. R.S.					
australis. B.P.	New Holland.	N. S. W.	1820.	6. 8.	H.w.‡.	
MONACHNE. R.S.	MONACHNE. Triandria Digynia. R.S.					
unilateralis. R.S.	one-sided.	Jamaica.	1819.	6. 8.	S.‡.	Sloan. hist. I. t. 14. f.2.
Milium villosum. w.						
AXONOPUS. R.S.	AXONOPUS. Triandria Digynia. R.S.					
1 digitatus. R.S.	fingered.	Jamaica.	1818.	6. 8.	H.○.	
2 cimicinus. R.S.	spotted.	E. Indies.	1778.	7. 9.	H.○.	
Panicum cimicinum.	w. Milium cimicinum. L.					
BECKMANNIA. R.S.	BECKMANNIA. Triandria Digynia. R.S.					
eruciformis. R.S.	linear-spiked.	Europe.	1773.	7.	H.○.	Host. gram. 3. t. 6.
SECALE. R.S.	RYE. Triandria Digynia. R.S.					
1 cereale. R.S.	common.	Tauria.	—	6. 7.	H.○.	
α hybernum. R.S.	winter.	—	—	—	H.‡.	Blackw. t. 424.
β vernum. R.S.	spring.	—	—	—	H.○.	Host. gram. 2. t. 48.
γ compositum. R.S.	compound-spiked.	—	—	—	H.○.	
2 fragile. R.S.	brittle.	—	1816.	—	H.○.	
TETRAPOGON. S.S.	TETRAPOGON. Triandria Digynia. S.S.					
villosus. s.s.	villous.	Barbary.	1818.	7. 8.	H.○.	Desf. atl. 2. t. 255.
TRITICUM. R.S.	WHEAT. Triandria Digynia. L.					
1 aestivum. R.S.	summer.	Baschiros.	—	6. 7.	H.○.	Host. gram. 3. t. 26.
2 hybernum. R.S.	Lammas.	—	—	—	H.‡.	— 3. t. 26. f.8.
3 sibiricum. R.S.	Siberian.	Siberia.	—	—	H.○.	
4 velutinum. R.S.	velvet-spiked.	—	—	—	H.‡.	Rod. Schub. cer. n.4.f.4.
5 compositum. R.S.	Egyptian.	Egypt.	1799.	—	H.○.	Host. gram. 3. t. 27.
6 Linnaeanum. R.S.	Linnean.	—	—	—	H.○.	
7 turgidum. R.S.	turgid.	—	—	—	H.○.	
8 fastuosum. R.S.	thick-grained.	—	—	—	H.○.	Host. gram. 3. t. 28.
9 Gærtnerianum. R.S.	Gærtner's.	—	—	—	H.○.	
10 platystachyum. R.S.	flat-spiked.	—	—	—	H.○.	
11 cochleare. R.S.	spoon-like.	—	—	—	H.○.	
12 Cevallos. R.S.	Trigo Moro.	—	—	—	H.○.	
13 durum. R.S.	Barbary.	—	—	—	H.○.	
β villosum. Host.	villous.	—	—	—	H.○.	Host. gram. 4. t. 6.
14 siculum. R.S.	Sicilian.	—	—	—	H.○.	
15 hordeiforme. R.S.	Barley form.	—	—	—	H.○.	Host. gram. 4. t. 5.
16 compactum. R.S.	compact.	—	—	—	H.○.	— 4. t. 7.
17 polonicum. R.S.	Polish.	—	1692.	—	H.○.	— 3. t. 31.
18 monococcon. R.S.	one-grained.	—	1648.	—	H.○.	— 3. t. 32.
19 dicoccum. R.S.	two-grained.	—	—	—	H.○.	Rod. Schub. cer. n.15.f2
α album.	white-spiked.	—	—	—	H.○.	
β rufum.	brown-spiked.	—	—	—	H.○.	
20 atratum. R.S.	dark-spiked.	—	—	—	H.○.	Host. gram. 4. t. 8.
21 tricoccum. R.S.	three-grained.	—	—	—	H.○.	Rod. Schub. cer. n.17.f3
22 Cienfugos. R.S.	tooth-valved.	—	—	—	H.○.	
23 Bauhinii. R.S.	truncate-valved.	—	—	—	H.○.	
24 Spelta. R.S.	Spelt.	—	—	—	H.○.	Host. gram. 3. t. 29.
Zea. Host.						
25 venulosum. R.S.	veined.	Egypt.	—	—	H.○.	
26 villosum. R.S.	villous.	S. Europe.	1790.	—	H.○.	Flor. græc. t. 97.
Secale villosum. F.G.						
27 campestre. R.S.	field.	Hungary.	1816.	—	H.○.	Host. gram. 4. t. 2.
28 creticum. R.S.	Cretan.	Candia.	—	—	H.○.	
Secale creticum. L.						
AGROPYRUM. R.S.	COUCH-GRASS. Triandria Digynia. R.S.					
1 junceum. R.S.	rushy.	England.	—	6. 7.	H.‡.	Eng. bot. 814.
Triticum junceum. E.B.						
2 acutum. R.S.	acute-glumed.	France.	1816.	—	H.‡.	Host. gram. 4. t. 9.
Triticum littorale. Host.						
3 rigidum. R.S.	rigid.	S. Europe.	1805.	—	H.‡.	
4 intermedium. Host.	intermediate.	Germany.	—	—	H.‡.	Host. gram. 2. t. 22.

GRAMINEÆ.

5	glaucum. R.S.	glaucous.	Switzerland.	1824.	6. 7.	H. ¼.	Host. gram. 4. t. 10?
6	rupestre. R.S.	rock.	Siberia.	1822.	—	H. ¼.	
7	obtusiflorum. R.S.	blunt-flowered.	—	—	—	H. ¼.	
8	pungens. R.S.	pungent.	S. Europe.	1824.	—	H. ¼.	
9	densiflorum. R.S.	close flowered.	Siberia.	—	—	H. ¼.	
10	giganteum. R.S.	gigantic.	S. Europe.	1805.	—	H. ¼.	
	<i>Triticum elongatum.</i> Host.						Host. gram. 2. t. 23.
11	repens. R.S.	common.	Britain.	—	7. 8.	H. ¼.	
α	arvense. R.S.	field.	—	—	—	H. ¼.	Eng. bot. 900.
β	subulatum. R.S.	subulate-glumed.	—	—	—	H. ¼.	Trattin. tab. t. 566.
γ	dumetorum. R.S.	many-flowered.	—	—	—	H. ¼.	Schreb. gram. t. 26. f. 2.
δ	Vaillantianum. R.S.	Vaillant's.	—	—	—	H. ¼.	— f. II. IV. f. 3.
ε	Leersianum. R.S.	Leers's.	—	—	—	H. ¼.	— f. 6.
ζ	capillare. R.S.	hair-awned.	—	—	—	H. ¼.	Leers fl. herb. t. 12. f. 4.
12	sibiricum. R.S.	Siberian.	Siberia.	1825.	—	H. ¼.	
13	dasyanthum. R.S.	thick-flowered.	Russia.	—	—	H. ¼.	
14	caninum. R.S.	bearded.	Britain.	—	—	H. ¼.	Eng. bot. 1372.
15	distichum. R.S.	two-ranked.	C. B. S.	1816.	—	G. ¼.	
16	prostratum. R.S.	prostrate.	Siberia.	1780.	6.	H. ⊙.	Jacq. vind. 3. t. 44.
17	orientale. R.S.	hairy-spiked.	Levant.	1807.	6. 7.	H. ♂.	Will. n. act. ber. 2.t.4.f.3
	<i>Secale orientale.</i> W.						
18	patulum. Tr.	spreading.	Egypt.	1800.	—	H. ⊙.	
	<i>Triticum squarrosum.</i> R.S. <i>Buonapartis.</i> Spr.						
19	imbricatum. R.S.	imbricated.	Caucasus.	1824.	6. 8.	H. ¼.	
20	pectiniforme. R.S.	comb-like.	Tauria.	—	—	H. ¼.	Gmel. sib. I. n. 51. t. 23.
21	cristatum. R.S.	crested.	—	—	—	H. ¼.	Buxb. cent. I. t. 50. f. 3.
22	desertorum. R.S.	desert.	Cumana.	1822.	—	H. ¼.	Host. gram. 2. t. 24.
23	angustifolium. R.S.	narrow-leaved.	Siberia.	—	—	H. ¼.	
24	muricatum. R.S.	bristly.	—	1825.	—	H. ¼.	
25	pectinatum. R.S.	pectinated.	V. Diem. Isl.	1822.	—	[H. ¼.]	
26	variegatum. R.S.	variegated.	—	1818.	—	H. ¼.	
	<i>LOLIUM.</i> R.S.		DARNEL.	Triandria Digynia. L.			
1	perenne. R.S.	Rye-grass.	Britain.	—	5. 6.	H. ¼.	
α	vulgare. R.S.	common.	—	—	—	H. ¼.	Eng. bot. 315:
β	tenue. R.S.	slender.	—	—	—	H. ¼.	Host. gram. I. t. 25.
γ	compositum. R.S.	compound.	—	—	—	H. ¼.	Sinc. gra. wob. p. 211. ic.
δ	ramosum. R.S.	branching.	—	—	—	H. ¼.	Scheuch. agr. I. f. 7. D.
ε	Russellianum. H.G.W. Russell's.	—	—	—	—	H. ¼.	Leers gram. t. 12. f. 1.
ζ	Whitworthii. H.G.W. Whitworth's.	—	—	—	—	H. ¼.	Sinc. gra. wob. p. 216. ic.
η	Stickneyanum. H.G.W. Stickney's.	—	—	—	—	H. ¼.	
Ω	paniculatum. H.G.W. paniced.	—	—	—	—	H. ¼.	
ι	monstrosum. H.G.W. monstrous-fld.	—	—	—	—	H. ¼.	
κ	viviparum. R.S.	viviparous.	—	—	—	H. ¼.	
λ	multiflorum. P.S.	many-flowered.	—	—	—	H. ¼.	
μ	humile. R.S.	dwarf.	—	—	—	H. ¼.	
2	multiflorum. R.S.	many-flowered.	Europe.	1816.	—	H. ⊙.	Vaill. par. t. 17. f. 3.
3	arvense. R.S.	beardless.	England.	—	7.	H. ⊙.	Eng. bot. 1125.
4	complanatum. L.en. rigid.	rigid.	—	1825.	—	H. ⊙.	
	<i>ÆGILOPS.</i> R.S.						
5	temulentum. R.S.	bearded.	Britain.	—	7. 8.	H. ⊙.	Eng. bot. 1124.
6	speciosum. R.S.	pretty.	Tauria.	1824.	—	H. ⊙.	
		HARD-GRASS.	Polygamia Monœcia. L.				
1	caudata. R.S.	tailed.	Candia.	1820.	7. 8.	H. ⊙.	
2	cylindrica. R.S.	cylindrical.	Hungary.	1805.	6. 7.	H. ⊙.	Host. gram. 2. t. 7.
3	ovata. R.S.	oval-spiked.	S. Europe.	1683.	—	H. ⊙.	Flor. græc. I. t. 93.
4	triaristata. R.S.	three-awned.	—	1739.	7. 8.	H. ⊙.	Host. gram. 2. t. 6.
	<i>triuncialis.</i> Host. non W.						
5	triuncialis. R.S.	long-spiked.	—	—	—	H. ⊙.	Schreb. gram. t. 10. f. 1.
6	squarrosa. W.	rough-spiked.	Levant.	1794.	6. 7.	H. ¼.	— 2. t. 27. f. 2.
	<i>Triticum squarrosum.</i> R.S.						
7	Hystrix. N.	hedgehog.	Missouri.	1819.	7. 8.	H. ¼.	
	<i>ELYMUS.</i> R.S.		Triandria Digynia. L.				
1	arenarius. E.B.	sand.	Britain.	—	4. 6.	H. ¼.	
2	geniculatus. E.B.	pendulous.	England.	—	7.	H. ¼.	Eng. bot. 1672.
3	subulosus. R.S.	glaucous.	Siberia.	1806.	6. 7.	H. ¼.	— 1586.
4	giganteus. R.S.	gigantic.	N. America.	1790.	7. 8.	H. ¼.	
5	mexicanus. R.S.	Mexican.	Mexico.	1823.	6. 8.	H. ¼.	Jacq. ecl. gr. t. 19.
6	sibiricus. R.S.	Siberian.	Siberia.	1758.	6. 7.	H. ¼.	Schreb. gram. I. t. 21. f. 1
7	racemosus. R.S.	racemed.	—	1816.	—	H. ¼.	

8 tener. R.S.	tender.	Siberia.	1801.	6. 7. H. 4.	
9 philadelphicus. R.S.	Philadelphian.	N. America.	1790.	7. 8. H. 4.	Moris. s. S. t. 2. f. 10.
10 canadensis. R.S.	Canadian.	—	1699.	— H. 4.	
11 glaucifolius. R.S.	glaucous.	—	1816.	— H. 4.	
12 villosus. R.S.	villous.	—	1802.	6. 7. H. 4.	
13 virginicus. R.S.	Virginian.	—	1781.	— H. 4.	
14 striatus. R.S.	striated.	—	1790.	— H. 4.	
β minor. R.S.	lesser.	—	—	— H. 4.	
15 europæus. R.S.	European.	England.	—	— H. 4.	Eng. bot. 1317.
16 crinitus. R.S.	long-awned.	Smyrna.	1806.	7. 8. H. 4.	Host. gram. I. t. 27.
17 intermedius. R.S.	intermediate.	Iberia.	1819.	7. 9. H. 4.	Buxb. cent. I. t. 52.
18 Caput-Medusæ. R.S.	Portuguese.	Portugal.	1784.	— H. 4.	Schreb. gram. 2.t.24.f.3
19 junceus. R.S.	rushy.	Siberia.	1823.	7. 8. H. 4.	
20 hordeiformis. R.S.	Barley-like.	—	1816.	— H. 4.	
21 Hystrix. R.S.	rough.	Levant.	1770.	— H. 4.	Jacq. ic. 2. t. 305.
<i>Asprella Hystrix.</i> W.en.					
22 pseudo-hystrix. R.S.	rough	American.	N. America.	1818.	— H. 4.
PAPPOPHÖRUM. B.P. <i>PAPPOPHORUM.</i> Triandria Digynia. R.S.					
1 nigricans. B.P.	black.	N. Holland.	1822.	7. 8. F. 4.	
2 phleoides. s.s.	Phleum-like.	S. America.	—	— S. 4.	
ECHINARIA. R.S. <i>ECHINARIA.</i> Triandria Digynia. R.S.					
capitata. R.S.	headed.	S. Europe.	1771.	5. 8. H. 4.	Flor. græc. I. t. 100.
<i>Cenchrus capitatus.</i> F.G. <i>Sesleria echinata.</i> Host. gram. 3. t. 8.	SESLERIA. Triandria Digynia. R.S.				
1 elongata. R.S.	long-spiked.	Austria.	1805.	6. 7. H. 4.	Host. gram. 2. t. 97.
2 cylindrica. R.S.	cylindrical.	S. Europe.	1818.	— H. 4.	Sav. Ust. ann. 1800. ic.
3 tenuifolia. R.S.	slender-leav'd.	—	—	4. 6. H. 4.	Host. gram. 4. t. 22.
4 cœrulea. R.S.	blue.	Britain.	—	4. 5. H. 4.	Eng. bot. 1613.
5 nitida. R.S.	glossy.	Italy.	1825.	5. 6. H. 4.	
6 tenella. R.S.	weak.	Switzerland.	1819.	— H. 4.	Host. gram. 2. t. 100.
7 sphærocephala. R.S.	round-headed.	—	—	— H. 4.	— 2. t. 99.
8 disticha. R.S.	distichous.	—	1824.	— H. 4.	— 2. t. 76.
<i>Poa disticha.</i> Host.					
TRIODIA. B.P. <i>TRIODIA.</i> Triandria Digynia. R.S.					
decumbens. R.S.	decumbent.	Britain.	—	7. 8. H. 4.	Eng. bot. 792.
<i>Poa decumbens.</i> E.B. <i>Festuca decumbens.</i> w. <i>Danthonia decumbens.</i> DC.					
TRIDENS. R.S. <i>REDTOP-GRASS.</i> Triandria Digynia. R.S.					
quinquefida. R.S.	five-cleft.	N. America.	1816.	7. 8. H. 4.	Jacq. ecl. gr. 2. t. 16.
<i>Triodia cuprea.</i> Jacq. <i>Windsoria poæformis.</i> n. <i>Poa quinquefida.</i> Ph.					
DANTHONIA. DC. <i>DANTHONIA.</i> Triandria Digynia. R.S.					
1 longifolia. B.P.	long-leaved.	N. S. W.	1823.	7. 8. F. 4.	
2 semianularis. B.P.	semianular.	N. Holland.	1822.	7. 8. F. 4.	Labill. n. holl. I. t. 33.
<i>Arundo semiannularis.</i> Lab.					
3 pilosa. B.P.	hairy.	N. S. W.	1823.	— F. 4.	
4 provincialis. R.S.	Provence.	S. Europe.	1818.	6. 7. H. 4.	Vill. delph. 2. t. 2. f. 9.
5 spicata. R.S.	spiked.	N. America.	1823.	— H. 4.	
6 strigosa. R.S.	bristle-pointed.	Britain.	—	— H. 4.	Eng. bot. 1266.
<i>Avena strigosa.</i> E.B.					
7 macrantha. R.S.	large-flowered.	C. B. S.	1816.	— H. 4.	
8 curvifolia. R.S.	curve-leaved.	—	—	— G. 4.	
9 calycina. R.S.	glossy-calyxed.	—	1822.	— G. 4.	
KŒLERIA. R.S. <i>KŒLERIA.</i> Triandria Digynia. R.S.					
1 cristata. R.S.	crested.	Europe.	—	6. 8. H. 4.	Host. gram. 2. t. 75.
β glabra. R.S.	smooth.	Britain.	—	7. 8. H. 4.	Eng. bot. 648.
<i>Aira cristata.</i> E.B. <i>Poa cristata.</i> w.					
2 grandiflora. R.S.	large-flowered.	S. Europe.	1824.	6. 8. H. 4.	
3 glauca. DC.	glaucous.	Germany.	1816.	— H. 4.	
4 pensylvanica. DC.	Pensylvanian.	N. America.	1818.	— H. 4.	Spr.mem.p.2.1810.t.7.
5 macrantha. R.S.	large-flowered.	Russia.	1824.	— H. 4.	
6 valesiacaca. R.S.	Swiss.	Switzerland.	—	— H. 4.	
7 tuberosa. P.S.	tuberous.	S. Europe.	1802.	7. 8. H. 4.	Lam. ill. t. 45. f. 4.
8 hirsuta. R.S.	hairy.	Switzerland.	1824.	— H. 4.	
9 villosa. R.S.	villous.	S. Europe.	1800.	6. 7. H. 4.	
<i>Aira pubescens.</i> w. <i>Phalaris pubescens.</i> Lam.					
10 phleoides. R.S.	cat's-tail.	Portugal.	1802.	7. 8. H. 4.	Desf. atl. I. t. 23.
11 hispida. R.S.	hispid.	S. Europe.	1819.	6. 7. H. 4.	Savi fl. pis. t. 1. f. 5.
12 brachystachya. R.S.	short-spiked.	—	—	— H. 4.	
13 parviflora. L.en.	small-flowered.	S. Europe.	—	— H. 4.	Desf. atl. I. t. 32.
<i>Avena parviflora.</i> Desf. <i>Trisetum parviflorum,</i> R.S.					

GRAMINEÆ.

AVENA. R.S.

- 1 præcox. R.S.
Aira præcox, E.B.
 2 brevis. R.S.
 3 alba. R.S.
 4 sativa. R.S.
~~5 a melanosperma,~~
~~6 β leucosperma,~~
 5 orientalis. R.S.
 6 nuda. R.S.
 7 fatua. R.S.
 8 hirsuta. R.S.
 9 sterilis. R.S.
 10 sempervirens. R.S.
 11 pratensis. R.S.
 12 bromoides. R.S.
 13 planiculmis. R.S.
~~latifolia. Host. gram. 4. t. 32.~~
 14 versicolor. R.S.

GAUDINIA. R.S.
fragilis. R.S.
Avena fragilis. Host.

TRISETUM. R.S.

- 1 tenue. R.S.
~~striatum. P.S. Avena~~
tenuis. Host.
 2 pensylvanicum. R.S.
 3 micranthum. R.S.
 4 neglectum. R.S.
 5 alopecurus. R.S.
 6 Loeflingianum. R.S.
 7 condensatum. R.S.
 8 pilosum. R.S.
 9 pubescens. R.S.
~~Avena pubescens~~. E.B.
 10 rigidum. R.S.
 11 alpinum. R.S.
~~Avena planiculmis~~. E.B. non Schrad.
 12 carpathicum. R.S.
 13 flavescens. R.S.
~~pratense. P.S. Avena~~
flavescens. E.B.
 14 alpestre. R.S.
 15 brevifolium. R.S.
 16 argenteum. R.S.
 17 distichophyllum.
 18 airoides. R.S.
~~Avena airoides~~. DC. *Aira subspicata*. W.

CENTOTHECA. R.S.
lappacea. R.S.
Cenchrus lappaceus. L.

POA. R.S.

- 1 pratensis. R.S.
 2 angustifolia. DC.
 3 humilis. R.S.
~~subcaerulea~~. E.B.
 4 viridis. R.S.
 5 hybrida. R.S.
 6 trivialis. E.B.
 7 annua. E.B.
 8 caespitosa. R.S.
 9 gracilis. R.S.
 10 bulbosa. R.S.
 11 laxa. R.S.
~~flexuosa~~. E.B. 1123.
 12 Halleri. R.S.
~~pallens~~. Hall.
 13 cenisia. R.S.
 14 alpina. R.S.
 15 collina. R.S.

OAT-GRASS. Triandria Digynia. L.
 early-flowering. Britain. 5. 6. H.○.

short.	Germany.	1804.	—	H.○.	Host. gram. 3. t. 42.
white.	France.	6. 7.	H.○.	Host. gram. 2. t. 59.
common.	S. America.	—	H.○.	
<i>black Oat.</i>	—	—	—	H.○.	
<i>white Oat.</i>	—	—	—	H.○.	
Tartarian.	Levant.	1798.	—	H.○.	Host. gram. 3. t. 44.
naked.	—	—	—	H.○.	3. t. 43.
wild.	Britain.	8.	H.○.	Eng. bot. 2221.
hairy.	S. Europe.	—	6. 8.	H.○.	
bearded.	—	1640.	7. 8.	H.○.	Jacq. ic. 1. t. 23.
evergreen.	Pyrenees.	1816.	6. 7.	H.‡.	Host. gram. 3. t. 41.
narrow-leaved.	Britain.	—	H.‡.	Eng. bot. 1204.
Bromus-like.	S. Europe.	—	H.‡.	
flat-stalked.	Hungary.	1822.	—	H.‡.	Schrad.fl. ger. I.t. 6.f.2.

TRISETUM. Triandria Digynia. R.S.

slender.	Europe.	1804.	7. 8.	H.○.	Host. gram. 2. t. 55.
Pennsylvanian.	N. America.	1785.	6. 7.	H.○.	
small-flowered.	S. Europe.	1823.	—	H.○.	
neglected.	—	—	—	H.○.	Savi fl. pis. 1. t. 1. f. 4.
Foxtail.	—	1816.	—	H.○.	
Loeflingianum.	S. Europe.	1770.	—	H.○.	Willd. ber. mag. 2. t. 8. f. 3.
close-flowered.	Sicily.	1824.	—	H.○.	
hairy.	Iberia.	—	—	H.○.	
pubescent.	Britain.	7. 8.	H.‡.	Eng. bot. 1640.

Avena pubescens. E.B.

10 rigidum. R.S.

11 alpinum. R.S.
Alpine.12 carpathicum. R.S.
Carpathian.13 flavescens. R.S.
~~pratense. P.S. Avena~~
flavescens. E.B.14 alpestre. R.S.
mountain.15 brevifolium. R.S.
short-leaved.16 argenteum. R.S.
silvery.17 distichophyllum.
fan-leaved.18 airoides. R.S.
Aira-like.*Avena airoides*. DC. *Aira subspicata*. W.19 glabratum. R.S.
smooth.

CENTOTHECA. CENTOTHECA. Portugal. 1818. 7. 8. H.○.

20 lappacea. R.S.
Bur. Triandria Digynia. R.S.21 *Cenchrus lappaceus*. L. India. 1773. 7. S.○.

CENTOTHECA. Triandria Digynia. L.

MEADOW-GRASS. Triandria Digynia. L.

smooth-stalk'd.	Britain.	5. 6.	H.‡.	Eng. bot. 1073.
narrow-leaved.	—	—	5.	H.‡.	Sinc.gra.wob.p.184.ic.
short-blueish.	—	—	5. 6.	H.‡.	Eng. bot. 1004.
green.	N. America.	1816.	—	H.‡.	
hybrid.	Switzerland.	1824.	—	H.‡.	
common.	Britain.	6. 8.	H.‡.	Eng. bot. 1072.
annual.	—	—	1. 12.	H.○.	1141.
tufted.	N. Zealand.	1822.	6. 8.	H.‡.	
slender.	—	1818.	—	H.‡.	
buibous.	England.	5. 6.	H.‡.	Eng. bot. 1071.
loose.	Scotland.	7.	H.‡.	Host. gram. 3. t. 15.
<i>flexuosa</i> . E.B. 1123.	Haller's.	Switzerland.	—	H.‡.	
12 Halleri. R.S. <i>pallens</i> . Hall.					
13 cenisia. R.S.	soft.	Mt. Cenis.	1791.	7. 8. H.‡.	Host. gram. 3. t. 16.
14 alpina. R.S.	Alpine.	Scotland.	6. 7. H.‡.	Eng. bot. 1003.
15 collina. R.S.	hill.	Europe.	1800.	— H.‡.	Host. gram. 2. t. 66.

16 concinna. R.S.	neat.	Switzerland.	1815.	6. 7. H. 4.	
17 Molineri. R.S.	Molineri's.	—	1816.	— H. 4.	Balb. misc. t. 5. f. 1.
18 supina. R.S.	trailing.	—	—	— H. 4.	Host. gram. 4. t. 27.
19 miliaecea. R.S.	Millet like.	Hungary.	1824.	— H. 4.	
20 nemoralis. R.S.	wood.	—	—	6. H. 4.	Host. gram. 1265.
β angustifolia. H.G.W.	narrow-leaved.	—	—	— H. 4.	Sinc. gr. wob. p. 182. ic.
21 versicolor. R.S.	various-color'd.	Tauria.	1825.	6. 7. H. 4.	
22 coarctata. L.en.	crowded.	Europe.	—	— H. 4.	
23 glauca. E.B.	glaucous.	Britain.	—	— H. 4.	
24 caesia. E.B.	sea-green.	Scotland.	—	— H. 4.	Eng. bot. 1720.
25 brachyphylla. R.S.	short-leaved.	N. America.	1816.	— H. 4.	
26 depauperata. R.S.	few-flowered.	Hungary.	—	— H. 4.	
27 sterilis. R.S.	barren-ground.	Tauria.	1824.	— H. 4.	
28 nervata. R.S.	nerved.	N. America.	1812.	— H. 4.	Sinc. gr. wob. p. 190. ic.
29 imbecilla. R.S.	weak.	N. Zealand.	1822.	7. 8. H. 4.	
30 flava. R.S.	yellow.	N. America.	—	— H. 4.	
31 hirsuta. R.S.	hairy.	—	—	— H. 4.	
32 capillaris. R.S.	hair-panicked.	—	1781.	10. 11. H. ⊖.	Moris.s.8. t. 6. f. 33.
33 Poiretii. R.S.	Poiret's.	—	1816.	6. 8. H. ⊖.	
34 serotina. R.S.	late-flowering.	Germany.	1800.	7. 9. H. 4.	
β palustris. R.S.	marsh.	—	—	— H.w. 4.	Vill.cat.j.Stras.t.2.f.2.
35 effusa. R.S.	spreading.	Hungary.	1823.	6. 8. H. 4.	
36 sudetica. R.S.	broad-leaved.	Germany.	1802.	7. 8. H. 4.	Vill. delph. 2. t. 3.
37 viridis. Ph.	green.	N. America.	1812.	— H. 4.	
38 amboinensis. R.S.	Amboyna.	E. Indies.	1800.	6. 7. S. 4.	Rumph.amb. 6. t. 7. f. 3.
39 cilianensis. R.S.	Piedmont.	Piedmont.	1818.	7. 8. H. ⊖.	All. ped. t. 91. f. 2.
40 caroliniana. R.S.	Carolina.	Carolina.	—	— H. ⊖.	
41 chinensis. R.S.	China.	China.	—	— H. ⊖.	
42 australis. B.P.	southern.	N. S. W.	1822.	— H. 4.	Lab. nov. hol. 1. t. 35.
<i>Arundo poæformis.</i> Lab.					
43 plebeia. B.P.	plebeian.	—	—	— H. 4.	
44 compressa. E.B.	compressed.	Britain.	—	6. 8. H. ⊖.	Eng. bot. 365.
45 festucæformis. R.S.	Fescue-like.	Dalmatia.	1800.	7. 9. H. 4.	Host. gram. 3. t. 17.
46 convoluta. R.S.	convolute.	—	1819.	— H. 4.	
47 atrovirens. R.S.	dark green.	Barbary.	1825.	— H. 4.	Desf. atl. 1. t. 17.
48 pallida. R.S.	pallid.	—	—	— H. ⊖.	
49 peruviana. R.S.	Peruvian.	Peru.	1802.	7. 8. H. ⊖.	Jacq. ic. 1. t. 18.
50 papillosa. R.S.	papillose.	C. B. S.	1816.	— H. ⊖.	
51 digitata. B.P.	fingered.	N. S. W.	1800.	— H. ⊖.	
SCLEROCHLOA. R.S.					
SCLEROCHLOA. Triandria Digynia. R.S.					
1 divaricata. R.S.	spreading.	S. Europe.	1802.	7. 8. H. ⊖.	Gouan. ill. 4. t. 2. f. 1.
2 procumbens. R.S.	procumbent.	Britain.	—	— H. ⊖.	Eng. bot. 532.
<i>Poa procumbens.</i> E.B. Glyceria procumbens. E.F.					
3 dura. R.S.	rigid.	S. Europe.	1776.	7. 8. H. ⊖.	Host. gram. 2. t. 73.
<i>Poa dura.</i> Host. Cynosurus durus. L.					
4 rigida. L.en.	hard.	England.	—	6. 7. H. ⊖.	Eng. bot. 1371.
<i>Poa rigida.</i> E.B. Glyceria rigida. E.F. Megastachya rigida. R.S.					
5 articulata. L.en.	jointed.	Barbary.	1816.	— H. ⊖.	Desf. atl. 1. t. 22.
6 maritima.	sea-side.	Europe.	—	— H. ⊖.	Cyrill.neap. fasc.2. t. 2.
<i>Pooidichotoma.</i> L.en. Triticum muritimum. L. Festuca maritima. DC.					
HYDROCHLOA. Har. HYDROCHLOA. Triandria Digynia.					
1 distans. Har.	distant.	Britain.	—	7. H.w. 4.	Eng. bot. 986.
<i>Poa distans.</i> E.B. Glyceria distans. E.F.					
2 aquatica. Har.	water.	—	—	— H.w. 4.	Eng. bot. 1315.
<i>Poa aquatica.</i> E.B. Glyceria aquatica. E.F.					
3 arundinacea.	Reed like.	Caucasus.	1825.	— H.w. 4.	
<i>Poa arundinacea.</i> M.B.					
4 maritima. Har.	sea-side.	Britain.	—	— H.w. 4.	Eng. bot. 1140.
<i>Poa maritima.</i> E.B. Glyceria maritima. E.F.					
GLYCERIA. B.P. SWEET-GRASS. Triandria Digynia. R.S.					
fluitans. B.P.	floating.	Britain.	—	5. 8. H. 4.	Eng. bot. 1520.
<i>Poa fluitans.</i> E.B. Festuca fluitans. W.					
ERAGROSTIS. R.S. ERAGROSTIS. Triandria Digynia. R.S.					
1 poæoides. R.S.	Poa-like.	Italy.	1699.	7. H. ⊖.	Flor. græc. t. 73.
<i>Poa Eragrostis.</i> F.G.					
2 tephrosanthos. R.S.	Martinica.	Martinica.	1824.	7. 9. S. ⊖.	
3 pilosa. R.S.	hairy.	Italy.	1804.	7. 8. H. ⊖.	Host. gram. 2. t. 68.
4 verticillata. R.S.	whorled.	S. Europe.	1816.	— H. ⊖.	Cavan. ic. 1. t. 93.
5 punctata. R.S.	spotted.	E. Indies.	—	— S. ⊖.	

GRAMINEÆ.

6 <i>ægyptiaca</i> . R.S.	Egyptian.	Egypt.	1812.	7. 8.	H.○.	Descr.de l'Egyp. t.10.
7 <i>purpurascens</i> . R.S.	purple.	1822.	—	H.○.	
8 <i>decipiens</i> . R.S.	doubtful.	—	—	H.○.	
9 <i>tenella</i> . R.S.	slender.	E. Indies.	1781.	—	S.○.	Rheed. mal. 12. t. 41.
10 <i>cynosuroides</i> . R.S.	Dogtail.	Egypt.	1824.	—	H.○.	Descr.de l'Egyp. t. 10.
<i>Poa cynosuroides</i> . W.						
11 <i>capillaris</i> . L.en.	hair-paniced.	N.America.	1781.	10. 11.	H.○.	Moris. s. 3, t. 6. f. 33.
<i>Poa capillaris</i> . R.S.						
12 <i>mexicana</i> . Len.	Mexican.	Mexico.	1816.	9. 10.	H.○.	
MEGASTACHYA. R.S.	MEGASTACHYA.	Triandria Digynia.	R.S.			
1 <i>Eragrostis</i> . R.S.	Love-grass.	S. Europe.	1776.	7. 8.	H.○.	Schreb. gram. t. 38.
<i>Poa megastachya</i> . p.s.	<i>Briza Eragrostis</i> .	<i>w. Eragrostis major</i> .	Host. gram. 4.	t. 24.		
2 <i>nigricans</i> . R.S.	blackish.	S. America.	1823.	—	S. 4.	
3 <i>amabilis</i> . R.S.	purple.	E. Indies.	1802.	—	S.○.	L. pfl. syst. 12. t. 91.f.2.
<i>Poa amabilis</i> . L.						
4 <i>spectabilis</i> . R.S.	showy.	N. America.	1816.	—	H.○.	
5 <i>pulchella</i> . R.S.	pretty.	Tauria.	1825.	—	H.○.	
6 <i>elongata</i> . R.S.	long-paniced.	E. Indies.	1812.	—	S. 4.	Jacq. ecl. gr. t. 3.
7 <i>ciliaris</i> . R.S.	ciliated.	Jamaica.	1776.	—	S.○.	Jacq. ic. 2. t. 304.
8 <i>rupestris</i> . R.S.	rock.	E. Indies.	1823.	—	S.○.	
DACTYLIS. R.S.	COCK'S-FOOT-GRASS.	Triandria Digynia.	L.			
1 <i>glomerata</i> . R.S.	rough.	Britain.	6. 7.	H. 4.	Eng. bot. 335.
2 <i>glaucescens</i> . R.S.	glaucescent.	Europe.	1816.	—	H. 4.	
3 <i>hispanica</i> . R.S.	Spanish.	Spain.	1814.	—	H. 4.	
4 <i>glauca</i> . R.S.	glaucous.	1823.	—	H. 4.	
5 <i>maritima</i> . R.S.	sea-side.	Caucasus.	—	—	H. 4.	Schrad.fl. ger. 1. t. 6.f.1.
6 <i>littoralis</i> . R.S.	shore.	S. Europe.	1816.	—	H. 4.	Lam. ill. t. 45. f. 5.
7 <i>repens</i> . R.S.	creeping.	—	1824.	—	H. 4.	Desf. atl. 1. t. 15.
8 <i>adscendens</i> . R.S.	ascending.	C. B. S.	1823.	—	G. 4.	
9 <i>cynosuroides</i> . R.S.	Dog's-tailed.	E. Indies.	—	—	S. 4.	
BRIŽA. R.S.	QUAKING-GRASS.	Triandria Digynia.	R.S.			
1 <i>minor</i> . R.S.	small.	England.	7.	H. 4.	Eng. bot. 1316.
2 <i>virens</i> . R.S.	green.	S. Europe.	1800.	7. 8.	H.○.	Hayn. term. bot. t. 25.f.6
3 <i>media</i> . E.B.	common.	Britain.	5. 6.	H. 4.	Eng. bot. 340.
4 <i>Clusii</i> . R.S.	Clusius's.	S. Europe.	1823.	—	H. 4.	Fouc. j. bot. 3. t. 24. f.2.
5 <i>geniculata</i> . R.S.	jointed.	C. B. S.	1816.	7. 8.	H.○.	
6 <i>elatior</i> . R.S.	tall.	Greece.	1788.	7. 8.	H. 4.	Flor. græc. 1. t. 75.
7 <i>maxima</i> . R.S.	great-spiked.	S. Europe.	1633.	6. 7.	H.○.	— 1. t. 76.
8 <i>humilis</i> . R.S.	dwarf.	Tauria.	1818.	—	H.○.	Scheuch. agr. 4.t.4.f.10.
9 <i>rubra</i> . R.S.	red.	S. Europe.	—	—	H.○.	
CYNOSURUS. R.S.	DOGSTAIL-GRASS.	Triandria Digynia.	L.			
cristatus. E.B.	crested.	Britain.	8.	H. 4.	Eng. bot. 316.
UNIOLA. R.S.	SEASIDE OAT.	Triandria Digynia.	L.			
1 <i>paniculata</i> . R.S.	paniced.	N.America.	1793.	6. 7.	H. 4.	Catesb. car. 1. t. 32.
2 <i>latifolia</i> . R.S.	broad-leaved.	—	1809.	—	H. 4.	
3 <i>spicata</i> . R.S.	spiked.	—	1790.	7.	H. 4.	
4 <i>distichophylla</i> . R.S.	two-ranked.	—	1789.	6. 7.	H. 4.	
<i>Festuca distichophylla</i> . Ph.						
CERATOCHLOA. R.S.	CERATOCHLOA.	Triandria Digynia.	R.S.			
unioloides. R.S.	Uniola-like.	N.America.	1796.	6. 7.	H. 4.	Willd. h. ber. t. 3.
<i>Festuca unioloides</i> . W.						
LEPTOCHLOA. R.S.	LEPTOCHLOA.	Triandria Digynia.	R.S.			
1 <i>cynosuroides</i> . R.S.	filiform.	E. Indies.	1818.	8. 9.	H.○.	
2 <i>procera</i> . R.S.	tall.	Brazil.	1823.	—	S. 4.	Jacq. ecl. gram. t. 4.
3 <i>filiformis</i> . R.S.	slender.	S. America.	1818.	—	H.○.	Sloan. jam. 1. t. 70. f. 2.
4 <i>virgata</i> . R.S.	fine-spiked.	—	1727.	7. 9.	H.○.	
5 <i>tenerima</i> . R.S.	slenderest.	China.	1820.	—	H.○.	
6 <i>domingensis</i> . L.en.	close-spiked.	W. Indies.	—	6. 8.	S. 4.	
ELEUSINE. R.S.	ELEUSINE.	Triandria Digynia.	R.S.			
1 <i>coracana</i> . R.S.	thick-spiked.	E. Indies.	1714.	7. 9.	H.○.	Schreb. gram. 2. t. 35.
2 <i>indica</i> . R.S.	Indian.	India.	—	—	H.○.	Rheed. mal. 12. t. 69.
3 <i>verticillata</i> . R.S.	whorled.	E. Indies.	1823.	—	H.○.	
4 <i>calycina</i> . R.S.	calycine.	—	—	—	H.○.	
DACTYLOCENTIUM. DACTYLOCENTIUM.	Triandria Digynia.	R.S.				
ægyptiacum. R.S.	Egyptian.	Egypt.	1770.	7. 9.	H.○.	Moris. s. 8. t. 3. f. 7.
<i>Cynosurus ægyptiacus</i> . L.	<i>Eleusine ægyptiaca</i> . p.s.					
RHABDOCHLOA. R.S.	RHABDOCHLOA.	Triandria Digynia.	R.S.			
1 <i>cruciata</i> . R.S.	cross-spiked.	W. Indies.	1818.	7. 9.	H.○.	Sloan. his. 1. t. 69. f. 1.
<i>Chloris cruciata</i> . w.	<i>Agrostis cruciata</i> , L.					

2 mucronata. R.S.	mucronate.	N. America. 1820.	7. 9. H.○.	Lam. ill. t. 48. f. 2.
3 virgata. R.S.	slender.	W. Indies.	— — H.○.	
CHONDROSIUM. K.S.	CHONDROSIUM.	Triandria Digynia. R.S.		
1 procumbens. Desv.	procumbent.	Philippines. 1816.	7. 9. H.○.	Jacq. ecl. gr. t. 12.
Actinochloa procumbens. R.S.	Atheropogon procumbens. Jacq.			
2 tenue. K.S.	slender.	Mexico. 1823.	— — H.○.	H. et B. n. gen. 1. t. 57.
3 prostratum.	prostrate.	— — — —	— — H.○.	
Actinochloa prostrata. R.S.	Bouteloua prostrata. Lag.			
4 hirsutum.	hairy.	— — — —	— — H.○.	
CORYCARPUS. Zea.	CORYCARPUS.	Diandria Digynia. S.S.		
arundinaceus. s.s.	Reed-like.	N. America. 1810.	6. 7. H.‡.	
Festuca diandra. M.	Diarrhena americana. R.S.	Reimeria Zee. R.S.		Mich. amer. 1. t. 10.
DIPLACHNE. R.S.	DIPLACHNE.	Triandria Digynia. R.S.		
fascicularis. R.S.	fascicled.	N. America. 1818.	6. 8. H.○.	
Festuca polystachya. M.				
SCHEDONORUS. R.S.	SCHEDONORUS.	Triandria Digynia. R.S.		
1 pratensis. R.S.	meadow.	Britain. 6. 7. H.○.	Eng. bot. 1592.
Festuca pratensis. E.B.				
2 phœnicoïdes. R.S.	creeping-rooted.	Switzerland. 1824.	— — H.‡.	
3 elatior. R.S.	tall.	Britain. — — H.‡.	Eng. bot. 1593.
Festuca elatior. E.B.	et Sinc. gr. wob. p. 361. ic.			
4 cœrulescens. R.S.	blueish.	Barbary.	1818. 6. 7. H.‡.	
5 spadiceus. R.S.	Gerard's.	Italy.	1775. 4. 6. H.‡.	Host. gram. 3. t. 20.
6 inermis. R.S.	naked-spiked.	Hungary.	1816. 6. 7. H.‡.	— — — — 1. t. 9.
7 calamarius. R.S.	Reed-like.	Scotland. 7. 8. H.‡.	Eng. bot. 1005.
8 deciduous.	deciduous.	England. 6. 7. H.‡.	— — — — 2266.
Festuca decidua. E.B.				
9 sylvaticus. R.S.	wood.	Germany.	1804. 7. 8. H.‡.	Host. gram. 2. t. 78.
10 serotinus. R.S.	late-flowering.	S. Europe.	1818. 7. 9. H.‡.	— — — — 2. t. 92.
11 loliaceus. R.S.	spiked.	England. 6. 7. H.‡.	Eng. bot. 1821.
12 Scheuchzeri. R.S.	Scheuchzer's.	S. Europe.	1822. — — H.‡.	
13 violaceus. R.S.	violet coloured.	Europe. — — H.‡.	
14 nutans. R.S.	nodding.	Hungary.	1823. — — H.‡.	Host. gram. 4. t. 61.
15 nigrescens. R.S.	blackish.	Switzerland.	— — — — H.‡.	
16 poæformis. R.S.	Poa-like.	— — — —	1818. — — H.‡.	Host. gram. 2. t. 81.
17 pumilus. R.S.	dwarf.	S. Europe.	— — — — H.‡.	— — — — 2. t. 91.
18 tenellus. R.S.	slender.	N. America.	1804. 7. 8. H.○.	
Festuca tenella. Ph.	Brachypodium festuroides. L.en.			
FESTUCA. R.S.	FESCUE-GRASS.	Triandria Digynia. L.		
1 cynosuroides. R.S.	dogs-tail.	Barbary.	1825. 6. 8. H.○.	Desf. atl. 1. t. 21.
2 Fenæ. R.S.	tough.	Spain.	1822. — — H.‡.	
Poa tenax. L.en.				
3 ovina. R.S.	Sheep's.	Britain. 6. H.‡.	Eng. bot. 585.
4 tenuifolia. L.en.	slender-leaved.	— — — —	— — H.‡.	
5 cæsia. E.B.	gray.	England. 6. 7. H.‡.	Eng. bot. 1917.
6 vivipara. E.B.	viviparous.	Britain. 7. H.‡.	— — — — 1355.
7 glauca. R.S.	glaucous.	S. Europe. 6. 7. H.‡.	
8 pallens. R.S.	pale.	Germany.	1816. — — H.‡.	Host. gram. 2. t. 88.
9 stricta. Host.	upright.	— — — —	— — H.‡.	— — — — 2. t. 86.
10 hirsuta. Host.	hairy.	— — — —	— — H.‡.	— — — — 2. t. 85.
11 Halleri. R.S.	Haller's.	Europe.	1820. — — H.‡.	
12 curvula. R.S.	curved.	Switzerland.	— — — — H.‡.	
13 alpina. R.S.	Alpine.	— — — —	— — H.‡.	
14 amethystina. R.S.	blue.	S. Europe.	1804. — — H.‡.	
15 varia. R.S.	variable.	— — — —	1823. — — H.‡.	Host. gram. 2. t. 90.
16 valesiaca.	Vallesian.	Vallesia.	— — — — H.‡.	
17 pannonica. R.S.	Hungarian.	Hungary.	— — — — H.‡.	Host. gram. 4. t. 62.
18 xanthina. R.S.	yellow.	Switzerland.	1818. — — H.‡.	— — — — 3. t. 19.
flavescens. Host. non Bellardi.				
19 flavescens. DC.	yellowish.	— — — —	— — H.‡.	
20 duriuscula. E.B.	hard.	Britain. — — H.‡.	Eng. bot. 470.
21 dumetorum. s.G.W.	pubescent.	— — — —	— — H.‡.	
22 glabra. s.G.W.	smooth.	— — — — 6. H.‡.	Sinc. gr. wob. p. 180. ic.
23 hordeiformis. s.G.W.	Barley like.	— — — —	— — H.‡.	— — — — p. 159. ic.
24 cambrica. s.G.W.	Welsh.	Wales. — — H.‡.	— — — — p. 157. ic.
25 heterophylla. R.S.	various-leaved.	S. Europe.	1812. 6. 7. H.‡.	Host. gram. 3. t. 18.
26 rubra. E.B.	red creeping.	Britain. 7. H.‡.	Eng. bot. 2056.
27 vaginata. R.S.	sheathed.	Hungary.	1804. 6. 7. H.‡.	

GRAMINEÆ.

28	Kitaibeliana. R.S.	Kitaibel's. <i>pubescens</i> . L.en. <i>non</i> Zea.	Hungary.	1818.	6. 7. H. 4.	
29	laxa. R.S.	loose.	Switzerland.	1824.	—	H. 4.
30	nutans. R.S.	nodding.	N. America.	1805.	—	H. 4.
31	mexicana. R.S.	Mexican.	Mexico.	1816.	7. 9. H. ⊙.	
32	rubens. R.S.	red.	S. Europe.	1776.	6. 7. H. ⊙.	Flor. græc. t. 83.
	<i>Bromus rubens</i> . F.G.					
33	levis. f.	smooth.	Russia.	1806.	7. H. 4.	
34	grandiflora. Ph.	large-flowered.	N. America.	1812.	6. 7. H. 4.	Host. gram. 2. t. 80.
	<i>MYGALURUS</i> . L.en.	<i>MOUSTAIL-GRASS</i> .	<i>Triandria Digynia</i> . L.en.			
1	bromoïdes. L.en.	barren.	Britain.	—	6. H. ⊙.	Eng. bot. 1411.
2	caudatus. L.en.	wall.	England.	—	— H. ⊙.	— 1412.
	<i>Festuca Myurus</i> . E.B.					
3	alopecuroides. L.en.	Fox-tail.	Barbary.	1799.	6. 8. H. ⊙.	Desf. atl. 1. t. 25.
4	uniglumis. L.en.	single-husked.	England.	—	— H. ⊙.	Eng. bot. 1430.
5	delicatulus. L.en.	delicate.	Spain.	1817.	7. 8. H. ⊙.	
6	geniculatus. L.en.	jointed.	S. Europe.	1793.	6. 7. H. ⊙.	
	<i>Bromus geniculatus</i> . R.S. <i>Festuca stipoides</i> . R.S.					
	<i>BRACHYPODIUM</i> . R.S.	<i>BRACHYPODIUM</i> .	<i>Triandria Digynia</i> . R.S.			
1	pinnatum. R.S.	spiked heath.	Britain.	—	6. 8. H. 4.	Eng. bot. 730.
	<i>Bromus pinnatus</i> . E.B.	<i>Triticum pinnatum</i> . DC. <i>Festuca pinnata</i> . E.F.				
2	rupestre. R.S.	rock.	S. Europe.	1816.	—	H. 4.
3	strigosum. R.S.	strigose.	Tauria.	1824.	—	H. 4.
4	cæspitosum. R.S.	tufted.	S. Europe.	—	— H. 4.	Host. gram. 4. t. 17.
5	ramosum. R.S.	branched.	—	1818.	— H. 4.	Host. gram. 4. t. 18.
6	pluenicoides. R.S.	pointed-leaved.	S. France.	1824.	— H. 4.	Desf. atl. 1. t. 24. f. 1.
7	obtusifolium. R.S.	blunt-leaved.	Spain.	1818.	— H. 4.	
8	Tenorianum. R.S.	Tenore's.	Naples.	1824.	— H. 4.	
9	longifolium. R.S.	long-leaved.	Barbary.	1818.	— H. 4.	
10	sylvaticum. R.S.	wood.	Britain.	—	— H. 4.	
	<i>Bromus sylvaticus</i> . E.B. <i>Triticum sylvaticum</i> . DC. <i>Festuca sylvatica</i> . E.F.					
11	distachyum. R.S.	two-spiked.	S. Europe.	1772.	— H. 4.	Eng. bot. 729.
12	asperum. R.S.	stiff-leaved.	Spain.	1818.	— H. ⊙.	Host. gram. 1. t. 20.
13	Halleri. r.s.	Haller's.	S. Europe.	—	— H. ⊙.	Vivian. fr. fl. it. t. 26. f. 1.
14	tenuiculum. R.S.	slender-stem'd.	—	—	— H. ⊙.	— t. 23. f. 2.
15	tenuiflorum. R.S.	slender-fl'd.	—	1823.	— H. ⊙.	Host. gram. 2. t. 26.
16	Nardus. L.en.	slender.	—	—	— H. ⊙.	
	<i>tenellum</i> . R.S. <i>Triticum Nardus</i> . DC.					
17	loliaceum. R.S.	spiked sea.	Britain.	—	6. 7. H. ⊙.	Eng. bot. 221.
	<i>Triticum loliaceum</i> . E.B.					
18	biunciale. R.S.	small.	S. Europe.	1818.	6. 8. H. ⊙.	Viv. fl. it. fr. t. 24.
19	unilaterale. R.S.	one-sided.	—	1824.	— H. ⊙.	Bocc. mus. t. 57. f. 2.
	<i>TRICHÆTA</i> . R.S.	<i>TRICHÆTA</i> .	<i>Triandria Digynia</i> . R.S.			Cavan. ic. 6. t. 591. f. 2.
	<i>ovata</i> . R.S.	oval-spiked.	Spain.	1824.	6. 8. H. 4.	
	<i>Bromus ovatus</i> . Cav.	<i>Trisetum ovatum</i> . P.S.				
	<i>BROMUS</i> . R.S.	<i>BROME-GRASS</i> .	<i>Triandria Digynia</i> . R.S.			
1	secalinus. R.S.	smooth Rye.	England.	—	6. 8. H. ⊙.	Eng. bot. 1171.
2	elongatus. R.S.	elongated.	Switzerland.	1823.	— H. ⊙.	Host. gram. 1. t. 11.
3	commutatus. R.S.	downy Rye.	Britain.	—	— H. ⊙.	Eng. bot. 1884.
4	velutinus. R.S.	hairy-headed.	—	—	— H. ⊙.	
	<i>multiflorus</i> . E.B.					
5	mollis. R.S.	soft.	—	—	5. 7. H. ⊙.	Eng. bot. 1078.
6	confertus. R.S.	close-spiked.	Iberia.	1825.	— H. ⊙.	Eng. bot. 1079.
7	racemosus. R.S.	smooth.	England.	—	6. 8. H. ⊙.	— 471.
8	erectus. E.B.	upright.	—	—	— H. 4.	
9	Biebersteinii. R.S.	Bieberstein's.	Caucasus.	1825.	— H. 4.	
10	australis. B.P.	southern.	N. S. W.	1823.	— H. ⊙.	Buxb. cent. ap. t. 19.
11	lanceolatus. R.S.	spear-leaved.	Canaries.	1798.	— H. ⊙.	
12	lanuginosus. R.S.	woolly.	S. Europe.	1824.	— H. ⊙.	
13	variegatus. R.S.	variegated.	Caucasus.	—	— H. 4.	
14	squarrosum. R.S.	corn.	England.	—	— H. 4.	Eng. bot. 1885.
15	vestitus. R.S.	clothed.	C. B. S.	1816.	— G. 4.	Jacq. ecl. gr. t. 15.
16	wolgensis. R.S.	Wolga.	Caucasus.	—	— H. ⊙.	
17	laxus. R.S.	loose.	—	—	— H. 4.	Desf. atl. 1. t. 25.
18	alopecuroides. R.S.	Fox-tail.	S. Europe.	1799.	— H. 4.	
	<i>contortus</i> . Desf.					
19	purgans. R.S.	purging.	Canada.	1793.	— H. 4.	
20	pubescens. R.S.	pubescent.	N. America.	1816.	— H. 4.	
21	asper. E.B.	hairy wood.	England.	—	— H. 4.	Eng. bot. 1172.

22 pendulinus. R.S.	pendulous.	Spain.	1823.	6. 8.	H.○.	
23 glaucus. R.S.	glaucous.	Pyrenees.	—	—	H.‡.	Lap. fl. pyren. t. 53. bis.
24 altissimus. R.S.	tallest.	N. America.	1812.	—	H.‡.	
25 giganteus. R.S. β triflorus.	gigantic. three-flowered.	Britain.	—	7. 8.	H.‡.	Eng. bot. 1820. 1918.
<i>Festuca triflora.</i> E.B.	long-flowered.	—	1818.	—	H.‡.	
26 longiflorus. R.S.	ciliated.	N. America.	1802.	6. 8.	H.‡.	
27 ciliatus. R.S.	field.	Britain.	—	7.	H.‡.	Eug. bot. 1864. 1030.
28 arvensis. R.S.	barren.	—	—	6. 7.	H.○.	Flor. græc. t. 82.
29 sterilis. R.S.	nodding.	Europe.	1776.	6. 8.	H.♂.	
30 tectorum. R.S.	wall.	Britain.	—	6.	H.○.	Eng. bot. 1006.
31 matritensis. R.S. <i>diandrus.</i> E.B.	contracted.	Italy.	1824.	6. 8.	H.○.	Barrel. ic. 76. n. 2.
32 ligusticus. R.S.	rigid.	S. France.	1822.	6. 8.	H.○.	Host. gram. 1. t. 18.
33 rigidus. R.S.	hairy wall.	S. Europe.	—	—	H.○.	
34 pilosus. R.S.	loose paniced.	Italy.	1824.	—	H.○.	
35 jubatus. R.S.	great.	Morocco.	1804.	—	H.○.	Desf. atl. 1. t. 26.
36 maximus. R.S.	broom.	S. Europe.	1824.	—	H.○.	Cavan. ic. 1. t. 45. f. 2.
37 scoparius. R.S.	low.	Spain.	—	—	H.○.	— ic. 6. t. 589. f. 2.
38 humilis. R.S.	narrow-leaved.	—	—	—	H.‡.	
39 stenophyllus. L.en.	roughest.	Italy.	—	—	H.○.	
40 scaberimus. R.S.	ROSTRARIA. Tr.	ROSTRARIA. Triandria Digynia.	—	—	H.○.	
pubescens. Tr.	pubescent.	pubescent.	1824.	6. 8.	H.○.	
<i>Bromus dactyloides.</i> Roth. <i>Dactylis pungens.</i> Horn.	REED. Triandria Digynia. R.S.	—	—	—	—	
PHRAGMITES. Tr.	common.	Britain.	—	7. 8.	H.w.‡.	Eng. bot. 401.
communis. Tr.	—	—	—	—	—	
<i>Arundo phragmites.</i> E.B.	REED-GRASS.	Triandria Digynia. S.S.	—	—	—	
ARUNDO. S.S.	manured.	S. Europe.	1648.	7. 8.	H.‡.	Host. gram. 4. t. 38.
1 Donax. s.s.	striped.	—	—	—	H.‡.	Moris. s. 8. t. 8. f. 9.
β versicolor.	tough.	—	1823.	—	H.‡.	Cyril. neap. f. 2. t. 12.
2 tenax. s.s.	Fescue-like.	Germany.	—	—	H.w.‡.	
3 festucacea. W.en.	SEA MATWEED.	Triandria Trigynia. R.S.	—	—	—	
PSAMMA. R.S.	common.	Britain.	—	6. 7.	H.‡.	Eng. bot. 520.
arenaria. R.S.	—	—	—	—	—	
<i>Arundo arenaria.</i> E.B.	ARUNDINARIA. R.S. CANE-BRAKE.	Triandria Monogynia. S.S.	—	—	—	
ARUNDINARIA. R.S.	1 glaucescens. R.S.	glaucous.	E. Indies.	1818.	—	S. h.
paniculata. w.	<i>Ludolfia glaucescens.</i> W.	—	—	—	—	
ZEA. W.	2 macroisperma. R.S.	long-seeded.	N. America.	1809.	7.	H.‡.
Mays. w.	<i>Miegia macroperma.</i> P.S. <i>Ludolfia macroperma.</i> W.	—	—	—	—	
COIX. W.	OLYRA. Monœcia Triandria. L.	broad-leaved.	W. Indies.	1783.	7.	S.‡.
1 Lachryma. s.s.	INDIAN CORN. Monœcia Triandria. L.	common.	—	—	—	Sloan. jam. 1. t. 64. f. 2.
2 agrestis. s.s.	JOB'S TEARS. Monœcia Triandria. L.	common.	America.	1562.	6. 7.	H.○.
3 exaltata. s.s.	—	round-fruited.	E. Indies.	1596.	6. 7.	S.‡.
4 arundinacea. s.s.	—	tall.	China.	1812.	—	S.‡.
5 Koenigii. s.s.	—	reed-like.	Mexico.	1816.	—	S.‡.
BAMBUSA. W.	Koenig's.	—	E. Indies.	1824.	—	S.‡.
1 arundinacea. w.	BAMBOO-CANE. Hexandria Monogynia. W.	common.	India.	1818.	—	S.‡.
2 verticillata. w.	—	—	India.	1730.	—	S. h.
MELOCANNA. Tr.	whorl-flowered.	—	—	1802.	—	S. h.
bambusoides. Tr.	MELOCANNA. Hexandria Monogynia. S.S.	berry bearing.	E. Indies.	1818.	—	Roxb. corom. 1. t. 79.
<i>Bambusa baccifera.</i> Roxb.	—	—	—	—	—	— 1. t. 80.
PHARUS. W.	PHARUS. Monœcia Hexandria. W.	broad-leaved.	Jamaica.	1793.	7. 8.	S.‡.
latifolius. w.	—	—	—	—	—	Brown. jam. t. 38. f. 3.
EHRHARTA. W.	EHRHARTA. Hexandria Monogynia. S.S.	Panic-grass.	C. B. S.	1790.	5. 7.	G.‡.
1 panicea. w.	—	—	—	1816.	—	G.‡.
2 melicoides. s.s.	Melica-like.	—	—	—	—	Sm. ined. 1. t. 9.
MICROLÆNA. B.P.	MICROLÆNA. Tetrandria Digynia. B.P.	Stipa-like.	N. S. W.	1822.	7. 8.	F.‡.
stipoides. B.P.	—	—	—	—	—	Lab. n. hol. 1. t. 118.
<i>Elrharta stipoides.</i> Lab.	—	—	—	—	—	
POTAMOPHILA. B.P.	POTAMOPHILA. Polygamia Monœcia. B.P.	small-flowered.	N. S. W.	1820.	6. 7.	F.w.‡.
parviflora. B.P.	—	—	—	—	—	
ORYZA. W.	RICE. Hexandria Digynia. L.	common.	Ethiopia.	1596.	7.	S.w.○.
sativa. w.	—	—	—	—	—	

GRAMINEÆ.

ZIZANIA. W.
1 aquatica. H.B.
2 miliacea. M.
3 fluitans. M.
PARIANA. W.
campestris. w.

CANADA RICE. Monœcia Hexandria. W.
water. N.America. 1790. 7. 9. H.w. 4. Linn. trans. 7. t. 13.
Millet-like. Carolina. 1816. — H.w. 4.
floating. N.America. 1824. 7. 8. H.w. 4.
PARIANA. Monœcia Polyandria. W.
Cayenne. Cayenne. 1803. S.h. Aubl. gui. 2. t. 337.

** SUBCLASSIS II. CRYPTOGAMEÆ. DC.

ORDO CXCVI.

CHARACEÆ. *Kth. synops. v. 1. p. 102.*

CHARA. L.

- 1 vulgaris. E.B.
2 gracilis. E.B.
3 hispida. E.B.
4 tomentosa. W.
5 flexilis. E.B.
6 translucens. E.B.
7 nidifica. E.B.

CHARA. Monœcia Monandria. W.

common.	Britain.	7. 8.	H.w. 4. Eng. bot. 336.
slender.	England.	—	H.w. 4. — 2140.
prickly.	Britain.	6. 9.	H.w. 4. — 463.
tomentose.	6. 7.	H.w. 4. Moris. s. 15. t. 4. f. 9.
smooth.	England.	7. 8.	H.w. 4. Eng. bot. 1070.
great transparent.	—	H.w. 4. — 1855.
proliferous.	—	—	H.w. 4. — 1703.

ORDO CXCVII.

EQUISETACEÆ. DC. *fl. fr. ed. 3. v. 2. p. 580.*

EQUISETUM. W.

- 1 arvense. w.
2 fluviatile. w.
3 umbrosum. w.en.
4 sylvaticum. w.
5 limosum. w.
6 palustre. w.
7 pratense. w.
8 scirpoïdes. w.
9 hyemale. w.
10 variegatum. w.
11 filiforme.

HORSE-TAIL. Cryptogamia Gonopterides. W.

corn.	Britain.	3. 4.	H. 4. Eng. bot. 2020.
great water.	—	4. 5.	H. 4. — 2022.
shade.	Germany.	1818.	—	H. 4.
wood.	Britain.	—	H. 4. Eng. bot. 1874.
smooth naked.	—	6. 7.	H. 4. — 929.
marsh.	—	—	H. 4. — 2021.
meadow.	Germany.	1820.	—	H. 4.
American.	N.America.	1812.	—	H. 4.
Shave grass.	Britain.	7. 8.	H. 4. Eng. bot. 915.
variegated.	Scotland.	6. 7.	H. 4. — 1987.
thready.	N.America.	1800.	7. 8.	H. 4.

ORDO CXCVIII.

MARSILEACEÆ. *Brown prodr. p. 166.*

PILULARIA. W.

globulifera. w.

ISOOTES. W.

lacustris. w.

PILLWORT. Cryptogamia Hydropterides. W.

Pepper-grass. Britain. 6. 9. H.w. 4. Eng. bot. 521.

QUILLWORT. Cryptogamia Hydropterides. W.

marsh. Britain. 5. 10 H.w. 4. Eng. bot. 1084.

SALVINIA. W.
natans. w.
MARSILEA. W.
quadrisfolia. w.

SALVINIA. Cryptogamia Hydropterides. W.
floating. Europe. 1818. 5. 8. H.w. 4. Schkuhr filic. t. 173.
MARSILEA. Cryptogamia Hydropterides. W.
four-leaved. S. Europe. 1820. 6. 8. H.w. 4. J.mem.ac.sci.par. 1740

ORDO CXCIX.

LYCOPODIACEÆ. *Kth. synops.* 1. p. 95.

LYCOPodium. W.	CLUB-MOSS.	Cryptogamia Stachyopterides. W.		
1 carolinianum. w.	Carolina.	Carolina. 1812. 7. 8. H. 4.	Dill. musc. t. 62. f.5.	
2 clavatum. w.	common.	Britain. — H. 4.	Eng. bot. 224.	
3 complanatum. w.	Arbor Vitæ-ld.	N.America. 1770. — H. 4.	Flor. dan. 78.	
4 alpinum. w.	Savin-leaved.	Britain. 8. H. 4.	Eng. bot. 234.	
5 dendroideum. w.	fan.	N.America. 1770. 7. H. 4.	Hook. ex. flor. 7.	
6 annotinum. w.	interrupted.	Britain. 6. 8. H. 4.	Eng. bot. 1727.	
7 inundatum. w.	marsh. — H.w. 4. 239.	
8 alopecuroides. w.	Fox-tail.	N.America. 1816. — H. 4.	Schkuhr filic. t. 160.	
9 Selaginoides. w.	prickly.	Britain. 8. H. 4.	Eng. bot. 1148.	
10 ornithopodioides. w.	Bird's-claw. 1812. 6. 8. H. 4.	Dill. musc. t. 66. f.1.B.	
11 helveticum. w.	Swiss.	Switzerland. 1779. — H. 4. t. 64. f. 2.	
12 rupestre. w.	rock.	N.America. 1818. — H. 4. t. 63. f. 11.	
13 denticulatum. w.	toothed.	Switzerland. 1779. 7. H. 4. t. 66. f.1.A.	
14 depressum. w.	depressed.	C. B. S. 1816. 7. 8. G. 4.	Eng. bot. 233.	
15 Selago. w.	Fir.	Britain. 6. 8. H. 4.	Dill. musc. t. 64. f.3.	
16 apodium. w.	distichous.	N.America. 1815. 7. H. 4.	Schkuhr filic. t. 159.	
17 lucidulum. w.	glossy. 1822. — H. 4.	Lab.nov.hol.2.t.251.f.1	
18 densum. B.P.	dense.	N. S. W. — 7. 8. G. 4.	Schkuhr fil. t. 165. b.	
PSILOTUM. B.P.	PSILOTUM.	Cryptogamia Stachyopterides. W.		
triquetrum. B.P.	triangular.	N. S. W. 1793. 7. 8. G. 4.		
<i>Lycopodium nudum.</i> L. <i>Bernhardia dichotoma.</i> w.				

ORDO CC.

FILICES. *Juss. gen.* 14.

SUBORDO I. OPHIOGLOSSÆ. Brown prodr. p. 163.

OPHIOGLOSSUM. W.	ADDER'S-TONGUE.	Cryptogamia Stachyopterides. W.		
1 vulgatum. E.B.	common.	Britain. 5. 6. H. 4.	Eng. bot. 108.	
2 lusitanicum. w.	Portugal.	Portugal. — H. 4.		
3 gramineum. w.	grass-like.	N.Holland. 1822. — G. 4.	Willd.s.erf.1802.t.1.f.1	
4 costatum. B.P.	ribbed.	N. S. W. — — G. 4.		
5 reticulatum. w.	netted.	W. Indies. 1793. — S. 4.	Plum. fil. t. 164.	
6 petiolatum. w.	petiolate. 1822. 1. 3. S. 4.	Hook. ex. flor. 56.	
BOTRYCHIUM. W.	Moonwort.	Cryptogamia Stachyopterides. W.		
1 Lunaria. w.	common.	Britain. 5. 6. H. 4.	Eng. bot. 318.	
<i>Osmunda lunaria.</i> E.B.				
2 fumarioides. w.	Fumitory-ld.	Carolina. 1806. 7. 8. H. 4.	Schkuhr fil. t. 157.	
3 dissectum. w.	cut-leaved.	N.America. — 7. H. 4. t. 158.	
4 virginicum. w.	Virginian. 1790. 8. H. 4. t. 156.	
5 australe. B.P.	southern.	N. S. W. 1823. 7. 8. H. 4.		
6 gracile. Ph.	slender.	N.America. 1824. — H. 4.		

SUBORDO II. OSMUNDACEÆ. Brown prodr. p. 161.

LYGODIUM. B.P.	SNAKE'S-TONGUE. Cryptogamia Schismatopterides. W.
1 polymorphum. K.S.	variable. S. America. 1816. 5. 9. S. 4. —. Cav. ic. 6. t. 595. f. 1.
venustum. Spr.	<i>Urginea polymorpha.</i> Cav. <i>Hydroglossum hirsutum.</i> W.
2 scandens. Sw.	climbing. E. Indies. 1793. 5. 9. S. 4. —. Lodd. bot. cab. 742.
3 circinatum. Sw.	rounded. W. Indies. 1818. — — S. 4. —.
4 palmatum. Sw.	palmate. N. America. 1823. — — S. 4. —. Schkuhr filic. t. 140.
	<i>Hydroglossum palmatum.</i> W.
ANEMIA. W.	ANEMIA. Cryptogamia Schismatopterides. W.
1 hirsuta. w.	hairy. W. Indies. 1794. — — S. 4. —. Plum. fil. t. 162.
2 adiantifolia. w.	Maiden-hair. Id. — — 1793. 8. 9. S. 4. — — f. 158.
3 lanceolata. w.	spear-leaved. — — 1820. — — S. 4. —.
OSMUNDA. W.	OSMUNDA. Cryptogamia Schismatopterides. W.
1 cinnamomea. w.	woolly. N. America. 1772. 6. H. 4. Schkuhr fil. t. 146.
2 regalis. w.	flowering fern. Britain. — — 7. 8. H. 4. Eng. bot. 209.
3 Claytoniana. w.	Clayton's. N. America. 1772. 8. H. 4.
4 interrupta. w.	interrupted. — — — 6. 7. H. 4. Schkuhr fil. t. 144.
5 spectabilis. w.	showy. — — 1811. 7. H. 4. Pluk. alm. t. 184. f. 4.
6 humilis. w.	dwarf. — — 1823. 6. 8. H. 4. Hook. ex. flor. 28.
TODEA. W.	TODEA. Cryptogamia Schismatopterides. W.
africana. w.	African. C. B. S. 1805. 5. 8. G. 4. Schkuhr fil. t. 147.
<i>Osmunda barbata.</i> E.P.	
SCHIZÆA. W.	SCHIZÆA. Cryptogamia Schismatopterides. W.
1 penicillata. w.	pencilled. S. America. 1816. 6. 7. S. 4.
2 rupestris. B.P.	rock. N. S. W. 1822. — — G. 4.
3 bifida. B.P.	bifid. — — — — G. 4. Willd. mem. farr. t. 3. f. 2.

SUBORDO III. GLEICHENEÆ. Brown prodr. p. 160.

GLEICHENIA. B.P.	GLEICHENIA. Cryptogamia Poropterides. W.
1 pubescens. K.S.	pubescent. Vera Cruz. 1822. 6. 8. S. 4.
<i>Mertensia pubescens.</i> w.	
2 speluncæ. B.P.	various-leaved. N. S. W. — — — G. 4.
3 microphylla. B.P.	small-leaved. — — 1825. — — G. 4.
4 flabellata. B.P.	fan-leaved. — — 1823. — — G. 4.
MARATTIA. W.	MARATTIA. Cryptogamia Poropterides. W.
alata. w.	winged. Jamaica. 1793. 5. 8. S. 4. Sm. ic. ined. t. 46.

SUBORDO IV. POLYPODIACEÆ. Brown prodr. p. 145.

ACROSTICHUM. W.	ACROSTICHUM. Cryptogamia Filices. L.
1 simplex. w.	simple. Jamaica. 1793. — — S. 4. Lodd. bot. cab. 709.
2 lingua. w.	tongue-leaved. China. 1817. 5. 7. G. 4. Thunb. fl. jap. t. 33.
3 crinitum. w.	hairy. W. Indies. 1793. — — S. 4. Plum. fil. t. 125.
4 alicorné. B.P.	Elk's-horn. N. S. W. 1808. 8. 10. G. 4. Botan. regist. 262-3.
5 Stemaria. Beau.	Stag's-horn. Guinea. 1822. 5. 8. S. 4. Beau. fl. d'ow. v. 1. pl. 2.
6 appendiculatum. H.	appendaged. W. Indies. 1824. 6. 8. S. 4. Hook. ex. flor. 108.
7 sorbifolium. w.	Sorbus-leaved. — — 1793. — — S. 4. Plum. fil. t. 117.
8 velleum. w.	woolly. Madeira. 1778. 8. 9. G. 4. Desf. atl. 2. t. 256.
9 calomelanus. w.	mealy. W. Indies. 1790. 7. 8. S. 4. Willd. h. ber. t. 41.
10 aureum. w.	golden. America. 1820. — — G. 4. Schkuhr fil. t. 1.
NOTHOLÆNA. B.P.	NOTHOLÆNA. Cryptogamia Filices.
1 Marantæ. B.P.	Swiss. Switzerland. 1824. 6. 8. H. 4. Spreng. crypt. t. 2. f. 18.
<i>Acrostichum Marantæ.</i> w.	
2 distans. B.P.	distant. N. S. W. 1823. — — G. 4.
HEMIONITIS. W.	HEMIONITIS. Cryptogamia Filices. W.
1 lanceolata. w.	spear-leaved. W. Indies. 1793. 6. 8. S. 4.
2 palmata. w.	palmated. — — — — S. 4.
3 rufa. w.	rusty-haired. Jamaica. — — — — S. 4.
4 dealbata. w.	mealy. S. America. 1818. — — S. 4.

GYMNOGRAMMA.	Cryptogamia Filices.
peruvianum. Desv.	Peruvian. Peru. 1822. 6. 8. G. 4.
MENISCUM. W.	Cryptogamia Filices. W.
reticulatum. w.	netted. Martinico. 1793. 6. 8. S. 4.
GRAMMITIS. Sw.	Cryptogamia Filices. W.
1 serrulata. w.	saw-leaved. W. Indies. 1823. 6. 8. S. 4.
2 australis. B.P.	southern. N. S. W. 1822. — G. 4.
3 Ceterach. sw.	common. Britain. 5. 10. H. 4.
<i>Scolopendrium Ceterach.</i> E.B. 1244. <i>Ceterach officinarum.</i> w.	Lodd. bot. cab. 15.
POLYPODIUM. W.	Cryptogamia Filices. L.
1 serpens. w.	trailing. W. Indies. 1822. 3. 8. S. 4.
2 angustifolium. w.	narrow-leaved. S. America. — S. 4.
3 lanceolatum. w.	spear-leaved. — 1824. — S. 4.
4 rupestre. B.P.	woolly-leaved. N. S. W. — G. 4.
5 confluens. B.P.	confluent. — 1822. — G. 4.
6 attenuatum. B.P.	attenuated. — 1823. — G. 4.
7 lineare. w.	linear-leaved. Japan. 1822. — G. 4.
8 piloselloides. w.	Mouse-ear. W. Indies. 1793. — S. 4.
9 lycopodioides. w.	Club-moss. — — S. 4.
10 phyllitidis. w.	Hart's-tongue. — — S. 4.
11 crassifolium. w.	thick-leaved. — 1816. — S. 4.
12 repens. w.	creeping. S. America. — S. 4.
13 Billardieri. B.P.	LaBillardiere's. V. Diem. Isl. 1823. — G. 4.
14 aureum. w.	golden. W. Indies. 1742. 3. 5. S. 4.
15 phymatodes. w.	warted. — 1816. — S. 4.
16 vulgare. E.B.	common. Britain. 5. 10. H. 4.
β canabricum.	Welsh. Wales. H. 4.
17 virginianum. w.	Virginian. N. America. 7. H. 4.
18 pectinatum. w.	comb-leaved. W. Indies. 1793. 6. 9. S. 4.
19 Plumula. w.	feather. S. America. 1822. 5. 8. S. 4.
20 tenuifolium. w.	slender-leaved. — — S. 4.
21 asplenifolium. w.	Spleenwort-ld. Martinico. 1790. — S. 4.
22 incanum. w.	hoary. America. 1811. 7. H. 4.
23 trichomanoides. w.	Trichomanes like. W. Indies. 1822. 5. 8. S. 4.
24 juglandifolium. w.	Wallnut-leav'd. S. America. — — S. 4.
25 crenatum. w.	crenated. — 1824. S. 4.
26 fraxinifolium. w.	Ash-leaved. Caracas. 1822. 5. 8. S. 4.
27 tenellum. B.P.	slender. N. S. W. — 5. 7. G. 4.
28 pertusum. H.E.F.	bored. China. 1817. 7. 10. G. 4.
29 Phegopteris. E.B.	sun-fern. Britain. 6. 7. H. 4.
30 hexagonopterum. w.	triangular. N. America. 1811. — H. 4.
31 pruinatum. w.	white-leaved. Jamaica. 1793. 5. 8. S. 4.
32 effusum. w.	spreading. — 1769. 11. S. 4.
33 Dryopteris. w.	tender-branch'd. Britain. 6. 9. H. 4.
34 connectile. w.	connected. N. America. 1812. 7. H. 4.
35 calcareum. w.	rigid-branch'd. Britain. — H. 4.
WOODSIA. L.T.	Cryptogamia Filices. L.
1 hyperborea. L.T.	hairy Alpine. Scotland. 7. 9. H. 4.
2 ilvensis. L.T.	rock. N. America. 1812. 6. 7. H. 4.
PLEOPELTIS. K.S.	Cryptogamia Filices.
1 ensifolia. H.E.F.	sword-leaved. S. America. 1823. 5. 6. S. 4.
2 latifolia. L.C.	broad-leaved. — — S. 4.
3 nuda. D.P.	naked. Nepaul. — — S. 4.
ASPIDIUM. B.P.	Cryptogamia Filices. W.
1 trifoliatum. w.	SHIELD-FERN. three-leaved. W. Indies. 1769. 4. 8. S. 4.
2 cicutarium. w.	Cicuta-leaved. N. America. 1823. — H. 4.
3 patens. w.	pubescent. W. Indies. 1784. 7. 9. S. 4.
4 dentatum. w.	toothed. Scotland. 7. H. 4.
<i>Cyathea dentata.</i> E.B.	Haller's. Switzerland. 1821. 4. 8. H. 4.
5 Halleri. w.	bulbiferous. N. America. 1638. 7. 8. H. 4.
6 bulbiferum. w.	stone. Switzerland. — H. 4.
7 rheticum. w.	slender. Madeira. Madeira. 1779. 6. 9. G. 4.
8 axillare. w.	Madeira. brittle. Britain. 6. 8. H. 4.
9 fragile. w.	laciniated. — 6. H. 4.
10 regium. w.	Madeira. F. 4.
<i>Cyathea incisa.</i> E.B.	Alpine. S. Europe. 1825. 6. 8. H. 4.
11 æmulum. w.	dwarf. Madeira. 1779. — — H. 4.
12 alpinum. w.	mountain. — — — — H. 4.
13 montanum. w.	Jacq. ic. 3. t. 642.

14 irriguum. E.B.	brook.	Britain.	6.	H. 4.	Eng. bot. 2199.
15 atomarium. w.	small.	N.America. 1822.	6. 8.	H. 4.	
NEPHRODIUM. B.P.	NEPHRODIUM.	Cryptogamia Filices.			
1 Lonchitis. H.S.L.	rough Alpine.	Britain.	5. 8.	H. 4.	Eng. bot. 797.
<i>Aspidium Lonchitis.</i> E.B.		E. Indies. 1793.	7.	S. 4.	Burm. zeyl. t. 44. f. 2.
2 auriculatum. H.S.L.	eared.	Jamaica. ———	5. 8.	S. 4.	Schkuhr fil. t. 32. b.
3 exaltatum. B.P.	lofty.	E. Indies. ———	—	S. 4.	Burm. zeyl. t. 44. f. 1.
4 unitum. B.P.	smooth united.	———	—	S. 4.	
5 propinquum. B.P.	pubescent.	———	—	S. 4.	
6 molle. B.P.	soft.	N. S. W. 1822.	—	G. 4.	Jacq. ic. t. 640.
7 noveboracense. H.S.L.	river-side.	N.America. 1812.	7.	H. 4.	Schkuhr fil. t. 46.
8 pectinatum.	comb-like.	———	1823.	5. 8.	——— t. 296.
<i>Aspidium trapezoides.</i> Schk.					
9 Oreopteris. H.S.L.	Heath.	Britain.	7.	H. 4.	Eng. bot. 1019.
10 Thelypteris. H.S.L.	Lady fern.	———	7. 8.	H. 4.	——— 1018.
11 serra. w.	saw-like.	Jamaica. 1819.	—	S. 4.	
12 parasiticum. w.	parasitical.	E. Indies. 1824.	—	S. 4.	
13 cristatum. H.S.L.	crested heath.	Britain.	6. 7.	H. 4.	Eng. bot. 2125.
14 aculeatum. H.S.L.	common prickly.	———	6. 8.	H. 4.	——— 1562.
15 marginale. H.S.L.	marginal-flg.	N.America. 1772.	6. 9.	H. 4.	Schkuhr fil. t. 45. b.
16 <i>Filix-mas.</i> H.S.L.	Male fern.	Britain.	6. 8.	H. 4.	Eng. bot. 1458.
β Smithii.	<i>Smith's.</i>	———	—	H. 4.	——— 1949.
<i>Aspidium cristatum.</i> E.B. 1949. non 2125.					
γ erosum. Ph.	jagged.	N. America. 1812.	—	H. 4.	Schkuhr fil. t. 45.
17 fragrans. Spr.	fragrant.	Europe.	—	H. 4.	
18 lobatum. H.S.L.	close-leaved.	England.	6. 9.	H. 4.	Eng. bot. 1563.
19 intermediate. w.	intermediate.	N.America. 1816.	—	H. 4.	
20 spinulosum. H.S.L.	crested prickly.	Britain.	6. 8.	H. 4.	Eng. bot. 1460.
21 dilatatum. H.S.L.	great crested.	———	—	H. 4.	——— 1461.
22 rigidum. w.	rigid.	Germany. 1816.	—	H. 4.	
23 elongatum. H.S.L.	cut-leaved.	Madeira. 1779.	7. 8.	F. 4.	
24 villosum. H.S.L.	villous.	W. Indies. 1793.	7.	S. 4.	Schkuhr fil. t. 46. b.
25 decompositum. B.P.	decompound.	N. S. W. 1820.	6. 8.	F. 4.	
26 asplenoides. m.	Spleenwort-like.	N.America. ———	—	H. 4.	Schkuhr filic. t. 78.
ALLANTODIA. B.P.	ALLANTODIA.	Cryptogamia Filices.			
1 umbrosa. B.P.	Madeira.	Madeira. 1779.	6. 9.	F. 4.	Schkuhr fil. t. 61.
2 australis. B.P.	southern.	V.Diem.Isl. 1820.	—	F. 4.	
3 tenera. B.P.	membranaceous.	N. S. W. ———	—	F. 4.	
ASPLENIUM. B.P.	SPLEENWORT.	Cryptogamia Filices. L.			
1 fontanum. B.P.	smooth rock.	England.	6. 8.	H. 4.	Eng. bot. 2024.
<i>Aspidium fontanum.</i> E.B.					
2 Filix-femina. B.P.	female fern.	Britain.	6. 9.	H. 4.	Eng. bot. 1459.
3 Adiantum-nigrum. w.	black.	———	4. 10.	H. 4.	——— 1950.
4 lanceolatum. E.B.	lanceolate.	England.	6. 10.	H. 4.	——— 240.
5 zamiaefolium. B.C.	Zamia-leaved.	W. Indies. 1818.	—	S. 4.	Lodd. bot. cab. 854.
6 montanum. w.	mountain.	N.America. 1812.	7.	H. 4.	
7 ambiguum. w.	ambiguous.	Java. 1818.	6. 8.	S. 4.	
8 fragrans. w.	fragrant.	Jamaica. 1793.	7.	S. 4.	
9 Ruta muraria. w.	Wall-rue.	Britain.	6. 10.	H. 4.	Eng. bot. 150.
10 cicutarium. K.S.	Cicut-a-like.	S. America. 1822.	—	S. 4.	Plum. fil. t. 48. a.
11 formosum. w.	handsome.	Santa Cruz. ———	—	S. 4.	
12 præmorsum. w.	snip-leaved.	Jamaica. 1793.	—	S. 4.	
13 striatum. w.	striated.	W. Indies. ———	6. 8.	S. 4.	
14 thelypteroïdes. w.	Ladyfern-like.	N.America. 1823.	7.	H. 4.	
15 rhizophorum. w.	root-bearing.	Jamaica. 1793.	6. 8.	S. 4.	
16 viride. w.	green.	Britain.	6. 9.	H. 4.	Schkuhr fil. t. 76. b.
17 melanocaulon. w.	black-stalked.	N.America. 1812.	7.	H. 4.	Sloan. j. 1. t. 29.30. f. 1.
18 Trichomanes. w.	Maiden hair.	Britain.	5. 10.	H. 4.	Eng. bot. 2257.
19 germanicum. w.	alternate-leav'd.	Scotland.	6. 10.	H. 4.	
<i>alternifolium.</i> E.B. <i>Brynnii.</i> Sw.					
20 ebeneum. w.	ivory striped.	N.America. 1779.	9.	H. 4.	
21 angustifolium. w.	narrow-leaved.	——— 1812.	6. 7.	H. 4.	Lodd. bot. cab. 5.
22 monanthemum. w.	one-flowered.	C. B. S. 1790.	7.	G. 4.	Schkuhr fil. t. 67.69.
23 marinum. w.	sea-side.	Britain.	6. 10.	H. 4.	Sm. ined. t. 73.
24 odontites. B.P.	long-leaved.	N. Holland. 1822.	—	G. 4.	Eng. bot. 392.
25 dentex. w.	toothed.	C. B. S. 1790.	—	G. 4.	Thunb.n.a.p.9.t.E.f.1.
26 laxum. B.P.	loose.	V.Diem.Isl. 1822.	6. 7.	F. 4.	
27 difforme. B.P.	deformed.	N. S. W. ———	—	F. 4.	
28 falcatum. B.P.	sickle-leaved.	——— 1825.	—	F. 4.	Lab. n. holl. 2. t. 243.

29 attenuatum. B.P.	slender.	N. S. W.	1825.	6. 7. F. 4.		
30 septentrionale. w.	forked.	Britain.	6. 10. H. 4.	Eng. bot. 1017.	
31 Hemitonitis. L. <i>palmatum</i> . B.C. 868.	Mule's-fern.	Canaries.	1779.	6. 7. G. 4.	Schkuhr fil. t. 66.	
32 flabelliifolium. w.	fan-leaved.	N. S. W.	1825.	— G. 4.	Hook. ex. flor. 208.	
33 rhizophyllum. w.	rooting-leaved.	N. America.	1680.	— H. 4.		
34 Nidus. B.P.	nest.	N. Holland.	1822.	— F. 4.		
35 serratum. w.	saw-leaved.	W. Indies.	1793.	— S. 4.	Schkuhr fil. t. 64.	
SCOLOPENDRIUM. W.	HART'S-TONGUE.	Cryptogamia Filices.	W.			
officinarum. w.	common.	Britain.	7. 8. H. 4.	Eng. bot. 1150.	
β crispum.	curled-leaved.	—	—	— H. 4.		
γ undulatum.	waved-leaved.	—	—	— H. 4.	Pluk. phyt. 248. f. 1.	
δ multifidum.	clustered.	—	—	— H. 4.		
ϵ ramosum.	branching.	—	—	— H. 4.	Pluk. phyt. 248. f. 2.	
DOODIA. B.P.	DODDIA.	Cryptogamia Filices.				
1 aspera. B.P.	rough-stalked.	N. S. W.	1808.	3. 9. G. 4.	Hook. ex. flor. 8.	
2 caudata. B.P.	tailed.	—	1822.	— G. 4.	—	25.
WOODWARDIA. W.	WOODWARDIA.	Cryptogamia Filices.	W.			
1 onocleoides. w.	Onoclea-like.	N. America.	1812.	8. H. 4.	Schkuhr fil. t. 111.	
2 virginica. w.	Virginian.	—	1774.	8. 9. H. 4.	Pluk. alm. t. 179. f. 2.	
3 radicans. w.	rooting-leaved.	Madeiria.	1779.	9. G. 4.	Schkuhr fil. t. 112.	
BLECHNUM. W.	BLECHNUM.	Cryptogamia Filices.	W.			
1 cartilagineum. B.P.	cartilaginous.	N. S. W.	1822.	6. S. F. 4.		
2 boreale. w.	northern.	Britain.	7. H. 4.	Eng. bot. 1159.	
3 australe. w.	Cape.	C. B. S.	1691.	3. 9. G. 4.	Schkuhr fil. t. 110. b.	
4 occidentale. w.	American.	S. America.	1777.	— S. 4.	Jacq. ic. 3. t. 644.	
5 lavigatum. B.P.	smooth.	N. S. W.	1820.	— G. 4.		
6 glandulosum. L.en.	glandular.	Brazil.	1823.	— S. 4.		
LOMARIA. W.	LOMARIA.	Cryptogamia Filices.	W.			
1 nuda.	naked.	V. Diem. Isl.	1822.	4. 8. F. 4.	Lab. n. hol. 2. t. 246.	
<i>Onoclea nuda</i> . Lab.	<i>Stegania nuda</i> . B.P.					
2 procta.	lofty.	N. Holland.	—	— F. 4.	Lab. n. hol. 2. t. 247.	
<i>Blechnum procerum</i> . Lab.	<i>Stegania procta</i> . B.P.					
ONOCLEA. W.	ONOCLEA.	Cryptogamia Filices.	L.			
1 sensibilis. w.	sensitive fern.	Virginia.	1799.	8. H. 4.	Schkuhr fil. t. 102.	
2 obtusilobata. Ph.	blunt-lobed.	N. America.	1812.	7. H. 4.	—	t. 103.
3 Struthiopteris. Sw.	Russian.	Europe.	1760.	7. 8. H. 4.	—	t. 105.
<i>Struthiopteris germanica</i> . W.en. <i>Osmunda Struthiopteris</i> . L.						
VITTARIA. W.	VITTARIA.	Cryptogamia Filices.	W.			
lineata. w.	linear-leaved.	America.	1793.	— S. 4.	Schkuhr fil. t. 101. b.	
DIPLAZIUM. W.	DIPLAZIUM.	Cryptogamia Filices.	W.			
1 grandifolium. w.	large-leaved.	Jamaica.	1793.	— S. 4.		
2 plantaginifolium. w.	Plantain-leav'd.	W. Indies.	1822.	— S. 4.		
3 barbadense. w.	Barbadoes.	—	—	— S. 4.		
4 esculentum. w.	eatable.	Ceylon.	—	— S. 4.		
PTERIS. W.	PTERIS.	Cryptogamia Filices.	L.			
1 pedata. w.	pedate.	W. Indies.	1816.	5. 8. S. 4.	Pet. fil. 176. t. 8. f. 12.	
2 argentea. w.	silvery.	Siberia.	—	— H. 4.		
3 longifolia. w.	long-leaved.	W. Indies.	1770.	7. 9. S. 4.	Jacq. sch. 3. t. 339. 400.	
4 grandifolia. w.	large-leaved.	—	1793.	— S. 4.	Schkuhr fil. t. 89.	
5 serrulata. w.	various-leaved.	India.	1770.	8. 9. S. 4.	—	t. 91.
6 cretica. w.	Cretan.	Candia.	1818.	5. 7. G. 4.		
7 atropurpurea. w.	dark purple.	N. America.	1770.	8. 9. H. 4.	Schkuhr fil. t. 101.	
8 nemoralis. w.en.	wood.	Africa.	1823.	5. 8. S. 4.		
9 Plumieri. L.en.	Plumier's.	S. America.	1818.	— S. 4.		
10 arguta. w.	sharp-notched.	Madeira.	1778.	8. 9. F. 4.	Pluk. alm. t. 290. f. 2.	
11 umbrosa. B.P.	shade.	N. S. W.	1823.	5. 8. F. 4.		
12 vespertilionis. B.P.	Bat-winged.	—	—	— F. 4.	Lab. nov. hol. 2. t. 245.	
13 tremula. B.P.	trembling.	—	1822.	— F. 4.		
14 esculenta. B.P.	esculent.	—	1815.	— F. 4.	Lab. nov. hol. 2. t. 244.	
15 gracilis. w.	slender.	Canada.	1823.	7. H. 4.		
16 hastata. w.	hastate.	W. Indies.	—	5. 8. S. 4.		
17 crista. w.	curled.	Britain.	—	7. 8. H. 4.	Eng. bot. 1160.	
18 aculeata. w.	prickly-stem'd.	W. Indies.	1793.	— S. 4.	Plum. fil. t. 5. et 11.	
19 falcatae. B.P.	falcate.	N. S. W.	1820.	5. 7. F. 4.		
20 candata. w.	American.	N. America.	1777.	9. 12. H. 4.	Jacq. ic. 3. t. 645.	
21 aquilina. E.B.	common.	—	—	— H. 4.	Eng. bot. 1679.	
22 lanuginosa. w.	woolly.	Bourbon.	1818.	— S. 4.		
23 podophylla. w.	pedated.	Jamaica.	1793.	6. 7. S. 4.	Brownjam. 89. t. 1.	

FILICES.

Systematic Names.	English Names.	Native Soil.	Introduced.	Flowering.	Reference to Figures.
24 palmata. w.	palmated.	W. Indies.	1823.	6. 7. S. 4.	
25 sagittata. w.	arrow-leaved.	S. America.	1820.	— S. 4.	
26 cordata. w.	heart-leaved.	Mexico.	1825.	— G. 4.	
TÆNITIS. W.	TÆNITIS. Cryptogamia Filices. W.	Trinidad.	1820.	6. 8. S. 4.	
graminifolia. H.E.F.	grass-leaved.	Cryptogamia Filices. L.			Hook. ex. flor. 77.
ADIANTUM. W.	MAIDENHAIR.	Madeira.	1699.	6. 9. G. 4.	Lodd. bot. cab. 841.
1 reniforme. w.	kidney-leaved.	W. Indies.	1776.	4. 8. S. 4.	Plum. fil. t. 100.
2 radiatum. w.	radiated.	Jamaica.	1793.	— S. 4.	Brown jam.t.38.f.1.
3 macrophyllum. w.	large-leaved.	N. America.	1640.	8. 9. H. 4.	Schkuhr fil. t. 115.
4 pedatum. w.	Canadian.	N. Holland.	1822.	5. 8. G. 4.	
5 hispidulum. B.P.	bristly.	N. S. W.	—	— G. 4.	
6 formosum. B.P.	handsome.	Jamaica.	1775.	6. 9. S. 4.	Schkuhr fil. t. 120.
7 villosum. w.	hairy-stalked.	W. Indies.	1793.	— S. 4.	— — — t. 119.
8 pulvulentum. w.	dusty.	—	—	— S. 4.	— — — t. 122.
9 trapeziforme. w.	rhomb-leaved.	—	—	— S. 4.	
10 assimile. B.P.	likened.	N. S. W.	1823.	5. 8. G. 4.	Lab.n.hol.t.248. f.2.
trigonum. Lab.					
11 Capillus-veneris. w.	true.	Britain.	—	5. 9. H. 4.	Eng. bot. 1564.
12 tenerum. w.	tender.	Jamaica.	1793.	7. S. 4.	Pluk. alm. t. 254. f. 1.
13 serrulatum. w.	saw-leaved.	—	1823.	6. 8. S. 4.	Sloan. j. 17. t. 36. f. 2.
CHEILANTHES. W.	CHEILANTHES. Cryptogamia Filices. W.	clothed.	N. America.	1812. 7. H. 4.	Schkuhr fil. t. 124.
1 vestita. w.	Aspidium lunosum. Sw. Woodsia vestita. Spr.	C. B. S.	1775.	7. 9. G. 4.	Hout. n. hist. t. 96. f.3.
2 pteroides. w.	Pteris-like.	—	1824.	— S. 4.	Sw. syn. fil. t. 3. f. 6.
3 odora. w.	sweet-scented.	Madeira.	1778.	— G. 4.	
4 fragrans. w.	fragrant.	C. B. S.	1816.	5. 8. G. 4.	
5 hirta. w.	hairy.	—	—	— S. 4.	
6 ferruginea. Len.	ferruginous.	—	—	— S. 4.	
7 microphyllea. w.	small-leaved.	W. Indies.	1822.	— S. 4.	
8 lentigera. w.	chaffy.	S. America.	—	— S. 4.	
LONCHITIS. W.	LONCHITIS. Cryptogamia Filices. W.	hairy.	W. Indies.	1793. — S. 4.	Schkuhr fil. t. 86.
hirsuta. w.					
LINDSÆA. B.P.	LINDSÆA. Cryptogamia Filices. W.	linear-leaved.	N. S. W.	1820. 4. 6. G. 4.	Sw. fil. 118. t. 3. f. 3.
1 linearis. B.P.		small-leaved.	—	— G. 4.	
2 microphyllea. B.P.	DAVALLIA. Cryptogamia Filices. W.	shining.	N. S. W.	1808. 4. 9. G. 4.	Jacq. ic. 1. t. 200.
DAVALLIA. W.	Hare's-foot fern. Canaries.	—	—	— G. 4.	
1 pyxidata. B.P.	DICKSONIA. Cryptogamia Filices. W.	shining-leaved.	Madeira.	1779. 9. 10. G. 4.	Jacq. ic. 201.
2 canariensis. w.		tree.	S. Helena.	1786. 6. 12. S. 4.	Schkuhr fil. t. 131.
DICKSONIA. W.		cut-leaved.	Jamaica.	1793. 9. 10. S. 4.	
1 Culcita. w.		hairy.	N. America.	1811. 7. 9. H. 4.	
2 arborescens. w.	CYATHEA. Cryptogamia Filices. W.	tree.	W. Indies.	1793. — S. 4.	Plum. fil. 1. t. 1. 2.
3 dissecta. w.		tall.	Mauritius.	1825. — S. 4.	
4 pilosiuscula. w.	ALSOPIHLA. Cryptogamia Filices.	southern.	N. S. W.	1820. — G. 4.	
CYATHEA. B.P.	TTICHOMANES. Cryptogamia Filices. W.	short-styled.	Britain.	— 5. 6. H. 4.	Eng. bot. 1417.
1 arborea. w.					
2 excelsa. Boj.					
ALSOPIHLA. B.P.					
australis. B.P.					
TRICHOMANES. W.					
1 brevisetum. H.K.					
Hymenophyllum alatum. E.B.					
2 membranaceum. w.	membranaceous.	W. Indies.	1820.	5. 8. S. 4.	Hook. ex. flor. 76.
HYMENOPHYLLUM. FILMY-LEAF.	Cryptogamia Filices. W.	—	—	—	
tunbridgense. w.	Tunbridge.	Britain.	—	5. 6. H. 4.	Eng. bot. 162.
POLYBOTRYA. K.S.	POLYBOTRYA. Cryptogamia Filices.				
vivipara. H.E.F.	viviparous.	W. Indies.	1823.	5. 8. S. 4.	Hook. ex. flor. 107.

ADDENDA et CORRIGENDA.

RANUNCULACEÆ. p. 1.

CLEMATIS.	p. 1.
33 campaniflora.	DC.
34 paniculata.	DC.
THALICTRUM.	2.
48 polygamum.	s.s.
RANUNCULUS.	4.
62 cymbalariae.	DC.
63 millefoliatus.	DC.
64 tuberosus.	DC.
65 napellifolius.	DC.
66 dissectus.	DC.
67 plebeius.	DC.
68 hirtus.	DC.
69 fascicularis.	DC.
70 tuberculatus.	DC.
71 trilobus.	DC.
72 filiformis.	M.
TROLLIUS.	6.
6 patulus.	DC.
ranunculinus.	Sm.
DELPHINIUM.	7.
1 virgatum.	DC.
2 albiflorum.	DC.
3 spurius.	F.
ACONITUM.	7.
1 albidum.	R.U.
2 decorum.	R.U.
3 Kœhleri.	R.U.
4 meloconum.	R.U.
5 nasutum.	F.
6 nemorosum.	M.B.
7 oligocarpum.	R.U.
8 pubescens.	R.U.
9 recognitum.	R.U.
10 Schleicheri.	R.U.
11 versicolor.	R.U.
12 zoooticum.	R.U.

VIRGIN'S-BOWER.	
bell-flowered.	Portugal.
panicled.	Japan.
MEADOW-RUE.	
Polygamous.	N. America.
CROWFOOT.	
Cymbalaria-ld.	1823.
many-leaved.	Greece.
tuberous-root'd.	Pyrenees.
Napellus-ld.	Greece.
cut-leaved.	Siberia.
Plebeian.	N. S. W.
New Zealand.	N. Zealand.
fascicled.	N. America.
tubercl.
three-lobed.	S. Europe.
filiform.	N. America.
GLOBE-FLOWER.	
spreading.	Greece.
LARKSPUR.	
twiggy.	Syria.
white-flowered.	Armenia.
spurious.	Siberia.
MONKSHOOD.	
whitish.	Europe.
neat.
Koehler's.	1823.
Badger-bane.
nosed.	Siberia.
wood.	Tauria.
few-podded.	Europe.
pubescent.	1824.
recognised.
Schleicheri.	Switzerland.
various-color'd.	Europe.
Beast-bane.	1824.
Deless.	ic. sel. 1. t. 55.
	1. t. 58.
Dodd.	bot. cab. 794.

DILLENIACEÆ. p. 10.

TETRACERA.	p. 10.
4 obovata.	DC.
CURATELLA.	10.
2 alata.	v.
PLEURANDRA.	10.
4 cneorum.	DC.
5 stricta.	DC.
6 calycina.	DC.
CANDOLLEA.	DC.
cuneiformis.	DC.
HIBBERTIA.	10.
7 saligna.	DC.
COLBERTIA.	10.
2 scabrella.	D.P.

TETRACERA.	
obovate-leaved.	Senegal.
CURATELLA.	
wing'd-petioled.	Guiana.
PLEURANDRA.	
blunt-leaved.	N. S. W.
upright.	1822.
linear-leaved.
CANDOLLEA.	Polyadelphia Polyandria.
wedge-leaved.	N. Holland.
HIBBERTIA.	
Willow-leaved.	N. S. W.
COLBERTIA.	
rough.	Nepaul.

WINTERÆ. p. 11.

TASMANIA. DC.	TASMANIA.	Diœcia Polyandria.
dipetala. DC.	two-petaled.	N. S. W. 1824. 5. 8. G. h.

ANONACEÆ. p. 11.

ANONA. p. 11.	CUSTARD-APPLE.				
14 laurifolia. DC.	Laurel-leaved.	W. Indies. 1824.	S. h.	Catesb. car. 2. t. 67.
15 amplexicaulis. DC.	stem-clasping.	Mauritius.	—	S. h.
UVARIA. 12.	UVARIA.				
5 velutina. DC.	velvety.	E. Indies. 1825.	S. h.	
6 lucida. Boj.	shining.	E. Africa.	—	S. h.

SARRACENIÆ. p. 14.

SARRACENIA. W.	SIDE-SADDLE-FLOWER.	Polyandria Monogynia. L.			
1 purpurea. w.	purple.	N. America. 1640.	6. 7. H. 4.	Botan. magaz. 849.	
2 rubra. w.	red-flowered.	— 1786.	— H. 4.	Hook. ex. flor. 13.	
psittacina. M?					
3 variolaris. w.	hook-leaved.	— 1803.	— H. 4.	Botan. magaz. 1710.	
adunca. Ex. bot. t. 53.					
4 flava. w.	yellow.	— 1752.	— H. 4.	—	780.

PAPAVERACEÆ. p. 15.

PAPAVER. 15.	POPPY.				
19 horridum. DC.	prickly-stalked.	N. S. W. 1825.	6. 8. H. ⊖.	Swt. br. fl. gar. 173.	
MACLEAYA. Br.	MACLEAYA.	Polyandria Monogynia.			
cordata. Br.	heart-leaved.	China. 1795.	5. 8. H. 4.	Botan. magaz. 1905.	
Bocconia cordata. p. 16.					

FUMARIACEÆ. p. 16.

DICLYTRA. 16.	DICLYTRA.				
7 tenuifolia. DC.	slender-leaved.	Kamtschatka. 1824.	5. 7. H. 4.		
CORYDALIS. 17.	CORYDALIS.				
19 stricta. DC.	upright.	Siberia. 1825.	5. 7. H. 4.		
20 sibirica. DC.	Siberian.	—	— H. 4.		
21 acaulis. DC.	stalkless.	Hungary. —	7. 9. H. ⊖.	Amm. ruth. t. 20.	Jacq. ic. 3. t. 554.
FUMARIA. 17.	FUMITORY.	small-blossom'd. Spain.	1824. 5. 7. H. ⊖.		
8 micrantha. Lag.					

CRUCIFERÆ. p. 17.

MATHIOLA. 17.	STOCK.				
15 torulosa. DC.	twisted-podded.	C. B. S. 1816.	5. 8. G. h.		
16 tatarica. DC.	Tartarian.	Tartary. 1826.	— H. 4.	Pall. it. 1. app. t. O.	
17 coronopifolia. DC.	Buckhorn-ld.	S. Europe. 1825.	— H. 4.	Flor. græc. t. 637.	
BARBAREA. p. 19.	WINTER CRESS.				
5 taurica. DC.	Taurian.	Tauria. 1825.	7. 9. H. 4.		
ARABIS. 19.	WALL-CRESS.				
34 mollis. DC.	soft.	Caucasus. 1825.	5. 7. H. ♂.		
35 curtisiliqua. DC.	short-podded.	Scania. —	— H. ♂.		
36 præcox. DC.	early.	Hungary. 1822.	4. 6. H. 4.		
37 ambigua. DC.	ambiguous.	Siberia. 1824.	5. 7. H. 4.		
38 cebennensis. DC.	pale violet.	S. France. —	— H. ♂.		
39 lasioloba. DC.	woolly podded.	Mexico. —	— H. ♂.		
CARDAMINE. 19.	LADY'S-SMOCK.				
18 rhomboidea. DC.	rhomboid.	N. America. 1825.	5. 7. H. w. 4.		
19 granulosa. DC.	granular.	Italy. 1824.	— H. 4.		
20 uliginosa. DC.	marsh.	Caucasus. —	— H. w. 4.		
21 prorepens. DC.	creeping.	Siberia. 1825.	— H. w. 4.		
22 pensylvanica. DC.	Pensylvanian.	N. America. 1823.	— H. 4.		
23 umbrosa. DC.	shade.	Europe. —	6. 8. H. ⊖.		

24 glauca. DC.	glaucous.	Italy.	1824.	5. 7. H. 4.	
DENTARIA. 20.	TOOTH-WORT.	Hungary.	1824.	5. 6. H. 4.	W. et K. hung. 2. t. 139.
10 trifolia. DC.	three-leaved.	Siberia.	1825.	— H. 4.	Gmel. sib. 3. n. 41. t. 65.
11 tenuifolia. DC.	slender-leaved.	FIBIGIA. Tetrodynamia Siliculosa.			
FIBIGIA. Med.	suffrutescent.	Persia.	1820.	4. 5. G. Ȑ.	Vent. cels. t. 19.
1 suffruticosa.	Farssetia suffruticosa. p. 20.				
2 lunarioides.	oriental.	Greece.	1731.	6. 7. H. 4.	Tourn. ic. ed. ger. 1. t. 30
3 clypeata. Med.	buckler podded. S. Europe.	1596.	— H. Ȑ.	Swt. br. fl. gar. ic.	
Farssetia clypeata. p. 20.					
KONIGA. Br.	KONIGA. Tetrodynamia Siliculosa.				
maritima. Br.	sweet.	England.	5. 10. H. Ȑ.	Eng. bot. 1729.
Alyssum maritimum. p. 21.					
VESICARIA. 20.	VESICARIA.				
5 Ludoviciana. DC.	Missouri.	Missouri.	1825.	5. 6. H. 4.	
ADYSETON. Scop.	ADYSETON.	Tetrodynamia Siliculosa.			
1 saxatile.	rock.	Russia.	1710.	4. 5. H. Ȑ.	Botan. magaz. 159.
Alyssum saxatile. p. 21.	Aurinia saxatilis. Desv.				
2 gemoneuse.	canescent.	Germany.	—	— H. Ȑ.	Jacq. ic. 3. t. 503.
3 orientale.	oriental.	Crete.	— H. Ȑ.	Flor. græc. t. 625.
4 spathulatum.	spathulate.	Siberia.	1821.	4. 6. H. Ȑ.	Deles. ic. sel. 2. t. 37.
Alyssum spathulatum. p. 21.					
5 argenteum.	silvery.	Switzerland.	—	5. 6. H. Ȑ.	All. ped. t. 54. f. 3.
6 Bertolonii.	Bertoloni's.	Italy.	1825.	— H. Ȑ.	
7 murale.	wall.	Europe.	1801.	6. 8. H. Ȑ.	W. et K. hung. 1. t. 6.
8 obtusifolium.	blunt-leaved.	Siberia.	1812.	— H. Ȑ.	Deles. ic. sel. 2. t. 38.
9 serpyllifolium.	Thyme-leaved.	S. Europe.	1823.	5. 7. H. Ȑ.	
10 tortuosum.	twisted.	Hungary.	1804.	6. 7. H. Ȑ.	W. et K. hung. 1. t. 91.
11 vernal.	vernal.	1823.	4. 5. H. 4.	Schrank. h. mon. t. 96.
12 alpestre.	Italian.	Italy.	1777.	6. 10. H. Ȑ.	Flor. græc. t. 624.
13 montanum. Sc.	mountain.	Germany.	1713.	5. 8. H. 4.	Botan. magaz. 419.
14 cuneifolium.	wedge-leaved.	Naples.	1825.	— H. 4.	
15 diffusum.	spreading.	—	—	— H. 4.	
16 Wulfenianum.	Wulfen's.	Carinthia.	1821.	— H. 4.	
Alyssum Wulfenianum. p. 21.					
ANODONTEA. DC.	ANODONTEA.	Tetrodynamia Siliculosa.			
1 edentula.	toothless.	Hungary.	1821.	5. 6. H. Ȑ.	W. et K. hung. 1. t. 92.
Alyssum edentulum. p. 21.					
2 rupestris.	silvery rock.	Italy.	1824.	— H. Ȑ.	Ten. fl. nap. t. 60.
3 halimifolia.	Halimus-leav'd.	—	—	— H. Ȑ.	All. ped. t. 54. f. 1.
Alyssum halimifolium. p. 21.					
4 spinosum.	thorny.	S. Europe.	1683.	6. 8. F. Ȑ.	Barrel. ic. t. 808.
5 macrocarpum.	large-podded.	—	1825.	— F. Ȑ.	
Alyssum macrocarpum. DC.					
DRABA. 21.	WHITLOW-GRASS.				
21 bruniæfolia. DC.	Brunia-leaved.	Caucasus.	1825.	6. H. 4.	
22 pilosa. DC.	pilose.	Siberia.	—	5. 6. H. 4.	
23 glacialis. DC.	starry-haired.	—	—	— H. 4.	
24 repens. DC.	creeping.	Caucasus.	1823.	— H. 4.	
25 Gmelini. DC.	Gmelin's.	Siberia.	—	— H. 4.	
26 muricella. DC.	tufted.	N. Europe.	1825.	— H. 4.	
27 nivalis. DC.	snowy.	—	1824.	— H. 4.	
28 laponica. DC.	Lapland.	—	—	— H. 4.	
29 daurica. DC.	Daurian.	Dauria.	—	— H. Ȑ.	
30 aurea. DC.	golden.	Greenland.	—	— H. Ȑ.	Flor. dan. t. 1460.
31 lutea. DC.	yellow.	Caucasus.	1825.	5. 8. H. ⊖.	Desf. ann. mus. 11. t. 38.
KERNERA. Br.	KERNERA. Tetrodynamia Siliculosa.				
1 saxatilis.	rock.	Europe.	1775.	6. 7. H. 4.	Jacq. aust. 2. t. 128.
myagroides. Med.	Cochlearia saxatilis. p. 22.	Myagrum saxatile. L.			
β incisa.	cut-leaved.	—	—	— H. 4.	Moris. ox. 2. s. 3. t. 17.
2 auriculata.	eared.	Pyrenees.	1824.	5. 6. H. 4.	Berg. phyt. 3. p. 140. ic.
Cochlearia auriculata. p. 22.					
COCHLEARIA. p. 22.	SCURVY-GRASS.				
12 fenestrata. DC.	fenestrate.	N. Europe.	1820.	4. 5. H. 4.	
13 acaulis. DC.	stalkless.	Portugal.	1823.	3. 4. H. 4.	Jacq. ecl. t. 132.
pusilla. Jacq.					
CAPSELLA. 22.	SHEPHERD'S-PURSE.				
2 procumbens. Br.	procumbent.	Europe.	1823.	3. 5. H. ⊖.	Hill. veg. syst. t. 42. f. 1.
Hutchinsia procumbens. p. 22.	Lepidium procumbens. L.				

ADDENDA et CORRIGENDA.

IBERIS. 22. 19 contracta. DC.	CANDY-TUFT. contracted.	Spain.	1824.	4. 6. H. $\frac{1}{2}$.	
HESPERIS. 24. 10 heterophylla. DC.	ROCKET. various-leaved.	Naples.	1825.	5. 6. H. $\frac{1}{2}$.	
11 elata. DC.	tall.	—	5. 8. H. $\frac{1}{2}$.	
12 grandiflora. B.M.	large-flowered.	1818.	— H. $\frac{1}{2}$?	
SISYMBRIUM. 24.					
31 Tillieri. w.	TILLIER'S.	Switzerland.	1824.	6. S. H. \odot .	
32 rigidum. DC.	rigid.	Tauria.	—	— H. \odot .	Pall.it.3.ap.t.Mm.f.1.
ERYSIMUM. 25.	ERYSIMUM.				
22 gracile. DC.	slender.	Caucasus.	1824.	6. S. H. δ .	
23 asperum. DC.	rough.	N.America.	—	— H. δ .	
24 Redowskii. DC.	Redowskii's.	Siberia.	1825.	— H. δ .	
25 pumilum. DC.	dwarf.	Switzerland.	1824.	— H. δ .	
26 patulum. DC.	spreading.	—	— H. δ .	
STANLEYA. DC.	STANLEYA.	Tetradynamia Siliquosa.			
pinnatifida. DC.	pinnatifid.	Missouri.	1812.	5. 6. H. $\frac{1}{2}$.	
<i>Cleome pinnata.</i> Ph.					
LEPIDIUM. p. 26.	PEPPERWORT.				
26 vesicarium. DC.	bladdered.	Levant.	—	4. 8. H. \odot .	Hill. veg.sys.11.t.41.f.3
SINAPIS. 28.	MUSTARD.				
24 geniculata. DC.	jointed.	Barbary.	1824.	7. 9. H. \odot .	
25 cernua. DC.	drooping.	China.	—	— H. \odot .	
26 hastata. DC.	hastate-leaved.	N.Holland.	—	— H. \odot .	
27 ramosa. H.B.	branching.	E. Indies.	1823.	— H. \odot .	

CAPPARIDEÆ. p. 31.

GYNANDROPSIS. 31. <i>GYNANDROPSIS.</i>					
5 Candelabrum.	Chandelier.	1824.	6. 8. H. \odot .	Botan. magaz. 2656.
<i>Cleome Candelabrum.</i> B.M.					
CLEOME. 32.	CLEOME.				
rosea. DC.	rose-coloured.	Brazil.	1825.	5. 8. S. \odot .	Botan. regist. 960.
CRATEVA. 32.	CRATEVA.				
3 Roxburghii. Br.	Roxburgh's.	E. Indies.	1822.	— S. $\frac{1}{2}$.	
<i>Capparis trifoliata.</i> H.B.					
RITCHIEA. Br.	RITCHIEA.	Dodecandra Monogynia.			
fragrans.	fragrant.	Sierra Leon.	1795.	6. 7. S. $\frac{1}{2}$ —.	Botan. mag. 596.
<i>Crataeva fragrans.</i> p. 32.					
CAPPARIS. 33.	CAPER-TREE.				
23 verrucosa. DC.	warted.	S. America.	1823.	— S. $\frac{1}{2}$.	Jacq. amer. t. 29.
MORISONIA. DC.	MORISONIA.	Monadelphia Polyandria. L.			
americana. DC.	American.	Caribees.	1824.	— S. $\frac{1}{2}$.	Jacq. amer. t. 97.

RESEDAEÆ. p. 33. misplaced at p. 150.

RESEDA. 150.	RESEDA.			
23 chinensis. s.s.	Chinese.	China.	1824.	6. 8. H. δ .

DATISCEÆ. Brown in app. to Denham and Clap. trav.

DATISCA. L.	DATISCA.	Dicecia Dodecandra. L.		
1 cannabina. L.	Hemp-like.	Candia.	1640.	7. 9. H. $\frac{1}{2}$.
2 hirta. W.	hairy.	Pensylvania.	1826.	9. 10. H. $\frac{1}{2}$.

CISTINEÆ. p. 34.

CISTUS. p. 34.	ROCK-ROSE.			
29 canescens. s.c.	canescent.	S. Europe.	6. 8. H. $\frac{1}{2}$.
30 obtusifolius. s.c.	blunt-leaved.	Crete.	1822.	6. S. H. $\frac{1}{2}$.
31 platysepalus. s.c.	broad-sealed.	—	...	— H. $\frac{1}{2}$.
32 psilosperatus. s.c.	smooth-sealed.	S. Europe.	1822.	— H. $\frac{1}{2}$.
HELIANTHEMUM. 34. SUN-ROSE.				
84 involucratum. DC.	short pedicled.	S. Europe.	1826.	6. 8. F. $\frac{1}{2}$.
85 candidum. s.c.	white-leaved.	Spain.	1822.	— F. $\frac{1}{2}$.
86 brasiliense. DC.	Brazilian.	Brazil.	1823.	— F. $\frac{1}{2}$.
87 polygalæfolium. s.c.	Milkwort-ld.	—	—	F. $\frac{1}{2}$.

ADDENDA et CORRIGENDA.

88 lignosum. s.c.	woody-stem'd.	S. Europe.	1810.	—	F. h.	Swt. cist. t. 46.
89 obovatum. DC.	obovate.	Spain.	1826.	—	F. h.	Cavan. ic. 2. t. 142.
90 rotundifolium. DC.	round-leaved.	—	—	—	F. h.	
91 crassifolium. DC.	thick-leaved.	—	—	—	F. h.	
92 nudicaule. DC.	naked-stalked.	—	—	—	F. h.	
93 lineare. D.C.	linear-leaved.	S. Europe.	1824.	—	F. h.	Cavan. ic. 3. t. 216.
94 virgatum. DC.	slender.	Barbary.	—	—	F. h.	
95 variegatum. S.G.	variegated.	—	—	—	H. h.	Swt. cist. t. 38.
96 eriosepalon. S.G.	woolly-calyxed.	S. Europe.	—	—	H. h.	— ic.
HUDSONIA. 36.	HUDSONIA.	—	—	—	—	
1 ericoides. p. 36.	Heath-leaved.	N. America.	1805.	5. 7.	H. h.	Swt. cist. 36.
2 tomentosa. N.	tomentose.	—	1826.	—	H. h.	

VIOLARIEÆ. p. 36.

NOISETTIA. p. 36.	NOISETTIA.	—	—	—	—	
2 pyrifolia. Mart.	Pear-leaved.	Brazil.	1822.	—	S. h.	Mart. n. pl. bras. ic.
VIOLA. 36.	VIOLET.	—	—	—	—	
61 cæspitosa. D.P.	tufted.	Nepaul.	1825.	7. 10.	H. 4.	
Patrinii γ napaulensis. DC. primulæfolia. Buch. non L.	long-petioled.	—	—	—	H. 4.	
62 palmaris. D.P.	pigmy.	Peru.	1822.	7. 11.	H. 4.	
63 pygmæa. DC.	hill.	Volhynia.	1824.	6. 8.	H. 4.	
64 collina. R.S.	field.	Tauria.	—	—	H. 4.	
65 campestris. R.S.	wood.	Hungary.	—	—	H. 4.	
66 sylvestris. R.S.	neglected.	—	—	—	H. 4.	
67 neglectum. R.S.	golden-flow'r'd.	—	1822.	—	H. 4.	
68 Hornemanniana. R.S. Horneman's.	golden-flow'r'd.	—	1823.	—	H. 4.	
69 chrysanthra. Schr.	hastate.	N. America.	—	—	H. 4.	
70 hastata. M.	SPURLESS VIOLET. Pentandria Monogynia.	—	—	—	—	
ERPETION. B.F.G.	kidney-leaved.	N. S. W.	1823.	5. 9.	H. 4.	Swt. br. fl. gar. 170.
reniforme. B.F.G.	CERANTHERA. Pentandria Monogynia.	—	—	—	—	
CERANTHERA. DC.	tooth-leaved.	SierraLeone.	1822.	—	S. h.	Beau. fl. ow. 11. t. 65.
dentata. DC.	—	—	—	—	—	

POLYGALÆ. p. 38.

POLYGALA. p. 38.	MILKWORT.	—	—	—	—	
36 attenuata. B.C.	taper-pointed.	C. B. S.	1823.	5. 12.	G. h.	Lodd. bot. cab. 1000.
COMESPERMA. DC.	COMESPERMA. Monadelphia Octandra.	—	—	—	—	
1 ericina. DC.	Heath-like.	N. S. W.	1822.	5. 8.	G. h.	
2 cordifolia. F.T.	heart-leaved.	—	—	—	G. h.	

TREMANDREÆ. p. 39.

TETRATHECA. p. 39.	TETRATHECA.	—	—	—	—	
5 rubioides. F.T.	Rubia-like.	N. S. W.	1823.	6. 8.	G. h.	

MALVACEÆ. p. 48.

HIBISCUS. 50.	HIBISCUS.	—	—	—	—	
71 spiralis. DC.	spiral.	Mexico.	1826.	—	G. h.	Cavan. ic. 2. t. 162.
72 racemosus. B.R.	racemed.	Nepaul.	1824.	8. 2.	G. h.	Botan. regist. 917.
NUTTALLIA. B.A.	NUTTALLIA. Monadelphia Polyandria.	—	—	—	—	
1 digitata. B.A.	digitate-leaved.	N. America.	1824.	7. 10.	H. 4.	Swt. br. fl. gar. 129.
2 pedata. B.A.	pedate-leaved.	—	—	—	H. 4.	Hook. ex. flor. 172.

CAMELLIEÆ. p. 61.

CAMELLIA. p. 61.	CAMELLIA.	—	—	—	—	
japonica. 61.	common.	China.	1739.	12. 5.	G. h.	Chndl. camel. t. 1. 2.
β Chandleri. c.c.	striped Waratah.	Seedling.	1822.	—	G. h.	
versicolor. p. 62.	Ross's.	—	—	—	G. h.	
γ Rossii.	large single red.	—	—	—	G. h.	Chndl. camel. t. 3.
δ Aitonii. c.c.	Hollyhock-flđ.	—	—	—	G. h.	— t. 4.
ε altheifolia. c.c.	coral-flowered.	—	—	—	G. h.	— t. 5.
ζ corallina. c.c.	splendid.	—	—	—	G. h.	— t. 6.
η insignis. c.c.	cluster-flowered.	—	—	—	G. h.	— t. 7.
ζ floridæ. c.c.	white Anemone-flđ.	—	—	—	G. h.	— t. 8.
η anemoneflora alba.	small-flowered.	—	1824.	—	G. h.	Botan. regist. 983.
7 euryoides. B.R.	—	—	—	—	—	

AURANTIACEÆ. p. 62.

GLYCOSMIS. DC.

3 citrifolia. H.T.

GLYCOSMIS.

Citron-leaved. China.

1820.

2. 6.

G. h.

Limonia citrifolia. DC. *parviflora*. B.M.

Botan. magaz. 2416.

HYPERICINEÆ. p. 63.

HARONGA. DC.

HARONGA. Polyadelphia Dodecandria.

madagascariensis. DC. Madagascar.

Madagascar. 1824. S. h.

Arongana paniculata. P.S.

HYPERICUM. p. 63.

ST. JOHN'S-WORT.

68 *virgatum*. DC.

twiggy. N.America. 1823. 6. 8. S. 4.

69 *empetrifolium*. DC.

Crowberry-ld. S. Europe. — H. h.

70 *cochininchinense*. DC.

Cochin China. CochinChina. 1822. — G. h.

Wats. dend. brit. 141.

GUTTIFERÆ. p. 65.

XANTHOCHYmus. 65. XANTHOCHYmus.

4 *luteus*. L.C.

yellow. E. Indies. 1823. S. h.

5 *macrophyllus*. L.C.

large-leaved. — — — S. h.

6 *purpureus*. L.C.

purple. — — — S. h.

VOCHISIÆ. *Martius*.

VOCHISIA. J.

VOCHISIA. Monandria Monogynia. W.

excelsa. Lam.

tall. Guiana. 1822. S. h.

Cucullaria excelsa. W.

Aub. gui. I. t. 6.

HIPPOCRATEACEÆ. p. 66.

TRIGONIA. DC.

TRIGONIA. Monadelphia Pent-Decandria.

1 *villosa*. DC.

villous. Cayenne. 1820. S. h.

2 *mollis*. DC.

soft-leaved. Brazil. 1823. S. h.

Aub. gui. I. t. 149.

MALPIGHIACEÆ. p. 67.

MALPIGHIA. 67.

MALPIGHIA. doubtful. Jamaica. 1824. S. h.

11 *dubia*. DC.

Cav. dis. 8. t. 242.

ACERINEÆ. p. 68.

ACER. 68.

MAPLE.

1 *neapolitanum*. T.N.

Neapolitan. Naples. 1826. H. h.

Ten. at. ac. nea. 1819. ic.

MELIACEÆ. p. 71.

AITONIA. W.

AITONIA. Monadelphia Octandria. W.

capensis. W.

Cape. C. B. S. 1774. 5. 9. G. h.

Botan. magaz. 173.

CARAPA. 72.

CARAPA.

3 *gianensis*. DC.

Guiana. Guiana. 1820. S. h.

Aub. gui. t. 387.

GERANIACEÆ. p. 73.

HOAREA. p. 75.

HOAREA.

67 *congesta*. s.g.

crowded-fld. C. B. S. 1820. 5. 10. G. 4.

Swt. ger. t. 302.

68 *orobifolia*. s.g.

Orobus-leaved. Hybrid. 1823. — G. 4.

— t. 304.

69 *retusa*. s.g.

notched-petal'd. 1824. — G. 4.

— t. 307.

70 *coluteæfolia*. s.g.

Bladder Senna-ld. 1823. — G. 4.

— t. 311.

DIMACRIA. p. 76.

DIMACRIA.

29 *ruminicifolia*. s.g.

Dock-leaved. C. B. S. 1825. 5. 8. G. 4.

Swt. ger. t. 318.

PELARGONIUM. 77.

STORK's-BILL.

403 *pedunculatum*. s.g.

long-pedunc'l'd. Hybrid. 1823. 7. 10. G. h.

Swt. ger. ic. ined.

404	Francisii. s.g.	Mr. Francis's.	1824.	5. 10.	G. h.	Swt. ger. ic. ined.	
405	basilicum. s.g.	princely.	—	—	G. h.	ic. ined.	
406	flaccidum. s.g.	flaccid-petal'd.	—	—	G. h.	ic. ined.	
407	cartilagineum. s.g.	horny-toothed.	—	—	G. h.	ic. ined.	
408	suffusum. s.g.	mixed-colour'd.	—	—	G. h.	ic. ined.	
409	chelidoniifolium. s.g.	Chelidonium-ld.	—	—	G. h.	ic. ined.	
410	argutum. s.g.	sharp-toothed.	—	—	G. h.	ic. ined.	
411	ramigerum. s.g.	branching-vein'd.	—	—	G. h.	ic. ined.	
412	Goweri. s.g.	Mr. Levison Gower's.	1825.	—	G. h.	t. 333.	
413	cuneiflorum. s.g.	wedge-petaled.	—	—	G. h.	t. 330.	
414	chenopodiifolium. s.g.	Goose-foot-ld.	—	—	G. h.	t. 328.	
415	congestum. s.g.	close-headed.	—	—	G. h.	t. 325.	
416	magnistipulatum. s.g.	large-stipuled.	—	—	G. h.	t. 313.	
417	dilatatum. s.g.	dilated-leaved.	Hybrid.	1824.	5. 10.	G. h.	
418	verecundum. s.g.	blushing.	—	—	G. h.	t. 314.	
419	Foljambeæ. s.g.	Mrs. Foljambe's.	—	—	G. h.	t. 316.	
420	salebrosum. s.g.	rugged-leaved.	—	—	G. h.	t. 312.	
421	incarnatum. s.g.	pale flesh-col'd.	—	—	G. h.	t. 309.	
422	concaulatum. s.g.	shut-petal'd.	—	1823.	—	G. h.	
423	insignitum. s.g.	marked-flow'r'd.	—	—	G. h.	t. 305.	
424	biflorum. s.g.	two-flowered.	—	1822.	—	G. h.	
425	Humei. s.g.	Sir A. Hume's.	—	1824.	—	G. h.	
426	quadriflorum. s.g.	four-flowered.	—	—	G. h.	t. 324.	
427	bryoniaefolium. s.g.	Bryony-leaved.	—	—	G. h.	t. 321.	
428	latifolium. s.g.	broad-leaved.	—	—	G. h.	t. 320.	
429	platanifolium. s.g.	Plane-leaved.	—	—	G. h.	t. 335.	
430	purum. s.g.	pure-flowered.	—	—	G. h.	t. 326.	
431	recurvifolium. s.g.	recurve-leaved.	—	—	G. h.	t. 334.	
432	veniferum. s.g.	veined-petaled.	—	—	G. h.	ic. ined.	
433	foliosum. s.g.	many-leaved.	—	—	G. h.	t. 322.	
434	tanacetifolium. s.g.	Tansy-leaved.	—	—	G. h.	ic. ined.	
435	sphærocephalon. s.g.	round-headed.	—	—	G. h.	t. 336.	
436	Spinii. Col. dianthiflorum. p. 82.	Spin's. n. 323.	—	—	G. h.	t. 317.	
CICONIUM.	p. 84.	CICONIUM.	Hybrid.	1823.	5. 10.	G. h.	Swt. ger. ic. ined.
24	fulgens. s.g.	Basilisk.	—	—	—	Colla. h. rip. t. 7.	

ZYGOPHYLLEÆ. p. 87.

LARREA. DC.	LARREA. Decandria Monogynia.		
nitida. DC.	glossy-leaved.	S. America. 1823. S. h. Cavan. ic. 6. t. 559.
PORLIERA. DC.	PORLIERA. Octandria Monogynia.		
hygrometrica. DC.	pinnate-leaved.	Peru. 1820. S. h. R. et. P. prod. t. 9.

RUTACEÆ. p. 88.

PHEBALIUM. 89.	PHEBALIUM.	N. S. W.	1823.	4. 8.	G. h.	
2 elatum. F.T.	tall.	—	—	—	G. h.	
3 aureum. F.T.	golden.	—	—	—	G. h.	
4 lachnooides. F.T.	Lachnæa-like.	—	—	—	G. h.	
5 linearis. ψ.	linear-leaved.	N. Holland.	1825.	G. h.	
6 salicifolium. ψ.	Willow-leaved.	—	—	G. h.	
ERIOSTEMON. 89.	ERIOSTEMON.					
3 cuspidatum. F.T.	sharp-pointed.	N. S. W.	1823.	4. 8.	G. h.	
4 linearifolium. DC.	linear-leaved.	—	—	—	G. h.	
5 lanceolatum. DC.	spear-leaved.	—	—	—	G. h.	
6 squammeum. DC.	scaly.	N. Holland.	1822.	—	G. h.	
7 obovale. F.T.	oboval-leaved.	—	1823.	—	G. h.	
8 ericifolium. ψ.	Heath-leaved.	—	1825.	—	G. h.	
BORONIA. 89.	BORONIA.					
6 alata. DC.	winged-leaved.	N. Holland.	1825.	G. h.	
7 anemonæfolia. F.T.	Anemone-ld.	N. S. W.	1824.	G. h.	
8 denticulata. DC.	tooth-leaved.	N. Holland.	1823.	5. 8.	G. h.	
9 paradoxæ. DC.	paradoxical.	—	1825.	G. h.	
ZIERIA. 90.	ZIERIA.	N. S. W.	1824.	G. h.	
7 obcordata. F.T.	obcordate.	—	—	3. 5.	G. h.	
8 revoluta. F.T.	revolute.	—	—	—		Botan. regist. 1000.

OCHNACEÆ. p. 91.

WALKERA. DC.
serrata. DC.

WALKERA.
saw-leaved. E. Indies. 1824. S. h. Rheed. mal. 5. t. 48.

RHAMNEACEÆ. p. 91.

HOVENIA. 91.

2 inæqualis. DC.

pubescens. p. 91. *dulcis*. D.P. et F.I. nec aliorum.

GOUANIA. p. 92.

4 integrifolia. DC.

5 Retinaria. DC.

6 leptostachya. DC.

tiliafolia. Roxb. non Lam.

CRYPTANDRA. 92.

4 obovata. DC.

5 spinescens. DC.

COLLETIA. 92.

3 spinosa. DC.

POMADERRIS. 92.

6 intermedia. DC.

7 discolor. DC.

Ceanothus discolor. p. 93.

8 phillyraeoides. DC.

9 ledifolia. F.T.

10 aspera. DC.

ZIZYPHUS. 93.

14 sinensis. DC.

BERCHEMIA. DC.

1 volubilis. DC.

Oenoplia volubilis. p. 94. *Zizyphus volubilis*. w. *Rhamnus volubilis*. L.

2? lineata. DC.

Zizyphus lineatus. w. *Oenoplia lineata*. p. 94.

DARWINIA. L.T.

1 fascicularis. L.T.

2 taxifolia. F.T.

HOVENIA.

Nepaul. Nepaul. 1823. G. h.

GOUANIA.

entire-leaved. 1824. S. h.

oval-leaved. Mauritius. — — S. h. Gært. fruct. 2. t. 120. f. 4.

slender-spiked. E. Indies. 1810. 4. 6. S. h. Roxb. corom. 1. t. 98.

CRYPTANDRA.

obovate-leaved. N. S. W. 1824. 5. 7. G. h.

spiny. — — — — G. h.

COLLETIA.

spiny. S. America. 1823. G. h.

POMADERRIS.

intermediate. N. S. W. 1818. 4. 6. G. h.

two-coloured. N. Holland. 1803. 4. 5. G. h. Venten. malm. t. 58.

PHILLYREA.

Philleyrea-ld. — — — — G. h.

LEDUM.

Ledum-leaved. N. S. W. 1824. — — — — G. h.

ROUGH.

rough. — — — — G. h.

ZIZYPHUS.

China. China. 1818. 5. 6. H. h.

BERCHEMIA.

twining. Carolina. 1714. 6. 7. H. h. Jacq. ic. 2. t. 336.

Oenoplia volubilis. p. 94. *Zizyphus volubilis*. w. *Rhamnus volubilis*. L.

lined. China. 1804. G. h.

Osb. it. 19. t. 7.

Zizyphus lineatus. w. *Oenoplia lineata*. p. 94.

DARWINIA. Decandria Monogynia.

close-leaved. N. S. W. 1820. 5. 7. G. h.

Linn. trans. 11. t. 22.

yew-leaved. — — — — G. h.

CELASTRINEÆ. DC. prodr. 2. p. 2.

Tribus I. STAPHYLEACEÆ. DC. l. c.

STAPHYLEA. DC. BLADDER-NUT. p. 95.

3 Bumalda. DC. Japan. Japan. 1804. 6. 9. G. h.

Bumalda trifolia. p. 96.

TURPINIA. DC. TURPINIA. Pentandria Monogynia.

pomifera. DC. Apple bearing. E. Indies. 1823. S. h.

Roxb. corom. 3. t. 279.

Dalrymplea pomifera. Roxb.

Tribus II. EUONYMEÆ. DC.

EUONYMUS. 95. SPINDLE-TREE.

14 chinensis. DC. Chinese. China. 1822. 5. 6. H. h.

CELASTRUS. p. 93.

STAFF-TREE.

19 oleoides. DC. Olive-leaved. C. B. S. 1816. 5. 8. G. h.

20 pterocarpus. DC.

wing-capsuled. — — — — G. h.

21 ilicinus. DC.

Ilex-like. — — — — G. h.

22 flexuosus. DC.

flexuose. — — — — G. h.

PLECTRONIA. p. 94. PLECTRONIA.

ventosa. p. 94. corymbed. C. B. S. 1816. G. h.

Burm. prod. afr. t. 94.

Celastrus? *Plectronia*. DC.

angular-leaved. Peru. 1786. 10. 11. G. h.

MAYTENUS. DC.

angular-leaved. Peru. 1786. 10. 11. G. h.

1 octogonus. DC.

whorled. — — — — G. h.

2 verticillatus. DC.

whorled. — — — — G. h.

Flor. peruv. 3. t. 229. f. B

ELÆODENDRON. 95. OLIVE-WOOD.

4 xylocarpum. DC. leathery-leav'd. St. Thomas. 1816. S. h.

Vent. choix. t. 23.

Cassine xylocarpa. p. 95.

Holly-leaved. C. B. S. 1794. 5. 6. G. h.

5? croceum. DC.

Ilex crocea. W.

ADDENDA et CORRIGENDA.

PTELIDIUM. DC. ovatum. DC.	PTELIDIUM. Pentandria Monogynia. oval-leaved. Madagascar. 1825. . . . S. h.
CASSINE. 95. 7 oppositifolia. DC.	CASSINE. opposite-leav'd. . . . 5. 8. S. h.
HARTOGIA. DC. capensis. DC.	HARTOGIA. Pentandria Monogynia. L. Cape. C. B. S. 1816. . . . G. h. Thunb. n. gen. 5. p. 55. ic.
CURTISIA. DC. faginea. DC.	CURTISIA. Tetrandria Monogynia. Hassagay-tree. C. B. S. 1775. . . . G. h.
MYGINDA. 94. 4 myrtifolia. DC. <i>Ilex Myrsinoides</i> . Ph.	MYGINDA. misplaced in Rhamneaceæ. Myrtle-leaved. N. America. 1818. 5. 8. H. h.
ILEX. 94. 19 canariensis. DC.	HOLLY. misplaced in Rhamneaceæ. Canary. Canaries. 1818. 5. 6. F. h.
PRINOS. 94. 9 deciduus. DC.	WINTER-BERRY. misplaced in Rhamneaceæ. deciduous-ld. N. America. 1760. 6. 7. H. h.
<i>Ilex prinoidea</i> . p. 94.	Wats. dend. brit. 115.
NEMOPANTHES. DC. NEMOPANTHES. Pentandria Tetragynia. canadensis. DC. Canadian. N. America. 1812. 6. 7. H. h.	DC. pl. rar. h. gen. t. 3.
<i>Ilex canadensis</i> . M. 2. t. 49.	

SAMYDEÆ. p. 96.

CASEARIA. 96. 8 ramiflora. DC. 9 nitida. DC.	CASEARIA. branch-flg. shining.	Guiana. 1824. . . . S. h. S. America. — . . . S. h.	Aub. gui. 1. t. 127. Act. helv. 8. p. 58. ic.
--	--------------------------------------	--	--

HOMALINEÆ. p. 132.

ASTRANTHUS. 335. ASTRANTHUS. misplaced p. 335. cochininchensis. DC. Chinese.	China. 1821. 6. 7. S. h.	Botan. magaz. 2659.
? ARISTOTELIA. DC. ARISTOTELIA. Dodecadria Monogynia. L. Maqui. DC. shining-leaved. Chili.	1773. 4. 5. H. h.	Wats. dend. brit. t. 44.

CHAILLETIACEÆ. DC. prodr. v. 2. p. 57.

CHAILLETIA. DC. toxicaria. G.D.	CHAILLETIA. Pentandria Di-Trigynia. poisonous.	SierraLeone. 1822. . . . S. h.
------------------------------------	---	--------------------------------

CASSUVIÆ. p. 98.

PICRAMNIA. DC. 1 Antidesma. DC. 2 pentandra. DC.	PICRAMNIA. Diœcia Pentandria. L. Ash-leaved. Jamaica. 1793. . . . S. h. pentandrous. W. Indies. 1822. . . . S. h.	Sloan. hist. 208. f. 2.
RHUS. 97.	SUMACH.	
60 acuminata. DC.	pointed-leaved. Nepaul. 1823. . . . G. h.	
61 Cavanillesii. DC.	Cavanille's. Mexico. . . . 7. 8. G. h.	Cavan. ic. 2. t. 132;
62 Burmanni. DC. lucidum. a. H.K. lucida. DC.	Burman's. C. B. S. 1697. — G. h. shining-leaved. — — — G. h.	Burm. afr. t. 91. f. 2. Comm. hort. 1. t. 93.

AMYRIDEÆ. p. 98.

DUVAUA. DC. dependens. DC. <i>Amyris polygama</i> . p. 98.	DUVAUA. Monocotia Octandria. dependent. Chili. 1790. 6. 7. H. h.	Cavan. ic. 3. t. 289.
SCHINUS. 98. 4 terebinthifolius. DC.	SCHINUS. Terebinthus-ld. Brazil. 1822. . . . S. h.	

CONNARACEÆ. p. 99.

OMPHALOBIUM. DC. OMPHALOBIUM. Monadelphia Decandria. 1 indicum. DC. 2 africanum. DC.	E. Indies. . . . S. h. SierraLeone. 1822. . . . S. h.	Gärt. fruct. 1. t. 46. Cav. diss. 7. t. 221.
<i>Connarus africanus</i> . p. 99.		

TEREBINTHACEÆ. p. 99.

BRUCEA. 100.
4 gracilis. DC.

BRUCEA.
slender. E. Indies. S. h.

LEGUMINOSÆ. DC. prodr. v. 2. p. 93

Subordo. I. PAPILIONACEÆ.—Tribus I. SOPHOREÆ. DC.

MYROSPERMUM. DC.	MYROSPERMUM.	Decandria Monogynia.			
toluiferum. DC.	Balsam of Tolu.	S. America.	S. h.
SOPHORA. p. 106.	SOPHORA.				Woodv. m. bot. 3.t.193.
9 glauca. DC.	glaucoius.	E. Indies.	1818.	S. h.
10 secundiflora. DC.	side-flowering.	New Spain.	—	S. h.
11 littoralis. DC.	sea-side.	Brazil.	1824.	S. h.
VIRGILIA. 107.	VIRGILIA.				Cavan. ic. 5. t. 401.
intrusa. DC.	yellow-flow'r'd.	C. B. S.	1790.	5. 8.	G. h.
<i>Sophora sylvatica</i> . p. 107.					Botan. magaz. 2617.
MACROTROPIS. DC.	MACROTROPIS.	Decandria Monogynia.			
foetida. DC.	strong-scented.	China.	1822.	4. 5.	F. h.
<i>Anagyris chinensis</i> . p. 106.					
THERMOPSIS. 107.	THERMOPSIS.				
corgenensis. DC.	Alpine.	Altay.	1824.	6. 7.	H. 2.
<i>Sophora alpina</i> . Pal.	<i>Podalyria alpina</i> .	W.en.			Pall. astr. t. 90. f. 1.
CYCLOPIA. 107.	CYCLOPIA.				
galoides. DC.	Galium-leaved.	C. B. S.	1818.	7. 8.	G. h.
elata. p. 107.					Pluk. alm. t. 413. f. 4.
CHORIZEMA. 108.	CHORIZEMA.				
4 Henchmanni. B.R.	Mr. Henchman's.	N. Holland.	1825.	5. 9.	G. h.
PODOLOBIUM. 108.	PODOLOBIUM.				Botan. regist. 986.
staurophyllum. DC.	spiny-leaved.	N. S. W.	1821.	3. 5.	G. h.
<i>spinosum</i> . p. 108.					Botan. regist. 959.
OXYLOBIUM. 107.	OXYLOBIUM.				
5 spinosum. DC.	spine-leaved.	N. S. W.	1823.	5. 8.	G. h.
6 obtusifolium. ψ.	blunt whorl-l'd.	N. Holland.	1825.	2. 5.	G. h.
7 Pulteneæ. DC.	wood.	N. S. W.	1823.	4. 6.	G. h.
CALLISTACHYS. 107.	CALLISTACHYS.				
3 linariifolia. ψ.	Linaria-leaved.	N. Holland.	1825.	G. h.
GOMPHOLOBIUM. 109.	GOMPHOLOBIUM.				
10 barbigerum. DC.	bearded-fl'd.	N. S. W.	1824.	5. 8.	G. h.
11 virgatum. DC.	twiggy.	—	—	—	G. h.
12 tenellum. ψ.	slender sharp-l'd.	N. Holland.	1825.	G. h.
13 reticulatum. ψ.	netted-leaved.	—	—	G. h.
14 pedunculare. DC.	peduncled.	N. S. W.	1822.	5. 7.	G. h.
BURTONIA. 108.	BURTONIA.				
2 minor. DC.	hairy-stalked.	N. S. W.	1812.	3. 8.	G. h.
<i>Gompholobium minus</i> . p. 109.					
JACKSONIA. p. 108.	JACKSONIA.				
3 furcellata. DC.	forked.	N. Holland.	1822.	4. 6.	G. h.
4 reticulata. DC.	netted-leaved.	N. S. W.	—	4. 8.	G. h.
<i>Daviesia reticulata</i> . p. 108.					Bonpl. nav. t. 11.
AOTUS. 108.	AOTUS.				
2 virgata. DC.	slender.	N. S. W.	1820.	4. 8.	G. h.
DILLWYNIA. 108.	DILLWYNIA.				
7 acicularis. DC.	needle-leaved.	N. S. W.	1822.	5. 7.	G. h.
8 pungens. ψ.	pungent.	N. Holland.	1825.	G. h.
9 rufis. DC.	villous-branch'd.	N. S. W.	1812.	5. 7.	G. h.
10 tenuifolia. DC.	slender-leaved.	—	1820.	—	G. h.
11 phyllicifolia. F.T.	Phylica-leaved.	N. S. W.	1824.	5. 8.	G. h.
12 sericea. F.T.	silky.	—	—	—	G. h.
PULTENÆA. 107.	PULTENÆA.				
20 canescens. F.T.	white-leaved.	N. Holland.	1825.	5. 7.	G. h.
21 echinula. DC.	harsh-leaved.	N. S. W.	1823.	—	G. h.
22 aristata. DC.	awned-calyx'd.	—	—	—	G. h.
23 microphylla. DC.	small-leaved.	—	—	—	G. h.
24 enchila. DC.	wedge-leaved.	—	1824.	—	G. h.
25 villifera. DC.	wool-bearing.	—	—	—	G. h.

26 hypolampra. DC.	whorl-branch'd.	N. S. W.	1822.	5. 7.	G. h.
27 thymifolia. DC.	Thyme-leaved.	—	—	—	G. h.
28 plumosa. DC.	feathered.	—	—	—	G. h.
29 parviflora. DC.	small-flowered.	—	1824.	—	G. h.
30 racemulosa. DC.	racemed.	—	1821.	—	G. h.
31 polifolia. F.T.	Poley-leaved.	—	1824.	5. 8.	G. h.
32 argentea. F.T.	silvery.	—	—	—	G. h.
33 procumbens. F.T.	procumbent.	—	—	—	G. h.
34 aspera. DC.	rough.	—	—	—	G. h.
35 comosa. DC.	tufted.	—	—	—	G. h.
36 squarrosa. DC.	squarrose.	—	—	—	G. h.
37 phylloides. DC.	Phylica-like.	—	1823.	—	G. h.
DAVIESIA. 108.	DAVIESIA.	—	—	—	—
10 squarrosa. DC.	squarrose.	N. S. W.	1822.	5. 7.	G. h.
MIRBELIA. 108.	MIRBELIA.	—	—	—	—
3 speciosa. DC.	handsome.	N. S. W.	1824.	5. 8.	G. h.
4 pungens. ♀.	pungent.	N. Holland.	—	—	G. h.

To this TRIBE belongs *Edwardsia*, *Ormosia*, *Anagyris*, *Baptisia*, *Podalyria*, *Brachysema*, *Viminaria*, *Sphærolobium*, *Eutaxia*, *Sclerothamnus*, *Gastrolobium*, and *Euchilus*.

Tribus II. LOTEÆ. DC. prodr. 2. p. 115.

HOVEA. p. 115.	HOVEA.				
7 chorizemæfolia. DC.	Holly-leaved.	N. Holland.	1824.	5. 7.	G. h.
<i>ilicifolia</i> . p. 111.					
8 rosmarinifolia. F.T.	Rosemary-ld.	N. S. W.	—	—	G. h.
PLATYLOBIUM. 110.	FLAT-PEA.				
4 ovatum. DC.	oval-leaved.	N. S. W.	1820.	5. 7.	G. h.
BOSSIÆA. 110.	BOSSIÆA.				
8 ensata. DC.	sword-stem'd.	N. Holland.	1822.	5. 7.	G. h.
9 foliosa. F.T.	leafy.	N. S. W.	1823.	—	G. h.
10 buxifolia. F.T.	Box-leaved.	—	—	—	G. h.
11 rotundifolia. DC.	round-leaved.	—	1822.	—	G. h.
12 rhombifolia. DC.	rhomb-leaved.	—	—	—	G. h.
13 lenticularis. DC.	orbicular-leaved.	—	—	—	G. h.
VASCOA. DC.	VASCOA. <i>Monadelphia Decandria</i> .				
1 amplexicaulis. DC.	stem-clasping.	C. B. S.	1816.	6. 7.	G. h.
<i>Rafnia amplexicaulis</i> . p. 111.					Seb. thes. 1. t. 24. f. 5.
2 perfoliata. DC.	perfoliate.	—	1812.	7. 8.	G. h.
<i>Borbonia perfoliata</i> . p. 109. <i>Crotalaria amplexicaulis</i> . Lam.					
PRIESTLEYA. DC.	PRIESTLEYA. <i>Diadelphia Decandria</i> .				
1 myrtifolia. DC.	Myrtle-leaved.	C. B. S.	1825.	—	G. h.
<i>Liparia myrtifolia</i> . p. 110.					
2 hirsuta. DC.	shaggy-stem'd.	—	1792.	12. 4.	G. h.
3 laevigata. DC.	polished.	—	1799.	7. 8.	G. h.
<i>Borbonia laevigata</i> . p. 109.					Botan. regist. 8. Lodd. bot. cab. 247.
4 capitata. DC.	headed.	—	1812.	—	G. h.
5 graminifolia. DC.	narrow-leaved.	—	1800.	6. 7.	G. h.
6 teres. DC.	smooth-stalked.	—	1816.	—	G. h.
7 ericæfolia. DC.	Heath-leaved.	—	1812.	7. 8.	G. h.
<i>Borbonia ericifolia</i> . p. 109.					
8 sericea. DC.	silky-leaved.	—	1794.	6. 7.	G. h.
9 elliptica. DC.	elliptic-leaved.	—	1816.	—	G. h.
10 villosa. DC.	villous-leaved.	—	1774.	—	G. h.
11 vestita. DC.	concave-leaved.	—	1800.	5. 6.	G. h.
<i>Liparia vestita</i> . B.M. <i>Liparia villosa</i> . A.R. 882. nec aliorum.					DC. leg. mem. 6. t. 3. Seb. thes. 1. t. 24. f. 1. Botan. magaz. 2223.
12 tomentosa. DC.	downy.	—	1812.	7. 8.	G. h.
13 umbellifera. DC.	umbel-flow'r'd.	—	1825.	6. 7.	G. h.
CROTALARIA. 110.	CROTALARIA.				
55 platycarpa. DC.	flat-podded.	N. America.	1824.	7. 9.	H. ⊙.
56 benghalensis. DC.	Bengal.	E. Indies.	—	—	S. ⊙.
57 novæ hollandiae. DC.	New Holland.	N. S. W.	1820.	—	S. h.
58 paulina. DC.	St. Paul.	Brazil.	—	—	S. h.
59 pelitia. DC.	villous-podded.	Jamaica.	1822.	—	S. h.
60 calycina. DC.	hispid-calyx'd.	E. Indies.	1818.	—	S. ⊙.
61 Roxburghiana. DC.	Roxburgh's.	—	1823.	—	S. ♀.
arborescens. DC.	spreading.	C. B. S.	1774.	6. 10.	G. h.
<i>incanescens</i> . p. 111. <i>capensis</i> . Jacq.					Jacq. vind. 3. t. 64.

ADDENDA et CORRIGENDA.

62 <i>cytisoides</i> . DC.	Cytisus-like.	E. Indies.	1823.	... S. h.
63 <i>purpurascens</i> . DC.	purplish.	Mauritius.	—	8. 10. S. ⊖.
64 <i>microphylla</i> . DC.	small-leaved.	Arabia.	—	H. ⊖.
65 <i>villosa</i> . DC.	villous.	C. B. S.	—	5. 8. G. Ȑ.
66 <i>fruticosa</i> . DC.	shrubby.	Jamaica.	...	S. h.
67 <i>angulata</i> . DC.	angular.	Campeachy.	...	8. 10. S. ⊖.
HYPOCALYPTUS. DC.	HYPOCALYPTUS.	Monadelphia Decandria.		
obcordatus. DC.	obcordate-l.	C. B. S.	1790.	4. 6. G. h.
<i>Crotalaria cordifolia</i> . p. 111.				
VIBORGIA. DC.	VIBORGIA.	Monadelphia Decandria.		
1 <i>obcordata</i> . DC.	many-flowered.	C. B. S.	1812.	7. 9. G. h.
<i>Crotalaria floribunda</i> . B.C.	<i>Anthyllis cuneata</i> . Hort.			Lodd. bot. cab. 509.
2 <i>sericea</i> . DC.	silky.	—	1780.	— G. h.
<i>Wiborgia sericea</i> . p. 110.				
ADENOCARPUS. 112.	ADENOCARPUS.			
<i>parvifolius</i> . DC.	small-leaved.	France.	...	7. 8. H. h.
<i>parviflorus</i> . p. 112.	<i>errata</i> .			
5 <i>intermedius</i> . DC.	intermediate.	S. Europe.	...	— H. h.
6 <i>telonensis</i> . DC.	loose-flowered.	—	...	— H. h.
7 <i>frankenioides</i> . DC.	clammy.	Canaries.	1815.	— G. h.
<i>Genista viscosa</i> . p. 112.	<i>Adenocarpus anagyrys</i> . s.s.			
CYTISUS. 112.	CYTISUS.			
<i>calycinus</i> . DC.	dwarf.	Caucasus.	1816.	6. 8. H. h.
<i>nanus</i> . p. 112.				Lodd. bot. cab. 673.
25 <i>grandiflorus</i> . DC.	great-flowered.	Portugal.	—	— H. h.
26 <i>orientalis</i> . DC.	oriental.	Levant.	—	— G. h.
27 <i>glomeratus</i> . Boj.	Zanzibar.	Zanzibar.	1825.	8. 10. S. h.
ONONIS. 113.	REST-HARROW.			
40 <i>emarginata</i> . Boj.	emarginate.	Mauritius.	1824.	... S. h.
41 <i>longifolia</i> . DC.	long-leaved.	Canaries.	1816.	5. 6. G. h.
42 <i>geminiflora</i> . DC.	twin-flowered.	Spain.	1825.	8. 10. H. ⊖.
MEDICAGO. 117.	MEDICK.			
56 <i>applanata</i> . DC.	obovate-leav'd.	—	1824.	7. 9. H. ⊖.
57 <i>aegagrophila</i> . DC.	goats.	—	—	H. ⊖.
TRIGONELLA. 117.	FENGREEK.			
23 <i>cerulea</i> . DC.	blue.	Germany.	1562.	8. 9. H. ⊖.
<i>Trifolium ceruleum</i> . B.M.	<i>Melilotus caerulea</i> . p. 115.			Botan. magaz. 2283.
24 <i>uncinata</i> . DC.	hooked.	Siberia.	1823.	6. 9. H. ⊖.
<i>Melilotus hamosa</i> . p. 115.				
25 <i>prostrata</i> . DC.	prostrate.	S. Europe.	1824.	— H. ⊖.
<i>Fischeriana</i> . DC.	<i>Fischer's</i> .	Tiflin.	1818.	— H. ⊖.
<i>flexuosa</i> . M.B. non Poir.				J. Bauh. his. 2.p. 365.f.2
26 <i>ornithorynchos</i> . DC.	rostrate-pod'd.	Russia.	1825.	6. 9. H. ⊖.
27 <i>ornithopodioides</i> . DC.	Bird's-foot.	Britain.	—	— H. ⊖.
<i>Melilotus ornithopodioides</i> . p. 115.	<i>Trifolium ornithopodioides</i> . E.B.			Eng. bot. 1070.
POCOCKIA. DC.	POCOCKIA.	Diadelphia Decandria.		
<i>cretica</i> . DC.	Cretan.	Candia.	1713.	6. 9. H. ⊖.
<i>Melilotus cretica</i> . p. 115.	<i>Trifolium creticum</i> . L.			Moris. s. 2. t. 14. f. 3.
MELLILLOTUS. 115.	MELLLOT.			
<i>leucantha</i> . DC.	white-flowered.	Europe.	...	6. 9. H. ♂.
<i>vulgaris</i> . p. 115. n. 13.				Stur. deut. 1. fas. 15. f. K.
18 <i>melanosperma</i> . DC.	black-seeded.	Tauria.	1825.	— H. ♂.
19 <i>palustre</i> . DC.	marsh.	Hungary.	1821.	6. 8. H. ♂.
20 <i>segetalis</i> . DC.	hedge.	Portugal.	—	— H. ⊖.
21 <i>gracilis</i> . DC.	slender.	France.	—	— H. ⊖.
22 <i>suaveolens</i> . DC.	sweet-scented.	Dahuria.	1826.	... H. Ȑ.
23 <i>arvensis</i> . DC.	corn-field.	Germany.	1822.	6. 9. H. ⊖.
DORYCNIUM. 118.	DORYCNIUM.			
<i>suffruticosum</i> . DC.	<i>suffruticose</i> .	S. Europe.	1640.	7. 9. F. h.
<i>monspeliense</i> . p. 118.				Lob. ic. 2. p. 51. f. 1. 2.
4 <i>rectum</i> . DC.	upright.	—	—	6. 8. H. Ȑ.
<i>Lotus rectus</i> . p. 118.				Barrel. ic. t. 544.
5 <i>hirsutum</i> . DC.	hairy.	—	1683.	— H. h.
6 <i>sericeum</i> .	silky.	—	1820.	— H. h.
<i>Lotus sericeus</i> . p. 118.				Botan. magaz. 336.
7 <i>parviflorum</i> . DC.	small-flowered.	—	1824.	7. 8. H. ⊖.
<i>Lotus parviflorus</i> . p. 118.				Desf. atl. 2. t. 211.
LOTUS. 118.	BIRD'S-FOOT TREFOIL.			
30 <i>sessilifolius</i> . DC.	sessile-leaved.	Canaries.	1816.	6. 9. G. Ȑ.

31	<i>atropurpureus</i> . DC.	dark-purple.	1823.	6. 9.	G. h.
32	<i>Candolleanus</i> .	De Candolle's.	N. S. W.	1812.	— G. h.
	<i>australis</i> β <i>angustifoliola</i> . DC.				
33	<i>obovatus</i> . ψ .	glaucous obovate.	—	—	G. 4.
	PSORALEA . 114.	PSORALEA .			
	<i>sericea</i> . DC.	flat-headed.	C. B. S.	1815.	1. 12. G. h.
	<i>pubescens</i> . B.R.	pubescent.	Lima.	1823.	7. 9. G. 3.
	INDIGOFERA . 124.	INDIGO .			
	<i>junccea</i> . DC.	Rushy.	C. B. S.	—	7. 10. G. h.
	<i>filifolia</i> , p. 124.	<i>Lebeckia contaminata</i> .	B.R. <i>Lebeckia nuda</i> .	B.M. 2214.	Botan. regist. 223.
42	<i>angulata</i> . B.R.	angular-stalk'd.	N. S. W.	1824.	4. 8. G. h.
43	<i>cylindrica</i> .	cylindrical.	C. B. S.	1822.	— G. h.
44	<i>macrostachya</i> . DC.	long-spiked.	China.	—	— G. h.
45	<i>divaricata</i> . DC.	spreading.	—	1824.	— G. h.
46	<i>polyphylla</i> . DC.	many-leaved.	Nepaul.	1825.	— G. h.
47	<i>alpecuroides</i> . DC.	Fox-tail.	C. B. S.	—	— G. h.
48	<i>digitata</i> . DC.	finger-leaved.	—	1820.	— G. h.
	CLITORIA . 120.	CLITORIA .			
11	<i>lascivia</i> . Boj.	Madagascar.	—	—	S. h. ~.
	VILMORINIA . DC.	VILMORINIA .	Diadelphia Decandria.		
	<i>multiflora</i> . DC.	many-flowered.	W. Indies.	1823.	7. 8. S. h. ~.
	<i>Clitoria multiflora</i> . p. 120.				
	PUERARIA . DC.	PUERARIA .			
	<i>tuberosa</i> . DC.	tuberous.	E. Indies.	1806.	— S. h. ~.
	<i>Hedysarum tuberosum</i> . p. 130.				
	DUMASIA . DC.	DUMASIA .			
1	<i>villosa</i> . DC.	villous.	Nepaul.	1824.	8. 12. G. h. ~. DC. leg. mem. 6. t. 44.
2	<i>pubescens</i> . DC.	pubescent.	—	—	— G. h. ~. Botan. regist. 962.
	GLYCINE . DC.	GLYCINE . 121.			
	<i>minima</i> . DC.	small.	N. S. W.	1812.	4. 10. G. 4. ~.
	CHÆTOCALYX . DC.	CHÆTOCALYX .	Diadelphia Decandria.		
	<i>vincentina</i> . DC.	St. Vincent.	St. Vincent's.	1823.	6. 8. S. h. ~. Botan. regist. 799.
	<i>Glycine vincentina</i> . p. 121.				
	DALEA . 114.	DALEA .			
13	<i>sericea</i> . DC.	silky.	Mexico.	1825.	— G. 4. — Kth. mim. t. 48.
14	<i>tuberculata</i> . DC.	tubercl'd.	—	—	— G. h.
15	<i>reclinata</i> . DC.	reclining.	—	1824.	5. 8. G. 4.
16	<i>Thouini</i> . DC.	Thouin's.	—	—	H. \odot . Schrank. h. mon. t. 9.
	TEPHROSIA . 124.	TEPHROSIA .			
16	<i>suberosa</i> . DC.	cork-barked.	E. Indies.	1818.	— S. h.
	<i>Robinia suberosa</i> . p. 126.				
17	<i>fruticosa</i> . DC.	frutescent.	—	1820.	— S. h. ~.
	<i>Robinia fruticosa</i> . p. 126.				
18	<i>candida</i> . DC.	white-leaved.	—	1810.	— S. h.
	<i>Robinia candida</i> . p. 126.				
19	<i>capensis</i> . DC.	Cape.	C. B. S.	1823.	5. 9. G. h. Jacq. ic. t. 574.
20	<i>hypargyrea</i> . DC.	various-leaved.	E. Indies.	—	6. 9. S. h.
	<i>Galega heterophylla</i> . p. 124.				
21	<i>caribæa</i> . DC.	Caribbean.	W. Indies.	1786.	6. 7. S. h. Jacq. amer. t. 125.
	<i>Galega? caribæa</i> . p. 124.				
	NISSOLIA . 132.	NISSOLIA .			
4	<i>racemosa</i> . DC.	racemed.	W. Indies.	—	6. 8. S. h. ~.
5	<i>robiniafolia</i> . DC.	Robinia-leav'd.	—	1824.	— S. h.
6	<i>microptera</i> . DC.	small-winged.	—	—	6. 8. S. h.
	LONCHOCARPUS . DC.	LONCHOCARPUS .	Diadelphia Decandria.		
1	<i>domingensis</i> . DC.	Domingo.	St. Domingo.	1759.	— S. h.
	<i>Dalbergia domingensis</i> . p. 131.				
2	<i>violaceus</i> . DC.	violet.	W. Indies.	—	— S. h. Jacq. amer. t. 177. f. 49.
3	<i>sericeus</i> . DC.	silky.	—	1823.	— S. h.
4	<i>pyxidarius</i> . DC.	Cuba.	Cuba.	1822.	— S. h.
5	<i>latifolius</i> . DC.	broad-leaved.	S. America.	1814.	— S. h.
	<i>Amerinnum latifolium</i> . p. 131.				
6?	<i>pubescens</i> . DC.	pubescent.	Caracas.	1820.	— S. h.
7	<i>roseus</i> . DC.	rose-coloured.	S. America.	—	— S. h.
8	<i>sepium</i> . DC.	hedge.	W. Indies.	1820.	— S. h. Jacq. amer. t. 129. f. 101.
	<i>Robinia sepium</i> . p. 126.				
	SESBANIA . 128.	SESBANIA .			
10	<i>affinis</i> . DC.	likened.	E. Indies.	1822.	5. 8. S. δ .
11	<i>macrocarpa</i> . DC.	long-podded.	Louisiana.	—	7. 10. H. \odot .

ADDENDA et CORRIGENDA.

12 gracilis. DC.	slender.	1824. 7. 10. S. ⊖.	
AGATI. DC.	AGATI. Diadelphia Decandria.		
1 grandiflora. DC.	great-flowered. E. Indies. 1768. 7. 8. S. h.	Rheed. mal. 1. t. 61.	
<i>Sesbania grandiflora</i> .	p. 128. <i>Æschynomene grandiflora</i> . L.		
2 coccinea. DC.	red-flowered. 1824. S. h.	Rumph. amb. 1. t. 77.	
GLOTTIDIUM. DC.	GLOTTIDIUM. Diadelphia Decandria.		
floridanum. DC.	flat-podded. Carolina. 1822. 7. 8. G. ⊖.	Jacq. ic. 1. t. 148.	
<i>Sesbania platycarpa</i> , p. 129. <i>Robinia vesicaria</i> . Jacq.			
DAUBENTONIA. DC.	DAUBENTONIA. Diadelphia Decandria.		
punicia. DC.	red-flowered. Mexico. 1824. S. h.	Cavan. ic. 4. t. 316.	
PISCIDIA. 122.	PISCIDIA.		
2 carthaginensis. DC.	villous-leaved. W. Indies. S. h.	Plum. ed. Bur. t. 133 f. 2	
HALIMODENDRON. DC.	SALT-TREE. Diadelphia Decandria.		
argenteum. DC.	silver-leaved. Siberia. 1779. 5. 6. H. h.	Botan. magaz. 1016.	
<i>Robinia Halodendron</i> . B.M. <i>Caragana Halodendron</i> . p. 125.			
COLUTEA. 124.	BLADDER-SENNA.		
haleppica. DC.	Pocock's. Levant. 1752. 5. 10. H. h.	Schmidt arb. t. 129.	
<i>Pocockii</i> , p. 124. <i>Istria</i> . Mill. ic. t. 100.			
5 nepalensis. B.M.	Nepaul. Nepaul. 1822. 8. 9. H. h.	Botan. magaz. 2622.	
LESSERTIA. 124.	LESSERTIA.		
7 falciformis. DC.	falcate-podded. C. B. S. 1825. 5. 7. G. ♂.		
SUTHERLANDIA. 124. SUTHERLANDIA.			
2 microphylla. DC.	small-leaved. C. B. S. 1816. 6. 9. G. ♀.		

To this Tribe also belongs *Goodia*, *Scottia*, *Templetonia*, *Rafnia*, *Borbonia*, *Achyronia*, *Liparia*, *Hallia*, *Loddigesia*, *Lebeckia*, *Sarcophyllum*, *Aspalathus*, *Ulex*, *Spartium*, *Genista*, *Calycotome*, *Anthyllis*, *Hymenocarpos*, *Trifolium*, *Lupinaster*, *Tetragonolobus*, *Petalostemum*, *Glycirhiza*, *Gagea*, *Amorpha*, *Mullera*, *Robinia*, *Calophaea*, *Swainsona*, *Phaca*, *Astragalus*, *Oxytropis*, and *Biserrula*.

Tribus III. *HEDYSAREÆ*. DC. prodr. 2. p. 307.

CORONILLA. 128.	CORONILLA.		
13 pentaphylla. DC.	five-leaved. Algiers. 5. 10. G. h.	Mill. ic. t. 289. f. 2?	
14 montana. DC.	mountain. Europe. 1816. 6. 9. H. ♀.	Botan. magaz. 907.	
<i>coronata</i> . B.M. non L.			
ASTROLOBIUM. DC.	ASTROLOBIUM.		
1 ebracteatum. DC.	round-podded. Portugal. 5. 6. H. ⊖.	Dalech. his. l. p. 487. f. 1.	
<i>Ornithopus ebracteatus</i> , p. 128.			
2 durum. DC.	perennial. Spain. 1805. 6. 7. H. ♀.	Cavan. ic. 1. t. 41.	
3 repandum. DC.	repand. Barbary. 1805. — H. ⊖.	Lam. ill. t. 631. f. 4.	
4 scorpioides. DC.	Purslane-ld. S. Europe. 1596. — H. ⊖.	Cavan. ic. 1. t. 37.	
<i>Ornithopus scorpioides</i> , p. 128.			
HIPPOCREPIS. 128.	HORSESHEE-VETCH.		
7 glauca. DC.	glaucous. Naples. 1825. 5. 8. H. ♀.	Ten. fl. neap. 2. t. 69.	
8 monocarpa. DC.	one-podded. Caucasus. — 6. 8. H. ⊖.		
PICTETIA. DC.	PICTETIA. Diadelphia Decandria.		
1 aristata. DC.	awned. St. Domingo. 1820. S. h.	Jacq. schœn. 2. t. 237.	
<i>Æschynomene aristata</i> , p. 129.			
ORMOCARPUM. DC.	ORMOCARPUM. Diadelphia Decandria.		
sennoides. DC.	Senna-like. E. Indies. 1818. 6. 7. S. ♀.		
<i>Hedysarum sennoides</i> , p. 131.			
ZORNIA. 129.	ZORNIA. Monadelphia Decandria.		
3 angustifolia. DC.	narrow-leaved. E. Indies. 1733. 7. 8. S. ⊖.	Rheed. mal. 9. t. 82.	
<i>diphylla</i> , p. 129.			
4 reticulata. DC.	netted-bracted. W. Indies. — S. ⊖.		
5 dyctiocarpa. DC.	netted-podded. N. S. W. 1824. — H. ⊖.		
ADESMIA. DC.	ADESMIA. Decandria Monogynia.		
1 muricata. DC.	prickly-podded. Patagonia. 1793. 6. 7. H. ♀.	Jacq. ic. 3. t. 568.	
<i>Hedysarum muricatum</i> , p. 131.			
2 papposa. DC.	feathery-pod. Chili. 1823. — H. ♀.		
ÆSCHYNOSENTE. 129. ÆSCHYNOSENTE.			
7 patula. DC.	spreading. Mauritius. 1826. S. ♂?		
8 pendula. Boj.	pendulous. Madagascar. 1825. S. ♂?		
9 subviscosa. DC.	clammy. E. Indies. 1820. 9. 10. S. ⊖.		
SMITHIA. 128.	SMITHIA.		
3 conferta. DC.	close-flowered. N. Holland. 1820. 7. 9. S. ♂.		
LOUREA. DC.	LOUREA. Diadelphia Decandria.		
1 Vespertilionis. DC.	bat-winged. Cochinchina. 1780. 7. 8. S. ♂.	Jacq. ic. 3. t. 566.	
<i>Hedysarum Vespertilionis</i> , p. 130.			

URARIA. DC.	URARIA. Diadelphia Decandria.			
1 picta. DC.	painted-leaved. Guinea.	1788.	6. 8. S. h.	Jacq. ic. 3. t. 567.
<i>Hedysarum pictum</i> , p. 130.				
2 crinita. DC.	crook-podded. E. Indies.	1780.	7. 9. S. h.	Burm. ind. t. 56.
<i>Hedysarum crinitum</i> , p. 131.				
3 lagocephala. DC.	hairy. Brazil.	1823.	— S. 4.	
4 Lagopus. DC.	Hare's-foot. Nepaul.	—	... S. h.	
*DESMODIUM. DC.	DESMODIUM. Diadelphia Decandria.			
1 dubium. B.R.	doubtful. Nepaul.	1823.	7. 8. S. h.	Botan. regist. 967.
2 umbellatum. DC.	umbel-flower'd. E. Indies.	1801.	6. 7. S. h.	Jacq. schœnb. 3. t. 297.
<i>Hedysarum umbellatum</i> , p. 130.				
3 triquetrum. DC.	triangular. —	1802.	7. 8. S. 4.	Burm. ind. t. 52. f. 2.
4 pseudotriquetrum. DC.	triquetrous. Nepaul.	1818.	— S. 4.	
5 alatum. DC.	winged-stalked. E. Indies.	1809.	... S. h.	
6 gyrans. DC.	moving-plant. —	1775.	7. 9. S. 4.	Jacq. ic. 3. t. 565.
7 gyroides. DC.	gyrans-like. —	1818.	— S. h.	
8 gangeticum. DC.	oval-leaved. —	1762.	— S. 4.	Burm. zeyl. t. 49.
9 maculatum. DC.	spotted. —	1732.	6. 8. S. 4.	Dill. elt. t. 141. f. 168.
10 sagittatum. DC.	arrow-leaved. —	1807.	... S. h.	
11 angustifolium. DC.	narrow-leaved. Mexico.	1825.	... S. h.	
12 latifolium. DC.	broad-leaved. E. Indies.	1809.	7. 8. S. h.	Botan. regist. t. 356.
13 lasiocarpum. DC.	woolly-podded. Guinea.	1822.	7. 9. S. h.	Beau. fl. ow. I. t. 18.
14 canadense. DC.	Canadian. N. America.	1640.	— H. 4.	Corn. canad. t. 45.
15 canescens. DC.	canescent. —	1733.	— H. 4.	
16 marylandicum. DC.	Maryland. —	1725.	7. 10. H. 4.	Dill. elt. t. 144. f. 171.
17 obtusum. DC.	obtuse. —	1805.	7. 8. H. 4.	
18 ciliare. DC.	fringed. —	1823.	— H. 4.	
19 viridiflorum. DC.	green-flowered. —	1787.	7. 9. H. 4.	Pluk. alm. t. 308. f. 5.
20 bracteosum. DC.	bracted. —	1806.	7. 8. H. 4.	
21 glabellum. DC.	smooth. —	1824.	7. 9. H. 4.	
22 paniculatum. DC.	panicled. —	1781.	7. 8. H. 4.	Pluk. alm. t. 432. f. 6.
23 nudiflorum. DC.	naked-flower'd. —	1823.	— H. 4.	
24 acuminatum. DC.	glutinous. —	1805.	— H. 4.	
<i>Hedysarum glutinosum</i> , p. 130.				
25 uncinatum. DC.	uncinate. Caracas.	1823.	6. 7. S. h.	Jacq. schœn. 3. t. 208.
26 incanum. DC.	hoary. W. Indies.	1820.	7. 8. S. h.	Plum. ic. 149. f. 1.
27 supinum. DC.	trailing. Jamaica.	—	— S. h.	Sloan.jam.l.t.118.f.2.
28 tortuosum. DC.	twisted-podd'd. —	1781.	— S. h.	— 1.t.116.f.2.
29 adscendens. DC.	ascending. —	1820.	7. 9. S. h.	
30 mexicanum.	Mexican. Mexico.	—	11. 5. S. h.	Botan. regist. 815.
<i>Hedysarum mexicanum</i> , p. 130. <i>adscendens</i> . var. <i>cæruleum</i> . B.R.				
31 trigonum. DC.	three-sided. Jamaica.	1733.	7. 9. S. h.	
32 spirale. DC.	spiral. —	—	— S. h.	
33 Aparines. DC.	hairy-stalked. Mexico.	1820.	— S. h.	
34 asperum. DC.	harsh. —	—	6. 8. S. h.	
35 cæspitosum. DC.	tufted. Mauritius.	—	... S. 4.	
36 mauritianum. DC.	creeping-root'd. —	1822.	7. 9. S. 4.	
37 diversifolium. DC.	different-leav'd. Madagascar.	1820.	... S. h.	
38 spectabile.	showy. Zanzibar.	1825.	... S. h.	
<i>Hedysarum spectabile</i> . Boj.				
39 triflorum. DC.	three-flowered. India.	1796.	6. 7. S. 4.	Burm. ind. t. 54. f. 2.
40 heterophyllum. DC.	various-leaved. Ceylon.	1820.	— S. 4.	Burm. zeyl. t. 54. f. 1.
41 parvifolium. DC.	slender. Nepaul.	1823.	7. 9. S. h.	
<i>tenellum</i> . D.P. non Kth.				
42 Scalpe. DC.	repand. Bourbon.	—	7. 8. S. h.	
<i>Hedysarum repandum</i> , p. 130. non DC.				
43 Roxburghii.	Roxburgh's. E. Indies.	1825.	... S. h.	
<i>diffusum</i> . DC. p. 335. non p. 336.				
44 floribundum. D.P.	abundant-flg. Nepaul.	1823.	7. 9. S. h.	
45 retusum. D.P.	retuse-leaved. —	—	— S. h.	
46 concinnum. DC.	neat. —	—	— S. h.	
47 capitatum. DC.	headed. Ceylon.	... 7.	S. h.	Burm. ind. t. 54. f. 1.
48 tomentosum. DC.	woolly. China.	1782.	6. 7. G. 4.	
49 malacophyllum. DC.	soft hairy-ld. Manilla.	1824.	... S. 4.	
50 grandifolium. DC.	large-leaved. E. Indies.	—	— S. h.	
51 serotinum. DC.	late-flowering. —	1806.	7. 9. S. 4.	

* The species of this genus are referred to *Hedysarum*, p. 130 and 131.

DICERMA. DC.	DICERMA. Diadelphia Decandria.				
1 pulchellum. DC.	neat.	E. Indies.	1799.	7. 8. S. $\frac{1}{2}$.	Burm. zeyl. t. 52.
<i>Zornia pulchella.</i> p. 129.	<i>Hedysarum pulchellum.</i> w.				
2 biarticulatum. DC.	jointed.		1808. S. $\frac{1}{2}$.	t. 50. f. 2.
<i>Hedysarum biarticulatum.</i> p. 130.					
HEDYSARUM. DC.	HEDYSARUM.				
1 lasiocarpum. DC.	woolly-podded.	Siberia.	1824.	6. 8. H. $\frac{1}{2}$.	
2 ibericum. DC.	Iberian.	Iberia.	—	— H. $\frac{1}{2}$.	
3 cretaceum. DC.	slender-spiked.	Volga.	1818.	— H. $\frac{1}{2}$.	
4 consanguineum. DC.	kindred.	Siberia.	—	— H. $\frac{1}{2}$.	
5 caucasicum. DC.	Caucasean.	Caucasus.	1824.	— H. $\frac{1}{2}$.	
ONOBYCHIS. I31.	SAINTFOIN.				
14 procumbens. DC.	procumbent.	Iberia.	1823.	7. 9. H. $\frac{1}{2}$.	
15 radiata. DC.	rayed.	Caucasus.	—	— H. $\frac{1}{2}$.	
ELEIOTIS. DC.	ELEIOTIS.				
sororia. DC.	sister.	E. Indies.	1820. S. $\frac{1}{2}$.	Desv. j. bot. 3.t.6.f.31.
<i>Hedysarum sororium.</i> p. 130.					
LESPEDEZA. 129.	LESPEDEZA.				
12 eriocarpa. DC.	woolly-podded.	Nepaul.	1812.	7. 9. G. $\frac{1}{2}$.	
13 villosa. DC.	villous.	N. America.	—	— H. $\frac{1}{2}$.	
EBENUS. DC.	EBENUS. Monadelphia Decandria.				
1 cretica. DC.	Cretan.	Crete.	1737.	6. 7. F. $\frac{1}{2}$.	Botan. magaz. 1092.
<i>Anthyllis cretica.</i> p. 114.					
2 pinnata. DC.	wing-leaved.	Barbary.	1786.	7. S. G. $\frac{1}{2}$.	Desf. act. par. 1. t. 3.
<i>Anthyllis servicea.</i> p. 114.					
ALHAGI. DC.	ALHAGI. Diadelphia Decandria.				
1 maurorum. DC.	Levant.	Levant.	1714.	7. 8. G. $\frac{1}{2}$.	Tourn. cor. 54. t. 489.
<i>Manna hebraica.</i> p. 131.	<i>Hedysarum Alhagi.</i> w.				
2 camelorum. DC.	Caspian.	Caucasus.	1824.	— H. $\frac{1}{2}$.	
ALYSICARPUS. DC.	ALYSICARPUS. Diadelphia Decandria.				
1 bupleurifolius. DC.	Bupleurum-ld.	India.	1793.	7. 8. S. $\frac{1}{2}$.	Botan. magaz. 1722.
<i>Hedysarum bupleurifolium.</i> p. 129.					
2 vaginalis. DC.	sheathed.	E. Indies.	1790.	— S. \odot .	Burm. zeyl. t. 49. f. 1.
3 nummularifolius.	moneywort-ld.	—	1777.	7. 9. S. \odot .	Pet. gaz. t. 26. f. 4.
<i>Hedysarum nummularifolium.</i> p. 129.					
4 monilifer. DC.	neck-lace.	—	1824.	— S. $\frac{1}{2}$.	Burm. ind. t. 52. f. 3.
5 styracifolius. DC.	Storax-leaved.	—	1796.	— S. $\frac{1}{2}$.	

To this Tribe also belongs *Scorpiurus*, *Stylosanthes*, *Securigera*, and *Flemingia*.

Tribus IV. VICEÆ. DC. prodr. 2. p. 353.

ERVUM. 128.	TARE.				
10 Ervilia. DC.	officinal.	S. Europe.	1596.	6. 8. H. \odot .	Blackw. t. 208. f. 3.
<i>Vicia Ervilia.</i> p. 127.					
11 monanthos. DC.	single-flower'd.	—	1790.	7. 8. H. \odot .	Sturm. fl. germ. 1.f.32.
LATHYRUS. 126.	LATHYRUS.				
37 intermedium. DC.	intermediate.	N. Europe.	1818.	7. 9. H. $\frac{1}{2}$.	Mull. fl. dan. t. 785.
38 longepedunculatus.	long-peduncl'd.	—	1824.	— H. \odot .	
39 hirtus. DC.	hairy.	—	—	— H. \odot .	
OROBUS. 126.	BITTER VETCH.				
22 formosus. DC.	handsome.	Caucasus.	1824.	4. 6. H. $\frac{1}{2}$.	Linn. trans. 11. t. 36.
23 sessilifolius. DC.	sessile-leaved.	Greece.	—	5. 7. H. $\frac{1}{2}$.	
24 multiflorus. DC.	many-flowered.	Italy.	—	— H. $\frac{1}{2}$.	
25 vicioides. DC.	Vicia-like.	Carniola.	1818.	6. 8. H. $\frac{1}{2}$.	W. et K. hung. 3. t. 242.
<i>Vicia oroboides.</i> p. 127.					
26 aurantius. DC.	orange-color'd.	Iberia.	1824.	— H. $\frac{1}{2}$.	
27 erectus. DC.	upright.	—	1820.	— H. $\frac{1}{2}$.	

To this Tribe also belongs *Cicer*, *Faba*, *Vicia*, and *Pisum*.

Tribus V. PHASEOLEÆ. DC. prodr. 2. p. 381.

SWEETIA. DC.	SWEETIA. Diadelphia Decandria.				
1 longifolia. DC.	long-leaved.	S. America.	1824.	6. 7. S. $\frac{1}{2}$.	Jacq. ic. 3.t.572.
<i>Tephrosia longifolia.</i> p. 124.	<i>Galega longifolia.</i> Jacq.				
2 filiformis. DC.	slender.	Mexico.	1826. S. $\frac{1}{2}$.	3. t. 573.
ROTHIA. DC.	ROTHIA.				
trifoliata. DC.	trifoliate.	S. America.	1820.	6. 8. S. \odot .	
<i>Glycine humifusa.</i> p. 121.					

KENNEDIA. 121.7? *heterophylla*. ψ .8? *inophylla*. ψ .9? *dilatata*. ψ .**RHYNCHOSIA. DC.**1 *reniformis*. DC.*Glycine reniformis*. p. 121.2 *diformis*. DC.*Glycine tomentosa*. p. 121.3 *erecta*. DC.4 *caribaea*. DC.5 *phaseoloides*. DC.6 *preatoria*. DC.7 *reticulata*. DC.8 *rhombifolia*. DC.9 *viscida*. DC.10 *angustifolia*. DC.*Glycine angustifolia*. p. 121.11 *suaveolens*. DC.**FAGELIA. DC.**

bituminosa. DC.

Glycine bituminosa. p. 121.**PHASEOLUS. 119.**34 *macrostachyus*. DC.35 *compressus*. DC.36 *oblongus*. DC.37 *saponaceus*. DC.38 *tumidus*. DC.39 *haematoxarpus*. DC.40 *sphaericus*. DC.41 *gonospermus*. DC.42 *derasus*. DC.43 *Xuarensis*. DC.44 *microspermus*. DC.45 *chrysanthos*. DC.46 *violaceus*. DC.47 *scaber*. DC.**SOJA. DC.***hispida*. DC.*Dolichos Soja*. p. 119.**DOLICHOS. 119.**'39 *Jacquini*. DC.40 *melanophthalmus*. DC.**VIGNA. DC.***glabra*. DC.*Dolichos luteolus*. p. 119.**LABLAB. DC.**1 *vulgaris*. DC.*Dolichos Lablab*. p. 119.2 *purpureus*.*Dolichos purpureus*. B.R. 830.3 *benghalensis*.*vulgaris* γ *albiflorus*. DC.4 *nankinicus*. DC.5 *leucocarpus*. DC.6 *culturatus*. DC.*Dolichos culturatus*. p. 119.7 *microcarpus*. DC.8 *perennans*. DC.**PACHYRHIZUS. DC.***angulatus*. DC.*Dolichos bulbosus*. p. 119.**PSOPHOCARPUS. DC.***Psophocarpus*. Diadelphia Decandria.*tetragonolobus*. DC.*Dolichos tetragonolobus*. p. 119.**CANAVALIA. DC.***obtusifolia*. DC.*Dolichos rotundifolius*. p. 119. β *emarginatus*. DC.*emarginata*.**KENNEDIA.**

various-leaved. N. Holland. 1826. G. h.

few-leaved. ——— 1825. S. h.

dilated-leaved. ——— ——— S. h.

RHYNCHOSIA. DC. Diadelphia Decandria.

kidney-leaved. Carolina. 1806. 7. 8. F. 24.

downy climbing. N. America. 1732. 6. 9. H. 24. Dill. elct. t. 26. f. 29.

1 *reniformis*. DC.*Glycine reniformis*. p. 121.2 *diformis*. DC.*Glycine tomentosa*. p. 121.3 *erecta*. DC.

trailing. W. Indies. 1742. 9. 10. S. h. Jacq. ic. 1. t. 146.

4 *caribaea*. DC.

Abrus-seeded. ——— 1820. 6. 7. S. h. Botan. magaz. 2284.

5 *phaseoloides*. DC.

Abrus-like. S. America. ——— ——— S. h.

6 *preatoria*. DC.

netted. Jamaica. 1779. 7. 9. S. h.

7 *reticulata*. DC.

rhomb-leaved. E. Indies. 1815. 5. 8. S. h.

8 *rhombifolia*. DC.

viscous. ——— 1823. 6. 7. S. h.

9 *viscida*. DC.

narrow-leaved. C. B. S. 1795. 6. 8. G. h. Jacq. schœn. 2. t. 231.

10 *angustifolia*. DC.*Glycine angustifolia*. p. 121.11 *suaveolens*. DC.

sweet-scented. E. Indies. 1816. 7. 9. S. h.

FAGELIA. DC. Diadelphia Decandria.

bituminosa. DC.

clammy. C. B. S. 1774. 4. 9. G. h. Botan. regist. 261.

Glycine bituminosa. p. 121.**PHASEOLUS. 119.**

KIDNEY-BEAN.

34 *macrostachyus*. DC.

large-spiked. N. America. 1824. 7. 9. H. 24.

35 *compressus*. DC.

flat-seeded. ——— 6. 9. H. 24. Savi mein. 3. t. 10. f. 20.

36 *oblongus*. DC.

oblong-seeded. ——— ——— H. 24. 3. t. 10. f. 14.

37 *saponaceus*. DC.

spotted white-seeded. ——— ——— H. 24. 3. t. 10. f. 15.

38 *tumidus*. DC.

thick-seeded. ——— ——— H. 24. 3. t. 10. f. 16.

39 *haematoxarpus*. DC.

red-spotted. ——— ——— H. 24. 3. t. 10. f. 17.

40 *sphaericus*. DC.

round-seeded. ——— ——— H. 24. 3. t. 10. f. 18.

41 *gonospermus*. DC.

angular-seeded. ——— ——— H. 24. 3. t. 10. f. 19.

42 *derasus*. DC.

narrow-podded. Brazil. 1823. ——— H. 24. Schr. h. monac. 1. t. 89.

43 *Xuarensis*. DC.

pointed-leaved. ——— ——— H. 24.

44 *microspermus*. DC.

small-seeded. Cuba. ——— ——— S. 24.

45 *chrysanthos*. DC.

yellow-flow'r'd. ——— ——— S. 24.

46 *violaceus*. DC.

violet-flowered. Africa? ——— ——— H. 24.

47 *scaber*. DC.

rough-podded. ——— ——— H. 24. Moris. ox. s. 2. t. 5. f. 8.

SOJA. DC.*Soy*. Diadelphia Decandria.*hispida*. DC.

hispid. E. Indies. 1790. 7. 8. S. 24. Jacq. ic. 1. t. 145.

DOLICHOS. 119.*Dolichos*.*Jacquin's*.

W. Indies. 1822. 7. 9. S. h.

40 *melanophthalmus*. DC.

black-circled. ——— ——— H. 24.

VIGNA. DC.*Vigna*.*glabra*. DC.

yellow. America. 1805. 7. 8. H. 24. Jacq. vind. 1. t. 90.

Dolichos luteolus. p. 119.**LABLAB. DC.***Lablab*. Diadelphia Decandria.1 *vulgaris*. DC.

common. Egypt. 1694. 6. 7. S. 24. Botan. magaz. 896.

Dolichos Lablab. p. 119.2 *purpureus*.

purple. E. Indies. 1790. 5. 10. S. 24. Exot. bot. 2. t. 74.

Dolichos purpureus. B.R. 830.3 *benghalensis*.

Bengal. Bengal. 1820. 7. 8. S. h. Jacq. vind. 2. t. 124.

vulgaris γ *albiflorus*. DC.*Dolichos benghalensis*. p. 119.4 *nankinicus*. DC.

Chinese. China. 1821. ——— ——— Savi. dis. 1821. f. 8. d-g.

5 *leucocarpus*. DC.

white-podded. E. Indies. ——— ——— S. 24. f. 9. a-d.

6 *culturatus*. DC.

sharp-edged. Japan. 1818. 6. 7. H. 24. Banks ic. k. t. 25.

Dolichos culturatus. p. 119.7 *microcarpus*. DC.

small-podded. E. Indies. 1824. ——— ——— Rumph. am. 5. t. 141. f. 1.

8 *perennans*. DC.

perennial. China. 1823. 7. 8. G. 24. ——— 5. t. 137.

PACHYRHIZUS. DC. PACHYRHIZUS. Diadelphia Decandria.*angulatus*. DC.

angular-leaved. E. Indies. 1781. 7. S. 24. Rumph. amb. 5. t. 132.

Dolichos bulbosus. p. 119.**PSOPHOCARPUS. DC.** PsOPHOCARPUS. Diadelphia Decandria.*tetragonolobus*. DC.

square-podded. E. Indies. 1816. 9. 11. S. 24. Rumph. amb. 5. t. 133.

Dolichos tetragonolobus. p. 119.**CANAVALIA. DC.** CANAVALIA. Monadelphia Decandria.*obtusifolia*. DC.

blunt-leaved. E. Indies. 1818. 7. 8. S. h. Rheed. mal. 8. t. 43.

Dolichos rotundifolius. p. 119. β *emarginatus*. DC.

emarginate. ——— ——— ——— S. h. Jacq. schœn. 2. t. 221.

2 gladiata. DC.	sabre-podded. E. Indies.	1801.	6. 7.	S. h. ~.	Jacq. ic. 3. t. 560.
Dolichos gladiata. p. 119.	Malocchia gladiata. Savl.				
3 ensiformis. DC.	cimeter-podded. —————	1778.	7. 8.	S. O. ~.	Jacq. ic. 3. t. 559.
4 roseus. DC.	rose-coloured. Jamaica.	1812.	—	S. O.	
Dolichos roseus. p. 119.					
MUCUNA. DC.	COWITCH. Diadelphia Decandria.				
1 urens. DC.	broad-podded. W. Indies.	1691.	6. 7.	S. h. ~.	Plum. amer. t. 107.
Stizolobium urens. p. 119.	Dolichos urens. Jacq. amer. t. 182. f. 84.				
2 altissima. DC.	tall. Martinico.	1779.	—	S. h. ~.	Jacq. amer. t. 182. f. 85.
3 pruriens. DC.	common. India.	1680.	—	S. h. ~.	Rheed. mal. 8. t. 85.
Stizolobium pruriens. p. 119.	Carpopogon pruriens. H.B.				
4 gigantea. DC.	gigantic. E. Indies.	1815.	7. 9.	S. h. ~.	Rheed. mal. 8. t. 36.
5 mitis. DC.	oblique-leaved. Peru.	1823.	—	S. h. ~.	
6 monosperma. DC.	single-seeded. E. Indies.	1818.	7. 9.	S. h. ~.	
Carpopogon monospermum. p. 119.					
7 atropurpurea. DC.	dark-purple. —————	1820.	—	S. h. ~.	
8 nivea. DC.	white. —————	—	—	S. O. ~.	
9 imbricata. DC.	imbricated. —————	1815.	—	S. h. ~.	
10 anguinea.	snake-like. —————	1822.	—	S. h. ~.	
Carpopogon anguineum. p. 119.					
11 bracteata. DC.	bracted. —————	—	—	S. h. ~.	
12 capitata.	capitate. —————	—	—	7. 9.	S. O. ~.
Carpopogon capitatum. p. 119.					
ERYTHRINA. 120.	CORAL-TREE.				
26 enneandra. DC.	nine anther'd. —————	—	—	S. h.	
27 macrophylla. DC.	large-leaved. —————	1816.	—	S. h.	
28 umbrosa. DC.	deltoid-leaved. Caracas.	1824.	—	S. h.	
RUDOLPHIA. DC.	RUDOLPHIA. Diadelphia Decandria.				
dubia. DC.	doubtful. Havannah.	1815.	—	S. h. ~.	H. et B. n. gen. 6. t. 591.
Glycine sagittata. p. 121.					

To this Tribe also belongs *Abrus*, *Teramnus*, *Amphicarpa*, *Wisteria*, *Apios*, *Cajanus*, *Lupinus*, *Cylista*, and *Butea*.

Tribus VI. DALBERGIEÆ. DC. prodr. 2. p. 415.

DREPANOCARPUS. DC.	DREPANOCARPUS. Monadelphia Decandria.				
lunatus. DC.	crescent-podded. S. America.	1792.	—	S. h.	Plum. ed. Bur. t. 201. f. 2.
Pterocarpus lunatus. p. 132.					
BRYA. DC.	BRYA. Monadelphia Decandria.				
Ebenus. DC.	Jamaica Ebony. W. Indies.	1713.	7. 8.	S. h.	Brown. jam. t. 31. f. 2.
To this Tribe belongs <i>Pongamia</i> , <i>Dalbergia</i> , <i>Pterocarpus</i> , <i>Amerimnum</i> , and <i>Ecastaphyllum</i> .					
PHYLLOLOBIUM. 131.	PHYLLOLOBIUM.				
2 zanzibarensis. Boj.	Zanzibar.	Zanzibar.	1825.	—	S. h.

SUBORDO II.—Tribus VII. SWARTZIEÆ. DC. prodr. 2. p. 422.

SWARTZIA. DC.	SWARTZIA. Monadelphia Dec-Dodecandria.				
1 grandiflora. DC.	great-flower'd. Trinidad.	1822.	—	S. h.	Vahl. ecl. pl. am. 1. t. 9.
2 pinnata. DC.	wing-leaved.	—	—	S. h.	Corr. an. mus. 9. t. 24. f. 2.
BAPHIA. DC.	BAPHIA. Decandria Monogynia.				
nitida. DC.	glossy. Sierra Leone.	—	5. 9.	S. h.	Lodd. bot. cab. 367.

SUBORDO III.—Tribus VIII. MIMOSEÆ. DC. prodr. 2. p. 424.

ENTADA. p. 100.	ENTADA.				
1 Gigalobium. DC.	American.	W. Indies.	1780.	—	S. h. ~.
2 Pursætha. DC.	Indian.	E. Indies.	—	—	S. h. ~. Rheed. mal. 8. t. 32-34.
Parrana. p. 100.	Acacia scandens. w.				
3 monostachya. DC.	single-spiked.	—	—	—	S. h. ~. Rheed. mal. 9. t. 77.
Rheedia. p. 100.	Mimosa Entada. w.				
4 polystachya. DC.	many-spiked.	W. Indies.	1816.	4. 9.	S. h. ~. Jacq. amer. t. 183. f. 93.
Mimosa polystachya. p. 100.					
GAGNEBINA. DC.	GAGNEBINA.	Decandria Monogynia.			
1 tamariscina. DC.	Tamarisk-like.	Mauritius.	1824.	—	S. h.
Acacia tamariscina. p. 102.					DC. leg. me. 12. t. 64. f. 13
2 axillaris. DC.	axillary-spiked.	—	—	—	S. h.
ERYTHROPHLEUM. Br.	RED WATER-TREE.	Decandria Monogynia.			
leonense. G.D.	Sierra Leone.	Sierra Leone.	1822.	—	S. h.

PARKIA. Br.*africana. Br.**Inga biglobosa. p. 101.***INGA. 101.***21 pulcherrima. Cerv.**22 setifera. DC.**23 Feuillei. DC.**24 splendens. DC.**25 emarginata. DC.**26 xylocarpa. DC.**Acacia xylocarpa. p. 102.***DARLINGTONIA. DC. DARLINGTONIA.***1 brachyloba. DC.**2 glandulosa. DC.**Acacia glandulosa. p. 102.***DESMANTHUS. 100.***10 callistachys. DC.***PROSOPIS. 101.***4 juliflora. DC.**Acacia juliflora. p. 103.***LAGONYCHIUM. DC. LAGONYCHIUM.***Stephanianum. DC.**140 dolabriiformis. DC.***ACACIA. 101.***141 hastulata. DC.***142 nervosa. DC.****143 paradoxa. DC.***undulata. p. 102.***144 Brownei. DC.*****acicularis. H.K. pugioniformis. p. 101. non W.A.*****145 echinula. DC.****146 pugioniformis. DC.****147 emarginata. DC.****148 leprosa. DC.****149 multinervia. DC.****150 eglandulosa. DC.****151 coriacea. DC.****152 anceps. DC.****153 elongata. DC.****154 trinervata. DC.****155 quadrilateralis. DC.****156 asparagoides. F.T.****157 buxifolia. F.T.****158 rubida. F.T.****159 verniciflua. F.T.****160 falciformis. DC.****161 penninervis. DC.****162 amena. DC.****163 pyrifolia. DC.****164 binervata. DC.****165 bivenosa. DC.****166 obtusata. DC.****167 subulata. DC.****168 oxycedrus. DC.****169 homomalla. DC.****170 intertexta. DC.****171 cinerascens. DC.****172 lanigera. F.T.****173 Cyclopis. ψ.****174 impressa. ψ.****175 mucronulata. ψ.****176 oleifolia. ψ.****177 pendula. ψ.****178 rigens. ψ.****179 thegonocarpa. ψ.****180 dillwyniaefolia. ψ.****PARKIA. Monadelphia Decandria.****African. Africa. 1822. ... S.h.**

Beau. fl. d. ow. 2. t. 90.

Fenil. obs. 3. t. 19.

Kth. mim. t. 17.

Roxb. corom. l. t. 100.

INGA.*handsome. Mexico. 1822. ... S.h.**setiferous. Guiana. 1824. ... S.h.**Feuillee's. Peru. — ... S.h.**splendid. Brazil. 1825. ... S.h.**emarginate. Mexico. — ... S.h.**woody-podded. E. Indies. 1822. ... S.h.*

DC. leg. mem. 12. t. 66.

Vent. choix. t. 27.

DESMANTHUS. DESMANTHUS.

pretty-spiked. ... 1820. 7. 10. S.h.

PROSOPIS. PROSOPIS.

long-flowered. Jamaica. 1793. 5. 6. S.h.

ACACIA. LAGONYCHIUM. LAGONYCHIUM. Decandria Monogynia.

Stephanianum. DC. Stephan's. Caucasus. 1825. ... H.h.

ACACIA. Polygamia Monococcia.

*hatchet-leaved. N. Holland. 1818. 4. 6. G.h.**hastulate. — 1824. — G.h.**nervose. — — G.h.**wave-leaved. — 1818. 3. 6. G.h.*

Breyne. cent. 1. t. 56. f. 4.

Botan. regist. t. 843.

Wendl. ac. t. 9.

Brown's. N. S. W. 1796. — G.h.

pungent. 1824. — G.h.

needle-leaved. 1803. — G.h.

emarginate. N. Holland. 1816. — G.h.

leprous. N. S. W. 1824. — G.h.

many-nerved. N. Holland. — G.h.

glandless. — — G.h.

leathery. — — G.h.

flat-edged. — — G.h.

elongated. — — G.h.

three-nerved. N. S. W. 1823. 4. 6. G.h.

four-sided. N. Holland. 1822. — I.h.

Asparagus-like. N. S. W. 1824. — G.h.

Box-leaved. — — G.h.

reddish. — — G.h.

varnished. — — G.h.

sickle-shaped. — — G.h.

wing-nerved. — — G.h.

handsome. — — G.h.

Pear-leaved. — — G.h.

two-nerved. — — G.h.

two-veined. — — G.h.

blunt-leaved. — — G.h.

awl-leaved. — — G.h.

Oxycedrus-ld. — — G.h.

pubescent-ld. — — G.h.

netted. — — G.h.

greyish. — — G.h.

wool-bearing. — — G.h.

Cyclopia-like. N. Holland. — — G.h.

impressed. — — G.h.

sharp-pointed. — — G.h.

Olive-leaved. — — G.h.

pendulous. — — G.h.

stiff. — — G.h.

angular-podded. — — G.h.

Dillwynia-ld. — — G.h.

- 181 cordifolia. ♀. heart-leaved. N. Holland. 1824. 4. 6. G. h.
 182 hispidissima. DC. hispid. — — — G. h.
 183 angulata. DC. angular. — — — G. h.

To this Tribe belongs *Mimosa*, *Schranksia*, and *Adenanthera*.

SUBORDO IV. CÆSALPINEÆ. Trib. IX. GEOFFREÆ. DC. prodr. 2. p. 473.

ANDIRA. DC.	ANDIRA.	Diadelphia Decandria.				
1 racemosa. DC.	racemed.	Brazil. 1824. S. h.	Aub. gui. sup. t. 373.			
2 inermis. DC.	bastard cabbage-tree.	Jamaica. 1778. S. h.	Phil. trans. 1777. t. 10.			
<i>Geoffroya inermis</i> , p. 132.						
GEOFFROYA. DC.	GEOFFROYA.					
spinosa. DC.	spiny.	S. America. 1823. S. h.	Jacq. amer. t. 180. f. 62.			
BROWNEA. 106.	BROWNEA.					
2 Rosa. DC.	handsome.	S. America. 1816. S. h.	Berg. act. ang. t. 8. 9.			
		To this Tribe belongs <i>Arachis</i> and <i>Dipterix</i> .				

Tribus X. CASSIEÆ. DC. prodr. 2. p. 478.

MORINGA. DC.	HORSE-RADISH-TREE.					
pterygosperma. DC.	wing-seeded.	E. Indies. 1759. S. h.	Rheed. mal. 6. t. 11.			
<i>Hyperanthera Moringa</i> . p. 105.						
COULTERIA. DC.	COULTERIA.	Decandria Monogynia.				
tinctoria. DC.	dyer's.	Peru. 1818. S. h.	H. et B. n. gen. t. 569.			
<i>Cæsalpina Tura</i> . p. 105.						
HARDWICKIA. DC.	HARDWICKIA.	Oct-Decandria Monogynia.				
binata. DC.	two-leaved.	E. Indies. 1824. S. h.				
JONESIA. DC.	JONESIA.	Heptandria Monogynia.				
Asoca. DC.	winged-leaved.	E. Indies. 1796. S. h.	Rheed. mal. 5. t. 59.			
pinnata. w. <i>Saraca indica</i> . L.						
TAMARINDUS. 104.	TAMARIND.					
2 occidentalis. DC.	West Indian.	W. Indies. 6. 7. S. h.	Jacq. amer. t. 10.			
CASSIA. 104.	CASSIA.					
71 aversiflora. B.M.	contrary-fl'd.	Brazil. 1823. 1. 12. S. h.	Botan. magaz. 2638.			
72 australis. B.M.	New Holland.	N. S. W. 1820. 5. 12. S. h.	————— 2676.			
73 pulchella. Boj.	pretty.	Zanzibar. 1825. 7. 9. S. h.				
SCHOTIA. 104.	SCHOTIA.					
4 alata. DC.	winged.	C. B. S. 1816. 6. 7. I. h.				
5? latifolia. DC.	broad-leaved.	—— — 4. 6. I. h.	Hook. ex. flor. t. 159.			
<i>Omphalobium Schotia</i> . p. 104.						

PARIVOA. DC.	PARIVOA.	Diadelphia Decandria.				
grandiflora. DC.	large-flower'd.	Cayenne. 1816. S. h.	Aub. gui. 2. t. 303.			
<i>Dimorphia grandiflora</i> . L.T. 9. t. 20.						

OUTEA. DC.	OUTEA.	Tri-Tetrandria Monogynia.				
bijuga. DC.	two-paired.	E. Indies. 1823. S. h.	Linn. trans. 12. t. 17.			
<i>Macrolobium bijugum</i> . p. 106.						

VOUAPA. DC.	VOUAPA.	Triandria Monogynia.				
bifolia. DC.	two-leaved.	Guiana. 1823. S. h.	Aub. gui. 1. t. 7.			
CODARIUM. DC.	CODARIUM.	Diandria Monogynia.				
1 acutifolium. DC.	acute-leaved.	Guinea. 1800. S. h.	Rœm. arch 1. t. 6.			
<i>nitidum</i> . Vahl. <i>Dialium guineense</i> . W.						
2 obtusifolium. DC.	blunt-leaved.	—— — — S. h.				

To this Tribe belongs *Gleditschia*, *Gymnocladus*, *Guilandina*, *Cæsalpinia*, *Poinciana*, *Hoffmannseggia*, *Hematoxylon*, *Parkinsonia*, *Cadia*, *Ceratonia*, *Cathartocarpus*, *Copaifera*, *Cynometra*, *Hymenæa*, *Bauhinia*, and *Cercis*.

Tribus XI. DETARIEÆ. DC. prodr. 2. p. 521.

DETARIUM. DC.	DETARIUM.	Decandria Monogynia.				
senegalense. DC.	Senegal.	Senegal. 1822. S. h.				

Omitted at p. 476.

GENISTA. p. 111.	GENISTA.					
æthnensis. DC.	three-seeded.	M. Ætna. 1821. 7. 8. H. h.	Botan. magaz. 2674.			
<i>Spartium ætnense</i> . B.M.						

CHRYSOBALANEÆ. p. 133.

GRANGERIA. DC.	GRANGERIA.	Dodecandria Monogynia.		
borbonica. DC.	Bourbon.	1826. S. h.	Lam. ill. t. 427.	
HIRTELLA. 133.	HIRTELLA.			
1 triandra. DC.	triandrous.	W. Indies. S. h.	Jacq. amer. 8. t. 8.	
<i>americana</i> . Jacq.				
2 racemosa. DC.	racemed.	— 1782. S. h.	Aub. gui. 1. t. 98.	
<i>americana</i> . Aub.				

AMYGDALINEÆ. p. 133.

PRUNUS. 133.	PLUM.			
8 candicans. DC.	white-leaved.	1818. 4. 5. H. h.		
9 Cocomilia. DC.	twin-flowered.	Italy. 1826. H. h.		
10 pubescens. DC.	pubescent. 1819. 4. 5. H. h.		
CERASUS. DC.	CHERRY.	Icosandria Monogynia.		
1 Juliana. DC.	July-fruited. 4. 5. H. h.	Duha.ed.no.5.t.15.f.A.	
2 Caproniana. DC.	common.	— — — — — H. h.	Eng. bot. 706.	
<i>Prunus Cerasus</i> . p. 134.				

To this genus also belongs *Prunus Chicasa*, *hyemalis*, *depressa*, *Susquehannæ*, *pumila*, *pygmæa*, *persicifolia*, *nigra*, *pensylvanica*, *borealis*, *duracina*, *macrophylla*, *avium*, *semperflorens*, *pendula*, *chamæcerasus*, *fruticosa*, *Mahaleb*, *paniculata*, *japonica*, *Laurocerasus*, *caroliniana*, *lusitanica*, *occidentalis*, *sphærocarpa*, *serotina*, *virginiana*, *rubra*, and *Padus*. p. 133 and 134.

POMACEÆ. p. 134.

MESPILUS. 134.	MESPILUS. <i>Mespilus et Crataegus</i> . DC.			
38 mexicana. DC.	Mexican.	Mexico. 1824. G. h.		
39 prunifolia. DC.	Plum-leaved.	N. America. 1812. 5. 6. H. h.		
40 ovalifolia. DC.	oval-leaved.	— — — — — H. h.		
41 Poiretiana. DC.	Poiret's.	— — — — — H. h.		
42 florentina. DC.	Florentine.	Italy. 1824. H. h.		
43 orientalis. DC.	oriental.	Levant. — — 5. 6. H. h.		
44 heterophylla. DC.	various-leaved.	N. America. 1818. — — H. h.		
COTONEASTER. 135.	COTONEASTER.			
tomentosa. DC.	Quince-leaved.	Europe. 1759. 4. 5. H. h.		
tomentosa. L.T. et <i>Mespilus eriocarpa</i> . DC.				
ARONIA. 135.	ARONIA.			
floribunda.	many-flower'd.	— — — — — 5. H. h.	Botan. regist. 1006.	
<i>Pyrus floribunda</i> . B.R.				
PYRUS. 135.	PEAR, APPLE, &c.			
34 amygdaliformis. DC.	Almond-like.	France. 1820. 5. 6. H. h.		
35 lanuginosa. DC.	woolly-leaved.	Hungary. — — — — — H. h.		
<i>spuria</i> . DC.	spurious.	Hybrid. — — — — — H. h.	Mœnch. weis. t. 6.	
<i>hybrida</i> . p. 136.				

ROSACEÆ. p. 136.

DRYAS. 145.	DRYAS.			
2 integrifolia. DC.	entire-leaved.	Greenland. 1824. 4. 8. H. h.	Hook. ex. flor. 220.	

ONAGRARIEÆ. p. 151.

FUCHSIA. 153.	FUCHSIA.			
<i>virgata</i> .	Colvill's.	Mexico. 1825. 5. 8. F. h.		
VISNEA. W.	VISNEA.	Dodecandria Trigynia. W.		
<i>Mocanera</i> . w.	Canary.	Canaries. 1815. 8. 12. G. h.		

COMBRETACEÆ. p. 153.

COMBRETUM. 153.	COMBRETUM.			
8 elegans. K.S.	elegant.	S. America. 1823. S. h. — Aub. gui. 1. t. 137.		
<i>laxum</i> . Aub. nec <i>aliorum</i> .				
9 farinosum. K.S.	mealy-leaved.	Mexico. — — — — — S. h. —		
TERMINALIA. 153.	TERMINALIA.			
14 Fatræa. Boj.	Madagascar.	Madagascar. 1826. S. h.		
<i>madagascarensis</i> . s.s. <i>Mirobolanus Fatræa</i> . Poir.				

294 ermininum. H.P.	Ermine-chop.	C. B. S.	1823.	5.	G. $\frac{1}{4}$.
295 agninum. H.P.	lamb's-chop.	_____	1824.	—	G. $\frac{1}{4}$.
296 inconspicuum. H.P.	small-fl. rigid.	_____	1822.	6. 10.	G. $\frac{1}{4}$.
297 luteum. H.P.	upright yellow.	_____	—	—	G. $\frac{1}{2}$.
298 luteolum. H.P.	small yellow.	_____	—	—	G. $\frac{1}{2}$.
299 clandestinum. H.P.	minute-flg.	_____	—	5. 8.	G. $\frac{1}{2}$.
300 lepidum. H.P.	pretty white.	_____	—	8.	G. $\frac{1}{2}$.
301 subcompressum. H.P.	slender upright.	_____	1825.	6.	G. $\frac{1}{2}$.
β minus. H.P.	smaller.	_____	—	—	G. $\frac{1}{2}$.

ARALIACEÆ. p. 193.

CUSSONIA. 193.	CUSSONIA.	C. B. S.	1816.	G. $\frac{1}{2}$.
triptera. Col.	tripterous.	—	—	—	Col. h. rip. t. 26.

LOPHIREÆ. G. Don. next to Rhizophoreæ.

LOPHIRA. S.S.	SCRUBBY OAK.	Icosandria Monogynia, S.S.			
alata. s.s.	winged.	Sierra Leone. 1822.	S. $\frac{1}{2}$.	

RUBIACEÆ. p. 196.

GARDENIA. 197.	GARDENIA.				
propinqua. B.R.	strong-spined.	1816.	5. S.	S. $\frac{1}{2}$.
AZIMA. Lam.	AZIMA. Tetrandra Monogynia.				Botan. regist. 975.
tetraantha. P.S.	four-spined.	E. Indies.	1758.	7.	S. $\frac{1}{2}$.
<i>Monetia barleroides</i> . W.					L'Herit. st. nov. I. t. 1.
CEPHALIS. 200.	CEPHÆLIS.				
4 involucrata. s.s.	large-bracted.	Guiana.	1824.	S. $\frac{1}{2}$.
<i>Carapichea gujanensis</i> . Aub.					Aub. gui. I. t. 64.
5 violacea. s.s.	violet-bracted.	—	—	S. $\frac{1}{2}$.
<i>Tapogomea violacea</i> . Aub.					Aub. gui. I. t. 60.
PÆDERIA. 200.	PÆDERIA.				
Lingun. Boj.	tongue.	Madagascar.	1823.	S. $\frac{1}{2}$.

COMPOSITEÆ. p. 206.

COREOPSIS. 237.	COREOPSIS.				
grandiflora. B.F.G.	large-flowered.	N. America.	1826.	8. 9.	H. $\frac{1}{4}$.
HELIOPSIS. 235.	HELIOPSIS.				
2 laevis.	smooth.	Mexico.	1825.	8. 9.	H. $\frac{1}{4}$.
3 helianthoides.	roughish.	N. America.	1714.	7. 10.	H. $\frac{1}{4}$.
<i>Bupthalmum helianthoides</i> . L.					L'Herit. stirp. t. 45.
4 scabra. s.s.	rough-leaved.	—	—	—	H. $\frac{1}{4}$.
VERBESINA. 235.	VERBESINA.				
13 atriplicifolia. Col.	Atriplex-ld.	Trinidad.	1822.	9. 11.	S. $\frac{1}{2}$.
TAGETES. 233.	TAGETES.				
10 glandulifera. Schr.	glanduliferous.	Mexico.	1826.	10. 11.	G. \odot .
CHRYSANTHEMUM. 245.	CHRYSANTHEMUM.				
sinense. p. 245.	Chinese.	China.	1824.	10. 12.	H. $\frac{1}{4}$.
$\zeta\zeta$ chrysocomum.	tasseled yellow.	—	—	—	H. $\frac{1}{4}$.
$\eta\eta$ Waratah.	yellow Waratah.	—	—	—	H. $\frac{1}{4}$.
$\vartheta\vartheta$ Sabini.	golden Lotus.	—	—	—	H. $\frac{1}{4}$.
$\iota\iota$ chryseides.	double indian yellow.	—	—	—	H. $\frac{1}{4}$.
$\kappa\kappa$ Parkii.	Park's small yellow.	—	—	—	H. $\frac{1}{4}$.
$\lambda\lambda$ pallens.	semidouble quill'd pale orange.	—	—	—	H. $\frac{1}{4}$.
$\mu\mu$ stamineum.	pale buff.	—	—	—	H. $\frac{1}{4}$.
$\nu\nu$ mutabile.	changeable pale buff.	—	—	—	H. $\frac{1}{4}$.
$\xi\xi$ bicolor.	two-coloured incurv'd.	—	—	—	H. $\frac{1}{4}$.
$\circ\circ$ versicolor.	two-colour'd red.	—	—	—	H. $\frac{1}{4}$.
$\pi\pi$ stellatum.	starry purple.	—	—	—	H. $\frac{1}{4}$.
$\rho\rho$ ornatum.	tasselled lilac.	—	—	—	H. $\frac{1}{4}$.
$\sigma\sigma$ fulvescens.	brown purple.	—	—	—	H. $\frac{1}{4}$.
$\tau\tau$ rubicundum.	early blush.	—	—	—	H. $\frac{1}{4}$.
$\nu\nu$ blandum.	blush.	—	—	—	H. $\frac{1}{4}$.
$\phi\phi$ leucanthum.	double indian white.	—	—	—	H. $\frac{1}{4}$.

GOODENOVIEÆ. p. 248.

GOODENIA. 248.
 gracilis. B.C.
DAMPIERA. 249.
 2 ovalifolia. B.P.

GOODENIA. slender. N. Holland. 1824. 5. 8. G. h. Lodd. bot. cab. 1032.
DAMPIERA. oval-leaved. N. S. W. 1823. 5. 9. G. h.

GESNEREÆ. p. 252.

SINNINGIA. B.R.
 Helleri. B.R.
GLOXINIA. 252.
 3 hirsuta. B.R.

SINNINGIA. Didynamia Angiospermia.
Heller's. Brazil. 1824. 6. 8. S. h. Botan. regist. 997.
GLOXINIA. hairy. Brazil. 1825. 5. 8. S. 4. Botan. regist. 1004.

EPACRIDEÆ. p. 266.

Sect. I. EPACRIDEÆ VERÆ.

DRACOPHYLLUM. 266. DRACOPHYLLUM.

2 secundum. B.P.
3 longifolium.

PONCELETIA. B.P. long-reflex'ld. N. S. W. 1824. G. h.
sprengeioides. B.P. long-leaved. — — — G. h.

COSMELIA. B.P. **PONCELETIA.** Pentandria Monogynia. S.S.
rubra. B.P. Sprengelia-like. N. S. W. 1826. G. h.

LYSINEMA. 266. COSMELIA. Pentandria Monogynia.
3 pentapetalum. B.P. red-flowered. N. Holland. 1826. G. h.

EPACRIS. 266. **LYSINEMA.** five-petaled. N. Holland. 1826. G. h.

9 mucronulata. B.P. **EPACRIS.** pointed. V. Diem. Isl. 1824. G. h.

10 ruscifolia. B.P. Ruscus-leaved. — — — G. h.

11 heteronema. B.P. hairy-branch'd. — — — G. h.

12 sparsa. B.P. scattered. N. S. W. 1825. G. h.

13 onosmaeflora. F.T. Onosma-fld. — — — 1823. 5. 8. G. h.

14 apiculata. F.T. pointed. — — — G. h.

Labil. n. hol. 1. t. 56.

Sect. II. STYPHELIEÆ.

ACROTRICHE. B.P. ACROTRICHE. Pentandria Monogynia..

1 cordata. B.P. heart-leaved. N. Holland. 1825. G. h. Labil. n. hol. 1. t. 63.
2 divaricata. B.P. divaricate. N. S. W. 1822. G. h.

MONOTOMA. 267. MONOTOMA. white-leaved. N. S. W. 1823. G. h.
3 albens. B.P. Broom. — — — G. h.

4 scoparia. B.P. LEUCOPOGON. pressed-leaved. N. S. W. 1824. G. h.

LEUCOPOGON. 267. 2 setiger. B.P. bristle-pointed. — — — G. h.

1 appressus. B.P. 3 striatus. B.P. striated. N. Holland. — G. h.

4 collinus. B.P. 5 ericooides. B.P. hill. V. Diem. Isl. 1822. 5. 6. G. h.

5 heath-leaved. N. Holland. 1815. 4. 7. G. h. Cavan. ic. 4. t. 347. f. 1.

LISSANTHE. 267. 3 sapida. B.P. recurved-racemed. N. S. W. 1823. G. h.

4 ciliata. B.P. fringed. V. Diem. Isl. — G. h.

CYATHODES. 267. linear-leaved. V. Diem. Isl. 1822. 5. 8. G. h. Labil. n. hol. 1. t. 69.

MELICHHRUS. B.P. MELICHHRUS. Pentandria Monogynia.
1 medius. F.T. middle. N. S. W. 1823. 5. 8. G. h.

2 rotatus. B.P. rotate-flow'r'd. — — — 1822. — G. h. Cavan. ic. 4. t. 349. f. 1.

ASTROLOMA. 267. ASTROLOMA. tooth-leaved. N. Holland. 1825. G. h.

2 denticulatum. B.P. STYPHELIA. fruitful. N. S. W. 1822. G. h.

STYPHELIA. 267. 6 lata. B.P. ascending. V. Diem. Isl. — G. h.

7 adscendens. B.P. — — — — G. h.

PENÆACEÆ.

PENÆA. R.S. **PENÆA.** Tetrandria Monogynia. R.S.
1 myrtoides. w. Myrtle-like. C. B. S. 1816. 5. 7. G. h.

- 2 fruticulosa. w.
3 mucronata. R.S.
4 squamosa. R.S.
5 Sarcocolla. R.S.
6 marginata. R.S.

blunt-leaved.	C. B. S.	1822.	5. 7.	G. h.
sharp-pointed.	—	1787.	—	G. h.
scaly.	—	—	—	G. h.
rhomb-leaved.	—	1816.	—	G. h.
thick-edged.	—	—	—	G. h.

Venten. malm. t. 87.
Botan. regist. 106.
Pluk. mant. t. 446. f. 6.

OLEINÆ. p. 270.

OLEA. 271.

21 robusta.

Phillyrea robusta. F.I.

OLIVE & PHILLYREA.

large *Phillyrea*. E. Indies. 1818. S. h.

APOCINEÆ. p. 273.

PLUMERIA. 275.

PLUMERIA.

Cowans. Mexico. 1824. 5. 8. S. h.

CRYPTOLEPIS. Br.

CRYPTOLEPIS. Pentandria Monogynia.

elegans. L.C.

elegant. E. Indies. 1823. S. h. ~.

ASCLEPIADEÆ. p. 276.

OXYPETALUM. Br. OXYPETALUM. Pentandria Digynia.

appendiculatum. Mar. appendaged. Brazil. 1824. S. h. ~. Mart. n. pl. bras. t. 30.

GENTIANÆ. p. 280.

VOHIRIA. R.S.

VOHIRIA. Pentandria Monogynia. R.S.

1 rosea. R.S.

rose-colour'd. Guiana. 1822. 6. 8. S. y. Aub. gui. 1. t. 83. f. 1.

MITRASACME. 282.

MITRASACME. Tetrandria Digynia.

3 serpyllifolia. B.P.

creeping. N. S. W. 1826. G. y.

SESAMEÆ. p. 285.

MARTYNIA. 285.

MARTYNIA.

4 lutea. B.R.

yellow. S. America. 1824. 7. 9. H. ⊙. Botan. regist. 934.

CONVOLVULACEÆ. p. 286.

IPOMŒA. 287.

IPOMŒA. blushed-flowered. W. Indies. 1825. 7. 10. S. ⊙. Botan. regist. 999.

pubibunda.

CALYSTEGIA. B.P.

9 marginata. B.P.

CALYSTEGIA. p. 287.

margined. N. S. W. 1824. 7. 8. H. y.

SOLANEÆ. p. 295.

DATURA. 297.

THORN-APPLE. Guayaquil. S. America. 8. 10. H. ⊙.

11 guayaquilensis. K.S.

Guayaquil. S. America. 8. 10. H. ⊙.

SOLANDRA. 302.

SOLANDRA. opposite-leav'd. W. Indies. 1824. S. h.

oppositifolia.

opposite-leav'd. W. Indies. 1824. S. h.

? CODON. W.

CODON. Decandria Monogynia. W.

Royeni. W.

prickly. C. B. S. 1801. 9. G. ♂. Andr. deposit. 325.

SCROPHULARINÆ. p. 302.

RHINANTHUS. 307.

YELLOW-RATTLE.

3 major. E.F.

larger. England. 6. 8. H. y.

VERONICA. 308.

SPEEDWELL.

101 falcatia. Mart.

falcate-leaved. 1820. 6. 7. H. y.

102 melancholica. df.

melancholy. — — H. y.

103 Stephaniana. R.S.

Stephan's. Persia. 1821. — — H. y.

104 praeculta. R.S.

lofty. 1817. — — H. y.

105 grandis. F.

large white. Siberia. 1826. — — H. y.

106 confusa. R.S.

confused. 1819. — — H. y.

107 corymbosa. R.S.

corymbose. 1817. — — H. y.

108 incarnata. G.D.

flesh-coloured. — — H. y.

ADDENDA et CORRIGENDA.

109 <i>carnea</i> . Ræu.	pale red.	H. 2.
110 <i>lencantha</i> . F.	white-flowered.	Siberia. 1824.	— H. 2.
111 <i>Wormskioldii</i> , R.S.	Wormskiold's.	Greenland. 1819.	— H. 2.
112 <i>cretica</i> . R.S.	Cretan.	Crete.	5. 6. H. 2.
113 <i>microphylla</i> , W.K.	small-leaved.	Hungary. 1824.	4. 5. H. 2.
114 <i>caroliniana</i> . Poir.	Carolina.	Carolina. 1821.	6. 7. H. 2.
115 <i>tenuifolia</i> . Stev.	fine-leaved.	Iberia. 1821.	6. H. 2.
116 <i>Tournefortii</i> , vil.	Tournefort's.	France.	— 5. 6. H. 2.
117 <i>pilosa</i> . W.	pilosæ.	Bohemia. 1819.	— H. 2.
118 <i>acutiflora</i> . Lap.	acute-flowered.	France. 1821.	— H. 2.
119 <i>petraea</i> . Stev.	Caucasean rock	Caucasus.	— H. 2.
120 <i>lamiafolia</i> . Hayn.	Lamium-leav'd.	1825. — H. 2.
121 <i>maxima</i> . Stev.	large.	Caucasus. 1824.	— H. 2.
122 <i>pinnatifida</i> . W.	pinnatifid.	1817. — H. 2.
123 <i>amoena</i> . Stev.	fine blue.	Iberia. 1824.	4. 5. H. 2.
124 <i>biloba</i> . Vahl.	two-lobed.	1819. — H. 2.

Buxb. cent. 1. t. 36.

LABIATÆ. p. 310.

PROSTANTHERA. 315. PROSTANTHERA.

5 <i>incisa</i> . B.P.	cut-leaved.	N. S. W.	1825. G. h.
------------------------	-------------	----------	-------	------------

VERBENACEÆ. p. 322.

PETRÆA. p. 323.

3 <i>erecta</i> . L.C.

PETRÆA.

upright.	S. America. 1824. S. h.
----------	-------------------	------------

AMARANTHACEÆ. p. 335.

OPLOTHECA. N.

1 <i>floridana</i> . N.

2 <i>interrupta</i> . N.

Gomphrena interrupta. p. 337.

OPLOTHECA. Pentandria Monogynia. B.M.

Florida.	Arkansa.	1823. 8. 10. H. 2.
----------	----------	--------------------

Botan. magaz. 2603.

trailing.	W. Indies.	1733. 7. 10. S. 3.
-----------	------------	--------------------

Jacq. ic. 1. t. 51.

PROTEACEÆ. p. 345.

PETROPHILA. 346.

4 <i>teretifolia</i> . B.P.

5 <i>filifolia</i> . B.P.

6 <i>acicularis</i> . B.P.

7 <i>pedunculata</i> . B.P.

PETROPHILA.

round-leaved.	N. Holland. 1824. G. h.
---------------	-------------------	------------

thread-leaved.	— G. h.
----------------	---	------------

needle-leaved.	— G. h.
----------------	---	------------

peduncled.	— G. h.
------------	---	------------

ISOPOGON.

related.	N. Holland. 1824. G. h.
----------	-------------------	------------

many-headed.	— G. h.
--------------	---	------------

axillary.	— G. h.
-----------	---	------------

ADENANTHOS. B.P.

ADENANTHOS. Tetrandria Monogynia.

obovate-leaved.	N. Holland. 1824. G. h.
-----------------	-------------------	------------

wedge-leaved.	— G. h.
---------------	---	------------

silky-leaved.	— G. h.
---------------	---	------------

CONOSPERMUM. B.P.

CONOSPERMUM. p. 348.

Yew-leaved.	N. Holland. 1823. G. h.
-------------	-------------------	------------

PERSOONIA.

PERSOONIA.

ground pine.	N. S. W. 1824. G. h.
--------------	----------------	------------

rough.	N. Holland. G. h.
--------	-------------	------------

nodding-fld.	N. S. W. G. h.
--------------	----------	------------

frosted.	N. Holland. G. h.
----------	-------------	------------

GREVILLEA.

GREVILLEA.

Flinders's.	N. Holland. 1823. S. h.
-------------	-------------------	------------

Podocarpus-ld.	— S. h.
----------------	---	------------

pretty.	1824. S. h.
---------	-------	------------

mountain.	N. S. W. G. h.
-----------	----------	------------

Bauer's.	— G. h.
----------	---	------------

pubescent.	1822.	4. S. G. h.
------------	-------	-------------

HAKEA.	N. Holland. 1824. G. h.
--------	-------------------	------------

Hook. ex. flor. 216.

HAKEA. 349.

flexilis. B.T.

31 subulata. ♀.	awl-leaved.	N. Holland.	1824.	G. h.
32 petrophiloides. ♀.	Petrophila-like.	—	1825.	G. h.
33 echinata. ♀.	bristly-podded.	—	—	G. h.
34 angustifolia. ♀.	narrow-leaved.	—	1824.	G. h.
35 repanda. ♀.	repand.	—	—	G. h.
36 cucullata. ♀.	hollow-leaved.	—	—	G. h.
LOMATIA. 349.	LOMATIA.	—	—	—	—
5 ilicifolia. B.P.	Holly-leaved.	N. Holland.	1824.	G. h.
AGASTACHYS. B.P.	AGASTACHYS.	—	—	—	—
odorata. B.P.	sweet-scented.	V. Diem. Isl.	—	G. h.

THYMELEÆ. p. 350.

PIMELEA. 351.	PIMELEA.	—	—	—	—
10 filamentosa. L.T.	filamentose.	N. Holland.	1826.	G. h.
11 incana. B.P.	hoary.	V. Diem. Isl.	—	4. 8.	G. h.
?TROPHIS. W.	RAMOON-TREE.	Diœcia Tetrandria. W.	—	—	—
1 americana. w.	American.	W. Indies.	1789.	4. 5.	S. h.
2 aspera. w.	rough-leaved.	E. Indies.	1802.	S. h.

EUPHORBIACEÆ. p. 355.

SARCOCOCCA. B.R.	SARCOCOCCA.	Mönœcia Tetrændria.	—	—	—
coriacea.	leathery.	Nepaul.	1820.	4. 6.	G. h.
pruniformis. B.R.	Pachysandra coriacea. H.E.F. 148.	—	—	—	Botan. regist. 358.
ACIDOTON. W.	ACIDOTON.	Monœcia Polyandria. W.	—	—	—
urens. w.	stinging.	Jamaica.	1793.	S. h.
HYÆNANCHE. H.K.	HYÆNA-POISON.	Diœcia Dodecadandra.	—	—	Sloan. j. 1. t. 83. f. 1.
globosa. H.K.	Cape.	C. B. S.	1783.	4. 9.	G. h.
Toxicodendron capense. w.	EUCLEA.	Diœcia Dodecadandra. W.	—	—	Lamb. cinch. 52. t. 10.
EUCLEA. W.	round-leaved.	C. B. S.	1722.	11. 12.	G. h.
1 racemosa. w.	wave-leaved.	—	1794.	G. h.
2 undulata. w.	GELONIUM.	Diœcia Icosandria. W.	—	—	Jacq. frag. 3. t. 1. f. 5.
GELONIUM. W.	oval-leaved.	E. Indies.	1793.	6. 8.	S. h.
bifarium. w.	ROTTLERA.	Diœcia Icosandria. W.	—	—	Roxb. corom. 2. t. 168.
ROTTLERA. W.	dyer's.	E. Indies.	1810.	S. h.
tinctoria. w.	TREWIA.	Diœcia Polyandria. W.	—	—	Rheed. mal. 1. t. 42.
TREWIA. W.	nudiflora. w.	naked-flower'd. E. Indies.	1796.	S. h.

URTICEÆ. p. 361.

BROSIMUM. W.	BREAD-NUT.	Polygamia Diœcia. W.	—	—	—
1 Alicastrum. w.	Jamaica.	Jamaica.	1776.	S. h.
2 spurium. w.	Milkwood.	—	1789.	S. h.

CONIFERÆ. p. 371.

SALISBURIA. L.T.	SALISBURIA.	Misplaced at p. 370.	—	—	—
adiantifolia. L.T.	maiden-hair-ld.	Japan.	1754.	4. 5.	H. h.

Subordo IV. EMPETREÆ. Nuttall.

CERATIOLA. M.	CERATIOLA.	Mönœcia Diandria. N.	—	—	—
ericoides. M.	Heath-like.	N. Amér. 1820.	H. h.	Pursh. amer. 1. t. 13.
EMPETRUM. W.	EMPETRUM.	Diœcia Triandria. L.	—	—	—
1 album. w.	white-berried.	Portugal.	1774.	4. 6.	G. h.
2 nigrum. w.	black-berried.	Britain.	—	4. 5.	H. h.
					Eng. bot. 528.

PANDANEÆ. p. 377.

PANDANUS. 377.	PANDANUS.	Pembu.	1825.	S. h.
sessilis. Boj.	sessile.	—	—	—	3 R 2

ORCHIDEÆ.

- BLETIA.** 385.
guineensis. G.D.
ONCIDIUM. 386.
pubes. B.R.
EULOPHIA. 388.
streptopetalia. B.R.

- BLETIA.**
Guinea. Guinea. 1822. S. 4.
ONCIDIUM.
pubescent. Brazil. 1824. 3. 4. S. 4. Botan. regist. 1007.
EULOPHIA.
twisted-petal'd. S. America. 1822. 12. 6. S. 4. Botan. regist. 1002.

MELANTHACEÆ. p. 428.

- PELIOSANTHES.** A.R. **PELIOSANTHES.** Hexandria Monogynia.
1 humilis. A.R. small. E. Indies. 1809. 5. 6. S. 4. Botan. magaz. 1532.
2 Teta. A.R. large. ——— 1807. 4. S. 4. ——— 1302.

JUNCEÆ.

- XEROTES.**
echinata. ♀. **XEROTES.**
bristly. N. Holland. 1824. G. 4.

GRAMINEÆ. p. 439.

- POA.** p. 452.
mucronata. Beau. **MEADOW-GRASS.**
mucronated. Africa. 1822. 7. 9. S. 4. Beauv. fl. ow. pl. 4.

Omitted in their proper places.

STACKHOUSEÆ. Brown.

- STACKHOUSIA.** S.S. **STACKHOUSIA.** Pentandria Trigynia.
linariifolia. F.T. Linaria-leaved. N. S. W. 1823. G. ½.

- BREXIA.** p. 65.
1 spinosa. B.R. **BREXIA.** Pentandria Monogynia. S.S.
spiny. Madagascar. 1815. 7. 8. S. ½. Botan. regist. 872.
2 madagascariensis. Madagascar. ——— ——— ——— S. ½. ——— 730.
Venana madagascariensis. Lam.
3 chrysophylla. golden-leaved. ——— 1820. S. ½.

- LAUROPHYLLUS.** W. **LAUROPHYLLUS.** Polygamia Diœcia. W.
capensis. w. Cape. C. B. S. 1801. G. ½.

- SCHÆFFERIA.** 472. **SCHÆFFERIA.** Diœcia Tetrandria. W.
completa. w. white-flowered. W. Indies. 1793. S. ½. Lam. ill. t. 809.

- PORANTHERA.** p. 89. **PORANTHERA.** Pentandria Trigynia.
ericifolia. L.T. Heath-leaved. N. S. W. 1825. 5. 8. G. ½. Linn. trans. 10. t. 22. f. 2.

- RULINGIA.** 55.
4 corylifolia. ♀. **RULINGIA.**
Nut-leaved. N. Holland. 1824. G. ½.

- GERANIUM.** 73.
51 Lamberti. s.g. **CRANE'S-BILL.**
Mr. Lambert's. Nepaul. 1825. 8. 10. H. 4. Swt. ger. 4. t. 338.

- MIRBELIA.** p. 475.
5 Baxteri. ♀. **MIRBELIA.**
Baxter's. N. Holland. 1826. G. ½.

- SCHELHAMMERA.** 428. **SCHELHAMMERA.**
multiflora. B.P. many-flowered. N. Holland. 1824. 7. 8. H.b.

INDEX GENERUM to PART II.

Page.		Page.		Page.		Page.	
ABIETINÆ	372	Aitonia	476	Anchusa	292, 293, 294	Argania	269
Abildgaardia	438	Ajax	407	Andersonia	266	Argyreia	289
Abronia	335	Ajuga	315	Andira	484	Aristea	395
Acacia	483	Ajuga	316	Andrachne	360	Aristida	444
Acacia	482, 483	Albuca	417	Androcera	301	Aristida	444
Acalypha	358	Aldea	295	Androcymbium	428	Aristolochia	353
ACANTHACEÆ	326	Aletris	409	Andromeda	254	Aristolochia	353
Acanthus	326	Aletris	409	Andromeda	254	Aristolochia	353
Acer	470	Aleurites	359	Andropogon	446	Aronia	485
Aceras	382	Aleurites	359	Andropogon	446, 447	AROIDÆ	377
Acerates	279	Alhagi	480	Androsace	330	Arrhenatherum	447
Achillea	244	Alisma	375	Androsace	330	Artemisia	242
Achillea	241, 242	Alisma	375	Aneilema	430	Arthropodium	417
Achimenes	303	ALISMACEÆ	375	Anemia	460	Artocarpus	362
Achnodonton	441	Allamanda	274	Angelonia	306	Arum	379
Achras	269	Allantodia	462	Angræcum	388	Arundinaria	457
Achyranthes	337	Allionia	335	Anguillaria	428	Arundo	457
Achyranthes	336, 337	Allionia	334	Angulosa	386	Arundo	457
Acianthus	384	Allium	421	Anigosanthos	400	ASARINÆ	353
Acidotom	491	Alnus	368	Anisanthus	396	Asarum	353
Acinos	315	Alnus	368	Anisodus	298	ASCLEPIADEFÆ	276
Acniда	340	Aloe	410	Anisomeles	316	Asclepias	279
Aconitum	465	Aloe	411, 412, 413, 423	Anisopetalum	386	Asclepias	279, 280
Acorus	378	Alonsoa	306	Anodontea	467	Asperugo	292
Acrocomia	432	Alopecurus	441	Anomatheca	396	ASPHODELEÆ	416
Acrostichum	460	Aloysia	324	Anona	466	Asphodelus	416
Acrostichum	460	Alpinia	390	Anredera	338	Asphodelus	416
Acrotriche	488	Alpinia	390	ANTHEMIDEÆ	241	Asphodelus	416
Actinocarpus	375	Alsophila	464	Anthemis	243	Asphodelus	416
Actinochloa	455	Alstonia	275	Anthemis	243, 214, 245	Aspidistra	378
Adelia	361	Alstroemeria	408	Anthephora	448	Aspidium	461
Adelia	361	Alternanthera	337	Antericum	416	Aspidium	462, 464
Adenanthes	490	Alysicarpus	480	Anthericum	416, 417, 418	Asplenium	462
Adenocarpus	476	Alyssum	467	Anthistiria	447	Asprella	451
Adenophora	249	Alyxia	273	Anthocercis	295	Astebaphus	280
Adesmia	478	AMARANTHACEÆ	401	Antholyza	396	Asterolinon	331
Adiantum	464	Amaranthus	335	Antholyza	396, 397, 398	Astranthus	473
Adyseton	467	AMARYLLIDEÆ	401	Anthoxanthum	440	Astrocaryum	432
Ægilops	450	AMARYLLIS	402	Antidesma	361	Astrolobium	478
Ægiphila	322	AMARYLLIS	403, 404,	ANTIDESMEÆ	361	Astroloma	267, 448
Ægopogon	444	Amasonia	405, 406, 422	Antirrhinum	303, 304	Athanasia	241
Aeranthes	388	Ambrosinia	324	Antirrhinum	303	Atheropogon	447
Aerides	388	AMENITACEÆ	365	Antidesma	361	Atheropogon	447
Aerides	388	AMENITACEÆ	365	Antidesma	361	Atrapanax	342
Ærua	337	AMMYSRINE	266	ANTIDESMEÆ	361	Atriplex	339
Æschynomene	478	Amomum	390	Antirrhinum	303	Atropa	298
Æschynomene	478	Anomum	390	Antirrhinum	303	Atropa	298
Ætheilema	327	Amethystea	310	APOCINEÆ	273	Attalea	433
Afzelia	307	Amnocharis	404	Apocynum	276	Aulax	345
Agapanthus	409	Ammyrsine	266	Apocynum	280	Aurinia	467
Agapanthus	421	Amomum	390	Aponogeton	376	Avena	452
Agastachys	491	Anomum	390	Arabis	466	Avena	443, 451, 452
Agathis	372	Amphilophium	284	Araucaria	372	Avicennia	326
Agati	478	Amphipogon	442	Arbutus	253	Axonopus	449
Agave	424	Amsonia	275	Arbutus	253	Axyris	340
Agave	424	Anabasis	338	Arctostaphylos	253	Axyris	340
Agrostis	443	Anacyclus	243	Ardisia	268	Azalea	264
Agrostis	442, 443, 445	Anagallis	331	Arduina	273	Azalea	266
Agyneja	360	Anantherix	280	Areca	432	Azima	487
Aira	445	Anarrhinum	303	Arethusa	385	Babiana	396
Aira	445, 451	Anatherum	447	Arethusa	384	Bactris	433
Aiopsis	445	Anchusa	292	Aretia	330	Bæckia	486

INDEX GENERUM.

INDEX GENERUM.

Page.		Page.		Page.		Page.	
<i>Chrysanthemum</i> 245, 246		<i>Cordia</i>	294	<i>CYCADEÆ</i>	374	<i>Desmochæta</i>	336
<i>Chrysiphiala</i>	406	<i>Cordia</i>	295	<i>Cycas</i>	374	<i>Desmodium</i>	478
<i>Chrysophyllum</i>	269	<i>Cordyline</i>	424	<i>Cyclamen</i>	329	<i>Desmoncus</i>	433
<i>Chrysopogon</i>	446	<i>Coreopsis</i>	487	<i>Cyclanthus</i>	378	<i>DETARIEÆ</i>	484
<i>Chrysurus</i>	447	<i>Coris</i>	331	<i>Cyclopia</i>	474	<i>Detarium</i>	484
<i>Cicca</i>	358	<i>Corispermum</i>	340	<i>Cymbalaria</i>	303	<i>Dialium</i>	484
<i>Cicendia</i>	282	<i>Cornucopiæ</i>	440	<i>Cymbidium</i>	386	<i>Dianella</i>	423
<i>Ciconium</i>	471	<i>Cornutia</i>	323	<i>Cymbidium</i>	385, 386,	<i>Diapensia</i>	263
<i>Cinna</i>	443	<i>Cornutia</i>	323	387, 388	<i>Diarrhena</i>	455
<i>Cinna</i>	443	<i>COROLLIFLORÆ</i>		<i>Cymbopogon</i>	446	<i>Diascia</i>	306
<i>Cinnamomum</i>	344	267	<i>Cymburus</i>	324	<i>Diasia</i>	399
<i>Cipura</i>	394	<i>Coronilla</i>	478	<i>Cynanchum</i>	280	<i>Diastella</i>	347
<i>Cirrhæa</i>	386	<i>Cortusa</i>	329	<i>Cynanchum</i>	279, 280	<i>Dicerma</i>	480
<i>Cistus</i>	468	<i>Corybas</i>	385	<i>Cynodon</i>	444	<i>Dichondra</i>	290
<i>Citharexylum</i>	323	<i>Corycarpus</i>	455	<i>Cynoglossum</i>	294	<i>Dichorisandra</i>	430
<i>Cladanthus</i>	244	<i>Coryceum</i>	383	<i>Cynoglossum</i>	293, 294	<i>Dicksonia</i>	464
<i>Cladium</i>	437	<i>Corydalis</i>	466	<i>Cynosurus</i>	454	<i>Dicliptera</i>	328
<i>Cladostachys</i>	336	<i>Corylus</i>	368	<i>Cynosurus</i>	446, 447	<i>Dicyatra</i>	466
<i>Clematis</i>	465	<i>Corynephorus</i>	445	<i>Cypella</i>	394	<i>Digitalis</i>	305
<i>Cleome</i>	468	<i>Corypha</i>	431	<i>CYPERACEÆ</i>		<i>Digitaria</i>	444
<i>Cleonia</i>	314	<i>Corypha</i>	431	<i>Cyperus</i>	433	<i>Digitaria</i>	444, 445
<i>Clerodendrum</i>	322	<i>Corysanthes</i>	385	<i>Cyphia</i>	248	<i>Digraphis</i>	445
<i>Clethra</i>	254	<i>Cosmelia</i>	488	<i>Cypripedium</i>	388	<i>Dilatris</i>	400
<i>Cliftonia</i>	254	<i>Costus</i>	390	<i>Cyrilla</i>	254	<i>Dilatris</i>	400
<i>Clinopodium</i>	315	<i>Cotoneaster</i>	485	<i>Cyrilla</i>	303	<i>DILLENIACEÆ</i> , 465	
<i>Clitoria</i>	477	<i>Cotula</i>	243	<i>Cyrtanthus</i>	406	<i>Dillwynia</i>	474
<i>Clitoria</i>	477	<i>Cotula</i>	243	<i>Cyrtanthus</i>	406	<i>Dimocria</i>	470
<i>Cluytia</i>	360	<i>Coulteria</i>	484	<i>Cyrtopodium</i>	386	<i>Dimorpha</i>	484
<i>Cobea</i>	284	<i>Craniolaria</i>	285	<i>Cyrtostylis</i>	384	<i>Dineba</i>	446
<i>COBEACEÆ</i>	284	<i>Cratæva</i>	468	<i>CYTINEÆ</i>		<i>Dinetus</i>	289
<i>Cochlearia</i>	467	<i>Cratæva</i>	468	<i>Cytisus</i>	476	<i>Dioscorea</i>	413
<i>Cocos</i>	432	<i>Crepidaria</i>	355	<i>Czakia</i>	416	<i>DIOSCOREÆ</i>	
<i>Codarium</i>	484	<i>Crescentia</i>	302	<i>Dacrydium</i>	372	<i>Diospyros</i>	270
<i>Codon</i>	489	<i>Crescentia</i>	302	<i>Dactylanthes</i>	356	<i>Diotis</i>	340
<i>Cœlogyne</i>	386	<i>Cressa</i>	290	<i>Dactylis</i>	454	<i>Diplachne</i>	455
<i>Coix</i>	457	<i>Crinum</i>	404	<i>Dactylis</i>	440, 457	<i>Diplazium</i>	463
<i>Colbertia</i>	465	<i>Crinum</i>	406	<i>Dactyloctenium</i>	454	<i>Diplolepis</i>	280
<i>Colchicum</i>	428	<i>Crocus</i>	399	<i>Damænia</i>	280	<i>Diplophyllum</i>	310
<i>Coleanthus</i>	441	<i>Crossandra</i>	327	<i>Dais</i>	351	<i>Dipodium</i>	387
<i>Colebrookia</i>	324	<i>Crotalaria</i>	475, 477	<i>DALBERGIEÆ</i>		<i>Dirca</i>	350
<i>Colletia</i>	472	<i>Crotalaria</i>	475, 477	<i>Dalbergia</i>	477	<i>Disa</i>	383
<i>Collinsonia</i>	312	<i>croton</i>	359	<i>Dalea</i>	477	<i>Disandra</i>	306
<i>Colobachne</i>	444	<i>CRUCIFERÆ</i>		<i>Dalea</i>	477	<i>DISCHIDIA</i>	
<i>Colpodium</i>	443	<i>Cryptolepis</i>	489	<i>Dalechampia</i>	358	<i>Dischidia</i>	279
<i>Columnea</i>	303	<i>Cryptostegia</i>	276	<i>Damasonium</i>	374	<i>Disperis</i>	383
<i>Colutea</i>	478	<i>Cryptostylis</i>	384	<i>Damasonium</i>	375	<i>Disporum</i>	428
<i>Comaudra</i>	352	<i>Cryptocarya</i>	344	<i>Dammara</i>	372	<i>Dissolena</i>	274
<i>Combretum</i>	485	<i>CRYPTOGAMEÆ</i>		<i>Dampiera</i>	249, 488	<i>Diurus</i>	384
<i>Comesperma</i>	469	458	<i>Danthonia</i>	451	<i>Dodartia</i>	303
<i>Commelina</i>	430	<i>Cryptolepis</i>	489	<i>Danthonia</i>	451	<i>Dodecatheon</i>	329
<i>Commelina</i>	430	<i>Cryptostegia</i>	276	<i>Daphne</i>	350	<i>Dolichos</i>	481
<i>COMMELINEÆ</i>	430	<i>Cryptostylis</i>	384	<i>Darlingtonia</i>	483	<i>Dolichos</i>	481, 482
<i>Comptonia</i>	370	<i>Cunila</i>	310	<i>Darwinia</i>	472	<i>Dombeya</i>	285, 372
<i>Conanthera</i>	423	<i>Cunila</i>	310	<i>Datisca</i>	468	<i>Doodia</i>	463
<i>Conchium</i>	349	<i>CUPRESSINÆ</i>		<i>DATISCEÆ</i>	468	<i>Doryanthes</i>	409
<i>CONIFERÆ</i>	371	<i>Cupressus</i>	372	<i>Datura</i>	297, 489	<i>Dorycnium</i>	476
<i>Connarus</i>	473	<i>Cupressus</i>	372	<i>Datura</i>	297	<i>Dorstenia</i>	364
<i>Conospermum</i>	348, 490	<i>CUPULIFERÆ</i>		<i>Daubentonii</i>	478	<i>Draba</i>	467
<i>Conostylis</i>	400	<i>Curatella</i>	469	<i>Davallia</i>	464	<i>Dracæna</i>	424
<i>Conostylis</i>	400	<i>Curculigo</i>	401	<i>Daviesia</i>	475	<i>Dracana</i>	423, 433
<i>Convallaria</i>	415	<i>Curcuma</i>	389	<i>Daviesia</i>	474	<i>Dracocephalum</i>	314
<i>Convallaria</i>	415	<i>Curtisia</i>	473	<i>Delphinium</i>	465	<i>Dracontium</i>	378
<i>CONVOLVULA-CEÆ</i>	286	<i>Cuscuta</i>	290	<i>Dendrobium</i>	387	<i>Dracophyllum</i>	266, 488
<i>Convolvulus</i>	286	<i>Cussonia</i>	487	<i>Dendrobium</i>	387	<i>Drepanocarpus</i>	482
<i>Convolvulus</i>	287, 289	<i>Cyanella</i>	423	<i>Dentaria</i>	467	<i>Drimia</i>	420
<i>Corallorrhiza</i>	385	<i>Cyanotis</i>	430	<i>Deschampsia</i>	445	<i>Dryandra</i>	350
<i>Corbularia</i>	497	<i>Cyathea</i>	464	<i>Desmanthus</i>	483	<i>Dryas</i>	485
		<i>Cyathodes</i>	267, 488	<i>Desmochæta</i>	337	<i>Dulichium</i>	437

INDEX GENERUM.

	Page		Page		Page		Page
Dumasia	477	Eriochilus	384	Fritillaria	426	Glycosmis	470
Duranta	324	Eriogonum	343	Fuchsia	485	Gmelina	323
Duvallia	276	Eriophorum	439	Fuirena	439	Gnetum	364
Duvana	473	Eriophorum	439	Fumaria	466	Gnidia	351
EBENACEÆ	270	Eriospermum	421	Funkia	409	Gomeza	385
Ebenus	480	Eriostemon	471	Furcraea	424	Gomeza	386
Eccremocarpus	284	Eriostemon	320	Fusanus	352	Gomphocarpus	280
Echinaria	451	Erodendrum	346	Gagea	418	Gomphocarpus	279
Echinochloa	448	Erpetion	469	Gagenebina	482	Gompholobium	474
Echinopogon	445	Ervum	480	Galanthus	408	Gomphrena	387
Echinospermum	293	Erysimum	468	Galanthus	357	Gomphrena	387
Echites	275	Erythraea	281	Galax	263	Gommutus	433
Echites	275	Erythrina	482	Galaxia	396	Gongora	387
Echium	291	Erythronium	427	Galaxia	396	Gonolobus	279
Ehretia	294	Erythrophleum	482	Galega	477	Gonostemon	278
Ehrharta	457	Esula	357	Galenia	340	Goodenia	248, 488
Ehrharta	457	Ethulia	241	Galeobdolon	319	Goodenia	248, 249
ELÆAGNEÆ	353	Euchroma	307	Galeopsis	319	GOODENOVIEÆ	
Elæagnus	353	Euclea	491	Ganymedes	407		248
Eleodendron	472	Eucomis	420	Gardenia	487	Goodyera	383
Elæodendron	269	Eucrosia	406	Gasteria	411	Goodyera	383
Elais	432	Eudesmia	486	Gastronema	406	Gouania	472
Elate	432	Euphoria	388, 492	Gastridium	441	Græmia	241
Elegia	435	EUONYMEÆ	472	Gaudinia	452	GRAMINEÆ	439
Eleiotis	480	Euonymus	472	Geissorrhiza	399	Grammitis	461
Eleocharis	438	Euosma	282	Gelonium	491	Grangea	243
Elettaria	390	Euphorbia	355	Gelsemium	273	Grangeria	485
Eleusine	454	Euphorbia	355	Genista	484	Gratiola	308
Ellisia	295	EUPHORBIACEÆ		Genista	476	Gratiola	308
Elsholtzia	318			Gentiana	280	Grevillea	348, 490
Elymus	450	Euphrasia	306	Gentiana	282	Grimmia	404
Elyna	439	Eurycles	406	GENTIANEÆ	280	Gualtheria	253
Elytraria	327	Eurypermum	346	Geodoram	385	Gualtheria	253
Embelia	268	Eustachys	447	GEOFFREÆ	484	Gunnera	364
Emblica	360	Eustegia	280	Geoffroya	484	Guzmannia	425
Embothrium	349	Eustoma	282	Geoffroya	484	Gymnadenia	382
Embryopteris	270	Eustrephus	423	Geonoma	432	Gymnemata	279
Emericia	275	Euterpe	432	Geranium	492	Gymnogramma	461
Emex	343	Euthales	248	Gerardia	307	Gymnostachys	378
Empetrum	491	Evolvulus	289	Gerardia	307	Gymnostyles	243
Enkianthus	254	Exacum	282	GESNEREÆ	252	Gynandropsis	468
Enodium	446	Exacum	282	GESNERIA	252	Gyrocarpus	345
Entada	482	Execcaria	361	Gethyllis	408	Gyromia	415
EPACRIDEÆ	266	Exocarpos	352	Gethyra	390	Gyrotheca	400
Epacris	266, 488	Fagelia	481	Ghinia	324	Habenaria	382
Epacris	266	Fagus	370	Gilia	286	Habranthus	402
Epaltes	241	Falkia	290	Gilliesia	434	Hemadictyon	275
Ephedra	371	Farsetia	467	Gingko	370	Hemanthus	404
Epidendrum	387	Ferraria	396	Gisekia	337	Hamanthus	404
Epidendrum	386, 387, 388	Ferraria	396	Gladiolus	397	HÆMODORACEÆ	
		Ferreola	270	Gladiolus	396, 397, 398,		400
Epigæa	264	Festuca	455			Hæmodorum	400
Epipactis	384	Festuca	454, 455, 456,			Hakea	349, 490
Epipactis	384		457			Halesia	268
EQUISETACEÆ	458	Feuillæa	486	GLEICHENEÆ	460	Halimodendron	478
Equisetum	458	Fibigia	467	Gleichenia	460	Halleria	303
Eragrostis	453	Ficus	361	Globba	389	HAMAMELIDÆ	
Eranthemum	328	Fieldia	284	Globba	389		371
Eranthemum	326	FILICES	459	Globularia	331	Hamamelis	371
Eremurus	416	Fimbristylis	438	GLOBULARIÆ	331	Hamiltonia	352
Eria	387	Flagellaria	434	Gloriosa	427	Hardwickia	484
Erianthus	446	FLUVIALES	376	Glossodia	385	Haronga	470
Erica	255	Fontanesia	271	Glossula	383	Harrachia	327
Erica	255, 263	Forskohlea	364	Glottidium	478	Hartogia	473
ERICÆ	253	Fothergilla	371	Gloxinia	252, 488	Hastigeria	323
Erinus	306	Fraseria	281	Glyceria	453	Haworthia	411
Eriocaulon	435	Fraxinus	270	Glycine	476	Hebenstreitia	325
Eriocephalus	243	Fraxinus	271	Glycine	481, 482	Hedeoma	310

INDEX GENERUM.

Page.	Page.	Page.	Page.
Hedychium	390	Humulus	364
<i>HEDYSAREÆ</i>	478	Hura	360
Hedysarum	480	Hyacinthus	419
<i>Hedysarum</i>	477, 478	<i>Hyacinthus</i>	418, 419,
	479, 480		420, 421
Heleocholoa	444	Hyænanche	491
Helianthemum	468	HYDROCHARI-	
Heliconia	392	DEÆ	374
Heliopsis	487	Hydrocharis	374
Heliotropium	290	Hydrochloa	453
<i>Heliotropium</i>	290, 294	Hydroglossum	460
Helleborine	382	Hydrolea	286
Hellenia	390	HYDROLEACEÆ,	
Helonias	429	JUNCAGINEÆ	375
<i>Helonias</i>	429	HYDROPHYLLEÆ	
HEMEROCAL-		JUNCÆ	433
LIDEÆ	409	Juncus	434
Hemerocallis	409	Juncus	434
<i>Hemerocallis</i>	416	Juniperus	372
Hemidesmus	276	Hygrophila	326
Hemimeris	310	<i>Hymenocallis</i>	406
<i>Hemimeris</i>	306	Hymenophyllum	464
Hemionitis	460	<i>Hymenophyllum</i>	464
Heritiera	400	Hyoscyamus	297
Herminium	382	Hyperanthera	484
Hermione	408	Hypericum	470
Hernandia	345	Hypothrys	263
Herpestis	305	HYPOXIDEÆ	401
Hesperantha	399	Hypoxis	401
Hesperis	468	Hyptis	320
<i>Heteranthemis</i>	246	Hyssopus	318
Heteranthera	429	HYSSOPUS	320
<i>Heteranthera</i>	429	Iantha	388
Hierochloe	445	Iberis	468
<i>Hippeastrum</i>	403	Ichnocarpus	275
Hippia	243	Ilex	473
<i>Hippia</i>	243	<i>Illecebrum</i>	336, 337
Hippion	282	Imbricaria	269
Hippocratea	478	Imperata	446
Hippomane	359	<i>Incarvillea</i>	283, 284
Hippophae	353	Indigofera	477
<i>Hippophae</i>	353	Inga	483
HIPPURIDEÆ	376	Ingá	483
Hippuris	376	Inocarpus	269
Hirtella	485	Ionopsis	388
Hoarea	470	Ipomoea	287, 489
Hoitzia	286	<i>Ipomoea</i>	289
Holcus	447	Ipomopsis	286
<i>Holcus</i>	447	Iresine	337
Holmskioldia	323	IRIDEÆ	393
Homeria	395	Iris	393
<i>Hopea</i>	267	Isachne	449
Hordeum	444	Isanthus	317
Horminum	314	Ischænum	447
<i>Hornemannia</i>	306	Ismene	407
Hosta	323	Isochilus	387
Hottonia	331	Isotoma	248
Houstonia	282	Itéa	266
Houttuynia	378	ITÉA	254
Howea	475	Isolepis	438
Hovenia	472	Isopogon	346, 490
Hoya	278	Isotoma	248
Hudsonia	469	Itéa	266
Huernia	278	Itéa	254
		Ixia	398
		Jacaranda	284
		Jacksonia	474
		Jacquinia	268
		Janipha	359
		Jasione	251
		JASMINÆ	272
		Jasminum	272
		Jatropha	359
		<i>Jatropha</i>	359
		Juncus	434
		Kalmia	264
		Kennedia	481
		Kerneria	467
		Kirganelia	360
		Knappia	443
		Kœnigia	344
		Kœmpferia	389
		Kœrsenia	437
		Kochia	338
		Koeleria	451
		Kyllinga	439
		LABIATÆ	310
		Lablab	481
		Lachenalia	419, 420, 421
		Lachnanthes	400
		Lachnæa	351
		Lagetta	350
		Lagonychium	483
		Lagurus	445
		Lamarcia	447
		Lambertia	349
		Lamium	319
		Launaria	400
		Lancisia	243
		Lantana	324
		Lapeyrousie	396
		Lathraea	328
		Laxmannia	480
		Larrea	471
		Latania	431
		Laurus	344
		Laurus	344
		Lechenaultia	248
		Lecythis	486
		Ledum	266
		Leersia	441
		Leimanthium	429
		Leiophyllum	266
		Lemna	376
		LENTIBULARIEÆ	329
		Leonotis	322
		Leonurus	321
		Lepechinia	315
		Lepidagathis	327
		Lepidium	468
		Lepidosperma	437
		Leptandra	308
		Leptanthus	429
		Leptospermum	486
		Lepturus	447
		Lepyrodia	435
		Lessertia	478
		Lestibudesia	336
		Lettosmia	289
		Leucadendron	345
		Leucas	321
		Leucojum	408
		Leucopogon	267, 488
		Leucospermum	347
		Licuala	432
		Lidbeckia	243
		Lidbeckia	243
		Lightfootia	249
		Ligustrum	272
		Lilium	427
		<i>Lilium</i>	427
		Limnetis	440
		Limnocharis	375
		Limodorum	385, 388
		Limosella	306
		Linaria	303
		Lindernia	306
		Lindernia	306
		Lindsæa	464
		Linociera	271
		Liparia	475
		Liparis	384
		Lissanthie	267, 488
		Lissophilus	386
		Listera	384
		Littorella	334
		Livistona	431
		Lobelia	246
		<i>Lobelia</i>	248
		Lithospermum	290
		LITHOSPERMUM	291
		Littorea	424
		Littorella	334
		Lomandra	433
		Lomaria	463
		Lomatia	491
		Lomatium	423
		Lonchitis	464

INDEX GENERUM.

Page.	Page.	Page.	Page.	Page.
Lonchocarpus 477	Matricaria 244	Moluccella 322	Nolana 298	Page.
Lophiola 400	Mattia 293	Monachne 449	Nolina 429	
Lophira 487	Maurandia 303	Monarda 310	Nonea 292	
LOPHIREÆ 487	Mauritia 432	Monerma 448	Notelaea 271	
LOTEÆ 475	Maxillaria 387	Monerma 448	Notholena 460	
Lotus 476	Maximiliana 432	MONOCHLAMY-	Notytilia 386	
Lotus 476	Maytenus 472	DEÆ 332	Nuttallia 469	
Lourea 478	Mazus 306	MONOCOTYLE-	NYCTAGINEÆ 334	
Loureira 361	Medeola 423	DONEÆ 374	Nyctanthes 272	
Lubinia 331	Medeola 415	Monopsis 248	Nycterisition 269	
Lucuma 269	Medicago 476	Monotoca 267, 488	Nycterium 301	
Ludolfia 457	Medusea 356	Monotropa 264	Nyssa 352	
Ludovia 378	Megaclinium 386	Monotropa 263	Obesia 278	
Lumnitzera 313	Megastachya 454	MONOTROPEÆ 263	Ochrosia 274	
Luzula 434	Melaleuca 486	Moræa 394	Octomeria 386	
Luzuriaga 423	Melampyrum 307	Moræa 393, 394, 395, 396	Ocymum 313	
Lycium 301	MELANTHACEÆ	Moringa 484	Ocymum 313	
Lycopersicum 299	Melanthium 428	Morisonia 468	Œnacarpus 432	
Lycopodium 459	Melanthium 428, 429	Morus 363	Olea 271, 489	
Lycopodium 459	Melaspheærla 399	Morus 362	Olea 271	
Lycopsis 292	Melastoma 486	Mozinna 361	OLEINÆ 270	
Lycopsis 292, 293	Melica 445	Mucuna 482	Olyra 457	
Lycopus 310	Melichrus 488	Muhlenbergia 444	Omphalea 359	
Lycoris 403	Melinis 444	Murucuia 355	Omphalobium 473	
LYCOPODIACEÆ	Melilotus 476	Musa 392	Omphalodes 293	
Lygeum 440	Melilotus 476	MUSACEÆ 392	Oncidium 386, 492	
Lygodium 460	Melissa 313	Muscari 419	Onobrychis 480	
Lyonia 254	Melissa 315	Mygalurus 456	Onoclea 463	
Lyonsia 276	Melittis 315	Myginda 473	Onoclea 463	
Hyperanthus 385	Melocanna 457	Mylocaryum 254	Ononis 476	
Lysimachia 331	Melodinus 276	MYOPORINEÆ 325	Onosma 291	
Lysinema 266, 488	Meniscium 461	Myoporum 325	Onosmodium 211	
Maba 270	Mentha 318	Myosotis 293	OPHIOGLOSSEÆ 459	
Macleaya 466	Menyanthes 282	Myosotis 290, 292, 293	Ophioglossum 459	
Maclura 362	Menyanthes 282	Myrica 370	Ophiopogon 415	
Macradenia 386	Menziesia 263	MYRICEÆ 370	Ophioxylon 273	
Macrolobium 484	Mercunialis 335	MYRISTICÆÆ 345	Ophioxylon 274	
Macrotropis 474	Mertensia 364	Myrosperrum 474	Ophrys 382	
Mæsa 268	Mertensia 460	Myrsine 268	Ophrys 382, 383, 384	
Mairania 253	Mesembryanthemum 486	Myrsine 268	Ophyostachys 429	
Malaxis 385	Mespilus 485	MYRSINEÆ 268	Oplismenus 448	
Malaxis 384	Messerschmidia 294	Myrsiphyllum 423	Oplotheca 490	
Malpighia 470	Messerschmidia 294	Najas 376	Orbea 276	
Mandragora 298	Messerschmidia 294	Nama 286	ORCHIDÆÆ 381	
Manglilla 269	Methonica 427	Narcissus 407	Orchis 381	
Manicaria 433	Metrosideros 486	Narcissus 407	Orchis 381	
Manisurus 448	Michauxia 249	Nardus 439	Origanum 317	
Manna 480	Microcale 282	Nardus 448	Ormocarpum 478	
Mantisia 389	Microcloea 444	Narthecium 434	Ornithidium 387	
Manulea 306	Microloëna 457	Nemesia 303	Ornithocephalus 286	
Maranta 392	Microloëma 280	Nemopanthus 473	Ornithogalum 417	
Marantu 392	Microstylis 385	Nemophila 295	Ornithogalum 418	
Marattia 460	Microtea 335	Neottia 383	Ornithoglossum 428	
Marica 394	Microtis 384	Neottia 383	Ornus 271	
Marica 395	Miegia 457	Nepenthes 381	Orobanche 328	
Mariseus 439	Milium 442	Nepeta 319	OROBANCHEÆ 328	
Mariscus 437	Milium 442, 449	Nepeta 314	Orobus 480	
Marrubium 321	Millingtonia 283	Nephrodium 462	ORTIACEÆ 377	
Marsdenia 279	Mimetes 347	Nerine 403	Orontium 378	
Marsilea 459	MIMOSEÆ 482	Nerium 274	Orentium 378	
MARSILEACEÆ	Mimulus 306	Nerium 274	Orthoceras 384	
. 458	Mimusops 269	Nicandra 298	Orthopogon 448	
Martynia 285, 489	Mirabilis 335	Nicotiana 297	Oryza 457	
Martynia 285	Mirbelia 475, 492	Nipa 433	Oryzopsis 439	
Massonia 420	Mirobolanus 485	Nissolia 477	Osmunda 460	
Massonia 418	Mitrasacme 282, 489	Nivenia 348	Osmunda 459, 460, 463	
Mathiola 466	Modecca 355	Noisettia 469		

INDEX GENERUM.

Page.		Page.		Page.		Page.
OSMUNDACEÆ .. 460	<i>Persea</i> .. 344	PLECTRANTHUS .. 313	<i>Prismatocarpus</i> .. 251			
<i>Ostrya</i> .. 368	<i>Persea</i> .. 344	<i>Plectranthus</i> .. 317	<i>Priva</i> .. 324			
OSYRIDÆ .. 352	<i>Persoonia</i> .. 348, 490	<i>Plectronia</i> .. 472	<i>Priva</i> .. 324			
<i>Osyris</i> .. 352	<i>Petiveria</i> .. 338	<i>Plea</i> .. 433	<i>Proiphys</i> .. 496			
<i>Otanthus</i> .. 241	<i>Petraea</i> .. 323, 490	<i>Pleopeltis</i> .. 461	<i>Prosopis</i> .. 483			
<i>Outea</i> .. 484	<i>Petrophilæ</i> .. 346, 490	<i>Pleurandra</i> .. 465	<i>Prostanthera</i> 315, 490			
<i>Ovieda</i> .. 322, 396	<i>Petunia</i> .. 297	<i>Pleurothallis</i> .. 386	<i>Protea</i> .. 346			
<i>Oxybaphus</i> .. 334	<i>Phacelia</i> .. 295	<i>Pleurothallis</i> .. 386	<i>Protia</i> 345, 346, 347, 348			
<i>Oxycoccus</i> .. 253	<i>Phalangium</i> .. 416	<i>Plukenetia</i> .. 358	PROTEACEÆ 345			
<i>Oxypetalum</i> .. 489	<i>Phalaris</i> .. 445	PLUMBAGINEÆ	<i>Prunella</i> .. 313			
<i>Oxyria</i> .. 342	<i>Phalaris</i> .. 441, 445 332	<i>Prunus</i> .. 485			
<i>Oxystelma</i> .. 280	<i>Pharus</i> .. 457	<i>Plumbago</i> .. 333	<i>Psamma</i> .. 457			
<i>Pachidendron</i> .. 410	<i>Phaseolus</i> .. 481	<i>Plumeria</i> .. 275, 489	<i>Psilotum</i> .. 459			
<i>Pachyrhizus</i> .. 481	<i>Phayloppsis</i> .. 327	<i>Poa</i> .. 452, 491	<i>Psilurus</i> .. 448			
<i>Pachysandra</i> .. 358	<i>Phebalium</i> .. 471	<i>Poa</i> .. 451, 453	<i>Psophocarpus</i> .. 481			
<i>Pæderia</i> .. 487	PHILADELPHÆ	<i>Pocockia</i> .. 476	<i>Psoralea</i> .. 477			
<i>Pæderota</i> .. 308 486	<i>Podalyria</i> .. 474	<i>Ptelidium</i> .. 473			
PALMÆ .. 431	<i>Phillyrea</i> .. 272, 492	<i>Podanthes</i> .. 278	<i>Pteris</i> .. 463			
<i>Pancratium</i> .. 406	<i>Philoxerus</i> .. 337	<i>Podocarpus</i> .. 371	<i>Pterostylis</i> .. 385			
<i>Pancratium</i> 406, 407	<i>Philydrum</i> .. 434	<i>Podolobium</i> .. 474	<i>Pterygodium</i> .. 385			
PANDANEÆ .. 377	<i>Phleum</i> .. 441	<i>Podopterus</i> .. 343	<i>Pueraria</i> .. 477			
<i>Pandanus</i> .. 377, 491	<i>Phleum</i> .. 441	<i>Podostigma</i> .. 280	<i>Pulmonaria</i> .. 291			
<i>Panicum</i> .. 448	<i>Phlomis</i> .. 321	<i>Pogonia</i> .. 384	<i>Pulmonaria</i> .. 291			
<i>Panicum</i> .. 440	<i>Phlomis</i> .. 322	<i>Pogonia</i> .. 325	<i>Pultenæa</i> .. 474			
<i>Papaver</i> .. 466	<i>Phlox</i> .. 285	<i>Pogostemon</i> .. 318	<i>Pupalia</i> .. 337			
PAPILIONACEÆ	<i>Phœnix</i> .. 431	POLEMONIACEÆ	<i>Puschkinia</i> .. 417			
..... .. 474	<i>Pholidota</i> .. 388 285	<i>Pycnanthemum</i> .. 317			
<i>Pappophorum</i> .. 451	<i>Pholiurus</i> .. 448	<i>Polemonium</i> .. 285	<i>Pycnostachys</i> .. 322			
<i>Papyrus</i> .. 439	<i>Phormium</i> .. 424	<i>Polianthes</i> .. 409	<i>Pyrethrum</i> .. 246			
<i>Pardanthus</i> .. 395	<i>Phragmites</i> .. 457	<i>Pollinia</i> .. 446	<i>Pyrola</i> .. 263			
<i>Pariana</i> .. 458	<i>Phryma</i> .. 314	<i>Polybotrya</i> .. 464	<i>Pyrola</i> .. 263			
<i>Parietaria</i> .. 364	<i>Phrynum</i> .. 391	<i>Polycenemum</i> .. 340	<i>Pyrularia</i> .. 352			
<i>Paris</i> .. 415	<i>Phycella</i> .. 404	<i>Polygala</i> .. 469	<i>Pyrus</i> .. 485			
<i>Parivoa</i> .. 484	<i>Phyllanthus</i> .. 360	<i>Polygonatum</i> .. 415	<i>Pyxidanthera</i> .. 263			
<i>Parkia</i> .. 483	<i>Phyllanthus</i> .. 360	POLYGONEÆ 341	<i>Queltia</i> .. 407			
<i>Parsonia</i> .. 275	<i>Phyllobium</i> .. 482	<i>Polygonum</i> .. 341	<i>Quercus</i> .. 369			
<i>Paspalum</i> .. 441	<i>Phylloma</i> .. 423	<i>Polygonum</i> .. 338, 342	<i>Rafnia</i> .. 475			
<i>Paspalum</i> .. 441	<i>Phyllogyne</i> .. 407, 408	POLYPODIACEÆ	<i>Rajania</i> .. 413			
<i>Passerina</i> .. 351	<i>Physalis</i> .. 298 460	<i>Ramonda</i> .. 296			
<i>Passerina</i> .. 351	<i>Phytalephas</i> .. 377	<i>Polyodium</i> .. 461	RANUNCULACEÆ			
<i>Passiflora</i> .. 354	<i>Phyteuma</i> .. 251	<i>Polypogon</i> .. 441 465			
<i>Passiflora</i> .. 355	<i>Phytolacca</i> .. 337	<i>Polypogon</i> .. 444	<i>Ranunculus</i> .. 465			
PASSIFLOREÆ .. 354	PHYTOLACEÆ .. 337	<i>Polystachya</i> .. 337	<i>Rauwolfia</i> .. 273			
<i>Patagonula</i> .. 295	<i>Piaranthus</i> .. 278	<i>Pomaderris</i> .. 472	<i>Rauwolfia</i> .. 273			
<i>Patersonia</i> .. 395	<i>Picotia</i> .. 293	<i>Ponceletia</i> .. 488	<i>Ravenalia</i> .. 392			
<i>Pectinaria</i> .. 276	<i>Picramnia</i> .. 473	<i>PONTEDEREÆ</i> .. 429	<i>Renealmia</i> .. 395			
PEDALINÆ .. 284	<i>Pictetia</i> .. 478	<i>Pontederia</i> .. 429	<i>Renealmia</i> .. 390			
<i>Pedalium</i> .. 284	<i>Pilea</i> .. 364	<i>Ponthieva</i> .. 383	<i>Reseda</i> .. 468			
<i>Pedicularis</i> .. 307	<i>Pilularia</i> .. 458	<i>Populus</i> .. 367	RESIDACEÆ .. 468			
<i>Pedilanthus</i> .. 355	<i>Pimelea</i> .. 351, 491	<i>Porana</i> .. 289	RESTIACEÆ .. 435			
<i>Pelargonium</i> .. 470	<i>Pinguicula</i> .. 329	<i>Porana</i> .. 289	<i>Restio</i> .. 435			
<i>Pelexia</i> .. 383	<i>Pinus</i> .. 373	<i>Poranthera</i> .. 491	<i>Retzia</i> .. 286			
<i>Peliosanthes</i> .. 491	<i>Pinus</i> .. 372, 373	<i>Porlieria</i> .. 471	<i>Rhabdochloa</i> .. 454			
<i>Penæa</i> .. 488	<i>Piper</i> .. 380, 381	<i>Potamogeton</i> .. 376	<i>Rhagodia</i> .. 340			
PENÆACEÆ .. 488	<i>Piper</i> .. 380, 381	<i>Potamophilæ</i> .. 457	<i>Rhamnus</i> .. 364			
<i>Penicillaria</i> .. 440	PIPERACEÆ .. 380	<i>Pothos</i> .. 377	<i>Rhapis</i> .. 431			
<i>Pennisetum</i> .. 440	<i>Piptatherum</i> .. 442	<i>Pothos</i> .. 378	<i>Rheum</i> .. 343			
<i>Pennisetum</i> .. 440	<i>Piscidia</i> .. 478	<i>Pourretia</i> .. 425	<i>Rhinanthus</i> .. 307			
<i>Penstemon</i> .. 305	<i>Pisonia</i> .. 335	<i>Prasium</i> .. 314	<i>Rhipidodendron</i> 411			
<i>Pentzia</i> .. 241	<i>Pitcairnia</i> .. 425	<i>Prasophyllum</i> .. 383	<i>Rhododendron</i> .. 264			
<i>Peperomia</i> .. 380	<i>Planera</i> .. 364	<i>Premna</i> .. 323	<i>Rhodora</i> .. 264			
<i>Pergularia</i> .. 279	PLANTAGINEÆ	<i>Prescotia</i> .. 384	RHODORACEÆ .. 264			
<i>Pergularia</i> .. 275 333	<i>Prestonia</i> .. 275	<i>Rhopala</i> .. 349			
<i>Periballia</i> .. 445	<i>Plantago</i> .. 333	<i>Priestleya</i> .. 474	<i>Rhus</i> .. 473			
<i>Perilla</i> .. 318	PLATANEÆ .. 370	<i>Primula</i> .. 329	<i>Rhynchosia</i> .. 481			
<i>Periploca</i> .. 276	<i>Platanthera</i> .. 382	<i>Primula</i> .. 330	<i>Rhynchospora</i> .. 437			
<i>Periploca</i> .. 276, 280	<i>Platanus</i> .. 370	PRIMULACEÆ .. 329	<i>Richardia</i> .. 378			
<i>Perotis</i> .. 441	<i>Platylobium</i> .. 474	<i>Prinos</i> .. 473	<i>Ricinus</i> .. 359			

INDEX GENERUM.

Page.		Page.		Page.		Page.	
Rindera	293	Scheuchzeria	375	Soldanella	329	Swertia	281
Ripidium	446	Schinus	473	Soliva	243	Swertia	282
Ripogonum	414	Shisanthes	407	Sophora	474	Syagrus	432
Ritchiea	468	Schismus	445	Sophora	474	Symphtym	291
Rivina	338	Shizæa	460	SOPHOREÆ	474	Sympieza	255
Robinia	477, 478	Shizanthus	308	Sorghum	447	Symplocarpus	378
Roehelia	293	Schmidtia	441	Sorocophalus	348	SYMPLOCINEÆ	
Rodriguezia	385	Schoenus	437	Sowerbæa	422		267
Roella	251	Schoenus	437, 438	Sparaxis	398	Symplocos	267
Roella	250	Schollera	253, 429	Sparaxis	398	Synnotia	398
Rohdea	378	Schotia	484	Sparagnum	377	Syntherisma	444
Roscoea	389	Schwenckia	308	Spartina	440	Syringa	272
Rosmarinus	310	Scilla	418	Spatalla	348	Tahernæmontana	274
Rostraria	457	Scilla	416, 419	Spathodea	284	Tacca	379
Rothia	480	Scirpus	438	Sphærospora	398	TACCACEÆ	379
Rottboellia	447	Scirpus	438	Spielmannia	324	Taconia	355
Rottboellia	447	SCITAMINEÆ	389	Spigelia	282	Tænites	464
Royena	270	Scleria	437	Spinacia	340	Tagetes	487
Rudolphia	482	Sclerochloa	453	Sporobolus	443	Taliera	431
Ruellia	326	Sclerostylum	269	Stachys	320	Tamarindus	484
Ruellia	327	Scopolendrium	463	Stachytarpheta	324	Tamonea	324
Rulingia	492	Scopolendrium	461	STÄCKHOUSEÆ		TAMEÆ	414
Rumex	342	Scoparia	302		492	Tamus	414
Rumex	342, 343	Scopolia	297	Stackhousia	492	Tamus	413
Ruppia	376	Seropularia	304	Stanleya	468	Tanacetum	241
Ruscus	415	SCROPHULARI-		Stapelia	277	Tanacetum	241
Russelia	303	NÆ	302	Stapelia	276, 277, 278	Tanæcum	302
Sabal	431	Scutellaria	315	Staphylea	472	Tarchonanthus	241
Sabbatia	481	Seaforthia	433	STAPHYLEACEÆ		Tasmannia	466
Saccharum	446	Sebæa	282		472	Taxanthemæ	332
Saccharum	446	Secale	449	Statice	332	TAXINÆ	371
Sagittaria	375	Secale	449, 450	Statice	332, 333	Taxodium	372
Sagus	432	Secamone	276	Stegania	463	Taxus	371
SALICEÆ	365	Securinega	361	Stelis	385	Taxus	371
Salicornia	340	Selago	325	Stellera	351	Tecoma	284
Salisburia	370, 491	Serapis	382	Stemodia	303	Tectona	324
Salix	365	Serapis	384	Stenantha	267	Teedia	303
Salmia	378	Serruria	347	Stenocarpus	349	Telopea	349
Salpianthus	335	Sersalisia	269	Stenochilus	326	Tephrosia	477
Salsola	338	SESAMEÆ	285	Stenomesson	406	Terminalia	485
Salsola	338, 339	Sesamum	285	Sternbergia	401	Testudinaria	413
Salvia	310	Sesbania	477	Stilago	361	Tetraceræ	465
Salvinia	459	Sesbania	478	Stillingia	360	Tetranthera	344
Samara	268	Sesleria	451	Stipa	442	Tetrapogon	449
Samolus	331	Sesleria	451	Stizolobium	483	Tetratheca	469
Sansevieria	409	Setaria	440	Stratiotes	374	Teucrium	316
SANTALACEÆ	352	Seymeria	307	Strelitzia	392	Thalia	391
Santalum	352	Sheperdia	353	Streptium	324	Thalictrum	465
Santolina	241	Sibthorpia	306	Streptopus	415	Thamnochortus	435
Santolina	241	Sideritis	317	Strophanthus	274	Thelygonum	364
Sapium	359	Sideroxylon	269	Strumaria	404	Thelymitra	384
SAPOTEÆ	269	Sideroxylon	268, 269	Struthiola	351	Thenardia	275
Saracha	298	Sinapis	468	Struthiopteris	463	Theophrasta	273
Sarcanthus	388	Sinningia	488	Strychnos	273	Thermopsis	474
Sarcophilus	387	Siphonanthus	322	Stylandra	280	Thesium	352
Sarcococca	491	Siphonia	359	STYLIDEÆ	248	Thesium	352
Sarcobatus	279	Sisymbrium	468	Stylium	248	Thrinax	432
Sarcostemma	280	Sisyrinchium	395	Stypandra	417	Thuja	372
Sarracenia	466	Smeathmannia	355	Styphelia	267, 488	Thunbergia	326
SARRACENIE	466	SMILACEÆ	414	Styphelia	267	Thymbra	315
Satureja	317	Smilacina	415	STYPHELIAÆ	267	THYMELEÆ	350
Satyrion	333	Smilax	414	STYRACINEÆ	267	Thymus	314
Satyrion	382, 383	Smithia	478	Styrax	267	Thymus	314, 315
Saururus	380	Soja	481	Suardia	444	Thysanotus	423
Scævola	248	Solandra	302, 489	Sutherlandia	478	Tiaridium	290
Schæfferia	492	SOLANEÆ	295	Swartzia	482	Tigridia	396
Schellhammera	428, 492	Solanum	299	SWARTZIEÆ	482	Tigridia	394
Schenendorus	455	Solanum	299, 301	Sweetia	480	Tillandsia	425

INDEX GENERUM.

Page.		Page.		Page.		Page.	
<i>Tithymalus</i>	356	<i>Tripinnaria</i>	302	<i>Vanda</i>	388	<i>Watsonia</i>	397
<i>Tittmannia</i>	306	<i>Triplaris</i>	343	<i>Vanda</i>	388	<i>Westringia</i>	316
<i>Todea</i>	460	<i>Tripsacum</i>	448	<i>Vandellia</i>	306	<i>Whitleya</i>	298
<i>Tofieldia</i>	428	<i>Tripsacum</i>	448	<i>Vanilla</i>	388	<i>Willdenovia</i>	435
<i>Torenia</i>	306	<i>Tristania</i>	486	<i>Varronia</i>	295	<i>Willughbeia</i>	276
<i>Tortula</i>	324	<i>Tristegis</i>	444	<i>Vascoa</i>	475	<i>Windsoria</i>	451
<i>Tournefortia</i>	294	<i>Triticum</i>	449	<i>Velleia</i>	248	WINTERÆ	466
<i>Tournefortia</i> 290, 294		<i>Triticum</i> 449, 450, 456		<i>Veltheimia</i>	409	<i>Witheringia</i>	301
<i>Tourrettia</i>	285	<i>Tritoma</i>	409	<i>Ventenatia</i>	248	<i>Witsenia</i>	395
<i>Trachelium</i>	251	<i>Tritonia</i>	398	<i>Veratrum</i>	429	<i>Woodsia</i>	461
<i>Trachynotia</i>	440	<i>Trizeuxis</i>	386	<i>Verbascum</i>	296	<i>Woodsia</i>	464
<i>Tradescantia</i>	430	<i>Trochocarpa</i>	267	<i>Verbascum</i>	296	<i>Woodwardia</i>	463
<i>Tradescantia</i>	430	<i>Trollius</i>	465	<i>Verbena</i>	325	<i>Wrightia</i>	274
<i>Tragia</i>	361	<i>Tromotriche</i>	277	<i>Verbena</i>	324	<i>Wulfenia</i>	308
<i>Tragopyrum</i>	342	<i>Trophis</i>	491	VERBENACEÆ	322	<i>Wurmbea</i>	428
<i>Tragus</i>	444	<i>Tulbagia</i>	409	<i>Verbesina</i>	487	<i>Xanthochymus</i>	470
<i>Treisia</i>	356	<i>Tulipa</i>	426	<i>Veronica</i>	308, 489	<i>Xanthorrhœa</i>	424
<i>Treviranía</i>	303	TULIPACEÆ	426	<i>Veronica</i>	308, 310	<i>Xerophyllum</i>	429
<i>Trewia</i>	491	<i>Tupistra</i>	378	<i>Vesicaria</i>	467	<i>Xerotes</i>	433, 492
<i>Tribachia</i>	386	<i>Turpinia</i>	472	<i>Vestia</i>	297	<i>Xiphidium</i>	400
<i>Trichæta</i>	456	<i>Tylophora</i>	278	<i>Viborgia</i>	476	<i>Xylobium</i>	387
<i>Trichochloa</i>	443	<i>Typha</i>	377	<i>Vicia</i>	480	<i>Xylomelum</i>	349
<i>Trichodesma</i>	294	TYPHINÆ	377	<i>Vieusseuxia</i>	394	<i>Xylophylla</i>	360
<i>Trichodium</i>	442	<i>Ugena</i>	460	<i>Vigna</i>	481	<i>Xyris</i>	435
<i>Tricholæna</i>	446	<i>Ulmus</i>	364	<i>Villarsia</i>	282	<i>Xysmalobium</i>	280
<i>Trichomanes</i>	464	<i>Ulmus</i>	364	<i>Vilmorinia</i>	477	<i>Yucea</i>	426
<i>Trichonema</i>	399	<i>Uniola</i>	454	<i>Vinca</i>	274	<i>Zamia</i>	374
<i>Trichophorum</i>	439	<i>Urania</i>	392	<i>Viola</i>	469	<i>Zannichellia</i>	376
<i>Trichorhiza</i>	388	<i>Uraria</i>	479	<i>Visnea</i>	485	<i>Zapania</i>	324
<i>Trichostemma</i>	314	<i>Uropetalum</i>	419	<i>Vitex</i>	323	<i>Zea</i>	457
<i>Trichostemma</i>	317	<i>Urtica</i>	363	<i>Vitex</i>	323	<i>Zephyranthes</i>	481-401
<i>Tricoryne</i>	417	<i>Urtica</i>	363	<i>Vittaria</i>	463	<i>Zieria</i>	471
<i>Tridens</i>	451	URTICEÆ	361	<i>Vochisia</i>	470	<i>Zietenia</i>	320
<i>Tridentea</i>	277	<i>Utricularia</i>	329	VOCHISIÆ	470	<i>Zigadenus</i>	429
<i>Trientalis</i>	331	<i>Uvaria</i>	466	<i>Vohiria</i>	489	<i>Zingiber</i>	389
<i>Trifolium</i>	476	<i>Uvularia</i>	428	<i>Volkameria</i>	322	<i>Zizania</i>	458
<i>Triglochin</i>	375	<i>Uvularia</i>	415, 428	<i>Volkameria</i>	322	<i>Ziziphora</i>	310
<i>Trigonella</i>	476	VACCINIEÆ	252	<i>Vouapa</i>	484	<i>Zizyphus</i>	472
<i>Trigonia</i>	470	<i>Vaccinium</i>	252	<i>Wachendorfia</i>	400	<i>Zizyphus</i>	364
<i>Trillium</i>	415	<i>Vaccinium</i>	253	<i>Wahlenbergia</i>	249	<i>Zornia</i>	478
<i>Trimezia</i>	394	<i>Vallaris</i>	275	<i>Walkeria</i>	472	<i>Zornia</i>	480
<i>Triodia</i>	451	<i>Vallesia</i>	273	<i>Wallichia</i>	432	<i>Zostera</i>	380
<i>Triodia</i>	451	<i>Vallisneria</i>	374	<i>Wallrothia</i>	323	<i>Zoysia</i>	441
<i>Triphora</i>	384	<i>Vallota</i>	406	<i>Wangenheimia</i>	446	<i>Zuccagnia</i>	419

ENGLISH INDEX to PART II.

Page.	Page.	Page.	Page.
ABELE-TREE	367	Bird's-head	386
Adam's-needle	426	Bird's-nest	384
Adder's-tongue	459	Bird's-tongue	428
African Almond	348	Birthwort	353
African fleabane	241	Bitter Vetch	480
African Lily	409	Black Bryony	414
Air-plant	388	Black Saltwort	331
Alder	368	Bladder-nut	472
Alligator-pear	344	Bladder-Senna	478
All-seed	339	Blea-berry	252
Amaranth	335	Blood-flower	404
Amboyna-pitch-tree	372	Bog-rush	437
American Cowslip	329	Bonace-bark	351
Arbor-vite	372	Box-thorn	301
Archangel	319	Box-tree	358
Arrow-grass	375	Brake	463
Arrow-head	375	Brome-grass	456
Arrow-root	392	Bread-fruit	362
Asarabacca	353	Bread-nut	491
Ash-tree	270	Brook-weed	331
Aspen	367	Broom-rape	328
Asphodel	416	Buckbean	282
Auricula	330	Buckwheat	342
Badger-bane	465	Buckwheat-tree	254
Balm	313	Bugle	315
Balsam-herb	327	Bugloss	292
Balsam of Tolu	474	Bulbous Iris	394
Bamboo-cane	457	Bur-reed	377
Banana-tree	392	Butcher's-broom	415
Banyan-tree	362	Butterwort	329
Barbadoes Lily	403	Cabbage-tree	432
Barley	444	Calabash-tree	302
Basil	313	Calamint	314
Bastard Balm	315	Calathian Violet	281
Bastard Cabbage-tree	484	Calf's-snout	303
Bastard Mangeneel	275	Camphire-tree	344
Bastard Orpine	360	Canada-Rice	459
Bastard Pimpernell	331	Canary-grass	445
Bastard Vervain	324	Candleberry-Myrtle	370
Bay-tree	344	Candy-tuft	468
Bear-berry	253	Cane-brake	457
Bear-bind	287	Canterbury-bells	250
Bear's-breech	326	Caper-spurge	357
Bear's-ear Sanicle	329	Caper-tree	468
Beast-bane	465	Cardamon	390
Beech	370	Cardinal-flower	247
Bee Ophrys	382	Carion-flower	277
Beet	340	Cascarilla	359
Belladonna Lily	402	Cassava	359
Benjamin-tree	344	Castor-oil-plant	359
Bent-grass	443	Catalpa-tree	283
Bergamot	318	Catmint	319
Bermudas Cedar	372	Cat's-tail	377
Betony	321	Cat's-tail-grass	441
Bilberry	252	Cat-Thyme	316
Bindweed	286	Cedar of Goa	372
Birch	368	Chamomile	243
Bird's-eye	330	Chaste-tree	323
Bird's-foot Trefoil	476	Chestnut	370
		Chili Pine	372
		Chives	421
		Cinnamon	344
		Clary	312
		Clearing-nut	273
		Club-moss	459
		Club-Rush	438
		Cock's-comb	336
		Cock's-foot-grass	454
		Cocoa-nut-tree	432
		Cogwood-tree	344
		Colic-root	409
		Comfrey	291
		Contragerva-root	364
		Coral-tree	482
		Cork-tree	369
		Costmary	241
		Cotton-grass	439
		Couch-grass	449
		Cowberry	253
		Cowitch	482
		Cowrie-tree	372
		Cowslip	329
		Cow-wheat	307
		Cranberry	253
		Crane's-bill	492
		Crow-foot	465
		Custard-Apple	466
		Cypress	372
		Darnel	450
		Date-Palm	431
		Date-Plum	270
		Day-Lily	409
		Deadly-nightshade	298
		Dead-nettle	319
		Dittany of Crete	317
		Dock	342
		Dodder	290
		Dog's-bane	276
		Dog's-cabbage	364
		Dog's-tail-grass	440
		Dog's-tooth Violet	427
		Dragon	378, 379
		Dragon's-head	314
		Dragon-tree	424
		Duck-weed	376
		Dumb-cane	379
		Egg-plant	300
		Elastic-gum-tree	359
		Elephant's-foot	413
		Elm-tree	364
		English Mercury	338
		Evening-flower	309
		Eye-bright	306
		Fan-Palm	431
		Feather-grass	442
		Felwort	281
		Fenugreek	476
		Fescue-grass	455
		Hogweed	335

ENGLISH INDEX.

Page.	Page.	Page.					
Holly	473	Malabar-nut	328	Oxeye Daisy	245	Sapota	269
Honeywort	291	Male-fern	462, 463	Oxlip	330	Sassafras-tree	344
Hooded Milfoil	329	Mamme	269	Painted cup	307	Savanna-flower	275
Hop	364	Manchineel-tree	359	Palma Christi	359	Savory	317
Hop-Hornbeam	368	Mandrake	298	Panic-grass	448	Savoy Spiderwort	416
Horehound	321	Mangle wurzel	340	Paper Mulberry	362	Scammony	286
Hornbeam	368	Mango-ginger	389	Paper-Rush	439	Scorpion-grass	293
Horn of plenty	440	Manicot	432	Passion-flower	354	Screw-pine	377
Hornwort	376	Maple	470	Patience	343	Scrubby Oak	487
Horse-radish-tree	484	Mare's-tail	376	Pear	485	Scunkweed	378
Horse-shoe-Vetch	478	Marjoram	317	Pellitory	364	Scurvy-grass	467
Horsetail	459	Marvel of Peru	335	Pellitory of Spain	243	Sea Buckthorn	353
Horsetail-tree	371	Mat-grass	439	Pennyroyal	319	Sea Lavender	332
Hound's-tongue	294	Meadow-grass, 452, 492		Pepper	380	Sea Matweed	380, 457
Hyacinth	419	Meadow-Rue	465	Periwinkle	274	Sea-side Grape	341
Hyæna-poison	491	Meadow-Saffron	428	Persicaria	341	Sea-side Laurel	360
Hyssop	318	Medick	476	Phillyrea	272, 489	Sedge	435
Indian corn	457	Medusa's-head	356	Physic-nut	359	Self-heal	313
Indian Cucumber	415	Melic-grass	445	Piliwort	458	Serpent-wood	273
Indian Millet	447	Melilot	476	Pimpernell	331	Shallot	421
Indian Shot	391	Mercury	355	Pine Apple	421	Shave-grass	458
Indigo	477	Mexican Lily	402	Pine-tree	373	Sheep's Scabious	251
Ipecacuanha-spurge,	357	Mezerion	350	Pipewort	435	Shepherd's-club	296
Irish Heath	263	Milfoil	244	Pitcher-plant	381	Shepherd's-purse	467
Iron-wood	269	Milk-tree	274	Plane-tree	370	Shield-fern	461
Ironwort	317	Milkwood	491	Plantain	333	Shoreweed	334
Jaca-tree	362	Milkwort	469	Plantain-tree	393	Side-saddle-flower	466
Jack in a box	345	Millet-grass	442	Plum	485	Silver-tree	345
Jacoeba Lily	403	Mint	318	Poet's Cassia	352	Skull-cap	315
Jamaica Ebony	482	Molucca-balm	322	Poison-nut	273	Slipper-spurge	355
Jasmine	272	Moneywort	331	Polyanthus	330	Slipper-wort	307
Jerusalem Sage	321	Monkey-flower	306	Polypody	461	Snakeroot	353
Job's-tears	457	Monk's Basil	313	Pond-weed	376	Snake's-beard	415
Juniper	372	Monkshood	465	Poplar	367	Snake's-tongue	460
Kidney-bean	481	Moonwort	459	Poppy	466	Snake-wood	364
Knot-grass	342	Motherwort	321	Potatoe	299	Snap-dragon	303
Lace-bark	350	Mousetail-grass	456	Potatoe Onion	421	Sneezewort	244
Ladies'-slipper	388	Mudwort	306	Primrose	329	Snowdrop	408
Ladies'-traces	383	Mugwort	212	Prince's-feather	336	Snowdrop-tree	268
Lady-fern	462	Mulberry	362	Privet	272	Snowflake	408
Lady's-smock	466	Mullein	296	Quaking-grass	454	Solomon's-seal	415
Lamp-wick	321	Naseberry-tree	269	Quillwort	458	Sorrel	343
Larkspur	465	NepaulButter-tree	269	Rainoon-tree	491	Sorrel-tree	254
Lavender	316	Nettle	363	Rampion	249	Southernwood	242
Lavender cotton	241	Nettle-tree	364	Red Cedar	372	Spanish Elm	295
Leadwort	333	New Zealand Spruce		Redtop-grass	451	Spanish nut	394
Leatherwood	350	Norfolk Island Pine		Redwater-tree	482	Sparrow-wort	351
Leek	421	Reed	457	Reed	457	Speedwell	308, 489
Lilac	272	Reed-grass	457	Rhubarb	343	Spider Ophrys	382
Lily	427	Nutmeg	345	Rice	457	Spiderwort	430
Lily Pink	422	Nut-tree	368	Rocambole	421	Spinage	340
Lion's-ear	322	Oak	369	Rocket	468	Spindle-tree	472
Lizard's-tail	380	Oat-grass	452	Rock-rose	468	Spring-grass	440
Loose-strife	331	Oil-nut	352	Rope-grass	435	Spurge	355
Lousewort	307	Oily-grain	285	Rosemary	311	Spurge Laurel	351
Love-Apple	299	Oily-Palm	432	Rush	434	Spurless Violet	469
Love-grass	454	Oleander	274	Rush	434	Squill	418
Love lies bleeding	336	Oleaster	353	Rush-nut	438	Staff-tree	472
Lungwort	291	Olive	271, 489	Rye	449	Star-Apple	269
Lychnidea	285	Olive-wood	472	Rye-grass	450	Star of Bethlehem	417
Lyme-grass	450	One-berry	416	Sage	311	Star of the earth	334
Macaw-tree	432	Onion	421	Sago-Palm	432	St. Bruno's Lily	416
Maidenhair	464	Opera-girls	389	Saintfoin	480	Stinking Horehound	
Maidenhair-tree	370, 491	Orache	339	Salep	379		321
Malabar Nightshade,	338	Osage Apple	362	Salt-tree	478	St. John's-wort	470
		Otaheite Chestnut	269	Saltwort	338	Stock	466
		Otaheite Myrtle	361	Sandal-wood	352	Storax	267
		Oxeye	244	Sandbox-tree	360	Strawberry-blite	340

ENGLISH INDEX.

	Page.		Page.		Page.		Page.
Strawberry-tree	253	Throat-wort	251	Virginian Hemp	340	Whortle-berry	252
Sugar-cane	446	Tiger-flower	396	Virginian Silk-tree	276	Wild Basil	315
Sumach	473	Tile-root	399	Virgin's-bower	465	Wild Bugloss	292
Summer Cypress	338	Toad-flax	303	Wall-cress	466	Wild Rosemary	254
Sun Rose	468	Tobacco	297	Wall-rue	462	Willow	365
Swallow-wort	279	Tomato	299	Waratah	349	Winter-berry	473
Sweet-Bay	344	Tongue Aloe	411	Water Horehound	310	Winter-cherry	298, 299
Sweet-flag	378	Toothwort	328, 467	Water-leaf	295	Winter-cress	466
Sweet-grass	453	True-love	416	Water-pepper	342	Winter-green	263, 331
Sweet gum-tree..	371	Trumpet-flower	283	Water-Plantain	375	Winter-green-grass	442
Sweet Maudlin...	244	Tulip	426	Water-soldier	375	Witch-hazel	371
Sweet Potatoe....	288	Tupelo	352	Water Starwort	376	Wooden-pear	349
Tacamahac.....	367	Turmeric	389	Water-Violet	331	Woodrush	434
Tallow-tree.....	360	Turnsole	290	Water-weed	376	Woolhead	243
Tamarind	484	Tway-blade	384	Wax Dammar	371	Wormwood	242
Tansy	241	Umbrella-wort	334	Wax-tree	272	Yam	413
Tare	480	Venus'-looking-glass,		Welsh Onion	421	Yellow Bird's-nest	263
Tarragon	242		251	Wheat	449	Yellow-rattle	307, 489
Teak-wood	324	Venus' Navelwort	293	White Cedar	372	Yellow-wort	281
Thorn-Apple 297, 489		Vervain	325	White Hellebore	429	Yew-tree	371
Thrift	332	Viper's Bugloss	291	Whitlow-grass	467	Zedoary	389

BOOKS QUOTED.

- Abb. ins.* The Natural History of the rarer Lepidopterous Insects of Georgia, collected from the observations of J. Abbott, by J. E. Smith, 1797. 4to.
- Act. Stock.* Kongl. Vetenskaps Academien Handlingar. Stockholm, 1789. 8vo.
- All. auct.* Allioni (Carolus.) Auctuarium ad floram Pedemontanam. 4to. Taurini. 1789.
- All. m. taur.* Car. Allionii Miscellanea Philosophico-mathematica Societatis private Taurinensis.
- All. ped.* Car. Allionii Flora Pedemontana.
- Alp. Ægypt.* Alpinus (Prosper.) De Plantis Ægypti liber. 1 voi. 4to.
- Alp. ex.* Alpinus (Prosper.) De Plantis Exoticis, libri duo. 4to. 1629.
- Amm. ruth.* Amman (Johan.) Stirpium rariorum in imperio Rutheno sponte provenientium Icones et Descriptiones. 4to. Petropoli. 1739.
- And. bot. rep.* Andrews (Henry.) The Botanist's repository for new and rare plants. 4to. 1797. ct seq.
- And. geran.* Andrews (Henry.) Geraniums, or a monograph of the genus Geranium. 1805. seq. 4to.
- Amoen. ac.* Caroli Linnaei Amoenitates academicæ. 8vo.
- And. heaths.* Andrews (Henry.) Coloured engravings of Heaths, with botanical descriptions. fol. and 8vo. 1802, 1809, et seq.
- Ann. bot.* Annals of Botany, by C. Konig and J. Sims. 1805. 8vo.
- Ann. mus.* Annales du Museum d' Histoire naturelle, par les Professeurs de cet établissement. 1802. seq. 4to.
- Ap. to B. Field's trav.* Appendix to Baron Field's Travels. 4to.
- Ard. mem.* Memorie di osservazioni, e di sperimente sopra la coltura, e gli usi di varie piante; da P. Arduino. Padova. 1766. 4to.
- Ard. sag. pad.* Arduino (Pietro.) Saggi di Padova.
- Ard. spec.* Arduino (Pietro.) Animadversio num botanicarum Specimen. 4to. Patavii. 1759.
- Asso. arrag.* De Asso (Ignatius.) Synopsis Stirpium indigenarum Arragoniæ. 4to. Marsiliæ. 1779.
- Aub. Thou. obs.* Aubert Du Petit Thouars Plantes des îles de l'Afrique austral. 4to. 1804.
- Aub. gui.* Histoire des plantes de la Guiane Francoise, par M. Fusée Aublet. 1775. 4to.
- Balb. act. taur.* { Miscellanea Botanica. 4to. ex Actis Academie Taurinensis exserta. 1804.
- Balb. h. taur.* Horti Academicici Taurinensis stirpium minus cognitarum aut forte novarum icones et descriptiones. Taurini. 1811.
- Banks. ic. Kæmp.* Banks (Josephus.) icones selectæ Plantarum quas in Japonia collectæ et delineavit E. Kæmpfer. fol. 1791.
- Banks. rel. Hous.* Reliquia Houstonianæ. 4to. 1781.
- Barr. ic.* { Plantæ per Galliam, Hispaniam, et Italiam, observatae, Iconibus Barr. rar. æneis exhibitæ a Jac. Barreliero. 1714. fol.
- Bartr. it.* { Bartram (William.) Travels through North and South Carolina, Georgia, Florida. 8vo. Philadelphia. 1791.
- Bartr. trav.* { Illustrationes floræ nova Hollandiæ. fol. 1813.
- Bauh. hist.* Bauhin (Johannes.) Historia Plantarum universalis. fol. 1651.
- Bauh. prodr.* Caspar Bauhini Προδρόμος Theatri Botanici. Basileæ. 1671. 4to.
- Beau. fl. ov.* Palisot de Beauvois flore des royaumes d'Oware et de Benin. fol. 1805.
- Bell. act. taur.* Bellardi (Ludovico.) Mémoires de l'Academie Royale des Sciences de Turin. 4to. 1782.
- Berg. act. holm.* Bergius (Pehr. Jonas.) Kongl Vetauskaps Academien Handlingar. 8vo. 1739.
- Berg. cap.* Petr. Jon. Bergii descriptiones Plantarum ex Capite bonæ spei. 1769. 8vo.
- Berg. phyt.* Bergeret Phytonomatotechnie universelle. fol.
- Berr. in. As. res.* Berry in Asiatic Researches or Transactions of the Society instituted in Bengal. 4to. 1788.
- Besl. cyst.* Besler (Basilius.) Hortus Eystettensis. fol. 1612.
- Big. med. bot.* Bigelow (Jac.) American Medical Botany. 4to. 1817.
- Biv. Bern. st. rar.* Bivona Bernardi. Stirpium rariorum minusque cognitarum in Sicilia provenientium Descriptiones. 4to. 1813.
- Biv. cent. pl.* Bivona Bernardi (Antonin.) Sicularum Plantarum Centuria prima. Svo. 1806.
- Blackw.* Blackwell (Elizabeth.) A curious Herbal, containing 500 Cuts of the useful Plants. fol. 1737.
- Boc. Mus.* Boccone (Paolo.) Museo di Piante rare della Sicilia, Malta, Corsica, Italia, Piemonte c Germania. 4to. 1697.
- Boc. sic. rar.* Boccone (Paolo.) Icones et Descriptiones rariorum Plantarum Sicilicæ, Melitæ, Galicæ et Italicæ. 4to. 1674.
- Boer. lugd.* Herm. Boerhaave Index alter Plantarum quæ in horto Academæ Lugduno Batavæ aluntur. 4to. 1720.
- Boiss. fl. eur.* De Boissieu (C. V.) Flore d'Europe. 8vo. 1805.

BOOKS QUOTED.

- Bolt. fil.* Bolton (James.) *Filiae Britanniae.* 4to. 1785.
- Bondp. mon.* Bonpland (Aimé.) *Monographie des Melastomes et autres Plantes de cet ordre.* fol. 1809.
- Bondp. nav.* Bonpland (Aimé.) *Description des Plantes rares cultivées à Malmaison et à Navarre.* fol. 1813.
- Bory. it.* { Bory de St. Vincent (J. B. M.)
A Voyage en Espagne à travers les royaumes de Galice, Leon, etc. 8vo.
- Bot. mag.* Curtis's *Botanical Magazine*, continued by James Sims and J. Bellenden Ker. 8vo.
- Bot. reg.* Edwards (Sydenham.) *The Botanical Register.* descr. by Bellenden Ker. 8vo. 1815. et seq.
- Bot. rep.* Andrews (Henry.) *The Botanist's Repository for new and rare Plants.* 4to. 1797.
- Bradl. Suc.* Bradley (Richard.) *Historia Plantarum succulentarum.* 4to. 1716.
- Braun. Salz.* De Braune (Franz. Ant.) *Salzburgische flora.* 8vo. 1791.
- Breyn. cent.* Breynius (Jacobus.) *Exoticarum Plantarum centuria.* fol. 1678.
- Breyn. ic.* Breynii (J.) *Icones rariorum et exoticarum Plantarum.* 4to. 1739.
- Brot. phyt.* Brotero (Felix Avellar.) *Photographia Lusitanæ selector.* fol. 1801.
- Brown. gen. rem.* Brown (Robert.) *General Remarks, Geographical and Systematical, on the Botany of Terra Australis.* 4to. 1814.
- Br. Jam.* { Browne (Patrick.) *The Civil and Natural History of Jamaica.* fol. 1756.
- Bruces. tr.* Bruce (James.) *Travels to discover the source of the Nile.* 4to. 1790.
- Buchoz. ic. col.* Buchoz (Pierre Joseph.) *Collection des fleures qui se cultivent tant dans les Jardins de la chine que dans ceux d'Europe.* fol.
- Bull. herb.* Bulliard. *Herbier de la France.* fol. 1780.
- Burm. afr.* { Burmann (Johannes.) *Rariorum Africanarum Plantarum.* 4to.
- Burm. dec.* } 1738.
- Burm. Ind.* Nic. Laur. *Burmanni Flora India.* 4to. 1768.
- Burm. zeyl.* Burmann (Johannes.) *Thesaurus Zeylanicus.* 4to. 1737.
- Buxb. cent.* Buxbaum (Joh. Christ.) *Plantarum minus cognitarum Centuria quinque.* 4to. 1728.
- Camer. hort.* Camerarius (Alexander.) *Hortus Medicus et Philosophicus.* 4to. 1588.
- Cates. car.* Catesby (Mark.) *The Natural History of Carolina & Florida.* fol. 1741.
- Cav. diss.* Cavanilles (Ant. Jos.) *Monadelphiæ classis Dissertationes decem.* 4to. 1785.
- Cav. ic.* Cavanilles (Ant. Jos.) *Icones et Descriptiones Plantarum que aut sponte in Hispania crescent aut in hortis hospitantur.* fol. 1791.
- Chabr. sci.* Chabrey (Dominicus.) *Omnium Stirpium Sciagraphia.* fol. 1677.
- Chois. p. hyp.* { Choisy (J. D.) *Prodromus d'une monographie de la famille des Hypericacees.* 4to. 1821.
- Clus. hist.* Clusius seu l'Ecluse (Charles de.) *Rariorum Plantarum Historia.* fol. 1601.
- Col. ephr.* Columna (Fabius.) *Minus cognitarum stirpium Ecphrasis.* 4to. 1616.
- Col. phyt.* Columna (Fabius.) *Phytobasanos.* 4to. 1592.
- Col. h. rip.* Colla Hortus Ripulensis. 4to.
- Com. hort.* Commelyn (Casp.) *Horti Medicis Amstelodamensis rariorum Plantarum descriptio et icones.* fol. 1703.
- Comm. petrop.* Commelyn (Casp.) *Commentarii Academiae Scientiarum imperialis Petropolitanae.* 4to. 1728.
- Comm. prael.* Commelyn (Casp.) *Praeludia Botanica ad publicas Plantarum demonstrationes.* 4to. 1703.
- Comm. rar.* Commelyn (Casp.) *Horti Medicis Amstelodamensis Plantæ rariores et exoticæ.* 4to. 1706.
- Cook. et.* Cook (J.) *Voyages, 2 vols.* 4to. 1777.
- Corn. can.* Cornuti (Jacob.) *Canadensium Plantarum aliarumque nondum editarum historia.* 4to. 1635.
- Crantz. Aust.* Crantz (Henr. Joh. Nepom.) *Stirpium austriacarum.* 8vo. 1762.
- Cup. pan.* Cupani (Franciscus.) *Catalogus plantarum Sicularum noviter detectarum. Panormi,* 1652.
- Curt. lond.* Curtis (William.) *A catalogue of the plants growing wild in the environs of London.* fol. 1774. et seq.
- Cyril. ic. fusc.* { Cyrillici (Dom.) *Plantarum rariorum regni Neapolitani fasciculus.* 1778. fol.
- Dalech. lug.* Dalechamps (Jacques.) *Historia generalis plantarum.* fol. 1586.
- Dard. trait. ren.* D'ardeyne (Jean Paul Rome.) *Traité des Renoncules.* 8vo. 1746.
- DC. an. mus.* De Candolle (Augustin Pyramus.) *Annales du Museum d'histoire naturelle.* 4to. 1802.
- DC. astr.* De Candolle (Augustin Pyramus.) *Astragalologia.* 4to, et fol. 1802.
- DC. h. mons.* De Candolle (Augustin Pyramus.) *Catalogus plantarum horti botanicæ Monspeliensis addito observationum circa species novas aut non satis cognitas fasciculo.* 8vo. 1813.
- DC. ic. gall. rar.* De Candolle (Augustin Pyramus.) *Icones plantarum Galliæ rariorum.* 4to. 1808.
- DC. leg. mem.* De Candolle (Augustin Pyramus.) *Mémoires sur la famille des Leguminosæ.* 4to. 1826.
- DC. mem. mus.* De Candolle (Augustin Pyramus.) *Mémoires du Museum d'histoire naturelle.* 4to. 1815.
- DC. plant. grass.* De Candolle (Augustin Pyramus.) *Plantarum historia succulentarum. Fasc. 28.* 1799.
- Debr. flor. nov.* De Bry (Joannes Theodor.) *Florilegium novum.* fol. 1612.

BOOKS QUOTED.

- Delil. aegyp.* { Delile (Aline Rafencau.) Mémoires botaniques extraits de la Description de l'Egypte. fol. 1813.
- De la Roch. dis.* De La Roche (Daniel.) Specimens botanicum inaugurae sistens descriptiones plantarum aliquot novarum. 4to. 1766.
- Deless. ic. sel.* Delessert (Benj.) Icones selectae plantarum in system, univers. descriptarum. 4to. 1820.
- Descrip. de Egyp.* Description de l'Egypte ou Recueil des observations et des recherches faites pendant l'expédition de l'armée Francaise. 4to. et fol. 1810.
- Desf. act. par.* Desfontaines (Rene Loniche.) Mémoires de l'Académie Royale des Sciences. 4to. 1666.
- Desf. atl.* Desfontaines (Rene Louiche.) Flora atlantica. 4to. 1798.
- Desv. j. bot.* Desvaux. Journal de Botanique. 8vo. 1808.
- D. et H.* Drevet et Hayne. Choix de Plantes de l'Europe. fasc. 4. 1802.
- Dill. elt.* Dilleni (Joh. Jac.) Hortus elthamensis. fol. 1732.
- Dill. musc.* Dilleni (Joh. Jac.) Historia muscorum. 4to. 1741.
- Dodart mem.* Dodart (Denys.) Mémoires pour servir à l'Histoire des Plantes. fol. 1676.
- Dod. pemp.* Dodart (Denys.) Stirpium historiae pemptades. fol. 1588.
- Du Fresn. Val.* Dufresne (Pierre.) Histoire naturelle et medicale de la famille des Valerianees. 4to. 1811.
- Duh. arb.* Duhamel du Monceau (Henry Louis.) Traite des arbres et arbustes qui cultivent en France en pleine terre. 4to. 1755.
- Duham. ed. nov.* Duhamel du Monceau (Henry Louis.) Traite des arbres et arbustes qui se cultivent en pleine terre en France. fol. 1801.
- Dun. mon.* Dunal (Michel Felix.) Monographie de la Famille des Anonacees. 4to. 1817.
- Dunal. solan.* Dunal (Michel Felix.) Histoire naturelle medicale et économique des Solanum et des genres qui ont été confondus avec eux. 4to. 1813.
- Ehret pict.* Ehret (Georg. Dion.) Planta et Papilio rariores. fol. 1748.
- Eng. bot.* English Botany. By J. E. Smith; the Figures by J. Sowerby. 8vo.
- Exot. bot.* Exotic Botany. By J. E. Smith; the Figures by J. Sowerby. 8vo.
- Ferr. hesp.* Ferrari (Joh. Bapt.) Hesperides, sive de malorum aureorum cultura et usn. fol. 1646.
- Feuil. obs.* Feuillée (Louis.) Journal des observations Physiques, Mathématiques et Botaniques faites dans l'Amérique méridionale. 4to. 1814.
- Fl. dan.* Icones plantarum sponte nascentium in regnis Daniæ et Norvegiæ, etc. fol. 1761.
- Fl. lap.* Linnaeus s. von Linne (Carolus.) Flora Lapponica. 8vo. 1737.
- Flor. græ.* Flora Græca J. E. Smith. fol. 1552.
- Fl. per.* Ruiz (Hippol.) et Pavon (Jos.) Flora Peruviana et Chilensis. 8vo. 1798.
- Flugg. an. mus.* Flugge (Johan.) Annales du Museum d'Histoire naturelle. 4to.
- Fraser mon.* Fraser (John.) A short history of the Agrostis cornucopiae. fol. 1784.
- Forsk. egypt.* { Forskaal (Petrus.) Flora Ægyptiaco arabica. 4to. 1775.
- Forsk. dis.* { gyptiaco arabica. 4to. 1775.
- Forst. gen.* Forster (George.) Characteres generum Plantarum quas in itinere ad insulas maris australis, etc. 4to. 1776.
- Fourc. j. bot.* Fourcroy (Ant. Franc.) La Médecine éclairée par les Sciences physiques, ou Journal des Deconvertes, etc. 8vo. 1791.
- Froel. gent.* Froelich (Jos. Aloys.) De Gentiana libellus. 8vo. 1796.
- Fuchs. hist.* Fuchs (Leonhard.) De historia Stirpium commentarii insignes. fol. 1542.
- Gaert. carp.* Gaertner (Car. Frid.) Supplementum Carpologiae. 4to. 1805.
- Gaert. fr.* { Gaertner (Josephus.) De fructibus et seminibus plantarum. 4to. 1788.
- Gaert. sem.* { Garidel (Pierre Joseph.) Histoire des Plantes qui naissent en Province et principalement aux Environs d'Aix. fol. 1715.
- Gerard. gal.* { Gerard (John.) Flora Gallo-provincialis. 8vo. 1761.
- Ger. prov.* { Gerard (John.) The Herbal, enlarged by Th. Johnson. fol. 1633.
- Ger. herb.* Gerard (John.) The Herbal, or general history of Plants. fol. 1797.
- Giorn. pis.* Giornale Pisano. 8vo. 1801.
- Giseck. ic.* Giseke (Paul Dieter.) et Schulze (J. Dom.) Icones plantarum. 1777.
- Gmel. fl. bad.* Gmelin (Carol. Christ.) Flora Badensis-Alsatica. 8vo. 1808.
- Gmel. sib.* Gmelin (Joh. Georg.) Flora sibirica. 4to. 1747.
- Gou. fl. mons.* Gouan (Anton.) Flora Mons-peliaca. 8vo. 1765.
- Gouan. ill.* Gouan (Anton.) Illustrationes botanicae. fol. 1773.
- Hacq. pl. alp. car.* Hacquet (Balth.) Plantæ alpinæ Carniolicæ. 4to. 1782.
- Hall. all.* Haller (Albert.) Allii genus naturale constitutum. 4to. 1745.
- Hall. helv.* { Haller (Albert.) Historia Stirpium indigenarum Helvetiæ. fol. 1768.
- Hall. hist.* { Willdenow (Carl. Ludv.) Terminii botanici iconibus illustrati. 4to. 1799.
- Hayne in ust. an.* Hayne (Fried. Gottl.) in Usteri Annalen der Botanik. 8vo. 1791.
- H. et B. n. gen.* Humboldt, Bonpland et Kunth Nova Plantarum genera et species, etc. 4to. 1815.
- H. et B. pl. aeg.* Von Humboldt (Alexand. Fr. Henr.) et Bonpland (Amie) Plantæ equinoiales. fol. 1808.
- Herbert. append.* Herbert (William.) A Botanical arrangement of bulbous roots. 8vo. 1821.
- Herm. lugd.* Hermann (Paulus.) Flora Lugduno-Batavae flores. 8vo. 1690.

BOOKS QUOTED.

- Herm. parad.* Hermann (Paulus.) *Paradisi Batavi prodromus.* 12mo. 1689.
- Hills. veg. syst.* Hill (John.) *Outlines of a system of vegetable generation.* 8vo. 1758.
- Hoff. c. gott.* Hoffmann (Georg. Franz.) *Programma Hortus Goettingensis.* fol. 1793.
- Hoff. deut. fl.* Hoffmann (Georg. Franz.) *Deutschlands flora, ou Flore de l'Allemagne.* 12mo. 1791.
- Hoff. phyt.* Hoffmann (Georg. Franz.) *Phytopgraphische Blätter.* 8vo.
- Hoff. salic.* Hoffmann (Georg. Franz.) *Historia salicium iconibus illustrata.* fol. 1785.
- Hoff. umb.* Hoffmann (Georg. Franz.) *Plantarum umbelliferarum genera.* 8vo. 1816.
- Hoff. et. Lk. fl. lus.* (Hoffmansegg et Link.) *Flore portugaise.* fol. 1806
- Hook. ex. flor.* Hooker (W. J.) *Exotic flora.* 8vo.
- Hop. in. sturm. fl. fas.* Hoppe in *Sturm Deutschland flora.* 4to. 1798.
- Horn. fl. dan.* Hornemann (J. W.) *Icones Plantarum sponte nascentium in regnis Daniae et Norvegiae, etc.* fol. 1761.
- Hort. Kew.* Aiton (William.) *Hortus Kewensis, editio prima.* 8vo. 1789.
- Hort. trans.* Transactions of the Horticultural Society of London. 4to.
- Host. gram.* Host (Nicol. Thomas.) *Icones et descriptiones Graminum austriacorum.* fol. 1801.
- Hout. pflanz.* Houttuyn (Mart.) *Des ritters von Linne Pflanzen system nach der anleitung des Houttuynschen werks.* 8vo. 1777.
- Hout. syst.* Houttuyn (Mart.) *Des ritters von Linne Pflanzen system nach der anleitung des Houttuynschen werks.* 14 vol. 8vo. 1777—1788.
- Icon. Kämpf.* (Kämpfer (Engelbert.) *Icones selectæ plantarum.* fol. 1791.
- Icon. Hort. Kew.* Delineations of exotic Plants cultivated in the Royal Garden at Kew. Published by W. T. Aiton.
- Isn. act. par.* Isnard. *Histoire de l'Academie Royale des Sciences, avec les Mémoires de Mathematique et de Physique.*
- Jacq. amer.* Jacquin (Nicol. Jos.) *selectarum Stirpium Americanarum Historia.* fol. 1763.
- Jacq. am. pict.* Jacquin (N.J.) *Stirpium Americanarum Historia.*
- Jacq. aust.* Von Jacquin (Nicol. Jos.) *Floræ Austriacæ Icones.* fol. 1773.
- Jacq. coll.* Von Jacquin (Nicol. Jos.) *Collectanea ad Botanicam, etc. Spectantia.* 4to. 1786.
- Jacq. f. ecl.* Von Jacquin (Jos. Franc.) *Elogiae Botanicae.* fol. 1811.
- Jacq. frug.* Von Jacquin (Nicol. Jos.) *Fragmenta Botanica.* fol. 1809.
- Jacq. h. viud.* Von Jacquin (Nicol. Jos.) *Hortus Botanicus vindobonensis.* fol. 1770.
- Jacq. ic.* Von Jacquin (Nicol. Jos.) *Icones Plantarum rariorum.* fol. 1781.
- Jacq. misc.* Von Jacquin (Nicol. Jos.) *Miscellanea Austriaca ad Botanicam, etc. Spectantia.* 4to. 1778.
- Jacq. obs.* Von Jacquin (Nicol. Jos.) *Observationes botanicae.* fol. 1764.
- Jacq. ox.* Von Jacquin (Nicol. Jos.) *Oxalis monographia iconibus illustrata.* 4to. 1792.
- Jacq. schoenb.* Von Jacquin (Nicol. Jos.) *Plantarum rariorum horti cesari Schœnbrunnensis.* fol. 1791.
- Jacq. stap.* Von Jacquin (Nicol. Jos.) *Stapeliae cultæ.* fol. 1806.
- J. mem. ac. sci. par.* Jussieu, Mémoires de la Société d'Histoire Naturelle de Paris. 4to. 1799.
- Journ. sc.* Ker (J. B.) *Journal of Science and the Arts.* 8vo.
- Jung. ic. rar.* Junghans (Phil. Casp.) *Icones Plantarum ad vitam impressæ.* fol. 1787.
- Juss. an.* Jussieu, Annales du Museum d'Histoire Naturelle. 4to. 1802.
- Kämp. am.* Kämpfer (Engelbert.) *Amænitates exoticæ.* 4to. 1712.
- Kalm. it.* Kalm (Pehr.) *Resatil norra America.* 8vo. 1753.
- Ker's review.* Ker's (J. B.) *Review of the Genera Amaryllis, Crinum, and Pancratium, in the Journal of Science and the Arts.* 8vo.
- Ker's strelitza.* Ker (H. B.) *Coloured Figures of the Genus Streitzia.* fol.
- Knight's prot.* Knight (Joseph.) *Horticultural Essays on the natural order of Proteæ.* 4to. 1809.
- Knorr. del.* Knorr (Georg. Wolfgang.) *Deliciae naturæ selectæ oder auserlesene.* fol. 1766.
- Knorr. thes.* Knorr (Georg. Wolfgang.) *Thesaurus rei herbariae hortensisque universalis.* fol. 1770.
- Kon. an. bot.* Annals of Botany, by C. König and J. Sims. 2 vol. 8vo. I. 1805. II. 1806.
- Krock. siles.* Krock (Ant. Joh.) *Flora Silesiaca renovata.* 2 vol. 8vo.
- Kth. mim.* Kunth (Car. Sig.) *Mimosæ et autres plantes leguminosæ du nouveau continent.* fol. 1819.
- Lab. nov. hol.* Labillardiere (Jac. Jul.) *Novae Hollandiae plantarum specimen.* fol. 1804.
- Lab. ic. pl. Syr.* (Labillardiere (Jac. Jul.) *Icones plantarum Syriæ*
- Labil. Syr.* (Labillardiere (Jac. Jul.) *Rariorum.* 4to. 1791.
- Lab. voy.* Labillardiere (Jac. Jul.) *Relation du Voyage a la recherche de La Peyrouse.* 4to. 1798.
- Lamb. cinch.* Lambert (Aylm. Bourk.) *Description of the Cinchona.* 4to. 1797.
- Lamb. pin.* Lambert (Aylm. Bourk.) *A Description of the genus Pinus.* fol. 1803.
- Lam. ill.* Monet De La Mark (Jean Bapt.) *Illustration des Genres.* 1791.
- Lap. pyr. ic. ined.* Picot De La Peyrouse (Philippe.) *Figures de la Flore des Pyrenees.* fol. 1795.
- Laroch. eryng.* De La Roche (Francois.) *Eryngiorum nec noui generis novi alepideæ historia.* fol. 1808.
- Leers. fl. herb.* Leers (Joh. Dan.) *Flora Herbornensis.* 8vo. 1789.
- Lehm. nicot.* Lehman (Joh. Georg. Chr.) *Generis Nicotianarum historia.* 4to. 1818.

BOOKS QUOTED.

- L. Herit. ger.** L'Heritier (Charles Louis.) *Geraniologia sive Erodii, etc. historia.* fol. 1787.
- L. Her. sert. ang.** L'Heritier (Charles Louis.) *Sertum anglicum seu Plantæ rariores,* etc. fol. 1788.
- L. Her. stirp.** L'Heritier (Charles Louis.) *Stirpes novæ aut minus cognitæ.* fol. 1784.
- Lind. als.** Von Lindern (Fr. Balth.) *Hortus Alsaticus Plantas in Alsatia, nobili designans.* 12mo. 1747.
- Lindl. coll.** Lindley (John.) *Collectanea Botanica.* fol.
- Lind. digit.** Lindley (John.) *Digitalium Monographia.* fol.
- Lindl. ros.** Lindley (John.) *Rosarum Monographia, or a Botanical History of Roses.* 8vo. 1820.
- Lin. amœn. ac.** Linnaeus s. Von Linne (Carolus.) *Amenitates academicæ seu diss. antehæ seorsim editæ.* 8vo. 1749.
- Lin. fl. lap.** Linnaeus (Carolus.) *Flora Lapponica.* 1 vol. 8vo. 1737.
- Linn. hort. clif.** Linnaeus (Carolus.) *Hortus Cliffortianus.* 1 vol. fol. 1737.
- Lin. f. dec.** Linnaeus Filius (Carolus.) *Plantarum rariorum horti Upsaliensis decas 1.* 1762. fol. 1763.
- Linn. fil. fasc.** Linnaeus Filius (Carolus.) *Plantarum rariorum horti Upsaliensis, fasc. 1.* fol. 1767.
- Linn. sup.** Linnaeus Filius (Carolus.) *Supplementum Plantarum.* 1 vol. 8vo. 1781.
- Linn. trans.** Transactions of the Linnean Society of London. vol. 1. to 14. 4to.
- Link et Ott. h. ber.** Link et Otto. *Hortus Berolinensis.* fol.
- Lobel. adv.** De Lobel seu Lobelius (Mathias.) *Adversariorum altera pars.* 1 vol. fol. 1605.
- Lob. ic.** Lobelius (Mathias.) *Stirpium Icones.* 1 vol. 4to. 1591.
- Lodd. bot. cab.** Botanical Cabinet, by Messrs. Loddiges'. 4to.
- Loef. it. rar.** Loefling (Petr.) *Iter Hispanicum, eller Resa til spanska, etc.* 1 vol. 8vo. 1758.
- Loes. prus.** Loeselius (Joh.) *Flora Prussica.* 1 vol. 4to. 1703.
- Loisel. gal.** Loiseleur-Deslonchamps (J.L.A.) *Flora Gallica.* 2 vol. 12mo. I. 1806, II. 1807.
- Magn. b. mons.** Magnol (Petrus.) *Botanicum Monspeliense.* 1 vol. 12mo. 1686.
- Mareg. bras.** Maregravius (Georg.) *Historia rerum naturalium Brasiliæ.* 1 vol. fol.
- Mart. cent.** Martyn (John.) *Historia Plantarum rariorum centuriæ 1 de-*
- Mart. dec.** *cas 1-5.* fol. 1728.
- Mart. fl. rust.** Martyn (Thomas.) *Flora rustica.* 4 vol. 8vo. 1792-4.
- Mart. n. pl. bras.** Martius (C. F. P.) *Nova Genera et Species Plantarum quas in itinere, per Brasiliam. ann. 1817-1820.* 4to.
- Mass. Stap.** Masson (Francis.) *Stapeliae novæ fasc.* fol. 1796.
- Math. com.** Mathiolus (P. Andr.) *Commentarii in libros Dioscoridis de Medicina Materia.*
- Meerb. ic.** Meerburg (Nicol.) *Plantarum selectarum Icones pictæ.* fol. 1798.
- Mentz. pug.** Mentzel (Christ.) *Pugillus Plantarum rariorum.* fol. 1682.
- Merian. surin.** Merian (Maria Sibylla.) *De metamorphosibus insectorum Surinamensium.* 1 vol. fol. 1726.
- Mich. amer.** Michaux (André.) *Flora Boreali Americana.* 2 vol. 8vo. 1803.
- Mich. arb.** Michaux fils (André Franc.) *Histoire des arbres forestiers de l'Amérique septentrionale.* 3 vol. 4to. 1810-1813.
- Mich. querc.** Michaux (André) *Histoire des chênes de l'Amérique septentrionale.* 1 vol. fol. 1801.
- Mich. gen.** Michelii (Petr. Anto.) *Nova Plantarum genera.* 1 vol. fol. 1729.
- Mill. ic.** Figures of Plants described in the Gardener's Dictionary, by Philip Miller. 2 vol. fol. 1760.
- J. Mill. ic.** Seven coloured Plates of Plants, by John Miller.
- J. F. Mill. ic.** Sixty coloured Plates of Plants and Animals, by Joh. Fred. Miller. fol.
- Miss Laur. ros.** A Collection of Roses from Nature, by Miss Lawrence (now Mrs. Kearse). M. L. R. 90 plates.
- Moret. fl. vicent.** Moretti (Gius.) *Notizia supra diverse piante da aggiungarsi alla flora Vicentina.* 4to. 1813.
- Moris. hist.** Morison (Robert J.) *Plantarum Moris. s.* historia universalis Oxoniensis. *Moris. ox.* sis. 2 vol. fol. 1680.
- Moris. umb.** Morison (Robert). *Plantarum umbelliferarum distributio nova.* 1 vol. fol. 1672.
- Munt. phyt. cur.** Munting (Abrah.) *Photographia curiosa.* 1 vol. fol. 1702, 1713, 1727.
- Murr. com.** Murray (Joh. Andr.) Commentarii Societatis regie Mur. c. got. Scientiarum Goettingensis. 4to.
- Nectoux voy.** Nectoux (H.) *Voyage dans la haute Egypte, avec des observations sur les diverses espèces de sené.* fol. 1808.
- N. et Mart. ac. b.** Nees et Martius, in Mémoires de l'Académie royale des Sciences de Berlin. 4to. ab ann. 1770 ad 1816.
- Nees. hor. ber.** Nees von Esenbeck (G.G.) *Horæ physicæ Berolinensis collectæ ex symbolis virorum doctorum Link, Rudolphi, etc.* 1 vol. fol. 1820.
- Niss. act. par.** Nissolæ in Histoire de l'Académie Royale des Sciences, avec les Mémoires de Mathématique et de Physique. 4to.
- Nov. act. pet.** Nova Acta Academæ Scientiarum Imperialis Petropolitanæ.
- Nov. com. pet.** Novi Commentarii Academæ Scientiarum Imperialis Petropolitanæ.
- Oed. fl. dan.** Von Oeder (Georg. Christ.) *Icones plantarum sponte nascentium in regionis Daniæ et Norvegiae, etc.* fol.
- Ort. dec.** De Ortega (Cas Gomez.) *Novarum aut rariorum Plantarum Horti Reg. Botanici. Matri. Descriptionum Decades.* 4to.

BOOKS QUOTED.

- Osb. it.** Osbeck (Pehr.) *Dagbok æf' er en ostendyck resa.* 1 vol. 8vo.
- Palisot d'owar.** { Palisot de Beauvois. *Flore des royaumes d'Oware et de Benin.* fol. 1805 et seq.
- Pall. act. pet.** Pallas (Peter Simon.) *In Acta Academiae scientiarum imperialis Petropolitanae.* 4to.
- Pall. it. ed. germ.** Pallas (P.S.) *Reise durch verschiedene Provinzen des Russischen Reichs.* 3 vol. 4to. 1771—1776.
- Pall. it. ed. gal.** Voyages dans l'Empire Russe. 8 vol. 8vo.
- Pall. ross.** Pallas (P.S.) *Flora Rossica.* fol. 2 vol. 1784, 1788.
- Par. lond.** { Salisbury (Rich. Anth.) *Parasal. par. lond.* *disus Londinensis.* 2 vol. 4to.
- Par. par.** Parkinson (John.) *Paradisi in sole paradisus terrestris, or a garden of flowers.* 1 vol. fol. 1629.
- Park. theat.** Parkinson (John.) *Theatrum botanicum.* 1 vol. fol. 1640.
- Patters. iter.** A Narrative of four journeys into the country of the Hottentots and Cafraaria. By Will. Patterson. 4to. 1789.
- Pet. eng. herb.** { Petiver (James.) *Herbarii Pet. h. brit.* *Britannici Catalogus.* fol.
- Pet. gaz.** Petiver (James.) *Gazophylacium naturæ et artis.* fol. 1702, 1704.
- Pio viol.** Pio (Joh. Bapt.) *De Violâ specimen.* 4to. 1813.
- Pis. bras.** Piso (Guil.) *Historia naturalis Brasiliæ.* 1 vol. fol. 1648.
- Piso. lib.** Pisonis (Guil.) *De Indiae utriusque re naturali et medica libri 14.* fol. 1658.
- Plenck. ic.** Plenck (Jos. Jac.) *Icones plantarum medicinalium.* fasc. fol. 1803 et seq.
- Pl. rar. hung.** { Waldstein (Franc.) et Kitaihel (Paul.) *Descriptions et Icones plantarum rariorū Hungariae.* 3 vol. fol.
- Pluk. alm.** Plukenett (Leonard.) *Almagestum botanicum sive phyt. onomasticon.* 1 vol. 4to. 1796.
- Pluk. am.** Plukenett (L.) *Amaltheum botanicum.* 1 vol. 4to. 1705.
- Pluk. mant.** Plukenett (L.) *Almagesti botani Mantissa.* 1 vol. 4to. 1700.
- Pluk. phyt.** Plukenett (L.) *Phytographia sive Stirpium illustriorum, etc.* 4 vol. 4to. 1691.
- Plum. amer.** Plumier (Charles.) *Description des plantes de l'Amérique.* 1 vol. fol. 1693 et 1713.
- Plum. ed. B.** { *Plante Americanæ à C. Plumier detectæ et à J. Burmanno editæ.* 5 fasc. fol. 1755
- Plum. fil.** Plumier (C.) *Traité des fougères de l'Amérique.* 1 vol. fol. 1705.
- Plum. gen.** Plumier (C.) *Nova plantarum Americanarum genera.* 1 vol. 4to. 1703.
- Plum. ie.** Plumier (C.) *Plantarum Americanarum fasc. 10, continentis plantes quas olim C. Plumieri detexit et depinxit, Edidit Jo. Burmannus.*
- Pollich Palat.** Pollich (Joh. Adam.) *Historia plantarum in Palatinatum sponte nascentium.* 3 vol. 8vo. 1776.
- Poit. et T. fl.** Poiteau et Turpin. *Flore Parisienne.* 6 livr. fol. 1808.
- Pursh amer.** Flora Americae Septentrionalis; or a systematic arrangement and description of the plants of North America. By Frederick Pursh. 2 vol. 8vo.
- Quer. hisp.** Querry Martiner (Joseph.) *Flora Espanola.* 4 vol. 4to. 1762—1764.
- Raii syn.** { Ray (Joh.) *Synopsis Stirpium Brit-Ray. syn.* *tannicarum.* 1 vol. 8vo.
- Rauw. it.** Rauwolf (Leoni.) Etlicher Schoener Ausslandischer Kreuter, deren in Seiner Rayss, in die Morgenlander Gethon, Gedacht wirt, lebendige Contrafactor.
- Red. lil.** { Redoute (P.J.) *Les Liliacées.* Redoute *lil.* 8 vol. fol. 1802—1816.
- Redout. ros.** Redoute (P.J.) *Les Roses.* 4to. et fol. 1817, et seq.
- Reliq. Houst.** Reliquiae Houstounianæ, in Bibliotheca Jos. Banks asservatis. 4to. 1781.
- Renealm. spec.** Pauli Renealmi Specimen Historiæ Plantarum. 1 vol. 4to. 1611.
- Retz. obs.** Retzius (And. Joh.) *Observationes Botanicae.* 6 fasc. fol. 1774—1791.
- Rheed. mal.** { Van Rheede (Henricus.) Hortus Indicus Malabaricus. 12 vol. fol.
- Rhe. hort. mal.** { vol. fol.
- Ricin. monop.** Rivinus (Aug. Quirinus.) *Ordo Plantarum flore irregulari monopetalio.* 1 vol. fol. 1690.
- Riv. tetr.** Rivinus (A.Q.) *Ordo Plantarum flore irregulari tetrapetalio.* 1 vol. fol. 1691.
- Riv. pent.** Rivinus (A.Q.) *Ordo Plantarum flore irregulari pentapetalio.* 1 vol. fol. 1699.
- Rob. ic.** Three hundred and nineteen plates of plants; engraved by Nic. Robert. A. Bosse, and Lud. de Chatillon. fol.
- Ram. arch.** Römer (Joh. Jac.) *Archiv für die Botanik.* 3 vol. 4to. 1796, 1799, 1805.
- Ram. script.** Römer (J. J.) *Scriptores de Plantis Hispanicis, Lusitanicis, et Brasilensibus.* 1 vol. 8vo. 1796.
- Rosc. scitam.** Roscoe's Figures of the order of Scitamineæ. fol.
- Roth. abh.** Roth (Alb. Wilh.) *Botanische abhandlungen und beobachtungen.* 4to. 1787.
- Rottb. gram.** { Descriptiones et Icones Plantarum rariorū, etc.
- Rottb. desc. rar.** { 1 vol. fol. 1773.
- Roxb. corom.** Roxburgh (William.) *Plants of the coast of Coromandel, published under the direction of Sir Joseph Banks.* fol.
- Rudg. gui.** Rudge (Edward.) *Plantarum Guianeæ rariorū Icones et desc.* fol. 1805.
- Ruiz et P. prod.** Ruiz (Hippol.) et Pavon (Jos.) *Floræ Peruvianeæ et Chilensis prodromus.* fol.
- Rumph. amb.** Rumphius (Georg. Everh.) *Herbarium Amboinense.* 6 vol. fol. 1750—1755.
- Russ. alep.** Russell (Alex.) *Natural History of Aleppo.* 1 vol. 4to. 1756. ed. 2. 1794.
- Sabb. hort.** { Sabbati (Liberatus.) *Hortus Romanus.* fol. vol. 3. 8vo. Sabb. h. rom. { 1772, 1774, 1805.
- Sal. stirp. rar.** Salisbury (R.A.) *Icones stirpium rariorū.* 1 fasc. fol. 1791.

BOOKS QUOTED.

- San.viag.* Santi (Georg.) Viaggi al mont Amiata. 1 vol. 8vo. 1795. II. 1798. III. 1806.
- Savi.fl.pis.* Savi (Gaetano.) Flora Pisana. 2 vol. 8vo. 1798.
- Scheuch.gram.* Scheuchzer (Johan.) Agrostographia, sive Graminum, Juncorum, Cyperorum, iisque affinium historia.
- Scheuch.it.* Scheuchzer (Joh. Jac.) Itineraria Alpina. 4to. ed. 1. 1702—1708. Ed. 2; 1 vol. 4to. 1723.
- Schk.cari.* Schkuhr (Christ.) Histoire des Carex ou Laiches. 1 vol. 8vo. 1802.
- Schkuhr.filic.* Schkuhr (Christ.) Abbildungen der Farrnkräuter. 4to.
- Schk.hand.* Schkuhr (C.) Botanisches handbuch. 3 vol. 8vo.
- Schm.arb.* { Schmidt (Franz.) Österreichs allgemeine Baumzucht 2
- Schmid.arb.* { Band. fol. 1792—1794.
- Schm.ic.* Schmiedel (Cas. Christ.) Icones Plantarum. 1 vol. fol. 1762.
- Schousb.muroc.* Schousboe (P.K.A.) Jagttageler over voertriget i Marocco. 1 vol. 4to. 1800.
- Schrad.d.hal.* Schrader (Henr. Adolph.) De Halophytis Pallasi. 4to. 1810.
- Schrad.gen.nov.* Schrader (H.A.) Nova Plantarum genera. 1 fasc. fol. 1797.
- Schrad. germ.* Schrader (H.A.) Flora Germanica. 8vo. 1806.
- Schr.s.han.* Schrader (H.A.) Sertum Hannoveranum. 4 fasc. fol. 1795, 1796.
- Schrad.verb.* Schrader (H.A.) Monographia generis verbasci. 4to. 1813.
- Schrad.ver.* Schrader (H.A.) Commentatio de Veronicis spicatis. 8vo. 1803.
- Schrank h.mon.* { Schrank (Fr. von Paula.) Plante rariores horti Monacensis. 1817, 1818, 1819.
- Schrank pl.rar.* { Plante rariores horti Monacensis. 1817, 1818, 1819.
- Schreb.a.ups.* Von Schreber (Joh. Christ. Dan.) Acta litteraria et scientiarum Upsaliæ aut ab academia Upsaliensi publicata. 2 vol. 1720, 1816.
- Sch.gram.* Schreber (J.C.D.) Beschreibung der Græser. fol. 1769—1779.
- Scop.carn.* Scopoli (Joh. Ant.) Flora Carniolica. 8vo. 1760. ed. 2. 2 vol. 8vo. 1772.
- Scop.del.* { Scopoli (J.A.) Deliciae floræ Insulae Scop. ins. { bricæ. 3 vol. fol. 1786, 1788.
- Seb.mus.* { Seba (Alb.) Locupletissimi Rerum naturalium Thesauri Descrip-
Seb.thes. { tio. 4 vol. fol. 1734—1765.
- Second.d.chen.* De Secondat (M.) Mémoires sur l'Histoire naturelle du Chêne. 1785. fol.
- Segu.ver.* Segnier (Joh. Franc.) Plantæ Véronenses. 3 vol. 8vo. 1745.
- Ser.m.helv.* Seringe (N.C.) Musée Helvétique d'histoire naturelle. 4to. 1818, 1820.
- Shaw.afric.* { Shaw (Thomas.) Travels in Barbary and the Levant.
- Shaw.barb.* { 1 vol. fol. 1738.—Supplement. 1746.
- Sinc.gr.wob.* Sinclair (George.) Hortus grammicus Woburnensis. 1 vol. 8vo. 1825.
- Slo.hist.* { Sloane (Hans.) A Voyage to the Islands Madeira, Barbadoes, Nieves, St. Christopher's, and Jamaica; with the Natural History of the last of those Islands. 2 vol. fol. 1707.
- Sm.exot.bot.* Smith (J. Edward.) Exotic Botany. 8vo. 1804—1808.
- Sm.ic.* ined. Smith (J. E.) Plantarum Icones haec tantum ineditæ. fasc. 1—3. 1789, 1791. fol.
- Smith ic.pict.* Smith (J. E.) Icones pictæ Plantarum rariorū. 3 fasc. fol. 1790—1793.
- Sm.nov.hol.* Smith (J. E.) A specimen of the Botany of New Holland. 1 vol. 4to. 1793.
- Smith spic.* Smith (J. E.) Spicilegium Botanicum. 2 fasc. fol. 1791, 1792.
- Smith.tracts.* Smith (J. E.) Tracts relating to Natural History. 1 vol. 8vo. 1798.
- Sole's mints.* Sole (William.) Menthae Britannicae; being a new botanical arrangement of all the British Mints hitherto discovered. 1 vol. fol. 1798.
- Sonner.it.* Sonnerat (P.) Voyage aux Indes orientales et à la Chine. 2 vol. 4to.
- Sonner.n.guin.* Voyage à la nouvelle Guinée. 1 vol. 4to. 1776.
- Sparm.a.st.* Sparman (Andr.) Kongl. VetenskapsAcademiens Handlingar. Stockholm. 1739. seq. 8vo.
- Spr.anl.* Sprengel (Kurt.) Anleitung zur Kentmiss der Gewachse. 2 theil. 8vo. 1817, 1818.
- Spreng.crypt.* Sprengel (K.) Introduction to the study of Cryptogamous Plants, translated from the German. 8vo. 1813.
- Spr.fl.hall.* Sprengel (K.) Floræ halensis Tentamen novum. 1 vol. 8vo. 1806.
- Spreng.umb.* Sprengel (K.) Species umbelliferarum minus cognitarum illustratae. 1 vol. 4to. 1818.
- Sternb.saxif.* Sternberg (Graf. Casp.) Revisio Saxifragarum Icouibus illustrata. 1 vol. fol. 1810.
- Stær.lib.de.stram.* Stærck (Ant.) Libellus de Stramonio, Hyosiamo. Aconito. 8vo. 1763.
- Sturm.deut.* Sturm (Jacob.) Deutschland flora. 4to.
- Swartz.ic.* Swartz (Olof.) Icones Plantarum Indias occidentalis. 1 fasc. fol. 1794.
- Swart.obs.* Swartz (O.) Observationes botanicae. 1 vol. 8vo. 1791.
- Sw.syn.fil.* Swartz (O.) Synopsis filicum earum genera et species compl. 1 vol. 8vo. 1806.
- Swt.br.fl.gar.* Sweet (Robert.) The British Flower Garden, published in monthly numbers, containing full and accurate coloured figures and descriptions, with the best mode of cultivation, of the most choice and curious plants, that may be cultivated in the open air of Great Britain. 2 vol. royal 8vo.
- Swt.cist.* Sweet (R.) Cistinea. The natural Order of Cistus, or Rock-Rose, to be completed in one volume, a number published every alternate month, each number containing 4 beautifully coloured figures of this interesting tribe of plants. No. 1. to 9. to be continued, royal. 8vo.
- Sweet ger.* Sweet (R.) Geraniaceæ, or the natural order of Geraniums, published in monthly parts, with accurate coloured figures and descriptions of the different kinds, & their mode of culture. royal 8vo.

BOOKS QUOTED.

- Swert. flor.* Swertia (Eman.) Florilegium tractans de variis floribus. 1 vol. fol. 1612.
- Tab. ic.* Tabernæmontanus (Jac. Theod.) Eicones Plantarum cur N. Bassæo. 4to. 1590.
- Tabern.kraut.* Tabernæmontanus (Jac. Theod.) Krauterbuch. fol. 1588.
- Tenor. fl. nap.* Tenore (Michel.) Flora Napolitana. fol. 1811.
- Thunb. cris.* Thunberg (Car. Petr.) de Erica. 4to.
- Thunb. ir.* Thunberg (Car. Petr.) Dissertatio de Iris. 4to. 1782.
- Thunb. jap.* Thunberg (Car. Petr.) Flora Japonica. 8vo. 1784.
- Thunb. voy.* Thunberg (Car. Petr.) Voyage au Japon, etc. 8vo. 1796.
- Till. pis.* Tilli (Mich. Ang.) Catalogus horti Pisani. fol. 1723.
- Tourn. voy.* Pitton De Tournefort (Joseph.) Relation d'un voyage du Levant. 4to. 1717.
- Trat. arch.* Trattinick (Leop.) Archiv der Gewächskunde. 4to. 1811.
- Trattin. fl. aust.* Trattinick (Leop.) Flora Austriaca secca. fol. 1792.
- Tratt. tab.* Trattinick (Leop.) Observations botanicæ Tabularium r̄ei herbariae illustrates. 4to. 1811.
- Tratt. thes. bot.* Trattinick (Leop.) Thesaurus Botanicus. fol. 1819.
- Trev. delph.* Treviranus (Lud. Christ.) De Delphinio et Aquilegia observationes. 4to. 1817.
- Trew. ehret.* Trew (Christ. Jac.) Plantæ selectæ ab Ehret pictæ. fol. 1750.
- Trew. pl. rar.* Trew (Christ. Jac.) Plantæ rariiores, ed. J. C. Keller. fol. 1763.
- Triumph. obs.* Triumfetti (Joh. Bapt.) Observationes de ortu et vegetatione Plantarum. 4to. 1635.
- Ust. N. ann.* Usteri (Paul). Neue annalen der Botanik. 8vo. 1794.
- Vahl. col.* Vahl (Martinus). Eclogæ Americanæ. fol. 1796.
- Vahl. ic. rar.* Vahl (Martinus). Icones Plantarum in eclogis descriptarum. fol. 1798.
- Vahl. symb.* Vahl (Martinus). Symbolæ botanicæ. fol. 1790.
- Vail par.* Vaillant (Sebastien.) Botanicon Parisiense. fol. 1727.
- Vent. cels.* Ventenat (Etienne Pierre.) Description des plantes nouvelles ou peu connues du jardiu de J. M. Cels. fol. 1800.
- Vent. choix.* Ventenat (Etienne Pierre.) Choix des plantes. fol. 1803.
- Vent. malm.* Ventenat (Etienne Pierre.) Jardin de la Malmaison. fol. 1803.
- Vill. c. stras.* Villars (D.) Catalogue methodique du jardin de Strasbourg. 8vo. 1807.
- Vill. dauph.* Villars (D.) Histoire des Plantes Vill. delph. du Dauphine. 8vo. 1786.
- Viv. frag.* Viviani (Dom.) Flora Italicæ fragmenta. 4to. 1808.
- Volck. norib.* Volkamer (Jo. Georg.) Flora Noribergensis. 4to. 1700.
- Wahl. helv.* Wahlenberg (Georg.) De vegetatione et clymate Helvetia septentrionalis specimen. 8vo. 1813.
- Wahl. lap.* Wahlenberg (Georg.) Flora Lapponica. 8vo. 1812.
- Wal. as. res.* Wallich Asiatic Researches or Transactions of the Society instituted in Bengal. 4to. 1788.
- Walth. hort.* Walther (Aug. Frid.) Designatio plantarum horti ejus. 8vo. 1735.
- Wang. amer.* Von Wangenheim (Fried. Ad. Jul.) Anpflanzung North Amerikanischer Holzarten.
- Wats. dend. brit.* Watson (W.) Dendrologia Britannica. 2 vol. 8vo.
- Weig. obs.* Weigel (Christ. Ehret.) Observations Botanicæ. 4to. 1772.
- Weinm. phyt.* Weinmann (Joh. Guil.) Phytanthoza Iconographica. fol. 1737.
- Wendl. ac.* Wendland (H. Lud.) Commentatis de Acaciis aphyllis. 4to. 1820.
- Wendl. col.* Wendland (H. Lud.) Collectio Plantarum tum exoticarum. quam indigenarum. 4to. 1805.
- Wendl. cr.* Wendland (Joh. Christ.) Ericarum Icones et descriptiones. 4to. 1798.
- Wend. h. herr.* Wendland (Joh. Christ.) Hortus Herrenhusanus. fol. 1798.
- Wend. s. han.* Wendland (J.C.) Sertum Hanoveranum. 4 fasc. fol.
- Willd. arb.* Willdenow (Car. Lud.) Berlinische Baumzucht. 8vo. 1797.
- W. ber. mag.* Willdenow (Car. Lud.) Berlinischer magazin oder gesammlete schriften, etc. 4to. 1765.
- Willd. hort. ber.* Willdenow (Car. Lud.) Hortus Berolinensis. fol. 1806.
- Woodv. med. bot.* Woodville (William.) Medical Botany. 3 vol. 4to. 1790.
- Zanon. hist.* Zanoni (Jacobus.) Rariorum stirpium historia. Ed. C. Monti. 1 vol. fol. 1742.
- Zorn. ic.* Zorn (Joh.) Icones Plantarum medicinalium. 8vo. 1779.







SMITHSONIAN INSTITUTION LIBRARIES



3 9088 00619 1860