

GLADEN[®]
GERMAN TECHNOLOGY

MOSCONI
GLADEN AUDIO EUROPE

SVH. HINNASTO

Tammikuu **2017**

Tämä hinnasto korvaa kaikki aiemmat hinnastot.

Muutokset ja uutuudet merkattu **keltaisella.**

Virheet, painovirheet ja muutosoikeudet pidätetään

Maahantuonti ja jälleenmyynti

SK-Autosound Oy

Nuolikuja 15, 01740 Vantaa

info@sk-autosound.fi

010 29 22 800



Ota yhteyttä:

Tilaukset:

E-mail: tilaukset@sk-autosound.fi

Tekninen apu:

Puhelin: 010 29 22 802

E-mail: info@sk-autosound.fi

Yhteyshenkilö: Iiro Leinonen

Noutopiste:

Nuolikuja 15, Vantaa / Kehä 3, ark. 9.00-17.00

Toimitukset:

Matkahuolto

Huolto:

Soita ennen kuin lähetät!

Viallinenlaite toimitetaan tarkastettavaksi SK-Autosoundiin tarkan vikaselosteen, yhteystietojen ja ostotositteen kanssa. Lähetys vain Matkahuollon kautta vastaanottajan laskuun. Laite joko korjataan tai vaihdetaan uuteen, riippuen viasta/tuotteesta.






Takuu:

Yleinen takuehto 24 kuukautta myyntipäivästä.





MOSCONI GLADEN ONE vahvistimet







	tuotekoodi	tuoteselite	ovh. sis. alv 24%	
	GLADEN ONE 80.4	4-Channel High Power amplifier 4x 80 Watt RMS / 4 ohm	340,00	
	GLADEN ONE 130.4	4-Channel High Power amplifier 4x 130 Watt RMS / 4 ohm	390,00	
	GLADEN ONE 130.4 24V	4-Channel High Power amplifier 4x 130 Watt RMS / 4 Ohm	405,00	
	GLADEN ONE 130.4 DSP	4-Channel High Power DSP-amplifier 4x 130 Watt RMS / 4 Ohm	575,00	
	GLADEN ONE 130.2	2-Channel High Power amplifier 2x 130 Watt RMS / 4 Ohm	265,00	
	GLADEN ONE 70.6	6-Channel High Power amplifier 6x 70 Watt RMS / 4 ohm	480,00	
	GLADEN ONE 250.2	2-Channel High Power amplifier 2x 250 Watt RMS / 4 Ohm	375,00	
	GLADEN ONE 60.8DSP	8-Channel High Power DSP amplifier	849,00	
	GLADEN ONE 1000.1	Class-D 1-Channel High Power amplifier 2 ohm optimized 1x 1000 Watt RMS / 2 ohm	498,00	
	GLADEN ONE 1000.1 24V	Class-D 1-Channel High Power amplifier 2 ohm optimized 1x 1000 Watt RMS / 2 ohm	524,00	

GLADEN ONE varusteet





	tuotekoodi	tuoteselite	ovh. sis. alv 24%	
	RTC	Remote level control for GLADEN ONE	21,00	
	ISO PLUG & PLAY cable harnesses Z-PP-ISO-2CH 5m	ISO PLUG & PLAY 2-channel cable harnesses	47,00	
	Quadlock PLUG & PLAY cable harnesses Z-PP-QL-2CH 2,5m Z-PP-QL-2CH 5m Z-PP-QL-4CH 2,5m Z-PP-QL-4CH 5m	Quadlock PLUG & PLAY 2-channel + 4-channel cable harnesses	45,00 50,00 83,00 93,00	
	Z-PP-QL-Durch	Looping through for PLUG & PLAY cable harnesses	25,00	
	RCA	High-Low Connector for GLADEN ONE models	9,00 pari	

MOSCONI AS vahvistimet

	tuotekoodi	tuoteselite	European retail price incl.19%VAT	price
	GLADEN AS 100.2w	2-Channel High Power Class-AB amplifier with SMD-Technology in white	367,00	
	GLADEN AS 200.2w	2-Channel High Power Class-AB amplifier with SMD-Technology in white	498,00	
	GLADEN AS 300.2w	2-Channel High Power Class-AB amplifier with SMD-Technology in white	656,00	
	GLADEN AS100.4w	4-Channel High Power Class-AB amplifier with SMD-Technology in white	551,00	

	GLADEN AS200.4w	4-Channel High Power Class-AB amplifier with SMD-Technology in white	787,00	
	GLADEN AS100.2s	2-Channel High Power Class-AB amplifier with SMD-Technology in silver	367,00	
	GLADEN AS200.2s	2-Channel High Power Class-AB amplifier with SMD-Technology in silver	498,00	
	GLADEN AS300.2s	2-Channel High Power Class-AB amplifier with SMD-Technology in silver	656,00	
	GLADEN AS100.4s	4-Channel High Power Class-AB amplifier with SMD-Technology in silver	551,00	
	GLADEN AS200.4s	4-Channel High Power Class-AB amplifier with SMD-Technology in silver	787,00	



MOSCONI A_class ja ZERO vahvistimet




	tuotekoodi	tuoteselite	ovh sis. alv 24%	
	GLADEN A_Class	2-Channel Sound-Quality Class-A amplifier with SMD- Technology in silver-satin-finish	1365,00	
	GLADEN ZERO 1	2-Channel High-Power Sound-Quality Class-AB amplifier with SMD Technology in silver-satin-finish	1417,00	
	GLADEN ZERO 3	2-Channel High-Power Sound-Quality Class-AB amplifier with SMD Technology in silver-satin-finish	840,00	
	GLADEN ZERO 4	4-Channel High-Power Sound-Quality Class-AB amplifier with SMD Technology in silver-satin-finish	1155,00	

Varusteet GLADEN AS vahvistimille


	tuotekoodi	tuoteselite	ovh sis. alv 24%	
	mosRTC	Remote level control for AS Series	36,00	
	LED frame	LED frame in red for AS Series	37,00	
	LED frame	LED frame in blue for AS Series	47,00	
	mosG_HOC	High-End Optimizing Card for BMW E46, BMW E60/61, BMW E81/87, BMW E90/91, Golf 3, 4, 5 und 6, Porsche Boxster 987, Porsche Cayenne, Porsche Cayman 897, Opel Astra H, Astra G, VW Polo 6R, VW Polo 9N, Ford Focus II, Audi A3 (8P), Audi A4 (B7+B8), Audi TT (8N), Mercedes C W202 + W203, Mini R56, Peugeot 207 + 307, Skoda Oktavia II, Seat Leon 1P	37,00	
	G_HP	Crossover Card High Pass for Hz: 25, 30, 60, 70, 80, 90, 100, 120, 150, 200, 250, 300, 400, 500, 600, 700, 800, 2000, 2500, 3000, 3500, 4000, 5000, 6000, 6500, 7000	16,00	
	G_LP	Crossover Card Low Pass for Hz: 80, 60, 70, 80, 400, 500, 600, 700, 800, 2000, 2500, 3000, 3500, 4000, 5000, 6000, 7000	16,00	
	G_FSA	Front Stage Adjuster card for AS Series	37,00	

MOSCONI GLADEN D2




	GLADEN D2 100.4 DSP	Class D, 4-channel amplifier with on- board DSP + 2 digitally processed line outputs. DSP with SP-DIF digital input, AUX inputs suitable for hands-free set, mobile navigation and external stereo sources.	680,00	
	GLADEN D2 100.4	4-channel Fullrange Class D Amplifier With High-Level + Autosense, BTL/SE/off Auto Sense	524,00	




	GLADEN D2 150.2	2-channel Fullrange Class D Amplifier With High-Level + Autosense, BTL/SE/off Auto Sense	419,00	
	GLADEN D2 500.1	1-channel Fullrange Class D Amplifier With High-Level + Autosense, BTL/SE/off Auto Sense	419,00	
	GLADEN D2 80.6	Class D, 6-channel amplifier with on-board DSP + 2 digitally processed line outputs. DSP with SP-DIF digital input, AUX inputs suitable for hands-free set, mobile navigation and external stereo sources.	849,00	

MOSCONI GLADEN PICO








	GLADEN PICO 2.0	2-channel PICO amplifier 2x 80 Watt RMS EISA-Palkittu! Testimenestys!	209,00	
---	------------------------	--	--------	--

VARUSTEET MOSCONI GLADEN D2










	GLADEN mosAMAS-2	High-End Audio Streaming Bluetooth-Modul DSP 6to8 + SP-DIF or SP-DIF-Multi Board, 4to6-DIF und D2 DSP	104,00	
	GLADEN mosBT3.0	Bluetooth Adapter for DSP 6to8 For adjusting by PC and android smartphone apps	37,00	
	GLADEN mosBTS	Bluetooth Streaming Adapter Only for D2 100.4DSP and D2 80.6 DSP	104,00	
	GLADEN mosRCmini	Mini Controller for DSP 6to8, DSP 4to6, D2 DSP Master Vol, SUB Vol, Preset, Mute selectable	115,00	

	GLADEN mosRCD	Slim Remote Control Display for DSP 6to8 External control display for presets and main controls	178,00	
	RTC	Remote Control for volume or subwoofer adjustment	21,00	
	RCA	High-Low Connector for MOSCONI D2	9,00 (pari)	







MOSCONI GLADEN DSP

	Tuotekoodi	Tuoteselite	ovh sis. alv 24%	
	GLADEN DSP 6to8	Stand-Alone Processor 6-channel input 8-channel output Size: 150x40x125mm	524,00	
	GLADEN DSP 4to6 DIF	Stand-Alone Processor incl. SP-DIF in-/output 4-channel input, 6-channel output Size: 150x40x125mm	419,00	
	GLADEN DSP 4to6	Stand-Alone Processor 4-channel input, 6-channel output Size: 150x40x125mm	366,00	
	GLADEN DSP 6to8 AEROSPACE	Stand-Alone Processor incl. SP-DIF in-/output 6-channel input, 8-channel output Size: 150x40x125mm	679,00	
	GLADEN DSP 8to12 AEROSPACE	Stand-Alone Processor incl. SP-DIF in-/output 8-channel input, 12-channel output Size: 200x40x125mm	949,00	




VARUSTEET MOSCONI GLADEN DSP 6to8



	tuotekoodi	tuoteselite	ovh sis. alv 24%	
	GLADEN mosAMAS-2	High-End Audio Streaming Bluetooth-Modul DSP 6to8 + SP-DIF or SP-DIF- Multi Board, 4to6-DIF und D2 DSP	104,00	
	GLADEN mosBT3.0	Bluetooth Adapter for DSP 6to8 For adjusting by PC and android smartphone apps	37,00	
	GLADEN RCD	Slim Remote Control Display for DSP 6to8 External control display for presets and main controls	178,00	
	GLADEN mosRCmini	Mini Controller for DSP 6to8, DSP 4to6, D2 DSP Master Vol, SUB Vol, Preset, Mute selectable	115,00	
	GLADEN AMAS	Bluetooth Modul für DSP 6to8 High-End Audio Streaming Possible only in combination with SP-DIFmult!	236,00	
	GLADEN mosMICRO	Optional microphone to use the AMAS hands-free function. Suitable only for DSP 6to8 with optional SP-DIF multi and AMAS	31,00	
	GLADEN SP-DIF multi	SP-Dif Board Optional board to fix in the case, optical input	188,00	
	GLADEN SP-DIF	SP-Dif Board Optional board to fix in the case, optical input	113,00	
	RCA	High-Low Connector for GLADEN AUDIO for DSP 6to8	9,00 (pari)	

VARUSTEET MOSCONI GLADEN DSP 4to6

	Article	Description	OVH SIS ALV 24%	
	GLADEN mosBT3.0	Bluetooth Adapter for DSP 6to8 For adjusting by PC and android smartphone apps	37,00	
	GLADEN RCD	Slim Remote Control Display for DSP 6to8 External control display for presets and main controls	178,00	
	GLADEN mosRCmini	Mini Controller for DSP 6to8, DSP 4to6, D2 DSP Master Vol, SUB Vol, Preset, Mute selectable	115,00	
	RCA	High-Low Connector for GLADEN AUDIO for DSP 6to8	9,00 (pari)	
	RTC	Remote Control for volume or subwoofer adjustment	21,00	
	mosSWITCH	4 step switch for preset selection, incl. 5m connecting cable	32,00	





HIGH-END VARUSTEET

	tuotekoodi	tuoteselite	ovh sis. alv 24%	
	mosFSA	Front Stage Adjuster	84,00	
	mosHLA-SLIM	High-Low-Converter for a 2-channel High-End application	53,00	
	mosHLA-DUAL	High-Low-Converter for a 4-channel High-End application	74,00	



	HLA-sum	High-Low-Converter for a 4-channel High-End application. with summing function and BTL or SE Auto-Sense	126,00	
	HLA-4PRO	High-Low-Converter for a 4-channel High-End application. BTL or SE Auto-Sense	95,00	

GLADEN AUDIO vahvistimet


XL LINE

	tuotekoodi	tuoteselite	ovh sis alv 24%	
	XL 250c4	4-channel Full Mosfet Amplifier @ 4 ohm stereo: 4x 241 Wrms @ 2 ohm stereo: 4x 370 Wrms @ 4 ohm mono: 2x 740 Wrms Size: 58x180x546 mm	572,00	
	XL 150c4	4-channel Full Mosfet Amplifier @ 4 ohm stereo: 4x 146 Wrms @ 2 ohm stereo: 4x 225 Wrms @ 4 ohm mono: 2x 450 Wrms Size: 58x180x424 mm	457,00	
	XL 275c2	2-channel Full Mosfet Amplifier @ 4 ohm stereo: 2x 285 Wrms @ 2 ohm stereo: 2x 470 Wrms @ 4 ohm mono: 1x 940 Wrms @ 2 ohm mono: 1x 1500 Wrms Size: 58x180x546 mm	509,00	
	XL 250c2	2-channel Full Mosfet Amplifier @ 4 ohm stereo: 2x 243 Wrms @ 2 ohm stereo: 2x 375 Wrms @ 4 ohm mono: 1x 750 Wrms Size: 58x180x324 mm	363,00	





RS LINE

	tuotekoodi	tuoteselite	ovh sis. alv. 24%	
	RS 100c4	4-channel Amplifier @ 4 ohm stereo: 4x 102 Wrms @ 2 ohm stereo: 4x 375 Wrms @ 4 ohm mono: 2x 300 Wrms Size: 58x180x324 mm	342,00	
	RS 150c2	2-channel Amplifier @ 4 ohm stereo: 2x 150 Wrms @ 2 ohm stereo: 2x 230 Wrms @ 4 ohm mono: 1x 460 Wrms Size: 58x180x324 mm	280,00	



XS LINE


	tuotekoodi	tuoteselite	ovh sis. alv 24%	
	XS 75c6	6-channel Full Mosfet Amplifier @ 4 ohm stereo: 4x 70 + 2x 100 Wrms @ 2 ohm stereo: 4x 90 + 2x 190 Wrms @ 4 ohm mono: 2x 180 + 1x 380 Wrms Size: 58x180x400 mm	488,00	

SPL LINE





	SPL 5000c1 HV – 18Volt LV - 14,4 Volt	CLASS D Verstärker 1x 1350 Watt / 4 Ohm mono 1x 2700 Watt / 2 Ohm mono 1x 5000 Watt / 1 Ohm mono	1575,00	
	SPL 3000c1	CLASS-D Mono Amplifier @ 1 ohm mono: 1x 3100 Wrms @ 2 ohm mono: 1x 1850 Wrms @ 4 ohm mono: 1x 1000 Wrms @ 1 ohm mono @16V: 1x 3800 Wrms 1 ohm stable, linkable Size: only 50x235x525 mm	1145,00	
	SPL 1800c1	CLASS-D Mono Amplifier @ 4 ohm mono: 1x 965 Wrms @ 2 ohm mono: 1x 1760 Wrms 2 ohm optimized, 1 ohm stable Size: 58x180x424 mm	572,00	
	SPL 1000c1	CLASS-D Mono Amplifier @ 4 ohm mono: 1x 540 Wrms @ 2 ohm mono: 1x 980 Wrms 2 ohm optimized, 1 ohm stable Size: 58x180x324 mm	457,00	


FD LINE









	tuotekoodi	tuoteselite	ovh sis. alv 24%	
	FD 130c2	FULL CLASS D Amplifier @ 4 ohm stereo: 2x 130 Wrms 2 ohm stable Size: 170x170x52 mm	280,00	
	FD 75c4	FULL CLASS D Amplifier @ 4 ohm stereo: 4x 75 Wrms 2 ohm stable Size: 170x170x52 mm	311,00	

	FD 1000c1	FULL CLASS D Amplifier @ 1 ohm mono: 1x 1000 Watt @ 2 ohm mono: 1x 550 Watt 1 ohm stable Maße: 170x280x52 mm	394,00	
---	------------------	--	--------	--

RC LINE


	RC 150c5 BT Class A/B + D with pluggable BT audiostreaming modul	4-channel FULL MOSFET amplifier CLASS A/B (channel 1-4) + CLASS D (channel 5) @ 4 ohm channel 1-4: 4x 90 Watt + @ 2 ohm channel 5: 1x 560 Watt High-Level with autosense Double Side PCB and SMD components Size: 415x150x50 mm	395,00	
	RC 70c4 BT Class A/B with pluggable BT audiostreaming modul	4-channel amplifier analog @ 4 Ohm stereo 4x 68 Wrms @ 4 Ohm mono 2x 210 Wrms High-Level with Auto Sense, Double Side PCB and SMD components Size: 288x147x50 mm	259,00	

	RC 150c5 Class A/B + D	4-channel FULL MOSFET amplifier CLASS A/B (channel 1-4) + CLASS D (channel 5) @ 4 ohm channel 1-4: 4x 90 Watt + @ 2 ohm channel 5: 1x 560 Watt High-Level with autosense Double Side PCB and SMD components	342,00	
---	---	---	--------	--


		Size: 415x150x50 mm		
	RC 70c4 Class A/B	4-channel amplifier analog @ 4 Ohm stereo 4x 68 Wrms @ 4 Ohm mono 2x 210 Wrms High-Level with Auto Sense, Double Side PCB and SMD components Size: 288x147x50 mm	207,00	
	RC 90c2 Class A/B	2-channel amplifier analog @ 4 Ohm stereo 2x 85 Wrms @ 4 Ohm mono 1x 260 Wrms High-Level with Auto Sense, Double Side PCB and SMD components Size: 215x147x50 mm	176,00	
	RC 3200c1 Class D	1-channel MONO amplifier Size: 585 x 150 x 50 mm @ 4 Ohm: 1x 700 Watt @ 2 Ohm: 1x 1300 Watt @ 1 Ohm: 1x 2150 Watt @ 0,5 Ohm: 1x 3180 Watt	719,00	
	RC 1200c1 Class D	Mono amplifier digital @ 4 ohm mono 1x 720 Watt @ 2 ohm mono 1x 1120 Watt High-Level with Auto Sense, Double Side PCB and SMD components Size: 295x150x50 mm	238,00	
	RC 600c1 Class D	Mono amplifier digital @ 4 ohm mono 1x 360 Watt @ 2 ohm mono 1x 560 Watt High-Level with Auto Sense, Double Side PCB and SMD components Size: 208x147x50 mm	186,00	
	RC RTC	Remote Control for RC 600c1	21,00	
	RC HLT	High Level tool for RC Line amplifier	21,00	

--	--	--	--





VARUSTEET GLADEN AUDIO vahvistimille

	tuotekoodi	tuoteselite	ovh isi. alv. 24%	
	RTC	Remote Control Volume adjustment from the driver's seat for all 1/2/6 –channel GLADEN AUDIO models	21,00	
	RCA	High-Low Connector for GLADEN AUDIO XL LINE und RS LINE models	9,00 pari	
	Quadlock PLUG & PLAY cable harnesses Z-PP-QL-2CH 2,5m Z-PP-QL-2CH 5m Z-PP-QL-4CH 2,5m Z-PP-QL-4CH 5m	Quadlock PLUG & PLAY 2-channel + 4-channel for GLADEN AUDIO XL LINE und RS LINE models	45,00 50,00 83,00 94,00	
	Looping through Z-PP-QL-Durch	Looping through for PLUG & PLAY cable harnesses	25,00	
	ISO PLUG & PLAY cable harnesses Z-PP-ISO-2CH 5m	ISO PLUG & PLAY 2-channel for GLADEN AUDIO XL LINE und RS LINE models	47,00	

M-LINE



	tuotekoodi	tuoteselite	ovh sis. alv. 24%	
	M-LINE 80.2	2-channel High Power Amplifier @ 4 ohm stereo: 2x 80 Wrms @ 4 ohm mono: 1x 220 Wrms @ 2 ohm stereo: 2x 110 Wrms High-Level and autosense! Size: 170x224x50 mm	192,00	
	M-LINE 125.2	2-channel High Power Amplifier @ 4 ohm stereo: 2x 125 Wrms @ 4 ohm mono: 1x 358 Wrms @ 2 ohm stereo: 2x 180 Wrms High-Level and autosense! Size: 230x224x50 mm	234,00	
	M-LINE 95.4	4-channel High Power Amplifier @ 4 ohm stereo: 4x 95 Wrms @ 4 ohm stereo: 2x 270 Wrms @ 2 ohm stereo: 4x 135 Wrms High-Level and autosense! Size: 280x224x50 mm	286,00	
	M-LINE 601.1	High Power Mono amplifier @ 1 ohm mono: 1x 600 Wrms @ 2 ohm mono: 1x 460 Wrms High-Level and autosense! New size - like M-LINE100.2! Size: 230x224x50 mm	311,00	

VARUSTEET M-LINE vahvistimille








	tuotekoodi	tuoteselite	ovh sis. alv. 24%	
	RTC	Remote Control Volume adjustment from the driver`s seat for all 1/2/6 –channel GLADEN AUDIO models	21,00	
	Chips M-LINE 80.2	Chips for M-LINE 80.2 in black, red, yellow, silver, dark grey	12,00 (pari)	
	Chips M-LINE 125.2 Chips M-LINE 601.1	Chips for M-LINE 125.2 and M-LINE 601.1 in black, red, yellow, silver, dark grey	17,00 (pari)	
	Chips M-LINE 95.4	Chips for M-LINE 95.4 in black, red, yellow, silver, dark grey	14,00 (pari)	







GLADEN AUDIO Component/Coaxial Systems

AEROSPACE LINE




	tuotekoodi	tuoteselite	ovh sis. alv 24%	
	AEROSPACE 165.3 Aerospace tweeter: HG-20 Aero Aerospace midrange: HG-80 Aero PP-3 Aerospace mid-woofer: HG-165 Aero DC-3 Crossover: HG-CR-Aero 20/80 Incl. rings	Absolute High-End 3-way System 20 mm tweeter 3" phase plug midrange 6,5" dust cap mid-woofer 3 ohm impedance	1995,00 active: 1625,00	
	AEROSPACE 165.2 Aerospace tweeter: HG-28 Aero Aerospace mid-woofer: HG-165 Aero PP-3 Crossover: HG-CR-Aero 28/165 Incl. rings	Absolute High-End 2-way System 28 mm tweeter 6,5" phase plug mid-woofer 3 ohm impedance	1679,00 active: 1310,00	







AEROSPACE LINE – yksittäis komponentit

	Article	Description	ovh sis. alv 24% PARI	
	AEROSPACE 165 DC HG-165AeroDC-3	6,5" Dust Cap midrange 3 ohm impedance -without ring-	735,00	
	AEROSPACE 165 PP HG-165AeroPP-3	6,5" Phase Plug midrange 3 ohm impedance -without ring-	788,00	
	AEROSPACE 80 HG-80AeroPP-3	80 mm Phase Plug middle speaker 3 ohm impedance -without ring-	368,00	
	AEROSPACE 20 HG-20Aero	20 mm neodym tweeter	288,00	
	AEROSPACE 28 HG-28Aero	28 mm neodym tweeter	368,00	
 "Aerospace" coated	AEROSPACE POD 20 HG-20AeroPod	Tweeter Pod for AEROSPACE 20	158,00	
 "Aerospace" coated	AEROSPACE POD 28 HG-28AeroPod	Tweeter Pod for AEROSPACE 28	168,00	


	AEROSPACE GI80 HG-GI80Aero	Grill for AEROSPACE 80 Only in combination with ring: HG-RI80Aero	21,00	
	AEROSPACE GI165 HG-GI165Aero	Grill for AEROSPACE 165	27,00	
	AEROSPACE RI80 HG-RI80Aero	3" Cover Ring for AEROSPACE LINE	126,00	
	AEROSPACE RI165 HG-RI165Aero	6,5" Cover Ring AEROSPACE LINE	168,00	
	AEROSPACE 20/80 HG-CR-Aero20/80	AEROSPACE LINE crossover	368,00	
	AEROSPACE 28/165 HG-CR-Aero28/165	AEROSPACE LINE crossover	368,00	

ZERO PRO LINE



	tuotekoodi	tuoteselite	ovh sis. alv. 24€	
	ZERO PRO 165.3 High-End HT: HG-20 PV High-End MB: HG-165-ZP DC-3 High-End MT: HG-80ZP PP-3 Weiche: HG-CR-VARIO	High-End 3-way System - semiactive - 20 mm tweeter 165 mm dust cap mid-woofer 80 mm midrange 2x 270/180 Watt 3 ohm impedance	681,00 aktiivi: 576,00	
	ZERO PRO 165.2 PP High-End tweeter: HG-28 PV High-End mid-woofer: HG-165-ZP PP-3 Crossover: HG-CR-ZERO PRO	High-End 2-way System 28 mm tweeter 6,5" phase plug mid-woofer 2x 225/150 Watt 3 ohm impedance	713,00 aktiivi: 503,00	
	ZERO PRO 165.2 DC High-End tweeter: HG-25 PV High-End mid-woofer: HG-165-ZP DC-3 Crossover: HG-CR- VARIO	High-End 2-way System 25 mm tweeter 6,5" dust cap mid-woofer 2x 225/150 Watt 3 ohm impedance	503,00 aktiivi: 398,00	

	ZERO PRO 165.2 DUAL High-End tweeter: HG-25 PV High-End mid-woofer: 2x HG-165 ZP DC-4 Crossover: HG-CR-VARIO	High-End 2-way System 25 mm tweeter DUAL 6,5" dust cap mid-woofer 2x 450/300 Watt 2 ohm impedance	713,00 aktiivi: 608,00	
	ZERO PRO 80 midrange midrange: HG-80-ZP PP-3	High-End 80 mm midrange 2x 90/60 Watt Frequency response: 125 - 16500Hz Neodymium motor + phase plug 19 mm voice coil Mounting depth 42 mm	189,00 (pari)	
	HG-RI80ZP	3" Cover ring for ZERO PRO LINE	126,00 (pari)	
	ZERO PRO GI80 HG-GI80Zero	Grill for ZERO 80 Only in combination with ring: HG-RI80ZP	21,00 (pari)	
 "Zero-Silber" coated	ZERO LINE POD 25 HG-25ZeroPod	Tweeter Pod for ZERO PRO 25	158,00 (pari)	
 "Zero-Silber" coated	ZERO LINE POD 28 HG-28ZeroPod	Tweeter Pod for ZERO PRO 28	168,00 (pari)	




ZERO LINE

	tuotekoodi	tuoteselite	ovh sis. alv 24%	
	ZERO 165 25 mm High-Performance tweeter: HG-25 SG Sand Coated mid-woofer: HG-165 Z-3 Crossover: HG-CR-VARIO	Sound Quality System 6,5" mid-woofer 2x 150/100 Watt 3 ohm impedance	295,00	
	ZERO 130 25 mm High-Performance tweeter: HG-25 SG Sand Coated midrange: HG-130 Z-3 Crossover: HG-CR-VARIO	Sound Quality System 5" midrange 2x 135/90 Watt 3 ohm impedance	295,00	
	ZERO 100 25 mm High-Performance tweeter: HG-25 SG Sand Coated midrange: HG-100 Z-3 Crossover: HG-CR-VARIO	Sound Quality System 4" midrange 2x 120/80 Watt 3 ohm impedance	295,00	

SQL LINE

	tuotekoodi	tuoteselite	ovh sis. alv 24%	
	SQL 165 25 mm High-Performance tweeter: HG-25 SG Carbon mid-woofer: HG-165 SQL-2 Crossover: HG-CR-SQ	Sound Quality Level System 6,5" mid-woofer 2x 225/150 Watt 38 mm voice coil 2 ohm impedance	394,00	
	SQL 165 DUAL 25 mm High-Performance tweeter: HG-25 SG Carbon mid-woofer: 2x HG-165 SQL-4 Crossover: HG-CR-SQ	Sound Quality Level System DUAL 6,5" mid-woofer 2x 450/300 Watt 38 mm voice coil 2 ohm impedance	561,00	





SQX LINE

	tuotekoodi	tuoteselite	ovh sis. alv 24%	
	SQX 165 25 mm High-Performance tweeter: HG-25 SG GFP 431 fibergl. mid-woofer: HG-165 SQX-2 Crossover: HG-CR-VARIO	Sound Quality Performance System 6,5" mid-woofer 2x 180/120 Watt 2 ohm impedance	297,00	
	SQX 130 25 mm High-Performance tweeter: HG-25 SG GFP 431 fibergl. midrange: HG-130 SQX-2 Crossover: HG-CR-VARIO	Sound Quality Performance System 5" midrange 2x 150/100 Watt 2 ohm impedance	297,00	
	SQX 165 DUAL 25 mm High-Performance tweeter: HG-25 SG GFP 431 gibergl. mid-woofer: 2x HG-165 SQX-4 Crossover: HG-CR-VARIO	Sound Quality Performance System DUAL 6,5" mid-woofer 2x 360/240 Watt 2 ohm impedance	415,00	
	SQX 165.3 25 mm High-Performance tweeter: HG-25 SG GFP 431 Faser mid-woofer: HG-165 SQX-2 midrange: HG-80SQX crossover: HG-CR-VARIO	Sound Quality Performance System 6,5" mid-woofer 3" midrange 2x 120/120 Watt 3 ohm impedance	363,00	



RS LINE

	tuotekoodi	tuoteselite	ovh sis. alv 24%	
	RS 165 25 mm High-Efficiency tweeter: HG-25 GF GFP 431 fibergl. mid-woofer: HG-165 RS-3 Crossover: HG-CR-RS	All-round System 6,5" mid-woofer 2x 150/100 Watt 3 ohm impedance	207,00	
	RS 130 25 mm High-Efficiency tweeter: HG-25 GF GFP 431 fibergl. midrange: HG-130 RS-3 Crossover: HG-CR-RS	All-round System 5" midrange 2x 135/90 Watt 3 ohm impedance	207,00	
	RS 100 25 mm High-Efficiency tweeter: HG-25 GF GFP 431 fibergl. midrange: HG-100 RS-3 Crossover: HG-CR-RS	All-round System 4" midrange 2x 120/80 Watt 3 ohm impedance	207,00	
	RS 165 DUAL 25 mm High-Efficiency tweeter: HG-25 GF GFP 431 fibergl. mid-woofer: 2x HG-165 RS-4 Crossover: HG-CR-RS-2	All-round System DUAL 6,5" mid-woofer 2x 285/190 Watt 2 ohm impedance	311,00	
	RS 165 speed 25 mm High-Efficiency tweeter: HG-25 GF GFP 432 fibergl. mid-woofer: HG-165 RS-3speed Crossover: HG-CR-ONE	High-Speed All-round System 6,5" mid-woofer 2x 150/100 Watt 3 ohm impedance	207,00	
	RS 165.3 25 mm High-Efficiency tweeter: HG-25 GF GFP 432 fibergl. mid-woofer: HG-165 RS-3 Midrange: HG-80-RS Crossover: HG-CR-3way	3-way High-Speed All-round System 6,5" mid-woofer 2x 150/100 Watt 3" midrange 3 ohm impedance	311,00	


RSX-LINE

	<p>RSX 165 28 mm High-Performance tweeter SBC-412 Paper cone with XP-coating XBi Crossovers with 9 possible settings Bi-Amping / Bi-Wiring option Nomex spider Twisted pair cables</p>	<p>165 mm mid-woofer 110/165 Watt 3 ohm impedance</p>	249,00	
	<p>RSX 165 28 mm High-Performance tweeter SBC-412 Paper cone with XP-coating XBi Crossovers with 9 possible settings Bi-Amping / Bi-Wiring option Nomex spider Twisted pair cables</p>	<p>130 mm mid-woofer 95/140 Watt 3 ohm impedance</p>	249,00	


M-LINE

	tuotekoodi	tuoteselite	ovh sis alv 24%	
	<p>M 165 25 mm High-Efficiency tweeter + crossover: HG-25GF-CR GFP 432 fibergl. mid-woofer: HG-165 M-3</p>	<p>High-Efficiency System 6,5" mid-woofer 2x 125/85 Watt 3 ohm impedance</p>	144,00	
	<p>M 130 25 mm High-Efficiency tweeter + crossover: HG-25GF-CR GFP 432 fibergl. midrange: HG-130 M-3</p>	<p>High-Efficiency System 5" midrange 2x 110/75 Watt 3 ohm impedance</p>	144,00	
	<p>M 100 25 mm High-Efficiency tweeter + crossover: HG-25GF-CR GFP 432 fibergl. midrange: HG-100 M-3</p>	<p>High-Efficiency System 4" midrange 2x 95/65 Watt 3 ohm impedance</p>	144,00	
	<p>M 165 SLIM</p>	<p>High-Efficiency System 144,00 6,5" SLIM mid-woofer 2x 115/75 Watt 3 ohm impedance 144,00</p>		


ALPHA LINE

	tuotekoodi	tuoteselite	ovh sis alv 24%	
	ALPHA 165	All-round System 6,5" mid-woofer 2x 110/75 Watt 3 ohm impedance	113,00	
	ALPHA 130	All-round System 5" mid-woofer 2x 110/75 Watt 3 ohm impedance	113,00	
	ALPHA 100	All-round System 4" mid-woofer 2x 110/75 Watt 3 ohm impedance	113,00	

RC LINE, Coaxial

	tuotekoodi	tuoteselite	ovh sis. alv 24%	
	RC 165	6,5" Coaxial System 2x 125/85 Watt 3 ohm impedance	103,00	
	RC 130	5" Coaxial System 2x 110/75 Watt 3 ohm impedance	103,00	
	RC 100	4" Coaxial System 2x 95/65 Watt 3 ohm impedance	103,00	

ALPHA LINE, Coaxial


	Article	Description	European retail price incl. 19%VAT	
	ALPHA 609 C	6" x 9" Coaxial System 19 mm tweeter 2x 165/110 Watt 3 ohm impedance	135,00	
	ALPHA 165 C	6,5" Coaxial System 13 tweeter 2x 110/75 Watt 3 ohm impedance	73,00	
	ALPHA 130 C	5" Coaxial System 13 mm silk dome tweeter 2x 95/65 Watt 3 ohm impedance	73,00	
	ALPHA 100 C	4" Coaxial System 13 mm silk dome tweeter 2x 85/55 Watt 3 ohm impedance	73,00	

ONE LINE – BMW




	tuotekoodi	tuoteselite	ovh sis. alv24%	
	<p>ONE 201 BMW</p> <p>25 mm Gewebe-HT: HG-25BMW-EF 100% Plug & Play Hochtöner MB: HG-201BMW-3 MT: HG-101BMW-3 Weiche: HG-CR-BMW</p>	<p>Plug & Play 3-way semi-active System for BMW 1,3 und 5 series E60/61/70/71/82/83/84/87/88/90/ 91/92/93/ F01/02/07/10/11/12/13/20/21/25/30/31/35 4" neodymium woofer 8" shallow woofer 4x 150/100 Watt 3 ohm impedance</p>	499,00	
	<p>ONE 201 BMW EXTREME</p> <p>25 mm Gewebe-HT: HG-25BMW-EF 100% Plug & Play Hochtöner MB: HG-201BMW-2-EXTREME MT: HG-101BMW-3 Weiche: HG-CR-BMW</p>	<p>Plug & Play 3-way semi-active System for BMW 1,3 und 5 series E 60/61/70/71/82/83/84/87/88/90/ 91/92/93/ F01/02/07/10/11/12/13/20/21/25/30/31/35 4" neodymium woofer 8" shallow woofer 2x 150/100 Watt (MHT) 2x 225/150 Watt (Bass) 3 ohm impedance (mid-high) 2 ohm impedance (woofer)</p>	603,00	
	<p>ONE 201 BMW ALPHA</p>	<p>Plug & Play 3-way semi-active System 4" neodymium woofer 8" shallow woofer 4x 130/85 Watt 4 ohm impedance</p>	394,00	
	<p>ONE 100 BMW</p>	<p>2-way Coaxial System For 1 and 3 series E 82/83/87/88/90/91/92/93 4" midrange 2x 90/60 Watt 4 ohm impedance</p>	134,00	
	<p>ONE 165 BMW E46</p> <p>25 mm High-Efficiency tweeter: HG-25 GF Mid-woofer: HG-165 E46-3 Crossover: HG-CR-ONE</p>	<p>Plug & Play 2-Wege System for BMW E46 sedan/station/coupé/convertible 6,5" mid-woofer 2x 150/100 Watt 3 ohm impedance</p>	217,00	

ONE LINE – VW



	tuotekoodi	tuoteselite	ovh sis. alv 24%	
	ONE 200 Golf 5 25 mm silk dome tweeter: HG-25 Golf4 Mid-woofer: HG-200SLIM-4 Midrange: HG-120SLIM-4 Crossover: HG-CR-Golf5	Plug & Play 3-way System for Golf 5 4" shallow midrange 8" shallow woofer Incl. adapter plates & cable harnesses 2x 170/120 Watt 4 ohm impedance	405,00	
	ONE 200 Golf 4 25 mm silk dome tweeter: HG-25 Golf 4 Mid-woofer: HG-200SLIM-4 Crossover: HG-CR-ONE	Plug & Play 2-way System For Golf 4, Bora, Passat B5 8" slim mid-woofer Incl. adapter plates & cable harnesses 2x 150/100 Watt 4 ohm impedance	269,00	
	ONE 200 T5 25 mm silk dome tweeter: HG-25 GF Mid-woofer: HG-200SLIM-4 Crossover: HG-CR-ONE	Plug & Play 2-way System for T5 Van 8" slim mid-woofer Incl. adapter plates & cable harnesses 2x 150/100 Watt 4 ohm impedance	269,00	
	ONE 165 Golf 6–SQX 25 mm silk dome tweeter: HG-25 Golf 6 Mid-woofer: HG-165 SQX-2 Crossover: HG-CR-ONE	Plug & Play 2-way System for Golf 6, new Scirocco, new Jetta 6,5" mid-woofer Incl. adapter plates & cable harnesses 2x 180/120 Watt 2 ohm impedance	290,00	
	ONE 165 Golf 6–RS 25 mm silk some tweeter: HG-25 Golf 6 Mid-woofer: HG-165 RS-3 Crossover: HG-CR-ONE	Plug & Play 2-way System for Golf 6, new Scirocco, new Jetta 6,5" mid-woofer Incl. adapter plates & cable harnesses 2x 150/100 Watt 3 ohm impedance	217,00	
	ONE 165 Golf 6–M 25 mm silk dome tweeter: HG-25 Golf 6 Mid-woofer: HG-165 M-3 Crossover: HG-CR-M	Plug & Play 2-way System for Golf 6, new Scirocco, new Jetta 6,5" mid-woofer Incl. adapter plates & cable harnesses 2x 125/85 Watt 3 ohm impedance	155,00	
	ONE 165 Golf 4–SQX 25 mm silk dome tweeter: HG-25 Golf 4 Mid-woofer: HG-165 SQX-2 Crossover: HG-CR-ONE	Plug & Play 2-way System for Golf 4, Bora, Passat B5 6,5" mid-woofer Incl. adapter plates & cable harnesses 2x 180/120 Watt 2 ohm impedance	290,00	
	ONE 165 Golf 4–RS 25 mm silk dome tweeter: HG-25 Golf 4 Mid-woofer: HG-165 RS-3 Crossover: HG-CR-ONE	Plug & Play 2-way System for Golf 4, Bora, Passat B5 6,5" mid-woofer Incl. adapter plates & cable harnesses 2x 150/100 Watt 3 ohm impedance	217,00	
	ONE 165 Golf 4–M 25 mm silk dome tweeter: HG-25 Golf 4 Mid-woofer: HG-165 M-3 Crossover: HG-CR-M	Plug & Play 2-way System for Golf 4, Bora, Passat B5 6,5" mid-woofer Incl. adapter plates & cable harnesses 2x 125/85 Watt 3 ohm impedance	155,00	

	<p>ONE 165 Golf 7-SQX</p> <p>25 mm silk dome tweeter: HG-25 Golf 7 Mid-woofer: HG-165 SQX-2 Crossover: HG-CR-ONE</p>	<p>Plug & Play 2-way System for Golf 7 6,5" mid-woofer Incl. adapter plates & cable harnesses 2x 180/120 Watt 2 ohm impedance</p>	311,00	
	<p>ONE 165 Golf 7-RS</p> <p>25 mm silk dome tweeter: HG-25 Golf 7 Mid-woofer: HG-165 RS-3 Crossover: HG-CR-ONE</p>	<p>Plug & Play 2-way System for Golf 7 6,5" mid-woofer Incl. adapter plates & cable harnesses 2x 150/100 Watt 3 ohm impedance</p>	228,00	
	<p>ONE 165 Golf 7-M</p> <p>25 mm silk dome tweeter: HG-25 Golf 7 Mid-woofer: HG-165 M-3 Crossover: HG-CR-M</p>	<p>Plug & Play 2-way System for Golf 7 6,5" mid-woofer Incl. adapter plates & cable harnesses 2x 125/85 Watt 3 ohm impedance</p>	165,00	





ONE LINE – VW EXTREME

	<p>ONE 200 Golf 5 EXTREME</p> <p>25 mm silk dome tweeter: HG-25Golf4 Mid-woofer: HG-200SLIM-EX Midrange: HG-120SLIM-4 Crossover: HG-CR-Golf5</p>	<p>Plug & Play 3-way System for Golf 5 4" slim midrange 8" slim woofer EXTREME Incl. adapter plates & cable harnesses 2x 245/170 Watt 2 ohm impedance</p>	457,00	
	<p>ONE 200 Golf 4 EXTREME</p> <p>25 mm silk dome tweeter: HG-25 Golf 4 Mid-woofer: HG-200SLIM-EX Crossover: HG-CR-ONE</p>	<p>Plug & Play 2-way System For Golf 4, Bora, Passat B5 8" slim mid-woofer EXTREME Incl. adapter plates & cable harnesses 2x 225/150 Watt 2 ohm impedance</p>	321,00	
	<p>ONE 200 T5 EXTREME</p> <p>25 mm silk dome tweeter: HG-25GF Mid-woofer: HG-200SLIM-EX Crossover: HG-CR-ONE</p>	<p>Plug & Play 2-way System for T5 Van 8" slim mid-woofer EXTREME Incl. adapter plates & cable harnesses 2x 225/150 Watt 2 ohm impedance</p>	321,00	

ONE LINE – AUDI


	tuotekoodi	tuoteselite	ovh sis. alv 24%	
	ONE 165 Audi A3–SQX 25 mm silk dome tweeter:HG-25 Audi A3 Mid-woofer: HG-165 SQX-2 Crossover: HG-CR-ONE	Plug & Play 2-way System for Audi A3 6,5" mid-woofer Incl. adapter plates & cable harnesses 2x 180/120 Watt 2 ohm impedance	311,00	
	ONE 165 Audi A3–RS 25 mm silk dome tweeter:HG-25AudiA3 Mid-woofer: HG-165 RS-3 Crossover: HG-CR-ONE	Plug & Play 2-way System for Audi A3 6,5" mid-woofer Incl. adapter plates & cable harnesses 2x 150/100 Watt 3 ohm impedance	228,00	
	ONE 165 Audi A3–M 25 mm silk dome tweeter:HG-25 Audi A3 Mid-woofer: HG-165 M-3 Crossover: HG-CR-M	Plug & Play 2-way System for Audi A3 6,5" mid-woofer Incl. adapter plates & cable harnesses 2x 125/85 Watt 3 ohm impedance	165,00	
	ONE 165 Audi A4–SQX 25 mm silk dome tweeter:HG-25 Audi A4 Mid-woofer: HG-165 SQX-2 Crossover: HG-CR-ONE	Plug & Play 2-way System for Audi A4 6,5" mid-woofer Incl. adapter plates & cable harnesses 2x 180/120 Watt 2 ohm impedance	311,00	
	ONE 165 Audi A4–RS 25 mm silk dome tweeter:HG-25AudiA4 Mid-woofer: HG-165 RS-3 Crossover: HG-CR-ONE	Plug & Play 2-way System for Audi A4 6,5" mid-woofer Incl. adapter plates & cable harnesses 2x 150/100 Watt 3 ohm impedance	228,00	
	ONE 165 Audi A4–M 25 mm silk dome tweeter:HG-25 Audi A4 Mid-woofer: HG-165 M-3 Crossover: HG-CR-M	Plug & Play 2-way System for Audi A4 6,5" mid-woofer Incl. adapter plates & cable harnesses 2x 125/85 Watt 3 ohm impedance	165,00	

SLIM LINE – matala asennus





	tuotekoodi	tuoteselite	ovh sis. alv 24%	
	SQX 165 SLIM 25 mm High-Performance tweeter: HG-25 SG Slim midrange: HG-165 SLIM-3 Crossover: HG-CR-VARIO	2-way shallow mount System 6,5" slim mid-woofer 2x 135/90 Watt 3 ohm impedance	321,00	
	RS 165 SLIM 25 mm High-Efficiency tweeter: HG-25 GF Slim midrange: HG-165 SLIM -3 Crossover: HG-CR-RS	2-way shallow mount System 6,5" slim mid-woofer 2x 120/80 Watt 3 ohm impedance	228,00	
	SQX 130 SLIM 25 mm High-Performance tweeter: HG-25 SG Slim midrange: HG-130 SLIM-3 Crossover: HG-CR-VARIO	2-way shallow mount System 5" slim midrange 2x 120/80 Watt 3 ohm impedance	321,00	
	RS 130 SLIM 25 mm High-Efficiency tweeter: HG-25 GF Slim midrange: HG-130 SLIM -3 Crossover: HG-CR-RS	2-way shallow mount System 5" slim midrange 2x 105/70 Watt 3 ohm impedance	228,00	

GLADEN AUDIO Subwoofert

SPL COMPETITION LINE



	tuotekoodi	tuoteselite	ovh sis. alv 24%	
	SPL 18 COMPETITION	100% SPL Competition Woofer 18" / 46cm Peak-Power > 65 Hz : 35000 Watt Impedance according to customer request 2x 0,5/0,7/1,0 ohm	2082,00	
	SPL 15 COMPETITION	100% SPL Competition Woofer 15" / 38cm Peak-Power > 65 Hz : 30000 Watt Impedance according to customer request 2x 0,5/0,7/1,0 ohm	1874,00	
	SPL 12 COMPETITION	100% SPL Competition Woofer 12" / 30cm Peak-Power > 65 Hz : 25000 Watt Impedance according to customer request 2x 0,5/0,7/1,0 ohm	1666,00	

SPL LINE

	tuotekoodi	tuoteselite	ovh sis. alv 24%	
	SPL 15	Sound Pressure Level Subwoofer 15" / 38cm Peak-Power > 65 Hz : 15000 Watt 2x 1650/1100 Watt 2x 1 ohm impedance	656,00	
	VB 15-100	Vented Enclosure 100 L for SPL 15 High-strength MDF Black carpet finish Size: 870x440x460/280 mm	156,00	
	SPL 12	Sound Pressure Level Subwoofer 12" / 30cm Peak-Power > 65 Hz : 12000 Watt 2x 1350/900 Watt 2x 1 ohm impedance	605,00	
	VB 12-60	Vented Enclosure 60 L for SPL 12 High-strength MDF Black carpet finish Size: 700x400x400/240 mm	125,00	

--	--	--	--	--

AEROSPACE LINE

	AEROSPACE 10	High-end SQ-Level Subwoofer 10" / 25cm 600/400 Watt 4 ohm impedance 2,5" voice coil for 22-30 l. sealed box	1300,00	
---	---------------------	--	----------------	---

ZERO PRO LINE

	tuotekoodi	tuoteselite	ovh sis. alv 24%	
	ZERO 12 PRO	High-End Subwoofer 12" / 30cm 1x 750/500 Watt 4 ohm impedance	472,00	
	ZERO 12 PRO VB	High-End Subwoofer 12" / 30cm in 50 L Vented Box black coated grill-bars, milled aluminium label, carbon leather optics 4 ohm impedance Size: 670x400x200/345 mm	579,00	
	ZERO 12 PRO SB	High-End Subwoofer 12" / 30cm in 30 L Sealed Box , high-strength MDF frontage, black coated grill-bars, milled aluminium label 4 ohm impedance Size: 440x345x245/350 mm	559,00	
	ZERO 10 PRO	High-End Subwoofer 10" / 25cm 1x 600/400 Watt 4 ohm impedance	419,00	
	ZERO 10 PRO VB	High-End Subwoofer 10" / 25cm in 36 L Vented Box black coated grill-bars, milled aluminium label, carbon leather optics 4 ohm impedance Size: 550x360x200/340 mm	514,00	
	ZERO 10 PRO SB	High-End Subwoofer 10" / 25cm in 20 L Sealed Box , high-strength MDF frontage, black coated grill-bars, milled aluminium label 4 ohm impedance Size: 360x350x205/310 mm	493,00	

SQL LINE





	tuotekoodi	tuoteselite	ovh sis. alv 24%	
	SQL 15	Sound Quality Level Subwoofer 15" / 38cm 1x 1800/1200 Watt 4 ohm impedance	530,00	
	SQL 15 EXTREME	Sound Quality Level Subwoofer 15" / 38cm 1x 2100/1400 Watt 2 ohm impedance	582,00	
	VB 15-100	Vented Enclosure 100 L for SQL 15 High-strength MDF Black carpet finish Size: 870x440x460/280 mm	157,00	
	SQL 12	Sound Quality Level Subwoofer 12" / 30cm 1x 1650/1100 Watt 4 ohm impedance	436,00	
	SQL 12 EXTREME	Sound Quality Level Subwoofer 12" / 30cm 1x 1950/1300 Watt 2 ohm impedance	488,00	
	VB 12-60	Vented Enclosure 60 L for SQL 12 High-strength MDF Black carpet finish Size: 700x400x400/240 mm	125,00	

SQX LINE

	tuotekoodi	tuoteselite	ovh sis. alv 24%	
	SQX 15	High-Performance Subwoofer 15" / 38cm 1x 1050/700 Watt 4 ohm impedance	374,00	
	SQX 15 EXTREME	High-Performance 15" / 38cm Extreme Subwoofer 1x 1275/850 Watt 2 ohm impedance	401,00	
	VB 15-100	Bassreflex Leergehäuse 100 L for SQL 15 Hochfestes MDF, zusätzliche Verstärkungskeile, Bassreflex Schachtsystem, mit Fleece bezogen Maße: 870x440x460/280 mm	157,00	
	SQX 12	High-Performance 12" / 30cm Extreme Subwoofer 1x 900/600 Watt 4 ohm impedance	311,00	
	SQX 12 EXTREME	High-Performance 12" / 30cm Extreme Subwoofer 1x 1125/750 Watt 2 ohm impedance	338,00	
	SQX 12 VB	High-Performance Subwoofer 12" / 30cm in 50 L Vented Box 4 ohm impedance Size: 670x400x180 mm	415,00	
	SQX 12 VB EXTREME	High-Performance 12" / 30cm Extreme Subwoofer in 50 L Vented Box 2 ohm impedance Size: 670x400x180 mm	442,00	
	SQX 10	High-Performance Subwoofer 10" / 25cm 1x 525/350 Watt 4 ohm impedance	207,00	
	SQX 10 VB	High-Performance Subwoofer 10" / 25cm in 36 L Vented Box 4 ohm impedance Size: 550x360x320 mm	311,00	
	SQX 08	High-Performance Subwoofer 8" / 20cm 1x 375/250 Watt 4 ohm impedance	134,00	






	SQX 08 VB	High-Performance Subwoofer 8" / 20cm in 18 L Vented Box 4 ohm impedance Size: 370x280x310 mm	207,00	
---	------------------	---	--------	--

RS-X LINE




	RS-X08	8"/20 cm 375/250 Watt 4 ohm impedance 1,5" voice coil Vented box 18 l or sealed box 12 l	109,00	
	RS-X 10	10"/25 cm 450/300 Watt 4 ohm impedance 2" voice coil Vented box 32 l or sealed box 22	165,00	
	RS-X12	12"/30 cm 750/500 Watt 4 ohm impedance 2,5" voice coil Vented box 48 l or sealed box 32 l	229,00	

RS LINE



	tuotekoodi	tuoteselite	ovh sis. alv 24%	
	RS 12	All-round Subwoofer 12" / 30cm 1x 600/400 Watt 4 ohm impedance	155,00	
	RS 12 VB	All-round Subwoofer 12" / 30cm in 48 L Vented Box 1x 600/400 Watt 4 ohm impedance Size: 670x400x180/340 mm	249,00	
	RS 12 VB DUAL	2x 12" / 30cm RS 12 in 96 L Vented Box 2x 600/400 Watt 2x 4 ohm impedance Size: 885x400x340/470 mm	467,00	

	RS 10	All-round Subwoofer 10" / 25cm 1x 375/250 Watt 4 ohm impedance	124,00	
	RS 10 VB	All-round Subwoofer 10" / 25cm in 32 L Vented Box 1x 375/250 Watt 4 ohm impedance Size: 550x360x200/320 mm	207,00	
	RS 08	All-round Subwoofer 8" / 20cm 1x 250/175 Watt 4 ohm impedance	71,00	
	RS 08 EXTREME	All-round Subwoofer 8" / 20cm 1x 300/200 Watt 2 ohm impedance	78,00	
	RS 08 VB	All-round Subwoofer 8" / 20cm in 18 L Vented Box 1x 250/175 Watt 4 ohm impedance Size: 370x280x210/310 mm	134,00	

RS ja M FREE AIR LINE

	tuotekoodi	tuoteselite	ovh sis. alv 24%	
	RS 15 Free Air	Free Air Subwoofer 15" / 38cm 1x 650/450 Watt 4 ohm impedance	217,00	
	RS 12 Free Air	Free Air Subwoofer 12" / 30cm 1x 600/400 Watt 4 ohm impedance	144,00	
	M LINE 08 Free Air	Free Air Subwoofer 8" / 20cm Especially for soundboards 1x 140/90 Watt 4 ohm impedance	51,00	

RS-X SLIM LINE

	RS-X 12 Slim	12" / 30cm Slim-Subwoofer 1x 600/400 Watt 4 ohm impedance	155,00	
	RS-X 10 Slim	10" / 25cm Slim-Subwoofer 1x 375/250 Watt 4 ohm impedance	124,00	





RS RB LINE

	tuotekoodi	tuoteselite	ovh sis. alv 24%	
	RS 10 RB	Allround 250 mm Subwoofer in Round Box 1x 375/250 Watt 4 ohm impedance Size: ca. 550x200 mm	217,00	
	RS 08 RB DUAL	Allround 200 mm Subwoofer In Round Box DUAL 1x 600/400 Watt 4 ohm impedance Size: ca. 550x200 mm	249,00	
	RS 08 RB DUAL Aktive	Allround 200 mm Subwoofer In Round Box DUAL BA 175.1 INSIDE 	353,00	
	RS 10 RB Aktive	All-round Subwoofer 10" / 25cm in Round Box BA 175c1 INSIDE 	325,00	


M- LINE

	tuotekoodi	tuoteselite	ovh sis. alv 24%	
	M-LINE 15	High-Efficiency Subwoofer 15" / 38cm 1x 600/400 Watt 4 ohm impedance	134,00	
	M-LINE 12	High-Efficiency Subwoofer 12" / 30cm 1x 450/300 Watt 4 ohm impedance	82,00	
	M-LINE 12 VB	2x 12" / 30cm M12 in 48 L Vented Box 1x 450/300 Watt 4 ohm impedance Size: 670x400x180/340 mm	186,00	
	M-LINE 12 VB DUAL	High-Efficiency 2x 12" / 30cm Subwoofer in 96 L Vented Box 2x 450/300 Watt 2x 4 ohm impedance Size: 885x400x340/470 mm	321,00	
	M-LINE 10	High-Efficiency Subwoofer 10" / 25cm 1x 300/200 Watt 4 ohm impedance	71,00	
	M-LINE 10 VB	High-Efficiency Subwoofer 10" / 25cm in 32 L Vented Box 1x 300/200 Watt 4 ohm impedance Size: 550x360x200/320 mm	155,00	

ALPHA LINE

	ALPHA 12	All-round Subwoofer 12" / 30cm 1x 350/250 Watt 4 ohm impedance	61,00	
	ALPHA 12 SB	All-round Subwoofer 12" / 30cm In 32 L Sealed Box 1x 350/250 Watt 4 ohm impedance	124,00	
	ALPHA 10	High-Efficiency Subwoofer 10" / 25cm 1x 250/150 Watt 4 ohm impedance	51,00	
	ALPHA 10 SB	All-round Subwoofer 10" / 25cm In 22 L Sealed Box 1x 250/150 Watt 4 ohm impedance	103,00	




AKTIIVI SUBWOOFER

	tuotekoodi	tuoteselite	ovh sis. alv 24%)	
	US 08	Under Seat Active Woofer 8" / 20cm 1x 100/150 Watt Low- and High-Level Input, High-Level with auto sense, aluminium case, remote control Size: 234x78x350 mm	280,00	




tyhjät refleksikotelot ZERO, RS, M-LINE

	tuotekoodi	tuoteselite	ovh sis. alv 24%)	
	VB 12 DUAL	Dual vented enclosure 96 L for 12" woofer, High-strength MDF, grill-bars milled aluminium label Size: 885x400x340/470 mm	139,00	
	VB 12-48	Vented enclosure 48 L for e.g. ZERO 12, RS 12 und M-LINE 12 High-strength MDF, duplex frontage for sunk mounted woofer, grill-bars, milled aluminium label Size: 670x400x180/340 mm	105,00	
	VB 10-32	Vented enclosure 32 L for e.g. ZERO 10, RS 10 und M-LINE 10 High-strength MDF, duplex frontage for sunk mounted woofer, grill-bars, milled aluminium label Size: 550x360x200/320 mm	90,00	
	VB 08-18	Vented enclosure 18 L for e.g. RS 08 High-strength MDF, duplex frontage for sunk mounted woofer, grill-bars, milled aluminium label Size: 370x280x210/310 mm	70,00	

tyhjät refleksikotelot SQX, ZERO

	tuotekoodi	tuoteselite	ovh sis. alv 24%	
	VB 12-50SQX	Vented enclosure 50 L for e.g. SQX12 and ZERO12 High-strength MDF, duplex frontage for sunk mounted woofer, black coated grill-bars, milled aluminium label, carbon leather optics Size: 670x400x200/345 mm	140,00	
	VB 10-36SQX	Vented enclosure 36 L for e.g. SQX10 and ZERO10 High-strength MDF, duplex frontage for sunk mounted woofer, black coated grill-bars, milled aluminium label, carbon leather optics Size: 550x360x200/340 mm	105,00	
	VB 08-18SQX	Vented enclosure 18 L for e.g. RS 08 High-strength MDF, duplex frontage for sunk mounted woofer, black coated grill-bars, milled aluminium label, carbon leather optics Size: 370x280x210/310 mm	90,00	

tyhjät suljetut kotelot

	tuotekoodi	tuoteselite	ovh sis. alv 24%	
	SB 12-30	Sealed enclosure 30 L for 12" subwoofer High-strength MDF frontage, black coated grill-bars, milled aluminium label Size:440x345x245/350 mm	105,00	
	SB 10-20	Sealed enclosure 20 L for 10" subwoofer High-strength MDF frontage, black coated grill-bars, milled aluminium label Size: 360x350x205/310 mm	90,00	
	SB 08-14	Sealed enclosure 14 L for 8" subwoofer High-strength MDF frontage, black coated grill-bars, milled aluminium label Size: 300x300x205/295 mm	80,00	




recone sarjat

	tuotekoodi	tuoteselite	ovh sis. alv 24%	
	Recone kit SQL 12	SQL 12" subwoofer recone kit	138,00	
	Recone kit SQL 15	SQL 15" subwoofer recone kit	162,00	
	Recone kit SPL 12	SPL 12" subwoofer recone kit	252,00	
	Recone kit SPL 15	SPL 15" subwoofer recone kit	269,00	






ERILLIS KOMPONENTIT

ZERO PRO LINE - KAIUTTIMET

	tuotekoodi	tuoteselite	ovh sis. alv 24% PARI	
	HG-165-ZPDC-3	6,5" Dust Cap midrange 3 ohm impedance	242,00	
	HG-165-ZPDC-4	6,5" Dust Cap midrange 4 ohm impedance	242,00	
	HG-165-ZPPP-3	6,5" Phase Plug midrange 3 ohm impedance	284,00	
	HG-80-ZPPP-3	80 mm Phase Plug midrange	189,00	
	HG-20PV	25 mm neodym tweeter	174,00	
	HG-25PV	25 mm neodym tweeter	178,00	

	HG-28PV	28 mm neodym tweeter	242,00	
	HG-CR-ZERO PRO	ZERO PRO LINE crossover	237,00	
	HG-CR-VARIO	VARIO crossover for DC systems	105,00	
	HG-RI80ZP	3" Cover Ring for ZERO PRO LINE	126,00	





ZERO LINE – KAIUTTIMIT

	tuotekoodi	tuoteselite	ovh sis. alv 24% PARI	
	HG-165Z-3	6,5" mid-bass 3 ohm impedance	137,00	
	HG-130Z-3	5" mid-bass 3 ohm impedance	137,00	
	HG-100Z-3	4" mid-bass 3 ohm impedance	137,00	
	HG-25SG	25 mm neodym tweeter	112,00	
	HG-CR-VARIO	VARIO crossover	105,00	






SAATAVUUS VARMISTETTAVA!


(Bulk – ei omaa myyntipakkausta!)

SQL LINE - KAIUTTIMIT

	tuotekoodi	tuoteselite	ovh sis. alv 24% PARI	
	HG-165SQL-2	6,5" middle speaker 2 ohm impedance	212,00	
	HG-165SQL-4	6,5" middle speaker 4 ohm impedance	212,00	
	HG-25SG	25 mm neodym tweeter	112,00	
	HG-CR-SQ	SQL LINE crossover	91,00	

SQX LINE - KAIUTTIMIT





	tuotekoodi	tuoteselite	ovh sis. alv 24% PARI	
	HG-165SQX-2	6,5" middle speaker 2 ohm impedance	119,00	
	HG-130SQX-2	5" middle speaker 2 ohm impedance	119,00	
	HG-165SQX-4	6,5" middle speaker 4 ohm impedance	119,00	
	HG-80SQX-3	3" middle speaker 3 Ohm impedance	125,00	
	HG-25SG	25 mm neodym tweeter	112,00	

	HG-CR-VARIO	VARIO crossover	125,00	
---	--------------------	-----------------	--------	--





RS LINE - KAIUTTIMIT

	tuotekoodi	tuoteselite	ovh sis. alv 24% PARI	
	HG-165RS-3	6,5" middle speaker 3 ohm impedance	100,00	
	HG-130RS-3	5" middle speaker 3 ohm impedance	100,00	
	HG-100RS-3	4" middle speaker 3 ohm impedance	100,00	
	HG-165RS-4	6,5" middle speaker 4 ohm impedance	100,00	
	HG-25GF	25 mm neodym tweeter	62,00	
	HG-CR-RS	RS LINE crossover	50,00	
	HG-80RS-3	3" middle speaker 3 ohm impedance	75,00	
	HG-CR-3way	RS LINE crossover 3-Way	100,00	




M-LINE - KAIUTTIMIT



	tuotekoodi	tuoteselite	ovh sis. alv 24% PARI	
	HG-165M-3	6,5" middle speaker 3 ohm impedance	75,00	
	HG-130M-3	5" middle speaker 3 ohm impedance	75,00	
	HG-100M-3	4" middle speaker 3 ohm impedance	75,00	
	HG-25GF-CR	25 mm neodym tweeter with CR-M crossover	100,00	

SPECIAL WOOFERIT

	tuotekoodi	tuoteselite	ovh sis. alv 24% PARI	
	HG-201BMW-3	8" slim woofer for BMW 1x150/100 Watt 3 ohm impedance	275,00	
	HG-201BMW-EXTREME	8" slim woofer for BMW 1x225/150 Watt 2 ohm impedance	379,00	
	HG-200SLIM-4	8" slim woofer for VW 4 ohm impedance -without ring-	200,00	
	HG-200SLIM-EXTREME	8" slim woofer EXTREME for VW 4 ohm impedance -without ring-	252,00	

SPECIAL KESKIÄÄNISET

	tuotekoodi	tuoteselite	ovh sis. alv 24% PARI	
	HG-165SLIM-3	6,5" slim midrange 3 ohm impedance	140,00	
	HG-130SLIM-3	5" slim midrange 3 ohm impedance	140,00	
	HG-120SLIM-4	4" slim midrange for VW 4 ohm impedance	100,00	

	HG-101BMW-3	4" neodym midrange for BMW 4 ohm impedance	125,00	
	HG-165E46-3	6,5" middle speaker 3 ohm impedance	125,00	

SPECIAL DISKANTIT







	tuotekoodi	tuoteselite	ovh sis. alv 24% PARI	
	HG-25Golf4	25 mm neodym tweeter	57,00	
	HG-25Golf6	25 mm neodym tweeter	57,00	
	HG-25Golf7	25 mm neodym tweeter	57,00	
	HG-25BMW-EF	25 mm neodym tweeter for BMW E und F models 100% Plug & Play tweeter	100,00	




	HG-25A3-8P	25 mm neodym tweeter	100,00	
	HG-25A4-B6/7	25 mm neodym tweeter for Audi A4, B6/7 models	100,00	

SPECIAL JAKOSUOTIMET

	tuotekoodi	tuoteselite	ovh sis. alv 24% PARI	
	HG-CR-BMW	BMW crossover	75,00	
	HG-CR-Golf5	Golf 5 crossover	75,00	
	HG-CR-ONE	ONE LINE crossover	35,00	
	HG-CR-M	M-LINE crossover	30,00	



GLADEN SUBKAULUKSET

	tuotekoodi	tuoteselite	ovh sis. alv 24%	
	Frame30_10 Frame30_15	Diameter 300 mm Height 100 mm, volume 5,3l Height 150 mm, volume 8l	49,00 70,00	
	Frame35_10 Frame35_15	Diameter 350 mm Height 100 mm, volume 7,6l Height 150 mm, volume 11,4l	49,00 70,00	
	Frame40_10 Frame40_15	Diameter 400 mm Height 100 mm, volume 10,2l Height 150 mm, volume 15,3l	49,00 70,00	
	Frame45_15 Frame45_20	Diameter 450 mm Height 150 mm, volume 19,8l Height 200 mm, volume 26,4l	70,00 90,00	
	Frame50_15 Frame50_20	Diameter 500 mm Height 150 mm, volume 24,9l Height 200 mm, volume 33,2l	75,00 95,00	
	Frame55_15 Frame55_20	Diameter 550 mm Height 150 mm, volume 30,6l Height 200 mm, volume 40,8l	78,00 102,00	




	Frame60_15 Frame60_20	Diameter 600 mm Height 150 mm, volume 36,9l Height 200 mm, volume 49,2l	82,00 105,00	
	Frame65_15 Frame65_20	Diameter 650 mm Height 150 mm, volume 43,8l Height 200 mm, volume 58,4	84,00 109,00	
	Cover/bottom	Cover/bottom Available for all subframes (300-650 mm)	22,00	




ASENNUSTARVIKKEET
KAAPELIT, SULAKERASIAST, SULAKKEET

	tuotekoodi	tuoteselite	ovh sis alv 24%	
	GLADEN ECO LINE Wiring kit WK 10	Wiring kit incl. RCA cable 10 mm ²	32,00	
	GLADEN ECO LINE Wiring kit WK 20	Wiring kit incl. RCA cable 20 mm ²	48,00	
	GLADEN ECO LINE Wiring kit WK 35	Wiring kit incl. RCA cable 35 mm ²	79,00	
	GLADEN ECO LINE Fuse holder FH 20	Fuse holder up to 20 mm ²	9,00	
	GLADEN ECO LINE Fuse holder FH 35	Fuse holder up to 50 mm ²	18,00	
	GLADEN ECO LINE ANL fuse	Fuse, 2 pcs. ANL 80/100/150/200/250/300	6,00	
	GLADEN ECO LINE AFC fuse (Mini ANL)	Fuse, 2 pcs. AFC 20/40/60/80/100	3	
	GLADEN ECO LINE Z-ChECO 0,75m Z-ChECO 1,5m Z-ChECO 3m Z-ChECO 5m Z-ChECO 6,5m Z-ChECO Y (pair) Z-ChECO Y-FFM (pair)	High-Performance RCA cable Blister package	9,00 10,00 13,00 17,00 20,00 10,00 10,00	



	GLADEN ECO LINE Z-ChECO5m-bulk	High-Performance RCA cable Bulk, 100 pcs.	14,50	
	GLADEN ZERO LINE Z-ChZERO 0,75m Z-ChZERO 1,5m Z-ChZERO 2,5m Z-ChZERO 3,5m Z-ChZERO 5m Z-ChZERO Y (pair)	High-End RCA cable Blister package	21,00 24,00 28,50 33,00 39,00 30,00	

TERMINAALIT, MAADOITUS ja SULAKE BLOKIT

	tuotekoodi	tuoteselite	ovh sis. alv 24%	
	GLADEN U-Terminal	U-Terminals each with 12 pcs. in blister packing (6xblack/6xred) Z-T-U 2,5mm ² Z-T-U 4mm ² Z-T-U 6mm ² each with 8 pcs. in blister packing (4x black/4x red) Z-T-U 10mm ² (from December on) each with 4 pcs. in blister packing (2x black/2x red) Z-T-U 20mm ² (from December on)	3,00 4,25 5,25 4,75 4,50	
	GLADEN Speaker-Terminal	Speaker-Terminals each with 12 pcs. in blister packing (6x black/6x red) Z-T-S 2,5mm ² Z-T-S 4mm ²	3,00 3,25	
	GLADEN Ring-Terminal	Ring-Terminals each with 8 pcs. in blister packing (4x black/4x red) Z-T-R 10mm ² each with 4 pcs. in blister packing (2x black/2x red) Z-T-R 20mm ² each with 2 pcs. in blister packing (1x black/1x red) Z-T-R 35mm ² Z-T-R 50mm ²	5,25 5,75 6,00 7,50	




	<p>GLADEN Cable End-Terminal</p>	<p>Cable End-Terminals each with 20 pcs. in blister packing Z-T-C 1,5mm² Z-T-C 2,5mm² Z-T-C 4mm² each with 12 pcs. in blister packing Z-T-C 6mm² Z-T-C 10mm² each with 8 pcs. In blister packing Z-T-C 20mm² each with 4 pcs. in blister packing Z-T-C 35mm² Z-T-C 50mm²</p>	<p>2,25 2,75 3,25 2,50 2,75 4,00 2,50 4,00</p>	
	<p>GLADEN Fuse Blocks</p>	<p>AFC/mini ANL Fuse Blocks in blister packing Z-FB2 block 2 fuses (IN 35 or 20mm² / OUT 2x20mm²) Z-FB4 block 4 fuses (IN 2x35 + 1x20mm² / OUT 4x20mm²)</p>	<p>18,50 26,00</p>	
	<p>GLADEN Ground Block</p>	<p>Ground Blocks in blister packing Z-GB50/35 (1x50 + 2x35mm²) Z-GB20/10 (1x20 + 4x10mm²)</p>	<p>10,00 10,00</p>	

JOHDOT RULLISSA

	<p>Speaker cable copper</p> <p>LL2x 0,75mm²/ 100m p.roll LL2x 1,5mm² / 100m p.roll LL2x 2,5mm² / 75m p.roll LL2x 4,0mm² / 50m p.roll</p>	<p>Speaker cable, transparent</p> <p>Prices depend on copper rate!</p>	<p>1,00/m 1,80/m 2,50/m 3,50/m</p>	
	<p>Power cable copper</p> <p>10 mm² / 50 m p.roll 20 mm² / 50 m p.roll 35 mm² / 25 m p.roll 50 mm² / 25 m p.roll</p>	<p>Power cable, red or black</p> <p>Prices depend on copper rate!</p>	<p>3,60/m 6,50/m 12,00/m 24,50/m</p>	

GLADEN AERO VAIMENNUS

	tuotekoodi	tuoteselite	ovh sis. alv 24%	
	AERO-Butyl	Aluminium 0,1mm / Butyl 1,7mm levy koko: 460x800x1,8mm - 3,26kg/m2 1 kpl 20 kpl bulk paketti	17,50 280,00	
	AERO-Multi	Aluminium / Butyl / Rubber Foam levy koko: 460x800x5 mm - 3,67kg/m2 1 kpl 20 kpl bulk paketti	20,00 320,00	
	AERO-Extreme	Aluminium 0,3mm / Butyl 1,0mm levy koko: 500x625x1,5 mm - 2,15kg/m2 1 kpl 20kpl bulk paketti	23,50 376,00	
	AERO-Neoprene	Rubber Foam levy koko: 500x800x6 mm 1 kpl 20 kpl bulk paketti	9,50 152,00	
	AERO-Foam	Foam levy koko: 500x800x5 mm 1 kpl 20 kpl bulk paketti	8,90 142,00	
	AERO-Poly	Polyester levy koko: 500x800x11 mm 1 kpl 20 kpl bulk paketti	12,50 200,00	
	AERO-Wave	Rubber Foam levy koko: 500x800x20 mm 1 kpl 20 kpl bulk paketti	14,00 224,00	
	AERO-Fill	Ductile Butyl 4,5 m / rulla 15 rullaa bulk	17,50 210,00	
	AERO-Stone	Pasta 5 kg purkki	82,00	
	AERO 2 Door Kit Standard	2 door starter kit sisältää: 2 kpl AERO-Multi 460x800x5mm 2 kpl AERO-Wave 250x200x20mm	49,00	
	AERO 2 Door Kit Professional	2 door starter kit sisältää: 2 kpl AERO-Multi 460x800x5mm 2 kpl AERO-Wave 250x200x20mm 2 kpl AERO-Butyl 460x800x1,8mm	83,00	

	Gi 100	Speaker grill for 4" speaker with GLADEN logo	10,00 pari	
	Gi 130	Speaker grill for 5" speaker with GLADEN logo	10.00 pari	
	Gi 165	Speaker grill for 6,5" speaker with GLADEN logo	10,00 pari	