

Taxonomic index

Predators

Adalia 30

Adalia bipunctata 14, 17, 19, 23, 29, 30, 40, 41, 42, 43, 47, 48, 50, 51, 52, 54, 56, 73, 75, 79, 84, 90, 91, 95, 96, 97, 98, 101, 105, 106, 107, 120, 123, 126, 133, 134, 140, 141, 142, 146, 149, 167, 174, 176, 183, 186, 187, 188, 189, 196, 206, 212, 213

Adalia decempunctata 17, 86, 87, 98, 122, 130, 159, 176, 183, 184

Adonis variegata 85, 98

Ailocaria 58

Ailocaria hexaspilota 148

Anatis ocellata 100, 176

Anisosticta novemdecimpunctata 32

Calvia decempunctata 84, 185

Calvia quatuordecimguttata 68, 84, 98, 185

Cheilomenes lunata 54

Chilocorus bipustulatus 54, 73, 95

Chilocorus cacti 73

Chilocorus distigma 73

Chilocorus infernalis 73

Chilocorus nigritus 13, 73, 95, 97, 99, 104, 194

Cleidostethus meliponae 7

Cleothora notata 48

Clitostethus arcuatus 15, 54

Coccinella 30

Coccinella californica 54

Coccinella leonina 194

Coccinella maculata 96

Coccinella magnifica 30, 69, 93, 105, 105

Coccinella novemnotata 194

Coccinella quinquepunctata 98

Coccinella septempunctata 10, 13, 21, 22, 28, 29, 30, 31, 34, 39, 40, 48, 54, 69, 73, 75, 76, 85, 95, 96, 97, 98, 99, 100, 101, 102, 105, 106, 110, 111, 112, 113,

115, 119, 121, 122, 123, 124, 125, 126, 127, 187, 189, 193, 194, 195, 196, 206, 211, 213

Coccinella septempunctata brucki 14, 48, 180, 181, 183

Coccinella transversalis 54, 185, 186

Coccinella transversoguttata 96, 196

Coccinella trifasciata 3

Coccinella undecimpunctata 69, 183, 184, 191, 194

Coelophora inaequalis 69

Coelophora mulsanti 19, 69

Coelophora quadrivittata 48, 54, 69, 202

Coleomegilla maculata 123, 163, 213

Coleomegilla maculata lengi 148, 177

Cryptolaemus montrouzieri 69, 73, 99, 100, 104, 211

Cycloneda sanguinea 54, 123, 178

Delphastus pusillus 123

Diomus 100

Diomus hennesseyi 73, 206

Epilachna 15

Epilachna reticulata 13

Exochomus 100

Exochomus flaviventris 73, 206, 211, 212

Exochomus quadripustulatus 30

Harmonia axyridis 31, 41, 48, 52, 54, 73, 95, 96, 97, 100, 110, 114, 131, 135, 142, 143, 145, 146, 148, 167, 180, 181, 182, 183, 196, 206

Harmonia quadripunctata 32

Henosepilachna 15

Hippodamia convergens 27, 28, 29, 41, 80, 123, 148, 178, 211, 212

Hippodamia quinquesignata 40, 48, 143

Hippodamia tridecimpunctata tibialis 148

Hyperaspis pantherina 197

Hyperaspis trifurcata 33

Hyperaspis raynevali 54, 73, 206

Leis conformis 73
Leis dimidiata 42, 44
Leptothea galbula 15

Megalocaria dillata 33
Menochilus sexmaculatus 15, 20, 23, 29,
 48, 54, 73, 75, 185, 186

Nephaspis aculatus 48
Nephus reunioni 73

Olla v-nigrum 49, 206
Orcus chalybeus 9

Pharoscymnus numidicus 49, 54
Platynaspis 9, 12, 13
Platynaspis luteorubra 93
Propylea japonica 17, 29, 37, 38, 42, 158,
 159, 180, 181
Propylea quatuordecimpunctata 29, 46,
 49, 73, 98, 123, 142, 176, 206, 213
Pseudoscymnus kurohime 33, 40
Pseudoscymnus tsugae 49
Pseudosynonychia 58

Rhizobius 203, 210
Rhizobius lophanthae 54, 196, 206
Rhizobius ventralis 202
Rodolia 178, 197, 203, 210
Rodolia amabilis 194
Rodolia cardinalis 1, 9, 30, 99, 191, 194,
 202
Rodolia iceryae 49.
Rodolia limbata 191, 192

Scymnus 33, 58, 70, 72
Scymnus frontalis 19, 40
Scymnus hoffmani 15, 19
Scymnus interruptus 79
Scymnus marginocollis 54
Semiadalia undecimnotata 27, 28, 149,
 206
Stethorus 12, 58, 72
Stethorus madecassus 49, 54
Stethorus picipes 49, 54
Stethorus punctillum 49, 54
Stethorus punctatorum 94
Subcoccinella 15

Tytthaspis 12
Tytthaspis sedecimpunctata 13

Prey

Acythosiphon pisum 3, 95, 123
Aonidiella aurantii 95
Aphis craccivora 101
Aphis fabae 95, 101, 213
Aphis gossypii 180, 181, 211
Aphis jacobaeae 33, 34
Aphis nerii 85
Aphis spiraeophaga 101

Carulaspis minima 196
Ceroplastes floridensis 95
Cinara pini 105
Coccus hesperidum 95

Dactylopius 33
Diuraphis noxia 123
Drepanosiphum platanoidis 92, 173, 174
Dysaphis plantaginea 212

Ephestia kuehniella 211
Eucallipterus tiliae 91
Euceraphis punctipennis 91, 105

Hyalopterus pruni 84, 87, 105

Icerya aegyptiaca 191
Icerya purchasi 1, 99, 191, 192, 194

Lepidosaphes newsteadi 196

Macrosiphum albifrons 85
Macrosiphum rosae 211, 212
Megoura viciae 84
Microlophium carnosum 193
Myzus cerasi 105
Myzus persicae 102

Orthesia insignis 196
Ostrinia nubilalis 96

Phorodon humuli 101, 105, 212
Planococcus citri 99
Prociphilus tessellatus 203
Pseudococcus citri 211
Pterocomma salicis 105

Rhopalosiphum maidis 163
Rhopalosiphum padi 105, 193

Saissetia oleae 95
Schizolachnus pineti 105, 114

Cambridge University Press

0521622034 - Insect Predator-Prey Dynamics: Ladybird Beetles and Biological Control

A. F. G. Dixon

Index

[More information](#)*Subject index*

- abundance 125–6
- ageing 19–21, 77, 80, 88
- alkaloids 30, 108, 183, 184
 - defence 32
 - alimentary canal 14, 120
- alkanes 33, 187
- ants 105
- attack
 - coefficient 123
 - rate 82, 165, 204
- biological control 4, 159, 183, 190, 199, 211
 - agents 2, 4, 83, 155, 159, 165, 169, 175, 197–8, 200, 204
 - augmentative 191, 211
 - classical 190
 - conservation 196
 - evolutionarily stable 216
 - theory 193, 194
- birth weight 47
- bleeding, reflex 30–1
- body size 37, 39, 41, 47, 90, 169
 - distribution 55, 58, 65
 - growth rate, relative 37, 39, 47
- cannibalism 108, 125, 127, 130, 133–9, 141, 146, 165, 187, 213
 - avoidance of 142
 - cost of 132
 - risk of 132, 143
 - sibling 132
 - survival 135, 137, 149
 - theory 130
- colour 6, 32
- competition 57, 108, 173, 187, 193–4, 199
- conversion efficiency 205, 206
- defence 29
 - alkaloids 30, 108
 - aposematic 32
 - sequestering 33
 - trade-off 31
- demand rate 204
- development 15, 69, 155, 157, 166, 210
- artificial selection for 69
 - gonadal 50
 - phylogenetic 71
- constraint
 - egg weight 27, 39
 - rate 37, 70
 - fast 41, 67
 - isomorphy 15
 - slow 41, 67
 - survival 17
 - temperature, effect of 15, 37, 69, 70
 - trade-off 27
- dimorphism, sexual 42, 44
 - birth weight 47
 - fecundity advantage 45, 52
 - food consumption 42, 54
 - food quality 43
 - gonadal constraint 45, 50
 - protandry 45, 46
 - relative growth rate 52
 - temperature 42
 - time and energy constraint 46, 52
- egg window 106
- eggs 8, 15, 108, 140, 142
 - adult size 25, 63
 - ageing 20
 - cluster number 20, 21, 23–4
 - duration of incubation 142
 - food stress 22, 39
 - hatching period 143
 - minimum size 21, 39, 40
 - ovariole number 23, 24
 - protection of 33, 183
 - size 21, 22, 26, 27, 39

Cambridge University Press

0521622034 - Insect Predator-Prey Dynamics: Ladybird Beetles and Biological Control

A. F. G. Dixon

Index

[More information](#)

256

SUBJECT INDEX

- eggs (*cont.*)
 social feeding 108
 encounter rate 119
- fat reserves 21, 27, 28, 29, 40, 95
- fecundity 18, 20, 207
 adult size 23
 age, effect of 19, 20, 21, 80
 food consumption 20, 21
 longevity 19, 27, 74, 80
 ovariole number 24
 prey quality 23
 trade-off 19, 21
 triangular fecundity function 18, 20
- fitness 4, 28, 82, 89, 97, 109, 125, 126,
 132, 135, 147, 151, 213, 216
 inclusive 132, 134, 135
- food supply 37, 39, 41, 72, 167
- foraging behaviour 82, 95, 115
 abundance 126
 aggregative response 3, 94, 111
 aphid alarm pheromone 92, 101, 108
 area-restricted search 99–101, 109,
 114, 119–120
 arrestants 99, 110, 113
 attack coefficient 123
 capture efficiency 104
 dispersal 82, 94
 encounter rate 115, 119, 120
 energy intake 115, 119, 122
 extensive search 109, 113, 122
 feeding time 121
 functional response 82
 gain, rate of 115
 handling time 113, 118, 121, 157
 harvesting, rate of 94, 115, 119
 hunger 88, 89, 111, 113, 115, 119, 122
 intensive search 109, 120
 larval 109
 location of prey 97, 109
 olfactory 99, 112
 visual 100
 memory window 115, 119
 optimal 104, 112, 120, 122, 124, 147,
 160, 169
 prey
 abundance of 112
 quality of 101
 recognition of 83
 relative risk 84
 speed of movement 109
 survival 124
 switching 93
 systematic search 111
 functional response 82, 123, 157, 160,
 162, 164, 166
- generation-specific strategies 29
 generation time ratio 169, 208
- growth rate, relative 37, 39, 47, 52, 73,
 149, 207
- guilds
 aphidophagous 97, 108
 gut capacity 120
- habitat 93, 97, 173
- hunger 88–9, 111, 113, 115, 119, 122,
 135, 185
- ice-box hypothesis 147
- increase, intrinsic rate of 39, 41, 96,
 165, 166, 168, 171, 208
 artificial selection for 41
 developmental rate 168, 208
 temperature, effect of 166
- instars, number of 8
- legs 14, 185, 202
 length of 68
- life cycle 8
- life history 8
 parameters 165, 171, 207
 slow–fast continuum 67
- life tables 130, 133, 140, 147
- longevity 18
 ageing 77, 88
 development 77
 fecundity 19, 55, 74, 77, 78, 80
 food quality 19, 75
 mating success 53
 reproduction 27, 76
 trade-off 19, 76
- male-killer disease 142
- mating success 52, 53, 56
- mimicry
 Batesian 31, 32
 Müllerian 30, 32, 109
- morphology 10
 alimentary canal 14
 legs 14, 185, 202
 mouthparts 12
- mortality 18
- mouthparts 12, 15
- movement, speed of 109
- myrmecophily 69, 92, 105
- Nicholson & Bailey 155
- odour 30, 95, 99, 104
- ovarioles 25, 39, 52
- overwintering 27, 32, 126
 fat reserves 28, 41
 fecundity 76
 gender 28
 generation-specific strategies 29
 hibernation sites 27, 29
 photoperiod 27

- reproduction 29
 - size 28
 - survival 28
- oviposition 8, 100, 164
 - aphid abundance, peak 107
 - artificial diet, effect of 96
 - larval tracks 103, 106
- oviposition-deterring pheromone 106, 107, 147
- parasitoids 151
- patch quality 97, 102
 - assessment of 105
 - phenology 106
 - prey abundance 106
 - time-scale 102, 105
 - uncertainty of 125
- pest management, integrated 214
- pheromones
 - aphid alarm 92, 101, 108
 - oviposition-deterring 106, 107, 147
- phylogeny 7
- plasticity, intraspecific 36, 41
- predation, intraguild 88, 97, 173, 187
 - asymmetry 177
 - cost 183
 - guild structure 173
 - predator facilitation 179
 - predator-predator interactions 175
- predator, top 173, 188
- predator-prey interactions 126, 151
 - aggregative response 3
 - bottlenecks 168, 208
 - density 139, 141
 - generation time ratios 165, 169
 - minimalism 165
 - Nicholson & Bailey 155
 - parasitoids 151
 - prey
 - equilibrium 156
 - rate of increase 156
 - reproductive response 3
 - searching efficiency 156
 - temperature, effect of 3, 166
 - theory 152
- prey 6, 14, 89-90, 93
 - alternative 89, 93
 - essential 89, 93
 - nursery 93
 - peripheral 89
 - quality of 90
 - switching 93, 138
 - toxic 89
- prey recognition 83
 - alkanes 84
 - odour 99
- prey specificity 83, 88, 96, 97, 202
 - habitat quality 94
 - mobility of prey 90
 - plant structure 90
 - relative risk 84
 - size 58, 64
- pupae 146
- reproduction 18, 156
 - interspecific 23
 - intraspecific 23
 - adult weight 23, 26
 - ovariole number 23
 - overwintering 29
- reproductive rate 26, 52, 55, 74
 - biomass 26, 77
 - response 3
- respiratory rate 64, 73
- response
 - aggregative 3, 94, 111
 - functional 82, 123, 157, 160, 162, 164, 166
 - numerical 91, 155
 - olfactory 99, 104
 - reproductive 3
 - visual 97, 100
- satiation 91, 119, 120
- search
 - area-restricted 99-101, 109, 114, 119-20
 - extensive 109, 113, 122
 - intensive 109, 120
 - systematic 111
- searching efficiency 123, 156, 200
- sexual maturity 50
 - gonadal development 51
- slow-fast continuum 42, 67, 80, 207
 - developmental time 69
 - fecundity 74
 - longevity 74
 - metabolic rate 69
 - speed of movement 58, 68, 185, 202
 - trade-off 76
- social feeding 108
- speed of movement 58, 68
- structure 6
- survival 17, 64, 124, 159
 - duration of development 17, 90
 - food supply 17, 18
 - slow-growth-high-mortality 18
- temperature 37, 39, 40
- thermal thresholds 3
- toxicity of prey 89
- transit time 108
- visual response 97, 100
- voracity 14, 169, 171, 204, 205