

Index

- 16S rDNA, 45, 50, 51, 54
 18S rDNA, 62, 291
 5.8S rDNA, 88
 abundance, 4, 9, 36, 37, 103, 202, 313, 320, 325
 abundance-range, 313
 abundant-centre, 311
 size abundance, 313
Actinella, 25
 Actinolaimidae, 265
 Actinomycetales, 52
 adaptation, 320
Adineta, 100
Aeribacillus pallidus, 54
 alkane biodegradation, 49
 allopatric speciation, *See* speciation
Alocodera cockayni, 112
Alopex lagopus, 186
 altitudinal gradient, 340, 355
Amanita muscaria, 179
Amanita pantherina, 179, 180
 Amoebozoa, 112
Amphorotia, 23, 24, 25
 Amplified Fragment Length Polymorphism (AFLP), 96, 102, 147
 Amplified Ribosomal DNA Restriction Analyses (ARDRA), 45
 Amplified Ribosomal Intergenic Spacer Analysis (ARISA), 37
 anabiosis, 64
Anastrophyllum saxicola, 217
 ancient endemism, 39
 angiosperm, 209, 210, 235, 236, 237, 238, 239, 240
 anhydrobiosis, 64, 261
Annalisella bermudensis, 271
 annelid, *See* Annelida
 Annelida, 318
Anomobryum lusitanicum, 213
 Anthocerotophyta, 209, 212
Apodera vas, 89, 112, 113, 115, 116, 122
 Aporcelaimidae, 266
 Arcellinida testate amoebae, 8, 112, 113
 Archaea, 18, 35, 37, 38, 39, 54, 318
Artemia, 289
 Ascomycota, 131, 132, 191, 193
Asplenium azoricum, 238
Asterionella formosa, 81
Aureobasidium pullulans, 164
 Baas Becking, Lourens G.M., 12, 13, 14, 43, 88, 113, 114
 Baas-Becking hypothesis, 54, 55, 238, 241
Bacillus, 45, 51
Bacillus aestuarii, 51
 bacteria, 18, 35, 36, 37, 38, 39, 45, 46, 48, 50, 51, 54, 55, 64, 77, 112, 122, 133, 134, 153, 157, 158, 290, 318, 326
 cyanobacteria, 36, 39, 191, 192, 193
 hermophilic bacteria, 6
 mesophilic bacteria, 45, 49
 psychrophilic bacteria, 50
 salt marsh bacteria, 38
 thermophilic bacteria, 7, 44, 45, 46, 50, 51, 52, 53
 tree hole bacteria, 38
 base substitution, 180
 Basidiomycota, 131, 132, 191, 193
 bdelloid rotifer, *See* Rotifera
 Beijerinck, Martinus Willem, 12, 17, 43, 88, 113
 beta-tubulin, 99
 biculture effect, 157
 bioaugmentation, 50
 biogeographic barriers, 214

- biosolubilisation, 50
 biostimulation, 50
Bothrioplana semperi, 269
 Brachionidae, 251
Brachionus havanaensis, 80
Brachionus plicatilis, 330
 bryophyte, 8, 62, 64, 79, 114, 115, 116, 192,
 209–26, 249, 253, 265, 269, 288, 291, 318,
 336, 340, 342, 345, 348
 disjunct range, 218
 diversity patterns, 220
 endemic range, 213–16
 phylogeography, 220–25
 wide distribution, 213
- cacti, 132–35
 cactophilic yeast, 8, 130–31, 132–65
Caenorhabditis, 263
Caenorhabditis briggsae, 267
Caenorhabditis elegans, 267
 calibration points, 39, 225
 Calohypsibiidae, 254
Campyloides macquariae, 258, 259
Campyloides vanhoeffeni, 258, 259
Campylopus pilifer, 223
Candelariella biatorina, 193
Candida ipomoeae, 164
Candida sonorensis, 140, 141, 147, 148, 149, 150
 Carboniferous, 234
Carphania, 254
 Carphaniidae, 254
 Catenulida, 268, 269, 271
Cavernularia hultenii, 196, 199
Centropyxis, 112
Certesella, 89, 112, 113, 115, 116, 122
Cervidellus, 265
Cetraria aculeata, 196
Cetraria muricata, 196
 Chaetonotidae, 247, 248
 Chilodonellidae, 77–80
 chloroplast rbcL, 99
Chroococcidiopsis, 39
Chroodiscus, 195
 chrysophyte, 89, 103
 circumpolar distribution, 178, 186, 195, 196, 198
 Cladocera, 318
Cladonia arbuscula, 198
Cladonia coniocraea, 195
Cladonia mitis, 198
Cladonia rangiferina, 196
- classification, 7, 17–20, 253, 254
 climate change, 98, 178, 311, 343
 coalescent analysis, 179, 180, 181, 185
Colliculoamphora, 24, 25
 colonisation, 38, 54, 102, 124, 134, 158, 213,
 221, 222, 236, 238, 252, 289, 290, 293, 299
Colpidium kleinii, 64
 Colpodea, 68, 71
Colpidium colpoda, 63
 commensal, 255
 community diversity, 37
 comparative biogeography, 17
 comparative phylogeographic analyses, 178
 confocal microscopy, 248
 continental drift, 9, 62, 194, 197, 217, 225, 247, 270
 Copepoda, 318
Cortinarius favrei, 179
Coscinodiscus wailesii, 80
Cosmognathia, 260
 cosmopolitan model, 61
 cosmopolitanism, 7, 122, 161, 248, 251, 292,
 327, 328, 329, 338
 Cretaceous, 236, 253
 cryptic species, 122, 195, 200, 221, 222, 252,
 256, 260, 271, 285, 291–92, *See also* species
 complex
 cryptobiosis, 253, 261, 298
 Cyclophora, 245, 255–56
 cyclophoran. *See* Cyclophora
 cytochrome b (COB), 292
 cytochrome c oxidase I (COI), 95, 96, 99, 100,
 102, 248, 291, 292, 295, 296, 298
- Dactylina arctica*, 179
Daphnia, 289
Daphnia magna, 329
 Darwin, Charles, 15, 16, 17, 20, 112, 113
 Origin of Species, 15
 Denaturing Gradient Gel Electrophoresis
 (DGGE), 37, 38, 39
 denitrification, 46, 47
Deparia petersenii, 239
 Devonian, 234
 diatoms, 7, 16, 18, 80, 81, 89, 339, 341
 biogeography, 20–25
 evolution, 20–25
Diffugia, 112
 Dikarya, 131
Diphascon pingue, 254
 Diplogasteromorpha, 263
 Diplogastridae, 266

360 INDEX

- disjunct distribution, 8, 19, 141, 178, 196, 197, 217, 218, 223, 224
- dispersal, 54
- air current, 62, 64, 82, 213, 216, 235
 - anthropogenic, 8, 9, 16, 62, 64, 80–81, 82, 102, 123, 124, 133, 161, 162, 177, 225, 240, 263, 270, 293, 324, 344
 - ballast, 80, 247, 270
 - drifting sea ice, 186, 269
 - driftwood, 186, 269
 - dust devil, 261
 - flood, 270
 - long-distance dispersal, 9, 102, 115, 123, 178, 179, 185, 186, 187, 194, 195, 197, 198, 199, 200, 213, 214, 216, 217, 218, 222, 223, 224, 225, 226, 235, 324, 326, 329, 331
 - phoresy, 64, 82, 102, 123, 131, 152, 158, 161, 162, 163, 165, 186, 211, 247, 248, 249, 263, 269, 285, 286, 295, 320, 324
 - bird, 16, 102, 123, 187, 198, 235, 238, 266, 324, 329
 - mammal, 324
 - rafting, 247, 269
 - trade of fauna and flora, 270
 - water current, 63, 187, 247, 259, 270
 - wind, 51, 113, 122, 123, 132, 133, 159, 161, 164, 165, 186, 188, 197, 198, 211, 216, 218, 220, 225, 235, 239, 241, 253, 262, 285, 286, 295, 324
- dispersal barriers, 240, 327
- dispersal limitation, 8, 38, 39, 40, 81, 197, 236, 237, 240, 314, 325, 326, 327, 328, 329, 331, 348
- dispersal rate, 4, 35, 54, 99, 102, 285, 288, 326
- distance decay, 6, 38, 39, 40, 220, 339, 342, 349
- DNA repairing systems, 290, 295
- dormancy, *See also* resting stages 67, 249, 284, 285, 289–90, 291, 295, 299, 320
- dormant stage, 8, 62, 66, 249, 285, 286, 288, 289, 326, 327
 - dormant stage bank, 328
 - dormant stage survival, 289–90
- Dorylaimida, 262
- Dorylaimus*, 263, 264
- Dorylaimus stagnalis*, 265
- Draculiciteria tessellata*, 248
- Drosophila*, 133, 153–61
- Drosophila mettleri*, 133
- Dryopteris azorica*, 238
- Dryopteris crispifolia*, 238
- Echinicus blumi-canadensis*, 292, 296, 298
- Echinicus mauccii*, 296
- Echinicus testudo*, 296
- Echiniscidae, 254
- Echiniscus*, 253, 296
- Echiniscus arctomys*, 254
- Echiniscus testudo*, 296
- Echinoderes dujardinii*, 258
- Echinoderes kozloffii*, 258
- Echinodium*, 222
- ecological biogeography, 6
- ecological specialisation, 293, 325
- ecovar, 36
- Ehrenberg, Christian Gottfried, 20, 22, 112
- Emiliania huxleyi*, 80
- enclave distribution, 329, 331
- encystment, 67, 71, 77, 79, 123, 269
- circatidal encystment, 77
 - encystment genes, 67
- endemic distribution, 8, 196–97
- endemism, 19, 25, 40, 99, 102, 122, 131, 134, 136, 139, 148, 152, 153, 158, 159, 161, 162, 163, 164, 185, 213, 214, 215, 216, 217, 254, 263, 292, 298
- narrow endemism, 140, 141, 146, 148, 149, 152, 158, 161, 213
- environmental gradient, 202, 326, 327, 340, 342, 344
- environmental heterogeneity, 38, 39, 339
- environmental sequencing, 5, 6
- Eocene, 236, 253
- Ereptonema*, 265
- Erioderma pedicellatum*, 196
- establishment, 51, 103, 123, 124, 197, 211, 213, 215, 216, 221, 236, 325
- Eudorylaimus*, 263, 264
- Eudorylaimus antarcticus*, 262
- Euglyphida testate amoebae, 113
- Eumonhystera filiformis*, 266
- Eumonhystera longicaudatula*, 266
- Eunophora*, 24
- Eunotia*, 25
- eurypotic distribution, 265
- Eutardigrada, 253, 296
- Everything is Everywhere hypothesis (EiE), 3, 5, 6, 8, 9, 11, 13, 17, 88, 89, 90, 96, 99, 102, 130, 131, 140, 145, 148, 149, 153, 161, 164, 284, 285, 290, 293, 295, 298, 310, 311, 312, 313, 314, 318, 320, 337, 338
- experimental biogeography, 9, 347
- extinction, 3, 12, 54, 310, 320, 344
- Famelobiotus*, 254
- ferns. *See* Pterydophyta
- phylogenetics, 236–37

- fixation index (F_{ST}), 181, 288, 293
- flagship taxa, 8, 61, 114, 251
- flatworms *See* Platyhelminthes
- Flavocetraria cucullata*, 179
- Flavocetraria nivalis*, 179
- Fluorescence *In Situ* Hybridisation
Techniques (FISH), 47, 48, 49
- Foraminifera, 63, 89
- fossil record, 224, 253
- fragmentation, 199, 217, 223, 224
- Funaria*, 267
- fungi, 8, 18, 64, 112, 122, 130, 131, 132, 153,
177–81, 185–87, 191–202, 290, 318
agaric fungi, 179
microfungi, 62
- Galapagos Islands, 196, 214, 259
- gastrotrich, *See* Gastrotricha
- Gastrotricha, 245–49, 291, 292
- GenBank, 51, 179, 294
- gene flow, 6, 8, 36, 38, 39, 124, 178, 179, 181, 186,
198, 199, 213, 224, 284, 288, 293, 325, 329, 331
- genealogy, 181, 199, 294
- generalist, 98, 99, 194
- genetic diversity, 80, 106, 122, 178, 179, 185,
186, 187
- genetic structure, 124, 149, 177, 178, 202, 288,
293, 294, 296, 298, 325
geographic structure, 199
phylogenetic structure, 185, 310
- Geobacillus*, 45, 46, 47, 48, 49, 51, 54, 55
- Geobacillus caldoxylolyticus*, 45
- Geobacillus kaustophilus*, 51
- Geobacillus stearothermophilus*, 45, 51
- Geobacillus subterraneus*, 51
- Geobacillus thermocatenulatus*, 51
- Geobacillus thermodenitrificans*, 51, 53, 54
- Geobacillus thermoglucosidasius*, 54
- Geobacillus thermoleovorans*, 45, 51
- Geobacillus vulcani*, 51
- geobiology, 13–14, 17
- geographic isolation, 12, 177, 214, 237
- geographic barriers, 5, 318
- geographic gradients, 9, 343
- geological history, 8, 62
- glacier, 102, 178, 193
glacial cycles, 186
glacial maxima, 186
glacial refugia, 186, 199, 222, 289, 341
glacial retreat, 124, 186
glaciations, 199, 222, 294, 318, 341
interglacial periods, 186
- postglacial dispersal, 341
postglacial range expansion, 199
- Glaucoma*, 64
- Glaucoma scintillans*, 63, 64
- Gnathostomula*, 260
- Gnathostomula armata*, 260
- Gnathostomula paradoxa*, 260
- Gnathostomula peregrina*, 260
- gnathostomulid. *See* Gnathostomulida
- Gnathostomulida, 245, 255, 259, 260
- Gondwana, 62, 81, 194, 218, 223, 224, 254, 265, 267
- Grammitis azorica*, 238
- green algae, 89, 191, 192
- Grifola frondosa*, 179, 180, 190
- Gyratrix hermaphroditus*, 271
- habitat
habitat area effect, 340
habitat limitation, 237
habitat preference, 325
habitat sorting, 341
habitat specialisation, 328
- Haeckel, Ernst, 16
- Halteria grandinella*, 74–77
- Hamatocaulis vernicosus*, 222
- Haplognathia*, 260
- Haplognathia rosea*, 260
- Haplognathia ruberrima*, 260
- Haplohexapodibius*, 254
- haploidy, 210
- Herbertus*, 223
- Heterokontophyta, 192
- Heterotardigrada, 253, 296
- Heteroxenotrichula pygmaea*, 248
- historical biogeography, 6, 8, 12, 17, 39, 54, 98,
99, 100, 103, 179, 195, 224, 241, 267, 270, 285,
293, 298, 310, 344
- historical colonisation events, 329, 331
- historical dispersal, 318
- historical limitation, 54, 177
- Homalothecium*, 224
- Homalothecium sericeum*, 222
- Homarus americanus*, 255, 256
- Homarus gammarus*, 255
- homogenisation effect, 293
- horizontal gene transfer, 290
- hornworts. *See* Anthocerotophyta
- horsetail ferns. *See* Pterydophyta
- Hudson's test statistics, 180, 181
- Hyalospheniid, 115
- Hydrodictyon*, 81
- Hypogymnia physodes*, 195

362 INDEX

- Hypsibidae, 254
Hypsibius convergens, 254
Hypsibius dujardini, 254
- indels, 180
infinite sites model, 180, 181
intergenic transcribed spacer (ITS), 88, 96, 98, 99, 102, 180
intergenic transcribed spacer 1 (ITS1), 62, 292
intergenic transcribed spacer 2 (ITS2), 292, 298
Ipomoea, 134
isolation by distance, 149, 288, 289, 293, 294, 298, 329, 330, 331
Isothecium, 222
- Keratella*, 251
Keratella americana, 80
keystone taxa, 186
kinorhynch. *See* Kinorhyncha
Kinorhyncha, 245, 258, 259
- Lactarius deliciosus*, 179, 180
Lagenophrys cochinchensis, 80
land bridge, 267
Large Subunit rDNA (LSU), 88, 143,
See also 5.8S rDNA
latitudinal gradient, 115, 219, 248, 344
latitudinal zonation, 251
Laurasia, 62, 81, 225, 267
Lecane, 251
Lejeunaceae, 219
Leptogium furfuraceum, 200
Leptogium pseudofurfuraceum, 200
Leptoscyphus, 225
Leptoscyphus azoricus, 222
Leptoscyphus porphyrius, 222
leptosporangiate ferns. *See* Pterydophyta
Letharia columbiana, 200
Letharia vulpina, 200
lichen, 8, 64, 179, 191–202, 210, 253, 264, 288
as habitat, 249, 252
tripartite lichen, 191
Lichenomphalia umbellifera, 179
light microscopy, 89
Limmenius, 254
Limnognathia maerski, 255
Lobaria hallii, 196
Lobaria pulmonaria, 195, 199
local adaptation, 289, 314, 318, 328, 329, 331, 333
Lopidium concinnum, 224
Loricifera, 245, 256–58
loriciferan, *See* Loricifera
- Macrobiotidae, 254
Macrobiotus harmsworthi, 254
Macrobiotus hufelandi, 254
Macrodasysida, 245, 247
macroecology, 311, 336, 340, 342, 344, 347, 348
Macrostromum, 271
Macroversum, 254
marattioid ferns, *See* Pterydophyta
Marchantiophyta, 209, 210, 211, 212, 213, 214, 219, 222, 223, 225, 288
Marchesinia brachiata, 223
Markov chain Monte Carlo (MCMC), 180
Marsilea azorica, 238
Maryna umbrellata, 66, 68–71, 82
mass effects, 9, 325, 326
Melanelia tominii, 196
Meseres corlissi, 67, 74–77, 82
Mesostoma, 271
metacommunity, 325–28, 347, 348
Micarea, 193
Micrognathozoa, 245, 255
micrognathozoon. *See* Micrognathozoa
microscopy, 97, 248, 249, 254
Mid-Cretaceous, 195
Mid-Pliocene, 199
migration estimates, 179
Milnesiidae, 254
Milnesioides, 254
Milnesium tardigradum, 254, 296
Minibiotus intermedius, 254
Minilentus, 254
moderate endemicity model, 5, 8, 61, 62, 81, 89, 339
molecular approach, 96, 285,
See also molecular, taxonomy
molecular divergence, 222, 224, 292
molecular evolution, 225, 292
mollusc. *See* Mollusca
Mollusca, 318
Monhystera stagnalis, 265
monogonont rotifer, *See* Rotifera
Mononchidae, 266
monopolisation, 328, 329, 330, 331
monopolisation hypothesis, 288
Monte Carlo simulations, 180
morphospecies, 12, 81, 82, 89, 97, 99, 100, 103, 112, 113–15, 116, 122, 124, 177, 178, 195, 201, 221, 222, 294
mosaic pattern of haplotype distribution, 329, 331
Multi-Locus Sequence Analysis (MLSA), 36, 39
Murryidae, 254

- Musellifer*, 248
 mutualistic symbiosis, 191
 mycobiont, 191, 192, 202
Myxozyma mucilagina, 148, 149, 150
- natural environment, 13, 49
Nebela, 112
 Necopinatidae, 254
Necopinatum, 254
 Nematoda, 260–67, 270, 285, 288, 289, 290, 291, 292, 293, 294, 298
 nematode, 245. *See* Nematoda
Neodasys, 248
Nephrops norvegicus, 255
 neutral model, 9, 325, 347
 neutral theory, 348
 niche, 5, 36, 37, 38, 40, 96, 98, 102, 140, 147, 153, 164, 187, 222, 310, 314, 315, 320, 329, 331, 341, 348
 ecological niche, 5, 6, 179, 186, 314
 fundamental niche, 159, 161, 314, 320
 Grinnelian niche concept, 314
 Hutchinsonian niche concept, 314
 niche constraints, 9
 realised niche, 159, 314, 320
 nonparametric permutation test, 179, 180, 181
Nostoc, 192
Notholca, 251
- Odontella sinensis*, 80
Odontochlamys, 77–80
 Oligocene, 223
 Oligotrichea, 74–77
Opuntia, 132–65
Orthotrichum handiense, 215
Orthotrichum philibertii, 213
- palaeontological record, 253
 Pangaea, 217, 254
Paradiphascon, 254
Paramecium, 64
Paramecium aurelia, 63, 80, 95
Paramecium quadecaurelia, 80
Parmelia saxatilis, 200
Parmeliopsis ambigua, 196
Paroigolaimella bernensis, 262
Paroigolaimella coprophila, 263
 parthenogenesis. *See* reproduction
 patch dynamics, 9, 325, 326
Peronotia, 25
Phaffomyces, 143–45
 photobiont, i–202, 191–94, 201
 phylogeny, 39, 100, 131, 201, 221, 222, 224, 236, 245, 338
 phylogeography, 9, 124, 178, 194, 197–98, 222–25, 245, 284, 285, 293, 294, 298, 318–20, 327, 331, 344
 phytoplankton, 81, 326, 339, 341
Pichia, 145–47
Pichia cactophila, 147
Plagiochila, 224
 Plagioclilaceae, 223
Plagiostomum acoluthum, 271
 plate tectonics, 16, 267, 318
Platismatia glauca, 195
 Platyhelminthes, 268–71
Plectus, 263, 264, 265
Plectus antarcticus, 262
 Pleistocene, 199, 200, 222, 294
Pleuretra hystrix, 251
 Pliocene, 222, 253
Podophrya, 64
 poikilohydric, 192
 Polymerase Chain Reaction (PCR), 5, 97
 BOX-PCR, 38
 primers, 37, 90, 96, 101
 Real Time PCR, 37, 49, 96
Polypodium azoricum, 238
Polysporina, 193
Polystichum, 236
 population structure, 164, 178, 186, 289, 293
Porella, 224
Porella canariensis, 224
Porella cordaeana, 224
Porella platyphylla, 224
Porella swartziana, 224
Porpidia flavicunda, 198
 precursor stocking, 74, 77, 82
 priority effect, 328, 329, 331
Prismatolaimus, 265
 probabilistic calibration priors, 225
Problognathia, 259
Proechiniscus, 254
 propagules, 8, 193, 194, 211, 249, 269, 288, 314, 337, 338, 340, 348
 proportional overlap measures, 134
 protist, 6, 7, 8, 11, 18, 61, 62, 74, 80, 81, 88, 89, 112, 113, 114, 115, 122, 124, 256, 284, 318, 326, 327, 328, 338, 339
 dispersal, 66, 103
 protozoa. *See* protist

364 INDEX

- Pseudechiniscus suillus*, 254
Pseudohexapodibius, 254
Pseudomonas, 38
Pseudomaryna australiensis, i–71
Pteridium aquilinum, 236
pteridophyte, *See* Pterydophyta
Pterognathia, 260
Pterognathia ctenifera, 260
Pterydophyta, 8, 62, 64, 210, 211, 234–41, 288
 Equisetopsida (horsetail ferns), 64, 234
 Marattiopsida (marattioid ferns), 234
 Polypodiopsida (leptosporangiate ferns), 234
 Psilotopsida (whisk ferns), 234
pyrosequencing, 37
Pyrrhobryum mnioides, 223
- Quaternary, 25, 186
quiescence, 210
- Ramalina*, 197
Random Amplification of Polymorphic DNA (RAPD), 147, 148, 149, 150
range edge, 311
rare biosphere, 98, 136, 326, 328
Rastrognathia, 259
Rastrognathia macrostoma, 259
Ratugnathia, 259
Renauldia lycopodioides, 213
reproduction
 asexual, 4, 36, 148, 149, 150, 152, 158, 164, 192, 193, 211, 247, 255, 290, 295, 296, 331
 cyclical parthenogenesis, 249, 288
 hermaphroditic, 247, 248, 269
 obligate apomictic parthenogenesis, 247
 obligate parthenogenesis, 249
 parthenogenesis, 4, 248, 249, 253, 254, 255, 264, 265, 290, 331
 sexual, 139, 141, 158, 163, 192, 197, 211, 215, 234, 249, 253, 254, 264, 290, 295, 296
 vegetative propagation, 192, 193, 211
resting stages, 6, 80, 112, 249, 269, 270, 285,
 See also dormancy 4
 resting cyst, 8, 62, 63, 64, 66, 81, 82
 cyst diversity, 62
 in ciliates, 66
 resting egg, 247, 248, 249, 251, 252, 255, 269, 288
Rhabditidae, 265
Rhabditophanes schneideri, 263
Rhabditophora, 268, 269
- Rhizocarpon geographicum*, 192
Roccellaceae, 201
rockhouse, 216
Rotaria, 100
rotifer. *See* Rotifera
Rotifera, 80, 245, 249–52, 255, 262, 285, 286, 288, 289, 290, 291, 292, 293, 294, 298, 318, 330, 340
 Bdelloidea, 100, 249, 290, 339, 341, 342
 Monogononta, 249, 251, 252, 288
 Seisonidea, 249
- Saccharomyces cerevisiae*, 158
Saccharomyces paradoxus, 158
Saccharomycotina, 131
sampling bias, 40, 270
sand trap, 262
Sandmanniella terricola, 71
Scanning Electron Microscopy (SEM), 116, 122, 248
Schwendener, Simon, 191
Scorpidium cossonii, 222
Scorpidium scorpioides, 222
Scottinema lindsayae, 262
scout theory, 67
sculptured eggs, 255
Scytonema, 192
seasonid rotifer. *See* Rotifera
serial colonisation, 325, 329
serial founder effect, 288, 293
site compatibility matrices, 180
slime fluxes, 159, 163, 165
Small Subunit rDNA (SSU), *See also* 16S rDNA, 18S rDNA88, 96, 97, 98, 99
Sorogena stoianovitchae, i–73
source-sink dynamics, 314, 325
spatial patterns, 6, 8, 9, 11, 37, 39, 250, 285, 298
spatio-temporal scaling, 39, 40
specialist, 113, 237, 327
speciation, 5, 177, 197, 222, 224, 310, 320, 330
 allopatric speciation, 12, 213, 214, 348
 sympatric speciation, 348
species complex, 252, 254, 256, 258, 260, 265, 271, 292, 296, 328. *See also* cryptic species 5, 80, 139, 140, 185, 200, 222
species concept, 7, 8, 36, 201, 221, 343
 ecological species concept, 36
 evolutionary species concept, 36
 phylogenetic species concept, 36
species delimitation, 221, 292, 296
species pool, 236, 341, 342, 346, 348

- species richness, 37, 38, 161, 178, 194, 219, 220, 263, 340, 342, 348, 349
- species sorting, 9, 325, 326
- species–area relationship, 220
- Sphaeropteris cooperi*, 239
- Sphagnum*, 210
- Sphagnum magellanicum*, 121
- sporangium, 210, 211
- spores, 8, 45, 62, 64, 131, 132, 148, 158, 178, 186, 193, 211, 213, 215, 216, 224, 235, 239, 337
- haploid spores, 234
- meiospores, 211
- Starmera*, 141–45
- Starmera caribaea*, 153
- stem necrosis, 134, 136
- steno-evolution, 224
- stepping-stone migration, 9, 198, 213, 225, 226, 238, 289
- stochasticity, 341
- stomatocyst. *See* resting cyst
- Strombidium oculatum*, 77, 82
- succulent cacti, 133
- Surtsey, 193
- Symbion americanus*, 255, 256
- Symbion pandora*, 255
- symbiont, 8, 199
- sympatric speciation, *See* speciation
- Tardigrada, 245, 262, 285, 288, 289, 290, 291, 292, 293, 295–99, 340, 341, 345
- tardigrade, *See* Tardigrada
- taxonomic unit, 5, 96, 100, 221, 340
- in protists, 90–96, 100
- Operational Taxonomic Units (OTU), 51, 89, 101, 343
- taxonomy
- DNA taxonomy, 291–92, 296
- molecular taxonomy, 5, 9, 36, 122, 291, 292, 294–95
- morphological taxonomy, 5, 7
- Teratocephalus*, 263, 265
- Terminal Restriction Fragment Length Polymorphism (TRFLP), 37
- Tertiary, 222
- Tetracyclus*, 22, 23, 24
- Tetrahymena*, 64
- Tetrahymena pyriformis*, 63, 64, 80
- Thamnobryum*, 222
- Thermozodium*, 253
- Tobrilus*, 265
- Tobrilus elephas*, 265
- tolerance, 54, 320
- desiccation, 71, 210
- drought, 202
- stress, 55, 102, 132, 192, 194
- temperature, 202
- tracheophyte, 210
- transitions, 180
- Transmission Electron Microscopy (TEM), 45
- transversions, 180
- Trapeliopsis glaucolepidea*, 179, 180, 199
- Trebouxia*, 192, 193, 201, 202
- Trebouxia impressa*, 201
- Trebouxia jamesii*, 201
- Trentepohlia*, 192, 201, 202
- Trentepohliales*, 201
- Trichocerca*, 251
- Tripyla glomerans*, 266
- Triquetrella mxinwana*, 222
- turbellarian, 268, 269, 270
- microturbellaria, 268–71
- Tylenchomorpha, 262, 263, 266
- Tylenchus*, 263, 265
- Tyleptus*, 267
- Typhloplanidae, 271
- ubiquity hypothesis, 4, 5, 12
- ultrasequencing, 5, 6
- Ureibacillus*, 51
- Ureibacillus thermosphaericus*, 53
- Urodasys viviparus*, 248
- Vaccinium uliginosum*, 186
- Valvognathia*, 259
- Vandiemenia ratkowskiana*, 213
- Varicellaria rhodocarpa*, 193
- Verrucaria maura*, 196
- Veizdaea aestivalis*, 193
- vicariance hypothesis, 200
- Wallace, Alfred Russel, 15, 17
- whisk ferns. *See* Pterydophyta
- Xanthoria elegans*, 192
- Xanthoria parietina*, 193
- Xenotrichula intermedia*, 248, 249
- Xenotrichula lineata*, 248
- Xenotrichula parolineata*, 248
- yeast, 7, 8, 130–65
- zooplankton, 80, 285, 326, 327, 328