

Index

- Abrodictyum* 403, 425
Acrophorus 439
Acrorumohra 440
Acrosorus 444
 Acrostichaceae 434
Acrostichum 210, 434, 435
 A. aureum 210
 A. danaeifolium 203, 204, 210
 A. speciosum 210
 actin 30
 Actiniopteridaceae 434
Actiniopteris 434
Actinostachys 427
Acystopteris 438
Adenoderris 439
Adenophorus 444
 A. periens 115
 Adiantaceae 354, 434, 435
 Adiantoideae 435
Adiantopsis 434
Adiantopteris 354
Adiantum 161–162, 165, 311, 434, 435
 plastid genome of 163
 A. capillus-veneris 6, 7, 8, 9, 10, 11, 12, 15, 17, 18, 19, 21, 22, 22, 25, 27, 29, 30, 31, 32, 33, 34–35, 37, 38, 120, 162, 176, 187, 203
 A. caudatum 21
 A. diaphanum 21
 A. latifolium 237, 376
 A. pedatum 308, 378
 A. philippense 203
 A. reniforme 203
 A. tenerum 292
Aenigmopteris 442
Afropteris 435
 agamospory 307
Aglaomorpha 212, 444
 A. cornucopia 268
Aleuritopteris 434
 alleles
 deleterious 110
 recessive 110
 allohomoploidy
 lycophytes and 319
 secondary speciation
 through (*see also* speciation, secondary) 318–320
 tree ferns and 318–319
Alloiopteris 341
 allopolyploidy
 secondary speciation
 through (*see also* speciation, secondary) 320–321
Alsophila 405, 431
 A. auneae (*see also* *Cyathea pubescens*) 202
 A. firma 206, 207, 215
 A. salvinii 202, 206, 380
 A. setosa 208
 A. spinulosa 115
 Alsophilaceae 431
Amauropelta 437
 Amazonia 370
Ampelopteris 437
Amphiblestra 442
Amphineuron 437
Anachoropteris clavata *see* *Kaplanopteris clavata*
Ananthacorus 227, 434
Anarthropteris 444
Anchistea 439
 Andes 371
Anemia 9, 135, 138, 140, 142, 143, 351, 427
 A. fremontii 352, 353
 A. phyllitidis 138, 139, 150
 Anemiaceae 404, 427
Anetium 434
 Angiopteridaceae 423
Angiopteris 82, 86, 163, 165, 423
 A. lygodiiifolia 76
Ankyropteris 349
 A. brongniartii 344, 348
 Anogramma 434
Anopteris 435

- Antarctica 368
 antheridiogen 31, 68, 138, 143, 144, 148
 chemical structure of 135, 139
 dark germination and 143–145
 general effect of 135–138
 in nature 145–149
 laboratory conditions and 140–143
 response in polyploids 149
Anthoceros 163
Antigramma 436
 Anthrophyaceae 434
 Anthrophyoideae 435
Anthrophyum 434
 A. williamsii 268
 apical cell 76, 80–81
 bulging of 19–20
 apogamy 58, 56–59
 and antheridiogen response 142, 144
 and sporogenesis 58–59
 facultative 56–57
 obligate 57–59
 apospory 59–60
Arabidopsis 20, 29, 33, 34, 35, 37
 A. thaliana 33, 80, 183
Arachniodes 406, 439
Arachnoxyloa kopfii 339
Araiostegia 443
Archangiopteris 424
Argyrochosma 211, 310, 434
Arthromeris 444
Arthropteris 407, 442
 Asia 369
 Aspidiaceae 439
 Aspidiales 432
Aspidotis 434
 A. densa 110
 Aspleniaceae 124, 212, 354, 378, 436
 Aspleniales 432
 asplenoid ferns 408
Asplenium 115, 135, 149, 211, 212, 288, 305, 379, 381, 408, 436
 A. adiantum-nigrum 373
 A. adulterinum 211
 A. alatum 210
 A. cimmericorum 268
 A. csikii 111
 A. dalhousiae 376
 A. harpeodes 213
 A. heterosiliens 290
 A. nidus 308
 A. pimpinellifolium 145
 A. platyneuron 124, 237, 375
 A. praemorsum 209, 210
 A. rhizophyllum 237, 378
 A. ruprechtii 378
 A. ruta-muraria 135, 140, 148, 149–150, 288
 A. septentrionale 111, 115, 149
 A. sessilifolium 210
 A. subglandulosum 375
 A. trichomanes 138, 140, 149, 211
 A. trichomanes ssp. *quadri-valens* 111
 A. viride 211
Astrolepis 310, 434
 A-substance 134, 135
Ataxipteris 439
 Athyriaceae 353, 438
 Athyriales 432
 athyrioid ferns 408
 Athyrioideae 438
Athyrium 263, 306, 310, 408, 438
 A. filix-femina 135, 144, 143–144, 145, 146, 148, 145–149
 A. filix-femina complex 314–315
 A. filix-femina var. *angustum* 314–315
 A. filix-femina var. *asplenioides* 314–315
 A. oblitescens 308
 A. yokoscense 211, 260
Athyropsis 438
 Australia 378
Austrogramme 434
 autopolyploidy 317
Azolla 357, 404, 428
 A. microphylla 264
 A. standleyi 356, 357
 Azollaceae 428
 bacterial artificial chromosomes (BAC) 176
Belvisia 444
 biogeographical disjunctions 375
Biscalitheca 342
 B. musata 341
 Blechnaceae 353, 354, 355, 356, 357, 439
 Blechnales 432
Blechnum 145, 241, 408, 439
 B. fragile 213, 215
 B. orientale 377
 B. spicant 120, 124, 142
Blotiella 434
 Bolbitidaceae 439
Bolbitis 209, 407, 439
 Bolivia 270
Bommeria 135, 142, 144, 434
 B. hispida 179
 B. pedata 57, 142
Boniniella 437
 Borneo 369, 371
 Botrychiaceae 422

470 Index

- Botrychium* 82, 268, 343–345, 422
B. australe 263
B. dissectum 121
B. lanceolatum 121
B. multifidum var. *robustum* 120, 121
B. nipponicum 121
B. simplex 121
B. ternatum 120, 121
B. triangularifolium 121
B. virginianum 120, 121, 123, 345
B. wightonii 343, 344
 subg. *Botrychium* 308
 Botryopteridaceae 347, 348
Botryopteris 347–349
B. forensis 213, 348, 349
B. tridentata 344, 348, 349
Botryopus 422
 bracken fern *see* *Pteridium*
Brainea 439
 Brazil 270, 371
 bryophyte 81, 82
- Caobangia 444
Callipteris 438
Callistopteris 403, 425
Calochlaena 432
Calymmodon 444
Camptodium 442
Camptosorus 408, 436
Campyloneurum 444
C. angustifolium 111
C. brevifolium 235, 241
 Carboniferous 96, 213, 342
 Lower 339, 341, 343, 347
 Upper 343
Cardiomanes 425
Cassebeera 434
 cell division 16–19
 Cenozoic 347
- Centres of Plant Diversity (WWF and IUCN) 270
Cephalomanes 403, 425
Ceradenia 444
 Ceratopteridaceae 434
Ceratopteris 9, 59, 135, 138, 138, 140, 142, 143, 434, 435
C. richardii 57, 140, 176, 180, 181, 184, 185, 183–185, 187
C. thalictroides 111, 112, 178, 180, 308
Cerosora 434
Ceterach 436
 Cheilanthaceae 434
Cheilanthes 144, 203, 211
C. acrostica 111
C. gracillima 120
C. tinaei 111
 Cheilanthoideae 435
Cheilanthesopsis 438
Cheiloplecton 434
Cheiroglossa 422
Cheiropleuria 351, 426
 Cheiropleuriaceae 426
Chieniopteris 439
 China 268
Chingia 437
Chlamydogramme 442
 chloroplast 25
 chloroplast DNA
 PCR mapping of 167
 chloroplast movement
 20–25, 26, 27, 29, 30
 mechanism of 30
 photorelocation 22, 24, 20–25, 30
 speed of 29–30
Christella 437
Christensenia 423
 Christenseniaceae 423
 Christenseniales 423
Christiopteris 444
- chromosomes
 counts/numbers 177
 homeologous pairing of
 112, 178
 size of 186–187
Chrysogrammitis 444
 Cibotiaceae 262, 404, 430
Cibotium 263, 430
C. barometz 262
C. schiedeii 290
C. taiwanense 204
Cionidium 442
 cladoxylopsids 338–341
 climate change (*see also*
conservation) 263–264
Cnemidaria 431
Cochlidium 444
 Colombia 271
 colonization
 genetics of 123–124
Colysis 444
 commercial collection of
 ferns 262–263
Coniogramme 434, 435
 conservation
 climate change and
 263–264
ex situ banking of spores
 and 285–290
ex situ cryostorage of
 gametophytes and
 291–292
ex situ cryostorage of
 sporophytes and
 292–293
ex situ cultivation and 285
ex situ propagation and
 265
 gametophyte generation
 and (*see also*
 gametophytes) 265
 genetics and 269–270
in vitro cultures and
 collections and 290

- life cycles and 264–265
 protected areas and
 270–271
 regional and ecosystem
 level 265–268
 restoration and 271–272
 spore banks and 264–265
- Cooksonia* 53
- Coptodipteris* 434
- Cornopteris* 438
- cortical microfibrils 21
- cortical microtubules 21
- Corynepteris* 343
- Coryphopteris* 437
- Cosentinia* 434
 C. vellea 111
- Costa Rica 370
- Costaricia 434
- Coveniella* 439
- Crepidomanes* 403, 425
 C. venosum 203
- Cretaceous 37, 343, 345,
 347, 350, 351, 353, 354,
 356, 358
 Lower 349, 351, 352, 354,
 358
 Upper 349, 352, 353, 355,
 356, 357
- Crypsinus* 444
- cryptochrome 32, 38–39
- Cryptogramma* 434, 435
 C. crispa 135, 289
- Cryptogrammaceae 434, 435
- Ctenitis* 407, 439, 443
 C. bigarellae 258
 C. humilis 268
 C. maritima 211
- Ctenitopsis* 442
- Ctenopteris* 444
- Culcita* 429
 C. macrocarpa 110
- Culcitaceae 404, 429
- Currania* 438
- C-value 185–186, 192
- Cyathea* 162, 353, 405, 431
 C. australis 259, 261
 C. bicrenata 207, 208
 C. caracasana 62, 271
 C. cranhamii 353
 C. delgadii 287
 C. pubescens (see also
 Alsophila auneae) 202
 C. spinulosa 288, 295
- Cyatheaceae 350, 353, 379,
 404, 431
- Cyatheales 232, 350, 429
- Cyclodium* 439
- Cyclogramma* 437
- Cyclopeltis* 407, 442
 C. semicordata 237
- Cyclosorus* 408, 437
- Cyrtogonellum* 439
- Cyrtomidictyum* 439
- Cyrtomium* 268, 406, 439
 C. falcatum 142, 287
 C. fortunei 142
 C. macrophyllum 142
- Cystodiaceae 433
- Cystodium* 405, 433
- Cystopteridaceae 438
- Cystopteridoideae 438
- Cystopteris* 306, 308, 311, 320,
 407, 438
 C. tennesseensis 149
- Danaea* 423
 D. wendlandii 203, 206,
 235
- Danaeaceae 423
- Davallia* 87, 212, 443
 D. parvula 203
- Davalliaceae 354, 443
- Davalliales 432
- davallioid ferns 407
- Davallodes* 443
- Dennstaedtia* 405, 434
 D. bipinnata 237
 D. cicutaris 66
 D. macgregori 268
 D. punctilobula 67
- Dennstaedtiaceae 352, 353,
 405, 434
- Dennstaedtiales 432
- dennstaedtioid clade 405
- Dennstaedtiopsis aerenchymata*
 352
- Deparia* 438
 D. acrostichoides 378
- Deparioideae 438
- detrivore 65
- Devonian 81, 232, 335, 337,
 339, 342, 343
 Late 342
 Upper 342
- Dicksonia* 86, 262, 271, 432
 D. antarctica 259, 261, 262
 D. sellowiana 215
- Dicksoniaceae 262, 404, 405,
 432
- Dicksoniales 429
- Dickwhitea allenbyensis* 355
- Dicranoglossum* 444
- Dicranopteridaceae 426
- Dicranopteris* 88, 426
 D. dichotoma 77
 D. nitida 88
- Dictymia* 444
- Dictyodroma* 438
- Dictyoxiphiaceae 442
- Dictyoxiphium* 442
- Didymochlaena* 406, 439
- Didymoglossum* 403, 425
- Diellia* 124, 269, 408, 436
- Diphasiastrum* 319
- Diplazioideae 438
- Diplaziosis* 438
- Diplazium* 408, 438
 D. subsilvaticum 237, 239
- Diplopterygium* 87, 426
- Dipteridaceae 350, 351, 352,
 403, 426
- Dipteridales 425

472 Index

- Dipteris* 351, 426
D. lobbiana 203, 208
 dispersal
 genetics of 123–124
 long-distance 372–378
 divergence times
 estimates of 378
 diversification
 patterns of in the fossil
 record 346–358
 diversity 368–372
 DNA interference (DNAi)
 187
Doodia 439
Doryopteris 434
Drosophila 259
Drymoglossum 444
Drymotaenium 444
Drynaria 212, 444
 D. fortunei 202
 D. quercifolia 265
 Drynariaceae 444
Dryoathyrium 438
Dryopolystichum 439
Dryopsis 439
 Dryopteridaceae 354, 356,
 439, 443
 Dryopteridales 432
Dryopteris 13, 35, 145, 145,
 226, 263, 306, 310, 320,
 406, 439
 D. affinis 142, 144
 D. affinis ssp. *affinis* 57
 D. carthusiana 124
 D. dilatata 138, 147
 D. expansa 120
 D. filix-mas 135, 138,
 144, 143–144, 147, 148,
 149
 D. filix-mas complex 320
 D. goldiana 262
 D. intermedia 262
 D. nipponensis 112
 dryopteroid ferns 406–407
 Ecuador 369
Egenolfia 439
 Elaphoglossaceae 230, 231,
 439
Elaphoglossum 111, 114, 212,
 213, 377, 407, 439, 440
E. lonchophyllum 213, 215
E. peltatum 213, 215
 endemism 371, 373
 endopolyploidy 80
Enterosora 444
 Eocene 352
 Middle 354, 355
 Equisetaceae 402, 423
 Equisetales 232, 423
 equisetophytes 335
 Equisetopsida 423
Equisetum 57, 163, 286, 289,
 423
 E. arvense 120, 288
 E. hyemale 287, 289
 E. telmateia 287
 subg. *Equisetum* 423
 subg. *Hippochaete* 423
Eriosorus 434
 ethnobotanical studies 259
 euphyllophytes 333
 eupolypod clade 405
 eupolypods I 354
 divergences within
 406–407
 eupolypods II 354, 355
 divergences within
 407–408
 Eutracheophyta 54
 expressed sequence tags
 (EST) 176, 190
Fadyenia 442
 filicalean radiation 334
 Filicopsida 424
 filmy ferns (*see also*
 Hymenophyllaceae) 351
 fixation index 116
 floras
 species diversity on
 continent versus island
 231
 Florida 369
 floristics 379–381
 fluorescent in situ
 hybridization (FISH) 180
 fossil record, nature of
 335
Fourniera 431
F_{ST} 121
 Galápagos Islands 263
 gametophyte
 autecology of 234–236
 carbon relations of
 240–242
 cell growth 9–12
 cell growth cessation 10
 conservation and (*see also*
 conservation) 265
 desiccation tolerance of
 239, 236–240
 ecological adaptations of
 228–229
 ecomorphology of
 225–233
 ecophysiology of 233–242
 ecovalidation of laboratory
 results 242–250
 evolution of growth from
 of 232–233
 gemmae-forming (*see also*
 gemmae) 213, 231
 growth forms of 226
 light stress relations of
 240–242
 longevities of 234
 photosynthetic rates of
 241
 subterranean 121
 survivorship of 235
 water relations of 236–240

- gemmae (*see also*
 gametophyte,
 gemmae-forming) 50,
 142, 150, 377
- gene
 chlorophyll a/b binding
 protein (CAB) 179
 copy number and
 restriction fragment
 length polymorphisms
 (RFLPs) 179–180
 copy number, nuclear
 179–180
 duplications, plastid 182
 flow 61, 122–123
 feminization (FEM1) 143
 HER 143
 transformer (TRA) 143
- genetic
 divergence (*see also*
 populations) 122–123
 diversity 112–115
 drift 122
 linkage map 175, 180–183
 load 110–112, 124
- genome
 inversions, plastid 165,
 167, 170
 reorganization, polyploids
 and 321
 size 176, 185–187
- Gillespiea randolphensis* 341,
 342
- Ginkgo* 161
- Glaphyopteridopsis* 437
- Gleichenella* 426
- Gleichenia* 162, 426
G. appianensis 351, 352
- Gleicheniaceae 88, 216, 350,
 351, 352, 378, 403, 426
- Gleicheniales 232, 351, 425
- gleichenioid ferns 351, 403
- Gondwana 345, 368
- Goniophlebium* 444
- Goniopteris* 437
- Grammitidaceae 407, 444
- grammitid ferns 213, 216,
 229, 231, 377, 407
- Grammitis* 444
- Greenland 369
- Guatemala 369
- Gymnocarpium* 306, 311, 320,
 369, 407, 438
G. dryopteris 308
G. dryopteris ssp. *disjunctum*
 120, 140
G. robertianum 135
- Gymnogrammitidaceae 443,
 444
- Gymnogrammitis* 444
- Gymnosphaera* 431
- habitat
 fragmentation 260–262
 preference *see* habitat
 specificity
 specificity 203, 209–215
 specificity and epiphytes
 212–215
 specificity and lithophytes
 211
 specificity and mangrove
 species 210–211
 specificity and terrestrial
 species 209
- Haplopteris* 434
- Hardy–Weinberg equilibrium
 116
- Hausmannia* 351
H. morinii 352
- Hawaiian Islands 64, 65,
 115, 123, 124, 259, 263,
 264, 269, 271, 373
- heavy metals
 contaminated soils 211
 hyper-accumulation of
 211
- Hecistopteris* 434
- Helminthostachyaceae 422
- Helminthostachys* 87, 422
- Hemidictyum* 407, 438
- Hemigramma* 442
- Hemionitidaceae 434
- Hemionitis* 434
H. palmata 120, 123, 140
H. pinnatifida 111
- Hemitelia* 431
- herbivore 65
- Heterogonium* 442
- heteromorphy 51
- heterosporous
 leptosporangiates (*see*
 also water ferns)
 357–358, 404
- heterospory 177, 350
- Histiopteris* 87, 434
- Hokkaido Island 369
- Holcochlaena* 434
- Holodictyum* 436
- Holostachyum* 444
- Homalosorus* 438
- Honshu Island 369
- Hopetedia praetermissa* 351
- Humata* 443
- Huperzia* 379
H. lucidula 162, 176
H. miyoshiana 120
H. saururus 376
- Hyalotrichopteris* 444
- hybridization
 secondary speciation
 through (*see also*
 speciation, secondary)
 318
- hydropterid radiation 334
- Hydropteridales 350, 356,
 357–358, 428
- Hydropteris pinnata* 356, 357,
 428
- Hymenasplenium* 408, 436
- Hymenocystis* 438
- Hymenoglossum* 425

474 Index

- Hymenophyllaceae 87, 212, 213, 216, 227, 228, 230, 231, 232, 350, 351, 377, 379, 403, 425
 Hymenophyllales 425
 hymenophylloid clade 403
 Hymenophyllopsidaceae 431
 Hymenophyllopsidales 429
Hymenophyllopsis 405, 431
Hymenophyllum 227, 403, 404, 425
H. tunbrigense 269, 291
 Hypodematiaceae 439
Hypodematium 406, 440
 Hypoderriaceae 442
Hypoderris 442
 Hypolepidaceae 434
Hypolepis 88, 434
H. punctata 78, 91
 Iberia 270
Ibyka 335–336
 inbreeding coefficient 116
 intergametophytic
 crossing 108
 selfing 108, 121
 intragametophytic selfing
 108, 124, 178
 rates of 120–121
 invasive species 263
 iridopterids 338–341
 islands
 oceanic 263, 373
 Isoëtaceae 77, 79, 82, 83, 90, 92, 96–97, 177
Isoëtes 65, 83, 90, 163, 268, 306, 308, 320, 379
I. asiatica 93
I. engelmannii 293
I. georgiana 268
I. hypsophila 268
I. louisianensis 293, 294
I. olympica 268
I. setacea 271
I. sinensis 65, 115, 268
I. taiwanensis 268
I. yunguiensis 268
 isomorphy 50–51
 isozymes
 ploidy and 178–179
 IUCN 270
 Red List 268
Jamesonia 434
 Japan 270, 369
Japanobotrychium 422
 Jurassic 37, 343, 345, 347, 351, 358
 Upper 358
 Kamchatka Peninsula 369
 Kaplanopteridaceae 347, 348, 349–350
Kaplanopteris clavata 349, 349
 Kaulfussiaceae 423
 Killarney fern *see Trichomanes speciosum*
Klukia 351
 KNOX gene 86
Kontumia 444
 Korea
 Republic of 269
 Krakatau 377
Lastreopsis 407, 440, 443
 leaf 82
 apical meristem (LAM) 83
 life span 202
 marginal blastozone 83
 marginal meristem 83
Lecanopteris 212, 444
Lellingeria 444
Lemmaphyllum 444
Lepisorus 444
L. thunbergianus 111
Leptochilus 444
Leptolepia 434
Leptopteris 403, 424
 leptosporangiate ferns 334, 402
 early divergences in
 403–405
 oldest evidence for 347
Leucostegia 406, 440, 444
 life cycle
 biphasic 51, 53
 light
 fluence rates of 25, 26
 sensitivity to 22
Lindsaea 433
 Lindsaeaceae 405, 433
 Lindsaeales 432
 lindsaeoid ferns 405
Lithostegia 439
Llavea 434, 435
Lomagramma 87, 440
 Lomariopsidaceae 354, 442
Lomariopsis 209, 227, 379, 407, 442
L. guineensis 377
L. palustris 377
L. vestita 235
 Lonchitidaceae 433
 Lonchitidales 432
Lonchitis 405, 433
 long-term studies 216–217
Lophosoria 271, 432
 Lophosoriaceae 432
Lorinseria 439
 Loxogrammaceae 444
Loxogramme 444
Loxoma 429
 Loxomataceae 404, 429
 Loxomatales 429
Loxoscapha 408, 436
 Loxsomataceae (*see also* Loxomataceae) 429
Loxosomopsis 429
Luisma 444
Lunathyrium 438

- Lycopodiaceae 77, 79, 82, 83, 86, 89–90, 92, 177
Lycopodiella 319
 L. cernua 78, 377
Lycopodium 56, 83, 209, 306, 319
 L. annotinum 120, 264
 L. clavatum 78, 85, 93, 120
 L. complanatum 89, 89
 L. tristachyum 89
 Lygodiaceae 404, 427
Lygodium 9, 142, 143, 351, 427
 L. heterodoxum 145, 288
 L. japonicum 82, 83, 124, 350
 L. microphyllum 124, 376
 L. palmatum 257
 L. venustum 203, 208–209

Macrothelypteris 408, 437
 M. torresiana 205, 376
Makotopteris princetonensis 353, 354
 Malesia 266
Mankyua 422
 M. chejuense 269
Marattia 423
 Marattiaceae 91, 402, 423
 Marattiales 232, 344, 423
 Marattioid 345–346
 Marattiopsida 423
Marchantia 160, 161
Marsilea 39, 286, 357, 404, 428
 M. strigosa 121
 M. vestita 187
 M. villosa 271
 Marsileaceae 357–358, 404, 428
Marsileaaceaphyllum 358
 Marsileales 428
 mating systems 116–121
Matonia 426
Matoniaceae 350, 403, 426
 Matoniales 425
Matonidium 351, 353
Matteuccia 439
 M. struthiopteris 135, 287
Maxonia 440
Mecodium 425
Medicago trunculata 183
Megalastrum 407, 440
 megaphyll 82
Melpomene 444
 M. flabelliformis 376
 Mendelian inheritance 107
Meniscium 437
Menisorus 437
Merinthosorus 444
 merophytes 76, 94
Mesophlebion 437
 Mesozoic 347, 350, 351
Metaclepsydropsis duplex 341
Metapolypodium 444
Metathelypteris 437
Metaxya 432
 Metaxyaceae 405
 Metaxiales 429
 microbeam
 irradiation/irradiator 6, 27
 microfibrils
 cortical 21
Microgramma 87, 444
 M. reptans 237, 239, 241
Microlepia 434
 microphyll 82
Micropolypodium 444
Microsorium 444
Microstaphyla 440
Microtrichomanes 425
 microtubules
 cortical 21
 mid-domain effect 371
Midlandia nishidae 353, 355
Mildella 434
 Miocene 356
 Mississippian 347, 351
 mixed-mating system 120
 moa-nalo *see* *Thambetochen chaulioides*
Mohria 427
 M. caffrorum 143
 Mohriaceae 427
 Monachosoraceae 434
 Monachosorales 432
Monachosorum 434
 Moniliformopsis (*see also* moniliforms) 336–337
 moniliforms 334, 339, 341, 337–343
Monogramma 434
Monomelangium 438
 morphotaxa 335
 mycorrhizae 209
 myosin 30

 natural selection 122
 Negripteridaceae 434
 Negripteridales 432
 Nei's unbiased genetic identity (*I*) 121
Neochioproteris 444
 neochrome 35–37
Neolepisorus 444
 neopolyploidy 189
Nephelea 431
Nephopteris 434
 Nephrolepidaceae 442
Nephrolepis 214, 407, 442
 N. biserrata 237
 N. exaltata 377
Neurocallis 434
Neurodium 444
 New England 369
 New Guinea 266, 371
 New York state fern law 258
 New Zealand 263, 268, 378
Nicotiana 160, 161
Niphidium 212, 444
Notholaena 203, 211, 310, 435

476 Index

- Notholaena* (*cont.*)
- N. distans* 135
 - N. grayii* 307
 - N. sinuata* 135
 - N. vellea* 135
- Notholaenoideae 435
- Nothoperanema* 440
- nuclear movement 30
- Ocropteris* 435
- Odontosoria* (*see also*
- Sphenomeris chinensis*) 433
- Oenotrichia* 434, 440
- Oleandra* 407, 443
- O. pistillaris* 77
- Oleandraceae 354, 443
- oleandroid ferns 407
- Olfersia* 440
- Oligocene 351
- Onclea* 355, 408, 439
- O. sensibilis* 139, 140, 141–142, 287, 288, 355, 356, 378
- Oncleaceae 354, 355, 357, 403
- onocleoid ferns 408
- Oncleopsis* 439
- Onychium* 435
- Ophioderma* 422
- Ophioglossaceae 87, 121, 400, 422
- Ophioglossales 232, 344, 422
- ophioglossid ferns 343–345
- Ophioglossum* 209, 422
- O. reticulatum* 177
- Oreopteris* 437
- Ormoloma* 405, 433
- Orthiopteris* 433
- Osmunda* 9, 35, 82, 161, 162, 288, 307, 403, 424
- O. cinnamomea* 62, 349, 350, 355, 403
 - O. claytoniana* 7–9, 83
 - O. regalis* 57, 111, 259, 288
 - O. vancouverensis* 349
- subg. *Claytosmunda* 424
 - subg. *Osmunda* 424
 - subg. *Plenasium* 424
- Osmundaceae 91, 348, 350–351, 357, 424
- Osmundales 232, 424
- Osmundastrum* 403, 424
- Pachypleuria* 443
- Paesia* 434
- Paleocene 344, 355, 356
- Paleogene 343, 351, 354
- paleopolyploidy 188–189
- Paleozoic 341, 346, 347, 351
- Pandanus* 203
- Papuapteris* 440
- Paraceterach* 435
- Parahemionitis* 435
- Paralygodium vancouverensis* 352
- Parasorus* 443
- parastichy 85
- Parathelypteris* 437
- Parazolla* 357
- Parkeriaceae 434, 435
- Parkeriales 432
- Parkerioideae 435
- pathogens
- fungal 263
- PD networks *see*
- plasmodesmatal networks
- Pecluma* 444
- Pecopteris* 344
- Pelazoneuron* 437
- Pellaea* 211, 286, 306, 310, 435
- P. andromedifolia* 179, 308
 - P. rufa* 179, 191
 - P. viridis* 135
- Peltapteris* 440
- Pennsylvanian 342, 345, 347, 349, 351
- Late 346
 - Lower 345
 - Middle 344, 348, 349
 - Upper 341, 344, 348
- Pentagramma* 435
- Pentarhizidium* 439
- Peranema* 440
- Peranemataceae 439
- Permian 337, 342, 344, 345, 346, 347, 349, 350, 351
- Early 342
 - Late 347
 - Lower 347
- Peru
- Andean highlands of 268
- Phanerophlebia* 406, 440
- Phanerophlebiopsis* 439
- Phanerosorus* 426
- Phegopteris* 369, 408, 437
- P. decursive-pinnata* 111
- phenology 202
- seasonality and 204–209
- Philippine Islands 369
- Phlebodium* 214, 444
- P. pseudoaureum* 237
- Photinopteris* 444
- photoreceptive sites 8
- photoreceptor 24, 28–29, 32, 31–39
- photosynthetically available radiation (PAR) 62–63, 64
- phototropic response 36
- phototropin 32, 32–33, 34–35
- phototropism 13, 14, 12–16
- Phyllitis* 436
- P. scolopendrium* var. *americana* 264
- phyllotaxis 87
- Phymatosorus* 444

- phytochrome 13–16, 32,
33–34
- phytochemodulators 211
- pigs
feral 263
- Pilularia* 357, 404, 428
- Pilulariaceae 428
- Pilulariales 428
- Pisum* 161
- Pityrogramma* 435
P. calomelanos 57, 376, 377
P. tartarea 235, 237
- Plagiogyria* 430
- Plagiogyriaceae 404, 430
- Plagiogyriales 429
- plasmodesmatal (PD)
networks 79, 79–80,
81–82
- plastid genome sequences
162–164
- Platyneriaceae 444
- Platynerium* 212, 233, 444
P. andinum 212, 378
P. bifurcatum 59, 289
P. coronarium 202
P. grande 202
P. stemaria 262
- Platygyria* 444
- Platyloma* 435
- Platyzoma* 435
- Platyzomataceae 434
- Platyzomatales 432
- Plecosorus* 440
- Pleocnemia* 442
- Pleopeltis* 120, 315, 444
P. furfuraceum 209
P. macrocarpa 376
- Plesioneuron* 437
- Pleurisoriopsidaceae 444
- Pleurisoriopsis* 444
- Pleuroderris* 442
- Pleurosorus* 436
- Pneumatopteris* 437
- Podosorus* 444
- polarotropism 14, 12–16
- Polybotrya* 209, 440
- polygrammoid ferns 407
- Polyphlebium* 403, 425
P. capillaceum (see also
Trichomanes capillaceum)
213
- polyploidization 177, 179,
180–193
- polyploidy
origins of 321
- polypod ferns
early divergences of
405–406
- Polypodiaceae 111, 212, 213,
216, 230, 231, 354, 407,
444
- polypodiaceous ferns 353,
377
- Polypodiales 226, 232, 353,
432
- Polypodiodes 444
- Polypodiopsida 424
- Polypodiopteris* 444
- Polypodium* 62, 212, 213, 307,
308–310, 320, 444
P. amorphum 309, 313
P. appalachianum 309, 313,
378
P. australe 309
P. crassifolium 144
P. feei 144
P. furfuraceum 210
P. glycyrrhiza 309
P. hesperium 309
P. interjectum 309
P. pseudoaureum 241
P. rhodopleuron 209
P. saximontanum 310
P. sibiricum 309, 378
P. sibiricum group
313–314
P. virginianum 308
P. vulgare 62, 63, 115
P. vulgare complex 308,
309, 310, 320
- polysporangiophytes 335
- Polystichopsis* 406, 440
- Polystichum* 62, 162, 306, 311,
320, 378, 379, 406, 439,
440
P. acrostichoides 62, 146,
262
P. aleuticum 295
P. drepanum 290, 295
P. imbricans 120, 318
P. munitum 120, 144, 179,
318
P. otomasui 120
P. tsus-sinense 287
- Polytaenium* 435
- populations
genetic divergence of
122–123
genetic structure of
121–122
- predators 263
- Premnornis guttuligera* 259
- pre-prophase band 4, 5
- Pronephrium* 437
- Prosaptia* 444
- Protowoodsia* 438
- Psaliachlaenaceae 347
- Psammiosorus* 407, 442
- Psaronius* 213, 344, 345–346,
349
P. brasiliensis 344
- Pseudocyclosorus* 437
- Pseudocystopteris* 438
- Pseudodrynaria* 444
- Pseudophegopteris* 408, 437
- Pseudosporochmus* 335–336
P. hueberi 339
P. nodosus 339, 341
- Pseudotectaria* 442
- Psilotaceae 400, 423
- Psilotaceae, rhizomes of
94–95

478 Index

- Psilotales 232, 423
 psilotophytes 333
 Psilotopsida 422
Psilotum 94–95, 209, 423
 P. nudum 94, 176
 P. nudum var. *gasa* 186
Psomiocarpa 442
 Pteridaceae 149, 212, 213, 230, 353, 354, 434
 Pteridales 432
 Pteridiaceae 434, 435
Pteridium 52, 54, 55, 58, 60, 60–61, 68, 88, 138, 263, 434
 P. aquilinum 76, 120, 135, 139, 141, 142, 144, 245, 246, 247, 249, 377
Pteridoblechnum 439
 Pteridoideae 435
Pteridrys 442
Pteris 21, 226, 230, 287, 318, 435
 P. altissima 237
 P. cretica 21, 56, 58, 187
 P. dispar 111
 P. ensiformis 57
 P. multifida 124
 P. vittata 7, 31, 139, 211, 289, 377
Pterisorus radiata 353, 354
 pteroid clade 405
Pterozonium 354, 435
Pyrrhula murina 259
Pyrrrosia 212, 444
 P. piloselloides 237
 Quaternary 345, 351
Quercifilix 442
Quercus 215
 quiescent center (QC) 92
 quillwort *see Isoetes*
Radiovittaria 435
 RAM *see* root apical meristem
Regnellidium 357, 404, 428
Regnellites nagashimae 358
 remote sensing 271
 reproductive organs 31
 restriction fragment length polymorphisms (RFLPs) and gene copy number 179–180
Revwattsia 440
 Rhachidosoroideae 438
Rhachidosorus 438
Rhacophyton 335–336, 342
Rheopteris 435
 rhizomes
 branching of (*see also* shoots, branching of) 94
 rhizomorph 95–97
 Lepidodendrid 96
 rhizophore 96, 95–97
Rhynia gwynn-vaughanii 81
 Rhynie chert 53, 232
 rhyniophyte 54
Rickwoodopteris hirsuta 353
 RNA interference (RNAi) 187
 root apical meristem (RAM) 91, 93, 90–94
 roots 90–94
 branching of 91, 93
 evolution of 93–94
 initiation of 91
Rosenstockia 425
Ruffordia 351
Rumohra 407, 440
 R. adiantiformis 263
 Russia 369
Saccoloma 405, 433
 Saccolomataceae 405, 433
 Saccolomatales 432
Sadleria 245, 439
 S. cyatheoides 110, 120, 124, 135, 140
 S. pallida 110, 120
 Saint Helena 114
Salpichlaena 439
Salvinia 357, 404, 428
 Salviniaceae 356, 357–358, 404, 428
 Salviniales 428
 SAM *see* shoot apical meristem
Sceptridium 422
 S. multifidum var. *robustum* 120, 121
 S. nipponicum 121
 S. ternatum 120, 121
 S. triangularifolium 121
Schaffneria 436
Schizaea 351, 427
 S. pusilla 380
 Schizaeaceae 142, 350, 351, 352, 404, 427
 Schizaeales 232, 350, 427
 schizaeoid ferns 404
Schizaeopsis 427
Scleroglossum 444
Scolecopteris 344
Scoliosorus 435
Scolopendrium vulgare 107, 258
Scyphularia 443
 seasonality (*see also* phenology) 204–209
 climbing ferns and 208–209
 epiphytes and 208–209
 rheophytes and 208
 terrestrial ferns and 206–208
Selaginella 80, 83, 86, 163, 268, 314
 S. caudata 96
 S. densa 313
 S. kraussiana 96, 96, 186

- S. lepidophylla* 176
S. martensii 78, 84
S. moellendorffii 176, 193
S. rupestris 313
S. sylvestris 292, 293
S. uncinata 96, 292
S. underwoodii 313
 Selaginellaceae 77, 79, 83,
 90, 92, 95–97, 177
Selliguea 444
Senftenbergia 351
 Sermayaceae 347
Serpocaulon 407, 444
Serpyllopsis 425
 shoot apical meristem (SAM)
 76, 77, 78, 79, 76–82, 84,
 85, 91, 95
 shoots, branching of
 axillary 87
 dichotomous 87, 88,
 86–90
 epipetiolar 87
 equal 89
 extra-axillary 87
 lateral 88
 monopodial 86–90
 unequal 89
 signal transduction 19,
 26–28
Sinephropteris 436
 Sinopteridaceae 434, 435
Solanopteris 212, 444
Sorolepidium 440
 Southern Hemisphere 376
 speciation 311–322
 allopatric 312–315
 primary 312–316
 primary, adaptation and
 315–316
 primary, ecology and
 315–316
 secondary 316–321
 secondary, allohomoploidy
 and 318–320
 secondary, allopolyploidy
 and 320–321
 secondary, hybridization
 and 318
 tertiary 321–322
 species
 asexual 307–308
 biological 306
 concepts 304–307
 cryptic 307–308
 definitions 304–307
 introduced 376
 morphological 305
 number of (*see also*
 diversity) 368
 taxonomic 305
 boundaries of 308–311
 species concept
 evolutionary 304
 genetic 307
Speirseopteris orbiculata 353,
 355
Sphaerocionium 425
Sphaeropteris 405, 431
 S. cooperi 206, 263
 Sphaerostephanaceae 437
Sphaerostephanos 437
Sphenomeris 433
 S. chinensis 120, 123
Sphenophyllum 346
 Sphenopsida 423
Spinacia 161
 spores
 bank 67–68
 bank conservation and (*see*
 also conservation)
 264–265
 chlorophyllous 7, 286
 germination 7–9
 non-chlorophyllous 7–9,
 286
 release and dispersal
 65–68
 sporogenesis 61–68
 Stauropteridales 341
 stauropterids 334, 341–342
Stauropteris burntislandica
 342
Steenisiolechnum 439
Stegnogramma 437
Steiropteris 437
Stenochlaena 439
 S. areolaris 203
 S. palustris 211
 Stenochlaenaceae 439
Stenolepia 440
Sticherus 426
 S. flabellatus 120
Stigmatopteris 407, 440
 stress tolerance 50
 Stromatopteridaceae 426
 Stromatopteridales 425
Stromatopteris 87, 426
Stylites 90
Synammia 369, 444
Syngramma 435
 Syria 268
 Sumatra 272
 Taenitidaceae 434
Taenitis 435
 Taiwan 369
Tapeinidium 405, 433
Tectaria 442
 T. semibipinnata 203
 Tectariaceae 354, 442
Tedelea 349
 T. glabra 348
 Tedeleaceae 347, 348, 349,
 351
 telome 84–86
Tempskyia 349, 353
 Tempskyaceae 348, 353
Teratophyllum 440
Terpsichore 444
 T. asplenifolia 213, 215
 Tertiary 345, 350, 351, 352,
 353, 356

Cambridge University Press

978-0-521-87411-3 - Biology and Evolution of Ferns and Lycophytes

Edited by Tom A. Ranker and Christopher H. Haufler

Index

[More information](#)

480 Index

- Thambetochen chaulioides* 65, 259
Thamnopteris 436
 Thelypteridaceae 353, 354, 355, 408, 437
 Thelypteridales 432
Thelypteris 230, 408, 437
 T. angustifolia 64, 203, 208
 T. balbisii 237, 241
 T. curta 237
 T. dentata 376
 T. nicaraguensis 237, 241
 T. opulenta 376
 T. palustris var. *pubescens* 378
 T. torresiana 376
 thelypteroid ferns 408
Themelium 444
Thylacopteris 444
 T. capillaceum (see also *Polyphlebium capillaceum*) 213, 215
 T. ferrugineum 203
 T. osmundoides 230
 T. rigidum 230
 T. speciosum 65
 Thyrsopteridaceae 404, 429
Thyanosoria 442
 Tmesipteridaceae 423
Tmesipteris 209, 423
Todea 403, 424
 T. barbara 290
Trachypteris 435
 transposable element (TE) 187
Trawetsia princetonensis 353, 355
 Triassic 307, 345, 350, 351, 353
 Late 351
Trichipteris 431
 Trichomanaceae 425
Trichomanes 377, 379, 403, 425
 trichomanoid clade 403
Trigonospora 437
 trimerophytes 333
Triplophyllum 442
 tropistic response 14, 15, 16
 Uredinales 263
Vandenboschia 403
 vicariance 378–379
Vittaria 50, 135, 142, 150, 435
 V. isoetifolia 213
 V. lineata 235
 Vittariaceae 434
 vittarioid ferns 212, 213, 227, 228, 230, 231, 377
 Vittarioideae 435
 water ferns 404
Woodsia 407, 438
 W. ilvensis 285
 Woodsiaceae 354, 408, 438
Woodwardia 439
 W. radicans 110
 W. virginica 355, 356
 woodwardioid ferns 379
 World Conservation Union 270
 World Wildlife Fund (WWF) 270
Xyopteris 405, 433
Zygophlebia 444
 Zygopteridales 341
 zygopterids 334, 342–343
Zygopteris illinoensis 341