



Featuring **Alpine's** newest graphic interface, this advanced model has everything you want.



Synes godt om [Where to Buy](#) [Print](#)

IVA-D511R - 1DIN MOBILE MEDIA STATION

Large touch control screens with high-impact graphics make it easy to quickly find the music you want from your iPod and other sources. Quick Search and Alphabet Search allow even speedier access. And of course, you always benefit from Alpine's policy of giving great sound quality highest priority. Use the Digital Time Correction function to compensate for varying speaker distances, ensuring that you hear all the channels at the same time. You can also customise the sound with a 7-band graphic EQ, 5-band parametric EQ and High Pass Filter. Make this Mobile Media Station the focal point of your cars interior.

IVA-D511R: IVA-D511RB:



Sound Setting Service



Teknologi



+ Produkt information

Easy Yet Powerful Navigation Upgrade

The NVE-M300P Navigation Module is compact and requires only a power and GPS antennas connection, making it extremely simple to install. Easy to operate on the touch control screen, it gives you fast, accurate navigation and a wide range of advanced functions like 3D map display, auto zoom, lane guidance and personal POI importing.



Digital AM/FM Tuner Provides High Performance

Alpine's new digital AM/FM tuner finds and locks onto stations with extreme precision for superior sound quality and faster tuning performance. Virtually it also eliminates interference from multipath and adjacent channels. As a result, you enjoy crystal clear radio reception at all times.



The IVA-D511R and IVA-D511RB are IMPRINT Ready

Connect the PXA-H100 and its IMPRINT Sound processing technologies will automatically tune the sound output for extraordinarily good imaging and clarity. For hands-on tuning, use the BassEngine Pro features, including MediaXpander, 5-Band Parametric EQ or 7-Band Graphic EQ, Time Correction and more.



Upgrade with Parrot Bluetooth

If you have a Bluetooth-enabled phone, you'll want to add the KCE-400BT or KCE-250BT to your system. Compatible with many phones, they allow hands-free operation, phonebook downloading, and A2DP AV streaming (KCE-400BT). You also get the advantage of Parrot software updates for new phones. The KCE-250BT will be available summer 2010.



USB Connctivity

Alpine delivers your preferred choice to use the USB connection. The USB port lets you plug in your USB device for instant music access. A USB cable is included. A great way to expand your system is to connect your iPod or iPhone via the KCU-451iV iPod cable (including video playback). While you connect your iPod to the USB port you're also able to upgrade your Mobile Media Station with an advanced USB video interface KCE-635UB including allowing Direct Touch control. It lets you connect USB sticks and portable HDD units, provides a cool-looking, easy-to-use interface to enjoy the variety of your files.



MediaXpander Makes It Sound Better

iPod and other MP3 players sound good, but not as good as the original because the data is compressed. To get you much closer to that pristine sound, Alpine developed the MediaXpander. It enhances the frequency ranges where the sound is compressed, restoring the original vibrancy.



+ Funktioner og specifikationer

FEATURES

Tuner

- Memory Presets: 6 stations for each band; FM-1, FM-2, FM-3, MW and LW
- Memory: Auto Memory
- Seek Mode: Local/DX Selection

RDS

- RDS Functions: TA, TP, PTY, NEWS, RADIO TEXT

Bluetooth®

- Parrot Bluetooth Ready
- Connection: Alpine KCE-400BT or KCE-250BT required. Features may differ between phone model and service providers.
- Hands Free: Hands Free Calling
- Phone Book: Phone Book Transfer
- Streaming Music: Streaming Music Playback (use with KCE-400BT)
- Streaming Music Control: Streaming Music Control (use with KCE-400BT)
- Steering Wheel Remote Control Ready: Call starts and Call finishes (Adapter Required)

Connection for iPod®

- Made for iPod
- Works with iPhone
- Connection Type: USB Connection
- Connection: iPod Adapter with Video (requires KCU-451iV)
- M.I.X. (Shuffle) Capability: Song, Albums, All
- Music Control: Song Up / Down for Playlist, Artist, Genre, Composer, Episode
- Video Playback
- Available Selections: Playlist, Artist, Album, Song, Podcast, Genre, Composer, Audiobook
- Percentage Search
- Alphabet Skip Function
- Information Display: Album Art, Song (Title, Album)

Disc Player

- Disc Type: CD / DVD Player
- Disc Playback Type: Type CD/CD-R/CD-RW/DVD-R/-RW/VR
- Compressed Media Playback: Divx/MP3/WMA/AAC Playback
- Burr-Brown DAC
- Zero data Mute
- Digital Servo
- Music Sensor Scan/Repeat
- Playback Control: Play/Pause/Forward/Backward
- M.I.X. Mode: One (Folder) /All (Random Play) /Random (CD Only)

USB Media Connection

- USB Connection: USB Cable Included
- MP3/AAC/WMA Playback

- Banking: Max. 20 banks (20,000 songs)
- MTP Ready: Search music by: Album, Artist, Song, Playlist, Genre, Composer, Folder, File and Alphabet Skip

Sound Tuning

- Subwoofer Level Adjustment
- High Pass Filter Adjustment (Front/Rear)
- MultEQ Ready (Requires PXA-H100)
- MediaXpander Feature (1, 2, 3, OFF)
- Time Correction Adjustment
- 5 Band Graphic or 7 Band Parametric Equalizer Feature

CD/DVD Changer Control

- M.I.X.: One/All (Shuffle)
- Multi-Changer Control: Multi-Changer Control including MP3 Changer CHA-S634 (with KCA-410C)
- Music Text Information: CD:Text Scroll Display, MP3:Text Information Display (ID3 Tag)
- Music Control: Play/Pause/Forward/Backward
- Repeat: Song/Disc

General

- Power Output: 4 x 50W
- 7" WVGA Touch Screen display
- Illumination Buttons: Dual Illumination (IVA-D511R: Green/Amber, IVA-D511RB: Blue/Red)
- 3 Pre Outs and 1 AV Output (2V)
- 1 AV Input
- Steering Wheel Remote Control Ready (Adapter Required)
- DIN Trim Plate:
- Detachable Face Plate:
- Remote Control Ready (Only Audio Control)
- Navi RGB Connection
- CAMERA: Rear Camera Input OFF/Direct/RCA
- Visual EQ: OFF (FLAT)/Night M./Soft/Sharp/Contrast/P-1/P-2

SPECIFICATIONS

Max Power Output Ratings

- Max Power Output: 4 x 50 W

FM Tuner

- Tuning Range: 87.5-108.0 MHz
- Mono Usable Sensitivity: 8.1 dBf (0.7 μ V/75ohms)
- 50dB Quieting Sensitivity: 12 dBf (1.1 μ V/75 ohms)
- Alternate Channel Selectivity: 80.0 dB
- Signal-to-Noise (S/N) Ratio: 65.0 dB
- Stereo Separation: 35.0 dB
- Capture Ratio: 2.0 dB

MW Tuner

- Tuning Range: 531-1,602 kHz
- Usable Sensitivity (IEC Standard): 25.1/28.0 (μ V/dB)

Connection for USB

- USB Requirements: 1.1/2.0
- Max. Power Consumption: 500 mA
- USB Class: Mass Storage
- File System: FAT 12/16/32
- MP3 Decoding: MPEG-1/2 AUDIO Layer-3
- WMA Decoding: Windows Media™ Audio
- AAC Decoding: ACC-LC format "/m4a" file
- Number of Channels: 2-Channel (Stereo)
- Frequency Response: 5-20 k \pm 1 dB (FrequencyResponse may differ depending on the encoder software/bitrate)
- Total Harmonic Distortion: 0.008% (at 1 kHz)
- Dynamic Range: 95 dB (at 1 kHz)
- Signal-to-Noise Ratio: 105 dB
- Channel Separation: 85 dB (at 1 kHz)

Disc Player

- Frequency Response: 5-20 k \pm 1 dB
- Channel Separation (1kHz): 85dB
- Dynamic Range (1kHz): 95 dB
- Total Harmonic Distortion (THD): 0.008% (at 1 kHz)
- Wow & Flutter (%WRMS): B.M.L.
- Audio Signal-to-Noise (S/N): 105 dB
- Signal System: NTSC / PAL
- Horizontal Resolution: 500 lines or greater
- Video Output Level: 1Vp-p (75 ohms)
- Video Signal-to-Noise (S/N): DVD: 60 dB

Sound Tuning

- Subwoofer Level Adjustment: 0 to 15 Step
- High Pass Filter: OFF/60/80/100Hz, -12dB/oct (Selectable) Individually setting can be possible for Front / Rear

- MediaXpander Modes: CD, MP3, (Level 1, 2, 3, Off), DVD Video (Level 1, 2, Off), DVD Music (Level 1, Off)
- Time Correction: Adjustable Time Correction (L-F/R-F/L-R/R-L-SW/R-SW) 0.1 ms Step
- Equalizer: 5 Band Parametric (63Hz - 17.5KHz, 1/3 oct. Steps) Adjustable level: -6 to +6 dB Adjustable bandwidth: 1/2/3/4, or 7 Band Graphic Adjustable output level: -6 to +6dB

Remote Control

- Included/Ready: Ready (Only Audio Control)
- Model Number: RUE-4202

Dimensions

- Din Size: 1DIN
- Chassis Size (W x H x D) mm: 178 mm x 50 mm x 165 mm
- Nose Piece Size (W x H x D) mm: 170 mm x 34.83 mm x 25 mm

General

- Power Requirement: 14.4 (11-16) V.DC
- Power Consumption: 2 A
- Operating Temperature (°C): 0°C to +45°C
- Maximum Mounting Angle: 30° from Horizontal
- Weight: 2.7 kg

Recommended Accessories

- Navigation Module NVE-M300P
- Advanced USB Multimedia Interface KCE-635UB
- Bluetooth Interface KCE-400BT
- IMPRINT Audio Processor PXA-H100
- iPod Cable (including Video) KCU-451iV
- Bluetooth Interface KCE-250BT
- Reversing Camera HCE-C117D
- DVB-T Tuner TUE-T150DV
- DVB-T Tuner TUE-T200DVB
- Remote Control RUE-4191

+ Relaterede produkter



KCE-635UB
ADVANCED USB MULTIMEDIA
INTERFACE



NVE-M300P
Navigation Module



KCE-400BT
PARROT Bluetooth® MODULE



PXA-H100
IMPRINT LYD PROCESSOR



HCE-C117D
Rear View Camera



HCE-C212F
Front View Camera



TUE-T150DV
Mobil Digital TV modtager (DVB-T)



KTP-445
HEAD UNIT POWER PACK



RUE-4191
Multi-Funktion Wireless Remote



TME-M780

7" bredformat monitor



TME-M680

5.8" bredformat monitor



KCA-121B

Interconnector for Ai-NET (Male) to
RCA (Female)



KCE-237B

Fullspeed to mini jack adapter

[+](#) Support

Manual Download



[OM_IVA-D511R_EN.pdf](#)



[OM_IVA-D511RB_EN.pdf](#)

[Hjem](#) · [Online Catalogue 2012/2013](#) · [Kontakter til hele verden](#) · [Kontakter](#) · [Betingelser](#) · [Beskyttelse af data](#) · [Imprint](#)

© 2012 Alpine Electronics, Inc. All Rights Reserved. Use of this site signifies your agreement to the Terms of Use.