

Belgian Arachnological Society ARABEL



Spiders of Cyprus (Araneae)

A catalogue of all currently known species from Cyprus.

ROBERT BOSMANS, JOHAN VAN KEER, ANTHONY RUSSELL-SMITH, MICHAEL HADJICONSTANTIS, MARJAN KOMNENOV, JAN BOSSELAERS, SIEGFRIED HUBER, DUNCAN McCOWAN, ROWLEY SNAZELL, ARTHUR DECAE, CHRISTOS ZOUMIDES, KARL-HINRICH KIELHORN AND PIERRE OGER.



Arachnological Contributions

ROBERT BOSMANS^{1,14}, JOHAN VAN KEER², ANTHONY RUSSELL-SMITH³, MICHAEL HADJICONSTANTIS⁴, MARJAN KOMNENOV⁵, JAN BOSSELAERS⁶, SIEGFRIED HUBER⁷, ROWLEY SNAZELL⁸, DUNCAN MCCOWAN⁹, ARTHUR DECAE¹⁰, CHRISTOS ZOUMIDES¹¹, KARL-HINRICH KIELHORN¹² & PIERRE OGER¹³

- (1) Robert Bosmans, Terrestrial Ecology Unit, Ledeganckstraat 35, B-9000 Gent, Belgium
- (2) Johan Van Keer, Bormstraat 204, bus 3, B-1880 Kapellen op den Bos, Belgium
- (3) Anthony Russell-Smith, 1 Bailiffs Cottage, Doddington, Sittingbourne, Kent ME9 0JU, United Kingdom
- (4) Michael Hadjiconstantis, Association for the Protection of Natural Heritage and Biodiversity of Cyprus, Kastellorizou 4, Lakatamia, 2314 Nicosia, Cyprus
- (5) Marjan Komnenov, Blvd. Kuzman Josifovski Pitu, 19/5/3, 1000 Skopje, North Macedonia
- (6) Jan Bosselaers, Rerumnoovarumlaan 2, B-2340 Beerse, Belgium
- (7) Siegfried Huber, Ottenbohlstraße 12, 88690 Mühlhofen, Germany
- (8) Rowley Snazell, Four Winds, 10, Bon Accord Road, Swanage, Dorset BH19 2DS, United Kingdom
- (9) Duncan McCowan, 13, Agios Andronikos, Dali 2540, Nicosia, Cyprus
- (10) Arthur Decae, Natural History Museum, Rotterdam, the Netherlands
- (11) Christos Zoumides, Energy, Environment & Water Research Center, The Cyprus Institute, 2121 Nicosia, Cyprus
- (12) Karl-Hinrich Kielhorn, Albertstraße 10, 10827 Berlin, Germany
- (13) Pierre Oger, Rue du Grand Vivier 14, 4217 Warêt l'Evêque, Belgium
- (14) Corresponding author: rop_bosmans@telenet.be

Arachnological Contributions. Newsletter of the Belgian arachnological Society 34 (suppl.). 15 November 2019

ARABEL v.z.w. / a.s.b.l.


Bestuur/Bureau

| | |
|--|---|
| VOORZITTER/PRÉSIDENT: | Robert Bosmans, Ooievaarstraat 98, 9000 Gent |
| ONDERVOORZITTER/VICE-PRÉSIDENT: | Jan Bosselaers, Rerum Noovarumlaan 2, 90 Melle |
| SECRETARIS/SÉCRÉTAIRE: | Rudy Jocqué, Veeweidestraat, 3040 Huldenberg |
| PENNINGMEESTER/TRÉSORIER: | Johan Van Keer, Bormstraat 204 bus 3, 1880 Kapelle-op-den-Bos |
| WEBMASTER | Arnauld Henrard, Rue de Namur 69/2, 1300 Wavre |
| REDACTEUR NIEUWSBRIEF | Léon Baert, Leopold I-plein 3A, 8400 Oostende |
| EDUCATIEVE ACTIVITEITEN: | Mark Alderweireldt, Begoniastraat 5, 9090 Melle |
| BEHEERDER DATABANK | Frederik Hendrickx, Hoekskensstraat 11, 9070 Heusden |
| LIDGELD/CÔTISATION: | 20 Euro |
| REKENING/COMPTE: | IBAN: BE65 0014b4419 4196 |
| | BIC: GEBABEBB |
| | Vermelding: "Lidgeld/côtisation ARABEL" |

Table of contents

| | |
|--|-----------|
| SUMMARY | 5 |
| I. INTRODUCTION..... | 6 |
| II. HISTORY OF THE STUDY OF THE SPIDERS OF CYPRUS | 6 |
| III. METHODS AND MATERIAL..... | 7 |
| IV. TAXONOMIC PART | 9 |
| FAMILY ARANEIDAE | 9 |
| FAMILY CTENIDAE | 10 |
| FAMILY DICTYNIDAE | 11 |
| FAMILY GNAPHOSIDAE | 12 |
| FAMILY LINYPHIIDAE | 16 |
| FAMILY LYCOSIDAE | 24 |
| FAMILY NEMESIIDAE | 25 |
| FAMILY PHYXELIDIADAE | 26 |
| FAMILY TETRAGNATHIDAE..... | 28 |
| FAMILY THERIDIIDAE | 30 |
| FAMILY ZODARIIDAE | 32 |
| V. LIST OF SPECIES AND RECORDS | 33 |
| FAMILY AGELENIDAE | 34 |
| FAMILY ANYPHAENIDAE | 35 |
| FAMILY CHEIRACANTHIIDAE | 43 |
| FAMILY CITHAERONIDAE | 44 |
| FAMILY CLUBIONIDAE | 44 |
| FAMILY CTENIDAE | 45 |
| FAMILY CYBAEIDAE | 45 |
| FAMILY DICTYNIDAE | 45 |
| FAMILY DYSSERIDAE | 48 |
| FAMILY FILISTATIDAE | 51 |
| FAMILY GNAPHOSIDAE | 52 |
| FAMILY HAHNIIDAE | 68 |
| FAMILY HERSIILIDAE | 68 |
| FAMILY LINYPHIIDAE | 69 |
| FAMILY LIOCRANIDAE | 82 |
| FAMILY LYCOSIDAE | 84 |
| FAMILY MIMETIDAE | 90 |
| FAMILY MITURGIDAE | 91 |
| FAMILY MYSMENIDAE | 91 |
| FAMILY NEMESIIDAE | 91 |
| FAMILY OECOBIIDAE | 91 |
| FAMILY OONOPIDAE | 93 |
| FAMILY OXYOPIDAE | 94 |
| FAMILY PALPIMANIDAE | 96 |
| FAMILY PHILDROMIDAE | 96 |
| FAMILY PHOLCIDAE | 100 |
| FAMILY PHYXELIDIADAE | 101 |
| FAMILY PISauridae | 102 |
| FAMILY SALTICIDAE | 102 |
| FAMILY SCYTODIDAE | 117 |
| FAMILY SEGESTRIIDAE | 119 |
| FAMILY SICARIIDAE | 119 |
| FAMILY SPARASSIDAE | 120 |
| FAMILY TETRAGNATHIDAE | 121 |
| FAMILY THERAPHOSIDAE | 122 |

| | |
|---|------------|
| FAMILY THERIDIIDAE | 123 |
| FAMILY THOMISIDAE..... | 138 |
| FAMILY TITANOECIDAE | 144 |
| FAMILY TRACHELIDAE..... | 145 |
| FAMILY ULOBORIDAE | 145 |
| FAMILY ZODARIIDAE | 146 |
| FAMILY ZOROPSIDAE..... | 149 |
| VI. DISCUSSION | 151 |
| ACKNOWLEDGEMENTS | 152 |
| REFERENCES | 153 |
| ADDENDUM. LIST OF SPIDERS OF CYPRUS..... | 160 |



Male of *Evarcha nepos* (O. Pickard-Cambridge, 1872)

Summary

The arachnofauna of Cyprus currently includes 449 species, of which all known and all new localities are presented. Nineteen species are considered endemic, but several new species will be described in the future. The unknown male of *Dipoena galilaea* Levy & Amitai and the unknown females of *Improphanes cypriot* Tanasevitch, *I. turok* Tanasevitch, *Palliduphantes minimus* Deeleman-Reinhold and *Steatoda trianguloides* Levy are described for the first time. Male and female of *Phaeocedus hebraeus* Levy, 1999 have been incorrectly matched and the female is described for the first time. *Lepthyphantes lagunculus* Denis from Algeria is redescribed and transferred to the genus *Theonina* n. comb. The species is also cited for the first time in Spain, Morocco and Cyprus. *Lathys arabs* Simon, 1911 is not a synonym of *L. stigmatisata* (Menge, 1869) but a distinct species, contra Lethinen, 1967. *Ctenidae* and *Anahita syriaca* is a new family, genus and species for Europe. The following species are new to Europe: *Improphanes turok* Tanasevitch, *Mermessus fradeorum* (Berland), *Mogrus logunovi* Prószyński, *Neoscona sodom* Levy, *Phaeocedus hebraeus* Levy, *Pterotricha schaefferi* (Audouin), *Silhouettella tomer* Saaristo, *Talanites dunini* Platnick & Ovtsharenko, *Tetragnatha demissa* (C. L. Koch), *Zygiometella perlóngipes* (O. Pickard-Cambridge, 1872), *Oxyopes sobrinus* O. Pickard-Cambridge and *Theridion ochreolum* Levy & Amitai. Not less than 325 species are cited here for the first time in Cyprus. A number of species records were critically evaluated and were apparently misidentifications.

I. Introduction

Cyprus is an island in the Eastern Basin of the Mediterranean with a total land area of 9251 km². For a detailed description of the geography, the climate, the geology and the habitats, we refer to Sparrow & John (2016) ‘An introduction to the wildlife of Cyprus’.

Cyprus has two distinct mountain ranges, the large, central, gradually sloping Troodos Massif, up to 1951m, and the narrow, steep, Pentadaktylos Range (Keryneia mountains), reaching 1024m and fringing the northern coast for 160 km.

Cyprus has an extreme Mediterranean climate, with hot and dry summers, and mild and rainy winters.

Natural and semi-natural habitats in Cyprus include woodlands (coniferous, oak and riparian), scrubland (phrygana) and some grasslands, dunes and small wetlands.

Woodlands are preferred habitats for spiders and several endemic species can be found here. Coniferous forests occur at all altitudes in Cyprus. At lower levels, they are dominated by Calabrian pine *Pinus brutia*. Black pine (*Pinus nigra pallasiana*) forests occur on the higher peaks of the Troodos Mountain, at somewhat lower altitudes mixed with *Pinus brutia*. Cypress forests can mainly be found on the slopes of the Pentadaktylos range, and *Juniperus* forests on the slopes of the Akamas Peninsula and Karpasia. Finally, cedar forest with the endemic *Cedrus brevifolia* are mainly found in the ‘Cedar Valley’ in the Paphos forest. Oak forests (*Quercus infectoria veneris*, *Q. alnifolia*) occur as small stands, mainly on the Troodos mountain range. Riparian forests with *Platanus orientalis*, *Salix alba* and *Alnus orientalis* occur along the upper parts of the major rivers of the island, while in the lower parts of the rivers which are often dry they are replaced by riparian galleries with *Nereum oleander* and *Tamarix* spp.

Scrublands of phrygana are very common in Cyprus, but difficult to explore for spiders. The main type is a short, pillow-forming, thorny vegetation, grading into more arborescent vegetation with Olive (*Olea europaea*), Pistachio (*Pistacia lentisca*) and Kermes oak (*Quercus coccifera*).

Wetland habitats are important for spiders including the marshy areas surrounding them. Some natural or brackish lakes include the Akrotiri, Famagusta, Larnaka, and Paralimni lakes. Many reservoirs and dams have been created by man, some of them with interesting marshy areas, such as the Achna Lake.

Agricultural environments such as olive, carob and almond groves, vineyards, patches of low intensity cereals and grazing land may also offer suitable habitats for spider species.

II. History of the study of the spiders of Cyprus

Very little arachnological research has been carried out on Cyprus and the spider fauna is very poorly known.

The first spider mentioned in the literature was also one of largest and most striking species found on the island. In an important paper on Mediterranean Mygalomorpha, the German arachnologist, Ausserer (1871) described *Ischnocolus gracilis*, now considered a junior synonym of *Chaetopelma olivaceum* (C. L. Koch, 1841). In the same paper, he described another mygalomorph spider, *Brachythele incerta* which has never again been reported in the literature.

In the early years, Simon (1874) described *Nurscia flavipes* from Cyprus, but this appears to have been a synonym of *N. albosignata* Simon 1874. Similarly, he described *Micaria todilla* from Cyprus (Simon, 1878), but this appears to have been a junior synonym of *M. ignea* O. Pickard-Cambridge, 1872. Strand (1907) added 3 species to the fauna of Cyprus in a small contribution.

The Polish arachnologist, Kulczyński (1908) was the first to publish a paper dealing entirely with spiders of Cyprus. Nineteen species were listed for the first time in Cyprus, of which seven were new to science.

In general, researchers contributing to the arachnofauna of Cyprus concerned themselves with revisions of families or genera. Deeleman-Reinhold (1988) contributed with the genus *Dysdera* (four species), Bosmans & Van Keer (1999) with the theridiid genus *Enoplognatha* (two species), Knoflach (1999) with the theridiid genus *Neottiura* (one species), Bosmans (2009) with the zodariid genus *Zodarion* (one new and three revised species), Jäger *et al.* (2011) with the sparassid genus *Olios* (one species) and finally Zonstein & Marusik (2016, 2019) contributed to the *Filistatidae* of Cyprus.

Wunderlich (1980, 1995a-c, 2011) published many contributions to the Mediterranean arachnofauna, including the fauna of Cyprus: *Walckenaeria cyprusensis* in 1995, *Theridion cyprusense* in 2011 and *Ariadna cyprusensis* in 2011.

A few authors described single species from Cyprus. Deeleman-Reinhold (1985) discovered a new linyphiid spider, *Palliduphantes minimus*. Bosselaers (2002) described a new genus, *Akamasia* (named after

the Akamas Peninsula in Cyprus) which includes only one known species at present; the Cyprus endemic *Akamasia cyprogenia*. Vollmer (1997) described a second *Chaetopelma* species from Cyprus: *C. karlamani*. Azarkina (2006) described the salticid species *Aelurillus cypriotus*, Panayiotou *et al.* (2010) described *Berinda cypria*.

In a paper on European Linyphiidae, Tanasevitch (2011) described several new species from the Mediterranean, among them two new species (*Araeoncus cypriacus* and *Improphanes cypriot*) and nine species cited for the first time in Cyprus.

Logunov (2013, 2015) is an important researcher of the spider fauna of Cyprus. In 2013, he added 15 species to the fauna of the island and a further 13 species of Salticidae in 2015, as a result of which, salticids are among the best known of Cypriot spiders.

Further recent contributions are those of Chatzaki & Russell-Smith (2017) adding 7 species of Gnaphosidae, Aharon *et al.* (2017) clarifying the identity of the *Artema* species occurring in Cyprus, Azarkina *et al.* 2018), describing the unknown female of *Aelurillus cypriotus*, Bosmans *et al.* (2018) revising the genus *Haplodrassus*, Gücel *et al.* (2018, 2019) describing new *Dysderocrates* and *Harpactea* species from Cypriot caves, Özktük *et al.* (2019), citing a *Cheiracanthium* species for the first time and finally Chatzaki & Van Keer (2019) citing *Echemus levyi* for the first time.

Finally, we should mention two recent books dealing with the spider fauna of Cyprus. McCowan's book (2014), "60 Cypriot Spiders" is a popular introduction to the spiders of Cyprus. Bosmans, in Sparrow & John (2016, Wildlife of Cyprus), wrote a contribution on spiders which adds no new species for the island.

Summarizing, Nentwig *et al.* (2019) mention 107 species reported from Cyprus in the literature. Compared with other Mediterranean islands this number is relatively low, as can be seen in Table 1:

| | Surface area (km²) | Distance from mainland (km) | Number of known species | Author |
|-----------------|--|--|------------------------------------|------------------------------------|
| Sardinia | 24.090 | 200 | 459 | Pantini <i>et al.</i> , 2013 |
| Crete | 8.336 | 96 | 430 | Bosmans <i>et al.</i> , 2013 |
| Lesbos | 1632 | 12 | 296 | Bosmans <i>et al.</i> , 2009 |
| Chios | 904 | 8 | 315 | Russell-Smith <i>et al.</i> , 2011 |
| Korfu | 607 | 7 | 243 | Russell-Smith 2014 |
| Lefkada | 334 | 2 | 117 | Russell-Smith 2014 |
| Cyprus | 9.251 | 70 | 107 | Nentwig <i>et al.</i> , 2019 |

Table 1: Number of spider species on, and surface area of, the Mediterranean islands Sardinia, Crete, Lesbos, Chios, Korfu, Lefkada and Cyprus.

Many more spider species are thus to be expected in Cyprus. Along with a team of European arachnologists, several collecting trips have been organised, and some local arachnologists started to cooperate with the project.

III. Methods and Material

The material studied was collected by different arachnologists. RB, A.R-S, MK, JVK and KHK identified their material themselves. They are not listed as collectors in the text, only the deposition in their collection is referred to. Material of Michael Hadjiconstantis and Christos Zoumides was identified by RB and material of John Murphy was identified by AR-S.

AR-S had some Salticidae and Thomisidae identified by Dmitri Logunov, the Agelenidae by Angelo Bolzern, some Pholcidae by Bernhard Huber and some Gnaphosidae by Maria Chatzaki. Material of the Natural History Museum was identified by Marjan Komnenov.

An overview of all examined collections is given in table 2.

| Collector | Year | Location | Seen by |
|------------------|-------------|-----------------|----------------|
|------------------|-------------|-----------------|----------------|

| | | | |
|-----------------------------------|------------------------|---------------------|---------|
| M. Askins | 1998, 2007 | Personal collection | A.R-S |
| R. Bosmans | 2010, 2011 | Personal collection | RB |
| J. Bosselaers | 1996, 1997 | Personal collection | JB |
| C. Felton | 1997 | Liverpool Museum | A.R-S |
| M. Hadjiconstantis and colleagues | 2013-2018 | Personal collection | RB |
| S. Huber | 2017 | Personal collection | RB |
| K.-H. & U. Kielhorn and friends | 2011, 2013, 2014, 2018 | Personal collection | KHK, RB |
| M. Komnenov | 1986 | NHMW | MK |
| D. McCowan | 2004 - 2018 | Personal collection | A.R-S |
| J. Murphy | 1983, 2002 | Manchester Museum | A.R-S |
| T. Russell-Smith | 2007, 2013, 2017 | Personal collection | A.R-S |
| R. Snazell | 2007, 2013 | Personal collection | A.R-S |
| J. Van Keer | 2007, 2010, 2011 | Personal collection | JVK |
| Different collectors | Different years | British Museum | RB |

Table 2. List of collections examined and number of records

Abbreviations

- BMNH: British Musuem of Natural History
 CAR-S: Collection Tony Russell-Smith
 CDM: Collection Duncan McCowan
 CJB: Collection Jan Bosselaers
 CJVK: Collection Johan Van Keer
 CKHK: Collection Karl-Hinrich Kielhorn
 CMA: Collection Martin Askins
 CMH: Collection Michael Hadjiconstantis (and including Christos Zoumides)
 CRB: Collection Robert Bosmans
 CRS: Collection Rowley Snazell
 CSH: Collection Siegfried Huber
 MMUE: Manchester University Museum
 NHML: Naturalis History Museum, Leiden
 NHMW: Collection of the Natural History Museum in Vienna
 WML: World Museum, Liverpool
 ZMUT: Zoological Museum of the University of Turku

IV. Taxonomic part


In this part, some poorly known or rarely illustrated species are discussed.

Family Araneidae

Neoscona sodom Levy, 1998

(Figs 1 a-e)

Neoscona sodom Levy, 1998a: 340, figs 117-126.



Figs 1a-e. *Neoscona sodom* Levy. a. Male, dorsal view; b. Male palp, retrolateral view; c. Idem, ventral view; d. Idem, prolaternal view; e. Idem, ventro-prolaternal view.

Diagnosis

Neoscona sodom Levy differs clearly from *Neoscona adianta* (Walckenaer, 1802) and *N. subfuscata* (C. L. Koch), the other *Neoscona* species occurring in Cyprus, by its general colour, abdominal pattern and further by the shape of the median apophysis with a black spike, and the fan-shaped terminal apophysis.

Records

See part V, page 41.

Comments

This species is only known from two localities in Israel, the male from the Dead Sea region, the female from the Yizre'el Valley. It is new to Cyprus.

Family Ctenidae

Anahita syriaca (O. Pickard-Cambridge, 1872)
(Figs 2 a-f)

Anahita syriaca; Levy, 2003: 11, figs 16-22 (descr. ♂, ♀).

Diagnosis


Ctenidae are recognised by the peculiar eye disposition in rows of 2-4-2 (Fig. 1c). Since *Anahita syriaca* is the only European species of the family, it cannot be confused with any other. The male is further characterised by the absence of a tibial apophysis and the semi-circular embolus (Figs 1d-f), the female by the shape of the square, epigynal plate.

Comments

This is the first record of both the family and this genus for Europe. The female was first described by O. Pickard-Cambridge (1872) from the plains of the Jordan, the male was described much later by Levy (2003), from Israel.

Records

See part V, page 45.




Figs 2 a-f. *Anahita syriaca* (O. Pickard-Cambridge). a. Male, dorsal view; b. Male, dorsal view, living specimen; c. Male prosoma, dorsal view; d. Male palp, retrolateral view; e. Idem, ventral view; f. Idem, proventral view.

Family Dictynidae

Lathys arabs Simon, 1911 (Figs 3 a-e)

Lathys arabs Simon, 1911: 278.

Lathys puta; Lehtinen 1967: 243, figs. 257, 266 (synonymy, here rejected).



Figs 3a-e. *Lathys arabs* Simon. a. Male palp, ventral view; b. Idem, retrolateral view; c. Part of male palpal cymbium and tibia, detail, dorso-prolateral view; d. Epigyne, ventral view; e. Vulva, ventral view.

Type material

Lectotype ♂, 1 ♀ 2 ♀♀ paralectotypes of *Lathys arabs* Simon from Algeria, S. Bou Saada, Aïn Oghrab, MNHN AR 403; 3 paratypes from Algeria, Biskra, MNHN AR 396; ♀♀ paralectotypes from Tunisia, Nefzaoua, Vibert leg., MNHN AR 420; examined; all by present designation, and all mentioned in the original description by Simon 1910.

Comparative material examined

Lectotype ♂, 4 ♀♀ paralectotypes of *Lathys maura* Simon from Algeria, Annaba, Forêt de l'Edough, on bushes together with *Lathys humilis*, VI.1884, MNHN AR 413.

Diagnosis

Lathys arabs was described from Algeria by Simon (1910). This species was synonymized with *Lathys stigmatisata* by Lehtinen (1967), although he did not mention examining type material. The first author examined the type material of *Lathys arabs* and figures of the species were published in Bosmans *et al.* (2009). Males differ from the related *Lathys stigmatisata* (Menge) by the absence of a patellar apophysis and the shorter distal part of the conductor, directed in postero-dorsal direction. In females of *L. arabs*, the

epigynal openings are widely separated and there are two pairs of vertical loops in the fertilisation duct (fig. 3e), but only one pair in *Lathys stigmatisata*. *Lathys arabs* has to be considered a distinct species. The paper of Marusik *et al.* (2006) was of great help to describe the different parts of male palps and epigynes.

Description

Measurements: Male (n = 7): Total length 2.2-3.2; prosoma 0.81-1.05 long. Female (n = 15): Total length 2.2-3.4; prosoma 0.88-1.38 long.

Colour: Prosoma yellowish brown, with foveal region grey, often some pale grey radiating stripes; legs pale yellowish; abdomen dorsally with large pale grey spot, filled with 5-6 grey chevrons, laterally with a pattern of oblique, alternate pale grey and darker grey stripes, the paler stripes sometimes interrupted by darker spots or completely dark grey with whitish spots.

Male palp (Figs 3 a-c): Patella without apophysis; tibia with short, pointed retrodorsal and larger prodorsal apophyses; base of conductor trapezoid in ventral view, distal part cork-shrew-like, with 3.5 loops, terminally bluntly pointed; bulb circular, flattened, embolar base not visible, arising at ventral side of bulb, embolus whip-like, imbedded in lateral grooves of bulb, describing 3.5 circles.

Epigyne (Figs 3 d-e): Median septum as wide as the diameter of each atrium; copulation ducts with 3 horizontal and two vertical loops

Records


See part V, page 47.

Family Gnaphosidae

Berinda idae Lissner, 2016

(Figs 4 a-e)

Berinda idae Lissner, in Lissner & Chatzaki, 2016a: 9, figs 1a-c, 2a-b, 3a-b, 4a-b, 5a-b, 6-7 (descr. ♂♀).



Figs 4 a-e. *Berinda idae* Lissner. a. Male, dorsal view; b. Male palp, retrolateral view; c. Idem, ventral view; d. Idem, prolateral view; e. Female, dorsal view; f. Epigyne, ventral view; g. Vulva, dorsal view.

Comments

According to the World Spider Catalog (2018), the genus *Berinda* includes seven species, all from the eastern Mediterranean region or Central Asia. Three of them occur in Cyprus. Males of *Berinda idae* differ from all other *Berinda* species by the short, triangular retrolateral tibial apophysis (Figs 4b-c), females by the short, rectangular hood (Figs 4 f).

This is the first record of *Berinda idae* outside of Greece. Previously, it was known from the Dodekanese (Kalymnos, Nisyros) and the Cyclades (Santorini, Christiani Islet) (Lissner & Chatzaki, 2012). In the specimens from Cyprus, the tibial apophysis of the male looks shorter (probably due to a different angle of view) and the epigynal hood is more incised posteriorly, but these are considered minor variations.

Records

See part V, page 53.

Drassyllus cyprius Chatzaki & Russell-Smith, 2017 (Figs 5 a-k)

Drassyllus cyprius Chatzaki & Russell-Smith 2017: 24 (descr. ♂♀).



Figs 5 a-k. *Drassyllus cyprius* Chatzaki & Russell-Smith. a. Male prosoma, dorsal view; b. Female, dorsal view; c. Idem, ventral view; d., Male palp, retrolateral view; e. Idem, ventral view; f. Idem, prolateral view; g. Male palpal tibia, lateral view; h. Tip of bulbus, ventral view; i. Epipharynx, ventral view; j. Vulva, ventral view; k. Vulva, dorsal view.

Comments

This recently described species is apparently common and widespread in Cyprus.


Records

See part V, page 56.

Phaeocedus hebraeus Levy, 1999

(Figs 6 a-i)

Phaeocedus hebraeus Levy, 1999: 429, figs 1-5 (descr. ♂, non ♀).



Figs 6 a-i. *Phaeocedus hebraeus* Levy a. Male, dorsal view; b. Male palp, retrolateral view; c. Idem, ventral view; d. Idem, proventral view; e. Female, dorsal view; f. Idem, ventral view; g. Epigyne, ventral view; h. Vulva, ventral view; i. Vulva, dorsal view.

Type material

Holotype male from Israel, Mount Scopus, 14.VI.1944, paratype female (misidentified, see below) from Israel, Poriya, 20.IV.1940, A. Shulov leg; examined by Chatzaki & Van Keer (2019).

Diagnosis

Males of this species are easily recognised by the large, elongate rectangular conductor (fig. 6 c), females by the small, rounded postero-median depression in the epigyne (fig. 6 g).

Comments

Phaeocedus hebraeus was described from Israel by Levy (1999), the male from Mount Scopus in Jerusalem, the female from Poriya in Galilea, about 100 km to the North. Levy (1999) considered them to belong to the same species. However, in Cyprus we collected males of the species together with females that are different from Levy's female specimen. It is clear that Levy (1999) mismatched both sexes, the female belonging to another genus. Chatzaki & Van Keer (2019) came to the same conclusion and attributed the female to a juvenile *Drassodes*.

Records

See part V, page 65.

Other material examined

GREECE: Attiki: Alepohori camping site, 1 ♂, 22.V.1998, R. Bosmans leg. (CRB).

Distribution

Until now only known from Israel, cited here for the first time in Greece and Cyprus.

Synaphosus shirin Ovtsharenko, Levy & Platnick, 1994

(Figs 7 a-e)

Synaphosus shirin Ovtsharenko, Levy & Platnick, 1994: 23, figs 82-83 (descr. ♂); Chatzaki & Russell-Smith, 2017: 248, figs 29-34 (descr. ♂♀).



Figs 7 a-e. *Synaphosus shirin* Ovtsharenko, Levy & Platnick. a. Male, dorsal view; b. Male palp, retrolateral view; c. Idem, ventral view; d. Idem, prolateral view; e. Idem, dorsal view.

Comments

Synaphosus shirin was originally described from Iran by Ovtsharenko *et al.* (1994). Only the female was known. Recently, Chatzaki & Russell-Smith (2017) found females together with males which they described for the first time. More *Synaphosus* species are cited further down in this paper.

Records

See part V, page 65.

***Talanites dunini* Platnick & Ovtsharenko, 1991**
(Figs 8 a-e)

Talanites dunini Platnick & Ovtsharenko, 1991: 117, figs 5-8 (descr. ♂♀).
Talanites dunini Levy, 2009: 23, figs 51-52.

Comments

According to the World Spider Catalog (2018), the genus *Talanites* comprises 15 species: one from Tunisia, 1 from Egypt, 8 from the Near and Middle East, and 5 from the United States and Mexico.

Talanites dunini was described from Azerbaijan and Turkmenistan (Platnick & Ovtsharenko, 1991), and Levy (2009) cited it also in Israel. Here it is mentioned for the first time from Europe in Cyprus.

Records: See part V, page 66.



Figs 8 a-e. *Talanites dunini* Platnick & Ovtsharenko. a. Male, dorsal view; b. Male palp, retrolateral view; c. Idem, ventral view; d. Idem, prolateral view; e. Idem, dorsal view.


Family Linyphiidae

***Canariphantes tenerrimus* (Simon, 1929)**

Leptyphantes tenerrimus Simon, 1929: 611, 737 (descr. ♀).
Leptyphantes homonymus Denis, 1934: 76, figs 3 (descr. ♂).

The specimens cited below correspond best with the drawings of Tanasevitch (2011) of *Canariphantes homonymus* Denis (now a junior synonym of *C. tenerrimus* (Simon), based on material from Greece. Typical for *C. tenerrimus* is the L-shaped, terminally pointed lamella, clearly differing from the terminally bifurcate lamella of *C. nanus*. Except for the citation of Tanasevitch from Greece, *C. tenerrimus* is only known from the western part of the Mediterranean (Spain, Portugal, France, Morocco and Algeria). Further studies are necessary to confirm the present identification.

Records: See part V, page 71.



Figs 9 a-k. a-f. *Improphanes cypriot* Tanasevitch. a. Male, dorsal view; b. Female, dorsal view; c. Male palp, retrolateral view; d. Idem, prolateral view; e. Epigyne, ventral view; f. Idem, lateral view. g-k. *Improphanes turok* Tanasevitch. g. Male, dorsal view; h. Female, dorsal view; i. Male palp, retrolateral view; j. Idem, prolateral view; k. Epigyne, ventral view.

***Improphanes cypriot* Tanasevitch, 2011
(Figs 9 a-f, 10a-b)**

Improphanes cypriot Tanasevitch, 2011: 67 (descr. ♂).

Diagnosis

Closely related to *I. turok*, males differing by the numerous teeth on the dorsal margin of the lamella in *I. cypriot* (Fig 10a), compared to only small, terminal teeth in *I. turok* (Fig. 10c). However, some of the teeth of the lamella can be broken off. Females differ in the scape being wider than long in *I. cypriot*, as long as wide in *I. turok* (Fig. 10b versus fig. 10e).

Description

Measurements: Male: Total length 0.61-0.67; prosoma 0.55-0.59 long, 0.43-0.49 wide. Female: Total length 0.73-0.90; prosoma 0.53-0.62 long, 0.39-0.49 wide.

Spination: Fe I with 1 prolateral spine, Fe II-IV spineless; Ti with 2 dorsal spines, Ti I with additional pro- and retrolateral spine, Ti II with additional retrolateral spine.

Records

See part V, page 74.

***Improphanes turok* Tanasevitch, 2011
(Figs 9 g-k, 10 c-g)**

Improphanes turok Tanasevitch, 2011: 69, figs 65-69 (descr. ♂, ♀).

Description

Male: Total length 0.59-0.70; prosoma 0.41-0.66 long, 0.31-0.38 wide.

Female: Total length 0.63-0.77; prosoma 0.41-0.55 long, 0.31-0.52 wide.


Colour and spination as in *Improphanes cypriot*.

Diagnosis

See *Improphanes cypriot*.

Records

See part V, page 75.



Figs 10a-g. a-b. *Improphanes cypriot* Tanasevitch. a. Male palp, retrolateral view; b. Epigyne. c-g. *Improphanes turok* Tanasevitch c. Male palp, retrolateral view; d. Embolic division, prolateral view; e. Epigyne, ventral view; f. Epigyne, dorsal view. g. Vulva, ventral view, distal part dissected.

***Megalepthyphantes turkeyensis* Tanasevitch, Kunt & Seyyar, 2004**

(Figs 11 a-f)

Leptyphantes congener Kulczyński, 1908: 68, pl. 2, fig. 17 (descr. ♂, misidentified).


Megalepthyphantes turkeyensis Tanasevitch, Kunt & Seyyar, 2005: 279, figs 1-9 (descr. ♂).

Megalepthyphantes turkeyensis Tanasevitch, 2011: 74, figs 82-83 (misidentification as *L congener* confirmed).

Palliduphantes montanus; Topçu et al. 2013: 91 (misidentification).

Comments

Kulczyński (1908) described a male collected in Cyprus as the unknown male of *Leptyphantes congener* (O. Pickard-Cambridge, 1872), now considered a synonym of *Frontinellina frutetorum* (C. L. Koch, 1834). Tanasevitch (2011) pointed out that this is not correct and that the specimen described by Kulczyński is in reality *Megalepthyphantes turkeyensis* Tanasevitch, Kunt & Seyyar, described in 2005 from Turkey. Tanasevitch (*op. cit.*) cites the species also from Ikaria, an island of the Cyclades, and this record has been overlooked by Nentwig et al. (2019) and Chatzaki et al. (2015). Tanasevitch, Kunt & Seyyar (*op. cit.*) mention examining females of *Megalepthyphantes turkeyensis* but these were never figured or described. The first author was able to examine specimens cited as *Palliduphantes montanus* (Kulczyński, 1898) from Turkey and these appeared to belong to *Megalepthyphantes turkeyensis* as well. *Palliduphantes montanus* must be deleted from the Turkish list of spiders.



Figs 11 a-f. *Megalepthyphantes turkeyensis* Tanasevitch, Kunt & Seyyar. a. Female, dorsal view; b. Male palp, retrolateral view; c. Idem, ventral view; d. Idem, prolateral view; e. Epigyne, ventral view; f. Vulva, ventral view.

Diagnosis

The species is closely related to *Megalepthyphantes lydiae* Wunderlich, 1994 from Greece. Males differ in the terminally pointed lamella (fig. 10b), rounded in *M. lydiae*, and the absence of a dorsal tooth in the embolus of *M. turkeyensis*. Females differ in the scape being more rectangular and longer than wide (fig. 10e), while it is more rounded and somewhat wider than long in *M. lydiae*.


Comparative material examined

Greece, Lesbos, Mandamanos, 2 ♂♂ 2 ♀♀ of *Megalepthyphantes lydiae* (CRB).

Records: See part V, page 76.

***Palliduphantes minimus* (Deeleman-Reinhold, 1986)**
(Figs 12a-h)

Leptyphantes minimus Deeleman-Reinhold, 1986: 46, figs 35a-b (descr. ♂).



Figs 12 a-h. *Palliduphantes minimus* (Deeleman-Reinhold). a. Male, dorsal view; b. Female, dorsal view; c. Idem, ventral view; d. Male palp, retrolateral view; e. Idem, prolateral view; f. Idem, ventral view; g. Lamella, ventral view; h. Epigyne, ventral view.

Diagnosis

Palliduphantes minimus is the only *Palliduphantes* species in Cyprus. It is a small, pale species of which males are recognised by the strongly pointed distal tooth of the lamella and the presence of three teeth along its dorsal margin (fig. 11g), females by the short, strongly curved scape (fig. 11h).

Description

Measurements: Male: Total length 1.5; prosoma 0.65 long, 0.51 wide. Female: Total length 1.6; prosoma 0.71 long, 0.56 wide.

Colour: Pale yellowish, only eyes with narrow black rings.

Prosoma: Anterior median eyes separated by half their diameter, from the anterior laterals by their diameter; posterior eyes separated by their diameter. Chelicerae with 3 large promarginal teeth and 4 smaller, closely set retromarginal teeth, laterally with 18 stridulating ridges in the male.

Spination: Legs with long spines, proximal dorsal spine on tibia I 2.7 as long as the tibia's diameter; femur I with 1 prolateral spine; tibia I with 2 dorsal, 1 prolateral and 1 retrolateral spine, Tibia II with 2 dorsal and 1 retrolateral spine, Ti III-IV with 2 dorsal spines; metatarsi I-IV with 1 dorsal spine.

Male palp (Figs d-g): Dorsal spine on patella slightly longer than its diameter, that on tibia 1.5 times as long as its diameter; proximal part of paracymbium with 4 hairs and small basal tooth, distal part small and rounded; lamella elongated, with 2 basal tooth, terminally split into 3 sharp teeth.

Epigyne (Fig. 12 h): Scape sigmoid, short and strongly curved.

Records

See part V, page 78.

Theonina laguncula (Denis, 1937) n. comb. (Figs 13 a-k)

Lepthyphantes laguncula Denis, 1937: 1045 (descr. ♂, ♀); Bosmans, 1985: 172 (citation); Bosmans 2006: 178 (citation).

Type material

Type series of one ♂ and ♀ from Algeria, Forêt de Zouagha, Djebel Daya, 13.V.1936; depositon unknown, not in MHNTP.

Etymology

The etymological meaning of the name *laguncula* was not given by Denis (1937). In Latin, *laguncula* means 'a small flask' and this obviously refers to the shape of the apophysis on the palpal patella.

Diagnosis

Both sexes are at once recognised by their contrasting colour pattern. Males are further easily recognised by the shape of the chelicerae and the bottle-shaped apophysis on the palpal patella, females by the rectangular scape.


Comments

The shape of the male palp (large basal tubercles on cymbium, C-shaped embolus), and of the female epigyne (flattened S-shaped scape with broad distal part) resemble closely those of *Theonina cornix* and *T. linyphioides* (see Bosmans, 2006) and *Lepthyphantes laguncula* is therefore best placed in this genus.

Description

Measurements: Male (n=1): Total length 2.1; carapace 0.83 long, 0.68 wide. Female (n=6): Total length 1.8-2.3; carapace 0.65-0.86 long, 0.58-0.71 wide.

Colour: Carapace speckled olive brown, region behind the eyes and thoracic region yellowish orange; chelicerae and sternum yellowish orange; legs yellowish white, tibiae, metatarsi and tarsi with median and distal grey annulations, often poorly marked; abdomen grey, with two oblique white chevrons and 5 transverse white stripes, venter pale yellow with small scattered white spots.



Figs 13 a-k. *Theonina laguncula* (Denis) n. comb. a. Male, dorsal view; b. Female, dorsal view; c, d. Male palp, retrolateral view; e. Idem, prolateral view; f. Embolic division, ventral view; g, h. Cymbium, dorsal view; i. Epigyne, ventral view; j. Vulva, ventral view; k. Idem, dorsal view.

Chelicerae: In male tapering at the edge, diverging, laterally with 10-11 stridulating ridges, fang groove with one anterior and one posterior tooth, chelicerae of female normal, fang groove with 3 large anterior and 4 smaller posterior teeth.

Legs relatively short, Femur I only slightly longer than length of prosoma. Spinulation: Femora spineless; Tibiae I-II with 2 dorsal, 1 prolateral and 1 retrolateral spine, tibiae III-IV with 2 dorsal spines, metarsi spineless.

Male palp (Figs 13 c-h): Patella with strong cylindrical apophysis bearing a long hair; cymbium with curved, posterior horn, at retrolateral side accompanied by a smaller tubercle; paracymbium U-shaped, basal part with median tooth, distal part gradually narrowing, terminally rounded; radix with a strong distal concavity at prolateral side and two median tubercles on retrolateral side; lamella elongated, gently curved, with parallel margins, terminally rounded; embolus large, sickle-shaped, with transverse carina (fig. 13f).

Epigyne (Figs 13 i-k): With flattened and S-shaped scape, anterior part rectangular, distal part much wider with strong lateral lobes protruding from the epigynal cavity and with small stretcher.

Material examined

MOROCCO: Tanger-Tétouan: 10 km E. Chefchaouen, 500m, 1 ♀, stones in *Quercus suber* forest, 15.V.1985, R. Bosmans leg. (CRB).

SPAIN: Alicante: Sierra de Aitana, 1 ♂, pitfalls in *Pinus* forest, 19.IV.1997, M. Perez leg. (CRB).

Baleares: Ibiza: Sa Talaia, 200m, 1 ♀, pitfall in *Pinus* forest, 8-18.IV.2018, R. Bosmans leg. (CRB).

Malaga: Sierra de Mijas, 1 ♀, low and open dry woods, IV.1095, P. Hillyard leg. (BM).

CYPRUS: Paphos: Akamas Peninsula Agios Minas, 4 ♀♀, in dense *Pinus* litter, 2.V.2007 (CAR-S, CRB, CRS); Smigies, W. Neo Chorio, 300m, 1 ♀, litter and stones in *Pinus* forest, 30.IV.2010 (CRB).

Distribution

Theonina laguncula was until now only known from its type locality in Algeria but appears to have a large distribution area in the Mediterranean, from Morocco and Spain in the West to Cyprus in the East.

Family Lycosidae

***Pardosa roscai* (Roewer, 1951)** **(Figs 14 a-i)**

Lycosa maculata Rosca, 1939: 95, figs 7-9 (descr. ♂♀; preoccupied by Hahn, 1822).

Lycosa roscai Roewer, 1951: 438 (replacement name).

Pardosa bulgarica Buchar, 1968: 124, figs 4D-G (synonymy).

Pardosa cibrata roscai; Fuhn & Niculescu-Burlacu, 1971: 90, figs 37a-e (transfer from *Lycosa*, reduced to subspecies).

Pardosa roscai; Bayram, Efil & Deltshev, 2009: 465, figs 1-5 (elevated to species).

Comments


Pardosa roscai belongs to the *proxima* group of *Pardosa*, a group of species that are not easy to identify. It is closely related to *Pardosa cibrata* Simon and *P. hortensis* (Thorell). Males can be recognised by the relatively short cymbium, apically densely covered with black setae. Females are recognised by the relatively wide anterior cavity of the epigyne. See also Bayram *et al.* (2009).

Distribution

The species is common in Bulgaria (Buchar 1968), Romania (Fedoriak *et al.* 2016), Turkey (Bayram *et al.* 2009) and Iran (Zamani & Mozaffarian (2017). Fedoriak *et al.* (*op. cit.*) mention also material examined from Italy, but this is not retained in the WSC (2019).

Records

See part V, page 88.



Figs 14 a-i. *Pardosa roscai* (Roewer). a. Male, dorsal view; b. Female, dorsal view; c. Idem, ventral view; d. Male palp, retrolateral view; e. Idem, ventral view; f. Idem, prolateral view; g. Epigyne, ventral view; h. Vulva, ventral view; i. Idem, dorsal view.

Family Nemesiidae

Brachythele incerta Ausserer, 1871 (Figs 15 a-d)

Brachythele incerta Ausserer, 1871: 175, descr. ♀.




Fig 15 a-d. *Brachythele incerta* Ausserer a. Labelled vial containing the type specimen; b. Chelicerae showing presence of strong distal bristles and absence of rastellar teeth; c. maxillae with spicules in groups; d. Strongly damaged abdomen missing all diagnostic characters.

Type material

Holotype ♀ from Cyprus, without further locality, labelled “Arach. 62, Könshing leg. 1862”; NHMW, examined by Arthur Decae. The specimen was found to be in very poor condition. Absence of strong rastellar teeth (15b, arrow) and presence of spicules grouped on maxillae (15c, arrow) indicate the genus level identity is correct.

Comments

Although badly damaged, the morphology of the preserved specimen clearly indicate that both the family level (Nemesiidae) and the genus level (*Brachythele*) are correct. As such, it remains the only record of *Brachythele* from Cyprus.

Records


See part V, pag 91.

Family Phyxelididae

Phyxelida anatolica Griswold, 1990
(Figs 16 a-j)

Diagnosis

See Griswold, 1990.



Figs 16 a-i. *Phyxelida anatolica* Griswold. a. Male, dorsal view; b. Female, dorsal view; c. Idem, ventral view; d. Male palp, retrolateral view; e. Idem, ventral view; f. Idem, prolateral view; g. Male palpal tibia, dorsal view; h. Male metatarsus with clasping spine; i. Epigyne, ventral view; j. Vulva, ventral view.

Diagnosis

See Griswold, 1990.

Comments

This family with only one genus and one species in Europe occurs also in Cyprus. Identification of this species for European arachnologists not familiar with the family is not easy, and therefore photos of the species are provided. The disposition of the eyes is very typical (fig. 16b), the metatarsi have a typical spine (fig. 16h) and male palps have very peculiar tibial apophyses (fig. 16d-e), females on the contrary have no special characters in the epigyne.

Records

See part V, page 101.

Family Tetragnathidae

***Tetragnatha demissa* L. Koch, 1872**
(Figs 17 a-v)

Diagnosis


Males of this species are recognised by the slight S-shape of the conductor when viewed ventrally, females by the epigyne which is wider than long, and by the bilobed spermathecae.

Comments

In April 2010, males and females of an unknown *Tetragnatha* species were collected in the marshy vegetation at the border of Asprokremmos Dam. They were collected again in April 2011 at the same site and in Meneou in a salt marsh and neighbouring fields. None of the European species appeared to correspond with the species. Earlier descriptions of *Tetragnatha demissa* (e. g. Saaristo, 2010) correspond well with the species and it is cited here as such.

Records

See part V, page 121.



Figs 17 a-v. *Tetragnatha demissa* L. Koch. a. Male, dorsal view; b. Left chelicera of male, anterior view; c. Idem, interior view; d. Idem, posterior view; e. Idem, exterior view; f. Male palp, retrolateral view; g. Idem, ventral view; h. Idem, prolateral view; i-n. Embolus and conductor, different views; o. Female, dorsal view; p. Eye region of female, dorsal view; q. Left chelicera of female, anterior view; r. Idem, interior view; s. Idem, posterior view; t. Idem, exterior view; u. Epigyne, ventral view; v. Vulva, ventral view.


Family Theridiidae

Dipoena galilaea Levy & Amitai, 1981
(Figs 18 a-g)

Dipoena galilaea Levy & Amitai 1981: 186, figs 37-42 (descr. ♀).

Diagnosis

The male of *Dipoena galilaea* can be easily recognised by the abdominal pattern (figs 18 a-c) and the large, elongated palp (figs 18d-g).



7

Figs 18 a-g. *Dipoena galilaea* Levy & Amitai, 1981. a. Male, dorsal view; b. Idem, lateral view; c. Female, dorsal view; d. Male palp, retrolateral view; e. Idem, ventral view; f. Idem, prolateral view; g. Detail, ventral view.

Comments


The female of *Dipoena galilaea* was described from Israel by Levy & Amitai (1981). Females were further recorded in Greece on three occasions: Russell-Smith *et al* (2011) in Chios, Bosmans *et al.* in Lesbos (2009) and Van Keer *et al.* (2010) in Macedonia. The male has not been described previously and resembles most to the one of *Dipoena punctisparsa* Yaginuma, 1967 from Korea and Japan.

Records

See part V, page 125.

***Steatoda trianguloides* Levy, 1991**
(Figs 19 a-e)

Steatoda trianguloides Levy, 1991: 228, figs 3-6.



Figs 19 a-e. *Steatoda trianguloides* Levy, 1991. a. Female, dorsal view; b. Idem, ventral view; c. Epigyne, ventral view; d. Vulva, ventral view; e. Idem, dorsal view.

ell

Comments

Levy (1991) described a new male theridiid species from Israel, naming it *Steatoda trianguloides*, because of its close relations to *Steatoda triangularis*. The colour and the densely punctated prosoma were very alike. It was collected at 1700m on the rocky slopes of Mt Hermon in Israel. Later, the same species was found in Corsica by Lissner (2016), but no details of the habitat were given. A female collected on the top of Mount Olympos is here tentatively described as its mate.


Records: See part V, page 138.

Family Zodariidae

Zodarion barbareae Bosmans, 2009

(Figs 20 a-g)

Zodarion barbareae Bosmans, 2009: 248, figs 80-83, 138-139.



Figs 20 a-g. *Zodarion barbareae* Bosmans a. Male, dorsal view; b. Male palp, retrolateral view; c. Idem, ventral view; d. Idem, detail; e. Epigyne, ventral view; f. Vulva, ventral view; g. Vulva, dorsal view.

This species was so far only known from the Taigetos and Parnonas Mountains in the Greek Peloponnisos (Bosmans, 2009). The specimens from Cyprus are slightly larger than the Greek specimens, but the palp and epigyne are identical.

Description

Measurements: Male (n=9): Total length 2.2-2.8; prosoma 1.08-1.37 long, 0.82-0.99 wide. Female (n = 3): Total length 3.1-4.2; prosoma 1.51-1.61 long, 1.11-1.20 wide.

Male palp and epigyne: See Bosmans (2009) and figs 20 a-g.

Records

See part V, page 147.

V. List of species and records

The following is a checklist of all spider species currently known from Cyprus. Earlier published records and new observations are grouped separately. For each species, data are given by the 6 districts of Cyprus: Famagusta (Ammochostos), Keryneia, Larnaca, Nicosia (Lefkosia), Limassol and Paphos (Fig. 21).



Fig. 21. Districts of Cyprus.

Habitats and microhabitats of the localities are briefly described, and dates, collectors, sexes and number of individuals are given. We also provide references to where illustrations can be found. If species are figured in European Spiders (Nentwig *et al.* 2019, <http://www.araneae.unibe.ch>), these references are given first as they are available on the internet. Finally, the known distribution and general comments are provided.

Family Agelenidae

Agelena orientalis C. L. Koch, 1837

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

FAMAGUSTA: Cape Greco, Ayia Napa, 3 ♂♂ 1 ♀, 35m, under stones in phrygana, 27.IV.2010 (CRB); Prastio S., Agios Andronikos, 30m, 1 ♂, on herbs in *Eucalyptus* forest, 27.V.2011 (CRB); Vokolida S., Cape Elaia, 10m, 1 ♀, on shrubs near the beach, 26.V.2011 (CRB).
 LARNACA: Achna Reservoir, 50m, 1 ♀, on herbs bordering lake, 27.V.2011 (CRB); Kornos Picnic site, 350m, 1 ♀, on shrubs in *Pinus* forest, 28.V.2011 (CRB).
 NICOSIA: Agridi, near Dali, 1 ♂, in grass in house yard, VII.2009 (CDM).

Distribution: Italy to Central Asia. New to Cyprus.

***Benoitia lepida* (O. P-Cambridge, 1876)**
Agelena lepida; De Blauwe, 1980b: 19.

Identification

Levy, 1996: 94, figs 36-39.

Citations

NICOSIA: Kythrea (De Blauwe, 1980b).

New Records

None.

Comments

Levy (1996) considers the citation of De Blauwe (1980b) as mistaken, but the material was re-examined by us (in KBIN) and was correctly identified.

Distribution: North Africa, Israel, Cyprus, Yemen.

***Lycosoides coarctata* (Dufour, 1831)**
Textrix coarctata; Strand, 1907: 397.

Identification

Levy, 1996: 107, figs 96-100.

Citations

Without precise locality (Strand, 1907).

New records

LARNACA: Achna Reservoir, 50m, 1 ♀, under stones and litter bordering lake, 16.V.2011 (CRB); Meneou, 1 ♀, in fields, 8.IV.-15.IX.2016 (CMH).
 LIMASSOL: Alassa SE, 1 ♀, near river Limnatis, under stones at base of limestone rock face of gorge, 5.V.2007 (CAR-S); Amathus, 1 ♀, under stones in dry valley, 6.IV.1986 (NHW); Fasoula, 2 ♀♀, olive garden with dry stone walls, 16.IV.1986 (NHW); Kolossi, N of the castle, 2 ♀♀, under stones, 11.IV.1986, 1 ♀, outer wall of the castle, 7.IV.1986 (NHW); road Pano Platres-Troodos, 2 ♀♀, under stones in *Pinus nigra* forest, 1.V.2007 (CAR-S); Pissouri Beach, 1 ♀, 27.IV.1982, coll. A. Stubbs (MMUE); Pissouri, 1 ♀, under stone, 24.III.1998, coll. J. Murphy (MMUE); Pano Platres, track near Caledonia Waterfall, 1 ♀, under stones in rocky valley, 26.IV.2007 (CAR-S).
 NICOSIA: Agios Sozomenos, near Dali, 1 ♂, in dry grassland, 30.IV.2007 (CAR-S), 1 ♀, 29.IV.2013 (CAR-S); idem, 1 ♀, in house, 1.V.2012 (CDM); idem, 1 ♀, under stones in pine plantation, 2.V.2013 (CAR-S); Agridi, near Dali, 1 ♂ 2 ♀♀, in garden, IV. 2011; idem, 1 ♀, in house, 1.V.2012 (CDM); Athalassa National Forest Park, Nicosia, 1 ♀, by stream, 13.IV.2008 (CDM), 1 ♀, under stones in pine plantation, 2.V.2013 (CAR-S); Athalassa, 4 ♀♀, without date, G. P. Georghiou leg. (BMNH); Dali, Lymbourena Hill, in field, V.2004 (CDM), 1 ♀ under stones in riverbed, 12.V.2007 (CAR-S); Kapedes, 4 ♀♀, pitfalls in *Pinus brutia* forest, 17.I. - 23.IV.2016 (CMH); Lakatamia, 1 ♀, in olive grove, 1.I.-1.X. 2016 (CMH); Oikos, 700m, 1 ♀, limey slope, 23.IV.2017, S. Huber leg. (CSH); Pallouriotissa, Nicosia, 2 ♂♂ 1 ♀, in garden, V.2012 (CDM).
 PAPHOS: Avakas gorge and surroundings, 3 ♀♀, 22.III.2018 (CKHK); Evretou Reservoir, 350m, 1 ♀, under stones in grassland around lake, 1.V.2010 (CRB); Konia, 1 ♂, on herbs, 20.IV.2016 (CMH); Neo Chorio, 1 ♀, under stone, 17.III.1998, coll. J. Murphy (MMUE); Kannaviou, 1 ♀, under stone, 18.XII.1985, coll. J. Murphy (MMUE); Kato Akourdaleia, 1 ♀, in garden, VIII.2005 (CDM).

Distribution: Mediterranean.

***Tegenaria dalmatica* Kulczyński, 1906**
Tegenaria zinzulensis; Brignoli, 1976: 568.

Identification

Levy, 1996: 104, figs 65-69.

Citations

KERYNEIA: Keryneia (Brignoli, 1976).

New records

PAPHOS: Avakas Gorge, 2 ♂♂ 1 ♀, hand catch, XI.1996 (CJB).

Distribution: Central and Eastern Mediterranean.

***Tegenaria dentifera* Kulczyński, 1908**
Tegenaria dentifera Kulczyński, 1908: 78

Identification

Kulczyński, 1908: 78, pl. 2, fig. 18.

Citation

Without precise locality (Kulczyński, 1908).

New records

Distribution: Cyprus.

***Tegenaria domestica* (Clerck, 1757)**

Identification: <https://araneae.nmbe.ch/>.

Citation

Without precise locality (Kulczyński, 1908).

New records

NICOSIA: Kakopetria SE., Platania Camping site, 1 ♀, pitfalls in *Pinus brutia* forest, 6.IV.-8.VI.2014, M. Hadjiconstantis leg. (CMH).

Distribution: Cosmopolitan.

***Tegenaria maronita* Simon, 1873**

Identification

Levy, 1996: 101, figs 59-64.

Citations

None.

New records

NICOSIA: Cedar Valley Forest, 1 ♂, under stones, 29.IV.2007, det. A. Bolzern. (CAR-S).

Distribution: Lebanon, Israel, Turkey, and new to Cyprus.

***Tegenaria pagana* C. L. Koch, 1840**

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

NICOSIA: Dali, 13, Agios Andronikos, 1 ♀, in garden, IV.2007, det. A. Bolzern (CDM).

Distribution: Europe to Central Asia, USA to Chile, New Zealand.

***Tegenaria parietina* (Fourcroy, 1785)**

Identification

Bolzern *et al.* 2013: 806, figs 1E, F, 21N-R.

Citations

None.

New records

NICOSIA: Pedoulas, 1750m, 1 ♀, in web against wall, 19.V.2010 (CRB).

Distribution: Mediterranean to Central Asia. New to Cyprus.

***Tegenaria* sp.**

A number of *Tegenaria* specimens could not yet be identified to species level and will be treated in a further paper.

***Textrix caudata* L. Koch, 1872**

Textrix caudata; De Blauwe, 1980a: 12.

Identification: <https://araneae.nmbe.ch/>.

Citations

Without precise locality (De Blauwe, 1980a).

New records

None.

Distribution: Mediterranean, expanding to Central Europe.

Family Anyphaenidae

***Anyphaena sabina* L. Koch, 1866**

Identification

Simon 1932: 895, 960, figs 1345-1346; Urones, Barrientos & Espuny, 1995: 123, figs 18-22.

Citations

None.

New records

LIMASSOL: Agios Georgios E., Palaiomylos, 1250m, 5 ♂♂ 2 ♀♀, beaten in mixed *Pinus* and *Quercus* forest, 4.V.2010 (CJVK); Pano Platres, 1050m, 1 ♂ 2 ♀♀, beaten near Mesa Potamos Waterfalls, 23.V.2011 (CJVK, CRB); Troodos S., 1350m, 1 ♂ 4 ♀♀, beaten in mixed *Quercus-Pinus* forest, 3.V.2010 (CJVK, CRB).
 NICOSIA: Cedar Valley Forest, 1180m, 1 ♂, under stone by track, 29.IV.2007 (CAR-S), 3 ♀♀, beaten in *Cedrus* forest, 19.V.2011 (CRB); Kakopetria S., Platania forest station, 1100m, 1 ♀, beaten in dense *Pinus* forest, 4.V.2010 (CHVK); road Pedoulas-Lemithou, 1 ♀, pitfalls in *Pinus nigra* and *Pinus brutia* forest, 6.IV. - 8.VI.2014 (CMH); Prodromos S., Trooditissa picnic site, 1450m, 2 ♂♂, under stones in *Pinus* forest, 21.V.2011 (CRB).

Distribution: Southern Europe, Russia, Georgia, Azerbaijan. New to Cyprus.

Family Araneidae*Aculepeira armida* (Audouin, 1826)**Identification**

Levy, 1998a: 329, figs 68-79.

Citations.

None.

New records

FAMAGUSTA: Frenaros, 1 ♂, 26.IV.1957, S. Pieris leg, (BMNH); Liopetri, 1 ♀, 9.IV.1957, D. Pieris leg. (BMNH).

Distribution: Palaearctic. New to Cyprus.

Agalenatea redii (Scopoli, 1763)**Identification:** <https://araneae.nmbe.ch/>.**Citations.**

None.

New records

LIMASSOL: Agios Tychonas, 1 ♀, under stones near house walls, 19.IV.1986 (NHMW).

PAPHOS: Akamas Peninsula, Avakas Gorge, 1 ♀, under bushes, 27.III.1998, coll. J. Murphy (MMUE); Drouseia, 539m, 1 ♀, in phrygana, 23.III.2018 (CKHK); Evretou Reservoir, Stavros tis Psokas river, 2 ♀♀, 20.III.2018 (CKHK); Kelefos bridge, dam on Diarizos River, 1 ♀, 550m, beaten from shrubs, 21.V.2011 (CRB); Kourdaka, Ezousa river, 1 ♀, 14.III.2018 (CKHK); Mavrokolympos Reservoir, 1 ♂, 13.III.2018 (CKHK); near Kritou Terra, 1 ♀, swept from grass in dry fallow, 14.IV.2017; Paphos NW, 1 ♀, under stones at the edge of a large sand pit, 24.IV.1986 (NHMW).

Distribution: Palaearctic. New to Cyprus.

Araneus diadematus Clerck, 1757**Identification:** <https://araneae.nmbe.ch/>.**Citations**

None.

New records

LARNACA: Ora, 1 ♂, on its web in maquis, 28.XII.2016 (CMH).
 LIMASSOL: Pelendri, 4 ♀♀, on bushes in *Pinus brutia* forest, 11. XII. 2018 (CMH).
 NICOSIA: Klirou, 1 ♀, on its web in house garden, 5. VI. 2018 (CMH).
 PAPHOS: Stroumpi, 1 ♂ 2 ♀♀, on its web in house garden, 16. VI. 2018 (CMH).

Distribution: Holarctic. First confirmed record in Cyprus.

Araneus grossus (C. L. Koch, 1844)**Identification:** <https://araneae.nmbe.ch/>.**Citations**

None.

New records

KERYNEIA : road Chalefka-Sourp Magar Monastery (Armenomonastiro), 660m, 1 ♀ in open *Pinus* forest, 23.XI.2010 (CRB); Klepini, 300m, 2 ♀♀ in open *Pinus* forest, 23.XI.2010 (CRB).
 PAPHOS: Vretsia W., near Kelefos Bridge, 1 ♀, 650m, beaten from shrubs, 19.V.2011 (CRB).

Distribution: Europe to Central Asia. New to Cyprus.

Araniella alpica (L. Koch, 1869)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LIMASSOL: Pano Platres, Caledonia Waterfall, 1 ♂, swept from herbs and shrubs in rocky stream valley, 26.IV.2007 (CAR-S).

PAPHOS: Vretsia W., near Kelefos bridge, 650m, 1 ♀, beaten from shrubs, 19.V.2011 (CRB).

Distribution: Europe to Azerbaijan. New to Cyprus.

Araniella inconspicua (Simon, 1874)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

NICOSIA: Cedar Valley, 1120m, 1 ♀, *Cedrus* forest, 19.V.2011 (CKHK).

PAPHOS: Koudraka, Ezousa river, 1 ♂, 14.III.2018 (CKHK).

Distribution: Europe to China. New to Cyprus.

Argiope lobata (Pallas, 1772)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

FAMAGUSTA: Flamoudi W., 25m, 2 ♂♂ 2 ♀♀ 1 subadult ♀, phrygana near the beach, 25.V.2011 (CJVK, CRB); Karpasia Peninsula, Chelones, juveniles, herbs in salt marsh, 16.V.2011 (CRB); Vokolida S., Cape Elaia, 10m, 5 ♂♂ 1 subadult ♀, on bushes near the beach, 26.V.2011 (CJVK, CRB).

LARNACA: Kornos picnic site, 350m, 1 subadult ♀, on branches in *Pinus* forest, 28.V.2011 (CRB); Larnaca SW, Hala Sultan Tekke Mosque, 5m, juveniles, on herbs along salt lake, 16.V.2011 (CRB).

NICOSIA: Agidi, near Dali, 1 ♂, on house wall, VII.2009; in garden, 1 ♂, VIII.2012 (CDM);

Kapedes S., 600m, 1 juvenile, herbs along rivulet, 5.V.2010 (CRB).

PAPHOS: Akamas Peninsula, Cape Geronnisos S., 1 juvenile, under stones in dry phrygana, 3.V.2007 (CAR-S); Akamas Peninsula, Lara Bay, 1 ♀, C. Saure leg., 19.VI.2013 (CKHK); Asprokremmos Dam, N. Kouklia, 150m, juveniles, herbs along lake, 29.IV.2010 (CRB), and 1 subadult ♂, 23.V.2011 (CRB); Kampos NE, Xeros River, 550m, 2 ♀♀, beaten from shrubs, 20.V.2011 (CRB).

Distribution: Old world. New to Cyprus.

Argiope trifasciata (Forsskal, 1775)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

FAMAGUSTA: Prastio S., Agios Andronikos, 30m, 1 ♀, under stones and herbs in *Eucalyptus* forest, 27.V.2011 (CRB)

LIMASSOL: Akrotiri Peninsula, 1 ♂ 1 ♀, margin of central salt lake, 7.V.1972, coll. A. Stubbs (MMUE); Akrotiri Peninsula, Fasouri reedbeds, 1 ♀, swept from grass and reeds, 17.IV.2017 (CAR-S).

NICOSIA: Agios Sozomenos, near Dali, 1 ♀, in dry grassland, IV.2011 (CDM); Agidi, near Dali, 1 ♂, in field, IV.2007 (CDM), 1 ♂, on wall inside house, XI.2010 (CDM).

Distribution: Cosmopolitan. New to Cyprus.

Cyclosa groppalii Pesarini, 1998

Identification

Citations:

None.

New records

LIMASSOL: Limassol, Amathus hotel, 1 ♀, front yard, 8.IV.1986 (NHMW).

PAPHOS: near Avakas Gorge, 1 ♂, beaten from junipers on rocky hillside, 14.IV.2017 (CAR-S).

Distribution: Spain, Balearic Is., Crete. New to Cyprus

Cyclosa sierrae Simon, 1870

Cyclosa sierrae; Logunov, 2013: 5.

Identification

Levy, 1998a: 318, figs 24-32.

Citations:

PAPHOS: Polis, Akamas forest (Logunov, 2013).

New records

FAMAGUSTA: Kantara E., 610m, 1 ♀, beaten from shrubs and stones in open *Pinus* forest, 25.V.2011 (CJVK); Salamis ruins, 50m, 1 ♀, beating in ruins, 15.V.2011 (CRB).

KERYNEIA: Keryneia, near the town, 1 ♀, *Juniperus phoenicea* forest, 30.IV.2016 (CMH); Pentadactylos Range, Saint Hilarion Castle W, 600m, 4 ♀♀, beating in *Pinus* forest 17.V.2011 (CJVK, CRB); Vouni ruins, 250m, 1 subadult ♂, on herbs in ruins, 20.III.2011 (CRB).

LARNACA: Agia Anna, 1 ♀, in gulley with pines, 26.IV.1982, coll. A. Stubbs (MMUE); Delikipos, near Kornos, 2 ♀, in grass in open pine wood, 9.V.2013 (CAR-S); Stavrovouni Monastery, 1 ♂, in phrygana, 26.IV.1982, coll. A. Stubbs (MMUE).

LIMASSOL: Agios Tychonas, 1 ♀, on bushes near house walls, 19.IV.1986 (NHW); Fasoula, 1 ♀, olive grove, 16.IV.1986 (NHW); Platres, 1 ♀, on walls, 22.IV.1986 (NHW).

NICOSIA: 13, Agios Andronikos, Dali, 1 ♀, in garden, IV.-V.2008 (CDM); Agridi near Dali, 1 ♀, in garden, IV.2004 (CDM); Athalassa National Forest Park, 1 ♀, *Pinus brutia* forest, 21.II.2016 (CMH); Oikos, Xerargaka picnic site, 350m, 1 ♂ 2 ♀♀, beaten from shrubs in *Pinus* forest, 20.V.2011 (CJVK, CRB); Kapedes S., 600m, 1 ♀, herbs and stones along rivulet, 5.V.2010 (CRB); Limnitis River, Kato Pyrgos SE, 200m, 1 ♂, in *Pinus* forest, 2.V.2010 (CRB).

PAPHOS: Akamas Peninsula, Cape Geronnisos S., 1 ♀, under stones in dry phrygana, 3.V.2007 (CAR-S), 1 ♂, (CRS); Akamas Peninsula, Kioni, 10m, 2 ♀♀, in *Juniperus* phrygana, 30.IV.2010 (CJVK, CRB); Avakas gorge, 50m, 2 ♀♀, herbs in citrus orchard at entrance of gorge, 30.IV.2010 (CRB); near Avakas Gorge; 1 ♂, beaten from junipers on rocky hillside, 14.IV.2017 (CAR-S); 9 km N. Pano Panagia, 1050m, 1 ♂, in litter near spring, 19.V.2011 (CJVK); Gialia, 1 ♂ 1 ♀, on bush in pines, 25.III.1998, coll. J. Murphy (MMUE); Kinousa SE, 400m, 4 ♀♀, on low bushes in *Pinus* forest, 1.V.2010 (CJVK, CRB); Neo Chorio, 3 ♂♂ 3 ♀♀, swept from phrygana and grass, 2.V.2007 (CAR-S); same site, 1 ♂ (CRS); idem, 1 ♀, beaten from shrubs in gorge, 22.V.2011 (CRB); Pegeia, Pikni Forest, 366m, 2 ♀♀, in pine forest, 11.III.2018 (CKHK); Pegeia, Pikni Forest, 346m, 1 ♀, in former carob

plantation, 23.III.2018 (CKHK); Smigies, W. Neo Chorio, 300m, 4 ♀♀, bushes in *Pinus* forest, 30.IV.2010 (CJVK, CRB).

Distribution: Europe, Caucasus.

Cyrtarachne ixoides* (Simon, 1870)*Identification**

Levy, 1998a: 314, figs 1-11.

Citations

None.

New records

LIMASSOL: Akrotiri Peninsula, 1 ♀, margin of central salt lake, 7.V.1972, coll. A. Stubbs (MMUE).

Distribution: Mediterranean to Georgia, Madagascar. New to Cyprus.

***Cyrtophora citricola* (Forsskål, 1775)**

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LARNACA: Mari (N 34°44'32.4" E 33°18'19.8"), 2 ♂♂ 5 ♀♀, on *Pistacia lentiscus* bush, on their web. 25. XII. 2018, R. D. Symeou leg. (CMH).

Distribution:

Europe, Turkey, New to Cyprus.

***Gibbaranea bituberculata* (Walckenaer, 1802)**

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

FAMAGUSTA: Cape Apostolos Andreas, 1 ♂, *Juniperus phoenicea* forest 30.III.2016 (CMH); Gialousa E., Agios Thyrnos, 20m, 1 ♀, beaten from shrubs, 16.V.2011 (CJVK).

LARNACA: Agioi Vavatsinias, 700m, 1 ♀, litter in *Pinus* forest, 28.IV.2010 (CJVK); Pergamos, 1 ♀, 28.II.1957, S. Pieris leg. (BMNH).

LIMASSOL: Pano Platres, 1050m, 1 ♀, by woodland stream, 4.V.1982, coll. A. Stubbs (MMUE).

NIKOSIA: Cedar Valley, 1150m, 1 ♂, 21.III.2018, forest road, beaten from shrubs (CKHK).

PAPHOS: Pegeia, Pikni Forest, 346m, 1 ♀, in former carob plantation, 11.III.2018, same site, 1 ♀, 23.III.2018 (CKHK).

Distribution: Palearctic. New to Cyprus.

Gibbaranea gibbosa (Walckenaer, 1802)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

FAMAGUSTA: Cape Greco, 1 ♂, under stones in phrygana, 3.V.2013 (CDM); Kantara E., 610m, 1 ♀, beaten from shrubs in open *Pinus* forest, 25.V.2011 (CRB).

Distribution: Europe to Azerbaijan. New to Cyprus.

Glyptogona sextuberculata (Keyserling, 1863)

Identification

Levy, 1998a: 315, figs 12-23.

Citations

None.

New records

FAMAGUSTA: Kantara E., 610m, 1 ♂, stones in open *Pinus* forest, 25.V.2011 (CJVK).

LARNACA: Achna Reservoir, 50m, 1 ♀, stones and litter bordering lake, 16.V.2011 (CJVK).

Distribution: Italy to Israel. New to Cyprus.

Hypsosinga albovittata (Westring, 1851)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

PAPHOS: Evretou Reservoir, 350m, 2 ♀♀, grassland around lake, 1.V.2010 (CJVK, CRB); Evretou Reservoir, Stavros tis Psokas river, 1 ♂, 20.III.2018 (CKHK); Kelefos bridge, dam on Diarizos River, 550m, beaten from shrubs, 21.V.2011 (CJVK); Mandria, 1 ♂, in scrub,

5.V.1982, coll. A. Stubbs (MMUE); Neo Chorio, 1 ♀, in grass, 30.III.1998, coll. J. Murphy (MMUE);

Distribution: Europe, North Africa, Russia, Ukraine. New to Cyprus.

Hypsosinga pygmaea (Sundevall, 1831)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LIMASSOL: Akrotiri Peninsula, 1 ♂ 3 ♀♀, margin of central salt lake, 7.V.1972, coll. A. Stubbs (MMUE).

Distribution: Holarctic. New to Cyprus.

Larinia chloris (Audouin, 1826)

Identification

Levy, 1986: 5, figs 18-27.

Citations

None.

New records

LARNACA: Achna Reservoir, 50m, 1 ♂ 1 ♀, under stones and litter bordering lake, 27.V.2011 (CJVK); Oroklini, 4 ♀♀, *Phragmites* bordering lake, 3.VIII.2016 (CMH).

Distribution: Europe, North Africa, Russia, Ukraine. New to Cyprus.

Larinoides suspicax (O. Pickard-Cambridge, 1876)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LIMASSOL: Akrotiri Peninsula, Fasouri reed beds, 1 ♂ 3 ♀♀, on their web on *Juncus* sp., 29. IV. 2018, C. Makris leg. (CMH).

Distribution: Mediterranean to Central Asia.

Leviellus kochi (Thorell, 1870)

Identification

Levy, 1974a: 283, figs 85-91.

Citations

None.

New records

LARNACA: Dipotamos Reservoir, 150m, 1 ♀, herbs and stones bordering lake, 28.IV.2010 (CJVK).

PAPHOS: Smigies, W. Neo Chorio, 300m, 1 ♀, litter and stones in *Pinus* forest, 30.IV.2010 (CJVK).

Distribution: Europe, North Africa, Russia, Ukraine. New to Cyprus.

***Lipocrea epeirooides* (O. Pickard-Cambridge, 1872)**

Identification

Levy, 1986: 7, figs 28-39.

Citations:

PAPHOS: Polis (Wunderlich, 2011).

New records

NICOSIA: Agridi near Dali, 1 ♂, in grass field, D. McCowan leg. (CDM).

Distribution: Italy (Sardinia, Sicily), Greece, Cyprus, Turkey, Israel, Yemen, India.

***Mangora acalypha* (Walckenaer, 1802)**
Mangora acalypha; Logunov, 2013: 5

Identification: <https://araneae.nmbe.ch/>.

Citations

LIMASSOL: Pano Platres (Logunov, 2013).

PAPHOS: Polis W., Akamas forest (Logunov, 2013); Avakas (Logunov, 2013).

New records

FAMAGUSTA: Agios Sergios, 30m, 1 ♀, beating in *Pinus* plantation, 15.V.2011, (CRB); Gialousa E., Agios Thyrso, 20m, 1 ♀, beaten from shrubs, 16.V.2011 (CRB); Gialousa E., Agia Triada, 50m, 1 ♀, under stones in ruins, 18.III.2011 (CRB).

KERYNEIA: Pentadactylos Range, Saint Hilarion Castle W., 600m, 1 ♂ 1 ♀, beaten from shrubs in *Pinus* forest, 17.V.2011 (CJVK).

LARNACA: Agioi Vavatsinias, 700m, 2 ♂♂ 2 ♀♀, beating in *Pinus* forest, 28.IV.2010 (CJVK, CRB); Stavrovouni Monastery, 1 ♂, in phrygana, 26.IV.1982, coll. A. Stubbs (MMUE).

LIMASSOL: Agios Tychonas, 1 ♀, under stones, 19.IV.1986 (NHW); Akrotiri Peninsula, 1 ♀, margin of central salt lake, 7.V.1972, coll. A. Stubbs (MMUE), 1 ♀, 2.IV.1997 (CJB); Akrotiri Peninsula N., 5m, 1 ♂ 10 ♀♀, litter and beating in *Eucalyptus* forest, 29.IV.2010 (CJVK, CRB); Fasoula, 1 ♀, in olive grove, 16.IV.1986 (NHW); Kourion, Apollo Hylates Temple, 1 ♀, under stones in ruins, 23.IV.1986 (NHW); Pano Platres, 1050m, 3 ♂♂ 3 ♀♀, on bushes near Mesa Potamos Waterfalls, 23.V.2011 (CJVK, CRB); Pano Platres, track near Caledonia Waterfall, 1 ♀, swept from herbs and shrubs, 26.IV.2007 (CAR-S); Pano Platres, near road junction to Troodos, 1 ♂, 28.IV.2007 (CAR-S); Pano Platres, near top of road to Millomeris Waterfalls, 5 ♂♂ 1 ♀, swept from grass and herbs in abandoned vineyard, 28.IV.2007 (CAR-S); Pissouri Beach, 1 ♂ 1 ♀, 27.IV.1982, coll. A. Stubbs (MMUE); Platres, 1 ♀, on walls, 22.IV.1986 (NHW); Troodos S., 1350m, 1 ♂, under stones in mixed *Quercus-Pinus* forest, 3.V.2010 (CRB); Troodos, Mount Olympos (Chionistra), 1900m, 1 ♂, stones in *Pinus* forest, 23.V.2011 (CJVK).

PAPHOS: Akamas Peninsula, 1 ♂, in coastal grassland, 22.III.1998, coll. J. Murphy (MMUE); Akamas Peninsula, Mandria, 4 ♂♂ 1 ♀, in fields, 6.V.1982, coll. A. Stubbs (MMUE); Asprokremmos Dam, N. Kouklia, 150m, ♀♀, herbs and stones along lake, 23.V.2011 (CJVK); Evretou Reservoir, 350m, 1 ♂ 6 ♀♀, shrubs and grassland around lake, 1.V.2010 (CJVK, CRB); Evretou Reservoir, 1 ♀, under stones and in grass tussocks, 13.IV.2017 (CAR-S); Kelefos bridge, dam on Diarizos River, 550m, 7 ♀♀, under stones and beaten from shrubs, 21.V.2011 (CJVK, CRB); Gialia, 3 ♂♂, on bush in pine forest, 25.III.1998, coll. J. Murphy (MMUE); Kato Akourdaleia, 2 ♀♀, in garden, VIII.2005 (CDM); Kato Paphos, 1 ♂, under stones near hotel, 4.IV.1997 (CJB); Kelefos bridge, dam on Diarizos River, 550m, 7 ♀♀, under stones and beaten from shrubs, 21.V.2011 (CJVK, CRB); near Kritou Terra, 2 ♀♀, swept from grass in dry fallow, 14.IV.2017; Mavrokolympos Reservoir, 1 ♀, 13.III.2018 (CKHK); Pegeia, Pikni Forest, 346m, 1 ♀, in former carob plantation, 11.III.2018 (CKHK); Smigies, W. Neo Chorio, 300m, 1 ♀, beating in *Pinus* forest, 30.IV.2010 (CRB), 3 ♂♂ 5 ♀♀, swept from phrygrana and grass, 2.V.2007 (CAR-S), 1 ♂, (CRS); Vretsia W., near Kelefos bridge, 650m, 2 ♀♀, beaten from shrubs, 19.V.2011 (CJVK).

Distribution: Palaearctic.

***Neoscona adianta* (Walckenaer, 1802)**

Neoscona adianta; Logunov, 2013: 5.

Identification: <https://araneae.nmbe.ch/>.

Citations

LIMASSOL: Akrotiri Salt Lake (Logunov, 2013); Plano Platres (Logunov, 2013).
PAPHOS: Amargeti (Logunov, 2013).

New records

FAMAGUSTA: Cape Greko, 1 ♀, in *Juniperus phoenicea* forest, 1.V.2016 (CMH); Flamoudi W., 25m, 2 ♀♀, phrygana near the beach, 25.V.2011 (CRB); Gialousa E., Agios Thrysos, 20m, 2 ♀♀, beaten from shrubs, 16.V.2011 (CJVK); Karpasia Peninsula, Apostolos Andreas Monastery, 50m, 1 ♂ 2 ♀♀, herbs in wasteland, 16.V.2011 (CRB); Prastio S., Agios Andronikos, 30m, 1 ♀, herbs in *Eucalyptus* forest, 27.V.2011 (CRB); Salamis ruins, 50m, 2 ♂♂ 4 ♀♀; beating in ruins, 15.V.2011 (CJVK, CRB); Vokolida S., Cape Elaia, 10m, 1 ♂ 1 ♀, bushes near the beach, 26.V.2011 (CJVK, CRB);
LARNACA: Achna Reservoir, 50m, 1 ♂, on herbs bordering lake, 27.V.2011 (CJVK); Agios Theodoros, 2 ♂♂ 1 ♀, on herbs, 23.IV.2016 (CMH).
LIMASSOL: Agios Tychonas, 4 ♀♀ 3 juveniles, under stones near house walls, 19.IV.1986 (NHW); Akrotiri Peninsula, 1 ♀, margin of central salt lake, 7.V.1972, coll. A. Stubbs (MMUE); Akrotiri Peninsula, Fasouri reedbeds, 3 ♂♂, swept from grass and reeds, 17.IV.2017, (CAR-S); Amathus, 2 ♂♂ 5 ♀♀ 4 juveniles, on herbs in dry valley, 25.IV.1986, 1 ♀ 5 juveniles, 6.IV.1986, 1 ♀ 1 juvenile, in the excavation area, 9.IV.1986, 4 juveniles, on house walls, 9.IV.1986 (NHW); Armenochori, 2 ♀♀ 5 juveniles, on bushes, 14.IV.1986 (NHW); Erimi, 1 juvenile, under stones in dry riverbed, 18.IV.1986 (NHW); Fasoula, 2 juveniles, olive garden with dry stone walls, 16.IV.1986 (NHW).
Parekklesia, 4 juveniles, under stones in dry riverbed, 13.IV.1987 (NHW).
NICOSIA: Agios Sozomenos, near Dali, 1 ♂, in dry grassland, 30.IV.2007 (CRS), 5 ♂♂ 4 ♀♀ (CAR-S); Agridi, near Dali, 1 ♂, in field, V.2007 (CDM); Kato Koutrafas- Astromeritis road, 120m, 1 ♂ 1 ♀, beaten from shrubs in dry riverbed, 18.V.2011 (CJVK); Lefka NW, 120m, 4 ♂♂ 4 ♀♀, beaten from shrubs in fruit plantation, 18.V.2011 (CJVK, CRB); Limnitis, 1 ♀, *Pinus brutia* forest, 13.V.2016 (CMH); Lympia, Lympia Reservoir, 1 ♀, in grass tussocks, 9.V.2013

(CAR-S); Masari S., Merika river, 120m, 1 ♂ 1 ♀, under stones in wasteland, 24.V.2011 (CRB).
PAPHOS: Akrotiri Peninsula, 2 ♂♂, 27.IX.2007 (CDM); Akrotiri Peninsula E., 5m, 2 ♂♂ 2 ♀♀, on herbs in salt marsh, 29.IV.2010 (CRB); Akrotiri Peninsula, near British Airbase, 3 ♂♂ 2 ♀♀, swept in pine wood, 4.V.2007 (CAR-S), 1 ♂ (CRS); Alissa SE, near river Limnatis, 1 ♂, swept from lush grass, 5.V.2007 (CAR-S), 3 ♂♂ (CRS); 2 km S. of Kouklia, 1 ♂ 1 ♀, in riverine marsh, 30.IV.1982, coll. A. Stubbs (MMUE); Asprokremmos Dam, N. Kouklia, 150m, 2 ♂♂ 2 ♀♀, herbs along lake, 29.IV.2010 (CJVK, CRB); Evretou Reservoir, 350m, 4 ♂♂ 2 ♀♀, grassland around lake, 1.V.2010 (CJVK, CRB) and 2 ♂♂ 1 ♀, 23.V.2011 (CRB); Kelefos bridge, dam on Diarizos River, 550m, 1 ♂ 1 ♀, under stones and beaten from shrubs, 21.V.2011 (CRB); Kidasi N., along Diarizos River, 300m, 3 ♂♂ 1 ♀; beaten from shrubs, 21.V.2011 (CRB); near Souskiou, 1 ♀, on bush in dry grassland, 1.V.2013 (CAR-S); Vretsia W., near Kelefos bridge, 650m, 2 ♂♂ 3 ♀♀, beaten from shrubs, 19.V.2011 (CJVK, CRB).

Distribution: Palaearctic.

***Neoscona sodom* Levy, 1998**

Identification

Levy, 1998a: 340, figs 117-126.

Citations

None.

New records

FAMAGUSTA: Gialousa E., Agios Thrysos, 20m, 1 subadult ♀, marshy area near spring near the sea, 18.III.2011 (CRB).
LARNACA: Achna Reservoir, 50m, 1 ♂, on herbs bordering lake, 16.V.2011 (CRB), and 3 ♂♂, 27.V.2011 (CJVK, CRB).

Distribution: Israel. New to Cyprus.

***Neoscona subfuscata* (C. L. Koch, 1837)**

Identification

Levy, 1998a: 335, figs 96-107.

Citations

None.

New records

FAMAGUSTA: Gialousa E., Agios Thyrkos, 20m, 7 ♂♂ 7 ♀♀, beaten from shrubs, 16.V.2011 (CJVK, CRB); Gialousa E., Agia Triada, 50m, 2 ♂♂ 3 ♀♀, herbs in ruins, 18.III.2011 (CRB); Kantara E., 610m, 1 ♀, beaten from shrubs in open *Pinus* forest, 25.V.2011 (CRB); Karpasia Peninsula, Apostolos Andreas Monastery, 50m, 2 ♀♀, herbs in wasteland, 16.V.2011 (CRB); Komi Kebir, 150m, 2 ♂♂ 1 ♀, beaten from shrubs, 26.V.2011 (CJVK); Salamis ruins, 50m, 1 ♀, beaten from low trees, 15.V.2011 (CJVK); LARNACA: Larnaca salt lake, 5m, 4 ♂♂ 1 ♀, trees bordering lake, 27.IV.2010 (CJVK, CRB); Meneou, 1 ♀, salt marsh and fields, 8.IV.-15.IX.2016 (CMH); Stavrovouni Monastery, 350m, 1 ♀, litter in *Pinus* forest, 28.IV.2010 (CJVK).
 LIMASSOL: Akrotiri Peninsula, 1 ♂ 1 ♀, 27.IX.2007 (CDM); Akrotiri Peninsula, near British Airbase, 1 ♀, swept in pine wood, 4.V.2007 (CAR-S); Akrotiri Peninsula, Turtle Beach, 1 ♀, sandy beach, beaten from vegetation, 15.III.2018 (CKHK); Erimi, 1 ♀, under stones, 18.IV.1986 (NHW); Kolossi, ♀, outer wall of the castle, 7.IV.1986 (NHW); Pissouri Beach, 1 ♂ 1 ♀, 27.IV.1982, coll. A. Stubbs (MMUE); Pissouri, 1 ♀, in bushes, 24.III.1998, coll. J. Murphy (MMUE).
 NICOSIA: 13, Agios Andronikos, Dali, 1 ♂ 1 ♀, in garden, IV.2007 (CDM); Ayia Koroni, Agios Epifanios, 1 ♀, in house, IV.2005 (CDM); Agridi, near Dali, 2 ♂♂, in garden, 1.V.2010, 1 ♀, IV. 2011, 1 ♂, in house 30.IV.2010, 1 ♀, in house, X.2010; 2 ♂♂, in house, V.2011; 1 ♂ 1 ♀, in house, VII.2012 (all CDM); Geri, 1 ♀, in olive grove, 11.V.2016 (CMH); Kampos NE, Xeros River, 550m, 2 ♀♀, beaten from shrubs, 20.V.2011 (CJVK); Lefka NW, 120m, 2 ♂♂ 7 ♀♀, beaten from shrubs in fruit plantation, 18.V.2011 (CJVK, CRB); Palouriotissa, Nicosia, 1 ♂ 1 ♀, in garden, 15.VI.2008 (CDM); Xerargaka S, Orkontas, 1 ♂, riverside vegetation, 26.III.2016 (CMH).
 PAPHOS: Asprokremmos Dam, N. Kouklia, 150m, 11 ♂♂ 11 ♀♀, herbs along lake, 23.V.2011 (CJVK, CRB); Avakas gorge, 50m, 1 ♀, in citrus yard at entrance of gorge, 30.IV.2010 (CRB); Evretou Reservoir, 350m, 1 ♀, on shrubs around lake, 1.V.2010 (CRB); Kato Akourdaleia, 1 ♀, in garden, VIII.2005 (CDM); Paphos, 5 ♀♀, in garden, 2.XI.1996 (CJB); Vretsia W., near Kelefos bridge, 650m, 1 ♀, beaten from shrubs, 19.V.2011 (CRB).

Distribution: Old World. New to Cyprus.

***Singa neta* (O. Pickard-Cambridge, 1872)**

Identification

Levy, 1984: 124, figs 26-41.

Citations

None.

New records

FAMAGUSTA: Frenaros, 1 ♂, 6.IV.1957, S. Pieris leg. (BMNH); Karpasia Peninsula, Cape Apostolos Andreas, 70m, 1 ♀, stones in grassland, 16.V.2011 (CJVK).

LARNACA: Achna Reservoir, 50m, 2 ♀♀, herbs in marshy area near lake, 16.V.2011 (CRB).

LIMASSOL: Akrotiri Peninsula, edge of central salt pan, in shrubs, 2 ♀♀, 27.IV.2007 (CRS); Alassa SE, near river Limnatis, 1 ♀, in dry grassland, 4.V.2007 (CRS).

NICOSIA: Agios Sozomenos, near Dali, 1 ♀, in dry grassland, 30.IV.2007 (CRS).

PAPHOS: Asprokremmos Dam, N. Kouklia, 150m, 1 ♀, herbs along lake, 29.IV.2010 (CRB); Kidasi N., along Diarizos River, 300m, 1 ♀, beaten from shrubs, 21.V.2011 (CRB).

Distribution: Mediterranean to Caucasus. New to Cyprus.

***Zilla diodia* (Walckenaer, 1802)**

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LARNACA: Agioi Vavatsinias, 700m, 1 ♀, litter in *Pinus* forest, 28.IV.2010 (CJVK).

LIMASSOL: Agros SW, 950m, 1 ♀, beaten in *Pinus* forest, 5.V.2010 (CJVK, CRB); Fasoula, 1 ♀, olive garden with dry stone walls, 16.IV.1986 (NHW); Pano Platres, 1050m, 2 ♂♂ 3 ♀♀, beating in forest near Mesa Potamos Waterfall, 23.V.2011 (CJVK, CRB); Pano Platres, below Caledonia Waterfall, 3 ♂♂, swept from herbs and shrubs in rocky stream valley, 26.IV. and 1.V.2007 (CAR-S); Pano Platres, Millomeris Waterfalls, 1 ♂, swept from grass and herbs in abandoned vineyard, 28.IV.2007 (CAR-S), 1 ♂ (CRS).

NICOSIA: Agridi, near Dali, 2 ♀♀, in garden, V.2011 (CDM); Cedar Valley Forest, 1180m, 1 ♂, swept from herbs, 29.IV.2007 (CAR-S); Cedar Valley Forest, 1180m, 1 ♀, beating in *Cedrus*

forest, 19.V.2011 (CRB); Chrysoroyiatissa Monastery, 1 ♂ 2 ♀♀, 2.V.1982, coll. A. Stubbs (MMUE); N. Oikos, Xerargaka picnic site, 350m, 1 subadult ♀, beaten from shrubs in *Pinus* forest, 20.V.2011 (CRB).

PAPHOS: Agios Georgios E., Palaiomylos, 1250m, 1 ♂, beaten in mixed *Pinus* and *Quercus* forest, 4.V.2010 (CJVK); Asprokremmos Dam, N. Kouklia, 150m, 1 ♀, herbs and stones along lake, 23.V.2011 (CJVK); Evretou Reservoir, 350m, 1 ♀, beating shrubs around lake, 1.V.2010 (CRB); Kelefos bridge, dam on Diarizos River, 550m, 3 ♀♀, beaten from shrubs, 21.V.2011 (CJVK, CRB); Kelefos bridge, 465m, deciduous wood, 1 ♀, 16.III.2018 (CKHK); Gialia, 2 ♀♀, on bush in pine forest, 25.III.1998, coll. J. Murphy (MMUE); Kinousa, 1 ♂ 1 ♀, in shrubs, 19.III.1998, coll. J. Murphy; same site, 1 ♀, 28.III.1998 (MMUE); Mandria, 2 ♂♂ 1 ♀, in scrub, 2.V.1982, coll. A. Stubbs (MMUE).

Distribution: Western and Mediterranean Europe to Azerbaijan. New to Cyprus.

Zygiella atrica (C. L. Koch, 1845)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LIMASSOL: Troodos Square, 1 ♀, beaten from shrub in *Pinus nigra* forest, 11.V.2016 (CMH). NICOSIA: Agridi, near Dali, 1 ♀, in garden, 26.II.2011; 1 ♂, in house, XI.2012 (CDM).

Distribution: Europe, Russia. New to Cyprus.

Family Cheiracanthiidae

Cheiracanthium elegans Thorell, 1875

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LIMASSOL: Akrotiri Peninsula, edge of central salt pan, 1 ♂, *Salicornia* marsh, 27.IV.2007 (CDM), 1 ♀ (CAR-S). NICOSIA: Agridi, near Dali, 1 ♂, inside house, 28.IV.2009; 1 ♂, in garden, 18.IV.2012 (CDM).

Distribution: Europe to Central Asia.

Cheiracanthium erraticum (Walckenaer, 1802)
Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LARNACA: Mosfiloti, 1 ♀, under stone in open pine woodland, 12.IV.2017 (CAR-S). NICOSIA: Agridi, near Dali, 1 ♂, in yard, V.2009 (CDM). PAPHOS: Evretou Reservoir, 1 ♀, under stone in grass tussocks, 13.IV.2017 (CAR-S).

Distribution: Palaearctic.

Cheiracanthium mildei L. Koch, 1864

Identification: <https://araneae.nmbe.ch/>.

Citations

NICOSIA: Trapeza Mountains (Özkütük *et al.* 2013); Kalyvaka, Chalefka (Özkütük *et al.* 2013).

New records

KERYNEIA: Saint Hilarion Castle, 610m, 1 ♀, under stones in *Pinus* forest, 22.XI.2010 (CRB). LIMASSOL: Amathus, 1 ♀, under stones in dry valley, 6.IV.1986 (NHW), 1 ♂, front yard of hotel, 8.IV.1986 (NHW); Armenochori, 1 ♀, under stones of a dry stone wall, 14.IV.1986 (NHW); Troodos Square, 1 ♀, *Pinus nigra* forest, 11.V.2016 (CMH). NICOSIA: Agios Sozomenos, near Dali, 1 ♀, under stones and in dry grassland, 29.IV.2013; Agridi, near Dali, 1 ♀, under eucalyptus bark in garden, 29.IV.2013, 1 ♀, in garden, V.2004, 1 ♀, in field, IV.2007, 1 ♀, in garden, V.2009; Athalassa National Forest Park, Nicosia, 1 ♀, under stones in pine plantation, 8.V.2013 (all CDM), 1 ♀ (CAR-S); Dali, 13, Agios Andronikos, 1 ♀, in garden, V.2007(CDM); Dali, Lymbourena Hill, 1 ♂ 1 ♀, in field, IV.2004 (CDM); Kapedes, 1 ♀, pitfalls in *Pinus brutia* forest, 17.I. - 23.IV.2016 (CMH); Lakatamia, 2 ♂♂, in olive grove, 1.I.-1.X. 2016 (CMH); Pallouriotissa, Nicosia, 1 ♂, in garden, 15.VI.2008 (CDM); Kampos NE, Xeros River, 550m, 1 ♀, stones in riverbed, 20.V.2011 (CRB); Limnitis River, Kato Pyrgos SE, 200m, 2 ♂♂, beaten in *Pinus* forest, 2.V.2010 (CRB); Masari

S., Merika River, 120m, 1 ♂, stones in wasteland, 24.V.2011 (CRB).

PAPHOS: Akamas Peninsula, Neo Chorio picnic site, 1 ♀, swept from phrygana and grass, 2.V.2007 (CRS); Kato Pyrgos, 700m, 1 ♀, under stones in *Pinus* forest, 2.V.2010 (CRB); Kinousa E., Agios Merkourios, 350m, 1 ♀, under stones and litter in *Pinus* forest, 1.V.2010 (CRB).

Distribution: Holarctic, in Europe originally limited to the Mediterranean region but recently expanding into Western Europe.

Cheiracanthium seidlitzii L. Koch, 1864

Identification

Borges & Wunderlich, 2008: 264, figs 17a-b.

Citations

None.

New records

NICOSIA: Kapedes, 1 ♀, pitfalls in *Pinus brutia* forest, 17.I. - 23.IV.2016 (CMH); Lakatamia, 1 ♂, in olive grove, 1.I. - 1.X. 2016 (CMH); Lefka NW, 120m, 3 ♂♂ 1 subadult ♀, beaten from shrubs in fruit plantation, 18.V.2011 (CRB).
PAPHOS: Mavrokolympos Reservoir, 1 ♂, 13.III.2018 (CKHK).

Distribution:

Mediterranean to Central Asia. New to Cyprus.

Cheiracanthium sp.

Identification

Several *Cheiracanthium* specimens were captured that cannot be identified to species level. The genus is in need of revision, because species are insufficiently described and specific variation is not well understood.

Family Cithaeronidae

Cithaeron praedonius O. Pickard-Cambridge, 1872

Identification

Platnick, 1991: 6, figs 9-13.

Citations

None.

New records

NICOSIA: Agridi, near Dali, 1 ♂, in grass in yard, V.2009 (CDM); Kapedes, 1 subadult ♂, pitfalls in *Pinus brutia* forest, 17.I. - 23.IV.2016 (CMH); Lakatamia, 2 ♀♀, in olive grove, 1.I. - 1.X. 2016 (CMH); Xerargaka S, Orkontas, 1 ♂, riverside vegetation, 26.III.2016 (CMH).

Distribution: Greece, Libya to Malaysia, Australia, USA, Cuba, Brazil. New to Cyprus, and only found in the Nicosia district.

Family Clubionidae

Clubiona pseudoneglecta Wunderlich, 1994

Identification

Merrett, 2001: 32: figs 1-3, 7-9.

Citations

None.

New records

LIMASSOL: SW Limassol, Lady's Mile Beach, 1 ♀, in salt marsh, 19.II.2002, D. W. Wrase leg. (CKHK).

Distribution: Europe, Algeria, Morocco, Caucasus. New to Cyprus.

Porrhoclubiona vegeta Simon, 1918

Identification

Van Helsdingen: 1979: 299, figs 5, 8-9.

Citations

None.

New records

FAMAGUSTA: Cape Greko, 1 ♀, beaten from shrubs in *Juniperus phoenicea* forest, 1.V.2016 (CMH); Gialousa E., Agios Thrysos, 20m, 1 ♀, beaten from shrubs, 16.V.2011 (CRB); Salamis ruins, 50m, 1 ♀, beaten from low trees, 15.V.2011 (CRB).

LARNACA: Agios Minas, 1 ♀, under stone in pine wood, 20.III.1998, coll. J. Murphy (MMUE); Mosfiloti, 1 ♀, under stones in dry eroded grassland on hillside, 12.IV.2017 (CAR-S).

LIMASSOL: Pissouri, 2 ♀♀, under stone, 24.III.1998, coll. J. Murphy (MMUE); Agros SW, 950m, 1 ♀, under stones in *Pinus* forest, 5.V.2010

(CJVK); Pano Platres, near top of road to Millomeris Waterfalls, 1 ♀, under stones in abandoned vineyard, 28.IV.2007 (CAR-S). NICOSIA: 13, Agios Andronikos, Dali, 1 ♀, in garden, IV.2007 (CDM); Agridi, near Dali, 1 ♂, in garden, 14.III.2010; 1 ♂ in garden, 20.VI.2011 (CDM); Masari S., Merika River, 120m, 1 ♀, stones in wasteland, 24.V.2011 (CRB). PAPHOS: Akamas Peninsula, 1 ♂, in coastal grassland, 22.III.1998, coll. J. Murphy (MMUE); Gialia, 1 ♀, under bush in pines, 25.III.1998, coll. J. Murphy (MMUE). Kinousa, 1 ♂ 1 ♀, under stone in shrubs, 19.III.1998; 1 ♀, under stones in pine wood, 23.III.1998, coll. J. Murphy (MMUE), 1 ♂ 3 ♀♀, under stones in pine wood, 28.III.1998, coll. J. Murphy (MMUE); Kourdaka, Ezousa river, 3 ♂♂ 11 ♀♀, under bark of *Eucalyptus*, 14.III.2018 (CKHK); Makounta, 4 ♀♀, under stones in scrub, 19.III.1998, coll. J. Murphy (MMUE); Neo Chorio, 2 ♀♀, under stone in low scrub, 30.III.1998, coll. J. Murphy (MMUE).

Distribution: Europe, Central Asia, North Africa, Canary Is. New to Cyprus.

Family Ctenidae

Anahita syriaca (O. Pickard-Cambridge, 1872)

Identification

Anahita syriaca; Levy, 2003: 11, figs 16-22 (descr. ♂, ♀).

Citations

None.

New records

NICOSIA: Marathasa Dam, 2 ♂♂, pitfalls in riverside vegetation, 7.V. - 10.VII.2016 (CMH); road Pedoulas-Lemithou, 2 ♂♂, pitfalls in *Pinus nigra* and *Pinus brutia* forest, IV.-VII.2017 (CRB).

KERYNEIA: Larnakas tis Lapithou, 1 subadult ♀, stones in grassland, 17.I.2016.

PAPHOS: Avakas Gorge area, 1 subadult ♀, hand collected under stones, 23.II.2014 (CDM); Souskiou, 2 subadult ♀, hand collected under stones, 5.II.2017 (CMH).

Distribution: Israel. New to Cyprus.

Family Cybaeidae

Cedicus flavipes Simon, 1875

Cedicus flavipes; Kulczyński, 1908: 77.

Identification

Levy, 1996: 118, figs 129-134.

Citations

Without precise locality (Kulczyński, 1908).

KERYNEIA: Mount Kyparissovoun (Özkütük *et al.* 2013); Trapeza Mountain, Pentadactylos Range (Özkütük *et al.* 2013).

New records

FAMAGUSTA: Prastio S., Lake Kouklion, 1 ♀, fallow land with *Salicornia/Suaeda*, 20.II.2011, D. W. Wrase leg. (CKHK).

KERYNEIA: Larnakas tis Lapithou, 1 ♀, stones in grassland, 17.I.2016 (CMH); Saint Hilarion Castle, 2 km W., 610m, 1 ♀, under stones in open *Pinus* forest, 20.III.2011 (CRB).

LIMASSOL: Limassol, 1 ♂ 5 ♀♀, G.

Mavromoustakis leg., II. 1933 (BMNH); Mount Olympos (Chionistra), S. slope, 1900m, 4 ♀♀, under stones in open *Pinus* forest, 4.V.2010 (CRB); Mount Olympos (Chionistra), just below summit, 4 ♀♀, under large rocks, *Pinus nigra* forest, 28.IV.2007 (CAR-S), 2 ♀♀, 28.IV.2007 (CRS); Mount Olympos (Chionistra), 1830m, 1 ♀, pine forest with open places, 23.II.2011, D. W. Wrase leg. (CKHK); Troodos Square, 1 ♀, *Pinus nigra* forest, 11.V.2016 (CMH).

NICOSIA: road Pedoulas-Prodromos, 1 ♂, pitfalls in *Pinus nigra* forest, 6.IV. - 8.VI.2014 (CMH); near Platania Scout camping site, 1 ♂, pitfalls in *Pinus brutia* forest, 6.IV. - 8.VI.2014 (CMH).

PAPHOS: Akamas Peninsula, 1 ♀, in coastal grassland, 22.III.1998, coll. J. Murphy (MMUE); Kathikas W., S Arodes, Aspros Valley, 527m, 1 ♀, open pasture on clay, 24.II.2011, D. W. Wrase leg (CKHK); Kidasi S., Dhiarizos river, 260m, 1 ♀, field edges, 21.II.2011, D. W. Wrase leg (CKHK); Kinousa SE, 400m, 1 ♀, under stones and litter in *Pinus* forest, 1.V.2010 (CRB).

Distribution: Eastern Mediterranean.

Family Dictynidae

Argenna patula (Simon, 1874)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LIMASSOL: Akrotiri Peninsula, Fasouri reed beds, 1 ♂ in reed litter, 27.IV.2007 (CAR-S). PAPHOS: Kinousa, 2 ♀♀, under stones in pine wood, 28.III.1998, coll. J. Murphy (MMUE).

Distribution: Palaearctic. New to Cyprus.

Brigittea civica (Lucas, 1850)

Identification: <https://araneae.nmbe.ch/>.

Citations

LIMASSOL: Akrotiri Salt Lake (Logunov, 2013).

New records

LIMASSOL: Pissouri, 1 ♀, under stone, 24.III.1998, coll. J. Murphy, (MMUE).

Distribution: Circum-Mediterranean, N. America.

Brigittea innocens (O. Pickard-Cambridge, 1872)

Identification

Lehtinen, 1967: 219, figs 309, 323.

Citations

None.

New records

FAMAGUSTA: Salamis ruins, 50m, 3 ♂♂, beaten from low trees, 15.V.2011 (CRB); Agios Sergios, 30m, 1 ♀, beaten in *Pinus* plantation, 15.V.2011, (CRB).

KERYNEIA: Panagia Apsinthiotissa Monastery ruins, 350m, 2 ♂♂ 7 ♀♀, beaten in clearing in *Pinus* forest, 24.V.2011 (CRB).

LARNACA: Kornos picnic site, 350m, 2 ♀♀, beaten in *Pinus* forest, 28.V.2011 (CRB); Larnaca SW, Hala Sultan Tekke Mosque, 5m, 1 ♀, under stones and litter bordering salt lake, 16.V.2011 (CRB); Mosfiloti, 1 ♀, under stones in dry eroded grassland on hillside, 12.IV.2017 (CAR-S); Stavrovouni Monastery, 350m, 1 ♀, on bark of *Pinus* trees, 28.IV. 2010 (CRB).

LIMASSOL: Akrotiri Peninsula, 2 ♂♂ 8 ♀♀, margin of central salt lake, 7.V.1972, coll. A. Stubbs (MMUE); Akrotiri Peninsula, near British Airbase, 2 ♂♂ 3 ♀♀, swept in pine wood,

4.V.2007 (CAR-S), 1 ♂, (CRS); Akrotiri Peninsula, Fasouri, 1 ♂, swept from flowering herbs and grass, 27.IV.2007 (CAR-S); same site, 1 ♂ 3 ♀♀, in reed litter, 27.IV.2007, 2 ♀♀ (CAR-S), 1 ♂ 3 ♀♀, 4.V.2007 (CRS); Fasouri reedbeds, Akrotiri Peninsula, 4 ♂♂ 5 ♀♀, on muddy ground, edge of reedbed, 17.IV.2017 (CAR-S); Caledonia Waterfall, Pano Platres, 2 ♂♂ 5 ♀♀, under stones and in litter, edge of *P. nigra* forest, 26.IV.2007 (CAR-S); Pano Platres, 1 ♀, in small web on shrubs, 6.V.2007 (CAR-S); Troodos S., road to Pano Platres, 2 ♂♂ 3 ♀♀, under stones in *Pinus nigra* forest, 28.IV.2007 (CRS), 2 ♂♂ 5 ♀♀ (CAR-S), 2 ♂♂ 3 ♀♀, 26.IV.2007 (CAS). NICOSIA: Agridi, near Dali, 1 ♂, in yard, 14.III.2010 (CDM), 3 ♀♀, on and under stones, river bank, 29.IV.2013 (CDM), 1 ♂, in eucalyptus litter, 29.IV.2013 (CAR-S); Athalassa National Forest Park, Nicosia, 3 ♂♂ 10 ♀♀, in Eucalyptus plantation, 2.V.2013 (CRS), 1 ♂ 3 ♀♀, under stones in pine plantation, 8.V.2013, 1 ♂ 1 ♀, in deep eucalyptus litter (CAR-S), 10 ♀♀ (CRS); Marathassa Dam, 3 ♀♀, beaten from shrubs around lake, 20.V.2011 (CRB); Lympia Reservoir, Lympia, 1 ♀, under stones below dam wall, 9.V.2013 (CAR-S), 3 ♀♀ (CDM), 1 ♀ (CRS).

PAPHOS: Akamas Peninsula, ca. 2 km. S. of Cape Geronnisos, 1 ♂ 3 ♀♀, under stones in dry phrygana, 3.V.2007 (CRS); Avakas gorge and surroundings, 1 ♀, 22.III.2018 (CKHK); Evretou Reservoir, 1 ♀, under stones and in grass tussocks, 13.IV.2017 (CAR-S); Kelefos bridge, Diarizos River Dam, 550m, 1 ♀, beaten from shrubs, 21.V.2011 (CRB); Lefka NW, 120m, 1 ♀, beaten from bushes in fruit plantation, 18.V.2011 (CRB); Oikos N., Xerargaka picnic site, 350m, 2 ♀♀, beating shrubs and stones in *Pinus* forest, 20.V.2011 (CRB);

Distribution: Italy, Eastern Mediterranean, Kazakhstan. New to Cyprus.

Devade tenella (Tyschchenko, 1965)

Identification

Esynin & Efimik, 2000: 680, figs 1.7-8, 2.10, 3.5.

Comments

There has been much confusion in the past about *Devade* species. The first *Devade* species was described in the genus *Amaurobius* by O. Pickard-Cambridge (1872) as *A. indistinctus* and later

described again under different names and in different genera: *Diotima hirsitussima* Simon, 1880, *Altella lybica* Denis, 1947 and *Strinatella spinosa* Denis, 1957. This bears out the doubts arachnologists had in placing the species in a correct genus. *Devade tenella* (Tyschchenko, 1965) from Kazakhstan, with its synonyms *Momius hispidus* Andreeva & Tyschchenko, 1969 and *Devade uiensis* Esyuin 1994 is a second, closely related *Devade* species. Esyunin (1994) considered it a synonym of *D. indistincta* whereas Esyunin & Marusik (2000) and Esyunin & Efimik (2000) considered it an independent species. The holotype female of *Devade indistincta* (O. Pickard-Cambridge, 1872) and the type material of *D. tenella* should be re-examined to clarify the status of the two species. Our specimens resemble most the careful drawings of Esyunin & Efimik (2000) of *Devade tenella* and are therefore identified as such.

Citations

None.

New records

FAMAGUSTA: Salamis S., Silver Beach, 5m, 1 ♂, in pitfalls in salt marsh, 15 - 27.V.2011 (CRB). LARNACA: Larnaca salt lake, 5m, 2 ♂♂ 11 ♀♀, stones and litter in salt marsh, 27.IV.2010 (CJVK, CRB); Larnaca W., Hala Sultan Tekke mosque, 5m, 2 ♂♂ 2 ♀♀, under stones and in litter in salt marsh, 20.XI.2010 (CRB), 1 ♂ 2 ♀♀, pitfalls at same site.

LIMASSOL: Akrotiri peninsula, edge of central salt pan, 1 ♀, under stones & debris in *Salicornia* etc., 30.IV.2013 (CAR-S); Salt Lake at Akrotiri village SW Limassol, 1 ♂, in salt marsh, 28.II.2011, D. W. Wrase leg. (CKHK); Akrotiri Peninsula, salt lake, 2 ♂♂ 3 ♀♀, under *Salicornia*, 15.III.2018 (CKHK).

PAPHOS: Mavrokolympos Reservoir, NE Potima, 150m, 1 ♀, under stones along lake, 22.V.2011 (CRB).

Distribution: Mediterranean. New to Cyprus.

Lathys arabs Simon, 1911

Identification

Bosmans *et al.* 2009: 32.

Citations

None.

New records

LIMASSOL: Mount Olympos (Chionistra), 1820m, 1 ♀, under stones in *Pinus* forest, 25.XI.2010 (CRB).

PAPHOS: Kelefos bridge, 465m, deciduous wood, 1 ♀, 16.III.2018 (CKHK).

Comments

In Cyprus, only two females were collected, their epigyne with two vertical ducts not differing from the type material of *L. arabs* described above. The captures of males should confirm this identification.

Distribution: Algeria, Greece. New to Cyprus.

Lathys humilis (Blackwall, 1855)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LIMASSOL: Troodos, near summit of Mount Olympos (Chionistra), 1 ♀, under stones in *Pinus brutia* forest, 19.IV.2017 (CAR-S).

PAPHOS: Akamas Peninsula, 1 ♀, in coastal scrub, 22.III.1998, coll. J. Murphy (MMUE).

Distribution: Palaearctic. New to Cyprus.

Marilynia bicolor (Simon, 1870)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LIMASSOL: Alassa SE, near river Limnatis, 1 ♀, stones in dry grassland, 5.V.2007 (CAR-S).

PAPHOS: Kelefos bridge, dam on Diarizos river, 550m, 1 ♂, under stones along rivulet, 21.V.2011 (CRB).

Distribution: Mediterranean region to Central Asia. New to Cyprus.

Nigma flavescens (Walckenaer, 1830)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LIMASSOL: Pano Platres, 1050m, 2 ♂♂ 1 ♀, litter and beaten near Mesa Potamos Waterfalls, 23.V.2011 (CRB); Pano Platres, 1 ♀, in small web in shrub, 6.V.2007 (CAR-S).
 NICOSIA: 13, Agios Andronikos, Dali 1 ♂ 2 ♀♀, in garden, V.2007 (CDM); Agridi, near Dali, 1 ♀, in field, IV.2007, 2 ♀♀, V.2008; 1 ♀, V.2012 (CDM); Agios Sozomenos, near Dali, 1 ♀, in dry grassland, 29.IV.2013 (CAR-S); Lympia, Lympia Reservoir, 1 ♀, in rushes below dam wall, 9.V.2013 (CAR-S); Pallouriotissa, Nicosia, 2 ♀♀, in building, V.2006 (CDM); Prodromos S., Trooditissa picnic site, 1450m, 4 ♂♂, beating in *Pinus* forest, 21.V.2011 (CRB).
 PAPHOS: Kelefos bridge, 465m, deciduous wood, 1 ♂, 16.III.2018 (CKHK); Kourdaka, Ezousa river, 1 ♂, 14.III.2018 (CKHK).

Distribution: Palearctic. New to Cyprus.

Nigma puella (Simon, 1870)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

FAMAGUSTA: Lysi, 2 ♀♀, beaten from shrubs in garden, 15.IV.2016 (CMH).
 KERYNEIA: Larnakas tis Lapithou N., 950m, 1 ♀, under stones in *Pinus* forest, 25.XI.2010 (CRB).
 LIMASSOL: Pano Platres, 1050m, 2 ♂♂, beaten near Mesa Potamos Waterfalls, 23.V.2011 (CRB); Troodos S., 1350m, 1 ♂, beating in mixed *Quercus-Pinus* forest, 3.V.2010 (CRB); Troodos Square, 1 ♂ 12 ♀♀, beaten from shrubs in *Pinus nigra* forest, 11.V.2016 (CMH).
 NICOSIA: Cedar Valley Forest, 1180m, 1 ♂, beaten in *Cedrus* forest, 19.V.2011 (CRB), 1 ♀, swept from shrubs, 29.IV.2007 (CAR-S), 1 ♂ (CRS); Kakopetria S., Platania forest station, 1100m, 1 ♂, beating in dense *Pinus* forest, 4.V.2010 (CRB); Pedoulas, 1 ♂ 1 ♀, by woodland stream, 3.V.1982, coll. A. Stubbs (MMUE); road Pedoulas-Prodromos, 1 ♀, pitfalls in *Pinus nigra* forest, 6.IV. - 8.VI.2014 (CMH).
 PAPHOS: Akamas Peninsula, 1 ♂, woodland near Agios Minas, 3.V.2007 (CRS); Avakas Gorge, 2 ♂♂ 1 ♀, stones in gorge, 5.IV.1997 (CJB); Evretou Reservoir, 350m, 1 ♀, on shrubs and grassland around lake, 1.V.2010 (CRB); Evretou Reservoir, Stavros tis Psokas river, 2 ♂♂ 2 ♀♀, 20.III.2018 (CKHK); Gialia, 1 ♂, on bush in pines, 25.III.1998, coll. J. Murphy (MMUE);

Kinousa, 1 ♀, on bush in pine wood, 28.III.1998, coll. J. Murphy (MMUE); Kourdaka, Ezousa river, 6 ♂♂ 2 ♀♀, 14.III.2018 (CKHK); Mavrokolympos Reservoir, 1 ♂, 13.III.2018 (CKHK); Pegeia, Pikni Forest, 370m, 1 ♂, pine forest, 11.III.2018 (CKHK).

Distribution: Europe, Azores, Madeira, Canary Islands. New to Cyprus.

Nigma walckenaeri (Roewer, 1951)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LARNACA: Larnaca SW., Hala Sultan Tekke mosque, 5m, 2 ♀♀, beaten in garden, 15.V.2011 (CRB).

LIMASSOL: Agios Georgios E., Palaiomylos, 1250m, 2 ♀♀, beaten in mixed *Pinus* and *Quercus* forest, 4.V.2010 (CRB); Akrotiri Peninsula, 1 ♂, swept from grass and reeds, Fasouri reedbeds, 17.IV.2017 (CAR-S).

NICOSIA: Cedar Valley Forest, 1180m, 1 ♂, beaten in *Cedrus* forest, 19.V.2011 (CRB);

PAPHOS: Gialia, 2 ♂♂ 1 ♀, on bush in pines, 25.III.1998, coll. J. Murphy (MMUE); Vretsia W., near Kelefos bridge, 650m, 1 ♀, beaten from shrubs, 19.V.2011 (CRB).

Distribution: Palearctic. New to Cyprus.

Family Dysderidae

Dysdera gigas Roewer, 1928

Identification

Deeleman-Reinhold & Deeleman, 1988: 224, figs 271-276.

Citations

None.

New records

LIMASSOL: Pano Platres, 1050m, 1 ♀, litter near Mesa Potamos Waterfalls, 23.V.2011 (CRB).

Distribution: Crete and new to Cyprus.

Dysdera lata Reuss, 1834

Dysdera lata; Deeleman-Reinhold & Deeleman, 1988: 200.

Identification

Deeleman-Reinhold & Deeleman, 1988: 200, figs 201-205, 210.

Citations

PAPHOS: Timi (Dedeeman, 1988).

New records

LIMASSOL: near Prodromos reservoir, pitfalls in *Pinus nigra* forest, 6.IV-8.VI.2014, M. Hadjiconstantis leg.

NICOSIA: Lakamatia, 1 ♂, stones in olive groove, 2016 (CMH); Marathassa Dam, 1 ♂, pitfalls in riverside vegetation, 7.V-10.VII.2016 (CM); Pano Amiantos, 2♂♂, pitfalls in *Pinus brutia* forest, 6.IV-8.VII.2014 (CMH); near Platania Scout camp, 2 ♂♂, pitfalls in *Pinus brutia* forest, 6.IV-8.VI.2014 (CMH).

Distribution: Algeria, Greece, Turkey, Crimea and Cyprus.

Dysdera longimandibularis Nosek, 1905

Dysdera longimandibularis; Deeleman-Reinhold & Deeleman, 1988: 163.

Identification

Deeleman-Reinhold & Deeleman, 1988: 163, figs 39-43.

Citations

PAPHOS: Episkopi game reserve (Dedeeman-Reinhold & Dedeeman, 1988).

New records

LIMASSOL: Prodromos S., Trooditissa picnic place, 1300m, 2 ♂♂, pitfalls in open *Pinus* forest, XI.2010 - III.2011 (CRB).

NICOSIA: Cedar Valley Forest, 1180m, 1 ♂, stones in *Cedrus* forest, 19.V.2011 (CRB); Prodromos E., near Prodromos dam, 1550m, 1 ♀, under stones and litter in *Pinus* forest, 2.V.2010, 2 ♂♂, pitfalls at same site, XI.2010 - III.2011 (CRB), 1 ♂ 1 ♀, III. - V.2011 (CRB).

PAPHOS: Avakas Gorge, 1 ♂ 1 ♀, litter along stream, 22.II.2011, D. W. Wrase leg. (CKHK).

Distribution: Turkey and Cyprus.

Dysdera spinicrus Simon, 1882

Dysdera spinicrus; Deeleman-Reinhold & Deeleman, 1988: 204.

Identification

Deeleman, 1988: 204, figs 206, 207, 211-214, 219, 220.

Citations

PAPHOS: Petra tou Romiou, Baths of Aphrodite (Dedeeman-Reinhold & Dedeeman, 1988); Episkopi Game Reserve (Dedeeman-Reinhold & Dedeeman, 1988).

New records

FAMAGUSTA: Agios Sergios, 30m, 1 ♂, under stones in phrygana, 17.III.2011 (CRB), 1 ♀, 11.V.2011 (CRB); Rizokarpas, 1 ♀, *Juniperus* forest, 12.III.2016 (CMH).

LARNACA: Meneou, 1 ♀, fields, 8.IV.2016 (CMH); Mosfiloti, 1 ♀, under stones in open pine woodland, 12.IV.2017 (CRS).

LIMASSOL: Alassa SE, near river Limnatis, 2 ♀♀, under large rocks in open *Pinus nigra* forest, 27.IV.2007 (CRS); Mount Olympos (Chionistra), just below summit, 1 ♂ 1 ♀, 28.IV.2007 (CAR-S); road Chionistra-Prodromos, 1 ♂, pitfalls in *Pinus nigra* forest, 6.IV. - 8.VI.2014 (CMH); Pano Platres, Millomeris Waterfalls, 1 ♀, under stones in abandoned vineyard, 28.IV.2007 (CAR-S); Pano Platres, near top of road to Millomeris at base of limestone rock face of gorge, 5.V.2007 (CAR-S); Prodromos E., near Prodromos dam, 1550m, 4 ♀♀, pitfalls in *Pinus* forest, XI.2010 - III.2011 (CRB); Prodromos S., Trooditissa picnic place, 1300m, 1 ♂ 1 ♀, pitfalls in open *Pinus* forest, XI.2010 - III.2011 (CRB); Troodos, near summit of Mount Olympos (Chionistra), 2 ♂♂ 2 ♀♀, under stones in *Pinus brutia* forest, 19.IV.2017 (CAR-S); 10 km S. of Troodos, 1 ♀, under stones in *Pinus brutia* forest, 19.IV.2017 (CAR-S).

NICOSIA: Agios Sozomenos, near Dali, 1 ♀, stones in disturbed phrygana, 30.IV.2007 (CAR-S); Agridi, near Dali, 1 ♀, in yard, V.2009, 1 ♂, in garden, V.2010 (CDM); Athalassa National Forest Park, Nicosia, 2 ♀♀, under stones in pine plantation, 2.V.2013 (CAR-S); Avakas Gorge, Akamas Peninsula, 2 ♂♂ 1 ♀, in rocky gorge, 23.II.2014 (CDM); Strovolos, 2 ♀♀; around houses, 1.V.2016 (CMH).

PAPHOS: Akamas Peninsula, Agios Minas, 2 ♂♂, under stones in meadow with tall grass, 1.V.2007 (CAR-S); Akamas Peninsula, 1 ♀, in hotel grounds, 3.V.2007 (CAR-S); Asprokremmos

Dam, N. Kouklia, 150m, 1 ♂, herbs and stones along lake, 29.IV.2010 (CRB); Evretou Reservoir 1 ♀, under stone in grass tussocks. 13.IV.2017 (CAR-S); Kathikas W. Aspros valley, 527m, 1 ♀, under stones in open pasture, 24.II.2011, D. W. Wrase leg. (CKHK); Neo Chorio, 1 ♀, under stone in field, 20.III.1998, coll. J. Murphy (MMUE).

Distribution: The Balkans to Syria, Cyprus.

***Dysdera westringi* O. Pickard-Cambridge, 1872**
Dysdera westringi; Strand 1907: 393; Deeleman-Reinhold & Deeleman, 1988: 202.

Identification

Deeleman-Reinhold & Deeleman, 1988: 202, figs 209, 216-218.

Citations

Without precise locality (Strand, 1907).
 LIMASSOL: Mount Troodos, 1600m (Delleman, 1988).
 PAPHOS: Episkopi game reserve (Delleman-Reinhold & Delleman, 1988); Petra tou Romiou (Baths of Aphrodite) (Delleman-Reinhold & Delleman, 1988); Timi (Delleman-Reinhold & Delleman, 1988).

New records

LIMASSOL: Agios Tychonas, 1 ♀, under stones, 19.IV.1986 (NHW); Amathus, 1 ♀, on house walls, 9.IV.1986 (NHW); Pano Platres, 1 ♂ 1 ♀, under stones in gorge below Caledonia Waterfall, 19.IV.2017 (CAR-S); Troodos S., road to Pano Platres, 1 ♂, under stones in *Pinus nigra* forest, 1.V.2007 (CAR-S).
 PAPHOS: Akamas Peninsula, S. Neo Chorio, 270m, 1 ♀, stones in karst landscape, 22.IV.2017, S. Huber leg. (CSH); near Avakas Gorge, 1 ♂ 1 ♀, under stones in field with tall grass, 14.IV.2017 (CAR-S); Drouseia S., Panagia Chrysospilotissa, 580m, 1 ♀, night catch in small cave, 22.IV.2017, S. Huber leg. (CSH); Neo Chorio, 1 ♀, under stone in scrub, 30.III.1998, coll. J. Murphy (MMUE); Polis W., Latsi, Aphrodite Beach, 60m, 1 ♀, night catch, 22.IV.2017, S. Huber leg. (CH); Polis W., Latsi Botanical Garden, 60m, 1 ♂, night catch, 22.IV.2017, S. Huber leg. (CSH).

Distribution: Turkey and Cyprus.

Dysdera sp.

At least 2 new species of *Dysdera* were collected. They will be described in a separate paper.

***Dysderocrates kibrisensis* Gücel,
 Charalambidou, Göçmen & Kunt, 2019**
Dysderocrates kibrisensis Gücel et al., 2019: 46, figs 2-6 (descr. ♀).

Citations

NICOSIA:Trapeza Mountains,Trapeza cave (Gücel et al., 2018; type locality).

New records

None.

Distribution: An endemic species of the Trapeza Mountains (= Pentadactylos range).

***Harpactea ceconii* (Kulczyński, 1908)**
Harpactes ceconii Kulczyński, 1908: 51 (descr. ♂, ♀); Brignoli, 1980: 77.

Identification

Kulczyński, 1908: 51, pl. 2, figs 1-2.

Citations

Without precise locality (Kulczyński, 1908; Brignoli, 1980).

New records

LARNACA: Achna Reservoir, 50m, 1 ♂, in pitfalls in marshy area around lake, 15 - 27.V.2011 (CRB); Larnaca salt lake, 10m, 1 ♂, in pitfalls around lake, III. - V.2011 (CRB).
 LIMASSOL: Mount Olympos (Chionistra), 1900m, 1 ♂ 3 ♀♀, in pitfalls in *Pinus* forest, III. - V.2011 (CRB); Mount Olympos (Chionistra), S. slope, 1900m, 1 ♂ 1 ♀, under stones in open *Pinus* forest, 4.V.2010 (CRB); Pano Platres, track near Caledonia Waterfall, 2 ♂♂, under stones by edge of *P. nigra* forest, 26.IV.2007 (CAR-S); Pedoulas (N34°58'17" E32°49'48"), 960m, 1 ♂, night catch in orange garden, 20.IV.2017, S. Huber leg. (CSH); ca. 5 km S. of Troodos, road to Pano Platres, 1 ♂, under stones in *Pinus nigra* forest, 28.IV.2007 (CAR-S), 2 ♂♂ 1 ♀, 1.V.2007 (CAR-S); Troodos, near summit of Mount Olympos (Chionistra), 1 ♂, under stones in *Pinus brutia* forest, 19.IV.2017 (CAR-S).
 NICOSIA: Cedar Valley Forest, 1 ♀, under stones, 29.IV.2007 (CAR-S).

PAPHOS: 3 km SE Baths of Aphrodite, 1 ♂ 1 ♀, *Eucalyptus* forest along fields, 5.V.2007 (CRS); Akamas Peninsula, 1 ♀, in litter of coastal scrub, 22.III.1998, coll. J. Murphy (MMUE); Avakas Gorge, 2 ♂♂ 1 ♀, in rocky gorge, 23.II.2014

(CDM), 1 ♂ 1 ♀, in litter in gorge, 5.IV.1997 (CJB); Evretou Reservoir, 1 ♂, under stones in grass tussocks, 13.IV.2017 (CAR-S); Kinousa, 1 ♂, under stone in pine wood, 28.III.1998, coll. J. Murphy (MMUE); Neo Chorio, 1 ♀, under stone in field, 17.III.1998, coll. J. Murphy (MMUE).

Distribution: Cyprus. Also cited from Epidavros in continental Greece (Deltsjev & Paraschi, 1990) but this record is strongly doubted.

***Harpactea gunselorum* Gücel, Fuller, Göçmen & Kunt, 2018**

Identification: Gücel *et al.*, 2018: 81, figs 1A-D, 2A-H, 3A-B.

Citations

KERYNEIA: St Hilarion castle (Gücel *et al.*, 2018). NICOSIA: between Chalefka and Keryneias Cliff (Gücel *et al.*, 2018); Trapeza Mountains, near Trapeza cave (Gücel *et al.*, 2018; type locality); Keryneias Rock (Gücel *et al.*, 2018); Kalyvaki, Chalefka (Gücel *et al.*, 2018).

New records

None.

Distribution: An endemic species of the Trapeza Mountains (= Pentadactylos range).

***Harpactea kalavachiana* Gücel, Charalambidou, Göçmen & Kunt, 2019**
Harpactea kalavachiana Gücel *et al.*, 2019, figs 9-11, 13-14 (descr. ♀).

Citations

NICOSIA: Kalyvaki, Kalyvaki Cave (Gücel *et al.*, 2019; type locality).

New records

None.

Distribution: An endemic species of Cyprus.

***Harpactea* sp.**

Several new species of *Harpactea* were collected. They will be described in a separate paper.

Family Filistatidae

Filistata insidiatrix (Forsskål, 1775)

Identification: <https://araneae.nmbe.ch/>.

Citations

LARNACA: Larnaca (Marusik *et al.*, 2014). KERYNEIA: Kerynaeia (Zonstein & Marusik, 2019).

PAPHOS: Gialia (Zonstein & Marusik, 2019); Kinousa (Zonstein & Marusik, 2019)

New records

FAMAGUSTA: Cape Greco, 1 ♂, under stones in phrygana, 3.V.2013 (CRS); Davlos W., 25m, 1 subadult ♀, under stones in phrygana near the beach, 25.V.2011 (CRB); Paralimni Lake, 65m, 1 ♂ 1 juvenile, herbs and litter around dried lake, 27.IV.2010 (CRB); Salamis ruins, 30m, 1 juvenile, under stones in ruins, 17.III.2011 (CRB).

KERYNEIA: Karavas, 660m, 1 ♂ 1 ♀, wall around garden of hotel, 22.XI.2010 (CRB); Kazafani, 150m, 1 juvenile, under stones in olive grove, 23.XI.2010 (CRB).

LARNACA: Larnaca salt lake, 5m, 6 juveniles, under stones and litter in salt marsh, 27.IV.2010 (CRB); Larnaca SW, Hala Sultan Tekke Mosque, 5m, 1 ♀, under stones and litter bordering salt lake, 16.V.2011 (CRB).

LIMASSOL: Alassa SE, near River Limnatis, 1 juvenile, under stones in dry grassland, 5.V.2007 (CAR-S).

NICOSIA: Agios Tychonas, 3 ♀♀, under stones near houses, 19.IV.1986 (NHMW); Amathus, 1 ♂, under stones in dry valley, 25.IV.1986 (NHMW), 2 ♀♀, 9.IV.1986, 1 ♀, 9.IV.1986 (NHMW); Armenochori, 1 juvenile, under stones of a dry stone wall, 14.IV.1986 (NHMW); Erimi, 1 ♀, under stones in dry riverbed, 18.IV.1986 (NHMW); Gialia, 1 ♀, on pine trunk, 25.III.1998, coll. J. Murphy (MMUE); Kinousa, 1 ♀, under stone in pine wood, 28.III.1998, coll. J. Murphy (MMUE); Lymbourena Hill, Dali, 1 ♀, in field, IV.2004 (CDM); Kato Koutrafas-Astromeritis road, 120m, 1 ♂, herbs on pond shore, 18.V.2011 (CRB); Parekklisha, 1 juvenile, under stones in riverbed, 13.IV.1987 (NHMW); Pedoulas, 960m, 1 ♀, road embankment, 18.IV.2017, S. Huber leg. (CSH); Platres, 1 juvenile, on walls, 22.IV.1986 (NHMW).

PAPHOS: N. Pano Panagia, 1050m, 1 ♀, in litter near spring, 19.V.2011 (CRB).

Distribution: Mediterranean to Turkmenistan, Cape Verde Islands.

Pritha nana (Simon, 1868)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

NICOSIA: Agridi, near Dali, 1 ♀, in yard, V.2009 (CDM).
PAPHOS: Kato Paphos archaeological site, 1 ♂, under stones in grass, 10.V.2007 (CAR-S); near Souskiou, 2 ♀♀, under stones in dry grassland, 1.V.2013 (CAR-S).

Distribution: Mediterranean.

Zaitunia annulipes (Kulczyński, 1908)

Flistata annulipes (Kulczyński, 1908): 49 (descr. ♀).
Zaitunia annulipes; Brignoli, 1982 (transfer not followed by Platnick); Wunderlich, 2011: 171; Zonstein & Marusik 2016: 20, figs 8-9, 43B (descr. ♂♀).

Identification.

Zonstein & Marusik 2016,: 20, figs 8-9, 43B.

Citations

Without precise locality (Kulczyński, 1908; type locality).
LARNACA: Vyzakia, Larnaca salt lake (Zonstein & Marusik 2016).
LIMASSOL: Germasogeia (Zonstein & Marusik 2016); Paramali (Zonstein & Marusik 2016).

New records

LARNACA: Mosfiloti, 1 ♂ 1 ♀, under stones in dry eroded grassland on hillside, 12.IV.2017 (CAR-S).
NICOSIA: Agios Sozomenos, near Dali, 1 ♂ 2 ♀♀, under stones in dry, rocky phrygana, 20.IV.2017 (CAR-S).
PAPHOS: Agios Minas picnic site, 1 ♂, under stone in open pine woodland, 13.IV.2017 (CAR-S).

Distribution

Only known from Cyprus.

Zaitunia kunti Zonstein & Marusik, 2016

Zaitunia kunti Zonstein & Marusik 2016: 23, figs 10-11, 43C (descr. ♂♀).

Identification

Zonstein & Marusik 2016: 23, figs 10-11, 43C.

Citations

LIMASSOL: Troodos Mountains, 1 km. S. of Troodos (Zonstein & Marusik 2016).

New records

FAMAGUSTA: Komi Kebir, 1 ♂, 150m, in pitfalls in *Pinus* forest, III. - V.2011 (CRB).
PAPHOS: Evretou Reservoir, 350m, 1 ♀, shrubs and grassland around lake, 1.V.2010 (CRB); Kidasi N., along Diarizos River, 300m, 1 ♀, under stones, 21.V.2011 (CRB); Kinousa SE, 400m, 1 ♀, under stones and litter in *Pinus* forest, 1.V.2010 (CRB).

Distribution: Turkey and Cyprus.

Family Gnaphosidae

Anagraphis pallens Simon, 1893

Identification

Anagraphis pallens Chatzaki, Thaler & Mylonas, 2002a: 567, figs 2-7.

Citations

None.

New records

KERYNEIA: near Agios Georgios, 1 ♀, under stones, 27.II.2011, H. Henderickx leg. (CJB).
LARNACA: Achna Reservoir, 50m, 1 ♂, pitfalls in marshy area around lake, 15 - 27.V.2011 (CRB).
NICOSIA: Agridi, near Dali, 1 ♀, in grass in field, III.2014, det. M. Chatzaki (CDM); near Platania Scout camping site, 2 ♂♂, pitfalls in *Pinus brutia* forest, IV. - VII.2017 (CMH).

Distribution: South Africa, Libya, Malta, Turkey, Syria, Israel, Iran, Crete, Chios. New to Cyprus.

Aphantaulax cincta (L. Koch, 1866)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

FAMAGUSTA: Kantara E., 610m, 1 ♀, beaten from shrubs and stones in open *Pinus* forest, 25.V.2011 (CRB).

KERYNEIA: Pentadactylos Range, Saint Hilarion Castle W, 600m, 2 ♂♂, under stones in *Pinus* forest 17.V.2011 (CRB).

LIMASSOL: Akrotiri Peninsula, Fasouri reed beds, 1 ♀, in reed litter, 27.IV.2007 (CRS).

PAPHOS: Vretsia W., near Kelefos Bridge, 650m, 1 ♂, beaten from shrubs, 19.V.2011 (CRB).

Distribution: S. and S. E. Europe, N. Africa, Israel. New to Cyprus.

Aphantaulax trifasciata (O. Pickard-Cambridge, 1872)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

FAMAGUSTA: Protaras, Profitis Elias, 1 ♂, 2005 (CDM).

LARNACA: Hala Sultan Tekke mosque, 1 ♀, stones in surrounding park, 20.IV.1986 (NHMW).

LIMASSOL: Akrotiri Peninsula, 27.IX.2007 (CDM).

PAPHOS: Kato Akourdaleia, in garden, VIII.2008 (CDM).

Distribution: Palaearctic. New to Cyprus.

Berinda cypria Chatzaki & Panayiotou, 2010

Identification

Chatzaki & Panayiotou, 2010: 50, figs 13-14, 17, 20-21.

Citations

LIMASSOL: Kourion (Chatzaki & Panayiotou, 2010; type locality).

New records

FAMAGUSTA: Cape Greco, Ayia Napa, 35m, 1 ♂, under stones in phrygana, 27.IV.2010 (CRB); Kantara E., 650m, 1 ♂, pitfalls in *Pinus* forest, XI.2010 - III.2011 (CRB).

LIMASSOL: Armenochori, 1 ♂, under stones of a dry stone wall, 14.IV.1986 (NHMW); Erimi, 1 ♀, under stones along dry riverbed, 21.IV.1986 (NHMW); Fasoula, 2 ♂♂ 1 subadult ♂, olive garden with dry stone walls, 16.IV.1986 (NHMW).

PAPHOS: Avakas gorge, 50m, 1 ♂, litter in citrus yard at entrance of gorge, 30.IV.2010 (CRB); Kinousa SE, 400m, 2 ♂♂ 1 ♀, under stones and litter in *Pinus* forest, 1.V.2010 (CRB); Kinousa E., Agios Merkourios, 350m, 1 ♂, under stones and in litter in *Pinus* forest, 1.V.2010 (CRB); near Souskiou, 1 ♀, under stones in grassland on eroded hillside, 17.IV.2017 (CAR-S).

Comments

Until now, *Berinda cypria* was only known from the type locality near Limassol. The species appears to be widespread in Cyprus and was most frequently found in pine forest, but also in phrygana and in a citrus yard.

Distribution: Endemic species to Cyprus.

Berinda ensigera (O. Pickard-Cambridge, 1874)

Identification

Chatzaki, Thaler & Mylonas, 2002a: 573, figs 14-15, 18-19.

Citations

None.

New records

FAMAGUSTA: Salamis ruins, 50m, 5 ♂♂, 2 ♀♀, under stones, 15.V.2011 (CRB).

LIMASSOL: Kourion archaeological site near Episkopi, 1 ♀, under stones, 9.V.2007 (CAR-S).

Distribution: Greece, Turkey. New to Cyprus.

Berinda idae Lissner, 2016

Identification

Lissner & Chatzaki 2016: 2016, figs 1-7 (descr. ♂♀).

Citations

None.

New records

LARNACA: Hala Sultan Tekke, 50m, stones and litter bordering salt lake, 1 ♂, 15.V.2011 (CRB). NICOSIA: Elia-Aggolemi road, 100m, 1 ♂ ♀, in rubbish in dry river bed, 18.V.2011 (CRB).

Distribution: Only known from two Greek islands in the Dodekanese (Kalymnos, Nisyros) and the Cyclades (Santorini, Christiani Islet). New to Cyprus.

***Berlandina plumalis* (O. Pickard-Cambridge, 1872)**

Identification

Chatzaki, Thaler & Mylonas, 2002b: 609, figs 13-16.

Citations

None.

New records

LARNACA: Larnaca SW, Hala Sultan Tekke mosque, 50m, 3 ♂♂, pitfalls in salt marsh, 15-28.V.2011 (CRB).

Distribution: Mediterranean region to China. New to Cyprus.

***Cesonia aspida* Chatzaki, 2002**

Identification

Cesonia aspida Chatzaki, in Chatzaki *et al.*, 2002b: 624, figs 63-68.

Citations

None.

New records

LIMASSOL: road Kaminaria-Lemithou, 2 ♂♂, pitfalls in *Pinus brutia* forest, 6.IV. - 8.VI.2014 (CMH).

Distribution

Greece (Crete), Turkey. New to Cyprus.

***Civizelotes solstitialis* (Levy, 1998)**

Identification

Levy, 1998c: 139, figs 97-101.

Citations

None.

New records

LARNACA: Dekhelia military camp, 1 ♂, 3.VIII.1958, M. Connelly leg. (BMNH).

LIMASSOL: road Chionistra-Prodromos, 1 ♂, pitfalls in *Pinus nigra*_forest, 6.IV. - 8.VI.2014 (CMH).

Distribution: Bulgaria, Greece, Israel, Turkey. New to Cyprus.

***Cryptodrassus helvolus* (O. Pickard-Cambridge, 1872)**

Cryptodrassus helvolus (Chatzaki & Russell-Smith 2017: 238, figs 1-6).

Identification

Chatzaki & Russell-Smith, 2017: 238, figs 1-6).

Citations

NICOSIA: Agridi, Dali, (Chatzaki & Russell-Smith 2017)

New records

NICOSIA: Agios Sozomenos, near Dali, 1 ♂, under stones in dry grassland, 30.IV.2007 (CAR-S); Dali, 1 ♂ 1 ♀, under stones around old water mill, 12.V.2007 (CAR-S).

Distribution: Cyprus, Israel

***Drassodes cupreus* (Blackwall, 1834)**

Drassodes cupreus; Logunov, 2013: 5

Identification

Roberts 1985: 66, figs 22b,e, 23b-e.

Citations

LIMASSOL: Episkopi, Kourion Beach (Logunov, 2013).

PAPHOS: Mavrokolympos Reservoir (Logunov, 2013); Xeropotamos River (Logunov, 2013).

New records

None.

Distribution: Palaearctic.

***Drassodes lacertosus* (O. Pickard-Cambridge, 1872)**

Identification

Chatzaki, Thaler & Mylonas, 2002b: 618, figs 40-43.

Citations

None.

New records

LARNACA: Dipotamos Reservoir, 150m, 1 ♀, herbs and stones bordering lake, 28.IV. 2010 (CRB).

LIMASSOL: Erimi, 3 ♂♂ 3 ♀♀, under stones along dry riverbed, 21.IV.1986 (NHW); Fasoula, 5 ♂♂ olive garden with dry stone walls, 16.IV.1986 (NHW); Parekklesia, 2 ♂♂ 2 ♀♀, under stones in riverbed, 13.IV.1986 (NHW).

Distribution: Greece, Turkey, Israel, Syria. New to Cyprus.

Drassodes lapidus (Walckenaer, 1802)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

FAMAGUSTA: Agios Sergios, 1 ♂ 1 ♀, pitfalls in *Pinus* plantation, II. - V.2011 (CRB); Cape Greco, Ayia Napa, 35m, 1 ♂, under stones in phrygana, 27.IV.2010 (CRB); Karpasia Peninsula, Apostolos Andreas Monastery, 50m, 2 ♀♀, under stones in wasteland, 16.V.2011 (CRB); Salamis ruins, 30m, 1 ♂, under stones in ruins, 17.III.2011 (CRB);

KERYNEIA: Agios Georgios, 1 ♀, under stone in coastal scrub, 21.III.1998, coll. J. Murphy (MMUE); Panagia Apsinthiotissa Monastery ruins, 350m, 1 ♀, stones in clearing in *Pinus* forest, 24.V.2011 (CRB); Pentadactylos Range, Lapithos S., 800m, 1 ♀, under stones in *Pinus* forest, 17.V.2011 (CRB); Saint Hilarion Castle, 2 km W., 610m, 2 ♂♂, under stones in open *Pinus* forest, 20.III.2011 (CRB); N. Vouni; 250m, 1 ♂, under stones in ruins, 20.III.2011 (CRB).

LARNACA: Larnaca SW, Hala Sultan Tekke Mosque, 5m, 1 ♀, under stones and litter bordering salt lake, 16.V.2010 (CRB); Mosfiloti, 1 ♀, under stone in open pine woodland, 12.IV.2017 (CAR-S).

LIMASSOL: Agros SW, 950m, 1 ♂, under stones in *Pinus* forest, 5.V.2010 (CRB); Alissa SE, near river Limnatis, 1 ♀, under stones in dry grassland, 5.V.2007 (CAR-S), 3 ♂♂, under pebbles and in grass, 5.V.2007 (CRS); Amathus, 1 ♂, under stones in dry valley, 6.IV.1986, 1 ♂, 7.IV.1986, 1 ♂ 3 ♀♀, on house walls, 9.IV.1986 (NHW); Erimi, 1 ♀, under stones along dry riverbed, 18.IV.1986 (NHW); Fasoula, 1 ♀, olive garden

with dry stone walls, 16.IV.1986 (NHW); Kourion, Apollo Hylates Temple, 1 ♀, under stones in the area of the archaeological site, 23.IV.1986 (NHW); Panagia Glossa Monastery near Kellaki, 1 ♂, under stones in cultivated land, 12.IV.1986 (NHW); Mount Olympos (Chionistra), just below summit, 1 ♂ 2 ♀♀, under large rocks in open *Pinus nigra* forest, 27.IV.2007 (CRS); Pissouri, 2 ♂♂, under stones, 24.III.1998, coll. J. Murphy (MMUE). NICOSIA: Agridi, near Dali, 4 ♂♂, inside house, IV.2012, 1 ♂, IV.2009, 1 ♀, V.2009, on veranda, 1 ♀, 28.IV.2009 (CDM); Cedar Valley Forest, 1 ♂, under stones by track, 29.IV.2007 (CRB); Idalion archaeological Site, Dali, 1 ♂, under stones in phrygana, 1.V.2013 (CAR-S); Kakopetria S., Platania forest station, 1100m, 1 ♂ 1 ♀, under stones in dense *Pinus* forest, 4.V.2010 (CRB).

PAPHOS: Akamas Peninsula, Agios Minas Church, 1 ♂ 1 ♀, stones in grassland, 3.IV.1997 (CJB); Akamas Peninsula, Avakas Gorge, 1 ♂, under stone, 27.III.1998, coll. J. Murphy (MMUE); Akamas Peninsula, near Agios Minas church, 1 ♀, under stones in meadow with tall grass, 2.V.2007 (CRB); Akamas Peninsula, Baths of Aphrodite, 1 ♂ 1 ♀, stones in rock strewn grassland, 3.IV.1997 (CJB); Akamas Peninsula, between Cape Drepanum and Lara Bay, 1 ♂, stones in rock strewn maquis near beach, 2.IV.1997 (CJB); Akamas Peninsula, Lara Bay, 2 ♀♀, stones in rock strewn beach, 3.IV.1997 (CJB); Akamas Peninsula, Smigies, 352m, 1 ♂, maquis, 12.III.2018 (CKHK); Asprokremmos Dam, N. Kouklia, 150m, 1 ♀, herbs and stones along lake, 29.IV.2010 (CRB); Drouseia, 539m, 1 ♂, in phrygana, 23.III.2018 (CKHK); Kakopetria S., Platania forest station, 1100m, 1 ♂ 1 ♀, under stones in dense *Pinus* forest, 4.V.2010 (CRB); Kato Akourdaleia, 1 ♂, in guest house swimming pool, 3.V.2007 (CRS); Kouklia-Pissouri road, 150m, 3 ♂♂, stony slope near sea, 22.III.2011 (CRB); Makounta, 4 ♀♀, under stones in scrub, 19.III.1998, coll. J. Murphy (MMUE); Kinousa, 1 ♂, under stone in pine wood, 19.III.1998, coll. J. Murphy (MMUE); Neo Chorio, 2 ♂♂, under stone in field, 17.III.1998, 2 ♂♂, 30.III.1998, coll. J. Murphy (MMUE); Paphos, Bay at hotel "Paphian Bay", 1 ♂ 1 ♀, sieving compost heap near hotel, 4.IV.1997 (CJB); Paphos NW, 2 ♀♀, under stones at the edge of a large sand pit, 24.IV.1986 (NHW); Polis W., Latsi Botanical Garden, 60m, 1 ♂, night catch, 22.IV.2017, S. Huber leg. (CSH); Pyrgos, ♀, stones in dry grassland, 15.IV.1986 (NHW); Smigies, 2 ♂♂

1 ♀, under stones in hillside scrub, 26.III.1998, coll. J. Murphy (MMUE); Vretsia W., near Kelefos bridge, 650m, 1 ♀, under stones, 19.V.2011 (CRB).

Distribution: Palaearctic. New to Cyprus.

Drassodes lutescens (C. L. Koch, 1839)

Identification

Drassodes lutescens; Chatzopoulou & Chatzaki, 2009: 352, figs 3-24.

Citations

None.

New records

KERYNEIA: Pentadactylos Range, Lapithos S., 800m, 1 ♀, under stones in *Pinus* forest, 17.V.2011 (CRB).

LIMASSOL: Mount Olympos (Chionistra), 1900m, 2 ♂♂ 1 ♀, pitfalls in *Pinus* forest, XI.2010 - III.2011 (CRB).

NICOSIA: Idalion Archaeological Site, Dali, 1 ♀, under stones in phrygana, 1.V.2013 (CAR-S).

Distribution: Mediterranean to Central Asia. New to Cyprus.

Drassodes serratichelis (Roewer, 1928)

Identification

Chatzaki, Thaler & Mylonas, 2002b: 618, figs 40-43.

Citations

None.

New records

FAMAGUSTA: Agios Sergios, 30m, 1 ♀, in pitfalls in *Pinus* plantation, 15 - 27.V.2011 (CRB).

PAPHOS: Mavrokolympos Reservoir, NE Potima, 150m, 1 ♀, under stones along lake, 22.V. 2011 (CRB).

Distribution: Crete, Kos, Karpathos, Israel, Ukraine, USA. New to Cyprus.

Drassodes unicolor (O. Pickard-Cambridge, 1872)

Identification

Levy, 2004: 8, figs 20-26. The species is closely related to *Drassodes lapidosus* but differs in the less darkened chelicerae with three, closely set teeth in the promargin, widely separated in *D. lapidosus*.

Citations

None.

New records

FAMAGUSTA: Rizokarpaso, 1 ♂, *Juniperus phoenicea* forest, 12.III.2016 (CMH).

KERYNEIA: Pentadactylos Range, Ftericha S., 800m, 1 ♂, under stones in grassland, 17.V.2011 (CRB); Pentadactylos Range, Lapithos S., 800m, 1 ♂, under stones in *Pinus* forest, 17.V.2011 (CRB).

LIMASSOL: Agros, 1 ♀, *Pinus brutia* forest, 20.V.2016 (CMH).

NICOSIA: Pano Amiantos, 3 ♂♂ 1 ♀, pitfalls in *Pinus brutia* forest, 6.IV. - 8.VI.2014 (CMH); road Pedoulas-Lemithou, pitfalls in *Pinus nigra* and *P. brutia* forest, 6.IV. - 8.VI.2014 (CMH).

Distribution: Israel, Lebanon. New to Cyprus.

Drassyllus cyprius Chatzaki & Russell-Smith, 2017

Drassyllus cyprius Chatzaki & Russell-Smith 2017: 244.

Identification

Chatzaki & Russell-Smith 2017: 244, figs 16, 18–20, 23, 25–26.

Citations

PAPHOS: Kinousa (Chatzaki & Russell-Smith 2017).

New records

KERYNEIA: Agios Georgios, 1 ♀, under stones in coastal scrub, 21.III.1998 (CJM).

LARNACA: Agios Minas, 1 ♂, in forest. 20.III.1998 (CMA), 4 ♂♂ 3 ♀♀, under stones on mountain pass, 26.III.1998 (CMA); Delikipos, 1 ♀, under stones & in grass around small dam, 18.IV.2017 (CAR-S).

LIMASSOL: Near river S.E. of Alassa, 1 ♀, on and at base of limestone rockface of gorge, 5.V.2007 (CAR-S); Pano Platres, track near Caledonia Waterfalls, 1 ♀, under stones and in litter, edge of *P. nigra* forest. 26.IV.2007 (CAR-S).

NICOSIA: Cedar Valley Forest, 1050m, 1 ♀, stones in *Cedrus* forest, 19.V.2010 (CRB), 1 ♂ 2 ♀♀, under stone by track in forest,

29.IV.2007 (CRS), 1 ♀ (CMA); between Cedar Valley and Stavros tis Psokas, 1 ♀, under stones by track in *P. nigra* forest
 29.IV.2007 (CRS); below Machairas Monastery, 3 ♀♀, under stones beside track in phrygana. 4.V.2013 (CAR-S); road Pedoulas-Lemithou, 1 ♂, pitfalls in *Pinus nigra* and *P. brutia* forest, 8.VI.2014, 3 ♂♂ 2 ♀♀, IV.-VII.2017 (CMH).
 PAPHOS: Agios Minos picnic site, 2 ♂♂ 1 ♀, under stones in open pine woodland, 13.IV.2017 (CAR-S); Akamas Peninsula, 2 ♀♀, under stones in coastal scrub, 22.III.1998 (CJM); Akamas Peninsula, ca. 2 km S of Point Geranisos, 1 ♀, under stones in dry phrygana, 3.V.2007 (CAR-S); Akamas Peninsula, Avakas Gorge, 1 ♀, under stone in gorge, 27.III.1998 (CJM); Akamas Peninsula, Smigies, 352m, 4 ♂♂ 1 ♀, in maquis, 12.III.2018 (CKHK); Cape Drepanon, 1 ♀, under stone, 29.III.1998 (CJM); Evretou Reservoir, 1 ♀, under stones and in grass tussocks, 13.IV.2017 (CAR-S); Fontana Amorosa, 1 ♂ 3 ♀♀, 22.III.1998 (CMA); Gialia, 2 ♀♀, under stones in pine woods. 25.III.1998 (CJM); Kinousa, 1 ♀, under stones in pine woods, 19.III.1998 (CJM), 2 ♂♂ 1 ♀, 23.III.1998 (CMA), 4 ♂♂ 9 ♀♀, 28.III.1998 (CMA), 1 ♀, 29.III.1998 (CMA); N. Kouklia, Lake Aspropoymenou, 1 ♀, 100m, stones around lake, 29.IV.2010 (CRB); Neo Chorio, 1 ♂ 1 ♀, under stones in low scrub, 30.III.1998 (CJM); Panagia, 1 ♂, in litter, 29.III.1998 (CMA); Pegeia, Pikni Forest, 374m, 5 ♂♂, pitfalls in open ruderal site, 14.III. - 23.III.2018 (CKHK); Smigies, 2 ♂♂, under stones in hillside scrub, 26.III.1998 (CJM), 2 ♂♂, 29.IV.2007 (CAR-S).

Distribution: An endemic species of Cyprus.

Drassyllus jubatopalpis Levy, 1998

Identification

Levy, 1998c: 154, figs 133-137 figs 17-19.

Citations

None.

New records

FAMAGUSTA: Komi Kebir, 150m, 1 ♂, pitfalls in *Pinus* forest, III. - V.2011 (CRB).
 LARNACA: Larnaca salt lake, 10m, 2 ♀♀, pitfalls around lake, III. - V.2011 (CRB); Stavrovouni Monastery W., 1 ♀, pitfalls in *Pinus* forest, III. - V.2010 (CRB).
 NICOSIA: Dali, 1 ♀, under stones in riverbed, 30.IV.2007 (CAR-S); road Pedoulas-Lemithou, 1

♂, pitfalls in *Pinus nigra* and *P. brutia* forest, IV.-VII.2017 (CMH).

LIMASSOL: Amathus, 1 ♂, under stones in dry valley, 6.IV.1986 (NHW); Mount Olympos (Chionistra), just below summit, 1 ♂, under large rocks in open *Pinus nigra* forest, 27.IV.2007 (CAR-S).

PAPHOS: near Souskiou, 1 ♂, under stone on rocky eroded grassland on hill, 17.IV.2017 (CRS).

Distribution: Turkey, Israel. New to Cyprus.

Drassyllus pusillus (C. L. Koch, 1833)

Identification

Roberts, 1985: 72, figs 26c.

Citations

None.

New Records

NICOSIA: Picnic site 5 km from Machairas Monastery, 1 ♀, under stone in open grassy pine woods, 4.V.2013 (CAR-S).

Distribution: Palaearctic. New to Cyprus.

Echemus levyi Kovblyuk & Seyar, 2009

Identification

Chatzaki et al., 2002a: 582, figs 39-42

Citations

LIMASSOL: Pano Platres, above Caledonia Waterfall (Chatzaki & Van Keer 2019).

New records

None.

Distribution: Turkey, Cyprus.

Gnaphosa bithynica Kulczyński, 1903

Identification

Chatzaki et al., 2002a: 582, figs 39-42

Citations

None.

New records

LIMASSOL: road Chionistra-Prodromos, 2 ♂♂, pitfalls in *Pinus nigra* forest, 6.IV. - 8.VI.2014 (CMH); Mount Olympos (Chionistra), just below summit, 1 ♀, under large rocks in open *Pinus nigra* forest, 27.IV.2007 (CAR-S); Mount

Olympos (Chionistra), 1 ♂, pitfalls in open *Juniperus foetidissima* forest, 6.IV. - 8.VI.2014 (CMH); road Pedoulas-Prodromos, 5 ♂♂, pitfalls in *Pinus nigra* forest, 6.IV. - 8.VI.2014 (CMH); near Prodromos reservoir, 3 ♂♂, pitfalls in *Pinus nigra* forest, 6.IV. - 8.VI.2014 (CMH); Troodos Square, 3 ♂♂, pitfalls in open, mixed *P. nigra* and *J. foetidissima* forest, 6.IV. - 8.VI.2014 (CMH).

Distribution: Crete, Turkey. New to Cyprus, where it was only found in the forests on Mount Troodos.

***Gnaphosa dolosa* Herman, 1879**

Gnaphosa barroissi; Kulczyński, 1908: 53.

Identification: <https://araneae.nmbe.ch/>.

Citations

CYPRUS

Without precise locality (Kulczyński, 1908).

New records

LARNACA: Larnaca salt lake, 2 ♂♂, pitfalls in salt marsh, III. - V.2011 (CRB).

Distribution: Palaearctic.

***Haplodrassus dalmatinensis* (L. Koch, 1866)**

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LIMASSOL: Panagia Glossa Monastery near Kellaki, 1 ♀, under stones in cultivated land, 12.IV.1986 (NHW); Pissouri, 1 ♂ 1 ♀, under stones, 24.III.1998, coll. J. Murphy (MMUE). PAPHOS: Makounta, 1 ♂ 1 ♀, under stones in scrub, 19.III.1998, coll. J. Murphy (MMUE); Pegeia, Pikni Forest, 374m, 2 ♂♂, pitfalls in open ruderal site, 14.III. - 23.III.2018 (CKHK).

Distribution: Palearctic, Ethiopia. New to Cyprus.

***Haplodrassus invalidus* (O. Pickard-Cambridge, 1872)**

Identification

Bosmans *et al.* 2018: 54, figs 223-231.

Citations

FAMAGUSTA: Karpasia Peninsula, Apostolos Andreas Monastery (Bosmans *et al.* 2018); Flamoudi W. (Bosmans *et al.* 2018). LARNACA: Kornos picnic site (Bosmans *et al.* 2018). PAPHOS: Akamas Peninsula, Agios Minas; Akamas Peninsula, Cape Geronnisos S., Mavrokolymnos Dam, Potima NE (Bosmans *et al.* 2018).

New records

NICOSIA: Agridi, near Dali, 1 ♂, on veranda, V.2009, 1 ♂, in house, 2.II.2010, 1 ♂, in house, 21.II.2011, 1 ♀, under stone, river bank, 29.IV.2013 (CDM).

Distribution: Egypt, Israel, Azerbaijan, Cyprus.

***Haplodrassus omissus* (O. Pickard-Cambridge, 1872)**

Identification

Bosmans *et al.* 2018: 25, figs 87-97, 108-112.

Citations

FAMAGUSTA: Cape Greko (Bosmans *et al.* 2018).

NICOSIA: Lakatamia (Bosmans *et al.* 2018).

New records:

None.

Distribution: Circum-Mediterranean. New to Cyprus.

***Haplodrassus pseudosignifer* Marusik, Hippa & Koppinen, 1996**

Identification

Marusik *et al.* 1996, figs 63-70.

Citations

None.

New records

LIMASSOL: road Chionistra-Prodromos, 2 ♂♂, pitfalls in *Pinus nigra* forest, 6.IV. - 8.VI.2014 (CMH); Pano Amiantos, 1 ♀, pitfalls in *Pinus brutia* forest, 6.IV. - 8.VI.2014 (CMH); Troodos Square, 1 ♀, pitfalls in open, mixed *P. nigra* and *J. foetidissima* forest, 6.IV. - 8.VI.2014 (CMH). PAPHOS: Mavrokolympos Reservoir, 1 ♀, 13.III.2018 CKHK (CKHK); Pegeia, Pikni Forest, 366m, 1 ♂ 1 ♀, pitfalls in pine forest, 11.III. -

23.III.2018 (CKHK); Pegeia, Pikni Forest, 374m, 10 ♂♂, pitfalls in open ruderal site, 14.III. - 23.III.2018 (CKHK).

Comments

Our specimens fit completely the description of *H. pseudosignifer* by Marusik *et al.* (1996).

Distribution: Ukraine, Russian, Iran. New to Cyprus.

Haplodrassus signifer (C. L. Koch, 1839)

Identification: <https://araneae.nmbe.ch/>.

Citations

FAMAGUSTA: Komi Kebir (Bosmans *et al.* 2018); Agios Sergios (Bosmans *et al.* 2018).

KERYNEIA: Kalo Chorio (Bosmans *et al.* 2018); Vouni ruins (Bosmans *et al.* 2018).

PAPHOS: Kouklia-Pissoura road (Bosmans *et al.* 2018).

NICOSIA: Prodromos E., near Prodromos dam (Bosmans *et al.* 2018).

New records

LIMASSOL: Alassa SE, near river Limnatis, 1 ♀, under stones in dry grassland, 5.V.2007 (CRS); Pano Platres, valley below Caledonia Waterfall, 1 ♀, under stones, 26.IV.2007 (CRS); Pissouri, 1 ♀, under stones, 24.III.1998, coll. J. Murphy (MMUE); ca. 5 km S. of Troodos, road to Pano Platres, 1 ♀, under stones in *P. nigra* forest, 1.V.2007 (CRS).

NICOSIA: Kapouti, 100m, 1 ♀, under stones in grassland, 20.III.2011 (CRB).

PAPHOS: Akamas Peninsula, 2 ♀♀, under stones in coastal scrub, 22.III.1998, coll. J. Murphy (MMUE); Baths of Aphrodite, 1 ♀, under stone in coastal scrub, 18.III.1998, coll. J. Murphy (MMUE); Akamas Peninsula, Smigies, 352m, 1 ♂ 1 ♀, maquis, 12.III.2018 (CKHK); Drouseia S., Panagia Chrysospiliotissa, 580m, 1 ♂, night catch in small cave, 22.IV.2017, S. Huber leg. (CSH); Makounta, 1 ♂ 2 ♀♀, under stones in scrub, 19.III.1998, coll. J. Murphy (MMUE); Kinousa, 1 ♂ 1 ♀, under stone in pine wood, 23.III.1998, 4 ♂♂ 4 ♀♀, 28.III.1998, coll. J. Murphy (MMUE); Neo Chorio, 1 ♂ 2 ♀♀, under stones in field, 20.III.1998, 1 ♀, 30.III.1998, coll. J. Murphy (MMUE).

Distribution: Holarctic.

Heser nilicola (O. Pickard-Cambridge, 1874)

Zelotes nilicola; Platnick & Shadab, 1983: 186.

Identification

Chatzaki, Thaler & Mylonas, 2003: 73, figs 82-86.

Citations

NICOSIA: Pissouri (Platnick & Shadab 1983).

New records

FAMAGUSTA: Gialousa E., Agios Thrysos, 20m, 1 ♂, beaten from shrubs, 16.V.2011 (CRB).

NICOSIA: Agios Sozomenos, near Dali, 1 ♀, under stones in dry grassland, 30.IV.2007 (CAR-S), 1 ♂ (CRS); Agridi, near Dali, 1 ♀, in garden, V.2011, 1 ♀, in garden, IV.2012 (CDM); Elia-Angolemi road, 100m, 2 ♂♂, under stones in grassland, rubbish in dry riverbed, 18.V.2011 (CRB); Marathasa Dam, 1 ♂ 2 ♀♀, pitfalls in lakeside vegetation, 7.V. - 10.VII.2016 (CMH); Masari S., Merika river, 120m, 1 ♀, under stones in wasteland, 24.V.2011 (CRB); Xerargaka S, Orkontas, 1 ♂, riverside vegetation, 26.III.2016 (CMH).

LIMASSOL: Pissouri Beach, 1 ♂ 1 ♀, 27.IV.1982. coll. A. Stubbs (MMUE).

PAPHOS: Kato Paphos archaeological site, 1 ♂, under stones in grass, 10.V.2007 (CAR-S).

Distribution

Mediterranean, Canary Is., Burkino Faso, USA.

Lasophorus zografae Chatzaki, 2018

Identification

Chatzaki 2018: 532, figs 27-28, 31-40.

Citations

None.

New records

LIMASSOL: road Pedoulas-Lemithou, 1 ♂ 2 ♀♀, pitfalls in *Pinus brutia* forest, IV.-VII.2017 (CRB).

Distribution: Northern Greece, Dodekanese. New to Cyprus

Leptodrassus femineus (Simon, 1873)

Identification

Chatzaki, Thaler & Mylonas, 2002a: 590, figs 66-67, 73.

Citations

None.

New records

KERYNEIA: Panagia Apsinthiotissa Monastery ruins, 350m, 1 ♀, under stones in clearing in *Pinus* forest, 24.V.2011 (CRB).

LARNACA: Achna Reservoir, 50m, 1 ♀, under stones bordering lake, 16.V.2011 (CRB), 1 ♀, 27.V.2011 (CRB).

NICOSIA: Masari S., Merika River, 120m, 1 ♀, under stones in wasteland, 24.V.2011 (CRB).

PAPHOS: Mavrokolympos Reservoir, 1 ♀, C. Saure leg., 20.VI.2013 (CKHK).

Distribution: Mediterranean. New to Cyprus.

***Micaria coarctata* (Lucas, 1846)**

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

FAMAGUSTA: Flamoudi W., 25m, 1 ♂, under stones and phrygana near the beach, 25.V.2011 (CRB); Karpasia Peninsula, Cape Apostolos Andreas, 70m, 1 ♀, under stones in grassland, 16.V.2011 (CRB).

LARNACA: Dipotamos Reservoir, 150m, 1 ♀, herbs and stones bordering lake, 28.IV. 2010 (CRB).

NICOSIA: near Platania Scout camping site, 1 ♂, pitfalls in *Pinus brutia* forest, IV. - VII.2017 (CMH).

PAPHOS: Akamas Peninsula, Avakas Gorge, 1 ♀, under stone, 27.III.1998, coll. J. Murphy (MMUE); Kinousa, 1 ♂ 1 ♀, under stone in pine wood, 28.III.1998, coll. J. Murphy (MMUE).

Distribution: Mediterranean to Central Asia. New to Cyprus.

***Micaria dives* (Lucas, 1846)**

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LIMASSOL: Alassa SE, near river Limnatis, 1 ♂, under stones in dry grassland, 5.V.2007 (CAR-S).

Distribution: Palaearctic. New to Cyprus.

***Micaria guttulata* (C. L. Koch, 1839)**

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

PAPHOS: Akamas Peninsula, Avakas Gorge, 1 ♀, under stone, 27.III.1998, coll. J. Murphy (MMUE).

Distribution: Palaearctic. New to Cyprus.

***Micaria ignea* O. Pickard-Cambridge, 1872**

Micaria todilla Simon, 1878: 28.

Identification

Bosmans & Blick, 2000: 477, figs 5-8.

Citations

Without precise locality (Simon, 1878).

New records

NICOSIA: Lakatamia, 1 ♀, on a stone in olive grove, 1.I.-1.X. 2016 (CMH).

Distribution: Mediterranean to Uzbekistan.

***Micaria pallipes* (Lucas, 1846)**

Micaria pallipes; Chatzaki & Russell-Smith 2012.

Identification

Bosmans & Blick, 2000: 449, figs 9-12.

Citations

LIMASSOL: Fassouri reed beds (Chatzaki & Russell-Smith 2012).

New records

LIMASSOL: road Kaminaria-Lemithou, 1 ♀, pitfalls in *Pinus brutia* forest, 6.IV. - 8.VI.2014 (CMH).

Distribution:

Mediterranean to Central Asia.

***Nomisia excerpta* (O. Pickard-Cambridge, 1872)**

Nomisia excerpta; Chatzaki *et al.*, 2010: 6.

Identification

Chatzaki 2010: 6, figs 9-23.

Citations

Without precise locality (Chatzaki *et al.*, 2010).

New records

FAMAGUSTA: Protaras, Profitis Elias, 1 ♀, 2005 (CDM).

KERYNEIA: Agios Georgios, 1 ♀, under stone in coastal scrub, 21.III.1998, coll. J. Murphy (MMUE).

LARNACA: Mosfiloti, 1 ♂, under stone in dry eroded grassland on hillside, 12.IV.2017 (CAR-S).

NICOSIA: Agios Sozomenos, near Dali, 1 ♀, under stones in disturbed phrygana, 30.IV.2007 (CAR-S); Agridi, near Dali, 1 ♀, in field IV.2007 (CDM); Dali, Idalion Archaeological Site, 2 ♂♂, under stones in phrygana, 1.V.2013 (CAR-S), 1 ♂, same site, 1.IV.2012, 1 ♂, under stones in phrygana, 30.IV.2013 (CDM); Lympia Reservoir, Lympia, 1 ♂, in clump of rushes below dam wall, 9.V.2013 (CDM); below Machairas Monastery, 1 ♂, under stones beside track in phrygana, 4.V.2013 (CAR-S).

PAPHOS: Akamas Peninsula, Agios Minas, 1 ♀, in thick pine litter, 2.V.2007 (CAR-S); Dhiarizos river near Kelefos bridge, 444m, 1 ♀, open river bank, 16.III.2018 (CKHK).

Distribution: Canary Islands, Tunisia, Greece, Israel and Cyprus.

***Nomisia exornata* (C. L. Koch, 1839)**

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LARNACA: Cape Kiti, 1 ♀, under stones below coastal cliffs, 25.IV.1982, coll. A. Stubbs (MMUE).

LIMASSOL: Mouttagiaka, 20m, 1 ♂, in swimming pool of Caravel hotel, 29.IV.2010 (CRB).

Distribution: Europe to Central Asia. New to Cyprus.

***Nomisia recepta* (Pavesi, 1880)**

Nomisia recepta; Chatzaki, 2010: 153.

Identification

Chatzaki 2010: 15, figs 40-46.

Citations

None.

New records

FAMAGUSTA: Gialousa E., Agios Thrysos, 20m, 2 ♂♂, under stones, 16.V.2011 (CRB); Kantara E., 610m, 1 ♀, under stones in open *Pinus* forest, 25.V.2011 (CRB); Rizokarpaso, 5 ♂♂, *Juniperus phoenicea* forest, 12.III.2016 (CMH).

KERYNEIA: Pentadactylos Range, Saint Hilarion Castle, 600m, 1 ♀, under stones, 17.V.2011 (CRB).

LARNACA: Kornos picnic site, 350m, 2 ♀♀, under stones in *Pinus* forest, 28.V.2011 (CRB).

LIMASSOL: road Chionistra-Prodromos, 16 ♂♂, pitfalls in *Pinus nigra* forest, 6.IV. - 8.VI.2014 (CMH); road Kaminaria-Lemithou, 2 ♂♂ 1 ♀, pitfalls in *Pinus brutia* forest, 6.IV. - 8.VI.2014 (CMH); Kourion archaeological site near Episkopi, 2 ♀♀, under stones, 9.V.2007 (CAR-S); Troodos Square, 1 ♀, pitfalls in open, mixed *P. nigra* and *J. foetidissima* forest, 6.IV. - 8.VI.2014 (CMH).

NICOSIA: Agios Sozomenos, near Dali, 3 ♀♀, under stones in dry, rocky phrygana, 20.IV.2017 (CAR-S); Cedar Valley Forest, 1180m, 1 ♂, under stones in *Cedrus* forest, 19.V.2011 (CRB); between Cedar Valley and Stavros tis Psokas, 1 ♂, under stones in *P. nigra* forest, 29.IV.2007 (CAR-S); Chrysoroyiatissa Monastery, 1 ♂, 2.V.1982. coll. A. Stubbs (MMUE); Dali, 1 ♀, under stones in grassland, 30.IV.2007 (CAR-S); Elia-Angolemi road, 100m, 2 ♀♀, under stones in grassland, 18.V.2011 (CRB); Limnitis, 1 ♂, *Pinus brutia* forest, 13.V.2016 (CMH); Marathasa Dam, 5 ♂♂ 1 ♀, pitfalls in riverside vegetation, 7.V. - 10.VII.2016 (CMH); road Pedoulas-Lemithou, 3 ♂♂, pitfalls in *Pinus nigra* and *P. brutia* forest, 6.IV. - 8.VI.2014 (CMH); road Pedoulas-Prodromos, 2 ♂♂, pitfalls in *Pinus nigra* forest, 6.IV. - 8.VI.2014 (CMH); near Platania Scout camping site, 3 ♂♂, pitfalls in *Pinus brutia* forest, 6.IV. - 8.VI.2014 (CMH); Prodromos E., near Prodromos Dam, 1550m, 1 ♂, under stones in *Pinus* forest, 23.V.2011 (CRB); near Prodromos reservoir, 5 ♂♂, pitfalls in *Pinus nigra* forest, 6.IV. - 8.VI.2014 (CMH); Xerargaka S, Orkontas, 2 ♀♀, riverside vegetation, 26.III.2016 (CMH);

PAPHOS: Kato Paphos archaeological site, 3 ♂♂ 2 ♀♀, under stones in grassland, 10.V.2007 (CAR-S); Mavrokolympos Reservoir, 1 ♀, C. Saure leg., 20.VI.2013 (CKHK).

Distribution: Algeria, Tunisia, Sicily, Malta, Greece. New to Cyprus.

***Nomisia ripariensis* (O. Pickard-Cambridge, 1872)**

Identification

Chatzaki 2010: 21, figs 47-50.

Citations

None.

New records

FAMAGUSTA: Karpasia Peninsula, Apostolos Andreas Monastery, 50m, 2 ♂♂ 1 ♀, under stones in wasteland, 16.V.2011 (CRB).
 LARNACA: Larnaca SW, Hala Sultan Tekke Mosque, 5m, 1 ♂, litter bordering salt lake, 16.V.2011 (CRB).
 NICOSIA: Agios Sozomenos, near Dali, 2 ♂♂ 1 ♀, under stones in dry grassland, 30.IV.2007 (CAR-S); Dali, 1 ♀, under stones in grassland, 12.V.2007 (CAR-S); Elia-Angolemi road, 100m, 1 ♀, under stones in grassland, 18.V.2011 (CRB); Erimi, 1 ♂, under stones along dry riverbed, 21.IV.1986 (NHW); Masari S., Merika river, 120m, 1 ♀, under stones in wasteland, 24.V.2011 (CRB).
 PAPHOS: Akamas Peninsula, Neo Chorio, 1 ♂, at picnic site, under stone in phrygana, 2.V.2007 (CRS); Kidasi N., along Diarizos River, 300m, 1 ♂, under stones, 21.V.2011 (CRB); Mavrokolympos Reservoir, NE Potima, 150m, 1 ♀, under stones along lake, 22.V.2011 (CRB).

Distribution: Greece to Azerbaijan. New to Cyprus.

***Phaeocedus braccatus* (L. Koch, 1866)**

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

NICOSIA: Kapedes S., 600m, 1 ♂, under stones along rivulet, 5.V.2010 (CRB); Marathassa Dam, 550m, 1 ♂, under stones around lake, 20.V.2011 (CRB).

Distribution: Palaearctic. New to Cyprus.

***Phaeocedus hebraeus* Levy, 1999**

Identification

Levy, 1999: 429, figs 1-5.

Citations

None.

New records

LARNACA: Cape Gkreko, Ayia Napa, 35m, 1 ♂ 1 ♀, under bark of *Pinus*, 27.IV.2010 (CRB) 5.V.2010 (CRB); Marathassa Dam, 550m, 1 ♂, under stones around lake, 20.V.2011 (CRB).

Distribution: Israel, Cyprus.

***Poecilochroa senilis* (O. Pickard-Cambridge, 1872)**

Identification

Chatzaki, Thaler & Mylonas, 2002a: 569, figs 8-11; Kovblyuk & Tuneva, 2009: 157, figs 1-9.

Citations

None.

New records

LARNACA: Cape Kiti, 1 ♂ 2 ♀♀, under stones below coastal cliffs, 25.IV.1982, coll. A. Stubbs (MMUE); Larnaca salt lake, 5m, 1 ♂, in litter in salt marsh, 27.IV.2010 (CRB).

LIMASSOL: Akrotiri Peninsula, edge of central salt pan, 1 ♂, under stones and debris in *Salicornia*, 27.IV.2007 (CRS).

Distribution: East Mediterranean, from Corsica to Turkmenistan. New to Cyprus.

***Poecilochroa taborensis* Levy, 1999**

Identification

Lissner & Chatzaki 2016: 17, figs 1, 2A-C, 3A-D, 4A-E, 5A-C, 6A-D.

Citations

NICOSIA: Dali, Idalion Archaeological Site (Lissner & Chatzaki 2016).

New records

NICOSIA: Alona, 1 ♀, mixed forest, 27.II.2016 (CMH).

Distribution: Portugal, Greece, Israel, Cyprus.

***Poecilochroa* sp.**

Poecilochroa sp.; Chatzaki & Russell-Smith
2017: 242, figs 13-15.

Citations

LIMASSOL: Akrotiri, Fassouli reed beds
(Chatzaki & Russell-Smith 2017).

Distribution: Cyprus.

***Prodidomus amaranthinus* (Lucas, 1846)**

Identification

Pérez & Blasco, 1986: 156, figs 1-6.

Citations

None.

New records

FAMAGUSTA: Cape Greco, 1 ♀, under stones in phrygana, 3.V.2013 (CAR-S).
NICOSIA: Agios Sozomenos, near Dali, 1 juvenile, under stones in dry grassland, 30.IV.2007 (CAR-S), 1 ♂ (CRS).
PAPHOS: Akamas Peninsula, Agios Minas, 1 ♂, in thick pine litter, 2.V.2007 (CAR-S); Baths of Aphrodite, 1 ♂, under stones in tall grass in meadow, 15.IV.2017 (CAR-S); near Avakas Gorge, 1 ♂, under stone in field with tall grass, 14.IV.2017 (CAR-S); Kato Paphos archaeological site, 1 ♂, under stones in grass, 10.V.2007 (CAR-S).

Distribution: Mediterranean. New to Cyprus.

***Pterotricha kochi* (O. Pickard-Cambridge, 1872)**

Identification

Levy, 1995: 967, figs 121-125.

Citations

None.

New records

NICOSIA: Agridi, near Dali, 1 ♂, in grass in yard, IV.2009 (CDM).

Distribution: Turkey, Lebanon, Syria, Israel.
New to Cyprus.

***Pterotricha lentiginosa* (L. Koch, 1837)**

Pterotricha lentiginosa; Logunov, 2013: 5.

Identification

Chatzaki et al., 2002a: 580, figs 43-46

Citations

PAPHOS: Avakas Gorge (Logunov, 2013).

New records

FAMAGUSTA: Flamoudi W., 25m, 1 subadult ♀, under stones in phrygana near the beach, 25.V.2011 (CRB); Karpasia Peninsula, Apostolos Andreas Monastery, 50m, 2 ♀♀, under stones in wasteland, 16.V.2011; Karpasia Peninsula, Cape Apostolos Andreas, 70m, 1 ♂, 2 ♀♀, under stones in grassland, 16.V.2011 (CRB); Paralimni Lake, 65m, 1 ♀, litter along dry lake, 21.XI.2010 (CRB); Protaras, Profitis Elias, 1 ♂, 2005 (CDM); Salamis ruins, 30m, 1 subadult ♀, under stones in ruins, 17.III.2011 (CRB).

KERYNEIA: Panagia Apsinthiotissa Monastery ruins, 350m, 1 ♀, under stones in clearing in *Pinus* forest, 24.V.2011 (CRB); Saint Hilarion Castle W, 600m, 1 ♂, under stones in *Pinus* forest 17.V.2011 (CRB).

LARNACA: Achna Reservoir, 50m, 2 ♀♀, under stones and litter bordering lake, 16.V.2011 (CRB); Dipotamos Reservoir, 150m, 1 ♀, under stones bordering lake, 28.IV.2010 (CRB); Larnaca SW, Hala Sultan Tekke mosque, 50m, 1 ♂, pitfalls in salt marsh, 15-28.V.2011 (CRB).

LIMASSOL: Alassa S. E., near river Limnatis, 1 ♂ 1 ♀, under stones in dry grassland, 4.V.2007 (CRS); Pano Platres, valley below Caledonia Waterfall, 1 ♀, under stone, 26.IV.2007 (CRS); Troodos, Mount Olympos (Chionistra), 1900m, 1 ♀, under stones in *Pinus* forest, 23.V.2011 (CRB); Mount Olympos (Chionistra), 1830m, 1 ♀, pine forest with open places, 23.II.2011, D. W. Wrase leg. (CKHK); Troodos, 1 ♀, under rocks, 30.XI.2008 (CDM); Fasoula, 1 ♀, olive garden with dry stone walls, 16.IV.1986 (NHMW).

NICOSIA: Agios Sozomenos, near Dali, 2 ♂♂ 3 ♀♀, under stones in dry grassland and in disturbed phrygana, 30.IV.2007 (CAR-S); Agridi, near Dali, 3 ♂♂ 1 ♀, in house, V.2009, 1 ♂, in grass in lawn, 1.VII.2010, 1 ♂ 1 ♀, in garden, V.2011 (all CDM); Cedar Valley Forest, 1 ♂, under stones by track, 29.IV.2007 (CAR-S); Dali, 13, Agios Andronikos, 1 ♂ 1 ♀, in garden, V.2008 (CDM); Dali, 2 ♀♀, under stones in riverbed, 12.V.2007 (CRS); Elia-Angolemi road, 100m, 1 ♀, under stones in grassland, 18.V.2011 (CRB); Kakopetria S., Platania forest station, 1100m, 1 ♀, under stones in dense *Pinus* forest, 4.V.2010 (CRB); Lympia Reservoir, Lympia, 1 ♀, in clump of rushes below dam wall, 9.V.2013

(CAR-S), 1 ♂, (CDM); Panagia Glossa Monastery near Kellaki, 1 ♀, under stones in cultivated land, 12.IV.1986 (NHW); Oikos, 700m, 1 ♂, limy slope, 23.IV.2017, S. Huber leg. (CSH); Pyrgos, 1 ♀, dry grassland, 15.IV.1986 (NHW). PAPHOS: Akamas Peninsula, 1 ♀, under stones in coastal scrub, 22.III.1998, coll. J. Murphy (MMUE); Akamas Peninsula, Avakas Gorge, 1 ♀, under stone, 27.III.1998, coll. J. Murphy (MMUE); Akamas Peninsula, Avakas gorge, 50m, 1 ♀, litter in citrus orchard at entrance of gorge, 30.IV.2010 (CRB); Akamas Peninsula, track along the sea, 10m, 1 ♂ 1 ♀, under stones in *Juniperus* phrygana, 30.IV.2010 (CRB); Akamas Peninsula, Cape Drepanum, 1 ♀, stones in rock strewn slope at sea front, 31.III.1997 (CJB); Akamas Peninsula, Cape Geronnisos S., 1 ♂ 1 ♀, under stones in dry phrygana, 3.V.2007 (CAR-S); Akamas Peninsula, at Neo Chorio picnic site, 2 ♀♀, under stone in phrygana, 2.V.2007 (CRS); Kinousa, 1 ♂, under stone in pine wood, 28.III.1998, coll. J. Murphy (MMUE); Gialia, 1 ♀, under stones in pine wood, 25.III.1998, coll. J. Murphy (MMUE); Makounta, 1 ♀, under stones in scrub, 19.III.1998, coll. J. Murphy (MMUE); Pedoulas, 960m, 1 ♂ 1 ♀, night catch in orange garden, 20.IV.2017, S. Huber leg. (CSH); Paphos NW, 1 ♂, under stones at the edge of a large sand pit, 24.IV.1986 (NHW); Smigies, 2 ♀♀, under stones in hillside scrub, 26.III.1998, coll. J. Murphy (MMUE).

Distribution: Mediterranean to Ukraine.

Pterotricha schaefferi (Audouin, 1826)

Identification

Levy, 1995: 964, figs 108-112.

Citations

None.

New records

LIMASSOL: Akrotiri Peninsula, Ladies Mile Beach, 1 ♂, in sand dunes, 27.IV.2007 (CAR-S). PAPHOS: Akamas Peninsula, Lara Bay, 1 ♂, C. Saure leg., 18.VI.2013 (CKHK).

Distribution: Libya, Egypt, Sudan, Israel. New to Cyprus.

Scotophaeus peninsularis Roewer, 1928

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LARNACA: Stavrovouni Monastery, 350m, 1 ♀, under bark of *Pinus* trees, 28.IV.2010 (CRB).

Distribution: Greece, Israel. New to Cyprus.

Scotophaeus scutulatus (L. Koch, 1866)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LIMASSOL: Troodos, Persephone Trail, 1732m, 1 ♀, in *Pinus nigra* forest, 19.III.2018 (CKHK).

NICOSIA: Agridi, near Dali, 1 ♀, under eucalyptus bark in garden, 29.IV.2013 (CAR-S); Cedar Valley Forest, 1180m, 1 ♂, beaten in *Cedrus* forest, 19.V.2011 (CRB).

PAPHOS: Gialia, 1 ♀, under stones in pine wood, 25.III.1998, coll. J. Murphy (MMUE); Kelefos bridge, 465m, deciduous wood, 1 ♀, under bark, 16.III.2018 (CKHK).

Distribution: Europe to Central Asia, North Africa. New to Cyprus.

Setaphis carmeli (O. Pickard-Cambridge, 1872)

Identification

Chatzaki, Thaler & Mylonas, 2003: 55, figs 40-41.

Citations

None.

New records

FAMAGUSTA: Gialousa E., Agios Thrysos, 20m, 1 ♀, in litter, 16.V.2011 (CRB).

LIMASSOL: Troodos S., road to Pano Platres, 1 ♂, under stones in *P. nigra* forest, 28.IV.2007 (CAR-S), 1 ♀, 1.V.2007 (CRS).

NICOSIA: Masari S., Merika River, 120m, 1 ♀, under stones in wasteland, 24.V.2011 (CRB).

PAPHOS: Akamas Peninsula, 1 ♂, under stones in coastal scrub, 22.III.1998 coll. J. Murphy (MMUE); Akamas Peninsula, track along the sea, 10m, 1 ♀, under stones in *Juniperus* phrygana, 30.IV.2010 (CRB); Neo Chorio, 1 ♂, under stone in field, 20.III.1998, 1 ♀, 30.III.1998, coll. J. Murphy (MMUE).

Distribution: Circum-Mediterranean. New to Cyprus.

***Synaphosus palearcticus* Ovtsharenko, Levy & Platnick, 1994**

Identification

Chatzaki *et al.*, 2002b: 623, figs 50-52, 57-58.

Citations

None.

New records

PAPHOS: Akamas Peninsula, Agios Minas, 1 ♂, in thick pine litter, 2.V.2007 (CAR-S); Kato Paphos archaeological site, 1 ♂, under stones in grass, 10.V.2007 (CAR-S).

Distribution: Central Palaearctic. New to Cyprus.

***Synaphosus shirin* Ovtsharenko, Levy & Platnick, 1994**

Chatzaki & Russell-Smith 2017: 248.

Identification:

Chatzaki & Russell-Smith, 2017: 248, figs 29-34.

Citations

LARNACA: Lympia Reservoir (Chatzaki & Russell-Smith 2017).
NICOSIA: Agios Sozomenos, near Dali (Chatzaki & Russell-Smith 2017); Agridi, near Dali (Chatzaki & Russell-Smith 2017).

New records

LARNACA: Kornos picnic site, 350m, 1 ♂, stones in *Pinus* forest, 28.V.2011 (CRB).

Distribution: Iran, Cyprus.

***Synaphosus trichopus* (Roewer, 1928)**

Identification

Chatzaki *et al.*, 2002b: 623, figs 53-54, 59-60.

Citations

None.

New records

PAPHOS: Kato Akourdaleia, 1 ♂, in swimming pool of guest house, 3.V.2007 (CAR-S); Evretou Reservoir, 1 ♂, under stones in sparse grass, 13.IV.2017 (CRS).

Distribution: Greece. New to Cyprus.

***Talanites dunini* Platnick & Ovtsharenko, 1991**

Identification

Platnick & Ovtsharenko, 1991: 117, figs 5-8.

Citations

None.

New records

LIMASSOL: Akrotiri Peninsula N., 5m, 2 ♂♂, litter in *Eucalyptus* forest, 29.IV.2010 (CRB).

Distribution: Israel, Central Asia. New to Europe.

***Trachyzelotes jaxartensis* (Kroneberg, 1875)**

Identification

Platnick & Murphy, 1984: 10, figs 19-22.

Citations

None.

New records

NICOSIA: Marathasa Dam, 1 ♂ 2 ♀♀, pitfalls in riverside vegetation, 7.V.-10.VII.2016.
PAPHOS: Akamas Peninsula, Agios Minas, 1 ♀, wet area by stream, 2.V.2007 (CAR-S).

Distribution: Holarctic, expanding to tropical Africa and Hawaii. New to Cyprus.

***Trachyzelotes lyonneti* (Audouin, 1826)**

Identification

Chatzaki *et al.*, 2003: 54, figs 24-25, 29.

Citations

None.

New records

FAMAGUSTA: Prastio S., Agios Andronikos, 30m, 1 ♂ 1 ♀, under stones and herbs in *Eucalyptus* forest, 27.V.2011 (CRB); Salamis S., Silver Beach, 5m, 3 ♂♂, pitfalls in salt marsh, 15 - 27.V.2011 (CRB).

LIMASSOL: Akrotiri Peninsula, 1 ♀, 27.IX.2007 (CDM).

PAPHOS: Kato Paphos, archaeological site, 1 ♂, under stones in grass, 10.V.2007 (CAR-S).

Distribution: Mediterranean region to Central Asia. New to Cyprus.

Trachyzelotes malkini Platnick & Murphy, 1984

Identification

Platnick & Murphy, 1984: 22, figs 51-54.

Citations

None.

New records

NICOSIA: Agridi, near Dali, 2 ♂♂, in yard, V.2009 (CDM).

Distribution: Romania, North Macedonia, Crete, Turkey, Ukraine, Kazakhstan. New to Cyprus.

Trachyzelotes stubbsi Platnick & Murphy, 1984

Trachyzelotes stubbsi Platnick & Murphy, 1984: 9; Chatzaki, 2010: 48.
Trachyzelotes cfr. stubbsi; Logunov, 2013: 5.

Identification

Platnick & Murphy, 1984: 9, figs 15-16.

Citations

LARNACA: Cape Kiti, coastal cliffs near Larnaca airport (Platnick & Murphy, 1984).

LIMASSOL: Kourio (Chatzaki, 2010).

PAPHOS: W. Polis, Akamas forest (Logunov, 2013).

New records

FAMAGUSTA: Gialousa E., Agios Thyrso, 20m, 3 ♂♂ 2 ♀♀, litter under shrubs, 16.V.2011 (CRB); Prastio S., Agios Andronikos, 30m, 1 ♂, under stones and herbs in *Eucalyptus* forest, 27.V.2011 (CRB); Vokolida S., Cape Elaia, 10m, 1 ♀, under stones and on shrubs near the beach, 26.V.2011 (CRB).

LARNACA: Cape Kiti, 1 ♂, under stones below coastal cliffs, 25.IV.1982, coll. A. Stubbs (MMUE); Delikipos, near Kornos, 1 ♂, in grass in open pine wood, 9.V.2013 (CAR-S); Mosfiloti, 1 ♀, under stones in field with tall grass, 12.IV.2017 (CAR-S); Stavrovouni Monastery, 350m, 1 ♂, pitfalls in open *Pinus* forest, III - V.2011 (CRB).

LIMASSOL: Akrotiri Peninsula, edge of central salt pan, 1 ♂, under stones and debris in *Salicornia*, 27.IV.2007 (CDM), 1 ♂, 30.IV.2013 (CAR-S), 1 ♂, 30.IV.2013 (CDM).

NICOSIA: Agios Sozomenos, near Dali, 1 ♂, under stones in dry grassland, 29.IV.2013 (CAR-S); near Platania Scout camping site, 1 ♀, pitfalls in *Pinus brutia* forest, IV. - VII.2017 (CMH).

PAPHOS: Avakas Gorge, 50m, 2 ♂♂, litter in citrus yard at entrance of gorge, 30.IV.2010 (CRB).

Distribution: Israel, Cyprus.

Turkozelotes mccowani (Chatzaki & Russell-Smith, 2017)

Identification

Chatzaki & Russell-Smith 2017: 247, figs 27-28.

Citations

NICOSIA: Agridi, near Dali (Chatzaki & Russell-Smith 2017).

New records

None.

Distribution: Cyprus, Northern Greece.

Zelotes harmeron Levy, 2009

Identification

Levy, 1998c: 148, figs 120-122.

Citations

None.

New records

FAMAGUSTA: Prastio S., Agios Andronikos, 30m, 1 ♂ 1 ♀, under stones and herbs in *Eucalyptus* forest, 27.V.2011 (CRB). LIMASSOL: Armenochori, 1 ♂, under stones of a dry stone wall, 14.IV.1986 (NHW); road Kaminaria-Lemithou, 2 ♂♂, pitfalls in *Pinus brutia* forest, 6.IV. - 8.VI.2014 (CMH). NICOSIA: Marathasa Dam, 2 ♂♂ 10 ♀♀, pitfalls in riverside vegetation, 7.V. - 10.VII.2016 (CMH). PAPHOS: N. Kouklia, Lake Asprogeminou, 1 ♀, 100m, stones around lake, 29.IV.2010 (CRB).

Distribution: Greece (Thrakia, Rhodos and Chios), Israel, Turkey. New to Cyprus.

Zelotes limnatis Chatzaki & Russell-Smith, 2017

Zelotes limnatis Chatzaki & Russell-Smith, 2017: 250.

Identification

Chatzaki & Russell-Smith, 2017: 250, figs 35, 37–40.

Citations

LIMASSOL: Valley of river Limnatis near Kouris Dam (Chatzaki & Russell-Smith, 2017).

New records

LARNACA: Achna Reservoir, 1 ♂, litter along the lake, 27.V.2011 (CRB).

Distribution: Cyprus.

Zelotes metellus* Roewer, 1928*Identification**

Senglet 2011: 555, figs 165-170

Citations

None.

New records

LARNACA: Achna Reservoir, 50m, 1 ♂, pitfalls bordering lake, 15-27.V.2011 (CRB).

Distribution: Greece, Turkey, Ukraine, S. Russia, Israel, Iran. New to Cyprus.

Zelotes scrutatus* (O. Pickard-Cambridge, 1872)*Identification**

Chatzaki *et al.*, 2003: 69, figs 72-76.

Citations

None.

New records

NICOSIA: Agios Sozomenos, near Dali, 2 ♀♀, under stones in dry grassland, 30.IV.2007, 1 ♂, 29.IV.2013 (CAR-S), 1 ♂ (CRS); Dali, 2 ♂♂, under stones in riverbed, 12.V.2007 (CAR-S); road Pedoulas-Lemithou, 3 ♂♂ 1 ♀, pitfalls in *Pinus nigra* and *P. brutia* forest, 6.IV. - 8.VI.2014 (CMH).

PAPHOS: Kidasi N., along Diarizos River, 300m, 1 ♂ 1 ♀, under stones, 21.V.2011 (CRB).

Distribution: Circum-Mediterranean. New to Cyprus.

Zelotes tenuis* (L. Koch, 1866)*Identification**

Senglet, 2011: 523, figs 40-49, 72.

Citations

None.

New records

LARNACA: Achna Reservoir, 50m, 2 ♂♂ 2 ♀♀, under stones and in litter bordering lake, 16.V.2011 (CRB), 1 ♂ 1 ♀, 27.V.2011 and 6 ♂♂ 3 ♀♀, pitfalls at same site, 15 - 27.V.2011 (CRB); Dipotamos Reservoir, 150m, 1 ♂, herbs and stones bordering lake, 28.IV.2010 (CRB); Larnaca SW, Hala Sultan Tekke mosque, 50m, 11 ♂♂ 10 ♀♀, pitfalls in salt marsh, 15-28.V.2011 (CRB).

LIMASSOL: Akrotiri Peninsula, edge of central salt pan, 1 ♂ 1 ♀, under stones and debris in *Salicornia*, 27.IV.2007 (CAR-S); Alassa SE, near river Limnatis, under stones in dry grassland, 5.V.2007 (CAR-S), 2 ♂♂ 1 ♀ (CRS).

NICOSIA: Athalassa National Forest Park, 2 ♂♂, under stones in pine plantation, 2.V.2013; same site, 4 ♂♂ 4 ♀♀, under stones and in deep eucalyptus litter, 2.V.2013; same site, 3 ♂♂ 1 ♀, 8.V.2013 (CAR-S); Dali, 2 ♂♂, under stones in riverbed, 12.V.2007 (CAR-S), 1 ♀, in garden, VII.2012 (CDM); Lympia, Lympia Reservoir, 2 ♀♀, in rushes below dam wall, 9.V.2013 (CAR-S), same site, 2 ♂♂ (CDM); Marathasa Dam, 19 ♂♂ 10 ♀♀, pitfalls in riverside vegetation, 7.V. - 10.VII.2016 (CMH); Pano Amiantos, 1 ♀, pitfalls in *Pinus brutia* forest, 6.IV. - 8.VI.2014 (CMH).

PAPHOS: Avakas gorge, 50m, 1 ♂, litter in citrus yard at entrance of gorge, 30.IV.2010 (CRB); Kato Akourdaleia, 1 ♀, in garden, VIII.2005 (CDM).

Distribution: Circum-Mediterranean, USA. New to Cyprus.

Zelotes zekharya* Levy, 2009*Identification:**

Levy, 2009: 29, figs 63-64 (♂); Chatzaki & Russell-Smith, 2017: 251, figs 41-42 (♀).

Citations

NICOSIA: Agridi, near Dali (Chatzaki & Russell-Smith, 2017).

New records:

NICOSIA: Platania, near Scout camping site, 8 ♂♂ 2 ♀♀, pitfalls in *Pinus brutia* forest, IV - VII.2017, M. Hadjiconstantis leg. (CRB, CMH).

Distribution: Iran, Israel, Cyprus.

Zelotes sp.

At least two *Zelotes* species were captured that could not be identified, even the most abundantly collected one. Also, it is often difficult to match males and females, so some species will eventually be described in a future paper, some will remain undescribed.

Family Hahniidae

Iberina candida (Simon, 1875)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LIMASSOL: Fasouri, Akrotiri Peninsula, 1 ♀, in reed litter, 4.V.2007 (CAR-S); Pano Platres, Caledonia Waterfall, 3 ♀♀, in litter in rocky stream valley, 4.V.2007 (CAR-S); Pano Platres, 1050m, 1 ♀, litter near Mesa Potamos Waterfalls, 23.V.2011 (CRB).

Distribution: Europe, North Africa. New to Cyprus.

Family Hersiliidae

Hersiliola macullulata (Dufour, 1831)

Identification

Levy, 2003: 28, figs 57-60; Marusik & Fet, 2009: 81, figs 4.1, 5.1, 6.1.

Citations

None.

New records

FAMAGUSTA: Cape Greco, 1 ♀, under stones in phrygana, 3.V.2013 (CAR-S).

NICOSIA: Agios Sozomenos, near Dali, 1 ♂ 1 ♀, under stones in dry grassland, 30.IV.2007, 1 ♀, on limestone ridge in disturbed phrygana, 30.IV.2007 (CAR-S), 1 ♂ (CRS); Cedar Valley Forest, 3 ♀♀, under stones by track, 29.IV.2007 (CRS); Dali,

Idalion Archaeological Site, 1 ♀, under stones in phrygana, 30.IV.2013 (CDM).

PAPHOS: Akamas Peninsula, Avakas Gorge, 1 ♀, under stone, 27.III.1998, coll. J. Murphy (MMUE); Kinousa, 1 ♀, under stone in pine wood, 28.III.1998, coll. J. Murphy (MMUE); Neo Chorio, 2 ♀♀, under stones in field, 20.III.1998, coll. J. Murphy (MMUE); Smigies, 1 ♀, under stones in hillside scrub, 26.III.1998, coll. J. Murphy (MMUE);

Distribution: Mediterranean, Mali, Yemen. New to Cyprus.

Hersiliola cfr. simoni (O. Pickard-Cambridge, 1872)

Identification

Levy, 2003: 25, figs 47-56; Marusik & Fet, 2009: 82, figs 4.2, 5.2, 6.2-3.

Citations

None.

New records

FAMAGUSTA: Cape Greco, Ayia Napa, 35m, 1 ♀, stones in phrygana, 27.IV.2010 (CJVK); Davlos W., 25m, 2 ♀♀, stones in phrygana near the beach, 25.V.2011 (CRB); Flamoudi W., 25m, 2 ♂♂ 3 ♀♀, stones and phrygana near the beach, 25.V.2011 (CJVK); Karpasia Peninsula, Cape Apostolos Andreas, 70m, 1 ♀, stones in grassland, 16.V.2011 (CRB).

KERYNEIA: Panagia Apsinthiotissa Monastery ruins, 350m, 1 ♂, stones in clearing in *Pinus* forest, 24.V.2011 (CJVK).

LIMASSOL: 10 km S. of Troodos, 1 ♀, under stone in *Pinus brutia* forest, 19.IV.2017 (CAR-S).

NICOSIA: Agios Sozomenos, near Dali, 1 ♀, under stones in dry grassland, 20.IV.2017 (CAR-S); Cedar Valley Forest, 2 ♀♀, under stones by track, 29.IV.2007 (CAR-S); between Cedar Valley and Stavros tis Psokas, 4 ♀♀, under stones in *Pinus nigra* forest, 29.IV.2007 (CRS); Elia-Angolemi road, 100m, 1 ♀, stones in grassland, rubbish in dry riverbed, 18.V.2011 (CJVK); Kampos NE, Xeros River, 550m, 1 ♀, stones in riverbed, 20.V.2011 (CJVK); Machairas Forest near Kionia, 1300m, 2 ♀♀, stony phrygana, 5.V.2010 (CJVK).

PAPHOS: Akamas Peninsula Cape Geronnisos S., 1 ♂ 1 ♀, under stones in dry phrygana, 3.V.2007 (CAR-S), 1 ♂ 2 ♀♀ (CRS); Akamas Peninsula, Kioni, track along the sea, 10m, ♂♂ 5 ♀♀, stones in *Juniperus* phrygana, 30.IV.2010 (CJVK); Akamas Peninsula, Smigies, 352m, 2 ♀♀, maquis,

12.III.2018 (CKHK); Kinousa SE, 400m, 1 ♂ 5 ♀♀, under stones and litter in *Pinus* forest, 1.V.2010 (CJVK); 1 km N.E. of Pegeia, 1 ♀, in pine wood, 30.IV.1982, coll. A. Stubbs (MMUE); Pegeia, Agios Georgios, rocky shore, 1 ♀, 13.III.2018 (CKHK).

Comments

The specimens cited above are closely related to *Hersiliola simoni* but there are some differences. Further research is necessary to establish their exact identity.

Distribution: Mediterranean, Nigeria. New to Cyprus.

Family Linyphiidae

Agyneta fuscipalpa (C. L. Koch, 1836)

Identification

Citations

None.

New records

LIMASSOL: Amathus, dry valley along the highway, 1 ♂ 2 ♀♀, beating from vegetation, 25.IV.1986 (NHMW).

Distribution: Palearctic. New to Cyprus.

Agyneta pseudorurestris (Wunderlich, 1980)
Agyneta pseudorurestris Wunderlich, 1980: 319.

Identification

Bosmans, 2006: 140, figs 49-54.

Citations

Cyprus, without precise locality (Wunderlich, 1980).

New records

FAMAGUSTA: Salamis S., Silver Beach, 5m, 2 ♀♀, pitfalls in salt marsh, 15 - 27.V.2011 (CRB). KERYNEIA: Pentadactylos Range, Fterich S., 800m, 1 ♀, under stones in grassland, 17.V.2011 (CRB).

LARNACA: Achna Reservoir, 50m, 2 ♂♂ 1 ♀, pitfalls in marshy area around lake, 15 - 27.V.2011 (CRB); Delikipos, 1 ♀, in moist grass around small dam, 18.IV.2017 (CAR-S); Dipotamos Dam, 150m, 1 ♀, herbs and stones bordering lake, 28.IV.2010 (CRB); Larnaca salt lake, 5m, 4 ♀♀, under stones and litter in salt

marsh, 27.IV.2010 (CRB), 1 ♀, pitfalls at same site, III; - V.2011 (CRB); Larnaca SW, Hala Sultan Tekke mosque, 50m, 5 ♂♂ 4 ♀♀, pitfalls in salt marsh, 15-28.V.2011 (CRB); Kornos Picnic site, 350m, 2 ♀♀, beating in *Pinus* forest, 28.V.2011 (CRB); Stavrovouni Monastery, 350m, 1 ♂, on bark of *Pinus* trees, 28.IV.2010 (CRB). LIMASSOL: Akrotiri Peninsula E., 5m, 1 ♀, under stones and litter in salt marsh, 29.IV.2010 (CRB); Akrotiri Peninsula, near British airbase, 1 ♀, under stone in phrygana, 4.V.2007 (CRS); Alassa SE, 2 ♀♀, in grass at edge of river Limnatis, 5.V.2007 (CAR-S), 1 ♀ (CRS); Fasouri reedbeds, 1 ♂, in reed litter, 27.IV.2007 (CRS); Pano Platres, track near Caledonia Waterfall, 2 ♂♂ 6 ♀♀, under stones at edge of *Pinus nigra* forest, 26.IV.2007 (CAR-S); Pano Platres, near top of road to Millomeris Waterfalls, 1 ♀, under stones in abandoned vineyard, 28.IV.2007 (CAR-S); Troodos, near top of Mount Olympos (Chionistra), 4 ♂♂ 2 ♀♀, beaten from *Pinus*, 28.IV.2007 (CRS); Troodos S., 1350m, 1 ♀, under stones in mixed *Quercus-Pinus* forest, 3.V.2010 (CRB); Troodos, Mount Olympos (Chionistra), 1900m, 2 ♂♂, under stones in *Pinus* forest, 23.V.2011 (CRB); Troodos S., road to Pano Platres, 1 ♀, under stones in *Pinus nigra* forest, 28.IV.2007 (CAR-S), 2 ♀♀ (CAR-S); Troodos Square, 1 ♂, pitfalls in open, mixed *P. nigra* and *J. foetidissima* forest, 6.IV. - 8.VI.2014 (CMH).

NICOSIA: Agios Sozomenos, near Dali, 1 ♂, under stones in dry grassland, 29.IV.2013 (CAR-S); Agridi, near Dali, 1 ♀, in house, V.2009; idem, 1 ♀, in house, IV.2012 (CDM); Athalassa National Forest Park, Nicosia, 1 ♀, under stones in pine plantation, 8.V.2013 (CAR-S); between Cedar valley and Stavros tis Psokas, 1 ♀, under stones in *Pinus nigra* forest, 29.IV.2007 (CAR-S); Kapedes S., 600m, 1 ♀, herbs and stones along rivulet, 5.V.2010 (CRB); Lakatamia, 1 ♀, in olive grove, 1.I.-1.X. 2016 (CMH); Lefka NW, 120m, 1 ♀, beaten from shrubs in fruit plantation, 18.V.2011 (CRB); Limnitis River, Kato Pyrgos SE, 200m, 1 ♀, under stones in *Pinus* forest, 2.V.2010 (CRB); Lympia Reservoir, Lympia, 1 ♂, in clump of rushes below dam wall, 9.V.2013 (CAR-S), 1 ♀, 9.V.2013 (CDM).

PAPHOS: Akamas Peninsula, wood near Agios Minas church, 1 ♀, in thick pine litter, 2.V.2007 (CRS); Aphrodites Bath, 1 ♀, under stones in meadow, 15.IV.2017 (CAR-S); Evretou Reservoir, 350m, 1 ♀, grassland around lake, 1.V.2010 (CRB); Evretou Reservoir, Stavros tis Psokas river, 2 ♂♂ 1 ♀, 20.III.2018 (CKHK); Kato Koutrafas- Astromeritis road, 120m, 1 ♂ 1 ♀

♀, herbs on pond shore, beaten from shrubs in dry riverbed, 18.V.2011 (CRB); Kato Paphos, 1 ♂ 1 ♀, beating tall herbs near hotel, 4.IV.1997 (CJB); Pegeia, Pikni Forest, 346m, 1 ♀, pitfalls in former carob plantation, 11.III. - 23.III.2018 (CKHK); Pegeia, Pikni Forest, 374m, 3 ♂♂ 2 ♀♀, pitfalls in open ruderal site, 14.III. - 23.III.2018 (CKHK).

Distribution: Spain, Cyprus, Sardinia, Algeria, Tunisia.

Agyneta simplicitarsis (Simon, 1884)

Identification: <https://araneae.nmbe.ch/>.

Citations

None

New records

LIMASSOL: Akrotiri Peninsula, 3 ♀♀, in reed litter, 4.V.2007 (CRS).

Distribution: Europe, Russia, Kazakhstan. New to Cyprus.

Alioranus pastoralis (O. Pickard-Cambridge, 1872)

Hubertinus planiceps Wunderlich, 1980: 124.
Alioranus pastoralis; Tanasevitch, 2011: 51.

Identification

Wunderlich, 1980: figs 8-16.

Citations

FAMAGUSTA: Agia Marina Kalograias E. (Tanasevitch, 2011).
NICOSIA: Cedar valley (Tanasevitch, 2011).
LIMASSOL: near Platres, 1300m (Wunderlich, 1980).

New records

FAMAGUSTA: Gialousa E., Agios Thrysos, 20m, 2 ♀♀, litter under fig tree, 18.III.2011 (CRB); Paralimni lake, 65m, 1 ♀, litter around dried lake, 27.IV.2010 (CRB).

KERYNEIA: Komi Kebir, 150m, 1 ♀, pitfalls in *Pinus* forest, XI.2010 - III.2011 (CRB); Saint Hilarion castle, 610m, 1 ♀, under stones in *Pinus* forest, 22.XI.2010 (CRB); Vouni ruins, 250m, 1 ♀, under stones, 20.III.2011 (CRB).

LARNACA: Larnaca, 9.XI.1932, 1 ♀, A. Ball leg. (KBIN).

LIMASSOL: Akrotiri Peninsula, Fasouri reed beds, 1 ♂, in reed litter, 27.IV.2007 (CRS); Alissa S.E., near river Limnatis, 1 ♂ 2 ♀♀, under stones in dry grassland, 5.V.2007 (CRS);

Amathus, 1 ♂, dry valley, beaten from vegetation, 25.IV.1986 (NHW); Mount Olympos (Chionistra), S. slope, 1900m, 4 ♀♀, under stones in open *Pinus* forest, 4.V.2010 (CRB); Pano Platres, Caledonia Waterfall, 1 ♂ 3 ♀♀, litter by rocky track, 26.IV.2007 (CAR-S), 1 ♂ (CRS); 1 ♂ 10 ♀♀, in *P. nigra* litter by track, 26.IV.2007; 1 ♀, 7.V.2013 (CAR-S); Pano Platres, 1050m, 2 ♀♀, litter near Mesa Potamos Waterfall, 23.V.2011 (CRB); Troodos S., road to Pano Platres, 1 ♂, under stones in *Pinus nigra* forest, 28.IV.2007 (CAR-S); Troodos, near top Mount Olympos (Chionistra), 1 ♂ 7 ♀♀, beating *Cyprus* and *Pinus*, 28.IV.2007 (CAR-S), 3 ♂♂ (CRS). NICOSIA: Cedar Valley Forest, 3 ♀♀, under stones, 29.IV.2007 (CAR-S), 1 ♀ (CRS); Kapedes S., 600m, 1 ♀, herbs and stones along rivulet, 5.V.2010 (CRB); Kato Koutrafas - Astromeritis road, 120m, 1 ♂ 1 ♀, under stones in dry riverbed, 18.V.2011 (CRB); Lakatamia, 1 ♀, in olive grove, 1.I.-1.X. 2016 (CMH). PAPHOS: Akamas Peninsula, between Cape Drepiano and Lara Bay, 1 ♀, beating bushes, 2.IV.1997 (CJB); near Avakas Gorge, 1 ♂ 1 ♀, under stones in field with tall grass, 14.IV.2017 (CAR-S), 1 ♂, beaten from junipers on rocky hillside (CAR-S); Kinousa, 1 ♀, under stone in pine wood, 28.III.1998, coll. J. Murphy (MMUE); Kelefos bridge, dam on Diarizos River, 550m, 1 ♀, under stones, 21.V.2011 (CRB); Pegeia, Pikni Forest, 346m, 6 ♂♂ 3 ♀♀, pitfalls in former carob plantation, 11.III. - 23.III.2018 (CKHK); Pegeia, Pikni Forest, 366m, 1 ♂, pitfalls in pine forest, 11.III. - 23.III.2018 (CKHK); Pegeia, Pikni Forest, 374m, 10 ♂♂ 3 ♀♀, pitfalls in open ruderal site, 14.III. - 23.III.2018 (CKHK).

Distribution: Crete, Cyprus, Israel, Tajikistan.

Araeoncus cypriacus Tanasevitch, 2011
Araeoncus cypriacus Tanasevitch, 2011: 31, figs 1-5.

Identification

Tanasevitch, 2011: 31, figs 1-5.

Citations

PAPHOS: Polis W., Baths of Aphrodite (Tanasevitch, 2011; type locality).

New records

LIMASSOL: Pano Platres, Millomeris Waterfalls, 1 ♂, under rocks and in litter, 28.IV.2007 (CRS).

Distribution: An endemic species of Cyprus.

***Araeoncus humilis* (Blackwall, 1841)**

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LIMASSOL: Alassa SE, 2 ♂♂ 1 ♀, under pebbles and in grass at edge of river Limnatis, 5.V.2007 (CAR-S).

Distribution: Palaearctic, New Zealand. New to Cyprus.

***Bathyphantes gracilis* (Blackwall, 1841)**

Identification: <https://araneae.nmbe.ch/>

Citations

None

New records

LIMASSOL: Akrotiri Peninsula, Fassouli reed beds, 1 ♂ 2 ♀♀, in reed litter, 27.IV.2007, 1 ♀, in reed litter, 30.IV.2013 (CAR-S); 1 ♂, same site, 4.V.2007 (CAR-S).

Distribution: Holarctic. New to Cyprus.

***Canariphantes tenuerrimus* (Simon, 1929)**

Identification

Bosmans & Bouragba, 1992: 259, figs 28-34 (sub *Lepthyphantes homonymus*); Tanasevitch, 2011: 57, figs 22-26 (sub *Canariphantes homonymus*).

Citations

None.

New records

FAMAGUSTA: Agios Sergios, 30m, 5 ♀♀, in pitfalls in *Pinus* plantation, 15 - 27.V.2011 (CRB); Kantara E. 650m, 1 ♀, in pitfalls in *Pinus* forest, XI.2010 - III.2011 (CRB).

KERYNEIA: Chaleuka Forest Station, road to herbarium, 1 ♀, sweeping in mixed *Pinus*, *Arbutus* and *Cystus* forest, 12.V.2001 (CRS).

LIMASSOL: Akrotiri Peninsula, Fasouri reed beds, 1 ♂ 2 ♀♀, in reed litter, 27.IV.2007, 1 ♀, in reed litter, 30.IV.2013 (CAR-S), 1 ♂, 4.V.2007 (CRS); Mount Olympos (Chionistra), S. slope, 1900m, 1 ♀, under stones in open *Pinus* forest, 4.V.2010 (CRB).

NICOSIA: Lympia, Lympia Reservoir, 2 ♀♀, in grass tussocks, 9.V.2013 (CAR-S).

Distribution: Mediterraneen. New to Cyprus.

***Cresmatoneta mutinensis* (Canestrini, 1868)**

Cresmatoneta mutinensis; Tanasevitch, 2011: 58.

Identification

Pesarini, 1997: 253, fig 102.

Citations

PAPHOS: Polis (Tanasevitch, 2011).

New records

FAMAGUSTA: Gialousa E., Agios Thrysos, 20m, 1 subadult ♂ 1 subadult ♀, under stones, 16.V.2011 (CRB); Gialousa E. Agia Triada, 50m, 1 subadult ♂ 1 subadult ♀, under stones in ruins, 18.III.2011 (CRB).

NICOSIA: Kato Koutrafas, Astromeritis road, 120m, 3 ♀♀, beaten from shrubs in dry riverbed, 18.V.2011 (CRB); Nicosia, Athalassa National Forest Park, 1 ♂ 1 ♀, under stones in pine plantation, 8.V.2013 (CAR-S).

PAPHOS: Baths of Aphrodite, 1 ♀, in damp grass near small stream, 15.IV.2017 (CAR-S); Evretou Reservoir, 350m, 1 ♀, under stones in grassland around lake, 1.V.2010 (CJVK).

Distribution: Mediterranean.

***Dactylopisthes digiticeps* (Simon, 1881)**

Identification

Bosmans *et al.* 2009: 63, figs 1-6.

Citations

None.

New records.

LARNACA: Achna Reservoir, 50m, 4 ♂♂ 4 ♀♀, pitfalls in marshy area bordering lake, 15 - 27.V.2011 (CRB).

LIMASSOL: Fasouri, Akrotiri Peninsula, 1 ♂ 18 ♀♀ in reed litter, 27.IV.2007, 8 ♀♀, 27.IV.2007 (CRS), 3 ♂♂ 36 ♀♀, 4.V.2007 (CAR-S).

PAPHOS: Diarizos river, 1 ♀, 445m, open river bank, 16.III.2018, K.-H. & U. Kielhorn leg. (CKHK); Evretou Reservoir, Stavros tis Psokas river, 1 ♂, 20.III.2018 (CKHK); Kidasi village, Diarizos Valley, 440m, 1 ♀, 16.III.2018 (CKHK).

Distribution: Mediterranean. New to Cyprus.

***Diplocephalus graecus* (O. P-Cambridge, 1873)**

Identification

Bosmans, 1996: 136, figs 43-50.

Citations

None.

New records.

KERYNEIA: Road to Buffavento, 1 ♂, under stones in woods, 15.IV.2001 (CAR-S).
 LIMASSOL: Pano Platres, below Kalidonia Falls, 1 ♀, in herbs, 1.V.2007 (CAR-S); Pano Platres, Myomeris Falls, 2 ♀♀, litter near falls, 28.IV.2007 (CAR-S); Troodos, near top of Mount Olympos (Chionistra), 1 ♀, beaten from *Cyprus* and *Pinus*, 28.IV.2007 (CAR-S).
 PAPHOS: Evretou Reservoir, Stavros tis Psokas river, 1 ♀, 20.III.2018 (CKHK).

Distribution: Mediterranean. New to Cyprus.

Diplocephalus turcicus* Brignoli, 1972*Identification**

Bosmans *et al.* 2009: 63, figs 7-12.

Citations

None.

New records.

PAPHOS: Avakas Gorge, 50m, 1 ♀, litter in citrus grove, 30.IV.2010 (CRB).
 LIMASSOL: Pano Platres, Caledonian Waterfalls, 1 ♀, forest litter, 26.IV.2007 (CRS).

Distribution: Greece, Turkey. New to Cyprus.

***Diplocephalus* sp.**

An unidentified *Diplocephalus* species will be described in a further paper.

***Erigone dentipalpis* (Wider, 1834)**
Erigone dentipalpis; Tanasevitch, 2011: 64.

Identification: <https://araneae.nmbe.ch/>.

Citations

LIMASSOL: Moniatis (Tanasevitch, 2011).

New records

FAMAGUSTA: Paralimni Lake, 65m, 6 ♂♂ 5 ♀♀, herbs and litter around dried up lake, 27.IV.2010 (CRB); Prastio S., Agios Andronikos, 30m, 1 ♀, under stones in *Eucalyptus* forest, 27.V.2011 (CRB).

LARNACA: Achna Reservoir, 50m, 15 ♂♂ 6 ♀♀, pitfalls in marshy area bordering lake, 15 - 27.V.2011 (CRB), 4 ♀♀, 15.V.2011 (CRB); Delikipos, 2 ♂♂ 5 ♀♀ in moist grass around small dam, 18.IV.2017 (CAR-S); Dipotamos Reservoir, 150m, 2 ♂♂ 5 ♀♀, herbs and stones

bordering lake, 28.IV.2010 (CRB); Evretou Reservoir, 350m, 1 ♀, under stones around lake, 1.V.2010 (CRB); Larnaca salt lake, 5m, 2 ♂♂ 1 ♀, under stones and litter in salt marsh, 27.IV.2010 (CRB); Larnaca SW, Hala Sultan Tekke mosque, 50m, 2 ♂♂ 1 ♀, pitfalls in salt marsh, 15-28.VI.2011 (CRB).

LIMASSOL: Alassa SE, 5 ♂♂ 5 ♀♀, under pebbles and in grass at edge of river Limnatis, 5.V.2007 (CAR-S), 1 ♂, (CRS); Erimi W., 1 ♀, grass heathland with scattered stones, 21.IV.1986 (NHMW).

NICOSIA: Agridi, near Dali, 1 ♂ 1 ♀, in house, V.2011, in garden 1 ♀ (CDM); Akrotiri Peninsula, 1 ♂, edge of central salt pan, in *Salicornia* marsh, 17.IV.2017 (CAR-S); Agios Sozomenos, near Dali, 6 ♂♂ 7 ♀♀, wet area by stream, 30.IV.2007 (CAR-S); Kapedes S., 600m, 2 ♂♂ 2 ♀♀, herbs and stones along rivulet, 5.V.2010 (CRB); Kato Koutrafas- Astromeritis road, 120m, 4 ♀♀, under stones in dry riverbed, 18.V.2011 (CRB); Lympia Reservoir, Lympia, 1 ♂, under stones below dam wall, 9.V.2013 (CAR-S), 1 ♂ (CDM); Strovolos, 1 ♂, around houses, 1.V.2016 (CMH).

PAPHOS: Akamas Peninsula, Agios Minas, 1 ♀, wet area by stream, 2.V.2007 (CAR-S); Akamas, entrance to Avakas Gorge, 50m, 1 ♂ 2 ♀♀, litter in citrus yard, 30.IV.2010 (CRB); Akamas Peninsula, Lara Bay, 1 ♂, under stones, 3.IV.1997 (CJB); Avakas Gorge, 150m, under stones in gorge, 22.V.2011 (CRB); Evretou Reservoir, Stavros tis Psokas river, 1 ♀, 20.III.2018 (CKHK); Kelefos bridge, dam on Diarizos River, 550m, 1 ♀, under stones, 21.V.2011 (CRB); Mavrokolympos Reservoir, NE Potima, 150m, 1 ♀, under stones along lake, 22.V.2011 (CRB); Pegeia, Coral Bay, 1 ♀, under stones, 31.III.1997 (CJB); Pegeia, Pikni Forest, 374m, 1 ♂, pitfalls in open ruderal site, 14.III. - 23.III.2018 (CKHK); Polis, 5m, 1 ♀, floating in swimming pool of hotel, 1.V.2010 (CRB).

Distribution: Holarctic.

Erigonoplus spinifemuralis* Dimitrov, 2003*Identification**

Bosmans *et al.* 2013: 13, figs 5-10.

Citations

None.

New records

NICOSIA: Dali, 1 ♂, in garden, IV.-V.2008, D.

McCowan leg., IV. - V.2010 (CDM).

PAPHOS: Neo Chorio, 1 ♀, on bushes, 30.III.1998, coll. J. Murphy (MMUE).

Distribution: Bulgaria, Greece, Ukraine, Turkey, Kazakstan. New to Cyprus

Frontinellina frutetorum (C. L. Koch, 1835)

Frontinellina frutetorum; Bosmans, 1994: 235; Logunov, 2013: 5.

Identification: <https://araneae.nmbe.ch/>

Citations

Without precise locality (Kulczyński, 1908, sub. *Lepthyphantes congener*, misidentification).

LIMASSOL: Akrotiri Salt Lake (Logunov, 2013); Pano Platres (Logunov, 2013).

PAPHOS: Avakas Gorge (Logunov, 2013).

New records

KERYNEIA: Panagia Apsinthiotissa Monastery ruins, 350m, 1 ♀, herbs in clearing in *Pinus* forest, 24.V.2011 (CRB); Pentadactylos Range, Ftericha S., 800m, 2 ♀♀, in grassland, 17.V.2011 (CRB); Saint Hilarion Castle W, 600m, 1 ♀, beaten from shrubs, 17.V.2011 (CRB).

LARNACA: Delikipos, near Kornos, 1 ♀, under stones in grass of open pine wood, 9.V.2013 (CAR-S); Larnaca SW., Hala Sultan Tekke mosque, 5m, 2 ♀♀, herbs in salt marsh, 16.III.2011 (CRB); Mosfiloti, 1 ♀, under stone in dry eroded grassland on hillside, 12.IV.2017 (CAR-S).

LIMASSOL: Akrotiri Peninsula, near British Airbase, 3 ♀♀, swept in pine wood, 4.V.2007 (CAR-S); Akrotiri Peninsula N., 5m, 1 ♀, herbs in *Eucalyptus* forest, 29.IV.2010 (CRB); Akrotiri Peninsula, 1 ♀, edge of central salt pan, in *Salicornia* marsh, 27.IV.2007 (CAR-S), 1 ♀, 17.IV.2017 (CAR-S); Amathus, 1 ♂ 1 ♀, under stones on plants in dry valley, 6.IV.1986 (NHW); Armenochori, 1 ♀, on bushes, 14.IV.1986 (NHW); Germasogeia, 4 ♀♀, along the stream below the dam on plants, 10.IV.1986 (NHW); Kolossi castle, 1 ♀, walls in the castle area, 11.IV.1986 (NHW); Nikitari S., Panagia tou Asinou, 1 ♀, under stones in phrygana, 9.V.2005 (CAR-S); gorge below Pano Platres, 1 ♂, in webs on shrubs, 5.V.2007 (CAR-S); Pano Platres, 1050m, 1 ♀, litter near Mesa Potamos water fall, 23.V.2010 (CRB); Pano Platres, near top of road to Millomeris Waterfalls, 1 ♀, in litter, 28.IV.2007 (CAR-S); Pano Platres, below Caledonia Waterfall, 1 ♀, swept from herbs and

shrubs, 1.V.2007 (CAR-S); Pano Platres S., along Kryos River, 1050m, 1 ♀, herbs in *Pinus* forest, 3.V.2010 (CJVK); Pissouri Beach, 1 ♀, 27.IV.1982, coll. A. Stubbs (MMUE); Pissouri, 1 ♀, on bush, 24.III.1998, coll. J. Murphy (MMUE); Platres, 3 ♀♀, on walls, 22.IV.1986 (NHW); Trooditissa Monastery, Trooditissa river, 1360m, 1 ♂, beaten from shrubs, 19.III.2018 (CKHK).

NICOSIA: Ayia Koroni, Agios Epifanios, 1 ♂, in house, IV.2005 (CDM); Agios Sozomenos, near Dali, 2 ♀♀, in disturbed phrygana, 30.IV.2007 (CAR-S); Agridi, near Cedar Valley Forest, 1180m, 1 ♂ 1 ♀, beating in *Cedrus* forest, 19.V.2010 (CRB); Dali, 1 ♂ 1 ♀, in field, IV.2007, 1 ♂ 1 ♀, in garden 14.III.2010, 1 ♀, on wall inside house, I.2011, 1 ♂, on wall inside house, IV.2012 (CDM); Dali, Lymbourena Hill, 1 ♂, in field, IV.2004 (CDM); Kapedes S., 600m, 2 ♀♀, herbs and stones along rivulet, 5.V.2010 (CRB); Lakatamia, 1 ♀, in olive grove, 1.I.-1.X. 2016 (CMH); Nicosia, Pallouriotissa, 1 ♂, in building, V.2006. (CDM); Lympia Reservoir, Lympia, 1 ♀, in grass tussocks, 9.V.2013 (CAR-S); Oikos N., Xerargaka picnic site, 350m, 1 ♀, beaten from shrubs in *Pinus* forest, 20.V.2010 (CRB); Pano Amiantos, 1 ♂, pitfalls in *Pinus brutia* forest, 6.IV. - 8.VI.2014 (CMH); Pedoulas, 1 ♀, by woodland stream, 3.V.1982, coll. A. Stubbs (MMUE); near Prodromos reservoir, 1 ♂, pitfalls in *Pinus nigra* forest, 6.IV. - 8.VI.2014 (CMH).

PAPHOS: Avakas Gorge, 150m, 1 ♀, in herbs in gorge, 22.V.2010 (CRB); Evretou Reservoir, 350m, 3 ♀♀, on shrubs around lake, 1.V.2010 (CRB); Evretou Reservoir, Stavros tis Psokas river, 1 ♂ 4 ♀♀, 20.III.2018 (CKHK); Gialia, 1 ♂ 1 ♀, on bush in pine wood, 25.III.1998, coll. J. Murphy (MMUE); Kato Akourdaleia, 1 ♂ 1 ♀, in garden, VIII.2005 (CDM); Kelefos bridge, dam on Diarizos River, 550m, 1 ♀, beaten from shrubs, 21.V.2011 (CRB); Kidasi N., along Diarizos River, 300m, 1 ♀, beaten from shrubs, 21.V.2011 (CRB); Kinousa, 1 ♂ 1 ♀, on shrub in pine wood, 19.III.1998, coll. J. Murphy (MMUE); Kinousa SE, 400m, 5 ♀♀, shrubs in *Pinus* forest, 1.V.2010 (CJVK, CRB); Kourdaka, Ezousa river, 1 ♂ 1 ♀, 14.III.2018 (CKHK); near Kritou Terra, 1 ♀, swept from grass in dry fallow, 14.IV.2017 (CAR-S); Mandria, 1 ♂, in scrub, 6.V.1982. coll. A. Stubbs (MMUE); Mavrokolympos Reservoir, NE Potima, 150m, 1 ♂, herbs along lake, 22.V.2010 (CRB); Mavrokolympos Reservoir, 1 ♀, 13.III.2018 (CKHK); Neo Chorio, 1 ♂, in grass in field, 30.III.1998, coll. J. Murphy (MMUE); Paphos, NW of the city, 2 ♂♂ 2 ♀♀,

under stones at the edge of a large sand pit, 24.IV.1986 (NHW); Paphos, near Tombs of the Kings, 25m, 2 ♀♀, on herbs, 23.III.2011 (CRB); Pegeia, Pikni Forest, 346m, 3 ♀♀, in former carob plantation, 11.III.2018, same site, 1 ♂ 1 ♀, 23.III.2018 (CKHK); near Souskiou, 1 ♀, on bush in dry grassland, 1.V.2013 (CAR-S); Vretsia W., near Kelefos bridge, 650m, 1 ♀, beaten from shrubs, 19.V.2010 (CRB).

Distribution: Palaearctic.

***Gnathonarium dentatum* (Wider, 1834)**

Identification: <https://araneae.nmbe.ch/>.

Citations

NICOSIA: Nicosia (Tanasevitch, 2011).

New records

LIMASSOL: Akrotiri Peninsula, 1 ♂, margin of central salt lake, 7.V.1972, coll. A. Stubbs (MMUE); Akrotiri Peninsula, Fasouri reed beds, 2 ♂♂ 6 ♀♀ in reed litter, 27.IV.2007, 3 ♂♂ 17 ♀♀, 30.IV.2013, 10 ♂♂ 7 ♀♀, 4.V.2007 (CAR-S), 4 ♀♀, 30.IV.2013 (CDM).

NICOSIA: LYMPIA RESERVOIR, Lympia, 2 ♀♀, under stones below dam wall, 9.V.2013 (CDM).

PAPHOS: Avakas Gorge, 50m, 1 ♀, litter in gorge, 30.IV.2010 (CJVK), 1 ♀, stones in gorge, 5.IV.1997 (CJB).

Distribution:

Palaearctic.

***Gongyliellum murcidum* Simon, 1884**

Gongyliellum murcidum; Tanasevitch, 2011: 66.

Identification: <https://araneae.nmbe.ch/>.

Citations

LARNACA: Larnaca 6 km E., hotel Lordos (Tanasevitch, 2011).

LIMASSOL: Agios Dimitrios (Tanasevitch, 2011); Pano Platres (Tanasevitch, 2011); Phini-Agios Dimitrios road (Tanasevitch, 2011); Prodromos, 3 km S. (Tanasevitch, 2011).

NICOSIA: Cedar valley (Tanasevitch, 2011).

PAPHOS: Alonoudhi junction (Tanasevitch, 2011); Maa-Palaiocastro, Coral Bay (Tanasevitch, 2011).

New records

LIMASSOL: Pano Platres, track near Caledonia Waterfall, 20 ♂♂ 19 ♀♀, in patch of moist litter

in rocky valley, 26.IV.2007 (CAR-S), 4 ♂♂ (CRS).

PAPHOS: Kelefos bridge, 465m, deciduous wood, 2 ♀♀, 16.III.2018 (CKHK).

Distribution: Palaearctic.

***Improphanes cypriot* Tanasevitch, 2011**

Improphanes cypriot Tanasevitch, 2011: 67 (descr. ♂).

Identification

Tanasevitch, 2011: 67, figs 59-64; present paper, page 20.

Citations

FAMAGUSTA: Koma tou Gialou (Tanasevitch, 2011).

LARNACA: N. Larnaca airport (Tanasevitch, 2011; type locality).

New records

FAMAGUSTA: Agios Sergios, 30m, 5 ♂♂ 5 ♀♀, pitfalls in *Pinus* plantation, 15 - 27.V.2011 (CRB); Cape Greco, 1 ♀, in deep pine litter, 3.V.2013 (CAR-S).

LARNACA: Achna Reservoir, 50m, 1 ♀, under stones and litter bordering lake, 27.V.2011 (CRB); Larnaca salt lake, 10m, 4 ♂♂ 5 ♀♀, pitfalls around lake, XI.2010-III.2010 (CRB); Larnaca SW, Hala Sultan Tekke mosque, 50m, 1 ♀, in pitfalls in salt marsh, 15-28.V.2011 (CRB); Mosfiloti, 1 ♂, under stones in dry eroded grassland on hillside, 12.IV.2017 (CAR-S); Stavrovouni Monastery W., 350m, 1 ♀, pitfalls in open *Pinus* forest, XI.2010 - III.2011 (CRB).

LIMASSOL: Akrotiri Peninsula, Fasouri reed beds, 3 ♀♀ in reed litter, 4.V.2007 (CRS); Pano Platres, Caledonia Waterfall, 1 ♀, in litter near track, 26.IV.2007 (CAR-S); Troodos, near top of Mount Olympos (Chionistra), 1 ♀, under stones in open *Pinus nigra* forest, 28.IV.2007 (CRS); Troodos E., Livadi Tou Passia, 1750m, 1 ♂, pitfalls in peat marsh, III. - V.2011 (CRB); Troodos S., 1350m, 3 ♀♀, stones in mixed *Quercus-Pinus* forest, 3.V.2010 (CRB).

NICOSIA: Athalassa National Forest Park, Nicosia S., 3 ♂♂ 4 ♀♀, *Eucalyptus* litter, 2-8.V.2013 (CRS), 3 ♀♀, under stones in pine plantation, 8.V.2013 (CAR-S); Kato Koutrafas - Astromeritis road, 120m, 1 ♂ 3 ♀♀, herbs on pond shore, 18.V.2011 (CRB); Mosfiloti, 1 ♂, under stone in dry eroded grassland on hillside, 12.IV.2017 (CAR-S).

PAPHOS: Aphrodites Bath, 1 ♂, under stones in meadow, 15.IV.2017 (CAR-S); Avakas gorge, 50m, 1 ♂ 2 ♀♀, litter in citrus yard at entrance of gorge, 30.IV.2010 (CRB); near Kidasi village, Diarizos Valley, 1 ♂, in flood debris by stream, 1.V.2013 (CAR-S); Evretou Reservoir, 350m, 1 ♀, shrubs and grassland around lake, 1.V.2010 (CRB); Smigies, W. Neo Chorio, 300m, 1 ♀, litter and stones in *Pinus* forest, 30.IV.2010 (CRB).

Distribution: Only known from Cyprus. It can co-occur with *Improphanes turok*, but this species mostly occurs at higher altitudes.

Improphanes turok Tanasevitch, 2011
Improphanes turok Tanasevitch, 2011: 69, figs 65-69 (descr. ♂, ♀).

Identification

Tanasevitch, 2011: 69, figs 65-69; present paper, page 20.

Citations

None.

New records

LIMASSOL: Kapedes, 1 ♀, *Pinus brutia* forest, pitfalls, 17.I. - 23.IV.2016 (CMH); Mount Olympos (Chionistra), 1900m, 1 ♀, under stones in *Pinus* forest, 28.IV.201 (CRB), 1 ♂ 1 ♀, in pitfalls in *Pinus* forest, III. - V.2011 (CRB); Pano Platres E., Mesa Potamos Waterfalls, 950m, 1 ♀, in litter in *Pinus* forest, 4.V.2010 (CRB); road Pedoulas-Prodromos, 2 ♀♀, pitfalls in *Pinus nigra* forest, 6.IV. - 8.VI.2014 (CMH); Prodromos S., Trooditissa picnic site, 1300m, 4 ♂♂ 1 ♀, pitfalls in open *Pinus* forest, XI.2010 - III.2011 (CRB); Prodromos E., near Prodromos dam, 1 ♀, in pitfalls in *Pinus* forest, XI.2010 - III.2010, 1 ♀, III. - V.2011 (CRB); Troodos E., Livadi Tou Passia, 1750m, 1 ♂, pitfalls in peat marsh, XI.2010 - III.2011 (CRB); Troodos S., 1350m, 3 ♀♀, stones in mixed *Quercus-Pinus* forest, 3.V.2010 (CRB).

NICOSIA: Cedar Valley Forest, 1180m, 1 ♀, under stone in forest, 28.IV.2017 (CAR-S).

PAPHOS: Agios Georgios E., Palaiomylos, 1250m, 1 ♀, beaten in mixed *Pinus* and *Quercus* forest, 4.V.2010 (CRB); Kelefos bridge, 465m, deciduous wood, 4 ♀♀, 16.III.2018 (CKHK); Pegeia, Pikni Forest, 346m, 2 ♀♀, in former carob plantation, 23.III.2018 (CKHK).

Distribution: Turkey. New to Cyprus.

Jacksonella bidens Tanasevitch, 2011
Jacksonella bidens Tanasevitch, 2011: 71.

Identification

Tanasevitch, 2011: 71, figs 70-76.

Citations

LIMASSOL: Prodromos S. (Tanasevitch, 2011; type locality).

NICOSIA: Above Ayia (Tanasevitch, 2011).

PAPHOS: Mamonia, bank of Diarizos (Tanasevitch, 2011).

New records

LARNACA: Livadia, 1 ♂, riverbed, 20.IV.2016 (CMH).

LIMASSOL: Fasouri, Akrotiri Peninsula, 1 ♀, reed beds, 4.V.2007 (CAR-S).

Distribution: Cyprus, Samos.

***Linyphia maura* Thorell, 1875**

Identification

Van Helsdingen, 1969: 41, figs 31-39; Bosmans, 2006: 136, figs 33-36.

Citations

None.

New records

PAPHOS: Akamas Peninsula, Neo Chorio, 1 ♀, swept from grasses, 2.V.2005 (CAR-S).

Distribution: Western Mediterranean. New to Cyprus.

***Linyphia mimonti* Simon, 1884**

Identification

Van Helsdingen, 1969: 68, figs 71-78.

Citations

None.

New records

NICOSIA: Pedoulas, 1 ♀, by woodland stream, 3.V.1982, coll. A. Stubbs (MMUE).

LIMASSOL: Agios Georgios E., Palaiomylos, 1250m, 9 ♀♀, beating in mixed *Pinus* and *Quercus* forest, 4.V.2010 (CJVK, CRB); Cedar Valley Forest, 1180m, 4 ♀♀, beating in *Cedrus*

forest, 19.V.2010 (CRB), 4 ♀♀, 29.IV.2007 (CAR-S), 1 ♀ (CRS); Cedar Valley, 1150m, 5 ♀♀, 21.III.2018, forest road, beaten from shrubs (CKHK); Pano Platres, 2 ♀♀, in webs on shrubs, 6.V.2007 (CAR-S); Pano Platres, below Caledonia Waterfall, 1 ♂ 3 ♀♀, swept from herbs and shrubs, 1.V.2007 (CAR-S); Pano Platres S., along Kryos River, 1050m, 1 ♀, beating in *Pinus* forest, 3.V.2010 (CJVK); Pano Platres E., Mesa Potamos Waterfalls, 950m, 3 ♀♀, beating in *Pinus* forest, 4.V.2010 (CJVK); Troodos S., 1350m, 3 ♀♀, beating in mixed *Quercus-Pinus* forest, 3.V.2010 (CJVK); Trooditissa Monastery, Trooditissa river, 1360m, 1 ♂ 6 ♀♀, beaten from shrubs, 19.III.2018 (CKHK).

Distribution: Palearctic. New to Cyprus.

Linyphia triangularis (Clerck, 1757).

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

KERYNEIA: Klepini, 300m, 2 ♀♀, on low bushes in open *Pinus* forest, 23.XI. 2010 (CRB).

Distribution: Palearctic. New to Cyprus.

Maculoncus parvipalpus Wunderlich, 1995

Identification

Wunderlich, 1995c: 647, figs 12-19.

Citations

None.

New records

LIMASSOL: Agros SW, 950m, 1 ♀, under stones in *Pinus* forest, 5.V.2010 (CJVK).

PAPHOS: Limnitis River, Kato Pyrgos SE, 200m, 1 ♀, litter in *Pinus* forest, 2.V.2010 (CRB); Pegeia, Pikni Forest, 346m, 1 ♂, in former carob plantation, 23.III.2018 (CKHK).

Distribution: Greece, Peloponnisos and the islands of Chios, Crete and Naxos. New to Cyprus.

Megalepthyphantes turkeyensis Tanasevitch, Kunt & Seyyar, 2005

Leptyphantes congener; Kulczyński, 1908: 68, pl. 2, fig. 17 (misidentification).

Leptyphantes albulooides; Kulczyński, 1908: 67, pl. 2, fig. 19 (misidentification).

Megalepthyphantes turkeyensis; Tanasevitch, 2011: 74.

Identification

Tanasevitch *et al.*, 2005: 279, 2011: 74, figs 1-9. 82-83.

Comments

Although Tanasevitch (2011) claimed to have examined females, the epigyne of *Megalepthyphantes turkeyensis* was never illustrated.

Citations

Without precise locality (Kulczyński, 1908, sub *Leptyphantes albulooides* (♀) and *L. congener* (♂)).

NICOSIA: Cedar Valley Forest (Tanasevitch, 2011).

New records

KERYNEIA: road Chalefka - Sourp Magar Monastery (Armenomonastiro), 660m, 1 subadult ♀, under stones in open *Pinus* forest, 23.XI.2010 (CRB); Klepini, 300m, 1 subadult ♀, under stones in open *Pinus* forest, 23.XI.2010 (CRB); Keryneia, 1 ♀, 24.X.1933, G. Mavromoustakis leg. (BMNH); Saint Hilarion castle, 610m, 1 ♂ 1 ♀, under stones in *Pinus* forest, 22.XI. 2010 (CRB).

LIMASSOL: Pedoulas, 960m, 1 ♀, road embankment, 20.IV.2017, S. Huber leg. (CSH); Platres, 1400m, 1 ♀, in pine forest, 28.X.1981, P. R. Deeleman leg. (NHML); Troodos Square, 1600m, 2 ♂♂ 1 ♀, under stones in pine forest, 31.X.1989, P. R. Deeleman leg. (NHML).

NICOSIA: Agios Sozomenos, near Dali, 1 ♀, under stone in dry, rocky phrygana, 20.IV.2017 (CAR-S); Kapedes, 2 ♀♀, pitfalls in *Pinus brutia* forest, 17.I. - 23.IV.2016 (CMH).

PAPHOS: Kato Akourdaleia, 1 ♀, VIII.2008 (CDM).

Distribution: Turkey, Cyprus.

Mermessus denticulatus (Banks, 1898)

Identificaton

Van Helsdingen, 2009: 618, figs 1-10.

Citations

None.

New records

FAMAGUSTA: Paralimni lake, 65m, 1 ♂ 2 ♀♀, herbs and litter around dried lake, 27.IV.2010 (CRB).

LARNACA: Achna Reservoir, 50m, 1 ♂ 1 ♀, under stones and litter bordering lake, 16.V.2011 (CRB), 1 ♀, 27.V.2022, 4 ♀♀, pitfalls at same site, 15 - 27.V.2011 (CRB); Larnaca salt lake, 5m, 1 ♂ 2 ♀♀, under stones and litter in salt marsh, 27.IV.2010 (CRB).

LIMASSOL: Alassa, in grass by edge of river, 5.V.2007, 2 ♂♂ 5 ♀♀ (CRS).

Distribution: USA to Colombia, introduced in Europe and North Africa. New to Cyprus.

Mermessus fradeorum* (Berland, 1932)*Identification**

Millidge, 1988: 67, figs 333-339.

Citations

None.

New records

FAMAGUSTA: Paralimni Lake, 65m, 1 ♀, herbs and litter around dried lake, 27.IV.2010 (CRB).

Distribution: Cosmopolitan. New to Cyprus.

***Microctenonyx subitaneus* (O. Pickard-Cambridge, 1875)**

Microctenonyx subitaneus; Tanasevitch, 2011: 75.

Identification: <https://araneae.nmbe.ch/>.

Citations

LARNACA: Xylofagou 4 km E. (Tanasevitch, 2011).

New records

FAMAGUSTA: Paralimni lake, 65m, 1 ♀, herbs and litter around dried lake, 27.IV.2010.

LARNACA: Larnaca salt lake, 5m, 1 ♀, under stones and litter in salt marsh, 27.IV.2010 (CRB), 1 ♀, pitfalls at same site, III. - V.2011 (CRB).

NICOSIA: Agridi, near Dali, 1 ♀, in eucalyptus litter in garden, 29.IV.2013 (CAR-S).

PAPHOS: Avakas Gorge, Akamas Peninsula, 50m, 4 ♀♀, litter in citrus yard at entrance of gorge, 30.IV.2010 (CRB); Pegeia, Pikni Forest, 346m, 1 ♀, in former carob plantation, 23.III.2018 (CKHK).

Distribution: Holarctic.

***Microlinyphia pusilla* (Sundevall, 1830)**
Microlinyphia pusilla; Van Helsdingen, 1970: 9.

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

FAMAGUSTA: Vokolida S., Cape Elaia, 1 ♀, 10m, under stones and on bushes near the beach, 26.V.2011 (CRB).

LARNACA: Achna Reservoir, 50m, 1 ♀, 15.V.2010, 1 ♀, herbs in marshy area bordering lake, 19.V.2011 (CRB); Kelefos bridge, dam on Diarizos River, 550m, 1 ♀, beaten from shrubs, 21.V.2011 (CRB); Dipotamos Reservoir, 150m, 1 ♀, herbs and stones bordering lake, 28.IV.2010 (CRB).

NICOSIA: Agridi, near Dali, 1 ♂, in garden, 14.III.2010 (CDM); Alassa, by river Limnatis, 1 ♂, in dry grassland, 4.V.2007 (CRS); Kato Koutrafas-Astromeritis road, 120m, 1 ♂ 1 ♀, beaten from shrubs in dry riverbed, 18.V.2011 (CRB); Machairas forest near Kionia, 1300m, 1 ♂, stony phrygana, 5.V.2010 (CRB); Cedar Valley Forest, 1180m, 1 ♂, beating in *Cedrus* forest, 19.V.2010 (CRB); Troodos S., 1350m, 1 ♀, herbs in mixed *Quercus-Pinus* forest, 3.V.2010 (CJVK).

PAPHOS: Asprokremmos dam, N. Kouklia, 150m, 1 ♂, herbs along lake, 29.IV.2010 (CRB); Kinousa, 1 ♀, in litter in pine wood, 19.III.1998, coll. J. Murphy (MMUE); Kykkos Monastery, 1150m, 1 ♀, on hedges around monastery, 19.V.2010 (CRB); Troodos S., 1350m, 1 ♂, on herbs in mixed *Quercus-Pinus* forest, 3.V.2010 (CRB).

Distribution: Holarctic. New to Cyprus.

***Neriene clathrata* (Sundevall, 1830)**

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LARNACA: Agios Minas, 1 ♀, in litter in pine wood, 20.III.1998, coll. J. Murphy (MMUE).

Distribution: Holarctic. New to Cyprus.

Neriene furtiva (O. Pickard-Cambridge, 1871).

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

PAPHOS: Smigies, W. Neo Chorio, 300m, 1 ♀, herbs in *Pinus* forest, 30.IV.2010 (CRB).

Distribution: Europe, North Africa, Turkey. New to Cyprus.

Ostearius melanopygus (O. Pickard-Cambridge, 1879)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LIMASSOL: Erimi, 1 ♂, under stones in dry riverbed, 18.IV.1986 (NHW); Germasogeia, 1 ♂, on herbs along the stream below the dam, 10.IV.1986 (NHW); Limassol, 1 ♀, hotel Sheraton, 5.X.1988 (NHW).

Distribution: Cosmopolitan. New to Cyprus.

Palliduphantes minimus (Deeleman-Reinhold, 1986)

Lepthyphantes minimus Deeleman-Reinhold, 1986: 46, figs 35a-b.

Identification

Deeleman-Reinhold, 1986: 46, figs 35a-b; present paper, page 23.

Citations

LIMASSOL: Platres, south slope of Mount Troodos, 1400m (type locality; Deeleman-Reinhold, 1985).

New records

KERYNEIA: Chaleuka Forest Station, road to herbarium, 1 ♀, sweeping in mixed *Pinus*, *Arbutus* and *Cystus* forest, 12.V.2001 (CRS).

LARNACA: Larnaca salt lake, 10m, 1 ♀, pitfalls along salt lake, XI.2010 - III.2011 (CRB).

LIMASSOL: Prodromos S., Trooditissa picnic site, 1300m, 1 ♂ 1 ♀, pitfalls in open *Pinus* forest, XI.2010 - III.2011 (CRB).

NICOSIA: Lympia Reservoir, 1 ♀, in *Arundo* litter, 15.V.2013 (CRS).

Distribution: An endemic species of Cyprus.

Pelecopsis elongata (Wider, 1834)
Pelecopsis elongata; Tanasevitch, 2011: 77.

Identification: <https://araneae.nmbe.ch/>.

Citations

LIMASSOL: Doros (Tanasevitch, 2011); Limassol, salt lake (Tanasevitch, 2011). PAPHOS: Polis W., Baths of Aphrodite (Tanasevitch, 2011); Prodromi-Androlikou road (Tanasevitch, 2011).

New records

FAMAGUSTA: Gialousa E., Agios Thyrso, 20m, 2 ♀♀, litter under fig tree, 18.III.2011 (CRB); Kantara castle, 650m, 1 ♀, under stones in ruins, 19.III.2011 (CRB).

LIMASSOL: Fasouri reedbeds, Akrotiri Peninsula, 1 ♀, in reed litter, 4.V.2007 (CRS); Pano Platres, Caledonia Waterfall, 1 ♀, in moist litter, 26.IV.2007 (CAR-S); Pano Platres, Millomeris Waterfalls, 1 ♀, litter near Waterfall, 28.IV.2007 (CAR-S); Troodos, near top of Mount Olympos (Chionistra), 1 ♀, under stone in open *P. nigra* forest, 28.IV.2007 (CRS).

NICOSIA: Dali, 13, Agios Andronikos, 1 ♂, in garden, IV.2007 (CDM); Agridi, near Dali, 1 ♀, in grass in lawn, 20.VI.2011; 1 ♂, on wall in house, 13.XII.2011 (CDM).

PAPHOS: Dhiarizos river near Kelefos bridge, 444m, 1 ♀, open river bank, 16.III.2018 (CKHK); Gialia, 1 ♀, bushes in pine wood, 25.III.1998, coll. J. Murphy (MMUE); Mavrokolympos Reservoir, 4 ♀♀, 13.III.2018 (CKHK).

Distribution: Europe, Russia.

Prinerigone vagans (Audouin, 1826)
Prinerigone vagans; Tanasevitch, 2011: 77.

Identification: <https://araneae.nmbe.ch/>.

Citations

PAPHOS: Mamonia, bank of Diarizos river (Tanasevitch, 2011).

New records

LARNACA: Achna Reservoir, 50m, 3 ♂♂, pitfalls in marshy area around lake, 15 - 27.V.2011 (CRB); Larnaca salt lake, 5m, 1 ♀, under stones and litter in salt marsh, 27.IV.2010 (CRB).

LIMASSOL: Alassa SE, 12 ♂♂ 14 ♀♀, under pebbles and in grass at edge of River Limnatis, 5.V.2007 (CAR-S), 2 ♀♀ (CAR-S).

NICOSIA: Kato Koutrafas- Astromeritis road, 120m, 1 ♀, beaten from shrubs in dry riverbed, 18.V.2011 (CRB).

PAPHOS: Akamas Peninsula, Agios Minas, 1 ♂ 1 ♀, wet area by stream, 2.V.2007 (CAR-S); Dhiarizos river near Kelefos bridge, 444m, 2 ♀♀, open river bank, 16.III.2018 (CKHK); Evretou Reservoir, Stavros tis Psokas river, 1 ♂ 1 ♀, 20.III.2018 (CKHK).

Distribution: Old World.

Silometopus reussi (Thorell, 1871)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

FAMAGUSTA: Paralimni Lake, 65m, 1 ♀, litter around dried lake, 27.IV.2010 (CRB).

Distribution: Palaearctic. New to Cyprus.

Sintula retroversus (O. Pickard-Cambridge, 1875)

Sintula retroversus; Tanasevitch, 2011: 78.

Identification

Tanasevitch, 1990: 108, figs 14.9-10.

Citations

PAPHOS: Polis W., Baths of Aphrodite (Tanasevitch, 2011); between Baths of Aphrodite and Fontana Amorosa (Tanasevitch, 2011).

New records

KERYNEIA: Saint Hilarion Castle, 610m, 1 subadult ♂ 1 ♀, under stones in *Pinus* forest, 22.XI.2010 (CRB), 2 ♀♀, pitfalls at same site, XI.2010 - III.2011 (CRB).

LARNACA: Achna Reservoir, 50m, 1 ♂ 1 ♀, under stones and litter bordering lake, 27.V.2011 (CRB).

LIMASSOL: Malia-Dora road, 650m, 1 ♀, under stones in grassland, 21.III.2011 (CRB); Pano Platres E., Mesa Potamos Waterfalls, 950m, 1 ♀, litter in *Pinus* forest, 4.V.2010 (CRB); Pano Platres, Millomeris Waterfalls, 1 ♀, litter near Waterfall, 28.IV.2007 (CAR-S); Troodos range

E., Livadi Tou Passia, 1750m, 2 ♂♂, pitfalls in peat marsh, XI.2010 - III.2011 (CRB).

NICOSIA: Kapedes, 1 ♀, pitfalls in *Pinus brutia* forest, 17.I. - 23.IV.2016 (CMH); Prodromos E., near Prodromos dam, 1550m, 1 ♂, pitfalls in *Pinus* forest, XI.2010 - III.2011 (CRB).

PAPHOS: Kato Akourdaleia, 1 ♂, in garden, VIII.2005 (CDM); Pegeia, Pikni Forest, 366m, 1 ♀, pitfalls in pine forest, 11.III. - 23.III.2018 (CKHK).

Distribution: S. France, Italy, the Balkans, Caucasus, Cyprus.

Stylocetor romanus (O. Pickard-Cambridge, 1873)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

FAMAGUSTA: Agios Sergios, 30m, 2 ♂♂ 1 ♀, in pitfalls in *Pinus* plantation, 15. - 27.V.2011 (CRB).

PAPHOS: Gialia, 1 ♀, bushes in pine wood, 25.III.1998, coll. J. Murphy (MMUE).

Distribution: Palaearctic. New to Cyprus.

Tallusia vindobonensis (Kulczyński 1898)

Identification

Polenec & Thaler, 1980: 103, figs 1-7.

Citations

None.

New records

LIMASSOL: Livadi Tou Passia, E. Troodos, 1750m, 1 ♀, pitfalls in peat marsh, XI.2010-III.2011, 1 ♀, III. - V.2011 (CRB); Pano Platres, gorge below Caledonia Waterfall, 1 ♀, under stones, 26.IV.2004 (CAR-S).

PAPHOS: Kelefos bridge, 465m, deciduous wood, 1 ♀, under bark, 16.III.2018 (CKHK).

Distribution: Central & Eastern Europe. New to Cyprus, but only found at high altitude.

Tapinocyba n. sp.

A new *Tapinocyba* species will be described in a further paper.

Tenuiphantes floriana (Van Helsdingen, 1977)

Identification: <https://araneae.h/>.

Citations

None.

New records

NICOSIA: Prodromos S., Trooditissa picnic place, 1300m, 2 ♂♂ 1 ♀, pitfalls in open *Pinus* forest, XI.2010-III.2011 (CRB).

Comments

Males can be distinguished from the common *Tenuiphantes tenuis* by the presence of 2 teeth on the posterior margin of the paracymbium. The disposition of the teeth of the specimens from Cyprus differs slightly from material from continental Greece.

Distribution

Bulgaria, Albania, Romania, Serbia, North Macedonia. New to Cyprus.

Tenuiphantes tenuis (Blackwall, 1852)
Tenuiphantes tenuis; Tanasevitch, 2011: 83.

Identification: <https://araneae.nmbe.ch/>.

Citations

LIMASSOL: Agios Dimitrios (Tanasevitch, 2011).

NICOSIA: Cedar Valley Forest (Tanasevitch, 2011).

PAPHOS: Alonoudhi junction (Tanasevitch, 2011).

New records

LARNACA: Agioi Vavatsinias, 700m, 4 ♂♂ 5 ♀♀, litter in *Pinus* forest, 28.IV.2010 (CRB).
 LIMASSOL: Alassa SE, 7 ♂♂ 6 ♀♀, under pebbles and in grass at edge of river Limnatis, at base of limestone rock, 5.V.2007 (CAR-S), 2 ♂♂ (CRS); Amathus, excavation area, 1 ♀, under stones, 9.IV.1986 (NHW); Malia-Dora road, 650m, 1 ♀, under stones in grassland, 21.III.2011 (CRB); Mount Olympos (Chionistra), S. slope, 1900m, 9 ♂♂ 9 ♀♀, under stones in open *Pinus* forest, 4.V.2010 and 7 ♂♂ 1 ♀, pitfalls at same site, XI.2010 - III.2011 (CRB); Pano Platres, 1 ♀, on stone wall, 6.V.2007 (CAR-S); Pano Platres, below Caledonia Waterfall, 9 ♂♂, 11 ♀♀, swept from herbs and shrubs, 1.V.2007 (CAR-S), 14 ♂♂ 6 ♀♀, under stones and in grass, rocky stream valley, 7.V.2013 (CAR-S); Pano Platres S., along Kryos River, 1050m, 3 ♂♂ 5 ♀♀, under stones

and litter in *Pinus* forest, 3.V.2010 (CRB); Pano Platres E., Mesa Potamos Waterfalls, 950m, 3 ♂♂ 7 ♀♀, litter in *Pinus* forest, 4.V.2010, and 1 ♂, 23.V.2011 (CRB); Pano Platres, Millomeris Waterfalls, 1 ♀, in litter, 28.IV.2007 (CAR-S); Troodos E., Livadi tou Passia, 1170m, 39 ♂♂ 39 ♀♀, in mosses in peat marsh, 3.V.2010 (CJVK, CRB), 1 ♀ in pitfalls, XI.2010 - III.2011 (CRB); Troodos S., 1350m, 2 ♂♂, under stones in mixed *Quercus-Pinus* forest, 3.V.2010 (CRB).
 NICOSIA: Agidi, near Dali, 1 ♂, in garden, IV.2010 (CDM); Athalassa National Forest Park, Nicosia, 1 ♀, under stones in pine plantation, 8.V.2013 (CAR-S); Cedar Valley Forest, 1180m, 4 ♂♂ 10 ♀♀, beating in *Cedrus* forest, 19.V.2010 (CRB); Chrysoroyiatissa Monastery, 1 ♀, in pine and oak woodland, 2.V.1982. coll. A. Stubbs (MMUE); Dali, 1 ♀, on outside wall of house, 5.V.2013 (CAR-S); Kapedes S., 600m, 1 ♀, herbs and stones along rivulet, 5.V.2010 (CRB); Kato Koutrafas, Astromeritis road, 120m, 3 ♂♂ 4 ♀♀, under stones in dry riverbed, 18.V.2011 (CRB); Lympia Reservoir, Lympia, 3 ♂, in clump of rushes below dam wall, 9.V.2013 (CAR-S); Machairas forest near Konia, 1300m, 2 ♂♂ 6 ♀♀, stony phrygana, 5.V.2010 (CJVK); below Machairas Monastery, 2 ♂♂ 1 ♀, under stones beside track in phrygana, 4.V.2013 (CAR-S); N. Oikos, Xerargaka picnic site, 350m, 3 ♂♂ 4 ♀♀, beating bushes and under stones in *Pinus* forest, 20.V.2010 (CRB); Prodromos E., near Prodromos dam, 1550m, 1 ♀, under stones and litter in *Pinus* forest, 2.V.2010, 1 ♀ in pitfalls, XI.2010-III.2011; Prodromos S., Trooditissa picnic site, 1450m, 1 ♂, under stones in *Pinus* forest, 21.V.2011 (CRB).
 PAPHOS: Akamas Peninsula, Agios Minas, 1 ♂ 1 ♀, in thick pine litter, in wet area by stream, 2.V.2007 (CAR-S); Aphrodites Bath, 1 ♀, under stones in meadow, 15.IV.2017 (CAR-S); Avakas gorge, 50m, 3 ♂♂ 4 ♀♀, litter in citrus yard at entrance of gorge, 30.IV.2010 (CJVK, CRB), 1 ♀, under stones in gorge, 22.V.2010 (CRB); Cedar Valley Forest, 1180m, 4 ♂♂ 10 ♀♀, beating in *Cedrus* forest, 19.V.2010 (CRB), 1 ♂ 2 ♀♀, under stones, 29.IV.2007 (CAR-S), 2 ♂♂ 2 ♀♀ (CAR-S); between Cedar Valley and Stavros tis Psokas, 1 ♀, under stones in *P. nigra* forest, 29.IV.2007 (CRS); 9 km N. Pano Panagia, 1050m, in litter near spring, 6 ♂♂ 3 ♀♀, 19.V.2011 (CRB); Evretou Reservoir, 350m, 4 ♂♂ 3 ♀♀, shrubs and grassland around lake, 1.V.2010 (CJVK, CRB); Kinousa E., Agios Merkourios, 350m, 2 ♂♂, under stones and, litter in *Pinus* forest, 1.V.2010 (CRB).

Distribution: Cosmopolitan.

***Theonina laguncula* (Denis, 1937) N. Comb.**

Identification

Present paper, p. 25.

Citations

None.

New records

PAPHOS: Akamas Peninsula Agios Minas, 4 ♀♀, in dense *Pinus* litter, 2.V.2007 (CAR-S, CRB, CRS); Smigies, W. Neo Chorio, 300m, 1 ♀, litter and stones in *Pinus* forest, 30.IV.2010 (CRB).

Distribution: North Algeria, Morocco, Spain, Greece and new to Cyprus.

***Typhochrestus digitatus* (O. Pickard-Cambridge, 1873)**

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LIMASSOL: Platres, Kalidonia falls track, 1 ♀, in woods along track, 26.IV.2007 (CAR-S).

Distribution: Europe, N. Africa. New to Cyprus.

***Walckenaeria alticeps* (Denis, 1952)**
Walckenaeria alticeps; Tanasevitch, 2011: 88.

Identification: <https://araneae.nmbe.ch/>.

Citations

LIMASSOL: Agios Dimitrios (Tanasevitch, 2011).

NICOSIA: Cedar Valley Forest (Tanasevitch, 2011).

PAPHOS: Alonoudhi junction (Tanasevitch, 2011).

New records

LIMASSOL: Pano Platres, 1 ♀, in grass at base of wall, 6.V.2007 (CAR-S); Pano Platres, below Caledonia Waterfall, 1 ♀, under stones at river, 1.V.2013 (CAR-S).

Distribution: Palaearctic.

***Walckenaeria antica* (Wider, 1834)**

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LIMASSOL: Pano Platres, below Caledonia Waterfall, 1 ♂ 5 ♀♀, under stones and in grass, 26.IV.2007 (CAR-S).

Distribution: Palaearctic. New to Cyprus.

***Walckenaeria cyprusensis* Wunderlich, 1995**
Walckenaeria cyprusensis Wunderlich, 1995b: 674; Tanasevitch, 2011: 89.

Identification

Wunderlich, 1995b: 674, figs 110-115.

Citations

LIMASSOL: Agios Dimitrios (Tanasevitch, 2011); Troodos Mts, 1500m (type locality; Wunderlich, 1995b).

New records

LIMASSOL: Livadi Tou Passia, E. Troodos, 1750m, 1 ♂, pitfalls in peat marsh, XI.2010 - III.2011, 1 ♀, III. - V.2011 (CRB); Mount Olympos (Chionistra), 1850m, 1 ♂ 9 ♀♀, pitfalls in *Pinus* forest, XI.2010 - III.2011 (CRB), 3 ♂♂ 2 ♀♀, III. - V.2011 (CRB); near top of Mount Olympos (Chionistra), 1 ♀, stones in *Pinus nigra* forest, 28.IV.2007 (CAR-S); Troodos, Persephone Trail, 1732m, 2 ♀♀, in *Pinus nigra* forest, 19.III.2018 (CKHK).

NICOSIA: Cedar Valley Forest, 1050m, 1 ♀, litter and beating in Cedar forest, 19.V.2010 (CRB); Cedar valley, river valley in *Cedrus* forest, 1120 m, 1 ♀, 21.III.2018 (CKHK); Prodromos E., near Prodromos dam, 1550m, 3 ♂♂ 2 ♀♀, pitfalls in *Pinus* forest, XI.2010 - III.2011, 2 ♀♀, III. - V.2011 (CRB).

PAPHOS: Akamas Peninsula, Agios Minas, 1 ♀, in dense *Pinus* litter, 2.V.2007 (CAR-S).

Distribution: An endemic species of Cyprus.

***Walckenaeria stylifrons* (O. Pickard-Cambridge, 1875)**

Walckenaeria stylifrons; Wunderlich, 1995b: 674.

Identification: <https://araneae.nmbe.ch/>.

Citations

Without precise locality (Wunderlich, 1995b).

New records

None

Distribution: Europe.

Walckenaeria n. sp.

A new *Walckenaeria* species closely related to *W. cypriusensis* will be described in a separate paper.

Family Liocranidae

Agroeca inopina O. Pickard-Cambridge, 1886

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LIMASSOL: Troodos, near summit of Mount Olympos (Chionistra), 1 ♀, under stone in *Pinus brutia* forest, 19.IV.2017 (CAR-S); 10 km S. of Troodos, 1 ♀, under stones in *Pinus brutia* forest, 19.IV.2017 (CAR-S).

NICOSIA: between Cedar Valley and Stavros tis Psokas, 1 ♀, under stones in *P. nigra* forest, 29.IV.2007 (CAR-S); Troodos S., road to Pano Platres, 1 ♀, under stones in *Pinus nigra* forest, 1.V.2007 (CRS).

PAPHOS: Smigies, 1 ♀, under stone in hillside scrub, 26.III.1998, coll. J. Murphy (MMUE).

Distribution: Europe, Algeria. New to Cyprus.

Agroeca parva Bosmans, 2011

Identification

Agroeca parva Bosmans, 2011: 19, figs 11-14.

Citations

None.

New records

FAMAGUSTA: Rizokarpaso, 2 ♀♀, *Juniperus phoenicea* forest, 12.III.2016 (CMH).

KERYNEIA: Larnakas tis Lapithou N., 950m, 1 ♀, under stones in *Pinus* forest, 25.XI.2010 (CRB).

LARNACA: Agioi Vavatsinias, 700m, ♀, litter in *Pinus* forest, 28.IV.2010 (CRB).

LIMASSOL: road Chionistra-Prodromos, 3 ♀♀, pitfalls in *Pinus nigra* forest, 6.IV. - 8.VI.2014 (CMH); Kolossi castle, ca. 12 km W. of Limassol, 1 ♀, walls in the castle area, 11.IV.1986

(NHMW); Livadi Tou Passia, E. Troodos, 1750m, 1 ♂, pitfalls in peat marsh, XI.2010 - III.2011 (CRB); Mount Olympos (Chionistra), 2 ♀♀, pitfalls in open *Juniperus foetidissima* forest, 6.IV. - 8.VI.2014 (CMH); Mount Olympos (Chionistra), 1 ♀, litter in *Pinus* forest, 14.IV.2017 (CAR-S); Mount Olympos (Chionistra), S. slope, 1900m, 2 ♀♀, under stones in open *Pinus* forest, 4.V.2010 (CRB); Prodromos S., Trooditissa picnic site, 1300m, 9 ♂♂ 2 ♀♀, pitfalls in open *Pinus* forest, XI.2010 - III.2011 (CRB), 5 ♂♂ 3 ♀♀, in litter, 25.XI.2010 (CRB); Trooditissa Monastery, 5 ♂♂ 3 ♀♀, litter and stones in *Quercus* forest, 25.XI.2010 (CRB). NICOSIA: Ayia Koroni, Agios Epifanios., 1 ♀, in house, IV.2005 (CDM); Agridi, near Dali, 1 ♀, on stones, river bank, 29.IV.2013 (CDM); Athalassa National Forest Park, Nicosia, 1 ♀, under stones in pine plantation, 8.V.2013 (CAR-S); Cedar valley, river valley in *Cedrus* forest, 1120 m, 1 ♀, 21.III.2018 (CKHK); Kapedes, 2 ♂♂ 1 ♀, pitfalls in *Pinus brutia* forest, 17.I. - 23.IV.2016 (CMH); Pano Amiantos, 5 ♀♀, pitfalls in *Pinus brutia* forest, 6.IV. - 8.VI.2014 (CMH); road Pedoulas-Lemithou, 3 ♀♀, pitfalls in *Pinus nigra* and *P. brutia* forest, 6.IV. - 8.VI.2014 (CMH); road Pedoulas-Prodromos, 2 ♀♀, pitfalls in *Pinus nigra* forest, 6.IV. - 8.VI.2014 (CMH); near Platania Scout camping site, 10 ♀♀, pitfalls in *Pinus brutia* forest, 6.IV. - 8.VI.2014 (CMH). PAPHOS: Pegeia, Pikni Forest, 346m, 1 ♀, pitfalls in former carob plantation, 11.III. - 23.III.2018 (CKHK); same site, 366m, 1 ♀, pitfalls in pine forest plantation, 11.III. - 23.III.2018 (CKHK).

Distribution: Greece (Lesbos), Turkey, Israel. New to Cyprus.

Arabelia pheidoleicomes Bosselaers, 2009

Arabelia pheidoleicomes Bosselaers, 2009: 51.

Identification

Bosselaers, 2009: 51, figs 2 K; 7 A-G; 8 h; 9.

Citations

PAPHOS: Neo Chorio (Bosselaers, 2009); Polemi (Bosselaers, 2009).

New records

None.

Distribution: Greece (Rhodos, Lesbos) and Cyprus.

***Mesiotelus cyprius* Kulczyński, 1908**

Mesiotelus cyprius Kulczyński, 1908: 76.

Identification

Kulczyński, 1908: 76, pl. 2, figs 13.

Citations

Without precise locality (Kulczyński, 1908).
LIMASSOL: Troodos Mountain (Bosselaers & Jocqué, 2002).

New records

FAMAGUSTA: Kantara castle, 650m, 1 ♀, under stones in ruins, 19.III.2011 (CRB); Salamis ruins, 30m, 1 ♀, under stones in ruins, 17.III.2011 (CRB); Komi Kebir, 150m, 1 ♀, under stones in *Pinus* forest, 18.III.2011 (CRB).

KERYNEIA: Klepini, 300m, 1 ♂ 11 ♀♀, under stones in open *Pinus* forest, 23.XI.2010 (CRB); Larnakas tis Lapithou E., 950m, 6 ♀♀, under stones in *Pinus* forest, 24.XI.2010 (CRB), 1 ♀, under stones in *Pinus* forest, 25.XI.2010 (CRB); Palaiosofos, 1 ♀, under stones in forest, 24.XI.2010 (CRB); Pentadactylos Range, Ftericha S., 800m, 1 ♀, under stones in grassland, 17.V.2011 (CRB); Saint Hilarion Castle, 2 km W., 610m, 1 ♀, under stones in open *Pinus* forest, 20.III.2011 (CRB), 1 ♀, 17.V.2011 (CRB).

LARNACA: Delikipos, 1 ♀, in grass around small dam, 18.IV.2017 (CAR-S); Mosfiloti, 1 ♀, under stone in dry eroded grassland on hillside, 12.IV.2017 (CAR-S).

LIMASSOL: Pano Platres, track near Caledonia Waterfall, 1 ♀, under stones and in litter, 26.IV.2007 (CRS); Prodromos S., Trooditissa picnic place, 1300m, 3 ♀♀, pitfalls in open *Pinus* forest, XI.2010 - III.2011 (CRB); Troodos, near summit of Mount Olympos (Chionistra), 1 ♀, under stone in *Pinus brutia* forest., 9.IV.2017 (CAR-S); 10 km S. of Troodos, 1 ♀, under stone in *Pinus brutia* forest, 19.IV.2017 (CAR-S).

NICOSIA: Machairas, 1 ♀, *Pinus brutia* forest, 1.XI.2015 (CMH); Prodromos E., near Prodromos dam, 1550m, 1 ♀, pitfalls in *Pinus* forest, XI.2010 - III.2011 (CRB).

PAPHOS: Agios Minas picnic site, 2 ♀♀, under stones in open pine woodland, 13.IV.2017 (CAR-S); Akamas Peninsula, track along the sea, 10m, 1 ♀, under stones in *Juniperus* phrygana, 30.IV.2010 (CRB); Akamas Peninsula, Neo Chorio, 1 ♀, under stones, 25.IV.2007 (CJVK);

Akamas Peninsula, Smigies, 1 ♀, stony slope, 25.IV.2007 (CJVK); Akamas Peninsula, Smigies, 352m, 8 ♀♀, maquis, 12.III.2018 (CKHK); near Avakas Gorge, 1 ♀, under stone in field with tall grass, 14.IV.2017 (CAR-S); Avakas gorge and surroundings, 1 ♀, 22.III.2018 (CKHK); Evretou Reservoir, 1 ♀, under stone in grass tussocks, 13.IV.2017 (CAR-S); Kinousa SE, 400m, 2 ♀♀, under stones and litter in *Pinus* forest, 1.V.2010 (CRB); near Kritou Terra, 2 ♀♀, under stones in dry fallow, 14.IV.2017 (CAR-S); Peristerona, Atichoullis gorge, 425m, 2 ♀♀, stones in maquis, 2.V.2007 (CJVK); Smigies, W. Neo Chorio, 300m, 1 ♀, litter in *Pinus* forest, 30.IV.2010 (CRB); Souskiou, 1 ♀, 16.III.2013 (CDM).

Distribution: An endemic species of Cyprus.

***Mesiotelus tenuissimus* (L. Koch, 1866)**

Identification

Bosmans *et al.*, 2009: 35, figs 24-28.

Citations

None.

New records

LIMASSOL: Amathus, 1 ♀, on house walls, 9.IV.1986 (NHW); Pissouri, 1 ♀, under stone, 24.III.1998, coll. J. Murphy (MMUE).

NICOSIA: Pyrgos, 1 ♀, dry grassland, 15.IV.1986 (NHW); Strovolos, 1 ♀, around houses, 1.V.2016 (CMH).

PAPHOS: Akamas Peninsula, 7 ♀♀, in coastal grassland, 22.III.1998, coll. J. Murphy (MMUE); Kinousa, 1 ♀, under stone in pine wood, 28.III.1998, coll. J. Murphy (MMUE); Smigies, 4 ♀♀, under stone in hillside scrub, 26.III.1998, coll. J. Murphy (MMUE).

Distribution: Europe, North Africa, Ukraine, Turkmenistan. New to Cyprus.

***Mesiotelus* sp.**

A new *Mesiotelus* species will be described in a separate paper.

***Scotina celans* Blackwall, 1841**

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

FAMAGUSTA: Agios Sergios, 30m, 1 ♀, pitfalls in *Pinus* plantation, 15. - 27.V.2011 (CRB); Komi Kebir, 150m, 1 ♀, pitfalls in *Pinus* forest, III. - V.2011 (CRB).

LIMASSOL: Mount Olympos (Chionistra), 1900m, 1 ♀, pitfalls in *Pinus* forest, III. - V.2011 (CRB); Troodos Range, Livadi tou Passia, 1750m, 1 ♀, pitfalls in peat marsh, III. - V.2011 (CRB).

NICOSIA: Oikos N., Xerargaka picnic site, 350m, 4 ♂♂, under stones in *Pinus* forest, 20.V.2011 (CRB); Kato Koutrafas- Astromeritis road, 120m, 1 ♀, herbs on pond shore, 18.V.2011 (CRB).

PAPHOS: 9 km N. Pano Panagia, 1050m, 1 ♀, in litter near spring, 19.V.2011 (CRB).

Distribution: Europe, Algeria, Russia, Georgia. New to Cyprus.

Family Lycosidae

Alopecosa albofasciata (Brullé, 1832)

Alopecosa albofasciata; Bristowe, 1935: 768.

Identification: <https://araneae.nmbe.ch/>.

Citations

Without precise locality (Bristowe, 1935).

New records

FAMAGUSTA: Agios Sergios, 30m, 3 ♂♂ 1 ♀, in pitfalls in *Pinus* plantation, 15. - 27.V.2011 (CRB); Gialousa E., Agios Thyrssos, 20m, 1 ♀, in litter under fig tree, 18.III.2011 (CRB); Gialousa E., Agia Triada, 50m, 1 ♂ 1 subadult ♀, under stones in ruins, 18.III.2011 (CRB); Kantara castle, 650m, 1 subadult ♂, under stones in ruins, 19.III.2011 (CRB).

KERYNEIA: Keryneia, 1 ♂, 28.IV.1936, E. Green leg. (BMNH); Vouni ruins N., 250m, 1 ♂, under stones in ruins, 20.III.2011 (CRB).

LARNACA: Achnas Dam, 50m, 4 ♀♀, under stones and litter bordering lake, 27.V.2011 (CJVK); Delikipos, near Kornos, 1 ♀, under stones in grass of open pine wood, 9.V.2013 (CAR-S); Larnaca SW., Hala Sultan Teke mosque, 5m, 1 ♀, salt marsh, 15.V.2011 (CJVK); Stavrovouni Monastery, 350m, 1 ♀, in pitfalls in open *Pinus* forest, III. - V.2011 (CRB).

LIMASSOL: Agios Georgios E., Palaiomylos, 1250m, 1 ♀, under stones in mixed *Pinus* and *Quercus* forest, 4.V.2010 (CRB); Akrotiri Peninsula, near Agios Nikolaos Monastery, 25m, 2 ♀♀, in grassy ditch, 23.III.2011 (CRB); Akrotiri Peninsula, near Fasouri reedbeds, 1 ♀, in irrigated

orange orchard, 30.IV.2013 (CAR-S); Kolossi castle, 1 ♀, walls in the castle area, 11.IV.1986 (NHW); Pano Platres, track near Caledonia Waterfall, 2 ♂♂, under stones and in litter at edge of *Pinus nigra* forest, 26.IV.2007 (CAR-S); Pissouri, 1 ♀, in grass, 24.III.1998, coll. J. Murphy (MMUE); Troodos S., road to Pano Platres, 2 ♂♂, 2 ♀♀, under stones in *P. nigra* forest, 28.IV.2007 (CAR-S), 1 ♂ (CRS); same site 4 ♂♂ 5 ♀♀, 1.V.2007 (CRS); 10 km S. of Troodos, 1 ♂ 1 ♀, in *Pinus brutia* forest, 19.IV.2017 (CAR-S).

NICOSIA: Agia Koroni, Agios Epifanios, 1 ♂, in house, IV.2005 (CDM); Agridi, near Dali, 1 ♀, in garden, IV.2004, 2 ♂♂ 1 ♀, in field, V.2008, 1 ♀, on veranda, 12.IV.2008, 1 ♂, on veranda, 12.IV.2009, 1 ♂ 1 ♀, in garden, 14.III.2010, 1 ♀, in garden, 20.VI.2011 (all CDM); Athalassa National Forest Park, Nicosia, 1 ♀, under stone in pine plantation, 2.V.2013 (CDM); Cedar Valley Forest, 1 ♀, under stones by track, 29.IV.2007 (CRS); Cedar Valley, 1150m, 2 ♂♂ 2 ♀♀, 21.III.2018, forest road, in gravel (CKHK); same site, 1 ♂, 19.V.2011 (CJVK); between Cedar Valley and Stavros tis Psokas, 1 ♂, under stones in *P. nigra* forest, 29.IV.2007 (CAR-S); Dali, Lymbourena Hill, 2 ♂♂, in field, V.2004 (CDM); Chrysoroyiatissa Monastery, 2 ♂♂ 1 ♀, in pine and oak woodland, 2.V.1982, coll. A. Stubbs (MMUE); Dali, 13, Agios Andronikos, 1 ♀, in garden, V.2008 (CDM); Ikos N., Xerargaka picnic site, 350m, 1 ♀, stones in *Pinus* forest, 20.V.2011 (CJVK); Kapouti, 100m, 1 ♂, under stones in grassland, 20.III.2011 (CRB).

PAPHOS: Agia, 1 ♂, stones at picnic site, 30.IV.2007 (CJVK); Agios Georgios, Potamos Diarizos, 2 ♂♂ 1 ♀, pitfalls at border or reed bed, 26.V – 5.V.2007 (CJVK); Akamas Peninsula, Smigies, 352m, 1 ♂, maquis, 12.III.2018 (CKHK); Drouseia S., Panagia Chrysospilotissa, 580m, 1 ♂, night catch in small cave, 22.IV.2017, S. Huber leg. (CSH), Gialia, 1 ♀, under stones in pine wood, 25.III.1998, coll. J. Murphy (MMUE); Kato Akourdaleia, 2 ♂♂, in guest house swimming pool, 3.V.2007 (CRS); Kato Paphos archaeological site, under stones in grass, 1 ♀, 10.V.2007 (CAR-S); Kinousa E., Agios Merkourios, 350m, 1 ♀, under stones and litter in *Pinus* forest, 1.V.2010 (CJVK); Lysos E., 550m, 1 ♀, while digging for *Nemesia*, 27.IV.2017, S. Huber leg. (CSH); Mavrokolympos Reservoir, 1 ♀, 13.III.2018 (CKHK); Neo Chorio, 1 ♂, in grassy scrub, 17.III.1998, coll. J. Murphy (MMUE); Oikos, 700m, 1 ♂, limy slope, 23.IV.2017, S. Huber leg. (CSH); Oikos N., Xerargaka picnic site, 350m, 1 ♀, under stones in

Pinus forest, 20.V.2011 (CRB); Pegeia, Pikni Forest, 345m, 13 ♂♂, pitfalls in former carob plantation, 11.III. - 23.III.2018 (CKHK); same site, 365m, 4 ♂♂, pitfalls in pine forest, 11.III. - 23.III.2018 (CKHK); same site, 375m, 5 ♂♂, pitfalls in open ruderal site, 14.III. - 23.III.2018 (CKHK); Souskiou, 1 ♀, 16.III.2013 (CDM); Stavros-Lysos road, 900m, 1 ♂, leaf litter, 21.IV.2017, S. Huber leg. (CSH).

Distribution: Mediterranean to Central Asia.

Alopecosa sp.

? *Tarentula simoni*; Kulczyński, 1908: 83
(misidentification).

Citations

Without precise locality (Kulczyński, 1908, sub *Tarentula simoni*).

Comments

Two species of *Alopecosa* occur on Cyprus, the very common *A. albofasciata* and another common species, currently under study. Most probably this is the species that Kulczyński (1908) mentioned as *Tarentula simon*. It is closely related to that species but it is perhaps a new species.

Records

FAMAGUSTA: Cape Greco, Ayia Napa, 35m, 1 ♀, under stones in phrygana, 20.XI.2010 (CRB). LARNACA: Mosfiloti, 1 ♀, under stone in dry eroded grassland on hillside, 12.IV.2017 (CAR-S). LIMASSOL: road Chionistra-Prodromos, 2 ♀♀, pitfalls in *Pinus nigra* forest, 6.IV. - 8.VI.2014 (CMH); road Kakopetria-Pedoulas, Marathos picnic site, 2 ♂♂ 1 ♀, 25.XI.2010 (CRB); Livadi Tou Passia, E. Troodos, 1750m, 1 ♂ 1 ♀, pitfalls in peat marsh, XI.2010-III.2011(CRB); Mount Olympos (Chionistra), 1900m, 3 ♂♂ 3 ♀♀, pitfalls in *Pinus* forest, XI.2010 - III.2011 (CRB), 3 ♀♀, pitfalls in open *Juniperus foetidissima* forest, 6.IV. - 8.VI.2014 (CMH), 2 ♂♂ 1 ♀, 1820m, under stones in *Pinus* forest, 25.XI.2010 (CRB), 1 ♂, pitfalls in *Pinus* forest, XI.2010 - III.2011 (CRB); Pano Platres E., Mesa Potamos Waterfalls, 1 ♂, 950m, in litter in *Pinus* forest, 4.V.2010 (CRB); Troodos Square, 2 ♀♀, pitfalls in open, mixed *Pinus nigra* and *Juniperus foetidissima* forest, 6.IV. - 8.VI.2014 (CMH); Troodos Square, 1 ♀, *Pinus nigra* forest, 11.V.2016 (CMH); Troodos, near summit of Mount Olympos (Chionistra), 2 ♀♀, under stones in *Pinus brutia* forest, 19.IV.2017 (CAR-S);

Troodos, Persephone Trail, 1732m, 1 ♀, in *Pinus nigra* forest, 19.III.2018 (CKHK).

NICOSIA: Lakatamia, 1 ♀, in olive grove, 1.I. - 1.X. 2016 (CMH); Pano Amiantos, 1 ♀, pitfalls in *Pinus brutia* forest, 6.IV. - 8.VI.2014 (CMH); near Platania Scout camping site, 1 ♂ 2 ♀♀, pitfalls in *Pinus brutia* forest, 6.IV. - 8.VI.2014 (CMH); near Prodromos reservoir, 2 ♀♀, pitfalls in *Pinus nigra* forest, 6.IV. - 8.VI.2014 (CMH). PAPHOS: Akamas Peninsula, Avgas Estuary, 2 ♂♂, stones in rock strewn slope near beach, 31.III.1997 (CJB); Paphos, Bay at hotel "Paphian Bay", 6 ♂♂ 1 ♀, pitfall traps on rocky beach, 1-6.IV.1997 (CJB), 4 ♂♂ 4 ♀♀, stones in rock strewn terrain near beach, 5.IV.1997 (CJB); Paphos, Tombs of the Kings, 1 ♂ 1 ♀, stones in rock strewn terrain, 1.IV.1997 (CJB).

Distribution: Holarctic. New to Cyprus.

Arctosa cinerea (Fabricius, 1777)

Identification: <https://araneae.nmbe.ch/>.

Citations

None

New records

LIMASSOL: Alassa SE, near river Limnatis, 1 ♀, under large stone in riverine shingle, 5.V.2007 (CAR-S).

Arctosa leopardus (Sundevall, 1833)

Tarentula brevispina Kulczyński, 1908: 80 (descr. ♀).

Identification: <https://araneae.nmbe.ch/>.

Citations

Without precise locality (Kulczyński, 1908, sub *Tarentula brevispina*).

New records

FAMAGUSTA: Gialousa E., Agios Therissos, 20m, 4 ♂♂ 2 ♀♀, stones around spring, 16.V.2011 (CRB).

LARNACA: Achna Reservoir, 50m, 11 ♂♂ 2 ♀♀, pitfalls in marshy area around lake, 15 - 27.V.2011 (CRB), 2 ♂♂ 1 ♀, hand catch at same site, 15.V.2011 (CJVK, CRB); Livadia, 1 ♀, river bed, 20.IV.2016 (CMH).

LIMASSOL: Akrotiri Peninsula, Fasouri reed beds, 3 ♂♂ 1 ♀, in reed litter, 27.IV.2007; same site, 3 ♂♂, 4.V.2007, 2 ♀♀, 30.IV.2013 (all CAR-S); idem, Fasouri marsh, 1 ♀, in low grass, 17.VI.2016 (CMH).

NICOSIA: Agidi, near Dali, 3 ♂♂, edge of river, 22.IV.2012 (CDM); Athalassa National Forest Park, Nicosia, 2 ♂♂, by stream, 13.IV.2008 (CDM); Kapedes S., 600m, 2 ♂♂ 1 ♀, herbs and stones along rivulet, 5.V.2010 (CJVK); Lympia Reservoir, 6 ♂♂ 5 ♀♀, under stones below dam wall, 9.V.2013 (CAR-S); Marathassa Dam, 550m, 1 ♂, stones around lake, 20.V.2011 (CJVK).
 PAPHOS: Akamas Peninsula, Agios Minas, 2 ♀♀, wet area by stream, 2.V.2007 (CAR-S); Avakas Gorge, 50m, 3 ♂♂ 3 ♀♀, litter in citrus yard at entrance of gorge, 30.IV.2010 (CJVK, CRB); Evretou Reservoir, 250m, 4 ♂ 1 ♀, 1.V.2007 (CJVK); Kelefos bridge, 550m, 1 ♂♂ 2 ♀♀, dam on Diarizos River, under stones, 21.V.2011 (CJVK, CRB); Stavros tis Psokas, 2 ♂♂ 1 ♀, along small pond, 30.IV.2007 (CJVK).

Distribution: Palearctic.

Arctosa similis Schenkel, 1938

Identification

Buchar, Knoflach & Thaler, 2006: 334, figs 3-4, 10, 12, 19-20, 27-30.

Citations

None

New records

LARNACA: Achna Reservoir, 50m, 2 ♂♂, stones and litter bordering lake, 16.V.2011 (CJVK, CRB); same site, 2 ♀♀, in pitfalls, 15 – 27.V.2011 (CJVK).

NICOSIA: Kapedes S., 600m, 1 ♂, herbs and stones along rivulet, 5.V.2010 (CJVK).
 PAPHOS: Evretou Reservoir, 250m, 1 ♂ 5 ♀♀, along lake, 1.V.2007 (CJVK); Evretou Reservoir, Stavros tis Psokas river, 1 ♂, 20.III.2018 (CKHK); Kelefos bridge, 1 ♂, dam on Diarizos River, 550m, 2 ♀♀, under stones, 21.V.2011 (CJVK, CRB); Mavrokolympos Reservoir, NE Potima, 150m, 1 ♂ 1 ♀, under stones along lake, 22.V.2011 (CRB); Mavrokolympos Reservoir, 1 ♂ 4 ♀♀, 13.III.2018 (CKHK); same site, 1 ♀, stones around lake, 22.V.2011 (CJVK).

Distribution: Canary Is., Mediterranean. New to Cyprus.

Arctosa variana C. L. Koch, 1847

Identification

Buchar, Knoflach & Thaler, 2006: 329, figs 6-7, 13-14, 21-22, 31.

Citations

None

New records

PAPHOS: Evretou Reservoir, 350m, 2 ♂♂, stones around lake, 1.V.2007 (CJVK).

Distribution: Canary Is., Mediterranean. New to Cyprus.

Aulonia kratochvili Dunin, Buchar & Absolon, 1986

Identification

Dunin, Buchar & Absolon, 1986: 28, figs 1-7; Kronestedt, 1997: 77, figs 1-2.

Citations

None

New records

LARNACA: Larnaca SW, Hala Sultan Tekke mosque, 50m, 1 ♀, in pitfalls in salt marsh, 15-28.V.2011 (CRB).

LIMASSOL: Akrotiri Peninsula N., 5m, 6 ♀♀, litter in *Eucalyptus* forest, 29.IV.2010 (CJVK, CRB); Fasouri, Akrotiri Peninsula, 4 ♀♀, in reed litter, 27.IV. and 4.V.2007; same site, 1 ♂ 2 ♀♀ (CRS), 1 ♀, 30.IV.2013 (CAR-S).

Distribution: Greece to Central Asia. New to Cyprus.

Hogna ferox (Lucas, 1838)

Identification

Hepner & Paulus, 2009: 341, figs 14-16.

Citations

None

New records

LARNACA: Achna Reservoir, 50m, 1 ♂ 2 ♀♀, under stones and litter bordering lake, 29.V.2011 (CJVK).

LIMASSOL: Amathus, 1 ♂, under stones in dry valley, 6.IV.1986 (NHW); Amathus, 1 ♀ 1 juvenile, front yard in hotel, 8.IV.1986 (NHW); Mouttagiaka, 20m, 2 ♂ 1 ♀ 2 subadult ♀♀, drowned in swimming pool of Caravel hotel, 29.IV.2010 (CRB).

PAPHOS: Evretou Reservoir, 350m, 3 ♀♀, stones around lake, 1.V.2007 (CJVK).

Distribution: Canary Islands, Mediterranean. New to Cyprus.

Hogna radiata (Latreille, 1817)

Identification

Loksa, 1972: 49, figs 44-45.

Citations

None.

New records

LIMASSOL: Akrotiri Peninsula, 1 ♂, margin of central salt lake, 7.V.1972, coll. A. Stubbs (MMUE); Trooditissa Monastery, 1300m, 1 ♂, under stones in *Quercus* forest, 25.XI.2010 (CRB).

NICOSIA: Agridi, near Dali, 1 ♀, in garden, IV.2004, 2 ♂♂, on veranda, XI.2009, 1 ♂, in lawn, 1.X.2010, 1 ♂, in garden, VIII.2012 (all CDM); Dali 13, Agios Andronikos, 1 ♂, in garden, IV.-V.2008 (CDM).

PAPHOS: Kato Akourdaleia, 1 ♀, in garden, VIII.2005 (CDM)

Distribution: Central Europe to Central Asia, Iran, Central Africa. New to Cyprus.

Lycosa praegrandis C. L. Koch, 1836

Identification

Zyuzin & Logunov, 2000: 306, figs 1-2.

Citations

None.

New records

FAMAGUSTA: Agia Triada, 1 ♂, under stones in carob grove, 19.VI.2016 (CMH); Protaras, 1 ♂, in hotel, 6.VIII.2016 (CMH).

KERYNEIA: Saint Hilarion Castle, 2 km W., 610m, 1 subadult ♀, stones in open *Pinus* forest, 20.III.2011 (CRB).

LIMASSOL: Agros, 1 ♀, night catch in *Pinus brutia* forest, 20.V.2016 (CMH); Mount Olympos (Chionistra), 1820m, 1 subadult ♀, under stones in *Pinus* forest, 25.XI.2010 (CRB), 1 ♀, 4.V.2010 (CJVK), 1 ♀, 23.V.2011 (CJVK).

NICOSIA: Anthoupolis, 1 ♀, night catch in gardens, 13.III.2016 (CMH); road Pedoulas-Lemithou, 1 subadult ♀, pitfalls in *Pinus nigra* and *Pinus brutia* forest, 6.IV.-8.VI.2014 (CMH).

Distribution: Greece to Kazakhstan. New to Cyprus.

Pardosa albatula (Roewer, 1951)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LIMASSOL: Livadi tou Passia, E. Troodos, 1170m, 8 ♂♂ 6 ♀♀, in peat marsh, 3.V.2010 (CJVK, CRB); Troodos S., 1350m, 1 ♂, litter in mixed *Pinus* - *Quercus* forest, 3.V.2010 (CJVK).

Distribution: Greece to Central Asia. New to Cyprus.

Pardosa atomaria (C. L. Koch, 1847)

Lycosa atomaria; Kulczyński, 1908: 80.

Pardosa atomaria; Buchar & Thaler, 2002: 446, figs 11-18.

Identification

Buchar & Thaler, 2002: 446, figs 11-18.

Citations

Without precise locality (Kulczyński, 1908).

LIMASSOL: Troodos (Buchar & Thaler, 2002).

NICOSIA: Cedar valley Forest, 1100m (Buchar & Thaler, 2002).

PAPHOS: Akamas Peninsula, Avakas Gorge (Buchar & Thaler, 2002).

New records

FAMAGUSTA: Paralimni Lake, 65m, 2 ♂♂ 2 ♀♀, herbs and litter around dried lake, 27.IV.2010 (CRB).

LARNACA: Delikipos, 2 ♀♀, in moist grass around small dam, 18.IV.2017 (CAR-S).

LIMASSOL: Akrotiri Peninsula, 1 ♂ 3 ♀♀, on muddy ground, edge of reedbed, 17.IV.2017 (CAR-S); Fasouri, Akrotiri Peninsula, 1 ♀, swept from grass, 4.V.2007 (CAR-S); Germasogeia Dam, 1 ♀, 20.II.2011, D. W. Wrase leg. (CKHK); Pano Platres, below Caledonia Waterfall, 1 ♂, under stones and in grass in rocky valley, 1.V.2007 (CAR-S); Pano Platres, Millomeris Waterfalls, 1 ♀, in litter, 28.IV.2007 (CAR-S); Parekklisia, 1 ♀, under stones in riverbed, 13.IV.1986 (NHW); Troodos S., road to Pano Platres, 2 ♀♀, under stones in *P. nigra* forest, 28.IV.2007 (CRS); Prodromos S., Trooditissa picnic site, 1450m, 1 ♂, under stones in *Pinus* forest, 21.V.2011 (CRB).

NICOSIA: Agridi, near Dali, 2 ♂♂ 4 ♀♀, by edge of river, 22.IV.2012; in garden, 1 ♀, 1.V.2012 (CDM); Athalassa National Forest Park, 1 ♀, by stream, 13.IV.2008 (CDM), 1 ♂ 3 ♀♀, in eucalyptus litter by edge of lake, 2.V.2013 (CAR-S); Cedar Valley Forest, 1180m, 1 ♂ 3 ♀♀, litter in *Cedrus* forest, 19.V.2011 (CJVK); same site, 2

$\delta\delta$ 1 ♀, under stones by track, 29.IV.2007 (CRS); Kapedes S., 600m, 3 ♂ 6 ♀♀, herbs and stones along rivulet, 5.V.2010 (CJVK, CRB); Lympia Reservoir, Lympia, 6 ♂♂ 2 ♀♀, under stones below dam wall, 9.V.2013 (CAR-S); Prodromos E., near Prodromos Dam, 1550m, 1 ♀, stones in *Pinus* forest, 2.V.2010 (CRB); Prodromos S., Trooditissa picnic site, 1450m, 1 ♂ 3 ♀♀, under stones in *Pinus* forest, 21.V.2011 (CJVK).
 PAPHOS: Agia, 1 ♀, under stones at picnic site, 30.IV.2007 (CJVK); Agios Georgios, Dhiarizos river, 1 ♂, pitfalls at edge of reed bed, 26.IV – 5.V.2007 (CJVK); Agios Merkouris, 4 ♂♂ 5 ♀♀, banks of river in forest, 27.IV.2007 (CJVK); Akamas Peninsula, Agios Minas, 1 ♂ 1 ♀, wet area by stream, 2.V.2007 (CAR-S); Avakas Gorge, 150m, 5 ♂ 8 ♀♀, litter in citrus yard at entrance of gorge, 30.IV.2010 (CKVK, CRB), 2 ♂♂, stones in gorge, 22.V.2011 (CRB), 1 ♂ 2 ♀♀, 5.IV.1997 (CJB); Dhiarizos river near Kelefos bridge, 444m, 4 ♂♂ 5 ♀♀, open river bank, 16.III.2018 (CKHK); Evretou Reservoir, 350m, 4 ♀♀, in grassland around lake, 1.V.2010 (CRB); Kelefos bridge, 4 ♂♂ 4 ♀♀, dam on Diarizos River, 550m, under stones 21.V.2011 (CRB); Kinousa E., Agios Merkourios, 350m, 2 ♂♂ 5 ♀♀, under stones and litter in *Pinus* forest, 1.V.2010 (CJVK, CRB); Livadi, 400m, 4 ♂♂ 10 ♀♀, under stones along rivulet, 28.IV.2007 (CJVK); Marathassa Dam, 550m, 2 ♂♂ 3 ♀♀, stones around lake, 20.V.2011 (CJVK); Mavrokolympos Reservoir, 2 ♀♀, 13.III.2018 (CKHK); 9 km N. Pano Panagia, 1050m, 4 ♀♀, in litter near spring, 19.V.2011 (CJVK, CRB); Stavros tis Psokas S., 1 ♂ 1 ♀, banks of small river, 30.IV.2007 (CJVK).

Distribution: Balkans, Cyprus, Rhodes, Aegean Is.

***Pardosa proxima* (C. L. Koch, 1847)**
***Pardosa tenuipes* L. Koch, 1882**

Identification

Pardosa proxima: Isaia *et al.* 2018: 7, figs 1-2, 5-10, 19, 21-22, 26.

Pardosa tenuipes Isaia *et al.*, 2018: 12, figs 3-4, 11-16, 20, 23.

Comments

Recently, Isaia *et al.* (2018) pointed out the differences between *Pardosa proxima* and *P. tenuipes*. When our specimens were identified, this study was not yet available and these species could not be distinguished in the present paper.

Citations

None.

New records

NICOSIA: Agridi, near Dali, 1 ♂, in garden, 20.VI.2011 (CDM); Cedar Valley Forest, 2 ♂♂ 2 ♀♀, edge of track in cedar forest, 2.V.1982, coll. A. Stubbs (MMUE); Kythrea, 1 ♂, no date, G. P. Georghiou leg. (BMNH).

LIMASSOL: Fasouri, Akrotiri Peninsula, in reed litter, 27.IV.2007 1 ♂ 4 ♀♀, 1 ♂, 4.V.2007 (CRS), 4 ♂♂ 1 ♀, 4.V.2007 (CAR-S).

Distribution: Palaearctic, Canary Islands, Azores. New to Cyprus.

***Pardosa roseai* (Roewer, 1951)**

Identification

Bayram *et al.* 2009: 464, figs 1-5.

Citations

None.

New records

FAMAGUSTA: Gialousa E., Agios Thyrso, 20m, 2 ♂♂ 2 ♀♀, stones in ruins, 18.III.2011 (CRB); Salamis S., Silver Beach, 5m, 8 ♂♂ 1 ♀, in pitfalls in salt marsh, 15 - 27.V.2011 (CJVK, CRB).

LARNACA: Achna Reservoir, 50m, 5 ♂ 5 ♀♀, under stones and litter bordering lake, 21.XI.2010, 1 ♂ 2 ♀♀, 16.V.2011, 347 ♂♂ 56 ♀♀, 15-27.V.2011, pitfalls at same site (all CJVK, CRB); Larnaca SW, Hala Sultan Tekke mosque, 50m, 23 ♂♂ 7 ♀♀, in pitfalls in salt marsh, 15-28.V.2011 (CRB), 1 ♂ 2 ♀♀, hand catch at same site, 15.V.2011 (CJVK); Paralimni Lake, 65m, 1 ♀, litter along dry lake, 27.IV.2010 (CJVK).

LIMASSOL: Akrotiri Peninsula, salt lake, 1 ♀, under *Salicornia*, 15.III.2018 (CKHK).

PAPHOS: Agios Georgios, Dhiarizos river, 2 ♂♂ 1 ♀♀, pitfalls along reed bed, 26.IV – 5.V.2007 (CKVK); Dhiarizos river near Kelefos bridge, 444m, 1 ♀, open river bank, 16.III.2018 (CKHK); Evretou Reservoir, Stavros tis Psokas river, 3 ♀♀, 20.III.2018 (CKHK); Evretou Reservoir, 350m, 1 ♀, shrubs and grassland around lake, 1.V.2010 (CRB); same site, along lake, 2 ♂♂ 12 ♀♀, 1.V.2007 (CJVK); Mavrokolympos Reservoir, NE Potima, 150m, 1 ♂ 1 ♀, under stones along lake, 22.V.2011 (CJVK).

Distribution: Bulgaria, Romania, Turkey, Iran. New to Cyprus, where it is locally very abundant in wetlands around reservoirs.

Pirata piraticus (Clerck, 1757)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

PAPHOS: Agios Georgios, Potamos Diarizos, 2 ♂♂, pitfalls in reed bed, 26.IV – 5.V.2007 (CJVK); Agios Mamas, 215m, 2 ♂♂ 4 ♀♀, near spring, 28.IV.2007 (CJVK).

Distribution: North America, Europe, Turkey, Caucasus, Russia, Central Asia, China, Japan.

Trabea paradoxa Simon 1876

Identification

Russell-Smith, 1982: 73, figs 1A-D, 2A-E, 11A.

Citations

None.

New records

FAMAGUSTA: Kantara E., 610m, 1 ♂, stones in open *Pinus* forest, 25.V.2011 (CRB); Paralimni Lake, 65m, 1 subadult ♀, herbs and litter around dried lake, 27.IV.2010 (CRB).

LARNACA: Agios Minas, 1 ♀, in litter in pine wood, 20.III.1998, coll. J. Murphy (MMUE). LIMASSOL: Akrotiri Peninsula N., 5m, 1 ♂, litter in *Eucalyptus* forest, 29.IV.2010 (CRB); Pano Platres E., Mesa Potamos Waterfalls, 950m, 2 ♂♂ 3 ♀♀, litter in *Pinus* forest, 4.V.2010 (CJVK, CRB); road Pano Platres-Troodos, 1 juvenile, under stones in *Pinus nigra* forest, 1.V.2007 (CAR-S).

NICOSIA: Athalassa National Forest Park, Nicosia, 1 ♂ 3 ♀♀, in deep eucalyptus litter, 8.V.2013 (CAR-S); near Platania Scout camping site, 1 ♀, pitfalls in *Pinus brutia* forest, 6.IV. - 8.VI.2014 (CMH); near Prodromos reservoir, 2 ♂♂, pitfalls in *Pinus nigra* forest, 6.IV. - 8.VI.2014 (CMH).

Trochosa hispanica Simon, 1870

Identification

Thaler, Buchar & Knoflach, 2000: 1079, figs 37-39, 41.

Citations

None.

New records

LIMASSOL: Akrotiri Peninsula, Fasouri reed beds, in reed litter, 1 ♂ 1 subadult ♀, 27.IV.2007, 1 ♀, 4.V.2007, 1 ♀, 30.IV.2013 (CAR-S), 2 ♀♀ (CDM).

NICOSIA: Agridi, near Dali, 1 ♂, in garden, V.2010 (CDM); near Prodromos reservoir, 1 ♂ 3 ♀♀, pitfalls in *Pinus nigra* forest, 6.IV. - 8.VI.2014 (CMH); Xerargaka S, Orkontas, 3 ♀♀, riverside vegetation, 26.III.2016 (CMH).

PAPHOS: Akamas Peninsula, Agios Minas, 1 ♀, wet area by stream, 2.V.2007 (CAR-S); Kato Paphos, 1 subadult ♂, seiving hay, 4.IV.1997 (CJB).

Distribution: Circum-mediterranean. New to Cyprus.

Wadicosa fidelis (O. Pickard-Cambridge, 1872)

Identification

Kronestedt & Zyuzin 2009: 813, figs 1-17.

Citations

None.

New records

LARNACA: Achna Reservoir, 50m, 1 ♂ 2 ♀♀, under stones and litter bordering lake, 21.XI.2010, 2 ♂ 8 ♀♀, 16.V.2011, 14 ♂♂ 9 ♀♀, pitfalls at same site, 15. - 27.V.2011 (CJVK, CRB).

LIMASSOL: Alassa SE, 1 ♂, under pebbles and in grass at edge of river Limnatis, 5.V.2007 (CAR-S).

NICOSIA: Cataldere dam, Kythrea N., 105m, 1 juvenile, under stones bordering lake, 23.XI.2010 (CRB); Lympia Reservoir, Lympia, 1 ♀, under stone below dam wall, 9.V.2013 (CAR-S).

PAPHOS: Evretou Reservoir, 350m, 3 ♂♂ 7 ♀♀, border of lake, 1.V.2007 (CJVK); Gefira Kelefou, along Diarizos Potamos, 1 ♂, 21.V. 2001 (CJVK); Mavrokolympos Reservoir, NE Potima, 150m, 2 ♂♂ 2 ♀♀, under stones along lake, 22.V.2011 (CJVK, CRB); Mavrokolympos Reservoir, 4 ♂♂ 1 ♀, 13.III.2018 (CKHK).

Distribution: Palearctic, Canary Is. New to Cyprus. Common along lakes and rivers.

Family Mimetidae

Ero aphana (Walckenaer, 1802)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LIMASSOL: Akrotiri Peninsula, 1 ♂, margin of central salt lake, 7.V.1972, coll. A. Stubbs (MMUE).

NICOSIA: Lympia Reservoir, Lympia, 1 ♀, in rushes below dam wall, 9.V.2013 (CAR-S); Marathassa Dam, 550m, 1 ♀, beaten from shrubs around lake, 20.V.2011 (CRB); Oikos N., Xerargaka picnic site, 350m, 1 ♀, beaten from shrubs and stones in *Pinus* forest, 20.V.2011 (CRB).

PAPHOS: ca. 2 km S of Cape Geronnisos, Akamas Peninsula, 1 ♀, under stones in dry phrygana, 3.V.2007 (CRS); Evretou Reservoir, Stavros tis Psokas river, 1 ♂ 1 ♀, 20.III.2018 (CKHK); near Souskiou, 1 ♀, on bush in dry grassland, 1.V.2013 (CDM).

Distribution: Palaearctic. New to Cyprus.

Ero flammeola Simon, 1881

Identification

Ero flammeola; Thaler *et al.* 2004: 362.

Citations

None.

New records

NICOSIA: Kato Koutrafas-Astromeritis road, 120m, 1 ♀, herbs on pond shore, 18.V.2011 (CRB).

Distribution: Palaearctic. New to Cyprus.

Ero tuberculata (De Geer, 1778)

Identification: <https://araneae.ch/>.

Citations

None.

New records

LIMASSOL: Trooditissa Monastery, Trooditissa river, 1360m, 1 ♀, beaten from shrubs, 19.III.2018 (CKHK).

PAPHOS: Kykkos Monastery, 1150m, 1 ♀, on walls in monastery, 19.V.2011 (CRB).

Distribution: Palaearctic. New to Cyprus.

Mimetes laevigatus (Keyserling, 1863)

Identification: <https://araneae.nmbe.ch/>

Citations

None.

New records

FAMAGUSTA: Gialousa E., Agios Thrysos, 20m, 1 subadult ♀, beaten from shrubs, 16.V.2011 (CRB); Gialousa E., Agia Triada, 50m, 1 subadult ♀, on herbs in ruins, 18.III.2011 (CRB).

KERYNEIA: Pentadactylos Range, Saint Hilarion Castle W, 600m, 1 subadult ♂ 1 subadult ♀, beaten in *Pinus* forest 17.V.2011 (CRB).

LIMASSOL: Akrotiri Peninsula, 1 ♂, on muddy ground, edge of Fasouri reedbeds, 17.IV.2017 (CAR-S); Pano Platres, track near Caledonia Waterfall, 1 juvenile, swept from herbs and shrubs in rocky stream valley, 26.IV.2007 (CAR-S).

NICOSIA: Cedar Valley Forest, 1180m, 1 subadult ♀, beaten in *Cedrus* forest, 19.V.2011 (CRB); Kampos NE, Xeros River, 550m, 1 subadult ♂, beaten from shrubs, 20.V.2011 (CRB); Marathassa Dam, 550m, 1 subadult ♀, beaten from shrubs around lake, 20.V.2011 (CRB); Oikos N., Xerargaka picnic site, 350m, 1 subadult ♀, beaten from shrubs in *Pinus* forest, 20.V.2011 (CRB).

NICOSIA: Cedar Valley Forest, 1180m, 1 subadult ♀, beaten in *Cedrus* forest, 19.V.2011 (CRB).

PAPHOS: Akamas Peninsula, Neo Chorio, 1 subadult ♂, swept from phrygrana and grass, 2.V.2007 (CAR-S).

Distribution: Mediterranean to Central Asia. New to Cyprus.

Family Miturgidae

Zora manicata Simon, 1878

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

FAMAGUSTA: Gialousa E., Agia Triada, 50m, 1 ♂, stones in ruins, 18.III.2011 (CRB).
 KERYNEIA: Saint Hilarion Castle, 610m, 1 ♀, in pitfalls in *Pinus* forest, XI.2010 - III.2011 (CRB).
 LARNACA: Delikipos, 1 ♀, under stones in grass around small dam, 8.IV.2017 (CAR-S); Dipotamos Reservoir, 150m, 1 ♀, herbs and stones bordering lake, 28.IV.2010 (CRB).
 LIMASSOL: Pano Platres, track near Caledonia Waterfall, 2 ♂♂ 5 ♀♀, under stones and in grass in rocky valley, 26.IV.2007 (CAR-S), 4 ♂♂ (CRS); road Pano Platres-Troodos, 1 ♂, under stones in *Pinus nigra* forest, 28.IV.2007 (CAR-S).
 NICOSIA: Athalassa National Forest Park, Nicosia, 2 ♀♀, under stones in pine plantation, 8.V.2013 (CAR-S); between Cedar Valley and Stavros tis Psokas, 1 ♀, under stones in *P. nigra* forest, 28.IV.2007 (CAR-S); Lympia Reservoir, Lympia, 6 ♀♀, in rushes below dam wall, 9.V.2013 (CAR-S); Oikos N., Xerargaka picnic site, 350m, 2 ♀♀, under stones in *Pinus* forest, 20.V.2011 (CRB); Pano Amiantos, 2 ♂♂, pitfalls in *Pinus brutia* forest, 6.IV. - 8.VI.2014 (CMH); Prodromos S., Trooditissa picnic site, 1450m, 1 ♀, stones in *Pinus* forest, 21.V.2011 (CRB).
 PAPHOS: Akamas Peninsula, 1 ♀, in coastal grassland, 22.III.1998, coll. J. Murphy (MMUE); Akamas Peninsula, Agios Minas, 1 ♂, wet area by stream, 2.V.2007 (CAR-S); Makounta, 1 ♂, under stones in scrub, 19.III.1998, coll. J. Murphy (MMUE); Pegeia, Pikni Forest, 366m, 1 ♂, pitfalls in pine forest, 11.III. - 23.III.2018 (CKHK); same site, 374m, 2 ♂♂, pitfalls in open ruderal site, 14.III. - 23.III.2018 (CKHK).

Distribution: Europe, Ukraine, Israel. New to Cyprus.

Family Mysmenidae

Mysmena leucoplagiata (Simon, 1880)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

FAMAGUSTA: Gialousa, Agios Thrysos, 1 ♀, 16.V.2011 (CRB).
 PAPHOS: Kelefos bridge, 465m, deciduous wood, 1 ♀, in litter, 16.III.2018 (CKHK).

Distribution: Cyprus, Syria, Israel. New to Cyprus.

Family Nemesiidae

Brachythele incerta Ausserer, 1871

Brachythele incerta Ausserer, 1871: 175, descr. ♂.

Identification

See page 28.

Citations

Without precise locality (Ausserer, 1871).

New records

None.

Distribution

Only known from Cyprus. No *Brachythele* has been recorded from the island since the original description.

Nemesia sp.

At a few locations in Cyprus, *Nemesia* specimens were discovered. The genus was not previously known from Cyprus and the species will be described in a separate paper.

Family Oecobiidae

Oecobius cellariorum (Dugès, 1836)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LIMASSOL: Agios Tychonas, 1 ♂ 1 ♀, under stones, bushes near house walls, 19.IV.1986

(NHW); Kolossi, N. of the castle, 1 ♂ 4 ♀♀, under stones, 11.IV.1986 (NHW).
 NICOSIA: Kato Koutrafas- Astromeritis road, 120m, 1 ♂, herbs on pond shore, 18.V.2011 (CRB); Pedoulas, 1100m, 1 ♀, on wall of hotel, 4.V.2010 (CRB).

Distribution: Cosmopolitan. New to Cyprus.

***Oecobius maculatus* Simon, 1870**

Identification: <https://araneae.nmbe.ch/>.

Wunderlich, 1995a: 594, figs 29-30.

Citations

None.

New records

FAMAGUSTA: Paralimni Lake, 65m, 2 ♀♀, herbs and litter around dried lake, 27.IV.2010 (CRB); Salamis ruins, 30m, 1 ♀, stones in ruins, 17.III.2011 (CRB).

LARNACA: Larnaca salt lake, 5m, 3 ♀♀, stones in salt marsh, 27.IV.2010 (CRB).

LIMASSOL: Akrotiri Peninsula, 2 ♀♀, edge of central salt pan, under stones and debris in *Salicornia*, 27.IV.2007 (CAR-S); Armenochori, 1 ♀, in garage, 14.IV.1986 (NHW); Erimi, 1 ♀, under stones in dry riverbed, 18.IV.1986 (NHW); Kolossi castle, 2 ♂♂ 1 ♀, walls in the castle area, 11.IV.1986 (NHW).

NICOSIA: Agios Sozomenos, near Dali, 2 ♀♀, stones in disturbed phrygana, 30.IV.2007 (CAR-S).

PAPHOS: Evretou Reservoir, 1 ♀, under stone in grass tussocks, 13.IV.2017 (CAR-S); Kato Paphos, 2 ♂♂ 4 ♀♀, under stones near hotel, 4.IV.1997 (CJB); near Souskiou, 3 ♀♀, under stones on rocky eroded grassland on hill, 17.IV.2017 (CAR-S).

Distribution: Mediterranean to Azerbaijan. New to Cyprus.

***Oecobius navus* Blackwall, 1859**

Identification

Wunderlich, 1995c: 595, figs 31-35.

Citations

None.

New records

LIMASSOL: Mouttagiaka, 20m, 1 ♀, on wall of Caravel hotel, 29.IV.2010 (CRB).

Distribution: Cosmopolitan. New to Cyprus.

***Oecobius putus* O. Pickard-Cambridge, 1876**

Identification

Kritscher (1966): 290, figs 11-12.

Citations

None.

New records

NICOSIA: Dali, 13, Agios Andronikos, 1 ♂, in house, V.2008 (CDM).

Distribution: Egypt, Sudan to Azerbaijan, India. New to Cyprus.

***Oecobius teliger* (O. Pickard-Cambridge, 1872)**

Identification

Wunderlich, 1995a: 599, figs 54-57.

Citations

None.

New records

FAMAGUSTA: Prastio S., Agios Andronikos, 30m, 3 ♀♀, under stones in *Eucalyptus* forest, 27.V.2011 (CRB); Karpasia Peninsula, Cape Apostolos Andreas, 70m, 2 ♀♀, stones in grassland, 16.V.2011 (CRB).

LIMASSOL: gorge below Caledonia Waterfall, 1 ♀, under stone, 26.IV.2007 (CRS); Pano Platres, 1 ♀; on stone wall, 26.IV.2007 (CAR-S).

NICOSIA: Agios Sozomenos, near Dali, 1 ♂ 1 ♀, under stones in dry grassland, 30.IV.2007, on limestone ridge behind village, 2 ♀♀, under stone, 30.IV.2007 (CRS); Agridi, near Dali, 1 ♀, in house, IV.2009, 1 ♂, on stones, river bank, 29.IV.2013 (CDM); Dali, 13, Agios Andronikos, 2 ♀♀, in garden, IV.2008 (CDM).

PAPHOS: Near Souskiou, 1 ♀, under stones in dry grassland, 1.V.2013 (CAR-S), 1 ♀ (CDM).

Distribution: Lebanon, Turkey, and the Greek Island of Chios. New to Cyprus.

***Uroctea durandi* (Latreille, 1809)**

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LARNACA: Agioi Vavatsinias, 700m, 1 juvenile, stones in *Pinus* forest, 28.IV.2010 (CRB).

LIMASSOL: Pano Platres, below Caledonia Waterfall, 1 juvenile, under stone in gorge, 19.IV.2017 (CAR-S); 10 km S. of Troodos, 1 ♀, under stone in *Pinus brutia* forest, 19.IV.2017 (CAR-S).

NICOSIA: Dali, Idalion Archaeological Site, 1 juvenile, under stones in phrygana, 30.IV.2013 (CDM); Prodromos S., Trooditissa picnic site, 1450m, 1 ♀, stones in *Pinus* forest, 21.V.2011 (CRB); Profitis Elias, Machairas Forest, 1 juvenile, 2005 (CDM).

PAPHOS: Kykkos Monastery, road to Vigilios church, 950m, 1 subadult ♀, 20.IV.2017, S. Huber leg. (CSH).

Distribution: Mediterranean. New to Cyprus.

Family Oonopidae

***Opopaea punctata* (O. Pickard-Cambridge, 1872)**

Identification

Saaristo & Marusik, 2008: 29, figs 64-72, 155-165, 196, 202, 227.

Citations

None.

New records

FAMAGUSTA: Agios Sergios, 30m, 1 ♂ 1 ♀, in pitfalls in *Pinus* plantation, 15. - 27.V.2011 (CRB).

NICOSIA: Prodromos S., Trooditissa picnic site, 1450m, 1 ♂, stones in *Pinus* forest, 21.V.2011 (CRB).

PAPHOS: near Avakas Gorge, 1 ♀, under stones in field with tall grass, 14.IV.2017 (CAR-S); Kato

Paphos, 1 ♀, under stones near hotel, 1.IV.1997 (CJB).

Distribution: Turkey, Lebanon, Israel. New to Cyprus.

***Opopaea saaristoi* Wunderlich, 2011**

Opopaea saaristoi Wunderlich, 2011: 199, figs 1-5.

Identification

Wunderlich, 2011: 199, figs 1-5.

Citations

North Cyprus (Wunderlich, 2011; type locality).

New records

None.

Distribution: Only known from Cyprus.

***Opopaea santschii* Brignoli, 1974**

Opopaea santschii; Saaristo, 2007: 135, figs 79-85.

Identification

Saaristo, 2007: 135, figs 79-85.

Citations

LIMASSOL: Limassol (Saaristo, 2006).

New records

None.

Distribution: Tunisia, Cyprus, Egypt, Israel.

***Orchestina* sp.**

Identification

Citations

None.

New records

PAPHOS: Akamas Peninsula, Agios Minas church; 1 ♂ 1 ♀, 2.V.2007 (CAR-S).

Comments: These specimens could not be identified.

***Silhouettella tomer* Saaristo, 2007**

Identification

Saaristo, 2007: 137, figs 99-105.

Citations

None.

New records

FAMAGUSTA: Rizokarpaso W., Panagia Eleousa Monastery, 30m, 1 ♂, stones in *Pinus* forest, 18.III.2011 (CRB); Salamis S., Silver Beach, 5m, 1 ♂, in pitfalls in salt marsh, 15 - 27.V.2011 (CRB).
KERYNEIA: Pentadactylos Range, Ftericha S., 800m, 1 ♀, stones in grassland, 17.V.2011 (CRB).

Distribution: Israel, and new to Cyprus.

Family Oxyopidae*Oxyopes globifer* Simon, 1876**Identification**

Levy, 1999: 41, figs 10A-E, 11A-D, 12A-C.

Citations

None.

New records

LIMASSOL: Avdimou, 1 ♀, on coast, 14.VII.1992, coll. P. Selden (BMNH).

Distribution: Mediterranean to central Asia. New to Cyprus.

Oxyopes heterophthalmus (Latreille, 1804)
Oxyopes heterophthalmus; Logunov, 2013: 5

Identification: <https://araneae.nmbe.ch/>.

Citations

PAPHOS: Avakas Gorge (Logunov, 2013); Xeropotamos River (Logunov, 2013).

New records

KERYNEIA: Pentadactylos Range, Saint Hilarion Castle W., 600m, 1 ♀, beaten from shrubs in *Pinus* forest, 17.V.2011 (CJVK).
LARNACA: Agia Anna, 1 ♂, in gulley with pines, 26.IV.1982, coll. A. Stubbs (MMUE).
LIMASSOL: Agios Tychonas, 2 ♂♂ 1 ♀, under stones near house walls, 19.IV.1986 (NHW); Akrotiri, Fasouri reedbeds, 1 subadult ♀, swept from grass and reeds, 17.IV.2017 (CAR-S); Alassa SE, near river Limnatis, 1 ♂ 1 ♀, sweeping lush grassland, 5.V.2007 (CAR-S); Amathus, 1 ♀, on house wall, 9.IV.1986 (NHW); Kannavia, 780m, 1 ♂, sweeping grassland, 4.V.2007 (CJVK); Pano Platres E., Mesa Potamos Waterfalls, 950m, 1 ♂, beaten in *Pinus* forest, 4.V.2010 (CJVK); Pissouri beach, 1 ♀, under stone, 24.III.1998, coll. A. Stubbs

(MMUE); Platres, 1 ♀, on walls, 22.IV.1986 (NHW).

NICOSIA: Agios Sozomenos, near Dali, 1 ♀, under stone in dry grassland, 29.IV.2013 (CAR-S); Agios Tychonas, 1 ♂, under stones near house walls, 19.IV.1986 (NHW); Agridi, near Dali, 2 ♂♂, in field, IV.2007; same site, 2 ♂♂, V.2008, 2 ♂♂, in garden, V.2011 (all CDM); Lefka NW, 120m, 6 ♀♀, beaten from bushes in fruit plantation, 18.V.2011 (CJVK, CRB); Machairas forest near Kionia, 1300m, 1 ♂ 1 ♀, stony phrygana, 5.V.2010 (CJVK); Pyrgos, 1 ♂, in dry grass steppe, 15.IV.1986 (NHW).
PAPHOS: Agios Merkourios, 250m, 1 ♂, sweeping grassland, 27.IV.2007 (CJVK); Asprokremmos Dam, N. Kouklia, 150m, 1 ♀, herbs and stones along lake, 23.V.2011 (CRB); Avakas gorge and surroundings, 1 ♀, 22.III.2018 (CKHK); Drouseia S., Panagia Chrysospilotissa, 580m, 1 ♂, night catch in small cave, 22.IV.2017, S. Huber leg. (CSH), Evretou Reservoir, 350m, 1 ♀, shrubs and grassland around lake, 1.V.2010 (CJVK); Kelefos bridge, dam on Diarizos River, 550m, 3 ♂♂ 1 ♀, beaten from shrubs, 21.V.2011 (CJVK, CRB); Gialia, 1 ♂, under stones in pine wood, 25.III.1998, coll. J. Murphy (MMUE), 2 ♂♂ 1 ♀, sweeping *Cystus*, 28.IV.2007 (CJVK); near Kritou Terra, 1 ♀, swept from grass in dry fallow, 14.IV.2017 (CAR-S); Loukrounou E., 140m, 1 ♀, sweeping herbs bordering cultivated fields, 1.V.2007 (CJVK); Mavrokolympos Reservoir, 1 ♂, 13.III.2018 (CKHK); Pelathousa SE., 245m, 1 ♂ 4 ♀♀, sweeping grassland, 30.IV.2007 (CJVK); Peristerona, Atichoullis gorge, 425m, 1 ♀, beating in maquis, 2.V.2007 (CJVK); Pomos S., 530m, 2 ♂♂, beating *Cystus*, 28.IV.2007 (CJVK); Souskiou, 1 ♂, 16.III.2013 (CDM).

Distribution: Palaearctic.

Oxyopes lineatus Latreille, 1806

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

FAMAGUSTA: Agios Sergios, 30m, 1 ♂ 3 ♀♀, beaten in *Pinus* plantation, 15.V.2011, (CRB); Salamis ruins, 50m, 1 ♂, beaten from low trees, 15.V.2011 (CRB).

LARNACA: Kornos Picnic site, 350m, 3 ♂♂, under stones in *Pinus* forest, 28.V.2011 (CJVK).

LIMASSOL: Alassa SE, 1 ♂ 1 ♀, swept from grass at edge of river Limnatis, 5.V.2007 (CAR-S); Pano Platres, near top of road to Millomeris Waterfalls, 1 juvenile, swept from grass and herbs in abandoned vineyard, 28.IV.2007 (CAR-S); Mount Troodos, 1 ♀ (BMNH).
 NICOSIA: Agridi, near Dali, 1 ♂, in garden, V.2011; 1 ♀, IV.2012 (CDM); Cedar Valley, 1 juvenile, swept from herbs, 29.IV.2007 (CAR-S); Kamos NE, Xeros River, 550m, 19 ♂♂ 4 ♀♀, under stones in riverbed and beaten from shrubs, 20.V.2011 (CJVK, CRB); Kapedes S., 600m, 3 ♂♂, herbs along rivulet, 5.V.2010 (CJVK, CRB); Kato Koutrafas- Astromeritis road, 120m, 2 ♂♂, herbs on pond shore, beaten from shrubs in dry riverbed, 18.V.2011 (CJVK); Lefka NW, 120m, 12 ♂♂ 1 ♀, beaten from shrubs in fruit plantation, 18.V.2011 (CRB); Machairas forest near Kionia, 1300m, 2 ♂♂, stony phrygana, 5.V.2010 (CRB); Limnitis River, Kato Pyrgos SE, 200m, 1 ♂, stones and litter in *Pinus* forest, 2.V.2010 (CJVK); Marathassa Dam, 550m, 1 ♂, beaten from shrubs around lake, 20.V.2011 (CRB); Oikos N., Xerargaka picnic site, 350m, 1 ♂ 1 ♀, beaten from shrubs and stones in *Pinus* forest, 20.V.2011 (CJVK).
 PAPHOS: Akamas Peninsula, Neo Chorio, 1 subadult ♂, swept from phrygana, 2.V.2007 (CAR-S); Akamas Peninsula, Agios Minas, 1 subadult ♂, on tall grasses, 2.V.2007 (CAR-S); Asprokremmos Dam, N. Kouklia, 150m, 3 ♂♂ 4 ♀♀, herbs and stones along lake, 29.IV.2010 (CJVK); Evretou Reservoir, 350m, 2 ♂♂ 4 ♀♀, on shrubs around lake, 1.V.2011 (CJVK, CRB); Mavrokolympos Reservoir, NE Potima, 150m, 1 ♂ 1 ♀, on shrubs, 22.V.2011 (CRB); Pela thousa SE., 245m, 2 ♂♂, sweeping grassland, 30.IV.2007 (CJVK); Polis, 15m, 1 ♂, herbs and stones around building, 27.IV.2007 (CJVK).

Distribution: Palaearctic. New to Cyprus.

Oxyopes mediterraneus Levy, 1999

Identification

Levy, 1999: 43, figs 14-15.

Citations

None.

New records

NICOSIA: Elia-Angolemi road, 100m, 1 ♀, stones in grassland, 18.V.2011 (CJVK).

Distribution: Mediterranean. New to Cyprus.

Oxyopes nigripalpis Kulczyński, 1891

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

Without precise locality, 1 ♂, VI.1999. coll. J. Murphy (MMUE).

Distribution: Mediterranean. New to Cyprus.

Oxyopes ramosus (Martini & Goeze, 1778)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

NICOSIA: Agridi, near Dali, 1 ♂, in house, V.2011 (CDM).

Distribution: Palaearctic. New to Cyprus.

Oxyopes sobrinus Latreille, 1806

Identification

Levy, 1999: 37, figs 7-8.

Citations

None.

New records

NICOSIA: Agridi, near Dali, 1 ♂, in yard, V.2009 (CDM); Agios Sozomenos, near Dali, 1 ♂, under stones in disturbed phrygana, 30.IV.2007 (CAR-S).

Distribution: Libya, Israel. New for Cyprus.

Peucetia arabica Simon, 1882

Identification

Levy, 1999: 51, figs 24A-B, 25A-C.

Citations

None

New records

KERYNEIA: Keryneia, 1 ♀, E. Green leg. (BMNH).

LARNACA: Agioi Vavatsinias, 700m, 1 ♂, beaten in *Pinus* forest, 28.IV.2010 (CJVK).
 LIMASSOL: Agros SW, 950m, 1 ♂, beating in *Pinus* forest, 5.V.2010 (CJVK).
 NICOSIA: Kampos NE, Xeros River, 550m, 1 ♀, beaten from shrubs, 20.V.2011 (CRB); Lefka NW, 120m, 1 ♂ 3 ♀♀, beaten from shrubs in fruit plantation, 18.V.2011 (CJVK); Marathassa Dam, 550m, 1 ♀, beaten from shrubs around lake, 20.V.2011 (CJVK); Oikos N., Xerargaka picnic site, 350m, 1 ♂, beaten from shrubs in *Pinus* forest, 20.V.2011 (CJVK).
 PAPHOS: Agios Mamas ruins, Gialia E., 215m, 1 ♀, beating *Cystus*, 28.IV.2007 (CJVK); Kinousa SE, 400m, 1 ♂, under stones in *Pinus* forest, 1.V.2010 (CRB); Limnitis River, Kato Pyrgos SE, 200m, 5 ♂♂ 2 ♀♀, stones and litter in *Pinus* forest, 2.V.2010 (CJVK); Pelathousa SE., 245m, 1 ♂, sweeping grassland, 30.IV.2007 (CJVK).

Distribution: Spain, Greek Islands, Africa, Middle East. New to Cyprus.

Family Palpimanidae

Palpimanus cyprius Kulczyński, 1909

Palpimanus cyprius Kulczyński, 1909: 671; Platnick, 1981: 172.

Identification

Platnick, 1981: 172, figs 7, 16.

Citations

Without precise locality (Kulczyński, 1909; Platnick, 1981).

New records

FAMAGUSTA: Komi Kebir, 150m, 1 ♀, pitfalls in *Pinus* forest, III. - V.2011 (CRB).
 KERYNEIA: near Agios Georgios, 2 ♀♀, under stones, 27.II.2011, H. Henderickx leg. (CJB); Keryneia, 1 ♀, E. Green leg., 28.IV. 1936 (BMNH); Pentadactylos Range, Saint Hilarion Castle W, 600m, 1 ♀, under stones in *Pinus* forest 17.V.2011 (CRB); Pentadactylos Range, Ftericha S., 800m, 1 juvenile, under stones in grassland, 17.V.2011 (CRB).
 LIMASSOL: Agros SW, 950m, 1 ♀, under stones in *Pinus* forest, 5.V.2010 (CRB); Alissa SE, river Limnatis, 1 ♀, under stones at base of limestone rock face of gorge, 5.V.2007 (CAR-S); Panagia Glossa Monastery near Kellaki, 1 ♂, stones in cultivated land, 12.IV.1986 (NHW); Pedoulas, 960m, 1 ♀, road embankment, 18.IV.2017, S. Huber leg. (CSH); 5 km S. Troodos, road to Pano

Platres, 1 ♀, under stones, in *P. nigra* forest, 1.V.2007 (CRS); 10 km S. Troodos, 1 ♀, under stones in *Pinus brutia* forest, 19.IV.2017 (CAR-S).

NICOSIA: Cedar Valley Forest, 1 ♀, under stones by track, 29.IV.2007 (CRS); Dali, Idalion Archaeological Site, 1 ♀, under stones in phrygana, 30.IV.2013 (CDM); Kakopetria S., Platania forest station, 1100m, 1 ♀, under stones in dense *Pinus* forest, 4.V.2010 (CRB); below Machairas Monastery, 1 ♀, under stones beside track in phrygana, 4.V.2013 (CAR-S); Nikitari S., Panagia Asinou, 1 ♀, under stones in disturbed phrygana, 9.V.2007 (CAR-S); Pyrgos, 1 ♂ 1 ♀, steppe with individual stones and bushes and dry grass, 15.IV.1986 (NHW).

PAPHOS: Akamas Peninsula, Cape Drepanum, 1 ♀, 31.III.1997 (CJB); Akamas Peninsula, Cape Geronnisos S., 1 ♂, under stones in dry phrygana, 3.V.2007 (CAR-S), 1 ♀ (CRS); Akamas Peninsula, S. Neo Chorio, 270m, 1 ♀, stones in karst landscape, 22.IV.2017, S. Huber leg. (CSH); Kinousa, 1 ♂, under stone in pine wood, 28.III.1998, coll. J. Murphy (MMUE); Kato Akourdaleia, 1 ♂, in garden, VIII.2005 (CDM); Paphos NW, 1 ♂, under stones at the edge of a large sand pit, 24.IV.1986 (NHW); Smigies, 1 ♀, under stone in hillside scrub, 26.III.1998, coll. J. Murphy (MMUE).

Distribution: Cyprus, Syria, Israel.

Family Philodromidae

Philodromus aureolus (Clerck, 1757)

Identification: <https://araneae.nmbe.ch/>

Citations

None.

New records

NICOSIA: Kato Koutrafas - Astromeritis road, 120m, 1 ♂, beaten from shrubs in dry riverbed, 18.V.2011 (CRB).

Distribution: Europe. New to Cyprus.

Philodromus cespitum (Walckenaer, 1802)

Identification: <https://araneae.nmbe.ch/>

Citations

None.

New records

NICOSIA: Marathassa Dam, 550m, 1 ♀, beaten from shrubs around lake, 20.V.2011 (CRB).

LIMASSOL: Akrotiri Peninsula E., 5m, 2 ♀♀, under stones and in litter in salt marsh, 29.IV.2010 (CRB).

Distribution: Europe. New to Cyprus.

***Philodromus longipalpis* Simon, 1870**

Identification: <https://araneae.nmbe.ch/>

Citations

None.

New records

NICOSIA: Agridi, near Dali, 1 ♀, in hedge in garden, 20.V.2011, 1 ♂ in garden, V.2011, 2 ♂♂, in garden, V.2012 (all CDM).

PAPHOS: Evretou Reservoir, 350m, 1 ♀, beaten from shrubs around lake, 1.V.2010 (CRB).

Distribution: Europe. New to Cyprus.

Philodromus lunatus* Muster & Thaler, 2004*Identification**

Muster & Thaler, 2004: 319, figs 4, 6, 19, 26, 27.

Citations

None.

New records

FAMAGUSTA: Agios Sergios, 30m, 1 ♀, beaten in *Pinus* plantation, 15.V.2011 (CRB); Kantara E., 610m, 1 ♂ 5 ♀♀, beaten from shrubs in open *Pinus* forest, 25.V.2011 (CRB); Prastio S., Agios Andronikos, 30m, 1 ♀, swept from herbs in *Eucalyptus* forest, 27.V.2011 (CRB).

KERYNEIA: Panagia Apsinthiotissa Monastery ruins, 350m, 1 ♂ 1 ♀, beaten in clearing in *Pinus* forest, 24.V.2011 (CRB); Pentadactylos Range, Saint Hilarion Castle, 600m, 5 ♂♂ 1 ♀, beaten from shrubs, 17.V.2011 (CRB).

LIMASSOL: Armenochori, 1 ♀, city area, 14.IV.1986 (NHW); Episkopi game reserve, 1 ♂, C. & P. R. Deeleman leg., 31.I.1988, moulting to adult in VI.1988 (CRB); Parekklesia, 1 ♀, under stones in riverbed, 13.IV.1986 (NHW).

NICOSIA: Agridi, near Dali, 1 ♂, in garden, V.2009 (CDM); Lefka NW, 120m, 1 ♀, beaten from shrubs in fruit plantation, 18.V.2011 (CRB); below Machairas Monastery, 1 ♂, under stones beside track in phrygana, 4.V.2013 (CAR-S); Marathassa Dam, 550m, 1 ♀, beaten from shrubs around lake, 20.V.2011 (CRB); Masari S., Merika River, 120m, 1 ♂ 1 ♀, beaten from shrubs in wasteland, 24.V.2011 (CRB); Oikos N., Xerargaka picnic site, 350m, 1 ♂ 4 ♀♀, beaten from shrubs in *Pinus* forest, 20.V.2011 (CRB). PAPHOS: Vretsia W., near Kelefos Bridge, 650m, 1 ♀, beaten from shrubs, 19.V.2011 (CRB).

Distribution: Eastern Mediterranean. New to Cyprus.

***Philodromus margaritatus* (Clerck, 1757)**

Identification: <https://araneae.nmbe.ch/>

Citations

None.

New records

NICOSIA: Pano Amiantos, 1 ♂, pitfalls in *Pinus brutia* forest, 6.IV. - 8.VI.2014 (CMH).

LIMASSOL: Troodos Square, 1 ♂, *Pinus nigra* forest, 11.V.2016 (CMH).

1

Distribution: Palaearctic. New to Cyprus.

Philodromus marmoratus* Kulczyński, 1891*Identification**

Kubcová, 2004: 292, figs 11a-d.

Citations

None.

New records

FAMAGUSTA: Salamis ruins, 50m, 2 ♂♂, beaten from low trees, 15.V.2011 (CRB).

LARNACA: Achna Reservoir, 50m, 1 ♂, beating bushes bordering lake, 15.V.2011 (CRB).

Distribution: Central Europe, Bulgaria, Ukraine. New to Cyprus.

***Philodromus poecilus* (Thorell, 1872)**

Identification: <https://araneae.nmbe.ch/>

Citations

None.

New records

NICOSIA: Xerargaka S, Orkontas, 1 ♀, riverside vegetation, 26.III.2016, M. Hadjiconstantis leg. (CRB).

Distribution: Palaearctic. New to Cyprus.

***Philodromus rufus* Walckenaer, 1826**

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

NICOSIA: Agridi, near Dali, 1 ♂, in yard, IV.2009 (CDM).

PAPHOS: Stavros tis Psokas, 850m, under litter, 21.IV.2017, S. Huber leg. (CSH).

Distribution: Holarctic. New to Cyprus.

***Pulchellodromus medius* (O. Pickard-Cambridge, 1872)**

Philodromus medius; Kulczyński, 1908: 75; Muster, Bosmans & Thaler, 2007: 57.

Identification

Muster, Bosmans & Thaler, 2007: 57, figs 9, 23, 34, 45, 56, 67-68.

Citations

Without precise localiy (Kulczyński, 1908; Muster et al., 2007).

New records

FAMAGUSTA: Cape Greco, Ayia Napa, 35m, 1 ♀, stones in phrygana, 27.IV.2010 (CRB); Salamis ruins, 50m, 2 ♀♀, beaten from low trees, 15.V.2011, CRB);

KERYNEIA: Pentadactylos Range, Saint Hilarion Castle, 600m, 1 ♂, beaten from shrubs, 17.V.2011 (CRB).

LARNACA: Dipotamos Reservoir, 150m, 1 ♀, herbs and stones bordering lake, 28.IV.2010 (CRB); Larnaca salt lake, 5m, 1 ♀, on herbs in salt marsh, 27.IV.2010 (CRB).

LIMASSOL: Agios Tychonas, 1 ♂, under stones near house walls (NHW).

NICOSIA: Agridi, near Dali, 1 ♂, in garden, V.2011 (CDM); Amathus, 1 ♀, under stones in dry valley, 6.IV.1986 (NHW); Amathus, 1 ♂, front yard of hotel, 8.IV.1986 (NHW); Lefka

NW, 120m, 2 ♀♀; beaten from shrubs in fruit plantation, 18.V.2011 (CRB); Kato Koutrafas-Astromeritis road, 120m, 1 ♀, swept from herbs on pond shore, 18.V.2011 (CRB); Oikos N., Xerargaka picnic site, 350m, 1 ♀, beaten from shrubs in *Pinus* forest, 20.V.2011 (CRB).

PAPHOS: Asprokremmos Dam, N. Kouklia, 150m, 2 ♀♀, swept from herbs along lake, 23.V.2011 (CRB); Evretou Reservoir, 350m, 2 ♀♀, on shrubs around lake, 1.V.2010 (CRB); Kelefos bridge, dam on Diarizos River, 550m, 1 ♂ 1 ♀, beaten from shrubs, 21.V.2011 (CRB); Kidasi N., along Diarizos River, 300m, 2 ♀♀, beaten from shrubs, 21.V.2011 (CRB); Vretsia W., near Kelefos bridge, 650m, 1 ♀, beaten from shrubs, 19.V.2011 (CRB).

Distribution: Greece, Cyprus, Israel, Azerbaijan.

***Pulchellodromus pulchellus* (Lucas, 1846)**

Philodromus pulchellus; Logunov, 2013: 5.

Identification

Muster et al., 2007: 60, figs 5, 7, 21, 32, 43, 54, 63-64.

Citations

PAPHOS: Avakas Gorge (Logunov, 2013).

New records

NICOSIA: Athalassa National Forest Park, Nicosia, 1 ♀, under stones in pine plantation, 2.V.2013 (CDM); Dali, Idalion Archaeological Site, 1 ♀, under stones in phrygana, 30.IV.2013 (CDM); Nikitari S., Panagia Asinou, 1 ♂, under stones in disturbed phrygana, 9.V.2007 (CAR-S). LIMASSOL: Akrotiri Peninsula N., 5m, 1 ♀, litter and beating in *Eucalyptus* forest, 29.IV.2010 (CRB); Akrotiri Peninsula, near British airbase, 1 ♂, swept from grass in pine wood. 4.V.2007 (CAR-S); Akrotiri Peninsula, Fassouri reed beds, 3 ♂♂, swept from grass, 17.IV.2017 (CAR-S); Alissa SE, near river Limnatis, 1 ♂, stones in dry grassland, 5.V.2007 (CAR-S); Pissouri beach, 1 ♀, under stone, 24.III.1998, coll. A. Stubbs (MMUE).

PAPHOS: Akamas Peninsula, Avakas Gorge, 1 ♂, under stone, 27.III.1998, coll. J. Murphy (MMUE); Akamas Peninsula, Agios Minas, 1 ♂ 2 ♀♀, under stones in phrygana, 2.V.2007 (CAR-S); Akamas Peninsula, Neo Chorio, 1 ♂ 1 ♀, swept from phrygana, 2.V.2007 (CAR-S); Gialia, 1 ♀, in pine wood, 25.III.1998, coll. J. Murphy (MMUE); near Kidasi village, Diarizos Valley, 1 ♂, in flood debris by stream, 1.V.2013 (CAR-S);

Kinousa, 2 ♂♂, in pine wood, 19.III.1998, coll. J. Murphy (MMUE).

Distribution: Mediterranean.

Thanatus fabricii (Audouin, 1866)

Identification

Crespo *et al.*, 2010: 97, figs 2A-C.

Citations

None.

New records

NICOSIA: Agios Sozomenos, near Dali, 1 ♂ 1 ♀, under stones in dry grassland, 30.IV.2007 (CAR-S), 1 ♂ (CRS); Agridi, near Dali, 1 ♂, in garden, IV.2011 (CDM); Dali, 1 ♀, under stones and in grass in riverbed, 12.V.2007 (CAR-S).

PAPHOS: Akamas Peninsula, between Cape Drepano and Lara Bay, 1 ♀, 2.IV.1997 (CJB).

Distribution: Canary Islands to Central Asia.
New to Cyprus.

Thanatus imbecillus L. Koch, 1878

Identification

Logunov & Huseynov, 2008: 124, figs 19-22.

Citations

None.

New records

LIMASSOL: Pissouri, 1 ♀, in grass, 24.III.1998, coll. J. Murphy (MMUE).

Distribution: North Macedonia to central Asia.
New to Cyprus.

Thanatus vulgaris Simon, 1870

Thanatus vulgaris; Logunov, 2013: 5.

Identification: <https://araneae.nmbe.ch/>.

Citations

LIMASSOL: Episkopi, Kourion Beach (Logunov, 2013).

PAPHOS: Amargeti (Logunov, 2013);
Xeropotamos River (Logunov, 2013).

New records

FAMAGUSTA: Cape Greco, 1 ♀, under stones in phrygana, 3.V.2013 (CAR-S); Flamoudi W., 25m, 1 ♂ 1 ♀, stones and phrygana near the beach,

25.V.2011 (CRB); Kantara E., 610m, 1 ♂ 1 ♀, stones in open *Pinus* forest, 25.V.2011 (CRB); Karpasia Peninsula, Apostolos Andreas Monastery, 50m, 1 ♂, stones in wasteland, 16.V.2011 (CRB); Salamis ruins, 50m, 1 ♀, under stones, 15.V.2011 (CRB); Salamis S., Silver Beach, 5m, 1 ♀, in pitfalls in salt marsh, 15. - 27.V.2011 (CRB).

LARNACA: Achna Reservoir, 50m, 1 ♂ 1 subadult ♀, stones and litter bordering lake, 16.V.2011 (CRB), 3 ♂♂, pitfalls at same site, 15. - 27.V.2011 (CRB); Cape Kiti, 1 ♀, under stones below coastal cliffs, 25.IV.1982, coll. A. Stubbs (MMUE); Larnaca salt lake, 5m, 2 ♀♀, stones and litter in salt marsh, 27.IV.2010 (CRB); Stavrovouni Monastery, 350m, 1 ♂, on bark of *Pinus* trees, 28.IV.2010 (CRB).

LIMASSOL: Agios Tychonas, 1 ♂, under stones near house walls, 19.IV.1986 (NHW); Akrotiri Peninsula E., 5m, 1 ♀, under stones and in litter in salt marsh, 29.IV.2010 (CRB); Akrotiri Peninsula, edge of central salt pan, 1 ♀, under stones and debris in *Salicornia*, 27.IV.2007 (CAR-S); Akrotiri Peninsula, Ladies Mile Beach, 1 ♂, in sand dunes, 27.IV.2007 (CAR-S); Alassa SE, near river Limnatis, 2 ♂♂, under stones in dry grassland, 5.V.2007 (CAR-S), 1 ♂ 3 ♀♀ (CRS); Kourion archaeological site near Episkopi, 1 ♀, under stones, 9.V.2007 (CAR-S).

NICOSIA: Agridi, near Dali, 3 ♂♂, in garden, VI.2010, in lawn, 4 ♂♂ 5 ♀♀, 1.VII.2010, in lawn, 6 ♂♂ 10 ♀♀, 20.VI.2011, 2 ♂♂, in garden, V.2011, 1 ♂, in house, VI.2012 (all CDM); Agios Sozomenos, near Dali, 1 ♂ 1 ♀, under stones in dry grassland, 30.IV.2007 (CAR-S), 1 ♂, 1.VI.2012 (CDM); Armenochori, 1 ♂, city area, 14.IV.1986 (NHW); Dali, 13, Agios Andronikos, 1 ♀, in garden, V.2008 (CDM); Dali, 1 ♀, under stone near river, 12.V.2007; Dali, Idalion archaeological site, 1 ♀, 1.V.2013 (CAR-S); Elia-Angolemi road, 100m, 5 ♀♀, under rubbish in dry riverbed, 18.V.2011 (CRB); Erimi, 1 ♂, under stones along dry riverbed, 21.IV.1986 (NHW); Kato Koutrafas- Astromeritis road, 120m, 1 ♀, herbs on pond shore, 18.V.2011 (CRB); Kourion, Apollo Hylates Temple, 1 ♀, under stones in the area of the antique site, 23.IV.1986 (NHW); Machairas forest near Kionia, 1300m, 1 ♂, stony phrygana, 5.V.2010 (CRB); Masari S., Merika River, 120m, 1 ♀, stones in wasteland, 24.V.2011 (CRB); Pallouriotissa, Nicosia, 1 ♂, in building, IV.2006 (CDM).

PAPHOS: Akamas Peninsula, track along the sea, 10m, 1 ♀, stones in *Juniperus* phrygana,

30.IV.2010 (CRB); Akamas Peninsula, Lara Bay, 1 ♀, C. Saure leg., 18.VI.2013 (CKHK); Asprokremmos Dam, N. Kouklia, 150m, 1 ♀, herbs and stones along lake, 29.IV.2010 (CRB); Evretou Reservoir, 350m, 1 ♀, under stones in grassland around lake, 1.V.2010 (CRB); Kato Paphos, 1 ♀, under stones near hotel, 5.IV.1997 (CJB); Kato Paphos archaeological site, 1 ♀, under stones in grass, 10.V.2007 (CAR-S); near Souskiou, 1 ♀, under stones in dry grassland, 1.V.2013 (CAR-S).

Distribution: Holarctic.

Tibellus macellus Simon, 1875

Identification

Efimik, 1999: 113, figs 3, 8, 15-16, 25, 33, 41, 49, 66-70.

Citations

None

New records

LIMASSOL: Akrotiri Peninsula, Fasouri, 1 ♂ 1 ♀, swept from grass and herbs, 27.IV.2007 (CAR-S).

Distribution: Europe to Central Asia. New to Cyprus.

Tibellus oblongus (Walckenaer, 1802)

Identification: <https://araneae.nmbe.ch/>.

Citations

None

New records

LIMASSOL: Akrotiri Peninsula, 1 ♀, margin of central salt lake, 7.V.1972, coll. A. Stubbs (MMUE); Akrotiri Peninsula, near British air base, 1 ♀, swept from marshy area, 4.V.2007 (CAR-S), same site 1 ♀ (CRS).

Distribution: Holarctic. New to Cyprus.

Family Pholcidae

Artema nephilite Aharon, Huber & Gavish-Regev, 2017

Identification

Artema nephilite Aharon, Huber & Gavish-Regev, 2017: 15, figs 4-6, 9-14, 35-75, 203, 210

Citations

FAMAGUSTA: Lisi (Aharon *et al.* 2017); Panagia Lysis church (Aharon *et al.* 2017). NICOSIA: Nicosia (A. Aharon *et al.* 2017); near Agios Sozomenos (Aharon *et al.* 2017); Geri (Aharon *et al.*, 2017).

New records

NICOSIA: Dali, 13, Agios Andronikos, 1 ♂, in house, XII.2009 (CDM).

Distribution: Israel, Greece, Turkey, Cyprus.

Holocnemus pluchei (Scopoli, 1763)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

FAMAGUSTA: Cape Greco, Ayia Napa, 35m, 1 ♀, under stones in phrygana, 27.IV.2010 (CRB), 1 ♀, under stones in phrygana, 3.V.2013 (CAR-S); Kantara E., 650m, 3 ♂♂, in toilets, 19.III.2011 (CRB); Karpasia Peninsula, Apostolos Andreas Monastery, 50m, 1 ♂ 1 ♀, under stones in wasteland, 16.V.2011 (CRB); Paralimni lake, 65m, 1 ♀, litter along dry lake, 21.XI.2010 (CRB); Rizokarpaso W., Panagia Eleousa Monastery, 30m, 1 subadult ♀, under stones in *Pinus* forest, 18.III.2011 (CRB); Salamis ruins, 30m, 1 subadult ♀, under stones in ruins, 17.III.2011 (CRB); Tula (Engomi) E., Silver beach, 10m, 1 ♀, under stones in salt marsh, 15.V.2011 (CRB).

KERYNEIA: Karavas, 660m, 1 ♀, garden of hotel, 22.XI.2010 (CRB); Pentadactylos Range, Ftericha S., 800m, 1 juvenile, under stones in grassland, 17.V.2011 (CRB).

LARNACA: Larnaca salt lake, 5m, 3 ♀♀, under stones in salt marsh, 27.IV.2010 (CJVK, CRB); Larnaca SW., Hala Sultan Tekke mosque, 5m, 1 ♂, salt marsh, 16.III.2011 (CRB); Stavrovouni Monastery, 350m, 2 ♀♀, on bark of *Pinus* trees, 28.IV.2010 (CRB).

LIMASSOL: Akrotiri Peninsula, Fasouri reedbeds, 1 juvenile, swept from grass and reeds, 17.IV.2017 (CAR-S); Akrotiri Peninsula, central salt pan, 2 ♀♀, under stones, 17.IV.2017 (CAR-S), 1 ♀ 2 juveniles, 2.IV.1997 (CJB); Alissa SE, 1 ♂, near river Limnatis, under stones at base of limestone rock face of gorge, 5.V.2007 (CAR-S).

NICOSIA: Agios Sozomenos, near Dali, 1 ♂, in disturbed phrygana, 30.IV.2007 (CRS); Aploki S., 800m, 1 juv., under stone, 24.IV.2017, S. Huber

leg., det. B. Huber (CSH); Dali, 13, Agios Andronikos, 1 ♀, in garden, IV.2008 (CDM); Elia-Angolemi road, 100m, under stones in grassland, rubbish in dry riverbed, 18.V.2011 (CRB); Limnitis River, Kato Pyrgos SE, 200m, 2 ♀♀, under stones and litter in *Pinus* forest, 2.V.2010 (CRB); Nikitari S., Panagia Asinou, 1 ♂ 1 ♀, on stone walls, 9.V.2007 (CAR-S); Masari S., Merika River, 120m, 1 ♂, under stones in wasteland, 24.V.2011 (CRB); Pedoulas, 960m, 1 ♂, 1 ♀, road embankment, 18.IV.2017, S. Huber leg., det. B. Huber (CSH); Pissouri beach, 1 ♂ 1 ♀, under stones, 27.IV.1982, coll. A. Stubbs (MMUE); PAPHOS: Akamas Peninsula, Avgas Estuary, 2 ♀♀, under stones, 31.III.1997 (CJB); Drouseia, 539m, 1 ♂ 1 ♀, in phrygana, 23.III.2018 (CKHK); Kinousa SE, 400m, 2 ♀♀, under stones and litter in *Pinus* forest, 1.V.2010 (CRB).

Distribution

Mediterranean, expanding to temperate Europe. New to Cyprus.

Hoplopholcus sp.

Records

LIMASSOL: near Kidasi, 1 ♀, in flood litter by stream, 1.V.2103 (CAR-S); Pano Platres E., Mesa Potamos Waerfalls, 950m, 1 ♀, litter in *Pinus* forest, 4.V.2012 (CRB); Troodos S, 1350m, 1 ♀ subadult ♀, litter in mixed *Pinus-Quercus* forest, 3.V.2010 (CRB).

NICOSIA: Kampos, 500m, 1 ♂ 1 ♀, abandoned village, 20.IV.2017, S. Huber leg. (CSH).

PAPHOS: Agios Georgios E., Palaiomylos, 1250m, 1 ♂ 2 ♀♀, stones in mixed *Pinus* and *Quercus* forest, 4.V.2010 (CRB); Avakas Gorge, 1 ♀, XI.1998 (CJB); Kinousa SE, 400m, 1 ♂ 2 ♀♀, under stones and litter in *Pinus* forest, 1.V.2010 (CRB); Oikos, 700m, 2 juveniles, small creek, 23.IV.2017, S. Huber leg.

Comments

The species is probably new and is currently studied by B. Huber.

Pholcus phalangioides (Fuesslin, 1775)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

FAMAGUSTA: Karpasia Peninsula, 1 ♀, in cave near the ruins of Aphendrika church, 10. VII. 2016 (CMH); Agios Andronikos, 1 ♂ 2 ♀♀, in the cave of Agia Fotou, 19. VI. 2016 (CMH); Agia Trias, 1 ♀, cave of Ayios Theriso. PAPHOS: Tsada, 1 ♂ 1 ♀, in fruit tree orchard, 23.VII.2017 (CMH).

Distribution: Cosmopolitan. New to Cyprus.

Spermophora senoculata (Dugès, 1836)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

NICOSIA: Agridi, near Dali, 1 ♂, in yard, V.2009 (CDM).

PAPHOS: Akamas Peninsula, Cape Drepanos, 1 ♀, in plastic bottle, 4.VIII.1998 (CJB); Kinousa SE, 400m, 2 ♂♂ 1 ♀, under stones and litter in *Pinus* forest, 1.V.2010 (CRB).

Distribution: Holarctic. New to Cyprus.

Family Phrurolithidae

Phrurolithus sp.

The only *Phrurolithus* species captured on the island appears to be a new species and will be described in a separate paper.

Family Phyxelididae

Phyxelida anatolica Griswold, 1990

Phyxelida anatolica Griswold, 1990: 167; Thaler & Knoflach, 1998: 36; Özkütük *et al.* 2013: 74.

Identification

Thaler & Knoflach, 1998: 36, figs 1-16, 18-23.

Citations

LIMASSOL: Troodos Range, Mount Olympos (Thaler & Knoflach, 1998).

New records

FAMAGUSTA: Agios Andronikos, 1 ♀, hand catch in cave of Agia Fotou church, 19.VI.2016 (CMH); Sygkrazi, 1 ♂, cave under church ruins, 19.VI.2016 (CMH).

LIMASSOL: Mount Olympos (Chionistra), S. slope, 1900m, 1 ♀, under stones in open *Pinus* forest, 4.V.2010 (CRB).

NICOSIA: Agridi, near Dali, 1 ♂, in field, IV.2008 (CDM); Marathasa Dam, 275m, 1 ♂, pitfalls in riverside vegetation, 7.V.-10.VII.2016 (CMH).

Distribution: Greece (Crete), Cyprus, Turkey.

Family Pisauridae

Pisaura consocia (O. Pickard-Cambridge, 1872)

Pisaura consocia; Logunov, 2013: 5.

Identification

Levy, 1999: 58, figs 31-32.

Citations

LIMASSOL: Episkopi, Kourion beach (Logunov, 2013).

New records

LARNACA: Delikipos, near Kornos, 1 ♀, in grass of open pine wood, 9.V.2013 (CAR-S); Stavrovouni Monastery, 350m, 1 ♂, on wall in entrance hall of monastery, 28.IV.2010 (CRB). LIMASSOL: Limassol, Curium stadium, 1 ♀, stones in rock strewn grassland, 2.IV.1997 (CJB). NICOSIA: Agridi, near Dali, 1 ♂, in garden, IV.2012 (CDM). PAPHOS: Pegeia, Pikni Forest, 345m, 1 ♂, in former carob plantation, 23.III.2018 (CKHK).

Distribution: Turkey, Israel, Lebanon, Syria. New to Cyprus.

Pisaura mirabilis (Clerck, 1757)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LARNACA: Larnaca SW, Hala Sultan Tekke Mosque, 5m, 1 ♂ 1 ♀, on herbs bordering salt lake, 16.V.2011 (CRB). LIMASSOL: Akrotiri Peninsula, near Fasouri reed beds, 1 ♂ 1 ♀, swept from flowering herbs and grass, 27.IV.2007 (CAR-S); Amathus, 2 ♀♀,

under stones in dry valley, 25.IV.1986, 2 ♀♀, 6.IV.1986 (NHW); Armenochori, 1 ♀, on bushes, 14.IV.1986 (NHW); Germasogeia, 1 ♀, on plants along stream below the dam, 10.IV.1986 (NHW).

NICOSIA: Lefka NW, 120m, 1 ♀, beaten from shrubs in fruit plantation, 18.V.2011 (CRB).

PAPHOS: Baths of Aphrodite, 1 ♀, in tall grass in meadow, 15.IV.2017 (CAR-S); Avakas gorge, 50m, 1 ♀, litter in citrus yard at entrance of gorge, 30.IV.2010 (CRB); Drouseia, 539m, 1 ♀, in phrygana, 23.III.2018 (CKHK); Paphos NW, 2 ♀♀, under stones at the edge of a large sand pit, 24.IV.1986 (NHW).

Distribution: Palaearctic. New to Cyprus.

Pisaura novicia (L. Koch, 1878)

Identification

Nadolny *et al.*, 2012: 262, figs 2, 4, 24-25, 28-30, 33-34, 350, fig. 911.

Citations

None.

New records

LARNACA: Larnaca, 1 ♀, without date, C. Glasyznet leg. (BMNH).

Distribution: Mediterranean to Central Asia. New to Cyprus.

Family Salticidae

Aelurillus aeruginosus (Simon, 1871)

Identification: <https://www.araneae.nmbe.ch/>

Citations

None.

New records

LIMASSOL: Troodos, Mount Olympos, 1 ♂, 9.IX.1997, Coll. Felton, det. G. Azarkina (WML).

Distribution: Mediterranean. New to Cyprus.

Aelurillus blandus (Simon, 1871)

Identification

Azarkina, 2002; <https://www.jumping-spiders.com/>

Citations

None.

New records

PAPHOS: Akamas Peninsula, Lara Bay, 1 ♂, C. Saure leg., 18.VI.2013 (CKHK).

Distribution: Greece, Crete. New to Cyprus.

***Aelurillus cypriotus* Azarkina, 2006**

Aelurillus cypriotus Azarkina, 2006: 68, figs 28-36; Azarkina *et al.*, 2018: 49, figs 1-12, 15-19, 24-25.

Identification

Azarkina, 2006: 68, figs 28-36; Azarkina *et al.* 2018: 49, figs 1-12, 15-19, 24-25. In the male, the longitudinal, white band on the abdomen is composed of white scales. In some specimens, these are completely rubbed off, the abdomen then being completely black.

Citations

Without precise locality (Azarkina, 2006).
LIMASSOL: Foini, Pano Platres; Trooditissa; Mt. Olympus, near Ski resort (all Azarkina *et al.*, 2018).
NICOSIA: Mt Troodos, road Pedoulas-Lemithou (Azarkina *et al.*, 2018).
PAPHOS: Akamas Peninsulae, Kioni; Kinousa; Pano Arkhimandrita (all Azarkina *et al.*, 2018).

New records

FAMAGUSTA: Cape Greco, 2 ♂♂, under stones in phrygana, 3.V.2013 (CAR-S), 1 ♀ (CDM); Rizokarpaso, 1 ♂, *Juniperus phoenicea* forest, 12.III.2016 (CMH).
LIMASSOL: Akrotiri Peninsula, edge of central salt pan, 2 ♂♂, under stones and debris in *Salicornia*, 27.IV.2007 (CAR-S) 1 ♀, (CDM); Akrotiri Peninsula E., 5m, 1 ♂, under stones and in litter in salt marsh, 29.IV.2010 (CRB); Pano Platres, valley near Caledonia Waterfall, 1 ♂, under stones and in dried out stream bed, 26.IV.2007 (CAR-S); Troodos, Mount Olympos (Chionistra), 1900m, 2 ♂♂, stones in *Pinus* forest, 23.V.2011 (CRB); idem, 2 ♂♂, open *Juniperus phoenicea* forest, 13.VI.2016 (CMH); same site, 3 ♂♂, pitfalls in open *Juniperus foetidissima* forest, 6.IV. - 8.VI.2014 (CMH); Troodos Mountain, Agios Nikolaos tis Stegis, 1 ♂, on river bank at trout farm, 9.IX.1997 (WML); Troodos Square, 6

♂♂ 1 ♀, pitfalls in open, mixed *Pinus nigra* and *Juniperus foetidissima* forest, 6.IV. - 8.VI.2014 (CMH).

NICOSIA: Cedar Valley Forest, 7 ♂♂, swept from herbs, 29.IV.2007 (CRS), 1 ♂ (CAR-S); Cedar Valley, 1150m, 1 ♂, 21.III.2018, forest road, in gravel (CKHK); between Cedar Valley and Stavros tis Psokas, 2 ♀♀, under stones in *Pinus nigra* forest, 29.IV.2007 (CAR-S), same site 1 ♂ 1 ♀ (CRS); Kampos, 1 ♂, *Pinus brutia* forest, 21.V.2016 (CMH); Pano Amiantos, 3 ♂♂, pitfalls in *Pinus brutia* forest, 6.IV. - 8.VI.2014 (CMH).

PAPHOS: Akamas Peninsula, Cape Geronnisos S., 1 ♀, under stones in dry phrygana, 3.V.2007 (CAR-S); Akamas Peninsula, between Cape Drepanum and Lara Bay, 1 ♂ 1 ♀ rock strewn maquis near beach, 2.IV.1997, turning stones, (CJB); Akamas Peninsula, Lara Bay, 1 ♂, C. Saure leg., 18.VI.2013, same site, 1 ♂, 17.III.2018 (CKHK); Akamas Peninsula, between Cape Drepanou and Lara Bay, 1 ♂, 2.IV.1997 (CJB); Avakas Gorge, 50m, 1 ♀, litter in citrus yard at entrance of gorge, 30.IV.2010 (CRB).

Distribution: An endemic species of Cyprus.

Attulus distinguendus* (Simon, 1868)*Identification**

Metzner, 1999: 522, fig. 1390.

Citations

None.

New records

LIMASSOL: Pano Platres, Gorge below Caledonia Waterfall, 1 ♂, under stone, 26.IV.2007 (CRS).

Distribution: Palaearctic. New to Cyprus.

Ballus chalybeius* (Walckenaer, 1802)*Identification**

Metzner, 1999: 40, figs 6a-g.

Citations

None.

New records

NICOSIA: Kakopetria S., Platania forest station, 1100m, 1 ♂, beating in dense *Pinus* forest, 4.V.2010 (CRB).

Distribution: Europe and N. Africa to Central Asia. New to Cyprus.

***Ballus rufipes* (Simon, 1868)**
Ballus rufipes; Logunov, 2015: 53.

Identification

Metzner, 1999: 40, figs 6a-g.

Citations

NICOSIA: Dali (Logunov, 2015).

New records

NICOSIA: Agridi, near Dali, 1 ♂, in garden, IV.2004 (CDM).

Distribution: Europe and N. Africa to Central Asia.

***Chalcoscirtus infimus* (Simon, 1868)**

Identification

Metzner, 1999: 45, fig. 11a.

Citations

LARNACA: Tochni (Logunov, 2015).

PAPHOS: Gialia (Logunov, 2015).

New records

FAMAGUSTA: Agios Sergios, 30m, 1 ♀, pitfalls in *Pinus* plantation, 15 - 27.V.2011 (CRB); Komi Kebir, 150m, 1 ♂, stones in *Pinus* forest, 18.III.2011 (CRB); Rizokarpaso, 1 ♂, in *Juniperus phoenicea* forest, 12.III.2016 (CMH).

KERYNEIA: Pentadactylos Range, Saint Hilarion Castle, 600m, 1 ♀, stones in grassland, 17.V.2011 (CRB).

LARNACA: Kornos picnic site, 350m, 1 ♀, stones in *Pinus* forest, 28.V.2011 (CRB); Larnaca salt lake, 5m, 1 ♀, litter in salt marsh, 27.IV.2010 (CRB).

LIMASSOL: Alassa SE, 1 ♂ 2 ♀♀, under pebbles and in grass at edge of river Limnatis, 5.V.2007 (CAR-S), 1 ♂ (CRS); Amathus, 1 ♀, under stones in dry valley, 6.IV.1986 (NHW); Germasogeia, along stream below the dam, 1 ♀, under stones, 10.IV.1986 (NHW); Pano Platres, Caledonia Waterfall, 1 ♂, under stones in dried out stream bed, 26.IV.2007 (CAR-S); Pissouri, 1 ♂, in grass, 24.III.1998, coll. J. Murphy (MMUE); Platres, 1 ♂, on walls, 22.IV.1986 (NHW); Troodos S., road to Pano Platres, 1 ♂, under stones in *P. nigra*

forest, 28.IV.2007 (CRS); Troodos, near top of Mount Olympos (Chionistra), 1 ♂, under stone in open *Pinus nigra* forest, 28.IV.2007 (CRS)

NICOSIA: Agios Sozomenos, near Dali, under stones in dry grassland, 30.IV.2007 (CAR-S); Agridi, near Dali, 3 ♂♂, in house, 14.III.2010 (CDM); Cedar Valley Forest, 1 ♂, under stones, 29.IV.2007 (CRS), 1 ♂ (CAR-S); Dali, 1 ♀, under stones and in grass in riverbed, 12.V.2007 (CAR-S).

PAPHOS: Akamas Peninsula, Smigies, 352m, 3 ♂♂, maquis, 12.III.2018 (CKHK); Evretou Reservoir, 350m, 1 ♀, in grassland around lake, 1.V.2010 (CRB); Dhiarizos river near Kelefos bridge, 444m, 1 ♂, open river bank, 16.III.2018 (CKHK); Gialia, 1 ♂, in pine wood, 25.III.1998, coll. J. Murphy (MMUE); Kelefos bridge, dam on Diarizos River, 550m, 1 ♀, under stones, 21.V.2011 (CRB); Kinousa, 1 ♂, in pine wood, 23.III.1998, 1 ♂, coll. J. Murphy (MMUE); Mandria, 1 ♂, in scrub, 6.V.1982, coll. A. Stubbs (MMUE); Mavrokolympos Reservoir, 1 ♂, 13.III.2018 (CKHK); Smigies, 1 ♂, under stone in hillside scrub, 26.III.1998, coll. J. Murphy (MMUE).

Distribution: Southern Europe to Central Asia. New to Cyprus.

***Cyrba algerina* (Lucas, 1846)**

Cyrba algerina; Logunov, 2013: 5; Logunov, 2015: 5.

Identification

Metzner, 1999: 35, figs 1a-h.

Citations

FAMAGUSTA: Protaras, Agios Ilias (Logunov, 2015).

LIMASSOL: Episkopi, Kourion Beach (Logunov, 2013).

PAPHOS: Avakas Gorge (Logunov, 2013).

New records

FAMAGUSTA: Agios Sergios, 30m, 1 subadult ♂, stones in phrygana, 17.III.2011 (CRB); Cape Greco, Ayia Napa, 35m, 1 ♂ 1 ♀, under stones in phrygana, 27.IV.2010 (CJVK, CRB); Cape Greco, 1 ♀, under stones in phrygana, 3.V.2013 (CAR-S), 1 ♂ 2 ♀♀, (CDM); Flamoudi W., 25m, 2 ♂♂ 1 ♀, stones in phrygana near the beach, 25.V.2011

(CRB); Kantara castle, 650m, 1 subadult ♂, stones in ruins, 19.III.2011 (CRB); Kantara E., 610m, 1 ♀, stones in open *Pinus* forest, 25.V.2011 (CRB); Karpasia Peninsula, Cape Apostolos Andreas, 70m, 2 ♀♀, stones in grassland, 16.V.2011 (CRB); Prastio S., Agios Andronikos, 30m, 1 ♂, under stones in *Eucalyptus* forest, 27.V.2011 (CRB); Profitis Elias, 1 ♂, 2005 (CDM); Rizokarpaso, 1 ♀, *Juniperus phoenicea* forest, 7.V.2016, 1 ♀, 12.III.2016 (CMH); Salamis ruins, 30m, 2 subadult ♀♀, stones in ruins, 17.III.2011 (CRB); Tula (Engomi) E., Silver beach, 10m, 1 ♀, stones in salt marsh, 15.V.2011 (CRB); Vokolida S., Cape Elaia, 10m, 1 ♂ 1 ♀, under stones near the beach, 26.V.2011 (CRB).

KERYNEIA: Larnakas tis Lapithou N., 950m, 1 subadult ♂, under stones in *Pinus* forest, 25.XI.2010 (CRB); Saint Hilarion Castle, 2 km W., 610m, 1 subadult ♀, stones in open *Pinus* forest, 20.III.2011 (CRB), 1 ♀, beaten from shrubs in *Pinus* forest, 17.V.2011 (CRB).

LARNACA: Achna Reservoir, 50m, 1 ♀, stones bordering lake, 16.V.2011 (CRB); Cape Kiti, 2 ♂♂ 2 immatures, under stones below coastal cliffs, 25.IV.1982, coll. A. Stubbs (MMUE); Larnaca salt lake, 5m, 1 ♀, under stones and litter in salt marsh, 27.IV.2010 (CHVK), 1 ♀, pitfalls at same site, III. - V.2011 (CRB).

LIMASSOL: Akrotiri Peninsula, edge of central salt pan, 3 ♂♂ 2 ♀♀, under stones and debris in *Salicornia*, 27.IV.2007 (CAR-S), 1 ♀, 30.IV.2013 (CAR-S), 2 ♂♂ (CDM); Amathus, 1 ♀, under stones in dry valley, 1 ♂ 1 ♀, 6.IV.1986, 1 ♀, on house on walls, 9.IV.1986 (NHW); Armenochori, 1 ♂, under stones of a dry stone wall, 14.IV.1986 (NHW); Erimi, 2 ♂♂, under stones along dry riverbed, 18.IV.1986 (NHW); Germasogeia, along stream below the dam, 1 ♂, under stones, 10.IV.1986 (NHW); Pano Platres, valley near Caledonia Waterfall, 1 immature, under stones in dried out stream bed, 26.IV.2007 (CAR-S); Parekklesia, 1 ♂ 1 ♀, under stones in riverbed, 13.IV.1986 (NHW); Troodos, near top of Mount Olympos (Chionistra), 3 ♂♂, under stone in open *Pinus nigra* forest, 28.IV.2007 (CAR-S); Troodos S., road to Pano Platres, 1 ♂, under stones in *Pinus nigra* forest, 28.IV.2007 (CAR-S).

NICOSIA: Agridi, near Dali, 1 ♀, V.2004, 1 ♂, in yard, V.2009, 1 ♂, in house, 30.IV.2010, 1 ♂, in house, 5.XI.2010 (CDM); between Cedar Valley and Stavros tis Psokas, 1 ♂ 3 juveniles, under stones in *Pinus nigra* forest, 29.IV.2007 (CAR-S); Elia-Angolemi road, 100m, 1 ♂, stones in grassland, 18.V.2011 (CRB); Kampos NE, Xeros River, 550m, 1 ♀, stones in riverbed, 20.V.2011 (CRB); Kampos, 1 ♀, *Pinus brutia* forest, 21.V.2016 (CMH); Kapedes S., 600m, 1 ♂, under stones along rivulet, 5.V.2010 (CJVK); Kato Dali, Idalion Archaeological Site, 1 ♂, under stones in phrygana, 30.IV.2013 (CDM); Limnitis, 1 ♂ 1 ♀, *Pinus brutia* forest, 13.V.2016 (CMH).

PAPHOS: Akamas Peninsula, track along the sea, 10m, 1 ♂, stones in *Juniperus* phrygana, 30.IV.2010 (CJVK); Akamas Peninsula, Agios Minas, 2 ♂♂, under stones in meadow with tall grass, 2.V.2007 (CAR-S); Akamas Peninsula, Cape Geronnisos S., 2 ♂♂ 2 juveniles, under stones in dry phrygana, 3.V.2007 (CAR-S); Akourdaleia, 1 ♂, in garden, VIII.2005 (CDM); Asprokremmos Dam, N. Kouklia, 150m, 1 ♂, stones along lake, 29.IV.2010 (CJVK); Avakas Gorge, 50m, 1 ♂, litter in citrus orchard at entrance of gorge, 30.IV.2010 (CRB); 1 km N.E. of Pegeia, 1 ♂ 2 ♀♀, in pine wood, 30.IV.1982, coll. A. Stubbs (MMUE); Souskiou, 3 ♂♂ 1 ♀, 16.III.2013 (CDM).

Distribution: Canary Islands to Central Asia.

Euophrys herbigrada (Simon, 1871)

Identification

Metzner, 1999: 50, figs 15a-i.

Citations

None.

New records

PAPHOS: Paphos, Bay at hotel “Paphian Bay”, 2 ♂♂ 1 ♀, sieving compost heap near hotel, 4.IV.1997 (CJB).

Distribution: Europe. New to Cyprus.

Euophrys rufibarbis (Simon, 1868) *Euophrys rufibarbis*; Logunov, 2015: 56.

Identification

Metzner, 1999: 51, figs 16a-k.

Citations

LIMASSOL: Troodos, near Kannoures (Logunov, 2015).

New records

FAMAGUSTA: Cape Greco, Ayia Napa, 35m, 1 ♂, under stones in phrygana, 20.XI.2010 (CRB); Salamis ruins, 30m, 1 ♀, stones in ruins, 17.III.2011 (CRB); Vokolida S, Cape Elaia, 10m, 1 ♀, under stones near the beach, 26.V.2011 (CRB).

KERYNEIA: Saint Hilarion Castle, 2 km W., 610m, 2 ♀♀, stones in open *Pinus* forest, 20.III.2011 (CRB).

LARNACA: Kornos picnic site, 350m, 1 ♀, under stones, 28.V.2011 (CRB); Stavrovouni Monastery, 350m, 2 ♀♀, on bark of *Pinus* trees, 28.IV.2010 (CRB).

LIMASSOL: Fasouri marsh, 1 ♂, 17.VI.2016 (CMH); Troodos Range, Livadi tou Passia, 1750m, 1 ♀, in pitfalls in peat marsh, III. - V.2011.

NICOSIA: Cataldere dam, Kythrea N., 105m, 1 ♂, under stones bordering lake, 23.XI.2010 (CRB); Marathassa Dam, 550m, 1 ♀, under stones around lake, 20.V.2011 (CRB); Prodromos S., Trooditissa picnic site, 1450m, 1 ♀, stones in *Pinus* forest, 21.V.2011 (CRB); Prodromos E., near Prodromos Dam, 1550m, 1 ♀, stones in *Pinus* forest, 23.V.2011 (CRB).

PAPHOS: Akamas Peninsula, Cape Geronnisos S., 1 ♂ 1 ♀, under stones in dry phrygana, 3.V.2007 (CRS); Evretou Reservoir, 350m, 1 ♀, beaten from shrubs around lake, 1.V.2010 (CRB); Kato Akourdaleia, 1 ♂, in garden, VIII.2005 (CDM).

Distribution: Mediterranean.

Euophrys sulphurea* (L. Koch, 1867)*Identification**

Metzner, 1999: 31, figs 17a-m.

New records

FAMAGUSTA: Paralimni Lake, 65m, 1 ♂, herbs and litter around dried lake, 27.IV.2010 (CRB).

LARNACA: Delikipos, 1 ♂, under stones and in grass around small dam, 18.IV.2017 (CAR-S).

NICOSIA: Marathassa Dam, 550m, 2 ♀♀, beating bushes near water, 20.V.2011 (CRB).

Comments

The male of this species differs clearly from *E. rufibarbis* by the white palps, the orange basal fringe and the yellowish white subocular hairs, separated by a hairless area.

Distribution: Southern Europe, Turkey, Syria. First citation in Cyprus.

Evarcha insularis* (Metzner, 1999)*Identification**

Logunov, 2001: 60, figs 4-7.

Citations

None.

New records

LARNACA: Agios Theodoros, 1 ♂, on herbs, 23.IV. 2016 (CMH).

NICOSIA: Kapedes, 520m, 1 ♂, pitfalls in *Pinus brutia* forest, 17.I.-23.IV.2016, M. Hadjiconstantis leg. (CRB).

PAPHOS: Stavros tis Psokas, 1 ♂, on the ground near the camp site, *Pinus brutia* forest, 12.V. 2018, M. Smith leg. (CMH).

Distribution: Greece (Lesbos and Chios), Turkey, Iran. New to Cyprus.

Evarcha jucunda* (Lucas, 1846)*Identification**

Metzner, 1999: 148, fig. 113.

Citations

None.

New records

NICOSIA: near Platania Scout camping site, 1 ♀ pitfalls in *Pinus brutia* forest, 6.IV. - 8.VI.2014 (CMH).

Distribution: Mediterranean.

***Evarcha nepos* (O. Pickard-Cambridge, 1872)
Evarcha nepos; Logunov, 2015: 61.****Identification**

Prószyn'ski, 2003: 58, figs 201, 217-219, 222-223.

Citations

PAPHOS: Paphos (Logunov, 2015).

New records

FAMAGUSTA: Cape Greco, Ayia Napa, 35m, 1 ♀, stones in phrygana, 27.IV.2010 (CRB).
 LARNACA: Dipotamos Reservoir, 150m, 4 ♂♂, swept from herbs bordering lake, 28.IV.2010 (CRB).
 LIMASSOL: Agios Tychonas, 1 ♂, under stones near house walls, 19.IV.1986 (NHW).
 NICOSIA: Athalassa National Forest Park, 1 ♂, *Pinus brutia* forest, 21.II.2016 (CMH).
 PAPHOS: Mavrokolympos Reservoir, NE Potima, 150m, 1 ♀, under stones along lake, 22.V.2011 (CRB).

Distribution: Turkey, Israel, Cyprus.

Evarcha patagiata (O. Pickard-Cambridge, 1872)

Evarcha patagiata; Logunov, 2013: 5; Logunov, 2015: 61.

Identification: <https://araneae.nmbe.ch/>.

Citations

LIMASSOL: Troodos, Agios Nikolaos (Logunov, 2015).
 PAPHOS: Paphos forest (Logunov, 2015); Polis W., Akamas Forest (Logunov, 2013).

New records

KERYNEIA: Pentadactylos Range, Saint Hilarion Castle W., 600m, 1 ♂, beaten from shrubs in *Pinus* forest, 17.V.2011 (CRB).
 LIMASSOL: Amathus, 1 ♂, under stones in dry valley, 25.IV.1986 (NHW).
 NICOSIA: Cedar Valley Forest, 1180m, 1 ♂, beaten in *Cedrus* forest, 19.V.2011 (CRB); Lefka NW, 120m, 1 ♀, beaten from shrubs in fruit plantation, 18.V.2011 (CRB); Marathassa Dam, 550m, 1 ♀, beaten from shrubs around lake, 20.V.2011 (CRB); Oikos N., Xerargaka picnic site, 350m, 1 ♂, beaten from shrubs and stones in *Pinus* forest, 20.V.2011 (CRB).
 PAPHOS: Akamas Peninsula, Avakas Gorge, 2 ♂♂, under stone, 27.III.1998, coll. J. Murphy (MMUE); Avakas gorge and surroundings, 1 ♂, 22.III.2018 (CKHK); Akamas Peninsula, Agios Minas, 2 ♂♂ 1 ♀, under stones in meadow with tall grass, 2.V.2007 (CRS); Evretou Reservoir, Stavros tis Psokas river, 2 ♂♂, 20.III.2018 (CKHK); Kato Akourdaleia, 1 ♂, in garden, VIII.2010 (CDM); Kelefos bridge, 465m,

deciduous wood, 1 ♀, 16.III.2018 (CKHK); near Kidasi, 1 ♂, in flood litter by stream, 1.V.2013 (CAR-S).

Distribution: Greece, Syria, Cyprus, Israel, Syria.

Heliophanillus fulgens (O. Pickard-Cambridge, 1872)

Identification

Metzner, 1999: 97, figs 62a-i.

Citations

None.

New records

LIMASSOL: Alassa SE, near river Limnatis, 2 ♂♂; under stones in dry grassland and at edge of river, 5.V.2007 (CAR-S), 1 ♀ (CRS); Kolossi castle, 1 ♂, walls in the castle area, 11.IV.1986 (NHW).

NICOSIA: Agridi, near Dali, 2 ♂♂ 3 ♀♀, in house, V.2010, 3 ♀♀ in garden, 1 ♂ 2 ♀♀, in house, IV.2011, (all CDM); 13, Dali, Agios Andronikos, 1 ♂, in garden, 2007 CDM); Lefka NW, 120m, 1 ♀, beaten from shrubs in fruit plantation, 18.V.2011 (CRB); Lympia Reservoir, 2 ♂♂, in grass tussocks and on concrete duct, 9.V.2013 (CAR-S); 1 ♀ (CDM); Marathassa Dam, 550m, 3 ♂♂, swept from herbs around lake, 20.V.2011 (CRB).

PAPHOS: Evretou Reservoir, 350m, 3 ♂♂ 1 ♀, wet grassland around lake, 1.V.2010 (CRB); Kelefos bridge, dam on Diarizos River, 550m, 2 ♂♂, under stones near lake, 21.V.2011 (CRB); Mavrokolympos Reservoir, NE. Potima, 150m, 1 ♀, under stones along lake, 22.V.2011 (CRB); Mavrokolympos Reservoir, 1 ♀, C. Saure leg., 20.VI.2013 (CKHK).

Distribution: Middle East, Greece, North Africa. New to Cyprus.

Heliophanus auratus C. L. Koch, 1835

Heliophanus auratus; Wesolowska, 1986: 212.

Identification: <https://araneae.nmbe.ch/>.

Citations

NICOSIA: Pendayia (Wesolowska, 1986).

New records

None.

Distribution: Palearctic.

***Heliophanus decoratus* L. Koch, 1875**

Identification

Wesolowska, 1986: 208, figs 549-557, 559-566, 570-584.

Citations

None.

New records

FAMAGUSTA: Paralimni Lake, 65m, 2 ♂♂, herbs and litter around dried lake, 27.IV.2010 (CRB); Rizokarpaso, 1 ♀, *Juniperus phoenicea* forest, 12.III.2016 (CMH).

LARNACA: Larnaca salt lake, 5m, 1 ♂ 2 ♀♀, stones and litter in salt marsh, 27.IV.2010 (CRB); Larnaca SW, Hala Sultan Tekke Mosque, 5m, 1 ♂ 1 ♀ stones and litter bordering salt lake, 16.V.2011; (CRB); Meneou, 2 ♂♂ 2 ♀♀, salt marsh and fields, 8.IV.-15.IX.2016 (CMH).

LIMASSOL: Akrotiri Peninsula, 1 ♀, margin of central salt lake, 7.V.1972, coll. A. Stubbs (MMUE); Akrotiri Peninsula, 2m 1 ♀, 27.IX.2007 (CDM); Akrotiri Peninsula, edge of central salt pan, 1 ♂, under stones and debris in *Salicornia*, 27.IV.2007; 1 ♀, 30.IV.2013 (CAR-S); Akrotiri Peninsula, salt lake, 2 ♂♂, under *Salicornia*, 15.III.2018 (CKHK); Akrotiri Peninsula, near British Airbase, 1 ♀, swept in wet area, 4.V.2007 (CAR-S); Alassa SE, near river Limnatis, 2 ♂♂, under stones in dry grassland and at edge of river, 5.V.2007 (CRS); 5 km S. of Troodos, road to Pano Platres, 1 ♂, under stones, *Pinus nigra* forest, 1.V.2007 (CRS); Troodos Square, 2 ♂♂, *Pinus nigra* forest, 11.V.2016 (CMH).

NICOSIA: Agridi, near Dali, 1 ♂, in field, IV.2007, 1 ♂, in house, V.2009, 1 ♂, in house, 7.V.2010 (all CDM); Dali, 13, Agios Andronikos, 3 ♂ 1 ♀, in garden, IV.2007 (CDM); Dali, 1 ♂, under stones and in grass in riverbed, 12.V.2007 (CAR-S).

Distribution: Morocco, Algeria, Tunisia, Libya, Egypt, Syria, Iran. New to Cyprus.

***Heliophanus edentulus* Simon, 1871**

Identification

Metzner, 1999: 98, figs 63a-h.

Citations

None.

New records

LARNACA: Stavrovouni Monastery, 3 ♀♀, in phrygana, 26.IV.1982, coll. A. Stubbs (MMUE). LIMASSOL: Akrotiri Peninsula, 6 ♂♂ 14 ♀♀, margin of central salt lake, 7.V.1972, coll. A. Stubbs (MMUE); Akrotiri Peninsula, near Fasouri reed beds, 1 ♂ 4 ♀♀, swept from flowering herbs and grass, 27.IV. and 4.V.2007 (CAR-S), 1 ♀, in reed litter, 27.IV.2007 (CAR-S), same site, 3 ♂♂ (CRS).

NICOSIA: Dali, 13, Agios Andronikos, 1 ♂, in garden, IV.2007 (CDM); Lympia Reservoir, Lympia, 2 ♂♂ 2 ♀♀, in phrygana below dam wall, 9.V.2013 (CDM).

PAPHOS: Near Paphos, 1 ♂, in marshy area, 1.V.1982, coll. A. Stubbs (MMUE).

Distribution: Corsica, Greece, Asia Minor. New to Cyprus.

***Heliophanus encifer* Simon, 1871**

Heliophanus encifer; Wesolowska, 1986: 40; Logunov, 2015: 65.

Identification

Wesolowska, 1986: 40, figs 456-466.

Citations

Without precise locality (Wesolowska, 1986).

NICOSIA: Dali (Logunov, 2015);

PAPHOS: Gialia (Logunov, 2015)

New records

FAMAGUSTA: Cape Greco, 1 ♀, under stones in phrygana, 3.V.2013 (CAR-S); Kantara E., 610m, 1 ♂ 4 ♀♀, beaten from shrubs and stones in open *Pinus* forest, 25.V.2011 (CRB); Lysi, 1 ♂, in garden, 15.IV.2016 (CMH).

KERYNEIA: Pentadactylos Range, Lapithos S., 800m, 1 ♀, under stones in *Pinus* forest, 17.V.2011 (CRB); Pentadactylos Range, Saint Hilarion Castle, 600m, 2 ♂♂ 1 ♀, beaten from shrubs in *Pinus* forest, 17.V.2011 (CRB).

LARNACA: Larnaca SW, Hala Sultan Tekke Mosque, 5m, 1 ♀, swept from herbs bordering salt lake, 16.V.2011 (CRB); Meneou, 1 ♀, salt marsh and fields, 8.IV.-15.IX.2016 (CMH).

LIMASSOL: Alassa SE, near river Limnatis, 2 ♂♂, under stones in dry grassland, 5.V.2007 (CAR-S); Kouklia-Pissouri road, 150m, 1 ♀,

stony slope near sea, 22.III.2011 (CRB); Pano Platres, below Caledonia Waterfall, 1 ♂, under stones and in grass in rocky valley, 26.IV.2007 (CAR-S); Pano Platres, Millomeris Waterfalls, 1 ♂, under rocks and litter, 28.IV.2007 (CAR-S); 5 km S. of Troodos, road to Pano Platres, 1 ♂, under stones, *P. nigra* forest, 28.IV.2007 (CRS). NICOSIA: Agios Sozomenos, near Dali, 1 ♂, under stones in dry grassland, 30.IV.2007 (CAR-S); Agridi, near Dali, 1 ♀, in garden, IV.2004 (CDM); Chrysoroyiatissa Monastery, 1 ♂, in pine wood 2.V.1982, coll. A. Stubbs (MMUE); Lymbourena Hill, Dali, 1 ♂, IV.2004 (CDM); Cedar Valley Forest, 1180m, 3 ♀♀, beaten in *Cedrus* forest, 19.V.2011 (CAR-S), 1 ♂ (CRS); between Cedar Valley and Stavros tis Psokas, 1 ♂, under stones in *P. nigra* forest, 29.IV.2007 (CAR-S); Dali, 13, Agios Andronikos, 1 ♂, in garden, 10.III.2009 (CDM); Kamos NE, Xeros River, 550m, 1 ♂ 6 ♀♀, beaten from shrubs, 20.V.2011 (CRB); Lefka NW, 120m, beaten from shrubs in fruit plantation, 3 ♂♂ 1 ♀, 18.V.2011 (CRB), Lympia Reservoir, Lympia, 1 ♀, under stones below dam wall, 9.V.2013 (CAR-S); Marathassa Dam, 550m, 1 ♀, beaten from shrubs around lake, 20.V.2011 (CRB); Prodromos S., Trooditissa picnic site, 1450m, 2 ♂♂ 2 ♀♀, beaten from shrubs in *Pinus* forest, 21.V.2011 (CRB); Strovolos, 1 ♀, around houses, 1.V.2016 (CMH). PAPHOS: Akamas Peninsula, 2 ♀♀, in coastal grassland, 22.III.1998, coll. J. Murphy (MMUE); Akamas Peninsula, Smigies, 352m, 2 ♂♂, maquis, 12.III.2018 (CKHK); Baths of Aphrodite, 1 ♂, under stone in coastal scrub, 18.III.1998, coll. J. Murphy (MMUE); Evretou Reservoir, Stavros tis Psokas river, 1 ♀, 20.III.2018 (CKHK); Gialia, 3 ♂♂ 4 ♀♀, in pine wood, 25.III.1998, coll. J. Murphy (MMUE); Kato Paphos archaeological site, 1 ♀, under stones in grass, 10.V.2007 (CAR-S); Akamas Peninsula, Lara Bay, 1 ♂, stones on rock strewn beach, 3.IV.1997 (CJB); Smigies, 1 ♂, under stone in hillside scrub, 26.III.1998, coll. J. Murphy (MMUE); Mavrokolympos Reservoir, 2 ♂♂ 4 ♀♀, 13.III.2018 (CKHK); Pegeia, Pikni Forest, 346m, 3 ♂♂ 1 ♀, in former carob plantation, 11.III.2018 (CKHK).

Distribution: Corsica, Italy, Israel, Syria, Cyprus.

Heliophanus equester L. Koch, 1867

Identification

Metzner, 1999: 102, figs 68a-i.

Citations

None.

New records

LARNACA: Achna Reservoir, 50m, 2 ♂♂, 2 ♀♀, swept from low herbs bordering lake 27.V.2011 (CRB); Pano Lefkara, 200m, 1 ♀, very dry karst, 29.IV.2017, S. Huber leg. (CSH); Stavrovouni Monastery, 2 ♂♂ 1 ♀, in phrygana, 26.IV.1982, coll. A. Stubbs (MMUE).

LIMASSOL: Akrotiri Peninsula, 1 ♀, margin of central salt lake, 7.V.1972, coll. A. Stubbs (MMUE); Akrotiri Peninsula, near Fasouri reed beds, 1 ♂, swept from flowering herbs and grass, 27.IV.2007 (CRS); Alassa SE, near river Limnatis, 1 ♀, under stones in dry grassland, 5.V.2007 (CRS); Amathus, 1 ♀, under stones in dry valley, 6.IV.1986. NICOSIA: Lefka NW, 120m, 2 ♂♂, 2 ♀♀, beaten from shrubs in fruit plantation, 18.V.2011 (CRB); Lympia Reservoir, Lympia, 1 ♂, in grass tussocks and on concrete duct, 9.V.2013 (CAR-S).

PAPHOS: Akamas Peninsula, Avakas Gorge, 1 ♂, under stone, 27.III.1998, coll. J. Murphy (MMUE); Akrotiri peninsula, 1 ♀, swept from grass and reeds, Fassouri reedbeds, 17.IV.2017 (CAR-S); Souskiou, 1 ♂, under stones on rocky eroded grassland on hill, 17.IV.2017 (CAR-S). Drouseia, 539m, 1 ♂, in phrygana, 23.III.2018 (CKHK); Mavrokolympos Reservoir, 1 ♀, C. Saure leg., 20.VI.2013 (CKHK); Paphos, Bay at hotel “Paphian Bay”, 1 ♂, stones on rock strewn terrain near beach, 31.III.1997 (CJB); Pegeia, Pikni Forest, 374m, 1 ♂, pitfalls in open ruderal site, 14.III. - 23.III.2018 (CKHK); Vretsia W., near Kelefos Bridge, 650m, 2 ♀♀, beaten from shrubs, 19.V.2011 (CRB).

Distribution: Italy, the Balkans, the Caucasus, Asia Minor. New to Cyprus.

Heliophanus flavipes Hahn, 1832

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LARNACA: Achna Reservoir, 50m, 1 ♀, under stones and litter bordering lake, 27.V.2011 (CRB).

Distribution: Palearctic. New to Cyprus.

***Heliophanus melinus* L. Koch, 1867**

Heliophanus melinus; Kulczyński, 1903: 35; Wesołowska, 1986: 220; Metzner, 1999: 108; Dobroruka, 2003: 14;

Identification

Metzner, 1999: 108, figs 74a-g.

Citations

None.

New records

LARNACA: Agios Theodoros, 1 ♂ 1 ♀, on herbs, 23.IV.2016 (CMH); Larnaca SW, Hala Sultan Tekke Mosque, 5m, 1 ♀, in litter bordering salt lake, 16.V.2011 (CRB).

KERYNEIA: Panagia Apsinthiotissa Monastery ruins, 350m, 1 ♀, stones in clearing in *Pinus* forest, 24.V.2011 (CRB).

LIMASSOL: Akrotiri Peninsula, 2 ♀♀, 27.IX.2007 (CDM); Alassa SE, near river Limnatis, 1 ♀, under stones in dry grassland, 5.V.2007 (CRS).

NICOSIA: Agridi, near Dali 1 ♀, grass in lawn, 1.VII.2010, 2 ♀♀, in house, V.2011 (CDM); Athalassa National Forest Park, Nicosia. 1 ♀, under stones in pine plantation, 2.V.2013 (CDM); Dali, under stones near old water mill, 1 ♀, 12.V.2007 (CAR-S); Kampos NE, Xeros River, 550m, 1 ♀, beaten from shrubs, 20.V.2011 (CRB); Lympia Reservoir, Lympia, 2 ♀♀, in clump of rushes below dam wall, 9.V.2013.

PAPHOS: Evretou Reservoir, 350m, 1 ♂ 2 ♀♀, beaten from shrubs, 1.V.2010 (CRB); Kidasi N., along Diarizos River, 300m, 3 ♀♀, beaten from shrubs, 21.V.2011 (CRB); Mavrokolympos Reservoir, NE Potima, 150m, 1 ♀, under stones along lake, 22.V.2011 (CRB); near Souskiou, 1 ♀, under stones in dry grassland, 1.V.2013 (CAR-S); 1 ♀ (CDM).

Distribution: South Europe to Mediterranean. New to Cyprus.

***Heliophanus mordax* (O. Pickard-Cambridge, 1872)**

Heliophanus mordax; Logunov, 2015: 66.

Identification

Metzner, 1999: 110, figs 75a-h.

Citations

LIMASSOL: Agridia (Logunov, 2015).

NICOSIA: Dali (Logunov, 2015).

PAPHOS: Souskiou (Logunov, 2015).

New records

FAMAGUSTA: Kantara E., 610m, 4 ♀♀, beaten from shrubs in open *Pinus* forest, 25.V.2011 (CRB).

KERYNEIA: Pentadactylos Range, Ftericha S., 800m, 1 ♂, stones in grassland, 17.V.2011 (CRB); Pentadactylos Range, Lapithos S., 800m, 2 ♂♂ 1 ♀, beaten in *Pinus* forest, 24.V.2011 (CRB).

LIMASSOL: Alassa SE, near river Limnatis, 2 ♂♂, under stones in dry grassland, 5.V.2007 (CAR-S); Amathus, 1 ♀, under stones in dry valley, 25.IV.1986 (NHW); Fasoula, 1 ♂, olive garden with dry stone walls, 16.IV.1986 (NHW); Pissouri beach, 1 ♂, under stones, 27.IV.1982, coll. A. Stubbs (MMUE); Platres, 1 ♂, on walls, 22.IV.1986 (NHW).

NICOSIA: Agridi, near Dali, 1 ♂, in garden, IV.2004, 1 ♀, in garden, V.2011, 1 ♂, in garden, V.2012 (CDM); Cedar Valley Forest, 1180m, 3 ♀♀, beaten in *Cedrus* forest, 19.V.2011 (CRB); Kakopetria S., Platania forest station, 1100m, 1 ♂, under stones in dense *Pinus* forest, 4.V.2010 (CRB).

PAPHOS: Akamas Peninsula, Avakas Gorge, 1 ♂, under stone, 27.III.1998, coll. J. Murphy (MMUE); 1 km N.E. of Pegeia, 1 ♂, in pine wood, 30.IV.1982, coll. A. Stubbs (MMUE); near Souskiou, 1 ♂, under stones in dry grassland, 1.V.2013 (CAR-S).

Distribution: Greece to Central Asia.

***Macaroeris nidicolens* (Walckenaer, 1802)**

Macaroeris nidicolens; Logunov, 2015: 69.

Identification

Metzner, 1999: 43, figs 9d-e, 10a-l.

Citations

PAPHOS: Pano Panagia (Logunov, 2015).

New records

FAMAGUSTA: Agios Sergios, 30m, 1 ♀, beaten Salamis ruins, 50m, 2 ♂♂ 2 ♀♀, beaten from low trees, 15.V.2011 (CRB); in *Pinus* plantation, 15.V.2011 (CRB).

KERYNEIA: Pentadactylos Range, Saint Hilarion Castle, 600m, 1 ♂ 1 ♀, beaten from shrubs, 17.V.2011 (CRB).

LIMASSOL: Pano Platres, 1050m, 1 ♂, beaten near Mesa Potamos Waterfalls, 23.V.2011 (CRB).

NICOSIA: Agridi, near Dali, 1 ♀, in garden, V.2011 (CDM); Chrysoroyiatissa Monastery, 3 ♂♂, in pine wood 2.V.1982, coll. A. Stubbs (MMUE); Marathassa Dam, 550m, 1 ♀, beaten from shrubs around lake, 20.V.2011 (CRB); Oikos N., Xerargaka picnic site, 350m, 1 ♂ 1 ♀, beaten from shrubs in *Pinus* forest, 20.V.2011 (CRB).

PAPHOS: Akamas Peninsula, Agios Minas, 1 ♀, beaten from climbers on pines, 2.V.2007 (CAR-S), 1 ♀ (CRS); near Avakas Gorge, 1 ♂, beaten from junipers on rocky hillside, 14.IV.2017 (CAR-S); Evretou Reservoir, 350m, 1 ♀, beaten from shrubs and grassland around lake, 1.V.2010 (CRB); Kelefos bridge, 465m, deciduous wood, 1 ♀, 16.III.2018 (CKHK); Kourdaka, Ezousa river, 1 ♂, under bark of *Eucalyptus*, 14.III.2018 (CKHK); Pegeia, Pikni Forest, 366m, 1 ♂, in pine forest under bark, 11.III.2018 (CKHK).

Distribution: Mediterranean to Central Asia.

Marpissa nivoyi (Lucas, 1846)

Marpissa nivoyi; Metzner, 1999: 139.

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LIMASSOL: Akrotiri Peninsula, Fasouri reed beds, 1 ♀, in reed litter, 4.V.2007 (CRS); Lady's Mile Beach, SW Limassol, 1 ♀, in salt marsh, 19.II.2011, D. W. Wrase leg. (CKHK).

Distribution: Europe to Central Asia. New to Cyprus.

Mendoza canestrinii (Ninni, 1868)

Identification

Metzner, 1999: 144, figs 109a-h.

Citations

None.

New records

LARNACA: Akrotiri Peninsula, near Fasouri reed

beds, 1 subadult ♂, 1 immature, swept from flowering herbs and grass, 27.IV.2007 (CAR-S).

Distribution: Palaearctic and N. Africa. New to Cyprus.

Menemerus bivittatus (Dufour, 1831)

Identification: <https://araneae.nmbe.ch/>

Citations

None.

New records

PAPHOS: Kato Akourdaleia, 1 ♂, in garden, VII.2008 (CDM).

Distribution: Pantropical. Introduced to Europe. New to Cyprus.

Menemerus fagei Berland & Millot, 1941

Identification: <https://araneae.nmbe.ch/>

Citations

None.

New records

NICOSIA: Agridi, near Dali, 1 ♀, in field, IV.2007, 1 ♀, on bark of *Eucalyptus*, 8.II.2010, det. D. Logunov (CAR-S).

Distribution: West Africa to Yemen, Malta. New to Cyprus.

Menemerus semilimbatus (Hahn, 1829)

Identification: <https://araneae.nmbe.ch/>

Citations

None.

New records

LARNACA: Lakatamia, 1 ♂, in olive grove, 1.I-1.X. 2016 (CMH); Larnaca SW, Hala Sultan Tekke Mosque, 5m, 1 ♂, on stone wall, 16.V.2011 (CRB); Meneou, 1 ♂ 1 ♀, salt marsh and fields, 8.IV.-15.IX.2016 (CMH).

NICOSIA: Agridi, near Dali, 1 ♀, in garden, V.2004, 1 ♂, in garden, VIII.2010 (CDM); Dali, Lybourena Hill, 1 ♀, IV.2004 (CDM).

PAPHOS: Akamas Peninsula, 1 ♂, 8.VII.2009 (CDM); Kato Akourdaleia, 1 ♂ 1 ♀, in garden,

VIII.2005, 2 ♀♀, in garden, VIII.2010, 1 ♂, on building, 10.VIII.2012 (CDM).

Distribution: Canary Islands to Central Asia. New to Cyprus.

Mogrus logunovi Prószyński, 2000

Identification: <https://araneae.nmbe.ch/>

Citations

None.

New Records

LARNACA: Akrotiri Peninsula, edge of central salt pan, 2 ♀♀, in silken cells in *Salicornia*, 30.IV.2013, det. D. Logunov (CAR-S), 2 ♀♀, 17.IX.2007 (CDM).

NICOSIA: Agridi, near Dali, 1 ♀, in field, V.2007 (CDM).

Distribution: Egypt, Israel, Jordan, Yemen, United Arab Emirates. New to Cyprus.

Mogrus neglectus (Simon, 1868)

Mogrus neglectus; Logunov, 2015: 70.

Identification

Metzner, 1999: 70, figs 35a-l.

Citations

FAMAGUSTA: Profitis Ilias (Logunov, 2015).

LIMASSOL: Akrotiri Peninsula (Logunov, 2015).

New records

FAMAGUSTA: Lysi, 1 ♂, in garden, 15.IV.2016 (CMH); Paralimni Lake, 65m, 1 ♀, on herbs around dried lake, 27.IV.2010 (CRB); Prastio S., Agios Andronikos, 30m, 1 subadult ♂ 4 ♀♀, on herbs in *Eucalyptus* plantation, 27.V.2011 (CRB); Vokolida S., Cape Elaia, 10m, 4 ♀♀, under stones and on shrubs near the beach, 26.V.2011 (CRB).

LARNACA: Larnaca SW, Hala Sultan Tekke mosque, 5m, 2 ♀♀, surrounding park, 20.IV.1986 (NHW); same site, 2 ♀♀, on herbs in salt marsh, 27.IV.2010 (CRB); same site, 1 ♂ 1 ♀, on herbs bordering salt lake, 16.V.2011 (CRB); Meneou, 1 ♀, salt marsh and fields, 8.IV.-15.IX.2016 (CMH).

LIMASSOL: Akrotiri Peninsula, near British Airbase, 1 ♀, swept in pine wood, 4.V.2007 (CAR-S).

NICOSIA: Kampos NE, Xeros River, 550m, 2 ♀♀, beaten from shrubs, 20.V.2011 (CRB); Kapedes, 1 ♂, pitfalls in *Pinus brutia* forest, 17.I.-23.IV.2016 (CMH); Lefka NW, 120m, 1 ♂, beaten from shrubs in fruit plantation, 18.V.2011 (CRB); Profitis Ilias, Machairas Forest, 1 ♀, 2005 (CDM).

Distribution: Greece, North Macedonia, Turkey, Israel, Azerbaijan.

Neaetha absheronica Logunov & Guseinov, 2002

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LIMASSOL: Akrotiri Peninsula, Turtle Beach, 1 ♂, 15.III.2018, sandy beach (CKHK).

NICOSIA: Agios Sozomenos, near Dali, 1 ♂, under stones in dry rocky phrygana, 20.IV.2017, det. D. Logunov (CAR-S).

PAPHOS: Akamas Peninsula, Lara Bay, 1 ♂ 1 ♀, C. Saure leg., 18.VI.2013 (CKHK); Paphos, Bay at hotel "Paphian Bay", 1 ♂, pitfalls traps in rock strewn terrain near beach, 6.IV.1997 (CJB).

Distribution: North Macedonia, Greece, Turkey, Azerbaijan. New to Cyprus.

Neon rayi (Simon, 1875)

Identification

Metzner, 1999: 66, figs 31a-g.

Citations

None.

New records

FAMAGUSTA: Agios Sergios, 30m, 1 ♂, stones in phrygana, 17.III.2011 (CRB).

PAPHOS: Akamas Peninsula, Agios Minas, 1 ♀, in thick pine litter, 2.V.2007 (CAR-S); Akamas Peninsula, Cape Geronnisos S., 1 ♀, under stones in dry phrygana, 3.V.2007 (CAR-S); Gialia, 1 ♀, in pine wood, 25.III.1998, coll. J. Murphy (MMUE).

Distribution: Europe to southern regions of Central Asia, Algeria. New to Cyprus.

Pellenes brevis* (Simon, 1868)Pellenes brevis*; Logunov, 2015: 72.**Identification**

Metzner, 1999: 125, figs 90 a-k.

Citations

PAPHOS: N. Paphos, Lara (Logunov, 2015); Stavros Tis Psokas, Paphos forest (Logunov, 2015).

New records

None.

Distribution: France, Spain, Bulgaria, Greece.***Pellenes diagonalis* (Simon, 1868)****Identification**Metzner, 1999: 128, figs 91a-i (♀, sub *P. ostrinus*); Metzner, 1999: 121, figs 86a-k (♂, sub *P. diagonalis*).**Citations**

None.

New recordsLIMASSOL: Agios Georgios E., Palaiomylos, 1250m, 1 ♀, beaten in mixed *Pinus* and *Quercus* forest, 4.V.2010 (CRB).**Distribution:** Greece (Corfu), Macedonia, Turkey, Israel. New to Cyprus.***Pellenes flavipalpis* (Lucas, 1853)****Identification**

Azarkina, 2006: 68, figs 28-36

Citations

None. In giving the general distribution area of this species, Drensky (1936) and Hadjissarantos (1940) mention Cyprus, but we did not find any precise citation or information.

New records

None.

Distribution: Greece, Crete. The presence in Cyprus must be confirmed.***Pellenes geniculatus* (Simon, 1868)***Pellenes geniculatus*; Logunov, 2015: 72.**Identification**

Metzner, 1999: 128, figs 94 a-j.

Citations

PAPHOS: Troodos, Agios Nikolado (Logunov, 2015).

New records

None.

Distribution: Southern Europe, Africa, Turkey, Ukraine, Caucasus to Central Asia.***Philaeus chrysops* (Poda, 1761)****Identification**

Metzner, 1999: 140, figs 105a-h, 106a-l.

Citations

None.

New recordsKERYNEIA: Keryneia, 1 ♀, near the town in *Juniperus phoenicea* forest, 30.IV.2016 (CMH); Pentadactylos Range, Saint Hilarion Castle W., 600m, 1 ♀, beaten from shrubs in *Pinus* forest, 17.V.2011 (CRB).LARNACA: Agioi Vavatsinias, 700m, 2 ♀♀, litter in *Pinus* forest, 28.IV.2010 (CRB); Meneou, 1 ♂, salt marsh and fields, 8.IV.-15.IX.2016 (CMH).

NICOSIA: Dali, 13, Agios Andronikos, 1 ♀, in garden, IV.2007 (CDM); Machairas forest near Kionia, 1300m, 3 ♂♂ 2 ♀♀, stony phrygana, 5.V.2010 (CJVK, CRB); Peristerona, 1 ♀, riverbed, 7.V.2016 (CMH).

LIMASSOL: Akrotiri Peninsula N., 5m, 1 ♀, beating in *Eucalyptus* forest, 29.IV.2010 (CRB); Erimi, 1 ♂, under stones along dry riverbed, 18.IV.1986 (NHW); Platres, 1 ♂, on walls, 22.IV.1986 (NHW).

PAPHOS: Evretou Reservoir, 1 ♂, under stones and in grass tussocks, 13.IV.2017 (CAR-S); Kelefos bridge, dam on Diarizos River, 550m, 1 ♀, beaten from shrubs, 21.V.2011 (CRB); near Souskiou, 1 ♀, under stones in dry grassland, 1.V.2013 (CDM).

Distribution: Southern Palaearctic. New to Cyprus.

Phlegra bresnieri* (Lucas, 1846)*Identification**

Metzner, 1999: 70, figs 35a-l

Citations

None.

New records

FAMAGUSTA: Prastio S., Agios Andronikos, 30m, 1 ♀, under stones and herbs in *Eucalyptus* forest, 27.V.2011 (CRB); Rizokarpaso, 1 ♂, *Juniperus phoenicea* forest, 12.III.2016 (CMH). LIMASSOL: Pano Platres, below Caledonia Waterfall, 1 ♂, under stones and in grass in rocky valley, 26.IV.2007 (CAR-S).

NICOSIA: Agios Sozomenos, near Dali, 2 ♀♀, under stones in dry grassland, 30.IV.2007 (CAR-S).

Distribution: Mediterranean, Syria. New to Cyprus.

***Phlegra cinereofasciata* (Simon, 1868)**

Phlegra cinereofasciata; Logunov, 2015: 73.

Identification

Metzner, 1999: 69, figs 34a-k.

Citations

LIMASSOL: Troodos, Mt Olympos (Logunov, 2015).

New records

LIMASSOL: road Chionistra-Prodromos, 1 ♂, pitfalls in *Pinus nigra*_forest, 6.IV.-8.VI.2014 (CMH).

Distribution: Portugal to Central Asia.

***Phlegra fasciata* (Hahn, 1826)**

Phlegra fasciata; Logunov, 2015: 74.

Identification

Metzner, 1999: 68, figs 33a-i.

Citations

Cyprus, without further data (Logunov, 2015).

New records

None.

Distribution: Palaearctic.

***Plexippoides flavescens* (O. Pickard-Cambridge, 1872)**

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LIMASSOL: Amathus, 1 ♀, under stones in dry valley, 6.IV.1986 (NHW).

Distribution: Greece to Central Asia, Pakistan, Sudan.

***Plexippoides gestroi* (Dalmas, 1920)**

Plexippoides gestroi; Logunov, 2015: 73.

Identification

Metzner, 1999: 135, figs 99a-i.

Citations

LIMASSOL: E. Limassol, Mount Amathus (Logunov, 2015).

New records

LIMASSOL: Pissouri, 1 ♀, in grass, 24.III.1998, coll. J. Murphy (MMUE); Platres, 1 ♀, on walls, 22.IV.1986 (NHW).

Distribution: Mediterranean.

Plexippus devorans* (O. Pickard-Cambridge, 1872)*Identification**

Metzner, 1999: 136, figs 100a-j.

Citations

None.

New records

NICOSIA: Lympia Reservoir, Lympia, 1 ♂, under stones below dam wall, 9.V.2013 (CDM).

Distribution: Greece to Central Asia, Algeria. New to Cyprus.

***Plexippus paykulli* (Audouin, 1826)**

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

KERYNEIA: Karavas, 660m, 1 ♂, on stone walls in garden of hotel, 22.XI.2010 (CRB).

LARNACA: Larnaca SW, Hala Sultan Tekke Mosque, 5m, 1 ♀, on stone walls near mosque, 16.V.2011 (CRB); same site, 1 ♀, 20.IV.1986 (NHW).

LIMASSOL: Amathus, hotel, 2 ♀♀, front yard, 8.IV.1986 (NHW); Amathus, 1 ♀, in the excavation area, 9.IV.1986 (NHW); Limassol, Sheraton hotel, 1 ♀, 5.X.1988 (NHW).

NICOSIA: Agridi, near Dali, 1 ♂, in house, IV.2009, 1 ♂, in garden, V.2011 (all CDM); Dali, Lymbourena Hill, 1 ♀, in field, IV.2004 (CDM); Dali, 13, Agios Andronikos, 1 ♀, in garden, V.2007, 1 ♂ 1 ♀, in garden, IV.2008, 1 ♂ 4 ♀♀, in garden, V.2008 (all CDM); Geri, 1 ♀, olive grove and fields, 11.V.2016 (CMH); Lakatamia, 1 ♀, in olive grove, 1.I.-1.X. 2016 (CMH); Pallouriotissa, 1 ♀, in building, V.2006 (CDM). PAPHOS: Akamas Peninsula, Lara Bay, 1 ♂, C. Saure leg., 19.VI.2013 (CKHK); Kidasi N., along Diarizos River, 300m, 1 ♀, beaten from shrubs, 21.V.2011 (CRB).

Distribution: Cosmopolitan. New to Cyprus.

***Pseudeuophrys obsoleta* (Simon, 1868)**

Pseudeuophrys obsoleta; Logunov, 2015: 75.

Identification

Metzner, 1999: 54, figs 19a-h.

Citations

NICOSIA: Near Cedar Valley (Logunov, 2015).

New records

NICOSIA: between Cedar Valley and Stavros tis Psokas, 3 ♂♂, under stones in *P. nigra* forest, 29.IV.2007 (CAR-S), 1 ♀ (CRS); Cedar Valley Forest, 1 ♀, under stones, 29.IV.2007 (CAR-S) 1 ♂ (CRS); Cedar Valley, 1150m, 3 ♂♂, 21.III.2018, forest road, in gravel (CKHK).

Distribution: Palaearctic.

Pseudicius picaceus* (Simon, 1868)*Identification**

Metzner, 1999: 93, figs 58a-g.

Citations

None.

New records

KERYNEIA: Pentadactylos Range, Saint Hilarion Castle, 600m, 1 ♀, beaten from shrubs, 17.V.2011 (CRB).

Distribution: Mediterranean to Azerbaijan. New to Cyprus.

***Pseudicius vankeeri* Metzner, 1999**

Pseudicius vankeeri; Logunov, 2015: 76.

Identification

Metzner, 1999: 95, figs 60a-h.

Citations

NICOSIA: Agridi, near Dali (Logunov, 2015).

New records

NICOSIA: Agridi, near Dali, 1 ♀, in garden, IV.2010, 1 ♂, in yard, V.2009, 1 ♂, stones on river bank, 29.IV.2013, 1 ♂, in garden, VIII.2010, 1 ♂, VII.2012 (all CDM).

LARNACA: Stavrovouni Monastery, 350m, 1 ♂, on bark of *Pinus* trees, 28.IV.2010 (CRB).

Distribution: Greece, Turkey. New to Cyprus.

Pseudomogrus gavdos* (Logunov & Marusik, 2003)*Identification**

Logunov & Marusik, 2003: 43, figs 147-152.

Citations

None.

New records

LARNACA: Larnaca salt lake, 1 ♀, litter in salt marsh, 27.IV.2010 (CRB).

LIMASSOL: Akrotiri Peninsula, Turtle Beach, 2 ♀♀, beaten from vegetation on sandy beach, 15.III.2018 (CKHK).

Distribution: Canary Islands, Sardinia, Algeria, Crete. New to Cyprus.

***Salicus noordami* Metzner, 1999**

Salicus noordami; Logunov, 2009: 915; Logunov, 2015: 78.

Identification

Metzner, 1999: 115, figs 79a-f; Logunov, 2009: 915, figs 36-42.

Citations

NICOSIA: Lympia Reservoir (Logunov, 2015).

LIMASSOL: Troodos Mts., Panagia (Logunov, 2015); Pano Platres (Logunov, 2015).
PAPHOS: Akamas Peninsula, near Agios Minas (Logunov, 2015); Coral bay (Logunov, 2009).

New records

FAMAGUSTA: Kantara E., 610m, 3 ♀♀, beaten from shrubs and stones in open *Pinus* forest, 25.V.2011 (CRB); Gialousa E., Agios Thrysos, 20m, 1 ♀, beaten from shrubs, 16.V.2011 (CRB).

LARNACA: Meneou, 1 ♂, salt marsh & fields, 8.IV.-15.IX.2016 (CMH).

LIMASSOL: Alassa SE, near river Limnatis, 3 ♂♂, stones at base of limestone rock face of gorge (CAR-S); Armenochori, 1 ♀, under stones of a dry stone wall, 14.IV.1986 (NHW); Mount Olympos (Chionistra), just below summit, 1 ♂, in open *Pinus nigra* forest, 27.IV.2007 (CRS); Pano Platres, 1 ♂, on stone wall, 6.V.2007 (CAR-S). NICOSIA: Agridi, near Dali, 1 ♂, on stone in garden, 4.IV.2012 (CDM); Dali, 13, Agios Andronikos, 1 ♂, in garden, IV.2007 (CDM); Germasogeia, 1 ♀, on house at the dam, 10.IV.1986 (NHW); Lympia Reservoir, Lympia, 1 ♀, on concrete duct, 9.V.2013 (CAR-S); Nikitari S., Panagia Asinou, 1 ♀, on stone wall, 9.V.2007 (CAR-S); Xerargaka S., Orkontas, 1 ♂, riverside vegetation, 26.III.2016 (CMH).

PAPHOS: Akamas Peninsula, Agios Minas, 1 ♀, in dense *Pinus* litter, 2.V.2007 (CRS); near Avakas Gorge, 1 ♀, beaten from junipers on rocky hillside, 14.IV.2017 (CAR-S); Mavrokolympos Reservoir, 1 ♂, 13.III.2018 (CKHK).

Distribution

Lesbos, Turkey, Caucasus, Israel, Iran, Cyprus.

Salicus propinquus Lucas, 1846

Salicus propinquus; Logunov, 2015: 78.

Identification

Metzner, 1999: 115, figs 81a-i.

Citations

LIMASSOL: Pissouri (Logunov, 2015).

New records

FAMAGUSTA: Salamis ruins, 30m, 1 ♂, stones in ruins, 17.III.2011 (CRB).

LARNACA: Agios Minas, 1 ♂, under stone in pine wood, 20.III.1998, coll. J. Murphy (MMUE).

LIMASSOL: Akrotiri Peninsula, 1 ♀, margin of central salt lake, 7.V.1972, coll. A. Stubbs

(MMUE); Akrotiri Peninsula, salt lake, 1 ♀, beaten from *Salicornia*, 15.III.2018 (CKHK). PAPHOS: Akamas Peninsula, Smigies, 352m, 1 ♀, Maquis, 12.III.2018 (CKHK); Mavrokolympos Reservoir, 1 ♀, 13.III.2018 (CKHK); Paphos, Bay at hotel “Paphian Bay”, 1 ♀, beating vegetation near beach, 4.IV.1987 (CJB).

Distribution:

Sibianor aurocinctus (Ohlert, 1865)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

NICOSIA: Lympia Reservoir, Lympia, 1 ♂, under stones below dam wall, 9.V.2013 (CDM).

Distribution:

Palaearctic. New to Cyprus.

Synageles dalmaticus (Keyserling, 1863)

Identification

Metzner, 1999: 38, figs 5a-g.

Citations

None.

New records

FAMAGUSTA: Agios Sergios, 30m, 1 ♂ 2 ♀♀, beaten in *Pinus* plantation, 15.V.2011 (CRB); Cape Greco, Ayia Napa, 35m, 1 ♂, stones in phrygana, 27.IV.2010 (CRB), 1 ♀, under stone in phrygana, 3.V.2013 (CDM); Gialousa E., Agios Thrysos, 20m, 1 ♀, beaten from shrubs, 16.V.2011 (CRB); Gialousa E., Agia Triada, 50m, 1 ♀, herbs in ruins, 18.III.2011 (CRB); Kantara E., 610m, 2 ♀♀, beaten from shrubs in open *Pinus* forest, 25.V.2011 (CRB); Salamis ruins, 50m, 1 ♀, beaten from low trees, 15.V.2011 (CRB).

KERYNEIA: near Agios Georgios, under stones, 1 subadult ♂, 27.II.2011, H. Henderickx leg. (CJB).

LIMASSOL: Akrotiri Peninsula, near British Airbase, 1 ♀, swept in pine wood, 4.V.2007 (CRS); Mount Olympos (Chionistra), just below summit, 1 ♂, in open *Pinus nigra* forest, 28.IV.2007 (CRS).

NICOSIA: Agridi, near Dali, 1 ♀, in garden, IV.2004, 2 ♂♂, in house, IV.2009, 1 ♂, in garden,

V.2011, 1 ♂, in garden, V.2012 (CDM); Athalassa National Forest Park, Nicosia, 1 ♂, under stones in pine plantation, 2.V.2013; Dali, 1 ♂, on outside wall of house, 5.V.2013 (CAR-S); Dali, 13, Agios Andronikos, 1 ♂, in garden, V.2007, 1 ♀, in garden, III.2008 (CDM); Kampos NE, Xeros River, 550m, 1 ♂, beaten from shrubs, 20.V.2011 (CRB); Kapedes S., 600m, 1 ♂, herbs along rivulet, 5.V.2010 (CRB); Lefka NW, 120m, 1 ♂, beaten from shrubs in fruit plantation, 18.V.2011 (CRB); Lympia Reservoir, Lympia, 1 ♂, on concrete duct, 9.V.2013 (CAR-S), 1 ♀, (CDM); Nikitari S., Panagia Asinou, 1 juvenile, under stones in disturbed phrygana, 9.V.2007 (CAR-S); Strovolos, 1 ♂, around houses, 1.V.2016 (CMH).
PAPHOS: Evretou Reservoir, 1 ♂, under stones and in grass tussocks, 13.IV.2017 (CAR-S); Kelefos bridge, dam on Diarizos River, 550m, 1 subadult ♀, beaten from shrubs, 21.V.2011 (CRB).

Distribution: Mediterranean. New to Cyprus.

***Synageles hilarulus* (C. L. Koch, 1846)**
Synageles hilarulus; Logunov, 2015: 81.

Identification

Metzner, 1999: 38, figs 5a-g.

Citations

LIMASSOL: Akrotiri Peninsula, Fassouri reed beds (Logunov, 2015).

New records

LIMASSOL: Akrotiri Peninsula, Fassouri reed beds, 1 ♀, in reed litter, 27.IV.2007 (CAR-S); 2 ♀♀ (CRS).

Distribution: Palaearctic.

***Talavera aequipes* (O. Pickard-Cambridge, 1871)**

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LARNACA: Larnaca salt lake, 5m, 1 ♂, stones and litter in salt marsh, 27.IV.2010 (CRB).

Distribution: Palearctic. New to Cyprus.

***Thyene imperialis* (Rossi, 1846)**

Identification

Metzner, 1999: 132, figs 97a-l.

Citations

None.

New records

FAMAGUSTA: Salamis ruins, 50m, 1 ♂, beaten from low trees, 15.V.2011 (CRB).

LARNACA: Kornos Picnic site, 350m, 1 ♀, beaten in *Pinus* forest, 28.V.2011 (CRB).

NICOSIA: Agridi, near Dali, 1 ♂, in garden, IV.2012 (CDM); Dali, 13, Agios Andronikos, 2 ♂♂, in garden, IV.2007 (CDM).

LIMASSOL: Akrotiri Peninsula, near British Airbase, 1 ♂, swept in pine wood, 4.V.2007 (CAR-S); Akrotiri Peninsula, Fassouri reedbeds, 1 ♂, swept from grass and reeds, 17.IV.2017 (CAR-S).

Distribution: Old World. New to Cyprus.

Family Scytodidae

***Scytodes thoracica* (Latreille, 1802)**

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

FAMAGUSTA: Kantara E., 650m, 1 ♀, pitfalls in *Pinus* forest, XI.2010 - III.2011 (CRB); Komi Kebir, 150m, 1 ♂ 2 ♀♀, stones in *Pinus* forest, 18.III.2011 (CRB); Prastio S., Agios Andronikos, 30m, 2 ♀♀, under stones in *Eucalyptus* forest, 27.V.2011 (CRB).

KERYNEIA: Klepini, 300m, 1 ♂, under stones in open *Pinus* forest, 23.XI.2010 (CRB); Larnakas tis Lapithou, 2 ♀♀, stones in grassland, 17.I.2016 (CMH); Pentadactylos Range, Ftericha S., 800m, 1 ♀, under stones in grassland, 17.V.2011 (CRB).

LARNACA: Hala Sultan Tekke mosque, 1 ♂ 2 ♀♀, from the area of the mosque and the surrounding park, 20.IV.1986 (NHW).

Stavrovouni Monastery, 350m, 1 subadult ♀, under bark of *Pinus* trees, 28.IV.2010, 28.IV.2010 (CRB).
 LIMASSOL: Akrotiri Peninsula N., 5m, 1 ♀, litter and beating in *Eucalyptus* forest, 29.IV.2010 (CJVK); Alassa SE, 1 ♂, near river, under stones at base of limestone rock face of gorge (CAR-S); Amathus, 1 ♂, under stones in dry valley, 25.IV.1986, 1 ♀, under stones on plants, 6.IV.1986, 1 ♀ 2 juveniles, 9.IV.1986 (NHW); Armenochori, 1 ♀, under stones of a dry stone wall, 14.IV.1986 (NHW); Fasoula, 1 ♂ 1 ♀ 1 juvenile, olive garden with dry stone walls, 16.IV.1986 (NHW); Germasogeia, 1 ♂ 2 ♀♀ 4 juveniles, on house at the dam, 10.IV.1986 (NHW); Kolossi, N of the castle, 5 ♂♂, under stones, 11.IV.1986 (NHW); Mount Olympos (Chionistra), just below summit, 1 ♀, 2 juveniles, under large rocks in open *Pinus nigra* forest, 28.IV.2007 (CRS); Platres, 1 ♀, on walls, 22.IV.1986 (NHW).
 NICOSIA: Limnitis, 1 ♀, *Pinus brutia* forest, 13.V.2016 (CMH); Marathasa Dam, 3 ♂♂ 2 ♀♀, pitfalls in riverside vegetation, 7.V. - 10.VII.2016 (CMH); Nikitari S., Panagia Asinou, 1 juvenile, under stones in disturbed phrygana, 9.V.2007 (CAR-S).
 PAPHOS: Akamas Peninsula, 1 ♀, in coastal grassland, 22.III.1998, coll. J. Murphy (MMUE); Akamas Peninsula, Agios Minas, 2 juveniles, under stones in meadow, 2.V.2007 (CAR-S); Kato Paphos, 1 ♀, seevin hay, 4.IV.1997 (CJB); Kelefos bridge, 465m, deciduous wood, 1 ♂, 16.III.2018 (CKHK); Kinousa SE, 400m, 1 ♀, under stones and litter in *Pinus* forest, 1.V.2010 (CRB); Makounta, 1 ♀, under stones in scrub, 19.III.1998, coll. J. Murphy (MMUE); Paphos NW, 1 ♀, under stones at the edge of a large sand pit, 24.IV.1986 (NHW); Souskiou, 1 ♂ 3 ♀♀, 16.III.2013 (CDM).

Distribution: Holarctic, Pacific. New to Cyprus.

Scytodes univittata Simon, 1882

Identification

Carrillo & Ferrández, 2014: 54, figs 1-6.

Citations

None.

New records

NICOSIA: Agridi, near Dali, 1 ♂ 1 ♀, in house, 28.VIII.2010 (CDM); Strovolos, 1 subadult ♀, around houses, 1.V.2016 (CRB).

Distribution: Canary Isles, Spain to Myanmar.
 New to Cyprus.

Scytodes velutina Heineken & Lowe, 1832

Identification: <https://araneae.nmbe.ch/>

Citations

None.

New records

FAMAGUSTA: Agios Sergios, 30m, 1 ♂ 3 ♀♀, pitfalls in *Pinus* plantation, 15 - 27.V.2011 (CRB); Gialousa, Agios Thrysos, 20m, 1 ♂ 1 ♀, litter under fig tree, 18.III.2011 (CRB); Kantara E., 610m, 1 ♂, under stones in open *Pinus* forest, 25.V.2011 (CRB), 1 ♂, pitfalls at same site, XI.2010 - III.2011 (CRB); Paralimni lake, 65m, 7 ♀♀, litter along dry lake, 21.XI.2010 (CRB); Protaras, Profitis Elias, 1 ♀, 2005 (CDM); Salamis S., Silver Beach, 5m, 1 ♂ 1 ♀, pitfalls in salt marsh, 15 - 27.V.2011 (CRB).

KERYNEIA: Klepini, 300m, 1 ♂, under stones in open *Pinus* forest, 23.XI.2010 (CRB); Saint Hilarion Castle, 610m, 1 ♂ 2 ♀♀, pitfalls in *Pinus* forest, XI.2010 - III.2011 (CRB).

LARNACA: Larnaca salt lake, 10m, 1 ♂, pitfalls around lake, III. - V.2011 (CRB); road to Stavrovouni Monastery, 1 ♂, pitfalls in open *Pinus* forest, III. - V.2011 (CRB).

NICOSIA: Agioi Trimithias, 2 ♀♀, olive grove and fields, 22.I.2016 (CMH); Agridi, near Dali, 1 ♂, in house, VIII.2009, 1 ♀, in house, IV.2012, 1 ♀, in house, VII.2012 (CDM); Athalassa National Forest Park, 1 ♀, *Pinus brutia* forest, 21.II.2016 (CMH); Kapedes, 1 ♀, pitfalls in *Pinus brutia* forest, 17.I. - 23.IV.2016 (CMH); Lymbourena Hill, Dali, 1 ♀, in field, IV.2004 (CDM); Lympia Reservoir, Lympia, 1 ♀, in rushes below dam wall, 9.V.2013 (CDM); Marathasa Dam, 1 ♂, pitfalls in riverside vegetation, 7.V. - 10.VII.2016 (CMH).

PAPHOS: Akamas Peninsula, Cape Drepanum, 2 ♀♀, 31.III.1997 (CJB); Akamas Peninsula, Avgas Estuary, 2 ♀♀, 31.III.1997 (CJB); Kato Paphos archaeological site, 1 ♀, under stones in grass,

10.V.2007 (CAR-S); Mavrokolympos Reservoir, Pano Archimandrita, 1 subadult ♀, in cave, 29.VII.1998, H. Henderickx leg. (CJB); NE Potima, 150m, 1 ♀, under stones along lake, 22.V.2011 (CRB); Pegeia, Pikni Forest, 366m, 1 ♀, pine forest under bark, 11.III.2018 (CKHK).

Distribution: Mediterranean, Cape Verde Is., Seychelles. New to Cyprus.

Family Segestriidae

Ariadna cyprusensis Wunderlich, 2011
Ariadna cyprusensis Wunderlich, 2011: 187.

Identification

Wunderlich, 2011:187, figs 51.

Citations

LIMASSOL: Pissouri beach (Wunderlich, 2011).
 PAPHOS: Agios Georgios, Cape Drepano (Wunderlich, 2011); Akamas Peninsula, Fontana Amorosa (Wunderlich, 2011).

New records

PAPHOS: Pegeia, Agios Georgios, rocky shore, 1 ♀ 1 juvenile, 13.III.2018 (CKHK).

Distribution: Cyprus, probably Kos. Only known from coastal localities.

Segestria bavarica C. L. Koch, 1843

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LIMASSOL: Troodos, Mount Olympos (Chionistra), 1900m, 1 juvenile, under stones in *Pinus* forest, 23.V.2011 (CRB).
 NICOSIA: Xerargaka S, Orkontas, 1 ♀, riverside vegetation, 26.III.2016 (CMH).
 PAPHOS: Near Kidasi village, Diarizos Valley, 1 ♀, under bark on large plane tree, 1.V.2013 (CAR-S); Neo Chorio, 1 ♀, stones in grassland (CMH).

Distribution: Europe to Caucasus. New to Cyprus.

Segestria florentina (Rossi, 1790)

Identification: <https://araneae.nmbe.ch/>.
Citations

None.

New records

NICOSIA: Xerargaka S, Orkontas, 1 ♀, riverside vegetation, 26.III.2016 (CMH).
 LIMASSOL: Pedoulas, 960m, 1 ♂, 1 ♀, road embankment, 18.IV.2017, S. Huber leg. (CSH).
 PAPHOS: Drouseia S., Panagia Chrysospilotissa, 580m, 1 ♀, night catch in small cave, 22.IV.2017, S. Huber leg. (CSH); Neo Chorio, 1 ♂, under stone, 17.III.1998, coll. J. Murphy (MMUE); Kato Akourdaleia, 1 ♀, VII.2008 (CDM); Kelefos bridge, 465m, deciduous wood, 2 ♀♀ 3 juveniles, under bark, 16.III.2018 (CKHK); Paphos, 1 ♀, on terrace, VI.1998 (CJB); Pegeia, 100m, 1 ♀, under bark of fruit tree, 22.V.2011 (CRB), Pegeia, 268m, 1 ♂, on terrace of building, 21.III.2018 (CKHK); Pomos, 1 ♀, 31.VIII.1998, in sea cave, H. Henderickx leg. (CJB).

Distribution: Europe to Georgia, N. Africa. New to Cyprus.

Segestria senoculata (Linnaeus, 1758)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

NICOSIA: Agridi, near Dali, 1 ♀, in garden, IV.2011 (CDM).

Distribution: Palaearctic. New to Cyprus.

Family Sicariidae

Loxosceles rufescens (Dufour, 1820)

Loxosceles rufescens; Logunov, 2013: 5.

Identification

Simon 1904: 75, fig. 126.

Citations

PAPHOS: Avakas Gorge (Logunov, 2013).

New records

FAMAGUSTA: Cape Apostolos Andreas, 1 ♀, *Juniperus phoenicea* forest 30.III.2016 (CMH); Salamis ruins, 30m, 1 subadult ♀, under stones in ruins, 17.III.2011 (CRB), 2 ♀♀, 15.V.2011 (CRB); Davlos W., 25m, under stones in phrygana near the beach, 25.V.2011 (CRB); Rizokarpaso, 1 ♀, *Juniperus phoenicea* forest,

7.V.2016 (CMH); Agios Sergios, 30m, 1 subadult ♂, pitfalls in *Pinus* plantation, 15 - 27.V.2011 (CRB); Cape Greco, 35m, 1 subadult ♀, under stones in phrygana, 21.XI.2010 (CRB); Paralimni lake, 65 m, 1 subadult ♀, in litter along dry lake, 21.XI.2010 (CRB).

KERYNEIA: near Agios Georgios, 1 ♀, under stones, 27.II.2011, H. Henderickx leg. (CJB); Kazafani, 150m, 1 ♀, under stones in olive grove, 23.XI.2010 (CRB); Klepini, 300m, 2 ♀♀, under stones in open *Pinus* forest, 23.XI.2010 (CRB); Pentadactylos Range, Saint Hilarion Castle W, 600m, 2 ♀♀, under stones in *Pinus* forest 17.V.2011 (CRB); Vasileia S., 200m, 2 juveniles, dry riverbed in olive grove, 25.XI.2010 (CRB). LARNACA: Achna Reservoir, 50m, 1 ♀, under stones bordering lake, 16.V.2011 (CRB); Delikipos, 1 ♀, under stone in grass around small dam, 18.IV.2017 (CAR-S); Larnaca salt lake, 5m, 2 juveniles, under stones in salt marsh, 20.XI.2010 (CRB), 1 ♀, pitfalls at same site (CRB); Ora, 1 ♀, in maquis, 28.XII.2016 (CMH); Stavrovouni Monastery, pitfalls in open *Pinus* forest, III. - V.2011 (CRB).

LIMASSOL: Agios Tychonas, 1 ♀, 19.IV.1986 (NHW); Akrotiri Peninsula, near Agios Nikolaos Monastery, 25m, 1 ♀, in grassy ditch, 23.III.2011 (CRB); Akrotiri Peninsula E., 5m, 1 ♀, under stones and litter in salt marsh, 29.IV.2010 (CRB); Akrotiri Peninsula, edge of central salt pan, 1 ♀, under stones and debris in *Salicornia*, 30.IV.2013 (CDM); Amathus, 1 ♀ 2 subadult ♂♂, under stones in dry valley, 25.IV.1986, 1 ♀ 8 juveniles, 6.IV.1986, 1 ♀ 1 juvenile, 9.IV.1986 (NHW); Armenochori, 2 ♀♀ 6 juveniles, under stones of a dry stone wall, 14.IV.1986 (NHW); Erimi, 1 ♀, under stones in dry riverbed, 18.IV.1986 (NHW); Fasoula, 3 juveniles, olive garden with dry stone walls, 16.IV.1986 (NHW); Malia-Dora road, 650m, 2 ♀♀, under stones in grassland, 21.III.2011 (CRB); Mount Olympos (Chionistra), just below summit, 1 ♀, under large rocks in open *Pinus nigra* forest, 28.IV.2007 (CRS); Pissouri, 2 ♀♀, in cave, 3.VII.2016 (CMH).

NICOSIA: Agia Marina, 1 ♂, *Pinus brutia* forest, 7.III.2016 (CMH); 13, Agios Andronikos, Dali 1 ♂ 2 ♀♀, in garden, V.2008 (CDM); Agridi, near Dali, 1 ♀, in eucalyptus litter in garden, 29.IV.2013; 1 ♂, in garden, IV.2011 (CDM); Athalassa National Forest Park, 1 ♂ 2 ♀♀, under stones in pine plantation, 8.V.2013 (CAR-S); Marathasa Dam, 4 ♂ 1 ♀, pitfalls in riverside vegetation, 7.V. - 10.VII.2016 (CMH); Pedoulas, 960m, 1 ♀, road embankment, 18.IV.2017, S. Huber leg. (CSH).

PAPHOS: Evretou Reservoir, 350m, 1 ♀, under stones in grassland around lake, 1.V.2010 (CRB); Kato Akourdaleia, 1 ♂, in garden, VIII.2005 (CDM); Kato Paphos, archaeological site, 1 juvenile, under stones in grass, 10.V.2007 (CAR-S); Kinousa E., Agios Merkourios, 350m, 1 ♂, under stones in *Pinus* forest, 1.V.2010 (CRB); Mavrokolympos Reservoir, 1 ♀, 13.III.2018 (CKHK); Pano Archimandrita Estuary, 1 ♀, 9.III.1999, H. Henderickx leg. (CJB); Paphos NW, 1 ♂ 1 ♀ 1 juvenile, under stones, 24.IV.1986 (NHW); Pegeia, Coral Bay, 1 ♀, under stones, 31.III.1997 (CJB); Pegeia, Pikni Forest, 346m, 1 ♀, in former carob plantation, 23.III.2018 (CKHK); Pomos E., 140m, 1 ♀, road to reservoir, 23.IV.2017, S. Huber leg. (CSH); Pomos, 1 ♀, in sea cave, H. Henderickx leg. (CJB); 31.VII.1998; near Souskiou, 1 ♂, under stones in dry grassland, 1.V.2013 (CAR-S).

Distribution: Cosmopolitan.

Family Sparassidae

Eusparassus walckenaeri (Audouin, 1826)

Eusparassus tersa; Strand 1907: 397.

Eusparassus walckenaeri; Moradmand & Jäger, 2012: 2455.

Identification

Levy, 1989: 132, figs 3-18; Moradmand & Jäger 2012: 2455, figs 5 A-G.

Citations

Without precise locality (Strand 1907).

FAMAGUSTA: Protaras; Agios Ilias Village (both Moradmand & Jäger, 2012).

New records

FAMAGUSTA: Vokolida S., Cape Elaia, 10m, 1 subadult ♀, under stones and on shrubs near the beach, 26.V.2011 (CRB).

LARNACA: Dekeleia Military Base, 1 ♂, 10.VI.1958, M. Connally leg. (BMNH); Dekeleia, Royal Army Medical College, Department of Tropical Medicine, 1 ♀, 18.VII.1959, Baldry leg. (BMNH).

NICOSIA: Kampos NE, Xeros River, 550m, 1 ♀, stones in riverbed, 20.V.2011 (CRB); Limnitis, 1 ♂, *Pinus brutia* forest, 13.V.2016 (CMH).

Distribution: Eastern Mediterranean to Afghanistan.

***Micrommata formosa* Pavesi, 1878**

Identification

Levy, 1989: 165, figs 100-114.

Citations

None.

New records

FAMAGUSTA: Prastio S., Lake Kouklion, 1 ♀, fallow land with *Salicornia/Suaeda*, 20.II.2011, D. W. Wrase leg. (CKHK).

LARNACA: Ora, 1 ♀, in maquis, 28.XII. 2016 (CMH).

NICOSIA: Agidi, near Dali, 6 ♂♂, in house, 2014 (CDM); Geri, 1 ♂, in olive grove, 11.V.2016 (CMH).

Distribution: Algeria to Israel. New to Cyprus.

***Micrommata ligurina* (C. L. Koch, 1845)**

Identification

Levy, 1989: 168, figs 115-125.

Citations

None.

New records

LARNAKA: Meneou, 4 ♀♀, 8.II.1957, G. P. Georgiou (BMNH).

NICOSIA: Makedonitissa, 1 ♂, 13.II.1957, G. P. Georgiou (BMNH).

Distribution: Mediterranean to Central Asia. New to Cyprus.

***Micrommata virescens* (Clerck, 1757)**

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

NICOSIA: Dali, Limbourena Hill, 2 ♀♀, in field, V.2004 (CDM).

Distribution: Palaearctic. New to Cyprus.

***Olios suavis* (O. Pickard-Cambridge, 1876)**

Identification

Levy, 1989: 152, figs 71-81, 115-125.

Citations

Agridi near Dali (Jäger *et al.* 2011).

New records

NICOSIA: Agidi, near Dali, 1 ♂, in house, 2014 (CDM).

Distribution: Israel (Levy, 1989), Egypt (O. Pickard-Cambridge, 1876; Denis, 1947), Cyprus.

Family Tetragnathidae

***Metellina mengei* (Blackwall, 1869)**

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LIMASSOL: Pano Platres, track near Caledonia Waterfall, 1 ♂ 1 ♀, swept from herbs and shrubs in rocky stream valley, 26.IV.2007 (CAR-S).

Distribution: Europe to Georgia. New to Cyprus.

***Tetragnatha demissa* L. Koch, 1872**

Identification

Tetragnatha demissa; Saaristo, 2010: 236, figs 36: 29, 33.

New records

LARNACA: Meneou, 3 ♂♂ 3 ♀♀, salt marsh and fields, 8.IV.-15.IX.2016 (CMH).

PAPHOS: Asprokremmos Dam, N. Kouklia, 150m, 2 ♂♂ 2 ♀♀, on herbs along lake, 29.IV.2010 (CRB); idem, 5 ♂♂ 11 ♀♀, herbs along lake, 23.V.2011 (CRB).

Distribution: South Africa, Tanzania, Seychelles, Australia. New to Cyprus.

***Tetragnatha intermedia* Kulczyński, 1891**

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

NICOSIA: Dali, Idalion Archaeological Site, 1 ♂, in phrygana, 30.IV.2013 (CDM).

PAPHOS: Evretou Reservoir, 350m, 2 ♂♂ 2 ♀♀, shrubs and grassland around lake, 1.V.2010 (CRB).

Distribution

Palaearctic. New to Cyprus.

Tetragnatha nitens (Audouin, 1826)

Identification: <https://araneae.nmbe.ch/>

Citations

None.

New records

LARNACA: Meneou, 2 ♂♂ 1 ♀, salt marsh and fields, 8.IV.-15.IX.2016 (CMH).

NICOSIA: Geri, 2 ♂♂ 1 ♀, in olive grove, 11.V.2016 (CMH).

PAPHOS: Avakas Gorge, 150m, 1 ♂, on rocks in gorge, 22.V.2011 (CRB); Ktima, 1 ♂, G. Mavromoustakis leg., without date (BMNH).

Distribution: Cosmotropical, Mediterranean. New to Cyprus.

Tetragnatha obtusa C. L. Koch, 1837

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

NICOSIA: Marathassa Dam, 550m, 1 ♂ 1 ♀, stones and beaten from shrubs around lake, 20.V.2011 (CRB); Nikitari S., Panagia Asinou, 1 ♀, in disturbed phrygana, 9.V.2007 (CAR-S).

PAPHOS: Akamas Peninsula, Neo Chorio, 2 ♂♂, swept from phrygrana and grass, 2.V.2007 (CAR-S); Asprokremmos Dam, N. Kouklia, 150m, 3 ♂♂ 1 ♀, herbs along lake, 23.V.2011 (CRB); Avakas gorge, 1 ♂ 1 ♀, 22.III.2018 (CKHK); Evretou Reservoir, Stavros tis Psokas river, 1 ♂, 20.III.2018 (CKHK); Kelefos bridge, dam on Diarizos River, 550m, 1 ♂ 2 ♀♀, beaten from shrubs, 21.V.2011 (CRB); Kelefos bridge, 465m, deciduous wood, 1 ♂ 1 ♀, 16.III.2018 (CKHK).

Distribution: Palaearctic. New to Cyprus.

Zygiometella perlóngipes (O. Pickard-Cambridge, 1872)

Identification

Wunderlich, 1995: 640, figs 1-10.

Citations

None.

New records

LIMASSOL: Episkopi, Fassouri reed beds, 1 ♂, on vegetation at the edge of the reed bed, 30.IV.2013 (CRS).

Comments

A male of this species was collected by Rowley Snazell in 2013. It will be redescribed by him in a separate paper.

Distribution: Until now, this species was only known from Israel. It is new to Europe and Cyprus.

Family Theraphosidae

Chaetopelma karlamani Vollmer, 1997

Chaetopelma karlamani Vollmer, 1997: 5; Peters, 1998: 24; Peters, 2000: 87; Guadanucci & Gallon, 2008: 39, figs 11-18; Gallon *et al.* 2012: 138.

Identification

Vollmer, 1997: 5, figs 3-13.

Citations

KERYNEIA: Lapithos (Vollmer, 1997; type locality); Trapeza Mountain (Vollmer, 1997); Karmi (Vollmer, 1997).

LARNACA: Without precise locality (Guadanucci & Gallon, 2008).

NICOSIA: Without precise locality (Guadanucci & Gallon, 2008).

New records

FAMAGUSTA: Kantara E., 1 ♂, 650m, pitfalls in *Pinus* forest, III. - V.2011 (CRB) idem, 1 juv., stones in ruins, 19.III.2011 (CRB).

KERYNEIA: Vasileia S., 200m, 2 juveniles, stones in dry riverbed in olive grove, 25.XI.2010 (CRB); Saint Hilarion Castle, 2 km W., 610m, 1 juv., stones in open *Pinus* forest, 20.III.2011 (CRB).

NICOSIA: Kampos N. (35°04'01"N 32°44'15"E), 500m, 2 juv., in leaf litter, 23.IV.2017 (CSH); Kampos N. (35°04'19"N 32°44'36"E), 470m, 2 juv., under stones, 20.IV.2017 (CSH); Oikos (N34°59'58" E 32°59'50"), 660m, 1 ♂, sitting at bottom of road embankment, night catch, 19.IV.2017 (CSH); Oikos (35°00'02"N

32°49'58"E), 700m, 1 juv., near small creek, 19.IV.2017 (CSH).

Distribution: Only known from Cyprus, where it occurs at higher altitudes.

Chaetopelma olivaceum (C. L. Koch, 1841)

Mygale olivacea C. L. Koch, 1841: 34, fig. 712 (descr. imm. ♀).

Ischnocolus gracilis Ausserer, 1871: 187 (descr. imm. ♀); Smith 1990: 127.

Chaetopelma olivacea; Strand 1907: 393.

Chaetopelma anatolica Schmidt & Smith, 1995: 1, figs 1-9.

Chaetopelma aegyptiacum (sic); Smith, 1990: 110 (citation).

Chaetopelma gracile; Vollmer, 1997: 5; Peters, 1998: 20; Peters, 2000: 86.

Chaetopelma olivaceum; Guadanucci & Gallon, 2008: 39, figs 11-18; Gallon *et al.*, 2012: 136.

Identification

Vollmer, 1997: 5, figs 3-13.

Citations

Without precise locality (Ausserer, 1871, type locality of *C. gracile*; Strand, 1907).

KERYNEIA: Lapithos (Vollmer, 1997); Saint Hilarion (Gallon *et al.*, 2012).

LARNACA: Ayia Napa (Schmidt & Smith, 1995, sub *C. karlamani*, misidentification; Guadanucci & Gallon, 2008); Larnaca (Gallon *et al.*, 2012).

NICOSIA: Dali (Gallon *et al.*, 2012); Asprokremmos (Guadanucci & Gallon, 2008); Nicosia (Gallon *et al.*, 2012).

PAPHOS: Asprokremmos, Solea Valley (Gallon *et al.*, 2012); Paphos (Smith, 1990, sub *C. aegyptiacum*).

New records

NICOSIA: Dali, Agios Andronikos, house veranda and garden, surrounding gardens, 5 ♂♂ 8 ♀♀, VI, 1995-2009 (CDM); Kythrea, 1 ♀, G. P. Gheorgiou leg., no date (BMNH).

PAPHOS: Akamas Peninsula, Cape Drepanum, 1 ♂ 1 ♀, rock strewn slope at sea front, 15.V.1998, H. Henderickx leg. (CJB); idem, 1 ♂ 1 juv. ♀, raised in captivity (CJB); Avakas Gorge, 1 ♀, 16.VIII.2014, N. & L. Wendlandt leg.

(CKHK); W. Kathikas, Aspros valley, 527m, 1 ♂ 2 ♀♀, under stones in open pasture, 24.II.2011, D. W. Wrase leg. (CKHK); Latsi W., Blue Lagoon (35°03'42"N 32°20'21"E), 50m, 1 juv., rock shelter, 21.IV.2017 (CSH); Latsi W., Aphrodite's Bath (35°03'22"N 32°20'40"E), 60m,

1 ♂, some juv., in rock shelter, 21.IV.2017 (CSH); Latsi W., Baths of Aphrodite, 4 juv., under large stones near the beach, 15.IV.2017 (CAR-S).

Distribution: Egypt, Turkey, Cyprus, Lebanon, Palestine, Israel, Jordan, Syria and Saudi Arabia. In Cyprus found mainly in the Paphos province.

Family Theridiidae

Anelosimus pulchellus (Walckenaer, 1802)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

FAMAGUSTA: Gialousa E., Agios Thrysos, 20m, 1 subadult ♀, beaten from shrubs, 16.V.2011 (CRB).

KERYNEIA: Panagia Apsinthiotissa Monastery ruins, 350m, 1 ♀, on low herbs in clearing in *Pinus* forest, 24.V.2011 (CRB); Pentadactylos Range, Saint Hilarion Castle, 600m, 1 subadult ♀, beaten from shrubs, 17.V.2011 (CRB).

LIMASSOL: Pano Platres, 1050m, 1 ♀, beaten near Mesa Potamos Waterfalls, 23.V.2011 (CRB).

NICOSIA: Marathassa Dam, 550m, 1 subadult ♀, beaten from shrubs around lake, 20.V.2011 (CRB); Oikos N., Xerargaka picnic site, 350m, 2 subadult ♀♀, beaten from shrubs in *Pinus* forest, 20.V.2011 (CRB);

Distribution: Europe to Russia, North Africa. New to Cyprus.

Anelosimus vittatus (C. L. Koch, 1836)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

NICOSIA: Kakopetria S., Platania forest station, 1100m, 1 ♂, beating in dense *Pinus* forest, 4.V.2010 (CJVK).

Distribution: Palaearctic. New to Cyprus.

***Argyrodes argyrodes* (Walckenaer, 1841)**

Identification

Levy, 1998b: 121, figs 224-237.

Citations

None.

New records

FAMAGUSTA: Gialousa E., Agios Thyrso, 20m, 1 ♀, beaten from shrubs, 16.V.2011 (CRB).

Distribution: Mediterranean to West Africa, Seychelles. New to Cyprus.

***Crustulina scabripes* Simon, 1881**

Identification

Knoflach, 1994: 322, figs 21, 22, 25, 30, 33, 43, 44.

Citations

None.

New records

FAMAGUSTA: Cape Greco, Ayia Napa, 35m, 1 ♂ 4 ♀♀, stones in phrygana, 27.IV.2010 (CJVK, CRB).

KERYNEIA: Larnakas tis Lapithou, 1 ♂, stones in grassland, 17.I.2016 (CMH).
LARNACA: Cape Kiti, 1 ♂ 1 ♀, under stones below coastal cliffs, 25.IV.1982, coll. A. Stubbs (MMUE); Larnaca SW., Hala Sultan Tekke mosque, 5m, 1 ♂, salt marsh, 15.V.2011 (CJVK); Stavrovouni Monastery, 350m, 1 ♀, under bark of *Pinus* trees, 28.IV.2010 (CRB).

LIMASSOL: Akrotiri Peninsula E., 5m, 2 ♂♂ 1 ♀, under stones and in litter in salt marsh, 29.IV.2010 (CJVK); Armenochori, 2 ♂♂, on bushes, 14.IV.1986 (NHW); Kourion archaeological site near Episkopi, 1 ♀, under stones, 9.V.2007 (CAR-S); Pano Platres, 1 ♂, on stone wall, 6.V.2007 (CAR-S); Pano Platres E., Mesa Potamos Waterfalls, 950m, 1 ♀, in litter in *Pinus* forest, 4.V.2010 (CJVK).

NICOSIA: Cedar valley, river valley in *Cedrus* forest, 1120 m, 1 ♀, 21.III.2018 (CKHK); Limnitis River, Kato Pyrgos SE, 200m, 1 ♂, under stones in *Pinus* forest, 2.V.2010 (CRB).

PAPHOS: Akamas Peninsula, Agios Minas, 1 ♀, under stones in wet grassland, 2.V.2007 (CAR-S); Kelefos bridge, 465m, deciduous wood, 2 ♀♀, in

litter, 2 ♀♀, under bark, 16.III.2018 (CKHK); Kinousa SE, 400m, 2 ♀♀, in litter in *Pinus* forest, 1.V.2010 (CJVK, CRB); Kinousa E., Agios Merkourios, 350m, 2 ♂♂ 1 ♀, under stones in *Pinus* forest, 1.V.2010 (CJVK, CRB).

Distribution: Mediterranean. New to Cyprus.

***Dipoena galilaea* Levy & Amitai, 1981**

Identification

Dipoena galilaea Levy & Amitai, 1981: 186, figs 37-42; present paper figs 18a-g.

Citations

None.

New records

PAPHOS: Makounta, Argaka Dam, 85m, 1 ♂ 1 ♀, beating bushes, 27.IV.-5.V.2007 (CJVK).

Distribution: Greece, Israel. New to Cyprus.

***Dipoena melanogaster* (C. L. Koch, 1837)**

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

NICOSIA: Kakopetria S., Platania forest station, 1100m, 1 ♂, under stones in dense *Pinus* forest, 4.V.2010 (CJVK); Machairas forest near Konia, 1300m, 2 ♂♂ 10 ♀♀, beaten in stony phrygana, 5.V.2010 (CJVK); Marathassa Dam, 550m, 1 ♀, beaten from shrubs around lake, 20.V.2011 (CRB); Prodromos S., Trooditissa picnic site, 1450m, 1 ♂, beaten in *Pinus* forest, 21.V.2011 (CRB); Prodromos S., Trooditissa picnic site, 1450m, 1 ♂, stones in *Pinus* forest, 21.V.2011 (CJVK).

PAPHOS: Akamas Peninsula, 1 ♀, in coastal grassland, 22.III.1998, coll. J. Murphy (MMUE); near Avakas Gorge, 2 ♀♀, beaten from junipers on rocky hillside, 14.IV.2017 (CAR-S); Baths of Aphrodite, 1 ♀, under stone in coastal scrub, 18.III.1998, coll. J. Murphy (MMUE); Kelefos bridge, dam on Diarizos River, 550m, 2 ♀♀, beaten from shrubs, 21.V.2011 (CRB); Makounta, Argaka Dam, 85m, 1 ♂, beating bushes, 27.IV.-5.V.2007 (CJVK).

Distribution: Europe, North Africa to Azerbaijan.
New to Cyprus.

***Enoplognatha gemina* Bosmans & Van Keer,
1999**

Identification

Bosmans & Van Keer, 1999: 235, figs 103-107.

Citations

None.

New records

FAMAGUSTA: Cape Apostolos Andreas, 2 ♀♀, *Juniperus phoenicea* forest 30.III.2016 (CMH); Karpasia Peninsula, Cape Apostolos Andreas, 70m, 1 ♀, stones in grassland, 16.V.2011 (CJVK); Rizokarpaso W., Panagia Eleousa Monastery, 30m, 1 ♀, stones in *Pinus* forest, 18.III.2011 (CRB); idem, 1 ♂, *Juniperus phoenicea* forest, 12.III.2016 (CMH).

KERYNEIA: Panagia Apsinthiotissa Monastery ruins, 350m, 2 ♀♀, stones in clearing in *Pinus* forest, 24.V.2011 (CJVK).

LIMASSOL: Agros, 2 ♀♀, *Pinus brutia* forest, 20.V.2016 (CMH); Akrotiri Peninsula, edge of central salt pan, 1 ♀, under stones and debris in *Salicornia*, 27.IV.2007 (CAR-S); Kapouti, 100m, 2 ♀♀, stones in grassland, 20.III.2011 (CRB); Malia-Dora road, 650m, 2 ♀♀, stones in grassland, 21.III.2011 (CRB).

NICOSIA: Lakatamia, 1 ♂ ♀, in olive grove, 1.I.-1.X. 2016 (CMH).

PAPHOS: Akamas Peninsula, Agios Minas, 1 ♀, in thick pine litter, 2.V.2007 (CAR-S), 1 ♀, 3.IV.1997 (CJB); Akamas Peninsula, Lara Bay, 7 ♀♀, under stones, 3.IV.1997 (CJB); Evretou E., 200m, 2 ♀♀, stones in maquis, 1.V.2007 (CJVK); Evretou Reservoir, 180m, 6 ♀♀, stones on slope to lake, 1.V.2007 (CJVK); Kato Paphos, 1 ♀, under stones near hotel, 31.III.1997 (CJB); Kelefos bridge, dam on Diarizos River, 550m, 1 ♀, under stones, 21.V.2011 (CJVK); Kouklia-Pissouri road, 150m, 1 ♀, stony slope near sea, 22.III.2011 (CRB); Mavrokolympos Reservoir, 1 ♀, 13.III.2018 (CKHK); Neo Chorio, 200m, 2 ♀♀, under stones, 25.IV.2007 (CJVK); Stavros tis Psokas S., 180m, 1 ♀, stones along rivulet, 30.IV.2007 (CJVK).

Distribution: France, Italy, the Balkans, Israel, Turkey, Syria, Egypt. New to Cyprus.

***Enoplognatha giladensis* (Levy & Amitai, 1982)**

Identification

Knoflch & Thaler, 2000: 412, figs 1-5, 8, 54-57.

Citations

None.

New records

FAMAGUSTA: Kantara E., 650m, 1 ♂ 2 ♀♀, in pitfalls in *Pinus* forest, XI.2010 - III.2011 (CRB); Gialousa E., Agia Triada, 50m, 1 ♂, stones in ruins, 18.III.2011 (CRB).

Distribution: Rhodes, Israel, Azerbaijan. New to Cyprus.

***Enoplognatha macrochelis* Levy & Amitai,
1981**

Enoplognatha macrochelis; Bosmans & Van Keer, 1999: 229, figs 83-87.

Identification

Bosmans & Van Keer, 1999: 229, figs 83-87.

Citations

LIMASSOL: Limassol (Bosmans & Van Keer, 1999); Pissouri (Bosmans & Van Keer, 1999). PAPHOS: Akamas Peninsula (Bosmans & Van Keer, 1999); Kouklia (Bosmans & Van Keer, 1999); Lara (Bosmans & Van Keer, 1999); Paphos (Bosmans & Van Keer, 1999); Pano, Archimandrita road (Bosmans & Van Keer, 1999); Petra tou Romiou (Bosmans & Van Keer, 1999).

New records

FAMAGUSTA: Cape Greco, Ayia Napa, 35m, 1 ♀, stones in phrygana, 27.IV.2010 (CRB); Karpasia Peninsula, Apostolos Andreas Monastery, 50m, 6 ♀♀, stones in wasteland, 16.V.2011 (CJVK); Komi Kebir, 150m, 1 ♀, stones in *Pinus* forest, 18.III.2011 (CRB); Rizokarpaso W., Panagia Eleousa Monastery, 30m, 1 ♂, stones in *Pinus* forest, 18.III.2011 (CRB); Salamis ruins, 30m, 1 ♀, stones in ruins, 17.III.2011 (CRB).

KERYNEIA: Panagia Apsinthiotissa Monastery ruins, 350m, 10 ♀♀, stones in clearing in *Pinus* forest, 24.V.2011 (CJVK, CRB).

LARNACA: Larnaca salt lake, 5m, 2 ♀♀, stones and litter in salt marsh, 27.IV.2010 (CJVK), 1 ♂, pitfalls at same site, III. - V.2011 (CRB); Larnaca SW., Hala Sultan Tekke mosque, 5m, 1 ♀, stones

in salt marsh, 16.III.2011 (CRB); Stavrovouni Monastery, 350m, 2 ♀♀, under stones in *Pinus* forest, 28.IV.2010 (CJVK, CRB).
 LIMASSOL: Akrotiri Peninsula, central salt pan, 2 ♀♀, under stones, 17.IV.2017 (CAR-S), 1 ♀, 2.IV.1997 (CJB); Akrotiri Peninsula E., 5m, 2 ♀♀, under stones in salt marsh, 29.IV.2010 (CRB); Alassa SE, near river Limnatis, 1 ♀, stones in dry grassland, 5.V.2007 (CAR-S), 9 ♀♀, (CRS); Malia-Dora road, 650m, 2 ♀♀, stones in grassland, 21.III.2011 (CRB); Panagia Glossa Monastery near Kellaki, 4 ♀♀, under stones in nearly bare cultivated land, 12.IV.1986 (NHW), 1 ♀, outer wall of the castle, 7.IV.1986 (NHW); Pano Platres, near top of road to Millomeris Waterfalls, 1 ♂, under stones in abandoned vineyard, 28.IV.2007 (CRS).
 NICOSIA: Agios Sozomenos, near Dali, 2 ♀♀, under stones in dry, rocky phrygana, 20.IV.2017 (CAR-S); Agidi, near Dali, 1 ♀, in garden, 1V.2010 (CDM); Amathus, 1 ♀, on house walls, 9.IV.1986 (NHW); Armenochori, 1 ♀, on bushes, 14.IV.1986 (NHW); Dali, 1 ♀, in grass in riverbed, 12.V.2007 (CAR-S) 1 ♀, 1.IV.2012 (CDM); Dali, 13, Agios Andronikos, 1 ♂ 2 ♀♀, in garden, IV.2007 (CDM); Pallouriotissa, Nicosia. 1 ♂, in garden, V.2012 (CDM).
 PAPHOS: Akamas Peninsula, between Cape Drepano and Lara Bay, 2 ♀♀, 31.III. and 2.IV.1997 (CJB); Akamas Peninsula, Cape Geronnisos, 25m, 4 ♀♀, stones in maquis, 29.IV.2007 (CJVK); Akamas Peninsula, 2 ♀♀, 3.V.2007 (CRS); Akamas Peninsula, 3 ♀♀, in coastal shrub, 22.III.1998, coll. J. Murphy (MMUE); Asprokremmos Dam, N. Kouklia, 150m, 1 ♀, herbs and stones along lake, 29.IV.2010 (CJVK); Avakas Gorge, 50m, 2 ♀♀, litter in citrus yard at entrance of gorge, 30.IV.2010 (CRB); Avakas Gorge, 55m, 2 ♀♀, stones along rivulet, 29.IV.2007 (CJVK); Drouseia, 539m, 1 ♀, in phrygana, 23.III.2018 (CKHK); Evretou Reservoir, 180m, 1 ♀, stones on slope to lake, 1.V.2007 (CJVK); Evretou E., 200m, 1 ♂, stones in maquis, 1.V.2007 (CJVK); Kato Paphos, 2 ♀♀, under stones near hotel, 31.III.1997 (CJB); Kouklia, Sanctuary of Aphrodite, 1 ♀, 8.IV.1997 (CJB); Kouklia-Pissouri road, 150m, 3 ♀♀, stony slope near sea, 22.III.2011 (CRB); Lara, 25m, 10 ♀♀, stony *Juniperus* maquis near the beach, 29.IV.2007 (CJVK); Mavrokolympos Reservoir, NE Potima, 150m, 4 ♀♀, under stones along lake, 22.V.2011

(CJVK); Mavrokolympos Reservoir, 1 ♀, 13.III.2018 (CKHK); Pegeia, Pikni Forest, 346m, 1 ♀, in former carob plantation, 23.III.2018 (CKHK); Smigies, 400m, 5 ♀♀, stones in maquis, 25.IV.2007 (CJVK); Souskiou, 2 ♀♀, 16.III.2013 (CDM).

Distribution

Greece, Turkey, Israel, Caucasus and Cyprus.

Enoplognatha mariae Bosmans & Van Keer, 1999

Identification

Bosmans & Van Keer, 1999: 215, figs 24-29.

Citations

None.

New records

KERYNEIA: Pentadactylos Range, Lapithos S., 800m, 1 ♀, stones in *Pinus* forest, 17.V.2011 (CJVK).

LARNACA: Achna Reservoir, 50m, 1 ♀, under stones and litter bordering lake, 27.V.2011 (CJVK).

PAPHOS: Evretou Reservoir, 350m, 1 ♀, shrubs and grassland around lake, 1.V.2010 (CRB); Evretou E., 200m, 3 ♀♀, sweeping low herbs, 1.V.2007 (CJVK); Pelathousa SE., 245m, 1 ♂ 1 ♀, sweeping grassland, 30.IV.2007 (CJVK).

Distribution: Crete, Rhodes. New to Cyprus.

Enoplognatha mediterranea Levy & Amitai, 1981

Enoplognatha mediterranea; Bosmans & Van Keer, 1999: 223,

Identification

Bosmans & Van Keer, 1999: 223, figs 58-62.

Citations

PAPHOS: Akamas Peninsula (Bosmans & Van Keer, 1999).

New records

LIMASSOL: Amathus, 2 ♀♀, under stones on plants in dry valley, 6.IV.1986, 1 ♀, 7.IV.1986 (NHW); NW. Erimi, 6 ♀♀, grass heathland with individual stones, 21.IV.1986 (NHW); idem, 1 ♀, under stones in dry riverbed, 18.IV.1986 (NHW); Fasoula, 1 ♀, olive garden with dry stone walls, 16.IV.1986 (NHW).

Distribution

Turkey, Cyprus, Israel, Caucasus.

***Enoplognatha parathoracica* Levy & Amitai,
1981**

Identification

Bosmans & Van Keer, 1999: 220, figs 42-47.

Citations

None.

New records

LIMASSOL: Troodos square, in mixed *Pinus nigra* - *Juniperus foetidissima* forest, 1 ♂, 23.VI.2017 (CMH).

NICOSIA: road Pedoulas-Lemithou, 2 ♂♂, pitfalls in *Pinus nigra* and *P. brutia* forest, 6.IV. - 8.VI.2014 (CMH); near Platania camping site, 4 ♂♂ 2 ♀♀, pitfalls in *Pinus brutia* forest, 6.IV. - 8.VI.2014 (CRB).

Distribution: Greece, Turkey, Israel, Azerbaijan. New to Cyprus.

***Enoplognatha penelope* Hippa & Oksala, 1982**

Identification

Hippa & Oksala, 1982: 221, figs 7-10.

Citations

None.

New records

NICOSIA: Lefka NW, 120m, 2 ♂♂ 4 ♀♀; beaten from shrubs in fruit plantation, 18.V.2011 (CJVK, CRB); Marathassa Dam, 550m, 1 ♂ 1 ♀, beaten from shrubs around lake, 20.V.2011 (CRB).

PAPHOS: Vretsia W., near Kelefos Bridge, 650m, 3 ♂♂ 1 ♀, beaten from shrubs, 19.V.2011 (CJVK, CRB).

Distribution: Greece, Bulgaria. New to Cyprus.

***Enoplognatha quadripunctata* Simon, 1884**

Enoplognatha quadripunctata; Bosmans & Van Keer, 1999: 218; Knoflach, 2004: 237.

Identification

Bosmans & Van Keer, 1999: 218, figs 36-41.

Citations

None.

New records

FAMAGUSTA: Agios Sergios, 30m, 1 ♂, stones in phrygana, 17.III.2011 (CRB).

LARNACA: Stavrovouni Monastery W., 350m, 1 ♂, pitfalls in open *Pinus* forest, XI.2010 - III.2011 (CRB).

LIMASSOL: Agios Georgios E., Palaiomylos, 1250m, 2 ♀♀, stones in mixed *Pinus* and *Quercus* forest, 4.V.2010 (CRB); Agros SW, 950m, 1 ♀, under stones in *Pinus* forest, 5.V.2010 (CJVK); Akrotiri Peninsula, Kalathas Bay, 1 ♀, 9.IV.1997 (CJB); Pano Platres S., along Kryos River, 1050m, 1 ♀, litter in *Pinus* forest, 3.V.2010 (CRB); Pano Platres E., Mesa Potamos Waterfalls, 950m, 4 ♀♀, in litter in *Pinus* forest, 4.V.2010 (CJVK); Troodos 3 km S., 3 ♂♂, pitfalls in maquis, 26.IV. - 5.V.2007 (CJVK).

NICOSIA: Limnitis River, Kato Pyrgos SE, 200m, 1 ♀, stones and litter in *Pinus* forest, 2.V.2010 (CRB); Oikos N., Xerargaka picnic site, 350m, 1 ♀, beaten from shrubs and stones in *Pinus* forest, 20.V.2011 (CJVK).

PAPHOS: Agia, Stavros tis Psokas S., 590m, 2 ♀♀, stones in picnic site, 30.IV.2007 (CJVK); Agios Merkourios, 250m, 1 ♀, stones in *Pinus* forest, 27.IV.2007 (CJVK); Akamas Peninsula, Cape Geronnisos, 25m, 1 ♀, stones in maquis, 29.IV.2007 (CJVK); Livadi picnic site, 350m, 1 ♀, under stones in forest, 28.IV.2007 (CJVK); 9 km N. Pano Panagia, 1050m, 1 ♀, in litter near spring, 19.V.2011 (CJVK); Peristerona, Atichoullis gorge, 425m, 1 ♀, stones in maquis, 2.V.2007 (CJVK); Smigies, 400m, 1 ♀, stones in maquis, 25.IV.2007 (CJVK).

Distribution: Mediterranean. New to Cyprus.

***Enoplognatha thoracica* (Hahn, 1833)**

Identification

Bosmans & Van Keer, 1999: 218, figs 36-41.

Citations

None.

New records

FAMAGUSTA: Agios Sergios, 30m, 3 ♂♂, in pitfalls in *Pinus* plantation, 15 - 27.V.2011 (CRB).

KERYNEIA: Pentadactylos Range, Saint Hilarion Castle W., 600m, 3 ♂♂ 1 ♀, stones in *Pinus* forest, 17.V.2011 (CRB), 3 ♂♂ 1 ♀, pitfalls at same site, III.- V.2010 (CRB).

LARNACA: Delikipos, near Kornos, 1 ♀, under stones in grass of open pine wood, 9.V.2013

(CAR-S); Stavrovouni Monastery, 350m, 2 ♂♂ 1 ♀, in pitfalls in open *Pinus* forest, III. - V.2011 (CRB).

LIMASSOL: NW Erimi, 1 ♀, grass heathland with individual stones, 21.IV.1986 (NHMW); Pano Platres, track near Caledonia Waterfall, 1 ♀, under stones and in litter at edge of *Pinus nigra* forest, 26.IV.2007 (CAR-S); road Pano Platres-Troodos, 1 ♀, under stones in *Pinus nigra* forest, 1.V.2007 (CAR-S).

NICOSIA: Athalassa National Forest Park, Nicosia, 1 ♀, under stones in pine plantation, 2.V.2013 (CDM), 1 ♀, (CAR-S); Dali, 1 ♀, under stones and in grass in riverbed, 12.V.2007 (CAR-S); Pallouriotissa, Nicosia 1 ♀, in garden, 15.VI.2008 (CDM).

Distribution: Holarctic. New to Cyprus.

Episinus maculipes Cavanna, 1876

Identification

Hillyard, 1983: 88, figs 1-7.

Citations

None.

New records

NICOSIA: Agridi, near Dali, 1 ♀, in garden, IV.2004 (CDM).

Distribution: Europe, Ukraine, Russia. New to Cyprus.

Episinus truncatus Latreille, 1809

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

PAPHOS: Kinousa SE., 400m, 3 ♂♂, under stones and litter in *Pinus* forest, 1.V.2010 (CRB); Oikos N., Xerargaka picnic site, 350m, 1 ♂, stones in *Pinus* forest, 20.V.2011 (CJVK).

Distribution: Palaearctic. New to Cyprus.

Euryopis episinoides (Walckenaer, 1847)

Identification

Levy & Amitai, 1981: 178, figs 1-10.

Citations

PAPHOS: Mavrokolympos Reservoir (Logunov, 2013).

New records

FAMAGUSTA: Davlos W., 25m, 1 subadult ♂, stones in phrygana near the beach, 25.V.2011 (CRB); Kantara E., 610m, 1 subadult ♂, under stones in open *Pinus* forest, 25.V.2011 (CRB); Protaras, Profitis Elias, 1 ♂, 2005 (CDM); Salamis ruins, 50m, 1 ♀, under stones, 15.V.2011, CRB)

KERYNEIA: near Agios Georgios, 1 ♀, under stones, 27.II.2011, H. Henderickx leg. (CJB); Saint Hilarion castle, 610m, 1 subadult ♂ 1 ♀, under stones in *Pinus* forest, 22.XI.2010 (CRB).

LARNACA: Achna Reservoir, 50m, 1 ♀, 1 subadult ♀, stones and litter bordering lake, 16.V.2011 (CRB), 1 subadult ♂ 2 ♀♀, 27.V.2011 (CJVK, CRB); Larnaca salt lake, 5m, 1 ♀, stones and litter in salt marsh, 27.IV.2010 (CRB); Larnaca SW., Hala Sultan Tekke mosque, 5m, 1 ♂ 1 ♀, litter in salt marsh, 15.V.2011 (CJVK).

LIMASSOL: Pallouriotissa, Nicosia, 1 ♂, in garden, IV.2012 (CDM); Pano Platres, near top of road to Millomeris Waterfalls, 1 ♂, under stones in abandoned vineyard, 28.IV.2007 (CAR-S); Pissouri beach, 1 ♂, under stones, 27.IV.1982, coll. A. Stubbs (MMUE).

NICOSIA: Agios Sozomenos, near Dali, 1 ♀, under stone in dry, rocky phrygana, 20.IV.2017 (CAR-S); Agios Sozomenos, near Dali, 1 ♀, under stones and in dry grassland, 30.IV. 2007 (CRS), 1 ♂, 29.IV.2013 (CAR-S); Agridi, near Dali, 1 ♂, in garden, IV.2004, 1 ♂, in field, V.2007, 1 ♀, grass in lawn, 1.VII.2010 (CDM); Dali, 13, Agios Andronikos, 1 ♂, in garden, V.2007; 1 ♂, in garden, IV.2008 (CDM); Kampos NE, Xeros River, 550m, 1 ♂, stones in riverbed, 20.V.2011 (CRB); Kidasi N., along Diarizos River, 300m, 1 subadult ♀, under stones, 21.V.2011 (CRB); Lakatamia, 1 ♂ 2 ♀♀, in olive grove, 1.I.-1.X. 2016 (CMH); Limnitis, 1 ♀, *Pinus brutia* forest, 13.V.2016 (CMH); Marathassa Dam, 550m, 1 ♂, under stones around lake, 20.V.2011 (CRB); Masari S., Merika River, 120m, 1 ♂ 2 ♀♀, stones in wasteland, 24.V.2011 (CJVK, CRB); Nicosia, 1 ♀, under stone in grassland, 1.IV.1997 (CJB); Strovolos, 1 ♀, around houses, 1.V.2016 (CMH).

PAPHOS: Evretou Reservoir, 1 ♀, under stone in grass tussocks, 13.IV.2017 (CAR-S); Evretou Reservoir, 350m, 1 ♀, under stones in grassland around lake, 1.V.2010 (CRB); Kato Akourdaleia,

1 ♂, in guest house swimming pool, 3.V.2007 (CRS), 1 ♀, in garden, VIII.2005, 3 ♀♀, VII.2008 (CDM); Kato Paphos archaeological site, 1 subadult ♀, under stones in grass, 10.V.2007 (CAR-S); Kinousa, 1 ♂, in pine wood, 23.III.1998, coll. J. Murphy (MMUE); Mavrokolympos Reservoir, 1 ♂, C. Saure leg., 20.VI.2013 (CKHK); Mesana, 1 subadult ♂, in garden, 10.XI.2015 (CMH); Pelathousa SE., 245m, 1 ♂, sweeping grassland, 30.IV.2007 (CJVK).

Distribution: Mediterranean, China. New to Cyprus.

Euryopis laeta (Westring, 1861)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LIMASSOL: Armenochori, 1 ♀, on bushes, 14.IV.1986 (NHW).

Distribution: Europe, Russia, Tunisia to Tajikistan. New to Cyprus.

Euryopis quinqueguttata Thorell, 1875

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LARNACA: Achna Reservoir, 50m, 1 ♂, under stones and litter bordering lake, 27.V.2011 (CJVK); Larnaca SW., Hala Sultan Tekke mosque, 50m, 1 ♀, in pitfalls in salt marsh, 15-28.V.2011 (CJVK).

NICOSIA: Masari S., Merika River, 120m, 1 ♂, stones in wasteland, 24.V.2011 (CJVK).

Distribution: Europe, Egypt to Turkmenistan. New to Cyprus.

Euryopis sexalbomaculata (Lucas, 1846)

Identification

Levy, 1998b: 146, figs 275-283.

Citations

None.

New records

FAMAGUSTA: Karpasia Peninsula, Cape Apostolos Andreas, 70m, 1 ♂, stones in grassland, 16.V.2011 (CJVK).

NICOSIA: Dali, Idalion Archaeological Site, 1 ♀, under stones in phrygana, 1.V.2013 (CDM); Kapedes S., 600m, 1 ♂, under stones along rivulet, 5.V.2010 (CJVK); Nikitari S., Panagia Asinou, 1 ♂, under stones in disturbed phrygana, 9.V.2007 (CAR-S); Oikos N., Xerargaka picnic site, 350m, 1 ♀, stones in *Pinus* forest, 20.V.2011 (CRB); near Platania Scout camping site, 2 ♂♂, pitfalls in *Pinus brutia* forest, 6.IV. - 8.VI.2014 (CMH).

LIMASSOL: Parekklesia, 1 ♂, under stones in riverbed, 13.IV.1987 (NHW); Pissouri, 1 ♂, in grass, 24.III.1998, coll. J. Murphy (MMUE).

Distribution: Algeria, Tunisia, Libya, Greece, Israel. New to Cyprus.

Kochiura aulica (C. L. Koch, 1838)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

FAMAGUSTA: Agios Sergios, 30m, 1 ♂, beaten in *Pinus* plantation, 15.V.2011 (CRB); Kantara E., 610m, 1 ♂ 1 ♀, beaten from shrubs in open *Pinus* forest, 25.V.2011 (CRB); Rizokarpaso, 3 ♀♀, in *Juniperus phoenicea* forest, 12.III.2016 (CMH); KERYNEIA: Saint Hilarion Castle, 600m, 2 ♂♂ 2 ♀♀, beaten from shrubs, 17.V.2011 (CJVK, CRB).

LARNACA: Achna Reservoir, 50m, 1 ♂, on herbs bordering lake, 27.V.2011 (CRB); Hala Sultan Tekke Mosque, 1 ♀, herbs in the surrounding park, 20.IV.1986 (NHW); Larnaca salt lake, 5m, 2 ♀♀, on herbs in salt marsh, 27.IV.2010 (CJVK, CRB); Kornos Picnic site, 350m, 1 ♂ 1 ♀, beaten in *Pinus* forest, 28.V.2011 (CJVK); Stavrovouni Monastery, 350m, 1 ♂ 2 ♀♀, swept in *Pinus* forest, 28.IV.2010 (CJVK, CRB).

LIMASSOL: Akrotiri Peninsula, near British Airbase, 1 ♀, swept in pine wood, 4.V.2007 (CAR-S); Akrotiri Peninsula, near Fasouri reed beds, 1 ♀, swept from flowering herbs and grass, 27.IV.2007 (CAR-S); Amathus, 1 ♀, on herbs in dry valley, 6.IV.1986 (NHW); Fasoula, 2 ♀♀,

olive garden with dry stone walls, 16.IV.1986 (NHW); Kannavia, 780m, 1 ♂ 1 ♀, sweeping grassland, 4.V.2007 (CJVK); Kolossi, N of the castle, 1 ♀, under stones, 11.IV.1986 (NHW). NICOSIA: Agridi, near Dali, 1 ♂, in field, V. 2007, 1 ♂, in field, IV. 2008, 1 ♂, in garden, 1V.2010, 1 ♂, in garden, V.2011 (all CDM); Dali, 13, Agios Andronikos, 1 ♂ 1 ♀, in garden, IV.2007 (CDM); Kampos NE, Xeros River, 550m, 2 ♂♂ 1 ♀, beaten from shrubs, 20.V.2011 (CRB); Kapedes, 1 ♀, pitfalls in *Pinus brutia* forest, 17.I. - 23.IV.2016 (CMH); Lakatamia, 1 ♂ 3 ♀♀, in olive grove, 1.I.-1.X. 2016 (CMH); Lefka NW, 120m, 4 ♀♀, beaten from shrubs in fruit plantation, 18.V.2011 (CJVK, CRB); Masari S., Merika River, 120m, 1 ♂, beaten from shrubs in wasteland, 24.V.2011 (CRB); Xerargaka S, Orkontas, 2 ♀♀, riverside vegetation, 26.III.2016 (CMH). PAPHOS: Agios Georgios, 180m, 1 ♀, pitfalls in reed bed of river Diarizos, 26.IV. - 5.V.2007 (CJVK); Asprokremmos Dam, N. Kouklia, 150m, 1 ♂ 2 ♀♀, on herbs along lake, 23.V.2011 (CRB); Avakas gorge and surroundings, 1 ♂, 22.III.2018 (CKHK); Evretou Reservoir, 350m, 1 ♀, swept from shrubs and grassland around lake, 1.V.2010 (CRB); Kato Paphos, 1 ♂ 1 ♀, beating tall herbs near hotel, 4.IV.1997 (CJB); Kidasi N., along Diarizos River, 300m, 1 ♂ 4 ♀♀, beaten from shrubs, 21.V.2011 (CRB); Kourdaka, Ezousa river, 1 ♂, 14.III.2018 (CKHK); Makounta, Argaka Dam, 85m, 1 ♂, beating in maquis, 27.IV.2007 (CJVK); Mavrokolympos Reservoir, 2 ♂♂, 20.VI.2013, C. Saure leg., (CKHK); same site, 1 ♂, 13.III.2018 (CKHK); Pegeia, Pikni Forest, 346m, 1 ♂, in former carob plantation, 11.III.2018 (CKHK); Vretsia W., near Kelefos Bridge, 650m, 2 ♂♂ 9 ♀♀, beaten from shrubs, 19.V.2011 (CJVK).

Distribution: Macaronesia to Azerbaijan.

Lasaeola convexa (Blackwall, 1870)

Identification

Levy, 1998b: 154, figs 287-293.

Citations

None.

New records

PAPHOS: Asprokremmos Dam, N. Kouklia, 150m, 1 ♂, herbs along lake, 29.IV.2010 (CRB).

Distribution: Mediterranean. New to Cyprus.

Lasaeola coracina (C. L. Koch, 1837)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

KERYNEIA: Larnakas tis Lapithou, stones in grassland, 1 ♂, 17.I.2016 (CMH).

NICOSIA: Prodromos S., Trooditissa picnic site, 1450m, 1 ♂, stones in *Pinus* forest, 21.V.2011 (CRB).

Distribution: Europe. New to Cyprus.

Lasaeola testaceomarginata Simon, 1881

Identification

Brignoli, 1968: 97, figs 7, 8, 11.

Citations

None.

New records

LARNACA: Larnaca salt lake, 5m, 1 ♀, beaten from shrubs along lake, 27.IV.2010 (CRB).

Distribution: Mediterranean: the south of France, Sicilia, Portugal, Morocco, Greece. New to Cyprus.

Latrodectus dahli Levy, 1959

Identification

Levy, 1998b: 108, figs 198-202; Knoflach & van Harten, 2002: 333, figs 3, 12-19.

Citations

None.

New records

LIMASSOL: Limassol, 1 ♂ 4 ♀♀, in hotel Sheraton, 5.X.1988 (NHW).

NICOSIA: North Dali, 1 ♀, collected from field under stones, IV.2004 (CDM).

Distribution: Morocco to Central Asia. New to Cyprus.

Latrodectus geometricus C. L. Koch, 1841

Identification

Knoflach & van Harten, 2002: 339, figs 2, 20-28.

Citations

PAPHOS: Paphos (Knoflach & Van Harten, 2002).

New records

LARNACA: Larnaca SW, Hala Sultan Tekke Mosque, 5m, 2 ♂♂ 4 ♀♀, on walls in mosque, 20.XI.2010 (CRB), 1 ♂ 8 ♀♀, 15.V.2011 (CJVK, CRB).

NICOSIA: Agridi near Dali, 1 ♀, collected on house veranda, VII.2014 (CDM); Dali, 1 ♀ under bicycle saddle, VIII.2010 (CDM); Lakatamia, 1 ♂ ♀♀, in olive grove, 1.I-1.X. 2016 (CMH).

PAPHOS: Latchi beach, 2 ♀♀, collected from sign post, VII.2008 (CDM); Pegeia, 1 ♂, under stone, 15.XI.2016 (CMH).

Distribution: Cosmopolitan.

Latrodectus tredecimguttatus* (Rossi, 1790)*Identification**

Levy, 1998b: 90, figs 161-177.

Citations

None.

New records

FAMAGUSTA: Karpasia Peninsula, Cape Apostolos Andreas, 70m, 1 ♀, stones in grassland, 16.V.2011 (CJVK).

LARNACA: Achna Reservoir, 50m, 1 ♂ 1 ♀, in litter bordering lake, 27.V.2011 (CJVK, CRB); Larnaca SW., Hala Sultan Tekke mosque, 5m, 2 subadult ♂♂, under stones in salt marsh, 16.III.2011 (CRB).

NICOSIA: North Dali, 2 subadult ♀♀, under stones in field, IV, 2004 (CDM); Pera Chorio, 1 ♀, in laundry room, V.2017 (CDM).

Distribution: Mediterranean to China. New to Cyprus.

Neospintharus syriacus* (O. Pickard-Cambridge, 1872)*Identification**

Levy, 1985a: 103, figs 29-43.

Citations

LIMASSOL: Alassa SE (Knoflach *et al.*, 2008).

PAPHOS: Akamas Peninsula, Agios Minas (Knoflach *et al.*, 2008); Makounta, Argaka dam (Knoflach *et al.*, 2008).

New records

FAMAGUSTA: Gialousa E., Agia Triada, 50m, 1 ♀, on shrubs in ruins, 18.III.2011 (CRB); Gialousa E., Agios Thyrso, 20m, 1 ♀, beaten from shrubs, 16.V.2011 (CRB).

KERYNEIA: Saint Hilarion castle, 610m, 1 subadult ♂, swept from herbs in *Pinus* forest, 22.XI.2010 (CRB).

LARNACA: Agioi Vavatsinias, 700m, 1 ♀, swept in *Pinus* forest, 28.IV.2010 (CRB).

LIMASSOL: Alissa SE, near river Limnatis, 1 ♂, swept from lush grass, 5.V.2007 (CAR-S).

NICOSIA: Marathassa Dam, 550m, 4 ♀♀, beaten from shrubs around lake, 20.V.2011 (CJVK).

PAPHOS: Akamas Peninsula, Neo Chorio, 1 subadult, swept from phrygrana and grass, 2.V.2007 (CAR-S); Akamas Peninsula, Agios Minas, 1 ♂ 1 ♀, in thick pine litter in wood, 2.V.2007 (CRS); Avakas Gorge, 150m, 3 ♂♂ 4 ♀♀, on shrubs in gorge, 28.IV.2010 (CJVK), 1 ♂ 14 ♀♀, 22.V.2011 (CJVK, CRB); Evretou Reservoir, 350m, 1 ♀, swept from shrubs around lake, 1.V.2010 (CRB); Makounta, Argaka Dam, 85m, 1 ♂, beating in maquis, 27.IV.2007 (CJVK); 9 km N. Pano Panagia, 1050m, 10 ♂♂ 11 ♀♀, on shrubs near spring, 19.V.2011 (CJVK, CRB); Smigies, W. Neo Chorio, 300m, 1 subadult ♀, swept in forest, 30.IV.2010 (CRB).

Distribution: Lebanon, Israel, Crete, Rhodos, Cyprus.

***Neottiura herbigrada* (Simon, 1873)**

Neottiura herbigrada; Knoflach, 1999: 353; Logunov, 2013: 5.

Identification

Knoflach, 1999: 353, figs 6, 9, 20-22, 36-37, 45, 54, 58, 61, 67.

Citations

LIMASSOL: Kourion (Knoflach, 1999).

PAPHOS: Akamas Peninsula, Fontana Amorosa (Knoflach, 1999); W. Polis, Akamas Forest (Logunov, 2013).

New records

LARNACA: Agioi Vavatsinias, 700m, 1 ♂, litter in *Pinus* forest, 28.IV.2010 (CJVK).

LIMASSOL: Akrotiri Peninsula, near British Airbase, 1 ♀, swept in pine wood, 4.V.2007

(CAR-S); road Kaminaria-Lemithou, 1 ♂, pitfalls in *Pinus brutia* forest, 6.IV. - 8.VI.2014 (CMH). NICOSIA: Marathassa Dam, 550m, 1 ♀, beaten from shrubs around lake, 20.V.2011 (CRB); Masari S., Merika River, 120m, 1 ♀, on bushes in wasteland, 24.V.2011 (CRB). PAPHOS: Kato Akourdaleia, 1 ♂, in guest house swimming pool, 3.V.2007 (CRS); Kelefos bridge, dam on Diarizos River, 550m, 1 ♀, beaten from shrubs, 21.V.2011 (CJVK); 9 km N. Pano Panagia, 1050m, 1 ♀, in litter near spring, 19.V.2011 (CJVK); Pegeia, Agios Georgios, 1 ♂, rocky shore, 13.III.2018 (CKHK); Smigies, W. Neo Chorio, 300m, 4 ♀♀, swept in *Pinus* forest, 30.IV.2010 (CRB).

Distribution: European part of the Mediterranean, from France to Israel and Cyprus.

Neottiura suaveolens (Simon, 1880)

Identification

Knoflach, 1999: 357, figs 15, 16, 23, 40, 41, 46, 51, 59, 62, 66, 70.

Citations

None.

New records

KERYNEIA: Keryneia , dunes near Topset Hotel, 1 ♂ 1 subadult ♂, 28.II.2011, H. Henderickx leg. (CJB).

Distribution: South and Central Europe. New to Cyprus.

Neottiura uncinata (Lucas, 1846)

Neottiura uncinata; Logunov, 2013: 5.

Identification

Knoflach, 1999: 358, figs 19, 42-43, 48, 53, 57, 60, 63, 68.

Citations

PAPHOS: Avakas Gorge (Logunov, 2013). LIMASSOL: Akrotiri Salt Lake (Logunov, 2013).

New records

NICOSIA: Agridi, near Dali, 1 ♂, in garden, III.2014 (CDM). PAPHOS: Agios Mamas ruins, Gialia E., 215m, 1 ♂, beating *Cystus*, 28.IV.2007 (CJVK); Agios Merkourios, 250m, 2 ♂♂, sweeping grassland, 27.IV.2007 (CJVK); Akamas Peninsula, Neo Chorio, 2 ♀♀, swept from phrygana and grass, 2.V.2007 (CAR-S); Asprokremmos Dam, N.

Kouklia, 150m, 1 ♀, herbs and stones along lake, 29.IV.2010 (CJVK); Evretou E., 200m, 1 ♂, sweeping low herbs, 1.V.2007 (CJVK); Evretou Reservoir, 350m, 1 ♀, shrubs and grassland around lake, 1.V.2010 (CJVK); Gialia, 110m, 3 ♀♀, sweeping *Cystus*, 28.IV.2007 (CJVK); Pelathousa SE., 245m, 2 ♀♀, sweeping grassland, 30.IV.2007 (CJVK).

Distribution: Mediterranean.

Paidiscura dromedaria (Simon, 1880)

Identification

Knoflach & Thaler, 2000: 429, figs 30, 33, 36, 41-42, 58.

Citations

None.

New records

LARNACA: Larnaca salt lake, 5m, 3 ♀♀, swept from shrubs around lake, 27.IV.2010 (CRB); Larnaca SW, Hala Sultan Tekke mosque, 50m, 1 ♀, in pitfalls in salt marsh, 15-28.V.2011 (CRB).

LIMASSOL: Akrotiri Peninsula, salt lake, 4 ♂♂ 2 ♀♀, beaten from *Salicornia*, 15.III.2018 (CKHK); Akrotiri Peninsula, Turtle Beach, 1 ♂, sandy beach, beaten from vegetation, 15.III.2018 (CKHK).

PAPHOS: Asprokremmos Dam, N. Kouklia, 150m, 22 ♀♀, herbs along lake, 29.IV.2010 (CRB), 2 ♂♂ 22 ♀♀, 23.V.2011 (CJVK, CRB); Paphos, 3 ♀♀, bay at hotel “Paphian Bay”, beating herbs near beach, 4.IV.1997 (CJB).

Distribution: Spain, North Africa to Middle East, Cape Verde Is., Greece. New to Cyprus.

Pholcomma gibbum (Westring, 1851)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LARNACA: Agios Minas, 1 ♀, under stone in pine wood, 20.III.1998, coll. J. Murphy (MMUE).

LIMASSOL: Akrotiri Peninsula, near Fasouri reed beds, 8 ♀♀, swept from flowering herbs and grass, 4.IV.2007 (CRS).

PAPHOS: Akamas Peninsula, Agios Minas, 2 ♀♀, in thick pine litter, 2.V.2007 (CAR-S);

Kelefos bridge, 465m, 3 ♀♀, deciduous wood, 16.III.2018 (CKHK).

Distribution: Europe, Russia, Ukraine, North Africa. New to Cyprus.

***Phycosoma inornatum* (O. Pickard-Cambridge, 1861)**

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

PAPHOS: Akamas Peninsula, Neo Chorio, 1 ♂ 1 ♀, swept from phrygrana and grass, 2.V.2007 (CRS).

Distribution: Europe to Azerbaijan. New to Cyprus.

***Phylloneta impressa* (L. Koch, 1881)**

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

Without precise locality, 1 ♂ 2 immatures, VI.1999, coll. J. Murphy (MMUE).

Distribution: Holarctic. New to Cyprus.

***Platnickina nigropunctata* (Lucas, 1846)**

Identification

Levy, 1998b: 189, figs 357-363.

Citations

None.

New records

FAMAGUSTA: Gialousa E., Agios Thyrso, 20m, 1 ♀, beaten from shrubs, 16.V.2011 (CRB); Gialousa E., Agia Triada, 50m, 4 ♀♀, herbs in ruins, 18.III.2011 (CJVK, CRB); Kantara E., 610m, 2 ♂♂ 1 ♀, beaten from shrubs in open *Pinus* forest, 25.V.2011 (CJVK, CRB); Karpasia Peninsula, Cape Apostolos Andreas, 70m, 1 ♀, swept in grassland, 16.V.2011 (CRB).

LARNACA: Kornos Picnic site, 350m, 1 ♀, beaten in *Pinus* forest, 28.V.2011 (CRB).

NICOSIA: Kampos NE, Xeros River, 550m, 3 ♂♂ 1 ♀, beaten from shrubs, 20.V.2011 (CJVK, CRB); Lefka NW, 120m, 1 ♂ 1 ♀, beaten from shrubs in fruit plantation, 18.V.2011 (CRB); Oikos N., Xerargaka picnic site, 350m, 5 ♀♀, beaten from shrubs in *Pinus* forest, 20.V.2011 (CJVK, CRB); Prodromos E., near Prodromos dam, 1510m, 1 ♀, swept in *Pinus* forest, 2.V.2010 (CJVK); Xerargaka S, Orkontas, 1 ♀, riverside vegetation, 26.III.2016 (CMH).

LIMASSOL: Akrotiri Peninsula, near British Airbase, 1 ♂, swept in pine wood, 4.V.2007 (CRS); Troodos Square, 1 ♂, *Pinus nigra* forest, 11.V.2016 (CMH); Amathus, 3 ♂♂ 2 ♀♀, herbs in dry valley, 25.IV.1986 (NHMW).

PAPHOS: Agios Mamas ruins, Gialia E., 215m, 1 ♂ 1 ♀, beating *Cystus*, 28.IV.2007 (CJVK); Akamas Peninsula, Neo Chorio, 1 ♀, swept from phrygrana and grass, 2.V.2007 (CAR-S); Asprokremmos Dam, N. Kouklia, 150m, 3 ♀♀, herbs along lake, 29.IV.2010 (CJV, CRB); near Avakas Gorge, 1 ♀, beaten from junipers on rocky hillside, 14.IV.2017 (CAR-S); Evretou Reservoir, 350m, 1 ♂ 1 ♀, swept from shrubs around lake, 1.V.2010 (CRB); Evretou Reservoir, Stavros tis Psokas river, 2 ♂♂, 20.III.2018 (CKHK); Kelefos bridge, dam on Diarizos River, 550m, 2 ♂♂ 2 ♀♀, under stones and beaten from shrubs, 21.V.2011 (CJVK); Gialia, 110m, 1 ♂, sweeping *Cystus*, 28.IV.2007 (CJVK); Kinousa SE, 400m, 2 ♂♂ 4 ♀♀, herbs in *Pinus* forest, 1.V.2010 (CJVK, CRB); near Kritou Terra, 2 ♂♂ 1 ♀, swept from grass in dry fallow, 14.IV.2017 (CAR-S); Mavrokolympos Reservoir, 1 ♂ 1 ♀, 13.III.2018 (CKHK); Pelathousa SE., 245m, 3 ♂♂, sweeping grassland, 30.IV.2007 (CJVK); Peristerona, Atichoullis gorge, 425m, beating in maquis, 2.V.2007 (CJVK); Pegeia, Pikni Forest, 346m, 1 ♂, in former carob plantation, 23.III.2018 (CKHK); Polis, 10m, 1 ♂, herbs and stones around building, 27.IV.2007 (CJVK); Vretsia W., near Kelefos Bridge, 650m, 1 ♂ 1 ♀, beaten from shrubs, 19.V.2011 (CRB).

Distribution: Mediterranean. New to Cyprus.

***Rhomphaea longicaudata* O. Pickard-Cambridge, 1872**

Identification

Lissner, 2017: 288, figs 1A-C, 2A-C, 3A-B, 4A-B, 5-8.

Citations

None.

New records

LIMASSOL: Pissouri beach, 2 ♀♀ 1 immature, on shrubs, 27.IV.1982, coll. A. Stubbs (MMUE).

Distribution: Greece, Lebanon. New to Cyprus.

Simitidion agaricographum (Levy & Amitai, 1982)

Simithidion agaricographum; Knoflach, 1996: 149.

Identification

Knoflach, 1996, figs 1-3, 7, 9, 11-12.

Citations

PAPHOS: Akamas Peninsula, Fontana Amorosa (Knoflach, 1996).

New records

FAMAGUSTA: Kantara E., 610m, 1 ♂, beaten from shrubs and stones in open *Pinus* forest, 25.V.2011 (CJVK); Karpasia Peninsula, Cape Apostolos Andreas, 70m, 1 ♀, stones in grassland, 16.V.2011 (CJVK).

LARNACA: Kornos Picnic site, 350m, 1 ♀, under stones and beaten in *Pinus* forest, 28.V.2011 (CRB).

LIMASSOL: Parekklesia, 3 ♂♂ 1 ♀, under stones in riverbed, 13.IV.1987 (NHW).

NICOSIA: Agridi, near Dali, 1 ♂, in garden, IV.2004 (CDM).

PAPHOS: Agios Mamas ruins, Gialia E., 215m, 1 ♀, beating *Cystus*, 28.IV.2007 (CJVK); near Avakas Gorge, 2 ♂♂ 3 ♀♀, beaten from junipers on rocky hillside, 14.IV.2017 (CAR-S); Lara, 25m, 1 ♀, stony *Juniperus* maquis near the beach, 29.IV.2007 (CJVK); Makounta, Argaka Dam, 85m, 1 ♂ 1 ♀, beating bushes, 27.IV.-5.V.2007 (CJVK); Mavrokolympos Reservoir, 1 ♂ 1 ♀, 13.III.2018 (CKHK); Neo Chorio, 1 ♀, swept from phrygana and grass, 2.V.2007 (CAR-S); Neo Chorio, 200m, 1 ♀, under stones, 25.IV.2007 (CJVK); Pelathousa SE., 245m, 1 ♂ 1 ♀, sweeping grassland, 30.IV.2007 (CJVK).

Distribution: Israel, Cyprus, Lesbos.

Simitidion simile (C. L. Koch, 1836)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

FAMAGUSTA: Kantara E., 610m, 1 ♂ 15 ♀♀, beaten from shrubs in open *Pinus* forest, 25.V.2011 (CJVK, CRB).

KERYNEIA: Pentadactylos Range, Saint Hilarion Castle, 600m, 2 ♂♂ 4 ♀♀, beaten from shrubs, 17.V.2011 (CRB).

LARNACA: Agioi Vavatsinias, 700m, 1 ♂ 7 ♀♀, litter in *Pinus* forest, 28.IV.2010 (CJVK); Stavrovouni Monastery, 350m, 1 ♂ 2 ♀♀, on bark of *Pinus* trees, 28.IV.2010 (CJVK).

LIMASSOL: Akrotiri Peninsula, near British Airbase, 1 ♀, swept in pine wood, 4.V.2007 (CRS); Alassa SE, near river Limnatis, 1 ♂, swept from lush grass, 5.V.2007 (CAR-S), 5 ♀♀ (CRS); Pano Platres, 1050m, 2 ♂♂ 1 ♀, beaten near Mesa Potamos Waterfalls, 23.V.2011 (CRB); Pano Platres, near top of road to Millomeris Waterfalls, 4 ♂♂ 4 ♀♀, swept from grass and herbs in abandoned vineyard, 28.IV.2007 (CAR-S); Pano Platres, below Caledonia Waterfall, 2 ♂♂, swept from herbs and shrubs in rocky stream valley, 26.IV. and 1.V.2007 (CAR-S), Pano Platres E., Mesa Potamos Waterfalls, 950m, 1 ♂ 10 ♀♀, in litter in *Pinus* forest, 4.V.2010 (CJVK); Troodos S., 1350m, 1 ♂, on herbs in mixed *Quercus-Pinus* forest, 3.V.2010 (CRB); same site; 5 ♂♂ 7 ♀♀, 28.IV.2007 (CRS).

NICOSIA: Cedar Valley Forest, 1180m, 2 ♂♂ 4 ♀♀, beaten in *Cedrus* forest, 19.V.2011 (CRB); Cedar Valley, 1150m, 1 ♂, 21.III.2018, forest road, beaten from shrubs (CKHK); Dali, 13, Agios Andronikos, 1 ♀, in garden, IV.2007 (CDM); Kakopetria S., Platania forest station, 1100m, 1 ♂ 7 ♀♀, beating in dense *Pinus* forest, 4.V.2010 (CJVK); Kapedes, 1 ♂, pitfalls in *Pinus brutia* forest, 17.I. - 23.IV.2016 (CMH); Lefka NW, 120m, 3 ♀♀, beaten from shrubs in fruit plantation, 18.V.2011 (CRB); Kampos NE, Xeros River, 550m, 3 ♀♀, beaten from shrubs, 20.V.2011 (CRB); Limnitis River, Kato Pyrgos SE, 200m, 2 ♀♀, beaten in *Pinus* forest, 2.V.2010 (CRB); Oikos N., Xerargaka picnic site, 350m, 3 ♂ 28 ♀♀, beaten from shrubs and stones in *Pinus* forest, 20.V.2011 (CJVK, CRB); Pedoulas, 1100m, 1 ♀, in garden of hotel, 4.V.2010 (CRB).

PAPHOS: Agios Mamas ruins, Gialia E., 1 ♂ 9 ♀♀, beating *Cystus*, 28.IV.2007 (CJVK); Agios Merkourios, 250m, 2 ♂♂ 2 ♀♀, sweeping grassland, 27.IV.2007 (CJVK); Akamas Peninsula, Neo Chorio, 1 ♀, swept from phrygana and grass, 2.V.2007 (CAR-S) near Agios Minas, 1 ♂ 1 ♀, 3.V.2007 (CRS); Argaka SE, 160m, 3 ♂♂ 2 ♀♀, beating in maquis, 27.IV.2007 (CJVK); Evretou Reservoir, Stavros

tis Psokas river, 2 ♂♂ 1 ♀, 20.III.2018 (CKHK); Gialia, 110m, 4 ♀♀, sweeping *Cystus*, 28.IV.2007 (CJVK); Kelefos bridge, dam on Diarizos River, 550m, 2 ♀♀, beaten from shrubs, 21.V.2011 (CRB); Kidasi N., along Diarizos River, 300m, 3 ♀♀, beaten from shrubs, 21.V.2011 (CRB); Makounta, Argaka Dam, 85m, 2 ♂♂ 2 ♀♀, beating in maquis, 27.IV.2007 (CJVK); Pelathousa SE., 245m, 11 ♂♂ 23 ♀♀, sweeping grassland, 30.IV.2007 (CJVK); Peristerona, Atichoullis gorge, 425m, 11 ♀♀, beating in maquis, 2.V.2007 (CJVK); Vretsia W., near Kelefos Bridge, 650m, 1 ♂ 4 ♀♀, beaten from shrubs, 19.V.2011 (CJVK).

Steatoda albomaculata (Degeer, 1778)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LARNACA: Dekeleia Military Base, 1 ♂, 11.VI.1958, M. Connally leg. (BMNH); Kornos picnic site, 350m, 1 ♂ 2 ♀♀, under stones in *Pinus* forest, 28.V.2011 (CRB); Larnaca SW., Hala Sultan Tekke mosque, 5m, 1 ♀, salt marsh, 15.V.2011 (CJVK).

NICOSIA: Agridi, near Dali, 1 ♂, in house, V.2009 (CDM); 13, Agios Andronikos, Dali, 1 ♀, in garden, IV.2008 (CDM); Dali, 1 ♀, under stones in riverbed, 12.V.2007 (CAR-S); Peristerona, 1 ♀, riverbed, 7.V.2016 (CMH). PAPHOS: Akamas Peninsula, Cape Geronnisos, 25m, 1 ♀, stones in maquis, 29.IV.2007 (CJVK); Drouseia, 539m, 1 ♀, in phrygana, 23.III.2018 (CKHK).

Distribution: Cosmopolitan. New to Cyprus.

Steatoda erigoniformis (O. Pickard-Cambridge, 1872)

Identification

Levy, 1998b: 81, figs 152-160.

Citations

None.

New records

LARNACA: Larnaca SW., Hala Sultan Tekke mosque, 5m, 1 ♂, litter in salt marsh, 15.V.2011 (CJVK).

LIMASSOL: Amathus, 1 ♂, herbs in dry valley, 25.IV.1986 (NHMW).

Distribution: Cosmopolitan. New to Cyprus.

Steatoda grossa (C. L. Koch, 1838)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

NICOSIA: Agridi, near Dali, 1 ♀, in garden, V.2004, 1 ♂, in house, V.2011, 1 ♂, in house, IV.2012 (all CDM).

Distribution: Cosmopolitan. New to Cyprus.

Steatoda paykulliana (Walckenaer, 1806)

Lithyphantes paykullianus; Strand, 1907: 293.
Steatoda paykulliana; Logunov, 2013: 5.

Identification

Levy, 1998b: 63, figs 116-122.

Citations

Between Larnaca and Limassol (Strand, 1907).

LIMASSOL: Episkopi, Kourion Beach (Logunov, 2013).

New records

FAMAGUSTA: Agios Sergios, 30m, 2 ♀♀, under stones in phrygana, 17.III.2011 (CRB); Cape Greco, 1 ♀, under stones in phrygana, 3.V.2013 (CAR-S); Cape Greco, Ayia Napa, 35m, 2 ♀♀, stones in phrygana, 27.IV.2010 (CJVK); Flamoudi W., 25m, 2 ♀♀, stones in phrygana near the beach, 25.V.2011 (CRB); Rizokarpaso W., Panagia Eleousa Monastery, 30m, 1 ♀, under stones in *Pinus* forest, 18.III.2011 (CRB); Salamis ruins, 50m, 1 ♀, under stones, 15.V.2011 (CJVK).

KERYNEIA: Karavas, 660m, 1 juvenile, garden of hotel, 22.XI.2010 (CRB); Larnakas tis Lapithou, 1 ♀, stones in grassland, 17.I.2016 (CMH); Saint Hilarion castle, 610m, 1 juvenile, under stones in *Pinus* forest, 22.XI.2010 (CRB).

LARNACA: Achna Reservoir, 50m, 1 juvenile, under stones and litter bordering lake, 21.XI.2010 (CRB); Cape Kiti, 2 ♂♂ 1 ♀, under stones below coastal cliffs, 25.IV.1982, coll. A. Stubbs (MMUE); Evretou Reservoir, 350m, 2 ♀♀, under stones in grassland around lake, 1.V.2010 (CRB); Larnaca, 2 ♀♀, C. Glasynet leg. (CMNH);

Larnaca salt lake, 5m, 2 ♀♀, stones and litter in salt marsh, 27.IV.2010 (CJVK, CRB); idem, 1 ♀, 20.XI.2010 (CRB).

LIMASSOL: Agios Tychonas, 2 ♀♀, under stones near house walls, 19.IV.1986 (NHW); Akrotiri Peninsula, edge of central salt pan, 1 ♀, under stones and debris in *Salicornia*, 27.IV.2007 (CAR-S); Alassa SE, near river Limnatis, 1 ♀, under stones in dry grassland, 5.V.2007 (CAR-S); Amathus, 5 ♀♀, under stones, in dry valley, 25.IV.1986 (NHW), 7 ♀♀, 6.IV.1986, 4 ♀♀, 9.IV.1986 (NHW); Armenochori, 1 ♀, under stones of a dry stone wall, 14.IV.1986 (NHW); Erimi NW, 1 ♀, grass heathland with individual stones, 21.IV.1986 (NHW); Erimi, 1 ♀, under stones along dry riverbed, 18.IV.1986 (NHW); Fasoula, 2 ♀♀, olive garden with dry stone walls, 16.IV.1986 (NHW); Germasogeia, 1 ♀, under stones along the stream below the dam, 10.IV.1986 (NHW); Limassol, 2 ♂♂ 1 juv. ♀, A. Mavromoustakis leg., 2.X.1933 (BMNH); Panagia Glossa Monastery near Kellaki, 1 ♀, stones in cultivated land, 12.IV.1986 (NHW). NICOSIA: Agios Sozomenos, near Dali, 1 ♀, in disturbed phrygana, 30.IV.2007 (CRS); Agridi, near Dali, 2 ♂♂, on veranda, 10.III.2010 (CDM); Geri, 1 subadult ♀, in olive grove, 11.V.2016 (CMH).

PAPHOS: Akamas Peninsula, Agios Minas, 1 ♀, under stones in meadow with tall grass, 2.V.2007 (CAR-S); Akamas Peninsula, Avgas Estuary, 1 ♀, under stones, 31.III.1997 (CJB); Asprokremmos Dam, N. Kouklia, 150m, 2 ♀♀, herbs and stones along lake, 29.IV.2010 (CJVK); Evretou Reservoir, 180m, 3 ♀♀, stones on slope to lake, 1.V.2007 (CJVK); Kato Paphos, 1 ♂ 2 ♀♀, under stones near hotel, 31.III.1997 (CJB); Kelefos bridge, dam on Diarizos River, 550m, 1 ♀, under stones and beaten from shrubs, 21.V.2011 (CJVK); Makounta, 1 ♀, under stones in scrub, 19.III.1998, coll. J. Murphy (MMUE); Kathikas W., S Arodes, Aspros Valley, 527m, 1 ♂ 1 ♀, open pasture on clay, 24.II.2011, D. W. Wrase leg (CKHK); Mavrokolympos Reservoir, 1 ♀, 13.III.2018 (CKHK); Neo Chorio, 1 ♀, under stone, 17.III.1998, coll. J. Murphy (MMUE); Polis, 15m, 1 ♂ 1 ♀, stones around building, 27.IV.2007 (CJVK).

Distribution: Mediterranean to Central Asia.

Steatoda trianguloides (Levy, 1991)

Identification

Levy, 1991: 228, figs 3-6 (♂); present paper, figs 19 a-e (♀).

New records

LIMASSOL: Mt Olympos, 1850m, 1 ♀, stones in *Pinus nigra* forest, 26.IV.2007 (CJVK); Polis, 15m, 1 ♀, herbs and stones around building, 27.IV.2007 (CJVK).

Distribution: Cosmopolitan. New to Cyprus.

Theridion cinereum Thorell, 1875

Identification

Knoflach, 1998: 589, figs 46, 52, 55d.

Citations

None.

New records

FAMAGUSTA: Gialousa E., Agios Thrysos, 1 ♀, 20m, litter under fig tree, 18.III.2011 (CRB).

Distribution: Switzerland, Austria, Balkans, Bulgaria, Greece, Turkey, Russia. New to Cyprus.

Theridion cyprusense Wunderlich, 2011

Theridion cyprusense Wunderlich, 2011: 240, figs 3-5.

Identification

Wunderlich, 2011: 240, figs 3-5.

Citations

PAPHOS: beach near Polis (Wunderlich, 2011; type locality).

New records

PAPHOS: 9 km N. Pano Panagia, 1050m, 1 ♂, in litter near spring, 19.V.2011 (CJVK); Evretou Reservoir, Stavros tis Psokas river, 1 ♂, 20.III.2018 (CKHK).

Distribution: Only known from Cyprus.

Theridion helena Wunderlich, 2011

Identification

Wunderlich, 2011: 250, figs 99-101.

Citations

None.

New records

FAMAGUSTA: Cape Greco, Ayia Napa, 35m, 1 ♀, stones in phrygana, 27.IV.2010 (CRB); Kantara E., 610m, 2 ♀♀, beaten from shrubs and stones in open *Pinus* forest, 25.V.2011 (CRB).

KERYNEIA: Panagia Apsinthiotissa Monastery ruins, 350m, 1 ♀, herbs in clearing in *Pinus* forest, 24.V.2011 (CRB); Pentadactylos Range, Ftericha S., 800m, 1 ♀, stones in grassland, 17.V.2011 (CRB).
 LARNACA: Agioi Vavatsinias, 700m, 1 ♂ 1 ♀ litter in *Pinus* forest, 28.IV.2010 (CRB); Dipopotamos Reservoir, 150m, 1 ♀, herbs and stones bordering lake, 28.IV.2010 (CRB); Kornos Picnic site, 350m, 2 ♀♀, beating in *Pinus* forest, 28.V.2011 (CRB); Stavrovouni Monastery, 350m, 2 ♀♀, on bark of *Pinus* trees, 28.IV.2010 (CRB).
 LIMASSOL: Livadi tou Passia, E. Troodos, 1170m, 1 ♂, in peat marsh, 3.V.2010 (CRB); Prodromos E., near Prodromos dam, 1510m, 1 ♀, stones and litter in *Pinus* forest, 2.V.2010 (CRB); Xyliatos Dam, 2 ♀♀, stones in *Pinus* forest, 4.V.2007 (CJVK).
 NICOSIA: Lefka, 120m, 1 ♀, on walls of building, 18.V.2011 (CRB); Prodromos E., near Prodromos dam, 1510m, 1 ♀, stones and litter in *Pinus* forest, 2.V.2010 (CRB); Strovolos, 1 ♀, in building, 1-V.2016 (CMH).
 PAPHOS: Agia, 2 ♀♀, on walls of small building (CJVK); Akamas, Avakas Gorge, 1 ♀, on rocky slope, 29.IV.2007 (CJVK), 2 ♀♀, under stones in gorge, 22.V.2011 (CRB); Akamas, Smigies, 300m, 1 ♂ 12 ♀♀, handcatch on small building, 5.V.2007 (CJVK); Kelefos bridge, dam on Diarizos River, 550m, 1 ♀, under stones and beaten from shrubs, 21.V.2011 (CRB); Kinousa E., Agios Merkourios, 350m, 2 ♀♀, under stones and litter in *Pinus* forest, 1.V.2010 (CRB); Kykkos Monastery, 1150m, 1 ♂ 7 ♀♀, on walls in monastery, 19.V.2011 (CRB); Kinousa SE, 400m, 2 ♀♀, under stones and litter in *Pinus* forest, 1.V.2010 (CRB); Livadi, 1 ♂ 2 ♀♀, walls of small building, 28.IV.2007 (CJVK); Makounta, Argaka Dam, 85m, 1 ♀, beating bushes, 27.IV.2007 (CJVK); Pano Platres E., Mesa Potamos Waterfalls, 950m, 1 ♀, in litter in *Pinus* forest, 4.V.2010 (CRB); Peristerona, Atichoullis gorge, 425m, 2 ♀♀, beating in maquis, 2.V.2007 (CJVK); Polis, 2 ♂♂ 14 ♀♀, on walls of hotel, 25.IV.2007 (CJVK); Smigies, W. Neo Chorio, 300m, 2 ♀♀, litter and stones in *Pinus* forest, 30.IV.2010 (CRB).

Distribution: Until now only known from Crete. New to Cyprus, where it appears to be very common.

Theridion italiense Wunderlich, 1995

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LARNACA: Larnaca SW, Hala Sultan Tekke mosque, 50m, 1 ♂, in pitfalls in salt marsh, 15-28.V.2011 (CJVK).

Distribution: A rare species, actually known from Italy, North Macedonia and Romania. New to Cyprus.

Theridion melanostictum O. Pickard-Cambridge, 1876

Theridion melanostictum; Knoflach, 1998: 546.

Identification

Levy & Amitai, 1982: 99, figs 32-37.

Citations

PAPHOS: Paphos (Knoflach, 1996).

New records

None.

Distribution: North Africa, Israel, Canary Islands, Cyprus, North America.

Theridion ochreolum Levy & Amitai, 1982

Identification

Levy & Amitai, 1982: 99, figs 32-37.

Citations

None.

New records

LIMASSOL: Agios Georgios E., Palaiomylos, 1250m, 3 ♂♂, beaten in mixed *Pinus* and *Quercus* forest, 4.V.2010 (CJVK); Akrotiri Peninsula N., 5m, 1 ♂, beaten in *Eucalyptus* forest, 29.IV.2010 (CJVK, CRB); Erimi, 2 ♂♂, under stones along dry riverbed, 18.IV.1986 (NHW); near river Limnatis SE. Alissa, 2 ♀♀, under stones in dry grassland, 5.V.2007 (CRS); Pano Platres, 1050m, 6 ♂♂, beaten near Mesa Potamos Waterfalls, 23.V.2011 (CJVK, CRB). NICOSIA: Agridi, near Dali, 1 ♀, in garden, V.2012 (CDM); Cedar Valley Forest, 1180m, 2 ♂♂ 1 ♀, beaten in *Cedrus* forest, 19.V.2011 (CRB); Kakopetria S., Platania forest station, 1100m, 14 ♂♂ 8 ♀♀, under stones in dense *Pinus* forest, 4.V.2010 (CJVK).

PAPHOS: Agia, Stavros tis Psokas S., 590m, 1 ♂, on walls in picnic site, 30.IV.2007 (CJVK); Agios Georgios E., Palaiomylos, 1250m, 13 ♂♂, beaten

in mixed *Pinus* and *Quercus* forest, 4.V.2010 (CJVK); Akamas Peninsula, Neo Chorio, 200m, 2 ♂♂ 5 ♀♀, beating bushes, 25.IV.2007, 1 ♀, 30.IV.2010, (CJVK); Akamas Peninsula, wood near Agios Minas church, 5 ♀♀, beaten from climbers on pines, 2.V.2007 (CRS), 2 ♀♀, (CAR-S); Avakas Gorge, 55m, 1 ♂, stones along rivulet, 29.IV.2007, 1 ♀, 22.V.2011 (CJVK); ca. 2 km. S of Cape Geronnisos, 1 ♀, under stones in dry phrygana, 3.V.2007 (CRS); Evretou Reservoir, Stavros tis Psokas river, 1 ♂, 20.III.2018 (CKHK); Kourdaka, Ezousa river, 1 ♂, 14.III.2018 (CKHK); Pelathousa SE., 245m, 1 ♂, sweeping grassland, 30.IV.2007 (CJVK); Polis, 15m, 1 ♂, beating herbs, 27.IV.2007 (CJVK).

Distribution: Israel. New to Cyprus.

Family Thomisidae

Bassaniodes Pocock, 1903

Recently, the large crab spider genus *Xysticus* was split up (Breitling, 2019), and the Cypriot species *Xysticus caperatus*, *X. pseudorectolineus*, *X. tenebrosus*, and *X. tristrami* are no longer known under their familiar name *Xysticus*, but as *Bassaniodes*. The other species occurring in Cyprus (*Xysticus cor*, *X. edax*, *X. laetus*, *X. pseudoluctuosus* and *X. xerodermus*) remain into *Xysticus*.

Bassaniodes caperatus (Simon, 1875)ba

Identification

Levy, 1976: 21, figs 33-40.

Citations

None.

New records

KERYNEIA: Pentadactylos Range, Lapithos S., 800m, 1 ♂, stones in *Pinus* forest, 17.V.2011 (CJVK).
FAMAGUSTA: Cape Greco, Ayia Napa, 35m, 1 ♂, stones in phrygana, 27.IV.2010 (CJVK); Cape Greco, 1 ♀, under stones in phrygana, 3.V.2013 (CAR-S).

Distribution

Israel, Turkey. New to Cyprus.

Bassaniodes pseudorectilineus (Wunderlich, 1995)

Identification

Wunderlich, 1995d: 764, figs 52-53 (♂); Demir, Aktas & Seyyar, 2008: 65, figs 1-7 (♀).

Citations

None.

New records

FAMAGUSTA: Rizokarpaso, 1 ♀, in *Juniperus phoenicea* forest, 12.III.2016 (CMH); Cape Greco, Ayia Napa, 35m, 1 ♀, stones in phrygana, 27.IV.2010 (CRB).

KERYNEIA: Agios Georgios, 1 ♀, under stone in coastal scrub, 21.III.1998, coll. J. Murphy (MMUE); Pentadactylos Range, Saint Hilarion Castle, 600m, 2 ♀♀, under stones, 17.V.2011 (CJVK).

NICOSIA: Alona, 1 ♀, mixed forest, 27.II.2016 (CMH).

LIMASSOL: Limassol, 2 ♀♀, 24.II.1933, G. A. Mavromoustakis leg. (BMNH); Pissouri, 1 ♀, in grass, 24.III.1998, coll. J. Murphy (MMUE); Millomeris Waterfalls, near Pano Platres, 1 ♀, under rock, 28.IV.2007 (CRS).

PAPHOS: Akamas Peninsula, track along the sea, 10m, 2 ♀♀, stones in *Juniperus* phrygana, 30.IV.2010 (CJVK, CRB); Akamas Peninsula, Avgas Estuary, 1 ♀, under stones, 31.III.1997 (CJB); Akamas Peninsula, Cape Geronnisos, 25m, 1 ♀, stones in maquis, 29.IV.2007 (CJVK); Akamas Peninsula, Lara Bay, 25m, stony *Juniperus* maquis near the beach, 29.IV.2007 (CJVK); Akamas Peninsula, 1 ♀, in coastal grassland, 22.III.1998, coll. J. Murphy (MMUE); Baths of Aphrodite, 1 ♀, under stone in coastal scrub, 18.III.1998, coll. J. Murphy (MMUE); Kinousa, 2 ♀♀, in pine wood, 25.III.1998, coll. J. Murphy (MMUE); Kato Paphos, 1 ♀, under stones near hotel, 1.IV.1997 (CJB); near Kidasi village, Diarizos River, 1 ♀, under bark of plane tree, 1.V.2013 (CAR-S);

Kouklia, Sanctuary of Aphrodite, 1 ♀, 8.IV.1997 (CJB); Makounta, 1 ♀, under stones in scrub, 19.III.1998, coll. J. Murphy (MMUE); Mavrokolympos Reservoir, NE. Potima, 150m, 1 ♀, under stones along lake, 22.V.2011 (CJVK); Mavrokolympos Reservoir, 3 ♀♀, 13.III.2018 (CKHK).

Distribution: Turkey, Greece (Lesbos and Chios). New to Cyprus.

Bassaniodes tenebrosus (Silhavy, 1944)

Identification

Wunderlich, 1995d: 762, figs 43-44.

Citations

None.

New records

LARNACA: Stavrovouni Monastery, 350m, 1 ♀, on bark of *Pinus* tree, 28.IV.2010 (CJVK).

LIMASSOL: Troodos Mountain, 1 ♂ 1 ♀, G. Mavromoustakis leg., without date (BMNH).

Distribution: Bulgaria, North Macedonia, Greece (Lesbos and Chios), Israel. New to Cyprus.

***Bassanioides tristrami* (O. Pickard-Cambridge, 1872)**

Identification

Wunderlich, 1995d: 762, figs 43-44.

Citations

Without precise locality (Kulczyński, 1908, sub *X. tristrami*).

Comments

The identification of the female specimens mentioned below is a bit doubtful, as no adult males were collected. Identification based on females, are difficult to distinguish them from *Bassanioides pseudorectolineus*. The capture of males should confirm the presence of the species in the island.

Levy (1976), without examining the material, considered the record of *Bassanioides tristrami* of Kulczyński (1908, sub *Xysticus*) as a misidentification and attributed it to *Bassanioides ferus*. Kulczyński's excellent drawing (fig. 14, epigyne longer than wide) does not look like Levy's figures at all (figs 13, epigyne wider than long). They look on the contrary very well like those of *Bassanioides pseudorectolineus* (see Demir *et al.*, 2008: 65, figs 1-7, sub *Xysticus p.*), the commonest *Bassanioides* species in Cyprus according to our collections. So, Kulczyński's citation (1908) remains doubtful.

New records

LIMASSOL: Panagia Glossa Monastery near Kellaki, 1 ♀, under stones in cultivated land, 12.IV.1986 (NHW); Troodos S., 1350m, 1 ♀, stones in mixed *Quercus-Pinus* forest, 3.V.2010 (CJVK).

Distribution: Crete, Turkey, Saudi Arabia to Central Asia. New to Cyprus.

***Cozyptila thaleri* Marusik & Kovblyuk, 2005**

Identification

Marusik *et al.* 2005: 156, figs 1-4, 15-16, 19, 25-26, 30, 33-34, 40, 45.

Citations

None.

New records

LIMASSOL: Mount Olympos (Chionistra), 1850m, 2 ♂♂, pitfalls in *Pinus nigra* forest, 26.IV. - 5.V.2007 (CJVK); Troodos 3 km S, 1600m, 3 ♂♂, pitfalls in maquis, 26.IV. - 5.V.2007 (CJVK).

Distribution: Albania, Bulgaria, Ukraine, Turkey. New to Cyprus.

***Diaealivens* Simon, 1876**

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

NICOSIA: Kakopetria S., Platania forest station, 1100m, 1 ♀, beating in dense *Pinus* forest, 4.V.2010 (CJVK).

PAPHOS: Agios Georgios E., Palaiomylos, 1250m, 3 ♂♂, beaten in mixed *Pinus* and *Quercus* forest, 4.V.2010 (CJVK).

Distribution: USA, Central Europe, Greece to Azerbaijan. New to Cyprus.

***Heriaeus graminicola* (Doleschall, 1852)**

Identification

Loerbroks, 1983: 107, figs 15, 29-36.

Citations

None.

New records

NICOSIA: Cedar Valley Forest, 1050m, 2 ♂♂, beating in Cedar forest, 19.V.2010 (CRB).

Distribution: Central and South-East Europe, Balkans, Russia, Turkey, Caucasus. New to Cyprus.

***Heriaeus simoni* Kulczyński, 1903**

Identification

Loerbroks, 1983: 107, figs 15, 29-36.

Citations

None.

New records

KERYNEIA: Pentadactylos Range, Saint Hilarion Castle W., 600m, 1 ♂, beaten from shrubs in *Pinus* forest, 17.V.2011 (CJVK).

Distribution: Palearctic. New to Cyprus.

***Misumena vatia* (Clerck, 1757)**

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

PAPHOS: Evretou Reservoir, 350m, 1 ♀, shrubs and grassland around lake, 1.V.2010 (CJVK).

Distribution: Holarctic. New to Cyprus.

Monaeses israeliensis* Levy, 1973*Identification**

Levy, 1973: 111, figs 8-11.

Citations

None.

New records

KERYNEIA: Saint Hilarion castle, 610m, 1 ♀, 1 subadult ♀, beaten in *Pinus* forest, 22.XI.2010 (CJVK, CRB).

LIMASSOL: Fasoula, 1 ♀, olive garden with dry stone walls, 16.IV.1986 (NHW).

NICOSIA: Agridi, near Dali, 1 ♀, in yard, VIII.2009, 1 ♂, in garden, 1V.2010, 1 ♂, in garden, IV.2012 (CDM); Elia-Angolemi road, 100m, 1 ♀, rubbish in dry riverbed, 18.V.2011 (CJVK); Masari S., Merika River, 120m, 1 ♂, on shrubs in wasteland, 24.V.2011 (CRB).

PAPHOS: Akamas Peninsula, Lara Bay, 1 ♀, C. Saure leg., 18.VI.2013 (CKHK); Evretou Reservoir, 350m, 1 ♂, beaten from shrubs and grassland around lake, 1.V.2010 (CRB); Gialia, 110m, 1 ♂, sweeping *Cystus*, 28.IV.2007 (CJVK); Loukrounou E., 140m, 1 ♂ 1 ♀, sweeping herbs bordering cultivated fields, 1.V.2007 (CJVK);

Kelefos bridge, dam on Diarizos River, 550m, 1 ♀, beaten from shrubs, 21.V.2011 (CRB); Kykkos Monastery, 1150m, 2 ♀♀, on bushes around monastery, 19.V.2011 (CJVK); Pelathousa E., 245m, sweeping grassland, 30.IV.2007 (CJVK); Peristerona, Atichoullis gorge, 425m, 1 ♂, beating in maquis, 2.V.2007 (CJVK).

Distribution: Greece, Turkey, Israel, Lebanon, Central Asia. New to Cyprus.

Ozyptila rigida* (O. Pickard-Cambridge, 1872)*Identification**

Levy, 1985b: 65, figs 96-97, (sub. *O. rigida*); 66, figs 98-99 (sub *O. complicata*).

Citations

None

New records

LIMASSOL: Fasouri, Akrotiri Peninsula, 1 ♀, in reed litter, 27.IV.2007, 3 ♂♂ 2 ♀♀, 4.V.2007, det. D. Logunov (CAR-S).

Distribution: Israel, Saudi Arabia, Azerbaijan.

***Ozyptila tricoloripes* Strand, 1913**

Oxyptila rigida; Kulczyński, 1908: 70, pl. 2, figs 15 (misidentification according to Levy, 1975).

Identification

Levy, 1975: 167, figs 22-23 (♂, sub *O. tricoloripes*); Levy, 1975: 165, figs 19-21 (♀, sub *O. pickardi*).

Citations

Without precise locality (Kulczyński, 1908).

New records

FAMAGUSTA: Salamis S., Silver Beach, 5m, 4 ♀♀, in pitfalls in salt marsh, 15 - 27.V.2011 (CRB).

LARNACA: Dekeleia Military Base, 1 ♀, VI.1958, M. Connelly leg. (BMNH); Larnaca SW., Hala Sultan Tekke mosque, 50m, 1 ♀, pitfalls in salt marsh, 15. - 28.V.2011 (CJVK).

LIMASSOL: Amathus, 1 ♀, on house walls, 9.IV.1986 (NHW); road Kaminaria-Lemithou, 1 ♀, pitfalls in *Pinus brutia* forest, 6.IV. - 8.VI.2014 (CMH).

NICOSIA: Dali, 13, Agios Andronikos, 2 ♂♂, in garden, IV.2007 (CDM); Elia-Angolemi road,

100m, 1 ♀, under rubbish in dry riverbed, 18.V.2011 (CRB).
 PAPHOS: Baths of Aphrodite, 5m, 1 ♀, pitfalls under *Eucalyptus* trees bordering fields, 25.IV.-5.V.2007 (CJVK); Gialia, 1 ♀, in pine wood, 25.III.1998, coll. J. Murphy (MMUE); Kato Paphos, 1 ♀, seevin hay, 4.IV.1997 (CJB); Kinousa, 1 ♀, in pine wood, 23.III.1998, coll. J. Murphy (MMUE); near Kritou Terra, 1 ♀, under stone in dry fallow field, 17.IV.2017 (CAR-S); Neo Chorio, 1 ♀, under stone, 30.III.1998, coll. J. Murphy (MMUE); Pegeia, Pikni Forest, 366m, 2 ♀♀, pitfalls in pine forest, 11.III. - 23.III.2018 (CKHK).

Distribution: Israel, Cyprus, Saudi Arabia, Azerbaijan.

Ozyptila sp.

A new *Ozyptila* species will be described in a separate paper.

Pistius truncatus (Pallas, 1772)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

NICOSIA: Cedar Valley Forest, 1 ♂, swept from herbs, 29.IV.2007 (CAR-S); Dali, 13, Agios Andronikos, 1 subadult ♂, in garden, V.2007 (CDM).
 LIMASSOL: Pano Platres, track near Caledonia Waterfall, 1 ♂, beaten from shrub at edge of *Pinus nigra* forest, 26.IV.2007 (CAR-S).

Distribution: Europe. New to Cyprus.

Runcinia grammica (C. L. Koch, 1837)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LARNACA: Larnaca salt lake, 5m, 1 ♂, on herbs in salt marsh, 27.IV.2010 (CRB).

NICOSIA: Lefka NW, 120m, 1 subadult ♀, beaten from shrubs in fruit plantation, 18.V.2011 (CRB).

LIMASSOL: Akrotiri Peninsula, near Fasouri reed beds, 3 ♂♂, swept from flowering herbs and grass, 27.IV.2007 (CAR-S), 1 ♂ (CDM), 1 ♂, 4.V.2007 (CAR-S).
 PAPHOS: Asprokremmos Dam, N. Kouklia, 150m, 8 ♂♂ 1 subadult ♀, herbs and stones along lake, 23.V.2011 (CJVK, CRB); Evretou Reservoir, 350m, 2 ♂♂ 1 ♀, beaten from shrubs around lake, 1.V.2010 (CJVK, CRB).

Distribution: Palaearctic, St Helena, South Africa. New to Cyprus.

Synema globosum (Fabricius, 1775)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

FAMAGUSTA: Flamoudi W., 25m, 1 ♀, beaten in phrygana near the beach, 25.V.2011 (CRB); Kantara E., 610m, 1 ♂ 1 ♀, beaten from shrubs and stones in open *Pinus* forest, 25.V.2011 (CRB); Karpasia Peninsula, Apostolos Andreas Monastery, 50m, 1 ♀, stones in wasteland, 16.V.2011 (CJVK).

KERYNEIA: Keryneia, near the town, 1 ♀, *Juniperus phoenicea* forest, 30.IV.2016 (CMH); Lapithos S., 800m, beating in clearing in *Pinus* forest, 17.V.2011 (CJVK); Panagia Apsinthiotissa Monastery ruins, 350m, 1 ♀, stones in clearing in *Pinus* forest, 24.V.2011 (CRB).

LARNACA: Dekeleia Military Base, 2 ♀♀, 11.VII.1958, M. Connelly leg. (BMNH); Stavrovouni Monastery, 1 ♂ 1 ♀, 3 immatures, in phrygana, 26.IV.1982, coll. A. Stubbs (MMUE).

LIMASSOL: Agios Tychonas, 1 ♂, under stones near house walls, 19.IV.1986 (NHW); Pano Platres, near top of road to Millomeris Waterfalls, 1 ♂, swept from grass and herbs in abandoned vineyard, 28.IV.2007 (CAR-S).

NICOSIA: Agridi, near Dali, 3 ♂♂, in garden, V.2004, 1 ♀, in garden, IV.2011 (CDM); between Cedar Valley and Stavros tis Psokas, 1 ♂, under stones in *Pinus nigra* forest, 29.IV.2007 (CAR-S); Evretou Kampos NE., Xeros River, 550m, 2 ♂♂ 1 ♀

♀, beaten from shrubs, 20.V.2011 (CJVK); Lefka NW, 120m, 4 ♂♂ 5 ♀♀, beaten from shrubs in fruit plantation, 18.V.2011 (CJVK, CRB); Limnitis River, Kato Pyrgos SE., 200m, 1 ♂, stones and litter in *Pinus* forest, 2.V.2010 (CJVK); Masari S., Merika River, 120m, 1 ♀, stones in wasteland, 24.V.2011 (CRB).
 PAPHOS: Akamas Peninsula, Avakas Gorge, 1 ♀, under stone, 27.III.1998, coll. J. Murphy (MMUE); Asprokremmos Dam, N. Kouklia, 150m, 2 ♂♂, beaten from herbs along lake, 23.V.2011 (CRB); Evretou E., 200m, 2 ♂♂, sweeping low herbs, 1.V.2007 (CJVK); Evretou Reservoir, 350m, 1 ♂ 1 ♀, shrubs and grassland around lake, 1.V.2010 (CJVK); Kelefos bridge, dam on Diarizos River, 550m, 1 ♀, beaten from shrubs, 21.V.2011 (CRB); 2 km S. of Kouklia, 1 ♀ 1 immature, in riverine marsh, 30.IV.1982, coll. A. Stubbs (MMUE); Ktima, 3 ♂♂ 1 ♀, G. Mavromoustakis leg., without date (BMNH); Vretsia W., near Kelefos Bridge, 650m, 1 ♂, beaten from shrubs, 19.V.2011 (CRB).

Distribution: Palaearctic. New to Cyprus.

***Synema plorator* (O. Pickard-Cambridge, 1872)**

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LIMASSOL: Akrotiri Peninsula, near British Airbase, 1 ♀, swept in pine wood, 4.V.2007 (CRS); Troodos S., road to Pano Platres, 1 ♂, under stones in *P. nigra* forest, 1.V.2007 (CRS). NICOSIA: Dali, 13 Agios Andronikos, 1 ♀, in garden, IV.2007 (CDM); Cedar Valley Forest, 1180m, 1 ♂, beaten in *Cedrus* forest, 19.V.2011 (CRB); Evretou E., 200m, 1 ♂, sweeping low herbs, 1.V.2007 (CJVK); Pelathousa SE, 245m, 1 ♂ 1 ♀, beating *Cystus* in *Pinus* forest, 28.IV.2007 (CJVK).

Distribution: Greece, Bulgaria, Israel, Lebanon, Russia, Central Asia. New to Cyprus.

***Thomisus citrinellus* Simon, 1875**

Identification

Levy, 1973: 128, figs 43-46.

Citations

None.

New records

LIMASSOL: Akrotiri Peninsula N., 5m, 1 ♂, beating in *Eucalyptus* forest, 29.IV.2010 (CRB). NICOSIA: Agridi, near Dali, 1 ♂, in garden, VI.2010 (CDM).

Distribution: Mediterranean, Africa, Yemen, Socotra, Seychelles. New to Cyprus.

***Thomisus onustus* Walckenaer, 1805**

Thomisus onustus; Logunov, 2013: 5.

Identification: <https://araneae.nmbe.ch/>.

Citations

LIMASSOL: Akrotiri Phasouri (Logunov, 2013); Plano Platres (Logunov, 2013).

New records

FAMAGUSTA: Salamis ruins, 50m, 4 ♂♂ 3 ♀♀, beaten from low trees, 15.V.2011 (CRB). LARNACA: Agioi Vavatsinias, 700m, 1 ♀, beaten in *Pinus* forest, 28.IV.2010 (CRB); Kato Drys, 1 ♂, *Quercus* litter, 26.III.2016 (CMH); Larnaca, 1 ♀, C. Glasynet leg., without date (BMNH). LIMASSOL: Akrotiri Peninsula, 1 ♂, 27.IX.2007 (CDM); Armenochori, 1 ♀, city area, 14.IV.1986 (NHMW). NICOSIA: 13, Agios Andronikos, Dali, 1 ♀, in garden, V.2008 (CDM); Agios Sozomenos, near Dali, 1 ♂, swept in dry grassland, 30.IV.2007 (CRS); Agridi, near Dali, 1 ♀, in garden, IV.2004, 1 ♂, in field, IV.2007, 1 ♀, on house wall, 5.V.2009, 1 ♂, in garden, III.2010, 1 ♂, in garden, VI.2010, 2 ♂♂, in garden, V.2011, 1 ♂, in garden, V.2012, 1 ♂, in garden, 12.IX.2012 (CDM); Elia-Angolemi road, 100m, 4 ♂♂ 1 ♀, stones in grassland, rubbish in dry riverbed, 18.V.2011 (CJVK); Kampos NE, Xeros River, 550m, 2 ♀♀, beaten from shrubs, 20.V.2011 (CRB); Kapedes S., 600m, 1 ♂, on herbs along rivulet, 5.V.2010 (CRB).

PAPHOS: Agios Mamas ruins, Gialia E., 215m, 1 ♂, beating *Cystus*, 28.IV.2007 (CJVK); Asprokremmos Dam, N. Kouklia, 150m, 3 ♂♂, herbs along lake, 29.IV.2010 (CJVK, CRB); Avakas gorge and surroundings, 1 ♂ 1 ♀, 22.III.2018 (CKHK); Evretou Reservoir, 350m, 2 ♂♂, shrubs and grassland around lake, 1.V.2010 (CJVK, CRB); Gialia, 1 ♂, in pine wood,

25.III.1998, coll. J. Murphy (MMUE); Gialia, 110m, 1 ♂, sweeping *Cystus*, 28.IV.2007 (CJVK); Kato Paphos, 1 ♂, beating tall herbs near hotel, 4.IV.1997 (CJB); Kourdaka, Ezousa river, 1 ♂, 14.III.2018 (CKHK); near Kritou Terra, 1 ♀, under stone in dry fallow field, 17.IV.2017 (CAR-S); Ktima, 6 ♀♀, G. Mavromoustakis leg., without date (BMNH); Kykkos Monastery, 1150m, 4 ♂♂ 2 ♂♂, on bushes around monastery, 19.V.2011 (CJVK); Pelathousa SE., 245m, 1 ♂, sweeping grassland, 30.IV.2007 (CJVK); Polis, 15m, 1 ♀, herbs and stones around building, 27.IV.2007 (CJVK).

Distribution: Palearctic.

Thomisus zyuzini Marusik & Logunov, 1990

Identification

Marusik & Logunov, 1990: 34, figs 6-8 (♀); Marusik & Logunov, 1995: 144, figs 19-20 (♂).

Citations

None.

New records

FAMAGUSTA: Karpasia Peninsula, Apostolos Andreas Monastery, 50m, 1 ♂, stones in wasteland, 16.V.2011 (CRB).

Distribution: Turkey, Saudi Arabia to Central Asia. New to Cyprus.

Tmarus piocardi (Simon, 1866)

Identification

Levy, 2007: 19, figs 51-52.

Citations

None.

New records

FAMAGUSTA: Kantara E., 610m, 1 ♂ 1 ♀, beaten from shrubs and stones in open *Pinus* forest, 25.V.2011 (CRB); Komi Kebir, 150m, 1 ♂, beaten from shrubs, 26.V.2011 (CJVK).

KERYNEIA: Panagia Apsinthiotissa Monastery ruins, 350m, 1 ♀, stones in clearing in *Pinus* forest, 24.V.2011 (CRB).

LARNACA: Kornos Picnic site, 350m, 1 ♂, beaten in *Pinus* forest, 28.V.2011 (CRB).

LIMASSOL: Akamas Peninsula, Agios Minas, 1 ♂, in meadow with tall grass, 2.V.2007 (CAR-S); Akrotiri Peninsula, near British Airbase, 1 ♀, swept in pine wood, 4.V.2007 (CAR-S).

NICOSIA: Kapedes, 1 ♂, pitfalls in *Pinus brutia* forest, 17.I. - 23.IV.2016 (CMH); Lefka NW, 120m, 1 ♂ 1 ♀, beaten from shrubs in fruit plantation, 18.V.2011 (CJVK, CRB); Oikos N., Marathassa Dam, 550m, 1 ♂, stones and beaten from shrubs around lake, 20.V.2011 (CRB); Xerargaka picnic site, 350m, 2 ♂♂, beaten from shrubs and stones in *Pinus* forest, 20.V.2011 (CRB).

PAPHOS: near Avakas Gorge; 1 ♀, beaten from junipers on rocky hillside, 14.IV.2017 (CAR-S); Kato Akourdaleia, 1 ♀, in garden, VIII.2005 (CDM); Makounta, Argaka Dam, 85m, beating in maquis, 27.IV.2007 (CJVK); Smigies, W. Neo Chorio, 300m, 1 ♀, litter and stones in *Pinus* forest, 30.IV.2010 (CRB).

Distribution: Mediterranean. New to Cyprus.

Xysticus cor Canestrini, 1873

Identification

Thaler & Notflatscher, 1990: 177, figs 42-45.

Citations

None.

New records

NICOSIA: Cedar Valley Forest, 1 ♂, swept from herbs, 29.IV.2007 (CRS).

Distribution: Southern Europe, Iran. New to Cyprus.

Xysticus edax (O. Pickard-Cambridge, 1872)

Identification

Levy, 1976: 21, figs 33-40.

Citations

None.

New records

NICOSIA: Agridi, near Dali, 1 ♀, in field, V.2008, 1 ♀, V.2009 (CDM); Dali, 13, Agios Andronikos, 1 ♀, in garden, IV. 2007 (CDM); Lymbourena Hill, Dali, 1 ♀, in field, V.2004 (CDM); Kapedes S., 600m, 1 ♀, herbs and stones

along rivulet, 5.V.2010 (CRB). Nicosia, 1 ♀, 30.IV.1957, G. P. Georghiou leg. (BMNH). PAPHOS: Agios Merkourios, 250m, 1 ♀, sweeping grassland, 27.IV.2007 (CJVK); Akamas Peninsula, track along the sea, 10m, 1 ♀, stones in *Juniperus phrygana*, 30.IV.2010 (CRB); Drouseia, 539m, 1 ♂, in phrygana, 23.III.2018 (CKHK); Limnitis River, Kato Pyrgos SE, 200m, 1 ♀, stones and litter in *Pinus* forest, 2.V.2010 (CJVK); Mavrokolympos Reservoir, 1 ♂, 13.III.2018 (CKHK); Peristerona, Atichoullis gorge, 425m, 1 ♂, beating in maquis, 2.V.2007 (CJVK); Pegeia, Pikni Forest, 346m, 2 ♂♂, pitfalls in former carob plantation, 11.III. - 23.III.2018 (CKHK); Pegeia, Pikni Forest, 374m, 1 ♂, pitfalls in open ruderal site, 14.III. - 23.III.2018 (CKHK); near Souskiou, 1 ♀, under stones in dry grassland, 1.V.2013 (CDM).

Distribution: Israel, Turkey, New to Cyprus.

Xysticus laetus Thorell, 1875

Identification

Logunov, 2006: 63, figs 5, 6, 13-20.

Citations

None.

New records

NICOSIA: Agridi, near Dali, 1 ♀, in garden, III.2010 (CDM); Oikos N., Xerargaka picnic site, 350m, 1 ♀, beaten from shrubs and stones in *Pinus* forest, 20.V.2011 (CJVK). LIMASSOL: Akrotiri Peninsula, Fasouri reed beds, 1 ♂ 5 ♀♀, in reed litter, 27.IV.2007 (CAR-S), det. D. Logunov; same site, 5 ♀♀ (CRS), 4 ♀♀, 4.V.2007 (CAR-S). PAPHOS: Agios Mamas ruins, Gialia E., 215m, 1 ♀, beating *Cystus*, 28.IV.2007 (CJVK); Evretou Reservoir, 350m, 1 ♀, stones in grassland around lake, 1.V.2010 (CJVK); Evretou Reservoir, Stavros tis Psokas river, 1 ♂, 20.III.2018 (CKHK); Pelathousa SE., 245m, 1 ♀, sweeping grassland, 30.IV.2007 (CJVK).

Distribution: Eastern Mediterranean region, from Italy to the Caucasus. New to Cyprus.

Xysticus pseudoluctuosus Marusik & Logunov, 1995

Identification

Marusik & Logunov, 1995: 147, figs 26-27.

Citations

None.

New records

NICOSIA: Agridi, near Dali, 1 ♂, in grass in garden, III.2014. leg. D. McCowan (MMUE).

Distribution: Turkey, Tajikistan. New to Cyprus.

Xysticus xerodermus Strand, 1913

Identification

Levy, 1976: 27, figs 49-52

Citations

None.

New records

KERYNEIA: Kazafani, 150m, 1 ♀, under stones in olive grove, 23.XI.2010 (CRB).

NICOSIA: Athalassa National Forest Park, 1 ♂, *Pinus brutia* forest, 21.II.2016, M.

Hadjiconstantis leg. (CRB); Lakatamia, 1 ♂, in olive grove, 1.I.-1.X. 2016, M. Hadjiconstantis leg. (CRB); Kapedes S., 600m, 2 ♀♀, herbs and stones along rivulet, 5.V.2010 (CRB).

LIMASSOL: Fasouri marsh, 1 ♀, in low grass, 17.VI.2016 (CMH).

Distribution: Greece, Turkey, Israel. New to Cyprus.

Family Titanoecidae

Nurscia albomaculata (Lucas, 1846)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

LARNACA: Achna Reservoir, 50m, 3 ♂♂ 1 ♀, in pitfalls in marshy area around lake, 15 - 27.V.2011 (CRB); Larnaca SW, Hala Sultan Tekke mosque, 50m, 4 ♂♂, in pitfalls in salt marsh, 15 - 28.V.2011 (CRB).

NICOSIA: Dali, 13, Agios Andronikos, 1 ♀, in garden, V.2007 (CDM); Limnitis, 1 ♀, *Pinus brutia* forest, 13.V.2016 (CMH); Lympia Reservoir, Lympia, 1 ♂ 4 ♀♀, under stones below dam wall, 9.V.2013 (CDM); Marathasa Dam, 1 ♂,

pitfalls in riverside vegetation, 7.V. - 10.VII.2016 (CMH).

Distribution: Mediterranean region to Central Asia. New to Cyprus.

Nurscia albosignata Simon, 1874
Nurscia flavipes Simon, 1874: 235.

Identification

Lehtinen, 1967: 253, figs 430-431, 433. Kovblyuk *et al.* 2016: 129, figs 315-317, 319, 321, 324-325, 329-331.

Citations

Without precise locality (Simon, 1874).

New records

FAMAGUSTA: Flamoudi W., 25m, 3 ♂♂ 1 ♀, stones and phrygana near the beach, 25.V.2011 (CRB).

LARNACA: Achna Reservoir, 50m, 2 ♂♂, stones and litter bordering lake, 16.V.2011, 1 female, 21.XI.2010, (CRB).

LIMASSOL: Agios Tychonas, 3 subadult ♂♂ 2 juveniles, under stones near house walls, 19.IV.1986 (NHW); Amathus, 2 ♂♂ 6 subadult ♂♂ 4 juveniles, under stones in dry valley, 6.IV.1986, 2 juveniles, 6.IV.1986, 1 subadult ♂, 7.IV.1986, 1 juvenile, on house walls, 9.IV.1986 (NHW); Armenochori, 3 subadult ♂♂ 2 juveniles, under stones of a dry stone wall, 14.IV.1986 (NHW); Fasoula, 1 juvenile, olive garden with dry stone walls, 16.IV.1986 (NHW); Germasogeia, along the stream below the dam, 2 juveniles, under stones, 10.IV.1986 (NHW); Parekklesia, 3 subadult ♂♂ 6 juveniles, under stones in riverbed, 13.IV. 1986 (NHW). NICOSIA: Pyrgos, 1 subadult ♂ 2 juveniles, dry grassland, 15.IV.1986 (NHW).

PAPHOS: Mavrokolympos Reservoir, NE Potima, 150m, 1 ♀, under stones along lake, 22.V.2011 (CRB).

Distribution: Bulgaria, Cyprus to Central Asia.

Titanoeeca sp.

Records

LARNACA: Achna Reservoir, 50m, 1 ♀, under stones and litter bordering lake, 21.XI.2010 (CRB).

NICOSIA: Lympia Reservoir, Lympia, 1 ♀, under stones below dam wall, 9.V.2013 (CDM).

Comments

In the absence of males, these females cannot be identified to species level. Species occurring in Turkey and possible candidates are *Titanoeeca caucasicus* Dunin 1985, *T. incerta* Nosek, 1905 and *T. schineri* L. Koch, 1872.

Family Trachelidae

Trachelas minor O. Pickard-Cambridge, 1872

Identification

Simon, 1932: 958, 977, figs 1498-1499; Bosselaers *et al.*, 2009: 18, figs 4, 9-15.

Citations

None.

New records

LARNACA: Achna Reservoir, 50m, 2 ♀♀, under stones and litter bordering lake, 27.V.2011 (CRB), 1 ♂, pitfalls at same site, 15 - 27.V.2011 (CRB).

Distribution: Mediterranean to Central Asia, West Africa. New to Cyprus.

Family Uloboridae

Hyptiotes paradoxus (C. L. Koch, 1834)

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

NICOSIA: Agia Marina, 1 ♀, *Pinus brutia* forest, 7.III.2016 (CMH).

LIMASSOL: Pelendri, 1 ♂ 2 ♀♀, on herbs in *Pinus brutia* forest, 11. XII. 2018 (CMH).

PAPHOS: Kinousa, 1 ♀, in pine wood, 23.III.1998, coll. J. Murphy (MMUE).

Distribution: Palaearctic. New to Cyprus.

Uloborus plumipes Lucas, 1846

Identification

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

NICOSIA: Agridi, near Dali, 2 ♀♀, in garden, IV.2004 (CDM).

LIMASSOL: Akrotiri Peninsula, near British Airbase, 1 ♀, swept in pine wood, 4.V.2007 (CAR-S); Kolossi, N. of the castle, 2 ♀♀, under stones, 11.IV.1986 (NHMW).

PAPHOS: Akamas Peninsula, Neo Chorio, 1 ♀, swept from phrygrana and grass, 2.V.2007 (CAR-S); Oikos, 700m, 1 subadult ♀, small creek, 23.IV.2017, S. Huber leg. (CSH); 9 km N. Pano Panagia, 1050m, 1 subadult ♂, 1 ♀, 1 subadult ♀, in litter near spring, 19.V.2011 (CRB); Pomos Dam, 3 ♀♀, *Pinus brutia* forest, 27.VII.2016 (CMH).

Distribution: Old world. New to Cyprus.

Uloborus walckenaerius Latreille, 1806

Identification: <https://araneae.nmbe.ch/>.

Citations

None.

New records

FAMAGUSTA: Prastio S., Agios Andronikos, 30m, 3 ♀♀, under stones and herbs in *Eucalyptus* forest, 27.V.2011 (CRB); Protaras, Profitis Elias, 1 ♂, 2005 (CDM); Salamis ruins, 30m, 1 ♀, stones in ruins, 17.III.2011 (CRB).

LARNACA: Pervolia, 1 ♀, VII.2005 (CDM).

LIMASSOL: Akrotiri Peninsula, near Agios Nikolaos Monastery, 25m, 1 ♀, in grassy ditch, 23.III.2011 (CRB); Akrotiri Peninsula, near British Airbase, 1 ♀, swept in pine wood, 4.V.2007 (CRS); Mount Olympos (Chionistra), just below summit, 1 ♂, on shrub in *Pinus nigra* forest. 28.IV.2007 (CRS).

NICOSIA: Agridi, near Dali, 1 ♂, in garden, V.2011 (CDM); Lakatamia, in olive grove, 1 ♀, 1.I. Pervoli-1.X. 2016 (CMH).

PAPHOS: Avakas gorge, 50m, 1 ♀, on rocks in gorge, 30.IV.2010 (CJVK); near Paphos, 1 ♀, in marshy area, 1.V.1982, coll. A. Stubbs (MMUE);

Mandria, 1 ♂, in scrub, 5.V.1982, coll. A. Stubbs (MMUE).

Distribution: Palaearctic. New to Cyprus.

Family Zodariidae

Lachesana blackwalli (O. Pickard- Cambridge, 1872)

Laches blackwallii; Kulczyński, 1908: 59.

Lachesana blackwalli; Thaler & Knoflach, 2004: 41.

Identification

Thaler & Knoflach, 2004: 41, figs 4, 12, 14, 17, 19, 22, 25;

Citations

Without further locality (Kulczyński, 1908).

PAPHOS: Paphos, lowland near coast (Thaler & Knoflach, 2004); Agios Georgios (Thaler & Knoflach, 2004).

New records

FAMAGUSTA: Karpasia Peninsula, Apostolos Andreas Monastery, 50m, 1 ♂, stones in wasteland, 16.V.2011 (CJVK).

KERYNEIA: Larnakas tis Lapithou, 1 subadult ♀, stones in grassland, 17.I.2016 (CMH).

LIMASSOL: Mount Olympos (Chionistra), 1 subadult ♀, pitfalls in open *Juniperus foetidissima* forest, 6.IV. - 8.VI.2014 (CMH).

NICOSIA: Agios Sozomenos, near Dali, 1 juvenile, under stones in dry grassland, 30.IV.2007 (CAR-S).

PAPHOS: Lysos E., 550m, 1 subadult ♀, while digging for *Nemesia*, 27.IV.2017, S. Huber leg. (CSH).

Distribution: Crete, Cyprus, Turkey, Israel, Lebanon.

Palaestina expolita O. Pickard-Cambridge, 1872

Identification

Levy, 1992: 69, figs 1-12.

Citations

None.

New records

FAMAGUSTA: Kantara E. 650m, 1 ♂, in pitfalls in *Pinus* forest, XI.2010 - III.2011 (CRB);

Salamis S., Silver Beach, 5m, 1 ♂, in pitfalls in salt marsh, 15 - 27.V.2011 (CRB).

LARNACA: Achna Reservoir, 50m, 1 ♀, under stones and litter bordering lake, 27.V.2011 (CJVK); Kornos picnic site, 350m, 1 ♂, under stones, 28.V.2011 (CRB); Larnaca SW, Hala Sultan Tekke mosque, 50m, 66 ♂♂ 7 ♀♀, in pitfalls in salt marsh, 15-28.V.2011 (CJVK, CRB).

LIMASSOL: Akrotiri Peninsula, edge of central salt pan, 2 ♂♂, *Salicornia* marsh, 27.IV.2007 (CRS); Akrotiri Peninsula, Fasouri reedbeds, 1 ♂, 4.V.2007 (CRS).

NICOSIA: Dali, 1 ♀, under stones near river, 18.V.2007 (CAR-S); Elia-Angolemi road, 100m, 1 ♀, rubbish in dry riverbed, 18.V.2011 (CRB); Kato Koutrafas- Astromeritis road, 120m, 1 ♂, herbs on pond shore, 18.V.2011 (CJVK); Lympia Reservoir, Lympia, 1 ♂ 1 ♀, in grass tussocks and on concrete duct, 9.V.2013 (CAR-S).

PAPHOS: Evretou Reservoir, 350m, 1 ♂, shrubs and grassland around lake, 1.V.2010 (CJVK); Kidasi N., along Diarizos River, 300m, 2 ♂♂, under stones, 21.V.2011 (CRB).

Distribution: Crete, Turkey, Israel, Lebanon. New to Cyprus.

***Zodarion barbareae* Bosmans, 2009**

Identification

Bosmans, 2009: 248, figs 80-83, 138-139.

Citations

None.

New records

FAMAGUSTA: Rizokarpas, 1 ♂, *Juniperus phoenicea* forest, 12.III.2016 (CMH).

LARNACA: Larnaca SW, Hala Sultan Tekke mosque, 50m, 1 ♀, in pitfalls in salt marsh, 15-28.V.2011 (CJVK).

LIMASSOL: Pano Platres, 1050m, 1 ♂, litter near Mesopotamos Falls, 23.V.2011 (CRB), 3 ♀♀, 4.V.2010 (CJVK).

NICOSIA: Lefka Dam, 13 ♂♂, pitfalls in riverside vegetation, 7.V.-10.VII.2016 (CMH, CRB); near Platania Scout camping site, 2 ♂♂, pitfalls in *Pinus brutia* forest, 6.IV.-8.VI.2014, 1 ♀, IV.-VII.2017 (CRB).

PAPHOS: Kelefos bridge, 465m, deciduous wood, 1 ♂ 3 ♀♀, in litter, 5 ♂♂ 10 ♀♀, under bark, 16.III.2018 (CKHK); Kidasi S., Dhiarizos river, 244m, 2 ♀♀, 21.II.2011, *Alnus* forest, D. W. Wrase leg. (CRB).

Distribution

Greek Peloponnisos; first citation in Cyprus.

***Zodarion granulatum* Kulczyński, 1908**

Zodarium granulatum Kulczyński, 1908: 59, pl. 2, figs 4, 10 (descr. ♂); Bosmans, 2009: 274.

Identification

Bosmans 2009: 275, figs 170-171, 194-195.

Citations

Without further locality (Kulczyński, 1908).

LIMASSOL: Kourion, Apollo Hylates Temple (Bosmans, 2009).

PAPHOS: Saranta Kolones (Bosmans, 2009).

New records

NICOSIA: Agios Sozomenos, near Dali, 1 ♂, under stones in dry grassland, 29.IV.2007 (CAR-S), 1 ♂, 29.IV.2013 (CAR-S); Kampos NE, Xeros River, 550m, 1 ♂, stones in riverbed, 20.V.2011 (CRB); Marathasa Dam, 10 ♂♂ 3 ♀♀, pitfalls in riverside vegetation, 7.V. - 10.VII.2016 (CMH). PAPHOS: Kinousa SE, 400m, 1 ♀, under stones and litter in *Pinus* forest, 1.V.2010 (CJVK).

Distribution: Continental Greece and islands, Turkey, Cyprus, Israel and Lebanon.

***Zodarion lutipes* (O. Pickard-Cambridge, 1872)**

Zodarion lutipes; Bosmans, 2009: 281.

Identification

Bosmans 2009: 281, figs 184-185, 178-179.

Citations

PAPHOS: Agios Georgios, Cape Drepanum (Bosmans, 2009); Akrotiri Peninsula (Bosmans, 2009).

New records

LIMASSOL: Akrotiri Peninsula, edge of central salt pan, 1 ♂, *Salicornia* marsh, 27.IV.2007 (CAR-S).

PAPHOS: Evretou Reservoir, 350m, 4 ♂♂ 1 ♀, stones in grassland around lake, 1.V.2010 (CJVK, CRB); near Kidasi village, Diarizos Valley, 2 ♀♀, under bark of plane tree near stream, 1.V.2013 (CAR-S); near Souskiou, 1 ♂, under stones in dry grassland, 1.V.2013 (CDM).

Distribution: Israel, Lebanon, Jordan and Cyprus.

Zodarion reticulatum Kulczyński, 1908
Zodarion reticulatum Kulczyński, 1908: 61, pl. 2, figs 16 (descr. ♀); Bosmans, 2009: 280.

Identification

Bosmans, 2009: 280, figs 174-175, 182-183.

Citations

Cyprus, without further locality (type locality; Kulczyński, 1908).
 LIMASSOL: Kourion, Apollo Hylates Temple (Bosmans, 2009); Kourion (Bosmans, 2009); Episkopi (Bosmans, 2009); Avdimou coast (Bosmans, 2009); between Platres and Caledonia Waterfall (Bosmans, 2009); Troodos mountains, road Platres-Troodos (Bosmans, 2009).
 PAPHOS: Panagia (Bosmans, 2009); Pegia (Bosmans, 2009).

New records

FAMAGUSTA: Rizokarpaso, 8 ♂♂ 1 ♀, *Juniperus phoenicea* forest, 12.III.2016 (CMH).
 KERYNEIA: Agios Georgios, 1 ♂ 3 ♀♀, under stone in coastal scrub, 21.III.1998, coll. J. Murphy (MMUE); Chalefka, Sourp Magar Monastery (Armenomonastiro) road, 660m, 1 ♂, under stones in open *Pinus* forest, 23.XI.2010 (CRB); Kazafani, 150m, 1 ♂, under stones in olive grove, 23.XI.2010 (CRB); Klepini, 300m, 1 ♀, under stones in open *Pinus* forest, 23.XI.2010 (CRB); Vasileia S., 200m, 1 ♀, in dry riverbed in olive grove, 25.XI.2010 (CRB).
 LARNACA: Kornos Picnic site, 350m, 1 ♂, 2 ♀♀, under stones in *Pinus* forest, 28.V.2011 (CJVK, CRB); Stavrovouni Monastery, 350m, 1 ♀, stones in *Pinus* forest, 28.IV.2010 (CJVK).
 LIMASSOL: Agros SW, 950m, 1 ♀, under stones in *Pinus* forest, 5.V.2010 (CJVK); Akrotiri Peninsula E., 5m, 1 ♀, under stones and in litter in salt marsh, 29.IV.2010 (CJVK); road Kaminaria-Lemithou, 7 ♂♂ 4 ♀♀, pitfalls in *Pinus brutia* forest, 6.IV. - 8.VI.2014 (CMH); Pano Platres, below Caledonia Waterfall, 1 ♂, under stones in rocky valley, 26.IV.2007 (CRS); Pedoulas, 960m, 1 ♂ 1 ♀, night catch in orange garden, 18.IV.2017, S. Huber leg. (CSH); Troodos S., road to Pano Platres, 2 ♀♀, under stones in *Pinus nigra* forest, 28.IV.2007 (CRS); Troodos village, 1 ♂, stones in *Pinus* forest, 22.IV.86 (NHW).
 NICOSIA: Agios Sozomenos, near Dali, 1 ♀, in dry grassland, 1.IV.2012 (CDM); Armenochori, 1 ♂ 1 ♀ 3 juveniles, under stones of a dry stone wall, 14.IV.1986 (NHW); Erimi, 1 ♀, under

stones in dry riverbed, 18.IV.1986 (NHW); Kampos NE, Xeros River, 550m, 1 ♀, stones in riverbed and beaten from shrubs, 20.V.2011 (CJVK); Kapedes, 1 ♂, pitfalls in *Pinus brutia* forest, 17.I. - 23.IV.2016 (CMH); Machairas forest near Kioni, 1300m, 1 ♂ 1 ♀, stony phrygana, 5.V.2010 (CJVK); Marathasa Dam, 2 ♂♂ 1 ♀, pitfalls in riverside vegetation, 7.V. - 10.VII.2016 (CMH); Panagia Glossa Monastery near Kellaki, 1 ♀, stones in cultivated land, 12.IV.1986 (NHW); Lakatamia, 1 ♀, in olive grove, 1.I.-1.X. 2016 (CMH); Pano Amiantos, pitfalls in *Pinus brutia* forest, 6.IV. - 8.VI.2014 (CMH); road Pedoulas-Lemithou, 8 ♂♂ 3 ♀♀, pitfalls in *Pinus nigra* and *Pinus brutia* forest, 6.IV. - 8.VI.2014 (CMH).
 PAPHOS: Agios Minas picnic site, 1 ♀, under stone in open pine woodland, 13.IV.2017 (CAR-S); Akamas Peninsula, Agios Mamas, 250m, 1 ♀, road embankment, 22.IV.2017, S. Huber leg. (CSH); Akamas Peninsula, Avgas Estuary, 1 ♀, under stones, 31.III.1997 (CJB); Asprokremmos Dam, N. Kouklia, 150m, 2 ♂♂, herbs and stones along lake, 29.IV.2010 (CJVK); near Avakas Gorge, 1 ♂ 2 ♀♀, under stones in field with tall grass, 14.IV.2017 (CAR-S); Cape Drepanum, 1 ♀, under stone, 29.III.1998, coll. J. Murphy (MMUE); Kelefos bridge, dam on Diarizos River, 550m, 1 ♂, under stones, 21.V.2011 (CJVK); Neo Chorio, 1 ♂ 2 ♀♀, under stone, 30.III.1998, coll. J. Murphy (MMUE); Vretsia W., near Kelefos bridge, 650m, 1 ♀, under stones, 19.V.2011 (CJVK); Pegeia, Pikni Forest, 346m, 1 ♂, pitfalls in former carob plantation, 11.III. - 23.III.2018 (CKHK); Pegeia, Pikni Forest, 366m, 2 ♀♀, in pine forest, 11.III. - 23.III.2018 (CKHK).

Distribution: Cyprus, and further only known from Chios (Russell-Smith et al. 2011).

Zodarion thoni Nosek, 1905

Zodarium thoni var. *cypria* Kulczyński, 1908: 57, pl. 2, fig. 39.

Zodarion thoni; Bosmans, 2009: 272.

Identification

Bosmans, 2009: 272, figs 168-169, 176-177.

Citations

Without precise locality (Kulczyński, 1908, sub *Z. thoni cyprium*).
 LARNACA: Larnaca (Bosmans, 2009).
 LIMASSOL: Avdimou coast (Bosmans, 2009).

NICOSIA: Agios Sozomenos, near Dali, (Bosmans, 2009).
PAPHOS: Paphos, Coral Bay (Bosmans, 2009).

New records

FAMAGUSTA: Cape Greco, Ayia Napa, 35m, 1 ♂ 1 ♀, stones in phrygana, 27.IV.2010 (CJVK, CRB); Gialousa E., Agios Thrysos, 20m, 1 ♂ 1 ♀ 2 subadult ♀♀, litter under fig tree, 18.III.2011 (CJVK, CRB); Kantara castle, 650m, 1 ♀, stones in ruins, 19.III.2011 (CRB); Karpasia Peninsula, Apostolos Andreas Monastery, 50m, 1 ♀, stones in wasteland, 16.V.2011 (CRB); Karpasia Peninsula, Cape Apostolos Andreas, 70m, 1 ♀, stones in grassland, 16.V.2011 (CJVK); Paralimni Lake, 65m, 2 ♂♂, herbs and litter around dried lake, 27.IV.2010 (CJVK, CRB); Prastio S., Agios Andronikos, 30m, 2 ♂♂, under stones and herbs in *Eucalyptus* forest, 27.V.2011 (CRB); Salamis ruins, 50m, 1 ♀, under stones, 15.V.2011 (CJVK).
KERYNEIA: Panagia Apsinthiotissa Monastery ruins, 350m, 1 ♀, stones in clearing in *Pinus* forest, 24.V.2011 (CJVK).
LARNACA: Achna Reservoir, 50m, under stones and litter bordering lake, 4 ♂♂ 1 ♀, 27.V.2011 (CJVK, CRB), 20 ♂♂ 1 ♀, pitfalls at same site, 15. - 27.V.2011 (CJVK, CRB); Larnaca SW, Hala Sultan Tekke mosque, 50m, 3 ♂♂ 3 ♀♀, in pitfalls in salt marsh, 15-28.V.2011 (CJVK, CRB), 1 ♀, hand collected at same site, 15.V.2010 (CJVK).

LIMASSOL: Akrotiri Peninsula, near British Airbase, 1 ♀, under stones in phrygana, 4.V.2007 (CAR-S); Kourion archaeological site near Episkopi, 3 ♂♂, under stones, 9.V.2007 (CAR-S); Pissouri, 1 ♀, in grass, 24.III.1998, coll. J. Murphy (MMUE).

NICOSIA: Agioi Trimithias, 1 ♂, in olive grove, 22.I.2016 (CMH); Agios Sozomenos, near Dali, 2 ♂♂, under stones in dry grassland, 30.IV.2007 (CAR-S), 4 ♂♂, under stones in phrygana, 30.IV.2007 (CAR-S), 1 ♂, 29.IV.2013 (CRS), 1 ♂, IV.2011 (CDM); Agridi, near Dali, 1 ♀, in yard, IV.2009, 1 ♀, on veranda, 1.II.2010, 1 ♀, in house, II.2010, 1 ♂, in garden; Dali, 13, Agios Andronikos, 1 ♂, in garden, V.2008 (all CDM); Lakatamia, 3 ♀♀, in olive grove, 1.I. - 1.X. 2016 (CMH); Marathasa Dam, 26 ♂♂ 5 ♀♀, pitfalls in riverside vegetation, 7.V. - 10.VII.2016 (CMH); Masari S., Merika River, 120m, 5 ♂♂ 6 ♀♀,

stones in wasteland, 24.V.2011 (CJVK, CRB); Panagia Glossa Monastery near Kellaki, 1 ♀, agricultural land, stones, rarely plants, 12.IV.1986 (NHW); Xerargaka S., Orkontas, 2 ♂♂, riverside vegetation, 26.III.2016 (CMH).
PAPHOS: Akamas Peninsula, Avakas Gorge, 3 ♀♀, under stone, 27.III.1998, coll. J. Murphy (MMUE); Akamas Peninsula, track along the sea, 10m, 1 ♀, stones in *Juniperus* phrygana, 30.IV.2010 (CRB); Akamas Peninsula, Agios Minas, 2 ♂♂, under stones in meadow with tall grass, 2.V.2007 (CAR-S); Akamas Peninsula Cape Geronnisos S., 2 ♀♀, under stones in dry phrygana, 3.V.2007 (CAR-S); Kinousa, 1 ♂, in pine wood, 19.III.1998, coll. J. Murphy (MMUE); Smigies, 1 ♀, under stone in hillside scrub, 26.III.1998, coll. J. Murphy (MMUE).

Distribution: Greece, Bulgaria, Romania, Macedonia, Russia, Ukraine, Azerbaijan, Armenia, Georgia, Turkey, Cyprus, Lebanon.

Family Zoropsidae

Akamasia cyprogenia (Bosselaers, 1997)

Zoropsis cyprogenia Bosselaers, 1997: 164, figs 2-10.

Akamasia cyprogenia; Bosselaers, 2002: 149, figs 3C, 4A-B.

Identification

Bosselaers, 2002: 148, figs 4A-C.

Citations

PAPHOS: Akamas Peninsula, Avakas Gorge (Bosselaers, 1997; type locality); Akamas Peninsula, Neo Chorio (Bosselaers 2002).

New records

NICOSIA: Kampos, 500m, 1 ♂ 1 ♀, old holiday village, 23.IV.2017, S. Huber leg. (CSH); near Platania Scout camping site, 1 ♀, pitfalls in *Pinus brutia* forest, 6.IV. - 8.VI.2014 (CMH).

PAPHOS: Akamas Peninsula, Agios Mamas, 250m, 1 ♂, road embankment, 22.IV.2017, S. Huber leg. (CSH).

Distribution: A rare endemic species of Cyprus.

Zoropsis lutea (Thorell, 1875)

Zoropsis lutea asiatica Kulczyński, 1911: 12, pl. 1, figs 1.

Identification

Levy, 1990: 141, figs 1-16.

Citations

Without precise locality Kulczyński, 1911, as *Zoropsis lutea asiatica*, now considered a synonym of the nominal species.).

New records

FAMAGUSTA: Agios Sergios, 30m, 1 ♀, stones in phrygana, 17.III.2011 (CRB); Cape Apostolos Andreas, 1 ♀, *Juniperus phoenicea* forest 30.III.2016 (CMH); N. Vouni ruins, 250m, 1 ♀, stones in ruins, 20.III.2011 (CRB); Rizokarpaso W., Panagia Eleousa Monastery, 30m, 2 ♀♀, stones in *Pinus* forest, 18.III.2011.

KERYNEIA: Agios Georgios, 1 ♀, under stone in coastal scrub, 21.III.1998, coll. J. Murphy (MMUE).

NICOSIA: Ayia Koroni, Agios Epifanios, 1 ♀, in house, XI.2004, 1 ♀, in house, IV.2005 (CDM); Agridi, near Dali, 1 ♀, under bark of pine tree, I.2011, 1 ♀, in yard, 7.I.2010 (CDM); 1 ♀, in Eucalyptus litter in garden, 29.IV.2013 (CAR-S); Dali, Lymbourena Hill, 1 ♀, 2005 (CDM).

LIMASSOL: Akrotiri Peninsula, Turtle Beach, 1 ♀, in phrygana, 15.III.2018 (CKHK); Amathus, 1 ♀, under stones in dry valley, 6.IV.1986 (NHW); Armenochori, 1 ♀, under stones of a dry stone wall, 14.IV.1986 (NHW); Kourion, Apollo Hylates Temple, 1 ♀, under stones in the

area of the archaeological site, 23.IV.1986 (NHW); Oikos, 700m, 1 ♀, limy slope, 23.IV.2017, S. Huber leg. (CSH); Pano Platres, track near Caledonia Waterfall, 1 juvenile; under stones and in litter at edge of *Pinus nigra* forest, 26.IV.2007 (CAR-S); road Pano Platres-Troodos, 1 juvenile, under stones in *Pinus nigra* forest, 1.V.2007 (CAR-S); Pissouri, 1 ♀, in grass, 24.III.1998, coll. J. Murphy (MMUE).
PAPHOS: Akamas Peninsula, 2 ♀♀, in coastal grassland, 22.III.1998, coll. J. Murphy (MMUE); Baths of Aphrodite, 1 ♀, under large stone near beach, 15.IV.2017 (CAR-S); Evretou Reservoir, Stavros tis Psokas river, 1 ♀, 20.III.2018 (CKHK); Gialia, 1 ♀, in pine wood, 25.III.1998, coll. J. Murphy (MMUE); Kinousa E., Agios Merkourios, 350m, 1 ♀, under stones and litter in *Pinus* forest, 1.V.2010 (CRB); Kouklia-Pissouri road, 150m, 1 ♀, stony slope near sea, 22.III.2011 (CRB); Makounta, 1 ♂, under stones in scrub, 19.III.1998, coll. J. Murphy (MMUE); Neo Chorio, 1 ♀, under stone, 30.III.1998, coll. J. Murphy (MMUE); Paphos NW, 1 ♀, under stones at the edge of a large sand pit, 24.IV.1986 (NHW); Polis W., Latsi, path to Blue Lagoon, 50m, 1 ♂, 22.IV.2017, S. Huber leg. (CSH); Smigies, 1 ♀, under stone in hillside scrub, 26.III.1998, coll. J. Murphy (MMUE).

Distribution: Eastern Mediterranean, Ukraine.

VII. Discussion

Prior to this publication, only 103 spider species had been recorded from Cyprus (Nentwig *et al.*, 2019). The 449 species recorded here more than quadruples that number, a testimony to the efficacy of focused surveys by teams of arachnologists in documenting biodiversity. Figure 1 shows the increase in the number of species per year. Interest in the spider of Cyprus appears to have been very low and grew very gradually until 2012, rising quickly from then on.




Figure 1: The number of species recorded per year in Cyprus between 1872 and 2019.

A consideration of Table 1 above shows that the total number of spider species in Cyprus (449) is close to that for the island of Crete (430 species), a similarly sized eastern Mediterranean island (Bosmans *et al.*, 2013). Furthermore, a comparison of the family composition of the spider faunas of these two islands indicates that they are closely similar in this respect as well. For the seven most species-rich families (Araneidae, Gnaphosidae, Linyphiidae, Lycosidae, Salticidae, Theridiidae, Thomisidae) the proportion of each family represented in the total lies within 1.5% of each other in the two islands. This is not to suggest that there are no significant differences at all. The fauna of Cyprus includes two families, Ctenidae and Phyxelididae (each represented by a single species) not represented in Crete or elsewhere in Europe and a number of genera that also are not known to occur in Crete (e.g. *Hersiliola* (Hersiliidae), *Cithaeron* (Cithaeronidae), *Zaituna* (Filistatidae) and *Akamasia* (Zoropsidae)).

Another clear difference between the spider faunas of Cyprus and Crete lies in the number of endemic species represented in each island. In Crete there are 58 species recorded as endemic to the island, representing 13.5% of all spiders (Bosmans *et al.*, op. cit.). By contrast, in Cyprus only 17 species endemic to the island are currently known, representing 4.3% of all spiders. The reasons for this difference are not entirely clear but a significant factor could be the close proximity of Cyprus to Turkey on the one hand (only 70 km at the nearest point) and to Syria on the other (only 105 km at the nearest point). It seems likely that there has been frequent movement of spider species from Turkey and the Middle East to Cyprus. This suggestion is strongly borne out by the distribution data provided in this catalogue which includes a relatively high proportion of species which are also represented in Turkey and/or the Middle East.

How complete is our knowledge of the Cyprus spider fauna? Although the present work provides a useful starting point, it is almost certain that the species list will expand significantly over the coming decades. A paper in preparation includes 23 species new to science from the island (Bosmans *et al.*, in prep.) and further collecting will very likely reveal many more, both new to Cyprus and to science. Given the island's position at a crossroads between Asia, Africa and Europe and our limited knowledge of the fauna of the eastern Mediterranean as a whole, we can confidently expect to see a rapid growth in the number of species from Cyprus.

Table 3 lists the 17 currently known endemic species of Cyprus. The species that will be described as new in a future paper are not taken into account here. Dysderidae and Linyphiidae are the most abundant species.

Six of the species listed show no special habitat preferences and have large distribution areas, occurring in all or almost all island districts. These species perhaps also occur in nearby Turkey. Four species prefer litter in forest or phrygana. two species are restricted to caves and one species seems to prefer wetland habitats. Several species have insufficiently known habitats and more research is necessary to establish the preferences of these species.

| Family | Species | Districts | Habitat |
|---------------|---------------------------------|-------------------|---|
| Dysderidae | <i>Dysderocrates kibrisensi</i> | Ni | Caves |
| Dysderidae | <i>Harpactea ceconii</i> | La Li Ni Pa | Various |
| Dysderidae | <i>Harpactea gunselorum</i> | Ke Ni | Forests |
| Dysderidae | <i>Harpactea kalavachiana</i> | Ni | Caves |
| Gnaphosidae | <i>Berinda cypria</i> | Fa Li Pa | Various |
| Gnaphosidae | <i>Drassyllus cyprius</i> | Ke La Li Ni Pa | Forest, phrygana |
| Linyphiidae | <i>Araeoncus cypriacus</i> | Li Pa | Litter |
| Linyphiidae | <i>Improphanes cypriot</i> | Fa La Ni Pa | Various |
| Linyphiidae | <i>Palliduphanthes minimus</i> | Ke La Li Ni | Forests, grass tussocks |
| Linyphiidae | <i>Walckenaera cypresensis</i> | Li Ni Pa | Forests, mostly at high altitudes |
| Liocranidae | <i>Mesiotelus cyprius</i> | Fa Ke La Li Ni Pa | Various |
| Nemesiidae | <i>Brachythele incerta</i> | Unknown | Unknown |
| Oonopidae | <i>Opopaea saaristoi</i> | 'North Cyprus' | 'Plants on sandy ground' |
| Salticidae | <i>Aelurillus cypriotus</i> | Fa Li Ni Pa | Various |
| Theridiidae | <i>Theridion cyprusense</i> | Pa | Bushes along rivers, springs and near beach |
| Theraphosidae | <i>Chaetopelma karlamani</i> | Fa Ke La Ni | Forests at higher altitude |
| Zoropsidae | <i>Akamasia cyrogenia</i> | Ni Pa | Forest litter |

Table 3: Currently known endemic species of Cyprus, their distribution in districts and recorded habitat preferences (Fa: Famagusta; Ke: Keryneia; La: Larnaca; Li: Limassol; Ni: Nicosia; Pa: Paphos).

Acknowledgements

B. Huber is thanked for the identification of Pholcidae, D. Logunov and G. Azarkina for the identification of Salticidae and Thomisidae, M. Chatzaki for the identification of Gnaphosidae and A. Bolzern for the identification of Agelenidae. Without their willing help this catalogue would have been impossible to complete. Many thanks also to Martin Askins, Maria Chatzaki, George Constantinou, Herman Dekoninck, Marios Giannapas, Evan Jones, Christodoulos Makris, Eleni Panayiotou, Matthew Smith, Robin D. Symeou and Lut Vannieuwenhuyse for their valuable help during sampling. Theo Blick and Aydin Topçu are thanked for examining material of *Megalepthyphantes. turkeyensis*. We thank Christof Hörweg (NHMV) for making available for study the holotype of *Brachythele incerta*. Finally, we would like to thank Theo Blick, Wolfgang Nentwig and some ARABEL members for interesting discussions.

References

- AHARON, S., HUBER, B. A. & GAVISH-REGEV, E. (2017). Daddy-long-leg giants: revision of the spider genus *Artema* Walckenaer, 1837 (Araneae, Pholcidae). *European Journal of Taxonomy* **376**: 1-57.
- AUSSERER, A. (1871). Beiträge zur Kenntniss der Arachniden-Familie der Territelariae Thorell (Mygalidae Autor). *Verhandlungen der kaiserlich-königlichen zoologisch-botanischen Gesellschaft in Wien* **21**: 117-224.
- AZARKINA, G. N. (2002). New and poorly known species of the genus *Aelurillus* Simon, 1884 from Central Asia, Asia Minor and the eastern Mediterranean (Araneae: Salticidae). *Bulletin of the British Arachnological Society* **12** (6): 249-263.
- AZARKINA, G. N. (2006). Four new species of the genus *Aelurillus* Simon, 1884 (Araneae: Salticidae). In C. Deltshev & P. Stoev (eds.), European Arachnology 2005. *Acta zoologica bulgarica Supplement* **1**: 63-72.
- AZARKINA, G. N., ZOUMIDES, C. & HADJICONSTANTIS, M. (2018). First description of the female of *Aelurillus cypriotus* Azarkina 2006 (Araneae: Salticidae). *Acta Arachnologica* **67**(1): 49-54.
- BAYRAM, A., EFIL, L. & DELTSHEV, C. (2009). *Pardosa roscai* (Roewer, 1951), a spider new to the fauna of Turkey (Araneae: Lycosidae). *Turkish Journal of Zoology* **33**: 463-467.
- BLAUWE, R. de. (1980a). Revision de la famille des Agelenidae (Araneae) habitant la region méditerranéene (3e partie). *Bulletin de l' Institut royal des Sciences naturelles de Belgique* **52**(11): 1-28.
- BLAUWE, R. de. (1980b). Revision de la famille des Agelenidae (Araneae) de la region mediterraneene (2e partie). *Bulletin de l' Institut royal de Sciences naturelles de Belgique* **52**: 1-54.
- BORGES, P. A. V. & WUNDERLICH, J. (2008). Spider biodiversity patterns and their conservation in the Azorean archipelago, with descriptions of new species. *Systematics and Biodiversity* **6**: 249-282.
- BOSMANS, R. (1996). The genera *Araeoncus* Simon, *Delorripis* Simon and *Diplocephalus* Bertkau in northern Africa (Araneae: Linyphiidae: Erigoninae): Studies on North African Linyphiidae VII. *Belgian Journal of Zoology* **126**: 123-151.
- BOSMANS, R. (2006). Contribution to the knowledge of the Linyphiidae of the Maghreb. Part XI. Miscellaneous linyphiid genera and additions (Araneae: Linyphiidae: Linyphiinae). *Bulletin et Annales de la Société royal belge d'Entomologie* **141**: 125-161.
- BOSMANS, R. (2009). Revision of the genus *Zodarion* Walckenaer, 1833, part III. South East Europe and Turkey (Araneae, Zodariidae). *Contributions to natural History* **12**: 211-295.
- BOSMANS, R. (2011). On some new or rare spider species from Lesbos, Greece (Araneae: Agelenidae, Amaurobiidae, Corinnidae, Gnaphosidae, Liocranidae). *Arachnologische Mitteilungen* **40**: 15-22.
- BOSMANS, R., BAERT, L., BOSSELAERS, J., DEONINCK, H., MAELFAIT, J.-P. & VAN KEER, J. (2009). Spiders of Lesbos (Greece). *Nieuwsbrief van de Belgische Arachnologische Vereniging* **24** (SUPPL.): 1-70.
- BOSMANS, R. & BLICK, T. (2000). Contribution to the knowledge of the genus *Micaria* in the West-palaearctic region, with description of the new genus *Arboricaria* and three new species (Araneae Gnaphosidae). *Memorie della Società Entomologica Italiana, Genova* **78**: 443-476.
- BOSMANS, R. & BOURAGBA, N. (1992). Trois nouvelles Linyphiidae de l'Atlas Algérien, avec la description du mâle de *Leptyphantes djazairi* Bosmans, et la redescription de *Leptyphantes homonymus* Denis (Araneae). *Bulletin & Annales de la Société Entomologique de Belgique* **128**: 245-262.
- BOSMANS, R. & VAN KEER, J. (1999). The genus *Enoplognatha* Pavesi, 1880 in the Mediterranean region (Araneae: Theridiidae). *Bulletin of the British Arachnological Society* **11**: 209-241.
- BOSMANS, R., KALTSAS, D., KURT, K., YAGMUR, E. A., BIRD L. A. & HARVEY M. S. (2016). Chapter 19: Arachnidae, 467-531. In: SPARROW, D. J. & JOHN E. An introduction to the wildlife of Cyprus. Terra Cypria, Cyprus, 895
- BOSMANS, R., KHERBOUCHE-ABROUS, O., BENHALIMA, S. & HERVÉ, C. (2018). The genus *Haplodrassus* Chamberlin, 1922 in the Mediterranean and the Maghreb in particular (Araneae: Gnaphosidae). *Zootaxa* **4451**(1): 1-67.pp.
- BOSSELAERS, J. (1997). *Zoropsis cyprogenia* sp. n., a new, probably endemic spider species from Cyprus (Araneae, Zoropsidae). *Phegea* **25**: 162-168.
- BOSSELAERS, J. (2002). A cladistic analysis of Zoropsidae (Araneae), with the description of a new genus. *Belgian Journal of Zoology* **132**: 141-154.
- BOSSELAERS, J. (2009). Studies in Liocranidae (Araneae): redescriptions and transfers in *Apostenus* Westring and *Brachyanillus* Simon, as well as description of a new genus. *Zootaxa* **2141**: 37-55.
- BOSSELAERS, J. & JOCQUÉ, R. (2002). Studies in Corinnidae: cladistic analysis of 38 corinnid and liocranid genera, and transfer of Phrurolithinae. *Zoologica Scripta* **31**: 241-270.
- BREITLING, R. (2019). A barcode-based phylogenetic scaffold for *Xysticus* and its relatives (Araneae: Thomisidae: Coriarachnini). *Ecologica Montenegrina* **20**: 198-206.
- BRIGNOLI, P. M. (1968). Su alcuni Araneidae e Theridiidae di Sicilia (Araneae). *Atti dell' Accademia Gioenia di Scienze Naturali in Catania* (6) **20**: 85-104.
- BRIGNOLI, P. M. (1976). Ragni di Grecia IX. Specie nuove o interessanti delle famiglie Leptonetidae, Dysderidae, Pholcidae ed Agelenidae (Araneae). *Revue Suisse de Zoologie* **83**(3): 539-578.
- BRIGNOLI, P. M. (1980). Some new or interesting eastern Mediterranean Dysderidae and Agelenidae (Araneae). *Annales Zoologici, Warszawa* **35**: 75-82.

- BRIGNOLI, P. M. (1982). Contribution à la connaissance des Filistatidae paléarctiques (Araneae). *Revue Arachnologique* 4: 65-75.
- BUCHAR, J. (1968). Zur Lycosidenfauna Bulgariens (Arachn., Araneae). *Věstník Československé Zoologické Společnosti v Praze* 32: 116-130.
- BUCHAR, J. & THALER, K. (2002). Über *Pardosa atomaria* (C.L. Koch) und andere *Pardosa*-Arten an Geröllufern in Süd- und Mitteleuropa (Araneae, Lycosidae). *Linzer Biologische Beiträge* 34: 445-465.
- BUCHAR, J., KNOFLACH, B. & THALER, K. (2006). On the identity of *Arctosa varians* C. L. Koch and *Artosa similis* Schenkel, with notes on related species. *Bulletin of the British Arachnological Society* 13: 329-336.
- CARILLO, J. & FERRÁNDEZ, M.A. (2014). Primeros registros de *Scytodes univittata* Simon 1882 (Araneae: Scytodidae) en la Península Ibérica. *Revista Ibérica Aracnología* 24: 53-57.
- CHATZAKI, M. (2010). A revision of the genus *Nomisia* in Greece and neighboring regions with the description of two new species. *Zootaxa* 2501: 1-22.
- CHATZAKI, M. (2018). On the ground spider genera *Marjanus* gen. n., *Lasophorus* gen. n. and *Turkozelotes* Kovblyuk & Seyyar, 2009 (Araneae: Gnaphosidae) from Greece. *Zootaxa* 4392(3): 521-545.
- CHATZAKI, M., THALER, K. & MYLONAS, M. M. (2002a). Ground spiders (Gnaphosidae; Araneae) of Crete (Greece). Taxonomy and distribution. I. *Revue Suisse de Zoologie* 109: 559-601.
- CHATZAKI, M., THALER, K. & MYLONAS, M. (2002b). Ground spiders (Gnaphosidae, Araneae) of Crete and adjacent areas of Greece. Taxonomy and distribution. II. *Revue Suisse de Zoologie* 109: 603-633.
- CHATZAKI, M., THALER, K. & MYLONAS, M. (2003). Ground spiders (Gnaphosidae; Araneae) from Crete and adjacent areas of Greece. Taxonomy and distribution. III. *Zelotes* and allied genera. *Revue Suisse de Zoologie* 1109: 45-89.
- CHATZAKI, M. & RUSSELL-SMITH, A. (2017). New species and new records of ground spiders (Araneae: Gnaphosidae) from Cyprus. *Zootaxa* 4329(3): 237-255.
- CHATZAKI, M. & VAN KEER, J. (2019). Ground spiders (Araneae: Gnaphosidae, Liocranidae, Prodidomidae) from the Greek islands Rodos, Symi and Karpathos, with the description of new species. *Zootaxa* 4646(3): 434-460.
- CHATZOPOULOU, E. & CHATZAKI, M. (2009). Taxonomic review of some *Drassodes* species from Greece and other east Mediterranean countries (Araneae: Gnaphosidae). *Contributions to Natural History* 12: 349-359.
- CRESPO, L. C., MENDES, S. & PRADO E. CASTRO, C. (2010). Two additions to the portuguese and iberian spider (Arachnida, Araneae) fauna. *Graellsia* 66: 97-100.
- DEELEMAN-REINHOLD, C. L. (1985). Contribution à la connaissance des *Leptyphantes* du groupe *pallidus* (Araneae, Linyphiidae) de Yougoslavie, Grèce et Chypre. *Mémoires de Biospéleologie* 12: 37-50.
- DEELEMAN-REINHOLD, C. L. & DEELEMAN, P. R. (1988). Revision des Dysderinae (Araneae, Dysderidae), les espèces méditerranéennes occidentales exceptées. *Tijdschrift voor Entomologie* 131: 141-269.
- DELTshev, C. D. & PARASCHI, L. (1990). A contribution to the study of spiders (Araneae: Dysderidae, Salticidae, Agelenidae) in Greece, with a description of a new species (*Malthonica spinipalpis* Deltshev, sp. n. Agelenidae). *Biologia Gallo-Hellenica* 17: 3-12.
- DEMIR, H., AKTAŞ, M. & SEYYAR, O. (2008). The female of *Xysticus pseudorectilineus* (Wunderlich, 1995) (Araneae: Thomisidae) from Turkey. *Zootaxa* 1674: 65-68.
- DENIS, J. (1937). On a collection of spiders from Algeria. *Proceedings of the Zoological Society of London* 1936: 1027-1060.
- DUNIN, P. M., BUCHAR, J. & ABSOLON, K. (1986). Die Dritte Paläarktische *Aulonia*-Art: *Aulonia kratochvili* sp. n. (Araneida, Lycosidae). *Věstník Československé Zoologické Společnosti v Praze* 50: 28-32.
- EFIMIK, V. E. (1999). A review of the spider genus *Tibellus* Simon, 1875 of the East Palearctic (Aranei: Philodromidae). *Arthropoda Selecta* 8: 103-124.
- ESYUNIN, S. L. (1994). Remarks on the spider fauna of the Urals, 3. *Devade* Simon, 1884, a genus new to the Urals, with notes on *Devade indistincta* (O. P.-Cambridge, 1872) (Arachnida Aranei Dictynidae). *Arthropoda Selecta* 3(1-2): 39-47.
- ESYUNIN, S. L. & EFIMIK, V. E. (2000). A review of the genus *Devade* (Aranei, Dictynidae) from fauna of central Asia and southern Russia. *Zoologicheskii Zhurnal* 79: 679-685.
- ESYUNIN, S. L. & MARUSIK, Y. M. (2001). A new species of the genus *Devade* Simon, 1884 from Mongolia, with notes on *D. tenella* (Tyschchenko, 1965) (Aranei: Dictynidae). *Arthropoda Selecta* 9: 129-131.
- FEDORIAK, M., VOLOSHYN, V. L. & MOSCALIUIC, L. A. (2016). Scientific heritage of Alexandru Roșca: publications, spider collection, described species. *Arachnologische Mitteilungen* 51: 85-91.
- GUADANUCCI, J. P. L. & GALLON, R. C. (2008). A revision of the spider genera *Chaetopelma* Ausserer 1871 and *Nesiergus* Simon 1903 (Araneae, Theraphosidae, Ischnocolinae). *Zootaxa* 1753: 34-48.
- GÜCEL, S., FULLER, Ö. Ö., GÖÇMEN, B. & KUNT, K. B. (2018). *Harpactea gunselorum* sp. n., a new spider species from northern Cyprus (Araneae: Dysderidae). *Serket* 16(2): 80-86.
- GÜCEL, S., CHARALAMBIDOU, I., GÖÇMEN, B. & KUNT, K. B. (2019). New data of spiders (Arachnida, Araneae) of Cyprus. 1. Dysderidae found in caves. *ZooKeys* 825: 43-53.
- HEPNER, M. & PAULUS, H. F. (2009). Contributions on the wolf spider fauna (Araneae, Lycosidae) of Gran Canaria (Spain). *Bulletin of the British Arachnological Society* 14: 339-346.

- HILLYARD P. D. (1983). *Episinus maculipes* Cavanna (Araneae, Theridiidae): rediscovery in Britain. *Bulletin of the British Arachnological Society* **6**: 88-92.
- HIPPA, H. & OKSALA, I. (1982). Definition and revision of the *Enoplognatha ovata* (Clerck) group (Araneae: Theridiidae). *Entomologica Scandinavica* **13**: 213-222.
- ISAIA, M., KRONESTEDT, T., BALLARIN, F. & CHIARLE, A. (2018). On the morphological separation of two sibling species: *Pardosa proxima* (*P. vlijmi* syn. nov.) and *P. tenuipes* (Araneae: Lycosidae). *Arachnologische Mitteilungen* **56**: 6-16.
- JÄGER, P., MCCOWAN, D. & RUSSELL-SMITH, A. (2011). First record of *Olios suavis* for southern Europe in Cyprus (Araneae: Sparassidae: Sparassinae). *Bulletin of the British Arachnological Society* **15**: 127-129.
- KNOFLACH, B. (1994). Zur Genitalmorphologie und Biologie der *Crustulina*-Arten Europas (Arachnida: Araneae, Theridiidae). *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* **67**: 327-346.
- KNOFLACH, B. (1996). Das Männchen von *Simitidion agaricographum* (Levy & Amitai) (Arachnida: Araneae, Theridiidae). *Bericht des naturwissenschaftlich medizinischen Vereins in Innsbruck* **83**: 149-156.
- KNOFLACH, B. (1998). Mating in *Theridion varians* Hahn and related species (Araneae: Theridiidae). *Journal for natural History* **32**: 545-604.
- KNOFLACH, B. (1999). The comb-footed spider genera *Neottiura* and *Coleosoma* in Europe (Araneae: Theridiidae). *Mitteilungen der schweizerischen entomologischen Gesellschaft* **72**: 341-371.
- KNOFLACH, B. & VAN HARTEN, A. (2002). The genus *Latrodectus* (Araneae: Theridiidae) from mainland Yemen, the Socotra Archipelago and adjacent countries. *Fauna of Arabia* **19**: 321-361.
- KNOFLACH, B. & THALER, K. (2000). Notes on Mediterranean Theridiidae (Araneae) - I. *Memorie della Società Entomologica Italiana, Genova* **78**: 411-442.
- KNOFLACH-THALER, B., J. VAN KEER, A. ASKINS & RUSSELL-SMITH, A. (2008). *Neospintharus syriacus* – a new widespread species in the Eastern Mediterranean? *Newsletter of the British Arachnological Society* **113**: 9.
- KOVBLYUK, M. M. & TUNEVA, T. K. (2009). Three interesting species of Gnaphosidae from Crimea (Arachnida: Aranei). *Arthropoda Selecta* **17**: 157-164.
- KOVBLYUK, M. M., KASTRYGINA, Z. A. & OMELKO, M. M. (2012). A review of the spider genus *Haplodrassus* Chamberlin, 1922 in Crimea (Ukraine) and adjacent areas (Araneae, Gnaphosidae). *ZooKeys* **205**: 59-89.
- KOVBLYUK, M. M., GNELITSA V. A., NADOLNY A. A., KASTRYGINA, Z. A., KUKUSHKIN O. V. (2016). Spiders (Arachnida: Aranei) of the Karadag Nature Reserve (Crimea). *Ekosystemy* **3** (33): 3-288.
- KRITSCHER, E. (1966). Die paläarktischen Arten der Gattung *Oecobius* (Aran., Oecobiidae). *Annalen des Naturhistorischen Museums in Wien* **69**: 285-295.
- KRONESTEDT, T. (1997). First record of *Aulonia kratochvili* (Araneae, Lycosidae) from Europe. *Arachnologische Mitteilungen* **14**: 77-80.
- KRONESTEDT, T. & ZYUZIN, A. A. (2009). Fixation of *Lycosa fidelis* O. Pickard-Cambridge, 1872 as the type species for the genus *Wadicosa* Zyuzin, 1985 (Araneae: Lycosidae), with a redescription of the species. *Contributions to Natural History* **12**: 813-828. [incl. corrigendum: vol. 13/2010: 89].
- KUBCOVÁ, L. (2004). Separation of the females of *Philodromus praedatus* O.P.-Cambridge and *Philodromus aureolus* (Clerck) (Philodromidae, Araneae). In: F. Samu & C. Szinetár (eds.) European Arachnology 2002. Plant Protection Institute & Berzsenyi College Budapest, pp. 57-62.
- KULCZYŃSK, W. (1908). Fragmenta arachnologica VI. X. Araneae nonnulli in Cyprio insula et in Palaestina a Cel. Profigs Dre G. Cecconi lectae. *Bulletin international de l'Académie des Sciences de Cracovie* **1908**: 49-85.
- KULCZYŃSK, W. (1909). Fragmenta arachnologica VIII. Palpimanorum species Meditteranorum. *Bulletin international de l'Académie des Sciences de Cracovie* **1909**: 667-676.
- KULCZYŃSK, W. (1911). Fragmenta Arachnologica XVI, XVII. *Bulletin international de l'Académie des Sciences de Cracovie* **1911**: 12-75.
- LEHTINEN, P. T. (1967). Classification of the cibellate spiders and some allied families, with notes on the evolution of the suborder Araneomorpha. *Annales Zoologici Fennici* **4**: 199-468.
- LEVY, G. (1973). Crab-spiders of six genera from Israel (Araneae: Thomisidae). *Israel Journal of Zoology* **22**: 107-141.
- LEVY, H. W. (1974). The orb-weaver genus *Zygilla* (Araneae: Araneidae). *Bulletin of the Museum of Comparative Zoology at Harvard College* **146**: 267-290.
- LEVY, G. (1976). The spider genus *Xysticus* (Araneae: Thomisidae) in Israel. *Israel Journal of Zoology* **25**: 1-37.
- LEVY, G. & AMITAI, P. (1981). Spiders of the genera *Euryopis* and *Dipoena* (Araneae: Theridiidae) from Israel. *Bull Br arachnol Soc* **5**: 177-188.
- LEVY, G. & P. AMITAI (1982). The comb-footed spider genera *Theridion*, *Achaearanea* and *Anelosimus* of Israel (Araneae: Theridiidae). *Journal for Zoology, London* **196**: 81-131.
- LEVY, G. (1984). The spider genera *Singa* and *Hypsosinga* (Araneae, Araneidae) in Israel. *Zoologica Scripta* **13**: 121-133.
- LEVY, G. (1985a). Spiders of the genera *Episinus*, *Argyrodes* and *Coscinida* from Israel, with additional notes on *Theridion* (Araneae: Theridiidae). *Journal of Zoology, London (A)* **207**: 87-123.
- LEVY, G. (1985b). Araneae: Thomisidae. In: Fauna Palaestina, Arachnida II. Israel Academy of Sciences and Humanities, Jerusalem, 115 pp

- LEVY, G. (1986). Spiders of the genera *Siwa*, *Larinia*, *Lipocrea* and *Drexelia* (Araneae: Araneidae) from Israel. *Bulletin of the British Arachnological Society* 7: 1-10.
- LEVY, G. (1989). The family of huntsman spiders in Israel with annotations on species of the Middle East (Araneae: Sparassidae). *Journal of Zoology, London* 217: 127-176.
- LEVY, G. (1990). On the cribellate spider *Zoropsis lutea* in Israel (Araneae, Zoropsidae). *Bulletin of the British Arachnological Society* 8: 139-143.
- LEVY, G. (1991). On some new and uncommon spiders from Israel (Araneae). *Bulletin of the British Arachnological Society* 8: 227-232.
- LEVY, G. (1992). The spider genera *Palaestina*, *Trygetus*, *Zodarion* and *Ranops* (Araneae, Zodariidae) in Israel with annotations on species of the Middle East. *Israel Journal of Zoology* 38: 67-110.
- LEVY, G. (1995). Revision of the spider subfamily Gnaphosinae in Israel (Araneae: Gnaphosidae). *Journal of Natural History* 29: 919-981.
- LEVY, G. (1996). The agelenid funnel-weaver family and the spider genus *Cedicus* in Israel (Araneae, Agelenidae and Cybaeidae). *Zoologia Scripta* 25: 85-122.
- LEVY, G. (1998a). Twelve genera of orb-weaver spiders (Araneae, Araneidae) from Israel. *Israeli Journl of Zoology* 43: 311-365.
- LEVY, G. (1998b). Araneae: Theridiidae. In: Fauna Palaestina, Arachnida III. Israel Academy of Sciences and Humanities, Jerusalem, 228 pp.
- LEVY, G. (1998c). The ground-spider genera *Setaphis*, *Trachyzelotes*, *Zelotes*, and *Drassyllus* (Araneae: Gnaphosidae) in Israel. *Israel Journal of Zoology* 44: 93-158.
- LEVY, G. (1999). The lynx and nursery-web spider families in Israel (Araneae, Oxyopidae and Pisauridae). *Zoosystema* 21: 29-64.
- LEVY, G. (2003). Spiders of the families Anyphaenidae, Hahniidae, Ctenidae, Zoridae, and Hersiliidae (Araneae) from Israel. *Israel Journal of Zoology* 49: 1-31.
- LEVY, G. (2004). Spiders of the genera *Drassodes* and *Haplodrassus* (Araneae, Gnaphosidae) from Israel. *Israeli Journal of Zoology* 50: 1-37.
- LEVY, G. (2007). *Calommata* (Atypidae) and new spider species (Araneae) from Israel. *Zootaxa* 1551: 1-30.
- LEVY, G. (2009). New ground-spider genera and species with annexed checklist of the Gnaphosidae (Araneae) of Israel. *Zootaxa* 2066: 1-49.
- LISSNER, J. (2017c). A contribution to the knowledge of *Rhomphaea* L. Koch, 1872 (Araneae: Theridiidae) in the Mediterranean and Macaronesian regions. *Arachnology* 17(6): 287-293.
- LISSNER, J. & CHATZAKI, M. (2016a). First records of *Poecilochroa taborensis* Levy, 1999 (Araneae: Gnaphosidae) from Greece and Cyprus with notes on some closely related species. *Nieuwsbrief SPINED* 36: 16-21.
- LISSNER, J. & CHATZAKI, M. (2016b). A new species of *Berinda* (Araneae, Gnaphosidae) from the eastern Aegean Islands, Greece. *Arachnologische Mitteilungen* 51: 9-11.
- LISSNER, J. (2016). A small study of the Corsican spider and pseudoscorpion fauna (Araneae, Pseudoscorpiones). *Nieuwsbrief SPINED* 36: 5-15.
- LOERBROKS, A. (1983). Revision der Krabbenspinnen-Gattung *Heriaeus* Simon (Arachnida: Araneae: Thomisidae). *Verhandlungen des Naturwissenschaftlichen Vereins in Hamburg* 26: 85-139.
- LOGUNOV, D. V. (1979). New and poorly known species of Salticidae (Araneae) from Turkey and Iran. *Contributions to natural History* 12: 899-919.
- LOGUNOV, D. V. (2006). Notes on *Xysticus kempeleni* Thorell, 1872 and two closely related spider species (Araneae: Thomisidae). *Acta Arachnologica, Tokyo* 55: 59-66.
- LOGUNOV, D. V. (2013). On a small spider collection from Cyprus (Arachnida: Araneae). *Newsletter of the British Arachnological Society* 127: 4-5.
- LOGUNOV, D. V. (2015). Taxonomic-faunistic notes on the jumping spiders of the Mediterranean (Aranei: Salticidae). *Arthropoda Selecta* 24(1): 33-85.
- LOGUNOV, D. V. & HUSEYNOV, E. F. (2008). A faunistic review of the spider family Philodromidae (Aranei) of Azerbaijan. *Arthropoda Selecta* 17: 117-131.
- LOGUNOV, D. V. & MARUSIK, Y. M. (2003). A revision of the genus *Yllenus* Simon, 1868 (Arachnida, Araneae, Salticidae). KMK Scientific Press, Moscow, 168 pp.
- LOKSA, I. (1972). Araneae II. *Fauna Hungariae* 109: 1-112.
- LOKSA, I. (1973). On the morphology and systematical position of *Mysmena leucoplagiata* (Simon, 1879) (Araneae: Symphytognathidae). *Acta Zoologica Academiae Scientiarum Hungaricae* 19: 283-287.
- MARUSIK, Y. M. & LOGUNOV, D. V. (1990). The crab spiders of middle Asia, USSR (Aranei, Thomisidae). 1. Descriptions and notes on distribution of some species. *Korean Arachnology* 6: 31-62.
- MARUSIK, Y. M. & LOGUNOV, D. V. (1995). The crab spiders of Middle Asia (Aranei, Thomisidae), 2. *Beiträge zur Araneologie* 4: 133-175.
- MARUSIK, Y. M., LEHTINEN, P. T. & KOVBLYUK, M. M. (2005). *Cozyptila*, a new genus of crab spiders (Aranei: Thomisidae: Thomisinae: Coriarachnini) from the western Palaearctic. *Arthropoda Selecta* 13: 151-163.
- MARUSIK, Y. M. & FET, V. (2009). A survey of east Palearctic *Hersiliola* Thorell, 1870 (Araneae, Hersiliidae), with a description of three new genera. *ZooKeys* 16: 75-114.

- MARUSIK, Y. M. & ZAMANI, A. (2015). The spider family Filistatidae (Araneae) in Iran. *ZooKeys* **516**: 123-135.
- MCCOWAN, D. (2014). Sixty Cypriot Spiders. Mikrokylos Books, 1-155
- MERRITT, P. (2001). *Clubiona pseudoneglecta* Wunderlich, 1994, a clubionid spider new to Britain (Araneae: Clubionidae). *Bulletin of the British Arachnological Society* **12**: 32-34.
- METZNER, H. (1999). Die Springspinnen (Araneae, Salticidae) Griechenlands. *Andrias* **14**: 1-279.
- MILLIDGE, A. F. (1988). The spiders of New Zealand: Part VI. Family Linyphiidae. *Otago Museum Bulletin* **6**: 35-67.
- MORADMAND, M. & JÄGER, P. (2012). Taxonomic revision of the huntsman spider genus *Eusparassus* Simon, 1903 (Araneae: Sparassidae) in Eurasia. *Journal of natural History* **46**: 2439-2496.
- MURPHY, J. (2007). *Gnaphosid genera of the world*. British Arachnological Society, St Neots, Cambs 1, i-xii, 1-92; 2:i-11, 93-605
- MUSTER, C., R., THALER, K. (2004). New species and records of Mediterranean Philodromidae (Arachnida, Araneae): I. *Philodromus aureolus* group. In: Thaler, K. (ed.) Diversität und Biologie von Webspinnen, Skorpione und anderen Spinnentieren. *Denisia* **12**, 305-326.
- MUSTER, C., BOSMANS, R. & THALER, K. (2007). The *Philodromus pulchellus*-group in the Mediterranean: taxonomic revision, phylogenetic analysis and biogeography (Araneae: Philodromidae). *Invertebrate Systematics* **21**: 39-72.
- NADOLNY, A. A., PONOMAREV, A. V., KOVBLUYK, M. M. & DVADNENKO, K. V. (2012). New data on *Pisaura novicia* (Aranei: Pisauridae) from eastern Europe. *Arthropoda Selecta* **21**: 255-267.
- NENTWIG, W., BLICK T., GLOOR D., HÄNGGI A. & KROPF C. (2018). Araneae. Spiders of Europe. Online at <http://wsc.nmbe.ch>, version 19.0, last accessed on 15 September 2019. doi: 10.24436/2.
- OVTSHARENKO, V. I., PLATNICK, N. I. & SONG, D. X. (1992). A review of the North Asian ground spiders of the genus *Gnaphosa* (Araneae, Gnaphosidae). *Bulletin of the American Museum of Natural History* **212**: 1-88.
- OVTSHARENKO, V. I., LEVY, G. & PLATNICK, N. I. (1994). A review of the ground spider genus *Synaphosus* (Araneae, Gnaphosidae). *American Museum Novitates* **3095**: 1-27
- ÖZKÜTÜK R. S., ELVERICI, M., KUNT, K. B. & YAĞMUR, E. A. (2013). Faunistic notes on the cybaeid spiders of Turkey (Araneae: Cybaeidae). *Journal of Applied Biological Sciences* **7** (2): 71-77.
- ÖZKÜTÜK, R. S., GÜCEL, S., FULLER, Ö. Ö. & KUNT, K. B. (2019). *Cheiracanthium mildei* L. Koch, 1864 (Araneae: Cheiracanthiidae), a new faunistic record for Cyprus. *Serket* **16**(4): 184-187.
- PANAYIOTOU, E., KALTSAS, D., SEYYAR, O. & CHATZAKI, M. (2010). Revision of the genus *Berinda* (Araneae, Gnaphosidae) in the east Mediterranean with the description of two new species. *Zootaxa* **2362**: 44-54.
- PÉREZ, P., J. A. & BLASCO F., A. (1986). Nota sobre los Prodidominae (Araneae: Gnaphosidae) de la Península Iberica. *Mémoires de la Société Royal Belge d'Entomologie* **33**: 155-164.
- PESARINI C. (1997). I ragni (Arachnida Araneae) del Monte Barro (Italia, Lombardia, Lecco). *Memorie della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale di Milano* **27**: 251-263.
- PETERS, H.-J. (1998). *Tarantulas of the world: Afrika's Vogelspinnen*. Published by the author, 122 pp.
- PETERS, H.-J. (2000). *Tarantulas of the world: Kleiner Atlas der Vogelspinnen - Band 1*. Published by the author, 148 pp.
- PICKARD-CAMBRIDGE, O. (1872). General list of the spiders of Palestine and Syria, with descriptions of numerous new species, and characters of two new genera. *Proceedings of the Zoological Society of London* **40**(1): 212-354, pl. XIII-XVI.
- PLATNICK, N. I. (1981). A review of the spider subfamily Palpimaninae (Araneae, Palpimanidae), I. *Bulletin of the British Arachnological Society* **5**: 169-173.
- PLATNICK, N. N. I. (1991). A revision of the ground spider family Cithaeronidae (Araneae, Gnaphosoidea). *American Museum Novitates* **3018**: 1-13.
- PLATNICK, N. N. I. & MURPHY, J. A. (1984). A revision of the spider genera *Trachyzelotes* and *Urozelotes* (Araneae, Gnaphosidae). *American Museum Novitates* **2792**: 1-30.
- PLATNICK, N. N. I. & OVTSHARENKO, V. I. (1991). On Eurasian and American *Talanites* (Araneae, Gnaphosidae). *Journal of Arachnology* **19**: 115-121.
- PLATNICK, N. I. & SHADAB, M. U. (1983). A revision of the American spiders of the genus *Zelotes* (Araneae, Gnaphosidae). *Bulletin of the American Museum of Natural History* **174**: 97-192.
- POLENEC, A. & THALER, K. (1980). Zwei wenig bekannte Deckennetzspinnen Südost-Europas: *Centromerus vindobonensis* Kulczynski und *Leptophantes istrianus* Kulczynski (Arachnida: Araneae: Linyphiidae). *Senckenbergiana Biologica* **61**: 103-111.
- ROBERTS, M. J. (1985). *The spiders of Great Britain and Ireland*, Volume 1: Atypidae to Theridiosomatidae. Harley Books, Colchester, England.
- RUSSELL-SMITH, A. (1982). A revision of the genus *Trabaea* Simon (Araneae: Lycosidae). *Zoological Journal of the Linnean Society* **74**: 69-91.
- RUSSELL-SMITH, A., ALLISON, R., ASKINS, M., BLUMSOM, W., SNAZELL R. & SPILLIN, C. (2011). A provisional checklist and gazetteer of the spiders of Chios, Greece (Arachnida: Araneae). *Bulletin of the British Arachnological Society* **8**: 38-40.
- RUSSELL-SMITH, A. Spiders from the Ionian islands of Kerkyra (Corfu) and Lefkada, Greece (Arachnida: Aranei). *Arthropoda Selecta* **23**(3): 285-300.

- SAARISTO, M. I. (2007). The oonopid spiders (Aranei: Oonopidae) of Israel. *Arthropoda Selecta* **15**: 119-140.
- SAARISTO, M. I. (2010). Araneae. In: Gerlach, J. & Y. Marusik (eds.) *Arachnida and Myriapoda of the Seychelles islands*. Siri Scientific Press, Manchester UK, pp. 8-306.
- SAARISTO, M.I. & MARUSIK, Y.M. (2008): A survey of African *Opopaea* Simon, 1891 (Arachnida, Aranei, Oonopidae). *Arthropoda Selecta* **17**: 17-53.
- SENGLET, A. (2011). New species in the *Zelotes tenuis*-group and new or little known species in other *Zelotes* groups (Gnaphosidae, Araneae). *Revue Suisse de Zoologie* **118**: 513-559.
- SIMON, E. (1874). Simon, E. (1874a). *Les arachnides de France*. Paris 1, 1-272.
- SIMON, E. (1878). *Les arachnides de France*. Paris 4, 1-334.
- SIMON, E. (1911). Catalogue raisonné des arachnides du nord de l'Afrique (1re partie). *Annales de la Société Entomologique de France* **79** (3, for 1910): 265-332.
- SIMON, E. (1932). *Les arachnides de France. Tome VI. Synopsis générale et catalogue des espèces françaises de l'ordre des Aranéae; 4e partie*. Paris 6, 773-978.
- SMITH, A. M. (1990). *Baboon spiders: Tarantulas of Africa and the Middle East*. Fitzgerald Publishing, London, pp. 1-142
- SPARROW, D. J. JOHN E. (Eds) (2016). An Introduction to the Wildlife of Cyprus. 870 pp. Limassol.
- STRAND, E. (1907). Spinnen des zoologischen Instituts in Tübingen. *Zoologische Jahrbücher. II. Abteilung für Systematik* **24**: 391-468.
- TANASEVITCH, A. V. (2011). On linyphiid spiders from the eastern and central Mediterranean kept at the Muséum d'histoire naturelle, Geneva. *Revue Suisse de Zoologie* **118**: 49-91.
- TANASEVITCH, A. V., KUNT, K. B. & SEYYAR, O. (2005). A new species of the genus *Megalepthyphantes* Wunderlich from Turkey (Aranei: Linyphiidae: Micronetinae). *Arthropoda Selecta* **13**: 279-280.
- THALER, K. & KNOFLACH, B. (1998). *Phyxelida anatolica* Griswold, new to Cyprus (Arachnida Araneae: Amaurobiidae, Phyxelidinae). *Bulletin of the British Arachnological Society* **11**: 36-40.
- THALER, K. & NOFLATSCHER, M.-T. (1990). Neue und bemerkenswerte Spinnenfunde in Südtirol (Arachnida: Aranei). *Veröffentlichungen des Museum Ferdinandeum in Innsbruck* **69**: 169-190.
- THALER, K., BUCHAR, J. & KNOFLACH, B. (2000). Notes on wolf spiders from Greece (Araneae, Lycosidae). *Linzer Biologische Beiträge* **32**: 1071-1091.
- THALER, K. & KNOFLACH, B. (2004). A new *Lachesana* species from Greece and additional records from the Near East (Arachnida, Araneae, Zodariidae). *Bulletin of the British Arachnological Society* **13**: 41-46.
- THALER, K., HARTEN, A. VAN & KNOFLACH, B. (2004). Pirate spiders of the genus *Ero* C.L. Koch from southern Europe, Yemen, and Ivory Coast, with two new species (Arachnida, Araneae, Mimetidae). *Denisia* **13**: 359-368.
- TOPÇU, A., SEYYAR O. & EMIRCAN N. (2013). A contribution to the cave spider fauna of Turkey. *Zoology in the Middle East* **59**: 91-92.
- URONES, C., BARRIENTOS, J. A. & ESPUNY, A. (1995). El género *Anyphaena* Sundevall, 1833 (Araneae: Anyphaenidae) el la Península Ibérica. *Boletín de la Asociación Española de Entomología* **19**: 109-131.
- VAN HELSDINGEN, P. J. (1969). A reclassification of the species of *Linyphia* Latreille based on the functioning of the genitalia (Araneida, Linyphiidae), I. *Zoologische Verhandelingen* **105**: 1-303.
- VAN HELSDINGEN, P. J. (1970). A reclassification of the species of *Linyphia* based on the functioning of the genitalia (Araneida, Linyphiidae), II. *Zoologische Verhandelingen* **111**: 1-86.
- VAN HELSDINGEN, P. J. (1979). Remarks concerning Clubionidae. *Bulletin of the British Arachnological Society* **4**: 298-302.
- VAN HELSDINGEN, P. J. (2009). *Mermessus denticulatus* (Banks, 1898) and *Mermessus trilobatus* (Emerton, 1882), adventive species in the Netherlands (Araneae, Linyphiidae). *Contributions to Natural History* **12**: 617-626.
- VAN KEER, J., VAN KEER K., DE KONINCK H. A RAMEL G. (2010). The Arachnofauna (Araneae) of Wetland Kerkini (Macedonia-Northern Central Greece). *Acta zoologica bulgarica* **62** (2): 141-160.
- VOLLMER, P. (1997). *Chaetopelma karlamani* sp. n., (Araneida: Theraphosidae: Ischnocolinae) eine Vogelspinne aus Nord-Zypern. *Tarantulas of the World*, Ausgabe 16, Dec. 1997: 4-18.
- WESOŁOWSKA, W. (1986). A revision of the genus *Heliophanus* C. L. Koch, 1833 (Aranei: Salticidae). *Annales Zoologici, Warszawa* **40**: 1-254.
- WORLD SPIDER CATALOG (2019). World Spider Catalog. Natural History Museum Bern, online at <http://wsc.nmbe.ch>, version 19.0, last accessed on 15 September 2019. doi: 10.24436/2.
- WUNDERLICH, J. (1980). Linyphiidae aus Süd-Europa und Nord-Afrika (Arachn.: Araneae). *Verhandlungen des Naturwissenschaftlichen Vereins in Hamburg* (N.F.) **23**: 319-337.
- WUNDERLICH, J. (1995a). Zu Taxonomie und Biogeographie der Arten der Gattung *Oecobius* Lucas 1846, mit Neubeschreibungen aus der Mediterraneis und von der Arabischen Halbinsel (Arachnida: Araneae: Oecobiidae). *Beiträge zur Araneologie* **4**: 585-608.
- WUNDERLICH, J. (1995b). Beschreibung bisher unbekannter Arten der Baldachinspinnen aus der Östlichen Mediterraneis (Arachnida: Araneae: Linyphiidae). *Beiträge zur Araneologie* **4**: 655-686.
- WUNDERLICH, J. (1995c). Zur Taxonomie europäischer Gattungen der Zwergspinnen (Arachnida: Araneae: Linyphiidae: Erigoninae). *Beiträge zur Araneologie* **4**: 643-654.

- WUNDERLICH, J. (1995d). Zur Kenntnis west-paläarktischer Arten der Gattungen *Psammitis* Menge 1875, *Xysticus* C. L. Koch 1835 und *Ozyptila* Simon 1864 (Arachnida: Araneae: Thomisidae). *Beiträge zur Araneologie* **4**: 749-774.
- WUNDERLICH, J. (2011). Extant and fossil spiders (Araneae). *Beiträge zur Araneologie wept* 1-640.
- ZAMANI, A. & MOZAFFARIAN, F. (2017). Further spider (Arachnida: Araneae) material deposited in the Agricultural Zoology Museum of Iran (AZMI), Iranian Research Institute of Plant Protection. *Arachnologische Mitteilungen* **54**: 8-20.
- ZONSTEIN, S. & MARUSIK, Y.M. (2009). A revision of the spider genus *Zaitunia* (Araneae, Filistatidae). *European Journal of Taxonomy* **214**: 1-97.
- ZONSTEIN, S. & MARUSIK, Y. M. (2016). A revision of the spider genus *Zaitunia* (Araneae, Filistatidae). *European Journal of Taxonomy* **214**: 1-97. doi:10.5852/ejt.2016.214
- ZONSTEIN, S. & MARUSIK, Y. M. (2019). A revision of the spider genus *Filistata* (Araneae: Filistatidae). *Arachnology* **18**(2): 53-93.
- ZYUZIN, A. & LOGUNOV, D. V. (2000). New and little-known species of the Lycosidae from Azerbaijan, the Caucasus (Araneae, Lycosidae). *Bulletin of the British Arachnological Society* **11**: 305-319.

Addendum. List of spiders of Cyprus

| | Family | Species | First cited in |
|----|--------------|---|------------------|
| 1 | Agelenidae | <i>Agelena orientalis</i> C. L. Koch, 1837 | Present paper |
| 2 | Agelenidae | <i>Benoitia lepida</i> (O. P-Cambridge, 1876) | De Blauwe, 1980 |
| 3 | Agelenidae | <i>Lycosoides coarctata</i> (Dufour, 1831) | Strand, 1907 |
| 4 | Agelenidae | <i>Tegenaria dalmatica</i> (Kulczyński, 1906) | Brignoli, 1976 |
| 5 | Agelenidae | <i>Tegenaria dentifera</i> Kulczyński, 1908 | Kulczyński, 1908 |
| 6 | Agelenidae | <i>Tegenaria domestica</i> (Clerck, 1757) | Present paper |
| 7 | Agelenidae | <i>Tegenaria maronita</i> (Simon, 1873) | Present paper |
| 8 | Agelenidae | <i>Tegenaria pagana</i> C. L. Koch, 1840 | Present paper |
| 9 | Agelenidae | <i>Tegenaria parietina</i> (Fourcroy, 1785) | Present paper |
| 10 | Agelenidae | <i>Textrix caudata</i> L. Koch, 1872 | De Blauwe, 1980 |
| 11 | Anyphaenidae | <i>Anyphaena sabina</i> L. Koch, 1866 | Present paper |
| 12 | Araneidae | <i>Aculepeira armida</i> (Audouin, 1826) | Present paper |
| 13 | Araneidae | <i>Agalenatea redii</i> (Scopoli, 1763) | Present paper |
| 14 | Araneidae | <i>Araneus diadematus</i> Clerck, 1757 | Present paper |
| 15 | Araneidae | <i>Araneus grossus</i> (C. L. Koch, 1844) | Present paper |
| 16 | Araneidae | <i>Araniella alpica</i> (L. Koch, 1869) | Present paper |
| 17 | Araneidae | <i>Araniella inconspicua</i> (Simon, 1874) | Present paper |
| 18 | Araneidae | <i>Argiope lobata</i> (Pallas, 1772) | Present paper |
| 19 | Araneidae | <i>Argiope trifasciata</i> (Forskål, 1775) | Present paper |
| 20 | Araneidae | <i>Cyclosa groppalii</i> Pesarini, 1998 | Present paper |
| 21 | Araneidae | <i>Cyclosa sierrae</i> Simon, 1870 | Logunov, 2013 |
| 22 | Araneidae | <i>Cyrtarachne ixoides</i> (Simon, 1870) | Present paper |
| 23 | Araneidae | <i>Cyrtophora citricola</i> (Forsskål, 1775) | Present paper |
| 24 | Araneidae | <i>Gibbaranea bituberculata</i> (Walckenaer, 1802) | Present paper |
| 25 | Araneidae | <i>Gibbaranea gibbosa</i> (Walckenaer, 1802) | Present paper |
| 26 | Araneidae | <i>Glyptogona sextuberculata</i> (Keyserling, 1863) | Present paper |
| 27 | Araneidae | <i>Hypsosinga albovittata</i> (Westring, 1851) | Present paper |
| 28 | Araneidae | <i>Hypsosinga pygmaea</i> (Sundevall, 1831) | Present paper |
| 29 | Araneidae | <i>Larinia chloris</i> (Audouin, 1826) | Present paper |
| 30 | Araneidae | <i>Larinoides suspicax</i> (O. Pickard-Cambridge, 1876) | Present paper |
| 31 | Araneidae | <i>Leviellus kochi</i> (Thorell, 1870) | Present paper |
| 32 | Araneidae | <i>Lipocrea epeioides</i> (O. Pickard-Cambridge, 1870) | Wunderlich, 2011 |

| | | | |
|----|-----------------|--|-------------------------|
| 33 | Araneidae | <i>Mangora acalypha</i> (Walckenaer, 1802) | Logunov, 2013 |
| 34 | Araneidae | <i>Neoscona adianta</i> (Walckenaer, 1802) | Logunov, 2013 |
| 35 | Araneidae | <i>Neoscona sodom</i> Levy, 1998 | Present paper |
| 36 | Araneidae | <i>Neoscona subfuscata</i> (C. L. Koch, 1837) | Present paper |
| 37 | Araneidae | <i>Singa neta</i> (O. Pickard-Cambridge, 1872) | Present paper |
| 38 | Araneidae | <i>Zilla diodia</i> (Walckenaer, 1802) | Present paper |
| 39 | Araneidae | <i>Zygiella atrica</i> (C. L. Koch, 1845) | Present paper |
| 40 | Cheiracanthidae | <i>Cheiracanthium elegans</i> Thorell, 1875 | Present paper |
| 41 | Cheiracanthidae | <i>Cheiracanthium erraticum</i> (Walckenaer, 1802) | Present paper |
| 42 | Cheiracanthidae | <i>Cheiracanthium mildei</i> L. Koch, 1864 | Present paper |
| 43 | Cheiracanthidae | <i>Cheiracanthium seidlitzi</i> (L. Koch, 1864) | Present paper |
| 44 | Cheiracanthidae | <i>Cheiracanthium</i> sp. | Present paper |
| 45 | Cithaeronidae | <i>Cithaeron praedonius</i> O. Pickard-Cambridge, 1872 | Present paper |
| 46 | Clubionidae | <i>Clubiona pseudoneglecta</i> Wunderlich, 1994 | Present paper |
| 47 | Clubionidae | <i>Porrhoclubiona vegeta</i> (Simon, 1918) | Present paper |
| 48 | Ctenidae | <i>Anahita syriaca</i> (O. Pickard-Cambridge, 1872) | Present paper |
| 49 | Cybaeidae | <i>Cedicus flavipes</i> Simon, 1875 | Kulczyński, 1908 |
| 50 | Dictynidae | <i>Argenna patula</i> (Simon, 1874) | Present paper |
| 51 | Dictynidae | <i>Brigittea civica</i> (Lucas, 1850) | Logunov, 2013 |
| 52 | Dictynidae | <i>Brigittea innocens</i> (O. Pickard-Cambridge, 1872) | Present paper |
| 53 | Dictynidae | <i>Devade tenella</i> (Tyschchenko, 1965) | Present paper |
| 54 | Dictynidae | <i>Lathys arabs</i> Simon, 1910 | Present paper |
| 55 | Dictynidae | <i>Lathys humiliis</i> (Blackwall, 1855) | Present paper |
| 56 | Dictynidae | <i>Mariyinia bicolor</i> (Simon, 1870) | Present paper |
| 57 | Dictynidae | <i>Nigma flavescens</i> (Walckenaer, 1830) | Present paper |
| 58 | Dictynidae | <i>Nigma puella</i> (Simon, 1870) | Present paper |
| 59 | Dictynidae | <i>Nigma walckenaeri</i> (Roewer, 1951) | Present paper |
| 60 | Dysderidae | <i>Dysdera gigas</i> Roewer, 1928 | Present paper |
| 61 | Dysderidae | <i>Dysdera lata</i> Reuss, 1834 | Deeleman-Reinhold, 1988 |
| 62 | Dysderidae | <i>Dysdera longimandibularis</i> Nosek, 1905 | Deeleman-Reinhold, 1988 |
| 63 | Dysderidae | <i>Dysdera</i> sp. | Present paper |
| 64 | Dysderidae | <i>Dysdera</i> sp. | Present paper |
| 65 | Dysderidae | <i>Dysdera spinicrus</i> Simon, 1882 | Deeleman-Reinhold, 1988 |
| 66 | Dysderidae | <i>Dysdera westringi</i> (O. Pickard-Cambridge, 1872) | Strand, 1907 |

| | | | |
|-----|--------------|--|--------------------------------|
| 67 | Dysderidae | <i>Dysderocrates kibrisensis</i> Gücel, Charalambidou, Göçmen & Kunt, 2019 | Gücel et al., 2019 |
| 68 | Dysderidae | <i>Harpactea ceconii</i> (Kulczyński, 1908) | Kulczyński, 1908 |
| 69 | Dysderidae | <i>Harpactea gunselorum</i> Gücel, Fuller, Göçmen & Kunt, 2018 | Gücel et al., 2018 |
| 70 | Dysderidae | <i>Harpactea kalavachiana</i> Gücel, Charalambidou, Göçmen & Kunt, 2019 | Gücel et al., 2019 |
| 71 | Dysderidae | <i>Harpactea</i> sp. | Present paper |
| 72 | Dysderidae | <i>Harpactea</i> sp. | Present paper |
| 73 | Dysderidae | <i>Harpactea</i> sp. | Present paper |
| 74 | Dysderidae | <i>Harpactea</i> sp. | Present paper |
| 75 | Filistatidae | <i>Filistata insidiatrix</i> (Forsskål, 1775) | Brignoli, 1982 |
| 76 | Filistatidae | <i>Pritha nana</i> (Simon, 1868) | Present paper |
| 77 | Filistatidae | <i>Zaitunia annulipes</i> (Kulczyński, 1908) | Kulczyński, 1908 |
| 78 | Filistatidae | <i>Zaitunia kungi</i> Zonstein & Marusik | Zonstein & Marusik 2016 |
| 79 | Gnaphosidae | <i>Anagraphis pallens</i> Simon, 1893 | Present paper |
| 80 | Gnaphosidae | <i>Aphantaulax cincta</i> (L. Koch, 1866) | Present paper |
| 81 | Gnaphosidae | <i>Aphantaulax trifasciata</i> (O. Pickard-Cambridge, 1872) | Present paper |
| 82 | Gnaphosidae | <i>Berinda cypria</i> Chatzaki & Panayiotou, 2010 | Chatzaki & Panayiotou, 2010 |
| 83 | Gnaphosidae | <i>Berinda ensigera</i> (O. Pickard-Cambridge, 1872) | Present paper |
| 84 | Gnaphosidae | <i>Berinda idae</i> Lissner, 2016 | Present paper |
| 85 | Gnaphosidae | <i>Berlandina plumalis</i> (O. Pickard-Cambridge, 1872) | Present paper |
| 86 | Gnaphosidae | <i>Cesonia aspida</i> Chatzaki, 2002 | Present paper |
| 87 | Gnaphosidae | <i>Civizelotes solstitialis</i> Levy, 1998 | Present paper |
| 88 | Gnaphosidae | <i>Cryptodrassus helvolus</i> (O. Pickard-Cambridge, 1872) | Chatzaki & Russell-Smith, 2017 |
| 89 | Gnaphosidae | <i>Drassodes cupreus</i> (Blackwall, 1834) | Logunov, 2013 |
| 90 | Gnaphosidae | <i>Drassodes lacertosus</i> (O. Pickard-Cambridge, 1872) | Present paper |
| 91 | Gnaphosidae | <i>Drassodes lapidosus</i> (Walckenaer, 1802) | Present paper |
| 92 | Gnaphosidae | <i>Drassodes lutescens</i> (C. L. Koch, 1839) | Present paper |
| 93 | Gnaphosidae | <i>Drassodes serratichelis</i> (Roewer, 1928) | Present paper |
| 94 | Gnaphosidae | <i>Drassodes unicolor</i> (O. Pickard-Cambridge, 1872) | Present paper |
| 95 | Gnaphosidae | <i>Drassyllus cyprinus</i> Chatzaki & Russell-Smith, 2017 | Chatzaki & Russell-Smith, 2017 |
| 96 | Gnaphosidae | <i>Drassyllus jubatopalpis</i> Levy, 1998 | Present paper |
| 97 | Gnaphosidae | <i>Drassyllus pusillus</i> (C. L. Koch, 1833) | Present paper |
| 98 | Gnaphosidae | <i>Echemus levyi</i> (Kovblyuk & Seyyar, 2009) | Chatzaki & Van Keer, 2019 |
| 99 | Gnaphosidae | <i>Gnaphosa bithynica</i> Kulczyński, 1903 | Present paper |
| 100 | Gnaphosidae | <i>Gnaphosa dolosa</i> Herman, 1879 | Kulczyński, 1908 |

| | | | |
|-----|-------------|--|--------------------------------|
| 101 | Gnaphosidae | <i>Haplodrassus dalmatensis</i> (L. Koch, 1866) | Present paper |
| 102 | Gnaphosidae | <i>Haplodrassus invalidus</i> (O. Pickard-Cambridge, 1872) | Present paper |
| 103 | Gnaphosidae | <i>Haplodrassus omissus</i> (O. Pickard-Cambridge, 1872) | Present paper |
| 104 | Gnaphosidae | <i>Haplodrassus pseudosignifer</i> Marusik, Hippa & Kopponen, 1996 | Present paper |
| 105 | Gnaphosidae | <i>Haplodrassus signifer</i> (C. L. Koch, 1839) | Present paper |
| 106 | Gnaphosidae | <i>Heser nilicola</i> (O. Pickard.-Cambridge, 1874) | Platnick & Shadab, 1983 |
| 107 | Gnaphosidae | <i>Lasophorus zografae</i> Chatzaki, 2018 | Chatzaki, 2018 |
| 108 | Gnaphosidae | <i>Leptodrassus femineus</i> (Simon, 1873) | Present paper |
| 109 | Gnaphosidae | <i>Micaria coarctata</i> (Lucas, 1846) | Present paper |
| 110 | Gnaphosidae | <i>Micaria dives</i> (Lucas, 1846) | Present paper |
| 111 | Gnaphosidae | <i>Micaria guttulata</i> (C. L. Koch, 1839) | Present paper |
| 112 | Gnaphosidae | <i>Micaria ignea</i> O. Pickard-Cambridge, 1872 | Simon, 1876 |
| 113 | Gnaphosidae | <i>Micaria pallipes</i> (Lucas, 1846) | Present paper |
| 114 | Gnaphosidae | <i>Nomisia excerpta</i> (O. Pickard.-Cambridge, 1872) | Chatzaki & Panayiotou, 2010 |
| 115 | Gnaphosidae | <i>Nomisia exornata</i> (C. L. Koch, 1839) | Present paper |
| 116 | Gnaphosidae | <i>Nomisia recepta</i> (Pavesi, 1880) | Present paper |
| 117 | Gnaphosidae | <i>Nomisia ripariensis</i> (O. Pickard.-Cambridge, 1872) | Present paper |
| 118 | Gnaphosidae | <i>Phaeocedus braccatus</i> (L. Koch, 1866) | Present paper |
| 119 | Gnaphosidae | <i>Phaeocedus hebraeus</i> Levy, 1999 | Present paper |
| 120 | Gnaphosidae | <i>Poecilochroa senilis</i> (O. Pickard-Cambridge, 1872) | Present paper |
| 121 | Gnaphosidae | <i>Poecilochroa</i> sp. | Chatzaki & Russell-Smith, 2017 |
| 122 | Gnaphosidae | <i>Poecilochroa taborensis</i> Levy, 1999 | Lissner & Chatzaki, 2016 |
| 123 | Gnaphosidae | <i>Prodidomus amaranthinus</i> (Lucas, 1846) | Present paper |
| 124 | Gnaphosidae | <i>Pterotricha kochi</i> (O. Pickard-Cambridge, 1872) | Present paper |
| 125 | Gnaphosidae | <i>Pterotricha lentiginosa</i> (L. Koch, 1837) | Logunov, 2013 |
| 126 | Gnaphosidae | <i>Pterotricha schaefferi</i> (Audouin, 1826) | Present paper |
| 127 | Gnaphosidae | <i>Scotophaeus peninsularis</i> Roewer, 1928 | Present paper |
| 128 | Gnaphosidae | <i>Scotophaeus scutulatus</i> (L. Koch, 1866) | Present paper |
| 129 | Gnaphosidae | <i>Setaphis carmeli</i> (O. Pickard-Cambridge, 1872) | Present paper |
| 130 | Gnaphosidae | <i>Synaphosus palearcticus</i> Ovtsharenko, Levy & Platnick, 1994 | Present paper |
| 131 | Gnaphosidae | <i>Synaphosus shirin</i> Ovtsharenko, Levy & Platnick, 1994 | Chatzaki & Russell-Smith, 2017 |
| 132 | Gnaphosidae | <i>Synaphosus trichopus</i> (Roewer, 1928) | Present paper |
| 133 | Gnaphosidae | <i>Talanites dunini</i> Platnick & Ovtsharenko, 1991 | Present paper |
| 134 | Gnaphosidae | <i>Trachyzelotes jaxartensis</i> (Kroneberg, 1875) | Present paper |

| | | | |
|-----|-------------|---|--------------------------------|
| 135 | Gnaphosidae | <i>Trachyzelotes lyonneti</i> (Audouin, 1826) | Present paper |
| 136 | Gnaphosidae | <i>Trachyzelotes malkini</i> Platnick & Murphy, 1984 | Present paper |
| 137 | Gnaphosidae | <i>Trachyzelotes stubbsi</i> Platnick & Murphy, 1984 | Platnick & Shadab, 1983 |
| 138 | Gnaphosidae | <i>Turkozelotes mccowani</i> (Chatzaki & Russell-Smith, 2017) | Chatzaki & Russell-Smith, 2017 |
| 139 | Gnaphosidae | <i>Zelotes harmeron</i> Levy, 2009 | Present paper |
| 140 | Gnaphosidae | <i>Zelotes limnatis</i> Chatzaki & Russell-Smith, 2017 | Chatzaki & Russell-Smith, 2017 |
| 141 | Gnaphosidae | <i>Zelotes metellus</i> Roewer, 1928 | Present paper |
| 142 | Gnaphosidae | <i>Zelotes scrutatus</i> (O. Pickard.-Cambridge, 1872) | Present paper |
| 143 | Gnaphosidae | <i>Zelotes</i> sp. | Present paper |
| 144 | Gnaphosidae | <i>Zelotes tenuis</i> (L. Koch, 1866) | Present paper |
| 145 | Gnaphosidae | <i>Zelotes zekharya</i> Levy, 2009 | Chatzaki & Russell-Smith, 2017 |
| 146 | Hahniidae | <i>Iberina candida</i> (Simon, 1875) | Present paper |
| 147 | Hersiliidae | <i>Hersiliola macullulata</i> (Dufour, 1831) | Present paper |
| 148 | Hersiliidae | <i>Hersiliola simoni</i> (O. Pickard-Cambridge, 1872) | Present paper |
| 149 | Linyphiidae | <i>Agyneta fuscipalpa</i> (C. L. Koch, 1836) | Present paper |
| 150 | Linyphiidae | <i>Agyneta pseudorurestris</i> (Wunderlich, 1980) | Wunderlich, 1980 |
| 151 | Linyphiidae | <i>Agyneta simplicitarsis</i> (Simon, 1884) | Present paper |
| 152 | Linyphiidae | <i>Alioranus pastoralis</i> (O. Pickard-Cambridge, 1872) | Wunderlich, 1980 |
| 153 | Linyphiidae | <i>Araeoncus cypriacus</i> Tanasevitch, 2011 | Tanasevitch, 2011 |
| 154 | Linyphiidae | <i>Araeoncus humilis</i> (Blackwall, 1841) | Present paper |
| 155 | Linyphiidae | <i>Bathyphantes gracilis</i> (Blackwall, 1841) | Present paper |
| 156 | Linyphiidae | <i>Canariphantes tenerimus</i> (Simon, 1929) | Present paper |
| 157 | Linyphiidae | <i>Cresmatoneta mutinensis</i> (Canestrini, 1868) | Tanasevitch, 2011 |
| 158 | Linyphiidae | <i>Dactylopisthes digiticeps</i> (Simon, 1881) | Present paper |
| 159 | Linyphiidae | <i>Diplocephalus graecus</i> (O. P-Cambridge, 1873) | Present paper |
| 160 | Linyphiidae | <i>Diplocephalus</i> sp. | Present paper |
| 161 | Linyphiidae | <i>Diplocephalus turcicus</i> Brignoli, 1972 | Present paper |
| 162 | Linyphiidae | <i>Erigone dentipalpis</i> (Wider, 1834) | Tanasevitch, 2011 |
| 163 | Linyphiidae | <i>Erigonoplus spinifemuralis</i> (Dimitrov, 2003) | Present paper |
| 164 | Linyphiidae | <i>Frontinellina frutetorum</i> (C. L. Koch, 1835) | Kulczyński, 1908 |
| 165 | Linyphiidae | <i>Gnathonarium dentatum</i> (Wider, 1834) | Tanasevitch, 2011 |
| 166 | Linyphiidae | <i>Gongylidiellum murcidum</i> Simon, 1884 | Tanasevitch, 2011 |
| 167 | Linyphiidae | <i>Improphanes cypriot</i> Tanasevitch, 2011 | Tanasevitch, 2011 |
| 168 | Linyphiidae | <i>Improphanes turok</i> Tanasevitch, 2011 | Present paper |

| | | | |
|-----|-------------|--|----------------------------------|
| 169 | Linyphiidae | <i>Jacksonella bidens</i> Tanasevitch, 2011 | Tanasevitch, 2011 |
| 170 | Linyphiidae | <i>Linyphia maura</i> Thorell, 1875 | Present paper |
| 171 | Linyphiidae | <i>Linyphia mimonti</i> Simon, 1884) | Present paper |
| 172 | Linyphiidae | <i>Linyphia triangularis</i> (Clerck, 1757). | Present paper |
| 173 | Linyphiidae | <i>Maculoncus parvipalpus</i> Wunderlich, 1995. | Present paper |
| 174 | Linyphiidae | <i>Mecopisthes</i> sp. | Present paper |
| 175 | Linyphiidae | <i>Megalepthyphantes turkeyensis</i> Tanasevitch, Boğaç, Kunt & Seyyar, 2005 | Tanasevitch <i>et al.</i> , 2004 |
| 176 | Linyphiidae | <i>Mermessus fradeorum</i> (Berland, 1932) | Present paper |
| 177 | Linyphiidae | <i>Mermessus denticulatus</i> (Banks, 1898) | Present paper |
| 178 | Linyphiidae | <i>Microctenonyx subitaneus</i> (O. Pickard-Cambridge, 1875) | Tanasevitch, 2011 |
| 179 | Linyphiidae | <i>Microlinyphia pusilla</i> (Sundevall, 1830) | Present paper |
| 180 | Linyphiidae | <i>Neriene clathrata</i> (Sundevall, 1830) | Present paper |
| 181 | Linyphiidae | <i>Neriene furtiva</i> (O. Pickard.-Cambridge, 1871). | Present paper |
| 182 | Linyphiidae | <i>Ostearius melanopygius</i> (O. Pickard-Cambridge, 1879) | Present paper |
| 183 | Linyphiidae | <i>Palliduphantes minimus</i> (Deeleman-Reinhold, 1985) | Deeleman-Reinhold, 1985 |
| 184 | Linyphiidae | <i>Pelecopsis elongata</i> (Wider, 1834) | Tanasevitch, 2011 |
| 185 | Linyphiidae | <i>Prinerigone vagans</i> (Audouin, 1826) | Tanasevitch, 2011 |
| 186 | Linyphiidae | <i>Silometopus reussi</i> (Thorell, 1871) | Present paper |
| 187 | Linyphiidae | <i>Sintula retroversus</i> (O. Pickard-Cambridge, 1875) | Tanasevitch, 2011 |
| 188 | Linyphiidae | <i>Styloctetor romanus</i> (O. Pickard-Cambridge, 1873) | Present paper |
| 189 | Linyphiidae | <i>Tallusia vindobonensis</i> (Kulczyński, 1898) | Present paper |
| 190 | Linyphiidae | <i>Tapinocyba</i> sp. | Present paper |
| 191 | Linyphiidae | <i>Tenuiphantes floriana</i> (van Helsdingen, 1977) | Present paper |
| 192 | Linyphiidae | <i>Tenuiphantes tenuis</i> (Blackwall, 1852) | Tanasevitch, 2011 |
| 193 | Linyphiidae | <i>Theonina laguncula</i> (Denis, 1937) N. Comb. | Present paper |
| 194 | Linyphiidae | <i>Typhochrestus digitatus</i> (O. Pickard-Cambridge, 1873) | Present paper |
| 195 | Linyphiidae | <i>Walckenaeria alticeps</i> (Denis, 1952) | Present paper |
| 196 | Linyphiidae | <i>Walckenaeria antica</i> (Wider, 1834) | Present paper |
| 197 | Linyphiidae | <i>Walckenaeria cyprusensis</i> Wunderlich, 1995 | Wunderlich, 1995 |
| 198 | Linyphiidae | <i>Walckenaeria</i> sp. | Present paper |
| 199 | Linyphiidae | <i>Walckenaeria stylifrons</i> (O. Pickard-Cambridge, 1875) | Wunderlich, 1995 |
| 200 | Liocranidae | <i>Agroeca inopina</i> O. Pickard-Cambridge, 1886 | Present paper |
| 201 | Liocranidae | <i>Agroeca parva</i> Bosmans, 2011 | Present paper |
| 202 | Liocranidae | <i>Arabelia pheidoleicomes</i> Bosselaers, 2009 | Bosselaers, 2009 |

| | | | |
|-----|-------------|---|-----------------------|
| 203 | Liocranidae | <i>Mesiotelus cyprius</i> Kulczyński, 1908 | Kulczyński, 1908 |
| 204 | Liocranidae | <i>Mesiotelus</i> sp. | Present paper |
| 205 | Liocranidae | <i>Mesiotelus tenuissimus</i> (L. Koch, 1866) | Present paper |
| 206 | Liocranidae | <i>Scotina celans</i> Blackwall, 1841 | Present paper |
| 207 | Lycosidae | <i>Alopecosa</i> sp.(sub <i>A. simoni</i>) | Kulczyński, 1908 |
| 208 | Lycosidae | <i>Alopecosa albofasciata</i> (Brullé, 1832) | Bristowe, 1934 |
| 209 | Lycosidae | <i>Arctosa cinerea</i> (Fabricius, 1777) | Present paper |
| 210 | Lycosidae | <i>Arctosa leopardus</i> (Sundevall, 1833) | Kulczyński, 1908 |
| 211 | Lycosidae | <i>Arctosa similis</i> Schenkel, 1938 | Present paper |
| 212 | Lycosidae | <i>Arctosa variana</i> C. L. Koch, 1847 | Present paper |
| 213 | Lycosidae | <i>Aulonia kratochvili</i> Dunin, Buchar & Absolon, 1986 | Present paper |
| 214 | Lycosidae | <i>Hogna ferox</i> (Lucas, 1838) | Present paper |
| 215 | Lycosidae | <i>Hogna radiata</i> (Latreille, 1817) | Present paper |
| 216 | Lycosidae | <i>Lycosa praegrandis</i> C. L. Koch, 1836 | Present paper |
| 217 | Lycosidae | <i>Pardosa albatula</i> (Roewer, 1951) | Present paper |
| 218 | Lycosidae | <i>Pardosa atomaria</i> (C. L. Koch, 1847) | Buchar & Thaler, 2002 |
| 219 | Lycosidae | <i>Pardosa proxima</i> (C. L. Koch, 1847), <i>P. tenuipes</i> L. Koch, 1882 | Present paper |
| 220 | Lycosidae | <i>Pardosa roscai</i> (Roewer, 1951) | Present paper |
| 221 | Lycosidae | <i>Pirata piraticus</i> (Clerck, 1757) | Present paper |
| 222 | Lycosidae | <i>Trabea paradoxa</i> Simon 1876 | Present paper |
| 223 | Lycosidae | <i>Trochosa hispanica</i> Simon, 1870 | Present paper |
| 224 | Lycosidae | <i>Wadicosa fidelis</i> (O. Pickard-Cambridge, 1872) | Present paper |
| 225 | Mimetidae | <i>Ero aphana</i> (Walckenaer, 1802) | Present paper |
| 226 | Mimetidae | <i>Ero flammeola</i> Simon, 1881 | Present paper |
| 227 | Mimetidae | <i>Ero tuberculata</i> (De Geer, 1778) | Present paper |
| 228 | Mimetidae | <i>Mimetus laevigatus</i> (Keyserling, 1863) | Present paper |
| 229 | Miturgidae | <i>Zora manicata</i> Simon, 1878 | Present paper |
| 230 | Mysmenidae | <i>Mysmena leucoplagiata</i> (Simon, 1880) | Present paper |
| 231 | Nemesiidae | <i>Brachythele incerta</i> Ausserer, 1871 | Ausserer, 1871 |
| 232 | Nemesiidae | <i>Nemesia</i> sp. | Present paper |
| 233 | Oecobiidae | <i>Oecobius cellariorum</i> (Dugès, 1836) | Present paper |
| 234 | Oecobiidae | <i>Oecobius maculatus</i> Simon, 1870 | Present paper |
| 235 | Oecobiidae | <i>Oecobius navus</i> Blackwall, 1859 | Present paper |
| 236 | Oecobiidae | <i>Oecobius putus</i> O. Pickard-Cambridge, 1876 | Present paper |

| | | | |
|-----|---------------|--|---------------------|
| 237 | Oecobiidae | <i>Oecobius teliger</i> (O. Pickard-Cambridge, 1872) | Present paper |
| 238 | Oecobiidae | <i>Uroctea durandi</i> (Latreille, 1809) | Present paper |
| 239 | Oonopidae | <i>Opopaea punctata</i> (O. Pickard-Cambridge, 1872) | Present paper |
| 240 | Oonopidae | <i>Opopaea saaristoi</i> Wunderlich, 2011 | Wunderlich, 2011 |
| 241 | Oonopidae | <i>Opopaea santschii</i> Brignoli, 1974 | Saaristo, 2006 |
| 242 | Oonopidae | <i>Orchestina</i> sp. | Present paper |
| 243 | Oonopidae | <i>Silhouettella tomer</i> Saaristo, 2007 | Present paper |
| 244 | Oxyopidae | <i>Oxyopes globifer</i> Simon, 1876 | Present paper |
| 245 | Oxyopidae | <i>Oxyopes heterophthalmus</i> (Latreille, 1804) | Logunov, 2013 |
| 246 | Oxyopidae | <i>Oxyopes lineatus</i> Latreille, 1806 | Present paper |
| 247 | Oxyopidae | <i>Oxyopes mediterraneus</i> Levy, 1999 | Present paper |
| 248 | Oxyopidae | <i>Oxyopes nigripalpis</i> Kulczyński, 1891 | Present paper |
| 249 | Oxyopidae | <i>Oxyopes ramosus</i> (Martini & Goeze, 1778) | Present paper |
| 250 | Oxyopidae | <i>Oxyopes sobrinus</i> Latreille, 1806 | Present paper |
| 251 | Oxyopidae | <i>Peucetia arabica</i> Simon, 1882 | Present paper |
| 252 | Palpimanidae | <i>Palpimanus cyprius</i> Kulczyński, 1909 | Kulczyński, 1909 |
| 253 | Philodromidae | <i>Philodromus aureolus</i> (Clerck, 1757) | Present paper |
| 254 | Philodromidae | <i>Philodromus cespitum</i> (Walckenaer, 1802) | Present paper |
| 255 | Philodromidae | <i>Philodromus longipalpis</i> Simon, 1870 | Present paper |
| 256 | Philodromidae | <i>Philodromus lunatus</i> Muster & Thaler, 2004 | Present paper |
| 257 | Philodromidae | <i>Philodromus margaritatus</i> (Clerck, 1757) | Present paper |
| 258 | Philodromidae | <i>Philodromus marmoratus</i> Kulczyński, 1891 | Present paper |
| 259 | Philodromidae | <i>Philodromus poecilus</i> (Thorell, 1872) | Present paper |
| 260 | Philodromidae | <i>Philodromus rufus</i> Walckenaer, 1826 | Present paper |
| 261 | Philodromidae | <i>Pulchellodromus medius</i> (O. Pickard-Cambridge, 1872) | Kulczyński, 1908 |
| 262 | Philodromidae | <i>Pulchellodromus pulchellus</i> (Lucas, 1846) | Logunov, 2013 |
| 263 | Philodromidae | <i>Thanatus fabricii</i> (Audouin, 1866) | Present paper |
| 264 | Philodromidae | <i>Thanatus imbecillus</i> (C. L. Koch, 1878) | Present paper |
| 265 | Philodromidae | <i>Thanatus vulgaris</i> Simon, 1870 | Logunov, 2013 |
| 266 | Philodromidae | <i>Tibellus macellus</i> Simon, 1875 | Present paper |
| 267 | Philodromidae | <i>Tibellus oblongus</i> (Walckenaer, 1802) | Present paper |
| 268 | Pholcidae | <i>Artema nephilis</i> Aharon, Huber & Gavish-Regev, 2017 | Aharon et al., 2017 |
| 269 | Pholcidae | <i>Holocnemus pluchei</i> (Scopoli, 1763) | Present paper |
| 270 | Pholcidae | <i>Hoploholcus</i> sp. | Present paper |

| | | | |
|-----|----------------|--|-------------------------|
| 271 | Pholcidae | <i>Pholcus phalangioides</i> (Fuesslin, 1775) | Present paper |
| 272 | Pholcidae | <i>Spermophora senoculata</i> (Dugès, 1836) | Present paper |
| 273 | Phrurolithidae | <i>Phrurolithus</i> sp. | Present paper |
| 274 | Phyxelididae | <i>Phyxelida anatolica</i> Griswold, 1990 | Thaler & Knoflach, 1998 |
| 275 | Pisauridae | <i>Pisaura consocia</i> (O. Pickard-Cambridge, 1872) | Logunov, 2013 |
| 276 | Pisauridae | <i>Pisaura mirabilis</i> (Clerck, 1757) | Present paper |
| 277 | Pisauridae | <i>Pisaura novicia</i> (L. Koch, 1878) | Present paper |
| 278 | Salticidae | <i>Aelurillus aeruginosus</i> (Simon, 1871) | Present paper |
| 279 | Salticidae | <i>Aelurillus blandus</i> (Simon, 1871) | Present paper |
| 280 | Salticidae | <i>Aelurillus cypriots</i> Azarkina, 2006 | Azarkina, 2006 |
| 281 | Salticidae | <i>Attulus distinguendus</i> (Simon, 1868) | Present paper |
| 282 | Salticidae | <i>Ballus chalybeius</i> (Walckenaer, 1802) | Present paper |
| 283 | Salticidae | <i>Ballus rufipes</i> (Simon, 1868) | Logunov, 2015 |
| 284 | Salticidae | <i>Chalcoscirtus infimus</i> (Simon, 1868) | Logunov, 2015 |
| 285 | Salticidae | <i>Cyrba algerina</i> (Lucas, 1846) | Logunov, 2013 |
| 286 | Salticidae | <i>Euophrys herbigrada</i> (Simon, 1871) | Present paper |
| 287 | Salticidae | <i>Euophrys rufibarbis</i> (Simon, 1868) | Logunov, 2015 |
| 288 | Salticidae | <i>Euophrys sulphurea</i> (L. Koch, 1867) | Present paper |
| 289 | Salticidae | <i>Evarcha jucunda</i> (Lucas, 1846) | Present paper |
| 290 | Salticidae | <i>Evarcha nepos</i> (O. Pickard-Cambridge, 1872) | Present paper |
| 291 | Salticidae | <i>Evarcha patagiata</i> (O. Pickard-Cambridge, 1872) | Logunov, 2013 |
| 292 | Salticidae | <i>Evarcha insularis</i> (Metzner, 1999) | Present paper |
| 293 | Salticidae | <i>Heliophanillus fulgens</i> (O. Pickard-Cambridge, 1872) | Present paper |
| 294 | Salticidae | <i>Heliophanus auratus</i> C. L. Koch, 1835 | Wesolowska, 1986 |
| 295 | Salticidae | <i>Heliophanus decoratus</i> L. Koch, 1875 | Present paper |
| 296 | Salticidae | <i>Heliophanus edentulus</i> Simon, 1871 | Present paper |
| 297 | Salticidae | <i>Heliophanus encifer</i> Simon, 1871 | Wesolowska, 1986 |
| 298 | Salticidae | <i>Heliophanus equester</i> L. Koch, 1867 | Present paper |
| 299 | Salticidae | <i>Heliophanus flavipes</i> (Hahn, 1832) | Present paper |
| 300 | Salticidae | <i>Heliophanus melinus</i> L. Koch, 1867 | Present paper |
| 301 | Salticidae | <i>Heliophanus mordax</i> (O. Pickard-Cambridge, 1872) | Logunov, 2015 |
| 302 | Salticidae | <i>Macaroeris nidicolens</i> (Walckenaer, 1802) | Logunov, 2015 |
| 303 | Salticidae | <i>Marpissa nivoyi</i> (Lucas, 1846) | Present paper |
| 304 | Salticidae | <i>Mendoza canestrinii</i> (Ninni, 1868) | Present paper |

| | | | |
|-----|--------------|---|------------------|
| 305 | Salticidae | <i>Menemerus bivittatus</i> (Dufour, 1831) | Present paper |
| 306 | Salticidae | <i>Menemerus fagei</i> Berland & Millot, 1941 | Present paper |
| 307 | Salticidae | <i>Menemerus semilimbatus</i> (Hahn, 1829) | Present paper |
| 308 | Salticidae | <i>Mogrus logunovi</i> Prószyński, 2000 | Present paper |
| 309 | Salticidae | <i>Mogrus neglectus</i> (Simon, 1868) | Logunov, 2015 |
| 310 | Salticidae | <i>Neaetha absheronica</i> Logunov & Guseinov, 2002 | Present paper |
| 311 | Salticidae | <i>Neon rayi</i> (Simon, 1875) | Present paper |
| 312 | Salticidae | <i>Pellenes brevis</i> (Simon, 1868) | Logunov, 2015 |
| 313 | Salticidae | <i>Pellenes diagonalis</i> (Simon, 1868) | Present paper |
| 314 | Salticidae | <i>Pellenes flavipalpis</i> (Lucas, 1853) | Drensky, 1936 |
| 315 | Salticidae | <i>Pellenes geniculatus</i> (Simon, 1866) | Logunov, 2015 |
| 316 | Salticidae | <i>Philaeus chrysops</i> (Poda, 1761) | Present paper |
| 317 | Salticidae | <i>Phlegra bresnieri</i> (Lucas, 1846) | Present paper |
| 318 | Salticidae | <i>Phlegra cinereofasciata</i> (Simon, 1868) | Logunov, 2015 |
| 319 | Salticidae | <i>Phlegra fasciata</i> (Hahn, 1826) | Logunov, 2015 |
| 320 | Salticidae | <i>Plexippoides flavescens</i> (O. Pickard-Cambridge, 1872) | Present paper |
| 321 | Salticidae | <i>Plexippoides gestroi</i> (Dalmas, 1920) | Logunov, 2015 |
| 322 | Salticidae | <i>Plexippus devorans</i> (O. Pickard-Cambridge, 1872) | Present paper |
| 323 | Salticidae | <i>Plexippus paykulli</i> (Audouin, 1826) | Present paper |
| 324 | Salticidae | <i>Pseudeuophrys obsoleta</i> (Simon, 1868) | Logunov, 2015 |
| 325 | Salticidae | <i>Pseudicius picaceus</i> (Simon, 1868) | Present paper |
| 326 | Salticidae | <i>Pseudicius vankeeri</i> Metzner, 1999 | Logunov, 2015 |
| 327 | Salticidae | <i>Pseudomogrus gavdos</i> (Logunov & Marusik, 2003) | Present paper |
| 328 | Salticidae | <i>Salticus noordami</i> Metzner, 1999 | Logunov, 2009 |
| 329 | Salticidae | <i>Salticus propinquus</i> Lucas, 1846 | Logunov, 2015 |
| 330 | Salticidae | <i>Sibianor aurocinctus</i> (Ohlert, 1865) | Present paper |
| 331 | Salticidae | <i>Synageles dalmaticus</i> (Keyserling, 1863) | Present paper |
| 332 | Salticidae | <i>Synageles hilarulus</i> (C. L. Koch, 1846) | Logunov, 2015 |
| 333 | Salticidae | <i>Talavera aequipes</i> (O. Pickard-Cambridge, 1871) | Present paper |
| 334 | Salticidae | <i>Thyene imperialis</i> (Rossi, 1846) | Present paper |
| 335 | Scytodidae | <i>Scytodes thoracica</i> (Latreille, 1802) | Present paper |
| 336 | Scytodidae | <i>Scytodes univittata</i> Simon, 1882 | Present paper |
| 337 | Scytodidae | <i>Scytodes velutina</i> (Heineken & Lowe, 1832) | Present paper |
| 338 | Segestriidae | <i>Ariadna cyprusensis</i> (Wunderlich, 2011) | Wunderlich, 2011 |

| | | | |
|-----|----------------|--|--------------------------|
| 339 | Segestriidae | <i>Segestria bavarica</i> (C. L. Koch, 1843) | Present paper |
| 340 | Segestriidae | <i>Segestria florentina</i> (Rossi, 1790) | Present paper |
| 341 | Segestriidae | <i>Segestria senoculata</i> (Linnaeus, 1758) | Present paper |
| 342 | Sicariidae | <i>Loxosceles rufescens</i> (Dufour, 1820) | Logunov, 2013 |
| 343 | Sparassidae | <i>Eusparassus walckenaeri</i> (Audouin, 1826) | Strand, 1907 |
| 344 | Sparassidae | <i>Micrommata formosa</i> Pavesi, 1878 | Present paper |
| 345 | Sparassidae | <i>Micrommata ligurina</i> (C. L. Koch, 1845) | Present paper |
| 346 | Sparassidae | <i>Micrommata virescens</i> (Clerck, 1757) | Present paper |
| 347 | Sparassidae | <i>Olios suavis</i> (O. Pickard-Cambridge, 1876) | Jäger <i>et al.</i> 2011 |
| 348 | Tetragnathidae | <i>Metellina mengei</i> (Blackwall, 1869) | Present paper |
| 349 | Tetragnathidae | <i>Tetragnatha demissa</i> L. Koch, 1872 | Present paper |
| 350 | Tetragnathidae | <i>Tetragnatha intermedia</i> Kulczyński, 1891 | Present paper |
| 351 | Tetragnathidae | <i>Tetragnatha nitens</i> (Audouin, 1826) | Present paper |
| 352 | Tetragnathidae | <i>Tetragnatha obtusa</i> C. L. Koch, 1837 | Present paper |
| 353 | Tetragnathidae | <i>Zygiometella perlóngipes</i> (O. Pickard-Cambridge, 1872) | Present paper |
| 354 | Theraphosidae | <i>Chaetopelma karlamani</i> Vollmer, 1997 | Vollmer, 1997 |
| 355 | Theraphosidae | <i>Chaetopelma olivaceum</i> (C. L. Koch, 1841) | Ausserer, 1871 |
| 356 | Theridiidae | <i>Anelosimus pulchellus</i> (Walckenaer, 1802) | Present paper |
| 357 | Theridiidae | <i>Anelosimus vittatus</i> (C. L. Koch, 1836) | Present paper |
| 358 | Theridiidae | <i>Argyrodes argyrodes</i> (Walckenaer, 1841) | Present paper |
| 359 | Theridiidae | <i>Crustulina scabripes</i> Simon, 1881 | Present paper |
| 360 | Theridiidae | <i>Dipoena galilaea</i> Levy & Amitai, 1981 | Present paper |
| 361 | Theridiidae | <i>Dipoena melanogaster</i> (C. L. Koch, 1837) | Present paper |
| 362 | Theridiidae | <i>Enoplognatha gemina</i> Bosmans & Van Keer, 1999 | Present paper |
| 363 | Theridiidae | <i>Enoplognatha giladensis</i> (Levy & Amitai, 1982) | Present paper |
| 364 | Theridiidae | <i>Enoplognatha macrochelis</i> Levy & Amitai, 1981 | Bosmans & Van Keer, 1999 |
| 365 | Theridiidae | <i>Enoplognatha mariae</i> Bosmans & Van Keer, 1999 | Present paper |
| 366 | Theridiidae | <i>Enoplognatha mediterranea</i> Levy & Amitai, 1981 | Bosmans & Van Keer, 1999 |
| 367 | Theridiidae | <i>Enoplognatha parathoracica</i> Levy & Amitai, 1981 | Present paper |
| 368 | Theridiidae | <i>Enoplognatha penelope</i> Hippa & Oksala, 1982 | Present paper |
| 369 | Theridiidae | <i>Enoplognatha quadripunctata</i> Simon, 1884 | Present paper |
| 370 | Theridiidae | <i>Enoplognatha thoracica</i> (Hahn, 1833) | Present paper |
| 371 | Theridiidae | <i>Episinus maculipes</i> Cavanna, 1876 | Present paper |
| 372 | Theridiidae | <i>Episinus truncatus</i> Latreille, 1809 | Present paper |

| | | | |
|-----|-------------|--|-----------------------------|
| 373 | Theridiidae | <i>Euryopis episinoides</i> (Walckenaer, 1847) | Logunov, 2013 |
| 374 | Theridiidae | <i>Euryopis laeta</i> (Westring, 1861) | Present paper |
| 375 | Theridiidae | <i>Euryopis quinqueguttata</i> Thorell, 1875 | Present paper |
| 376 | Theridiidae | <i>Euryopis sexalbomaculata</i> (Lucas, 1846) | Present paper |
| 377 | Theridiidae | <i>Kochiura aulica</i> (C. L. Koch, 1838) | Present paper |
| 378 | Theridiidae | <i>Lasaeola convexa</i> (Blackwall, 1870) | Present paper |
| 379 | Theridiidae | <i>Lasaeola coracina</i> (C. L. Koch, 1837) | Present paper |
| 380 | Theridiidae | <i>Lasaeola testaceomarginata</i> Simon, 1881 | Present paper |
| 381 | Theridiidae | <i>Latrodectus dahli</i> Levi, 1959 | Present paper |
| 382 | Theridiidae | <i>Latrodectus geometricus</i> C. L. Koch, 1841 | Knoflach & Van Harten, 2002 |
| 383 | Theridiidae | <i>Latrodectus tredecimguttatus</i> (Rossi, 1790) | Present paper |
| 384 | Theridiidae | <i>Neospintharus syriacus</i> (O. Pickard-Cambridge, 1872) | Knoflach <i>et al.</i> 2008 |
| 385 | Theridiidae | <i>Neottiura herbigrada</i> (Simon, 1873) | Knoflach, 1999 |
| 386 | Theridiidae | <i>Neottiura suaveolens</i> (Simon, 1880) | Present paper |
| 387 | Theridiidae | <i>Neottiura uncinata</i> (Lucas, 1846) | Logunov, 2013 |
| 388 | Theridiidae | <i>Paidiscura dromedaria</i> (Simon, 1880) | Present paper |
| 389 | Theridiidae | <i>Pholcomma gibbum</i> (Westring, 1851) | Present paper |
| 390 | Theridiidae | <i>Phycosoma inornatum</i> (O. Pickard-Cambridge, 1861) | Present paper |
| 391 | Theridiidae | <i>Phylloneta impressa</i> (L. Koch, 1881) | Present paper |
| 392 | Theridiidae | <i>Platnickina nigropunctata</i> (Lucas, 1846) | Present paper |
| 393 | Theridiidae | <i>Rhomphaea longicaudata</i> O. Pickard-Cambridge, 1872 | Present paper |
| 394 | Theridiidae | <i>Simitidion agaricographum</i> (Levy & Amitai, 1982) | Knoflach, 1996 |
| 395 | Theridiidae | <i>Simitidion simile</i> (C. L. Koch, 1836) | Present paper |
| 396 | Theridiidae | <i>Steatoda albomaculata</i> (Degeer, 1778) | Present paper |
| 397 | Theridiidae | <i>Steatoda erigoniformis</i> (O. Pickard-Cambridge, 1872) | Present paper |
| 398 | Theridiidae | <i>Steatoda grossa</i> (C. L. Koch, 1838) | Present paper |
| 399 | Theridiidae | <i>Steatoda paykulliana</i> (Walckenaer, 1806) | Logunov, 2013 |
| 400 | Theridiidae | <i>Steatoda trianguloides</i> Levy, 1991 | Present paper |
| 401 | Theridiidae | <i>Steatoda triangulosa</i> (Walckenaer, 1802) | Present paper |
| 402 | Theridiidae | <i>Theridion cinereum</i> Thorell, 1875 | Present paper |
| 403 | Theridiidae | <i>Theridion cypruseNSE</i> Wunderlich, 2011 | Wunderlich, 2011 |
| 404 | Theridiidae | <i>Theridion helena</i> Wunderlich, 2011 | Present paper |
| 405 | Theridiidae | <i>Theridion italiense</i> Wunderlich, 1995 | Present paper |
| 406 | Theridiidae | <i>Theridion melanostictum</i> O. Pickard.-Cambridge, 1876 | Knoflach, 1998 |

| | | | |
|-----|--------------|---|------------------|
| 407 | Theridiidae | <i>Theridion ochreolum</i> Levy & Amitai, 1982 | Present paper |
| 408 | Thomisidae | <i>Bassaniodes caperatus</i> (Simon, 1875) | Present paper |
| 409 | Thomisidae | <i>Bassaniodes pseudorectilineus</i> (Wunderlich, 1995) | Present paper |
| 410 | Thomisidae | <i>Bassaniodes tenebrosus</i> (Silhavy, 1944) | Present paper |
| 411 | Thomisidae | <i>Bassaniodes tristrami</i> (O. Pickard-Cambridge, 1872) | Present paper |
| 412 | Thomisidae | <i>Cozyptila thaleri</i> Marusik & Kovbyuk, 2005 | Present paper |
| 413 | Thomisidae | <i>Diaealivens</i> Simon, 1876 | Present paper |
| 414 | Thomisidae | <i>Heriaeus graminicola</i> (Doleschall, 1852) | Present paper |
| 415 | Thomisidae | <i>Heriaeus simoni</i> Kulczyński, 1903 | Present paper |
| 416 | Thomisidae | <i>Misumena vatia</i> (Clerck, 1757) | Present paper |
| 417 | Thomisidae | <i>Monaeses israeliensis</i> Levy, 1973 | Present paper |
| 418 | Thomisidae | <i>Ozyptila rigida</i> (O. Pickard-Cambridge, 1872) | Present paper |
| 419 | Thomisidae | <i>Ozyptila tricoloripes</i> Strand, 1913 | Kulczyński, 1908 |
| 420 | Thomisidae | <i>Ozyptila</i> sp. | Present paper |
| 421 | Thomisidae | <i>Pistius truncatus</i> (Pallas, 1772) | Present paper |
| 422 | Thomisidae | <i>Runcinia grammica</i> (C. L. Koch, 1837) | Present paper |
| 423 | Thomisidae | <i>Synema globosum</i> (Fabricius, 1775) | Present paper |
| 424 | Thomisidae | <i>Synema plorator</i> (O. P-Cambridge, 1872) | Present paper |
| 425 | Thomisidae | <i>Thomisus citrinellus</i> Simon, 1875 | Present paper |
| 426 | Thomisidae | <i>Thomisus onustus</i> Walckenaer, 1805 | Logunov, 2013 |
| 427 | Thomisidae | <i>Thomisus zyuzini</i> Marusik & Logunov, 1990 | Present paper |
| 428 | Thomisidae | <i>Tmarus piochardi</i> (Simon, 1866) | Present paper |
| 429 | Thomisidae | <i>Xysticus cor</i> Canestrini, 1873 | Present paper |
| 430 | Thomisidae | <i>Xysticus edax</i> (O. Pickard-Cambridge, 1872) | Present paper |
| 431 | Thomisidae | <i>Xysticus laetus</i> Thorell, 1875 | Present paper |
| 432 | Thomisidae | <i>Xysticus pseudoluctuosus</i> Marusik & Logunov, 1995 | Present paper |
| 433 | Thomisidae | <i>Xysticus xerodermus</i> Strand, 1913 | Present paper |
| 434 | Titanoecidae | <i>Nurscia albomaculata</i> (Lucas, 1846) | Present paper |
| 435 | Titanoecidae | <i>Nurscia albosignata</i> Simon, 1874 | Present paper |
| 436 | Titanoecidae | <i>Titanoeca</i> sp. | Present paper |
| 437 | Trachelidae | <i>Trachelas minor</i> O. Pickard-Cambridge, 1872 | Present paper |
| 438 | Uloboridae | <i>Hyptiotes paradoxus</i> (C. L. Koch, 1834) | Present paper |
| 439 | Uloboridae | <i>Uloborus plumipes</i> Lucas, 1846 | Present paper |
| 440 | Uloboridae | <i>Uloborus walckenaerius</i> Latreille, 1806 | Present paper |

| | | | |
|-----|------------|--|------------------|
| 441 | Zodariidae | <i>Lachesana blackwalli</i> (O. Pickard-Cambridge, 1872) | Kulczyński, 1908 |
| 442 | Zodariidae | <i>Palaestina expolita</i> O. Pickard-Cambridge, 1872 | Present paper |
| 443 | Zodariidae | <i>Zodarion barbareae</i> Bosmans, 2009 | Present paper |
| 444 | Zodariidae | <i>Zodarion granulatum</i> Kulczyński, 1908 | Kulczyński, 1908 |
| 445 | Zodariidae | <i>Zodarion lutipes</i> (O. Pickard-Cambridge, 1872) | Bosmans, 2009 |
| 446 | Zodariidae | <i>Zodarion reticulatum</i> Kulczyński, 1908 | Kulczyński, 1908 |
| 447 | Zodariidae | <i>Zodarion thoni</i> Nosek, 1905 | Kulczyński, 1908 |
| 448 | Zoropsidae | <i>Akamasia cyprogenia</i> Bosselaers, 1997 | Bosselaers, 1997 |
| 449 | Zoropsidae | <i>Zoropsis lutea</i> (Thorell, 1875) | Kulczyński, 1911 |