



CB=968254

579
(46)
1253

CATALOGUS SEMINUM

IN

HORTO BOTANICO MATRITENSI

ANNO 1871 COLLECTORUM.

(SEMINA SOLUTA MERCEDE MITTENTUR ET EXPECTANTUR.)

Ranunculaceæ.

Aconitum brachycarpum *H. Ber.*
 Lycoctonum *L.*
 Actæa brachypetala *D C.*
 Cimifuga *L.*
 racemosa *L.*
 Adonis autumnalis *L.*
 caudata *Stev.*
 microcarpa *D C.*
 Anemone alba *Juss.*
 alpina *L.*
 coronaria *L.*
 dichotoma *L.*
 Hudsoniana *Rich.*
 multifida *Poir.*
 sibirica *L.*
 virginiana *L.*
 vitifolia *Buchan.*
 Aquilegia advena *F. et M.*
 atropurpurea *W.*
 —Fischeriana.
 canadensis *L.*
 fragrans *Maund.*
 Gebleri *Bess.*
 glandulosa *Fisch.*
 bicolor.
 grandiflora *Desf.*
 hybrida *Sims.*
 jucunda *Fisch.*
 leptoceras *Fisch.*
 nevadensis *Boiss.*
 nigricans *Baumg.*
 —plena.
 parviflora *Ledeb.*
 Sternbergii *Reichbch.*
 viridiflora *Pall.*
 viscosa *L.*
 vulgaris *L.*
 —alba.
 Wattmanniana *Hort.*
 Ceratocephalus falcatus *Pers.*
 Clematis campaniflora *Brot.*
 corymbosa *Poir.*
 cylindrica *Sims.*
 erecta *All.*
 —hispanica.
 Flammula *L.*
 —oblongifolia.
 —vulgaris.
 Gebleriana *Bunge.*
 glauca *W.*
 integrifolia *L.*
 juvata *Benth.*

Clematis lathyrifolia *Bess.*
 orientalis *L.*
 paniculata *Thunb.*
 verticillaris *D C.*
 virginiana *L.*
 Viticella *L.*
 Delphinium cuneatum *Stev.*
 dyctiocarpum *D C.*
 elegans *D C.*
 intermedium *Ait.*
 —pilosissimum.
 Kingoutii *Hort.*
 ornatum *Bouché.*
 palmatifidum *D C. β.*
 pyramidale *Kost.*
 ranunculifolium *Wall.*
 Requierii *D C.*
 sibiricum *Hort.*
 urceolatum *Jacq.*
 Eranthis hyemalis *Salisb.*
 Garidella Nigellastrum *L.*
 Helleborus fœtidus *L.*
 Isopyrum fumarioides *L.*
 thalictroides *L.*
 Myosurus minimus *L.*
 Nigella aristata *Sibth.*
 Bourgæi *Jord.*
 coarctata *Gmel.*
 corniculata *D C.*
 damascena *L.*
 divaricata *D C.*
 Fontanesii *H. Ber.*
 hispanica *L.*
 orientalis *L.*
 pygmaea *Pers.*
 Pœonia humilis *Retz.*
 mollis *Anders.*
 peregrina *Mill.*
 rosea *Host.*
 villosa *Desf.*
 Ranunculus abortivus *L.*
 acris *L.*
 albicans *Jord.*
 angulatus *Presl.*
 aquatilis *L.*
 —peucedanifolius.
 arvensis *L.*
 Boreanus *Jord.*
 Breynius *Cra.*
 cœsius *Boiss.*
 caucasicus *Biebrst.*
 coronatus *Ehrenbg.*
 Chius *D. C.*
 Friesanus *Jord.*

Ranunculus fumariæfolius *Desf.*
 garganicus *Ten.*
 geranioides *H. et B.*
 græcus *Griseb.*
 hirsutus *Curt.*
 hyperboræus *Rottb.*
 incrassatus *Guss.*
 millefoliatus *Vahl.*
 Minæ *H. P.*
 muricatus *L.*
 napellifolius *D C.*
 nemorosus *D C.*
 nodiflorus *L.*
 ophioglossifolius *D C.*
 oreophilus *Biebrst.*
 palustris *L.*
 parviflorus *L.*
 pedatus *W. et K.*
 philonotis *Retz.*
 polyanthemus *L.*
 propinquus *C. A. M.*
 repens *L.*
 sceleratus *L.*
 Schraderianus *Fisch.*
 Sprunerianus *Boiss.*
 Tomasii *Ten.*
 trachycarpus *F. et M.*
 trilobus *Desf.*
 tuberculatus *Kit.*
 villosus *D C.*
 Thalictrum acutilobum *D C.*
 ambiguum *Schleich.*
 appendiculatum *Ledeb.*
 aquilegifolium *L.*
 calabricum *Spr.*
 carolinianum *Bosc.*
 concinnum *W.*
 Cornuti *L.*
 dasycarpum *F. et M.*
 elatum *Murr.*
 eminens *Jord.*
 exaltatum *C. A. M.*
 expansum *Jord.*
 floribundum *Schrad.*
 fœtidum *L.*
 glaucum *Desf.*
 heterophyllum *Lejeun.*
 Jacquinianum *Kunth.*
 japonicum *Thunb.*
 Jordani *Fr. et Schult.*
 Kochii *Fr.*
 lucidum *Jacq.*
 majus *Jacq.*
 medium *Murr.*

Thalictrum minus *L.*
 montanum *H. Brux.*
 nigricans *Jacq.*
 nutans *Desf.*
 paradoxum *Jord.*
 purpurascens *L.*
 roseum *Hort.*
 ruthenicum *Schrad.*
 sparsiflorum *F. et M.*
 vaginatum *Desf.*

Dilleniaceæ.

Candollea cuneiformis *Labill.*
 (Austral.)

Berberideæ.

Berberis aristata *D C.*
 dealbata *Lindl.*
 declinata *Schrad.*
 ilicifolia *Forst.*
 integerrima *Bung.*
 macrocarpa *Schrad.*
 macrophylla *Hort.*
 sanguinolenta *Schrad.*
 vulgaris *L.*
 —violacea.
 Mahonia Aquifolium *Nutt.*
 diversifolia *Sweet.*
 fascicularis *D C.*
 repens *G. Don.*

Nymphæaceæ.

Nelumbium speciosum *W.*
 Nymphaea alba *L.*
 lutea *L.*

Papaveraceæ.

Argemone grandiflora *Sweet.*
 Hunnemanniana *H. Ber.*
 intermedia *H. M.*
 mexicana *L.*
 —albiflora.
 —albo-picta.
 ochroleuca *Sweet.*
 platyceras *Link.*
 sulphurea *Sweet.*
 Chelidonium grandiflorum *D C.*
 laciniatum *Mill.*
 majus *L.*
 —fl. pleno.

- Eschscholtzia californica* *Chamisso*.
 —rosea.
Douglassi *Hook et Arn.*
Glaucium corniculatum *Curt.*
 —flaviflorum.
Fischeri *Bruch.*
fulvum *Sm.*
luteum *Scop.*
rubrum *Sibth.*
tricolor *Benth.*
Hunnemannia fumariifolia *Sweet.*
Hypecoum grandiflorum *Benth.*
pendulum *L.*
Macleya cordata *R. Br.*
Meconopsis cambrica *Vig.*
Papaver album *Crantz.*
apulum *Ten.*
Argemone *L.*
argemonioides *Cesat.*
armeniaceum *Lam.*
bracteatum *Lindl.*
 —coccineum.
caucasicum *Biebrst.*
 —hispidum.
clavigerum *Lam.*
commutatum *F. et M.*
dubium *L.*
hybridum *L.*
Lecococqui *Lamott.*
Laeginii *Lamott.*
Murcelli *V. Hout.*
obtusifolium *Desf.*
opififerum *Fisch.*
orientale *L.*
pinnatifidum *Mor.*
ramosissimum *Bernh.*
Rheas *L.*
 —fl. pleno.
rupifragum *R. Br.*
seligerum *D. C.*
somniferum *L.*
spicatum *Boiss. et Bal.*
Roemeria hybrida *D. C.*
retrofracta *D. C.*
- Fumariaceæ.**
- Adlumia cirrhosa* *Rafin.*
Corydalis glauca *Pursch.*
capnoides *Pers.*
pallida *D. C.*
Fumaria spicata *L.*
- Cruciferæ.**
- Æthionema Buxbaumii* *D. C.*
coridifolium *D. C.*
cristatum *D. C.*
gracile *D. C.*
græcum *Boiss.*
Alyssum argenteum *W.*
Benthemi *H. Ber.*
calycinum *L.*
campestre *L.*
corymbulosum *Boiss.*
dasycarpum *Steph.*
edentulum *W. et K.*
gemonense *L.*
hirsutum *Biebrst.*
leucadeum *Guss.*
maritimum *Lam.*
micropetalum *Fisch.*
minimum *W.*
obtusifolium *Steph.*
orientale *Ard.*
procumbens *Loud.*
rostratum *Stev.*
saxatile *L.*
spinosum *L.*
Szovitsianum *F. et M.*
tortuosum *W. et K.*
umbellatum *Desv.*
Arabis alpina *L.*
auriculata *Lam.*
 —recta.
- Arabis borealis* *Andr.*
ciliaris *W.*
heteromalla *Schrad.*
hirsuta *Scop.*
lilacina *Schrad.*
Ludoviciana *C. A. M.*
Pseudo-Turritis *Boiss. et Heldr.*
saxatilis *All.*
Soyeri *Reut.*
stenopetala *W.*
Aubretia deltoidea *D. C.*
erubescens *Griseb.*
macrostyla *Boiss. et Orph.*
Aurinia gemonensis *Griseb.*
microphisa *Fenz.*
Barbarea arquata *Reichbch.*
orthoceras *Ledeb.*
plantaginea *D. C.*
præcox *R. Br.*
vulgaris *R. Br.*
 —prostrata.
Berteroa incana *D. C.*
mutabilis *D. C.*
Biscutella auriculata *L.*
ciliata *D. C.*
Columnæ *Ten.*
depressa *W.*
erigerifolia *D. C.*
hispida *D. C.*
raphanifolia *Poir.*
Brassica balearica *Rich.*
Besseriana *Hort.*
bracteolata *F. et M.*
cretica *Lam.*
insularis *Mor.*
juncea *Rupr.*
mesopotamica *Bernh.*
odorata *Schrenk.*
rubra *Hort.*
Schimperi *Boiss.*
sabularia *Brot.*
Braya pinnatifida *Koch.*
supina *Koch.*
Bunias aspera *Retz.*
 —cristata.
Erucago *L.*
orientalis *L.*
Cakile maritima *Scop.*
Calepina Corvini *Desv.*
Camelina dentata *D. C.*
 —pinnatifida.
fœtida *Fries.*
microcarpa *Andrz.*
sativa *Crantz.*
sylvestris *Fries.*
Capsella Berengeriana *Vis.*
procumbens *Fries.*
rubella *Reut.*
Cardamine Engelmänniana *H. Bevol.*
hirsuta *L.*
impatiens *L.*
Ludoviciana *Hook.*
pratensis *L.*
Carpoceras sibiricum *Boiss.*
Carrichtera Vellæ *D. C.*
Cheiranthus maritimus *L.*
scoparius *W.*
Chorispora tenella *D. C.*
Clypeola cyclodonteia *Del.*
Jonthlaspi *L.*
Cochlearia acaulis *Desf.*
danica *L.*
glastifolia *L.*
officinalis *L.*
saxatilis *L.*
Coronopus squamatus *Forsk.*
Couringia clavata *Boiss.*
orientalis *Andrz.*
Crambe abyssinica *Hochst.*
cordifolia *Stev.*
grandiflora *D. C.*
hispanica *L.*
juncea *Biebrst.*
maritima *L.*
- Crambe pinnatifida* *R. Br.*
Diplotaxis erucoides *D. C.*
muralis *D. C.*
platystylos *Willk.*
Prolongi *Boiss.*
siifolia *Kunze.*
tenuifolia *D. C.*
tenuisiliqua *Del.*
virinea *D. C.*
virgata *D. C.*
Draba aizoides *L.*
altaica *Brong.*
aurea *Vahl.*
borealis *D. C.*
caroliniana *Walt.*
contorta *Ehrh.*
hirta *L.*
hispanica *Boiss.*
incana *L.*
laxa *Lindl.*
nemorosa *L.*
stellata *Jacq.*
Eranthocarpus lyratus *D. C.*
Eruca cappadocica *Reut.*
orthosepala *Lange.*
sativa *D. C.*
turgida *Vis.*
vesicaria *Cav.*
Erucaria aleppica *Gaertn.*
Erucastrum arabicum *F. et M.*
varium *Reut.*
Erysimum aciphyllum *Boiss.*
Alliaria *L.*
arkansanum *Nutt.*
cheirantoides *L.*
 —dentatum.
crassipes *F. et M.*
crepidifolium *Reichbch.*
cuspidatum *D. C.*
durum *Presl.*
Geyeri *Reichbch.*
gruinum *D. C.*
hieracifolium *L.*
Kunzeanum *Boiss.*
perfoliatum *Crantz.*
Perofskianum *Fisch.*
planisiliquosum *Ledeb.*
repandum *L.*
suffruticosum *Spr.*
Farselia clypeata *R. Br.*
eriocarpa *D. C.*
Goldbackia torulosa *D. C.*
Heliophila amplexicaulis *L. fl.*
pilosa *Lam.*
 —incisa.
Hesperis Jasa *H. Ber.*
fragrans *Fisch.*
matronalis *L.*
runcinata *W. et K.*
Heterocrambe Aristidis *Coss. et Dur.*
Hirschfeldia adpressa *Reichbch.*
Hugeninia tanacetifolia *Reichbch.*
Iberis amara *L.*
collina *Jord.*
contracta *Pers.*
coronaria *Sweet.*
deflexifolia *Jord.*
Forestieri *Jord.*
Garrexiana *All.*
Lagascana *D. C.*
nigricans *Fisch.*
pectinata *Boiss.*
pinnata *L.*
Pruiti *Ten.*
umbellata *L.*
 —purpureo-nana.
Isatis aleppica *Scop.*
campestris *Stev.*
 —gymnocarpa.
dasycarpa *Ledeb.*
intermedia *Turez.*
leiocarpa *D. C.*
oblongata *D. C.*
 —laxiocarpa.
præcox *Kit.*
- Isatis sibirica* *Trautv.*
tinctoria *L.*
Koniga lybica *R. Br.*
spathulata *Sm.*
Lepidium affine *Led.*
campestre *L.*
 —subglabrum.
crassifolium *W. et K.*
densiflorum *Schrad.*
glastifolium *Desf.*
graminifolium *L.*
Humboldtii *D. C.*
Iberis *L.*
incisum *Roth.*
Kumingianum *H. Bon.*
latifolium *L.*
Menziesii *D. C.*
micranthum *Ledeb.*
perfoliatum *L.*
ruderale *L.*
sativum *L.*
Smithii *Hook.*
spicatum *Desv.*
subulatum *L.*
virginicum *L.*
Leptocarpea Læselii *D. C.*
Lobularia lybica *Meisn.*
Lunaria biennis *Moench.*
Malcomia africana *D. C.*
bicolor *Boiss.*
chia *D. C.*
incrassata *D. C.*
 —cuspidata.
laxa *D. C.*
maritima *R. Br.*
parviflora *D. C.*
rigida *Boiss.*
Matthiola arborescens *Schrank.*
græca *Sweet.*
incana *R. Br.*
maderensi-incana *Heer.*
parviflora *R. Br.*
tricuspidata *R. Br.*
Meniocus Ehrenbergii *Presl.*
linifolius *Desv.*
Moricandia arvensis *D. C.*
Ramburei *Webb.*
Myagrum perfoliatum *L.*
Nasturtium bonariense *D. C.*
Camelinae *F. et M.*
micropetalum *F. et M.*
pyrenaicum *R. Br.*
Neslia paniculata *Desv.*
 * *commutata* *Boiss.*
Notoceras canariensis *R. Br.*
Ochthodium ægyptiacum *D. C.*
Odontarrhena argentea *F. et M.*
Pachypodium erysimoides *Webb.*
Peltaria angustifolia *D. C.*
Psiloneuma calycynum *Mey.*
Rhaphanistrum Gayanum *F. et M.*
Raphanus caudatus *L.*
Landra *Moret.*
niger *Mer.*
Rhaphanistrum *L.*
Rapistrum orientale *D. C. β ex Gren. et Godr.*
perenne *Berg.*
rugosum *All.*
Senebiera Coronopus *Poir.*
integrifolia *D. C.*
linoides *D. C.*
pectinata *D. C.*
pinnatifida *D. C.*
Sinapis alba *L.*
Allionii *Jag.*
brassicata *L.*
dissecta *β Lag.*
geniculata *Desf.*
incana *L.*
integrifolia *W.*
juncea *L.*
lanceolata *D. C.*
mesopotamica *Spr.*
nigra *L.*
odorata *Schrenk.*

Sinapis orientalis L.
pekinensis Lois.
pubescens L.
sinensis L.
turgida Del.
Sisymbrium Assoanum Losc. et
 Pard.
austriacum Jacq.
brachypetalum F. et M.
Columna L.
 —*leiocarpum*.
contortum Cav.
Cumingianum F. et M.
Griffithianum Boiss.
hirsutum Lag.
junceum Biebrst.
lasiolobum Bois.
laxiflorum Bois.
obtusangulum W.
officinale D C.
Pallasii Spr.
pannonicum Jacq.
persicum Bernh.
pinnatifidum D C.
polyceratium L.
pumilum Steph.
strictissimum L.
taraxacifolium D C.
torulosum Desf.
Succovia balearica D C.
Syrenia angustifolia Ehrh.
cuspidata Reichbch.
sessiliflora Ledeb.
Tetrapoma barbareaefolium Tu-
 rez.
Thlaspi arvense L.
baicalense D C.
ceratocarpum L. fl.
corymbosum Gay.
violascens Schott et Kotschy.
Turritis glabra L.
retrofacta Hook.
Vesicaria cretica Poir.
grandiflora Hook.
paniculata Desv.
sinuata Poir.
utriculata Lam.

Resedaceæ.

Astrocarpus Clusii Gay.
Reseda crispata Link.
crystallina Webb.
erecta Lag.
fruticulosa L.
Gayana Boiss.
Luteola L.
myriophylla Ten.
odorata L.
Phyteuma L.
truncata Fisch.
undata L.
virescens Horn.
virgata Reut.

Capparidæ.

Cleome arborea H. et B.
Eckloniana Schrad.
pungens W.
rufa Camb.
triphylla L.
Dactylana micrantha Schrad.
Gynandropsis pentaphylla D C.
Polanisia trachisperma Torr. et
 Gray.
viscosa D C.
Tovaria pendula R. et P.

Cistaceæ.

Cistus africanus Hort.
albidus Lam.
canariensis Jacq.
corsicus H. Bon.
creticus L.

Cistus garganicus Ten.
hirsutus Lam.
 —*acutifolius*.
 —*angustifolius*.
 —*platysepalus*.
incanus L.
ladaniferus L.
laurifolius L.
polymorphus γ *crispatus* Willk.
salvifolius L.
undulatus Moench.
vaginatus Ait.
villosus L.
Helianthemum ægyptiacum
 Fisch.
croceum Pers.
Fumana Mill.
 —*majus*.
guttatum Mill.
lasiocarpum H. P.
montanum Vis.
niloticum Pers.
obscurum Pers.
origanifolium Pers.
pulverulentum Willk.
roseum D C.
salicifolium Pers.
squamatum Pers.
tauricum Rupr.
umbellatum Mill.
villosum Thib.
vulgare Pers.
variabile Spach.

Violariæ.

Ionidium polygalæfolium Vent.
Viola altaica Ker.
appendiculata D C.
arenaria D C.
arvensis D C.
canina L.
cucullata Ait.
floribunda Jord.
hirta δ D C.
incopta Jord.
Jooi Janka.
lancifolia Biebrst.
macedonica Boiss.
montana L.
 —*persicifolia*.
Patrini D C.
prionantha Bunge.
Riviniana Reichbch.
sudetica W.
tricolor L.
 —*grandiflora*.
variegata Fisch.

Droseraceæ.

Parnassia palustris L.

Polygalæ.

Polygala myrtifolia L.
 —*grandiflora*.

Pittosporæ.

Billardiera longiflora Labill.
Bursaria spinosa Cav. (Austral.)
Pittosporum undulatum Vent.
coriaceum Ait.
crassifolium Soland. (Austral.)
tenuifolium Gærtn. (Austral.)

Frankeniaceæ.

Frankenia pulverulenta L.

Cariophylleæ.

Alsine Bahuinorum Gay.
decipiens Fenz.
fastigiata Criseb.

Alsine globulosa C. Mey.
Jacquini Koch.
liniflora Fenz.
setacea Mert. et Koch.
Arenaria canadensis Pers.
cucubaloidea Sm.
fasciculata Gouan.
glandulosa Jacq.
glomerata Biebrst.
gothica Fries.
graminifolia Schrad.
grandiflora L.
hirsuta Biebrst.
laricifolia Wahlberg.
leptoclada Reichbch.
media L.
nardifolia Led.
rubra L.
segetalis Lam.
serpyllifolia L.
tenuifolia L.
Buffonia annua D C.
macrosperma Torr. et Gr.
Cerastium alpinum L.
arvense L.
Boissierianum Gren.
brachypetalum Pers.
chloræfolium Fisch.
dichotomum L.
hirsutum Ten.
inflatum Link.
multiflorum Mey.
pensylvanicum Spr.
Scarani Ten.
triviale Sims.
viscosum L.
Cucubalus bacciferus L.
Czerei Baumg.
Dianthus aggregatus Poir.
Armeria L.
Arrostii Presl.
asper W.
Balbisi Sering.
capitatus D C.
cœsius Sims.
carthusianorum L.
caucasicus Sims.
chinensis L.
 —*Heddwigii*.
 —*montanus*.
 —*tataricus*.
ciliatus Guss.
corsicus Fisch.
Cyri Fisch.
deltoides L.
filiformis Lam.
fimbriatus Biebrst.
fragrans Biebrst.
Fischeri Spr.
Gardneri Hort.
hortensis Schrad.
hungaricus Pers.
hybridus Auct. Angl.
 —*atropurpureus*.
japonicus Thunb.
laciniatus Regel.
 —*maximus plenissimus*.
latifolius W.
liburnicus Bartl.
parnassicus Boiss.
pelviformis Hoffm.
petraeus W. et K.
plumarius L.
 —*albiflorus*.
prolifer L.
pubescens Sibth.
pungens L.
racemosus Vis.
rupicola Biv.
Seguieri Vill.
 —*dentosus*.
 —*montanus*.
 —*tataricus*.
trifasciculatus Kit.
viscidus Bory.
Drymaria cordata W.

Drymaria ciliaris H. Ber.
Drypis spinosa L.
Eudianthe læta Reichbch.
maculata Lindl.
Gouffea holosteoides C. A. M.
Gypsophila acutifolia Fisch.
altissima L.
Arrostii Guss.
effusa Jacq.
elegans Biebrst.
paniculata L.
perfoliata L.
prostrata L.
viscosa Murr.
Heliosperma alpestre A. Br.
Holosteum glutinosum Fisch.
umbellatum L.
Lepyrodiclis holosteoides Fenz.
Lepigonum azoricum Kindbg.
laxiflorum Bartl.
Liebmannianum Lange.
neglectum Kindbg.
salinum Sweett.
salsugineum F. et M.
villosum F. et M.
Lychnis chalconica L.
 —*flore albo*.
 —*variabilis*.
Cœlirosa Desr.
 —*aspera*.
coronaria Desr.
divaricata Reichbch.
Flos-cuculi L.
Flos-Jovis Desr.
fulgens Fisch.
Haageana Hort.
Githago Lam.
 —*nicænsis*.
grandiflora Hort.
 —*gigantea*.
inclusa Lehm.
nemorialis Heuff.
Novæ Scotiae H. Dorpat.
tatarica Hort.
tristis Bunge.
viscaria L.
Malachium aquaticum Fries.
Melandrium declive Willk.
diurnum H. Ups.
 —*crassifolium*.
macrocarpum Willk.
noctiflorum Fries.
pratense Roehl.
Preslii Sekera.
sylvestris Roel.
Moenchia Mantica Bartl.
Mollugo cerviana Sering.
verticillata L.
Sagina subulata Presl.
Saponaria cerastoides F. Mey.
chloræfolia Kunze.
glutinosa Biebrst.
officinalis L.
 —*fl. pleno*.
ocimoides L.
orientalis L.
persica Link.
porrigens L.
pyramidata Manch.
Vacaria L.
Silene ambigua Camb.
annulata Thore.
anthirrina L.
apetala W.
Armeria L.
Atocion Murr.
babylonica Boiss.
bellidifolia Jacq.
 —*pallens*.
bipartita Desf.
 —*angustifolia*.
Boissieri Tineo.
Candolleana Jord.
Cecaraniana Boiss. et Held.
caramanica Boiss.
catholica Ait.

Silene cerastoides L.
chloræfolia Sm.
ciliata Pourr.
coarctata Lag.
compacta Biebrst.
conica L.
conoidea L.
cretica L.
damascena Boiss.
dichotoma Ehrh.
Dilleniana Schult.
disticha W.
Duriei Spach.
exaltata Frivalds.
falcata Sibth.
firma H. Petrop.
flava H. Bon.
Fortunei Hook.
fruticosa L.
fuscata Link.
gallica L.
 —pauciflora.
gigantea L.
Giraldi Guss.
gonocalix Boiss.
hirsuta Fresl.
hispidula Desf.
Hornemanni Steud.
inaperta L.
inclusa Horn.
inflata Smith.
 —uniflora.
integripetala Bory.
italica Pers.
juvenalis Del.
lævigata Sibth.
linicola Gmel.
linifolia W.
longicilia Ott.
longiflora Ehrh.
lusitanica L.
lydia Boiss.
macrodonata Heldr. non Boiss.
maritima With.
melandriiformis Mart.
muscipula L.
nicæensis All.
noctiflora L.
nocturna L.
 —corollina.
nutans L.
obtusifolia W.
ornata Ait.
Olites Pers.
paradoxa L.
pendula L.
peutelica Boiss. et Heldr.
præcox Link.
psammica Boiss.
pteropleura Boiss. et Reut.
pygmæa Link.
quinque-vulnera L.
raphanoides Hort.
reticulata Desf.
rosulata Soy.
 —crassicaulis.
rubella L.
sabuletorum Link.
Salzmanni Otto.
Saxifraga L.
Scouleri Hook.
sedoides Jacq.
sericea All.
squamigera Boiss.
supina Biebrst.
syriaca Boiss.
Tenoreana Coll.
tenuiflora Guss.
tenuis W.
Thorei Dufour.
Thunbergiana Eckl. et Zeyh.
tridentata Desf.
velutina Pourr.
vesiculosa Gray.
vespertina Retz.
vilipensa Kunze.

Silene viridiflora L.
viscosa Pers.
wolgensis Bess.
Spergula maxima Weihe.
Spergularia chilensis Fisch.
salina Presl.
Stellaria Arenaria L.
graminea L.
molluginea Sw.
viscida Biebrst.
Tunica stricta F. et M.
Velesia rigida L.
Viscaria Donetii Hort.
oculata Lindl.
purpurea Weinz.
pusilla Poir.
Sartorii Boiss.

Linaceæ.

Linum agreste Brot.
album Hort. Angl.
ambiguum Jord.
angustifolium Huds.
asiaticum Mart.
austriacum L.
cribrosum Reichbch.
diffusum Schrad.
flexuosum H. Ber.
floccosum H. Ber.
grandiflorum Desf.
humile Mill.
Lorey Jord.
monadelphum Mart.
multiflorum Lam.
narbonense L.
nodiflorum L.
strictum L.
usitatissimum L.
 —grandiflorum.
 —minor.

Malvaceæ.

Abutilon permolle Don.
Althæa apterocarpa Fenz.
armeniaca Ten.
cannabina Ten.
ficifolia Cav.
Frolowiana Bess.
Heldreichii Boiss.
Hohenakeri Boiss.
Ludwigii L.
mutiflora Reichbch.
narbonensis Pourr.
nudiflora Lindl.
officinalis L.
pallida W. et K.
rosea Cav.
sinensis Cav.
stricta Hort.
taurinensis D C.
Anoda brachyantha Reichbch.
crenatiflora Ort.
Dilleniana Cav.
hastata Cav.
parviflora Cav.
triangularis D C.
triloba Cav.
Wrightii A. Gray.
Callirhoea digitata Nutt.
pedata Hort.
Gossypium cernuum Todaro.
herbaceum L.
maritimum Todaro.
Nanking Meyen.
neglectum H. Bon.
siamense Ten.
Hibiscus abyssinicus Steud.
cannabinus L.
esculentus L.
gossypinus Thunb.
Humboldtii Mart.
mutabilis L.
palmatum W.
Patersonius Ait. (Austral.)

Hibiscus sphærocarpus Bouché.
syriacus L.
 —flore albo.
Trionum L.
 —cordifolius.
 —ternatus.
Kitaibelia vitifolia W.
Lavatera arborea L.
Behriana Schleichd.
crispa H. Ber.
lassiomelanocarpa H. Ticin.
lusitanica L.
maritima Gouan.
mostacha L.
pallescens Moris.
plebeja Sims.
punctata All.
Salvitellensis Brign.
sylvestris L.
tricuspidata D C.
trimestris L.
tripartita D C.
thuringiaca L.
unguiculata Desf.
Malachra capitata L.
Malope grandiflora Hort. Angl.
malacoides L.
Malva abutiloides L.
Alcea L.
alchemillæfolia Hort.
americana L.
angustifolia Cav.
balsamica Jacq.
betuloides Schrad.
Biasoletiana Vis.
borbonica W.
borealis Liljebl.
bryonifolia L.
capensis L.
caroliniana L.
cordistipula Steud.
crispa L.
decumbens W.
Duriei Spach.
fastigiata Cav.
flexuosa Horn.
gangetica L.
italica Poll.
lactea Ait.
limensis L.
mauritiana L.
 —sinensis.
microcarpa Desf.
miniata Cav.
 —pallida.
nicæensis All.
parviflora L.
peruviana L.
polystachya Cav.
pseudo-Lavatera Webb.
scaberrima Lag.
 —fl. albo.
scabra Cav.
scoparia L'Her.
spicata L.
sylvestris L.
tricuspidata Kit.
umbellata Cav.
verticillata L.
waltherifolia Link.
zebrina Hort.
Malvastrum borbonicum A. Gray.
peruvianum A. Gray.
Palava flexuosa Hort.
Pavonia hastata Cav.
pentacarpos Poir.
præmorsa W.
Typhelæa Cav.
Sida Abutilon L.
angustifolia Cav.
asiatica L.
Balbisiæana D C.
bonariensis W.
carnea Sess. et Moc.
carpinoides D C.
cordifolia L.

Sida crispa L.
deflexa Cav.
floribunda H. et B.
graveolens Roab.
herbacea Cav.
hirta Cav.
indica L.
jatrophoides L'Her.
micrantha St. Hil.
mollicoma W.
mollis Ort.
 —fl. roseo.
Napæa Cav.
populifolia Lam.
pulchella Bonpl.
retusa L.
rhombifolia L.
 —canescens.
 —microphylla.
spinosa L.
tiliæfolia Fisch.
triloba Thunb.
triquetra L.
umbellata L.
vesicaria Cav.
virgata Cav.
Walteria ovata Cav.

Buttneriaceæ.

Buttneria pannosa D C.
Hermannia althææfolia L.
arabica Hochst.
denudata L.
conglomerata Eckl. et Zeyh.
hyssopifolia L.
venosa Bartl.
Melochia pyramidata L.
Rulingia corylifolia Graham.

Tiliaceæ.

Corchorus olitorius L.
pilobolus Link.
trilocularis L.
Entelea arborescens R. Br.
Grewia occidentalis L. (Austral.)
Sparmannia africana L.
Triumfetta trichoclada D C.

Hypericineæ.

Androsæmum officinale All.
Webbianum Spach.
Hypericum barbatum L.
bæticum Boiss.
Boreanum Jord.
Cambessedii Coss.
canariense L.
capitatum Chois.
dalmaticum H. Ber.
decussatum Kunze.
dentatum Lois.
elatum Juss.
elegans Steph.
floridanum Ait.
hircinum L.
inodorum W.
linearifolium Vahl.
montanum L.
perforatum L.
 —elatum.
pyramidatum Ait.
quadrangulum L.
quinquenervium Wall.
tetrapterum Fries.
tomentosum L.

Acerineæ.

Acer campestre L.
monsperulanum L.
pseudo-Platanus L.
Negundo fraxinifolium Nutt.

Sapindaceæ.

Cardiospermum Halicacabum L.
microcarpum H. Ber.
Dodonæa conferta F. Müll.
cuneata Sm.
Kœlreuteria paniculata Lam.

Ampelideæ.

Ampelopsis hederacea D C.
heterophylla Sieb. et Zucc.
Cissus antarctica Vent. (Austral.)
nepalensis D C.
Vitis virginiana H. P.

Geraniaceæ.

Erodium adenophyllum H. Bon.
anemonæfolium L'Her.
althæoides Jord.
chium W.
cicutarium W.
 —bipinnatum.
 —chærophyllum.
 —pilosum.
gruinum W.
Gussoni Ten.
hymenodes L'Her.
malacoides W.
moranense W.
moschatum W.
romanum W.
sebaceum Del.
verbenæfolium Del.
Geranium abortivum Notaris.
aconitifolium L'Her.
asphodeloides Burm.
bohemicum L.
carolinianum L.
columbinum L.
collinum Biebrst.
 —glandulosum.
cristatum Stev.
dissectum L.
eriosstemum Fisch.
favosum H. Petrop.
formosum Hort.
lanuginosum Jacq.
Londesii Fisch.
macrorrhizon L.
modestum Jord.
nemorosum Ten.
omphalodeum Lange.
platypetalum Fisch.
pratense L.
 —albiflorum.
pusillum L.
pyrenaicum L.
Robertianum L.
rotundifolium L.
sibiricum L.
striatum L.
sylvaticum L.
Wallichianum Sweet.
Pelargonium acerifolium L'Her.
alchemilloides Ait.
anceps Ait.
articulatum W.
australe Jacq.
betulinum Ait.
capitatum Ait.
elongatum Steud.
graveolens Ait.
Heritieri Jacq.
humifusum W.
hybridum Ait.
inquinans Ait.
lacerum Jacq.
papilionaceum Ait.
parvulum D C.
peltatum Ait.
Radula Ait.
spathulatum Pers.
speciosum Van Eden.
tabulare L'Her.

Pelargonium tomentosum Jacq.
vitifolium Ait.
zonale W.
 —fl. albo.
 —malvæfolium.

Tropæoleæ.

Tropæolum aduncum Sm.
Lobbianum Hook.

Balsamineæ.

Impatiens Balsamina L.
capensis Thunb.

Oxalidæ.

Oxalis cernua Thunb.
incarnata L.
purpurea Jacq.
tropæoloides Hook.

Zygophylleæ.

Fagonia cretica L.
Larrea nitida Cav.
Melanthus major L.
Tribulus robustus Boiss.
bicornutus Fisch.
Zygophyllum Fabago L.

Rutaceæ.

Dictamnus albus L.
Peganum Harmala L.
Ruta angustifolia Pers.
chalepensis L.
crithmifolia Moris.
montana L.

Coriariæ.

Coriaria myrtifolia L.

Celastrineæ.

Evonymus europæus L.
japonicus Thunb.
latifolius Mill.
Ilex Aquifolium L.
Maytenus chilensis D C.
Staphyllea pinnata L.

Rhamneæ.

Paliurus australis Gaertn.
Rhamnus Alaternus L.
catharticus L.
Clusii W.
Pallasii F. et M.
Wickluis H. Petrop.
Zizyphus vulgaris L.

Terebinthaceæ.

Cneorum tricoccum L.
Duvaia dependens D C.
Mauria simplicifolia H. et B.
Pistacia Terebinthus L.
Ptelea trifoliata L.
 —mollis.
Rhus Cotinus L.
elegans W.
lucida L.
Toxicodendron L.
Schinus Molle L.

Leguminosæ.

Acacia acuminata Benth. (Austral.)
albicans F. et M.
armata R. Br. (Austral.)
calamifolia Lindl. (Austral.)
cultriformis Hook. (Austral.)

Acacia cyanophylla Benth. (Austral.)
cyclops Cunningh.
decurrens W. (Austral.)
dodonæifolia Desf.
Farnesiana W.
Julibrissim W.
leucocephala Bertero.
longifolia W.
lophantha W.
lunata Sieb. (Austral.)
Melanoxylon R. Br. (Austral.)
pachycarpa F. Müll. (Austral.)
procera W.
pycnantha Benth. (Austral.)
retinodes Schlectd. (Austral.)
salicina Lindl. (Austral.)
saligna Wendl. (Austral.)
Senegal W.
stenophylla Cunningh. (Austral.)
verticillata W.
Adenocarpus frankenioides Chois.
Adesmia muricata D C.
Æschinomene pumila L.
Alysicarpus vaginalis D C.
Amorpha caroliniana Heyn.
elata Heyn.
fruticosa L.
 —glauca.
 —pallidior.
 —pubescens.
Lewissi Lodd.
Anagyris foetida L.
Anthyllis alpestris W. et K.
Barba Jovis L.
cornicina L.
Hermannia L.
tetraphylla L.
Arachis hypogæa L.
Arthrolobium ebracteatum D C.
scorpioides D C.
Astragalus aduncus W.
Ægiceras W.
alopeuroides L.
bicolor Lam.
bœticus L.
brachyceras Ledeb.
Buceras W.
canariensis Hort.
Cicer L.
ciceriformis Bernh.
contortuplicatus L.
corrugatus Bertol.
depressus L.
drupaceus Orph.
falcatus Lam.
galegiformis L.
glyciphyllus L.
hamosus L.
hypoglottis L.
juvenalis Del.
lasiopetalus Bunge.
leucophæus Sm.
maximus W.
melilotoides Pall.
monsessulanus L.
narbonensis Gouan.
pentaglottis L.
racemosus Pursch.
refractus C. A. M.
scorpioides Pourr.
sesameus L.
triangularis H. M.
tribuloides H. M.
trimestris L.
uncinatus Moench.
vicioides Ledeb.
Biserrula irregularis Roile.
Pelecinus L.
Brachysema lanceolata Meisn. (Austral.)
Cajanus bicolor D C.
Callistachys lanceolata Vent.
Canavalia obtusifolia D C.

Canavalia ensiformis D C.
Caragana arborescens Lam.
Redowskii Fisch.
sophorafolia Thausch.
Cassia Barclayana Sweet.
Chamaecrista L.
falcata L.
hirsuta L. fl.
occidentalis L.
Sophora L.
Cercis Siliquastrum L.
 —flor. carneo.
Clianthus puniceus Soland. (Austral.)
Clitoria ternatea L.
Colutea arborescens L.
aurantiaca H. Burd.
brevialata Lange.
caspica Biebrst.
crocea Fisch.
halepica Lam.
media W.
orientalis Lam.
Coppolera monantha Todaro.
Coronilla atlantica Boiss. et Reut.
coronata L.
cretica L.
Emerus L.
georgica Boris.
glauca L.
lotoides Hook.
montana Scop.
orientalis Mill.
pentaphylla Desf.
pinnatifida Hort. Ups.
rostrata Boiss.
scorpioides Koch.
valentina L.
varia L.
Crotalaria impressa Nees.
incana L.
incanescens L. fl.
turgida D C.
Cytisus alpinus Mill.
Alschingeri Vis.
aspalathoides Spr.
biflorus L'Her.
capitatus Jacq.
ciliatus Wahlberg.
elongatus W. et K.
filipes Webb.
glabratus Link.
Laburnum L.
proliferus L. fl.
 —albus.
purpureus Scop.
racemosus Marnok.
ratisbonensis Schaeffer.
Rudolphii Ten.
ruthenicus Fisch.
sessilifolius L.
supinus Jacq.
trilobus L'Her.
Dalea alopecuroides W.
Lagopus W.
Darlingtonia brachyloba D C.
Desmanthus annuus H. M.
strictus Bertol.
virgatus W.
Desmodium canadense D C.
marylandicum D C.
paniculatum D C.
viridiflorum D C.
Dolichos bicontortus Dur.
Catiang L.
 —semine albo.
lignosus L.
luteus Swartz.
monachalis Brot.
myodes H. Taur.
niloticus Del.
ornatus Wall.
sesquipedalis L.
Soja L.
unguiculatus L.
Dorycnium hirsutum Sering.

Dorycnium ibericum W.
latifolium W.
rectum Sering.
subbiflorum Sering.
suffruticosum Vill.
Edwardsia microphylla Salisb.
 (Austral.)
Ervum punctulatum Bess.
Tenorii Ten.
Fagelia bituminosa DC. (Austral.)
Flemmingia semialata Roxb.
Galega officinalis L.
 —fl. albo.
persica Pers.
Genista alba Lam.
Attleyana C. Koch.
canariensis L.
fragrans Hort.
lucida Camb.
mantica Poll.
monosperma Lam.
multibracteata Tausch.
polygalæfolia D C.
scoparia Lam.
sphaerocarpa Lam.
sibirica L.
thyrsoflora Boott.
tinctoria L.
Gleditschia caspica Desf.
macroacantha Desf.
monosperma Lam.
sinensis Lam.
triacanthos L.
Glycine lancifolia Lag.
Glyzyrrhiza dubia Bernh.
dulcica Bernh.
echinata L.
fetida Desf.
glandulifera W. et K.
lepidota Pursh.
uralensis Fisch.
Goodia lotifolia Salisb.
medicaginea Müll.
Gymnocladus canadensis Lam.
Halimodendron argenteum D C.
Hardenbergia monophylla Benth.
Hedysarum coronarium L.
 —albiflorum.
flexuosum L.
sibiricum Poir.
Hippocrepis balearica Jacq.
ciliata W.
multisiliquosa L.
unisiliquosa L.
Hosackia Purshiana Hook.
Indigofera Anil L.
australis W. (Austral.)
coccinea Lour.
juncea D C.
Kennedyia nigricans Lindl. (Austral.)
prostrata R. Br. (Austral.)
rubicunda Vent.
Lablab vulgaris D C.
 —albiflorus.
Lathyrus abyssinicus H. P.
angulatus L.
articulatus L.
 —auriculatus.
asphodeloides Gr. et Godr.
bithynicus D C.
 —pallidus.
Cicera L.
commutatus Horn.
corniculatus Link.
cornutus Horn.
ensifolius Badaro.
hirsutus L.
inconspicuus L.
incurvus W.
latifolius L.
macranthus Lange.
mexicanus Wender.
mutabilis Sweet.
Napoleonis Hort.
Ochrus D C.

Lathyrus pratensis L.
purpureus Desf.
pyrenaicus Jord.
rotundifolius W.
sphaericus Retz.
sylvestris L.
tingitanus L.
tomentosus Lam.
tuberosus L.
Lespedeza polystachya Michx.
villosa Pers.
Lessertia brachystachya D C.
virgata Lk. et Otto.
Lotus arabicus L.
coimbricensis Brot.
corniculatus L.
diffusus Sm.
edulis L.
Gebelia Vent.
gracilis W. et K.
Jacobæus L.
lamprocarpus Boiss.
odoratus Curt.
ornithopodioides L.
palustris W.
 —glabriusculus.
patens Presl.
suaveolens Pers.
tenuifolius Presl.
Lupinus arbustus Dougl.
Barkeri Lindl.
bicolor Lindl.
Cruikshanksii Hook.
Hartwegii Bot. Reg.
Liebmani Hort.
micranthus Dougl.
Moritzianus H. Ber.
pulchellus Sweet.
speciosus H. Erf.
succulentus Dougl.
Medicago apiculata W.
 —polycephala.
arbores L.
arenaria Ten.
Berteroana Moris.
ciliaris W.
circinnata L.
cretacea Biebrst.
Decandollei Tineo.
denticulata W.
disciformis D C.
distans Poir.
elegans Jacq.
falcata L.
flexuosa Ten.
germana Jord.
globulosa Desv.
intertexta W.
laciniata All.
lævis Desf.
lappacea Desr.
lenticularis Lam.
lupulina L.
marginata W.
microdon Ehrenbg.
Morisiana Jord.
Murex W.
muricata Ait.
nigra W.
obscura Retz.
orbicularis W.
polycarpa W.
prostrata Jacq.
radiata L.
reticulata Benth.
rigida Lam.
sardoa Moris.
sativa L.
scutellata All.
Sorrentinii Tin.
suffruticosa Ram.
Tenoreana Jord.
Terebellum W.
Timeroyi Jord.
tornata W.
tribuloides Lam.

Medicago tuberculata W.
Melilotus arvensis Wallr.
Baumerti Horrem.
cœrulea Pers.
erratica Jord.
italica Lam.
leucantha Koch.
macrocarpa Coss. et Dur.
messanensis Desf.
parviflora Desf.
permixta Jord.
polonica Pers.
rotundifolia Ten.
rutenica Biebrst.
secundiflora Dur.
speciosa Dur.
taurica Sering.
Tommasini Jord.
Mimosa glomerata Forsk.
Onobrychis æquidentata D'Urv.
affinis Verlot.
amœna Jord.
Caput-galli Lam.
carpatica D C.
gracilis Bess.
Pallasii Biebrst.
paucidentata H. Ber.
petræa Desv.
procumbens Fisch.
sativa Lam. β.
saxatilis Lam.
Tommasini Jord.
Ononis alopecuroides L.
 —pallida.
alissima Lam.
aspera Ten.
brachycarpa D C.
breviflora D C.
Columnæ All.
crotalarioides Coss.
fruticosa L.
geminiflora Lag.
mitissima L.
monophylla Desf.
Natrix L. β.
ornithopodioides L.
spinosa Wallr.
Ornithopus compressus L.
ebracteatus Brot.
perpusillus L.
sativus Brot.
Orobis Clymenum A. Br.
galegiformis Desf.
roseus Ledeb.
Smontii Hort.
tuberosus L.
vernus L.
 —flaccidus.
vicieformis Lag.
Oxytropis pilosa D C.
Phaseolus biflorus H. P.
fuscus H. M.
gonospermus Savi. β.
inamœnus L.
lilac Zucc.
lunatus L.
 —atropurpureus.
lupinoides Fingerh.
Max L.
mesoleucus Schrad.
multiflorus W.
 —albus.
Mungo L.
ornithoos H. Patav.
 —azureo-fulvus.
Ricciardianus Ten.
sanguineus Hort.
sphaericus Savi.
semierectus L.
tumidus Savi.
vexillatus L.
violaceus Steud.
vulgaris L.
 —nigerrimus.
 —zebra.
Pisum arvense L.

Pisum sativum L.
 —ecorticalatum.
 —macrocarpum.
Pocockia ciliata Boiss.
cretica D C.
Podalyria australis Vent.
sericea R. Br. (Austral.)
Poinciana Gilliesii Hook.
regia Bojer. (Arbor speciosissima in Puerto-Rico culta.)
Prosopis Siliquastrum D C.
Psoralea alnifolia H. Bon.
bituminosa L.
bracteata L.
candicans Eckl. et Zeyh.
corylifolia L.
dentata D C.
glandulosa L.
involverata Thunb.
macrostachya D C.
palæstina L.
patens Müll.
pinnata L.
plumosa Reichbch.
pubescens Balb.
Rhynchosia caribæa Jacq.
minima D C.
Robinia Pseudo-acacia L.
 —pyramidalis.
 —sophoræfolia.
viscosa Vent.
Sarothamnus scoparius Wimm.
Scorpiurus subvillosa L.
sulcata L.
vermiculata L.
Securigera Coronilla D C.
Sesbania aculeata Pers.
ægyptiaca Pers.
Soja hispida Moench.
ochroleuca Kunth et Bouché.
Sophora flavescens L.
japonica L.
 —pendula.
tomentosa L.
Spartium junceum L.
Sutherlandia frutescens R. Br.
Swainsonia galegifolia R. Br.
 (Austral.)
Greyana Hook.
Tetragonolobus biflorus Sering.
conjugatus Link.
purpureus Moench.
Requienii F. et M.
siliquosus Roth.
Trifolium albidum Retz.
angustifolium L.
arvense L.
Balansa Boiss.
Cherleri L.
diffusum Ehrh.
elegans Savi.
erinaceum Biebrst.
fragiferum L.
glomeratum L.
hispidum Desf.
hybridum Savi.
incarnatum L.
lappaceum L.
libanoticum Ehrenbg.
maritimum Huds.
ochroleucum L.
pallescens Schreb.
panormitanum L.
panormitanum Presl.
phleoides Pourr.
pratense L.
 —sativum.
reclinatum W. et K.
repens L.
resupinatum L.
scabrum L.
spumosum L.
stellatum L.
strictum L.
 —lævigatum.
suffocatum Sm.

Trifolium tomentosum L.
tumens Biebrst.
vesiculosum Savi.
Trigonella Balansæ Boiss. et Reut.
calliceras Fisch.
cancellata Desf.
cilicica Boiss.
cœrulea Sering.
corniculata L.
Fœnum-græcum L.
geminiflora Lag.
gladiata Stev.
hamosa L.
monantha C. A. M.
orthoceras Cav.
pinnatifida Cav.
polycerata L.
tenuis Fisch.
Vicia amphicarpa Dorthes.
angustifolia Roth.
atropurpurea Desf.
biennis L.
calcarata Desf.
disperma D C.
ferruginea Bess.
graminea Sm.
hirsuta Fisch.
hirta Balb.
hybrida L.
hyrcanica Fisch.
leucosperma Moench.
lutea L.
macrocarpa Moris.
megalosperma Biebrst.
megalotropis Led.
Musquinez Boiss.
narbonensis L.
ochroleuca Ten.
peregrina L.
picta F. et M.
platycarpus Roth.
pseudocracca Bertol.
sordida W. et K.
stricta Biebrst.
tenuifolia Roth.
unijuga A. Br.
villosa Roth.
Vigna glabra Savi.
sinensis Savi.
tranquebarica Tod.
unguiculata Walp.
villosa Savi.
Viminaria denudata Sm.

Rosaceæ.

Acæna ovina Cuningh. (Austral.)
sanguisorba Vahl.
sericea Jacq. fil.
Agrimonia caffra C. Mey.
Eupatorium L.
odorata Mill.
pilosa Led.
repens L.
sororia β Wiedmanniana F. et M.
suaveolens Pers.
Alchemilla Aphanes Leers.
Amygdalus glandulosa Hort.
Aphanes cornucopioides Lag.
Aremonia agrimonioides D C.
Cotoneaster denticulata H. Ber.
Fontanesii Spach.
laxiflora Lindl.
rotundifolia Lindl.
thymifolia Hort.
vulgaris Lindl.
Cratægus coccinea L.
heterophylla Flugg.
microcarpa Lindl.
oxyacantha L.
—monostyla.
—obtusata.
pyracantha Pers.

Cratægus sanguinea Pall.
subvillosa Schrad.
Fragaria chiloensis Ehrh.
indica Andr.
Geum album Gmel.
aleppicum Jacq.
canadense Murr.
coccineum Sibth.
—grandiflorum.
—superbum.
dubium Horn.
japonicum Thumb.
intermedium Ehrh.
macrophyllum W.
nutans Lam.
ranunculoides Sering.
Rafinesqueanum Steud.
rubifolium Lej.
urbanum L.
Willdenowi Desf.
Magyaricarpus setosus R. et P.
Mespilus Azarolus Poir.
Photinia serrulata Lindl.
Potentilla adpressa Jord.
agrimonoides Biebrst.
approximata Bunge.
argentea L.
astracantha Jacq.
aurea L.
arguta Pursch.
—ferruginea.
atrosanguinea Lodd.
Bigelowiana Wudrth.
bipinnatifida Dougl.
Buccoana Clementi.
calabra Ten.
canescens Sess.
—inclinata.
cathacines Lehm.
chrysantha Trev.
colorata Lehm.
Comarum Scop.
delphinensis Gr. et Godr.
Dethomasii Ten.
divaricata D C.
Dombeyi Nestl.
effusa Doug.
elegans H. Valent.
exaltata Bunge.
gariensis Ecklon.
gelida C. A. M.
Guntheri Pohl.
Hippiana Lehm.
hirta L.
—laciniata.
—obscura.
—recta.
—rubens.
Hoopwoodiana Sweet.
iberica H. P.
incisa D C.
intermedia L.
kurdica Boiss.
Leschenautiana Sering.
millegrana Dougl.
missurica Schrad.
multifida L.
nepalensis Hook.
obscura W.
Oliveriana H. Ber.
ontopoda Dougl.
ornithopoda Tauch.
ornithopodioides Sweet.
pallida H. M.
paradoxa Nutt.
pennsylvanica L.
—arguta.
—hippiana.
pilosa W.
pulchra Langsd.
recta L.
reptans L.
Romanzoffii Ledeb.
rubens All.
rupestris L.
Sadleri Reichbch.

Potentilla salisburgensis Haenk.
schrenkiana Rgl.
splendens Ramon.
strigosa Pall.
taurica W.
tenuiloba Jord.
verna L.
viscosa Don.
Poterium Magnolii Spach.
microphyllum Jord.
mauritanicum Boiss.
muricatum Spach.
rubellum H. Bruæ.
Sanguisorba L.
—lateriflorum.
—puberulum.
spinosum L.
stenolophum Spach.
Prunus incana H. P.
myrobalana Desf.
Padus L.
spinosa L.
Pyrus coronaria L.
pinnatifida Sm.
Rosa alba L.
alpina L.
—lagenaria.
altaica W.
baicalensis Turtsch.
canina L.
collina Jacq.
diversifolia Vent.
Eglanteria β bicolor Jacq.
fraxinifolia α blanda D C.
guttenteinensis Jacq. fil.
indica L.
lutescens Pursh.
moschata Ait.
pendulina Red.
rubiginosa L.
Silverhielmi F. et M.
spinosissima L.
stylosa Desv.
villosa L.
Rubus cæsius L.
glandulosus Bell.
Hoffmeisterianus Kunth.
Idæus L.
inermis W.
laciniatus W.
occidentalis L.
sylvestris Sieb. et Zucc.
vestitus W. et K.
Sanguisorba bracteosa Bess.
dyciocarpa L.
flexicaulis Reichbch.
media L.
officinalis L.
—auriculata.
tenuifolia Fisch.
—viridiflora.
Sorbus Aucuparia L.
Spiræa Filipendula L.
Ulmaria L.

Calycanthææ.

Chimonanthus occidentalis Hook.

Onagrarieæ.

Boisduvalia Douglasii Spach.
Circæa mollis Sieb. et Zucc.
Clarkia compressa Hook.
elegans Dougl.
—nana.
grandiflora Hort.
nereifolia Hort.
pulchella Pursh.
—fl. albo.
—fl. pleno.
—marginata.
Epilobium adnatum Griseb.
coloratum Muhlbgr.
Dodonæi Vill.
hirsutum L.

Epilobium hypericifolium Tausch.
mexicanum Mocq.
montanum L.
—collinum.
originifolium Lam.
parviflorum Schreb.
—subglabrum.
repandum Spach.
roseum Schreb.
squamatum Nutt.
tetragonum L.
—obscurum.
Eucharidium grandiflorum F. et M.
Gaura biennis L.
exaltata Engelm.
mutabilis Cav.
parviflora Dougl.
tripetala Cav.
Gauridium molle Spach.
Godetia lepida Lindl.
Lindleyana Spach.
purpurea Sweet.
rubicunda Lindl.
vinoza Lindl.
Wildenowiana Spach.
Hiortia aurea Lees.
Lopezia coronata Andr.
minima Lag.
racemosa Cav.
Oenothera acaulis Cav.
biennis L.
—pallida.
bifrons Don.
campilocalis Kunth. et Bouché.
cognata F. et M.
Fraseri Pursh.
gauroides Horn.
glauca Michx.
holosericea Tausch.
Jamesii Torr. et Gray.
Lamarckiana D C.
longiflora Jacq.
macrocarpa Pursh.
media Link.
mollissima L.
nervosa Horn.
nocturna Jacq.
odorata Jacq.
odoratissima Tausch.
quadrivulnera Dougl.
rhizocarpa Spr.
rombipetala Nutt.
rosea Ait.
Sellovi Link.
sinuata L.
tenella Cav.
tenuifolia Cav.
tetraptera Cav.
triloba Nutt.
undulata Ait.
villosa Thumb.
Sphærostigma Botta Spach.
Chamissoni F. et M.
cheiranthifolium F. et M.
hirtum Biebrst.
minutiflorum F. et M.

Haloragææ.

Haloragis Cercodia Ait.

Lythrarieæ.

Ammania diffusa W.
latifolia L.
sanguinolenta Sw.
Cuphæa cynnabarina Planch.
Galleotiana Hort.
igne Alph. D C.
micrantha H. et B.
procumbens Cav.
purpurea Hort.
silenoides Nees.

Cuphaea speciosa Hort.
viscosissima Jacq.
Zimapani Retz.
Heimia myrtifolia Schlecht.
salicifolia Link.
Lythrum brachypetalum Spr.
Hyssofilia L.
myrtifolium Sweet.
Salicaria L.
tomentosum Mill.

Philadelphææ.

Philadelphus inodorus L.
speciosus Schrad.

Myrtaceæ.

Beaufortia sparsa R. Br. (Austral.)
Calothamnus quadrifida R. Br. (Austral.)
sanguinea Labill.
Callistemon rugulosus D C. (Austral.)
speciosus D C. (Austral.)
Eucalyptus (*) *amygdalina* Labill.
colossea F. Müll.
corynocalix F. Müll.
cornuta Labill.
Globulus Labill.
goniocalix F. Müll.
gracilis F. Müll.
Gunnii J. Hook.
leucoxydon F. Müll.
longifolia Link.
marginata Sm.
megacarpa F. Müll.
obliqua L'Herit.
persicifolia Lodd.
punctata D C.
radiata Sieb.
robusta Sm.
rostrata Schlecht.
saligna Sm.
sideroxydon Cunn.
Stuartiana F. Müll.
viminalis Labill.
Fabricia lævigata Sm. (Austral.)
Myrtus bullata Salisb. (Austral.)
Tristania conferta R. Br. (Austral.)

Cucurbitaceæ.

Bryonia dioica Jacq.
Bryonopsis laciniata erythrocarpa Naud.
Cucumis anguinus L.
dipsaceus Ehrenbg.
Dudaim L.
prophetarum L.
Cucurbita aurantiaca W.
maxima Duch.
—maculata.
ovifera L.
—pyriformis.
—doliiformis alba.
—subglobosa alba, lævis.
—subverrucosa aurantiaca.
Pepo L.
—anguloides.
—aurantiaca.
—depressa.
—marsupialiformis.
—oblongo-lutea.
—placentiformis.
—pyxidaris.
—subrotunda vittata et variegata.

(*) *Eucalyptorum* semina ex Australia missa Hortis publicis Hispaniæ offeruntur.

Cucurbita verrucosa L.
—lineata.
—panduræformis picta.
—vittata et picta.
Cyclanthera elastica Naud.
explosiva Naud.
pedata Schrad.
Luffa acutangula Roxb.
amara Roxb.
cylindrica Roem.
fabiana Koch.
striata Schrad.
Melotria cucumerina Naud.
fœtida Desf.
scabra Naud.
Momordica Charantia L.
Elaterium L.
Muckia scabrella Naud.
Prasopepon Durieui Naud.
Sicyos angulata L.
Trichosanthes colubrina Jacq.

Passifloreæ.

Distemma coccinea D C.
Hebertiana D C.
Passiflora albicans Loud.
cœrulea L.
edulis Sims.
palmata Lodd.
Raddiana D C.
suberosa L.

Loaseæ.

Loasa lateritia Gill.
nitida Lam.
Microsperma bartonioides Walp.

Portulacææ.

Calandrina compressa Schrad.
grandiflora Lindl.
lingulata D C.
nitida D C.
pilosiuscula D C.
procumbens Moris.
sericea Hook.
Claytonia perfoliata Don.
Portulaca foliosa Bot. Reg.
grandiflora Lindl.
—plenissima.
—lutea.
lanceolata versicolor A. Gray.
latifolia Horn.
marginata H. et B.
Montevidensis Hort.
mucronata Link.
oleracea L.
—sativa.
pilosa L.
—setacea.
retusa Gray.
rostellata Brign.
Tellusonii Lindl.
teretifolia H. et B.
—alba.
—coccinea.
Talinum patens W.
grandiflorum Lockh.
Moritzianum Klotz.
Trianthema monogyna L.

Paronychiææ.

Anychia dichotoma Michx.
Corrigiola capensis Thunb.
telephifolia Pourr.
Herniaria Besseri Fisch.
cinerea D C.
glabra L.
hirsuta L.
incana Lam.
latifolia Lapeyr.
Lœfflingia hispanica L.

Minuartia campestris L.
dichotoma L.
Paronychia arabica D C.
aurantiaca Webb.
bonariensis D C.
echinata Lam.
herniarioides Nutt.
Polycarpæa Tenerifæ Lam.
Scleranthus annuus L.
perennis L.

Crassulaceæ.

Æonium cuneatum Webb. et Berth.
Aicrysum Parlatoeanum Bolle.
Sedum acre L.
Cepæa L.
—tetraphyllum.
cœruleum Vahl.
globulifolium Moris.
hispanicum L.
—glandulosum.
oppositifolium Sims.
orientale Boiss.
reflexum L. a collinum.
rubens L.
stellatum L.
Telephium L.
—purpureum.
Sempervivum Heuffelii Schott.
tectorum L.

Ficoideæ.

Aizoon canariense L.
Mesembryanthemum acinaciforme L.
æquilaterum Haw.
Aitonis Jacq.
—albiflorum.
australe Ait.
cordifolium L.
creniflorum Thunb.
crystallinum L.
cuneifolium Jacq.
deltoides Haw.
lucidum Mill.
pinnatifidum Ait.
Sesuvium revolutifolium Ort.
Tetragonia echinata Ait.
expansa Ait.

Cactææ.

Cereus Ackermanni Salm.
Epiphyllum alatum Haw.
Mammillaria pusilla D C.
Opuntia brasiliensis Haw.
pusilla Salm.

Grosulariææ.

Ribes alpinum L.
aureum Pursh.
divaricatum Dougl.
floridum L'Her.
nigrum L.
rubrum L.
—album.
sanguineum Pursh.
Uva-crispa L.

Saxifragaceæ.

Heuchera caulescens Pursh.
hispida Pursh.
lucida Lodd.
macrophylla Lodd.
Menziesii Hook.
Richardsonii R. Br.
Saxifraga Huetiana Boiss.
lingulata Bell.
tridactylites L.

Umbelliferæ.

Ethusa Cynapium L.
Ainsworthia cordata Boiss.
trachycarpa Boiss.
Ammi glaucifolium L.
majus L.
Visnaga Lam.
Anethum graveolens L.
segetum L.
Sowa Roxb.
Angelica lucida L.
Anthriscus Cerefolium Hoffm.
lævigata Griseb.
Apium graveolens L.
Archangelica atropurpurea Hoff.
decurrens Reichbch.
littoralis Agardh.
officinalis L.
mexicana Hort. Leyd.
Athamanta sicula L.
Bifora flosculosa Biebrst.
radians Biebrst.
testiculata D C.
Bowlesia tenera Spr.
Bupleurum aristatum Bartl.
fruticosum L.
Gerardi Jacq.
glaucum D C.
junceum L.
Iophocarpum Boiss.
multinerve D C.
prostratum Link.
rotundifolium L.
semicompositum L.
Cachrys involucrata Pall.
Carum Bulbocastanum Koch.
Buriaticum Turcz.
Carvi L.
Caucalis daucoides L.
—iberica.
leptophylla L.
Chærophyllum aromaticum Jacq.
aureum L.
monogonum Kit.
nodosum Lam.
temulum L.
Cnidium apioides Spr.
orientale Boiss.
venosum Koch.
Condylocarpus apulus Hoffm.
Conium croaticum W. et K.
Conopodium canadense Koch.
Coriandrum Biebersteini Ledeb.
melphitense Ten.
sativum L.
Cuminum Cyminum L.
Daucus aureus Desf.
Broteri Ten.
Gingidium L.
hispanicus D C.
hispidus Desf.
maritimum Lam.
mauritanicus All.
—pterochænus.
muricatus L.
polygamus Gouan.
pulcherrimus Koch.
Didiscus cœruleus Hook.
Dimetopia pusilla D C.
Eriosynaphe tortuosa F. et M.
Eryngium Andersonii Lag.
aquifolium Cav.
Bourgati Gouan.
cœruleum Biebrst.
creticum Lam.
dichotomum Desf.
falcatum Spr.
giganteum Biebrst.
glomeratum Lam.
multifidum Sibth.
Oliverianum Delar.
planum L.
rigidum Link.
spinalba Vill.

Eryngium tripartitum Desf.
Wrightii A. Gray.
Ferula communis L.
 —verticillata.
orientalis L.
seseloides C. A. M.
sylvatica Bess.
thyrsiflora Sib.
tingitana L.
Ferulago nodosa Boiss.
Foeniculum dulce B. Bauh.
 vulgare Gaertn.
Hasselquistia cordata L. fl.
 lanata Boiss.
Helosciadium leptophyllum D.C.
ligusticifolium C. A. M.
Heracleum caspicum Hort.
delphinense Jord.
 dissectum Led.
elegans Jacq.
flavescens Baumg.
 —angustifolium.
 —latifolium.
granatense Boiss.
lanatum Michx.
longifolium Jacq.
palmatilobum D.C.
persicum H. P.
pubescens Biebrst.
pyrenaicum Guss.
villosum Fisch.
Wallichii D.C.
Wilhelmii F. et M.
Imperatoria caucasica Biebrst.
Johrenia dichotoma D.C.
 fungosa Boiss.
Kruberia leptophylla Hoffm.
Kundmania sicula D.C.
Lagoecia cuminoides L.
Laserpitium hispidum Biebrst.
prutenicum L.
Siler L.
trilobum Crantz.
Levisticum officinale Koch.
Libanotis condensata F. et M.
 montana D.C.
 —fol. latioribus.
Scherenckiana C. A. M.
vulgaris D.C.
 —sibirica.
Ligusticum pyrenæum Gouan.
Magydaris panacina D.C.
 tomentosa Koch.
Malabaila carvifolia Boiss.
Meum athamanticum Jacq.
Molopospermum cicutarium D.C.
Oenanthe apiifolia Brot.
 chærophylloides L.
 crocata L.
 globulosa F. et M.
 gymnorrhiza Brign.
Karstia Jacq.
Lachenalii Gmel.
peucedanifolia Polich.
pimpinelloides L.
 prolifera L.
silaifolia Biebrst.
Opopanax orientalis Boiss.
Orlaya platycarpus Koch.
Pachypleurum alpinum Ledeb.
 cachryoides Ledeb.
Pastinaca Fleischmani Koch.
 lucida L.
 sativa L.
 —edulis.
 selinoides Vis.
Petroselinum sativum Hoffm.
 —cordatum.
Peucedanum alsaticum L.
 austriacum Koch.
 baicalense Koch.
 Besserianum Boiss.
 coriaceum Reichbch.
 involucreatum Koch.
 officinale L.
 salsum Steud.

Peucedanum tenuifolium Thunb.
 rablense Koch.
 venetum Koch.
 verticillare Koch.
Physospermum aquilegifolium
 Koch.
Pimpinella affinis Ledeb.
 Anisum L.
 Kurdica Koch.
 magna L.
 media Pers.
 peregrina L.
 Saxifraga L.
 Tragium Vill.
Ptychotis Ajowan D.C.
 heterophylla Koch.
Reutera gracilis Boiss.
Ridollia segetum Moris.
Scandix affinis C. Koch.
 balonia H. Angers.
 Balansæ Reut.
 brachycarpa Guss.
 hispanica Boiss.
 infesta L.
 macrorrhincha F. et M.
 persica Mart.
 pinnatifida Vent.
Selinum Carvifolia L.
Seseli elatum Gouan.
 globiferum Vis.
 gracile W. et K.
 gummiferum Sm.
 leucospermum W. et K.
 montanum D.C.
 petraeum Biebrst.
 Pallassii Biebrst.
 rigidum W. et K.
 varium Trevir.
Silaua Besseri D.C.
 pratensis Bess.
 tenuifolius D.C.
Sium intermedium Ten.
 Sisarum L.
Smyrnum Olusatrum L.
 perfoliatum Mill.
 rotundifolium Mill.
Thapsia villosa L.
Tordylium maximum L.
 syriacum L.
Torilis neglecta Schult.
Trinia Kitaibelli Biebrst.
 Hoffmanni Biebrst.
 vulgaris D.C.
Turgenia latifolia Hoffm.

Araliaceæ.

Aralia spinosa L.
Sciadophyllum Brownei Spr.

Cornææ.

Cornus alba L.
 mascula L.
 —fl. luteo.
 sanguinea L.
 sericea L'Herit.
 stricta Lam.

Caprifoliaceæ.

Leycesteria formosa Wall.
Lonicera Caprifolium L.
 —pubescens.
 chinensis Wats.
 cœrulea L.
 grata Ait.
 iberica Biebrst.
 orientale Lam.
 pallida Host.
 punicea Sims.
 tatarica L.
 —albiflora.
 —sibirica.
 Xylosteum L.

Sambucus canadensis L.
 Ebulus L.
 nigra L.
 —laciniata.
 racemosa L.
Simphoricarpus racemosus
 Michx.
 vulgaris Michx.
Viburnum Opulus L.
 rugosum Pers.
 Tinus L.

Rubiaceæ.

Asperula ciliata Rochel.
 cynanchica L.
 galioides Biebrst.
 hexaphylla All.
 macrocarpa Boiss.
 rivalis Sibth.
 scutellaris Vis.
 tinctoria L.
 tyraica Bess.
Crucianella gilanica Trin.
 glauca Rich.
 latifolia L.
 —monspeliaca.
 laxiuscula Jord.
 stylosa Trin.
Diodia dasycephala Cham.
 prostrata Sw.
 radula Cham.
Galium æthnicum Biv.
 anglicum Huds.
 Aparinella Lange.
 aristatum L.
 divaricatum Lam.
 dumetorum Jord.
 elatum Sm.
 humifusum Biebrst.
 hypnoides Vill.
 intricatum Boiss.
 litigiosum D.C.
 lucidum All.
 Mollugo L.
 nebulosum Boiss.
 orientale Boiss.
 parisiense L.
 physocarpum Ledeb.
 rubioides L.
 rubrum L.
 saccharatum All.
 sylvestre Poll.
 tricorne With.
 uliginosum D.C.
 verum L.
 Phyllis Nobla L.
 Plocama pendula Ait.
 Richardia scabra L.
 Rubia Olivierii Rich.
 Sherardia arvensis L.
 Spermacoe tenuior L.
 Valantia hispida L.

Valerianææ.

Centranthus Calcitrapa Dufr.
 Lecoqui Jord.
 longiflorus Stev.
 macrosiphon Boiss.
 ruber D.C.
 —albus.
 —angustifolius.
Valeriana officinalis L.
 pyrenaica L.
Valerianella alliarifolia Lindl.
 Aucheri Boiss.
 auricula D.C.
 clorodontha Coss. et Dur.
 coronata D.C.
 —discoidea.
 hamata D.C.
 oxyrrhincha F. et M.
 platyloba Dufr.
 Szovitsiana Fisch.

Dipsaceæ.

Asterocephalus acutiflorus Reichbch.
 brachiatus Reichbch.
 prolifer Spr.
Cephalaria alpina R. et S.
 ambrosioides R. et S.
 centauroides R. et S.
 cilicica Boiss.
 Cornuti H. Bon.
 cretacea R. et S.
 decurrens R. et S.
 elata Schrad.
 leucantha R. et S.
 jopensis Coult.
 neglecta Verlot.
 radiata Griseb.
 syriaca R. et S.
 tatarica R. et S.
 —gigantea.
 transylvanica Schrad.
 Vaillantii Schott.
Dipsacus ferox Lois.
 fullonum L.
 —lilacinus.
 —lævis.
 laciniatus L.
 recurvus Habert.
 sylvestris Mill.
Knautia dipsacifolia Host.
 hybrida Coult.
 longifolia Koch.
 orientalis L.
 Timeroyi Jord.
Pterocephalus bicolor Boiss. et
 Kotsch.
Scabiosa argentea L.
 calyptrocarpa H. Flor.
 caucasica Biebrst.
 —heterophylla.
 Columbaria L.
 —latifolia.
 cretica L.
 dichotoma Ucria.
 Fischeri D.C.
 Hymetia Boiss. et Sprun.
 maritima L.
 —hirsuta.
 —leucantha.
 micrantha Desf.
 ochroleuca L.
 palestina L.
 prolifera L.
 reversa Ledeb.
 Succisa L.
 tenuisecta Jord.
 ucranica L.

Compositæ.

Acanthospermum humile D.C.
Achillea ægyptiaca Hort.
 albicaulis C. A. M.
 ambigua H. Bon.
 Ageratum L.
 asplenifolia Vent.
 atrata L.
 auriculata W.
 crassifolia Hort.
 dentifera D.C.
 filipendulina D.C.
 Gerberi W.
 lanata Spr.
 lanceifolia All.
 ligustica All.
 magna L.
 Millefolium L.
 nobilis L.
 obscura Nees.
 pectinata W.
 Seidlii Presl.
 semipectinata Desf.
 setacea W. et K.
 Sprengeliana H. Bon.
 tanacetifolia All.

- Achillea* *Thomasiana* Gmel.
umbellata Sibth.
Achyrochæna mollis Schauer.
Achyropappus schkuhrioides Link.
Achyrophorus apargioides D C.
hispidus D C.
pinnatifidus D C.
Acroclinium album Hort.
Actinomeris alternifolia D C.
helianthoides Nutt.
oppositifolia Fresen.
parviflora Nutt.
tetraptera D C.
Ageratum conspicuum Hort.
conyzoides L.
Houstonianum Mill.
mexicanum Sweet.
Agioseris amalecitana Boiss.
Akylópsis suaveolens Lehm.
Alfredia cernua Cass.
stenolepis Kar. et Kir.
Alloiozium arctotideum Kunze.
Amberboa Lipii D C.
moschata D C.
muricata D C.
Amblyocarpum inuloides F. et M.
Amblyolepis setigera D C.
Amellus annuus W.
Ammobium alatum R. Br.
Anacelyus pubescens D C.
pulcher Besser.
radiatus Loiss.
—purpurascens.
tomentosum D C.
valentinus L.
Andryala laxiflora D C.
lyrata Pourr.
Ragusina L.
Anisoderis rhœadifolia F. et M.
Anthemis æthnensis Schouw.
altissima D C.
arvensis L.
aurea D C.
austriaca Jacq.
Bourgæi Boiss.
callosa Boiss.
chrysocephala Boiss. et Reut.
chrysoleuca Gay.
granatensis Boiss.
Guicciardii Boiss. et Heldr.
incrassata Lois.
Kitabelii Spr.
maritima L.
mixta L.
Neilreichii Ortm.
nobilis L.
parnassica Boiss.
pedunculata Desf.
peregrina W.
piscinalis Durieu.
purpurea Hort.
rigescens W.
ruthenica Biebrst.
tinctoria L.
pallida Hort.
tripolitana Boiss.
Triunfetti D C.
Wiedmaniana F. et M.
Anthochytrium alpinum Reichbch. fl.
Aparagia magellensis H. Flor.
Aphanostephus arkansanus A. Gray.
Aplopappus ciliatus D C.
pulchellus D C.
rubiginosus Regel.
Arachnospermum heterospermum Boiss.
Artemisia Absinthium L.
annua L.
argentea L'Herit.
desertorum D C.
—Fontanesiana.
glutinosa Gay.
gnaphalioides Nutt.
- Artemissia Messerschmidiana* Besser.
—viridis.
maronitana Vis.
scoparia W. et K.
selengensis Turez.
vallesiaca All.
vulgaris L.
—parviflora.
Aster abbreviatus Nees.
adulterinus W.
æstivus Ait.
dumosus L.
firmus Nees.
floribundus H. P.
leucanthemus Desf.
Novi-Belgii L.
—ampliflorus.
—floribundus.
obliquus Nees.
puniceus L.
pyrenæus Desf.
reperitus Hort.
rubricaulis Lam.
rupestris Hort.
salignus W.
sibiricus L.
simplex W.
tenuifolius L.
Asteriscus aquaticus D C.
Asterothrix asperrima Cass.
Atractylis cancellata L.
Baeria chrysostoma F. et M.
Bahia leucophylla D C.
stæchadifolia D C.
Baldallia ranunculoides Parl.
Barkhausia alpina D C.
bursifolia Spr.
cernua Reichbch.
fœtida D C.
glandulosa Presl.
leontodontoides B. Reichb.
Marschallii C. A. M.
purpurea Bivon.
rhœadifolia Biebrst.
rubra Moench.
setosa D C.
taraxacifolia D C.
Berlandiera texana D C
Bidens atrosanguinea Hort.
bipinnata L.
—hirsuta.
bullata L.
chinensis L.
connata Muhlbrg.
ferulæfolia D C.
fœniculifolia D C.
frondosa L.
grandiflora Reichbch.
heterophylla Ort.
leucantha W.
pilosa L.
quadriaristata D C.
Schimperi C. H. Sch. Bip.
tripartita L.
Wallichii D C.
Warszewiczii Regel.
Biotia macrophylla D C.
Schreberi D C.
Blainvillea rhomboidea Cass.
Brachycome diversifolia F. et M.
Broteroa trinervata Pers.
Bupthalmum grandiflorum L.
salicifolium L.
Cacalia gigantea Jacq. fl.
Calais Bigelowi A. Gray.
Calendula ægyptiaca Desf.
incana W.
mierantha Cuss.
microcephala Kralik.
palestina Boiss.
persica C. A. M.
platycarpa Cass.
platyglossa F. et M.
sancta L.
stellata Cav.
- Calendula tripterocarpa* Rupr.
Calimeris incisa D C.
Callichroa Douglassi Torr. et Gray.
platyglossa F. et M.
Calliopsis alleghiana H. Bon.
atkinsoniana Hook.
basalis Ott. et Dietr.
bicolor Reichbch.
—speciosa nigra.
fimbriata Lange.
tinctoria D C.
—atropurpurea.
Carduus acanthoides L.
arabicus Jacq.
argentatus L.
cephalanthus Viv.
Personata Jacq.
pycnocephalus W.
tenuiflorus Sm.
uncinatus Biebrst.
Carlina Biebersteiniana Horn.
Carthamus tinctorius L.
Carpesium cernuum L.
Catananche lutea L.
Cenia formosa Hort.
subheterocarpa Les.
turbinata Pers.
Cenocline globifera Koch.
Centaurea adonidifolia Reichbch.
alba L.
algeriensis Coss. et Dur.
Apula Lam.
arenaria Biebrst.
aspera L.
—auriculata.
atropurpurea W.
—lutea.
—ochroleuca.
austriaca W.
axillaris W.
bannatica H. Pest.
Calcitrapa L.
calcitrapoides L.
calocephala D C.
—atropurpurea.
—sulphurea.
canariensis W.
ceratophylla Ten.
chrysolopha Boiss. et Kostchy.
cinerea Lam.
Crocodylium L.
Cyanus L.
Debeauxii Gr. et Godr.
decepiens Reichbch.
depressa Biebrst.
diluta H. Kew.
dissecta Ten.
elongata Desf.
eriphora L.
exarata Boiss.
ferox Desf.
Fontanesii Ten.
fuliginosa Reut.
fuscata Desf.
glastifolia L.
Graffiana D C.
gymnocarpa Moris.
haplolepis Morelli.
Hosteana Hladn.
latisquama D C.
laxiseta Coss. et Dur.
macrocephala Muss. Pusk.
maculosa Lam.
melitensis L.
microptilon Gren. et Godr.
Mierghii Jord.
montana L.
Morisiana H. Prag.
napifolia L.
nigrescens D C.
—dentata.
Oliiveriana D C.
orientalis L.
—fuscata.
—heterolepis Lag. Mss.
- Centaurea orientalis* L.
—pratensis.
—rotundisquama Lag. Mss.
Orphanidea Neld. et Sart.
paniculata L.
—vera.
Parlatorii Heldr.
pectinata L.
pulchella Ledeb.
rigidifolia Bess.
ruthenica Lam.
semi-Jacea Reichbch.
Seridis L.
—lanceolata.
—pinnatifida.
—scabriuscula.
—septemspinosa.
—subhirsuta.
—sublyrata.
—virescens.
sonchifolia L.
sphærocephala L.
stereophylla Bess.
strobilacea Scop.
transalpina D C.
uliginosa Brot.
Verutum L.
Zanoni Sebat.
Centaureidium Drumondii Torr. et Gr.
Centratherum intermedium Leers.
Cephalophora aromatica Schrad.
Cercostylos brasiliensis Leers.
Chamaemelum callosum Boiss.
decepiens Boiss.
oreades Boiss.
uniglandulosum Vis.
Chamaepeuce afro D C.
diacantha D C.
stellata D C.
Chamomilla fuscata Gr. et Godr.
parthenoides Gr. et Godr.
Charieis cœrulea Cass.
heterophylla Cass.
Chartolepis Biebersteinii Jaub. et Sp.
Chondrilla brevirostris F. et M.
latifolia Biebrst.
Chrysanthemum carinatum Schousb.
cinerariaefolium Vis.
coronarum L.
frutescens L.
—filifolium.
grandiflorum D C.
Roxburgii Desf.
segetum L.
viscosum Desf.
Chrysocoma Coma-aurea L.
Chrysopsis sporodocarpa H. Bon.
villosa Nutt.
Chrysophthalmum sternutato-rium H. Ber.
Cichorium calvum Sch. Bip.
Cirsium affine Tauch.
arachnoideum Biebrst.
canum Biebrst.
ciliatum Biebrst.
erinitum Boiss.
eriphorum Scop.
Erisithales Scop.
flavispinum Boiss.
—castellanum Lange.
heterophyllum All.
laniflorum Biebrst.
monspessulanum All.
ochroleucum All.
ponticum C. A. M.
semipinnatum Desf.
serrulatum Biebrst.
Cladanthus arabicus Cass.
proliferus Cass.
Cnicus benedictus Gaertn.
Kostehyi Boiss.
pseudo-benedictus Hort. Dorp.

- Cælestina cœrulea* Cass.
 —nana.
corymbosa D C.
Conyza ambigua D C.
chilensis Spr.
Coreopsis aristosa Mich.
auriculata L.
diversifolia D C.
lanceolata L.
Cosmidium Burdigianum H. Basil.
lilifolium Nutt.
Cosmos bipinnatus Cav.
 —exaristatus.
 —purpureus.
sulphureus W.
Cotula aurea L.
matricarioides Bongard.
microcephala D C.
oxyodontha D C.
Cremocephalum cernuum Cass.
Crepis adenantha Vis.
agrestis W. et K.
biennis L.
blattarioides Vill.
Bungei Led.
dichotoma Boiss.
flexuosa Bernh.
lacera Ten.
neglecta L.
parviflora Desf.
pulchra L.
rigida W et K.
scabra W.
sibirica L.
tectorum L.
virens L.
 —stricta.
Crupina Crupinastrum Vis.
vulgaris L.
Cupularia graveolens Gren. et Godr.
Cryptostemma calendulaceum β.
R. Br.
lyratum R. Br.
runcinatum R. Br.
Cyanopsis pubescens D C.
Cynara humilis L.
Cynoseris australis Endl.
Deckera canescens C. A. M.
Dimorphoteca hybrida D C.
pluvialis Moench.
Diplostegium umbellatum D C.
Doronicum caucasicum Biebrst.
macrophyllum Bernh.
plantagineum L.
Dracopis amplexicaulis Cass.
Echinops bannaticus Koch.
bythnicus Boiss.
cornigerus D C.
dahuricus Fisch.
exaltatus Schrad.
Gmelini Turcz.
mauritanicus B. R.
persicus Steph.
sphærocephalus L.
 —paniculatus.
viscosus D C.
Eclipta erecta L.
hirsuta Bartl.
longifolia Schrad.
prostrata L.
Emilia sagittata D C.
 —aurantiaca.
Endoptera aspera D C.
Dioscoridis D C.
Engelmannia pinnatifida Torr. et Gray.
Erechtites hieracifolia Rafn.
Erigeron acre L.
 —angustifolium.
armerifolius Turcz.
asperulum F. et M.
bellidifolium W.
canadense L.
glabellum Nutt.
glabratum Hoppe.
Erigeron oreades F. et M.
politum Fries.
speciosum D C.
spinulosum Hook.
Ethulia angustifolia Boj.
corymbosa H. Ber.
Eupatorium adenophorum Spr.
ageratoides L.
altissimum L.
cannabinum L.
glechonophyllum Less.
Haageanum Regel.
sessilifolium L.
syriacum Jacq. β.
variifolium L.
verticillatum Muhlbgr.
Eurybiopsis Hookeri F. Mull.
Evax asterisciflora Pers.
pygmaea Pers.
Felicia affinis Nees.
cotuloides D C.
tenella Nees.
Filago pyramidata L.
Flaveria Contrayerba Pers.
Fougerouxia recta D C.
Gaillardia aristata Pursh.
cyaniflora Hort.
Drumondii D C.
lanceolata Michx.
picta Hort.
pinnatifida Torr.
rustica Cass.
speciosissima Engelm.
Velsiana Hort.
Galinsoga brachystephana Regel.
parviflora Cav.
 —hispidula.
Gamolepis Tagetes D C.
Garuleum pinnatifidum D C.
Gatyna aculeata C. H. Sch.
Dioscoridis Endl.
globulifera Cass.
Geropogon australe Spr.
glaber L.
Gnaphalium americanum Mil.
citrinum Hook.
paniculatum Colla.
spicatum Lam.
undulatum L.
Grindelia arguta Schrad.
glutinosa Dun.
inuloides W.
lanceolata Nutt.
robusta Nutt.
serrata Hort.
squarrosa Dun.
Guizotia oleifera D C.
Gunthera viscosa Regel.
Gutierrezia gymnospermoides A. Gray.
Gymnopsis uniserialis Hook.
Hagioseris amalecitana Boiss.
Harpalium rigidum Cass.
Hedypnois arenaria D C.
cretica W.
 —subacaulis.
pendula W.
persica Biebrst.
polymorpha D C.
tubæformis Ten.
Helenium autumnale L.
commutatum Maund.
puberulum D C.
quadridentatum Labill.
tenuifolium Torr. et Gray.
Helianthus annuus L.
 —indicus.
argophyllus Torr. et Gray.
californicus D C.
 —fl. pleno.
colossus Kunze.
doronicoides Lam.
frondosus L.
giganteus L.
macrocarpus D C.
macrophyllus W.
Helianthus Maximiliani Schrad.
petiolaris H. P.
pubescens Vahl.
trachelifolius W.
tuberosus L.
Helichrysum angustifolium Don.
atrosanguineum Hort.
bracteatum W.
 —albidum.
 —chrysanthum.
foetidum Moench.
fulgidum W.
Lamarckii Cam.
Stæchas Don.
Helminthia echioides Gaertn.
lusitanica Wolf.
Heliopsis bupthalmoides Don.
canescens H. et B.
lævis Pers.
scabra Dun.
Hemilepis Ehrenbergii Kunze.
Hemizonia congesta D C.
Heterospermum pinnatum W.
Hieracium andryaloides Vill.
anfractum Fries.
argillaceum Jord.
aurantiacum L.
boreale Fries.
buplerioides Gmel.
canadense Michx.
cerinthoides Gouan.
cernuum Fries.
compositum Lapeyr.
dentatum Hopp.
discolor Bernh.
echioides W. et K.
firmum Jord.
foliosum W. et K.
gothicum Fr.
lavigatum W.
Lachenalii Gmel.
longifolium Schleich.
lycopsifolium Fenzl.
occitanicum Jord.
Pilosella L.
preanthoides Vill.
prostratum D C.
pulmonarioides Vill.
racemosum W. et K.
ramosum Suter.
Reitzii Fr.
rigens Jord.
rigidum Hartm.
robustum Fr.
rupiculum Fr.
sabaudum L.
 —villosissimum.
Schmidthii Tausch.
speciosum Horn.
sylvestre Tausch.
umbellatum L.
Humea elegans Sm.
Hymenostemma Fontanesii Willk.
Hymenopsis californica Hook.
Hypochaeris arachnoidea Poir.
Balbisi Lois.
Candollei Regel.
glabra L.
 —hirsuta.
radicata L.
pinnatifida Cyr.
Intybellia pulchra Mon.
Inula bifrons D C.
Bubonium Jacq.
chrithmoides D C.
helenioides D C.
Helenium L.
hirta L.
macrocephala Boiss.
salicina L.
speciosissima D C.
squarrosa L.
suaveolens Jacq.
thapsoides Spr.
Vaillantii Vill.
Inula verbascifolia Poir.
viscosa Desf.
Ismelia coronopifolia Schultz Bip. Webb.
Iva xanthifolia Nutt.
Jasonia sicula D C.
tuberosa D C.
Jurinea alata Cass.
spectabilis F. et M.
Kalbfussia Mulleri D C.
Salzmanni Schultz.
Kentrophyllum tauricum Fisch.
Kleinia perfoliata Haw.
Koelpinia linearis Pall.
Krigia carolina Nutt.
virginica W.
Kuhnia eupatorioides L.
Lactuca altaica F. et M.
augustana All.
cracoviensis Vis.
Dregeana D C.
oleifera Dne.
quercina L.
virosa L.
Lagasca mollis Cav.
Lappa ampla Kotschy.
edulis Sieb.
grandiflora H. P.
Kotschy Boiss.
macrosperma Wallr.
major Gaertn.
minor D C.
tomentosa All.
Lapsana adenophora Boiss.
communis L.
grandiflora Biebrst.
intermedia Biebrst.
minor D C.
Lasioppermum radiatum Trevir.
Lastenia glaberrima D C.
Leontodon hastilis L.
hispidus L.
Leptopoda brachypoda Torr. et Gray.
Leucanthemum ircuitianum F. et M.
maximum D C.
vulgare D C.
Leucopsidium arkansanum D C.
Leuzea conifera D C.
rhaponticoides Graells.
Liatris spicata W.
Lindheimeria texana Engelm.
Linisyris vulgaris D C.
Lonas inodora Gaertn.
Lyonnetia rigida D C.
Macheranthera tanacetifolia Nees.
Macrorhynchus lavigatus Fisch.
Madaria corymbosa D C.
elegans D C.
mellosa Molin.
quinquevulnera H. M.
Madia capitata Nutt.
sativa Molin.
 —latifolia.
stellata F. et M.
Maruta Cotula Cass.
lithuanica Boiss.
microcephala Schrank.
Matricaria capensis L. fl. pleno.
Chamomilla L.
disciformis D C.
discoidea D C.
globifera Fenzl.
modora L.
 —minor.
Lagascæ C. Koch.
præcox D C.
Melampodium divaricatum D C.
paludosum H. et B.
rhomboideum D C.
Melanthera deltoidea Michx.
Methabasis athenensis D C.
Microlonchus Delilianus Spach.
salmanticus D C.
 —flore albo.

- Microlonchus tenellus* Spach.
Micropus supinus L.
Microseris pygmaea D. C.
Monolopia major D. C.
Mulgedium leucophaeum D. C.
multiflorum D. C.
Myriactis Gmelini D. C.
Nemauchenus aculeata Cass.
Notobasis syriaca Cass.
Obeliscaria atrosanguinea Hort.
columnaris D. C.
pinnata D. C.
pulcherrima D. C.
Onobroma flavescens Spr.
Onopordon Acanthium L.
alexandrinum Boiss.
Cardunculus Boiss.
elongatum Lam.
græcum Boiss. et Heldr.
horridum Viv.
Sibthorpii Boiss. et Held.
virens D. C.
Oporinia autumnalis Don.
Osteospermum moniliferum L.
Othonna cheirifolia L.
Ototheca arvensis Fenz.
Ozothamnus ferrugineus R. Br.
Pachylepis Kalmii Less.
Palafoxia Hookeriana Torr. et Gray.
linearis Lag.
texana D. C.
Pallenis spinosa Cass.
Parthenium Hysterophorus L.
integrifolium L.
Phagnalon græcum Boiss.
Picridium arabicum Hochst.
hispanicum Poir.
ligulatum Vent.
tingitanum Desf.
vulgare Desf.
Picris cupuligera Dur.
hieracioides L.
laciniata Vis.
lappacea Spr.
livida Boiss.
pauciflora W.
Sprengeriana Lam.
Plagiis ageratifolius D. C.
Plejogyne microcephala C. Koch.
Podolepis affinis H. P.
Podospermum intermedium D. C.
laciniatum D. C.
Polyactidium delphinifolium D. C.
Polymnia Uvedalia W.
Prenanthes tenuifolia Cass.
Prolongoa setabensis Boiss. et Reut.
Ptarmica atrata D. C.
bisserrata D. C.
impatiens D. C.
vulgaris Blackw.
Pterotheca Nemausensis Cass.
Ptilomeris aristata Nutt.
undulata D. C.
Pulicaria anthemoides Nutt.
arabica Cass.
dysenterica Gaertn.
undulata D. C.
vulgaris Cass.
Pyrethrum callosum Boiss.
carneum Biebrst.
caucasicum W.
corymbosum W.
decipiens C. A. M.
macrophyllum W.
maritimum Sm.
maylinum H. Bon.
Myconis Moench.
myriophyllum Meyer.
niveum Lag.
parthenifolium W.
pulverulentum Lag.
roseum Biebrst.
Pyropappus carolinianus D. C.
Rhagadiolus stellatus Gaertn.
- Rhagadiolus edulis* Gaertn.
Rhaponticum pulchrum F. et M.
Rhynchosidium sessiliflorum D. C.
Robertia taraxacoides D. C.
Rodigia commutata Desv.
Rudbeckia amplexifolia Jacq.
digitata D. C.
hirta L.
laciniata L.
—media.
Neumannii Loud.
speciosa Wender.
Santolina rosmarinifolia L.
villosa Mill.
viridis W.
Sanvitalia procumbens Lam.
—fl. pleno.
Schkuhrria abrotanoides Roth.
Scorzonera bœtica Boiss.
deliciosa Guss.
hispanica L.
latifolia D. C.
plantaginea Schlectd.
rumicifolia H. Vind.
Senecio ægyptius L.
arabicus L.
Cacaliaster Lam.
chrysanthemifolius Poir.
Cineraria D. C.
coriaceus Ait.
Doria L.
flosculosus Jord.
gallicus Vill.
inæquidens D. C.
Jacobaea L.
—campestris.
Petasites D. C.
rosmarinifolius L. f.
triflorus L.
verbenæfolius Jacq.
viscosus L.
Serratula centauroides L.
Gmelini Ledeb.
pinnatifida Poir.
quinquefolia Biebrst.
**Siegesebeckia himalayensis* H. Ber.
iberica W.
iorullensis H. et B.
orientalis L.
Silybum eburneum Coss. et Dur.
Silphium erythrocaulon Bernh.
Hornemannii Schrad.
integrifolium Michx.
perfoliatum L.
trifoliatum L.
Simsia cordata Cass.
megacephala Schultz Bip.
subaristata A. Gray.
Sogalgina trilobata Cass.
Solidago canadensis L.
elliptica Ait.
fragans W.
gigantea Ait.
latifolia L.
nutans Desf.
recurvata W.
rigida L.
rugosa Mill.
scabra Muhlbrg.
Shortii Torr. et Gr.
Virgaurea L.
Soliva Barclayana D. C.
Sonchus arvensis L.
ciliatus Lam.
fallax Waltr.
longifolius Trevir.
tenerimus L.
Soyeria montana Jacq.
Sphærocline nigellæfolia Schultz.
Sphæromorpha centipeda D. C.
Spilanthes Acemella L.
fusca H. P.
oleracea L.
pseudo-Acemella L.
- Stenactis annua* Cass.
strigosa D. C.
Stevia ivæfolia W.
Synedrella nodiflora Gaertn.
Tagetes corymbosa Sweet.
Dillenii H. Brux.
erecta L.
—nana plena.
multifida D. C.
patula L.
—nana.
signata Bartl.
—grandiflora.
—pumilla.
tenuifolia Cav.
Tanacetum boreale Fisch.
cilicicum Boiss.
lacustre Fenzl.
Meyerianum Schultz.
monspeiense Schrad.
parthenifolium Schultz Bip.
pauciflorum Rich.
tauricum H. Ber.
vulgare L.
Taraxacum caucasicum D. C.
dissectum Led.
maculatum Jord.
palustre D. C.
pyropappum Boiss.
rubrinerve Jord.
Telekia cordifolia D. C.
Thelesperma filifolium A. Gray.
Thlipsocarpus bœticus Kunze.
Thrinicia hirta D. C.
Tithonia tagetiflora D. C.
Tolpis barbata Gaertn.
Tragopogon brevirostris D. C.
crocifolium L.
floccosus W. et K.
mutabilis Jacq.
porrifolius L.
pratensis L.
Tridax procumbens L.
Tripleurospermum maritimum Koch.
Tripteris cheiranthifolia Schultz.
Trochoseris californica F. et M.
Urospermum capense Spr.
picroides Desf.
Venidium calendulaceum Less.
Verbesina alata L.
oppositifolia Fresen.
virginica L.
Vernonia anthelmintica W.
fasciculata Michx.
novaboracensis W.
præalta Less.
Wedelia hispida H. et B.
Xanthium antiquorum W.
arenarium Lasch.
brevirostre Wall.
inaequilaterum D. C.
macrocarpum D. C.
Strumarium L.
Xeranthemum annuum L.
cylindraceum Sibth.
erectum Presl.
longeapposum F. et M.
radiatum Lam.
Ximenesia encelioides Cav.
Youngia Thunbergiana D. C.
Zacyntha verrucosa Gaertn.
Zinnia elegans Jacq.
—violacea.
—purpurascens.
Ghiesbreghtii H. Hal.
multiflora L.
—flava.
tenuiflora Jacq.
- Lobelia Erinus* L.
inflata L.
- Campanulaceæ.**
- Adenophora Lamarkii* Fisch.
latifolia Fisch.
stylosa Fisch.
Campanula alata Desf.
altaica Alph. D. C.
americana L.
bononiensis L.
Cervicaria L.
capitata Reichbch.
cephalotes Fisch.
collina Biebrst.
divergens W.
Erinus L.
eximia Wand.
falcata D. C.
foliosa Ten.
formosa H. Bon.
garganica Ten.
glomerata L.
grandiflora D. C.
Grosseckii Heuff.
Hostii Baumg.
Hohenackeri F. et M.
latifolia L.
linifolia Lam.
Martini H. Bon.
Medium L.
obliquifolia Ten.
punctata Lam.
rapunculoides L. β.
Rapunculus L.
rhomboidea L.
rotundifolia L.
sarmatica Ker.
sibirica L.
Tenorii Moret.
Trachelium L.
Jasione montana L.
Michauxia campanuloides Juss.
lævigata Vent.
Phyteuma canescens W. et K.
Charmelii Vill.
limonifolium Sibth.
orbiculare L.
Platycodon grandiflorum D. C.
Specularia castellana Lange.
falcata D. C.
pentagona D. C.
perfoliata D. C.
Speculum D. C.
Symphandra pendula D. C.
Trachelium cœruleum L.
Wahlenbergia capensis Alph. D. C.
dichotoma D. C.
exilis Alph. D. C.
lobelioides Alph. D. C.
- Gesneriaceæ.**
- Gloxinia speciosa* Lodd.
tubiflora Cav.
- Vacciniæ.**
- Vaccinium Myrtillus* L.
- Epacridæ.**
- Leucopogon Richei* R. Br. (Australia.)
- Francoaceæ.**
- Francoa sonchifolia* Cav.
- Primulaceæ.**
- Anagallis arvensis* L.
—carnea.
indica Lind.
- Lobeliaceæ.**
- Clintonia elegans* Dougl.
Isotoma axillaris R. Br.
Lobelia dentata Cav.
bicolor Curt.

Anagallis latifolia L.
 Monelli Desf.
 Philippii Hort.
 phœnicea Lam.
 Androsace elongata L.
 —nana.
 maxima L.
 nana Horn.
 septentrionalis L.
 Asterolinum adoense Kunze.
 Lysimachia thyrsoflora L.
 vulgaris L.
 Primula chinensis Lindl.
 officinalis Jacq.

Myrsineaceæ.

Myrsine variabilis R. Br. (Austral.)

Ebenaceæ.

Diospyros virginiana L.

Oleaceæ.

Fraxinus angustifolia Vahl.
 Ornus L.
 oxycarpa W.
 Ligustrum japonicum Thunb.
 italicum Mill.
 —xanthocarpum.
 nepalense Wall. (Austral.)
 vulgare L.
 Notelæa ovata R. Br. (Austral.)
 Phylliræa angustifolia L.

Jasmineæ.

Jasminum fruticans L.
 humile L.
 odoratissimum L.

Apocynæ.

Alyxia buxifolia R. Br. (Austral.)
 Apocynum hypericifolium Ait.
 Vinca rosea L.

Asclepiadæ.

Asclepias cœrulea H. Valent.
 curassavica L.
 lanuginosa Kunth.
 nivea L.
 virgata Balb.
 Gomphocarpus fruticosus R. Br.
 Oxypetalum cœruleum Dne.
 Periploca græca L.
 Stapelia variegata L.
 Vincetoxicum medium D C.
 nigrum Moench.

Gentianæ.

Gentiana adscendens Pall.
 cruciata L.
 Saponaria L.

Bignoniaceæ.

Catalpa syringæfolia Sims.
 Incarvillea sinensis Lam.
 Tecoma radicans Juss.

Sesameæ.

Martynia fallax Kunze.
 lutea Lindl.
 proboscidea Glox.
 Sesamum orientale L.

Hydrophyllæ.

Cosmanthus viscidus Alph. D C.
 Ellisia Nyctelæa W.

Eutoca Menziesii R. Br.
 Wrangeliana Fisch.
 Nemophila atomaria F. et M.
 —discoidalis.
 phacelioides Nutt.
 Phacelia bipinnatifida Michx.
 circinnata Jacq. fil.
 congesta Hook.
 tanacetifolia Benth.
 Whitlavia grandiflora Haw.
 minor Haw.

Polemoniaceæ.

Bonplandia geminiflora Cav.
 Collomia linearis Nutt.
 Gilia achilleafolia Benth.
 capitata Dougl.
 densiflora Benth.
 diffusa H. Bon.
 geminiflora Fisch.
 millefoliata Fisch.
 multicaulis Benth.
 nivalis Van Hout.
 rigidula Benth.
 tricolor Benth.
 —fl. albo.
 —splendens.

Ipomopsis elegans Michx.
 Leptosiphon aureus Benth.
 hybridus Hort.
 Phlox Drumondii Hook.
 Polemonium boreale Adams.
 cœruleum L.
 —dissectum.
 —lacteam.
 —pterosperrum.
 —vulgare.
 mexicanum Cerv.
 pulcherrimum Hook.
 rupestre L.

Convolvulaceæ.

Convolvulus babylonicus Ten.
 elongatus W.
 evolvuloides Desf.
 farinosus L.
 floridus L.
 hastatus Hook.
 Hermannia L'Herit.
 justiciæfolius Fisch.
 mauritanicus Boiss.
 monstrosus Hort.
 montevidensis Spr.
 Nil L.
 oleæfolius Sm.
 Pilosella Lieb.
 pseudo-siculus Cav.
 rhyniospermus Hochst.
 Scammonia L.
 siculus L.
 tricolor L.
 undulatus Cav.
 Cuscuta europæa L.
 Dichondra sericea Sweet.
 Evolvulus alsinoides L.
 Ipomæa cordigera Mart.
 elegans Hort.
 hederacea L.
 —corolla quinquefida.
 hirsutula Jacq. fil.
 kermesina Van Hout.
 luteola Jacq.
 racemosa Poir.
 rubrocœrulea Hook.
 sibirica Pers.
 sinensis Chois.
 triloba L.
 Pharbitis hispida Chois.
 —fl. albo.
 —fl. purpureo.
 Quamoclit coccinea Moench.
 vulgaris Chois.
 —fl. albo.

Borraginæ.

Amsinckia angustifolia Lehm.
 Anchusa asperima Del.
 capensis Thunb.
 elata Boiss.
 granatensis Boiss.
 hybrida Ten.
 italica L.
 leptophylla Koch.
 officinalis L.
 —angustifolia.
 undulata L.
 Asperugo procumbens L.
 Borago officinalis L.
 —flore albo.
 Cerinthe gyanandra Gasp.
 minor L.
 retorta Sibth.
 Cynoglossum amplifolium Hochst.
 divaricatum Lehm.
 furcatum Wall.
 glochidiatum Wall.
 Heynei G. Don.
 nebrodensis Guss.
 pictum Ait.
 Echinosperrum barbatum Lehm.
 consanguineum F. et M.
 cristatum Alph. D C.
 cynoglossioides Lehm.
 diploma Fisch.
 heteracanthum Ledeb.
 læve C. A. M.
 Lappula Lehm.
 marginatum Lehm.
 patulum Lehm.
 Redoukii Lehm.
 squarrosum Reichbch.
 strictum Led.
 Echium creticum L.
 grandiflorum Desf.
 Haenkii H. Bon.
 parviflorum Moench.
 plantagineum L.
 rosulatum Lange.
 rubrum Jacq.
 simplex D C.
 violaceum L.
 Ehretia tinifolia L.
 Eliophytum indicum D C.
 parviflorum D C.
 Heliotropium curassavicum L.
 europæum L.
 peruvianum L.
 supinum L.
 villosum W.
 Lithosperrum apulum L.
 arvense L.
 distichum Ort.
 latifolium Michx.
 officinale L.
 tenuiflorum L. fil.
 Lycopsis arvensis L.
 vesicaria L.
 Nonea grandiflora Steud.
 nigricans D C.
 rosea Link.
 violacea D C.
 Omphalodes linifolia Moench.
 Paracaryum cappadocicum Boiss.
 Symphytum asperrimum Bieberst.
 echinatum Ledeb.
 officinale L.
 —purpureum.
 —ochroleucum.
 orientale L.
 tauricum W.
 Tournefortia fruticosa R. Br.
 heliotropioides Hook.
 Trichodesma africanum Lehm.
 indicum Lehm.

Solanaceæ.

Atropa Belladonna L.

Capsicum annum L.
 —cerasiforme.
 cordiforme Mill.
 grossum L.
 longum D C.
 —incrassatum.
 —recurvum.
 microcarpum Spin.
 ovatum D C.
 pendulum W.
 testiculatum Vis.
 Cestrum auriculatum L'Herit.
 Cyphomandra betacea Mart.
 Datura Bertolonii Parlat.
 ceratocaulis Ort.
 dubia Rich.
 fastuosa L.
 —alba.
 —lutea fl. pleno.
 —rubra.
 —Huberiana.
 ferox L.
 gigantea H. Jen.
 guayaquilensis H. et B.
 Hummata Nees.
 lævis L. fil.
 lurida Fries.
 Metel L.
 —muricata.
 quercifolia H. et B.
 Stramonium L.
 Tatula L.
 Dietyocalix quadrivalvis Hook.
 Hyosciamus albus L.
 —sessilifolius.
 canariensis Ker.
 chloranthus Wend.
 major Mill.
 niger L.
 —agrestis.
 pallidus W. et K.
 physaloides L.
 pusillus L.
 reticulatus L.
 Lycium afrum L.
 chinense Bunge.
 lanceolatum Poir.
 megistocarpum D C.
 peruvianum Hort.
 Trewianum R. et S.
 Lycopersicum cerasiforme Dun.
 —baccis rubris.
 esculentum Mill.
 —baccis luteis.
 pyriforme Dun.
 racemigerum Lange.
 Nicandra physalodes Gaertn.
 violacea H. Ber.
 Nicotiana acuminata Graham.
 Berteriana Desf.
 campanulata H. Ber.
 chinensis Fisch.
 fastigiata Nees.
 fragrans Bernh.
 glauca Graham.
 glutinosa L.
 graciliflora A. Br.
 grandiflora purpurea Hort.
 humilis Desf.
 latissima Mill.
 longiflora Cav.
 macrophylla Spr.
 —gigantea.
 paniculata L.
 rotundifolia Lindl.
 rustica L.
 —pumila.
 sanguinea Lk. et Olt.
 scabra H. M.
 Tabacum L.
 —alipes.
 —gracilipes.
 texana H. P.
 Nolana grandiflora Lehm.
 paradoxa Lindl.
 prostrata L.

Petunia grandiflora purpurea Hort.
nyctaginiflora Juss.
multiflora Hort.
parviflora Juss.
violacea Hook.
 —*Atkinsiana*.
 —*vulgaris*.
Physalis æquata Jacq. fil.
Alkekengi L.
Alpini Jacq.
capsicifolia Dun.
chenopodifolia Lam.
curassavica L.
fœtens Poir.
lanceifolia Nees.
Linkiana β *Nees*.
mexicana Lieb.
pubescens L.
Saracha Jaltomata Schlectd.
viscosa Schrad.
Solanum æthiopicum L.
 —*inermis*.
americanum Mill.
astroides Jacq.
atropurpureum Schrank.
 —*sanguineum*.
aureum H. P. non Dun.
Balbisi Dun.
Berteri H. P.
bonariense L.
campechiense L.
ciliatum Lam.
cinereum R. Br.
citruillifolium A. Br.
cymocarpum Fenzl.
Dilleni Schult.
Douglasii Dun.
Dulcamara L.
fistulosum Rich.
Fontanesianum Dun.
glaberrimum Dun.
gracile Oit.
guineense Lam.
hederaceum Rich. (Austral.)
humile Bernh.
incertum Dun. β.
integrifolium Poir.
laciniatum Ait. (Austral.)
macrophyllum H. Monsp.
marginatum L. fil.
memphiticum Mart.
Millerii Jacq.
nicotianæfolium Lag.
nigrum L.
 —*melanocerasum*.
nodiflorum Jacq.
ochroleucum Bast.
oleraceum Rich.
ovigerum Dun.
pseudocapsicum L.
pteroaulon Dun.
pyracanthum Jacq.
racemiflorum Dun.
radicans L.
retroflexum Dun.
sisymbriifolium Lam.
 —*albiflorum*.
sodomæum L.
Texanum Dun.
Thonningianum Jacq. fil.
tomentosum L.
utile Klotz.
villosum Lam.
violaceum R. Br.
Zuccagnianum Dun.
Withania aristata Pang.
somnifera Dun.
 —*flexuosa*.

Scrophulariaceæ.

Alonsoa caulialata R. et P.
Antirrhinum assurgens Buc.
Barrelieri Boreau.

Antirrhinum Hueti Reut.
latifolium DC.
Linkianum Boiss. et Reut.
majus L.
 —*kermesinum*.
 —*pumilum*.
orientale Boiss.
Orontium L.
 —*indicum*.
 —*grandiflorum*.
rupestre Boiss.
Bartsia viscosa L.
Browalia Czewiakowski Varsa.
demisa L.
Calceolaria glutinosa Heer. et Regel.
pinnata L.
Celsia laciniata Poir.
betonicæfolia Desf.
orientalis L.
Chænostoma fœtidum Benth.
Chelone barbatum Cav.
Collinsia bartsiaefolia A. Gray.
bicolor Benth.
Digitalis ambigua Murr.
canariensis L.
eristachya Fisch.
fulva Lindl.
gloxinioides Hort.
grandiflora Lam.
lævigata Kit.
lanata Ehrh.
Lindleyana Tausch.
lutea L.
micrantha Roth.
miniata H. Bon.
nevadensis Kunze.
obscura L.
orientalis Lam.
parviflora Jacq.
purpurea L.
 —*fl. albo*.
Thapsi L.
Duboisia myoporoides R. Br. (Austral.)
Erinus alpinus L.
Linaria amethystea Hoffm.
 —*flava*.
arenaria DC.
Biebersteinii Bess.
bipartita Desf.
cæsia DC.
capraria Moris.
Cavanillesii Chav.
chalepensis W.
commutata Bernh.
Elatine Desf.
genistæfolia Mill.
littoralis W.
micrantha Steud.
minor Desf.
minutiflora C. A. M.
modesta Boiss.
organifolia DC.
persica Chav.
prætermissa Delastre.
Prestandræ Tineo.
purpurea Mill.
rhitidosperma H. Ber.
Salzmanni Boiss.
 —*violacea*.
simplex DC.
striata DC.
spuria W.
Tournefortii Poir.
 —*glabrescens*.
triphylia Mill.
versicolor Mænch.
Lindenbergia urticæfolia Lehm.
Lyperia diandra H. Ber.
violacea L.
Manulea violacea Link.
Maurandia antirrhiniflora H. et B.
Barklayana Bot. Reg.
semperflorens Ort.
Mazus rugosus Lour.

Mimulus cardinalis Lindl.
floribundus Bot. Reg.
luteus L.
pilosusculus H. et B.
 —*glaber*.
ringens L.
Nemesia floribunda Lehm.
Paulownia imperialis Sieb. et Zucc.
Pentastemon acuminatum Dougl.
campanulatum W.
 —*angustifolium*.
 —*atropurpureum*.
Cobaea Nutt.
confertum Dougl.
Digitalis Nutt.
glandulosum Dougl.
grande Nutt.
Kartwegii Benth.
hirsutum W.
Mackeyanum Know. et West.
perfoliatum A. Brong.
pubescens Soland.
 —*angustifolium*.
 —*multiflorum*.
Salpiglossis variabilis Hort.
Schizanthus pinnatus R. et P.
retusus Hook.
Scrophularia alata Gill.
alpestris Hopp.
altaica Murr.
appendiculata Schultz.
aquatica L.
 —*oblongata*.
arguta Soland.
auriculata L.
betonicæfolia L.
canina L.
chrysantha Jaub. et Sp.
cretacea Fisch.
Ehrharti Koch.
grandidentata Ten.
lucida L.
madritensis H. Ber.
Neesii Wirtg.
nodosa L.
peregrina L.
sambucifolia L.
Sckellii Spr.
Scorodonia L.
vernalis L.
Sphenandra viscosa Benth.
Teedia lucida Rudolph.
Verbascum Blattaria L.
Boerhavi L.
densiflorum Bertol.
fœtidum H. M.
Lagurus Fisch.
majale DC.
nigrum L.
phlomoides L.
phœniceum L.
pulverulentum Curt.
sinuatum L.
Thapsus L.
virgatum With.
Veronica agrestis L.
Anagallis L.
Bachoffeni Heuff.
Buxbaumii Ten.
candidissima Bouché.
Chamædry L.
crassifolia Wierzb.
crista-galli Stev.
gentianoides Vahl.
grandis Fisch.
incana L.
longibracteata Link.
longiflora R. et S.
 —*puberula*.
longifolia α DC. Fl. Fr.
maritima α Schrad.
 —*foliis oppositis*.
 —*foliis ternis*.
micrantha Link. et Hoffm.
monstrosa Hort.

Veronica officinalis L.
romana L.
speciosa Hook.
spicata polystachya DC. Fl. Fr.
spuria L.
 —*foliis ternis*.
Teucrium L.
Waldsteiniana Schott.

Acanthaceæ.

Acanthus mollis L.
Schotianus H. Vind.
spinosus L.
Adhatoda furcata Nees.
Andrographis echioides Nees.
Anisacanthus virgularis Nees.
Barleria longifolia L.
parviflora R. Br.
Diclyptera resupinata Juss.
peruviana Juss.
Dipteracanthus micranthus Nab.
parviflorus Nees.
patulus Nees.
strepens Lecomt.
Monechma bracteatum Hochst.
debile Nees.
Peristrophe bicalyculata Nees.
Rostellaria abyssinica A. Brong.
Schwabea ciliaris Nees.
Thunbergia alata Hook.

Verbenaceæ.

Bouchea pseudo-Gervao Chamis.
Callicarpa americana L.
Durantha Ellisii L.
Lantana aculeata L.
Bonardi L.
Camara L.
Kisi A. Rich.
leucantha Hort.
mutabilis L.
nivea Vent.
pulcherrima Hort.
radula Sw.
salvifolia Jacq.
Lippia canescens H. et B.
nodiflora Rich.
purpurea Jacq.
Priva echinata Cass.
Shuttleworthia pulchella Sweet.
Verbena angustifolia Michx.
bonariensis L.
bracteosa Michx.
caroliniana Medic.
hastata L.
hispida R. et P.
lævigata Fries.
littoralis Kunth.
paniculata Lam.
pinnatifida Lam.
prostrata R. Br.
scabra Vahl.
supina L.
Vitex Agnus-castus L.
 —*fl. carneo*.
incisa Lam.

Myoporaceæ.

Stenochilus longifolius R. Br. (Austral.)

Selagineæ.

Dischisma arenarium E. Mey.
Hebenstreitia tenuifolia Schrad.

Labiatae.

Acrocephalus ciliatus Benth.
Ajuga Chamæpytis Schreb.
Chia Schreb.
glabra Presl.

- Amethystea cœrulea L.
 Ballota acetabulosa Benth.
 africana Benth.
 hirsuta Benth.
 hispanica Benth. β .
 italica Benth.
 mollissima Benth.
 nigra L.
 orbicularis Lag.
 pseudodictamnus Benth.
 Betonica hirsuta L.
 officinalis L.
 Brunella alba Pall.
 australasica Moric.
 hyssopifolia L.
 vulgaris L.
 —parviflora.
 —pinnatifida.
 —laciniata.
 Calamintha Clinopodium Benth.
 graveolens Benth.
 menthaefolia Host.
 Nepeta Link.
 officinalis L.
 —villosissima.
 patavina Host.
 rotundifolia Benth.
 umbrosa D C.
 Cedronella triphylla Moench.
 Clinopodium argenteum Arrab.
 atlanticum H. Ahd.
 Coleus Persoonii Benth.
 Dracocephalum Moldavica L.
 —flore albo.
 nutans L.
 peltatum L.
 peregrinum L.
 thymiflorum L.
 Elsholzia cristata W.
 Eremostachys laciniata Bunge.
 —pinnatisecta.
 Faldermannia parviflora Trautv.
 Galeopsis bifida Boenning.
 ochroleuca Lam.
 pyrenaica Bartl.
 Tetrahit L.
 —parviflora.
 Hyssopus officinalis L.
 —albiflorus.
 Lallemantia canescens F. et M.
 Lamium purpureum L.
 Lavandula abrotanoides Lam.
 chrysanthemifolia H. Bon.
 inclinans F. et M.
 lanata Boiss.
 multifida L.
 pedunculata Cav.
 pinnata L. fl.
 pubescens Dne.
 Spica L.
 —latifolia.
 Leonurus altaicus Spr.
 Cardiaca L.
 —laciniatus.
 —multifidus.
 glaucescens Ledeb.
 Marrubiastrum L.
 sibiricus L.
 tataricus L.
 villosus Desf.
 Leucas aspera Spr.
 indica R. Br.
 martiniensis R. Br.
 urticaefolia R. Br.
 Lophanthus nepetoides Benth.
 rugosus F. et M.
 scrophulariaefolius Benth.
 Lycopodium europæus L.
 exaltatus L. fl.
 Majorana crassifolia Benth.
 Marrubium Alysson L.
 candidissimum L.
 catariaefolium Desr.
 creticum Lob.
 cuneatum Russel.
 frutescens Hort.
- Marrubium Kotschyii Boiss.
 leonuroides Desr.
 peregrinum L.
 —strictum.
 sericeum Boiss.
 supinum L.
 vulgare L.
 —lanatum.
 Melissa Acinos Benth.
 alpina Benth.
 hirsuta Balb.
 officinalis L.
 —altissima.
 umbrosa Biebrst.
 Mentha arvensis L.
 crispata Schrad.
 lavandulacea W.
 Pulegium L.
 rotundifolia L.
 suavis Guss.
 sylvestris L.
 —nemorosa.
 tomentosa Urbill.
 viridis L.
 Micromeria bonariensis Fisch.
 dalmatica Benth.
 græca Benth.
 marifolia Benth.
 microphylla Benth.
 Molucella lævis L.
 spinosa L.
 Monarda fistulosa L.
 purpurea Lam.
 rugosa Ait.
 Moschosma ocymoides Benth.
 Nepeta angustifolia Vahl.
 botryoides Ait.
 camphorata Boiss.
 Cataria L.
 —citriodora.
 cœrulea Ait.
 grandiflora Biebrst.
 graveolens W.
 —rubra.
 hispanica Boiss. et Reut.
 italica L.
 latifolia D C.
 longiflora Vent.
 marrubioides W.
 Nepetella L.
 —major.
 nuda L.
 parnasica Boiss.
 pectinata L.
 tuberosa L.
 Ocimum aduncum Vis.
 Basilicum L.
 —anisatum.
 —difforme.
 —thyrsiflorum.
 —urticaefolium.
 carnosum Link. et Olt.
 canum Sims.
 gratissimum L.
 melissaodorum Vis.
 minimum L.
 Petitianum A. Rich.
 Origanum castratum Savi.
 fortuitum Savi.
 heracleoticum L.
 Majorana L.
 majoricum Cambess.
 normale Don.
 pallidum Desf.
 vulgare L.
 —prismaticum.
 —smyrnæum.
 —virens.
 Perilla ocimoides L.
 Phlomis agraria Ledeb.
 canariensis Hort.
 elliptica Benth.
 ferruginea Ten.
 fruticosa L.
 —latifolia.
 Herba-venti L.
- Phlomis pungens W.
 Russeliana Lag.
 tuberosa L.
 viscosa Poir.
 Plectranthus parviflorus W.
 tomentosus E. Mey.
 Prasium majus L.
 Prostanthera nivea Cunningh.
 (Austral.)
 Pycnanthemum pilosum Nutt.
 Salvia abyssinica Jacq.
 ægyptiaca L.
 Æthiopsis L.
 amarissima Ort.
 austriaca L.
 bicolor Lam.
 campestris Biebrst.
 canariensis L.
 ceratophylloides L.
 clandestina L.
 coccinea L.
 —purpureo-nana.
 disermas L.
 dumetorum Andr.
 farinacea Benth.
 filamentosa Benth.
 graciliflora Mart. et Gal.
 grandiflora Ettl. et Gal.
 hirsuta Jacq.
 hispanica L.
 Horminum L.
 indica L.
 lanceolata H. M.
 lavandulæfolia Vahl.
 —aurita.
 lyrata L.
 maritima L.
 micrantha Vahl.
 napifolia Jacq.
 nemorosa L.
 nilotica Vahl.
 nutans L.
 pendula Vahl.
 pinnata L.
 pratensis L.
 prismatica Cav.
 Rœmeriana Schlecht.
 runcinata L. fl.
 Sachetii H. Prag.
 Sclarea L.
 splendens Ker.
 sylvestris L.
 Tenorii Schrank.
 tiliaefolia Vahl.
 tingitana Ettl. et Gal.
 triangularis Thunb.
 triloba L.
 —alba.
 Verbenaca L.
 verticillata L.
 virgata Ait.
 viscosa Jacq.
 Satureja cuneifolia Ten.
 —glabriuscula.
 intermedia C. A. M.
 montana L.
 —illirica.
 rupestris Wulf.
 Thymbra L.
 Scutellaria albida L.
 alpina L.
 altissima L.
 Columnæ All.
 hederacea Kunth.
 laterifolia L.
 nigrescens Spr.
 peregrina L.
 Siebersii Bunge.
 Sideritis canariensis L.
 hirsuta L.
 linearifolia Lam.
 montana L.
 perfoliata L.
 scordioides L.
 —angustifolia.
 Stachys alpina L.
- Stachys annua L.
 arenaria Vahl.
 Betonica Benth.
 bizanthis Koch.
 cretica L.
 germanica L.
 grandidentata Lindl.
 heraclea All.
 hirta L.
 intermedia Ait.
 italica Mill.
 —pungens.
 jugalis Burch.
 lanata Jacq.
 lavandulæfolia Vahl.
 menthaefolia Viv.
 persica Gmel.
 Poiretii Ten.
 pubescens Ten.
 ramosissima M. et Auch.
 recta L.
 saturejoides M. et Auch.
 sericea Wall.
 setifera C. A. M.
 subrenata Vis.
 Teucrium Arduini L.
 Botrys L.
 campanulatum L.
 capitatum L.
 cubense L.
 euganeum Vis.
 flavum L.
 fruticans L.
 hircanicum L.
 lusitanicum Lam.
 Marum L.
 montanum Mill.
 orientale L.
 Polium L.
 nemorosa L.
 Thymus alpinus L.
 capitatus Link.
 Mastichina L.
 organoides Webb.
 Zygis L.
 Ziziphora capitata L.
 clinopodioides Lam.
 hispanica L.
 tenuior L.
- Globulariæ.
- Globularia vulgaris L.
- Plumbaginæ.
- Armeria cephalotes Link.
 longiaristata Boiss.
 maritima W.
 plantaginea W.
 Gongolimon tataricum Boiss.
 Plumbago pulchella Boiss.
 rhomboidea Hook.
 zeylanica L.
 Statice Bonduelli Lestib.
 duriuscula Girard.
 incana L.
 oleaefolia Scop.
 sinuata L.
 Smithii Ten.
 spathulata Desf.
 tatarica L.
 tripteris Del.
- Plantagineæ.
- Plantago acanthophylla Dne.
 alpina L.
 amplexicaulis Cav.
 arenaria W. et K.
 argentea Chaix.
 asiatica L.
 bonariensis H. Ch.
 Candollei Rapin.
 carinata Schrad.

Plantago Coronopus L.
—angustifolia.
—Cupani.
Cynops L.
decumbens Forsk.
Eschscholtziana F. et M.
exaltata Horn.
garganica Ten.
gnaphalodes Nutt.
Guillemiana Dun.
Hookeriana F. et M.
indica L.
kamtschatica Link.
Lagopus L.
lanceolata L.
lusitanica W.
macrorrhiza Poir.
maritima L.
—pubescens.
maxima Ait.
media L.
microcephala Poir.
pratensis H. et B.
pumila L.
purpurascens Nutt.
Serraria L.
stricta Schousb.
—pannonica.
tomentosa Lam.
truncata Chamiss.
virginica L.
Webbii Barnd.
Wulfenii W.

Nyctagineæ.

Abronia umbellata Lam.
Allionia nyctaginea Michx.
Boerhavia hirsuta L.
viscosa Lag.
Mirabilis dichotoma L.
Jalapa L.
—ambigua.
—planiflora.
longiflora L.
Whringhtiana Dne.
Oxybaphus Cervantesii Lag.
chilensis Steud.
cucullatus Choiss.
glabrifolius Vahl.
viscosus L'Herit.

Amaranthaceæ.

Achyranthes alba Ecklon.
argentea Lam.
crispa Desf.
Aconida tuberculata Moq.
Acroglochin persicarioides Moq.
Ærua javanica Juss.
radicans Mart.
Albersia Blitum Kunth.
—rubens.
gracilis Webb. et Berthel.
Althernanthera paronychioides
A. St. Hil.
sessilis R. Br.
Amaranthus albus L.
bullatus Besser.
caudatus L.
chlorostachys W.
cruentus L.
flavus L.
gangeticus W.
gracilis Poir.
græcizans L.
hybridus L.
hypochondriacus L.
lividus L.
melancholicus L.
—ruber.
oleraceus L.
paniculatus L.
—maculatus.
polygonoides L.
recurvatus H. P.

Amaranthus retroflexus L.
rigidus Schult.
sanguineus L.
speciosus Don.
spinosus L.
strictus W.
sylvestris Desf.
tricolor L.
Amblogyna polygonoides Rafn.
Celosia albida W.
argentea Moq.
cristata L.
—splendens.
margaritacea L.
Chamissoa pyramidalis Moq.
Cyathula tomentosa Moq.
Deeringia indica Spr.
Digera arvensis Forsk.
Euxolus caudatus Moq.
viridis ð rubens Moq.
Frœlichia floridana D C.
gracilis Moq.
Gomphrena aurantiaca Dne.
decumbens Jacq.
globosa L.
—rubra.
—variegata.
Haageana Hort.
pulchella Mart.
Mengea tenuifolia Moq.
Pupalia atropurpurea Moq.
Scleropus crassipes Moq.
Thelanthera polygonioides Moq.

Salsolæ.

Atriplex calotheca Rafn. et
Horn.
hortensis L.
—rubra.
laciniata L.
nitens Rebert.
oblongifolia W. et K.
rosea z D C.
Beta Cici L.
orientalis Moq.
patellaris Moq.
patula Ait.
procumbens Ehrh.
trigyna W. et K.
Blitum Bonus Henricus C. A. M.
capitatum L.
petiolare Link.
polymorphum C. A. Mey.
rubrum Reichbch.
virgatum L.
—minus.
Chenopodina altissima Moq.
salsa Moq.
Chenopodium ambrosioides L.
Atriplicis L.
Botrys L.
chilensis Schrad.
fiefolium Sm.
fœtidum Schrad.
glaucum L.
graveolens W.
incisum Poir.
murale L.
opulifolium Schrad.
punctulatum Scop.
Quinoa W.
rubricaulis Schrad.
serotinum L.
urbicum L.
Corispermum hyssopifolium L.
—densiflorum.
nitidum Kit.
Marschallii Stev.
—floridum.
Pallasii Stev.
Cycloloma platyphyllum Moq.
Echinopsilon eriophorum Moq.
hyssopifolium Moq.
Enchylæna tomentosa R. Br.
Eurotia ceratoides C. A. M.

Hablitia tamnoides Biebrst.
Kochia arenaria Roth.
Monolepis chenopodioides ð tri-
fida Schrad.
Panderia pilosa Fisch.
Petiveria alliacea L.
Polycnenum arvense L.
—majus.
Ragodia nutans R. Br.
Roubieva multifida Moq.
Salsola Kali L.
—angustifolia.
Tragus L.
Soda L.
Schoberia corniculata F. et M.
crassifolia Steud.
maritima Moq.
Suæda altissima ð Pall.
fruticosa Moq.

Basellaceæ.

Basella alba L.
lucida L.
ramosa Jacq.
rubra L.
Boussingaultia baselloides H.
et B.

Phytolaccæ.

Phytolacca decandra L.
octandra L.
purpurascens Al. Br. et Bou-
ché.
rugosa Al. Br. et Bouché.
Rivina humilis L.
octandra L.

Polygonaceæ.

Atraphaxis spinosa L.
Emex spinosa Campd.
Fagopyrum carinatum Moench.
dentatum Moench.
emarginatum Moench.
membranaceum Moench.
Oxyria reniformis Hook.
Polygonum alpestre Wall.
argyrocoleon Kunze.
Bellardi All.
Convolvulus L.
cymosum Desf.
divaricatum L.
herniarioides Del.
incanum Schmidt.
maritimum L.
nodosum Pers.
orientale L.
—flore albo.
Persicaria L.
persicarioides H. et B.
tinctorium Lour.
virginianum L.
Rheum crispum Ledeb.
Rumex Acetosella L.
ægyptiacus L.
alpinus L.
arifolius L.
cordifolius Horn.
crispus L.
dentatus L.
hamatus Trevir.
Hydrolapathum Huds.
littoralis H. et B.
longifolius H. et B.
Lunaria L.
Marschallianus Reichbch.
Nemolapathum Ehrh.
nemorosus Schrad.
obtusifolius L.
olympicus Boiss.
palustris Sm.
papillaris Boiss. et Reut.
Patientia L.
polygonifolius Loud.

Rumex pratensis Mert.
pulcher L.
purpureus Poir.
reticulatus Bess.
salicifolius Weinm.
sanguineus L.
strictus Link.
vesicarius L.
Teloxis aristata Moq.

Proteaceæ.

Hakea acicularis R. Br. (Aus-
tral.)
Protea mellifera Thunb. (Aus-
tral.)

Elæagneæ.

Elæagnus angustifolia L.

Santalaceæ.

Osyris alba L.

Aristolochiæ.

Aristolochia Bonplandii Ten.
ciliosa Benth.

Begoniaceæ.

Begonia discolor Sm.
manicata Brong.

Euphorbiaceæ.

Acalypha brachistachya Horn.
cordata Thunb.
hispidula W.
virginica L.
Beyera viscosa Miquel. (Aus-
tral.)
Euphorbia capitata Lam.
ceratocarpa Ten.
coralloides L.
dentata Michx.
glareosa Biebrst.
helioscopia L.
hypericifolia L.
Kunzei Lehm.
Lagasea Spr.
Lathyrus L.
maculata L.
mauritanica L.
medicaginea Poir.
nutans H. M.
oblongata Griseb.
obtusifolia Poir.
picta Jacq.
pilosa L.
platyphylla L.
portlandica L.
prostrata Ait.
prunifolia Jacq.
pubescens Vahl.
serrata L.
Sibthorpii Boiss.
terraccina L.
trapezoidalis Viv.
trigonocarpa Fisch.
variegata Sims.
virgata W. et K.
Poinsettia cyatophora Bartl.
heterophylla Ghe.
Ricinus africanus W.
communis L.
—minor.
—armatus.
inermis Jacq.
leucocarpus H. Bon.
lividus Jacq.
rutilans H. Ber.
sanguineus Hort.

Ricinus spectabilis Blum.
tunisensis Desf.
viridis W.

Urticaceæ.

Broussonetia papyrifera W.
Forskolea tenacissima L.
viridis Ehrhbrg.
Parietaria cretica L.
diffusa Mert. et Koch.
Urtica cannabina L.
dioica L.
Dodartii L.
hispida D C.
membranacea Poir.
pilulifera L.

Moreæ.

Ficus macrophylla Desf.

Betulaceæ.

Alnus glutinosa W.
Betula alba L.

Celtideæ.

Celtis australis L.
occidentalis L.
Tournefortii Lam.

Coniferæ.

Abies Pinsapo Boiss.
Casuarina leptoclada Miq. (Austral.)
quadrialvis Labill. (Austral.)
Cedrus Libani Barr.
Cupressus elegans Hort.
funeris Endl.
glauca Lam.
horizontalis Mill.
Lawsoniana Murr.
pendula Hort.
Ephedra distachya L.
altissima Desf.
Exocarpos cupressiformis Labill. (Austral.)
Juniperus cinerascens Hort.
communis L.
—caucasica.
phœnicea L.
Pinus halepensis Mill.
Pinaster Ait.
sylvestris L.
Sequoia sempervirens Endl.
Taxus baccata L.
depressa Hort.
pyramidalis Hort.
Thuja occidentalis L.
—Wareana.
orientalis L.
—compacta.
—glauca.
—intermedia.
—microcarpa.
—nepalensis.
—pyramidalis.
—stricta.
—tatarica.

Alismaceæ.

Alisma Plantago L.

Cannaceæ.

Canna Annei Hort.
albiflora H. Hal.
Brunnowiana Warsz.
coccinea Ait.
—floribunda Regel.
esculenta Lodd.
exigua H. Ber.

Canna indica L.
Jacquini Bouché.
Karstenii Bouché.
lanuginosa Rosc.
lutea Rosc.
—maculata Regel.
—pallida Regel.
nigricans Hort.
peruviana Red.
polymorpha H. Ber.
Schubertii Bouché.
speciosa Ker.
spectabilis Bouché.
tenuiflora Bouché.
texensis Bouché.
Warszewiczii Dietr.
—sempervirens.
Thalia dealbata Fras.

Iridæ.

Antholyza æthiopica L.
Belemcanda chinensis D C.
Gladiolus communis L.
Iris acuta W.
compressa Thunb. (Austral.)
desertorum Guldenst.
fragrans Salisb.
Güldenstädtiana Biebrst.
fœtidissima L.
halophila Pall.
pallida Lam.
sibirica L.
Sogdiana Bunge.
spuria L.
stenogyna D C.
triflora Balb.
Ixia crocata L.
Sisyrinchium chilense Hook.
gramineum Lam.
laxum Link.
—major.
striatum Sm.
tenuifolium H. et B.
Trichonema purpurascens Sweet.

Amaryllideæ.

Alstrœmeria chilensis Van Houte.
hirsuta H. et B.
psittacina Lehm.

Bromeliaceæ.

Billbergia zebrina Lindl.
Pitcairnia punicea Lindl.

Dioscoreæ.

Dioscorea Batatas Dne.

Smilacæ.

Convallaria majalis L.
Polygonatum vulgare Desf.

Liliaceæ.

Agapanthus umbellatus L'Her.
Albuca altissima Jacq.
Allium acutangulum Schrad.
altaicum Schrank.
angulosum L.
Babingtonii Boreau.
carolinianum Red.
ciliatum Cyr.
fallax Schult.
fistulosum L.
flavidum Ledeb.
flavum L.
glaucum H. P.
græcum D C.
guttatum Stev.
Ledebourianum Schult.
neapolitanum Cyr.
odoratum L.

Allium Ophioscorodon Don.
orientale Boiss.
Pallasii Murr.
pendulinum Ten.
rotundum L.
Schœnoprasmum L.
senescens L.
spirale W.
stellerianum Bess.
strictum Schrad.
subhirsutum L.
vernale Tineo.
Aloe tuberculata Haw.
verrucosa Ait.
Arthropodium paniculatum R. Br. (Austral.)
pendulum Spr.
Asparagus balticus H. Valent.
caspius H. Vind.
longifolius Fisch.
officinalis L.
scaber Lowe.
trichophyllus Bunge.
verticillatus L.
Asphodeline brevicaulis Gay.
Asphodelus clavatus Roxb.
creticus Lam.
fistulosus L.
liburnicus Scop.
luteus L.
ramosus L.
Bulbine annua W.
semibarbata Haw.
Cordylina australis Endl.
Dianella cœrulea Sims. (Austral.)
longifolia R. Br.
Dracæna Draco L.
Echeandia eleutherandra C. Koch.
Fritillaria imperialis L.
tenella Biebrst.
Funckia subcordata Spr.
Muscari comosum W.
Myogalum nutans Link.
Myrsiphyllum asparagoides W.
Nothoscordium fragrans D C.
Ornithogalum pyramidale L.
stachyoides Ait.
sulphureum Schultz.

Phormium tenax Forst.
Scilla maritima L.
patula D C.
peruviana L.
Uropetalum serotinum Ker.
Yucca aloifolia L.

Juncaceæ.

Juncus bulbosus L.

Palmæ.

Chamærops humilis L.

Typhaceæ.

Sparganium ramosum Sm.

Commelinaceæ.

Aneilema nudicaule Vahl.
Commelina agraria Kunth.
angustifolia Michx.
cœlestis W.
Karwinskii Mart.
stricta Desf.
parviflora Link.
Tradescantia erecta Jacq.
pilosa Lehm.

Aroideæ.

Arum Dracunculus L.
Richardia africana Kunth.

Cyperaceæ.

Carex corsica Link.
cristata Schwartz.
depauperata Good.
divulsa Good.
Eckloni Nees.
fenea Muhlbrg.
Grayana Dewey.
hordeiformis Wahlbrg.
hordeistichos Vill.
Hornschuchiana Hopp.
kattgatensis Fries.
lagopodioides W.
leiorrhynca C. A. M.
Linkii W.
maxima Scop.
microcarpa Hopp.
multiflora Muhlbrg.
muricata L.
nubigena Don.
Oederi Ehrh.
pendula Good.
præcox Jacq.
punctata Good.
retroflexa Schkr.
rosea Schrank.
secalina Wahlbrg.
stellulata Good.
Cyperus badius Desf.
congestus Vahl.
glomeratus L.
hexastachyus Roth.
Monti L. fil.
pustulatus Vahl.
textilis Thunb.
toluccensis H. et B.
virens Michx.
Fimbristylis laxa Vahl.
Holoschœnus Linnæi Reichbch.
Isolepis Michelliana R. et S.
Mariscus Jacquini Kunth.
ovularis Vahl.
Towari H. et B.

Gramineæ.

Egilops Aucheri Boiss.
bicornis Jaub. et Spach.
comosa Sieb.
cylindrica Hort.
macroura Jaub. et Spach.
ovata L.
speltoides Thausch.
squarrosa L.
triaristata W.
triticoides Req.
truncialis L.
ventricosa Thausch.
Agrostis æmula R. Br.
alba L.
canina L.
capillaris L.
chilensis Kze.
elegans Thore.
frondosa Ten.
interrupta Godr.
lachnantha Nees.
maritima Lam.
minutiflora Desf.
monandra Hornem.
nebulosa Boiss. et Reut.
oreophila Trin.
pulehella Kunth.
purpurascens Bertero.
retrofacta W.
Spica venti L.
varia Hort.
verticillata W.
vulgaris With.
—dulcis.
Aira Botnica Link.
capillaris Host.
caryophyllæa L.

- Aira elegans* W.
 —biaristata.
 —genuina.
hirsuta Hall. fil.
mollis Muhlb. g.
pulchella W.
 Tenorei Guss.
Airopis agrostidea D C.
Alopecurus agrestis L. fil.
 alpinus Sm.
 fulvus Sm.
lasiolepis Link.
negricans Horn.
pratensis L.
utriculatus Schrad.
Ammophila arundinacea Host.
Andropogon album Hort.
 Allioni D C.
 argenteus D C.
 aristatus Poir.
 campanus Guss. et Ten.
Anthephora elegans Schrad.
Anthoxanthum ovatum Lag.
Aristida Adscensionis L.
Arhenatherum avenaceum Paliss.
Arundo tenax Vahl.
Asprella Hystrix W.
Avellinia Michellii Parl.
Avena alba Vahl.
 barbata Brot.
 brevis Roth.
 capillaris Mert. et Koch.
 hirtula Lag.
 nuda L.
 orientalis Schreb.
 planiculmis Schrad.
 pubescens L.
 splendens Gallor.
 strigosa Schreb.
Berchtoldia bromoides Presl.
Boissiera bromoides Hochst.
 Dantonii A. Br.
Brachypodium distachyum R. et S.
Briza compacta Hort.
 erecta Lam.
 geniculata Thunb.
 maxima L.
 media L.
 minor L.
 virens L.
Bromus adensis Hochst.
 anaticus Boiss.
 arvensis L.
 briziformis F. et M.
 canadensis Michx.
 caucasicus Fisch.
 ciliatus L.
 divaricatus Lois.
 erectus Huds.
 exaltatus Bernh.
 geniculatus L.
 Gussonii Parl.
 inermis L.
 lanceolatus Roth.
 laxus Hornem.
 littoreus W.
 Lloydianus Gr. et Godr.
 longiflorus W.
 macrostachyus Desf.
 matritensis L.
 —maximus.
 —minor.
 mollis L.
 multiflorus Roth.
 nigrescens Lam.
 oxyodon Schreb.
 parviflorus Desf.
 pendulinus Sessé.
 platystachyos Desf.
 pratensis Lam.
 pubescens Muhlb. g.
 rigidus Koth.
 Schraderi Kunth.
 scoparius L.
Bromus secalinus L.
 squarrosus L.
 —spiculis nudis.
 tana Steud.
 tectorum L.
 triflorus L.
 unioloides H. et B.
Calamagrostis argentea D C.
Castellia tuberculata Ten.
Catabrosa aquatica Paliss.
Cenchrus catharticus D C.
 echinatus L.
 laevigatus Trin.
 pungens H. et B.
 spinifex Cav.
 tribuloides L.
 tripsacoides R. Br.
Ceratocloa australis Spr.
 exaltata Hort.
 glauca Schrad.
Chaeturus fasciculatus Link.
Chloridopsis Blanchardiana Gay.
Chloris cucullata Bisch.
 dolichostachya Lag.
 myriostachys H. et B.
 pallida Fenz.
 polydactyla Swartz.
 radiata Swartz.
 retusa Lag.
 spathacea Hochst.
 submutica H. et B.
Cinna filiformis Link.
 mexicana Paliss.
 sobolifera Link.
Coix Lacryma L.
 —exaltata.
Cornucopia cucullata L.
Critho Egiceras E. Mey.
Crypsis aculeata Ait.
 schœnooides Lam.
Ctenopsis pectinella Duts.
Cynosurus corsicus Bory.
 cristatus L.
 durus L.
 echinatus L.
 elegans Desf.
Dactylis altaica Bess.
 glomerata L.
 —abbreviata.
 hispanica Roth.
Dactyloctenium aristatum Link.
 ægyptiacum W.
 mucronatum W.
Danthonia provincialis D C.
Deschampsia cæspitosa Paliss.
 juncea Paliss.
 Linnæi R. Br.
Deyeuxia æmula Kunth.
 lapponica Kunth.
 retrofacta Kunth.
Diarrhena americana Paliss.
Digitaria eriogona Link.
 frondescens Mey.
 horizontalis Boiss.
 mollissima Schrad.
 pseudo-Durva H. Hal.
 psilostachya Hochst.
 sanguinalis Scop.
 umbraticola Kunth.
 umbrosa Link.
Diplachne fascicularis Paliss.
Echinaria capitata Desf.
Echinochloa mirabilis Braun.
 Zenkowskiana Bernh.
Ehrharta panicæ Sm.
Eleusine ægyptiaca Pers.
 barcinonensis Wk. et Cost.
 Coracana Pers.
 Figarey Del.
 geminata Spr.
 indica Gaertn.
 oligostachya Kunth.
 Tocussa Fresen.
 tristachya Kunth.
Elymus canadensis L.
 Caput Medusæ L.
Elymus carolinianus Walter.
 Engelmanni A. Gray.
 glaucifolius H. P.
 hordeiformis D C.
 lativalvis Link.
 mexicanus Cav.
 philadelphicus L.
 platantherus Link.
 propinquus Fresen.
 sibiricus L.
 striatus W.
 villosus Muhlb. g.
 virginicus L.
Eragrostis abyssinica Link.
 bahiensis Schult.
 capillaris Nees.
 cylindriflora Hochst.
 elongata Jacq. fil.
 Jacquini Schrad.
 megastachya Link.
 mexicana Link.
 multipilosa H. Ber.
 namaquensis Nees.
 nigra Nees.
 plumosa Link.
 poæformis Pall.
 —rubropallens.
 Purshii Schrad.
 suaveolens Bec.
 tenella Pallis.
 thephrosanthos Schult.
 virescens Presl.
Eustachys petraea Desv.
Eutriana curtispindula Trin.
Festuca binodosa Kunth. et Bouché.
 borealis Mert. et Koch.
 bromoides L.
 ciliata D C.
 cynosuroides Desf.
 delicatula Lag.
 decolorans Mert. et Koch.
 dimorpha Guss.
 divaricata Desf.
 dumetorum L.
 duriuscula L.
 elatior L.
 elegans Boiss.
 exaltata Presl.
 expansa Kunth.
 fascicularis Lam.
 Fœnas Lag.
 glauca Lam.
 Halleri All.
 heterophylla Haenke.
 Hosti Kunth.
 interrupta Desf.
 memphitica Boiss.
 Myurus L.
 ovina L.
 —duriuscula.
 —glauca.
 —hirsuta.
 pannonica Wulf.
 pectinella Del.
 pratensis Huds.
 procumbens Kunth.
 ramosa Lag.
 rotbollioides Kunth.
 rubra L.
 sabulicola Dufour.
 Scheuchzeri Gaud.
 stipoidea Desf.
 submutica Lag.
 tenella W.
 tenuiflora Schrad.
 thalassica Kunth.
 unilateralis Schrad.
 unioloides Kunth.
Fimbristylis laxa Vahl.
Gastridium australe Paliss.
 muticum Spr.
 triaristatum Dur.
Glyceria Michauxii Kunth.
 festucaformis Heyn.
 fluitans R. Br.
Glyceria permixta Guss.
 songarica Schrank.
Gynerium argenteum Nees.
Holcus halepensis L.
 lanatus L.
 mollis L.
Hordeum bulbosum L.
 cœleste trifurcatum Ser.
 distichon L.
 maritimum Sm.
 vulgare cœleste Viborg.
 nigrum W.
Ichnanthus panicoides Paliss.
Koeleria aristata Boiss.
 Balansæ Coss. et Dur.
 Berythea Boiss. et Bal.
 brachistachya D C.
 cristata Pers.
 laxa Link.
 multiflora Rgl. et Herd.
 phleoides Pers.
 setacea D C.
 valesiaca D C.
 villosa Pers.
Lagurus ovatus L.
Lappago racemosa W.
Lasiagrostis Calamagrostis Link.
Leptochloa arabica Kunth.
 filiformis R. et S.
 gracilis Nees.
 Schimperiana Hochst.
 tenerrima R. et S.
 virgata Paliss.
Leptostachys villosa Kunze.
Lepturus incurvatus Trin.
 subulatus Kunth.
Lolium arvense With.
 linicola Sond.
 perenne L.
 scabrum Presl.
 speciosum Biebrst.
 temulentum L.
 tenue L.
 —aristatum.
Lygeum Spartum L.
Melica altissima L.
 Baubini All.
 Caulini All.
 ciliata L.
 cretica Boiss. et Held.
 Cupani Guss.
 exasperata R. et S.
 Magnolii Gren. et Godr.
 nebrodensis Juss.
 penicillaris Boiss.
 pyramidalis Lam.
Molinia cœrulea Mench.
 serotina Mert. et Koch.
Muhlenbergia foliosa Trin.
 glomerata Trin.
 gymnostyla Walp.
Nardurus Lachenalii Godr.
 tenellus Reichsch.
 —aristatus.
Nephelochloa persica Ledeb.
Panicum altissimum Brouss.
 asperrimum Lag.
 bulbosum Kunth.
 Burmannii Retz.
 capillare L.
 ciliare Retz.
 colonum L.
 coloratum L.
 cruciforme Sibth.
 crus-corvi L.
 crus-galli L.
 frumentaceum Roxb.
 germanicum Roth.
 glaucum L.
 italicum L.
 —cylindricum.
 —erythrospermum.
 miliaceum L.
 proliferum Lam.
 psilostachyum Hochst.
 sanguinale L.

- Panicum viride* L.
Paspalum dilatatum Poir.
elegans Flug.
Lagascæ R. et S.
lanceolatum Mik.
stoloniferum Bosc.
Penicillaria spicata W.
Pennisetum cenchroides Rich.
distylum Guss.
longistylum Hoschst.
setosum Rich.
Pentameris airoides Nees.
Phalaris arenaria W.
arundinacea L.
aspera Retz.
Bellardi W.
brachystachya Link.
canariensis L.
ciliata Lag.
minor Retz.
nodosa L.
Sibthorpii Griseb.
tuberosa L.
Phleum annuum Sieb.
Bohemeri Wibel.
græcum Boiss. et Heldr.
intermedium Jord.
nodosum L.
pratense L.
—α Schrad.
serotinum Jord.
tenue Schrad.
Piptatherum multiflorum Paliss.
Thomasii Kunth.
paradoxum Paliss.
Poa abyssinica Jacq.
ægyptiaca W.
alpina L.
angustifolia L.
Poa aspera Jacq.
bulbosa L.
capillaris L.
chilensis Trin.
compressa L.
—americana.
concinna Gaud.
distans L.
—angustifolia.
Kitabelii Kunth.
maritima Huds.
mexicana Lag.
nemoralis L.
peruviana Jacq.
pilosa L.
pratensis L.
—angustifolia.
procumbens Curt.
rariflora Desf.
rigida L.
scariosa Lag.
senegalensis H. P.
serotina Trin.
sicula Jacq.
sudetica Haenk.
trivialis L.
Podosæmum gimnostylum H.
et B.
Polypogon affinis Brong.
interruptus H. et B.
littoralis Sm.
monspeliensis Desf.
Puccinellia distans Parl.
permixta Parl.
Saccharum Tenerifæ Sibth.
Schismus calycinus Coss. et Dur.
marginatus Paliss.
Secale anatholicum Boiss.
montanum Guss.
Secale multicaule Hort.
Sclerochloa dura Paliss.
Serrafalcus vestitus Tod.
Sesleria elongata Host.
Setaria compressa Kunth.
italica Kunth.
macrochaeta Jacq.
macrostachya H. et B.
persica Fr. Cat.
Sorghum cernuum W.
—aristatum.
—submuticum.
saccharatum Moench.
—nigrum.
—nigerrimum.
Spelta amyleum Jord.
brachycome Jord.
Seringei Jord.
Sporobolus heterolepis A. Gray.
tenacissimus Paliss.
Stipa altaica Trin.
bromoides Gouan.
capillata L.
formicarum Del.
gigantea Lag.
intricata God.
Lagascæ R. et S.
papposa Nees.
parviflora Desf.
pennata L.
splendens Trin.
tortilis Desf.
Tripsacum dactyloides L.
monostachyum W.
Trisetum argenteum R. et S.
Loeflingianum Paliss.
neglectum R. et S.
rigidum R. et S.
Triticum asperum D C.
Triticum hæoticum Boiss.
caninum Schreb.
Cienfuegos Lag.
—rectum.
ciliatum D C.
cristatum Schreb.
desertorum Fisch.
—longe-subulatum.
dicoccum Schrank.
durum Desf.
fastuosum Lag.
Gaertnerianum Lag.
giganteum Retz.
imbricatum Biebrst.
monococcum L.
obtusiflorum D C.
orientale Biebrst.
phænicoides D C.
polonicum L.
prostratum L. fl.
pumilum Kunth.
—gallecicum.
sibiricum W.
Spelta L.
squarrosum Roth.
subspicatum Paliss.
sylvaticum Moench.
Thaoudar Boiss.
turgidum L.
Uniola latifolia Michx.
Vilfa acutigluma Steud.
Vulpia ligustica Reichbch.
Zea Curagua Molin.
—minor flava.
—perlata.
Mays L.
—flavo-alba.

Praefecti hortorum exterorum, semina cum H. Bot. Matritensi commutare volentes, pergratum nobis officium praestabunt, desiderata Hispaniæ Legatis communicantes, ut intermedio Ministerii relationum exterarum, tutius citiusque ad nos perveniant.

Franciscus Alea,

Seminum Asservator.

Michael Colmeiro,

Botanices Professor, et Horti Moderator.

Faint, illegible text in the left column, possibly bleed-through from the reverse side of the page.

Faint, illegible text in the middle column, possibly bleed-through from the reverse side of the page.

Faint, illegible text in the right column, possibly bleed-through from the reverse side of the page.

Faint, illegible text in the far right column, possibly bleed-through from the reverse side of the page.

Faint, illegible text in the left column, possibly bleed-through from the reverse side of the page.

Faint, illegible text in the middle column, possibly bleed-through from the reverse side of the page.

Faint, illegible text in the right column, possibly bleed-through from the reverse side of the page.

Faint, illegible text in the far right column, possibly bleed-through from the reverse side of the page.