

List of Vascular Plants Known from the Atewa Range

Author: Jongkind, Carel

Source: A Rapid Biological Assessment of the Atewa Range Forest Reserve, Eastern Ghana: 114

Published By: Conservation International

URL: <https://doi.org/10.1896/054.047.0120>

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Appendix 1

List of vascular plant known from the Atewa range

Carel Jongkind

The species list shows 765 different species of vascular plants including 106 Upper Guinea endemics printed in **bold** (Upper Guinea sensu White, 1979).

The species list is combined from different sources. The larger part is taken from the list in an unpublished 1998 report by William Hawthorne (HAW) that is itself a combination of different sources. A smaller part is taken from the herbarium database at the Wageningen University (WUR), this database includes records for Atewa of specimens from several collectors found in several herbaria. A few other species on the list are mentioned by Hall and Swaine (1981) (H&S) or by Summerhayes in the Flora of West tropical Africa (FWTA 3).

The list is without doubt incomplete as many other species have been collected on Atewa and are stored in herbaria around the world. Most of these were not seen for this report and furthermore have not been cited in earlier reports or publications. On top of this, more species in the range are doubtless yet to be discovered, particularly in the canopy.

| Family | Species name | source |
|----------------|---------------------------------------------------------------------|-----------|
| Acanthaceae | <i>Acanthus guineensis</i> Heine & P.Taylor | WUR & HAW |
| Acanthaceae | <i>Adhatoda guineensis</i> (synonym of <i>Justicia guineensis</i>) | WUR |
| Acanthaceae | <i>Asystasia buettneri</i> Lindau | HAW |
| Acanthaceae | <i>Brillantaisia owariensis</i> P.Beauv. | WUR |
| Acanthaceae | <i>Justicia guineensis</i> (Heine) W.D. Hawthorne | WUR |
| Acanthaceae | <i>Justicia tenella</i> (Nees) T.Anderson | WUR |
| Acanthaceae | <i>Mendoncia combretoides</i> (A.Chev.) Benoist | WUR |
| Acanthaceae | <i>Phaulopsis ciliata</i> (Willd.) Hepper | WUR |
| Acanthaceae | <i>Pseuderanthemum tunicatum</i> (Afzelius) Milne-Redhead | WUR & HAW |
| Acanthaceae | <i>Rhinacanthus virens</i> (Nees) Milne-Redh. | WUR |
| Acanthaceae | <i>Ruellia primuloides</i> (T.Anders. ex Bentham) Heine | WUR & HAW |
| Acanthaceae | <i>Staurogyne capitata</i> E.A.Bruce | HAW |
| Acanthaceae | <i>Stenandrium guineense</i> (Nees) Vollesen | HAW |
| Acanthaceae | <i>Thunbergia vogeliana</i> Bentham | HAW |
| Amaryllidaceae | <i>Crinum jagus</i> (Thomps.) Dandy | HAW |
| Amaryllidaceae | <i>Scadoxus cinnabarinus</i> (Decne) Friis & Nordal | WUR & HAW |
| Anacardiaceae | <i>Antrocaryon micraster</i> A.Chevalier & Guillaum. | HAW |
| Anacardiaceae | <i>Lannea welwitschii</i> (Hiern) Engler | HAW |
| Anacardiaceae | <i>Pseudospondias microcarpa</i> (A.Rich.) Engler | WUR & HAW |
| Anacardiaceae | <i>Trichoscypha arborea</i> (A.Chevalier) A.Chevalier | WUR & HAW |
| Annonaceae | <i>Annickia polycarpa</i> (A.DC.) Van Setten & Maas | WUR & HAW |
| Annonaceae | <i>Anonidium mannii</i> (Oliver) Engler & Diels | HAW |
| Annonaceae | <i>Artabotrys jollyanus</i> Pierre ex Engl. & Diels | WUR |

| Family | Species name | source |
|-------------|--------------------------------------------------------------------|-----------|
| Annonaceae | <i>Artabotrys stenopetalus</i> Engler & Diels | HAW |
| Annonaceae | <i>Cleistopholis patens</i> (Bentham) Engler & Diels | HAW |
| Annonaceae | <i>Duguetia staudtii</i> (Engler & Diels) Chatrou | HAW |
| Annonaceae | <i>Friesodielsia enghiana</i> (Diels) Verdcourt | HAW |
| Annonaceae | <i>Friesodielsia velutina</i> (Sprague & Hutch.) van Steenis | WUR & HAW |
| Annonaceae | <i>Greenwayodendron oliveri</i> (Engler) Verdcourt | WUR & HAW |
| Annonaceae | <i>Hexalobus crispiflorus</i> A.Rich. | HAW |
| Annonaceae | <i>Isolona campanulata</i> Engler & Diels | HAW |
| Annonaceae | <i>Isolona hexaloba</i> Engler & Diels | HAW |
| Annonaceae | <i>Mischogyne elliotianum</i> (Engl. & Diels) R.E.Fr. ¹ | WUR |
| Annonaceae | <i>Monanthotaxis barteri</i> (Baillon) Verdcourt | HAW |
| Annonaceae | <i>Monanthotaxis stenosepala</i> aff. spec.nov. | WUR & HAW |
| Annonaceae | <i>Monodora crispata</i> Engl. & Diels | WUR |
| Annonaceae | <i>Monodora myristica</i> (Gaertn.) Dunal | WUR & HAW |
| Annonaceae | <i>Monodora tenuifolia</i> Bentham | HAW |
| Annonaceae | <i>Neostenanthera gabonensis</i> (Engler & Diels) Exell | HAW |
| Annonaceae | <i>Piptostigma fasciculatum</i> (De Wild.) Paiva | WUR & HAW |
| Annonaceae | <i>Piptostigma fugax</i> A.Chevalier ex Hutch. & Dalziel | WUR & HAW |
| Annonaceae | <i>Uvaria doeringii</i> Diels | HAW |
| Annonaceae | <i>Uvaria mocoli</i> De Wildeman & Durand | HAW |
| Annonaceae | <i>Uvariastrum pierreanum</i> Engler | HAW |
| Annonaceae | <i>Uvariadendron calophyllum</i> R.E.Fries | HAW |
| Annonaceae | <i>Uvariopsis globiflora</i> Keay | WUR & HAW |
| Annonaceae | <i>Xylopia aethiopica</i> (Dunal) A.Rich. | HAW |
| Annonaceae | <i>Xylopia elliotii</i> Engler | HAW |
| Annonaceae | <i>Xylopia quintasii</i> Engler & Diels | WUR & HAW |
| Annonaceae | <i>Xylopia rubescens</i> Oliver | HAW |
| Annonaceae | <i>Xylopia staudtii</i> Engler & Diels | HAW |
| Annonaceae | <i>Xylopia villosa</i> Chipp | HAW |
| Apocynaceae | <i>Alafia schumannii</i> Stapf | HAW |
| Apocynaceae | <i>Alafia whytei</i> Stapf | HAW |
| Apocynaceae | <i>Alstonia boonei</i> De Wildeman | HAW |
| Apocynaceae | <i>Baissea baillonii</i> Hua | HAW |
| Apocynaceae | <i>Baissea leonensis</i> Bentham | WUR & HAW |
| Apocynaceae | <i>Baissea multiflora</i> A.DC. | HAW |
| Apocynaceae | <i>Callichilia subsessilis</i> (Benth.) Stapf | WUR |
| Apocynaceae | <i>Dictyophleba leonensis</i> (Stapf) Pichon | WUR & HAW |
| Apocynaceae | <i>Funtumia africana</i> (Bentham) Stapf | HAW |
| Apocynaceae | <i>Funtumia elastica</i> (Preuss) Stapf | WUR & HAW |
| Apocynaceae | <i>Holarrhena floribunda</i> (G.Don) Dur. & Schinz. | HAW |
| Apocynaceae | <i>Hunteria umbellata</i> (K.Schum.) Hallier f. | WUR & HAW |
| Apocynaceae | <i>Landolphia calabarica</i> (Stapf) E.A.Bruce | HAW |
| Apocynaceae | <i>Landolphia dulcis</i> (R.Br. ex Sabine) Pichon | WUR & HAW |
| Apocynaceae | <i>Landolphia foretiana</i> (Pierre ex Jum.) Pichon | WUR |
| Apocynaceae | <i>Landolphia incerta</i> (K.Schum.) Persoon | WUR & HAW |
| Apocynaceae | <i>Landolphia micrantha</i> (A.Chevalier) Pichon | WUR & HAW |
| Apocynaceae | <i>Landolphia owariensis</i> P.Beauv. | HAW |
| Apocynaceae | <i>Motandra guineensis</i> (Thonning) A.DC. | WUR & HAW |
| Apocynaceae | <i>Oncinotis glabrata</i> (Baillon) Stapf ex Hiern. | WUR & HAW |
| Apocynaceae | <i>Oncinotis gracilis</i> Stapf | WUR |
| Apocynaceae | <i>Oncinotis pontyi</i> Dubard | WUR |

| Family | Species name | source |
|------------------|------------------------------------------------------------------|-----------|
| Apocynaceae | <i>Orthopichonia barteri</i> (Stapf) H.Huber | WUR & HAW |
| Apocynaceae | <i>Orthopichonia indeniensis</i> (A.Chev.) H.Huber | WUR |
| Apocynaceae | <i>Picalima nitida</i> (Stapf) Th. & H.Durand | HAW |
| Apocynaceae | <i>Pleiocarpa mutica</i> Bentham | WUR & HAW |
| Apocynaceae | <i>Rawolfia vomitoria</i> Afzelius | WUR & HAW |
| Apocynaceae | <i>Saba thompsonii</i> (A.Chevalier) Pichon | HAW |
| Apocynaceae | <i>Strophanthus barteri</i> Franch. | HAW |
| Apocynaceae | <i>Strophanthus gratus</i> (Hooker) Franch. | WUR & HAW |
| Apocynaceae | <i>Strophanthus preussii</i> Engl. & Pax | WUR |
| Apocynaceae | <i>Tabernaemontana africana</i> A.DC. | WUR & HAW |
| Apocynaceae | <i>Tabernaemontana glandulosa</i> (Stapf) Pichon | WUR & HAW |
| Apocynaceae | <i>Tabernaemontana pachysiphon</i> Stapf | WUR & HAW |
| Apocynaceae | <i>Vabadenia caillei</i> (A.Chevalier) Stapf ex Hutch. & Dalziel | HAW |
| Araceae | <i>Amorphophallus johnsonii</i> N.E.Br. | HAW |
| Araceae | <i>Anchomanes difformis</i> (Blume) Engler | HAW |
| Araceae | <i>Cercestis afzelii</i> Schott | WUR & HAW |
| Araceae | <i>Cercestis dinklagei</i> Engler | HAW |
| Araceae | <i>Cercestis ivorensis</i> A.Chevalier | HAW |
| Araceae | <i>Culcasia angolensis</i> Welwitsch ex Schott | HAW |
| Araceae | <i>Culcasia glandulosa</i> Hepper | HAW |
| Araceae | <i>Culcasia parviflora</i> N.E.Br. | HAW |
| Araceae | <i>Culcasia scandens</i> P.Beauv. | HAW |
| Araceae | <i>Culcasia striolata</i> Engler | HAW |
| Araceae | <i>Nephtytis afzelii</i> Schott | HAW |
| Araceae | <i>Rhaphidophora africana</i> N.E.Br. | HAW |
| Araliaceae | <i>Cussonia bancoensis</i> Aubréville & Pellegrin | HAW |
| Araliaceae | <i>Schefflera barteri</i> (Seem.) Harms | HAW |
| Aristolochiaceae | <i>Pararistolochia goldieana</i> (Hook.f.) Hutch. & Dalziel | WUR |
| Aristolochiaceae | <i>Pararistolochia macrocarpa</i> (Duch.) Poncy | HAW |
| Aristolochiaceae | <i>Pararistolochia promissa</i> (Mast.) Keay | HAW |
| Asclepiadaceae | <i>Epistemma assianum</i> D.V.Field & J.B.Hall | WUR |
| Asclepiadaceae | <i>Gongronema latifolium</i> Bentham | HAW |
| Asclepiadaceae | <i>Pergularia daemia</i> (Forsskal) Chiov. | HAW |
| Asclepiadaceae | <i>Tylophora conspicua</i> N.E.Br. | WUR |
| Asclepiadaceae | <i>Tylophora oblonga</i> N.E.Br. | WUR |
| Asclepiadaceae | <i>Tylophora oculata</i> N.E.Br. | WUR |
| Aspleniaceae | <i>Asplenium africanum</i> Desvaux | HAW |
| Aspleniaceae | <i>Asplenium barteri</i> Hooker | HAW |
| Aspleniaceae | <i>Asplenium dregeanum</i> Kunze | HAW |
| Aspleniaceae | <i>Asplenium schmellii</i> Tardieu | H&S |
| Aspleniaceae | <i>Asplenium unilaterale</i> Lam. | WUR |
| Balanitaceae | <i>Balanites wilsoniana</i> Dawe & Sprague | HAW |
| Begoniaceae | <i>Begonia eminii</i> Warb. | WUR & HAW |
| Begoniaceae | <i>Begonia fusialata</i> Warb. | WUR |
| Begoniaceae | <i>Begonia macrocarpa</i> Warb. | WUR |
| Begoniaceae | <i>Begonia oxyloba</i> Welwitsch ex Hooker f. | WUR |
| Begoniaceae | <i>Begonia polygonoides</i> Hook.f. | WUR |
| Begoniaceae | <i>Begonia quadrialata</i> Warb. | WUR & HAW |
| Begoniaceae | <i>Begonia scutifolia</i> Hook.f. | WUR |
| Bignoniaceae | <i>Kigelia africana</i> (Lamarck) Bentham | HAW |
| Bignoniaceae | <i>Newbouldia laevis</i> (P.Beauv.) Seemann ex Bureau | HAW |

| Family | Species name | source |
|------------------|----------------------------------------------------------|-----------|
| Bignoniaceae | <i>Spathodea campanulata</i> P.Beauv. | HAW |
| Bignoniaceae | <i>Stereospermum acuminatissimum</i> K.Schum. | HAW |
| Bombacaceae | <i>Bombax buonopozense</i> P.Beauv. | HAW |
| Bombacaceae | <i>Ceiba pentandra</i> (Linné) Gaertn. | HAW |
| Bombacaceae | <i>Rhodognaphalon brevicuspe</i> (Sprague) Roberty | HAW |
| Boraginaceae | <i>Cordia millenii</i> Baker | HAW |
| Boraginaceae | <i>Ehretia trachyphylla</i> C.H.Wright | HAW |
| Burseraceae | <i>Canarium schweinfurthii</i> Engler | HAW |
| Burseraceae | <i>Dacryodes klaineana</i> (Pierre) H.J.Lam | HAW |
| Capparaceae | <i>Buchholzia coriacea</i> Engler | HAW |
| Capparaceae | <i>Euadenia eminens</i> Hooker f. | HAW |
| Capparaceae | <i>Euadenia trifoliolata</i> (Schum. & Thonning) Oliver | HAW |
| Capparaceae | <i>Ritchiea capparoides</i> (Andr.) Britten | HAW |
| Celastraceae | <i>Bequaertia mucronata</i> (Exell) R.Wilczek | HAW |
| Celastraceae | <i>Helictonema velutinum</i> (Afzelius) Wilczek ex Hallé | HAW |
| Celastraceae | <i>Hippocratea myriantha</i> Oliver | HAW |
| Celastraceae | <i>Loeseneriella africana</i> (Willd.) Wilczek ex Hallé | WUR & HAW |
| Celastraceae | <i>Loeseneriella clematoides</i> (Loesener) R.Wilczek | WUR & HAW |
| Celastraceae | <i>Loeseneriella ectypetala</i> N.Hallé | HAW |
| Celastraceae | <i>Salacia adolfi-fridericii</i> Loesener ex Harms | WUR & HAW |
| Celastraceae | <i>Salacia alata</i> De Wildeman | HAW |
| Celastraceae | <i>Salacia columna</i> N.Hallé | HAW |
| Celastraceae | <i>Salacia cornifolia</i> Hooker f. | WUR & HAW |
| Celastraceae | <i>Salacia elegans</i> Welwitsch ex Oliver | HAW |
| Celastraceae | <i>Salacia erecta</i> (G.Don) Walp. | HAW |
| Celastraceae | <i>Salacia ituriensis</i> Loes. | WUR |
| Celastraceae | <i>Salacia longipes</i> (Oliver) N.Hallé ² | HAW |
| Celastraceae | <i>Salacia preussii</i> Loesener | HAW |
| Celastraceae | <i>Salacia staudtiana</i> Loesener | WUR & HAW |
| Celastraceae | <i>Salacighia letestuana</i> (Pellegr.) Blakelock | WUR |
| Celastraceae | <i>Simicratea welwitschii</i> (Oliver) N.Hallé | WUR & HAW |
| Celastraceae | <i>Simirestis tisserantii</i> N.Hallé | WUR |
| Chrysobalanaceae | <i>Maranthes glabra</i> (Oliver) Prance | HAW |
| Chrysobalanaceae | <i>Maranthes robusta</i> (Oliv.) Prance ex F.White | WUR |
| Chrysobalanaceae | <i>Parinari excelsa</i> Sabine | HAW |
| Combretaceae | <i>Combretum fuscum</i> Planchon ex Bentham | WUR |
| Combretaceae | <i>Combretum multinervium</i> Exell | WUR |
| Combretaceae | <i>Combretum platypterum</i> (Welw.) Hutch. & Dalziel | WUR |
| Combretaceae | <i>Combretum racemosum</i> P.Beauv. | WUR |
| Combretaceae | <i>Pteleopsis hylodendron</i> Mildbraed | HAW |
| Combretaceae | <i>Strephonema pseudocola</i> A.Chevalier | HAW |
| Combretaceae | <i>Terminalia ivorensis</i> A.Chevalier | WUR & HAW |
| Combretaceae | <i>Terminalia superba</i> Engler & Diels | WUR & HAW |
| Commelinaceae | <i>Buforrestia obovata</i> Brenan | HAW |
| Commelinaceae | <i>Coleotrype laurentii</i> K.Schum. | WUR & HAW |
| Commelinaceae | <i>Commelina capitata</i> Benth. | WUR |
| Commelinaceae | <i>Commelina macrosperma</i> J.K.Morton | WUR & HAW |
| Commelinaceae | <i>Palisota barberi</i> Hooker | HAW |
| Commelinaceae | <i>Palisota bracteosa</i> C.B.Clarke | HAW |
| Commelinaceae | <i>Palisota hirsuta</i> (Thunb.) K.Schum. | HAW |
| Commelinaceae | <i>Pollia condensata</i> C.B.Clarke | HAW |

| Family | Species name | source |
|------------------|-------------------------------------------------------------|-----------|
| Commelinaceae | <i>Polyspatha paniculata</i> Benth | WUR & HAW |
| Commelinaceae | <i>Stanfieldiella axillaris</i> J.K.Morton | WUR |
| Commelinaceae | <i>Stanfieldiella imperforata</i> (C.B.Clarke) Brenan | HAW |
| Compositae | <i>Acmella caulirhiza</i> Delile | WUR |
| Compositae | <i>Microglossa pyrifolia</i> (Lamarck) O.Ktze. | HAW |
| Compositae | <i>Mikania natalensis</i> DC. | WUR |
| Compositae | <i>Mikaniopsis tedliei</i> (Oliver & Hiern) C.D.Adams | HAW |
| Compositae | <i>Sparganophorus sparganophora</i> (L.) C.Jeffrey | HAW |
| Compositae | <i>Vernonia andohii</i> C.D.Adams | WUR |
| Compositae | <i>Vernonia colorata</i> (Willd.) Drake | HAW |
| Compositae | <i>Vernonia conferta</i> Benth | HAW |
| Compositae | <i>Vernonia titanophylla</i> Brenan | WUR & HAW |
| Connaraceae | <i>Agelaea paradoxa</i> Gilg | HAW |
| Connaraceae | <i>Agelaea pentagyna</i> (Lamarck) Baillon | HAW |
| Connaraceae | <i>Cnestis ferruginea</i> Vahl ex DC. | HAW |
| Connaraceae | <i>Cnestis racemosa</i> Don. | HAW |
| Connaraceae | <i>Connarus africanus</i> Lamarck | HAW |
| Connaraceae | <i>Manotes expansa</i> Soland. ex Planchon | HAW |
| Connaraceae | <i>Rourea coccinea</i> (Thonning ex Schum.) Benth | HAW |
| Connaraceae | <i>Rourea minor</i> (Gaertn.) Alston | HAW |
| Connaraceae | <i>Rourea thomsonii</i> (Baker) Jongkind | HAW |
| Convolvulaceae | <i>Calycobolus africanus</i> (G.Don) Heine | HAW |
| Convolvulaceae | <i>Lepistemon parviflorum</i> Pilg. ex Büsgen | WUR |
| Convolvulaceae | <i>Merremia dissecta</i> (Jacq.) Hallier f. | WUR |
| Convolvulaceae | <i>Neuropeltis acuminata</i> (P.Beauv.) Benth | WUR & HAW |
| Costaceae | <i>Costus deistelii</i> K.Schum. | WUR & HAW |
| Costaceae | <i>Costus dubius</i> (Afzelius) K.Schum. | HAW |
| Costaceae | <i>Costus englerianus</i> K.Schum. | WUR & HAW |
| Cucurbitaceae | <i>Coccinia longicarpa</i> Jongkind | WUR |
| Cucurbitaceae | <i>Momordica cissoides</i> Planchon ex Benth | WUR |
| Cucurbitaceae | <i>Momordica multiflora</i> Hook.f. | WUR |
| Cucurbitaceae | <i>Ruthalicia eglandulosa</i> (Hook.f.) C.Jeffrey | WUR |
| Cucurbitaceae | <i>Ruthalicia longipes</i> (Hook.f.) C.Jeffrey | WUR |
| Cucurbitaceae | <i>Zehneria keayana</i> R.& A.Fernandes | WUR & HAW |
| Cyatheaceae | <i>Cyathea manniana</i> Hooker | HAW |
| Cyperaceae | <i>Cyperus halpan</i> L. | WUR |
| Cyperaceae | <i>Cyperus renschii</i> Boeckeler | WUR |
| Cyperaceae | <i>Hypolytrum poecilolepis</i> Nelm | HAW |
| Cyperaceae | <i>Mapania baldwinii</i> Nelm | WUR & HAW |
| Cyperaceae | <i>Mapania coriandrum</i> Nelm | HAW |
| Dennstaedtiaceae | <i>Blotiella currori</i> (Hooker) Tryon | HAW |
| Dichapetalaceae | <i>Dichapetalum crassifolium</i> Chodat | HAW |
| Dichapetalaceae | <i>Dichapetalum heudelotii</i> (Planchon ex Oliver) Baillon | WUR & HAW |
| Dichapetalaceae | <i>Dichapetalum madagascariense</i> Poir | WUR & HAW |
| Dichapetalaceae | <i>Dichapetalum oblongum</i> (Hooker f. ex Benth) Engler | HAW |
| Dichapetalaceae | <i>Dichapetalum pallidum</i> (Oliver) Engler | WUR & HAW |
| Dichapetalaceae | <i>Tapura fischeri</i> Engler | HAW |
| Dioscoreaceae | <i>Dioscorea minutiflora</i> Engler | WUR & HAW |
| Dioscoreaceae | <i>Dioscorea smilacifolia</i> De Wildeman | HAW |
| Dracaenaceae | <i>Dracaena arborea</i> (Willd.) Link | HAW |
| Dracaenaceae | <i>Dracaena camerooniana</i> Baker | HAW |

| Family | Species name | source |
|-----------------|-------------------------------------------------------------------------|-----------|
| Dracaenaceae | <i>Dracaena cristula</i> W.Bull | WUR & HAW |
| Dracaenaceae | <i>Dracaena mannii</i> Baker | HAW |
| Dracaenaceae | <i>Dracaena mildbraedii</i> K.Krause | WUR |
| Dracaenaceae | <i>Dracaena phrynoides</i> Hooker | WUR & HAW |
| Dracaenaceae | <i>Dracaena surculosa</i> Lindley | WUR & HAW |
| Dryopteridaceae | <i>Diplazium hylophilum</i> (Hieronymus) C.Chr. | HAW |
| Dryopteridaceae | <i>Tectaria fernandensis</i> (Baker) C.Chr. | HAW |
| Dryopteridaceae | <i>Triplophyllum jenseniae</i> (C.Chr.) Holttum | HAW |
| Dryopteridaceae | <i>Triplophyllum pilosissimum</i> (J.Smith) Holttum | HAW |
| Dryopteridaceae | <i>Triplophyllum securidiforme</i> (Hook.) Holttum | WUR |
| Dryopteridaceae | <i>Triplophyllum vogelii</i> (Hooker) Holttum | HAW |
| Ebenaceae | <i>Diospyros canaliculata</i> De Wildeman | HAW |
| Ebenaceae | <i>Diospyros chevalieri</i> De Wildeman | HAW |
| Ebenaceae | <i>Diospyros gabunensis</i> Gürke | HAW |
| Ebenaceae | <i>Diospyros kamerunensis</i> Gürke | HAW |
| Ebenaceae | <i>Diospyros mannii</i> Hiern | HAW |
| Ebenaceae | <i>Diospyros monbuttensis</i> Gürke | HAW |
| Ebenaceae | <i>Diospyros piscatoria</i> Gürke | HAW |
| Ebenaceae | <i>Diospyros sanza-minika</i> A.Chevalier | WUR & HAW |
| Ebenaceae | <i>Diospyros viridicans</i> Hiern | HAW |
| Erythroxylaceae | <i>Erythroxylum mannii</i> Oliver | WUR & HAW |
| Euphorbiaceae | <i>Acalypha racemosa</i> Wall. ex Baillon | HAW |
| Euphorbiaceae | <i>Alchornea cordifolia</i> (Schum. & Thonning) Muell.Arg. | HAW |
| Euphorbiaceae | <i>Alchornea floribunda</i> Müll.Arg. | WUR & HAW |
| Euphorbiaceae | <i>Anthostema aubryanum</i> Baillon | HAW |
| Euphorbiaceae | <i>Antidesma laciniatum</i> Müll.Arg. | WUR & HAW |
| Euphorbiaceae | <i>Bridelia grandis</i> Pierre ex Hutchinson | HAW |
| Euphorbiaceae | <i>Bridelia micrantha</i> (Hochstetter) Baillon | HAW |
| Euphorbiaceae | <i>Croton penduliflorus</i> Hutchinson | WUR & HAW |
| Euphorbiaceae | <i>Crotonogyne chevalieri</i> (Beille) Keay | HAW |
| Euphorbiaceae | <i>Discoclaoxylon hexandrum</i> (Muell.Arg.) Pax & K.Hoffm. | WUR & HAW |
| Euphorbiaceae | <i>Discoglyprena caloneura</i> (Pax) Prain | HAW |
| Euphorbiaceae | <i>Elaeophorbia grandifolia</i> (Haw.) Croizat | HAW |
| Euphorbiaceae | <i>Erythrocca africana</i> (Baillon) Prain | HAW |
| Euphorbiaceae | <i>Erythrocca anomala</i> (Juss. ex Poiret) Prain | WUR & HAW |
| Euphorbiaceae | <i>Grossera vignei</i> Hoyle | HAW |
| Euphorbiaceae | <i>Macaranga barteri</i> Müll.Arg. | HAW |
| Euphorbiaceae | <i>Macaranga heterophylla</i> (Muell.Arg.) Muell.Arg. | HAW |
| Euphorbiaceae | <i>Macaranga heudelotii</i> Baillon | HAW |
| Euphorbiaceae | <i>Macaranga hurifolia</i> Beille | HAW |
| Euphorbiaceae | <i>Macaranga spinosa</i> Müll.Arg. | HAW |
| Euphorbiaceae | <i>Maesobotrya barteri</i> (Baillon) Hutch. | HAW |
| Euphorbiaceae | <i>Manniophyton fulvum</i> Müll.Arg. | HAW |
| Euphorbiaceae | <i>Mareya micrantha</i> (Bentham) Müll.Arg. | HAW |
| Euphorbiaceae | <i>Margaritaria discoidea</i> (Baillon) Webster | HAW |
| Euphorbiaceae | <i>Phyllanthus profusus</i> N.E.Br. | HAW |
| Euphorbiaceae | <i>Protomegalaria stapfiana</i> (Beille) Hutch | WUR & HAW |
| Euphorbiaceae | <i>Pycnocomma macrophylla</i> Bentham | WUR & HAW |
| Euphorbiaceae | <i>Ricinodendron heudelotii</i> (Baillon) Pierre ex Pax | HAW |
| Euphorbiaceae | <i>Sapium aubrevillei</i> (synonym of <i>Shirakiopsis aubrevillei</i>) | WUR & HAW |
| Euphorbiaceae | <i>Shirakiopsis aubrevillei</i> (Leandri) Esser | WUR & HAW |

| Family | Species name | source |
|-------------------|-----------------------------------------------------------------------|-----------|
| Euphorbiaceae | <i>Spondianthus preussii</i> Engler | HAW |
| Euphorbiaceae | <i>Suregada occidentalis</i> (Hoyle) Croizat | HAW |
| Euphorbiaceae | <i>Tetrorchidium didymostemon</i> (Baillon) Pax & K.Hoffm. | WUR & HAW |
| Euphorbiaceae | <i>Thecacoris stenopetala</i> (Muell.Arg.) Muell.Arg. | WUR & HAW |
| Euphorbiaceae | <i>Tragia spathulata</i> Benth. | WUR |
| Euphorbiaceae | <i>Uapaca guineensis</i> Müll.Arg. | HAW |
| Flacourtiaceae | <i>Dasylepis racemosa</i> Oliver | WUR & HAW |
| Flacourtiaceae | <i>Homalium africanum</i> (Hooker f.) Bentham | HAW |
| Flacourtiaceae | <i>Homalium letestui</i> Pellegrin | HAW |
| Flacourtiaceae | <i>Homalium longistylum</i> Mast. | HAW |
| Flacourtiaceae | <i>Homalium stipulaceum</i> Welwitsch ex Mast. | HAW |
| Flacourtiaceae | <i>Oncoba dentata</i> Oliver | WUR & HAW |
| Flacourtiaceae | <i>Oncoba echinata</i> Oliver | HAW |
| Flacourtiaceae | <i>Oncoba gilgiana</i> Sprague | HAW |
| Flacourtiaceae | <i>Ophiobotrys zenkeri</i> Gilg | HAW |
| Flacourtiaceae | <i>Scottellia klaineana</i> Pierre | HAW |
| Flagellariaceae | <i>Flagellaria guineensis</i> Schum. | HAW |
| Gentianaceae | <i>Anthocleista microphylla</i> Wernham | H&S |
| Gentianaceae | <i>Anthocleista nobilis</i> G.Don | HAW |
| Gentianaceae | <i>Anthocleista vogelii</i> Planchon | HAW |
| Gramineae | <i>Isachne buettneri</i> Hackel | HAW |
| Gramineae | <i>Leptaspis zeylanica</i> Nees | HAW |
| Gramineae | <i>Olyra latifolia</i> Linné | HAW |
| Gramineae | <i>Oplismenus birtellus</i> (Linné) P.Beauv. | HAW |
| Gramineae | <i>Paspalum conjugatum</i> Bergius | HAW |
| Guttiferae | <i>Allanblackia parviflora</i> A.Chevalier | WUR & HAW |
| Guttiferae | <i>Garcinia epunctata</i> Stapf | HAW |
| Guttiferae | <i>Garcinia kola</i> Heckel | HAW |
| Guttiferae | <i>Garcinia smeathmannii</i> (Planchon & Triana) Oliver | HAW |
| Guttiferae | <i>Harungana madagascariensis</i> Lamarck ex Poirét | HAW |
| Guttiferae | <i>Mammea africana</i> Sabine | HAW |
| Guttiferae | <i>Pentadesma butyracea</i> Sabine | HAW |
| Guttiferae | <i>Symphonia globulifera</i> Linné f. | HAW |
| Guttiferae | <i>Vismia guineensis</i> (Linné) Choisy | WUR & HAW |
| Hernandiaceae | <i>Illigera pentaphylla</i> Welwitsch | HAW |
| Hymenophyllaceae | <i>Trichomanes cupressoides</i> Desv. | WUR |
| Icacinaceae | <i>Alsodeiopsis staudtii</i> Engler | HAW |
| Icacinaceae | <i>Iodes liberica</i> Stapf | HAW |
| Icacinaceae | <i>Leptaulus daphnoides</i> Bentham | WUR & HAW |
| Icacinaceae | <i>Pyrenacantha acuminata</i> Engler | HAW |
| Icacinaceae | <i>Rhaphiostylis beninensis</i> (Hook.f. ex Planch.) Planch. ex Benth | WUR |
| Icacinaceae | <i>Rhaphiostylis ferruginea</i> Engler | HAW |
| Icacinaceae | <i>Rhaphiostylis preussii</i> Engler | WUR & HAW |
| Irvingiaceae | <i>Irvingia gabonensis</i> (Aubry-Lecomte) Baillon | HAW |
| Irvingiaceae | <i>Klainedoxa gabonensis</i> Pierre ex Engler | HAW |
| Labiatae | <i>Plectranthus epilithicus</i> B.J.Pollard | WUR |
| Labiatae | <i>Plectranthus occidentalis</i> B.J.Pollard | WUR |
| Lauraceae | <i>Beilschmiedia mannii</i> (Meisn.) Bentham & Hooker f. | WUR & HAW |
| Lecythidaceae | <i>Napoleonaea vogelii</i> Hooker & Planchon | HAW |
| Lecythidaceae | <i>Petersianthus macrocarpus</i> (P.Beauv.) Liben | HAW |
| Leguminosae-Caes. | <i>Afzelia bella</i> Harms | HAW |

| Family | Species name | source |
|-------------------|---------------------------------------------------------|-----------|
| Leguminosae-Caes. | <i>Anthonotha fragrans</i> (Baker f.) Excell & Hillcoat | HAW |
| Leguminosae-Caes. | <i>Anthonotha macrophylla</i> P.Beauv. | HAW |
| Leguminosae-Caes. | <i>Berlinia tomentella</i> Keay | WUR |
| Leguminosae-Caes. | <i>Bussea occidentalis</i> Hutchinson | WUR & HAW |
| Leguminosae-Caes. | <i>Chidlowia sanguinea</i> Hoyle | WUR & HAW |
| Leguminosae-Caes. | <i>Copaifera salikounda</i> Heckel | HAW |
| Leguminosae-Caes. | <i>Daniellia ogea</i> (Harms) Holland | HAW |
| Leguminosae-Caes. | <i>Dialium aubrevillei</i> Pellegrin | WUR & HAW |
| Leguminosae-Caes. | <i>Dialium dinklagei</i> Harms | HAW |
| Leguminosae-Caes. | <i>Dialium guineense</i> Willd. | HAW |
| Leguminosae-Caes. | <i>Distemonanthus benthamianus</i> Baillon | HAW |
| Leguminosae-Caes. | <i>Erythrophleum ivorense</i> A.Chevalier | HAW |
| Leguminosae-Caes. | <i>Gilbertiodendron limba</i> (Scott Elliot) J.Léonard | WUR & HAW |
| Leguminosae-Caes. | <i>Griffonia simplicifolia</i> (Vahl ex DC.) Baillon | HAW |
| Leguminosae-Caes. | <i>Guibourtia ehie</i> (A.Chevalier) J.Léonard | HAW |
| Leguminosae-Caes. | <i>Hymenostegia afzelii</i> (Oliver) Harms | WUR & HAW |
| Leguminosae-Caes. | <i>Stemonocoleus micranthus</i> Harms | HAW |
| Leguminosae-Mim. | <i>Acacia kamerunensis</i> Gandoger | HAW |
| Leguminosae-Mim. | <i>Acacia pentagona</i> (Schum. & Thonning) Hooker f. | HAW |
| Leguminosae-Mim. | <i>Albizia adianthifolia</i> (Schum.) W.F.Wight | HAW |
| Leguminosae-Mim. | <i>Albizia ferruginea</i> (Guillaumet & Perr.) Bentham | HAW |
| Leguminosae-Mim. | <i>Albizia glaberrima</i> (Schum. & Thonning) Bentham | HAW |
| Leguminosae-Mim. | <i>Albizia zygia</i> (DC.) J.F.Macbr. | HAW |
| Leguminosae-Mim. | <i>Aubrevillea platycarpa</i> Pellegrin | HAW |
| Leguminosae-Mim. | <i>Calpocalyx brevibracteatus</i> Harms | HAW |
| Leguminosae-Mim. | <i>Cylicodiscus gabunensis</i> Harms | HAW |
| Leguminosae-Mim. | <i>Newtonia aubrevillei</i> (Pellegrin) Keay | HAW |
| Leguminosae-Mim. | <i>Parkia bicolor</i> A.Chevalier | HAW |
| Leguminosae-Mim. | <i>Pentaclethra macrophylla</i> Bentham | HAW |
| Leguminosae-Mim. | <i>Piptadeniastrum africanum</i> (Hooker f.) Brenan | HAW |
| Leguminosae-Mim. | <i>Samanea dinklagei</i> (Harms) Keay | HAW |
| Leguminosae-Mim. | <i>Tetrapleura tetraptera</i> (Schum. & Thonning) Taub. | HAW |
| Leguminosae-Mim. | <i>Xylocarpus evansii</i> Hutchinson | WUR & HAW |
| Leguminosae-Pap. | <i>Aganope leucobotrya</i> (Dunn) Polhill | HAW |
| Leguminosae-Pap. | <i>Amphimas pterocarpoides</i> Harms | HAW |
| Leguminosae-Pap. | <i>Baphia nitida</i> Lodd. | HAW |
| Leguminosae-Pap. | <i>Baphia pubescens</i> Hooker f. | HAW |
| Leguminosae-Pap. | <i>Dalbergia afzeliana</i> G.Don | HAW |
| Leguminosae-Pap. | <i>Dalbergia hostilis</i> Bentham | HAW |
| Leguminosae-Pap. | <i>Dalbergia oblongifolia</i> G.Don | HAW |
| Leguminosae-Pap. | <i>Dalbergia saxatilis</i> Hooker f. | HAW |
| Leguminosae-Pap. | <i>Desmodium adscendens</i> (Sw.) DC. | HAW |
| Leguminosae-Pap. | <i>Leptoderris brachyptera</i> (Bentham) Dunn. | HAW |
| Leguminosae-Pap. | <i>Leptoderris sassandrensis</i> Jongkind | HAW |
| Leguminosae-Pap. | <i>Lonchocarpus sericeus</i> (Poirlet) Kuntz | HAW |
| Leguminosae-Pap. | <i>Millettia chrysophylla</i> Dunn | HAW |
| Leguminosae-Pap. | <i>Millettia lucens</i> (Scott Elliot) Dunn | WUR & HAW |
| Leguminosae-Pap. | <i>Millettia rhodantha</i> Baillon | HAW |
| Leguminosae-Pap. | <i>Millettia zechiana</i> Harms | HAW |
| Leguminosae-Pap. | <i>Mucuna flagellipes</i> T.Vogel ex Benth. | WUR |
| Leguminosae-Pap. | <i>Physostigma venenosum</i> Balf.f. | WUR |

| Family | Species name | source |
|------------------|------------------------------------------------------------|-----------|
| Leguminosae-Pap. | <i>Platysepalum hirsutum</i> (Dunn) Hepper | HAW |
| Leguminosae-Pap. | <i>Pterocarpus santalinoides</i> DC. | HAW |
| Leguminosae-Pap. | <i>Rhynchosia brunnea</i> Baker f. | WUR |
| Leguminosae-Pap. | <i>Rhynchosia pycnostachya</i> (DC.) Meikle | WUR |
| Liliaceae | <i>Chlorophytum orchidastrum</i> Lindley | HAW |
| Liliaceae | <i>Chlorophytum togoense</i> Engler | HAW |
| Liliaceae | <i>Smilax anceps</i> Willd. | HAW |
| Linaceae | <i>Hugonia planchonii</i> Hooker f. | HAW |
| Linaceae | <i>Hugonia platysepala</i> Welwitsch ex Oliver | HAW |
| Linaceae | <i>Phyllocosmus africanus</i> (Hooker f.) Klotzsch | WUR & HAW |
| Loganiaceae | <i>Strychnos aculeata</i> Solereder | HAW |
| Loganiaceae | <i>Strychnos afzelii</i> Gilg | WUR & HAW |
| Loganiaceae | <i>Strychnos asterantha</i> Leeuwenberg | WUR & HAW |
| Loganiaceae | <i>Strychnos camptoneura</i> Gilg & Busse | HAW |
| Loganiaceae | <i>Strychnos congolana</i> Gilg | WUR |
| Loganiaceae | <i>Strychnos cuminodora</i> Leeuwenberg | WUR & HAW |
| Loganiaceae | <i>Strychnos floribunda</i> Gilg | HAW |
| Loganiaceae | <i>Strychnos icaia</i> Baillon | WUR & HAW |
| Loganiaceae | <i>Strychnos malacoclados</i> C.H.Wright | HAW |
| Loganiaceae | <i>Strychnos splendens</i> Gilg | HAW |
| Loganiaceae | <i>Strychnos usambarensis</i> Gilg | HAW |
| Loganiaceae | <i>Usteria guineensis</i> Willd. | WUR & HAW |
| Lomariopsidaceae | <i>Bolbitis auriculata</i> (Lam.) Alston | HAW |
| Lomariopsidaceae | <i>Bolbitis gemmifera</i> (Hieronymus) C.Chr. | HAW |
| Lomariopsidaceae | <i>Lomariopsis guineensis</i> (Underwood) Alston | HAW |
| Lomariopsidaceae | <i>Lomariopsis rossii</i> Holttum | HAW |
| Loranthaceae | <i>Tapinanthus bangwensis</i> (Engl. & Krause) Danser | WUR |
| Malpighiaceae | <i>Acridocarpus plagiopterus</i> Guill. & Perr. | WUR & HAW |
| Marantaceae | <i>Ataenidia conferta</i> (Bentham) Milne-Redhead | HAW |
| Marantaceae | <i>Halopegia azurea</i> (K.Schum.) K.Schum. | WUR & HAW |
| Marantaceae | <i>Hypselodelphys poggeana</i> (K.Schum.) Milne-Redhead | HAW |
| Marantaceae | <i>Marantochloa congensis</i> (K.Schum.) Léonard & Mullend | HAW |
| Marantaceae | <i>Marantochloa leucantha</i> (K.Schum.) Milne-Redhead | HAW |
| Marantaceae | <i>Marantochloa mannii</i> (Bentham) Milne-Redhead | HAW |
| Marantaceae | <i>Marantochloa purpurea</i> (Ridl.) Milne-Redhead | HAW |
| Marantaceae | <i>Sarcophrynium brachystachys</i> (Bentham) K.Schum. | HAW |
| Marantaceae | <i>Sarcophrynium prionogonium</i> (K.Schum.) K.Schum. | HAW |
| Medusandraceae | <i>Soyauxia grandifolia</i> Gilg & Stapf | HAW |
| Medusandraceae | <i>Soyauxia velutina</i> Hutch. & Dalziel | WUR & HAW |
| Melastomataceae | <i>Calvoa monticola</i> A.Chevalier ex Hutch. & Dalziel | HAW |
| Melastomataceae | <i>Heterotis rotundifolia</i> (Sm.) Jacq.-Fél. | WUR |
| Melastomataceae | <i>Medinilla entii</i> (synonym of <i>M. manii</i>) | WUR |
| Melastomataceae | <i>Medinilla manii</i> Hook.f. | WUR |
| Melastomataceae | <i>Memecylon afzelii</i> G.Don | WUR & HAW |
| Melastomataceae | <i>Memecylon aylmeri</i> Hutch. & Dalziel | WUR & HAW |
| Melastomataceae | <i>Memecylon lateriflorum</i> (G.Don) Bremek. | HAW |
| Melastomataceae | <i>Memecylon normandii</i> Jacq.-Félix | HAW |
| Melastomataceae | <i>Preussiella kamerunensis</i> Gilg | WUR |
| Melastomataceae | <i>Tristemma akeassii</i> Jacq.-Fél. | WUR |
| Melastomataceae | <i>Tristemma mauritianum</i> J.-F.Gmelin | HAW |
| Melastomataceae | <i>Warneckea cinnamomoides</i> (G.Don) Jacq.-Félix | HAW |

| Family | Species name | source |
|-----------------|--------------------------------------------------------------|-----------|
| Melastomataceae | <i>Warneckea guineensis</i> (Keay) Jacq.-Félix | HAW |
| Melastomataceae | <i>Warneckea membranifolia</i> (Hooker f.) Jacq.-Félix | WUR & HAW |
| Meliaceae | <i>Carapa procera</i> DC. | HAW |
| Meliaceae | <i>Entandrophragma angolense</i> (Welwitsch) DC. | HAW |
| Meliaceae | <i>Entandrophragma candollei</i> Harms | HAW |
| Meliaceae | <i>Entandrophragma cylindricum</i> (Sprague) Sprague | HAW |
| Meliaceae | <i>Entandrophragma utile</i> (Dawe & Sprague) Sprague | HAW |
| Meliaceae | <i>Guarea cedrata</i> (A.Chevalier) Pellegrin | HAW |
| Meliaceae | <i>Guarea thompsonii</i> Sprague & Hutch. | HAW |
| Meliaceae | <i>Khaya ivorensis</i> A.Chevalier | HAW |
| Meliaceae | <i>Lovoa trichilioides</i> Harms | HAW |
| Meliaceae | <i>Trichilia monadelphica</i> (Thonning) J.J.de Wilde | HAW |
| Meliaceae | <i>Trichilia prieuriana</i> A.Juss. | HAW |
| Meliaceae | <i>Trichilia tessmannii</i> Harms | HAW |
| Meliaceae | <i>Turraea vogelii</i> Hook.f. ex Benth. | WUR |
| Meliaceae | <i>Turraeanthus africanus</i> (Welwitsch ex C.DC.) Pellegrin | HAW |
| Menispermaceae | <i>Albertisia scandens</i> (Mangenot & Miège) Forman | WUR & HAW |
| Menispermaceae | <i>Dioscoreophyllum cumminsii</i> (Stapf) Diels | HAW |
| Menispermaceae | <i>Dioscoreophyllum volkensii</i> Engl. | WUR |
| Menispermaceae | <i>Penianthus patulinervis</i> Hutch. & Dalziel | HAW |
| Menispermaceae | <i>Rhigiocarya racemifera</i> Miers | WUR |
| Menispermaceae | <i>Sphenocentrum jollyanum</i> Pierre | HAW |
| Menispermaceae | <i>Triclisia dictyophylla</i> Diels | HAW |
| Menispermaceae | <i>Triclisia patens</i> Oliver | HAW |
| Moraceae | <i>Antiaris toxicaria</i> (Rumph. ex Pers.) Leschen. | HAW |
| Moraceae | <i>Dorstenia embergeri</i> Mangenot | WUR |
| Moraceae | <i>Ficus bubu</i> Warb. | HAW |
| Moraceae | <i>Ficus exasperata</i> Vahl | HAW |
| Moraceae | <i>Ficus kamerunensis</i> Mildbraed & Burret | HAW |
| Moraceae | <i>Ficus mucoso</i> Ficalho | HAW |
| Moraceae | <i>Ficus ottoniifolia</i> (Miq.) Miq. | WUR & HAW |
| Moraceae | <i>Ficus ovata</i> Vahl | HAW |
| Moraceae | <i>Ficus recurvata</i> De Wildeman | HAW |
| Moraceae | <i>Ficus sagittifolia</i> Warb. | WUR |
| Moraceae | <i>Ficus sansibarica</i> Warb. ³ | HAW |
| Moraceae | <i>Ficus saussureana</i> DC. | WUR & HAW |
| Moraceae | <i>Ficus sur</i> Forsskal | HAW |
| Moraceae | <i>Ficus umbellata</i> Vahl | HAW |
| Moraceae | <i>Ficus variifolia</i> Warb. | HAW |
| Moraceae | <i>Milicia excelsa</i> (Welwitsch) C.C.Berg | HAW |
| Moraceae | <i>Milicia regia</i> (A.Chevalier) C.C.Berg | WUR & HAW |
| Moraceae | <i>Morus mesozygia</i> Stapf | HAW |
| Moraceae | <i>Musanga cecropioides</i> F.Br. | HAW |
| Moraceae | <i>Myrianthus arboreus</i> P.Beauv. | HAW |
| Moraceae | <i>Myrianthus libericus</i> Rendle | HAW |
| Moraceae | <i>Streblus usambarensis</i> (Engler) Berg | HAW |
| Moraceae | <i>Treculia africana</i> Decne | HAW |
| Moraceae | <i>Trilepisium madagascariense</i> DC. | HAW |
| Myristicaceae | <i>Coelocaryon oxycarpum</i> Stapf | HAW |
| Myristicaceae | <i>Coelocaryon sphaerocarpum</i> Fouillou | WUR |
| Myristicaceae | <i>Pycnanthus angolensis</i> (Welwitsch) Warb. | HAW |

| Family | Species name | source |
|----------------|------------------------------------------------------------------|----------------------------------------|
| Myrtaceae | <i>Syzygium guineense</i> (Willd.) DC. | WUR & HAW |
| Nyctaginaceae | <i>Pisonia aculeata</i> Linné | HAW |
| Ochnaceae | <i>Campylospermum flavum</i> (Schum. & Thonning ex Stapf) Farron | HAW |
| Ochnaceae | <i>Campylospermum sulcatum</i> (van Tieghem) Farron | HAW |
| Ochnaceae | <i>Lophira alata</i> Banks ex Gaertn. | WUR & HAW |
| Ochnaceae | <i>Ochna staudtii</i> Engler & Gilg. | HAW |
| Ochnaceae | <i>Rhabdophyllum calophyllum</i> (Hooker f.) van Tieghem | WUR & HAW |
| Olacaceae | <i>Coula edulis</i> Baillon | HAW |
| Olacaceae | <i>Octoknema borealis</i> Hutch. & Dalziel | HAW |
| Olacaceae | <i>Olax gambecola</i> Baillon | HAW |
| Olacaceae | <i>Ongokea gore</i> (Hua) Pierre | HAW |
| Olacaceae | <i>Ptychopetalum anceps</i> Oliver | HAW |
| Olacaceae | <i>Strombosia pustulata</i> Oliver | HAW |
| Oleaceae | <i>Chionanthus mannii</i> (Solereder) Stearn | HAW |
| Oleaceae | <i>Jasminum pauciflorum</i> Benth | HAW |
| Oleandraceae | <i>Arthropteris monocarpa</i> (Cordem.) C.Chr. | HAW |
| Oleandraceae | <i>Arthropteris palisotii</i> (Desvaux) Alston | HAW |
| Oleandraceae | <i>Oleandra distenta</i> Kunze | HAW |
| Orchidaceae | <i>Aerangis biloba</i> (Lindl.) Schltr. | WUR |
| Orchidaceae | <i>Angraecum bancoense</i> Burg | WUR |
| Orchidaceae | <i>Angraecum birrimense</i> Rolfe | HAW |
| Orchidaceae | <i>Auxopus kamerunensis</i> Schltr. | WUR |
| Orchidaceae | <i>Bulbophyllum oreonastes</i> Reichb.f. | FWTA 3: 239 (as <i>B. zenkeranum</i>) |
| Orchidaceae | <i>Corymborkis corymbosa</i> Thou. | FWTA 3: 211 |
| Orchidaceae | <i>Cyrtorchis ringens</i> (Rchb.f.) Summerh. | WUR |
| Orchidaceae | <i>Diaphanthe pellucida</i> (Lindley) Schlechter | HAW |
| Orchidaceae | <i>Diaphanthe robrii</i> (Reichb.f.) Summerhayes | HAW |
| Orchidaceae | <i>Epigonium roseum</i> (Don) Lind. | FWTA 3: 207 |
| Orchidaceae | <i>Hetaeria occidentalis</i> Summerhayes | WUR & HAW |
| Orchidaceae | <i>Manniella gustavii</i> Reichb.f. | HAW |
| Orchidaceae | <i>Polystachya affinis</i> Lindl. | WUR |
| Orchidaceae | <i>Polystachya paniculata</i> (Sw.) Rolfe | WUR |
| Orchidaceae | <i>Rhipidoglossum rutilum</i> (Rchb.f.) Schltr. | WUR |
| Orchidaceae | <i>Tridactyle armeniaca</i> (Lindley) Schlechter | WUR & HAW |
| Orchidaceae | <i>Zeuxine elongata</i> Rolfe | FWTA 3: 208 |
| Palmae | <i>Calamus deeratus</i> Mann & Wendl. | HAW |
| Palmae | <i>Elaeis guineensis</i> Jacq. | HAW |
| Palmae | <i>Eremospatha hookeri</i> (Mann & Wendl.) Wendl. | HAW |
| Palmae | <i>Eremospatha macrocarpa</i> (Mann & Wendl.) Wendl. | HAW |
| Palmae | <i>Raphia hookeri</i> Mann & Wendl. | WUR & HAW |
| Pandaceae | <i>Microdesmis keayana</i> J.Léonard | WUR & HAW |
| Pandaceae | <i>Panda oleosa</i> Pierre | HAW |
| Pandanaceae | <i>Pandanus abbiwii</i> Huynh | HAW |
| Passifloraceae | <i>Adenia cissampeloides</i> (Planch. ex Benth.) Harms | WUR |
| Passifloraceae | <i>Adenia mannii</i> (Mast.) Engler | HAW |
| Passifloraceae | <i>Adenia rumicifolia</i> Engl. & Harms | WUR |
| Passifloraceae | <i>Crossostemma laurifolium</i> Planchon ex Benth | WUR |
| Passifloraceae | <i>Smeathmannia pubescens</i> Soland. ex R.Br. | HAW |
| Piperaceae | <i>Peperomia fernandopoiana</i> C.DC. | WUR & HAW |
| Piperaceae | <i>Peperomia rotundifolia</i> (Linné) H.B. & K. | HAW |
| Piperaceae | <i>Piper capense</i> L.f. | WUR |
| Piperaceae | <i>Piper guineense</i> Schum. & Thonning | HAW |

| Family | Species name | source |
|----------------|---------------------------------------------------------------------------|-----------|
| Piperaceae | <i>Piper umbellatum</i> Linné | HAW |
| Polygalaceae | <i>Atroxima liberica</i> Stapf | HAW |
| Polygalaceae | <i>Carpolobia lutea</i> G.Don | WUR & HAW |
| Polypodiaceae | <i>Drynaria laurentii</i> (Christ) Hieron. | H&S |
| Polypodiaceae | <i>Microgramma lycopodioides</i> (L.) Copeland | HAW |
| Polypodiaceae | <i>Microsorium punctatum</i> (L.) Copeland | HAW |
| Polypodiaceae | <i>Platyserium stemaria</i> (P.Beauv.) Desvaux | HAW |
| Pteridaceae | <i>Pteris burtonii</i> Baker | HAW |
| Pteridaceae | <i>Pteris togoensis</i> Hieronymus | HAW |
| Putranjivaceae | <i>Drypetes afzelii</i> (Pax) Hutch | HAW |
| Putranjivaceae | <i>Drypetes aubrevillei</i> Leandri | HAW |
| Putranjivaceae | <i>Drypetes aylmeri</i> Hutch. & Dalziel | WUR & HAW |
| Putranjivaceae | <i>Drypetes chevalieri</i> Beille | HAW |
| Putranjivaceae | <i>Drypetes gilgiana</i> (Pax) Pax & K.Hoffm. | HAW |
| Putranjivaceae | <i>Drypetes pellegrinii</i> Léandri | WUR & HAW |
| Putranjivaceae | <i>Drypetes principum</i> (Muell.Arg.) Hutch. | HAW |
| Rhamnaceae | <i>Gouania longipetala</i> Hemsley | HAW |
| Rhamnaceae | <i>Lasiodiscus fasciculiflorus</i> Engler | HAW |
| Rhamnaceae | <i>Maesopsis eminii</i> Engler | HAW |
| Rhizophoraceae | <i>Anopyxis klaineana</i> (Pierre) Engler | HAW |
| Rhizophoraceae | <i>Cassipourea congoensis</i> R.Br. ex DC. | HAW |
| Rhizophoraceae | <i>Cassipourea glabra</i> Alston | WUR |
| Rhizophoraceae | <i>Cassipourea gummiflua</i> Tulasne | WUR & HAW |
| Rosaceae | <i>Rubus pinnatus</i> Willd. ⁴ | HAW |
| Rubiaceae | <i>Aidia genipiflora</i> (DC.) Dandy | WUR & HAW |
| Rubiaceae | <i>Aulacocalyx jasminiflora</i> Hooker f. | HAW |
| Rubiaceae | <i>Bertiera bracteolata</i> Hiern | WUR & HAW |
| Rubiaceae | <i>Bertiera breviflora</i> Hiern | WUR & HAW |
| Rubiaceae | <i>Bertiera racemosa</i> (G.Don) K.Schum. | WUR & HAW |
| Rubiaceae | <i>Calycosiphonia macrochlamys</i> (K.Schum.) Leroy | HAW |
| Rubiaceae | <i>Calycosiphonia spathicalyx</i> (K.Schum.) Robbrecht | HAW |
| Rubiaceae | <i>Chassalia afzelii</i> (Hiern) K.Schum. | WUR & HAW |
| Rubiaceae | <i>Chassalia corallifera</i> (A.Chev. ex De Wild.) Hepper | WUR |
| Rubiaceae | <i>Chassalia kolly</i> (Schum.) Hepper | WUR & HAW |
| Rubiaceae | <i>Chazaliella sciadephora</i> (Hiern) Petit & Verdcourt | WUR & HAW |
| Rubiaceae | <i>Corynanthe pachyceras</i> K.Schum. | WUR & HAW |
| Rubiaceae | <i>Craterispermum caudatum</i> Hutchinson | WUR & HAW |
| Rubiaceae | <i>Craterispermum cerinanthum</i> Hiern | HAW |
| Rubiaceae | <i>Cremaspora triflora</i> (Thonning) K.Schum. | WUR & HAW |
| Rubiaceae | <i>Cuviera nigrescens</i> (Scott Elliot ex Oliver) Wernham | HAW |
| Rubiaceae | <i>Dictyandra arborescens</i> Welwitsch ex Hooker f. | WUR & HAW |
| Rubiaceae | <i>Didymosalpinx abbeokutae</i> (Hiern) Keay | WUR & HAW |
| Rubiaceae | <i>Diodia sarmentosa</i> Sw. | WUR |
| Rubiaceae | <i>Euclinia longiflora</i> Salisb. | WUR & HAW |
| Rubiaceae | <i>Gaertnera cooperi</i> Hutch. & M.B.Moss | HAW |
| Rubiaceae | <i>Geophila afzelii</i> Hiern | WUR & HAW |
| Rubiaceae | <i>Geophila obvallata</i> (Schum.) F.Didr. | HAW |
| Rubiaceae | <i>Geophila repens</i> (L.) I.M.Johnst. | WUR |
| Rubiaceae | <i>Hallea stipulosa</i> (DC.) Leroy | HAW |
| Rubiaceae | <i>Hymenocoleus hirsutus</i> (Bentham) Robbrecht | HAW |
| Rubiaceae | <i>Hymenocoleus libericus</i> (A.Chevalier ex Hutch. & Dalziel) Robbrecht | HAW |

| Family | Species name | source |
|-----------|-------------------------------------------------------------------|-----------|
| Rubiaceae | <i>Hymenocoleus multinervis</i> Robbrecht | WUR & HAW |
| Rubiaceae | <i>Hymenocoleus neurodictyon</i> (K.Schum.) Robbrecht | WUR & HAW |
| Rubiaceae | <i>Hymenodictyon floribundum</i> (Steud. ex Hochst.) B.L.Robinson | H&S |
| Rubiaceae | <i>Ixora hiernii</i> Scott Elliot | HAW |
| Rubiaceae | <i>Ixora nigerica</i> Keay ⁵ | WUR & HAW |
| Rubiaceae | <i>Ixora tenuis</i> De Block | WUR |
| Rubiaceae | <i>Keetia bridsoniae</i> Jongkind | WUR & HAW |
| Rubiaceae | <i>Keetia hispida</i> (Bentham) Bridson | HAW |
| Rubiaceae | <i>Keetia venosa</i> (Oliver) Bridson | HAW |
| Rubiaceae | <i>Lasianthus batangensis</i> K.Schum. | WUR & HAW |
| Rubiaceae | <i>Lasianthus repens</i> Hepper | WUR & HAW |
| Rubiaceae | <i>Leptactina densiflora</i> Hooker f. | HAW |
| Rubiaceae | <i>Leptactina involucrata</i> Hooker f. | HAW |
| Rubiaceae | <i>Massularia acuminata</i> (G.Don) Bullock ex Hoyle | HAW |
| Rubiaceae | <i>Morinda lucida</i> Bentham | HAW |
| Rubiaceae | <i>Morinda morindoides</i> (Baker) Milne-Redhead | HAW |
| Rubiaceae | <i>Mussaenda chippii</i> Wernham | WUR |
| Rubiaceae | <i>Mussaenda linderi</i> Hutch. & Dalziel | WUR |
| Rubiaceae | <i>Mussaenda nivea</i> A.Chev. ex Hutch. & Dalziel | WUR |
| Rubiaceae | <i>Mussaenda tristigmatica</i> Cummins | WUR & HAW |
| Rubiaceae | <i>Nauclea diderrichii</i> (De Wild. & Th.Dur.) Merrill | WUR & HAW |
| Rubiaceae | <i>Oxyanthus formosus</i> Hooker f. ex Planchon | HAW |
| Rubiaceae | <i>Oxyanthus pallidus</i> Hiern | HAW |
| Rubiaceae | <i>Oxyanthus speciosus</i> DC. | HAW |
| Rubiaceae | <i>Oxyanthus unilocularis</i> Hiern | WUR & HAW |
| Rubiaceae | <i>Pauridiantha afzelii</i> (Hiern) Bremek. | HAW |
| Rubiaceae | <i>Pauridiantha sylvicola</i> (Hutch. & Dalziel) Bremek. | WUR & HAW |
| Rubiaceae | <i>Pausinystalia lane-poolei</i> (Hutch.) Hutch. ex Lane-Poole | HAW |
| Rubiaceae | <i>Pavetta akeassii</i> J.B.Hall | WUR & HAW |
| Rubiaceae | <i>Pavetta ixorifolia</i> Bremek. | WUR & HAW |
| Rubiaceae | <i>Pavetta owariensis</i> P.Beauv. | HAW |
| Rubiaceae | <i>Pleiocoryne fernandensis</i> (Hiern) Rauschert | WUR |
| Rubiaceae | <i>Psilanthus ebracteolatus</i> Hiern | HAW |
| Rubiaceae | <i>Psilanthus mannii</i> Hooker f. | WUR & HAW |
| Rubiaceae | <i>Psychotria baurita</i> (Hutch. & Dalziel) Verdcourt | WUR & HAW |
| Rubiaceae | <i>Psychotria brachyantha</i> Hiern | WUR |
| Rubiaceae | <i>Psychotria elongato-sepala</i> (Hiern) Petit | WUR & HAW |
| Rubiaceae | <i>Psychotria gabonica</i> Hiern | WUR & HAW |
| Rubiaceae | <i>Psychotria peduncularis</i> (Salisb.) Verdcourt | HAW |
| Rubiaceae | <i>Psychotria psychotriodes</i> (DC.) Roberty | HAW |
| Rubiaceae | <i>Psychotria reptans</i> Bentham | WUR & HAW |
| Rubiaceae | <i>Psychotria rufipilis</i> De Wildeman | HAW |
| Rubiaceae | <i>Psychotria subglabra</i> De Wildeman | HAW |
| Rubiaceae | <i>Psychotria subobliqua</i> Hiern | WUR & HAW |
| Rubiaceae | <i>Psydrax arnoldiana</i> (De Wild. & Th.Dur.) Bridson | HAW |
| Rubiaceae | <i>Psydrax horizontalis</i> (Schum. & Thonning) Bridson | HAW |
| Rubiaceae | <i>Psydrax manensis</i> (Aubréville & Pellegrin) Bridson | WUR & HAW |
| Rubiaceae | <i>Psydrax subcordata</i> (DC.) Bridson | HAW |
| Rubiaceae | <i>Robynsia glabrata</i> Hutchinson | WUR & HAW |
| Rubiaceae | <i>Rothmannia hispida</i> (K.Schum.) Fagerlind | WUR & HAW |
| Rubiaceae | <i>Rothmannia longiflora</i> Salisb. | HAW |

| Family | Species name | source |
|-------------|-----------------------------------------------------------------|-----------|
| Rubiaceae | <i>Rothmannia whitfieldii</i> (Lindl.) Dandy | WUR & HAW |
| Rubiaceae | <i>Rutidea dupuisii</i> De Wildeman | HAW |
| Rubiaceae | <i>Rutidea membranacea</i> Hiern | WUR & HAW |
| Rubiaceae | <i>Rutidea olenotricha</i> Hiern | WUR |
| Rubiaceae | <i>Rytigynia canthioides</i> (Benth.) Robyns | WUR |
| Rubiaceae | <i>Sabicea calycina</i> Benth. | WUR & HAW |
| Rubiaceae | <i>Sabicea ferruginea</i> Benth. | WUR |
| Rubiaceae | <i>Sabicea multibracteata</i> J.B.Hall | WUR & HAW |
| Rubiaceae | <i>Sabicea rosea</i> Hoyle | WUR |
| Rubiaceae | <i>Sarcocephalus pobeguini</i> Hua ex Pobeguini; Pellegrin | HAW |
| Rubiaceae | <i>Sherbournia bignoniiflora</i> (Welwitsch) Hua | HAW |
| Rubiaceae | <i>Sherbournia calycina</i> (G.Don) Hua | WUR & HAW |
| Rubiaceae | <i>Spermacoce mauritiana</i> Osia Gideon | WUR |
| Rubiaceae | <i>Tarenna bipindensis</i> (K.Schum.) Bremek. | WUR & HAW |
| Rubiaceae | <i>Tarenna eketensis</i> Wernham | WUR & HAW |
| Rubiaceae | <i>Tarenna gracilis</i> (Stapf) Keay | WUR & HAW |
| Rubiaceae | <i>Tarenna vignei</i> Hutch. & Dalziel | WUR & HAW |
| Rubiaceae | <i>Tricalysia discolor</i> Brenan | WUR & HAW |
| Rubiaceae | <i>Tricalysia elliotii</i> (K.Schum.) Hutch. & Dalziel | WUR |
| Rubiaceae | <i>Tricalysia oligoneura</i> K.Schum. | HAW |
| Rubiaceae | <i>Tricalysia pallens</i> Hiern | HAW |
| Rubiaceae | <i>Tricalysia reticulata</i> (Benth.) Hiern | WUR & HAW |
| Rubiaceae | <i>Trichostachys aurea</i> Hiern | HAW |
| Rubiaceae | <i>Uncaria africana</i> G.Don | HAW |
| Rubiaceae | <i>Uncaria talbotii</i> Wernham | WUR |
| Rubiaceae | <i>Vangueriella orthacantha</i> (Mildbraed) Bridson & Verdcourt | WUR & HAW |
| Rubiaceae | <i>Vangueriella vanguardoides</i> (Hiern) Verdcourt | WUR & HAW |
| Rubiaceae | <i>Virectaria procumbens</i> (Sm.) Bremek. | HAW |
| Rutaceae | <i>Citropsis articulata</i> (W. ex Spr.) Swingle & Kellerm | HAW |
| Rutaceae | <i>Vepris hiernii</i> Gereau | HAW |
| Rutaceae | <i>Vepris suaveolens</i> (Engler) W.Mziray | HAW |
| Rutaceae | <i>Zanthoxylum gillettii</i> (De Wild.) Waterman | HAW |
| Santalaceae | <i>Okoubaka aubrevillei</i> Pellegrin & Normand | WUR & HAW |
| Sapindaceae | <i>Allophylus africanus</i> P.Beauv. | HAW |
| Sapindaceae | <i>Allophylus talbotii</i> Baker f. | HAW |
| Sapindaceae | <i>Blighia sapida</i> Konig | HAW |
| Sapindaceae | <i>Blighia unijugata</i> Baker | HAW |
| Sapindaceae | <i>Blighia welwitschii</i> (Hiern) Radlk. | HAW |
| Sapindaceae | <i>Cardiospermum grandiflorum</i> Swartz | WUR |
| Sapindaceae | <i>Chytranthus carneus</i> Radlk. | HAW |
| Sapindaceae | <i>Deinbollia grandifolia</i> Hooker f. | HAW |
| Sapindaceae | <i>Eriocoelum pungens</i> Radlk. ex Engler | HAW |
| Sapindaceae | <i>Lecaniodiscus cupanioides</i> Planchon ex Benth. | HAW |
| Sapindaceae | <i>Lecaniodiscus punctatus</i> J.B.Hall | HAW |
| Sapindaceae | <i>Lychmodiscus reticulatus</i> Radlk. | HAW |
| Sapindaceae | <i>Majidea fosteri</i> (Sprague) Radlk. | HAW |
| Sapindaceae | <i>Pancovia pedicellaris</i> Radlk. & Gilg | HAW |
| Sapindaceae | <i>Pancovia sessiliflora</i> Hutch. & Dalziel | HAW |
| Sapindaceae | <i>Placodiscus attenuatus</i> J.B.Hall | HAW |
| Sapindaceae | <i>Placodiscus boya</i> Aubréville & Pellegrin | HAW |
| Sapotaceae | <i>Chrysophyllum africanum</i> A.DC. | HAW |

| Family | Species name | source |
|------------------|--------------------------------------------------------------------|-----------|
| Sapotaceae | <i>Chrysophyllum beguei</i> Aubréville & Pellegrin | HAW |
| Sapotaceae | <i>Chrysophyllum giganteum</i> A.Chevalier | HAW |
| Sapotaceae | <i>Chrysophyllum perpulchrum</i> Mildbraed ex Hutch. & Dalziel | WUR & HAW |
| Sapotaceae | <i>Chrysophyllum pruniforme</i> Pierre ex Engler | WUR & HAW |
| Sapotaceae | <i>Chrysophyllum subnudum</i> Baker | HAW |
| Sapotaceae | <i>Chrysophyllum ubangiense</i> (De Wild.) Harris | HAW |
| Sapotaceae | <i>Chrysophyllum welwitschii</i> Engler | HAW |
| Sapotaceae | <i>Manilkara obovata</i> (Sabine & G.Don) Hemsley | HAW |
| Sapotaceae | <i>Neolemonniera clitandrifolia</i> (A.Chevalier) Heine | WUR & HAW |
| Sapotaceae | <i>Omphalocarpum elatum</i> Miers | HAW |
| Sapotaceae | <i>Omphalocarpum procerum</i> P.Beauv. | HAW |
| Sapotaceae | <i>Pouteria aningeri</i> Baehni | HAW |
| Sapotaceae | <i>Synsepalum afzelii</i> (Engler) Pennington | HAW |
| Sapotaceae | <i>Synsepalum brevipes</i> (Baker) Pennington | HAW |
| Sapotaceae | <i>Synsepalum msolo</i> (Engler) Pennington | WUR & HAW |
| Sapotaceae | <i>Tieghemella heckelii</i> Pierre ex A.Chevalier | HAW |
| Scytopetalaceae | <i>Scytopetalum tieghemii</i> (A.Chevalier) Hutch. & Dalziel | HAW |
| Selaginellaceae | <i>Selaginella blepharophylla</i> Alston | WUR |
| Selaginellaceae | <i>Selaginella versicolor</i> Spring | WUR |
| Selaginellaceae | <i>Selaginella vogelii</i> Spring. | HAW |
| Simaroubaceae | <i>Brucea guineensis</i> G.Don | WUR |
| Simaroubaceae | <i>Hannoa klaineana</i> Pierre & Engler | HAW |
| Solanaceae | <i>Solanum welwitschii</i> C.H. Wright | WUR |
| Sterculiaceae | <i>Cola boxiana</i> Brenan & Keay | WUR |
| Sterculiaceae | <i>Cola caricifolia</i> (G.Don) K.Schum. | HAW |
| Sterculiaceae | <i>Cola gigantea</i> A.Chevalier | HAW |
| Sterculiaceae | <i>Cola lateritia</i> K.Schum. | HAW |
| Sterculiaceae | <i>Cola millenii</i> K.Schum. | HAW |
| Sterculiaceae | <i>Cola nitida</i> (Vent.) Schott. & Endl. | WUR & HAW |
| Sterculiaceae | <i>Cola reticulata</i> A.Chevalier | WUR & HAW |
| Sterculiaceae | <i>Cola verticillata</i> (Thonning) Stapf ex A.Chevalier | HAW |
| Sterculiaceae | <i>Heritiera utilis</i> (Sprague) Sprague | HAW |
| Sterculiaceae | <i>Leptonychia pubescens</i> Keay | HAW |
| Sterculiaceae | <i>Mansonia altissima</i> (A.Chevalier) A.Chevalier | HAW |
| Sterculiaceae | <i>Nesogordonia papaverifera</i> (A.Chevalier) R.Capuron | HAW |
| Sterculiaceae | <i>Octolobus spectabilis</i> Welwitsch | HAW |
| Sterculiaceae | <i>Pterygota macrocarpa</i> K.Schum. | HAW |
| Sterculiaceae | <i>Sterculia oblonga</i> Mast. | HAW |
| Sterculiaceae | <i>Sterculia rhinopetala</i> K.Schum. | HAW |
| Sterculiaceae | <i>Sterculia tragacantha</i> Lindley | HAW |
| Sterculiaceae | <i>Triplochiton scleroxylon</i> K.Schum. | HAW |
| Thelypteridaceae | <i>Cyclosorus afer</i> (Christ) Ching | HAW |
| Thymelaeaceae | <i>Craterosiphon scandens</i> Engler & Gilg. | HAW |
| Thymelaeaceae | <i>Dicranolepis persei</i> Cummins | WUR & HAW |
| Tiliaceae | <i>Desplatsia chrysochlamys</i> (Mildbraed & Burr.) Mildbraed & Bu | HAW |
| Tiliaceae | <i>Duboscia viridiflora</i> (K.Schum.) Mildbraed | WUR & HAW |
| Tiliaceae | <i>Glyphaea brevis</i> (Sprengel) Monachino | HAW |
| Tiliaceae | <i>Grewia hookeriana</i> Exell & Mendonça | WUR & HAW |
| Tiliaceae | <i>Grewia malacocarpa</i> Mast. | HAW |
| Ulmaceae | <i>Celtis adolfi-friderici</i> Engler | HAW |
| Ulmaceae | <i>Celtis mildbraedii</i> Engler | HAW |

| Family | Species name | source |
|---------------|------------------------------------------------------------------------------|-----------|
| Ulmaceae | <i>Celtis prantlii</i> Priemer ex Engl. | WUR |
| Ulmaceae | <i>Celtis wightii</i> Planchon | HAW |
| Ulmaceae | <i>Celtis zenkeri</i> Engler | HAW |
| Ulmaceae | <i>Trema orientalis</i> (Linné) Blume | HAW |
| Urticaceae | <i>Elatostema paivaeianum</i> Wedd. | WUR & HAW |
| Urticaceae | <i>Ureca keayi</i> Letouzey | WUR |
| Verbenaceae | <i>Clerodendrum capitatum</i> (Willd.) Schum. & Thonning | HAW |
| Verbenaceae | <i>Clerodendrum cephalanthum</i> Oliver ⁶ | WUR |
| Verbenaceae | <i>Clerodendrum silvanum</i> Henriq. | HAW |
| Verbenaceae | <i>Clerodendrum umbellatum</i> Poirét | WUR & HAW |
| Verbenaceae | <i>Vitex ferruginea</i> Schum. & Thonning | HAW |
| Verbenaceae | <i>Vitex grandifolia</i> Gürke | HAW |
| Verbenaceae | <i>Vitex micrantha</i> Gürke | HAW |
| Verbenaceae | <i>Vitex rivularis</i> Gürke | HAW |
| Verbenaceae | <i>Vitex thyrsoflora</i> Baker | WUR & HAW |
| Violaceae | <i>Decorsella paradoxa</i> A.Chevalier | HAW |
| Violaceae | <i>Rinorea ilicifolia</i> Kuntze | HAW |
| Violaceae | <i>Rinorea oblongifolia</i> (C.H.Wright) Marquand ex Chipp | WUR & HAW |
| Violaceae | <i>Rinorea welwitschii</i> (Oliver) O.Ktze. | WUR & HAW |
| Violaceae | <i>Rinorea yaundensis</i> Engler | HAW |
| Vitaceae | <i>Cissus aralioides</i> (Welwitsch ex Baker) Planchon | WUR & HAW |
| Vitaceae | <i>Cissus diffusiflora</i> (Baker) Planch. | WUR |
| Vitaceae | <i>Cissus miegei</i> Tchoumé | WUR |
| Vitaceae | <i>Cyphostemma adenocaula</i> (Steud. ex A.Rich.) Desc. ex Wild & R.B.Drumm. | WUR |
| Vitaceae | <i>Cyphostemma vogelii</i> (Hook.f.) Desc. | WUR |
| Vitaceae | <i>Leea guineensis</i> G.Don | HAW |
| Zingiberaceae | <i>Aframomum atewae</i> Lock & Hall | WUR & HAW |
| Zingiberaceae | <i>Aframomum chrysanthum</i> Lock | WUR |
| Zingiberaceae | <i>Aframomum geocarpum</i> Lock & Hall | HAW |
| Zingiberaceae | <i>Renealmia battenbergiana</i> Cummins ex Baker | WUR |

(Endnotes)

- 1 var. *glabrum* Keay
- 2 var. *camerunensis* (Loesener) N.Hallé
- 3 var. *macrosperma* (Mildbraed & Burr.) C.C. Berg
- 4 var. *afrotropicus* (Engler) C.E.Gust.
- 5 ssp. *occidentalis* De Block
- 6 subsp. *occidentale* Jongkind