

Catalogue of the Diptera type material housed in the collections of the Muséum d'histoire naturelle in Geneva, Switzerland

Authors: Cosandey, Vivien, and Toussaint, Emmanuel F.A.

Source: *Revue suisse de Zoologie*, 130(1) : 99-120

Published By: Muséum d'histoire naturelle, Genève

URL: <https://doi.org/10.35929/RSZ.0092>

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non-commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Catalogue of the Diptera type material housed in the collections of the Muséum d'histoire naturelle in Geneva, Switzerland

Vivien Cosandey¹ & Emmanuel F.A. Toussaint^{1*}

¹ *Muséum d'histoire naturelle de Genève, C.P. 6434, CH-1211 Genève 6, Suisse*

V. Cosandey: ORCID 0000-0001-8878-3406; E.F.A. Toussaint: ORCID 0000-0002-8439-1285

* *Corresponding author: emmanuel.toussaint@ville-ge.ch*

Abstract

A key challenge of natural history museums across the globe is to make collections accessible to researchers and the public alike. Through advances in digitization, databasing, online data curation and long-term storage, it is now possible to give access to the type material housed in museums, which represent the most precious specimens in collections. Here, we have generated a fully illustrated online catalogue of all primary and secondary Diptera types housed in the Muséum d'histoire naturelle of Geneva (MHNG). High-resolution habitus photographs of all type specimens and their labels are available on a digital repository, and an exhaustive list of this type material is provided. The MHNG collection holds 152 holotypes and 2025 paratypes with Empididae, Lauxaniidae, Sphaeroceridae and Tephritidae being the most represented families. Although the current Diptera collection is relatively recent, the ca. 150 000 specimens and associated type material are important resources for future taxonomic and systematic studies.

Keywords

Flies - holotypes - museum collections - paratypes - taxonomy - Tephritidae.

INTRODUCTION

Flies (Insecta, Diptera) are one of the four megadiverse lineages of insects on the planet with ca. 160 000 described species placed in 157 extant families (Evenhuis & Pape, 2022) with a much larger number yet to be discovered and named (Stork, 2018). Despite progress in the understanding of fly evolution and systematics (Wiegmann *et al.*, 2011; Wiegmann & Richards, 2018; Meusemann *et al.*, 2020), integrative taxonomic work has never been more instrumental to better understand the diversity of flies. Museum collections across the world house millions of specimens including type material upon which current classifications are based. Providing access to type material and associated label data is key to reinvigorate the taxonomy of understudied groups such as flies. With the development of high-resolution digitization (Balke *et al.*, 2013; Drew *et al.*, 2017), it is now possible to make the information housed in natural history collections available to a greater number of workers.

Approximately four million insect specimens are housed in the entomological collections of the Muséum d'histoire naturelle of Geneva (MHNG). This includes about 150 000 species of Diptera, representing > 5000 described species stored in > 700 modern unit-tray drawers (in addition to ca. 200 traditional drawers in the process of integration) as well as hundreds of entomological slides. In the early 19th century, the Diptera collection was relatively small, mostly the result of bycatches and small samples from regional surveys. Tournier (1889) published a first list of the dipteran species of the canton of Geneva based on MHNG material, however most of the specimens were since lost (Merz, 2012), the collection of Frey-Gessner is the only legacy of this period. The earlier types deposited at the MHNG date from the early 19th century with species of Hippoboscidae and Tabanidae (Meigen, 1820; Westwood, 1834), and from the end of the 19th century with species of Syrphidae (Becker, 1894). Although a precise history of collection acquisitions is difficult to reconstruct due to the lack of archives, the Diptera type collection at

Manuscript accepted 22.12.2022

DOI: 10.35929/RSZ.0092

This is an open access article distributed under the terms of the Creative Commons Attribution License (CC BY 4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited (see <https://creativecommons.org/licenses/by/4.0/>).

the MHNG is composed of important collections from G. Bächli, B. Bender, C. Besuchet (curator of Coleoptera at the MHNG until 1992), G. Bouvier, H. Dirickx, A. Freidberg, V. Korneyev, I. Löbl (curator of Coleoptera at the MHNG until 1999) and P. Schwendinger (curator of Arthropods at the MHNG until 2021). No dipterist was employed at the MHNG until 1998, when Bernhard Merz (curator of the Diptera at the MHNG until 2013) was appointed. He substantially expanded the collection especially among the Brachycera with Tephritidae as a focal group (the MHNG holds an important collection for this family in terms of taxonomic coverage and type material). His personal work and collaborations through the years augmented the collection to the ca. 150 000 specimens currently housed in the Museum, most of which are dry pinned specimens (a small collection of slides exists). The Nematocera were unfortunately less sought after and the collections are far less rich in these families. However, recent acquisitions have started to fill this gap. For instance, the latest major addition to the MHNG Diptera collection was material from Phil Withers, which was deposited in 2021 (Chandler *et al.*, 2021), and is progressively being integrated into the main collection. To provide a meaningful catalogue of type material in the MHNG collections, we screened

and recorded all primary and secondary types currently housed in the MHNG up to 2022.

MATERIAL AND METHODS

All specimens explicitly labelled as types (holotypes, paratypes, cotypes, types, allotypes) were digitized: a single photograph of the specimen habitus and its labels (Fig. 1) was taken using a Canon EOS 90D camera with a Canon EF-S 60/2.8 USM macro lens mounted on a Kaiser RSD K 5603 stand. All labels were recorded verbatim in Specify 6 (Specify Collections Consortium, Lawrence, USA), the biological collection data management platform implemented at the MHNG. Exhaustive atomized information available for each specimen (Specify database record) can be obtained from the corresponding author. All high-resolution images of the types are available on Zenodo (<https://doi.org/10.5281/zenodo.7634663>).

The catalogue is organized by family, taxa are given in the alphabetical order of the species, followed by the author(s), the determination genus as currently classified in the MHNG collection (in parentheses), the number of types deposited and the unique MHNG collection number




Fig. 1. Example of images of Diptera types housed in the MHNG available on Zenodo. Holotype of *Eudorylas gemellus* Kehlmaier, 2005 caught in the canton of Geneva, with its labels.

(in case of type series, only the first and last voucher numbers are given). Comments are given in brackets where needed. An image (Fig. 1) of a Diptera holotype is provided to illustrate mainly the labels associated with it.

CATALOGUE OF TYPES

In total, we recorded 152 holotypes, 2025 paratypes, 17 types (without precision) with no other mention or with doubtful labeling, 5 allotypes, 2 syntypes, and 1 neotype. Empididae, Lauxaniidae, Sphaeroceridae and Tephritidae are particularly well-represented families in the type material (Fig. 2). Most of the type material deposited in the MHNG Diptera collection belongs to

taxa described after 1980, which underlines the recent nature of this collection and its important growth in both species richness and type quantity in the past decades. Nineteen type specimens (from five species) recorded in the literature could not be located and are either mislabeled or misplaced. This catalogue will likely be a helpful tool for future taxonomic work and complements the existing published knowledge pertaining to the natural history collections of the MHNG (e.g., Zompro & Brock, 2003; Hollier, 2010, 2011, 2019; Hollier & Maehr, 2012; Hollier & Oswald, 2018; Landry *et al.*, 2019; Cibois *et al.*, 2020; Sartori & Bauernfeind, 2020; Vallotton & Smith, 2021).




Fig. 2. Distribution of type material housed in the collection of the MHNG across the different families represented.

Type list**Agromyzidae**

maltensis Černý, 2004 (*Amauromyza*); 1 holotype (MHNG-ENTO-0087934), 1 paratype (MHNG-ENTO-0087935).

Anthomyzidae

clara Roháček, 2006 (*Anthomyza*); 1 holotype (MHNG-ENTO-0087941), 2 paratypes (MHNG-ENTO-0087942 and MHNG-ENTO-0087943).

curtisi Roháček, 2008 (*Amygdalops*); 3 paratypes (MHNG-ENTO-0087936 to MHNG-ENTO-0087938).

curtistylus Roháček, 2008 (*Amygdalops*); 1 paratype (MHNG-ENTO-0087936).

drachma Sueyoshi & Roháček, 2003 (*Anthomyza*); 2 paratypes (MHNG-ENTO-0087944 and MHNG-ENTO-0087945).

flavosterna Sueyoshi & Roháček, 2003 (*Anthomyza*); 2 paratypes (MHNG-ENTO-0087956 to MHNG-ENTO-0087947).

merzi Roháček, 2009 (*Epischnomyia*); 8 paratypes (MHNG-ENTO-0087946 to MHNG-ENTO-0087963).

simplicior Roháček, 2004 (*Amygdalops*); 1 paratype (MHNG-ENTO-0087940).

triarmigera Sueyoshi & Roháček, 2003 (*Ischnomyia*); 4 paratypes (MHNG-ENTO-0087964 to MHNG-ENTO-0087967).

trifurca Sueyoshi & Roháček, 2003 (*Anthomyza*); 5 paratypes (MHNG-ENTO-0087948 to MHNG-ENTO-0087952).

versitheca Roháček, 2009 (*Arganthomyza*); 3 paratypes (MHNG-ENTO-0087953 to MHNG-ENTO-0087955).

Asilidae

choremii Smart, Taylor & Hull, 2007 (*Pamponerus*); 2 paratypes (MHNG-ENTO-0085452 to MHNG-ENTO-0085453).

Asteiidae

clypeata Freidberg & Carles-Tolrá, 2010 (*Phlebosotera*); 45 paratypes (MHNG-ENTO-0088446 to MHNG-ENTO-0088489 and MHNG-ENTO-0088491).

Aulacigastridae

pappi Kassebeer, 2001 (*Aulacigaster*); 3 paratypes (MHNG-ENTO-0088430 to MHNG-ENTO-0088432).

Camillidae

cavernicola Papp, 1978 (*Katacamilla*); 1 holotype (MHNG-ENTO-0089613).

mathisi Papp, 1985 (*Camilla*); 1 paratype (MHNG-ENTO-0089516).

sabroskyi Papp, 1982 (*Camilla*); 2 paratypes (MHNG-ENTO-0089611 and MHNG-ENTO-0089612).

Canacidae

acrostichalis Freidberg & Beschovski, 1996 (*Tethina*); 10 paratypes (MHNG-ENTO-0088264 to MHNG-ENTO-0088273).

endiomena Munari, 2005 (*Sigaloethina*); 7 paratypes (MHNG-ENTO-0088257 to MHNG-ENTO-0088263).

guttata Freidberg & Beschovski, 1996 (*Tethina*); 2 paratypes (MHNG-ENTO-0088274 and MHNG-ENTO-0088275).

melitensis Munari & Ebejer, 2001 (*Tethina*); 2 paratypes (MHNG-ENTO-0088276 and MHNG-ENTO-0088277).

salinicola Beschovski, 1998 (*Tethina*); 6 paratypes (MHNG-ENTO-0088278 to MHNG-ENTO-0088283).

yaromi Freidberg & Beschovski, 1996 (*Tethina*); 4 paratypes (MHNG-ENTO-0088284, MHNG-ENTO-0088284, MHNG-ENTO-0088344 and MHNG-ENTO-0088345).

Carnidae

falcata Papp, 1997 (*Meoneura*); 1 paratype (MHNG-ENTO-0088254).

helvetica Papp, 1997 (*Meoneura*); 1 paratype (MHNG-ENTO-0088255).

merzi Ozerov & Krivosheina, 2013 (*Meoneura*); 1 holotype (MHNG-ENTO-0007225).

pseudoflavifacies Papp, 1997 (*Meoneura*); 1 paratype (MHNG-ENTO-0088256).

scatophila Freidberg, Ozerov & Papp (*Hemeromyia*); 4 paratypes (MHNG-ENTO-0088250 to MHNG-ENTO-0088253); [We could not find any trace of this taxon and consider therefore these specimens as *in litteris* types].

Chamaemyiidae

flavoantennata Beschovski, 1994 (*Chamaemyia*); 2 paratypes (MHNG-ENTO-0087886 and (MHNG-ENTO-0087887).

gaimarii Tanasijtshuk, 1996 (*Leucopis*); 2 paratypes (MHNG-ENTO-0087889 and (MHNG-ENTO-0087890).

hungarica Tanasijtshuk & Beschovski, 1991 (*Chamaemyia*); 1 paratype (MHNG-ENTO-0087888).

Chloropidae

genavensis Merz, 2008 (*Speccafrons*); 1 holotype (MHNG-ENTO-0088583), 8 paratypes (MHNG-ENTO-0088584 to MHNG-ENTO-0088591).

ismayi Merz, 2008 (*Siphunculina*); 1 holotype (MHNG-ENTO-0088494), 14 paratypes (MHNG-ENTO-0094610 and MHNG-ENTO-0088570 to MHNG-ENTO-0088582).

Chyromyidae

- alticolum* Ebejer, 2007 (*Aphaniosoma*); 1 holotype (MHNG-ENTO-0088618), 1 paratype (MHNG-ENTO-0088619).
- asiaticum* Ebejer, 2007 (*Aphaniosoma*); 9 paratypes (MHNG-ENTO-0088609 to MHNG-ENTO-0088617).
- bifalcatum* Ebejer, 2005 (*Aphaniosoma*); 1 holotype (MHNG-ENTO-0088620), 4 paratypes (MHNG-ENTO-0088621 to MHNG-ENTO-0088624).
- corniger* Ebejer, 2007 (*Aphaniosoma*); 1 holotype (MHNG-ENTO-0088625).
- fimbriatum* Ebejer, 2007 (*Aphaniosoma*); 1 holotype (MHNG-ENTO-0088636), 13 paratypes (MHNG-ENTO-0088626 to MHNG-ENTO-0088635 and MHNG-ENTO-0088637 to MHNG-ENTO-0088639).
- korneyevi* Ebejer, 2007 (*Aphaniosoma*); 1 holotype (MHNG-ENTO-0088640), 1 paratype (MHNG-ENTO-0088641).
- merzi* Ebejer, 2007 (*Aphaniosoma*); 1 holotype (MHNG-ENTO-0088642), 1 paratype (MHNG-ENTO-0088643).
- miricerus* Ebejer, in prep. (*Aphaniosoma*); 1 holotype (MHNG-ENTO-0097873).
- pallida* Ebejer, 2010 (*Gymnochiromyia*); 2 paratypes (MHNG-ENTO-0088650 and MHNG-ENTO-0088651).
- persimilis* Ebejer, 2010 (*Gymnochiromyia*); 8 paratypes (MHNG-ENTO-0088652 to MHNG-ENTO-0088659).
- praeditum* Ebejer, in prep. (*Aphaniosoma*); 1 holotype (MHNG-ENTO-0097309).
- separatum* Ebejer, 2007 (*Aphaniosoma*); 1 holotype (MHNG-ENTO-0088644).
- variabilis* Ebejer, 2007 (*Aphaniosoma*); 3 paratypes (MHNG-ENTO-0088645 to MHNG-ENTO-0088647).
- vicinum* Ebejer, 2007 (*Aphaniosoma*); 1 holotype (MHNG-ENTO-0088648), 1 paratype (MHNG-ENTO-0088649).

Clusiidae

- albimanus* (Meigen, 1830) (*Clusiodes*); 1 neotype (MHNG-ENTO-0087930) [Neotype designated by Lonsdale & Marshall (2007)].
- philomela* Lonsdale, 2016 (*Allometopon*); 1 holotype (MHNG-ENTO-0087927), 2 paratypes (MHNG-ENTO-0087928 and MHNG-ENTO-0087929).
- secaperas* Lonsdale, 2014 (*Sobarocephala*); 1 holotype (MHNG-ENTO-0087933).
- trisetosa* Lonsdale, 2009 (*Heteromeriingia*); 2 paratypes (MHNG-ENTO-0087931 and MHNG-ENTO-0087932).

Conopidae

- hirsuta* Stuke & Clemens, 2008 (*Myopa*); 1 holotype (MHNG-ENTO-0086047).

Dolichopodidae

- merzi* Gatt, 2003 (*Microphorella*); 4 paratypes (MHNG-ENTO-0013124 to MHNG-ENTO-0013127).

Drosophilidae

- amputata* Papp, 2004 (*Hypselothyrea*); 1 holotype (MHNG-ENTO-0089614).
- aptera* Papp, 1979 (*Hypselothyrea*); 1 holotype (MHNG-ENTO-0089615), 8 paratypes (MHNG-ENTO-0089616 to MHNG-ENTO-0089623).
- deficiens* Papp, 2004 (*Hypselothyrea*); 1 holotype (MHNG-ENTO-0089624), 7 paratypes (MHNG-ENTO-0089625 to MHNG-ENTO-0089631).
- hungarica* Papp, 2000 (*Leucophenga*); 1 paratype (MHNG-ENTO-0089768).
- longimana* Papp, 2004 (*Hypselothyrea*); 1 holotype (MHNG-ENTO-0089632), 1 paratype (MHNG-ENTO-0089633).
- paralanigera* Papp, 2004 (*Hypselothyrea*); 1 holotype (MHNG-ENTO-0089738), 29 paratypes (MHNG-ENTO-0089739 to MHNG-ENTO-0089767).
- macai* Bächli & Vilela, 2020 (*Paracacoxenus*); 1 paratype (MHNG-ENTO-0089769); [This species was first named *Paracacoxenus* sp. aff. *kaszabi* Bächli & Vilela (2011) before its formal description by Bächli & Vilela (2020)].
- subaptera* Papp, 2004 (*Hypselothyrea*); 1 holotype (MHNG-ENTO-0089634).

Empididae

- adriatica* Chvála, 2008 (*Hilara*); 2 paratypes (MHNG-ENTO-0085455 and MHNG-ENTO-0085563).
- alpicola* Chlava, 2001 (*Hilara*); 1 holotype (MHNG-ENTO-0085564), 6 paratypes (MHNG-ENTO-0085565 to MHNG-ENTO-0085570).
- antalyensis* Chvála, 2008 (*Hilara*); 1 holotype (MHNG-ENTO-0085571), 9 paratypes (MHNG-ENTO-0085572 to MHNG-ENTO-0085580).
- argentigastrea* Chvála, 2001 (*Hilara*); 1 holotype (MHNG-ENTO-0085581), 1 paratype (MHNG-ENTO-0085582).
- autumnalis* Chvála, 2008 (*Hilara*); 1 paratype (MHNG-ENTO-0085583).
- bernhardi* Barták, 2000 (*Rhamphomyia*); 1 holotype (MHNG-ENTO-0085867), 2 paratypes (MHNG-ENTO-0085868 and MHNG-ENTO-0085869).
- bernermerzi* Chvála, 2008 (*Hilara*); 1 holotype (MHNG-ENTO-0085584), 7 paratypes (MHNG-ENTO-0085585 to MHNG-ENTO-0085591).
- bohémica* Chvála & Syrovatka, 1987 (*Empis*); 3 paratypes (MHNG-ENTO-0085454, MHNG-ENTO-0085456 and MHNG-ENTO-0085457).
- brevistriata* Chvála & Merz, 2009 (*Hilara*); 1 holotype (MHNG-ENTO-0085592), 17 paratypes (MHNG-ENTO-0085593 to MHNG-ENTO-0085609).
- cervi* Barták, 2006 (*Rhamphomyia*); 1 holotype (MHNG-ENTO-0085864).

- cimrmani* Barták, 2006 (*Rhamphomyia*); 1 holotype (MHNG-ENTO-0085865).
- crossleyi* Chvála & Merz, 2009 (*Hilara*); 1 holotype (MHNG-ENTO-0085610), 3 paratypes (MHNG-ENTO-0085612 to MHNG-ENTO-0085614).
- cypriana* Chvála, 2008 (*Hilara*); 1 holotype (MHNG-ENTO-0085615), 1 paratype (MHNG-ENTO-0085616).
- goetzei* Chvála, 2005 (*Hilara*); 6 paratypes (MHNG-ENTO-0085617 to MHNG-ENTO-0085622).
- helvetica* Chvála, 1999 (*Hilara*); 1 holotype (MHNG-ENTO-0085623).
- leukensis* Chvála & Merz, 2009 (*Hilara*); 1 holotype (MHNG-ENTO-0085624), 7 paratypes (MHNG-ENTO-0085625 to MHNG-ENTO-0085631).
- luteihalterata* Chvála & Merz, 2009 (*Hilara*); 1 holotype (MHNG-ENTO-0085632), 7 paratypes (MHNG-ENTO-0085633 to MHNG-ENTO-0085639).
- mantovensisi* Chvála, 2008 (*Hilara*); 1 holotype (MHNG-ENTO-0085640), 2 paratypes (MHNG-ENTO-0085641 and MHNG-ENTO-0085642).
- mediterranea* Chvála, 2008 (*Hilara*); 1 holotype (MHNG-ENTO-0085643), 24 paratypes (MHNG-ENTO-0085644 to MHNG-ENTO-0085654 and MHNG-ENTO-0085657 to MHNG-ENTO-0085669).
- merzi* Chvála, 1999 (*Hilara*); 1 holotype (MHNG-ENTO-0085792), 25 paratypes (MHNG-ENTO-0085793 to MHNG-ENTO-0085817).
- merzi* Barták, 2000 (*Rhamphomyia*); 1 holotype (MHNG-ENTO-0085870).
- nigrita* Chvála, 2005 (*Hilara*); 1 holotype (MHNG-ENTO-0085830), 12 paratypes (MHNG-ENTO-0085818 to MHNG-ENTO-0085829).
- nitidorella* Chvála, 1996 (*Hilara*); 6 paratypes (MHNG-ENTO-0085831 to MHNG-ENTO-0085836).
- planti* Chvála & Merz, 2009 (*Hilara*); 1 holotype (MHNG-ENTO-0085837), 4 paratypes (MHNG-ENTO-0085838 to MHNG-ENTO-0085841).
- rampazzii* Barták, 2006 (*Rhamphomyia*); 2 paratypes (MHNG-ENTO-0085876 and MHNG-ENTO-0085877).
- samarkandensis* Barták, 2000 (*Rhamphomyia*); 3 paratypes (MHNG-ENTO-0085871 to MHNG-ENTO-0085873).
- schacti* Chvála, 2008 (*Hilara*); 2 paratypes (MHNG-ENTO-0085842 and MHNG-ENTO-0085843).
- sellacrinita* Barták, 2007 (*Rhamphomyia*); 1 paratype (MHNG-ENTO-0085874).
- siffointei* Barták & Kubík, 2010 (*Rhamphomyia*); 2 paratypes (MHNG-ENTO-0008789 and MHNG-ENTO-0085895).
- spectabilis* Chvála, 2008 (*Hilara*); 1 holotype (MHNG-ENTO-0085844), 1 paratype (MHNG-ENTO-0085845).
- speighti* Barták, 2006 (*Rhamphomyia*); 1 holotype (MHNG-ENTO-0085866).
- spiniplatyura* Chvála, 2008 (*Hilara*); 1 holotype (MHNG-ENTO-0085846), 1 paratype (MHNG-ENTO-0085847).
- sulcanda* Barták & Kubík, 2008 (*Rhamphomyia*); 4 paratypes (MHNG-ENTO-0085896 to MHNG-ENTO-0085899).
- thaiciliata* Barták & Kubík, 2008 (*Rhamphomyia*); 1 holotype (MHNG-ENTO-0085875).
- triseta* Chvála, 2005 (*Hilara*); 1 holotype (MHNG-ENTO-0085848), 13 paratypes (MHNG-ENTO-0085849 to MHNG-ENTO-0085861).
- veltmani* Chvála, 1999 (*Hilara*); 2 paratypes (MHNG-ENTO-0085862 and MHNG-ENTO-0085863).

Ephydriidae

- baechlii* Zatwarnicki & Mathis, 2007 (*Discomyza*); 1 allotype (MHNG-ENTO-0089777).
- roederi* Girschner, 1889 (*Psilopa*); 2 syntypes (MHNG-ENTO-0089778 and MHNG-ENTO-0089779); [The two syntypes were designated by Merz in 2002 according to the labels carried by the specimens. We did not find any related publication].

Heteromyzidae

- besucheti* (*Eccoptomera*); 1 holotype (MHNG-ENTO-008608); [We could not find any trace of this taxon and consider therefore this specimen as an *in litteris* type].
- fimbria* McAlpine, 2007 (*Borboroides*); 5 paratypes (MHNG-ENTO-0088592 to MHNG-ENTO-0088596).
- merzi* McAlpine, 2007 (*Borboroides*); 2 paratypes (MHNG-ENTO-0088597 and MHNG-ENTO-0088598).
- musica* McAlpine, 2007 (*Borboroides*); 6 paratypes (MHNG-ENTO-0088599 to MHNG-ENTO-0088604).
- shippi* McAlpine, 2007 (*Borboroides*); 3 paratypes (MHNG-ENTO-0088605 to MHNG-ENTO-0088607).

Hippoboscidae

- brachyphysa* Jobling, 1956 (*Raymondia*); 1 holotype (MHNG-ENTO-0091917).
- fjiarum* Maa, 1980 (*Myophthiria*); 1 paratype (MHNG-ENTO-0089774).
- italica* Theodor, 1954 (*Basilina*); 1 specimen (MHNG-ENTO-0091919 to MHNG-ENTO-0091921); [This specimen is not a type but we list it here because of the ambiguous label it carries: '*Basilina* sp. nov.?' This individual is the male of *B. italica* (previously only known by one female) described by Aellen (1955). This single specimen is mounted on three different microscope slides].
- lindbergi* Aellen, 1959 (*Nycteribia vexata* ssp.); 1 holotype (MHNG-ENTO-0091923), 1 allotype (MHNG-ENTO-0091922), 4 paratypes (MHNG-ENTO-0091924 to MHNG-ENTO-0091927).

megastigmatos Jobling, 1956 (*Ascodipteron*); 1 holotype (MHNG-ENTO-0091918).
neocaledonica Maa, 1980 (*Myophthiria*); 1 allotype (MHNG-ENTO-0089775), 1 paratype (MHNG-ENTO-0089776).
wilsoni Maa, 1980 (*Myophthiria*); 2 paratypes (MHNG-ENTO-0089772 and MHNG-ENTO-0089773).
zeylanica Maa, 1980 (*Myophthiria*); 1 allotype (MHNG-ENTO-0089771), 1 paratype (MHNG-ENTO-0089770).

Hybotidae

bartaki Chvála, 1989 (*Platypalpus*); 2 paratypes (MHNG-ENTO-0085903 and MHNG-ENTO-0085904).
biancistroides Yang & Li, 2011 (*Hybos*); 1 paratype (MHNG-ENTO-0008792).
carpathica Chvála, 1966 (*Tachydromia*); 1 paratype (MHNG-ENTO-0085910).
dalongtanus Yang & Li, 2011 (*Platypalpus*); 1 paratype (MHNG-ENTO-0008790).
fluviatilis Chvála, 1995 (*Chersodromia*); 2 paratypes (MHNG-ENTO-0085900 and MHNG-ENTO-0085901).
hirsuticercis Schnitter, Trost & Wallaschek, 2003 (*Drapetis*); 1 paratype (MHNG-ENTO-0085902).
merzi Shamshev & Grotaert, 2012 (*Syndyas*); 1 holotype (MHNG-ENTO-0008947).
nigricolor Merz & Chvála, 1998 (*Platypalpus*); 3 paratypes (MHNG-ENTO-0085905 to MHNG-ENTO-0085907).
palavensis Chvála, 1989 (*Platypalpus*); 2 paratypes (MHNG-ENTO-0085908 and MHNG-ENTO-0085909).
pingqianus Yang & Li, 2011 (*Platypalpus*); 1 paratype (MHNG-ENTO-0008791).
rhyacophila Chvála, 1995 (*Tachydromia*); 1 paratype (MHNG-ENTO-0085911).
yinyuhensis Yang & Li, 2011 (*Hybos*); 1 paratype (MHNG-ENTO-0008793).

Iteaphilidae

merzi Shamshev & Sinclair, 2009 (*Iteaphila*); 1 holotype (MHNG-ENTO-0085878), 16 paratypes (MHNG-ENTO-0085879 to MHNG-ENTO-0085894).

Lauxaniidae

alpina Merz, 2007 (*Sapromyza*); 1 holotype (MHNG-ENTO-0087705), 1 paratype (MHNG-ENTO-0087706).
bilobata Merz, 2001 (*Lauxania*); 1 holotype (MHNG-ENTO-0087620), 3 paratypes (MHNG-ENTO-0087621 to MHNG-ENTO-0087623).
cangshanensis Li & Yang, 2013 (*Homoneura*); 1 paratype (MHNG-ENTO-0087531).
carlestolrai Merz, 2009 (*Sapromyza*); 1 holotype (MHNG-ENTO-0087707), 1 paratype (MHNG-ENTO-0087708).

crispa Li & Yang, 2013 (*Homoneura*); 1 paratype (MHNG-ENTO-0087532).
digitata Shi & Yang, 2008 (*Homoneura*); 1 paratype (MHNG-ENTO-0087533).
dolabrifforme Sasakawa & Kozánek, 1995 (*Calliopum*); 1 paratype (MHNG-ENTO-0087518).
flavoscutellata Shi, Yang & Gaimari, 2011 (*Noonamyia*); 61 paratypes (MHNG-ENTO-0087636 to MHNG-ENTO-0087696).
hermonensis Yarom, 1990 (*Sapromyza*); 7 paratypes (MHNG-ENTO-0087709 to MHNG-ENTO-0087715).
intonsina Yarom, 1990 (*Sapromyza*); 3 paratypes (MHNG-ENTO-0087716 to MHNG-ENTO-0087718).
israelis Yarom, 1990 (*Sapromyza*); 6 paratypes (MHNG-ENTO-0087878 to MHNG-ENTO-0087883).
jinpingsensis Shi, Gaimari & Yang, 2013 (*Noeetomima*); 2 paratypes (MHNG-ENTO-0087884 and MHNG-ENTO-0087885).
laszlopappi Merz, 2007 (*Sapromyza*); 1 holotype (MHNG-ENTO-0087719), 89 paratypes (MHNG-ENTO-0087719 to MHNG-ENTO-0087740 and MHNG-ENTO-0087798 to MHNG-ENTO-0087865).
luteifasciata Yarom, Freidberg & Papp, 1987 (*Mycterella*); 4 paratypes (MHNG-ENTO-0087631 to MHNG-ENTO-0087634).
mediospinosa Merz, 2003 (*Homoneura*); 1 holotype (MHNG-ENTO-0087534), 33 paratypes (MHNG-ENTO-0087535 to MHNG-ENTO-0087567).
merzi Shi, Yang & Gaimari, 2011 (*Dioides*); 1 holotype (MHNG-ENTO-0087522), 8 paratypes (MHNG-ENTO-0087523 to MHNG-ENTO-0087530).
multimaculata Yarom, 1990 (*Sapromyza*); 7 paratypes (MHNG-ENTO-0087866 to MHNG-ENTO-0087872).
nigra Yarom, Freidberg & Papp, 1987 (*Mycterella*); 1 paratype (MHNG-ENTO-0087635).
obtusus Shi, Yang & Gaimari, 2009 (*Cestrotus*); 1 paratype (MHNG-ENTO-0087519).
quadrimaculatus Shi, Yang & Gaimari, 2011 (*Cestrotus*); 1 holotype (MHNG-ENTO-0087520), 1 paratype (MHNG-ENTO-0087521).
semiannulata Li & Yang, 2013 (*Homoneura*); 2 paratypes (MHNG-ENTO-0087568 and MHNG-ENTO-0087569).
siciliana Merz, 2001 (*Lauxania*); 1 holotype (MHNG-ENTO-0087624), 6 paratypes (MHNG-ENTO-0087625 to MHNG-ENTO-0087630).
tibialis Yarom, 1991 (*Paroecus*); 8 paratypes (MHNG-ENTO-0087697 to MHNG-ENTO-0087704).
trisurstyla Li & Yang, 2013 (*Homoneura*); 2 paratypes (MHNG-ENTO-0087570 and MHNG-ENTO-0087571).
undulata Merz, 2007 (*Sapromyza*); 1 holotype (MHNG-ENTO-0087873), 2 paratypes (MHNG-ENTO-0087874 and MHNG-ENTO-0087875).
villosula Merz, 2009 (*Sapromyza*); 2 paratypes (MHNG-ENTO-0087876 and MHNG-ENTO-0087877).

zengae Shi & Yang, 2011 (*Homoneura*); 1 paratype (MHNG-ENTO-0087619).

Limoniidae

austriaca Christian, 1980 (*Chionea*); 2 paratypes (MHNG-ENTO-0085431 and MHNG-ENTO-0085432).

Lonchaeidae

bambusae MacGowan, 2007 (*Silba*); 1 holotype (MHNG-ENTO-0004723), 30 paratypes (MHNG-ENTO-0086052 to MHNG-ENTO-0086081).

korea MacGowan, 2007 (*Setisquamalanchaea*); 4 paratypes (MHNG-ENTO-0086048 to MHNG-ENTO-0086051).

longidentata MacGowan, 2007 (*Silba*); 1 holotype (MHNG-ENTO-0004719).

tenuipennis MacGowan, 2007 (*Silba*); 3 paratypes (MHNG-ENTO-0086087 to MHNG-ENTO-0086089).

translucens MacGowan, 2007 (*Silba*); 1 holotype (MHNG-ENTO-0004720), 1 paratype (MHNG-ENTO-0086090).

Milichiidae

aelleni Papp, 1978 (*Leptometopa*); 1 holotype (MHNG-ENTO-0088347), 13 paratypes (MHNG-ENTO-0088348 to MHNG-ENTO-0088357, MHNG-ENTO-0088490, MHNG-ENTO-0088492 and MHNG-ENTO-0088493).

maroccana Papp (*Phyllomyza*); 1 type (MHNG-ENTO-0088346); [The list of the taxa described by L. Papp does not mention this taxon (Darvas, 2021). Therefore, we consider this specimen as *in litteris* type].

Muscidae

shinonagai Couri, Pont & Daugeron, 2010 (*Dichaetomyia*); 3 paratypes (MHNG-ENTO-0094888 to MHNG-ENTO-0094890).

tatricus Gregor, 1988 (*Thricops*); 1 paratype (MHNG-ENTO-0089792).

Mycetophilidae

matilei Hackman, 1970 (*Phronia*); 1 holotype (MHNG-ENTO-0085424).

Pallopteridae

reducta Merz & Sueyoshi, 2002 (*Temnosira*); 1 paratype (MHNG-ENTO-0087513).

simillima Merz & Sueyoshi, 2001 (*Temnosira*); 4 paratypes (MHNG-ENTO-0087509 to MHNG-ENTO-0087512).

Periscelididae

soniae Merz & Roháček, 2005 (*Stenomicrogaster*); 12 paratypes (MHNG-ENTO-0088433 to MHNG-ENTO-0088444).

Phoridae

brevipes Papp, 1982 (*Rhynchomicropteron*); 1 holotype (MHNG-ENTO-0085912).

dudichi Papp, 1982 (*Rhynchomicropteron*); 1 holotype (MHNG-ENTO-0085913), 1 paratype (MHNG-ENTO-0085914).

necaphidiforme Disney, 1990 (*Rhynchomicropteron*); 2 paratypes (MHNG-ENTO-0085427 and MHNG-ENTO-0085915).

nepalensis Disney, 1991 (*Rhynchomicropteron*); 1 holotype (MHNG-ENTO-0085425), 8 paratypes (MHNG-ENTO-0085426, MHNG-ENTO-0085428 and MHNG-ENTO-0085916 to MHNG-ENTO-0085921).

nudiventer Papp, 1982 (*Rhynchomicropteron*); 1 holotype (MHNG-ENTO-0085988).

Piophilidae

baechlii Merz, 1996 (*Parapiophila*); 1 paratype (MHNG-ENTO-0087516).

latipennis Ozerov & Barták, 1993 (*Mycetaulus*); 1 paratype (MHNG-ENTO-0087515).

shatakini Ozerov, 2000 (*Actenoptera*); 1 paratype (MHNG-ENTO-0087514).

vernica Ozerov & Barták, 1993 (*Parapiophila*); 1 paratype (MHNG-ENTO-0087517).

Pipunculidae

auctus Kehlmaier, 2005 (*Eudorylas*); 1 paratype (MHNG-ENTO-0085939).

bermeri Kehlmaier, 2005 (*Eudorylas*); 1 holotype (MHNG-ENTO-0085940), 1 allotype (MHNG-ENTO-0085941), 2 paratypes (MHNG-ENTO-0085942 and MHNG-ENTO-0085943).

brachium Kehlmaier & Withers, 2019 (*Semicephalops*); 1 paratype (MHNG-ENTO-0103009).

coei Kehlmaier, 2005 (*Eudorylas*); 1 holotype (MHNG-ENTO-0085944).

cypriota Kehlmaier, 2005 (*Claraeola*); 1 holotype (MHNG-ENTO-0085937), 1 paratype (MHNG-ENTO-0085938).

estebani Withers & Claude, 2021 (*Tomosvaryella*); 1 holotype (MHNG-ENTO-0103008), 6 paratypes (MHNG-ENTO-0094612 to MHNG-ENTO-0094617).

gemellus Kehlmaier, 2005 (*Eudorylas*); 1 holotype (MHNG-ENTO-0085945), 1 paratype (MHNG-ENTO-0085946).

manasi Kehlmaier, 2011 (*Eudorylas*); 1 holotype (MHNG-ENTO-0085947).

osito Kehlmaier, Gibbs & Withers, 2019 (*Tomosvaryella*); 1 paratype (MHNG-ENTO-0094611).

venturai Kehlmaier, 2005 (*Eudorylas*); 1 paratype (MHNG-ENTO-0085989).

Platystomatidae

- alf* Korneyev, 2001 (*Angeloapteromyia*); 1 holotype (MHNG-ENTO-0086258), 12 paratypes (MHNG-ENTO-0086259 to MHNG-ENTO-0086270).
- cestoventris* Byun & Suh, 2001 (*Rivellia*); 2 paratypes (MHNG-ENTO-0086274 and MHNG-ENTO-0086275).
- chvalai* Korneyev, 2001 (*Angeloapteromyia*); 1 holotype (MHNG-ENTO-0086271), 1 paratype (MHNG-ENTO-0086272).
- harai* Byun & Suh, 1998 (*Rivellia*); 2 paratypes (MHNG-ENTO-0086276 and MHNG-ENTO-0086277).
- merzi* Korneyev, 2001 (*Angeloapteromyia*); 1 holotype (MHNG-ENTO-0086273).
- nigroapicalis* Byun & Suh, 2001 (*Rivellia*); 2 paratypes (MHNG-ENTO-0086278 and MHNG-ENTO-0086279).

Psilidae

- confusa* Shatalkin & Merz, 2010 (*Chamaepsila*); 1 holotype (MHNG-ENTO-0085990), 2 paratypes (MHNG-ENTO-0085991 and MHNG-ENTO-0085992).
- forcipis* Shatalkin & Merz (*Chamaepsila*); 1 holotype (MHNG-ENTO-0085993), 29 paratypes (MHNG-ENTO-0085994 to MHNG-ENTO-0086022); [This taxon originates from Montenegro and was therefore not included by Shatalkin & Merz (2010), who only treated the Swiss Psilidae; they probably planned to extend their work to the Balkans and to describe *C. forcipis* but did not do so. Therefore, these specimens are considered as *in litteris* types].
- helvetica* Shatalkin & Merz, 2010 (*Psila*); 1 holotype (MHNG-ENTO-0086044), 2 paratypes (MHNG-ENTO-0086045 and MHNG-ENTO-0086046).
- massanea* Claude & Tissot, submitted (*Chamaepsila*); 1 holotype (MHNG-ENTO-0103013), 2 paratypes (MHNG-ENTO-0103014 and MHNG-ENTO-0103015).
- merzi* Shatalkin, 2000 (*Psila*); 1 holotype (MHNG-ENTO-0086023), 20 paratypes (MHNG-ENTO-0086024 to MHNG-ENTO-0086043).
- ristolasiensis* Claude & Tissot, submitted (*Chamaepsila*); 1 holotype (MHNG-ENTO-0103016), 8 paratypes (MHNG-ENTO-0103017 to MHNG-ENTO-0103024).
- withersi* Claude & Tissot, submitted (*Chamaepsila*); 1 holotype (MHNG-ENTO-0103010), 2 paratypes (MHNG-ENTO-0103011 and MHNG-ENTO-0103012).

Pyrgotidae

- wonjuensis* Kim & Han, 2001 (*Parageloemyia*); 1 paratype (MHNG-ENTO-0087508).

Sarcophagidae

- krathonmai* Pape & Bänziger, 2000 (*Sarcophaga*); 2 paratypes (MHNG-ENTO-0089793 and MHNG-ENTO-0089794).
- pandifera* Blackith & Pape, 1999 (*Sarcophaga*); 1 holotype (MHNG-ENTO-0089796), 1 paratype (MHNG-ENTO-0089795).
- saprianovae* Pape & Bänziger, 2000 (*Sarcophaga*); 2 paratypes (MHNG-ENTO-0089797 and MHNG-ENTO-0089798).

Scathophagidae

- caucasica* Ozerov, 1993 (*Norellia*); 1 paratype (MHNG-ENTO-0089786).
- kirgizika* Ozerov, 2008 (*Gimnomera*); 1 holotype (MHNG-ENTO-0089780), 3 paratypes (MHNG-ENTO-0089781 to MHNG-ENTO-0089783).
- merzi* Ozerov, 2008 (*Parallelomma*); 1 holotype (MHNG-ENTO-0089787).
- oasis* Ozerov & Freidberg, 2010 (*Scathophaga*); 4 paratypes (MHNG-ENTO-0089788 to MHNG-ENTO-0089791).
- zlobini* Ozerov, 2008 (*Microprosopa*); 2 paratypes (MHNG-ENTO-0089784 and MHNG-ENTO-0089785).

Sciomyzidae

- dentata* Merz & Rozkošný, 1995 (*Pherbellia*); 1 paratype (MHNG-ENTO-0087900).
- korneyevi* Rozkošný & Knutson, 2005 (*Euthycera*); 2 paratypes (MHNG-ENTO-0087892 and MHNG-ENTO-0087893).
- lyami* Withers, 2009 (*Renocera*); 1 holotype (MHNG-ENTO-0087901).
- merzi* Rozkošný & Knutson, 2006 (*Euthycera*); 1 holotype (MHNG-ENTO-0087894), 5 paratypes (MHNG-ENTO-0087895 to MHNG-ENTO-0087899).
- parva* Papp, 2004 (*Apteromicra*); 1 holotype (MHNG-ENTO-0087891).

Sphaeroceridae

- aemula* Roháček, 1993 (*Leptocera*); 2 paratypes (MHNG-ENTO-0088802 and MHNG-ENTO-0088803).
- affinis* Hayashi, 2002 (*Poecilosomella*); 22 paratypes (MHNG-ENTO-0089334 to MHNG-ENTO-0089355).
- appendix* Papp, 1991 (*Aptilotus*); 1 holotype (MHNG-ENTO-0088668).
- asiatica* Hayashi & Papp, 2004 (*Lotobia*); 18 paratypes (MHNG-ENTO-0089260 to MHNG-ENTO-0089277).
- asiatica* Papp, 1988 (*Sphaerocera pseudomonilis* ssp.); 1 holotype (MHNG-ENTO-0088660), 4 paratypes (MHNG-ENTO-0088661 to MHNG-ENTO-0088664).
- australis* Papp, 1979 (*Apterobiroina*); 1 holotype (MHNG-ENTO-0088665), 2 paratypes (MHNG-ENTO-0088666 and MHNG-ENTO-0088667).

- besucheti* Papp, 1981 (*Minocellina*); 1 holotype (MHNG-ENTO-0089215), 34 paratypes (MHNG-ENTO-0085429, MHNG-ENTO-0085430 and MHNG-ENTO-0089216 to MHNG-ENTO-0089247).
- brachyptera* Roháček & Marshall, 1988 (*Minilimosina*); 1 holotype (MHNG-ENTO-0089296), 37 paratypes (MHNG-ENTO-0089297 to MHNG-ENTO-0089333).
- burckhardti* Papp, 1995 (*Biroina*); 1 holotype (MHNG-ENTO-0088669).
- cavata* Hayashi, 1994 (*Paralimosina*); 18 paratypes (MHNG-ENTO-0089197 to MHNG-ENTO-0089214).
- cavernicola* Papp & Roháček, 1983 (*Crumomyia*); 1 holotype (MHNG-ENTO-0088781), 1 paratype (MHNG-ENTO-0088782).
- ceylanica* Papp, 1979 (*Hackmaniella*); 1 holotype (MHNG-ENTO-0088785), 4 paratypes (MHNG-ENTO-0088786 to MHNG-ENTO-0088789).
- conspicua* Papp, 2002 (*Poecilosomella*); 1 paratype (MHNG-ENTO-0089356).
- dimorpha* Roháček & Papp, 1988 (*Paralimosina*); 1 holotype (MHNG-ENTO-0088940), 8 paratypes (MHNG-ENTO-0088941 to MHNG-ENTO-0088945 and MHNG-ENTO-0089194 to MHNG-ENTO-0089196).
- gallica* Papp & Roháček, 1983 (*Crumomyia*); 1 holotype (MHNG-ENTO-0088783), 1 paratype (MHNG-ENTO-0088784).
- gigantea* Roháček & Papp, 1988 (*Paralimosina*); 1 holotype (MHNG-ENTO-0088926).
- horrida* Roháček, 1978 (*Limosina*); 1 paratype (MHNG-ENTO-0088790).
- icaros* Roháček & Papp, 1988 (*Paralimosina*); 1 holotype (MHNG-ENTO-0088927), 6 paratypes (MHNG-ENTO-0088928 to MHNG-ENTO-0088933).
- indica* Roháček & Papp, 1988 (*Paralimosina*); 1 holotype (MHNG-ENTO-0088934), 3 paratypes (MHNG-ENTO-0088935 to MHNG-ENTO-0088937).
- indica* Papp, 1989 (*Pterogrammoides*); 1 holotype (MHNG-ENTO-0089379).
- intricata* Papp, 1991 (*Terrilimosina*); 1 holotype (MHNG-ENTO-0089382), 2 paratypes (MHNG-ENTO-0089383 and MHNG-ENTO-0089384).
- lobata* Roháček & Papp, 1988 (*Paralimosina*); 1 holotype (MHNG-ENTO-0088938), 1 paratype (MHNG-ENTO-0088939).
- loebli* Papp, 1981 (*Indiosina*); 1 holotype (MHNG-ENTO-0088791), 5 paratypes (MHNG-ENTO-0088792 to MHNG-ENTO-0088796).
- loebli* Roháček & Papp, 1984 (*Ischiolepta*); 1 holotype (MHNG-ENTO-0088797), 4 paratypes (MHNG-ENTO-0088798 to MHNG-ENTO-0088801).
- nigrinotum* Hayashi & Papp, 2007 (*Chaetopodella*); 24 paratypes (MHNG-ENTO-0088689 to MHNG-ENTO-0088712).
- norbomi* Papp, 1988 (*Copromyza*); 1 holotype (MHNG-ENTO-0088780).
- orientalis* Papp, 1995 (*Biroina*); 1 holotype (MHNG-ENTO-0088670), 18 paratypes (MHNG-ENTO-0088671 to MHNG-ENTO-0088688).
- orientalis* Hayashi & Papp, 2007 (*Chaetopodella*); 24 paratypes (MHNG-ENTO-0088713 to MHNG-ENTO-0088736).
- pappi* Hayashi, 1997 (*Poecilosomella*); 22 paratypes (MHNG-ENTO-0089357 to MHNG-ENTO-0089378).
- rufifrons* Hayashi, 1991 (*Coproica*); 20 paratypes (MHNG-ENTO-0088748 to MHNG-ENTO-0088767).
- sexsetosa* Papp, 1982 (*Leptocera*); 1 holotype (MHNG-ENTO-0088804), 9 paratypes (MHNG-ENTO-0088805 to MHNG-ENTO-0088813).
- smetanai* Marshall, 1987 (*Terrilimosina*); 5 paratypes (MHNG-ENTO-0089509 to MHNG-ENTO-0089513).
- stepheni* Papp, 1991 (*Opalimosina*); 1 paratype (MHNG-ENTO-0088925).
- straminea* Roháček & Marshall, 1985 (*Trachyopella*); 1 paratype (MHNG-ENTO-0089151).
- supraelegans* Hayashi & Papp, 2004 (*Lotobia*); 18 paratypes (MHNG-ENTO-0089278 to MHNG-ENTO-0089295).
- thaii* Papp, 1989 (*Minocellina*); 1 holotype (MHNG-ENTO-0089248), 11 paratypes (MHNG-ENTO-0089249 to MHNG-ENTO-0089259).
- thaii* Papp, 1989 (*Pterogrammoides*); 1 holotype (MHNG-ENTO-0089380).
- unica* Papp, 1979 (*Reunionia*); 1 holotype (MHNG-ENTO-0089381).

Stratiomyidae

- merzi* Rozkošný & Woodley, 2009 (*Oxycerina*); 1 holotype (MHNG-ENTO-0085451).

Syrphidae

- auberti* Goedlin de Tiefenau, 1996 (*Syrphus*); 2 paratypes (MHNG-ENTO-0085934 and MHNG-ENTO-0085936).
- floccosus* Hurkmanns, 1996 (*Merodon*); 5 paratypes (MHNG-ENTO-0085927 to MHNG-ENTO-0085931); [We could not find the description or a mention of this taxon and consider therefore these specimens as *in litteris* types. Interestingly the two species designated by Hurkmanns on material housed in the MHNG were not formally described. See also *Merodon merzii* Hurkmanns].
- lanigulosa* Becker, 1894 (*Cheilosia*); 1 holotype (MHNG-ENTO-0085922).
- longiventris* Becker, 1894 (*Cheilosia*); 1 holotype (MHNG-ENTO-0085923).
- merzii* Hurkmanns (*Merodon*); 1 holotype (MHNG-ENTO-0085932); [We could not find the description or a mention of this taxon and consider therefore these specimens as *in litteris*

types. Interestingly the two species designated by Hurkmans on material housed in the MHNG were not formally described. See also *Merodon floccosus* Hurkmans].

trisolcata Becker, 1894 (*Cheilosia*); 1 holotype (MHNG-ENTO-0085924).

uviformis Becker, 1894 (*Cheilosia*); 1 holotype (MHNG-ENTO-0085925).

vujici Claussen & Dozkal, 1997 (*Cheilosia*); 1 paratype (MHNG-ENTO-0085926).

wollastoni Wakeham-Dawson, Aguiar, Smit, McCullough & Wyatt, 2004 (*Melanostoma*); 2 paratypes (MHNG-ENTO-0085933 and MHNG-ENTO-0085935).

Tabanidae

aberrans Philip, 1941 (*Chrysops*); 1 paratype (MHNG-ENTO-0085433).

bouvieri Philip, 1959 (*Tabanus*); 1 type (MHNG-ENTO-0097766).

jacobi Bouvier, 1945 (*Hybomitra aterrima* var.); 1 type (MHNG-ENTO-0085437).

gallii Bouvier, 1936 (*Haematopota*); 3 types (MHNG-ENTO-0085434 to MHNG-ENTO-0085436).

jacoti Bouvier, 1936 (*Jashinea*); 1 type (MHNG-ENTO-0085438).

kasaii Bouvier, 1941 (*Tabanus*); 1 type (MHNG-ENTO-0085450, 5 cotypes (MHNG-ENTO-0085445 to MHNG-ENTO-0085449); [We could not find the description or any mention of this species and consider these specimens as *in litteris* types].

leclercqi Philip (*Nemorius*); 1 paratype (MHNG-ENTO-0085441); [We could not find the description or any mention of this species and consider these specimens as *in litteris* types].

schoutedeni Bouvier, 1936 (*Tabanus*); 1 type (MHNG-ENTO-0085442).

schwardti Philip, 1942 (*Tabanus*); 2 paratypes (MHNG-ENTO-0085443 and MHNG-ENTO-0085444).

vitripennis Meigen, 1820 (*Nemorius*); 1 holotype (MHNG-ENTO-0085439), 1 paratype (MHNG-ENTO-0085440).

Tachinidae

alpestris Tschorsnig, 1997 (*Chetogena*); 1 paratype (MHNG-ENTO-0089799).

marae Cerretti, 2005 (*Pales*); 1 paratype (MHNG-ENTO-0089802).

merzi Cerretti, 2005 (*Nealsomyia*); 1 paratype (MHNG-ENTO-0089801).

rutilioides Jaenicke, 1867 (*Paradejeania*); 1 paratype (MHNG-ENTO-0089805).

simplex Tschorsnig & Herting, 1998 (*Meigenia*); 1 paratype (MHNG-ENTO-0089800).

ustulata Reinhard, 1959 (*Phorocera*); 2 paratypes (MHNG-ENTO-0089803 and MHNG-ENTO-0089804).

Tephritidae

amberboae Korneyev & Merz, 1996 (*Terellia*); 17 paratypes (MHNG-ENTO-0087198 to MHNG-ENTO-0087214).

apicalis Merz, 2002 (*Goniurellia*); 1 holotype (MHNG-ENTO-0086782), 2 paratypes (MHNG-ENTO-0086783 and MHNG-ENTO-0086784).

apicalis Hardy, 1980 (*Trupanea*); 4 paratypes (MHNG-ENTO-0087294 to MHNG-ENTO-0087297).

apicata Freidberg, 1980 (*Myopites*); 2 paratypes (MHNG-ENTO-0086847 and MHNG-ENTO-0086848).

arabicus White, 2006 (*Dacus*); 2 paratypes (MHNG-ENTO-0086291 and MHNG-ENTO-0086292).

arborea Hardy, 1980 (*Trupanea*); 4 paratypes (MHNG-ENTO-0087298 to MHNG-ENTO-0087301).

artemisiae Hardy, 1980 (*Trupanea*); 1 paratype (MHNG-ENTO-0087302).

baezi Merz, 2000 (*Chaetostomella*); 3 paratypes (MHNG-ENTO-0086563 to MHNG-ENTO-0086565).

bagheera Richter & Kandybina, 1997 (*Rhagoletis*); 2 paratypes (MHNG-ENTO-0086333 and MHNG-ENTO-0086334).

beardsleyi Hardy, 1980 (*Trupanea*); 2 paratypes (MHNG-ENTO-0087303 and MHNG-ENTO-0087304).

bernhardi Korneyev & White, 1996 (*Urophora*); 6 paratypes (MHNG-ENTO-0087344 to MHNG-ENTO-0087349).

bimaculata Freidberg, 1980 (*Tephritis*); 7 paratypes (MHNG-ENTO-0086929 to MHNG-ENTO-0086935).

bimaculatum Zia, 1964 (*Pardalaspinus*); 2 paratypes (MHNG-ENTO-0086328 and MHNG-ENTO-0086329).

bisetosa Merz, 1992 (*Noeeta*); 11 paratypes (MHNG-ENTO-0086849 to MHNG-ENTO-0086859).

campiglossina Freidberg & Merz, 2006 (*Gymnosagena*); 5 paratypes (MHNG-ENTO-0086793 to MHNG-ENTO-0086797).

chrysantemifolii Frias, 1985 (*Trupanea*); 1 paratype (MHNG-ENTO-0087305).

circumflava Korneyev, 1998 (*Urophora*); 1 holotype (MHNG-ENTO-0086805).

clarissima Korneyev, 1987 (*Terellia*); 1 paratype (MHNG-ENTO-0087215).

coleoprata Freidberg & Kaplan, 1993 (*Tarchonanthea*); 14 paratypes (MHNG-ENTO-0086914, and MHNG-ENTO-0086916 to MHNG-ENTO-0086928).

conyzifoliae Merz, 1992 (*Tephritis*); 16 paratypes (MHNG-ENTO-0087076, MHNG-ENTO-0087077, and MHNG-ENTO-0086936 to MHNG-ENTO-0086949).

daclaciae Drew & Roming, 2013 (*Bactrocera*); 3 paratypes (MHNG-ENTO-0086280 to MHNG-ENTO-0086282).

denotata Hardy, 1980 (*Trupanea*); 3 paratypes (MHNG-ENTO-0087338 to MHNG-ENTO-0087340).

- dimorphica* Freidberg & Merz, 2006 (*Elgonina*); 6 paratypes (MHNG-ENTO-0086621 to MHNG-ENTO-0086626).
- ebejeri* Merz, 2002 (*Goniurellia*); 1 holotype MHNG-ENTO-0086785, 3 paratypes (MHNG-ENTO-0086786 to MHNG-ENTO-0086788).
- exquisita* Munro, 1939 (*Marriottella*); 2 paratypes (MHNG-ENTO-0086827 and MHNG-ENTO-0086828).
- fedotovae* Korneyev & White, 1991 (*Eurasimona*); 4 paratypes (MHNG-ENTO-0086757 to MHNG-ENTO-0086760).
- fini* Freidberg, 2002 (*Microtreta*); 12 paratypes (MHNG-ENTO-0086833 to MHNG-ENTO-0086844).
- flavicornis* Freidberg & Merz, 2006 (*Elgonina*); 3 paratypes (MHNG-ENTO-0086635 to MHNG-ENTO-0086637).
- flavoscutellata* Merz & Dawah, 2004 (*Neoceratitis*); 1 holotype (MHNG-ENTO-0086305), 21 paratypes (MHNG-ENTO-0086306 to MHNG-ENTO-0086326).
- foliosi* Frias, 1985 (*Trupanea*); 1 paratype (MHNG-ENTO-0087341).
- footei* Frias, 1985 (*Trupanea*); 2 paratypes (MHNG-ENTO-0087342 and MHNG-ENTO-0087343).
- freidbergi* Merz, 2000 (*Campiglossa*); 2 paratypes (MHNG-ENTO-0086556 and MHNG-ENTO-0086557).
- hancocki* Wang & Chen, 2002 (*Gastrozona*); 1 paratype (MHNG-ENTO-0086304).
- hurvitzi* Freidberg, 1980 (*Tephritis*); 14 paratypes (MHNG-ENTO-0087095 to MHNG-ENTO-0087108).
- iani* Korneyev & Merz, 1998 (*Urophora*); 34 paratypes (MHNG-ENTO-0087350 to MHNG-ENTO-0087372, and MHNG-ENTO-0087457 to MHNG-ENTO-0087467).
- igori* Korneyev, 1990 (*Campiglossa*); 2 paratypes (MHNG-ENTO-0086558 and MHNG-ENTO-0086559).
- inexpectata* Freidberg & Merz, 2006 (*Elgonina*); 8 paratypes (MHNG-ENTO-0086627 to MHNG-ENTO-0086634).
- infusctata* Freidberg & Merz, 2006 (*Elgonina*); 4 paratypes (MHNG-ENTO-0086638 to MHNG-ENTO-0086641).
- itoi* Wang, 1996 (*Trypeta*); 2 paratypes (MHNG-ENTO-0086464 and MHNG-ENTO-0086465).
- ivannikovi* Korneyev & White, 1996 (*Urophora*); 2 paratypes (MHNG-ENTO-0087468 and MHNG-ENTO-0087469).
- jabeliae* Freidberg, 1980 (*Tephritis*); 7 paratypes (MHNG-ENTO-0087109 to MHNG-ENTO-0087115).
- kakamega* White, 2006 (*Dacus*); 1 holotype (MHNG-ENTO-0086293).
- kakamega* Freidberg & Merz, 2006 (*Gymnosagena*); 1 holotype (MHNG-ENTO-0086798).
- khaoyaiae* Drew & Roming, 2013 (*Bactrocera*); 2 paratypes (MHNG-ENTO-0086283 and MHNG-ENTO-0086284).
- korneyevi* Merz, 2011 (*Euaestella*); 1 holotype (MHNG-ENTO-0086751).
- korneyevorum* Mohamadzade Namin & Nozari, 2011 (*Terellia*); 2 paratypes (MHNG-ENTO-0087216 and MHNG-ENTO-0087217).
- laqueatus* Enderlein, 1920 (*Pardalaspinus*); 1 paratype (MHNG-ENTO-0086330).
- leporis* Korneyev, 1993 (*Homoeotricha*); 2 paratypes (MHNG-ENTO-0086803 and MHNG-ENTO-0086804).
- longicauda* Freidberg & Merz, 2006 (*Gymnosagena*); 4 paratypes (MHNG-ENTO-0086799 to MHNG-ENTO-0086802).
- longicornis* Freidberg, 2002 (*Microtreta*); 2 paratypes (MHNG-ENTO-0086845 and MHNG-ENTO-0086846).
- luteipes* Merz, 1992 (*Tephritis*); 17 paratypes (MHNG-ENTO-0087078 to MHNG-ENTO-0087094).
- maculata* Merz & Dawah, 2005 (*Tanaica*); 1 holotype (MHNG-ENTO-0086877), 34 paratypes (MHNG-ENTO-0086878 to MHNG-ENTO-0086911).
- madagascarensis* White, 2006 (*Dacus*); 1 holotype (MHNG-ENTO-0086294), 2 paratypes (MHNG-ENTO-0086295 and MHNG-ENTO-0086296).
- mariannae* Merz, 1992 (*Tephritis*); 16 paratypes (MHNG-ENTO-0087116 to MHNG-ENTO-0087131).
- merzi* White, 2006 (*Dacus*); 1 holotype (MHNG-ENTO-0086297).
- merzi* Korneyev, Smith, Hulbert, Frey & Korneyev, 2022 (*Rhagoletis*); 1 holotype (MHNG-ENTO-0012822), 5 paratypes (MHNG-ENTO-0012823 to MHNG-ENTO-0012825 and MHNG-ENTO-0012827 to MHNG-ENTO-0012828).
- merzi* Freidberg & Kütük, 2003 (*Tephritis*); 9 paratypes (MHNG-ENTO-0087132 to MHNG-ENTO-0087140).
- merzi* Mohamadzade Namin, 2011 (*Urophora*); 2 paratypes (MHNG-ENTO-0087470 and MHNG-ENTO-0087471).
- mirabilis* Merz, 1999 (*Freidbergia*); 1 holotype (MHNG-ENTO-0086761), 20 paratypes (MHNG-ENTO-0086762 to MHNG-ENTO-0086781).
- mirabilis* Zonstein & Freidberg, 2006 (*Setoides*); 10 paratypes (MHNG-ENTO-0086865 to MHNG-ENTO-0086874).
- montana* Freidberg & Hancock, 1989 (*Cryptophorellia*); 2 paratypes (MHNG-ENTO-0086567 and MHNG-ENTO-0086568).
- montana* Korneyev, 2006 (*Terellia*); 1 holotype (MHNG-ENTO-0087288).
- multipunctatus* Merz & Dawah, 2005 (*Dicheniotes*); 4 paratypes (MHNG-ENTO-0086617 to MHNG-ENTO-0086620).
- mutabilis* Merz, 1992 (*Tephritis*); 22 paratypes (MHNG-ENTO-0087141 to MHNG-ENTO-0087162).

- nairobensis* White, 2006 (*Dacus*); 1 holotype (MHNG-ENTO-0086298).
- neuenschwanderi* Freidberg, 1982 (*Urophora*); 9 paratypes (MHNG-ENTO-0087472 to MHNG-ENTO-0087480).
- nigra* Merz, 2008 (*Oxyaciura*); 1 holotype (MHNG-ENTO-0086860), 2 paratypes (MHNG-ENTO-0086861 and MHNG-ENTO-0086862).
- octoradiata* Merz, 2002 (*Goniurellia*); 4 paratypes (MHNG-ENTO-0086789 to MHNG-ENTO-0086792).
- odontolophi* Korneyev, 1993 (*Terellia*); 6 paratypes (MHNG-ENTO-0087227 to MHNG-ENTO-0087232).
- omeiensis* Zia, 1964 (*Proanoplomus*); 1 paratype (MHNG-ENTO-0086331).
- phalolepidis* Merz & White, 1991 (*Urophora*); 8 paratypes (MHNG-ENTO-0087481 to MHNG-ENTO-0087488).
- pibari* Kwon, 1985 (*Chejuparia*); 1 paratype (MHNG-ENTO-0086566).
- pollinosa* Freidberg & Merz, 2006 (*Elgonina*); 4 paratypes (MHNG-ENTO-0086642 to MHNG-ENTO-0086645).
- pollinosa* Merz & Dawah, 2005 (*Tanaica*); 1 holotype (MHNG-ENTO-0086912), 2 paratypes (MHNG-ENTO-0086913 and MHNG-ENTO-0086915).
- pulchralis* White, 2006 (*Dacus*); 1 holotype (MHNG-ENTO-0086299), 1 paratype (MHNG-ENTO-0086300).
- quelpartensis* Kwon, 1985 (*Paroxyna*); 2 paratypes (MHNG-ENTO-0086560 and MHNG-ENTO-0086561).
- quilicii* White, 2006 (*Dacus*); 1 holotype (MHNG-ENTO-0086301).
- quinquemaculata* Wang, 1996 (*Paragastrozona*); 1 paratype (MHNG-ENTO-0086327).
- reducta* Hans & Norrbom, 2005 (*Trypeta*); 4 paratypes (MHNG-ENTO-0086533 and MHNG-ENTO-0086536).
- reductiseta* Merz & Dawah, 2005 (*Arabodesis*); 1 holotype (MHNG-ENTO-0086555), 14 paratypes (MHNG-ENTO-0086541 to MHNG-ENTO-0086554).
- rhapontici* Merz, 1990 (*Terellia*); 4 paratypes (MHNG-ENTO-0087233 to MHNG-ENTO-0087236).
- rohdendorfi* Korneyev & Merz, 1997 (*Rhagoletis*); 31 paratypes (MHNG-ENTO-0086335 to MHNG-ENTO-0086358, and MHNG-ENTO-0086457 to MHNG-ENTO-0086463).
- ruiiliensis* Wang, Xiao & Chen, 2008 (*Bactrocera*); 2 paratypes (MHNG-ENTO-0086285 and MHNG-ENTO-0086286).
- sabroskyi* Novak, 1974 (*Paroxyna*); 1 paratype (MHNG-ENTO-0086562).
- sabroskyi* Freidberg, 1982 (*Terellia*); 52 paratypes (MHNG-ENTO-0087237 to MHNG-ENTO-0087287, and MHNG-ENTO-0087289).
- sauterina* Merz & Freidberg, 1994 (*Tephritis*); 18 paratypes (MHNG-ENTO-0087163 to MHNG-ENTO-0087180); [This species was initially named *Tephritis sauteri*, a junior primary homonym of *T. sauteri* Enderlein, 1911. Merz & Freidberg (1994) replaced it with *sauterina*].
- sauteri* Merz, 1992 (*Tephritis*); [This name was replaced by *T. sauterina* (See also comment under this species)].
- scorzoneræ* Merz, 1993 (*Tephritis*); 15 paratypes (MHNG-ENTO-0087181 to MHNG-ENTO-0087195).
- sepsoides* Freidberg & Merz, 2006 (*Marriottella*); 4 paratypes (MHNG-ENTO-0086829 to MHNG-ENTO-0086832).
- seticauda* Wang, 1996 (*Trypeta*); 2 paratypes (MHNG-ENTO-0086538 and MHNG-ENTO-0086539).
- setosa* Merz & Dawah, 2005 (*Sphenella*); 1 holotype (MHNG-ENTO-0086875), 1 paratype (MHNG-ENTO-0086876).
- shenonica* Wang, 1989 (*Cybaforma*); 1 paratype (MHNG-ENTO-0086290).
- sinensis* Wang, 1990 (*Dacus*); 1 paratype (MHNG-ENTO-0086302).
- sinica* (Wang, 1990) (*Tephritis*); 2 paratypes (MHNG-ENTO-0087196 and MHNG-ENTO-0087197).
- sogdiana* Korneyev & Merz, 1998 (*Urophora*); 32 paratypes (MHNG-ENTO-0086806 to MHNG-ENTO-0086826, and MHNG-ENTO-0087489 to MHNG-ENTO-0087499).
- splendida* Freidberg & Merz, 2006 (*Elgonina*); 18 paratypes (MHNG-ENTO-0086646, MHNG-ENTO-0086647, and MHNG-ENTO-0086653 to MHNG-ENTO-0086668).
- stackelbergi* Korneyev, 1990 (*Oxyna*); 2 paratypes (MHNG-ENTO-0086863 and MHNG-ENTO-0086864).
- tarbinskiorum* Korneyev, 2006 (*Terellia*); 2 paratypes (MHNG-ENTO-0087290 and MHNG-ENTO-0087291).
- tengritavica* Korneyev & Merz, 1998 (*Urophora*); 3 paratypes (MHNG-ENTO-0087500 to MHNG-ENTO-0087502).
- trinervii* Korneyev & White, 1996 (*Urophora*); 3 paratypes (MHNG-ENTO-0087503 to MHNG-ENTO-0087505).
- trivandrumensis* Drew & Roving, 2013 (*Bactrocera*); 1 holotype (MHNG-ENTO-0086287), 2 paratypes (MHNG-ENTO-0086288 and MHNG-ENTO-0086289).
- tsoii* Korneyev & White, 1993 (*Urophora*); 2 paratypes (MHNG-ENTO-0087506 and MHNG-ENTO-0087507).
- vanharteni* Merz, 2008 (*Euarestella*); 1 holotype (MHNG-ENTO-0086752), 4 paratypes (MHNG-ENTO-0086753 to MHNG-ENTO-0086756).
- whitei* Korneyev & Mohamadzade Namin, 2013

(*Terellia*); 1 holotype (MHNG-ENTO-0087292), 1 paratype (MHNG-ENTO-0087293).

yaromi Freidberg & Merz, 2006 (*Elgonina*); 9 paratypes (MHNG-ENTO-0086742 to MHNG-ENTO-0086750).

yemenensis White, 2006 (*Dacus*); 1 holotype (MHNG-ENTO-0086303).

yuanensis Zia, 1964 (*Proanoplomus*); 1 paratype (MHNG-ENTO-0086332).

yushunica Wang, 1996 (*Trypeta*); 1 paratype (MHNG-ENTO-0086540).

Ulidiidae

freyi Kameneva, 2006 (*Herina*); 1 paratype (MHNG-ENTO-0086095).

merzi Kameneva, 2007 (*Herina*); 1 paratype (MHNG-ENTO-0086096).

mongolica Soós, 1971 (*Melieria*); 2 paratypes (MHNG-ENTO-0086093 and MHNG-ENTO-0086094).

rajabii Mohamadzade & Kameneva, 2013 (*Herina*); 2 paratypes (MHNG-ENTO-0086097 and MHNG-ENTO-0086098).

rivosecchii Merz, 2002 (*Herina*); 1 holotype (MHNG-ENTO-0086151), 57 paratypes (MHNG-ENTO-0086152 to MHNG-ENTO-0086208).

Xenasteiidae

shalam Freidberg, 1994 (*Xenasteia*); 1 paratype (MHNG-ENTO-0088445).

Missing types

Lonchaeidae

bispicata MacGowan & Withers 2014 (*Lonchaea*); 2 paratypes.

Psychodidae

ellisi Withers, 1987 (*Telmatoscopus*); 5 paratypes.

minima Withers, 2004 (*Trichomyia*); 1 holotype, 1 paratype.

vallanti Withers, 1986 (*Telmatoscopus*); 2 paratypes.

Scatopsidae

lydiae Withers, 2004 (*Rhexosa*); 1 holotype, 7 paratypes.

DISCUSSION

The present work lists all Diptera specimens labelled as types and currently housed in the MHNG. In addition, to facilitate further taxonomical studies, we compiled the original descriptions of the listed taxa apart from




Fig. 3. Geographic origin of the taxa represented by type material in the MHNG.

eight taxa for which we could not find any references. In these cases, the associated specimens were considered as *in litteris* types (see also comments in the species list). These were mostly represented in modern material with some taxa designated by B. Merz.

About half of the types originates from Asia, more precisely from expeditions carried by Bernhard Merz in central Asia (Kirghizistan, Kazakstan), Ivan Löbl (India and Nepal) and Peter Schwendinger in Thailand (Fig. 3). Interestingly, Switzerland is the country where most of the type specimens originated, underlying the potential for taxonomic discoveries in some poorly studied groups in a small and (relatively) well prospected country even in very recent times (Korneyev *et al.*, 2022).

About half of all the holotypes housed in the collection of the MHNG were collected by Merz, Löbl and Schwendinger and also by Amnon Freidberg, an Israeli tephritid specialist with whom Merz collaborated on several occasions (Fig. 4). Most of the type material belongs to the families Tephritidae, Lauxaniidae and Empididae, which were the main interest of B. Merz. Sphaeroceridae, a family of small flies, sometimes apterous, which were sifted from soil litter by Löbl and Schwendinger while searching for beetles and spiders respectively, are also well represented. The work of B. Merz has been instrumental in bringing the Diptera

collection of the MHNG from a quantitatively small and taxonomically reduced collection to one of international importance for some families. It is noteworthy that a substantial number of type specimens were collected as bycatches of Löbl and Schwendinger. This unexpected outcome illustrates the importance of exhaustive non-targeted sampling in field campaigns, in the face of ever growing administrative and political impediments to this type of natural history research activities in the 21st century (Löbl, 2016).

ACKNOWLEDGEMENTS

We particularly thank John Hollier and Jean-Paul Haenni for their advice and help to reconstruct the history of the collection. We also thank Giulio Cuccodoro and Bernard Landry for the digitalization of some type specimens. Peter Schuchert and Alexis Beck for their help with the database. Jocelyn Claude for the storage, curation and advice on Phil Withers' collection. Iain MacGowan for providing information on some types and reviewing the manuscript. Martin Ebejer for his advice as reviewer of this work.




Fig. 4. Collectors of the taxa represented by type material in the MHNG.

REFERENCES

- Aellen V. 1955. Etude d'une collection de Nycteribiidae et de Streblidae (*Diptera pupipara*) de la région paléarctique occidentale, particulièrement de la Suisse. *Bulletin de la Société Neuchâteloise des Sciences Naturelles* 78: 81-104.
- Aellen V. 1959. Contribution à l'étude de la faune d'Afghanistan, 21. Diptères Pupipares parasites de Chiroptères. *Revue suisse de Zoologie* 66(3): 555-567.
- Bächli G., Viella C.G. 2011. On the identities of *Paracacoxenus exiguus* (Duda) and *Paracacoxenus inquilinus* (Hendel), with the description of a new *Paracacoxenus* species from Italy (Diptera, Drosophilidae). *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* 84(3-4): 113-139.
- Bächli G., Viella C.G. 2020. On the identity of *Paracacoxenus kaszabi* Okada, with the formal description of a new closely related species (Diptera, Drosophilidae). *Alpine Entomology* 4: 1-20.
- Balke M., Schmidt S., Hausmann A., Toussaint E.F., Bergsten J., Buffington M., Häuser C.L., Kroupa A., Hagedorn G., Riedel A., Polaszek A. 2013. Biodiversity into your hands - A call for a virtual global natural history 'metacollection'. *Frontiers in zoology* 10(1): 1-9.
- Barták M. 2000. *Rhamphomyia* species (Diptera, Empididae) of Middle Asia. *Acta Universitatis Carolinae Biologica* 44(2): 111-131.
- Barták M. 2006a. Three new West Palaearctic species of *Rhamphomyia* subgenus *Lundstroemiella* (Diptera, Empididae). *Biologia* 61(5): 503-508.
- Barták M. 2006b. Two new European species of *Rhamphomyia* subgenus *Amydroneura* (Diptera: Empididae). *Entomologica Fennica* 17(4): 359-365.
- Barták M. 2007. Five new European species of the *Rhamphomyia* (s. str.) *albosegmentata* group (Diptera: Empididae). *Revue suisse de Zoologie* 114(2): 417-435.
- Barták M., Kubík S. 2008a. A new species of *Rhamphomyia* (*Pararhamphomyia*) (Diptera: Empididae) from Thailand. *Oriental Insects* 42(1): 285-289.
- Barták M., Kubík S. 2008b. Four new West Palaearctic species of *Rhamphomyia* (s. str.) Meigen (Diptera: Empididae). *Revue suisse de Zoologie* 115(1): 25-36.
- Barták M., Kubík S. 2010. Three new European species of the *Rhamphomyia* (s. str.) *melania* group (Diptera: Empididae). *Revue suisse de Zoologie* 117(1): 89-100.
- Becker T. 1894. Revision der Gattung *Chilosia* Meigen. *Nova Acta der Kaiserlichen Leopoldinisch Carolinischen Deutschen Akademie der Naturforscher Band 62 Nr. 3. Halle, XXVIII + 525 pp.*
- Beschovski V.L. 1994. Three new species of genus *Chamaemyia* Meigen, 1803 from Europe (Insecta: Diptera: Chamaemyiidae). *Reichenbachia* 30(2): 203-209.
- Beschovski V.L. 1998. New data on the distribution of some Tethinidae (Diptera) of the western Palaearctic region, with description of a new species. *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* 71(3-4): 407-412.
- Blackith M., Pape T. 1999. Redescription of *Sarcophaga discifera* of authors, not Pandelle, and a new species of *Sarcophaga* Meigen from Oman (Diptera: Sarcophagidae). *Studia Dipterologica* 6(2): 239-250.
- Bouvier G. 1941. *Tabanus Kasaii* nov. spec. *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* 18(6): 329-331.
- Bouvier G. 1945. Les Tabanidés de la Suisse. *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* 19(10): 409-466.
- Bouvier L. 1936. Trois Tabanides nouveaux du Congo belge. *Revue de Zoologie et de Botanique Africaines* 28: 510-512.
- Byun H.-W., Suh S.J. 1998. A taxonomic study of the *Rivellia syngenesiae* species group (Diptera: Platystomatidae) in Korea. *Korean Journal of Entomology* 28(4): 327-339.
- Byun H.-W., Suh S.J., Han H.-Y., Kwon Y.J. 2001. A Systematic Study of *Rivellia* Robineau-Desvoidy in Korea, with Emphasis on the Species Allied to *Rivellia basilaris* (Diptera: Platystomatidae). *Journal of Asia-Pacific Entomology* 4(2): 105-113.
- Černý M. 2005. *Amauromyza* (*Amauromyza*) *maltensis* sp. nov. (Diptera: Agromyzidae) with an account of the agromyzid mining flies of the Republic of Malta. *Folia Heyrovskyana* 12(2-3): 85-104.
- Cerretti P. 2005a. Revision of the West Palaearctic species of the genus *Pales* Robineau-Desvoidy (Diptera: Tachinidae). *Zootaxa* 885: 1-36.
- Cerretti P. 2005b. World revision of the genus *Nealsomyia* Mesnil (Diptera, Tachinidae). *Revue suisse de Zoologie* 112(1): 121-144.
- Chandler P., Kramer J., Long D., Claude J. 2021. Phil Withers 1954 - 2020. *Dipterists Digest* 18: 1-9.
- Christian E. 1980. Eine neue Schneefliege aus der *Chionea*-Verwandtschaft: *Niphadobata austriaca* n. sp. (Dipt.: Tipulidae). *Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen* 32: 77-79.
- Chvála M. 1966. Notes on the genus *Tachydromia* Meig. and the *annulimana*-group (Diptera: Empididae). *Acta Entomologica Bohemoslovaca* 63: 464-477.
- Chvála M. 1989. Monograph of northern and central European species of *Platypalpus* (Diptera, Hybotidae), with data on the occurrence in Czechoslovakia. *Acta Universitatis Carolinae Biologica* 32(3-4): 209-376.
- Chvála M. 1995. Two new species of mountain *Tachydromia* and *Chersodromia* (Diptera: Hybotidae), inhabiting a stony riverbed in the Julian Alps. *Acta Universitatis Carolinae Biologica* 38(2): 91-98.
- Chvála M. 1996. A taxonomic revision of the *Hilara maura*-group (Diptera: Empididae) in Europe. *Systematic Entomology* 21(4): 265-294.
- Chvála M. 1999a. Classification and phylogeny of the alpine *Hilara andermattensis*-group (Diptera: Empididae). *Acta Universitatis Carolinae Biologica* 43(1): 27-50.
- Chvála M. 1999b. Three new *Hilara* species (Diptera, Empididae) from north-western Europe. *Studia Dipterologica* 6(1): 135-147.
- Chvála M. 2001. Revision of the Palaearctic species of the *Hilara abdominalis*-group (Diptera: Empididae). *Acta Universitatis Carolinae Biologica* 45(3): 199-230.
- Chvála M. 2005. Descriptions of three new *Hilara* species (Diptera: Empididae) from the central European and Balkan mountains. *Acta Universitatis Carolinae Biologica* 49(2): 99-110.
- Chvála M. 2008. Monograph of the genus *Hilara* Meigen (Diptera: Empididae) of the Mediterranean region. *Ampyx, Halle (Saale)*, 138 pp.
- Chvála M., Merz B. 2009. The *Hilara* species (Diptera, Empididae) of Switzerland, with respect to the fauna of the Alps and other central European mountains. *Revue suisse de Zoologie* 116(3-4): 509-633.

- Chvála M., Syrovátka V. 1987. A new species of *Empis* s. str. (Diptera, Empididae) from Czechoslovakia. *Acta Universitatis Carolinae Biologica* 31(5-6): 349-354.
- Cibois A., Vallotton L., Othman N., Weber C., Ruedi M. 2020. Type specimens of birds in the collections of the Natural History Museum of Geneva. *Revue suisse de Zoologie* 123(2): 269-282.
- Claude J., Tissot B. (submitted). Description of three new *Chamaepsila* Hendel, 1917 (Diptera: Psilidae) from France, with updated determination keys and additional fauna. *Zootaxa*.
- Claussen C., Doczkal D. 1998. A new species of the genus *Cheilosia* Meigen, 1822 (Diptera, Syrphidae) from the Central Alps. *Volucella* 3(1-2): 1-13.
- Couri M.S., Pont A.C., Daugeron C. 2010. The Muscidae (Diptera) of New Caledonia. *Zootaxa* 2503: 1-61.
- Darvas B. 2021. Papp László utazása (1946–2021): ez mind ő volt egykoron. *Annales Musei Historico-Naturalis Hungarici* 113: 57-82. DOI: <https://doi.org/10.53019/AnnlsMusHistNatHung.2021.113.57>
- Disney R.H.L. 1990. Two new species and a revised key to *Rhynchomicropterum* (Diptera, Phoridae). *Entomologica Fennica* 1(1): 21-24.
- Disney R.H.L. 1991. A new species of *Rhynchomicropterum* (Dipt., Phoridae) from Nepal. *Entomologist's Monthly Magazine* 127: 1524-1527.
- Drew R.A.I., Romig M. (eds). 2013. Tropical fruit flies (Tephritidae: Dacinae) of South-East Asia: Indomalaya to North-West Australasia. *CABI, Wallingford*, VII + 653 pp.
- Drew J.A., Moreau C.S., Stiassny M.L. 2017. Digitization of museum collections holds the potential to enhance researcher diversity. *Nature ecology & evolution* 1(12): 1789-1790.
- Ebejer M.J. 2005. A contribution to the knowledge of the Chyromyidae (Diptera) of Italy with description of a new species of *Aphaniosoma* Becker. *Revue suisse de Zoologie* 112(4): 859-867.
- Ebejer M.J. 2007. New species of *Aphaniosoma* Becker (Diptera, Chyromyidae) from central Asia. *Studia dipterologica* 13(2): 249-296.
- Ebejer M.J. 2010. The identification of females of the West Palaearctic species of *Gymnochiromyia* Hendel (Diptera: Chyromyidae) and descriptions of five new species from Israel and the United Arab Emirates. *Israel Journal of Entomology* 40: 145-168.
- Enderlein G. 1920. Zur Kenntnis tropischer Frucht-Bohrfliegen. *Zoologische Jahrbücher Abteilung für Systematik, Geographie und Biologie der Tiere* 43: 336-360.
- Evenhuis N.L., Pape T. 2022. Systema Dipteroorum, Version 3.11. <http://diptera.org/>, last accessed on November 15th, 2022.
- Freidberg A. 1980a. Descriptions of new Tephritidae (Diptera) from Israel. II. *Journal of the Washington Academy of Sciences* 70(1): 25-28.
- Freidberg A. 1980b. On the taxonomy and biology of the genus *Myopites* (Diptera: Tephritidae). *Israel Journal of Entomology* 13: 13-26.
- Freidberg A. 1982. *Urophora neuenschwanderi* and *Terellia sabroskyi* (Diptera: Tephritidae), two new species reared from *Ptilostemon gnaphaloides* in Crete. *Memoirs of the Entomological Society of Washington* 10: 56-64.
- Freidberg A. 1994. A new Palearctic species of *Xenasteia* Hardy (Diptera: Xenasteiidae). *Israel Journal of Entomology* 28: 133-137.
- Freidberg A. 2002. Systematics of Schistopterini (Diptera: Tephritidae: Tephritinae), with descriptions of new genera and species: Systematics of Schistopterini (Tephritidae). *Systematic Entomology* 27(1): 1-29.
- Freidberg A., Beschovski V. 1996. A new species group within *Tethina* Haliday (Diptera: Tethinidae) with descriptions of six new Mediterranean species. *Israel Journal of Entomology* 30: 91-113.
- Freidberg A., Carles-Tolrà M. 2010. A new species of *Phlebosotera* Duda (Diptera: Asteiidae) from the Mediterranean, with comments on its biology and a key to *Phlebosotera* species. *Studia dipterologica* 17(1-2): 91-102.
- Freidberg A., Hancock D.L. 1989. *Cryptophorellia*, a remarkable new genus of Afrotropical Tephritinae (Diptera: Tephritidae). *Annals of the Natal Museum* 30: 15-32.
- Freidberg A., Kaplan F. 1993. A study of *Afreutreta* Bezzi and related genera (Diptera: Tephritidae: Tephritinae). *African Entomology* 1(2): 207-228.
- Freidberg A., Kütük M. 2002. A new species of *Tephritis* from Turkey, with a key to the species of the *Tephritis pulchra* group. *Israel Journal of Zoology* 48(4): 295-311.
- Freidberg A., Merz B. 2006. A revision of *Gymnosagena* group of genera (Diptera: Tephritidae: Tephritinae). *Israel Journal of Entomology* 35-36: 367-422.
- Frias D.L. 1985. Cuatro nuevas especies chilenas del genero *Trupanea* Shrank (Diptera, Tephritidae). *Revista Brasileira de Zoologia* 2(6): 363-381.
- Gatt P. 2003. New species and records of *Microphorella* Becker (Diptera: Empidoidea, Dolichopodidae) from the Mediterranean region. *Revue suisse de Zoologie* 110(4): 669-684.
- Girschner E. 1889. Eine neue Art der Dipterengattung *Psilopa* Fall. *Entomologische Nachrichten* 15: 373-374.
- Goeldlin de Tiefenau P. 1996. On several new European species of *Syrphus* (Diptera, Syrphidae) and key for the Palearctic species of the genus. *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* 69(1): 157-171.
- Gregor F. 1988. *Thricops taticus* sp. n. from the western Carpathians and Pyrenees (Diptera, Muscidae). *Acta Entomologica Bohemoslovaca* 85(6): 447-456.
- Hackman W. 1972. *Phronia matilei* n. sp., a new fungus gnat from caves in Switzerland (Diptera, Mycetophilidae). *Notulae Entomologicae* 52(1): 39-40.
- Han H.-Y., Norrbom A.L. 2005. A systematic revision of the New World species of *Trypeta* Meigen (Diptera: Tephritidae): Revision of New World *Trypeta*. *Systematic Entomology* 30(2): 208-247.
- Hardy D.E., Delfinado M.D. 1980. Diptera: Cyclorrhapha III, series Schizophora, section Acalypterae, exclusive of family Drosophilidae. *The University Press of Hawaii, Honolulu*, VII + 451 pp.
- Hayashi T. 1991. The genus *Coproica* Rondani from Pakistan (Diptera, Sphaeroceridae). *Japanese Journal of Sanitary Zoology* 42(3): 235-240.
- Hayashi T. 1994. The genus *Paralimosina* from Nepal and Pakistan, excluding *P. eximia* species group (Diptera, Sphaeroceridae). *Japanese Journal of Sanitary Zoology Supplement* 45: 31-45.
- Hayashi T. 1997. Taxonomic notes on the genus *Poecilosomella* Duda (Diptera, Sphaeroceridae) from the Oriental and Australasian Regions, I. *P. pectiniterga* (Deeming) and its allied new species. *Medical Entomology and Zoology* 48(1): 49-54.

- Hayashi T. 2002. Description of a new species, *Poecilosomella affinis* (Diptera, Sphaeroceridae) from the Oriental and Australasian regions. *Medical Entomology and Zoology* 53 (Supplement 2): 121-127.
- Hayashi T. 2007. Oriental species of *Chaetopodella* Duda (Diptera: Sphaeroceridae). *Acta Zoologica Academiae Scientiarum Hungaricae* 53(2): 117-130.
- Hayashi T., Papp L. 2004. The genus *Lotobia* Lioy (Diptera, Sphaeroceridae) from the Oriental region. *Acta Zoologica Academiae Scientiarum Hungaricae* 50(3): 211-225.
- Hollier J. 2010. An annotated list of type material of Orthoptera (Insecta) described by Achille Griffini and deposited in the collections of the Muséum d'histoire naturelle in Geneva. *Revue suisse de Zoologie* 117(4): 801-805.
- Hollier J. 2011. An annotated list of the Orthoptera (Insecta) species described by Alphonse Pictet (alone, and with Henri de Saussure) with an account of the primary type material present in the Muséum d'histoire naturelle in Geneva. *Revue suisse de Zoologie* 118(2): 345-400.
- Hollier J. 2019. Type specimens of Orthoptera (Insecta) described by Franz Werner deposited in the Muséum d'histoire naturelle de Genève. *Revue suisse de Zoologie* 126(2): 257-260.
- Hollier J., Maehr M.D. 2012. An annotated catalogue of the type material of Orthoptera (Insecta) described by Carl Brunner von Wattenwyl deposited in the Muséum d'histoire naturelle in Geneva. *Revue suisse de Zoologie* 119(1): 27-75.
- Hollier J., Oswald J.D. 2018. An annotated list of the type specimens of Megaloptera, Neuroptera and Raphidioptera in the collection of the Muséum d'histoire naturelle de Genève. *Revue suisse de Zoologie* 125(2): 249-261.
- Jaenicke F. 1867. Neue Exotische Dipteren. *Abhandlungen der Senckenbergischen Naturforschenden Gesellschaft* 6: 311-408.
- Jobling B. 1956. Streblidae from the French Ivory Coast, with a description of new species (Diptera). *Revue suisse de Zoologie* 63: 377-384.
- Kameneva E.P. 2006. East Asian and Papuan species of the genus *Herina* Robineau-Desvoidy (Diptera, Ulidiidae, Otitinae) (pp. 15-59). In: Merz B. (Eds). Phylogeny, taxonomy, and biology of Tephritoid flies (Diptera, Tephritoidea). Proceedings of the "3rd Tephritoid Taxonomist's Meeting, Geneva, 19.-24. July 2004". *Instrumenta Biodiversitatis* 7, Genève, 274 pp.
- Kameneva E.P. 2007. A new species of *Herina* (Diptera, Ulidiidae) from Switzerland, with a key to European species and notes on nomenclature and distribution. *Vestnik Zoologii* 41: 405-421.
- Kanavalová L., Grootaert P., Kubík Š., Barták M. 2021. Four new West Palaearctic species and new distributional records of Hybotidae (Diptera). *ZooKeys* 1019: 141-162.
- Kassebeer C.F. 2001. The indigenous species of the genus *Aulacigaster* Macquart, 1835 (Diptera, Aulacigastridae). *Dipteron* 4(1): 23-32.
- Kehlmaier C. 2005. Taxonomic revision of European Eudorylini (Insecta, Diptera, Pipunculidae). *Verhandlungen des Naturwissenschaftlichen Vereins in Hamburg* 41: 45-353.
- Kehlmaier C. 2011. A new *Eudorylas* Aczel, 1940 from Central Asia (Diptera: Pipunculidae). *Revue suisse de Zoologie* 118(1): 31-37.
- Kehlmaier C., Gibbs D.J., Withers P. 2019. New records of big-headed flies (Diptera: Pipunculidae) from the Mediterranean Basin. *Bonn zoological Bulletin* 68(1): 31-60.
- Kim S.-K., Han H.-Y. 2001. A systematic study of the genera *Adapsilia* and *Parageloemyia* in Korea (Diptera, Tephritoidea, Pyrgotidae). *Insecta Koreana* 18(3): 255-291.
- Korneyev S.V., Smith J.J., Hulbert D.L., Frey J.E., Korneyev V.A. 2022. A new species of *Rhagoletis* (Diptera, Tephritidae) from Switzerland with discussion of its relationships within the genus. *Zoodiversity* 56(1): 1-20.
- Korneyev V.A. 1987. A revision of the subgenus *Cerajocera* stat. n. of the genus *Terellia* (Diptera, Tephritidae) with description of a new species of fruit flies. *Zoologicheskii Zhurnal* 66(2): 237-243.
- Korneyev V.A. 1990. A review of *Sphenella* and *Paroxyna* series of genera (Diptera, Tephritidae, Tephritinae) of Eastern Palaearctic. *Nasekomye Mongolii* 11: 395-470.
- Korneyev V.A. 1993a. A new species of *Terellia* (Diptera, Tephritidae) from Ukraine. *Zoologicheskii Zhurnal* 72(4): 144-146.
- Korneyev V.A. 1993b. A revision of Palaearctic fruit flies of the genus *Homoeotricha* Hering (Diptera Tephritidae Tephritinae). *Russian Entomological Journal* 2(3-4): 119-128.
- Korneyev V.A. 2001. A key to genera of Palaearctic Platystomatidae, with descriptions of a new genus and new species (Diptera). *Entomological Problems* 32(1): 1-16.
- Korneyev V.A. 2006. A revision of the *quadratura* group of the genus *Terellia* Robineau-Desvoidy (Diptera: Tephritidae). *Israel Journal of Entomology* 35-36: 341-366.
- Korneyev V.A., Merz B. 1996. A new species of the genus *Terellia* (Diptera: Tephritidae) from Central Asia. *Journal of the Ukrainian Entomological Society* 2(2): 57-60.
- Korneyev V.A., Merz B. 1997. A new species of *Rhagoletis* Loew (Diptera: Tephritidae), with notes on Central Asian species. *Zhurnal Ukrayins'kogo Entomologichnogo Tovaristva* 3: 55-64.
- Korneyev V.A., Merz B. 1998. A supplement to revision of fruit-flies of the genus *Urophora* R.-D. (Diptera, Tephritidae) of Eastern Palaearctic. *Entomologicheskoe Obozrenie* 77(2): 512-522.
- Korneyev V.A., White I.M. 1991. Fruit-flies of the genus *Urophora* R.-D. (Diptera, Tephritidae) of east palaearctic. I. A key to subgenera and review of species (except for the subgenus *Urophora* s. str.). *Entomologicheskoe Obozrenie* 70: 214-228.
- Korneyev V.A., White I.M. 1993. Fruit flies of the genus *Urophora* R.-D. (Diptera, Tephritidae) of East Palaearctic. II. Review of species of the subgenus *Urophora* s. str. Communication 2. *Entomologicheskoe Obozrenie* 72: 232-247.
- Korneyev V.A., White I.M. 1996. Fruit-flies of the genus *Urophora* R.-D. (Diptera, Tephritidae) of Eastern Palaearctic. II. Review of species of the subgenus *Urophora* s. str. Communication 3. *Entomologicheskoe Obozrenie* 75(2): 463-477.
- Korneyev V.A., Evstigneev D.A., Karimpour Y., Küçük M., Mohamadzade Namin S., Ömür Koyuncu M., Yaran M. 2013. Revision of the *Terellia virens* group (Diptera, Tephritidae) with description of three new species. *Vestnik Zoologii* 47(1): 3-25.
- Kwon Y.J. 1985. Classification of the fruitfly-pests from Korea. *Insecta Koreana* 5: 49-111.
- Landry B., Schmitz P., Reuteler C. 2019. A list of the primary type specimens of Lepidoptera in the "Muséum d'histoire naturelle de Genève" Geneva, Switzerland (Version of 13 May 2019). DOI: <https://doi.org/10.5281/zenodo.2784458>

- Li W., Yang D. 2013. Four new species of *Homoneura* s. str. from Yunnan, China (Diptera, Lauxaniidae). *Revue suisse de Zoologie* 120(4): 549-561.
- Löbl I. 2017. Assessing biodiversity: a pain in the neck. *Bionomina*, 12: 39-43.
- Lonsdale O. 2009. The *Heteromeriinae* (Diptera: Clusiidae: Clusiodinae) of Australia. *Records of the Australian Museum* 61(3): 229-262.
- Lonsdale O. 2014. Revision of the Old World *Sobarocephala* (Diptera: Clusiidae). *Zootaxa* 3760(2): 211-240.
- Lonsdale O. 2016. Revision of the genus *Allometopon* Kertész (Diptera: Clusiidae). *Zootaxa* 4106(1): 1-127.
- Lonsdale O., Marshall S.A. 2007. Redefinition of the genera *Clusiodes* and *Hendelia* (Diptera: Clusiidae, Clusiodinae), with a review of *Clusiodes*. *Studia Dipterologica* 14(1): 117-159.
- Maa T.C. 1980. A preliminary revision of the genus *Myophthiria* Rondani (Diptera: Hippoboscidae). *Revue suisse de Zoologie* 87(3): 835-861.
- MacGowan I. 2007. New species of Lonchaeidae (Diptera: Schizophora) from Asia. *Zootaxa* 1631(1): 1-32.
- Marshall S.A. 1987. A review of the Holarctic genus *Terrilimosina* (Diptera: Sphaeroceridae), with descriptions of new species from Nepal and Japan. *Proceedings of the Entomological Society of Washington* 83(3): 502-511.
- McAlpine D.K. 2007. Review of the Borboroidini or Wombat Flies (Diptera: Heteromyzidae), with reconsideration of the status of families Heleomyzidae and Sphaeroceridae, and descriptions of femoral gland-baskets. *Records of the Australian Museum* 59(2-3): 143-219.
- Meigen J.W. 1820. Systematische Beschreibung der bekannten europäischen zweiflügeligen Insekten. Zweiter Theil. *Forstmann, Aachen*. XXXVI + 363 pp.
- Meigen J.W. 1830. Systematische Beschreibung der bekannten europäischen zweiflügeligen Insekten. Sechster Theil. *Schulz, Hamm*, XI + 401 pp.
- Merz B. 1990. *Terellia* (*Cerajocera*) *rhapontici* new species, a new tephritid fly from the Swiss Alps (Diptera: Tephritidae). *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* 63(1-2): 189-194.
- Merz B. 1992a. Fünf neue Fruchtfliegenarten aus den Schweizer Alpen und systematische Bemerkungen zu einigen europäischen Gattungen und Arten (Diptera, Tephritidae). *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* 65(3-4): 227-239.
- Merz B. 1992b. The fruit flies of the Canary Islands (Diptera: Tephritidae). *Entomologica Scandinavica* 23(2): 215-231.
- Merz B. 1993. Fruchtfliegen aus der Region des Mte. Gargano (Italien, Puglia), mit Beschreibung einer neuen *Tephritis*-Art (Diptera, Tephritidae). *Mitteilungen der Entomologischen Gesellschaft Basel* 43: 110-127.
- Merz B. 1996. The Piophilidae (Diptera) of Switzerland with description of a new species. *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* 69(3-4): 345-360.
- Merz B. 1999. Phylogeny of the Palearctic and Afrotropical Genera of the *Tephritis* Group (Tephritinae: Tephritini) (pp. 629-669). In: Aluja M., Norrbom A.L. (Eds). Fruit flies (Tephritidae): Phylogeny and Evolution of Behavior. *CRC Press, Boca Raton*, 988 pp.
- Merz B. 2000. Two new Tephritidae (Diptera) from the western Palearctic region. *Revue suisse de Zoologie* 107(4): 883-892.
- Merz B. 2001. Two new species of *Lauxania* Latreille s. str. (Diptera, Lauxaniidae) from Southern Europe. *Revue suisse de Zoologie* 108(3): 441-453.
- Merz B. 2002a. A revision of the *Herina lugubris* species group (Diptera, Ulidiidae, Otitinae), with the description of two new species. *Revue suisse de Zoologie* 109(2): 407-431.
- Merz B. 2002b. Three new species of *Goniurellia* Hendel from Sokotra Island (Yemen) and Oman, and comments on *Tephritis cosmia* Schiner (Diptera, Tephritidae). *Revue suisse de Zoologie* 109(3): 519-532.
- Merz B. 2003. The Lauxaniidae (Diptera) described by C. F. Fallén with description of a misidentified species of *Homoneura* van der Wulp. *Insect Systematics & Evolution* 34(3): 345-360.
- Merz B. 2007a. A new *Sapromyza* Fallen, 1810, from the Swiss Alps (Diptera, Lauxaniidae). *Revue suisse de Zoologie* 114(2): 185-194.
- Merz B. 2007b. Two new Mediterranean species of the *Sapromyza intonsa* group (Diptera, Lauxaniidae). *Tijdschrift voor Entomologie* 150(1): 65-76.
- Merz B. 2008a. Order Diptera, family Tephritidae. (pp. 643-661). In: Harten A. van (ed.). Arthropod fauna of the United Arab Emirates. Volume 4. *Dar Al Ummah Printing, Abu Dhabi*, 754 pp.
- Merz B. 2008b. Two new species of Chloropidae (Diptera) from Switzerland. *Revue suisse de Zoologie* 115(4): 661-676.
- Merz B. 2009. Two new species of the *Sapromyza obsoleta* Fallen species-group (Diptera, Lauxaniidae). *Revue suisse de Zoologie* 116(2): 203-222.
- Merz B. 2011. Order Diptera, family Tephritidae. Additions and the description of a new species (pp. 769-779). In: Harten A. van (ed.). Arthropod fauna of the United Arab Emirates. Volume 4. *Dar Al Ummah Printing, Abu Dhabi*, 832 pp.
- Merz B. 2012. Liste annotée des Insectes (Insecta) du canton de Genève. Instrumenta Biodiversitatis, Volume VIII. *Muséum d'histoire naturelle, Genève*, 532 pp.
- Merz B., Chvála M. 1998. A remarkable finding of *Platypalpus* (Diptera, Hybotidae) in southern Switzerland with description of a new species from Switzerland and Czech Republic. *Studia Dipterologica* 5(1): 85-94.
- Merz B., Dawah H.A. 2005. Fruit flies (Diptera, Tephritidae) from Saudi Arabia, with descriptions of a new genus and six new species. *Revue suisse de Zoologie* 112(4): 983-1028.
- Merz B., Freidberg A. 1994. Nomenclatural changes in the Tephritidae (Diptera). *Israel Journal of Entomology* 28: 171-172.
- Merz B. & Roháček J. 2005. The Western Palearctic species of *Stenomicro* Coquillet (Diptera, Perisclididae, Stenomicroinae), with description of a new species of the subgenus *Podocera* Czerny. *Revue suisse de Zoologie* 112(2): 519-539.
- Merz B., Rozkošný R. 1995. A new *Pherbellia* (Diptera, Sciomyzidae) from Central Europe. *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* 68(3-4): 435-440.
- Merz B., Sueyoshi M. 2002. Descriptions of new species of Pallopteridae (Diptera) from Taiwan, Korea and Japan, and notes on some other species from Eastern Asia. *Studia Dipterologica* 9(1): 293-306.
- Merz B., White I.M. 1991. *Urophora phalolepidis* new species, a new fruit fly attacking *Centaurea alba* in southern Italy (Diptera: Tephritidae). *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* 64(3-4): 341-344.

- Meusemann K., Trautwein M., Friedrich F., Beutel R.G., Wiegmann B.M., Donath A., Podsiadlowski L., Petersen M., Niehuis O., Mayer C., Bayless K.M., Shin S., Liu S., Hlinka O., Minh B.G., Kozlov A., Morel B., Peters R.S., Bartel D., Grove S., Zhou X., Misof B., Yeates D.K. 2020. Are fleas highly modified Mecoptera? Phylogenomic resolution of Antliophora (Insecta: Holometabola). *BioRxiv*. DOI: <https://doi.org/10.1101/2020.11.19.390666>.
- Mohamadzade Namin S., Kameneva E.P. 2013. A new species of the genus *Herina* Robineau-Desvoidy, 1830 from Iran and Turkey (Diptera: Ulidiidae). *Zoology in the Middle East* 59(3): 266-272.
- Mohamadzade Namin S., Nozari J. 2011. A new species of *Urophora* Robineau-Desvoidy, 1830 (Diptera, Tephritidae) from Iran. *ZooKeys* 152: 63-70.
- Mohamadzade Namin S., Nozari J., Najapoor A. 2011. A new species of *Terellia* (Diptera: Tephritidae) from Iran with a key to the species of the *tarbinskiorum* group. *Zootaxa* 2750: 65-68.
- Munari L. 2005. Indo-Pacific beach flies (Diptera: Tethinidae): new species and records from the Indian and Western Pacific Oceans. *Studia Dipterologica* 11(2): 585-596.
- Munari L., Ebejer M.J. 2001. Three new species of *Tethina* Haliday, 1838 from Mauta and Tunisia, with revised key to the *alboguttata* group (Diptera, Tethinidae). *Bollettino del Museo Civico di Storia Naturale di Venezia* 51: 131-145.
- Munro H.K. 1939. Some new species of South African Trypetidae (Diptera), including one from Madagascar. *Journal of the Entomological Society of Southern Africa* 2: 139-153.
- Novák J.A. 1974. A taxonomic revision of *Dioxyina* and *Paroxyina* (Diptera: Tephritidae) for America north of Mexico. *Melandertia* 16: 1-53.
- Ozerov A.L. 1993. New Palaearctic species of the genus *Norellia* (Diptera, Scathophagidae). *Vestnik Zoologii* 5: 67-73.
- Ozerov A.L. 2000. A new species of the genus *Actenoptera* (Diptera, Piophilidae) from the Russian Far East. *Zoologicheskii Zhurnal* 79(3): 380-381.
- Ozerov A.L. 2008. New species of Scathophagidae (Diptera). *Russian Entomological Journal* 17(4): 419-427.
- Ozerov A.L., Barták M. 1993. Two new Palaearctic species of Piophilidae (Diptera). *Russian Entomological Journal* 2(1): 73-76.
- Ozerov A.L., Freidberg A. 2011. The Scathophagidae (Diptera) of Israel. *Israel Journal of Entomology* 40: 169-185.
- Ozerov A.L., Krivosheina M.G. 2013. New species of the genus *Meoneura* Rondani, 1856 (Diptera, Carnidae) from Kazakhstan. *Far Eastern Entomologist* 257: 10-12.
- Pape T., Bänzinger H. 2000. Two new species of *Sarcophaga* (Diptera: Sarcophagidae) among pollinators of newly discovered *Sapria ram* (Rafflesiaceae). *Raffles Bulletin of Zoology* 48(2): 201-208.
- Papp L. 1978. Some cavernicolous Diptera of the Geneva Museum. *Revue suisse de Zoologie* 85(1): 99-106.
- Papp L. 1979. On apterous and reduced-winged forms of the families Drosophilidae, Ephydriidae and Sphaeroceridae (Diptera). *Acta Zoologica Academiae Scientiarum Hungaricae* 25(3-4): 257-374.
- Papp L. 1982. A new apterous sphaerocerid from Japan (Diptera: Sphaeroceridae). *Acta Zoologica Academiae Scientiarum Hungaricae* 28(3-4): 347-353.
- Papp L. 1981. Two new genera of the apterous and subapterous Sphaeroceridae (Diptera) from India. *Acta Zoologica Academiae Scientiarum Hungaricae* 27(3-4): 381-388.
- Papp L. 1982a. A revision of the species of *Camilla* Haliday described by J.E. Collin (Diptera: Camillidae). *Memoirs of the Entomological Society of Washington* 10: 125-135.
- Papp L. 1982b. Three new species of *Rhynchomicropteron* from India (Diptera: Phoridae). *Acta Zoologica Academiae Scientiarum Hungaricae* 28(1-2): 125-131.
- Papp L. 1985. A key to the world species of Camillidae (Diptera). *Acta Zoologica Academiae Scientiarum Hungaricae* 31(1-3): 217-227.
- Papp L. 1988. Sphaerocerinae and Copromyzinae (Sphaeroceridae, Diptera) from the Oriental region. *Revue suisse de Zoologie* 95(2): 461-469.
- Papp L. 1989a. A new apterous sphaerocerid fly from Thailand (Diptera: Sphaeroceridae). *Acta Zoologica Academiae Scientiarum Hungaricae* 35(1-2): 105-109.
- Papp L. 1989b. Revision of the species of *Pterogrammoides* L. Papp (Diptera, Sphaeroceridae). *Acta Zoologica Hungarica* 35(3-4): 327-338.
- Papp L. 1991. Oriental Limosininae: new species and records (Diptera, Sphaeroceridae). *Acta Zoologica Hungarica* 37(3-4): 225-251.
- Papp L. 1995. Oriental species of the genus *Biroina* Richards (Diptera: Sphaeroceridae). *Revue suisse de Zoologie* 102(3): 539-552.
- Papp L. 1997. Three new species and a new subspecies of *Meoneura* from the Alps (Diptera, Carnidae). *Annales Historico-Naturales Musei Nationalis Hungarici* 89: 151-156.
- Papp L. 2000. Two new species of Drosophilidae (Diptera) from central Europe. *Acta Zoologica Academiae Scientiarum Hungaricae* 46(3): 249-257.
- Papp L. 2002. Eighteen new Oriental species of *Poecilomella* Duda (Diptera: Sphaeroceridae). *Acta Zoologica Academiae Scientiarum Hungaricae* 48(2): 107-156.
- Papp L. 2004a. Description of the first apterous genus of Sciomyzidae (Diptera), from Nepal. *Revue suisse de Zoologie* 111(1): 57-62.
- Papp L. 2004b. New species and records of *Hypselothyrea* de Meijere (Diptera, Drosophilidae). *Acta Zoologica Academiae Scientiarum Hungaricae* 49(4): 271-294.
- Papp L., Roháček J. 1983. Two new cavernicolous taxa of the subgenus *Copromyza* (*Crumomyia*) (Diptera, Sphaeroceridae). *Revue suisse de Zoologie* 90(3): 751-760.
- Philip C.B. 1941. Notes on Nearctic Pangoniinae (Diptera, Tabanidae). *Proceedings of the Entomological Society of Washington* 43: 113-130.
- Philip C.B. 1942. Notes on Nearctic Tabaninae. Part III. The *Tabanus lineola* complex. *Psyche* 49: 25-40.
- Philip C.B. 1959. Some records of Tabanidae (Dipt.) from Iran. *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* 32(2-3): 333-336.
- Reinhard H.J. 1959. New Nearctic Tachinidae (Diptera). *The Pan-Pacific entomologist* 35(3): 157-163.
- Richter V.A., Kandybina M.N. 1997. A new species of fruit flies of the genus *Rhagoletis* Loew (Diptera, Tephritidae) from Transcaucasia. *Entomologicheskoe Obozrenie* 76(4): 914-920.
- Roháček J. 1978. *Limosina horrida* sp. n., a new species from Czechoslovakia related to *Limosina bequaerti* (Vill.) (Diptera, Sphaeroceridae). *Casopis Slezského Muzea Serie A Vedy Prirodni* 27(1): 49-60.

- Roháček J. 1993. New species and records of *Leptocera* Olivier (Diptera, Sphaeroceridae) from Palaearctic Asia, with taxonomic notes. *Casopis Slezského Muzea Serie A Vedy Prirodni* 42(2): 97-121.
- Roháček J. 2004. Revision of the genus *Amygdalops* Lamb, 1914 (Diptera: Anthomyzidae) of the Afrotropical Region. *African Invertebrates* 45: 157-221.
- Roháček J. 2006. A monograph of Palaearctic Anthomyzidae (Diptera) Part 1. *Časopis Slezského zemského Muzea, Opava*, 328 pp.
- Roháček J. 2008. Revision of the genus *Amygdalops* Lamb, 1914 (Diptera, Anthomyzidae) of the Oriental, Australasian and Oceanian regions. *Acta Zoologica Academiae Scientiarum Hungaricae* 54(4): 325-400.
- Roháček J. 2009. A monograph of Palearctic Anthomyzidae (Diptera) Part 2. *Časopis Slezského zemského Muzea, Opava*, 180 pp.
- Roháček J., Marshall S.A. 1985. The genus *Trachyopella* Duda (Diptera, Sphaeroceridae) of the Holarctic region. *Museo Regionale di Scienze Naturali Monografie, Torino*, 109 pp.
- Roháček J., Marshall S.A. 1988. A review of *Minilimosina* (*Svarciella*) Roháček, with descriptions of fourteen new species (Diptera: Sphaeroceridae). *Insecta Mundi* 2(3-4): 241-281.
- Roháček J., Papp L. 1984. *Ischiolepta* Lioy (Diptera: Sphaeroceridae): two new species and taxonomical notes. *Acta Zoologica Academiae Scientiarum Hungaricae* 30(3-4): 469-479.
- Roháček J., Papp L. 1988. A review of the genus *Paralimosina* L. Papp (Diptera, Sphaeroceridae), with descriptions of ten new species. *Annales Historico-Naturales Musei Nationalis Hungarici* 60: 105-143.
- Rozkošný R., Knutson L. 2006. Two new species of *Euthycera* with records of Middle Asian Sciomyzidae (Diptera). *Folia Heyrovskyana* 13(4): 179-193.
- Sartori M., Bauernfeind E. 2020. Mayfly types and additional material (Insecta: Ephemeroptera) examined by F.-J. Pictet and A.-E. Pictet, housed in the Museums of Natural History of Geneva and Vienna. *Revue suisse de Zoologie* 127(2): 315-339.
- Sasakawa M., Kozánek M. 1995. Lauxaniidae (Diptera) of North Korea. Part 2. *Japanese Journal of Entomology* 63(2): 323-332.
- Shamshev I.V., Sinclair B.J. 2009. Revision of the *Iteaphila setosa* group (Diptera: Empididae). *European Journal of Entomology* 106(3): 441-450.
- Shatalkin A.I. 2000. New Oriental and Palaearctic species of *Psila* Meigen, 1803 (Diptera: Psilidae). *Russian Entomological Journal* 9(2): 157-160.
- Shatalkin A.I., Merz B. 2010. The Psilidae (Diptera, Acalyptrata) of Switzerland, with description of two new species from Central Europe. *Revue suisse de Zoologie* 117(4): 771-800.
- Shi L., Gaimari S.D., Yang D. 2011. Four new species from China and Southeast Asia (Diptera, Lauxaniidae, Homoneurinae). *Revue suisse de Zoologie* 118(4): 667-693.
- Shi L., Gaimari S.D., Yang D. 2013. Four new species of *Noeetomima* Enderlein (Diptera: Lauxaniidae), with a key to world species. *Zootaxa* 3746(2): 338-356.
- Shi L., Yang D. 2008. Species of the subgenus *Neohomoneura* van der Wulp from Hainan in China (Diptera, Lauxaniidae). *Zootaxa* 1793(1): 28-46.
- Shi L., Yang D., Gaimari S.D. 2009. Species of the genus *Cestrotus* Loew from China (Diptera: Lauxaniidae). *Zootaxa* 2009: 41-68.
- Smart M.J., Taylor M.J., Hull M. 2007. *Pamponerus choremii* sp. n. (Diptera, Asilidae) from Greece with diagnostic notes on other *Pamponerus* species and records of *Pamponerus epirus* Tomasovic, 2001 from two new sites. *Dipterists Digest* 14(1): 33-47.
- Soós A. 1971. Taxonomische und faunistische Untersuchungen über die Otitiden (Diptera) in der Mongolei. *Acta Zoologica Academiae Scientiarum Hungaricae* 17(3-4): 349-360.
- Stark A. 2003. Beschreibung einer neuen Art der Gattung *Drapetis* (Diptera, Hybotidae) (pp. 139-142). In: Schnitter P., Trost M., Wallaschek M. (eds). Tierökologische Untersuchungen in gefährdeten Biotoptypen des Landes Sachsen-Anhalt. I. Zwergstrauchheiden, Trocken- und Halbtrockenrasen. *Entomologische Mitteilungen Sachsen-Anhalt Sonderheft, Hecklingen*, 216 pp.
- Stork N.E. 2018. How many species of insects and other terrestrial arthropods are there on Earth. *Annual review of entomology* 63(1): 31-45.
- Stuke J.-H., Clements D.K. 2008. Revision of the *Myopa testacea* Species-Group in the Palaearctic Region (Diptera: Conopidae). *Zootaxa* 1713: 1-26.
- Sueyoshi M., Roháček J. 2003. Anthomyzidae (Diptera: Acalyptrata) from Japan and adjacent areas. *Entomological Science* 6(1): 17-36.
- Tanasijtchuk V.N. 1996. Two species of *Leucopis* Meigen (Diptera: Chamaemyiidae) predacious on the Russian wheat aphid, *Diuraphis noxia* (Mordvilko) (Homoptera: Aphididae), in North America. *Proceedings of the Entomological Society of Washington* 98(4): 640-646.
- Tanasijtchuk V.N., Beschovski V.L. 1991. A contribution to the study of the *Chamaemyia* species (Diptera, Chamaemyiidae) from Bulgaria and some East European countries. *Acta Zoologica Bulgarica* 41: 18-25.
- Theodor O. 1954. 66a. Nycteribiidae (pp. 1-44). In: Lindner E. (ed.). Die Fliegen der Palaearktischen Region, Band XII. *Schweizerbart Science Publishers, Stuttgart*, XVIII, 126 pp.
- Tournier H. 1889. Diptères. Matériaux pour contribuer à une faune Suisse. *L'Entomologiste Genevois* 1(1-2): 224-228.
- Tschorsnig H.-P. 1997. A new genus and four new species of Palearctic Tachinidae (Diptera). *Stuttgarter Beitrage zur Naturkunde Serie A (Biologie)* 555: 1-9.
- Tschorsnig H.-P., Herting B. 1998. A new species of the genus *Meigenia* Robineau-Desvoidy (Diptera: Tachinidae). *Stuttgarter Beitrage zur Naturkunde Serie A (Biologie)* 569: 1-5.
- Vallotton L., Smith P. 2021. Paraguayan bird specimens in the Museum of natural history, Geneva, Switzerland. *Boletín del Museo Nacional de Historia Natural del Paraguay* 25: 1-92.
- Wakeham-Dawson A., Aguiar A.M.F., Smit J., McCullough A., Wyatt N. 2004. *Melanostoma wollastoni* sp. n. (Diptera, Syrphidae) from Madeira, Portugal. *Dipterists Digest* 10(2): 89-94.
- Wang X.J. 1989. A new genus and three new species of Acanthonevrini from China (Diptera: Tephritidae). *Acta Zootaxonomica Sinica* 14: 358-363.
- Wang X.J. 1990a. New genus and species of Tephritinae (Diptera: Tephritidae) from Inner Mongolia, China. *Entomotaxonomia* 12: 291-304.
- Wang X.J. 1990b. Notes on six new species of the genus

- Callantra* from China (Diptera: Tephritidae). *Acta Zootaxonomica Sinica* 15: 67-76.
- Wang X.J. 1996. The fruit flies (Diptera: Tephritidae) of the east Asian region. *Acta Zootaxonomica Sinica* 21(Supplement): 1-338.
- Wang X.J., Chen X.L. 2002. A revision of the genus *Gastrozonia* Bezzi from China. *Acta Entomologica Sinica* 45(4): 507-515.
- Wang X.J., Xiao S., Chen X.L., Long R., Zhang C.L. 2008. Two new species of the genus *Bactrocera* Macquart (Diptera, Tephritidae) from Yunnan, China. *Acta Zootaxonomica Sinica* 33(1): 73-76.
- White I.M. 2006. Taxonomy of the Dacina (Diptera: Tephritidae) of Africa and the Middle East. *Entomological Society of Southern Africa, Hatfield, South Africa*, VI + 156 pp.
- Wiegmann B.M., Trautwein M.D., Winkler I.S., Barr N.B., Kim J.W., Lambkin C., Bertone M.A., Cassel B.K., Bayless K.M., Heimberg A.M., Wheeler B.M. 2011. Episodic radiations in the fly tree of life. *Proceedings of the National Academy of Sciences* 108(14): 5690-5695.
- Withers P. 1986. Recent records of moth flies in Norfolk, including a species new to science and five species new to Britain. *Transactions of the Norfolk & Norwich Naturalists' Society* 27(3): 227-231.
- Withers P. 1987. *Telmatoscopus ellisi*, a further new species of moth fly (Diptera, Psychodidae) from Norfolk. *Transactions of the Norfolk & Norwich Naturalists' Society* 27(5): 381-383.
- Withers P. 2004a. Scatopsides nouvelles ou peu connues de la faune de France. Description de *Rhexosa lydiae* n. sp. (Diptera Scatopsidae). *Bulletin mensuel de la Société linnéenne de Lyon* 73(2): 46-48.
- Withers P. 2004b. The British *Trichomyia* Haliday in Curtis (Diptera, Psychodidae) with the description of a new species. *Dipterists Digest* 10(2): 107-110.
- Withers P. 2009. A new species of *Renocera* (Diptera, Sciomyzidae) from Majorca. *Dipterists Digest* 16(2): 185-187.
- Withers P., Claude J. 2021. Checklist of the Pipunculidae (Diptera) of mainland France: further faunistic records and description of a new species. *Zootaxa* 506(4): 517-547.
- Withers P., MacGowan I. 2014. A preliminary account of the lance flies (Diptera, Lonchaeidae) of continental France, with the description of a new species. *Studia Dipterologica* 21(1): 3-10.
- Woodley N., Rozkošný R. 2010. A new genus and three new species of Oriental Oxycerini (Diptera: Stratiomyidae: Stratiomyinae) with notes on new generic synonyms in two other stratiomyine genera. *Insect Systematics & Evolution* 41(3): 275-294.
- Yang D., Li W. 2011a. New *Platypalpus* Macquart from Hubei, China (Diptera, Empidoidea, Hybotidae, Tachydromiinae). *Revue suisse de Zoologie* 118(1): 39-44.
- Yang D., Li W. 2011b. Two new species of *Hybos* Meigen from Oriental China (Diptera, Empidoidea, Hybotidae). *Revue suisse de Zoologie* 118(1): 93-98.
- Yarom I. 1990. A review of the genus *Sapromyza* Fallén in Israel with remarks on *S. (Sapromyzosoma) quadripunctata* (Linnaeus) (Diptera: Lauxaniidae). *Insect Systematics & Evolution* 21(3): 289-304.
- Yarom I. 1991. A revision of the genus *Paroecus* Becker (Diptera: Lauxaniidae). *Entomologica Scandinavica* 22(2): 129-137.
- Yarom I., Friedberg A., Papp L. 1987. A revision of the genus *Mycterella* Kertész (Diptera: Lauxaniidae). *Israel Journal of Entomology* 20: 59-69.
- Zatwarnicki T., Mathis W. 2007. A revision of the Palearctic species of the shore-fly genus *Discomyza* Meigen (Diptera: Ephydriidae). *Insect Systematics & Evolution* 38(3): 241-266.
- Zia Y. 1964. Notes on Chinese Trypetid flies III. *Acta Zootaxonomica Sinica* 1: 42-54.
- Zompro O., Brock P.D. 2003. Catalogue of type-material of stick-insects housed in the Muséum d'histoire naturelle, Geneva, with descriptions of some new taxa (Insecta: Phasmatodea). *Revue suisse de Zoologie* 110(1): 3-43.
- Zonstein I., Freidberg A. 2004. *Setoides*, a new Afrotropical genus of Schistopterini (Diptera, Tephritidae, Tephritinae) (pp. 227-241). In: Merz B. (Eds). Phylogeny, taxonomy, and biology of Tephritoid flies (Diptera, Tephritoidea). Proceedings of the "3rd Tephritoid Taxonomist's Meeting, Geneva, 19.-24. July 2004". *Instrumenta Biodiversitatis* 7, Genève, 274 pp.