

THE FLORA CHECKLIST
OF NORTHAMPTONSHIRE AND THE SOKE OF PETERBOROUGH



ROB WILSON

2014

A FLORA CHECKLIST OF NORTHAMPTONSHIRE & THE SOKE OF PETERBOROUGH : 2014

INTRODUCTION

The first edition of this checklist was published in 2008 as an aide to members of the Northamptonshire Flora Group who were recording the distribution of species for the forthcoming new Flora of Northamptonshire and the Soke of Peterborough, due for publication in 2012 - 2013. It was based on the species detailed in the 1995 Flora of Northamptonshire and the Soke of Peterborough.

Recording for the projected new flora has brought to light a considerable number of species not previously found in the county. This has made it necessary to update the checklist. This edition contains all the species ever found in the vice-county up to end of 2011. It is the intention to keep this check-list updated and to post an updated version on the BSBI web site at regular intervals.

The names in the checklist have been brought into line with those used in the third edition of the new Flora of the British Isles (Stace 2010), but it also includes species, mainly garden escapes or casuals that no longer occur in the British Isles, that are not included in this publication and reference has been made to numerous other publications including various handbooks published by the BSBI. The three columns in the table list the current taxonomic name, followed by the Accepted English name and the status within the vice-county. The latter has split into five categories:

Native

A plant that has been growing in VC32, usually for many thousands of years, without being either accidentally or intentionally introduced by man; it also includes naturally occurring hybrids even if the parents do not occur in the vice-county.

Archeophyte

A naturalised plant believed to have been introduced into the vice-county by man, before 1500 AD; it is considered to denaturalized if it maintains itself or increases itself from year to year by seed set or vegetative spread.

Neophyte

A naturalised plant believed to have been introduced into the vice-county by man, after the year 1500 AD; it is considered to be naturalised if it maintains itself or increases year by year either by seed set or vegetative spread.

Introduction

An alien plant that has been deliberately introduced into the countryside or urban areas; included in this section are trees that have been deliberately introduced and which will survive for many years but will become extinct if not re-introduced. As a general rule trees in gardens have not been recorded although occasionally exceptions have been made for specimen trees of trees of some historic interest.

Casual

An alien plant that has arrived accidentally but cannot maintain itself by seed set or vegetative spread and requires continual re-introduction to maintain its presence. It has not been deliberately introduced. It is highly likely that many of these ephemeral species have been missed.

At the end of the main list are two Appendices that list species that have been listed in print as present in Northamptonshire, but are now considered to be errors, and *Rubus* species that are listed in The Flora of Northamptonshire (Druce 1930) for which I have been unable to trace the current taxonomy.

As this list is a work in progress, being continually updated as new data becomes available; the author would be pleased to receive any comments or details of any additional species.

ACKNOWLEDGMENTS

My thanks are due to various botanists past and present, too numerous to mention individually, who have recorded the flora of this vice-county.

Rob Wilson January 2014



Cover picture: Dropwort *Filipendula Vulgaris* at Barnack Hills and Holes. Above: Traveller's-joy *Clematis vitalba* in a roadside hedge between Apethorpe and King's Cliffe. (Rob Wilson)

TAXON	COMMON NAME	STATUS
<i>Abies alba Mill.</i>	European Silver-fir	Introduction
<i>Abies grandis (Douglas ex D. Don) Lindl.</i>	Giant Fir	Introduction
<i>Acaena novae-zelandiae Kirk</i>	Pirri-pirri-bur	Casual
<i>Acer campestre L.</i>	Field Maple	Native
<i>Acer capillipes Maxim. ex Miq.</i>	Red Snake-bark Maple	Introduction
<i>Acer cappadocicum Gled.</i>	Cappadocian Maple	Introduction
<i>Acer japonicum Thunb.</i>	Downy Japanese-maple	Introduction
<i>Acer negundo L.</i>	Ashleaf Maple	Introduction
<i>Acer palmatum Thunb. cv palmatum</i>	Smooth Japanese Maple	Introduction
<i>Acer platanoides L.</i>	Norway Maple	Introduction
<i>Acer pseudoplatanus L.</i>	Sycamore	Introduction
<i>Acer saccharinum L.</i>	Silver Maple	Introduction
<i>Acer villosum C. Presl.</i>	Mediterranean Sycamore	Introduction
<i>Achillea millefolium L.</i>	Yarrow	Native
<i>Achillea ptarmica L.</i>	Sneezewort	Native
<i>Aconitum napellus L.</i>	Monk's-hood	Casual
<i>Acorus calamus L.</i>	Sweet-flag	Neophyte
<i>Adiantum capillus-veneris L.</i>	Maidenhair Fern	Casual
<i>Adonis annua L.</i>	Pheasant's-eye	Archeophyte
<i>Adoxa moschatellina L.</i>	Moschatel	Native
<i>Aegopodium podagraria L.</i>	Ground-elder	Archeophyte
<i>Aesculus carnea J. Zeyh.</i>	Red Horse-chestnut	Introduction
<i>Aesculus flava Sol.</i>	Yellow Buckeye	Introduction
<i>Aesculus hippocastanum L.</i>	Horse-chestnut	Introduction
<i>Aesculus indica (Cambess.) Hook.</i>	Indian Horse-chestnut	Introduction
<i>Aesculus turbinata Blume</i>	Japanese Horse-chestnut	Introduction
<i>Aethusa cynapium</i> ssp. <i>agrestis</i> (<i>Wallr.</i>) <i>Dostál</i> ssp. <i>cynapium</i> <i>L.</i>	Fool's Parsley	Archeophyte
<i>Agrimonia eupatoria L.</i>	Agrimony	Native
<i>Agrimonia procera Wallr.</i>	Fragrant Agrimony	Native
<i>Agrostemma githago L.</i>	Corncockle	Archeophyte
<i>Agrostis canina L.</i>	Velvet Bent	Native
<i>Agrostis capillaris L.</i>	Common Bent	Native
<i>Agrostis gigantea Roth</i>	Black Bent	Archeophyte
<i>Agrostis stolonifera L.</i>	Creeping Bent	Native
<i>Agrostis vinealis Schreb.</i>	Brown Bent	Native
<i>Ailanthus altissima (Mill.) Swingle</i>	Tree-of-heaven	Introduction
<i>Aira caryophyllea L.</i>	Silver Hair-grass	Native
<i>Aira praecox L.</i>	Early Hair-grass	Native
<i>Ajuga chamaepitys (L.) Schreb.</i>	Ground-pine	Native
<i>Ajuga reptans L.</i>	Bugle	Native
<i>Alcea rosea L.</i>	Hollyhock	Casual
<i>Alchemilla filicaulis</i> ssp. <i>vestita</i> (<i>Buser</i>) <i>M.E. Bradshaw</i>	Hairy Lady's-mantle	Native
<i>Alchemilla mollis (Buser) Rothm.</i>	Soft Lady's-mantle	Casual
<i>Alchemilla vulgaris agg. L.</i>	Lady's-mantle	Native
<i>Alchemilla xanthochlora Rothm.</i>	Pale Lady's-mantle	Native
<i>Alisma lanceolatum With.</i>	Narrow-leaved Water-plantain	Native
<i>Alisma plantago-aquatica L.</i>	Water-plantain	Native

<i>Alliaria petiolata</i> (<i>M. Bieb.</i>) <i>Cavara & Grande</i>	Garlic Mustard	Native
<i>Allium christophii</i> <i>Trautv.</i>	Star of Persia	Casual
<i>Allium oleraceum</i> <i>L.</i>	Field garlic	Native
<i>Allium paradoxum</i> (<i>M. Bieb.</i>) <i>G. Don</i>	Few-flowered Leek	Casual
<i>Allium ursinum</i> <i>L.</i>	Ramsons	Native
<i>Allium roseum</i> <i>L.</i>	Rosy Garlic	Casual
<i>Allium vineale</i> <i>L.</i>	Wild Onion	Native
<i>Alnus cordata</i> (<i>Loisel.</i>) <i>Duby</i>	Italian Alder	Introduction
<i>Alnus glutinosa</i> (<i>L.</i>) <i>Gaertn.</i>	Alder	Native
<i>Alnus incana</i> (<i>L.</i>) <i>Moench</i>	GreyAlder	Introduction
<i>Alnus viridis</i> (<i>Chax.</i>) <i>D. C.</i>	Green Alder	Introduction
<i>Alnus x hybrida</i> <i>A Braun ex Rchb.</i>	Hybrid Alder	Introduction
<i>Alopecurus aequalis</i> <i>Sobol.</i>	Orange Foxtail	Native
<i>Alopecurus geniculatus</i> <i>L.</i>	Marsh Foxtail	Native
<i>Alopecurus myosuroides</i> <i>Huds.</i>	Black-grass	Aecheophyte
<i>Alopecurus pratensis</i> <i>L.</i>	Meadow Foxtail	Native
<i>Alopecurus x brachystylus</i> <i>Peterm.</i>		Native
<i>Althaea officinalis</i> <i>L.</i>	Marsh-mallow	Casual
<i>Alyssum alyssoides</i> (<i>L.</i>) <i>L.</i>	Small Alison	Casual
<i>Amaranthus albus</i> <i>L.</i>	White Pigweed	Casual
<i>Amaranthus capensis</i> ssp. <i>uncinatus</i> (<i>Thell.</i>) <i>Brennan</i>	Cape Pigweed	Casual
<i>Amaranthus caudatus</i> <i>L.</i>	Love-lies-bleeding	Casual
<i>Amaranthus cruentus</i> <i>L.</i>	Purple Amaranth	Casual
<i>Amaranthus hybridus</i> <i>L.</i>	Green Amaranth	Casual
<i>Amaranthus retroflexus</i> <i>L.</i>	Common Amaranth	Casual
<i>Ambrosia artemisiifolia</i> <i>L.</i>	Ragweed	Casual
<i>Amelanchier lamarckii</i> <i>F.G.Schroed.</i>	Juneberry	Introduction
<i>Ammi majus</i> <i>L.</i>	Bullwort	Casual
<i>Amsinckia lycopsoides</i> <i>Lehm.</i>	Scarce Fiddleneck	Casual
<i>Amsinckia micrantha</i> <i>Suksd.</i>	Common Fiddleneck	Casual
<i>Anacamptis morio</i> (<i>L.</i>) <i>R.M. Bateman, Pridgeom & M.W. Chase</i>	Green-winged Orchid	Native
<i>Anacamptis pyramidalis</i> (<i>L.</i>) <i>Rich.</i>	Pyramidal Orchid	Native
<i>Anagallis arvensis</i> ssp. <i>arvensis</i> <i>L.</i> ssp. <i>foemina</i> (<i>Mill.</i>) <i>Schinz & Thell.</i>	Scarlet Pimpernel Blue Pimpernel	Native Archeophyte
<i>Anagallis tenella</i> (<i>L.</i>) <i>L.</i>	Bog Pimpernel	Native
<i>Anchusa arvensis</i> (<i>L.</i>) <i>M. Bieb.</i>	Bugloss	Archeophyte
<i>Anchusa officinalis</i> <i>L.</i>	Alkanet	Casual
<i>Anemone apennina</i> <i>L.</i>	Blue Anemone	Casual
<i>Anemone blanda</i> <i>Schott & Kotschy</i>	Balkan Anemone	Casual
<i>Anemone nemorosa</i> <i>L.</i>	Wood Anemone	Native
<i>Anemone ranunculoides</i> <i>L.</i>	Yellow Anemone	Casual
<i>Anemone x hybrida</i> <i>Paxton L.</i>	Japanese Anemone	Casual
<i>Anethum graveolens</i> <i>L.</i>	Dill	Casual
<i>Angelica sylvestris</i> <i>L.</i>	Wild Angelica	Native
<i>Anisantha diandra</i> (<i>Roth</i>) <i>Tutin ex Tzvelev</i>	Great Brome	Casual
<i>Anisantha sterilis</i> (<i>L.</i>) <i>Nevski</i>	Barren Brome	Archeophyte
<i>Antennaria dioica</i> (<i>L.</i>) <i>Gaertn.</i>	Mountain Everlasting	Native
<i>Anthemis arvensis</i> <i>L.</i>	Corn Chamomile	Archeophyte
<i>Anthemis cotula</i> <i>L.</i>	Stinking Chamomile	Archeophyte

<i>Anthemis tinctoria</i> L.	Yellow Chamomile	Neophyte
<i>Anthoxanthum aristatum</i> Boiss.	Annual Vernal-grass	Neophyte
<i>Anthoxanthum odoratum</i> L.	Sweet Vernal-grass	Native
<i>Anthriscus caucalis</i> M. Bieb.	Bur Chervil	Native
<i>Anthriscus sylvestris</i> (L.) Hoffm.	Cow Parsley	Native
<i>Anthyllis vulneraria</i> ssp. <i>carpathica</i> (Pant.) Nyman ssp. <i>vulneraria</i> L.	Kidney Vetch	Casual Native
<i>Antirrhinum majus</i> L.	Snapdragon	Neophyte
<i>Apera interrupta</i> (L.) P. Beauv.	Dense Silky-bent	Casual
<i>Apera spica-venti</i> (L.) P. Beauv.	Loose Silky-bent	Casual
<i>Aphanes arvensis</i> L.	Parsley-piert	Native
<i>Aphanes australis</i> Rydb	Slender Parsley-piert	Native
<i>Apium graveolens</i> L.	Wild Celery	Casual
<i>Apium inundatum</i> (L.) Rchb. f.	Lesser Marshwort	Native
<i>Apium nodiflorum</i> (L.) Lag.	Fool's-water-cress	Native
<i>Apium x moorei</i> (Syme) Druce		Native
<i>Aponogeton distachyos</i> L. f.	Cape-pondweed	Casual
<i>Aquilegia vulgaris</i> L.	Columbine	Native
<i>Arabidopsis thaliana</i> (L.) Heynh.	Thale Cress	Native
<i>Arabis caucasica</i> Willd. ex Schleidl.	Garden Arabis	Casual
<i>Arabis hirsuta</i> (L.) Scop.	Hairy Rock-cress	Native
<i>Araucaria araucana</i> (Molina) K. Koch.	Monkey-puzzle	Introduction
<i>Arbutus unedo</i> L.	Strawberry-tree	Introduction
<i>Arctium lappa</i> L.	Greater Burdock	Archeophyte
<i>Arctium minus</i> ssp. <i>minus</i> (Hill) Bernh. ssp. <i>pubens</i> (Bab.) P. Fourn.	Lesser Burdock	Native
<i>Arctium nemorosum</i> Lej.	Wood Burdock	Native
<i>Arenaria balearica</i> L.	Mossy Sandwort	Casual
<i>Arenaria leptoclados</i> (Rchb.) Guss.	Slender Sandwort	Native
<i>Arenaria serpyllifolia</i> ssp. <i>serpyllifolia</i> L.	Thyme-leaved Sandwort	Native
<i>Aristolochia clematitis</i> L.	Birthwort	Casual
<i>Armoracia rusticana</i> P. Gaertn., B. Mey. & Scherb	Horse-radish	Neophyte
<i>Arnoseris minima</i> (L.) Schweigg. & Körte	Lamb's Succory	Archeophyte
<i>Arrhenatherum elatius</i> (L.) P. Beauv. ex J. & C. Presl	False Oat-grass	Native
<i>Artemisa scoparia</i> Waldst. & Kitam.	Redstem Wormwood	Casual
<i>Artemisia absinthium</i> L.	Wormwood	Archeophyte
<i>Artemisia biennis</i> Willd.	Slender Mugwort	Casual
<i>Artemisia dracunculus</i> L.	Tarragon	Casual
<i>Artemisia verlotiorum</i> Lamotte	Chinese Mugwort	Neophyte
<i>Artemisia vulgaris</i> L.	Mugwort	Archeophyte
<i>Arum italicum</i> ssp. <i>italicum</i> Mill.	Italian Lords-and-ladies	Casual
<i>Arum maculatum</i> L.	Lords-and-ladies	Native
<i>Asarina procumbens</i> Mill.	Trailing Snapdragon	Casual
<i>Asparagus officinalis</i> L.	Garden Asparagus	Casual
<i>Asperugo procumbens</i> L.	Madwort	Casual
<i>Asperula arvensis</i> L.	Blue Woodruff	Casual
<i>Asperula cynanchica</i> ssp. <i>cynanchia</i> L.	Squinancywort	Native
<i>Asplenium adiantum-nigrum</i> L.	Black Spleenwort	Native
<i>Asplenium ceterach</i> L.	Rustyback	Native
<i>Asplenium ruta-muraria</i> L.	Wall-rue	Native

<i>Asplenium scolopendrium L.</i>	Hart's-tongue	Native
<i>Asplenium trichomanes ssp. quadrivalens D.E. Mey.</i>	Maidenhair Spleenwort	Native
<i>Aster lanceolatus Willd.</i>	Narrow-leaved Michelmas-daisy	Neophyte
<i>Aster linosyris (L.) Bernh.</i>	Goldilocks Aster	Casual
<i>Aster novi-belgii L.</i>	Confused Michelmas-daisy	Neophyte
<i>Aster tripolium L.</i>	Sea Aster	Casual
<i>Aster x salignus Willd.</i>	Common Michelmas-daisy	Neophyte
<i>Astragalus danicus Retz.</i>	Purple Milk-vetch	Native
<i>Astragalus glycyphyllos L.</i>	Wild Liquorice	Native
<i>Astrantia major L.</i>	Astrantia	Casual
<i>Athyrium filix-femina (L.) Roth</i>	Lady-fern	Native
<i>Atriplex hortensis L.</i>	Garden Orache	Casual
<i>Atriplex littoralis L.</i>	Grass-leaved Orache	Casual
<i>Atriplex patula L.</i>	Common Orache	Native
<i>Atriplex prostrata Boucher ex DC.</i>	Spear-leaved Orache	Native
<i>Atropa belladonna L.</i>	Deadly Nightshade	Native
<i>Aubrieta deltoidea (L.) DC.</i>	Aubretia	Casual
<i>Aucuba japonica Thunb.</i>	Spotted-laurel	Introduction
<i>Avena fatua L.</i>	Wild-oat	Archeophyte
<i>Avena sativa L.</i>	Oat	Casual
<i>Avena sterilis ssp. ludoviciana (Durieu) Gillet & Magne.</i>	Winter Wild-oat	Neophyte
<i>Avena strigosa Schreb.</i>	Bristle Oat	Casual
<i>Avenula pratensis (L.) Dumort.</i>	Meadow Oat-grass	Native
<i>Avenula pubescens (Huds.) Dumort.</i>	Downy Oat-grass	Native
<i>Axyris amaranthoides L.</i>	Russian Pigweed	Casual
<i>Azolla filiculoides Lam.</i>	Water Fern	Casual
<i>Baldellia ranunculoides ssp. ranunculoides (L.) Parl.</i>	Lesser Water-plantain	Native
<i>Ballota nigra ssp. meridionalis (Bég.) Bég</i>	Black Horehound	Archeophyte
<i>Barbara intermedia Boreau</i>	Medium-flowered Winter-cress	Casual
<i>Barbara stricta Andr.</i>	Small-flowered Winter-cress	Casual
<i>Barbara verna (Mill.) Asch.</i>	American Winter-cress	Casual
<i>Barbara vulgaris W.T. Aiton</i>	Winter-cress	Native
<i>Bassia scoparia (L.) Voss</i>	Summer-cypress	Casual
<i>Bellis perennis L.</i>	Daisy	Native
<i>Berberis darwinii Hook.</i>	Darwin's Barberry	Introduction
<i>Berberis julianae C.K. Schneid.</i>	Chinese Barberry	Introduction
<i>Berberis thunbergii DC.</i>	Thunberg's Barberry	Introduction
<i>Berberis vulgaris L.</i>	Barberry	Neophyte
<i>Berberis x stenophylla Lindl.</i>	Hedge Barberry	Introduction
<i>Berteroia incana (L.) DC.</i>	Hoary Alison	Casual
<i>Berula erecta (Huds.) Coville</i>	Lesser water-parsnip	Native
<i>Beta vulgaris ssp. maritima (L.) Arcang. ssp. vulgaris L.</i>	Sea Beet	Casual
<i>Betonica officinalis L.</i>	Beet	
<i>Betula pendula Roth</i>	Betony	Native
<i>Betula pubescens ssp. pubescens Ehrh.</i>	Silver Birch	Native
<i>Betula x aurata Borkh.</i>	Downy Birch	Native
<i>Bidens cernua L.</i>	Nodding Bur-marigold	Native
<i>Bidens connata Muhl. ex Willd.</i>	London Bur-marigold	Neophyte

<i>Bidens tripartita L.</i>	Trifid Bur-marigold	Native
<i>Blackstonia perfoliata (L.) Huds.</i>	Yellow-wort	Native
<i>Blechnum spicant (L.) Roth</i>	Hard-fern	Native
<i>Blysmus compressus (L.) Panz. ex Link</i>	Flat-sedge	Native
<i>Bolboschoenus maritimus (L.) Palla</i>	Sea Club-rush	Neophyte
<i>Borago officinalis L.</i>	Borage	Casual
<i>Botrychium lunaria (L.) Sw.</i>	Moonwort	Native
<i>Brachypodium pinnatum (L.) P. Beauv.</i>	Heath False-brome	Native
<i>Brachypodium sylvaticum (Huds.) P. Beauv.</i>	False Brome	Native
<i>Brassica juncea (L.) Czern.</i>	Chinese Mustard	Casual
<i>Brassica napus ssp. oleifera (DC.) Metzg.</i>	Oil-seed Rape	Casual
<i>ssp. rapifera Metzg.</i>	Swede	Neophyte
<i>Brassica nigra (L.) W.D.J. Koch</i>	Black Mustard	Native
<i>Brassica oleracea L.</i>	Cabbage	Casual
<i>Brassica rapa ssp. campestris (L.) A.R. Clapham</i>	Wild Turnip	Archeophyte
<i>Briza maxima L.</i>	Greater Quaking-grass	Casual
<i>Briza media L.</i>	Quaking-grass	Native
<i>Bromopsis erecta (Huds.) Fourr.</i>	Upright Brome	Native
<i>Bromopsis inermis (Leyss.) Holub.</i>	Hungarian Brome	Casual
<i>Bromopsis ramosa (Huds.) Holub</i>	Hairy-brome	Native
<i>Bromus alopecurus Poir.</i>		Casual
<i>Bromus arvensis L.</i>	Field Brome	Casual
<i>Bromus commutatus Schrad.</i>	Meadow Brome	Native
<i>Bromus hordeaceus ssp. hordeaceus L.</i>	Soft-brome	Native
<i>ssp. thominei (Hardouin) Braun-Blanq.</i>		
<i>Bromus interruptus (Hack.) Druce</i>	Interrupted Brome	Neophyte
<i>Bromus lepidus Holmb.</i>	Slender Soft-brome	Neophyte
<i>Bromus racemosus L.</i>	Smooth Brome	Native
<i>Bromus secalinus L.</i>	Rye Brome	Neophyte
<i>Bromus x pseudothominei P.M. Sm.</i>	Lesser Soft-brome	Neophyte
<i>Brunnera macrophylla (Adams) I.M. Johnst.</i>	Great Forget-me-not	Casual
<i>Bryonia dioica Jacq.</i>	White Bryony	Native
<i>Buddleja davidii Franch.</i>	Butterfly-bush	Neophyte
<i>Buddleja globosa Hope</i>	Orange-ball-tree	Introduction
<i>Bunias erucago L.</i>	Southern Warty-cabbage	Casual
<i>Bunias orientalis L.</i>	Warty-cabbage	Casual
<i>Bupleurum rotundifolium L.</i>	Thorow-wax	Casual
<i>Bupleurum tenuissimum L.</i>	Slender Hare's-ear	Casual
<i>Butomus umbellatus L.</i>	Flowering-rush	Native
<i>Buxus sempervirens L.</i>	Box	Neophyte
<i>Calamagrostis canescens (F.H. Wigg.) Roth</i>	Purple Small-reed	Native
<i>Calamagrostis epigejos (L.) Roth</i>	Wood Small-reed	Native
<i>Calendula officinalis L.</i>	Pot Marigold	Casual
<i>Callitriches brutia ssp. hamulata (Kütz. Ex W.D.J. Koch) O. Bolòs Vigo</i>	Intermediate Water-starwort	Native
<i>Callitriches obtusangula Le Gall</i>	Blunt-fruited Water-starwort	Native
<i>Callitriches platycarpa Kütz.</i>	Various-leaved Water-starwort	Native
<i>Callitriches stagnalis Scop.</i>	Common Water-starwort	Native
<i>Callitriches truncata Guss.</i>	Short-leaved Water-starwort	Casual
<i>Calluna vulgaris (L.) Hull</i>	Heather	Native
<i>Caltha palustris L.</i>	Marsh-marigold	Native

<i>Calystegia pulchra</i> Brummitt & Heywood	Hairy Bindweed	Casual
<i>Calystegia sepium</i> ssp. <i>sepium</i> (L.) R. Br.	Hedge Bindweed	Native
<i>Calystegia x lucana</i> (Ten.) G. Don		Native
<i>Calystegia silvatica</i> (Kit.) Griseb.	Large Bindweed	Neophyte
<i>Camelina alyssum</i> (Mill.) Thell.		Casual
<i>Camelina sativa</i> (L.) Crantz	Gold-of-pleasure	Casual
<i>Campanula glomerata</i> L.	Clustered Bellflower	Native
<i>Campanula latifolia</i> L.	Giant Bellflower	Native
<i>Campanula medium</i> L.	Canterbury-bells	Casual
<i>Campanula persicifolia</i> L.	Peach-leaved Bellflower	Casual
<i>Campanula portenschlagiana</i> Schult.	Adria Bellflower	Casual
<i>Campanula poscharskyana</i> Degen.	Trailing Bellflower	Casual
<i>Campanula rapunculoides</i> L.	Creeping Bellflower	Casual
<i>Campanula rapunculus</i> L.	Rampion Bellflower	Casual
<i>Campanula rotundifolia</i> ssp. <i>rotundifolia</i> L.	Harebell	Native
<i>Campanula trachelium</i> L.	Nettle-leaved Bellflower	Native
<i>Cannabis sativa</i> L.	Hemp	Casual
<i>Capsella bursa-pastoris</i> (L.) Medik.	Shepherd's-purse	Archeophyte
<i>Cardamine amara</i> L.	Large Bitter-cress	Native
<i>Cardamine flexuosa</i> With.	Wavy Bitter-cress	Native
<i>Cardamine hirsuta</i> L.	Hairy Bitter-cress	Native
<i>Cardamine impatiens</i> L.	Narrow-leaved Bitter-cress	Native
<i>Cardamine pratensis</i> L.	Cuckooflower	Native
<i>Cardamine raphanifolia</i> Pourr.	Greater Cuckooflower	Casual
<i>Carduus crispus</i> ssp. <i>multiflorus</i> (Gaudin) Gremli	Welted Thistle	Native
<i>Carduus nutans</i> L.	Musk Thistle	Native
<i>Carduus x stangii</i> H. Buek ex Nyman		Native
<i>Carduus tenuiflorus</i> Curtis	Slender Thistle	Native
<i>Carex acuta</i> L.	Slender Tufted-sedge	Native
<i>Carex acutiformis</i> Ehrh.	Lesser Pond-sedge	Native
<i>Carex binervis</i> Sm.	Green-ribbed Sedge	Native
<i>Carex caryophyllea</i> Latourr.	Spring-sedge	Native
<i>Carex demissa</i> Hornem.	Common Yellow-sedge	Native
<i>Carex dioica</i> L.	Dioecious Sedge	Native
<i>Carex distans</i> L.	Distant Sedge	Native
<i>Carex disticha</i> Huds.	Brown Sedge	Native
<i>Carex divulsa</i> ssp. <i>divulsa</i> Stokes ssp. <i>leersii</i> (F.W. Schultz) W. Koch	Grey Sedge	Native
<i>Carex echinata</i> Murray	Star Sedge	Native
<i>Carex elata</i> All.	Tufted-sedge	Native
<i>Carex ericetorum</i> Pollich	Rare Spring-sedge	Native
<i>Carex flacca</i> Schreb.	Glaucous Sedge	Native
<i>Carex hirta</i> L.	Hairy Sedge	Native
<i>Carex hostiana</i> DC.	Tawny Sedge	Native
<i>Carex laevigata</i> Sm.	Smooth-stalked Sedge	Native
<i>Carex lepidocarpa</i> Tausch	Long-stalked Yellow-sedge	Native
<i>Carex leporina</i> L.	Oval Sedge	Native
<i>Carex muricata</i> ssp. <i>pairae</i> (F.W. Schultz) Čelak.	Prickly-sedge	Native
<i>Carex nigra</i> (L.) Reichard	Common Sedge	Native

Carex otrubae <i>Podp.</i>	False Fox-sedge	Native
Carex pallescens <i>L.</i>	Pale Sedge	Native
Carex panicea <i>L.</i>	Carnation Sedge	Native
Carex paniculata <i>L.</i>	Greater Tussock-sedge	Native
Carex pendula <i>Huds.</i>	Pendulous Sedge	Native
Carex pilulifera <i>L.</i>	Pill Sedge	Native
Carex pseudocyperus <i>L.</i>	Cyperus sedge	Native
Carex pulicaris <i>L.</i>	Flea Sedge	Native
Carex remota <i>L.</i>	Remote Sedge	Native
Carex riparia <i>Curtis</i>	Greater Pond-sedge	Native
Carex rostrata <i>Stokes</i>	Bottle Sedge	Native
Carex spicata <i>Huds.</i>	Spiked Sedge	Native
Carex strigosa <i>Huds.</i>	Thin-spiked Wood-sedge	Native
Carex sylvatica <i>Huds.</i>	Wood Sedge	Native
Carex vesicaria <i>L.</i>	Bladder-sedge	Native
Carex x boenninghauseniana <i>Weihe</i>		Native
Carex x fulva <i>Gooden.</i>		Native
Carex x pseudoaxillaris <i>K. Richt.</i>		Native
Carlina vulgaris <i>L.</i>	Carline Thistle	Native
Carpinus betulus <i>L.</i>	Hornbeam	Native
Carum carvi <i>L.</i>	Caraway	Casual
Carya ovata (<i>Mill.</i>) <i>K. Koch</i>	Shagbark Hickory	Introduction
Castanea sativa <i>Mill.</i>	Sweet Chestnut	Neophyte
Catabrosa aquatica (<i>L.</i>) <i>P. Beauv.</i>	Whorl-grass	Native
Catapodium rigidum ssp. <i>rigidum</i> (<i>L.</i>) <i>C.E. Hubb.</i>	Fern-grass	Native
Caucalis platycarpos <i>L.</i>	Small Bur-parsley	Casual
Cedrus atlantica (<i>Endl.</i>) <i>Carrière</i>	Atlas Cedar	Introduction
Cedrus deodara (<i>Roxb. ex D. Don</i>) <i>G. Don</i>	Deodar	Introduction
Cedrus libani <i>A. Rich.</i>	Cedar-of-Lebanon	Introduction
Centaurea calcitrapa <i>L.</i>	Red Star-thistle	Casual
Centaurea cyanus <i>L.</i>	Cornflower	Archeophyte
Centaurea debeauxii <i>Gren. & Godr.</i>	Chalk Knapweed	Native
Centaurea diluta <i>Aiton</i>	Lesser Star-thistle	Casual
Centaurea melitensis <i>L.</i>	Maltese Star-thistle	Casual
Centaurea montana <i>L.</i>	Perennial Cornflower	Casual
Centaurea nigra <i>L.</i>	Common Knapweed	Native
Centaurea scabiosa <i>L.</i>	Greater Knapweed	Native
Centaurea solstitialis <i>L.</i>	Yellow Star-thistle	Casual
Centaurium erythraea <i>Rafn</i>	Common Centaury	Native
Centaurium pulchellum (<i>Sw.</i>) <i>Druce</i>	Lesser Centaury	Native
Centranthus ruber (<i>L.</i>) <i>DC.</i>	Red Valerian	Neophyte
Centunculus minimus <i>L.</i>	Chaffweed	Native
Cephalanthera damasonium (<i>Mill.</i>) <i>Druce</i>	White Helleborine	Introduction
Cephalaria gigantea (<i>Ledeb.</i>) <i>Bobrov</i>	Giant Scabious	Casual
Cerastium arvense <i>L.</i>	Field Mouse-ear	Native
Cerastium brachypetalum <i>Pers.</i>	Grey Mouse-ear	Neophyte
Cerastium diffusum <i>Pers.</i>	Sea Mouse-ear	Neophyte
Cerastium fontanum ssp. <i>holosteoides</i> (<i>Fr.</i>) <i>Salman, Ommering & de Voogd</i>	Common Mouse-ear	Native
<i>ssp. vulgare (Hartm.) Greuter & Burdet</i>		

<i>Cerastium glomeratum</i> <i>Thuill.</i>	Sticky Mouse-ear	Native
<i>Cerastium pumilum</i> <i>Curtis</i>	Dwarf Mouse-ear	Native
<i>Cerastium semidecandrum</i> <i>L.</i>	Little Mouse-ear	Native
<i>Cerastium tomentosum</i> <i>L.</i>	Snow-in-Summer	Casual
<i>Ceratocapnos claviculata</i> (<i>L.</i>) <i>Lidén</i>	Climbing Corydalis	Native
<i>Ceratochloa cathartica</i> (<i>Vahl</i>) <i>Herter</i>	Rescue Brome	Casual
<i>Ceratophyllum demersum</i> <i>L.</i>	Rigid Hornwort	Native
<i>Ceratophyllum submersum</i> <i>L.</i>	Soft Hornwort	Native
<i>Cerinthe major</i> <i>L.</i>	Greater Honeywort	Casual
<i>Chaenorhinum minus</i> (<i>L.</i>) <i>Lange</i>	Small Toadflax	Archeophyte
<i>Chaenorhinum origanifolium</i> (<i>L.</i>) <i>Kostel</i>	Malling Toadflax	Casual
<i>Chaerophyllum temulum</i> <i>L.</i>	Rough Chervil	Native
<i>Chamaecyparis lawsoniana</i> (<i>A. Murray bis</i>) <i>Parl.</i>	Lawson's Cypress	Introduction
<i>Chamaecyparis pisifera</i> (<i>Siebold & Zucc.</i>) <i>Siebold & Zucc.</i>	Sawara Cypress	Introduction
<i>Chamaemelum nobile</i> (<i>L.</i>) <i>All.</i>	Chamomile	Casual
<i>Chamerion angustifolium</i> (<i>L.</i>) <i>Holub</i>	Rosebay Willowherb	Native
<i>Chara aculeolata</i> <i>Kütz.</i>	Hedgehog Stonewort	
<i>Chara aspera</i> <i>Dethard. ex Willd.</i>	Rough Stonewort	
<i>Chara contraria</i> <i>A. Braun ex Kütz.</i>	Opposite Stonewort	
<i>Chara curta</i> <i>Nolte ex Kütz.</i>	Lesser Bearded Stonewort	
<i>Chara virgata</i> <i>Kütz.</i>	Delicate Stonewort	
<i>Chara vulgaris</i> <i>L.</i>	Common Stonewort	
<i>Chelidonium majus</i> <i>L.</i>	Greater Celandine	Archeophyte
<i>Chenopodium album</i> <i>L.</i>	Fat-hen	Native
<i>Chenopodium bonus-henricus</i> <i>L.</i>	Good-King-Henry	Archeophyte
<i>Chenopodium capitatum</i> (<i>L.</i>) <i>Ambrosi</i>	Strawberry-blite	Casual
<i>Chenopodium ficifolium</i> <i>Sm.</i>	Fig-leaved Goosefoot	Archeophyte
<i>Chenopodium foliosum</i> <i>Asch.</i>	Leafy Goosefoot	Casual
<i>Chenopodium hybridum</i> <i>L.</i>	Maple-leaved Goosefoot	Archeophyte
<i>Chenopodium murale</i> <i>L.</i>	Nettle-leaved Goosefoot	Casual
<i>Chenopodium opulifolium</i> <i>Schrad. ex W.D.J. Koch & Ziz</i>	Grey Goosefoot	Casual
<i>Chenopodium polyspermum</i> <i>L.</i>	Many-seeded Goosefoot	Archeophyte
<i>Chenopodium praetericola</i> <i>Rydb.</i>	Stinking Goosefoot	Casual
<i>Chenopodium quinoa</i> <i>Willd.</i>	Quinoa	Casual
<i>Chenopodium rubrum</i> <i>L.</i>	Red Goosefoot	Native
<i>Chenopodium urbicum</i> <i>L.</i>	Upright Goosefoot	Archeophyte
<i>Chenopodium vulvaria</i> <i>L.</i>	Stinking Goosefoot	Archeophyte
<i>Chenopodium x zahnii</i> <i>Murr.</i>		Casual
<i>Chrysosplenium oppositifolium</i> <i>L.</i>	Opposite-leaved Golden-saxifrage	Native
<i>Cicerbita macrophylla</i> ssp. <i>uralensis</i> (<i>Rouy</i>) <i>P.D. Sell</i>	Common Blue-sowthistle	Casual
<i>Cichorium intybus</i> <i>L.</i>	Chicory	Casual
<i>Circaea lutetiana</i> <i>L.</i>	Envchanter'snightshade	Native
<i>Cirsium acaule</i> <i>Scop.</i>	Dwarf Thistle	Native
<i>Cirsium arvense</i> (<i>L.</i>) <i>Scop.</i>	Creeping Thistle	Native
<i>Cirsium dissectum</i> (<i>L.</i>) <i>Hill</i>	Meadow Thistle	Native
<i>Cirsium eriophorum</i> (<i>L.</i>) <i>Scop.</i>	Woolly Thistle	Native
<i>Cirsium palustre</i> (<i>L.</i>) <i>Scop.</i>	Marsh Thistle	Native
<i>Cirsium vulgare</i> (<i>Savi</i>) <i>Ten.</i>	Spear Thistle	Native

<i>Cladium mariscus</i> (L.) Pohl	Great Fen Sedge	Neophyte
<i>Clarkia unguiculata</i> Lindl.	Clarkia	Casual
<i>Claytonia perfoliata</i> Donn ex Willd.	Springbeauty	Neophyte
<i>Claytonia sibirica</i> L.	Pink Purslane	Neophyte
<i>Clematis montana</i> Buch-Ham. ex DC.	Himalayan Clematis	Casual
<i>Clematis vitalba</i> L.	Traveller's-joy	Native
<i>Clematis viticella</i> L.	Purple Clematis	Casual
<i>Clinopodium acinos</i> (L.) Kuntze	Basil Thyme	Native
<i>Clinopodium ascendens</i> (Jord.) Samp.	Common Calamint	Native
<i>Clinopodium calamintha</i> (L.) Stace	Lesser Calamint	Native
<i>Clinopodium vulgare</i> L.	Wild Basil	Native
<i>Cochlearia danica</i> L.	Danish Scurvygrass	Neophyte
<i>Cochlearia officinalis</i> L.	Common Scurvygrass	Casual
<i>Coeloglossum viride</i> (L.) Hartm.	Frog Orchid	Native
<i>Colchicum autumnale</i> L.	Meadow Saffron	Native
<i>Colutea arborescens</i> L.	Bladder-senna	Neophyte
<i>Comarum palustre</i> L.	Marsh Cinquefoil	Native
<i>Conium maculatum</i> L.	Hemlock	Archeophyte
<i>Conopodium majus</i> (Gouan) Loret	Pignut	Native
<i>Conringia orientalis</i> (L.) Dumort.	Hare's-ear Mustard	Casual
<i>Consolida ajacis</i> (L.) Schur	Larkspur	Casual
<i>Consolida hispanica</i> (Willk. ex Costa) Greuter & Burdet	Eastern Larkspur	Casual
<i>Convallaria majalis</i> L.	Lily-of-the-valley	Native
<i>Convolvulus arvensis</i> L.	Field Bindweed	Native
<i>Convolvulus tricolor</i> L.	Dwarf Morning-glory	Introduction
<i>Conyzza canadensis</i> (L.) Cronquist	Canadian Fleabane	Neophyte
<i>Conyzza floribunda</i> Kunth	Bilbao's Fleabane	Casual
<i>Conyzza sumatrensis</i> (Retz.) E. Walker	Guernsey Fleabane	Casual
<i>Coreopsis tinctoria</i> Nutt,	Golden Tickweed	Introduction
<i>Coriandrum sativum</i> L.	Coriander	Casual
<i>Cornus alba</i> L.	White Dogwood	Introduction
<i>Cornus koenigii</i> C.K. Schneid.	Asian Dogwood	Introduction
<i>Cornus sanguinea</i> ssp. <i>sanguinea</i> L. ssp. <i>australis</i> (C.A.Mey) Jáv	Dogwood	Native Introduction
<i>Cornus sericea</i> L.	Red-osier Dogwood	Introduction
<i>Cortaderia selloana</i> (Schult. & Schult. f) Asch. & Graebn.	Pampas Grass	Casual
<i>Corydalis cava</i> (L.) Schweigg. & Körte	Hollowroot	Neophyte
<i>Corydalis cheilanthifolia</i> Hemsl.	Fern-leaved Corydalis	Casual
<i>Corydalis solida</i> (L.) Clairv.	Bird-in-a-bush	Introduction
<i>Corylus avellana</i> L.	Hazel	Native
<i>Corylus colurna</i> L.	Turkish Hazel	Introduction
<i>Corylus maxima</i> Mill.	Filbert	Introduction
<i>Cosmaos bipinnatus</i> Cav.	Mexican Aster	Casual
<i>Cotinus coggygria</i> Scop.	Smoke-tree	Introduction
<i>Cotoneaster apiculatus</i> Rehder & E.H. Wilson	Apiculate Cotoneaster	Casual
<i>Cotoneaster congestus</i> Baker	Congested Cotoneaster	Casual
<i>Cotoneaster dielsianus</i> E. Pritz. ex Diels.	Diel's Cotoneaster	Casual
<i>Cotoneaster horizontalis</i> Decne.	Wall Cotoneaster	Introduction
<i>Cotoneaster integrifolius</i> (Roxb.) G. Klotz	Entire-leaved cotoneaster	Casual

<i>Cotoneaster microphyllus</i> Wall. ex Lindl.	Small-leaved Cotoneaster	Casual
<i>Cotoneaster salicifolius</i> Franch.	Willow-leaved Cotoneaster	Casual
<i>Cotoneaster simonsii</i> Baker	Himalayan Cotoneaster	Casual
<i>Cotoneaster x watereri</i> Exell	Waterer's Cotoneaster	Casual
<i>Cotula coronopifolia</i> L.	Buttonweed	Casual or Neophyte
<i>Crambe maritima</i> L.	Sea-kale	Casual
<i>Crassula helmsii</i> (Kirk) Cockayne	New Zealand Pigmyweed	Neophyte
<i>Crassula tillaea</i> Lest.-Garl.	Mossy Stonecrop	Neophyte
<i>Crataegus heterophylla</i> Flüggé	Various-leaved Hawthorn	Introduction
<i>Crataegus laevigata</i> (Poir.) DC.	Midland Hawthorn	Native
<i>Crataegus monogyna</i> Jacq.	Hawthorn	Native
<i>Crataegus orientalis</i> Pall. Ex M. Bieb.	Oriental Hawthorn	Introduction
<i>Crataegus persimilis</i> Sarg.	Broad-leaved Cockspurthorn	Introduction
<i>Crataegus rhipidophylla</i> Gand.	Large-sepalled Hawthorn	Introduction
<i>Crataegus x media</i> Bechst.		Native
<i>Crepis biennis</i> L.	Rough Hawk's-beard	Native
<i>Crepis capillaris</i> (L.) Wallr.	Smooth Hawk's-beard	Native
<i>Crepis setosa</i> Haller f.	Bristly Hawk's-beard	Casual
<i>Crepis rubra</i> L.	Pink Hawk's-beard	Introduction
<i>Crepis vesicaria</i> ssp. <i>taraxacifolia</i> (Thuill.) Thell. ex Schinz & R. Keller	Beaked Hawk's-beard	Neophyte
<i>Crocosmia x crocosmiiflora</i> (Lemoine) N.E. Br.	Montbretia	Neophyte
<i>Crocus nudiflorus</i> Sm.	Autumn Crocus	Introduction
<i>Crocus sativus</i> L	Saffron Crocus	Casual
<i>Crocus tommasinianus</i> Herb.	Early Crocus	Introduction
<i>Crocus vernus</i> (L.) Hill	Spring Crocus	Introduction
<i>Cruciata laevis</i> Opiz	Crosswort	Native
<i>Cryptomeria japonica</i> (L.f.) D. Don	Japanese Red-cedar	Introduction
<i>Cupressus macrocarpa</i> Hartw. ex Gordon	Monterey Cypress	Neophyte
<i>Cuscuta campestris</i> Yunck.	Yellow Dodder	Casual
<i>Cuscuta epithymum</i> Weihe	Flax Dodder	Casual
<i>Cuscuta europaea</i> L.	Dodder	Native
<i>Cuscuta suaveolens</i> Ser.	Greater Dodder	Native
<i>Cyclamen hederifolium</i> Aiton	Lucerne Dodder	Casual
<i>Cymbalaria muralis</i> ssp. <i>muralis</i> P. Gaertn., B. Mey. & Scherb.	Sowbread	Introduction
<i>Cymbalaria pallida</i> (Ten.) Wettst.	Ivy-leaved Toadflax	Neophyte
<i>Cynoglossum germanicum</i> Jacq.	Italian Toadflax	Casual
<i>Cynoglossum officinale</i> L.	Green Hound's-tongue	Native
<i>Cynosurus cristatus</i> L.	Hound's-tongue	Native
<i>Cynosurus echinatus</i> L.	Crested Dog's-tail	Native
<i>Cyperus longus</i> L.	Rough Dog's-tail	Casual
<i>Cyperus fuscus</i> L.	Galingale	Introduction
<i>Cyrtomium falcatum</i> (L. f.) C. Presl	Brown Galingale	Introduction
<i>Cystopteris fragilis</i> (L.) Bernh.	House Holly-fern	Casual
<i>Cytisus scoparius</i> ssp. <i>scoparius</i> (L.) Link	Brittle Bladder-fern	Native
<i>Dactylis glomerata</i> L.	Broom	Native
<i>Dactylorhiza fuchsiae</i> (Druce) Soó	Cock's-foot	Native
<i>Dactylorhiza incarnata</i> ssp. <i>incarnata</i> (L.) Soó ssp. <i>coccinea</i> (Pugsley) Soó ssp. <i>pulchella</i> (Druce) Soó	Common Spotted-orchid	Native
	Early Marsh-orchid	Native

<i>Dactylorhiza maculata</i> ssp. <i>ericetorum</i> (<i>E.F. Linton</i>) <i>P.F. Hunt & Summerh.</i>	Heath Spotted-orchid	Native
<i>Dactylorhiza praetermissa</i> (<i>Druce</i>) <i>Soó</i>	Southern Marsh-orchid	Native
<i>Dactylorhiza x grandis</i> (<i>Druce</i>) <i>P.F. Hunt</i>		Native
<i>Dactylorhiza x hallii</i> (<i>Druce</i>) <i>Soó</i>		Native
<i>Dactylorhiza x kernerorum</i> (<i>Soó</i>) <i>Soó</i>		Native
<i>Dactylorhiza x transiens</i> (<i>Druce</i>) <i>Soó</i>		Native
<i>Dactylorhiza x wintoni</i> (<i>A. Camus</i>) <i>P.F. Hunt</i>		Native
<i>Danthonia decumbens</i> (<i>L.</i>) <i>DC.</i>	Heath-grass	Native
<i>Daphne laureola</i> <i>L.</i>	Spurge-laurel	Native
<i>Daphne mezereum</i> <i>L.</i>	Mezereon	Native
<i>Datura metel</i> <i>L.</i>	Angel's Trumpet	Casual
<i>Datura stramonium</i> <i>L.</i>	Thorn-apple	Casual
<i>Daucus carota</i> ssp. <i>carota</i> <i>L.</i>	Wild Carrot	Native
<i>Deschampsia cespitosa</i> ssp. <i>cespitosa</i> (<i>L.</i>) <i>P. Beauv.</i> ssp. <i>parviflora</i> (<i>Thuill.</i>) <i>Dumort.</i>	Tufted Hair-grass	Native
<i>Deschampsia flexuosa</i> (<i>L.</i>) <i>Trin.</i>	Wavy Hair-grass	Native
<i>Descurainia sophia</i> (<i>L.</i>) <i>Webb ex Prantl</i>	Flixweed	Archeophyte
<i>Dianthus armeria</i> <i>L.</i>	Deptford Pink	Casual
<i>Dianthus barbatus</i> <i>L.</i>	Sweet-William	Casual
<i>Dianthus gratianopolitanus</i> <i>Vill.</i>	Cheddar Pink	Casual
<i>Dianthus plumarius</i> <i>L.</i>	Pink	Casual
<i>Digitalis purpurea</i> <i>L.</i>	Foxglove	Native
<i>Digitaria sanguinalis</i> (<i>L.</i>) <i>Scop.</i>	Hairy Finger-grass	Casual
<i>Diplotaxis muralis</i> (<i>L.</i>) <i>DC.</i>	Annual Wall-rocket	Neophyte
<i>Diplotaxis tenuifolia</i> (<i>L.</i>) <i>DC</i>	Perennial Wall-rocket	Archeophyte
<i>Dipsacus fullonum</i> <i>L.</i>	Wild Teasel	Native
<i>Dipsacus laciniatus</i> <i>L.</i>	Cut-leaved Teasel	Casual
<i>Dipsacus pilosus</i> <i>L.</i>	Small Teasel	Native
<i>Doronicum pardalianches</i> <i>L.</i>	Leopard's-bane	Neophyte
<i>Doronicum plantagineum</i> <i>L.</i>	Plantain-leaved Leopard's-bane	Casual
<i>Doronicum x excelsum</i> (<i>N.E.Br.</i>) <i>Stace</i>	Harpur-Crewe's Leopard's-bane	Casual
<i>Doronicum x willdenowii</i> (<i>Rouy</i>) <i>A.W. Hill</i>	Willdenow's Leopard's-bane	Casual
<i>Downingia elegans</i> (<i>Douglas ex Lindl.</i>) <i>Torr.</i>	Californian Lobelia	Casual
<i>Draba muralis</i> <i>L.</i>	Wall Whitlowgrass	Casual
<i>Drosera rotundifolia</i> <i>L.</i>	Round-leaved Sundew	Native
<i>Dryopteris cambrensis</i> ssp. <i>cambrensis</i> (<i>Fraser-Jenk.</i>) <i>Beitel & W.R. Buck</i>	Narrow Male-fern	Native
<i>Dryopteris affinis</i> ssp. <i>affinis</i> (<i>Lowe</i>) <i>Fraser-Jenk.</i>	Golden-scaled Male-fern	Native
<i>Dryopteris borreri</i> (<i>Newman</i>) <i>Newman ex Oberh. & Tavel</i>	Borrer's Male-fern	Native
<i>Dryopteris carthusiana</i> (<i>Vill.</i>) <i>H.P. Fuchs</i>	Narrow Buckler-fern	Native
<i>Dryopteris cristata</i> (<i>L.</i>) <i>A. Gray</i>	Crested Buckler-fern	
<i>Dryopteris dilatata</i> (<i>Hoffm.</i>) <i>A. Gray</i>	Broad Buckler-fern	Native
<i>Dryopteris filix-mas</i> (<i>L.</i>) <i>Schott</i>	Male-fern	Native
<i>Echinochloa crus-galli</i> (<i>L.</i>) <i>P. Beauv.</i>	Cockspur	Casual
<i>Echinochloa esculenta</i> (<i>A. Braun</i>) <i>H. Scholz</i>	Japanese Millet	Casual
<i>Echinops bannaticus</i> <i>Rochel ex Schrad.</i>	Blue Globe Thistle	Casual
<i>Echinops sphaerocephalus</i> <i>L.</i>	Glandular Globe-thistle	Casual
<i>Echium vulgare</i> <i>L.</i>	Viper's-bugloss	Native
<i>Eleocharis acicularis</i> (<i>L.</i>) <i>Roem. & Schult.</i>	Needle Spike-rush	Native
<i>Eleocharis multicaulis</i> (<i>Sm.</i>) <i>Desv.</i>	Many-stalked Spike-rush	Native

<i>Eleocharis palustris</i> ssp. <i>vulgaris</i> <i>Walters</i>	Common Spike-rush	Native
<i>Eleocharis quinqueflora</i> (<i>Hartmann</i>) <i>O. Schwarz</i>	Few-flowered Spike-rush	Native
<i>Eleocharis uniglumis</i> (<i>Link</i>) <i>Schult.</i>	Slender Spike-rush	Native
<i>Eleogiton fluitans</i> (<i>L.</i>) <i>Link</i>	Floating Club-rush	Native
<i>Elodea canadensis</i> <i>Michx.</i>	Canadian Waterweed	Neophyte
<i>Elodea nuttallii</i> (<i>Planch.</i>) <i>H. St. John</i>	Nuttall's Waterweed	Neophyte
<i>Elymus caninus</i> (<i>L.</i>) <i>L.</i>	Bearded Couch	Native
<i>Elytrigia repens</i> (<i>L.</i>) <i>Desv. ex Nevski</i>	Common Couch	Native
<i>Epilobium brunnescens</i> (<i>Cockayne</i>) <i>P.H. Raven & Engelhorn</i>	New Zealand Willowherb	Neophyte
<i>Epilobium ciliatum</i> <i>Raf.</i>	American Willowherb	Neophyte
<i>Epilobium hirsutum</i> <i>L.</i>	Great Willowherb	Native
<i>Epilobium lanceolatum</i> <i>Sebast. & Mauri</i>	Spear-leaved Willowherb	Native
<i>Epilobium montanum</i> <i>L.</i>	Broad-leaved Willowherb	Native
<i>Epilobium obscurum</i> <i>Schreb.</i>	Short-fruited Willowherb	Native
<i>Epilobium x vicinum</i> <i>Smejkal</i>		Native
<i>Epilobium palustre</i> <i>L.</i>	Marsh Willowherb	Native
<i>Epilobium parviflorum</i> <i>Schreb.</i>	Hoary Willowherb	Native
<i>Epilobium roseum</i> <i>Schreb.</i>	Pale Willowherb	Native
<i>Epilobium tetragonum</i> <i>L.</i>	Square-stalked Willowherb	Native
<i>Epilobium x dacicum</i> <i>Borbás</i>		Native
<i>Epilobium x floridulum</i> <i>Smejkal</i>		
<i>Epilobium x limosum</i> <i>Schur</i>		Native
<i>Epilobium x palatinum</i> <i>F.W. Schultz</i>		Native
<i>Epilobium x subhirsutum</i> <i>Gennari</i>		
<i>Epipactis x schulzei</i> <i>P. Fourn.</i>		Native
<i>Epipactis helleborine</i> (<i>L.</i>) <i>Crantz</i>	Broad-leaved Helleborine	Native
<i>Epipactis palustris</i> (<i>L.</i>) <i>Crantz</i>	Marsh Helleborine	Native
<i>Epipactis purpurata</i> <i>Sm.</i>	Violet Helleborine	Native
<i>Equisetum arvense</i> <i>L.</i>	Field Horsetail	Native
<i>Equisetum fluviatile</i> <i>L.</i>	Water Horsetail	Native
<i>Equisetum palustre</i> <i>L.</i>	Marsh Horstail	Native
<i>Equisetum sylvaticum</i> <i>L.</i>	Wood Horsetail	Native
<i>Equisetum telmateia</i> <i>Ehrh.</i>	Great Horsetail	Native
<i>Equisetum x litorale</i> <i>Kühlew. ex Rupr.</i>		Native
<i>Eranthis hyemalis</i> (<i>L.</i>) <i>Salisb.</i>	Winter Aconite	Neophyte
<i>Erica cinerea</i> <i>L.</i>	Bell Heather	Native
<i>Erica tetralix</i> <i>L.</i>	Cross-leaved Heath	Native
<i>Erigeron acris</i> <i>L.</i>	Blue Fleabane	Native
<i>Erigeron karvinskianus</i> <i>DC.</i>	Mexican Fleabane	Neophyte
<i>Erinus alpinus</i> <i>L.</i>	Fairy Foxglove	Casual
<i>Eriophorum angustifolium</i> <i>Honck.</i>	Common Cottongrass	Native
<i>Eriophorum gracile</i> <i>W.D.J. Koch ex Roth</i>	Slender Cottongrass	Native
<i>Eriophorum latifolium</i> <i>Hoppe</i>	Broad-leaved Cottongrass	Native
<i>Erodium cicutarium</i> (<i>L.</i>) <i>L'Hér.</i>	Common Stork's-bill	Native
<i>Erodium moschatum</i> (<i>L.</i>) <i>L'Hér.</i>	Musk Stork's-bill	Archeophyte
<i>Erophila glabrescens</i> <i>Jord.</i>	Glabrous Whitlowgrass	Native
<i>Erophila majuscula</i> <i>Jord.</i>	Hairy Whitlowgrass	Native
<i>Erophila verna</i> (<i>L.</i>) <i>DC.</i>	Common Whitlowgrass	Native
<i>Eruca vesicaria</i> ssp. <i>sativa</i> (<i>Mill.</i>) <i>Thell.</i>	Garden Rocket	Casual

<i>Erucastrum gallicum</i> (<i>Willd.</i>) O.E. Schulz	Hairy Rocket	Casual
<i>Eryngium campestre</i> L.	Field Eryngo	Archeophyte
<i>Eryngium planum</i> L.	Blue Eryngo	Casual
<i>Erysimum cheiranthoides</i> L.	Treacle Mustard	Archeophyte
<i>Erysimum cheiri</i> (<i>L.</i>) Crantz	Wallflower	Archeophyte
<i>Erythronium dens-canis</i> L.	<i>Dog's-tooth-violet</i>	Introduction
<i>Escallonia rubra</i> (<i>Ruiz & Pav.</i>) Pers. var. <i>macrantha</i> (<i>Hook. & Arn.</i>)	Escallonia	Introduction
<i>Eschscholzia californica</i> Cham.	Californian Poppy	Casual
<i>Euonymus europaeus</i> L.	Spindle	Native
<i>Euonymus japonicus</i> Thunb.	Evergreen Spindle	Introduction
<i>Euonymus latifolius</i> (<i>L.</i>) Mill.	Large-leaved Spindle	Introduction
<i>Eupatorium cannabinum</i> L.	Hemp-agrimony	Native
<i>Euphorbia amygdaloides</i> ssp. <i>amygdaloides</i> L. ssp. <i>robbiae</i> (<i>Turrill</i>) Stace	Wood Spurge	Native
<i>Euphorbia cyparissias</i> L.	Turkish Spurge	Casual
<i>Euphorbia esula</i> L.	Cypress Spurge	Neophyte
<i>Euphorbia exigua</i> L.	Leafy Spurge	Neophyte
<i>Euphorbia helioscopia</i> L.	Dwarf Spurge	Archeophyte
<i>Euphorbia lathyris</i> L.	Sun Spurge	Archeophyte
<i>Euphorbia peplus</i> L.	Caper Spurge	Archeophyte
<i>Euphorbia platyphyllos</i> L.	Petty Spurge	Archeophyte
<i>Euphorbia stricta</i> L.	Broad-leaved Spurge	Archeophyte
<i>Euphorbia x pseudovirgata</i> (<i>Schur</i>) Soó	Upright Spurge	Neophyte
<i>Euphrasia arctica</i> ssp. <i>borealis</i> (<i>F. Towns</i>) Yeo	Twiggy Spurge	Casual
<i>Euphrasia nemorosa</i> (<i>Pers.</i>) Wallr.	Arctic Eyebright	Native
<i>Euphrasia pseudokerneri</i> Pugsley	Common Eyebright	Native
<i>Fagopyrum esculentum</i> Moench	Chalk Eyebright	Native
<i>Fagus sylvatica</i> L.	Buckwheat	Casual
<i>Falcaria vulgaris</i> Bernh	Beech	Neophyte
<i>Fallopia baldschuanica</i> (<i>Regel</i>) Holub	Longleaf	Neophyte
<i>Fallopia convolvulus</i> (<i>L.</i>) Á. Löve	Russian-vine	Casual
<i>Fallopia japonica</i> (<i>Houtt.</i>) Ronse Decr.	Black-bindweed	Archeophyte
<i>Fallopia sachalinensis</i> (<i>F. Schmidt</i>) Ronse Decr.	Japanese Knotweed	Neophyte
<i>Fallopia x conollyana</i> J.P. Bailey	Giant Knotweed	Casual or Introduction
<i>Ferula communis</i> L.	Railway-yard Knotweed	Native
<i>Festuca brevipila</i> R. Tracey	Giant Fennel	Casual
<i>Festuca filiformis</i> Pourr.	Hard Fescue	Neophyte
<i>Festuca ovina</i> ssp. <i>ovina</i> L.	Fine-leaved Sheep's-fescue	Native
<i>Festuca rubra</i> ssp. <i>commutata</i> Gaudin ssp. <i>megastachys</i> Gaudin ssp. <i>juncea</i> (<i>Hack.</i>) K. Richt. ssp. <i>rubra</i> L.	Sheep's-fescue	Native
<i>Ficaria verna</i> ssp. <i>verna</i> Huds. ssp. <i>fertilis</i> (<i>Lawalrée ex Laegaard</i>) Stace	Chewing's Fescue	Introduction
	Strong Creeping Red-fescue	Casual
	Red Fescue	Native
	Lesser Celandine	Native
<i>Filago gallica</i> L.	Narrow-leaved Cudweed	Archeophyte
<i>Filago minima</i> (<i>Sm.</i>) Pers.	Small Cudweed	Native
<i>Filago vulgaris</i> Lam.	Common Cudweed	Native
<i>Filipendula ulmaria</i> (<i>L.</i>) Maxim.	Meadowsweet	Native
<i>Filipendula vulgaris</i> Moench	Dropwort	Native
<i>Foeniculum vulgare</i> Mill.	Fennel	Casual

<i>Forsythia x intermedia</i> Zabel	<i>Forsythia</i>	Introduction
<i>Fragaria ananassa</i> (<i>Duchesne</i>) <i>Duchesne</i>	Garden Strawberry	Casual
<i>Fragaria moschata</i> (<i>Duchesne</i>) <i>Weston</i>	Hautbois Strawberry	Casual
<i>Fragaria vesca</i> L.	Wild Strawberry	Native
<i>Frangula alnus</i> Mill.	Alder Buckthorn	Native
<i>Fraxinus angustifolia</i> Wahl.	Narrow-leaved Ash	Introduction
<i>Fraxinus excelsior</i> L.	Ash	Native
<i>Fraxinus ormus</i> L.	Manna Ash	Introduction
<i>Fritillaria meleagris</i> L.	Fritillary	Neophyte
<i>Fumaria densiflora</i> DC.	Dense-flowered Fumitory	Archeophyte
<i>Fumaria muralis</i> ssp. <i>boreai</i> (<i>Jord.</i>) <i>Pugsley</i> ssp. <i>muralis</i> <i>Sond.</i> Ex <i>W.D.J. Koch</i>	Common Ramping-fumitory	Native
<i>Fumaria officinalis</i> ssp. <i>officinalis</i> L. ssp. <i>wirtgenii</i> (<i>W.D.J. Koch</i>) <i>Arcang.</i>	Common Fumitory	Archeophyte
<i>Fumaria parviflora</i> Lam.	Fine-leaved Fumitory	Archeophyte
<i>Fuchsia magellanica</i> Lam.	Fuchsia	Casual
<i>Gagea lutea</i> (L.) Ker Gawl.	Yellow Star-of-Bethlehem	Native
<i>Galanthus nivalis</i> L.	Snowdrop	Neophyte
<i>Galanthus worownowii</i> Losink.	Green Snowdrop	Casual
<i>Galega officinalis</i> L.	Goat's-rue	Neophyte
<i>Galeopsis angustifolia</i> Ehrh. Ex Hoffm.	Red Hemp-nettle	Archeophyte
<i>Galeopsis bifida</i> Boenn.	Bifid Hemp-nettle	Native
<i>Galeopsis ladanum</i> L.	Broad-leaved Hemp-nettle	Casual
<i>Galeopsis speciosa</i> Mill.	Large-flowered Hemp-nettle	Archeophyte
<i>Galeopsis tetrahit</i> L.	Common Hemp-nettle	Native
<i>Galinsoga parviflora</i> Cav.	Gallant-soldier	Neophyte
<i>Galinsoga quadriradiata</i> Ruiz & Pav	Shaggy-soldier	Neophyte
<i>Galium album</i> Mill.	Hedge-bedstraw	Native
<i>Galium aparine</i> L.	Cleavers	Native
<i>Galium odoratum</i> (L.) Scop.	Woodruff	Native
<i>Galium palustre</i> ssp. <i>elongatum</i> (C. Presl) <i>Arcang.</i> ssp. <i>palustre</i> L	Great Marsh-bedstraw	Native
<i>Galium parisiense</i> L.	Common Marsh-bedstraw	
<i>Galium pumilum</i> Murray	Wall Bedstraw	Native
<i>Galium saxatile</i> L.	Slender Bedstraw	Native
<i>Galium tricornutum</i> Dandy	Heath Bedstraw	Native
<i>Galium uliginosum</i> L.	Corn Cleavers	Archeophyte
<i>Galium verum</i> L.	Fen Bedstraw	Native
<i>Galium x pomeranicum</i> Retz.	Lady's Bedstraw	Native
<i>Genista anglica</i> L.	Hybrid Yellow-bedstraw	Native
<i>Genista hispanica</i> ssp. <i>occidentalis</i> Rouy	Petty Whin	Native
<i>Genista tinctoria</i> ssp. <i>tinctoria</i> L.	Spanish Gorse	Introduction
<i>Gentianella amarella</i> ssp. <i>amarella</i> (L.) Börner	Dyer's Greenweed	Native
<i>Gentianella anglica</i> (Pugsley) E.F. Warb.	Autumn Gentian	Native
<i>Gentianella campestris</i> (L.) Börner	Early Gentian	Native
<i>Geranium columbinum</i> L.	Field Gentian	Native
<i>Geranium dissectum</i> L.	Long-stalked Crane's-bill	Native
<i>Geranium endressii</i> J. Gay	Cut-leaved Crane's-bill	Archeophyte
<i>Geranium lucidum</i> L.	French Crane's-bill	Casual
<i>Geranium macrorrhizum</i> L.	Shining Crane's-bill	Native
	Rock Crane's-bill	Casual

<i>Geranium molle L.</i>	Dove's-foot Crane's-bill	Native
<i>Geranium phaeum L.</i>	Dusky Crane's-bill	Casual
<i>Geranium pratense L.</i>	Meadow Crane's-bill	Native
<i>Geranium pusillum L.</i>	Small-flowered Crane's-bill	Native
<i>Geranium pyrenaicum Burm. f.</i>	Hedgerow Crane's-bill	Neophyte
<i>Geranium robertianum L.</i>	Herb-Robert	Native
<i>Geranium rotundifolium L.</i>	Round-leaved Crane's-bill	Native
<i>Geranium sanguineum L.</i>	Bloody Crane's-bill	Casual
<i>Geranium versicolor L.</i>	Pencilled Crane's-bill	Casual
<i>Geranium x oxonianum Yeo</i>	Druce's Crane's-bill	Casual
<i>Geum quellyon Sweet</i>	Chiloé Avens	Casual
<i>Geum rivale L.</i>	Water Avens	Native
<i>Geum urbanum L.</i>	Wood Avens	Native
<i>Geum x intermedium Ehrh.</i>	Hybrid Avens	Native
<i>Gladiolus communis ssp. byzantinus (Mill.) R.C.V. Douin.</i>	Eastern Gladiolus	Casual
<i>Glebionis segetum (L.) Fourr.</i>	Corn Marigold	Archeophyte
<i>Glechoma hederacea L.</i>	Ground-ivy	Native
<i>Glyceria declinata Bréb.</i>	Small Sweet-grass	Native
<i>Glyceria fluitans (L.) R. Br.</i>	Floating Sweet-grass	Native
<i>Glyceria maxima (Hartm.) Holmb.</i>	Reed Sweet-grass	Native
<i>Glyceria notata Chevall.</i>	Plicate Sweet-grass	Native
<i>Glyceria x pedicellata F. Towns.</i>	Hybrid Sweet-grass	Native
<i>Gnaphalium luteoalbum L.</i>	Jersey Cudweed	Casual
<i>Gnaphalium sylvaticum L.</i>	Heath Cudweed	Native
<i>Gnaphalium uliginosum L.</i>	Marsh Cudweed	Native
<i>Groenlandia densa (L.) Fourr.</i>	Opposite-leaved Pondweed	Native
<i>Guizotia abyssinica (L. f.) Cass.</i>	Niger	Casual
<i>Gymnadenia conopsea (L.) R. Br.</i>	Chalk Fragrant-orchid	Native
<i>Gymnadenia densiflora (Wahlenb.) A.Dietr.</i>	Marsh Fragrant Orchid	Native
<i>Gymnocarpium dryopteris (L.) Newman</i>	Oak Fern	Casual
<i>Gymnocarpium robertianum (Hoffm.) Newman</i>	Limestone Fern	Casual
<i>Haplophyllum tuberculatum (Forssk) A. Juss.</i>		Casual
<i>Hedera colchica (K. Koch) K. Koch</i>	Persian Ivy	Casual
<i>Hedera helix L.</i>	Common Ivy	Native
<i>Hedera hibernica (G. Kirchn.) Bean</i>	Atlantic Ivy	Casual
<i>Helianthemum nummularium (L.) Mill.</i>	Common Rock-rose	Native
<i>Helianthus annuus L.</i>	Sunflower	Casual
<i>Heliotropium europaeum L.</i>	European Turnsole	Casual
<i>Helleborus foetidus L.</i>	Stinking Hellebore	Native
<i>Helleborus viridis ssp. occidentalis (Reut.) Schiffn.</i>	Green Hellebore	Native
<i>Helminthotheca echooides (L.) Holub</i>	Bristly Ox-tongue	Archeophyte
<i>Heracleum mantegazzianum Sommier & Levier</i>	Giant Hogweed	Neophyte
<i>Heracleum sphondylium ssp. sphondylium L.</i>	Hogweed	Native
<i>Hesperis matronalis L.</i>	Dame's-violet	Neophyte
<i>Hieracium acuminatum Jord.</i>	Tall Hawkweed	Neophyte
<i>Hieracium argillaceum Jord.</i>	Southern Hawkweed	Native
<i>Hieracium cheriense Jord. ex Boreau</i>	Cher Hawkweed	Native
<i>Hieracium diaphanum Fr.</i>	Dark-leaved Hawkweed	Native
<i>Hieracium exotericum Jord. ex Boreau</i>	Jordan's Hawkweed	Neophyte

<i>Hieracium nemophilum Jord. ex Boreau</i>	Grassland Hawkweed	Native
<i>Hieracium sabaudum L.</i>	Autumn Hawkweed	Native
<i>Hieracium salticola (Sudre) P.D. Sell & C. West</i>	Bluish-leaved Hawkweed	Neophyte
<i>Hieracium severiceps Wiinst.</i>	Strict-leaved Hawkweed	Neophyte
<i>Hieracium spilophaeum Jord. ex Boreau</i>	Spotted Hawkweed	Neophyte
<i>Hieracium trichocaulon (Dahlst.) Johanss.</i>	Hairy-stemmed Hawkweed	Native
<i>Hieracium triviale (Norrl.) Norrl.</i>	Grey-headed Hawkweed	Native
<i>Hieracium umbellatum ssp. umbellatum L.</i>	Umbellate Hawkweed	Native
<i>Hieracium vagum Jord.</i>	Glabrous-headed Hawkweed	Neophyte
<i>Hieracium vulgatum Fr.</i>	Common Hawkweed	Neophyte
<i>Himantoglossum hircinum (L.) Spreng.</i>	Lizard Orchid	Native
<i>Hippopitys monotropa Crantz</i>	Yellow Bird's-nest	Native
<i>Hippocrepis comosa L.</i>	Horseshoe Vetch	Native
<i>Hippophae rhamnoides L.</i>	Sea-buckthorn	Introduction
<i>Hippuris vulgaris L.</i>	Mare's-tail	Native
<i>Hirschfeldia incana (L.) Lagr.-Foss.</i>	Hoary Mustard	Casual
<i>Holcus lanatus L.</i>	Yorkshire-fog	Native
<i>Holcus mollis L.</i>	Creeping Soft-grass	Native
<i>Holcus x hybridus Wein</i>		Native
<i>Hordelymus europaeus (L.) Jess. ex Harz</i>	Wood Barley	Native
<i>Hordeum distichon L.</i>	Two-rowed Barley	Casual
<i>Hordeum jubatum L.</i>	Foxtail Barley	Casual
<i>Hordeum marinum Huds.</i>	Sea Barley	Casual
<i>Hordeum murinum ssp. murinum L.</i>	Wall Barley	Archeophyte
<i>Hordeum secalinum Schreb.</i>	Meadow Barley	Native
<i>Hordeum vulgare L.</i>	Six-rowed Barley	Casual
<i>Hottonia palustris L.</i>	Water-violet	Native
<i>Humulus lupulus L.</i>	Hop	Neophyte
<i>Hyacinthoides hispanica (Mill.) Rothm.</i>	Spanish Bluebell	Casual
<i>Hyacinthoides non-scripta (L.) Chouard ex Rothm.</i>	Bluebell	Native
<i>Hyacinthoides x massartiana Geerinck</i>	Hybrid Bluebell	Neophyte
<i>Hyacinthus orientalis L.</i>	Hyacinth	Casual
<i>Hydrocharis morsus-ranae L.</i>	Frogbit	Native
<i>Hydrocotyle ranunculoides L. f.</i>	Floating Pennywort	Neophyte
<i>Hydrocotyle vulgaris L.</i>	Marsh Pennywort	Native
<i>Hyoscyamus niger L.</i>	Henbane	Archeophyte
<i>Hypecoum procumbens L.</i>	Sickle-fruited Hypecoum	Casual
<i>Hypericum androsaemum L.</i>	Tutsan	Native
<i>Hypericum calycinum L.</i>	Rose-of-Sharon	Introduction
<i>Hypericum 'Hidcote'</i>		Introduction
<i>Hypericum hircinum ssp. majus (Aiton) N. Robson</i>	Stinking Tutsan	Casual
<i>Hypericum hirsutum L.</i>	Hairy St John's-wort	Native
<i>Hypericum humifusum L.</i>	Trailing St John's-wort	Native
<i>Hypericum maculatum ssp. maculatum Crantz.</i>	Imperforate St John's-wort	Native
<i>ssp. obtusiusculum (Tourlet) Hayek</i>		
<i>Hypericum montanum L.</i>	Pale St John's-wort	Native
<i>Hypericum perforatum L.</i>	Perforate St John's-wort	Native
<i>Hypericum pulchrum L.</i>	Slender St John's-wort	Native
<i>Hypericum tetrapterum Fr.</i>	Square-stalked St John's-wort	Native

<i>Hypericum x desetangssii Lamotte</i>	Des Etangs' St Johns-wort	Native
<i>Hypochaeris glabra L.</i>	Smooth Cat's-ear	Native
<i>Hypochaeris maculata L.</i>	Spotted Cat's-ear	Native
<i>Hypochaeris radicata L.</i>	Cat's-ear	Native
<i>Hypopitys monotropa ssp. monotropa Crantz</i>	Yellow Bird's-nest	Native
<i>Hyssopus officinalis L.</i>	Hyssop	Casual
<i>Iberis amara L.</i>	Wild Candytuft	Casual
<i>Iberis umbellata L.</i>	Garden Candytuft	Casual and introduction
<i>Ilex aquifolium L.</i>	Holly	Native
<i>Ilex x altaclerensis (Loudon) Dallim.</i>	Highclere Holly	Neophyte
<i>Impatiens capensis Meerb.</i>	Orange Balsam	Neophyte
<i>Impatiens glandulifera Royle</i>	Indian Balsam	Neophyte
<i>Impatiens noli-tangere L.</i>	Touch-me-not Balsam	Casual
<i>Impatiens parviflora DC.</i>	Small Balsam	Neophyte
<i>Inula conyzae (Griess.) Meikle</i>	Ploughman's-spikenard	Native
<i>Inula helenium L.</i>	Elecampane	Archeophyte
<i>Iris foetidissima L.</i>	Stinking Iris	Native
<i>Iris germanica L.</i>	Bearded Iris	Casual
<i>Iris pseudacorus L.</i>	Yellow Iris	Native
<i>Iris sibirica L.</i>	Siberian Iris	Introduction
<i>Iris versicolor L.</i>	Purple Iris	Introduction
<i>Isatis tinctoria L.</i>	Woad	Casual
<i>Isolepis setacea (L.) R. Br.</i>	Bristle Club-rush	Native
<i>Jasione montana L.</i>	Sheep's-bit	Native
<i>Jasminum nudiflorum Lindl.</i>	Winter Jasmine	Casual
<i>Jasminum officinale L.</i>	Summer Jasmine	Casual
<i>Juglans regia L.</i>	Walnut	Introduction
<i>Juncus acutiflorus Ehrh. Ex Hoffm.</i>	Sharp-flowered Rush	Native
<i>Juncus articulatus L.</i>	Jointed Rush	Native
<i>Juncus bufonius L.</i>	Toad Rush	Native
<i>Juncus bulbosus L.</i>	Bulbous Rush	Native
<i>Juncus compressus Jacq.</i>	Round-fruited Rush	Native
<i>Juncus conglomeratus L.</i>	Compact Rush	Native
<i>Juncus effusus L.</i>	Soft-rush	Native
<i>Juncus gerardii Loisel.</i>	Saltmarsh Rush	Native
<i>Juncus inflexus L.</i>	Hard Rush	Native
<i>Juncus squarrosus L.</i>	Heath Rush	Native
<i>Juncus subnodulosus Schrank</i>	Blunt-flowered Rush	Native
<i>Juncus tenuis Willd.</i>	Slender Rush	Neophyte
<i>Juncus x diffusus Hoppe</i>		Native
<i>Juniperus communis L.</i>	Common Juniper	Native
<i>Kerria japonica (L.) DC.</i>	Kerria	Casual
<i>Kickxia elatine (L.) Dumort</i>	Sharp-leaved Fluellen	Archeophyte
<i>Kickxia spuria (L.) Dumort.</i>	Round-leaved Fluellen	Archeophyte
<i>Knautia arvensis (L.) Coult.</i>	Field Scabious	Native
<i>Koeleria macrantha (Ledeb.) Schult.</i>	Crested Hair-grass	Native
<i>Laburnum anagyroides Medik.</i>	Laburnum	Neophyte
<i>Lactuca serriola L.</i>	Prickly Lettuce	Archeophyte
<i>Lactuca virosa L.</i>	Great Lettuce	Native

<i>Lagarosiphon major (Ridl.) Moss ex V.A. Wager</i>	Curly Waterweed	Neophyte
<i>Lagurus ovatus L.</i>	Hare's-tail	Casual
<i>Lamiastrum galeobdolon</i> ssp. <i>argentatum (Smejkal) Stace</i>	Garden Yellow Archangel	Neophyte
ssp. <i>montanum (Pers.) Ehrend. & Polatschek</i>	Yellow Archangel	Native
<i>Lamium album L.</i>	White Dead-nettle	Archeophyte
<i>Lamium amplexicaule L.</i>	Henbit Dead-nettle	Archeophyte
<i>Lamium hybridum Vill.</i>	Cut-leaved Dead-nettle	Archeophyte
<i>Lamium maculatum (L.) L.</i>	Spotted Dead-nettle	Neophyte
<i>Lamium purpureum L.</i>	Red Dead-nettle	Archeophyte
<i>Lappula squarrosa (Retz.) Dumort.</i>	Bur Forget-me-not	Casual
<i>Lapsana communis</i> ssp. <i>communis L.</i>	Nipplewort	Native
<i>Larix decidua Mill.</i>	European Larch	Neophyte
<i>Larix kaempferi (Lamb.) Carrière</i>	Japanese Larch	Neophyte
<i>Larix x marschlinsii Coaz</i>	Hybrid Larch	Neophyte
<i>Lathraea squamaria L.</i>	Toothwort	Native
<i>Lathyrus aphaca L.</i>	Yellow Vetchling	Casual
<i>Lathyrus hirsutus L.</i>	Hairy Vetchling	Casual
<i>Lathyrus latifolius L.</i>	Broad-leaved Everlasting-pea	Neophyte
<i>Lathyrus linifolius (Reichard) Bässler</i>	Bitter-vetch	Native
<i>Lathyrus nissolia L.</i>	Grass Vetchling	Native
<i>Lathyrus pratensis L.</i>	Meadow Vetchling	Native
<i>Lathyrus sylvestris L.</i>	Narrow-leaved Everlasting-pea	Native
<i>Lathyrus tuberosus L.</i>	Tuberous Pea	Casual
<i>Lavandula angustifolia Mill.</i>	Garden Lavender	Casual
<i>Lavandula stoechas L.</i>	French lavender	Casual
<i>Legousia hybrida (L.) Delarbre</i>	Venus's-looking-glass	Archeophyte
<i>Legousia speculum-veneris (L.) Chaix</i>	Large Venus's-looking-glass	Casual
<i>Lemna gibba L.</i>	Fat Duckweed	Native
<i>Lemna minor L.</i>	Common Duckweed	Native
<i>Lemna minuta Kunth</i>	Least Duckweed	Neophyte
<i>Lemna trisulca L.</i>	Ivy-leaved Duckweed	Native
<i>Lens culinaris Medik.</i>	Lentil	Casual
<i>Leontodon hispidus L.</i>	Rough Hawkbit	Native
<i>Leontodon saxatilis Lam.</i>	Lesser Hawkbit	Native
<i>Leonurus cardiaca L.</i>	Motherwort	Casual
<i>Lepidium campestre (L.) W.T. Aiton</i>	Field Pepperwort	Archeophyte
<i>Lepidium coronopus (L.) Al-Shehbaz</i>	Swine-cress	Archeophyte
<i>Lepidium didymum L.</i>	Lesser Swine-cress	Neophyte
<i>Lepidium draba</i> ssp. <i>chalepense (L.) Thell.</i>	Hoary Cress	Casual
ssp. <i>draba L.</i>		Neophyte
<i>Lepidium heterophyllum Benth.</i>	Smith's Pepperwort	Native
<i>Lepidium latifolium L.</i>	Dittander	Casual
<i>Lepidium ruderale L.</i>	Narrow-leaved Pepperwort	Archeophyte
<i>Lepidium sativum L.</i>	Garden Cress	Casual
<i>Lepidium virginicum L.</i>	Least Pepperwort	Casual
<i>Leucanthemum vulgare Lam.</i>	Oxeye daisy	Native
<i>Leucanthemum x superbum (Bergmans ex J.W. Ingram) D.H. Kent</i>	Shasta Daisy	Neophyte
<i>Leucojum vernum L.</i>	Spring Snowflake	Introduction
<i>Leycesteria formosa Wall.</i>	Himalayan Honeysuckle	Casual
<i>Ligustrum ovalifolium Hassk.</i>	Garden Privet	Neophyte

<i>Ligustrum vulgare L.</i>	Wild Privet	Native
<i>Lilium martagon L.</i>	Martagon Lily	Neophyte
<i>Limnanthes douglasii R. Br.</i>	Meadow-foam	Introduction
<i>Limosella aquatica L.</i>	Mudwort	Native
<i>Inaria maroccana L.</i>	Annual Toadflax	Introduction
<i>Linaria purpurea (L.) Mill.</i>	Purple Toadflax	Neophyte
<i>Linaria repens (L.) Mill.</i>	Pale Toadflax	Archeophyte
<i>Linaria vulgaris Mill.</i>	Common Toadflax	Native
<i>Linaria x sepium G.J. Allman</i>		Native
<i>Linaria x dominii Druce</i>		Native
<i>Linum bienne Mill.</i>	Pale Flax	Casual
<i>Linum catharticum L.</i>	Fairy Flax	Native
<i>Linum gfrandiflorum Desf.</i>	Red Flax	Introduction
<i>Linum perenne ssp. anglicum (Mill.) Ockendon</i>	Perennial Flax	Native
<i>Linum usitatissimum L.</i>	Flax	Casual
<i>Liquidambar styraciflua L.</i>	Sweetgum	Introduction
<i>Liriodendron tulipifera L.</i>	Tulip-tree	Introduction
<i>Lithospermum arvense L.</i>	Field Gromwell	Archeophyte
<i>Lithospermum officinale L.</i>	Common Gromwell	Native
<i>Littorella uniflora (L.) Asch.</i>	Shoreweed	Native
<i>Lobelia erinus L.</i>	Garden Lobelia	Casual
<i>Lobularia maritima (L.) Desv.</i>	Sweet Alison	Casual
<i>Lolium multiflorum Lam.</i>	Italian Rye-grass	Neophyte
<i>Lolium perenne L.</i>	Perennial Rye-grass	Native
<i>Lolium temulentum L.</i>	Darnel	Casual
<i>Lolium x boucheanum Kunth.</i>		Neophyte
<i>Lonicera caprifolium L.</i>	Perfoliate Honeysuckle	Casual
<i>Lonicera involucrata (Richardson) Banks ex Spreng.</i>	Californian Honeysuckle	Introduction
<i>Lonicera japonica Thunb.</i>	Japanese Honeysuckle	Casual or Introduction
<i>Lonicera nitida E.H. Wilson</i>	Wilson's Honeysuckle	Neophyte
<i>Lonicera periclymenum L.</i>	Honeysuckle	Native
<i>Lonicera pileata Oliv.</i>	Box-leaved Honeysuckle	Casual
<i>Lonicera tatarica L.</i>	Tartarian Honeysuckle	Casual
<i>Lonicera xylosteum L.</i>	Fly Honeysuckle	Casual
<i>Lotus corniculatus L.</i>	Common Bird's-foot-trefoil	Native
<i>Lotus pedunculatus Cav.</i>	Greater Bird's-foot-trefoil	Native
<i>Lotus tenuis Waldst. & Kit. Ex Willd</i>	Narrow-leaved Bird's-foot-trefoil	Native
<i>Lunaria annua L.</i>	Honesty	Casual
<i>Lunaria rediviva L.</i>	Perennial Honesty	Casual
<i>Lupinus arboreus Sims</i>	Tree Lupin	Casual
<i>Lupinus polyphyllus Lindl.</i>	Garden Lupin	Neophyte
<i>Lupinus x regalis Bergmans</i>	Russell Lupin	Neophyte
<i>Luronium natans (L.) Raf.</i>	Floating Water-plantain	Native
<i>Luzula campestris (L.) DC.</i>	Field Wood-rush	Native
<i>Luzula forsteri (Sm.) DC.</i>	Southern Wood-rush	Native
<i>Luzula luzuloides (Lam.) Dandy & Wilmott</i>	White Wood-rush	Introduction
<i>Luzula multiflora ssp. congesta (Thuill.) Arcang. ssp. multiflora (Ehrh.) Lej.</i>	Heath Wood-rush	Native
<i>Luzula pilosa (L.) Willd.</i>	Hairy Wood-rush	Native

<i>Luzula sylvatica</i> (<i>Huds.</i>) <i>Gaudin</i>	Great Wood-rush	Native
<i>Lycium barbarum</i> <i>L.</i>	Duke of Argyll's Teaplant	Neophyte
<i>Lycium chinense</i> <i>Mill.</i>	Chinese Teaplant	Casual
<i>Lycopodium clavatum</i> <i>L.</i>	Stag's-horn Clubmoss	Native
<i>Lycopus europaeus</i> <i>L.</i>	Gipsywort	Native
<i>Lysichiton americanus</i> <i>Hultén & H. St. John</i>	American Skunk-cabbage	Introduction
<i>Lysimachia nemorum</i> <i>L.</i>	Yellow Pimpernel	Native
<i>Lysimachia nummularia</i> <i>L.</i>	Creeping-Jenny	Native
<i>Lysimachia punctata</i> <i>L.</i>	Dotted Loosestrife	Casual
<i>Lysimachia vulgaris</i> <i>L.</i>	Yellow Loosestrife	Native
<i>Lythrum hyssopifolia</i> <i>L.</i>	Grass-poly	Archeophyte
<i>Lythrum junceum</i> <i>Banks & Sol.</i>	False Grass-poly	Casual
<i>Lythrum portula</i> (<i>L.</i>) <i>D.A. Webb</i>	Water-purslane	Native
<i>Lythrum salicaria</i> <i>L.</i>	Purple-loosestrife	Native
<i>Mahonia aquifolium</i> (<i>Pursh</i>) <i>Nutt.</i>	Oregon-grape	Neophyte
<i>Mahonia japonica</i> (<i>Thunb</i>) <i>DC..</i>	Japanese Mahonia	Casual
<i>Malus pumila</i> <i>Mill.</i>	Apple	Casual
<i>Malus sylvestris</i> (<i>L.</i>) <i>Mill.</i>	Crab Apple	Native
<i>Malus x robusta</i> (<i>Carrièrre</i>) <i>Rehder</i>	Cherry Crab	Casual
<i>Malva moschata</i> <i>L.</i>	Musk-mallow	Native
<i>Malva neglecta</i> <i>Wallr.</i>	Dwarf Mallow	Archeophyte
<i>Malva pseudolavatera</i> <i>Webb & Berthel.</i>	Smaller Tree-mallow	Casual
<i>Malva sylvestris</i> <i>L.</i>	Common Mallow	Archeophyte
<i>Malva x clementii</i> (<i>Cheek</i>) <i>Stace</i>	Garden Tree-mallow	Casual
<i>Marrubium vulgare</i> <i>L.</i>	White Horehound	Casual
<i>Matricaria chamomilla</i> <i>L.</i>	Scented Mayweed	Archeophyte
<i>Matricaria discoidea</i> ssp. <i>discoidea</i> <i>DC.</i>	Pineappleweed	Neophyte
<i>Meconopsis cambrica</i> (<i>L.</i>) <i>Vig.</i>	Welsh Poppy	Casual
<i>Medicago arabica</i> (<i>L.</i>) <i>Huds.</i>	Spotted Medick	Native
<i>Medicago lupulina</i> <i>L.</i>	Black Medick	Native
<i>Medicago minima</i> (<i>L.</i>) <i>Bartal.</i>	Bur Medick	Casual
<i>Medicago polymorpha</i> <i>L.</i>	Toothed Medick	Casual
<i>Medicago sativa</i> ssp. <i>falcata</i> (<i>L.</i>) <i>Arcang.</i> ssp. <i>sativa</i> <i>L.</i>	Sickle Medick Lucerne	Neophyte
<i>Melampyrum cristatum</i> <i>L.</i>	Crested Cow-wheat	Native
<i>Melampyrum pratense</i> ssp. <i>pratense</i> <i>L.</i>	Common Cow-wheat	Native
<i>Melica nutans</i> <i>L.</i>	Mountain Melick	Native
<i>Melica uniflora</i> <i>Retz.</i>	Wood Melick	Native
<i>Melilotus albus</i> <i>Medik.</i>	White Melilot	Neophyte
<i>Melilotus altissimus</i> <i>Thuill.</i>	Tall Melilot	Archeophyte
<i>Melilotus indicus</i> (<i>L.</i>) <i>All.</i>	Small Melilot	Casual
<i>Melilotus officinalis</i> (<i>L.</i>) <i>Pall.</i>	Ribbed Melilot	Neophyte
<i>Melissa officinalis</i> <i>L.</i>	Balm	Casual
<i>Mentha aquatica</i> <i>L.</i>	Water Mint	Native
<i>Mentha arvensis</i> <i>L.</i>	Corn Mint	Native
<i>Mentha pulegium</i> <i>L.</i>	Pennyroyal	Native & Neophyte
<i>Mentha spicata</i> <i>L.</i>	Spear Mint	Casual
<i>Mentha suaveolens</i> <i>Ehrh.</i>	Round-leaved Mint	Neophyte
<i>Mentha x piperita</i> <i>L.</i>	Peppermint	Casual

<i>Mentha x rotundifolia</i> (L.) Huds.	False Apple-mint	Casual
<i>Mentha x smithiana</i> R.A. Graham	Tall Mint	Neophyte
<i>Mentha x verticillata</i> L.	Whorled Mint	Native
<i>Mentha x villosa</i> Huds.	Apple-mint	Neophyte
<i>Menyanthes trifoliata</i> L.	Bogbean	Native
<i>Mercurialis annua</i> L.	Annual Mercury	Archeophyte
<i>Mercurialis perennis</i> L.	Dog's Mercury	Native
<i>Mespilus germanica</i> L.	Medlar	Introduction
<i>Metasequoia glyptostroboides</i> Hu & W.C. Cheng	Dawn Redwood	Introduction
<i>Milium effusum</i> L.	Wood Millet	Native
<i>Mimulus guttatus</i> DC.	Monkeyflower	Casual
<i>Mimulus moschatus</i> Douglas ex Lindl.	Musk	Casual
<i>Minuartia hybrida</i> (Villars) Schischk.	Fine-leaved Sandwort	Native
<i>Misopates orontium</i> (L.) Raf.	Weasel's-snout	Archeophyte
<i>Moehringia trinervia</i> (L.) Clairv.	Three-nerved Sandwort	Native
<i>Moenchia erecta</i> (L.) P. Gaertn., B. Mey. & Scherb.	Upright Chickweed	Native
<i>Molinia caerulea</i> (L.) Moench	Purple Moor-grass	Native
<i>Montia fontana</i> L.	Blinks	Native
<i>Morus nigra</i> L.	Black Mulberry	Introduction
<i>Muscari armeniacum</i> Leichtlin ex Baker	Garden Grape-hyacinth	Neophyte
<i>Muscari comosum</i> (L.) Mill.	Tassel Hyacinth	Casual
<i>Muscari neglectum</i> Guss. ex Ten.	Grape-hyacinth	Casual
<i>Myagrum perfoliatum</i> L.	Mitre Cress	Casual
<i>Mycelis muralis</i> (L.) Dumort.	Wall lettuce	Native
<i>Myosotis arvensis</i> (L.) Hill	Field Forget-me-not	Archeophyte
<i>Myosotis discolor</i> Pers.	Changing Forget-me-not	Native
<i>Myosotis laxa</i> ssp. <i>caespitosa</i> (Schultz) Hyl. ex Nordh.	Tufted Forget-me-not	Native
<i>Myosotis ramosissima</i> Rochel	Early Forget-me-not	Native
<i>Myosotis scorpioides</i> L.	Water Forget-me-not	Native
<i>Myosotis sylvatica</i> Ehrh. ex Hoffm.	Wood Forget-me-not	Neophyte
<i>Myosoton aquaticum</i> (L.) Moench	Water Chickweed	Native
<i>Myosurus minimus</i> L.	Mousetail	Native or alien
<i>Myriophyllum alterniflorum</i> DC.	Alternate Water-milfoil	Native
<i>Myriophyllum aquaticum</i> (Vell.) Verdc.	Parrot's-feather	Casual
<i>Myriophyllum spicatum</i> L.	Spiked Water-milfoil	Native
<i>Myriophyllum verticillatum</i> L.	Whorled Water-milfoil	Native
<i>Myrrhis odorata</i> (L.) Scop.	Sweet Cicely	Casual
<i>Narcissus hispanicus</i> Gouan	Spanish Daffodil	Introduction
<i>Narcissus poeticus</i> L.	Pheasant's-eye Daffodil	Casual
<i>Narcissus pseudonarcissus</i> L.	Daffodil	Native
<i>Narcissus x cyclazetta</i> Chater & Stace	Head-to-head Daffodil	Introduction
<i>Narcissus x medioluteus</i> Mill.	Primrose-peerless	Casual
<i>Nardus stricta</i> L.	Mat-grass	Native
<i>Nassella tenuissima</i> (Trin.) Barkworth	Argentine Needle-grass	Casual
<i>Nasturtium microphyllum</i> (Boenn.) Rchb.	Narrow-fruited Water-cress	Native
<i>Nasturtium officinale</i> W.T. Aiton	Water-cress	Native
<i>Nasturtium x sterile</i> (Airy Shaw) Oefelein	Hybrid Water-cress	Native
<i>Neotinea ustulata</i> (L.) R.M. Bateman, Pridgeon & M.W. Chase	Burnt Orchid	Native
<i>Neottia nidus-avis</i> (L.) Rich.	Bird's-nest Orchid	Native

<i>Neottia ovata</i> (L.) Bluff & Fingerh.	Common Twayblade	Native
<i>Nepeta cataria</i> L.	Cat-mint	Archeophyte
<i>Nepeta x faassenii</i> Bergmans ex Stearn	Garden Cat-mint	Casual
<i>Neslia paniculata</i> (L.) Desv.	Ball Mustard	Casual
<i>Nicandra physalodes</i> (L.) Gaertn.	Apple-of-Peru	Neophyte
<i>Nicotiana tabacum</i> L.	Tobacco	Casual
<i>Nigella damascena</i> L.	Love-in-a-mist	Casual
<i>Nitella flexilis</i> agg. L.	Smooth Stonewort	
<i>Nitella opaca</i> (C. Agardh ex Brzelius) C. Agardh	Dark Stonewort	
<i>Nitellopsis obtusa</i> (Desv.) J. Groves	Starry Stonewort	
<i>Nonea lutea</i> (Desr.) DC.		Casual
<i>Nuphar lutea</i> (L.) Sm.	Yellow Water-lily	Native
<i>Nymphaea alba</i> ssp. <i>alba</i> L.	White Water-lily	Native
<i>Nymphoides peltata</i> Kuntze	Fringed water-lily	Native
<i>Odontites jaubertianus</i> ssp. <i>chrysanthus</i> (Bureau) P. Fourn.	French Bartsia	Neophyte
<i>Odontites vernus</i> ssp. <i>serotinus</i> (Syme) Corb. ssp. <i>vernus</i> (<i>Bellardi</i>) Dumort.	Red Bartsia	Native
<i>Oenanthe aquatica</i> (L.) Poir.	Fine-leaved Water-dropwort	Native
<i>Oenanthe crocata</i> L.	Hemlock Water-dropwort	Native
<i>Oenanthe fistulosa</i> L.	Tubular Water-dropwort	Native
<i>Oenanthe fluviatilis</i> (Bab.) Coleman	River Water-dropwort	Native
<i>Oenanthe lachenalii</i> C.C. Gmel.	Parsley Water-dropwort	Native
<i>Oenanthe silaifolia</i> M. Bieb.	Narrow-leaved Water-dropwort	Native
<i>Oenothera biennis</i> L.	Common Evening-primrose	Casual
<i>Oenothera glazioviana</i> P. Micheli	Large-flowered Evening-primrose	Casual
<i>Omphalodes verna</i> Moench	Blue-eyed-Mary	Neophyte
<i>Onobrychis viciifolia</i> Scop.	Sainfoin	Casual
<i>Ononis baetica</i> Clemente	Andalucian Restharrow	Casual
<i>Ononis repens</i> L.	Common Restharrow	Native
<i>Ononis spinosa</i> L.	Spiny Restharrow	Native
<i>Onopordum acanthium</i> L.	Cotton Thistle	Archeophyte and casual
<i>Ophioglossum vulgatum</i> L.	Adder's-tongue	Native
<i>Ophrys apifera</i> Huds.	Bee Orchid	Native
<i>Ophrys insectifera</i> L.	Fly Orchid	Native
<i>Ophrys sphegodes</i> Mill.	Early Spider-orchid	Native
<i>Orchis anthropophora</i> (L.) All.	Man Orchid	Native
<i>Orchis mascula</i> (L.) L.	Early-purple Orchid	Native
<i>Oreopteris limbosperma</i> (All.) Holub	Lemon-scented Fern	Native
<i>Origanum vulgare</i> L.	Wild Marjoram	Native
<i>Ornithogalum nutans</i> L.	Drooping Star-of-Bethlehem	Introduction
<i>Ornithogalum pyrenaicum</i> L.	Spiked Star-of-Bethlehem	Casual
<i>Ornithogalum umbellatum</i> L.	Star-of-Bethlehem	Casual
<i>Ornithopus perpusillus</i> L.	Bird's-foot	Native
<i>Orobanche crenata</i> Forssk.	Bean Broomrape	Casual
<i>Orobanche elatior</i> Sutton	Knapweed Broomrape	Native
<i>Orobanche hederae</i> Duby	Ivy Broomrape	Casual
<i>Orobanche minor</i> ssp. <i>minor</i> Sm.	Common Broomrape	Native
<i>Orobanche ramosa</i> L.	Hemp Broomrape	Casual

<i>Osmunda regalis L.</i>	Royal Fern	Native
<i>Oxalis acetosella L.</i>	Wood-sorrel	Native
<i>Oxalis articulata Savigny</i>	Pink-sorrel	Casual
<i>Oxalis corniculata L.</i>	Procumbent Yellow-sorrel	Neophyte
<i>Oxalis debilis Kunth</i>	Large-flowered Pink-sorrel	Casual
<i>Oxalis exilis A. Cunn.</i>	Least Yellow-sorrel	Casual
<i>Oxalis stricta L.</i>	Upright Yellow-sorrel	Casual
<i>Panicum capillare L.</i>	Witch-grass	Casual
<i>Panicum miliaceum L.</i>	Common Millet	Casual
<i>Papaver argemone L.</i>	Prickly Poppy	Archeophyte
<i>Papaver atlanticum (Ball) Coss.</i>	Atlas Poppy	Casual
<i>Papaver dubium L.</i>	Long-headed Poppy	Archeophyte
<i>Papaver hybridum L.</i>	Rough Poppy	Archeophyte
<i>Papaver lecoqii Lamotte</i>	Yellow-juiced Poppy	Archeophyte
<i>Papaver pseudoorientale (Fedde) Medw.</i>	Oriental Poppy	Casual
<i>Papaver rhoeas L.</i>	Common Poppy	Archeophyte
<i>Papaver somniferum ssp. somniferum L.</i>	Opium Poppy	Casual
<i>Parentucellia viscosa (L.) Caruel</i>	Yellow Bartsia	Casual
<i>Parietaria judaica L.</i>	Pellitory-of-the-wall	Native
<i>Paris quadrifolia L.</i>	Herb-Paris	Native
<i>Parnassia palustris L.</i>	Grass-of-Parnassus	Native
<i>Parthenocissus quinquefolia (L.) Planch.</i>	Virginia-creeper	Casual
<i>Pastinaca sativa ssp. sylvestris (Mill.) Rouy & E.G. Camus</i>	Wild Parsnip	Native
<i>Paulownia tomentosa (Thunb.) Steud.</i>	Foxglove-tree	Introduction
<i>Pedicularis palustris L.</i>	Marsh Lousewort	Native
<i>Pedicularis sylvatica ssp. sylvatica L.</i>	Lousewort	Native
<i>Pentaglottis sempervirens (L.) Tausch ex L.H. Bailey</i>	Green Alkanet	Neophyte
<i>Persicaria amphibia (L.) Delarbre</i>	Amphibious Bistort	Native
<i>Persicaria amplexicaulis (D. Don) Ronse Decr.</i>	Red Bistort	Casual
<i>Persicaria bistorta (L.) Samp.</i>	Common Bistort	Native
<i>Persicaria hydropiper (L.) Delarbre</i>	Water-pepper	Native
<i>Persicaria lapathifolia (L.) Delarbre</i>	Pale Persicaria	Native
<i>Persicaria maculosa Gray</i>	Redshank	Native
<i>Persicaria minor (Huds.) Opiz</i>	Small Water-pepper	Native
<i>Persicaria mitis (Schrank) Assenov</i>	Tasteless Water-pepper	Native
<i>Persicaria wallichii Greuter & Burdet</i>	Himalayan Knotweed	Casual
<i>Petasites albus (L.) Gaertn.</i>	White Butterbur	Neophyte
<i>Petasites fragrans (Vill.) C. Presl</i>	Winter Heliotrope	Neophyte
<i>Petasites hybridus (L.) P. Gaertn., B. Mey. & Scherb.</i>	Butterbur	Native
<i>Petasites japonicus (Siebold & Zucc.) Maxim.</i>	Giant Butterbur	Introduction
<i>Petroselinum crispum (Mill.) Fuss</i>	Garden Parsley	Casual
<i>Petroselinum segetum (L.) W.D.J. Koch</i>	Corn Parsley	Native
<i>Petrorhagia prolifera (L.) P.W. Ball & Heywood</i>	Proliferous Pink	Casual
<i>Phacelia tanacetifolia Benth.</i>	Phacelia	Casual
<i>Phalaris aquatica L.</i>	Bulbous Canary-grass	Casual
<i>Phalaris arundinacea L.</i>	Reed Canary-grass	Native
<i>Phalaris canariensis L.</i>	Canary-grass	Casual
<i>Phalaris minor Retz.</i>	Lesser Canary-grass	Casual
<i>Philadelphus coronarius L.</i>	Mock-orange	Introduction

<i>Philadelphus 'Lemoinei Group'</i>	Hairy Mock-orange	Casual
<i>Phleum bertolonii DC.</i>	Smaller Cat's-tail	Native
<i>Phleum pratense L.</i>	Timothy	Native
<i>Phlomis fruticosa L.</i>	Jerusalem Sage	Casual
<i>Phragmites australis (Cav.) Trin. ex Steud.</i>	Common Reed	Native
<i>Phuopsis stylosa (Trin.) Benth. & Hook. f. ex B.D. Jacks.</i>	Caucasian Crosswort	Casual
<i>Physalis alkekengi L.</i>	Japanese-lanterns	Casual
<i>Phytolacca americana L.</i>	American Pokeweed	Casual
<i>Phytolacca polyandra</i>	Chinese Pokeweed	Casual
<i>Picea abies (L.) H. Karst.</i>	Norway Spruce	Introduction
<i>Picea breweriana S. Watson</i>	Brewer Spruce	Introduction
<i>Picea glauca (Moench) Voss</i>	White Spruce	Introduction
<i>Picea orientalis L. Link</i>	Oriental Spruce	Introduction
<i>Picea sitchensis (Bong.) Carrière</i>	Sitka Spruce	Introduction
<i>Picris hieracioides</i> ssp. <i>hieracioides L.</i>	Hawkweed Oxtongue	Native
<i>Pilosella aurantiaca</i> ssp. <i>aurantiaca (L.) F.W. Schultz & Sch. Bip.</i>	Fox-and-cubs	Neophyte
ssp. <i>carpathicola (Nägeli & Peter) Soják</i>		
<i>Pilosella flagellaris</i> ssp. <i>flagellaris (Willd.) P.D. Sell & C. West</i>	Spreading Mouse-ear-hawkweed	Neophyte
<i>Pilosella officinarum F.W. Schultz & Sch. Bip.</i>	Mouse-ear-hawkweed	Native
<i>Pilosella praetalta</i> ssp. <i>praelata (Vill. Ex Gochnat) F.W. Schultz & Sch. Bip.</i>	Tall Mouse-ear-hawkweed	Neophyte
<i>Pilularia globulifera L.</i>	Pillwort	Native
<i>Pimpinella major (L.) Huds.</i>	Greater Burnet-saxifrage	Native
<i>Pimpinella saxifraga L.</i>	Burnet-saxifrage	Native
<i>Pinguicula vulgaris L.</i>	Common Butterwort	Native
<i>Pinus contorta Douglas ex Loudon</i>	Lodgepole Pine	Introduction
<i>Pinus nigra</i> ssp. <i>laricio Maire</i>	Corsican Pine	Introduction
ssp. <i>nigra J.F. Arnold</i>	Austrian Pine	
<i>Pinus pinaster Aiton</i>	Maritime Pine	Introduction
<i>Pinus strobus L.</i>	Weymouth Pine	Introduction
<i>Pinus sylvestris L.</i>	Scots Pine	Neophyte
<i>Pinus wallichiana A.B. Jacks.</i>	Bhutan Pine	Introduction
<i>Pisum sativum L.</i>	Garden Pea	Casual
<i>Plantago arenaria Waldst. & Kit.</i>	Branched Plantain	Casual
<i>Plantago coronopus L.</i>	Buck's-horn Plantain	Native
<i>Plantago lanceolata L.</i>	Ribwort Plantain	Native
<i>Plantago major</i> ssp. <i>intermedia (Gilib.) Lange</i>	Greater Plantain	Native
ssp. <i>major L.</i>		
<i>Plantago media L.</i>	Hoary Plantain	Native
<i>Platanthera chlorantha (Custer) Rchb.</i>	Greater Butterfly-orchid	Native
<i>Platanus x hispanica Mill. Ex Münchh.</i>	London Plane	Introduction
<i>Platycladus orientalis (L.) Franco</i>	Chinese Arbor-vitae	Introduction
<i>Poa angustifolia L.</i>	Narrow-leaved Meadow-grass	Native
<i>Poa annua L.</i>	Annual Meadow-grass	Native
<i>Poa compressa L.</i>	Flattened Meadow-grass	Native
<i>Poa humilis Ehrh. Ex Hoffm.</i>	Spreading Meadow-grass	Native
<i>Poa infirma Kunth</i>	Early Meadow-grass	Native
<i>Poa nemoralis L.</i>	Wood Meadow-grass	Native
<i>Poa palustris L.</i>	Swamp Meadow-grass	Casual
<i>Poa pratensis L.</i>	Smooth Meadow-grass	Native

Poa trivialis L.	Rough Meadow-grass	Native
Polemonium caeruleum L.	Jacob's-ladder	Casual
Polygala serpyllifolia Hosé	Heath Milkwort	Native
Polygala vulgaris ssp. collina (Rchb.) Borbás ssp. vulgaris L.	Common Milkwort	Native
Polygonatum multiflorum (L.) All.	Solomon's-seal	Native
Polygonatum x hybridum Brügger	Garden Solomon's-seal	Casual
Polygonum arenastrum Boreau	Equal-leaved Knotgrass	Archeophyte
Polygonum aviculare L.	Knotgrass	Native
Polygonum rurivagum Jord. Ex Boreau	Cornfield Knotgrass	Archeophyte
Polypodium interjectum Shivas	Intermediate Polypody	Native
Polypodium vulgare L.	Polypody	Native
Polypogon monspeliensis (L.) Desf.	Annual Beard-grass	Casual
Polypogon viridis (Gouan) Breistr.	Water Bent	Casual
Polystichum aculeatum (L.) Roth	Hard Shield-fern	Native
Polystichum lonchitis (L.) Roth	Holly-fern	Casual
Polystichum setiferum (Forssk.) T. Moore ex Woyn.	Soft Shield-fern	Native
Pontederia cordata L.	Pickerel Weed	Introduction
Populus alba L.	White Poplar	Introduction
Populus nigra ssp. betulifolia (Pursh) Dippel. ' Italica' ' Gigantea' ' Plantieriensis'	Black-poplar Lombardy-poplar Giant Lombardy-poplar Plantier's Poplar	Native Introduction Introduction Introduction
Populus tremula L.	Aspen	Native
Populus trichocarpa Torr. & A. Gray ex Hook.	Western Balsam-poplar	Introduction
Populus x canadensis Moench	Hybrid Black-poplar	Introduction
Populus x canescens (Aiton) Sm.	Grey Poplar	Introduction
Populus x jackii Sarg.	Balm-of-Gilead	Introduction
Potamogeton acutifolius Link	Sharp-leaved Pondweed	Native
Potamogeton alpinus Balb.	Red Pondweed	Native
Potamogeton berchtoldii Fieber	Small Pondweed	Native
Potamogeton coloratus Hornem.	Fen Pondweed	Native
Potamogeton compressus L.	Grass-wrack Pondweed	Native
Potamogeton crispus L.	Curled Pondweed	Native
Potamogeton friesii Rupr.	Flat-stalked Pondweed	Native
Potamogeton gramineus L.	Various-leaved Pondweed	Native
Potamogeton lucens L.	Shining Pondweed	Native
Potamogeton natans L.	Broad-leaved Pondweed	Native
Potamogeton obtusifolius Mert. & W.D.J. Koch	Blunt-leaved Pondweed	Native
Potamogeton pectinatus L.	Fennel Pondweed	Native
Potamogeton perfoliatus L.	Perfoliate Pondweed	Native
Potamogeton praelongus Wulfen	Long-stalked Pondweed	Native
Potamogeton pusillus L.	Lesser Pondweed	Native
Potamogeton trichoides Cham. & Schltl.	Hairlike Pondweed	Native
Potamogeton x angustifolius J. Presl	Long-leaved Pondweed	Native
Potamogeton x cooperi (Fryer) Fryer	Cooper's Pondweed	Native
Potamogeton x fluitans Roth		Native
Potamogeton x grovesii Dandy & G. Taylor		Native
Potamogeton x nitens Weber	Bright-leaved Pondweed	Native
Potamogeton x salicifolius Wolfgang.	Willow-leaved Pondweed	Native

Potentilla anglica <i>Laichard.</i>	Trailing Tormentil	Native
Potentilla anserina <i>L.</i>	Silverweed	Native
Potentilla argentea <i>L.</i>	Hoary Cinquefoil	Native
Potentilla erecta ssp. erecta (<i>L.</i>) <i>Raeusch.</i>	Tormentil	Native
Potentilla indica (<i>Jacks.</i>) <i>Wolf</i>	Yellow-flowered Strawberry	Casual
Potentilla intermedia <i>L.</i>	Russian Cinquefoil	Casual
Potentilla norvegica <i>L.</i>	Ternate-leaved Cinquefoil	Casual
Potentilla recta <i>L.</i>	Sulphur Cinqufoil	Casual
Potentilla reptans <i>L.</i>	Creeping Cinquefoil	Native
Potentilla sterilis (<i>L.</i>) <i>Garcke</i>	Barren Strawberry	Native
Potentilla x mixta <i>Nolte ex Rchb.</i>	Hybrid Cinquefoil	Native
Poterium sanguisorba ssp. balearicum (<i>Bourg. ex Nyman</i>) <i>Stace</i> ssp. sanguisorba <i>L.</i>	Fodder Burnet	Neophyte
	Salad Burnet	Native
Primula veris <i>L.</i>	Cowslip	Native
Primula vulgaris ssp. vulgaris <i>Huds.</i> ssp. <i>sibthorpii</i> (<i>Hoffmanns.</i>) <i>W.W.Sm. & Forrest</i>	Primrose	Native
Primula x polyantha <i>Mill.</i>	False Oxlip	Casual
Primula x pruhonicensis <i>Zemann ex Bergmans</i>	Hybrid Primrose	Native
Prunella vulgaris <i>L.</i>	Selfheal	Native
Prunella x intermedia <i>Link</i>		Native
Prunus armeniaca <i>L.</i>	Apricot	Introduction
Prunus avium (<i>L.</i>) <i>L.</i>	Wild Cherry	Native
Prunus cerasifera <i>Ehrh.</i>	Cherry Plum	Neophyte
Prunus cerasus <i>L.</i>	Dwarf Cherry	Archeophyte
Prunus domestica ssp. domestica <i>L.</i> ssp. <i>insititia</i> (<i>L.</i>) <i>Bonnier & Layens</i> ssp. <i>italica</i> (<i>Borkh.</i>) <i>Gams ex Hegi</i>	Wild Plum	Archeophyte
	Bullace, Damson, Greengage	
Prunus dulcis (<i>Mill.</i>) <i>D.A. Webb</i>	Almond	Introduction
Prunus laurocerasus <i>L.</i>	Cherry Laurel	Introduction
Prunus lusitanica <i>L.</i>	Portugal Laurel	Introduction
Prunus padus <i>L.</i>	Bird Cherry	Introduction
Prunus spinosa <i>L.</i>	Blackthorn	Native
Prunus x fruticans <i>Weinhe</i>		Native
Pseudofumaria alba (<i>Mill.</i>) <i>Lidén</i>	Pale Corydalis	Casual
Pseudofumaria lutea (<i>L.</i>) <i>Borkh.</i>	Yellow Corydalis	Neophyte
Pseudosasa japonica (<i>Siebold & Zucc. Ex Steud.</i>) <i>Makino ex Nakai</i>	Arrow Bamboo	Casual
Pseudotsuga menziesii (<i>Mirb.</i>) <i>Franco</i>	Douglas Fir	Introduction
Pseudoturritis turrita (<i>L.</i>) <i>Al-Shehbaz</i>	Tower Cress	Casual
Pteridium aquilinum (<i>L.</i>) <i>Kuhn</i>	Bracken	Native
Puccinellia distans (<i>Jacq.</i>) <i>Parl.</i>	Reflexed Saltmarsh-grass	Neophyte
Puccinellia maritima (<i>Huds.</i>) <i>Parl.</i>	Common Saltmarsh-grass	Neophyte
Pulicaria dysenterica (<i>L.</i>) <i>Bernh.</i>	Common Fleabane	Native
Pulmonaria officinalis <i>L.</i>	Lungwort	Neophyte
Pulsatilla vulgaris <i>Mill.</i>	Pasqueflower	Native
Pyracantha coccinea <i>M. Roem.</i>	Firethorn	Casual
Pyrus amygdaliformis <i>Vill.</i>	Almond-leaved Pear	Introduction
Pyrus communis <i>L.</i>	Pear	Archeophyte
Pyrus pyraster (<i>L.</i>) <i>Burgsd.</i>	Wild Pear	Archeophyte
Pyrus salicifolia <i>Pall.</i>	Willow-leaved Pear	Introduction
Quercus cerris <i>L.</i>	Turkey Oak	

<i>Quercus coccinea</i> Münchh.	Scarlet Oak	Introduction
<i>Quercus ilex</i> L.	Evergreen Oak	Introduction
<i>Quercus petraea</i> (Matt.) Liebl.	Sessile Oak	Native
<i>Quercus robur</i> L.	Pedunculate Oak	Native
<i>Quercus rubra</i> L.	Red Oak	Introduction
<i>Quercus x crenata</i> Lam.	Lucombe Oak	Introduction
<i>Quercus x rosacea</i> Bechst.		Native
<i>Ranunculus acris</i> ssp. <i>acris</i> L.	Meadow Buttercup	Native
<i>Ranunculus aquatilis</i> L.	Common Water-crowfoot	Native
<i>Ranunculus arvensis</i> L.	Corn Buttercup	Archeophyte
<i>Ranunculus auricomus</i> L.	Goldilocks Buttercup	Native
<i>Ranunculus baudotii</i> Godr.	Brackish Water-crowfoot	Native
<i>Ranunculus bulbosus</i> L.	Bulbous Buttercup	Native
<i>Ranunculus circinatus</i> Sibth.	Fan-leaved Water-crowfoot	Native
<i>Ranunculus flammula</i> ssp. <i>flammula</i> L.	Lesser Spearwort	Native
<i>Ranunculus fluitans</i> Lam.	River Water-crowfoot	Native
<i>Ranunculus hederaceus</i> L.	Ivy-leaved Crowfoot	Native
<i>Ranunculus lingua</i> L.	Greater Spearwort	Native
<i>Ranunculus omiophyllus</i> Ten.	Round-leaved Crowfoot	Native
<i>Ranunculus parviflorus</i> L.	Small-flowered Buttercup	Native
<i>Ranunculus peltatus</i> Schrank	Pond Water-crowfoot	Native
<i>Ranunculus penicillatus</i> ssp. <i>pseudofluitans</i> (Syme) S.D. Webster	Stream Water-crowfoot	Native
<i>Ranunculus repens</i> L.	Creeping Buttercup	Native
<i>Ranunculus sardous</i> Crantz	Hairy Buttercup	Native
<i>Ranunculus sceleratus</i> L.	Celery-leaved Buttercup	Native
<i>Ranunculus trichophyllus</i> Chaix	Thread-leaved Water-crowfoot	Native
<i>Ranunculus x kelchoensis</i> S.D. Webster	Kelso Water-crowfoot	Native
<i>Raphanus raphanistrum</i> ssp. <i>raphanistrum</i> L.	Wild Radish	Archeophyte
<i>Rapistrum rugosum</i> (L.) Bergeret	Bastard Cabbage	Casual
<i>Reseda alba</i> L.	White Mignonette	Casual
<i>Reseda lutea</i> L.	Wild Mignonette	Native
<i>Reseda luteola</i> L.	Weld	Archeophyte
<i>Reseda phytisma</i> L.	Corn Mignonette	Casual
<i>Rhamnus cathartica</i> L.	Buckthorn	Native
<i>Rheum x rhabarbarum</i> L.	Rhubarb	Casual
<i>Rhinanthus minor</i> ssp. <i>calcareous</i> (Wilmott.) E. Warb. ssp. <i>minor</i> L. ssp. <i>stenophyllus</i> O. Schwarz	Yellow-rattle	Native
<i>Rhododendron ponticum</i> L.	Rhododendron	Introduction
<i>Rhus typhina</i> L.	Stag's-horn Sumach	Casual
<i>Ribes nigrum</i> L.	Black Currant	Neophyte
<i>Ribes rubrum</i> L.	Red Currant	Neophyte
<i>Ribes sanguineum</i> Pursh	Flowering Currant	Casual
<i>Ribes uva-crispa</i> L.	Gooseberry	Neophyte
<i>Robinia pseudoacacia</i> L.	False-acacia	Introduction
<i>Rodgersia aesculifolia</i> Batalin		Introduction
<i>Rorippa amphibia</i> (L.) Besser	Great Yellow-cress	Native
<i>Rorippa palustris</i> (L.) Besser	Marsh Yellow-cress	Native
<i>Rorippa sylvestris</i> (L.) Besser	Creeping Yellow-cress	Native
<i>Rosa agrestis</i> Savi	Small-leaved Sweet-briar	Native

Rosa arvensis <i>Huds.</i>	Field-rose	Native
Rosa caesia ssp. <i>caesia Sm.</i>	Hairy Dog-rose	Native
ssp. <i>vosagiaca (N.H.F. Desp.) D.H. Kent</i>	Glaucous Dog-rose	
Rosa canina <i>L.</i>	Dog-rose	Native
Rosa ferruginea <i>Vill.</i>	Red-leaved Rose	Neophyte
Rosa micrantha <i>Borrer ex Sm.</i>	Small-flowered Sweet-briar	Native
Rosa mollis <i>Sm.</i>	Soft Downy-rose	Native
Rosa multiflora <i>Thunb.</i>	Many-flowered Rose	Introduction
Rosa obtusifolia <i>Desv.</i>	Round-leaved Dog-rose	Native
Rosa x <i>timbalii Crép.</i>		Native
Rosa x <i>involuta Sm.</i>		Native
Rosa rubiginosa <i>L.</i>	Sweet-briar	Native
Rosa rugosa <i>Thunb.</i>	Japanese Rose	Introduction
Rosa sherardii <i>Davies</i>	Sherard's Downy-rose	Native
Rosa spinosissima <i>L.</i>	Burnet Rose	Native
Rosa stylosa <i>Desv.</i>	Short-styled Field-rose	Native
Rosa tomentosa <i>Sm.</i>	Harsh Downy-rose	Native
Rosa x <i>andegavensis Bastard</i>		Native
Rosa x <i>dumalis Bechst.</i>		Native
Rosa x <i>dumetorum Thuill.</i>		Native
Rosa x <i>irregularis Déségl. & Guillot</i>		Native
Rosa x <i>nitidula Besser</i>		Native
Rosa x <i>pseudorusticana Crép. ex Preston</i>		Native
Rosa x <i>rothschildii Druce</i>		Native
Rosa x <i>scabriuscula Sm.</i>		Native
Rosa x <i>vituperabilis Duffort ex Rouy</i>		Native
Rubus adscitus <i>Genev.</i>	Bramble	Native
Rubus adspersus <i>Weihe ex H.E. Weber</i>	Bramble	Native
Rubus albionis <i>W.C.R. Watson</i>	Bramble	Native
Rubus amplificatus <i>Lees</i>	Bramble	Native
Rubus anglocandicans <i>A. Newton</i>	Bramble	Native
Rubus armeniacus <i>Focke</i>	Himalayan Giant	Neophyte
Rubus armipotens <i>W.C. Barton ex A. Newton</i>	Bramble	Native
Rubus atrebatum <i>Newton</i>	Bramble	Native
Rubus bagnallianus <i>Edees</i>	Bramble	Native
Rubus bartonii <i>Newton</i>	Bramble	Native
Rubus bertramii <i>G. Braun</i>	Bramble	Native
Rubus bloxamianus <i>Coleman ex Purchas</i>	Bramble	Native
Rubus bloxamii (<i>Bab.</i>) <i>Lees</i>	Bramble	
Rubus boudiccae <i>A.L. Bull & Edees</i>	Bramble	Native
Rubus caesius <i>L.</i>	Dewberry	Native
Rubus cardiophyllus <i>Lefèvre & P.J. Müll.</i>	Bramble	Native
Rubus conjungens (<i>Bab.</i>) <i>Rogers</i>	Bramble	Native
Rubus dasypyllylus (<i>Rogers</i>) <i>E. Marshall</i>	Bramble	Native
Rubus drejeri <i>Jensen ex Lange</i>	Bramble	Native
Rubus eboracensis <i>W.C.R. Watson</i>	Bramble	Native
Rubus echinatoides (<i>Rogers</i>) <i>Dallman</i>	Bramble	Native
Rubus echinatus <i>Lindl.</i>	Bramble	Native
Rubus erythrops <i>Edees & A. Newton</i>	Bramble	Native

<i>Rubus euryanthemus</i> W.C.R. Watson	Bramble	Native
<i>Rubus fissus</i> Lindl.	Bramble	Native
<i>Rubus flexuosus</i> P.J. Müll & Lefevre	Bramble	Native
<i>Rubus griffithianus</i> Rogers	Bramble	Native
<i>Rubus halsteadensis</i> W.C.R. Watson	Bramble	Native
<i>Rubus hylocharis</i> W.C.R. Watson	Bramble	Native
<i>Rubus idaeus</i> L.	Raspberry	Native
<i>Rubus infestus</i> Weihe ex Boenn.	Bramble	Native
<i>Rubus laciniatus</i> Willd.	Bramble	Neophyte
<i>Rubus leightonii</i> Lees ex Leight.	Bramble	Native
<i>Rubus leucostachys</i> Schleich. ex Sm.	Bramble	Native
<i>Rubus lindebergii</i> P.J. Müll.	Bramble	Native
<i>Rubus lindleianus</i> Lees	Bramble	Native
<i>Rubus longus</i> (Rogers & Ley) Newton	Bramble	Native
<i>Rubus macrophyllus</i> Weihe & Nees	Bramble	Native
<i>Rubus marshallii</i> Focke & Rogers	Bramble	Native
<i>Rubus micans</i> Godr.	Bramble	
<i>Rubus mucronulatus</i> Boreau	Bramble	Native
<i>Rubus murrayi</i> Sudre	Bramble	Native
<i>Rubus nemoralis</i> P.J. Müll.	Bramble	Native
<i>Rubus nemorosus</i> Hayne & Willd.	Bramble	Native
<i>Rubus nessensis</i> Hall	Bramble	Native
<i>Rubus pallidus</i> Weihe	Bramble	Native
<i>Rubus pedemontanus</i> Pinkw.	Bramble	Native
<i>Rubus platyacanthus</i> P.J. Müll & Lef.	Bramble	Native
<i>Rubus plicatus</i> Weihe & Nees	Bramble	Native
<i>Rubus polioides</i> W.C.R. Watson	Bramble	Native
<i>Rubus polyanthemus</i> Lindeb.	Bramble	Native
<i>Rubus projectus</i> A. Beek	Bramble	Native
<i>Rubus pruinosus</i> Arrh.	Bramble	Native
<i>Rubus pyramidalis</i> Kaltenb.	Bramble	Native
<i>Rubus radula</i> Weihe ex Boenn.	Bramble	Native
<i>Rubus raduloides</i> (Rogers) Sudre	Bramble	Native
<i>Rubus rhombifolius</i> Weihe ex Boenn.	Bramble	Native
<i>Rubus rudis</i> Weihe	Bramble	Native
<i>Rubus rufescens</i> Lefèvre & P.J. Müll	Bramble	Native
<i>Rubus scaber</i> Weihe	Bramble	Native
<i>Rubus scabripes</i> Genev.	Bramble	Native
<i>Rubus sciocharis</i> (Sudre) W.C.R. Watson	Bramble	Native
<i>Rubus scoticus</i> (Rogers & Ley) Edees	Bramble	Native
<i>Rubus silvaticus</i> Weihe & Nees	Bramble	Native
<i>Rubus sprengelii</i> Weihe	Bramble	Native
<i>Rubus subinermoides</i> Druce	Bramble	Native
<i>Rubus trichodes</i> W.C.R. Watson	Bramble	Native
<i>Rubus tuberculatus</i> Bab.	Bramble	Native
<i>Rubus ulmifolius</i> Schott	Bramble	Native
<i>Rubus vestitus</i> Weihe	Bramble	Native
<i>Rubus warrenii</i> Sudre	Bramble	Native
<i>Rubus watsonii</i> Mills	Bramble	Native

<i>Rubus winteri P.J.Müll ex Focke</i>	Bramble	Native
<i>Rubus idaeus x R. vitifolius Cham. & Schltl.</i>		Casual
<i>Rumex acetosa ssp. acetosa L.</i>	Common Sorrel	Native
<i>Rumex acetosella L.</i>	Sheep's Sorrel	Native
<i>Rumex conglomeratus Murray</i>	Clustered Dock	Native
<i>Rumex crispus ssp. crispus L.</i>	Curled Dock	Native
<i>Rumex x pratensis Mert. & W.D.J. Koch</i>		Native
<i>Rumex hydrolapathum Huds.</i>	Water Dock	Native
<i>Rumex maritimus L.</i>	Golden Dock	Native
<i>Rumex obtusifolius L.</i>	Broad-leaved Dock	Native
<i>Rumex x steinii Becker</i>		Native
<i>Rumex palustris Sm.</i>	Marsh Dock	Native
<i>Rumex pulcher L.</i>	Fiddle Dock	Native
<i>Rumex x ogulinensis Borbás</i>		Native
<i>Rumex sanguineus L.</i>	Wood Dock	Native
<i>Rumex x dufftii Hausskn.</i>		Native
<i>Rumex x mixtus Lamb.</i>		Native
<i>Rumex x henrardii Danser</i>		Native
<i>Rumex x heteranthos Borbás</i>		Native
<i>Rumex x wirtgenii Beck</i>		Native
<i>Ruscus aculeatus L.</i>	Butcher's-broom	Introduction
<i>Sacopa cordata C.E.O Kuntze</i>	Bacopa	Casual
<i>Sagina apetala Ard.</i>	Annual Pearlwort	Native
<i>Sagina filicaulis Jord.</i>	Slender Pearlwort	Native
<i>Sagina nodosa (L.) Fenzl</i>	Knotted Pearlwort	Native
<i>Sagina procumbens L.</i>	Procumbent Pearlwort	Native
<i>Sagina subulata (Sw.) C. Presl</i>	Heath Pearlwort	Native
<i>Sagittaria sagittifolia L.</i>	Arrowhead	Native
<i>Salix alba L.</i>	White Willow	Archeophyte
<i>Salix aurita L.</i>	Eared Willow	Native
<i>Salix caprea ssp. caprea L.</i>	Goat Willow	Native
<i>Salix cinerea ssp. cinerea L.</i> ssp. <i>oleifolia Macreight</i>	Grey Willow	Native
<i>Salix daphnoides Vill.</i>	Rusty Willow	
<i>Salix elaeagnos Scop.</i>	European Violet-willow	Introduction
<i>Salix fragilis sens lat</i>	Olive Willow	Introduction
<i>Salix myrsinifolia Salisb.</i>	Crack-willow	Archeophyte
<i>Salix pentandra L.</i>	Dark-leaved Willow	Introduction
<i>Salix purpurea L.</i>	Bay Willow	Introduction
<i>Salix repens L.</i>	Purple Willow	Native
<i>Salix triandra L.</i>	Creeping Willow	Native
<i>Salix viminalis L.</i>	Almond Willow	Archeophyte
<i>Salix babylonica L.</i>	Osier	Archeophyte
<i>Salix x calodendron Wimm.</i>	Peking Willow	Introduction
<i>Salix x capreola Jos. Kern. ex Andersson</i>	Holme Willow	Native
<i>Salix x fragilis L.</i>	Hybrid Crack-willow	Archeophyte
<i>Salix x fruticosa Döll.</i>	Shrubby Osier	Native
<i>Salix x holoserica Willd.</i>	Silky-leaved Osier	Native
<i>Salix x latifolia J. Forbes</i>		Native

<i>Salix x mollissima Hoffm. ex Elwert</i>	Sharp-stipuled Willow	Introduction
<i>Salix x multinervis Döll.</i>		Native
<i>Salix x pontederiana Willd.</i>		Native
<i>Salix x reichardtii A. Kern.</i>		Native
<i>Salix x rubra Huds.</i>	Green-leaved Willow	Native
<i>Salix x sepulcralis Simonk.</i>	Weeping Willow	Native
<i>Salix x smithiana Willd.</i>	Broad-leaved Osier	Native
<i>Salsola kali ssp. <i>tragus</i> (L.) Čelak</i>	Spineless Saltwort	Casual
<i>Salvia pratensis L.</i>	Meadow Clary	Native
<i>Salvia reflexa Hornem.</i>	Mintweed	Casual
<i>Salvia sclarea L.</i>	Clary	Casual
<i>Salvia verbenaca ssp. <i>horminoides</i> (Pourr.) Nyman</i>	Wild Clary	Native
<i>Salvia verticillata L.</i>	Whorled Clary	Casual
<i>Salvia viridis L.</i>	Annual Clary	Casual
<i>Sambucus canadensis L.</i>	American Elder	Casual
<i>Sambucus ebulus L.</i>	Dwarf Elder	Archeophyte
<i>Sambucus nigra L.</i>	Elder	Native
<i>Sambucus racemosa L.</i>	Red-berried Elder	Casual
<i>Samolus valerandi L.</i>	Brookweed	Native
<i>Sanguisorba officinalis L.</i>	Great Burnet	Native
<i>Sanicula europaea L.</i>	Sanicle	Native
<i>Saponaria officinalis L.</i>	Soapwort	Archeophyte
<i>Saponaria ocymoides L.</i>	Rock Soapwort	Introduction
<i>Saxifraga granulata L.</i>	Meadow Saxifrage	Native
<i>Saxifraga hirsuta L.</i>	Kidney Saxifrage	Casual
<i>Saxifraga tridactylites L.</i>	Rue-leaved Saxifrage	Native
<i>Scabiosa columbaria L.</i>	Small Scabious	Native
<i>Scandix pecten-veneris L.</i>	Shepherd's-needle	Archeophyte
<i>X Schedolium loliaceum (Huds.) Holub</i>	Hybrid Fescue	Native
<i>Schedonorus arundinaceus (Schreb.) Dumort.</i>	Tall Fescue	Native
<i>Schedonorus giganteus (L.) Holub</i>	Giant Fescue	Native
<i>Schedonorus pratensis (Huds.) P. Beauv.</i>	Meadow Fescue	Native
<i>Schoenoplectus lacustris (L.) Palla</i>	Common Club-rush	Native
<i>Schoenoplectus tabernaemontani (C.C. Gmel.) Palla</i>	Grey Club-rush	Native
<i>Schoenus nigricans L.</i>	Black Bog-rush	Native
<i>Scilla forbesii (Baker) Speta</i>	Glory-of-the-snow	Casual
<i>Scilla siberica Haw.</i>	Siberian Squill	Casual
<i>Scirpus sylvaticus L.</i>	Wood Club-rush	Native
<i>Scleranthus annuus ssp. <i>annuus</i> L.</i>	Annual Knawel	Native
<i>Scleranthus perennis ssp. <i>perennis</i> L.</i>	Perennial Knawel	Native
<i>Scorzoneroideae autumnalis (L.) Moench</i>	Autumn Hawkbit	Native
<i>Scrophularia auriculata L.</i>	Water Figwort	Native
<i>Scrophularia nodosa L.</i>	Common Figwort	Native
<i>Scrophularia vernalis L.</i>	Yellow Figwort	Neophyte
<i>Scutellaria galericulata L.</i>	Skullcap	Native
<i>Secale cereale L.</i>	Rye	Casual
<i>Securigera varia (L.) Lassen</i>	Crown Vetch	Casual
<i>Sedum acre L.</i>	Biting Stonecrop	Native
<i>Sedum album L.</i>	White Stonecrop	Archeophyte

Sedum anglicum <i>Huds.</i>	English Stonecrop	Casual
Sedum dasypHYLLUM <i>L.</i>	Thick-leaved Stonecrop	Casual
Sedum forsterianum <i>Sm.</i>	Rock Stonecrop	
Sedum hybridum <i>L.</i>	Hybrid Stonecrop	Casual
Sedum rupestre <i>L.</i>	Reflexed Stonecrop	Neophyte
Sedum sexangulare <i>L.</i>	Tasteless Stonecrop	Casual
Sedum spectabile <i>Bureau</i>	Butterfly Stonecrop	Casual
Sedum spurium <i>M. Bieb.</i>	Caucasian-stonecrop	Casual
Sedum stellatum <i>L.</i>	Starry Stonecrop	Casual
Sedum telephium <i>L.</i>	Orpine	Native
Sempervivum tectorum <i>L.</i>	House-leek	Casual
Senecio aquaticus ssp. aquaticus <i>Hill</i>	Marsh Ragwort	Native
Senecio erucifolius <i>L.</i>	Hoary Ragwort	Native
Senecio inaequidens <i>DC.</i>	Narrow-leaved Ragwort	Neophyte
Senecio jacobaea <i>L.</i>	Common Ragwort	Native
Senecio paludosus <i>L.</i>	Fen Ragwort	Introduction
Senecio sarracenicus <i>L.</i>	Broad-leaved Ragwort	Neophyte
Senecio squalidus <i>L.</i>	Oxford ragwort	Neophyte
Senecio x baxteri <i>Druce</i>		Native
Senecio x subnebrodensis <i>Simonk.</i>		Native
Senecio sylvaticus <i>L.</i>	Heath Groundsel	Native
Senecio vernalis <i>Waldst. & Kit.</i>	Eastern Groundsel	Casual
Senecio viscosus <i>L.</i>	Sticky Groundsel	Neophyte
Senecio vulgaris <i>L.</i>	Groundsel	Native
Sequoiadendron giganteum (<i>Lindl.</i>) <i>Buchholz</i>	Wellingtonia	Introduction
Serratula tinctoria <i>L.</i>	Saw-wort	Native
Setaria pumila (<i>Poir.</i>) <i>Roem. & Schult.</i>	Yellow Bristle-grass	Casual
Setaria viridis (<i>L.</i>) <i>P. Beauv.</i>	Green Bristle-grass	Casual
Setaria verticillata (<i>L.</i>) <i>P. Beauv.</i>	Rough Bristle-grass	Casual
Sherardia arvensis <i>L.</i>	Field Madder	Native
Silaum silaus (<i>L.</i>) <i>Schinz & Thell.</i>	Pepper-saxifrage	Native
Silene coronaria (<i>L.</i>) <i>Clairv.</i>	Rose Campion	Casual
Silene dichotoma <i>Ehrh.</i>	Forked Catchfly	Casual
Silene dioica (<i>L.</i>) <i>Clairv.</i>	Red Campion	Native
Silene flos-cuculi (<i>L.</i>) <i>Clairv.</i>	Ragged-robin	Native
Silene gallica <i>L.</i>	Small-flowered Catchfly	Archeophyte
Silene italicica (<i>L.</i>) <i>Pers.</i>	Italian Catchfly	Casual
Silene latifolia <i>Poir.</i>	White Campion	Archeophyte
Silene noctiflora <i>L.</i>	Night-flowering Catchfly	Archeophyte
Silene vulgaris ssp. vulgaris (<i>Moench</i>) <i>Garcke</i>	Bladder Campion	Native
Silene x hampeana <i>Meusel & K. Werner</i>	Pink Campion	Native
Silybum marianum (<i>L.</i>) <i>Gaertn.</i>	Milk Thistle	Casual
Sinapis alba <i>L.</i>	White Mustard	Archeophyte
Sinapis arvensis <i>L.</i>	Charlock	Archeophyte
Sison amomum <i>L.</i>	Stone Parsley	Native
Sisymbrium altissimum <i>L.</i>	Tall Rocket	Neophyte
Sisymbrium loeselii <i>L.</i>	False London-rocket	Casual
Sisymbrium officinale (<i>L.</i>) <i>Scop.</i>	Hedge Mustard	Archeophyte
Sisymbrium orientale <i>L.</i>	Eastern Rocket	Neophyte

<i>Sisyrinchium striatum Sm.</i>	Pale Yellow-eyed-grass	Casual
<i>Sium latifolium L.</i>	Greater Water-parsnip	Native
<i>Smyrnium olusatum L.</i>	Alexanders	Archeophyte
<i>Solanum dulcamara L.</i>	Bittersweet	Native
<i>Solanum lycopersicum L.</i>	Tomato	Casual
<i>Solanum nigrum ssp. nigrum L.</i>	Black Nightshade	Neophyte
<i>Solanum physalifolium Rusby</i>	Green Nightshade	Casual
<i>Solanum rostratum Dunal</i>	Buffalo-bur	Casual
<i>Solanum sarachoides Sendtn.</i>	Leafy-fruited Nightshade	Casual
<i>Solanum tuberosum L.</i>	Potato	Casual
<i>Soleirolia soleirolii (Req.) Dandy</i>	Mind-your-own-business	Neophyte
<i>Solidago canadensis L.</i>	Canadian Golden-rod	Neophyte
<i>Solidago gigantea ssp. serotina (O. Kuntze) McNeill</i>	Early Goldenrod	Neophyte
<i>Solidago rugosa Mill.</i>	Rough-stemmed Goldenrod	Casual
<i>Solidago virgaurea L.</i>	Goldenrod	Native
<i>Sonchus arvensis L.</i>	Perennial Sowthistle	Native
<i>Sonchus asper (L.) Hill</i>	Prickly Sowthistle	Native
<i>Sonchus oleraceus L.</i>	Smooth Sowthistle	Native
<i>Sonchus palustris L.</i>	Marsh Sowthistle	Neophyte
<i>Sorbus aria (L.) Crantz</i>	Common Whitebeam	Introduction
<i>Sorbus aucuparia L.</i>	Rowan	Neophyte
<i>Sorbus croceocarpa P.D. Sell</i>	Orange Whitebeam	Introduction
<i>Sorbus intermedia (Ehrh.) Pers.</i>	Swedish Whitebeam	Introduction
<i>Sorbus torminalis (L.) Crantz</i>	Wild Service-tree	Native
<i>Sparganium emersum Rehmann</i>	Unbranched Bur-reed	Native
<i>Sparganium erectum ssp. neglectum (Beeby) K. Richt.</i> ssp. <i>erectum</i> L. ssp. <i>oocarpum</i> (Čelak.) Domin.	Branched Bur-reed	Native
<i>Sparganium natans L.</i>	Least Bur-reed	Native
<i>Spergula arvensis L.</i>	Corn Spurrey	Archeophyte
<i>Spergularia marina (L.) Besser</i>	Lesser Sea-spurrey	Neophyte
<i>Spergularia rubra (L.) J. & C. Presl</i>	Sand Spurrey	Native
<i>Spiraea douglasii Hook.</i>	Steeple-bush	Casual
<i>Spiraea salicifolia L.</i>	Bridewort	Casual
<i>Spiraea x billardii Héring</i>	Billard's Bridewort	Casual or Introduction
<i>Spiranthes spiralis (L.) Chevall.</i>	Autumn Lady's-tresses	Native
<i>Spirodela polyrhiza (L.) Schleid.</i>	Greater Duckweed	Native
<i>Stachys annua (L.) L.</i>	Annual Yellow-woundwort	Casual
<i>Stachys arvensis (L.) L.</i>	Field Woundwort	Archeophyte
<i>Stachys byzantina K. Koch</i>	Lamb's-ear	Casual
<i>Stachys germanica L.</i>	Downy Woundwort	Native
<i>Stachys palustris L.</i>	Marsh Woundwort	Native
<i>Stachys sylvatica L.</i>	Hedge Woundwort	Native
<i>Stachys x ambigua Sm.</i>	Hybrid Woundwort	Native
<i>Staphylea pinnata L.</i>	Bladdernut	Introduction
<i>Stellaria alsine Grimm</i>	Bog Stitchwort	Native
<i>Stellaria graminea L.</i>	Lesser Stitchwort	Native
<i>Stellaria holostea L.</i>	Greater Stitchwort	Native
<i>Stellaria media (L.) Vill.</i>	Common Chickweed	Native
<i>Stellaria neglecta Weihe</i>	Greater Chickweed	Native

<i>Stellaria pallida</i> (<i>Dumort.</i>) Crép.	Lesser Chickweed	Native
<i>Stellaria palustris</i> Ehrh. ex Hoffm.	Marsh Stitchwort	Native
<i>Stratiotes aloides</i> L.	Water-soldier	Introduction
<i>Succisa pratensis</i> Moench	Devil's-bit Scabious	Native
<i>Sutera Cordata</i> (<i>Thunb.</i>) Kuntze	Bacopa	Casual
<i>Symphoricarpos albus</i> (<i>L.</i>) S.F. Blake	Snowberry	Neophyte
<i>Symphoricarpus x chenaultii</i> Rehder	Chenault's Coralberry	Introduction
<i>Symphytum asperum</i> Lepech.	Rough Comfrey	Casual
<i>Symphytum caucasicum</i> M. Bieb.	Caucasian Comfrey	Casual
<i>Symphytum grandiflorum</i> DC.	Creeping Comfrey	Neophyte
<i>Symphytum officinale</i> ssp. <i>officinale</i> L.	Common Comfrey	Native
<i>Symphytum orientale</i> L.	White Comfrey	Neophyte
<i>Symphytum tuberosum</i> L.	Tuberous Comfrey	Casual
<i>Symphytum x uplandicum</i> Nyman	Russian Comfrey	Neophyte
<i>Syringa vulgaris</i> L.	Lilac	Introduction
<i>Tamus communis</i> L.	Black Bryony	Native
<i>Tanacetum balsamita</i> L.	Costmary	Casual
<i>Tanacetum parthenium</i> (<i>L.</i>) Sch. Bip.	Feverfew	Archeophyte
<i>Tanacetum vulgare</i> L.	Tansy	Native
<i>Taraxacum akteum</i> Hagend., Soest & Zevenb.	Hampshire Dandelion	Native
<i>Taraxacum alatum</i> Lindb.	Dandelion	Native
<i>Taraxacum orcadense</i> Dahlst.	Dandelion	Native
<i>Taraxacum ancistrolobum</i> Dahlst.	Dandelion	Native
<i>Taraxacum brachyglossum</i> (Dahlst.) Raunk.	Dandelion	Native
<i>Taraxacum bracteatum</i> Dahlst.	Dandelion	Native
<i>Taraxacum coartatum</i> G.E. Haglund	Dandelion	Native
<i>Taraxacum cophocentrum</i> Dahlst.	Dandelion	Native
<i>Taraxacum cordatum</i> Palmgr.	Dandelion	Native
<i>Taraxacum cyanolepis</i> Dahlst.	Dandelion	Native
<i>Taraxacum dilatatum</i> Lindb.	Dandelion	Native
<i>Taraxacum duplidentifrons</i> Dahlst.	Dandelion	Native
<i>Taraxacum faeroense</i> (Dahlst.) Dahlst.	Dandelion	Native
<i>Taraxacum fasciatum</i> Dahlst.	Dandelion	Possibly Native
<i>Taraxacum fulviforme</i> Dahlst.	Dandelion	Native
<i>Taraxacum fulvum</i> Raunk.	Dandelion	Native
<i>Taraxacum hamatum</i> Hagend., Soest & Zevenb.	Dandelion	Native
<i>Taraxacum hamatum</i> Raunk.	Dandelion	Native
<i>Taraxacum huelphersianum</i> G.E. Haglund	Dandelion	Neophyte
<i>Taraxacum laciniosifrons</i> Winst. in Raunk.	Dandelion	Probably Native
<i>Taraxacum laciniosum</i> Dahlst.	Dandelion	Neophyte
<i>Taraxacum lacistophyllum</i> (Dahlst.) Raunk.	Dandelion	Native
<i>Taraxacum laeticolor</i> Dahlst.	Dandelion	Neophyte
<i>Taraxacum longisquameum</i> Lindb.	Dandelion	Native
<i>Taraxacum mimulum</i> Dahlst. ex Lindb.	Dandelion	Casual
<i>Taraxacum naevosum</i> Dahlst.	Dandelion	Native
<i>Taraxacum nordstedtii</i> Dahlst.	Dandelion	Native
<i>Taraxacum oblongatum</i> Dahlst.	Dandelion	Native
<i>Taraxacum officinale</i> agg.	Dandelion	Native
<i>Taraxacum oxoniense</i> Dahlst.	Dandelion	Native

<i>Taraxacum pallescens</i> <i>Dahlst.</i>	Dandelion	Neophyte
<i>Taraxacum palustre</i> (<i>Lyons</i>) <i>Symons</i>	Dandelion	Native
<i>Taraxacum piceatum</i> <i>Dahlst.</i>	Dandelion	Neophyte
<i>Taraxacum polyodon</i> <i>Dahlst.</i>	Dandelion	Native
<i>Taraxacum proximum</i> (<i>Dahlst.</i>) <i>Raunk.</i>	Umber-fruited Dandelion	Native
<i>Taraxacum pseudohamatum</i> <i>Dahlst.</i>	Dandelion	Native
<i>Taraxacum retroflexum</i> <i>Lindb.</i>	Dandelion	Neophyte
<i>Taraxacum rhamphodes</i> <i>G.E. Haglund</i>	Dandelion	Neophyte
<i>Taraxacum rubicundum</i> (<i>Dahlst.</i>) <i>Dahlst.</i>	Dandelion	Native
<i>Taraxacum sellandii</i> <i>Dahlst.</i>	Dandelion	Native
<i>Taraxacum spiculatum</i> <i>M.P. Christ.</i>	Sagittate-lobed Dandelion	Neophyte
<i>Taraxacum subexpallidum</i> <i>Dahlst.</i>	Dandelion	Neophyte
<i>Taraxacum subhamatum</i> <i>M.P. Christ.</i>	Dandelion	Native
<i>Taraxacum tenebricans</i> (<i>Dahlst.</i>) <i>Dahlst.</i>	Dandelion	Neophyte
<i>Taraxacum tumentilobum</i> <i>Markl. ex Hagl.</i>	Dandelion	Neophyte
<i>Taraxacum unguilobum</i> <i>Dahlst.</i>	Dandelion	Native
<i>Taraxacum vastisectum</i> <i>Markl. ex Puol.</i>	Dandelion	Neophyte
<i>Taxodium distichum</i> (<i>L.</i>) <i>Rich.</i>	Swamp Cypress	Introduction
<i>Taxus baccata</i> <i>L.</i>	Yew	Native
<i>Teesdalia nudicaulis</i> (<i>L.</i>) <i>W.T. Aiton</i>	Shepherd's Cress	Native
<i>Tellima grandiflora</i> (<i>Pursh</i>) <i>Douglas ex Lindl.</i>	Fringecups	Casual
<i>Tephroseris integrifolia</i> ssp. <i>integrifolia</i> (<i>L.</i>) <i>Holub</i>	Field Fleawort	Native
<i>Teucrium scordium</i> <i>L.</i>	Water Germander	Native
<i>Teucrium scorodonia</i> <i>L.</i>	Wood Sage	Native
<i>Thalictrum flavum</i> <i>L.</i>	Common Meadow-rue	Native
<i>Thalictrum minus</i> <i>L.</i>	Lesser Meadow-rue	Casual
<i>Thalictrum speciosissimum</i> <i>L.</i>	Yellow Meadow-rue	Casual
<i>Thelypteris palustris</i> <i>Schott</i>	Marsh Fern	Native
<i>Thermopsis montana</i> <i>Nutt. ex Torr. & A. Gray</i>	False Lupin	Casual
<i>Thlaspi arvense</i> <i>L.</i>	Field Penny-cress	Archeophyte
<i>Thuja occidentalis</i> <i>L.</i>	Northern White-cedar	Introduction
<i>Thuja plicata</i> <i>Donn ex D. Don</i>	Western Red-cedar	Introduction
<i>Thymus polytrichus</i> ssp. <i>britannicus</i> (<i>Ronniger</i>) <i>Kerguélen</i>	Wild Thyme	Native
<i>Thymus pulegioides</i> <i>L.</i>	Large Thyme	Native
<i>Thymus serpyllum</i> <i>L.</i>	Breckland Thyme	
<i>Tilia americana</i> <i>L.</i>	American Basswood	Introduction
<i>Tilia cordata</i> <i>Mill.</i>	Small-leaved Lime	Native
<i>Tilia platyphyllos</i> <i>Scop.</i>	Large-leaved Lime	Introduction
<i>Tilia x euchlora</i> <i>K. Koch</i>	Caucasian Lime	Introduction
<i>Tilia x europaea</i> <i>L.</i>	Common Lime	Introduction
<i>Tilia x tomentosa</i> <i>Moench</i>	Pendant Lime	Introduction
<i>Tolypella glomerata</i> (<i>Desv.</i>) <i>Leonth.</i>	Clustered Stonewort	
<i>Tolypella intricate</i> (<i>Trentep. Ex Roth</i>) <i>Leonth.</i>	Tassel-stonewort	
<i>Tolypella prolifera</i> (<i>Ziz ex A. Braun</i>) <i>Leonth.</i>	Great Tassel-stonewort	
<i>Torilis arvensis</i> (<i>Huds.</i>) <i>Link</i>	Spreading Hedge-parsley	Archeophyte
<i>Torilis japonica</i> (<i>Houtt.</i>) <i>DC.</i>	Upright Hedge-parsley	Native
<i>Torilis nodosa</i> (<i>L.</i>) <i>Gaertn.</i>	Knotted Hedge-parsley	Native
<i>Trachystemon orientalis</i> (<i>L.</i>) <i>G. Don</i>	Abraham-Isaac-Joseph	Casual
<i>Tragopogon porrifolius</i> <i>L.</i>	Salsify	Neophyte

<i>Tragopogon pratensis</i> ssp. <i>minor</i> (<i>Mill.</i>) <i>Wahlenb.</i>	Goat's-beard	Native
ssp. <i>pratensis</i> <i>L.</i>		Neophyte
<i>Tragopogon x mirabilis</i> <i>Rouy</i>		Native
<i>Trifolium arvense</i> <i>L.</i>	Hare's-foot Clover	Native
<i>Trifolium aureum</i> <i>Pollich</i>	Large Trefoil	Casual
<i>Trifolium campestre</i> <i>Schreb.</i>	Hop Trefoil	Native
<i>Trifolium dubium</i> <i>Sibth.</i>	Lesser Trefoil	Native
<i>Trifolium fragiferum</i> ssp. <i>fragiferum</i> <i>L.</i>	Strawberry Clover	Native
<i>Trifolium hybridum</i> ssp. <i>hybridum</i> <i>L.</i>	Alpine Clover	Neophyte
<i>Trifolium incarnatum</i> ssp. <i>incarnatum</i> <i>L.</i>	Crimson Clover	Casual
<i>Trifolium medium</i> <i>L.</i>	Zigzag Clover	Native
<i>Trifolium micranthum</i> <i>Viv.</i>	Slender Trefoil	Native
<i>Trifolium ochroleucon</i> <i>Huds.</i>	Sulphur Clover	Native
<i>Trifolium pratense</i> <i>L.</i>	Red Clover	Native
<i>Trifolium repens</i> <i>L.</i>	White Clover	Native
<i>Trifolium resupinatum</i> <i>L.</i>	Reversed Clover	Casual
<i>Trifolium scabrum</i> <i>L.</i>	Rough Clover	Native
<i>Trifolium striatum</i> <i>L.</i>	Knotted Clover	Native
<i>Trifolium subterraneum</i> <i>L.</i>	Sunterranean Clover	Native or Casual.
<i>Triglochin palustris</i> <i>L.</i>	Marsh Arrowgrass	Native
<i>Tripleurospermum inodorum</i> (<i>L.</i>) <i>Sch. Bip.</i>	Scentless Mayweed	Archeophyte
<i>Trisetum flavescens</i> ssp. <i>flavescens</i> (<i>L.</i>) <i>P. Beauv.</i>	Yellow Oat-grass	Native
<i>Tristagma uniflorum</i> (<i>Lindl.</i>) <i>Traub</i>	Spring Starflower	Casual
<i>Triticum aestivum</i> <i>L.</i>	Bread Wheat	Casual
<i>Tropaeolum majus</i> <i>L.</i>	Nasturtium	Casual
<i>Tsuga chinensis</i> (<i>Franch.</i>) <i>Pritzel ex Diels.</i>	Chinese Hemlock	Introduction
<i>Tsuga heterophylla</i> (<i>Raf.</i>) <i>Sarg.</i>	Western Hemlock-spruce	Introduction
<i>Tulipa gesneriana</i> <i>L.</i>	Garden Tulip	Casual
<i>Tulipa sylvestris</i> <i>L.</i>	Wild Tulip	Neophyte
<i>Turgenia latifolia</i> (<i>L.</i>) <i>Hoffm.</i>	Greater Bur-parsley	Casual
<i>Turritis glabra</i> <i>L.</i>	Tower Mustard	Native
<i>Tussilago farfara</i> <i>L.</i>	Colt's-foot	Native
<i>Typha angustifolia</i> <i>L.</i>	Lesser Bulrush	Native
<i>Typha latifolia</i> <i>L.</i>	Bulrush	Native
<i>Typha x glauca</i> <i>Godr.</i>		Native
<i>Ulex europaeus</i> <i>L.</i>	Gorse	Native
<i>Ulex minor</i> <i>Roth</i>	Dwarf Gorse	Native
<i>Ulmus glabra</i> <i>Huds.</i>	Wych Elm	Native
<i>Ulmus glabra</i> x <i>minor</i>		Native
<i>Ulmus minor</i> ssp. <i>angustifolia</i> (<i>Weston</i>) <i>Stace</i>	Cornish Elm	Introduction
ssp. <i>minor</i> <i>Mill.</i>	Small-leaved Elm	Native
ssp. <i>sarniensis</i> (<i>C.K. Schneid.</i>) <i>Stace</i>	Jersey Elm	Introduction
<i>Ulmus plotii</i> <i>Druce</i>	Plot's Elm	Native
<i>Ulmus procera</i> <i>Salisb.</i>	English Elm	Archeophyte
? <i>Ulmus x elegantissima</i> <i>Horw.</i>		Native
<i>Ulmus x hollandica</i> <i>Mill.</i>	Dutch Elm	Native
<i>Ulmus x vegeta</i> (<i>Loudon</i>) <i>Ley</i>	Huntingdon Elm	Native
? <i>Ulmus x viminalis</i> <i>Lodd. ex Loudon</i>		Native
<i>Umbilicus rupestris</i> (<i>Salisb.</i>) <i>Dandy</i>	Navelwort	Native

<i>Urtica dioica</i> ssp. <i>dioica</i> L.	Common Nettle	Native
ssp. <i>galeopsifolia</i> (<i>Wierzb. ex Opiz</i>) Chrtk	Stingless Nettle	Native
<i>Urtica pilulifera</i> L.	Roman Nettle	Casual
<i>Urtica urens</i> L.	Small Nettle	Archeophyte
<i>Utricularia minor</i> L.	Lesser Bladderwort	Native
<i>Utricularia vulgaris</i> L.	Greater Bladderwort	Native
<i>Vaccaria hispanica</i> (Mill.) Rauschert	Cowherb	Casual
<i>Valeriana dioica</i> L.	Marsh Valerian	Native
<i>Valeriana officinalis</i> ssp. <i>collina</i> (Wallr.) Nyman ssp. <i>sambucifolia</i> (J.C. Mikan ex Pohl) W.R. Hayw.	Common Valerian	Native
<i>Valerianella carinata</i> Loisel.	Keel-fruited Cornsalad	Archeophyte
<i>Valerianella dentata</i> (L.) Pollich	Narrow-fruited Cornsalad	Archeophyte
<i>Valerianella eriocarpa</i> Desv.	Hairy-fruited Cornsalad	Casual
<i>Valerianella locusta</i> (L.) Laterr.	Common Cornsalad	Native
<i>Valerianella rimosa</i> Bastard	Broad-fruited cornsalad	Archeophyte
<i>Verbascum blattaria</i> L.	Moth Mullein	Casual
<i>Verbascum densiflorum</i> Bertol.	Dense-flowered Mullein	Casual
<i>Verbascum lychnitis</i> L.	White Mullein	Casual
<i>Verbascum nigrum</i> L.	Dark Mullein	Native
<i>Verbascum phlomoides</i> L.	Orange Mullein	Casual
<i>Verbascum pulverulentum</i> Vill.	Hoary Mullein	Casual
<i>Verbascum speciosum</i> Schrad.	Hungarian Mullein	Casual
<i>Verbascum thapsus</i> L.	Great Mullein	Native
<i>Verbascum virgatum</i> Stokes	Twiggy Mullein	Casual
<i>Verbascum x semialbum</i> Chaub.		Native
<i>Verbena bonariensis</i> L.	Argentinean Vervain	Casual
<i>Verbena officinalis</i> L.	Vervain	Archeophyte
<i>Veronica agrestis</i> L.	Green Field-speedwell	Archeophyte
<i>Veronica anagallis-aquatica</i> L.	Blue Water-speedwell	Native
<i>Veronica arvensis</i> L.	Wall Speedwell	Native
<i>Veronica beccabunga</i> L.	Brooklime	Native
<i>Veronica catenata</i> Pennell	Pink Water-speedwell	Native
<i>Veronica chamaedrys</i> L.	Germander Speedwell	Native
<i>Veronica filiformis</i> Sm.	Slender Speedwell	Neophyte
<i>Veronica hederifolia</i> ssp. <i>hederifolia</i> L. ssp. <i>lucorum</i> (Klett & Richt.) Hartl	Ivy-leaved Speedwell	Archeophyte
<i>Veronica longifolia</i> L.	Garden Speedwell	Casual
<i>Veronica montana</i> L.	Wood Speedwell	Native
<i>Veronica officinalis</i> L.	Heath Speedwell	Native
<i>Veronica persica</i> Poir.	Common Field-speedwell	Neophyte
<i>Veronica polita</i> Fr.	Grey Field-speedwell	Neophyte
<i>Veronica scutellata</i> L.	Marsh Speedwell	Native
<i>Veronica serpyllifolia</i> ssp. <i>serpyllifolia</i> L.	Thyme-leaved Speedwell	Native
<i>Veronica spicata</i> L.	Spiked Speedwell	Casual
<i>Viburnum lantana</i> L.	Wayfaring-tree	Native
<i>Viburnum opulus</i> L.	Guilder-rose	Native
<i>Viburnum rhytidophyllum</i> Hemsl.	Wrinkled Viburnum	Casual
<i>Vicia bithynica</i> (L.) L.	Bithynian Vetch	Casual
<i>Vicia cracca</i> L.	Tufted Vetch	Native
<i>Vicia faba</i> L.	Broad Bean	Casual

<i>Vicia hirsuta</i> (L.) Gray	Hairy Tare	Native
<i>Vicia lutea</i> L.	Yellow-vetch	Casual
<i>Vicia pannonica</i> Crantz	Hungarian Vetch	Casual
<i>Vicia parviflora</i> Cav.	Slender tare	Native or Introduction
<i>Vicia sativa</i> ssp. <i>nigra</i> (L.) Ehrh.	Narrow-leaved Vetch	Native
ssp. <i>sativa</i> L.	Common Vetch	Casual
ssp. <i>segetalis</i> (Thuill.) Gaudin		Archeophyte
<i>Vicia sepium</i> L.	Bush Vetch	Native
<i>Vicia sylvatica</i> L.	Wood Vetch	Native
<i>Vicia tetrasperma</i> (L.) Schreb.	Smooth Tare	Native
<i>Vicia villosa</i> Roth	Fodder Vetch	Casual
<i>Vinca major</i> L.	Greater Periwinkle	Neophyte
<i>Vinca minor</i> L.	Lesser Periwinkle	Archeophyte
<i>Viola arvensis</i> Murray	Field Pansy	Archeophyte
<i>Viola canina</i> ssp. <i>canina</i> L.	Heath Dog-violet	Native
<i>Viola hirta</i> L.	Hairy Violet	Native
<i>Viola odorata</i> L.	Sweet Violet	Native
<i>Viola reichenbachiana</i> Jord. ex Boreau	Early Dog-violet	Native
<i>Viola riviniana</i> Rchb.	Common Dog-violet	Native
<i>Viola x intersita</i> Beck		Native
<i>Viola x bavarica</i> Schrank.		Native
<i>Viola tricolor</i> ssp. <i>tricolor</i> L.	Wild Pansy	Native
<i>Viola x contempta</i> Jord.		Native
<i>Viola x scabra</i> F. Braun		Native
<i>Viola x wittrockiana</i> Gams ex Kappert	Garden Pansy	Casual
<i>Viscum album</i> L.	Mistletoe	Native
<i>Vitis vinifera</i> L.	Grape Vine	Casual
<i>Vulpia bromoides</i> (L.) Gray	Squirreltail Fescue	Native
<i>Vulpia ciliata</i> ssp. <i>ambigua</i> (Le Gall) Stace & Auquier	Bearded Fescue	Casual
<i>Vulpia myuros</i> (L.) C.C. Gmel.	Rat's-tail Fescue	Native
<i>Wolffia arrhiza</i> (L.) Horkel ex Wimm.	Rootless Duckweed	Native
<i>X Conyzigeron huelsenii</i> (Vatke) Rauschert		Native
<i>X Cuprocyparis leylandii</i> (A.B. Jacks. & Dallim.) Farjon	Leyland Cypress	Introduction
<i>X Dactylodenia heinzelliana</i> (Reichardt) Garay & H.R. Sweet		Native
<i>Xanthium spinosum</i> L.	Spiny Cocklebur	Casual
<i>Xanthocyparis nootkanensis</i> (D. Don) Farjon & D.K. Harder	Nootka Cypress	Introduction
<i>Yucca gloriosa</i> L.	Spanish-dagger	Introduction
<i>Zannichellia palustris</i> L.	Horned Pondweed	Native
<i>Zea Mays</i> L.	Maize	Casual

A list species that have been recorded in print as being present in the vice-county, the records for which are now considered to be errors.

TAXON	COMMON NAME
<i>Aster novae-angliae L.</i>	Hairy Michaelmas-daisy
<i>Bidens x peacockii Druce</i>	
<i>Callitricha palustris L.</i>	Narrow-fruited Water-starwort
<i>Carex vulpina L.</i>	True Fox-sedge
<i>Carex x appeliana Zahn</i>	
<i>Cephaelanthera longifolia (L.) Fritsch</i>	Narrow-leaved Helleborine
<i>Crepis foetida L.</i>	Stinking Hawk's-beard
<i>Epipactis leptochila (Godfery) Godfery</i>	Narrow-lipped Helleborine
<i>Euphrasia stricta D. Wolff ex J. Lehm.</i>	Eyebright
<i>Herminium monorchis (L.) R. Br.</i>	Musk Orchid
<i>Mentha longifolia (L.) Huds.</i>	Horse Mint
<i>Pilosella x stoloniflora (Waldst. & Kit.) F. Schultz & Sch. Bip.</i>	
<i>Platanthera bifolia (L.) Rich.</i>	Lesser Butterfly-orchid
<i>Potamogeton nodosus Poir.</i>	Loddon Pondweed
<i>Potamogeton polygonifolius Pourr.</i>	Bog Pondweed
<i>Salix triandra x purpurea</i>	
<i>Silene nutans L.</i>	Nottingham Catchfly
<i>Sonchus oleraceus x S. asper</i>	
<i>Spiranthes aestivalis (Poir.) Rich.</i>	Summer Lady's-tresses
<i>Taraxacum orcadense Dahlst.</i>	Large-lobed Dandelion
<i>Viola rupestris F.W.Scmidt</i>	Native Teesdale Violet



Deadly nightshade *Atropa belladonna* in Bedford Purlieus. (Rob Wilson)