

		Recommendation: see SystmOne/TPP searches under Medicines	
FROM	ТО	Management Reporting	Link to website statement
Tech	nician switches		
		Prescribe as generic – all glaucoma eye drops, single and combination	
Alphagan	Brimonidine	preparations	
Any bath			
preparation, bath	STOR (0. 55. 5.)		
oil, shower gel or	STOP (Can offer Epimax or	Stop use - use moisturising emollient as soap substitute (for all patients	Emollient Prescribing Guidelines
wash	Isomol as soap substitute)	including young children)	Emolient Prescribing duidennes
Arimidex or Femara	Anastrozole or Letrozole		
Asacol	Octasa		
		Switch to cost-effective creams, including Cetraben. Do not switch in leg	
A	A D C - - i d - C - t	ulcer patients. Stop moisturising creams used occasionally for dry skin	Emalliant Procesibing Cuidalines
Aveeno	AproDerm Colloidal Oat	patients Prescribe as generic – all glaucoma eye drops, single and combination	Emollient Prescribing Guidelines
Azopt	 Brinzolamide	preparations	
Blephasol,	Diffizoiaffide	preparations	
Blephagel,			
Blephaclean	Stop or purchase OTC	Stop eyelid hygiene products	
BuTrans or			
buprenorphine	Bunov (Second line: Butec if		
patch	Bunov not tolerated)		
	Accrete D3 (chewable tablets -		
	1 OD or Film coated - swallow		
	1BD)Adcal caplets can be used for		
	Dossettes.		
Calcichew	Accrete D3 chewable tabs		
1000/800,	currently out of stock, please		
Calcichew D3	use Theical D3 as alternative	Most cost-effective brand; switch if discharged on Adcal D3 chewable	
chewable	24.02.23	formulation.	
Calcipotriol			
0.005%/Betametha	Calcipotriol		
sone Dipropionate	0.005%/Betamethasone	Gel/cream/foam are included on BSWformulary as second line options to	Former dame (horreformer de se la colo)
0.05% cream or gel	Dipropionate 0.05% ointment	support compliance with treatment when ointment is not suitable	Formulary (bswformulary.nhs.uk)



Carbamar 000	Clinitae (on Viscotae va)		Integrated Care Board
Carbomer 980	Clinitas (or Viscotears)		
Cerazette	Desogestrel	If not on repeat, leave note for next prescriber to switch	
Cialis (20mg or			ED : Maria
10mg)	Tadalafil		ED guidance
Co-careldopa			
(10mg/100mg and			
25mg/250mg)	Sinemet		
Creams and			
emollients;			
Diprobase,	5. / 50. 6	Switch to cost-effective creams, including Cetraben. Do not switch in leg	
Cetraben, E45,	Epimax (or ExCetra for leg ulcer	ulcer patients. Stop moisturising creams used occasionally for dry skin	Emalliant Procesibing Cuidalines
Aqueous cream	care)	patients	Emollient Prescribing Guidelines
Cosopt	Dorzolamide/Timolol	Prescribe as generic – all glaucoma eye drops, single and combination preparations	
·		preparations	
Crestor	Rosuvastatin		
Doublebase gel	Epimax Isomol gel		Emollient Prescribing Guidelines
	Generic Calcipotriol		
Dovobet ointment	0.005%/Betamethasone		
/Dalonev ointment	Dipropionate 0.05% ointment	Dalonev discontinued January 2023	
Durogesic or			
fentanyl patch	Mezolar Matrix (or Matrifen)		
Estradiol			
10microgram			
vaginal tablets or	Ma aim m	Vagirux has a single multi-use applicator which can be used up to 24 times	
Vagifem	Vagirux	and is recyclable.	
Ethosuximide	Emeside		
Exelon or			
rivastigmine patch	Alzest		
Flexitol Heel Balm			
(this is twice daily			
application)	Dermatonics Once Heel Balm	Diabetic foot	
	Valupak Multivitamin and		
	Mineral One a Day (Dialysis		
	and Bariatric and Gastric		
	surgery patients are exempted		
Forceval	from this switch)	Ensure you pick the correct Valupak product	
Hyaluronic acid eye	Hydramed 0.2% (Second line		
drops, Hylo-Tear,	VIZhyal 0.4% if patient prefers	Avaid quitabing if a year agong and of the same	PSW Dry Evo guidance
Hylo-Forte	a more viscous preparation)	Avoid switching if a very severe case of dry eyes	BSW Dry Eye guidance



	1		Integrated Care Board
	Evolve PF eye drops 0.3%		
Hypromellose Eye	Aapromel (non PF) eye drops	Should preferably be self-purchased OTC, but if prescribing, prescribe as	
drops 0.3%	0.3%	either Evolve or Aapromel brands as generic Hypromellose not ETP mapped	-
Ibugel 10% or ibuprofen gel,		10% Ibuprofen gel is non formulary and should not be prescribed. Suggest	
Voltarol gel,		purchased OTC (or prescribe 5% gel if patient declines and prescriber feels	
Feldene gel	Fenbid 5% gel	there is clinical need)	
ISMN 60mg MR tab	Monomil	there is difficult freedy	
Lipitor	Atorvastatin		
Losec or Nexium	Omeprazole or Esomeprazole		
Mirapexin or	omeprazoie or Esomeprazoie		
Pramipexole MR	Pipexus		
'	Purchase OTC (or swop to		
	Fenbid (ibuprofen) if		
Movelat	appropriate)	Advise purchase topical rubefacients OTC	
	Laxido Orange (Cosmocol if		
Movicol	Plain or Lemon and Lime)		
Nasonex	Mometasone		
Omeprazole tablets	Omeprazole capsules		
Oxycodone IR	Shortec		
Oxycodone MR	Longtec		
Premium price			
generics (These			
appear on system			
as drug, strength			Has One of December of the DDCs and an arrange
(Manufacturer))	Plain generic		<u>Use Open Prescribing for PPGs not on search</u>
Quinine bisulfate 300mg	Quinine sulphate 200mg	Quinine sulphate 200mg is considered clinically equivalent to quinine bisulphate 300mg.	
Reminyl or	Quilline surpriate 20011ig	bisdipriate 300mg.	_
galantamine XL	Gatalin (or Gazylan)		
Requip or ropinirole	Gataiii (Gi Gazyiaii)		
MR (2mg and 8mg			
only)	Ipinnia XL		
Seroquel XL or any			
brand of quetiapine	Brancico XL (line: Zaluron XL If		
MR	Brancico not tolerated)		
Sertraline 50mg,			
100mg	Contulen 50mg, 100mg		

2022/23 Savings Recommendations Bath and North East Somerset, Prescribe Well – Spend Less Swindon and Wiltshire Simple eye ointment Hylo-Night Sodium Chloride 5% Sodieye PF 5% eye drops eye drops Purchse OTC. If prescribed, Sodium Chloride 9% nasal drops please prescribe as Orbis brand Should be OTC in first intance. Otherwise prescribe as Orbis brand Sodium cromoglicate eye drops Stop or purchase OTC Advise purchase sodium cromoglicate eye drops for rhinitis/allergies Stalevo Sastravi Sukkarto (500mg, 1000mg strengths)is now more expensive than generic metformin MR. (NB Sukkarto SR 750mg remains more cost effective than Sukkarto SR 500mg, 1000mg Metformin MR 500mg, 1g metformin MR 750mg) Sulfasalazine 500mg tablets -Salazopyrin 500mg plain plain and enteric tablets and Salazopyrin 500mg Salazopyrin is more cost effective than the generic sulfasalzine in both the coated **EN** tablets plain and enteric coated forms Tolterodine XL 2mg, Tolthen XL 2mg, 4mg 4mg Unifine, Clickfine GlucoRx fine point or BD Viva Use insulin pen needles <£6/box Venlafaxine MR caps & tabs (37.5mg, 225mg only) Vencarm XL Solifenacin Vesicare Viagra Sildenafil Prescribe as generic – all glaucoma eye drops, single and combination Latanoprost & Timolol Xalacom preparations Prescribe as generic – all glaucoma eye drops, single and combination Xalatan Latanoprost preparations Zyprexa velotab or Olanzapine oral Olanzapine tablets (or use lyophilisates orodispersible s/f) Pharmacist switches/ input then technician to switch

Use glucose test strips <£10/pack of 50

Blood Glucose Monitoring in Diabetes

Compact, Active

Aviva, FreeStyle

Optium, OneTouch,

T2: True Metrix, T1: As per

2k meter is recommended.

(Aviva and Freestyle Optium

specialist, but Glucomen Areo



(1		Integrated Care Board
	may be required by very complex T1 patients)		
Fesoterodine /			
Darifenacin	Deprescribe or Solifenacin	Non-formulary Antimuscarinic's	
Fostair			
(Budesonide/Formo			
terol)	Luforbec		https://bswtogether.org.uk/medicines/wp-
100mcg/6mcg and	(Budesonide/Formoterol)100m	Luforbec is pMDI ICS/LABA brand of choice in BSW - lower carbon footprint	content/uploads/sites/3/2023/01/BSW-
200mcg/6mcg dose	cg/6mcg and 200mcg/6mcg	(certified carbon neutral) and more cost effective vs Fostair.NB 200mcg	Asthma-Inhaler-Prescribing-Guidance-in-
inhaler	dose inhaler	strength only licensed for asthma not COPD	Adults-Jan-2023-1.pdf
Gabapentin 1 x	Replace with 2 x Gabapentin		OAB guidance
800mg tablet	400mg capsules		<u>OAD guidance</u>
Glucose test strips:			
Stop if unnecessary			
(not on insulin, or			
sulphonylureas)	STOP		Blood Glucose Monitoring in Diabetes
		Review, and if no specific reason why Imigran is being prescribed, switch to	
Imigran	Sumatriptan	generic	_
Keppra	Levetiracetam		Category 3 Antiepileptic
Lamictal tablets	Lamotrigine		
	If can't be stopped, prescribe		
Lidocaine patches	Ralvo brand	Stop prescribing Low Value Medicine	
Liothyronine tablets			
5 microgram,	Liothyronine Capsules (Roma		
10microgram,	brand) 5 microgram,	Add in script note: 'Please prescribe as Roma brand. Available through	
20microgram	10microgram, 20microgram	AAH or Alliance'	
Naproxen GR,			
effervescent,			
suspension	Naproxen standard	Avoid GR and liquid versions unless necessary	
Qvar 50 &100	Kelhale 50 & 100 (Same device.		
(Note: NOT the	Dose counter to help patient		
Autohaler or Easi-	use the full inhaler and order		
breathe)	timely)		
		Switch to single inhaler. Higher strength Relvar not on searches as indicated	
Doluge O2 9 Jacobs	Trology	for asthma not COPD. Consider carefully whether patient truly needs triple	BSW COPD Guidance (Aug 2019)
Relvar 92 & Incruse	Trelegy	therapy or LABA/LAMA	DOW COPD Guidance (Aug 2019)
Canatida F00/F0		COPD guidance only recommends low dose ICS. Seretide Accuhaler not on	
Seretide 500/50	Polyar 02	asthma guidance. For Asthmatic patients, consider this switch patient	
accuhaler	Relvar 92	carefully and assess	



AirFlusal (all fluticasone/salmeterol are Seretide Evohaler, Fluticasone/salmet erol 250/25 or 125/25 MDI AirFlusal (all fluticasone/salmeterol are non-formulary in asthma – do NOT start new patients). Fostair: For COPD patients who need a pMDI Prescribe by BRAND – avoid generic combination inhalers. Switch Seretide 250/25 or 125/25 to equivalent BRAND. Involve respiratory nurses in decision making/copy them in	
Seretide Evohaler, Fluticasone/salmet erol 250/25 or Fostair: For COPD patients who Seretide Evohaler, Fluticasone/salmet erol 250/25 or Fostair: For COPD patients who NOT start new patients). Prescribe by BRAND – avoid generic combination inhalers. Switch Seretide 250/25 to equivalent BRAND. Involve respiratory nurses in	
Fluticasone/salmet erol 250/25 or Fostair: For COPD patients who Fostair: For COPD patients w	
erol 250/25 or Fostair: For COPD patients who 250/25 or 125/25 to equivalent BRAND. Involve respiratory nurses in	
125/25 MDI need a pMDI decision making/copy them in	
Replace sertraline 25mg tablets with 25mg dose achieved by taking half a	
50mg tablet or a 50mg tablet taken on alternate days.	
Sertraline 25mg are not in the Drug tariff and not included on BSW	
Formulary. The only indications for this strength is the initial 7 days dose	
Sertraline 28 x Replace with Sertraline 14 x titration in adults for panic disorder, post-traumatic stress disorder and	
25mg tablets 50mg tablets social anxiety disorder and in children for obsessive compulsive disorder.	
Symbicort, Dualitation	
DuoResp,	
Budesonide/formot Fobumix 80/4.5, 160/4.5 and	
erol 100/6, 200/6 320/9 (Symbicort or DuoResp	
or 400/12 non-formulary) Switch and prescribe by brand	
Tiotropium 18mcg or Spiriva DPI (not	
Respirat) Braltus Switch as per COPD guidance	
Run search to see if any of	
these items are being	
prescribed. For example:	
amitriptyline10mg/5ml, but	
Unexpectedly 25mg/ 5ml and 50mg / 5ml are	
expensive items a lot more cost-effective	
Vitamin B	
compound Change in guidance, Vit B compound no longer recommended for	
(standard & strong) Deprescribe alcoholism	
Prescriber switches only	
Cialis OD (2.5mg or Sildenafil or Tadalafil (once a	
5mg) week or on demand PRN)	
After review switch to a more	
cost effective fibrate or	
Ciprofibrate another alternative treatment Ciprofibrate is non formualry	
Co-Proxamol Paracetamol +/- weak opioid STOP prescribing	
Dicycloverine (any	
dose and Mebeverine, Hyoscine,	
formulation) Alverine, Mintec Avoid prescribing - poor NHS value	



DOACs - review and if appropriate switch to BSW 1st line Edoxaban	Edoxaban	For review as per documentation for non-valvular AF. Not to be bulk switched. N.B. savings from this switch cannot be counted towards practice targets as it is part of the IIF scheme	Anticoagulation in non-valvular atrial fibrillation (NVAF): BSW Guidance for Prescribers
Dosulepin	Alternative antidepressant (SAFETY ISSUE)	Low Value Medicine	
Targinact (oxycodone & naloxone)	Opioid & separate laxative	Avoid prescribing combination - Low Value Medicine	
Trimipramine	Alternative antidepressant	Low Value Medicine	

