

thy.1 Computationally Enumerable Sets not Closed under Complement

cmp:thy:cmp:sec Suppose A is computably enumerable. Is the complement of A , $\bar{A} = \mathbb{N} \setminus A$, necessarily computably enumerable as well? The following theorem and corollary show that the answer is “no.”

cmp:thy:cmp:thm:ce-comp **Theorem thy.1.** *Let A be any set of natural numbers. Then A is computable if and only if both A and \bar{A} are computably enumerable.*

Proof. The forwards direction is easy: if A is computable, then \bar{A} is computable as well ($\chi_A = 1 - \chi_{\bar{A}}$), and so both are computably enumerable.

In the other direction, suppose A and \bar{A} are both computably enumerable. Let A be the domain of φ_d , and let \bar{A} be the domain of φ_e . Define h by

$$h(x) = \mu s (T(d, x, s) \vee T(e, x, s)).$$

In other words, on input x , h searches for either a halting computation of φ_d or a halting computation of φ_e . Now, if $x \in A$, it will succeed in the first case, and if $x \in \bar{A}$, it will succeed in the second case. So, h is a total computable function. But now we have that for every x , $x \in A$ if and only if $T(e, x, h(x))$, i.e., if φ_e is the one that is defined. Since $T(e, x, h(x))$ is a computable relation, A is computable. \square

It is easier to understand what is going on in informal computational terms: explanation to decide A , on input x search for halting computations of φ_e and φ_f . One of them is bound to halt; if it is φ_e , then x is in A , and otherwise, x is in \bar{A} .

cmp:thy:cmp:cor:comp-k **Corollary thy.2.** *\bar{K}_0 is not computably enumerable.*

Proof. We know that K_0 is computably enumerable, but not computable. If \bar{K}_0 were computably enumerable, then K_0 would be computable by **Theorem thy.1**. \square

Photo Credits

Bibliography