SIEMENS

Replacement Parts

October 2021 Supersedes February, 2020

E87010-A0540-T010-A4

Pump Controllers 3RE4803 and 3RE4813 87H and 87I




A WARNING

Hazardous voltage. Can cause death or serious injury.

Disconnect main power and control voltages before installation or maintenance on this equipment.

IMPORTANT


THESE INSTRUCTIONS DO NOT PURPORT TO COVER ALL DETAILS OR VARIATIONS IN EQUIPMENT, NOR TO PROVIDE FOR EVERY POSSIBLE CONTINGENCY TO BE MET IN CONNECTION WITH INSTALLATION, OPERATION OR MAINTENANCE. SHOULD FURTHER INFORMATION BE DESIRED OR SHOULD PARTICULAR PROBLEMS ARISE WHICH ARE NOT COVERED SUFFICIENTLY FOR THE PURCHASER'S PURPOSES, THE MATTER SHOULD BE REFERRED TO THE LOCAL SIEMENS SALES OFFICE. THE CONTENTS OF THIS INSTRUCTION MANUAL SHALL NOT BECOME PART OF OR MODIFY ANY PRIOR OR EXISTING AGREEMENT, COMMITMENT OR RELATIONSHIP. THE SALES CONTRACT CONTAINS THE ENTIRE OBLIGATION OF SIEMENS. THE WARRANTY CONTAINED IN THE CONTRACT BETWEEN PARTIES IS THE SOLE WARRANTY OF SIEMENS. ANY STATEMENTS CONTAINED HEREIN DO NOT CREATE NEW WARRANTIES OR MODIFY THE EXISTING WARRANTY.



NOTE: Image is representative and may not depict the actual product. * Not shown.








Pump Controller	Replacement Part
3RE48030GL*64GA0	HBB63
3RE48030GM*64GA0	HBB63
3RE48030GN*64GA0	MCS620R
3RE48030GP*64GA0	MCS620R
3RE48130GN*64GA0	NA
87HUG60*	MCS620R
87HUG6F*	HFB63
87HUG6L*	MCS620R
87HUG6M*	NA
87HUG6P*	MCS620R
87IUH6F*	MCS620R
87IUH6L*	MCS620R
87IUH6M*	NA

N - Contactor

(Class 87 only)

Pump Controller Replacement Part 3RE48030GL*64GA0 NA 3RE48030GM*64GA0 NA



(*) 3 4 5 7	(##) K6 M2 P6 V6
,	V6 T6

Notes:

Images are representative and may not depict the actual part.

The character placeholder (*) found in each pump controller and contactor catalog number represent the coil voltage code.

L – Motor circuit protector



3RE48030GN*64GA0	NA
3RE48030GP*64GA0	NA
3RE48130GN*64GA0	ED63A100
87HUG60*	NA
87HUG6F*	NA
87HUG6L*	NA
87HUG6M*	ED63A100
87HUG6P*	NA
87IUH6F*	NA
87IUH6L*	NA
87IUH6M*	ED63A125
N – Con (3RE48	



Pump Controller	Replacement Part
87HUG60*	40HP32A*
87HUG6F*	40HP32A*
87HUG6L*	40HP32A*
87HUG6M*	40HP32A*
87HUG6P*	40HP32A*
87IUH6F*	40IP32A*
87IUH6L*	40IP32A*
87IUH6M*	40IP32A*

The contactor catalog number as shown is incomplete. To complete it, replace the (*) in the contactor catalog number with the character located in the (*) character position of the pump controller. For example, the replacement contactor for pump controller 87HUG6FC is 40HP32AC.

	D Internal au (Class 87 o placement pa	2	(Class Replaceme	actor lug kit 87 only) nt part 49SAAH ugs per kit)		Q – Contact (Class 87 c	only)
					Coil		Replacemen
					Code (*)	Volts AC 60 Hz	Part
	Q – Contacto			or main contacts	J	24	75D73251J
	(3RE48 or	nly)	Class	87 only	F	120	75D73251F
		-		t per pole)	Α	110-120/220-24	10 75D73251A
					D	208	75D73251D
					G	220-240	75D73251G
	1.0	4			L	277	75D73251L
1	- Alexander				С	220-240/440-48	30 75D73251C
	- F	1	TO A		Н	440-480	75D73251H
	the second second				E	575-600	75D73251E
Coil Code (*)	Volts AC 60 Hz				L		
2			Pump Controller 87HUG60*	Replacement Part 75HF14		S – Overload	d relay
	120	Part 3RT29445AK61				S – Overload	d relay
4	120 208	Part 3RT29445AK61 3RT29445AN61	87HUG60*	75HF14		S – Overload	d relay
4 5	120 208 220–240	Part 3RT29445AK61 3RT29445AN61 3RT29445AP61	87HUG60* 87HUG6F*	75HF14 75HF14		S – Overload	d relay
4 5 7	120 208 220–240 440–480	Part 3RT29445AK61 3RT29445AN61 3RT29445AP61 3RT29445AV61	87HUG60* 87HUG6F* 87HUG6L*	75HF14 75HF14 75HF14		S – Overload	d relay
3 4 5 7 8	120 208 220-240 440-480 575-600	Part 3RT29445AK61 3RT29445AN61 3RT29445AP61 3RT29445AV61 3RT29445AV61 3RT29445AT61	87HUG60* 87HUG6F* 87HUG6L* 87HUG6M* 87HUG6P* 87IUH6F*	75HF14 75HF14 75HF14 75HF14 75HF14 75HF14 75HF14 75HF14 75HF14	P	S – Overload	d relay
4 5 7 8 The contac (*) charact example, th	120 208 220–240 440–480 575–600 tor coil voltage cod er position of the p ne replacement cor	Part 3RT29445AK61 3RT29445AN61 3RT29445AP61 3RT29445AV61 3RT29445AV61 3RT29445AT61	87HUG60* 87HUG6F* 87HUG6L* 87HUG6M* 87HUG6P*	75HF14 75HF14 75HF14 75HF14 75HF14 75HF14		S – Overload	a relay
4 5 7 8 The contac (*) charact example, th	120 208 220–240 440–480 575–600 tor coil voltage cod er position of the p ne replacement cor	Part 3RT29445AK61 3RT29445AN61 3RT29445AP61 3RT29445AV61 3RT29445AV61 3RT29445AT61 le is located in the sump controller. For intactor coil for pump	87HUG60* 87HUG6F* 87HUG6L* 87HUG6M* 87HUG6P* 87IUH6F* 87IUH6L* 87IUH6M* R – Contactor 3RE	75HF14 75HF14 75HF14 75HF14 75HF14 75HF14 75IF14 75IF14 75IF14	Pump Co	A Resolution of the second sec	
4 5 7 8 The contac (*) charact example, th	120 208 220–240 440–480 575–600 tor coil voltage cod er position of the p ne replacement cor	Part 3RT29445AK61 3RT29445AN61 3RT29445AP61 3RT29445AV61 3RT29445AV61 3RT29445AT61 le is located in the sump controller. For intactor coil for pump	87HUG60* 87HUG6F* 87HUG6L* 87HUG6M* 87HUG6P* 87IUH6F* 87IUH6L* 87IUH6M* R – Contacto 3RE Replacement	75HF14 75HF14 75HF14 75HF14 75HF14 75IF14 75IF14 75IF14 75IF14 75IF14 75IF14 75IF14	Pump Co 3RE4803	PALING SAFE	d relay
4 5 7 8 The contac (*) charact example, th	120 208 220–240 440–480 575–600 tor coil voltage cod er position of the p ne replacement cor	Part 3RT29445AK61 3RT29445AN61 3RT29445AP61 3RT29445AV61 3RT29445AV61 3RT29445AT61 le is located in the sump controller. For intactor coil for pump	87HUG60* 87HUG6F* 87HUG6L* 87HUG6M* 87HUG6P* 87IUH6F* 87IUH6L* 87IUH6M* R – Contacto 3RE Replacement	75HF14 75HF14 75HF14 75HF14 75HF14 75HF14 75IF14 75IF14 75IF14 75IF14 75IF14	3RE4803	ontroller R	The second secon
4 5 7 8 The contac (*) charact example, th	120 208 220–240 440–480 575–600 tor coil voltage cod er position of the p ne replacement cor	Part 3RT29445AK61 3RT29445AN61 3RT29445AP61 3RT29445AV61 3RT29445AV61 3RT29445AT61 le is located in the sump controller. For intactor coil for pump	87HUG60* 87HUG6F* 87HUG6L* 87HUG6M* 87HUG6P* 87IUH6F* 87IUH6L* 87IUH6M* R – Contacto 3RE Replacement	75HF14 75HF14 75HF14 75HF14 75HF14 75IF14 75IF14 75IF14 75IF14 75IF14 75IF14 75IF14	3RE4803 3RE4803	entroller R BOGL*64GA0 3 BOGM*64GA0 3	eplacement Part UB81334GW2 UB81334GW2
4 5 7 8 The contac (*) charact example, th	120 208 220–240 440–480 575–600 tor coil voltage cod er position of the p ne replacement cor	Part 3RT29445AK61 3RT29445AN61 3RT29445AP61 3RT29445AV61 3RT29445AV61 3RT29445AT61 le is located in the sump controller. For intactor coil for pump	87HUG60* 87HUG6F* 87HUG6L* 87HUG6M* 87HUG6P* 87IUH6F* 87IUH6L* 87IUH6M* R – Contacto 3RE Replacement	75HF14 75HF14 75HF14 75HF14 75HF14 75IF14 75IF14 75IF14 75IF14 75IF14 75IF14 75IF14	3RE4803 3RE4803 3RE4803	entroller R 80GL*64GA0 3 80GN*64GA0 3	eplacement Part UB81334GW2 UB81334GW2 UB81334GW2
4 5 7 8 The contac (*) charact example, th	120 208 220–240 440–480 575–600 tor coil voltage cod er position of the p ne replacement cor	Part 3RT29445AK61 3RT29445AN61 3RT29445AP61 3RT29445AV61 3RT29445AV61 3RT29445AT61 le is located in the sump controller. For intactor coil for pump	87HUG60* 87HUG6F* 87HUG6L* 87HUG6M* 87HUG6P* 87IUH6F* 87IUH6L* 87IUH6M* R – Contacto 3RE Replacement	75HF14 75HF14 75HF14 75HF14 75HF14 75IF14 75IF14 75IF14 75IF14 75IF14 75IF14 75IF14	3RE4803 3RE4803 3RE4803 3RE4803	Antroller R 80GL*64GA0 3 80GN*64GA0 3 80GP*64GA0 3	Eplacement Part UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2
4 5 7 8 The contac (*) charact example, th	120 208 220–240 440–480 575–600 tor coil voltage cod er position of the p ne replacement cor	Part 3RT29445AK61 3RT29445AN61 3RT29445AP61 3RT29445AV61 3RT29445AV61 3RT29445AT61 le is located in the sump controller. For intactor coil for pump	87HUG60* 87HUG6F* 87HUG6L* 87HUG6M* 87HUG6P* 87IUH6F* 87IUH6L* 87IUH6M* R – Contacto 3RE Replacement	75HF14 75HF14 75HF14 75HF14 75HF14 75IF14 75IF14 75IF14 75IF14 75IF14 75IF14 75IF14	3RE480 3RE480 3RE480 3RE480 3RE480	Antroller R BOGL*64GA0 3 BOGN*64GA0 3 BOGN*64GA0 3 BOGN*64GA0 3 BOGN*64GA0 3	eplacement Part UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2
4 5 7 8 The contac (*) charact example, th	120 208 220–240 440–480 575–600 tor coil voltage cod er position of the p ne replacement cor	Part 3RT29445AK61 3RT29445AN61 3RT29445AP61 3RT29445AV61 3RT29445AV61 3RT29445AT61 le is located in the sump controller. For intactor coil for pump	87HUG60* 87HUG6F* 87HUG6L* 87HUG6M* 87HUG6P* 87IUH6F* 87IUH6L* 87IUH6M* R – Contacto 3RE Replacement	75HF14 75HF14 75HF14 75HF14 75HF14 75IF14 75IF14 75IF14 75IF14 75IF14 75IF14 75IF14	3RE480 3RE480 3RE480 3RE480 3RE480 3RE481 87HUG6	Antroller R 80GL*64GA0 3 80GN*64GA0 3	eplacement Part UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2
4 5 7 8 The contac (*) charact example, th	120 208 220–240 440–480 575–600 tor coil voltage cod er position of the p ne replacement cor	Part 3RT29445AK61 3RT29445AN61 3RT29445AP61 3RT29445AV61 3RT29445AV61 3RT29445AT61 le is located in the sump controller. For intactor coil for pump	87HUG60* 87HUG6F* 87HUG6L* 87HUG6M* 87HUG6P* 87IUH6F* 87IUH6L* 87IUH6M* R – Contacto 3RE Replacement	75HF14 75HF14 75HF14 75HF14 75HF14 75IF14 75IF14 75IF14 75IF14 75IF14 75IF14 75IF14	3RE480 3RE480 3RE480 3RE480 3RE480 3RE481 87HUG6 87HUG6	Image: second	eplacement Part UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2
4 5 7 8 The contac (*) charact example, th	120 208 220–240 440–480 575–600 tor coil voltage cod er position of the p ne replacement cor	Part 3RT29445AK61 3RT29445AN61 3RT29445AP61 3RT29445AV61 3RT29445AV61 3RT29445AT61 le is located in the sump controller. For intactor coil for pump	87HUG60* 87HUG6F* 87HUG6L* 87HUG6M* 87HUG6P* 87IUH6F* 87IUH6L* 87IUH6M* R – Contacto 3RE Replacement	75HF14 75HF14 75HF14 75HF14 75HF14 75IF14 75IF14 75IF14 75IF14 75IF14 75IF14 75IF14	3RE480 3RE480 3RE480 3RE480 3RE480 3RE481 87HUG6 87HUG6 87HUG6	Image: second	eplacement Part UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2
4 5 7 8 The contac (*) charact example, th	120 208 220–240 440–480 575–600 tor coil voltage cod er position of the p ne replacement cor	Part 3RT29445AK61 3RT29445AN61 3RT29445AP61 3RT29445AV61 3RT29445AV61 3RT29445AT61 le is located in the sump controller. For intactor coil for pump	87HUG60* 87HUG6F* 87HUG6L* 87HUG6M* 87HUG6P* 87IUH6F* 87IUH6L* 87IUH6M* R – Contacto 3RE Replacement	75HF14 75HF14 75HF14 75HF14 75HF14 75IF14 75IF14 75IF14 75IF14 75IF14 75IF14 75IF14	3RE480 3RE480 3RE480 3RE480 3RE480 3RE481 87HUG6 87HUG6	Image: second	eplacement Part UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2 UB81334GW2

Notes: Images are representative and may not depict the actual part.

The character placeholder (*) found in each pump controller and contactor catalog number represent the coil voltage code. 3UB81334HW2

3UB81334HW2

3UB81334HW2

87IUH6F*

87IUH6L*

87IUH6M*