



Caribbean Tough Fiberglass RIBS


limited warranty on hull and tubes

Carib Marine Rigid Inflatable Boats (RIBS) are made of a lightweight construction that is quick to plane and easy to handle. The V-section fiberglass hull cuts through chop and ensures an enjoyable, stable and dry ride. All our Carib Marine RIBS are made with the Achilles CSM Fabric, an evolution of Hypalon fabric which is well-known for its exceptional properties:


- Superb Ozone, UV and Weather Resistance
- Resistance to Oil, Grease and Solvents
- Resistance to Abrasion
- Resistance to Impact, Cutting, Gouging and other types of Physical Abuse
- Resistance to Discolorization
- Resistance to Staining and Soiling





















CSM exterior for toughness

Two layers of Neoprene® for unsurpassed air retention

Heavy duty Nylon or

Polvester core



			33HX-330/0 33HX-300/0						33MA-300/0						
	Model	Approx.Wg.	Max Load*	Outboard Max	Overall Length	Overall Width	Inside length	Inside Width	Tube diameter	Pax.	Chambers	Floor	Achilles	Hypalon	
	CRB/SSMX-240/0	39Kg (86Lb)	460Kg (1014Lb)	6.5hp (short shaft 15")	2.43m (7'10")	1.59m (5')	1.56m (5'1")	70cm (2'3")	42cm (16.5")	3	3	Single	T10		
	CRB/SSMX-270/0	48Kg (106Lb)	425Kg (936Lb)	10hp (short shaft 15")	2.65m (8'8")	1.59m (5')	1.78 (5'10")	71 (2'3")	42cm (16.5")	3.5	3	Single	T10		
	CRB/SSMX-310/0	57,8kg (127Lb)	600kg(1320Lbs)	15hp (short shaft 15")	3.09m (10'3")	1.59m (5'2")	2.2m (7'3")	70cm (2'3")	42cm (16.5")	3.5	3	Single	T10		
	CRB/SSMX-340/0	64,6kg (142Lb)	640kg (1411Lbs)	15hp (short shaft 15")	3.40m (11'2")	1.71m (5'7")	2.45m (8')	83cm (2'9")	41cm (16")	4	3	Single	T10		
	CRB/SSMX-350/0	72,8kg (160Lb)	600kg (1320Lbs)	15/25hp* (short 15")	3.48m (11'5")	1.76m (5'8")	2.5m (8'2")	79cm (2'7")	47.5cm (18.7")	4	3	Double	T10		
	CRB/SSMX-360/1	84 Kg (185Lb)	800Kg (1764Lbs)	40hp (long shaft 20')	3.65m (12')	1.52m (5')	1.83m (6')	86cm (2'8")	45cm (17.72")	6	3	Double	T10		
	CRB/SSMX-380/0	98,2kg (216Lb)	720kg(1587Lbs)	30hp (short shaft 15")	3.79m (12'4")	1.76m (5'8")	2.72m (8'11")	79cm (2'7")	47cm (18.5")	5	3	Double	T10		
	CRB/SSMX-390/0	149Kg (328Lb)	800Kg (1764Lbs)	50hp (long shaft 20")	3.90m (12.9')	1.92m (6'3")	3m (9'8")	95cm (3'1")	47.5cm (18.7")	7	3	Double	T10		
	CRB/SSMX-400/0	106kg (233Lb)	850kg(1874Lbs)	30hp (long shaft 20')	3.95m (13')	1.80m (5'8")	2.94m (9'8')	85cm (2'9")	47cm (18.5")	6	3	Double	T10		
ı	CRB/SSMX-410/1	291kg (641.5Lb)	840kg (1852Lbs)	50hp (long shaft 20")	4.05m (13'2")	1.91m (6'2")	2.38m (7'10")	98cm (3'3")	47cm (18.5")	5	3	Double	T10		
	CRB/SSMX-420/0	190kg (418Lb)	725kg(1598Lbs)	50hp (long shaft 20")	4.25m (13'9")	2.12m (7')	3.42m (11'3")	1.18m (3'10")	47cm (18.5")	8	4	Double	T10		
	CRB/HIF-HSF420	216Kg (476.2Lb)	950Kg (2194Lb)	40hp (long shaft 20')	4.20m (13'8")	2m (6'6")	2.91m (9'5")	2.03m (6'7")	51cm (20")	6	4	Double		828	
	CRB/SSMX-450/0	305kg (672Lb)	920kg(2028Lbs)	50hp (long shaft 20")	4.48m (14'7")	1.97m (6.5 ⁻)	2.76m (9')	1.02m (3'4")	48cm (18.9")	6	4	Double	T10		
ı	CRB/SSMX-480/0	210kg (462Lb)	900kg(1984Lbs)	50hp (long shaft 20")	4.8m (15'7")	2m (6'6")	3.2m (10'6")	1m (3'3")	50cm (19.7")	7.5	4	Double	T10		
	CRB/SSMX-500/0	220kg (485Lb)	1300kg(2866Lbs)	100hp (long shaft 20")	5.2m (17')	2.3m (7'5")	3.93m (12'11")	1.23m (4')	53cm (20.9")	11	5	Double	T11		
	CRB/SSMX-580/0	468.6kg (1033Lb)	1200kg(2646Lbs)	115hp (long shaft 20")	5.78m (18'10")	2.5m (8'2")	4.03m (13'3")	1.3m (4'3")	60cm (23.6")	11	5	Double	T11		
	CRB/HIF-FX580	365Kg (805Lb)	1400Kg (3086Lb)	135hp (long shaft 20")	5.80m (19')	2.26m (7'4")	4.67m (15'3")	1.24m (4')	50cm (19.7")	10	5	Double		828	

^{*} Loaded weight should include everything except hull.

^{** 25}hp engine is allowed when the boat is set up with console.

Caribbean Tough Single Floor RIBS

The perfect balance between quality and price



Fiberglass hull



LIGHTWEIGHT, EASY TO HANDLE AND RELIABLE

Our base models are made for the cost-conscious boater that still wants performance. They are equipped with a sturdy single, non-skid floor and roomy interiors to hold plenty of cargo. The built-in davit pad-eyes come factory installed and these models have three lifting points.

MX-240, MX-270, MX-310 and MX-340

CRB/SSMX-240/0 Dinghy, 2.4m 8' F'iberglass Hull-Floor Grey Dinghy, 2.7m 9' F'iberglass Hull-Floor Grey Dinghy, 3.1m 10' F'iberglass Hull-Floor Grey Dinghy, 3.4m 11.1' Fiberglass Hull-Floor Grey Dinghy, 3.4m 11.1' Fiberglass Hull-Floor Grey









Caribbean Tough Double Floor RIBS

Versatile in configuration

THE DOUBLE FLOOR AND LARGE INTERIOR SPACE MAKE THIS RIB SAFE AND COMFORTABLE.

These models have an ultra-strong double floor and a watertight forward storage compartment. Roomy interiors afford plenty of cargo space and the lightweight construction tops the performance of larger, heavier RIBS.

OPEN DOUBLE FLOOR DINGHIES



MX350 - MX360 - MX380 - MX390 - MX400

CRB/SSMX-350/0	Dinghy, 3.5m 11.5' F'Glass Dbl-Flr LGy
CRB/SSMX-360/1	Dinghy, 3.6m 11.8' F'Glass Dbl-Flr LGy
CRB/SSMX-380/0	Dinghy, 3.8m 12.5' F'Glass Dbl-Flr LGy
CRB/SSMX-390/0	Dinghy, 3.9m 12.8' F'Glass Dbl-Flr LGy
CRB/SSMX-400/0	Dinghy, 4m 13.1' F'Glass Dbl-Flr LGy

OPEN DINGHY OR COMBINED WITH CONSOLE AND BACKSEAT SLIGHTLY DIFFERENT DESIGNS



MX420

CRB/SSMX-420/0 Dinghy, 4.2m 13.7' F'Glass w/o Console LGy



Designed to deliver the perfect balance of functionality and performance, HSF is impressive both at rest and on the move. The pronounced bow-sheer, deep V keel, large tube diameter and full-length lifting strakes of this series guarantees a great sea-going vessel and a smooth dry ride. Its stability at rest, its spacious cockpit and its heavy duty grab handles, makes the ideal platform as a dive boat, rescue/response boat or coach/support boat.

HSF420

CRB/HIF-HSF420 Dinghy, 4.2m 13.8' F'Glas DbIFIr NO Console & Seat



MX500

CRB/SSMX-500/0

Dinghy, 5.0m 16.4' F'Glass w/o Console LGy

Caribbean Tough RIBS Options

Adapt any of these Carib Marine models MX-350/380/400/420/500 to your console and seating configuration needs.



Fiberglass hull



CRB/HIF-HFK-LP

CRB/SSCL-CMX-400 CRB/HIF-HFJ-CS CRB/HIF-HFD-CS CRB/SSCL-CMX-410-450 CRB/SSCL-CMX-480-580 CRB/HIF-AL-CS Console, f/MX-400/0 RIB Console, f/HSF420 RIB Console, f/FX580 RIB Console, f/MX-410-450 RIB Console, f/MX-480-580 RIB Console, f/CRB dinghy



CRB/HIF-HFD-LP

1.

CRB/SSCLA2008 CRB/SSCLA2011

CRB/SSCL-BKSMX-400/0 CRB/HIF-HFE-ST CRB/HIF-HFK-LP CRB/HIF-HFD-LP CRB/SSCLA2008 Backseat, f/MX-400/0 RIB Seat, f/CRB dinghy Leaning post, f/HSF420 RIB Leaming post, f/FX580 RIB Bow Step, w/Roller Guide f/MX-480

1 CONCEPT - 3 OPTIONS

CRB/SSCL-BKSMX-400/0







Caribbean Tough Deluxe RIBS

The perfect RIB for demanding professional or leisure boaters

BEAUTIFULLY CRAFTED WITH STRIKING LINES PROVIDING COMFORT AND OPEN SPACE

The 480/580 models have an ultra-strong double floor, molded back seating design as well as huge watertight storage compartments with comfortable cushions. Different seating options are available to fit all specific needs (Bow rider, Jockey seats, and additional seats)

CONSOLE AND MOLDED BACK SEAT, OPEN ADJUSTABLE DESIGN

MX480 - MX580

CRB/SSMX-480/0 CRB/SSMX-580/0 Dinghy, 4.8m 15.7' F'Glass Dbl-Flr w/Console&Seat Dinghy, 5.8m 19' F'Glass Dbl-Flr w/Console&Seat

THE IDEAL COMPROMISE BETWEEN ELEGANCE, COMFORT AND PERFORMANCE

The 410/450 models come with a molded seat design that enhances their cosmetic appearance, while at the same time delivering comfortable seating and storage space. The back of the tubes can be used as a step ladder to easily get back into the RIB after a swim. These models are the perfect luxury tenders for trips with family and friends.

FIXED DESIGN WITH CONSOLE AND MOLDED BACKSEAT

MX-410 - MX-450

CRB/SSMX-410/1 CRB/SSMX-450/0

Dinghy, 4.1m 13.5' F'Glass Dbl-Flr w/Console&Seat Dinghy, 4.5m 14.8' F'Glass Dbl-Flr w/Console LGy











Caribbean Tough Aluminum RIBS







Built-in Pennel Orca® 215 or 828, unmatched quality Hypalon material for superior resistance and longer life.

CRB/HIF-SR270BL











Optional Equipment:

* Bow locker





		•	,	,		•						,	
	Model	Approx.Wg.	Max Load*	Outboard Max	Overall Length	Overall Width	Inside length	Inside Width	Tube diameter	Passengers	Air-Chambers	Floor	Hypalon
	CRB/HIF-SR250	44Kg (97Lb)	450Kg (992Lb)	5hp (short shaft 15")	2.50m (8'2")	1.59m (5')	1.40m (4'7")	62cm (2')	36cm (14.2")	2	3	Double	215
	CRB/HIF-SR270	47Kg (104Lb)	450Kg (992Lb)	6hp (short shaft 15")	2.70m (8'10")	1.59m (5')	1.40m (4'7")	62cm (2')	36cm (14.2")	3.5	3	Double	215
	CRB/HIF-SR270BL	47Kg (104Lb)	450Kg (992Lb)	6hp (short shaft 15")	2.70m (8'10")	1.59m (5')	1.40m (4'7")	62cm (2')	36cm (14.2")	3.5	3	Double	215
	CRB/HIF-SR290	54kg (119Lb)	450Kg (992Lb)	10hp (short shaft 15")	2.90m (9'6")	1.55m (5'1")	1.95m (6'4")	67cm (2'2")	42cm (16.5")	4	3	Double	215
ı	CRB/HIF-SR290BL	54kg (119Lb)	450Kg (992Lb)	10hp (short shaft 15")	2.90m (9'6")	1.55m (5'1")	1.95m (6'4")	67cm (2'2")	42cm (16.5")	4	3	Double	215
۱	CRB/HIF-SR320BL	64 Kg (141Lb)	500Kg (1102Lbs)	15hp (short shaft 15")	3.20m (10'5")	1.56m (5'1")	2.21m (7'3")	67cm (2'2")	42cm (16.5")	4.5	3	Double	215
ı	CRB/HIF-SR360BL	72kg (158.7Lb)	650kg(1433Lbs)	25hp (short shaft 15")	3.60m (11'8")	1.56m (5'1")	2.54m (8'4")	67cm (2'2")	42cm (16.5")	5.5	3	Double	215
۱	CRB/HIF-SR380BL	81Kg (178.5Lb)	700Kg (1543Lbs)	25hp (long shaft 20')	3.80m (12'5')	1.86m (6'1")	2.67m (8'9")	86cm (3'1")	45cm (16.7")	6	3	Double	820
ı	CRB/HIF-SR420BL	88kg (194Lb)	900kg(1984Lbs)	50hp (long shaft 20')	4.20m (13'9")	1.87m (6'1 5/8")	3.00m (9'10')	88cm (2'10")	45cm (16.7")	7	4	Double	820

CRB/HIF-SR320BL

Standard Equipment:

* Anti-skid deck

* Aluminum seat * Aluminum oars

* Foot pump * Repair kit

* Double layer aluminum hull

FOLDABLE UNITS

CRB/HIF-SR250

CRB/HIF-SR270

Model	Approx.Wg.	Max Load*	Outboard Max	Overall Length	Overall Width	Inside length	Inside Width	Tube diameter	Passengers	Air-Chambers	Floor	Hypalon
CRB/HIF-HSD290	52Kg (114Lb)	510Kg (1124Lb)	10hp (short shaft 15")	2.90m (9'6")	1.55m (5'1")	1.85m (6'1")	68cm (2'2")	42cm (16.5")	4	3+1	aluminum floor	215
CRB/HIF-HSD320	55Kg (121Lb)	566Kg (1247Lb)	15hp (short shaft 15")	3.20m (10'5")	1.55m (5'1")	2.12m ((6'11")	68cm (2'2")	42cm (16.5")	4.5	3+2	aluminum floor	215

Caribbean Tough Open Aluminum RIBS

cariby: marine

The perfect balance between quality and price

Designed to deliver the perfect balance of functionality and performance. The aluminum Sea Rover series is the perfect choice for boaters in demand of lightweight RIBS combined with unsurpassed stability and comfort. Large choice of sizes with or without bow lockers at unseen prices.



CARIB MARINE SEA ROVER 200 AND 300 OPEN SERIES

CRB/HIF-SR250 Dinghy, 2.50m 8'2" Aluminum Dbl-Flr CRB/HIF-SR270 Dinghy, 2.70m 8'10" Aluminum Dbl-Flr CRB/HIF-SR290 Dinghy, 2.70m 8'10" Aluminum Dbl-Flr CRB/HIF-SR290BL Dinghy, 2.90m 9'6" Aluminum Dbl-Flr CRB/HIF-SR320BL Dinghy, 3.20m 10'5" Aluminum Dbl-Flr



Caribbean Tough Open Aluminum RIBS

With optional center console and backseat

The aluminum Sea Rover series in larger sized units can be open as is or outfitted with consoles and backseats for more comfort. Equipped with large bow lockers serving both as step and storage, these units provide performance and security while still being lightweight to fit davits working loads.

CARIB MARINE SEA ROVER 300 AND 400 SERIES WITH OPTIONAL CENTER CONSOLE

CRB/HIF-SR360BL Dinghy, 3.60m 11'8" Aluminum Dbl-Flr CRB/HIF-SR380BL Dinghy, 3.80m 12'5" Aluminum Dbl-Flr CRB/HIF-SR420BL Dinghy, 4.20m 13'9" Aluminum Dbl-Flr







ALL RIBS COME WITH AN ACCESSORY BAG THAT CONTAINS TWO OARS, A REPAIR KIT AND NYLON BOW-LINES.

Caribbean Tough Rigid Inflatable Boats





AVAILABLE AT

Budget Marine Antigua | English Harbour

The Compton Building Dockyard Drive, St.Paul's Antigua and Barbuda T: 1-268-562-8443 antigua@budgetmarine.com

Budget Marine Antigua | Jolly Harbour

Jolly Harbour Boatyard Bolans Antigua and Barbuda T: 1-268-462-8753 antigua@budgetmarine.com

Budget Marine Antigua | North Sound

North Sound Marina Crabbs Peninsula Antigua & Barbuda T: 1-268-562-8753 antigua@budgetmarine.com

Budget Marine | Aruba Balashi 75-B

Oranjestad Aruba T: 1-297-585-3796 aruba@budgetmarine.com

Budget Marine | Bonaire

Kaya Neerlandia 21 Kralendijk, Bonaire Dutch Caribbean T: +599-717-3710 bonaire@budgetmarine.com

Budget Marine | Curação

Caracasbaaiweg 202
Curaçao
Dutch Caribbean
T: +5999-462-7733
curacao@budgetmarine.com

Budget Marine | Grenada

Spice Island Marina
True Blue
St.Georges, Grenada
T: 1-473-439-1983
grenada@budgetmarine.com

Budget Marine | St.Kitts

CAP Southwell Industrial Park Basseterre Saint Kitts and Nevis T: 1-869-466-0026 st.kitts@budgetmarine.com

Budget Marine | St. Maarten

Waterfront Road 25B
Cole Bay, St. Maarten
Dutch Caribbean
T: 1-721-544-3134
stmaarten@budgetmarine.com

Budget Marine | St. Thomas

6198 Estate Frydenhoj St. Thomas, U.S. Virgin Islands T: 1-340-779-2219 stthomas@budgetmarine.com

Budget Marine | Trinidad - TTYC

Trinidad & Tobago
Yacht Club (TTYC)
Western Main Road
Bayshore, Trinidad and Tobago
T: 1-868-270-4141
trinidad@budgetmarine.com

Budget Marine | Trinidad

Western Main Road Chaguaramas Trinidad and Tobago T: 1-868-634-2006 trinidad@budgetmarine.com

