

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	Aofo_in_WEST_All_(km2)	Aofo_in_WEST_Recent_(km2)	Overall WEST regional status ABBREY	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
1787	91.269	MALVACEAE	shrubs	M06358	Abutilon cryptopetalum ssp. cryptopetalum	Hill Lantern-bush			1998	22	16	72.73	15	7	RA	3	DD	0.0	3.0
1788	91.269	MALVACEAE	shrubs	Y05520	Abutilon fraseri ssp. diplotrichum	Dwarf Lantern-bush			2007	71	19	26.76	18	11	RA	3	0	0.3	3.3
1789	91.269	MALVACEAE	shrubs	W05519	Abutilon fraseri ssp. fraseri	Dwarf Lantern-bush			2007	67	6	8.96	6	3	RA	3	0	0.3	3.3
1790	91.269	MALVACEAE	shrubs	S02065	Abutilon halophilum	Plains Lantern-bush			2007	524	50	9.54	44	37	RA	3	0	0.3	3.3
1791	91.269	MALVACEAE	shrubs	U02066	Abutilon leucopetalum	Desert Lantern-bush			2007	781	40	5.12	36	16	NT	2	0	0.3	2.3
1792	91.269	MALVACEAE	shrubs	W02067	Abutilon macrum	Slender Lantern-bush			1998	44	4	9.09	4	3	RA	3	DD	0.0	3.0
1793	91.269	MALVACEAE	shrubs	A02068	Abutilon malvaefolium	Scrambling Lantern-bush			1998	69	15	21.74	11	1	RA	3	DD	0.0	3.0
1794	91.269	MALVACEAE	shrubs	C02069	Abutilon otocarpum	Desert Lantern-bush			2007	446	81	18.16	75	41	NT	2	0	0.3	2.3
1083	91.182	LEGUMINOSAE	legumes	G01535	Acacia acanthoclada ssp. acanthoclada	Harrow Wattle			2008	129	45	34.88	41	26	LC	1	0	0.3	1.3
1084	91.182	LEGUMINOSAE	legumes	Y01536	Acacia acinacea	Wreath Wattle			2006	799	11	1.38	8	2	DD	0	DD	0.0	0.0
1085	91.182	LEGUMINOSAE	legumes	G04607	Acacia alcockii	Alcocks Wattle	R		2005	66	66	100.00	45	24	VU	4	0	0.3	4.3
1086	91.182	LEGUMINOSAE	legumes	Q05496	Acacia anceps				2008	278	201	72.30	155	54	LC	1	0	0.3	1.3
1087	91.182	LEGUMINOSAE	legumes	Z03763	Acacia ancistrophylla var. lissophylla	Hook-leaf Wattle			2008	295	268	90.85	225	142	LC	1	0	0.3	1.3
1088	91.182	LEGUMINOSAE	legumes	A15372	Acacia aneura				2001	362	92	25.41	70	8	LC	1	0	0.3	1.3
1089	91.182	LEGUMINOSAE	legumes	Y06004	Acacia aneura var. aneura	Mulga			2007	341	89	26.10	80	44	LC	1	0	0.3	1.3
1090	91.182	LEGUMINOSAE	legumes	Y05300	Acacia aneura var. conifera	Christmas-tree Mulga			2007	14	5	35.71	5	4	NE	-1	NE	-1.0	-1.0
1091	91.182	LEGUMINOSAE	legumes	Q06008	Acacia aneura var. intermedia	Broad-leaf Mulga			2007	130	52	40.00	48	46	LC	1	0	0.3	1.3
1093	91.182	LEGUMINOSAE	legumes	G06011	Acacia aneura var. major				2007	34	22	64.71	21	17	LC	1	0	0.3	1.3
1094	91.182	LEGUMINOSAE	legumes	M06006	Acacia aneura var. microcarpa				2007	29	21	72.41	20	18	LC	1	0	0.3	1.3
1095	91.182	LEGUMINOSAE	legumes	K06005	Acacia aneura var. tenuis	Mulga			2006	22	8	36.36	8	4	LC	1	0	0.3	1.3
1098	91.182	LEGUMINOSAE	legumes	Z06007	Acacia ayersiana	Blue Mulga			2007	19	11	57.89	11	10	NT	2	0	0.3	2.3
1098.1	91.182	LEGUMINOSAE	legumes	K32061	Acacia beckeri Tindale ssp beckeri	Becklers Rock Wattle									RA	3	0	0.3	3.3
1099	91.182	LEGUMINOSAE	legumes	K01545	Acacia brachybotrya	Grey Mulga-bush			2006	559	106	18.96	87	51	NT	2	0	0.3	2.3
1100	91.182	LEGUMINOSAE	legumes	Z05779	Acacia brachystachya	Turpentine Mulga			2007	114	43	37.72	37	16	NT	2	0	0.3	2.3
1101	91.182	LEGUMINOSAE	legumes	Z01547	Acacia burkittii	Pin-bush Wattle			2007	504	339	67.26	242	69	LC	1	0	0.3	1.3
1102	91.182	LEGUMINOSAE	legumes	A05984	Acacia calamifolia	Wallowa			2003	338	60	17.75	58	52	RA	3	DD	0.0	3.0
1103	91.182	LEGUMINOSAE	legumes	S01549	Acacia calcicola	Northern Myall			2006	151	12	7.95	11	7	NT	2	0	0.3	2.3
1105	91.182	LEGUMINOSAE	legumes	A05780	Acacia clelandii	Turpentine Mulga			1977	25	11	44.00	11		LC	1	0	0.3	1.3
1106	91.182	LEGUMINOSAE	legumes	Y01552	Acacia colletioides	Veined Wait-a-while			2007	282	128	45.39	107	44	LC	1	0	0.3	1.3
1107	91.182	LEGUMINOSAE	legumes	M01554	Acacia continua	Thorn Wattle			2007	817	310	37.94	258	109	NT	2	0	0.3	2.3
1108	91.182	LEGUMINOSAE	legumes	E04606	Acacia cretacea	Chalky Wattle	EN	E	2005	33	33	100.00	19	6	CR	6	-	0.5	6.5
1109	91.182	LEGUMINOSAE	legumes	C05237	Acacia cupularis	Cup Wattle			2008	527	187	35.48	152	92	NT	2	0	0.3	2.3
1110	91.182	LEGUMINOSAE	legumes	Q01556	Acacia cyclops	Western Coastal Wattle			2008	120	25	20.83	22	10	RA	3	0	0.3	3.3
1111	91.182	LEGUMINOSAE	legumes	K01561	Acacia dodonaeifolia	Hop-bush Wattle		R	2007	248	79	31.85	48	16	NT	2	0	0.3	2.3
1113	91.182	LEGUMINOSAE	legumes	M01562	Acacia enterocarpa	Jumping-jack Wattle	EN	E	2004	80	45	56.25	33	12	EN	5	-	0.5	5.5
1114	91.182	LEGUMINOSAE	legumes	Z01563	Acacia erinacea	Prickly Wattle		R	2005	15	15	100.00	11	8	RA	3	0	0.3	3.3
1115	91.182	LEGUMINOSAE	legumes	C05985	Acacia euthycarpa	Wallowa			2008	638	351	55.02	253	61	NT	2	0	0.3	2.3
1116	91.182	LEGUMINOSAE	legumes	S01565	Acacia farinosa	Mealy Wattle			2007	318	135	42.45	108	39	NT	2	0	0.3	2.3
1117	91.182	LEGUMINOSAE	legumes	W01567	Acacia gilesiana	Giles Wattle			2007	124	124	100.00	111	70	LC	1	0	0.3	1.3
1118	91.182	LEGUMINOSAE	legumes	A01568	Acacia gillii	Gills Wattle			2007	167	167	100.00	123	48	NT	2	0	0.3	2.3
1119	91.182	LEGUMINOSAE	legumes	Q01572	Acacia hakeoides	Hakea Wattle			2008	654	195	29.82	163	80	NT	2	0	0.3	2.3
1120	91.182	LEGUMINOSAE	legumes	U05438	Acacia halliana	Halls Wattle			2008	206	132	64.08	105	56	LC	1	0	0.3	1.3
1121	91.182	LEGUMINOSAE	legumes	S01573	Acacia havilandiorum	Needle Wattle			1996	133	14	10.53	10	3	EN	5	-	0.4	5.4

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
1122	91.182	LEGUMINOSAE	legumes	Y03400	Acacia helmsiana	Helms Wattle		R	1990	15	10	66.67	8	1	RA	3	DD	0.0	3.0
1123	91.182	LEGUMINOSAE	legumes	E05994	Acacia hemiteles			R	1977	1	1	100.00	1		RA	3	DD	0.0	3.0
1124	91.182	LEGUMINOSAE	legumes	E05114	Acacia hexaneura	Six-nerve Spine-bush		R	2007	66	65	98.48	46	32	EN	5	-	0.4	5.4
1125	91.182	LEGUMINOSAE	legumes	U01574	Acacia imbricata	Feathery Wattle	VU	R	2007	208	208	100.00	122	55	RA	3	0	0.3	3.3
1126	91.182	LEGUMINOSAE	legumes	W01575	Acacia iteaphylla	Flinders Ranges Wattle		R	2007	165	76	46.06	57	13	RA	3	0	0.3	3.3
1127	91.182	LEGUMINOSAE	legumes	A03740	Acacia jennerae	Coonavitra Wattle		R	2005	11	9	81.82	8	5	RA	3	0	0.3	3.3
1128	91.182	LEGUMINOSAE	legumes	A01576	Acacia kempeana	Witchetty Bush			2007	375	117	31.20	99	47	LC	1	0	0.3	1.3
1129	91.182	LEGUMINOSAE	legumes	C01577	Acacia leiophylla	Coast Golden Wattle			2004	514	69	13.42	57	25	LC	1	0	0.3	1.3
1130	91.182	LEGUMINOSAE	legumes	E05238	Acacia ligulata	Umbrella Bush			2008	2764	853	30.86	701	382	LC	1	0	0.3	1.3
1131	91.182	LEGUMINOSAE	legumes	G01579	Acacia lineata	Streaked Wattle		R	1978	121	1	0.83	1		RA	3	DD	0.0	3.0
1132	91.182	LEGUMINOSAE	legumes	K03753	Acacia longifolia ssp. sophorae	Coastal Wattle			2005	942	135	14.33	104	64	NT	2	0	0.3	2.3
1133	91.182	LEGUMINOSAE	legumes	U01582	Acacia maitlandii	Maitlands Wattle			2007	71	10	14.08	10	4	LC	1	0	0.3	1.3
1136	91.182	LEGUMINOSAE	legumes	G05775	Acacia melleodora	Net-veined Wattle			2006	41	5	12.20	4	1	LC	1	0	0.3	1.3
1137	91.182	LEGUMINOSAE	legumes	E01586	Acacia merrallii	Merralls Wattle			2008	326	319	97.85	273	149	NT	2	0	0.3	2.3
1138	91.182	LEGUMINOSAE	legumes	G01587	Acacia microcarpa	Manna Wattle			2007	365	166	45.48	126	87	NT	2	0	0.3	2.3
1140	91.182	LEGUMINOSAE	legumes	Q05304	Acacia minyura	Desert Mulga			2006	136	30	22.06	29	25	NT	2	0	0.3	2.3
1141	91.182	LEGUMINOSAE	legumes	K01589	Acacia montana	Mallee Wattle		R	2002	109	27	24.77	18	7	RA	3	-	0.4	3.4
1142	91.182	LEGUMINOSAE	legumes	U01590	Acacia murrayana	Colony Wattle			2006	417	38	9.11	34	16	NT	2	0	0.3	2.3
1143	91.182	LEGUMINOSAE	legumes	M03738	Acacia mutabilis ssp. angustifolia			R	2001	9	9	100.00	9	6	RA	3	0	0.3	3.3
1144	91.182	LEGUMINOSAE	legumes	K06209	Acacia myrtifolia	Narrow-leaf Myrtle Wattle			2007	112	11	9.82	10	4	RA	3	0	0.3	3.3
1145	91.182	LEGUMINOSAE	legumes	W04611	Acacia nematophylla	Coast Wallowa			2006	294	115	39.12	92	45	NT	2	0	0.3	2.3
1146	91.182	LEGUMINOSAE	legumes	C01593	Acacia notabilis	Notable Wattle			2008	573	311	54.28	267	133	NT	2	0	0.3	2.3
1147	91.182	LEGUMINOSAE	legumes	E01594	Acacia nyssophylla	Spine Bush			2008	787	390	49.56	338	198	LC	1	0	0.3	1.3
1148	91.182	LEGUMINOSAE	legumes	G01595	Acacia oswaldii	Umbrella Wattle			2008	1916	816	42.59	649	332	LC	1	0	0.3	1.3
1150	91.182	LEGUMINOSAE	legumes	K01597	Acacia pachyacra	Shiny-pod Wattle			1997	55	1	1.82	1	1	RA	3	0	0.3	3.3
1151	91.182	LEGUMINOSAE	legumes	Z01599	Acacia papyrocarpa	Western Myall			2008	739	595	80.51	459	220	NT	2	-	0.4	2.4
1152	91.182	LEGUMINOSAE	legumes	M01598	Acacia paradoxa	Kangaroo Thorn			2007	1798	139	7.73	106	50	LC	1	0	0.3	1.3
1153	91.182	LEGUMINOSAE	legumes	S01601	Acacia pinguiifolia	Fat-leaf Wattle	EN	E	2004	477	386	80.92	111	81	EN	5	-	0.5	5.5
1154	91.182	LEGUMINOSAE	legumes	A05112	Acacia praemorsa	Senna Wattle		E	1992	21	21	100.00	9	3	VU	4	-	0.4	4.4
1155	91.182	LEGUMINOSAE	legumes	U01602	Acacia prairii	Prairs Wattle			2006	94	65	69.15	44	20	NT	2	0	0.3	2.3
1156	91.182	LEGUMINOSAE	legumes	C01605	Acacia pycnantha	Golden Wattle			2007	3839	93	2.42	70	43	RA	3	0	0.3	3.3
1157	91.182	LEGUMINOSAE	legumes	K05777	Acacia ramulosa var. linophylla	Horse Mulga			2007	205	143	69.76	117	53	LC	1	0	0.3	1.3
1158	91.182	LEGUMINOSAE	legumes	Y05776	Acacia ramulosa var. ramulosa	Horse Mulga			2007	81	35	43.21	26	7	NT	2	0	0.3	2.3
1159	91.182	LEGUMINOSAE	legumes	K01609	Acacia rhotinocarpa	Resin Wattle	VU	V	2002	191	43	22.51	34	11	VU	4	-	0.5	4.5
1160	91.182	LEGUMINOSAE	legumes	U01610	Acacia rhigiophylla	Dagger-leaf Wattle		R	2005	175	62	35.43	51	16	VU	4	-	0.4	4.4
1161	91.182	LEGUMINOSAE	legumes	Q03748	Acacia rhodophloia	Mini Ritchi		R	1971	4	1	25.00	1		RA	3	DD	0.0	3.0
1162	91.182	LEGUMINOSAE	legumes	W01611	Acacia rigens	Nealie			2008	948	459	48.42	386	213	LC	1	0	0.3	1.3
1164	91.182	LEGUMINOSAE	legumes	E01614	Acacia rupicola	Rock Wattle			2007	648	324	50.00	255	127	LC	1	0	0.3	1.3
1165	91.182	LEGUMINOSAE	legumes	G01615	Acacia salicina	Willow Wattle			2007	523	6	1.15	5	1	RA	3	0	0.3	3.3
1166	91.182	LEGUMINOSAE	legumes	K01617	Acacia sclerophylla var. sclerophylla	Hard-leaf Wattle			2008	674	307	45.55	243	150	NT	2	0	0.3	2.3
1167	91.182	LEGUMINOSAE	legumes	M03402	Acacia sibirica	Bastard Mulga			2006	217	52	23.96	44	20	NT	2	0	0.3	2.3
1169	91.182	LEGUMINOSAE	legumes	Z05495	Acacia sp. Winged (C.R.Alcock 4936)	Angled Wattle			2008	187	117	62.57	101	81	NT	2	0	0.3	2.3
1171	91.182	LEGUMINOSAE	legumes	M01618	Acacia spinescens	Spiny Wattle			2007	2130	692	32.49	577	408	NT	2	0	0.3	2.3

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
1172	91.182	LEGUMINOSAE	legumes	Q05436	Acacia spooneri			V	1987	20	10	50.00	6		VU	4	0	0.3	4.3
1173	91.182	LEGUMINOSAE	legumes	Z01619	Acacia stenophylla	River Cooba			2006	567	2	0.35	2	2	RA	3	0	0.3	3.3
1174	91.182	LEGUMINOSAE	legumes	G01623	Acacia tarculensis	Steel Bush			2006	162	157	96.91	121	21	NT	2	0	0.3	2.3
1175	91.182	LEGUMINOSAE	legumes	Y01624	Acacia tetragonophylla	Dead Finish			2007	1922	314	16.34	278	136	LC	1	0	0.3	1.3
1176	91.182	LEGUMINOSAE	legumes	K05997	Acacia toondulya			R	2005	12	12	100.00	8	4	VU	4	-	0.4	4.4
1177	91.182	LEGUMINOSAE	legumes	G04147	Acacia triquetra	Mallee Wreath Wattle			2007	375	180	48.00	136	68	LC	1	0	0.3	1.3
1180	91.182	LEGUMINOSAE	legumes	S01629	Acacia victoriae ssp. victoriae	Elegant Wattle			1995	1421	30	2.11	27	4	NT	2	0	0.3	2.3
1181	91.182	LEGUMINOSAE	legumes	S05437	Acacia whibleyana	Whibleys Wattle		EN E	2004	40	39	97.50	23	13	CR	6	-	0.4	6.4
1182	91.182	LEGUMINOSAE	legumes	G01631	Acacia wilhelmiana	Dwarf Nealie			2008	449	152	33.85	122	77	RA	3	0	0.3	3.3
975	91.177	ROSACEAE	herbs & forbs	U05842	Acaena echinata	Sheeps Burr			2007	647	86	13.29	57	46	LC	1	0	0.3	1.3
976	91.177	ROSACEAE	herbs & forbs	W04867	Acaena novae-zelandiae	Biddy-biddy			1985	762	3	0.39	2		RA	3	DD	0.0	3.0
1414	91.514	ORCHIDACEAE	orchids	G05783	Acianthus caudatus	Mayfly Orchid			2001	86	3	3.49	3	2	CR	6	DD	0.0	6.0
1415	91.514	ORCHIDACEAE	orchids	Q00764	Acianthus pusillus	Mosquito Orchid			2004	559	56	10.02	42	24	NT	2	-	0.4	2.4
1658	91.346	EPACRIDACEAE	shrubs	E02406	Acrotriche affinis	Ridged Ground-berry			1998	549	6	1.09	5	1	VU	4	-	0.4	4.4
1659	91.346	EPACRIDACEAE	shrubs	G02407	Acrotriche cordata	Blunt-leaf Ground-berry			2007	914	233	25.49	186	124	LC	1	0	0.3	1.3
1661	91.346	EPACRIDACEAE	shrubs	W02411	Acrotriche patula	Prickly Ground-berry			2008	1309	704	53.78	582	409	LC	1	0	0.3	1.3
220	91.435	COMPOSITAE	daisies	Z02939	Actinobole uliginosum	Flannel Cudweed			2007	1228	445	36.24	375	220	NT	2	0	0.3	2.3
221	91.435	COMPOSITAE	daisies	Q03552	Actites megalocarpa	Coast Sow-thistle			2003	236	21	8.90	20	7	NT	2	0	0.3	2.3
1911	91.019	PROTEACEAE	shrubs	Q00896	Adenanthos terminalis	Yellow Gland-flower			2007	897	140	15.61	108	45	LC	1	0	0.3	1.3
484	74.018	ADIANTACEAE	fern	W00035	Adiantum aethiopicum	Common Maiden-hair			1995	309	4	1.29	4	2	VU	4	DD	0.0	4.0
824	91.204	EUPHORBIACEAE	herbs & forbs	M05718	Adriana quadripartita	Coast Bitter-bush			2007	292	64	21.92	56	14	NT	2	0	0.3	2.3
825	91.204	EUPHORBIACEAE	herbs & forbs	W01911	Adriana urticoides var. hookeri	Mallee Bitter-bush			1990	85	22	25.88	15	1	RA	3	DD	0.0	3.0
1747	91.392	LABIATAE	shrubs	A04700	Ajuga australis forma A (A.G.Spooner 9058)	Australian Bugle			1955	204	4	1.96	2		VU	4	-	0.4	4.4
2004	91.236	SAPINDACEAE	shrubs	Q04652	Alectryon oleifolius ssp. canescens	Bullock Bush			2008	1903	522	27.43	432	224	LC	1	0	0.3	1.3
1643	91.001	CASUARINACEAE	shrubs	M02910	Allocasuarina helmsii	Helms Oak-bush			2006	89	67	75.28	46	19	RA	3	0	0.3	3.3
1644	91.001	CASUARINACEAE	shrubs	W03627	Allocasuarina muelleriana ssp. muelleriana	Common Oak-bush			2007	1952	310	15.88	254	138	LC	1	0	0.3	1.3
1645	91.001	CASUARINACEAE	shrubs	Q03632	Allocasuarina pusilla	Dwarf Oak-bush			2004	585	11	1.88	11	7	NT	2	0	0.3	2.3
2093	91.001	CASUARINACEAE	trees	A03636	Allocasuarina verticillata	Drooping Sheoak			2007	2797	446	15.95	329	196	LC	1	0	0.3	1.3
677	91.049	AMARANTHACEAE	herbs & forbs	U01274	Alternanthera denticulata	Lesser Joyweed			2007	297	18	6.06	17	14	NT	2	+	0.2	2.2
679	91.049	AMARANTHACEAE	herbs & forbs	A01276	Alternanthera nodiflora	Common Joyweed			2007	203	2	0.99	2	2	RA	3	DD	0.0	3.0
1299	91.306	MYRTACEAE	myrtles	A05764	Aluta maisonneuvei ssp. auriculata	Desert Thryptomene			2007	49	42	85.71	34	13	NT	2	0	0.3	2.3
1300	91.306	MYRTACEAE	myrtles	W05763	Aluta maisonneuvei ssp. maisonneuvei	Desert Thryptomene			1978	53	4	7.55	4		RA	3	0	0.3	3.3
1796	91.269	MALVACEAE	shrubs	S02073	Alyogyne hakeifolia	Hakea-leaf Hibiscus			2007	76	44	57.89	34	6	RA	3	-	0.4	3.4
1797	91.269	MALVACEAE	shrubs	U02074	Alyogyne huegelii	Native Hibiscus			2007	253	171	67.59	145	71	NT	2	0	0.3	2.3
1798	91.269	MALVACEAE	shrubs	W04663	Alyogyne pinoniana var. microandra			V	1987	10	10	100.00	8		NE	-1	NE		-1.0
1799	91.269	MALVACEAE	shrubs	Q04944	Alyogyne pinoniana var. pinoniana	Sand Hibiscus			2004	82	12	14.63	12	6	NT	2	0	0.3	2.3
1638	91.369	APOCYNACEAE	shrubs	C02481	Alyxia buxifolia	Sea Box			2008	984	520	52.85	441	254	LC	1	0	0.3	1.3
680	91.049	AMARANTHACEAE	herbs & forbs	E06142	Amaranthus cuspidifolius	Boggabri Weed			2007	16	4	25.00	4	4	RA	3	DD	0.0	3.0
681	91.049	AMARANTHACEAE	herbs & forbs	U01282	Amaranthus grandiflorus	Large-flower Amaranth			2007	92	11	11.96	11	6	NT	2	0	0.3	2.3
683	91.049	AMARANTHACEAE	herbs & forbs	C06141	Amaranthus mitchellii	Boggabri Weed			2003	87	5	5.75	5	5	RA	3	0	0.3	3.3
928	91.303	LYTHRACEAE	herbs & forbs	K02193	Ammannia multiflora	Jerry-jerry			2007	91	2	2.20	2	2	RA	3	DD	0.0	3.0
1515	91.4485	CYMODOCEACEAE	seagrasses	K00081	Amphibolis antarctica	Sea Nymph			2002	352	58	16.48	15	2	LC	1	0	0.3	1.3
502	91.495	GRAMINEAE	grass	U00018	Amphibromus macrorhinus	Long-nosed Swamp Wallaby-grass		R	1990	30	4	13.33	3	2	CR	6	-	0.5	6.5

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREY	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
503	91.495	GRAMINEAE	grass	M04714	Amphibromus nervosus	Veined Swamp Wallaby-grass			1990	127	2	1.57	2	1	EN	5	-	0.4	5.4
504	91.495	GRAMINEAE	grass	C00301	Amphipogon caricinus var. caricinus	Long Grey-beard Grass			2007	546	181	33.15	155	109	LC	1	0	0.3	1.3
505	91.495	GRAMINEAE	grass	E00302	Amphipogon strictus var. setifer	Spreading Grey-beard Grass			1995	261	3	1.15	2	1	CR	6	-	0.4	6.4
2109	91.028	LORANTHACEAE	vines	E00954	Amyema fitzgeraldii	Pincushion Mistletoe			2006	13	10	76.92	10	4	LC	1	DD	0.0	1.0
2110	91.028	LORANTHACEAE	vines	G00955	Amyema gibberula var. gibberula	Twin-flower Mistletoe			1995	43	8	18.60	8	2	RA	3	DD	0.0	3.0
2112	91.028	LORANTHACEAE	vines	M00958	Amyema maidenii ssp. maidenii	Pale-leaf Mistletoe			2006	584	39	6.68	36	15	RA	3	0	0.3	3.3
2113	91.028	LORANTHACEAE	vines	Z00959	Amyema melaleucaae	Tea-tree Mistletoe			2008	478	222	46.44	189	137	LC	1	0	0.3	1.3
2114	91.028	LORANTHACEAE	vines	A00960	Amyema miquelii	Box Mistletoe			2007	1422	110	7.74	97	40	NT	2	0	0.3	2.3
2115	91.028	LORANTHACEAE	vines	C00961	Amyema miraculosa ssp. boormanii	Fleshy Mistletoe			2008	270	76	28.15	64	37	RA	3	0	0.3	3.3
2116	91.028	LORANTHACEAE	vines	G00963	Amyema preissii	Wire-leaf Mistletoe			2007	907	163	17.97	138	84	LC	1	0	0.3	1.3
2117	91.028	LORANTHACEAE	vines	Y00964	Amyema quandang var. quandang	Grey Mistletoe			2007	364	280	76.92	229	74	LC	1	0	0.3	1.3
951	91.042	PORTULACACEAE	herbs & forbs	Y01040	Anacampseros australiana	Australian Anacampseros			1998	34	8	23.53	7	6	RA	3	0	0.3	3.3
222	91.435	COMPOSITAE	daisies	K03161	Anemocarpa podolepidium	Rock Everlasting			2005	295	10	3.39	9	5	RA	3	0	0.3	3.3
224	91.435	COMPOSITAE	daisies	G02943	Angianthus brachypappus	Spreading Angianthus			2004	51	5	9.80	5	3	RA	3	DD	0.0	3.0
225	91.435	COMPOSITAE	daisies	W03563	Angianthus conocephalus				1997	78	78	100.00	47	3	RA	3	0	0.3	3.3
226	91.435	COMPOSITAE	daisies	G04447	Angianthus glabratus	Smooth Angianthus			1998	36	34	94.44	27	13	RA	3	0	0.3	3.3
227	91.435	COMPOSITAE	daisies	M02946	Angianthus preissianus	Salt Angianthus			2007	316	82	25.95	69	44	NT	2	0	0.3	2.3
228	91.435	COMPOSITAE	daisies	E02950	Angianthus tomentosus	Hairy Angianthus			2008	530	305	57.55	262	153	NT	2	0	0.3	2.3
485	74.018	ADIANTACEAE	fern	C00037	Anogramma leptophylla	Annual Fern	R		2001	98	13	13.27	11	5	RA	3	DD	0.0	3.0
2023	91.395	SOLANACEAE	shrubs	G03727	Anthocercis anisantha ssp. anisantha	Port Lincoln Ray-flower	R		2001	13	13	100.00	10	4	VU	4	0	0.3	4.3
2024	91.395	SOLANACEAE	shrubs	Q02648	Anthocercis anisantha ssp. collina	Gawler Ranges Ray-flower			2000	93	93	100.00	71	12	RA	3	-	0.4	3.4
1183	91.182	LEGUMINOSAE	legumes	Z04167	Aotus subspinescens	Mallee Aotus			2006	452	199	44.03	158	73	NT	2	0	0.3	2.3
229	91.435	COMPOSITAE	daisies	S03017	Apalochlamys spectabilis	Showy Firebush			2007	130	33	25.38	31	13	NT	2	0	0.3	2.3
977	91.177	ROSACEAE	herbs & forbs	Y06372	Aphanes australiana	Australian Piert			2005	93	17	18.28	13	8	RA	3	-	0.4	3.4
1524	91.491	CENTROLEPIDACEAE	sedges	E00602	Aphelia gracilis	Slender Aphelia			1996	82	2	2.44	2	2	CR	6	-	0.4	6.4
1023	91.339	UMBELLIFERAE	herbs & forbs	W03811	Apium annuum	Annual Celery			2007	426	143	33.57	113	52	NT	2	0	0.3	2.3
1024	91.339	UMBELLIFERAE	herbs & forbs	C03813	Apium prostratum var. filiforme	Native Celery			2001	167	18	10.78	16	6	NE	-1	NE		-1.0
1025	91.339	UMBELLIFERAE	herbs & forbs	Y02352	Apium prostratum var. prostratum	Native Celery			2006	353	135	38.24	60	10	LC	1	0	0.3	1.3
1632	91.488	RESTIONACEAE	sedges	Z00595	Apodasmia brownii	Coarse Twine-rush			2007	482	28	5.81	19	15	NT	2	0	0.3	2.3
775	91.139	CRUCIFERAE	herbs & forbs	Y01392	Arabidella filifolia	Thread-leaf Cress			1998	102	22	21.57	22	6	RA	3	DD	0.0	3.0
776	91.139	CRUCIFERAE	herbs & forbs	K01393	Arabidella glaucescens				1993	199	5	2.51	4	3	NT	2	0	0.3	2.3
777	91.139	CRUCIFERAE	herbs & forbs	M01394	Arabidella nasturtium	Yellow Cress			2001	245	20	8.16	19	4	RA	3	0	0.3	3.3
778	91.139	CRUCIFERAE	herbs & forbs	Q01396	Arabidella trisecta	Shrubby Cress			2007	559	92	16.46	77	18	NT	2	0	0.3	2.3
230	91.435	COMPOSITAE	daisies	W03159	Argentipallium obtusifolium	Blunt Everlasting			2008	428	44	10.28	30	14	NT	2	0	0.3	2.3
506	91.495	GRAMINEAE	grass	Y00196	Aristida anthoxanthoides	Yellow Three-awn			1998	149	8	5.37	6	3	RA	3	DD	0.0	3.0
507	91.495	GRAMINEAE	grass	M04934	Aristida arida		R		2007	44	1	2.27	1	1	RA	3	DD	0.0	3.0
508	91.495	GRAMINEAE	grass	K00197	Aristida behriana	Brush Wire-grass			2005	602	13	2.16	11	10	RA	3	-	0.4	3.4
509	91.495	GRAMINEAE	grass	Z00199	Aristida capillifolia	Needle-leaf Three-awn			2006	44	1	2.27	1	1	RA	3	DD	0.0	3.0
510	91.495	GRAMINEAE	grass	Q00200	Aristida contorta	Curly Wire-grass			2008	1579	297	18.81	250	145	LC	1	0	0.3	1.3
511	91.495	GRAMINEAE	grass	W04955	Aristida holathera var. holathera	Tall Kerosene Grass			2007	810	121	14.94	103	70	LC	1	0	0.3	1.3
512	91.495	GRAMINEAE	grass	S00201	Aristida latifolia	Feather-top Wire-grass			1978	107	2	1.87	1	1	RA	3	DD	0.0	3.0
513	91.495	GRAMINEAE	grass	U00202	Aristida nitidula	Brush Three-awn			1993	620	8	1.29	6	4	RA	3	DD	0.0	3.0
514	91.495	GRAMINEAE	grass	C04745	Aristida personata	Purple Wire-grass			2000	29	3	10.34	3	3	LC	1	++	0.1	1.1

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
896	91.451	LILIACEAE	herbs & forbs	Y04528	Arthropodium fimbriatum	Nodding Vanilla-lily			1996	649	14	2.16	11	10	RA	3	0	0.3	3.3
897	91.451	LILIACEAE	herbs & forbs	C00661	Arthropodium minus	Small Vanilla-lily			2007	260	104	40.00	79	61	NT	2	0	0.3	2.3
898	91.451	LILIACEAE	herbs & forbs	A04576	Arthropodium strictum	Common Vanilla-lily			1995	2127	5	0.24	4	1	RA	3	DD	0.0	3.0
978	91.373	RUBIACEAE	herbs & forbs	G02491	Asperula conferta	Common Woodruff			2007	541	35	6.47	24	12	RA	3	-	0.4	3.4
491	74.029	ASPLENIACEAE	fern	K00049	Asplenium flabellifolium	Necklace Fern			1979	178	1	0.56	1		VU	4	DD	0.0	4.0
492	74.029	ASPLENIACEAE	fern	U00050	Asplenium trichomanes	Common Spleenwort	R		2002	22	6	27.27	4	1	VU	4	DD	0.0	4.0
231	91.435	COMPOSITAE	daisies	G04747	Asteridea atrixioides forma atrixioides	Wirewort			2008	358	225	62.85	189	147	NT	2	0	0.3	2.3
232	91.435	COMPOSITAE	daisies	U04442	Asteridea atrixioides forma horripes	Wirewort				2	1	50.00	1		NE	-1	NE		-1.0
515	91.495	GRAMINEAE	grass	M00162	Astrebla lappacea	Curly Mitchell-grass			1992	97	1	1.03	1	1	RA	3	DD	0.0	3.0
516	91.495	GRAMINEAE	grass	Z00163	Astrebla pectinata	Barley Mitchell-grass			2007	718	23	3.20	19	11	NT	2	0	0.3	2.3
1662	91.346	EPACRIDACEAE	shrubs	A02412	Astroloma conostephioides	Flame Heath			2007	2795	327	11.70	272	171	LC	1	0	0.3	1.3
1663	91.346	EPACRIDACEAE	shrubs	C02413	Astroloma humifusum	Cranberry Heath			2007	3250	375	11.54	297	185	NT	2	0	0.3	2.3
42	91.047	CHENOPODIACEAE	chenopods	Y01120	Atriplex acutibractea ssp. acutibractea	Pointed Saltbush			2007	270	136	50.37	125	71	NT	2	0	0.3	2.3
43	91.047	CHENOPODIACEAE	chenopods	Z04035	Atriplex acutibractea ssp. karoniensis	Pointed Saltbush			2003	102	62	60.78	47	38	NT	2	0	0.3	2.3
44	91.047	CHENOPODIACEAE	chenopods	K01121	Atriplex acutiloba				2004	22	3	13.64	3	2	RA	3	DD	0.0	3.0
45	91.047	CHENOPODIACEAE	chenopods	M01122	Atriplex angulata	Fan Saltbush			2001	529	25	4.73	21	10	NT	2	0	0.3	2.3
46	91.047	CHENOPODIACEAE	chenopods	Z01123	Atriplex cinerea	Coast Saltbush			2008	566	296	52.30	190	87	LC	1	0	0.3	1.3
47	91.047	CHENOPODIACEAE	chenopods	W01127	Atriplex cryptocarpa				2006	26	26	100.00	24	11	NT	2	0	0.3	2.3
48	91.047	CHENOPODIACEAE	chenopods	A01128	Atriplex eardleyae	Eardleys Saltbush			2008	257	40	15.56	30	7	NT	2	0	0.3	2.3
49	91.047	CHENOPODIACEAE	chenopods	Z01131	Atriplex fissivalvis	Gibber Saltbush			1996	171	24	14.04	19	12	NT	2	0	0.3	2.3
50	91.047	CHENOPODIACEAE	chenopods	G03479	Atriplex holocarpa	Pop Saltbush			2007	887	122	13.75	104	40	LC	1	0	0.3	1.3
51	91.047	CHENOPODIACEAE	chenopods	S01133	Atriplex incassata				1995	51	2	3.92	2	1	RA	3	0	0.3	3.3
52	91.047	CHENOPODIACEAE	chenopods	Q01132	Atriplex kochiana	Kochs Saltbush	V		1993	29	20	68.97	8	4	VU	4	-	0.4	4.4
53	91.047	CHENOPODIACEAE	chenopods	A01136	Atriplex leptocarpa	Slender-fruit Saltbush			2006	268	9	3.36	9	4	RA	3	DD	0.0	3.0
54	91.047	CHENOPODIACEAE	chenopods	C01137	Atriplex limbata	Spreading Saltbush			1997	395	23	5.82	19	6	RA	3	-	0.4	3.4
55	91.047	CHENOPODIACEAE	chenopods	A04144	Atriplex lindleyi ssp. conduplicata	Baldo			2001	126	9	7.14	7	4	NT	2	0	0.3	2.3
56	91.047	CHENOPODIACEAE	chenopods	Z04555	Atriplex lindleyi ssp. inflata	Corky Saltbush			1996	129	13	10.08	11	3	RA	3	DD	0.0	3.0
57	91.047	CHENOPODIACEAE	chenopods	M04554	Atriplex lindleyi ssp. lindleyi	Baldo			2007	200	7	3.50	6	5	RA	3	0	0.3	3.3
58	91.047	CHENOPODIACEAE	chenopods	K04553	Atriplex lindleyi ssp. quadripartita	Baldo			1998	18	3	16.67	3	3	RA	3	DD	0.0	3.0
59	91.047	CHENOPODIACEAE	chenopods	G01139	Atriplex lobativalvis				2007	57	2	3.51	2	2	RA	3	DD	0.0	3.0
60	91.047	CHENOPODIACEAE	chenopods	Q01140	Atriplex macroptercarpa				1968	22	7	31.82	3		VU	4	-	0.5	4.5
61	91.047	CHENOPODIACEAE	chenopods	S01141	Atriplex morrisii		V		1960	3	1	33.33	1		DD	0	DD	0.0	0.0
63	91.047	CHENOPODIACEAE	chenopods	E03574	Atriplex nessorhina	Donald Duck Saltbush			2000	5	5	100.00	5	2	VU	4	DD	0.0	4.0
65	91.047	CHENOPODIACEAE	chenopods	C04137	Atriplex nummularia ssp. omissa	Old-man Saltbush			1996	168	3	1.79	2	2	RA	3	DD	0.0	3.0
66	91.047	CHENOPODIACEAE	chenopods	Q04036	Atriplex nummularia ssp. spathulata	Old-man Saltbush			2001	36	35	97.22	22	17	LC	1	0	0.3	1.3
68	91.047	CHENOPODIACEAE	chenopods	M01130	Atriplex paludosa ssp. cordata	Marsh Saltbush			2008	1861	1456	78.24	416	178	NT	2	0	0.3	2.3
70	91.047	CHENOPODIACEAE	chenopods	G03515	Atriplex papillata	Coral Saltbush	E		1993	5	1	20.00	1	1	EN	5	DD	0.0	5.0
71	91.047	CHENOPODIACEAE	chenopods	G01147	Atriplex pseudocampulata	Spreading Saltbush			1998	81	3	3.70	2	1	RA	3	DD	0.0	3.0
72	91.047	CHENOPODIACEAE	chenopods	E03486	Atriplex pumilio	Mat Saltbush			1998	55	16	29.09	15	5	RA	3	DD	0.0	3.0
73	91.047	CHENOPODIACEAE	chenopods	Y01148	Atriplex quadrivalvata var. sessilifolia				1998	17	4	23.53	4	4	RA	3	DD	0.0	3.0
74	91.047	CHENOPODIACEAE	chenopods	K01149	Atriplex quinii	Kidney-fruit Saltbush			2007	152	5	3.29	5	2	RA	3	0	0.3	3.3
75	91.047	CHENOPODIACEAE	chenopods	U01150	Atriplex rhagodioides	River Saltbush			2007	128	1	0.78	1	1	RA	3	DD	0.0	3.0
76	91.047	CHENOPODIACEAE	chenopods	W01151	Atriplex semibaccata	Berry Saltbush			2005	535	35	6.54	27	21	NT	2	0	0.3	2.3

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
77	91.047	CHENOPODIACEAE	chenopods	C01153	Atriplex spongiosa	Pop Saltbush			2007	659	52	7.89	38	21	NT	2	-	0.4	2.4
78	91.047	CHENOPODIACEAE	chenopods	E01154	Atriplex stipitata	Bitter Saltbush			2008	1029	285	27.70	243	173	LC	1	0	0.3	1.3
79	91.047	CHENOPODIACEAE	chenopods	G01155	Atriplex suberecta	Lagoon Saltbush			2008	293	30	10.24	21	6	RA	3	DD	0.0	3.0
80	91.047	CHENOPODIACEAE	chenopods	K01157	Atriplex velutinella	Sandhill Saltbush			2007	489	33	6.75	30	12	NT	2	0	0.3	2.3
81	91.047	CHENOPODIACEAE	chenopods	S04557	Atriplex vesicaria ssp. macrocystidia	Bladder Saltbush			1999	37	1	2.70	1	1	NE	-1	NE		-1.0
82	91.047	CHENOPODIACEAE	chenopods	W04559	Atriplex vesicaria ssp. variabilis	Bladder Saltbush			1989	15	1	6.67	1	1	NE	-1	NE		-1.0
816	91.302	CUCURBITACEAE	herbs & forbs	Z03835	Austrobryonia micrantha	Desert Cucumber			2007	27	3	11.11	3	1	RA	3	DD	0.0	3.0
518	91.495	GRAMINEAE	grass	S00165	Austroanthonia caespitosa	Common Wallaby-grass			2008	3922	1190	30.34	921	703	NT	2	0	0.3	2.3
519	91.495	GRAMINEAE	grass	C00169	Austroanthonia eriantha	Hill Wallaby-grass			1998	202	3	1.49	3	2	VU	4	-	0.4	4.4
520	91.495	GRAMINEAE	grass	Q00172	Austroanthonia fulva	Leafy Wallaby-grass			2007	118	5	4.24	3	3	VU	4	-	0.4	4.4
523	91.495	GRAMINEAE	grass	U00174	Austroanthonia racemosa var. racemosa	Slender Wallaby-grass			2000	305	9	2.95	8	3	VU	4	-	0.4	4.4
524	91.495	GRAMINEAE	grass	K00177	Austroanthonia setacea	Small-flower Wallaby-grass			2007	1482	448	30.23	320	289	NT	2	0	0.3	2.3
525	91.495	GRAMINEAE	grass	K00233	Austrofestuca littoralis	Coast Fescue			1997	78	9	11.54	9	3	RA	3	DD	0.0	3.0
526	91.495	GRAMINEAE	grass	A00124	Austrostipa acrocliliata	Graceful Spear-grass			2008	812	400	49.26	309	255	LC	1	0	0.3	1.3
527	91.495	GRAMINEAE	grass	G00127	Austrostipa blackii	Crested Spear-grass			2002	667	56	8.40	33	30	RA	3	0	0.3	3.3
529	91.495	GRAMINEAE	grass	K06461	Austrostipa dongicola				2006	1	1	100.00	1	1	RA	3	0	0.3	3.3
530	91.495	GRAMINEAE	grass	C00133	Austrostipa drummondii	Cottony Spear-grass			2008	938	329	35.07	245	182	LC	1	0	0.3	1.3
532	91.495	GRAMINEAE	grass	U03686	Austrostipa echinata	Spiny Spear-grass	R		2005	55	33	60.00	21	19	RA	3	-	0.4	3.4
533	91.495	GRAMINEAE	grass	Y00136	Austrostipa elegantissima	Feather Spear-grass			2008	2137	825	38.61	696	543	LC	1	0	0.3	1.3
535	91.495	GRAMINEAE	grass	K00137	Austrostipa eremophila	Rusty Spear-grass			2008	1397	687	49.18	370	268	LC	1	0	0.3	1.3
536	91.495	GRAMINEAE	grass	C00141	Austrostipa exilis	Heath Spear-grass			2004	849	593	69.85	387	363	LC	1	0	0.3	1.3
537	91.495	GRAMINEAE	grass	Q03844	Austrostipa flavescens	Coast Spear-grass			2007	1169	333	28.49	221	155	NT	2	0	0.3	2.3
540	91.495	GRAMINEAE	grass	M00138	Austrostipa hemipogon	Half-bearded Spear-grass			2004	643	407	63.30	255	238	LC	1	0	0.3	1.3
541	91.495	GRAMINEAE	grass	Y04800	Austrostipa lanata				2006	13	9	69.23	8	7	RA	3	DD	0.0	3.0
542	91.495	GRAMINEAE	grass	Z00139	Austrostipa macalpinei	Annual Spear-grass			2001	67	15	22.39	11	7	RA	3	0	0.3	3.3
543	91.495	GRAMINEAE	grass	U00130	Austrostipa mollis	Soft Spear-grass			2007	784	92	11.73	73	50	NT	2	0	0.3	2.3
545	91.495	GRAMINEAE	grass	Y00144	Austrostipa mundula	Neat Spear-grass			2007	318	210	66.04	137	122	NT	2	0	0.3	2.3
547	91.495	GRAMINEAE	grass	K00145	Austrostipa nitida	Balcarra Spear-grass			2008	2901	1194	41.16	918	605	LC	1	0	0.3	1.3
548	91.495	GRAMINEAE	grass	M00146	Austrostipa nodosa	Tall Spear-grass			2007	1283	151	11.77	119	66	NT	2	0	0.3	2.3
549	91.495	GRAMINEAE	grass	C04153	Austrostipa nullarulla	Club Spear-grass	VU	V	2008	56	50	89.29	39	39	RA	3	0	0.3	3.3
550	91.495	GRAMINEAE	grass	G04323	Austrostipa pilata	Prickly Spear-grass		V	2005	111	9	8.11	8	8	VU	4	-	0.4	4.4
551	91.495	GRAMINEAE	grass	Q00148	Austrostipa platychaeta	Flat-awn Spear-grass			2007	512	254	49.61	220	136	LC	1	0	0.3	1.3
552	91.495	GRAMINEAE	grass	S00149	Austrostipa plumigera		R		2007	30	21	70.00	17	10	RA	3	DD	0.0	3.0
553	91.495	GRAMINEAE	grass	E00150	Austrostipa puberula	Fine-hairy Spear-grass			2008	204	115	56.37	77	71	NT	2	0	0.3	2.3
554	91.495	GRAMINEAE	grass	S04769	Austrostipa scabra ssp. falcata	Slender Spear-grass			2007	928	248	26.72	178	152	NT	2	0	0.3	2.3
555	91.495	GRAMINEAE	grass	G03911	Austrostipa scabra ssp. scabra	Rough Spear-grass			2006	424	154	36.32	124	48	NT	2	0	0.3	2.3
556	91.495	GRAMINEAE	grass	Y00152	Austrostipa semibarbata	Fibrous Spear-grass			2002	372	11	2.96	9	4	RA	3	DD	0.0	3.0
557	91.495	GRAMINEAE	grass	K00153	Austrostipa setacea	Corkscrew Spear-grass			1995	278	4	1.44	3	1	VU	4	DD	0.0	4.0
558	91.495	GRAMINEAE	grass	M00154	Austrostipa stipoides	Coast Spear-grass			2005	180	27	15.00	25	12	NT	2	0	0.3	2.3
559	91.495	GRAMINEAE	grass	S04425	Austrostipa stuposia				1960	8	1	12.50	1		CR	6	--	0.5	6.5
560	91.495	GRAMINEAE	grass	W00131	Austrostipa tenuifolia		R		2004	79	14	17.72	11	6	EN	5	-	0.4	5.4
561	91.495	GRAMINEAE	grass	M02150	Austrostipa trichophylla				2007	405	143	35.31	90	79	NT	2	0	0.3	2.3
562	91.495	GRAMINEAE	grass	S04221	Austrostipa velutina				2007	34	34	100.00	31	25	NT	2	0	0.3	2.3

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
563	91.495	GRAMINEAE	grass	S04097	Austrostipa vickeryana	Vickerys Spear-grass		R	2000	11	10	90.91	7	6	RA	3	DD	0.0	3.0
2	91.386	AVICENNIACEAE	aquatic	Z02575	Avicennia marina ssp. marina	Grey Mangrove			2001	119	49	41.18	41	17	LC	1	0	0.3	1.3
1301	91.306	MYRTACEAE	myrtles	S02197	Babingtonia behrii	Silver Broombush			2007	1124	408	36.30	324	235	NT	2	0	0.3	2.3
1302	91.306	MYRTACEAE	myrtles	U02198	Baekkea crassifolia	Desert Baekkea			2008	925	397	42.92	321	234	LC	1	0	0.3	1.3
1304	91.306	MYRTACEAE	myrtles	A04744	Baekkea tuberculata				2006	10	1	10.00	1	1	RA	3	0	0.3	3.3
1912	91.019	PROTEACEAE	shrubs	S00897	Banksia marginata	Silver Banksia			2007	2026	38	1.88	31	13	RA	3	-	0.4	3.4
1913	91.019	PROTEACEAE	shrubs	U00898	Banksia ornata	Desert Banksia			2007	1061	28	2.64	19	10	NT	2	0	0.3	2.3
1534	91.504	CYPERACEAE	sedges	E03794	Baumea arthropphylla	Swamp Twig-rush			2004	209	13	6.22	12	7	RA	3	-	0.4	3.4
1535	91.504	CYPERACEAE	sedges	S03801	Baumea juncea	Bare Twig-rush			2007	743	49	6.59	41	29	RA	3	0	0.3	3.3
3	91.296	ELATINACEAE	aquatic	G02183	Bergia trimera	Three-part Water-fire			2008	87	6	6.90	6	6	RA	3	0	0.3	3.3
826	91.204	EUPHORBIACEAE	herbs & forbs	E01914	Bertya tasmanica ssp. vestita	Mitchells Bertya			2008	242	70	28.93	61	49	LC	1	0	0.3	1.3
827	91.204	EUPHORBIACEAE	herbs & forbs	Y01916	Beyeria lechenaultii	Pale Turpentine Bush			2008	2006	789	39.33	619	341	LC	1	0	0.3	1.3
828	91.204	EUPHORBIACEAE	herbs & forbs	K01917	Beyeria opaca	Dark Turpentine Bush			2008	393	141	35.88	113	63	NT	2	0	0.3	2.3
1889	91.173	PITTOPOACEAE	shrubs	A06360	Billardiera cymosa ssp. cymosa	Sweet Apple-berry			2000	364	5	1.37	5	1	NE	-1	NE	-1.0	
1890	91.173	PITTOPOACEAE	shrubs	C06361	Billardiera cymosa ssp. pseudocymosa	Sweet Apple-berry			1995	52	48	92.31	44	5	NT	2	0	0.3	2.3
1891	91.173	PITTOPOACEAE	shrubs	A01496	Billardiera sericophora	Silky Apple-berry			2007	289	219	75.78	176	88	LC	1	0	0.3	1.3
1892	91.173	PITTOPOACEAE	shrubs	W05235	Billardiera sp. Yorke Peninsula (P.C.Heyligers 80164)	Lehmans Apple-berry		E	1995	20	1	5.00	1	1	EN	5	DD	0.0	5.0
1893	91.173	PITTOPOACEAE	shrubs	C01497	Billardiera uniflora	One-flower Apple-berry			2004	177	10	5.65	9	5	VU	4	-	0.4	4.4
1894	91.173	PITTOPOACEAE	shrubs	E01498	Billardiera versicolor	Yellow-flower Apple-berry			2002	304	59	19.41	49	39	LC	1	0	0.3	1.3
779	91.139	CRUCIFERAE	herbs & forbs	U01398	Blennodia canescens	Native Stock			2007	52	7	13.46	5	4	RA	3	DD	0.0	3.0
780	91.139	CRUCIFERAE	herbs & forbs	W01399	Blennodia pterosperma	Wild Stock			2001	108	3	2.78	3	2	RA	3	-	0.4	3.4
233	91.435	COMPOSITAE	daisies	M03630	Blennospora drummondii	Dwarf Button-flower			2008	765	334	43.66	272	230	NT	2	0	0.3	2.3
2120	91.039	NYCTAGINACEAE	vines	C04065	Boerhavia coccinea	Tar-vine			2008	164	8	4.88	8	6	NE	-1	NE	-1.0	
2121	91.039	NYCTAGINACEAE	vines	U04070	Boerhavia dominii	Tar-vine			2007	649	24	3.70	19	17	NE	-1	NE	-1.0	
2122	91.039	NYCTAGINACEAE	vines	S05569	Boerhavia reptata				2007	12	1	8.33	1	1	NE	-1	NE	-1.0	
2123	91.039	NYCTAGINACEAE	vines	E04226	Boerhavia schomburgkiana	Schomburgks Tar-vine			1996	288	8	2.78	6	4	NE	-1	NE	-1.0	
1536	91.504	CYPERACEAE	sedges	Y00576	Bolboschoenus caldwellii	Salt Club-rush			2006	247	5	2.02	5	1	RA	3	0	0.3	3.3
1973	91.212	RUTACEAE	shrubs	A04920	Boronia coerulescens ssp. coerulescens	Blue Boronia			2008	1182	411	34.77	331	178	NT	2	0	0.3	2.3
1974	91.212	RUTACEAE	shrubs	A01956	Boronia filifolia	Slender Boronia			2007	301	20	6.64	13	6	VU	4	-	0.4	4.4
1975	91.212	RUTACEAE	shrubs	Q04724	Boronia inornata ssp. leptophylla	Dryland Boronia			2007	404	239	59.16	195	100	LC	1	0	0.3	1.3
1184	91.182	LEGUMINOSAE	legumes	Q02620	Bossiaea ensata	Sword Bossiaea		V	2000	10	10	100.00	10	5	VU	4	-	0.4	4.4
1186	91.182	LEGUMINOSAE	legumes	Y01640	Bossiaea walkeri	Cactus Pea			2006	151	148	98.01	118	32	NT	2	0	0.3	2.3
564	91.495	GRAMINEAE	grass	E00442	Bothriochloa ewartiana	Desert Blue-grass			2003	40	3	7.50	3	3	RA	3	DD	0.0	3.0
565	91.495	GRAMINEAE	grass	G00443	Bothriochloa macra	Red-leg Grass		R	2000	103	8	7.77	8	7	RA	3	+	0.2	3.2
568	91.495	GRAMINEAE	grass	S00385	Brachiaria praetervisa	Large Arm-grass			1995	135	1	0.74	1	1	RA	3	DD	0.0	3.0
569	91.495	GRAMINEAE	grass	G00363	Brachyachne ciliaris	Hairy Native Couch			2005	63	13	20.63	11	3	RA	3	DD	0.0	3.0
2104	91.271	STERCULIACEAE	trees	K02109	Brachychiton gregorii	Desert Kurrajong			2006	57	10	17.54	9	4	RA	3	0	0.3	3.3
235	91.435	COMPOSITAE	daisies	U02966	Brachyscome ciliaris var. ciliaris	Variable Daisy			2008	1006	484	48.11	392	322	LC	1	0	0.3	1.3
236	91.435	COMPOSITAE	daisies	M03518	Brachyscome ciliaris var. lanuginosa	Woolly Variable Daisy			2007	546	53	9.71	46	42	RA	3	0	0.3	3.3
238	91.435	COMPOSITAE	daisies	A03520	Brachyscome ciliaris var. subintegrifolia			R	2006	30	1	3.33	1	1	NE	-1	NE	-1.0	
239	91.435	COMPOSITAE	daisies	E03258	Brachyscome cuneifolia	Wedge-leaf Daisy			1995	54	4	7.41	4	3	RA	3	DD	0.0	3.0
240	91.435	COMPOSITAE	daisies	K05785	Brachyscome debilis	Weak Daisy			2005	10	1	10.00	1	1	DD	0	DD	0.0	0.0
241	91.435	COMPOSITAE	daisies	U04910	Brachyscome dichromosomatica var. dichromosomatica	Large Hard-head Daisy			2001	34	9	26.47	7	7	NE	-1	NE	-1.0	

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFo_in_WEST_All_(km2)	AoFo_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE	
242	91.435	COMPOSITAE	daisies	Z02971	Brachyscome eriogona			R	2004	68	6	8.82	5	5	NE	-1	NE		-1.0	
243	91.435	COMPOSITAE	daisies	Q02972	Brachyscome exilis	Slender Daisy			2007	157	81	51.59	63	59	NT	2	0	0.3	2.3	
244	91.435	COMPOSITAE	daisies	S02973	Brachyscome gonicarpa	Dwarf Daisy			2008	133	40	30.08	33	28	NT	2	0	0.3	2.3	
245	91.435	COMPOSITAE	daisies	A02976	Brachyscome ibericifolia	Swan River Daisy			2006	133	36	27.07	31	21	NT	2	0	0.3	2.3	
246	91.435	COMPOSITAE	daisies	E02978	Brachyscome lineariloba	Hard-head Daisy			2008	1399	503	35.95	430	378	LC	1	0	0.3	1.3	
247	91.435	COMPOSITAE	daisies	Q02980	Brachyscome muelleri	Corunna Daisy	EN	E	2005	5	5	100.00	2	2	CR	6	-	0.5	6.5	
248	91.435	COMPOSITAE	daisies	G04455	Brachyscome perpusilla	Tiny Daisy			2007	263	94	35.74	73	65	LC	1	0	0.3	1.3	
249	91.435	COMPOSITAE	daisies	A02984	Brachyscome tatei	Nullarbor Daisy		R	2007	15	15	100.00	14	10	RA	3	0	0.3	3.3	
251	91.435	COMPOSITAE	daisies	E02986	Brachyscome trachycarpa	Smooth Daisy			2007	117	80	68.38	73	63	NT	2	0	0.3	2.3	
252	91.435	COMPOSITAE	daisies	Y04896	Brachyscome xanthocarpa	Yellow-fruit Daisy		R	2006	4	4	100.00	3	3	RA	3	DD	0.0	3.0	
570	91.495	GRAMINEAE	grass	W00211	Bromus arenarius	Sand Brome			2007	369	213	57.72	155	67	NT	2	-	0.4	2.4	
1685	91.43	GOODENIACEAE	shrubs	E02926	Brunonia australis	Blue Pin cushion			2007	566	58	10.25	55	25	NT	2	0	0.3	2.3	
899	91.451	LILIACEAE	herbs & forbs	Z00667	Bulbine alata	Winged Bulbine-lily			2005	283	30	10.60	28	16	RA	3	DD	0.0	3.0	
900	91.451	LILIACEAE	herbs & forbs	Q00668	Bulbine bulbosa	Bulbine-lily			2008	713	21	2.95	18	13	VU	4	-	0.4	4.4	
901	91.451	LILIACEAE	herbs & forbs	S00669	Bulbine semibarbata	Small Leek-lily			2008	1055	489	46.35	366	223	LC	1	0	0.3	1.3	
1537	91.504	CYPERACEAE	sedges	W00459	Bulbostylis barbata				2003	23	5	21.74	5	5	RA	3	DD	0.0	3.0	
1538	91.504	CYPERACEAE	sedges	Z06059	Bulbostylis pyriformis			R	1998	3	1	33.33	1	1	EN	5	-	0.5	5.5	
902	91.451	LILIACEAE	herbs & forbs	E00670	Burchardia umbellata	Milkmaids			2007	1234	63	5.11	47	33	NT	2	-	0.4	2.4	
1895	91.173	PITTOSPORACEAE	shrubs	A04208	Bursaria spinosa ssp. spinosa	Sweet Bursaria			2008	2563	271	10.57	230	136	LC	1	0	0.3	1.3	
903	91.451	LILIACEAE	herbs & forbs	U04582	Caesia calliantha	Blue Grass-lily			1992	836	4	0.48	4	2	DD	0	DD	0.0	0.0	
1415.1	91.514	ORCHIDACEAE	orchids		Caladenia aurulenta	Golden Club Spider-orchid									VU	4	-	0.4	4.4	
1416	91.514	ORCHIDACEAE	orchids	S03385	Caladenia bicallata ssp. bicallata	Western Daddy-long-legs		R	2004	34	24	70.59	16	15	RA	3	-	0.4	3.4	
1418	91.514	ORCHIDACEAE	orchids	W05147	Caladenia brumalis	Winter Spider-orchid		VU	V	2004	193	18	9.33	15	7	EN	5	0	0.3	5.3
1419	91.514	ORCHIDACEAE	orchids	Z04115	Caladenia capillata	Wispy Spider-orchid			2004	321	140	43.61	115	72	LC	1	0	0.3	1.3	
1420	91.514	ORCHIDACEAE	orchids	K04113	Caladenia cardiochila	Heart-lip Spider-orchid			2005	260	100	38.46	83	47	NT	2	-	0.4	2.4	
1421	91.514	ORCHIDACEAE	orchids	Y04384	Caladenia carnea	Pink Fingers			2003	484	38	7.85	36	20	NT	2	0	0.3	2.3	
1422	91.514	ORCHIDACEAE	orchids	W05383	Caladenia clavula	Brown-club Spider Orchid			2003	48	39	81.25	32	28	NT	2	-	0.4	2.4	
1422.1	91.514	ORCHIDACEAE	orchids	C04365	Caladenia fragrantissima ssp. fragrantissima	Scented Spider-orchid		V							CR	6	-	0.5	6.5	
1425	91.514	ORCHIDACEAE	orchids	U05382	Caladenia fuscata	Dusky Caladenia			2004	62	27	43.55	22	20	RA	3	-	0.4	3.4	
1425.1	91.514	ORCHIDACEAE	orchids		Caladenia interanea	Inland Spider-orchid									VU	4	-	0.4	4.4	
1426	91.514	ORCHIDACEAE	orchids	A00776	Caladenia latifolia	Pink Caladenia			2008	558	101	18.10	80	49	NT	2	0	0.3	2.3	
1427	91.514	ORCHIDACEAE	orchids	K05169	Caladenia macroclavia	Large-club Spider-orchid	EN	E	1985	84	2	2.38	2	2	EN	5	-	0.5	5.5	
1428	91.514	ORCHIDACEAE	orchids	S06261	Caladenia pusilla	Pigmy Caladenia		R	2007	10	2	20.00	2	2	CR	6	DD	0.0	6.0	
1429	91.514	ORCHIDACEAE	orchids	S05161	Caladenia septuosa	Eyre Peninsula Spider-orchid			2007	146	146	100.00	94	73	RA	3	0	0.3	3.3	
1431	91.514	ORCHIDACEAE	orchids	G04367	Caladenia stricta	Upright Caladenia			2004	162	47	29.01	40	30	NT	2	0	0.3	2.3	
1432	91.514	ORCHIDACEAE	orchids	A05384	Caladenia tensa	Inland Green-comb Spider-orchid	EN		2004	131	43	32.82	33	18	NE	-1	NE		-1.0	
1433	91.514	ORCHIDACEAE	orchids	Y04860	Caladenia tentaculata	King Spider-orchid			2004	429	10	2.33	7	6	NE	-1	NE		-1.0	
1434	91.514	ORCHIDACEAE	orchids	G05159	Caladenia toxochila	Bow-lip Spider-orchid			2001	81	32	39.51	28	9	RA	3	-	0.4	3.4	
1436	91.514	ORCHIDACEAE	orchids	U05154	Caladenia verrucosa	Yellow-club Spider-orchid			2001	65	7	10.77	7	6	VU	4	-	0.5	4.5	
1436.1	91.514	ORCHIDACEAE	orchids	Z32039	Caladenia zephyra	Sand Spider-orchid									EN	5	-	0.5	5.5	
953	91.042	PORTULACACEAE	herbs & forbs	M01042	Calandrinia brevipedata	Short-stalked Purslane			2005	85	16	18.82	12	11	RA	3	DD	0.0	3.0	
954	91.042	PORTULACACEAE	herbs & forbs	Z01043	Calandrinia calyptrata	Pink Purslane			2008	549	361	65.76	247	200	NT	2	0	0.3	2.3	
955	91.042	PORTULACACEAE	herbs & forbs	Q01044	Calandrinia corrigioloides	Strap Purslane			2005	100	58	58.00	47	36	NT	2	0	0.3	2.3	

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
956	91.042	PORTULACACEAE	herbs & forbs	U01046	Calandrinia disperma	Two-seed Purslane			2005	43	32	74.42	28	9	NT	2	0	0.3	2.3
957	91.042	PORTULACACEAE	herbs & forbs	W01047	Calandrinia eremaea	Dryland Purslane			2008	1187	714	60.15	585	512	LC	1	0	0.3	1.3
958	91.042	PORTULACACEAE	herbs & forbs	C01049	Calandrinia granulifera	Pigmy Purslane			2008	278	152	54.68	123	106	LC	1	0	0.3	1.3
959	91.042	PORTULACACEAE	herbs & forbs	M01050	Calandrinia polyandra var. polyandra	Parakeelya			2007	108	24	22.22	21	11	NT	2	0	0.3	2.3
960	91.042	PORTULACACEAE	herbs & forbs	Z01051	Calandrinia ptychosperma	Creeping Parakeelya			1997	101	2	1.98	2	2	NT	2	DD	0.0	2.0
961	91.042	PORTULACACEAE	herbs & forbs	Q01052	Calandrinia pumila	Tiny Purslane			1980	29	1	3.45	1		RA	3	DD	0.0	3.0
962	91.042	PORTULACACEAE	herbs & forbs	S01053	Calandrinia remota	Round-leaf Parakeelya			2007	80	15	18.75	12	9	RA	3	DD	0.0	3.0
963	91.042	PORTULACACEAE	herbs & forbs	Z02859	Calandrinia reticulata				2005	40	13	32.50	10	8	RA	3	DD	0.0	3.0
964	91.042	PORTULACACEAE	herbs & forbs	U01054	Calandrinia sphaerophylla	Bead Purslane	R		1999	3	3	100.00	3	2	NE	-1	NE		-1.0
965	91.042	PORTULACACEAE	herbs & forbs	A01056	Calandrinia volubilis	Twining Purslane			1999	68	22	32.35	20	14	RA	3	-	0.4	3.4
1305	91.306	MYRTACEAE	myrtles	C04533	Callistemon rugulosus	Scarlet Bottlebrush			2007	252	100	39.68	86	36	RA	3	-	0.4	3.4
2095	84.004	CUPRESSACEAE	trees	Y03380	Callitris canescens	Scrubby Cypress Pine			2007	476	214	44.96	178	110	LC	1	0	0.3	1.3
2096	84.004	CUPRESSACEAE	trees	K03381	Callitris glaucophylla	White Cypress-pine			2007	1080	77	7.13	74	22	NT	2	0	0.3	2.3
2097	84.004	CUPRESSACEAE	trees	M03382	Callitris gracilis	Southern Cypress Pine			2007	1388	378	27.23	310	200	LC	1	0	0.3	1.3
2098	84.004	CUPRESSACEAE	trees	Q03384	Callitris verrucosa	Scrub Cypress Pine			2008	857	342	39.91	274	168	LC	1	0	0.3	1.3
253	91.435	COMPOSITAE	daisies	U02990	Calocephalus citreus	Lemon Beauty-heads			1998	248	2	0.81	2	1	VU	4	DD	0.0	4.0
254	91.435	COMPOSITAE	daisies	Q02995	Calocephalus platycephalus	Western Beauty-heads			1996	326	5	1.53	4	4	LC	1	0	0.3	1.3
1437	91.514	ORCHIDACEAE	orchids	S30113	Calochilus pruinus	Plains Beard-orchid	R		2003	11	6	54.55	6	2	RA	3	DD	0.0	3.0
256	91.435	COMPOSITAE	daisies	M02998	Calotis brevibradiata				2002	22	21	95.45	17	6	LC	1	0	0.3	1.3
257	91.435	COMPOSITAE	daisies	A03000	Calotis cymbacantha	Showy Burr-daisy			2007	316	120	37.97	95	35	LC	1	0	0.3	1.3
258	91.435	COMPOSITAE	daisies	C03001	Calotis erinacea	Tangled Burr-daisy			2007	412	141	34.22	120	48	NT	2	0	0.3	2.3
259	91.435	COMPOSITAE	daisies	E03002	Calotis hispidula	Hairy Burr-daisy			2008	1980	415	20.96	348	183	LC	1	+	0.2	1.2
260	91.435	COMPOSITAE	daisies	Y03004	Calotis lappulacea	Yellow Burr-daisy	R		1992	35	1	2.86	1	1	RA	3	DD	0.0	3.0
261	91.435	COMPOSITAE	daisies	K03005	Calotis latiuscula	Leafy Burr-daisy			1991	149	2	1.34	2	1	LC	1	DD	0.0	1.0
262	91.435	COMPOSITAE	daisies	M03006	Calotis multicaulis	Woolly-headed Burr-daisy			2006	149	109	73.15	89	33	LC	1	0	0.3	1.3
263	91.435	COMPOSITAE	daisies	M03974	Calotis plumulifera	Woolly-headed Burr-daisy			2007	395	24	6.08	21	11	LC	1	0	0.3	1.3
264	91.435	COMPOSITAE	daisies	Z03007	Calotis porphyroglossa	Channel Burr-daisy			1991	99	1	1.01	1	1	RA	3	DD	0.0	3.0
264.1	91.435	COMPOSITAE	daisies	Q04880	Calotis scabiosifolia var. scabiosifolia										DD	0	DD	0.0	0.0
1308	91.306	MYRTACEAE	myrtles	K04537	Calytrix gypsophila	Gypsum Fringe-myrtle			2007	34	25	73.53	18	7	RA	3	0	0.3	3.3
1309	91.306	MYRTACEAE	myrtles	K02205	Calytrix involucrata	Cup Fringe-myrtle			2007	572	504	88.11	400	224	LC	1	0	0.3	1.3
1310	91.306	MYRTACEAE	myrtles	Z02207	Calytrix tetragona	Common Fringe-myrtle			2007	3256	505	15.51	410	256	NT	2	0	0.3	2.3
781	91.139	CRUCIFERAE	herbs & forbs	S01409	Cardamine tenuifolia	Slender Bitter-cress			1931	12	1	8.33	1		DD	0	DD	0.0	0.0
1539	91.504	CYPERACEAE	sedges	Q00464	Carex breviculmis	Short-stem Sedge			2004	300	23	7.67	15	13	NT	2	-	0.4	2.4
1540	91.504	CYPERACEAE	sedges	U03570	Carex inversa var. major	Knob Sedge			2004	90	11	12.22	8	4	VU	4	-	0.4	4.4
1541	91.504	CYPERACEAE	sedges	U00474	Carex tereticaulis	Rush Sedge			2004	216	10	4.63	7	4	VU	4	-	0.4	4.4
22	91.04	AIZOACEAE	chenopods	Y01016	Carpobrotus modestus	Inland Pigface			2007	178	45	25.28	36	34	LC	1	0	0.3	1.3
23	91.04	AIZOACEAE	chenopods	Q06164	Carpobrotus rossii	Native Pigface			2008	326	171	52.45	144	97	NT	2	0	0.3	2.3
24	91.04	AIZOACEAE	chenopods	S06165	Carpobrotus sp. Short calyx (S.T.Blake 20451)	Native Pigface			2005	2	2	100.00	2	2	DD	0	DD	0.0	0.0
265	91.435	COMPOSITAE	daisies	M03014	Cassinia arcuata	Drooping Cassinia			2008	100	7	7.00	7	7	RA	3	0	0.3	3.3
266	91.435	COMPOSITAE	daisies	E05854	Cassinia complanata	Sticky Cassinia			2006	265	15	5.66	15	5	RA	3	0	0.3	3.3
267	91.435	COMPOSITAE	daisies	Z03015	Cassinia laevis	Curry Bush			2003	820	50	6.10	38	7	NT	2	0	0.3	2.3
2105	91.072	LAURACEAE	vines	M01318	Cassytha glabella forma dispar	Slender Dodder-laurel			2007	1691	267	15.79	203	154	LC	1	0	0.3	1.3
2106	91.072	LAURACEAE	vines	Z01319	Cassytha melantha	Coarse Dodder-laurel			2008	1332	550	41.29	460	321	LC	1	0	0.3	1.3

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
2107	91.072	LAURACEAE	vines	A01320	Cassytha peninsularis	Peninsula Dodder-laurel			2008	392	288	73.47	271	262	DD	0	0	0.3	0.3
2108	91.072	LAURACEAE	vines	U01362	Cassytha pubescens	Downy Dodder-laurel			2002	1310	96	7.33	93	53	NT	2	0	0.3	2.3
2094	91.001	CASUARINACEAE	trees	E00874	Casuarina pauper	Black Oak			2008	1329	498	37.47	435	204	LC	1	0	0.3	1.3
1542	91.504	CYPERACEAE	sedges	W00475	Caustis pentandra	Thick Twist-rush			1993	210	1	0.48	1	1	VU	4	0	0.3	4.3
1026	91.339	UMBELLIFERAE	herbs & forbs	S05445	Centella asiatica	Asian Centella			1996	86	9	10.47	6	3	RA	3	-	0.4	3.4
268	91.435	COMPOSITAE	daisies	A05896	Centipeda crateriformis ssp. compacta	Desert Sneezeweed			1988	76	6	7.89	6		RA	3	DD	0.0	3.0
269	91.435	COMPOSITAE	daisies	Q05892	Centipeda crateriformis ssp. crateriformis	Common Sneezeweed			1990	82	11	13.41	11	4	RA	3	DD	0.0	3.0
270	91.435	COMPOSITAE	daisies	Z05891	Centipeda cunninghamii	Common Sneezeweed			2007	172	8	4.65	8	5	RA	3	DD	0.0	3.0
271	91.435	COMPOSITAE	daisies	W05895	Centipeda thespidioides	Desert Sneezeweed			2007	185	26	14.05	24	16	RA	3	0	0.3	3.3
1525	91.491	CENTROLEPIDACEAE	sedges	Y00604	Centrolepis aristata	Pointed Centrolepis			2007	503	66	13.12	51	39	RA	3	-	0.4	3.4
1526	91.491	CENTROLEPIDACEAE	sedges	K02565	Centrolepis cephaliformis ssp. cephaliformis	Cushion Centrolepis	R		2003	66	25	37.88	21	9	RA	3	-	0.4	3.4
1527	91.491	CENTROLEPIDACEAE	sedges	Q00608	Centrolepis cephaliformis ssp. murrayi	Cushion Centrolepis	R		1976	8	2	25.00	2		VU	4	-	0.4	4.4
1528	91.491	CENTROLEPIDACEAE	sedges	Q05004	Centrolepis eremica	Dryland Centrolepis			1989	36	4	11.11	4	3	RA	3	DD	0.0	3.0
1529	91.491	CENTROLEPIDACEAE	sedges	M00606	Centrolepis fascicularis	Tufted Centrolepis			1979	126	1	0.79	1		CR	6	-	0.5	6.5
1530	91.491	CENTROLEPIDACEAE	sedges	Z00607	Centrolepis glabra	Smooth Centrolepis	R		1996	50	4	8.00	4	3	EN	5	-	0.5	5.5
1531	91.491	CENTROLEPIDACEAE	sedges	S00609	Centrolepis polygyna	Wiry Centrolepis			2007	395	99	25.06	81	45	RA	3	-	0.4	3.4
1532	91.491	CENTROLEPIDACEAE	sedges	E00610	Centrolepis strigosa ssp. strigosa	Hairy Centrolepis			2007	550	76	13.82	60	36	RA	3	-	0.4	3.4
272	91.435	COMPOSITAE	daisies	C03029	Cephalopterum drummondii	Pompom Head			2007	166	142	85.54	122	60	LC	1	0	0.3	1.3
273	91.435	COMPOSITAE	daisies	M03030	Ceratogyne obionoides	Wingwort	R		2007	30	29	96.67	24	18	RA	3	0	0.3	3.3
904	91.451	LILIACEAE	herbs & forbs	Y04992	Chamaescilla corymbosa var. corymbosa	Blue Squill			2008	935	151	16.15	117	94	LC	1	0	0.3	1.3
829	91.204	EUPHORBIACEAE	herbs & forbs	U05710	Chamaesyce australis				1997	62	7	11.29	7	6	NT	2	0	0.3	2.3
830	91.204	EUPHORBIACEAE	herbs & forbs	W05331	Chamaesyce centralis				1993	127	3	2.36	3	1	RA	3	DD	0.0	3.0
831	91.204	EUPHORBIACEAE	herbs & forbs	A06328	Chamaesyce drummondii				2008	650	201	30.92	189	111	LC	1	0	0.3	1.3
832	91.204	EUPHORBIACEAE	herbs & forbs	Q01936	Chamaesyce wheeleri	Wheeler's Spurge			2006	126	8	6.35	8	6	NT	2	0	0.3	2.3
486	74.018	ADIANTACEAE	fern	K04033	Cheilanthes austrotenuifolia	Annual Rock-fern			2007	1722	247	14.34	178	106	LC	1	0	0.3	1.3
487	74.018	ADIANTACEAE	fern	E00038	Cheilanthes distans	Bristly Cloak-fern			2000	153	26	16.99	21	6	NT	2	0	0.3	2.3
488	74.018	ADIANTACEAE	fern	Q00040	Cheilanthes lasiophylla	Woolly Cloak-fern			2008	1007	164	16.29	140	39	NT	2	0	0.3	2.3
489	74.018	ADIANTACEAE	fern	Y04032	Cheilanthes sieberi ssp. pseudovellea				1985	15	4	26.67	4		VU	4	DD	0.0	4.0
490	74.018	ADIANTACEAE	fern	S00041	Cheilanthes sieberi ssp. sieberi	Narrow Rock-fern			2007	651	144	22.12	123	36	NT	2	0	0.3	2.3
1896	91.173	PITTOPODIACEAE	shrubs	K01501	Cheiranthra alternifolia	Hand-flower			2007	593	155	26.14	123	79	LC	1	0	0.3	1.3
83	91.047	CHENOPODIACEAE	chenopods	S03925	Chenopodium curvispicatum	Cottony Goosefoot			2008	700	319	45.57	265	227	LC	1	0	0.3	1.3
84	91.047	CHENOPODIACEAE	chenopods	Q03984	Chenopodium desertorum ssp. anidiophyllum	Mallee Goosefoot			2007	144	51	35.42	46	28	NT	2	0	0.3	2.3
85	91.047	CHENOPODIACEAE	chenopods	K01165	Chenopodium desertorum ssp. desertorum	Frosted Goosefoot			2007	690	356	51.59	289	137	NT	2	0	0.3	2.3
86	91.047	CHENOPODIACEAE	chenopods	Z03983	Chenopodium desertorum ssp. microphyllum	Small-leaf Goosefoot			2007	462	100	21.65	76	65	NT	2	0	0.3	2.3
87	91.047	CHENOPODIACEAE	chenopods	S03985	Chenopodium desertorum ssp. rectum	Erect Goosefoot			2006	108	52	48.15	43	32	NT	2	0	0.3	2.3
88	91.047	CHENOPODIACEAE	chenopods	W01207	Chenopodium gaudichaudianum	Scrambling Goosefoot			2005	95	76	80.00	67	22	NT	2	-	0.4	2.4
89	91.047	CHENOPODIACEAE	chenopods	E01170	Chenopodium nitrariaceum	Nitre Goosefoot			2007	274	29	10.58	28	13	RA	3	-	0.4	3.4
571	91.495	GRAMINEAE	grass	K00365	Chloris pectinata	Comb Windmill Grass			1989	132	2	1.52	1	1	RA	3	DD	0.0	3.0
572	91.495	GRAMINEAE	grass	Z00367	Chloris truncata	Windmill Grass			1996	234	6	2.56	4	4	RA	3	DD	0.0	3.0
274	91.435	COMPOSITAE	daisies	G05043	Chondropyxis halophila	Salt Button-daisy	R		2005	6	6	100.00	5	2	RA	3	0	0.3	3.3
1991	91.026	SANTALACEAE	shrubs	Q00940	Choretrum glomeratum var. chrysanthum	Yellow-flower Sour-bush	R		2006	64	20	31.25	19	8	RA	3	-	0.4	3.4
1992	91.026	SANTALACEAE	shrubs	S00941	Choretrum glomeratum var. glomeratum	White Sour-bush			2007	476	118	24.79	94	46	NT	2	0	0.3	2.3
1543	91.504	CYPERACEAE	sedges	A00476	Chorizandra enodis	Black Bristle-rush			2007	255	34	13.33	25	13	RA	3	0	0.3	3.3

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
275	91.435	COMPOSITAE	daisies	K03101	Chrysocephalum apiculatum	Common Everlasting			2007	2267	630	27.79	510	266	LC	1	0	0.3	1.3
276	91.435	COMPOSITAE	daisies	Q04328	Chrysocephalum baxteri	White Everlasting			2007	366	76	20.77	56	26	NT	2	0	0.3	2.3
277	91.435	COMPOSITAE	daisies	A04488	Chrysocephalum eremaeum	Sand Button-bush			2006	255	102	40.00	87	47	NT	2	0	0.3	2.3
278	91.435	COMPOSITAE	daisies	S04185	Chrysocephalum pterochaetum	Shrub Everlasting			2007	343	78	22.74	71	36	NT	2	0	0.3	2.3
279	91.435	COMPOSITAE	daisies	S03165	Chrysocephalum semipapposum	Clustered Everlasting			2007	866	123	14.20	105	58	LC	1	0	0.3	1.3
280	91.435	COMPOSITAE	daisies	G03039	Cthnnocephalus pseudevax	Ground-heads			2006	202	75	37.13	67	34	LC	1	0	0.3	1.3
1977	91.212	RUTACEAE	shrubs	W01971	Citrus glauca	Desert Lime	V		2007	41	20	48.78	16	11	VU	4	0	0.3	4.3
1544	91.504	CYPERACEAE	sedges	C00477	Cladium procerum	Leafy Twig-rush	R		1999	86	3	3.49	1	1	VU	4	-	0.4	4.4
967	91.08	RANUNCULACEAE	herbs & forbs	M01326	Clematis microphylla var. microphylla	Old Mans Beard			2007	2825	629	22.27	532	396	NT	2	0	0.3	2.3
2099	91.037	GYROSTEMONACEAE	trees	W01003	Codonocarpus cotinifolius	Desert Poplar			2008	273	93	34.07	83	32	NT	2	-	0.4	2.4
1899	91.227	POLYGALACEAE	shrubs	Z01995	Comesperma calymega	Blue-spike Milkwort			2007	384	43	11.20	30	19	NT	2	0	0.3	2.3
1900	91.227	POLYGALACEAE	shrubs	S01997	Comesperma polygaloides	Mauve Milkwort			1993	132	1	0.76	1	1	VU	4	DD	0.0	4.0
1901	91.227	POLYGALACEAE	shrubs	U01998	Comesperma scoparium	Broom Milkwort			2008	333	296	88.89	246	137	NT	2	0	0.3	2.3
1902	91.227	POLYGALACEAE	shrubs	S04353	Comesperma viscidulum	Varnished Milkwort			1990	25	4	16.00	4	1	RA	3	DD	0.0	3.0
1903	91.227	POLYGALACEAE	shrubs	W01999	Comesperma volubile	Love Creeper			2008	1379	639	46.34	553	423	LC	1	0	0.3	1.3
2125	91.271	STERCULIACEAE	vines	C30089	Commersonia multioba	Trailing Commersonia	E		2007	5	5	100.00	3	3	EN	5	DD	0.0	5.0
2126	91.271	STERCULIACEAE	vines	A30088	Commersonia tatei	Trailing Commersonia			2007	88	87	98.86	69	17	NT	2	DD	0.0	2.0
1914	91.019	PROTEACEAE	shrubs	A00900	Conospermum patens	Slender Smoke-bush			2007	424	31	7.31	27	9	NT	2	0	0.3	2.3
748	91.377	CONVOLVULACEAE	herbs & forbs	Y05952	Convolvulus angustissimus ssp. angustissimus	Australian Bindweed			2008	141	23	16.31	17	8	NE	-1	NE		-1.0
749	91.377	CONVOLVULACEAE	herbs & forbs	C05481	Convolvulus angustissimus ssp. peninsularum	Grassland Bindweed			2005	122	28	22.95	22	6	NE	-1	NE		-1.0
750	91.377	CONVOLVULACEAE	herbs & forbs	Z05955	Convolvulus clementii				2007	162	22	13.58	20	13	LC	1	0	0.3	1.3
751	91.377	CONVOLVULACEAE	herbs & forbs	S05957	Convolvulus crispifolius	Silver Bindweed			2000	46	24	52.17	23	6	RA	3	-	0.4	3.4
752	91.377	CONVOLVULACEAE	herbs & forbs	Q05956	Convolvulus eyreanus	Silver Bindweed			1992	81	2	2.47	2	2	RA	3	0	0.3	3.3
753	91.377	CONVOLVULACEAE	herbs & forbs	U04970	Convolvulus microsepalus	Small-flower Bindweed			1998	62	7	11.29	7	5	NE	-1	NE		-1.0
754	91.377	CONVOLVULACEAE	herbs & forbs	M05954	Convolvulus recurvatus ssp. nullarborensis				2007	34	17	50.00	15	2	NT	2	0	0.3	2.3
755	91.377	CONVOLVULACEAE	herbs & forbs	K05953	Convolvulus recurvatus ssp. recurvatus	Australian Bindweed			1945	20	2	10.00	2		NE	-1	NE		-1.0
756	91.377	CONVOLVULACEAE	herbs & forbs	K01385	Convolvulus remotus	Grassy Bindweed			2008	1647	235	14.27	190	85	LC	1	0	0.3	1.3
1686	91.43	GOODENIACEAE	shrubs	A02860	Cooperookia stropholata	Sticky Cooperookia			1995	25	24	96.00	19	2	DD	0	DD	0.0	0.0
1978	91.212	RUTACEAE	shrubs	S03757	Correa backhouseana var. coriacea	Thick-leaf Correa			2007	406	318	78.33	235	167	LC	1	0	0.3	1.3
1979	91.212	RUTACEAE	shrubs	Y01968	Correa pulchella	Salmon Correa			2006	643	335	52.10	267	162	LC	1	0	0.3	1.3
1437.1	91.514	ORCHIDACEAE	orchids	M00826	Corunastylis nigricans	Kangaroo Island Midge-orchid									DD	0	DD	0.0	0.0
1437.2	91.514	ORCHIDACEAE	orchids		Corunastylis tepperi	Mallee Midge-orchid									NT	2	-	0.4	2.4
1438	91.514	ORCHIDACEAE	orchids	W00791	Corybas despectans	Coast Helmet-orchid			1998	65	13	20.00	10	10	LC	1	0	0.3	1.3
1438.1	91.514	ORCHIDACEAE	orchids	S04389	Corybas expansus	Flared Helmet-orchid	V								RA	3	DD	0.0	3.0
905	91.451	LILIACEAE	herbs & forbs	Q04580	Corynotheca licrota	Sand Lily	R		2005	24	13	54.17	11	2	RA	3	0	0.3	3.3
906	91.451	LILIACEAE	herbs & forbs	S04581	Corynotheca micrantha var. divaricata	Small-flower Sand Lily			2006	20	2	10.00	2	2	DD	0	DD	0.0	0.0
281	91.435	COMPOSITAE	daisies	C03045	Cotula australis	Common Cotula			2006	282	11	3.90	9	1	LC	1	0	0.3	1.3
282	91.435	COMPOSITAE	daisies	Y05044	Cotula vulgaris var. australasica	Slender Cotula			2005	150	32	21.33	23	13	LC	1	0	0.3	1.3
283	91.435	COMPOSITAE	daisies	S05833	Craspedia variabilis	Billy-buttons			2008	113	33	29.20	23	20	LC	1	0	0.3	1.3
763	91.149	CRASSULACEAE	herbs & forbs	C01489	Crassula closiana	Stalked Crassula			2007	323	82	25.39	62	53	NT	2	0	0.3	2.3
765	91.149	CRASSULACEAE	herbs & forbs	Y05820	Crassula colligata ssp. lamprosperma				2008	375	173	46.13	137	98	LC	1	0	0.3	1.3
766	91.149	CRASSULACEAE	herbs & forbs	K00877	Crassula colorata var. acuminata	Dense Crassula			2007	1090	440	40.37	345	278	LC	1	0	0.3	1.3
767	91.149	CRASSULACEAE	herbs & forbs	S01485	Crassula colorata var. colorata	Dense Crassula			2008	547	414	75.69	312	244	LC	1	0	0.3	1.3

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
768	91.149	CRASSULACEAE	herbs & forbs	W01487	Crassula decumbens var. decumbens	Spreading Crassula			2007	731	77	10.53	59	51	NT	2	0	0.3	2.3
769	91.149	CRASSULACEAE	herbs & forbs	C03433	Crassula exserta	Large-fruit Crassula		R	2004	60	52	86.67	40	31	NT	2	0	0.3	2.3
770	91.149	CRASSULACEAE	herbs & forbs	M05822	Crassula exstrorsa				1939	2	1	50.00	1		VU	4	DD	0.0	4.0
772	91.149	CRASSULACEAE	herbs & forbs	M01490	Crassula peduncularis	Purple Crassula		R	2005	62	10	16.13	8	2	VU	4	-	0.4	4.4
774	91.149	CRASSULACEAE	herbs & forbs	W05819	Crassula tetramera	Australian Stonecrop			2007	149	50	33.56	44	16	NT	2	0	0.3	2.3
284	91.435	COMPOSITAE	daisies	E03054	Cratystylis conocephala	Bluebush Daisy			2008	650	532	81.85	458	273	NT	2	0	0.3	2.3
757	91.377	CONVOLVULACEAE	herbs & forbs	Z02523	Cressa australis	Rosinweed			1992	251	6	2.39	4	1	RA	3	0	0.3	3.3
702	91.466	AMARYLLIDACEAE	herbs & forbs	G00719	Crinum flaccidum	Murray Lily			2007	170	26	15.29	19	10	NT	2	0	0.3	2.3
1187	91.182	LEGUMINOSAE	legumes	A01656	Crotalaria eremaea ssp. eremaea	Downy Loose-flowered Rattle-pod			2005	357	23	6.44	21	8	NT	2	0	0.3	2.3
1188	91.182	LEGUMINOSAE	legumes	K03649	Crotalaria eremaea ssp. strehlowii	Smooth Loose-flowered Rattle-pod			2005	227	9	3.96	9	2	RA	3	0	0.3	3.3
1942	91.263	RHAMNACEAE	shrubs	W05799	Cryptandra aridicola				1980	11	2	18.18	1		VU	4	DD	0.0	4.0
1943	91.263	RHAMNACEAE	shrubs	G05919	Cryptandra myriantha	Heath Cryptandra			1974	9	3	33.33	3		NE	-1	NE	-1.0	
1944	91.263	RHAMNACEAE	shrubs	C02033	Cryptandra propinqua	Silky Cryptandra			2006	113	61	53.98	55	48	NT	2	0	0.3	2.3
1945	91.263	RHAMNACEAE	shrubs	Q05920	Cryptandra sp. Floriferous (W.R.Barker 4131)	Pretty Cryptandra			2008	230	115	50.00	104	10	NT	2	0	0.3	2.3
1946	91.263	RHAMNACEAE	shrubs	E05918	Cryptandra tomentosa	Heath Cryptandra			2004	312	24	7.69	20	8	NT	2	-	0.4	2.4
1189	91.182	LEGUMINOSAE	legumes	C03785	Cullen australasicum	Tall Scurf-pea			2007	763	18	2.36	17	11	NT	2	0	0.3	2.3
1190	91.182	LEGUMINOSAE	legumes	S01741	Cullen cinereum	Annual Scurf-pea			2007	231	20	8.66	19	17	LC	1	0	0.3	1.3
1191	91.182	LEGUMINOSAE	legumes	A05528	Cullen discolor	Prostrate Scurf-pea			2002	127	10	7.87	10	4	RA	3	DD	0.0	3.0
1192	91.182	LEGUMINOSAE	legumes	W01743	Cullen graveolens	Native Lucerne			2007	210	38	18.10	30	28	NT	2	0	0.3	2.3
1193	91.182	LEGUMINOSAE	legumes	E03786	Cullen pallidum	White Scurf-pea			1996	207	4	1.93	4	3	RA	3	0	0.3	3.3
1194	91.182	LEGUMINOSAE	legumes	W05527	Cullen patens	Spreading Scurf-pea			1998	55	4	7.27	4	2	RA	3	0	0.3	3.3
285	91.435	COMPOSITAE	daisies	C03061	Cymbonotus preissianus	Austral Bears-ear			2004	219	7	3.20	5	3	RA	3	0	0.3	3.3
573	91.495	GRAMINEAE	grass	K00445	Cymbopogon ambiguus	Lemon-grass			2007	964	24	2.49	18	7	LC	1	0	0.3	1.3
574	91.495	GRAMINEAE	grass	M00446	Cymbopogon obtectus	Silky-head Lemon-grass			2004	262	35	13.36	28	8	RA	3	0	0.3	3.3
1639	91.371	ASCLEPIADACEAE	shrubs	Z02487	Cynanchum floribundum	Desert Cynanchum			2007	232	3	1.29	3	2	RA	3	DD	0.0	3.0
703	91.381	BORAGINACEAE	herbs & forbs	M04926	Cynoglossum australe	Australian Hounds-tongue			2006	398	17	4.27	14	7	NT	2	0	0.3	2.3
704	91.381	BORAGINACEAE	herbs & forbs	A02544	Cynoglossum suaveolens	Sweet Hounds-tongue			1995	307	8	2.61	5	2	RA	3	-	0.4	3.4
1545	91.504	CYPERACEAE	sedges	M05582	Cyperus alterniflorus	Umbrella Flat-sedge			1998	176	29	16.48	28	10	RA	3	-	0.4	3.4
1546	91.504	CYPERACEAE	sedges	Q00480	Cyperus bulbosus	Bulbosus Flat-sedge			2003	164	10	6.10	8	7	RA	3	DD	0.0	3.0
1547	91.504	CYPERACEAE	sedges	Q00485	Cyperus difformis	Variable Flat-sedge			2007	92	3	3.26	3	3	RA	3	DD	0.0	3.0
1548	91.504	CYPERACEAE	sedges	K00489	Cyperus gilesii	Giles Flat-sedge			2002	38	12	31.58	10	7	RA	3	0	0.3	3.3
1549	91.504	CYPERACEAE	sedges	W00491	Cyperus gymnocaulus	Spiny Flat-sedge			2007	789	28	3.55	25	6	RA	3	0	0.3	3.3
1550	91.504	CYPERACEAE	sedges	A00492	Cyperus iria				2007	76	5	6.58	4	2	RA	3	DD	0.0	3.0
1551	91.504	CYPERACEAE	sedges	C00493	Cyperus laevigatus	Bore-drain Sedge			2007	307	7	2.28	7	7	RA	3	0	0.3	3.3
1553	91.504	CYPERACEAE	sedges	E00494	Cyperus pygmaeus	Pygmy Flat-sedge			2007	62	2	3.23	1	1	RA	3	DD	0.0	3.0
1554	91.504	CYPERACEAE	sedges	Q00495	Cyperus rigidellus	Dwarf Flat-sedge			2003	112	9	8.04	9	6	RA	3	0	0.3	3.3
1556	91.504	CYPERACEAE	sedges	Z00499	Cyperus squarrosus	Bearded Flat-sedge			1998	72	2	2.78	2	2	RA	3	0	0.3	3.3
1558	91.504	CYPERACEAE	sedges	U00502	Cyperus victoriensis	Yeika			1998	186	6	3.23	5	5	RA	3	0	0.3	3.3
2025	91.395	SOLANACEAE	shrubs	E02650	Cyphanthera myosotidea	Small-leaf Ray-flower			2007	234	115	49.15	90	33	NT	2	0	0.3	2.3
1439	91.514	ORCHIDACEAE	orchids	E04390	Cyrtostylis reniformis	Small Gnat-orchid			2000	277	2	0.72	2	1	DD	0	DD	0.0	0.0
1440	91.514	ORCHIDACEAE	orchids	U04370	Cyrtostylis robusta	Robust Gnat-orchid			2007	443	103	23.25	86	61	NT	2	0	0.3	2.3
575	91.495	GRAMINEAE	grass	Z00331	Dactyloctenium radicans	Button-grass			2007	697	29	4.16	26	15	NT	2	0	0.3	2.3
1	91.436	ALISMATACEAE	aquatic	Z00111	Damasonium minus	Star-fruit			1997	28	2	7.14	2	2	RA	3	DD	0.0	3.0

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
1687	91.43	GOODENIACEAE	shrubs	S04337	Dampiera dysantha	Shrubby Dampiera			2001	353	27	7.65	26	4	VU	4	.	0.4	4.4
1690	91.43	GOODENIACEAE	shrubs	M04758	Dampiera lanceolata var. lanceolata	Grooved Dampiera			2007	218	137	62.84	120	40	NT	2	0	0.3	2.3
1691	91.43	GOODENIACEAE	shrubs	E04374	Dampiera ramosa				2006	5	5	100.00	5	1	RA	3	DD	0.0	3.0
1692	91.43	GOODENIACEAE	shrubs	M02866	Dampiera rosmarinifolia	Rosemary Dampiera			2008	1092	559	51.19	476	302	LC	1	0	0.3	1.3
1313	91.306	MYRTACEAE	myrtles	M05338	Darwinia salina	Salt Darwinia			2008	83	81	97.59	65	22	NT	2	0	0.3	2.3
1028	91.339	UMBELLIFERAE	herbs & forbs	W02359	Daucus glochidiatus	Native Carrot			2008	3546	966	27.24	821	602	LC	1	0	0.3	1.3
1195	91.182	LEGUMINOSAE	legumes	Q01660	Daviesia arenaria	Sand Bitter-pea			1997	157	27	17.20	27	14	RA	3	0	0.3	3.3
1196	91.182	LEGUMINOSAE	legumes	C03653	Daviesia asperula ssp. asperula	Kangaroo Island Bitter-pea			2007	209	22	10.53	18	8	RA	3	DD	0.0	3.0
1197	91.182	LEGUMINOSAE	legumes	E03654	Daviesia asperula ssp. obliqua	Eyre Peninsula Bitter-pea			2007	107	106	99.07	83	41	LC	1	0	0.3	1.3
1198	91.182	LEGUMINOSAE	legumes	S01661	Daviesia benthamii ssp. acanthoclona	Dryland Bitter-pea			2008	203	143	70.44	113	72	NT	2	0	0.3	2.3
1199	91.182	LEGUMINOSAE	legumes	G03655	Daviesia benthamii ssp. humilis	Mallee Bitter-pea	R		2006	203	66	32.51	56	39	RA	3	DD	0.0	3.0
1200	91.182	LEGUMINOSAE	legumes	U01662	Daviesia brevifolia	Leafless Bitter-pea			2007	1196	104	8.70	76	31	NT	2	0	0.3	2.3
1203	91.182	LEGUMINOSAE	legumes	C01665	Daviesia pectinata	Zig-zag Bitter-pea	R		2007	114	90	78.95	69	27	RA	3	DD	0.0	3.0
1204	91.182	LEGUMINOSAE	legumes	U05622	Daviesia ulicifolia ssp. aridicola	Gorse Bitter-pea			2008	124	116	93.55	91	39	NT	2	0	0.3	2.3
1633	91.488	RESTIONACEAE	sedges	W00599	Desmocladus diacolpicus	Bundled Cord-rush	V		2001	25	12	48.00	9	6	VU	4	0	0.3	4.3
576	91.495	GRAMINEAE	grass	K00305	Deyeuxia quadriseta	Reed Bent-grass			1965	366	2	0.55	2		CR	6	-	0.5	6.5
1620	91.451	LILIACEAE	sedges	G04827	Dianella brevicaulis	Short-stem Flax-lily			2008	1028	272	26.46	207	159	NT	2	0	0.3	2.3
1622	91.451	LILIACEAE	sedges	G04991	Dianella revoluta var. divaricata	Broad-leaf Flax-lily			2008	211	169	80.09	146	123	NT	2	0	0.3	2.3
1623	91.451	LILIACEAE	sedges	C04893	Dianella revoluta var. revoluta	Black-anther Flax-lily			2008	2872	648	22.56	546	441	LC	1	0	0.3	1.3
577	91.495	GRAMINEAE	grass	Z00447	Dichanthium sericeum ssp. humilius	Annual Silky Blue-grass			2007	109	5	4.59	5	4	RA	3	DD	0.0	3.0
578	91.495	GRAMINEAE	grass	Q00448	Dichanthium sericeum ssp. sericeum	Silky Blue-grass			1998	164	9	5.49	9	5	RA	3	DD	0.0	3.0
579	91.495	GRAMINEAE	grass	M03074	Dichelachne crinita	Long-hair Plume-grass			2003	451	71	15.74	52	50	NT	2	0	0.3	2.3
758	91.377	CONVOLVULACEAE	herbs & forbs	Q02524	Dichondra repens	Kidney Weed			2007	1037	59	5.69	46	27	LC	1	0	0.3	1.3
740	91.387	CHLOANTHACEAE	herbs & forbs	A04904	Dicrasyllis beveridgei var. beveridgei	Sand-sage			2006	44	31	70.45	27	10	NT	2	0	0.3	2.3
741	91.387	CHLOANTHACEAE	herbs & forbs	M03358	Dicrasyllis beveridgei var. lanata	Woolly Sand-sage			2005	101	61	60.40	50	5	NT	2	0	0.3	2.3
742	91.387	CHLOANTHACEAE	herbs & forbs	Y02580	Dicrasyllis lewellinii	Purple Sand-sage			2006	28	8	28.57	7	2	RA	3	DD	0.0	3.0
743	91.387	CHLOANTHACEAE	herbs & forbs	K02581	Dicrasyllis verticillata	Whorled Sand-sage			2008	152	131	86.18	112	48	NT	2	0	0.3	2.3
580	91.495	GRAMINEAE	grass	Z00391	Digitaria ammophila	Spider Grass			2006	152	15	9.87	14	12	NT	2	0	0.3	2.3
581	91.495	GRAMINEAE	grass	Q00392	Digitaria brownii	Cotton Panic-grass			2008	766	64	8.36	57	35	NT	2	0	0.3	2.3
582	91.495	GRAMINEAE	grass	U00394	Digitaria coenicola	Spider Grass			1989	144	3	2.08	3	2	RA	3	0	0.3	3.3
1205	91.182	LEGUMINOSAE	legumes	U01670	Dillwynia hispida	Red Parrot-pea			2007	1401	57	4.07	48	17	RA	3	0	0.3	3.3
1206	91.182	LEGUMINOSAE	legumes	W01671	Dillwynia sericea	Showy Parrot-pea			1990	608	4	0.66	4	2	EN	5	DD	0.0	5.0
1207	91.182	LEGUMINOSAE	legumes	A01672	Dillwynia uncinata	Silky Parrot-pea			2008	386	250	64.77	213	142	NT	2	0	0.3	2.3
286	91.435	COMPOSITAE	daisies	G03063	Dimorphocoma minutula				2007	40	13	32.50	13	11	LC	1	0	0.3	1.3
25	91.04	AIZOACEAE	chenopods	E04886	Disphyma crassifolium ssp. clavellatum	Round-leaf Pigface			2008	1461	916	62.70	511	274	LC	1	0	0.3	1.3
90	91.047	CHENOPODIACEAE	chenopods	S01177	Dissocarpus biflorus var. biflorus	Two-horn Saltbush			2008	567	313	55.20	98	35	LC	1	0	0.3	1.3
91	91.047	CHENOPODIACEAE	chenopods	W04039	Dissocarpus biflorus var. villosus	Woolly Two-horn Saltbush			2001	24	19	79.17	15	4	NT	2	0	0.3	2.3
92	91.047	CHENOPODIACEAE	chenopods	Q04272	Dissocarpus fontinalis				2007	30	1	3.33	1	1	RA	3	DD	0.0	3.0
93	91.047	CHENOPODIACEAE	chenopods	Y04560	Dissocarpus latifolius				1987	19	3	15.79	2		RA	3	-	0.4	3.4
94	91.047	CHENOPODIACEAE	chenopods	K04561	Dissocarpus paradoxus	Ball Bindyi			2007	1282	158	12.32	130	44	NT	2	0	0.3	2.3
583	91.495	GRAMINEAE	grass	E00230	Distichlis distichophylla	Emu-grass			2006	354	35	9.89	28	9	LC	1	0	0.3	1.3
1442	91.514	ORCHIDACEAE	orchids	G04391	Diuris behrii	Behrs Cowslip Orchid	V		1996	143	1	0.70	1	1	CR	6	-	0.5	6.5
1444	91.514	ORCHIDACEAE	orchids	W04371	Diuris orientis	Wallflower Donkey-orchid			2007	270	35	12.96	24	16	NT	2	-	0.4	2.4
1445	91.514	ORCHIDACEAE	orchids	U00802	Diuris palustris	Little Donkey-orchid			2004	115	8	6.96	5	4	VU	4	0	0.3	4.3

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
1446	91.514	ORCHIDACEAE	orchids	W04779	Diuris pardina	Spotted Donkey-orchid			2007	272	61	22.43	40	28	LC	1	0	0.3	1.3
2005	91.236	SAPINDACEAE	shrubs	W02007	Dodonaea baueri	Crinkled Hop-bush			2008	795	270	33.96	194	92	NT	2	0	0.3	2.3
2006	91.236	SAPINDACEAE	shrubs	A02008	Dodonaea bursarifolia	Small Hop-bush			2008	1073	613	57.13	465	307	NT	2	0	0.3	2.3
2007	91.236	SAPINDACEAE	shrubs	M02010	Dodonaea hexandra	Horned Hop-bush			2007	1143	628	54.94	497	302	LC	1	0	0.3	1.3
2009	91.236	SAPINDACEAE	shrubs	Z02011	Dodonaea humilis	Dwarf Hop-bush			2008	624	177	28.37	136	66	LC	1	0	0.3	1.3
2010	91.236	SAPINDACEAE	shrubs	S04653	Dodonaea intricata	Gawler Ranges Hop-bush			2005	101	101	100.00	85	10	RA	3	-	0.4	3.4
2011	91.236	SAPINDACEAE	shrubs	Q02012	Dodonaea lobulata	Lobed-leaf Hop-bush			2007	1057	269	25.45	206	51	NT	2	0	0.3	2.3
2013	91.236	SAPINDACEAE	shrubs	M04898	Dodonaea microzyga var. microzyga	Brilliant Hop-bush			2008	525	95	18.10	71	24	NT	2	0	0.3	2.3
2016	91.236	SAPINDACEAE	shrubs	W02015	Dodonaea procumbens	Trailing Hop-bush	VU	V	1986	51	1	1.96	1		CR	6	-	0.4	6.4
2018	91.236	SAPINDACEAE	shrubs	A02016	Dodonaea stenozyga	Desert Hop-bush			2008	652	466	71.47	370	185	LC	1	0	0.3	1.3
2019	91.236	SAPINDACEAE	shrubs	E02018	Dodonaea tepperi	Streaked Hop-bush			2007	59	40	67.80	33	26	RA	3	0	0.3	3.3
2020	91.236	SAPINDACEAE	shrubs	C04921	Dodonaea viscosa ssp. angustissima	Narrow-leaf Hop-bush			2008	2636	901	34.18	665	324	LC	1	0	0.3	1.3
2021	91.236	SAPINDACEAE	shrubs	U04726	Dodonaea viscosa ssp. cuneata	Wedge-leaf Hop-bush			2007	137	3	2.19	3	3	RA	3	0	0.3	3.3
2022	91.236	SAPINDACEAE	shrubs	K04781	Dodonaea viscosa ssp. spatulata	Sticky Hop-bush			2004	1358	253	18.63	146	64	LC	1	0	0.3	1.3
818	91.129	DROSERACEAE	herbs & forbs	W00051	Drosera auriculata	Tail Sundew			1990	831	6	0.72	6	1	VU	4	-	0.4	4.4
819	91.129	DROSERACEAE	herbs & forbs	C01357	Drosera glanduligera	Scarlet Sundew			2007	484	113	23.35	86	62	NT	2	0	0.3	2.3
820	91.129	DROSERACEAE	herbs & forbs	S03457	Drosera macrantha ssp. planchonii	Climbing Sundew			2007	1677	331	19.74	267	190	LC	1	0	0.3	1.3
821	91.129	DROSERACEAE	herbs & forbs	G01359	Drosera peltata	Pale Sundew			2007	492	49	9.96	38	25	RA	3	-	0.4	3.4
822	91.129	DROSERACEAE	herbs & forbs	S01361	Drosera pygmaea	Tiny Sundew			1996	234	10	4.27	9	5	VU	4	-	0.4	4.4
823	91.129	DROSERACEAE	herbs & forbs	M05230	Drosera ssp. Rigid. (R.J.Bates 2268)	Erect Sundew		V	2007	21	18	85.71	13	13	VU	4	DD	0.0	4.0
2026	91.395	SOLANACEAE	shrubs	U02658	Duboisia hopwoodii	Pituri			2007	260	137	52.69	111	36	NT	2	0	0.3	2.3
95	91.047	CHENOPODIACEAE	chenopods	Y01164	Dysphania cristata	Crested Goosefoot			2007	347	75	21.61	66	24	NT	2	0	0.3	2.3
96	91.047	CHENOPODIACEAE	chenopods	W03987	Dysphania glomulifera ssp. eremaea	Globular Crumbweed			1998	22	1	4.55	1	1	RA	3	DD	0.0	3.0
97	91.047	CHENOPODIACEAE	chenopods	U03986	Dysphania glomulifera ssp. glomulifera	Globular Crumbweed			2007	34	1	2.94	1	1	RA	3	DD	0.0	3.0
99	91.047	CHENOPODIACEAE	chenopods	Z01167	Dysphania melanocarpa forma melanocarpa	Black-fruit Goosefoot			2004	51	8	15.69	8	4	RA	3	DD	0.0	3.0
100	91.047	CHENOPODIACEAE	chenopods	Z01115	Dysphania plantaginella	Plantain Crumbweed			2007	51	8	15.69	8	7	RA	3	DD	0.0	3.0
101	91.047	CHENOPODIACEAE	chenopods	K01173	Dysphania pumilio	Clammy Goosefoot			2007	270	25	9.26	24	17	NT	2	DD	0.0	2.0
102	91.047	CHENOPODIACEAE	chenopods	G03495	Dysphania rhadinostachya ssp. rhadinostachya	Green Crumbweed			1993	19	1	5.26	1	1	RA	3	DD	0.0	3.0
103	91.047	CHENOPODIACEAE	chenopods	Q01116	Dysphania simulans	Erect Crumbweed			2007	33	5	15.15	5	3	RA	3	DD	0.0	3.0
104	91.047	CHENOPODIACEAE	chenopods	Y01172	Dysphania truncata				1995	42	4	9.52	4	1	RA	3	DD	0.0	3.0
105	91.047	CHENOPODIACEAE	chenopods	S03993	Einadia nutans ssp. eremaea	Dryland Climbing Saltbush			2007	194	9	4.64	9	8	RA	3	0	0.3	3.3
106	91.047	CHENOPODIACEAE	chenopods	W01179	Einadia nutans ssp. nutans	Climbing Saltbush			2007	1266	263	20.77	186	129	NT	2	0	0.3	2.3
107	91.047	CHENOPODIACEAE	chenopods	U03994	Einadia nutans ssp. oxycarpa	Pointed-fruit Climbing Saltbush			1985	25	9	36.00	7		NT	2	-	0.4	2.4
108	91.047	CHENOPODIACEAE	chenopods	W03995	Einadia polygonoides	Dock Saltbush			1922	3	2	66.67	1		RE	7	RE	7.0	7.0
289	91.435	COMPOSITAE	daisies	Z03067	Elachanthus glaber	Shiny Elachanth		R	1992	3	2	66.67	2	1	VU	4	DD	0.0	4.0
290	91.435	COMPOSITAE	daisies	Q03068	Elachanthus pusillus	Elachanth			2004	169	44	26.04	36	17	NT	2	0	0.3	2.3
4	91.296	ELATINACEAE	aquatic	Y02184	Elatine gratioides	Waterwort		R	1981	74	7	9.46	6		RA	3	DD	0.0	3.0
1559	91.504	CYPERACEAE	sedges	W00503	Eleocharis acuta	Common Spike-rush			2004	340	7	2.06	6	4	EN	5	-	0.5	5.5
1560	91.504	CYPERACEAE	sedges	G05407	Eleocharis pallens	Pale Spike-rush			1998	153	16	10.46	15	12	NT	2	0	0.3	2.3
1561	91.504	CYPERACEAE	sedges	Y00508	Eleocharis pusilla	Small Spike-rush			1989	46	1	2.17	1	1	RA	3	DD	0.0	3.0
585	91.495	GRAMINEAE	grass	G06231	Elymus scaber var. scaber	Native Wheat-grass			2004	257	40	15.56	36	21	NT	2	0	0.3	2.3
706	91.381	BORAGINACEAE	herbs & forbs	Y02548	Embadium stagnense	Arcoona Slipper-plant		R	2000	5	4	80.00	3	2	VU	4	-	0.5	4.5
707	91.381	BORAGINACEAE	herbs & forbs	K02549	Embadium uncinatum	Gawler Ranges Slipper-plant			2007	49	41	83.67	34	14	NT	2	0	0.3	2.3

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFo_in_WEST_All_(km2)	AoFo_in_WEST_Recent_(km2)	Overall WEST regional status ABBREY	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
109	91.047	CHENOPODIACEAE	chenopods	Q01504	Enchylaena tomentosa var. tomentosa	Ruby Saltbush			2008	5683	2340	41.18	1505	911	LC	1	0	0.3	1.3
586	91.495	GRAMINEAE	grass	M00322	Enneapogon avenaceus	Common Bottle-washers			2007	1623	188	11.58	166	107	LC	1	0	0.3	1.3
587	91.495	GRAMINEAE	grass	Z00323	Enneapogon caeruleus var. caeruleus	Blue Bottle-washers			2007	86	39	45.35	35	18	LC	1	0	0.3	1.3
588	91.495	GRAMINEAE	grass	S00325	Enneapogon cylindricus	Jointed Bottle-washers			2007	974	121	12.42	110	82	LC	1	0	0.3	1.3
589	91.495	GRAMINEAE	grass	Y04172	Enneapogon intermedius	Tall Bottle-washers			2006	40	9	22.50	9	8	NE	-1	NE	-1.0	
590	91.495	GRAMINEAE	grass	W00327	Enneapogon nigricans	Black-head Grass			2007	611	38	6.22	32	22	LC	1	0	0.3	1.3
591	91.495	GRAMINEAE	grass	C00329	Enneapogon polyphyllus	Leafy Bottle-washers			2007	1204	171	14.20	146	95	LC	1	0	0.3	1.3
592	91.495	GRAMINEAE	grass	Q00324	Enneapogon robustissimus	Clelands Nineawn			2002	10	5	50.00	4	1	RA	3	DD	0.0	3.0
593	91.495	GRAMINEAE	grass	Q05372	Enteropogon acicularis	Umbrella Grass			2007	233	23	9.87	19	10	RA	3	DD	0.0	3.0
594	91.495	GRAMINEAE	grass	S05373	Enteropogon ramosus	Umbrella Grass			2007	299	18	6.02	16	10	RA	3	DD	0.0	3.0
291	91.435	COMPOSITAE	daisies	E03070	Epaltes australis	Spreading Nut-heads			1990	218	3	1.38	2	2	RA	3	0	0.3	3.3
932	91.32	ONAGRACEAE	herbs & forbs	Q04900	Epilobium billardierianum ssp. billardierianum	Robust Willow-herb			2003	168	7	4.17	6	5	RA	3	-	0.4	3.4
595	91.495	GRAMINEAE	grass	E00338	Eragrostis australasica	Cane-grass			2007	315	44	13.97	35	24	RA	3	0	0.3	3.3
596	91.495	GRAMINEAE	grass	Q00340	Eragrostis basedowii	Neat Love-grass			1966	113	1	0.88	1	1	LC	1	0	0.3	1.3
597	91.495	GRAMINEAE	grass	U04750	Eragrostis dellsii var. dellsii	Mulka			2007	602	49	8.14	43	34	LC	1	0	0.3	1.3
598	91.495	GRAMINEAE	grass	Y00348	Eragrostis eriopoda	Woollybutt			2007	545	125	22.94	112	63	RA	3	0	0.3	3.3
599	91.495	GRAMINEAE	grass	K00349	Eragrostis falcata	Sickle Love-grass			2007	169	37	21.89	31	11	NT	2	0	0.3	2.3
600	91.495	GRAMINEAE	grass	A00352	Eragrostis kennedyae	Small-flower Love-grass			1994	21	4	19.05	4	2	RA	3	DD	0.0	3.0
601	91.495	GRAMINEAE	grass	C00353	Eragrostis lacunaria	Purple Love-grass	R		1998	65	1	1.54	1	1	RA	3	DD	0.0	3.0
602	91.495	GRAMINEAE	grass	E00354	Eragrostis laniflora	Hairy-flower Woollybutt			2007	214	46	21.50	42	22	RA	3	-	0.4	3.4
603	91.495	GRAMINEAE	grass	W00343	Eragrostis lanipes	Woollybutt			2007	43	20	46.51	14	3	RA	3	-	0.4	3.4
604	91.495	GRAMINEAE	grass	G00355	Eragrostis leptocarpa	Drooping Love-grass			2007	239	10	4.18	10	7	RA	3	0	0.3	3.3
605	91.495	GRAMINEAE	grass	Y00356	Eragrostis parviflora	Weeping Love-grass			1998	182	14	7.69	14	6	RA	3	DD	0.0	3.0
606	91.495	GRAMINEAE	grass	K04801	Eragrostis pergracilis	Small Love-grass			2007	48	14	29.17	12	11	RA	3	DD	0.0	3.0
607	91.495	GRAMINEAE	grass	K00357	Eragrostis setifolia	Bristly Love-grass			2007	1105	78	7.06	66	54	NT	2	0	0.3	2.3
608	91.495	GRAMINEAE	grass	Z00359	Eragrostis xerophila	Knotty-butt Neverfail			2006	356	53	14.89	49	38	NT	2	0	0.3	2.3
110	91.047	CHENOPODIACEAE	chenopods	G04851	Eremophea spinosa				2003	38	8	21.05	8	2	RA	3	DD	0.0	3.0
1832	91.415	MYOPORACEAE	shrubs	E04930	Eremophila alternifolia	Narrow-leaf Emubush			2008	1142	427	37.39	337	136	LC	1	0	0.3	1.3
1833	91.415	MYOPORACEAE	shrubs	C04949	Eremophila arachnoides ssp. tenera	Spider Emubush			2007	38	32	84.21	30	14	LC	1	0	0.3	1.3
1834	91.415	MYOPORACEAE	shrubs	W05543	Eremophila arenaria				2006	30	9	30.00	8	3	NT	2	0	0.3	2.3
1835	91.415	MYOPORACEAE	shrubs	G05035	Eremophila barbata	Blue Range Emubush	R		2006	20	20	100.00	11	4	RA	3	0	0.3	3.3
1836	91.415	MYOPORACEAE	shrubs	A02764	Eremophila battii				2006	53	11	20.75	9	4	RA	3	DD	0.0	3.0
1837	91.415	MYOPORACEAE	shrubs	C02765	Eremophila behriana	Rough Emubush			2007	232	165	71.12	136	83	NT	2	0	0.3	2.3
1839	91.415	MYOPORACEAE	shrubs	Y02768	Eremophila clarkei	Turpentine Bush			2005	49	22	44.90	11	3	NT	2	0	0.3	2.3
1840	91.415	MYOPORACEAE	shrubs	K02769	Eremophila crassifolia	Thick-leaf Emubush			2008	701	484	69.04	417	264	LC	1	0	0.3	1.3
1841	91.415	MYOPORACEAE	shrubs	W02771	Eremophila decipiens ssp. decipiens	Long-stalk Tar-bush			2005	38	38	100.00	25	14	NT	2	0	0.3	2.3
1842	91.415	MYOPORACEAE	shrubs	A02772	Eremophila delisseri	Nullarbor Emubush			2006	12	12	100.00	9	2	NT	2	0	0.3	2.3
1843	91.415	MYOPORACEAE	shrubs	Q04572	Eremophila deserti	Turkey-bush			2008	649	393	60.55	335	223	LC	1	0	0.3	1.3
1844	91.415	MYOPORACEAE	shrubs	E02774	Eremophila duttoni	Harlequin Emubush			2006	569	72	12.65	60	20	LC	1	0	0.3	1.3
1845	91.415	MYOPORACEAE	shrubs	K02777	Eremophila freelingii	Rock Emubush			1998	1376	2	0.15	2	1	VU	4	DD	0.0	4.0
1846	91.415	MYOPORACEAE	shrubs	M02778	Eremophila gibbifolia	Coccid Emubush	R		2002	57	23	40.35	20	4	RA	3	-	0.4	3.4
1847	91.415	MYOPORACEAE	shrubs	Z02779	Eremophila gibsonii	Gibsons Emubush			2006	113	78	69.03	54	17	NT	2	0	0.3	2.3
1848	91.415	MYOPORACEAE	shrubs	A02780	Eremophila gilesii	Hairy-fruit Emubush			2006	89	22	24.72	20	18	NT	2	0	0.3	2.3

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
1849	91.415	MYOPORACEAE	shrubs	Z05427	Eremophila glabra ssp. glabra	Tar Bush			2008	1462	875	59.85	749	423	LC	1	0	0.3	1.3
1851	91.415	MYOPORACEAE	shrubs	E02782	Eremophila hillii	Hills Emubush		R	2005	28	28	100.00	13	2	VU	4	-	0.4	4.4
1852	91.415	MYOPORACEAE	shrubs	G02783	Eremophila latrobei ssp. glabra	Crimson Emubush			2007	689	280	40.64	220	106	LC	1	0	0.3	1.3
1853	91.415	MYOPORACEAE	shrubs	M03878	Eremophila latrobei ssp. latrobei	Grey-leaf Crimson Emubush			2007	139	3	2.16	3	1	VU	4	DD	0.0	4.0
1854	91.415	MYOPORACEAE	shrubs	Y02784	Eremophila longifolia	Weeping Emubush			2007	1169	123	10.52	111	56	LC	1	0	0.3	1.3
1856	91.415	MYOPORACEAE	shrubs	U04574	Eremophila maculata ssp. brevifolia	Short-leaf Spotted Emubush			2002	3	3	100.00	3	1	RA	3	0	0.3	3.3
1857	91.415	MYOPORACEAE	shrubs	Z02787	Eremophila maculata ssp. maculata	Spotted Emubush			2007	300	53	17.67	39	7	NT	2	0	0.3	2.3
1858	91.415	MYOPORACEAE	shrubs	G02767	Eremophila neglecta				1978	184	1	0.54	1		VU	4	0	0.3	4.3
1859	91.415	MYOPORACEAE	shrubs	W04575	Eremophila oppositifolia ssp. angustifolia	Opposite-leaved Emubush			1972	3	2	66.67	2		VU	4	DD	0.0	4.0
1860	91.415	MYOPORACEAE	shrubs	C04905	Eremophila oppositifolia ssp. oppositifolia	Opposite-leaved Emubush			2008	458	159	34.72	136	29	NT	2	0	0.3	2.3
1861	91.415	MYOPORACEAE	shrubs	M05610	Eremophila paisleyi ssp. paisleyi				2007	110	78	70.91	63	18	NT	2	0	0.3	2.3
1862	91.415	MYOPORACEAE	shrubs	G02791	Eremophila parvifolia	Small-leaf Emubush		R	2007	19	19	100.00	16	14	NT	2	0	0.3	2.3
1863	91.415	MYOPORACEAE	shrubs	U05534	Eremophila platythamnos ssp. exotrachys	Munyun#pa			2006	80	16	20.00	16	14	LC	1	0	0.3	1.3
1864	91.415	MYOPORACEAE	shrubs	A05536	Eremophila platythamnos ssp. platythamnos				2006	21	19	90.48	13	4	LC	1	0	0.3	1.3
1865	91.415	MYOPORACEAE	shrubs	W05535	Eremophila platythamnos ssp. Villous (A.C.Robinson NPWS82)				2005	2	2	100.00	2	1	VU	4	0	0.3	4.3
1866	91.415	MYOPORACEAE	shrubs	M02794	Eremophila rotundifolia	Round-leaf Emubush			2007	230	49	21.30	43	13	LC	1	0	0.3	1.3
1868	91.415	MYOPORACEAE	shrubs	Q02796	Eremophila scoparia	Broom Emubush			2008	1111	648	58.33	569	293	LC	1	0	0.3	1.3
1869	91.415	MYOPORACEAE	shrubs	S02797	Eremophila serrulata	Green Emubush			2007	500	152	30.40	129	37	LC	1	0	0.3	1.3
1870	91.415	MYOPORACEAE	shrubs	Z05663	Eremophila sp. Decussate (R.J.Chinnock 7735)				2006	1	1	100.00	1	1	VU	4	0	0.3	4.3
1871	91.415	MYOPORACEAE	shrubs	Q05664	Eremophila sp. Dendritica (W.S.Reid AD98581189)				2006	5	2	40.00	2	2	VU	4	0	0.3	4.3
1872	91.415	MYOPORACEAE	shrubs	Q15168	Eremophila sp. Fallax (D.E.Symon 12311)				2004	4	3	75.00	3	2	VU	4	0	0.3	4.3
1873	91.415	MYOPORACEAE	shrubs	U05666	Eremophila sp. Hygrophana (P.J.Lang B894-2828)				2005	2	2	100.00	2	2	VU	4	0	0.3	4.3
1874	91.415	MYOPORACEAE	shrubs	Q05356	Eremophila sp. Praecox (R.H.Ashby 131)			R	2008	13	13	100.00	11	10	VU	4	0	0.3	4.3
1875	91.415	MYOPORACEAE	shrubs	U02798	Eremophila sturtii	Turpentine Bush			2007	424	37	8.73	33	24	LC	1	0	0.3	1.3
1876	91.415	MYOPORACEAE	shrubs	U05138	Eremophila subfloccosa ssp. Lanata (R.Bates 33587)	Woolly Emubush			2003	34	34	100.00	34	28	NT	2	0	0.3	2.3
1877	91.415	MYOPORACEAE	shrubs	A02800	Eremophila verrucosa ssp. brevistellata	Warty Emubush			1987	3	3	100.00	3		VU	4	0	0.3	4.3
1878	91.415	MYOPORACEAE	shrubs	Z03879	Eremophila verrucosa ssp. verrucosa	Warty Emubush			1981	17	1	5.88	1		VU	4	0	0.3	4.3
1879	91.415	MYOPORACEAE	shrubs	C02801	Eremophila weldii	Purple Emubush			2008	365	365	100.00	319	189	LC	1	0	0.3	1.3
1880	91.415	MYOPORACEAE	shrubs	S05497	Eremophila willsii var. integrifolia	Wills Emubush			2006	27	19	70.37	18	18	LC	1	0	0.3	1.3
609	91.495	GRAMINEAE	grass	G00179	Eriachne aristidea	Three-awn Wanderrie			2005	211	1	0.47	1	1	RA	3	DD	0.0	3.0
610	91.495	GRAMINEAE	grass	S00181	Eriachne helmsii	Woollybutt Wanderrie			2006	233	42	18.03	40	22	NT	2	0	0.3	2.3
611	91.495	GRAMINEAE	grass	W00183	Eriachne mucronata	Mountain Wanderrie			2006	243	19	7.82	14	6	RA	3	0	0.3	3.3
612	91.495	GRAMINEAE	grass	Y03884	Eriachne ovata	Swamp Wanderrie			1989	180	1	0.56	1	1	RA	3	DD	0.0	3.0
1447	91.514	ORCHIDACEAE	orchids	C00805	Eriochilus cucullatus	Parsons Bands			2007	379	39	10.29	32	21	LC	1	0	0.3	1.3
111	91.047	CHENOPODIACEAE	chenopods	K04009	Eriochiton sclerotaenoides	Woolly-fruit Bluebush			2008	1504	718	47.74	621	423	LC	1	0	0.3	1.3
292	91.435	COMPOSITAE	daisies	W32023	Eriochlamys behrii	Woolly Mantle			2008	100	60	60.00	55	26	LC	1	0	0.3	1.3
293	91.435	COMPOSITAE	daisies	U32022	Eriochlamys eremaea	Woolly Mantle			1968	62	3	4.84	3		LC	1	0	0.3	1.3
613	91.495	GRAMINEAE	grass	Z00403	Eriochloa australiensis	Australian Cupgrass			2007	164	12	7.32	12	8	NT	2	0	0.3	2.3
614	91.495	GRAMINEAE	grass	Q00016	Eriochloa crebra	Tall Cupgrass			1995	21	1	4.76	1	1	RA	3	DD	0.0	3.0
615	91.495	GRAMINEAE	grass	Q00404	Eriochloa pseudoacrotrocha	Perennial Cupgrass			1998	105	8	7.62	8	3	RA	3	+	0.2	3.2
294	91.435	COMPOSITAE	daisies	K03073	Eriodophyllum eldieri	Koonamore Daisy			2007	143	34	23.78	28	8	RA	3	-	0.4	3.4
850	91.191	GERANIACEAE	herbs & forbs	M05946	Erodium carolinianum	Clammy Herons-bill			2007	221	58	26.24	51	19	LC	1	0	0.3	1.3
851	91.191	GERANIACEAE	herbs & forbs	A01868	Erodium cicutarium	Blue Herons-bill			2008	1039	285	27.43	223	114	LC	1	0	0.3	1.3

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
852	91.191	GERANIACEAE	herbs & forbs	K05945	Erodium cymorum	Blue Herons-bill			2007	136	89	65.44	85	30	NT	2	0	0.3	2.3
853	91.191	GERANIACEAE	herbs & forbs	Z05947	Erodium janszii	Clammy Herons-bill			2006	10	3	30.00	3	1	NE	-1	NE		-1.0
854	91.191	GERANIACEAE	herbs & forbs	K04149	Erodium sp. Blesing (J.R.Wheeler 471)	Blesing Herons-bill		R	1990	2	1	50.00	1	1	NE	-1	NE		-1.0
295	91.435	COMPOSITAE	daisies	K05045	Erymophyllum ramosum ssp. ramosum				2007	24	24	100.00	19	16	NT	2	0	0.3	2.3
1314	91.306	MYRTACEAE	myrtles	A02244	Eucalyptus albolopurea	Purple-flowered Mallee Box			2004	51	26	50.98	23	15	RA	3	0	0.3	3.3
1315	91.306	MYRTACEAE	myrtles	Y05096	Eucalyptus angulosa	Coast Ridge-fruited Mallee			2007	164	136	82.93	91	46	NT	2	0	0.3	2.3
1316	91.306	MYRTACEAE	myrtles	Z02215	Eucalyptus behriana	Broad-leaf Box		R	2004	147	40	27.21	24	8	VU	4	-	0.4	4.4
1317	91.306	MYRTACEAE	myrtles	Q02216	Eucalyptus brachycalyx	Gilja			2008	1123	716	63.76	524	354	LC	1	0	0.3	1.3
1319	91.306	MYRTACEAE	myrtles	C03417	Eucalyptus calcareana	Nundroo Mallee			2008	495	489	98.79	342	142	NT	2	0	0.3	2.3
1320	91.306	MYRTACEAE	myrtles	E05766	Eucalyptus calycogona ssp. calycogona	Square-fruit Mallee			2007	87	57	65.52	46	12	LC	1	0	0.3	1.3
1321	91.306	MYRTACEAE	myrtles	A05340	Eucalyptus calycogona ssp. spaffordii	Spaffords Square-fruit Mallee		R	2005	22	22	100.00	16	3	VU	4	-	0.4	4.4
1323	91.306	MYRTACEAE	myrtles	U02218	Eucalyptus camaldulensis var. camaldulensis	River Red Gum			2004	1195	58	4.85	45	32	NT	2	0	0.3	2.3
1324	91.306	MYRTACEAE	myrtles	K03893	Eucalyptus camaldulensis var. obtusa	Northern River Red Gum			2007	367	11	3.00	9	7	RA	3	0	0.3	3.3
1325	91.306	MYRTACEAE	myrtles	Q05656	Eucalyptus canescens ssp. beadelii	Beadells Mallee		R	2008	43	41	95.35	31	12	RA	3	0	0.3	3.3
1326	91.306	MYRTACEAE	myrtles	Q05655	Eucalyptus canescens ssp. canescens	Ooldea Range Mallee			2007	57	57	100.00	45	23	RA	3	0	0.3	3.3
1327	91.306	MYRTACEAE	myrtles	M05098	Eucalyptus ceratocorys	Desert Ridge-fruited Mallee			2008	39	37	94.87	33	18	RA	3	0	0.3	3.3
1328	91.306	MYRTACEAE	myrtles	W02219	Eucalyptus cladocalyx	Sugar Gum			2007	455	113	24.84	84	47	NT	2	0	0.3	2.3
1329	91.306	MYRTACEAE	myrtles	K02221	Eucalyptus cinna	Victoria Desert Mallee			2007	401	394	98.25	299	130	NT	2	0	0.3	2.3
1330	91.306	MYRTACEAE	myrtles	M02222	Eucalyptus conglobata ssp. conglobata	Port Lincoln Mallee		R*	2004	124	89	71.77	49	17	RA	3	0	0.3	3.3
1332	91.306	MYRTACEAE	myrtles	Z05099	Eucalyptus cretata	Darke Peak Mallee		R	2004	152	152	100.00	75	30	RA	3	0	0.3	3.3
1333	91.306	MYRTACEAE	myrtles	Z05883	Eucalyptus diversifolia ssp. diversifolia	Coastal White Mallee			2007	643	202	31.42	150	35	LC	1	0	0.3	1.3
1334	91.306	MYRTACEAE	myrtles	Q05884	Eucalyptus diversifolia ssp. hesperia	Coastal White Mallee		R	2005	6	6	100.00	6	2	RA	3	0	0.3	3.3
1335	91.306	MYRTACEAE	myrtles	W02227	Eucalyptus dumosa	White Mallee			2008	1797	639	35.56	502	349	NT	2	0	0.3	2.3
1338	91.306	MYRTACEAE	myrtles	A02228	Eucalyptus eremicola	Vokes Hill Mallee			2007	29	27	93.10	23	19	NT	2	0	0.3	2.3
1339	91.306	MYRTACEAE	myrtles	Q05948	Eucalyptus eucentrica				2007	23	18	78.26	13	13	NE	-1	NE		-1.0
1342	91.306	MYRTACEAE	myrtles	Q05100	Eucalyptus glomerosa	Jinjulu			2006	112	65	58.04	54	24	LC	1	0	0.3	1.3
1343	91.306	MYRTACEAE	myrtles	A02236	Eucalyptus gongylocarpa	Marble Gum			2006	92	71	77.17	54	27	LC	1	0	0.3	1.3
1344	91.306	MYRTACEAE	myrtles	E02238	Eucalyptus gracilis	Yorrell			2008	2452	1055	43.03	864	537	LC	1	0	0.3	1.3
1346	91.306	MYRTACEAE	myrtles	Z05479	Eucalyptus gypsophila	Kopi Mallee			2007	139	131	94.24	100	44	NT	2	0	0.3	2.3
1347	91.306	MYRTACEAE	myrtles	Q02240	Eucalyptus incrassata	Ridge-fruited Mallee			2008	1965	621	31.60	500	328	NT	2	0	0.3	2.3
1348	91.306	MYRTACEAE	myrtles	U02242	Eucalyptus intertexta	Gum-barked Coolibah			2007	573	26	4.54	18	7	RA	3	0	0.3	3.3
1349	91.306	MYRTACEAE	myrtles	W02243	Eucalyptus kingsmillii ssp. alatissima	Kingsmills Mallee		R	2006	16	16	100.00	10	3	RA	3	0	0.3	3.3
1350	91.306	MYRTACEAE	myrtles	E03902	Eucalyptus lansdowneana	Crimson Mallee			2005	68	67	98.53	41	8	RA	3	0	0.3	3.3
1351	91.306	MYRTACEAE	myrtles	S05101	Eucalyptus leptophylla	Narrow-leaf Red Mallee			2008	1872	641	34.24	499	322	NT	2	0	0.3	2.3
1354	91.306	MYRTACEAE	myrtles	Y02248	Eucalyptus mannensis ssp. mannensis	Mann Ranges Mallee			2006	73	5	6.85	4	1	RA	3	0	0.3	3.3
1355	91.306	MYRTACEAE	myrtles	E02254	Eucalyptus odorata	Peppermint Box			2008	1633	221	13.53	165	99	RA	3	0	0.3	3.3
1359	91.306	MYRTACEAE	myrtles	K05881	Eucalyptus oleosa ssp. ampliata	Red Mallee			2008	532	351	65.98	278	152	LC	1	0	0.3	1.3
1360	91.306	MYRTACEAE	myrtles	Y05880	Eucalyptus oleosa ssp. oleosa	Red Mallee			2008	359	125	34.82	91	46	NT	2	0	0.3	2.3
1361	91.306	MYRTACEAE	myrtles	K02257	Eucalyptus oxymitra	Sharp-cap Mallee			1967	162	5	3.09	5		RA	3	0	0.3	3.3
1362	91.306	MYRTACEAE	myrtles	M02258	Eucalyptus peeneri	Peeneri Mallee			2006	21	19	90.48	17	12	RA	3	0	0.3	3.3
1364	91.306	MYRTACEAE	myrtles	Z02231	Eucalyptus peninsularis	Merrit			2005	182	181	99.45	138	87	RA	3	0	0.3	3.3
1366	91.306	MYRTACEAE	myrtles	C05105	Eucalyptus petiolaris	Eyre Peninsula Blue Gum			2008	54	50	92.59	36	23	NT	2	0	0.3	2.3
1367	91.306	MYRTACEAE	myrtles	E05686	Eucalyptus phenax ssp. phenax	White Mallee			2008	493	129	26.17	85	50	NT	2	0	0.3	2.3

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
1368	91.306	MYRTACEAE	myrtles	Y04068	Eucalyptus pileata	Capped Mallee			2003	63	63	100.00	46	22	VU	4	-	0.4	4.4
1369	91.306	MYRTACEAE	myrtles	A02260	Eucalyptus picipiniana	Pimpin Mallee			2007	99	98	98.99	55	16	LC	1	0	0.3	1.3
1370	91.306	MYRTACEAE	myrtles	C02261	Eucalyptus porosa	Mallee Box			2008	1817	483	26.58	384	196	LC	1	0	0.3	1.3
1371	91.306	MYRTACEAE	myrtles	K02265	Eucalyptus rugosa	Coastal White Mallee			2008	598	134	22.41	108	51	NT	2	0	0.3	2.3
1372	91.306	MYRTACEAE	myrtles	G05951	Eucalyptus socialis ssp. Glossy green (P.J.Lang 804)	Beaked Red Mallee			2005	2	2	100.00	2	2	LC	1	0	0.3	1.3
1373	91.306	MYRTACEAE	myrtles	E05950	Eucalyptus socialis ssp. socialis	Beaked Red Mallee			2008	699	121	17.31	101	26	NT	2	0	0.3	2.3
1374	91.306	MYRTACEAE	myrtles	S05949	Eucalyptus socialis ssp. South Great Victoria Desert (D.Nicolle 2667)				2006	9	8	88.89	8	8	LC	1	0	0.3	1.3
1375	91.306	MYRTACEAE	myrtles	E02270	Eucalyptus trivalvis	Three-valve Mallee			2007	40	30	75.00	21	5	RA	3	0	0.3	3.3
1376	91.306	MYRTACEAE	myrtles	K03921	Eucalyptus viminalis ssp. cygnetensis	Rough-bark Manna Gum			1995	679	23	3.39	13	5	RA	3	DD	0.0	3.0
1378	91.306	MYRTACEAE	myrtles	M05662	Eucalyptus vokesensis	Vokes Hill Mallee			2008	36	36	100.00	21	11	RA	3	0	0.3	3.3
1379	91.306	MYRTACEAE	myrtles	C04593	Eucalyptus wyolensis	Wyola Mallee		R	2005	22	22	100.00	8	4	VU	4	0	0.3	4.3
1380	91.306	MYRTACEAE	myrtles	K02273	Eucalyptus yalatenis	Yalata Mallee			2008	492	370	75.20	274	184	LC	1	0	0.3	1.3
1381	91.306	MYRTACEAE	myrtles	E02262	Eucalyptus youngiana	Ooldea Mallee			2006	152	106	69.74	80	29	RA	3	0	0.3	3.3
1382	91.306	MYRTACEAE	myrtles	W03415	Eucalyptus yumbarrana ssp. yumbarrana	Yumbarra Mallee			2005	131	131	100.00	111	77	NT	2	0	0.3	2.3
296	91.435	COMPOSITAE	daisies	U05402	Euchiton collinus	Creeping Cudweed			2001	153	7	4.58	5	5	RA	3	0	0.3	3.3
297	91.435	COMPOSITAE	daisies	Z03091	Euchiton sphaericus	Annual Cudweed			2005	434	96	22.12	82	44	NT	2	0	0.3	2.3
616	91.495	GRAMINEAE	grass	S00449	Eulalia aurea	Silky Brown-top			1996	225	3	1.33	3	2	RA	3	DD	0.0	3.0
833	91.204	EUPHORBIACEAE	herbs & forbs	E01930	Euphorbia parvicaruncula	Rough-seeded Spurge			1996	101	5	4.95	5	5	RA	3	DD	0.0	3.0
834	91.204	EUPHORBIACEAE	herbs & forbs	K01933	Euphorbia stevenii	Bottletree Spurge			2007	148	31	20.95	26	13	NT	2	0	0.3	2.3
835	91.204	EUPHORBIACEAE	herbs & forbs	E04762	Euphorbia tannensis ssp. eremophila	Desert Spurge			2007	1092	352	32.23	295	116	LC	1	0	0.3	1.3
995	91.4	SCROPHULARIACEAE	herbs & forbs	S03721	Euphrasia collina ssp. tetragona	Coast Eyebright			2005	186	39	20.97	32	11	NT	2	-	0.4	2.4
1208	91.182	LEGUMINOSAE	legumes	M03658	Eutaxia diffusa	Large-leaf Eutaxia			2007	228	26	11.40	20	14	RA	3	0	0.3	3.3
1209	91.182	LEGUMINOSAE	legumes	E01674	Eutaxia microphylla	Common Eutaxia			2008	2092	817	39.05	703	465	NT	2	0	0.3	2.3
759	91.377	CONVOLVULACEAE	herbs & forbs	Z03455	Evolvulus alsinoides var. villosicalyx				1917	74	2	2.70	2		RA	3	DD	0.0	3.0
1993	91.026	SANTALACEAE	shrubs	W00943	Exocarpos aphyllus	Leafless Cherry			2008	2492	1213	48.68	1035	657	LC	1	0	0.3	1.3
1994	91.026	SANTALACEAE	shrubs	A00944	Exocarpos cupressiformis	Native Cherry			2001	1567	36	2.30	31	12	RA	3	0	0.3	3.3
1995	91.026	SANTALACEAE	shrubs	C00945	Exocarpos sparteus	Slender Cherry			2008	1067	448	41.99	375	213	LC	1	0	0.3	1.3
1997	91.026	SANTALACEAE	shrubs	G00947	Exocarpos syrticola	Coast Cherry			2006	508	177	34.84	142	100	LC	1	0	0.3	1.3
1562	91.504	CYPERACEAE	sedges	K00577	Ficinia nodosa	Knobby Club-rush			2006	986	148	15.01	126	94	NT	2	0	0.3	2.3
1563	91.504	CYPERACEAE	sedges	W00511	Fimbristylis dichotoma	Common Fringe-rush			2006	160	5	3.13	5	4	RA	3	0	0.3	3.3
298	91.435	COMPOSITAE	daisies	U03078	Flaveria australasica	Yellow Twin-stem			2007	69	2	2.90	2	1	RA	3	0	0.3	3.3
1675	91.295	FRANKENIACEAE	shrubs	E02158	Frankenia cinerea			R	2005	12	8	66.67	7	1	RA	3	DD	0.0	3.0
1677	91.295	FRANKENIACEAE	shrubs	S02161	Frankenia crispa	Hoary Sea-heath			1998	20	6	30.00	6	5	RA	3	0	0.3	3.3
1678	91.295	FRANKENIACEAE	shrubs	U02162	Frankenia cupularis			R	1993	84	2	2.38	2	2	RA	3	0	0.3	3.3
1679	91.295	FRANKENIACEAE	shrubs	E02166	Frankenia foliosa	Leafy Sea-heath			2007	235	39	16.60	27	9	RA	3	DD	0.0	3.0
1680	91.295	FRANKENIACEAE	shrubs	M04694	Frankenia pauciflora var. fruticulosa	Southern Sea-heath			2008	664	547	82.38	305	169	NT	2	0	0.3	2.3
1681	91.295	FRANKENIACEAE	shrubs	S04785	Frankenia pauciflora var. gunnii	Southern Sea-heath			2008	152	56	36.84	43	41	LC	1	0	0.3	1.3
1682	91.295	FRANKENIACEAE	shrubs	E02174	Frankenia plicata			EN	1996	77	12	15.58	7	7	RA	3	DD	0.0	3.0
1683	91.295	FRANKENIACEAE	shrubs	K02177	Frankenia serpyllifolia	Thyme Sea-heath			2008	703	142	20.20	113	77	NT	2	0	0.3	2.3
1684	91.295	FRANKENIACEAE	shrubs	M02178	Frankenia sessilis	Small-leaf Sea-heath			2007	374	338	90.37	193	139	NT	2	0	0.3	2.3
1564	91.504	CYPERACEAE	sedges	G00515	Gahnia ancistrophylla	Curled Saw-sedge			2007	136	63	46.32	44	35	NT	2	-	0.4	2.4
1565	91.504	CYPERACEAE	sedges	K00517	Gahnia deusta	Limestone Saw-sedge			2004	869	377	43.38	289	205	LC	1	0	0.3	1.3
1566	91.504	CYPERACEAE	sedges	M00518	Gahnia filium	Thatching Grass			2005	416	85	20.43	70	41	NT	2	0	0.3	2.3

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
1567	91.504	CYPERACEAE	sedges	A00520	Gahnia lanigera	Black Grass Saw-sedge			2008	1360	639	46.99	548	416	LC	1	0	0.3	1.3
1568	91.504	CYPERACEAE	sedges	G00523	Gahnia trifida	Cutting Grass			2007	505	71	14.06	59	31	RA	3	0	0.3	3.3
983	91.373	RUBIACEAE	herbs & forbs	M02506	Galium compactum	Compact Bedstraw			1996	80	3	3.75	3	3	RA	3	-	0.4	3.4
984	91.373	RUBIACEAE	herbs & forbs	G02503	Galium gaudichaudii	Rough Bedstraw			2004	582	75	12.89	59	35	NE	-1	NE		-1.0
985	91.373	RUBIACEAE	herbs & forbs	Y00488	Galium migrans	Loose Bedstraw			2000	473	44	9.30	38	14	NE	-1	NE		-1.0
1981	91.212	RUTACEAE	shrubs	K01977	Geijera linearifolia	Sheep Bush			2008	1479	986	66.67	839	544	LC	1	0	0.3	1.3
1448	91.514	ORCHIDACEAE	orchids	M00826	Genoplesium nigricans	Black Midge-orchid			2005	189	85	44.97	71	63	NE	-1	NE		-1.0
1449	91.514	ORCHIDACEAE	orchids	S00829	Genoplesium rufum	Red Midge-orchid			2005	126	10	7.94	8	7	RA	3	DD	0.0	3.0
782	91.139	CRUCIFERAE	herbs & forbs	M01422	Geococcus pusillus	Earth Cress			2004	152	11	7.24	9	2	RA	3	DD	0.0	3.0
855	91.191	GERANIACEAE	herbs & forbs	W01875	Geranium potentilloides var. potentilloides	Downy Geranium			2004	323	11	3.41	8	8	NE	-1	NE		-1.0
856	91.191	GERANIACEAE	herbs & forbs	A01876	Geranium retrorsum	Grassland Geranium			2007	664	88	13.25	62	43	NT	2	0	0.3	2.3
857	91.191	GERANIACEAE	herbs & forbs	C01877	Geranium solanderi var. solanderi	Austral Geranium			2005	515	98	19.03	75	49	NT	2	0	0.3	2.3
2127	91.271	STERCULIACEAE	vines	A02112	Gilesia biniflora	Western Tar-vine	R		2007	28	5	17.86	5	5	RA	3	DD	0.0	3.0
26	91.04	AIZOACEAE	chenopods	K01025	Giinus lotoides	Hairy Carpet-weed			2008	241	11	4.56	9	6	RA	3	0	0.3	3.3
861	91.322	HALORAGACEAE	herbs & forbs	W04291	Glischrocaryon aureum var. angustifolium	Golden Pennants			2007	78	70	89.74	64	26	LC	1	0	0.3	1.3
862	91.322	HALORAGACEAE	herbs & forbs	C02325	Glischrocaryon behrii	Golden Pennants			2007	906	220	24.28	183	113	NT	2	0	0.3	2.3
863	91.322	HALORAGACEAE	herbs & forbs	E02326	Glischrocaryon flavescens	Yellow Pennants			2005	137	107	78.10	91	23	LC	1	0	0.3	1.3
299	91.435	COMPOSITAE	daisies	W04435	Glossocardia bidens	Native Cobblers-pegs			1995	56	2	3.57	2	2	RA	3	0	0.3	3.3
1450	91.514	ORCHIDACEAE	orchids	G00807	Glossodia major	Purple Cockatoo			1982	610	2	0.33	2	2	CR	6	-	0.5	6.5
996	91.4	SCROPHULARIACEAE	herbs & forbs	C02017	Glossostigma cleistanthum	Spoon Mud-mat			1978	9	1	11.11	1	1	VU	4	0	0.3	4.3
997	91.4	SCROPHULARIACEAE	herbs & forbs	W02711	Glossostigma diandrum	Two-anther Mud-mat			2006	29	4	13.79	4	3	RA	3	0	0.3	3.3
998	91.4	SCROPHULARIACEAE	herbs & forbs	A02712	Glossostigma drummondii	Desert Mud-mat			1978	5	2	40.00	2	2	EN	5	DD	0.0	5.0
1210	91.182	LEGUMINOSAE	legumes	M01678	Glycine canescens	Silky Glycine			1998	276	15	5.43	15	4	RA	3	0	0.3	3.3
1211	91.182	LEGUMINOSAE	legumes	Z01679	Glycine rubiginosa	Twining Glycine			2007	753	95	12.62	79	41	NT	2	0	0.3	2.3
301	91.435	COMPOSITAE	daisies	U03086	Gnaphalium indutum	Tiny Cudweed			2008	260	93	35.77	72	65	LC	1	0	0.3	1.3
302	91.435	COMPOSITAE	daisies	Y04164	Gnephosis arachnoidea	Spidery Button-flower			2001	525	53	10.10	44	22	LC	1	0	0.3	1.3
303	91.435	COMPOSITAE	daisies	Y04200	Gnephosis drummondii	Slender Golden-tip			2005	55	25	45.45	19	13	RA	3	0	0.3	3.3
305	91.435	COMPOSITAE	daisies	K04201	Gnephosis tenuissima	Dwarf Golden-tip			2007	376	186	49.47	155	47	LC	1	0	0.3	1.3
1212	91.182	LEGUMINOSAE	legumes	M01686	Gompholobium ecostatum	Dwarf Wedge-pea			2007	518	16	3.09	12	4	RA	3	0	0.3	3.3
865	91.322	HALORAGACEAE	herbs & forbs	G02327	Gonocarpus elatus	Hill Raspwort			2007	1336	148	11.08	125	39	NT	2	0	0.3	2.3
866	91.322	HALORAGACEAE	herbs & forbs	Y02328	Gonocarpus meizianus	Broad-leaf Raspwort			2007	1214	334	27.51	270	201	LC	1	0	0.3	1.3
1693	91.43	GOODENIACEAE	shrubs	Q02868	Goodenia albiflora	White Goodenia			1998	296	1	0.34	1	1	RA	3	0	0.3	3.3
1694	91.43	GOODENIACEAE	shrubs	W04339	Goodenia benthamiana	Benthams Goodenia	R		2007	28	28	100.00	24	15	RA	3	0	0.3	3.3
1695	91.43	GOODENIACEAE	shrubs	Y02872	Goodenia berardiana	Split-end Goodenia			2007	164	56	34.15	47	18	NT	2	0	0.3	2.3
1696	91.43	GOODENIACEAE	shrubs	Y04340	Goodenia blackiana	Native Primrose			2007	1365	111	8.13	86	66	NT	2	0	0.3	2.3
1697	91.43	GOODENIACEAE	shrubs	Z02875	Goodenia calcarata	Streaked Goodenia			1992	138	21	15.22	19	6	RA	3	-	0.4	3.4
1698	91.43	GOODENIACEAE	shrubs	Y03460	Goodenia centralis				2006	65	20	30.77	19	5	NT	2	0	0.3	2.3
1699	91.43	GOODENIACEAE	shrubs	S02877	Goodenia cycloptera	Serrated Goodenia			2005	364	49	13.46	42	19	NT	2	0	0.3	2.3
1700	91.43	GOODENIACEAE	shrubs	U02878	Goodenia fascicularis	Silky Goodenia			2007	1028	32	3.11	28	18	RA	3	-	0.4	3.4
1701	91.43	GOODENIACEAE	shrubs	W02879	Goodenia geniculata	Bent Goodenia			1996	931	31	3.33	29	4	RA	3	-	0.4	3.4
1702	91.43	GOODENIACEAE	shrubs	Z04343	Goodenia gibbosa				2006	32	21	65.63	18	16	NT	2	0	0.3	2.3
1703	91.43	GOODENIACEAE	shrubs	M03462	Goodenia glabra	Smooth Goodenia			2007	100	70	70.00	55	18	RA	3	-	0.4	3.4
1704	91.43	GOODENIACEAE	shrubs	Q04344	Goodenia glandulosa		R		2005	8	5	62.50	5	3	RA	3	DD	0.0	3.0

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATED	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
1705	91.43	GOODENIACEAE	shrubs	Y05812	Goodenia gypsicola				2006	8	8	100.00	6	3	RA	3	DD	0.0	3.0
1706	91.43	GOODENIACEAE	shrubs	K02881	Goodenia havilandii	Hill Goodenia			2007	158	136	86.08	111	26	RA	3	-	0.4	3.4
1707	91.43	GOODENIACEAE	shrubs	Y31368	Goodenia heterochila	Serrated Goodenia			1979	35	2	5.71	1		VU	4	-	0.4	4.4
1708	91.43	GOODENIACEAE	shrubs	M30090	Goodenia larapinta				2006	1	1	100.00	1	1	RA	3	DD	0.0	3.0
1709	91.43	GOODENIACEAE	shrubs	U02886	Goodenia lobata				2002	52	21	40.38	15	10	RA	3	DD	0.0	3.0
1710	91.43	GOODENIACEAE	shrubs	W02887	Goodenia lunata	Stiff Goodenia			2007	371	32	8.63	30	19	LC	1	0	0.3	1.3
1711	91.43	GOODENIACEAE	shrubs	C02889	Goodenia modesta				1992	27	6	22.22	5	1	RA	3	-	0.4	3.4
1712	91.43	GOODENIACEAE	shrubs	U03466	Goodenia occidentalis				2005	30	24	80.00	23	2	NT	2	0	0.3	2.3
1713	91.43	GOODENIACEAE	shrubs	M02890	Goodenia ovata	Hop Goodenia			2007	594	48	8.08	41	15	RA	3	-	0.4	3.4
1714	91.43	GOODENIACEAE	shrubs	Z02891	Goodenia pinnatifida	Cut-leaf Goodenia			2008	1215	291	23.95	244	120	LC	1	0	0.3	1.3
1715	91.43	GOODENIACEAE	shrubs	S02893	Goodenia pusilliflora	Small-flower Goodenia			2007	843	288	34.16	220	142	NT	2	0	0.3	2.3
1716	91.43	GOODENIACEAE	shrubs	U04346	Goodenia quasilibera				2007	10	10	100.00	9	6	RA	3	0	0.3	3.3
1717	91.43	GOODENIACEAE	shrubs	W02895	Goodenia robusta	Woolly Goodenia			2007	585	240	41.03	191	120	NT	2	0	0.3	2.3
1718	91.43	GOODENIACEAE	shrubs	G02899	Goodenia varia	Sticky Goodenia			2008	1118	499	44.63	418	221	LC	1	0	0.3	1.3
1719	91.43	GOODENIACEAE	shrubs	Y02900	Goodenia verrucosa	Wavy Goodenia			1990	159	4	2.52	4	2	NE	-1	NE		-1.0
1720	91.43	GOODENIACEAE	shrubs	Q04352	Goodenia willisiana	Silver Goodenia			2007	979	453	46.27	375	263	LC	1	0	0.3	1.3
1721	91.43	GOODENIACEAE	shrubs	S04805	Goodenia xanthosperma	Yellow-seed Goodenia			2006	7	7	100.00	7	4	NT	2	DD	0.0	2.0
1213	91.182	LEGUMINOSAE	legumes	M05602	Goodia medicaginea	Western Golden-tip			2007	337	90	26.71	73	24	RA	3	0	0.3	3.3
1800	91.269	MALVACEAE	shrubs	A02076	Gossypium sturtianum var. sturtianum	Sturts Desert Rose			1993	146	7	4.79	7	2	RA	3	-	0.4	3.4
2027	91.395	SOLANACEAE	shrubs	A03360	Grammosolen dixonii				2008	181	75	41.44	58	27	NT	2	0	0.3	2.3
2028	91.395	SOLANACEAE	shrubs	C03361	Grammosolen truncatus	Shrubby Ray-flower			2008	153	153	100.00	128	60	NT	2	0	0.3	2.3
306	91.435	COMPOSITAE	daisies	U03158	Gratwickia monochaeta		R		2007	80	75	93.75	63	25	NT	2	0	0.3	2.3
1915	91.019	PROTEACEAE	shrubs	Y04828	Grevillea albiflora	White Grevillea			1995	3	1	33.33	1	1	RA	3	DD	0.0	3.0
1916	91.019	PROTEACEAE	shrubs	E00902	Grevillea anethifolia		R		2007	58	57	98.28	47	9	RA	3	-	0.4	3.4
1917	91.019	PROTEACEAE	shrubs	C00901	Grevillea aspera	Rough Grevillea			2007	324	232	71.60	160	51	NT	2	-	0.4	2.4
1918	91.019	PROTEACEAE	shrubs	M05962	Grevillea dilatata	Holly-leaf Grevillea			2004	30	16	53.33	16	2	RA	3	-	0.4	3.4
1920	91.019	PROTEACEAE	shrubs	K05769	Grevillea halmaturina ssp. laevis	Prickly Grevillea	R		2007	40	40	100.00	36	5	VU	4	-	0.4	4.4
1922	91.019	PROTEACEAE	shrubs	K00905	Grevillea huegelii	Comb Grevillea			2008	716	396	55.31	334	195	LC	1	0	0.3	1.3
1923	91.019	PROTEACEAE	shrubs	K05961	Grevillea ilicifolia ssp. ilicifolia	Holly-leaf Grevillea			2007	182	36	19.78	32	9	LC	1	0	0.3	1.3
1924	91.019	PROTEACEAE	shrubs	Z00907	Grevillea juncifolia ssp. juncifolia	Honeysuckle Grevillea			2007	287	106	36.93	97	49	NT	2	0	0.3	2.3
1925	91.019	PROTEACEAE	shrubs	E00910	Grevillea nematophylla ssp. nematophylla	Water Bush			2006	266	73	27.44	67	20	RA	3	-	0.4	3.4
1926	91.019	PROTEACEAE	shrubs	W05967	Grevillea nematophylla ssp. supraplana				1967	4	4	100.00	2		VU	4	DD	0.0	4.0
1927	91.019	PROTEACEAE	shrubs	G00911	Grevillea parallelinervis	Gawler Ranges Grevillea			2000	51	51	100.00	40	5	NT	2	-	0.4	2.4
1928	91.019	PROTEACEAE	shrubs	A05392	Grevillea pauciflora ssp. leptophylla	Narrow-leaf Grevillea	R		2003	27	27	100.00	20	18	RA	3	0	0.3	3.3
1929	91.019	PROTEACEAE	shrubs	W05391	Grevillea pauciflora ssp. pauciflora	Few-flower Grevillea			2006	166	76	45.78	66	32	LC	1	0	0.3	1.3
1930	91.019	PROTEACEAE	shrubs	K00913	Grevillea pterosperma	Dune Grevillea			2008	366	194	53.01	155	66	NT	2	0	0.3	2.3
1931	91.019	PROTEACEAE	shrubs	G04967	Grevillea sarissa ssp. umbellifera	Desert Comb Grevillea			2005	56	56	100.00	53	26	LC	1	0	0.3	1.3
1932	91.019	PROTEACEAE	shrubs	S00917	Grevillea stenobotrya	Rattle-pod Grevillea			2007	280	83	29.64	63	24	NT	2	0	0.3	2.3
1933	91.019	PROTEACEAE	shrubs	W00919	Grevillea treueriana	Mt Finke Grevillea	VU	V	2001	16	16	100.00	6	1	VU	4	DD	0.0	4.0
27	91.04	AIZOACEAE	chenopods	Q03896	Gunniopsis calcarea				2006	26	24	92.31	18	5	NT	2	DD	0.0	2.0
28	91.04	AIZOACEAE	chenopods	W03899	Gunniopsis calva				2005	31	28	90.32	26	10	RA	3	0	0.3	3.3
29	91.04	AIZOACEAE	chenopods	S03897	Gunniopsis papillata	Twin-leaf Pigface			1996	122	4	3.28	3	3	RA	3	0	0.3	3.3
30	91.04	AIZOACEAE	chenopods	Y03904	Gunniopsis quadrifida	Sturts Pigface			2007	417	102	24.46	83	30	NT	2	0	0.3	2.3

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATED	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
31	91.04	AIZOACEAE	chenopods	G03903	Gunniopsis septifraga	Green Pigface			1998	33	19	57.58	17	4	RA	3	-	0.4	3.4
32	91.04	AIZOACEAE	chenopods	E03910	Gunniopsis zygophylloides	Twin-leaf Pigface			1987	104	1	0.96	1		NT	2	DD	0.0	2.0
2100	91.037	GYROSTEMONACEAE	trees	E01006	Gyrostemon australasicus	Buckbush Wheel-fruit			2007	249	59	23.69	49	20	NT	2	0	0.3	2.3
2101	91.037	GYROSTEMONACEAE	trees	G01007	Gyrostemon ramulosus	Bushy Wheel-fruit			2006	283	208	73.50	164	58	NT	2	0	0.3	2.3
2102	91.037	GYROSTEMONACEAE	trees	C01005	Gyrostemon tepperi	Teppers Wheel-fruit			1980	6	1	16.67	1		RA	3	DD	0.0	3.0
2103	91.037	GYROSTEMONACEAE	trees	E02334	Gyrostemon thesioides	Broom Wheel-fruit			2007	137	37	27.01	23	11	RA	3	-	0.4	3.4
307	91.435	COMPOSITAE	daisies	Q04204	Haecckeria cassiniiformis	Dogwood Haecckeria	R		2007	45	41	91.11	38	20	RA	3	0	0.3	3.3
308	91.435	COMPOSITAE	daisies	Z04203	Haecckeria punctulata	Sticky Haecckeria			1987	65	3	4.62	3		RA	3	0	0.3	3.3
309	91.435	COMPOSITAE	daisies	K03973	Haegiela tatei	Small Nut-heads	R		2005	56	8	14.29	7	3	VU	4	DD	0.0	4.0
1934	91.019	PROTEACEAE	shrubs	M00922	Hakea cycloptera	Elm-seed Hakea			2007	509	508	99.80	398	248	LC	1	0	0.3	1.3
1935	91.019	PROTEACEAE	shrubs	S00925	Hakea francisiana	Bottlebrush Hakea			2008	310	306	98.71	252	126	NT	2	0	0.3	2.3
1936	91.019	PROTEACEAE	shrubs	A00928	Hakea leucoptera ssp. leucoptera	Silver Needlewood			2008	772	170	22.02	146	52	LC	1	0	0.3	1.3
1937	91.019	PROTEACEAE	shrubs	S00933	Hakea lorea ssp. lorea	Long-leaf Corkwood			1990	213	2	0.94	2	2	RA	3	DD	0.0	3.0
1938	91.019	PROTEACEAE	shrubs	C00929	Hakea mitchellii	Heath Needlebush			2006	1229	201	16.35	164	89	LC	1	0	0.3	1.3
1939	91.019	PROTEACEAE	shrubs	Q00932	Hakea rugosa	Dwarf Hakea			2007	879	131	14.90	108	56	NT	2	0	0.3	2.3
1940	91.019	PROTEACEAE	shrubs	W00935	Hakea vittata	Limestone Needlebush			2004	539	98	18.18	81	44	NT	2	0	0.3	2.3
709	91.381	BORAGINACEAE	herbs & forbs	A03192	Halgania andromedifolia	Scented Blue-flower			2008	432	281	65.05	238	122	NT	2	0	0.3	2.3
710	91.381	BORAGINACEAE	herbs & forbs	Q02568	Halgania cyanea	Rough Blue-flower			2008	703	391	55.62	329	248	LC	1	0	0.3	1.3
1516	91.439	HYDROCHARITACEAE	seagrasses	M04166	Halophila australis	Paddle Weed			2002	77	25	32.47	19	6	LC	1	0	0.3	1.3
868	91.322	HALORAGACEAE	herbs & forbs	W02331	Haloragis acutangula forma acutangula	Smooth Raspwort			1999	160	107	66.88	36	4	NE	-1	NE		-1.0
869	91.322	HALORAGACEAE	herbs & forbs	W03599	Haloragis acutangula forma annulata	Smooth Raspwort			1995	9	6	66.67	5	2	NE	-1	NE		-1.0
870	91.322	HALORAGACEAE	herbs & forbs	A03600	Haloragis acutangula forma dentata	Smooth Raspwort			1971	16	14	87.50	9		NE	-1	NE		-1.0
871	91.322	HALORAGACEAE	herbs & forbs	C03601	Haloragis acutangula forma inflata	Smooth Raspwort			2008	17	11	64.71	5	2	NE	-1	NE		-1.0
872	91.322	HALORAGACEAE	herbs & forbs	E03602	Haloragis acutangula forma obturbinata	Smooth Raspwort			1999	10	10	100.00	9	1	NE	-1	NE		-1.0
873	91.322	HALORAGACEAE	herbs & forbs	Y03604	Haloragis acutangula forma pyramidata	Smooth Raspwort			1998	8	8	100.00	5	1	NE	-1	NE		-1.0
874	91.322	HALORAGACEAE	herbs & forbs	K03605	Haloragis acutangula forma semiangulata	Smooth Raspwort			1971	31	21	67.74	13		NE	-1	NE		-1.0
875	91.322	HALORAGACEAE	herbs & forbs	Z01803	Haloragis acutangula forma stellata				1971	5	5	100.00	3		NE	-1	NE		-1.0
876	91.322	HALORAGACEAE	herbs & forbs	M03606	Haloragis acutangula forma subacutangula	Smooth Raspwort			1998	14	6	42.86	6	3	NE	-1	NE		-1.0
877	91.322	HALORAGACEAE	herbs & forbs	Z03607	Haloragis acutangula forma tetraglebosa	Smooth Raspwort			1983	21	11	52.38	8		NE	-1	NE		-1.0
878	91.322	HALORAGACEAE	herbs & forbs	Q03608	Haloragis acutangula forma tetraptera	Smooth Raspwort			1999	134	57	42.54	26	2	NE	-1	NE		-1.0
879	91.322	HALORAGACEAE	herbs & forbs	S03609	Haloragis acutangula forma turbinata	Smooth Raspwort			1971	33	21	63.64	12		NE	-1	NE		-1.0
880	91.322	HALORAGACEAE	herbs & forbs	A02332	Haloragis aspera	Rough Raspwort			2008	708	39	5.51	29	15	RA	3	0	0.3	3.3
881	91.322	HALORAGACEAE	herbs & forbs	K03429	Haloragis eyreana	Prickly Raspwort	EN	E	2003	105	105	100.00	95	31	EN	5	-	0.4	5.4
882	91.322	HALORAGACEAE	herbs & forbs	A04728	Haloragis glauca forma glauca	Bluish Raspwort			1989	10	1	10.00	1	1	NE	-1	NE		-1.0
883	91.322	HALORAGACEAE	herbs & forbs	M02338	Haloragis gossei	Gosses Raspwort			2007	38	9	23.68	7	5	RA	3	DD	0.0	3.0
885	91.322	HALORAGACEAE	herbs & forbs	G03611	Haloragis odontocarpa forma pterocarpa	Mulga Nettle			2006	37	14	37.84	13	4	RA	3	DD	0.0	3.0
886	91.322	HALORAGACEAE	herbs & forbs	C02341	Haloragis odontocarpa forma rugosa	Mulga Nettle			2002	24	3	12.50	3	2	RA	3	DD	0.0	3.0
887	91.322	HALORAGACEAE	herbs & forbs	E02342	Haloragis uncatipila	Shrubby Raspwort			1989	59	2	3.39	2	1	RA	3	DD	0.0	3.0
2058	91.271	STERCULIACEAE	shrubs	U03838	Hannafordia bissillii ssp. bissillii	Grey Felt-bush			1960	29	1	3.45	1		VU	4	-	0.4	4.4
1214	91.182	LEGUMINOSAE	legumes	Q01688	Hardenbergia violacea	Native Lilac			2007	717	132	18.41	111	78	NT	2	0	0.3	2.3
783	91.139	CRUCIFERAE	herbs & forbs	Z01423	Harmsiodoxa blennodioides	Hairy-pod Cress			2004	180	13	7.22	12	1	NT	2	DD	0.0	2.0
784	91.139	CRUCIFERAE	herbs & forbs	Q01424	Harmsiodoxa brevipes var. brevipes	Short Cress			2005	120	17	14.17	13	4	RA	3	-	0.4	3.4
785	91.139	CRUCIFERAE	herbs & forbs	U03510	Harmsiodoxa brevipes var. major	Short Cress			1980	23	1	4.35	1		RA	3	DD	0.0	3.0

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
786	91.139	CRUCIFERAE	herbs & forbs	S01425	Harmsiodoxa puberula	Scented Cress			1996	42	6	14.29	5	3	RA	3	DD	0.0	3.0
310	91.435	COMPOSITAE	daisies	S03157	Helichrysum leucopsidium	Satin Everlasting			2008	2129	812	38.14	699	564	LC	1	0	0.3	1.3
713	91.381	BORAGINACEAE	herbs & forbs	W02551	Heliotropium asperillum	Rough Heliotrope			2007	266	36	13.53	32	4	RA	3	-	0.4	3.4
714	91.381	BORAGINACEAE	herbs & forbs	C02553	Heliotropium europaeum	Common Heliotrope			2007	376	46	12.23	42	21	NE	-1	NE	-1.0	-1.0
684	91.049	AMARANTHACEAE	herbs & forbs	K01289	Hemichroa diandra	Mallee Hemichroa			2008	233	183	78.54	150	92	NT	2	0	0.3	2.3
685	91.049	AMARANTHACEAE	herbs & forbs	U01290	Hemichroa pentandra	Trailing Hemichroa			2006	112	24	21.43	20	12	RA	3	0	0.3	3.3
1648	91.105	DILLENIACEAE	shrubs	M01714	Hibbertia cinerea	Port Lincoln Guinea-flower			2008	35	32	91.43	26	17	RA	3	-	0.4	3.4
1649	91.105	DILLENIACEAE	shrubs	E05510	Hibbertia crinita				2007	326	7	2.15	5	4	VU	4	-	0.4	4.4
1650	91.105	DILLENIACEAE	shrubs	Q01344	Hibbertia crispula	Ooldea Guinea-flower	VU	V	1992	28	28	100.00	15	1	VU	4	-	0.4	4.4
1652	91.105	DILLENIACEAE	shrubs	A01348	Hibbertia paeninsularis	Peninsula Guinea-flower			1998	91	55	60.44	44	21	NT	2	0	0.3	2.3
1653	91.105	DILLENIACEAE	shrubs	E05730	Hibbertia platyphylla ssp. major	Large Guinea-flower			2007	17	15	88.24	12	10	VU	4	-	0.4	4.4
1654	91.105	DILLENIACEAE	shrubs	S04793	Hibbertia platyphylla ssp. platyphylla				2006	42	40	95.24	39	39	NT	2	0	0.3	2.3
1655	91.105	DILLENIACEAE	shrubs	K05249	Hibbertia riparia	Bristly Guinea-flower			2007	228	30	13.16	30	30	RA	3	DD	0.0	3.0
1656	91.105	DILLENIACEAE	shrubs	K15173	Hibbertia sp. Glabriuscula (D.J.Whibley 9012)	Smooth Guinea-flower			2007	799	203	25.41	188	186	LC	1	0	0.3	1.3
1657	91.105	DILLENIACEAE	shrubs	Z01351	Hibbertia virgata	Twiggy Guinea-flower			2008	1447	316	21.84	254	151	NT	2	0	0.3	2.3
1801	91.269	MALVACEAE	shrubs	E02078	Hibiscus brachysiphonius	Low Hibiscus			1995	95	3	3.16	3	3	RA	3	DD	0.0	3.0
1802	91.269	MALVACEAE	shrubs	Q03412	Hibiscus krichauffianus	Velvet-leaf Hibiscus			2007	235	36	15.32	30	18	NT	2	0	0.3	2.3
1803	91.269	MALVACEAE	shrubs	G02079	Hibiscus solanifolius	Solanum-leaf Hibiscus			2007	55	8	14.55	8	8	NT	2	0	0.3	2.3
1804	91.269	MALVACEAE	shrubs	E02898	Hibiscus sturtii var. grandiflorus	Sturts Hibiscus			1998	187	6	3.21	6	4	RA	3	DD	0.0	3.0
1805	91.269	MALVACEAE	shrubs	A04664	Hibiscus sturtii var. muelleri	Sturts Hibiscus			1987	2	1	50.00	1		VU	4	-	0.4	4.4
1383	91.306	MYRTACEAE	myrtles	Q02208	Homoranthus homoranthoides	Port Lincoln Ground-myrtle			2007	139	139	100.00	112	50	LC	1	0	0.3	1.3
1384	91.306	MYRTACEAE	myrtles	Z02311	Homoranthus wilhelmii	Wilhelms Homoranthus			2008	263	228	86.69	186	81	NT	2	0	0.3	2.3
311	91.435	COMPOSITAE	daisies	Q03172	Hyalosperma demissum	Dwarf Sunray			2008	496	162	32.66	126	101	NT	2	0	0.3	2.3
312	91.435	COMPOSITAE	daisies	A03176	Hyalosperma glutinosum ssp. glutinosum	Golden Sunray			2007	326	166	50.92	136	79	NT	2	0	0.3	2.3
313	91.435	COMPOSITAE	daisies	C03177	Hyalosperma semisterile	Orange Sunray			2007	433	61	14.09	53	17	RA	3	0	0.3	3.3
2090	91.282	VIOLACEAE	shrubs	A02148	Hybanthus floribundus ssp. floribundus	Shrub Violet			2007	918	194	21.13	162	84	LC	1	0	0.3	1.3
2091	91.282	VIOLACEAE	shrubs	C02149	Hybanthus monopetalus	Slender Violet			2007	161	91	56.52	75	14	RA	3	-	0.4	3.4
1029	91.339	UMBELLIFERAE	herbs & forbs	A02368	Hydrocotyle callicarpa	Tiny Pennywort			2007	585	94	16.07	73	57	LC	1	0	0.3	1.3
1030	91.339	UMBELLIFERAE	herbs & forbs	C02369	Hydrocotyle capillaris	Thread Pennywort			2003	299	84	28.09	65	49	NT	2	0	0.3	2.3
1031	91.339	UMBELLIFERAE	herbs & forbs	M02370	Hydrocotyle comocarpa	Fringe-fruit Pennywort		R	1997	57	6	10.53	4	1	RA	3	DD	0.0	3.0
1033	91.339	UMBELLIFERAE	herbs & forbs	S02373	Hydrocotyle foveolata	Yellow Pennywort			2007	233	19	8.15	15	11	NT	2	-	0.4	2.4
1034	91.339	UMBELLIFERAE	herbs & forbs	W02375	Hydrocotyle laxiflora	Stinking Pennywort			1981	745	1	0.13	1		VU	4	-	0.4	4.4
1035	91.339	UMBELLIFERAE	herbs & forbs	A02376	Hydrocotyle medicaginooides	Medic Pennywort			2008	126	46	36.51	38	26	NT	2	0	0.3	2.3
1037	91.339	UMBELLIFERAE	herbs & forbs	E02378	Hydrocotyle pilifera var. glabrata	Buttercup Pennywort			2007	358	258	72.07	185	132	LC	1	0	0.3	1.3
1038	91.339	UMBELLIFERAE	herbs & forbs	S02381	Hydrocotyle rugulosa	Mallee Pennywort			2007	71	35	49.30	24	11	NT	2	-	0.4	2.4
1039	91.339	UMBELLIFERAE	herbs & forbs	U02382	Hydrocotyle trachycarpa	Wild Parsley			2000	163	31	19.02	27	9	LC	1	0	0.3	1.3
860	91.125	GUTTIFERAE	herbs & forbs	Q01352	Hypericum gramineum	Small St Johns Wort			1966	368	2	0.54	2		RA	3	-	0.4	3.4
1634	91.488	RESTIONACEAE	sedges	K00593	Hypolaena fastigiata	Tassel Rope-rush			2007	1077	36	3.34	25	15	NT	2	0	0.3	2.3
892	91.467	HYPOXIDACEAE	herbs & forbs	A00724	Hypoxis glabella var. glabella	Tiny Star			2008	623	139	22.31	116	83	NT	2	0	0.3	2.3
893	91.467	HYPOXIDACEAE	herbs & forbs	M05054	Hypoxis vaginata var. vaginata	Yellow Star			2007	227	19	8.37	15	9	RA	3	-	0.4	3.4
617	91.495	GRAMINEAE	grass	G04959	Imperata cylindrica	Blady Grass			1971	92	1	1.09	1		EN	5	-	0.4	5.4
1215	91.182	LEGUMINOSAE	legumes	G01691	Indigofera australis var. australis	Austral Indigo			2007	132	24	18.18	21	5	RA	3	DD	0.0	3.0
1216	91.182	LEGUMINOSAE	legumes	Q03588	Indigofera georgei	Georges Indigo			2005	45	4	8.89	3	2	NE	-1	NE	-1.0	-1.0

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	Aofo_in_WEST_All_(km2)	Aofo_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
1217	91.182	LEGUMINOSAE	legumes	E04470	Indigofera helmsii	Helms Indigo			2004	63	23	36.51	16	15	NE	-1	NE		-1.0
1218	91.182	LEGUMINOSAE	legumes	K01693	Indigofera psammophila	Sand Indigo			2004	64	4	6.25	4	4	RA	3	0	0.3	3.3
618	91.495	GRAMINEAE	grass	K00453	Isellema eremaeum				1995	86	1	1.16	1	1	RA	3	DD	0.0	3.0
619	91.495	GRAMINEAE	grass	M00454	Isellema membranaceum	Small Flinders-grass			2003	158	5	3.16	5	2	LC	1	DD	0.0	1.0
496	72.002	ISOETACEAE	fern	Q00024	Isoetes muelleri	Muellers Quillwort			2004	30	2	6.67	2	1	VU	4	DD	0.0	4.0
314	91.435	COMPOSITAE	daisies	Z03199	Isoetopsis graminifolia	Grass Clusion			2008	629	244	38.79	211	119	LC	1	0	0.3	1.3
1569	91.504	CYPERACEAE	sedges	A00564	Isolepis australiensis	Southern Club-rush			2007	68	12	17.65	10	8	RA	3	DD	0.0	3.0
1570	91.504	CYPERACEAE	sedges	C00565	Isolepis cernua	Nodding Club-rush			1999	341	10	2.93	9	4	NT	2	DD	0.0	2.0
1571	91.504	CYPERACEAE	sedges	E00566	Isolepis congrua	Slender Club-rush			2000	62	20	32.26	18	7	RA	3	DD	0.0	3.0
1572	91.504	CYPERACEAE	sedges	Y00568	Isolepis fluitans	Floating Club-rush			1969	195	3	1.54	2		CR	6	-	0.5	6.5
1573	91.504	CYPERACEAE	sedges	U05578	Isolepis hookeriana	Grassy Club-rush			1996	74	1	1.35	1	1	CR	6	-	0.5	6.5
1574	91.504	CYPERACEAE	sedges	Q05380	Isolepis inudata	Swamp Club-rush			1909	277	1	0.36	1		DD	0	DD	0.0	0.0
1575	91.504	CYPERACEAE	sedges	M00578	Isolepis platycarpa	Flat-fruit Club-rush			2005	190	11	5.79	10	4	VU	4	-	0.4	4.4
1576	91.504	CYPERACEAE	sedges	A00580	Isolepis stellata	Star Club-rush			1990	85	3	3.53	2	1	CR	6	-	0.5	6.5
719	91.427	CAMPANULACEAE	herbs & forbs	W02835	Isotoma petraea	Rock Isotome			2007	366	149	40.71	126	22	NT	2	0	0.3	2.3
720	91.427	CAMPANULACEAE	herbs & forbs	A02836	Isotoma scapigera	Salt Isotome	R		2005	48	26	54.17	21	9	RA	3	-	0.4	3.4
315	91.435	COMPOSITAE	daisies	A03440	Ixiochlamys cuneifolia	Silverton Daisy			1998	270	7	2.59	6	5	RA	3	0	0.3	3.3
316	91.435	COMPOSITAE	daisies	C03441	Ixiochlamys filicifolia				2007	73	5	6.85	5	2	RA	3	0	0.3	3.3
317	91.435	COMPOSITAE	daisies	E03442	Ixiochlamys nana	Small Fuzzweed			2001	69	8	11.59	6	3	RA	3	0	0.3	3.3
318	91.435	COMPOSITAE	daisies	C03097	Ixodia achillaeoides ssp. achillaeoides	Coast Ixodia			2004	376	60	15.96	45	17	LC	1	0	0.3	1.3
319	91.435	COMPOSITAE	daisies	C03205	Ixodia achillaeoides ssp. alata	Hills Daisy			2007	772	27	3.50	22	4	RA	3	0	0.3	3.3
2124	91.361	OLEACEAE	vines	Q04768	Jasminum didymum ssp. lineare	Native Jasmine			2006	192	13	6.77	12	4	RA	3	DD	0.0	3.0
1602	91.478	JUNCACEAE	sedges	U00618	Juncus aridicola	Inland Rush			1993	128	4	3.13	4	2	RA	3	0	0.3	3.3
1603	91.478	JUNCACEAE	sedges	K00621	Juncus bufonius	Toad Rush			2007	541	62	11.46	53	24	NT	2	0	0.3	2.3
1604	91.478	JUNCACEAE	sedges	M00630	Juncus kraussii	Sea Rush			2008	627	33	5.26	29	17	NT	2	0	0.3	2.3
1605	91.478	JUNCACEAE	sedges	Z00631	Juncus pallidus	Pale Rush			2002	641	15	2.34	14	7	RA	3	0	0.3	3.3
1606	91.478	JUNCACEAE	sedges	A00636	Juncus radula	Hoary Rush	V		1960	43	1	2.33	1		CR	6	-	0.5	6.5
1607	91.478	JUNCACEAE	sedges	G00639	Juncus subsecundus	Finger Rush			2001	701	33	4.71	25	13	LC	1	0	0.3	1.3
1219	91.182	LEGUMINOSAE	legumes	E01702	Kennedia prostrata	Scarlet Runner			2007	1449	118	8.14	106	69	NT	2	0	0.3	2.3
2059	91.271	STERCULIACEAE	shrubs	S03413	Keraudrenia nephrosperma				2006	26	5	19.23	5	5	NT	2	DD	0.0	2.0
2060	91.271	STERCULIACEAE	shrubs	E02114	Keraudrenia sp. North West (J.Z.Weber 6475)	Common Firebush			2003	13	4	30.77	3	2	LC	1	0	0.3	1.3
320	91.435	COMPOSITAE	daisies	M03894	Kippistia suaedifolia	Fleshy Kippistia			2007	103	56	54.37	49	24	RA	3	0	0.3	3.3
2128	91.029	VISACEAE	vines	Q03640	Korthalsella japonica forma japonica	Jointed Mistletoe			1998	6	2	33.33	2	1	NE	-1	NE		-1.0
621	91.495	GRAMINEAE	grass	S00289	Lachnagrostis aemula	Blown-grass			2007	208	16	7.69	16	9	RA	3	-	0.4	3.4
622	91.495	GRAMINEAE	grass	Y00292	Lachnagrostis billardierei ssp. billardierei	Coast Blown-grass			1997	132	14	10.61	14	9	LC	1	0	0.3	1.3
623	91.495	GRAMINEAE	grass	W06459	Lachnagrostis filiformis	Common Blown-grass			2005	140	7	5.00	6	5	DD	0	DD	0.0	0.0
321	91.435	COMPOSITAE	daisies	K03209	Lagenophora huegelii	Coarse Bottle-daisy			2007	652	149	22.85	111	104	NT	2	0	0.3	2.3
2061	91.271	STERCULIACEAE	shrubs	G02115	Lasiopetalum baueri	Slender Velvet-bush			2007	790	367	46.46	301	207	NT	2	0	0.3	2.3
2062	91.271	STERCULIACEAE	shrubs	Y02116	Lasiopetalum behrii	Pink Velvet-bush			2008	758	442	58.31	362	273	NT	2	0	0.3	2.3
2063	91.271	STERCULIACEAE	shrubs	K02117	Lasiopetalum discolor	Coast Velvet-bush			2008	553	281	50.81	230	180	LC	1	0	0.3	1.3
2064	91.271	STERCULIACEAE	shrubs	M02118	Lasiopetalum schulzenii	Drooping Velvet-bush			2004	367	26	7.08	22	12	RA	3	0	0.3	3.3
322	91.435	COMPOSITAE	daisies	M03110	Lawrencella davenportii	Davenport Daisy			2007	236	104	44.07	82	28	LC	1	0	0.3	1.3
1806	91.269	MALVACEAE	shrubs	E02086	Lawrenca berthae	Showy Lawrenca	R		2000	29	19	65.52	15	9	RA	3	0	0.3	3.3

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREY	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
1807	91.269	MALVACEAE	shrubs	G02087	Lawrenca glomerata	Clustered Lawrenca			2007	400	127	31.75	115	49	LC	1	0	0.3	1.3
1808	91.269	MALVACEAE	shrubs	K02089	Lawrenca spicata	Salt Lawrenca			2007	147	30	20.41	27	6	LC	1	0	0.3	1.3
1809	91.269	MALVACEAE	shrubs	W04971	Lawrenca squamata	Thorny Lawrenca			2008	739	382	51.69	267	170	LC	1	0	0.3	1.3
907	91.451	LILIACEAE	herbs & forbs	M04774	Laxmannia orientalis	Dwarf Wire-lily			2007	386	14	3.63	10	5	RA	3	0	0.3	3.3
1722	91.43	GOODENIACEAE	shrubs	Z05275	Lechenaultia aphylla	Leafless Lechenaultia	V		1989	5	3	60.00	2	1	VU	4	DD	0.0	4.0
1723	91.43	GOODENIACEAE	shrubs	Z02903	Lechenaultia divaricata	Tangled Lechenaultia			2005	227	4	1.76	4	1	RA	3	DD	0.0	3.0
1724	91.43	GOODENIACEAE	shrubs	M01350	Lechenaultia striata	Striate Lechenaultia			2006	17	16	94.12	9	5	NT	2	DD	0.0	2.0
323	91.435	COMPOSITAE	daisies	C04161	Leiocarpa leptolepis	Pale Plover-daisy			2007	415	37	8.92	31	19	NT	2	0	0.3	2.3
324	91.435	COMPOSITAE	daisies	M04466	Leiocarpa plurisetia		R		2005	35	31	88.57	24	7	RA	3	-	0.4	3.4
325	91.435	COMPOSITAE	daisies	K04977	Leiocarpa semicalva ssp. semicalva	Scented Button-bush			2005	752	44	5.85	39	10	NT	2	0	0.3	2.3
326	91.435	COMPOSITAE	daisies	W03203	Leiocarpa supina	Coast Plover-daisy			1997	239	78	32.64	46	7	LC	1	0	0.3	1.3
327	91.435	COMPOSITAE	daisies	A03204	Leiocarpa tomentosa	Woolly Plover-daisy			2007	202	26	12.87	24	12	RA	3	0	0.3	3.3
328	91.435	COMPOSITAE	daisies	U03202	Leiocarpa websteri	Narrow Plover-daisy			2007	674	63	9.35	56	21	NT	2	0	0.3	2.3
5	91.5	LEMNACEAE	aquatic	Z00587	Lemna disperma	Common Duckweed			1983	84	1	1.19	1		RA	3	DD	0.0	3.0
329	91.435	COMPOSITAE	daisies	Z03059	Lemooria burkittii	Wires-and-wool			2005	179	37	20.67	33	13	NT	2	0	0.3	2.3
788	91.139	CRUCIFERAE	herbs & forbs	Z01431	Lepidium fasciculatum	Bundled Peppergrass			1997	75	11	14.67	9	3	VU	4	-	0.4	4.4
789	91.139	CRUCIFERAE	herbs & forbs	Q01432	Lepidium foliosum	Leafy Peppergrass			2000	155	133	85.81	67	8	LC	1	0	0.3	1.3
791	91.139	CRUCIFERAE	herbs & forbs	A01436	Lepidium leptopetalum	Shrubby Peppergrass			1996	95	8	8.42	6	3	VU	4	-	0.4	4.4
792	91.139	CRUCIFERAE	herbs & forbs	E01438	Lepidium muelleri-ferdinandi	Muellers Peppergrass			2003	257	7	2.72	7	3	RA	3	DD	0.0	3.0
793	91.139	CRUCIFERAE	herbs & forbs	G01439	Lepidium oxytrichum	Green Peppergrass			2007	645	73	11.32	65	16	LC	1	0	0.3	1.3
794	91.139	CRUCIFERAE	herbs & forbs	Q01440	Lepidium papillosum	Warty Peppergrass			2005	331	78	23.56	65	23	NT	2	0	0.3	2.3
795	91.139	CRUCIFERAE	herbs & forbs	U01442	Lepidium phlebopetalum	Veined Peppergrass			2007	764	193	25.26	165	86	LC	1	0	0.3	1.3
796	91.139	CRUCIFERAE	herbs & forbs	S01441	Lepidium pseudoruderale		R		1980	13	7	53.85	6		VU	4	-	0.4	4.4
797	91.139	CRUCIFERAE	herbs & forbs	E03398	Lepidium rotundum	Veined Peppergrass			2006	26	16	61.54	14	1	NT	2	DD	0.0	2.0
798	91.139	CRUCIFERAE	herbs & forbs	G03399	Lepidium sagittulatum	Fine-leaf Peppergrass			2001	67	8	11.94	7	3	LC	1	0	0.3	1.3
1577	91.504	CYPERACEAE	sedges	K00525	Lepidosperma canescens	Hoary Rapier-sedge			2007	194	10	5.15	6	4	RA	3	0	0.3	3.3
1578	91.504	CYPERACEAE	sedges	M00526	Lepidosperma carphoides	Black Rapier-sedge			2007	1744	141	8.08	112	83	NT	2	0	0.3	2.3
1579	91.504	CYPERACEAE	sedges	Z00527	Lepidosperma concavum	Spreading Sword-sedge			2007	427	42	9.84	37	16	NT	2	0	0.3	2.3
1580	91.504	CYPERACEAE	sedges	E06418	Lepidosperma congestum				2008	384	78	20.31	74	49	LC	1	0	0.3	1.3
1581	91.504	CYPERACEAE	sedges	G00531	Lepidosperma curtisiae	Little Sword-sedge			1995	257	3	1.17	2	1	EN	5	-	0.4	5.4
1582	91.504	CYPERACEAE	sedges	S00529	Lepidosperma gladiatum	Coast Sword-sedge			2004	439	66	15.03	60	33	LC	1	0	0.3	1.3
1583	91.504	CYPERACEAE	sedges	W05615	Lepidosperma leptophyllum		R		1998	1	1	100.00	1	1	EN	5	DD	0.0	5.0
1584	91.504	CYPERACEAE	sedges	G05599	Lepidosperma sp. Narrow leaf (R.L.Taplin 709)				2001	42	25	59.52	19	19	RA	3	0	0.3	3.3
1585	91.504	CYPERACEAE	sedges	Q00536	Lepidosperma viscidum	Sticky Sword-sedge			2008	2346	715	30.48	565	436	LC	1	0	0.3	1.3
18	91.448	ZANNICHELLIACEAE	aquatic	Z00083	Lepilaena australis	Austral Water-mat			1989	52	13	25.00	12	1	RA	3	DD	0.0	3.0
19	91.448	ZANNICHELLIACEAE	aquatic	S00085	Lepilaena cylindrocarpa	Long-fruit Water-mat			1969	61	2	3.28	2		VU	4	DD	0.0	4.0
20	91.448	ZANNICHELLIACEAE	aquatic	Z04299	Lepilaena marina	Sea Water-mat			1967	53	1	1.89	1		RA	3	DD	0.0	3.0
21	91.448	ZANNICHELLIACEAE	aquatic	U00086	Lepilaena preissii	Slender Water-mat			1965	40	4	10.00	4		RA	3	DD	0.0	3.0
1451	91.514	ORCHIDACEAE	orchids	Y00808	Leporella fimbriata	Fringed Hare-orchid			2007	239	31	12.97	22	15	NT	2	0	0.3	2.3
1452	91.514	ORCHIDACEAE	orchids	E00778	Leptoceras menziesii	Hare Orchid			1986	183	2	1.09	2		EN	5	-	0.4	5.4
1998	91.026	SANTALACEAE	shrubs	Y00948	Leptomeria aphylla	Leafless Currant-bush			2008	344	40	11.63	37	12	RA	3	0	0.3	3.3
1999	91.026	SANTALACEAE	shrubs	K00949	Leptomeria preissiana		E		2007	5	5	100.00	4	1	CR	6	-	0.5	6.5
330	91.435	COMPOSITAE	daisies	Q04468	Leptorhynchus baileyi	Baileys Buttons			1992	53	16	30.19	14	3	RA	3	-	0.4	3.4

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
331	91.435	COMPOSITAE	daisies	A03212	Leptorhynchus elongatus	Lanky Buttons		R	1989	46	1	2.17	1	1	CR	6	-	0.4	6.4
332	91.435	COMPOSITAE	daisies	S05701	Leptorhynchus melanocarpus	Lake Acraman Button-daisy		V	1989	1	1	100.00	1	1	VU	4	DD	0.0	4.0
333	91.435	COMPOSITAE	daisies	K05697	Leptorhynchus scaber	Annual Buttons		R	1991	19	7	36.84	6	1	RA	3	-	0.4	3.4
334	91.435	COMPOSITAE	daisies	E03214	Leptorhynchus squamatus ssp. squamatus	Scaly Buttons			2007	559	32	5.72	21	15	NT	2	-	0.4	2.4
335	91.435	COMPOSITAE	daisies	Y03216	Leptorhynchus tetrachaetus	Little Buttons			2004	190	21	11.05	14	7	RA	3	-	0.4	3.4
336	91.435	COMPOSITAE	daisies	K03217	Leptorhynchus waitzia	Button Immortelle			2007	273	175	64.10	141	90	NT	2	0	0.3	2.3
1385	91.306	MYRTACEAE	myrtles	Q02276	Leptospermum coriaceum	Dune Tea-tree			2008	1317	544	41.31	431	238	NT	2	0	0.3	2.3
1386	91.306	MYRTACEAE	myrtles	A03848	Leptospermum fastigiatum				2006	21	21	100.00	20	9	LC	1	0	0.3	1.3
337	91.435	COMPOSITAE	daisies	S03173	Leucochrysum fitzgonnii	Fitzgibbons Daisy			2007	180	71	39.44	60	26	LC	1	0	0.3	1.3
338	91.435	COMPOSITAE	daisies	Q03180	Leucochrysum molle	Hoary Sunray			2001	83	22	26.51	20	11	RA	3	-	0.4	3.4
339	91.435	COMPOSITAE	daisies	G03187	Leucochrysum stipitatum	Salt-spoon Daisy			2006	187	49	26.20	46	21	LC	1	0	0.3	1.3
340	91.435	COMPOSITAE	daisies	K02989	Leucophyta brownii	Coast Cushion Bush			2006	528	231	43.75	173	75	LC	1	0	0.3	1.3
1665	91.346	EPACRIDACEAE	shrubs	G02423	Leucopogon clelandii	Clelands Beard-heath		R	2007	204	13	6.37	10	8	RA	3	-	0.4	3.4
1666	91.346	EPACRIDACEAE	shrubs	M02426	Leucopogon cordifolius	Heart-leaf Beard-heath			2008	683	413	60.47	354	221	NT	2	0	0.3	2.3
1667	91.346	EPACRIDACEAE	shrubs	Y02432	Leucopogon parviflorus	Coast Beard-heath			2007	1461	284	19.44	232	148	LC	1	0	0.3	1.3
1668	91.346	EPACRIDACEAE	shrubs	S04549	Leucopogon revolutus			R	1980	12	12	100.00	7		RA	3	DD	0.0	3.0
1669	91.346	EPACRIDACEAE	shrubs	K02433	Leucopogon rufus	Ruddy Beard-heath			2007	443	49	11.06	36	23	RA	3	-	0.4	3.4
1671	91.346	EPACRIDACEAE	shrubs	Z02435	Leucopogon woodsii	Nodding Beard-heath			2003	235	19	8.09	18	5	RA	3	-	0.4	3.4
1018	91.432	STYLIDIACEAE	herbs & forbs	G02927	Levenhookia dubia	Hairy Stylewort			2007	491	106	21.59	86	55	NT	2	0	0.3	2.3
1019	91.432	STYLIDIACEAE	herbs & forbs	U05278	Levenhookia stipitata			R	2007	41	39	95.12	26	22	RA	3	-	0.4	3.4
1040	91.339	UMBELLIFERAE	herbs & forbs	A02384	Lilaeopsis polyantha	Australian Lilaeopsis			1997	104	5	4.81	4	2	VU	4	DD	0.0	4.0
999	91.4	SCROPHULARIACEAE	herbs & forbs	A02720	Limosella australis	Australian Mudwort			2005	62	7	11.29	7	6	EN	5	DD	0.0	5.0
1000	91.4	SCROPHULARIACEAE	herbs & forbs	S05269	Limosella curdieana var. curdieana	Large Mudwort			1999	6	4	66.67	4	2	RA	3	DD	0.0	3.0
1001	91.4	SCROPHULARIACEAE	herbs & forbs	E05270	Limosella curdieana var. Long-pedicelled (W.R.Barker 3)	Large Mudwort			2005	1	1	100.00	1	1	VU	4	DD	0.0	4.0
1002	91.4	SCROPHULARIACEAE	herbs & forbs	G04675	Limosella granitica	Granite Mudwort		VU	2008	18	18	100.00	17	7	VU	4	DD	0.0	4.0
927	91.199	LINACEAE	herbs & forbs	Y01908	Linum marginale	Native Flax			2007	571	190	33.27	149	128	NT	2	0	0.3	2.3
1672	91.346	EPACRIDACEAE	shrubs	Q02436	Lissanthe strigosa ssp. subulata	Peach Heath			2007	474	159	33.54	116	69	NT	2	0	0.3	2.3
721	91.427	CAMPANULACEAE	herbs & forbs	C02837	Lobelia anceps	Angled Lobelia			1996	320	15	4.69	14	3	VU	4	-	0.4	4.4
722	91.427	CAMPANULACEAE	herbs & forbs	E02838	Lobelia gibbosa	Tall Lobelia			2003	322	55	17.08	51	43	LC	1	0	0.3	1.3
723	91.427	CAMPANULACEAE	herbs & forbs	E32018	Lobelia heterophylla			R	2001	25	17	68.00	16	13	RA	3	DD	0.0	3.0
1778	91.362	LOGANIACEAE	shrubs	K04925	Logania crassifolia	Coast Logania			2005	226	54	23.89	49	26	NT	2	0	0.3	2.3
1779	91.362	LOGANIACEAE	shrubs	A02456	Logania linifolia	Flax-leaf Logania			2003	404	33	8.17	28	13	NT	2	0	0.3	2.3
1780	91.362	LOGANIACEAE	shrubs	G04499	Logania minor	Spoon-leaf Logania			2006	58	12	20.69	8	6	RA	3	-	0.4	3.4
1781	91.362	LOGANIACEAE	shrubs	C02457	Logania nuda	Leafless Logania			2008	187	142	75.94	124	63	NT	2	0	0.3	2.3
1782	91.362	LOGANIACEAE	shrubs	E02458	Logania ovata	Oval-leaf Logania			2007	580	223	38.45	187	85	NT	2	0	0.3	2.3
1624	91.451	LILIACEAE	sedges	U04874	Lomandra collina	Sand Mat-rush			2008	1297	545	42.02	445	320	LC	1	0	0.3	1.3
1625	91.451	LILIACEAE	sedges	M00682	Lomandra effusa	Scented Mat-rush			2008	1447	466	32.20	407	311	LC	1	0	0.3	1.3
1626	91.451	LILIACEAE	sedges	S00685	Lomandra juncea	Desert Mat-rush			2008	594	41	6.90	28	22	NT	2	0	0.3	2.3
1627	91.451	LILIACEAE	sedges	U00686	Lomandra leucocephala ssp. robusta	Woolly Mat-rush			2008	877	316	36.03	267	171	NT	2	0	0.3	2.3
1628	91.451	LILIACEAE	sedges	M04458	Lomandra micrantha ssp. micrantha	Small-flower Mat-rush			2007	724	86	11.88	60	53	NT	2	0	0.3	2.3
1629	91.451	LILIACEAE	sedges	M04810	Lomandra micrantha ssp. tuberculata	Small-flower Mat-rush			2008	420	38	9.05	18	17	NT	2	0	0.3	2.3
1631	91.451	LILIACEAE	sedges	M00690	Lomandra sororia	Sword Mat-rush			2007	499	6	1.20	4	4	VU	4	DD	0.0	4.0
1220	91.182	LEGUMINOSAE	legumes	M01706	Lotus australis	Austral Trefoil			2005	449	36	8.02	33	12	NT	2	0	0.3	2.3

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFo_in_WEST_All_(km2)	AoFo_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATED	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
1221	91.182	LEGUMINOSAE	legumes	Q01708	Lotus cruentus	Red-flower Lotus			2007	1109	168	15.15	137	53	LC	1	0	0.3	1.3
1608	91.478	JUNCACEAE	sedges	U00642	Luzula densiflora	Dense Wood-rush			2004	82	3	3.66	2	2	EN	5	DD	0.0	5.0
1609	91.478	JUNCACEAE	sedges	A00644	Luzula meridionalis	Common Wood-rush			2005	417	27	6.47	21	12	RA	3	0	0.3	3.3
2029	91.395	SOLANACEAE	shrubs	Y02660	Lycium australe	Australian Boxthorn			2008	1037	688	66.35	514	295	LC	1	0	0.3	1.3
2118	91.028	LORANTHACEAE	vines	M00966	Lysiana exocarpi ssp. exocarpi	Harlequin Mistletoe			2008	1830	238	13.01	197	90	LC	1	0	0.3	1.3
2119	91.028	LORANTHACEAE	vines	Z00967	Lysiana murrayi	Mulga Mistletoe			2007	211	79	37.44	66	24	LC	1	0	0.3	1.3
929	91.303	LYTHRACEAE	herbs & forbs	Z02195	Lythrum hyssopifolia	Lesser Loosestrife			1998	420	13	3.10	11	6	NT	2	0	0.3	2.3
931	91.303	LYTHRACEAE	herbs & forbs	A05032	Lythrum wilsonii	Wilson's Loosestrife			2007	59	7	11.86	7	6	NT	2	0	0.3	2.3
112	91.047	CHENOPODIACEAE	chenopods	K01181	Maireana aphylla	Cotton-bush			2008	865	47	5.43	41	25	RA	3	-	0.4	3.4
113	91.047	CHENOPODIACEAE	chenopods	M01182	Maireana appressa	Pale-fruit Bluebush			2007	415	125	30.12	104	50	NT	2	0	0.3	2.3
114	91.047	CHENOPODIACEAE	chenopods	Z01183	Maireana astrotricha	Low Bluebush			2007	956	70	7.32	53	23	NT	2	-	0.4	2.4
115	91.047	CHENOPODIACEAE	chenopods	Q01184	Maireana brevifolia	Short-leaf Bluebush			2008	1216	200	16.45	159	85	LC	1	0	0.3	1.3
116	91.047	CHENOPODIACEAE	chenopods	Y01180	Maireana campanulata	Bell-fruit Bluebush			2005	90	2	2.22	2	1	RA	3	DD	0.0	3.0
117	91.047	CHENOPODIACEAE	chenopods	S01185	Maireana cannonii	Cannons Bluebush			1999	30	24	80.00	16	8	RA	3	0	0.3	3.3
118	91.047	CHENOPODIACEAE	chenopods	U01186	Maireana carnosia	Cotony Bluebush			1966	40	1	2.50	1		DD	0	DD	0.0	0.0
119	91.047	CHENOPODIACEAE	chenopods	W01187	Maireana ciliata	Hairy Fissure-plant			2003	195	16	8.21	16	8	RA	3	DD	0.0	3.0
120	91.047	CHENOPODIACEAE	chenopods	A01188	Maireana coronata	Crown Fissure-plant			1997	199	1	0.50	1	1	RA	3	DD	0.0	3.0
121	91.047	CHENOPODIACEAE	chenopods	C01189	Maireana enchylaenoides	Wingless Fissure-plant			2007	993	116	11.68	94	84	NT	2	-	0.4	2.4
122	91.047	CHENOPODIACEAE	chenopods	M01190	Maireana eriantha	Woolly Bluebush			2007	201	48	23.88	41	22	NT	2	-	0.4	2.4
123	91.047	CHENOPODIACEAE	chenopods	Z01191	Maireana erioclada	Rosy Bluebush			2008	1284	822	64.02	693	493	LC	1	0	0.3	1.3
125	91.047	CHENOPODIACEAE	chenopods	S01193	Maireana georgei	Satiny Bluebush			2007	803	229	28.52	190	115	LC	1	0	0.3	1.3
126	91.047	CHENOPODIACEAE	chenopods	U01194	Maireana integra	Entire-wing Bluebush			2007	330	121	36.67	96	46	LC	1	0	0.3	1.3
127	91.047	CHENOPODIACEAE	chenopods	A01196	Maireana lobiflora	Lobed Bluebush			2007	106	21	19.81	19	12	RA	3	DD	0.0	3.0
128	91.047	CHENOPODIACEAE	chenopods	W03475	Maireana melanocarpa	Black-fruit Bluebush	R		2005	43	1	2.33	1	1	RA	3	DD	0.0	3.0
129	91.047	CHENOPODIACEAE	chenopods	E01198	Maireana microcarpa	Swamp Bluebush			1996	68	8	11.76	7	3	RA	3	DD	0.0	3.0
130	91.047	CHENOPODIACEAE	chenopods	G01199	Maireana oppositifolia	Salt Bluebush			2008	793	543	68.47	322	175	LC	1	0	0.3	1.3
131	91.047	CHENOPODIACEAE	chenopods	Y01200	Maireana ovata				2005	65	5	7.69	5	5	RA	3	DD	0.0	3.0
132	91.047	CHENOPODIACEAE	chenopods	M01202	Maireana pentatropis	Erect Mallee Bluebush			2008	1142	563	49.30	485	274	LC	1	0	0.3	1.3
133	91.047	CHENOPODIACEAE	chenopods	Z01203	Maireana planifolia	Flat-leaf Bluebush			2006	104	18	17.31	17	10	RA	3	0	0.3	3.3
134	91.047	CHENOPODIACEAE	chenopods	Q01204	Maireana pyramidata	Black Bluebush			2008	1558	241	15.47	202	76	LC	1	0	0.3	1.3
135	91.047	CHENOPODIACEAE	chenopods	S01205	Maireana radiata	Radiate Bluebush			2008	644	399	61.96	340	218	LC	1	0	0.3	1.3
136	91.047	CHENOPODIACEAE	chenopods	U01206	Maireana rohrlachii	Rohrlachs Bluebush	R		1998	188	14	7.45	13	8	RA	3	-	0.4	3.4
137	91.047	CHENOPODIACEAE	chenopods	A03996	Maireana schistocarpa	Split-fruit Bluebush			2007	24	14	58.33	13	10	RA	3	DD	0.0	3.0
138	91.047	CHENOPODIACEAE	chenopods	A01208	Maireana scleroptera	Hard-wing Bluebush			2004	45	11	24.44	8	2	RA	3	DD	0.0	3.0
139	91.047	CHENOPODIACEAE	chenopods	C01209	Maireana sedifolia	Bluebush			2008	1380	626	45.36	508	300	LC	1	0	0.3	1.3
140	91.047	CHENOPODIACEAE	chenopods	A03476	Maireana spongiocarpa	Spongy-fruit Bluebush			2007	140	31	22.14	22	11	RA	3	0	0.3	3.3
141	91.047	CHENOPODIACEAE	chenopods	M01210	Maireana suaeifolia	Lax Bluebush	R		2008	27	25	92.59	24	19	RA	3	0	0.3	3.3
142	91.047	CHENOPODIACEAE	chenopods	Z01211	Maireana tomentosa ssp. urceolata				2007	88	12	13.64	12	7	RA	3	0	0.3	3.3
143	91.047	CHENOPODIACEAE	chenopods	Q01212	Maireana trichoptera	Hairy-fruit Bluebush			2008	1145	583	50.92	487	293	LC	1	0	0.3	1.3
144	91.047	CHENOPODIACEAE	chenopods	S01213	Maireana triptera	Three-wing Bluebush			2007	313	149	47.60	132	64	LC	1	0	0.3	1.3
145	91.047	CHENOPODIACEAE	chenopods	U01214	Maireana turbinata	Top-fruit Bluebush			2008	613	241	39.31	205	76	LC	1	0	0.3	1.3
146	91.047	CHENOPODIACEAE	chenopods	G01227	Maireana villosa	Silky Bluebush			2006	138	12	8.70	10	5	RA	3	0	0.3	3.3
147	91.047	CHENOPODIACEAE	chenopods	W01215	Malacocera albolanata	Woolly Soft-horns			1968	65	2	3.08	1		RA	3	DD	0.0	3.0

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
148	91.047	CHENOPODIACEAE	chenopods	A01216	Malacocera gracilis	Slender Soft-horns		V	2007	27	12	44.44	11	4	RA	3	0	0.3	3.3
149	91.047	CHENOPODIACEAE	chenopods	C01217	Malacocera tricornis	Goat-head Soft-horns			2007	153	18	11.76	15	9	RA	3	-	0.4	3.4
1810	91.269	MALVACEAE	shrubs	C02085	Malva preissiana	Australian Hollyhock			2006	824	279	33.86	157	25	NT	2	0	0.3	2.3
1811	91.269	MALVACEAE	shrubs	A02092	Malvastrum americanum var. americanum	Malvastrum			2007	633	33	5.21	23	13	LC	1	0	0.3	1.3
1640	91.371	ASCLEPIADACEAE	shrubs	Q02488	Marsdenia australis	Native Pear			2007	517	79	15.28	72	36	NT	2	0	0.3	2.3
6	74.04	MARSILEACEAE	aquatic	Y00072	Marsilea costulifera	Narrow-leaf Nardoo			2001	44	4	9.09	4	3	RA	3	DD	0.0	3.0
7	74.04	MARSILEACEAE	aquatic	E32050	Marsilea drummondii	Common Nardoo			1998	252	31	12.30	30	4	LC	1	0	0.3	1.3
8	74.04	MARSILEACEAE	aquatic	S00069	Marsilea exarata	Swayback Nardoo			2001	70	5	7.14	5	3	RA	3	0	0.3	3.3
9	74.04	MARSILEACEAE	aquatic	E00070	Marsilea hirsuta	Short-fruit Nardoo			2004	217	10	4.61	9	8	NT	2	0	0.3	2.3
1388	91.306	MYRTACEAE	myrtles	S02285	Melaleuca acuminata ssp. acuminata	Mallee Honey-myrtle			2008	1231	484	39.32	421	271	NT	2	0	0.3	2.3
1389	91.306	MYRTACEAE	myrtles	G02299	Melaleuca armillaris ssp. akineta	Needle-leaf Honey-myrtle	R		2007	133	133	100.00	86	27	RA	3	0	0.3	3.3
1390	91.306	MYRTACEAE	myrtles	E04542	Melaleuca brevifolia	Short-leaf Honey-myrtle			2007	736	115	15.63	93	46	NT	2	0	0.3	2.3
1391	91.306	MYRTACEAE	myrtles	C02289	Melaleuca decussata	Totem-poles			2007	655	233	35.57	193	99	LC	1	0	0.3	1.3
1392	91.306	MYRTACEAE	myrtles	E04234	Melaleuca eleuterostachya	Hummock Honey-myrtle			2008	299	297	99.33	235	140	NT	2	0	0.3	2.3
1393	91.306	MYRTACEAE	myrtles	Z02291	Melaleuca gibbosa	Slender Honey-myrtle			2001	691	25	3.62	24	13	RA	3	-	0.4	3.4
1394	91.306	MYRTACEAE	myrtles	Q02292	Melaleuca glomerata	Inland Paper-bark			2000	422	5	1.18	5	2	RA	3	0	0.3	3.3
1395	91.306	MYRTACEAE	myrtles	S02293	Melaleuca halmaturorum	Swamp Paper-bark			2006	454	142	31.28	95	69	NT	2	0	0.3	2.3
1396	91.306	MYRTACEAE	myrtles	G05987	Melaleuca interioris	Broombush			2007	46	16	34.78	12	7	NT	2	0	0.3	2.3
1397	91.306	MYRTACEAE	myrtles	M05830	Melaleuca lanceolata	Dryland Tea-tree			2008	566	202	35.69	172	152	NT	2	0	0.3	2.3
1398	91.306	MYRTACEAE	myrtles	W02295	Melaleuca leiocarpa	Pungent Honey-myrtle	R		2007	38	38	100.00	27	17	RA	3	0	0.3	3.3
1399	91.306	MYRTACEAE	myrtles	M03438	Melaleuca nanophylla	Dwarf-leaf Honey-myrtle	R		2007	24	24	100.00	22	9	RA	3	0	0.3	3.3
1400	91.306	MYRTACEAE	myrtles	Z03439	Melaleuca oxyphylla	Pointed-leaf Honey-myrtle	R		2005	53	53	100.00	44	20	RA	3	0	0.3	3.3
1401	91.306	MYRTACEAE	myrtles	C05589	Melaleuca pauperiflora ssp. mutica	Boree			2008	437	402	91.99	359	233	LC	1	0	0.3	1.3
1402	91.306	MYRTACEAE	myrtles	E03938	Melaleuca quadrifaria	Limestone Honey-myrtle			2001	7	7	100.00	5	3	RA	3	0	0.3	3.3
1403	91.306	MYRTACEAE	myrtles	E05986	Melaleuca uncinata	Broombush			2008	250	164	65.60	141	118	LC	1	0	0.3	1.3
1404	91.306	MYRTACEAE	myrtles	M05590	Melaleuca xerophila	Boree			2007	69	38	55.07	30	9	NT	2	0	0.3	2.3
799	91.139	CRUCIFERAE	herbs & forbs	G01447	Menkea australis	Fairy Spectacles			2005	92	28	30.43	25	13	RA	3	DD	0.0	3.0
800	91.139	CRUCIFERAE	herbs & forbs	Y01448	Menkea crassa	Fat Spectacles			1991	101	8	7.92	8	1	RA	3	-	0.4	3.4
801	91.139	CRUCIFERAE	herbs & forbs	U01450	Menkea sphaerocarpa				1980	66	8	12.12	7		LC	1	0	0.3	1.3
802	91.139	CRUCIFERAE	herbs & forbs	W01451	Menkea villosula				1971	72	2	2.78	1		RA	3	DD	0.0	3.0
1749	91.392	LABIATAE	shrubs	M02602	Mentha australis	River Mint			1989	121	3	2.48	2	1	RA	3	DD	0.0	3.0
1751	91.392	LABIATAE	shrubs	W02607	Mentha satuireioides	Native Pennyroyal			1965	55	3	5.45	3		EN	5	-	0.5	5.5
836	91.204	EUPHORBIACEAE	herbs & forbs	K01941	Micranthemum demissum	Dwarf Micranthemum		R	1997	399	3	0.75	3	2	VU	4	-	0.4	4.4
1984	91.212	RUTACEAE	shrubs	Z04995	Microcybe multiflora ssp. baccharoides	Scale-leaf Microcybe			2008	72	65	90.28	54	36	NT	2	-	0.4	2.4
1985	91.212	RUTACEAE	shrubs	E04622	Microcybe multiflora ssp. multiflora	Small-leaf Microcybe			2008	151	138	91.39	112	92	NT	2	0	0.3	2.3
1986	91.212	RUTACEAE	shrubs	A01980	Microcybe pauciflora ssp. pauciflora	Yellow Microcybe			2006	319	185	57.99	152	66	LC	1	0	0.3	1.3
803	91.139	CRUCIFERAE	herbs & forbs	A01452	Microlepidium alatum		VU	V	2008	22	21	95.45	19	11	RA	3	-	0.4	3.4
804	91.139	CRUCIFERAE	herbs & forbs	E01454	Microlepidium pilosulum	Hairy Shepherds-purse	R		2008	84	52	61.90	42	32	LC	1	0	0.3	1.3
341	91.435	COMPOSITAE	daisies	E04454	Microseris lanceolata	Yam Daisy			2008	1092	244	22.34	199	105	NT	2	0	0.3	2.3
1453	91.514	ORCHIDACEAE	orchids	G05183	Microtis arenaria	Notched Onion-orchid			2006	617	235	38.09	167	127	LC	1	-	0.4	1.4
1454	91.514	ORCHIDACEAE	orchids	U00810	Microtis atrata	Yellow Onion-orchid	R		1990	64	2	3.13	2	1	EN	5	-	0.4	5.4
1455	91.514	ORCHIDACEAE	orchids	S06333	Microtis eremaea	Slender Onion-orchid	E		1991	5	2	40.00	2	2	EN	5	DD	0.0	5.0
1456	91.514	ORCHIDACEAE	orchids	Y05028	Microtis frutetorum				2007	168	5	2.98	5	4	RA	3	-	0.4	3.4

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFo_in_WEST_All_(km2)	AoFo_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
1457	91.514	ORCHIDACEAE	orchids	A00812	<i>Microtis orbicularis</i>	Swamp Onion-orchid		V	2001	60	5	8.33	5	4	EN	5	-	0.5	5.5
1459	91.514	ORCHIDACEAE	orchids	U06334	<i>Microtis sp. Short-leaf (R.J.Bates 54342)</i>				2004	31	1	3.23	1	1	RA	3	0	0.3	3.3
343	91.435	COMPOSITAE	daisies	K03525	<i>Millotia greevesii ssp. helmsii</i>				1987	35	26	74.29	15		NE	-1	NE		-1.0
344	91.435	COMPOSITAE	daisies	Q05048	<i>Millotia incurva</i>				1995	15	11	73.33	11	1	RA	3	DD	0.0	3.0
345	91.435	COMPOSITAE	daisies	C03221	<i>Millotia macrocarpa</i>	Large-fruit Millotia			1989	24	9	37.50	8	2	RA	3	DD	0.0	3.0
346	91.435	COMPOSITAE	daisies	Q03296	<i>Millotia major</i>				2005	95	73	76.84	58	42	LC	1	0	0.3	1.3
347	91.435	COMPOSITAE	daisies	W03343	<i>Millotia muelleri</i>	Common Bow-flower			2008	569	230	40.42	184	123	LC	1	0	0.3	1.3
348	91.435	COMPOSITAE	daisies	E03222	<i>Millotia myosotidifolia</i>	Broad-leaf Millotia			2005	660	279	42.27	221	126	LC	1	0	0.3	1.3
349	91.435	COMPOSITAE	daisies	A03344	<i>Millotia perpusilla</i>	Tiny Bow-flower			2005	112	40	35.71	36	14	NT	2	DD	0.0	2.0
350	91.435	COMPOSITAE	daisies	G03223	<i>Millotia tenuifolia var. tenuifolia</i>	Soft Millotia			2008	654	265	40.52	217	173	NT	2	0	0.3	2.3
1003	91.4	SCROPHULARIACEAE	herbs & forbs	M02726	<i>Mimulus repens</i>	Creeping Monkey-flower			2007	135	3	2.22	3	1	RA	3	DD	0.0	3.0
351	91.435	COMPOSITAE	daisies	Y03224	<i>Minuria annua</i>	Annual Minuria			2005	79	10	12.66	10	6	DD	0	DD	0.0	0.0
352	91.435	COMPOSITAE	daisies	K03225	<i>Minuria cunninghamii</i>	Bush Minuria			2007	655	186	28.40	157	76	LC	1	0	0.3	1.3
353	91.435	COMPOSITAE	daisies	M03226	<i>Minuria denticulata</i>	Woolly Minuria			1998	588	31	5.27	25	17	NT	2	0	0.3	2.3
354	91.435	COMPOSITAE	daisies	Z03227	<i>Minuria integerrima</i>	Smooth Minuria			2007	206	17	8.25	15	11	NT	2	0	0.3	2.3
355	91.435	COMPOSITAE	daisies	Q03228	<i>Minuria leptophylla</i>	Minnie Daisy			2008	1088	391	35.94	296	168	LC	1	0	0.3	1.3
356	91.435	COMPOSITAE	daisies	A05404	<i>Minuria multisetata</i>				2007	17	15	88.24	15	9	RA	3	0	0.3	3.3
1783	91.362	LOGANIACEAE	shrubs	W02463	<i>Mitrasacme pilosa var. pilosa</i>	Hairy Mitrewort		V	1995	11	2	18.18	2	2	VU	4	DD	0.0	4.0
33	91.04	AIZOACEAE	chenopods	Q01028	<i>Mollugo cerviana</i>	Wire-stem Chickweed			2007	89	12	13.48	12	9	LC	1	0	0.3	1.3
625	91.495	GRAMINEAE	grass	A00184	<i>Monachather paradoxus</i>	Bandicoot Grass			2007	424	98	23.11	91	60	NT	2	0	0.3	2.3
1904	91.032	POLYGONACEAE	shrubs	M00974	<i>Muehlenbeckia adpressa</i>	Climbing Lignum			2007	627	203	32.38	168	73	LC	1	0	0.3	1.3
1905	91.032	POLYGONACEAE	shrubs	S00977	<i>Muehlenbeckia diclina ssp. diclina</i>	Twiggy Lignum			2006	35	18	51.43	16	6	RA	3	0	0.3	3.3
1906	91.032	POLYGONACEAE	shrubs	Q00976	<i>Muehlenbeckia florulenta</i>	Lignum			2008	1090	49	4.50	39	23	NT	2	0	0.3	2.3
1907	91.032	POLYGONACEAE	shrubs	U00978	<i>Muehlenbeckia gunnii</i>	Coastal Climbing Lignum			2007	835	197	23.59	88	18	NT	2	0	0.3	2.3
1908	91.032	POLYGONACEAE	shrubs	W00979	<i>Muehlenbeckia horrida ssp. horrida</i>	Spiny Lignum		R	1971	55	2	3.64	2		VU	4	DD	0.0	4.0
1222	91.182	LEGUMINOSAE	legumes	Q01732	<i>Muelleranthus stipularis</i>	Sand Pea			2002	35	7	20.00	5	1	RA	3	0	0.3	3.3
908	91.451	LILIACEAE	herbs & forbs	G04931	<i>Murchisonia volubilis</i>				2006	62	51	82.26	44	16	NT	2	0	0.3	2.3
1881	91.415	MYOPORACEAE	shrubs	Q03836	<i>Myoporum brevipes</i>	Warty Boobialla			2007	202	120	59.41	112	20	LC	1	0	0.3	1.3
1882	91.415	MYOPORACEAE	shrubs	K02805	<i>Myoporum insulare</i>	Common Boobialla			2007	1090	467	42.84	254	97	LC	1	0	0.3	1.3
1883	91.415	MYOPORACEAE	shrubs	M02806	<i>Myoporum montanum</i>	Native Myrtle			2007	647	43	6.65	37	16	RA	3	0	0.3	3.3
1884	91.415	MYOPORACEAE	shrubs	Z02807	<i>Myoporum parvifolium</i>	Creeping Boobialla		R	2003	180	28	15.56	23	10	RA	3	0	0.3	3.3
1885	91.415	MYOPORACEAE	shrubs	U05358	<i>Myoporum platycarpum ssp. perbellum</i>	Mailee Sandalwood			2008	123	11	8.94	10	6	RA	3	0	0.3	3.3
1886	91.415	MYOPORACEAE	shrubs	S05357	<i>Myoporum platycarpum ssp. platycarpum</i>	False Sandalwood			2008	739	435	58.86	376	202	LC	1	0	0.3	1.3
1887	91.415	MYOPORACEAE	shrubs	Z05867	<i>Myoporum viscosum</i>	Sticky Boobialla			2000	76	18	23.68	17	5	NT	2	0	0.3	2.3
715	91.381	BORAGINACEAE	herbs & forbs	A02560	<i>Myosotis australis</i>	Austral Forget-me-not			2004	233	32	13.73	25	16	RA	3	0	0.3	3.3
968	91.08	RANUNCULACEAE	herbs & forbs	Q01328	<i>Myosurus minimus var. australis</i>	Mousetail			1996	86	5	5.81	5	2	RA	3	DD	0.0	3.0
357	91.435	COMPOSITAE	daisies	A04460	<i>Myriocephalus pluriflorus</i>	Inland Woolly-heads			1989	33	3	9.09	2	1	NE	-1	NE		-1.0
358	91.435	COMPOSITAE	daisies	Q06244	<i>Myriocephalus rudallii</i>	Small Poached-egg Daisy			1998	43	1	2.33	1	1	RA	3	0	0.3	3.3
359	91.435	COMPOSITAE	daisies	S06245	<i>Myriocephalus squamatus</i>	Small Poached-egg Daisy			1971	10	1	10.00	1		RA	3	DD	0.0	3.0
888	91.322	HALORAGACEAE	herbs & forbs	K02345	<i>Myriophyllum integrifolium</i>	Tiny Milfoil		R	1990	48	3	6.25	3	1	EN	5	-	0.4	5.4
889	91.322	HALORAGACEAE	herbs & forbs	M02346	<i>Myriophyllum muelleri</i>	Hooded Milfoil			1971	73	6	8.22	5		EN	5	-	0.4	5.4
890	91.322	HALORAGACEAE	herbs & forbs	G00151	<i>Myriophyllum salsugineum</i>	Lake Milfoil			1971	47	1	2.13	1		EN	5	-	0.4	5.4
891	91.322	HALORAGACEAE	herbs & forbs	S02349	<i>Myriophyllum verrucosum</i>	Red Milfoil			2007	156	22	14.10	19	11	RA	3	DD	0.0	3.0

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREY	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
150	91.047	CHENOPODIACEAE	chenopods	C01321	Neobassia proceriflora	Desert Glasswort			2007	252	6	2.38	5	4	NT	2	DD	0.0	2.0
626	91.495	GRAMINEAE	grass	G00435	Neurachne alopecuroidea	Fox-tail Mulga-grass			2007	1304	291	22.32	232	184	LC	1	0	0.3	1.3
627	91.495	GRAMINEAE	grass	K00437	Neurachne munroi	Window Mulga-grass			2007	53	11	20.75	11	5	RA	3	DD	0.0	3.0
744	91.387	CHLOANTHACEAE	herbs & forbs	M02582	Newcastelia bracteosa			2006	33	14	42.42	10	5	LC	1	0	0.3	1.3	
745	91.387	CHLOANTHACEAE	herbs & forbs	Z02583	Newcastelia cephalantha var. cephalantha			1962	35	1	2.86	1		RA	3	DD	0.0	3.0	
746	91.387	CHLOANTHACEAE	herbs & forbs	Q02584	Newcastelia spodiotricha			2006	21	5	23.81	5	2	RA	3	DD	0.0	3.0	
2031	91.395	SOLANACEAE	shrubs	S02665	Nicotiana goodspeedii	Small-flower Tobacco			2008	417	188	45.08	163	68	NT	2	0	0.3	2.3
2032	91.395	SOLANACEAE	shrubs	A02668	Nicotiana maritima	Coast Tobacco			2005	290	118	40.69	89	19	LC	1	0	0.3	1.3
2033	91.395	SOLANACEAE	shrubs	C02669	Nicotiana occidentalis ssp. obliqua	Western Tobacco			2004	121	22	18.18	19	5	RA	3	0	0.3	3.3
2034	91.395	SOLANACEAE	shrubs	E03362	Nicotiana rosulata ssp. rosulata			2004	13	9	69.23	8	4	VU	4	DD	0.0	4.0	
2035	91.395	SOLANACEAE	shrubs	M02670	Nicotiana simulans	Native Tobacco			2007	241	25	10.37	23	16	NT	2	0	0.3	2.3
2036	91.395	SOLANACEAE	shrubs	Z02671	Nicotiana velutina	Velvet Tobacco			2007	973	121	12.44	99	39	NT	2	0	0.3	2.3
1054	91.197	ZYGOPHYLLACEAE	herbs & forbs	A01884	Nitraria billardierei	Nitre-bush			2008	1705	839	49.21	450	213	LC	1	0	0.3	1.3
1888	91.02	OLACACEAE	shrubs	G00939	Olax obcordata		R		1986	30	3	10.00	2		EN	5	-	0.4	5.4
360	91.435	COMPOSITAE	daisies	K01245	Olearia adenolasia	Musk Daisy-bush	R		2007	36	36	100.00	26	18	RA	3	0	0.3	3.3
362	91.435	COMPOSITAE	daisies	M03234	Olearia axillaris	Coast Daisy-bush			2006	1561	707	45.29	436	295	NT	2	0	0.3	2.3
363	91.435	COMPOSITAE	daisies	Q05216	Olearia brachyphylla	Short-leaf Daisy-bush			2007	187	102	54.55	91	69	LC	1	0	0.3	1.3
364	91.435	COMPOSITAE	daisies	Z03235	Olearia calcarea	Crinkle-leaf Daisy-bush			2007	143	113	79.02	93	61	NT	2	0	0.3	2.3
365	91.435	COMPOSITAE	daisies	S03237	Olearia ciliata var. ciliata	Fringed Daisy-bush			2006	433	186	42.96	156	123	NT	2	0	0.3	2.3
366	91.435	COMPOSITAE	daisies	U03238	Olearia decurrens	Winged Daisy-bush			2008	748	250	33.42	201	138	NT	2	0	0.3	2.3
367	91.435	COMPOSITAE	daisies	Y03240	Olearia exiguifolia	Lobed-leaf Daisy-bush			2008	151	148	98.01	119	91	NT	2	0	0.3	2.3
368	91.435	COMPOSITAE	daisies	M03242	Olearia floribunda var. floribunda	Heath Daisy-bush			2008	306	201	65.69	169	134	NT	2	0	0.3	2.3
369	91.435	COMPOSITAE	daisies	U03246	Olearia lanuginosa	Woolly Daisy-bush			2006	104	24	23.08	20	14	RA	3	0	0.3	3.3
370	91.435	COMPOSITAE	daisies	W03247	Olearia lepidophylla	Clubmoss Daisy-bush			2008	308	115	37.34	96	62	NT	2	0	0.3	2.3
371	91.435	COMPOSITAE	daisies	A03248	Olearia magniflora	Splendid Daisy-bush			2008	228	152	66.67	131	98	NT	2	0	0.3	2.3
374	91.435	COMPOSITAE	daisies	S05217	Olearia minor	Heath Daisy-bush			2008	194	123	63.40	95	84	LC	1	0	0.3	1.3
375	91.435	COMPOSITAE	daisies	M03250	Olearia muelleri	Muellers Daisy-bush			2008	1026	620	60.43	522	360	LC	1	0	0.3	1.3
377	91.435	COMPOSITAE	daisies	Q04432	Olearia pannosa ssp. pannosa	Silver Daisy-bush	VU	V	2007	285	29	10.18	25	16	RA	3	-	0.4	3.4
379	91.435	COMPOSITAE	daisies	S04441	Olearia passerinoides ssp. passerinoides	Feather Daisy-bush			2008	76	29	38.16	29	22	RA	3	0	0.3	3.3
380	91.435	COMPOSITAE	daisies	U03254	Olearia picridifolia	Rasp Daisy-bush	R		2003	91	28	30.77	24	8	RA	3	0	0.3	3.3
381	91.435	COMPOSITAE	daisies	Q04440	Olearia pimeleoides ssp. incana	Showy Daisy-bush			2007	8	5	62.50	5	3	RA	3	DD	0.0	3.0
382	91.435	COMPOSITAE	daisies	Z04951	Olearia pimeleoides ssp. pimeleoides	Pimelea Daisy-bush			2008	476	126	26.47	111	76	LC	1	0	0.3	1.3
383	91.435	COMPOSITAE	daisies	A03256	Olearia ramulosa	Twiggy Daisy-bush			2007	2051	275	13.41	168	98	LC	1	0	0.3	1.3
384	91.435	COMPOSITAE	daisies	C03257	Olearia rudis	Azure Daisy-bush			2006	114	49	42.98	41	30	NT	2	0	0.3	2.3
385	91.435	COMPOSITAE	daisies	G03259	Olearia stuartii	Stuarts Daisy-bush			2004	80	4	5.00	4	2	RA	3	DD	0.0	3.0
386	91.435	COMPOSITAE	daisies	Q03260	Olearia subspicata	Spiked Daisy-bush			2006	78	33	42.31	28	14	NT	2	0	0.3	2.3
716	91.381	BORAGINACEAE	herbs & forbs	G02563	Omphalolappula concava	Burr Stickseed			2007	915	135	14.75	109	33	LC	1	0	0.3	1.3
986	91.373	RUBIACEAE	herbs & forbs	Y02512	Opercularia scabrada	Stalked Stinkweed			2007	403	219	54.34	171	124	LC	1	0	0.3	1.3
987	91.373	RUBIACEAE	herbs & forbs	K02513	Opercularia turpis	Twiggy Stinkweed			2007	865	236	27.28	195	138	LC	1	0	0.3	1.3
498	74.005	OPHIOGLOSSACEAE	fern	A00028	Ophioglossum lusitanicum	Austral Adders-tongue			2005	295	67	22.71	53	22	NT	2	0	0.3	2.3
499	74.005	OPHIOGLOSSACEAE	fern	C00029	Ophioglossum polyphyllum	Large Adders-tongue		R	2005	16	6	37.50	6	6	VU	4	DD	0.0	4.0
936	91.413	OROBANCHACEAE	herbs & forbs	W02755	Orobanche cernua var. australiana	Australian Broomrape	R		2006	88	17	19.32	15	9	RA	3	DD	0.0	3.0
1460	91.514	ORCHIDACEAE	orchids	G00815	Orthoceras strictum	Horned Orchid		R	1996	123	18	14.63	11	5	EN	5	-	0.4	5.4

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
894	91.473	IRIDACEAE	herbs & forbs	G00751	Orthrosanthus multiflorus	Morning Flag			1995	268	6	2.24	5	1	VU	4	DD	0.0	4.0
151	91.047	CHENOPODIACEAE	chenopods	M04490	Osteocarpum acropterum var. acropterum	Tuberculate Bonefruit			2007	292	33	11.30	30	7	RA	3	-	0.4	3.4
153	91.047	CHENOPODIACEAE	chenopods	G03575	Osteocarpum dipterocarpum	Two-wing Bonefruit			2007	426	63	14.79	53	32	NT	2	0	0.3	2.3
154	91.047	CHENOPODIACEAE	chenopods	Y03576	Osteocarpum pentapterum	Five-wing Bonefruit	E		1974	9	1	11.11	1		EN	5	-	0.4	5.4
155	91.047	CHENOPODIACEAE	chenopods	K01261	Osteocarpum salsuginosum	Inland Bonefruit			2008	92	54	58.70	45	12	RA	3	0	0.3	3.3
1831	91.22	MELIACEAE	shrubs	S01989	Owenia acidula	Sour Plum			1991	63	1	1.59	1	1	RA	3	DD	0.0	3.0
937	91.188	OXALIDACEAE	herbs & forbs	A06336	Oxalis perennans	Native Sorrel			2008	770	184	23.90	163	93	LC	1	0	0.3	1.3
938	91.188	OXALIDACEAE	herbs & forbs	Q03148	Oxalis radicata	Downy Native Sorrel			1999	86	9	10.47	7	3	RA	3	0	0.3	3.3
388	91.435	COMPOSITAE	daisies	C03109	Ozothamnus decurrens	Ridged Bush-everlasting			2003	324	248	76.54	215	156	LC	1	0	0.3	1.3
389	91.435	COMPOSITAE	daisies	S03105	Ozothamnus retusus	Notched Bush-everlasting			2007	475	179	37.68	153	85	NT	2	0	0.3	2.3
805	91.139	CRUCIFERAE	herbs & forbs	Z01459	Pachymitis cardaminoides	Sand Cress			1991	24	2	8.33	2	2	DD	0	DD	0.0	0.0
628	91.495	GRAMINEAE	grass	W00407	Panicum decompositum var. decompositum	Native Millet			1996	342	14	4.09	9	9	LC	1	0	0.3	1.3
629	91.495	GRAMINEAE	grass	A00408	Panicum effusum var. effusum	Hairy Panic			2007	237	15	6.33	15	12	RA	3	0	0.3	3.3
630	91.495	GRAMINEAE	grass	A04312	Panicum laevinode				1993	79	2	2.53	2	2	RA	3	DD	0.0	3.0
631	91.495	GRAMINEAE	grass	Q00412	Paractaenium novae-hollandiae ssp. reversum	Barbed-wire Grass			2007	187	50	26.74	44	19	RA	3	0	0.3	3.3
632	91.495	GRAMINEAE	grass	A00424	Paractaenium refractum	Bristle-brush Grass			2006	212	36	16.98	34	19	NT	2	0	0.3	2.3
633	91.495	GRAMINEAE	grass	M00438	Paraneurachne muelleri	Northern Mulga-grass			2003	29	1	3.45	1	1	VU	4	-	0.4	4.4
1049	91.018	URTICACEAE	herbs & forbs	U05762	Parietaria australis	Smooth-nettle			2005	36	13	36.11	11	4	NT	2	0	0.3	2.3
1050	91.018	URTICACEAE	herbs & forbs	G04551	Parietaria cardiostegia	Mallee Smooth-nettle			2005	246	109	44.31	90	41	NT	2	0	0.3	2.3
1051	91.018	URTICACEAE	herbs & forbs	S05761	Parietaria debilis	Smooth-nettle			2008	330	102	30.91	92	67	LC	1	0	0.3	1.3
858	91.191	GERANIACEAE	herbs & forbs	G01879	Pelargonium australe	Austral Storks-bill			2006	433	181	41.80	101	38	NE	-1	NE		-1.0
859	91.191	GERANIACEAE	herbs & forbs	S01881	Pelargonium littorale	Native Pelargonium			2007	371	95	25.61	73	66	NE	-1	NE		-1.0
1909	91.032	POLYGONACEAE	shrubs	S01301	Persicaria prostrata	Creeping Knotweed			1998	116	8	6.90	6	2	RA	3	DD	0.0	3.0
1987	91.212	RUTACEAE	shrubs	E01982	Phebalium bullatum	Silvery Phebalium			2008	800	471	58.88	387	201	LC	1	0	0.3	1.3
1461	91.514	ORCHIDACEAE	orchids	Z00771	Pheladenia deformis	Bluebeard Orchid			2004	416	65	15.63	54	25	NT	2	-	0.4	2.4
1988	91.212	RUTACEAE	shrubs	C04013	Philothea angustifolia ssp. angustifolia	Narrow-leaf Wax-flower	R		2007	273	17	6.23	14	6	RA	3	-	0.4	3.4
1989	91.212	RUTACEAE	shrubs	E01974	Philothea linearis	Narrow-leaf Wax-flower			2007	198	145	73.23	113	18	NT	2	0	0.3	2.3
1990	91.212	RUTACEAE	shrubs	G01975	Philothea pungens	Prickly Wax-flower			2003	321	103	32.09	85	49	LC	1	0	0.3	1.3
806	91.139	CRUCIFERAE	herbs & forbs	A01460	Phlegmatospermum cochlearinum	Downy Cress			2008	166	33	19.88	25	7	NT	2	DD	0.0	2.0
807	91.139	CRUCIFERAE	herbs & forbs	C01461	Phlegmatospermum eremaeum	Spreading Cress	R		1981	31	8	25.81	4		EN	5	--	0.5	5.5
808	91.139	CRUCIFERAE	herbs & forbs	E01462	Phlegmatospermum richardsii	Nullarbor Cress	V		1995	5	5	100.00	3	2	VU	4	-	0.4	4.4
1784	91.362	LOGANIACEAE	shrubs	S02461	Phyllangium distylis	Tiny Mitrewort	R		1990	54	1	1.85	1	1	VU	4	DD	0.0	4.0
1785	91.362	LOGANIACEAE	shrubs	Q05584	Phyllangium divergens	Wiry Mitrewort			2007	294	93	31.63	69	54	NT	2	0	0.3	2.3
1786	91.362	LOGANIACEAE	shrubs	S05585	Phyllangium sulcatum		V		1989	15	11	73.33	11	2	EN	5	--	0.5	5.5
837	91.204	EUPHORBIACEAE	herbs & forbs	Q01944	Phyllanthus calycinus	Snowdrop Spurge	R		2006	40	34	85.00	25	17	RA	3	-	0.4	3.4
838	91.204	EUPHORBIACEAE	herbs & forbs	S01945	Phyllanthus fuenrohrii	Sand Spurge			2007	146	20	13.70	16	14	NT	2	0	0.3	2.3
839	91.204	EUPHORBIACEAE	herbs & forbs	W06343	Phyllanthus lacunarius	Lagoon Spurge			2007	77	8	10.39	7	7	NE	-1	NE		-1.0
840	91.204	EUPHORBIACEAE	herbs & forbs	C01949	Phyllanthus saxosus	Rock Spurge			2006	126	9	7.14	7	5	RA	3	0	0.3	3.3
497	72.001	LYCOPODIACEAE	fern	M00022	Phylloglossum drummondii	Pigmy Clubmoss	R		2007	46	1	2.17	1	1	VU	4	DD	0.0	4.0
1223	91.182	LEGUMINOSAE	legumes	E01738	Phyllota remota	Slender Phyllota			1998	166	36	21.69	30	16	NT	2	0	0.3	2.3
391	91.435	COMPOSITAE	daisies	A03548	Picris angustifolia ssp. angustifolia	Coast Picris			1999	100	14	14.00	10	4	RA	3	-	0.4	3.4
10	74.04	MARSILEACEAE	aquatic	M00074	Pilularia novae-hollandiae	Austral Pillwort	R		1996	18	1	5.56	1	1	EN	5	-	0.4	5.4
2072	91.276	THYMELAEACEAE	shrubs	U03782	Pimelea flava ssp. dichotoma	Diosma Riceflower			2007	761	372	48.88	276	172	LC	1	0	0.3	1.3

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREY	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
2073	91.276	THYMELAEACEAE	shrubs	Q02128	Pimelea glauca	Smooth Riceflower			2007	1259	239	18.98	196	96	LC	1	0	0.3	1.3
2075	91.276	THYMELAEACEAE	shrubs	M02274	Pimelea imbricata var. petraea	Rock Woolly Riceflower			1999	85	34	40.00	32	5	NT	2	0	0.3	2.3
2077	91.276	THYMELAEACEAE	shrubs	Q03772	Pimelea micrantha	Silky Riceflower			2008	337	75	22.26	58	42	NT	2	0	0.3	2.3
2078	91.276	THYMELAEACEAE	shrubs	M02134	Pimelea microcephala ssp. microcephala	Shrubby Riceflower			2008	934	356	38.12	293	124	LC	1	0	0.3	1.3
2079	91.276	THYMELAEACEAE	shrubs	Z02135	Pimelea octophylla	Woolly Riceflower			2007	820	87	10.61	75	28	NT	2	0	0.3	2.3
2081	91.276	THYMELAEACEAE	shrubs	U02138	Pimelea petrophila	Rock Riceflower			2001	213	59	27.70	48	7	RA	3	-	0.4	3.4
2082	91.276	THYMELAEACEAE	shrubs	W02139	Pimelea phyllicoides	Heath Riceflower			1991	396	7	1.77	7	2	EN	5	-	0.4	5.4
2083	91.276	THYMELAEACEAE	shrubs	Y02140	Pimelea serpyllifolia ssp. serpyllifolia	Thyme Riceflower			2008	1387	357	25.74	290	183	LC	1	0	0.3	1.3
2084	91.276	THYMELAEACEAE	shrubs	C03777	Pimelea simplex ssp. continua	Desert Riceflower			2005	115	9	7.83	9	6	NT	2	0	0.3	2.3
2085	91.276	THYMELAEACEAE	shrubs	K02141	Pimelea simplex ssp. simplex	Desert Riceflower			2007	438	146	33.33	117	37	LC	1	0	0.3	1.3
2086	91.276	THYMELAEACEAE	shrubs	M02142	Pimelea stricta	Erect Riceflower			2005	854	120	14.05	99	41	NT	2	0	0.3	2.3
2087	91.276	THYMELAEACEAE	shrubs	Y05116	Pimelea subvillifera	Silky Riceflower			2001	39	36	92.31	30	10	RA	3	-	0.4	3.4
2088	91.276	THYMELAEACEAE	shrubs	Z02143	Pimelea trichostachya	Spiked Riceflower			2007	182	35	19.23	33	10	RA	3	-	0.4	3.4
2089	91.276	THYMELAEACEAE	shrubs	S02145	Pimelea williamsonii	Williamsons Riceflower		R	2001	47	24	51.06	18	5	VU	4	0	0.3	4.3
1897	91.173	PITTIOSPORACEAE	shrubs	A01508	Pittosporum angustifolium	Native Apricot			2008	2999	1357	45.25	1139	674	LC	1	0	0.3	1.3
1898	91.173	PITTIOSPORACEAE	shrubs	G05839	Pittosporum ligustrifolium				2005	4	3	75.00	1	1	NE	-1	NE	-1.0	-1.0
1053	91.385	VERBENACEAE	herbs & forbs	Z30091	Pityrodia loricata				2006	1	1	100.00	1	1	RA	3	DD	0.0	3.0
717	91.381	BORAGINACEAE	herbs & forbs	M02566	Plagiobothrys plurisepaleus	White Rochelia			2001	209	26	12.44	24	4	NT	2	0	0.3	2.3
940	91.417	PLANTAGINACEAE	herbs & forbs	Z02815	Plantago drummondii	Dark Plantain			2008	1031	243	23.57	198	119	LC	1	0	0.3	1.3
941	91.417	PLANTAGINACEAE	herbs & forbs	Q02816	Plantago gaudichaudii	Narrow-leaf Plantain			2007	271	12	4.43	7	4	RA	3	-	0.4	3.4
942	91.417	PLANTAGINACEAE	herbs & forbs	S02817	Plantago hispida	Hairy Plantain			2007	275	48	17.45	33	22	RA	3	-	0.4	3.4
943	91.417	PLANTAGINACEAE	herbs & forbs	W04515	Plantago sp. A (A.C.Robinson 704)	Pearson Island Plantain		R	1999	1	1	100.00	1	1	NE	-1	NE	-1.0	-1.0
944	91.417	PLANTAGINACEAE	herbs & forbs	A04516	Plantago sp. B (R.Bates 44765)	Little Plantain			2007	296	161	54.39	129	128	NT	2	0	0.3	2.3
945	91.417	PLANTAGINACEAE	herbs & forbs	G02803	Plantago turrifera	Crowned Plantain			2000	63	6	9.52	6	4	RA	3	DD	0.0	3.0
946	91.417	PLANTAGINACEAE	herbs & forbs	K02821	Plantago varia	Variable Plantain			2007	175	17	9.71	15	8	RA	3	DD	0.0	3.0
1041	91.339	UMBELLIFERAE	herbs & forbs	K02389	Platysace heterophylla var. heterophylla	Slender Platysace			2004	354	81	22.88	62	41	NT	2	0	0.3	2.3
392	91.435	COMPOSITAE	daisies	U03034	Pleuropappus phyllocalymmeus	Silver Candles		VU	2001	62	39	62.90	33	14	VU	4	0	0.3	4.3
493	74.029	ASPLENIACEAE	fern	Y03876	Pleurosorus rutifolius	Blanket Fern			2005	449	51	11.36	43	14	NT	2	0	0.3	2.3
494	74.029	ASPLENIACEAE	fern	A00052	Pleurosorus subglandulosus	Clubbed Blanket Fern			1987	38	12	31.58	10		RA	3	DD	0.0	3.0
394	91.435	COMPOSITAE	daisies	C03273	Pluchea rubelliflora				1998	69	2	2.90	2	2	RA	3	DD	0.0	3.0
635	91.495	GRAMINEAE	grass	S00245	Poa clelandii	Matted Tussock-grass			1999	535	24	4.49	14	13	VU	4	-	0.4	4.4
636	91.495	GRAMINEAE	grass	U00246	Poa crassicaudex	Thick-stem Tussock-grass			1998	713	34	4.77	22	16	NT	2	-	0.4	2.4
637	91.495	GRAMINEAE	grass	W00247	Poa drummondiana	Knotted Poa		R	2007	79	44	55.70	32	17	RA	3	0	0.3	3.3
638	91.495	GRAMINEAE	grass	A00248	Poa fax	Scaly Poa		R	2005	100	48	48.00	35	23	RA	3	-	0.4	3.4
639	91.495	GRAMINEAE	grass	C00249	Poa fordeana	Fordes Poa				52	3	5.77	3		VU	4	-	0.4	4.4
640	91.495	GRAMINEAE	grass	Z00251	Poa labillardieri var. labillardieri	Common Tussock-grass			1998	385	35	9.09	25	19	RA	3	-	0.4	3.4
641	91.495	GRAMINEAE	grass	M03710	Poa poiformis var. poiformis	Coast Tussock-grass			2007	714	301	42.16	149	35	LC	1	0	0.3	1.3
642	91.495	GRAMINEAE	grass	C00257	Poa tenera	Slender Tussock-grass			2000	123	14	11.38	10	2	RA	3	DD	0.0	3.0
395	91.435	COMPOSITAE	daisies	M03278	Podolepis canescens	Grey Copper-wire Daisy			2007	378	98	25.93	82	30	NT	2	0	0.3	2.3
396	91.435	COMPOSITAE	daisies	Z03279	Podolepis capillaris	Wiry Podolepis			2008	1223	768	62.80	641	362	LC	1	0	0.3	1.3
397	91.435	COMPOSITAE	daisies	K04449	Podolepis davisiana	Button Podolepis			2006	56	31	55.36	28	22	NT	2	0	0.3	2.3
398	91.435	COMPOSITAE	daisies	C03281	Podolepis jaceoides	Showy Copper-wire Daisy		R	2008	150	25	16.67	18	11	RA	3	0	0.3	3.3
399	91.435	COMPOSITAE	daisies	U04126	Podolepis longipedata	Tall Copper-wire Daisy			2004	9	8	88.89	7	2	RA	3	DD	0.0	3.0

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
401	91.435	COMPOSITAE	daisies	A03280	Podolepis rugata var. littoralis	Coast Copper-wire Daisy			2001	103	31	30.10	30	11	RA	3	0	0.3	3.3
402	91.435	COMPOSITAE	daisies	G03283	Podolepis rugata var. rugata	Pleated Copper-wire Daisy			2008	339	115	33.92	98	53	RA	3	0	0.3	3.3
403	91.435	COMPOSITAE	daisies	U04450	Podolepis tepperi	Delicate Copper-wire Daisy			2008	441	249	56.46	204	166	LC	1	0	0.3	1.3
404	91.435	COMPOSITAE	daisies	K03285	Podotheca angustifolia	Sticky Long-heads			2008	1176	544	46.26	461	375	NT	2	0	0.3	2.3
405	91.435	COMPOSITAE	daisies	U01346	Pogonolepis muelleriana	Stiff Cup-flower			2005	557	228	40.93	197	117	NT	2	0	0.3	2.3
406	91.435	COMPOSITAE	daisies	K03233	Polycalymma stuartii	Poached-egg Daisy			2006	933	102	10.93	85	25	LC	1	0	0.3	1.3
1910	91.032	POLYGONACEAE	shrubs	C00989	Polygonum plebeium	Small Knotweed			1998	154	16	10.39	15	7	NT	2	0	0.3	2.3
643	91.495	GRAMINEAE	grass	M05494	Polygogon tenellus		V		1995	5	1	20.00	1	1	VU	4	DD	0.0	4.0
1947	91.263	RHAMNACEAE	shrubs	M02038	Pomaderris flabellaris	Fan Pomaderris			2007	110	110	100.00	84	36	NT	2	-	0.4	2.4
1948	91.263	RHAMNACEAE	shrubs	Z02039	Pomaderris forrestiana		R		2006	34	34	100.00	24	14	LC	1	0	0.3	1.3
1949	91.263	RHAMNACEAE	shrubs	E02042	Pomaderris obcordata	Wedge-leaf Pomaderris			2007	636	202	31.76	162	78	LC	1	0	0.3	1.3
1950	91.263	RHAMNACEAE	shrubs	Y05088	Pomaderris paniculosa ssp. paniculosa	Mallee Pomaderris			2008	708	166	23.45	127	85	NT	2	0	0.3	2.3
1951	91.263	RHAMNACEAE	shrubs	K05089	Pomaderris paniculosa ssp. paralia	Coast Pomaderris			1990	105	9	8.57	8	1	RA	3	0	0.3	3.3
989	91.373	RUBIACEAE	herbs & forbs	Z02515	Pomax umbellata	Pomax			2007	291	124	42.61	100	22	NT	2	-	0.4	2.4
841	91.204	EUPHORBIACEAE	herbs & forbs	M01950	Poranthera huegeli	Heath Poranthera			1993	124	4	3.23	4	1	VU	4	DD	0.0	4.0
842	91.204	EUPHORBIACEAE	herbs & forbs	W30087	Poranthera leiosperma	Small Poranthera			2007	18	10	55.56	9	2	DD	0	DD	0.0	0.0
843	91.204	EUPHORBIACEAE	herbs & forbs	U30086	Poranthera microphylla	Small Poranthera			2008	280	67	23.93	65	46	NT	2	0	0.3	2.3
844	91.204	EUPHORBIACEAE	herbs & forbs	Z01951	Poranthera triandra	Three-petal Poranthera			2008	257	168	65.37	135	117	LC	1	0	0.3	1.3
966	91.042	PORTULACACEAE	herbs & forbs	U01062	Portulaca oleracea	Common Purslane			2007	792	66	8.33	59	55	LC	1	0	0.3	1.3
1517	91.445	POSIDONIACEAE	seagrasses	G04295	Posidonia angustifolia	Narrow-leaf Tapeweed			2002	98	28	28.57	7	2	LC	1	0	0.3	1.3
1518	91.445	POSIDONIACEAE	seagrasses	A00088	Posidonia australis	Southern Tapeweed			1999	233	61	26.18	23	5	LC	1	0	0.3	1.3
1519	91.445	POSIDONIACEAE	seagrasses	Y04296	Posidonia coriacea	Leathery Tapeweed			1980	37	12	32.43	7		LC	1	0	0.3	1.3
1520	91.445	POSIDONIACEAE	seagrasses	K04297	Posidonia denhartogii	Denhartogs Tapeweed			1992	35	8	22.86	4	1	DD	0	DD	0.0	0.0
1521	91.445	POSIDONIACEAE	seagrasses	M04298	Posidonia sinuosa	Narrow-leaf Tapeweed			2006	146	38	26.03	24	6	LC	1	0	0.3	1.3
11	91.444	POTAMOGETONACEAE	aquatic	Q00092	Potamogeton ochreatus	Blunt Pondweed	R		1992	59	2	3.39	2	1	RA	3	DD	0.0	3.0
12	91.444	POTAMOGETONACEAE	aquatic	S00093	Potamogeton pectinatus	Fennel Pondweed			1979	102	4	3.92	3		VU	4	-	0.4	4.4
1462	91.514	ORCHIDACEAE	orchids	S00985	Prasophyllum calcicola	Limestone Leek-orchid	V		2003	25	14	56.00	12	6	VU	4	-	0.4	4.4
1463	91.514	ORCHIDACEAE	orchids	S06289	Prasophyllum catenemum		E		2001	7	7	100.00	7	4	EN	5	-	0.4	5.4
1464	91.514	ORCHIDACEAE	orchids	W30115	Prasophyllum collinum	Scented Leek-orchid			2000	4	4	100.00	4	2	RA	3	DD	0.0	3.0
1465	91.514	ORCHIDACEAE	orchids	Y32044	Prasophyllum constrictum	Tawny Leek-orchid	R		2001	28	2	7.14	2	2	RA	3	DD	0.0	3.0
1466	91.514	ORCHIDACEAE	orchids	A00820	Prasophyllum elatum	Tall Leek-orchid			1998	154	11	7.14	9	5	RA	3	DD	0.0	3.0
1467	91.514	ORCHIDACEAE	orchids	S04397	Prasophyllum fecundum	Self-pollinating Leek-orchid	R		2007	37	33	89.19	27	15	RA	3	-	0.4	3.4
1468	91.514	ORCHIDACEAE	orchids	C00821	Prasophyllum fitzgeraldii	Fitzgeralds Leek-orchid			2004	92	15	16.30	10	6	RA	3	-	0.4	3.4
1469	91.514	ORCHIDACEAE	orchids	G06291	Prasophyllum goldsackii	Goldsacks Leek-orchid	EN	E	2004	17	8	47.06	8	3	EN	5	-	0.4	5.4
1469.1	91.514	ORCHIDACEAE	orchids	Y32052	Prasophyllum laxum										CR	6	-	0.5	6.5
1470	91.514	ORCHIDACEAE	orchids	Q05188	Prasophyllum occidentale	Plains Leek-orchid			2004	137	39	28.47	29	19	RA	3	-	0.4	3.4
1471	91.514	ORCHIDACEAE	orchids	A04400	Prasophyllum occultans	Hidden Leek-orchid	R		2001	30	10	33.33	7	7	VU	4	-	0.4	4.4
1472	91.514	ORCHIDACEAE	orchids	A30116	Prasophyllum odoratum	Scented Leek-orchid			2004	159	15	9.43	14	7	LC	1	-	0.4	1.4
1473	91.514	ORCHIDACEAE	orchids	C30117	Prasophyllum praecox	Scented Leek-orchid			1925	8	1	12.50	1		DD	0	DD	0.0	0.0
1473.1	91.514	ORCHIDACEAE	orchids		Prasophyllum sp Desert										DD	0	DD	0.0	0.0
1474	91.514	ORCHIDACEAE	orchids	Z06287	Prasophyllum sp. Coast sandhills (Hj.Eichler 14100)	Scented Leek-orchid			2005	7	1	14.29	1	1	DD	0	DD	0.0	0.0
1475	91.514	ORCHIDACEAE	orchids	Y06292	Prasophyllum sp. Enigma (R.Bates 2350)	Goldsacks Leek-orchid	E		2004	2	2	100.00	1	1	EN	5	-	0.4	5.4
1752	91.392	LABIATAE	shrubs	M04378	Prostanthera althoferi ssp. longifolia				2006	82	59	71.95	47	12	RA	3	-	0.4	3.4

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
1753	91.392	LABIATAE	shrubs	G04251	Prostanthera ammphila	Sand Mintbush			2008	61	61	100.00	52	23	NT	2	-	0.4	2.4
1754	91.392	LABIATAE	shrubs	S02613	Prostanthera aspalathoides	Scarlet Mintbush			2008	474	126	26.58	108	62	NT	2	-	0.4	2.4
1756	91.392	LABIATAE	shrubs	A02616	Prostanthera calycina	West Coast Mintbush	VU	V	2008	102	102	100.00	80	50	VU	4	-	0.4	4.4
1757	91.392	LABIATAE	shrubs	C02617	Prostanthera chlorantha	Green Mintbush		R	1993	135	3	2.22	2	1	EN	5	-	0.4	5.4
1758	91.392	LABIATAE	shrubs	G04103	Prostanthera florifera	Gawler Ranges Mintbush			2007	105	105	100.00	89	17	RA	3	-	0.4	3.4
1759	91.392	LABIATAE	shrubs	U04354	Prostanthera sericea	Silky Mintbush			2007	49	45	91.84	41	20	NT	2	0	0.3	2.3
1760	91.392	LABIATAE	shrubs	Y04104	Prostanthera serpyllifolia ssp. microphylla	Small-leaf Mintbush			2007	423	263	62.17	220	95	NT	2	-	0.4	2.4
1761	91.392	LABIATAE	shrubs	K05433	Prostanthera serpyllifolia ssp. microphylla (purplish-green)	Small-leaf Mintbush			2003	29	26	89.66	26	25	NE	-1	NE		-1.0
1762	91.392	LABIATAE	shrubs	Y05432	Prostanthera serpyllifolia ssp. microphylla (red flowers)	Kangaroo Island Mintbush			2003	10	9	90.00	9	9	NE	-1	NE		-1.0
1763	91.392	LABIATAE	shrubs	W02623	Prostanthera serpyllifolia ssp. serpyllifolia	Thyme Mintbush			2007	253	187	73.91	161	102	NT	2	0	0.3	2.3
1764	91.392	LABIATAE	shrubs	E05430	Prostanthera serpyllifolia ssp. serpyllifolia (purplish-green)	Thyme Mintbush			2002	6	5	83.33	5	4	NE	-1	NE		-1.0
1765	91.392	LABIATAE	shrubs	S05429	Prostanthera serpyllifolia ssp. serpyllifolia (red flowers)	Thyme Mintbush			2003	43	43	100.00	39	39	NE	-1	NE		-1.0
1766	91.392	LABIATAE	shrubs	A02624	Prostanthera spinosa	Spiny Mintbush			2007	305	59	19.34	42	13	RA	3	-	0.4	3.4
1767	91.392	LABIATAE	shrubs	C02625	Prostanthera striatiflora	Striated Mintbush			2007	630	99	15.71	81	13	NT	2	-	0.4	2.4
1768	91.392	LABIATAE	shrubs	E02626	Prostanthera wilkieana				2007	48	24	50.00	21	14	NT	2	0	0.3	2.3
407	91.435	COMPOSITAE	daisies	W04003	Pseudognaphalium luteoalbum	Jersey Cudweed			2007	720	126	17.50	77	26	LC	1	0	0.3	1.3
990	91.373	RUBIACEAE	herbs & forbs	Q02496	Psychdrax suaveolens	Narrow-leaf Native Currant			2005	13	3	23.08	3	2	RA	3	DD	0.0	3.0
495	74.015	DENNSTAEDTIACEAE	fern	C00061	Pteridium esculentum	Bracken Fern			1988	1163	3	0.26	3	3	RA	3	DD	0.0	3.0
500	74.023	PTERIDACEAE	fern	G00063	Pteris tremula	Tender Brake		R	2002	53	10	18.87	4	1	RA	3	DD	0.0	3.0
408	91.435	COMPOSITAE	daisies	E03290	Pterocaulon sphacelatum	Apple-bush			2007	617	8	1.30	7	6	RA	3	0	0.3	3.3
1476	91.514	ORCHIDACEAE	orchids	Q05460	Pterostylis "Mt Olinthus"	Mt Olinthus Greenhood			2000	1	1	100.00	1	1	CR	6	DD	0.0	6.0
1477	91.514	ORCHIDACEAE	orchids	A05464	Pterostylis aff. nana "mallee"	Mallee Dwarf Greenhood			2004	8	1	12.50	1	1	RA	3	DD	0.0	3.0
1478	91.514	ORCHIDACEAE	orchids	A32068	Pterostylis biseta	Two-bristle Greenhood			1999	82	12	14.63	12	12	RA	3	DD	0.0	3.0
1479	91.514	ORCHIDACEAE	orchids	G05191	Pterostylis boormanii	Boormans Greenhood			2003	56	29	51.79	20	14	RA	3	DD	0.0	3.0
1480	91.514	ORCHIDACEAE	orchids	Q00836	Pterostylis cynocephala	Swan-head Greenhood			2005	66	13	19.70	10	7	NE	-1	NE		-1.0
1481	91.514	ORCHIDACEAE	orchids	M04406	Pterostylis dolichochoila	Mallee Shell-orchid			2003	124	16	12.90	12	8	NT	2	-	0.4	2.4
1482	91.514	ORCHIDACEAE	orchids	Z04407	Pterostylis erythroconcha	Red Shell-orchid			2004	52	15	28.85	11	10	RA	3	DD	0.0	3.0
1483	91.514	ORCHIDACEAE	orchids	U06174	Pterostylis excelsa	Dryland Greenhood			2001	73	61	83.56	56	53	LC	1	0	0.3	1.3
1484	91.514	ORCHIDACEAE	orchids	U05746	Pterostylis flavoviens	Tall Greenhood			2004	3	3	100.00	3	3	LC	1	0	0.3	1.3
1485	91.514	ORCHIDACEAE	orchids	M00842	Pterostylis mutica	Midget Greenhood			2008	362	237	65.47	183	171	NT	2	0	0.3	2.3
1486	91.514	ORCHIDACEAE	orchids	Z00843	Pterostylis nana	Dwarf Greenhood			2007	847	102	12.04	78	50	NT	2	-	0.4	2.4
1487	91.514	ORCHIDACEAE	orchids	G04411	Pterostylis ovata	Gawler Ranges Greenhood			1993	27	27	100.00	25	3	NT	2	0	0.3	2.3
1488	91.514	ORCHIDACEAE	orchids	W00847	Pterostylis pedunculata	Maroon-hood			2001	282	1	0.35	1	1	EN	5	DD	0.0	5.0
1489	91.514	ORCHIDACEAE	orchids	A00848	Pterostylis plumosa	Bearded Greenhood			2007	235	75	31.91	61	46	NT	2	-	0.4	2.4
1491	91.514	ORCHIDACEAE	orchids	A03960	Pterostylis pusilla	Small Rusty-hood			2003	206	127	61.65	89	71	LC	1	0	0.3	1.3
1492	91.514	ORCHIDACEAE	orchids	S03669	Pterostylis robusta	Large Shell-orchid			2003	268	10	3.73	10	3	RA	3	-	0.4	3.4
1493	91.514	ORCHIDACEAE	orchids	G05087	Pterostylis sanguinea	Blood Greenhood			2007	471	113	23.99	94	53	LC	1	0	0.3	1.3
1495	91.514	ORCHIDACEAE	orchids	K04405	Pterostylis sp. Eyre Peninsula (R.Bates 19474)	Lowly Greenhood	VU	V*	2000	6	6	100.00	6	3	EN	5	-	0.4	5.4
1496	91.514	ORCHIDACEAE	orchids	G06339	Pterostylis sp. Triloba (pl.191, Bates & Weber 1990)			E*	1970	1	1	100.00	1	1	NE	-1	NE		-1.0
1497	91.514	ORCHIDACEAE	orchids	W32067	Pterostylis viriosa				2004	22	2	9.09	2	2	EN	5	--	0.5	5.5
1498	91.514	ORCHIDACEAE	orchids	K04413	Pterostylis xerophila	Desert Greenhood	VU	V	2004	9	6	66.67	6	4	VU	4	-	0.4	4.4
686	91.049	AMARANTHACEAE	herbs & forbs	C01293	Ptilotus beckerianus	Ironstone Mulla Mulla	VU	V	2007	117	53	45.30	38	22	VU	4	-	0.4	4.4
687	91.049	AMARANTHACEAE	herbs & forbs	G01295	Ptilotus decipiens				1993	85	11	12.94	10	4	RA	3	DD	0.0	3.0

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
688	91.049	AMARANTHACEAE	herbs & forbs	M01298	Ptilotus exaltatus var. exaltatus	Pink Mulla Mulla			2007	452	195	43.14	169	80	LC	1	0	0.3	1.3
689	91.049	AMARANTHACEAE	herbs & forbs	Z01299	Ptilotus gaudichaudii var. gaudichaudii	Paper Fox-tail			2007	195	90	46.15	77	25	NT	2	0	0.3	2.3
690	91.049	AMARANTHACEAE	herbs & forbs	Y01940	Ptilotus gaudichaudii var. parviflorus	Paper Fox-tail			1987	8	1	12.50	1		NE	-1	NE		-1.0
691	91.049	AMARANTHACEAE	herbs & forbs	U02014	Ptilotus nobilis var. nobilis	Yellow-tails			2007	245	30	12.24	27	7	RA	3	DD	0.0	3.0
693	91.049	AMARANTHACEAE	herbs & forbs	G03451	Ptilotus obovatus var. griseus	Silver Mulla Mulla			1980	27	1	3.70	1		NE	-1	NE		-1.0
694	91.049	AMARANTHACEAE	herbs & forbs	Y01308	Ptilotus obovatus var. obovatus	Silver Mulla Mulla			2008	1929	752	38.98	638	317	LC	1	0	0.3	1.3
695	91.049	AMARANTHACEAE	herbs & forbs	M04918	Ptilotus polystachyus var. polystachyus	Long-tails			2007	593	218	36.76	181	88	NT	2	0	0.3	2.3
696	91.049	AMARANTHACEAE	herbs & forbs	C01313	Ptilotus seminudus	Rabbit-tails			2008	445	273	61.35	234	193	LC	1	0	0.3	1.3
697	91.049	AMARANTHACEAE	herbs & forbs	A01292	Ptilotus sessilifolius var. sessilifolius	Crimson-tails			2006	444	76	17.12	69	27	NT	2	0	0.3	2.3
699	91.049	AMARANTHACEAE	herbs & forbs	W02667	Ptilotus spathulatus forma spathulatus	Pussy-tails			2007	916	222	24.24	178	101	LC	1	0	0.3	1.3
700	91.049	AMARANTHACEAE	herbs & forbs	G01315	Ptilotus symonii		R		2001	7	7	100.00	5	3	RA	3	0	0.3	3.3
644	91.495	GRAMINEAE	grass	S00261	Puccinellia stricta var. stricta	Australian Saltmarsh-grass			1999	76	12	15.79	9	8	RA	3	0	0.3	3.3
1225	91.182	LEGUMINOSAE	legumes	G01747	Pultenaea acerosa	Bristly Bush-pea			2007	799	137	17.15	101	39	NT	2	0	0.3	2.3
1228	91.182	LEGUMINOSAE	legumes	U01750	Pultenaea densifolia	Dense Bush-pea			2001	270	48	17.78	41	25	NT	2	0	0.3	2.3
1229	91.182	LEGUMINOSAE	legumes	Y01676	Pultenaea elachista	Limestone Bush-pea			2005	123	121	98.37	105	78	NT	2	0	0.3	2.3
1234	91.182	LEGUMINOSAE	legumes	A01752	Pultenaea pedunculata	Matted Bush-pea			2007	364	45	12.36	31	13	RA	3	-	0.4	3.4
1237	91.182	LEGUMINOSAE	legumes	K01765	Pultenaea tenuifolia	Narrow-leaf Bush-pea			2007	1405	390	27.76	298	168	NE	-1	NE		-1.0
1238	91.182	LEGUMINOSAE	legumes	M01766	Pultenaea teretifolia var. teretifolia	Terete-leaf Bush-pea			2007	62	62	100.00	48	36	NE	-1	NE		-1.0
1239	91.182	LEGUMINOSAE	legumes	Z01767	Pultenaea trichophylla	Tufted Bush-pea	VU	R	2005	47	47	100.00	30	23	RA	3	0	0.3	3.3
1241	91.182	LEGUMINOSAE	legumes	S01769	Pultenaea trinervis	Three-nerve Bush-pea			2007	422	107	25.36	73	34	NT	2	0	0.3	2.3
1242	91.182	LEGUMINOSAE	legumes	A06168	Pultenaea vestita	Feather Bush-pea			2004	42	11	26.19	11	5	RA	3	0	0.3	3.3
410	91.435	COMPOSITAE	daisies	A03052	Pycnosorus pleiocephalus	Soft Billy-buttons			2007	614	145	23.62	130	42	LC	1	0	0.3	1.3
1499	91.514	ORCHIDACEAE	orchids	K00809	Pyrorchis nigricans	Black Fire-orchid			2007	670	76	11.34	59	40	NT	2	0	0.3	2.3
411	91.435	COMPOSITAE	daisies	G03291	Quinetia urvillei	Quinetia			2007	119	47	39.50	38	21	RA	3	-	0.4	3.4
1812	91.269	MALVACEAE	shrubs	G02095	Radyera farragei	Desert Rose Mallow			2008	92	30	32.61	29	8	RA	3	DD	0.0	3.0
969	91.08	RANUNCULACEAE	herbs & forbs	S01329	Ranunculus hamatosetosus	Hill Buttercup			2007	217	16	7.37	13	4	LC	1	0	0.3	1.3
970	91.08	RANUNCULACEAE	herbs & forbs	G01331	Ranunculus lappaceus	Native Buttercup			2005	293	12	4.10	8	5	RA	3	-	0.4	3.4
971	91.08	RANUNCULACEAE	herbs & forbs	M01334	Ranunculus pentandrus var. platycarpus	Smooth Buttercup			2001	137	9	6.57	9	4	NT	2	0	0.3	2.3
972	91.08	RANUNCULACEAE	herbs & forbs	Z01335	Ranunculus pumilio var. pumilio	Ferny Buttercup			1992	86	1	1.16	1	1	RA	3	DD	0.0	3.0
973	91.08	RANUNCULACEAE	herbs & forbs	Z03755	Ranunculus sessiliflorus var. pilulifer	Annual Buttercup		V	1972	24	1	4.17	1		VU	4	DD	0.0	4.0
974	91.08	RANUNCULACEAE	herbs & forbs	W01339	Ranunculus sessiliflorus var. sessiliflorus	Annual Buttercup			2004	259	35	13.51	30	17	RA	3	-	0.4	3.4
156	91.047	CHENOPODIACEAE	chenopods	E03998	Rhagodia candolleana ssp. argentea	Silver Sea-berry Saltbush			2006	15	15	100.00	12	7	NT	2	0	0.3	2.3
157	91.047	CHENOPODIACEAE	chenopods	C03477	Rhagodia candolleana ssp. candolleana	Sea-berry Saltbush			2008	1973	936	47.44	514	269	NT	2	0	0.3	2.3
158	91.047	CHENOPODIACEAE	chenopods	S01221	Rhagodia crassifolia	Fleshy Saltbush			2008	1607	1123	69.88	827	578	LC	1	0	0.3	1.3
159	91.047	CHENOPODIACEAE	chenopods	Q01220	Rhagodia drummondii	Drummonds Saltbush			1980	5	5	100.00	5		RA	3	DD	0.0	3.0
160	91.047	CHENOPODIACEAE	chenopods	G03999	Rhagodia eremaea	Desert Saltbush			2006	312	41	13.14	36	29	NT	2	0	0.3	2.3
161	91.047	CHENOPODIACEAE	chenopods	S01505	Rhagodia parabolica	Mealy Saltbush			2008	1517	381	25.12	312	178	NT	2	0	0.3	2.3
162	91.047	CHENOPODIACEAE	chenopods	U01506	Rhagodia preissii ssp. preissii	Mallee Saltbush			2008	797	625	78.42	505	326	LC	1	0	0.3	1.3
163	91.047	CHENOPODIACEAE	chenopods	W01507	Rhagodia spinescens	Spiny Saltbush			2008	2340	497	21.24	398	232	LC	1	0	0.3	1.3
164	91.047	CHENOPODIACEAE	chenopods	Q03500	Rhagodia ulicina	Intricate Saltbush			2008	552	187	33.88	160	77	NT	2	-	0.4	2.4
412	91.435	COMPOSITAE	daisies	C03169	Rhodanthe charsleyae				1998	217	7	3.23	7	2	RA	3	DD	0.0	3.0
413	91.435	COMPOSITAE	daisies	M03170	Rhodanthe chlorocephala ssp. rosea	Western Sunray			2007	35	33	94.29	26	11	RA	3	0	0.3	3.3
414	91.435	COMPOSITAE	daisies	E03354	Rhodanthe citrina	Pale Immortelle			2001	55	17	30.91	14	2	NT	2	0	0.3	2.3

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
415	91.435	COMPOSITAE	daisies	Z03171	Rhodanthe corymbiflora	Paper Everlasting			2007	398	49	12.31	45	12	NT	2	0	0.3	2.3
416	91.435	COMPOSITAE	daisies	U03174	Rhodanthe floribunda	White Everlasting			2007	1318	237	17.98	192	94	LC	1	0	0.3	1.3
417	91.435	COMPOSITAE	daisies	W03175	Rhodanthe haigii	Haigs Everlasting			2008	78	76	97.44	68	21	NT	2	0	0.3	2.3
418	91.435	COMPOSITAE	daisies	E03178	Rhodanthe laevis	Smooth Daisy			2008	170	86	50.59	64	46	NT	2	0	0.3	2.3
419	91.435	COMPOSITAE	daisies	G03179	Rhodanthe microglossa	Clustered Everlasting			2005	581	65	11.19	58	25	LC	1	0	0.3	1.3
420	91.435	COMPOSITAE	daisies	S03181	Rhodanthe moschata	Musk Daisy			2007	869	176	20.25	140	44	LC	1	0	0.3	1.3
421	91.435	COMPOSITAE	daisies	U03182	Rhodanthe oppositifolia ssp. oppositifolia	Twin-leaf Everlasting		V	2000	4	4	100.00	3	2	EN	5	-	0.5	5.5
422	91.435	COMPOSITAE	daisies	W03183	Rhodanthe polygalifolia	Milkwort Everlasting			2007	393	239	60.81	193	71	LC	1	0	0.3	1.3
423	91.435	COMPOSITAE	daisies	C03185	Rhodanthe pygmaea	Pigmy Daisy			2007	1321	275	20.82	231	110	LC	1	0	0.3	1.3
424	91.435	COMPOSITAE	daisies	Y03188	Rhodanthe stricta	Slender Everlasting			2007	745	148	19.87	125	33	NT	2	0	0.3	2.3
425	91.435	COMPOSITAE	daisies	K03189	Rhodanthe stuartiana	Clay Everlasting			2007	205	92	44.88	81	29	NT	2	0	0.3	2.3
426	91.435	COMPOSITAE	daisies	W03191	Rhodanthe tietkensis	Tietkens Daisy			2001	222	39	17.57	23	1	RA	3	-	0.4	3.4
427	91.435	COMPOSITAE	daisies	Z03535	Rhodanthe troedelii	Small Paper-everlasting			1996	106	4	3.77	4	1	RA	3	-	0.4	3.4
428	91.435	COMPOSITAE	daisies	C03193	Rhodanthe uniflora	Woolly Daisy			1998	184	7	3.80	7	7	NT	2	0	0.3	2.3
1641	91.371	ASCLEPIADACEAE	shrubs	W02527	Rhyncharhena linearis	Bush Bean			2007	256	139	54.30	120	80	NT	2	0	0.3	2.3
676	74.018	ACANTHACEAE	herbs & forbs	K04685	Rostellularia adscendens var. pogonanthera	Pink Tongues			1995	171	7	4.09	7	4	LC	1	0	0.3	1.3
2066	91.271	STERCULIACEAE	shrubs	C02121	Rulingia craurophylla			V	2007	14	14	100.00	12	2	VU	4	-	0.4	4.4
2067	91.271	STERCULIACEAE	shrubs	U03414	Rulingia loxophylla	Purar-purarpa			2006	74	1	1.35	1	1	RA	3	0	0.3	3.3
947	91.032	POLYGONACEAE	herbs & forbs	M05566	Rumex brownii	Slender Dock			2005	399	55	13.78	47	13	NT	2	0	0.3	2.3
948	91.032	POLYGONACEAE	herbs & forbs	A00996	Rumex crystallinus	Glistening Dock			2001	126	13	10.32	13	4	RA	3	0	0.3	3.3
949	91.032	POLYGONACEAE	herbs & forbs	Q05840	Rumex dumosus	Wiry Dock		R	1964	55	4	7.27	3		EN	5	-	0.5	5.5
13	91.444	POTAMOGETONACEAE	aquatic	A00096	Ruppia maritima	Sea Tassel			1990	43	2	4.65	2	1	VU	4	DD	0.0	4.0
14	91.444	POTAMOGETONACEAE	aquatic	M04318	Ruppia megacarpa	Widgeon Grass			1977	95	5	5.26	4		RA	3	DD	0.0	3.0
15	91.444	POTAMOGETONACEAE	aquatic	Z04319	Ruppia polycarpa	Widgeon Grass			1979	48	6	12.50	4		RA	3	DD	0.0	3.0
16	91.444	POTAMOGETONACEAE	aquatic	C04321	Ruppia tuberosa	Widgeon Grass			1982	124	15	12.10	10		NT	2	0	0.3	2.3
429	91.435	COMPOSITAE	daisies	K03293	Rutidosis helichrysoides ssp. helichrysoides	Grey Winkwort			2007	378	16	4.23	14	5	NT	2	0	0.3	2.3
734	91.044	CARYOPHYLLACEAE	herbs & forbs	K01085	Sagina maritima	Sea Pearlwort			1997	238	56	23.53	46	27	LC	1	0	0.3	1.3
165	91.047	CHENOPODIACEAE	chenopods	S04565	Salsola tragus	Buckbush			2008	4160	1097	26.37	840	535	LC	1	0	0.3	1.3
17	91.349	PRIMULACEAE	aquatic	S02445	Samolus repens	Creeping Brookweed			2008	909	231	25.41	172	85	LC	1	0	0.3	1.3
2000	91.026	SANTALACEAE	shrubs	U00950	Santalum acuminatum	Quandong			2008	1959	1070	54.62	907	546	LC	1	0	0.3	1.3
2001	91.026	SANTALACEAE	shrubs	W00951	Santalum lanceolatum	Plumbush			2006	808	41	5.07	34	16	NT	2	0	0.3	2.3
2002	91.026	SANTALACEAE	shrubs	A00952	Santalum murrayanum	Bitter Quandong			2008	397	161	40.55	140	75	NT	2	0	0.3	2.3
2003	91.026	SANTALACEAE	shrubs	C00953	Santalum spicatum	Sandalwood		V	2007	309	224	72.49	175	49	VU	4	-	0.4	4.4
166	91.047	CHENOPODIACEAE	chenopods	S01653	Sarcocornia blackiana	Thick-head Samphire			2005	198	67	33.84	54	28	NT	2	0	0.3	2.3
167	91.047	CHENOPODIACEAE	chenopods	E01518	Sarcocornia quinqueflora	Beaded Samphire			2008	640	149	23.28	108	62	NT	2	0	0.3	2.3
1642	91.371	ASCLEPIADACEAE	shrubs	E02490	Sarcostemma viminalis ssp. australe	Caustic Bush			2007	203	33	16.26	31	12	RA	3	0	0.3	3.3
34	91.04	AIZOACEAE	chenopods	E01030	Sarcozona bicarinata	Ridged Noon-flower		V	2006	9	5	55.56	4	2	VU	4	-	0.5	4.5
35	91.04	AIZOACEAE	chenopods	G01031	Sarcozona praecox	Sarcozona			2008	214	149	69.63	118	61	NT	2	0	0.3	2.3
845	91.204	EUPHORBIACEAE	herbs & forbs	S01937	Sauropus rigens	Stiff Spurge			1992	180	1	0.56	1	1	VU	4	DD	0.0	4.0
846	91.204	EUPHORBIACEAE	herbs & forbs	Z03587	Sauropus trachyspermus	Rough-seed Spurge			1989	210	1	0.48	1	1	RA	3	DD	0.0	3.0
1725	91.43	GOODENIACEAE	shrubs	S02905	Scaevola aemula	Fairy Fanflower			2007	249	95	38.15	78	18	NT	2	0	0.3	2.3
1727	91.43	GOODENIACEAE	shrubs	U04494	Scaevola amblyanthera var. centralis				2006	55	10	18.18	7	1	RA	3	DD	0.0	3.0
1728	91.43	GOODENIACEAE	shrubs	A04348	Scaevola angustata	Coast Fanflower			1995	100	11	11.00	11	3	RA	3	0	0.3	3.3

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
1729	91.43	GOODENIACEAE	shrubs	C04349	Scaevola basedowii	Leafless Fanflower			2006	66	21	31.82	21	16	LC	1	0	0.3	1.3
1730	91.43	GOODENIACEAE	shrubs	W02907	Scaevola bursariifolia	Bursaria Fanflower			2008	97	97	100.00	90	56	NT	2	0	0.3	2.3
1731	91.43	GOODENIACEAE	shrubs	C02909	Scaevola collaris				2007	239	73	30.54	52	18	NT	2	0	0.3	2.3
1732	91.43	GOODENIACEAE	shrubs	Y04084	Scaevola collina	Hill Fanflower			2007	84	3	3.57	3	1	RA	3	DD	0.0	3.0
1733	91.43	GOODENIACEAE	shrubs	Z02911	Scaevola crassifolia	Cushion Fanflower			2008	383	154	40.21	135	66	LC	1	0	0.3	1.3
1734	91.43	GOODENIACEAE	shrubs	Q02912	Scaevola depauperata	Skeleton Fanflower			2005	112	15	13.39	14	7	RA	3	DD	0.0	3.0
1735	91.43	GOODENIACEAE	shrubs	W04495	Scaevola humilis	Inland Fanflower			2007	321	101	31.46	87	28	NT	2	0	0.3	2.3
1737	91.43	GOODENIACEAE	shrubs	U02914	Scaevola linearis ssp. linearis	Rough Fanflower			2007	123	114	92.68	88	39	NT	2	0	0.3	2.3
1738	91.43	GOODENIACEAE	shrubs	W02915	Scaevola myrtifolia	Myrtle Fanflower	R		2007	42	39	92.86	34	10	RA	3	-	0.4	3.4
1739	91.43	GOODENIACEAE	shrubs	Z04351	Scaevola parvibarbata	Small-beard Fanflower			2003	380	3	0.79	3	3	RA	3	DD	0.0	3.0
1741	91.43	GOODENIACEAE	shrubs	G02919	Scaevola spinescens	Spiny Fanflower			2008	1203	563	46.80	490	323	LC	1	0	0.3	1.3
809	91.139	CRUCIFERAE	herbs & forbs	S01469	Scambopus curvipes				2001	35	33	94.29	26	4	RA	3	DD	0.0	3.0
847	91.367	GENTIANACEAE	herbs & forbs	U02470	Schenkia australis	Spike Centaury			2002	183	62	33.88	59	54	LC	1	0	0.3	1.3
430	91.435	COMPOSITAE	daisies	M03102	Schoenia ayersii	Ayers Button-daisy			1984	84	4	4.76	4	4	RA	3	DD	0.0	3.0
431	91.435	COMPOSITAE	daisies	A03108	Schoenia cassiniana	Pink Everlasting			2007	238	91	38.24	78	41	NT	2	0	0.3	2.3
432	91.435	COMPOSITAE	daisies	Q03164	Schoenia ramosissima	Dainty Everlasting			1997	165	47	28.48	42	9	NT	2	-	0.4	2.4
1586	91.504	CYPERACEAE	sedges	G00567	Schoenoplectus dissachanthus	Inland Club-rush			2008	36	6	16.67	6	6	RA	3	DD	0.0	3.0
1587	91.504	CYPERACEAE	sedges	G00575	Schoenoplectus litoralis	Shore Club-rush			1997	154	4	2.60	4	2	RA	3	0	0.3	3.3
1588	91.504	CYPERACEAE	sedges	K00569	Schoenoplectus pungens	Spiky Club-rush			2006	192	9	4.69	9	4	RA	3	0	0.3	3.3
1589	91.504	CYPERACEAE	sedges	U00570	Schoenoplectus validus	River Club-rush			1941	183	1	0.55	1	1	DD	0	DD	0.0	0.0
1590	91.504	CYPERACEAE	sedges	U00546	Schoenus apogon	Common Bog-rush			2007	1151	56	4.87	40	29	LC	1	0	0.3	1.3
1591	91.504	CYPERACEAE	sedges	A00548	Schoenus breviculmis	Matted Bog-rush			2007	1204	206	17.11	176	151	LC	1	0	0.3	1.3
1592	91.504	CYPERACEAE	sedges	C00549	Schoenus carsei	Wirry Bog-rush			1995	86	4	4.65	3	1	CR	6	--	0.5	6.5
1593	91.504	CYPERACEAE	sedges	M00550	Schoenus deformis	Small Bog-rush			2004	187	19	10.16	15	11	NT	2	0	0.3	2.3
1594	91.504	CYPERACEAE	sedges	Q00552	Schoenus fluitans	Floating Bog-rush			1997	65	2	3.08	1	1	CR	6	--	0.5	6.5
1595	91.504	CYPERACEAE	sedges	W00547	Schoenus laevigatus		R		2005	94	2	2.13	2	1	EN	5	-	0.4	5.4
1596	91.504	CYPERACEAE	sedges	C00557	Schoenus nanus	Little Bog-rush			2007	190	95	50.00	71	62	NT	2	0	0.3	2.3
1597	91.504	CYPERACEAE	sedges	E00558	Schoenus nitens	Shiny Bog-rush			1999	279	34	12.19	26	13	NT	2	0	0.3	2.3
1598	91.504	CYPERACEAE	sedges	G00559	Schoenus racemosus	Sandhill Bog-rush			2008	227	213	93.83	167	140	LC	1	0	0.3	1.3
1599	91.504	CYPERACEAE	sedges	Q00560	Schoenus sculptus	Gimlet Bog-rush	R		2007	51	28	54.90	24	18	RA	3	-	0.4	3.4
1600	91.504	CYPERACEAE	sedges	S00561	Schoenus subaphyllus	Desert Bog-rush			2008	274	146	53.28	131	101	NT	2	0	0.3	2.3
735	91.044	CARYOPHYLLACEAE	herbs & forbs	Q01088	Scleranthus minusculus	Cushion Knawel			2005	29	15	51.72	11	8	RA	3	DD	0.0	3.0
736	91.044	CARYOPHYLLACEAE	herbs & forbs	S01089	Scleranthus pungens	Prickly Knawel			2006	226	77	34.07	53	22	RA	3	0	0.3	3.3
168	91.047	CHENOPODIACEAE	chenopods	A01224	Scleroblitum atriplicinum	Starry Goosefoot			2007	59	6	10.17	6	2	VU	4	-	0.4	4.4
169	91.047	CHENOPODIACEAE	chenopods	W01231	Sclerolaena bicuspis	Two-spine Bindyi			1992	11	3	27.27	3	1	RA	3	DD	0.0	3.0
170	91.047	CHENOPODIACEAE	chenopods	A01232	Sclerolaena blackiana	Blacks Bindyi	R		2006	101	1	0.99	1	1	RA	3	DD	0.0	3.0
171	91.047	CHENOPODIACEAE	chenopods	Q04864	Sclerolaena brachyptera	Short-wing Bindyi			2007	994	77	7.75	65	19	NT	2	0	0.3	2.3
172	91.047	CHENOPODIACEAE	chenopods	C01233	Sclerolaena brevifolia	Small-leaf Bindyi			2008	147	126	85.71	108	60	NT	2	0	0.3	2.3
174	91.047	CHENOPODIACEAE	chenopods	K03517	Sclerolaena clelandii	Clelands Bindyi			2003	11	3	27.27	3	1	RA	3	DD	0.0	3.0
175	91.047	CHENOPODIACEAE	chenopods	Y01236	Sclerolaena constricta				2006	141	6	4.26	5	4	RA	3	DD	0.0	3.0
176	91.047	CHENOPODIACEAE	chenopods	K01237	Sclerolaena convexula	Tall Bindyi			2005	348	22	6.32	19	13	LC	1	0	0.3	1.3
177	91.047	CHENOPODIACEAE	chenopods	M01238	Sclerolaena costata	Ribbed Bindyi			1987	29	8	27.59	7	7	RA	3	DD	0.0	3.0
178	91.047	CHENOPODIACEAE	chenopods	C03997	Sclerolaena cuneata	Tangled Bindyi			2006	327	35	10.70	25	16	NT	2	0	0.3	2.3

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREY	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
179	91.047	CHENOPODIACEAE	chenopods	A01240	Scleroalaena decurrens	Green Bindyi			2007	276	36	13.04	26	17	NT	2	0	0.3	2.3
180	91.047	CHENOPODIACEAE	chenopods	C04569	Scleroalaena deserticola	Desert Bindyi			2006	28	12	42.86	11	8	NT	2	0	0.3	2.3
181	91.047	CHENOPODIACEAE	chenopods	C01241	Scleroalaena diacantha	Grey Bindyi			2008	2753	834	30.29	680	483	LC	1	0	0.3	1.3
182	91.047	CHENOPODIACEAE	chenopods	E01242	Scleroalaena divaricata	Tangled Bindyi			2007	904	97	10.73	84	44	LC	1	0	0.3	1.3
183	91.047	CHENOPODIACEAE	chenopods	Y01244	Scleroalaena ericantha	Silky Bindyi			2006	286	36	12.59	29	9	NT	2	0	0.3	2.3
184	91.047	CHENOPODIACEAE	chenopods	C05501	Scleroalaena fusiformis		V		1980	2	2	100.00	2		VU	4	DD	0.0	4.0
185	91.047	CHENOPODIACEAE	chenopods	M01246	Scleroalaena holtiana	Holts Bindyi			2007	215	36	16.74	30	29	LC	1	0	0.3	1.3
186	91.047	CHENOPODIACEAE	chenopods	Z01247	Scleroalaena intricata	Tangled Bindyi			2007	866	50	5.77	40	21	NT	2	0	0.3	2.3
187	91.047	CHENOPODIACEAE	chenopods	Q01248	Scleroalaena johnsonii	Johnsons Bindyi			2006	110	18	16.36	18	8	NT	2	0	0.3	2.3
188	91.047	CHENOPODIACEAE	chenopods	E01250	Scleroalaena lanicuspis	Spinach Bindyi			1998	819	38	4.64	29	5	LC	1	0	0.3	1.3
189	91.047	CHENOPODIACEAE	chenopods	G01251	Scleroalaena limbata	Pearl Bindyi			1995	360	2	0.56	2	1	LC	1	0	0.3	1.3
192	91.047	CHENOPODIACEAE	chenopods	M01254	Scleroalaena murrayae	Murrays Bindyi			1927	1	1	100.00	1		RE	7	RE		7.0
193	91.047	CHENOPODIACEAE	chenopods	Q01256	Scleroalaena obliquicuspis	Oblique-spined Bindyi			2008	2515	755	30.02	638	384	LC	1	0	0.3	1.3
194	91.047	CHENOPODIACEAE	chenopods	U01258	Scleroalaena parallellicuspis	Western Bindyi			2007	320	20	6.25	16	10	NT	2	0	0.3	2.3
195	91.047	CHENOPODIACEAE	chenopods	W01259	Scleroalaena parviflora	Small-flower Bindyi			2008	445	245	55.06	218	152	NT	2	0	0.3	2.3
196	91.047	CHENOPODIACEAE	chenopods	Y01260	Scleroalaena patenticuspis	Spear-fruit Bindyi			2008	1034	314	30.37	250	154	LC	1	0	0.3	1.3
197	91.047	CHENOPODIACEAE	chenopods	Y01228	Scleroalaena symoniana	Symons Bindyi		V	2007	25	22	88.00	18	10	VU	4	0	0.3	4.3
198	91.047	CHENOPODIACEAE	chenopods	M01262	Scleroalaena tatei	Tates Bindyi			2007	85	6	7.06	5	3	RA	3	DD	0.0	3.0
200	91.047	CHENOPODIACEAE	chenopods	Q01264	Scleroalaena uniflora	Small-spine Bindyi			2008	952	610	64.08	420	232	LC	1	0	0.3	1.3
201	91.047	CHENOPODIACEAE	chenopods	S01265	Scleroalaena ventricosa	Salt Bindyi			2007	699	102	14.59	75	46	LC	1	0	0.3	1.3
848	91.367	GENTIANACEAE	herbs & forbs	E02474	Sebaea albidiflora	White Sebaea			2006	38	2	5.26	2	1	VU	4	-	0.4	4.4
849	91.367	GENTIANACEAE	herbs & forbs	G02475	Sebaea ovata	Yellow Sebaea			2003	374	86	22.99	72	57	NT	2	0	0.3	2.3
1742	91.43	GOODENIACEAE	shrubs	Q02920	Selliera radicans	Shiny Swamp-mat			2005	232	15	6.47	11	8	RA	3	-	0.4	3.4
436	91.435	COMPOSITAE	daisies	Z06015	Senecio dolichocephalus	Woodland Groundsel			1985	51	3	5.88	3		NE	-1	NE		-1.0
437	91.435	COMPOSITAE	daisies	Q04476	Senecio gawlerensis	Gawler Ranges Groundsel			2008	134	130	97.01	100	17	RA	3	-	0.4	3.4
439	91.435	COMPOSITAE	daisies	C05773	Senecio glomeratus ssp. longifructus	Swamp Groundsel			1983	55	4	7.27	4		EN	5	--	0.5	5.5
440	91.435	COMPOSITAE	daisies	S06297	Senecio glossanthus	Annual Groundsel			2008	748	333	44.52	291	178	LC	1	0	0.3	1.3
441	91.435	COMPOSITAE	daisies	K03305	Senecio gregorii	Fleshy Groundsel			2007	749	129	17.22	101	33	NT	2	0	0.3	2.3
442	91.435	COMPOSITAE	daisies	S03309	Senecio laceratus	Cut-leaf Groundsel			2005	59	5	8.47	4	2	RA	3	DD	0.0	3.0
443	91.435	COMPOSITAE	daisies	E32086	Senecio lacustrinus				2006	110	43	39.09	39	5	NE	-1	NE		-1.0
444	91.435	COMPOSITAE	daisies	K03313	Senecio magnificus	Showy Groundsel			2001	821	19	2.31	16	3	RA	3	DD	0.0	3.0
446	91.435	COMPOSITAE	daisies	U05826	Senecio odoratus	Scented Groundsel			2006	54	3	5.56	2	1	RA	3	0	0.3	3.3
447	91.435	COMPOSITAE	daisies	M06014	Senecio phelleus	Woodland Groundsel			1985	94	3	3.19	3		NE	-1	NE		-1.0
448	91.435	COMPOSITAE	daisies	C04429	Senecio picridioides	Purple-leaf Groundsel			2007	455	46	10.11	39	18	NT	2	-	0.4	2.4
450	91.435	COMPOSITAE	daisies	S32081	Senecio pinnatifolius var. maritimus	Variable Groundsel			1989	112	25	22.32	23	2	LC	1	0	0.3	1.3
451	91.435	COMPOSITAE	daisies	K03321	Senecio quadridentatus	Cotton Groundsel			2005	1238	138	11.15	114	55	LC	1	0	0.3	1.3
452	91.435	COMPOSITAE	daisies	M03322	Senecio runcinifolius	Thistle-leaf Groundsel			2005	99	5	5.05	5	5	RA	3	DD	0.0	3.0
453	91.435	COMPOSITAE	daisies	C06301	Senecio serratifolius ssp. serratifolius				1989	7	5	71.43	5	1	NE	-1	NE		-1.0
454	91.435	COMPOSITAE	daisies	W32083	Senecio spanomerus				2000	496	139	28.02	118	7	LC	1	0	0.3	1.3
1243	91.182	LEGUMINOSAE	legumes	A05244	Senna artemisioides ssp. alicia	Desert Senna			2003	95	2	2.11	2	2	RA	3	DD	0.0	3.0
1244	91.182	LEGUMINOSAE	legumes	M01642	Senna artemisioides ssp. artemisioides	Silver Senna			2008	1346	275	20.43	234	87	LC	1	0	0.3	1.3
1247	91.182	LEGUMINOSAE	legumes	Z03287	Senna artemisioides ssp. coriacea	Broad-leaf Desert Senna			2008	2259	677	29.97	605	348	LC	1	0	0.3	1.3
1248	91.182	LEGUMINOSAE	legumes	C05025	Senna artemisioides ssp. filifolia	Fine-leaf Desert Senna			2007	1050	179	17.05	165	89	LC	1	0	0.3	1.3

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFo_in_WEST_All_(km2)	AoFo_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
1250	91.182	LEGUMINOSAE	legumes	S01645	Senna artemisioides ssp. helmsii	Blunt-leaf Senna			2006	332	19	5.72	16	10	NT	2	0	0.3	2.3
1251	91.182	LEGUMINOSAE	legumes	W01647	Senna artemisioides ssp. oligophylla	Limestone Senna			2007	197	3	1.52	3	2	RA	3	DD	0.0	3.0
1252	91.182	LEGUMINOSAE	legumes	E05598	Senna artemisioides ssp. petiolaris				2008	948	533	56.22	429	213	LC	1	0	0.3	1.3
1254	91.182	LEGUMINOSAE	legumes	K04173	Senna artemisioides ssp. quadrifolia	Four-leaf Desert Senna			2008	189	25	13.23	20	10	RA	3	DD	0.0	3.0
1255	91.182	LEGUMINOSAE	legumes	Z01643	Senna artemisioides ssp. sturtii	Grey Senna			2005	402	44	10.95	42	22	RA	3	0	0.3	3.3
1256	91.182	LEGUMINOSAE	legumes	E03646	Senna artemisioides ssp. zygophylla	Twin-leaf Desert Senna			1987	78	2	2.56	2		RA	3	DD	0.0	3.0
1257	91.182	LEGUMINOSAE	legumes	C05245	Senna cardiosperma ssp. cardiosperma	Curved-leaf Senna			2007	3	3	100.00	3	1	NT	2	DD	0.0	2.0
1258	91.182	LEGUMINOSAE	legumes	M05118	Senna cardiosperma ssp. gawlerensis	Gawler Ranges Senna			2008	382	313	81.94	266	134	NT	2	0	0.3	2.3
1259	91.182	LEGUMINOSAE	legumes	Z05119	Senna cardiosperma ssp. microphylla	Curved-leaf Senna			2006	38	14	36.84	13	5	RA	3	-	0.4	3.4
1260	91.182	LEGUMINOSAE	legumes	C05597	Senna phyllodinea				2006	122	15	12.30	14	6	NT	2	DD	0.0	2.0
1262	91.182	LEGUMINOSAE	legumes	M01650	Senna pleurocarpa var. pleurocarpa	Stripe-pod Senna			2007	299	89	29.77	75	21	NT	2	0	0.3	2.3
645	91.495	GRAMINEAE	grass	S00413	Setaria basiclada				2006	90	31	34.44	28	12	RA	3	0	0.3	3.3
646	91.495	GRAMINEAE	grass	U00414	Setaria clementii	Clements Paspalidium			2007	95	20	21.05	19	13	RA	3	0	0.3	3.3
647	91.495	GRAMINEAE	grass	W00415	Setaria constricta	Knotty-butt Paspalidium			2007	510	89	17.45	78	39	NT	2	0	0.3	2.3
648	91.495	GRAMINEAE	grass	E00426	Setaria dielsii	Diels Pigeon-grass			1989	117	1	0.85	1	1	RA	3	DD	0.0	3.0
649	91.495	GRAMINEAE	grass	A00416	Setaria jubiflora	Warrego Summer-grass			1930	236	3	1.27	1		VU	4	DD	0.0	4.0
650	91.495	GRAMINEAE	grass	W05059	Setaria reflexa				2006	50	13	26.00	13	7	RA	3	DD	0.0	3.0
1813	91.269	MALVACEAE	shrubs	W05279	Sida ammophila	Sand Sida			2007	548	94	17.15	76	39	NT	2	0	0.3	2.3
1814	91.269	MALVACEAE	shrubs	K02097	Sida calyxhymeria	Tall Sida			2006	182	124	68.13	103	35	NT	2	0	0.3	2.3
1815	91.269	MALVACEAE	shrubs	E03866	Sida corrugata var. angustifolia	Grassland Sida			2005	142	11	7.75	10	6	RA	3	-	0.4	3.4
1817	91.269	MALVACEAE	shrubs	Y02108	Sida fibulifera	Pin Sida			2007	1407	107	7.60	94	64	LC	1	0	0.3	1.3
1818	91.269	MALVACEAE	shrubs	K03153	Sida filiformis	Fine Sida			2005	52	5	9.62	4	1	RA	3	DD	0.0	3.0
1819	91.269	MALVACEAE	shrubs	W02103	Sida intricata	Twiggy Sida			2007	562	73	12.99	58	28	NT	2	0	0.3	2.3
1820	91.269	MALVACEAE	shrubs	E04666	Sida petrophila	Rock Sida			2007	1375	116	8.44	105	43	NT	2	0	0.3	2.3
1821	91.269	MALVACEAE	shrubs	A03872	Sida phaeotricha	Hill Sida			1990	168	17	10.12	14	1	VU	4	-	0.4	4.4
1822	91.269	MALVACEAE	shrubs	C02105	Sida sp. B (C.Dunlop 1739)				2002	26	2	7.69	2	2	NE	-1	NE		-1.0
1823	91.269	MALVACEAE	shrubs	Z30111	Sida sp. golden calyces (H.N.Foote 32)				2006	3	3	100.00	3	3	NE	-1	NE		-1.0
1824	91.269	MALVACEAE	shrubs	K05281	Sida sp. L (A.M.Ashby 4202)				2006	12	1	8.33	1	1	NE	-1	NE		-1.0
1825	91.269	MALVACEAE	shrubs	Z05283	Sida sp. R (P.Copley 1390)				2006	12	9	75.00	9	9	NE	-1	NE		-1.0
1826	91.269	MALVACEAE	shrubs	W05595	Sida sp. Rabbit Flat (R.B.Major 158)				2006	11	4	36.36	4	4	NE	-1	NE		-1.0
1827	91.269	MALVACEAE	shrubs	M30110	Sida sp. Wataraka (D.E.Albrecht 8672)				2006	2	1	50.00	1	1	NE	-1	NE		-1.0
1828	91.269	MALVACEAE	shrubs	A04832	Sida spodochroma				2007	156	109	69.87	88	44	NT	2	0	0.3	2.3
1830	91.269	MALVACEAE	shrubs	G02107	Sida trichopoda	High Sida			2007	399	50	12.53	41	31	NT	2	0	0.3	2.3
455	91.435	COMPOSITAE	daisies	U04718	Sigesbeckia australiensis	Australian Sigesbeckia			2000	246	50	20.33	44	10	RA	3	-	0.4	3.4
457	91.435	COMPOSITAE	daisies	M03294	Siloxerus multiflorus	Small Wrinklewort			2007	422	88	20.85	66	43	NT	2	0	0.3	2.3
2037	91.395	SOLANACEAE	shrubs	E15170	Solanum aff. centrale				1989	7	7	100.00	4	1	RA	3	DD	0.0	3.0
2038	91.395	SOLANACEAE	shrubs	W02675	Solanum capsiciforme	Capsicum Kangaroo-apple			2007	92	64	69.57	52	10	NT	2	0	0.3	2.3
2039	91.395	SOLANACEAE	shrubs	G03363	Solanum centrale	Desert Raisin			2006	142	24	16.90	23	16	NT	2	0	0.3	2.3
2041	91.395	SOLANACEAE	shrubs	A02676	Solanum chenopodium	Goosefoot Potato-bush			1992	51	3	5.88	3	2	RA	3	-	0.4	3.4
2042	91.395	SOLANACEAE	shrubs	Y03744	Solanum cleistogamum	Shy Nightshade			2007	84	32	38.10	31	25	NT	2	0	0.3	2.3
2043	91.395	SOLANACEAE	shrubs	E02678	Solanum coactiliferum	Tomato-bush			2008	589	362	61.46	288	98	LC	1	0	0.3	1.3
2044	91.395	SOLANACEAE	shrubs	Q02680	Solanum ellipticum	Velvet Potato-bush			2007	1358	325	23.93	256	95	LC	1	0	0.3	1.3
2045	91.395	SOLANACEAE	shrubs	U02682	Solanum esuriale	Quena			2007	375	15	4.00	13	11	LC	1	0	0.3	1.3

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
2046	91.395	SOLANACEAE	shrubs	W02683	Solanum ferocissimum	Spiny Potato-bush			2002	37	3	8.11	3	3	LC	1	0	0.3	1.3
2047	91.395	SOLANACEAE	shrubs	E02686	Solanum hystrix	Afghan Thistle			2008	84	83	98.81	72	20	LC	1	+	0.2	1.2
2048	91.395	SOLANACEAE	shrubs	G02687	Solanum laciniatum	Cut-leaf Kangaroo-apple			1979	203	5	2.46	4		VU	4	-	0.4	4.4
2049	91.395	SOLANACEAE	shrubs	Y02688	Solanum lacunarium	Lagoon Nightshade			1930	64	2	3.13	2		RA	3	DD	0.0	3.0
2050	91.395	SOLANACEAE	shrubs	K02689	Solanum lasiophyllum	Flannel Bush			1998	65	19	29.23	19	9	NT	2	0	0.3	2.3
2052	91.395	SOLANACEAE	shrubs	E02694	Solanum orbiculatum ssp. orbiculatum	Round-leaf Nightshade			2007	103	65	63.11	62	47	LC	1	0	0.3	1.3
2053	91.395	SOLANACEAE	shrubs	G02695	Solanum petrophilum	Rock Nightshade			2007	968	245	25.31	206	67	LC	1	0	0.3	1.3
2054	91.395	SOLANACEAE	shrubs	Y02696	Solanum quadriloculatum	Plains Nightshade			2007	295	67	22.71	63	42	NT	2	0	0.3	2.3
2055	91.395	SOLANACEAE	shrubs	M02698	Solanum simile	Kangaroo Apple			2006	320	70	21.88	60	21	NT	2	0	0.3	2.3
2056	91.395	SOLANACEAE	shrubs	Q02700	Solanum sturtianum	Sturts Nightshade			2005	619	87	14.05	65	6	LC	1	0	0.3	1.3
2057	91.395	SOLANACEAE	shrubs	S02701	Solanum symonii	Symons Kangaroo-apple			2008	50	47	94.00	36	8	NT	2	0	0.3	2.3
458	91.435	COMPOSITAE	daisies	G03427	Solenogyne dominii	Smooth Solenogyne			1995	141	4	2.84	3	3	VU	4	-	0.4	4.4
459	91.435	COMPOSITAE	daisies	S03333	Sonchus hydrophilus	Native Sow-thistle			2004	213	11	5.16	8	3	RA	3	0	0.3	3.3
747	91.387	CHLOANTHACEAE	herbs & forbs	S02585	Spartothamnella teucriflora	Bead Bush			2005	81	6	7.41	5	1	RA	3	DD	0.0	3.0
737	91.044	CARYOPHYLLACEAE	herbs & forbs	E06274	Spergularia marina	Salt Sand-spurrey			2007	102	22	21.57	19	18	NE	-1	NE		-1.0
1263	91.182	LEGUMINOSAE	legumes	U01778	Sphaerolobium minus	Leafless Globe-pea	R		2007	115	19	16.52	15	7	VU	4	-	0.4	4.4
651	91.495	GRAMINEAE	grass	S05913	Spinifex hirsutus	Rolling Spinifex			2007	37	32	86.49	28	9	LC	1	0	0.3	1.3
652	91.495	GRAMINEAE	grass	Y00372	Sporobolus actinocladius	Ray Grass			2007	532	24	4.51	21	13	NT	2	0	0.3	2.3
653	91.495	GRAMINEAE	grass	Z00375	Sporobolus caroli	Yakka Grass			2005	55	6	10.91	6	3	RA	3	DD	0.0	3.0
654	91.495	GRAMINEAE	grass	S00377	Sporobolus mitchellii	Rat-tail Couch			1998	291	2	0.69	2	1	VU	4	-	0.4	4.4
655	91.495	GRAMINEAE	grass	C05377	Sporobolus virginicus	Salt Couch			2005	433	69	15.94	53	18	LC	1	0	0.3	1.3
1953	91.263	RHAMNACEAE	shrubs	E05490	Spyridium bifidum var. bifidum	Forked Spyridium			2006	272	254	93.38	206	88	NT	2	0	0.3	2.3
1955	91.263	RHAMNACEAE	shrubs	G05491	Spyridium bifidum var. Marble Range (W.R.Barker 7601)	Marble Range Spyridium		V	2004	17	17	100.00	11	4	VU	4	-	0.4	4.4
1956	91.263	RHAMNACEAE	shrubs	Y05336	Spyridium bifidum var. Wanilla (K.Clipstone 88)	Wanilla Spyridium		V	1995	11	11	100.00	9	4	EN	5	--	0.5	5.5
1957	91.263	RHAMNACEAE	shrubs	S02049	Spyridium eriocephalum var. eriocephalum	Heath Spyridium			2001	250	36	14.40	30	21	NT	2	0	0.3	2.3
1958	91.263	RHAMNACEAE	shrubs	S05489	Spyridium erymnocladum	Cloaked Spyridium		V	2006	12	11	91.67	10	4	VU	4	-	0.4	4.4
1960	91.263	RHAMNACEAE	shrubs	G02051	Spyridium leucopogon	Silvery Spyridium		R	2004	54	53	98.15	42	10	NT	2	-	0.4	2.4
1961	91.263	RHAMNACEAE	shrubs	Y02052	Spyridium nitidum	Shining Spyridium			2007	183	63	34.43	51	21	NT	2	-	0.4	2.4
1963	91.263	RHAMNACEAE	shrubs	Z02055	Spyridium phycoides	Narrow-leaf Spyridium			2008	796	352	44.22	270	152	LC	1	0	0.3	1.3
1964	91.263	RHAMNACEAE	shrubs	Q02056	Spyridium spatulatum	Spoon-leaf Spyridium		R	2006	276	66	23.91	46	18	RA	3	-	0.4	3.4
1965	91.263	RHAMNACEAE	shrubs	Q04660	Spyridium subochreatum				1980	234	21	8.97	19		NT	2	0	0.3	2.3
1967	91.263	RHAMNACEAE	shrubs	M03906	Spyridium tricolor	Rusty Spyridium		V	2005	14	11	78.57	10	7	VU	4	0	0.3	4.3
1969	91.263	RHAMNACEAE	shrubs	Y02060	Spyridium vexilliferum var. vexilliferum	Winged Spyridium			2007	310	39	12.58	24	16	LC	1	0	0.3	1.3
1009	91.256	STACKHOUSIACEAE	herbs & forbs	E02026	Stackhousia annua	Annual Candles	VU	V	1995	40	7	17.50	6	3	VU	4	DD	0.0	4.0
1010	91.256	STACKHOUSIACEAE	herbs & forbs	K04025	Stackhousia aspericocca ssp. Cylindrical inflorescence (Bushy Candles			2004	232	31	13.36	17	17	NT	2	0	0.3	2.3
1011	91.256	STACKHOUSIACEAE	herbs & forbs	Z04783	Stackhousia aspericocca ssp. One-sided inflorescence (One-sided Candles			2007	189	45	23.81	32	31	LC	1	0	0.3	1.3
1012	91.256	STACKHOUSIACEAE	herbs & forbs	E03150	Stackhousia clementii	Limestone Candles			2007	51	22	43.14	17	12	NT	2	0	0.3	2.3
1013	91.256	STACKHOUSIACEAE	herbs & forbs	Y02028	Stackhousia megaloptera	Dune Candles			2006	16	10	62.50	9	2	RA	3	DD	0.0	3.0
1014	91.256	STACKHOUSIACEAE	herbs & forbs	K02029	Stackhousia monogyna	Creamy Candles			2007	831	120	14.44	90	74	LC	1	0	0.3	1.3
1015	91.256	STACKHOUSIACEAE	herbs & forbs	E05334	Stackhousia muricata ssp. Annual (W.R.Barker 2172)	Yellow Candles			2005	6	4	66.67	3	2	RA	3	DD	0.0	3.0
1016	91.256	STACKHOUSIACEAE	herbs & forbs	C05333	Stackhousia muricata ssp. Perennial (W.R.Barker 3641)	Yellow Candles			2004	19	18	94.74	9	7	NT	2	DD	0.0	2.0
1017	91.256	STACKHOUSIACEAE	herbs & forbs	Z03411	Stackhousia spatulata	Coast Candles			2006	153	10	6.54	10	5	NT	2	0	0.3	2.3
738	91.044	CARYOPHYLLACEAE	herbs & forbs	M01106	Stellaria filiformis	Thread Starwort			2005	43	28	65.12	21	15	NT	2	-	0.4	2.4

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
1004	91.4	SCROPHULARIACEAE	herbs & forbs	Q02728	Stemodia florulenta	Bluerod			2007	599	44	7.35	40	18	NT	2	0	0.3	2.3
1970	91.263	RHAMNACEAE	shrubs	A02032	Stenanthemum leucophractum	White Cryptandra			2008	751	353	47.00	282	169	NT	2	0	0.3	2.3
1971	91.263	RHAMNACEAE	shrubs	W02059	Stenanthemum notiale ssp. notiale	Trident Spyridium			2001	80	78	97.50	64	47	LC	1	0	0.3	1.3
810	91.139	CRUCIFERAE	herbs & forbs	Z01475	Stenopetalum anfractum	Inland Thread-petal			2006	54	4	7.41	4	3	RA	3	0	0.3	3.3
811	91.139	CRUCIFERAE	herbs & forbs	Z32047	Stenopetalum lineare	Narrow Thread-petal			2008	545	156	28.62	134	53	LC	1	0	0.3	1.3
812	91.139	CRUCIFERAE	herbs & forbs	U01478	Stenopetalum nutans	Nodding Thread-petal			2004	84	3	3.57	3	1	RA	3	DD	0.0	3.0
813	91.139	CRUCIFERAE	herbs & forbs	Q32048	Stenopetalum saxatile	Narrow Thread-petal				2	2	100.00	1	1	NE	-1	NE		-1.0
814	91.139	CRUCIFERAE	herbs & forbs	W01479	Stenopetalum sphaerocarpum	Round-fruit Thread-petal			2007	213	142	66.67	115	74	LC	1	0	0.3	1.3
815	91.139	CRUCIFERAE	herbs & forbs	Y01480	Stenopetalum velutinum	Velvet Thread-petal			2007	197	41	20.81	35	19	LC	1	0	0.3	1.3
460	91.435	COMPOSITAE	daisies	A03336	Streptoglossa adscendens	Desert Daisy			2007	308	5	1.62	5	5	RA	3	DD	0.0	3.0
462	91.435	COMPOSITAE	daisies	E03338	Streptoglossa liatroides	Wertaloona Daisy			2007	164	13	7.93	12	7	NT	2	0	0.3	2.3
463	91.435	COMPOSITAE	daisies	S04045	Stuartina hamata	Prickly Cudweed			1996	27	5	18.52	5	1	RA	3	DD	0.0	3.0
464	91.435	COMPOSITAE	daisies	G03339	Stuartina muelleri	Spoon Cudweed			2004	293	49	16.72	37	20	NT	2	0	0.3	2.3
1020	91.432	STYLIDIACEAE	herbs & forbs	Q05276	Stylidium calcaratum	Spurred Trigger-plant			2001	166	18	10.84	13	8	NT	2	-	0.4	2.4
1021	91.432	STYLIDIACEAE	herbs & forbs	A05828	Stylidium inundatum	Hundreds And Thousands			1996	118	6	5.08	6	2	RA	3	-	0.4	3.4
1022	91.432	STYLIDIACEAE	herbs & forbs	C02933	Stylidium perpusillum	Tiny Trigger-plant			2004	60	1	1.67	1	1	CR	6	-	0.4	6.4
909	91.451	LILIACEAE	herbs & forbs	K00701	Stypandra glauca	Nodding Grass-ily	V		2007	52	52	100.00	28	12	EN	5	-	0.4	5.4
1674	91.346	EPACRIDACEAE	shrubs	Y02440	Styphelia exarrhena	Desert Heath			2000	403	2	0.50	2	1	DD	0	DD	0.0	0.0
202	91.047	CHENOPODIACEAE	chenopods	A01268	Suaeda australis	Austral Seablite			2008	543	104	19.15	75	34	LC	1	0	0.3	1.3
1264	91.182	LEGUMINOSAE	legumes	K01781	Swainsona acuticarinata	Burkes Swainson-pea			1987	40	8	20.00	7	7	VU	4	0	0.3	4.3
1265	91.182	LEGUMINOSAE	legumes	K03789	Swainsona adenophylla	Violet Swainson-pea			2007	74	18	24.32	16	12	NT	2	0	0.3	2.3
1266	91.182	LEGUMINOSAE	legumes	Q03828	Swainsona affinis	Small-leaf Swainson-pea			1997	51	4	7.84	3	1	RA	3	DD	0.0	3.0
1267	91.182	LEGUMINOSAE	legumes	Z01783	Swainsona campestris				1984	29	28	96.55	24		NT	2	DD	0.0	2.0
1268	91.182	LEGUMINOSAE	legumes	Q01784	Swainsona campylantha				2005	275	3	1.09	3	3	RA	3	DD	0.0	3.0
1269	91.182	LEGUMINOSAE	legumes	A20188	Swainsona canescens	Grey Swainson-pea			2007	100	37	37.00	31	9	RA	3	-	0.4	3.4
1270	91.182	LEGUMINOSAE	legumes	U01786	Swainsona colutoides	Bladder Swainson-pea			1992	16	8	50.00	7	1	RA	3	-	0.4	3.4
1271	91.182	LEGUMINOSAE	legumes	W01787	Swainsona dictyocarpa		V		1980	5	4	80.00	3		EN	5	--	0.5	5.5
1272	91.182	LEGUMINOSAE	legumes	E05538	Swainsona disjuncta				1969	13	3	23.08	3		EN	5	--	0.5	5.5
1273	91.182	LEGUMINOSAE	legumes	W05551	Swainsona eremaea				1995	29	2	6.90	2	2	RA	3	DD	0.0	3.0
1274	91.182	LEGUMINOSAE	legumes	C01789	Swainsona flavicarinata	Yellow-keel Swainson-pea			1984	65	3	4.62	2		VU	4	--	0.5	4.5
1275	91.182	LEGUMINOSAE	legumes	U01654	Swainsona formosa	Sturt Pea			2007	207	87	42.03	78	24	LC	1	-	0.4	1.4
1277	91.182	LEGUMINOSAE	legumes	Y15260	Swainsona kingii		V		1980	1	1	100.00	1		VU	4	DD	0.0	4.0
1279	91.182	LEGUMINOSAE	legumes	Q01792	Swainsona lessertiiifolia	Coast Swainson-pea			2006	366	22	6.01	18	9	RA	3	0	0.3	3.3
1280	91.182	LEGUMINOSAE	legumes	S01793	Swainsona microcalyx	Wild Violet	R		2005	34	24	70.59	19	4	RA	3	-	0.4	3.4
1281	91.182	LEGUMINOSAE	legumes	A05552	Swainsona microphylla	Small-leaf Swainson-pea			2006	166	49	29.52	44	11	NT	2	0	0.3	2.3
1282	91.182	LEGUMINOSAE	legumes	E01798	Swainsona oliveri				2005	79	46	58.23	39	11	NT	2	-	0.4	2.4
1283	91.182	LEGUMINOSAE	legumes	G05319	Swainsona oroboides	Variable Swainson-pea			1992	109	14	12.84	14	1	NT	2	DD	0.0	2.0
1284	91.182	LEGUMINOSAE	legumes	Y01800	Swainsona phacoides	Dwarf Swainson-pea			2006	362	36	9.94	30	10	RA	3	0	0.3	3.3
1285	91.182	LEGUMINOSAE	legumes	G05247	Swainsona purpurea	Purple Swainson-pea			2005	99	12	12.12	11	5	RA	3	DD	0.0	3.0
1286	91.182	LEGUMINOSAE	legumes	Z01791	Swainsona pyrophila	Yellow Swainson-pea	VU	R	2000	44	39	88.64	32	15	VU	4	-	0.4	4.4
1287	91.182	LEGUMINOSAE	legumes	E05246	Swainsona stipularis	Orange Swainson-pea			2007	280	60	21.43	48	14	RA	3	-	0.4	3.4
1288	91.182	LEGUMINOSAE	legumes	U05542	Swainsona tenuis				2005	60	21	35.00	19	4	NT	2	-	0.4	2.4
1290	91.182	LEGUMINOSAE	legumes	U01806	Swainsona unifoliolata				2003	13	10	76.92	9	4	RA	3	DD	0.0	3.0

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFo_in_WEST_All_(km2)	AoFo_in_WEST_Recent_(km2)	Overall WEST regional status ABBREY	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
1291	91.182	LEGUMINOSAE	legumes	W01807	Swainsona villosa	Villous Swainson-pea			2007	129	5	3.88	5	4	RA	3	0	0.3	3.3
991	91.373	RUBIACEAE	herbs & forbs	Z06171	Synaptantha tillaeacea var. hispidula				2004	27	4	14.81	4	4	LC	1	0	0.3	1.3
992	91.373	RUBIACEAE	herbs & forbs	M06170	Synaptantha tillaeacea var. tillaeacea				1992	56	3	5.36	3	2	RA	3	0	0.3	3.3
203	91.047	CHENOPODIACEAE	chenopods	S01117	Tecticornia arbuscula	Shrubby Samphire			2008	263	63	23.95	56	43	LC	1	0	0.3	1.3
204	91.047	CHENOPODIACEAE	chenopods	Q03120	Tecticornia disarticulata				2008	110	97	88.18	68	50	NT	2	0	0.3	2.3
205	91.047	CHENOPODIACEAE	chenopods	U01938	Tecticornia flabelliformis	Bead Samphire	VU	V	2007	74	33	44.59	16	12	VU	4	-	0.4	4.4
206	91.047	CHENOPODIACEAE	chenopods	U01118	Tecticornia halocnemoides ssp. halocnemoides	Grey Samphire			2008	345	239	69.28	131	44	NT	2	0	0.3	2.3
207	91.047	CHENOPODIACEAE	chenopods	U03482	Tecticornia halocnemoides ssp. longispicata	Grey Samphire			2005	20	1	5.00	1	1	RA	3	DD	0.0	3.0
208	91.047	CHENOPODIACEAE	chenopods	W01119	Tecticornia indica ssp. bidens	Brown-head Samphire			2006	19	5	26.32	5	5	RA	3	0	0.3	3.3
209	91.047	CHENOPODIACEAE	chenopods	S03481	Tecticornia indica ssp. leiostachya	Brown-head Samphire			2008	269	56	20.82	51	39	NT	2	0	0.3	2.3
210	91.047	CHENOPODIACEAE	chenopods	C02113	Tecticornia lepidosperma		R		2003	10	3	30.00	3	3	RA	3	0	0.3	3.3
211	91.047	CHENOPODIACEAE	chenopods	K02441	Tecticornia lylei	Wiry Samphire			2008	7	7	100.00	6	3	RA	3	0	0.3	3.3
212	91.047	CHENOPODIACEAE	chenopods	S03121	Tecticornia medullosa				1996	84	21	25.00	17	17	LC	1	0	0.3	1.3
213	91.047	CHENOPODIACEAE	chenopods	W32075	Tecticornia moniliformis				2005	1	1	100.00	1	1	RA	3	0	0.3	3.3
214	91.047	CHENOPODIACEAE	chenopods	Y03488	Tecticornia pergranulata ssp. pergranulata	Black-seed Samphire			2008	192	32	16.67	32	31	LC	1	0	0.3	1.3
215	91.047	CHENOPODIACEAE	chenopods	A03116	Tecticornia pruinosa	Bluish Samphire			2008	14	10	71.43	10	7	NT	2	0	0.3	2.3
216	91.047	CHENOPODIACEAE	chenopods	C03117	Tecticornia pterygosperma ssp. pterygosperma	Winged-seed Samphire			2008	25	21	84.00	19	18	DD	0	0	0.3	0.3
217	91.047	CHENOPODIACEAE	chenopods	E01218	Tecticornia tenuis	Slender Samphire			2007	155	23	14.84	22	20	NT	2	0	0.3	2.3
218	91.047	CHENOPODIACEAE	chenopods	G01219	Tecticornia triandra	Desert Glasswort			2000	18	1	5.56	1	1	RA	3	DD	0.0	3.0
1294	91.182	LEGUMINOSAE	legumes	S01813	Templetonia battii	Spiny Templetonia		R	2008	35	33	94.29	29	12	RA	3	0	0.3	3.3
1295	91.182	LEGUMINOSAE	legumes	U01814	Templetonia egena	Broombush Templetonia			2008	405	127	31.36	112	33	NT	2	-	0.4	2.4
1296	91.182	LEGUMINOSAE	legumes	W01815	Templetonia retusa	Cockies Tongue			2008	770	458	59.48	366	203	LC	1	0	0.3	1.3
1297	91.182	LEGUMINOSAE	legumes	C01817	Templetonia sulcata	Flat Mallee-pea			2006	124	71	57.26	52	31	NT	2	-	0.4	2.4
36	91.04	AIZOACEAE	chenopods	U01038	Tetragonia eremaea	Desert Spinach			2007	1107	277	25.02	235	98	LC	1	0	0.3	1.3
37	91.04	AIZOACEAE	chenopods	E03638	Tetragonia implexicoma	Bower Spinach			2008	1898	972	51.21	583	362	LC	1	0	0.3	1.3
38	91.04	AIZOACEAE	chenopods	Y06312	Tetragonia moorei	New Zealand Spinach			2001	56	3	5.36	3	1	RA	3	DD	0.0	3.0
39	91.04	AIZOACEAE	chenopods	G06311	Tetragonia tetragonioides	New Zealand Spinach			2006	10	6	60.00	5	5	RA	3	DD	0.0	3.0
1601	91.504	CYPERACEAE	sedges	E00582	Tetralia capillaris	Hair Sedge			2003	193	12	6.22	8	8	RA	3	0	0.3	3.3
1769	91.392	LABIATAE	shrubs	Z32063	Teucrium corymbosum	Rock Germander			2000	108	26	24.07	22	3	NT	2	0	0.3	2.3
1770	91.392	LABIATAE	shrubs	Y04916	Teucrium grandiusculum ssp. pilosum		E		2005	7	7	100.00	5	1	EN	5	-	0.5	5.5
1771	91.392	LABIATAE	shrubs	C04701	Teucrium racemosum	Grey Germander			2007	796	55	6.91	48	27	NT	2	0	0.3	2.3
1772	91.392	LABIATAE	shrubs	C02641	Teucrium sessiliflorum	Mallee Germander			2008	407	213	52.33	180	97	LC	1	0	0.3	1.3
1499.1	91.514	ORCHIDACEAE	orchids		Thelymitra alcockii										NT	2	0	0.3	2.3
1500	91.514	ORCHIDACEAE	orchids	U00854	Thelymitra antennifera	Lemon Sun-orchid			2005	540	41	7.59	37	16	NT	2	0	0.3	2.3
1501	91.514	ORCHIDACEAE	orchids	Q06032	Thelymitra azurea	Azure Sun-orchid			1990	69	22	31.88	16	3	VU	4	-	0.5	4.5
1502	91.514	ORCHIDACEAE	orchids	K04889	Thelymitra benthamiana	Leopard Sun-orchid			1995	156	22	14.10	16	11	RA	3	-	0.4	3.4
1503	91.514	ORCHIDACEAE	orchids	Y04720	Thelymitra carnea	Small Pink Sun-orchid		R	1990	22	4	18.18	3	1	EN	5	-	0.4	5.4
1505	91.514	ORCHIDACEAE	orchids	Q00860	Thelymitra epipactoides	Metallic Sun-orchid	EN	E	2004	140	35	25.00	29	12	CR	6	-	0.5	6.5
1506	91.514	ORCHIDACEAE	orchids	S00861	Thelymitra flexuosa	Twisted Sun-orchid		R	2007	117	30	25.64	21	15	RA	3	-	0.5	3.5
1509	91.514	ORCHIDACEAE	orchids	K05469	Thelymitra junceifolia	Spotted Sun-orchid			2003	135	1	0.74	1	1	CR	6	-	0.5	6.5
1510	91.514	ORCHIDACEAE	orchids	E00866	Thelymitra luteociliium	Yellow-tuft Sun Orchid			2005	256	86	33.59	70	45	NT	2	-	0.4	2.4
1511	91.514	ORCHIDACEAE	orchids	G06047	Thelymitra megalyptra	Scented Sun-orchid			2007	114	37	32.46	26	9	LC	1	0	0.3	1.3
1511.1	91.514	ORCHIDACEAE	orchids	S06033	Thelymitra occidentalis	Rimmed Sun-orchid									EN	5	DD	0.0	5.0

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
1511.2	91.514	ORCHIDACEAE	orchids		Thelymitra parviflora										EN	5	-	0.4	5.4
1513	91.514	ORCHIDACEAE	orchids	U06034	Thelymitra pauciflora	Slender Sun-orchid			2003	123	7	5.69	7	6	RA	3	DD	0.0	3.0
1514	91.514	ORCHIDACEAE	orchids	E03962	Thelymitra rubra	Salmon Sun-orchid			2004	365	22	6.03	20	13	RA	3	-	0.4	3.4
656	91.495	GRAMINEAE	grass	C02405	Themeda triandra	Kangaroo Grass			2007	1358	45	3.31	35	17	RA	3	0	0.3	3.3
2069	91.271	STERCULIACEAE	shrubs	G02123	Thomasia petalocalyx	Paper-flower			1995	521	2	0.38	1	1	EN	5	DD	0.0	5.0
219	91.047	CHENOPODIACEAE	chenopods	M01270	Threlkeldia diffusa	Coast Bonefruit			2008	2034	1352	66.47	761	471	LC	1	0	0.3	1.3
1407	91.306	MYRTACEAE	myrtles	Y04288	Thyryptomene biseriata				2006	22	22	100.00	21	11	NT	2	0	0.3	2.3
1409	91.306	MYRTACEAE	myrtles	W02307	Thyryptomene elliotii				2007	81	80	98.77	60	17	NT	2	0	0.3	2.3
1410	91.306	MYRTACEAE	myrtles	A02308	Thyryptomene ericaea	Heath Thyryptomene			1995	134	5	3.73	5	2	CR	6	DD	0.0	6.0
1411	91.306	MYRTACEAE	myrtles	U04290	Thyryptomene longifolia				2006	15	7	46.67	7	5	RA	3	0	0.3	3.3
1412	91.306	MYRTACEAE	myrtles	K03885	Thyryptomene micrantha	Ribbed Thyryptomene			2008	563	541	96.09	416	236	LC	1	0	0.3	1.3
657	91.495	GRAMINEAE	grass	Z00439	Thyridolepis mitchelliana	Window Mulga-grass			2005	120	15	12.50	14	7	RA	3	0	0.3	3.3
658	91.495	GRAMINEAE	grass	U03430	Thyridolepis multiculmis				2006	55	24	43.64	24	9	NT	2	0	0.3	2.3
659	91.495	GRAMINEAE	grass	A00440	Thyridolepis xerophila				2005	15	6	40.00	5	4	RA	3	DD	0.0	3.0
910	91.451	LILIACEAE	herbs & forbs	M00702	Thysanotus baueri	Mallee Fringe-lily			2007	825	422	51.15	368	296	LC	1	0	0.3	1.3
911	91.451	LILIACEAE	herbs & forbs	Q03916	Thysanotus exiliflorus	Inland Fringe-lily			2006	25	14	56.00	14	13	RA	3	0	0.3	3.3
913	91.451	LILIACEAE	herbs & forbs	U00706	Thysanotus nudicaulis		E		1998	8	7	87.50	7	1	EN	5	DD	0.0	5.0
914	91.451	LILIACEAE	herbs & forbs	Q04936	Thysanotus patersonii	Twining Fringe-lily			2007	2661	692	26.01	585	498	NT	2	0	0.3	2.3
916	91.451	LILIACEAE	herbs & forbs	M00710	Thysanotus wangiariensis	Eyre Peninsula Fringe-lily	R		2001	28	28	100.00	21	5	RA	3	DD	0.0	3.0
1042	91.339	UMBELLIFERAE	herbs & forbs	Z02399	Trachymene ceratocarpa	Creeping Carrot			2005	23	22	95.65	21	9	NT	2	0	0.3	2.3
1043	91.339	UMBELLIFERAE	herbs & forbs	G02395	Trachymene cyanopetala	Purple Trachymene			2007	289	186	64.36	146	110	LC	1	0	0.3	1.3
1044	91.339	UMBELLIFERAE	herbs & forbs	S06421	Trachymene glaucifolia	Blue Parsnip			2007	258	30	11.63	30	9	NT	2	0	0.3	2.3
1045	91.339	UMBELLIFERAE	herbs & forbs	A06424	Trachymene ornata	Cotton-ball Trachymene			2007	15	14	93.33	13	13	LC	1	DD	0.0	1.0
1046	91.339	UMBELLIFERAE	herbs & forbs	M02398	Trachymene pilosa	Dwarf Trachymene			2007	611	386	63.18	313	262	NT	2	0	0.3	2.3
660	91.495	GRAMINEAE	grass	Y00380	Tragus australianus	Small Burr-grass			2007	354	59	16.67	52	39	LC	1	0	0.3	1.3
40	91.04	AIZOACEAE	chenopods	M01034	Trianthema triquetra	Red Spinach			2007	768	25	3.26	25	17	NT	2	0	0.3	2.3
1055	91.197	ZYGOPHYLLACEAE	herbs & forbs	K01889	Tribulus eichlerianus	Eichlers Caltrop			2007	281	24	8.54	23	22	LC	1	0	0.3	1.3
1056	91.197	ZYGOPHYLLACEAE	herbs & forbs	Q05532	Tribulus minutus				2007	20	7	35.00	6	6	NE	-1	NE	-1.0	
465	91.435	COMPOSITAE	daisies	A03096	Trichanthodium skirrophorum	Woolly Yellow-heads			2007	636	331	52.04	271	144	LC	1	0	0.3	1.3
718	91.381	BORAGINACEAE	herbs & forbs	Z02567	Trichodesma zeylanicum	Camel Bush			2007	475	16	3.37	14	11	LC	1	0	0.3	1.3
917	91.451	LILIACEAE	herbs & forbs	W05367	Tricoryne elatior	Yellow Rush-lily			2006	556	39	7.01	38	27	RA	3	0	0.3	3.3
918	91.451	LILIACEAE	herbs & forbs	C04613	Tricoryne tenella	Tufted Yellow Rush-lily			2007	429	207	48.25	164	147	LC	1	0	0.3	1.3
1610	91.442	JUNCAGINACEAE	sedges	M00102	Triglochin hexagona	Six-point Arrowgrass			2007	6	1	16.67	1	1	RA	3	DD	0.0	3.0
1611	91.442	JUNCAGINACEAE	sedges	S06201	Triglochin isingiana	Spurred Arrowgrass			2008	131	58	44.27	52	16	LC	1	0	0.3	1.3
1612	91.442	JUNCAGINACEAE	sedges	A06204	Triglochin longicarpa	Dwarf Arrowgrass			1996	4	3	75.00	3	1	DD	0	DD	0.0	0.0
1613	91.442	JUNCAGINACEAE	sedges	K04845	Triglochin minutissima	Tiny Arrowgrass	R		2007	8	2	25.00	2	2	DD	0	DD	0.0	0.0
1614	91.442	JUNCAGINACEAE	sedges	Z00103	Triglochin mucronata	Prickly Arrowgrass			2007	51	22	43.14	19	14	LC	1	0	0.3	1.3
1615	91.442	JUNCAGINACEAE	sedges	W06203	Triglochin nana	Dwarf Arrowgrass			2007	9	9	100.00	9	9	DD	0	DD	0.0	0.0
1616	91.442	JUNCAGINACEAE	sedges	S06317	Triglochin nanum/sp. C (J.Z.Weber 6793)				2008	10	10	100.00	10	10	DD	0	DD	0.0	0.0
1617	91.442	JUNCAGINACEAE	sedges	U06202	Triglochin sp. A (N.N.Donner 3596)	Spurred Arrowgrass			2007	2	2	100.00	2	2	DD	0	DD	0.0	0.0
1618	91.442	JUNCAGINACEAE	sedges	W00107	Triglochin striata	Streaked Arrowgrass			2000	91	4	4.40	4	4	LC	1	0	0.3	1.3
1619	91.442	JUNCAGINACEAE	sedges	A00108	Triglochin trichophora				2004	37	15	40.54	13	9	LC	1	0	0.3	1.3
1298	91.182	LEGUMINOSAE	legumes	G01843	Trigonella suavissima	Sweet Fenugreek			2007	278	14	5.04	13	6	NT	2	0	0.3	2.3

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREVIATION	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
661	91.495	GRAMINEAE	grass	U00190	Triodia basedowii	Hard Spinifex			2006	572	59	10.31	56	37	LC	1	0	0.3	1.3
662	91.495	GRAMINEAE	grass	E05378	Triodia bunicola	Flinders Ranges Spinifex			2005	160	56	35.00	36	34	NT	2	0	0.3	2.3
663	91.495	GRAMINEAE	grass	W00191	Triodia compacta	Spinifex			2005	124	89	71.77	69	68	NT	2	0	0.3	2.3
664	91.495	GRAMINEAE	grass	G00187	Triodia helmsii	Helms Spinifex			1980	24	2	8.33	1		RA	3	DD	0.0	3.0
665	91.495	GRAMINEAE	grass	C03717	Triodia irritans	Spinifex			2008	1025	620	60.49	481	361	LC	1	0	0.3	1.3
666	91.495	GRAMINEAE	grass	A00192	Triodia lanata	Woolly Spinifex			2007	224	224	100.00	158	118	LC	1	0	0.3	1.3
668	91.495	GRAMINEAE	grass	K00373	Triodia melvillei	Melvilles Spinifex			2006	4	4	100.00	4	1	RA	3	0	0.3	3.3
669	91.495	GRAMINEAE	grass	G00195	Triodia scariosa	Spinifex			2008	574	292	50.87	226	177	LC	1	0	0.3	1.3
671	91.495	GRAMINEAE	grass	C00361	Triopogon loliformis	Five-minute Grass			2007	691	39	5.64	34	23	LC	1	0	0.3	1.3
466	91.435	COMPOSITAE	daisies	Q04424	Triptilodiscus pygmaeus	Small Yellow-heads			2008	363	33	9.09	29	17	NT	2	0	0.3	2.3
672	91.495	GRAMINEAE	grass	E00362	Triraphis mollis	Purple Plume Grass			2007	669	55	8.22	51	25	NT	2	0	0.3	2.3
1533	91.491	CENTROLEPIDACEAE	sedges	G00611	Trithuria submersa	Trithuria			2001	35	3	8.57	3	2	CR	6	-	0.5	6.5
1972	91.263	RHAMNACEAE	shrubs	K02061	Trymalium wayi	Grey Trymalium			2007	151	7	4.64	7	1	RA	3	DD	0.0	3.0
1636	91.503	TYPHACEAE	sedges	Z00075	Typha domingensis	Narrow-leaf Bulrush			2004	355	5	1.41	5	4	RA	3	DD	0.0	3.0
1637	91.503	TYPHACEAE	sedges	Q00076	Typha orientalis	Broad-leaf Bulrush			1997	53	2	3.77	2	2	RA	3	DD	0.0	3.0
895	91.414	LENTIBULARIACEAE	herbs & forbs	S04733	Utricularia tenella	Pink Bladderwort			2004	81	10	12.35	8	4	EN	5	-	0.4	5.4
1743	91.43	GOODENIACEAE	shrubs	S02921	Velleia arguta	Toothed Velleia			2007	401	135	33.67	111	60	LC	1	0	0.3	1.3
1744	91.43	GOODENIACEAE	shrubs	U02922	Velleia connata	Cup Velleia			2007	97	65	67.01	55	20	NT	2	0	0.3	2.3
1745	91.43	GOODENIACEAE	shrubs	W02923	Velleia cynopotamica		R		1989	23	22	95.65	9	1	VU	4	-	0.4	4.4
1746	91.43	GOODENIACEAE	shrubs	A02924	Velleia glabrata	Smooth Velleia			2007	60	28	46.67	26	9	LC	1	0	0.3	1.3
1007	91.4	SCROPHULARIACEAE	herbs & forbs	Q02744	Veronica hillebrandii	Rigid Speedwell			2006	282	73	25.89	53	28	NT	2	0	0.3	2.3
1008	91.4	SCROPHULARIACEAE	herbs & forbs	S02745	Veronica parnkalliana	Port Lincoln Speedwell	E		1909	8	1	12.50	1		DD	0	DD	0.0	0.0
468	91.435	COMPOSITAE	daisies	A03352	Vittadinia australasica var. australasica	Sticky New Holland Daisy			2007	536	260	48.51	197	150	NT	2	0	0.3	2.3
470	91.435	COMPOSITAE	daisies	Q03236	Vittadinia blackii	Narrow-leaf New Holland Daisy			2008	284	8	2.82	7	3	VU	4	-	0.4	4.4
471	91.435	COMPOSITAE	daisies	G03347	Vittadinia cervicularis var. cervicularis	Waisted New Holland Daisy			2008	579	169	29.19	122	82	NT	2	0	0.3	2.3
472	91.435	COMPOSITAE	daisies	U03490	Vittadinia condyloides	Club-hair New Holland Daisy			1983	30	2	6.67	2		RA	3	DD	0.0	3.0
473	91.435	COMPOSITAE	daisies	Y03348	Vittadinia cuneata var. cuneata forma cuneata	Fuzzy New Holland Daisy			2007	752	98	13.03	74	57	NT	2	0	0.3	2.3
474	91.435	COMPOSITAE	daisies	K03497	Vittadinia dissecta var. hirta	Dissected New Holland Daisy			2008	532	178	33.46	158	96	NT	2	0	0.3	2.3
475	91.435	COMPOSITAE	daisies	Y03284	Vittadinia eremaea	Desert New Holland Daisy			2007	392	153	39.03	125	69	LC	1	0	0.3	1.3
476	91.435	COMPOSITAE	daisies	E03494	Vittadinia gracilis	Woolly New Holland Daisy			2007	1214	252	20.76	202	122	NT	2	0	0.3	2.3
477	91.435	COMPOSITAE	daisies	K03349	Vittadinia megacephala	Giant New Holland Daisy			2008	450	188	41.78	149	129	NT	2	0	0.3	2.3
478	91.435	COMPOSITAE	daisies	Y03496	Vittadinia nullarboensis	Nullarbor New Holland Daisy			1997	15	14	93.33	12	1	LC	1	0	0.3	1.3
479	91.435	COMPOSITAE	daisies	U03350	Vittadinia pterochaeta	Rough New Holland Daisy			2000	64	16	25.00	10	9	RA	3	DD	0.0	3.0
480	91.435	COMPOSITAE	daisies	A03328	Vittadinia pustulata	Ridged New Holland Daisy			2006	23	2	8.70	2	1	RA	3	DD	0.0	3.0
481	91.435	COMPOSITAE	daisies	Y03312	Vittadinia sulcata	Furrowed New Holland Daisy			1983	182	2	1.10	2		RA	3	DD	0.0	3.0
724	91.427	CAMPANULACEAE	herbs & forbs	A04524	Wahlenbergia aridicola	Dryland Bluebell			1996	57	1	1.75	1	1	RA	3	DD	0.0	3.0
725	91.427	CAMPANULACEAE	herbs & forbs	G02847	Wahlenbergia communis	Tufted Bluebell			2008	636	127	19.97	103	51	LC	1	0	0.3	1.3
726	91.427	CAMPANULACEAE	herbs & forbs	K02849	Wahlenbergia gracilenta	Annual Bluebell			2007	1121	273	24.35	215	154	NT	2	0	0.3	2.3
728	91.427	CAMPANULACEAE	herbs & forbs	A04521	Wahlenbergia littorcola	Coast Bluebell			2004	62	6	9.68	6	6	NE	-1	NE	-1.0	-1.0
729	91.427	CAMPANULACEAE	herbs & forbs	C04525	Wahlenbergia luteola	Yellow-wash Bluebell			2008	842	49	5.82	37	30	NT	2	-	0.4	2.4
730	91.427	CAMPANULACEAE	herbs & forbs	C02853	Wahlenbergia preissii				2003	50	40	80.00	33	28	NT	2	0	0.3	2.3
731	91.427	CAMPANULACEAE	herbs & forbs	E04526	Wahlenbergia queenslandica				1999	54	2	3.70	2	1	RA	3	DD	0.0	3.0
732	91.427	CAMPANULACEAE	herbs & forbs	U04522	Wahlenbergia stricta ssp. stricta	Tall Bluebell			2007	1219	179	14.68	141	108	NT	2	0	0.3	2.3

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AoFO_in_WEST_All_(km2)	AoFO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREV	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
733	91.427	CAMPANULACEAE	herbs & forbs	G04527	Wahlenbergia tumidiflucta	Swollen-fruit Bluebell			2008	423	50	11.82	43	30	RA	3	0	0.3	3.3
482	91.435	COMPOSITAE	daisies	C03353	Waitzia acuminata var. acuminata	Orange Immortelle			2007	376	233	61.97	191	82	NT	2	0	0.3	2.3
1773	91.392	LABIATAE	shrubs	G02643	Westringia dampieri	Shore Westringia			2008	244	234	95.90	149	56	LC	1	0	0.3	1.3
1774	91.392	LABIATAE	shrubs	W04735	Westringia eremicola	Slender Westringia			2006	316	100	31.65	70	40	LC	1	-	0.4	1.4
1775	91.392	LABIATAE	shrubs	K02645	Westringia rigida	Stiff Westringia			2008	1670	956	57.25	830	511	LC	1	0	0.3	1.3
760	91.377	CONVOLVULACEAE	herbs & forbs	Z02531	Wilsonia backhousei	Narrow-leaf Wilsonia			2005	153	22	14.38	19	10	RA	3	0	0.3	3.3
761	91.377	CONVOLVULACEAE	herbs & forbs	A04876	Wilsonia humilis	Silky Wilsonia			2008	224	55	24.55	51	32	NT	2	0	0.3	2.3
762	91.377	CONVOLVULACEAE	herbs & forbs	S02533	Wilsonia rotundifolia	Round-leaf Wilsonia			2006	188	24	12.77	17	13	LC	1	0	0.3	1.3
919	91.451	LILIACEAE	herbs & forbs	Y05512	Wurmbea centralis ssp. australis	Inland Nancy			2007	30	15	50.00	10	10	NT	2	0	0.3	2.3
920	91.451	LILIACEAE	herbs & forbs	E05474	Wurmbea citrina	Green-flower Nancy			1991	7	4	57.14	4	3	LC	1	0	0.3	1.3
921	91.451	LILIACEAE	herbs & forbs	W05471	Wurmbea decumbens	Trailing Nancy		R	2007	44	41	93.18	29	28	RA	3	0	0.3	3.3
922	91.451	LILIACEAE	herbs & forbs	A05976	Wurmbea dioica ssp. brevifolia	Early Nancy			2008	185	71	38.38	70	45	LC	1	0	0.3	1.3
923	91.451	LILIACEAE	herbs & forbs	W05975	Wurmbea dioica ssp. dioica	Early Nancy			2007	288	52	18.06	49	45	LC	1	0	0.3	1.3
924	91.451	LILIACEAE	herbs & forbs	K05477	Wurmbea latifolia ssp. vanessae	Broad-leaf Nancy		R	1994	43	1	2.33	1	1	RA	3	0	0.3	3.3
925	91.451	LILIACEAE	herbs & forbs	M05478	Wurmbea sinora			E	2006	5	5	100.00	4	3	EN	5	-	0.4	5.4
926	91.451	LILIACEAE	herbs & forbs	A05472	Wurmbea stellata	Star Nancy		R	2006	15	8	53.33	8	5	RA	3	-	0.4	3.4
1776	91.451	LILIACEAE	shrubs	S04937	Xanthorrhoea semiplana ssp. semiplana	Yacca			2007	954	32	3.35	25	25	NT	2	-	0.4	2.4
1777	91.451	LILIACEAE	shrubs	S04477	Xanthorrhoea semiplana ssp. tateana	Tates Grass-tree		R	2007	600	37	6.17	34	18	NT	2	-	0.4	2.4
1047	91.339	UMBELLIFERAE	herbs & forbs	S02401	Xanthosia huegelii	Hairy Xanthosia			2007	542	22	4.06	15	10	NT	2	0	0.3	2.3
1048	91.339	UMBELLIFERAE	herbs & forbs	S04089	Xanthosia leiophylla	Cut-leaf Xanthosia			2007	193	4	2.07	4	1	VU	4	-	0.4	4.4
483	91.435	COMPOSITAE	daisies	W03107	Xerochrysum bracteatum	Golden Everlasting			2004	204	34	16.67	30	16	NT	2	-	0.4	2.4
41	91.04	AIZOACEAE	chenopods	Z01035	Zaleya galericulata ssp. australis	Hogweed			2007	51	1	1.96	1	1	RA	3	DD	0.0	3.0
1522	91.447	ZOSTERACEAE	seagrasses	W00079	Zostera muelleri ssp. mucronata	Garweed		R	1974	3	1	33.33	1		RA	3	DD	0.0	3.0
1523	91.447	ZOSTERACEAE	seagrasses	S00077	Zostera tasmanica	Tasman Grass-wrack			1971	13	2	15.38	2		DD	0	DD	0.0	0.0
673	91.495	GRAMINEAE	grass	K00381	Zoysia macrantha ssp. walshii	Manila Grass		R	1958	33	2	6.06	2		RE	7	RE		7.0
674	91.495	GRAMINEAE	grass	E00434	Zygochloa paradoxa	Sandhill Cane-grass			2001	772	15	1.94	15	7	RA	3	0	0.3	3.3
1057	91.197	ZYGOPHYLLACEAE	herbs & forbs	K30065	Zygophyllum ammophilum	Sand Twinleaf			2008	242	55	22.73	52	34	LC	1	0	0.3	1.3
1058	91.197	ZYGOPHYLLACEAE	herbs & forbs	A05288	Zygophyllum angustifolium	Scrambling Twinleaf			2008	287	163	56.79	136	84	LC	1	0	0.3	1.3
1059	91.197	ZYGOPHYLLACEAE	herbs & forbs	A01892	Zygophyllum apiculatum	Pointed Twinleaf			2008	1443	594	41.16	420	185	LC	1	0	0.3	1.3
1060	91.197	ZYGOPHYLLACEAE	herbs & forbs	M06322	Zygophyllum aurantiacum ssp. aurantiacum	Shrubby Twinleaf			2008	643	300	46.66	277	143	LC	1	0	0.3	1.3
1061	91.197	ZYGOPHYLLACEAE	herbs & forbs	Z05523	Zygophyllum aurantiacum ssp. cuneatum				2007	51	12	23.53	11	6	RA	3	0	0.3	3.3
1062	91.197	ZYGOPHYLLACEAE	herbs & forbs	Q05524	Zygophyllum aurantiacum ssp. simplicifolium				2007	55	31	56.36	23	11	RA	3	0	0.3	3.3
1064	91.197	ZYGOPHYLLACEAE	herbs & forbs	S05525	Zygophyllum billardierei	Coast Twinleaf			2008	333	132	39.64	116	60	LC	1	0	0.3	1.3
1065	91.197	ZYGOPHYLLACEAE	herbs & forbs	G01895	Zygophyllum compressum	Rabbit-ears Twinleaf			2007	98	60	61.22	53	19	NT	2	0	0.3	2.3
1066	91.197	ZYGOPHYLLACEAE	herbs & forbs	W05287	Zygophyllum confluens	Forked Twinleaf			2001	319	47	14.73	38	17	RA	3	0	0.3	3.3
1068	91.197	ZYGOPHYLLACEAE	herbs & forbs	K01897	Zygophyllum crenatum	Notched Twinleaf			2007	416	32	7.69	31	4	NT	2	0	0.3	2.3
1069	91.197	ZYGOPHYLLACEAE	herbs & forbs	C05289	Zygophyllum emarginatum	Notched Twinleaf			2007	111	16	14.41	15	9	NT	2	0	0.3	2.3
1070	91.197	ZYGOPHYLLACEAE	herbs & forbs	Q06324	Zygophyllum eremaeum				2007	394	246	62.44	212	107	LC	1	0	0.3	1.3
1071	91.197	ZYGOPHYLLACEAE	herbs & forbs	U05526	Zygophyllum flavum	Coast Twinleaf			2002	36	16	44.44	13	6	NT	2	0	0.3	2.3
1072	91.197	ZYGOPHYLLACEAE	herbs & forbs	Z01899	Zygophyllum glaucum	Pale Twinleaf			2008	482	237	49.17	217	140	LC	1	0	0.3	1.3
1073	91.197	ZYGOPHYLLACEAE	herbs & forbs	C06205	Zygophyllum halophilum				1989	2	2	100.00	2	1	RA	3	DD	0.0	3.0
1074	91.197	ZYGOPHYLLACEAE	herbs & forbs	Q01900	Zygophyllum howittii	Clasping Twinleaf			1996	356	14	3.93	14	6	LC	1	0	0.3	1.3
1075	91.197	ZYGOPHYLLACEAE	herbs & forbs	S01901	Zygophyllum humilimum	Small-fruit Twinleaf		R	1996	85	5	5.88	4	4	RA	3	0	0.3	3.3

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

MAP ID	FAMILY NUMBER (CENSUS OF SA)	FAMILY NAME	PLANT FORM	NSX CODE	SPECIES	COMON NAME	EPBC ACT STATUS CODE	NPW ACT STATUS CODE	LAST_OBSERVED	TOTAL_in_SA	TOTAL_IN_WEST	%_WEST_REGIONS	AofO_in_WEST_All_(km2)	AofO_in_WEST_Recent_(km2)	Overall WEST regional status ABBREV	Overall WEST regional status SCORE	Overall WEST regional trend SYMBOL	Overall WEST regional trend SCORE	Overall WEST regional STATUS + TREND SCORE
1076	91.197	ZYGOPHYLLACEAE	herbs & forbs	A06212	Zygophyllum iodocarpum	Violet Twinleaf			2007	296	68	22.97	58	16	LC	1	0	0.3	1.3
1077	91.197	ZYGOPHYLLACEAE	herbs & forbs	A01904	Zygophyllum kochii	Kochs Twinleaf			1997	14	1	7.14	1	1	RA	3	0	0.3	3.3
1078	91.197	ZYGOPHYLLACEAE	herbs & forbs	G06207	Zygophyllum marlesiae	Square-fruit Twinleaf			2007	28	2	7.14	2	1	RA	3	0	0.3	3.3
1079	91.197	ZYGOPHYLLACEAE	herbs & forbs	C01905	Zygophyllum ovatum	Dwarf Twinleaf			2008	818	564	68.95	525	372	LC	1	0	0.3	1.3
1080	91.197	ZYGOPHYLLACEAE	herbs & forbs	E06206	Zygophyllum prismatothecum	Square-fruit Twinleaf			1996	188	17	9.04	14	4	NT	2	0	0.3	2.3
1081	91.197	ZYGOPHYLLACEAE	herbs & forbs	Z06323	Zygophyllum reticulatum	Shrubby Twinleaf			2001	6	6	100.00	4	2	RA	3	DD	0.0	3.0
1082	91.197	ZYGOPHYLLACEAE	herbs & forbs	Z05291	Zygophyllum simile	White Twinleaf			2008	413	121	29.30	108	60	NT	2	0	0.3	2.3

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)		Trends (-, 0, +, ++) Eyre Hills	Trends (-, 0, +, ++) Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)		Trends (-, 0, +, ++) Talia	Trends (-, 0, +, ++) Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	Eyre Hills Records	% Eyre Hills		Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)						Talia Records	% Talia		Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)					
Abutilon cryptopetalum ssp. cryptopetalum		0.00									0.00									
Abutilon fraseri ssp. diplotrichum		0.00									0.00									
Abutilon fraseri ssp. fraseri		0.00									0.00									
Abutilon halophilum		0.00									0.00									
Abutilon leucopetalum		0.00									0.00									
Abutilon macrum		0.00									0.00									
Abutilon malvaefolium		0.00									0.00									
Abutilon otocarpum	1	0.22	RA d(i,ii)	RA	3	DD	0.0	1		probably not in region	0.00									
Acacia acanthoclada ssp. acanthoclada	2	1.55	DD	DD	0	DD	0.0	2	1		0.00									
Acacia acinacea	7	0.88	DD	DD	0	DD	0.0	4	1	not previously on EP	0.00									
Acacia alcockii	50	75.76	VU D1	VU	4	0	0.3	33	15	local endemic	16	24.24	VU B2ab(i,ii,iii); D1	VU	4	-	0.4	12	9	roadside pops.
Acacia anceps	53	19.06	LC	LC	1	0	0.3	35	6		71	25.54	LC	1	0	0.3	57	24		
Acacia ancistrophylla var. lissophylla	81	27.46	LC	LC	1	0	0.3	69	39		19	6.44	LC	1	0	0.3	19	12		
Acacia aneura		0.00									0.00									
Acacia aneura var. aneura	1	0.29	RA d(ii)	RA	3	0	0.3	1	1	awaiting publication	0.00									
Acacia aneura var. conifera		0.00									0.00									
Acacia aneura var. intermedia		0.00									0.00									
Acacia aneura var. major		0.00									0.00									
Acacia aneura var. microcarpa		0.00									0.00									
Acacia aneura var. tenuis		0.00									0.00									
Acacia ayersiana		0.00									0.00									
Acacia beckleri Tindale ssp. beckleri			RA d(ii)	RA	3	0	0.3			not well protected in reserves, used to be A beckleri			RA d(ii)	RA	3	0	0.3			not well protected in reserves, used to be A beckleri
Acacia brachybotrya	20	3.58	RA d(i,ii)	RA	3	-	0.4	17	7	land clearance	58	10.38	LC	1	0	0.3	46	32		
Acacia brachystachya		0.00									0.00									
Acacia burkittii	4	0.79	RA d(i,ii)	RA	3	-	0.4	4	1		0.00									
Acacia calamifolia		0.00									0.00									
Acacia calcicola		0.00									0.00									
Acacia clelandii		0.00									0.00									
Acacia colletioides	2	0.71	RA d(i,ii)	RA	3	-	0.4	2	1		0.35	DD	DD	0	DD	0.0	1			
Acacia continua	113	13.83	LC	LC	1	0	0.3	91	56		10	1.22	RA d(i,ii)	RA	3	-	0.4	9	1	
Acacia cretacea	32	96.97	CR B2ab(i,ii,iii)	CR	6	--	0.5	18	6		0.00									
Acacia cupularis	54	10.25	LC	LC	1	0	0.3	46	25		93	17.65	LC	1	0	0.3	72	54		
Acacia cyclops	1	0.83						1	1	introduced		0.00								
Acacia dodonaefolia	72	29.03	LC	LC	1	0	0.3	42	14		5	2.02	RA d(i,ii)	RA	3	0	0.3	4	1	
Acacia enterocarpa	45	56.25	EN C2a(i)	EN	5	--	0.5	33	12	not recruiting well		0.00								
Acacia erinacea		0.00									0.00									
Acacia euthycarpa	114	17.87	LC	LC	1	0	0.3	89	21	taxo issues - could be 3-4 taxa	20	3.13	LC	LC	1	0	0.3	14	4	taxo issues - could be 3-4 taxa
Acacia farinosa	58	18.24	LC	LC	1	0	0.3	49	14	salt tolerant	14	4.40	RA d(i,ii)	RA	3	-	0.4	11	6	roadside pops.
Acacia gilesiana		0.00									0.00									
Acacia gillii	156	93.41	LC	LC	1	0	0.3	114	47		11	6.59	RA d(i,ii)	RA	3	0	0.3	9	1	
Acacia hakeoides	65	9.94	LC	LC	1	0	0.3	51	20	short lived, likes fire, prolific seeder	23	3.52	LC	LC	1	0	0.3	18	12	short lived, likes fire, prolific seeder
Acacia halliana	82	39.81	LC	LC	1	0	0.3	67	32		5	2.43	RA d(i,ii)	RA	3	-	0.4	5	3	roadside pops.
Acacia havilandiorum	9	6.77	CR B2ab(i,ii,iii)	CR	6	-	0.4	5	2			0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)		Trends (-, 0, +, ++) Eyre Hills	Trends (-, 0, +, ++) Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)		Trends (-, 0, +, ++) Talia	Trends (-, 0, +, ++) Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	% Eyre Hills			Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)						% Talia			Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)					
Acacia helmsiana		0.00																		
Acacia hemiteles		0.00																		
Acacia hexaneura	59	89.39	EN C2a(i)	EN	5	-	0.4	40	27	locally endemic, mainly on roadsides										
Acacia imbricata	207	99.52	LC	LC	1	0	0.3	121	55	sub-regionally LC but should remain RA for SA, locally endemic										
Acacia iteaphylla	14	8.48	VU D1	VU	4	DD	0.0	13	2	poss rare indig popns in this area but also poss weedy	2	1.21	EN D	EN	5	DD	0.0	2	1	Coffin record poss intro
Acacia jennerae		0.00																		
Acacia kempeana		0.00																		
Acacia leiophylla	38	7.39	LC	LC	1	0	0.3	30	13	localised	27	5.25	LC	LC	1	0	0.3	23	12	localised
Acacia ligulata	86	3.11	LC	LC	1	0	0.3	76	39	some sthn records prob cupularis	77	2.79	LC	LC	1	0	0.3	72	45	
Acacia lineata		0.00																		
Acacia longifolia ssp. sophorae	44	4.67	LC	LC	1	0	0.3	34	13	edge of range	76	8.07	LC	LC	1	0	0.3	61	50	edge of range
Acacia maitlandii		0.00																		
Acacia melleodora		0.00																		
Acacia merrallii	40	12.27	LC	LC	1	0	0.3	34	19		24	7.36	LC	LC	1	0	0.3	23	11	
Acacia microcarpa	77	21.10	LC	LC	1	0	0.3	58	45	some unique characters in pods on sth EP	21	5.75	LC	LC	1	0	0.3	18	12	some unique characters in pods on sth EP
Acacia minyura		0.00																		
Acacia montana	8	7.34	RA d(ii)	RA	3	-	0.4	7	4	needs winter rainfall										needs winter rainfall
Acacia murrayana		0.00																		
Acacia mutabilis ssp. angustifolia		0.00																		
Acacia myrtifolia	10	8.93	RA d(i,ii)	RA	3	0	0.3	9	4	highly localised	1	0.89	RA d(i,ii)	RA	3	0	0.3	1		highly localised
Acacia nematophylla	49	16.67	RA d(i,ii)	RA	3	0	0.3	43	14		59	20.07	LC	LC	1	0	0.3	42	31	good popn sizes
Acacia notabilis	116	20.24	LC	LC	1	0	0.3	100	53		24	4.19	LC	LC	1	0	0.3	24	18	
Acacia nyssophylla	40	5.08	LC	LC	1	0	0.3	35	19	sthn record dodgy location	10	1.27	RA d(i,ii)	RA	3	0	0.3	10	7	
Acacia oswaldii	56	2.92	LC	LC	1	0	0.3	36	18		13	0.68	LC	LC	1	0	0.3	11	7	
Acacia pachyacra		0.00								Cleve record dodgy										
Acacia papyrocarpa	11	1.49	RA d(ii)	RA	3	-	0.4	11	1	rare recruitment events, white fly a problem										
Acacia paradoxa	103	5.73	LC	LC	1	0	0.3	76	32		31	1.72	LC	LC	1	0	0.3	25	18	
Acacia pinguiifolia	385	80.71	EN A2c	EN	5	--	0.5	110	80		1	0.21	EN A2c	EN	5	--	0.5	1	1	check location accuracy
Acacia praemorsa	21	100.00	VU B2ab(iii)	VU	4	-	0.4	9	3											
Acacia prainii		0.00																		
Acacia pycnantha	77	2.01	LC	LC	1	0	0.3	58	39		9	0.23	VU D1	VU	4	-	0.4	7	4	Calca site is a vulnerable outlier. Coastal records prob
Acacia ramulosa var. linophylla		0.00																		
Acacia ramulosa var. ramulosa		0.00																		
Acacia rhotinocarpa	22	11.52	VU C2a(i)	VU	4	--	0.5	18	5											
Acacia rhigiophylla	41	23.43	VU C1+2a(i)	VU	4	-	0.4	31	10		1	0.57	VU C1+2a(i)	VU	4	-	0.4	1		
Acacia rhodophloia		0.00																		
Acacia rigens	123	12.97	LC	LC	1	0	0.3	103	59	salt tolerant	34	3.59	LC	LC	1	0	0.3	31	21	salt tolerant
Acacia rupicola	203	31.33	LC	LC	1	0	0.3	154	75		87	13.43	LC	LC	1	0	0.3	76	43	
Acacia salicina		0.00																		
Acacia sclerophylla var. sclerophylla	125	18.55	LC	LC	1	0	0.3	100	67	Marble Range plants poss new taxon	38	5.64	RA d(i,ii)	RA	3	0	0.3	26	16	
Acacia sibirica		0.00																		
Acacia sp. Winged (C.R.Alcock 4936)	7	3.74	LC	LC	1	0	0.3	7	5		71	37.97	LC	LC	1	0	0.3	57	48	
Acacia spinescens	256	12.02	LC	LC	1	0	0.3	209	145		194	9.11	LC	LC	1	0	0.3	172	126	

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)		Trends (-, 0, +, ++) Eyre Hills	Trends (-, 0, +, ++) Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)		Trends (-, 0, +, ++) Talia	Trends (-, 0, +, ++) Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	Eyre Hills Records	% Eyre Hills		Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)						Talia Records	% Talia		Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)					
Acacia spooneri		0.00									0.00									
Acacia stenophylla		0.00									0.00									
Acacia tarculensis		0.00									0.00									
Acacia tetragonophylla		0.00									0.00									
Acacia toondulya		0.00									0.00									
Acacia triquetra	60	16.00	LC	LC	1	0	0.3	39	10		85	22.67	LC	LC	1	0	0.3	69	48	
Acacia victoriae ssp. victoriae		0.00									0.00									
Acacia whibleyana	36	90.00	CR A2bc	CR	6	-	0.4	21	13	threats: salinity, weeds, galls. Recruitment not good		0.00								
Acacia wilhelmiana	106	23.61	LC	LC	1	0	0.3	83	51	taxonomic issues	9	2.00	RA d(ii)	RA	3	0	0.3	7	7	taxonomic issues
Acaena echinata	48	7.42	LC	LC	1	0	0.3	31	22		38	5.87	LC	LC	1	0	0.3	26	24	
Acaena novae-zelandiae	3	0.39	RA d(i,ii)	RA	3	DD	0.0	2				0.00								
Acianthus caudatus	1	1.16	CR D	CR	6	DD	0.0	1	1	One large popn near Mikara. CR because clonal		0.00								
Acianthus pusillus	33	5.90	LC	LC	1	0	0.3	21	12		14	2.50	LC	LC	1	0	0.3	13	8	
Acrotiche affinis	1	0.18	VU B2ab(i,ii,iii)	VU	4	-	0.4	1				0.00								
Acrotiche cordata	86	9.41	LC	LC	1	0	0.3	74	43	rocky areas	95	10.39	LC	LC	1	0	0.3	73	54	rocky areas
Acrotiche patula	118	9.01	LC	LC	1	0	0.3	93	56		383	29.26	LC	LC	1	0	0.3	332	257	
Actinobole uliginosum	77	6.27	LC	LC	1	0	0.3	67	54		54	4.40	LC	LC	1	0	0.3	41	36	
Actites megalocarpa	5	2.12	NT	NT	2	0	0.3	4	1	undercollected	8	3.39	NT	NT	2	0	0.3	8	4	undercollected
Adenanthos terminalis	107	11.93	LC	LC	1	0	0.3	81	39	deep white sand	12	1.34	LC	LC	1	0	0.3	10	2	deep white sand
Adiantum aethiopicum	4	1.29	VU D2	VU	4	DD	0.0	4	2	highly localised		0.00								
Adriana quadripartita	22	7.53	LC	LC	1	0	0.3	19	5		23	7.88	LC	LC	1	0	0.3	23	8	
Adriana urticoides var. hookeri		0.00										0.00								
Ajuga australis forma A (A.G.Spooner 9058)		0.00										0.00								
Alectryon oleifolius ssp. canescens	32	1.68	LC	LC	1	0	0.3	26	14			0.00								
Allocauarina helmsii	10	11.24	RA d(i,ii)	RA	3	-	0.4	7	2	likes rich soils, grazing a threat		0.00								
Allocauarina muelleriana ssp. muelleriana	154	7.89	LC	LC	1	0	0.3	127	73	sandy soils	37	1.90	LC	LC	1	0	0.3	33	17	sandy soils
Allocauarina pusilla	10	1.71	LC	LC	1	0	0.3	10	7		1	0.17	RA d(i,ii)	RA	3	DD	0.0	1		
Allocauarina verticillata	174	6.22	LC	LC	1	0	0.3	146	81		208	7.44	LC	LC	1	0	0.3	138	98	
Alternanthera denticulata		0.00										0.00								
Alternanthera nodiflora		0.00										0.00								
Aluta maisonneuvei ssp. auriculata		0.00										0.00								
Aluta maisonneuvei ssp. maisonneuvei		0.00										0.00								
Alyogyne hakeifolia		0.00									3	3.95	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	1		highly restricted
Alyogyne huegelii	54	21.34	LC	LC	1	0	0.3	45	20		39	15.42	LC	LC	1	0	0.3	34	21	
Alyogyne pinoniana var. microandra		0.00										0.00								
Alyogyne pinoniana var. pinoniana		0.00										0.00								
Alyxia buxifolia	161	16.36	LC	LC	1	0	0.3	138	80		54	5.49	LC	LC	1	0	0.3	47	32	
Amaranthus cuspidifolius		0.00										0.00								
Amaranthus grandiflorus		0.00										0.00								
Amaranthus mitchellii		0.00										0.00								
Ammannia multiflora		0.00										0.00								
Amphibolis antarctica	1	0.28	LC	LC	1	0	0.3	1	1	Occurs in sheltered bays	25	7.10	LC	LC	1	0	0.3	4		Occurs in sheltered bays
Amphibromus macrorhynchus	3	10.00	CR B1ab(i,ii,iii,iv)	CR	6	--	0.5	2	1	needs water, restricted habitat, climate change & salinity a threat		0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)			Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)			Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	Eyre Hills Records	% Eyre Hills		Proposed Regional IUCN Status (Eyre Hills)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)				Talia Records	% Talia		Proposed Regional IUCN Status (Talia)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)			
Amphibromus nervosus	1	0.79	EN B2ab(i,ii,iii)	EN	5	-	0.4	1	needs water, restricted habitat, climate change & salinity a thre	0.00								
Amphipogon caricinus var. caricinus	51	9.34	LC	LC	1	0	0.3	44	34 likes sand dunes	0.37	LC	LC	1	0	0.3	2	2 limited habitat	
Amphipogon strictus var. setifer	2	0.77	CR B2ab(ii,iii,iv)	CR	6	-	0.4	1	1 higher rainfall, restricted	0.00								
Amyema fitzgeraldii		0.00								0.00								
Amyema gibberula var. gibberula		0.00								0.00								
Amyema maidenii ssp. maidenii		0.00								0.00								
Amyema melaleucae	50	10.46	LC	LC	1	0	0.3	41	30	9.41	LC	LC	1	0	0.3	37	32	
Amyema miquelii	3	0.21	RA d(ii)	RA	3	0	0.3	3	2 lack of records?	0.00								
Amyema miraculosa ssp. boormanii	24	8.89	LC	LC	1	0	0.3	18	12	0.00								
Amyema preissii	15	1.65	LC	LC	1	0	0.3	11	9	0.00								
Amyema quandang var. quandang	1	0.27	RA d(ii)	RA	3	0	0.3	1		0.00								
Anacampseros australiana		0.00								0.00								
Anemocarpa podolepidium		0.00								0.00								
Angianthus brachypappus		0.00								0.00								
Angianthus conocephalus		0.00								0.00								
Angianthus glabratus		0.00								0.00								
Angianthus preissianus	41	12.97	LC	LC	1	0	0.3	32	19 comes up in scalds	8.23	LC	LC	1	0	0.3	23	18 comes up in scalds	
Angianthus tomentosus	34	6.42	LC	LC	1	0	0.3	31	21	3.77	LC	LC	1	0	0.3	17	13	
Anogramma leptophylla	2	2.04	RA d(ii)	RA	3	DD	0.0	2	probably more common	0.00								
Anthocercis anisantha ssp. anisantha	10	76.92	VU D1+2	VU	4	0	0.3	7	3 endemic, localised	0.00								
Anthocercis anisantha ssp. collina	6	6.45	VU B2ab(i,ii,iii); D1+2	VU	4	-	0.4	2	2 endemic, grazed	0.00								
Aotus subspinescens	81	17.92	LC	LC	1	0	0.3	67	37 likes sandhills	0.00								
Apalochlamys spectabilis	11	8.46	RA d(i,ii)	RA	3	0	0.3	11	8 comes up after fire	13.08	LC	LC	1	0	0.3	15	5 comes up after fire	
Aphanes australiana	2	2.15	RA d(i,ii)	RA	3	-	0.4	2	1	9.68	RA d(ii)	RA	3	DD	0.0	6	5	
Aphelia gracilis	2	2.44	CR B2ab(i,iii)	CR	6	-	0.4	2	2 decline due to drying	0.00								
Apium annum	51	11.97	LC	LC	1	0	0.3	39	16	13.85	LC	LC	1	0	0.3	51	34	
Apium prostratum var. filiforme	9	5.39	NE	NE	-1			7	5 taxonomic issues	2.99	NE	NE	-1			5	taxonomic issues	
Apium prostratum var. prostratum	40	11.33	LC	LC	1	0	0.3	22	2 undercollected, coastal	22.10	LC	LC	1	0	0.3	26	6 undercollected, coastal	
Apodasmia brownii	20	4.15	NT	NT	2	0	0.3	13	11	1.24	NT	NT	2	0	0.3	4	3	
Arabidella filifolia		0.00								0.00								
Arabidella glaucescens		0.00								0.00								
Arabidella nasturtium		0.00								0.00								
Arabidella trisecta	2	0.36	RA d(i,ii)	RA	3	-	0.4	2		0.00								
Argentipallium obtusifolium	22	5.14	LC	LC	1	0	0.3	19	9	0.47	RA d(i,ii)	RA	3	0	0.3	1	1	
Aristida anthoxanthoides		0.00								0.00								
Aristida arida		0.00								0.00								
Aristida behriana	12	1.99	RA d(ii)	RA	3	-	0.4	10	9 western limit, needs rainfall	0.00								
Aristida capillifolia		0.00								0.00								
Aristida contorta	13	0.82	LC	LC	1	0	0.3	11	9	0.06	RA d(ii)	RA	3	DD	0.0	1	habitat unsuitable	
Aristida holathera var. holathera		0.00								0.00								
Aristida latifolia		0.00								0.00								
Aristida nitidula		0.00								0.00								
Aristida personata	1	3.45	LC	LC	1	++	0.1	1	1 prob introduced to this region	0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)		Trends (-, 0, +, ++) Eyre Hills	Trends (-, 0, +, ++) Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)		Trends (-, 0, +, ++) Talia	Trends (-, 0, +, ++) Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	% Eyre Hills			Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)						Talia Records	% Talia		Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)					
Arthropodium fimbriatum		0.00									2	0.31	DD	DD	0	DD	0.0	1		
Arthropodium minus	25	9.62	LC	LC	1	0	0.3	19	16		54	20.77	LC	LC	1	0	0.3	38	36	
Arthropodium strictum	2	0.09	RA d(i,ii)	RA	3	DD	0.0	1	1											
Asperula conferta	13	2.40	NT	NT	2	-	0.4	10	6		6	1.11	RA d(ii)	RA	3	-	0.4	3	3	
Asplenium flabellifolium	1	0.56	VU D2	VU	4	DD	0.0	1		highly localised		0.00								
Asplenium trichomanes	2	9.09	VU D2	VU	4	DD	0.0	2		occurs in limestone areas around sinkholes	4	18.18	VU D2	VU	4	DD	0.0	2	1	occurs in limestone areas around sinkholes
Asteridea atrixioides forma atrixioides	34	9.50	LC	LC	1	0	0.3	31	20		104	29.05	LC	LC	1	0	0.3	83	75	
Asteridea atrixioides forma horripes	1	50.00	NE	NE	-1			1		taxonomic issues		0.00								
Astrebla lappacea		0.00										0.00								
Astrebla pectinata		0.00										0.00								
Astroloma conostephioides	202	7.23	LC	LC	1	0	0.3	168	111		35	1.25	LC	LC	1	0	0.3	31	19	
Astroloma humifusum	221	6.80	LC	LC	1	0	0.3	174	132		52	1.60	LC	LC	1	0	0.3	43	26	
Atriplex acutibractea ssp. acutibractea	12	4.44	LC	LC	1	0	0.3	10	10	calcareous soils	4	1.48	NT	NT	2	0	0.3	4	3	
Atriplex acutibractea ssp. karoniensis	16	15.69	LC	LC	1	0	0.3	13	12		2	1.96	RA d(i,ii)	RA	3	DD	0.0	2	2	
Atriplex acutiloba	1	4.55						1	1	possible introduction		0.00								
Atriplex angulata		0.00										0.00								
Atriplex cinerea	117	20.67	LC	LC	1	0	0.3	67	20		70	12.37	LC	LC	1	0	0.3	39	24	
Atriplex cryptocarpa		0.00										0.00								
Atriplex eardleyae	2	0.78	RA d(i,ii)	RA	3	0	0.3	2	2	edge of range		0.00								
Atriplex fissivalvis		0.00										0.00								
Atriplex holocarpa		0.00										0.00								
Atriplex incrassata		0.00										0.00								
Atriplex kochiana		0.00										0.00								
Atriplex leptocarpa		0.00										0.00								
Atriplex limbata		0.00										0.00								
Atriplex lindleyi ssp. conduplicata		0.00										0.00								
Atriplex lindleyi ssp. inflata		0.00										0.00								
Atriplex lindleyi ssp. lindleyi		0.00										0.00								
Atriplex lindleyi ssp. quadripartita		0.00										0.00								
Atriplex lobivalvis		0.00										0.00								
Atriplex macroptercarpa		0.00										0.00								
Atriplex mortisii		0.00										0.00								
Atriplex nessorhina		0.00										0.00								
Atriplex nummularia ssp. omissa		0.00										0.00								
Atriplex nummularia ssp. spathulata		0.00										0.00								
Atriplex paludosa ssp. cordata	511	27.46	LC	LC	1	0	0.3	83	15		300	16.12	LC	LC	1	0	0.3	81	22	
Atriplex papillata		0.00										0.00								
Atriplex pseudocampanulata		0.00										0.00								
Atriplex pumilio	4	7.27	RA d(ii)	RA	3	DD	0.0	3	1	likes disturbed areas	1	1.82	RA d(ii)	RA	3	DD	0.0	1		likes disturbed areas
Atriplex quadrivalvata var. sessilifolia		0.00										0.00								
Atriplex quinii		0.00										0.00								
Atriplex rhagodioides		0.00										0.00								
Atriplex semibaccata	18	3.36	LC	LC	1	0	0.3	13	10		6	1.12	NT	NT	2	0	0.3	4	4	

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records	% Eyre Hills	Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records	% Talia	Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
Atriplex spongiosa		0.00										0.00								
Atriplex stipitata	49	4.76	LC	LC	1	0	0.3	41	32		1	0.10	NT	NT	2	0	0.3	1	1	
Atriplex suberecta	6	2.05	RA d(ii)	RA	3	DD	0.0	4	1	possible decline	4	1.37	RA d(ii)	RA	3	DD	0.0	3	1	possible decline
Atriplex velutinella		0.00										0.00								
Atriplex vesicaria ssp. macrocystidia		0.00										0.00								
Atriplex vesicaria ssp. variabilis	1	6.67	NE	NE	-1			1	1	taxonomic issues		0.00								
Austrobryonia micrantha		0.00										0.00								
Austroanthonia caespitosa	279	7.11	LC	LC	1	0	0.3	210	172		232	5.92	LC	LC	1	0	0.3	173	158	
Austroanthonia eriantha	3	1.49	VU B2ab(i,ii,iii)	VU	4	-	0.4	3	2	grazed		0.00								
Austroanthonia fulva	4	3.39	VU B2ab(i,ii,iii)	VU	4	-	0.4	2	2	grazing, clearance a threat		0.00								
Austroanthonia racemosa var. racemosa	2	0.66	VU B2ab(i,ii,iii)	VU	4	-	0.4	2	2	higher rainfall, salinity, grazing, clearance - threats		0.00								
Austroanthonia setacea	206	13.90	LC	LC	1	0	0.3	137	131		86	5.80	LC	LC	1	0	0.3	62	61	
Austrofestuca littoralis	1	1.28	RA d(ii)	RA	3	DD	0.0	1	1	coastal spp	5	6.41	RA d(ii)	RA	3	DD	0.0	5	2	coastal spp
Austrostipa acrocliatata	77	9.48	LC	LC	1	0	0.3	65	56		42	5.17	LC	LC	1	0	0.3	35	35	
Austrostipa blackii	43	6.45	RA d(ii)	RA	3	0	0.3	25	24		2	0.30	RA d(ii)	RA	3	DD	0.0	1	1	
Austrostipa dongicola		0.00										0.00								
Austrostipa drummondii	63	6.72	LC	LC	1	0	0.3	46	37		63	6.72	LC	LC	1	0	0.3	50	46	
Austrostipa echinata	2	3.64	VU B2ab(i,ii,iii)	VU	4	-	0.4	2	1		15	27.27	RA d(ii)	RA	3	-	0.4	12	12	
Austrostipa elegantissima	225	10.53	LC	LC	1	0	0.3	197	177	could be increasing	150	7.02	LC	LC	1	0	0.3	119	90	could be increasing
Austrostipa eremophila	332	23.77	LC	LC	1	0	0.3	105	62		55	3.94	LC	LC	1	0	0.3	41	36	
Austrostipa exilis	187	22.03	LC	LC	1	0	0.3	130	120	high rainfall, mallee spp.	232	27.33	LC	LC	1	0	0.3	145	143	high rainfall, mallee spp.
Austrostipa flavescens	99	8.47	LC	LC	1	0	0.3	66	44		150	12.83	LC	LC	1	0	0.3	95	87	
Austrostipa hemipogon	186	28.93	LC	LC	1	0	0.3	118	114		30	4.67	LC	LC	1	0	0.3	16	16	
Austrostipa lanata		0.00										0.00								
Austrostipa macalpinei	3	4.48	RA d(ii)	RA	3	0	0.3	3	1	likes fires	3	4.48	RA d(ii)	RA	3	0	0.3	2	2	likes fires
Austrostipa mollis	47	5.99	LC	LC	1	0	0.3	34	21	needs rainfall	10	1.28	LC	LC	1	0	0.3	9	5	needs rainfall
Austrostipa mundula	68	21.38	LC	LC	1	0	0.3	46	42		55	17.30	LC	LC	1	0	0.3	37	33	
Austrostipa nitida	129	4.45	LC	LC	1	0	0.3	98	86		33	1.14	LC	LC	1	0	0.3	21	19	
Austrostipa nodosa	39	3.04	LC	LC	1	0	0.3	31	27		26	2.03	LC	LC	1	0	0.3	19	18	
Austrostipa nullanulla		0.00										0.00								
Austrostipa pilata		0.00									4	3.60	VU B2ab(i,ii,iii)+D1	VU	4	-	0.4	4	4	
Austrostipa platychaeta	44	8.59	LC	LC	1	0	0.3	39	33		5	0.98	RA d(ii)	RA	3	DD	0.0	4	3	
Austrostipa plumigera		0.00										0.00								
Austrostipa puberula	8	3.92	RA d(ii)	RA	3	DD	0.0	7	7		18	8.82	RA d(ii)	RA	3	DD	0.0	11	11	
Austrostipa scabra ssp. falcata	118	12.72	LC	LC	1	0	0.3	82	79	higher rainfall	40	4.31	LC	LC	1	0	0.3	27	24	higher rainfall
Austrostipa scabra ssp. scabra	2	0.47	RA d(ii)	RA	3	0	0.3	2	1		1	0.24	RA d(ii)	RA	3	0	0.3	1	1	
Austrostipa semibarbata	10	2.69	RA d(ii)	RA	3	DD	0.0	8	4			0.00								
Austrostipa setacea	2	0.72	VU D2	VU	4	DD	0.0	1	1			0.00								
Austrostipa stipoides	22	12.22	LC	LC	1	0	0.3	20	11		1	0.56	RA d(ii)	RA	3	0	0.3	1		
Austrostipa stuposus	1	12.50	CR B2ab(i,ii,iii,iv)	CR	6	--	0.5	1	1	salinity, clearance - threats		0.00								
Austrostipa tenuifolia	3	3.80	CR B2ab(i,ii,iii,iv)	CR	6	--	0.5	1	1		1	1.27	EN B2ab(i,ii,iii,iv)	EN	5	-	0.4	1	1	
Austrostipa trichophylla	23	5.68	LC	LC	1	0	0.3	16	14		25	6.17	LC	LC	1	0	0.3	15	15	
Austrostipa velutina		0.00									2	5.88	RA d(ii)	RA	3	0	0.3	1	1	

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records	% Eyre Hills	Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)	Trends (-, 0, +, ++) Eyre Hills	Trends (-, 0, +, ++) Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records	% Talia	Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)	Trends (-, 0, +, ++) Talia	Trends (-, 0, +, ++) Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
Austrostipa vickeryana		0.00									2	18.18	RA d(ii)	RA	3	DD	0.0	1	1	check with Rosemary
Avicennia marina ssp. marina	10	8.40	RA d(i,ii)	RA	3	0	0.3	8	5		8	6.72	LC	LC	1	0	0.3	8	4	
Babingtonia behrii	236	21.00	LC	LC	1	0	0.3	182	134		45	4.00	LC	LC	1	0	0.3	42	30	
Baeckea crassifolia	128	13.84	LC	LC	1	0	0.3	104	79		58	6.27	LC	LC	1	0	0.3	47	32	
Baeckea tuberculata		0.00										0.00								
Banksia marginata	31	1.53	NT	NT	2	-	0.4	25	11	needs high rainfall	3	0.15	VU B2ab(i,ii,iii)	VU	4	-	0.4	3	1	limited habitat, lack of regeneration
Banksia ornata	27	2.54	NT	NT	2	0	0.3	18	10			0.00								
Baumea arthropphylla	8	3.83	RA d(ii)	RA	3	-	0.4	8	5	limited habitat, along roadsides	4	1.91	RA d(ii)	RA	3	-	0.4	3	1	limited habitat, along roadsides
Baumea juncea	33	4.44	LC	LC	1	0	0.3	27	17		13	1.75	RA d(ii)	RA	3	0	0.3	11	10	roadsides, swamps
Bergia trimera		0.00										0.00								
Bertya tasmanica ssp. vestita	28	11.57	LC	LC	1	0	0.3	24	21		10	4.13	LC	LC	1	0	0.3	10	7	
Beyeria lechenaultii	188	9.37	LC	LC	1	0	0.3	128	58		213	10.62	LC	LC	1	0	0.3	176	115	
Beyeria opaca	8	2.04	RA d(ii)	RA	3	0	0.3	7	4		7	1.78	RA d(ii)	RA	3	0	0.3	7	6	
Billardiera cymosa ssp. cymosa	2	0.55	NE	NE	-1			2		taxonomic issues		0.00								
Billardiera cymosa ssp. pseudocymosa	19	36.54	LC	LC	1	0	0.3	18	1		3	5.77	RA d(ii)	RA	3	DD	0.0	2		
Billardiera sericophora	90	31.14	LC	LC	1	0	0.3	69	35		55	19.03	LC	LC	1	0	0.3	49	28	
Billardiera sp. Yorke Peninsula (P.C.Heyligers 80164)	1	5.00	EN D1+2	EN	5	DD	0.0	1	1			0.00								
Billardiera uniflora	5	2.82	VU B2ab(i,ii,iii); D1	VU	4	-	0.4	4	1		4	2.26	VU B2ab(i,ii,iii); D1	VU	4	-	0.4	4	4	
Billardiera versicolor	33	10.86	LC	LC	1	0	0.3	29	24		12	3.95	LC	LC	1	0	0.3	9	9	
Blennodia canescens		0.00										0.00								
Blennodia pterosperma		0.00										0.00								
Blennospora drummondii	114	14.90	LC	LC	1	0	0.3	85	73		86	11.24	LC	LC	1	0	0.3	73	66	
Boerhavia coccinea		0.00										0.00								
Boerhavia dominii		0.00										0.00								
Boerhavia repleta		0.00										0.00								
Boerhavia schomburgkiana		0.00										0.00								
Bolboschoenus caldwellii	4	1.62	RA d(ii)	RA	3	0	0.3	4	1	likes salt		0.00								
Boronia coerulescens ssp. coerulescens	128	10.83	LC	LC	1	0	0.3	102	53		38	3.21	LC	LC	1	0	0.3	31	16	
Boronia filifolia	16	5.32	VU B2ab(i,ii,iii)	VU	4	-	0.4	10	5			0.00								
Boronia inornata ssp. leptophylla	68	16.83	LC	LC	1	0	0.3	60	22		16	3.96	LC	LC	1	0	0.3	14	11	
Bossiaea ensata	4	40.00	EN B2ab(iii,v)	EN	5	-	0.4	4	3	Taxonomy has been changed, only on roadsides, need	6	60.00	RA d(i,ii)	RA	3	DD	0.0	6	2	needs more survey work
Bossiaea walkeri		0.00										0.00								
Bothriochloa ewartiana		0.00										0.00								
Bothriochloa macra	6	5.83	RA d(ii)	RA	3	+	0.2	6	6	undercollected		0.00								
Brachiaria praetervisa		0.00										0.00								
Brachyachne ciliaris		0.00										0.00								
Brachychiton gregorii		0.00										0.00								
Brachyscome ciliaris var. ciliaris	52	5.17	LC	LC	1	0	0.3	38	37		89	8.85	LC	LC	1	0	0.3	69	66	
Brachyscome ciliaris var. lanuginosa	3	0.55	RA d(ii)	RA	3	0	0.3	3	3		4	0.73	RA d(ii)	RA	3	0	0.3	4	4	
Brachyscome ciliaris var. subintegrifolia		0.00										0.00								
Brachyscome cuneifolia	4	7.41	RA d(i,ii)	RA	3	DD	0.0	4	3	on loan, lack of records		0.00								
Brachyscome debilis		0.00										0.00								
Brachyscome dichromosomatica var. dichromosomatica		0.00										0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records				Proposed IUCN Status & Criteria (Eyre Hills)				Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records				Proposed IUCN Status & Criteria (Talia)				Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	Eyre Hills Records	% Eyre Hills	Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)			Talia Records	% Talia	Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)		
Brachyscome eriogona		0.00																		
Brachyscome exilis	13	8.28	RA d(i,ii)	RA	3	0	0.3	11	9		48	30.57	LC	LC	1	0	0.3	38	37	
Brachyscome goniocarpa	2	1.50	RA d(i,ii)	RA	3	0	0.3	1	1	undercollected	24	18.05	LC	LC	1	0	0.3	20	18	
Brachyscome iberidifolia		0.00																		
Brachyscome lineariloba	61	4.36	LC	LC	1	0	0.3	53	51		106	7.58	LC	LC	1	0	0.3	88	87	
Brachyscome muelleri		0.00																		
Brachyscome perpusilla	32	12.17	LC	LC	1	0	0.3	23	22		12	4.56	LC	LC	1	0	0.3	10	9	
Brachyscome tatei		0.00																		
Brachyscome trachycarpa	4	3.42	RA d(ii)	RA	3	0	0.3	4	4	southern limit	1	0.85	RA d(i,ii)	RA	3	0	0.3	1	1	southern limit
Brachyscome xanthocarpa		0.00									1	25.00	RA d(i,ii)	RA	3	DD	0.0	1	1	records on loan, ask P Ainsley
Bromus arenarius	48	13.01	RA d(ii)	RA	3	-	0.4	22	4		7	1.90	RA d(ii)	RA	3	-	0.4	7	5	
Brunonia australis		0.00																		
Bulbine alata		0.00																		
Bulbine bulbosa	17	2.38	VU B2ab(i,ii,iii)	VU	4	-	0.4	14	10	lack of habitat	3	0.42	VU B2ab(i,ii,iii)	VU	4	-	0.4	3	2	lack of habitat
Bulbine semibarbata	173	16.40	LC	LC	1	0	0.3	110	69		126	11.94	LC	LC	1	0	0.3	102	79	
Bulbostylis barbata		0.00																		
Bulbostylis pyriformis		0.00																		
Burchardia umbellata	60	4.86	NT	NT	2	-	0.4	44	32		3	0.24	RA d(i,ii)	RA	3	-	0.4	3	1	
Bursaria spinosa ssp. spinosa	135	5.27	LC	LC	1	0	0.3	110	67		70	2.73	LC	LC	1	0	0.3	61	43	
Caesia calliantha	1	0.12	DD	DD	0	DD	0.0	1	1											
Caladenia aurulenta			VU B2ab(i,ii,iii)	VU	4	-	0.4			endemic to EP, no records		#DIV/0!	VU B2ab(i,ii,iii)	VU	4	-	0.4			endemic to EP, no records
Caladenia bicallata ssp. bicallata	4	11.76	VU D2	VU	4	-	0.4	3	3		19	55.88	RA d(ii)	RA	3	DD	0.0	12	11	
Caladenia brumalis	18	9.33	EN D	EN	5	0	0.3	11	5											
Caladenia capillata	35	10.90	LC	LC	1	0	0.3	32	14		36	11.21	LC	LC	1	0	0.3	27	23	
Caladenia cardiochila	19	7.31	LC	LC	1	0	0.3	16	8	likes sandy soil	18	6.92	RA d(ii)	RA	3	-	0.4	17	9	likes sandy soil
Caladenia carneae	12	2.48	LC	LC	1	0	0.3	12	4		17	3.51	LC	LC	1	0	0.3	15	11	
Caladenia clavula	15	31.25	LC	LC	1	0	0.3	15	14		3	6.25	RA d(ii)	RA	3	-	0.4	2	2	
Caladenia fragrantissima ssp. fragrantissima																				no records, now C fuliginosa on EP
Caladenia fuscata	15	24.19	RA d(ii)	RA	3	-	0.4	13	11		9	14.52	RA d(ii)	RA	3	-	0.4	6	6	
Caladenia interanea			VU B2ab(i,ii,iii)	VU	4	-	0.4			no records										no records
Caladenia latifolia	44	7.89	LC	LC	1	0	0.3	33	19		46	8.24	LC	LC	1	0	0.3	38	28	
Caladenia macroclavia	2	2.38	EN B2ab(i,ii,iii)	EN	5	--	0.5	2	2	Now C sp Brown Bayonets on EP (Port Lincoln Spider-orchid)		0.00	EN B2ab(i,ii,iii)	EN	5	--	0.5			no records, Now C sp Brown Bayonets on EP (Port Lin
Caladenia pusilla	2	20.00	CR D	CR	6	DD	0.0	2	2	near Tulka		0.00								
Caladenia septuosa	82	56.16	LC	LC	1	0	0.3	51	40		36	24.66	LC	LC	1	0	0.3	23	20	
Caladenia stricta	7	4.32	RA d(ii)	RA	3	-	0.4	6	1		26	16.05	LC	LC	1	0	0.3	22	18	
Caladenia tensa	7	5.34	NE	NE	-1			7	4	taxonomic issues (some are C interanea)	8	6.11	NE	NE	-1			5	5	taxonomic issues (some are C interanea)
Caladenia tentaculata	2	0.47	NE	NE	-1			1	1	taxonomic issues (some are C interanea)		0.00								
Caladenia toxochila	3	3.70	RA d(ii)	RA	3	DD	0.0	3	1	southern limit		0.00								
Caladenia verrucosa	2	3.08	VU B2ab(i,ii,iii)	VU	4	--	0.5			now C sp Short Golden Bayonets - replaces C verrucosa on E		0.00	VU B2ab(i,ii,iii)	VU	4	--	0.5			no records, now C sp Short Golden Bayonets - replace:
Caladenia zephyra			EN B2ab(i,ii,iii)	EN	5	--	0.5			no records										no records
Calandrinia brevipedata	6	7.06	RA d(ii)	RA	3	DD	0.0	5	4	responds to fire, should be more records	7	8.24	RA d(ii)	RA	3	DD	0.0	5	5	responds to fire, should be more records
Calandrinia calyptrata	177	32.24	LC	LC	1	0	0.3	121	97		54	9.84	LC	LC	1	0	0.3	26	18	
Calandrinia corrigioloides	12	12.00	LC	LC	1	0	0.3	9	7		5	5.00	NT	NT	2	DD	0.0	3	3	

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records	% Eyre Hills	Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records	% Talia	Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)	
Calandrinia disperma		0.00											0.00										
Calandrinia eremaea	136	11.46	LC	LC	1	0	0.3	106	99			68	5.73	LC	LC	1	0	0.3	52	51			
Calandrinia granulifera	54	19.42	LC	LC	1	0	0.3	44	39			6	2.16	NT	NT	2	0	0.3	6	5			
Calandrinia polyandra var. polyandra		0.00											0.00										
Calandrinia ptychosperma		0.00											0.00										
Calandrinia pumila		0.00											0.00										
Calandrinia remota		0.00											0.00										
Calandrinia reticulata		0.00											0.00										
Calandrinia sphaerophylla		0.00										1	33.33	NE	NE	-1			1	1		taxonomic issues, lack of records	
Calandrinia volubilis		0.00										1	1.47	RA d(ii)	RA	3	-	0.4	1			rocky hills, trampling	
Callistemon rugulosus	68	26.98	NT	NT	2	-	0.4	57	24			24	9.52	RA d(ii)	RA	3	-	0.4	21	12			
Callitris canescens	16	3.36	LC	LC	1	0	0.3	14	7			114	23.95	LC	LC	1	0	0.3	96	57			
Callitris glaucophylla	5	0.46	RA d(ii)	RA	3	0	0.3	5	2			3	0.28	RA d(ii)	RA	3	0	0.3	3				
Callitris gracilis	91	6.56	LC	LC	1	0	0.3	75	48			123	8.86	LC	LC	1	0	0.3	108	75			
Callitris verrucosa	97	11.32	LC	LC	1	0	0.3	78	52			4	0.47	LC	LC	1	0	0.3	4	1			
Calocephalus citreus	1	0.40	VU D2	VU	4	DD	0.0	1					0.00										
Calocephalus platycephalus		0.00											0.00										
Calochilus pruinosis	1	9.09	RA d(ii)	RA	3	DD	0.0	1					0.00	VU D2	VU	4	DD	0.0				no records	
Calotis brevibradiata		0.00											0.00										
Calotis cymbacantha	1	0.32	LC	LC	1	0	0.3	1					0.00										
Calotis erinacea	26	6.31	LC	LC	1	0	0.3	23	13			1	0.24	RA d(i,ii)	RA	3	0	0.3	1				
Calotis hispidula	39	1.97	LC	LC	1	+	0.2	32	30			16	0.81	LC	LC	1	+	0.2	12	10			
Calotis lappulacea	1	2.86	RA d(i,ii)	RA	3	DD	0.0	1	1		Could be introduced		0.00										
Calotis latiuscula		0.00											0.00										
Calotis multicaulis		0.00											0.00										
Calotis plumulifera		0.00											0.00										
Calotis porphyroglossa		0.00											0.00										
Calotis scabiosifolia var. scabiosifolia																							
Calytrix gypsophila		0.00											0.00										
Calytrix involucrata	161	28.15	LC	LC	1	0	0.3	123	76			51	8.92	LC	LC	1	0	0.3	45	24			
Calytrix tetragona	218	6.70	LC	LC	1	0	0.3	165	101			116	3.56	LC	LC	1	0	0.3	97	67			
Cardamine tenuifolia		0.00											0.00										
Carex breviculmis	20	6.67	NT	NT	2	-	0.4	13	11			3	1.00	RA d(ii)	RA	3	-	0.4	2	2			
Carex inversa var. major	11	12.22	VU B2ab(i,ii,iii)	VU	4	-	0.4	8	4		needs fresh water, limited habitat		0.00										
Carex tereticaulis	10	4.63	VU B2ab(i,ii,iii)	VU	4	-	0.4	7	4				0.00										
Carpobrotus modestus	17	9.55	LC	LC	1	0	0.3	14	13		likes friable, sandy-loam soils		0.00										
Carpobrotus rossii	30	9.20	LC	LC	1	0	0.3	27	9			41	12.58	LC	LC	1	0	0.3	34	26			
Carpobrotus sp. Short calyx (S.T.Blake 20451)		0.00											0.00										
Cassinia arcuata	3	3.00	RA d(i,ii)	RA	3	0	0.3	3	3				0.00										
Cassinia complanata	12	4.53	RA d(ii)	RA	3	0	0.3	12	3		prob under-coll or herb records need re-det'd		0.00										
Cassinia laevis	3	0.37	RA d(i,ii)	RA	3	0	0.3	3					0.00										
Cassytha glabella forma dispar	145	8.57	LC	LC	1	0	0.3	109	81			69	4.08	LC	LC	1	0	0.3	56	45			
Cassytha melantha	125	9.38	LC	LC	1	0	0.3	112	82			85	6.38	LC	LC	1	0	0.3	72	52			

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)		Trends (-, 0, +, ++) Eyre Hills	Trends (-, 0, +, ++) Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)		Trends (-, 0, +, ++) Talia	Trends (-, 0, +, ++) Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	Eyre Hills Records	% Eyre Hills		Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)						Talia Records	% Talia		Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)					
Cassutha peninsularis	84	21.43	LC	LC	1	0	0.3	78	75		97	24.74	LC	LC	1	0	0.3	92	91	
Cassutha pubescens	38	2.90	LC	LC	1	0	0.3	35	15		29	2.21	LC	LC	1	0	0.3	29	22	
Casuarina pauper	28	2.11	LC	LC	1	0	0.3	26	12		1	0.08	RA d(ii)	RA	3	0	0.3	1		
Causis pentandra	1	0.48	VU D2	VU	4	0	0.3	1	1	resilient species		0.00								
Centella asiatica	7	8.14	RA d(i,ii)	RA	3	-	0.4	5	2	swamps	2	2.33	RA d(i,ii)	RA	3	-	0.4	1	1	swamps
Centipeda crateriformis ssp. compacta	2	2.63	RA d(i,ii)	RA	3	DD	0.0	2		many Survey records of this genus will be non-current	1	1.32	RA d(i,ii)	RA	3	DD	0.0	1		many Survey records of this genus will be non-current
Centipeda crateriformis ssp. crateriformis	1	1.22	RA d(ii)	RA	3	DD	0.0	1		many Survey records of this genus will be non-current		0.00								
Centipeda cunninghamii		0.00										0.00								
Centipeda thespidioides		0.00										0.00								
Centrolepis aristata	51	10.14	NT	NT	2	-	0.4	41	32	needs rain	9	1.79	RA d(ii)	RA	3	-	0.4	6	5	needs rain
Centrolepis cephaliformis ssp. cephaliformis	6	9.09	RA d(ii)	RA	3	-	0.4	4	3	threat - grazing, drying	5	7.58	RA d(ii)	RA	3	-	0.4	4	3	threat - grazing, drying
Centrolepis cephaliformis ssp. murrayi		0.00									2	25.00	VU D2	VU	4	-	0.4	2		all other records wrong id
Centrolepis eremica		0.00										0.00								
Centrolepis fascicularis	1	0.79	CR B2ab(i,ii,iii)	CR	6	--	0.5	1				0.00								
Centrolepis glabra	3	6.00	EN B2ab(i,ii,iii)	EN	5	--	0.5	3	3			0.00								
Centrolepis polygyna	44	11.14	NT	NT	2	-	0.4	35	27	needs higher rainfall	14	3.54	RA d(ii)	RA	3	-	0.4	12	8	
Centrolepis strigosa ssp. strigosa	54	9.82	LC	LC	1	0	0.3	43	32		5	0.91	VU B2ab(i,ii,iii)	VU	4	-	0.4	5	1	
Cephalopterum drummondii		0.00										0.00								
Ceratogyne obionoides	5	16.67	RA d(ii)	RA	3	0	0.3	5	5	common after winter rains		0.00								
Chamaescilla corymbosa var. corymbosa	125	13.37	LC	LC	1	0	0.3	96	77		26	2.78	LC	LC	1	0	0.3	21	17	
Chamaesyce australis		0.00										0.00								
Chamaesyce centralis		0.00										0.00								
Chamaesyce drummondii	7	1.08	LC	LC	1	0	0.3	7	3			0.00								
Chamaesyce wheeleri		0.00										0.00								
Cheilanthes austrotenuifolia	114	6.62	LC	LC	1	0	0.3	91	61	common in wetter areas	49	2.85	LC	LC	1	0	0.3	28	16	common in wetter areas
Cheilanthes distans		0.00									1	0.65	RA d(ii)	RA	3	DD	0.0	1		
Cheilanthes lasiophylla	10	0.99	LC	LC	1	0	0.3	9	5	rocky areas	2	0.20	RA d(ii)	RA	3	DD	0.0	2		isolated pockets, rocky areas
Cheilanthes sieberi ssp. pseudovellea		0.00										0.00								
Cheilanthes sieberi ssp. sieberi	16	2.46	LC	LC	1	0	0.3	12	9	rocky outcrops	2	0.31	RA d(ii)	RA	3	DD	0.0	1	1	undercollected
Cheiranthra alternifolia	98	16.53	LC	LC	1	0	0.3	76	50		41	6.91	LC	LC	1	0	0.3	34	23	
Chenopodium curvispicatum	37	5.29	LC	LC	1	0	0.3	28	23			0.00								
Chenopodium desertorum ssp. anidiophyllum	7	4.86	NT	NT	2	0	0.3	7	7			0.00								
Chenopodium desertorum ssp. desertorum	44	6.38	LC	LC	1	0	0.3	34	28			0.00								
Chenopodium desertorum ssp. microphyllum	57	12.34	LC	LC	1	0	0.3	42	38		1	0.22	RA d(i,ii)	RA	3	0	0.3	1	1	
Chenopodium desertorum ssp. rectum	7	6.48	NT	NT	2	0	0.3	7	7			0.00								
Chenopodium gaudichaudianum		0.00										0.00								
Chenopodium nitraraceum		0.00										0.00								
Chloris pectinata		0.00										0.00								
Chloris truncata		0.00										0.00								
Chondropyxis halophila		0.00										0.00								
Choretrum glomeratum var. chrysanthum	4	6.25	RA d(ii)	RA	3	-	0.4	4	1			0.00								
Choretrum glomeratum var. glomeratum	44	9.24	LC	LC	1	0	0.3	32	17	grows in limestone mallee	30	6.30	LC	LC	1	0	0.3	24	13	grows in limestone mallee
Chorizandra enodis	31	12.16	RA d(ii)	RA	3	0	0.3	23	11		3	1.18	RA d(ii)	RA	3	0	0.3	2	2	

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records	% Eyre Hills	Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)	Trends (-, 0, +, ++) Eyre Hills	Trends (-, 0, +, ++) Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records	% Talia	Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)	Trends (-, 0, +, ++) Talia	Trends (-, 0, +, ++) Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
Chrysocephalum apiculatum	132	5.82	LC	LC	1	0	0.3	108	62	undergoing taxonomic change	131	5.78	LC	LC	1	0	0.3	106	73	taxonomic issues
Chrysocephalum baxteri	35	9.56	LC	LC	1	0	0.3	26	11		6	1.64	RA d(i,ii)	RA	3	0	0.3	6	3	
Chrysocephalum eremaeum		0.00										0.00								
Chrysocephalum pterochaetum		0.00										0.00								
Chrysocephalum semipapposum	41	4.73	LC	LC	1	0	0.3	32	20		10	1.15	LC	LC	1	0	0.3	10	9	
Chthonocephalus pseudevax	7	3.47	LC	LC	1	0	0.3	6	4		1	0.50	RA d(i,ii)	RA	3	0	0.3	1	1	
Citrus glauca		0.00										0.00								
Cladium procerum		0.00									3	3.49	VU D1	VU	4	-	0.4	1	1	needs fresh water, highly localised
Clematis microphylla var. microphylla	216	7.65	LC	LC	1	0	0.3	182	123		331	11.72	LC	LC	1	0	0.3	284	232	
Codonocarpus cotinifolius	6	2.20	RA d(ii)	RA	3	-	0.4	4		grazing a threat, short-lived		0.00								
Comesperma calymega	31	8.07	LC	LC	1	0	0.3	21	16		3	0.78	RA d(i,ii)	RA	3	0	0.3	2	2	
Comesperma polygaloides	1	0.76	VU D1+2	VU	4	DD	0.0	1	1			0.00								
Comesperma scoparium	81	24.32	LC	LC	1	0	0.3	68	38		38	11.41	LC	LC	1	0	0.3	31	19	
Comesperma viscidulum		0.00										0.00								
Comesperma vulubile	114	8.27	LC	LC	1	0	0.3	98	67		246	17.84	LC	LC	1	0	0.3	210	183	
Commersonia multioba	3	60.00	EN D	EN	5	DD	0.0	1	1	endemic, grazing a threat, limited habitat, occurs on granite		0.00								
Commersonia tatei	52	59.09	LC	LC	1	DD	0.0	43	9			0.00								
Conospermum patens	22	5.19	LC	LC	1	0	0.3	20	8	deep sand		0.00								
Convolvulus angustissimus ssp. angustissimus	9	6.38	NE	NE	-1			7	1	taxonomic issues		0.00								
Convolvulus angustissimus ssp. peninsularum	13	10.66	NE	NE	-1			10	1	taxonomic issues	7	5.74	NE	NE	-1			5	3	
Convolvulus clementii		0.00										0.00								
Convolvulus crispifolius	4	8.70	RA d(ii)	RA	3	-	0.4	4		undercollected, no survey records		0.00								
Convolvulus eyreanus		0.00										0.00								
Convolvulus microsepalus		0.00										0.00								
Convolvulus recurvatus ssp. nullarborensis		0.00										0.00								
Convolvulus recurvatus ssp. recurvatus		0.00										0.00								
Convolvulus remotus	62	3.76	LC	LC	1	0	0.3	47	23		31	1.88	LC	LC	1	0	0.3	19	18	
Cooperhooia strophiolata		0.00										0.00								
Correa backhouseana var. coriacea	151	37.19	LC	LC	1	0	0.3	117	98		78	19.21	LC	LC	1	0	0.3	53	33	
Correa pulchella	56	8.71	LC	LC	1	0	0.3	42	13		211	32.81	LC	LC	1	0	0.3	172	115	
Corunastylis nigricans			DD	DD	0	DD	0.0			no records			DD	DD	0	DD	0.0			no records
Corunastylis tepperi			LC	LC	1	0	0.3			no records			LC	LC	1	0	0.3			no records
Corybas despectans	3	4.62	LC	LC	1	0	0.3	3	3		9	13.85	LC	LC	1	0	0.3	6	6	
Corybas expansus			RA d(ii)	RA	3	DD	0.0			no records			RA d(ii)	RA	3	DD	0.0			no records
Corynotheca licrota		0.00										0.00								
Corynotheca micrantha var. divaricata		0.00										0.00								
Cotula australis	1	0.35	LC	LC	1	0	0.3	1		undercollected	2	0.71	LC	LC	1	0	0.3	2	1	
Cotula vulgaris var. australasica	7	4.67	LC	LC	1	0	0.3	7	5		19	12.67	LC	LC	1	0	0.3	11	7	
Craspedia variabilis	11	9.73	LC	LC	1	0	0.3	7	5	under-coll. Many NC records	16	14.16	LC	LC	1	0	0.3	11	11	
Crassula closiana	46	14.24	LC	LC	1	0	0.3	36	33		15	4.64	RA d(ii)	RA	3	DD	0.0	10	9	Could be undercollected
Crassula colligata ssp. lamprosperma	5	1.33	RA d(i,ii)	RA	3	0	0.3	5		needs open space	38	10.13	LC	LC	1	0	0.3	28	20	needs open space
Crassula colorata var. acuminata	132	12.11	LC	LC	1	0	0.3	95	92		54	4.95	LC	LC	1	0	0.3	43	41	
Crassula colorata var. colorata	85	15.54	LC	LC	1	0	0.3	67	61		8	1.46	LC	LC	1	0	0.3	7	6	

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)			Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)			Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)		
	Eyre Hills Records	% Eyre Hills		Proposed Regional IUCN Status (Eyre Hills)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)				Talia Records	% Talia		Proposed Regional IUCN Status (Talia)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)					
Crassula decumbens var. decumbens	48	6.57	LC	LC	1	0	0.3	37	33	in wet depressions or coastal dunes. Needs rainfall	18	2.46	RA d(ii)	RA	3	DD	0.0	14	12	in wet depressions or coastal dunes. Needs rainfall
Crassula exserta	21	35.00	LC	LC	1	0	0.3	16	15	in wetter areas	2	3.33	RA d(ii)	RA	3	DD	0.0	1	1	in wetter areas
Crassula extrorsa		0.00										0.00								
Crassula peduncularis	1	1.61	VU C2a(i)	VU	4	-	0.4	1	1	found in permanently wet areas, mostly old records	1	1.61	VU C2a(i)	VU	4	-	0.4	1		found in permanently wet areas, mostly old records
Crassula tetramera		0.00									1	0.67	RA d(ii)	RA	3	DD	0.0	1		edge of range
Cratystylis conocephala	56	8.62	LC	LC	1	0	0.3	51	30											
Cressa australis		0.00																		
Crinum flaccidum		0.00																		
Crotalaria eremaea ssp. eremaea		0.00																		
Crotalaria eremaea ssp. strehlowii		0.00																		
Cryptandra aridicola		0.00																		
Cryptandra myriantha		0.00									1	11.11	NE	NE	-1			1		taxonomic issues
Cryptandra propinqua	20	17.70	LC	LC	1	0	0.3	18	18		7	6.19	LC	LC	1	0	0.3	7	6	
Cryptandra sp. Floriferous (W.R.Barker 4131)	26	11.30	LC	LC	1	0	0.3	24			3	1.30	RA d(ii)	RA	3	0	0.3	3	1	
Cryptandra tomentosa	15	4.81	LC	LC	1	0	0.3	12	5		3	0.96	RA d(i,ii)	RA	3	-	0.4	3	2	
Cullen australasicum		0.00																		
Cullen cinereum		0.00																		
Cullen discolor	2	1.57	RA d(ii)	RA	3	DD	0.0	2		edge of range										
Cullen graveolens		0.00																		
Cullen pallidum		0.00																		
Cullen patens		0.00																		
Cymbonotus preissianus	3	1.37	RA d(i,ii)	RA	3	0	0.3	3	1	needs higher rainfall	4	1.83	RA d(i,ii)	RA	3	0	0.3	2	2	needs higher rainfall
Cymbopogon ambiguus		0.00																		
Cymbopogon obtectus	1	0.38	RA d(i,ii)	RA	3	0	0.3	1	1											
Cynanchum floribundum		0.00																		
Cynoglossum australe	12	3.02	LC	LC	1	0	0.3	9	3		4	1.01	RA d(ii)	RA	3	0	0.3	4	3	
Cynoglossum suaveolens	8	2.61	RA d(ii)	RA	3	-	0.4	5	2											
Cyperus alterniflorus	1	0.57	RA d(ii)	RA	3	-	0.4	1		southern limit, needs seeping water, rocky hills										
Cyperus bulbosus		0.00																		
Cyperus difformis		0.00																		
Cyperus gilesii		0.00																		
Cyperus gymnocalulos	6	0.76	RA d(ii)	RA	3	0	0.3	6	3	highly localised	1	0.13	RA d(ii)	RA	3	0	0.3	1		highly localised
Cyperus iria		0.00																		
Cyperus laevigatus		0.00									5	1.63	RA d(ii)	RA	3	0	0.3	5	5	tolerant to salt
Cyperus pygmaeus		0.00																		
Cyperus rigidellus		0.00																		
Cyperus squarrosus		0.00																		
Cyperus victoriensis		0.00																		
Cyphanthera myosotidea	35	14.96	LC	LC	1	0	0.3	32	12		2	0.85	RA d(ii)	RA	3	DD	0.0	2		
Cyrtostylis reniformis	1	0.36	DD	DD	0	DD	0.0	1		need more records	1	0.36	DD	DD	0	DD	0.0	1	1	need more records
Cyrtostylis robusta	41	9.26	LC	LC	1	0	0.3	35	24		53	11.96	LC	LC	1	0	0.3	44	33	
Dactyloctenium radulans	2	0.29						1		probable introduction										
Damasonium minus		0.00																		

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)		Trends (-, 0, +, ++) Eyre Hills	Trends (-, 0, +, ++) Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)		Trends (-, 0, +, ++) Talia	Trends (-, 0, +, ++) Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	% Eyre Hills			Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)						% Talia			Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)					
Dampiera dysantha	10	2.83	VU B2ab(i,ii,iii)	VU	4	-	0.4	9	3		0.00									
Dampiera lanceolata var. lanceolata	35	16.06	LC	LC	1	0	0.3	33	13		1	0.46	RA d(i,ii)	RA	3	DD	0.0	1		
Dampiera ramosa		0.00																		
Dampiera rosmarinifolia	197	18.04	LC	LC	1	0	0.3	172	111		81	7.42	LC	LC	1	0	0.3	69	44	
Darwinia salina	2	2.41	RA d(ii)	RA	3	0	0.3	2	1	likes salt lakes, limited habitat		0.00								
Daucus glochidiatus	194	5.47	LC	LC	1	0	0.3	165	146		278	7.84	LC	LC	1	0	0.3	235	224	
Daviesia arenaria	13	8.28	RA d(ii)	RA	3	0	0.3	13	4	needs disturbance	4	2.55	RA d(i,ii)	RA	3	DD	0.0	4	2	limited habitat
Daviesia asperula ssp. asperula	17	8.13	RA d(i,ii)	RA	3	DD	0.0	14	6			0.00								
Daviesia asperula ssp. obliqua	88	82.24	LC	LC	1	0	0.3	67	32		17	15.89	LC	LC	1	0	0.3	15	8	
Daviesia benthamii ssp. acanthoclona	39	19.21	LC	LC	1	0	0.3	27	19		1	0.49	RA d(i,ii)	RA	3	DD	0.0	1	1	
Daviesia benthamii ssp. humilis	19	9.36	RA d(ii)	RA	3	DD	0.0	16	12	limited habitat, needs loam flats	12	5.91	RA d(ii)	RA	3	DD	0.0	10	8	limited habitat, needs loam flats
Daviesia brevifolia	80	6.69	LC	LC	1	0	0.3	54	25		9	0.75	RA d(i,ii)	RA	3	DD	0.0	9	4	
Daviesia pectinata	79	69.30	RA d(ii)	RA	3	DD	0.0	60	23	needs monitoring		0.00								
Daviesia ulicifolia ssp. aridicola	17	13.71	RA d(ii)	RA	3	DD	0.0	14	6	restricted habitat		0.00								
Desmodcladus diacolpicus	2	8.00	VU D2	VU	4	0	0.3	2	2			0.00								
Deyeuxia quadrisetata	2	0.55	CR B2ab(i,ii,iii,iv)	CR	6	--	0.5	2		degraded habitat, no recent records		0.00								
Dianella brevicaulis	83	8.07	LC	LC	1	0	0.3	71	54		128	12.45	LC	LC	1	0	0.3	102	88	
Dianella revoluta var. divaricata	7	3.32	RA d(ii)	RA	3	0	0.3	6	2		25	11.85	LC	LC	1	0	0.3	20	20	
Dianella revoluta var. revoluta	249	8.67	LC	LC	1	0	0.3	207	172		111	3.86	LC	LC	1	0	0.3	101	79	
Dichanthium sericeum ssp. humilius		0.00										0.00								
Dichanthium sericeum ssp. sericeum	1	0.61						1	1	probable introduction		0.00								
Dichelachne crinita	46	10.20	LC	LC	1	0	0.3	36	35	likes higher rainfall	24	5.32	RA d(ii)	RA	3	0	0.3	15	14	
Dichondra repens	43	4.15	LC	LC	1	0	0.3	35	19	higher rainfall, could be declining	16	1.54	LC	LC	1	0	0.3	11	8	higher rainfall, could be declining
Dicrastylis beveridgei var. beveridgei		0.00										0.00								
Dicrastylis beveridgei var. lanata		0.00										0.00								
Dicrastylis lewellingii		0.00										0.00								
Dicrastylis verticillata	34	22.37	LC	LC	1	0	0.3	30	9	needs sand	2	1.32	RA d(i,ii)	RA	3	0	0.3	2		needs sand
Digitaria ammophila		0.00										0.00								
Digitaria brownii	1	0.13	RA d(i,ii)	RA	3	DD	0.0	1	1			0.00								
Digitaria coenicola		0.00										0.00								
Dillwynia hispida	36	2.57	RA d(i,ii)	RA	3	0	0.3	29	11		4	0.29	RA d(i,ii)	RA	3	0	0.3	4		
Dillwynia sericea	2	0.33	EN B2ab(iii)	EN	5	DD	0.0	2	1	Caralue Bluff, need to monitor, some doubt about ID		0.00								
Dillwynia uncinata	60	15.54	LC	LC	1	0	0.3	49	35		15	3.89	LC	LC	1	0	0.3	13	9	
Dimorphocoma minutula		0.00										0.00								
Disphyma crassifolium ssp. clavellatum	158	10.81	LC	LC	1	0	0.3	95	45	likes samphire, tolerates high salinity	229	15.67	LC	LC	1	0	0.3	109	54	likes samphire, tolerates high salinity
Dissocarpus biflorus var. biflorus	238	41.98	LC	LC	1	0	0.3	43	9			0.00								
Dissocarpus biflorus var. villosus		0.00										0.00								
Dissocarpus fontinalis		0.00										0.00								
Dissocarpus latifolius		0.00										0.00								
Dissocarpus paradoxus	6	0.47	RA d(ii)	RA	3	0	0.3	5	1	edge of range		0.00								
Distichlis distichophylla	17	4.80	LC	LC	1	+	0.2	14	5		14	3.95	LC	LC	1	0	0.3	11	2	
Diuris behrii		0.00									1	0.70	CR B2ab(i,ii,iii); D	CR	6	--	0.5	1	1	one population
Diuris orientis	23	8.52	NT	NT	2	-	0.4	15	8		10	3.70	NT	NT	2	-	0.4	7	6	
Diuris palustris		0.00	EN D	EN	5	0	0.3			1 record in IMCRA	7	6.09	VU D1	VU	4	DD	0.0	4	3	

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)			Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)			Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)	
	Eyre Hills Records	% Eyre Hills		Proposed Regional IUCN Status (Eyre Hills)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)				Talia Records	% Talia		Proposed Regional IUCN Status (Talia)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)				
Diuris pardina	38	13.97	LC	LC	1	0	0.3	22	14	14	5.15	LC	LC	1	0	0.3	10	9	
Dodonaea baueri	83	10.44	LC	LC	1	0	0.3	59	34	69	8.68	LC	LC	1	0	0.3	56	32	
Dodonaea bursarifolia	118	11.00	LC	LC	1	0	0.3	93	63	82	7.64	LC	LC	1	0	0.3	64	42	
Dodonaea hexandra	255	22.31	LC	LC	1	0	0.3	194	107	163	14.26	LC	LC	1	0	0.3	142	98	
Dodonaea humilis	66	10.58	LC	LC	1	0	0.3	51	16	78	12.50	LC	LC	1	0	0.3	59	38	
Dodonaea intricata	2	1.98	RA d(ii)	RA	3	-	0.4	2			0.00								endemic, goats
Dodonaea lobulata	11	1.04	NT	NT	2	0	0.3	8	3		0.00								
Dodonaea microzyga var. microzyga		0.00									0.00								
Dodonaea procumbens	1	1.96	CR B2ab(i,ii,iii); D1+2	CR	6	-	0.4	1			0.00								
Dodonaea stenozyga	86	13.19	LC	LC	1	0	0.3	64	34	37	5.67	LC	LC	1	0	0.3	31	20	
Dodonaea tepperi	15	25.42	RA d(ii)	RA	3	0	0.3	10	7	18	30.51	RA d(ii)	RA	3	0	0.3	16	15	probably hybrid
Dodonaea viscosa ssp. angustissima	90	3.41	LC	LC	1	0	0.3	69	36	18	0.68	LC	LC	1	0	0.3	15	8	
Dodonaea viscosa ssp. cuneata		0.00									0.00	RA d(i,ii)	RA	3	0	0.3			no records
Dodonaea viscosa ssp. spatulata	132	9.72	LC	LC	1	0	0.3	67	21	76	5.60	LC	LC	1	0	0.3	54	29	
Drosera auriculata	4	0.48	VU B2ab(i,ii,iii)	VU	4	-	0.4	4			0.00								higher rainfall
Drosera glanduligera	61	12.60	LC	LC	1	0	0.3	53	38	28	5.79	LC	LC	1	0	0.3	17	14	
Drosera macrantha ssp. planchonii	181	10.79	LC	LC	1	0	0.3	142	99	78	4.65	LC	LC	1	0	0.3	69	56	
Drosera peltata	31	6.30	NT	NT	2	-	0.4	27	16	9	1.83	RA d(ii)	RA	3	-	0.4	6	6	sensitive to water regime
Drosera pygmaea	10	4.27	VU B2ab(i,ii,iii)	VU	4	-	0.4	9	5		0.00								limited habitat, weeds, climate change - threats
Drosera sp. Rigid (R.J.Bates 2268)	17	80.95	VU B2ab(i,ii,iii)	VU	4	--	0.5	12	12	1	4.76	VU B2ab(i,ii,iii)	VU	4	--	0.5	1	1	limited habitat, weeds, climate change - threats
Duboisia hopwoodii		0.00								1	0.38								probable introduction
Dysphania cristata	4	1.15	RA d(ii)	RA	3	-	0.4	4			0.00								
Dysphania glomulifera ssp. eremaea		0.00									0.00								
Dysphania glomulifera ssp. glomulifera		0.00									0.00								
Dysphania melanocarpa forma melanocarpa	1	1.96	RA d(ii)	RA	3	DD	0.0	1			0.00								recent taxonomic changes at genus level
Dysphania plantaginella		0.00									0.00								
Dysphania pumilio	5	1.85	NT	NT	2	DD	0.0	4		2	0.74	NT	NT	2	DD	0.0	2	2	
Dysphania rhadinostachya ssp. rhadinostachya		0.00									0.00								
Dysphania simulans		0.00									0.00								
Dysphania truncata		0.00									0.00								
Einadia nutans ssp. eremaea		0.00									0.00								
Einadia nutans ssp. nutans	158	12.48	LC	LC	1	0	0.3	92	72	3	0.24	NT	NT	2	0	0.3	3	2	
Einadia nutans ssp. oxycarpa		0.00									0.00								
Einadia polygonoides		0.00									0.00								
Elachanthus glaber		0.00									0.00								
Elachanthus pusillus	1	0.59	DD	DD	0	DD	0.0	1			0.00								undercollected
Elatine gratioloides	1	1.35	RA d(i,ii)	RA	3	DD	0.0	1			0.00								spread by birds
Eleocharis acuta	5	1.47	EN B2ab(i,ii,iii)	EN	5	--	0.5	4	2		0.00								
Eleocharis pallens	1	0.65	RA d(ii)	RA	3	DD	0.0	1	1		0.00								spread easily by ducks
Eleocharis pusilla		0.00									0.00								
Elymus scaber var. scaber	14	5.45	LC	LC	1	0	0.3	13	6	14	5.45	LC	LC	1	0	0.3	12	10	
Embadium stagnense		0.00									0.00								
Embadium uncinatum		0.00								2	4.08	RA d(i,ii)	RA	3	DD	0.0	1	1	

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)		Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)		Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)		
	Eyre Hills Records	% Eyre Hills		Proposed Regional IUCN Status (Eyre Hills)	Trends ('-', '0', '+, ++)				Talia Records	% Talia		Proposed Regional IUCN Status (Talia)	Trends ('-', '0', '+, ++)					
Enchylaena tomentosa var. tomentosa	563	9.91	LC	LC	-	0	0.3	273	172		LC	LC	1	0	0.3	137	68	
Enneapogon avenaceus		0.00																
Enneapogon caerulescens var. caerulescens		0.00																
Enneapogon cylindricus		0.00																
Enneapogon intermedius		0.00																
Enneapogon nigricans	16	2.62	LC	LC	1	0	0.3	14	11	needs summer rain								
Enneapogon polyphyllus		0.00																
Enneapogon robustissimus		0.00																
Enteropogon acicularis	6	2.58	RA d(ii)	RA	3	DD	0.0	4	2									
Enteropogon ramosus	2	0.67	RA d(ii)	RA	3	DD	0.0	2										
Epaltes australis		0.00																
Epilobium billardierianum ssp. billardierianum	4	2.38	RA d(ii,ii)	RA	3	-	0.4	4	3	needs water	RA d(i,ii)	RA	3	-	0.4	2	2	needs water
Eragrostis australasica		0.00																
Eragrostis basedowii		0.00																
Eragrostis dielsii var. dielsii	1	0.17	LC	LC	1	+	0.2	1	1	likes saline areas								
Eragrostis eriopoda		0.00																
Eragrostis falcata		0.00																
Eragrostis kennedyae		0.00																
Eragrostis lacunaria		0.00																
Eragrostis laniflora		0.00																
Eragrostis lanipes		0.00																
Eragrostis leptocarpa		0.00																
Eragrostis parviflora		0.00																
Eragrostis pergracilis	1	2.08						1	1	probable introduction								
Eragrostis setifolia		0.00																
Eragrostis xerophila		0.00																
Eremophea spinosa		0.00																
Eremophila alternifolia	13	1.14	LC	LC	1	0	0.3	11	6	common in rocky areas	LC	LC	1	0	0.3	17	12	common in rocky areas
Eremophila arachnoides ssp. tenera		0.00																
Eremophila arenaria		0.00																
Eremophila barbata	1	5.00	VU D2	VU	4	0	0.3	1		endemic								
Eremophila battii		0.00																
Eremophila behriana	97	41.81	LC	LC	1	0	0.3	84	54		LC	LC	1	0	0.3	8	4	
Eremophila clarkei		0.00																
Eremophila crassifolia	92	13.12	LC	LC	1	0	0.3	79	47	likes limestone	LC	LC	1	0	0.3	105	76	likes limestone
Eremophila decipiens ssp. decipiens		0.00																
Eremophila delisseri		0.00																
Eremophila deserti	29	4.47	LC	LC	1	0	0.3	28	16		LC	LC	1	0	0.3	28	16	
Eremophila duttonii		0.00																
Eremophila freelingii		0.00																
Eremophila gibbifolia	23	40.35	RA d(ii)	RA	3	-	0.4	20	4									
Eremophila gibsonii		0.00																
Eremophila gilesii		0.00																

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)		Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)		Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)	
	Eyre Hills Records	% Eyre Hills		Proposed Regional IUCN Status (Eyre Hills)	Trends ('-', '0', '+', '++') Eyre Hills				Talia Records	% Talia		Proposed Regional IUCN Status (Talia)	Trends ('-', '0', '+', '++') Talia				
<i>Eremophila glabra</i> ssp. <i>glabra</i>	121	8.28	LC	LC	-	0	0.3	104	66			LC	1	0	0.3	43	26
<i>Eremophila hillii</i>		0.00															
<i>Eremophila latrobei</i> ssp. <i>glabra</i>		0.00															
<i>Eremophila latrobei</i> ssp. <i>latrobei</i>		0.00															
<i>Eremophila longifolia</i>	9	0.77	LC	LC	1	0	0.3	8	3								
<i>Eremophila maculata</i> ssp. <i>brevifolia</i>		0.00															
<i>Eremophila maculata</i> ssp. <i>maculata</i>		0.00															
<i>Eremophila neglecta</i>		0.00															
<i>Eremophila oppositifolia</i> ssp. <i>angustifolia</i>		0.00															
<i>Eremophila oppositifolia</i> ssp. <i>oppositifolia</i>	10	2.18	LC	LC	1	0	0.3	8				RA	3	0	0.3	1	1
<i>Eremophila paisleyi</i> ssp. <i>paisleyi</i>		0.00															
<i>Eremophila parvifolia</i>		0.00															
<i>Eremophila platythamnus</i> ssp. <i>exotrachys</i>		0.00															
<i>Eremophila platythamnus</i> ssp. <i>platythamnus</i>		0.00															
<i>Eremophila platythamnus</i> ssp. <i>Villous</i> (A.C. Robinson NP)		0.00															
<i>Eremophila rotundifolia</i>		0.00															
<i>Eremophila scoparia</i>	65	5.85	LC	LC	1	0	0.3	62	30								
<i>Eremophila serrulata</i>	1	0.20	RA d(ii)	RA	3	0	0.3	1	1	southern limit		RA	3	0	0.3	1	
<i>Eremophila</i> sp. <i>Decussate</i> (R.J.Chincock 7735)		0.00															
<i>Eremophila</i> sp. <i>Dendritica</i> (W.S.Reid AD98581189)		0.00															
<i>Eremophila</i> sp. <i>Fallax</i> (D.E.Symon 12311)		0.00															
<i>Eremophila</i> sp. <i>Hygrophana</i> (P.J.Lang B894-2828)		0.00															
<i>Eremophila</i> sp. <i>Praecox</i> (R.H.Ashby 131)		0.00															
<i>Eremophila sturtii</i>		0.00															
<i>Eremophila subfloccosa</i> ssp. <i>Lanata</i> (R.Bates 33587)	8	23.53	LC	LC	1	0	0.3	8	7	now E ssp lanata		LC	1	0	0.3	4	4
<i>Eremophila verrucosa</i> ssp. <i>brevistellata</i>		0.00															
<i>Eremophila verrucosa</i> ssp. <i>verrucosa</i>		0.00															
<i>Eremophila weldii</i>	8	2.19	LC	LC	1	0	0.3	7	4			LC	1	0	0.3	38	21
<i>Eremophila willsii</i> var. <i>integrifolia</i>		0.00															
<i>Eriachne aristidea</i>		0.00															
<i>Eriachne helmsii</i>		0.00															
<i>Eriachne mucronata</i>		0.00															
<i>Eriachne ovata</i>		0.00															
<i>Eriochilus cucullatus</i>	21	5.54	LC	LC	1	0	0.3	17	11			LC	1	0	0.3	11	8
<i>Eriochiton sclerotaenoides</i>	42	2.79	LC	LC	1	0	0.3	38	33			RA	3	-	0.4	5	3
<i>Eriochlamys behrii</i>	6	6.00	LC	LC	1	0	0.3	6	3			LC	1	0	0.3	16	12
<i>Eriochlamys eremaea</i>		0.00															
<i>Eriochloa australiensis</i>		0.00															
<i>Eriochloa crebra</i>		0.00															
<i>Eriochloa pseudoacrotrocha</i>	1	0.95						1		probable introduction							
<i>Erodiochloa eldieri</i>		0.00															
<i>Erodium carolinianum</i>		0.00															
<i>Erodium cernitum</i>	16	1.54	LC	LC	1	0	0.3	14	3			LC	1	0	0.3	22	20

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)		Trends (-, 0, +, ++) Eyre Hills	Trends (-, 0, +, ++) Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)		Trends (-, 0, +, ++) Talia	Trends (-, 0, +, ++) Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	% Eyre Hills			Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)						% Talia			Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)					
Erodium cygnorum		0.00																		
Erodium janszii		0.00																		
Erodium sp. Blesing (J.R.Wheeler 471)	1	50.00	NE	NE	-1			1	1	taxonomic issues										
Erymophyllum ramosum ssp. ramosum		0.00																		
Eucalyptus alboburpurea	13	25.49	RA d(i)	RA	3	0	0.3	12	8		12	23.53	RA d(i)	RA	3	0	0.3	10	6	
Eucalyptus angulosa	96	58.54	LC	LC	1	0	0.3	67	35	nthn records prob incrassata intergrades	35	21.34	RA d(i)	RA	3	0	0.3	19	11	
Eucalyptus behriana	39	26.53	VU B2ab(iii); C1	VU	4	-	0.4	23	8	limited habitat										
Eucalyptus brachycalyx	128	11.40	LC	LC	1	0	0.3	96	71		69	6.14	LC	LC	1	0	0.3	48	40	
Eucalyptus calcareana	79	15.96	LC	LC	1	0	0.3	52	7		87	17.58	LC	LC	1	0	0.3	55	27	
Eucalyptus calycogona ssp. calycogona	38	43.68	LC	LC	1	0	0.3	30	8											
Eucalyptus calycogona ssp. spaffordii	15	68.18	VU C1	VU	4	-	0.4	12	3	only on roadsides, endemic to EP										
Eucalyptus camaldulensis var. camaldulensis	9	0.75	RA d(i,ii)	RA	3	0	0.3	8	2	limited habitat	49	4.10	LC	LC	1	0	0.3	37	30	
Eucalyptus camaldulensis var. obtusa		0.00																		
Eucalyptus canescens ssp. beadelii		0.00																		
Eucalyptus canescens ssp. canescens		0.00																		
Eucalyptus ceratocorys		0.00																		
Eucalyptus cladocalyx	107	23.52	LC	LC	1	0	0.3	79	46		6	1.32	RA d(i,ii)	RA	3	DD	0.0	5	1	
Eucalyptus concinna		0.00																		
Eucalyptus conglobata ssp. conglobata	83	66.94	RA d(i,ii)	RA	3	0	0.3	44	15		5	4.03	RA d(i,ii)	RA	3	DD	0.0	4	2	
Eucalyptus cretata	25	16.45	RA d(ii)	RA	3	0	0.3	18	7	endemic to EP										
Eucalyptus diversifolia ssp. diversifolia	96	14.93	LC	LC	1	0	0.3	58	10		87	13.53	LC	LC	1	0	0.3	75	22	
Eucalyptus diversifolia ssp. hesperia		0.00																		
Eucalyptus dumosa	134	7.46	LC	LC	1	0	0.3	103	81		141	7.85	LC	LC	1	0	0.3	118	81	
Eucalyptus eremicola		0.00																		
Eucalyptus eucentrica		0.00																		
Eucalyptus glomerosa		0.00																		
Eucalyptus gongylocarpa		0.00																		
Eucalyptus gracilis	207	8.44	LC	LC	1	0	0.3	169	109		150	6.12	LC	LC	1	0	0.3	123	81	
Eucalyptus gypsophila		0.00																		
Eucalyptus incrassata	213	10.84	LC	LC	1	0	0.3	166	101		56	2.85	LC	LC	1	0	0.3	47	27	
Eucalyptus intertexta		0.00																		
Eucalyptus kingsmillii ssp. alatissima		0.00																		
Eucalyptus lansdowneana		0.00																		
Eucalyptus leptophylla	168	8.97	LC	LC	1	0	0.3	138	82		91	4.86	LC	LC	1	0	0.3	75	55	
Eucalyptus mannensis ssp. mannensis		0.00																		
Eucalyptus odorata	169	10.35	LC	LC	1	0	0.3	128	85		19	1.16	RA d(i,ii)	RA	3	0	0.3	18	7	
Eucalyptus oleosa ssp. ampliata	50	9.40	LC	LC	1	0	0.3	41	10		21	3.95	LC	LC	1	0	0.3	20	6	
Eucalyptus oleosa ssp. oleosa	4	1.11	NE	NE	-1			4	4	check ID	1	0.28	NE	NE	-1			1	1	check ID
Eucalyptus oxymitra		0.00																		
Eucalyptus peeneri		0.00																		
Eucalyptus peninsularis	88	48.35	RA d(ii)	RA	3	0	0.3	73	42		8	4.40	NE	NE	-1			7	3	taxonomic issues - probable intergrade
Eucalyptus petiolaris	46	85.19	NT	NT	2	0	0.3	32	21	fragmented habitat	1	1.85	DD	DD	0	DD	0.0	1		check record
Eucalyptus phenax ssp. phenax	52	10.55	LC	LC	1	0	0.3	36	17	undercollected	15	3.04	LC	LC	1	0	0.3	11	7	undercollected

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)		Trends (-, 0, +, ++) Eyre Hills	Trends (-, 0, +, ++) Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)		Trends (-, 0, +, ++) Talia	Trends (-, 0, +, ++) Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	Eyre Hills Records	% Eyre Hills		Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)						Talia Records	% Talia		Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)					
Eucalyptus pileata	18	28.57	VU B2ab(iii)	VU	4	-	0.4	13	5	many records taxonomic issues	6	9.52	NE	NE	-1			5	1	taxonomic issues
Eucalyptus picipiniana		0.00										0.00								
Eucalyptus porosa	111	6.11	LC	LC	1	0	0.3	92	54		172	9.47	LC	LC	1	0	0.3	147	93	
Eucalyptus rugosa	49	8.19	RA d(i,ii)	RA	3	0	0.3	38	15		66	11.04	LC	LC	1	0	0.3	51	30	
Eucalyptus socialis ssp. Glossy green (P.J.Lang 804)		0.00	LC	LC	1	0	0.3			now ssp viridans. Some peninsularis & yumbarrana rec	1	50.00	LC	LC	1	0	0.3	1	1	now ssp viridans. Some peninsularis & yumbarrana rec
Eucalyptus socialis ssp. socialis	12	1.72	LC	LC	1	0	0.3	9	8			0.00								
Eucalyptus socialis ssp. South Great Victoria Desert (D.N)		0.00										0.00								
Eucalyptus trivalvis		0.00										0.00								
Eucalyptus viminalis ssp. cygnetensis		0.00									12	1.77	RA d(i,ii)	RA	3	DD	0.0	9	4	
Eucalyptus vokesensis		0.00										0.00								
Eucalyptus wyolensis		0.00										0.00								
Eucalyptus yalatenis	9	1.83	DD	DD	0	DD	0.0	6	3		169	34.35	LC	LC	1	0	0.3	129	102	
Eucalyptus youngiana		0.00										0.00								
Eucalyptus yumbarrana ssp. yumbarrana		0.00										0.00								
Euchiton collinus	4	2.61	RA d(i,ii)	RA	3	0	0.3	3	3			0.00								
Euchiton sphaericus	33	7.60	LC	LC	1	0	0.3	27	21		12	2.76	LC	LC	1	0	0.3	9	6	
Eulalia aurea		0.00										0.00								
Euphorbia parvicaruncula		0.00										0.00								
Euphorbia stevenii		0.00										0.00								
Euphorbia tannensis ssp. eremophila	8	0.73	NT	NT	2	0	0.3	6	5			0.00								
Euphrasia collina ssp. tetragona	19	10.22	LC	LC	1	0	0.3	16	5		13	6.99	RA d(ii)	RA	3	-	0.4	10	4	
Eutaxia diffusa	24	10.53	RA d(ii)	RA	3	0	0.3	18	12		1	0.44	DD	DD	0	DD	0.0	1	1	
Eutaxia microphylla	253	12.09	LC	LC	1	0	0.3	205	147		202	9.66	LC	LC	1	0	0.3	182	149	
Evolvulus alsinoides var. villosicalyx		0.00										0.00								
Exocarpos aphyllus	213	8.55	LC	LC	1	0	0.3	186	119		175	7.02	LC	LC	1	0	0.3	144	103	
Exocarpos cupressiformis	28	1.79	RA d(ii)	RA	3	0	0.3	23	9		5	0.32	RA d(i,ii)	RA	3	0	0.3	5	3	
Exocarpos sparteus	151	14.15	LC	LC	1	0	0.3	121	69		92	8.62	LC	LC	1	0	0.3	80	51	
Exocarpos syrticola	36	7.09	LC	LC	1	0	0.3	30	15		100	19.69	LC	LC	1	0	0.3	77	65	
Ficinia nodosa	35	3.55	LC	LC	1	0	0.3	31	17	records under Isolepis	86	8.72	LC	LC	1	0	0.3	72	62	
Fimbristylis dichotoma		0.00										0.00								
Flaveria australasica		0.00										0.00								
Frankenia cinerea		0.00										0.00								
Frankenia crispa		0.00										0.00								
Frankenia cupularis		0.00										0.00								
Frankenia foliosa		0.00										0.00								
Frankenia pauciflora var. fruticulosa	168	25.30	LC	LC	1	0	0.3	58	19		153	23.04	LC	LC	1	0	0.3	96	63	
Frankenia pauciflora var. gunnii	9	5.92	LC	LC	1	0	0.3	6	5		17	11.18	LC	LC	1	0	0.3	14	13	
Frankenia plicata		0.00										0.00								
Frankenia serpyllifolia		0.00									4	0.57	RA d(ii)	RA	3	DD	0.0	4	4	
Frankenia sessilis	2	0.53	RA d(i,ii)	RA	3	0	0.3	2	2		26	6.95	LC	LC	1	0	0.3	18	12	
Gahnia ancistrophylla	56	41.18	NT	NT	2	-	0.4	39	32	doesn't mind salt	6	4.41	RA d(ii)	RA	3	-	0.4	4	3	doesn't mind salt
Gahnia deusta	116	13.35	LC	LC	1	0	0.3	94	61	limestone, rocky areas	119	13.69	LC	LC	1	0	0.3	90	66	limestone, rocky areas
Gahnia filum	39	9.38	NT	NT	2	0	0.3	33	13	restricted habitats, tolerate salt to a limit	44	10.58	NT	NT	2	0	0.3	35	27	restricted habitats, tolerate salt to a limit

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)		Trends (-, 0, +, ++) Eyre Hills	Trends (-, 0, +, ++) Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)		Trends (-, 0, +, ++) Talia	Trends (-, 0, +, ++) Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	% Eyre Hills			Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)						% Talia			Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)					
Gahnia lanigera	75	5.51	LC	LC	1	0	0.3	65	44	survive in cleared paddocks, tolerate grazing	270	19.85	LC	LC	1	0	0.3	231	192	
Gahnia trifida	37	7.33	RA d(ii)	RA	3	0	0.3	30	17	grazing, restricted habitat	30	5.94	RA d(ii)	RA	3	0	0.3	25	14	grazing, restricted habitat
Galium compactum	1	1.25	RA d(i,ii)	RA	3	-	0.4	1	1			0.00								
Galium gaudichaudii	19	3.26	NE	NE	-1			14	10	taxonomic issues, split into 2	16	2.75	NE	NE	-1			10	10	taxonomic issues, split into 2
Galium migrans	12	2.54	NE	NE	-1			9	5	taxonomic issues, split	8	1.69	NE	NE	-1			5	2	taxonomic issues, split
Geijera linearifolia	130	8.79	LC	LC	1	0	0.3	117	70		72	4.87	LC	LC	1	0	0.3	62	41	
Genoplesium nigricans	13	6.88	NE	NE	-1			12	9	now <i>Corunastylis tepperi</i> & <i>C nigricans</i>	30	15.87	NE	NE	-1			25	25	now <i>Corunastylis tepperi</i> & <i>C nigricans</i>
Genoplesium rufum	6	4.76	RA d(ii)	RA	3	DD	0.0	5	4	This is a NSW sp - EP collections are <i>Corunastylis aff r</i>	1	0.79	RA d(ii)	RA	3	DD	0.0	1	1	This is a NSW sp - EP collections are <i>Corunastylis aff r</i>
Geococcus pusillus	1	0.66	RA d(ii)	RA	3	DD	0.0	1	1			0.00								
Geranium potentilloides var. potentilloides	4	1.24	NE	NE	-1			3	3	taxonomic issues	7	2.17	NE	NE	-1			5	5	taxonomic issues
Geranium retrorsum	40	6.02	LC	LC	1	0	0.3	27	22		28	4.22	LC	LC	1	0	0.3	17	17	
Geranium solanderi var. solanderi	14	2.72	RA d(ii)	RA	3	0	0.3	12	7		50	9.71	LC	LC	1	0	0.3	37	35	
Glesia biniflora		0.00										0.00								
Glins lotooides		0.00										0.00								
Glischrocaryon aureum var. angustifolium	16	20.51	NT	NT	2	0	0.3	15	5			0.00								
Glischrocaryon behrii	95	10.49	LC	LC	1	0	0.3	79	52		23	2.54	LC	LC	1	0	0.3	18	10	
Glischrocaryon flavescens	18	13.14	LC	LC	1	0	0.3	15	6			0.00								
Glossocardia bidens		0.00										0.00								
Glossodia major	1	0.16	CR D	CR	6	--	0.5	1		no vouchers this region	1	0.16	CR D	CR	6	--	0.5	1		no vouchers this region
Glossostigma cleistanthum		0.00										0.00								
Glossostigma diandrum	1	3.45	RA d(i,ii)	RA	3	0	0.3	1	1			0.00								
Glossostigma drummondii		0.00										0.00								
Glycine canescens		0.00										0.00								
Glycine rubiginosa	27	3.59	LC	LC	1	0	0.3	24	17		7	0.93	RA d(ii)	RA	3	DD	0.0	5	4	
Gnaphalium indutum	23	8.85	LC	LC	1	0	0.3	20	19		63	24.23	LC	LC	1	0	0.3	46	42	now <i>G indutum</i> ssp <i>indutum</i>
Gnephosis arachnoidea		0.00										0.00								
Gnephosis drummondii	16	29.09	RA d(ii)	RA	3	0	0.3	12	6			0.00								
Gnephosis tenuissima	5	1.33	LC	LC	1	0	0.3	5	3			0.00								
Gompholobium ecostatum	13	2.51	RA d(i,ii)	RA	3	0	0.3	9	4			0.00								
Gonocarpus elatus	26	1.95	LC	LC	1	0	0.3	23	15		6	0.45	RA d(i,ii)	RA	3	-	0.4	3	2	grazed
Gonocarpus meizianus	255	21.00	LC	LC	1	0	0.3	207	160		45	3.71	LC	LC	1	0	0.3	38	27	
Goodenia albiflora		0.00										0.00								
Goodenia benthamiana	26	92.86	RA d(ii)	RA	3	0	0.3	23	15			0.00								
Goodenia berardiana		0.00										0.00								
Goodenia blackiana	47	3.44	LC	LC	1	0	0.3	34	29		53	3.88	LC	LC	1	0	0.3	41	33	
Goodenia calcarata	2	1.45	RA d(i,ii)	RA	3	-	0.4	2	2			0.00								
Goodenia centralis		0.00										0.00								
Goodenia cycloptera		0.00										0.00								
Goodenia fascicularis	1	0.10	RA d(i,ii)	RA	3	-	0.4	1				0.00								
Goodenia geniculata	10	1.07	RA d(ii)	RA	3	-	0.4	10	3		5	0.54	RA d(ii)	RA	3	-	0.4	5	1	
Goodenia gibbosa		0.00										0.00								
Goodenia glabra	6	6.00	VU B2ab(i,ii,iii)	VU	4	-	0.4	2	2			0.00								
Goodenia glandulosa		0.00										0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)		Trends (-, 0, +, ++) Eyre Hills	Trends (-, 0, +, ++) Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)		Trends (-, 0, +, ++) Talia	Trends (-, 0, +, ++) Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	% Eyre Hills			Proposed Regional IUCN Status (Eyre Hills)							% Talia									
Goodenia gypsicola		0.00									0.00									
Goodenia havilandii	6	3.80	RA d(ii)	RA	3	-	0.4	4	2		0.00									
Goodenia heterochila		0.00									0.00									
Goodenia larapinta		0.00									0.00									
Goodenia lobata	3	5.77	RA d(ii)	RA	3	DD	0.0	2	1		0.00									
Goodenia lunata		0.00									0.00									
Goodenia modesta		0.00									0.00									
Goodenia occidentalis		0.00									0.00									
Goodenia ovata	40	6.73	RA d(ii)	RA	3	-	0.4	35	14	heading towards VU, salinity, grazing, loss of habitat	0.00									
Goodenia pinnatifida	35	2.88	LC	LC	1	0	0.3	29	16		25	2.06	LC	LC	1	0	0.3	22	15	
Goodenia pusilliflora	33	3.91	LC	LC	1	0	0.3	25	21		87	10.32	LC	LC	1	0	0.3	69	60	
Goodenia quasilibera	4	40.00	RA d(ii)	RA	3	0	0.3	4	2		0.00									
Goodenia robusta	136	23.25	LC	LC	1	0	0.3	112	79		12	2.05	LC	LC	1	0	0.3	11	4	
Goodenia varia	134	11.99	LC	LC	1	0	0.3	106	48		96	8.59	LC	LC	1	0	0.3	88	54	
Goodenia verrucosa		0.00									0.00									
Goodenia willisiana	99	10.11	LC	LC	1	0	0.3	89	66		147	15.02	LC	LC	1	0	0.3	120	97	
Goodenia xanthosperma		0.00									0.00									
Goodia medicaginea	29	8.61	RA d(ii)	RA	3	0	0.3	25	8		24	7.12	LC	LC	1	0	0.3	22	12	
Gossypium sturtianum var. sturtianum		0.00									0.00									
Grammosolen dixonii	34	18.78	LC	LC	1	0	0.3	23	10	likes disturbance	0.00									
Grammosolen truncatus		0.00									0.00									
Gratwickia monochaeta		0.00									0.00									
Grevillea albiflora		0.00									0.00									
Grevillea anethifolia	18	31.03	RA d(ii)	RA	3	-	0.4	13	2		0.00									
Grevillea aspera	119	36.73	LC	LC	1	0	0.3	86	36	rocky areas	10	3.09	RA d(ii)	RA	3	-	0.4	8	2	rocky areas
Grevillea dilatata	14	46.67	NT	NT	2	-	0.4	14	2		2	6.67	VU B2ab(i,ii,iii)	VU	4	-	0.4	2		
Grevillea halmaturina ssp. laevis	34	85.00	RA d(ii)	RA	3	-	0.4	31	5		6	15.00	EN B2ab(i,ii,iii)	EN	5	-	0.4	5		
Grevillea huegelii	70	9.78	LC	LC	1	0	0.3	62	40		1	0.14	LC	LC	1	0	0.3	1		
Grevillea ilicifolia ssp. ilicifolia	16	8.79	LC	LC	1	0	0.3	16	6		1	0.55	NT	NT	2	0	0.3	1	1	
Grevillea juncifolia ssp. juncifolia	10	3.48	RA d(ii)	RA	3	0	0.3	10	5		0.00									
Grevillea nematophylla ssp. nematophylla		0.00									0.00									
Grevillea nematophylla ssp. supraplana		0.00									0.00									
Grevillea parallelinervis		0.00									0.00									
Grevillea pauciflora ssp. leptophylla	4	14.81	RA d(ii)	RA	3	-	0.4	3	1		17	62.96	NT	NT	2	0	0.3	13	13	
Grevillea pauciflora ssp. pauciflora	21	12.65	LC	LC	1	0	0.3	20	5		28	16.87	LC	LC	1	0	0.3	25	17	
Grevillea pterosperma	67	18.31	LC	LC	1	0	0.3	56	28		0.00									
Grevillea sarissa ssp. umbellifera		0.00									0.00									
Grevillea stenobotrya		0.00									0.00									
Grevillea treueriana		0.00									0.00									
Gunniopsis calcarea		0.00									0.00									
Gunniopsis calva		0.00									0.00									
Gunniopsis papillata		0.00									0.00									
Gunniopsis quadrifida		0.00									0.00									

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)		Trends (-, 0, +, ++) Eyre Hills	Trends (-, 0, +, ++) Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)		Trends (-, 0, +, ++) Talia	Trends (-, 0, +, ++) Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	% Eyre Hills			Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)						% Talia			Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)					
Gunniopsis septifraga		0.00									0.00									
Gunniopsis zygophylloides		0.00									0.00									
Gyrostemon australasicus	25	10.04	LC	LC	1	0	0.3	23	12		1	0.40	RA d(ii)	RA	3	DD	0.0	1		edge of range
Gyrostemon ramulosus	35	12.37	LC	LC	1	0	0.3	30	11			0.00								
Gyrostemon tepperi		0.00										0.00								
Gyrostemon thesioides	21	15.33	RA d(ii)	RA	3	-	0.4	10	6		11	8.03	RA d(ii)	RA	3	-	0.4	9	5	
Haecckeria cassiniiformis	22	48.89	RA d(ii)	RA	3	0	0.3	21	13		2	4.44	RA d(ii)	RA	3	0	0.3	2		
Haecckeria punctulata		0.00										0.00								
Haegiela tatei	1	1.79	VU D2	VU	4	DD	0.0	1	1	restricted habitat	2	3.57	VU D2	VU	4	DD	0.0	2	1	restricted habitat
Hakea cycloptera	263	51.67	LC	LC	1	0	0.3	204	129		78	15.32	LC	LC	1	0	0.3	71	44	
Hakea francisiana	72	23.23	LC	LC	1	0	0.3	60	33			0.00								
Hakea leucoptera ssp. leucoptera	32	4.15	LC	LC	1	0	0.3	25	12			0.00								
Hakea lorea ssp. lorea		0.00										0.00								
Hakea mitchellii	64	5.21	LC	LC	1	0	0.3	51	26		26	2.12	LC	LC	1	0	0.3	24	11	
Hakea rugosa	106	12.06	LC	LC	1	0	0.3	87	44		23	2.62	LC	LC	1	0	0.3	19	11	
Hakea vittata	47	8.72	LC	LC	1	0	0.3	34	18		39	7.24	LC	LC	1	0	0.3	35	21	
Halgania andromedifolia	64	14.81	LC	LC	1	0	0.3	51	26		31	7.18	LC	LC	1	0	0.3	28	17	
Halgania cyanea	97	13.80	LC	LC	1	0	0.3	78	63		61	8.68	LC	LC	1	0	0.3	55	43	
Halophila australis	5	6.49	LC	LC	1	0	0.3	4	1	Common, perennial	17	22.08	LC	LC	1	0	0.3	12	3	Common, perennial
Haloragis acutangula forma acutangula	35	21.88	NE	NE	-1			11	2	taxonomic issues	53	33.13	NE	NE	-1			18	2	taxonomic issues
Haloragis acutangula forma annulata	2	22.22	NE	NE	-1			2		taxonomic issues	4	44.44	NE	NE	-1			3	2	taxonomic issues
Haloragis acutangula forma dentata	2	12.50	NE	NE	-1			1		taxonomic issues	10	62.50	NE	NE	-1			6		taxonomic issues
Haloragis acutangula forma inflata	4	23.53	NE	NE	-1			3	2	taxonomic issues	5	29.41	NE	NE	-1			1		taxonomic issues
Haloragis acutangula forma obturbinata	3	30.00	NE	NE	-1			3		taxonomic issues	6	60.00	NE	NE	-1			5		taxonomic issues
Haloragis acutangula forma pyramidata	3	37.50	NE	NE	-1			3	1	taxonomic issues	4	50.00	NE	NE	-1			1		taxonomic issues
Haloragis acutangula forma semiangulata	7	22.58	NE	NE	-1			4		taxonomic issues	4	12.90	NE	NE	-1			3		taxonomic issues
Haloragis acutangula forma stellata		0.00	NE	NE	-1					taxonomic issues	3	60.00	NE	NE	-1			1		taxonomic issues
Haloragis acutangula forma subacutangula	2	14.29	NE	NE	-1			2	1	taxonomic issues	2	14.29	NE	NE	-1			2		taxonomic issues
Haloragis acutangula forma tetraglebosa	5	23.81	NE	NE	-1			4		taxonomic issues	4	19.05	NE	NE	-1			3		taxonomic issues
Haloragis acutangula forma tetraptera	13	9.70	NE	NE	-1			7		taxonomic issues	17	12.69	NE	NE	-1			11		taxonomic issues
Haloragis acutangula forma turbinata	5	15.15	NE	NE	-1			4		taxonomic issues	6	18.18	NE	NE	-1			5		taxonomic issues
Haloragis aspera	18	2.54	RA d(ii)	RA	3	0	0.3	13	6		13	1.84	RA d(ii)	RA	3	0	0.3	8	8	
Haloragis eyreana	105	100.00	EN C2a(i)	EN	5	-	0.4	95	31	endemic to EP, on roadsides		0.00								
Haloragis glauca forma glauca		0.00										0.00								
Haloragis gossei		0.00										0.00								
Haloragis odontocarpa forma pterocarpa		0.00										0.00								
Haloragis odontocarpa forma rugosa		0.00										0.00								
Haloragis uncatipila		0.00										0.00								
Hannafordia bissillii ssp. bissillii		0.00										0.00								
Hardenbergia violacea	41	5.72	LC	LC	1	0	0.3	35	20		89	12.41	LC	LC	1	0	0.3	74	57	
Harmsiodoxa blennodioides		0.00										0.00								
Harmsiodoxa brevipes var. brevipes		0.00										0.00								
Harmsiodoxa brevipes var. major		0.00										0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)		Trends (-, 0, +, ++) Eyre Hills	Trends (-, 0, +, ++) Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)		Trends (-, 0, +, ++) Talia	Trends (-, 0, +, ++) Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	Eyre Hills Records	% Eyre Hills		Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)						Talia Records	% Talia		Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)					
Harmsiodoxa puberula		0.00									0.00									
Helichrysum leucopsidium	179	8.41	LC	LC	1	0	0.3	144	115		292	13.72	LC	LC	1	0	0.3	257	227	
Heliotropium aspernum	4	1.50	RA d(ii)	RA	3	-	0.4	4	1			0.00								
Heliotropium europaeum	14	3.72	NE	NE	-1			12	2	taxonomic issues	4	1.06	NE	NE	-1			4	4	taxonomic issues
Hemichroa diandra	8	3.43	RA d(ii)	RA	3	-	0.4	7	2	in samphires	20	8.58	LC	LC	1	0	0.3	19	18	
Hemichroa pentandra	6	5.36	RA d(ii)	RA	3	-	0.4	5	1		15	13.39	RA d(ii)	RA	3	0	0.3	12	8	
Hibbertia cinerea	24	68.57	RA d(ii)	RA	3	-	0.4	20	13		7	20.00	RA d(ii)	RA	3	DD	0.0	5	4	restricted habitat
Hibbertia crinita	7	2.15	VU D1+2	VU	4	-	0.4	5	4	Stamford Hill, Linc NP		0.00								
Hibbertia crispula		0.00										0.00								
Hibbertia paeninsularis	51	56.04	LC	LC	1	0	0.3	41	20		3	3.30	RA d(ii)	RA	3	DD	0.0	2		
Hibbertia platyphylla ssp. major	11	64.71	VU D2	VU	4	-	0.4	9	8	in Marble Hills	3	17.65	VU D2	VU	4	-	0.4	2	1	in Marble Hills
Hibbertia platyphylla ssp. platyphylla	16	38.10	LC	LC	1	0	0.3	15	15	usually occurs with limestone, should be more records	23	54.76	LC	LC	1	0	0.3	23	23	usually occurs with limestone
Hibbertia riparia	8	3.51	RA d(ii)	RA	3	DD	0.0	8	8	can be confused with H sp Glabriuscula		0.00								
Hibbertia sp. Glabriuscula (D.J.Whibley 9012)	94	11.76	LC	LC	1	0	0.3	85	85	to be named H. devitata	37	4.63	LC	LC	1	0	0.3	35	35	to be named H. devitata
Hibbertia virgata	95	6.57	LC	LC	1	0	0.3	77	42	to be named H. conduplicata	66	4.56	LC	LC	1	0	0.3	55	40	to be named H. conduplicata
Hibiscus brachysiphonius		0.00										0.00								
Hibiscus krichauffianus		0.00										0.00								
Hibiscus solanifolius		0.00										0.00								
Hibiscus sturtii var. grandiflorus		0.00										0.00								
Hibiscus sturtii var. muelleri		0.00										0.00								
Homoranthus homoranthoides	108	77.70	LC	LC	1	0	0.3	84	36		29	20.86	LC	LC	1	0	0.3	26	14	
Homoranthus wilhelmii	99	37.64	LC	LC	1	0	0.3	83	38		4	1.52	RA d(ii)	RA	3	0	0.3	3		
Hyalosperma demissum	68	13.71	LC	LC	1	0	0.3	56	47		34	6.85	LC	LC	1	0	0.3	25	22	
Hyalosperma glutinosum ssp. glutinosum	42	12.88	LC	LC	1	0	0.3	36	28		15	4.60	LC	LC	1	0	0.3	11	6	
Hyalosperma semisterile	5	1.15	RA d(ii)	RA	3	0	0.3	5	3		7	1.62	RA d(ii)	RA	3	0	0.3	5	4	
Hybanthus floribundus ssp. floribundus	95	10.35	LC	LC	1	0	0.3	76	37		5	0.54	LC	LC	1	0	0.3	5	5	
Hybanthus monopetalus	4	2.48	VU B2ab(i,ii,iii)	VU	4	-	0.4	4	2			0.00								
Hydrocotyle callicarpa	57	9.74	LC	LC	1	0	0.3	45	39		21	3.59	LC	LC	1	0	0.3	14	9	
Hydrocotyle capillariss	27	9.03	LC	LC	1	0	0.3	22	20		39	13.04	LC	LC	1	0	0.3	30	23	
Hydrocotyle comocarpa		0.00									5	8.77	RA d(ii)	RA	3	DD	0.0	3		
Hydrocotyle foveolata	11	4.72	LC	LC	1	0	0.3	8	8		3	1.29	RA d(ii)	RA	3	-	0.4	2	1	
Hydrocotyle laxiflora		0.00										0.00								
Hydrocotyle medicaginooides	8	6.35	NT	NT	2	0	0.3	7	5	limestone species	23	18.25	LC	LC	1	0	0.3	18	12	limestone species
Hydrocotyle pilifera var. glabrata	41	11.45	LC	LC	1	0	0.3	30	24		72	20.11	LC	LC	1	0	0.3	53	49	
Hydrocotyle rugulosa	5	7.04	NT	NT	2	-	0.4	5	1		4	5.63	RA d(ii)	RA	3	-	0.4	3	1	
Hydrocotyle trachycarpa		0.00										0.00								
Hypericum gramineum	2	0.54	RA d(ii)	RA	3	-	0.4	2				0.00								
Hypolaena fastigiata	33	3.06	NT	NT	2	0	0.3	22	13	sandy soils	3	0.28	NT	NT	2	0	0.3	3	2	sandy soils
Hypoxis glabella var. glabella	31	4.98	LC	LC	1	0	0.3	26	14		46	7.38	LC	LC	1	0	0.3	40	33	
Hypoxis vaginata var. vaginata	17	7.49	RA d(ii)	RA	3	-	0.4	13	8	needs rich soil & dampness		0.00								
Imperata cylindrica		0.00									1	1.09	EN B2ab(i,ii,iiiiv)	EN	5	-	0.4	1		inaccurate location
Indigofera australis var. australis	4	3.03	VU D2	VU	4	DD	0.0	3	3			0.00								
Indigofera georgei		0.00										0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records	% Eyre Hills	Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records	% Talia	Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
Indigofera helmsii	3	4.76	NE	NE	- 1			2	2	taxonomic issues		0.00								
Indigofera psammophila		0.00										0.00								
Iseilema eremaeum		0.00										0.00								
Iseilema membranaceum		0.00										0.00								
Isoetes muelleri	1	3.33	VU D2	VU	4	DD	0.0	1	1	probably undercollected, deciduous		0.00								
Isoetopsis graminifolia	23	3.66	LC	LC	1	0	0.3	20	17		55	8.74	LC	1	0	0.3		46	41	
Isolepis australiensis	4	5.88	RA d(ii)	RA	3	DD	0.0	2	2			0.00								
Isolepis cernua	5	1.47	NT	NT	2	DD	0.0	5	1		2	0.59	NT	2	DD	0.0	2	1		
Isolepis congrua	4	6.45	RA d(ii)	RA	3	DD	0.0	4	2		1	1.61	RA d(ii)	3	DD	0.0	1			
Isolepis fluitans	2	1.03	CR B2ab(i,ii,iii)	CR	6	--	0.5	1	1	needs fresh water, possibly extinct		0.00								
Isolepis hookeriana	1	1.35	CR B2ab(i,ii,iii)	CR	6	--	0.5	1	1	Vanilla forest		0.00								
Isolepis inundata	1	0.36	RE	RE	7			1	1			0.00								
Isolepis platycarpa	7	3.68	VU B2ab(i,ii,iii)	VU	4	-	0.4	6	2			0.00								
Isolepis stellata	3	3.53	CR B2ab(i,ii,iii)	CR	6	--	0.5	2	1			0.00								
Isotoma petraea	20	5.46	LC	LC	1	0	0.3	16	4		2	0.55	RA d(ii)	3	DD	0.0	2			
Isotoma scapigera	7	14.58	RA d(ii)	RA	3	-	0.4	5	2	habitat specialist	11	22.92	RA d(ii)	3	-	0.4	10	5	habitat specialist	
Ixiochlamys cuneifolia		0.00										0.00								
Ixiochlamys filicifolia		0.00										0.00								
Ixiochlamys nana		0.00										0.00								
Ixodia achillaeoides ssp. achillaeoides	33	8.78	LC	LC	1	0	0.3	24	7		19	5.05	LC	1	0	0.3	13	6		
Ixodia achillaeoides ssp. alata	12	1.55	RA d(ii)	RA	3	0	0.3	11	3		1	0.13	RA d(i,ii)	3	0	0.3	1			
Jasminum didymum ssp. lineare		0.00										0.00								
Juncus aridicola	2	1.56	RA d(i,ii)	RA	3	0	0.3	2	1			0.00								
Juncus bufonius	34	6.28	LC	LC	1	0	0.3	28	14		1	0.18	NT	2	0	0.3	1			
Juncus kraussii	17	2.71	LC	LC	1	0	0.3	16	6	undercollected	14	2.23	LC	1	0	0.3	11	10	undercollected	
Juncus pallidus	14	2.18	RA d(ii)	RA	3	0	0.3	13	6	needs rain		0.00								
Juncus radula	1	2.33	CR B2ab(i,ii,iii); D	CR	6	--	0.5	1	1	possibly extinct		0.00								
Juncus subsecundus	23	3.28	LC	LC	1	0	0.3	20	11			0.00								
Kennedia prostrata	57	3.93	LC	LC	1	0	0.3	51	33		41	2.83	LC	1	0	0.3	37	27		
Keraudrenia nephrosperma		0.00										0.00								
Keraudrenia sp. North West (J.Z.Weber 6475)		0.00										0.00								
Kippistia suaedifolia		0.00										0.00								
Korthalsella japonica forma japonica		0.00										0.00								
Lachnagrostis aemula	12	5.77	RA d(ii,iii)	RA	3	-	0.4	12	9	clearance, grazing - threats		0.00								
Lachnagrostis billardierei ssp. billardierei	5	3.79	LC	LC	1	0	0.3	5	4		9	6.82	LC	1	0	0.3	9	5		
Lachnagrostis filiformis		0.00									1	0.71	DD	0	DD	0.0	1	1	many records not databased, common on EP	
Lagenophora huegelii	92	14.11	LC	LC	1	0	0.3	68	62		56	8.59	LC	1	0	0.3	42	41		
Lasiopetalum baueri	157	19.87	LC	LC	1	0	0.3	132	85		131	16.58	LC	1	0	0.3	109	81		
Lasiopetalum behrii	139	18.34	LC	LC	1	0	0.3	111	86		97	12.80	LC	1	0	0.3	85	59		
Lasiopetalum discolor	70	12.66	LC	LC	1	0	0.3	62	37		191	34.54	LC	1	0	0.3	152	127		
Lasiopetalum schulzenii	21	5.72	RA d(ii)	RA	3	0	0.3	17	10			0.00								
Lawrencella davenportii		0.00										0.00								
Lawrenzia berthae	1	3.45	RA d(ii)	RA	3	DD	0.0	1	1			0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)		Trends (-, 0, +, ++) Eyre Hills	Trends (-, 0, +, ++) Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)		Trends (-, 0, +, ++) Talia	Trends (-, 0, +, ++) Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	% Eyre Hills			Proposed Regional IUCN Status (Eyre Hills)							% Talia									
Lawrenzia glomerata	8	2.00	LC	LC	1	0	0.3	8	7		5	1.25	NT	NT	2	-	0.4	5	3	
Lawrenzia spicata	12	8.16	LC	LC	1	0	0.3	10	2		8	5.44	LC	LC	1	0	0.3	8	2	
Lawrenzia squamata	29	3.92	LC	LC	1	0	0.3	25	14		49	6.63	LC	LC	1	0	0.3	40	31	
Laxmannia orientalis	12	3.11	RA d(i,ii)	RA	3	0	0.3	8	5			0.00								
Lechenaultia aphylla		0.00										0.00								
Lechenaultia divaricata		0.00										0.00								
Lechenaultia striata		0.00										0.00								
Leiocarpa leptolepis		0.00										0.00								
Leiocarpa plurisetata		0.00									4	11.43	RA d(ii)	RA	3	-	0.4	3	1	coastal development a threat
Leiocarpa semicalva ssp. semicalva		0.00										0.00								
Leiocarpa supina	21	8.79	LC	LC	1	0	0.3	15	5	coastal development a threat	46	19.25	LC	LC	1	0	0.3	23	1	coastal development a threat
Leiocarpa tomentosa	2	0.99	RA d(ii)	RA	3	-	0.4	2			5	2.48	RA d(i,ii)	RA	3	0	0.3	3		
Leiocarpa websteri		0.00										0.00								
Lemna disperma		0.00										0.00								
Lemooria burkittii	3	1.68	RA d(i,ii)	RA	3	0	0.3	2	2	southern limit		0.00								
Lepidium fasciculatum		0.00										0.00								
Lepidium foliosum	36	23.23	LC	LC	1	0	0.3	27	8	coastal limestone	82	52.90	LC	LC	1	0	0.3	30		coastal limestone
Lepidium leptopetalum	1	1.05	VU B2ab(i,ii,iii)	VU	4	-	0.4	1				0.00								
Lepidium muelleri-ferdinandi		0.00										0.00								
Lepidium oxytrichum		0.00										0.00								
Lepidium papillosum		0.00										0.00								
Lepidium phlebopetalum	1	0.13	RA d(i,ii)	RA	3	-	0.4	1				0.00								
Lepidium pseudoruderale		0.00										0.00								
Lepidium rotundum	1	3.85	RA d(i,ii)	RA	3	DD	0.0	1	1			0.00								
Lepidium sagittulatum		0.00										0.00								
Lepidosperma canescens	9	4.64	RA d(i,ii)	RA	3	0	0.3	5	4			0.00								
Lepidosperma carphoides	89	5.10	LC	LC	1	0	0.3	68	50		20	1.15	LC	LC	1	0	0.3	16	13	
Lepidosperma concavum	13	3.04	NT	NT	2	0	0.3	10	6		2	0.47	RA d(ii)	RA	3	0	0.3	2	2	
Lepidosperma congestum	18	4.69	LC	LC	1	0	0.3	17	6		35	9.11	LC	LC	1	0	0.3	33	28	
Lepidosperma curtisiae	3	1.17	EN B2ab(i,ii,iii)	EN	5	-	0.4	2	1	in sheoak woodland		0.00								
Lepidosperma gladiatum	28	6.38	LC	LC	1	0	0.3	26	11	coastal species	36	8.20	LC	LC	1	0	0.3	32	22	coastal species
Lepidosperma leptophyllum		0.00										0.00								
Lepidosperma sp. Narrow leaf (R.L.Taplin 709)	1	2.38	RA d(ii)	RA	3	0	0.3	1	1		2	4.76	RA d(ii)	RA	3	0	0.3	1	1	
Lepidosperma viscidum	298	12.70	LC	LC	1	0	0.3	230	183		109	4.65	LC	LC	1	0	0.3	94	74	
Lepilaena australis	3	5.77	RA d(ii)	RA	3	DD	0.0	3		needs fresh water, ephemeral	1	1.92	RA d(ii)	RA	3	DD	0.0	1		no records (IMCRA)
Lepilaena cylindrocarpa	1	1.64	VU D2	VU	4	DD	0.0	1		tolerates some salinity	1	1.64	VU D2	VU	4	DD	0.0	1		tolerates some salinity
Lepilaena marina	1	1.89	RA d(ii)	RA	3	DD	0.0	1		could be undercollected		0.00								
Lepilaena preissii		0.00									3	7.50	RA d(ii)	RA	3	DD	0.0	3		coastal, likes salinity
Leporella fimbriata	27	11.30	LC	LC	1	0	0.3	18	13			0.00	RA d(ii)	RA	3	DD	0.0			no records
Leptoceras menziesii	1	0.55	EN D	EN	5	-	0.4	1			1	0.55	EN D	EN	5	-	0.4	1		
Leptomeria aphylla	14	4.07	RA d(ii)	RA	3	0	0.3	11	5		10	2.91	RA d(ii)	RA	3	0	0.3	10	3	
Leptomeria preissiana		0.00										0.00								
Leptorhynchus baileyi		0.00										0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)		Trends (-, 0, +, ++) Eyre Hills	Trends (-, 0, +, ++) Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)		Trends (-, 0, +, ++) Talia	Trends (-, 0, +, ++) Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	% Eyre Hills			Proposed Regional IUCN Status (Eyre Hills)	Trends (-, 0, +, ++) Eyre Hills						% Talia			Proposed Regional IUCN Status (Talia)	Trends (-, 0, +, ++) Talia					
Leptorhynchus elongatus	1	2.17	CR C2a(i)	CR	0	-	0.4	1	1	small pops, roadsides, reserves, coastal spp.		0.00								
Leptorhynchus melanocarpus		0.00										0.00								
Leptorhynchus scaber	1	5.26	RA d(i,ii)	RA	3	-	0.4	1		limited habitat, grazing a threat		0.00								
Leptorhynchus squamatus ssp. squamatus	22	3.94	LC	LC	1	-	0.4	14	11	clearance a threat	8	1.43	RA d(i,ii)	RA	3	-	0.4	5	4	
Leptorhynchus tetrachaetus	3	1.58	RA d(ii)	RA	3	-	0.4	2	1		6	3.16	RA d(ii)	RA	3	-	0.4	4	3	
Leptorhynchus waitzia	18	6.59	LC	LC	1	0	0.3	16	6	often occurs in large numbers	85	31.14	LC	LC	1	0	0.3	67	55	often occurs in large numbers
Leptospermum coriaceum	166	12.60	LC	LC	1	0	0.3	131	79		41	3.11	LC	LC	1	0	0.3	36	18	
Leptospermum fastigiatum		0.00										0.00								
Leucochrysum fitzibbonii		0.00										0.00								
Leucochrysum melle		0.00										0.00								
Leucochrysum stipitatum		0.00										0.00								
Leucophyta brownii	59	11.17	LC	LC	1	0	0.3	46	12	threat of coastal development	98	18.56	LC	LC	1	0	0.3	73	46	threat of coastal development
Leucopogon clevelandii	3	1.47	RA d(i,ii)	RA	3	-	0.4	3	1		1	0.49	RA d(i,ii)	RA	3	-	0.4	1	1	
Leucopogon cordifolius	93	13.62	LC	LC	1	0	0.3	78	52		71	10.40	LC	LC	1	0	0.3	62	37	
Leucopogon parviflorus	111	7.60	LC	LC	1	0	0.3	83	35		165	11.29	LC	LC	1	0	0.3	141	111	
Leucopogon revolutus		0.00									11	91.67	RA d(i,ii)	RA	3	DD	0.0	6		restricted to islands
Leucopogon rufus	28	6.32	NT	NT	2	0	0.3	19	14		3	0.68	RA d(ii)	RA	3	-	0.4	3		
Leucopogon woodsii	11	4.68	RA d(ii)	RA	3	-	0.4	11	3		1	0.43	VU B2ab(i,ii,iii)	VU	4	-	0.4	1		
Levenhookia dubia	63	12.83	LC	LC	1	0	0.3	52	40		13	2.65	LC	LC	1	0	0.3	10	5	
Levenhookia stipitata	26	63.41	RA d(ii)	RA	3	-	0.4	17	15	weeds, erosion, farming - threats	6	14.63	RA d(ii)	RA	3	-	0.4	4	3	weeds, erosion, farming - threats
Lilaeopsis polyantha	4	3.85	VU D2	VU	4	DD	0.0	3	1	aquatic habitat, undercollected, highly restricted		0.00								
Limosella australis		0.00										0.00								
Limosella curdieana var. curdieana		0.00										0.00								
Limosella curdieana var. Long-pedicelled (W.R.Barker 38)		0.00										0.00								
Limosella granitica	1	5.56	VU D2	VU	4	DD	0.0	1	1	endemic		0.00								
Linum marginale	34	5.95	LC	LC	1	0	0.3	25	23		114	19.96	LC	LC	1	0	0.3	89	81	
Lissanthe strigosa ssp. subulata	148	31.22	LC	LC	1	0	0.3	107	65		10	2.11	RA d(ii)	RA	3	-	0.4	8	4	
Lobelia anceps	11	3.44	VU B2ab(i,ii,iii)	VU	4	-	0.4	10	1		4	1.25	VU B2ab(i,ii,iii)	VU	4	-	0.4	4	2	
Lobelia gibbosa	25	7.76	LC	LC	1	0	0.3	25	20		10	3.11	LC	LC	1	0	0.3	8	8	
Lobelia heterophylla	6	24.00	RA d(ii)	RA	3	DD	0.0	6	5		3	12.00	RA d(ii)	RA	3	DD	0.0	2	2	to be changed into 2 spp.
Logania crassifolia	13	5.75	NT	NT	2	0	0.3	11	5		31	13.72	LC	LC	1	0	0.3	28	19	
Logania linifolia	12	2.97	LC	LC	1	0	0.3	12	7		1	0.25	RA d(i,ii)	RA	3	DD	0.0	1	1	
Logania minor		0.00									6	10.34	RA d(ii)	RA	3	-	0.4	4	4	
Logania nuda	44	23.53	NT	NT	2	0	0.3	41	26	lack of habitat		0.00								
Logania ovata	88	15.17	LC	LC	1	0	0.3	70	26		58	10.00	LC	LC	1	0	0.3	51	30	
Lomandra collina	131	10.10	LC	LC	1	0	0.3	106	83		123	9.48	LC	LC	1	0	0.3	110	87	
Lomandra effusa	153	10.57	LC	LC	1	0	0.3	134	101		114	7.88	LC	LC	1	0	0.3	93	79	
Lomandra juncea	14	2.36	NT	NT	2	0	0.3	8	8	rainfall sensitive	1	0.17	NT	NT	2	0	0.3	1	1	rainfall sensitive
Lomandra leucocephala ssp. robusta	95	10.83	LC	LC	1	0	0.3	77	55		3	0.34	RA d(ii)	RA	3	DD	0.0	3		
Lomandra micrantha ssp. micrantha	49	6.77	NT	NT	2	0	0.3	36	29		32	4.42	NT	NT	2	0	0.3	20	20	
Lomandra micrantha ssp. tuberculata	35	8.33	NT	NT	2	0	0.3	15	14		2	0.48	NT	NT	2	0	0.3	2	2	
Lomandra sororia	5	1.00	VU D2	VU	4	DD	0.0	3	3			0.00								
Lotus australis	7	1.56	RA d(i,ii)	RA	3	0	0.3	7	1		23	5.12	LC	LC	1	0	0.3	20	10	

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)			Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)			Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	Eyre Hills Records	% Eyre Hills		Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)	Trends (-, 0, +, ++)				Trends (-, 0, +, ++)	Talia Records		% Talia	Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)			
Lotus cruentus	2	0.18	DD	DD	0	DD	0.0	1	strange records		0.00							
Luzula densiflora		0.00								3	3.66	EN D	EN	5	DD	0.0	2	2
Luzula meridionalis	22	5.28	RA d(i,ii)	RA	3	0	0.3	17	9	5	1.20	RA d(i,ii)	RA	3	0	0.3	4	3
Lycium australe	105	10.13	LC	LC	1	0	0.3	43	17	33	3.18	LC	LC	1	0	0.3	26	13
Lysiana exocarpi ssp. exocarpi	25	1.37	LC	LC	1	0	0.3	18	10	6	0.33	RA d(ii)	RA	3	0	0.3	5	5
Lysiana murrayi		0.00									0.00							
Lythrum hyssopifolia	9	2.14	LC	LC	1	0	0.3	7	4		0.00							
Lythrum wilsonii		0.00									0.00							
Maireana aphylla	2	0.23	VU B2ab(i,ii,iii)	VU	4	-	0.4	1	highly localised, prefers fresh water		0.00							
Maireana appressa	4	0.96	RA d(i,ii)	RA	3	0	0.3	4	3 saline ares, gypsious soils		0.00							
Maireana astrotricha		0.00									0.00							
Maireana brevifolia	89	7.32	LC	LC	1	+	0.2	69	40	2	0.16	NT	NT	2	0	0.3	2	2
Maireana campanulata		0.00									0.00							
Maireana cannonii		0.00									0.00							
Maireana carnososa		0.00									0.00							
Maireana ciliata		0.00									0.00							
Maireana coronata		0.00									0.00							
Maireana enchylaenoides	47	4.73	LC	LC	1	-	0.4	41	38 habitat loss	2	0.20	RA d(i,ii)	RA	3	-	0.4	1	1
Maireana eriantha		0.00									0.00							
Maireana erioclada	63	4.91	LC	LC	1	0	0.3	56	47	36	2.80	LC	LC	1	0	0.3	28	19
Maireana georgei	1	0.12	NT	NT	2	0	0.3	1	1		0.00							
Maireana integra		0.00									0.00							
Maireana lobiflora	3	2.83	RA d(i,ii)	RA	3	DD	0.0	2	2 responds well to rain		0.00							
Maireana melanocarpa		0.00									0.00							
Maireana microcarpa		0.00									0.00							
Maireana oppositifolia	44	5.55	LC	LC	1	0	0.3	30	9	148	18.66	LC	LC	1	0	0.3	81	41
Maireana ovata		0.00									0.00							
Maireana pentatropis	35	3.06	LC	LC	1	0	0.3	31	27	2	0.18	NT	NT	2	0	0.3	2	1
Maireana planifolia		0.00									0.00							
Maireana pyramidata	1	0.06	RA d(i,ii)	RA	3	DD	0.0	1	southern limit		0.00							
Maireana radiata	32	4.97	LC	LC	1	0	0.3	28	20		0.00							
Maireana rohrlachii	6	3.19	RA d(ii)	RA	3	-	0.4	5	3 heavily grazed, grassy woodlands		0.00							
Maireana schistocarpa		0.00									0.00							
Maireana scleroptera		0.00									0.00							
Maireana sedifolia	7	0.51	NT	NT	2	0	0.3	7	5		0.00							
Maireana spongocarpa		0.00									0.00							
Maireana suaedifolia	10	37.04	NT	NT	2	0	0.3	10	7 poss undercollected all regions		0.00							
Maireana tomentosa ssp. urceolata		0.00									0.00							
Maireana trichoptera	28	2.45	LC	LC	1	0	0.3	25	20	10	0.87	LC	LC	1	0	0.3	10	6
Maireana triptera		0.00									0.00							
Maireana turbinata	3	0.49	RA d(ii)	RA	3	-	0.4	3	southern limit		0.00							
Maireana villosa		0.00									0.00							
Malacocera albolanata		0.00									0.00							

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)		Trends (-, 0, +, ++) Eyre Hills	Trends (-, 0, +, ++) Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)		Trends (-, 0, +, ++) Talia	Trends (-, 0, +, ++) Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	% Eyre Hills			Proposed Regional IUCN Status (Eyre Hills)							% Talia									
Malacocera gracilis		0.00									0.00									
Malacocera tricornis		0.00									0.00									
Malva preissiana	133	16.14	LC	LC	1	0	0.3	62	13		50	6.07	LC	LC	1	0	0.3	22		
Malvastrum americanum var. americanum		0.00									0.00									
Marsdenia australis		0.00									0.00									
Marsilea costulifera	1	2.27	RA d(ii)	RA	3	DD	0.0	1			0.00									
Marsilea drummondii	3	1.19	RA d(ii)	RA	3	DD	0.0	3	2		0.00									
Marsilea exarata		0.00									0.00									
Marsilea hirsuta		0.00									0.00									
Melaleuca acuminata ssp. acuminata	104	8.45	LC	LC	1	0	0.3	86	56		157	12.75	LC	LC	1	0	0.3	138	92	
Melaleuca armillaris ssp. akineta	16	12.03	RA d(ii)	RA	3	0	0.3	11	8		0.00									
Melaleuca brevifolia	65	8.83	LC	LC	1	0	0.3	50	25		47	6.39	LC	LC	1	0	0.3	40	20	
Melaleuca decussata	155	23.66	LC	LC	1	0	0.3	122	61	likes wetter areas	55	8.40	LC	LC	1	0	0.3	50	28	likes wetter areas
Melaleuca eleuterostachya	12	4.01	RA d(ii)	RA	3	0	0.3	12	2		4	1.34	RA d(ii)	RA	3	0	0.3	4	1	
Melaleuca gibbosa	2	0.29	RA d(ii)	RA	3	-	0.4	1	1		14	2.03	VU B2ab(i,ii,iii)	VU	4	-	0.4	14	11	sensitive to salinity & drying
Melaleuca glomerata		0.00									0.00									
Melaleuca halmaturorum	27	5.95	LC	LC	1	0	0.3	22	15	saline, coastal, swamps, wetlands	101	22.25	LC	LC	1	0	0.3	63	46	saline, coastal, swamps, wetlands
Melaleuca interioris		0.00									0.00									
Melaleuca lanceolata	13	2.30	LC	LC	1	0	0.3	13	9		48	8.48	LC	LC	1	0	0.3	39	38	
Melaleuca leiocarpa		0.00									0.00									
Melaleuca nanophylla		0.00									0.00									
Melaleuca oxyphylla	28	52.83	RA d(ii)	RA	3	0	0.3	22	14	localised		0.00								
Melaleuca pauperiflora ssp. mutica	75	17.16	LC	LC	1	0	0.3	62	41		27	6.18	LC	LC	1	0	0.3	24	19	
Melaleuca quadrifaria		0.00									0.00									
Melaleuca uncinata	62	24.80	LC	LC	1	0	0.3	52	46		14	5.60	LC	LC	1	0	0.3	12	8	
Melaleuca xerophila		0.00									0.00									
Menkea australis	2	2.17	RA d(i,ii)	RA	3	DD	0.0	1	1	undercollected	4	4.35	RA d(i,ii)	RA	3	DD	0.0	3	3	possibly undercollected
Menkea crassa		0.00									0.00									
Menkea sphaerocarpa		0.00									0.00									
Menkea villosula		0.00									0.00									
Mentha australis		0.00									0.00									
Mentha satereioides	3	5.45	EN B2ab(i,ii,iii,iv)	EN	5	--	0.5	3		salinity, habitat loss - threats		0.00								
Micranthemum demissum	1	0.25	VU D2	VU	4	-	0.4	1	1	loss of habitat	2	0.50	VU D2	VU	4	-	0.4	2	1	loss of habitat
Microcybe multiflora ssp. baccharoides	12	16.67	RA d(ii)	RA	3	-	0.4	10	3		7	9.72	RA d(ii)	RA	3	-	0.4	6	6	
Microcybe multiflora ssp. multiflora	34	22.52	LC	LC	1	0	0.3	27	23		2	1.32	RA d(ii)	RA	3	0	0.3	2	2	
Microcybe pauciflora ssp. pauciflora	39	12.23	LC	LC	1	0	0.3	35	7		62	19.44	LC	LC	1	0	0.3	47	30	
Microlepidium alatum		0.00									0.00									
Microlepidium pilosulum	2	2.38	RA d(ii)	RA	3	-	0.4	2	2	needs intact habitat	5	5.95	LC	LC	1	0	0.3	4	4	
Microseris lanceolata	48	4.40	LC	LC	1	0	0.3	37	29		74	6.78	LC	LC	1	0	0.3	59	46	
Microtis arenaria	119	19.29	LC	LC	1	-	0.4	84	63		85	13.78	LC	LC	1	-	0.4	59	51	
Microtis atrata	2	3.13	EN D	EN	5	-	0.4	2	1	Vanilla forest		0.00								
Microtis eremaea		0.00									1	20.00	EN D	EN	5	DD	0.0	1	1	
Microtis frutetorum	3	1.79	RA d(ii)	RA	3	-	0.4	3	2			0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records				Proposed IUCN Status & Criteria (Eyre Hills)				Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records				Proposed IUCN Status & Criteria (Talia)				Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	Eyre Hills Records	% Eyre Hills	Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)	Trends (-, 0, +, ++)	Eyre Hills	Trends (-, 0, +, ++)			Area of Occupancy (km2) (Total)	Talia Records	% Talia	Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)	Trends (-, 0, +, ++)	Talia		
Microtis orbicularis	5	8.33	EN B2ab(i,ii,iii)	EN	5	-	0.5	5	4	salination of waterholes a threat										
Microtis sp. Short-leaf (R.J.Bates 54342)	1	3.23	RA d(ii)	RA	3	0	0.3	1	1	undercollected										
Millotia greevesii ssp. helmsii		0.00																		
Millotia incurva		0.00																		
Millotia macrocarpa		0.00																		
Millotia major	11	11.58	LC	LC	1	0	0.3	10	8		43	45.26	LC	LC	1	0	0.3	33	27	
Millotia muelleri	42	7.38	LC	LC	1	0	0.3	33	23		62	10.90	LC	LC	1	0	0.3	53	36	
Millotia myosotidifolia	37	5.61	LC	LC	1	0	0.3	28	19		72	10.91	LC	LC	1	0	0.3	60	52	
Millotia perpusilla	5	4.46	LC	LC	1	DD	0.0	5	5											
Millotia tenuifolia var. tenuifolia	91	13.91	LC	LC	1	0	0.3	73	60		58	8.87	LC	LC	1	0	0.3	48	44	
Mimulus repens		0.00									1	0.74	RA d(i,ii)	RA	3	DD	0.0	1		
Minuria annua		0.00																		
Minuria cunninghamii	1	0.15						1	1	possibly introduced										
Minuria denticulata		0.00																		
Minuria integerrima		0.00																		
Minuria leptophylla	40	3.68	LC	LC	1	0	0.3	30	18		62	5.70	LC	LC	1	0	0.3	51	42	
Minuria multisetata		0.00																		
Mitrasacme pilosa var. pilosa	2	18.18	VU D2	VU	4	DD	0.0	2	2	needs high rainfall										
Mollugo cerviana		0.00																		
Monachather paradoxus		0.00																		
Muehlenbeckia adpressa	73	11.64	LC	LC	1	0	0.3	62	32		67	10.69	LC	LC	1	0	0.3	53	28	
Muehlenbeckia diclina ssp. diclina	9	25.71	RA d(ii)	RA	3	0	0.3	8	3											
Muehlenbeckia florulenta	7	0.64	RA d(ii)	RA	3	0	0.3	6	4											
Muehlenbeckia gunnii	185	22.16	LC	LC	1	0	0.3	81	16		9	1.08	LC	LC	1	0	0.3	4	1	
Muehlenbeckia horrida ssp. horrida		0.00																		
Muelleranthus stipularis		0.00																		
Murchisonia volubilis		0.00																		
Myoporum brevipes	33	16.34	LC	LC	1	0	0.3	31	5		23	11.39	LC	LC	1	0	0.3	22	4	
Myoporum insulare	210	19.27	LC	LC	1	0	0.3	81	20		56	5.14	LC	LC	1	0	0.3	41	25	
Myoporum montanum		0.00									1	0.15	RA d(ii)	RA	3	0	0.3	1	1	
Myoporum parvifolium	7	3.89	RA d(ii)	RA	3	0	0.3	6	2		18	10.00	RA d(ii)	RA	3	0	0.3	14	7	
Myoporum platycarpum ssp. perbellum	6	4.88	RA d(ii)	RA	3	0	0.3	5	2											
Myoporum platycarpum ssp. platycarpum	34	4.60	LC	LC	1	0	0.3	27	20											
Myoporum viscosum	16	21.05	LC	LC	1	0	0.3	15	5		1	1.32	RA d(ii)	RA	3	0	0.3	1		
Myosotis australis	6	2.58	RA d(i,ii)	RA	3	DD	0.0	5	3		17	7.30	RA d(ii)	RA	3	0	0.3	13	11	
Myosurus minimus var. australis		0.00																		
Myriocephalus pluriflorus		0.00																		
Myriocephalus rudallii		0.00																		
Myriocephalus squamatus		0.00																		
Myriophyllum integrifolium	2	4.17	EN B2ab(i,ii,iii)	EN	5	-	0.4	2	1	needs water										
Myriophyllum muelleri	4	5.48	EN B2ab(i,ii,iii)	EN	5	-	0.4	4	1	needs fresh water	2	2.74	EN B2ab(i,ii,iii)	EN	5	-	0.4	1	needs fresh water	
Myriophyllum salsugineum	1	2.13	EN B2ab(i,ii,iii)	EN	5	-	0.4	1		could be extinct										
Myriophyllum verrucosum		0.00																		

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)		Trends (-, 0, +, ++) Eyre Hills	Trends (-, 0, +, ++) Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)		Trends (-, 0, +, ++) Talia	Trends (-, 0, +, ++) Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	Eyre Hills Records	% Eyre Hills		Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)						Talia Records	% Talia		Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)					
Neobassia proceriflora		0.00									0.00									
Neurachne alopecuroidea	167	12.81	LC	LC	1	0	0.3	135	110		63	4.83	LC	LC	1	0	0.3	51	44	
Neurachne munroi		0.00										0.00								
Newcastelia bracteosa		0.00										0.00								
Newcastelia cephalantha var. cephalantha		0.00										0.00								
Newcastelia spodiotricha		0.00										0.00								
Nicotiana goodspeedii	4	0.96	RA d(ii)	RA	3	0	0.3	3	2		4	0.96	RA d(ii)	RA	3	0	0.3	4	3	
Nicotiana maritima	32	11.03	LC	LC	1	0	0.3	28	6		42	14.48	LC	LC	1	0	0.3	24	8	
Nicotiana occidentalis ssp. obliqua		0.00										0.00								
Nicotiana rosulata ssp. rosulata		0.00										0.00								
Nicotiana simulans		0.00										0.00								
Nicotiana velutina	1	0.10	RA d(ii,iii)	RA	3	DD	0.0	1	1		5	0.51	RA d(ii)	RA	3	DD	0.0	3	3	
Nitratia billardierei	180	10.56	LC	LC	1	0	0.3	92	33	on dunes, weedy species	206	12.08	LC	LC	1	0	0.3	103	42	on dunes, weedy species
Olax obcordata	3	10.00	EN B2ab(i,ii,iii); D1+2	EN	5	-	0.4	2				0.00								
Olearia adenolasia	33	91.67	RA d(i,ii)	RA	3	0	0.3	23	17	endemic		0.00								
Olearia axillaris	160	10.25	LC	LC	1	0	0.3	87	43		358	22.93	LC	LC	1	0	0.3	229	181	
Olearia brachyphylla	15	8.02	LC	LC	1	0	0.3	12	8	likes hard limestone	24	12.83	LC	LC	1	0	0.3	24	18	likes hard limestone
Olearia calcarea	9	6.29	RA d(ii)	RA	3	DD	0.0	8	5	likes limestone		0.00								
Olearia ciliata var. ciliata	45	10.39	LC	LC	1	0	0.3	38	33		52	12.01	LC	LC	1	0	0.3	41	27	
Olearia decurrens	98	13.10	LC	LC	1	0	0.3	79	63		6	0.80	RA d(i,ii)	RA	3	0	0.3	5	4	
Olearia exiguifolia		0.00									2	1.32	RA d(i,ii)	RA	3	-	0.4	2	2	
Olearia floribunda var. floribunda	61	19.93	LC	LC	1	0	0.3	49	36		53	17.32	LC	LC	1	0	0.3	46	36	
Olearia lanuginosa	4	3.85	RA d(ii)	RA	3	0	0.3	4	3		5	4.81	RA d(ii)	RA	3	0	0.3	4	3	
Olearia lepidophylla	49	15.91	LC	LC	1	0	0.3	42	32		5	1.62	RA d(i,ii)	RA	3	0	0.3	4	3	
Olearia magniflora		0.00									3	1.32	RA d(i,ii)	RA	3	DD	0.0	3	2	
Olearia minor	10	5.15	LC	LC	1	0	0.3	8	6		24	12.37	LC	LC	1	0	0.3	18	15	
Olearia muelleri	92	8.97	LC	LC	1	0	0.3	78	63		18	1.75	LC	LC	1	0	0.3	15	11	
Olearia pannosa ssp. pannosa	29	10.18	RA d(ii)	RA	3	-	0.4	25	16			0.00								
Olearia passerinoides ssp. passerinoides	15	19.74	LC	LC	1	0	0.3	15	12			0.00								
Olearia picridifolia		0.00									7	7.69	RA d(ii)	RA	3	0	0.3	6	3	
Olearia pimeleoides ssp. incana		0.00										0.00								
Olearia pimeleoides ssp. pimeleoides	36	7.56	LC	LC	1	0	0.3	32	24		1	0.21	RA d(i,ii)	RA	3	DD	0.0	1		
Olearia ramulosa	115	5.61	LC	LC	1	0	0.3	82	54		109	5.31	LC	LC	1	0	0.3	49	26	
Olearia rudis	6	5.26	RA d(i,ii)	RA	3	0	0.3	6	5		8	7.02	RA d(i,ii)	RA	3	0	0.3	8	6	
Olearia stuartii		0.00										0.00								
Olearia subspicata		0.00										0.00								
Omphalolappula concava	3	0.33	RA d(i,ii)	RA	3	DD	0.0	2	2		2	0.22	RA d(i,ii)	RA	3	DD	0.0	2	1	
Opercularia scabrada	156	38.71	LC	LC	1	0	0.3	125	96		31	7.69	LC	LC	1	0	0.3	24	18	
Opercularia turpis	73	8.44	LC	LC	1	0	0.3	62	44		60	6.94	LC	LC	1	0	0.3	49	45	
Ophioglossum lusitanicum	11	3.73	LC	LC	1	0	0.3	8	4	only visible in winter, occurs grassy plains	17	5.76	LC	LC	1	0	0.3	12	7	only visible in winter, occurs grassy plains
Ophioglossum polyphyllum		0.00										0.00								
Orobanche cernua var. australiana	1	1.14	RA d(i,ii)	RA	3	DD	0.0	1	1		3	3.41	RA d(i,ii)	RA	3	DD	0.0	3	1	
Orthoceras strictum	12	9.76	EN D2	EN	5	-	0.4	6	3		4	3.25	EN D2	EN	5	-	0.4	3	1	

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)				Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)				Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	Eyre Hills Records	% Eyre Hills		Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)				Talia Records	% Talia		Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)			
Orthrosanthus multiflorus	1	0.37	VU D2	VU	4	DD	0.0	1		4	1.49	VU D2	VU	4	DD	0.0	3	1		
Osteocarpum acropterum var. acropterum		0.00									0.00									
Osteocarpum dipterocarpum		0.00									0.00									
Osteocarpum pentapterum		0.00									0.00									
Osteocarpum salsuginosum	1	1.09	RA d(i,ii)	RA	3	-	0.4	1			0.00									
Owenia acidula		0.00									0.00									
Oxalis perennans	43	5.58	LC	LC	1	0	0.3	39	24	36	4.68	LC	LC	1	0	0.3	33	25		
Oxalis radicata		0.00									0.00									
Ozothamnus decurrens	78	24.07	LC	LC	1	0	0.3	67	49	20	6.17	LC	LC	1	0	0.3	18	13		
Ozothamnus retusus	58	12.21	LC	LC	1	0	0.3	52	32	23	4.84	LC	LC	1	0	0.3	19	11		
Pachymitis cardaminoides		0.00									0.00									
Panicum decompositum var. decompositum		0.00									0.00									
Panicum effusum var. effusum		0.00									0.00									
Panicum laevinode		0.00									0.00									
Paractaenium novae-hollandiae ssp. reversum		0.00									0.00									
Paractaenium refractum		0.00									0.00									
Paraneurachne muelleri		0.00									0.00									
Parietaria australis	2	5.56	NT	NT	2	0	0.3	2		5	13.89	NT	NT	2	0	0.3	4	3	common after fire, undercollected, coastal	
Parietaria cardiostegia	16	6.50	LC	LC	1	0	0.3	12	7	20	8.13	LC	LC	1	0	0.3	16	12	common after fire	
Parietaria debilis	5	1.52	LC	LC	1	0	0.3	5	3	27	8.18	LC	LC	1	0	0.3	26	22	needs crevices	
Pelargonium australe	50	11.55	NE	NE	-1			30	14	59	13.63	NE	NE	-1			39	13	taxonomic issues	
Pelargonium littorale	25	6.74	NE	NE	-1			19	19	52	14.02	NE	NE	-1			37	34	taxonomic issues	
Persicaria prostrata	5	4.31	RA d(ii)	RA	3	DD	0.0	3	1		0.00									
Phebalium bullatum	152	19.00	LC	LC	1	0	0.3	129	75	11	1.38	LC	LC	1	0	0.3	7			
Pheladenia deformis	19	4.57	LC	LC	1	0	0.3	18	1	25	6.01	LC	LC	1	0	0.3	18	13		
Philotheca angustifolia ssp. angustifolia	13	4.76	RA d(ii)	RA	3	-	0.4	10	4	2	0.73	VU D1+2	VU	4	-	0.4	2			
Philotheca linearis	5	2.53	RA d(ii)	RA	3	-	0.4	5	2		0.00									
Philotheca pungens	13	4.05	NT	NT	2	-	0.4	12	4	38	11.84	LC	LC	1	0	0.3	32	23		
Phlegmatospermum cochlearinum		0.00									0.00									
Phlegmatospermum eremaeum		0.00									0.00									
Phlegmatospermum richardsii		0.00									0.00									
Phyllangium distylis	1	1.85	VU D2	VU	4	DD	0.0	1	1		0.00									
Phyllangium divergens	31	10.54	LC	LC	1	0	0.3	25	19	28	9.52	LC	LC	1	0	0.3	20	18		
Phyllangium sulcatum	1	6.67	EN B2ab(i,ii,iii)	EN	5	--	0.5	1		1	6.67	EN B2ab(i,ii,iii)	EN	5	--	0.5	1			
Phyllanthus calycinus	14	35.00	RA d(ii)	RA	3	-	0.4	11	5	20	50.00	RA d(ii)	RA	3	-	0.4	14	12		
Phyllanthus fuernrohrii		0.00									0.00									
Phyllanthus lacunarius		0.00									0.00									
Phyllanthus saxosus	4	3.17	RA d(ii)	RA	3	0	0.3	3	2		0.00									
Phylloglossum drummondii	1	2.17	VU D2	VU	4	DD	0.0	1	1		0.00								annual	
Phyllota remota	22	13.25	LC	LC	1	0	0.3	19	11		0.00									
Picris angustifolia ssp. angustifolia	1	1.00	RA d(ii)	RA	3	-	0.4	1		7	7.00	RA d(ii)	RA	3	-	0.4	4	1		
Pilularia novae-hollandiae	1	5.56	EN B2ab(i,ii,iii); D	EN	5	-	0.4	1	1		0.00									
Pimelea flava ssp. dichotoma	173	22.73	LC	LC	1	0	0.3	135	77	120	15.77	LC	LC	1	0	0.3	92	69		

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)		Trends (-, 0, +, ++) Eyre Hills	Trends (-, 0, +, ++) Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)		Trends (-, 0, +, ++) Talia	Trends (-, 0, +, ++) Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	% Eyre Hills	Proposed IUCN Status		Proposed Regional IUCN Status	% Talia						Proposed IUCN Status	% Talia		Proposed IUCN Status	Proposed Regional IUCN Status					
Pimelea glauca	94	7.47	LC	LC	1	0	0.3	81	32		85	6.75	LC	LC	1	0	0.3	66	44	
Pimelea imbricata var. petraea	4	4.71	LC	LC	1	0	0.3	4				0.00								
Pimelea micrantha	10	2.97	LC	LC	1	0	0.3	8	6		14	4.15	LC	LC	1	0	0.3	11	11	
Pimelea microcephala ssp. microcephala	39	4.18	LC	LC	1	0	0.3	34	20			0.00								
Pimelea octophylla	47	5.73	LC	LC	1	0	0.3	40	19		5	0.61	RA d(ii)	RA	3	-	0.4	5	3	
Pimelea petrophila	14	6.57	RA d(ii)	RA	3	-	0.4	14	2	grazed	2	0.94	VU B2ab(i,ii,iii)	VU	4	-	0.4	2		grazed
Pimelea phyllicoides	3	0.76	EN B2ab(i,ii,iii)	EN	5	-	0.4	3				0.00								
Pimelea serpyllifolia ssp. serpyllifolia	77	5.55	LC	LC	1	0	0.3	62	29		163	11.75	LC	LC	1	0	0.3	130	90	
Pimelea simplex ssp. continua		0.00										0.00								
Pimelea simplex ssp. simplex		0.00									25	5.71	LC	LC	1	0	0.3	16	12	
Pimelea stricta	61	7.14	LC	LC	1	0	0.3	54	23		11	1.29	RA d(ii)	RA	3	-	0.4	8	2	
Pimelea subvillifera	10	25.64	LC	LC	1	0	0.3	10	7		2	5.13	VU B2ab(i,ii,iii)	VU	4	-	0.4	2	1	
Pimelea trichostachya	3	1.65	VU B2ab(i,ii,iii)	VU	4	-	0.4	2	1		2	1.10	VU B2ab(i,ii,iii)	VU	4	-	0.4	2	1	
Pimelea williamsonii	2	4.26	VU D1+2	VU	4	DD	0.0	2	2		2	4.26	VU B2ab(i,ii,iii)	VU	4	-	0.4	2	1	
Pittosporum angustifolium	192	6.40	LC	LC	1	0	0.3	147	87		294	9.80	LC	LC	1	0	0.3	257	203	
Pittosporum ligustrifolium		0.00										0.00								
Pityrodia loricata		0.00										0.00								
Plagiobothrys plurisepaleus		0.00									3	1.44	RA d(i,ii)	RA	3	DD	0.0	3		
Plantago drummondii	23	2.23	LC	LC	1	0	0.3	21	18		18	1.75	LC	LC	1	0	0.3	11	8	
Plantago gaudichaudii	12	4.43	RA d(ii)	RA	3	-	0.4	7	4			0.00								
Plantago hispida	29	10.55	NT	NT	2	-	0.4	17	12		10	3.64	RA d(ii)	RA	3	-	0.4	8	6	
Plantago sp. A (A.C.Robinson 704)		0.00									1	100.00	NE	NE	-1			1	1	taxonomic issues, may have had a namechange
Plantago sp. B (R.Bates 44765)	52	17.57	LC	LC	1	0	0.3	41	41		45	15.20	LC	LC	1	0	0.3	35	35	
Plantago turrifera		0.00										0.00								
Plantago varia	7	4.00	RA d(ii)	RA	3	DD	0.0	5	3		5	2.86	RA d(ii)	RA	3	DD	0.0	5	1	
Platysace heterophylla var. heterophylla	34	9.60	LC	LC	1	0	0.3	26	19		4	1.13	RA d(i,ii)	RA	3	0	0.3	4	2	
Pleuropappus phyllocalymmeus	18	29.03	VU D2	VU	4	0	0.3	16	7	threatened by hoons, needs rain, limited habitat, salt la	19	30.65	VU D2	VU	4	0	0.3	16	7	threatened by hoons, needs rain, limited habitat, salt la
Pleurosorus rutifolius	7	1.56	RA d(ii)	RA	3	DD	0.0	5	3	occurs rocky hills	1	0.22	RA d(ii)	RA	3	DD	0.0	1		occurs rocky hills
Pleurosorus subglandulosus		0.00										0.00								
Pluchea rubelliflora		0.00										0.00								
Poa clelandii	7	1.31	VU B2ab(i,ii,iii)	VU	4	-	0.4	6	5	check collections	12	2.24	VU B2ab(i,ii,iii)	VU	4	-	0.4	7	7	needs rainfall
Poa crassicaudex	26	3.65	NT	NT	2	-	0.4	15	13	higher rainfall, fragmented		0.00								
Poa drummondiana	4	5.06	RA d(ii)	RA	3	-	0.4	4	2	more coastal grass	9	11.39	NT	NT	2	0	0.3	5	5	more coastal grass
Poa fax	7	7.00	RA d(ii)	RA	3	-	0.4	6	3	coastal spp	25	25.00	NT	NT	2	0	0.3	20	18	coastal spp
Poa fordeana		0.00										0.00								
Poa labillardieri var. labillardieri	20	5.19	RA d(ii)	RA	3	-	0.4	15	13		12	3.12	NT	NT	2	0	0.3	8	6	
Poa poiformis var. poiformis	114	15.97	LC	LC	1	0	0.3	50	18		123	17.23	LC	LC	1	0	0.3	57	16	
Poa tenera	4	3.25	RA d(ii)	RA	3	DD	0.0	4	1	on islands, taxonomic issues	9	7.32	RA d(ii)	RA	3	DD	0.0	5		on islands, taxonomic issues
Podolepis canescens	2	0.53	RA d(ii)	RA	3	0	0.3	2			1	0.26	RA d(ii)	RA	3	0	0.3	1		
Podolepis capillaris	134	10.96	LC	LC	1	0	0.3	114	81		20	1.64	LC	LC	1	0	0.3	20	11	
Podolepis davisiana		0.00										0.00								
Podolepis jaceoides		0.00										0.00								
Podolepis longipedata		0.00										0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)		Trends (-, 0, +, ++) Eyre Hills	Trends (-, 0, +, ++) Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)		Trends (-, 0, +, ++) Talia	Trends (-, 0, +, ++) Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	% Eyre Hills										% Talia									
Podolepis rugata var. littoralis	12	11.65	RA d(ii)	RA	3	0	0.3	11	2	limited habitat	12	11.65	RA d(ii)	RA	3	0	0.3	12	7	limited habitat
Podolepis rugata var. rugata	8	2.36	RA d(ii)	RA	3	0	0.3	7	2		15	4.42	RA d(ii)	RA	3	0	0.3	11	6	
Podolepis tepperi	65	14.74	LC	LC	1	0	0.3	53	45		69	15.65	LC	LC	1	0	0.3	60	54	
Podotheca angustifolia	86	7.31	LC	LC	1	0	0.3	78	55		206	17.52	LC	LC	1	0	0.3	179	161	
Pogonolepis muelleriana	41	7.36	LC	LC	1	0	0.3	37	27		64	11.49	LC	LC	1	0	0.3	56	48	
Polycalymma stuartii		0.00										0.00								
Polygonum plebeium	1	0.65						1	1	probable introduction		0.00								
Polyogon tenellus		0.00									1	20.00	VU D2	VU	4	DD	0.0	1	1	possibly introduced, from WA
Pomaderris flabellaris	94	85.45	LC	LC	1	0	0.3	72	32		11	10.00	NT	NT	2	-	0.4	10	4	
Pomaderris forrestiana		0.00										0.00								
Pomaderris obcordata	105	16.51	LC	LC	1	0	0.3	85	37	likes limestone	61	9.59	LC	LC	1	0	0.3	48	29	likes limestone
Pomaderris paniculosa ssp. paniculosa	43	6.07	LC	LC	1	0	0.3	37	24		81	11.44	LC	LC	1	0	0.3	59	47	
Pomaderris paniculosa ssp. paralia	6	5.71	RA d(ii,ii)	RA	3	0	0.3	5	1		2	1.90	RA d(ii,ii)	RA	3	0	0.3	2		
Pomax umbellata	4	1.37	RA d(ii,ii)	RA	3	-	0.4	4		rocky hills		0.00								
Poranthera huegelii	4	3.23	VU D2	VU	4	DD	0.0	4	1			0.00								
Poranthera leiosperma		0.00										0.00								
Poranthera microphylla	22	7.86	LC	LC	1	0	0.3	21	18		7	2.50	RA d(ii)	RA	3	DD	0.0	7	7	
Poranthera triandra	32	12.45	LC	LC	1	0	0.3	27	24		74	28.79	LC	LC	1	0	0.3	60	57	
Portulaca oleracea		0.00										0.00								
Posidonia angustifolia		0.00	LC	LC	1	0	0.3				20	20.41	LC	LC	1	0	0.3	3		
Posidonia australis	19	8.15	LC	LC	1	0	0.3	9	3	Localised threats from oyster farms	5	2.15	LC	LC	1	0	0.3	2		Localised threats from oyster farms
Posidonia coriacea		0.00	LC	LC	1	0	0.3			No records but occurs here	5	13.51	LC	LC	1	0	0.3	2		
Posidonia denhartogii		0.00	DD	DD	0	DD	0.0			No records, relatively Rare	5	14.29	DD	DD	0	DD	0.0	2		relatively Rare
Posidonia sinuosa	11	7.53	LC	LC	1	0	0.3	7	3		11	7.53	LC	LC	1	0	0.3	5		
Potamogeton ochreatus	1	1.69	RA d(ii,ii)	RA	3	DD	0.0	1		possibly introduced		0.00								
Potamogeton pectinatus	3	2.94	VU D2	VU	4	-	0.4	2		tolerates some salinity	1	0.98	VU D2	VU	4	-	0.4	1		tolerates some salinity
Prasophyllum calcicola	7	28.00	VU B2ab(i,ii,iii)	VU	4	-	0.4	6	3		6	24.00	VU B2ab(i,ii,iii)	VU	4	-	0.4	5	3	
Prasophyllum catenemum		0.00									2	28.57	EN B2ab(i,ii,iii)	EN	5	-	0.4	2	2	
Prasophyllum collinum	2	50.00	RA d(ii)	RA	3	DD	0.0	2	2	undercollected	2	50.00	RA d(ii)	RA	3	DD	0.0	2	2	undercollected
Prasophyllum constrictum		0.00										0.00								
Prasophyllum elatum	6	3.90	RA d(ii)	RA	3	DD	0.0	5	3		2	1.30	RA d(ii)	RA	3	DD	0.0	2	2	
Prasophyllum fecundum	13	35.14	RA d(ii)	RA	3	-	0.4	10	7		12	32.43	RA d(ii)	RA	3	-	0.4	10	5	
Prasophyllum fitzgeraldii	10	10.87	RA d(ii)	RA	3	-	0.4	6	4		2	2.17	RA d(ii)	RA	3	-	0.4	1		
Prasophyllum goldsackii	7	41.18	EN B2ab(i,ii,iii)	EN	5	-	0.4	7	2		1	5.88	EN B2ab(i,ii,iii)	EN	5	-	0.4	1	1	
Prasophyllum laxum			CR C2a(i)	CR	6	--	0.5			1 popn known, no records, new species										
Prasophyllum occidentale	11	8.03	RA d(ii)	RA	3	-	0.4	9	7		10	7.30	RA d(ii)	RA	3	-	0.4	8	6	
Prasophyllum occultans	7	23.33	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	5	5		2	6.67	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	1	1	
Prasophyllum odoratum	5	3.14	LC	LC	1	-	0.4	5	4	this sp is a complex, to be sorted taxonomically	6	3.77	LC	LC	1	-	0.4	6	3	this sp is a complex, to be sorted taxonomically
Prasophyllum praecox	1	12.50	RE	RE	7			1		common name should be Early leek-orchid		0.00								
Prasophyllum sp Desert																				
Prasophyllum sp. Coast sandhills (Hj.Eichler 14100)		0.00									1	14.29	DD	DD	0	DD	0.0	1	1	more records not yet databased
Prasophyllum sp. Enigma (R.Bates 2350)		0.00	EN B2ab(i,ii,iii)	EN	5	-	0.4			more records not yet databased	2	100.00	EN B2ab(i,ii,iii)	EN	5	-	0.4	1	1	more records not yet databased
Prostanthera althoferi ssp. longifolia	3	3.66	RA d(ii)	RA	3	-	0.4	3	1			0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records	% Eyre Hills	Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)	Trends (-, 0, +, ++) Eyre Hills	Trends (-, 0, +, ++) Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records	% Talia	Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)	Trends (-, 0, +, ++) Talia	Trends (-, 0, +, ++) Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
Prostanthera ammphila	20	32.79	NT	NT	2	-	0.4	15	8		0.00									
Prostanthera aspalathoides	58	12.24	LC	LC	1	0	0.3	48	33		1.48	RA d(ii)	RA	3	-	0.4	6	3		
Prostanthera calycina	8	7.84	VU B2ab(i,ii,iii)	VU	4	-	0.4	7	2		79	77.45	RA d(ii)	RA	3	0	0.3	59	41	stronghold, grazed
Prostanthera chlorantha	3	2.22	EN B2ab(i,ii,iii)	EN	5	-	0.4	2	1		0.00									
Prostanthera florifera	14	13.33	RA d(ii)	RA	3	-	0.4	13	4		0.00									
Prostanthera sericea		0.00									0.00									
Prostanthera serpyllifolia ssp. microphylla	84	19.86	LC	LC	1	-	0.4	70	28		39	9.22	LC	LC	1	-	0.4	38	22	
Prostanthera serpyllifolia ssp. microphylla (purplish-green)	5	17.24	NE	NE	-1			5	5	taxonomic issues	5	17.24	NE	NE	-1			5	4	taxonomic issues
Prostanthera serpyllifolia ssp. microphylla (red flowers)		0.00									5	50.00	NE	NE	-1			5	5	taxonomic issues
Prostanthera serpyllifolia ssp. serpyllifolia	62	24.51	LC	LC	1	0	0.3	55	27		67	26.48	LC	LC	1	0	0.3	58	41	
Prostanthera serpyllifolia ssp. serpyllifolia (purplish-green)	1	16.67	NE	NE	-1			1	1	taxonomic issues	2	33.33	NE	NE	-1			2	1	taxonomic issues
Prostanthera serpyllifolia ssp. serpyllifolia (red flowers)	12	27.91	NE	NE	-1			12	12	taxonomic issues	7	16.28	NE	NE	-1			7	7	taxonomic issues
Prostanthera spinosa	59	19.34	RA d(ii)	RA	3	-	0.4	42	13	restricted habitat		0.00								
Prostanthera striatiflora		0.00									0.00									
Prostanthera wilkieana		0.00									0.00									
Pseudognaphalium luteoalbum	77	10.69	LC	LC	1	0	0.3	33	11		7	0.97	LC	LC	1	0	0.3	6	4	
Psyrax suaveolens		0.00									0.00									
Pteridium esculentum	3	0.26	RA d(ii)	RA	3	DD	0.0	3		has been cleared, restricted, needs rainfall		0.00								
Pteris tremula	2	3.77	RA d(ii)	RA	3	DD	0.0	2		highly localised, needs dampness, grows fast	8	15.09	RA d(ii)	RA	3	DD	0.0	2	1	highly localised, needs dampness, grows fast
Pterocaulon sphaelatum		0.00									0.00									
Pterostylis "Mt Olinthus"	1	100.00	CR D	CR	6	DD	0.0	1	1	has new name		0.00								
Pterostylis aff. nana "mallee"		0.00									1	12.50	RA d(ii)	RA	3	DD	0.0	1	1	more records not yet databased
Pterostylis biseta	5	6.10	RA d(ii)	RA	3	DD	0.0	5	5	more records not yet databased		0.00	RA d(ii)	RA	3	DD	0.0			more records not yet databased
Pterostylis boormani	5	8.93	RA d(ii)	RA	3	DD	0.0	4	3	other sites not recorded	6	10.71	RA d(ii)	RA	3	DD	0.0	3	2	
Pterostylis cynnocephala	2	3.03	NE	NE	-1			2	2	taxonomic issues (split into 2 spp)	5	7.58	NE	NE	-1			3	2	taxonomic issues (split into 2 spp)
Pterostylis dolichochoila	12	9.68	NT	NT	2	--	0.5	8	5		1	0.81	LC	LC	1	0	0.3	1	1	
Pterostylis erythroconcha	5	9.62	RA d(ii)	RA	3	DD	0.0	4	4	Also in Lincoln NP	6	11.54	RA d(ii)	RA	3	DD	0.0	4	4	
Pterostylis excelsa	13	17.81	LC	LC	1	0	0.3	11	10	old records not yet databased	14	19.18	LC	LC	1	0	0.3	13	13	old records not yet databased
Pterostylis flavoviens		0.00									3	100.00	LC	LC	1	0	0.3	3	3	most likely in other bioregions on EP, but not correctly
Pterostylis mutica	38	10.50	LC	LC	1	0	0.3	29	29	now P pissinus in this region	48	13.26	LC	LC	1	0	0.3	39	36	now P pissinus in this region
Pterostylis nana	36	4.25	NT	NT	2	-	0.4	26	19		18	2.13	NT	NT	2	-	0.4	15	8	
Pterostylis ovata		0.00									0.00									
Pterostylis pedunculata	1	0.35	EN D	EN	5	DD	0.0	1	1	this record not in census, in Charlton Gully		0.00								
Pterostylis plumosa	30	12.77	NT	NT	2	-	0.4	24	18		33	14.04	NT	NT	2	-	0.4	27	20	
Pterostylis pusilla	37	17.96	LC	LC	1	0	0.3	26	23		57	27.67	LC	LC	1	0	0.3	39	32	
Pterostylis robusta	8	2.99	RA d(ii)	RA	3	-	0.4	8	3		1	0.37	RA d(ii)	RA	3	-	0.4	1	1	
Pterostylis sanguinea	44	9.34	LC	LC	1	0	0.3	33	16		33	7.01	LC	LC	1	0	0.3	29	19	
Pterostylis sp. Eyre Peninsula (R.Bates 19474)	6	100.00	EN B2ab(i,ii,iii)	EN	5	-	0.4	6	3	now P mirabilis, endemic to EP, loss of habitat		0.00								
Pterostylis sp. Triloba (pl.191, Bates & Weber 1990)	1	100.00	NE	NE	-1			1	1	possibly extinct, never described, photo only		0.00								
Pterostylis viriosa		0.00									2	9.09	EN B2ab(i,ii,iii)	EN	5	--	0.5	2	2	
Pterostylis xerophila	2	22.22	VU B2ab(i,ii,iii); D1	VU	4	-	0.4	2	1	type location is actually in Maralinga		0.00								
Ptilotus beckerianus	50	42.74	VU B2ab(i,ii,iii)	VU	4	-	0.4	35	22		2	1.71	EN B2ab(i,ii,iii)	EN	5	-	0.4	2		
Ptilotus decipiens		0.00									0.00									

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)		Trends (-, 0, +, ++) Eyre Hills	Trends (-, 0, +, ++) Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)		Trends (-, 0, +, ++) Talia	Trends (-, 0, +, ++) Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	Eyre Hills Records	% Eyre Hills		Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)						Talia Records	% Talia		Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)					
Ptilotus exaltatus var. exaltatus	18	3.98	LC	LC	1	0	0.3	16	6		0.00									
Ptilotus gaudichaudii var. gaudichaudii		0.00									0.00									
Ptilotus gaudichaudii var. parviflorus		0.00									0.00									
Ptilotus nobilis var. nobilis	2	0.82	RA d(i,ii)	RA	3	DD	0.0	2	2		0.00									
Ptilotus obovatus var. griseus		0.00									0.00									
Ptilotus obovatus var. obovatus	20	1.04	LC	LC	1	-	0.4	18	7		0.47	LC	LC	1	-	0.4	9	6		
Ptilotus polystachyus var. polystachyus		0.00									0.00									
Ptilotus seminudus	62	13.93	LC	LC	1	0	0.3	57	54		5.84	LC	LC	1	0	0.3	20	20		
Ptilotus sessilifolius var. sessilifolius		0.00									0.00									
Ptilotus spathulatus forma spathulatus	53	5.79	LC	LC	1	0	0.3	44	37		6.88	LC	LC	1	0	0.3	47	40		
Ptilotus symonii		0.00									0.00									
Puccinellia stricta var. stricta	4	5.26	RA d(ii)	RA	3	0	0.3	2	2	probable increase	9.21	RA d(ii)	RA	3	0	0.3	6	5	tolerates salinity	
Pultenaea acerosa	105	13.14	LC	LC	1	0	0.3	76	31		2.75	LC	LC	1	0	0.3	17	5		
Pultenaea densifolia	2	0.74	RA d(i,ii)	RA	3	0	0.3	2	1		11.11	LC	LC	1	0	0.3	26	17		
Pultenaea elachista	1	0.81	RA d(i,ii)	RA	3	DD	0.0	1	1		29.27	LC	LC	1	0	0.3	30	24		
Pultenaea pedunculata	45	12.36	RA d(i,ii)	RA	3	-	0.4	31	13	needs high rainfall	0.00									
Pultenaea tenuifolia	145	10.32	NE	NE	-1			116	52	taxonomic issues	8.90	NE	NE	-1			100	70	taxonomic issues	
Pultenaea teretifolia var. teretifolia	48	77.42	NE	NE	-1			35	27	taxonomic issues	14.52	NE	NE	-1			8	6	taxonomic issues	
Pultenaea trichophylla	47	100.00	RA d(i,ii)	RA	3	0	0.3	30	23	endemic to EP, has been downlisted from VU	0.00									
Pultenaea trinervis	95	22.51	LC	LC	1	0	0.3	63	27		2.37	RA d(i,ii)	RA	3	0	0.3	8	7		
Pultenaea vestita	4	9.52	RA d(i,ii)	RA	3	0	0.3	4	3		4.76	RA d(i,ii)	RA	3	0	0.3	2	1		
Pycnosorus pleiocephalus		0.00									0.00									
Pyrorchis nigricans	52	7.76	LC	LC	1	0	0.3	39	25		0.90	LC	LC	1	0	0.3	5	4		
Quinetia urvillei	20	16.81	RA d(ii)	RA	3	-	0.4	19	8		11.76	RA d(ii)	RA	3	-	0.4	9	9		
Radyera farragei	8	8.70	NT	NT	2	DD	0.0	8	1	needs fire/disturbance	0.00									
Ranunculus hamatosetosus		0.00									0.00									
Ranunculus lappaceus	6	2.05	RA d(i,ii)	RA	3	-	0.4	5	2	sensitive to salinity	2.05	RA d(i,ii)	RA	3	-	0.4	3	3	sensitive to salinity	
Ranunculus pentandrus var. platycarpus		0.00									0.00									
Ranunculus pumilio var. pumilio		0.00									0.00									
Ranunculus sessiliflorus var. pilulifer		0.00									0.00									
Ranunculus sessiliflorus var. sessiliflorus	16	6.18	LC	LC	1	0	0.3	13	10		2.32	RA d(ii)	RA	3	-	0.4	6	5	woodland spp	
Rhagodia candolleana ssp. argentea		0.00									0.00									
Rhagodia candolleana ssp. candolleana	262	13.28	LC	LC	1	0	0.3	141	65		15.61	LC	LC	1	0	0.3	173	101		
Rhagodia crassifolia	161	10.02	LC	LC	1	0	0.3	105	63		11.89	LC	LC	1	0	0.3	109	78		
Rhagodia drummondii		0.00									0.00									
Rhagodia eremaea		0.00									0.00									
Rhagodia parabolica	123	8.11	LC	LC	1	+	0.2	93	58		0.20	RA d(i,ii)	RA	3	0	0.3	2	2		
Rhagodia preissii ssp. preissii	90	11.29	LC	LC	1	0	0.3	77	61		2.38	LC	LC	1	0	0.3	17	12		
Rhagodia spinescens	26	1.11	LC	LC	1	0	0.3	20	15		0.00									
Rhagodia ulicina	9	1.63	RA d(ii)	RA	3	-	0.4	8	5		0.00									
Rhodanthe charsleyae		0.00									0.00									
Rhodanthe chlorocephala ssp. rosea		0.00									0.00									
Rhodanthe citrina		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)		Trends (-, 0, +, ++) Eyre Hills	Trends (-, 0, +, ++) Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)		Trends (-, 0, +, ++) Talia	Trends (-, 0, +, ++) Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	Eyre Hills Records	% Eyre Hills		Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)						Talia Records	% Talia		Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)					
Rhodanthe corymbiflora	1	0.25	RA d(i,ii)	RA	3	-	0.4	1	1		0.00									
Rhodanthe floribunda		0.00									0.00									
Rhodanthe haigii	3	3.85	DD	DD	0	DD	0.0	3	1	limited, sth record introduced	1	0.08	RA d(i,ii)	RA	3	-	0.4	1	1	
Rhodanthe laevis	34	20.00	LC	LC	1	0	0.3	26	22		4	2.35	RA d(ii)	RA	3	DD	0.0	2	2	
Rhodanthe microglossa		0.00									0.00									
Rhodanthe moschata	2	0.23	RA d(i,ii)	RA	3	-	0.4	2			0.00									
Rhodanthe oppositifolia ssp. oppositifolia		0.00									0.00									
Rhodanthe polygalifolia	32	8.14	LC	LC	1	0	0.3	27	18		10	2.54	LC	LC	1	0	0.3	8	7	
Rhodanthe pygmaea	36	2.73	LC	LC	1	0	0.3	30	20		46	3.48	LC	LC	1	0	0.3	38	33	
Rhodanthe stricta		0.00									0.00									
Rhodanthe stuartiana	17	8.29	LC	LC	1	0	0.3	14	9		0.00									
Rhodanthe tietkensis		0.00									0.00									
Rhodanthe troedelii		0.00									0.00									
Rhodanthe uniflora		0.00									0.00									
Rhyncharrhena linearis		0.00									0.00									
Rostellularia adscendens var. pogonanthera		0.00									0.00									
Rulingia craurophylla	1	7.14	VU D1+2	VU	4	DD	0.0	1	1		0.00									
Rulingia loxophylla		0.00									0.00									
Rumex brownii	18	4.51	LC	LC	1	0	0.3	15	2		18	4.51	LC	LC	1	0	0.3	13	8	
Rumex crystallinus		0.00									0.00									
Rumex dumosus	2	3.64	EN B2ab(i,ii,iii)	EN	5	--	0.5	2		grassland spp.	0.00									
Ruppia maritima	1	2.33	DD	DD	0	DD	0.0	1		doubtful record	0.00									
Ruppia megacarpa	2	2.11	RA d(ii)	RA	3	DD	0.0	2			3	3.16	RA d(ii)	RA	3	DD	0.0	2		
Ruppia polycarpa	3	6.25	RA d(ii)	RA	3	DD	0.0	3			3	6.25	RA d(ii)	RA	3	DD	0.0	1		
Ruppia tuberosa	1	0.81	NT	NT	2	0	0.3	1		esturine spp	5	4.03	LC	LC	1	0	0.3	5		esturine spp
Rutidosis helichrysoides ssp. helichrysoides		0.00									0.00									
Sagina maritima	17	7.14	LC	LC	1	0	0.3	14	8		33	13.87	LC	LC	1	0	0.3	26	18	
Salsola tragus	108	2.60	LC	LC	1	+	0.2	60	21		42	1.01	LC	LC	1	0	0.3	32	17	
Samolus repens	56	6.16	LC	LC	1	0	0.3	42	18		88	9.68	LC	LC	1	0	0.3	71	49	
Santalum acuminatum	158	8.07	LC	LC	1	0	0.3	132	86		128	6.53	LC	LC	1	0	0.3	113	74	
Santalum lanceolatum		0.00									0.00									
Santalum murrayanum	47	11.84	LC	LC	1	0	0.3	40	24		20	5.04	RA d(ii)	RA	3	0	0.3	20	12	
Santalum spicatum	9	2.91	VU D1	VU	4	-	0.4	4	2		0.00									
Sarcocornia blackiana	25	12.63	LC	LC	1	0	0.3	18	8		26	13.13	LC	LC	1	0	0.3	22	14	
Sarcocornia quinqueflora	44	6.88	LC	LC	1	0	0.3	30	16		64	10.00	LC	LC	1	0	0.3	50	34	
Sarcostemma viminale ssp. australe	5	2.46	RA d(ii)	RA	3	DD	0.0	4		southern limit	0.00									
Sarcozona bicarinata		0.00									1	11.11	VU C2a(i)	VU	4	--	0.5	1		
Sarcozona praecox	22	10.28	LC	LC	1	0	0.3	16	13		0.00									
Sauropus rigens		0.00									0.00									
Sauropus trachyspermus		0.00									0.00									
Scaevola aemula	20	8.03	LC	LC	1	0	0.3	16	7		6	2.41	RA d(ii)	RA	3	-	0.4	6	3	
Scaevola amblyanthera var. centralis		0.00									0.00									
Scaevola angustata	3	3.00	RA d(ii)	RA	3	0	0.3	3			3	3.00	RA d(ii)	RA	3	0	0.3	3	2	

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)		Trends (-, 0, +, ++) Eyre Hills	Trends (-, 0, +, ++) Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)		Trends (-, 0, +, ++) Talia	Trends (-, 0, +, ++) Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	% Eyre Hills			Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)						% Talia			Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)					
Scaevola basedowii		0.00									0.00									
Scaevola bursariifolia		0.00									3	3.09	VU B2ab(i,ii,iii)	VU	4	-	0.4	3		edge of range
Scaevola collaris		0.00										0.00								
Scaevola collina		0.00										0.00								
Scaevola crassifolia	28	7.31	LC	LC	1	0	0.3	26	8		72	18.80	LC	LC	1	0	0.3	63	39	
Scaevola depauperata		0.00										0.00								
Scaevola humilis	27	8.41	LC	LC	1	0	0.3	22	11			0.00								
Scaevola linearis ssp. linearis	81	65.85	LC	LC	1	0	0.3	65	30		12	9.76	RA d(ii)	RA	3	-	0.4	11	4	
Scaevola myrtifolia	11	26.19	VU B2ab(i,ii,iii)	VU	4	-	0.4	10	3			0.00								
Scaevola parvibarbata		0.00										0.00								
Scaevola spinescens	61	5.07	LC	LC	1	0	0.3	54	40		6	0.50	RA d(ii)	RA	3	-	0.4	5	2	
Scambopus curvipes		0.00										0.00								
Schenkia australis	2	1.09	RA d(ii)	RA	3	0	0.3	2	2		38	20.77	LC	LC	1	0	0.3	35	33	
Schoenia ayersii		0.00										0.00								
Schoenia cassiniana		0.00										0.00								
Schoenia ramosissima		0.00										0.00								
Schoenoplectus dissachanthus		0.00										0.00								
Schoenoplectus litoralis	3	1.95	RA d(ii)	RA	3	0	0.3	3	1	springs		0.00								
Schoenoplectus pungens	7	3.65	RA d(ii)	RA	3	0	0.3	7	3		1	0.52	RA d(ii)	RA	3	0	0.3	1	1	
Schoenoplectus validus	1	0.55	RE	RE	7			1		possibly extinct		0.00								
Schoenus apogon	52	4.52	LC	LC	1	0	0.3	37	27		3	0.26	LC	LC	1	0	0.3	2	2	
Schoenus breviculmis	136	11.30	LC	LC	1	0	0.3	112	97		29	2.41	LC	LC	1	0	0.3	27	20	
Schoenus carsei		0.00	RE	RE	7					record in IMCRA	3	3.49	CR B2ab(i,ii,iii)	CR	6	--	0.5	2	1	
Schoenus deformis	13	6.95	NT	NT	2	0	0.3	10	7		5	2.67	NT	NT	2	0	0.3	4	3	
Schoenus fluitans	2	3.08	CR B2ab(i,ii,iii)D	CR	6	--	0.5	1	1	needs water		0.00								
Schoenus laevigatus	2	2.13	EN B2ab(i,ii,iii)	EN	5	-	0.4	2	1			0.00								
Schoenus nanus	55	28.95	LC	LC	1	0	0.3	44	41		19	10.00	NT	NT	2	0	0.3	11	10	
Schoenus nitens	21	7.53	NT	NT	2	0	0.3	16	8		11	3.94	NT	NT	2	0	0.3	8	4	
Schoenus racemosus	68	29.96	LC	LC	1	0	0.3	57	49	likes dunes	13	5.73	NT	NT	2	0	0.3	10	6	
Schoenus sculptus	17	33.33	RA d(ii)	RA	3	-	0.4	14	11		5	9.80	RA d(ii)	RA	3	-	0.4	5	3	
Schoenus subaphyllus	37	13.50	LC	LC	1	0	0.3	34	25		6	2.19	RA d(ii)	RA	3	0	0.3	6	6	
Scleranthus minusculus	3	10.34	RA d(i,ii)	RA	3	DD	0.0	2	1			0.00								
Scleranthus pungens	14	6.19	RA d(ii)	RA	3	0	0.3	11	5	rock dweller	30	13.27	RA d(ii)	RA	3	0	0.3	14	2	rock dweller
Scleroblitum atriplicinum		0.00										0.00								
Sclerolaena bicuspis		0.00										0.00								
Sclerolaena blackiana		0.00										0.00								
Sclerolaena brachyptera		0.00										0.00								
Sclerolaena brevifolia	13	8.84	LC	LC	1	0	0.3	12	2		1	0.68	RA d(i,ii)	RA	3	DD	0.0	1	1	limited habitat
Sclerolaena clelandii		0.00										0.00								
Sclerolaena constricta		0.00										0.00								
Sclerolaena convexula		0.00										0.00								
Sclerolaena costata		0.00										0.00								
Sclerolaena cuneata		0.00										0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)		Trends (-, 0, +, ++) Eyre Hills	Trends (-, 0, +, ++) Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)		Trends (-, 0, +, ++) Talia	Trends (-, 0, +, ++) Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	Eyre Hills Records	% Eyre Hills		Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)						Talia Records	% Talia		Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)					
Sclerolaena decurrens		0.00									0.00									
Sclerolaena deserticola		0.00									0.00									
Sclerolaena diacantha	124	4.50	LC	LC	1	0	0.3	110	92		24	0.87	LC	LC	1	0	0.3	23	21	
Sclerolaena divaricata		0.00									0.00									
Sclerolaena eriacantha		0.00									0.00									
Sclerolaena fusiformis		0.00									0.00									
Sclerolaena holtiana		0.00									0.00									
Sclerolaena intricata		0.00									0.00									
Sclerolaena johnsonii		0.00									0.00									
Sclerolaena lanicuspis		0.00									0.00									
Sclerolaena limbata		0.00									0.00									
Sclerolaena murrayae		0.00									0.00									
Sclerolaena obliquicuspis	40	1.59	LC	LC	1	0	0.3	34	31		6	0.24	NT	NT	2	0	0.3	5	4	
Sclerolaena paralleliscuspis		0.00									0.00									
Sclerolaena parviflora	12	2.70	LC	LC	1	0	0.3	12	12											
Sclerolaena patentiscuspis	3	0.29	RA d(ii)	RA	3	0	0.3	3	2		1	0.10	RA d(i,ii)	RA	3	0	0.3	1		
Sclerolaena symoniana		0.00									0.00									
Sclerolaena tatei		0.00									0.00									
Sclerolaena uniflora	34	3.57	LC	LC	1	0	0.3	20	3		45	4.73	LC	LC	1	0	0.3	34	26	
Sclerolaena ventricosa		0.00									0.00									
Sebaea albidiflora		0.00									1	2.63	VU D2	VU	4	-	0.4	1		excess salinity a threat
Sebaea ovata	43	11.50	LC	LC	1	0	0.3	38	32		32	8.56	LC	LC	1	0	0.3	26	23	
Selliera radicans	10	4.31	RA d(ii)	RA	3	-	0.4	7	4		5	2.16	RA d(ii)	RA	3	-	0.4	4	4	
Senecio dolichocephalus		0.00									0.00									
Senecio gawlerensis	8	5.97	RA d(ii)	RA	3	-	0.4	7	4		0.00									
Senecio glomeratus ssp. longifructus	2	3.64	EN B2ab(i,ii,iii)	EN	5	--	0.5	2			2	3.64	EN B2ab(i,ii,iii)	EN	5	--	0.5	2		
Senecio glossanthus	19	2.54	LC	LC	1	0	0.3	19	16	could be multiple species	23	3.07	LC	LC	1	0	0.3	23	16	could be multiple species
Senecio gregorii		0.00									0.00									
Senecio laceratus		0.00									0.00									
Senecio lacustrinus	2	1.82	NE	NE	-1			2		taxonomic issues, recently split spp, no survey records	0.00									
Senecio magnificus		0.00									0.00									
Senecio odoratus		0.00									0.00									
Senecio phelleus	3	3.19	NE	NE	-1			3		taxonomic issues	3	5.56	RA d(i,ii)	RA	3	0	0.3	2	1	
Senecio picridioides	39	8.57	LC	LC	1	0	0.3	32	17		5	1.10	RA d(ii)	RA	3	-	0.4	5	1	
Senecio pinnatifolius var. maritimus	3	2.68	LC	LC	1	0	0.3	3		lack of records	12	10.71	LC	LC	1	0	0.3	10	1	
Senecio quadridentatus	55	4.44	LC	LC	1	0	0.3	47	31		21	1.70	LC	LC	1	0	0.3	17	11	
Senecio runcinifolius		0.00									0.00									
Senecio serratifolius ssp. serratifolius	1	14.29	NE	NE	-1			1		taxonomic issues	0.00									
Senecio spanomerus	41	8.27	LC	LC	1	0	0.3	36	2		21	4.23	LC	LC	1	0	0.3	18	2	
Senna artemisioides ssp. alicia		0.00									0.00									
Senna artemisioides ssp. artemisioides	3	0.22	LC	LC	1	0	0.3	3	3		4	0.30	LC	LC	1	0	0.3	4	4	
Senna artemisioides ssp. coriacea	104	4.60	LC	LC	1	0	0.3	95	62		40	1.77	LC	LC	1	0	0.3	35	24	
Senna artemisioides ssp. filifolia	23	2.19	LC	LC	1	0	0.3	21	16		13	1.24	LC	LC	1	0	0.3	12	8	

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)		Trends (-, 0, +, ++) Eyre Hills	Trends (-, 0, +, ++) Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)		Trends (-, 0, +, ++) Talia	Trends (-, 0, +, ++) Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	Eyre Hills Records	% Eyre Hills		Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)						Talia Records	% Talia		Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)					
Senna artemisioides ssp. helmsii		0.00									0.00									
Senna artemisioides ssp. oligophylla		0.00									0.00									
Senna artemisioides ssp. petiolaris	23	2.43	LC	LC	1	0	0.3	23	9		7	0.74	LC	LC	1	0	0.3	7	6	
Senna artemisioides ssp. quadrifolia	1	0.53	RA d(i,ii)	RA	3	DD	0.0	1	1			0.00								
Senna artemisioides ssp. sturtii	2	0.50	RA d(i,ii)	RA	3	0	0.3	2				0.00								
Senna artemisioides ssp. zygophylla		0.00										0.00								
Senna cardiosperma ssp. cardiosperma		0.00										0.00								
Senna cardiosperma ssp. gawlerensis	4	1.05	RA d(ii)	RA	3	0	0.3	4	2		1	0.26	RA d(i,ii)	RA	3	DD	0.0	1	1	
Senna cardiosperma ssp. microphylla		0.00										0.00								
Senna phyllodinea		0.00										0.00								
Senna pleurocarpa var. pleurocarpa		0.00										0.00								
Setaria basiclada	1	1.11	RA d(ii)	RA	3	0	0.3	1		desert grass, ephemeral		0.00								
Setaria clementii		0.00										0.00								
Setaria constricta	8	1.57	RA d(ii)	RA	3	DD	0.0	8	6			0.00								
Setaria dielsii		0.00										0.00								
Setaria jubiflora		0.00										0.00								
Setaria reflexa		0.00										0.00								
Sida ammophila		0.00										0.00								
Sida calyxhymeria		0.00										0.00								
Sida corrugata var. angustifolia	2	1.41	VU B2ab(i,ii,iii)	VU	4	-	0.4	2	1			0.00								
Sida fibulifera		0.00										0.00								
Sida filiformis		0.00										0.00								
Sida intricata	1	0.18	RA d(ii)	RA	3	DD	0.0	1		southern limit		0.00								
Sida petrophila	6	0.44	RA d(ii)	RA	3	-	0.4	6	2			0.00								
Sida phaeotricha		0.00										0.00								
Sida sp. B (C.Dunlop 1739)		0.00										0.00								
Sida sp. golden calyces (H.N.Foote 32)		0.00										0.00								
Sida sp. L (A.M.Ashby 4202)		0.00										0.00								
Sida sp. R (P.Copley 1390)		0.00										0.00								
Sida sp. Rabbit Flat (R.B.Major 158)		0.00										0.00								
Sida sp. Watarrika (D.E.Albrecht 8672)		0.00										0.00								
Sida spodochroma		0.00										0.00								
Sida trichopoda		0.00										0.00								
Sigesbeckia australiensis	1	0.41	RA d(i,ii)	RA	3	-	0.4	1				0.00								
Siloxerus multiflorus	45	10.66	LC	LC	1	0	0.3	38	26		15	3.55	LC	LC	1	0	0.3	12	11	
Solanum aff. centrale		0.00										0.00								
Solanum capsiciforme	20	21.74	LC	LC	1	0	0.3	15	3		2	2.17	RA d(ii)	RA	3	-	0.4	2	1	clearance a threat
Solanum centrale		0.00										0.00								
Solanum chenopodium		0.00										0.00								
Solanum cleistogamum	1	1.19	RA d(i,ii)	RA	3	DD	0.0	1				0.00								
Solanum coactiliferum	49	8.32	LC	LC	1	0	0.3	42	15		2	0.34	RA d(i,ii)	RA	3	-	0.4	1		
Solanum ellipticum		0.00										0.00								
Solanum esuriale		0.00										0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records	% Eyre Hills	Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records	% Talia	Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
<i>Solanum ferocissimum</i>		0.00										0.00								
<i>Solanum hystrix</i>	13	15.48	LC	LC	1	+	0.2	11	2		2	2.38	LC	LC	1	+	0.2	2	1	
<i>Solanum laciniatum</i>		0.00	VU B2ab(i,ii,iii)	VU	4	-	0.4			no records, higher rainfall	5	2.46	VU B2a,b(+iii)	VU	4	-	0.4	4		higher rainfall
<i>Solanum lacunarium</i>		0.00										0.00								
<i>Solanum lasiophyllum</i>		0.00										0.00								
<i>Solanum orbiculatum</i> ssp. orbiculatum		0.00										0.00								
<i>Solanum petrophilum</i>	18	1.86	LC	LC	1	0	0.3	14	6			0.00								
<i>Solanum quadriloculatum</i>		0.00										0.00								
<i>Solanum simile</i>	37	11.56	LC	LC	1	0	0.3	30	8		5	1.56	LC	LC	1	0	0.3	4	2	
<i>Solanum sturtianum</i>		0.00										0.00								
<i>Solanum symonii</i>	14	28.00	RA d(i,ii)	RA	3	0	0.3	10	2		2	4.00	VU B2ab(i,ii,iii)	VU	4	-	0.4	2		
<i>Solenogyne dominii</i>	4	2.84	VU B2ab(i,ii,iii)	VU	4	-	0.4	3	3	restricted habitat, salinity a threat, needs fresh water		0.00								
<i>Sonchus hydrophilus</i>	9	4.23	RA d(ii)	RA	3	0	0.3	6	2		1	0.47	RA d(i,ii)	RA	3	0	0.3	1	1	
<i>Spartothamnella teucriiflora</i>		0.00										0.00								
<i>Spergularia marina</i>	9	8.82	NE	NE	-1			7	7	taxonomic issues	4	3.92	NE	NE	-1			3	2	taxonomic issues
<i>Sphaerolobium minus</i>	17	14.78	VU B2ab(iii)	VU	4	-	0.4	13	5		2	1.74	VU B2ab(iii)	VU	4	-	0.4	2	2	
<i>Spinifex hirsutus</i>	7	18.92	LC	LC	1	0	0.3	7	2	dune stabiliser	10	27.03	LC	LC	1	0	0.3	9	5	dune stabiliser
<i>Sporobolus actinocladius</i>		0.00										0.00								
<i>Sporobolus caroli</i>		0.00										0.00								
<i>Sporobolus mitchellii</i>		0.00										0.00								
<i>Sporobolus virginicus</i>	23	5.31	LC	LC	1	0	0.3	17	7	tolerates salinity	17	3.93	LC	LC	1	0	0.3	13	8	tolerates salinity
<i>Spyridium bifidum</i> var. <i>bifidum</i>	127	46.69	LC	LC	1	0	0.3	104	48		10	3.68	LC	LC	1	0	0.3	10	5	
<i>Spyridium bifidum</i> var. <i>Marble Range</i> (W.R.Barker 7601)	16	94.12	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	10	4			0.00								
<i>Spyridium bifidum</i> var. <i>Vanilla</i> (K.Clipstone 88)	11	100.00	EN B2ab(i,ii,iii)	EN	5	--	0.5	9	4	endemic, limite to Vanilla Forest		0.00								
<i>Spyridium eriocephalum</i> var. <i>eriocephalum</i>	5	2.00	RA d(ii)	RA	3	-	0.4	5	2		14	5.60	LC	LC	1	0	0.3	12	9	
<i>Spyridium erymnocladum</i>	3	25.00	EN B2ab(i,ii,iii)	EN	5	-	0.4	3	1			0.00								
<i>Spyridium leucopogon</i>	49	90.74	NT	NT	2	-	0.4	38	10	endemic		0.00								
<i>Spyridium nitidum</i>	52	28.42	LC	LC	1	0	0.3	42	18		2	1.09	RA d(i,ii)	RA	3	-	0.4	2		limited habitat
<i>Spyridium phylicoides</i>	42	5.28	LC	LC	1	0	0.3	37	12		165	20.73	LC	LC	1	0	0.3	116	81	
<i>Spyridium spathulatum</i>	60	21.74	RA d(ii)	RA	3	-	0.4	40	15		4	1.45	RA d(ii)	RA	3	-	0.4	4	2	
<i>Spyridium subochreatum</i>	6	2.56	LC	LC	1	0	0.3	6		should be more records	2	0.85	VU B2ab(i,ii,iii)	VU	4	-	0.4	2		
<i>Spyridium tricolor</i>		0.00										0.00								
<i>Spyridium vexilliferum</i> var. <i>vexilliferum</i>	20	6.45	LC	LC	1	0	0.3	9	5		8	2.58	NT	NT	2	0	0.3	7	5	
<i>Stackhousia annua</i>	7	17.50	VU D2	VU	4	DD	0.0	6	3			0.00								
<i>Stackhousia aspericocca</i> ssp. <i>Cylindrical</i> inflorescence (†)	2	0.86	RA d(i,ii)	RA	3	0	0.3	1	1	limestone species	14	6.03	LC	LC	1	0	0.3	9	9	limestone species
<i>Stackhousia aspericocca</i> ssp. <i>One-sided</i> inflorescence (†)	29	15.34	LC	LC	1	0	0.3	20	20	lots of records not yet databased	3	1.59	LC	LC	1	0	0.3	2	2	lots of records not yet databased
<i>Stackhousia clementii</i>		0.00										0.00								
<i>Stackhousia megaloptera</i>		0.00										0.00								
<i>Stackhousia monogyna</i>	71	8.54	LC	LC	1	0	0.3	56	52	name changed to <i>S. subterranea</i>	20	2.41	LC	LC	1	0	0.3	14	12	name changed to <i>S. subterranea</i>
<i>Stackhousia muricata</i> ssp. <i>Annual</i> (W.R.Barker 2172)		0.00										0.00								
<i>Stackhousia muricata</i> ssp. <i>Perennial</i> (W.R.Barker 3641)	1	5.26	NT	NT	2	DD	0.0	1	1	on granites, records missing		0.00								
<i>Stackhousia spathulata</i>	2	1.31	NT	NT	2	0	0.3	2	1	limited habitat, records missing	8	5.23	NT	NT	2	0	0.3	8	4	limited habitat, records missing
<i>Stellaria filiformis</i>	12	27.91	LC	LC	1	-	0.4	9	8			0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)		Trends (-, 0, +, ++) Eyre Hills	Trends (-, 0, +, ++) Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)		Trends (-, 0, +, ++) Talia	Trends (-, 0, +, ++) Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	Eyre Hills Records	% Eyre Hills		Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)						Talia Records	% Talia		Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)					
Stemodia florulenta	2	0.33						2	2	introduced										
Stenanthemum leucophractum	143	19.04	LC	LC	1	0	0.3	112	71		75	9.99	LC	LC	1	0	0.3	61	46	
Stenanthemum notiale ssp. notiale	26	32.50	LC	LC	1	0	0.3	18	16		13	16.25	LC	LC	1	0	0.3	12	10	
Stenopetalum anfractum		0.00																		
Stenopetalum lineare	3	0.55	LC	LC	1	0	0.3	3	3		7	1.28	LC	LC	1	0	0.3	7	6	
Stenopetalum nutans		0.00																		
Stenopetalum saxatile		0.00																		
Stenopetalum sphaerocarpum	20	9.39	LC	LC	1	0	0.3	18	16		3	1.41	LC	LC	1	0	0.3	3	1	
Stenopetalum velutinum		0.00																		
Streptoglossa adscendens		0.00																		
Streptoglossa liatroides		0.00																		
Stuartina hamata	1	3.70	RA d(i,ii)	RA	3	DD	0.0	1	1											
Stuartina muelleri	22	7.51	LC	LC	1	0	0.3	16	9		14	4.78	RA d(ii)	RA	3	DD	0.0	10	5	
Stylidium calcaratum	14	8.43	NT	NT	2	-	0.4	10	5											
Stylidium inundatum	5	4.24	RA d(i,ii)	RA	3	-	0.4	5	2	restricted habitat										
Stylidium perpusillum	1	1.67	CR B2ab(i,ii,iii)	CR	6	-	0.4	1	1	Vanilla forest										
Stypandra glauca		0.00																		
Styphelia exarrhena		0.00									1	0.25	DD	DD	0	DD	0.0	1		questionable location
Suaeda australis	41	7.55	LC	LC	1	0	0.3	31	14		35	6.45	LC	LC	1	0	0.3	25	11	
Swainsona acuticarinata		0.00																		
Swainsona adenophylla		0.00																		
Swainsona affinis		0.00																		
Swainsona campestris		0.00																		
Swainsona campylantha		0.00																		
Swainsona canescens		0.00																		
Swainsona colutoides		0.00																		
Swainsona dictyocarpa		0.00																		
Swainsona disjuncta		0.00																		
Swainsona eremaea		0.00																		
Swainsona flavicarinata		0.00																		
Swainsona formosa		0.00																		
Swainsona kingii		0.00																		
Swainsona lessertifolia	4	1.09	RA d(ii)	RA	3	DD	0.0	3			12	3.28	RA d(i,ii)	RA	3	0	0.3	11	7	
Swainsona microcalyx		0.00																		
Swainsona microphylla	2	1.20	RA d(i,ii)	RA	3	-	0.4	2												
Swainsona oliveri		0.00																		
Swainsona oroboides		0.00																		
Swainsona phacoides		0.00																		
Swainsona purpurea		0.00																		
Swainsona pyrophila	5	11.36	VU B2ac(iv)	VU	4	-	0.4	5	2	extreme fluctuations										
Swainsona stipularis		0.00																		
Swainsona tenuis		0.00																		
Swainsona unifoliolata		0.00																		

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)		Trends (-, 0, +, ++) Eyre Hills	Trends (-, 0, +, ++) Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)		Trends (-, 0, +, ++) Talia	Trends (-, 0, +, ++) Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	Eyre Hills Records	% Eyre Hills		Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)						Talia Records	% Talia		Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)					
Swainsona villosa		0.00									0.00									
Synaptantha tillaeacea var. hispidula		0.00									0.00									
Synaptantha tillaeacea var. tillaeacea		0.00									0.00									
Tecticornia arbuscula	11	4.18	LC	LC	1	0	0.3	7	5		21	7.98	LC	LC	1	0	0.3	19	16	
Tecticornia disarticulata		0.00									0.00									
Tecticornia flabelliformis		0.00									10	13.51	VU B2ab(i,ii,iii)	VU	4	-	0.4	5	5	
Tecticornia halocnemoides ssp. halocnemoides	31	8.99	LC	LC	1	0	0.3	22	4		73	21.16	LC	LC	1	0	0.3	43	14	
Tecticornia halocnemoides ssp. longispicata		0.00									1	5.00	RA d(i,ii)	RA	3	DD	0.0	1	1	
Tecticornia indica ssp. bidens	1	5.26	RA d(i,ii)	RA	3	0	0.3	1	1	probably more records		0.00								
Tecticornia indica ssp. leiostachya	3	1.12	RA d(ii)	RA	3	0	0.3	3	2		8	2.97	LC	LC	1	0	0.3	8	8	
Tecticornia lepidosperma	1	10.00	RA d(ii)	RA	3	0	0.3	1	1	probably more records	2	20.00	RA d(ii)	RA	3	0	0.3	2	2	probably more records
Tecticornia lylei		0.00									0.00									
Tecticornia medullosa		0.00									0.00									
Tecticornia moniliformis		0.00									0.00									
Tecticornia pergranulata ssp. pergranulata	9	4.69	LC	LC	1	0	0.3	9	9		9	4.69	LC	LC	1	0	0.3	9	9	
Tecticornia pruinosa	1	7.14	RA d(ii)	RA	3	0	0.3	1	1		1	7.14	RA d(ii)	RA	3	0	0.3	1	1	
Tecticornia pterygosperma ssp. pterygosperma	4	16.00	NE	NE	-1			4	4	taxonomic issues	3	12.00	NE	NE	-1			3	3	taxonomic issues
Tecticornia tenuis		0.00									0.00									
Tecticornia triandra		0.00									0.00									
Templetonia battii		0.00									0.00									
Templetonia egena	15	3.70	LC	LC	1	-	0.4	13	5		2	0.49	RA d(i,ii)	RA	3	DD	0.0	2		
Templetonia retusa	107	13.90	LC	LC	1	0	0.3	76	27		153	19.87	LC	LC	1	0	0.3	136	91	
Templetonia sulcata	9	7.26	RA d(ii)	RA	3	-	0.4	7	5		11	8.87	RA d(i,ii)	RA	3	-	0.4	10	7	
Tetragonia eremaea		0.00									0.00									
Tetragonia implexicoma	245	12.91	LC	LC	1	0	0.3	109	45		266	14.01	LC	LC	1	0	0.3	175	116	
Tetragonia moorei		0.00									0.00									
Tetragonia tetragonoides		0.00									0.00	RA d(ii)	RA	3	DD	0.0				no records (IMCRA)
Tetralia capillaris	2	1.04	RA d(ii)	RA	3	0	0.3	1	1		10	5.18	RA d(ii)	RA	3	0	0.3	7	7	
Teucrium corymbosum		0.00									0.00									
Teucrium grandiusculum ssp. pilosum		0.00									0.00									
Teucrium racemosum	3	0.38	RA d(ii)	RA	3	0	0.3	3	1		3	0.38	RA d(i,ii)	RA	3	DD	0.0	3	2	
Teucrium sessiliflorum	32	7.86	LC	LC	1	0	0.3	28	19		44	10.81	LC	LC	1	0	0.3	34	27	
Thelymitra alcockii			LC	LC	1	0	0.3			no records, coastal limestone species			LC	LC	1	0	0.3			no records, coastal limestone species
Thelymitra antennifera	16	2.96	LC	LC	1	0	0.3	15	7		14	2.59	LC	LC	1	0	0.3	12	7	
Thelymitra azurea	5	7.25	VU B2ab(i,ii,iii)	VU	4	--	0.5	5	1			0.00								
Thelymitra benthamiana	19	12.18	RA d(ii)	RA	3	-	0.4	14	9		3	1.92	RA d(ii)	RA	3	-	0.4	2	2	
Thelymitra carnea	3	13.64	EN D	EN	5	--	0.4	2				0.00								
Thelymitra epipactoides	29	20.71	CR C2a(i)	CR	6	--	0.5	25	11		5	3.57	CR C2a(i)	CR	6	--	0.5	3	1	
Thelymitra flexuosa	29	24.79	RA d(ii)	RA	3	--	0.5	20	14		1	0.85	VU D2	VU	4	DD	0.0	1	1	
Thelymitra juncofolia	1	0.74	CR D	CR	6	--	0.5	1	1	less than 10 plants		0.00								
Thelymitra luteociliun	60	23.44	LC	LC	1	0	0.3	47	33		10	3.91	RA d(ii)	RA	3	-	0.4	9	7	
Thelymitra megalyptra	16	14.04	LC	LC	1	0	0.3	11	4		8	7.02	LC	LC	1	0	0.3	5	3	
Thelymitra occidentalis													EN D	EN	5	DD	0.0			no records, T azzurria W of Mt Hope

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)			Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)			Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	Eyre Hills Records	% Eyre Hills		Proposed Regional IUCN Status (Eyre Hills)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)				Trends (-, 0, +, ++)	Talia Records		% Talia	Proposed Regional IUCN Status (Talia)	Trends (-, 0, +, ++)			
Thelymitra parviflora			EN B2ab(i,ii,iii)	EN	5	-	0.4		no records									
Thelymitra pauciflora	4	3.25	RA d(ii)	RA	3	DD	0.0	4	3	1	0.81	RA d(ii)	RA	3	DD	0.0	1	1
Thelymitra rubra	15	4.11	RA d(ii)	RA	3	-	0.4	13	8	5	1.37	RA d(ii)	RA	3	-	0.4	5	3
Themeda triandra	28	2.06	LC	LC	1	0	0.3	20	12	1	0.07	RA d(ii)	RA	3	DD	0.0	1	1
Thomasia petalocalyx	2	0.38	EN D	EN	5	DD	0.0	1	1		0.00							
Threlkeldia diffusa	265	13.03	LC	LC	1	0	0.3	123	51	348	17.11	LC	LC	1	0	0.3	186	128
Thryptomene biseriata		0.00									0.00							
Thryptomene elliotii		0.00									0.00							
Thryptomene ericaea	1	0.75	CR D	CR	6	DD	0.0	2	1		0.00							One old record in Pt Linc, could be extinct
Thryptomene longifolia		0.00									0.00							
Thryptomene micrantha	138	24.51	LC	LC	1	0	0.3	114	55	134	23.80	LC	LC	1	0	0.3	106	71
Thyridolepis mitchelliana		0.00									0.00							
Thyridolepis multiculmis		0.00									0.00							
Thyridolepis xerophila		0.00									0.00							
Thysanotus baueri	64	7.76	LC	LC	1	0	0.3	58	55	87	10.55	LC	LC	1	0	0.3	75	72
Thysanotus exiliflorus		0.00									0.00							
Thysanotus nudicaulis	6	75.00	EN B2ab(i,ii,iii)	EN	5	--	0.5	6	1		0.00							clearance a threat
Thysanotus patersonii	236	8.87	LC	LC	1	0	0.3	201	175	181	6.80	LC	LC	1	0	0.3	159	149
Thysanotus wangariensis	9	32.14	RA d(ii)	RA	3	DD	0.0	7	2	11	39.29	RA d(ii)	RA	3	DD	0.0	8	1
Trachymene ceratocarpa		0.00								1	4.35	RA d(ii)	RA	3	DD	0.0	1	1
Trachymene cyanopetala	49	16.96	LC	LC	1	0	0.3	35	30	12	4.15	LC	LC	1	0	0.3	11	8
Trachymene glaucifolia		0.00									0.00							
Trachymene ornata	1	6.67	LC	LC	1	DD	0.0	1	1		0.00							should be more records
Trachymene pilosa	115	18.82	LC	LC	1	0	0.3	99	88	119	19.48	LC	LC	1	0	0.3	100	85
Tragus australianus		0.00									0.00							
Trianthema triquetra		0.00									0.00							
Tribulus eichlerianus		0.00									0.00							
Tribulus minutus		0.00									0.00							
Trichanthodium skirrophorum	7	1.10	LC	LC	1	0	0.3	5	4	21	3.30	LC	LC	1	0	0.3	16	14
Trichodesma zeylanicum		0.00									0.00							
Tricoryne elatior	7	1.26	RA d(ii)	RA	3	0	0.3	7	5	20	3.60	RA d(ii)	RA	3	0	0.3	20	14
Tricoryne tenella	51	11.89	LC	LC	1	0	0.3	41	40	56	13.05	LC	LC	1	0	0.3	44	39
Triglochin hexagona		0.00									0.00							
Triglochin isingiana	2	1.53	NT	NT	2	0	0.3	2		2	1.53	LC	LC	1	0	0.3	2	
Triglochin longicarpa	1	25.00	DD	DD	0	DD	0.0	1	1		0.00							new species
Triglochin minutissima	2	25.00	DD	DD	0	DD	0.0	2			0.00							records not databased
Triglochin mucronata	10	19.61	LC	LC	1	0	0.3	7	6	8	15.69	LC	LC	1	0	0.3	8	7
Triglochin nana	1	11.11	DD	DD	0	DD	0.0	1	1		0.00							records not databased
Triglochin nanum/sp. C (J.Z.Weber 6793)		0.00									0.00							
Triglochin sp. A (N.N.Donner 3596)		0.00									0.00							
Triglochin striata	1	1.10	LC	LC	1	0	0.3	1	1	3	3.30	LC	LC	1	0	0.3	3	3
Triglochin trichophora	2	5.41	LC	LC	1	0	0.3	2	1	13	35.14	LC	LC	1	0	0.3	11	8
Trigonella suavissima		0.00									0.00							

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records	% Eyre Hills	Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records	% Talia	Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
Triodia basedowii		0.00									0.00									
Triodia bunicola	33	20.63	LC	LC	1	0	0.3	21	21	rocky areas	1	0.63	RA d(ii)	RA	3	DD	0.0	1	1	limited habitat
Triodia compacta	5	4.03	RA d(ii)	RA	3	0	0.3	4	4	limited habitat	62	50.00	LC	LC	1	0	0.3	48	47	
Triodia helmsii		0.00									0.00									
Triodia irritans	113	11.02	LC	LC	1	0	0.3	91	74		99	9.66	LC	LC	1	0	0.3	76	63	
Triodia lanata	8	3.57	LC	LC	1	0	0.3	8	6		8	3.57	LC	LC	1	0	0.3	3		
Triodia melvillei		0.00									0.00									
Triodia scariosa	83	14.46	LC	LC	1	0	0.3	63	60		9	1.57	LC	LC	1	0	0.3	7	6	
Tripogon loliiformis		0.00									0.00									
Triptilodiscus pygmaeus	10	2.75	LC	LC	1	0	0.3	6	5		5	1.38	LC	LC	1	0	0.3	5	5	
Triraphis mollis		0.00									0.00									
Trithuria submersa	2	5.71	CR B2ab(i,ii,iii)	CR	6	--	0.5	2	2	needs water		0.00								
Trymalium wayi	2	1.32	RA d(ii)	RA	3	DD	0.0	2	1			0.00								
Typha domingensis	5	1.41	RA d(ii)	RA	3	DD	0.0	5	4			0.00								
Typha orientalis	2	3.77	RA d(ii)	RA	3	DD	0.0	2	2			0.00								
Utricularia tenella	9	11.11	EN B2ab(i,ii,iii)	EN	5	-	0.4	7	4	needs rainfall	1	1.23	EN B2ab(i,ii,iii)	EN	5	-	0.4	1		needs rainfall
Velleia arguta	14	3.49	LC	LC	1	0	0.3	10	5		30	7.48	LC	LC	1	0	0.3	24	18	
Velleia connata	17	17.53	LC	LC	1	0	0.3	15	7			0.00								
Velleia cynopotamica	1	4.35	VU B2ab(i,ii,iii)	VU	4	-	0.4	1		highly localised		0.00								
Velleia glabrata		0.00									0.00									
Veronica hillebrandii	29	10.28	LC	LC	1	0	0.3	19	10	limestone species	31	10.99	LC	LC	1	0	0.3	24	16	limestone species
Veronica pamkalliana	1	12.50	RE	RE	7			1		presumed extinct		0.00								
Vittadinia australasica var. australasica	59	11.01	LC	LC	1	0	0.3	47	32		124	23.13	LC	LC	1	0	0.3	92	87	
Vittadinia blackii	1	0.35	VU B2ab(i,ii,iii)	VU	4	-	0.4	1	1	grassland species		0.00								
Vittadinia cervicularis var. cervicularis	56	9.67	LC	LC	1	0	0.3	36	33		5	0.86	RA d(ii)	RA	3	-	0.4	4	3	
Vittadinia condyloides		0.00									0.00									
Vittadinia cuneata var. cuneata forma cuneata	50	6.65	LC	LC	1	0	0.3	29	25	difficult to ID in field	15	1.99	LC	LC	1	0	0.3	13	11	difficult to ID in field
Vittadinia dissecta var. hirta	72	13.53	LC	LC	1	0	0.3	63	47		16	3.01	LC	LC	1	0	0.3	15	9	
Vittadinia eremaea		0.00									0.00									
Vittadinia gracilis	86	7.08	LC	LC	1	0	0.3	69	48		50	4.12	LC	LC	1	0	0.3	40	37	
Vittadinia megacephala	6	1.33	RA d(ii)	RA	3	-	0.4	5	4		141	31.33	LC	LC	1	0	0.3	113	103	
Vittadinia nullarborensis		0.00									0.00									
Vittadinia pterochaeta		0.00									0.00									
Vittadinia pustulata		0.00									0.00									
Vittadinia sulcata		0.00									0.00									
Wahlenbergia aridicola		0.00									0.00									
Wahlenbergia communis	24	3.77	LC	LC	1	0	0.3	18	14		18	2.83	LC	LC	1	0	0.3	10	7	
Wahlenbergia gracilentia	91	8.12	LC	LC	1	0	0.3	72	63		44	3.93	LC	LC	1	0	0.3	38	30	
Wahlenbergia littoricola	5	8.06	NE	NE	-1			5	5	taxonomic issues	1	1.61	NE	NE	-1			1	1	taxonomic issues
Wahlenbergia luteola	32	3.80	LC	LC	1	-	0.4	23	21		4	0.48	RA d(ii)	RA	3	-	0.4	3	2	
Wahlenbergia preissii	16	32.00	LC	LC	1	0	0.3	13	13		3	6.00	RA d(ii)	RA	3	DD	0.0	3	3	
Wahlenbergia queenslandica		0.00									0.00									
Wahlenbergia stricta ssp. stricta	88	7.22	LC	LC	1	0	0.3	70	60		48	3.94	LC	LC	1	0	0.3	35	30	

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)		Trends (-, 0, +, ++) Eyre Hills	Trends (-, 0, +, ++) Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)		Trends (-, 0, +, ++) Talia	Trends (-, 0, +, ++) Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	Eyre Hills Records	% Eyre Hills		Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)						Talia Records	% Talia		Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)					
Wahlenbergia tumidiflora		0.00									0.00									
Waitzia acuminata var. acuminata	15	3.99	RA d(ii)	RA	3	0	0.3	14	8		4	1.06	RA d(ii)	RA	3	0	0.3	3	3	
Westringia dampieri	20	8.20	NT	NT	2	-	0.4	14	3		86	35.25	LC	LC	1	0	0.3	71	32	
Westringia eremicola	14	4.43	RA d(ii)	RA	3	-	0.4	10	6		41	12.97	RA d(ii)	RA	3	0	0.3	28	19	
Westringia rigida	111	6.65	LC	LC	1	0	0.3	97	70		87	5.21	LC	LC	1	0	0.3	77	44	
Wilsonia backhousei	8	5.23	RA d(ii)	RA	3	0	0.3	7	3	limited habitat	7	4.58	RA d(ii)	RA	3	0	0.3	7	5	limited habitat
Wilsonia humilis	11	4.91	LC	LC	1	0	0.3	10	5		23	10.27	LC	LC	1	0	0.3	21	17	
Wilsonia rotundifolia	17	9.04	LC	LC	1	0	0.3	12	8	sapphire habitat	7	3.72	LC	LC	1	0	0.3	5	5	sapphire habitat
Wurmbea centralis ssp. australis		0.00										0.00								
Wurmbea citrina		0.00										0.00								
Wurmbea decumbens	13	29.55	RA d(ii)	RA	3	0	0.3	11	11		4	9.09	RA d(ii)	RA	3	0	0.3	3	3	
Wurmbea dioica ssp. brevifolia	9	4.86	LC	LC	1	0	0.3	9	4		14	7.57	LC	LC	1	0	0.3	14	12	
Wurmbea dioica ssp. dioica	16	5.56	LC	LC	1	0	0.3	14	13		20	6.94	LC	LC	1	0	0.3	19	19	
Wurmbea latifolia ssp. vanessae	1	2.33	RA d(i,ii)	RA	3	0	0.3	1	1			0.00								
Wurmbea sinora		0.00									4	80.00	EN B2ab(i,ii,iii)	EN	5	-	0.4	3	3	grazed
Wurmbea stellata		0.00										0.00								
Xanthorrhoea semiplana ssp. semiplana	32	3.35	NT	NT	2	-	0.4	25	25			0.00								
Xanthorrhoea semiplana ssp. tateana	31	5.17	NT	NT	2	-	0.4	29	15		6	1.00	RA d(i,ii)	RA	3	-	0.4	5	3	
Xanthosia huegelii	17	3.14	LC	LC	1	0	0.3	11	7		5	0.92	RA d(ii)	RA	3	0	0.3	4	3	limited
Xanthosia leiophylla	3	1.55	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	3	1			0.00								
Xerochrysum bracteatum	4	1.96	RA d(ii)	RA	3	-	0.4	4	2		3	1.47	RA d(i,ii)	RA	3	-	0.4	2		
Zaleya galericulata ssp. australis		0.00										0.00								
Zostera muelleri ssp. mucronata		0.00										0.00								
Zostera tasmanica		0.00	DD	DD	0	DD	0.0			Needs intertidal mudflats, could be widespread. Taxon	2	15.38	DD	DD	0	DD	0.0	2		Needs intertidal mudflats, could be widespread. Taxon
Zoysia macrantha ssp. walshii	2	6.06	RE	RE	7			1		probably extinct		0.00								
Zygochloa paradoxa		0.00										0.00								
Zygophyllum ammophilum	3	1.24	LC	LC	1	0	0.3	3	1		7	2.89	LC	LC	1	0	0.3	6	6	
Zygophyllum angustifolium	18	6.27	LC	LC	1	0	0.3	16	12		3	1.05	RA d(i,ii)	RA	3	0	0.3	2	2	
Zygophyllum apiculatum	93	6.44	LC	LC	1	0	0.3	66	28		130	9.01	LC	LC	1	0	0.3	39	15	
Zygophyllum aurantiacum ssp. aurantiacum	32	4.98	LC	LC	1	0	0.3	30	11		3	0.47	RA d(ii)	RA	3	0	0.3	3		
Zygophyllum aurantiacum ssp. cuneatum		0.00										0.00								
Zygophyllum aurantiacum ssp. simplicifolium		0.00									5	9.09	RA d(ii)	RA	3	0	0.3	3	2	
Zygophyllum billardierei	16	4.80	LC	LC	1	0	0.3	15	6		56	16.82	LC	LC	1	0	0.3	44	29	
Zygophyllum compressum		0.00										0.00								
Zygophyllum confluens	3	0.94	RA d(ii)	RA	3	0	0.3	3				0.00								
Zygophyllum crenatum		0.00										0.00								
Zygophyllum emarginatum		0.00										0.00								
Zygophyllum eremaeum	5	1.27	RA d(ii)	RA	3	0	0.3	5	3		1	0.25	RA d(ii)	RA	3	0	0.3	1		
Zygophyllum flavum	3	8.33	NT	NT	2	0	0.3	3	1	comes up after fire	9	25.00	LC	LC	1	0	0.3	7	3	comes up after fire
Zygophyllum glaucum	44	9.13	LC	LC	1	0	0.3	38	28		18	3.73	LC	LC	1	0	0.3	18	11	
Zygophyllum halophilum		0.00										0.00								
Zygophyllum howittii		0.00										0.00								
Zygophyllum humilimum		0.00										0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre Hills Records		Proposed IUCN Status & Criteria (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)		Trends (-, 0, +, ++) Eyre Hills	Trends (-, 0, +, ++) Eyre Hills	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Hills)	Talia Records		Proposed IUCN Status & Criteria (Talia)	Proposed Regional IUCN Status (Talia)		Trends (-, 0, +, ++) Talia	Trends (-, 0, +, ++) Talia	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Talia)
	% Eyre Hills			Proposed Regional IUCN Status (Eyre Hills)	Proposed Regional IUCN Status (Eyre Hills)						% Talia			Proposed Regional IUCN Status (Talia)	Proposed Regional IUCN Status (Talia)					
Zygophyllum iodocarpum		0.00									0.00									
Zygophyllum kochii		0.00									0.00									
Zygophyllum marlesiae		0.00									0.00									
Zygophyllum ovatum	37	4.52	LC	LC	1	0	0.3	30	22		43	5.26	LC	LC	1	0	0.3	38	33	
Zygophyllum prismatothecum		0.00									0.00									
Zygophyllum reticulatum		0.00									0.00									
Zygophyllum simile	3	0.73	RA d(ii)	RA	3	0	0.3	3	2	split from Z amophilum	3	0.73	RA d(ii)	RA	3	0	0.3	2	2	split from Z amophilum

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)				Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)				Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	% Eyre Mallee			Proposed Regional IUCN Status (Eyre Mallee)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)				% Myall Plains	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)				
Abutilon cryptopetalum ssp. cryptopetalum		0.00								2	9.09	RA d(i,ii)	RA	3	DD	0.0	2	1		
Abutilon fraseri ssp. diplotrichum		0.00								6	8.45	RA d(ii)	RA	3	0	0.3	6	4		
Abutilon fraseri ssp. fraseri		0.00									0.00									
Abutilon halophilum		0.00								2	0.38	RA d(ii)	RA	3	DD	0.0	2	2	edge of range	
Abutilon leucopetalum		0.00									0.00									
Abutilon macrum		0.00									0.00									
Abutilon malvaefolium		0.00									0.00									
Abutilon otocarpum	1	0.22	RA d(i,ii)	RA	3	DD	0.0	1	1	southern limit	4	0.90	RA d(ii)	RA	3	0	0.3	4	4	
Acacia acanthoclada ssp. acanthoclada	11	8.53	LC	LC	1	0	0.3	10	6			0.00								
Acacia acinacea		0.00									0.00									
Acacia alcockii		0.00									0.00									
Acacia anceps	58	20.86	NE	NE	-1			45	16	taxonomic issues		0.00								
Acacia ancistrophylla var. lissophylla	134	45.42	LC	LC	1	0	0.3	109	76		24	8.14	LC	LC	1	0	0.3	20	11	
Acacia aneura		0.00									2	0.55	RA d(i,ii)	RA	3	-	0.4	2	1	
Acacia aneura var. aneura		0.00									9	2.64	LC	LC	1	0	0.3	8	2	
Acacia aneura var. conifera		0.00										0.00								
Acacia aneura var. intermedia		0.00									3	2.31	RA d(i,ii)	RA	3	0	0.3	3	2	
Acacia aneura var. major		0.00										0.00								
Acacia aneura var. microcarpa		0.00										0.00								
Acacia aneura var. tenuis		0.00										0.00								
Acacia ayersiana		0.00									1	5.26	DD	DD	0	DD	0.0	1		
Acacia beckleri Tindale ssp. beckleri			RA d(ii)	RA	3	0	0.3			not well protected in reserves, used to be A beckleri			RA d(ii)	RA	3	0	0.3		not well protected in reserves, used to be A beckleri	
Acacia brachybotrya	21	3.76	LC	LC	1	0	0.3	17	9			0.00								
Acacia brachystachya		0.00									3	2.63	RA d(ii)	RA	3	DD	0.0	2	1	
Acacia burkittii		0.00									41	8.13	LC	LC	1	0	0.3	33	7	
Acacia calamifolia		0.00										0.00								
Acacia calcicola		0.00										0.00								
Acacia clelandii		0.00									1	4.00	RA d(ii)	RA	3	0	0.3	1	more records will appear following taxonomic publicati	
Acacia colletioides	17	6.03	LC	LC	1	DD	0.0	17	1		7	2.48	LC	LC	1	DD	0.0	6	2	
Acacia continua	46	5.63	LC	LC	1	0	0.3	34	17		42	5.14	LC	LC	1	0	0.3	36	14	
Acacia cretacea		0.00										0.00								
Acacia cupularis	32	6.07	LC	LC	1	0	0.3	26	8			0.00								
Acacia cyclops	13	10.83	RA d(i,ii)	RA	3	0	0.3	11	4		1	0.83					1	1	introduced	
Acacia dodonaefolia		0.00										0.00								
Acacia enterocarpa		0.00										0.00								
Acacia erinacea		0.00										0.00								
Acacia euthycarpa	141	22.10	LC	LC	1	0	0.3	95	24	taxo issues - could be 3-4 taxa	14	2.19	LC	LC	1	0	0.3	13	5	
Acacia farinosa	60	18.87	LC	LC	1	0	0.3	46	19	salt tolerant		0.00								
Acacia gilesiana		0.00										0.00								
Acacia gillii		0.00										0.00								
Acacia hakeoides	73	11.16	LC	LC	1	0	0.3	64	33	short lived, likes fire, prolific seeder	10	1.53	LC	LC	1	0	0.3	9	6	
Acacia halliana	31	15.05	LC	LC	1	0	0.3	23	17		7	3.40	LC	LC	1	0	0.3	4	2	
Acacia havilandiorum	1	0.75	CR B2ab(i,ii,iii)	CR	6	-	0.4	1	1			0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	% Eyre Mallee			Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						% Myall Plains			Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)					
Acacia helmsiana		0.00																		
Acacia hemiteles		0.00																		
Acacia hexaneura	6	9.09	EN C2a(i)	EN	5	-	0.4	6	5	locally endemic, mainly on roadsides										
Acacia imbricata		0.00																		
Acacia iteaphylla	8	4.85	RA d(ii)	RA	3	DD	0.0	8	2		4	2.42	RA d(ii)	RA	3	0	0.3	3	1	
Acacia jennerae		0.00																		
Acacia kempeana		0.00									1	0.27	RA d(ii)	RA	3	0	0.3	1	1	
Acacia leiophylla		0.00																		
Acacia ligulata	214	7.74	LC	LC	1	0	0.3	163	98		30	1.09	LC	LC	1	0	0.3	27	10	
Acacia lineata	1	0.83	RA d(i,ii)	RA	3	DD	0.0	1												
Acacia longifolia ssp. sophorae	2	0.21	RA d(ii)	RA	3	DD	0.0	2		W record dodgy										
Acacia maitlandii		0.00																		
Acacia melleodora		0.00																		
Acacia merrallii	168	51.53	LC	LC	1	0	0.3	141	68		11	3.37	LC	LC	1	0	0.3	10	6	
Acacia microcarpa	61	16.71	LC	LC	1	0	0.3	45	29	some unique characters in pods on sth EP	2	0.55	RA d(i,ii)	RA	3	0	0.3	2		
Acacia minyura		0.00																		
Acacia montana	1	0.92	RA d(ii)	RA	3	-	0.4	1	1	needs winter rainfall	18	16.51	RA d(ii)	RA	3	-	0.4	10	2	
Acacia murrayana		0.00																		
Acacia mutabilis ssp. angustifolia		0.00																		
Acacia myrtifolia		0.00																		
Acacia nematophylla		0.00																		
Acacia notabilis	79	13.79	LC	LC	1	0	0.3	60	35		49	8.55	LC	LC	1	0	0.3	42	17	
Acacia nyssophylla	108	13.72	LC	LC	1	0	0.3	92	62		41	5.21	LC	LC	1	0	0.3	34	21	
Acacia oswaldii	160	8.35	LC	LC	1	0	0.3	133	73		46	2.40	LC	LC	1	0	0.3	37	14	
Acacia pachyacra		0.00																		
Acacia papyrocarpa	17	2.30	RA d(i,ii)	RA	3	-	0.4	16	8	rare recruitment events, white fly a problem	87	11.77	NT	NT	2	-	0.4	74	35	rare recruitment events & rabbit browsing
Acacia paradoxa		0.00																		
Acacia pinguiifolia		0.00																		
Acacia praemorsa		0.00																		
Acacia prainii		0.00																		
Acacia pycnantha	eiophyll	0.00																		
Acacia ramulosa var. linophylla		0.00									2	0.98	RA d(i,ii)	RA	3	0	0.3	2	1	
Acacia ramulosa var. ramulosa		0.00																		
Acacia rhotinocarpa	21	10.99	VU C2a(i)	VU	4	--	0.5	16	6											
Acacia rhigiophylla	19	10.86	VU C1+2a(i)	VU	4	-	0.4	18	6											
Acacia rhodophloia		0.00																		
Acacia rigens	178	18.78	LC	LC	1	0	0.3	146	94	salt tolerant	17	1.79	LC	LC	1	0	0.3	16	9	salt tolerant
Acacia rupicola	26	4.01	LC	LC	1	0	0.3	18	8											
Acacia salicina	1	0.19								introduced										
Acacia sclerophylla var. sclerophylla	114	16.91	LC	LC	1	0	0.3	92	52		8	1.19	LC	LC	1	0	0.3	8	4	
Acacia sibirica		0.00									10	4.61	RA d(ii)	RA	3	0	0.3	7	2	
Acacia sp. Winged (C.R.Alcock 4936)	34	18.18	VU D1	VU	4	DD	0.0	32	24	all records W of Streaky are aneups										
Acacia spinescens	226	10.61	LC	LC	1	0	0.3	181	130		3	0.14	RA d(ii)	RA	3	0	0.3	3	1	

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	% Eyre Mallee			Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						Myall Plains Records	% Myall Plains		Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)					
Acacia spooneri		0.00																		
Acacia stenophylla		0.00																		
Acacia tarculensis		0.00									5	3.09	RA d(ii)	RA	3	0	0.3	4		
Acacia tetragonophylla	3	0.16	RA d(i,ii)	RA	3	0	0.3	3	2		12	0.62	LC	LC	1	0	0.3	11	3	
Acacia toondulya		0.00																		
Acacia triquetra	26	6.93	LC	LC	1	0	0.3	21	10											
Acacia victoriae ssp. victoriae		0.00									2	0.14	RA d(ii)	RA	3	0	0.3	2		
Acacia whibleyana		0.00																		
Acacia wilhelmiana	22	4.90	RA d(ii)	RA	3	0	0.3	21	16	taxonomic issues	9	2.00	RA d(ii)	RA	3	0	0.3	7	1	taxonomic issues
Acaena echinata		0.00																		
Acaena novae-zelandiae		0.00																		
Acianthus caudatus		0.00																		
Acianthus pusillus	7	1.25	RA d(ii)	RA	3	-	0.4	7	3	needs rainfall										
Acrotiche affinis	4	0.73	VU B2ab(i,ii,iii)	VU	4	-	0.4	3	1											
Acrotiche cordata	48	5.25	LC	LC	1	0	0.3	35	26	rocky areas										
Acrotiche patula	182	13.90	LC	LC	1	0	0.3	138	86											
Actinobole uliginosum	116	9.45	LC	LC	1	0	0.3	101	79		38	3.09	LC	LC	1	0	0.3	37	22	
Actites megalocarpa	2	0.85	NT	NT	2	0	0.3	2		undercollected										
Adenanthos terminalis	17	1.90	NT	NT	2	0	0.3	13	4	localised										
Adiantum aethiopicum		0.00																		
Adriana quadripartita		0.00																		
Adriana urticoides var. hookeri		0.00																		
Ajuga australis forma A (A.G.Spooner 9058)		0.00									1	0.49	VU B2ab(i,ii,iii)	VU	4	-	0.4	1		
Alectryon oleifolius ssp. canescens	25	1.31	LC	LC	1	0	0.3	20	13		68	3.57	LC	LC	1	0	0.3	57	30	
Allocauarina helmsii	17	19.10	RA d(ii)	RA	3	-	0.4	16	9		5	5.62	RA d(i,ii)	RA	3	0	0.3	5	2	restricted
Allocauarina muelleriana ssp. muelleriana	96	4.92	LC	LC	1	0	0.3	73	41	sandy soils	2	0.10	RA d(ii)	RA	3	0	0.3	2	1	
Allocauarina pusilla		0.00																		
Allocauarina verticillata	41	1.47	LC	LC	1	0	0.3	28	15		7	0.25	RA d(ii)	RA	3	0	0.3	6		edge of range
Alternanthera denticulata		0.00									1	0.34	RA d(i,ii)	RA	3	+	0.2	1	1	southern limit
Alternanthera nodiflora		0.00																		
Aluta maisonneuvei ssp. auriculata		0.00																		
Aluta maisonneuvei ssp. maisonneuvei		0.00																		
Alyogyne hakeifolia	14	18.42	RA d(i,ii)	RA	3	-	0.4	9	2		5	6.58	RA d(ii)	RA	3	-	0.4	5	1	
Alyogyne huegelii	51	20.16	LC	LC	1	0	0.3	42	24		5	1.98	RA d(ii)	RA	3	0	0.3	5	2	
Alyogyne pinoniana var. microandra		0.00																		
Alyogyne pinoniana var. pinoniana		0.00																		
Alyxia buxifolia	208	21.14	LC	LC	1	0	0.3	171	107		33	3.35	LC	LC	1	0	0.3	30	15	
Amaranthus cuspidifolius		0.00																		
Amaranthus grandiflorus	2	2.17	RA d(i,ii)	RA	3	-	0.4	2	1											
Amaranthus mitchellii		0.00									1	1.15	RA d(i,ii)	RA	3	0	0.3	1	1	could be undercollected
Ammannia multiflora		0.00																		
Amphibolis antarctica	16	4.55	LC	LC	1	0	0.3	3	1	Occurs in sheltered bays			LC	LC	1	0	0.3			No records but occurs here
Amphibromus macrorhynchus	1	3.33	CR B1ab(i,ii,iii,iv)	CR	6	--	0.5	1	1	needs water, restricted habitat, climate change & salinity a thre										

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	% Eyre Mallee			Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						% Myall Plains			Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)					
Amphibromus nervosus	1	0.79	EN B2ab(i,ii,iii)	EN	5	-	0.4	1		needs water, restricted habitat, climate change & salinity a threat	0.00									
Amphipogon caricinus var. caricinus	43	7.88	LC	LC	1	0	0.3	32	28	likes sand dunes	1	0.18	LC	LC	1	0	0.3	1	1	likes sand dunes
Amphipogon strictus var. setifer		0.00									0.00									
Amyema fitzgeraldii		0.00									0.00									
Amyema gibberula var. gibberula		0.00									0.00									
Amyema maidenii ssp. maidenii		0.00									1	0.17	RA d(ii)	RA	3	0	0.3	1		associated with mulga
Amyema melaleucaea	82	17.15	LC	LC	1	0	0.3	72	57			0.00								
Amyema miquelii	2	0.14	RA d(ii)	RA	3	0	0.3	2	2	lack of records?	21	1.48	LC	LC	1	0	0.3	19	7	
Amyema miraculosa ssp. boormanii	11	4.07	RA d(ii)	RA	3	0	0.3	11	9		15	5.56	LC	LC	1	0	0.3	12	7	
Amyema preissii		0.00									2	0.22	RA d(ii)	RA	3	0	0.3	2	1	
Amyema quandang var. quandang	1	0.27	RA d(ii)	RA	3	0	0.3	1			80	21.98	LC	LC	1	0	0.3	66	27	
Anacampseros australiana		0.00										0.00								
Anemocarpa podolepidium		0.00										0.00								
Angianthus brachypappus		0.00										0.00								
Angianthus conocephalus	2	2.56	RA d(i,ii)	RA	3	0	0.3	2	1	eastern extent		0.00								
Angianthus glabratus		0.00									6	16.67	RA d(ii)	RA	3	0	0.3	5	4	
Angianthus preissianus	10	3.16	RA d(ii)	RA	3	0	0.3	9	6	comes up in scalds		0.00								
Angianthus tomentosus	128	24.15	LC	LC	1	0	0.3	108	70		20	3.77	LC	LC	1	0	0.3	17	13	
Anogramma leptophylla	6	6.12	RA d(ii)	RA	3	DD	0.0	4	4	probably more common	2	2.04	RA d(ii)	RA	3	DD	0.0	2		probably more common
Anthocercis anisantha ssp. anisantha		0.00										0.00								
Anthocercis anisantha ssp. collina	15	16.13	VU B2ab(i,ii,iii); D1+2	VU	4	-	0.4	9	3	endemic, grazed	5	5.38	RA d(i,ii)	RA	3	-	0.4	4	2	specific habitat, grazed by goats
Aotus subspinescens	81	17.92	LC	LC	1	0	0.3	60	24	likes sandhills	1	0.22	RA d(i,ii)	RA	3	0	0.3	1		
Apalochlamys spectabilis	2	1.54	RA d(i,ii)	RA	3	0	0.3	2		comes up after fire		0.00								
Aphanes australiana	6	6.45	RA d(ii)	RA	3	DD	0.0	5	2			0.00								
Aphelia gracilis		0.00										0.00								
Apium annum	21	4.93	LC	LC	1	0	0.3	13	1			0.00								
Apium prostratum var. filiforme		0.00									1	0.60	NE	NE	-1			1		taxonomic issues
Apium prostratum var. prostratum	16	4.53	LC	LC	1	0	0.3	11	2	undercollected, coastal		0.00								
Apodasmia brownii	1	0.21	NT	NT	2	0	0.3	1	1			0.00								
Arabidella filifolia		0.00									9	8.82	NT	NT	2	DD	0.0	9	1	
Arabidella glaucescens		0.00										0.00								
Arabidella nasturtium		0.00									3	1.22	NT	NT	2	-	0.4	3		ephemeral
Arabidella trisecta		0.00									15	2.68	LC	LC	1	0	0.3	10	2	
Argentipallium obtusifolium	19	4.44	RA d(i,ii)	RA	3	0	0.3	9	4		1	0.23	DD	DD	0	DD	0.0	1		no recent records
Aristida anthoxanthoides		0.00										0.00								
Aristida arida		0.00										0.00								
Aristida behriana	1	0.17	RA d(ii)	RA	3	-	0.4	1	1	western limit, needs rainfall		0.00								
Aristida capillifolia		0.00										0.00								
Aristida contorta	25	1.58	RA d(ii)	RA	3	0	0.3	19	11	habitat unsuitable	18	1.14	LC	LC	1	0	0.3	16	8	
Aristida holathera var. holathera		0.00									2	0.25	LC	LC	1	0	0.3	2	2	
Aristida latifolia		0.00										0.00								
Aristida nitidula		0.00									4	0.65	RA d(ii)	RA	3	DD	0.0	2	1	droughts, overgrazing a threat
Aristida personata		0.00									1	3.45	LC	LC	1	++	0.1	1	1	

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	Eyre Mallee Records	% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						Myall Plains Records	% Myall Plains		Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)					
Arthropodium fimbriatum		0.00									0.00									
Arthropodium minus	10	3.85	RA d(ii)	RA	3	0	0.3	8	4		2	0.77	RA d(i,ii)	RA	3	DD	0.0	2		
Arthropodium strictum		0.00									1	0.05	RA d(i,ii)	RA	3	DD	0.0	1		
Asperula conferta	11	2.03	RA d(ii)	RA	3	-	0.4	7	3		3	0.55	RA d(ii)	RA	3	-	0.4	2		
Asplenium flabellifolium		0.00										0.00								
Asplenium trichomanes		0.00										0.00								
Asteridea athrixioides forma athrixioides	53	14.80	LC	LC	1	0	0.3	45	33		18	5.03	LC	LC	1	0	0.3	16	15	
Asteridea athrixioides forma horripes		0.00										0.00								
Astrebla lappacea		0.00										0.00								
Astrebla pectinata		0.00										0.00								
Astroloma conostephioides	80	2.86	LC	LC	1	0	0.3	63	41											
Astroloma humifusum	52	1.60	LC	LC	1	0	0.3	40	22		6	0.18	RA d(i,ii)	RA	3	DD	0.0	6	1	
Atriplex acutibractea ssp. acutibractea	16	5.93	LC	LC	1	0	0.3	16	12		12	4.44	NT	NT	2	0	0.3	9	5	grazing a threat
Atriplex acutibractea ssp. karoniensis	32	31.37	LC	LC	1	0	0.3	23	19		3	2.94	RA d(i,ii)	RA	3	DD	0.0	2	2	
Atriplex acutiloba		0.00										0.00								
Atriplex angulata		0.00									1	0.19	RA d(ii)	RA	3	DD	0.0	1		southern limit
Atriplex cinerea	62	10.95	LC	LC	1	0	0.3	51	30		2	0.35	NE	NE	-1			1		dodgy
Atriplex cryptocarpa		0.00										0.00								
Atriplex eardleyae		0.00									8	3.11	NT	NT	2	DD	0.0	7	1	
Atriplex fissivalvis		0.00										0.00								
Atriplex holocarpa		0.00									14	1.58	LC	LC	1	0	0.3	14	4	
Atriplex incrassata		0.00										0.00								
Atriplex kochiana		0.00										0.00								
Atriplex leptocarpa		0.00										0.00								
Atriplex limbata		0.00									2	0.51	RA d(ii)	RA	3	-	0.4	2	1	likes sandy soil
Atriplex lindleyi ssp. conduplicata		0.00										0.00								
Atriplex lindleyi ssp. inflata		0.00									2	1.55	RA d(ii)	RA	3	DD	0.0	2	1	
Atriplex lindleyi ssp. lindleyi		0.00									1	0.50	RA d(ii)	RA	3	0	0.3	1	1	
Atriplex lindleyi ssp. quadripartita		0.00									1	5.56	RA d(ii)	RA	3	DD	0.0	1	1	
Atriplex lobativalvis		0.00										0.00								
Atriplex macropterocharpa		0.00										0.00								
Atriplex morrisii		0.00										0.00								
Atriplex nessorhina		0.00									1	20.00	VU D2	VU	4	DD	0.0	1	1	very localised
Atriplex nummularia ssp. omissa		0.00										0.00								
Atriplex nummularia ssp. spathulata		0.00										0.00								
Atriplex paludosa ssp. cordata	526	28.26	LC	LC	1	0	0.3	155	81		5	0.27	RA d(ii)	RA	3	0	0.3	2	2	
Atriplex papillata		0.00										0.00								
Atriplex pseudocampanulata		0.00										0.00								
Atriplex pumilio	5	9.09	RA d(ii)	RA	3	DD	0.0	5	2	likes disturbed areas		0.00								
Atriplex quadrivalvata var. sessilifolia		0.00										0.00								
Atriplex quinii		0.00										0.00								
Atriplex rhagodioides		0.00										0.00								
Atriplex semibaccata	6	1.12	NT	NT	2	0	0.3	5	4			0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	Count	% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						Count	% Myall Plains		Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)					
Atriplex spongiosa		0.00									0.00									
Atriplex stipitata	66	6.41	LC	LC	1	0	0.3	56	46		52	5.05	LC	LC	1	0	0.3	40	32	
Atriplex suberecta	1	0.34	RA d(ii)	RA	3	DD	0.0	1		possible decline	4	1.37	RA d(ii)	RA	3	DD	0.0	4	1	possible decline
Atriplex velutinella		0.00									0.00									
Atriplex vesicaria ssp. macrocystidia		0.00									0.00									
Atriplex vesicaria ssp. variabilis		0.00									0.00									
Austrobryonia micrantha		0.00									0.00									
Austroanthonia caespitosa	289	7.37	LC	LC	1	0	0.3	210	178		97	2.47	LC	LC	1	0	0.3	71	49	
Austroanthonia eriantha		0.00									0.00									
Austroanthonia fulva	1	0.85	VU B2ab(i,ii,iii)	VU	4	-	0.4	1	1	grazing, clearance a threat		0.00								
Austroanthonia racemosa var. racemosa		0.00									0.00									
Austroanthonia setacea	91	6.14	LC	LC	1	0	0.3	63	55		2	0.13	RA d(ii)	RA	3	DD	0.0	2	2	
Austrofestuca littoralis		0.00									0.00									
Austrostipa acroclaiata	160	19.70	LC	LC	1	0	0.3	125	105		30	3.69	LC	LC	1	0	0.3	20	20	
Austrostipa blackii	9	1.35	RA d(ii)	RA	3	0	0.3	5	5		1	0.15	RA d(ii)	RA	3	DD	0.0	1		
Austrostipa dongicola		0.00									0.00									
Austrostipa drummondii	106	11.30	LC	LC	1	0	0.3	73	50		16	1.71	LC	LC	1	0	0.3	11	9	
Austrostipa echinata	15	27.27	RA d(ii)	RA	3	-	0.4	6	5		1	1.82	RA d(ii)	RA	3	DD	0.0	1	1	unusual record
Austrostipa elegantissima	256	11.98	LC	LC	1	0	0.3	222	184	could be increasing	70	3.28	LC	LC	1	0	0.3	54	43	
Austrostipa eremophila	115	8.23	LC	LC	1	0	0.3	79	68		62	4.44	LC	LC	1	0	0.3	43	35	
Austrostipa exilis	170	20.02	LC	LC	1	0	0.3	108	98	high rainfall, mallee spp.	3	0.35	RA d(ii)	RA	3	0	0.3	3	2	high rainfall, mallee spp.
Austrostipa flavescens	69	5.90	LC	LC	1	0	0.3	48	24		3	0.26	RA d(ii)	RA	3	-	0.4	3		fragmented habitat
Austrostipa hemipogon	173	26.91	LC	LC	1	0	0.3	107	97		8	1.24	LC	LC	1	0	0.3	6	6	
Austrostipa lanata	2	15.38	RA d(ii)	RA	3	DD	0.0	1	1			0.00								
Austrostipa macalpinei	9	13.43	RA d(ii)	RA	3	0	0.3	6	4	likes fires		0.00								
Austrostipa mollis	27	3.44	LC	LC	1	0	0.3	22	18	needs rainfall	6	0.77	RA d(ii)	RA	3	0	0.3	6	5	edge of range
Austrostipa mundula	82	25.79	LC	LC	1	0	0.3	50	44		3	0.94	RA d(ii)	RA	3	0	0.3	2	2	
Austrostipa nitida	215	7.41	LC	LC	1	0	0.3	150	128		150	5.17	LC	LC	1	0	0.3	103	83	
Austrostipa nodosa	13	1.01	NT	NT	2	0	0.3	8	5		19	1.48	LC	LC	1	0	0.3	17	9	
Austrostipa nullanulla	22	39.29	VU D2	VU	4	0	0.3	16	16	Occurs on gypsum	3	5.36	RA d(i,ii)	RA	3	0	0.3	2	2	
Austrostipa pilata	4	3.60	VU B2ab(i,ii,iii)+D1	VU	4	-	0.4	3	3		1	0.90	VU B2ab(i,ii,iii)+D1	VU	4	-	0.4	1	1	
Austrostipa platychaeta	42	8.20	LC	LC	1	0	0.3	36	25		45	8.79	LC	LC	1	0	0.3	37	27	
Austrostipa plumigera	9	30.00	RA d(ii)	RA	3	DD	0.0	6	5		1	3.33	RA d(ii)	RA	3	DD	0.0	1		
Austrostipa puberula	55	26.96	LC	LC	1	DD	0.0	27	27		4	1.96	RA d(ii)	RA	3	DD	0.0	2	2	
Austrostipa scabra ssp. falcata	39	4.20	LC	LC	1	0	0.3	26	21		16	1.72	LC	LC	1	0	0.3	12	10	
Austrostipa scabra ssp. scabra	8	1.89	RA d(ii)	RA	3	0	0.3	7	6		17	4.01	LC	LC	1	0	0.3	15	5	
Austrostipa semibarbata	1	0.27	RA d(ii)	RA	3	DD	0.0	1				0.00								
Austrostipa setacea		0.00									0.00									
Austrostipa stipoides	2	1.11	RA d(ii)	RA	3	0	0.3	2			0.00									
Austrostipa stuposa		0.00									0.00									
Austrostipa tenuifolia	6	7.59	EN B2ab(i,ii,iii,iv)	EN	5	-	0.4	5	1		1	1.27	EN B2ab(i,ii,iii,iv)	EN	5	-	0.4	1	1	
Austrostipa trichophylla	70	17.28	LC	LC	1	0	0.3	37	35		10	2.47	RA d(ii)	RA	3	0	0.3	10	8	
Austrostipa velutina	7	20.59	RA d(ii)	RA	3	0	0.3	7	5			0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	Eyre Mallee Records	% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						Myall Plains Records	% Myall Plains		Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)					
Austrostipa vickeryana	1	9.09	RA d(ii)	RA	3	DD	0.0	1	1		0.00									
Avicennia marina ssp. marina	19	15.97	LC	LC	1	0	0.3	17	5		2	1.68	LC	LC	1	0	0.3	1		
Babingtonia behrii	106	9.43	LC	LC	1	0	0.3	84	66		11	0.98	LC	LC	1	0	0.3	7	1	
Baeckea crassifolia	187	20.22	LC	LC	1	0	0.3	147	114		7	0.76	LC	LC	1	0	0.3	7	3	
Baeckea tuberculata		0.00										0.00								
Banksia marginata		0.00										0.00								
Banksia ornata		0.00										0.00								
Baumea arthropphylla		0.00										0.00								
Baumea juncea	1	0.13	RA d(ii)	RA	3	0	0.3	1	1	roadsides, swamps	1	0.13	VU B2ab(i,ii,iii)	VU	4	-	0.4	1		roadsides, swamps
Bergia trimera		0.00									1	1.15	RA d(ii)	RA	3	0	0.3	1	1	
Bertya tasmanica ssp. vestita	30	12.40	LC	LC	1	0	0.3	25	19		2	0.83	RA d(i,ii)	RA	3	0	0.3	2	2	
Beyeria lechenaultii	225	11.22	LC	LC	1	0	0.3	183	114		51	2.54	LC	LC	1	0	0.3	41	16	
Beyeria opaca	34	8.65	LC	LC	1	0	0.3	29	18	mallee species	8	2.04	RA d(i,ii)	RA	3	0	0.3	7	1	
Billardiera cymosa ssp. cymosa	2	0.55	NE	NE	-1			2	1	taxonomic issues		0.00								
Billardiera cymosa ssp. pseudocymosa	19	36.54	LC	LC	1	0	0.3	17	3		3	5.77	RA d(ii)	RA	3	DD	0.0	3	1	
Billardiera sericophora	71	24.57	LC	LC	1	0	0.3	55	25		1	0.35	RA d(i,ii)	RA	3	DD	0.0	1		
Billardiera sp. Yorke Peninsula (P.C.Heyligers 80164)		0.00										0.00								
Billardiera uniflora		0.00										0.00								
Billardiera versicolor	14	4.61	LC	LC	1	0	0.3	11	6			0.00								
Blennodia canescens		0.00										0.00								
Blennodia pterosperma		0.00										0.00								
Blennospora drummondii	114	14.90	LC	LC	1	0	0.3	95	84		6	0.78	RA d(ii)	RA	3	-	0.4	5	3	granite outcrops
Boerhavia coccinea		0.00									4	2.44	NE	NE	-1			4	3	taxonomic issues
Boerhavia dominii		0.00									1	0.15	NE	NE	-1			1	1	taxonomic issues
Boerhavia repleta		0.00										0.00								
Boerhavia schomburgkiana		0.00										0.00								
Bolboschoenus caldwellii		0.00										0.00								
Boronia coerulescens ssp. coerulescens	167	14.13	LC	LC	1	0	0.3	132	80		7	0.59	RA d(ii)	RA	3	DD	0.0	7		
Boronia filifolia		0.00										0.00								
Boronia inornata ssp. leptophylla	152	37.62	LC	LC	1	0	0.3	118	66		2	0.50	RA d(i,ii)	RA	3	0	0.3	2	1	limited habitat
Bossiaea ensata		0.00										0.00								
Bossiaea walkeri	14	9.27	RA d(i,ii)	RA	3	0	0.3	10	5			0.00								
Bothriochloa ewartiana		0.00										0.00								
Bothriochloa macra		0.00										0.00								
Brachiaria praetervisa		0.00										0.00								
Brachyachne ciliaris		0.00										0.00								
Brachychiton gregorii		0.00										0.00								
Brachyscome ciliaris var. ciliaris	122	12.13	LC	LC	1	0	0.3	95	90		14	1.39	LC	LC	1	0	0.3	10	10	
Brachyscome ciliaris var. lanuginosa	10	1.83	RA d(ii)	RA	3	0	0.3	9	6		2	0.37	RA d(ii)	RA	3	0	0.3	2	2	
Brachyscome ciliaris var. subintegrifolia		0.00										0.00								
Brachyscome cuneifolia		0.00										0.00								
Brachyscome debilis	1	10.00	DD	DD	0	DD	0.0	1	1	on loan, lack of records		0.00								
Brachyscome dichromosomatica var. dichromosomatica		0.00									1	2.94	NE	NE	-1			1	1	checked with H Vonow

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	Count	% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						Count	% Myall Plains		Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)					
Brachyscome eriogona		0.00									0.00									
Brachyscome exilis	14	8.92	LC	LC	1	0	0.3	9	8		2	1.27	RA d(i,ii)	RA	3	0	0.3	1	1	
Brachyscome goniocarpa	14	10.53	LC	LC	1	0	0.3	12	9	undercollected		0.00								
Brachyscome ibericifolia	2	1.50	RA d(i,ii)	RA	3	0	0.3	2	2		3	2.26	RA d(i,ii)	RA	3	0	0.3	3	3	
Brachyscome lineariloba	170	12.15	LC	LC	1	0	0.3	146	139		38	2.72	LC	LC	1	0	0.3	34	31	
Brachyscome muelleri		0.00									5	100.00	CR C1+2a(i,ii)	CR	6	-	0.5	2	2	needs winter rainfall
Brachyscome perpusilla	29	11.03	LC	LC	1	0	0.3	23	18		11	4.18	LC	LC	1	0	0.3	9	8	
Brachyscome tatei		0.00										0.00								
Brachyscome trachycarpa	13	11.11	LC	LC	1	0	0.3	12	9		10	8.55	LC	LC	1	0	0.3	7	7	
Brachyscome xanthocarpa	3	75.00	RA d(i,ii)	RA	3	DD	0.0	2	2			0.00								
Bromus arenarius	30	8.13	RA d(ii)	RA	3	-	0.4	21	5		23	6.23	RA d(ii)	RA	3	-	0.4	20	10	
Brunonia australis		0.00										0.00								
Bulbine alata		0.00									3	1.06	RA d(ii)	RA	3	DD	0.0	3	1	
Bulbine bulbosa		0.00										0.00								
Bulbine semibarbata	94	8.91	LC	LC	1	0	0.3	75	49		21	1.99	LC	LC	1	0	0.3	18	4	
Bulbostylis barbata		0.00										0.00								
Bulbostylis pyriformis		0.00										0.00								
Burchardia umbellata		0.00										0.00								
Bursaria spinosa ssp. spinosa	47	1.83	LC	LC	1	0	0.3	40	24		6	0.23	LC	LC	1	0	0.3	6	1	
Caesia calliantha		0.00										0.00								
Caladenia aurulenta			VU B2ab(i,ii,iii)	VU	4	-	0.4			endemic to EP, no records			VU B2ab(i,ii,iii)	VU	4	-	0.4			no records
Caladenia bicallata ssp. bicallata	1	2.94	RA d(ii)	RA	3	DD	0.0	1	1			0.00								
Caladenia brumalis		0.00										0.00								
Caladenia capillata	48	14.95	LC	LC	1	0	0.3	38	25		9	2.80	LC	LC	1	0	0.3	7	5	
Caladenia cardiochila	51	19.62	LC	LC	1	0	0.3	40	25	likes sandy soil	2	0.77	RA d(ii)	RA	3	-	0.4	1	1	likes sandy soil
Caladenia carneae	8	1.65	RA d(ii)	RA	3	-	0.4	8	4	some records are fuscata		0.00								
Caladenia clavula	15	31.25	LC	LC	1	0	0.3	11	10		4	8.33	RA d(ii)	RA	3	-	0.4	2	2	
Caladenia fragrantissima ssp. fragrantissima																				
Caladenia fuscata	1	1.61	RA d(ii)	RA	3	-	0.4	1	1		2	3.23	RA d(ii)	RA	3	-	0.4	2	2	
Caladenia interanea			EN B2ab(i,ii,iii)	EN	5	-	0.4			no records										
Caladenia latifolia	9	1.61	RA d(ii)	RA	3	-	0.4	7	2	limit of range		0.00								
Caladenia macroclavia	coln Sp	0.00	EN B2ab(i,ii,iii)	EN	5	--	0.5			no records, Now C sp Brown Bayonets on EP (Port Lincoln Sp)		0.00								
Caladenia pusilla		0.00										0.00								
Caladenia septuosa	22	15.07	RA d(ii)	RA	3	DD	0.0	14	10		1	0.68	VU D2	VU	4	DD	0.0	1		northern limit
Caladenia stricta	12	7.41	LC	LC	1	DD	0.0	10	9			0.00								
Caladenia tensa	14	10.69	NE	NE	-1			8	7	taxonomic issues (some are C interanea)	1	0.76	NE	NE	-1			1		taxonomic issues (some are C interanea)
Caladenia tentaculata	6	1.40	NE	NE	-1			4	3	taxonomic issues (some are C interanea)		0.00								
Caladenia toxochila	5	6.17	RA d(ii)	RA	3	-	0.4	5	1	southern limit	7	8.64	RA d(ii)	RA	3	-	0.4	7	2	southern limit
Caladenia verrucosa		0.00	VU B2ab(i,ii,iii)	VU	4	--	0.5			no records, now C sp Short Golden Bayonets - replaces C ver		0.00								
Caladenia zephyra			EN B2ab(i,ii,iii)	EN	5	--	0.5			no records										
Calandrinia brevipedata	3	3.53	RA d(ii)	RA	3	DD	0.0	2	2	responds to fire, should be more records		0.00								
Calandrinia calypttrata	79	14.39	LC	LC	1	0	0.3	63	58		17	3.10	LC	LC	1	0	0.3	12	11	
Calandrinia corrigioloides	36	36.00	LC	LC	1	0	0.3	30	22		1	1.00	RA d(i,ii)	RA	3	DD	0.0	1	1	

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	Count	% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						Count	% Myall Plains		Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)					
Calandrinia disperma	1	2.33	RA d(i,ii)	RA	3	DD	0.0	1			0.00									
Calandrinia eremaea	283	23.84	LC	LC	1	0	0.3	235	228		65	5.48	LC	LC	1	0	0.3	54	46	
Calandrinia granulifera	70	25.18	LC	LC	1	0	0.3	55	48		9	3.24	NT	NT	2	0	0.3	6	5	
Calandrinia polyandra var. polyandra		0.00									0.00									
Calandrinia ptychosperma		0.00									0.00									
Calandrinia pumila		0.00									0.00									
Calandrinia remota		0.00									0.00									
Calandrinia reticulata		0.00									0.00									
Calandrinia sphaerophylla	1	33.33	NE	NE	-1			1		taxonomic issues, lack of records	0.00									
Calandrinia volubilis	3	4.41	RA d(ii)	RA	3	-	0.4	3	3	rocky hills, trampling	2	2.94	RA d(ii)	RA	3	-	0.4	2	1	rocky hills, trampling
Callistemon rugulosus	5	1.98	RA d(ii)	RA	3	-	0.4	5			0.00									
Callitris canescens	80	16.81	LC	LC	1	0	0.3	64	44		0.00									
Callitris glaucophylla	2	0.19	RA d(ii)	RA	3	0	0.3	2			13	1.20	LC	LC	1	0	0.3	12	3	
Callitris gracilis	128	9.22	LC	LC	1	0	0.3	99	64		16	1.15	LC	LC	1	0	0.3	11	6	
Callitris verrucosa	150	17.50	LC	LC	1	0	0.3	114	75		8	0.93	LC	LC	1	0	0.3	6	2	
Calocephalus citreus		0.00									0.00									
Calocephalus platycephalus		0.00									0.00									
Calochilus pruinus	5	45.45	RA d(ii)	RA	3	DD	0.0	5	2		0.00									
Calotis brevibradiata		0.00									0.00									
Calotis cymbacantha	14	4.43	LC	LC	1	0	0.3	11	5		11	3.48	LC	LC	1	0	0.3	8	2	
Calotis erinacea	28	6.80	LC	LC	1	0	0.3	26	15		2	0.49	RA d(i,ii)	RA	3	0	0.3	2	1	
Calotis hispidula	65	3.28	LC	LC	1	+	0.2	53	40		51	2.58	LC	LC	1	+	0.2	44	29	
Calotis lappulacea		0.00									0.00									
Calotis latiuscula		0.00									0.00									
Calotis multicaulis		0.00									3	2.01	RA d(ii)	RA	3	DD	0.0	2		
Calotis plumulifera		0.00									0.00									
Calotis porphyroglossa		0.00									0.00									
Calotis scabiosifolia var. scabiosifolia												DD	DD	0	DD	0.0				no records but occurs here
Calytrix gypsophila		0.00									0.00									
Calytrix involucrata	206	36.01	LC	LC	1	0	0.3	161	103		22	3.85	LC	LC	1	0	0.3	19	5	
Calytrix tetragona	147	4.51	LC	LC	1	0	0.3	125	81		5	0.15	RA d(i,ii)	RA	3	0	0.3	4	1	limited habitat
Cardamine tenuifolia		0.00									0.00									
Carex breviculmis		0.00									0.00									
Carex inversa var. major		0.00									0.00									
Carex tereticaulis		0.00									0.00									
Carpobrotus modestus	27	15.17	LC	LC	1	0	0.3	21	20	likes friable, sandy-loam soils	0.00									
Carpobrotus rossii	71	21.78	LC	LC	1	0	0.3	59	47		3	0.92	NT	NT	2	DD	0.0	3	2	limited habitat
Carpobrotus sp. Short calyx (S.T.Blake 20451)		0.00									0.00									
Cassinia arcuata	2	2.00	RA d(i,ii)	RA	3	0	0.3	2	2		2	2.00	RA d(i,ii)	RA	3	0	0.3	2	2	
Cassinia complanata	2	0.75	RA d(ii)	RA	3	0	0.3	2	1	prob under-coll or herb records need re-det'd	0.00									
Cassinia laevis	4	0.49	RA d(i,ii)	RA	3	0	0.3	3	3		24	2.93	LC	LC	1	0	0.3	20	4	
Cassytha glabella forma dispar	50	2.96	LC	LC	1	0	0.3	35	28		0.00									
Cassytha melantha	182	13.66	LC	LC	1	0	0.3	153	115		12	0.90	LC	LC	1	0	0.3	9	6	

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)			Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)			Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)	
	Eyre Mallee Records	% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Trends (-, 0, +, ++)	Eyre Mallee				Myall Plains Records	% Myall Plains		Proposed Regional IUCN Status (Myall Plains)	Trends (-, 0, +, ++)	Myall Plains				
Cassutha peninsularis	98	25.00	LC	LC	1	0	0.3	92	91	1	0.26	DD	DD	0	DD	0.0	1	1	should be more records
Cassutha pubescens	22	1.68	LC	LC	1	0	0.3	22	13		0.00								
Casuarina pauper	52	3.91	LC	LC	1	0	0.3	47	27	52	3.91	LC	LC	1	0	0.3	46	24	
Causitis pentandra		0.00									0.00								
Centella asiatica		0.00									0.00								
Centipeda crateriformis ssp. compacta		0.00								1	1.32	RA d(i,ii)	RA	3	DD	0.0	1		many Survey records of this genus will be non-current
Centipeda crateriformis ssp. crateriformis		0.00								3	3.66	RA d(ii)	RA	3	DD	0.0	3	2	
Centipeda cunninghamii	1	0.58	RA d(ii)	RA	3	DD	0.0	1		2	1.16	RA d(ii)	RA	3	DD	0.0	2	1	many Survey records of this genus will be non-current
Centipeda thespidioides		0.00								5	2.70	RA d(ii)	RA	3	DD	0.0	4	1	
Centrolepis aristata	5	0.99	RA d(ii)	RA	3	-	0.4	3	2		0.00								
Centrolepis cephaliformis ssp. cephaliformis	9	13.64	RA d(ii)	RA	3	-	0.4	8	2	2	3.03	VU D2	VU	4	-	0.4	2		threat - grazing, drying
Centrolepis cephaliformis ssp. murrayi		0.00									0.00								
Centrolepis eremica		0.00								1	2.78	RA d(ii)	RA	3	DD	0.0	1		sthn limit of range, ephemeral
Centrolepis fascicularis		0.00									0.00								
Centrolepis glabra		0.00									0.00								
Centrolepis polygyna	30	7.59	RA d(ii)	RA	3	-	0.4	23	8	1	0.25	RA d(ii)	RA	3	-	0.4	1		
Centrolepis strigosa ssp. strigosa	12	2.18	VU B2ab(i,ii,ii)	VU	4	-	0.4	7	3	2	0.36	VU B2ab(i,ii,ii)	VU	4	-	0.4	2		
Cephalopterum drummondii		0.00									0.00								
Ceratogyne obionoides	14	46.67	RA d(ii)	RA	3	0	0.3	9	8	4	13.33	RA d(ii)	RA	3	0	0.3	4	1	common after winter rains
Chamaescilla corymbosa var. corymbosa		0.00									0.00								
Chamaesyce australis		0.00								1	1.61	RA d(i,ii)	RA	3	DD	0.0	1	1	should be more records
Chamaesyce centralis		0.00									0.00								
Chamaesyce drummondii	5	0.77	LC	LC	1	0	0.3	5	1	24	3.69	LC	LC	1	0	0.3	21	12	likes degraded areas, roadsides
Chamaesyce wheeleri		0.00									0.00								
Cheilanthes austrotenuifolia	40	2.32	LC	LC	1	0	0.3	26	17	10	0.58	LC	LC	1	0	0.3	7	4	common in wetter areas
Cheilanthes distans	4	2.61	RA d(ii)	RA	3	DD	0.0	3	1	9	5.88	LC	LC	1	0	0.3	6	2	occurs in rocky areas
Cheilanthes lasiophylla	13	1.29	LC	LC	1	0	0.3	9	5	36	3.57	LC	LC	1	0	0.3	31	8	rocky areas
Cheilanthes sieberi ssp. pseudovellea		0.00									0.00								
Cheilanthes sieberi ssp. sieberi	14	2.15	LC	LC	1	0	0.3	12	4	23	3.53	LC	LC	1	0	0.3	18	3	rocky outcrops
Cheiranthera alternifolia	16	2.70	NT	NT	2	0	0.3	13	6		0.00								
Chenopodium curvispicatum	65	9.29	LC	LC	1	0	0.3	55	50	56	8.00	LC	LC	1	0	0.3	43	35	
Chenopodium desertorum ssp. anidiophyllum	5	3.47	NT	NT	2	0	0.3	4	4	11	7.64	NT	NT	2	0	0.3	10	10	
Chenopodium desertorum ssp. desertorum	41	5.94	LC	LC	1	0	0.3	33	23	34	4.93	LC	LC	1	0	0.3	29	14	
Chenopodium desertorum ssp. microphyllum	32	6.93	LC	LC	1	0	0.3	24	19		0.00								
Chenopodium desertorum ssp. rectum	23	21.30	NT	NT	2	0	0.3	15	13	3	2.78	RA d(i,ii)	RA	3	0	0.3	3	3	
Chenopodium gaudichaudianum		0.00								4	4.21	NT	NT	2	DD	0.0	4		
Chenopodium nitrariaceum		0.00								3	1.09	RA d(ii)	RA	3	-	0.4	3		edge of range
Chloris pectinata		0.00									0.00								
Chloris truncata		0.00									0.00								
Chondropyxis halophila	6	100.00	RA d(i,ii)	RA	3	0	0.3	5	2		0.00								under-coll., habitat specific, salt lakes
Choretrum glomeratum var. chrysanthum	11	17.19	RA d(ii)	RA	3	-	0.4	10	5	1	1.56	RA d(ii)	RA	3	-	0.4	1		
Choretrum glomeratum var. glomeratum	32	6.72	LC	LC	1	0	0.3	27	11		0.00								grows in limestone mallee
Chorizandra enodis		0.00									0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)			Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)			Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)	
	Count	% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)				Count	% Myall Plains		Proposed Regional IUCN Status (Myall Plains)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)				
Chrysocephalum apiculatum	171	7.54	LC	LC	1	0	0.3	132	85	taxonomic issues	LC	LC	1	0	0.3	31	12	taxonomic issues	
Chrysocephalum baxteri	35	9.56	LC	LC	1	0	0.3	24	12										
Chrysocephalum eremaeum		0.00																	
Chrysocephalum pterochaetum		0.00							5	1.46	RA d(i,ii)	RA	3	0	0.3	5	5	southern limit	
Chrysocephalum semipapposum	35	4.04	LC	LC	1	0	0.3	28	17	1.96	LC	LC	1	0	0.3	17	5		
Chthonocephalus pseudevax	28	13.86	LC	LC	1	0	0.3	24	10	4.46	LC	LC	1	0	0.3	8	3		
Citrus glauca		0.00							1	2.44	VU D1	VU	4	0	0.3	1			
Cladium procerum		0.00								0.00									
Clematis microphylla var. microphylla	68	2.41	LC	LC	1	0	0.3	53	38	2	0.07	RA d(i,ii)	RA	3	0	0.3	2	2	
Codonocarpus cotinifolius	13	4.76	RA d(ii)	RA	3	-	0.4	13	4	2.93	RA d(ii)	RA	3	-	0.4	8	2	grazing a threat, short-lived	
Comesperma calymega	9	2.34	RA d(ii)	RA	3	0	0.3	7	1	0.00									
Comesperma polygaloides		0.00								0.00									
Comesperma scoparium	128	38.44	LC	LC	1	0	0.3	103	58	4	1.20	RA d(ii)	RA	3	0	0.3	3	1	limited habitat
Comesperma viscidulum		0.00								0.00									
Comesperma volubile	214	15.52	LC	LC	1	0	0.3	184	141	9	0.65	LC	LC	1	0	0.3	7	5	
Commersonia multioba	2	40.00	EN D	EN	5	DD	0.0	2	2	0.00								endemic, grazing a threat, limited habitat, occurs on granite	
Commersonia tatei	30	34.09	LC	LC	1	DD	0.0	22	8	1	1.14	RA d(i,ii)	RA	3	DD	0.0	1		
Conospermum patens	8	1.89	RA d(i,ii)	RA	3	0	0.3	6		0.00								deep sand	
Convolvulus angustissimus ssp. angustissimus	12	8.51	NE	NE	-1			8	6	0.00								taxonomic issues	
Convolvulus angustissimus ssp. peninsularum	5	4.10	NE	NE	-1			4	1	0.00									
Convolvulus clementii		0.00							4	2.47	LC	LC	1	0	0.3	4	2		
Convolvulus crispifolius	13	28.26	RA d(ii)	RA	3	-	0.4	12	2	6.52	RA d(ii)	RA	3	-	0.4	3	3	undercollected, no survey records	
Convolvulus eyreanus		0.00								0.00									
Convolvulus microsepalus		0.00								0.00									
Convolvulus recurvatus ssp. nullarborensis	2	5.88	RA d(i,ii)	RA	3	DD	0.0	2	1	0.00									
Convolvulus recurvatus ssp. recurvatus		0.00								0.00									
Convolvulus remotus	14	0.85	LC	LC	1	0	0.3	11	5	16	0.97	LC	LC	1	0	0.3	16	6	
Cooperookia strophiolata		0.00								0.00									
Correa backhouseana var. coriacea	74	18.23	LC	LC	1	0	0.3	51	31										
Correa pulchella	65	10.11	LC	LC	1	0	0.3	51	34										
Corunastylis nigricans																			
Corunastylis tepperi			LC	LC	1	0	0.3				RA d(ii)	RA	3	-	0.4			no records	
Corybas despectans		0.00								0.00									
Corybas expansus																			
Corynotheca licrota		0.00								0.00									
Corynotheca micrantha var. divaricata		0.00								0.00									
Cotula australis	3	1.06	LC	LC	1	0	0.3	3	2	0.71	LC	LC	1	0	0.3	2			
Cotula vulgaris var. australasica	4	2.67	LC	LC	1	0	0.3	3		0.00									
Craspedia variabilis	5	4.42	LC	LC	1	0	0.3	4	3	1	0.88	RA d(ii)	RA	3	0	0.3	1	1	
Crassula closiana	20	6.19	RA d(ii)	RA	3	DD	0.0	15	11	1	0.31	RA d(ii)	RA	3	DD	0.0	1	1	Could be undercollected
Crassula colligata ssp. lamprosperma	91	24.27	LC	LC	1	0	0.3	71	59	1	0.27	RA d(i,ii)	RA	3	DD	0.0	1	1	needs open space
Crassula colorata var. acuminata	118	10.83	LC	LC	1	0	0.3	92	87	34	3.12	LC	LC	1	0	0.3	29	24	
Crassula colorata var. colorata	166	30.35	LC	LC	1	0	0.3	117	102	27	4.94	LC	LC	1	0	0.3	19	18	

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	% Eyre Mallee			Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						% Myall Plains			Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)					
Crassula decumbens var. decumbens	11	1.50	RA d(ii)	RA	3	DD	0.0	8	6	in wet depressions or coastal dunes. Needs rainfall	0.00									
Crassula exserta	27	45.00	RA d(ii)	RA	3	DD	0.0	21	14	in wetter areas	2	3.33	RA d(ii)	RA	3	DD	0.0	2	1	in wetter areas
Crassula extrorsa		0.00										0.00								
Crassula peduncularis	5	8.06	VU C2a(i)	VU	4	-	0.4	3		found in permanently wet areas, mostly old records		0.00								
Crassula tetramera	2	1.34	RA d(ii)	RA	3	DD	0.0	2	1	edge of range	11	7.38	LC	LC	1	0	0.3	9	2	dry area species
Cratystylis conocephala	130	20.00	LC	LC	1	0	0.3	122	70		54	8.31	LC	LC	1	0	0.3	46	27	
Cressa australis		0.00									1	0.40	RA d(i,ii)	RA	3	0	0.3	1		in claypans & saltlakes
Crinum flaccidum		0.00									8	4.71	RA d(ii)	RA	3	0	0.3	5	1	
Crotalaria eremaea ssp. eremaea		0.00										0.00								
Crotalaria eremaea ssp. strehlowii		0.00										0.00								
Cryptandra aridicola		0.00										0.00								
Cryptandra myriantha	1	11.11	NE	NE	-1			1		taxonomic issues		0.00								
Cryptandra propinqua	10	8.85	LC	LC	1	0	0.3	10	9		1	0.88	RA d(i,ii)	RA	3	0	0.3	1	1	
Cryptandra sp. Floriferous (W.R.Barker 4131)	36	15.65	LC	LC	1	0	0.3	31	6		17	7.39	LC	LC	1	0	0.3	16	1	
Cryptandra tomentosa	5	1.60	RA d(ii)	RA	3	-	0.4	4	1	restricted habitat		0.00								
Cullen australasicum		0.00										0.00								
Cullen cinereum		0.00										0.00								
Cullen discolor	2	1.57	RA d(ii)	RA	3	DD	0.0	2	1			0.00								
Cullen graveolens		0.00									3	1.43	RA d(i,ii)	RA	3	DD	0.0	3	2	needs rain
Cullen pallidum		0.00										0.00								
Cullen patens		0.00										0.00								
Cymbonotus preissianus		0.00										0.00								
Cymbopogon ambiguus		0.00									14	1.45	LC	LC	1	0	0.3	9	4	
Cymbopogon obtectus	3	1.15	RA d(i,ii)	RA	3	0	0.3	2	1		2	0.76	RA d(i,ii)	RA	3	0	0.3	2	1	
Cynanchum floribundum		0.00										0.00								
Cynoglossum australe		0.00										0.00								
Cynoglossum suaveolens		0.00										0.00								
Cyperus alterniflorus		0.00									10	5.68	RA d(ii)	RA	3	-	0.4	10	2	needs seeping water, rocky hills
Cyperus bulbosus		0.00										0.00								
Cyperus difformis		0.00										0.00								
Cyperus gilesii		0.00										0.00								
Cyperus gymnocalulos	2	0.25	RA d(ii)	RA	3	0	0.3	1		highly localised	3	0.38	RA d(ii)	RA	3	0	0.3	3		highly localised
Cyperus iria		0.00										0.00								
Cyperus laevigatus		0.00										0.00								
Cyperus pygmaeus		0.00										0.00								
Cyperus rigidellus		0.00										0.00								
Cyperus squarrosus		0.00										0.00								
Cyperus victoriensis		0.00										0.00								
Cyphanthera myosotidea	69	29.49	LC	LC	1	0	0.3	48	17		5	2.14	NT	NT	2	0	0.3	5	3	
Cyrtostylis reniformis		0.00										0.00								
Cyrtostylis robusta	9	2.03	RA d(ii)	RA	3	DD	0.0	7	4	limited habitat, northern limit		0.00								
Dactyloctenium radulans	1	0.14						1		probable introduction	3	0.43	RA d(i,ii)	RA	3	DD	0.0	3	1	spreading on paddocks
Damasonium minus		0.00										0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)			Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)			Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)	
	Count	% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Trends (-, 0, +, ++)	Trends (-, 0, ++)				Count	% Myall Plains		Proposed Regional IUCN Status (Myall Plains)	Trends (-, 0, +, ++)	Trends (-, 0, ++)				
Dampiera dysantha	3	0.85	VU B2ab(i,ii,iii)	VU	4	-	0.4	3	1										
Dampiera lanceolata var. lanceolata	52	23.85	LC	LC	1	0	0.3	41	15	4	1.83	RA d(ii)	RA	3	DD	0.0	4	1	
Dampiera ramosa		0.00																	
Dampiera rosmarinifolia	216	19.78	LC	LC	1	0	0.3	176	127	18	1.65	LC	LC	1	0	0.3	15	7	
Darwinia salina	29	34.94	RA d(ii)	RA	3	0	0.3	18	9	8	9.64	RA d(ii)	RA	3	0	0.3	8	4	likes salt lakes
Daucus glochidiatus	226	6.37	LC	LC	1	0	0.3	187	140	40	1.13	LC	LC	1	0	0.3	36	23	
Daviesia arenaria	8	5.10	RA d(i,ii)	RA	3	0	0.3	8	7										
Daviesia asperula ssp. asperula		0.00																	
Daviesia asperula ssp. obliqua		0.00																	
Daviesia benthamii ssp. acanthoclona	57	28.08	LC	LC	1	0	0.3	47	27	15	7.39	LC	LC	1	0	0.3	11	8	
Daviesia benthamii ssp. humilis	28	13.79	RA d(ii)	RA	3	DD	0.0	24	18										
Daviesia brevifolia	12	1.00	RA d(ii)	RA	3	DD	0.0	11	2										
Daviesia pectinata	10	8.77	RA d(i,ii)	RA	3	DD	0.0	8	4										
Daviesia ulicifolia ssp. aridicola	32	25.81	LC	LC	1	0	0.3	26	18										
Desmocladus diacolpicus	10	40.00	VU D2	VU	4	0	0.3	7	4										
Deyeuxia quadriseta		0.00																	
Dianella brevicaulis	50	4.86	LC	LC	1	0	0.3	24	13										
Dianella revoluta var. divaricata	72	34.12	LC	LC	1	0	0.3	65	58	3	1.42	RA d(ii)	RA	3	0	0.3	3	2	
Dianella revoluta var. revoluta	224	7.80	LC	LC	1	0	0.3	179	155	17	0.59	LC	LC	1	0	0.3	15	5	
Dichanthium sericeum ssp. humilius		0.00																	
Dichanthium sericeum ssp. sericeum		0.00																	
Dichelachne crinita	1	0.22	RA d(ii)	RA	3	0	0.3	1	1										
Dichondra repens		0.00																	
Dicrastylis beveridgei var. beveridgei		0.00																	
Dicrastylis beveridgei var. lanata		0.00																	
Dicrastylis lewellinii		0.00																	
Dicrastylis verticillata	58	38.16	LC	LC	1	0	0.3	45	24	6	3.95	RA d(ii)	RA	3	0	0.3	6	3	needs sand
Digitaria ammophila		0.00																	
Digitaria brownii	2	0.26	RA d(i,ii)	RA	3	DD	0.0	2	1	4	0.52	RA d(i,ii)	RA	3	DD	0.0	4	1	
Digitaria coenicola		0.00																	
Dillwynia hispida	15	1.07	RA d(i,ii)	RA	3	0	0.3	13	6										
Dillwynia sericea		0.00																	
Dillwynia uncinata	149	38.60	LC	LC	1	0	0.3	126	78	1	0.26	RA d(i,ii)	RA	3	DD	0.0	1		
Dimorphocoma minutula		0.00																	
Disphyma crassifolium ssp. clavellatum	337	23.07	LC	LC	1	0	0.3	155	92	9	0.62	LC	LC	1	0	0.3	8	2	likes samphire, tolerates high salinity
Dissocarpus biflorus var. biflorus	22	3.88	LC	LC	1	0	0.3	13	6	10	1.76	NT	NT	2	DD	0.0	8	2	
Dissocarpus biflorus var. villosus		0.00								6	25.00	NT	NT	2	0	0.3	2		
Dissocarpus fontinalis		0.00								1	3.33	RA d(i,ii)	RA	3	DD	0.0	1	1	western limit
Dissocarpus latifolius		0.00																	
Dissocarpus paradoxus		0.00								17	1.33	LC	LC	1	0	0.3	14	4	
Distichlis distichophylla	3	0.85	LC	LC	1	0	0.3	2	2										
Diuris behrii		0.00																	
Diuris orientis	1	0.37	RA d(ii)	RA	3	DD	0.0	1	1										
Diuris palustris		0.00																	

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	Eyre Mallee Records	% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						Myall Plains Records	% Myall Plains		Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)					
<i>Diuris pardina</i>	9	3.31	LC	LC	1	0	0.3	8	5		0.00		LC	1	0	0.3	11	3		
<i>Dodonaea baueri</i>	53	6.67	LC	LC	1	0	0.3	36	20		2.26	LC	LC	1	0	0.3	11	3		
<i>Dodonaea bursarifolia</i>	324	30.20	LC	LC	1	0	0.3	238	157		0.84	RA d(ii)	RA	3	0	0.3	7	2	edge of range	
<i>Dodonaea hexandra</i>	192	16.80	LC	LC	1	0	0.3	148	96		0.26	RA d(ii)	RA	3	0	0.3	3	1	edge of range	
<i>Dodonaea humilis</i>	25	4.01	LC	LC	1	0	0.3	19	11		0.00									
<i>Dodonaea intricata</i>	8	7.92	RA d(ii)	RA	3	-	0.4	8	5	endemic, goats	15.84	RA d(ii)	RA	3	-	0.4	14	1	endemic, goats	
<i>Dodonaea lobulata</i>	9	0.85	NT	NT	2	0	0.3	9	1		7.57	LC	LC	1	0	0.3	62	16		
<i>Dodonaea microzyga</i> var. <i>microzyga</i>	2	0.38	VU B2ab(i,ii,iii); D1+2	VU	4	-	0.4	1	1	check records	0.76	RA d(ii)	RA	3	0	0.3	2			
<i>Dodonaea procumbens</i>		0.00									0.00									
<i>Dodonaea stenozyga</i>	157	24.08	LC	LC	1	0	0.3	129	65		5.21	LC	LC	1	0	0.3	26	14		
<i>Dodonaea tepperi</i>	4	6.78	RA d(ii)	RA	3	0	0.3	4	4	probably hybrid	0.00									
<i>Dodonaea viscosa</i> ssp. <i>angustissima</i>	164	6.22	LC	LC	1	0	0.3	118	59		4.14	LC	LC	1	0	0.3	70	32		
<i>Dodonaea viscosa</i> ssp. <i>cuneata</i>		0.00									0.00									
<i>Dodonaea viscosa</i> ssp. <i>spatulata</i>	39	2.87	LC	LC	1	0	0.3	21	14		0.00									
<i>Drosera auriculata</i>		0.00									0.00									
<i>Drosera glanduligera</i>	19	3.93	NT	NT	2	-	0.4	12	8		0.41	RA d(ii)	RA	3	DD	0.0	1	1	highly localised	
<i>Drosera macrantha</i> ssp. <i>planchonii</i>	59	3.52	LC	LC	1	0	0.3	46	32		0.00									
<i>Drosera peltata</i>	8	1.63	VU D1+2	VU	4	-	0.4	4	2		0.00									
<i>Drosera pygmaea</i>		0.00									0.00									
<i>Drosera</i> sp. <i>Rigid</i> (R.J.Bates 2268)		0.00									0.00									
<i>Duboisia hopwoodii</i>	17	6.54	RA d(ii)	RA	3	0	0.3	14	3	narcotic plant	0.77	VU D2	VU	4	DD	0.0	2			
<i>Dysphania cristata</i>	4	1.15	RA d(ii)	RA	3	-	0.4	4	1		4.32	LC	LC	1	0	0.3	14	7		
<i>Dysphania glomulifera</i> ssp. <i>eremaea</i>		0.00									0.00									
<i>Dysphania glomulifera</i> ssp. <i>glomulifera</i>		0.00									0.00									
<i>Dysphania melanocarpa</i> forma <i>melanocarpa</i>		0.00									1.96	RA d(ii)	RA	3	DD	0.0	1	1		
<i>Dysphania plantaginella</i>		0.00									1.96	RA d(ii)	RA	3	DD	0.0	1	1		
<i>Dysphania pumilio</i>	2	0.74	NT	NT	2	DD	0.0	2	1		2.22	NT	NT	2	DD	0.0	6	4		
<i>Dysphania rhadinostachya</i> ssp. <i>rhadinostachya</i>		0.00									5.26	RA d(ii)	RA	3	DD	0.0	1	1		
<i>Dysphania simulans</i>		0.00									3.03	RA d(ii)	RA	3	DD	0.0	1	1		
<i>Dysphania truncata</i>		0.00									0.00									
<i>Einadia nutans</i> ssp. <i>eremaea</i>		0.00									0.00									
<i>Einadia nutans</i> ssp. <i>nutans</i>	60	4.74	LC	LC	1	0	0.3	51	41		0.87	NT	NT	2	0	0.3	10	3		
<i>Einadia nutans</i> ssp. <i>oxycarpa</i>		0.00									0.00									
<i>Einadia polygonoides</i>	2	66.67	RE	RE	7			1		presumed extinct	0.00									
<i>Elachanthus glaber</i>		0.00									33.33	VU D2	VU	4	DD	0.0	1	1	on gypsious mounds	
<i>Elachanthus pusillus</i>	9	5.33	LC	LC	1	0	0.3	6	4	undercollected	4.14	LC	LC	1	0	0.3	6	5	undercollected	
<i>Elatine gratioloides</i>	4	5.41	RA d(ii)	RA	3	DD	0.0	4		spread by birds	2.70	RA d(ii)	RA	3	DD	0.0	1		spread by birds	
<i>Eleocharis acuta</i>		0.00									0.00									
<i>Eleocharis pallens</i>		0.00									0.00									
<i>Eleocharis pusilla</i>		0.00									0.00									
<i>Elymus scaber</i> var. <i>scaber</i>	2	0.78	RA d(ii)	RA	3	0	0.3	1		atypical habitat	1.17	RA d(ii)	RA	3	0	0.3	3	3	atypical habitat	
<i>Embadium stagnense</i>		0.00									0.00									
<i>Embadium uncinatum</i>	4	8.16	RA d(ii)	RA	3	DD	0.0	3	1		14.29	RA d(ii)	RA	3	DD	0.0	6	5		

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)			Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)			Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)		
	Eyre Mallee	% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Trends (-, 0, +, ++)	Eyre Mallee				Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++)	Myall Plains	% Myall Plains					
Enchylaena tomentosa var. tomentosa	639	11.24	LC	LC	1	0	0.3	368	254		113	1.99	LC	LC	1	0	0.3	103	71	
Enneapogon avenaceus		0.00								13	0.80	LC	LC	1	0	0.3	9	5		
Enneapogon caerulescens var. caerulescens		0.00																		
Enneapogon cylindricus		0.00								2	0.21	RA d(ii)	RA	3	DD	0.0	2	1		
Enneapogon intermedius		0.00																		
Enneapogon nigricans	5	0.82	LC	LC	1	0	0.3	3	3	2	0.33	LC	LC	1	0	0.3	1		needs summer rain	
Enneapogon polyphyllus		0.00								5	0.42	LC	LC	1	0	0.3	4	3		
Enneapogon robustissimus		0.00									0.00									
Enteropogon acicularis		0.00								3	1.29	RA d(ii)	RA	3	DD	0.0	3	1		
Enteropogon ramosus		0.00									0.00									
Epaltes australis		0.00									0.00									
Epilobium billardierianum ssp. billardierianum		0.00									0.00									
Eragrostis australasica		0.00								7	2.22	RA d(ii)	RA	3	0	0.3	3	2	likes floods	
Eragrostis basedowii		0.00									0.00									
Eragrostis dielsii var. dielsii	6	1.00	LC	LC	1	0	0.3	5	4	8	1.33	LC	LC	1	0	0.3	7	6	likes saline areas	
Eragrostis eriopoda		0.00								1	0.18	VU B2ab(i,ii)	VU	4	-	0.4	1		southern edge, grazing a threat	
Eragrostis falcata		0.00								2	1.18	RA d(ii)	RA	3	-	0.4	2		likes saline areas	
Eragrostis kennedyae		0.00									0.00									
Eragrostis lacunaria		0.00									0.00									
Eragrostis laniflora		0.00								1	0.47	VU B2ab(i,ii)	VU	4	-	0.4	1		southern limit, not collected for a long time	
Eragrostis lanipes		0.00									0.00									
Eragrostis leptocarpa		0.00									0.00									
Eragrostis parviflora		0.00									0.00									
Eragrostis pergracilis		0.00									0.00									
Eragrostis setifolia		0.00								4	0.36	RA d(ii)	RA	3	0	0.3	4	3		
Eragrostis xerophila		0.00									0.00									
Eremophea spinosa		0.00									0.00									
Eremophila alternifolia	40	3.50	LC	LC	1	0	0.3	37	19	81	7.09	LC	LC	1	0	0.3	61	19	common in rocky areas	
Eremophila arachnoides ssp. tenera		0.00									0.00									
Eremophila arenaria		0.00									0.00									
Eremophila barbata	19	95.00	RA d(ii)	RA	3	0	0.3	10	4		0.00								common in Hincks CP	
Eremophila battii		0.00									0.00									
Eremophila behriana	52	22.41	LC	LC	1	0	0.3	38	24	2	0.86	RA d(ii)	RA	3	0	0.3	2		northern limit	
Eremophila clarkei		0.00									0.00									
Eremophila crassifolia	219	31.24	LC	LC	1	0	0.3	187	113	12	1.71	LC	LC	1	0	0.3	10	4	likes limestone	
Eremophila decipiens ssp. decipiens	1	2.63	RA d(ii)	RA	3	0	0.3	1			0.00									
Eremophila delisseri		0.00									0.00									
Eremophila deserti	151	23.27	LC	LC	1	0	0.3	128	84	30	4.62	LC	LC	1	0	0.3	24	16		
Eremophila duttonii		0.00								13	2.28	LC	LC	1	0	0.3	8	2		
Eremophila freelingii		0.00									0.00									
Eremophila gibbifolia		0.00									0.00									
Eremophila gibsonii		0.00									0.00									
Eremophila gilesii		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)				Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)				Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	Eyre Mallee Records	% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)	Trends (-, 0, +, ++)	Eyre Mallee				Trends (-, 0, +, ++)	Myall Plains Records		% Myall Plains	Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)	Trends (-, 0, +, ++)			
<i>Eremophila glabra</i> ssp. <i>glabra</i>	297	20.31	LC	LC	1	0	0.3	230	132		77	5.27	LC	LC	1	0	0.3	70	42	
<i>Eremophila hillii</i>		0.00										0.00								
<i>Eremophila latrobei</i> ssp. <i>glabra</i>		0.00									14	2.03	LC	LC	1	0	0.3	12	5	
<i>Eremophila latrobei</i> ssp. <i>latrobei</i>		0.00										0.00								
<i>Eremophila longifolia</i>	6	0.51	LC	LC	1	0	0.3	4	2		18	1.54	LC	LC	1	0	0.3	17	5	
<i>Eremophila maculata</i> ssp. <i>brevifolia</i>		0.00										0.00								
<i>Eremophila maculata</i> ssp. <i>maculata</i>		0.00										0.00								
<i>Eremophila neglecta</i>		0.00										0.00								
<i>Eremophila oppositifolia</i> ssp. <i>angustifolia</i>		0.00										0.00								
<i>Eremophila oppositifolia</i> ssp. <i>oppositifolia</i>	8	1.75	LC	LC	1	0	0.3	8	6		57	12.45	LC	LC	1	0	0.3	45	11	
<i>Eremophila paisleyi</i> ssp. <i>paisleyi</i>		0.00										0.00								
<i>Eremophila parvifolia</i>		0.00										0.00								
<i>Eremophila platythamnus</i> ssp. <i>exotrachys</i>		0.00										0.00								
<i>Eremophila platythamnus</i> ssp. <i>platythamnus</i>		0.00										0.00								
<i>Eremophila platythamnus</i> ssp. <i>Villous</i> (A.C. Robinson NP)		0.00										0.00								
<i>Eremophila rotundifolia</i>		0.00										0.00								
<i>Eremophila scoparia</i>	156	14.04	LC	LC	1	0	0.3	141	81		96	8.64	LC	LC	1	0	0.3	82	48	
<i>Eremophila serrulata</i>		0.00									21	4.20	LC	LC	1	0	0.3	19	4	
<i>Eremophila</i> sp. <i>Decussate</i> (R.J.Chinock 7735)		0.00										0.00								
<i>Eremophila</i> sp. <i>Dendritica</i> (W.S.Reid AD98581189)		0.00										0.00								
<i>Eremophila</i> sp. <i>Fallax</i> (D.E.Symon 12311)		0.00										0.00								
<i>Eremophila</i> sp. <i>Hygrophana</i> (P.J.Lang B894-2828)		0.00										0.00								
<i>Eremophila</i> sp. <i>Praecox</i> (R.H.Ashby 131)	2	15.38	VU D2	VU	4	0	0.3	2	1	probably a hybrid, now <i>E praecox</i>		0.00								
<i>Eremophila sturtii</i>		0.00										0.00								
<i>Eremophila subfloccosa</i> ssp. <i>Lanata</i> (R.Bates 33587)	19	55.88	LC	LC	1	0	0.3	19	15	now <i>E ssp lanata</i>	1	2.94	RA d(ii)	RA	3	0	0.3	1	1	now <i>E ssp lanata</i>
<i>Eremophila verrucosa</i> ssp. <i>brevistellata</i>		0.00										0.00								
<i>Eremophila verrucosa</i> ssp. <i>verrucosa</i>		0.00										0.00								
<i>Eremophila weldii</i>	198	54.25	LC	LC	1	0	0.3	177	99		1	0.27	RA d(ii)	RA	3	0	0.3	1		
<i>Eremophila willsii</i> var. <i>integrifolia</i>		0.00										0.00								
<i>Eriachne aristidea</i>		0.00										0.00								
<i>Eriachne helmsii</i>		0.00									1	0.43	RA d(ii)	RA	3	DD	0.0	1		
<i>Eriachne mucronata</i>		0.00										0.00								
<i>Eriachne ovata</i>		0.00										0.00								
<i>Eriochilus cucullatus</i>	4	1.06	LC	LC	1	0	0.3	4	2			0.00								
<i>Eriochiton sclerotaenoides</i>	104	6.91	LC	LC	1	0	0.3	86	66		78	5.19	LC	LC	1	0	0.3	67	44	
<i>Eriochlamys behrii</i>	6	6.00	LC	LC	1	0	0.3	6	3		12	12.00	LC	LC	1	0	0.3	11	3	
<i>Eriochlamys eremaea</i>		0.00										0.00								
<i>Eriochloa australiensis</i>		0.00										0.00								
<i>Eriochloa crebra</i>		0.00										0.00								
<i>Eriochloa pseudoacrotrocha</i>		0.00									2	1.90						2	1	probable introduction
<i>Erodiochloa elderi</i>		0.00									12	8.39	RA d(ii)	RA	3	-	0.4	12	4	
<i>Erodium carolinianum</i>		0.00									1	0.45	RA d(ii)	RA	3	DD	0.0	1		
<i>Erodium cernitum</i>	54	5.20	LC	LC	1	0	0.3	43	29		23	2.21	LC	LC	1	0	0.3	20	10	

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	% Eyre Mallee			Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						% Myall Plains			Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)					
Erodium cygnorum		0.00									2	1.47	RA d(ii)	RA	3	DD	0.0	2		
Erodium janszii		0.00									1	10.00	NE	NE	-1			1		taxonomic issues
Erodium sp. Blesing (J.R.Wheeler 471)		0.00										0.00								
Erymophyllum ramosum ssp. ramosum		0.00										0.00								
Eucalyptus alboburpurea		0.00										0.00								
Eucalyptus angulosa		0.00										0.00								
Eucalyptus behriana		0.00										0.00								
Eucalyptus brachycalyx	303	26.98	LC	LC	1	0	0.3	231	147		81	7.21	LC	LC	1	0	0.3	53	39	
Eucalyptus calcareana	163	32.93	LC	LC	1	0	0.3	121	55		7	1.41	DD	DD	0	DD	0.0	3	1	query ID in this sub region
Eucalyptus calycogona ssp. calycogona	19	21.84	LC	LC	1	0	0.3	16	4			0.00								
Eucalyptus calycogona ssp. spaffordii		0.00										0.00								
Eucalyptus camaldulensis var. camaldulensis		0.00										0.00								
Eucalyptus camaldulensis var. obtusa		0.00										0.00								
Eucalyptus canescens ssp. beadelii		0.00										0.00								
Eucalyptus canescens ssp. canescens		0.00										0.00								
Eucalyptus ceratocorys	7	17.95	RA d(i,ii)	RA	3	0	0.3	5	3			0.00								
Eucalyptus cladocalyx		0.00										0.00								
Eucalyptus concinna	7	1.75	RA d(ii)	RA	3	0	0.3	6	2		11	2.74	RA d(ii)	RA	3	0	0.3	10	4	
Eucalyptus conglobata ssp. conglobata		0.00										0.00								
Eucalyptus cretata	127	83.55	RA d(ii)	RA	3	0	0.3	57	23			0.00								
Eucalyptus diversifolia ssp. diversifolia	16	2.49	LC	LC	1	0	0.3	14	2			0.00								
Eucalyptus diversifolia ssp. hesperia		0.00										0.00								
Eucalyptus dumosa	305	16.97	LC	LC	1	0	0.3	236	164		2	0.11	DD	DD	0	DD	0.0	1	1	edge of range
Eucalyptus eremicola		0.00										0.00								
Eucalyptus eucentrica		0.00										0.00								
Eucalyptus glomerosa		0.00										0.00								
Eucalyptus gongylocarpa		0.00										0.00								
Eucalyptus gracilis	367	14.97	LC	LC	1	0	0.3	312	204		68	2.77	LC	LC	1	0	0.3	56	38	
Eucalyptus gypsophila	1	0.72	RA d(i,ii)	RA	3	0	0.3	1	1			0.00								
Eucalyptus incrassata	320	16.28	LC	LC	1	0	0.3	261	188		8	0.41	RA d(i,ii)	RA	3	0	0.3	5	2	
Eucalyptus intertexta		0.00									23	4.01	RA d(i,ii)	RA	3	0	0.3	15	6	drainage lines
Eucalyptus kingsmillii ssp. alatissima		0.00										0.00								
Eucalyptus lansdowneana		0.00										0.00								
Eucalyptus leptophylla	291	15.54	LC	LC	1	0	0.3	216	158		9	0.48	RA d(ii)	RA	3	0	0.3	8	5	
Eucalyptus mannensis ssp. mannensis		0.00										0.00								
Eucalyptus odorata	28	1.71	RA d(i,ii)	RA	3	0	0.3	17	6		3	0.18	CR C1	CR	6	-	0.4	1		
Eucalyptus oleosa ssp. ampliata	107	20.11	LC	LC	1	0	0.3	85	47		20	3.76	LC	LC	1	0	0.3	15	3	
Eucalyptus oleosa ssp. oleosa		0.00										0.00								
Eucalyptus oxymitra		0.00										0.00								
Eucalyptus peeneri		0.00										0.00								
Eucalyptus peninsularis	85	46.70	NE	NE	-1			58	42	taxonomic issues - probable intergrade		0.00								
Eucalyptus petiolaris	2	3.70	RA d(i,ii)	RA	3	0	0.3	2	2			0.00								
Eucalyptus phenax ssp. phenax	51	10.34	LC	LC	1	0	0.3	27	21	undercollected	5	1.01	RA d(i,ii)	RA	3	0	0.3	5	2	

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	Count	% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						Count	% Myall Plains		Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)					
Eucalyptus pileata	29	46.03	VU B2ab(iii)	VU	4	-	0.4	18	13		3	4.76	NE	NE	-1			3	1	taxonomic issues
Eucalyptus picipiniana		0.00										0.00								
Eucalyptus porosa	95	5.23	LC	LC	1	0	0.3	66	31		26	1.43	LC	LC	1	0	0.3	22	8	
Eucalyptus rugosa	12	2.01	RA d(i,ii)	RA	3	0	0.3	12	3			0.00								
Eucalyptus socialis ssp. Glossy green (P.J.Lang 804)	ords sh	0.00	LC	LC	1	0	0.3			now ssp viridans. Some peninsularis & yumbarrana records sh		0.00								
Eucalyptus socialis ssp. socialis		0.00									36	5.15	LC	LC	1	0	0.3	29	6	
Eucalyptus socialis ssp. South Great Victoria Desert (D.N)		0.00										0.00								
Eucalyptus trivalvis		0.00										0.00								
Eucalyptus viminalis ssp. cygnetensis		0.00										0.00								
Eucalyptus vokesensis		0.00										0.00								
Eucalyptus wyolensis		0.00										0.00								
Eucalyptus yalatenis	61	12.40	LC	LC	1	0	0.3	46	31			0.00								
Eucalyptus youngiana		0.00										0.00								
Eucalyptus yumbarrana ssp. yumbarrana	41	31.30	RA d(ii)	RA	3	0	0.3	36	23			0.00								
Euchiton collinus		0.00										0.00								
Euchiton sphaericus	22	5.07	LC	LC	1	0	0.3	17	10		13	3.00	LC	LC	1	0	0.3	13	5	
Eulalia aurea		0.00										0.00								
Euphorbia parvicaruncula		0.00										0.00								
Euphorbia stevenii		0.00									2	1.35	RA d(i,ii)	RA	3	DD	0.0	2	1	comes up after rain
Euphorbia tannensis ssp. eremophila	12	1.10	NT	NT	2	0	0.3	7	2		27	2.47	LC	LC	1	0	0.3	21	7	
Euphrasia collina ssp. tetragona	3	1.61	RA d(ii)	RA	3	-	0.4	3	2			0.00								
Eutaxia diffusa	1	0.44	RA d(i,ii)	RA	3	DD	0.0	1	1			0.00								
Eutaxia microphylla	235	11.23	LC	LC	1	0	0.3	200	132		20	0.96	LC	LC	1	0	0.3	17	4	
Evolvulus alsinoides var. villosicalyx		0.00										0.00								
Exocarpos aphyllus	416	16.69	LC	LC	1	0	0.3	348	239		99	3.97	LC	LC	1	0	0.3	89	57	
Exocarpos cupressiformis	1	0.06	RA d(i,ii)	RA	3	0	0.3	1				0.00								
Exocarpos sparteus	141	13.21	LC	LC	1	0	0.3	118	58		7	0.66	LC	LC	1	0	0.3	6	3	
Exocarpos syrticola	33	6.50	LC	LC	1	0	0.3	27	17			0.00								
Ficinia nodosa	26	2.64	LC	LC	1	0	0.3	22	14			0.00								
Fimbristylis dichotoma		0.00										0.00								
Flaveria australasica		0.00										0.00								
Frankenia cinerea		0.00										0.00								
Frankenia crispa		0.00									3	15.00	RA d(ii)	RA	3	0	0.3	3	2	
Frankenia cupularis		0.00										0.00								
Frankenia foliosa		0.00									1	0.43	RA d(i,ii)	RA	3	DD	0.0	1	1	
Frankenia pauciflora var. fruticulosa	174	26.20	LC	LC	1	0	0.3	107	59		5	0.75	RA d(i,ii)	RA	3	0	0.3	4	4	
Frankenia pauciflora var. gunnii	14	9.21	LC	LC	1	0	0.3	11	11		6	3.95	LC	LC	1	0	0.3	4	4	
Frankenia plicata		0.00										0.00								
Frankenia serpyllifolia	13	1.85	RA d(ii)	RA	3	DD	0.0	13	7		7	1.00	RA d(ii)	RA	3	DD	0.0	7	5	
Frankenia sessilis	205	54.81	LC	LC	1	0	0.3	89	48		2	0.53	RA d(i,ii)	RA	3	0	0.3	2	2	
Gahnia ancistrophylla		0.00										0.00								
Gahnia deusta	136	15.65	LC	LC	1	0	0.3	99	76	limestone, rocky areas		0.00								
Gahnia filum	2	0.48	RA d(ii)	RA	3	DD	0.0	2	1	restricted habitats, tolerate salt to a limit		0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)			Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)			Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)	
	Count	% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Trends (-, 0, +, ++)	Trends (-, 0, ++)				Count	% Myall Plains		Proposed Regional IUCN Status (Myall Plains)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)				
Gahnia lanigera	235	17.28	LC	LC	-1	0	0.3	198	147	1	0.07	LC	LC	1	0	0.3	1		
Gahnia trifida		0.00									0.00								
Galium compactum		0.00									0.00								
Galium gaudichaudii	8	1.37	NE	NE	-1		5	5	5	14	2.41	NE	NE	-1		12	8	taxonomic issues, split into 2	
Galium migrans	2	0.42	NE	NE	-1		2	1	1	6	1.27	NE	NE	-1		6	2	taxonomic issues, split	
Geijera linearifolia	378	25.56	LC	LC	1	0	0.3	329	229	95	6.42	LC	LC	1	0	0.3	80	54	
Genoplesium nigricans	41	21.69	NE	NE	-1		33	28	28		0.00							now <i>Corunastylis tepperi</i> & <i>C nigricans</i>	
Genoplesium rufum	3	2.38	RA d(ii)	RA	3	DD	0.0	2	2		0.00							This is a NSW sp - EP collections are <i>Corunastylis aff rufa</i>	
Geococcus pusillus	2	1.32	RA d(ii)	RA	3	DD	0.0	2		3	1.97	RA d(ii)	RA	3	DD	0.0	3		
Geranium potentilloides var. potentilloides		0.00									0.00								
Geranium retrorsum	5	0.75	RA d(ii)	RA	3	0	0.3	4	1	4	0.60	RA d(ii)	RA	3	0	0.3	4	1	
Geranium solanderi var. solanderi	20	3.88	LC	LC	1	0	0.3	15	6	1	0.19	RA d(i,ii)	RA	3	0	0.3	1	1	
Glesia biniflora		0.00									0.00								
Glins lotoides		0.00								4	1.66	RA d(ii)	RA	3	0	0.3	4	3	southern limit
Glischrocaryon aureum var. angustifolium	27	34.62	LC	LC	1	0	0.3	24	8	8	10.26	NT	NT	2	0	0.3	7	2	
Glischrocaryon behrii	93	10.26	LC	LC	1	0	0.3	77	44	1	0.11	RA d(i,ii)	RA	3	DD	0.0	1	1	
Glischrocaryon flavescens	25	18.25	LC	LC	1	0	0.3	23	9	16	11.68	LC	LC	1	0	0.3	12	4	
Glossocardia bidens		0.00									0.00								
Glossodia major		0.00									0.00								
Glossostigma cleistanthum		0.00	VU D2	VU	4	0	0.3				0.00							records not databased	
Glossostigma diandrum	3	10.34	RA d(ii)	RA	3	0	0.3	3	2		0.00								
Glossostigma drummondii	1	20.00	EN D	EN	5	DD	0.0	1			0.00							Bill Barker to check record	
Glycine canescens		0.00									0.00								
Glycine rubiginosa	14	1.86	RA d(ii)	RA	3	0	0.3	11	6	16	2.12	LC	LC	1	0	0.3	15	9	
Gnaphalium indutum	6	2.31	LC	LC	1	0	0.3	5	4		0.00							now <i>G indutum</i> ssp <i>indutum</i>	
Gnephosis arachnoidea		0.00								5	0.95	LC	LC	1	0	0.3	3	1	
Gnephosis drummondii	2	3.64	RA d(ii)	RA	3	0	0.3	1	1	1	1.82	RA d(ii)	RA	3	0	0.3	1	1	
Gnephosis tenuissima	16	4.26	LC	LC	1	0	0.3	12	7	16	4.26	LC	LC	1	0	0.3	14	6	
Gompholobium ecostatum	2	0.39	VU D2	VU	4	DD	0.0	2			0.00							only in Hincks WA	
Gonocarpus elatus	25	1.87	LC	LC	1	0	0.3	19	10	19	1.42	LC	LC	1	0	0.3	17	5	
Gonocarpus meizianus	32	2.64	LC	LC	1	0	0.3	23	13		0.00								
Goodenia albiflora		0.00									0.00								
Goodenia benthamiana		0.00								2	7.14	RA d(i,ii)	RA	3	DD	0.0	1		
Goodenia berardiana		0.00								2	1.22	RA d(ii)	RA	3	DD	0.0	2	2	
Goodenia blackiana	7	0.51	RA d(ii)	RA	3	-	0.4	7	4		0.00								
Goodenia calcarata	4	2.90	RA d(ii)	RA	3	-	0.4	4	2	11	7.97	RA d(ii)	RA	3	-	0.4	9	2	
Goodenia centralis		0.00									0.00								
Goodenia cycloptera		0.00									0.00								
Goodenia fascicularis	1	0.10	VU B2ab(i,ii,iii)	VU	4	-	0.4	1		2	0.19	RA d(ii)	RA	3	DD	0.0	2		
Goodenia geniculata	5	0.54	RA d(ii)	RA	3	-	0.4	4			0.00								
Goodenia gibbosa		0.00									0.00								
Goodenia glabra	3	3.00	VU B2ab(i,ii,iii)	VU	4	-	0.4	1		6	6.00	RA d(ii)	RA	3	-	0.4	5	3	grazed by goats
Goodenia glandulosa		0.00									0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)				Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)				Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
		% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)					% Myall Plains		Proposed Regional IUCN Status (Myall Plains)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)			
Goodenia gypsicola		0.00									0.00									
Goodenia havilandii	16	10.13	RA d(ii)	RA	3	-	0.4	11	5	restricted to granite outcrops	11	6.96	RA d(ii)	RA	3	-	0.4	11	4	restricted to granite outcrops
Goodenia heterochila		0.00									0.00									
Goodenia larapinta		0.00									0.00									
Goodenia lobata	11	21.15	RA d(ii)	RA	3	DD	0.0	7	6		1	1.92	RA d(ii)	RA	3	DD	0.0	1		
Goodenia lunata		0.00									9	2.43	LC	LC	1	0	0.3	8	7	
Goodenia modesta		0.00									0.00									
Goodenia occidentalis		0.00									0.00									
Goodenia ovata		0.00									0.00									
Goodenia pinnatifida	70	5.76	LC	LC	1	0	0.3	59	32		33	2.72	LC	LC	1	0	0.3	30	18	
Goodenia pusilliflora	51	6.05	LC	LC	1	0	0.3	32	22		34	4.03	LC	LC	1	0	0.3	24	16	
Goodenia quasilibera	3	30.00	RA d(ii)	RA	3	0	0.3	2	2		1	10.00	RA d(i,ii)	RA	3	DD	0.0	1	1	
Goodenia robusta	68	11.62	LC	LC	1	0	0.3	47	28		2	0.34	RA d(ii)	RA	3	0	0.3	2	2	
Goodenia varia	198	17.71	LC	LC	1	0	0.3	161	95		10	0.89	LC	LC	1	0	0.3	10	3	
Goodenia verrucosa		0.00									0.00									
Goodenia willisiana	177	18.08	LC	LC	1	0	0.3	138	95		12	1.23	LC	LC	1	0	0.3	10	4	
Goodenia xanthosperma		0.00									0.00									
Goodia medicaginea	19	5.64	RA d(ii)	RA	3	DD	0.0	10	2		0.00									
Gossypium sturtianum var. sturtianum		0.00									5	3.42	RA d(ii)	RA	3	-	0.4	5	2	
Grammosolen dixonii	30	16.57	LC	LC	1	0	0.3	26	14	likes disturbance	11	6.08	RA d(ii)	RA	3	0	0.3	9	3	fluctuates
Grammosolen truncatus	32	20.92	LC	LC	1	0	0.3	27	17		0.00									
Gratwickia monochaeta		0.00									12	15.00	LC	LC	1	0	0.3	10	5	
Grevillea albiflora		0.00									0.00									
Grevillea anethifolia	7	12.07	RA d(ii)	RA	3	-	0.4	7	1		3	5.17	VU B2ab(i,ii,iii)	VU	4	-	0.4	3	1	
Grevillea aspera	48	14.81	NT	NT	2	-	0.4	24	7	weeds, grazing - threats	8	2.47	RA d(ii)	RA	3	-	0.4	6	2	rocky areas
Grevillea dilatata		0.00									0.00									
Grevillea halmaturina ssp. laevis		0.00									0.00									
Grevillea huegelii	130	18.16	LC	LC	1	0	0.3	109	63		43	6.01	LC	LC	1	0	0.3	35	24	
Grevillea ilicifolia ssp. ilicifolia	19	10.44	LC	LC	1	0	0.3	15	2		0.00									
Grevillea juncifolia ssp. juncifolia	20	6.97	LC	LC	1	0	0.3	17	7		2	0.70	RA d(ii)	RA	3	DD	0.0	2		
Grevillea nematophylla ssp. nematophylla	1	0.38	EN B2ab(i,ii,iii)	EN	5	-	0.4	1			4	1.50	RA d(ii)	RA	3	-	0.4	4	1	edge of range
Grevillea nematophylla ssp. supraplana		0.00									0.00									
Grevillea parallelinervis		0.00									0.00									
Grevillea pauciflora ssp. leptophylla	6	22.22	RA d(ii,iii)	RA	3	0	0.3	4	4	endemic	0.00									
Grevillea pauciflora ssp. pauciflora	25	15.06	LC	LC	1	0	0.3	19	10		0.00									
Grevillea pterosperma	63	17.21	LC	LC	1	0	0.3	49	20		5	1.37	RA d(ii)	RA	3	0	0.3	5	1	
Grevillea sarissa ssp. umbellifera	29	51.79	LC	LC	1	0	0.3	28	11		0.00									
Grevillea stenobotrya		0.00									0.00									
Grevillea treueriana		0.00									0.00									
Gunniopsis calcarea		0.00									0.00									
Gunniopsis calva		0.00									4	12.90	RA d(ii)	RA	3	0	0.3	3	1	limited habitat
Gunniopsis papillata		0.00									0.00									
Gunniopsis quadrifida		0.00									4	0.96	RA d(ii)	RA	3	-	0.4	3		

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	% Eyre Mallee			Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						% Myall Plains									
Gunniopsis septifraga		0.00																		
Gunniopsis zygophylloides		0.00																		
Gyrostemon australasicus	26	10.44	LC	LC	1	0	0.3	20	6		2	0.80	RA d(ii)	RA	3	DD	0.0	2	1	edge of range
Gyrostemon ramulosus	47	16.61	LC	LC	1	0	0.3	37	12		3	1.06	RA d(i,ii)	RA	3	0	0.3	3		edge of range
Gyrostemon tepperi		0.00																		
Gyrostemon thesioides	2	1.46	RA d(ii)	RA	3	-	0.4	1												
Haeckeria cassiniiformis	17	37.78	RA d(ii)	RA	3	0	0.3	15	7											
Haeckeria punctulata		0.00																		
Haegiela tatei	5	8.93	VU D2	VU	4	DD	0.0	4	1	restricted habitat										
Hakea cycloptera	154	30.26	LC	LC	1	0	0.3	114	75											
Hakea francisiana	107	34.52	LC	LC	1	0	0.3	90	44		16	5.16	LC	LC	1	0	0.3	11	3	
Hakea leucoptera ssp. leucoptera	29	3.76	LC	LC	1	0	0.3	24	16		16	2.07	LC	LC	1	0	0.3	15	3	
Hakea lorea ssp. lorea		0.00																		
Hakea mitchellii	101	8.22	LC	LC	1	0	0.3	80	52											
Hakea rugosa	2	0.23	RA d(i,ii)	RA	3	DD	0.0	2	1											
Hakea vittata	9	1.67	RA d(ii)	RA	3	0	0.3	9	5											
Halgania andromedifolia	134	31.02	LC	LC	1	0	0.3	113	56		13	3.01	RA d(ii)	RA	3	-	0.4	12	2	
Halgania cyanea	158	22.48	LC	LC	1	0	0.3	127	96		11	1.56	LC	LC	1	0	0.3	10	8	
Halophila australis	2	2.60	LC	LC	1	0	0.3	2	1	Common, perennial	1	1.30	LC	LC	1	0	0.3	1	1	Common, perennial
Haloragis acutangula forma acutangula	3	1.88	NE	NE	-1			2		taxonomic issues										
Haloragis acutangula forma annulata		0.00																		
Haloragis acutangula forma dentata	1	6.25	NE	NE	-1			1		taxonomic issues										
Haloragis acutangula forma inflata	2	11.76	NE	NE	-1			1		taxonomic issues										
Haloragis acutangula forma obturbinata	1	10.00	NE	NE	-1			1	1	taxonomic issues										
Haloragis acutangula forma pyramidata		0.00																		
Haloragis acutangula forma semiangulata	3	9.68	NE	NE	-1			2		taxonomic issues										
Haloragis acutangula forma stellata		0.00																		
Haloragis acutangula forma subacutangula	1	7.14	NE	NE	-1			1	1	taxonomic issues	1	7.14	NE	NE	-1			1	1	taxonomic issues
Haloragis acutangula forma tetraglebosa	2	9.52	NE	NE	-1			1		taxonomic issues										
Haloragis acutangula forma tetraptera	12	8.96	NE	NE	-1			4	1	taxonomic issues	1	0.75	NE	NE	-1			1	1	taxonomic issues
Haloragis acutangula forma turbinata	4	12.12	NE	NE	-1			1		taxonomic issues										
Haloragis aspera	1	0.14	RA d(ii)	RA	3	DD	0.0	1	1											
Haloragis eyreana		0.00																		
Haloragis glauca forma glauca		0.00																		
Haloragis gossei		0.00									2	5.26	RA d(i,ii)	RA	3	DD	0.0	2	2	
Haloragis odontocarpa forma pterocarpa		0.00																		
Haloragis odontocarpa forma rugosa		0.00																		
Haloragis uncatipila		0.00																		
Hannafordia bissillii ssp. bissillii		0.00																		
Hardenbergia violacea	2	0.28	RA d(i,ii)	RA	3	0	0.3	2	1											
Harmsiodoxa blennodioides		0.00																		
Harmsiodoxa brevipes var. brevipes	6	5.00	RA d(ii)	RA	3	-	0.4	3			1	0.83	RA d(ii)	RA	3	-	0.4	1	1	
Harmsiodoxa brevipes var. major		0.00																		

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	Count	% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						Count	% Myall Plains		Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)					
Harmsiodoxa puberula		0.00									0.00									
Helichrysum leucopsideum	299	14.04	LC	LC	1	0	0.3	261	205		6	0.28	LC	LC	1	0	0.3	51	5	
Heliotropium aspernum	8	3.01	RA d(ii)	RA	3	-	0.4	7	1		3	1.13	RA d(ii)	RA	3	-	0.4	3	3	
Heliotropium europaeum	1	0.27	NE	NE	-1			1	1	taxonomic issues	9	2.39	NE	NE	-1			7	4	taxonomic issues
Hemichroa diandra	70	30.04	LC	LC	1	0	0.3	55	34		1	0.43	RA d(i,ii)	RA	3	0	0.3	1	1	restricted
Hemichroa pentandra	3	2.68	RA d(ii)	RA	3	0	0.3	3	3											
Hibbertia cinerea	1	2.86	RA d(i,ii)	RA	3	DD	0.0	1	1	restricted habitat										
Hibbertia crinita		0.00																		
Hibbertia crispula		0.00																		
Hibbertia paeninsularis		0.00																		
Hibbertia platyphylla ssp. major	1	5.88	VU D2	VU	4	-	0.4	1	1											
Hibbertia platyphylla ssp. platyphylla	1	2.38	RA d(i,ii)	RA	3	DD	0.0	1	1	usually occurs with limestone, should be more records										
Hibbertia riparia		0.00																		
Hibbertia sp. Glabriuscula (D.J.Whibley 9012)	72	9.01	LC	LC	1	0	0.3	68	66	to be named H. devitata										
Hibbertia virgata	131	9.05	LC	LC	1	0	0.3	100	61	to be named H. conduplicata	4	0.28	RA d(ii)	RA	3	DD	0.0	4	1	to be named H. conduplicata. Edge of range
Hibiscus brachysiphonius		0.00																		
Hibiscus krichauffianus		0.00									3	1.28	RA d(ii)	RA	3	DD	0.0	3	1	
Hibiscus solanifolius		0.00																		
Hibiscus sturtii var. grandiflorus		0.00									1	0.53	RA d(ii)	RA	3	DD	0.0	1	1	
Hibiscus sturtii var. muelleri		0.00																		
Homoranthus homoranthoides		0.00																		
Homoranthus wilhelmii	97	36.88	LC	LC	1	0	0.3	76	33		2	0.76	RA d(i,ii)	RA	3	0	0.3	2	2	
Hyalosperma demissum	43	8.67	LC	LC	1	0	0.3	30	25		3	0.60	LC	LC	1	0	0.3	3	2	
Hyalosperma glutinosum ssp. glutinosum	41	12.58	LC	LC	1	0	0.3	32	20		14	4.29	LC	LC	1	0	0.3	12	9	
Hyalosperma semisterile	2	0.46	RA d(ii)	RA	3	0	0.3	2	1		10	2.31	LC	LC	1	0	0.3	6	1	
Hybanthus floribundus ssp. floribundus	70	7.63	LC	LC	1	0	0.3	59	33		4	0.44	NT	NT	2	0	0.3	4	2	edge of range
Hybanthus monopetalus	19	11.80	VU B2ab(i,ii,iii)	VU	4	-	0.4	9	2		6	3.73	RA d(ii)	RA	3	-	0.4	5	3	
Hydrocotyle callicarpa	14	2.39	LC	LC	1	0	0.3	12	9											
Hydrocotyle capillaris	13	4.35	LC	LC	1	0	0.3	8	4		1	0.33	RA d(i,ii)	RA	3	DD	0.0	1	1	
Hydrocotyle comocarpa		0.00																		
Hydrocotyle foveolata	3	1.29	RA d(ii)	RA	3	-	0.4	3	1											
Hydrocotyle laxiflora		0.00									1	0.13	VU D2	VU	4	-	0.4	1		
Hydrocotyle medicaginooides	11	8.73	LC	LC	1	0	0.3	10	7	limestone species	1	0.79	RA d(i,ii)	RA	3	0	0.3	1	1	limestone species
Hydrocotyle pilifera var. glabrata	102	28.49	LC	LC	1	0	0.3	64	47		7	1.96	LC	LC	1	0	0.3	6	3	
Hydrocotyle rugulosa	21	29.58	NT	NT	2	-	0.4	11	8		1	1.41	RA d(i,ii)	RA	3	-	0.4	1		
Hydrocotyle trachycarpa		0.00									15	9.20	NT	NT	2	-	0.4	12	5	
Hypericum gramineum		0.00																		
Hypolaena fastigiata		0.00																		
Hypoxis glabella var. glabella	31	4.98	LC	LC	1	0	0.3	26	20		8	1.28	LC	LC	1	0	0.3	6	3	
Hypoxis vaginata var. vaginata		0.00																		
Imperata cylindrica		0.00																		
Indigofera australis var. australis	1	0.76	VU D2	VU	4	DD	0.0	1	1		1	0.76	RA d(i,ii)	RA	3	DD	0.0	1	1	
Indigofera georgii		0.00																		

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)			Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)			Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)	
	Eyre Mallee	% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)				Myall Plains	% Myall Plains		Proposed Regional IUCN Status (Myall Plains)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)				
Indigofera helmsii	6	9.52	NE	NE	-1		3	3	taxonomic issues	4	6.35	NE	NE	-1		2	2	taxonomic issues	
Indigofera psammophila		0.00									0.00								
Iseilema eremaeum		0.00									0.00								
Iseilema membranaceum		0.00									0.00								
Isoetes muelleri	1	3.33	VU D2	VU	4	DD	0.0	1	probably undercollected, deciduous		0.00								
Isoetopsis graminifolia	65	10.33	LC	LC	1	0	0.3	51	30	20	3.18	LC	LC	1	0	0.3	16	10	
Isolepis australiensis	3	4.41	RA d(ii)	RA	3	DD	0.0	3	3	1	1.47	RA d(ii)	RA	3	DD	0.0	1	1	
Isolepis cernua	3	0.88	NT	NT	2	DD	0.0	2	2		0.00								
Isolepis congrua	5	8.06	RA d(ii)	RA	3	DD	0.0	5	2	7	11.29	RA d(ii)	RA	3	DD	0.0	5	2	
Isolepis fluitans		0.00								1	0.51	CR B2ab(i,ii,iii)	CR	6	-	0.5	1	needs fresh water, possibly extinct	
Isolepis hookeriana		0.00									0.00								
Isolepis inundata		0.00									0.00								
Isolepis platycarpa	2	1.05	VU B2ab(i,ii,iii)	VU	4	-	0.4	2	2		0.00								
Isolepis stellata		0.00									0.00								
Isotoma petraea	22	6.01	LC	LC	1	0	0.3	17	4	20	5.46	LC	LC	1	0	0.3	18	2	
Isotoma scapigera	6	12.50	RA d(ii)	RA	3	-	0.4	4	2		0.00							habitat specialist	
Ixiochlamys cuneifolia		0.00									0.00								
Ixiochlamys filicifolia		0.00									0.00								
Ixiochlamys nana		0.00									0.00								
Ixodia achillaeoides ssp. achillaeoides		0.00									0.00								
Ixodia achillaeoides ssp. alata	6	0.78	RA d(ii)	RA	3	0	0.3	6	1		0.00								
Jasminum didymum ssp. lineare		0.00								3	1.56	RA d(ii)	RA	3	DD	0.0	3	1	
Juncus aridicola		0.00								1	0.78	RA d(ii)	RA	3	0	0.3	1	1	
Juncus bufonius	6	1.11	NT	NT	2	0	0.3	6	3	6	1.11	NT	NT	2	0	0.3	5	2	
Juncus kraussii		0.00									0.00								
Juncus pallidus	1	0.16						1	1		0.00							introduced	
Juncus radula		0.00									0.00								
Juncus subsecundus	10	1.43	NT	NT	2	0	0.3	5	2		0.00								
Kennedia prostrata	11	0.76	RA d(ii)	RA	3	0	0.3	11	6	3	0.21	RA d(ii)	RA	3	0	0.3	1	1	
Keraudrenia nephrosperma		0.00									0.00								
Keraudrenia sp. North West (J.Z.Weber 6475)		0.00									0.00								
Kippistia suaedifolia	12	11.65	RA d(ii)	RA	3	0	0.3	9	5	7	6.80	RA d(ii)	RA	3	0	0.3	6	3	gypsious habitat
Korthalsella japonica forma japonica		0.00									0.00								
Lachnagrostis aemula		0.00									0.00								
Lachnagrostis billardierei ssp. billardierei		0.00									0.00								
Lachnagrostis filiformis		0.00									0.00								
Lagenophora huegelii	1	0.15	RA d(ii)	RA	3	0	0.3	1	1		0.00								
Lasiopetalum baueri	72	9.11	LC	LC	1	0	0.3	53	36	1	0.13	RA d(ii)	RA	3	0	0.3	1	1	
Lasiopetalum behrii	185	24.41	LC	LC	1	0	0.3	147	117	3	0.40	RA d(ii)	RA	3	0	0.3	3	2	
Lasiopetalum discolor	19	3.44	LC	LC	1	0	0.3	15	15		0.00								
Lasiopetalum schulzenii		0.00									0.00								
Lawrencella davenportii		0.00									0.00								
Lawrenca berthae	15	51.72	RA d(ii)	RA	3	-	0.4	11	6	3	10.34	RA d(ii)	RA	3	0	0.3	3	2	

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)			Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)			Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)		
	Eyre Mallee	% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)				Myall Plains	% Myall Plains		Proposed Regional IUCN Status (Myall Plains)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)					
Lawrenxia glomerata	25	6.25	LC	LC	1	0	0.3	20	6		9	2.25	NT	NT	2	0	0.3	9	5	
Lawrenxia spicata	9	6.12	LC	LC	1	0	0.3	8	2			0.00								
Lawrenxia squamata	142	19.22	LC	LC	1	0	0.3	71	47		18	2.44	LC	LC	1	0	0.3	16	9	
Laxmannia orientalis	2	0.52	RA d(i,ii)	RA	3	0	0.3	2				0.00								
Lechenaultia aphylla		0.00										0.00								
Lechenaultia divaricata		0.00										0.00								
Lechenaultia striata		0.00										0.00								
Leiocarpa leptolepis		0.00										0.00								
Leiocarpa plurisetia	20	57.14	RA d(ii)	RA	3	-	0.4	16	5	coastal development a threat		0.00								
Leiocarpa semicalva ssp. semicalva	1	0.13	RA d(i,ii)	RA	3	0	0.3	1	1	southern limit	14	1.86	LC	LC	1	0	0.3	13	2	found in rocks & gorges
Leiocarpa supina		0.00										0.00								
Leiocarpa tomentosa	9	4.46	LC	LC	1	0	0.3	9	6		3	1.49	RA d(ii)	RA	3	-	0.4	3	1	
Leiocarpa websteri		0.00									4	0.59	RA d(ii)	RA	3	-	0.4	4		
Lemna disperra		0.00										0.00								
Lemnoora burkittii		0.00									14	7.82	LC	LC	1	0	0.3	13	4	
Lepidium fasciculatum		0.00									3	4.00	VU D2	VU	4	-	0.4	2		
Lepidium foliosum	10	6.45	LC	LC	1	0	0.3	6		coastal limestone		0.00								
Lepidium leptopetalum		0.00									2	2.11	VU B2ab(i,ii,iii)	VU	4	-	0.4	1	1	
Lepidium muelleri-ferdinandi		0.00										0.00								
Lepidium oxytrichum		0.00									3	0.47	LC	LC	1	0	0.3	3	1	
Lepidium papillosum	2	0.60	VU B2ab(i,ii,iii)	VU	4	--	0.5	1		records are questionable	25	7.55	LC	LC	1	0	0.3	20	9	
Lepidium phlebopetalum	2	0.26	RA d(i,ii)	RA	3	-	0.4	2			8	1.05	LC	LC	1	0	0.3	6	2	
Lepidium pseudoruderale		0.00										0.00								
Lepidium rotundum	2	7.69	RA d(ii)	RA	3	DD	0.0	2				0.00								
Lepidium sagittulatum		0.00										0.00								
Lepidosperma canescens		0.00										0.00								
Lepidosperma carphoides	28	1.61	LC	LC	1	0	0.3	24	18			0.00								
Lepidosperma concavum	9	2.11	NT	NT	2	0	0.3	8	7		1	0.23	RA d(ii)	RA	3	0	0.3	1	1	
Lepidosperma congestum	21	5.47	LC	LC	1	0	0.3	20	14			0.00								
Lepidosperma curtisiae		0.00										0.00								
Lepidosperma gladiatum		0.00										0.00								
Lepidosperma leptophyllum	1	100.00	EN D	EN	5	DD	0.0	1	1	now called L. gahnoides		0.00								
Lepidosperma sp. Narrow leaf (R.L. Taplin 709)	22	52.38	NT	NT	2	0	0.3	17	17			0.00								
Lepidosperma viscidum	229	9.76	LC	LC	1	0	0.3	169	134		16	0.68	LC	LC	1	0	0.3	15	5	
Lepilaena australis	2	3.85	RA d(ii)	RA	3	DD	0.0	2		needs fresh water, ephemeral		0.00								
Lepilaena cylindrocarpa		0.00										0.00								
Lepilaena marina		0.00										0.00								
Lepilaena preissii		0.00										0.00								
Leporella fimbriata	4	1.67	LC	LC	1	0	0.3	4	2			0.00								
Leptoceras menziesii		0.00										0.00								
Leptomeria aphylla	15	4.36	RA d(ii)	RA	3	0	0.3	15	4			0.00								
Leptomeria preissiana	2	40.00	CR D	CR	6	--	0.5	2	1	very small pop on granite outcrop, grazed by goats		0.00								
Leptorhynchus baileyi		0.00									1	1.89	RA d(ii)	RA	3	-	0.4	1		

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	% Eyre Mallee	Proposed IUCN Status & Criteria (Mallee)		Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						% Myall Plains	Proposed IUCN Status & Criteria (Myall Plains)		Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)					
Leptorhynchus elongatus		0.00																		
Leptorhynchus melanocarpus		0.00																		
Leptorhynchus scaber	3	15.79	RA d(ii)	RA	3	-	0.4	2		limited habitat, grazing a threat	1	5.26	RA d(ii)	RA	3	-	0.4	1		limited habitat, grazing a threat
Leptorhynchus squamatus ssp. squamatus		0.00																		
Leptorhynchus tetrachaetus	8	4.21	RA d(ii)	RA	3	-	0.4	4	2		1	0.53	RA d(ii)	RA	3	-	0.4	1		
Leptorhynchus waitzia	51	18.68	LC	LC	1	0	0.3	40	21	often occurs in large numbers	2	0.73	RA d(ii)	RA	3	DD	0.0	2		
Leptospermum coriaceum	198	15.03	LC	LC	1	0	0.3	164	106		7	0.53	RA d(ii)	RA	3	0	0.3	6		
Leptospermum fastigiatum		0.00																		
Leucochrysum fitzibbonii		0.00																		
Leucochrysum melle		0.00																		
Leucochrysum stipitatum		0.00																		
Leucophyta brownii	51	9.66	LC	LC	1	0	0.3	36	13	threat of coastal development										
Leucopogon clevelandii	9	4.41	RA d(ii)	RA	3	-	0.4	6	6											
Leucopogon cordifolius	190	27.82	LC	LC	1	0	0.3	161	107		6	0.88	RA d(ii)	RA	3	0	0.3	6	1	
Leucopogon parviflorus		0.00																		
Leucopogon revolutus		0.00																		
Leucopogon rufus	17	3.84	RA d(ii)	RA	3	-	0.4	13	9											
Leucopogon woodsii	6	2.55	RA d(ii)	RA	3	-	0.4	5	2											
Levenhookia dubia	21	4.28	LC	LC	1	0	0.3	16	8		4	0.81	RA d(ii)	RA	3	-	0.4	4	1	weeds a threat
Levenhookia stipitata	7	17.07	RA d(ii)	RA	3	-	0.4	5	4	weeds, erosion, farming - threats										
Lilaeopsis polyantha		0.00																		
Limosella australis	4	6.45	EN D	EN	5	DD	0.0	4	3	highly restricted habitat, weeds a threat	1	1.61	EN D	EN	5	DD	0.0	1	1	highly restricted habitat, weeds a threat
Limosella curdieana var. curdieana	2	33.33	RA d(ii)	RA	3	DD	0.0	2	1	at least Rare, most likely L granitica	1	16.67	RA d(ii)	RA	3	DD	0.0	1	1	at least Rare
Limosella curdieana var. Long-pedicelled (W.R.Barker 38)		0.00	VU D2	VU	4	DD	0.0			no records, specific habitat										
Limosella granitica	14	77.78	VU D2	VU	4	DD	0.0	13	3	endemic										
Linum marginale	34	5.95	LC	LC	1	0	0.3	28	22		1	0.18	RA d(ii)	RA	3	-	0.4	1	1	grazed
Lissanthe strigosa ssp. subulata		0.00																		
Lobelia anceps		0.00																		
Lobelia gibbosa	17	5.28	LC	LC	1	0	0.3	15	13		2	0.62	RA d(ii)	RA	3	0	0.3	2	2	
Lobelia heterophylla	6	24.00	RA d(ii)	RA	3	DD	0.0	6	5	to be changed into 2 spp.										
Logania crassifolia	3	1.33	RA d(ii)	RA	3	0	0.3	3	1											
Logania linifolia	19	4.70	LC	LC	1	0	0.3	14	5											
Logania minor	5	8.62	RA d(ii)	RA	3	-	0.4	3	2											
Logania nuda	39	20.86	LC	LC	1	0	0.3	34	19		5	2.67	RA d(ii)	RA	3	0	0.3	5	1	needs deep sand
Logania ovata	70	12.07	LC	LC	1	0	0.3	59	27											
Lomandra collina	217	16.73	LC	LC	1	0	0.3	170	124		7	0.54	NT	NT	2	0	0.3	4		
Lomandra effusa	139	9.61	LC	LC	1	0	0.3	122	93		26	1.80	LC	LC	1	0	0.3	25	16	
Lomandra juncea	24	4.04	LC	LC	1	0	0.3	17	12	rainfall sensitive	2	0.34	NT	NT	2	0	0.3	2	1	rainfall sensitive
Lomandra leucocephala ssp. robusta	127	14.48	LC	LC	1	0	0.3	105	76		3	0.34	RA d(ii)	RA	3	DD	0.0	3	1	
Lomandra micrantha ssp. micrantha	5	0.69	NT	NT	2	0	0.3	4	4											
Lomandra micrantha ssp. tuberculata		0.00																		
Lomandra sororia		0.00																		
Lotus australis		0.00																		

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)			Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)			Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)		
	Count	% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Trends (-, 0, +, ++)	Trends (-, 0, ++)				Count	% Myall Plains		Proposed Regional IUCN Status (Myall Plains)	Trends (-, 0, +, ++)	Trends (-, 0, ++)					
Lotus cruentus	5	0.45	RA d(ii)	RA	3	DD	0.0	4	1	edge of range	28	2.52	LC	LC	1	0	0.3	20	5	
Luzula densiflora		0.00																		
Luzula meridionalis		0.00																		
Lycium australe	107	10.32	LC	LC	1	0	0.3	75	40		53	5.11	LC	LC	1	0	0.3	47	30	
Lysiana exocarpi ssp. exocarpi	5	0.27	RA d(ii)	RA	3	0	0.3	5	3		37	2.02	LC	LC	1	0	0.3	24	2	
Lysiana murrayi		0.00									2	0.95	RA d(ii)	RA	3	0	0.3	2	1	
Lythrum hyssopifolia		0.00									2	0.48	RA d(ii)	RA	3	DD	0.0	2	2	
Lythrum wilsonii		0.00																		
Maireana aphylla	2	0.23	VU B2ab(i,ii,iii)	VU	4	-	0.4	2	1	highly localised, prefers fresh water	6	0.69	VU B2ab(i,ii,iii)	VU	4	--	0.5	5		highly localised, prefers fresh water
Maireana appressa	5	1.20	RA d(ii)	RA	3	0	0.3	4	2	saline ares, gypsious soils	9	2.17	NT	NT	2	0	0.3	8	6	
Maireana astrotricha		0.00									16	1.67	RA d(ii)	RA	3	--	0.5	8	2	grazed, lack of regeneration
Maireana brevifolia	50	4.11	LC	LC	1	0	0.3	41	24		28	2.30	LC	LC	1	0	0.3	19	10	
Maireana campanulata		0.00																		
Maireana cannonii	2	6.67	RA d(ii)	RA	3	0	0.3	1	1											
Maireana carnosia		0.00																		
Maireana ciliata	1	0.51	RA d(ii)	RA	3	DD	0.0	1			3	1.54	RA d(ii)	RA	3	DD	0.0	3	2	
Maireana coronata		0.00																		
Maireana enchylaenoides	45	4.53	LC	LC	1	-	0.4	35	32	habitat loss	10	1.01	RA d(ii)	RA	3	0	0.3	7	7	
Maireana eriantha		0.00																		
Maireana erioclada	213	16.59	LC	LC	1	0	0.3	182	132		81	6.31	LC	LC	1	0	0.3	70	48	
Maireana georgei	4	0.50	NT	NT	2	0	0.3	4	2		23	2.86	LC	LC	1	0	0.3	13	4	could be increasing
Maireana integra		0.00									7	2.12	LC	LC	1	0	0.3	4	2	
Maireana lobiflora	1	0.94	RA d(ii)	RA	3	DD	0.0	1		responds well to rain	7	6.60	RA d(ii)	RA	3	DD	0.0	6	4	
Maireana melanocarpa		0.00																		
Maireana microcarpa	2	2.94	RA d(ii)	RA	3	DD	0.0	2		claypan spp.	1	1.47	RA d(ii)	RA	3	DD	0.0	1	1	claypan spp.
Maireana oppositifolia	215	27.11	LC	LC	1	0	0.3	107	62		3	0.38	NT	NT	2	0	0.3	3	1	
Maireana ovata		0.00																		
Maireana pentatropis	105	9.19	LC	LC	1	0	0.3	96	73		46	4.03	LC	LC	1	0	0.3	40	30	
Maireana planifolia		0.00																		
Maireana pyramidata	3	0.19	NT	NT	2	0	0.3	3	3		56	3.59	LC	LC	1	0	0.3	48	26	
Maireana radiata	103	15.99	LC	LC	1	0	0.3	93	62		34	5.28	LC	LC	1	0	0.3	30	18	
Maireana rohrlachii	3	1.60	RA d(ii)	RA	3	-	0.4	3	1	heavily grazed, grassy woodlands		0.00								
Maireana schistocarpa		0.00									4	16.67	RA d(ii)	RA	3	DD	0.0	4	3	
Maireana scleroptera		0.00																		
Maireana sedifolia	18	1.30	LC	LC	1	0	0.3	18	13		86	6.23	LC	LC	1	0	0.3	76	53	
Maireana spongocarpa		0.00									4	2.86	RA d(ii)	RA	3	-	0.4	4	1	southern limit
Maireana suaedifolia	2	7.41	RA d(ii)	RA	3	0	0.3	2	2		5	18.52	RA d(ii)	RA	3	0	0.3	4	4	
Maireana tomentosa ssp. urceolata		0.00									3	3.41	RA d(ii)	RA	3	0	0.3	3	3	
Maireana trichoptera	156	13.62	LC	LC	1	0	0.3	136	98		75	6.55	LC	LC	1	0	0.3	60	37	
Maireana triptera		0.00									14	4.47	LC	LC	1	0	0.3	12	7	increases in mallee after fire
Maireana turbinata	10	1.63	NT	NT	2	0	0.3	9	4		49	7.99	LC	LC	1	0	0.3	40	25	
Maireana villosa		0.00																		
Malacocera albolanata		0.00																		

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	% Eyre Mallee			Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						% Myall Plains			Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)					
Malacocera gracilis	0.00										1	3.70	VU D2	VU	4	0	0.3	1	1	localised at L Gilles
Malacocera tricornis	0.00										4	2.61	RA d(ii)	RA	3	-	0.4	3		grazed
Malva preissiana	35	4.25	LC	LC	1	0	0.3	19	1		5	0.61	LC	LC	1	0	0.3	5	1	
Malvastrum americanum var. americanum		0.00										0.00								
Marsdenia australis		0.00									6	1.16	RA d(ii)	RA	3	DD	0.0	6	3	
Marsilea costulifera		0.00										0.00								
Marsilea drummondii		0.00									6	2.38	LC	LC	1	0	0.3	6		
Marsilea exarata		0.00										0.00								
Marsilea hirsuta		0.00									2	0.92	RA d(ii)	RA	3	0	0.3	2	1	
Melaleuca acuminata ssp. acuminata	218	17.71	LC	LC	1	0	0.3	192	122		1	0.08	RA d(i,ii)	RA	3	0	0.3	1	1	
Melaleuca armillaris ssp. akineta	57	42.86	RA d(ii)	RA	3	0	0.3	28	10			0.00								
Melaleuca brevifolia		0.00									1	0.14	RA d(i,ii)	RA	3	0	0.3	1	1	
Melaleuca decussata	22	3.36	LC	LC	1	0	0.3	20	10	likes wetter areas		0.00								
Melaleuca eleuterostachya	101	33.78	LC	LC	1	0	0.3	83	43		5	1.67	RA d(ii)	RA	3	0	0.3	3		
Melaleuca gibbosa	7	1.01	RA d(ii)	RA	3	-	0.4	7	1			0.00								
Melaleuca glomerata		0.00										0.00								
Melaleuca halmaturorum	12	2.64	RA d(ii)	RA	3	0	0.3	8	8	limited habitat		0.00								
Melaleuca interioris		0.00										0.00								
Melaleuca lanceolata	86	15.19	LC	LC	1	0	0.3	70	66		1	0.18	RA d(ii)	RA	3	0	0.3	1	1	
Melaleuca leiocarpa	2	5.26	RA d(ii)	RA	3	0	0.3	2				0.00								
Melaleuca nanophylla		0.00										0.00								
Melaleuca oxyphylla	12	22.64	RA d(ii)	RA	3	-	0.4	10	3			0.00								
Melaleuca pauperiflora ssp. mutica	218	49.89	LC	LC	1	0	0.3	199	131		18	4.12	LC	LC	1	0	0.3	15	7	
Melaleuca quadrifaria		0.00										0.00								
Melaleuca uncinata	57	22.80	LC	LC	1	0	0.3	50	47		13	5.20	LC	LC	1	0	0.3	9	8	
Melaleuca xerophila		0.00										0.00								
Menkea australis	4	4.35	RA d(ii)	RA	3	DD	0.0	4	3	possibly undercollected	3	3.26	RA d(ii)	RA	3	DD	0.0	3	1	possibly undercollected
Menkea crassa		0.00										0.00								
Menkea sphaerocarpa		0.00										0.00								
Menkea villosula		0.00										0.00								
Mentha australis		0.00										0.00								
Mentha satereioides		0.00										0.00								
Micranthemum demissum		0.00										0.00								
Microcybe multiflora ssp. baccharoides	39	54.17	NT	NT	2	-	0.4	32	22		1	1.39	RA d(ii)	RA	3	-	0.4	1	1	
Microcybe multiflora ssp. multiflora	70	46.36	LC	LC	1	0	0.3	57	52		5	3.31	RA d(i,ii)	RA	3	0	0.3	4	4	
Microcybe pauciflora ssp. pauciflora	76	23.82	LC	LC	1	0	0.3	62	28			0.00								
Microlepidium alatum	17	77.27	RA d(ii)	RA	3	-	0.4	15	8	limestone soils, mossy areas		0.00								
Microlepidium pilosulum	34	40.48	LC	LC	1	0	0.3	27	21			0.00								
Microseris lanceolata	29	2.66	LC	LC	1	0	0.3	20	12		12	1.10	LC	LC	1	0	0.3	10	3	
Microtis arenaria	23	3.73	LC	LC	1	-	0.4	17	10			0.00								
Microtis atrata		0.00										0.00								
Microtis eremaea		0.00										0.00								
Microtis frutetorum	1	0.60	RA d(ii)	RA	3	-	0.4	1	1			0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	Count	% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						Count	% Myall Plains		Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)					
Microtis orbicularis		0.00																		
Microtis sp. Short-leaf (R.J. Bates 54342)		0.00																		
Millotia greevesii ssp. helmsii		0.00																		
Millotia incurva		0.00																		
Millotia macrocarpa	1	4.17	RA d(ii)	RA	3	DD	0.0	1												
Millotia major	17	17.89	LC	LC	1	0	0.3	13	6											
Millotia muelleri	99	17.40	LC	LC	1	0	0.3	74	53		3	0.53	LC	LC	1	0	0.3	3	2	
Millotia myosotidifolia	70	10.61	LC	LC	1	0	0.3	48	33		31	4.70	LC	LC	1	0	0.3	26	7	
Millotia perpusilla	8	7.14	LC	LC	1	DD	0.0	8	3		6	5.36	LC	LC	1	DD	0.0	6	2	
Millotia tenuifolia var. tenuifolia	104	15.90	LC	LC	1	0	0.3	84	67		3	0.46	RA d(ii)	RA	3	0	0.3	3		
Mimulus repens		0.00																		
Minuria annua		0.00																		
Minuria cunninghamii	2	0.31	LC	LC	1	0	0.3	2	2	southern limit	10	1.53	LC	LC	1	0	0.3	10	3	
Minuria denticulata		0.00									3	0.51	RA d(ii)	RA	3	0	0.3	2	1	likes cracking clays
Minuria integerrima		0.00																		
Minuria leptophylla	94	8.64	LC	LC	1	0	0.3	69	57		27	2.48	LC	LC	1	0	0.3	16	8	
Minuria multisetata		0.00																		
Mitrasacme pilosa var. pilosa		0.00																		
Mollugo cerviana		0.00									3	3.37	LC	LC	1	0	0.3	3	2	responds to good rainfall
Monachather paradoxus		0.00									3	0.71	RA d(ii)	RA	3	DD	0.0	2	1	
Muehlenbeckia adpressa	39	6.22	LC	LC	1	0	0.3	32	10											
Muehlenbeckia diclina ssp. diclina	8	22.86	RA d(ii)	RA	3	0	0.3	7	2		1	2.86	RA d(ii)	RA	3	0	0.3	1	1	
Muehlenbeckia florulenta		0.00									11	1.01	NT	NT	2	0	0.3	7	3	
Muehlenbeckia gunnii	3	0.36	VU D1+2	VU	4	DD	0.0	3	1											
Muehlenbeckia horrida ssp. horrida		0.00																		
Muelleranthus stipularis		0.00																		
Murchisonia volubilis		0.00									1	1.61	RA d(i,ii)	RA	3	0	0.3	1	1	
Myoporum brevipes	35	17.33	LC	LC	1	0	0.3	33	7		4	1.98	LC	LC	1	0	0.3	4	2	
Myoporum insulare	145	13.30	LC	LC	1	0	0.3	91	37		1	0.09	LC	LC	1	0	0.3	1	1	
Myoporum montanum	10	1.55	RA d(ii)	RA	3	0	0.3	7	1		3	0.46	RA d(ii)	RA	3	0	0.3	3	1	
Myoporum parvifolium	3	1.67	RA d(ii)	RA	3	0	0.3	3	1											
Myoporum platycarpum ssp. perbellum	5	4.07	RA d(ii)	RA	3	0	0.3	5	4											
Myoporum platycarpum ssp. platycarpum	30	4.06	LC	LC	1	0	0.3	28	18		50	6.77	LC	LC	1	0	0.3	41	25	
Myoporum viscosum		0.00																		
Myosotis australis	6	2.58	RA d(i,ii)	RA	3	DD	0.0	4	1											
Myosurus minimus var. australis		0.00																		
Myriocephalus pluriflorus		0.00																		
Myriocephalus rudalii		0.00																		
Myriocephalus squamatus		0.00																		
Myriophyllum integrifolium		0.00																		
Myriophyllum muelleri		0.00																		
Myriophyllum salsugineum		0.00																		
Myriophyllum verrucosum		0.00									7	4.49	RA d(ii)	RA	3	DD	0.0	6	4	grows in dams, stock water

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	Eyre Mallee Records	% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						Myall Plains Records	% Myall Plains		Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)					
Neobassia proceriflora		0.00									0.00									
Neurachne alopecuroidea	58	4.45	LC	LC	1	0	0.3	44	30		0.00									
Neurachne munroi		0.00									1	1.89	RA d(ii)	RA	3	DD	0.0	1	1	
Newcastelia bracteosa		0.00									0.00									
Newcastelia cephalantha var. cephalantha		0.00									0.00									
Newcastelia spodiotricha		0.00									0.00									
Nicotiana goodspeedii	32	7.67	LC	LC	1	0	0.3	28	11		19	4.56	LC	LC	1	0	0.3	16	4	
Nicotiana maritima	25	8.62	LC	LC	1	0	0.3	18	1		4	1.38	RA d(ii)	RA	3	DD	0.0	4	4	
Nicotiana occidentalis ssp. obliqua		0.00									3	2.48	RA d(ii)	RA	3	DD	0.0	3	2	
Nicotiana rosulata ssp. rosulata		0.00									0.00									
Nicotiana simulans		0.00									0.00									
Nicotiana velutina	2	0.21	RA d(ii)	RA	3	DD	0.0	2	1		4	0.41	NT	NT	2	0	0.3	4	1	
Nitritaria billardieri	271	15.89	LC	LC	1	0	0.3	120	57	on dunes, weedy species	13	0.76	LC	LC	1	0	0.3	10	7	on dunes, weedy species
Olaux orbordata		0.00									0.00									
Olearia adenolasia	3	8.33	RA d(i,ii)	RA	3	0	0.3	3	1	endemic		0.00								
Olearia axillaris	159	10.19	LC	LC	1	0	0.3	100	63		0.00									
Olearia brachyphylla	57	30.48	LC	LC	1	0	0.3	50	38	likes hard limestone	0.00									
Olearia calcarea	20	13.99	LC	LC	1	0	0.3	18	12		39	27.27	LC	LC	1	0	0.3	32	25	likes limestone
Olearia ciliata var. ciliata	84	19.40	LC	LC	1	0	0.3	72	61		2	0.46	RA d(i,ii)	RA	3	0	0.3	2	1	edge of range
Olearia decurrens	58	7.75	LC	LC	1	0	0.3	43	31		29	3.88	LC	LC	1	0	0.3	27	20	
Olearia exiguifolia	44	29.14	LC	LC	1	0	0.3	37	29		4	2.65	RA d(i,ii)	RA	3	-	0.4	4	4	
Olearia floribunda var. floribunda	78	25.49	LC	LC	1	0	0.3	65	56		1	0.33	RA d(ii)	RA	3	0	0.3	1	1	
Olearia lanuginosa	12	11.54	LC	LC	1	0	0.3	9	5	lack of records	0.00									
Olearia lepidophylla	39	12.66	LC	LC	1	0	0.3	32	18		2	0.65	LC	LC	1	0	0.3	2	1	
Olearia magniflora	80	35.09	LC	LC	1	0	0.3	68	55		1	0.44	RA d(i,ii)	RA	3	DD	0.0	1		
Olearia minor	83	42.78	LC	LC	1	0	0.3	63	59		0.00									
Olearia muelleri	196	19.10	LC	LC	1	0	0.3	172	117		49	4.78	LC	LC	1	0	0.3	41	34	
Olearia pannosa ssp. pannosa		0.00									0.00									
Olearia passerinoides ssp. passerinoides	8	10.53	RA d(ii)	RA	3	0	0.3	8	7		1	1.32	RA d(ii)	RA	3	0	0.3	1	1	
Olearia picridifolia	21	23.08	RA d(ii)	RA	3	0	0.3	18	5		0.00									
Olearia pimeleoides ssp. incana		0.00									0.00									
Olearia pimeleoides ssp. pimeleoides	51	10.71	LC	LC	1	0	0.3	47	31		16	3.36	LC	LC	1	0	0.3	13	11	
Olearia ramulosa	44	2.15	LC	LC	1	0	0.3	32	17		0.00									
Olearia rudis	32	28.07	LC	LC	1	0	0.3	24	17	could be records missing	0.00									
Olearia stuartii		0.00									0.00									
Olearia subspicata		0.00									4	5.13	DD	DD	0	DD	0.0	1		
Omphalolappula concava	18	1.97	LC	LC	1	0	0.3	14	3		13	1.42	LC	LC	1	0	0.3	10	5	
Opercularia scabrada	32	7.94	LC	LC	1	0	0.3	22	10		0.00									
Opercularia turpis	75	8.67	LC	LC	1	0	0.3	62	41		1	0.12	RA d(i,ii)	RA	3	0	0.3	1	1	
Ophioglossum lusitanicum	15	5.08	LC	LC	1	0	0.3	11	5	only visible in winter, occurs grassy plains	4	1.36	RA d(ii)	RA	3	DD	0.0	4	3	only visible in winter, occurs grassy plains
Ophioglossum polyphyllum		0.00									0.00									
Orobanche cernua var. australiana	1	1.14	RA d(i,ii)	RA	3	DD	0.0	1			1	1.14	RA d(i,ii)	RA	3	DD	0.0	1	1	
Orthoceras strictum	2	1.63	EN D2	EN	5	-	0.4	2	1		0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)				Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)				Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	% Eyre Mallee			Proposed Regional IUCN Status (Eyre Mallee)	Trends (-, 0, +, ++)	Eyre Mallee					Myall Plains	% Myall Plains		Proposed Regional IUCN Status (Myall Plains)	Trends (-, 0, +, ++)	Myall Plains				
Orthrosanthus multiflorus		0.00									0.00									
Osteocarpum acropterum var. acropterum		0.00								8	2.74	NT	NT	2	-	0.4	7	southern limit		
Osteocarpum dipterocarpum		0.00								7	1.64	NT	NT	2	0	0.3	7	4		
Osteocarpum pentapterum		0.00									0.00									
Osteocarpum salsuginosum	7	7.61	RA d(ii)	RA	3	DD	0.0	7	5	4	4.35	RA d(ii)	RA	3	0	0.3	4	3		
Owenia acidula		0.00									0.00									
Oxalis perennans	34	4.42	LC	LC	1	0	0.3	26	14	21	2.73	LC	LC	1	0	0.3	21	13		
Oxalis radicata		0.00									0.00									
Ozothamnus decurrens	137	42.28	LC	LC	1	0	0.3	119	85	3	0.93	LC	LC	1	0	0.3	1	1		
Ozothamnus retusus	78	16.42	LC	LC	1	0	0.3	64	38	7	1.47	RA d(i,ii)	RA	3	0	0.3	7	2		
Pachymitis cardaminooides	1	4.17	DD	DD	0	DD	0.0	1	1		0.00									
Panicum decompositum var. decompositum		0.00									0.00									
Panicum effusum var. effusum	3	1.27	RA d(ii)	RA	3	0	0.3	3	2	4	1.69	RA d(ii)	RA	3	0	0.3	4	3		
Panicum laevinode		0.00									0.00									
Paractaenium novae-hollandiae ssp. reversum		0.00								3	1.60	RA d(ii)	RA	3	-	0.4	2			
Paractaenium refractum		0.00									0.00									
Paraneurachne muelleri		0.00									0.00									
Parietaria australis	3	8.33	NT	NT	2	0	0.3	2	1		0.00									
Parietaria cardiostegia	20	8.13	LC	LC	1	0	0.3	14	11	9	3.66	LC	LC	1	0	0.3	9	1		
Parietaria debilis	43	13.03	LC	LC	1	0	0.3	38	29	8	2.42	LC	LC	1	0	0.3	7	6		
Pelargonium australe	67	15.47	NE	NE	-1			29	11		0.00									
Pelargonium littorale	14	3.77	NE	NE	-1			13	10		0.00									
Persicaria prostrata		0.00								1	0.86	RA d(ii)	RA	3	DD	0.0	1	1		
Phebalium bullatum	252	31.50	LC	LC	1	0	0.3	200	112	13	1.63	LC	LC	1	0	0.3	12	2		
Pheladenia deformis	17	4.09	LC	LC	1	0	0.3	15	9		0.00									
Philothea angustifolia ssp. angustifolia		0.00									0.00									
Philothea linearis		0.00								38	19.19	LC	LC	1	0	0.3	30	6		
Philothea pungens	50	15.58	LC	LC	1	0	0.3	39	22		0.00									
Phlegmatospermum cochlearinum	1	0.60	RA d(i,ii)	RA	3	DD	0.0	1	1	6	3.61	RA d(i,ii)	RA	3	DD	0.0	3	1		
Phlegmatospermum eremaeum	7	22.58	EN B2ab(i,ii,iii)	EN	5	--	0.5	3			0.00									
Phlegmatospermum richardsii	1	20.00	EN B2ab(i,ii,iii)	EN	5	-	0.4	1			0.00									
Phyllangium distylis		0.00									0.00									
Phyllangium divergens	27	9.18	LC	LC	1	0	0.3	18	12	3	1.02	RA d(i,ii)	RA	3	0	0.3	2	2		
Phyllangium sulcatum	2	13.33	EN B2ab(i,ii,iii)	EN	5	--	0.5	2		3	20.00	VU B2ab(i,ii,iii)	VU	4	--	0.5	3	1		
Phyllanthus calycinus		0.00									0.00									
Phyllanthus fuemrohrrii		0.00								2	1.37	RA d(i,ii)	RA	3	0	0.3	2	2		
Phyllanthus lacunarius		0.00									0.00									
Phyllanthus saxosus		0.00								4	3.17	RA d(ii)	RA	3	0	0.3	3	3		
Phylloglossum drummondii		0.00									0.00									
Phyllota remota	14	8.43	RA d(i,ii)	RA	3	0	0.3	11	5		0.00									
Picris angustifolia ssp. angustifolia		0.00									0.00									
Piulularia novae-hollandiae		0.00									0.00									
Pimelea flava ssp. dichotoma	71	9.33	LC	LC	1	0	0.3	42	23		0.00									

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	Eyre Mallee Records	% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						Myall Plains Records	% Myall Plains		Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)					
Pimelea glauca	49	3.89	LC	LC	1	0	0.3	38	18		0.00									
Pimelea imbricata var. petraea	9	10.59	NT	NT	2	0	0.3	8	3		4	4.71	RA d(ii)	RA	3	0	0.3	4	2	
Pimelea micrantha	28	8.31	LC	LC	1	0	0.3	20	15		9	2.67	LC	LC	1	0	0.3	8	8	
Pimelea microcephala ssp. microcephala	60	6.42	LC	LC	1	0	0.3	45	21		39	4.18	LC	LC	1	0	0.3	29	11	
Pimelea octophylla	30	3.66	LC	LC	1	0	0.3	25	5			0.00								
Pimelea petrophila	3	1.41	VU B2ab(i,ii,iii)	VU	4	-	0.4	2		grazed	4	1.88	RA d(ii)	RA	3	-	0.4	2		grazed
Pimelea phyllicoides		0.00										0.00								
Pimelea serpyllifolia ssp. serpyllifolia	94	6.78	LC	LC	1	0	0.3	75	50			0.00								
Pimelea simplex ssp. continua	1	0.87	RA d(ii)	RA	3	0	0.3	1	1		5	4.35	LC	LC	1	0	0.3	5	4	
Pimelea simplex ssp. simplex	18	4.11	LC	LC	1	0	0.3	16	10		12	2.74	LC	LC	1	0	0.3	12	2	
Pimelea stricta	45	5.27	LC	LC	1	0	0.3	34	16			0.00								
Pimelea subvillifera	20	51.28	NT	NT	2	-	0.4	15	2			0.00								
Pimelea trichostachya	4	2.20	VU B2ab(i,ii,iii)	VU	4	-	0.4	4	1		6	3.30	RA d(ii)	RA	3	-	0.4	6	3	
Pimelea williamsonii	20	42.55	RA d(ii)	RA	3	0	0.3	14	2			0.00								
Pittosporum angustifolium	322	10.74	LC	LC	1	0	0.3	282	191		46	1.53	LC	LC	1	0	0.3	38	16	
Pittosporum ligustrifolium	3	75.00	NE	NE	-1			1	1	taxonomic issues, Eastern spp?		0.00								
Pityrodia loricata		0.00										0.00								
Plagiobothrys plurisepaleus	8	3.83	RA d(ii)	RA	3	-	0.4	7	1		7	3.35	LC	LC	1	0	0.3	7	2	
Plantago drummondii	56	5.43	LC	LC	1	0	0.3	39	34		24	2.33	LC	LC	1	0	0.3	21	15	
Plantago gaudichaudii		0.00										0.00								
Plantago hispida	6	2.18	RA d(ii)	RA	3	-	0.4	5	2		3	1.09	RA d(ii)	RA	3	-	0.4	3	2	
Plantago sp. A (A.C.Robinson 704)		0.00										0.00								
Plantago sp. B (R.Bates 44765)	49	16.55	LC	LC	1	0	0.3	41	41		6	2.03	RA d(ii)	RA	3	0	0.3	4	4	
Plantago turriifera	2	3.17	RA d(ii)	RA	3	DD	0.0	2	2		3	4.76	RA d(ii)	RA	3	DD	0.0	3	2	
Plantago varia	4	2.29	RA d(ii)	RA	3	DD	0.0	4	3			0.00								
Platysace heterophylla var. heterophylla	43	12.15	LC	LC	1	0	0.3	32	20			0.00								
Pleuropappus phyllocalymmeus		0.00										0.00								
Pleurosorus rutifolius	11	2.45	LC	LC	1	0	0.3	9	3	occurs rocky hills	9	2.00	LC	LC	1	0	0.3	9	3	occurs rocky hills
Pleurosorus subglandulosus		0.00									4	10.53	RA d(ii)	RA	3	DD	0.0	4		
Pluchea rubelliflora		0.00										0.00								
Poa clelandii	5	0.93	VU B2ab(i,ii,iii)	VU	4	-	0.4	1	1	needs rainfall		0.00								
Poa crassicaudex	7	0.98	NT	NT	2	-	0.4	6	3	higher rainfall, fragmented		0.00								
Poa drummondiana	27	34.18	NT	NT	2	0	0.3	19	8	more coastal grass		0.00								
Poa fax	12	12.00	RA d(ii)	RA	3	-	0.4	6	1	coastal spp		0.00								
Poa fordeana		0.00									2	3.85	VU B2ab(i,ii,iii)	VU	4	-	0.4	2		no recent records
Poa labillardieri var. labillardieri	3	0.78	RA d(ii)	RA	3	-	0.4	2		grazing a threat		0.00								
Poa poiformis var. poiformis	51	7.14	LC	LC	1	0	0.3	30				0.00								
Poa tenera		0.00										0.00								
Podolepis canescens	14	3.70	RA d(ii)	RA	3	0	0.3	12	5		6	1.59	RA d(ii)	RA	3	0	0.3	6	2	
Podolepis capillaris	207	16.93	LC	LC	1	0	0.3	173	141		50	4.09	LC	LC	1	0	0.3	42	24	
Podolepis davisiana		0.00										0.00								
Podolepis jaceoides	7	4.67	RA d(ii)	RA	3	0	0.3	4	4	taxonomic issues	2	1.33	RA d(ii)	RA	3	0	0.3	2	2	taxonomic issues
Podolepis longipedata		0.00										0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	Count	% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						Count	% Myall Plains		Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)					
Podolepis rugata var. littoralis		0.00									0.00									
Podolepis rugata var. rugata	56	16.52	LC	LC	1	0	0.3	45	26		0.00									
Podolepis pepperi	77	17.46	LC	LC	1	0	0.3	62	50		11	2.49	LC	LC	1	0	0.3	10	9	
Podotheca angustifolia	218	18.54	LC	LC	1	0	0.3	174	144		8	0.68	RA d(ii)	RA	3	0	0.3	7	5	
Pogonolepis muelleriana	59	10.59	LC	LC	1	0	0.3	47	28		20	3.59	LC	LC	1	0	0.3	17	11	
Polycalymma stuartii		0.00									3	0.32	RA d(ii)	RA	3	-	0.4	3	1	
Polygonum plebeium		0.00									3	1.95	LC	LC	1	0	0.3	3	3	undercollected
Polyogon tenellus		0.00										0.00								
Pomaderris flabellaris	5	4.55	RA d(i,ii)	RA	3	-	0.4	2				0.00								
Pomaderris forrestiana		0.00										0.00								
Pomaderris obcordata	30	4.72	LC	LC	1	0	0.3	23	11	likes limestone		0.00								
Pomaderris paniculosa ssp. paniculosa	35	4.94	LC	LC	1	0	0.3	24	14			0.00								
Pomaderris paniculosa ssp. paralia		0.00										0.00								
Pomax umbellata	6	2.06	RA d(i,ii)	RA	3	-	0.4	5		rocky hills	7	2.41	RA d(ii)	RA	3	-	0.4	6	3	
Poranthera huegelii		0.00										0.00								
Poranthera leiosperma	1	5.56	DD	DD	0	DD	0.0	1	1			0.00								
Poranthera microphylla	24	8.57	LC	LC	1	0	0.3	23	16		4	1.43	RA d(ii)	RA	3	DD	0.0	4	3	
Poranthera triandra	61	23.74	LC	LC	1	0	0.3	47	36			0.00								
Portulaca oleracea		0.00									6	0.76	LC	LC	1	0	0.3	6	6	undercollected
Posidonia angustifolia	7	7.14	LC	LC	1	0	0.3	3	2			0.00	LC	LC	1	0	0.3			No records but occurs here
Posidonia australis	6	2.58	LC	LC	1	0	0.3	3	1	Localised threats from oyster farms	1	0.43	LC	LC	1	0	0.3	1	1	Localised threats from oyster farms
Posidonia coriacea	7	18.92	LC	LC	1	0	0.3	5				0.00								
Posidonia denhartogii	3	8.57	DD	DD	0	DD	0.0	2	1	relatively Rare		0.00								
Posidonia sinuosa	5	3.42	LC	LC	1	0	0.3	5	1			0.00								
Potamogeton ochreatus		0.00										0.00								
Potamogeton pectinatus		0.00										0.00								
Prasophyllum calcicola		0.00										0.00								
Prasophyllum catenemum	4	57.14	EN B2ab(i,ii,iii)	EN	5	-	0.4	4	2			0.00								
Prasophyllum collinum		0.00										0.00								
Prasophyllum constrictum	2	7.14	RA d(ii)	RA	3	DD	0.0	2	2	now P. Verran Tanks on EP, highly localised in Hincks WA		0.00								
Prasophyllum elatum	3	1.95	RA d(ii)	RA	3	DD	0.0	2				0.00								
Prasophyllum fecundum	7	18.92	RA d(ii)	RA	3	-	0.4	6	2			0.00								
Prasophyllum fitzgeraldii	3	3.26	RA d(ii)	RA	3	-	0.4	3	2			0.00								
Prasophyllum goldsackii		0.00										0.00								
Prasophyllum laxum		0.00										0.00								
Prasophyllum occidentale	16	11.68	RA d(ii)	RA	3	-	0.4	10	5			0.00								
Prasophyllum occultans	1	3.33	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	1	1			0.00								
Prasophyllum odoratum	2	1.26	LC	LC	1	-	0.4	1		this sp is a complex, to be sorted taxonomically		0.00								
Prasophyllum praecox		0.00										0.00								
Prasophyllum sp Desert		0.00										0.00								
Prasophyllum sp. Coast sandhills (Hj,Eichler 14100)		0.00										0.00								
Prasophyllum sp. Enigma (R.Bates 2350)		0.00										0.00								
Prostanthera althoferi ssp. longifolia	3	3.66	RA d(ii)	RA	3	-	0.4	3	2		11	13.41	RA d(ii)	RA	3	-	0.4	9	3	

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	Eyre Mallee Records	% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						Myall Plains Records	% Myall Plains								
<i>Prostanthera ammphila</i>	23	37.70	NT	NT	2	-	0.4	21	8		2	3.28	RA d(i,ii)	RA	3	-	0.4	2	1	
<i>Prostanthera aspalathoides</i>	47	9.92	LC	LC	1	0	0.3	42	24		12	2.53	RA d(ii)	RA	3	-	0.4	10	2	
<i>Prostanthera calycina</i>	12	11.76	VU B2ab(i,ii,iii)	VU	4	-	0.4	11	5			0.00								
<i>Prostanthera chlorantha</i>		0.00										0.00								
<i>Prostanthera florifera</i>	3	2.86	RA d(ii)	RA	3	-	0.4	3			16	15.24	RA d(ii)	RA	3	-	0.4	13	6	
<i>Prostanthera sericea</i>		0.00										0.00								
<i>Prostanthera serpyllifolia</i> ssp. <i>microphylla</i>	122	28.84	LC	LC	1	-	0.4	96	43		7	1.65	RA d(i,ii)	RA	3	-	0.4	5	1	
<i>Prostanthera serpyllifolia</i> ssp. <i>microphylla</i> (purplish-green)	16	55.17	NE	NE	-1			16	16	taxonomic issues		0.00								
<i>Prostanthera serpyllifolia</i> ssp. <i>microphylla</i> (red flowers)	4	40.00	NE	NE	-1			4	4	taxonomic issues		0.00								
<i>Prostanthera serpyllifolia</i> ssp. <i>serpyllifolia</i>	51	20.16	LC	LC	1	0	0.3	42	32			0.00								
<i>Prostanthera serpyllifolia</i> ssp. <i>serpyllifolia</i> (purplish-green)	1	16.67	NE	NE	-1			1	1	taxonomic issues	1	16.67	NE	NE	-1			1	1	taxonomic issues
<i>Prostanthera serpyllifolia</i> ssp. <i>serpyllifolia</i> (red flowers)	23	53.49	NE	NE	-1			19	19	taxonomic issues		0.00								
<i>Prostanthera spinosa</i>		0.00										0.00								
<i>Prostanthera striatiflora</i>	4	0.63	VU B2ab(i,ii,iii)	VU	4	-	0.4	4		needs rocks	10	1.59	RA d(ii)	RA	3	-	0.4	9	2	needs rocks
<i>Prostanthera wilkieana</i>		0.00										0.00								
<i>Pseudognaphalium luteoalbum</i>	14	1.94	LC	LC	1	0	0.3	11	2		7	0.97	LC	LC	1	0	0.3	7	3	
<i>Psydax suaveolens</i>		0.00										0.00								
<i>Pteridium esculentum</i>		0.00										0.00								
<i>Pteris tremula</i>		0.00										0.00								
<i>Pterocaulon sphaelatum</i>		0.00										0.00								
<i>Pterostylis</i> "Mt Olinthus"		0.00										0.00								
<i>Pterostylis</i> aff. <i>nana</i> "mallee"		0.00										0.00								
<i>Pterostylis biseta</i>	2	2.44	RA d(ii)	RA	3	DD	0.0	2	2	more records not yet databased	5	6.10	RA d(ii)	RA	3	DD	0.0	5	5	more records not yet databased
<i>Pterostylis boormanii</i>	13	23.21	RA d(ii)	RA	3	DD	0.0	9	5		5	8.93	RA d(ii)	RA	3	DD	0.0	4	4	
<i>Pterostylis cynocephala</i>	6	9.09	NE	NE	-1			5	3	taxonomic issues (split into 2 spp)		0.00								
<i>Pterostylis dolichocheila</i>	2	1.61	LC	LC	1	0	0.3	2	2			0.00								
<i>Pterostylis erythroconcha</i>	4	7.69	RA d(ii)	RA	3	DD	0.0	3	2			0.00								
<i>Pterostylis excelsa</i>	23	31.51	LC	LC	1	0	0.3	21	20	old records not yet databased	10	13.70	LC	LC	1	0	0.3	10	10	old records not yet databased
<i>Pterostylis flavovirens</i>		0.00										0.00								
<i>Pterostylis mutica</i>	132	36.46	LC	LC	1	0	0.3	100	93	now P pissinus in this region	6	1.66	RA d(ii)	RA	3	DD	0.0	4	4	northern limit
<i>Pterostylis nana</i>	22	2.60	NT	NT	2	-	0.4	18	12		9	1.06	NT	NT	2	-	0.4	8	3	
<i>Pterostylis ovata</i>		0.00									4	14.81	RA d(ii)	RA	3	0	0.3	4	2	endemic
<i>Pterostylis pedunculata</i>		0.00										0.00								
<i>Pterostylis plumosa</i>	11	4.68	RA d(ii)	RA	3	-	0.4	9	7			0.00								
<i>Pterostylis pusilla</i>	32	15.53	LC	LC	1	0	0.3	23	15			0.00								
<i>Pterostylis robusta</i>		0.00										0.00								
<i>Pterostylis sanguinea</i>	31	6.58	LC	LC	1	0	0.3	28	15			0.00								
<i>Pterostylis</i> sp. <i>Eyre Peninsula</i> (R. Bates 19474)		0.00										0.00								
<i>Pterostylis</i> sp. <i>Triloba</i> (pl.191, Bates & Weber 1990)		0.00										0.00								
<i>Pterostylis viriosa</i>		0.00										0.00								
<i>Pterostylis xerophila</i>	1	11.11	VU B2ab(i,ii,iii); D1	VU	4	-	0.4	1				0.00								
<i>Ptilotus beckerianus</i>		0.00										0.00								
<i>Ptilotus decipiens</i>		0.00									1	1.18	RA d(i,ii)	RA	3	DD	0.0	1	1	

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)			Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)			Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)	
		% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Trends (-, 0, +, ++)	Trends (-, 0, ++)							% Myall Plains	Proposed Regional IUCN Status (Myall Plains)	Trends (-, 0, +, ++)				Trends (-, 0, +, ++)
<i>Ptilotus exaltatus</i> var. <i>exaltatus</i>	30	6.64	LC	LC	-1	0	0.3	27	14		LC	LC	1	0	0.3	13	7		
<i>Ptilotus gaudichaudii</i> var. <i>gaudichaudii</i>		0.00								6	3.08	RA d(ii)	RA	3	0	0.3	6	3	
<i>Ptilotus gaudichaudii</i> var. <i>parviflorus</i>		0.00									0.00								
<i>Ptilotus nobilis</i> var. <i>nobilis</i>	1	0.41	RA d(i,ii)	RA	3	DD	0.0	1	taxonomic issues	7	2.86	RA d(i,ii)	RA	3	DD	0.0	5	2	taxonomic issues
<i>Ptilotus obovatus</i> var. <i>griseus</i>		0.00									0.00								
<i>Ptilotus obovatus</i> var. <i>obovatus</i>	110	5.70	LC	LC	1	-	0.4	91	57		75	3.89	LC	LC	1	0	0.3	62	29
<i>Ptilotus polystachyus</i> var. <i>polystachyus</i>		0.00								6	1.01	LC	LC	1	0	0.3	5	4	
<i>Ptilotus seminudus</i>	111	24.94	LC	LC	1	0	0.3	94	76		44	9.89	LC	LC	1	0	0.3	37	32
<i>Ptilotus sessilifolius</i> var. <i>sessilifolius</i>		0.00								4	0.90	RA d(ii)	RA	3	DD	0.0	4	2	
<i>Ptilotus spathulatus</i> forma <i>spathulatus</i>	37	4.04	LC	LC	1	0	0.3	32	16		12	1.31	LC	LC	1	0	0.3	10	4
<i>Ptilotus symonii</i>		0.00									0.00								
<i>Puccinellia stricta</i> var. <i>stricta</i>	1	1.32	RA d(ii)	RA	3	0	0.3	1	1 tolerates salinity		0.00								
<i>Pultenaea acerosa</i>	1	0.13	RA d(i,ii)	RA	3	0	0.3	1	1		0.00								
<i>Pultenaea densifolia</i>	15	5.66	RA d(i,ii)	RA	3	0	0.3	12	6		0.00								
<i>Pultenaea elachista</i>	47	38.21	LC	LC	1	0	0.3	40	30										
<i>Pultenaea pedunculata</i>		0.00									0.00								
<i>Pultenaea tenuifolia</i>	113	8.04	NE	NE	-1			75	44 taxonomic issues		0.00								
<i>Pultenaea teretifolia</i> var. <i>teretifolia</i>	5	8.06	NE	NE	-1			5	3 taxonomic issues		0.00								
<i>Pultenaea trichophylla</i>		0.00									0.00								
<i>Pultenaea trinervis</i>		0.00									0.00								
<i>Pultenaea vestita</i>		0.00									0.00								
<i>Pycnosorus pleiocephalus</i>	5	0.81	RA d(ii)	RA	3	0	0.3	5		12	1.95	LC	LC	1	0	0.3	9	4	
<i>Pyrorchis nigricans</i>	17	2.54	LC	LC	1	0	0.3	14	10		0.00								
<i>Quinetia urvillei</i>	11	9.24	RA d(ii)	RA	3	-	0.4	8	4		0.00								
<i>Radyera farragei</i>	9	9.78	RA d(ii)	RA	3	DD	0.0	8	2 needs fire/disturbance	6	6.52	RA d(ii)	RA	3	DD	0.0	6	2	needs fire/disturbance
<i>Ranunculus hamatosetosus</i>		0.00								9	4.15	LC	LC	1	0	0.3	6	2	
<i>Ranunculus lappaceus</i>		0.00									0.00								
<i>Ranunculus pentandrus</i> var. <i>platycarpus</i>		0.00								1	0.73	RA d(i,ii)	RA	3	0	0.3	1		limited habitat
<i>Ranunculus pumilio</i> var. <i>pumilio</i>		0.00								1	1.16	RA d(i,ii)	RA	3	DD	0.0	1	1	checked by Dean C.
<i>Ranunculus sessiliflorus</i> var. <i>pilulifer</i>		0.00									0.00								
<i>Ranunculus sessiliflorus</i> var. <i>sessiliflorus</i>	4	1.54	RA d(ii)	RA	3	-	0.4	4	1 woodland spp	5	1.93	RA d(ii)	RA	3	-	0.4	4		woodland spp
<i>Rhagodia candolleana</i> ssp. <i>argentea</i>		0.00									0.00								
<i>Rhagodia candolleana</i> ssp. <i>candolleana</i>	309	15.66	LC	LC	1	0	0.3	145	79		3	0.15	NT	NT	2	0	0.3	3	3
<i>Rhagodia crassifolia</i>	372	23.15	LC	LC	1	0	0.3	307	223		44	2.74	LC	LC	1	0	0.3	39	31
<i>Rhagodia drummondii</i>		0.00									0.00								
<i>Rhagodia eremaea</i>		0.00									0.00								
<i>Rhagodia parabolica</i>	37	2.44	LC	LC	1	0	0.3	35	26		82	5.41	LC	LC	1	+	0.2	70	50
<i>Rhagodia preissii</i> ssp. <i>preissii</i>	272	34.13	LC	LC	1	0	0.3	219	163		15	1.88	LC	LC	1	0	0.3	14	9
<i>Rhagodia spinescens</i>	40	1.71	LC	LC	1	0	0.3	39	17		58	2.48	LC	LC	1	0	0.3	45	32
<i>Rhagodia ulicina</i>	9	1.63	RA d(ii)	RA	3	-	0.4	9	8		72	13.04	LC	LC	1	0	0.3	63	39
<i>Rhodanthe charsleyae</i>		0.00									0.00								
<i>Rhodanthe chlorocephala</i> ssp. <i>rosea</i>		0.00									0.00								
<i>Rhodanthe citrina</i>		0.00									0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	Count	% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						Count	% Myall Plains		Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)					
Rhodanthe corymbiflora		0.00									12	3.02	LC	LC	1	0	0.3	12	5	
Rhodanthe floribunda	3	0.23	RA d(i,ii)	RA	3	-	0.4	3	2		3	0.23	RA d(i,ii)	RA	3	-	0.4	3	2	
Rhodanthe haigii	21	26.92	LC	LC	1	0	0.3	20	8											
Rhodanthe laevis	34	20.00	LC	LC	1	0	0.3	23	19		7	4.12	LC	LC	1	0	0.3	7	2	
Rhodanthe microglossa		0.00									10	1.72	LC	LC	1	0	0.3	10	2	southern limit
Rhodanthe moschata	27	3.11	LC	LC	1	0	0.3	20	9		24	2.76	LC	LC	1	0	0.3	18	5	
Rhodanthe oppositifolia ssp. oppositifolia		0.00									2	50.00	EN B2ab(iii,iv)	EN	5	--	0.5	1	1	rabbits a threat
Rhodanthe polygalifolia	38	9.67	LC	LC	1	0	0.3	29	15		33	8.40	LC	LC	1	0	0.3	26	7	
Rhodanthe pygmaea	55	4.16	LC	LC	1	0	0.3	44	28		19	1.44	LC	LC	1	0	0.3	15	8	
Rhodanthe stricta	1	0.13	RA d(i,ii)	RA	3	DD	0.0	1	1		17	2.28	LC	LC	1	0	0.3	15	3	
Rhodanthe stuartiana	27	13.17	LC	LC	1	0	0.3	22	8		10	4.88	RA d(ii)	RA	3	-	0.4	10	2	
Rhodanthe tietkensis		0.00																		
Rhodanthe troedelii		0.00																		
Rhodanthe uniflora		0.00																		
Rhyncharrhena linearis		0.00									5	1.95	RA d(i,ii)	RA	3	0	0.3	4	2	
Rostellularia adscendens var. pogonanthera		0.00																		
Rulingia crauophylla	9	64.29	VU B2ab(i,ii,iii)	VU	4	-	0.4	8	1											
Rulingia loxophylla		0.00																		
Rumex brownii	3	0.75	RA d(ii)	RA	3	0	0.3	3	2		5	1.25	RA d(ii)	RA	3	0	0.3	5	1	
Rumex crystallinus		0.00									3	2.38	RA d(ii)	RA	3	0	0.3	3	2	comes up after floods
Rumex dumosus		0.00									2	3.64	EN B2ab(i,ii,iii)	EN	5	--	0.5	1	1	grassland spp
Ruppia maritima		0.00									1	2.33	VU D2	VU	4	DD	0.0	1	1	occurs in saline areas
Ruppia megacarpa		0.00																		
Ruppia polycarpa		0.00																		
Ruppia tuberosa	2	1.61	NT	NT	2	0	0.3	1		esturine spp										
Rutidosis helichrysoides ssp. helichrysoides		0.00																		
Sagina maritima		0.00																		
Salsola tragus	155	3.73	LC	LC	1	0	0.3	95	48		29	0.70	LC	LC	1	0	0.3	22	9	
Samolus repens	67	7.37	LC	LC	1	0	0.3	43	15											
Santalum acuminatum	327	16.69	LC	LC	1	0	0.3	287	197		41	2.09	LC	LC	1	0	0.3	37	20	
Santalum lanceolatum		0.00																		
Santalum murrayanum	83	20.91	LC	LC	1	0	0.3	71	36		3	0.76	RA d(i,ii)	RA	3	0	0.3	3	1	northern limit
Santalum spicatum	6	1.94	EN D	EN	5	-	0.4	5	2	threats: rabbits, goats; little regeneration	40	12.94	VU C1+2a(i)	VU	4	-	0.4	27	13	threats: rabbits, goats; little regeneration
Sarcocornia blackiana	10	5.05	LC	LC	1	0	0.3	9	5											
Sarcocornia quinqueflora	31	4.84	LC	LC	1	0	0.3	19	8											
Sarcostemma viminale ssp. australe		0.00									4	1.97	RA d(ii)	RA	3	DD	0.0	4	2	
Sarcozona bicarinata	1	11.11	VU C2a(i)	VU	4	--	0.5	1												
Sarcozona praecox	36	16.82	LC	LC	1	0	0.3	27	21		5	2.34	NT	NT	2	0	0.3	4	1	limited habitat
Sauropus rigens		0.00																		
Sauropus trachyspermus		0.00																		
Scaevola aemula	30	12.05	LC	LC	1	0	0.3	21	5		3	1.20	RA d(ii)	RA	3	-	0.4	3		
Scaevola amblyanthera var. centralis		0.00																		
Scaevola angustata	2	2.00	RA d(ii)	RA	3	0	0.3	2	1											

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	Eyre Mallee Records	% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						Myall Plains Records	% Myall Plains		Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)					
Scaevola basedowii		0.00									0.00									
Scaevola bursariifolia	52	53.61	LC	LC	1	0	0.3	48	29		0.00									
Scaevola collaris		0.00									0.00									
Scaevola collina		0.00									0.00									
Scaevola crassifolia	40	10.44	LC	LC	1	0	0.3	34	14		0.00									
Scaevola depauperata	1	0.89	RA d(i,ii)	RA	3	DD	0.0	1	1		0.00									
Scaevola humilis	2	0.62	RA d(ii)	RA	3	0	0.3	2	1	16	4.98	LC	LC	1	0	0.3	12	6		
Scaevola linearis ssp. linearis	18	14.63	RA d(ii)	RA	3	0	0.3	9	2	3	2.44	RA d(i,ii)	RA	3	0	0.3	3	3		
Scaevola myrtifolia	24	57.14	VU B2ab(i,ii,iii)	VU	4	-	0.4	20	5		0.00									
Scaevola parvibarbata		0.00									0.00									
Scaevola spinescens	174	14.46	LC	LC	1	0	0.3	156	104	40	3.33	LC	LC	1	0	0.3	38	28		
Scambopus curvipes	2	5.71	RA d(i,ii)	RA	3	DD	0.0	2		13	37.14	RA d(ii)	RA	3	DD	0.0	8	1		
Schenkia australis	20	10.93	LC	LC	1	0	0.3	20	17		0.00									
Schoenia ayersii		0.00									0.00									
Schoenia cassiniana		0.00									0.00									
Schoenia ramosissima	1	0.61	RA d(i,ii)	RA	3	DD	0.0	1	1	15	9.09	NT	NT	2	-	0.4	14	2		
Schoenoplectus dissachanthus		0.00									0.00									
Schoenoplectus litoralis		0.00									0.00									
Schoenoplectus pungens		0.00									0.00									
Schoenoplectus validus		0.00									0.00									
Schoenus apogon		0.00									0.00									
Schoenus breviculmis	39	3.24	LC	LC	1	0	0.3	35	33		0.00									
Schoenus carsei		0.00									0.00									
Schoenus deformis	1	0.53	NT	NT	2	0	0.3	1	1		0.00									
Schoenus fluitans		0.00									0.00									
Schoenus laevigatus		0.00									0.00									
Schoenus nanus	12	6.32	NT	NT	2	0	0.3	9	6	6	3.16	NT	NT	2	0	0.3	4	3		
Schoenus nitens	1	0.36	RA d(ii)	RA	3	0	0.3	1	1		0.00									
Schoenus racemosus	123	54.19	LC	LC	1	0	0.3	91	76		0.00									
Schoenus sculptus	6	11.76	RA d(ii)	RA	3	-	0.4	5	4		0.00									
Schoenus subaphyllus	59	21.53	LC	LC	1	0	0.3	52	42	1	0.36	RA d(ii)	RA	3	0	0.3	1	1		
Scleranthus minusculus	6	20.69	RA d(i,ii)	RA	3	DD	0.0	4	4	2	6.90	RA d(i,ii)	RA	3	DD	0.0	2	2		
Scleranthus pungens	5	2.21	RA d(ii)	RA	3	0	0.3	3	3	3	1.33	RA d(ii)	RA	3	0	0.3	2	2	rock dweller	
Scleroblittum atriplicinum		0.00								2	3.39	VU B2ab(i,ii,iii)	VU	4	-	0.4	2	1		
Sclerolaena bicuspis		0.00								2	18.18	RA d(ii)	RA	3	DD	0.0	2	1		
Sclerolaena blackiana		0.00									0.00									
Sclerolaena brachyptera		0.00								9	0.91	NT	NT	2	0	0.3	7	1		
Sclerolaena brevifolia	53	36.05	LC	LC	1	0	0.3	43	24	10	6.80	LC	LC	1	0	0.3	7	6		
Sclerolaena clelandii		0.00									0.00									
Sclerolaena constricta		0.00									0.00									
Sclerolaena convexula		0.00									0.00									
Sclerolaena costata		0.00									0.00									
Sclerolaena cuneata		0.00								4	1.22	RA d(ii)	RA	3	DD	0.0	3	1		

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)	
	Eyre Mallee Records	% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						Myall Plains Records	% Myall Plains		Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)						
Sclerolaena decurrens		0.00									8	2.90	RA d(ii)	RA	3	0	0.3	4	3	southern limit	
Sclerolaena deserticola		0.00										0.00									
Sclerolaena diacantha	194	7.05	LC	LC	1	0	0.3	164	135		74	2.69	LC	LC	1	0	0.3	59	47		
Sclerolaena divaricata		0.00									8	0.88	LC	LC	1	0	0.3	5	2		
Sclerolaena eriacantha		0.00									6	2.10	NT	NT	2	0	0.3	4	1		
Sclerolaena fusiformis		0.00										0.00									
Sclerolaena holtiana		0.00									2	0.93	NT	NT	2	0	0.3	2	2	edge of range	
Sclerolaena intricata		0.00									4	0.46	RA d(i,ii)	RA	3	0	0.3	4	2	edge of range	
Sclerolaena johnsonii		0.00										0.00									
Sclerolaena lanicuspis		0.00									9	1.10	LC	LC	1	0	0.3	5	2		
Sclerolaena limbata		0.00										0.00									
Sclerolaena murrayae		0.00										0.00									
Sclerolaena obliquicuspis	105	4.17	LC	LC	1	0	0.3	96	75		93	3.70	LC	LC	1	0	0.3	80	46		
Sclerolaena paralleliscuspis		0.00										0.00									
Sclerolaena parviflora	82	18.43	LC	LC	1	0	0.3	69	53		10	2.25	LC	LC	1	0	0.3	9	7		
Sclerolaena patentiscuspis	18	1.74	LC	LC	1	0	0.3	17	10		26	2.51	LC	LC	1	0	0.3	20	7		
Sclerolaena symoniana		0.00										0.00									
Sclerolaena tatei		0.00										0.00									
Sclerolaena uniflora	282	29.62	LC	LC	1	0	0.3	144	80		11	1.16	LC	LC	1	0	0.3	9	4		
Sclerolaena ventricosa		0.00									10	1.43	LC	LC	1	0	0.3	6	2		
Sebaea albidiflora		0.00										0.00									
Sebaea ovata	9	2.41	RA d(ii)	RA	3	0	0.3	6	1		1	0.27	RA d(i,ii)	RA	3	0	0.3	1		woodland, rocky areas	
Selliera radicans		0.00										0.00									
Senecio dolichocephalus	2	3.92	NE	NE	-1			2		taxonomic issues		0.00									
Senecio gawlerensis	20	14.93	RA d(ii)	RA	3	-	0.4	10	5		14	10.45	RA d(ii)	RA	3	-	0.4	10			
Senecio glomeratus ssp. longifructus		0.00										0.00									
Senecio glossanthus	106	14.17	LC	LC	1	0	0.3	89	74	could be multiple species	34	4.55	LC	LC	1	0	0.3	28	10	could be multiple species	
Senecio gregorii		0.00									10	1.34	RA d(ii)	RA	3	DD	0.0	6	2	southern limit	
Senecio laceratus		0.00										0.00									
Senecio lacustrinus	1	0.91	NE	NE	-1			1		taxonomic issues, recently split spp, no survey records		0.00									
Senecio magnificus		0.00									4	0.49	RA d(i,ii)	RA	3	DD	0.0	2	1		
Senecio odoratus		0.00										0.00									
Senecio phelleus		0.00										0.00									
Senecio picridioides	2	0.44	RA d(i,ii)	RA	3	-	0.4	2				0.00									
Senecio pinnatifolius var. maritimus	5	4.46	LC	LC	1	0	0.3	5		lack of records		0.00									
Senecio quadridentatus	31	2.50	LC	LC	1	0	0.3	23	7		15	1.21	LC	LC	1	0	0.3	14	3		
Senecio runcinifolius		0.00										0.00									
Senecio serratifolius ssp. serratifolius	3	42.86	NE	NE	-1			3	1	taxonomic issues		0.00									
Senecio spanomerus	49	9.88	LC	LC	1	0	0.3	37	2		5	1.01	LC	LC	1	0	0.3	5			
Senna artemisioides ssp. alicia		0.00										0.00									
Senna artemisioides ssp. artemisioides	10	0.74	LC	LC	1	0	0.3	10	3		31	2.30	LC	LC	1	0	0.3	29	9		
Senna artemisioides ssp. coriacea	138	6.11	LC	LC	1	0	0.3	130	87		136	6.02	LC	LC	1	0	0.3	114	76		
Senna artemisioides ssp. filifolia	48	4.57	LC	LC	1	0	0.3	43	28		5	0.48	LC	LC	1	0	0.3	5	4		

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	% Eyre Mallee			Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						% Myall Plains			Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)					
Senna artemisioides ssp. helmsii		0.00									0.00									
Senna artemisioides ssp. oligophylla		0.00									0.00									
Senna artemisioides ssp. petiolaris	60	6.33	LC	LC	1	0	0.3	54	25		60	6.33	LC	LC	1	0	0.3	52	28	
Senna artemisioides ssp. quadrifolia	6	3.17	RA d(ii)	RA	3	DD	0.0	5	3		2	1.06	RA d(i,ii)	RA	3	DD	0.0	2	2	
Senna artemisioides ssp. sturtii	3	0.75	RA d(ii)	RA	3	0	0.3	3	3		1	0.25	RA d(i,ii)	RA	3	DD	0.0	1		
Senna artemisioides ssp. zygophylla		0.00																		
Senna cardiosperma ssp. cardiosperma		0.00									1	33.33	RA d(i,ii)	RA	3	DD	0.0	1		
Senna cardiosperma ssp. gawlerensis	13	3.40	LC	LC	1	0	0.3	10	8		69	18.06	LC	LC	1	0	0.3	57	32	
Senna cardiosperma ssp. microphylla		0.00																		
Senna phyllodinea		0.00																		
Senna pleurocarpa var. pleurocarpa	6	2.01	RA d(ii)	RA	3	0	0.3	6	3		11	3.68	LC	LC	1	0	0.3	9	3	
Setaria basioclada		0.00									3	3.33	RA d(ii)	RA	3	0	0.3	2		
Setaria clementii		0.00									3	3.16	RA d(ii)	RA	3	0	0.3	3	1	
Setaria constricta	1	0.20	RA d(ii)	RA	3	DD	0.0	1	1		15	2.94	LC	LC	1	0	0.3	14	6	
Setaria dielsii		0.00																		
Setaria jubiflora		0.00																		
Setaria reflexa		0.00																		
Sida ammophila		0.00									2	0.36	RA d(i,ii)	RA	3	0	0.3	2	2	southern limit
Sida calyxhymeria	3	1.65	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	3	1	highly localised	4	2.20	RA d(ii)	RA	3	-	0.4	4	1	
Sida corrugata var. angustifolia	4	2.82	RA d(ii)	RA	3	DD	0.0	3	3		1	0.70	RA d(ii)	RA	3	DD	0.0	1	1	
Sida fibulifera		0.00									10	0.71	LC	LC	1	0	0.3	6	5	southern limit
Sida filiformis		0.00																		
Sida intricata		0.00									18	3.20	LC	LC	1	0	0.3	15	7	
Sida petrophila	7	0.51	RA d(ii)	RA	3	0	0.3	7	4		48	3.49	LC	LC	1	0	0.3	41	12	
Sida phaeotricha	3	1.79	VU B2ab(i,ii,iii)	VU	4	--	0.5	2		restricted habitat, goats a threat	7	4.17	VU B2ab(i,ii,iii)	VU	4	-	0.4	5		restricted habitat, goats a threat
Sida sp. B (C.Dunlop 1739)		0.00																		
Sida sp. golden calyces (H.N.Foote 32)		0.00																		
Sida sp. L (A.M.Ashby 4202)		0.00																		
Sida sp. R (P.Copley 1390)		0.00																		
Sida sp. Rabbit Flat (R.B.Major 158)		0.00																		
Sida sp. Watarra (D.E.Albrecht 8672)		0.00																		
Sida spodochroma		0.00									4	2.56	RA d(ii)	RA	3	DD	0.0	4	1	
Sida trichopoda		0.00									9	2.26	LC	LC	1	0	0.3	6	4	
Sigesbeckia australiensis	2	0.81	RA d(i,ii)	RA	3	-	0.4	2	1		8	3.25	RA d(ii)	RA	3	-	0.4	8	3	
Siloxerus multiflorus	18	4.27	LC	LC	1	0	0.3	8	4		2	0.47	RA d(i,ii)	RA	3	DD	0.0	1	1	
Solanum aff. centrale		0.00																		
Solanum capsiciforme	34	36.96	LC	LC	1	0	0.3	28	5		1	1.09	RA d(i,ii)	RA	3	DD	0.0	1	1	lack of habitat
Solanum centrale		0.00																		
Solanum chenopodinum		0.00																		
Solanum cleistogamum		0.00									1	1.19	RA d(i,ii)	RA	3	DD	0.0	1	1	
Solanum coactiliferum	70	11.88	LC	LC	1	0	0.3	56	21		12	2.04	LC	LC	1	0	0.3	11	5	
Solanum ellipticum		0.00									19	1.40	LC	LC	1	0	0.3	14	9	
Solanum esuriale		0.00									1	0.27	RA d(i,ii)	RA	3	DD	0.0	1		

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	% Eyre Mallee			Proposed Regional IUCN Status (Eyre Mallee)							% Myall Plains									
Solanum ferocissimum		0.00																		
Solanum hystrix	30	35.71	LC	LC	1	+	0.2	27	4		2	2.38	LC	LC	1	+	0.2	2	2	
Solanum laciniatum		0.00																		
Solanum lacunarium		0.00																		
Solanum lasiophyllum	1	1.54						1	1	probable introduction										
Solanum orbiculatum ssp. orbiculatum		0.00																		
Solanum petrophilum	15	1.55	LC	LC	1	0	0.3	14	8		60	6.20	LC	LC	1	0	0.3	51	20	
Solanum quadriloculatum		0.00									5	1.69	NT	NT	2	0	0.3	5	3	
Solanum simile	16	5.00	LC	LC	1	0	0.3	15	6		3	0.94	RA d(ii)	RA	3	0	0.3	3	3	
Solanum sturtianum		0.00									2	0.32	LC	LC	1	0	0.3	2		
Solanum symonii	14	28.00	LC	LC	1	0	0.3	12	2											
Solenogyne dominii		0.00																		
Sonchus hydrophilus		0.00																		
Spartothamnella teucriiflora		0.00																		
Spergularia marina	1	0.98	NE	NE	-1			1	1	taxonomic issues	3	2.94	NE	NE	-1			3	3	taxonomic issues
Sphaerolobium minus		0.00																		
Spinifex hirsutus	11	29.73	LC	LC	1	0	0.3	8	1	dune stabiliser										
Sporobolus actinocladius		0.00									1	0.19	RA d(ii)	RA	3	0	0.3	1	1	southern edge
Sporobolus caroli		0.00																		
Sporobolus mitchellii		0.00																		
Sporobolus virginicus	23	5.31	LC	LC	1	0	0.3	18	3	tolerates salinity										
Spyridium bifidum var. bifidum	99	36.40	LC	LC	1	0	0.3	75	32		8	2.94	RA d(ii)	RA	3	-	0.4	8	3	
Spyridium bifidum var. Marble Range (W.R.Barker 7601)		0.00																		
Spyridium bifidum var. Wanilla (K.Clipstone 88)		0.00																		
Spyridium eriocephalum var. eriocephalum	17	6.80	LC	LC	1	0	0.3	13	10											
Spyridium erymnocladum	8	66.67	VU B2ab(i,ii,iii)	VU	4	-	0.4	7	3											
Spyridium leucopogon		0.00																		
Spyridium nitidum	5	2.73	RA d(i,ii)	RA	3	-	0.4	3	3	limited habitat										
Spyridium phycoides	122	15.33	LC	LC	1	0	0.3	94	51											
Spyridium spathulatum		0.00																		
Spyridium subochreatum	13	5.56	LC	LC	1	0	0.3	11		should be more records										
Spyridium tricolor	7	50.00	VU D2	VU	4	0	0.3	6	4											
Spyridium vexilliferum var. vexilliferum	11	3.55	LC	LC	1	0	0.3	8	6											
Stackhousia annua		0.00																		
Stackhousia aspericocca ssp. Cylindrical inflorescence (W.R.Barker 2172)	15	6.47	LC	LC	1	0	0.3	7	7	limestone species										
Stackhousia aspericocca ssp. One-sided inflorescence (W.R.Barker 3641)	13	6.88	LC	LC	1	0	0.3	10	9	lots of records not yet databased										
Stackhousia clementii		0.00																		
Stackhousia megaloptera		0.00																		
Stackhousia monogyna	28	3.37	LC	LC	1	0	0.3	19	10	name changed to S subterranea										
Stackhousia muricata ssp. Annual (W.R.Barker 2172)		0.00																		
Stackhousia muricata ssp. Perennial (W.R.Barker 3641)	15	78.95	NT	NT	2	DD	0.0	6	5	on granites										
Stackhousia spathulata		0.00																		
Stellaria filiformis	12	27.91	LC	LC	1	-	0.4	8	5		3	6.98	RA d(i,ii)	RA	3	DD	0.0	3	2	

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	Eyre Mallee Records	% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						Myall Plains Records	% Myall Plains		Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)					
Stemodia florulenta		0.00									3	0.50	RA d(ii)	RA	3	0	0.3	3	1	reservoir species
Stenanthemum leucophractum	91	12.12	LC	LC	1	0	0.3	74	48		8	1.07	RA d(ii)	RA	3	0	0.3	5	2	limited habitat
Stenanthemum notiale ssp. notiale	30	37.50	LC	LC	1	0	0.3	25	18			0.00								
Stenopetalum anfractum		0.00										0.00								
Stenopetalum lineare	37	6.79	LC	LC	1	0	0.3	32	18		17	3.12	LC	LC	1	0	0.3	15	11	
Stenopetalum nutans		0.00										0.00								
Stenopetalum saxatile	2	100.00	NE	NE	-1			1		taxonomic issues		0.00								
Stenopetalum sphaerocarpum	50	23.47	LC	LC	1	0	0.3	38	30		9	4.23	LC	LC	1	0	0.3	8	7	
Stenopetalum velutinum		0.00										0.00								
Streptoglossa adscendens		0.00									1	0.32	RA d(i,ii)	RA	3	DD	0.0	1	1	edge of range
Streptoglossa liatroides		0.00										0.00								
Stuartina hamata		0.00									2	7.41	RA d(i,ii)	RA	3	DD	0.0	2		
Stuartina muelleri	11	3.75	RA d(ii)	RA	3	0	0.3	10	5		2	0.68	RA d(i,ii)	RA	3	DD	0.0	1	1	
Stylidium calcaratum	3	1.81	RA d(i,ii)	RA	3	-	0.4	2	2			0.00								
Stylidium inundatum	1	0.85	RA d(i,ii)	RA	3	-	0.4	1		restricted habitat		0.00								
Stylidium perpusillum		0.00										0.00								
Stypandra glauca	52	100.00	EN B2ab(i,ii,iii); C2a(i)	EN	5	-	0.4	28	12			0.00								
Styphelia exarrhena		0.00										0.00								
Suaeda australis	19	3.50	LC	LC	1	0	0.3	12	4			0.00								
Swainsona acuticarinata	2	5.00	EN B2ab(i,ii,iii,iv)	EN	5	-	0.4	2				0.00								
Swainsona adenophylla		0.00									1	1.35	RA d(i,ii)	RA	3	DD	0.0	1	1	edge of range
Swainsona affinis		0.00										0.00								
Swainsona campestris		0.00										0.00								
Swainsona campylantha		0.00										0.00								
Swainsona canescens		0.00									2	2.00	RA d(ii)	RA	3	-	0.4	2	1	grazing
Swainsona colutoides		0.00									1	6.25	RA d(i,ii)	RA	3	-	0.4	1	1	grazing by sheep & goats
Swainsona dictyocarpa		0.00										0.00								
Swainsona disjuncta		0.00										0.00								
Swainsona eremaea		0.00										0.00								
Swainsona flavicarinata		0.00										0.00								
Swainsona formosa		0.00									7	3.38	RA d(ii)	RA	3	-	0.4	6	1	rainfall dependent
Swainsona kingii		0.00										0.00								
Swainsona lessertifolia	1	0.27	RA d(i,ii)	RA	3	DD	0.0	1	1			0.00								
Swainsona microcalyx		0.00									5	14.71	RA d(ii)	RA	3	-	0.4	4	1	grazed
Swainsona microphylla	17	10.24	LC	LC	1	0	0.3	17	4			0.00								
Swainsona oliveri		0.00									2	2.53	RA d(i,ii)	RA	3	DD	0.0	1		edge of range
Swainsona oroboides		0.00									1	0.92	RA d(i,ii)	RA	3	DD	0.0	1		
Swainsona phacoides		0.00									2	0.55	RA d(ii)	RA	3	DD	0.0	2	1	edge of range
Swainsona purpurea		0.00										0.00								
Swainsona pyrophila	26	59.09	VU B2ac(iv)	VU	4	-	0.4	19	10		5	11.36	VU B2ac(iv)	VU	4	-	0.4	5	3	
Swainsona stipularis		0.00									11	3.93	RA d(ii)	RA	3	-	0.4	7	1	
Swainsona tenuis		0.00										0.00								
Swainsona unifoliolata		0.00										0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	% Eyre Mallee			Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						% Myall Plains			Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)					
Swainsona villosa		0.00																		
Synaptantha tillaeacea var. hispidula		0.00																		
Synaptantha tillaeacea var. tillaeacea		0.00																		
Tecticornia arbuscula	22	8.37	LC	LC	1	0	0.3	21	20											
Tecticornia disarticulata	8	7.27	RA d(ii)	RA	3	0	0.3	8	8		6	5.45	LC	LC	1	0	0.3	6	6	
Tecticornia flabelliformis	19	25.68	VU B2ab(i,ii,iii)	VU	4	-	0.4	7	7											
Tecticornia halocnemoides ssp. halocnemoides	121	35.07	LC	LC	1	0	0.3	52	17		1	0.29	RA d(i,ii)	RA	3	0	0.3	1	1	
Tecticornia halocnemoides ssp. longispicata		0.00																		
Tecticornia indica ssp. bidens		0.00																		
Tecticornia indica ssp. leiostachya	15	5.58	LC	LC	1	0	0.3	15	15		9	3.35	LC	LC	1	0	0.3	7	7	
Tecticornia lepidosperma		0.00																		
Tecticornia lylei	1	14.29	RA d(ii)	RA	3	0	0.3	1	1	should be more records, occurs in more regions	1	14.29	RA d(ii)	RA	3	0	0.3	1	1	should be more records, occurs in more regions
Tecticornia medullosa		0.00																		
Tecticornia moniliformis	1	100.00	RA d(ii)	RA	3	0	0.3	1	1	highly localised										
Tecticornia pergranulata ssp. pergranulata	11	5.73	LC	LC	1	0	0.3	11	10		2	1.04	LC	LC	1	0	0.3	2	2	
Tecticornia pruinosa	2	14.29	LC	LC	1	0	0.3	2	2											
Tecticornia pterygosperma ssp. pterygosperma	2	8.00	NE	NE	-1			2	2	taxonomic issues										
Tecticornia tenuis	4	2.58	RA d(ii)	RA	3	0	0.3	4	4											
Tecticornia triandra		0.00																		
Templetonia battii	24	68.57	RA d(ii)	RA	3	0	0.3	20	8	endemic, restricted to roadsides, specific habitat										
Templetonia egena	7	1.73	RA d(ii)	RA	3	-	0.4	7	3		23	5.68	LC	LC	1	-	0.4	20	9	
Templetonia retusa	154	20.00	LC	LC	1	0	0.3	120	68											
Templetonia sulcata	51	41.13	LC	LC	1	0	0.3	35	19											
Tetragonia eremaea	7	0.63	NT	NT	2	0	0.3	6	4	southern limit	37	3.34	LC	LC	1	0	0.3	28	15	
Tetragonia implexicoma	339	17.86	LC	LC	1	0	0.3	207	142		6	0.32	NT	NT	2	0	0.3	5	5	limited habitat
Tetragonia moorei		0.00																		
Tetragonia tetragonioides		0.00																		
Tetralia capillaris		0.00																		
Teucrium corymbosum		0.00									2	1.85	RA d(i,ii)	RA	3	DD	0.0	2	1	
Teucrium grandiusculum ssp. pilosum		0.00																		
Teucrium racemosum	1	0.13	RA d(ii,iii)	RA	3	-	0.4	1			7	0.88	LC	LC	1	0	0.3	5	1	
Teucrium sessiliflorum	93	22.85	LC	LC	1	0	0.3	78	38		16	3.93	LC	LC	1	0	0.3	15	9	
Thelymitra alcockii			RA d(ii)	RA	3	0	0.3			no records, coastal limestone species										
Thelymitra antennifera	10	1.85	RA d(ii)	RA	3	-	0.4	9	1											
Thelymitra azurea	15	21.74	VU B2ab(i,ii,iii)	VU	4	--	0.5	9	1											
Thelymitra benthamiana		0.00																		
Thelymitra carnea	1	4.55	EN D	EN	5	-	0.4	1	1											
Thelymitra epipactoides	1	0.71	CR C2a(i)	CR	6	--	0.5	1												
Thelymitra flexuosa		0.00																		
Thelymitra juncifolia		0.00																		
Thelymitra luteociliatum	14	5.47	RA d(ii)	RA	3	-	0.4	12	5											
Thelymitra megalyptra	7	6.14	LC	LC	1	0	0.3	5	2											
Thelymitra occidentalis																				

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	Eyre Mallee Records	% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						Myall Plains Records	% Myall Plains		Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)					
Thelymitra parviflora																				
Thelymitra pauciflora	2	1.63	RA d(ii)	RA	3	DD	0.0	2	2		0.00									
Thelymitra rubra		0.00									0.00									
Themeda triandra	4	0.29	RA d(ii)	RA	3	DD	0.0	3			2	0.15	RA d(ii)	RA	3	DD	0.0	2	1	
Thomasia petalocalyx		0.00									0.00									
Threlkeldia diffusa	486	23.89	LC	LC	1	0	0.3	261	165		8	0.39	LC	LC	1	0	0.3	5	5	
Thryptomene biseriata		0.00									0.00									
Thryptomene elliotii		0.00									0.00									
Thryptomene ericaea		0.00									0.00									
Thryptomene longifolia		0.00									0.00									
Thryptomene micrantha	257	45.65	LC	LC	1	0	0.3	186	106		11	1.95	LC	LC	1	0	0.3	9	4	edge of range
Thyridolepis mitchelliana		0.00									0.00									
Thyridolepis multiculmis		0.00									0.00									
Thyridolepis xerophila		0.00									0.00									
Thysanotus baueri	148	17.94	LC	LC	1	0	0.3	122	108		24	2.91	LC	LC	1	0	0.3	19	7	
Thysanotus exiliflorus	1	4.00	RA d(ii)	RA	3	0	0.3	1	1		0.00									
Thysanotus nudicaulis		0.00									0.00									
Thysanotus patersonii	219	8.23	LC	LC	1	0	0.3	177	155		16	0.60	LC	LC	1	0	0.3	12	8	
Thysanotus wangariensis	8	28.57	RA d(ii)	RA	3	DD	0.0	6	2	endemic to EP	0.00									
Trachymene ceratocarpa	1	4.35	RA d(ii)	RA	3	DD	0.0	1	1	edge of range	0.00									
Trachymene cyanopetala	110	38.06	LC	LC	1	0	0.3	85	63		3	1.04	NT	NT	2	DD	0.0	3	3	
Trachymene glaucifolia		0.00									0.00									
Trachymene ornata	1	6.67	LC	LC	1	DD	0.0	1	1	should be more records	2	13.33	LC	LC	1	DD	0.0	2	2	should be more records
Trachymene pilosa	143	23.40	LC	LC	1	0	0.3	105	86		2	0.33	RA d(ii)	RA	3	0	0.3	2		
Tragus australianus	1	0.28	LC	LC	1	0	0.3	1			8	2.26	LC	LC	1	+	0.2	6	5	
Trianthema triquetra		0.00									0.00									
Tribulus eichlerianus		0.00									1	0.36	RA d(ii)	RA	3	0	0.3	1	1	records not databased, could be crossing with other Tri
Tribulus minutus		0.00									2	10.00	NE	NE	-1			2	2	taxonomic issues, could be introduced, should be more
Trichanthodium skirrophorum	86	13.52	LC	LC	1	0	0.3	73	42		16	2.52	LC	LC	1	0	0.3	13	8	
Trichodesma zeylanicum		0.00									0.00									
Tricoryne elatior	12	2.16	RA d(ii)	RA	3	0	0.3	11	8		0.00									
Tricoryne tenella	98	22.84	LC	LC	1	0	0.3	77	66		0.00									
Triglochin hexagona		0.00									0.00									
Triglochin isingiana	22	16.79	LC	LC	1	0	0.3	18	7		6	4.58	LC	LC	1	0	0.3	6	3	
Triglochin longicarpa	1	25.00	DD	DD	0	DD	0.0	1		new species	0.00									
Triglochin minutissima		0.00									0.00									
Triglochin mucronata	4	7.84	LC	LC	1	0	0.3	4	1	records not databased	0.00									
Triglochin nana		0.00									0.00									
Triglochin nanum/sp. C (J.Z.Weber 6793)	7	70.00	DD	DD	0	DD	0.0	7	7	records not databased	0.00									
Triglochin sp. A (N.N.Donner 3596)		0.00									0.00									
Triglochin striata		0.00									0.00									
Triglochin trichophora		0.00									0.00									
Trigonella suavissima		0.00									2	0.72	RA d(ii)	RA	3	0	0.3	2	1	southern limit

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	Count	% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						Count	% Myall Plains		Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)					
Triodia basedowii		0.00									0.00									
Triodia bunicola	19	11.88	NT	NT	2	-	0.4	11	10	limited habitat	0.00									
Triodia compacta	19	15.32	LC	LC	1	0	0.3	14	14		1	0.81	RA d(ii)	RA	3	DD	0.0	1	1	
Triodia helmsii		0.00									0.00									
Triodia irritans	287	28.00	LC	LC	1	0	0.3	213	173		27	2.63	LC	LC	1	0	0.3	21	18	
Triodia lanata	134	59.82	LC	LC	1	0	0.3	89	76		5	2.23	LC	LC	1	0	0.3	3	1	
Triodia melvillei		0.00									0.00									
Triodia scariosa	46	8.01	LC	LC	1	0	0.3	35	31		6	1.05	LC	LC	1	0	0.3	5	5	
Tripogon loliiformis		0.00									4	0.58	LC	LC	1	0	0.3	4	3	ephemeral, DD for collections
Triptilodiscus pygmaeus	6	1.65	LC	LC	1	0	0.3	6	4		2	0.55	RA d(i,ii)	RA	3	DD	0.0	2	1	
Triraphis mollis		0.00									4	0.60	RA d(ii)	RA	3	0	0.3	4	2	sthn edge of limit
Trithuria submersa		0.00									0.00									
Trymalium wayi		0.00									1	0.66	RA d(i,ii)	RA	3	DD	0.0	1		
Typha domingensis		0.00									0.00									
Typha orientalis		0.00									0.00									
Utricularia tenella		0.00									0.00									
Velleia arguta	35	8.73	LC	LC	1	0	0.3	29	23		11	2.74	LC	LC	1	0	0.3	10	5	
Velleia connata	30	30.93	LC	LC	1	0	0.3	26	9		1	1.03	RA d(i,ii)	RA	3	DD	0.0	1	1	
Velleia cynopotamica	12	52.17	VU B2ab(i,ii,iii)	VU	4	-	0.4	2		highly localised	1	4.35	VU B2ab(i,ii,iii)	VU	4	-	0.4	1		highly localised
Velleia glabrata		0.00									0.00									
Veronica hillebrandii	6	2.13	RA d(i,ii)	RA	3	0	0.3	4	1	localised, limestone species	0.00									
Veronica parnkalliana		0.00									0.00									
Vittadinia australasica var. australasica	56	10.45	LC	LC	1	0	0.3	40	23		7	1.31	RA d(ii)	RA	3	DD	0.0	6	4	
Vittadinia blackii	5	1.76	VU B2ab(i,ii,iii)	VU	4	-	0.4	5	2	grassland species	0.00									
Vittadinia cervicularis var. cervicularis	38	6.56	LC	LC	1	0	0.3	29	20		18	3.11	LC	LC	1	0	0.3	14	9	
Vittadinia condyloides	1	3.33	RA d(i,ii)	RA	3	DD	0.0	1		Could be undercollected	1	3.33	RA d(i,ii)	RA	3	DD	0.0	1		Could be undercollected
Vittadinia cuneata var. cuneata forma cuneata	12	1.60	LC	LC	1	0	0.3	12	10	difficult to ID in field	6	0.80	RA d(ii)	RA	3	DD	0.0	6	5	
Vittadinia dissecta var. hirta	65	12.22	LC	LC	1	0	0.3	56	29		11	2.07	RA d(ii)	RA	3	0	0.3	10	7	
Vittadinia eremaea	2	0.51	RA d(i,ii)	RA	3	DD	0.0	1	1		1	0.26	RA d(i,ii)	RA	3	DD	0.0	1	1	
Vittadinia gracilis	44	3.62	LC	LC	1	0	0.3	32	18		25	2.06	LC	LC	1	0	0.3	19	12	
Vittadinia megacephala	35	7.78	LC	LC	1	0	0.3	25	19		0.00									
Vittadinia nullarborensis		0.00									0.00									
Vittadinia pterochaeta		0.00									0.00									
Vittadinia pustulata		0.00									0.00									
Vittadinia sulcata		0.00									0.00									
Wahlenbergia aridicola		0.00									0.00									
Wahlenbergia communis	19	2.99	LC	LC	1	0	0.3	14	9		20	3.14	LC	LC	1	0	0.3	18	11	
Wahlenbergia gracilentia	84	7.49	LC	LC	1	0	0.3	58	33		27	2.41	LC	LC	1	0	0.3	23	14	
Wahlenbergia littoricola		0.00									0.00									
Wahlenbergia luteola	8	0.95	LC	LC	1	-	0.4	7	6		3	0.36	RA d(i,ii)	RA	3	-	0.4	3		sthn record wrongly mapped
Wahlenbergia preissii	17	34.00	LC	LC	1	0	0.3	13	8		2	4.00	RA d(ii)	RA	3	0	0.3	2	2	
Wahlenbergia queenslandica		0.00									0.00									
Wahlenbergia stricta ssp. stricta	19	1.56	NT	NT	2	0	0.3	15	11		4	0.33	RA d(ii)	RA	3	0	0.3	2	2	

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, 0, +, ++) Eyre Mallee	Trends (-, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, 0, +, ++) Myall Plains	Trends (-, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	Eyre Mallee Records	% Eyre Mallee		Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						Myall Plains Records	% Myall Plains		Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)					
Wahlenbergia tumidiflora	5	1.18	RA d(ii)	RA	3	0	0.3	5	5		5	1.18	RA d(ii)	RA	3	0	0.3	5	2	
Waitzia acuminata var. acuminata	39	10.37	LC	LC	1	0	0.3	36	17		5	1.33	RA d(ii)	RA	3	-	0.4	5	3	
Westringia dampieri	123	50.41	LC	LC	1	0	0.3	59	20			0.00								
Westringia eremicola	41	12.97	NT	NT	2	-	0.4	28	11			0.00								
Westringia rigida	385	23.05	LC	LC	1	0	0.3	344	223		56	3.35	LC	LC	1	0	0.3	48	30	
Wilsonia backhousei	6	3.92	RA d(ii)	RA	3	0	0.3	4	2	limited habitat		0.00								
Wilsonia humilis	12	5.36	LC	LC	1	0	0.3	11	7			0.00								
Wilsonia rotundifolia		0.00										0.00								
Wurmbea centralis ssp. australis		0.00										0.00								
Wurmbea citrina		0.00										0.00								
Wurmbea decumbens	19	43.18	RA d(ii)	RA	3	0	0.3	12	11		2	4.55	RA d(ii)	RA	3	0	0.3	1	1	
Wurmbea dioica ssp. brevifolia	26	14.05	LC	LC	1	0	0.3	25	16		3	1.62	LC	LC	1	0	0.3	3	1	
Wurmbea dioica ssp. dioica	7	2.43	LC	LC	1	0	0.3	7	7		3	1.04	LC	LC	1	0	0.3	3	3	
Wurmbea latifolia ssp. vanessae		0.00										0.00								
Wurmbea sinora	1	20.00	EN B2ab(i,ii,iii)	EN	5	-	0.4	1		grazed		0.00								
Wurmbea stellata		0.00									3	20.00	RA d(i,ii)	RA	3	-	0.4	3	3	climate change a threat
Xanthorrhoea semiplana ssp. semiplana		0.00										0.00								
Xanthorrhoea semiplana ssp. tateana		0.00										0.00								
Xanthosia huegelii		0.00										0.00								
Xanthosia leiophylla		0.00										0.00								
Xerochrysum bracteatum	3	1.47	RA d(ii)	RA	3	-	0.4	3	1			0.00								
Zaleya galericulata ssp. australis		0.00										0.00								
Zostera muelleri ssp. mucronata		0.00										0.00								
Zostera tasmanica	ymic iss	0.00	DD	DD	0	DD	0.0			Needs intertidal mudflats, could be widespread. Taxonomic iss		0.00	DD	DD	0	DD	0.0			Needs intertidal mudflats, could be widespread. Taxon
Zoysia macrantha ssp. walshii		0.00										0.00								
Zygochloa paradoxa		0.00										0.00								
Zygophyllum ammophilum	10	4.13	LC	LC	1	0	0.3	10	9		8	3.31	LC	LC	1	0	0.3	8	3	
Zygophyllum angustifolium	53	18.47	LC	LC	1	0	0.3	43	33		27	9.41	LC	LC	1	0	0.3	22	13	
Zygophyllum apiculatum	113	7.83	LC	LC	1	0	0.3	99	57		58	4.02	LC	LC	1	0	0.3	47	25	
Zygophyllum aurantiacum ssp. aurantiacum	82	12.75	LC	LC	1	0	0.3	74	46		34	5.29	LC	LC	1	0	0.3	32	16	
Zygophyllum aurantiacum ssp. cuneatum		0.00										0.00								
Zygophyllum aurantiacum ssp. simplicifolium	15	27.27	LC	LC	1	0	0.3	11	5			0.00								
Zygophyllum billardierei	33	9.91	LC	LC	1	0	0.3	31	14		1	0.30	RA d(ii)	RA	3	0	0.3	1	1	
Zygophyllum compressum	2	2.04	RA d(ii,iii)	RA	3	0	0.3	2	1	gypsious habitat	2	2.04	RA d(i,ii)	RA	3	0	0.3	2	1	gypsious habitat
Zygophyllum confluens		0.00									30	9.40	LC	LC	1	0	0.3	21	11	
Zygophyllum crenatum	1	0.24	RA d(i,ii)	RA	3	DD	0.0	1			9	2.16	LC	LC	1	0	0.3	8	1	
Zygophyllum emarginatum		0.00										0.00								
Zygophyllum eremaeum	3	0.76	RA d(ii)	RA	3	0	0.3	3	2		28	7.11	LC	LC	1	0	0.3	25	11	
Zygophyllum flavum	3	8.33	NT	NT	2	0	0.3	2	1	comes up after fire		0.00								
Zygophyllum glaucum	119	24.69	LC	LC	1	0	0.3	109	64		14	2.90	LC	LC	1	0	0.3	14	10	
Zygophyllum halophilum		0.00										0.00								
Zygophyllum howittii		0.00										0.00								
Zygophyllum humilimum		0.00										0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre Mallee Records		Proposed IUCN Status & Criteria (Mallee)	Proposed Regional IUCN Status (Eyre Mallee)		Trends (-, -, 0, +, ++) Eyre Mallee	Trends (-, -, 0, +, ++) Eyre Mallee	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre Mallee)	Myall Plains Records		Proposed IUCN Status & Criteria (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)		Trends (-, -, 0, +, ++) Myall Plains	Trends (-, -, 0, +, ++) Myall Plains	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Myall Plains)
	% Eyre Mallee			Proposed Regional IUCN Status (Eyre Mallee)	Proposed Regional IUCN Status (Eyre Mallee)						% Myall Plains			Proposed Regional IUCN Status (Myall Plains)	Proposed Regional IUCN Status (Myall Plains)					
Zygophyllum iodocarpum		0.00									12	4.05	LC	LC	1	0	0.3	9	5	
Zygophyllum kochii		0.00										0.00								
Zygophyllum marlesiae		0.00										0.00								
Zygophyllum ovatum	160	19.56	LC	LC	1	0	0.3	147	115		53	6.48	LC	LC	1	0	0.3	48	32	
Zygophyllum prismatothecum		0.00									1	0.53	RA d(ii)	RA	3	DD	0.0	1		southern limit
Zygophyllum reticulatum		0.00										0.00								
Zygophyllum simile	31	7.51	LC	LC	1	0	0.3	29	25	split from Z amophilum	2	0.48	NT	NT	2	0	0.3	2		split from Z amophilum

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records								Gawler Lakes Records											
	Records	%	Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Records	%	Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
Abutilon cryptopetalum ssp. cryptopetalum	2	9.09	RA d(ii,ii)	RA	3	DD	0.0	2			2	9.09	RA d(ii)	RA	3	DD	0.0	2	2	
Abutilon fraseri ssp. diplotrichum	6	8.45	RA d(ii)	RA	3	0	0.3	5	1		5	7.04	RA d(ii)	RA	3	0	0.3	5	5	
Abutilon fraseri ssp. fraseri	2	2.99	RA d(ii)	RA	3	DD	0.0	2			1	1.49	RA d(ii)	RA	3	DD	0.0	1	1	
Abutilon halophilum	2	0.38	RA d(ii)	RA	3	DD	0.0	2		edge of range	1	0.19	RA d(ii)	RA	3	DD	0.0	1		edge of range
Abutilon leucopetalum	8	1.02	RA d(ii)	RA	3	DD	0.0	8	2	edge of range	2	0.26	RA d(ii)	RA	3	DD	0.0	2		edge of range
Abutilon macrum		0.00										0.00								
Abutilon malvaefolium		0.00										0.00								
Abutilon otocarpum	8	1.79	LC	LC	1	0	0.3	6	4		7	1.57	LC	LC	1	0	0.3	7	6	
Acacia acanthoclada ssp. acanthoclada		0.00										0.00								
Acacia acinacea		0.00										0.00								
Acacia alcockii		0.00										0.00								
Acacia anceps		0.00										0.00								
Acacia ancistrophylla var. lissophylla	6	2.03	DD	DD	0	DD	0.0	4	1	suspect common, undercollected		0.00								
Acacia aneura	8	2.21	LC	LC	1	0	0.3	8			17	4.70	LC	LC	1	0	0.3	15	2	
Acacia aneura var. aneura	14	4.11	LC	LC	1	0	0.3	13			7	2.05	LC	LC	1	0	0.3	7	5	
Acacia aneura var. conifera		0.00										0.00								
Acacia aneura var. intermedia		0.00									4	3.08	LC	LC	1	0	0.3	4	4	
Acacia aneura var. major	1	2.94	RA d(ii)	RA	3	DD	0.0	1				0.00								
Acacia aneura var. microcarpa		0.00										0.00								
Acacia aneura var. tenuis	2	9.09	LC	LC	1	0	0.3	2				0.00								
Acacia ayersiana		0.00										0.00								
Acacia beckleri Tindale ssp. beckleri			LC	LC	1	0	0.3			not well protected in reserves, used to be A beckleri			RA d(ii)	RA	3	0	0.3			not well protected in reserves, used to be A beckleri
Acacia brachybotrya		0.00										0.00								
Acacia brachystachya	5	4.39	RA d(ii)	RA	3	DD	0.0	5			4	3.51	RA d(ii)	RA	3	DD	0.0	4	2	
Acacia burkittii	72	14.29	LC	LC	1	0	0.3	55	4		39	7.74	LC	LC	1	0	0.3	30	13	
Acacia calamifolia		0.00									4	1.18	RA d(ii,ii)	RA	3	DD	0.0	3		1 record cultivated
Acacia calcicola		0.00										0.00								
Acacia clelandii	4	16.00	LC	LC	1	0	0.3	4			1	4.00	LC	LC	1	0	0.3	1		
Acacia colletoides	2	0.71	LC	LC	1	DD	0.0	2	1		4	1.42	LC	LC	1	DD	0.0	4	2	
Acacia continua	88	10.77	LC	LC	1	0	0.3	80	20			0.00								
Acacia cretacea		0.00										0.00								
Acacia cupularis		0.00										0.00								
Acacia cyclops		0.00										0.00								
Acacia dodonaefolia		0.00										0.00								
Acacia enterocarpa		0.00										0.00								
Acacia erinacea		0.00										0.00								
Acacia euthycarpa	55	8.62	LC	LC	1	0	0.3	38	6	taxo issues - could be 3-4 taxa		0.00								
Acacia farinosa		0.00										0.00								
Acacia gilesiana		0.00										0.00								
Acacia gillii		0.00										0.00								
Acacia hakeoides	2	0.31	RA d(ii)	RA	3	DD	0.0	2		short lived, likes fire, prolific seeder	1	0.15	RA d(ii)	RA	3	DD	0.0	1		short lived, likes fire, prolific seeder
Acacia halliana	7	3.40	LC	LC	1	0	0.3	6	2			0.00								
Acacia havilandiorum	4	3.01	RA d(ii)	RA	3	DD	0.0	4		probably undercollected		0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records		Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Gawler Lakes Records		Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
	% Gawler Volcanics	% Gawler Lakes																		
Acacia helmsiana		0.00										0.00								
Acacia hemiteles		0.00										0.00								
Acacia hexaneura		0.00										0.00								
Acacia imbricata		0.00										0.00								
Acacia iteaphylla	46	27.88	LC	LC	1	0	0.3	30	6	goats		0.00								
Acacia jennerae		0.00										0.00								
Acacia kempeana	9	2.40	LC	LC	1	0	0.3	8	1			0.00								
Acacia leiophylla		0.00										0.00								
Acacia ligulata	48	1.74	LC	LC	1	0	0.3	40	9		38	1.37	LC	LC	1	0	0.3	35	10	
Acacia lineata		0.00										0.00								
Acacia longifolia ssp. sophorae		0.00										0.00								
Acacia maitlandii		0.00										0.00								
Acacia melleodora		0.00										0.00								
Acacia merrallii	2	0.61	RA d(i,ii)	RA	3	0	0.3	2				0.00								
Acacia microcarpa	5	1.37	RA d(i,ii)	RA	3	0	0.3	3	1			0.00								
Acacia minyura		0.00										0.00								
Acacia montana		0.00										0.00								
Acacia murrayana		0.00										0.00								
Acacia mutabilis ssp. angustifolia		0.00										0.00								
Acacia myrtifolia		0.00										0.00								
Acacia nematophylla		0.00										0.00								
Acacia notabilis	40	6.98	LC	LC	1	0	0.3	38	10		1	0.17	RA d(i,ii)	RA	3	0	0.3	1		
Acacia nyssophylla	15	1.91	LC	LC	1	0	0.3	13	1			0.00								
Acacia oswaldii	71	3.71	LC	LC	1	0	0.3	57	5		18	0.94	LC	LC	1	0	0.3	15	6	
Acacia pachyacra		0.00										0.00								
Acacia papyrocarpa	103	13.94	NT	NT	2	-	0.4	84	7	rare recruitment events, white fly a problem	58	7.85	NT	NT	2	-	0.4	39	12	rare recruitment events, white fly a problem
Acacia paradoxa		0.00										0.00								
Acacia pinguiifolia		0.00										0.00								
Acacia praemorsa		0.00										0.00								
Acacia prainii		0.00										0.00								
Acacia pycnantha		0.00										0.00								
Acacia ramulosa var. linophylla	11	5.37	LC	LC	1	0	0.3	11	4		2	0.05	RA d(i,ii)	RA	3	0	0.3	2		
Acacia ramulosa var. ramulosa	1	1.23	RA d(i,ii)	RA	3	0	0.3	1			14	6.83	LC	LC	1	0	0.3	11	5	
Acacia rhotinocarpa		0.00									3	3.70	RA d(i,ii)	RA	3	0	0.3	3		
Acacia rhigiophylla		0.00										0.00								
Acacia rhodophloia		0.00										0.00								
Acacia rigens	61	6.43	LC	LC	1	0	0.3	51	11	salt tolerant	1	0.11	LC	LC	1	0	0.3	1		salt tolerant
Acacia rupicola	5	0.77	RA d(i,ii)	RA	3	0	0.3	4	1			0.00								
Acacia salicina		0.00									1	0.19	RA d(ii)	RA	3	0	0.3	1		
Acacia sclerophylla var. sclerophylla	4	0.59	LC	LC	1	0	0.3	4	2		1	0.15	RA d(i,ii)	RA	3	0	0.3	1		
Acacia sibirica	2	0.92	RA d(ii)	RA	3	0	0.3	2			3	1.38	RA d(ii)	RA	3	0	0.3	2		
Acacia sp. Winged (C.R.Alcock 4936)		0.00										0.00								
Acacia spinescens	4	0.19	RA d(ii)	RA	3	0	0.3	3				0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records		Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Gawler Lakes Records		Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
	Gawler Volcanics Records	% Gawler Volcanics									Gawler Lakes Records	% Gawler Lakes								
Acacia spooneri		0.00									10	50.00	VU D2	VU	4	0	0.3	6		
Acacia stenophylla		0.00										0.00								
Acacia tarculensis	118	72.84	LC	LC	1	0	0.3	92	14		5	3.09	RA d(ii)	RA	3	0	0.3	5	1	
Acacia tetragonophylla	78	4.06	LC	LC	1	0	0.3	62	3		3	0.16	LC	LC	1	0	0.3	3		
Acacia toondulya	12	100.00	VU C2a(i)	VU	4	-	0.4	8	4	goats a threat		0.00								
Acacia triquetra		0.00										0.00								
Acacia victoriae ssp. victoriae	3	0.21	RA d(ii)	RA	3	0	0.3	3			15	1.06	LC	LC	1	0	0.3	13	2	
Acacia whibleyana		0.00										0.00								
Acacia wilhelmiana	3	0.67	RA d(ii)	RA	3	0	0.3	1			3	0.67	RA d(ii)	RA	3	0	0.3	3	2	
Acaena echinata		0.00										0.00								
Acaena novae-zelandiae		0.00										0.00								
Acianthus caudatus		0.00										0.00								
Acianthus pusillus	2	0.36	VU D2	VU	4	-	0.4	1	1	occurs on sand		0.00								
Acrotiche affinis		0.00										0.00								
Acrotiche cordata		0.00										0.00								
Acrotiche patula		0.00										0.00								
Actinobole uliginosum	84	6.84	LC	LC	1	0	0.3	65	3		7	0.57	RA d(ii)	RA	3	-	0.4	7	2	
Actites megalocarpa		0.00										0.00								
Adenanthos terminalis		0.00										0.00								
Adiantum aethiopicum		0.00										0.00								
Adriana quadripartita	12	4.11	RA d(ii)	RA	3	0	0.3	9				0.00								
Adriana urticoides var. hookeri	2	2.35	RA d(ii)	RA	3	DD	0.0	2				0.00								
Ajuga australis forma A (A.G.Spooner 9058)		0.00										0.00								
Alectryon oleifolius ssp. canescens	86	4.52	LC	LC	1	0	0.3	70	9		27	1.42	LC	LC	1	0	0.3	24	16	
Allocauarina helmsii	6	6.74	VU B2ab(i,ii,iii)	VU	4	-	0.4	4				0.00								
Allocauarina muelleriana ssp. muelleriana	9	0.46	LC	LC	1	0	0.3	8	1			0.00								
Allocauarina pusilla		0.00										0.00								
Allocauarina verticillata	11	0.39	LC	LC	1	0	0.3	6	2			0.00								
Alternanthera denticulata		0.00									4	1.35	RA d(i,ii)	RA	3	+	0.2	4	4	
Alternanthera nodiflora		0.00										0.00								
Aluta maisonneuvei ssp. auriculata		0.00										0.00								
Aluta maisonneuvei ssp. maisonneuvei		0.00										0.00								
Alyogyne hakeifolia	20	26.32	LC	LC	1	0	0.3	17	2			0.00								
Alyogyne huegelii	14	5.53	NT	NT	2	0	0.3	11	1			0.00								
Alyogyne pinoniana var. microandra		0.00										0.00								
Alyogyne pinoniana var. pinoniana		0.00										0.00								
Alyxia buxifolia	19	1.93	LC	LC	1	0	0.3	17	6		1	0.10	RA d(i,ii)	RA	3	0	0.3	1	limited habitat	
Amaranthus cuspidifolius		0.00									1	6.25	RA d(i,ii)	RA	3	DD	0.0	1	1	
Amaranthus grandiflorus		0.00									4	4.35	LC	LC	1	0	0.3	4	2	
Amaranthus mitchellii	1	1.15	RA d(i,ii)	RA	3	0	0.3	1	1	could be undercollected		0.00								
Ammannia multiflora		0.00									1	1.10	RA d(i,ii)	RA	3	DD	0.0	1	southern limit, undercollected	
Amphibolis antarctica		0.00									1	0.28	LC	LC	1	0	0.3	1	Occurs in sheltered bays	
Amphibromus macrorhynchus		0.00										0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records								Comments (Gawler Volcanics)	Gawler Lakes Records										
		% Gawler Volcanics	Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)		Area of Occupancy (km2) Recent (1989-2008)		% Gawler Lakes	Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	
Amphibromus nervosus		0.00									0.00									
Amphipogon caricinus var. caricinus		0.00								1	0.18	RA d(ii)	RA	3	DD	0.0	1			
Amphipogon strictus var. setifer		0.00									0.00									
Amyema fitzgeraldii		0.00									0.00									
Amyema gibberula var. gibberula		0.00									0.00									
Amyema maidenii ssp. maidenii	4	0.68	RA d(ii)	RA	3	0	0.3	4	1	associated with mulga	3	0.51	RA d(ii)	RA	3	0	0.3	3	2	associated with mulga
Amyema melaleucae	2	0.42	RA d(ii)	RA	3	0	0.3	2	1		2	0.42	RA d(ii)	RA	3	0	0.3	2		
Amyema miquelii	12	0.84	RA d(ii)	RA	3	0	0.3	9	2		3	0.21	RA d(ii)	RA	3	0	0.3	2	2	
Amyema miraculosa ssp. boormanii	3	1.11	RA d(ii)	RA	3	0	0.3	3	2		7	2.59	RA d(ii)	RA	3	0	0.3	6	2	
Amyema preissii	9	0.99	LC	LC	1	0	0.3	7	3		8	0.88	RA d(ii)	RA	3	0	0.3	6	5	
Amyema quandang var. quandang	80	21.98	LC	LC	1	0	0.3	71	6		24	6.59	LC	LC	1	0	0.3	24	8	
Anacampseros australiana		0.00									0.00									
Anemocarpa podolepidium		0.00									0.00									
Angianthus brachypappus		0.00									0.00									
Angianthus conocephalus	1	1.28	RA d(i,ii)	RA	3	0	0.3	1	1	eastern extent		0.00								
Angianthus glabratus	4	11.11	RA d(ii)	RA	3	0	0.3	3	2		17	47.22	LC	LC	1	0	0.3	12	5	common around Lk Gairdner
Angianthus preissianus	1	0.32	DD	DD	0	DD	0.0	1				0.00								
Angianthus tomentosus	43	8.11	LC	LC	1	0	0.3	37	4		2	0.38	RA d(i,ii)	RA	3	DD	0.0	2	1	
Anogramma leptophylla	2	2.04	RA d(ii)	RA	3	DD	0.0	2		probably more common		0.00								
Anthocercis anisantha ssp. anisantha		0.00									0.00									
Anthocercis anisantha ssp. collina	63	67.74	LC	LC	1	-	0.4	52	7	grazed, heading to NT		0.00								
Aotus subspinescens	18	3.98	RA d(i,ii)	RA	3	0	0.3	14	2			0.00								
Apalochlamys spectabilis		0.00									0.00									
Aphanes australiana		0.00									0.00									
Aphelia gracilis		0.00									0.00									
Apium annum	8	1.88	NT	NT	2	0	0.3	6	1			0.00								
Apium prostratum var. filiforme	1	0.60	NE	NE	-1			1	1	taxonomic issues		0.00								
Apium prostratum var. prostratum		0.00									0.00									
Apodasmia brownii		0.00									0.00									
Arabidella filifolia		0.00									2	1.96	RA d(ii)	RA	3	DD	0.0	2	1	
Arabidella glaucescens		0.00									1	0.50	RA d(i,ii)	RA	3	DD	0.0	1	1	
Arabidella nasturtium	2	0.82	RA d(i,ii)	RA	3	DD	0.0	2		D Symon checked - ok	5	2.04	LC	LC	1	0	0.3	5	1	ephemeral
Arabidella trisecta	15	2.68	LC	LC	1	0	0.3	14	3		9	1.61	LC	LC	1	0	0.3	8	1	
Argentipallium obtusifolium		0.00									0.00									
Aristida anthoxanthoides		0.00									2	1.34	RA d(i,ii)	RA	3	DD	0.0	2		edge of range
Aristida arida		0.00									0.00									
Aristida behriana		0.00									0.00									
Aristida capillifolia		0.00									0.00									
Aristida contorta	31	1.96	LC	LC	1	0	0.3	26	5		10	0.63	LC	LC	1	0	0.3	10	5	
Aristida holathera var. holathera		0.00									12	1.48	LC	LC	1	0	0.3	11	9	
Aristida latifolia		0.00									0.00									
Aristida nitidula	1	0.16	RA d(ii)	RA	3	DD	0.0	1	1	droughts, overgrazing a threat	1	0.16	RA d(ii)	RA	3	DD	0.0	1		droughts, overgrazing a threat
Aristida personata		0.00									0.00									

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records		Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Gawler Lakes Records		Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
	% Gawler Volcanics	% Gawler Lakes																		
Arthropodium fimbriatum		0.00																		
Arthropodium minus	11	4.23	RA d(ii)	RA	3	0	0.3	10	4		1	0.38	RA d(i,ii)	RA	3	DD	0.0	1	1	
Arthropodium strictum		0.00																		
Asperula conferta	1	0.18	RA d(ii)	RA	3	-	0.4	1												
Asplenium flabellifolium		0.00																		
Asplenium trichomanes		0.00																		
Asteridea athrixioides forma athrixioides	7	1.96	RA d(ii)	RA	3	-	0.4	5												
Asteridea athrixioides forma horripes		0.00																		
Astrebla lappacea		0.00																		
Astrebla pectinata		0.00									1	0.14	DD	DD	0	DD	0.0	1		could be extinct
Astroloma conostephioides	7	0.25	LC	LC	1	0	0.3	7												
Astroloma humifusum	37	1.14	LC	LC	1	0	0.3	28	4											
Atriplex acutibractea ssp. acutibractea	19	7.04	LC	LC	1	0	0.3	15			1	0.37	DD	DD	0	DD	0.0	1		
Atriplex acutibractea ssp. karoniensis	1	0.98	RA d(i,ii)	RA	3	DD	0.0	1	1		1	0.98	RA d(i,ii)	RA	3	DD	0.0	1	1	
Atriplex acutiloba		0.00									2	9.09	RA d(i,ii)	RA	3	DD	0.0	2	1	southern limit
Atriplex angulata	5	0.95	RA d(ii)	RA	3	DD	0.0	5	2	southern limit	7	1.32	RA d(i,ii)	RA	3	DD	0.0	5	2	
Atriplex cinerea		0.00									2	0.35	RA d(i,ii)	RA	3	DD	0.0	2		
Atriplex cryptocarpa		0.00																		
Atriplex eardleyae	7	2.72	NT	NT	2	DD	0.0	5	1		4	1.56	RA d(i,ii)	RA	3	DD	0.0	4	1	could be introduced
Atriplex fissivalvis		0.00									1	0.58	RA d(i,ii)	RA	3	DD	0.0	1	1	
Atriplex holocarpa	23	2.59	LC	LC	1	0	0.3	20	1		29	3.27	LC	LC	1	0	0.3	21	11	
Atriplex incrassata		0.00																		
Atriplex kochiana		0.00									1	3.45	VU B2ab(i,ii)	VU	4	--	0.5	1		could be extinct
Atriplex leptocarpa		0.00																		
Atriplex limbata	2	0.51	RA d(ii)	RA	3	-	0.4	2		likes sandy soil	8	2.03	RA d(ii)	RA	3	-	0.4	7	3	likes sandy soil
Atriplex lindleyi ssp. conduplicata		0.00									2	1.59	RA d(i,ii)	RA	3	0	0.3	2	1	southern limit
Atriplex lindleyi ssp. inflata		0.00									8	6.20	RA d(ii)	RA	3	DD	0.0	6	2	
Atriplex lindleyi ssp. lindleyi		0.00									1	0.50	RA d(ii)	RA	3	0	0.3	1	1	
Atriplex lindleyi ssp. quadrupartita	1	5.56	RA d(ii)	RA	3	DD	0.0	1	1											
Atriplex lobativalvis		0.00									1	1.75	RA d(i,ii)	RA	3	DD	0.0	1	1	
Atriplex macroptercarpa		0.00																		
Atriplex morisii		0.00																		
Atriplex nessorhina		0.00																		
Atriplex nummularia ssp. omissa		0.00																		
Atriplex nummularia ssp. spathulata		0.00																		
Atriplex paludosa ssp. cordata		0.00									4	0.21	RA d(i,ii)	RA	3	0	0.3	2	1	
Atriplex papillata	1	20.00	EN D	EN	5	DD	0.0	1	1	questionably natural occurrence										
Atriplex pseudocampanulata	1	1.23	RA d(ii)	RA	3	DD	0.0	1	1	edge of range, likes stony plains										
Atriplex pumilio		0.00									2	3.64	RA d(ii)	RA	3	DD	0.0	2	1	likes disturbed areas
Atriplex quadrivalvata var. sessilifolia		0.00									2	11.76	RA d(ii)	RA	3	DD	0.0	2	2	southern limit
Atriplex quinii	1	0.66	RA d(ii)	RA	3	0	0.3	1	1	naturally Rare, increases under grazing										
Atriplex rhagodioides		0.00																		
Atriplex semibaccata		0.00									3	0.56	NT	NT	2	0	0.3	3	3	

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records		Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)		Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Gawler Lakes Records		Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)		Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
	% Gawler Volcanics										% Gawler Lakes									
Atriplex spongiosa	2	0.30	NT	NT	2	0	0.3	2	1		3	0.46	NT	NT	2	0	0.3	3	2	
Atriplex stipitata	40	3.89	LC	LC	1	0	0.3	36	12		5	0.49	NT	NT	2	0	0.3	5	4	
Atriplex suberecta	3	1.02	RA d(ii)	RA	3	DD	0.0	3		possible decline	7	2.39	RA d(ii)	RA	3	DD	0.0	3	1	possible decline
Atriplex velutinella	7	1.43	NT	NT	2	0	0.3	6	1		13	2.66	LC	LC	1	0	0.3	11	4	
Atriplex vesicaria ssp. macrocystidia		0.00									1	2.70	NE	NE	-1			1	1	taxonomic issues
Atriplex vesicaria ssp. variabilis		0.00										0.00								
Austrobryonia micrantha		0.00									2	7.41	RA d(i,ii)	RA	3	DD	0.0	2		
Austroanthonia caespitosa	76	1.94	LC	LC	1	0	0.3	58	6		16	0.41	RA d(ii)	RA	3	0	0.3	14	5	edge of range
Austroanthonia eriantha		0.00										0.00								
Austroanthonia fulva		0.00										0.00								
Austroanthonia racemosa var. racemosa		0.00										0.00								
Austroanthonia setacea	3	0.20	RA d(ii)	RA	3	DD	0.0	3		not much suitable habitat	1	0.07						1	1	probable introduction
Austrofestuca littoralis		0.00										0.00								
Austrostipa acrocliliata	1	0.12	RA d(ii)	RA	3	0	0.3	1	1	northern limit	3	0.37	RA d(ii)	RA	3	0	0.3	2		northern limit
Austrostipa blackii		0.00									1	0.15	RA d(ii)	RA	3	DD	0.0	1		
Austrostipa dongicola		0.00										0.00								
Austrostipa drummondii	8	0.85	LC	LC	1	0	0.3	6		northern limit, no recent records	2	0.21	RA d(ii)	RA	3	0	0.3	1	1	
Austrostipa echinata		0.00										0.00								
Austrostipa elegantissima	63	2.95	LC	LC	1	0	0.3	50	9		6	0.28	LC	LC	1	0	0.3	6	4	
Austrostipa eremophila	12	0.86	LC	LC	1	0	0.3	10	3		2	0.14	RA d(ii)	RA	3	0	0.3	2	2	
Austrostipa exilis		0.00										0.00								
Austrostipa flavescens	5	0.43	RA d(ii)	RA	3	-	0.4	4		fragmented habitat		0.00								
Austrostipa hemipogon	4	0.62	RA d(ii)	RA	3	-	0.4	3		edge of range		0.00								
Austrostipa lanata		0.00										0.00								
Austrostipa macalpinei		0.00										0.00								
Austrostipa mollis		0.00										0.00								
Austrostipa mundula		0.00										0.00								
Austrostipa nitida	101	3.48	LC	LC	1	0	0.3	83	22		37	1.28	LC	LC	1	0	0.3	33	18	
Austrostipa nodosa	40	3.12	LC	LC	1	0	0.3	32			10	0.78	RA d(ii)	RA	3	0	0.3	9	4	
Austrostipa nullanulla	1	1.79	RA d(i,ii)	RA	3	0	0.3	1	1		4	7.14	RA d(i,ii)	RA	3	0	0.3	3	3	
Austrostipa pilata		0.00										0.00								
Austrostipa platychaeta	28	5.47	LC	LC	1	0	0.3	21	6		8	1.56	LC	LC	1	0	0.3	7	4	
Austrostipa plumigera		0.00										0.00								
Austrostipa puberula	1	0.49	RA d(ii)	RA	3	DD	0.0	1			3	1.47	RA d(ii)	RA	3	DD	0.0	3	2	
Austrostipa scabra ssp. falcata	16	1.72	LC	LC	1	0	0.3	13	1		3	0.32	RA d(ii)	RA	3	0	0.3	3	3	limited habitat
Austrostipa scabra ssp. scabra	85	20.05	LC	LC	1	0	0.3	61	1		3	0.71	RA d(ii)	RA	3	0	0.3	2	1	
Austrostipa semibarbata		0.00										0.00								
Austrostipa setacea		0.00										0.00								
Austrostipa stipoides		0.00										0.00								
Austrostipa stuposa		0.00										0.00								
Austrostipa tenuifolia		0.00										0.00								
Austrostipa trichophylla	7	1.73	RA d(ii)	RA	3	0	0.3	6	2		1	0.25	RA d(ii)	RA	3	0	0.3	1	1	
Austrostipa velutina		0.00										0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records								Gawler Lakes Records											
	1	%	Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	2	%	Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
Austrostipa vickeryana	1	9.09	RA d(ii)	RA	3	DD	0.0	1	1		2	18.18	RA d(ii)	RA	3	DD	0.0	2	2	
Avicennia marina ssp. marina		0.00									7	5.88	LC	LC	1	0	0.3	5	3	
Babingtonia behrii	7	0.62	LC	LC	1	0	0.3	6	3			0.00								
Baeckea crassifolia	16	1.73	LC	LC	1	0	0.3	15	6			0.00								
Baeckea tuberculata		0.00										0.00								
Banksia marginata		0.00										0.00								
Banksia ornata		0.00										0.00								
Baumea arthropylla		0.00										0.00								
Baumea juncea		0.00										0.00								
Bergia trimera		0.00									4	4.60	RA d(ii)	RA	3	0	0.3	4	4	
Bertya tasmanica ssp. vestita		0.00										0.00								
Beyeria lechenaultii	43	2.14	LC	LC	1	0	0.3	34	5		3	0.15	RA d(i,ii)	RA	3	0	0.3	3	1	
Beyeria opaca	14	3.56	NT	NT	2	0	0.3	9	2			0.00								
Billardiera cymosa ssp. cymosa		0.00										0.00								
Billardiera cymosa ssp. pseudocymosa	2	3.85	RA d(ii)	RA	3	DD	0.0	2				0.00								
Billardiera sericophora		0.00										0.00								
Billardiera sp. Yorke Peninsula (P.C.Heyligers 80164)		0.00										0.00								
Billardiera uniflora		0.00										0.00								
Billardiera versicolor		0.00										0.00								
Blennodia canescens		0.00										0.00								
Blennodia pterosperma		0.00									1	0.93	RA d(i,ii)	RA	3	-	0.4	1	1	comes up after rain
Blennospora drummondii	10	1.31	RA d(ii)	RA	3	-	0.4	10	1	granite outcrops	1	0.13	RA d(i,ii)	RA	3	-	0.4	1	1	granite outcrops
Boerhavia coccinea		0.00									1	0.61	NE	NE	-1			1	1	taxonomic issues
Boerhavia dominii	2	0.31	NE	NE	-1			1	1	taxonomic issues	10	1.54	NE	NE	-1			8	7	taxonomic issues
Boerhavia repleta		0.00										0.00								
Boerhavia schomburgkiana		0.00									2	0.69	NE	NE	-1			2		taxonomic issues
Bolboschoenus caldwellii		0.00										0.00								
Boronia coerulescens ssp. coerulescens	12	1.02	LC	LC	1	0	0.3	11	2			0.00								
Boronia filifolia		0.00										0.00								
Boronia inornata ssp. leptophylla		0.00										0.00								
Bossiaea ensata		0.00										0.00								
Bossiaea walkeri	18	11.92	RA d(ii)	RA	3	DD	0.0	16			1	0.66	RA d(i,ii)	RA	3	0	0.3	1		
Bothriochloa ewartiana		0.00									2	5.00	RA d(ii)	RA	3	DD	0.0	2	2	
Bothriochloa macra		0.00										0.00								
Brachiaria praetervisa		0.00										0.00								
Brachyachne ciliaris		0.00										0.00								
Brachychiton gregorii		0.00										0.00								
Brachyscome ciliaris var. ciliaris	32	3.18	LC	LC	1	0	0.3	29	7		8	0.80	LC	LC	1	0	0.3	7	7	
Brachyscome ciliaris var. lanuginosa	2	0.37	RA d(ii)	RA	3	0	0.3	2	2		9	1.65	RA d(ii)	RA	3	0	0.3	8	8	
Brachyscome ciliaris var. subintegrifolia		0.00										0.00								
Brachyscome cuneifolia		0.00										0.00								
Brachyscome debilis		0.00										0.00								
Brachyscome dichromosomatica var. dichromosomatica		0.00									3	8.82	NE	NE	-1			1	1	checked with H Vonow

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records								Gawler Lakes Records									
	Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)		
Brachyscome eriogona																		
Brachyscome exilis	1	0.64	RA d(i,ii)	RA	3	DD	0.0	1	1									
Brachyscome gonicarpa		0.00																
Brachyscome ibericifolia	2	1.50	RA d(i,ii)	RA	3	0	0.3	2	2	3	2.26	RA d(ii)	RA	3	0	0.3	3	3
Brachyscome lineariloba	44	3.15	LC	LC	1	0	0.3	42	15	7	0.50	LC	LC	1	0	0.3	4	4
Brachyscome muelleri		0.00	CR C1+2a(i,ii)	CR	6	--	0.5											
Brachyscome perpusilla	8	3.04	LC	LC	1	0	0.3	6	6									
Brachyscome tatei		0.00																
Brachyscome trachycarpa	4	3.42	RA d(ii)	RA	3	0	0.3	4	1									
Brachyscome xanthocarpa		0.00																
Bromus arenarius	24	6.50	RA d(ii)	RA	3	-	0.4	18	2	15	4.07	RA d(ii)	RA	3	-	0.4	14	8
Brunonia australis	1	0.18	VU B2ab(i,ii,iii)	VU	4	-	0.4	1										
Bulbine alata	5	1.77	RA d(ii)	RA	3	DD	0.0	4	4	6	2.12	RA d(ii)	RA	3	DD	0.0	6	5
Bulbine bulbosa		0.00																
Bulbine semibarbata	42	3.98	LC	LC	1	0	0.3	36	3	2	0.19	DD	DD	0	DD	0.0	2	
Bulbostylis barbata	2	8.70	RA d(ii)	RA	3	DD	0.0	2	2									
Bulbostylis pyriformis		0.00																
Burchardia umbellata		0.00																
Bursaria spinosa ssp. spinosa	12	0.47	LC	LC	1	0	0.3	12	1									
Caesia calliantha		0.00																
Caladenia aurulenta			VU B2ab(i,ii,iii)	VU	4	-	0.4											
Caladenia bicallata ssp. bicallata		0.00																
Caladenia brumalis		0.00																
Caladenia capillata	11	3.43	LC	LC	1	0	0.3	10	4									
Caladenia cardiochila	5	1.92	RA d(ii)	RA	3	-	0.4	5	3									
Caladenia carneae		0.00																
Caladenia clavula		0.00								1	2.08	RA d(ii)	RA	3	-	0.4	1	
Caladenia fragrantissima ssp. fragrantissima																		
Caladenia fuscata		0.00																
Caladenia interanea			RA d(ii)	RA	3	-	0.4											
Caladenia latifolia		0.00																
Caladenia macroclavia		0.00																
Caladenia pusilla		0.00																
Caladenia septuosa	2	1.37	VU D2	VU	4	DD	0.0	2	1									
Caladenia stricta	2	1.23	RA d(ii)	RA	3	DD	0.0	2	2									
Caladenia tensa	13	9.92	NE	NE	-1			12	2									
Caladenia tentaculata	2	0.47	NE	NE	-1			2	2									
Caladenia toxochila	16	19.75	RA d(ii)	RA	3	0	0.3	12	5									
Caladenia verrucosa		0.00																
Caladenia zephyra																		
Calandrinia brevipedata		0.00																
Calandrinia calyptata	29	5.28	LC	LC	1	0	0.3	21	13									
Calandrinia corrigioloides		0.00																

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records		Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)		Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Gawler Lakes Records		Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)		Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
	%										%									
Calandrinia disperma	4	9.30	NT	NT	2	0	0.3	3	1		0.00									
Calandrinia eremaea	28	2.36	LC	LC	1	0	0.3	26	13		1.01	LC	LC	1	0	0.3	9	7		
Calandrinia granulifera	10	3.60	LC	LC	1	0	0.3	9	6		0.00									
Calandrinia polyandra var. polyandra		0.00									0.00									
Calandrinia ptychosperma		0.00								1	0.99	NT	NT	2	DD	0.0	1	1	southern limit	
Calandrinia pumila		0.00									0.00									
Calandrinia remota		0.00								3	3.75	RA d(i,ii)	RA	3	DD	0.0	3	2		
Calandrinia reticulata		0.00									0.00									
Calandrinia sphaerophylla		0.00								1	33.33	NE	NE	-1			1	1	taxonomic issues, lack of records	
Calandrinia volubilis	2	2.94	RA d(ii)	RA	3	-	0.4	2	rocky hills, trampling	5	7.35	RA d(ii)	RA	3	-	0.4	5	3	rocky hills, trampling	
Callistemon rugulosus		0.00									0.00									
Callitris canescens		0.00									0.00									
Callitris glaucophylla	13	1.20	LC	LC	1	0	0.3	13	3		10	0.93	LC	LC	1	0	0.3	9	4	
Callitris gracilis	14	1.01	LC	LC	1	0	0.3	11	3		0.00									
Callitris verrucosa	17	1.98	LC	LC	1	0	0.3	16	5		0.00									
Calocephalus citreus		0.00									0.00									
Calocephalus platycephalus		0.00									0.00									
Calochilus pruinosis		0.00									0.00									
Calotis brevibradiata		0.00									0.00									
Calotis cymbacantha	11	3.48	LC	LC	1	0	0.3	10	3		16	5.06	LC	LC	1	0	0.3	12	6	
Calotis erinacea	4	0.97	RA d(ii)	RA	3	0	0.3	4	1		10	2.43	LC	LC	1	0	0.3	8	4	
Calotis hispidula	86	4.34	LC	LC	1	+	0.2	74	10		14	0.71	LC	LC	1	+	0.2	14	4	
Calotis lappulacea		0.00									0.00									
Calotis latiuscula		0.00									0.00									
Calotis multicaulis	37	24.83	LC	LC	1	0	0.3	29	4		9	6.04	LC	LC	1	0	0.3	8	4	
Calotis plumulifera	1	0.25	LC	LC	1	0	0.3	1	1	likely to be sunk with C multicaulis	1	0.25	LC	LC	1	0	0.3	1	1	likely to be sunk with C multicaulis
Calotis porphyroglossa		0.00									1	1.01	RA d(i,ii)	RA	3	DD	0.0	1	1	southern limit
Calotis scabiosifolia var. scabiosifolia												DD	DD	0	DD	0.0				no records but occurs here
Calytrix gypsumifolia		0.00									2	5.88	RA d(ii)	RA	3	0	0.3	2	2	habitat specific, likes gypsum
Calytrix involucrata	55	9.62	LC	LC	1	0	0.3	45	11			0.00								
Calytrix tetragona	4	0.12	RA d(i,ii)	RA	3	0	0.3	4	2	limited habitat	3	0.09	RA d(i,ii)	RA	3	0	0.3	3		limited habitat
Cardamine tenuifolia	1	8.33	DD	DD	0	DD	0.0	1	Checked by Helmutt & Helen		0.00									
Carex breviculmis		0.00									0.00									
Carex inversa var. major		0.00									0.00									
Carex tereticaulis		0.00									0.00									
Carpobrotus modestus		0.00									0.00									
Carpobrotus rossii		0.00								6	1.84	NT	NT	2	0	0.3	3		limited habitat	
Carpobrotus sp. Short calyx (S.T.Blake 20451)		0.00									0.00									
Cassinia arcuata		0.00									0.00									
Cassinia complanata		0.00									0.00									
Cassinia laevis	10	1.22	LC	LC	1	0	0.3	6		4	0.49	RA d(i,ii)	RA	3	0	0.3	4			
Cassytha glabella forma dispar		0.00									0.00									
Cassytha melantha	26	1.95	LC	LC	1	0	0.3	21	3		1	0.08	RA d(i,ii)	RA	3	0	0.3	1	1	edge of range

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records		Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)		Trends (-, 0, +, ++) Gawler Volcanics	Trends (-, 0, +, ++) Gawler Volcanics	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Gawler Lakes Records		Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)		Trends (-, 0, +, ++) Gawler Lakes	Trends (-, 0, +, ++) Gawler Lakes	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
	Count	%		Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)						Count	%		Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)					
Cassutha peninsularis	3	0.77	DD	DD	0	DD	0.0	3		should be more records										
Cassutha pubescens	1	0.08	RA d(ii)	RA	3	0	0.3	1												
Casuarina pauper	74	5.57	LC	LC	1	0	0.3	65	8		14	1.05	LC	LC	1	0	0.3	14	8	
Causitis pentandra		0.00																		
Centella asiatica		0.00																		
Centipeda crateriformis ssp. compacta		0.00									1	1.32	RA d(i,ii)	RA	3	DD	0.0	1		
Centipeda crateriformis ssp. crateriformis	1	1.22	RA d(ii)	RA	3	DD	0.0	1			2	2.44	RA d(ii)	RA	3	DD	0.0	2		
Centipeda cunninghamii	1	0.58	RA d(ii)	RA	3	DD	0.0	1	1		3	1.74	RA d(ii)	RA	3	DD	0.0	3	3	
Centipeda thespidioides	1	0.54	RA d(ii)	RA	3	DD	0.0	1			2	1.08	RA d(ii)	RA	3	DD	0.0	2	2	
Centrolepis aristata		0.00																		
Centrolepis cephaliformis ssp. cephaliformis	2	3.03	RA d(ii)	RA	3	-	0.4	2	1	threat - grazing, drying										
Centrolepis cephaliformis ssp. murrayi		0.00																		
Centrolepis eremica		0.00									3	8.33	RA d(ii)	RA	3	DD	0.0	3	3	
Centrolepis fascicularis		0.00																		
Centrolepis glabra		0.00																		
Centrolepis polygyna	9	2.28	RA d(ii)	RA	3	-	0.4	9	2											
Centrolepis strigosa ssp. strigosa	3	0.55	VU B2ab(i,ii,iii)	VU	4	-	0.4	3												
Cephalopterum drummondii		0.00																		
Ceratogyne obionoides	2	6.67	RA d(ii)	RA	3	0	0.3	2	1	common after winter rains										
Chamaescilla corymbosa var. corymbosa		0.00																		
Chamaesyce australis		0.00																		
Chamaesyce centralis	1	0.79	RA d(i,ii)	RA	3	DD	0.0	1	1	southern edge										
Chamaesyce drummondii	13	2.00	LC	LC	1	0	0.3	12	3	likes degraded areas, roadsides	23	3.54	LC	LC	1	0	0.3	21	15	likes degraded areas, roadsides
Chamaesyce wheeleri		0.00																		
Cheilanthes austrotenuifolia	26	1.51	LC	LC	1	0	0.3	18	6	common in wetter areas										
Cheilanthes distans	10	6.54	LC	LC	1	0	0.3	9	3	occurs in rocky areas	1	0.65	RA d(ii)	RA	3	DD	0.0	1		
Cheilanthes lasiophylla	79	7.85	LC	LC	1	0	0.3	67	14	rocky areas	5	0.50	LC	LC	1	0	0.3	5	1	rocky areas
Cheilanthes sieberi ssp. pseudovellea	3	20.00	VU D2	VU	4	DD	0.0	3		localised in rocky outcrops. Not typical of habitat	1	6.67	VU D2	VU	4	DD	0.0	1		localised in rocky outcrops. Not typical of habitat
Cheilanthes sieberi ssp. sieberi	75	11.52	LC	LC	1	0	0.3	67	13	rocky outcrops	2	0.31	RA d(ii)	RA	3	DD	0.0	2	2	undercollected
Cheiranthera alternifolia		0.00																		
Chenopodium curvispicatum	5	0.71	NT	NT	2	0	0.3	4	4		5	0.71	NT	NT	2	0	0.3	5	3	
Chenopodium desertorum ssp. anidiophyllum	15	10.42	NT	NT	2	0	0.3	13			5	3.47	NT	NT	2	0	0.3	5	4	
Chenopodium desertorum ssp. desertorum	50	7.25	LC	LC	1	0	0.3	38	5		17	2.46	NT	NT	2	0	0.3	16	7	
Chenopodium desertorum ssp. microphyllum	2	0.43	RA d(ii)	RA	3	0	0.3	2	1		3	0.65	RA d(ii)	RA	3	0	0.3	2	1	
Chenopodium desertorum ssp. rectum		0.00																		
Chenopodium gaudichaudianum	38	40.00	LC	LC	1	0	0.3	31	2		3	3.16	RA d(ii)	RA	3	DD	0.0	3	3	
Chenopodium nitraraceum	1	0.36	RA d(ii)	RA	3	-	0.4	1	1		6	2.19	RA d(ii)	RA	3	-	0.4	6	3	limited habitat
Chloris pectinata		0.00																		
Chloris truncata		0.00																		
Chondropyxis halophila		0.00																		
Choretrum glomeratum var. chrysanthum		0.00																		
Choretrum glomeratum var. glomeratum		0.00																		
Chorizandra enodis		0.00																		

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records		Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)		Trends (-, 0, +, ++) Gawler Volcanics	Trends (-, 0, +, ++) Gawler Volcanics	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Gawler Lakes Records		Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)		Trends (-, 0, +, ++) Gawler Lakes	Trends (-, 0, +, ++) Gawler Lakes	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
	Gawler Volcanics Records	% Gawler Volcanics		Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)						Gawler Lakes Records	% Gawler Lakes		Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)					
Chrysocephalum apiculatum	91	4.01	LC	LC	1	0	0.3	76	12	taxonomic issues	4	0.18	LC	LC	1	0	0.3	3		taxonomic issues
Chrysocephalum baxteri		0.00																		
Chrysocephalum eremaeum	2	0.78	RA d(i,ii)	RA	3	0	0.3	2	1	eastern extent										
Chrysocephalum pterochaetum	3	0.87	RA d(i,ii)	RA	3	0	0.3	3	1	southern limit										
Chrysocephalum semipapposum	15	1.73	LC	LC	1	0	0.3	13	3											
Chthonocephalus pseudevax	8	3.96	LC	LC	1	0	0.3	8	3		2	0.99	DD	DD	0	0	0.0	2		Pt Aug record dodgy & nthn record prob in GV
Citrus glauca		0.00									15	36.59	VU D1	VU	4	0	0.3	12	9	
Cladium procerum		0.00																		
Clematis microphylla var. microphylla	2	0.07	RA d(i,ii)	RA	3	0	0.3	2												
Codonocarpus cotinifolius	2	0.73	RA d(ii)	RA	3	-	0.4	2		grazing a threat, short lived	1	0.37	RA d(ii)	RA	3	-	0.4	1		grazing a threat, short lived
Comesperma calymega		0.00																		
Comesperma polygaloides		0.00																		
Comesperma scoparium	14	4.20	RA d(ii)	RA	3	0	0.3	13		limited habitat										
Comesperma viscidulum	2	8.00	RA d(i,ii)	RA	3	DD	0.0	2	1											
Comesperma vulubile	8	0.58	LC	LC	1	0	0.3	8	2											
Commersonia multioba		0.00																		
Commersonia tatei	4	4.55	RA d(i,ii)	RA	3	DD	0.0	3												
Conospermum patens		0.00																		
Convolvulus angustissimus ssp. angustissimus	1	0.71	NE	NE	-1			1		taxonomic issues										
Convolvulus angustissimus ssp. peninsularum	1	0.82	NE	NE	-1			1	1	taxonomic issues										
Convolvulus clementii	1	0.62	LC	LC	1	0	0.3	1	1		1	0.62	LC	LC	1	0	0.3	1	1	
Convolvulus crispifolius	1	2.17	RA d(ii)	RA	3	-	0.4	1		undercollected, no survey records	1	2.17	RA d(ii)	RA	3	-	0.4	1		undercollected, no survey records
Convolvulus eyreanus		0.00									1	1.23	RA d(i,ii)	RA	3	0	0.3	1	1	edge of range
Convolvulus microsepalus	2	3.23	NE	NE	-1			2	2	taxonomic issues	3	4.84	NE	NE	-1			3	3	taxonomic issues
Convolvulus recurvatus ssp. nullarborensis	2	5.88	RA d(i,ii)	RA	3	DD	0.0	2												
Convolvulus recurvatus ssp. recurvatus	1	5.00	NE	NE	-1			1		taxonomic issues	1	5.00	NE	NE	-1			1		taxonomic issues
Convolvulus remotus	48	2.91	LC	LC	1	0	0.3	41	3		15	0.91	LC	LC	1	0	0.3	14	10	
Cooperookia strophiolata		0.00																		
Correa backhouseana var. coriacea	5	1.23	LC	LC	1	0	0.3	5	1											
Correa pulchella		0.00																		
Corunastylis nigricans																				
Corunastylis tepperi			RA d(ii)	RA	3	-	0.4			no records										
Corybas despectans		0.00																		
Corybas expansus																				
Corynotheca licrota	1	4.17	RA d(ii)	RA	3	0	0.3	1	1											
Corynotheca micrantha var. divaricata		0.00																		
Cotula australis	3	1.06	LC	LC	1	0	0.3	1												
Cotula vulgaris var. australasica		0.00																		
Craspedia variabilis		0.00																		
Crassula closiana		0.00																		
Crassula colligata ssp. lamprosperma	6	1.60	RA d(ii)	RA	3	DD	0.0	6		undercollected, northern limit										
Crassula colorata var. acuminata	34	3.12	LC	LC	1	0	0.3	25	2		6	0.55	LC	LC	1	0	0.3	6	1	
Crassula colorata var. colorata	8	1.46	LC	LC	1	0	0.3	5	1		5	0.91	LC	LC	1	0	0.3	5	2	

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records		Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Gawler Lakes Records		Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
	% Gawler Volcanics	% Gawler Lakes																		
Crassula decumbens var. decumbens		0.00										0.00								
Crassula exserta		0.00										0.00								
Crassula extrorsa	1	50.00	VU D2	VU	4	DD	0.0	1		old record, could be extinct, WA species		0.00								
Crassula peduncularis	2	3.23	VU C2a(i)	VU	4	-	0.4	2		found in permanently wet areas, mostly old records		0.00								
Crassula tetramera	19	12.75	LC	LC	1	0	0.3	15		dry area species		0.00								
Cratystylis conocephala	18	2.77	LC	LC	1	0	0.3	16	4		3	0.46	RA d(ii)	RA	3	0	0.3	3	2	
Cressa australis		0.00									1	0.40	RA d(i,ii)	RA	3	0	0.3	1		in claypans & saltlakes
Crinum flaccidum	2	1.18	RA d(i,ii)	RA	3	0	0.3	1	1		2	1.18	RA d(i,ii)	RA	3	0	0.3	2	1	
Crotalaria eremaea ssp. eremaea		0.00									7	1.96	RA d(ii)	RA	3	0	0.3	6	4	southern limit
Crotalaria eremaea ssp. strehlowii		0.00									1	0.44	RA d(i,ii)	RA	3	0	0.3	1		persistent spp.
Cryptandra aridicola		0.00										0.00								
Cryptandra myriantha	1	11.11	NE	NE	-1			1		taxonomic issues		0.00								
Cryptandra propinqua		0.00										0.00								
Cryptandra sp. Floriferous (W.R. Barker 4131)	29	12.61	LC	LC	1	0	0.3	26	1			0.00								
Cryptandra tomentosa		0.00										0.00								
Cullen australasicum	2	0.26	RA d(i,ii)	RA	3	DD	0.0	2		only comes up after rain	1	0.13	RA d(i,ii)	RA	3	DD	0.0	1	1	only comes up after rain
Cullen cinereum		0.00										0.00								
Cullen discolor	1	0.79	RA d(ii)	RA	3	DD	0.0	1	1			0.00								
Cullen graveolens		0.00									2	0.95	RA d(i,ii)	RA	3	0	0.3	2	1	needs rain
Cullen pallidum		0.00										0.00								
Cullen patens		0.00										0.00								
Cymbonotus preissianus		0.00										0.00								
Cymbopogon ambiguus	3	0.31	LC	LC	1	0	0.3	3			2	0.21	RA d(i,ii)	RA	3	0	0.3	2	1	
Cymbopogon obtectus	20	7.63	LC	LC	1	0	0.3	17	3		1	0.38	RA d(i,ii)	RA	3	0	0.3	1	1	
Cynanchum floribundum		0.00										0.00								
Cynoglossum australe	1	0.25	RA d(i,ii)	RA	3	DD	0.0	1	1			0.00								
Cynoglossum suaveolens		0.00										0.00								
Cyperus alterniflorus	9	5.11	RA d(ii)	RA	3	-	0.4	8	1	needs seeping water, rocky hills	1	0.57	RA d(ii)	RA	3	-	0.4	1	1	needs seeping water, rocky hills
Cyperus bulbosus		0.00									3	1.83	RA d(ii)	RA	3	DD	0.0	2	1	southern limit
Cyperus difformis		0.00										0.00								
Cyperus gilesii		0.00									1	2.63	RA d(ii)	RA	3	0	0.3	1		rocky hills
Cyperus gymnocalulos	5	0.63	RA d(ii)	RA	3	0	0.3	5		highly localised	2	0.25	RA d(ii)	RA	3	0	0.3	2	1	highly localised
Cyperus iria		0.00										0.00								
Cyperus laevigatus		0.00										0.00								
Cyperus pygmaeus		0.00										0.00								
Cyperus rigidellus	4	3.57	RA d(ii)	RA	3	0	0.3	4	4		3	2.68	RA d(ii)	RA	3	0	0.3	3		
Cyperus squarrosus		0.00										0.00								
Cyperus victoriensis		0.00										0.00								
Cyphanthera myosotidea	1	0.43	RA d(i,ii)	RA	3	DD	0.0	1				0.00								
Cyrtostylis reniformis		0.00										0.00								
Cyrtostylis robusta		0.00										0.00								
Dactyloctenium radulans		0.00									11	1.58	LC	LC	1	0	0.3	11	5	edge of range
Damasonium minus		0.00									1	3.57	RA d(i,ii)	RA	3	DD	0.0	1	1	no records but occurs here, spread by birds

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics										Gawler Lakes									
	Records	%	Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Records	%	Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
<i>Dampiera dysantha</i>		0.00										0.00								
<i>Dampiera lanceolata</i> var. <i>lanceolata</i>	7	3.21	RA d(ii)	RA	3	DD	0.0	6	1		1	0.46	RA d(i,ii)	RA	3	DD	0.0	1		
<i>Dampiera ramosa</i>		0.00										0.00								
<i>Dampiera rosmarinifolia</i>	27	2.47	LC	LC	1	0	0.3	25				0.00								
<i>Darwinia salina</i>	3	3.61	RA d(ii)	RA	3	0	0.3	3	1	likes salt lakes	3	3.61	RA d(ii)	RA	3	0	0.3	3	2	likes salt lakes
<i>Daucus glochidiatus</i>	117	3.30	LC	LC	1	0	0.3	102	17		7	0.20	LC	LC	1	0	0.3	7	3	
<i>Daviesia arenaria</i>		0.00										0.00								
<i>Daviesia asperula</i> ssp. <i>asperula</i>		0.00										0.00								
<i>Daviesia asperula</i> ssp. <i>obliqua</i>		0.00										0.00								
<i>Daviesia benthamii</i> ssp. <i>acanthoclona</i>	1	0.49	RA d(i,ii)	RA	3	DD	0.0	1				0.00								
<i>Daviesia benthamii</i> ssp. <i>humilis</i>		0.00										0.00								
<i>Daviesia brevifolia</i>		0.00										0.00								
<i>Daviesia pectinata</i>		0.00										0.00								
<i>Daviesia ulicifolia</i> ssp. <i>aridicola</i>	4	3.23	RA d(ii)	RA	3	DD	0.0	4	1	restricted habitat	2	1.61	RA d(ii)	RA	3	DD	0.0	2		restricted habitat
<i>Desmodcladus diacolpicus</i>		0.00										0.00								
<i>Deyeuxia quadriseta</i>		0.00										0.00								
<i>Dianella brevicaulis</i>		0.00										0.00								
<i>Dianella revoluta</i> var. <i>divaricata</i>	1	0.47	RA d(ii)	RA	3	0	0.3	1				0.00								
<i>Dianella revoluta</i> var. <i>revoluta</i>	18	0.63	LC	LC	1	0	0.3	17	6			0.00								
<i>Dichanthium sericeum</i> ssp. <i>humilius</i>	1	0.92	RA d(i,ii)	RA	3	DD	0.0	1	1	undercollected		0.00								
<i>Dichanthium sericeum</i> ssp. <i>sericeum</i>		0.00									1	0.61	RA d(i,ii)	RA	3	DD	0.0	1		
<i>Dichelachne crinita</i>		0.00										0.00								
<i>Dichondra repens</i>		0.00										0.00								
<i>Dicrastylis beveridgei</i> var. <i>beveridgei</i>	3	6.82	RA d(i,ii)	RA	3	-	0.4	2				0.00								
<i>Dicrastylis beveridgei</i> var. <i>lanata</i>		0.00										0.00								
<i>Dicrastylis lewellinii</i>		0.00										0.00								
<i>Dicrastylis verticillata</i>	6	3.95	RA d(ii)	RA	3	0	0.3	5	1	needs sand		0.00								
<i>Digitaria ammophila</i>	1	0.66	RA d(i,ii)	RA	3	DD	0.0	1			1	0.66	RA d(i,ii)	RA	3	DD	0.0	1	1	
<i>Digitaria brownii</i>	6	0.78	LC	LC	1	0	0.3	5	3		7	0.91	LC	LC	1	0	0.3	7	5	
<i>Digitaria coenicola</i>		0.00										0.00								
<i>Dillwynia hispida</i>		0.00										0.00								
<i>Dillwynia sericea</i>		0.00										0.00								
<i>Dillwynia uncinata</i>		0.00										0.00								
<i>Dimorphocoma minutula</i>	3	7.50	LC	LC	1	0	0.3	3	3	under-coll.	1	2.50	LC	LC	1	0	0.3	1	1	
<i>Disphyma crassifolium</i> ssp. <i>clavellatum</i>	13	0.89	NT	NT	2	0	0.3	9	1		13	0.89	LC	LC	1	0	0.3	13	8	likes samphire, tolerates high salinity
<i>Dissocarpus biflorus</i> var. <i>biflorus</i>	3	0.53	NT	NT	2	DD	0.0	3			11	1.94	LC	LC	1	0	0.3	10	8	
<i>Dissocarpus biflorus</i> var. <i>villosus</i>	8	33.33	NT	NT	2	0	0.3	8	1		3	12.50	NT	NT	2	0	0.3	3	2	
<i>Dissocarpus fontinalis</i>		0.00										0.00								
<i>Dissocarpus latifolius</i>		0.00										0.00								
<i>Dissocarpus paradoxus</i>	28	2.18	LC	LC	1	0	0.3	25	2		28	2.18	LC	LC	1	0	0.3	25	9	
<i>Distichlis distichophylla</i>		0.00									1	0.28	LC	LC	1	0	0.3	1		
<i>Diuris behrii</i>		0.00										0.00								
<i>Diuris orientis</i>		0.00										0.00								
<i>Diuris palustris</i>		0.00										0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records								Gawler Lakes Records											
			Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)			Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
<i>Diuris pardina</i>		0.00																		
<i>Dodonaea baueri</i>	40	5.03	LC	LC	1	0	0.3	26	2		2	0.25	RA d(ii)	RA	3	0	0.3	2	1	
<i>Dodonaea bursarifolia</i>	9	0.84	RA d(i,ii)	RA	3	0	0.3	6	2		3	0.28	RA d(i,ii)	RA	3	0	0.3	1		
<i>Dodonaea hexandra</i>	13	1.14	LC	LC	1	0	0.3	9				0.00								
<i>Dodonaea humilis</i>		0.00										0.00								
<i>Dodonaea intricata</i>	72	71.29	NT	NT	2	-	0.4	58	3	endemic, goats		0.00								
<i>Dodonaea lobulata</i>	79	7.47	LC	LC	1	0	0.3	61	7		18	1.70	LC	LC	1	0	0.3	15	2	
<i>Dodonaea microzyga</i> var. <i>microzyga</i>	4	0.76	RA d(ii)	RA	3	0	0.3	3	1		6	1.14	NT	NT	2	0	0.3	5	1	
<i>Dodonaea procumbens</i>		0.00										0.00								
<i>Dodonaea stenozyga</i>	17	2.61	LC	LC	1	0	0.3	14	2		1	0.15	RA d(i,ii)	RA	3	0	0.3	1		
<i>Dodonaea tepperi</i>	2	3.39	RA d(ii)	RA	3	0	0.3	2		probably hybrid		0.00								
<i>Dodonaea viscosa</i> ssp. <i>angustissima</i>	155	5.88	LC	LC	1	0	0.3	108	30		30	1.14	LC	LC	1	0	0.3	27	14	
<i>Dodonaea viscosa</i> ssp. <i>cuneata</i>	2	1.46	RA d(i,ii)	RA	3	0	0.3	2	2			0.00								
<i>Dodonaea viscosa</i> ssp. <i>spatulata</i>		0.00										0.00								
<i>Drosera auriculata</i>		0.00										0.00								
<i>Drosera glanduligera</i>	2	0.41	RA d(i,ii)	RA	3	DD	0.0	2	1	highly localised		0.00								
<i>Drosera macrantha</i> ssp. <i>planchonii</i>	13	0.78	RA d(ii)	RA	3	0	0.3	10	3	limited habitat		0.00								
<i>Drosera peltata</i>	1	0.20	VU D1+2	VU	4	-	0.4	1	1			0.00								
<i>Drosera pygmaea</i>		0.00										0.00								
<i>Drosera</i> sp. <i>Rigid</i> (R.J.Bates 2268)		0.00										0.00								
<i>Duboisia hopwoodii</i>	19	7.31	LC	LC	1	-	0.4	16	1	narcotic plant	21	8.08	LC	LC	1	-	0.4	12	3	narcotic plant
<i>Dysphania cristata</i>	6	1.73	LC	LC	1	0	0.3	6	1		9	2.59	LC	LC	1	0	0.3	9	8	
<i>Dysphania glomulifera</i> ssp. <i>eremaea</i>	1	4.55	RA d(i,ii)	RA	3	DD	0.0	1	1	extreme edge of range		0.00								
<i>Dysphania glomulifera</i> ssp. <i>glomulifera</i>		0.00										0.00								
<i>Dysphania melanocarpa</i> forma <i>melanocarpa</i>		0.00										0.00								
<i>Dysphania plantaginella</i>		0.00									2	3.92	RA d(ii)	RA	3	DD	0.0	2	2	
<i>Dysphania pumilio</i>	1	0.37	NT	NT	2	DD	0.0	1	1		1	0.37	NT	NT	2	DD	0.0	1	1	
<i>Dysphania rhadinostachya</i> ssp. <i>rhadinostachya</i>		0.00										0.00								
<i>Dysphania simulans</i>		0.00									1	3.03	RA d(i,ii)	RA	3	DD	0.0	1	1	
<i>Dysphania truncata</i>		0.00									1	2.38	RA d(i,ii)	RA	3	DD	0.0	1		
<i>Einadia nutans</i> ssp. <i>eremaea</i>		0.00									3	1.55	RA d(ii)	RA	3	0	0.3	3	3	
<i>Einadia nutans</i> ssp. <i>nutans</i>	7	0.55	NT	NT	2	0	0.3	7			7	0.55	RA d(ii)	RA	3	DD	0.0	7	6	
<i>Einadia nutans</i> ssp. <i>oxycarpa</i>	8	32.00	NT	NT	2	-	0.4	6			1	4.00	RA d(i,ii)	RA	3	DD	0.0	1		
<i>Einadia polygonoides</i>		0.00										0.00								
<i>Elachanthus glaber</i>		0.00									1	33.33	VU D2	VU	4	DD	0.0	1		on gypsious mounds
<i>Elachanthus pusillus</i>	13	7.69	LC	LC	1	0	0.3	10	1		5	2.96	LC	LC	1	0	0.3	5	4	undercollected
<i>Elatine gratioides</i>		0.00										0.00								
<i>Eleocharis acuta</i>		0.00									1	0.29	CR B2ab(i,ii,ii)	CR	6	--	0.5	1	1	limited habitat
<i>Eleocharis pallens</i>	1	0.65	RA d(ii)	RA	3	DD	0.0	1	1	spread easily by ducks		0.00								
<i>Eleocharis pusilla</i>		0.00										0.00								
<i>Elymus scaber</i> var. <i>scaber</i>	4	1.56	LC	LC	1	0	0.3	4	1		1	0.39	RA d(ii)	RA	3	0	0.3	1	1	
<i>Embadium stagnense</i>	2	40.00	DD	DD	0	DD	0.0	2	2			0.00								
<i>Embadium uncinatum</i>	28	57.14	LC	LC	1	0	0.3	24	7			0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records		Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Gawler Lakes Records		Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
	Gawler Volcanics Records	% Gawler Volcanics									Gawler Lakes Records	% Gawler Lakes								
Enchylaena tomentosa var. tomentosa	131	2.31	LC	LC	1	0	0.3	110	16		36	0.63	LC	LC	1	0	0.3	34	24	
Enneapogon avenaceus	1	0.06	RA d(ii)	RA	3	0	0.3	1	1		21	1.29	LC	LC	1	0	0.3	19	11	
Enneapogon caerulescens var. caerulescens	1	1.16	RA d(ii)	RA	3	DD	0.0	1	1			0.00								
Enneapogon cylindricus	1	0.10	RA d(ii)	RA	3	DD	0.0	1	1		7	0.72	LC	LC	1	0	0.3	7	6	
Enneapogon intermedius		0.00										0.00								
Enneapogon nigricans		0.00									3	0.49	LC	LC	1	0	0.3	3	2	
Enneapogon polyphyllus	2	0.17	RA d(ii)	RA	3	DD	0.0	2	2		14	1.16	LC	LC	1	0	0.3	14	12	
Enneapogon robustissimus		0.00										0.00								
Enteropogon acicularis	2	0.86	RA d(ii)	RA	3	DD	0.0	2	1		3	1.29	RA d(ii)	RA	3	DD	0.0	3	1	
Enteropogon ramosus	1	0.33	RA d(ii)	RA	3	DD	0.0	1	1		2	0.67	RA d(ii)	RA	3	DD	0.0	2		
Epaltes australis		0.00										0.00								
Epilobium billardierianum ssp. billardierianum		0.00										0.00								
Eragrostis australasica	4	1.27	RA d(ii)	RA	3	0	0.3	4	2	likes floods	2	0.63	RA d(ii)	RA	3	0	0.3	2	1	likes floods
Eragrostis basedowii		0.00										0.00								
Eragrostis dielsii var. dielsii	3	0.50	LC	LC	1	0	0.3	3	1	likes saline areas	7	1.16	LC	LC	1	0	0.3	5	5	likes saline areas
Eragrostis eriopoda	1	0.18	VU B2ab(i,ii)	VU	4	-	0.4	1	1	southern edge, grazing a threat	1	0.18	VU B2ab(i,ii)	VU	4	-	0.4	1	1	southern edge, grazing a threat
Eragrostis falcata	3	1.78	RA d(ii)	RA	3	DD	0.0	2	1		9	5.33	LC	LC	1	0	0.3	8	6	likes saline areas
Eragrostis kennedyae		0.00									1	4.76	RA d(ii)	RA	3	DD	0.0	1	1	
Eragrostis lacunaria		0.00									1	1.54	RA d(i,ii)	RA	3	DD	0.0	1	1	
Eragrostis laniflora		0.00									1	0.47	VU B2ab(i,ii)	VU	4	-	0.4	1		southern limit, not collected for a long time
Eragrostis lanipes	1	2.33	RA d(i,ii)	RA	3	DD	0.0	1				0.00								
Eragrostis leptocarpa		0.00										0.00								
Eragrostis parviflora		0.00									1	0.55	RA d(ii)	RA	3	DD	0.0	1		
Eragrostis pergracilis	1	2.08	RA d(ii)	RA	3	DD	0.0	1	1			0.00								
Eragrostis setifolia	4	0.36	RA d(ii)	RA	3	0	0.3	3	2		4	0.36	NT	NT	2	0	0.3	4	1	
Eragrostis xerophila	1	0.28	RA d(ii)	RA	3	DD	0.0	1			3	0.84	RA d(ii)	RA	3	-	0.4	3		
Eremophea spinosa		0.00										0.00								
Eremophila alternifolia	74	6.48	LC	LC	1	0	0.3	56	8	common in rocky areas	17	1.49	LC	LC	1	0	0.3	14	3	common in rocky areas
Eremophila arachnoides ssp. tenera		0.00										0.00								
Eremophila arenaria		0.00										0.00								
Eremophila barbata		0.00										0.00								
Eremophila battii		0.00										0.00								
Eremophila behriana	3	1.29	RA d(ii)	RA	3	0	0.3	2		northern limit		0.00								
Eremophila clarkei		0.00										0.00								
Eremophila crassifolia	10	1.43	LC	LC	1	0	0.3	9	1	likes limestone		0.00								
Eremophila decipiens ssp. decipiens		0.00										0.00								
Eremophila delisseri		0.00										0.00								
Eremophila deserti	11	1.69	LC	LC	1	0	0.3	10	5		16	2.47	LC	LC	1	0	0.3	13	7	
Eremophila duttonii	3	0.53	RA d(ii)	RA	3	0	0.3	3	1	edge of range	6	1.05	LC	LC	1	0	0.3	6	2	
Eremophila freelingii		0.00									1	0.07	VU D2	VU	4	DD	0.0	1		rocky hillsides
Eremophila gibbifolia		0.00										0.00								
Eremophila gibsonii		0.00										0.00								
Eremophila gilesii		0.00										0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records		Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Gawler Lakes Records		Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
	% Gawler Volcanics										% Gawler Lakes									
<i>Eremophila glabra</i> ssp. <i>glabra</i>	46	3.15	LC	LC	1	0	0.3	36	9		19	1.30	LC	LC	1	0	0.3	19	8	
<i>Eremophila hillii</i>		0.00										0.00								
<i>Eremophila latrobei</i> ssp. <i>glabra</i>	27	3.92	LC	LC	1	0	0.3	23	5		11	1.60	LC	LC	1	0	0.3	11	3	
<i>Eremophila latrobei</i> ssp. <i>latrobei</i>		0.00										0.00								
<i>Eremophila longifolia</i>	10	0.86	LC	LC	1	0	0.3	9			8	0.68	LC	LC	1	0	0.3	8	4	
<i>Eremophila maculata</i> ssp. <i>brevifolia</i>		0.00										0.00								
<i>Eremophila maculata</i> ssp. <i>maculata</i>	2	0.67	RA d(ii)	RA	3	0	0.3	2	1	likes floodplains	1	0.33	RA d(ii)	RA	3	0	0.3	1		likes floodplains
<i>Eremophila neglecta</i>		0.00										0.00								
<i>Eremophila oppositifolia</i> ssp. <i>angustifolia</i>		0.00										0.00								
<i>Eremophila oppositifolia</i> ssp. <i>oppositifolia</i>	37	8.08	LC	LC	1	0	0.3	32	1		14	3.06	LC	LC	1	0	0.3	14	3	
<i>Eremophila paisleyi</i> ssp. <i>paisleyi</i>	1	0.91	RA d(ii)	RA	3	0	0.3	1				0.00								
<i>Eremophila parvifolia</i>		0.00										0.00								
<i>Eremophila platythamnus</i> ssp. <i>exotrachys</i>		0.00										0.00								
<i>Eremophila platythamnus</i> ssp. <i>platythamnus</i>		0.00										0.00								
<i>Eremophila platythamnus</i> ssp. <i>Villous</i> (A.C. Robinson NP)		0.00										0.00								
<i>Eremophila rotundifolia</i>	10	4.35	LC	LC	1	0	0.3	10	4		3	1.30	LC	LC	1	0	0.3	3	1	
<i>Eremophila scoparia</i>	52	4.68	LC	LC	1	0	0.3	46	7		25	2.25	LC	LC	1	0	0.3	24	6	
<i>Eremophila serrulata</i>	68	13.60	LC	LC	1	0	0.3	56	9		5	1.00	LC	LC	1	0	0.3	5	1	
<i>Eremophila</i> sp. <i>Decussate</i> (R.J.Chinnock 7735)		0.00										0.00								
<i>Eremophila</i> sp. <i>Dendritica</i> (W.S.Reid AD98581189)		0.00										0.00								
<i>Eremophila</i> sp. <i>Fallax</i> (D.E.Symon 12311)		0.00										0.00								
<i>Eremophila</i> sp. <i>Hygrophana</i> (P.J.Lang B894-2828)		0.00										0.00								
<i>Eremophila</i> sp. <i>Praecox</i> (R.H.Ashby 131)		0.00										0.00								
<i>Eremophila sturtii</i>		0.00										0.00								
<i>Eremophila subfloccosa</i> ssp. <i>Lanata</i> (R.Bates 33587)		0.00										0.00								
<i>Eremophila verrucosa</i> ssp. <i>brevistellata</i>		0.00										0.00								
<i>Eremophila verrucosa</i> ssp. <i>verrucosa</i>		0.00										0.00								
<i>Eremophila weldii</i>	1	0.27	RA d(ii)	RA	3	0	0.3	1				0.00								
<i>Eremophila willsii</i> var. <i>integrifolia</i>		0.00										0.00								
<i>Eriachne aristidea</i>		0.00										0.00								
<i>Eriachne helmsii</i>		0.00										0.00								
<i>Eriachne mucronata</i>		0.00										0.00								
<i>Eriachne ovata</i>		0.00										0.00								
<i>Eriochilus cucullatus</i>		0.00										0.00								
<i>Eriochiton sclerotaenoides</i>	93	6.18	LC	LC	1	0	0.3	77	16		7	0.47	NT	NT	2	0	0.3	6	3	
<i>Eriochlamys behrii</i>	6	6.00	LC	LC	1	0	0.3	6			3	3.00	LC	LC	1	0	0.3	3	1	
<i>Eriochlamys eremaea</i>		0.00										0.00								
<i>Eriochloa australiensis</i>		0.00									2	1.22	RA d(i,ii)	RA	3	-	0.4	2		
<i>Eriochloa crebra</i>		0.00										0.00								
<i>Eriochloa pseudoacrotricha</i>		0.00										0.00								
<i>Erodiochloa eldeni</i>		0.00									9	6.29	RA d(ii)	RA	3	-	0.4	6	1	
<i>Erodium carolinianum</i>	5	2.26	LC	LC	1	0	0.3	5			2	0.90	RA d(ii)	RA	3	DD	0.0	2		
<i>Erodium cernitum</i>	71	6.83	LC	LC	1	0	0.3	47	12		7	0.67	LC	LC	1	0	0.3	7	3	

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records		Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)		Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Gawler Lakes Records		Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)		Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
	20	%		LC	LC							1		%	RA d(ii)					
Erodium cygnorum	20	14.71	LC	LC	-1	0	0.3	19	2		1	0.74	RA d(ii)	RA	3	DD	0.0	1	1	
Erodium janszii	1	10.00	NE	NE	-1			1		taxonomic issues	1	0.00								
Erodium sp. Blesing (J.R.Wheeler 471)		0.00										0.00								
Erymophyllum ramosum ssp. ramosum		0.00										0.00								
Eucalyptus alboburpurea		0.00										0.00								
Eucalyptus angulosa		0.00										0.00								
Eucalyptus behriana		0.00										0.00								
Eucalyptus brachycalyx	18	1.60	LC	LC	1	0	0.3	14	4	prob undercollected	2	0.18	RA d(ii)	RA	3	DD	0.0	2		
Eucalyptus calcareana	21	4.24	DD	DD	0	DD	0.0	13	2	taxonomic issues		0.00								
Eucalyptus calycogona ssp. calycogona		0.00										0.00								
Eucalyptus calycogona ssp. spaffordii		0.00										0.00								
Eucalyptus camaldulensis var. camaldulensis		0.00										0.00								
Eucalyptus camaldulensis var. obtusa		0.00									1	0.27	RA d(i,ii)	RA	3	DD	0.0	1	1	this ssp soon to be described as ssp arida
Eucalyptus canescens ssp. beadelii		0.00										0.00								
Eucalyptus canescens ssp. canescens		0.00										0.00								
Eucalyptus ceratocorys	1	2.56	DD	DD	0	DD	0.0	1		now E capitanea if in SA		0.00								
Eucalyptus cladocalyx		0.00										0.00								
Eucalyptus concinna	20	4.99	LC	LC	1	0	0.3	17	6		1	0.25	DD	DD	0	DD	0.0	1		inaccurate location
Eucalyptus conglobata ssp. conglobata		0.00										0.00								
Eucalyptus cretata		0.00										0.00								
Eucalyptus diversifolia ssp. diversifolia		0.00										0.00								
Eucalyptus diversifolia ssp. hesperia		0.00										0.00								
Eucalyptus dumosa	32	1.78	RA d(ii)	RA	3	0	0.3	22	6			0.00								
Eucalyptus eremicola		0.00										0.00								
Eucalyptus eucentrica		0.00										0.00								
Eucalyptus glomerosa		0.00										0.00								
Eucalyptus gongylocarpa		0.00										0.00								
Eucalyptus gracilis	51	2.08	LC	LC	1	0	0.3	36	6		3	0.12	RA d(i,ii)	RA	3	0	0.3	3		
Eucalyptus gypsophila		0.00										0.00								
Eucalyptus incrassata	12	0.61	RA d(i,ii)	RA	3	0	0.3	9	2			0.00								
Eucalyptus intertexta	1	0.17	RA d(i,ii)	RA	3	DD	0.0	1	1			0.00								
Eucalyptus kingsmillii ssp. alatissima		0.00										0.00								
Eucalyptus lansdowneana	62	91.18	RA d(i,ii)	RA	3	0	0.3	37	6			0.00								
Eucalyptus leptophylla	3	0.16	RA d(ii)	RA	3	0	0.3	2	1			0.00								
Eucalyptus mannensis ssp. mannensis		0.00										0.00								
Eucalyptus odorata	2	0.12	RA d(i,ii)	RA	3	0	0.3	1	1			0.00								
Eucalyptus oleosa ssp. ampliata	6	1.13	DD	DD	0	DD	0.0	5			1	0.19	DD	DD	0	DD	0.0	1		
Eucalyptus oleosa ssp. oleosa	5	1.39	DD	DD	0	DD	0.0	4	3	check ID	4	1.11	RA d(i,ii)	RA	3	0	0.3	3	1	
Eucalyptus oxymitra		0.00										0.00								
Eucalyptus peeneri		0.00										0.00								
Eucalyptus peninsularis		0.00										0.00								
Eucalyptus petiolaris		0.00										0.00								
Eucalyptus phenax ssp. phenax	5	1.01	RA d(i,ii)	RA	3	0	0.3	5	3			0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records		Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Gawler Lakes Records		Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
	% Gawler Volcanics	% Gawler Lakes																		
Eucalyptus pileata	4	6.35	NE	NE	- 1			4	1	taxonomic issues		0.00								
Eucalyptus pimpiniana		0.00										0.00								
Eucalyptus porosa	73	4.02	LC	LC	1	0	0.3	51	9		2	0.11	RA d(i,ii)	RA	3	0	0.3	2	1	
Eucalyptus rugosa		0.00										0.00								
Eucalyptus socialis ssp. Glossy green (P.J.Lang 804)		0.00										0.00								
Eucalyptus socialis ssp. socialis	56	8.01	LC	LC	1	0	0.3	46	4		2	0.29	RA d(i,ii)	RA	3	0	0.3	2	1	
Eucalyptus socialis ssp. South Great Victoria Desert (D.N)		0.00										0.00								
Eucalyptus trivalvis	12	30.00	RA d(i,ii)	RA	3	0	0.3	7	3			0.00								
Eucalyptus viminalis ssp. cygnetensis		0.00										0.00								
Eucalyptus vokesensis		0.00										0.00								
Eucalyptus wyolensis		0.00										0.00								
Eucalyptus yalataensis	2	0.41	DD	DD	0	DD	0.0	2	1			0.00								
Eucalyptus youngiana	3	1.97	RA d(i,ii)	RA	3	0	0.3	2	1			0.00								
Eucalyptus yumbarrana ssp. yumbarrana		0.00										0.00								
Euchiton collinus		0.00										0.00								
Euchiton sphaericus	10	2.30	LC	LC	1	0	0.3	10			1	0.23	RA d(i,ii)	RA	3	0	0.3	1		
Eulalia aurea		0.00										0.00								
Euphorbia parvicaruncula		0.00										0.00								
Euphorbia stevenii		0.00									3	2.03	RA d(i,ii)	RA	3	DD	0.0	3		comes up after rain
Euphorbia tannensis ssp. eremophila	97	8.88	LC	LC	1	0	0.3	82	10		14	1.28	LC	LC	1	0	0.3	11	6	
Euphrasia collina ssp. tetragona		0.00										0.00								
Eutaxia diffusa		0.00										0.00								
Eutaxia microphylla	65	3.11	LC	LC	1	0	0.3	60	13			0.00								
Evolvulus alsinoides var. villosicalyx		0.00										0.00								
Exocarpos aphyllus	60	2.41	LC	LC	1	0	0.3	52	10		13	0.52	LC	LC	1	0	0.3	13	3	
Exocarpos cupressiformis		0.00										0.00								
Exocarpos sparteus	2	0.19	LC	LC	1	0	0.3	2	1			0.00								
Exocarpos syrticola		0.00										0.00								
Ficinia nodosa		0.00										0.00								
Fimbristylis dichotoma		0.00										0.00								
Flaveria australasica		0.00										0.00								
Frankenia cinerea		0.00										0.00								
Frankenia crispa	1	5.00	RA d(i,ii)	RA	3	0	0.3	1	1		1	5.00	RA d(i,ii)	RA	3	0	0.3	1	1	
Frankenia cupularis	2	2.38	RA d(i,iii)	RA	3	0	0.3	2	2			0.00								
Frankenia foliosa	2	0.85	RA d(ii)	RA	3	DD	0.0	2	1		9	3.83	RA d(ii)	RA	3	DD	0.0	8	5	
Frankenia pauciflora var. fruticulosa	4	0.60	RA d(ii)	RA	3	0	0.3	4			1	0.15	LC	LC	1	0	0.3	1	1	undercollected
Frankenia pauciflora var. gunnii	2	1.32	RA d(ii)	RA	3	DD	0.0	2	2	lack of habitat		0.00								
Frankenia plicata		0.00										0.00								
Frankenia serpyllifolia	23	3.27	LC	LC	1	0	0.3	22	3		9	1.28	LC	LC	1	0	0.3	8	7	
Frankenia sessilis		0.00									1	0.27	LC	LC	1	0	0.3	1	1	
Gahnia ancistrophylla		0.00										0.00								
Gahnia deusta		0.00										0.00								
Gahnia filium		0.00										0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records		Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)		Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Gawler Lakes Records		Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)		Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
	6	0.44		LC	LC						-1	0		0.3	5					
Gahnia lanigera	6	0.44	LC	LC	-1	0	0.3	5			0.00									
Gahnia trifida		0.00									0.00									
Galium compactum		0.00									0.00									
Galium gaudichaudii	17	2.92	NE	NE	-1			17	2	taxonomic issues, split into 2	1	0.17	NE	NE	-1			1	2	taxonomic issues, split into 2
Galium migrans	9	1.90	NE	NE	-1			9	1	taxonomic issues, split		0.00								
Geijera linearifolia	38	2.57	LC	LC	1	0	0.3	32	4		6	0.41	LC	LC	1	0	0.3	5	3	
Genoplesium nigricans	1	0.53	NE	NE	-1			1	1	now <i>Corunastylis tepperi</i> & <i>C nigricans</i>		0.00								
Genoplesium rufum		0.00										0.00								
Geococcus pusillus	2	1.32	RA d(ii)	RA	3	DD	0.0	1	1		1	0.66	RA d(ii)	RA	3	DD	0.0	1	1	
Geranium potentilloides var. potentilloides		0.00										0.00								
Geranium retrorsum	10	1.51	LC	LC	1	0	0.3	9	1			0.00								
Geranium solanderi var. solanderi	13	2.52	LC	LC	1	0	0.3	10				0.00								
Gilesia biniflora		0.00									1	3.57	RA d(i,ii)	RA	3	DD	0.0	1	1	ephemeral
Glinus lotoides		0.00									1	0.41	RA d(ii)	RA	3	0	0.3	1	1	southern limit
Glischrocaryon aureum var. angustifolium	8	10.26	NT	NT	2	0	0.3	7	3			0.00								
Glischrocaryon behrii		0.00										0.00								
Glischrocaryon flavescens	45	32.85	LC	LC	1	0	0.3	38	4			0.00								
Glossocardia bidens		0.00										0.00								
Glossodia major		0.00										0.00								
Glossostigma cleistanthum	1	11.11	VU D2	VU	4	0	0.3	1		needs fresh water, climate change a threat		0.00								
Glossostigma diandrum		0.00										0.00								
Glossostigma drummondii	1	20.00	EN D	EN	5	DD	0.0	1				0.00								
Glycine canescens	5	1.81	RA d(i,ii)	RA	3	0	0.3	5	1		1	0.36	RA d(i,ii)	RA	3	DD	0.0	1	1	
Glycine rubiginosa	21	2.79	LC	LC	1	0	0.3	15	4		2	0.27	RA d(i,ii)	RA	3	0	0.3	2		
Gnaphalium indutum		0.00										0.00	RA d(i,ii)	RA	3	0	0.3			now <i>G indutum</i> ssp <i>indutum</i>
Gnephosis arachnoidea	24	4.57	LC	LC	1	0	0.3	18	3		6	1.14	LC	LC	1	0	0.3	6	3	
Gnephosis drummondii		0.00										0.00								
Gnephosis tenuissima	21	5.59	LC	LC	1	0	0.3	16	3		25	6.65	LC	LC	1	0	0.3	21	7	
Gompholobium ecostatum		0.00										0.00								
Gonocarpus elatus	69	5.16	LC	LC	1	0	0.3	60	7			0.00								
Gonocarpus mezeianus		0.00										0.00								
Goodenia albiflora		0.00									1	0.34	RA d(i,ii)	RA	3	0	0.3	1	1	
Goodenia benthamiana		0.00										0.00								
Goodenia berardiana	18	10.98	LC	LC	1	0	0.3	16	3		1	0.61	RA d(i,ii)	RA	3	DD	0.0	1		
Goodenia blackiana		0.00										0.00								
Goodenia calcarata	4	2.90	RA d(ii)	RA	3	-	0.4	4				0.00								
Goodenia centralis	1	1.54	RA d(i,ii)	RA	3	-	0.4	1	1	goats		0.00								
Goodenia cycloptera	5	1.37	RA d(i,ii)	RA	3	0	0.3	5	1		8	2.20	RA d(ii)	RA	3	DD	0.0	7	3	
Goodenia fascicularis	2	0.19	RA d(ii)	RA	3	DD	0.0	2	2		2	0.19	RA d(ii)	RA	3	DD	0.0	2	2	
Goodenia geniculata		0.00										0.00								
Goodenia gibbosa	1	3.13	RA d(i,ii)	RA	3	DD	0.0	1	1		1	3.13	RA d(i,ii)	RA	3	DD	0.0	1	1	
Goodenia glabra	33	33.00	LC	LC	1	0	0.3	29	7			0.00								
Goodenia glandulosa		0.00										0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records								Gawler Lakes Records											
		% Gawler Volcanics	Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)		% Gawler Lakes	Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
<i>Goodenia gypsicola</i>		0.00									0.00									
<i>Goodenia havilandii</i>	73	46.20	LC	LC	1	0	0.3	59	5	stronghold	0.00									
<i>Goodenia heterochila</i>	2	5.71	VU B2ab(i,ii,iii)	VU	4	-	0.4	1			0.00									
<i>Goodenia larapinta</i>		0.00									0.00									
<i>Goodenia lobata</i>	1	1.92	RA d(ii)	RA	3	DD	0.0	1	1		0.00									
<i>Goodenia lunata</i>		0.00									0.00									
<i>Goodenia modesta</i>		0.00									0.00									
<i>Goodenia occidentalis</i>	1	3.33	RA d(i,ii)	RA	3	DD	0.0	1		edge of range	0.00									
<i>Goodenia ovata</i>		0.00									0.00									
<i>Goodenia pinnatifida</i>	22	1.81	LC	LC	1	0	0.3	19	5		0.25	LC	LC	1	0	0.3	3	1		
<i>Goodenia pusilliflora</i>	65	7.71	LC	LC	1	0	0.3	54	17		0.47	RA d(i,ii)	RA	3	DD	0.0	4	2		
<i>Goodenia quaslibera</i>	1	10.00	RA d(i,ii)	RA	3	DD	0.0	1	1		0.00									
<i>Goodenia robusta</i>	9	1.54	RA d(ii)	RA	3	-	0.4	8	1	goats	0.00									
<i>Goodenia varia</i>	7	0.63	LC	LC	1	0	0.3	6			0.00									
<i>Goodenia verrucosa</i>		0.00									0.00									
<i>Goodenia willisiana</i>	15	1.53	LC	LC	1	0	0.3	15			0.00									
<i>Goodenia xanthosperma</i>		0.00									0.00									
<i>Goodia medicaginea</i>	16	4.75	RA d(ii)	RA	3	DD	0.0	14	2		0.00									
<i>Gossypium sturtianum</i> var. <i>sturtianum</i>		0.00									1.37	RA d(ii)	RA	3	DD	0.0	2			
<i>Grammosolen dixonii</i>		0.00									0.00									
<i>Grammosolen truncatus</i>	16	10.46	LC	LC	1	0	0.3	14	2		0.65	RA d(i,ii)	RA	3	0	0.3	1	1		
<i>Gratwickia monochaeta</i>	23	28.75	LC	LC	1	0	0.3	19	3		13.75	LC	LC	1	0	0.3	10	3		
<i>Grevillea albiflora</i>		0.00									0.00									
<i>Grevillea anethifolia</i>	28	48.28	NT	NT	2	-	0.4	23	5	goats	0.00									
<i>Grevillea aspera</i>	44	13.58	LC	LC	1	-	0.4	33	4	rocky areas	0.00									
<i>Grevillea dilatata</i>		0.00									0.00									
<i>Grevillea halmaturina</i> ssp. <i>laevis</i>		0.00									0.00									
<i>Grevillea huegelii</i>	19	2.65	LC	LC	1	0	0.3	18	2		0.28	RA d(i,ii)	RA	3	0	0.3	2	1		
<i>Grevillea ilicifolia</i> ssp. <i>ilicifolia</i>		0.00									0.00									
<i>Grevillea juncifolia</i> ssp. <i>juncifolia</i>	5	1.74	NT	NT	2	0	0.3	4			0.00									
<i>Grevillea nematophylla</i> ssp. <i>nematophylla</i>	4	1.50	RA d(ii)	RA	3	-	0.4	3	1	edge of range	1.50	RA d(ii)	RA	3	-	0.4	3		edge of range	
<i>Grevillea nematophylla</i> ssp. <i>supraplana</i>		0.00									0.00									
<i>Grevillea parallelinervis</i>	50	98.04	NT	NT	2	-	0.4	39	5	endemic	0.00									
<i>Grevillea pauciflora</i> ssp. <i>leptophylla</i>		0.00									0.00									
<i>Grevillea pauciflora</i> ssp. <i>pauciflora</i>		0.00									0.00									
<i>Grevillea pterosperma</i>	8	2.19	RA d(ii)	RA	3	0	0.3	7	1		0.00									
<i>Grevillea sarissa</i> ssp. <i>umbellifera</i>		0.00									0.00									
<i>Grevillea stenobotrya</i>		0.00									0.00									
<i>Grevillea treueriana</i>		0.00									0.00									
<i>Gunniopsis calcarea</i>		0.00									0.00									
<i>Gunniopsis calva</i>	9	29.03	RA d(ii)	RA	3	0	0.3	9	3	limited habitat	29.03	RA d(ii)	RA	3	0	0.3	8	2	limited habitat	
<i>Gunniopsis papillata</i>		0.00									0.82	RA d(i,ii)	RA	3	0	0.3	1	1	edge of range	
<i>Gunniopsis quadrifida</i>	7	1.68	RA d(ii)	RA	3	-	0.4	7	2		7.19	NT	NT	2	0	0.3	27	9		

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records		Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Gawler Lakes Records		Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
	% Gawler Volcanics	% Gawler Lakes																		
Gunniopsis septifraga	3	9.09	RA d(ii)	RA	3	-	0.4	3	1		3	9.09	RA d(ii)	RA	3	-	0.4	3	1	
Gunniopsis zygophylloides		0.00										0.00								
Gyrostemon australasicus		0.00										0.00								
Gyrostemon ramulosus	9	3.18	RA d(i,ii)	RA	3	0	0.3	8		sand dune species		0.00								
Gyrostemon tepperi		0.00										0.00								
Gyrostemon thesioides		0.00										0.00								
Haeckeria cassiniiformis		0.00										0.00								
Haeckeria punctulata		0.00									2	3.08	RA d(i,ii)	RA	3	0	0.3	2		edge of range
Haegiela tatei		0.00										0.00								
Hakea cycloptera	10	1.96	RA d(ii)	RA	3	0	0.3	7				0.00								
Hakea francisiana	15	4.84	LC	LC	1	0	0.3	14	1		4	1.29	RA d(ii)	RA	3	DD	0.0	1		
Hakea leucoptera ssp. leucoptera	34	4.40	LC	LC	1	0	0.3	30	5		9	1.17	LC	LC	1	0	0.3	9	1	
Hakea lorea ssp. lorea		0.00										0.00								
Hakea mitchellii	7	0.57	RA d(i,ii)	RA	3	0	0.3	6				0.00								
Hakea rugosa		0.00										0.00								
Hakea vittata	1	0.19	VU D2	VU	4	DD	0.0	1				0.00								
Halgania andromedifolia		0.00										0.00								
Halgania cyanea	20	2.84	LC	LC	1	0	0.3	18	4			0.00								
Halophila australis		0.00										0.00	LC	LC	1	0	0.3			No records but occurs here
Haloragis acutangula forma acutangula		0.00										0.00								
Haloragis acutangula forma annulata		0.00										0.00								
Haloragis acutangula forma dentata		0.00										0.00								
Haloragis acutangula forma inflata		0.00										0.00								
Haloragis acutangula forma obturbinata		0.00										0.00								
Haloragis acutangula forma pyramidata		0.00										0.00								
Haloragis acutangula forma semiangulata		0.00										0.00								
Haloragis acutangula forma stellata		0.00										0.00								
Haloragis acutangula forma subacutangula		0.00										0.00								
Haloragis acutangula forma tetraglebosa		0.00										0.00								
Haloragis acutangula forma tetraptera		0.00										0.00								
Haloragis acutangula forma turbinata		0.00										0.00								
Haloragis aspera	1	0.14	RA d(ii)	RA	3	DD	0.0	1			1	0.14	RA d(ii)	RA	3	DD	0.0	1		
Haloragis eyreana		0.00										0.00								
Haloragis glauca forma glauca		0.00										0.00								
Haloragis gossei	1	2.63	RA d(i,ii)	RA	3	DD	0.0	1				0.00								
Haloragis odontocarpa forma pterocarpa		0.00										0.00								
Haloragis odontocarpa forma rugosa		0.00										0.00								
Haloragis uncatipila		0.00										0.00								
Hannafordia bissillii ssp. bissillii		0.00										0.00								
Hardenbergia violacea		0.00										0.00								
Harmsiodoxa blennodioides		0.00										0.00								
Harmsiodoxa brevipes var. brevipes	4	3.33	RA d(ii)	RA	3	-	0.4	3				0.00								
Harmsiodoxa brevipes var. major		0.00										0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records								Comments (Gawler Volcanics)	Gawler Lakes Records								
	Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	% Gawler Volcanics		Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	% Gawler Lakes	Comments (Gawler Lakes)
Harmsiodoxa puberula																		
Helichrysum leucopsidium	9	0.42	LC		LC	1	0	0.3	5									
Heliotropium asperillum	18	6.77	NT		NT	2	DD	0.0	16	2								
Heliotropium europaeum	3	0.80	NE		NE	-1			3	1	taxonomic issues	6	1.60	NE				
Hemichroa diandra	2	0.86	RA d(ii)		RA	3	0	0.3	2	1		9	3.86	LC				
Hemichroa pentandra		0.00																
Hibbertia cinerea		0.00																
Hibbertia crinita		0.00																
Hibbertia crispula	9	32.14	VU B2ab(i,ii,iii)		VU	4	-	0.4	5	1	endemic, should be more records	1	3.57	VU B2ab(i,ii,iii)				endemic, should be more records
Hibbertia paeninsularis		0.00																
Hibbertia platyphylla ssp. major		0.00																
Hibbertia platyphylla ssp. platyphylla		0.00																
Hibbertia riparia		0.00																
Hibbertia sp. Glabriuscula (D.J.Whibley 9012)		0.00																
Hibbertia virgata	12	0.83	RA d(ii)		RA	3	DD	0.0	12	2	to be named H. conduplicata. Edge of range							
Hibiscus brachysiphonius		0.00																
Hibiscus krichauffianus	1	0.43	RA d(ii)		RA	3	DD	0.0	1	1		1	1.05	RA d(ii)				1 southern limit
Hibiscus solanifolius		0.00																
Hibiscus sturtii var. grandiflorus	1	0.53	RA d(ii)		RA	3	DD	0.0	1	1								
Hibiscus sturtii var. muelleri		0.00																
Homoranthus homoranthoides		0.00																
Homoranthus wilhelmii	8	3.04	LC		LC	1	0	0.3	6	1								
Hyalosperma demissum	9	1.81	LC		LC	1	0	0.3	7	1								
Hyalosperma glutinosum ssp. glutinosum	47	14.42	LC		LC	1	0	0.3	38	11		2	0.61	RA d(ii)				
Hyalosperma semisterile	21	4.85	LC		LC	1	0	0.3	20	3		4	0.92	RA d(ii)				
Hybanthus floribundus ssp. floribundus	8	0.87	NT		NT	2	0	0.3	6	1	edge of range							
Hybanthus monopetalus	60	37.27	LC		LC	1	-	0.4	55	7								
Hydrocotyle callicarpa	2	0.34	RA d(ii)		RA	3	DD	0.0	2									
Hydrocotyle capillaris	2	0.67	RA d(i,ii)		RA	3	DD	0.0	2									
Hydrocotyle comocarpa		0.00																
Hydrocotyle foveolata	1	0.43	RA d(ii)		RA	3	-	0.4	1									
Hydrocotyle laxiflora		0.00																
Hydrocotyle medicaginooides	2	1.59	RA d(i,ii)		RA	3	0	0.3	1	1	limestone species							
Hydrocotyle pilifera var. glabrata	31	8.66	LC		LC	1	0	0.3	28	6								
Hydrocotyle rugulosa	4	5.63	NT		NT	2	-	0.4	4	1								
Hydrocotyle trachycarpa	15	9.20	LC		LC	1	0	0.3	14	3								
Hypericum gramineum		0.00																
Hypolaena fastigiata		0.00																
Hypoxis glabella var. glabella	15	2.41	LC		LC	1	0	0.3	11	8								
Hypoxis vaginata var. vaginata		0.00																
Imperata cylindrica		0.00																
Indigofera australis var. australis	16	12.12	RA d(ii)		RA	3	DD	0.0	14	1								
Indigofera georgii	2	4.44	NE		NE	-1			1		taxonomic issues							

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records		Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)		Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Gawler Lakes Records		Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)		Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
	Gawler Volcanics Records	% Gawler Volcanics		Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)						Gawler Lakes Records	% Gawler Lakes		Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)					
Indigofera helmsii	6	9.52	NE	NE	-1			5	5	taxonomic issues		0.00								
Indigofera psammophila		0.00										0.00								
Iseilema eremaeum		0.00										0.00								
Iseilema membranaceum	3	1.90	DD	DD	0	DD	0.0	3		check ID		0.00								
Isoetes muelleri		0.00										0.00								
Isoetopsis graminifolia	41	6.52	LC	LC	1	0	0.3	38	7		3	0.48	RA d(ii)	RA	3	0	0.3	3		
Isolepis australiensis	2	2.94	RA d(ii)	RA	3	DD	0.0	2			1	1.47	RA d(ii)	RA	3	DD	0.0	1	1	
Isolepis cernua		0.00										0.00								
Isolepis congrua	2	3.23	RA d(ii)	RA	3	DD	0.0	2				0.00								
Isolepis fluitans		0.00										0.00								
Isolepis hookeriana		0.00										0.00								
Isolepis inundata		0.00										0.00								
Isolepis platycarpa	2	1.05	VU B2ab(i,ii,iii)	VU	4	-	0.4	2				0.00								
Isolepis stellata		0.00										0.00								
Isotoma petraea	65	17.76	LC	LC	1	0	0.3	54	5		2	0.55	RA d(ii)	RA	3	DD	0.0	2		
Isotoma scapigera		0.00										0.00								
Ixiochlamys cuneifolia	1	0.37	RA d(ii)	RA	3	0	0.3	1	1	southern limit	2	0.74	RA d(ii)	RA	3	0	0.3	2	2	southern limit
Ixiochlamys filicifolia		0.00										0.00								
Ixiochlamys nana		0.00									1	1.45	RA d(ii)	RA	3	0	0.3	1	1	southern limit
Ixodia achillaeoides ssp. achillaeoides		0.00										0.00								
Ixodia achillaeoides ssp. alata		0.00										0.00								
Jasminum didymum ssp. lineare		0.00									7	3.65	RA d(ii)	RA	3	DD	0.0	6	2	
Juncus aridicola	1	0.78	RA d(ii,ii)	RA	3	0	0.3	1				0.00								
Juncus bufonius	7	1.29	NT	NT	2	0	0.3	5			1	0.18	NT	NT	2	0	0.3	1	1	
Juncus kraussii		0.00										0.00								
Juncus pallidus		0.00										0.00								
Juncus radula		0.00										0.00								
Juncus subsecundus		0.00										0.00								
Kennedia prostrata		0.00										0.00								
Keraudrenia nephrosperma		0.00										0.00								
Keraudrenia sp. North West (J.Z.Weber 6475)		0.00										0.00								
Kippistia suaedifolia		0.00									3	2.91	RA d(ii)	RA	3	0	0.3	3	1	gypsious habitat
Korthalsella japonica forma japonica	1	16.67	NE	NE	-1			1	1	taxonomic issues		0.00								
Lachnagrostis aemula		0.00										0.00								
Lachnagrostis billardierei ssp. billardierei		0.00										0.00								
Lachnagrostis filiformis	4	2.86	DD	DD	0	DD	0.0	3	2	many records not databased, common on EP	2	1.43	DD	DD	0	DD	0.0	2	2	many records not databased, common on EP
Lagenophora huegelii		0.00										0.00								
Lasiopetalum baueri		0.00										0.00								
Lasiopetalum behrii	3	0.40	RA d(ii,ii)	RA	3	0	0.3	2				0.00								
Lasiopetalum discolor		0.00										0.00								
Lasiopetalum schulzenii		0.00										0.00								
Lawrencella davenportii	5	2.12	LC	LC	1	0	0.3	5	2		5	2.12	LC	LC	1	0	0.3	5	1	
Lawrencella berthae		0.00										0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records		Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Gawler Lakes Records		Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
	% Gawler Volcanics	% Gawler Lakes																		
Lawrenzia glomerata	13	3.25	LC	LC	1	0	0.3	11	3		19	4.75	LC	LC	1	0	0.3	16	6	
Lawrenzia spicata		0.00										0.00								
Lawrenzia squamata	12	1.62	LC	LC	1	0	0.3	9	3		4	0.54	LC	LC	1	0	0.3	4	1	
Laxmannia orientalis		0.00										0.00								
Lechenaultia aphylla		0.00										0.00								
Lechenaultia divaricata		0.00										0.00								
Lechenaultia striata		0.00										0.00								
Leiocarpa leptolepis	1	0.24	RA d(i,ii)	RA	3	0	0.3	1	1		4	0.96	RA d(ii)	RA	3	0	0.3	4	3	southern limit
Leiocarpa plurisetata		0.00										0.00								
Leiocarpa semicalva ssp. semicalva	15	1.99	LC	LC	1	0	0.3	13	2	found in rocks & gorges		0.00								
Leiocarpa supina		0.00										0.00								
Leiocarpa tomentosa		0.00									4	1.98	RA d(ii)	RA	3	0	0.3	4	4	
Leiocarpa websteri	5	0.74	RA d(ii)	RA	3	DD	0.0	4			8	1.19	LC	LC	1	0	0.3	7	2	
Lemna disperma	1	1.19	RA d(ii,ii)	RA	3	DD	0.0	1				0.00								
Lemnooria burkittii	11	6.15	LC	LC	1	0	0.3	9	2		3	1.68	LC	LC	1	0	0.3	3		
Lepidium fasciculatum	2	2.67	VU B2ab(i,ii,iii)	VU	4	-	0.4	2	2	nthn record wrongly mapped		0.00	VU B2ab(i,ii,iii)	VU	4	-	0.4			no records
Lepidium foliosum		0.00										0.00								
Lepidium leptopetalum		0.00									5	5.26	RA d(i,ii)	RA	3	0	0.3	4	2	
Lepidium muelleri-ferdinandi	1	0.39	RA d(ii)	RA	3	DD	0.0	1	1			0.00								
Lepidium oxytrichum	21	3.26	LC	LC	1	0	0.3	18	3		4	0.62	LC	LC	1	0	0.3	4	1	
Lepidium papillosum	20	6.04	LC	LC	1	0	0.3	19	1		6	1.81	LC	LC	1	0	0.3	6	1	
Lepidium phlebopetalum	5	0.65	LC	LC	1	0	0.3	5	3		13	1.70	LC	LC	1	0	0.3	11	5	
Lepidium pseudoruderale		0.00										0.00								
Lepidium rotundum		0.00										0.00								
Lepidium sagittulatum		0.00										0.00								
Lepidosperma canescens		0.00										0.00								
Lepidosperma carphoides		0.00										0.00								
Lepidosperma concavum	13	3.04	NT	NT	2	0	0.3	13				0.00								
Lepidosperma congestum		0.00										0.00								
Lepidosperma curtisiae		0.00										0.00								
Lepidosperma gladiatum		0.00										0.00								
Lepidosperma leptophyllum		0.00										0.00								
Lepidosperma sp. Narrow leaf (R.L.Taplin 709)		0.00										0.00								
Lepidosperma viscidum	28	1.19	LC	LC	1	0	0.3	26	13			0.00								
Lepilaena australis	5	9.62	RA d(ii)	RA	3	DD	0.0	4		needs fresh water, ephemeral		0.00								
Lepilaena cylindrocarpa		0.00										0.00								
Lepilaena marina		0.00										0.00								
Lepilaena preissii		0.00										0.00								
Leporella fimbriata		0.00										0.00								
Leptoceras menziesii		0.00										0.00								
Leptomeria aphylla		0.00										0.00								
Leptomeria preissiana	3	60.00	CR D	CR	6	--	0.5	2		very small pop on granite outcrop, grazed by goats		0.00								
Leptorhynchus baileyi	1	1.89	RA d(ii)	RA	3	-	0.4	1			1	1.89	RA d(ii)	RA	3	-	0.4	1	1	

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records								Gawler Lakes Records											
	Records	%	Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Records	%	Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
Leptorhynchus elongatus		0.00										0.00								
Leptorhynchus melanocarpus		0.00									1	100.00	VU D2	VU	4	DD	0.0	1	1	localised endemic, only 1 record
Leptorhynchus scaber	2	10.53	RA d(i,ii)	RA	3	-	0.4	2	1	limited habitat, grazing a threat		0.00								
Leptorhynchus squamatus ssp. squamatus		0.00										0.00								
Leptorhynchus tetrachaetus	3	1.58	RA d(ii)	RA	3	-	0.4	3	1			0.00								
Leptorhynchus waitzia	2	0.73	RA d(ii)	RA	3	DD	0.0	2	2		1	0.37	RA d(ii)	RA	3	DD	0.0	1	1	
Leptospermum coriaceum	27	2.05	LC	LC	1	0	0.3	19	2		1	0.08	RA d(ii)	RA	3	0	0.3	1		
Leptospermum fastigiatum		0.00										0.00								
Leucochrysum fitzibbonii		0.00										0.00								
Leucochrysum melle	7	8.43	RA d(ii)	RA	3	-	0.4	7	2	grazed, southern limit of range	4	4.82	RA d(ii)	RA	3	-	0.4	3	1	grazed, southern limit of range
Leucochrysum stipitatum	2	1.07	RA d(ii)	RA	3	0	0.3	2	1	edge of range		0.00								
Leucophyta brownii		0.00										0.00								
Leucopogon clevelandii		0.00										0.00								
Leucopogon cordifolius	16	2.34	LC	LC	1	0	0.3	13	1		1	0.15	RA d(i,ii)	RA	3	0	0.3	1		
Leucopogon parviflorus		0.00										0.00								
Leucopogon revolutus		0.00										0.00								
Leucopogon rufus		0.00										0.00								
Leucopogon woodsii		0.00										0.00								
Levenhookia dubia	4	0.81	NT	NT	2	-	0.4	3	1			0.00								
Levenhookia stipitata		0.00										0.00								
Lilaeopsis polyantha		0.00										0.00								
Limosella australis		0.00										0.00								
Limosella curdieana var. curdieana		0.00										0.00								
Limosella curdieana var. Long-pedicelled (W.R.Barker 38		0.00										0.00								
Limosella granitica		0.00									1	5.56	VU D2	VU	4	DD	0.0	1	1	endemic
Linum marginale	6	1.05	RA d(i,ii)	RA	3	-	0.4	5	1	grazed		0.00								
Lissanthe strigosa ssp. subulata		0.00										0.00								
Lobelia anceps		0.00										0.00								
Lobelia gibbosa		0.00										0.00								
Lobelia heterophylla	1	4.00	RA d(ii)	RA	3	DD	0.0	1	1	to be changed into 2 spp.		0.00								
Logania crassifolia		0.00										0.00								
Logania linifolia		0.00										0.00								
Logania minor		0.00										0.00								
Logania nuda	7	3.74	RA d(ii)	RA	3	0	0.3	6	2	needs deep sand		0.00								
Logania ovata	3	0.52	RA d(ii)	RA	3	DD	0.0	3				0.00								
Lomandra collina	21	1.62	LC	LC	1	0	0.3	15	3			0.00								
Lomandra effusa	7	0.48	LC	LC	1	0	0.3	7	3		2	0.14	LC	LC	1	0	0.3	2	2	
Lomandra juncea		0.00										0.00								
Lomandra leucocephala ssp. robusta	6	0.68	RA d(ii)	RA	3	DD	0.0	5	2			0.00								
Lomandra micrantha ssp. micrantha		0.00										0.00								
Lomandra micrantha ssp. tuberculata		0.00										0.00								
Lomandra sororia		0.00										0.00								
Lotus australis	1	0.22	RA d(i,ii)	RA	3	DD	0.0	1				0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records		Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)		Trends (-, 0, +, ++) Gawler Volcanics	Trends (-, 0, +, ++) Gawler Volcanics	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Gawler Lakes Records		Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)		Trends (-, 0, +, ++) Gawler Lakes	Trends (-, 0, +, ++) Gawler Lakes	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
	Gawler Volcanics Records	% Gawler Volcanics		Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)						Gawler Lakes Records	% Gawler Lakes		Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)					
Lotus cruentus	30	2.71	LC	LC	1	0	0.3	25	1		14	1.26	LC	LC	1	0	0.3	12	4	
Luzula densiflora		0.00										0.00								
Luzula meridionalis		0.00										0.00								
Lycium australe	54	5.21	LC	LC	1	0	0.3	51	8		28	2.70	LC	LC	1	0	0.3	25	18	
Lysiana exocarpi ssp. exocarpi	18	0.98	LC	LC	1	0	0.3	16	5		16	0.87	LC	LC	1	0	0.3	14	7	
Lysiana murrayi	4	1.90	LC	LC	1	0	0.3	4			12	5.69	LC	LC	1	0	0.3	12	8	
Lythrum hyssopifolia		0.00										0.00								
Lythrum wilsonii	2	3.39	NT	NT	2	0	0.3	2	2	southern limit, undercollected	1	1.69	NT	NT	2	0	0.3	1	1	southern limit, undercollected
Maireana aphylla	3	0.35	RA d(i,ii)	RA	3	DD	0.0	3	1		7	0.81	RA d(ii)	RA	3	-	0.4	7	2	limited habitat
Maireana appressa	15	3.61	NT	NT	2	0	0.3	13	2	limited habitat	28	6.75	NT	NT	2	0	0.3	23	10	limited habitat
Maireana astrotricha	6	0.63	NT	NT	2	-	0.4	6	2	grazed, lack of regeneration	12	1.26	NT	NT	2	--	0.5	10	4	grazed, lack of regeneration
Maireana brevifolia	9	0.74	LC	LC	1	0	0.3	9	3		15	1.23	NT	NT	2	0	0.3	13	4	
Maireana campanulata		0.00										0.00								
Maireana cannonii	7	23.33	RA d(ii)	RA	3	0	0.3	4	1		12	40.00	RA d(ii)	RA	3	0	0.3	9	5	
Maireana carnososa		0.00										0.00								
Maireana ciliata	1	0.51	RA d(i,ii)	RA	3	DD	0.0	1	1		5	2.56	RA d(i,ii)	RA	3	DD	0.0	5	3	
Maireana coronata		0.00										0.00								
Maireana enchylaenoides	7	0.70	RA d(ii)	RA	3	0	0.3	6	4		1	0.10	RA d(i,ii)	RA	3	-	0.4	1		
Maireana eriantha		0.00									8	3.98	RA d(ii)	RA	3	-	0.4	7		gibber tablelands
Maireana erioclada	42	3.27	LC	LC	1	0	0.3	34	6		11	0.86	LC	LC	1	0	0.3	9	4	
Maireana georgei	15	1.87	LC	LC	1	0	0.3	12	3		16	1.99	LC	LC	1	0	0.3	15	8	
Maireana integra	4	1.21	LC	LC	1	0	0.3	4	3		3	0.91	LC	LC	1	0	0.3	3	1	
Maireana lobiflora		0.00									4	3.77	RA d(ii)	RA	3	DD	0.0	4	3	responds well to rain
Maireana melanocarpa		0.00										0.00								
Maireana microcarpa		0.00										0.00								
Maireana oppositifolia	1	0.13	NT	NT	2	0	0.3	1			7	0.88	LC	LC	1	0	0.3	6	3	
Maireana ovata		0.00										0.00								
Maireana pentatropis	34	2.98	LC	LC	1	0	0.3	32	4		25	2.19	LC	LC	1	0	0.3	23	11	
Maireana planifolia	1	0.96	RA d(i,ii)	RA	3	DD	0.0	1	1			0.00								
Maireana pyramidata	89	5.71	LC	LC	1	0	0.3	74	7		45	2.89	LC	LC	1	0	0.3	37	20	
Maireana radiata	15	2.33	LC	LC	1	0	0.3	12	3		5	0.78	LC	LC	1	0	0.3	4	3	
Maireana rohlfachii		0.00										0.00								
Maireana schistocarpa	2	8.33	RA d(ii)	RA	3	DD	0.0	2	2		1	4.17	RA d(ii)	RA	3	DD	0.0	1	1	
Maireana scleroptera		0.00										0.00								
Maireana sedifolia	105	7.61	LC	LC	1	0	0.3	88	10		20	1.45	LC	LC	1	0	0.3	18	12	
Maireana spongocarpa		0.00									1	0.71	RA d(ii)	RA	3	DD	0.0	1	1	
Maireana suaedifolia		0.00									2	7.41	RA d(i,ii)	RA	3	0	0.3	2	2	
Maireana tomentosa ssp. urceolata	1	1.14	RA d(i,ii)	RA	3	0	0.3	1	1		1	1.14	RA d(i,ii)	RA	3	0	0.3	1	1	
Maireana trichoptera	62	5.41	LC	LC	1	0	0.3	53	7		8	0.70	LC	LC	1	0	0.3	8	1	
Maireana triptera	37	11.82	LC	LC	1	0	0.3	32	8	increases in mallee after fire	7	2.24	LC	LC	1	0	0.3	7	4	increases in mallee after fire
Maireana turbinata	95	15.50	LC	LC	1	0	0.3	76	5		17	2.77	LC	LC	1	0	0.3	16	7	
Maireana villosa		0.00										0.00								
Malacocera albolanata		0.00										0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records								Gawler Lakes Records											
	Records	%	Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Records	%	Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
Malacocera gracilis		0.00									11	40.74	RA d(ii)	RA	3	0	0.3	10	3	
Malacocera tricornis	2	1.31	RA d(ii)	RA	3	DD	0.0	2	2	grazed	5	3.27	RA d(ii)	RA	3	-	0.4	4	2	grazed
Malva preissiana	2	0.24	RA d(ii)	RA	3	0	0.3	2				0.00								
Malvastrum americanum var. americanum		0.00									2	0.32	LC	LC	1	0	0.3	2	2	
Marsdenia australis	2	0.39	RA d(ii)	RA	3	DD	0.0	2			2	0.39	RA d(ii)	RA	3	DD	0.0	2	2	
Marsilea costulifera	1	2.27	RA d(ii)	RA	3	DD	0.0	1	1			0.00								
Marsilea drummondii	4	1.59	LC	LC	1	0	0.3	4			4	1.59	LC	LC	1	0	0.3	4	1	
Marsilea exarata		0.00										0.00								
Marsilea hirsuta		0.00									1	0.46	RA d(ii)	RA	3	0	0.3	1	1	
Melaleuca acuminata ssp. acuminata		0.00										0.00								
Melaleuca armillaris ssp. akineta	57	42.86	LC	LC	1	0	0.3	44	9	endemic to Gawler Ranges & granites	2	1.50	RA d(ii)	RA	3	0	0.3	2		
Melaleuca brevifolia		0.00										0.00								
Melaleuca decussata		0.00										0.00								
Melaleuca eleuterostachya	15	5.02	LC	LC	1	0	0.3	10	2		3	1.00	RA d(ii)	RA	3	0	0.3	3		
Melaleuca gibbosa		0.00										0.00								
Melaleuca glomerata		0.00										0.00								
Melaleuca halmaturorum		0.00										0.00								
Melaleuca interioris		0.00										0.00								
Melaleuca lanceolata	4	0.71	RA d(ii)	RA	3	0	0.3	4	4		1	0.18	RA d(ii)	RA	3	0	0.3	1		
Melaleuca leiocarpa	13	34.21	RA d(ii)	RA	3	0	0.3	7	2			0.00								
Melaleuca nanophylla		0.00										0.00								
Melaleuca oxyphylla	12	22.64	RA d(ii)	RA	3	DD	0.0	11	3			0.00								
Melaleuca pauperiflora ssp. mutica	7	1.60	RA d(i,ii)	RA	3	0	0.3	7	1			0.00								
Melaleuca quadrifaria		0.00										0.00								
Melaleuca uncinata	13	5.20	LC	LC	1	0	0.3	13	7			0.00								
Melaleuca xerophila	3	4.35	RA d(i,ii)	RA	3	0	0.3	2			9	13.04	LC	LC	1	0	0.3	6	1	
Menkea australis	4	4.35	RA d(ii)	RA	3	DD	0.0	4	1	possibly undercollected	2	2.17	RA d(ii)	RA	3	DD	0.0	2	1	possibly undercollected
Menkea crassa		0.00									2	1.98	RA d(i,ii)	RA	3	-	0.4	2		
Menkea sphaerocarpa		0.00										0.00								
Menkea villosula		0.00										0.00								
Mentha australis		0.00										0.00								
Mentha satereioides		0.00										0.00								
Micranthemum demissum		0.00										0.00								
Microcybe multiflora ssp. baccharoides		0.00										0.00								
Microcybe multiflora ssp. multiflora		0.00										0.00								
Microcybe pauciflora ssp. pauciflora		0.00										0.00								
Microlepidium alatum		0.00										0.00								
Microlepidium pilosulum		0.00										0.00								
Microseris lanceolata	69	6.32	LC	LC	1	0	0.3	63	12		2	0.18	RA d(ii)	RA	3	-	0.4	1	limited	
Microtis arenaria	5	0.81	RA d(ii)	RA	3	-	0.4	5	2			0.00								
Microtis atrata		0.00										0.00								
Microtis eremaea	1	20.00	EN D	EN	5	DD	0.0	1	1			0.00								
Microtis frutetorum	1	0.60	RA d(ii)	RA	3	-	0.4	1	1			0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records		Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Gawler Lakes Records		Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
	% Gawler Volcanics	% Gawler Lakes																		
Microtis orbicularis		0.00										0.00								
Microtis sp. Short-leaf (R.J. Bates 54342)		0.00										0.00								
Millotia greevesii ssp. helmsii		0.00										0.00								
Millotia incurva		0.00										0.00								
Millotia macrocarpa	3	12.50	RA d(ii)	RA	3	DD	0.0	3	1		2	8.33	RA d(ii)	RA	3	DD	0.0	2	1	
Millotia major		0.00										0.00								
Millotia muelleri	14	2.46	LC	LC	1	0	0.3	12	6			0.00								
Millotia myosotidifolia	50	7.58	LC	LC	1	0	0.3	43	8		2	0.30	RA d(i,ii)	RA	3	0	0.3	2		
Millotia perpusilla	13	11.61	LC	LC	1	DD	0.0	11	4			0.00								
Millotia tenuifolia var. tenuifolia	6	0.92	RA d(ii)	RA	3	0	0.3	6				0.00								
Mimulus repens		0.00									1	0.74	RA d(i,ii)	RA	3	DD	0.0	1	1	
Minuria annua		0.00									2	2.53	DD	DD	0	DD	0.0	2	1	
Minuria cunninghamii	33	5.04	LC	LC	1	0	0.3	29	4		38	5.80	LC	LC	1	0	0.3	33	19	
Minuria denticulata		0.00									1	0.17	RA d(ii)	RA	3	0	0.3	1		likes cracking clays
Minuria integerrima		0.00									1	0.49	RA d(ii)	RA	3	0	0.3	1	1	
Minuria leptophylla	58	5.33	LC	LC	1	0	0.3	47	12		6	0.55	LC	LC	1	0	0.3	6	1	
Minuria multisetata		0.00										0.00								
Mitrasacme pilosa var. pilosa		0.00										0.00								
Mollugo cerviana		0.00									4	4.49	LC	LC	1	0	0.3	4	4	responds to good rainfall
Monachather paradoxus	1	0.24	RA d(ii)	RA	3	DD	0.0	1			4	0.94	RA d(ii)	RA	3	DD	0.0	4	1	
Muehlenbeckia adpressa	19	3.03	LC	LC	1	0	0.3	16	3			0.00								
Muehlenbeckia diclina ssp. diclina		0.00										0.00								
Muehlenbeckia florulenta	8	0.73	NT	NT	2	0	0.3	6	3		5	0.46	LC	LC	1	0	0.3	5	4	
Muehlenbeckia gunnii		0.00										0.00								
Muehlenbeckia horrida ssp. horrida		0.00										0.00								
Muelleranthus stipularis		0.00										0.00								
Murchisonia volubilis	1	1.61	RA d(i,ii)	RA	3	0	0.3	1	1		3	4.84	RA d(i,ii)	RA	3	0	0.3	3	1	
Myoporum brevipes	9	4.46	LC	LC	1	0	0.3	7	1		9	4.46	LC	LC	1	0	0.3	9	1	
Myoporum insulare		0.00									4	0.37	LC	LC	1	0	0.3	3	2	
Myoporum montanum	1	0.15	RA d(ii)	RA	3	0	0.3	1			4	0.62	RA d(ii)	RA	3	0	0.3	4	1	
Myoporum parvifolium		0.00										0.00								
Myoporum platycarpum ssp. perbellum		0.00										0.00								
Myoporum platycarpum ssp. platycarpum	34	4.60	LC	LC	1	0	0.3	30	6		27	3.65	LC	LC	1	0	0.3	24	14	
Myoporum viscosum		0.00										0.00								
Myosotis australis		0.00										0.00								
Myosurus minimus var. australis	2	2.33	RA d(ii)	RA	3	DD	0.0	2				0.00								
Myriocephalus pluriflorus		0.00										0.00								
Myriocephalus rudallii		0.00										0.00								
Myriocephalus squamatus		0.00										0.00								
Myriophyllum integrifolium		0.00										0.00								
Myriophyllum muelleri		0.00										0.00								
Myriophyllum salsugineum		0.00										0.00								
Myriophyllum verrucosum	5	3.21	RA d(ii)	RA	3	DD	0.0	4		grows in dams, stock water		0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics								Gawler Lakes											
	Records	%	Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Records	%	Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
Neobassia proceriflora		0.00									0.00									
Neurachne alopecuroidea	3	0.23	RA d(i,ii)	RA	3	0	0.3	2		northern limit	0.00									
Neurachne munroi	1	1.89	RA d(ii)	RA	3	DD	0.0	1	1		0.00									
Newcastelia bracteosa		0.00									0.00									
Newcastelia cephalantha var. cephalantha		0.00									0.00									
Newcastelia spodiotricha		0.00									0.00									
Nicotiana goodspeedii	3	0.72	LC	LC	1	0	0.3	3			9	2.16	RA d(ii)	RA	3	0	0.3	7	1	
Nicotiana maritima	12	4.14	LC	LC	1	0	0.3	12			0.00									
Nicotiana occidentalis ssp. obliqua	10	8.26	LC	LC	1	0	0.3	9	1		0.00									
Nicotiana rosulata ssp. rosulata		0.00									0.00									
Nicotiana simulans		0.00									0.00									
Nicotiana velutina	7	0.72	LC	LC	1	0	0.3	7	1		22	2.26	LC	LC	1	0	0.3	18	12	
Nitritaria billardieri	24	1.41	LC	LC	1	0	0.3	19	2	on dunes, weedy species	14	0.82	LC	LC	1	0	0.3	13	9	on dunes, weedy species
Olaux orbordata		0.00									0.00									
Olearia adenolasia		0.00									0.00									
Olearia axillaris		0.00									0.00									
Olearia brachyphylla		0.00									0.00									
Olearia calcarea	16	11.19	LC	LC	1	0	0.3	13	3	likes limestone	4	2.80	RA d(ii)	RA	3	DD	0.0	4	2	likes limestone
Olearia ciliata var. ciliata		0.00									0.00									
Olearia decurrens	51	6.82	LC	LC	1	0	0.3	39	18		2	0.27	LC	LC	1	0	0.3	2	1	
Olearia exiguifolia	2	1.32	RA d(i,ii)	RA	3	-	0.4	2	1		1	0.66	RA d(i,ii)	RA	3	-	0.4	1	1	
Olearia floribunda var. floribunda	1	0.33	RA d(ii)	RA	3	0	0.3	1			0.00									
Olearia lanuginosa		0.00									0.00									
Olearia lepidophylla	5	1.62	RA d(i,ii)	RA	3	0	0.3	3			0.00									
Olearia magniflora		0.00									0.00									
Olearia minor		0.00									0.00									
Olearia muelleri	12	1.17	LC	LC	1	0	0.3	11	7		5	0.49	LC	LC	1	0	0.3	5	4	
Olearia pannosa ssp. pannosa		0.00									0.00									
Olearia passerinoides ssp. passerinoides		0.00									0.00									
Olearia picridifolia		0.00									0.00									
Olearia pimeleoides ssp. incana		0.00									0.00									
Olearia pimeleoides ssp. pimeleoides	3	0.63	LC	LC	1	0	0.3	3	1		4	0.84	LC	LC	1	0	0.3	3	3	
Olearia ramulosa		0.00									0.00									
Olearia rudis		0.00									0.00									
Olearia stuartii		0.00									0.00									
Olearia subspicata		0.00									1	1.28	DD	DD	0	DD	0.0	1		
Omphalolappula concava	29	3.17	LC	LC	1	0	0.3	23	3		7	0.77	LC	LC	1	0	0.3	6	2	
Opercularia scabrada		0.00									0.00									
Opercularia turpis	12	1.39	LC	LC	1	0	0.3	9	2		0.00									
Ophioglossum lusitanicum	17	5.76	LC	LC	1	0	0.3	15	2	only visible in winter, occurs grassy plains	0.00									
Ophioglossum polyphyllum		0.00									2	12.50	VU D2	VU	4	DD	0.0	2	2	
Orobanche cernua var. australiana		0.00									2	2.27	RA d(i,ii)	RA	3	DD	0.0	2	1	
Orthoceras strictum		0.00									0.00									

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records								Gawler Lakes Records											
	Records	%	Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Records	%	Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
Orthrosanthus multiflorus		0.00									0.00									
Osteocarpum acropterum var. acropterum	8	2.74	NT	NT	2	-	0.4	7	1		8	2.74	RA d(ii)	RA	3	DD	0.0	7	3	
Osteocarpum dipterocarpum	6	1.41	NT	NT	2	0	0.3	6	2		15	3.52	LC	LC	1	0	0.3	13	6	
Osteocarpum pentapterum		0.00									1	11.11	EN B2ab(i,ii,iii)	EN	5	-	0.4	1		
Osteocarpum salsuginosum	22	23.91	LC	LC	1	0	0.3	16			6	6.52	NT	NT	2	DD	0.0	6	3	
Owenia acidula		0.00									1	1.59	RA d(ii)	RA	3	DD	0.0	1	1	
Oxalis perennans	22	2.86	LC	LC	1	0	0.3	20	4		1	0.13	LC	LC	1	0	0.3	1	1	
Oxalis radicata	1	1.16	RA d(i,ii)	RA	3	0	0.3	1				0.00								
Ozothamnus decurrens		0.00										0.00								
Ozothamnus retusus	4	0.84	RA d(i,ii)	RA	3	0	0.3	3				0.00								
Pachymitis cardaminoides		0.00									1	4.17	DD	DD	0	DD	0.0	1	1	
Panicum decompositum var. decompositum		0.00										0.00								
Panicum effusum var. effusum	1	0.42	RA d(ii)	RA	3	0	0.3	1	1	undercollected	3	1.27	RA d(ii)	RA	3	0	0.3	3	3	undercollected
Panicum laevinode		0.00									1	1.27	RA d(ii)	RA	3	DD	0.0	1	1	
Paractaenium novae-hollandiae ssp. reversum	1	0.53	RA d(ii)	RA	3	DD	0.0	1	1		4	2.14	RA d(ii)	RA	3	DD	0.0	4	2	
Paractaenium refractum		0.00									1	0.47	RA d(ii)	RA	3	0	0.3	1		edge of range, likes sand
Paraneurachne muelleri	1	3.45	VU D2	VU	4	-	0.4	1	1	outlier, rabbits a threat		0.00								
Parietaria australis		0.00										0.00								
Parietaria cardiostegia	28	11.38	LC	LC	1	0	0.3	25	4	common after fire	2	0.81	RA d(ii)	RA	3	0	0.3	2		common after fire
Parietaria debilis	5	1.52	LC	LC	1	0	0.3	5	1	needs crevices, should be more records		0.00								
Pelargonium australe		0.00										0.00								
Pelargonium littorale	2	0.54	NE	NE	-1			2	2	taxonomic issues		0.00								
Persicaria prostrata	1	0.86	RA d(ii)	RA	3	DD	0.0	1			1	0.86	RA d(ii)	RA	3	DD	0.0	1		
Phebalium bullatum	20	2.50	LC	LC	1	0	0.3	19	4			0.00								
Pheladenia deformis	4	0.96	VU D2	VU	4	--	0.5	3	2			0.00								
Philoteca angustifolia ssp. angustifolia		0.00										0.00								
Philoteca linearis	95	47.98	LC	LC	1	0	0.3	75	10	rocky hills		0.00								
Philoteca pungens		0.00										0.00								
Phlegmatospermum cochlearinum		0.00									2	1.20	RA d(i,ii)	RA	3	DD	0.0	2	2	
Phlegmatospermum eremaeum		0.00										0.00								
Phlegmatospermum richardii		0.00										0.00								
Phyllangium distylis		0.00										0.00								
Phyllangium divergens	1	0.34	RA d(i,ii)	RA	3	DD	0.0	1	1			0.00								
Phyllangium sulcatum	3	20.00	VU B2ab(i,ii,iii)	VU	4	--	0.5	3				0.00								
Phyllanthus calycinus		0.00										0.00								
Phyllanthus fuemrohrrii	2	1.37	RA d(i,ii)	RA	3	0	0.3	2	2	southern limit, sandhill spp.	3	2.05	LC	LC	1	0	0.3	1	1	southern limit, sandhill spp.
Phyllanthus lacunarius		0.00									5	6.49	NE	NE	-1			5	5	taxonomic issues, records on loan
Phyllanthus saxosus		0.00										0.00								
Phylloglossum drummondii		0.00										0.00								
Phyllota remota		0.00										0.00								
Picris angustifolia ssp. angustifolia	2	2.00	RA d(ii)	RA	3	-	0.4	2	1			0.00								
Piulularia novae-hollandiae		0.00										0.00								
Pimelea flava ssp. dichotoma		0.00										0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records				Proposed IUCN Status & Criteria (Gawler Volcanics)				Proposed Regional IUCN Status (Gawler Volcanics)				Proposed Regional IUCN Status (Gawler Lakes)				Comments (Gawler Volcanics)			
	Records	%	LC	RA	LC	RA	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2)	Area of Occupancy (km2) Recent (1989-2008)	Records	%	LC	RA	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)	
Pimelea glauca		0.00									0.00									
Pimelea imbricata var. petraea	16	18.82	LC		LC	1	0	0.3	15		0.00									
Pimelea micrantha	10	2.97	LC		LC	1	0	0.3	7	1	0.59	RA d(i,ii)		0	0.3		2			
Pimelea microcephala ssp. microcephala	34	3.64	LC		LC	1	0	0.3	29	7	3.75	LC		0	0.3		28	11		
Pimelea octophylla	2	0.24	RA d(i,ii)		RA	3	-	0.4	2		0.00									
Pimelea petrophila	36	16.90	LC		LC	1	0	0.3	28	5	0.00									
Pimelea phyllicoides		0.00									0.00									
Pimelea serpyllifolia ssp. serpyllifolia		0.00									0.00									
Pimelea simplex ssp. continua	1	0.87	RA d(ii)		RA	3	DD	0.0	1		0.87	RA d(ii)		0	0.0		1	1		
Pimelea simplex ssp. simplex	54	12.33	LC		LC	1	0	0.3	45	5	0.68	NT		0	0.3		2	1		
Pimelea stricta	1	0.12	NT		NT	2	0	0.3	1		0.23	RA d(i,ii)		0	0.3		2			
Pimelea subvillifera	2	5.13	RA d(i,ii)		RA	3	-	0.4	1		0.00									
Pimelea trichostachya	12	6.59	NT		NT	2	-	0.4	12	1	0.55	RA d(ii)		0	0.0		1	1		
Pimelea williamsonii		0.00									0.00									
Pittosporum angustifolium	94	3.13	LC		LC	1	0	0.3	82	12	0.67	LC		0	0.3		19	6		
Pittosporum ligustrifolium		0.00									0.00									
Pityrodia loricata		0.00									0.00									
Plagiobothrys plurisepaleus	3	1.44	LC		LC	1	0	0.3	3		0.00									
Plantago drummondii	28	2.72	LC		LC	1	0	0.3	25	2	1.26	LC		0	0.3		12	4		
Plantago gaudichaudii		0.00									0.00									
Plantago hispida		0.00									0.00									
Plantago sp. A (A.C.Robinson 704)		0.00									0.00									
Plantago sp. B (R.Bates 44765)	1	0.34	RA d(ii)		RA	3	0	0.3	1		0.00									
Plantago turrifera	1	1.59	RA d(i,ii)		RA	3	DD	0.0	1		0.00									
Plantago varia		0.00									0.00									
Platysaca heterophylla var. heterophylla		0.00									0.00									
Pleuropappus phyllocalymmeus		0.00									0.00									
Pleurosorus rutifolius	20	4.45	LC		LC	1	0	0.3	16	5	0.00								occurs rocky hills	
Pleurosorus subglandulosus	8	21.05	RA d(ii)		RA	3	DD	0.0	6		0.00									
Pluchea rubelliflora		0.00									0.00									
Poa clelandii		0.00									0.00									
Poa crassicaudex		0.00								1	0.14	RA d(ii)		-	0.4		1		unusual record	
Poa drummondiana		0.00									0.00									
Poa fax		0.00									0.00									
Poa fordeana		0.00									0.00									
Poa labillardieri var. labillardieri		0.00									0.00									
Poa poiformis var. poiformis		0.00									0.00									
Poa tenera		0.00									0.00									
Podolepis canescens	7	1.85	RA d(ii)		RA	3	0	0.3	6	5	0.26	RA d(ii)		0	0.3		1	1		
Podolepis capillaris	151	12.35	LC		LC	1	0	0.3	119	26	1.96	LC		0	0.3		24	10		
Podolepis davisiana		0.00									3.57	RA d(i,ii)		0	0.3		2	1		
Podolepis jaceoides	12	8.00	RA d(ii)		RA	3	0	0.3	9	3	0.00								taxonomic issues	
Podolepis longipedata	2	22.22	RA d(i,ii)		RA	3	DD	0.0	2		11.11	RA d(i,ii)		DD	0.0		1	1		

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records								Gawler Lakes Records											
	Records	%	Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Records	%	Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
Podolepis rugata var. littoralis		0.00									0.00									
Podolepis rugata var. rugata	2	0.59	RA d(ii)	RA	3	0	0.3	2	1		0.00									
Podolepis tepperi	25	5.67	LC	LC	1	0	0.3	17	8		0.00									
Podotheca angustifolia	7	0.60	RA d(ii)	RA	3	0	0.3	7		1	0.09	RA d(ii)	RA	3	0	0.3	1			
Pogonolepis muelleriana	33	5.92	LC	LC	1	0	0.3	30		6	1.08	RA d(i,ii)	RA	3	0	0.3	5	2		
Polycalymma stuartii	5	0.54	LC	LC	1	0	0.3	5	2	14	1.50	LC	LC	1	0	0.3	13	4		
Polygonum plebeium	3	1.95	LC	LC	1	0	0.3	3	1	2	1.30	RA d(ii)	RA	3	DD	0.0	2			undercollected
Polyogon tenellus		0.00									0.00									
Pomaderris flabellaris		0.00									0.00									
Pomaderris forrestiana		0.00									0.00									
Pomaderris obcordata		0.00									0.00									
Pomaderris paniculosa ssp. paniculosa	4	0.56	RA d(i,ii)	RA	3	0	0.3	4			0.00									
Pomaderris paniculosa ssp. paralia		0.00									0.00									
Pomax umbellata	38	13.06	LC	LC	1	-	0.4	32	3	3	1.03	RA d(ii)	RA	3	-	0.4	3	2		
Poranthera huegelii		0.00									0.00									
Poranthera leiosperma		0.00									0.00									
Poranthera microphylla	8	2.86	RA d(ii)	RA	3	DD	0.0	8			0.00									
Poranthera triandra		0.00									0.00									
Portulaca oleracea	5	0.63	LC	LC	1	0	0.3	4	2	17	2.15	LC	LC	1	0	0.3	16	15		
Posidonia angustifolia		0.00								1	1.02	LC	LC	1	0	0.3	1			
Posidonia australis		0.00								18	7.73	LC	LC	1	0	0.3	2			Localised threats from oyster farms
Posidonia coriacea		0.00									0.00									
Posidonia denhartogii		0.00									0.00									
Posidonia sinuosa		0.00								3	2.05	LC	LC	1	0	0.3	2			
Potamogeton ochreatus	1	1.69	RA d(i,ii)	RA	3	DD	0.0	1	1		0.00									possibly introduced
Potamogeton pectinatus		0.00									0.00									
Prasophyllum calcicola		0.00									0.00									
Prasophyllum catenemum		0.00									0.00									
Prasophyllum collinum		0.00									0.00									
Prasophyllum constrictum		0.00									0.00									
Prasophyllum elatum		0.00									0.00									
Prasophyllum fecundum		0.00									0.00									
Prasophyllum fitzgeraldii		0.00									0.00									
Prasophyllum goldsackii		0.00									0.00									
Prasophyllum laxum		0.00									0.00									
Prasophyllum occidentale	2	1.46	RA d(ii)	RA	3	-	0.4	2	1		0.00									
Prasophyllum occultans		0.00									0.00									
Prasophyllum odoratum		0.00								1	0.63	LC	LC	1	-	0.4	1			this sp is a complex, to be sorted taxonomically
Prasophyllum praecox		0.00									0.00									
Prasophyllum sp Desert			DD	DD	0	DD	0.0													no records
Prasophyllum sp. Coast sandhills (Hj.Eichler 14100)		0.00									0.00									
Prasophyllum sp. Enigma (R.Bates 2350)		0.00									0.00									
Prostanthera althoferi ssp. longifolia	4	4.88	RA d(ii)	RA	3	-	0.4	4	1		0.00									

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records							Gawler Lakes Records												
	Records	%	Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Records	%	Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
Prostanthera ammphila	4	6.56	RA d(ii)	RA	3	-	0.4	3		goats		0.00								
Prostanthera aspalathoides	2	0.42	RA d(i,ii)	RA	3	-	0.4	2				0.00								
Prostanthera calycina	2	1.96	VU B2ab(i,ii,iii)	VU	4	-	0.4	2	1			0.00								
Prostanthera chlorantha		0.00										0.00								
Prostanthera florifera	67	63.81	NT	NT	2	-	0.4	56	7	grazed		0.00								
Prostanthera sericea		0.00										0.00								
Prostanthera serpyllifolia ssp. microphylla	5	1.18	RA d(ii)	RA	3	-	0.4	5	1			0.00								
Prostanthera serpyllifolia ssp. microphylla (purplish-green)		0.00										0.00								
Prostanthera serpyllifolia ssp. microphylla (red flowers)		0.00										0.00								
Prostanthera serpyllifolia ssp. serpyllifolia	1	0.40	RA d(i,ii)	RA	3	DD	0.0	1	1	edge of range		0.00								
Prostanthera serpyllifolia ssp. serpyllifolia (purplish-green)		0.00										0.00								
Prostanthera serpyllifolia ssp. serpyllifolia (red flowers)		0.00										0.00								
Prostanthera spinosa		0.00										0.00								
Prostanthera striatiflora	66	10.48	LC	LC	1	-	0.4	52	7	needs rocks	6	0.95	RA d(ii)	RA	3	DD	0.0	6		needs rocks
Prostanthera wilkieana		0.00										0.00								
Pseudognaphalium luteoalbum	9	1.25	LC	LC	1	0	0.3	9	1		3	0.42	LC	LC	1	0	0.3	3		
Psyrax suaveolens		0.00										0.00								
Pteridium esculentum		0.00										0.00								
Pteris tremula		0.00										0.00								
Pterocaulon sphaclatum		0.00									2	0.32	RA d(ii)	RA	3	0	0.3	2	1	
Pterostylis "Mt Olinthus"		0.00										0.00								
Pterostylis aff. nana "mallee"		0.00										0.00								
Pterostylis biseta		0.00	RA d(ii)	RA	3	DD	0.0			more records not yet databased		0.00								
Pterostylis boormanii		0.00										0.00								
Pterostylis cynnocephala		0.00										0.00								
Pterostylis dolichochoila	1	0.81	RA d(ii)	RA	3	-	0.4	1				0.00								
Pterostylis erythroconcha		0.00										0.00								
Pterostylis excelsa	1	1.37	RA d(ii)	RA	3	0	0.3	1		some sightings in Gawler NP not recorded		0.00								
Pterostylis flavoviens		0.00										0.00								
Pterostylis mutica	3	0.83	RA d(ii)	RA	3	DD	0.0	3	1	northern limit		0.00								
Pterostylis nana	14	1.65	NT	NT	2	-	0.4	8	6			0.00								
Pterostylis ovata	21	77.78	LC	LC	1	0	0.3	19	1	not collected recently but sighted		0.00								
Pterostylis pedunculata		0.00										0.00								
Pterostylis plumosa		0.00										0.00								
Pterostylis pusilla	1	0.49	RA d(ii)	RA	3	-	0.4	1	1			0.00								
Pterostylis robusta		0.00										0.00								
Pterostylis sanguinea	3	0.64	RA d(ii)	RA	3	-	0.4	3	2	northern limit		0.00								
Pterostylis sp. Eyre Peninsula (R.Bates 19474)		0.00										0.00								
Pterostylis sp. Triloba (pl.191, Bates & Weber 1990)		0.00										0.00								
Pterostylis viriosa		0.00										0.00								
Pterostylis xerophila	2	22.22	VU B2ab(i,ii,iii); D1	VU	4	-	0.4	2	2			0.00								
Ptilotus beckerianus		0.00										0.00								
Ptilotus decipiens	4	4.71	RA d(ii)	RA	3	DD	0.0	4	1		2	2.35	RA d(ii)	RA	3	DD	0.0	2	2	

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records		Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)		Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Gawler Lakes Records		Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)		Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
	Gawler Volcanics Records	% Gawler Volcanics		Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)						Gawler Lakes Records	% Gawler Lakes		Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)					
<i>Ptilotus exaltatus</i> var. <i>exaltatus</i>	20	4.42	LC	LC	1	0	0.3	18	2		2	0.44	RA d(i,ii)	RA	3	0	0.3	2	1	
<i>Ptilotus gaudichaudii</i> var. <i>gaudichaudii</i>	34	17.44	LC	LC	1	0	0.3	27	4		2	1.03	RA d(ii)	RA	3	0	0.3	2	1	
<i>Ptilotus gaudichaudii</i> var. <i>parviflorus</i>		0.00										0.00								
<i>Ptilotus nobilis</i> var. <i>nobilis</i>	1	0.41	RA d(i,ii)	RA	3	DD	0.0	1		taxonomic issues	4	1.63	RA d(i,ii)	RA	3	DD	0.0	4		taxonomic issues
<i>Ptilotus obovatus</i> var. <i>griseus</i>		0.00										0.00								
<i>Ptilotus obovatus</i> var. <i>obovatus</i>	123	6.38	LC	LC	1	0	0.3	103	10		31	1.61	LC	LC	1	0	0.3	31	15	
<i>Ptilotus polystachyus</i> var. <i>polystachyus</i>	7	1.18	RA d(ii)	RA	3	DD	0.0	5			11	1.85	RA d(ii)	RA	3	DD	0.0	11	5	
<i>Ptilotus seminudus</i>	17	3.82	LC	LC	1	0	0.3	15	5			0.00								
<i>Ptilotus sessilifolius</i> var. <i>sessilifolius</i>	23	5.18	LC	LC	1	0	0.3	21	2			0.00								
<i>Ptilotus spathulatus</i> forma <i>spathulatus</i>	53	5.79	LC	LC	1	0	0.3	41	3			0.00								
<i>Ptilotus symonii</i>		0.00										0.00								
<i>Puccinellia stricta</i> var. <i>stricta</i>		0.00										0.00								
<i>Pultenaea acerosa</i>		0.00										0.00								
<i>Pultenaea densifolia</i>		0.00										0.00								
<i>Pultenaea elachista</i>		0.00										0.00								
<i>Pultenaea pedunculata</i>		0.00										0.00								
<i>Pultenaea tenuifolia</i>		0.00										0.00								
<i>Pultenaea teretifolia</i> var. <i>teretifolia</i>		0.00										0.00								
<i>Pultenaea trichophylla</i>		0.00										0.00								
<i>Pultenaea trinervis</i>		0.00										0.00								
<i>Pultenaea vestita</i>		0.00										0.00								
<i>Pycnosorus pleiocephalus</i>	50	8.14	LC	LC	1	0	0.3	44	7		17	2.77	LC	LC	1	0	0.3	15	5	
<i>Pyrorchis nigricans</i>		0.00	RA d(ii)	RA	3	-	0.4			sighted but not recorded		0.00								
<i>Quinetia urvillei</i>	2	1.68	RA d(ii)	RA	3	-	0.4	2				0.00								
<i>Radyera farragei</i>	4	4.35	RA d(ii)	RA	3	DD	0.0	4	1	needs fire/disturbance	2	2.17	RA d(ii)	RA	3	DD	0.0	2	1	needs fire/disturbance
<i>Ranunculus hamatosetosus</i>	7	3.23	LC	LC	1	0	0.3	7	2			0.00								
<i>Ranunculus lappaceus</i>		0.00										0.00								
<i>Ranunculus pentandrus</i> var. <i>platycarpus</i>		0.00									1	0.73	RA d(i,ii)	RA	3	0	0.3	1	1	limited habitat
<i>Ranunculus pumilio</i> var. <i>pumilio</i>		0.00										0.00								
<i>Ranunculus sessiliflorus</i> var. <i>pilulifer</i>	1	4.17	VU D1	VU	4	DD	0.0	1		checked by Dean C.		0.00								
<i>Ranunculus sessiliflorus</i> var. <i>sessiliflorus</i>	3	1.16	RA d(ii)	RA	3	-	0.4	2	1	woodland spp		0.00								
<i>Rhagodia candolleana</i> ssp. <i>argentea</i>		0.00										0.00								
<i>Rhagodia candolleana</i> ssp. <i>candolleana</i>	2	0.10	RA d(ii)	RA	3	DD	0.0	2	1		1	0.05	RA d(i,ii)	RA	3	DD	0.0	1		
<i>Rhagodia crassifolia</i>	16	1.00	LC	LC	1	0	0.3	14	4		4	0.25	NT	NT	2	0	0.3	4		Winninowie CP
<i>Rhagodia drummondii</i>		0.00										0.00								
<i>Rhagodia eremaea</i>		0.00										0.00								
<i>Rhagodia parabolica</i>	103	6.79	LC	LC	1	+	0.2	82	21		11	0.73	LC	LC	1	0	0.3	10	5	
<i>Rhagodia preissii</i> ssp. <i>preissii</i>	18	2.26	LC	LC	1	0	0.3	16	5			0.00								
<i>Rhagodia spinescens</i>	38	1.62	LC	LC	1	0	0.3	34	5		35	1.50	LC	LC	1	0	0.3	29	23	
<i>Rhagodia ulicina</i>	44	7.97	LC	LC	1	0	0.3	38	4		12	2.17	NT	NT	2	-	0.4	11	6	grazed
<i>Rhodanthe charsleyae</i>	1	0.46	RA d(i,ii)	RA	3	DD	0.0	1	1	southern limit		0.00								
<i>Rhodanthe chlorocephala</i> ssp. <i>rosea</i>		0.00										0.00								
<i>Rhodanthe citrina</i>		0.00										0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records		Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Gawler Lakes Records		Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
	%										%									
Rhodanthe corymbiflora	14	3.52	LC	LC	1	0	0.3	13			9	2.26	LC	LC	1	0	0.3	8	2	
Rhodanthe floribunda	14	1.06	LC	LC	1	0	0.3	13	3		4	0.30	LC	LC	1	0	0.3	4	2	
Rhodanthe haigii	1	1.28	RA d(ii)	RA	3	DD	0.0	1				0.00								
Rhodanthe laevis	5	2.94	RA d(ii)	RA	3	DD	0.0	4	1		1	0.59	RA d(ii)	RA	3	DD	0.0	1		
Rhodanthe microglossa	9	1.55	LC	LC	1	0	0.3	9	1	southern limit	8	1.38	LC	LC	1	0	0.3	6	1	
Rhodanthe moschata	26	2.99	LC	LC	1	0	0.3	21	4		14	1.61	LC	LC	1	0	0.3	14	3	
Rhodanthe oppositifolia ssp. oppositifolia	1	25.00	EN B2ab(iii,iv)	EN	5	--	0.5	1		rabbits a threat	1	25.00	EN B2ab(iii,iv)	EN	5	--	0.5	1	1	rabbits a threat
Rhodanthe polygalifolia	88	22.39	LC	LC	1	0	0.3	71	12		22	5.60	LC	LC	1	0	0.3	20	12	
Rhodanthe pygmaea	64	4.84	LC	LC	1	0	0.3	52	10		12	0.91	LC	LC	1	0	0.3	12	1	
Rhodanthe stricta	55	7.38	LC	LC	1	0	0.3	43	3		12	1.61	LC	LC	1	0	0.3	11	3	
Rhodanthe stuartiana	24	11.71	LC	LC	1	0	0.3	22	4		11	5.37	RA d(i)	RA	3	0	0.3	10	6	
Rhodanthe tietkensis		0.00										0.00								
Rhodanthe troedelii		0.00									3	2.83	RA d(ii)	RA	3	-	0.4	3		
Rhodanthe uniflora		0.00										0.00								
Rhyncharrhena linearis	6	2.34	RA d(ii)	RA	3	0	0.3	5	3		1	0.39	RA d(ii)	RA	3	0	0.3	1	1	
Rostellularia adscendens var. pogonanthera		0.00										0.00								
Rulingia crauophylla		0.00	VU B2ab(i,ii,iii)	VU	4	-	0.4			no records		0.00								
Rulingia loxophylla		0.00										0.00								
Rumex brownii	10	2.51	NT	NT	2	0	0.3	10				0.00								
Rumex crystallinus	3	2.38	RA d(ii)	RA	3	0	0.3	3	1	comes up after floods	3	2.38	RA d(ii)	RA	3	0	0.3	3	1	comes up after floods
Rumex dumosus		0.00										0.00								
Ruppia maritima		0.00										0.00								
Ruppia megacarpa		0.00										0.00								
Ruppia polycarpa		0.00										0.00								
Ruppia tuberosa		0.00									7	5.65	NT	NT	2	0	0.3	3		esturine spp
Rutidosis helichrysoides ssp. helichrysoides		0.00										0.00								
Sagina maritima		0.00										0.00								
Salsola tragus	33	0.79	LC	LC	1	0	0.3	30	2		19	0.46	LC	LC	1	0	0.3	18	7	
Samolus repens		0.00										0.00								
Santalum acuminatum	37	1.89	LC	LC	1	0	0.3	35	4		15	0.77	LC	LC	1	0	0.3	15	4	
Santalum lanceolatum	1	0.12	RA d(ii,iii)	RA	3	0	0.3	1	1		5	0.62	RA d(ii)	RA	3	0	0.3	4	1	
Santalum murrayanum	3	0.76	RA d(ii,iii)	RA	3	0	0.3	3		northern limit		0.00								
Santalum spicatum	74	23.95	RA b	RA	3	-	0.4	61	9		12	3.88	VU D1	VU	4	-	0.4	10	4	
Sarcocornia blackiana		0.00									3	1.52	RA d(ii)	RA	3	0	0.3	2		
Sarcocornia quinqueflora		0.00									6	0.94	RA d(ii)	RA	3	0	0.3	5	2	
Sarcostemma viminale ssp. australe	6	2.96	RA d(ii)	RA	3	DD	0.0	6	2		3	1.48	RA d(ii)	RA	3	DD	0.0	3	1	
Sarcozona bicarinata		0.00										0.00								
Sarcozona praecox	13	6.07	LC	LC	1	0	0.3	13			14	6.54	NT	NT	2	0	0.3	12	7	limited habitat
Sauropus rigens		0.00										0.00								
Sauropus trachyspermus		0.00										0.00								
Scaevola aemula	36	14.46	LC	LC	1	0	0.3	32	3			0.00								
Scaevola amblyanthera var. centralis	1	1.82	RA d(ii)	RA	3	DD	0.0	1				0.00								
Scaevola angustata		0.00										0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records		Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Gawler Lakes Records		Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
	% Gawler Volcanics	% Gawler Lakes																		
Scaevola basedowii		0.00																		
Scaevola bursariifolia		0.00																		
Scaevola collaris		0.00									36	15.06	LC	LC	1	0	0.3	18	7	
Scaevola collina		0.00																		
Scaevola crassifolia		0.00																		
Scaevola depauperata	1	0.89	RA d(i,ii)	RA	3	DD	0.0	1	1											
Scaevola humilis	48	14.95	LC	LC	1	0	0.3	43	9											
Scaevola linearis ssp. linearis		0.00																		
Scaevola myrtifolia		0.00																		
Scaevola parvibarbata		0.00																		
Scaevola spinescens	8	0.67	LC	LC	1	0	0.3	8	4		13	1.08	LC	LC	1	0	0.3	9	7	
Scambopus curvipes	4	11.43	RA d(ii)	RA	3	DD	0.0	4	1		5	14.29	RA d(ii)	RA	3	DD	0.0	4	2	
Schenkia australis		0.00																		
Schoenia ayersii		0.00																		
Schoenia cassiniana	4	1.68	RA d(i,ii)	RA	3	DD	0.0	4	4		2	0.84	RA d(ii)	RA	3	DD	0.0	2		
Schoenia ramosissima	7	4.24	RA d(ii)	RA	3	DD	0.0	7	1	edge of range	7	4.24	RA d(ii)	RA	3	DD	0.0	5	1	edge of range
Schoenoplectus dissachanthus		0.00									1	2.78	RA d(ii)	RA	3	DD	0.0	1	1	flood response
Schoenoplectus litoralis		0.00																		
Schoenoplectus pungens		0.00																		
Schoenoplectus validus		0.00																		
Schoenus apogon		0.00																		
Schoenus breviculmis		0.00																		
Schoenus carsei		0.00																		
Schoenus deformis		0.00																		
Schoenus fluitans		0.00																		
Schoenus laevigatus		0.00																		
Schoenus nanus	2	1.05	NT	NT	2	0	0.3	2	1											
Schoenus nitens		0.00																		
Schoenus racemosus		0.00																		
Schoenus sculptus		0.00																		
Schoenus subaphyllus	1	0.36	RA d(ii)	RA	3	0	0.3	1												
Scleranthus minusculus	2	6.90	RA d(i,ii)	RA	3	DD	0.0	2												
Scleranthus pungens	25	11.06	NT	NT	2	0	0.3	23	10	rock dweller										
Scleroblitum atriplicinum		0.00									2	3.39	VU B2ab(i,ii,iii)	VU	4	-	0.4	2		
Sclerolaena bicuspis		0.00																		
Sclerolaena blackiana		0.00																		
Sclerolaena brachyptera	24	2.41	LC	LC	1	0	0.3	23	2		10	1.01	LC	LC	1	0	0.3	8	3	
Sclerolaena brevifolia	8	5.44	LC	LC	1	0	0.3	8	1		1	0.68	RA d(i,ii)	RA	3	DD	0.0	1		
Sclerolaena clelandii		0.00																		
Sclerolaena constricta		0.00									2	1.42	RA d(i,ii)	RA	3	DD	0.0	1	1	
Sclerolaena convexula		0.00																		
Sclerolaena costata		0.00																		
Sclerolaena cuneata	10	3.06	LC	LC	1	0	0.3	7	1											

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records		Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Gawler Lakes Records		Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
	% Gawler Volcanics	% Gawler Lakes																		
Sclerolaena decurrens	2	0.72	RA d(ii)	RA	3	0	0.3	2	2	southern limit	6	2.17	NT	NT	2	0	0.3	5	5	
Sclerolaena deserticola		0.00										0.00								
Sclerolaena diacantha	33	1.20	LC	LC	1	0	0.3	29	11		20	0.73	LC	LC	1	0	0.3	17	10	
Sclerolaena divaricata	15	1.66	LC	LC	1	0	0.3	15	3		15	1.66	LC	LC	1	0	0.3	13	6	
Sclerolaena eriacantha	3	1.05	NT	NT	2	0	0.3	3	1		2	0.70	NT	NT	2	0	0.3	2	1	
Sclerolaena fusiformis		0.00										0.00								
Sclerolaena holtiana	1	0.47	NT	NT	2	0	0.3	1	1	edge of range	3	1.40	LC	LC	1	0	0.3	3	3	edge of range
Sclerolaena intricata	1	0.12	RA d(i,ii)	RA	3	0	0.3	1		edge of range	1	0.12	RA d(i,ii)	RA	3	0	0.3	1		edge of range
Sclerolaena johnsonii		0.00										0.00								
Sclerolaena lanicuspis	16	1.95	LC	LC	1	0	0.3	13	2		3	0.37	LC	LC	1	0	0.3	3		
Sclerolaena limbata		0.00										0.00								
Sclerolaena murrayae		0.00										0.00								
Sclerolaena obliquicuspis	109	4.33	LC	LC	1	0	0.3	85	15		41	1.63	LC	LC	1	0	0.3	35	18	
Sclerolaena parallelicuspis		0.00									1	0.31	RA d(ii)	RA	3	0	0.3	1		
Sclerolaena parviflora	3	0.67	RA d(ii)	RA	3	0	0.3	3	2		1	0.22	RA d(i,ii)	RA	3	0	0.3	1	1	limited habitat
Sclerolaena patenticuspis	41	3.97	LC	LC	1	0	0.3	37	6		8	0.77	LC	LC	1	0	0.3	6	2	
Sclerolaena symoniana		0.00										0.00								
Sclerolaena tatei		0.00									2	2.35	RA d(ii)	RA	3	DD	0.0	2	1	southern limit
Sclerolaena uniflora	15	1.58	LC	LC	1	0	0.3	14	1		4	0.42	NT	NT	2	0	0.3	4	1	
Sclerolaena ventricosa		0.00									17	2.43	LC	LC	1	0	0.3	12	6	
Sebaea albidiflora		0.00										0.00								
Sebaea ovata		0.00	RA d(i,ii)	RA	3	0	0.3			no records		0.00								
Selliera radicans		0.00										0.00								
Senecio dolichocephalus	1	1.96	NE	NE	-1			1		taxonomic issues		0.00								
Senecio gawlerensis	81	60.45	LC	LC	1	0	0.3	66	6		2	1.49	RA d(i,ii)	RA	3	DD	0.0	2		
Senecio glomeratus ssp. longifructus		0.00										0.00								
Senecio glossanthus	38	5.08	LC	LC	1	0	0.3	32	3	could be multiple species	11	1.47	LC	LC	1	0	0.3	10	3	could be multiple species
Senecio gregorii	9	1.20	RA d(ii)	RA	3	0	0.3	9	2		18	2.40	LC	LC	1	0	0.3	15	5	
Senecio laceratus		0.00										0.00								
Senecio lacustrinus	2	1.82	NE	NE	-1			2		taxonomic issues, recently split spp, no survey records	6	5.45	NE	NE	-1			6	1	taxonomic issues, recently split spp, no survey records
Senecio magnificus	12	1.46	RA d(ii)	RA	3	DD	0.0	11	2		2	0.24	RA d(i,ii)	RA	3	DD	0.0	2		
Senecio odoratus		0.00										0.00								
Senecio phelleus		0.00										0.00								
Senecio picridioides		0.00										0.00								
Senecio pinnatifolius var. maritimus		0.00										0.00								
Senecio quadridentatus	14	1.13	LC	LC	1	0	0.3	11	3		2	0.16	RA d(ii)	RA	3	DD	0.0	2		
Senecio runcinifolius		0.00									3	3.03	RA d(ii)	RA	3	DD	0.0	3	3	recent introduction
Senecio serratifolius ssp. serratifolius		0.00										0.00								
Senecio spanomerus	2	0.40	LC	LC	1	0	0.3	2			4	0.81	LC	LC	1	0	0.3	4	1	
Senna artemisioides ssp. alicia		0.00										0.00								
Senna artemisioides ssp. artemisioides	72	5.35	LC	LC	1	0	0.3	57	10		9	0.67	LC	LC	1	0	0.3	7	1	
Senna artemisioides ssp. coriacea	41	1.81	LC	LC	1	0	0.3	38	6		31	1.37	LC	LC	1	0	0.3	25	9	
Senna artemisioides ssp. filifolia	28	2.67	LC	LC	1	0	0.3	26			2	0.19	LC	LC	1	0	0.3	2		

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records								Gawler Lakes Records											
	Records	%	Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Records	%	Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
<i>Senna artemisioides</i> ssp. <i>helmsii</i>		0.00									0.00									
<i>Senna artemisioides</i> ssp. <i>oligophylla</i>	2	1.02	RA d(i,ii)	RA	3	DD	0.0	2	1	southern limit	0.00									
<i>Senna artemisioides</i> ssp. <i>petiolaris</i>	45	4.75	LC	LC	1	0	0.3	39	7		45	4.75	LC	LC	1	0	0.3	36	12	
<i>Senna artemisioides</i> ssp. <i>quadrifolia</i>		0.00									0.00									
<i>Senna artemisioides</i> ssp. <i>sturtii</i>	2	0.50	RA d(i,ii)	RA	3	DD	0.0	2	1		0.00									
<i>Senna artemisioides</i> ssp. <i>zygophylla</i>		0.00									0.00									
<i>Senna cardiosperma</i> ssp. <i>cardiosperma</i>	1	33.33	DD	DD	0	DD	0.0	1	1	questionable record	0.00									
<i>Senna cardiosperma</i> ssp. <i>gawlerensis</i>	67	17.54	LC	LC	1	0	0.3	55	3		11	2.88	LC	LC	1	0	0.3	11	5	
<i>Senna cardiosperma</i> ssp. <i>microphylla</i>	2	5.26	VU D2	VU	4	-	0.4	2	1		0.00									
<i>Senna phyllodinea</i>		0.00									1	0.82	RA d(i,ii)	RA	3	DD	0.0	1		not all records have been determined
<i>Senna pleurocarpa</i> var. <i>pleurocarpa</i>	18	6.02	LC	LC	1	0	0.3	16	2		0.00									
<i>Setaria basiclada</i>		0.00									3	3.33	RA d(ii)	RA	3	0	0.3	3	1	
<i>Setaria clementii</i>	1	1.05	RA d(ii)	RA	3	0	0.3	1	1		0.00									
<i>Setaria constricta</i>	11	2.16	LC	LC	1	0	0.3	11	2		13	2.58	LC	LC	1	0	0.3	13	11	
<i>Setaria dielsii</i>		0.00									0.00									
<i>Setaria jubiflora</i>		0.00									3	1.27	VU D2	VU	4	DD	0.0	1		edge of range
<i>Setaria reflexa</i>	1	2.00	RA d(ii)	RA	3	DD	0.0	1	1		0.00									
<i>Sida ammophila</i>	5	0.91	RA d(ii)	RA	3	0	0.3	4	2		17	3.10	LC	LC	1	0	0.3	16	10	
<i>Sida calyxhymeria</i>	39	21.43	LC	LC	1	-	0.4	35	2		3	1.65	RA d(ii)	RA	3	DD	0.0	3	2	
<i>Sida corrugata</i> var. <i>angustifolia</i>		0.00									0.00									
<i>Sida fibulifera</i>	6	0.43	NT	NT	2	-	0.4	6	1		12	0.85	LC	LC	1	0	0.3	10	7	
<i>Sida filiformis</i>		0.00									0.00									
<i>Sida intricata</i>	9	1.60	LC	LC	1	0	0.3	6	2		22	3.91	LC	LC	1	0	0.3	16	12	
<i>Sida petrophila</i>	13	0.95	LC	LC	1	0	0.3	12	3		8	0.58	RA d(ii)	RA	3	-	0.4	7	2	
<i>Sida phaeotricha</i>	6	3.57	RA d(ii)	RA	3	-	0.4	6	1		0.00									
<i>Sida</i> sp. B (C.Dunlop 1739)		0.00									0.00									
<i>Sida</i> sp. golden calyces (H.N.Foote 32)		0.00									0.00									
<i>Sida</i> sp. L (A.M.Ashby 4202)		0.00									0.00									
<i>Sida</i> sp. R (P.Copley 1390)		0.00									0.00									
<i>Sida</i> sp. Rabbit Flat (R.B.Major 158)		0.00									0.00									
<i>Sida</i> sp. Watarra (D.E.Albrecht 8672)		0.00									0.00									
<i>Sida spodochroma</i>	6	3.85	RA d(ii)	RA	3	DD	0.0	6	1		1	0.64	RA d(ii)	RA	3	DD	0.0	1	1	
<i>Sida trichopoda</i>	5	1.25	RA d(i,ii)	RA	3	-	0.4	5	1		2	0.50	RA d(ii)	RA	3	-	0.4	2		
<i>Sigesbeckia australiensis</i>	33	13.41	LC	LC	1	0	0.3	29	5		2	0.81	RA d(i,ii)	RA	3	-	0.4	1		
<i>Siloxerus multiflorus</i>	7	1.66	RA d(ii)	RA	3	DD	0.0	6	1		0.00									
<i>Solanum</i> aff. <i>centrale</i>		0.00									0.00									
<i>Solanum capsiciforme</i>	2	2.17	RA d(ii)	RA	3	-	0.4	2		clearance a threat	0.00									
<i>Solanum centrale</i>		0.00									0.00									
<i>Solanum chenopodinum</i>		0.00									1	1.96	RA d(ii)	RA	3	-	0.4	1	1	
<i>Solanum cleistogamum</i>	1	1.19	RA d(ii)	RA	3	DD	0.0	1			3	3.57	NT	NT	2	0	0.3	3	3	
<i>Solanum coactiliferum</i>	22	3.74	LC	LC	1	0	0.3	17	2		4	0.68	LC	LC	1	0	0.3	4	1	
<i>Solanum ellipticum</i>	60	4.42	LC	LC	1	0	0.3	48	4		21	1.55	LC	LC	1	0	0.3	15	6	
<i>Solanum esuriale</i>		0.00									2	0.53	LC	LC	1	0	0.3	2	1	lack of records

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records						Gawler Lakes Records						Comments (Gawler Volcanics)						Comments (Gawler Lakes)																							
	Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends ("-, 0, +, ++)	Trends ("-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends ("-, 0, +, ++)	Trends ("-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)																														
	% Gawler Volcanics							% Gawler Lakes																																		
Solanum ferocissimum			0.00																																							
Solanum hystrix	1	1.19	LC	LC	1	+	0.2	1																																		
Solanum laciniatum			0.00																																							
Solanum lacunarium			0.00																																							
Solanum lasiophyllum	9	13.85	LC	LC	1	0	0.3	9	6																																	
Solanum orbiculatum ssp. orbiculatum			0.00																																							
Solanum petrophilum	103	10.64	LC	LC	1	0	0.3	85	17																																	
Solanum quadriloculatum			0.00																																							
Solanum simile	5	1.56	LC	LC	1	0	0.3	4																																		
Solanum sturtianum	82	13.25	LC	LC	1	0	0.3	60	5																																	
Solanum symonii			0.00																																							
Solenogyne dominii			0.00																																							
Sonchus hydrophilus			0.00																																							
Spartothamnella teucriflora			0.00																																							
Spergularia marina	1	0.98	NE	NE	-1			1	1	taxonomic issues																																
Sphaerolobium minus			0.00																																							
Spinifex hirsutus			0.00																																							
Sporobolus actinocladius	2	0.38	RA d(ii)	RA	3	0	0.3	2	2	southern edge																																
Sporobolus caroli			0.00																																							
Sporobolus mitchellii			0.00																																							
Sporobolus virginicus			0.00																																							
Spyridium bifidum var. bifidum	9	3.31	RA d(ii)	RA	3	-	0.4	8																																		
Spyridium bifidum var. Marble Range (W.R.Barker 7601)			0.00																																							
Spyridium bifidum var. Wanilla (K.Clipstone 88)			0.00																																							
Spyridium eriocephalum var. eriocephalum			0.00																																							
Spyridium erymnocladum			0.00																																							
Spyridium leucopogon			0.00																																							
Spyridium nitidum			0.00																																							
Spyridium phylicoides			0.00																																							
Spyridium spathulatum			0.00																																							
Spyridium subochreatum			0.00																																							
Spyridium tricolor			0.00																																							
Spyridium vexilliferum var. vexilliferum			0.00																																							
Stackhousia annua			0.00																																							
Stackhousia aspericocca ssp. Cylindrical inflorescence (T)			0.00																																							
Stackhousia aspericocca ssp. One-sided inflorescence (T)			0.00																																							
Stackhousia clementii	3	5.88	RA d(ii)	RA	3	0	0.3	2	2	likes limestone																																
Stackhousia megaloptera			0.00																																							
Stackhousia monogyna			0.00																																							
Stackhousia muricata ssp. Annual (W.R.Barker 2172)			0.00																																							
Stackhousia muricata ssp. Perennial (W.R.Barker 3641)			0.00	NT		2	DD	0.0		no records																																
Stackhousia spathulata			0.00																																							
Stellaria filiformis	1	2.33	RA d(i,ii)	RA	3	DD	0.0	1																																		

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records							Gawler Lakes Records						
	Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)
Stemodia florulenta	LC	LC	1	0	0.3	7	3	LC	LC	1	0	0.3	6	1
Stenanthemum leucophractum	LC	LC	1	0	0.3	26								
Stenanthemum notiale ssp. notiale	RA d(ii)	RA	3	0	0.3	3								
Stenopetalum anfractum														
Stenopetalum lineare	LC	LC	1	0	0.3	7	1	LC	LC	1	0	0.3	7	1
Stenopetalum nutans														
Stenopetalum saxatile														
Stenopetalum sphaerocarpum	LC	LC	1	0	0.3	9	4							
Stenopetalum velutinum														
Streptoglossa adscendens	RA d(i,ii)	RA	3	DD	0.0	1	1	RA d(i,ii)	RA	3	DD	0.0	1	1
Streptoglossa liatroides								RA d(i,ii)	RA	3	DD	0.0	1	
Stuartina hamata								RA d(i,ii)	RA	3	DD	0.0	2	
Stuartina muelleri														
Stylidium calcaratum														
Stylidium inundatum														
Stylidium perpusillum														
Stypandra glauca														
Styphelia exarrhena														
Suaeda australis								LC	LC	1	0	0.3	6	4
Swainsona acuticarinata														
Swainsona adenophylla								LC	LC	1	0	0.3	7	6
Swainsona affinis								RA d(i,ii)	RA	3	DD	0.0	3	1
Swainsona campestris														
Swainsona campylantha														
Swainsona canescens	RA d(ii)	RA	3	-	0.4	6		RA d(ii)	RA	3	-	0.4	2	1
Swainsona colutoides	RA d(i,ii)	RA	3	-	0.4	2								
Swainsona dictyocarpa														
Swainsona disjuncta	EN B2ab(i,ii,iii)	EN	5	--	0.5	3								
Swainsona eremaea														
Swainsona flavicarinata														
Swainsona formosa	LC	LC	1	-	0.4	14	2	LC	LC	1	-	0.4	7	1
Swainsona kingii														
Swainsona lessertifolia														
Swainsona microcalyx	RA d(ii)	RA	3	-	0.4	3	1	RA d(ii)	RA	3	-	0.4	5	2
Swainsona microphylla	RA d(ii)	RA	3	0	0.3	6	1	RA d(ii)	RA	3	DD	0.0	3	1
Swainsona oliveri	RA d(ii)	RA	3	-	0.4	7		RA d(i,ii)	RA	3	-	0.4	1	
Swainsona oroboides	LC	LC	1	DD	0.0	9								
Swainsona phacoides	RA d(ii)	RA	3	DD	0.0	4	1	RA d(ii)	RA	3	DD	0.0	3	
Swainsona purpurea	RA d(i,ii)	RA	3	DD	0.0	1		RA d(i,ii)	RA	3	DD	0.0	1	1
Swainsona pyrophila														
Swainsona stipularis								RA d(ii)	RA	3	-	0.4	7	1
Swainsona tenuis	RA d(ii)	RA	3	-	0.4	4								
Swainsona unifoliolata														

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records		Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, -, 0, +, ++)	Trends (-, -, 0, +, ++)	Gawler Volcanics	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Gawler Lakes Records		Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, -, 0, +, ++)	Trends (-, -, 0, +, ++)	Gawler Lakes	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)	
	% Gawler Volcanics	% Gawler Lakes																					
Swainsona villosa		0.00											0.00										
Synaptantha tillaeacea var. hispidula		0.00										2	7.41	LC	LC	1	0	0.3	2	2		undercollected, comes up afte flood	
Synaptantha tillaeacea var. tillaeacea		0.00										1	1.79	RA d(i,ii)	RA	3	0	0.3	1	1			
Tecticornia arbuscula		0.00										5	1.90	LC	LC	1	0	0.3	5	1			
Tecticornia disarticulata		0.00										1	0.91	RA d(i,ii)	RA	3	DD	0.0	1	1			
Tecticornia flabelliformis		0.00											0.00										
Tecticornia halocnemoides ssp. halocnemoides	1	0.29	RA d(i,ii)	RA	3	0	0.3	1	1			4	1.16	RA d(i,ii)	RA	3	0	0.3	4	4			
Tecticornia halocnemoides ssp. longispicata		0.00											0.00										
Tecticornia indica ssp. bidens		0.00											0.00										
Tecticornia indica ssp. leiostachya	12	4.46	LC	LC	1	0	0.3	10				4	1.49	RA d(ii)	RA	3	0	0.3	4	4			
Tecticornia lepidosperma		0.00											0.00										
Tecticornia lylei		0.00											0.00										
Tecticornia medullosa		0.00											0.00										
Tecticornia moniliformis		0.00											0.00										
Tecticornia pergranulata ssp. pergranulata		0.00											0.00	LC	LC	1	0	0.3					
Tecticornia pruinosa		0.00										1	7.14	LC	LC	1	0	0.3	1	1			
Tecticornia pterygosperma ssp. pterygosperma		0.00											0.00										
Tecticornia tenuis		0.00										7	4.52	LC	LC	1	0	0.3	6	6			
Tecticornia triandra		0.00										1	5.56	RA d(i,ii)	RA	3	DD	0.0	1	1			
Templetonia battii		0.00											0.00										
Templetonia egena	33	8.15	LC	LC	1	-	0.4	29	3			17	4.20	LC	LC	1	0	0.3	15	5			
Templetonia retusa		0.00											0.00										
Templetonia sulcata		0.00											0.00										
Tetragonia eremaea	85	7.68	LC	LC	1	0	0.3	68	9			27	2.44	LC	LC	1	0	0.3	22	12			
Tetragonia implexicoma		0.00										3	0.16	NT	NT	2	0	0.3	3	2			
Tetragonia moorei		0.00											0.00										
Tetragonia tetragonioides		0.00										1	10.00	RA d(ii)	RA	3	DD	0.0	1	1			
Tetralia capillaris		0.00											0.00										
Teucrium corymbosum	21	19.44	LC	LC	1	0	0.3	17	2				0.00										
Teucrium grandiusculum ssp. pilosum		0.00										1	14.29	EN B2ab(i,ii,iii)	EN	5	--	0.5	1				
Teucrium racemosum	4	0.50	LC	LC	1	0	0.3	4	2			7	0.88	LC	LC	1	0	0.3	6	4			
Teucrium sessiliflorum	16	3.93	LC	LC	1	0	0.3	15	1				0.00										
Thelymitra alcockii		0.00											0.00										
Thelymitra antennifera	1	0.19	RA d(ii)	RA	3	-	0.4	1	1				0.00										
Thelymitra azurea		0.00											0.00										
Thelymitra benthamiana		0.00											0.00										
Thelymitra carnea		0.00											0.00										
Thelymitra epipactoides		0.00											0.00										
Thelymitra flexuosa		0.00											0.00										
Thelymitra junctifolia		0.00											0.00										
Thelymitra luteociliium		0.00											0.00										
Thelymitra megalyptra	3	2.63	LC	LC	1	0	0.3	3					0.00										
Thelymitra occidentalis		0.00											0.00										

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics										Gawler Lakes										
	Records	%	Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Records	%	Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)	
Thelymitra parviflora																					
Thelymitra pauciflora		0.00									0.00										
Thelymitra rubra		0.00									0.00										
Themeda triandra	7	0.52	RA d(ii)	RA	3	DD	0.0	6	1		0.00										
Thomasia petalocalyx		0.00									0.00										
Threlkeldia diffusa		0.00								3	0.15	LC	LC	1	0	0.3	3				
Thryptomene biseriata		0.00									0.00										
Thryptomene elliotii		0.00								2	2.47	RA d(ii)	RA	3	DD	0.0	2	1	checked with Martin		
Thryptomene ericaea		0.00									0.00										
Thryptomene longifolia		0.00									0.00										
Thryptomene micrantha		0.00									0.00										
Thyridolepis mitchelliana	4	3.33	RA d(ii)	RA	3	0	0.3	4	2	sthn limits more ntn	0.00										
Thyridolepis multiculmis	1	1.82	RA d(ii)	RA	3	0	0.3	1	1		0.00										
Thyridolepis xerophila		0.00									0.00										
Thysanotus baueri	28	3.39	LC	LC	1	0	0.3	27	3		15	1.82	LC	LC	1	0	0.3	14	8		
Thysanotus exiliflorus	1	4.00	RA d(ii)	RA	3	0	0.3	1	1		0.00										
Thysanotus nudicaulis		0.00									0.00										
Thysanotus patersonii	32	1.20	LC	LC	1	0	0.3	28	5		0.00										
Thysanotus wangariensis		0.00									0.00										
Trachymene ceratocarpa	1	4.35	RA d(ii)	RA	3	DD	0.0	1		edge of range	1	4.35	RA d(ii)	RA	3	DD	0.0	1		edge of range	
Trachymene cyanopetala	6	2.08	LC	LC	1	0	0.3	6	1		0.00										
Trachymene glaucifolia		0.00									3	1.16	RA d(ii)	RA	3	0	0.3	3	1	edge of range, likes degraded areas	
Trachymene ornata	7	46.67	LC	LC	1	DD	0.0	7	7	should be more records	0.00										
Trachymene pilosa	3	0.49	RA d(ii)	RA	3	0	0.3	3	1		0.00										
Tragus australianus	1	0.28	LC	LC	1	0	0.3	1	1		15	4.24	LC	LC	1	+	0.2	14	11		
Trianthema triquetra		0.00									6	0.78	NT	NT	2	0	0.3	6	3	edge of range	
Tribulus eichlerianus	puls sp	0.00									5	1.78	LC	LC	1	0	0.3	5	5		
Tribulus minutus	record	0.00									3	15.00	NE	NE	-1		3	3	taxonomic issues, could be introduced, should be more		
Trichanthodium skirrophorum	20	3.14	LC	LC	1	0	0.3	18	1		12	1.89	LC	LC	1	0	0.3	12	6		
Trichodesma zeylanicum		0.00									0.00										
Tricoryne elatior		0.00									0.00										
Tricoryne tenella	2	0.47	RA d(i,ii)	RA	3	DD	0.0	2	2		0.00										
Triglochin hexagona		0.00									1	16.67	RA d(ii)	RA	3	DD	0.0	1	1		
Triglochin isingiana	12	9.16	LC	LC	1	0	0.3	10			1	0.76	LC	LC	1	0	0.3	1			
Triglochin longicarpa	1	25.00	DD	DD	0	DD	0.0	1		new species	0.00										
Triglochin minutissima		0.00									0.00										
Triglochin mucronata		0.00									0.00										
Triglochin nana		0.00									0.00										
Triglochin nanum/sp. C (J.Z.Weber 6793)		0.00									0.00										
Triglochin sp. A (N.N.Donner 3596)		0.00									0.00										
Triglochin striata		0.00									0.00										
Triglochin trichophora		0.00									0.00										
Trigonella suavissima		0.00									1	0.36	RA d(i,ii)	RA	3	DD	0.0	1			

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records								Gawler Lakes Records											
	Gawler Volcanics Records	% Gawler Volcanics	Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Gawler Lakes Records	% Gawler Lakes	Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
Triodia basedowii		0.00									0.00									
Triodia bunicola	1	0.63	RA d(ii)	RA	3	DD	0.0	1	1	limited habitat	1	0.63	RA d(ii)	RA	3	DD	0.0	1	1	limited habitat
Triodia compacta	1	0.81	RA d(ii)	RA	3	DD	0.0	1	1			0.00								
Triodia helmsii		0.00									0.00									
Triodia irritans	53	5.17	LC	LC	1	0	0.3	45	7		0.00									
Triodia lanata	8	3.57	LC	LC	1	0	0.3	7	4		0.45	RA d(ii)	RA	3	DD	0.0	1			
Triodia melvillei		0.00									0.00									
Triodia scariosa	2	0.35	LC	LC	1	0	0.3	2	2		0.00									
Tripogon liliiformis	11	1.59	LC	LC	1	0	0.3	9	5		0.29	LC	LC	1	0	0.3	2	2		
Triptilodiscus pygmaeus	6	1.65	LC	LC	1	0	0.3	6	1		0.00									
Triraphis mollis	1	0.15	LC	LC	1	0	0.3	1	1		2.09	LC	LC	1	0	0.3	13	7		
Trithuria submersa		0.00									0.00									
Trymalium wayi	1	0.66	RA d(ii)	RA	3	DD	0.0	1			0.66	RA d(ii)	RA	3	DD	0.0	1			
Typha domingensis		0.00									0.00									
Typha orientalis		0.00									0.00									
Utricularia tenella		0.00									0.00									
Velleia arguta	18	4.49	LC	LC	1	0	0.3	15	2		0.00									
Velleia connata		0.00									0.00									
Velleia cynopotamica	5	21.74	VU B2ab(i,ii,iii)	VU	4	-	0.4	3		highly localised	0.00									
Velleia glabrata		0.00									0.00									
Veronica hillebrandii		0.00									0.00									
Veronica parnkalliana		0.00									0.00									
Vittadinia australasica var. australasica		0.00									0.00									
Vittadinia blackii		0.00									0.00									
Vittadinia cervicalis var. cervicalis	13	2.25	LC	LC	1	0	0.3	11	2		2.25	LC	LC	1	0	0.3	10	5		
Vittadinia condyloides		0.00									0.00									
Vittadinia cuneata var. cuneata forma cuneata	8	1.06	LC	LC	1	0	0.3	7	2	difficult to ID in field	0.40	RA d(i,ii)	RA	3	DD	0.0	3	1		
Vittadinia dissecta var. hirta	3	0.56	RA d(ii)	RA	3	DD	0.0	3	1		0.00									
Vittadinia eremaea	5	1.28	LC	LC	1	0	0.3	5	3		1.79	LC	LC	1	0	0.3	7	5		
Vittadinia gracilis	37	3.05	LC	LC	1	0	0.3	32	1		0.33	LC	LC	1	0	0.3	4	3		
Vittadinia megacephala		0.00									0.00									
Vittadinia nullarborensis		0.00									0.00									
Vittadinia pterochaeta	1	1.56	RA d(i,ii)	RA	3	DD	0.0	1	1		0.00									
Vittadinia pustulata		0.00									0.00									
Vittadinia sulcata		0.00									0.55	RA d(i,ii)	RA	3	DD	0.0	1			
Wahlenbergia aridicola		0.00									0.00									
Wahlenbergia communis	22	3.46	LC	LC	1	0	0.3	21			1.26	LC	LC	1	0	0.3	8	5		
Wahlenbergia gracilentia	11	0.98	LC	LC	1	0	0.3	11	4		0.27	RA d(ii)	RA	3	DD	0.0	3	1		
Wahlenbergia littoricola		0.00									0.00									
Wahlenbergia luteola	2	0.24	RA d(i,ii)	RA	3	DD	0.0	1	1		0.00									
Wahlenbergia preissii	1	2.00	RA d(i,ii)	RA	3	DD	0.0	1	1		0.00									
Wahlenbergia queenslandica		0.00									0.00									
Wahlenbergia stricta ssp. stricta	17	1.39	LC	LC	1	0	0.3	16	5		0.00									

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records		Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)		Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Gawler Lakes Records		Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)		Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
	%										%									
Wahlenbergia tumidiflora	11	2.60	RA d(ii)	RA	3	0	0.3	10	4		0.00									
Waitzia acuminata var. acuminata	21	5.59	LC	LC	1	0	0.3	17	3		0.53	RA d(ii)	RA	3	DD	0.0	2			
Westringia dampieri		0.00									0.00									
Westringia eremicola		0.00									0.00									
Westringia rigida	36	2.16	LC	LC	1	0	0.3	32	5		0.42	LC	LC	1	0	0.3	7	4		
Wilsonia backhousei		0.00									0.00									
Wilsonia humilis		0.00									0.45	RA d(i,ii)	RA	3	0	0.3	1		limited habitat	
Wilsonia rotundifolia		0.00									0.00									
Wurmbea centralis ssp. australis	15	50.00	LC	LC	1	0	0.3	10	10	now W australis	0.00	RA d(ii)	RA	3	0	0.3			no records, now W australis	
Wurmbea citrina		0.00	LC	LC	1	0	0.3			no records	0.00	LC	LC	1	0	0.3			no records	
Wurmbea decumbens	3	6.82	RA d(ii)	RA	3	0	0.3	2	2		0.00									
Wurmbea dioica ssp. brevifolia	7	3.78	LC	LC	1	0	0.3	7	5		0.00									
Wurmbea dioica ssp. dioica	2	0.69	LC	LC	1	0	0.3	2	1		0.35	LC	LC	1	0	0.3	1	1		
Wurmbea latifolia ssp. vanessae		0.00									0.00									
Wurmbea sinora		0.00									0.00									
Wurmbea stellata	3	20.00	RA d(i,ii)	RA	3	-	0.4	3	2	climate change a threat	0.00									
Xanthorrhoea semiplana ssp. semiplana		0.00									0.00									
Xanthorrhoea semiplana ssp. tateana		0.00									0.00									
Xanthosia huegelii		0.00									0.00									
Xanthosia leiophylla		0.00									0.00									
Xerochrysum bracteatum	5	2.45	RA d(ii)	RA	3	-	0.4	4	1		0.00									
Zaleya galericulata ssp. australis		0.00									0.00									
Zostera muelleri ssp. mucronata		0.00									33.33	RA d(i)	RA	3	DD	0.0	1		likes mudflats	
Zostera tasmanica		0.00									0.00									
Zoysia macrantha ssp. walshii		0.00									0.00									
Zygochloa paradoxa	1	0.13	RA d(ii)	RA	3	0	0.3	1	1		1.17	RA d(ii)	RA	3	0	0.3	9	5		
Zygophyllum ammophilum	2	0.83	RA d(ii)	RA	3	0	0.3	2	2		2.89	LC	LC	1	0	0.3	7	2		
Zygophyllum angustifolium	35	12.20	LC	LC	1	0	0.3	28	6		2.09	RA d(ii)	RA	3	0	0.3	6	3		
Zygophyllum apiculatum	65	4.50	LC	LC	1	0	0.3	55	9		0.49	LC	LC	1	0	0.3	7	3		
Zygophyllum aurantiacum ssp. aurantiacum	16	2.49	LC	LC	1	0	0.3	16	7		2.95	LC	LC	1	0	0.3	18	1		
Zygophyllum aurantiacum ssp. cuneatum		0.00									9.80	RA d(ii)	RA	3	0	0.3	4	1	needs gypsious areas	
Zygophyllum aurantiacum ssp. simplicifolium	2	3.64	RA d(ii)	RA	3	0	0.3	1	1		3.64	RA d(ii)	RA	3	0	0.3	2	1		
Zygophyllum billardierei		0.00									0.00									
Zygophyllum compressum		0.00									12.24	LC	LC	1	0	0.3	10	3	gypsious habitat	
Zygophyllum confluens	3	0.94	RA d(ii)	RA	3	0	0.3	3	1		1.88	RA d(ii)	RA	3	0	0.3	6	3		
Zygophyllum crenatum	8	1.92	LC	LC	1	0	0.3	8	1		2.40	LC	LC	1	0	0.3	10	2		
Zygophyllum emarginatum		0.00									1.80	RA d(ii)	RA	3	0	0.3	2	1		
Zygophyllum eremaeum	21	5.33	LC	LC	1	0	0.3	19	2		5.84	LC	LC	1	0	0.3	20	6		
Zygophyllum flavum		0.00									0.00									
Zygophyllum glaucum	4	0.83	LC	LC	1	0	0.3	4	2		0.00									
Zygophyllum halophilum		0.00									0.00									
Zygophyllum howittii		0.00									1.69	LC	LC	1	0	0.3	6	2	southern limit	
Zygophyllum humillimum		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Gawler Volcanics Records		Proposed IUCN Status & Criteria (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Proposed Regional IUCN Status (Gawler Volcanics)	Trends (-, -, 0, +, ++)	Trends (-, -, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Volcanics)	Gawler Lakes Records		Proposed IUCN Status & Criteria (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Proposed Regional IUCN Status (Gawler Lakes)	Trends (-, -, 0, +, ++)	Trends (-, -, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Gawler Lakes)
	% Gawler Volcanics										% Gawler Lakes									
Zygophyllum iodocarpum	15	5.07	LC	LC	1	0	0.3	13	2		4	1.35	LC	LC	1	0	0.3	4		
Zygophyllum kochii		0.00									1	7.14	RA d(i,ii)	RA	3	0	0.3	1	1	
Zygophyllum marliesiae		0.00										0.00								
Zygophyllum ovatum	43	5.26	LC	LC	1	0	0.3	40	9		3	0.37	LC	LC	1	0	0.3	3	2	
Zygophyllum prismatothecum		0.00									1	0.53	RA d(ii)	RA	3	DD	0.0	1		southern limit
Zygophyllum reticulatum		0.00									6	100.00	RA d(i,ii)	RA	3	DD	0.0	4	2	highly restricted, endemic, could be introduced
Zygophyllum simile	6	1.45	LC	LC	1	0	0.3	6	1	split from Z amophilum	23	5.57	LC	LC	1	0	0.3	18	8	split from Z amophilum

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records				Proposed IUCN Status & Criteria (Arcoona Plateau)				Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records				Proposed IUCN Status & Criteria (Kingoonya)				Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)	
	Records	% Arcoona Plateau			Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)			Area of Occupancy (km2) (Total)	Records	% Kingoonya			Proposed Regional IUCN Status (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Trends (-, 0, +, ++)			Trends (-, 0, +, ++)
Abutilon cryptopetalum ssp. cryptopetalum		0.00									8	36.36	RA d(ii)	RA	3	DD	0.0	7	4		
Abutilon fraseri ssp. diplotrichum	2	2.82	RA d(ii)	RA	3	0	0.3	2	1			0.00									
Abutilon fraseri ssp. fraseri	1	1.49	RA d(ii)	RA	3	DD	0.0	1	1		2	2.99	RA d(ii)	RA	3	0	0.3	2	1		
Abutilon halophilum	41	7.82	LC	LC	1	0	0.3	36	32			0.00									
Abutilon leucopetalum	8	1.02	LC	LC	1	0	0.3	6	4		8	1.02	LC	LC	1	0	0.3	6	2		
Abutilon macrum		0.00									2	4.55	RA d(ii)	RA	3	DD	0.0	2	2		
Abutilon malvaefolium		0.00									1	1.45	RA d(i,ii)	RA	3	DD	0.0	1	1		
Abutilon otocarpum	4	0.90	RA d(ii)	RA	3	0	0.3	3	1		10	2.24	LC	LC	1	0	0.3	9	4		
Acacia acanthoclada ssp. acanthoclada		0.00										0.00									
Acacia acinacea		0.00										0.00									
Acacia alcockii		0.00										0.00									
Acacia anceps		0.00										0.00									
Acacia ancistrophylla var. lissophylla		0.00										0.00									
Acacia aneura	4	1.10	LC	LC	1	0	0.3	3			13	3.59	LC	LC	1	0	0.3	9			
Acacia aneura var. aneura	11	3.23	LC	LC	1	0	0.3	9	3		13	3.81	LC	LC	1	0	0.3	12	7		
Acacia aneura var. conifera		0.00									1	7.14	NE	NE	-1			1			taxonomic issues
Acacia aneura var. intermedia	1	0.77	LC	LC	1	0	0.3	1			17	13.08	LC	LC	1	0	0.3	17	17		
Acacia aneura var. major		0.00									7	20.59	LC	LC	1	0	0.3	7	5		some records may be new var argentina
Acacia aneura var. microcarpa		0.00									8	27.59	LC	LC	1	0	0.3	8	7		
Acacia aneura var. tenuis		0.00										0.00									
Acacia ayersiana		0.00									1	5.26	RA d(i,ii)	RA	3	DD	0.0	1	1		possibly undercollected
Acacia beckleri Tindale ssp. beckleri			RA d(ii)	RA	3	0	0.3			not well protected in reserves, used to be A beckleri											
Acacia brachybotrya		0.00										0.00									
Acacia brachystachya	7	6.14	RA d(ii)	RA	3	DD	0.0	5	2		12	10.53	LC	LC	1	0	0.3	12	6		
Acacia burkittii	14	2.78	LC	LC	1	0	0.3	12	3		21	4.17	LC	LC	1	0	0.3	14	1		
Acacia calamifolia		0.00										0.00									
Acacia calcicola		0.00									4	2.65	LC	LC	1	0	0.3	4	2		possibly undercollected, southern limit
Acacia clelandii		0.00									3	12.00	LC	LC	1	0	0.3	3			
Acacia colletioides		0.00									8	2.84	RA d(i,ii)	RA	3	DD	0.0	7	1		
Acacia continua		0.00									6	0.73	RA d(i,ii)	RA	3	-	0.4	4	1		
Acacia cretacea		0.00										0.00									
Acacia cupularis		0.00										0.00									
Acacia cyclops		0.00										0.00									
Acacia dodonaefolia		0.00										0.00									
Acacia enterocarpa		0.00										0.00									
Acacia erinacea		0.00										0.00									
Acacia euthycarpa		0.00									2	0.31	CR D	CR	6	DD	0.0	1			Mt Finke
Acacia farinosa		0.00										0.00									
Acacia gilesiana		0.00										0.00	RA d(i,ii)	RA	3	DD	0.0				no records, type location is Mt Eba
Acacia gillii		0.00										0.00									
Acacia hakeoides		0.00										0.00									
Acacia halliana		0.00										0.00									
Acacia havilandiorum		0.00										0.00									

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Trends (-, 0, +, ++) Arcoona Plateau	Trends (-, 0, +, ++) Arcoona Plateau	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Trends (-, 0, +, ++) Kingoonya	Trends (-, 0, +, ++) Kingoonya	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
	% Arcoona Plateau										% Kingoonya									
Acacia helmsiana		0.00										0.00								
Acacia hemiteles		0.00										0.00								
Acacia hexaneura		0.00										0.00								
Acacia imbricata		0.00										0.00								
Acacia iteaphylla		0.00										0.00								
Acacia jennerae		0.00										0.00								
Acacia kempeana		0.00									12	3.20	LC		LC	1	0	0.3	9	2
Acacia leiophylla		0.00										0.00								
Acacia ligulata	35	1.27	LC	LC	1	0	0.3	29	16		8	0.29	LC	LC	1	0	0.3	7	1	
Acacia lineata		0.00										0.00								
Acacia longifolia ssp. sophorae		0.00										0.00								
Acacia maitlandii		0.00										0.00								
Acacia melleodora		0.00										0.00								
Acacia merrallii		0.00										0.00								
Acacia microcarpa		0.00										0.00								
Acacia minyura		0.00									3	2.21	RA d(ii)	RA	3	DD	0.0	3	2	southern limit
Acacia montana		0.00										0.00								
Acacia murrayana		0.00									2	0.48	RA d(ii)	RA	3	0	0.3	2		
Acacia mutabilis ssp. angustifolia		0.00										0.00								
Acacia myrtifolia		0.00										0.00								
Acacia nematophylla		0.00										0.00								
Acacia notabilis		0.00										0.00								
Acacia nyssohylla		0.00									2	0.25	RA d(ii)	RA	3	0	0.3	2	1	
Acacia oswaldii	29	1.51	LC	LC	1	0	0.3	23	12		13	0.68	LC	LC	1	0	0.3	11	4	
Acacia pachyacra		0.00										0.00								
Acacia papyrocarpa	45	6.09	NT	NT	2	-	0.4	35	23	rare recruitment events, white fly a problem	28	3.79	NT	NT	2	-	0.4	16	6	rare recruitment events, white fly a problem
Acacia paradoxa		0.00										0.00								
Acacia pinguiifolia		0.00										0.00								
Acacia praemorsa		0.00										0.00								
Acacia prainii		0.00									2	2.13	RA d(i,ii)	RA	3	0	0.3	1	1	
Acacia pycnantha		0.00										0.00								
Acacia ramulosa var. linophylla	4	1.95	LC	LC	1	0	0.3	2			13	6.34	LC	LC	1	0	0.3	13	4	
Acacia ramulosa var. ramulosa	1	1.23	RA d(i,ii)	RA	3	0	0.3	1				0.00								
Acacia rhotinocarpa		0.00										0.00								
Acacia rhigiophylla		0.00										0.00								
Acacia rhodophloia		0.00									1	25.00	RA d(i,ii)	RA	3	DD	0.0	1		long lived'
Acacia rigens	2	0.21	RA d(i,ii)	RA	3	DD	0.0	2		salt tolerant	5	0.53	RA d(i,ii)	RA	3	0	0.3	3		salt tolerant
Acacia rupicola		0.00										0.00								
Acacia salicina	4	0.76	RA d(ii)	RA	3	0	0.3	3	1			0.00								
Acacia sclerophylla var. sclerophylla		0.00										0.00								
Acacia sibirica	3	1.38	RA d(ii)	RA	3	0	0.3	2	1		11	5.07	RA d(ii)	RA	3	0	0.3	9	6	
Acacia sp. Winged (C.R.Alcock 4936)		0.00										0.00								
Acacia spinescens		0.00										0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)		Trends ('-', 0, '+, ++) Arcoona Plateau	Trends ('-', 0, '+, ++) Arcoona Plateau	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)		Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)		Trends ('-', 0, '+, ++) Kingoonya	Trends ('-', 0, '+, ++) Kingoonya	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)		
	Arcoona Plateau Records	% Arcoona Plateau		Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)					Kingoonya Records	% Kingoonya	Proposed Regional IUCN Status (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)		Comments (Arcoona Plateau)	Comments (Kingoonya)							
Acacia spooneri		0.00																					
Acacia stenophylla	2	0.35	RA d(i,ii)	RA	3	0	0.3	2	2														
Acacia tarculensis		0.00										28	17.28	LC									
Acacia tetragonophylla	11	0.57	LC	LC	1	0	0.3	11	6			23	1.20	LC	LC	1	0	0.3					
Acacia toondulya		0.00																					
Acacia triquetra		0.00																					
Acacia victoriae ssp. victoriae	3	0.21	LC	LC	1	0	0.3	3				4	0.28	RA d(ii)	RA	3	0	0.3			3	2	
Acacia whibleyana		0.00																					
Acacia wilhelmiana		0.00																					
Acaena echinata		0.00																					
Acaena novae-zelandiae		0.00																					
Acianthus caudatus		0.00																					
Acianthus pusillus		0.00																					
Acrotriche affinis		0.00																					
Acrotriche cordata		0.00																					
Acrotriche patula		0.00																					
Actinobole uliginosum	4	0.33	RA d(ii)	RA	3	-	0.4	3				8	0.65	LC	LC	1	0	0.3			7	3	
Actites megalocarpa		0.00																					
Adenanthos terminalis		0.00																					
Adiantum aethiopicum		0.00																					
Adriana quadripartita		0.00																					
Adriana urticoides var. hookeri		0.00																					
Ajuga australis forma A (A.G.Spooner 9058)		0.00																					
Alectryon oleifolius ssp. canescens	27	1.42	LC	LC	1	0	0.3	23	14			19	1.00	LC	LC	1	0	0.3			17	6	
Allocauarina helmsii		0.00										19	21.35	RA d(ii)	RA	3	0	0.3			5		
Allocauarina muelleriana ssp. muelleriana		0.00																					
Allocauarina pusilla		0.00																					
Allocauarina verticillata		0.00																					
Alternanthera denticulata	10	3.37	LC	LC	1	0	0.3	9	9			2	0.67									2	possible introduction
Alternanthera nodiflora	2	0.99	RA d(i,ii)	RA	3	DD	0.0	2	2	edge of range													
Aluta maisonneuvei ssp. auriculata		0.00										1	2.04	RA d(ii)	RA	3	0	0.3			1		limited habitat
Aluta maisonneuvei ssp. maisonneuvei		0.00										1	1.89	DD	DD	0	DD	0.0			1		check ID
Alyogyne hakeifolia		0.00																					
Alyogyne huegelii		0.00																					
Alyogyne pinoniana var. microandra		0.00																					
Alyogyne pinoniana var. pinoniana		0.00																					
Alyxia buxifolia		0.00																					
Amaranthus cuspidifolius	3	18.75	RA d(i,ii)	RA	3	DD	0.0	3	3														
Amaranthus grandiflorus	5	5.43	LC	LC	1	0	0.3	5	3														
Amaranthus mitchellii	2	2.30	RA d(i,ii)	RA	3	0	0.3	2	2	could be undercollected		1	1.15	RA d(i,ii)	RA	3	0	0.3			1	1	could be undercollected
Ammannia multiflora	1	1.10	RA d(i,ii)	RA	3	DD	0.0	1	1	southern limit, undercollected													
Amphibolis antarctica	1	0.28	LC	LC	1	0	0.3	1		Occurs in sheltered bays													
Amphibromus macrorhinus		0.00																					

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Trends (-, 0, +, ++) Arcoona Plateau	Trends (-, 0, +, ++) Arcoona Plateau	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Trends (-, 0, +, ++) Kingoonya	Trends (-, 0, +, ++) Kingoonya	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
	% Arcoona Plateau										% Kingoonya									
Amphibromus nervosus		0.00										0.00								
Amphipogon caricinus var. caricinus		0.00									12	2.20	RA d(i,ii)	RA	3	DD	0.0	11	1	
Amphipogon strictus var. setifer		0.00										0.00								
Amyema fitzgeraldii		0.00										0.00								
Amyema gibberula var. gibberula		0.00									1	2.33	RA d(ii)	RA	3	DD	0.0	1		occurs on large grevilles/hakeas
Amyema maidenii ssp. maidenii	2	0.34	RA d(ii)	RA	3	0	0.3	2	2	associated with mulga	8	1.37	RA d(ii)	RA	3	0	0.3	6	2	associated with mulga
Amyema melaleuca		0.00										0.00								
Amyema miquelii	1	0.07	RA d(ii)	RA	3	0	0.3	1	1		2	0.14	RA d(ii)	RA	3	0	0.3	1		
Amyema miraculosa ssp. boormanii	6	2.22	RA d(ii)	RA	3	0	0.3	6	3			0.00								
Amyema preissii	4	0.44	RA d(ii)	RA	3	0	0.3	2	2		7	0.77	LC	LC	1	0	0.3	5		
Amyema quandang var. quandang	12	3.30	LC	LC	1	0	0.3	10	4		6	1.65	LC	LC	1	0	0.3	6	3	
Anacampseros australiana	8	23.53	RA d(ii)	RA	3	0	0.3	7	6	grazed		0.00								
Anemocarpa podolepidium	7	2.37	RA d(ii,ii)	RA	3	0	0.3	6	3			0.00								
Angianthus brachypappus	1	1.96	RA d(ii,ii)	RA	3	DD	0.0	1				0.00								
Angianthus conocephalus		0.00										0.00								
Angianthus glabratus	2	5.56	RA d(ii)	RA	3	0	0.3	2	1		3	8.33	RA d(ii)	RA	3	0	0.3	3	1	
Angianthus preissianus		0.00										0.00								
Angianthus tomentosus		0.00										0.00								
Anogramma leptophylla		0.00										0.00								
Anthocercis anisantha ssp. anisantha		0.00										0.00								
Anthocercis anisantha ssp. collina		0.00									1	1.08	VU B2ab(i,ii,iii); D1+2	VU	4	-	0.4	1		endemic, grazed
Aotus subspinescens		0.00									3	0.68	RA d(i,ii)	RA	3	0	0.3	2		
Apalochlamys spectabilis		0.00										0.00								
Aphanes australiana		0.00										0.00								
Aphelia gracilis		0.00										0.00								
Apium annuum		0.00										0.00								
Apium prostratum var. filiforme		0.00										0.00								
Apium prostratum var. prostratum		0.00										0.00								
Apodasmia brownii		0.00										0.00								
Arabidella filifolia	3	2.94	RA d(ii)	RA	3	DD	0.0	3	3		1	0.98	RA d(ii)	RA	3	DD	0.0	1		
Arabidella glaucescens	3	1.51	LC	LC	1	0	0.3	2	2			0.00								
Arabidella nasturtium	10	4.08	LC	LC	1	0	0.3	9	3	ephemeral		0.00								
Arabidella trisecta	12	2.15	LC	LC	1	0	0.3	10	1		10	1.79	LC	LC	1	0	0.3	10	6	
Argentipallium obtusifolium		0.00										0.00								
Aristida anthoxanthoides	4	2.68	NT	NT	2	DD	0.0	3	2		2	1.34	RA d(i,ii)	RA	3	DD	0.0	1	1	edge of range
Aristida arida	1	2.27	RA d(ii)	RA	3	DD	0.0	1	1	southern limit		0.00								
Aristida behriana		0.00										0.00								
Aristida capillifolia	1	2.27	RA d(ii)	RA	3	DD	0.0	1	1	southern limit		0.00								
Aristida contorta	8	0.51	LC	LC	1	0	0.3	6	2		24	1.52	LC	LC	1	0	0.3	22	10	
Aristida holathera var. holathera		0.00									11	1.36	LC	LC	1	0	0.3	9	1	
Aristida latifolia	2	1.87	RA d(ii)	RA	3	DD	0.0	1		southern limit		0.00								
Aristida nitidula	2	0.32	RA d(ii)	RA	3	DD	0.0	2	2	droughts, overgrazing a threat		0.00								
Aristida personata	1	3.45	LC	LC	1	++	0.1	1	1			0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)		Trends (-, 0, +, ++) Arcoona Plateau	Trends (-, 0, +, ++) Arcoona Plateau	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)		Trends (-, 0, +, ++) Kingoonya	Trends (-, 0, +, ++) Kingoonya	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
	Arcoona Plateau Records	% Arcoona Plateau		Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)						Kingoonya Records	% Kingoonya								
Arthropodium fimbriatum	12	1.85	RA d(ii)	RA	3	0	0.3	10	10		0.00									
Arthropodium minus		0.00									0.00									
Arthropodium strictum		0.00									0.00									
Asperula conferta		0.00									0.00									
Asplenium flabellifolium		0.00									0.00									
Asplenium trichomanes		0.00									0.00									
Asteridea athrixioides forma athrixioides		0.00									0.00									
Asteridea athrixioides forma horripes		0.00									0.00									
Astrebla lappacea	1	1.03	RA d(ii)	RA	3	DD	0.0	1	1		0.00									
Astrebla pectinata	21	2.92	LC	LC	1	0	0.3	17	10		0.00									
Astroloma conostephioides		0.00									0.00									
Astroloma humifusum		0.00									0.00									
Atriplex acutibractea ssp. acutibractea		0.00								3	1.11	VU B2ab(i,ii)	VU	4	-	0.5	3	1		
Atriplex acutibractea ssp. karoniensis		0.00									0.00									
Atriplex acutiloba		0.00									0.00									
Atriplex angulata	12	2.27	LC	LC	1	0	0.3	10	6	limited habitat	0.00									
Atriplex cinerea		0.00									0.00									
Atriplex cryptocarpa		0.00								2	7.69	RA d(i,ii)	RA	3	DD	0.0	2	1	eastern limit	
Atriplex eardleyae	2	0.78	DD	DD	0	DD	0.0	1		2	0.78	RA d(ii)	RA	3	DD	0.0	2	2		
Atriplex fissivalvis	22	12.87	LC	LC	1	0	0.3	17	11	edge of range	0.00									
Atriplex holocarpa	34	3.83	LC	LC	1	0	0.3	27	16		8	0.90	LC	LC	1	0	0.3	8	4	
Atriplex incrassata	2	3.92	RA d(i,ii)	RA	3	0	0.3	2	1	edge of range	0.00									
Atriplex kochiana	19	65.52	VU D2	VU	4	0	0.3	7	4	highly localised	0.00									
Atriplex leptocarpa	1	0.37	DD	DD	0	DD	0.0	1		5	1.87	RA d(ii)	RA	3	DD	0.0	5	1		
Atriplex limbata	10	2.53	RA d(ii)	RA	3	-	0.4	7	2	likes sandy soil	1	0.25	RA d(ii)	RA	3	-	0.4	1		likes sandy soil
Atriplex lindleyi ssp. conduplicata	7	5.56	LC	LC	1	0	0.3	5	3	southern limit	0.00									
Atriplex lindleyi ssp. inflata	2	1.55	RA d(ii)	RA	3	DD	0.0	2			0.00									
Atriplex lindleyi ssp. lindleyi	5	2.50	RA d(ii)	RA	3	0	0.3	4	3		0.00									
Atriplex lindleyi ssp. quadripartita	1	5.56	RA d(ii)	RA	3	DD	0.0	1	1		0.00									
Atriplex lobativalvis	1	1.75	RA d(i,ii)	RA	3	DD	0.0	1	1		0.00									
Atriplex macroptercarpa	7	31.82	VU B2ab(i,ii)	VU	4	--	0.5	3		no recent records	0.00									
Atriplex morisii		0.00									0.00									
Atriplex nessorhina		0.00								4	80.00	VU D2	VU	4	DD	0.0	4	1	very localised	
Atriplex nummularia ssp. omissa	3	1.79	RA d(i,ii)	RA	3	DD	0.0	2	2	southern limit, needs more survey work	0.00									
Atriplex nummularia ssp. spathulata		0.00									0.00									
Atriplex paludosa ssp. cordata	3	0.16	RA d(i,ii)	RA	3	0	0.3	2	2		0.00									
Atriplex papillata		0.00									0.00									
Atriplex pseudocampanulata	2	2.47	RA d(ii)	RA	3	DD	0.0	1		edge of range, likes stony plains	0.00									
Atriplex pumilio		0.00								1	1.82	RA d(ii)	RA	3	DD	0.0	1	1	likes disturbed areas	
Atriplex quadrivalvata var. sessilifolia	1	5.88	RA d(ii)	RA	3	DD	0.0	1	1	southern limit	1	5.88	RA d(ii)	RA	3	DD	0.0	1	1	southern limit
Atriplex quinii		0.00								4	2.63	RA d(ii)	RA	3	0	0.3	4	1	naturally Rare, increases under grazing	
Atriplex rhagodioides	1	0.78	RA d(i,ii)	RA	3	DD	0.0	1	1		0.00									
Atriplex semibaccata		0.00									0.00									

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)		Proposed Regional IUCN Status (Arcoona Plateau)		Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)		Proposed Regional IUCN Status (Kingoonya)		Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
	% Arcoona Plateau												% Kingoonya											
Atriplex spongiosa	32	4.86	LC	LC	1	0	0.3	21	16				2	0.30	NT	NT	2	0	0.3	2	1			
Atriplex stipitata	1	0.10	NT	NT	2	0	0.3	1						0.00										
Atriplex suberecta	2	0.68	RA d(ii)	RA	3	DD	0.0	1				possible decline	2	0.68	RA d(ii)	RA	3	DD	0.0	2	1			possible decline
Atriplex velutinella	9	1.84	LC	LC	1	0	0.3	9	6				1	0.20	RA d(i,ii)	RA	3	DD	0.0	1				
Atriplex vesicaria ssp. macrocystidia		0.00												0.00										
Atriplex vesicaria ssp. variabilis		0.00												0.00										
Austrobryonia micrantha	1	3.70	RA d(i,ii)	RA	3	DD	0.0	1	1					0.00										
Austroanthonia caespitosa	7	0.18	RA d(ii)	RA	3	0	0.3	6	3			edge of range	3	0.08	RA d(ii)	RA	3	0	0.3	3				edge of range
Austroanthonia eriantha		0.00												0.00										
Austroanthonia fulva		0.00												0.00										
Austroanthonia racemosa var. racemosa		0.00												0.00										
Austroanthonia setacea		0.00											1	0.07	RA d(ii)	RA	3	DD	0.0	1				
Austrofestuca littoralis		0.00												0.00										
Austrostipa acrocliaata		0.00											1	0.12	RA d(ii)	RA	3	0	0.3	1	1			northern limit
Austrostipa blackii		0.00												0.00										
Austrostipa dongicola		0.00												0.00										
Austrostipa drummondii		0.00												0.00										
Austrostipa echinata		0.00												0.00										
Austrostipa elegantissima	2	0.09	RA d(ii)	RA	3	0	0.3	1	1				5	0.23	LC	LC	1	0	0.3	5	2			
Austrostipa eremophila		0.00											1	0.07	RA d(ii)	RA	3	0	0.3	1				
Austrostipa exilis		0.00												0.00										
Austrostipa flavescens		0.00												0.00										
Austrostipa hemipogon		0.00												0.00										
Austrostipa lanata		0.00											1	7.69	RA d(ii)	RA	3	DD	0.0	1				
Austrostipa macalpinei		0.00												0.00										
Austrostipa mollis		0.00												0.00										
Austrostipa mundula		0.00												0.00										
Austrostipa nitida	20	0.69	LC	LC	1	0	0.3	15	10				36	1.24	LC	LC	1	0	0.3	27	8			
Austrostipa nodosa	3	0.23	RA d(ii)	RA	3	0	0.3	2	2					0.00										
Austrostipa nullanulla		0.00											7	12.50	RA d(i,ii)	RA	3	0	0.3	6	6			
Austrostipa pilata		0.00												0.00										
Austrostipa platychaeta	2	0.39	RA d(ii)	RA	3	DD	0.0	2	1				1	0.20	LC	LC	1	DD	0.0	1	1			
Austrostipa plumigera		0.00												0.00										
Austrostipa puberula		0.00												0.00										
Austrostipa scabra ssp. falcata	5	0.54	RA d(ii)	RA	3	0	0.3	5	5			limited habitat	8	0.86	RA d(ii)	RA	3	0	0.3	7	7			
Austrostipa scabra ssp. scabra	2	0.47	RA d(ii)	RA	3	0	0.3	1	1				4	0.94	RA d(ii)	RA	3	0	0.3	4	2			
Austrostipa semibarbata		0.00												0.00										
Austrostipa setacea		0.00												0.00										
Austrostipa stipoides		0.00												0.00										
Austrostipa stuposa		0.00												0.00										
Austrostipa tenuifolia		0.00												0.00										
Austrostipa trichophylla		0.00												0.00										
Austrostipa velutina		0.00												0.00										

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)		Trends (-, 0, +, ++) Arcoona Plateau	Trends (-, 0, +, ++) Arcoona Plateau	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)		Trends (-, 0, +, ++) Kingoonya	Trends (-, 0, +, ++) Kingoonya	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
	Arcoona Plateau Records	% Arcoona Plateau		Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)						Kingoonya Records	% Kingoonya								
Austrostipa vickeryana		0.00									0.00									
Avicennia marina ssp. marina	1	0.84	LC	LC	1	0	0.3	1			0.00									
Babingtonia behrii		0.00									0.00									
Baeckea crassifolia		0.00									0.00									
Baeckea tuberculata		0.00									0.00									
Banksia marginata		0.00									0.00									
Banksia ornata		0.00									0.00									
Baumea arthropophylla		0.00									0.00									
Baumea juncea		0.00									0.00									
Bergia trimera		0.00								1	1.15	RA d(ii)	RA	3	0	0.3	1	1		
Bertya tasmanica ssp. vestita		0.00									0.00									
Beyeria lechenaultii	1	0.05	RA d(i,ii)	RA	3	0	0.3	1	1		2	0.10	RA d(i,ii)	RA	3	0	0.3	2		
Beyeria opaca		0.00									0.00									
Billardiera cymosa ssp. cymosa		0.00									0.00									
Billardiera cymosa ssp. pseudocymosa		0.00									0.00									
Billardiera sericophora		0.00									0.00									
Billardiera sp. Yorke Peninsula (P.C.Heyligers 80164)		0.00									0.00									
Billardiera uniflora		0.00									0.00									
Billardiera versicolor		0.00									0.00									
Blennodia canescens	3	5.77	RA d(ii)	RA	3	DD	0.0	2	2		0.00									
Blennodia pterosperma	1	0.93	RA d(i,ii)	RA	3	-	0.4	1	1	comes up after rain	0.00									
Blennospora drummondii		0.00									0.00									
Boerhavia coccinea	2	1.22	NE	NE	-1			2	2	taxonomic issues	1	0.61	NE	NE	-1		1		1	taxonomic issues
Boerhavia dominii	6	0.92	NE	NE	-1			5	4	taxonomic issues	3	0.46	NE	NE	-1		3		3	taxonomic issues
Boerhavia repleta	1	8.33	NE	NE	-1			1	1	taxonomic issues		0.00								
Boerhavia schomburgkiana	6	2.08	NE	NE	-1			4	4	taxonomic issues		0.00								
Bolboschoenus caldwellii		0.00									0.00									
Boronia coerulescens ssp. coerulescens		0.00									0.00									
Boronia filifolia		0.00									0.00									
Boronia inornata ssp. leptophylla		0.00									0.00									
Bossiaea ensata		0.00									0.00									
Bossiaea walkeri		0.00									0.00									
Bothriochloa ewartiana	1	2.50	RA d(ii)	RA	3	DD	0.0	1	1		16	10.60	LC	LC	1	0	0.3	14	1	
Bothriochloa macra	1	0.97	RA d(ii)	RA	3	0	0.3	1		roadside popns, undercollected		0.00								
Brachiaria praetervisa	1	0.74	RA d(ii)	RA	3	DD	0.0	1	1	edge of range		0.00								
Brachyachne ciliaris		0.00									0.00									
Brachychiton gregorii		0.00									0.00									
Brachyscome ciliaris var. ciliaris	2	0.20	LC	LC	1	0	0.3	2	2		18	1.79	LC	LC	1	0	0.3	15	12	
Brachyscome ciliaris var. lanuginosa	14	2.56	LC	LC	1	0	0.3	10	10		6	1.10	LC	LC	1	0	0.3	5	5	
Brachyscome ciliaris var. subintegrifolia		0.00									0.00									
Brachyscome cuneifolia		0.00									0.00									
Brachyscome debilis		0.00									0.00									
Brachyscome dichromosomatica var. dichromosomatica	5	14.71	NE	NE	-1			5	5	checked with H Vonow		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)		Trends (-, 0, +, ++) Arcoona Plateau	Trends (-, 0, +, ++) Arcoona Plateau	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)		Trends (-, 0, +, ++) Kingoonya	Trends (-, 0, +, ++) Kingoonya	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
	Arcoona Plateau Records	% Arcoona Plateau		Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)						Kingoonya Records	% Kingoonya								
Brachyscome eriogona	6	8.82	NE	NE	-			5	5	checked with H Vonow										
Brachyscome exilis		0.00																		
Brachyscome goniocarpa		0.00																		
Brachyscome iberidifolia		0.00									3	2.26	RA d(ii)	RA	3	0	0.3	3	2	
Brachyscome lineariloba	20	1.43	LC	LC	1	0	0.3	14	13		1	0.07	LC	LC	1	0	0.3	1	1	
Brachyscome muelleri		0.00																		
Brachyscome perpusilla		0.00																		
Brachyscome tatei		0.00																		
Brachyscome trachycarpa		0.00									1	0.85	RA d(i,ii)	RA	3	0	0.3	1		southern limit
Brachyscome xanthocarpa		0.00																		
Bromus arenarius	38	10.30	LC	LC	1	0	0.3	29	25		4	1.08	RA d(ii)	RA	3	DD	0.0	4	1	
Brunonia australis		0.00									14	2.47	LC	LC	1	DD	0.0	12	2	grazing
Bulbine alata	9	3.18	RA d(ii)	RA	3	DD	0.0	8	2		3	1.06	RA d(ii)	RA	3	DD	0.0	3	2	
Bulbine bulbosa		0.00																		
Bulbine semibarbata	21	1.99	LC	LC	1	0	0.3	15	15		4	0.38	RA d(i,ii)	RA	3	0	0.3	4	1	
Bulbostylis barbata		0.00									3	13.04	RA d(ii)	RA	3	DD	0.0	3	3	
Bulbostylis pyriformis		0.00									1	33.33	EN D	EN	5	--	0.5	1	1	limited habitat
Burchardia umbellata		0.00																		
Bursaria spinosa ssp. spinosa		0.00																		
Caesia calliantha		0.00																		
Caladenia aurulenta																				
Caladenia bicallata ssp. bicallata		0.00																		
Caladenia brumalis		0.00																		
Caladenia capillata		0.00																		
Caladenia cardiochila		0.00																		
Caladenia carnea		0.00																		
Caladenia clavula		0.00																		
Caladenia fragrantissima ssp. fragrantissima																				
Caladenia fuscata		0.00																		
Caladenia interanea																				
Caladenia latifolia		0.00																		
Caladenia macroclavia		0.00																		
Caladenia pusilla		0.00																		
Caladenia septuosa		0.00																		
Caladenia stricta		0.00																		
Caladenia tensa		0.00																		
Caladenia tentaculata		0.00																		
Caladenia toxochila		0.00																		
Caladenia verrucosa		0.00																		
Caladenia zephyra																				
Calandrinia brevipedata		0.00																		
Calandrinia calyptata		0.00																		
Calandrinia corrigioloides		0.00																		

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records				Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)				Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records				Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)				Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
	Arcoona Plateau Records	% Arcoona Plateau	Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)		Proposed Regional IUCN Status (Arcoona Plateau)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)			Kingoonya Records	% Kingoonya	Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)		Proposed Regional IUCN Status (Kingoonya)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)		
Calandrinia disperma	1	2.33	RA d(i,ii)	RA	3	DD	0.0	1				5	11.63	NT	NT	2	0	0.3	4	1		
Calandrinia eremaea	10	0.84	LC	LC	1	0	0.3	8	8			5	0.42	LC	LC	1	0	0.3	5	3		
Calandrinia granulifera		0.00											0.00									
Calandrinia polyandra var. polyandra		0.00											0.00									
Calandrinia ptychosperma		0.00										1	0.99	NT	NT	2	DD	0.0	1	1	southern limit	
Calandrinia pumila		0.00											0.00									
Calandrinia remota	5	6.25	RA d(ii)	RA	3	DD	0.0	3	3			3	3.75	RA d(ii)	RA	3	DD	0.0	2	2		
Calandrinia reticulata		0.00										4	10.00	RA d(i,ii)	RA	3	DD	0.0	2			
Calandrinia sphaerophylla		0.00											0.00									
Calandrinia volubilis	9	13.24	RA d(ii)	RA	3	-	0.4	7	7	rocky hills, trampling			0.00									
Callistemon rugulosus		0.00											0.00									
Callitris canescens		0.00											0.00									
Callitris glaucophylla	13	1.20	LC	LC	1	0	0.3	12	5			1	0.09	RA d(ii)	RA	3	0	0.3	1			
Callitris gracilis		0.00											0.00									
Callitris verrucosa		0.00											0.00									
Calocephalus citreus		0.00											0.00									
Calocephalus platycephalus	4	1.23	LC	LC	1	0	0.3	3	3	southern limit, undercollected		1	0.31	LC	LC	1	0	0.3	1	1	southern limit, undercollected	
Calochilus pruinosus		0.00											0.00									
Calotis breviradiata		0.00											0.00									
Calotis cymbacantha	16	5.06	LC	LC	1	0	0.3	15	4			26	8.23	LC	LC	1	0	0.3	18	9		
Calotis erinacea	2	0.49	RA d(i,ii)	RA	3	0	0.3	2	1	remove nthn record (wrongly mapped or ID'ed)		8	1.94	LC	LC	1	0	0.3	7	2		
Calotis hispidula	29	1.46	LC	LC	1	+	0.2	24	14			9	0.45	LC	LC	1	+	0.2	8	3		
Calotis lappulacea		0.00											0.00									
Calotis latiuscula	1	0.67	RA d(i,ii)	RA	3	DD	0.0	1	1	southern limit			0.00									
Calotis multicaulis	3	2.01	LC	LC	1	0	0.3	3	3			22	14.77	LC	LC	1	0	0.3	18	9		
Calotis plumulifera	7	1.77	LC	LC	1	0	0.3	6	5	likely to be sunk with C multicaulis		10	2.53	LC	LC	1	0	0.3	8	4	likely to be sunk with C multicaulis	
Calotis porphyroglossa		0.00											0.00									
Calotis scabiosifolia var. scabiosifolia		0.00											0.00									
Calytrix gypsophila		0.00										7	20.59	RA d(ii)	RA	3	0	0.3	7	1	habitat specific, likes gypsum	
Calytrix involucrata		0.00											0.00									
Calytrix tetragona		0.00											0.00									
Cardamine tenuifolia		0.00											0.00									
Carex breviculmis		0.00											0.00									
Carex inversa var. major		0.00											0.00									
Carex tereticaulis		0.00											0.00									
Carpobrotus modestus	1	0.56	DD	DD	0	DD	0.0	1	1	need to do more surveys			0.00									
Carpobrotus rossii		0.00											0.00									
Carpobrotus sp. Short calyx (S.T.Blake 20451)		0.00											0.00									
Cassinia arcuata		0.00											0.00									
Cassinia complanata		0.00											0.00									
Cassinia laevis		0.00										5	0.61	RA d(i,ii)	RA	3	0	0.3	2			
Cassytha glabella forma dispar		0.00											0.00									
Cassytha melantha		0.00										2	0.15	RA d(i,ii)	RA	3	0	0.3	1		edge of range	

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)	
	% Arcoona Plateau										% Kingoonya										
Cassutha peninsularis		0.00										0.00									
Cassutha pubescens		0.00										0.00									
Casuarina pauper	27	2.03	LC	LC	1	0	0.3	22	14		23	1.73	LC	LC	1	0	0.3	19	9		
Causis pentandra		0.00										0.00									
Centella asiatica		0.00										0.00									
Centipeda crateriformis ssp. compacta		0.00										0.00									
Centipeda crateriformis ssp. crateriformis	4	4.88	RA d(ii)	RA	3	DD	0.0	4	2			0.00									
Centipeda cunninghamii		0.00										0.00									
Centipeda thespidioides	14	7.57	LC	LC	1	0	0.3	13	11		2	1.08	RA d(ii)	RA	3	DD	0.0	2	1		
Centrolepis aristata		0.00										0.00									
Centrolepis cephaliformis ssp. cephaliformis		0.00										0.00									
Centrolepis cephaliformis ssp. murrayi		0.00										0.00									
Centrolepis eremica		0.00										0.00									
Centrolepis fascicularis		0.00										0.00									
Centrolepis glabra		0.00										0.00									
Centrolepis polygyna		0.00										0.00									
Centrolepis strigosa ssp. strigosa		0.00										0.00									
Cephalopterum drummondii		0.00									26	15.66	LC	LC	1	0	0.3	21	10		
Ceratogyne obionoides		0.00									2	6.67	RA d(ii)	RA	3	0	0.3	2	1		
Chamaesilla corymbosa var. corymbosa		0.00										0.00									
Chamaesyce australis	6	9.68	LC	LC	1	0	0.3	6	5			0.00									
Chamaesyce centralis		0.00									1	0.79	RA d(i,ii)	RA	3	DD	0.0	1		southern limit	
Chamaesyce drummondii	13	2.00	LC	LC	1	0	0.3	13	11	likes degraded areas, roadsides	13	2.00	LC	LC	1	0	0.3	12	7		
Chamaesyce wheeleri	1	0.79	RA d(i,ii)	RA	3	DD	0.0	1		sand dune species		0.00									
Cheilanthes austrotenuifolia	1	0.06	DD	DD	0	DD	0.0	1			2	0.12	DD	DD	0	DD	0.0	2	1	outside of range	
Cheilanthes distans		0.00										0.00									
Cheilanthes lasiophylla	3	0.30	RA d(ii)	RA	3	DD	0.0	2	2	isolated pockets, rocky areas	9	0.89	LC	LC	1	0	0.3	8	1	rocky areas	
Cheilanthes sieberi ssp. pseudovellea		0.00										0.00									
Cheilanthes sieberi ssp. sieberi	1	0.15	RA d(ii)	RA	3	DD	0.0	1		undercollected	10	1.54	LC	LC	1	0	0.3	9	3	rocky outcrops	
Cheiranthera alternifolia		0.00										0.00									
Chenopodium curvispicatum	1	0.14	RA d(ii)	RA	3	DD	0.0	1	1		7	1.00	NT	NT	2	0	0.3	7	6		
Chenopodium desertorum ssp. anidiophyllum	4	2.78	NT	NT	2	0	0.3	4	2			0.00									
Chenopodium desertorum ssp. desertorum	4	0.58	RA d(ii)	RA	3	0	0.3	4	4		24	3.48	LC	LC	1	0	0.3	22	9		
Chenopodium desertorum ssp. microphyllum		0.00										0.00									
Chenopodium desertorum ssp. rectum		0.00									3	2.78	RA d(i,ii)	RA	3	0	0.3	3	2		
Chenopodium gaudichaudianum		0.00									9	9.47	NT	NT	2	-	0.4	7	2		
Chenopodium nitratum	7	2.55	NT	NT	2	0	0.3	6	5		10	3.65	RA d(ii)	RA	3	-	0.4	10	4		
Chloris pectinata	2	1.52	RA d(i,ii)	RA	3	DD	0.0	1	1			0.00									
Chloris truncata	4	1.71	RA d(i,ii)	RA	3	DD	0.0	3	3		2	0.85	RA d(i,ii)	RA	3	DD	0.0	1	1		
Chondropyxis halophila		0.00										0.00									
Choretrum glomeratum var. chrysanthum		0.00										0.00									
Choretrum glomeratum var. glomeratum		0.00										0.00									
Chorizandra enodis		0.00										0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)		Trends (-, 0, +, ++) Arcoona Plateau	Trends (-, 0, +, ++) Arcoona Plateau	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)		Trends (-, 0, +, ++) Kingoonya	Trends (-, 0, +, ++) Kingoonya	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
	Arcoona Plateau Records	% Arcoona Plateau		Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)						Kingoonya Records	% Kingoonya		Proposed Regional IUCN Status (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)					
Chrysocephalum apiculatum	3	0.13	LC	LC	1	0	0.3	3	1	taxonomic issues	6	0.26	LC	LC	1	0	0.3	5	1	taxonomic issues
Chrysocephalum baxteri		0.00										0.00								
Chrysocephalum eremaeum		0.00									4	1.57	RA d(i,ii)	RA	3	0	0.3	3	2	
Chrysocephalum pterochaetum	5	1.46	LC	LC	1	0	0.3	4	2		17	4.96	LC	LC	1	0	0.3	13	7	
Chrysocephalum semipapposum		0.00										0.00								
Chthonocephalus pseudevax		0.00									3	1.49	LC	LC	1	0	0.3	3	3	
Citrus glauca	3	7.32	VU D1	VU	4	0	0.3	2	1			0.00								
Cladium procerum		0.00										0.00								
Clematis microphylla var. microphylla		0.00										0.00								
Codonocarpus cotinifolius		0.00									5	1.83	LC	LC	1	0	0.3	4	1	
Comesperma calymega		0.00										0.00								
Comesperma polygaloides		0.00										0.00								
Comesperma scoparium		0.00										0.00								
Comesperma viscidulum		0.00									2	8.00	RA d(i,ii)	RA	3	DD	0.0	2		
Comesperma volubile		0.00										0.00								
Commersonia multioba		0.00										0.00								
Commersonia tatei		0.00										0.00								
Conospermum patens		0.00										0.00								
Convolvulus angustissimus ssp. angustissimus		0.00										0.00								
Convolvulus angustissimus ssp. peninsularum		0.00										0.00								
Convolvulus clementii		0.00									6	3.70	LC	LC	1	0	0.3	5	2	
Convolvulus crispifolius		0.00									1	2.17	RA d(ii)	RA	3	-	0.4	1	1	undercollected, no survey records
Convolvulus eyreanus	1	1.23	RA d(i,ii)	RA	3	0	0.3	1	1	edge of range		0.00								
Convolvulus microsepalus		0.00										0.00								
Convolvulus recurvatus ssp. nullarborensis		0.00										0.00								
Convolvulus recurvatus ssp. recurvatus		0.00										0.00								
Convolvulus remotus	18	1.09	LC	LC	1	0	0.3	14	9		14	0.85	LC	LC	1	0	0.3	13	7	
Cooperookia strophiolata		0.00										0.00								
Correa backhouseana var. coriacea		0.00										0.00								
Correa pulchella		0.00										0.00								
Corunastylis nigricans																				
Corunastylis tepperi																				
Corybas despectans		0.00										0.00								
Corybas expansus																				
Corynotheca licrota		0.00									3	12.50	RA d(ii)	RA	3	0	0.3	2		
Corynotheca micrantha var. divaricata		0.00										0.00								
Cotula australis		0.00										0.00								
Cotula vulgaris var. australasica		0.00										0.00								
Craspedia variabilis		0.00										0.00								
Crassula closiana		0.00										0.00								
Crassula colligata ssp. lamprosperma		0.00										0.00								
Crassula colorata var. acuminata	10	0.92	LC	LC	1	0	0.3	10	4		2	0.18	LC	LC	1	0	0.3	2	2	
Crassula colorata var. colorata	5	0.91	LC	LC	1	0	0.3	5	2		2	0.37	LC	LC	1	0	0.3	2	2	

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records								Kingoonya Records																	
	Arcoona Plateau Records	% Arcoona Plateau	Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Trends (-, 0, +, ++)	Arcoona Plateau	Trends (-, 0, +, ++)	Arcoona Plateau	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records	% Kingoonya	Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Trends (-, 0, +, ++)	Kingoonya	Trends (-, 0, +, ++)	Kingoonya	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)		
Crassula decumbens var. decumbens		0.00												0.00												
Crassula exserta		0.00												0.00												
Crassula extrorsa		0.00												0.00												
Crassula peduncularis		0.00												0.00												
Crassula tetramera	2	1.34	RA d(ii)	RA	3	DD	0.0	2	1				4	2.68	RA d(ii)	RA	3	DD	0.0	4	2					
Cratystylis conocephala	1	0.15	RA d(ii)	RA	3	0	0.3	1	1				6	0.92	RA d(ii)	RA	3	0	0.3	5						
Cressa australis	4	1.59	RA d(i,ii)	RA	3	0	0.3	2	1	in claypans & saltlakes				0.00												
Crinum flaccidum	14	8.24	LC	LC	1	0	0.3	11	7					0.00												
Crotalaria eremaea ssp. eremaea	15	4.20	LC	LC	1	0	0.3	14	3					0.00												
Crotalaria eremaea ssp. strehlowii	3	1.32	RA d(i,ii)	RA	3	0	0.3	3	1	persistent spp.			1	0.44	RA d(i,ii)	RA	3	0	0.3	1					persistent spp.	
Cryptandra aridicola		0.00												0.00												
Cryptandra myriantha		0.00												0.00												
Cryptandra propinqua		0.00											1	0.88	RA d(i,ii)	RA	3	0	0.3	1						
Cryptandra sp. Floriferous (W.R. Barker 4131)		0.00												0.00												
Cryptandra tomentosa		0.00												0.00												
Cullen australasicum	14	1.83	LC	LC	1	0	0.3	13	10	only comes up after rain				0.00												
Cullen cinereum	6	2.60	LC	LC	1	0	0.3	6	5	needs rain				0.00												
Cullen discolor		0.00												0.00												
Cullen graveolens	30	14.29	LC	LC	1	0	0.3	22	22				2	0.95	RA d(i,ii)	RA	3	DD	0.0	2	2					
Cullen pallidum	2	0.97	RA d(i,ii)	RA	3	0	0.3	2	2	limit of range				0.00												
Cullen patens	2	3.64	RA d(i,ii)	RA	3	0	0.3	2	1	southern limit				0.00												
Cymbonotus preissianus		0.00												0.00												
Cymbopogon ambiguus	2	0.21	LC	LC	1	0	0.3	1	1				1	0.10											probable introduction	
Cymbopogon obtectus		0.00											8	3.05	RA d(i,ii)	RA	3	0	0.3	5	1					
Cynanchum floribundum		0.00											1	0.43	RA d(i,ii)	RA	3	DD	0.0	1						
Cynoglossum australe		0.00												0.00												
Cynoglossum suaveolens		0.00												0.00												
Cyperus alterniflorus	6	3.41	RA d(ii)	RA	3	-	0.4	6	5	needs seeping water, rocky hills				0.00												
Cyperus bulbosus	6	3.66	RA d(ii)	RA	3	DD	0.0	5	5	southern limit			1	0.61	RA d(ii)	RA	3	DD	0.0	1	1				southern limit	
Cyperus difformis	3	3.26	RA d(ii)	RA	3	DD	0.0	3	3	sthn limit, variable trend				0.00												
Cyperus gilesii	10	26.32	RA d(ii)	RA	3	0	0.3	8	6				1	2.63	RA d(ii)	RA	3	0	0.3	1	1					
Cyperus gymnocalulos	9	1.14	RA d(ii)	RA	3	0	0.3	7	2	highly localised				0.00												
Cyperus iria	1	1.32	RA d(ii)	RA	3	DD	0.0	1	1	southern limit			4	5.26	RA d(ii)	RA	3	DD	0.0	3	1				southern limit	
Cyperus laevigatus	2	0.65	RA d(ii)	RA	3	0	0.3	2	2	tough, salt tolerant				0.00												
Cyperus pygmaeus	2	3.23	RA d(ii)	RA	3	DD	0.0	1	1					0.00												
Cyperus rigidellus	2	1.79	RA d(ii)	RA	3	0	0.3	2	2					0.00												
Cyperus squarrosus	1	1.39	RA d(ii)	RA	3	0	0.3	1	1				1	1.39	RA d(ii)	RA	3	0	0.3	1	1					
Cyperus victoriensis	5	2.69	RA d(ii)	RA	3	0	0.3	4	4	southern limit			1	0.54	RA d(ii)	RA	3	0	0.3	1	1				southern limit	
Cyphanthera myosotidea		0.00												0.00												
Cyrtostylis reniformis		0.00												0.00												
Cyrtostylis robusta		0.00												0.00												
Dactyloctenium radulans	10	1.43	LC	LC	1	0	0.3	8	7	edge of range			1	0.14	LC	LC	1	0	0.3	1	1				edge of range	
Damasonium minus		0.00												0.00												

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)	
	% Arcoona Plateau										% Kingoonya										
Dampiera dysantha		0.00										0.00									
Dampiera lanceolata var. lanceolata		0.00									3	1.38	RA d(i,ii)	RA	3	DD	0.0	3			
Dampiera ramosa		0.00																			
Dampiera rosmarinifolia		0.00																			
Darwinia salina		0.00									1	1.20	RA d(ii)	RA	3	0	0.3	1			likes salt lakes
Daucus glochidiatus	33	0.93	LC	LC	1	0	0.3	25	13		7	0.20	LC	LC	1	0	0.3	6	2		
Daviesia arenaria		0.00																			
Daviesia asperula ssp. asperula		0.00																			
Daviesia asperula ssp. obliqua		0.00																			
Daviesia benthamii ssp. acanthoclona		0.00																			
Daviesia benthamii ssp. humilis		0.00																			
Daviesia brevifolia		0.00																			
Daviesia pectinata		0.00																			
Daviesia ulicifolia ssp. aridicola		0.00									3	2.42	RA d(i,ii)	RA	3	DD	0.0	2			restricted habitat
Desmodcladus diacolpicus		0.00																			
Deyeuxia quadriseta		0.00																			
Dianella brevicaulis	3	0.29	RA d(ii)	RA	3	0	0.3	3	3												
Dianella revoluta var. divaricata		0.00									1	0.47	RA d(ii)	RA	3	0	0.3	1			
Dianella revoluta var. revoluta		0.00																			
Dichanthium sericeum ssp. humilius	4	3.67	RA d(i,ii)	RA	3	DD	0.0	4	3	undercollected											
Dichanthium sericeum ssp. sericeum	7	4.27	RA d(i,ii)	RA	3	DD	0.0	7	4												
Dichelachne crinita		0.00																			
Dichondra repens		0.00																			
Dicrastylis beveridgei var. beveridgei		0.00																			
Dicrastylis beveridgei var. lanata		0.00									8	7.92	RA d(ii)	RA	3	0	0.3	7	2		
Dicrastylis lewellinii		0.00																			
Dicrastylis verticillata		0.00																			
Digitaria ammophila	3	1.97	RA d(i,ii)	RA	3	DD	0.0	2	2												
Digitaria brownii	9	1.17	LC	LC	1	0	0.3	8	3		20	2.61	LC	LC	1	0	0.3	15	9		
Digitaria coenicola	2	1.39	RA d(i,ii)	RA	3	0	0.3	2	2	tolerates salinity											
Dillwynia hispida		0.00																			
Dillwynia sericea		0.00																			
Dillwynia uncinata		0.00																			
Dimorphocoma minutula	5	12.50	LC	LC	1	0	0.3	5	3		3	7.50	LC	LC	1	0	0.3	3	3		
Disphyma crassifolium ssp. clavellatum	13	0.89	NT	NT	2	0	0.3	10	6		3	0.21	NT	NT	2	0	0.3	3			
Dissocarpus biflorus var. biflorus	14	2.47	LC	LC	1	0	0.3	11	7												
Dissocarpus biflorus var. villosus	1	4.17	NT	NT	2	0	0.3	1	1		1	4.17	NT	NT	2	0	0.3	1			
Dissocarpus fontinalis		0.00																			
Dissocarpus latifolius		0.00																			
Dissocarpus paradoxus	39	3.04	LC	LC	1	0	0.3	31	18		22	1.72	LC	LC	1	0	0.3	15	5		
Distichlis distichophylla		0.00																			
Diuris behrii		0.00																			
Diuris orientis		0.00																			
Diuris palustris		0.00																			

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)	
	% Arcoona Plateau	% Kingoonya																			
Diuris pardina		0.00										0.00									
Dodonaea baueri	2	0.25	RA d(ii)	RA	3	0	0.3	1				0.00									
Dodonaea bursarifolia		0.00										0.00									
Dodonaea hexandra		0.00										0.00									
Dodonaea humilis		0.00										0.00									
Dodonaea intricata		0.00										0.00									
Dodonaea lobulata	24	2.27	LC	LC	1	0	0.3	15	9		1	0.09	RA d(i,ii)	RA	3	0	0.3	1			
Dodonaea microzyga var. microzyga	3	0.57	NT	NT	2	0	0.3	2	1		19	3.62	LC	LC	1	0	0.3	18	8		
Dodonaea procumbens		0.00										0.00									
Dodonaea stenozyga		0.00										0.00									
Dodonaea tepperi		0.00										0.00									
Dodonaea viscosa ssp. angustissima	23	0.87	LC	LC	1	0	0.3	18	11		18	0.68	LC	LC	1	0	0.3	14	5		
Dodonaea viscosa ssp. cuneata		0.00									1	0.73	RA d(i,ii)	RA	3	0	0.3	1	1		
Dodonaea viscosa ssp. spatulata		0.00										0.00									
Drosera auriculata		0.00										0.00									
Drosera glanduligera		0.00										0.00									
Drosera macrantha ssp. planchonii		0.00										0.00									
Drosera peltata		0.00										0.00									
Drosera pygmaea		0.00										0.00									
Drosera sp. Rigid. (R.J.Bates 2268)		0.00										0.00									
Duboisia hopwoodii	6	2.31	RA d(ii)	RA	3	-	0.4	5	1	narcotic plant	7	2.69	RA d(ii)	RA	3	DD	0.0	6		narcotic plant	
Dysphania cristata	1	0.29	RA d(ii,ii)	RA	3	DD	0.0	1	1		2	0.58	RA d(ii)	RA	3	DD	0.0	2			
Dysphania glomulifera ssp. eremaea		0.00										0.00									
Dysphania glomulifera ssp. glomulifera	1	2.94	RA d(i,ii)	RA	3	DD	0.0	1	1			0.00									
Dysphania melanocarpa forma melanocarpa		0.00									2	3.92	RA d(ii)	RA	3	DD	0.0	2			
Dysphania plantaginella		0.00									1	1.96	RA d(ii)	RA	3	DD	0.0	1	1		
Dysphania pumilio	4	1.48	NT	NT	2	DD	0.0	4	4		2	0.74	NT	NT	2	DD	0.0	2	2		
Dysphania rhadinostachya ssp. rhadinostachya		0.00										0.00									
Dysphania simulans		0.00										0.00									
Dysphania truncata		0.00									1	2.38	RA d(i,ii)	RA	3	DD	0.0	1			
Einadia nutans ssp. eremaea	2	1.03	RA d(ii)	RA	3	0	0.3	2	2		3	1.55	RA d(ii)	RA	3	0	0.3	3	2		
Einadia nutans ssp. nutans	5	0.39	RA d(ii)	RA	3	0	0.3	4	1		6	0.47	RA d(ii)	RA	3	0	0.3	6	1		
Einadia nutans ssp. oxycarpa		0.00										0.00									
Einadia polygonoides		0.00										0.00									
Elachanthus glaber		0.00										0.00									
Elachanthus pusillus	1	0.59	RA d(i,ii)	RA	3	0	0.3	1	1		2	1.18	RA d(i,ii)	RA	3	0	0.3	2			
Elatine gratioloides		0.00										0.00									
Eleocharis acuta	1	0.29						1	1	introduction		0.00									
Eleocharis pallens	14	9.15	LC	LC	1	0	0.3	13	10	spread easily by ducks		0.00									
Eleocharis pusilla	1	2.17	RA d(ii)	RA	3	DD	0.0	1	1			0.00									
Elymus scaber var. scaber		0.00										0.00									
Embadium stagnense	2	40.00	VU B2ab(i,ii,iii); D1	VU	4	--	0.5	1				0.00									
Embadium uncinatum		0.00										0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)		Trends (-, 0, +, ++) Arcoona Plateau	Trends (-, 0, +, ++) Arcoona Plateau	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)		Trends (-, 0, +, ++) Kingoonya	Trends (-, 0, +, ++) Kingoonya	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
	% Arcoona Plateau	LC		LC	LC						% Kingoonya	LC								
Enchylaena tomentosa var. tomentosa	28	0.49	LC	LC	1	0	0.3	22	15		20	0.35	LC	LC	1	0	0.3	18	6	
Enneapogon avenaceus	13	0.80	LC	LC	1	0	0.3	13	6		22	1.36	LC	LC	1	0	0.3	20	12	
Enneapogon caerulescens var. caerulescens		0.00									3	3.49	LC	LC	1	0	0.3	3	1	
Enneapogon cylindricus	2	0.21	LC	LC	1	0	0.3	2		undercollected	16	1.64	LC	LC	1	0	0.3	15	6	
Enneapogon intermedius		0.00										0.00								
Enneapogon nigricans	3	0.49	LC	LC	1	0	0.3	3	1		6	0.98	LC	LC	1	0	0.3	6	5	
Enneapogon polyphyllus	12	1.00	LC	LC	1	0	0.3	9	3		21	1.74	LC	LC	1	0	0.3	17	5	
Enneapogon robustissimus		0.00										0.00								
Enteropogon acicularis	9	3.86	RA d(ii)	RA	3	DD	0.0	7	5			0.00								
Enteropogon ramosus	8	2.68	RA d(ii)	RA	3	DD	0.0	6	5		2	0.67	RA d(ii)	RA	3	DD	0.0	2	1	
Epaltes australis	3	1.38	RA d(ii)	RA	3	0	0.3	2	2	southern limit		0.00								
Epilobium billardierianum ssp. billardierianum		0.00										0.00								
Eragrostis australasica	25	7.94	RA d(ii)	RA	3	0	0.3	20	18	likes floods	3	0.95	RA d(ii)	RA	3	0	0.3	3		likes floods
Eragrostis basedowii	1	0.88	LC	LC	1	0	0.3	1				0.00								
Eragrostis dielsii var. dielsii	6	1.00	LC	LC	1	0	0.3	6	6	likes saline areas	1	0.17	LC	LC	1	0	0.3	1	1	likes saline areas
Eragrostis eriopoda	4	0.73	RA d(ii)	RA	3	DD	0.0	3	3		19	3.49	LC	LC	1	0	0.3	19	12	
Eragrostis falcata	6	3.55	LC	LC	1	0	0.3	3	2	likes saline areas	2	1.18	RA d(ii)	RA	3	DD	0.0	2		
Eragrostis kennedyae		0.00									3	14.29	RA d(ii)	RA	3	DD	0.0	3	1	
Eragrostis lacunaria		0.00										0.00								
Eragrostis laniflora		0.00									8	3.74	RA d(ii)	RA	3	-	0.4	6	2	
Eragrostis lanipes		0.00									1	2.33	RA d(ii)	RA	3	DD	0.0	1	1	
Eragrostis leptocarpa	7	2.93	RA d(ii)	RA	3	0	0.3	7	6	southern limit	1	0.42	RA d(ii)	RA	3	-	0.4	1		southern limit
Eragrostis parviflora	5	2.75	RA d(ii)	RA	3	DD	0.0	5	4		4	2.20	RA d(ii)	RA	3	DD	0.0	4	2	
Eragrostis pergracilis		0.00									3	6.25	RA d(ii)	RA	3	DD	0.0	3	3	
Eragrostis setifolia	32	2.90	LC	LC	1	0	0.3	26	23		9	0.81	LC	LC	1	0	0.3	8	8	
Eragrostis xerophila	6	1.69	RA d(ii)	RA	3	0	0.3	5	3		7	1.97	RA d(ii)	RA	3	0	0.3	5	3	
Eremophea spinosa		0.00										0.00								
Eremophila alternifolia	5	0.44	LC	LC	1	0	0.3	5		common in rocky areas	31	2.71	LC	LC	1	0	0.3	25	10	common in rocky areas
Eremophila arachnoides ssp. tenera		0.00										0.00								
Eremophila arenaria		0.00										0.00								
Eremophila barbata		0.00										0.00								
Eremophila battii		0.00										0.00								
Eremophila behriana		0.00										0.00								
Eremophila clarkei		0.00										0.00								
Eremophila crassifolia		0.00										0.00								
Eremophila decipiens ssp. decipiens		0.00										0.00								
Eremophila delisseri		0.00										0.00								
Eremophila deserti	4	0.62	LC	LC	1	0	0.3	4	2		1	0.15	LC	LC	1	0	0.3	1		
Eremophila duttonii	22	3.87	LC	LC	1	0	0.3	17	6		27	4.75	LC	LC	1	0	0.3	25	9	
Eremophila freelingii		0.00										0.00								
Eremophila gibbifolia		0.00										0.00								
Eremophila gibsonii		0.00									1	0.88	RA d(ii)	RA	3	0	0.3	1		restricted to sand dunes
Eremophila gilesii		0.00									8	8.99	LC	LC	1	0	0.3	8	8	

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)		Trends (-, 0, +, ++) Arcoona Plateau	Trends (-, 0, +, ++) Arcoona Plateau	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)		Trends (-, 0, +, ++) Kingoonya	Trends (-, 0, +, ++) Kingoonya	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
	% Arcoona Plateau	IUCN Status		Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)						% Kingoonya	IUCN Status								
<i>Eremophila glabra</i> ssp. <i>glabra</i>	13	0.89	LC	LC	1	0	0.3	12	7		17	1.16	LC	LC	1	0	0.3	15	8	
<i>Eremophila hillii</i>		0.00										0.00								
<i>Eremophila latrobei</i> ssp. <i>glabra</i>	15	2.18	LC	LC	1	0	0.3	12	4		51	7.40	LC	LC	1	0	0.3	45	23	
<i>Eremophila latrobei</i> ssp. <i>latrobei</i>		0.00									1	0.72	VU D2	VU	4	DD	0.0	1	1	edge of range
<i>Eremophila longifolia</i>	5	0.43	LC	LC	1	0	0.3	4	2		7	0.60	LC	LC	1	0	0.3	7	4	
<i>Eremophila maculata</i> ssp. <i>brevifolia</i>		0.00										0.00								
<i>Eremophila maculata</i> ssp. <i>maculata</i>	13	4.33	LC	LC	1	0	0.3	8	2	likes floodplains	8	2.67	RA d(ii)	RA	3	0	0.3	8		likes floodplains
<i>Eremophila neglecta</i>		0.00									1	0.54	VU D2	VU	4	0	0.3	1		southern limit
<i>Eremophila oppositifolia</i> ssp. <i>angustifolia</i>		0.00										0.00								
<i>Eremophila oppositifolia</i> ssp. <i>oppositifolia</i>	26	5.68	LC	LC	1	0	0.3	22	6		3	0.66	RA d(ii)	RA	3	0	0.3	3		
<i>Eremophila paisleyi</i> ssp. <i>paisleyi</i>	2	1.82	RA d(ii)	RA	3	0	0.3	2	1		20	18.18	LC	LC	1	0	0.3	16	1	
<i>Eremophila parvifolia</i>		0.00										0.00								
<i>Eremophila platythamnus</i> ssp. <i>exotrachys</i>		0.00										0.00								
<i>Eremophila platythamnus</i> ssp. <i>platythamnus</i>		0.00										0.00								
<i>Eremophila platythamnus</i> ssp. <i>Villous</i> (A.C. Robinson NP)		0.00										0.00								
<i>Eremophila rotundifolia</i>	6	2.61	LC	LC	1	0	0.3	6	1		30	13.04	LC	LC	1	0	0.3	22	7	
<i>Eremophila scoparia</i>	6	0.54	LC	LC	1	0	0.3	5	1		23	2.07	LC	LC	1	0	0.3	19	10	
<i>Eremophila serrulata</i>	14	2.80	LC	LC	1	0	0.3	10	4		15	3.00	LC	LC	1	0	0.3	15	7	
<i>Eremophila</i> sp. <i>Decussate</i> (R.J.Chinnock 7735)		0.00										0.00								
<i>Eremophila</i> sp. <i>Dendritica</i> (W.S.Reid AD98581189)		0.00										0.00								
<i>Eremophila</i> sp. <i>Fallax</i> (D.E.Symon 12311)		0.00										0.00								
<i>Eremophila</i> sp. <i>Hygrophana</i> (P.J.Lang B894-2828)		0.00										0.00								
<i>Eremophila</i> sp. <i>Praecox</i> (R.H.Ashby 131)		0.00										0.00								
<i>Eremophila sturtii</i>		0.00									2	0.47	LC	LC	1	0	0.3	2		
<i>Eremophila subfloccosa</i> ssp. <i>Lanata</i> (R.Bates 33587)		0.00										0.00								
<i>Eremophila verrucosa</i> ssp. <i>brevistellata</i>		0.00										0.00								
<i>Eremophila verrucosa</i> ssp. <i>verrucosa</i>		0.00										0.00								
<i>Eremophila weldii</i>		0.00										0.00								
<i>Eremophila willsii</i> var. <i>integrifolia</i>		0.00										0.00								
<i>Eriachne aristidea</i>		0.00									1	0.47	RA d(ii)	RA	3	DD	0.0	1	1	southern limit
<i>Eriachne helmsii</i>		0.00									8	3.43	RA d(ii)	RA	3	DD	0.0	8	2	
<i>Eriachne mucronata</i>	1	0.41	RA d(ii)	RA	3	0	0.3	1			7	2.88	RA d(ii)	RA	3	0	0.3	4	1	
<i>Eriachne ovata</i>	1	0.56	RA d(i,ii)	RA	3	DD	0.0	1	1	southern limit		0.00								
<i>Eriochilus cucullatus</i>		0.00										0.00								
<i>Eriochiton sclerolaenoides</i>	5	0.33	NT	NT	2	0	0.3	4			18	1.20	LC	LC	1	0	0.3	16	11	
<i>Eriochlamys behrii</i>	3	3.00	LC	LC	1	0	0.3	3	2			0.00								
<i>Eriochlamys eremaea</i>	2	3.23	LC	LC	1	0	0.3	2		undercollected	1	1.61	LC	LC	1	0	0.3	1		undercollected
<i>Eriochloa australiensis</i>	10	6.10	LC	LC	1	0	0.3	10	8			0.00								
<i>Eriochloa crebra</i>	1	4.76	RA d(ii)	RA	3	DD	0.0	1	1			0.00								
<i>Eriochloa pseudoacrotricha</i>	5	4.76	RA d(ii)	RA	3	+	0.2	5	2	southern limit		0.00								
<i>Erodiochloa eldeni</i>	5	3.50	RA d(ii)	RA	3	-	0.4	3				0.00								
<i>Erodium carolinianum</i>	8	3.62	LC	LC	1	0	0.3	6	1		19	8.60	LC	LC	1	0	0.3	16	3	
<i>Erodium cernitum</i>	17	1.64	LC	LC	1	0	0.3	15	10		8	0.77	LC	LC	1	0	0.3	7	3	

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records	% Arcoona Plateau	Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Arcoona Plateau	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records	% Kingoonya	Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
Erodium cygnorum		0.00										9	6.62	LC	LC	1	0	0.3	8	3	
Erodium janszii	1	10.00	NE	NE	-1				1	1	taxonomic issues		0.00								
Erodium sp. Blesing (J.R.Wheeler 471)		0.00											0.00								
Erymophyllum ramosum ssp. ramosum		0.00											0.00								
Eucalyptus alboburpurea		0.00											0.00								
Eucalyptus angulosa		0.00											0.00								
Eucalyptus behriana		0.00											0.00								
Eucalyptus brachycalyx		0.00											0.00								
Eucalyptus calcareana		0.00											0.00								
Eucalyptus calycogona ssp. calycogona		0.00											0.00								
Eucalyptus calycogona ssp. spaffordii		0.00											0.00								
Eucalyptus camaldulensis var. camaldulensis		0.00											0.00								
Eucalyptus camaldulensis var. obtusa	10	2.72	RA d(ii)	RA	3	0	0.3		8	6	this ssp soon to be described as ssp arida		0.00								
Eucalyptus canescens ssp. beadedii		0.00											0.00								
Eucalyptus canescens ssp. canescens		0.00											0.00								
Eucalyptus ceratocorys		0.00											0.00								
Eucalyptus cladocalyx		0.00											0.00								
Eucalyptus concinna		0.00										19	4.74	LC	LC	1	0	0.3	16	6	
Eucalyptus conglobata ssp. conglobata		0.00											0.00								
Eucalyptus cretata		0.00											0.00								
Eucalyptus diversifolia ssp. diversifolia		0.00											0.00								
Eucalyptus diversifolia ssp. hesperia		0.00											0.00								
Eucalyptus dumosa		0.00											0.00								
Eucalyptus eremicola		0.00										1	3.45	RA d(i,ii)	RA	3	0	0.3	1	1	
Eucalyptus eucentrica		0.00										2	8.70	NE	NE	-1			1	1	prob all socialis ssp victoriensis
Eucalyptus glomerosa		0.00											0.00								
Eucalyptus gongylocarpa		0.00											0.00								
Eucalyptus gracilis		0.00											0.00								
Eucalyptus gypsophila		0.00										8	5.76	RA d(i,ii)	RA	3	0	0.3	6	1	
Eucalyptus incrassata		0.00											0.00								
Eucalyptus intertexta	1	0.17	RA d(i,ii)	RA	3	DD	0.0		1				0.00								
Eucalyptus kingsmillii ssp. alatissima		0.00											0.00								
Eucalyptus lansdowneana		0.00											0.00								
Eucalyptus leptophylla		0.00										9	0.48	RA d(i,ii)	RA	3	0	0.3	6	1	
Eucalyptus mannensis ssp. mannensis		0.00											0.00								
Eucalyptus odorata		0.00											0.00								
Eucalyptus oleosa ssp. ampliata		0.00											0.00								
Eucalyptus oleosa ssp. oleosa		0.00										1	0.28	RA d(i,ii)	RA	3	0	0.3	1		
Eucalyptus oxymitra		0.00											0.00								
Eucalyptus peeneri		0.00										1	4.76	DD	DD	0	DD	0.0	1		now E eremicola ssp peeneri
Eucalyptus peninsularis		0.00											0.00								
Eucalyptus petiolaris		0.00											0.00								
Eucalyptus phenax ssp. phenax		0.00											0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records								Kingoonya Records																
	Arcoona Plateau Records	% Arcoona Plateau	Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Trends (-, 0, +, ++)	Arcoona Plateau	Trends (-, 0, +, ++)	Arcoona Plateau	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records	% Kingoonya	Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Trends (-, 0, +, ++)	Kingoonya	Trends (-, 0, +, ++)	Kingoonya	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)	
Eucalyptus pileata		0.00												0.00											
Eucalyptus pimpiniana		0.00												0.00											
Eucalyptus porosa		0.00												0.00											
Eucalyptus rugosa		0.00												0.00											
Eucalyptus socialis ssp. Glossy green (P.J.Lang 804)		0.00												0.00											
Eucalyptus socialis ssp. socialis	2	0.29	RA d(i,ii)	RA	3	0	0.3		2				5	0.72	RA d(i,ii)	RA	3	0	0.3		5	1			
Eucalyptus socialis ssp. South Great Victoria Desert (D.N)		0.00												0.00											
Eucalyptus trivalvis		0.00											8	20.00	RA d(i,ii)	RA	3	0	0.3		7	1			
Eucalyptus viminalis ssp. cygnetensis		0.00												0.00											
Eucalyptus vokesensis		0.00												0.00											
Eucalyptus wyolensis		0.00												0.00											
Eucalyptus yalataensis		0.00												0.00											
Eucalyptus youngiana		0.00											12	7.89	RA d(i,ii)	RA	3	0	0.3		10	1			
Eucalyptus yumbarrana ssp. yumbarrana		0.00												0.00											
Euchiton collinus		0.00												0.00											
Euchiton sphaericus		0.00											3	0.69	RA d(i,ii)	RA	3	0	0.3		3	1			
Eulalia aurea	2	0.89	RA d(ii)	RA	3	DD	0.0		2	1				0.00											
Euphorbia parvicaruncula	5	4.95	RA d(ii)	RA	3	DD	0.0		5	5				0.00											
Euphorbia stevenii	26	17.57	LC	LC	1	0	0.3		21	12				0.00											
Euphorbia tannensis ssp. eremophila	16	1.47	LC	LC	1	0	0.3		15	8			29	2.66	LC	LC	1	0	0.3		25	11			
Euphrasia collina ssp. tetragona		0.00												0.00											
Eutaxia diffusa		0.00												0.00											
Eutaxia microphylla		0.00											2	0.10	RA d(i,ii)	RA	3	0	0.3		2				
Evolvulus alsinoides var. villosicalyx		0.00												0.00											
Exocarpos aphyllus	14	0.56	LC	LC	1	0	0.3		13	8			11	0.44	LC	LC	1	0	0.3		10	2			
Exocarpos cupressiformis		0.00												0.00											
Exocarpos sparteus		0.00												0.00											
Exocarpos syrticola		0.00												0.00											
Ficinia nodosa		0.00												0.00											
Fimbristylis dichotoma	2	1.25	RA d(ii)	RA	3	0	0.3		2	2	under collected, sthn edge of range		2	1.25	RA d(ii)	RA	3	0	0.3		2	1	under collected, sthn edge of range		
Flaveria australasica	2	2.90	RA d(ii)	RA	3	0	0.3		2	1	southern limit			0.00											
Frankenia cinerea		0.00												0.00											
Frankenia crispa		0.00											1	5.00	RA d(i,ii)	RA	3	0	0.3		1	1			
Frankenia cupularis		0.00												0.00											
Frankenia foliosa	1	0.43	RA d(i,ii)	RA	3	DD	0.0		1				5	2.13	RA d(ii)	RA	3	DD	0.0		4	2			
Frankenia pauciflora var. fruticulosa	2	0.30	RA d(ii)	RA	3	0	0.3		2	2				0.00											
Frankenia pauciflora var. gunnii	4	2.63	LC	LC	1	0	0.3		3	3				0.00											
Frankenia plicata	12	15.58	RA d(ii)	RA	3	DD	0.0		7	7	no evidence of decline			0.00											
Frankenia serpyllifolia	37	5.26	LC	LC	1	0	0.3		28	28			2	0.28	LC	LC	1	0	0.3		2	1			
Frankenia sessilis		0.00											2	0.53	RA d(i,ii)	RA	3	DD	0.0		2	1			
Gahnia ancistrophylla		0.00												0.00											
Gahnia deusta		0.00												0.00											
Gahnia filium		0.00												0.00											

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records								Kingoonya Records																	
	Arcoona Plateau Records	% Arcoona Plateau	Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Trends (-, 0, +, ++)	Arcoona Plateau	Trends (-, 0, +, ++)	Arcoona Plateau	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records	% Kingoonya	Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Trends (-, 0, +, ++)	Kingoonya	Trends (-, 0, +, ++)	Kingoonya	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)		
Gahnia lanigera		0.00												0.00												
Gahnia trifida		0.00												0.00												
Galium compactum		0.00												0.00												
Galium gaudichaudii		0.00												0.00												
Galium migrans		0.00												0.00												
Geijera linearifolia	9	0.61	LC	LC	1	0	0.3	8	8				1	0.21	NE	NE	-1					1	1	taxonomic issues, split		
Genoplesium nigricans		0.00												0.00												
Genoplesium rufum		0.00												0.00												
Geococcus pusillus	2	1.32	RA d(ii)	RA	3	DD	0.0	1						0.00												
Geranium potentilloides var. potentilloides		0.00												0.00												
Geranium retrorsum	1	0.15	RA d(i,ii)	RA	3	DD	0.0	1	1					0.00												
Geranium solanderi var. solanderi		0.00												0.00												
Gilesia biniflora	2	7.14	RA d(i,ii)	RA	3	DD	0.0	2	2	ephemeral				0.00												
Glinsia lotoides	6	2.49	RA d(ii)	RA	3	0	0.3	4	2	southern limit				0.00												
Glischrocaryon aureum var. angustifolium		0.00												0.00												
Glischrocaryon behrii		0.00												0.00												
Glischrocaryon flavescens		0.00												0.00												
Glossocardia bidens	2	3.57	RA d(ii)	RA	3	0	0.3	2	2					0.00												
Glossodia major		0.00												0.00												
Glossostigma cleistanthum		0.00												0.00												
Glossostigma diandrum		0.00												0.00												
Glossostigma drummondii		0.00												0.00												
Glycine canescens	6	2.17	RA d(ii)	RA	3	0	0.3	6	1					0.00												
Glycine rubiginosa	6	0.80	RA d(ii)	RA	3	0	0.3	5	1					0.00												
Gnaphalium indutum		0.00												0.00												
Gnephosis arachnoidea	9	1.71	LC	LC	1	0	0.3	8	7				4	0.76	LC	LC	1	0	0.3	4	3					
Gnephosis drummondii		0.00												0.00												
Gnephosis tenuissima	8	2.13	LC	LC	1	0	0.3	8	2				14	3.72	LC	LC	1	0	0.3	13	2					
Gompholobium ecostatum		0.00												0.00												
Gonocarpus elatus		0.00												0.00												
Gonocarpus mezeianus		0.00												0.00												
Goodenia albiflora		0.00												0.00												
Goodenia benthamiana		0.00												0.00												
Goodenia berardiana	3	1.83	RA d(ii)	RA	3	DD	0.0	3	1				26	15.85	LC	LC	1	0	0.3	19	10					
Goodenia blackiana		0.00												0.00												
Goodenia calcarata		0.00												0.00												
Goodenia centralis		0.00												0.00												
Goodenia cycloptera	18	4.95	LC	LC	1	0	0.3	14	7				11	3.02	LC	LC	1	0	0.3	10	3					
Goodenia fascicularis	18	1.75	LC	LC	1	0	0.3	15	10				3	0.29	RA d(i,ii)	RA	3	DD	0.0	3	2					
Goodenia geniculata		0.00												0.00												
Goodenia gibbosa	15	46.88	LC	LC	1	0	0.3	12	12				1	3.13	RA d(i,ii)	RA	3	DD	0.0	1	1					
Goodenia glabra		0.00											4	4.00	RA d(i,ii)	RA	3	DD	0.0	2						
Goodenia glandulosa		0.00												0.00												

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Trends (-, 0, +, ++) Arcoona Plateau	Trends (-, 0, +, ++) Arcoona Plateau	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Trends (-, 0, +, ++) Kingoonya	Trends (-, 0, +, ++) Kingoonya	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
	% Arcoona Plateau	% Kingoonya																		
Goodenia gypsicola		0.00										0.00								
Goodenia havilandii		0.00									16	10.13	RA d(ii)	RA	3	DD	0.0	14	6	restricted to granite outcrops
Goodenia heterochila		0.00										0.00								
Goodenia larapinta		0.00										0.00								
Goodenia lobata		0.00									3	5.77	RA d(ii)	RA	3	DD	0.0	3	1	
Goodenia lunata	11	2.96	LC	LC	1	0	0.3	10	4	southern limit	1	0.27	RA d(i,ii)	RA	3	0	0.3	1	1	southern limit
Goodenia modesta		0.00									6	22.22	RA d(ii)	RA	3	-	0.4	5	1	
Goodenia occidentalis		0.00										0.00								
Goodenia ovata		0.00										0.00								
Goodenia pinnatifida	9	0.74	RA d(ii)	RA	3	0	0.3	9	5		11	0.91	LC	LC	1	0	0.3	8	2	
Goodenia pusilliflora	3	0.36	RA d(ii)	RA	3	0	0.3	3	1		6	0.71	RA d(ii)	RA	3	-	0.4	4		
Goodenia quasilibera		0.00										0.00								
Goodenia robusta		0.00										0.00								
Goodenia varia		0.00										0.00								
Goodenia verrucosa	1	0.63	NE	NE	-1			1	1	taxonomic issues		0.00								
Goodenia willisiana		0.00										0.00								
Goodenia xanthosperma		0.00										0.00								
Goodia medicaginea		0.00										0.00								
Gossypium sturtianum var. sturtianum		0.00										0.00								
Grammosolen dixonii		0.00										0.00								
Grammosolen truncatus		0.00									5	3.27	RA d(i,ii)	RA	3	0	0.3	4		
Gratwickia monochaeta	4	5.00	RA d(ii)	RA	3	0	0.3	3	3		3	3.75	RA d(ii)	RA	3	0	0.3	2	1	
Grevillea albiflora		0.00										0.00								
Grevillea anethifolia		0.00										0.00								
Grevillea aspera		0.00										0.00								
Grevillea dilatata		0.00										0.00								
Grevillea halmaturina ssp. laevis		0.00										0.00								
Grevillea huegelii		0.00									2	0.28	RA d(i,ii)	RA	3	0	0.3	2		
Grevillea ilicifolia ssp. ilicifolia		0.00										0.00								
Grevillea juncifolia ssp. juncifolia		0.00									2	0.70	RA d(i,ii)	RA	3	0	0.3	2		
Grevillea nematophylla ssp. nematophylla	1	0.38	EN B2ab(i,ii,iii)	EN	5	-	0.4	1		could be extinct	12	4.51	LC	LC	1	0	0.3	12	1	
Grevillea nematophylla ssp. supraplana		0.00										0.00								
Grevillea parallelinervis		0.00										0.00								
Grevillea pauciflora ssp. leptophylla		0.00										0.00								
Grevillea pauciflora ssp. pauciflora		0.00										0.00								
Grevillea pterosperma		0.00									12	3.28	RA d(ii)	RA	3	0	0.3	9	1	
Grevillea sarissa ssp. umbellifera		0.00										0.00								
Grevillea stenobotrya		0.00									1	0.36	RA d(i,ii)	RA	3	DD	0.0	1		
Grevillea treueriana		0.00									16	100.00	VU D2	VU	4	DD	0.0	6	1	endemic
Gunniopsis calcarea		0.00										0.00								
Gunniopsis calva	3	9.68	RA d(ii)	RA	3	0	0.3	3	3	limited habitat	3	9.68	RA d(ii)	RA	3	0	0.3	3	1	limited habitat
Gunniopsis papillata	3	2.46	RA d(i,ii)	RA	3	0	0.3	2	2	edge of range		0.00								
Gunniopsis quadrifida	22	5.28	LC	LC	1	0	0.3	19	13		13	3.12	NT	NT	2	0	0.3	9	2	

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)		Trends (-, 0, +, ++) Arcoona Plateau	Trends (-, 0, +, ++) Arcoona Plateau	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)		Trends (-, 0, +, ++) Kingoonya	Trends (-, 0, +, ++) Kingoonya	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
	Arcoona Plateau Records	% Arcoona Plateau		Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)						Kingoonya Records	% Kingoonya								
Gunniopsis septifraga	4	12.12	RA d(ii)	RA	3	-	0.4	3	1		0.00									
Gunniopsis zygophylloides		0.00									1	0.96	NT	NT	2	DD	0.0	1		southern limit
Gyrostemon australasicus		0.00									9	3.18	RA d(i,ii)	RA	3	0	0.3	6		sand dune species
Gyrostemon ramulosus		0.00										0.00								
Gyrostemon tepperi		0.00										0.00								
Gyrostemon thesioides		0.00										0.00								
Haeckeria cassiniiformis		0.00										0.00								
Haeckeria punctulata		0.00										0.00								
Haegiela tatei		0.00										0.00								
Hakea cycloptera		0.00										0.00								
Hakea francisiana		0.00									3	0.97	RA d(i,ii)	RA	3	0	0.3	3		
Hakea leucoptera ssp. leucoptera	10	1.30	LC	LC	1	0	0.3	8	2		8	1.04	LC	LC	1	0	0.3	6	3	
Hakea lorea ssp. lorea		0.00										0.00								
Hakea mitchellii		0.00										0.00								
Hakea rugosa		0.00										0.00								
Hakea vittata		0.00										0.00								
Halgania andromedifolia		0.00										0.00								
Halgania cyanea		0.00										0.00								
Halophila australis		0.00										0.00								
Haloragis acutangula forma acutangula		0.00										0.00								
Haloragis acutangula forma annulata		0.00										0.00								
Haloragis acutangula forma dentata		0.00										0.00								
Haloragis acutangula forma inflata		0.00										0.00								
Haloragis acutangula forma obturbinata		0.00										0.00								
Haloragis acutangula forma pyramidata		0.00										0.00								
Haloragis acutangula forma semiangulata		0.00										0.00								
Haloragis acutangula forma stellata		0.00										0.00								
Haloragis acutangula forma subacutangula		0.00										0.00								
Haloragis acutangula forma tetraglebosa		0.00										0.00								
Haloragis acutangula forma tetraptera		0.00										0.00								
Haloragis acutangula forma turbinata		0.00										0.00								
Haloragis aspera	1	0.14	RA d(ii)	RA	3	DD	0.0	1			2	0.28	RA d(ii)	RA	3	DD	0.0	2		
Haloragis eyreana		0.00										0.00								
Haloragis glauca forma glauca	1	10.00	NE	NE	-1			1	1	taxonomic issues		0.00								
Haloragis gossei		0.00										0.00								
Haloragis odontocarpa forma pterocarpa		0.00									3	8.11	RA d(ii)	RA	3	DD	0.0	2		
Haloragis odontocarpa forma rugosa		0.00										0.00								
Haloragis uncatipila	1	1.69	RA d(i,ii)	RA	3	DD	0.0	1	1			0.00								
Hannafordia bissillii ssp. bissillii		0.00									1	3.45	VU B2ab(i,ii,iii); D1+2	VU	4	-	0.4	1		
Hardenbergia violacea		0.00										0.00								
Harmsiodoxa blennodioides		0.00									1	0.56	RA d(i,ii)	RA	3	DD	0.0	1	1	no survey records
Harmsiodoxa brevipes var. brevipes		0.00									1	0.83	RA d(ii)	RA	3	-	0.4	1	1	
Harmsiodoxa brevipes var. major		0.00										0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records				Proposed IUCN Status & Criteria (Arcoona Plateau)				Proposed Regional IUCN Status (Arcoona Plateau)				Proposed Regional IUCN Status (Arcoona Plateau)				Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records				Proposed IUCN Status & Criteria (Kingoonya)				Proposed Regional IUCN Status (Kingoonya)				Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
	Arcoona Plateau Records	% Arcoona Plateau	Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Kingoonya Records	% Kingoonya	Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)			Comments (Kingoonya)													
Harmsiodoxa puberula	4	9.52	RA d(ii)	RA	3	DD	0.0	3	1	2.38	RA d(i,ii)	RA	3	DD	0.0	1																
Helichrysum leucopsidium		0.00							1	0.00																						
Heliotropium asperillum		0.00							2	0.75	RA d(i,ii)	RA	3	DD	0.0	1																
Heliotropium europaeum	2	0.53	NE	NE	-1			2	2	0.00							taxonomic issues															
Hemichroa diandra	1	0.43	RA d(i,ii)	RA	3	0	0.3	1	1	0.43	RA d(i,ii)	RA	3	0	0.3	1	restricted															
Hemichroa pentandra		0.00								0.00																						
Hibbertia cinerea		0.00								0.00																						
Hibbertia crinita		0.00								0.00																						
Hibbertia crispula		0.00								0.00																						
Hibbertia paeninsularis		0.00								0.00																						
Hibbertia platyphylla ssp. major		0.00								0.00																						
Hibbertia platyphylla ssp. platyphylla		0.00								0.00																						
Hibbertia riparia		0.00								0.00																						
Hibbertia sp. Glabriuscula (D.J.Whibley 9012)		0.00								0.00																						
Hibbertia virgata		0.00								0.00																						
Hibiscus brachysiphonius	2	2.11	RA d(ii)	RA	3	DD	0.0	2	2	0.00							southern limit															
Hibiscus krichauffianus	2	0.85	RA d(ii)	RA	3	DD	0.0	1	1	4.68	LC	LC	1	0	0.3	9	6															
Hibiscus solanifolius		0.00							11	0.00																						
Hibiscus sturtii var. grandiflorus		0.00							3	1.60	RA d(i,ii)	RA	3	DD	0.0	3	2															
Hibiscus sturtii var. muelleri		0.00							1	50.00	VU B2ab(i,ii,iii); D2	VU	4	-	0.4	1																
Homoranthus homoranthoides		0.00								0.00																						
Homoranthus wilhelmii		0.00							4	1.52	RA d(i,ii)	RA	3	0	0.3	4	1															
Hyalosperma demissum		0.00								0.00																						
Hyalosperma glutinosum ssp. glutinosum	2	0.61	RA d(ii)	RA	3	0	0.3	2	2	0.00																						
Hyalosperma semisterile	3	0.69	RA d(ii)	RA	3	0	0.3	3	2	1.39	RA d(ii)	RA	3	0	0.3	5																
Hybanthus floribundus ssp. floribundus		0.00								0.00																						
Hybanthus monopetalus		0.00							1	0.62	RA d(i,ii)	RA	3	DD	0.0	1																
Hydrocotyle callicarpa		0.00								0.00																						
Hydrocotyle capillaris		0.00								0.00																						
Hydrocotyle comocarpa		0.00								0.00																						
Hydrocotyle foveolata		0.00								0.00																						
Hydrocotyle laxiflora		0.00								0.00																						
Hydrocotyle medicaginooides		0.00								0.00																						
Hydrocotyle pilifera var. glabrata		0.00								0.00																						
Hydrocotyle rugulosa		0.00								0.00																						
Hydrocotyle trachycarpa		0.00								0.00																						
Hypericum gramineum		0.00								0.00																						
Hypolaena fastigiata		0.00								0.00																						
Hypoxis glabella var. glabella		0.00								0.00																						
Hypoxis vaginata var. vaginata		0.00								0.00																						
Imperata cylindrica		0.00								0.00																						
Indigofera australis var. australis		0.00							2	1.52	RA d(i,ii)	RA	3	DD	0.0	2																
Indigofera georgii	1	2.22	NE	NE	-1			1	1	0.00							taxonomic issues															

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records								Kingoonya Records									
	Arcoona Plateau Records	% Arcoona Plateau	Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records	% Kingoonya	Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
Indigofera helmsii		0.00								4	6.35	NE	NE	-1			3	taxonomic issues
Indigofera psammophila	1	1.56	RA d(ii,ii)	RA	3	0	0.3	1	1		0.00							
Iseilema eremaeum	1	1.16	RA d(ii)	RA	3	DD	0.0	1	1		0.00							
Iseilema membranaceum		0.00								2	1.27	RA d(ii)	RA	3	DD	0.0	2	2
Isoetes muelleri		0.00									0.00							
Isoetopsis graminifolia		0.00								3	0.48	LC	LC	1	0	0.3	3	2
Isolepis australiensis	1	1.47	RA d(ii)	RA	3	DD	0.0	1	1		0.00							
Isolepis cernua		0.00									0.00							
Isolepis congrua		0.00								1	1.61	RA d(ii)	RA	3	DD	0.0	1	1
Isolepis fluitans		0.00									0.00							
Isolepis hookeriana		0.00									0.00							
Isolepis inundata		0.00									0.00							
Isolepis platycarpa		0.00									0.00							
Isolepis stellata		0.00									0.00							
Isotoma petraea	2	0.55	RA d(ii)	RA	3	DD	0.0	2	1	15	4.10	LC	LC	1	0	0.3	14	5
Isotoma scapigera		0.00									0.00							
Ixiochlamys cuneifolia	4	1.48	RA d(ii)	RA	3	0	0.3	3	2		0.00							
Ixiochlamys filicifolia		0.00								1	1.37	RA d(ii)	RA	3	0	0.3	1	southern limit
Ixiochlamys nana	1	1.45	RA d(ii)	RA	3	0	0.3	1	1	4	5.80	RA d(ii)	RA	3	0	0.3	3	1
Ixodia achillaeoides ssp. achillaeoides		0.00									0.00							
Ixodia achillaeoides ssp. alata		0.00									0.00							
Jasminum didymum ssp. lineare	2	1.04	RA d(ii)	RA	3	DD	0.0	2			0.00							
Juncus aridicola		0.00									0.00							
Juncus bufonius	2	0.37	NT	NT	2	0	0.3	2	1		0.00							
Juncus kraussii	1	0.16	RA d(ii)	RA	3	DD	0.0	1	1		0.00							
Juncus pallidus		0.00									0.00							
Juncus radula		0.00									0.00							
Juncus subsecundus		0.00									0.00							
Kennedia prostrata		0.00									0.00							
Keraudrenia nephrosperma		0.00									0.00							
Keraudrenia sp. North West (J.Z.Weber 6475)		0.00									0.00							
Kippistia suaedifolia	1	0.97	RA d(ii)	RA	3	0	0.3	1		1	0.97	RA d(ii)	RA	3	0	0.3	1	1
Korthalsella japonica forma japonica		0.00									0.00							
Lachnagrostis aemula		0.00									0.00							
Lachnagrostis billardierei ssp. billardierei		0.00									0.00							
Lachnagrostis filiformis		0.00									0.00							
Lagenophora huegelii		0.00									0.00							
Lasiopetalum baueri		0.00									0.00							
Lasiopetalum behrii		0.00									0.00							
Lasiopetalum discolor		0.00									0.00							
Lasiopetalum schulzenii		0.00									0.00							
Lawrencella davenportii	2	0.85	RA d(ii)	RA	3	0	0.3	2		10	4.24	LC	LC	1	0	0.3	10	3
Lawrencella berthae		0.00									0.00							

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)		Trends (-, 0, +, ++) Arcoona Plateau	Trends (-, 0, +, ++) Arcoona Plateau	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)		Trends (-, 0, +, ++) Kingoonya	Trends (-, 0, +, ++) Kingoonya	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
	% Arcoona Plateau	Proposed Regional IUCN Status (Arcoona Plateau)		% Kingoonya	Proposed Regional IUCN Status (Kingoonya)															
Lawrenzia glomerata	6	1.50	LC	LC	1	0	0.3	6	3		5	1.25	LC	LC	1	0	0.3	5	1	
Lawrenzia spicata		0.00									3	0.41	LC	LC	1	0	0.3	3	1	
Lawrenzia squamata		0.00																		
Laxmannia orientalis		0.00																		
Lechenaultia aphylla		0.00									1	20.00	VU D1+D	VU	4	DD	0.0	1		
Lechenaultia divaricata		0.00																		
Lechenaultia striata		0.00																		
Leiocarpa leptolepis	28	6.75	LC	LC	1	0	0.3	22	15		4	0.96	LC	LC	1	0	0.3	4		
Leiocarpa plurisetia		0.00																		
Leiocarpa semicalva ssp. semicalva		0.00									10	1.33	LC	LC	1	0	0.3	8	3	found in rocks & gorges
Leiocarpa supina		0.00																		
Leiocarpa tomentosa	1	0.50	RA d(i,ii)	RA	3	0	0.3	1												
Leiocarpa websteri	38	5.64	LC	LC	1	0	0.3	33	17		4	0.59	LC	LC	1	0	0.3	4	1	
Lemna disperra		0.00																		
Lemooria burkittii		0.00									3	1.68	LC	LC	1	0	0.3	3	2	
Lepidium fasciculatum	1	1.33	VU B2ab(i,ii,iii)	VU	4	-	0.4	1	1		1	1.33	VU B2ab(i,ii,iii)	VU	4	-	0.4	1		
Lepidium foliosum		0.00																		
Lepidium leptopetalum		0.00																		
Lepidium muelleri-ferdinandi	1	0.39	RA d(ii)	RA	3	DD	0.0	1	1											
Lepidium oxytrichum	7	1.09	LC	LC	1	0	0.3	7	1		11	1.71	LC	LC	1	0	0.3	10	2	
Lepidium papillosum	23	6.95	LC	LC	1	0	0.3	17	11		1	0.30	RA d(i,ii)	RA	3	DD	0.0	1	1	
Lepidium phlebopetalum	15	1.96	LC	LC	1	0	0.3	14	4		18	2.36	LC	LC	1	0	0.3	18	11	
Lepidium pseudoruderale		0.00																		
Lepidium rotundum		0.00																		
Lepidium sagittulatum	7	10.45	LC	LC	1	0	0.3	6	3	southern limit										
Lepidosperma canescens		0.00																		
Lepidosperma carphoides		0.00									1	0.06	RA d(ii)	RA	3	0	0.3	1		
Lepidosperma concavum		0.00																		
Lepidosperma congestum		0.00																		
Lepidosperma curtisiae		0.00																		
Lepidosperma gladiatum		0.00																		
Lepidosperma leptophyllum		0.00																		
Lepidosperma sp. Narrow leaf (R.L.Taplin 709)		0.00																		
Lepidosperma viscidum		0.00																		
Lepilaena australis		0.00																		
Lepilaena cylindrocarpa		0.00																		
Lepilaena marina		0.00																		
Lepilaena preissii		0.00																		
Leporella fimbriata		0.00																		
Leptoceras menziesii		0.00																		
Leptomeria aphylla		0.00																		
Leptomeria preissiana		0.00																		
Leptorhynchus baileyi	3	5.66	RA d(ii)	RA	3	-	0.4	3	2		9	16.98	RA d(ii)	RA	3	-	0.4	7		

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records				Proposed IUCN Status & Criteria (Arcoona Plateau)				Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records				Proposed IUCN Status & Criteria (Kingoonya)				
	Arcoona Plateau Records	% Arcoona Plateau	Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Proposed Regional IUCN Status (Kingoonya)			Proposed Regional IUCN Status (Kingoonya)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)				
Leptorhynchus elongatus		0.00																	
Leptorhynchus melanocarpus		0.00																	
Leptorhynchus scaber		0.00																	
Leptorhynchus squamatus ssp. squamatus		0.00																	
Leptorhynchus tetrachaetus		0.00																	
Leptorhynchus waitzia	1	0.37	RA d(ii)	RA	3	DD	0.0	1											
Leptospermum coriaceum		0.00								8	0.61	RA d(ii)	RA	3	0	0.3	7		
Leptospermum fastigiatum		0.00									0.00								
Leucochrysum fitzibbonii		0.00								9	5.00	LC	LC	1	0	0.3	6	1	
Leucochrysum melle	9	10.84	RA d(ii)	RA	3	-	0.4	8	7	1	1.20	RA d(ii)	RA	3	-	0.4	1		grazed, southern limit of range
Leucochrysum stipitatum		0.00								10	5.35	LC	LC	1	0	0.3	9	4	
Leucophyta brownii		0.00																	
Leucopogon clelandii		0.00																	
Leucopogon cordifolius		0.00																	
Leucopogon parviflorus		0.00																	
Leucopogon revolutus		0.00																	
Leucopogon rufus		0.00																	
Leucopogon woodsii		0.00																	
Levenhookia dubia		0.00																	
Levenhookia stipitata		0.00																	
Lilaeopsis polyantha		0.00																	
Limosella australis		0.00																	
Limosella curdieana var. curdieana		0.00																	
Limosella curdieana var. Long-pedicelled (W.R.Barker 38		0.00																	
Limosella granitica		0.00																	
Linum marginale		0.00																	
Lissanthe strigosa ssp. subulata		0.00																	
Lobelia anceps		0.00																	
Lobelia gibbosa		0.00																	
Lobelia heterophylla		0.00																	
Logania crassifolia		0.00																	
Logania linifolia		0.00																	
Logania minor		0.00																	
Logania nuda		0.00								6	3.21	RA d(ii)	RA	3	0	0.3	5	1	needs deep sand
Logania ovata		0.00																	
Lomandra collina		0.00																	
Lomandra effusa		0.00																	
Lomandra juncea		0.00																	
Lomandra leucocephala ssp. robusta		0.00								7	0.80	RA d(ii)	RA	3	DD	0.0	7	1	lack of suitable habitat
Lomandra micrantha ssp. micrantha		0.00																	
Lomandra micrantha ssp. tuberculata		0.00																	
Lomandra sororia		0.00																	
Lotus australis		0.00																	

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records				Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)				Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records				Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)				Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
	Arcoona Plateau Records	% Arcoona Plateau	Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)		Proposed Regional IUCN Status (Arcoona Plateau)	Trends (-, 0, +, ++)	Proposed Regional IUCN Status (Arcoona Plateau)	Trends (-, 0, +, ++)				Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		% Kingoonya	Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Trends (-, 0, +, ++)			
Lotus cruentus	57	5.14	LC	LC	1	0	0.3	46	30			2	0.18	LC	LC	1	0	0.3	2	2				
Luzula densiflora		0.00											0.00											
Luzula meridionalis		0.00											0.00											
Lycium australe	12	1.16	LC	LC	1	0	0.3	11	9			26	2.51	LC	LC	1	0	0.3	23	15				
Lysiana exocarpi ssp. exocarpi	12	0.66	LC	LC	1	0	0.3	11	5			8	0.44	LC	LC	1	0	0.3	7	4				
Lysiana murrayi	5	2.37	LC	LC	1	0	0.3	5				15	7.11	LC	LC	1	0	0.3	11	6				
Lythrum hyssopifolia	1	0.24	RA d(ii)	RA	3	DD	0.0	1					0.00											
Lythrum wilsonii	4	6.78	NT	NT	2	0	0.3	4	3	southern limit, undercollected			0.00											
Maireana aphylla	26	3.01	LC	LC	1	0	0.3	22	21			1	0.12	RA d(i,ii)	RA	3	DD	0.0	1					
Maireana appressa	28	6.75	NT	NT	2	0	0.3	22	12	limited habitat		4	0.96	RA d(ii)	RA	3	0	0.3	4	3				
Maireana astrotricha	25	2.62	LC	LC	1	0	0.3	18	10			8	0.84	NT	NT	2	-	0.4	8	2	grazed, lack of regeneration			
Maireana brevifolia		0.00											0.00											
Maireana campanulata		0.00										1	1.11	RA d(i,ii)	RA	3	DD	0.0	1					
Maireana cannonii	3	10.00	RA d(i,ii)	RA	3	0	0.3	2	1				0.00											
Maireana carnososa		0.00											0.00											
Maireana ciliata	4	2.05	RA d(i,ii)	RA	3	DD	0.0	4	1			2	1.03	RA d(i,ii)	RA	3	DD	0.0	2	1				
Maireana coronata		0.00										1	0.50	RA d(i,ii)	RA	3	DD	0.0	1	1				
Maireana enchylaenoides		0.00											0.00											
Maireana eriantha	38	18.91	LC	LC	1	0	0.3	32	21			1	0.50	RA d(ii)	RA	3	-	0.4	1					
Maireana erioclada	3	0.23	RA d(ii)	RA	3	0	0.3	3	1			12	0.93	LC	LC	1	0	0.3	8	5				
Maireana georgei	3	0.37	LC	LC	1	0	0.3	3	2			43	5.35	LC	LC	1	0	0.3	33	26				
Maireana integra	14	4.24	LC	LC	1	0	0.3	9	3			18	5.45	LC	LC	1	0	0.3	14	8				
Maireana lobiflora		0.00										1	0.94	RA d(ii)	RA	3	DD	0.0	1	1	responds well to rain			
Maireana melanocarpa		0.00											0.00											
Maireana microcarpa	4	5.88	RA d(ii)	RA	3	DD	0.0	3	2	claypan spp.		1	1.47	RA d(i,ii)	RA	3	DD	0.0	1		claypan spp.			
Maireana oppositifolia	6	0.76	NT	NT	2	0	0.3	4	4				0.00											
Maireana ovata		0.00											0.00											
Maireana pentatropis	3	0.26	NT	NT	2	0	0.3	3	1			9	0.79	LC	LC	1	0	0.3	8	3				
Maireana planifolia	1	0.96	RA d(i,ii)	RA	3	DD	0.0	1	1			5	4.81	RA d(ii)	RA	3	DD	0.0	5	3				
Maireana pyramidata	29	1.86	LC	LC	1	0	0.3	25	11			17	1.09	LC	LC	1	0	0.3	13	8				
Maireana radiata		0.00										2	0.31	RA d(ii)	RA	3	0	0.3	2	2				
Maireana rohlfachii		0.00										2	1.06	RA d(ii)	RA	3	-	0.4	2	2	heavily grazed, grassy woodlands			
Maireana schistocarpa		0.00										7	29.17	RA d(ii)	RA	3	DD	0.0	6	4				
Maireana scleroptera		0.00											0.00											
Maireana sedifolia	3	0.22	NT	NT	2	0	0.3	2	1			51	3.70	LC	LC	1	0	0.3	46	37				
Maireana spongocarpa	22	15.71	LC	LC	1	0	0.3	13	9			2	1.43	RA d(ii)	RA	3	DD	0.0	2					
Maireana suaedifolia		0.00											0.00											
Maireana tomentosa ssp. urceolata		0.00											0.00											
Maireana trichoptera	1	0.09	RA d(i,ii)	RA	3	DD	0.0	1				21	1.83	LC	LC	1	0	0.3	18	5				
Maireana triptera		0.00										32	10.22	LC	LC	1	0	0.3	29	14	increases in mallee after fire			
Maireana turbinata	4	0.65	LC	LC	1	0	0.3	3				6	0.98	LC	LC	1	0	0.3	4	3				
Maireana villosa		0.00										9	6.52	NT	NT	2	0	0.3	7	3				
Malacocera albolanata	2	3.08	RA d(i,ii)	RA	3	DD	0.0	1		edge of range			0.00											

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Trends (-, 0, +, ++) Arcoona Plateau	Trends (-, 0, +, ++) Arcoona Plateau	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Trends (-, 0, +, ++) Kingoonya	Trends (-, 0, +, ++) Kingoonya	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
	% Arcoona Plateau										% Kingoonya									
Malacocera gracilis		0.00										0.00								
Malacocera tricornis	6	3.92	RA d(ii)	RA	3	0	0.3	5	4	grazed	1	0.65	RA d(ii)	RA	3	DD	0.0	1	1	grazed
Malva preissiana	6	0.73	RA d(ii)	RA	3	0	0.3	6	1		1	0.12	RA d(ii)	RA	3	0	0.3	1		
Malvastrum americanum var. americanum	7	1.11	LC	LC	1	0	0.3	6	6		3	0.47	LC	LC	1	0	0.3	3	3	
Marsdenia australis		0.00									4	0.77	RA d(ii)	RA	3	DD	0.0	4		
Marsilea costulifera	2	4.55	RA d(ii)	RA	3	DD	0.0	2	2			0.00								
Marsilea drummondii	8	3.17	LC	LC	1	0	0.3	8	1		6	2.38	LC	LC	1	0	0.3	5		
Marsilea exarata	4	5.71	RA d(ii)	RA	3	0	0.3	4	2		1	1.43	RA d(ii)	RA	3	0	0.3	1	1	
Marsilea hirsuta	7	3.23	LC	LC	1	0	0.3	6	6			0.00								
Melaleuca acuminata ssp. acuminata		0.00										0.00								
Melaleuca armillaris ssp. akineta		0.00										0.00								
Melaleuca brevifolia		0.00										0.00								
Melaleuca decussata		0.00										0.00								
Melaleuca eleuterostachya		0.00									2	0.67	RA d(ii)	RA	3	0	0.3	2		
Melaleuca gibbosa		0.00										0.00								
Melaleuca glomerata	3	0.71	RA d(i,ii)	RA	3	0	0.3	3	1	likes salt lakes, edge of range	1	0.24	RA d(i,ii)	RA	3	0	0.3	1	1	likes salt lakes, edge of range
Melaleuca halmaturorum		0.00										0.00								
Melaleuca interioris		0.00									8	17.39	LC	LC	1	0	0.3	5	1	
Melaleuca lanceolata	1	0.18	RA d(ii)	RA	3	0	0.3	1				0.00								
Melaleuca leiocarpa		0.00										0.00								
Melaleuca nanophylla		0.00										0.00								
Melaleuca oxyphylla		0.00										0.00								
Melaleuca pauperiflora ssp. mutica		0.00										0.00								
Melaleuca quadrifaria		0.00										0.00								
Melaleuca uncinata		0.00										0.00								
Melaleuca xerophila	9	13.04	LC	LC	1	0	0.3	8	1		14	20.29	LC	LC	1	0	0.3	12	6	
Menkea australis	2	2.17	RA d(i,ii)	RA	3	DD	0.0	2		possibly undercollected	2	2.17	RA d(ii)	RA	3	DD	0.0	2		possibly undercollected
Menkea crassa	3	2.97	RA d(i,ii)	RA	3	-	0.4	3	1		1	0.99	RA d(i,ii)	RA	3	-	0.4	1		
Menkea sphaerocarpa		0.00										0.00								
Menkea villosula		0.00									2	2.78	RA d(i,ii)	RA	3	DD	0.0	1		edge of range
Mentha australis	2	1.65	RA d(i,ii)	RA	3	DD	0.0	1	1			0.00								
Mentha satereioides		0.00										0.00								
Micranthemum demissum		0.00										0.00								
Microcybe multiflora ssp. baccharoides		0.00										0.00								
Microcybe multiflora ssp. multiflora		0.00										0.00								
Microcybe pauciflora ssp. pauciflora		0.00										0.00								
Microlepidium alatum		0.00										0.00								
Microlepidium pilosulum		0.00										0.00								
Microseris lanceolata	5	0.46	LC	LC	1	0	0.3	4	2		2	0.18	RA d(ii)	RA	3	-	0.4	2		limited
Microtis arenaria		0.00										0.00								
Microtis atrata		0.00										0.00								
Microtis eremaea		0.00										0.00								
Microtis frutetorum		0.00										0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
	% Arcoona Plateau	% Kingoonya																		
Microtis orbicularis		0.00										0.00								
Microtis sp. Short-leaf (R.J. Bates 54342)		0.00										0.00								
Millotia greevesii ssp. helmsii		0.00									3	8.57	NE	NE	-1			3		taxonomic issues, should be more records
Millotia incurva		0.00										0.00								
Millotia macrocarpa		0.00										0.00								
Millotia major		0.00										0.00								
Millotia muelleri		0.00										0.00								
Millotia mysotidifolia	4	0.61	RA d(i,ii)	RA	3	0	0.3	2			6	0.91	LC	LC	1	0	0.3	6	2	
Millotia perpusilla		0.00									1	0.89	RA d(ii)	RA	3	DD	0.0	1		
Millotia tenuifolia var. tenuifolia		0.00										0.00								
Mimulus repens	1	0.74	RA d(i,ii)	RA	3	DD	0.0	1				0.00								
Minuria annua	6	7.59	DD	DD	0	DD	0.0	6	3			0.00								
Minuria cunninghamii	55	8.40	LC	LC	1	0	0.3	44	26		5	0.76	LC	LC	1	0	0.3	5	3	
Minuria denticulata	22	3.74	LC	LC	1	0	0.3	17	13	likes cracking clays	2	0.34	RA d(ii)	RA	3	0	0.3	2	1	likes cracking clays
Minuria integerrima	14	6.80	LC	LC	1	0	0.3	12	9		1	0.49	RA d(ii)	RA	3	0	0.3	1		
Minuria leptophylla	14	1.29	LC	LC	1	0	0.3	10	4		28	2.57	LC	LC	1	0	0.3	19	5	
Minuria multiseta		0.00									2	11.76	RA d(ii)	RA	3	0	0.3	2	2	likes gypsum, limited habitat, WA spp
Mitrasacme pilosa var. pilosa		0.00										0.00								
Mollugo cerviana	3	3.37	LC	LC	1	0	0.3	3	2	responds to good rainfall	1	1.12	LC	LC	1	0	0.3	1	1	responds to good rainfall
Monachather paradoxus	2	0.47	RA d(ii)	RA	3	DD	0.0	1			9	2.12	RA d(ii)	RA	3	DD	0.0	8	3	
Muehlenbeckia adpressa		0.00										0.00								
Muehlenbeckia diclina ssp. diclina		0.00										0.00								
Muehlenbeckia florulenta	9	0.83	NT	NT	2	0	0.3	7	5		4	0.37	RA d(ii)	RA	3	-	0.4	4	2	
Muehlenbeckia gunnii		0.00										0.00								
Muehlenbeckia horrida ssp. horrida	2	3.64	VU D1+2	VU	4	DD	0.0	2				0.00								
Muelleranthus stipularis		0.00									2	5.71	RA d(i,ii)	RA	3	0	0.3	1		
Murchisonia volubilis		0.00									5	8.06	LC	LC	1	0	0.3	4	1	
Myoporum brevipes		0.00										0.00								
Myoporum insulare	2	0.18	LC	LC	1	0	0.3	2	2			0.00								
Myoporum montanum	21	3.25	LC	LC	1	0	0.3	18	11		1	0.15	RA d(ii)	RA	3	0	0.3	1	1	
Myoporum parvifolium		0.00										0.00								
Myoporum platycarpum ssp. perbellum		0.00										0.00								
Myoporum platycarpum ssp. platycarpum		0.00									12	1.62	LC	LC	1	0	0.3	10	2	
Myoporum viscosum		0.00										0.00								
Myosotis australis		0.00									1	0.43	RA d(i,ii)	RA	3	DD	0.0	1		
Myosurus minimus var. australis	3	3.49	RA d(ii)	RA	3	DD	0.0	3	2			0.00								
Myriocephalus pluriflorus	2	6.06	NE	NE	-1			1	1	taxonomic issues		0.00								
Myriocephalus rudallii		0.00									1	2.33	RA d(i,ii)	RA	3	0	0.3	1	1	
Myriocephalus squamatus		0.00									1	10.00	RA d(i,ii)	RA	3	DD	0.0	1		lack of records
Myriophyllum integrifolium		0.00										0.00								
Myriophyllum muelleri		0.00										0.00								
Myriophyllum salsugineum		0.00										0.00								
Myriophyllum verrucosum	7	4.49	RA d(ii)	RA	3	DD	0.0	7	6	grows in dams, stock water		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)		Trends (-, 0, +, ++) Arcoona Plateau	Trends (-, 0, +, ++) Arcoona Plateau	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)		Trends (-, 0, +, ++) Kingoonya	Trends (-, 0, +, ++) Kingoonya	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
	Arcoona Plateau Records	% Arcoona Plateau		Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)						Kingoonya Records	% Kingoonya								
Neobassia proceriflora	6	2.38	NT	NT	2	DD	0.0	5	4	southern limit	0.00									
Neurachne alopecuroidea		0.00									0.00									
Neurachne munroi	1	1.89	RA d(ii)	RA	3	DD	0.0	1	1		3	5.66	RA d(ii)	RA	3	DD	0.0	3	1	
Newcastelia bracteosa		0.00									0.00									
Newcastelia cephalantha var. cephalantha		0.00									0.00									
Newcastelia spodiotricha		0.00									0.00									
Nicotiana goodspeedii	3	0.72	RA d(i,ii)	RA	3	0	0.3	3	1		0.00									
Nicotiana maritima		0.00									0.00									
Nicotiana occidentalis ssp. obliqua		0.00									1	0.83	RA d(ii)	RA	3	DD	0.0	1		
Nicotiana rosulata ssp. rosulata		0.00									2	15.38	VU D1+2	VU	4	DD	0.0	2		
Nicotiana simulans	6	2.49	LC	LC	1	0	0.3	5	5	southern limit	13	5.39	LC	LC	1	0	0.3	12	10	southern limit
Nicotiana velutina	29	2.98	LC	LC	1	0	0.3	21	12		7	0.72	LC	LC	1	0	0.3	6	2	
Nitraria billardieri	4	0.23	NT	NT	2	0	0.3	3	3	on dunes, weedy species	1	0.06	NT	NT	2	0	0.3	1		on dunes, weedy species
Olaix orbordata		0.00									0.00									
Olearia adenolasia		0.00									0.00									
Olearia axillaris	2	0.13	RA d(i,ii)	RA	3	0	0.3	1	1		0.00									
Olearia brachyphylla		0.00									0.00									
Olearia calcarea	1	0.70	RA d(ii)	RA	3	DD	0.0	1			1	0.70	RA d(ii)	RA	3	DD	0.0	1		
Olearia ciliata var. ciliata		0.00									0.00									
Olearia decurrens		0.00									2	0.27	RA d(i,ii)	RA	3	0	0.3	2		
Olearia exiguifolia		0.00									0.00									
Olearia floribunda var. floribunda		0.00									0.00									
Olearia lanuginosa		0.00									0.00									
Olearia lepidophylla		0.00									0.00									
Olearia magniflora		0.00									0.00									
Olearia minor		0.00									0.00									
Olearia muelleri		0.00									5	0.49	LC	LC	1	0	0.3	4	2	
Olearia pannosa ssp. pannosa		0.00									0.00									
Olearia passerinoides ssp. passerinoides		0.00									0.00									
Olearia picridifolia		0.00									0.00									
Olearia pimeleoides ssp. incana		0.00									0.00									
Olearia pimeleoides ssp. pimeleoides		0.00									0.00									
Olearia ramulosa		0.00									0.00									
Olearia rudis		0.00									0.00									
Olearia stuartii		0.00									4	5.00	RA d(i,ii)	RA	3	DD	0.0	4	2	
Olearia subspicata		0.00									2	2.56	RA d(i,ii)	RA	3	0	0.3	2		
Omphalolappula concava	10	1.09	LC	LC	1	0	0.3	9	3		8	0.87	LC	LC	1	0	0.3	7	3	
Opercularia scabrida		0.00									0.00									
Opercularia turpis		0.00									0.00									
Ophioglossum lusitanicum		0.00									0.00									
Ophioglossum polyphyllum	1	6.25	VU D2	VU	4	DD	0.0	1	1		0.00									
Orobanche cernua var. australiana	9	10.23	RA d(ii)	RA	3	DD	0.0	7	5		0.00									
Orthoceras strictum		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
	% Arcoona Plateau	% Kingoonya																		
Orthrosanthus multiflorus		0.00										0.00								
Osteocarpum acropterum var. acropterum	5	1.71	RA d(ii)	RA	3	DD	0.0	5	2			0.00								
Osteocarpum dipterocarpum	34	7.98	LC	LC	1	0	0.3	26	19		1	0.23	RA d(i,ii)	RA	3	DD	0.0	1	1	
Osteocarpum pentapterum		0.00										0.00								
Osteocarpum salsuginosum	1	1.09	RA d(i,ii)	RA	3	DD	0.0	1			1	1.09	RA d(i,ii)	RA	3	DD	0.0	1		
Owenia acidula		0.00										0.00								
Oxalis perennans	8	1.04	LC	LC	1	0	0.3	7	4		2	0.26	LC	LC	1	0	0.3	2	2	
Oxalis radicata		0.00									2	2.33	RA d(i,ii)	RA	3	0	0.3	2		
Ozothamnus decurrens		0.00										0.00								
Ozothamnus retusus		0.00										0.00								
Pachymitus cardaminoides		0.00										0.00								
Panicum decompositum var. decompositum	14	4.09	LC	LC	1	0	0.3	9	9	edge of range		0.00								
Panicum effusum var. effusum	2	0.84	RA d(ii)	RA	3	0	0.3	2	1		1	0.42	RA d(ii)	RA	3	0	0.3	1	1	
Panicum laevinode	1	1.27	RA d(ii)	RA	3	DD	0.0	1	1			0.00								
Paractaenium novae-hollandiae ssp. reversum	10	5.35	RA d(ii)	RA	3	DD	0.0	9	5		6	3.21	RA d(ii)	RA	3	DD	0.0	5	1	
Paractaenium refractum	3	1.42	RA d(ii)	RA	3	0	0.3	3		edge of range, likes sand		0.00								
Paraneurachne muelleri		0.00										0.00								
Parietaria australis		0.00										0.00								
Parietaria cardiostegia	2	0.81	RA d(ii)	RA	3	0	0.3	2	1	common after fire	4	1.63	LC	LC	1	0	0.3	4	2	common after fire
Parietaria debilis		0.00										0.00								
Pelargonium australe		0.00										0.00								
Pelargonium littorale		0.00										0.00								
Persicaria prostrata		0.00										0.00								
Phebalium bullatum		0.00										0.00								
Pheladenia deformis		0.00										0.00								
Philoteca angustifolia ssp. angustifolia		0.00										0.00								
Philoteca linearis		0.00									7	3.54	RA d(i,ii)	RA	3	0	0.3	3		
Philoteca pungens		0.00										0.00								
Phlegmatospermum cochlearinum	3	1.81	RA d(i,ii)	RA	3	DD	0.0	3	3			0.00								
Phlegmatospermum eremaeum		0.00										0.00								
Phlegmatospermum richardii		0.00										0.00								
Phyllangium distylis		0.00										0.00								
Phyllangium divergens		0.00										0.00								
Phyllangium sulcatum		0.00										0.00								
Phyllanthus calycinus		0.00										0.00								
Phyllanthus fuernrohrii	13	8.90	LC	LC	1	0	0.3	11	9	southern limit, sandhill spp.		0.00								
Phyllanthus lacunarius	3	3.90	NE	NE	-1			2	2	taxonomic issues, records on loan		0.00								
Phyllanthus saxosus		0.00										0.00								
Phylloglossum drummondii		0.00										0.00								
Phyllota remota		0.00										0.00								
Picris angustifolia ssp. angustifolia	3	3.00	RA d(ii)	RA	3	-	0.4	2	2			0.00								
Piulularia novae-hollandiae		0.00										0.00								
Pimelea flava ssp. dichotoma		0.00										0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
	% Arcoona Plateau										% Kingoonya									
Pimelea glauca		0.00										0.00								
Pimelea imbricata var. petraea		0.00										0.00								
Pimelea micrantha		0.00										0.00								
Pimelea microcephala ssp. microcephala	13	1.39	LC	LC	1	0	0.3	9	5		11	1.18	LC	LC	1	0	0.3	9		
Pimelea octophylla		0.00										0.00								
Pimelea petrophila		0.00										0.00								
Pimelea phyllicoides		0.00										0.00								
Pimelea serpyllifolia ssp. serpyllifolia		0.00										0.00								
Pimelea simplex ssp. continua		0.00										0.00								
Pimelea simplex ssp. simplex	9	2.05	LC	LC	1	0	0.3	8	1		1	0.23	LC	LC	1	0	0.3	1	1	
Pimelea stricta		0.00										0.00								
Pimelea subvillifera		0.00										0.00								
Pimelea trichostachya		0.00										0.00								
Pimelea williamsonii		0.00										0.00								
Pittosporum angustifolium	25	0.83	LC	LC	1	0	0.3	22	16		5	0.17	LC	LC	1	0	0.3	4		
Pittosporum ligustrifolium		0.00										0.00								
Pityrodia loricata		0.00										0.00								
Plagiobothrys plurisepaleus	3	1.44	RA d(ii)	RA	3	DD	0.0	2	1			0.00								
Plantago drummondii	44	4.27	LC	LC	1	0	0.3	37	27		7	0.68	LC	LC	1	0	0.3	6	1	
Plantago gaudichaudii		0.00										0.00								
Plantago hispida		0.00										0.00								
Plantago sp. A (A.C.Robinson 704)		0.00										0.00								
Plantago sp. B (R.Bates 44765)		0.00									1	0.34	RA d(ii)	RA	3	0	0.3	1	1	
Plantago turrifera		0.00										0.00								
Plantago varia		0.00										0.00								
Platysace heterophylla var. heterophylla		0.00										0.00								
Pleuropappus phyllocalymmeus		0.00										0.00								
Pleurosorus rutifolius		0.00									3	0.67	RA d(ii)	RA	3	DD	0.0	3		
Pleurosorus subglandulosus		0.00										0.00								
Pluchea rubelliflora	1	1.45	RA d(i,ii)	RA	3	DD	0.0	1	1		1	1.45	RA d(i,ii)	RA	3	DD	0.0	1	1	
Poa clelandii		0.00										0.00								
Poa crassicaudex		0.00										0.00								
Poa drummondiana		0.00										0.00								
Poa fax		0.00										0.00								
Poa fordeana		0.00										0.00								
Poa labillardieri var. labillardieri		0.00										0.00								
Poa poiformis var. poiformis		0.00										0.00								
Poa tenera		0.00										0.00								
Podolepis canescens	2	0.53	RA d(ii)	RA	3	0	0.3	2	1		9	2.38	RA d(ii)	RA	3	0	0.3	6	1	
Podolepis capillaris	12	0.98	LC	LC	1	0	0.3	11	3		24	1.96	LC	LC	1	0	0.3	21	8	
Podolepis davisiana	28	50.00	LC	LC	1	0	0.3	25	20			0.00								
Podolepis jaceoides		0.00										0.00								
Podolepis longipedata		0.00									5	55.56	RA d(i,ii)	RA	3	DD	0.0	4	1	

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)		Trends (-, 0, +, ++) Arcoona Plateau	Trends (-, 0, +, ++) Arcoona Plateau	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)		Trends (-, 0, +, ++) Kingoonya	Trends (-, 0, +, ++) Kingoonya	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
	% Arcoona Plateau										% Kingoonya									
Podolepis rugata var. littoralis		0.00																		
Podolepis rugata var. rugata		0.00									3	0.88	RA d(ii)	RA	3	0	0.3	3	1	
Podolepis tepperi		0.00																		
Podotheca angustifolia	1	0.09	RA d(ii)	RA	3	0	0.3	1	1		2	0.17	RA d(ii)	RA	3	0	0.3	2		
Pogonolepis muelleriana		0.00																		
Polycalymma stuartii	22	2.36	LC	LC	1	0	0.3	18	10		15	1.61	LC	LC	1	0	0.3	11	1	
Polygonum plebeium	4	2.60	RA d(ii)	RA	3	DD	0.0	3	1		2	1.30	RA d(ii)	RA	3	DD	0.0	2		
Polyogon tenellus		0.00																		
Pomaderris flabellaris		0.00																		
Pomaderris forrestiana		0.00																		
Pomaderris obcordata		0.00																		
Pomaderris paniculosa ssp. paniculosa		0.00																		
Pomaderris paniculosa ssp. paralia		0.00																		
Pomax umbellata		0.00									14	4.81	RA d(i,ii)	RA	3	0	0.3	9	3	
Poranthera huegelii		0.00																		
Poranthera leiosperma		0.00																		
Poranthera microphylla		0.00																		
Poranthera triandra		0.00																		
Portulaca oleracea	21	2.65	LC	LC	1	0	0.3	18	18		11	1.39	LC	LC	1	0	0.3	10	9	
Posidonia angustifolia		0.00																		9
Posidonia australis	7	3.00	LC	LC	1	0	0.3	2		Localised threats from oyster farms										
Posidonia coriacea		0.00																		
Posidonia denhartogii		0.00																		
Posidonia sinuosa	2	1.37	LC	LC	1	0	0.3	1	1											
Potamogeton ochreatus		0.00																		
Potamogeton pectinatus		0.00																		
Prasophyllum calcicola		0.00																		
Prasophyllum catenemum		0.00																		
Prasophyllum collinum		0.00																		
Prasophyllum constrictum		0.00																		
Prasophyllum elatum		0.00																		
Prasophyllum fecundum		0.00																		
Prasophyllum fitzgeraldii		0.00																		
Prasophyllum goldsackii		0.00																		
Prasophyllum laxum		0.00																		
Prasophyllum occidentale		0.00																		
Prasophyllum occultans		0.00																		
Prasophyllum odoratum		0.00																		
Prasophyllum praecox		0.00																		
Prasophyllum sp Desert		0.00																		
Prasophyllum sp. Coast sandhills (Hj.Eichler 14100)		0.00																		
Prasophyllum sp. Enigma (R.Bates 2350)		0.00																		
Prostanthera althoferi ssp. longifolia		0.00									6	7.32	RA d(ii)	RA	3	-	0.4	4	1	

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Trends (-, 0, +, ++) Arcoona Plateau	Trends (-, 0, ++) Arcoona Plateau	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Trends (-, 0, +, ++) Kingoonya	Trends (-, 0, +, ++) Kingoonya	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
	% Arcoona Plateau										% Kingoonya									
Prostanthera ammophila		0.00																		
Prostanthera aspalathoides		0.00																		
Prostanthera calycina		0.00																		
Prostanthera chlorantha		0.00																		
Prostanthera florifera		0.00																		
Prostanthera sericea		0.00									1	2.04	RA d(i,ii)	RA	3	DD	0.0	1		
Prostanthera serpyllifolia ssp. microphylla		0.00																		
Prostanthera serpyllifolia ssp. microphylla (purplish-green)		0.00																		
Prostanthera serpyllifolia ssp. microphylla (red flowers)		0.00																		
Prostanthera serpyllifolia ssp. serpyllifolia		0.00																		
Prostanthera serpyllifolia ssp. serpyllifolia (purplish-green)		0.00																		
Prostanthera serpyllifolia ssp. serpyllifolia (red flowers)		0.00																		
Prostanthera spinosa		0.00																		
Prostanthera striatiflora	11	1.75	LC	LC	1	0	0.3	8	4	needs rocks	1	0.16	RA d(ii)	RA	3	DD	0.0	1	needs rocks	
Prostanthera wilkieana		0.00																		
Pseudognaphalium luteoalbum	7	0.97	LC	LC	1	0	0.3	6	4											
Psydraz suaveolens		0.00																		
Pteridium esculentum		0.00																		
Pteris tremula		0.00																		
Pterocaulon sphaclatum	5	0.81	RA d(ii)	RA	3	0	0.3	4	4											
Pterostylis "Mt Olinthus"		0.00																		
Pterostylis aff. nana "mallee"		0.00																		
Pterostylis biseta		0.00																		
Pterostylis boormanii		0.00																		
Pterostylis cynocephala		0.00																		
Pterostylis dolichochoila		0.00																		
Pterostylis erythroconcha		0.00																		
Pterostylis excelsa		0.00																		
Pterostylis flavovirens		0.00																		
Pterostylis mutica		0.00																		
Pterostylis nana		0.00																		
Pterostylis ovata		0.00																		
Pterostylis pedunculata		0.00																		
Pterostylis plumosa		0.00																		
Pterostylis pusilla		0.00																		
Pterostylis robusta		0.00																		
Pterostylis sanguinea		0.00																		
Pterostylis sp. Eyre Peninsula (R. Bates 19474)		0.00																		
Pterostylis sp. Triloba (pl.191, Bates & Weber 1990)		0.00																		
Pterostylis viriosa		0.00																		
Pterostylis xerophila		0.00									1	11.11	VU B2ab(i,ii,iii); D1	VU	4	-	0.4	1	1	
Ptilotus beckerianus		0.00																		
Ptilotus decipiens		0.00									3	3.53	RA d(i,ii)	RA	3	DD	0.0	2		

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)		Trends (-, 0, +, ++) Arcoona Plateau	Trends (-, 0, +, ++) Arcoona Plateau	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)		Trends (-, 0, +, ++) Kingoonya	Trends (-, 0, +, ++) Kingoonya	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
	Arcoona Plateau Records	% Arcoona Plateau		Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)						Kingoonya Records	% Kingoonya		Proposed Regional IUCN Status (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)					
<i>Ptilotus exaltatus</i> var. <i>exaltatus</i>	13	2.88	LC	LC	1	0	0.3	9	7		11	2.43	LC	LC	1	0	0.3	11	3	
<i>Ptilotus gaudichaudii</i> var. <i>gaudichaudii</i>		0.00									29	14.87	LC	LC	1	0	0.3	24	6	
<i>Ptilotus gaudichaudii</i> var. <i>parviflorus</i>		0.00									1	12.50	NE	NE	-1			1		taxonomic issues
<i>Ptilotus nobilis</i> var. <i>nobilis</i>	11	4.49	LC	LC	1	DD	0.0	10	2	taxonomic issues	1	0.41	RA d(i,ii)	RA	3	DD	0.0	1		taxonomic issues
<i>Ptilotus obovatus</i> var. <i>griseus</i>		0.00										0.00								
<i>Ptilotus obovatus</i> var. <i>obovatus</i>	26	1.35	LC	LC	1	0	0.3	22	6		48	2.49	LC	LC	1	0	0.3	39	24	
<i>Ptilotus polystachyus</i> var. <i>polystachyus</i>	9	1.52	RA d(ii)	RA	3	DD	0.0	5			28	4.72	LC	LC	1	0	0.3	25	7	
<i>Ptilotus seminudus</i>		0.00										0.00								
<i>Ptilotus sessilifolius</i> var. <i>sessilifolius</i>	1	0.23	RA d(i,ii)	RA	3	DD	0.0	1			6	1.35	LC	LC	1	0	0.3	6	2	
<i>Ptilotus spathulatus</i> forma <i>spathulatus</i>		0.00										0.00								
<i>Ptilotus symonii</i>		0.00										0.00								
<i>Puccinellia stricta</i> var. <i>stricta</i>		0.00										0.00								
<i>Pultenaea acerosa</i>		0.00										0.00								
<i>Pultenaea densifolia</i>		0.00										0.00								
<i>Pultenaea elachista</i>		0.00										0.00								
<i>Pultenaea pedunculata</i>		0.00										0.00								
<i>Pultenaea tenuifolia</i>		0.00										0.00								
<i>Pultenaea teretifolia</i> var. <i>teretifolia</i>		0.00										0.00								
<i>Pultenaea trichophylla</i>		0.00										0.00								
<i>Pultenaea trinervis</i>		0.00										0.00								
<i>Pultenaea vestita</i>		0.00										0.00								
<i>Pycnosorus pleiocephalus</i>	9	1.47	LC	LC	1	0	0.3	7	4		20	3.28	LC	LC	1	0	0.3	19	7	
<i>Pyrorchis nigricans</i>		0.00										0.00								
<i>Quinetia urvillei</i>		0.00										0.00								
<i>Radyera farragei</i>		0.00										0.00								
<i>Ranunculus hamatosetosus</i>		0.00										0.00								
<i>Ranunculus lappaceus</i>		0.00										0.00								
<i>Ranunculus pentandrus</i> var. <i>platycarpus</i>	5	3.65	LC	LC	1	0	0.3	5	2			0.00								
<i>Ranunculus pumilio</i> var. <i>pumilio</i>		0.00										0.00								
<i>Ranunculus sessiliflorus</i> var. <i>pilulifer</i>		0.00										0.00								
<i>Ranunculus sessiliflorus</i> var. <i>sessiliflorus</i>		0.00										0.00								
<i>Rhagodia candolleana</i> ssp. <i>argentea</i>		0.00										0.00								
<i>Rhagodia candolleana</i> ssp. <i>candolleana</i>		0.00										0.00								
<i>Rhagodia crassifolia</i>		0.00									2	0.12	RA d(i,ii)	RA	3	DD	0.0	2		
<i>Rhagodia drummondii</i>		0.00										0.00								
<i>Rhagodia eremaea</i>		0.00									3	0.96	RA d(i,ii)	RA	3	DD	0.0	1		
<i>Rhagodia parabolica</i>	15	0.99	LC	LC	1	0	0.3	13	11		1	0.07	RA d(i,ii)	RA	3	0	0.3	1	1	
<i>Rhagodia preissii</i> ssp. <i>preissii</i>		0.00									10	1.25	LC	LC	1	0	0.3	8	1	
<i>Rhagodia spinescens</i>	31	1.32	LC	LC	1	0	0.3	25	23		12	0.51	LC	LC	1	0	0.3	9	5	
<i>Rhagodia ulicina</i>	2	0.36	RA d(ii)	RA	3	-	0.4	2		grazed	6	1.09	NT	NT	2	-	0.4	5	3	grazed
<i>Rhodanthe charsleyae</i>		0.00									6	2.76	RA d(i,ii)	RA	3	DD	0.0	6	1	southern limit
<i>Rhodanthe chlorocephala</i> ssp. <i>rosea</i>		0.00									3	8.57	RA d(i,ii)	RA	3	DD	0.0	3	1	localised
<i>Rhodanthe citrina</i>		0.00									1	1.82	RA d(i,ii)	RA	3	DD	0.0	1		edge of range

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)		Trends (-, 0, +, ++) Arcoona Plateau	Trends (-, 0, +, ++) Arcoona Plateau	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)		Trends (-, 0, +, ++) Kingoonya	Trends (-, 0, +, ++) Kingoonya	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
	Arcoona Plateau Records	% Arcoona Plateau		Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)						Kingoonya Records	% Kingoonya								
Rhodanthe corymbiflora	8	2.01	LC	LC	1	0	0.3	6			1	0.25	RA d(i,ii)	RA	3	DD	0.0	1	1	edge of range, needs heavy soils
Rhodanthe floribunda	20	1.52	LC	LC	1	0	0.3	14	6		15	1.14	LC	LC	1	0	0.3	11	1	
Rhodanthe haigii		0.00									6	7.69	RA d(i,ii)	RA	3	DD	0.0	3		
Rhodanthe laevis		0.00									1	0.59	RA d(ii)	RA	3	DD	0.0	1		
Rhodanthe microglossa	34	5.85	LC	LC	1	0	0.3	29	20		4	0.69	RA d(i,ii)	RA	3	DD	0.0	4	1	
Rhodanthe moschata	20	2.30	LC	LC	1	0	0.3	19	7		30	3.45	LC	LC	1	0	0.3	21	4	
Rhodanthe oppositifolia ssp. oppositifolia		0.00										0.00								
Rhodanthe polygalifolia	12	3.05	LC	LC	1	0	0.3	8				0.00								
Rhodanthe pygmaea	5	0.38	LC	LC	1	0	0.3	5	1		9	0.68	LC	LC	1	0	0.3	7	2	
Rhodanthe stricta	32	4.30	LC	LC	1	0	0.3	29	17		11	1.48	RA d(ii)	RA	3	DD	0.0	10	2	
Rhodanthe stuartiana	1	0.49	RA d(i,ii)	RA	3	DD	0.0	1				0.00								
Rhodanthe tietkensis		0.00										0.00								
Rhodanthe troedelii		0.00										0.00								
Rhodanthe uniflora	6	3.26	LC	LC	1	0	0.3	6	6	undercollected	1	0.54	RA d(i,ii)	RA	3	0	0.3	1	1	edge of range
Rhyncharhena linearis	2	0.78	RA d(i,ii)	RA	3	0	0.3	1	1		14	5.47	RA d(ii)	RA	3	0	0.3	10	3	
Rostellularia adscendens var. pogonanthera	6	3.51	LC	LC	1	0	0.3	6	4			0.00								
Rulingia crauophylla		0.00										0.00								
Rulingia loxophylla		0.00										0.00								
Rumex brownii		0.00										0.00								
Rumex crystallinus	4	3.17	RA d(ii)	RA	3	0	0.3	4		comes up after floods		0.00								
Rumex dumosus		0.00										0.00								
Rupia maritima		0.00										0.00								
Rupia megacarpa		0.00										0.00								
Rupia polycarpa		0.00										0.00								
Rupia tuberosa		0.00										0.00								
Rutidosia helichrysoides ssp. helichrysoides		0.00									13	3.44	LC	LC	1	0	0.3	11	4	
Sagina maritima		0.00										0.00								
Salsola tragus	44	1.06	LC	LC	1	0	0.3	34	25		24	0.58	LC	LC	1	0	0.3	21	7	
Samolus repens		0.00										0.00								
Santalum acuminatum	2	0.10	LC	LC	1	0	0.3	2			17	0.87	LC	LC	1	0	0.3	14	5	
Santalum lanceolatum	22	2.72	LC	LC	1	0	0.3	17	7		5	0.62	LC	LC	1	0	0.3	5	2	
Santalum murrayanum		0.00										0.00								
Santalum spicatum	11	3.56	VU D1	VU	4	-	0.4	8	2		13	4.21	VU D1	VU	4	-	0.4	13	4	threats: rabbits, goats; little regeneration
Sarcocornia blackiana		0.00										0.00								
Sarcocornia quinqueflora	1	0.16	RA d(i,ii)	RA	3	DD	0.0	1	1			0.00								
Sarcostemma viminale ssp. australe	9	4.43	LC	LC	1	0	0.3	8	6		4	1.97	RA d(ii)	RA	3	DD	0.0	4		
Sarcozona bicarinata		0.00										0.00								
Sarcozona praecox	3	1.40	LC	LC	1	0	0.3	3	3	undercollected	8	3.74	NT	NT	2	0	0.3	6	3	limited habitat
Sauropus rigens	1	0.56	VU D2	VU	4	DD	0.0	1	1			0.00								
Sauropus trachyspermus	1	0.48	RA d(i,ii)	RA	3	DD	0.0	1	1	creek beds, sandy habitat, southern limit		0.00								
Scaevola aemula		0.00										0.00								
Scaevola amblyanthera var. centralis		0.00									2	3.64	RA d(ii)	RA	3	DD	0.0	2		
Scaevola angustata		0.00										0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records								Kingoonya Records												
	Arcoona Plateau Records	% Arcoona Plateau	Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records	% Kingoonya	Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Trends (-, 0, +, ++)	Trends (-, 0, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)	
Scaevola basedowii		0.00									0.00										
Scaevola bursariifolia		0.00									0.00										
Scaevola collaris	5	2.09	RA d(ii)	RA	3	0	0.3	5	3		6	2.51	RA d(ii)	RA	3	0	0.3	6	2		
Scaevola collina		0.00									0.00										
Scaevola crassifolia		0.00									0.00										
Scaevola depauperata		0.00									1	0.89	RA d(i,ii)	RA	3	DD	0.0	1			
Scaevola humilis		0.00									1	0.31	RA d(i,ii)	RA	3	DD	0.0	1	1		
Scaevola linearis ssp. linearis		0.00									0.00										
Scaevola myrtifolia		0.00									0.00										
Scaevola parvibarata	1	0.26	RA d(i,ii)	RA	3	DD	0.0	1	1	southern limit	1	0.26	DD	DD	0	DD	0.0	1	1	check ID	
Scaevola spinescens	14	1.16	LC	LC	1	0	0.3	13	10		16	1.33	LC	LC	1	0	0.3	14	7		
Scambopus curvipes	7	20.00	RA d(ii)	RA	3	DD	0.0	6			2	5.71	RA d(i,ii)	RA	3	DD	0.0	2			
Schenkia australis		0.00									0.00										
Schoenia ayersii		0.00									0.00										
Schoenia cassiniana		0.00									24	10.08	LC	LC	1	0	0.3	16	5		
Schoenia ramosissima	17	10.30	LC	LC	1	0	0.3	15	4		0.00										
Schoenoplectus dissachanthus	5	13.89	RA d(ii)	RA	3	DD	0.0	5	5	flood response	0.00										
Schoenoplectus litoralis	1	0.65	RA d(ii)	RA	3	0	0.3	1	1		0.00										
Schoenoplectus pungens		0.00									0.00										
Schoenoplectus validus		0.00									0.00										
Schoenus apogon		0.00									0.00										
Schoenus breviculmis		0.00									0.00										
Schoenus carsei		0.00									0.00										
Schoenus deformis		0.00									0.00										
Schoenus fluitans		0.00									0.00										
Schoenus laevigatus		0.00									0.00										
Schoenus nanus	1	0.53	NT	NT	2	0	0.3	1	1		0.00										
Schoenus nitens		0.00									0.00										
Schoenus racemosus		0.00									0.00										
Schoenus sculptus		0.00									0.00										
Schoenus subaphyllus		0.00									1	0.36	RA d(ii)	RA	3	0	0.3	1			
Scleranthus minusculus		0.00									0.00										
Scleranthus pungens		0.00									0.00										
Scleroblitum atriplicinum	2	3.39	VU B2ab(i,ii,iii)	VU	4	-	0.4	2	1		0.00										
Sclerolaena bicuspis	1	9.09	RA d(ii)	RA	3	DD	0.0	1			0.00										
Sclerolaena blackiana		0.00									0.00										
Sclerolaena brachyptera	31	3.12	LC	LC	1	0	0.3	24	13		2	0.20	RA d(ii)	RA	3	0	0.3	2			
Sclerolaena brevifolia		0.00									3	2.04	RA d(i,ii)	RA	3	0	0.3	2	2		
Sclerolaena clelandii		0.00									0.00										
Sclerolaena constricta	2	1.42	RA d(i,ii)	RA	3	DD	0.0	2	1		0.00										
Sclerolaena convexula		0.00									5	1.44	NT	NT	2	0	0.3	4	2	southern limit	
Sclerolaena costata		0.00									2	6.90	RA d(i,ii)	RA	3	DD	0.0	1			
Sclerolaena cuneata	18	5.50	LC	LC	1	0	0.3	12	12		3	0.92	NT	NT	2	0	0.3	3	2		

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)		Trends (-, 0, +, ++) Arcoona Plateau	Trends (-, 0, +, ++) Arcoona Plateau	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)		Trends (-, 0, +, ++) Kingoonya	Trends (-, 0, +, ++) Kingoonya	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
	% Arcoona Plateau										% Kingoonya									
Sclerolaena decurrens	14	5.07	LC	LC	1	0	0.3	10	3		2	0.72	NT	NT	2	0	0.3	2	1	
Sclerolaena deserticola		0.00									1	3.57	RA d(i,ii)	RA	3	DD	0.0	1	1	
Sclerolaena diacantha	5	0.18	LC	LC	1	0	0.3	3	1		21	0.76	LC	LC	1	0	0.3	18	9	
Sclerolaena divaricata	38	4.20	LC	LC	1	0	0.3	30	17		19	2.10	LC	LC	1	0	0.3	19	15	
Sclerolaena eriacantha	1	0.35	NT	NT	2	0	0.3	1			16	5.59	LC	LC	1	0	0.3	11	4	
Sclerolaena fusiformis		0.00										0.00								
Sclerolaena holtiana	3	1.40	LC	LC	1	0	0.3	3	3		12	5.58	LC	LC	1	0	0.3	7	7	
Sclerolaena intricata	44	5.08	LC	LC	1	0	0.3	34	19			0.00								
Sclerolaena johnsonii		0.00										0.00								
Sclerolaena lanicuspis	6	0.73	LC	LC	1	0	0.3	4			4	0.49	NT	NT	2	0	0.3	4	1	
Sclerolaena limbata		0.00										0.00								
Sclerolaena murrayae	1	100.00	RE	RE	7			1		presumed extinct, query ID		0.00								
Sclerolaena obliquicuspis	11	0.44	LC	LC	1	0	0.3	9	3		19	0.76	LC	LC	1	0	0.3	18	13	
Sclerolaena paralleliscuspis	15	4.69	LC	LC	1	0	0.3	11	6		1	0.31	LC	LC	1	0	0.3	1	1	
Sclerolaena parviflora		0.00									9	2.02	LC	LC	1	0	0.3	8	3	
Sclerolaena patentiscuspis	2	0.19	RA d(ii)	RA	3	0	0.3	2	1		18	1.74	LC	LC	1	0	0.3	16	13	
Sclerolaena symoniana		0.00									1	4.00	VU D2	VU	4	0	0.3	1	1	likes salt lakes
Sclerolaena tatei	4	4.71	RA d(ii)	RA	3	DD	0.0	3	2	southern limit		0.00								
Sclerolaena uniflora	6	0.63	NT	NT	2	0	0.3	6	3		11	1.16	LC	LC	1	0	0.3	11	3	
Sclerolaena ventricosa	59	8.44	LC	LC	1	0	0.3	42	31		2	0.29	LC	LC	1	0	0.3	2		
Sebaea albidiflora		0.00										0.00								
Sebaea ovata		0.00										0.00								
Selliera radicans		0.00										0.00								
Senecio dolichocephalus		0.00										0.00								
Senecio gawlerensis		0.00										0.00								
Senecio glomeratus ssp. longifructus		0.00										0.00								
Senecio glossanthus	19	2.54	LC	LC	1	0	0.3	18	10	could be multiple species	4	0.53	RA d(ii)	RA	3	DD	0.0	4	1	
Senecio gregorii	7	0.93	LC	LC	1	0	0.3	6	1		19	2.54	LC	LC	1	0	0.3	14	2	
Senecio laceratus		0.00									3	5.08	RA d(i,ii)	RA	3	DD	0.0	2		
Senecio lacustrinus	7	6.36	NE	NE	-1			7	1	taxonomic issues, recently split spp, no survey records	4	3.64	NE	NE	-1			4	2	taxonomic issues, recently split spp, no survey records
Senecio magnificus		0.00										0.00								
Senecio odoratus		0.00										0.00								
Senecio phelleus		0.00										0.00								
Senecio picridioides		0.00										0.00								
Senecio pinnatifolius var. maritimus		0.00										0.00								
Senecio quadridentatus		0.00										0.00								
Senecio runcinifolius	2	2.02	RA d(ii)	RA	3	DD	0.0	2	2	recent introduction		0.00								
Senecio serratifolius ssp. serratifolius		0.00										0.00								
Senecio spanomerus		0.00										0.00								
Senna artemisioides ssp. alicia		0.00									2	2.11	RA d(i,ii)	RA	3	DD	0.0	2	2	
Senna artemisioides ssp. artemisioides	9	0.67	LC	LC	1	0	0.3	8	3		38	2.82	LC	LC	1	0	0.3	31	15	
Senna artemisioides ssp. coriacea	22	0.97	LC	LC	1	0	0.3	21	11		30	1.33	LC	LC	1	0	0.3	27	14	
Senna artemisioides ssp. filifolia	1	0.10	LC	LC	1	0	0.3	1	1		4	0.38	LC	LC	1	0	0.3	3	1	

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records								Kingoonya Records										
	Arcoona Plateau Records	% Arcoona Plateau	Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Trends (-, 0, +, ++)	Area of Occupancy (km2)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records	% Kingoonya	Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Trends (-, 0, +, ++)	Area of Occupancy (km2)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)	
<i>Senna artemisioides</i> ssp. <i>helmsii</i>	3	0.90	LC	LC	1	0	0.3	3	southern limit	11	3.31	LC	LC	1	0	0.3	9	4	
<i>Senna artemisioides</i> ssp. <i>oligophylla</i>	1	0.51	RA d(ii,ii)	RA	3	DD	0.0	1	southern limit		0.00								
<i>Senna artemisioides</i> ssp. <i>petiolaris</i>	6	0.63	LC	LC	1	0	0.3	5		31	3.27	LC	LC	1	0	0.3	27	17	
<i>Senna artemisioides</i> ssp. <i>quadrifolia</i>		0.00									0.00								
<i>Senna artemisioides</i> ssp. <i>sturtii</i>	3	0.75	RA d(ii)	RA	3	DD	0.0	3		19	4.73	LC	LC	1	0	0.3	17	13	
<i>Senna artemisioides</i> ssp. <i>zygophylla</i>		0.00								1	1.28	RA d(ii,ii)	RA	3	DD	0.0	1		undercollected
<i>Senna cardiosperma</i> ssp. <i>cardiosperma</i>		0.00									0.00								
<i>Senna cardiosperma</i> ssp. <i>gawlerensis</i>	2	0.52	RA d(ii)	RA	3	0	0.3	2		22	5.76	LC	LC	1	0	0.3	18	11	
<i>Senna cardiosperma</i> ssp. <i>microphylla</i>		0.00								3	7.89	RA d(ii)	RA	3	DD	0.0	3	2	
<i>Senna phyllodinea</i>	10	8.20	LC	LC	1	DD	0.0	9	2	1	0.82	RA d(ii,ii)	RA	3	DD	0.0	1	1	
<i>Senna pleurocarpa</i> var. <i>pleurocarpa</i>	5	1.67	RA d(ii)	RA	3	DD	0.0	1		9	3.01	RA d(ii)	RA	3	0	0.3	5	1	
<i>Setaria basiclata</i>	3	3.33	RA d(ii)	RA	3	0	0.3	2	2	5	5.56	RA d(ii)	RA	3	0	0.3	5	4	
<i>Setaria clementii</i>		0.00								2	2.11	RA d(ii)	RA	3	0	0.3	2	2	
<i>Setaria constricta</i>	10	1.96	LC	LC	1	0	0.3	7	6	4	0.78	LC	LC	1	0	0.3	3	2	
<i>Setaria dielsii</i>	1	0.85	RA d(ii)	RA	3	DD	0.0	1	southern limit		0.00								
<i>Setaria jubiflora</i>		0.00									0.00								
<i>Setaria reflexa</i>		0.00								1	2.00	RA d(ii)	RA	3	DD	0.0	1		
<i>Sida ammophila</i>	11	2.01	NT	NT	2	-	0.4	8	3	7	1.28	NT	NT	2	-	0.4	6	3	
<i>Sida calyxhymeria</i>	5	2.75	RA d(ii)	RA	3	DD	0.0	4	3	19	10.44	LC	LC	1	0	0.3	13	7	
<i>Sida corrugata</i> var. <i>angustifolia</i>		0.00									0.00								
<i>Sida fibulifera</i>	7	0.50	LC	LC	1	0	0.3	7	7	17	1.21	LC	LC	1	0	0.3	15	10	
<i>Sida filiformis</i>		0.00								2	3.85	RA d(ii)	RA	3	DD	0.0	2		
<i>Sida intricata</i>	3	0.53	RA d(ii)	RA	3	DD	0.0	3	1	5	0.89	LC	LC	1	0	0.3	5	3	
<i>Sida petrophila</i>	15	1.09	LC	LC	1	0	0.3	15	4	5	0.36	RA d(ii)	RA	3	DD	0.0	5	5	
<i>Sida phaeotricha</i>		0.00									0.00								
<i>Sida</i> sp. B (C.Dunlop 1739)		0.00									0.00								
<i>Sida</i> sp. <i>golden calyces</i> (H.N.Foote 32)		0.00									0.00								
<i>Sida</i> sp. L (A.M.Ashby 4202)		0.00									0.00								
<i>Sida</i> sp. R (P.Copley 1390)		0.00									0.00								
<i>Sida</i> sp. <i>Rabbit Flat</i> (R.B.Major 158)		0.00									0.00								
<i>Sida</i> sp. <i>Watarrika</i> (D.E.Albrecht 8672)		0.00									0.00								
<i>Sida spodochroma</i>	1	0.64	RA d(ii)	RA	3	DD	0.0	1	1	13	8.33	LC	LC	1	0	0.3	11	7	
<i>Sida trichopoda</i>	32	8.02	LC	LC	1	0	0.3	26	25		0.00								
<i>Sigesbeckia australiensis</i>	4	1.63	RA d(ii)	RA	3	DD	0.0	3	1		0.00								
<i>Siloxerus multiflorus</i>		0.00									0.00								
<i>Solanum</i> aff. <i>centrale</i>		0.00									0.00								
<i>Solanum capsiciforme</i>		0.00									0.00								
<i>Solanum centrale</i>		0.00									0.00								
<i>Solanum chenopodium</i>	2	3.92	RA d(ii)	RA	3	-	0.4	2	1		0.00								
<i>Solanum cleistogamum</i>	4	4.76	NT	NT	2	0	0.3	4	2	8	9.52	LC	LC	1	0	0.3	7	6	
<i>Solanum coactiliferum</i>		0.00								13	2.21	LC	LC	1	0	0.3	11	1	
<i>Solanum ellipticum</i>	52	3.83	LC	LC	1	0	0.3	42	22	29	2.14	LC	LC	1	0	0.3	24	3	
<i>Solanum esuriale</i>	10	2.67	LC	LC	1	0	0.3	8	8	1	0.27	LC	LC	1	0	0.3	1	1	lack of records

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
	% Arcoona Plateau	% Kingoonya																		
Solanum ferocissimum		0.00										0.00								
Solanum hystrix		0.00										0.00								
Solanum laciniatum		0.00										0.00								
Solanum lacunarium	2	3.13	RA d(i,ii)	RA	3	DD	0.0	2		edge of range		0.00								
Solanum lasiophyllum		0.00									4	6.15	LC							
Solanum orbiculatum ssp. orbiculatum		0.00									1	0.97	RA d(i,ii)	RA	3	0	0.3	1		
Solanum petrophilum	8	0.83	NT	NT	2	0	0.3	7	1		6	0.62	LC	LC	1	0	0.3	6	3	
Solanum quadriloculatum	6	2.03	NT	NT	2	0	0.3	5	1		13	4.41	LC	LC	1	0	0.3	12	6	
Solanum simile		0.00										0.00								
Solanum sturtianum		0.00										0.00								
Solanum symonii		0.00										0.00								
Solenogyne dominii		0.00										0.00								
Sonchus hydrophilus		0.00										0.00								
Spartothamnella teucriiflora		0.00									1	1.23	RA d(i,ii)	RA	3	DD	0.0	1		restricted habitat
Spergularia marina	2	1.96	NE	NE	-1			2	2	taxonomic issues	1	0.98	NE	NE	-1			1	1	taxonomic issues
Sphaerolobium minus		0.00										0.00								
Spinifex hirsutus		0.00										0.00								
Sporobolus actinocladius	16	3.01	LC	LC	1	0	0.3	13	7	southern edge	2	0.38	RA d(ii)	RA	3	0	0.3	2	2	southern edge
Sporobolus caroli	4	7.27	RA d(ii)	RA	3	DD	0.0	4	3			0.00								
Sporobolus mitchellii	1	0.34	VU B2ab(i,ii,iii)	VU	4	-	0.4	1		threats: drying of springs, salinity, drought	1	0.34	VU B2ab(i,ii,iii)	VU	4	-	0.4	1	1	threats: drying of springs, salinity, drought
Sporobolus virginicus		0.00										0.00								
Spyridium bifidum var. bifidum		0.00										0.00								
Spyridium bifidum var. Marble Range (W.R.Barker 7601)		0.00										0.00								
Spyridium bifidum var. Wanilla (K.Clipstone 88)		0.00										0.00								
Spyridium eriocephalum var. eriocephalum		0.00										0.00								
Spyridium erymnochladum		0.00										0.00								
Spyridium leucopogon		0.00										0.00								
Spyridium nitidum		0.00										0.00								
Spyridium phyllicoides		0.00										0.00								
Spyridium spathulatum		0.00										0.00								
Spyridium subochreatum		0.00										0.00								
Spyridium tricolor		0.00										0.00								
Spyridium vexilliferum var. vexilliferum		0.00										0.00								
Stackhousia annua		0.00										0.00								
Stackhousia aspericocca ssp. Cylindrical inflorescence (0.00										0.00								
Stackhousia aspericocca ssp. One-sided inflorescence (0.00										0.00								
Stackhousia clementii	15	29.41	LC	LC	1	0	0.3	11	8	likes limestone		0.00								
Stackhousia megaloptera		0.00										0.00								
Stackhousia monogyne		0.00										0.00								
Stackhousia muricata ssp. Annual (W.R.Barker 2172)		0.00									1	16.67	RA d(i,ii)	RA	3	DD	0.0	1	1	
Stackhousia muricata ssp. Perennial (W.R.Barker 3641)		0.00										0.00								
Stackhousia spathulata		0.00										0.00								
Stellaria filiformis		0.00										0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)		Trends (-, 0, +, ++) Arcoona Plateau	Trends (-, 0, +, ++) Arcoona Plateau	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)		Trends (-, 0, +, ++) Kingoonya	Trends (-, 0, +, ++) Kingoonya	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
	Arcoona Plateau Records	% Arcoona Plateau		Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)						Kingoonya Records	% Kingoonya								
Stemodia florulenta	20	3.34	LC	LC	1	0	0.3	17	10	reservoir species	6	1.00	RA d(ii)	RA	3	0	0.3	5	1	reservoir species
Stenanthemum leucophractum		0.00										0.00								
Stenanthemum notiale ssp. notiale		0.00										0.00								
Stenopetalum anfractum		0.00									1	1.85	RA d(i,ii)	RA	3	DD	0.0	1	1	
Stenopetalum lineare	7	1.28	LC	LC	1	0	0.3	7	2		18	3.30	LC	LC	1	0	0.3	16	5	
Stenopetalum nutans		0.00										0.00								
Stenopetalum saxatile		0.00										0.00								
Stenopetalum sphaerocarpum		0.00									4	1.88	LC	LC	1	0	0.3	4	2	
Stenopetalum velutinum		0.00									2	1.02	LC	LC	1	0	0.3	2	1	
Streptoglossa adscendens	2	0.65	RA d(i,ii)	RA	3	DD	0.0	2	2	edge of range		0.00								
Streptoglossa liatroides	12	7.32	LC	LC	1	0	0.3	11	7			0.00								
Stuartina hamata		0.00										0.00								
Stuartina muelleri		0.00										0.00								
Stylidium calcaratum		0.00										0.00								
Stylidium inundatum		0.00										0.00								
Stylidium perpusillum		0.00										0.00								
Stypandra glauca		0.00										0.00								
Styphelia exarrhena		0.00										0.00								
Suaeda australis		0.00										0.00								
Swainsona acuticarinata		0.00										0.00								
Swainsona adenophylla	8	10.81	LC	LC	1	0	0.3	7	4		1	1.35	RA d(i,ii)	RA	3	DD	0.0	1	1	edge of range
Swainsona affinis		0.00										0.00								
Swainsona campestris		0.00										0.00								
Swainsona campylantha	1	0.36	RA d(i,ii)	RA	3	DD	0.0	1	1		1	0.36	RA d(i,ii)	RA	3	DD	0.0	1	1	
Swainsona canescens		0.00									8	8.00	RA d(ii)	RA	3	-	0.4	5		grazing
Swainsona colutoides		0.00									2	12.50	RA d(i,ii)	RA	3	0	0.3	2		grazing by sheep & goats
Swainsona dictyocarpa		0.00									3	60.00	EN B2ab(i,ii,iii)	EN	5	--	0.5	2		needs EPBC nomination, no recent records, endemic to
Swainsona disjuncta		0.00										0.00								
Swainsona eremaea	2	6.90	RA d(ii)	RA	3	DD	0.0	2	2	edge of range		0.00								
Swainsona flavicarinata		0.00										0.00								
Swainsona formosa	11	5.31	LC	LC	1	-	0.4	7	2		11	5.31	LC	LC	1	-	0.4	9	3	
Swainsona kingii		0.00										0.00								
Swainsona lessertifolia		0.00									4	1.09	DD	DD	0	DD	0.0	2		questionable location
Swainsona microcalyx		0.00									6	17.65	RA d(ii)	RA	3	-	0.4	3		grazed
Swainsona microphylla		0.00										0.00								
Swainsona oliveri		0.00									5	6.33	RA d(ii)	RA	3	-	0.4	4	1	
Swainsona oroboides	1	0.92	RA d(i,ii)	RA	3	DD	0.0	1	1			0.00								
Swainsona phacoides	15	4.14	LC	LC	1	0	0.3	13	4		2	0.55	RA d(ii)	RA	3	DD	0.0	2	1	
Swainsona purpurea		0.00									1	1.01	RA d(i,ii)	RA	3	DD	0.0	1		
Swainsona pyrophila		0.00									2	4.55	VU B2ac(iv)	VU	4	-	0.4	2		
Swainsona stipularis	38	13.57	LC	LC	1	0	0.3	31	10		1	0.36	RA d(i,ii)	RA	3	DD	0.0	1	1	
Swainsona tenuis		0.00										0.00								
Swainsona unifoliolata		0.00										0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Trends (-, 0, +, ++) Arcoona Plateau	Trends (-, 0, +, ++) Arcoona Plateau	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Trends (-, 0, +, ++) Kingoonya	Trends (-, 0, +, ++) Kingoonya	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
	% Arcoona Plateau										% Kingoonya									
Swainsona villosa		0.00									2	1.55	RA d(i,ii)	RA	3	0	0.3	2	2	southern limit
Synaptantha tillaeacea var. hispidula	2	7.41	LC	LC	1	0	0.3	2	2	undercollected, comes up afte flood		0.00								
Synaptantha tillaeacea var. tillaeacea	1	1.79	RA d(i,ii)	RA	3	0	0.3	1	1		1	1.79	RA d(i,ii)	RA	3	0	0.3		1	
Tecticornia arbuscula		0.00										0.00								
Tecticornia disarticulata		0.00									2	1.82	RA d(i,ii)	RA	3	DD	0.0	2		
Tecticornia flabelliformis		0.00										0.00								
Tecticornia halocnemoides ssp. halocnemoides		0.00										0.00								
Tecticornia halocnemoides ssp. longispicata		0.00										0.00								
Tecticornia indica ssp. bidens		0.00										0.00								
Tecticornia indica ssp. leiostachya		0.00										0.00								
Tecticornia lepidosperma		0.00										0.00								
Tecticornia lylei		0.00										0.00								
Tecticornia medullosa	21	25.00	LC	LC	1	0	0.3	17	17			0.00								
Tecticornia moniliformis		0.00										0.00								
Tecticornia pergranulata ssp. pergranulata	1	0.52	RA d(ii)	RA	3	0	0.3	1	1	should be more records		0.00								
Tecticornia pruinosa		0.00										0.00								
Tecticornia pterygosperma ssp. pterygosperma		0.00										0.00								
Tecticornia tenuis	8	5.16	LC	LC	1	0	0.3	8	8			0.00								
Tecticornia triandra		0.00										0.00								
Templetonia battii		0.00										0.00								
Templetonia egena	10	2.47	RA d(ii)	RA	3	-	0.4	8	2		2	0.49	RA d(ii)	RA	3	DD	0.0	2		
Templetonia retusa		0.00										0.00								
Templetonia sulcata		0.00										0.00								
Tetragonia eremaea	10	0.90	LC	LC	1	0	0.3	10	6		15	1.36	LC	LC	1	0	0.3	13	3	
Tetragonia implexicoma	4	0.21	NT	NT	2	0	0.3	4	4			0.00								
Tetragonia moorei	3	5.36	RA d(ii)	RA	3	DD	0.0	3	1	western limit		0.00								
Tetragonia tetragonioides	4	40.00	RA d(ii)	RA	3	DD	0.0	3	3			0.00								
Tetralia capillaris		0.00										0.00								
Teucrium corymbosum		0.00										0.00								
Teucrium grandiusculum ssp. pilosum		0.00										0.00								
Teucrium racemosum	21	2.64	LC	LC	1	0	0.3	17	16		8	1.01	LC	LC	1	0	0.3	8	1	
Teucrium sessiliflorum		0.00										0.00								
Thelymitra alcockii																				
Thelymitra antennifera		0.00										0.00								
Thelymitra azurea		0.00										0.00								
Thelymitra benthamiana		0.00										0.00								
Thelymitra carnea		0.00										0.00								
Thelymitra epipactoides		0.00										0.00								
Thelymitra flexuosa		0.00										0.00								
Thelymitra juncifolia		0.00										0.00								
Thelymitra luteociliun		0.00										0.00								
Thelymitra megcalyptra		0.00										0.00								
Thelymitra occidentalis																				

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)		Trends (-, 0, +, ++) Arcoona Plateau	Trends (-, 0, +, ++) Arcoona Plateau	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)		Trends (-, 0, +, ++) Kingoonya	Trends (-, 0, +, ++) Kingoonya	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
	Arcoona Plateau	% Arcoona Plateau		Proposed Regional	IUCN Status (Arcoona Plateau)						Kingoonya	% Kingoonya		Proposed Regional	IUCN Status (Kingoonya)					
Thelymitra parviflora																				
Thelymitra pauciflora		0.00									0.00									
Thelymitra rubra		0.00									0.00									
Themeda triandra	3	0.22	RA d(ii)	RA	3	DD	0.0	3	2		0.00									
Thomasia petalocalyx		0.00									0.00									
Threlkeldia diffusa	7	0.34	LC	LC	1	0	0.3	6	5		0.00									
Thryptomene biseriata		0.00									0.00									
Thryptomene eliottii		0.00								6	7.41	LC	LC	1	0	0.3	3			
Thryptomene ericaea		0.00									0.00									
Thryptomene longifolia		0.00									0.00									
Thryptomene micrantha		0.00									0.00									
Thyridolepis mitchelliana		0.00								3	2.50	RA d(ii)	RA	3	0	0.3	3	1		
Thyridolepis multiculmis		0.00								5	9.09	RA d(ii)	RA	3	0	0.3	5	4		
Thyridolepis xerophila		0.00									0.00									
Thysanotus baueri	8	0.97	LC	LC	1	0	0.3	7	4	4	0.48	LC	LC	1	0	0.3	4	2		
Thysanotus exiliflorus		0.00								1	4.00	RA d(ii)	RA	3	0	0.3	1	1		
Thysanotus nudicaulis		0.00									0.00									
Thysanotus patersonii		0.00									0.00									
Thysanotus wangariensis		0.00									0.00									
Trachymene ceratocarpa		0.00								4	17.39	LC	LC	1	0	0.3	4	3		
Trachymene cyanopetala		0.00									0.00									
Trachymene glaucifolia	2	0.78	RA d(ii)	RA	3	0	0.3	2	1	edge of range, likes degraded areas	1	0.39	RA d(ii)	RA	3	DD	0.0	1		undercollected
Trachymene ornata		0.00									0.00									
Trachymene pilosa		0.00									0.00									
Tragus australianus	5	1.41	LC	LC	1	+	0.2	4	4		12	3.39	LC	LC	1	0	0.3	11	9	
Trianthema triquetra	14	1.82	NT	NT	2	0	0.3	14	11	edge of range	1	0.13	NT	NT	2	0	0.3	1	1	edge of range
Tribulus eichlerianus	8	2.85	LC	LC	1	0	0.3	7	6		2	0.71	LC	LC	1	0	0.3	2	2	
Tribulus minutus	2	10.00	NE	NE	-1			1	1	taxonomic issues, could be introduced, should be more record		0.00								
Trichanthodium skirrophorum	9	1.42	LC	LC	1	0	0.3	8	5		15	2.36	LC	LC	1	0	0.3	14	5	
Trichodesma zeylanicum		0.00									0.00									
Tricoryne elatior		0.00									0.00									
Tricoryne tenella		0.00									0.00									
Triglochin hexagona		0.00									0.00									
Triglochin isingiana	3	2.29	LC	LC	1	0	0.3	3	1		0.00									
Triglochin longicarpa		0.00									0.00									
Triglochin minutissima		0.00									0.00									
Triglochin mucronata		0.00									0.00									
Triglochin nana		0.00									0.00									
Triglochin nanum/sp. C (J.Z.Weber 6793)		0.00									0.00									
Triglochin sp. A (N.N.Donner 3596)		0.00									0.00									
Triglochin striata		0.00									0.00									
Triglochin trichophora		0.00									0.00									
Trigonella suavissima	10	3.60	LC	LC	1	0	0.3	9	5		0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)			Trends (-, 0, +, ++) Arcoona Plateau	Trends (-, 0, +, ++) Arcoona Plateau	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)			Trends (-, 0, +, ++) Kingoonya	Trends (-, 0, +, ++) Kingoonya	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)			
	% Arcoona Plateau	% Kingoonya			1	0	+						++	1			0	+	++								
Triodia basedowii		0.00												0.00													
Triodia bunicola		0.00												0.00													
Triodia compacta		0.00												0.00													
Triodia helmsii		0.00												0.00													
Triodia irritans		0.00											5	0.49	LC	LC	1	0	0.3	5							
Triodia lanata		0.00											6	2.68	RA d(ii)	RA	3	0	0.3	4	1						
Triodia melvillei		0.00												0.00													
Triodia scariosa		0.00											1	0.17	LC	LC	1	0	0.3	1	1						
Tripogon loliformis	11	1.59	LC	LC	1	0	0.3	8	8				9	1.30	LC	LC	1	0	0.3	9	3						
Triptilodiscus pygmaeus		0.00												0.00													
Triraphis mollis	8	1.20	LC	LC	1	0	0.3	7	1				9	1.35	LC	LC	1	0	0.3	9	5						
Trithuria submersa		0.00												0.00													
Trymalium wayi	1	0.66	RA d(ii)	RA	3	DD	0.0	1						0.00													
Typha domingensis		0.00												0.00													
Typha orientalis		0.00												0.00													
Utricularia tenella		0.00												0.00													
Velleia arguta		0.00												0.00													
Velleia connata		0.00											5	5.15	RA d(i,ii)	RA	3	DD	0.0	3							
Velleia cynopotamica		0.00											2	8.70	VU B2ab(i,ii,iii)	VU	4	-	0.4	1						highly localised	
Velleia glabrata		0.00												0.00													
Veronica hillebrandii		0.00												0.00													
Veronica parnkalliana		0.00												0.00													
Vittadinia australasica var. australasica		0.00												0.00													
Vittadinia blackii		0.00												0.00													
Vittadinia cervicalis var. cervicalis	3	0.52	RA d(ii)	RA	3	DD	0.0	2					6	1.04	RA d(ii)	RA	3	DD	0.0	5	5						
Vittadinia condyloides		0.00												0.00													
Vittadinia cuneata var. cuneata forma cuneata		0.00												0.00													
Vittadinia dissecta var. hirta		0.00											1	0.19	RA d(i,ii)	RA	3	DD	0.0	1	1						
Vittadinia eremaea	4	1.02	LC	LC	1	0	0.3	3	2				26	6.63	LC	LC	1	0	0.3	22	14						
Vittadinia gracilis		0.00												0.00													
Vittadinia megacephala		0.00												0.00													
Vittadinia nullarborensis		0.00												0.00													
Vittadinia pterochaeta	13	20.31	RA d(ii)	RA	3	DD	0.0	7	7					0.00													
Vittadinia pustulata		0.00												0.00													
Vittadinia sulcata		0.00												0.00													
Wahlenbergia aridicola	1	1.75	RA d(i,ii)	RA	3	DD	0.0	1	1	southern limit				0.00													
Wahlenbergia communis	11	1.73	LC	LC	1	0	0.3	9	3					0.00													
Wahlenbergia gracilentia	4	0.36	RA d(ii)	RA	3	DD	0.0	3	3				5	0.45	RA d(ii)	RA	3	DD	0.0	4	3						
Wahlenbergia littoricola		0.00												0.00													
Wahlenbergia luteola		0.00												0.00													
Wahlenbergia preissii		0.00												0.00													
Wahlenbergia queenslandica		0.00											1	1.85	RA d(i,ii)	RA	3	DD	0.0	1	1						
Wahlenbergia stricta ssp. stricta		0.00												0.00													

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records		Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)		Trends (-, 0, +, ++) Arcoona Plateau	Trends (-, 0, +, ++) Arcoona Plateau	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records		Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)		Trends (-, 0, +, ++) Kingoonya	Trends (-, 0, +, ++) Kingoonya	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
	% Arcoona Plateau			Proposed Regional IUCN Status (Arcoona Plateau)							% Kingoonya									
Wahlenbergia tumidiflora	18	4.26	LC	LC	1	0	0.3	13	12		5	1.18	RA d(ii)	RA	3	0	0.3	4	3	
Waitzia acuminata var. acuminata	1	0.27	RA d(i,ii)	RA	3	DD	0.0	1			17	4.52	LC	LC	1	0	0.3	15	2	
Westringia dampieri		0.00										0.00								
Westringia eremicola		0.00										0.00								
Westringia rigida	1	0.06	RA d(ii)	RA	3	0	0.3	1			11	0.66	RA d(ii)	RA	3	0	0.3	8	2	
Wilsonia backhousei		0.00										0.00								
Wilsonia humilis		0.00										0.00								
Wilsonia rotundifolia		0.00										0.00								
Wurmbea centralis ssp. australis		0.00	RA d(ii)	RA	3	0	0.3			no records, now W australis		0.00								
Wurmbea citrina		0.00										0.00	LC	LC	1	0	0.3			no records
Wurmbea decumbens		0.00										0.00								
Wurmbea dioica ssp. brevifolia		0.00										0.00								
Wurmbea dioica ssp. dioica		0.00										0.00								
Wurmbea latifolia ssp. vanessae		0.00										0.00								
Wurmbea sinora		0.00										0.00								
Wurmbea stellata	1	6.67	RA d(i,ii)	RA	3	-	0.4	1		climate change a threat	1	6.67	RA d(i,ii)	RA	3	-	0.4	1		climate change a threat
Xanthorrhoea semiplana ssp. semiplana		0.00										0.00								
Xanthorrhoea semiplana ssp. tateana		0.00										0.00								
Xanthosia huegelii		0.00										0.00								
Xanthosia leiophylla		0.00										0.00								
Xerochrysum bracteatum		0.00										0.00								
Zaleya galericulata ssp. australis	1	1.96	RA d(i,ii)	RA	3	DD	0.0	1	1	limited habitat		0.00								
Zostera muelleri ssp. mucronata		0.00										0.00								
Zostera tasmanica		0.00										0.00								
Zoysia macrantha ssp. walshii		0.00										0.00								
Zygochloa paradoxa	5	0.65	RA d(ii)	RA	3	0	0.3	5	1			0.00								
Zygophyllum ammophilum	6	2.48	LC	LC	1	0	0.3	6	4		3	1.24	LC	LC	1	0	0.3	1		
Zygophyllum angustifolium		0.00										0.00								
Zygophyllum apiculatum	1	0.07	RA d(ii)	RA	3	0	0.3	1	1		8	0.55	LC	LC	1	0	0.3	8	1	
Zygophyllum aurantiacum ssp. aurantiacum	13	2.02	LC	LC	1	0	0.3	12	1		6	0.93	LC	LC	1	0	0.3	5	3	
Zygophyllum aurantiacum ssp. cuneatum		0.00										0.00								
Zygophyllum aurantiacum ssp. simplicifolium		0.00									2	3.64	RA d(ii)	RA	3	0	0.3	1	1	
Zygophyllum billardieri	1	0.30	RA d(ii)	RA	3	0	0.3	1	1			0.00								
Zygophyllum compressum	4	4.08	LC	LC	1	0	0.3	4	2	gypsious habitat	3	3.06	NT	NT	2	0	0.3	3	1	gypsious habitat
Zygophyllum confluens	4	1.25	RA d(ii)	RA	3	0	0.3	4	2			0.00								
Zygophyllum crenatum	2	0.48	RA d(i,ii)	RA	3	DD	0.0	2				0.00								
Zygophyllum emarginatum	10	9.01	LC	LC	1	0	0.3	9	5		1	0.90	RA d(ii)	RA	3	0	0.3	1		
Zygophyllum eremaeum	12	3.05	LC	LC	1	0	0.3	11	6		20	5.08	LC	LC	1	0	0.3	17	9	
Zygophyllum flavum		0.00										0.00								
Zygophyllum glaucum		0.00										0.00								
Zygophyllum halophilum		0.00										0.00								
Zygophyllum howittii	7	1.97	LC	LC	1	0	0.3	7	4	southern limit	1	0.28	LC	LC	1	0	0.3	1		southern limit
Zygophyllum humillimum	5	5.88	RA d(ii)	RA	3	0	0.3	4	4	southern limit		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Arcoona Plateau Records				Proposed IUCN Status & Criteria (Arcoona Plateau)				Comments (Arcoona Plateau)				Kingoonya Records				Proposed IUCN Status & Criteria (Kingoonya)							
	Arcoona Plateau Records	% Arcoona Plateau	Proposed IUCN Status & Criteria (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Proposed Regional IUCN Status (Arcoona Plateau)	Trends (-, -, 0, +, ++)	Arcoona Plateau	Trends (-, -, 0, +, ++)	Arcoona Plateau	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Arcoona Plateau)	Kingoonya Records	% Kingoonya	Proposed IUCN Status & Criteria (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Proposed Regional IUCN Status (Kingoonya)	Trends (-, -, 0, +, ++)	Kingoonya	Trends (-, -, 0, +, ++)	Kingoonya	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Kingoonya)
Zygophyllum iodocarpum	15	5.07	LC	LC	1	0	0.3	13	5				5	1.69	LC	LC	1	0	0.3	4	1			
Zygophyllum kochii		0.00												0.00										
Zygophyllum marlesiae	1	3.57	RA d(i,ii)	RA	3	0	0.3	1			southern limit													
Zygophyllum ovatum		0.00							10				10	1.22	LC	LC	1	0	0.3	10	4			
Zygophyllum prismatothecum	10	5.32	LC	LC	1	0	0.3	8	3		southern limit	4	2.13	LC	LC	1	0	0.3	3	1			southern limit	
Zygophyllum reticulatum		0.00												0.00										
Zygophyllum simile	12	2.91	LC	LC	1	0	0.3	12	6		split from Z amophilum	9	2.18	LC	LC	1	0	0.3	9	7			split from Z amophilum	

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	Yellabinna	% Yellabinna		Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)						Yalata	% Yalata		Proposed Regional IUCN Status (Yalata)	Proposed Regional IUCN Status (Yalata)					
Abutilon cryptopetalum ssp. cryptopetalum	1	4.55	RA d(i,ii)	RA	3	DD	0.0	1			0.00									
Abutilon fraseri ssp. diplotrichum		0.00									0.00									
Abutilon fraseri ssp. fraseri		0.00									0.00									
Abutilon halophilum		0.00									0.00									
Abutilon leucopetalum	6	0.77	LC	LC	1	0	0.3	6	1		0.00									
Abutilon macrum		0.00									0.00									
Abutilon malvaefolium		0.00									0.00									
Abutilon otocarpum	17	3.81	LC	LC	1	0	0.3	15	2		0.00									
Acacia acanthoclada ssp. acanthoclada	31	24.03	LC	LC	1	0	0.3	28	19		0.00									
Acacia acinacea		0.00									0.00									
Acacia alcockii		0.00									0.00									
Acacia anceps		0.00									0.00									
Acacia ancistrophylla var. lissophylla	3	1.02	DD	DD	0	DD	0.0	3	2	suspected common	10	3.60	LC	LC	1	0	0.3	9	6	
Acacia aneura	27	7.46	LC	LC	1	0	0.3	16	1		1	0.34	DD	DD	0	DD	0.0	1	1	suspected common
Acacia aneura var. aneura	14	4.11	LC	LC	1	0	0.3	10	6		0.00									
Acacia aneura var. conifera	2	14.29	NE	NE	-1			2	2	taxonomic issues	0.00									
Acacia aneura var. intermedia	12	9.23	LC	LC	1	0	0.3	9	9		0.00									
Acacia aneura var. major	13	38.24	LC	LC	1	0	0.3	12	11		0.00									
Acacia aneura var. microcarpa	1	3.45	LC	LC	1	0	0.3	1	1		0.00									
Acacia aneura var. tenuis		0.00									0.00									
Acacia ayersiana	1	5.26	RA d(i,ii)	RA	3	DD	0.0	1	1	possibly undercollected	0.00									
Acacia beckleri Tindale ssp beckleri		0.00									0.00									
Acacia brachybotrya		0.00									0.00									
Acacia brachystachya	6	5.26	RA d(ii)	RA	3	-	0.4	4	1		4	0.72	RA d(i,ii)	RA	3	DD	0.0	4	2	
Acacia burkittii	112	22.22	LC	LC	1	0	0.3	59	20		0.00									
Acacia calamifolia		0.00									0.00									
Acacia calcicola		0.00									0.00									
Acacia clelandii	1	4.00	LC	LC	1	0	0.3	1			0.00									
Acacia colletioides	68	24.11	LC	LC	1	0	0.3	52	27		0.00									
Acacia continua		0.00									0.00									
Acacia cretacea		0.00									0.00									
Acacia cupularis		0.00									0.00									
Acacia cyclops		0.00									0.00									
Acacia dodonaefolia		0.00									0.00									
Acacia enterocarpa		0.00									0.00									
Acacia erinacea		0.00									0.00									
Acacia euthycarpa		0.00									0.00									
Acacia farinosa	3	0.94	RA d(i,ii)	RA	3	DD	0.0	2			0.00									
Acacia giesiana	38	30.65	LC	LC	1	0	0.3	31	7	long lived spp	0.00									
Acacia gillii		0.00									0.00									
Acacia hakeoides	8	1.22	LC	LC	1	0	0.3	7	4	short lived, likes fire, prolific seeder	10	1.53	LC	LC	1	0	0.3	9	5	short lived, likes fire, prolific seeder
Acacia halliana		0.00									0.00									
Acacia havilandiorum		0.00									0.00									

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	% Yellabinna			Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)						% Yalata			Proposed Regional IUCN Status (Yalata)	Proposed Regional IUCN Status (Yalata)					
Acacia helmsiana		0.00									0.00									
Acacia hemiteles	1	100.00	RA d(ii)	RA	3	DD	0.0	1		undercollected, common in WA	0.00									
Acacia hexaneura		0.00									0.00									
Acacia imbricata		0.00									0.00									
Acacia iteaphylla		0.00									0.00									
Acacia jennerae	8	72.73	RA d(ii)	RA	3	0	0.3	7	5		0.00									
Acacia kempeana	49	13.07	LC	LC	1	0	0.3	36	10		0.00									
Acacia leiophylla		0.00									0.00									
Acacia ligulata	186	6.73	LC	LC	1	0	0.3	136	70		0.14	LC	LC	1	0	0.3	4	3		
Acacia lineata		0.00									0.00									
Acacia longifolia ssp. sophorae		0.00									0.00									
Acacia maitlandii		0.00									0.00									
Acacia melleodora		0.00									0.00									
Acacia merrallii	69	21.17	LC	LC	1	0	0.3	58	43		0.92	RA d(i,ii)	RA	3	0	0.3	3	2		
Acacia microcarpa		0.00									0.00									
Acacia minyura	2	1.47	RA d(ii)	RA	3	0	0.3	1	1	southern limit	0.00									
Acacia montana		0.00									0.00									
Acacia murrayana	3	0.72	RA d(ii)	RA	3	0	0.3	3			0.00									
Acacia mutabilis ssp. angustifolia		0.00									0.00									
Acacia myrtifolia		0.00									0.00									
Acacia nematophylla		0.00									0.00									
Acacia notabilis	1	0.17	RA d(i,ii)	RA	3	0	0.3	1			0.00									
Acacia nyssophylla	116	14.74	LC	LC	1	0	0.3	96	49		0.51	LC	LC	1	0	0.3	4	2		
Acacia oswaldii	188	9.81	LC	LC	1	0	0.3	146	75		3.86	LC	LC	1	0	0.3	66	47		
Acacia pachyacra		0.00									0.00									
Acacia papyrocarpa	95	12.86	NT	NT	2	-	0.4	57	41	rare recruitment events, white fly a problem	13.40	NT	NT	2	-	0.4	85	69	rare recruitment events, white fly a problem	
Acacia paradoxa		0.00									0.00									
Acacia pinguiifolia		0.00									0.00									
Acacia praemorsa		0.00									0.00									
Acacia prairii	35	37.23	LC	LC	1	0	0.3	19	10		0.00									
Acacia pycnantha		0.00									0.00									
Acacia ramulosa var. linophylla	59	28.78	LC	LC	1	0	0.3	41	22		0.00									
Acacia ramulosa var. ramulosa	21	25.93	LC	LC	1	0	0.3	12	2		1.23	LC	LC	1	0	0.3	1			
Acacia rhotinocarpa		0.00									0.00									
Acacia rhigiophylla		0.00									0.00									
Acacia rhodophloia		0.00									0.00									
Acacia rigens	38	4.01	LC	LC	1	0	0.3	33	19	salt tolerant	0.00									
Acacia rupicola		0.00									0.00									
Acacia salicina		0.00									0.00									
Acacia sclerophylla var. sclerophylla	16	2.37	RA d(i,ii)	RA	3	0	0.3	11	9		0.15	RA d(i,ii)	RA	3	0	0.3	1			
Acacia sibirica	7	3.23	LC	LC	1	0	0.3	7	2		0.00									
Acacia sp. Winged (C.R.Alcock 4936)		0.00									0.00									
Acacia spinescens	5	0.23	RA d(ii)	RA	3	0	0.3	5	4		0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	Yellabinna Records	% Yellabinna		Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)						Yalata Records	% Yalata		Proposed Regional IUCN Status (Yalata)	Proposed Regional IUCN Status (Yalata)					
Acacia spooneri		0.00									0.00									
Acacia stenophylla		0.00									0.00									
Acacia tarculensis		0.00									0.00									
Acacia tetragonophylla	57	2.97	LC	LC	1	0	0.3	48	21		0.00									
Acacia toondulya		0.00									0.00									
Acacia triquetra		0.00									0.00									
Acacia victoriae ssp. victoriae		0.00									0.00									
Acacia whibleyana		0.00									0.00									
Acacia wilhelmiana		0.00									0.00									
Acaena echinata		0.00									0.00									
Acaena novae-zelandiae		0.00									0.00									
Acianthus caudatus		0.00									0.00									
Acianthus pusillus		0.00									0.00									
Acrotriche affinis		0.00									0.00									
Acrotriche cordata		0.00									0.00									
Acrotriche patula		0.00								6	0.48	LC	LC	1	0	0.3	6	5		
Actinobole uliginosum	40	3.26	LC	LC	1	0	0.3	31	17	1	0.08	RA d(i,ii)	RA	3	0	0.3	1			
Actites megalocarpa		0.00									0.00									
Adenanthos terminalis		0.00									0.00									
Adiantum aethiopicum		0.00									0.00									
Adriana quadripartita	1	0.34	RA d(i,ii)	RA	3	DD	0.0	1	1		0.00									
Adriana urticoides var. hookeri	16	18.82	RA d(ii)	RA	3	DD	0.0	10			0.00									
Ajuga australis forma A (A.G.Spooner 9058)		0.00									0.00									
Alectryon oleifolius ssp. canescens	138	7.25	LC	LC	1	0	0.3	102	51	3	0.16	LC	LC	1	0	0.3	2	2		
Allocauarina helmsii	5	5.62	RA d(ii)	RA	3	0	0.3	5	4		0.00									
Allocauarina muelleriana ssp. muelleriana	11	0.56	LC	LC	1	0	0.3	10	5		0.00									
Allocauarina pusilla		0.00									0.00									
Allocauarina verticillata		0.00									0.00									
Alternanthera denticulata	1	0.34						1			0.00									possible introduction
Alternanthera nodiflora		0.00									0.00									
Aluta maisonneuvei ssp. auriculata		0.00									0.00									
Aluta maisonneuvei ssp. maisonneuvei		0.00									0.00									
Alyogyne hakeifolia	1	1.32	RA d(ii)	RA	3	DD	0.0	1			0.00									
Alyogyne huegelii	3	1.19	LC	LC	1	0	0.3	3	3	1	0.40	DD	DD	0	DD	0.0	1			
Alyogyne pinoniana var. microandra	10	100.00	NE	NE	-1			8			0.00									taxonomic issues
Alyogyne pinoniana var. pinoniana	1	1.22	RA d(i,ii)	RA	3	DD	0.0	1			0.00									
Alyxia buxifolia	33	3.35	LC	LC	1	0	0.3	27	10	4	0.41	LC	LC	1	0	0.3	4	4		
Amaranthus cuspidifolius		0.00									0.00									
Amaranthus grandiflorus		0.00									0.00									
Amaranthus mitchellii		0.00									0.00									
Ammannia multiflora		0.00									0.00									
Amphibolis antarctica		0.00									0.00	LC	LC	1	0	0.3				No records but occurs here
Amphibromus macrorhinus		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	% Yellabinna			Proposed Regional IUCN Status (Yellabinna)							% Yalata									
Amphibromus nervosus		0.00									0.00									
Amphipogon caricinus var. caricinus	36	6.59	LC	LC	1	0	0.3	32	17	likes sand dunes	1	0.18	LC	LC	1	0	0.3	1	1	likes sand dunes
Amphipogon strictus var. setifer		0.00									0.00									
Amyema fitzgeraldii		0.00									0.00									
Amyema gibberula var. gibberula		0.00									0.00									
Amyema maidenii ssp. maidenii	6	1.03	RA d(ii)	RA	3	0	0.3	6	1	associated with mulga	11	1.88	LC	LC	1	0	0.3	10	6	associated with mulga
Amyema melaleucae	12	2.51	LC	LC	1	0	0.3	12	6		7	1.46	LC	LC	1	0	0.3	6	4	
Amyema miquelii	24	1.69	LC	LC	1	0	0.3	20	2		9	0.63	LC	LC	1	0	0.3	9	5	
Amyema miraculosa ssp. boormanii	7	2.59	RA d(ii)	RA	3	0	0.3	5	1		1	0.37	RA d(ii)	RA	3	0	0.3	1	1	
Amyema preissii	42	4.63	LC	LC	1	0	0.3	37	16		1	0.11	LC	LC	1	0	0.3	1	1	
Amyema quandang var. quandang	35	9.62	LC	LC	1	0	0.3	21	15		37	10.16	LC	LC	1	0	0.3	25	11	
Anacampseros australiana		0.00									0.00									
Anemocarpa podolepidium		0.00									0.00									
Angianthus brachypappus		0.00									0.00									
Angianthus conocephalus	7	8.97	DD	DD	0	DD	0.0	2		could be regionally extinct	2	2.56	RA d(i,ii)	RA	3	0	0.3	2	1	eastern extent
Angianthus glabratus	2	5.56	RA d(ii)	RA	3	0	0.3	2			0.00									
Angianthus preissianus		0.00									0.00									
Angianthus tomentosus	11	2.08	LC	LC	1	0	0.3	10	6		39	7.36	LC	LC	1	0	0.3	34	23	
Anogramma leptophylla		0.00									0.00									
Anthocercis anisantha ssp. anisantha		0.00									0.00									
Anthocercis anisantha ssp. collina		0.00									0.00									
Aotus subspinescens	15	3.32	LC	LC	1	0	0.3	14	10		0.00									
Apalochlamys spectabilis		0.00									0.00									
Aphanes australiana		0.00									0.00									
Aphelia gracilis		0.00									0.00									
Apium annuum	2	0.47	RA d(i,ii)	RA	3	DD	0.0	2			0.00									
Apium prostratum var. filiforme		0.00									0.00									
Apium prostratum var. prostratum		0.00									0.00									
Apodasmia brownii		0.00									0.00									
Arabidella filifolia		0.00									0.00									
Arabidella glaucescens	1	0.50	RA d(i,ii)	RA	3	DD	0.0	1			0.00									
Arabidella nasturtium		0.00									0.00									
Arabidella trisecta	3	0.54	RA d(i,ii)	RA	3	0	0.3	1		limited habitat	1	0.18	RA d(i,ii)	RA	3	0	0.3	1		limited habitat
Argentipallium obtusifolium		0.00									0.00									
Aristida anthoxanthoides		0.00									0.00									
Aristida arida		0.00									0.00									
Aristida behriana		0.00									0.00									
Aristida capillifolia		0.00									0.00									
Aristida contorta	81	5.13	LC	LC	1	0	0.3	63	34		5	0.32	LC	LC	1	0	0.3	5	5	
Aristida holathera var. holathera	24	2.96	LC	LC	1	0	0.3	16	4		0.00									
Aristida latifolia		0.00									0.00									
Aristida nitidula		0.00									0.00									
Aristida personata		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	Yellabinna Records	% Yellabinna		Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)						Yalata Records	% Yalata		Proposed Regional IUCN Status (Yalata)	Proposed Regional IUCN Status (Yalata)					
Arthropodium fimbriatum		0.00									0.00									
Arthropodium minus		0.00									0.00									
Arthropodium strictum		0.00									0.00									
Asperula conferta		0.00									0.00									
Asplenium flabellifolium		0.00									0.00									
Asplenium trichomanes		0.00									0.00									
Asteridea athrixioides forma athrixioides	3	0.84	RA d(i,ii)	RA	3	0	0.3	3	2		1	0.28	RA d(i,ii)	RA	3	0	0.3	1	1	
Asteridea athrixioides forma horripes		0.00									0.00									
Astrebla lappacea		0.00									0.00									
Astrebla pectinata		0.00									0.00									
Astroloma conostephioides		0.00									0.00									
Astroloma humifusum	2	0.06	RA d(i,ii)	RA	3	DD	0.0	2			0.00									
Atriplex acutibractea ssp. acutibractea	7	2.59	RA d(ii)	RA	3	DD	0.0	7	2	limited habitat	2	0.74	NT	NT	2	DD	0.0	2	1	
Atriplex acutibractea ssp. karoniensis	2	1.96	RA d(i,ii)	RA	3	DD	0.0	2	1	edge of range		0.00								
Atriplex acutiloba		0.00									0.00									
Atriplex angulata		0.00									0.00									
Atriplex cinerea		0.00									19	3.36	LC	LC	1	0	0.3	13	10	
Atriplex cryptocarpa	1	3.85	RA d(i,ii)	RA	3	DD	0.0	1	1	eastern limit		0.00								
Atriplex eardleyae		0.00									0.00									
Atriplex fissivalvis		0.00									0.00									
Atriplex holocarpa	6	0.68	NT	NT	2	-	0.4	6	1		0.00									
Atriplex incrassata		0.00									0.00									
Atriplex kochiana		0.00									0.00									
Atriplex leptocarpa		0.00									0.00									
Atriplex limbata		0.00									0.00									
Atriplex lindleyi ssp. conduplicata		0.00									0.00									
Atriplex lindleyi ssp. inflata		0.00									0.00									
Atriplex lindleyi ssp. lindleyi		0.00									0.00									
Atriplex lindleyi ssp. quadripartita		0.00									0.00									
Atriplex lobativalvis		0.00									0.00									
Atriplex macropterocharpa		0.00									0.00									
Atriplex morrisii		0.00									0.00									
Atriplex nessorhina		0.00									0.00									
Atriplex nummularia ssp. omissa		0.00									0.00									
Atriplex nummularia ssp. spatulata		0.00									0.00									
Atriplex paludosa ssp. cordata	7	0.38	RA d(ii)	RA	3	0	0.3	7	6		37	1.99	LC	LC	1	0	0.3	34	31	
Atriplex papillata		0.00									0.00									
Atriplex pseudocampanulata		0.00									0.00									
Atriplex pumilio		0.00									1	1.82	RA d(ii)	RA	3	DD	0.0	1		
Atriplex quadrivalvata var. sessilifolia		0.00									0.00									
Atriplex quinii		0.00									0.00									
Atriplex rhagodioides		0.00									0.00									
Atriplex semibaccata		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	% Yellabinna				% Yalata																	
Atriplex spongiosa	4	0.61	NT	NT	2	0	0.3	3				22	2.14	LC	LC	1	0	0.3	21	18		
Atriplex stipitata	42	4.08	LC	LC	1	0	0.3	36	22			22	2.14	LC	LC	1	0	0.3	21	18		
Atriplex suberecta		0.00										1	0.34	RA d(ii)	RA	3	DD	0.0	1	1		
Atriplex velutinella	1	0.20	RA d(i,ii)	RA	3	DD	0.0	1														
Atriplex vesicaria ssp. macrocystidia		0.00																				
Atriplex vesicaria ssp. variabilis		0.00																				
Austrobryonia micrantha		0.00																				
Austroanthonia caespitosa	26	0.66	LC	LC	1	0	0.3	24	18			46	1.17	LC	LC	1	0	0.3	43	38		
Austroanthonia eriantha		0.00																				
Austroanthonia fulva		0.00																				
Austroanthonia racemosa var. racemosa		0.00																				
Austroanthonia setacea	3	0.20	RA d(ii)	RA	3	DD	0.0	3				21	1.42	LC	LC	1	0	0.3	14	7		
Austrofestuca littoralis		0.00																				
Austrostipa acroclialata	13	1.60	LC	LC	1	0	0.3	11	11			48	5.91	LC	LC	1	0	0.3	34	19		
Austrostipa blackii		0.00																				
Austrostipa dongicola		0.00																				
Austrostipa drummondii	9	0.96	RA d(ii)	RA	3	0	0.3	6	3			45	4.80	LC	LC	1	0	0.3	38	28		
Austrostipa echinata		0.00																				
Austrostipa elegantissima	26	1.22	LC	LC	1	0	0.3	21	18			15	0.70	LC	LC	1	0	0.3	15	12		
Austrostipa eremophila	17	1.22	LC	LC	1	0	0.3	10	9			33	2.36	LC	LC	1	0	0.3	31	23		
Austrostipa exilis		0.00																				
Austrostipa flavescens		0.00																				
Austrostipa hemipogon	4	0.62	LC	LC	1	0	0.3	3	3			1	0.16	LC	LC	1	0	0.3	1	1		
Austrostipa lanata	1	7.69	RA d(ii)	RA	3	DD	0.0	1	1													
Austrostipa macalpinei		0.00																				
Austrostipa mollis	2	0.26	RA d(ii)	RA	3	DD	0.0	2	1	check records												
Austrostipa mundula	2	0.63	RA d(ii)	RA	3	DD	0.0	2	1	check records												
Austrostipa nitida	197	6.79	LC	LC	1	0	0.3	145	72			91	3.14	LC	LC	1	0	0.3	78	51		
Austrostipa nodosa		0.00																				
Austrostipa nullanulla	5	8.93	RA d(i,ii)	RA	3	0	0.3	4	4													
Austrostipa pilata		0.00																				
Austrostipa platychaeta	45	8.79	LC	LC	1	0	0.3	41	16			8	1.56	LC	LC	1	0	0.3	8	4		
Austrostipa plumigera	9	30.00	RA d(ii)	RA	3	DD	0.0	8	4			1	3.33	RA d(ii)	RA	3	DD	0.0	1	1		
Austrostipa puberula		0.00										1	0.49	RA d(ii)	RA	3	0	0.3	1			
Austrostipa scabra ssp. falcata		0.00																				
Austrostipa scabra ssp. scabra	2	0.47	RA d(ii)	RA	3	0	0.3	2	1													
Austrostipa semibarbata		0.00																				
Austrostipa setacea		0.00																				
Austrostipa stipoides		0.00																				
Austrostipa stuposa		0.00																				
Austrostipa tenuifolia		0.00																				
Austrostipa trichophylla	6	1.48	RA d(ii)	RA	3	0	0.3	4	4													
Austrostipa velutina		0.00										9	26.47	LC	LC	1	0	0.3	7	7		

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	Yellabinna	% Yellabinna		Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)						Yalata	% Yalata		Proposed Regional IUCN Status (Yalata)	Proposed Regional IUCN Status (Yalata)					
Austrostipa vickeryana		0.00																		
Avicennia marina ssp. marina		0.00																		
Babingtonia behrii	1	0.09	RA d(i,ii)	RA	3	0	0.3	1		limited habitat										
Baeckea crassifolia		0.00																		
Baeckea tuberculata		0.00																		
Banksia marginata		0.00																		
Banksia ornata		0.00																		
Baumea arthropylla		0.00																		
Baumea juncea		0.00																		
Bergia trimera		0.00																		
Bertya tasmanica ssp. vestita		0.00																		
Beyeria lechenaultii	12	0.60	LC	LC	1	0	0.3	10	7		31	1.55	LC	LC	1	0	0.3	25	21	
Beyeria opaca	62	15.78	LC	LC	1	0	0.3	47	31		2	0.51	RA d(i,ii)	RA	3	0	0.3	2	1	
Billardiera cymosa ssp. cymosa	1	0.27	NE	NE	-1			1		taxonomic issues										
Billardiera cymosa ssp. pseudocymosa	2	3.85	RA d(ii)	RA	3	DD	0.0	2												
Billardiera sericophora		0.00																		
Billardiera sp. Yorke Peninsula (P.C.Heyligers 80164)		0.00																		
Billardiera uniflora		0.00																		
Billardiera versicolor		0.00																		
Blennodia canescens		0.00																		
Blennodia pterosperma		0.00																		
Blennospora drummondii	3	0.39	RA d(ii)	RA	3	DD	0.0	3	3											
Boerhavia coccinea		0.00																		
Boerhavia dominii		0.00																		
Boerhavia repleta		0.00																		
Boerhavia schomburgkiana		0.00																		
Bolboschoenus caldwellii		0.00																		
Boronia coerulescens ssp. coerulescens	57	4.82	LC	LC	1	0	0.3	46	26		1	0.08	RA d(ii)	RA	3	0	0.3	1	1	
Boronia filifolia		0.00																		
Boronia inornata ssp. leptophylla		0.00																		
Bossiaea ensata		0.00																		
Bossiaea walkeri	86	56.95	LC	LC	1	0	0.3	64	26		1	0.66	RA d(i,ii)	RA	3	DD	0.0	1		
Bothriochloa ewartiana		0.00																		
Bothriochloa macra		0.00									1	0.97	RA d(ii)	RA	3	+	0.2	1	1	
Brachiaria praetervisa		0.00																		
Brachyachne ciliaris		0.00																		
Brachychiton gregorii		0.00																		
Brachyscome ciliaris var. ciliaris	56	5.57	LC	LC	1	0	0.3	47	30		42	4.17	LC	LC	1	0	0.3	33	22	
Brachyscome ciliaris var. lanuginosa	2	0.37	RA d(ii)	RA	3	0	0.3	2	1											
Brachyscome ciliaris var. subintegrifolia		0.00																		
Brachyscome cuneifolia		0.00																		
Brachyscome debilis		0.00																		
Brachyscome dichromosomatica var. dichromosomatica		0.00																		

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	Yellabinna Records	% Yellabinna		Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)						Yalata Records	% Yalata		Proposed Regional IUCN Status (Yalata)	Proposed Regional IUCN Status (Yalata)					
Brachyscome eriogona		0.00									0.00									
Brachyscome exilis	3	1.91	RA d(i,ii)	RA	3	0	0.3	3	3		0.00									
Brachyscome gonicarpa		0.00									0.00									
Brachyscome iberidifolia	10	7.52	LC	LC	1	0	0.3	8	5		0.00									
Brachyscome lineariloba	22	1.57	LC	LC	1	0	0.3	21	18		22	1.57	LC	LC	1	0	0.3	20	18	
Brachyscome muelleri		0.00									0.00									
Brachyscome perpusilla	2	0.76	NE	NE	-1			2	2	check record IDs	0.00									
Brachyscome tatei		0.00									0.00									
Brachyscome trachycarpa	21	17.95	LC	LC	1	0	0.3	18	17		0.00									
Brachyscome xanthocarpa		0.00									0.00									
Bromus arenarius	2	0.54	RA d(ii)	RA	3	DD	0.0	2	1		11	2.98	LC	LC	1	0	0.3	9	4	
Brunonia australis	9	1.59	LC	LC	1	DD	0.0	8	1		0.00									
Bulbine alata	3	1.06	RA d(ii)	RA	3	DD	0.0	3	2		0.00									
Bulbine bulbosa		0.00									0.00									
Bulbine semibarbata	4	0.38	RA d(i,ii)	RA	3	0	0.3	2	2		1	0.09	RA d(i,ii)	RA	3	0	0.3	1		
Bulbostylis barbata		0.00									0.00									
Bulbostylis pyriformis		0.00									0.00									
Burchardia umbellata		0.00									0.00									
Bursaria spinosa ssp. spinosa		0.00									0.00									
Caesia calliantha		0.00									0.00									
Caladenia aurulenta																				
Caladenia bicallata ssp. bicallata		0.00									0.00									
Caladenia brumalis		0.00									0.00									
Caladenia capillata		0.00									0.00									
Caladenia cardiochila	1	0.38	RA d(ii)	RA	3	-	0.4	1			0.00									
Caladenia carnea		0.00									0.00									
Caladenia clavula		0.00									0.00									
Caladenia fragrantissima ssp. fragrantissima																				
Caladenia fuscata		0.00									0.00									
Caladenia interanea																				
Caladenia latifolia		0.00									0.00									
Caladenia macroclavia		0.00									0.00									
Caladenia pusilla		0.00									0.00									
Caladenia septuosa		0.00									0.00									
Caladenia stricta		0.00									0.00									
Caladenia tensa		0.00									0.00									
Caladenia tentaculata		0.00									0.00									
Caladenia toxochila		0.00									0.00									
Caladenia verrucosa		0.00									0.00									
Caladenia zephyra																				
Calandrinia brevipedata		0.00									0.00									
Calandrinia calyptata	1	0.18	RA d(i,ii)	RA	3	DD	0.0	1	1		2	0.36	RA d(i,ii)	RA	3	0	0.3	1	1	
Calandrinia corrigioloides	3	3.00	RA d(i,ii)	RA	3	DD	0.0	3	3		0.00									

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	Yellabinna	% Yellabinna		Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)						Yalata	% Yalata		Proposed Regional IUCN Status (Yalata)	Proposed Regional IUCN Status (Yalata)					
Calandrinia disperma	8	18.60	NT	NT	2	0	0.3	8	4											
Calandrinia eremaea	77	6.49	LC	LC	1	0	0.3	63	39		8	0.67	LC	LC	1	0	0.3	7	6	
Calandrinia granulifera	3	1.08	RA d(ii)	RA	3	0	0.3	3	3											
Calandrinia polyandra var. polyandra	19	17.59	LC	LC	1	0	0.3	16	8											
Calandrinia ptychosperma		0.00																		
Calandrinia pumila		0.00																		
Calandrinia remota	3	3.75	RA d(ii)	RA	3	DD	0.0	3	1											
Calandrinia reticulata	3	7.50	RA d(i,ii)	RA	3	DD	0.0	2	2											
Calandrinia sphaerophylla		0.00																		
Calandrinia volubilis		0.00																		
Callistemon rugulosus		0.00																		
Callitris canescens		0.00																		
Callitris glaucophylla	12	1.11	LC	LC	1	0	0.3	12	5		1	0.09	RA d(ii)	RA	3	0	0.3	1		
Callitris gracilis	5	0.36	RA d(i,ii)	RA	3	0	0.3	5	4	could be C verrucosa										
Callitris verrucosa	43	5.02	LC	LC	1	0	0.3	37	24											
Calocephalus citreus		0.00																		
Calocephalus platycephalus		0.00																		
Calochilus pruinosis		0.00																		
Calotis brevibradiata		0.00									1	4.55	DD	DD	0	DD	0.0	1		possibly RE, old record
Calotis cymbacantha	20	6.33	LC	LC	1	0	0.3	16	3		1	0.32	DD	DD	0	DD	0.0	1		
Calotis erinacea	34	8.25	LC	LC	1	0	0.3	24	4											
Calotis hispidula	54	2.73	LC	LC	1	+	0.2	40	19		10	0.51	LC	LC	1	+	0.2	10	6	
Calotis lappulacea		0.00																		
Calotis latiuscula	1	0.67	DD	DD	0	DD	0.0	1		no recent records										
Calotis multicaulis	7	4.70	LC	LC	1	0	0.3	6	1											
Calotis plumulifera	4	1.01	LC	LC	1	0	0.3	4		likely to be sunk with C multicaulis										
Calotis porphyroglossa		0.00																		
Calotis scabiosifolia var. scabiosifolia																				
Calytrix gypsophila	11	32.35	RA d(ii)	RA	3	0	0.3	5	2	habitat specific, likes gypsum										
Calytrix involucrata	9	1.57	LC	LC	1	0	0.3	7	5	limit of range										
Calytrix tetragona	6	0.18	RA d(i,ii)	RA	3	0	0.3	6	3	limited habitat										
Cardamine tenuifolia		0.00																		
Carex breviculmis		0.00																		
Carex inversa var. major		0.00																		
Carex tereticaulis		0.00																		
Carpobrotus modestus		0.00																		
Carpobrotus rossii	2	0.61	NT	NT	2	0	0.3	2	1		14	4.29	LC	LC	1	0	0.3	12	11	
Carpobrotus sp. Short calyx (S.T.Blake 20451)	2	100.00	DD	DD	0	DD	0.0	2	2	new undescribed species										
Cassinia arcuata		0.00																		
Cassinia complanata		0.00																		
Cassinia laevis		0.00																		
Cassytha glabella forma dispar		0.00																		
Cassytha melantha	71	5.33	LC	LC	1	0	0.3	60	43		11	0.83	LC	LC	1	0	0.3	9	7	

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	Yellabinna	% Yellabinna		Proposed Regional	IUCN Status (Yellabinna)						Yalata	% Yalata		Proposed Regional	IUCN Status (Yalata)					
Cassytha peninsularis	2	0.51	DD	DD	0	DD	0.0	2	2	should be more records	2	0.51	DD	DD	0	DD	0.0	2	2	should be more records
Cassytha pubescens	1	0.08	RA d(ii)	RA	3	0	0.3	1	1	could be C melantha	1	0.08	RA d(ii)	RA	3	0	0.3	1	1	could be C melantha
Casuarina pauper	120	9.03	LC	LC	1	0	0.3	95	38		12	0.90	LC	LC	1	0	0.3	11	7	
Causitis pentandra		0.00										0.00								
Centella asiatica		0.00										0.00								
Centipeda crateriformis ssp. compacta		0.00										0.00								
Centipeda crateriformis ssp. crateriformis		0.00										0.00								
Centipeda cunninghamii		0.00										0.00								
Centipeda thespidioides	1	0.54	RA d(ii)	RA	3	DD	0.0	1	1			0.00								
Centrolepis aristata	1	0.20	VU D2	VU	4	DD	0.0	1				0.00								
Centrolepis cephaliformis ssp. cephaliformis		0.00										0.00								
Centrolepis cephaliformis ssp. murrayi		0.00										0.00								
Centrolepis eremica		0.00										0.00								
Centrolepis fascicularis		0.00										0.00								
Centrolepis glabra		0.00										0.00								
Centrolepis polygyna		0.00										0.00								
Centrolepis strigosa ssp. strigosa		0.00										0.00								
Cephalopterum drummondii	58	34.94	LC	LC	1	0	0.3	47	24			0.00								
Ceratogyne obionoides	2	6.67	RA d(ii)	RA	3	0	0.3	2	2			0.00								
Chamaescilla corymbosa var. corymbosa		0.00										0.00								
Chamaesyce australis		0.00										0.00								
Chamaesyce centralis		0.00										0.00								
Chamaesyce drummondii	37	5.69	LC	LC	1	0	0.3	33	18		21	3.23	LC	LC	1	0	0.3	21	17	
Chamaesyce wheeleri		0.00										0.00								
Cheilanthes austrotenuifolia	1	0.06	DD	DD	0	DD	0.0	1	1	check record, could be C sieberi		0.00								
Cheilanthes distans	1	0.65	RA d(ii)	RA	3	DD	0.0	1				0.00								
Cheilanthes lasiophylla	5	0.50	RA d(ii)	RA	3	DD	0.0	5	2	isolated pockets, rocky areas		0.00								
Cheilanthes sieberi ssp. pseudovellea		0.00										0.00								
Cheilanthes sieberi ssp. sieberi	1	0.15	RA d(ii)	RA	3	DD	0.0	1	1	undercollected		0.00								
Cheiranthera alternifolia		0.00										0.00								
Chenopodium curvispicatum	77	11.00	LC	LC	1	0	0.3	58	52		23	3.29	LC	LC	1	0	0.3	23	22	
Chenopodium desertorum ssp. anidiophyllum	4	2.78	NT	NT	2	0	0.3	3	1			0.00								
Chenopodium desertorum ssp. desertorum	114	16.52	LC	LC	1	0	0.3	87	34		4	0.58	RA d(ii)	RA	3	0	0.3	3	1	
Chenopodium desertorum ssp. microphyllum	1	0.22	RA d(i,ii)	RA	3	DD	0.0	1	1			0.00								
Chenopodium desertorum ssp. rectum	6	5.56	NT	NT	2	0	0.3	6	4			0.00								
Chenopodium gaudichaudianum	5	5.26	NT	NT	2	-	0.4	5	2			0.00								
Chenopodium nitraraceum		0.00										0.00								
Chloris pectinata		0.00										0.00								
Chloris truncata		0.00										0.00								
Chondropyxis halophila		0.00										0.00								
Choretrum glomeratum var. chrysanthum	3	4.69	RA d(ii)	RA	3	-	0.4	3	1			0.00								
Choretrum glomeratum var. glomeratum	3	0.63	RA d(i,ii)	RA	3	0	0.3	3	1	isolated popn		0.00								
Chorizandra enodis		0.00										0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)				Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)				Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	Yellabinna	% Yellabinna		Proposed Regional IUCN Status (Yellabinna)	Trends (-, 0, +, ++)	Yellabinna	Trends (-, 0, +, ++)				Yalata	% Yalata		Proposed Regional IUCN Status (Yalata)	Trends (-, 0, +, ++)	Yalata	Trends (-, 0, +, ++)			
Chrysocephalum apiculatum	33	1.46	LC	LC	1	0	0.3	23	9	taxonomic issues	2	0.09	LC	LC	1	0	0.3	2	1	taxonomic issues
Chrysocephalum baxteri		0.00										0.00								
Chrysocephalum eremaeum	38	14.90	LC	LC	1	0	0.3	30	8			0.00								
Chrysocephalum pterochaetum	18	5.25	LC	LC	1	0	0.3	18	5			0.00								
Chrysocephalum semipapposum		0.00										0.00								
Chthonocephalus pseudevax	12	5.94	LC	LC	1	0	0.3	11	9			0.00								
Citrus glauca		0.00										0.00								
Cladium procerum		0.00										0.00								
Clematis microphylla var. microphylla		0.00										0.00								
Codonocarpus cotinifolius	19	6.96	LC	LC	1	0	0.3	13	6			0.00								
Comesperma calymega		0.00										0.00								
Comesperma polygaloides		0.00										0.00								
Comesperma scoparium	29	8.71	LC	LC	1	0	0.3	26	20		1	0.30	RA d(i,ii)	RA	3	0	0.3	1	1	
Comesperma viscidulum		0.00										0.00								
Comesperma volubile	16	1.16	LC	LC	1	0	0.3	16	9		16	1.16	LC	LC	1	0	0.3	15	10	
Commersonia multioba		0.00										0.00								
Commersonia tatei		0.00										0.00								
Conospermum patens		0.00										0.00								
Convolvulus angustissimus ssp. angustissimus		0.00									1	0.71	NE	NE	-1			1	1	taxonomic issues
Convolvulus angustissimus ssp. peninsularum		0.00									1	0.82	NE	NE	-1			1		taxonomic issues
Convolvulus clementii	3	1.85	LC	LC	1	0	0.3	3	2			0.00								
Convolvulus crispifolius	1	2.17	RA d(ii)	RA	3	-	0.4	1		undercollected, no survey records		0.00								
Convolvulus eyreanus		0.00										0.00								
Convolvulus microsepalus	2	3.23	NE	NE	-1			2		taxonomic issues		0.00								
Convolvulus recurvatus ssp. nullarborensis		0.00									1	2.94	RA d(i,ii)	RA	3	DD	0.0	1	1	
Convolvulus recurvatus ssp. recurvatus		0.00										0.00								
Convolvulus remotus	8	0.49	LC	LC	1	0	0.3	7	1		3	0.18	LC	LC	1	0	0.3	3	3	
Cooperookia strophiolata	14	56.00	DD	DD	0	DD	0.0	13	2		1	4.00	DD	DD	0	DD	0.0	1		
Correa backhouseana var. coriacea		0.00										0.00								
Correa pulchella		0.00										0.00								
Corunastylis nigricans																				
Corunastylis tepperi			RA d(ii)	RA	3	-	0.4			no records			RA d(ii)	RA	3	-	0.4			no records
Corybas despectans		0.00										0.00								
Corybas expansus																				
Corynotheca licrota	9	37.50	RA d(ii)	RA	3	0	0.3	8	1			0.00								
Corynotheca micrantha var. divaricata	1	5.00	DD	DD	0	DD	0.0	1	1			0.00								
Cotula australis		0.00										0.00								
Cotula vulgaris var. australasica		0.00										0.00								
Craspedia variabilis		0.00										0.00								
Crassula closiana		0.00										0.00								
Crassula colligata ssp. lamprosperma	12	3.20	LC	LC	1	0	0.3	10	9	needs open space	16	4.27	LC	LC	1	0	0.3	12	9	needs open space
Crassula colorata var. acuminata	25	2.29	LC	LC	1	0	0.3	21	16		2	0.18	LC	LC	1	0	0.3	2	1	could be undercollected
Crassula colorata var. colorata	71	12.98	LC	LC	1	0	0.3	52	28		31	5.67	LC	LC	1	0	0.3	27	19	

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	Yellabinna Records	% Yellabinna		Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)						Yalata Records	% Yalata		Proposed Regional IUCN Status (Yalata)	Proposed Regional IUCN Status (Yalata)					
Crassula decumbens var. decumbens		0.00									0.00									
Crassula exserta		0.00									0.00									
Crassula extrorsa		0.00									0.00									
Crassula peduncularis	1	1.61	VU C2a(i)	VU	4	-	0.4	1	1	found in permanently wet areas, mostly old records	0.00									
Crassula tetramera	10	6.71	LC	LC	1	0	0.3	10	9	dry area species	0.00									
Cratystylis conocephala	104	16.00	LC	LC	1	0	0.3	82	44		131	20.15	LC	LC	1	0	0.3	112	88	
Cressa australis		0.00									0.00									
Crinum flaccidum		0.00									0.00									
Crotalaria eremaea ssp. eremaea		0.00									0.00									
Crotalaria eremaea ssp. strehlowii		0.00									0.00									
Cryptandra aridicola		0.00									0.00									
Cryptandra myriantha		0.00									0.00									
Cryptandra propinqua	20	17.70	LC	LC	1	0	0.3	16	13		0.00									
Cryptandra sp. Floriferous (W.R.Barker 4131)	4	1.74	RA d(ii)	RA	3	0	0.3	4	1		0.00									
Cryptandra tomentosa		0.00									0.00									
Cullen australasicum		0.00									0.00									
Cullen cinereum		0.00									0.00									
Cullen discolor	2	1.57	RA d(ii)	RA	3	DD	0.0	2		edge of range	0.00									
Cullen graveolens		0.00									0.00									
Cullen pallidum		0.00									0.00									
Cullen patens		0.00									0.00									
Cymbonotus preissianus		0.00									0.00									
Cymbopogon ambiguus	1	0.10						1	1	probable introduction	0.00									
Cymbopogon oblectus		0.00									0.00									
Cynanchum floribundum		0.00									0.00									
Cynoglossum australe		0.00									0.00									
Cynoglossum suaveolens		0.00									0.00									
Cyperus alterniflorus	2	1.14	RA d(ii)	RA	3	-	0.4	2	1	needs seeping water, rocky hills	0.00									
Cyperus bulbosus		0.00									0.00									
Cyperus difformis		0.00									0.00									
Cyperus gilesii		0.00									0.00									
Cyperus gymnocalulos		0.00									0.00									
Cyperus iria		0.00									0.00									
Cyperus laevigatus		0.00									0.00									
Cyperus pygmaeus		0.00									0.00									
Cyperus rigidellus		0.00									0.00									
Cyperus squarrosus		0.00									0.00									
Cyperus victoriensis		0.00									0.00									
Cyphanthera myosotidea		0.00									0.00									
Cyrtostylis reniformis		0.00									0.00									
Cyrtostylis robusta		0.00									0.00									
Dactyloctenium radulans		0.00									0.00									
Damasonium minus		0.00									0.00									

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends ('-', '0', '+', '++') Yellabinna	Trends ('-', '0', '+', '++') Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends ('-', '0', '+', '++') Yalata	Trends ('-', '0', '+', '++') Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	% Yellabinna			Proposed Regional	IUCN Status (Yellabinna)						% Yalata			Proposed Regional	IUCN Status (Yalata)					
Dampiera dysantha		0.00									0.00									
Dampiera lanceolata var. lanceolata	9	4.13	LC	LC	1	0	0.3	9	3		0.00									
Dampiera ramosa		0.00									0.00									
Dampiera rosmarinifolia	16	1.47	LC	LC	1	0	0.3	16	12		0.27	RA d(ii)	RA	3	0	0.3	2	1	edge of range	
Darwinia salina	13	15.66	LC	LC	1	0	0.3	13	3	likes salt lakes	4	4.82	LC	LC	1	0	0.3	4	likes salt lakes	
Daucus glochidiatus	18	0.51	LC	LC	1	0	0.3	18	13		26	0.73	LC	LC	1	0	0.3	23	15	
Daviesia arenaria	1	0.64	RA d(i,ii)	RA	3	0	0.3	1	1			0.00								
Daviesia asperula ssp. asperula		0.00									0.00									
Daviesia asperula ssp. obliqua		0.00									0.00									
Daviesia benthamii ssp. acanthoclona	28	13.79	LC	LC	1	0	0.3	25	17		0.00									
Daviesia benthamii ssp. humilis	5	2.46	RA d(i,ii)	RA	3	DD	0.0	5			2	0.99	RA d(i,ii)	RA	3	DD	0.0	1	1	
Daviesia brevifolia		0.00									0.00									
Daviesia pectinata		0.00									0.00									
Daviesia ulicifolia ssp. aridicola	48	38.71	LC	LC	1	0	0.3	35	12		2	1.61	RA d(i,ii)	RA	3	DD	0.0	2	1	restricted habitat
Desmodcladus diacolpicus		0.00									0.00									
Deyeuxia quadriseta		0.00									0.00									
Dianella brevicaulis		0.00									1	0.10	RA d(ii)	RA	3	0	0.3	1	1	
Dianella revoluta var. divaricata	38	18.01	LC	LC	1	0	0.3	29	25		9	4.27	LC	LC	1	0	0.3	9	8	
Dianella revoluta var. revoluta	22	0.77	LC	LC	1	0	0.3	20	19		4	0.14	RA d(ii)	RA	3	0	0.3	4	4	
Dichanthium sericeum ssp. humilius		0.00									0.00									
Dichanthium sericeum ssp. sericeum		0.00									0.00									
Dichelachne crinita		0.00									0.00									
Dichondra repens		0.00									0.00									
Dicrastylis beveridgei var. beveridgei	9	20.45	LC	LC	1	0	0.3	7			0.00									
Dicrastylis beveridgei var. lanata	31	30.69	LC	LC	1	0	0.3	21	2		0.00									
Dicrastylis lewellinii	6	21.43	RA d(i,ii)	RA	3	DD	0.0	5			0.00									
Dicrastylis verticillata	23	15.13	LC	LC	1	0	0.3	22	10	needs sand	1	0.66	RA d(i,ii)	RA	3	0	0.3	1	1	needs sand
Digitaria ammophila		0.00									0.00									
Digitaria brownii	7	0.91	LC	LC	1	0	0.3	7	4		0.00									
Digitaria coenicola		0.00									0.00									
Dillwynia hispida		0.00									0.00									
Dillwynia sericea		0.00									0.00									
Dillwynia uncinata	24	6.22	LC	LC	1	0	0.3	23	19		1	0.26	RA d(i,ii)	RA	3	0	0.3	1	1	
Dimorphocoma minutula		0.00									0.00									
Disphyma crassifolium ssp. clavellatum	9	0.62	NT	NT	2	0	0.3	7	3		56	3.83	LC	LC	1	0	0.3	37	29	likes samphire, tolerates high salinity
Dissocarpus biflorus var. biflorus		0.00									2	0.35	NT	NT	2	DD	0.0	2	2	
Dissocarpus biflorus var. villosus		0.00									0.00									
Dissocarpus fontinalis		0.00									0.00									
Dissocarpus latifolius	3	15.79	RA d(i,ii)	RA	3	-	0.4	2			0.00									
Dissocarpus paradoxus	7	0.55	NT	NT	2	DD	0.0	5	1		0.00									
Distichlis distichophylla		0.00									0.00									
Diuris behrii		0.00									0.00									
Diuris orientis		0.00									0.00									
Diuris palustris		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	Yellabinna	% Yellabinna		Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)						Yalata	% Yalata		Proposed Regional IUCN Status (Yalata)	Proposed Regional IUCN Status (Yalata)					
Diuris pardina		0.00									0.00									
Dodonaea baueri	3	0.38	RA d(ii)	RA	3	0	0.3	3		edge of range	0.00									
Dodonaea bursarifolia	66	6.15	LC	LC	1	0	0.3	54	39		2	0.19	RA d(i,ii)	RA	3	0	0.3	2	2	
Dodonaea hexandra		0.00									0.00									
Dodonaea humilis		0.00									0.00									
Dodonaea intricata	2	1.98	RA d(ii)	RA	3	-	0.4	2	1	edge of range	1	0.16	RA d(i,ii)	RA	3	0	0.3	1	1	
Dodonaea lobulata	5	0.47	RA d(ii)	RA	3	0	0.3	5	1		0.00									
Dodonaea microzyga var. microzyga	30	5.71	LC	LC	1	0	0.3	16	6		1	0.19	RA d(ii)	RA	3	DD	0.0	1		
Dodonaea procumbens		0.00									0.00									
Dodonaea stenozyga	65	9.97	LC	LC	1	0	0.3	57	24		17	2.61	LC	LC	1	0	0.3	16	11	
Dodonaea tepperi		0.00									0.00									
Dodonaea viscosa ssp. angustissima	194	7.36	LC	LC	1	0	0.3	136	61		3	0.11	LC	LC	1	0	0.3	2	2	
Dodonaea viscosa ssp. cuneata		0.00									0.00									
Dodonaea viscosa ssp. spatulata		0.00									0.00									
Drosera auriculata		0.00									0.00									
Drosera glanduligera		0.00									0.00									
Drosera macrantha ssp. planchonii		0.00									0.00									
Drosera peltata		0.00									0.00									
Drosera pygmaea		0.00									0.00									
Drosera sp. Rigid. (R.J.Bates 2268)		0.00									0.00									
Duboisia hopwoodii	22	8.46	LC	LC	1	0	0.3	17	4	narcotic plant	0.00									
Dysphania cristata	17	4.90	RA d(ii)	RA	3	DD	0.0	12	1		1	0.29	RE	RE	7			1		presumed extinct
Dysphania glomulifera ssp. eremaea		0.00									0.00									
Dysphania glomulifera ssp. glomulifera		0.00									0.00									
Dysphania melanocarpa forma melanocarpa	2	3.92	RA d(ii)	RA	3	DD	0.0	2	1		0.00									
Dysphania plantaginella	1	1.96	RA d(ii)	RA	3	DD	0.0	1	1		0.00									
Dysphania pumilio	2	0.74	NT	NT	2	DD	0.0	2	2		0.00									
Dysphania rhadinostachya ssp. rhadinostachya		0.00									0.00									
Dysphania simulans		0.00									0.00									
Dysphania truncata	1	2.38	RA d(i,ii)	RA	3	DD	0.0	1	1		0.00									
Einadia nutans ssp. eremaea		0.00									0.00									
Einadia nutans ssp. nutans	2	0.16	RA d(ii)	RA	3	0	0.3	2	2		0.00									
Einadia nutans ssp. oxycarpa		0.00									0.00									
Einadia polygonoides		0.00									0.00									
Elachanthus glaber		0.00									0.00									
Elachanthus pusillus		0.00									0.00									
Elatine gratioloides		0.00									0.00									
Eleocharis acuta		0.00									0.00									
Eleocharis pallens		0.00									0.00									
Eleocharis pusilla		0.00									0.00									
Elymus scaber var. scaber		0.00									0.00									
Embadium stagnense		0.00									0.00									
Embadium uncinatum		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	Yellabinna	% Yellabinna		Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)						Yalata	% Yalata		Proposed Regional IUCN Status (Yalata)	Proposed Regional IUCN Status (Yalata)					
Enchylaena tomentosa var. tomentosa	252	4.43	LC	LC	1	0	0.3	178	98		85	1.50	LC	LC	1	0	0.3	69	53	
Enneapogon avenaceus	34	2.09	LC	LC	1	0	0.3	26	11			0.00			1	0	0.3			
Enneapogon caerulescens var. caerulescens	18	20.93	LC	LC	1	0	0.3	15	2			0.00								
Enneapogon cylindricus	24	2.46	LC	LC	1	0	0.3	15	5			0.00								
Enneapogon intermedius	1	2.50	NE	NE	-1			1	1	Taxonomic issues		0.00								
Enneapogon nigricans		0.00										0.00								
Enneapogon polyphyllus	49	4.07	LC	LC	1	0	0.3	37	16			0.00								
Enneapogon robustissimus	3	30.00	RA d(ii)	RA	3	DD	0.0	2				0.00								
Enteropogon acicularis		0.00										0.00								
Enteropogon ramosus		0.00										0.00								
Epaltes australis		0.00										0.00								
Epilobium billardierianum ssp. billardierianum		0.00										0.00								
Eragrostis australasica		0.00										0.00								
Eragrostis basedowii		0.00										0.00								
Eragrostis dielsii var. dielsii	8	1.33	LC	LC	1	0	0.3	6	2	likes saline areas		0.00								
Eragrostis eriopoda	51	9.36	LC	LC	1	0	0.3	41	9			0.00								
Eragrostis falcata	4	2.37	RA d(ii)	RA	3	DD	0.0	4				0.00								
Eragrostis kennedyae		0.00										0.00								
Eragrostis lacunaria		0.00										0.00								
Eragrostis laniflora	8	3.74	RA d(ii)	RA	3	-	0.4	8	4			0.00								
Eragrostis lanipes	11	25.58	RA d(ii)	RA	3	-	0.4	5				0.00								
Eragrostis leptocarpa		0.00										0.00								
Eragrostis parviflora	3	1.65	RA d(ii)	RA	3	DD	0.0	3				0.00								
Eragrostis pergracilis		0.00										0.00								
Eragrostis setifolia	8	0.72	RA d(ii)	RA	3	0	0.3	6	6			0.00								
Eragrostis xerophila	1	0.28	RA d(ii)	RA	3	0	0.3	1	1	southern limit		0.00								
Eremophea spinosa		0.00										0.00								
Eremophila alternifolia	93	8.14	LC	LC	1	0	0.3	62	28	common in rocky areas	5	0.44	LC	LC	1	0	0.3	5	1	common in rocky areas
Eremophila arachnoides ssp. tenera	18	47.37	LC	LC	1	0	0.3	17	3			0.00								
Eremophila arenaria	1	3.33	VU D2	VU	4	DD	0.0	1				0.00								
Eremophila barbata		0.00										0.00								
Eremophila battii	3	5.66	RA d(ii)	RA	3	DD	0.0	2				0.00								
Eremophila behriana		0.00										0.00								
Eremophila clarkei	3	6.12	RA d(ii)	RA	3	0	0.3	3	1			0.00								
Eremophila crassifolia	31	4.42	LC	LC	1	0	0.3	27	23	likes limestone		0.00								
Eremophila decipiens ssp. decipiens	17	44.74	LC	LC	1	0	0.3	7			1	2.63	RA d(ii)	RA	3	0	0.3	1		
Eremophila delisseri	2	16.67	RA d(ii)	RA	3	0	0.3	1				0.00								
Eremophila deserti	22	3.39	LC	LC	1	0	0.3	20	17		61	9.40	LC	LC	1	0	0.3	53	43	
Eremophila duttonii		0.00										0.00								
Eremophila freelingii		0.00										0.00								
Eremophila gibbifolia		0.00										0.00								
Eremophila gibsonii	44	38.94	LC	LC	1	0	0.3	25	4	restricted to sand dunes		0.00								
Eremophila gilesii	1	1.12	RA d(ii)	RA	3	0	0.3	1				0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	Yellabinna	% Yellabinna		Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)						Yalata	% Yalata		Proposed Regional IUCN Status (Yalata)	Proposed Regional IUCN Status (Yalata)					
<i>Eremophila glabra</i> ssp. <i>glabra</i>	144	9.85	LC	LC	1	0	0.3	128	67		36	2.46	LC	LC	1	0	0.3	36	25	
<i>Eremophila hillii</i>	18	64.29	VU D2	VU	4	-	0.4	7	1		2	7.14	VU D2	VU	4	-	0.4	1		
<i>Eremophila latrobei</i> ssp. <i>glabra</i>	78	11.32	LC	LC	1	0	0.3	43	9											
<i>Eremophila latrobei</i> ssp. <i>latrobei</i>		0.00																		
<i>Eremophila longifolia</i>	4	0.34	LC	LC	1	0	0.3	3	1											
<i>Eremophila maculata</i> ssp. <i>brevifolia</i>		0.00																		
<i>Eremophila maculata</i> ssp. <i>maculata</i>		0.00																		
<i>Eremophila neglecta</i>		0.00																		
<i>Eremophila oppositifolia</i> ssp. <i>angustifolia</i>		0.00																		
<i>Eremophila oppositifolia</i> ssp. <i>oppositifolia</i>	3	0.66	RA d(ii)	RA	3	0	0.3	3	1											
<i>Eremophila paisleyi</i> ssp. <i>paisleyi</i>	39	35.45	LC	LC	1	0	0.3	30	10											
<i>Eremophila parvifolia</i>		0.00									12	63.16	RA d(ii)	RA	3	0	0.3	10	8	
<i>Eremophila platythamnus</i> ssp. <i>exotrachys</i>	6	7.50	LC	LC	1	0	0.3	6	6											
<i>Eremophila platythamnus</i> ssp. <i>platythamnus</i>	13	61.90	LC	LC	1	0	0.3	7	1											
<i>Eremophila platythamnus</i> ssp. <i>Villous</i> (A.C. Robinson NP)		0.00																		
<i>Eremophila rotundifolia</i>		0.00																		
<i>Eremophila scoparia</i>	143	12.87	LC	LC	1	0	0.3	115	71		57	5.13	LC	LC	1	0	0.3	54	35	
<i>Eremophila serrulata</i>	12	2.40	LC	LC	1	0	0.3	9	3											
<i>Eremophila</i> sp. <i>Decussate</i> (R.J.Chinock 7735)		0.00	VU D2	VU	4	0	0.3			occurs here but no records, now <i>E decussata</i>										
<i>Eremophila</i> sp. <i>Dendritica</i> (W.S.Reid AD98581189)		0.00																		
<i>Eremophila</i> sp. <i>Fallax</i> (D.E.Symon 12311)	1	25.00	VU D2	VU	4	0	0.3	1												
<i>Eremophila</i> sp. <i>Hygrophana</i> (P.J.Lang B894-2828)		0.00																		
<i>Eremophila</i> sp. <i>Praecox</i> (R.H.Ashby 131)	10	76.92	RA d(ii)	RA	3	0	0.3	8	8	probably a hybrid, now <i>E praecox</i>	1	7.69	VU D2	VU	4	0	0.3	1	1	probably a hybrid, now <i>E praecox</i>
<i>Eremophila sturtii</i>	15	3.54	LC	LC	1	0	0.3	13	10											
<i>Eremophila subfloccosa</i> ssp. <i>Lanata</i> (R.Bates 33587)	2	5.88	RA d(ii)	RA	3	0	0.3	2	1											
<i>Eremophila verrucosa</i> ssp. <i>brevistellata</i>	3	100.00	VU D2	VU	4	0	0.3	3												
<i>Eremophila verrucosa</i> ssp. <i>verrucosa</i>		0.00																		
<i>Eremophila weldii</i>	71	19.45	LC	LC	1	0	0.3	60	46		6	1.64	LC	LC	1	0	0.3	6	5	
<i>Eremophila willsii</i> var. <i>integrifolia</i>	3	11.11	LC	LC	1	0	0.3	3	3	in sand dunes										
<i>Eriachne aristidea</i>		0.00																		
<i>Eriachne helmsii</i>	12	5.15	RA d(ii)	RA	3	DD	0.0	10	2											
<i>Eriachne mucronata</i>	2	0.82	RA d(ii)	RA	3	0	0.3	1												
<i>Eriachne ovata</i>		0.00																		
<i>Eriochilus cucullatus</i>		0.00																		
<i>Eriochiton sclerolaenoides</i>	115	7.65	LC	LC	1	0	0.3	79	56		53	3.52	LC	LC	1	0	0.3	48	31	
<i>Eriochlamys behrii</i>		0.00									1	1.00	RA d(i,ii)	RA	3	0	0.3	1	1	
<i>Eriochlamys eremaea</i>		0.00																		
<i>Eriochloa australiensis</i>		0.00																		
<i>Eriochloa crebra</i>		0.00																		
<i>Eriochloa pseudoacrotrocha</i>		0.00																		
<i>Erodiochloa eldieri</i>		0.00																		
<i>Erodium carolinianum</i>	14	6.33	LC	LC	1	0	0.3	12	9											
<i>Erodium cernitum</i>	41	3.95	LC	LC	1	0	0.3	34	17		3	0.29	RA d(ii)	RA	3	0	0.3	3	3	

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)	
	Yellabinna	% Yellabinna		Proposed Regional IUCN Status (Yellabinna)	Trends (-, 0, +, ++)				Yalata	% Yalata		Proposed Regional IUCN Status (Yalata)	Trends (-, 0, +, ++)				
Erodium cygnorum	26	19.12	LC	LC	-1	0	0.3	25	13		1	0.74	RA d(ii)				
Erodium janszii		0.00										0.00					
Erodium sp. Blesing (J.R.Wheeler 471)		0.00										0.00					
Erymophyllum ramosum ssp. ramosum		0.00							2	8.33	RA d(i,ii)	RA	3	0	0.3	2	1
Eucalyptus alboburpurea		0.00															
Eucalyptus angulosa		0.00															
Eucalyptus behriana		0.00															
Eucalyptus brachycalyx	89	7.93	LC	LC	1	0	0.3	59	42								
Eucalyptus calcareana	11	2.22	DD	DD	0	DD	0.0	11	6	taxonomic issues							
Eucalyptus calycogona ssp. calycogona		0.00															
Eucalyptus calycogona ssp. spaffordii		0.00															
Eucalyptus camaldulensis var. camaldulensis		0.00															
Eucalyptus camaldulensis var. obtusa		0.00															
Eucalyptus canescens ssp. beadellii	3	6.98	RA d(ii,ii)	RA	3	0	0.3	3	1								
Eucalyptus canescens ssp. canescens	23	40.35	RA d(ii)	RA	3	0	0.3	16	4								
Eucalyptus ceratocorys	27	69.23	RA d(ii,ii)	RA	3	0	0.3	25	14								
Eucalyptus cladocalyx		0.00															
Eucalyptus concinna	197	49.13	LC	LC	1	0	0.3	139	58							1	
Eucalyptus conglobata ssp. conglobata		0.00															
Eucalyptus cretata		0.00															
Eucalyptus diversifolia ssp. diversifolia		0.00															
Eucalyptus diversifolia ssp. hesperia		0.00															
Eucalyptus dumosa	22	1.22	RA d(ii)	RA	3	0	0.3	19	13								
Eucalyptus eremicola	8	27.59	LC	LC	1	0	0.3	6	4							3	
Eucalyptus eucentrica	9	39.13	NE	NE	-1			6	6	prob all socialis ssp victoriensis							
Eucalyptus glomerosa		0.00															
Eucalyptus gongylocarpa		0.00															
Eucalyptus gracilis	107	4.36	LC	LC	1	0	0.3	87	52								
Eucalyptus gypsophila	44	31.65	LC	LC	1	0	0.3	39	20								
Eucalyptus incrassata	12	0.61	DD	DD	0	DD	0.0	12	8	Taxonomic issues all records this subregion; Ooldea record w							
Eucalyptus intertexta		0.00															
Eucalyptus kingsmillii ssp. alatissima		0.00															
Eucalyptus lansdowneana		0.00															
Eucalyptus leptophylla	51	2.72	LC	LC	1	0	0.3	37	17								
Eucalyptus mannensis ssp. mannensis		0.00															
Eucalyptus odorata		0.00															
Eucalyptus oleosa ssp. ampliata	50	9.40	RA d(ii)	RA	3	0	0.3	29	28								
Eucalyptus oleosa ssp. oleosa	47	13.09	LC	LC	1	0	0.3	34	15								
Eucalyptus oxymitra		0.00															
Eucalyptus peeneri	4	19.05	RA d(i,ii)	RA	3	0	0.3	4	2	now E eremicola ssp peeneri							
Eucalyptus peninsularis		0.00															
Eucalyptus petiolaris		0.00															
Eucalyptus phenax ssp. phenax		0.00															

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	Yellabinna	% Yellabinna		Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)						Yalata	% Yalata		Proposed Regional IUCN Status (Yalata)	Proposed Regional IUCN Status (Yalata)					
<i>Eucalyptus pileata</i>	1	1.59	NE	NE	-1			1	1	taxonomic issues	1	1.59	NE	NE	-1			1	1	taxonomic issues
<i>Eucalyptus pimpiniiana</i>	57	57.58	LC	LC	1	0	0.3	21	3			0.00								
<i>Eucalyptus porosa</i>		0.00										0.00								
<i>Eucalyptus rugosa</i>		0.00										0.00								
<i>Eucalyptus socialis</i> ssp. Glossy green (P.J.Lang 804)		0.00										0.00								
<i>Eucalyptus socialis</i> ssp. <i>socialis</i>	4	0.57	DD	DD	0	DD	0.0	4	4	prob another ssp		0.00								
<i>Eucalyptus socialis</i> ssp. South Great Victoria Desert (D.N)		0.00	LC	LC	1	0	0.3			now ssp <i>victoriensis</i>		0.00								
<i>Eucalyptus trivalvis</i>	1	2.50	RA d(i,ii)	RA	3	0	0.3	1				0.00								
<i>Eucalyptus viminalis</i> ssp. <i>cygnetensis</i>		0.00										0.00								
<i>Eucalyptus vokesensis</i>	21	58.33	RA d(i,ii)	RA	3	0	0.3	10	5			0.00								
<i>Eucalyptus wyolensis</i>		0.00										0.00								
<i>Eucalyptus yalataensis</i>	1	0.20	RA d(i,ii)	RA	3	0	0.3	1	1		46	9.35	LC	LC	1	0	0.3	27	8	
<i>Eucalyptus youngiana</i>	38	25.00	RA d(i,ii)	RA	3	0	0.3	26	6			0.00								
<i>Eucalyptus yumbarrana</i> ssp. <i>yumbarrana</i>	79	60.31	LC	LC	1	0	0.3	64	46			0.00								
<i>Euchiton collinus</i>		0.00										0.00								
<i>Euchiton sphaericus</i>	1	0.23	RA d(i,ii)	RA	3	0	0.3	1	1			0.00								
<i>Eulalia aurea</i>		0.00									1	0.44						1	1	probable introduction
<i>Euphorbia parvicaruncula</i>		0.00										0.00								
<i>Euphorbia stevenii</i>		0.00										0.00								
<i>Euphorbia tannensis</i> ssp. <i>eremophila</i>	82	7.51	LC	LC	1	0	0.3	66	29			0.00								
<i>Euphrasia collina</i> ssp. <i>tetragona</i>		0.00										0.00								
<i>Eutaxia diffusa</i>		0.00										0.00								
<i>Eutaxia microphylla</i>	19	0.91	LC	LC	1	0	0.3	18	11		9	0.43	LC	LC	1	0	0.3	8	4	
<i>Evolvulus alsinoides</i> var. <i>villosicalyx</i>	2	2.70	RA d(i,ii)	RA	3	DD	0.0	2				0.00								
<i>Exocarpos aphyllus</i>	73	2.93	LC	LC	1	0	0.3	61	36		100	4.01	LC	LC	1	0	0.3	89	63	
<i>Exocarpos cupressiformis</i>		0.00										0.00								
<i>Exocarpos sparteus</i>	30	2.81	LC	LC	1	0	0.3	26	19		2	0.19	LC	LC	1	0	0.3	2	2	
<i>Exocarpos syrticola</i>		0.00									2	0.39	RA d(i,ii)	RA	3	0	0.3	2	2	
<i>Ficinia nodosa</i>		0.00									1	0.10	RA d(ii)	RA	3	0	0.3	1	1	
<i>Fimbristylis dichotoma</i>		0.00										0.00								
<i>Flaveria australasica</i>		0.00										0.00								
<i>Frankenia cinerea</i>	5	41.67	RA d(i,ii)	RA	3	DD	0.0	5	1			0.00								
<i>Frankenia crispa</i>		0.00										0.00								
<i>Frankenia cupularis</i>		0.00										0.00								
<i>Frankenia foliosa</i>	3	1.28	RA d(i,ii)	RA	3	DD	0.0	3				0.00								
<i>Frankenia pauciflora</i> var. <i>fruticulosa</i>	2	0.30	RA d(ii)	RA	3	DD	0.0	2			24	3.61	LC	LC	1	0	0.3	17	16	
<i>Frankenia pauciflora</i> var. <i>gunnii</i>		0.00									4	2.63	LC	LC	1	DD	0.0	3	3	
<i>Frankenia plicata</i>		0.00										0.00								
<i>Frankenia serpyllifolia</i>	5	0.71	LC	LC	1	0	0.3	4	4		36	5.12	LC	LC	1	0	0.3	20	16	
<i>Frankenia sessilis</i>		0.00									45	12.03	LC	LC	1	0	0.3	31	31	
<i>Gahnia ancistrophylla</i>		0.00										0.00								
<i>Gahnia deusta</i>		0.00										0.00								
<i>Gahnia filium</i>		0.00										0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	Yellabinna Records	% Yellabinna		Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)						Yalata Records	% Yalata		Proposed Regional IUCN Status (Yalata)	Proposed Regional IUCN Status (Yalata)					
Gahnia lanigera	39	2.87	LC	LC	1	0	0.3	35	26		8	0.59	LC	LC	1	0	0.3	8	7	
Gahnia trifida		0.00										0.00								
Galium compactum		0.00										0.00								
Galium gaudichaudii		0.00										0.00								
Galium migrans		0.00										0.00								
Geijera linearifolia	73	4.94	LC	LC	1	0	0.3	63	42		118	7.98	LC	LC	1	0	0.3	93	69	
Genoplesium nigricans		0.00										0.00								
Genoplesium rufum		0.00										0.00								
Geococcus pusillus		0.00										0.00								
Geranium potentilloides var. potentilloides		0.00										0.00								
Geranium retrorsum		0.00										0.00								
Geranium solanderi var. solanderi		0.00										0.00								
Gilesia biniflora	2	7.14	RA d(i,ii)	RA	3	DD	0.0	2	2	ephemeral		0.00								
Glinus lotoides		0.00										0.00								
Glischrocaryon aureum var. angustifolium	6	7.69	LC	LC	1	0	0.3	6	4			0.00								
Glischrocaryon behrii	4	0.44	RA d(i,ii)	RA	3	DD	0.0	4	4		1	0.11	RA d(i,ii)	RA	3	DD	0.0	1	1	
Glischrocaryon flavescens	2	1.46	RA d(i,ii)	RA	3	0	0.3	2		rocky hills, gorges		0.00								
Glossocardia bidens		0.00										0.00								
Glossodia major		0.00										0.00								
Glossostigma cleistanthum		0.00										0.00								
Glossostigma diandrum		0.00										0.00								
Glossostigma drummondii		0.00										0.00								
Glycine canescens	2	0.72	RA d(ii)	RA	3	0	0.3	2	1			0.00								
Glycine rubiginosa		0.00										0.00								
Gnaphalium indutum		0.00										0.00								
Gnephosis arachnoidea	1	0.19	NE	NE	-1			1	1	check ID		0.00								
Gnephosis drummondii		0.00										0.00								
Gnephosis tenuissima	62	16.49	LC	LC	1	0	0.3	50	14			0.00								
Gompholobium ecostatum		0.00										0.00								
Gonocarpus elatus	1	0.07	RA d(i,ii)	RA	3	-	0.4	1		grazed		0.00								
Gonocarpus mezeianus		0.00										0.00								
Goodenia albiflora		0.00										0.00								
Goodenia benthamiana		0.00										0.00								
Goodenia berardiana	4	2.44	RA d(i,ii)	RA	3	DD	0.0	4				0.00								
Goodenia blackiana		0.00										0.00								
Goodenia calcarata		0.00										0.00								
Goodenia centralis		0.00										0.00								
Goodenia cycloptera	4	1.10	RA d(ii)	RA	3	DD	0.0	3	2	edge of range		0.00								
Goodenia fascicularis	2	0.19	RA d(i,ii)	RA	3	DD	0.0	1	1			0.00								
Goodenia geniculata		0.00										0.00								
Goodenia gibbosa		0.00										0.00								
Goodenia glabra	7	7.00	NT	NT	2	DD	0.0	6	1			0.00								
Goodenia glandulosa	4	50.00	RA d(ii)	RA	3	DD	0.0	4	2			0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	Yellabinna	% Yellabinna		Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)						Yalata	% Yalata		Proposed Regional IUCN Status (Yalata)	Proposed Regional IUCN Status (Yalata)					
Goodenia gypsicola		0.00									0.00									
Goodenia havilandii	11	6.96	RA d(ii)	RA	3	DD	0.0	9	2		0.00									
Goodenia heterochila		0.00									0.00									
Goodenia larapinta		0.00									0.00									
Goodenia lobata	2	3.85	RA d(ii)	RA	3	DD	0.0	1	1		0.00									
Goodenia lunata		0.00									0.00									
Goodenia modesta		0.00									0.00									
Goodenia occidentalis	5	16.67	RA d(ii)	RA	3	DD	0.0	5	1	edge of range	0.00									
Goodenia ovata		0.00									0.00									
Goodenia pinnatifida	23	1.89	LC	LC	1	0	0.3	14	7		25	2.06	LC	LC	1	0	0.3	24	14	
Goodenia pusilliflora	1	0.12	RA d(i,ii)	RA	3	DD	0.0	1	1		1	0.12	RA d(i,ii)	RA	3	DD	0.0	1	1	
Goodenia quaslibera	1	10.00	RA d(i,ii)	RA	3	DD	0.0	1			0.00									
Goodenia robusta	11	1.88	LC	LC	1	0	0.3	9	5		1	0.17	RA d(i,ii)	RA	3	0	0.3	1	1	
Goodenia varia	18	1.61	LC	LC	1	0	0.3	16	7		9	0.81	LC	LC	1	0	0.3	8	6	
Goodenia verrucosa		0.00									0.00									
Goodenia willisiana	2	0.20	RA d(ii)	RA	3	DD	0.0	2	1	edge of range	0.00									
Goodenia xanthosperma		0.00									0.00									
Goodia medicaginea	1	0.30	RA d(i,ii)	RA	3	DD	0.0	1			0.00									
Gossypium sturtianum var. sturtianum		0.00									0.00									
Grammosolen dixonii		0.00									0.00									
Grammosolen truncatus	90	58.82	LC	LC	1	0	0.3	73	36		1	0.65	RA d(i,ii)	RA	3	0	0.3	1	1	
Gratwickia monochaeta	19	23.75	LC	LC	1	0	0.3	16	10		0.00									
Grevillea albiflora		0.00									0.00									
Grevillea anethifolia	1	1.72	VU B2ab(i,ii,iii)	VU	4	-	0.4	1			0.00									
Grevillea aspera	3	0.93	RA d(i,ii)	RA	3	-	0.4	3			0.00									
Grevillea dilatata		0.00									0.00									
Grevillea halmaturina ssp. laevis		0.00									0.00									
Grevillea huegelii	116	16.20	LC	LC	1	0	0.3	92	59		2	0.28	LC	LC	1	0	0.3	2	1	
Grevillea ilicifolia ssp. ilicifolia		0.00									0.00									
Grevillea juncifolia ssp. juncifolia	21	7.32	LC	LC	1	0	0.3	19	7		0.00									
Grevillea nematophylla ssp. nematophylla	16	6.02	LC	LC	1	0	0.3	13	3		0.00									
Grevillea nematophylla ssp. supraplana		0.00									0.00									
Grevillea parallelinervis	1	1.96	RA d(i,ii)	RA	3	DD	0.0	1			0.00									
Grevillea pauciflora ssp. leptophylla		0.00									0.00									
Grevillea pauciflora ssp. pauciflora		0.00									0.00									
Grevillea pterosperma	24	6.56	LC	LC	1	0	0.3	16	6		0.00									
Grevillea sarissa ssp. umbellifera	26	46.43	LC	LC	1	0	0.3	24	14		0.00									
Grevillea stenobotrya	44	15.71	LC	LC	1	0	0.3	29	2		0.00									
Grevillea treueriana		0.00									0.00									
Gunniopsis calcarea		0.00									1	3.85	RA d(ii)	RA	3	DD	0.0	1	1	
Gunniopsis calva		0.00									0.00									
Gunniopsis papillata		0.00									0.00									
Gunniopsis quadrifida	10	2.40	RA d(ii)	RA	3	-	0.4	8	1		0.00									

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	% Yellabinna			Proposed Regional IUCN Status (Yellabinna)							% Yalata									
Gunniopsis septifraga		0.00																		
Gunniopsis zygophylloides		0.00																		
Gyrostemon australasicus	3	1.20	RA d(ii)	RA	3	DD	0.0	2	1	edge of range										
Gyrostemon ramulosus	60	21.20	LC	LC	1	0	0.3	38	12											
Gyrostemon tepperi		0.00																		
Gyrostemon thesioides		0.00																		
Haeckeria cassiniiformis		0.00																		
Haeckeria punctulata		0.00																		
Haegiela tatei		0.00																		
Hakea cycloptera		0.00																		
Hakea francisiana	63	20.32	LC	LC	1	0	0.3	50	33		1	0.32	RA d(i,ii)	RA	3	DD	0.0	1	1	
Hakea leucoptera ssp. leucoptera	9	1.17	LC	LC	1	0	0.3	8	3		1	0.13	RA d(i,ii)	RA	3	DD	0.0	1	1	
Hakea lorea ssp. lorea		0.00																		
Hakea mitchellii		0.00																		
Hakea rugosa		0.00																		
Hakea vittata		0.00																		
Halgania andromedifolia	30	6.94	LC	LC	1	0	0.3	27	18		4	0.93	RA d(ii)	RA	3	0	0.3	3	1	
Halgania cyanea	26	3.70	LC	LC	1	0	0.3	24	18		1	0.14	RA d(i,ii)	RA	3	0	0.3	1	1	
Halophila australis		0.00																		
Haloragis acutangula forma acutangula		0.00									8	5.00	NE	NE	-1			1		taxonomic issues
Haloragis acutangula forma annulata		0.00																		
Haloragis acutangula forma dentata		0.00									1	6.25	NE	NE	-1			1		taxonomic issues
Haloragis acutangula forma inflata		0.00																		
Haloragis acutangula forma obturbinata		0.00																		
Haloragis acutangula forma pyramidata		0.00									1	12.50	NE	NE	-1			1		taxonomic issues
Haloragis acutangula forma semiangulata		0.00									5	16.13	NE	NE	-1			2		taxonomic issues
Haloragis acutangula forma stellata		0.00									2	40.00	NE	NE	-1			2		taxonomic issues
Haloragis acutangula forma subacutangula		0.00																		
Haloragis acutangula forma tetraglebosa		0.00																		
Haloragis acutangula forma tetraptera		0.00									11	8.21	NE	NE	-1			1		taxonomic issues
Haloragis acutangula forma turbinata		0.00									4	12.12	NE	NE	-1			1		taxonomic issues
Haloragis aspera		0.00																		
Haloragis eyreana		0.00																		
Haloragis glauca forma glauca		0.00																		
Haloragis gossei	1	2.63	RA d(i,ii)	RA	3	DD	0.0	1	1											
Haloragis odontocarpa forma pterocarpa	6	16.22	RA d(ii)	RA	3	DD	0.0	6	1											
Haloragis odontocarpa forma rugosa	1	4.17	RA d(ii)	RA	3	DD	0.0	1												
Haloragis uncatipila		0.00																		
Hannafordia bissillii ssp. bissillii		0.00																		
Hardenbergia violacea		0.00																		
Harmsiodoxa blennodioides	1	0.56	RA d(i,ii)	RA	3	DD	0.0	1		no survey records										
Harmsiodoxa brevipes var. brevipes	2	1.67	RA d(ii)	RA	3	-	0.4	2	2											
Harmsiodoxa brevipes var. major		0.00																		

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	Yellabinna	% Yellabinna		Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)						Yalata	% Yalata		Proposed Regional IUCN Status (Yalata)	Proposed Regional IUCN Status (Yalata)					
Harmsiodoxa puberula		0.00									0.00									
Helichrysum leucopsideum	15	0.70	LC	LC	1	0	0.3	15	8		5	0.23	LC	LC	1	0	0.3	5	4	
Heliotropium aspernum		0.00										0.00								
Heliotropium europaeum	2	0.53	NE	NE	-1			2		taxonomic issues		0.00								
Hemichroa diandra	8	3.43	RA d(ii)	RA	3	0	0.3	6	2		20	8.58	LC	LC	1	0	0.3	14	10	
Hemichroa pentandra		0.00										0.00								
Hibbertia cinerea		0.00										0.00								
Hibbertia crinita		0.00										0.00								
Hibbertia crispula	17	60.71	VU B2ab(i,ii,iii)	VU	4	-	0.4	8		endemic		0.00								
Hibbertia paeninsularis		0.00										0.00								
Hibbertia platyphylla ssp. major		0.00										0.00								
Hibbertia platyphylla ssp. platyphylla		0.00										0.00								
Hibbertia riparia		0.00										0.00								
Hibbertia sp. Glabriuscula (D.J.Whibley 9012)		0.00										0.00								
Hibbertia virgata	6	0.41	RA d(ii)	RA	3	DD	0.0	4	4	to be named H. conduplicata. Edge of range	1	0.07	RA d(ii)	RA	3	DD	0.0	1	1	to be named H. conduplicata. Edge of range
Hibiscus brachysiphonius		0.00										0.00								
Hibiscus krichauffianus	6	2.55	LC	LC	1	DD	0.0	4	1			0.00								
Hibiscus solanifolius	1	1.82	RA d(ii)	RA	3	DD	0.0	1	1			0.00								
Hibiscus sturtii var. grandiflorus		0.00										0.00								
Hibiscus sturtii var. muelleri		0.00										0.00								
Homoranthus homoranthoides		0.00										0.00								
Homoranthus wilhelmii	12	4.56	LC	LC	1	0	0.3	10	8			0.00								
Hyalosperma demissum	3	0.60	RA d(ii)	RA	3	0	0.3	3	2	edge of range	2	0.40	RA d(ii)	RA	3	0	0.3	2	2	edge of range
Hyalosperma glutinosum ssp. glutinosum	3	0.92	RA d(ii)	RA	3	0	0.3	3	1	check ID of nrtn records & location of sthn record		0.00								
Hyalosperma semisterile	3	0.69	RA d(ii)	RA	3	0	0.3	3	2			0.00								
Hybanthus floribundus ssp. floribundus	12	1.31	LC	LC	1	0	0.3	12	6			0.00								
Hybanthus monopetalus		0.00										0.00								
Hydrocotyle callicarpa		0.00										0.00								
Hydrocotyle capillaris	1	0.33	RA d(i,ii)	RA	3	DD	0.0	1				0.00								
Hydrocotyle comocarpa		0.00										0.00								
Hydrocotyle foveolata		0.00										0.00								
Hydrocotyle laxiflora		0.00										0.00								
Hydrocotyle medicaginooides		0.00										0.00								
Hydrocotyle pilifera var. glabrata	3	0.84	RA d(i,ii)	RA	3	0	0.3	2	1			0.00								
Hydrocotyle rugulosa		0.00										0.00								
Hydrocotyle trachycarpa		0.00										0.00								
Hypericum gramineum		0.00										0.00								
Hypolaena fastigiata		0.00										0.00								
Hypoxis glabella var. glabella	1	0.16	RA d(ii)	RA	3	0	0.3	1	1		4	0.64	LC	LC	1	0	0.3	3	3	
Hypoxis vaginata var. vaginata		0.00										0.00								
Imperata cylindrica		0.00										0.00								
Indigofera australis var. australis		0.00										0.00								
Indigofera georgei		0.00										0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	Yellabinna	% Yellabinna		Proposed Regional	IUCN Status (Yellabinna)						Yalata	% Yalata		Proposed Regional	IUCN Status (Yalata)					
Indigofera helmsii		0.00									0.00									
Indigofera psammophila		0.00									0.00									
Iseilema eremaum		0.00									0.00									
Iseilema membranaceum		0.00									0.00									
Isoetes muelleri		0.00									0.00									
Isoetopsis graminifolia	10	1.59	LC	LC	1	0	0.3	10	8		8	1.27	LC	LC	1	0	0.3	8	3	
Isolepis australiensis		0.00									0.00									
Isolepis cernua		0.00									0.00									
Isolepis congrua		0.00									0.00									
Isolepis fluitans		0.00									0.00									
Isolepis hookeriana		0.00									0.00									
Isolepis inundata		0.00									0.00									
Isolepis platycarpa		0.00									0.00									
Isolepis stellata		0.00									0.00									
Isotoma petraea	1	0.27	RA d(i,ii)	RA	3	DD	0.0	1	1	very specific habitat	0.00									
Isotoma scapigera		0.00									0.00	RA d(i,ii)	RA	3	DD	0.0				no records
Ixiochlamys cuneifolia		0.00									0.00									
Ixiochlamys filicifolia	3	4.11	RA d(ii)	RA	3	0	0.3	3	1	southern limit	0.00									
Ixiochlamys nana		0.00									0.00									
Ixodia achillaeoides ssp. achillaeoides		0.00									0.00									
Ixodia achillaeoides ssp. alata		0.00									0.00									
Jasminum didymum ssp. lineare		0.00									0.00									
Juncus aridicola		0.00									0.00									
Juncus bufonius	5	0.92	NT	NT	2	0	0.3	5	3		0.00									
Juncus kraussii		0.00									0.00									
Juncus pallidus		0.00									0.00									
Juncus radula		0.00									0.00									
Juncus subsecundus		0.00									0.00									
Kennedia prostrata		0.00									0.00									
Keraudrenia nephrosperma		0.00									0.00									
Keraudrenia sp. North West (J.Z.Weber 6475)		0.00									0.00									
Kippistia suaedifolia	2	1.94	RA d(ii)	RA	3	0	0.3	2		gypsious habitat	8	7.77	RA d(ii)	RA	3	0	0.3	8	5	gypsious habitat
Korthalsella japonica forma japonica	1	16.67	NE	NE	-1			1		taxonomic issues	0.00									
Lachnagrostis aemula		0.00									0.00									
Lachnagrostis billardierei ssp. billardierei		0.00									0.00									
Lachnagrostis filiformis		0.00									0.00									
Lagenophora huegelii		0.00									0.00									
Lasiopetalum baueri	5	0.63	NT	NT	2	0	0.3	5	4		0.00									
Lasiopetalum behrii	14	1.85	NT	NT	2	0	0.3	13	8		1	0.13	RA d(i,ii)	RA	3	0	0.3	1	1	
Lasiopetalum discolor		0.00									0.00									
Lasiopetalum schulzenii		0.00									0.00									
Lawrencella davenportii	52	22.03	LC	LC	1	0	0.3	34	14		0.00									
Lawrenca berthae		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	% Yellabinna	LC		Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)						% Yalata	LC								
Lawrenzia glomerata	7	1.75	LC	LC	1	0	0.3	6	3		5	1.25	LC	LC	1	0	0.3	5	2	
Lawrenzia spicata		0.00										0.00								
Lawrenzia squamata	9	1.22	LC	LC	1	0	0.3	9	3		39	5.28	LC	LC	1	0	0.3	31	27	
Laxmannia orientalis		0.00										0.00								
Lechenaultia aphylla	2	40.00	VU D1+D	VU	4	DD	0.0	1	1			0.00								
Lechenaultia divaricata	1	0.44	RA d(i,ii)	RA	3	DD	0.0	1	1	Helen to check		0.00								
Lechenaultia striata		0.00										0.00								
Leiocarpa leptolepis		0.00										0.00								
Leiocarpa plurisetata		0.00									2	5.71	RA d(ii)	RA	3	DD	0.0	1	1	
Leiocarpa semicalva ssp. semicalva	3	0.40	RA d(ii)	RA	3	0	0.3	3	2	southern limit		0.00								
Leiocarpa supina		0.00										0.00								
Leiocarpa tomentosa		0.00									1	0.50	RA d(i,ii)	RA	3	0	0.3	1	1	
Leiocarpa websteri		0.00										0.00								
Lemna disperma		0.00										0.00								
Lemooria burkittii	2	1.12	LC	LC	1	0	0.3	2	2			0.00								
Lepidium fasciculatum		0.00										0.00								
Lepidium foliosum		0.00										0.00								
Lepidium leptopetalum		0.00										0.00								
Lepidium muelleri-ferdinandi	2	0.78	RA d(ii)	RA	3	DD	0.0	2	1			0.00								
Lepidium oxytrichum	12	1.86	LC	LC	1	0	0.3	10	5			0.00								
Lepidium papillosum		0.00										0.00								
Lepidium phlebopetalum	51	6.68	LC	LC	1	0	0.3	34	14		6	0.79	LC	LC	1	0	0.3	6	5	
Lepidium pseudoruderale		0.00										0.00								
Lepidium rotundum		0.00										0.00								
Lepidium sagittulatum		0.00										0.00								
Lepidosperma canescens		0.00										0.00								
Lepidosperma carphoides	3	0.17	RA d(ii)	RA	3	0	0.3	3	2			0.00								
Lepidosperma concavum	3	0.70	RA d(ii)	RA	3	0	0.3	2				0.00								
Lepidosperma congestum	2	0.52	RA d(ii)	RA	3	0	0.3	2	1			0.00								
Lepidosperma curtisiae		0.00										0.00								
Lepidosperma gladiatum		0.00										0.00								
Lepidosperma leptophyllum		0.00										0.00								
Lepidosperma sp. Narrow leaf (R.L. Taplin 709)		0.00										0.00								
Lepidosperma viscidum	32	1.36	LC	LC	1	0	0.3	28	26		1	0.04	LC	LC	1	0	0.3	1	1	
Lepilaena australis	1	1.92	RA d(ii)	RA	3	DD	0.0	1	1	needs fresh water, ephemeral		0.00								
Lepilaena cylindrocarpa		0.00										0.00								
Lepilaena marina		0.00										0.00								
Lepilaena preissii		0.00										0.00								
Leporella fimbriata		0.00										0.00								
Leptoceras menziesii		0.00										0.00								
Leptomeria aphylla	1	0.29	RA d(ii)	RA	3	-	0.4	1				0.00								
Leptomeria preissiana		0.00										0.00								
Leptorhynchus baileyi		0.00										0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	% Yellabinna			Proposed Regional IUCN Status (Yellabinna)							% Yalata									
Leptorhynchus elongatus		0.00																		
Leptorhynchus melanocarpus		0.00																		
Leptorhynchus scaber		0.00																		
Leptorhynchus squamatus ssp. squamatus		0.00																		
Leptorhynchus tetrachaetus		0.00																		
Leptorhynchus waitzia		0.00									10	3.66	LC	LC	1	0	0.3	8	4	often occurs in large numbers
Leptospermum coriaceum	90	6.83	LC	LC	1	0	0.3	62	31		1	0.08	RA d(ii)	RA	3	0	0.3	1	1	
Leptospermum fastigiatum		0.00																		
Leucochrysum fitzgibbonii	18	10.00	LC	LC	1	0	0.3	14	1											
Leucochrysum melle		0.00																		
Leucochrysum stipitatum	4	2.14	LC	LC	1	0	0.3	3	2											
Leucophyta brownii		0.00									11	2.08	LC	LC	1	0	0.3	8	4	threat of coastal development
Leucopogon clevelandii		0.00																		
Leucopogon cordifolius	36	5.27	LC	LC	1	0	0.3	33	23											
Leucopogon parviflorus		0.00																		
Leucopogon revolutus		0.00																		
Leucopogon rufus		0.00																		
Leucopogon woodsii		0.00																		
Levenhookia dubia		0.00																		
Levenhookia stipitata		0.00																		
Lilaeopsis polyantha		0.00																		
Limosella australis	2	3.23	EN D	EN	5	DD	0.0	2	2	questionable ID										
Limosella curdieana var. curdieana		0.00																		
Limosella curdieana var. Long-pedicelled (W.R.Barker 38)	1	100.00	VU D2	VU	4	DD	0.0	1	1	specific habitat										
Limosella granitica	2	11.11	VU D2	VU	4	DD	0.0	2	2	endemic										
Linum marginale		0.00																		
Lissanthe strigosa ssp. subulata		0.00																		
Lobelia anceps		0.00																		
Lobelia gibbosa		0.00																		
Lobelia heterophylla		0.00																		
Logania crassifolia		0.00																		
Logania linifolia		0.00																		
Logania minor		0.00																		
Logania nuda	40	21.39	LC	LC	1	0	0.3	32	13											
Logania ovata		0.00																		
Lomandra collina	33	2.54	LC	LC	1	0	0.3	29	18		8	0.62	LC	LC	1	0	0.3	7	5	
Lomandra effusa	2	0.14	LC	LC	1	0	0.3	2	1		17	1.17	LC	LC	1	0	0.3	16	13	
Lomandra juncea		0.00																		
Lomandra leucocephala ssp. robusta	69	7.87	LC	LC	1	0	0.3	61	35		1	0.11	LC	LC	1	0	0.3	1	1	lack of suitable habitat
Lomandra micrantha ssp. micrantha		0.00																		
Lomandra micrantha ssp. tuberculata		0.00																		
Lomandra sororia		0.00																		
Lotus australis		0.00																		

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	Yellabinna	% Yellabinna		Proposed Regional	IUCN Status (Yellabinna)						Yalata	% Yalata		Proposed Regional	IUCN Status (Yalata)					
Lotus cruentus	5	0.45	LC	LC	1	0	0.3	3	1		2	0.18	RA d(ii)	RA	3	DD	0.0	2		
Luzula densiflora		0.00										0.00								
Luzula meridionalis		0.00										0.00								
Lycium australe	121	11.67	LC	LC	1	0	0.3	91	55		41	3.95	LC	LC	1	0	0.3	34	30	
Lysiana exocarpi ssp. exocarpi	35	1.91	LC	LC	1	0	0.3	31	13		9	0.49	LC	LC	1	0	0.3	7	2	
Lysiana murrayi	15	7.11	LC	LC	1	0	0.3	11				0.00								
Lythrum hyssopifolia	1	0.24	RA d(ii)	RA	3	DD	0.0	1				0.00								
Lythrum wilsonii		0.00										0.00								
Maireana aphylla		0.00										0.00								
Maireana appressa	10	2.41	NT	NT	2	0	0.3	7	2		3	0.72	RA d(ii)	RA	3	0	0.3	3	3	
Maireana astrotricha		0.00										0.00								
Maireana brevifolia	5	0.41	NT	NT	2	DD	0.0	4	1		1	0.08	NT	NT	2	0	0.3	1	1	
Maireana campanulata		0.00										0.00								
Maireana cannonii		0.00										0.00								
Maireana carnosia		0.00										0.00								
Maireana ciliata		0.00										0.00								
Maireana coronata		0.00										0.00								
Maireana enchylaenoides	1	0.10	RA d(ii)	RA	3	0	0.3	1	1			0.00								
Maireana eriantha		0.00										0.00								
Maireana erioclada	88	6.85	LC	LC	1	0	0.3	66	53		131	10.20	LC	LC	1	0	0.3	118	97	
Maireana georgei	81	10.09	LC	LC	1	0	0.3	70	42		2	0.25	LC	LC	1	0	0.3	2		
Maireana integra	34	10.30	LC	LC	1	0	0.3	27	10			0.00								
Maireana lobiflora		0.00									2	1.89	RA d(ii)	RA	3	DD	0.0	2	1	responds well to rain
Maireana melanocarpa		0.00										0.00								
Maireana microcarpa		0.00										0.00								
Maireana oppositifolia	10	1.26	NT	NT	2	0	0.3	8	4		60	7.57	LC	LC	1	0	0.3	38	30	
Maireana ovata		0.00										0.00								
Maireana pentatropis	195	17.08	LC	LC	1	0	0.3	164	88		28	2.45	LC	LC	1	0	0.3	21	6	
Maireana planifolia	1	0.96	RA d(ii)	RA	3	DD	0.0	1	1			0.00								
Maireana pyramidata		0.00									1	0.06						1	1	probable introduction
Maireana radiata	156	24.22	LC	LC	1	0	0.3	120	70		24	3.73	LC	LC	1	0	0.3	24	18	
Maireana rohlfachii	2	1.06	RA d(ii)	RA	3	-	0.4	2	1	heavily grazed, grassy woodlands	1	0.53	RA d(ii)	RA	3	-	0.4	1	1	heavily grazed, grassy woodlands
Maireana schistocarpa		0.00										0.00								
Maireana scleroptera		0.00										0.00								
Maireana sedifolia	143	10.36	LC	LC	1	0	0.3	94	54		23	1.67	LC	LC	1	0	0.3	23	18	
Maireana spongocarpa	2	1.43	RA d(ii)	RA	3	DD	0.0	2				0.00								
Maireana suaedifolia	6	22.22	NT	NT	2	DD	0.0	6	4			0.00								
Maireana tomentosa ssp. urceolata	4	4.55	RA d(ii)	RA	3	0	0.3	4	1			0.00								
Maireana trichoptera	134	11.70	LC	LC	1	0	0.3	95	63		27	2.36	LC	LC	1	0	0.3	26	17	
Maireana triptera	5	1.60	NT	NT	2	0	0.3	5	3	increases in mallee after fire	9	2.88	LC	LC	1	0	0.3	5	5	increases in mallee after fire
Maireana turbinata	8	1.31	LC	LC	1	0	0.3	7	3		6	0.98	LC	LC	1	0	0.3	6	4	
Maireana villosa	1	0.72	RA d(ii)	RA	3	DD	0.0	1				0.00								
Malacocera albolanata		0.00										0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	Yellabinna	% Yellabinna		Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)						Yalata	% Yalata		Proposed Regional IUCN Status (Yalata)	Proposed Regional IUCN Status (Yalata)					
Malacocera gracilis		0.00																		
Malacocera tricornis		0.00																		
Malva preissiana	5	0.61	RA d(ii)	RA	3	0	0.3	3												
Malvastrum americanum var. americanum		0.00																		
Marsdenia australis	34	6.58	LC	LC	1	0	0.3	28	7											
Marsilea costulifera		0.00																		
Marsilea drummondii		0.00																		
Marsilea exarata		0.00																		
Marsilea hirsuta		0.00																		
Melaleuca acuminata ssp. acuminata	4	0.32	RA d(i,ii)	RA	3	0	0.3	4												
Melaleuca armillaris ssp. akineta	1	0.75	RA d(ii)	RA	3	0	0.3	1												
Melaleuca brevifolia		0.00																		
Melaleuca decussata		0.00																		
Melaleuca eleuterostachya	153	51.17	LC	LC	1	0	0.3	116	91		2	0.67	RA d(ii)	RA	3	0	0.3	2	1	
Melaleuca gibbosa		0.00																		
Melaleuca glomerata		0.00																		
Melaleuca halmaturorum		0.00																		
Melaleuca interioris	1	2.17	RA d(ii)	RA	3	0	0.3	1	1											
Melaleuca lanceolata	20	3.53	RA d(ii)	RA	3	0	0.3	16	15		23	4.06	LC	LC	1	0	0.3	22	18	
Melaleuca leiocarpa	23	60.53	RA d(ii)	RA	3	0	0.3	18	15											
Melaleuca nanophylla		0.00																		
Melaleuca oxyphylla	1	1.89	RA d(ii)	RA	3	DD	0.0	1												
Melaleuca pauperiflora ssp. mutica	23	5.26	LC	LC	1	0	0.3	21	15		26	5.95	LC	LC	1	0	0.3	24	17	
Melaleuca quadrifaria		0.00																		
Melaleuca uncinata		0.00																		
Melaleuca xerophila	2	2.90	RA d(i,ii)	RA	3	0	0.3	1	1											
Menkea australis	3	3.26	RA d(ii)	RA	3	DD	0.0	2	1	possibly undercollected										
Menkea crassa		0.00																		
Menkea sphaerocarpa		0.00																		
Menkea villosula		0.00																		
Mentha australis		0.00																		
Mentha satereioides		0.00																		
Micranthemum demissum		0.00																		
Microcybe multiflora ssp. baccharoides	4	5.56	RA d(ii)	RA	3	-	0.4	3	3											
Microcybe multiflora ssp. multiflora	26	17.22	LC	LC	1	0	0.3	21	11		1	0.66	RA d(i,ii)	RA	3	0	0.3	1		
Microcybe pauciflora ssp. pauciflora		0.00																		
Microlepidium alatum		0.00									4	18.18	RA d(ii)	RA	3	-	0.4	4	3	limestone soils, mossy areas
Microlepidium pilosulum		0.00									9	10.71	LC	LC	1	0	0.3	7	5	
Microseris lanceolata	1	0.09	RA d(ii)	RA	3	-	0.4	1	limited		1	0.09	RA d(ii)	RA	3	-	0.4	1	1	limited
Microtis arenaria		0.00																		
Microtis atrata		0.00																		
Microtis eremaea		0.00																		
Microtis frutetorum		0.00																		

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	% Yellabinna			Proposed Regional IUCN Status (Yellabinna)							% Yalata									
Microtis orbicularis		0.00																		
Microtis sp. Short-leaf (R.J. Bates 54342)		0.00																		
Millotia greevesii ssp. helmsii	20	57.14	NE	NE	-1			9		taxonomic issues, should be more records										
Millotia incurva	3	20.00	RA d(ii)	RA	3	DD	0.0	3												
Millotia macrocarpa	3	12.50	RA d(ii)	RA	3	DD	0.0	2												
Millotia major		0.00																		
Millotia muelleri	7	1.23	LC	LC	1	0	0.3	6	2		1	0.18	RA d(i,ii)	RA	3	0	0.3	1	1	
Millotia myosotidifolia	7	1.06	LC	LC	1	0	0.3	6	5											
Millotia perpusilla	5	4.46	RA d(ii)	RA	3	DD	0.0	5												
Millotia tenuifolia var. tenuifolia		0.00																		
Mimulus repens		0.00																		
Minuria annua		0.00																		
Minuria cunninghamii	18	2.75	LC	LC	1	0	0.3	12	9		3	0.46	LC	LC	1	0	0.3	3	3	
Minuria denticulata		0.00																		
Minuria integerrima		0.00																		
Minuria leptophylla	22	2.02	LC	LC	1	0	0.3	14	7											
Minuria multiseta	1	5.88	RA d(ii)	RA	3	0	0.3	1		likes gypsum, limited habitat, WA spp										
Mitrasacme pilosa var. pilosa		0.00																		
Mollugo cerviana		0.00																		
Monachather paradoxus	28	6.60	LC	LC	1	0	0.3	26	15											
Muehlenbeckia adpressa	1	0.16	RA d(i,ii)	RA	3	0	0.3	1												
Muehlenbeckia diclina ssp. diclina		0.00																		
Muehlenbeckia florulenta		0.00																		
Muehlenbeckia gunnii		0.00																		
Muehlenbeckia horrida ssp. horrida		0.00																		
Muelleranthus stipularis		0.00																		
Murchisonia volubilis	26	41.94	LC	LC	1	0	0.3	20	5											
Myoporum brevipes		0.00									2	0.99	RA d(ii)	RA	3	0	0.3	2		
Myoporum insulare		0.00									25	2.29	LC	LC	1	0	0.3	13	8	
Myoporum montanum	1	0.15	RA d(ii)	RA	3	0	0.3	1												
Myoporum parvifolium		0.00																		
Myoporum platycarpum ssp. perbellum		0.00																		
Myoporum platycarpum ssp. platycarpum	149	20.16	LC	LC	1	0	0.3	121	50		44	5.95	LC	LC	1	0	0.3	44	35	
Myoporum viscosum		0.00																		
Myosotis australis		0.00																		
Myosurus minimus var. australis		0.00																		
Myriocephalus pluriflorus		0.00																		
Myriocephalus rudallii		0.00																		
Myriocephalus squamatus		0.00																		
Myriophyllum integrifolium		0.00																		
Myriophyllum muelleri		0.00																		
Myriophyllum salsugineum		0.00																		
Myriophyllum verrucosum	3	1.92	RA d(ii)	RA	3	DD	0.0	2	1	grows in dams, stock water										

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	% Yellabinna			Proposed Regional IUCN Status (Yellabinna)							% Yalata									
Neobassia proceriflora		0.00									0.00									
Neurachne alopecuroidea		0.00									0.00									
Neurachne munroi		0.00									0.00									
Newcastelia bracteosa		0.00									0.00									
Newcastelia cephalantha var. cephalantha		0.00									0.00									
Newcastelia spodiotricha		0.00									0.00									
Nicotiana goodspeedii	20	4.80	LC	LC	1	0	0.3	16	2		23	5.52	LC	LC	1	0	0.3	20	14	
Nicotiana maritima		0.00									0.00									
Nicotiana occidentalis ssp. obliqua	3	2.48	RA d(ii)	RA	3	DD	0.0		2		0.00									
Nicotiana rosulata ssp. rosulata		0.00									0.00									
Nicotiana simulans	3	1.24	RA d(i,ii)	RA	3	DD	0.0	3	1	edge of range	0.00									
Nicotiana velutina	21	2.16	LC	LC	1	0	0.3	15	4		0.00									
Nitraria billardierei		0.00									61	3.58	LC	LC	1	0	0.3	38	33	on dunes, weedy species
Olaix obcordata		0.00									0.00									
Olearia adenolasia		0.00									0.00									
Olearia axillaris		0.00									10	0.64	RA d(i,ii)	RA	3	0	0.3	6	6	
Olearia brachyphylla		0.00									6	3.21	LC	LC	1	0	0.3	5	5	likes hard limestone
Olearia calcarea	20	13.99	LC	LC	1	0	0.3	13	12		1	0.70	RA d(ii)	RA	3	DD	0.0	1	1	
Olearia ciliata var. ciliata	2	0.46	RA d(i,ii)	RA	3	0	0.3	2		edge of range	0.00									
Olearia decurrens	4	0.53	RA d(ii)	RA	3	0	0.3	4	1		0.00									
Olearia exiguifolia	38	25.17	LC	LC	1	0	0.3	31	19		18	11.92	LC	LC	1	0	0.3	16	15	
Olearia floribunda var. floribunda	5	1.63	RA d(ii)	RA	3	0	0.3	5	4		2	0.65	RA d(ii)	RA	3	0	0.3	2	1	
Olearia lanuginosa	1	0.96	RA d(ii)	RA	3	0	0.3	1	1		2	1.92	RA d(ii)	RA	3	0	0.3	2	2	
Olearia lepidophylla	15	4.87	LC	LC	1	0	0.3	13	8			0.00								
Olearia magniflora	35	15.35	LC	LC	1	0	0.3	30	20		32	14.04	LC	LC	1	0	0.3	28	20	
Olearia minor	2	1.03	RA d(i,ii)	RA	3	DD	0.0	2	1		4	2.06	LC	LC	1	0	0.3	4	3	
Olearia muelleri	173	16.86	LC	LC	1	0	0.3	136	81		39	3.80	LC	LC	1	0	0.3	35	25	
Olearia pannosa ssp. pannosa		0.00										0.00								
Olearia passerinoides ssp. passerinoides	4	5.26	RA d(ii)	RA	3	0	0.3	4	1		1	1.32	RA d(ii)	RA	3	0	0.3	1	1	
Olearia picridifolia		0.00										0.00								
Olearia pimeleoides ssp. incana		0.00										0.00								
Olearia pimeleoides ssp. pimeleoides	14	2.94	LC	LC	1	0	0.3	11	6			0.00								
Olearia ramulosa		0.00										0.00								
Olearia rudis		0.00										0.00								
Olearia stuartii		0.00										0.00								
Olearia subspicata	11	14.10	LC	LC	1	0	0.3	11	6			0.00								
Omphalolappula concava	16	1.75	LC	LC	1	0	0.3	13	8		8	0.87	LC	LC	1	0	0.3	7	2	
Opercularia scabrida		0.00										0.00								
Opercularia turpis	10	1.16	LC	LC	1	0	0.3	8	4			0.00								
Ophioglossum lusitanicum	3	1.02	RA d(ii)	RA	3	DD	0.0	3	1	only visible in winter, occurs grassy plains	0.00									
Ophioglossum polyphyllum	3	18.75	VU D2	VU	4	DD	0.0	3	3			0.00								
Orobanche cernua var. australiana		0.00										0.00								
Orthoceras strictum		0.00										0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	Yellabinna	% Yellabinna		Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)						Yalata	% Yalata		Proposed Regional IUCN Status (Yalata)	Proposed Regional IUCN Status (Yalata)					
Orthrosanthus multiflorus		0.00									0.00									
Osteocarpum acropterum var. acropterum	1	0.34	RA d(i,ii)	RA	3	-	0.4	1			0.00									
Osteocarpum dipteropterum		0.00									0.00									
Osteocarpum pentapterum		0.00									0.00									
Osteocarpum salsuginosum	4	4.35	RA d(ii)	RA	3	DD	0.0	4		1	1.09	RA d(i,ii)	RA	3	DD	0.0	1	1		
Owenia acidula		0.00									0.00									
Oxalis perennans	4	0.52	LC	LC	1	0	0.3	4	2	5	0.65	LC	LC	1	0	0.3	4	4		
Oxalis radicata	1	1.16	RA d(i,ii)	RA	3	0	0.3	1	1		0.00									
Ozothamnus decurrens	9	2.78	LC	LC	1	0	0.3	9	7	1	0.31	RA d(i,ii)	RA	3	0	0.3	1	1		
Ozothamnus retusus	9	1.89	LC	LC	1	0	0.3	8	2		0.00									
Pachymitis cardaminioides		0.00									0.00									
Panicum decompositum var. decompositum		0.00									0.00									
Panicum effusum var. effusum	1	0.42	RA d(ii)	RA	3	0	0.3	1	1		0.00									
Panicum laevinode		0.00									0.00									
Paractaenum novae-hollandiae ssp. reversum	13	6.95	RA d(ii)	RA	3	DD	0.0	11	1		0.00									
Paractaenum refractum	9	4.25	LC	LC	1	0	0.3	8	1		0.00									
Paraneurachne muelleri		0.00									0.00									
Parietaria australis		0.00								1	2.78	NT	NT	2	0	0.3	1			common after fire, undercollected, coastal
Parietaria cardiostegia	4	1.63	RA d(ii)	RA	3	0	0.3	3	2		0.00									common after fire
Parietaria debilis	3	0.91	LC	LC	1	0	0.3	3	1		1.52	LC	LC	1	0	0.3	4	4		needs crevices, should be more records
Pelargonium australe		0.00									0.00									
Pelargonium littorale		0.00									0.00									
Persicaria prostrata		0.00									0.00									
Phebalium bullatum	21	2.63	LC	LC	1	0	0.3	18	8		0.00									
Pheladenia deformis		0.00									0.00									
Philothea angustifolia ssp. angustifolia		0.00									0.00									
Philothea linearis		0.00									0.00									
Philothea pungens		0.00									0.00									
Phlegmatospermum cochlearinum	3	1.81	RA d(i,ii)	RA	3	DD	0.0	2		6	3.61	LC	LC	1	DD	0.0	5			
Phlegmatospermum eremaeum		0.00									0.00									
Phlegmatospermum richardii		0.00								4	80.00	VU D2	VU	4	DD	0.0	2	2		
Phyllangium distylis		0.00									0.00									
Phyllangium divergens		0.00									0.00									
Phyllangium sulcatum	1	6.67	EN B2ab(i,ii,iii)	EN	5	--	0.5	1	1		0.00									
Phyllanthus calycinus		0.00									0.00									
Phyllanthus fuemrohrrii		0.00									0.00									
Phyllanthus lacunarius		0.00									0.00									
Phyllanthus saxosus		0.00									0.00									
Phylloglossum drummondii		0.00									0.00									
Phyllota remota		0.00									0.00									
Picris angustifolia ssp. angustifolia		0.00									0.00									
Piulularia novae-hollandiae		0.00									0.00									
Pimelea flava ssp. dichotoma	1	0.13	RA d(ii)	RA	3	0	0.3	1	1		0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	Yellabinna	% Yellabinna		Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)						Yalata	% Yalata		Proposed Regional IUCN Status (Yalata)	Proposed Regional IUCN Status (Yalata)					
Pimelea glauca		0.00									0.00									
Pimelea imbricata var. petraea	1	1.18	RA d(ii)	RA	3	DD	0.0	1			0.00									
Pimelea micrantha		0.00									0.59	RA d(ii)	RA	3	0	0.3		2	1	
Pimelea microcephala ssp. microcephala	83	8.89	LC	LC	1	0	0.3	70	25		0.32	RA d(i,ii)	RA	3	0	0.3	3	1	edge of range	
Pimelea octophylla		0.00									0.00									
Pimelea petrophila		0.00									0.00									
Pimelea phyllicoides		0.00									0.00									
Pimelea serpyllifolia ssp. serpyllifolia	2	0.14	RA d(ii)	RA	3	DD	0.0	2	2		0.94	LC	LC	1	0	0.3	13	10		
Pimelea simplex ssp. continua		0.00									0.00									
Pimelea simplex ssp. simplex	22	5.02	LC	LC	1	0	0.3	15	5		0.00									
Pimelea stricta		0.00									0.00									
Pimelea subvillifera	2	5.13	RA d(i,ii)	RA	3	-	0.4	2			0.00									
Pimelea trichostachya	2	1.10	RA d(ii)	RA	3	DD	0.0	2	1		0.00									
Pimelea williamsonii		0.00									0.00									
Pittosporum angustifolium	121	4.03	LC	LC	1	0	0.3	98	38		2.93	LC	LC	1	0	0.3	64	42		
Pittosporum ligustrifolium		0.00									0.00									
Pityrodia loricata		0.00									0.00									
Plagiobothrys plurisepaleus		0.00									0.00									
Plantago drummondii	4	0.39	LC	LC	1	0	0.3	4	3		0.68	LC	LC	1	0	0.3	6	4		
Plantago gaudichaudii		0.00									0.00									
Plantago hispida		0.00									0.00									
Plantago sp. A (A.C.Robinson 704)		0.00									0.00									
Plantago sp. B (R.Bates 44765)	2	0.68	RA d(ii)	RA	3	0	0.3	2	2		1.69	RA d(ii)	RA	3	0	0.3	4	4		
Plantago turrifera		0.00									0.00									
Plantago varia		0.00									0.00									
Platysace heterophylla var. heterophylla		0.00									0.00									
Pleuropappus phyllocalymmeus		0.00									0.00									
Pleurosorus rutifolius		0.00									0.00									
Pleurosorus subglandulosus		0.00									0.00									
Pluchea rubelliflora		0.00									0.00									
Poa clelandii		0.00									0.00									
Poa crassicaudex		0.00									0.00									
Poa drummondiana		0.00									1.27	RA d(ii)	RA	3	-	0.4	1	1		
Poa fax		0.00									0.00									
Poa fordeana		0.00									0.00									
Poa labillardieri var. labillardieri		0.00									0.00									
Poa poiformis var. poiformis		0.00									0.00									
Poa tenera		0.00									0.00									
Podolepis canescens	13	3.44	LC	LC	1	0	0.3	12	5		2.12	LC	LC	1	0	0.3	7	3		
Podolepis capillaris	116	9.48	LC	LC	1	0	0.3	90	52		0.16	RA d(ii)	RA	3	0	0.3	2	1		
Podolepis davisiana		0.00									0.00									
Podolepis jaceoides		0.00									0.00									
Podolepis longipedata		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	% Yellabinna			Proposed Regional IUCN Status (Yellabinna)							% Yalata									
Podolepis rugata var. littoralis		0.00									0.00									
Podolepis rugata var. rugata	8	2.36	RA d(ii)	RA	3	0	0.3	7	2		19	5.60	LC	LC	1	0	0.3	19	13	
Podolepis tepperi	2	0.45	RA d(ii)	RA	3	0	0.3	2												
Podotheca angustifolia	9	0.77	RA d(ii)	RA	3	0	0.3	7	5		5	0.43	RA d(ii)	RA	3	0	0.3	4	4	
Pogonolepis muelleriana	4	0.72	RA d(i,ii)	RA	3	0	0.3	4	1		1	0.18	RA d(i,ii)	RA	3	0	0.3	1		
Polycalymma stuartii	17	1.82	LC	LC	1	0	0.3	11	1											
Polygonum plebeium	1	0.65	RA d(ii)	RA	3	DD	0.0	1	1											
Polyogon tenellus		0.00																		
Pomaderris flabellaris		0.00																		
Pomaderris forrestiana		0.00																		
Pomaderris obcordata		0.00																		
Pomaderris paniculosa ssp. paniculosa		0.00									1	0.14	RA d(i,ii)	RA	3	0	0.3	1		
Pomaderris paniculosa ssp. paralia		0.00																		
Pomax umbellata	36	12.37	LC	LC	1	0	0.3	27	5		1	0.34	RA d(i,ii)	RA	3	DD	0.0	1		
Poranthera huegelii		0.00																		
Poranthera leiosperma	6	33.33	DD	DD	0	DD	0.0	5												
Poranthera microphylla	2	0.71	RA d(i,ii)	RA	3	DD	0.0	2	2											
Poranthera triandra		0.00																		
Portulaca oleracea		0.00																		
Posidonia angustifolia		0.00																		
Posidonia australis		0.00																		
Posidonia coriacea		0.00																		
Posidonia denhartogii		0.00																		
Posidonia sinuosa		0.00																		
Potamogeton ochreatus		0.00																		
Potamogeton pectinatus		0.00																		
Prasophyllum calcicola		0.00																		
Prasophyllum catenemum		0.00																		
Prasophyllum collinum		0.00																		
Prasophyllum constrictum		0.00																		
Prasophyllum elatum		0.00																		
Prasophyllum fecundum		0.00																		
Prasophyllum fitzgeraldii		0.00																		
Prasophyllum goldsackii		0.00																		
Prasophyllum laxum		0.00																		
Prasophyllum occidentale		0.00																		
Prasophyllum occultans		0.00																		
Prasophyllum odoratum		0.00																		
Prasophyllum praecox		0.00																		
Prasophyllum sp Desert		0.00																		
Prasophyllum sp. Coast sandhills (Hj.Eichler 14100)		0.00																		
Prasophyllum sp. Enigma (R.Bates 2350)		0.00																		
Prostanthera althoferi ssp. longifolia	24	29.27	LC	LC	1	0	0.3	19	3		1	1.22	RA d(i,ii)	RA	3	DD	0.0	1		

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)	Trends (-, 0, +, ++)	Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)	Proposed Regional IUCN Status (Yalata)	Trends (-, 0, +, ++)	Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	% Yellabinna	% Yalata																		
Prostanthera ammophila	12	19.67	NT	NT	2	DD	0.0	11	6			0.00								
Prostanthera aspalathoides		0.00										0.00								
Prostanthera calycina		0.00										0.00								
Prostanthera chlorantha		0.00										0.00								
Prostanthera florifera	4	3.81	RA d(i,ii)	RA	3	-	0.4	3				0.00								
Prostanthera sericea	9	18.37	LC	LC	1	0	0.3	8	4			0.00								
Prostanthera serpyllifolia ssp. microphylla	6	1.42	RA d(i,ii)	RA	3	DD	0.0	6				0.00								
Prostanthera serpyllifolia ssp. microphylla (purplish-green)		0.00										0.00								
Prostanthera serpyllifolia ssp. microphylla (red flowers)		0.00										0.00								
Prostanthera serpyllifolia ssp. serpyllifolia		0.00										0.00								
Prostanthera serpyllifolia ssp. serpyllifolia (purplish-green)		0.00										0.00								
Prostanthera serpyllifolia ssp. serpyllifolia (red flowers)	1	2.33	NE	NE	-1			1	1	taxonomic issues		0.00								
Prostanthera spinosa		0.00										0.00								
Prostanthera striatiflora		0.00										0.00								
Prostanthera wilkieana	1	2.08	RA d(ii)	RA	3	DD	0.0	1	1			0.00								
Pseudognaphalium luteoalbum	1	0.14	LC	LC	1	0	0.3	1	1			0.00								
Psydax suaveolens		0.00										0.00								
Pteridium esculentum		0.00										0.00								
Pteris tremula		0.00										0.00								
Pterocaulon sphacelatum		0.00										0.00								
Pterostylis "Mt Olinthus"		0.00										0.00								
Pterostylis aff. nana "mallee"		0.00										0.00								
Pterostylis biseta		0.00										0.00								
Pterostylis boormanii		0.00										0.00								
Pterostylis cynocephala		0.00										0.00								
Pterostylis dolichocheila		0.00										0.00								
Pterostylis erythroconcha		0.00										0.00								
Pterostylis excelsa		0.00										0.00								
Pterostylis flavovirens		0.00										0.00								
Pterostylis mutica	1	0.28	RA d(ii)	RA	3	DD	0.0	1	1	northern limit	9	2.49	RA d(ii)	RA	3	DD	0.0	7	7	northern limit
Pterostylis nana		0.00									1	0.12	DD	DD	0	DD	0.0	1		
Pterostylis ovata	1	3.70	RA d(ii)	RA	3	0	0.3	1		endemic		0.00								
Pterostylis pedunculata		0.00										0.00								
Pterostylis plumosa		0.00										0.00								
Pterostylis pusilla		0.00										0.00								
Pterostylis robusta		0.00										0.00								
Pterostylis sanguinea		0.00									2	0.42	DD	DD	0	DD	0.0	1	1	
Pterostylis sp. Eyre Peninsula (R. Bates 19474)		0.00										0.00								
Pterostylis sp. Triloba (pl.191, Bates & Weber 1990)		0.00										0.00								
Pterostylis viriosa		0.00										0.00								
Pterostylis xerophila		0.00										0.00								
Ptilotus beckerianus		0.00										0.00								
Ptilotus decipiens		0.00										0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	Yellabinna	% Yellabinna		Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)						Yalata	% Yalata		Proposed Regional IUCN Status (Yalata)	Proposed Regional IUCN Status (Yalata)					
<i>Ptilotus exaltatus</i> var. <i>exaltatus</i>	54	11.95	LC	LC	1	0	0.3	43	20			0.00								
<i>Ptilotus gaudichaudii</i> var. <i>gaudichaudii</i>	8	4.10	RA d(ii)	RA	3	DD	0.0	7	2			0.00								
<i>Ptilotus gaudichaudii</i> var. <i>parviflorus</i>		0.00										0.00								
<i>Ptilotus nobilis</i> var. <i>nobilis</i>	3	1.22	RA d(ii)	RA	3	DD	0.0	3	1	taxonomic issues		0.00								
<i>Ptilotus obovatus</i> var. <i>griseus</i>	1	3.70	NE	NE	-1			1		taxonomic issues		0.00								
<i>Ptilotus obovatus</i> var. <i>obovatus</i>	150	7.78	LC	LC	1	0	0.3	118	50		16	0.83	LC	LC	1	0	0.3	16	10	
<i>Ptilotus polystachyus</i> var. <i>polystachyus</i>	76	12.82	LC	LC	1	0	0.3	54	16		1	0.17	RA d(ii)	RA	3	DD	0.0	1		
<i>Ptilotus seminudus</i>	13	2.92	RA d(ii)	RA	3	DD	0.0	11	6			0.00								
<i>Ptilotus sessilifolius</i> var. <i>sessilifolius</i>	18	4.05	LC	LC	1	0	0.3	14	8			0.00								
<i>Ptilotus spathulatus</i> forma <i>spathulatus</i>	3	0.33	RA d(i,ii)	RA	3	DD	0.0	3	1			0.00								
<i>Ptilotus symonii</i>		0.00										0.00								
<i>Puccinellia stricta</i> var. <i>stricta</i>		0.00										0.00								
<i>Pultenaea acerosa</i>		0.00										0.00								
<i>Pultenaea densifolia</i>		0.00										0.00								
<i>Pultenaea elachista</i>	27	21.95	LC	LC	1	0	0.3	25	17		1	0.81	RA d(i,ii)	RA	3	DD	0.0	1	1	
<i>Pultenaea pedunculata</i>		0.00										0.00								
<i>Pultenaea tenuifolia</i>		0.00										0.00								
<i>Pultenaea teretifolia</i> var. <i>teretifolia</i>		0.00										0.00								
<i>Pultenaea trichophylla</i>		0.00										0.00								
<i>Pultenaea trinervis</i>		0.00										0.00								
<i>Pultenaea vestita</i>		0.00										0.00								
<i>Pycnosorus pleiocephalus</i>	10	1.63	LC	LC	1	0	0.3	10	6		8	1.30	LC	LC	1	0	0.3	7	3	
<i>Pyrorchis nigricans</i>	1	0.15	RA d(ii)	RA	3	-	0.4	1	1			0.00								
<i>Quinetia urvillei</i>		0.00										0.00								
<i>Radyera farragei</i>	1	1.09	RA d(ii)	RA	3	DD	0.0	1	1	needs fire/disturbance		0.00								
<i>Ranunculus hamatosetosus</i>		0.00										0.00								
<i>Ranunculus lappaceus</i>		0.00										0.00								
<i>Ranunculus pentandrus</i> var. <i>platycarpus</i>		0.00										0.00								
<i>Ranunculus pumilio</i> var. <i>pumilio</i>		0.00										0.00								
<i>Ranunculus sessiliflorus</i> var. <i>pilulifer</i>		0.00										0.00								
<i>Ranunculus sessiliflorus</i> var. <i>sessiliflorus</i>		0.00										0.00								
<i>Rhagodia candolleana</i> ssp. <i>argentea</i>	11	73.33	LC	LC	1	0	0.3	8	6		1	6.67	RA d(ii)	RA	3	DD	0.0	1	1	
<i>Rhagodia candolleana</i> ssp. <i>candolleana</i>	8	0.41	LC	LC	1	0	0.3	8	6			0.00								
<i>Rhagodia crassifolia</i>	94	5.85	LC	LC	1	0	0.3	79	53		160	9.96	LC	LC	1	0	0.3	122	99	
<i>Rhagodia drummondii</i>		0.00										0.00								
<i>Rhagodia eremaea</i>	4	1.28	NT	NT	2	DD	0.0	3	2	southern limit		0.00								
<i>Rhagodia parabolica</i>	5	0.33	NT	NT	2	0	0.3	5	4			0.00								
<i>Rhagodia preissii</i> ssp. <i>preissii</i>	177	22.21	LC	LC	1	0	0.3	131	65		6	0.75	LC	LC	1	0	0.3	6	3	
<i>Rhagodia spinescens</i>	130	5.56	LC	LC	1	0	0.3	90	42		44	1.88	LC	LC	1	0	0.3	33	21	
<i>Rhagodia ulicina</i>	18	3.26	LC	LC	1	0	0.3	13	9		1	0.18	RA d(i,ii)	RA	3	DD	0.0	1	1	grazed
<i>Rhodanthe charsleyae</i>		0.00										0.00								
<i>Rhodanthe chlorocephala</i> ssp. <i>rosea</i>	20	57.14	LC	LC	1	0	0.3	13	7		2	5.71	RA d(i,ii)	RA	3	DD	0.0	2	1	
<i>Rhodanthe citrina</i>		0.00										0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	Yellabinna	% Yellabinna		Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)						Yalata	% Yalata		Proposed Regional IUCN Status (Yalata)	Proposed Regional IUCN Status (Yalata)					
Rhodanthe corymbiflora		0.00									0.00									
Rhodanthe floribunda	63	4.78	LC	LC	1	0	0.3	41	15		14	1.06	LC	LC	1	0	0.3	13	5	
Rhodanthe haigii	17	21.79	RA d(ii)	RA	3	DD	0.0	13	2		18	23.08	LC	LC	1	0	0.3	18	5	
Rhodanthe laevis		0.00									0.00									
Rhodanthe microglossa		0.00									0.00									
Rhodanthe moschata	27	3.11	LC	LC	1	0	0.3	20	9		0.00									
Rhodanthe oppositifolia ssp. oppositifolia		0.00									0.00									
Rhodanthe polygalifolia	3	0.76	RA d(i,ii)	RA	3	DD	0.0	3		edge of range	0.00									
Rhodanthe pygmaea	11	0.83	LC	LC	1	0	0.3	11	4		3	0.23	LC	LC	1	0	0.3	3	1	
Rhodanthe stricta	4	0.54	RA d(ii)	RA	3	DD	0.0	4	1		0.00									
Rhodanthe stuartiana	2	0.98	RA d(i,ii)	RA	3	DD	0.0	2			0.00									
Rhodanthe tietkensis	22	9.91	RA d(ii)	RA	3	-	0.4	10	1	probably localised	1	0.45	RA d(ii)	RA	3	-	0.4	1		probably localised
Rhodanthe troedelii		0.00									0.00									
Rhodanthe uniflora		0.00									0.00									
Rhyncharrhena linearis	45	17.58	LC	LC	1	0	0.3	39	18		0.00									
Rostellularia adscendens var. pogonanthera		0.00									0.00									
Rulingia crauophylla		0.00									0.00									
Rulingia loxophylla		0.00									0.00									
Rumex brownii		0.00									0.00									
Rumex crystallinus		0.00									0.00									
Rumex dumosus		0.00									0.00									
Ruppia maritima		0.00									0.00									
Ruppia megacarpa		0.00									0.00									
Ruppia polycarpa		0.00									0.00									
Ruppia tuberosa		0.00									0.00									
Rutidosia helichrysoides ssp. helichrysoides		0.00									0.00									
Sagina maritima		0.00									0.00									
Salsola tragus	180	4.33	LC	LC	1	0	0.3	124	60		93	2.24	LC	LC	1	0	0.3	83	71	
Samolus repens		0.00									6	0.66	LC	LC	1	0	0.3	5	2	
Santalum acuminatum	211	10.77	LC	LC	1	0	0.3	162	95		39	1.99	LC	LC	1	0	0.3	35	23	
Santalum lanceolatum	2	0.25	RA d(i,ii)	RA	3	0	0.3	1			0.00	RA d(ii)	RA	3	0	0.3	2	2		no records
Santalum murrayanum	4	1.01	LC	LC	1	0	0.3	2	2		1	0.25	RA d(i,ii)	RA	3	0	0.3	1		western limit
Santalum spicatum	40	12.94	NT	NT	2	-	0.4	31	10		8	2.59	VU D1	VU	4	0	0.3	6	2	threats: rabbits, goats; little regeneration
Sarcocornia blackiana		0.00									0.00	RA d(i,ii)	RA	3	DD	0.0				no records (in IMCRA)
Sarcocornia quinqueflora		0.00									1	0.16	RA d(ii)	RA	3	DD	0.0	1	1	
Sarcostemma viminale ssp. australe	1	0.49	RA d(i,ii)	RA	3	DD	0.0	1			0.00									
Sarcozona bicarinata	3	33.33	RA d(i,ii)	RA	3	DD	0.0	2	2	needs more survey work	0.00									
Sarcozona praecox	34	15.89	LC	LC	1	0	0.3	26	10		1	0.47	NT	NT	2	DD	0.0	1	1	
Sauropus rigens		0.00									0.00									
Sauropus trachyspermus		0.00									0.00									
Scaevola aemula		0.00									0.00									
Scaevola amblyanthera var. centralis	2	3.64	RA d(ii)	RA	3	DD	0.0	1			0.00									
Scaevola angustata		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	Yellabinna Records	% Yellabinna		Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)						Yalata Records	% Yalata		Proposed Regional IUCN Status (Yalata)	Proposed Regional IUCN Status (Yalata)					
Scaevola basedowii		0.00									0.00									
Scaevola bursariifolia	18	18.56	RA d(ii)	RA	3	DD	0.0	16	10		19	19.59	LC	LC	1	0	0.3	18	15	
Scaevola collaris	2	0.84	RA d(ii)	RA	3	0	0.3	2			1	0.42	RA d(i,ii)	RA	3	DD	0.0	1		
Scaevola collina		0.00																		
Scaevola crassifolia		0.00									4	1.04	LC	LC	1	0	0.3	3	3	
Scaevola depauperata	7	6.25	RA d(ii)	RA	3	DD	0.0	6	3											
Scaevola humilis	5	1.56	RA d(ii)	RA	3	DD	0.0	5												
Scaevola linearis ssp. linearis		0.00																		
Scaevola myrtifolia	2	4.76	RA d(i,ii)	RA	3	DD	0.0	2	2		2	4.76	RA d(i,ii)	RA	3	DD	0.0	2		
Scaevola parvibarbata		0.00																		
Scaevola spinescens	125	10.39	LC	LC	1	0	0.3	101	58		39	3.24	LC	LC	1	0	0.3	33	17	
Scambopus curvipes		0.00																		
Schenkia australis		0.00									1	0.55	DD	DD	0	DD	0.0	1	1	
Schoenia ayersii		0.00																		
Schoenia cassiniana	20	8.40	LC	LC	1	0	0.3	20	7											
Schoenia ramosissima		0.00																		
Schoenoplectus dissachanthus		0.00																		
Schoenoplectus litoralis		0.00																		
Schoenoplectus pungens		0.00																		
Schoenoplectus validus		0.00																		
Schoenus apogon		0.00																		
Schoenus breviculmis		0.00									2	0.17	RA d(ii)	RA	3	0	0.3	2	1	
Schoenus carsei		0.00																		
Schoenus deformis		0.00																		
Schoenus fluitans		0.00																		
Schoenus laevigatus		0.00																		
Schoenus nanus		0.00																		
Schoenus nitens		0.00																		
Schoenus racemosus	8	3.52	LC	LC	1	0	0.3	8	8		1	0.44	LC	LC	1	0	0.3	1	1	
Schoenus sculptus		0.00																		
Schoenus subaphyllus	39	14.23	LC	LC	1	0	0.3	34	26		2	0.73	RA d(ii)	RA	3	0	0.3	2	1	
Scleranthus minusculus	2	6.90	RA d(i,ii)	RA	3	DD	0.0	1	1											
Scleranthus pungens		0.00																		
Scleroblitum atriplicinum		0.00																		
Sclerolaena bicuspis		0.00																		
Sclerolaena blackiana		0.00																		
Sclerolaena brachyptera		0.00																		
Sclerolaena brevifolia	14	9.52	LC	LC	1	0	0.3	13	10		15	10.20	LC	LC	1	0	0.3	15	13	
Sclerolaena clelandii		0.00																		
Sclerolaena constricta	1	0.71	RA d(i,ii)	RA	3	DD	0.0	1	1		1	0.71	RA d(i,ii)	RA	3	DD	0.0	1	1	
Sclerolaena convexula	3	0.86	NT	NT	2	0	0.3	2	1	southern limit										
Sclerolaena costata	5	17.24	RA d(i,ii)	RA	3	DD	0.0	5												
Sclerolaena cuneata		0.00																		

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)			
	Yellabinna Records	% Yellabinna		Proposed Regional IUCN Status (Yellabinna)	Trends (-, 0, +, ++)				Yalata Records	% Yalata		Proposed Regional IUCN Status (Yalata)	Trends (-, 0, +, ++)						
Sclerolaena decurrens	3	1.09	NT	NT	2	0	0.3	2	2										
Sclerolaena deserticola		0.00																	
Sclerolaena diacantha	186	6.76	LC	LC	1	0	0.3	137	75	36	1.31	LC	LC	1	0	0.3	26	16	
Sclerolaena divaricata		0.00																	
Sclerolaena eriacantha	4	1.40	NT	NT	2	0	0.3	4	1										
Sclerolaena fusiformis		0.00																	
Sclerolaena holtiana	5	2.33	LC	LC	1	0	0.3	4	3										
Sclerolaena intricata		0.00																	
Sclerolaena johnsonii	5	4.55	RA d(i,ii)	RA	3	0	0.3	5											
Sclerolaena lanicuspis		0.00																	
Sclerolaena limbata	1	0.28	LC	LC	1	0	0.3	1	1										likes disturbance
Sclerolaena murrayae		0.00																	
Sclerolaena obliquicuspis	89	3.54	LC	LC	1	0	0.3	79	32	76	3.02	LC	LC	1	0	0.3	58	43	
Sclerolaena paralleliscuspis		0.00																	
Sclerolaena parviflora	75	16.85	LC	LC	1	0	0.3	64	35	1	0.22	RA d(i,ii)	RA	3	0	0.3	1	1	limited habitat
Sclerolaena patentiscuspis	72	6.96	LC	LC	1	0	0.3	47	41	13	1.26	LC	LC	1	0	0.3	10	6	
Sclerolaena symoniana	1	4.00	VU D2	VU	4	0	0.3	1	1										likes salt lakes
Sclerolaena tatei		0.00																	
Sclerolaena uniflora	64	6.72	LC	LC	1	0	0.3	50	22	62	6.51	LC	LC	1	0	0.3	57	45	
Sclerolaena ventricosa		0.00																	
Sebaea albidiflora		0.00																	
Sebaea ovata		0.00																	
Selliera radicans		0.00																	
Senecio dolichocephalus		0.00																	
Senecio gawlerensis		0.00																	
Senecio glomeratus ssp. longifructus		0.00																	
Senecio glossanthus	32	4.28	LC	LC	1	0	0.3	25	18	31	4.14	LC	LC	1	0	0.3	27	25	could be multiple species
Senecio gregorii	41	5.47	LC	LC	1	0	0.3	30	14										
Senecio laceratus		0.00																	
Senecio lacustrinus	2	1.82	NE	NE	-1			2	1	2	1.82	NE	NE	-1			2		taxonomic issues, recently split spp, no survey records
Senecio magnificus		0.00																	
Senecio odoratus		0.00																	
Senecio phelleus		0.00																	
Senecio picridioides		0.00																	
Senecio pinnatifolius var. maritimus		0.00								1	0.89	LC	LC	1	0	0.3	1		
Senecio quadridentatus		0.00																	
Senecio runcinifolius		0.00																	
Senecio serratifolius ssp. serratifolius		0.00																	
Senecio spanomerus	2	0.40	LC	LC	1	0	0.3	2		3	0.60	LC	LC	1	0	0.3	3		
Senna artemisioides ssp. alicia		0.00																	
Senna artemisioides ssp. artemisioides	36	2.67	LC	LC	1	0	0.3	26	10										
Senna artemisioides ssp. coriacea	92	4.07	LC	LC	1	0	0.3	81	43	21	0.93	LC	LC	1	0	0.3	20	10	
Senna artemisioides ssp. filifolia	20	1.90	LC	LC	1	0	0.3	18	9	5	0.48	LC	LC	1	0	0.3	5	3	

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	Yellabinna	% Yellabinna		Proposed Regional	IUCN Status (Yellabinna)						Yalata	% Yalata		Proposed Regional	IUCN Status (Yalata)					
Senna artemisioides ssp. helmsii	1	0.30	RA d(i,ii)	RA	3	0	0.3	1	1		0.00									
Senna artemisioides ssp. oligophylla		0.00									0.00									
Senna artemisioides ssp. petiolaris	159	16.77	LC	LC	1	0	0.3	109	61		6	0.63	LC	LC	1	0	0.3	5	5	
Senna artemisioides ssp. quadrifolia	1	0.53	RA d(i,ii)	RA	3	DD	0.0	1	1		1	0.53	RA d(i,ii)	RA	3	DD	0.0	1	1	
Senna artemisioides ssp. sturtii	4	1.00	RA d(ii)	RA	3	DD	0.0	4	2			0.00								
Senna artemisioides ssp. zygophylla		0.00										0.00								
Senna cardiosperma ssp. cardiosperma		0.00										0.00								
Senna cardiosperma ssp. gawlerensis	65	17.02	LC	LC	1	0	0.3	54	33		2	0.52	RA d(i,ii)	RA	3	0	0.3	2	2	
Senna cardiosperma ssp. microphylla	5	13.16	RA d(ii)	RA	3	DD	0.0	4			1	2.63	RA d(i,ii)	RA	3	DD	0.0	1		
Senna phyllodinea	3	2.46	RA d(ii)	RA	3	DD	0.0	3	3			0.00								
Senna pleurocarpa var. pleurocarpa	21	7.02	LC	LC	1	0	0.3	20	4			0.00								
Setaria basioclada	11	12.22	RA d(ii)	RA	3	0	0.3	10	11			0.00								
Setaria clementii	6	6.32	RA d(ii)	RA	3	0	0.3	5	3			0.00								
Setaria constricta	25	4.90	LC	LC	1	0	0.3	19	3			0.00								
Setaria dielsii		0.00										0.00								
Setaria jubiflora		0.00										0.00								
Setaria reflexa	6	12.00	RA d(ii)	RA	3	DD	0.0	6	1			0.00								
Sida ammophila	33	6.02	LC	LC	1	0	0.3	24	6			0.00								
Sida calyxhymeria	15	8.24	LC	LC	1	0	0.3	12	2			0.00								
Sida corrugata var. angustifolia		0.00										0.00								
Sida fibulifera	16	1.14	LC	LC	1	0	0.3	14	3			0.00								
Sida filiformis	2	3.85	RA d(ii)	RA	3	DD	0.0	1				0.00								
Sida intricata	7	1.25	RA d(ii)	RA	3	DD	0.0	5	1			0.00								
Sida petrophila	10	0.73	LC	LC	1	0	0.3	8	8			0.00								
Sida phaeotricha		0.00										0.00								
Sida sp. B (C.Dunlop 1739)		0.00										0.00								
Sida sp. golden calyces (H.N.Foote 32)		0.00										0.00								
Sida sp. L (A.M.Ashby 4202)		0.00										0.00								
Sida sp. R (P.Copley 1390)		0.00										0.00								
Sida sp. Rabbit Flat (R.B.Major 158)		0.00										0.00								
Sida sp. Watarrika (D.E.Albrecht 8672)		0.00										0.00								
Sida spodochroma	47	30.13	LC	LC	1	0	0.3	32	12		2	1.28	RA d(ii)	RA	3	DD	0.0	2	1	
Sida trichopoda		0.00										0.00								
Sigesbeckia australiensis		0.00										0.00								
Siloxerus multiflorus		0.00										0.00								
Solanum aff. centrale	7	100.00	RA d(ii)	RA	3	DD	0.0	4	1	checked by David Symon		0.00								
Solanum capsiciforme		0.00									2	2.17	RA d(i,ii)	RA	3	DD	0.0	1		lack of habitat
Solanum centrale	7	4.93	RA d(ii)	RA	3	DD	0.0	6	3			0.00								
Solanum chenopodium		0.00										0.00								
Solanum cleistogamum	1	1.19	NT	NT	2	0	0.3	1	1			0.00								
Solanum coactiliferum	131	22.24	LC	LC	1	0	0.3	92	27		2	0.34	RA d(i,ii)	RA	3	DD	0.0	2	1	
Solanum ellipticum	68	5.01	LC	LC	1	0	0.3	48	8			0.00								
Solanum esuriale		0.00										0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	Yellabinna Records	% Yellabinna		Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)						Yalata Records	% Yalata		Proposed Regional IUCN Status (Yalata)	Proposed Regional IUCN Status (Yalata)					
Solanum ferocissimum		0.00									0.00									
Solanum hystrix	14	16.67	LC	LC	1	+	0.2	10	1		17	20.24	LC	LC	1	+	0.2	17	10	
Solanum laciniatum		0.00																		
Solanum lacunarium		0.00																		
Solanum lasiophyllum	2	3.08	RA d(ii)	RA	3	DD	0.0	2			1	1.54						1	1	probable introduction
Solanum orbiculatum ssp. orbiculatum	21	20.39	LC	LC	1	0	0.3	19	7											
Solanum petrophilum		0.00																		
Solanum quadriloculatum	9	3.05	RA d(ii)	RA	3	0	0.3	7	6	edge of range										
Solanum simile		0.00									0.00	RA d(ii)	RA	3	0	0.3				no records
Solanum sturtianum		0.00									0.00									
Solanum symonii		0.00									9	18.00	LC	LC	1	0	0.3	6	3	
Solenogyne dominii		0.00																		
Sonchus hydrophilus		0.00																		
Spartothamnella teucriflora		0.00																		
Spergularia marina	1	0.98	NE	NE	-1			1	1	taxonomic issues										
Sphaerolobium minus		0.00																		
Spinifex hirsutus		0.00									1	2.70	LC	LC	1	0	0.3	1	1	dune stabiliser
Sporobolus actinocladius		0.00																		
Sporobolus caroli		0.00																		
Sporobolus mitchellii		0.00																		
Sporobolus virginicus		0.00									1	0.23	RA d(ii)	RA	3	0	0.3	1		tolerates salinity
Spyridium bifidum var. bifidum		0.00																		
Spyridium bifidum var. Marble Range (W.R.Barker 7601)		0.00																		
Spyridium bifidum var. Wanilla (K.Clipstone 88)		0.00																		
Spyridium eriocephalum var. eriocephalum		0.00																		
Spyridium erymnocladum		0.00																		
Spyridium leucopogon		0.00																		
Spyridium nitidum		0.00																		
Spyridium phycoides		0.00									2	0.25	LC	LC	1	0	0.3	2	2	
Spyridium spathulatum		0.00																		
Spyridium subochreatum		0.00																		
Spyridium tricolor	2	14.29	VU D2	VU	4	0	0.3	2	1											
Spyridium vexilliferum var. vexilliferum		0.00																		
Stackhousia annua		0.00																		
Stackhousia aspericocca ssp. Cylindrical inflorescence (f		0.00																		
Stackhousia aspericocca ssp. One-sided inflorescence (f		0.00																		
Stackhousia clementii	1	1.96	RA d(ii)	RA	3	0	0.3	1	1	likes limestone										
Stackhousia megaloptera	4	25.00	RA d(ii)	RA	3	DD	0.0	4		red dunes, comes up after fire										
Stackhousia monogyna		0.00																		
Stackhousia muricata ssp. Annual (W.R.Barker 2172)	1	16.67	RA d(ii)	RA	3	DD	0.0	1	1	records missing										
Stackhousia muricata ssp. Perennial (W.R.Barker 3641)		0.00	NT	NT	2	DD	0.0			no records										
Stackhousia spathulata		0.00																		
Stellaria filiformis		0.00																		

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	% Yellabinna											% Yalata										
Stemodia florulenta		0.00																				
Stenanthemum leucophractum	2	0.27	RA d(ii)	RA	3	0	0.3	2	2	2	limited habitat											
Stenanthemum notiale ssp. notiale	6	7.50	LC	LC	1	0	0.3	6	3													
Stenopetalum anfractum		0.00																				
Stenopetalum lineare	20	3.67	LC	LC	1	0	0.3	17	5			3	0.55	LC	LC	1	0	0.3	3	1		
Stenopetalum nutans	2	2.38	RA d(i,ii)	RA	3	DD	0.0	2	1													
Stenopetalum saxatile		0.00																				
Stenopetalum sphaerocarpum	30	14.08	LC	LC	1	0	0.3	24	9													
Stenopetalum velutinum	12	6.09	LC	LC	1	0	0.3	8	3													
Streptoglossa adscendens		0.00																				
Streptoglossa liatroides		0.00																				
Stuartina hamata		0.00																				
Stuartina muelleri		0.00																				
Stylidium calcaratum		0.00																				
Stylidium inundatum		0.00																				
Stylidium perpusillum		0.00																				
Styphelia glauca		0.00																				
Styphelia exarrhena		0.00																				
Suaeda australis		0.00																				
Swainsona acuticarinata	2	5.00	RA d(ii)	RA	3	DD	0.0	2														
Swainsona adenophylla		0.00																				
Swainsona affinis		0.00																				
Swainsona campestris	2	6.90	RA d(i,ii)	RA	3	DD	0.0	2			all recent records missing											
Swainsona campylantha		0.00																				
Swainsona canescens	6	6.00	RA d(ii)	RA	3	0	0.3	4	3													
Swainsona colutoides		0.00																				
Swainsona dictyocarpa	SA	0.00																				
Swainsona disjuncta		0.00																				
Swainsona eremaea		0.00																				
Swainsona flavicarinata	2	3.08	VU B2ab(i,ii,iii)	VU	4	--	0.5	1														
Swainsona formosa	7	3.38	RA d(ii)	RA	3	0	0.3	7	3		rainfall dependent											
Swainsona kingii		0.00																				
Swainsona lessertifolia		0.00																				
Swainsona microcalyx	3	8.82	RA d(ii)	RA	3	-	0.4	3			grazed											
Swainsona microphylla	3	1.81	RA d(ii)	RA	3	DD	0.0	2	1													
Swainsona oliveri	14	17.72	LC	LC	1	0	0.3	13	7													
Swainsona oroboides	1	0.92	RA d(i,ii)	RA	3	DD	0.0	1														
Swainsona phacoides	7	1.93	RA d(ii)	RA	3	DD	0.0	4	2													
Swainsona purpurea	1	1.01	RA d(i,ii)	RA	3	DD	0.0	1	1													
Swainsona pyrophila	1	2.27	VU B2ac(iv)	VU	4	-	0.4	1														
Swainsona stipularis		0.00																				
Swainsona tenuis	6	10.00	RA d(ii)	RA	3	DD	0.0	5	1		grazed											
Swainsona unifoliolata		0.00																				

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	Yellabinna Records	% Yellabinna		Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)						Yalata Records	% Yalata		Proposed Regional IUCN Status (Yalata)	Proposed Regional IUCN Status (Yalata)					
Swainsona villosa	2	1.55	RA d(ii)	RA	3	DD	0.0	2	1		0.00									
Synaptantha tillaeacea var. hispidula		0.00									0.00									
Synaptantha tillaeacea var. tillaeacea		0.00									0.00									
Tecticornia arbuscula		0.00									0.00									
Tecticornia disarticulata		0.00								20	18.18	LC	LC	1	0	0.3	13	7		
Tecticornia flabelliformis		0.00									0.00									
Tecticornia halocnemoides ssp. halocnemoides	3	0.87	RA d(ii)	RA	3	0	0.3	3			0.00									
Tecticornia halocnemoides ssp. longispicata		0.00									0.00									
Tecticornia indica ssp. bidens		0.00									0.00									
Tecticornia indica ssp. leiostachya		0.00								1	0.37	RA d(ii)	RA	3	0	0.3	1	1		
Tecticornia lepidosperma		0.00									0.00									
Tecticornia lylei	5	71.43	RA d(ii)	RA	3	0	0.3	4	1	should be more records, occurs in more regions	0.00									
Tecticornia medullosa		0.00									0.00									
Tecticornia moniliformis		0.00									0.00									
Tecticornia pergranulata ssp. pergranulata		0.00									0.00									
Tecticornia pruinosa	2	14.29	RA d(ii)	RA	3	0	0.3	2			1	7.14	RA d(ii)	RA	3	0	0.3	1	1	
Tecticornia pterygosperma ssp. pterygosperma		0.00									4	16.00	LC	LC	1	0	0.3	2	1	
Tecticornia tenuis		0.00									0.00									
Tecticornia triandra		0.00									0.00									
Templetonia battii	3	8.57	RA d(i,ii)	RA	3	0	0.3	3	2		5	14.29	RA d(ii)	RA	3	0	0.3	5	2	
Templetonia egena	16	3.95	LC	LC	1	DD	0.0	14	6		1	0.25	RA d(i,ii)	RA	3	DD	0.0	1		
Templetonia retusa	1	0.13	RA d(i,ii)	RA	3	0	0.3	1			16	2.08	LC	LC	1	0	0.3	14	11	
Templetonia sulcata		0.00									0.00									
Tetragonia eremaea	42	3.79	LC	LC	1	0	0.3	37	15		2	0.18	NT	NT	2	0	0.3	2	1	southern limit
Tetragonia implexicoma		0.00									53	2.79	LC	LC	1	0	0.3	37	30	
Tetragonia moorei		0.00									0.00									
Tetragonia tetragonioides		0.00									0.00									
Tetralia capillaris		0.00									0.00									
Teucrium corymbosum		0.00									0.00									
Teucrium grandiusculum ssp. pilosum	6	85.71	EN B2ab(i,ii,iii)	EN	5	--	0.5	4	1		0.00									
Teucrium racemosum		0.00									0.00									
Teucrium sessiliflorum	7	1.72	RA d(ii)	RA	3	0	0.3	5	2		5	1.23	LC	LC	1	0	0.3	5	1	
Thelymitra alcockii		0.00									0.00									
Thelymitra antennifera		0.00									0.00									
Thelymitra azurea		0.00									0.00									
Thelymitra benthamiana		0.00									0.00									
Thelymitra carnea		0.00									0.00									
Thelymitra epipactoides		0.00									0.00									
Thelymitra flexuosa		0.00									0.00									
Thelymitra juncifolia		0.00									0.00									
Thelymitra luteociliun		0.00									0.00									
Thelymitra megcalyptra		0.00									0.00									
Thelymitra occidentalis		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	Yellabinna	% Yellabinna		Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)						Yalata	% Yalata		Proposed Regional IUCN Status (Yalata)	Proposed Regional IUCN Status (Yalata)					
Thelymitra parviflora																				
Thelymitra pauciflora		0.00									0.00									
Thelymitra rubra		0.00									0.00									
Themeda triandra		0.00									0.00									
Thomasia petalocalyx		0.00									0.00									
Threlkeldia diffusa	27	1.33	LC	LC	1	0	0.3	22	12		129	6.34	LC	LC	1	0	0.3	90	74	
Thryptomene biseriata	4	18.18	RA d(ii)	RA	3	0	0.3	4				0.00								
Thryptomene elliotii	28	34.57	LC	LC	1	0	0.3	19	3			0.00								
Thryptomene ericaea		0.00										0.00								
Thryptomene longifolia	1	6.67	RA d(ii)	RA	3	0	0.3	1	1			0.00								
Thryptomene micrantha		0.00										0.00								
Thyridolepis mitchelliana	2	1.67	RA d(ii)	RA	3	0	0.3	1				0.00								
Thyridolepis multiculmis	1	1.82	RA d(ii)	RA	3	0	0.3	1				0.00								
Thyridolepis xerophila		0.00										0.00								
Thysanotus baueri	8	0.97	LC	LC	1	0	0.3	7	6		24	2.91	LC	LC	1	0	0.3	23	22	
Thysanotus exiliflorus	2	8.00	RA d(ii)	RA	3	0	0.3	2	1			0.00								
Thysanotus nudicaulis		0.00										0.00								
Thysanotus patersonii	3	0.11	RA d(i,ii)	RA	3	DD	0.0	3	2	edge of range	1	0.04	RA d(i,ii)	RA	3	DD	0.0	1	1	edge of range
Thysanotus wangariensis		0.00										0.00								
Trachymene ceratocarpa	9	39.13	LC	LC	1	0	0.3	9	3			0.00								
Trachymene cyanopetala	4	1.38	LC	LC	1	0	0.3	4	3			0.00								
Trachymene glaucifolia	4	1.55	LC	LC	1	0	0.3	4				0.00								
Trachymene ornata	3	20.00	LC	LC	1	DD	0.0	2	2	should be more records		0.00								
Trachymene pilosa	2	0.33	RA d(ii)	RA	3	0	0.3	2	2			0.00								
Tragus australianus	7	1.98	LC	LC	1	0	0.3	7	2			0.00								
Trianthema triquetra		0.00										0.00								
Tribulus eichlerianus		0.00										0.00								
Tribulus minutus		0.00										0.00								
Trichanthodium skirrophorum	26	4.09	LC	LC	1	0	0.3	14	5		51	8.02	LC	LC	1	0	0.3	43	30	
Trichodesma zeylanicum	1	0.21	LC	LC	1	0	0.3	1		should be more Herbarium records		0.00								
Tricoryne elatior		0.00										0.00								
Tricoryne tenella		0.00										0.00								
Triglochin hexagona		0.00										0.00								
Triglochin isingiana	6	4.58	LC	LC	1	0	0.3	6	4		3	2.29	LC	LC	1	0	0.3	3	1	
Triglochin longicarpa		0.00										0.00								
Triglochin minutissima		0.00										0.00								
Triglochin mucronata		0.00										0.00								
Triglochin nana	8	88.89	DD	DD	0	DD	0.0	8	8	records not databased		0.00								
Triglochin nanum/sp. C (J.Z.Weber 6793)		0.00									3	30.00	DD	DD	0	DD	0.0	3	3	records not databased
Triglochin sp. A (N.N.Donner 3596)	1	50.00	DD	DD	0	DD	0.0	1	1	records not databased	1	50.00	DD	DD	0	DD	0.0	1	1	records not databased
Triglochin striata		0.00										0.00								
Triglochin trichophora		0.00										0.00								
Trigonella suavissima		0.00										0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	Yellabinna	% Yellabinna		Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)						Yalata	% Yalata		Proposed Regional IUCN Status (Yalata)	Proposed Regional IUCN Status (Yalata)					
Triodia basedowii	2	0.35	DD	DD	0	DD	0.0	2		unusual records, isolated		0.00								
Triodia bunicola		0.00										0.00								
Triodia compacta		0.00										0.00								
Triodia helmsii		0.00										0.00								
Triodia irritans	27	2.63	LC	LC	1	0	0.3	24	22		3	0.29	RA d(ii)	RA	3	0	0.3	2	1	limited habitat
Triodia lanata	54	24.11	LC	LC	1	0	0.3	43	30											
Triodia melvillei		0.00										0.00								
Triodia scariosa	114	19.86	LC	LC	1	0	0.3	83	50											
Triopogon loliformis	1	0.14	NT	NT	2	DD	0.0	1	1			0.00								
Triptilodiscus pygmaeus		0.00									1	0.28	RA d(i,ii)	RA	3	DD	0.0	1	1	
Triraphis mollis	6	0.90	LC	LC	1	0	0.3	5				0.00								
Trithuria submersa		0.00										0.00								
Trymalium wayi		0.00										0.00								
Typha domingensis		0.00										0.00								
Typha orientalis		0.00										0.00								
Utricularia tenella		0.00										0.00								
Velleia arguta	9	2.24	LC	LC	1	0	0.3	6	2		5	1.25	LC	LC	1	0	0.3	5	4	
Velleia connata	7	7.22	LC	LC	1	0	0.3	5	2											
Velleia cynopotamica	1	4.35	VU B2ab(i,ii,iii)	VU	4	-	0.4	1	1	highly localised										
Velleia glabrata		0.00										0.00								
Veronica hillebrandii		0.00										0.00								
Veronica pamkalliana		0.00										0.00								
Vittadinia australasica var. australasica	1	0.19	RA d(i,ii)	RA	3	DD	0.0	1			4	0.75	RA d(ii)	RA	3	DD	0.0	4	1	
Vittadinia blackii	2	0.70	RA d(i,ii)	RA	3	DD	0.0	1				0.00								
Vittadinia cervicularis var. cervicularis	8	1.38	NT	NT	2	0	0.3	8	3		2	0.35	RA d(i,ii)	RA	3	DD	0.0	1	1	
Vittadinia condyloides		0.00										0.00								
Vittadinia cuneata var. cuneata forma cuneata	1	0.13	RA d(i,ii)	RA	3	DD	0.0	1	1		2	0.27	RA d(i,ii)	RA	3	DD	0.0	2	2	
Vittadinia dissecta var. hirta	5	0.94	RA d(ii)	RA	3	DD	0.0	5	1	questionable ID										
Vittadinia eremaea	58	14.80	LC	LC	1	0	0.3	41	14			0.00								
Vittadinia gracilis	1	0.08	RA d(i,ii)	RA	3	DD	0.0	1			3	0.25	RA d(i,ii)	RA	3	DD	0.0	3	1	
Vittadinia megacephala		0.00									4	0.89	RA d(ii)	RA	3	DD	0.0	4	2	
Vittadinia nullarborensis		0.00										0.00								
Vittadinia pterochaeta		0.00										0.00								
Vittadinia pustulata		0.00										0.00								
Vittadinia sulcata		0.00										0.00								
Wahlenbergia aridicola		0.00										0.00								
Wahlenbergia communis		0.00										0.00								
Wahlenbergia gracilentia	4	0.36	RA d(ii)	RA	3	DD	0.0	3	3		4	0.63	RA d(i,ii)	RA	3	DD	0.0	4	1	
Wahlenbergia littoricola		0.00										0.00								
Wahlenbergia luteola		0.00										0.00								
Wahlenbergia preissii	1	2.00	RA d(i,ii)	RA	3	DD	0.0	1	1			0.00								
Wahlenbergia queenslandica		0.00										0.00								
Wahlenbergia stricta ssp. stricta	1	0.08	RA d(i,ii)	RA	3	0	0.3	1				0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, 0, +, ++) Yellabinna	Trends (-, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, 0, +, ++) Yalata	Trends (-, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	Yellabinna	% Yellabinna		Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)						Yalata	% Yalata		Proposed Regional IUCN Status (Yalata)	Proposed Regional IUCN Status (Yalata)					
Wahlenbergia tumidiflora	6	1.42	RA d(ii)	RA	3	0	0.3	6	4		0.00									
Waitzia acuminata var. acuminata	90	23.94	LC	LC	1	0	0.3	61	27		0.00									
Westringia dampieri		0.00									0.00									
Westringia eremicola	4	1.27	RA d(ii)	RA	3	DD	0.0	4	4		0.00									
Westringia rigida	151	9.04	LC	LC	1	0	0.3	124	80		2.63	LC	LC	1	0	0.3	40	25		
Wilsonia backhousei		0.00								1	0.65	RA d(ii)	RA	3	0	0.3	1			limited habitat
Wilsonia humilis		0.00								5	2.23	LC	LC	1	0	0.3	5	3		
Wilsonia rotundifolia		0.00									0.00									
Wurmbea centralis ssp. australis		0.00									0.00									
Wurmbea citrina		0.00	LC	LC	1	0	0.3				0.00									no records
Wurmbea decumbens		0.00									0.00									
Wurmbea dioica ssp. brevifolia	1	0.54	RA d(i,ii)	RA	3	DD	0.0	1		4	2.16	LC	LC	1	0	0.3	4	4		
Wurmbea dioica ssp. dioica		0.00								3	1.04	LC	LC	1	0	0.3	3	1		
Wurmbea latifolia ssp. vanessae		0.00									0.00									
Wurmbea sinora		0.00									0.00									
Wurmbea stellata		0.00									0.00									
Xanthorrhoea semiplana ssp. semiplana		0.00									0.00									
Xanthorrhoea semiplana ssp. tateana		0.00									0.00									
Xanthosia huegelii		0.00									0.00									
Xanthosia leiophylla		0.00									0.00									
Xerochrysum bracteatum	3	1.47	LC	LC	1	0	0.3	3			0.00									
Zaleya galericulata ssp. australis		0.00									0.00									
Zostera muelleri ssp. mucronata		0.00									0.00									
Zostera tasmanica		0.00									0.00									
Zoysia macrantha ssp. walshii		0.00									0.00									
Zygochloa paradoxa		0.00									0.00									
Zygophyllum ammophilum	2	0.83	LC	LC	1	0	0.3	2	1	1	0.41	LC	LC	1	0	0.3	1	1		
Zygophyllum angustifolium	6	2.09	LC	LC	1	0	0.3	4	3	9	3.14	LC	LC	1	0	0.3	9	8		
Zygophyllum apiculatum	86	5.96	LC	LC	1	0	0.3	70	38	5	0.35	LC	LC	1	0	0.3	4	3		
Zygophyllum aurantiacum ssp. aurantiacum	44	6.84	LC	LC	1	0	0.3	38	30	24	3.73	LC	LC	1	0	0.3	24	17		
Zygophyllum aurantiacum ssp. cuneatum		0.00									0.00									
Zygophyllum aurantiacum ssp. simplicifolium	1	1.82	RA d(ii)	RA	3	0	0.3	1			0.00									
Zygophyllum billardierei		0.00								7	2.10	LC	LC	1	0	0.3	6	3		
Zygophyllum compressum	6	6.12	LC	LC	1	0	0.3	6	1	1	1.02	RA d(i,ii)	RA	3	0	0.3	1			gypsious habitat
Zygophyllum confluens		0.00									0.00									
Zygophyllum crenatum	1	0.24	RA d(i,ii)	RA	3	DD	0.0	1			0.00									
Zygophyllum emarginatum		0.00									0.00									
Zygophyllum eremaeum	87	22.08	LC	LC	1	0	0.3	69	46	4	1.02	LC	LC	1	0	0.3	4	4		
Zygophyllum flavum		0.00									0.00									
Zygophyllum glaucum	27	5.60	LC	LC	1	0	0.3	25	19	2	0.41	NT	NT	2	0	0.3	2	2		
Zygophyllum halophilum		0.00									0.00									
Zygophyllum howittii		0.00									0.00									
Zygophyllum humillimum		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Yellabinna Records		Proposed IUCN Status & Criteria (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)		Trends (-, -, 0, +, ++) Yellabinna	Trends (-, -, 0, +, ++) Yellabinna	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yellabinna)	Yalata Records		Proposed IUCN Status & Criteria (Yalata)	Proposed Regional IUCN Status (Yalata)		Trends (-, -, 0, +, ++) Yalata	Trends (-, -, 0, +, ++) Yalata	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Yalata)
	% Yellabinna			Proposed Regional IUCN Status (Yellabinna)	Proposed Regional IUCN Status (Yellabinna)						% Yalata			Proposed Regional IUCN Status (Yalata)	Proposed Regional IUCN Status (Yalata)					
Zygophyllum iodocarpum		0.00									0.00									
Zygophyllum kochii		0.00									0.00									
Zygophyllum marlesiae		0.00									0.00									
Zygophyllum ovatum	47	5.75	LC	LC	1	0	0.3	44	22		29	3.55	LC	LC	1	0	0.3	29	24	
Zygophyllum prismatothecum		0.00									0.00									
Zygophyllum reticulatum		0.00									0.00									
Zygophyllum simile	22	5.33	LC	LC	1	0	0.3	18	6	split from Z amophilum	1	0.24	RA d(ii)	RA	3	0	0.3	1	1	split from Z amophilum

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	% Nullarbor Plain			Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						% Hampton									
Abutilon cryptopetalum ssp. cryptopetalum		0.00									0.00									
Abutilon fraseri ssp. diplotrichum		0.00									0.00									
Abutilon fraseri ssp. fraseri		0.00									0.00									
Abutilon halophilum		0.00									0.00									
Abutilon leucopetalum		0.00									0.00									
Abutilon macrum		0.00									0.00									
Abutilon malvaefolium		0.00									0.00									
Abutilon otocarpum	1	0.22	RA d(i,ii)	RA	3	DD	0.0	1	1		0.00									
Acacia acanthoclada ssp. acanthoclada		0.00									0.00									
Acacia acinacea		0.00									0.00									
Acacia alcockii		0.00									0.00									
Acacia anceps		0.00								1	0.36	LC								
Acacia ancistrophylla var. lissophylla		0.00									0.00									undercollected
Acacia aneura	2	0.55	RA d(ii)	RA	3	DD	0.0	2			0.00									
Acacia aneura var. aneura	2	0.59	LC	LC	1	0	0.3	2	2		0.00									
Acacia aneura var. conifera		0.00									0.00									
Acacia aneura var. intermedia	1	0.77	LC	LC	1	0	0.3	1	1		0.00									
Acacia aneura var. major		0.00									0.00									
Acacia aneura var. microcarpa		0.00									0.00									
Acacia aneura var. tenuis	1	4.55	LC	LC	1	0	0.3	1	1		0.00									
Acacia ayersiana		0.00									0.00									
Acacia beckleri Tindale ssp beckleri																				
Acacia brachybotrya		0.00									0.00									
Acacia brachystachya		0.00									0.00									
Acacia burkittii	9	1.79	LC	LC	1	0	0.3	8	5		0.00									
Acacia calamifolia		0.00									0.00									
Acacia calcicola	3	1.99	RA d(i,ii)	RA	3	DD	0.0	3	3	grows on limestone	0.00									
Acacia clelandii		0.00									0.00									
Acacia colletioides		0.00									0.00									
Acacia continua		0.00									0.00									
Acacia cretacea		0.00									0.00									
Acacia cupularis	1	0.19	RA d(i,ii)	RA	3	0	0.3	1	1		0.57	RA d(i,ii)	RA	3	0	0.3	3	1		
Acacia cyclops	3	2.50	RA d(i,ii)	RA	3	0	0.3	3	1		4.17	RA d(i,ii)	RA	3	0	0.3	4	2		
Acacia dodonaefolia		0.00									0.00									
Acacia enterocarpa		0.00									0.00									
Acacia erinacea	5	33.33	RA d(i,ii)	RA	3	0	0.3	4	4		66.67	RA d(i,ii)	RA	3	0	0.3	7	4		
Acacia euthycarpa		0.00									0.00									
Acacia farinosa		0.00									0.00									
Acacia giesiana	1	0.81	LC	LC	1	0	0.3	1	1	long lived spp	0.00									
Acacia gillii		0.00									0.00									
Acacia hakeoides		0.00								2	0.31	RA d(i,ii)	RA	3	0	0.3	1			short lived, likes fire, prolific seeder
Acacia halliana		0.00									0.00									
Acacia havilandiorum		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	% Nullarbor Plain			Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						% Hampton									
Acacia helmsiana		0.00									0.00									
Acacia hemiteles		0.00									0.00									
Acacia hexaneura		0.00									0.00									
Acacia imbricata		0.00									0.00									
Acacia iteaphylla		0.00									0.00									
Acacia jennerae		0.00									0.00									
Acacia kempeana	3	0.80	LC	LC	1	0	0.3	3	1		0.00									
Acacia leiophylla		0.00									0.00									
Acacia ligulata	6	0.22	LC	LC	1	0	0.3	5			0.00									
Acacia lineata		0.00									0.00									
Acacia longifolia ssp. sophorae		0.00									0.00									
Acacia maitlandii		0.00									0.00									
Acacia melleodora		0.00									0.00									
Acacia merrallii	1	0.31	RA d(i,ii)	RA	3	0	0.3	1			0.00									
Acacia microcarpa		0.00									0.00									
Acacia minyura		0.00									0.00									
Acacia montana		0.00									0.00									
Acacia murrayana		0.00									0.00									
Acacia mutabilis ssp. angustifolia	2	22.22	RA d(i,ii)	RA	3	0	0.3	2	2	endemic, in Reserve	7	77.78	RA d(i,ii)	RA	3	0	0.3	7	4	endemic, in Reserve
Acacia myrtifolia		0.00									0.00									
Acacia nematophylla		0.00									0.00									
Acacia notabilis		0.00									0.00									
Acacia nyssophylla	7	0.89	LC	LC	1	0	0.3	6	1		0.00									
Acacia oswaldii	57	2.97	LC	LC	1	0	0.3	36	14		0.52	LC	LC	1	0	0.3	6	4		
Acacia pachyacra		0.00									0.00									
Acacia papyrocarpa	35	4.74	NT	NT	2	-	0.4	28	10	rare recruitment events, white fly a problem	5	0.68	NT	NT	2	-	0.4	2	1	rare recruitment events, white fly a problem
Acacia paradoxa		0.00									0.00									
Acacia pinguiifolia		0.00									0.00									
Acacia praemorsa		0.00									0.00									
Acacia prainii		0.00									0.00									
Acacia pycnantha		0.00									0.00									
Acacia ramulosa var. linophylla	3	1.46	LC	LC	1	0	0.3	2			0.00									
Acacia ramulosa var. ramulosa	2	2.47	LC	LC	1	0	0.3	2			0.00									
Acacia rhotinocarpa		0.00									0.00									
Acacia rhigiophylla		0.00									0.00									
Acacia rhodophloia		0.00									0.00									
Acacia rigens		0.00									0.00									
Acacia rupicola		0.00									0.00									
Acacia salicina		0.00									0.00									
Acacia sclerophylla var. sclerophylla		0.00									0.00									
Acacia sibirica		0.00									0.00									
Acacia sp. Winged (C.R.Alcock 4936)		0.00									0.00									
Acacia spinescens		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	Nullarbor Plain Records	% Nullarbor Plain		Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						Hampton Records	% Hampton		Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)					
Acacia spooneri		0.00									0.00									
Acacia stenophylla		0.00									0.00									
Acacia tarculensis		0.00									0.00									
Acacia tetragonophylla	35	1.82	LC	LC	1	0	0.3	32	23		0.00									
Acacia toondulya		0.00									0.00									
Acacia triquetra		0.00									0.00									
Acacia victoriae ssp. victoriae	1	0.07	RA d(ii)	RA	3	0	0.3	1			0.00									
Acacia whibleyana		0.00									0.00									
Acacia wilhelmiana		0.00									0.00									
Acaena echinata		0.00									0.00									
Acaena novae-zelandiae		0.00									0.00									
Acianthus caudatus		0.00									0.00									
Acianthus pusillus		0.00									0.00									
Acrotriche affinis		0.00									0.00									
Acrotriche cordata		0.00									0.00									
Acrotriche patula	2	0.15	LC	LC	1	0	0.3	2	1	10	0.76	LC	LC	1	0	0.3	8	4		
Actinobole uliginosum	1	0.08	RA d(ii)	RA	3	0	0.3	1			0.00									
Actites megalocarpa		0.00									0.00									
Adenanthos terminalis		0.00									0.00									
Adiantum aethiopicum		0.00									0.00									
Adriana quadripartita		0.00									0.00									
Adriana urticoides var. hookeri		0.00									0.00									
Ajuga australis forma A (A.G.Spooner 9058)		0.00									0.00									
Alectryon oleifolius ssp. canescens	8	0.42	LC	LC	1	0	0.3	7	2		0.00									
Allocasuarina helmsii		0.00								1	1.12	LC	LC	1	0	0.3	1	1	no records (1 moved frm NU)	
Allocasuarina muelleriana ssp. muelleriana		0.00									0.00									
Allocasuarina pusilla		0.00									0.00									
Allocasuarina verticillata		0.00									0.00									
Alternanthera denticulata		0.00									0.00									
Alternanthera nodiflora		0.00									0.00									
Aluta maisonneuvei ssp. auriculata		0.00									0.00									
Aluta maisonneuvei ssp. maisonneuvei		0.00									0.00									
Alyogyne hakeifolia		0.00									0.00									
Alyogyne huegelii		0.00									0.00									
Alyogyne pinoniana var. microandra		0.00									0.00									
Alyogyne pinoniana var. pinoniana		0.00									0.00									
Alyxia buxifolia		0.00									0.00									
Amaranthus cuspidifolius		0.00									0.00									
Amaranthus grandiflorus		0.00									0.00									
Amaranthus mitchellii		0.00									0.00									
Ammannia multiflora		0.00									0.00									
Amphibolis antarctica		0.00									0.00									
Amphibromus macrorrhinus		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	Nullarbor Plain Records	% Nullarbor Plain		Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						Hampton Records	% Hampton		Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)					
Amphibromus nervosus		0.00									0.00									
Amphipogon caricinus var. caricinus		0.00									0.00									
Amphipogon strictus var. setifer		0.00									0.00									
Amyema fitzgeraldii		0.00									0.00									
Amyema gibberula var. gibberula		0.00									0.00									
Amyema maidenii ssp. maidenii		0.00									0.00									
Amyema melaleucae	11	2.30	LC	LC	1	0	0.3	11	7		10	2.09	LC	LC	1	0	0.3	5		
Amyema miquelii		0.00									0.00									
Amyema miraculosa ssp. boormanii	1	0.37	RA d(ii)	RA	3	0	0.3	1			0.00									
Amyema preissii	12	1.32	LC	LC	1	0	0.3	10	5		0.00									
Amyema quandang var. quandang	3	0.82	LC	LC	1	0	0.3	3			0.00									
Anacampseros australiana		0.00									0.00									
Anemocarpa podolepidium		0.00									0.00									
Angianthus brachypappus		0.00									0.00									
Angianthus conocephalus	61	78.21	LC	LC	1	0	0.3	35			0.00									
Angianthus glabratus		0.00									0.00									
Angianthus preissianus		0.00									0.00									
Angianthus tomentosus	1	0.19	RA d(i,ii)	RA	3	0	0.3	1	1		1	0.19	RA d(i,ii)	RA	3	0	0.3	1	1	
Anogramma leptophylla		0.00									0.00									
Anthocercis anisantha ssp. anisantha		0.00									0.00									
Anthocercis anisantha ssp. collina		0.00									0.00									
Aotus subspinescens		0.00									0.00									
Apalochlamys spectabilis		0.00									0.00									
Aphanes australiana		0.00									0.00									
Aphelia gracilis		0.00									0.00									
Apium annum		0.00									0.00									
Apium prostratum var. filiforme		0.00									0.00									
Apium prostratum var. prostratum		0.00									0.00									
Apodasmia brownii		0.00									0.00									
Arabidella filifolia	6	5.88	NT	NT	2	DD	0.0	6			0.00									
Arabidella glaucescens		0.00									0.00									
Arabidella nasturtium		0.00									0.00									
Arabidella trisecta	19	3.40	LC	LC	1	0	0.3	15	5		0.00									
Argentipallium obtusifolium		0.00									0.00									
Aristida anthoxanthoides		0.00									0.00									
Aristida arida		0.00									0.00									
Aristida behriana		0.00									0.00									
Aristida capillifolia		0.00									0.00									
Aristida contorta	1	0.06	LC	LC	1	0	0.3	1			0.00									
Aristida holathera var. holathera		0.00									0.00									
Aristida latifolia		0.00									0.00									
Aristida nitidula		0.00									0.00									
Aristida personata		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	Nullarbor Plain	% Nullarbor Plain		Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						Hampton	% Hampton		Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)					
Arthropodium fimbriatum		0.00									0.00									
Arthropodium minus		0.00									0.00									
Arthropodium strictum		0.00									0.00									
Asperula conferta		0.00									0.00									
Asplenium flabellifolium		0.00									0.00									
Asplenium trichomanes		0.00									0.00									
Asteridea athrixioides forma athrixioides	3	0.84	RA d(ii)	RA	3	0	0.3	3	1		0.00									
Asteridea athrixioides forma horripes		0.00									0.00									
Astrebla lappacea		0.00									0.00									
Astrebla pectinata		0.00									0.00									
Astroloma conostephioides		0.00									0.00									
Astroloma humifusum		0.00									0.00									
Atriplex acutibractea ssp. acutibractea	56	20.74	LC	LC	1	0	0.3	54	36		0.00									
Atriplex acutibractea ssp. karoniensis		0.00									0.00									
Atriplex acutiloba		0.00									0.00									
Atriplex angulata		0.00									0.00									
Atriplex cinerea		0.00									0.00									
Atriplex cryptocarpa	23	88.46	LC	LC	1	0	0.3	21	9		0.00	8	1.41	LC	LC	1	0	0.3	4	3
Atriplex eardleyae	12	4.67	NT	NT	2	DD	0.0	7			0.00	2	0.78	NT	NT	2	DD	0.0	1	
Atriplex fissivalvis		0.00									0.00									
Atriplex holocarpa	2	0.23	NT	NT	2	0	0.3	2		edge of range	0.00									
Atriplex incrassata		0.00									0.00									
Atriplex kochiana		0.00									0.00									
Atriplex leptocarpa	3	1.12	RA d(ii)	RA	3	DD	0.0	3	3		0.00									
Atriplex limbata		0.00									0.00									
Atriplex lindleyi ssp. conduplicata		0.00									0.00									
Atriplex lindleyi ssp. inflata		0.00									0.00									
Atriplex lindleyi ssp. lindleyi		0.00									0.00									
Atriplex lindleyi ssp. quadripartita		0.00									0.00									
Atriplex lobativalvis		0.00									0.00									
Atriplex macroptercarpa		0.00									0.00									
Atriplex morrisii	1	33.33	DD	DD	0	DD	0.0	1		possible introduction from NSW	0.00									
Atriplex nessorhina		0.00									0.00									
Atriplex nummularia ssp. omissa		0.00									0.00									
Atriplex nummularia ssp. spathulata	17	47.22	LC	LC	1	0	0.3	12	11		0.00	18	50.00	LC	LC	1	0	0.3	10	6
Atriplex paludosa ssp. cordata	15	0.81	LC	LC	1	0	0.3	13	13		0.00	6	0.32	LC	LC	1	0	0.3	5	5
Atriplex papillata		0.00									0.00									
Atriplex pseudocampanulata		0.00									0.00									
Atriplex pumilio		0.00									0.00									
Atriplex quadrivalvata var. sessilifolia		0.00									0.00									
Atriplex quinii		0.00									0.00									
Atriplex rhagodioides		0.00									0.00									
Atriplex semibaccata		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)		Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)		
	Nullarbor Plain Records	% Nullarbor Plain			Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)					Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Hampton Records	% Hampton		Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)					Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	
Atriplex spongiosa	2	0.30	RA d(ii)	RA	3	0	0.5	2					0.00											
Atriplex stipitata		0.00											0.00											
Atriplex suberecta		0.00											0.00											
Atriplex velutinella		0.00											0.00											
Atriplex vesicaria ssp. macrocystidia		0.00											0.00											
Atriplex vesicaria ssp. variabilis		0.00											0.00											
Austrobryonia micrantha		0.00											0.00											
Austroanthonia caespitosa	107	2.73	LC	LC	1	0	0.3	99	72				0.00											
Austroanthonia eriantha		0.00											0.00											
Austroanthonia fulva		0.00											0.00											
Austroanthonia racemosa var. racemosa		0.00											0.00											
Austroanthonia setacea	26	1.75	LC	LC	1	0	0.3	26	26			6	0.40	LC	LC	1	0	0.3	6	6				
Austrofestuca littoralis		0.00											0.00											
Austrostipa acrocliaata	21	2.59	LC	LC	1	0	0.3	11	4			4	0.49	LC	LC	1	0	0.3	4	3				
Austrostipa blackii		0.00											0.00											
Austrostipa dongicola	1	100.00	RA d(ii)	RA	3	0	0.3	1	1	WA species			0.00											
Austrostipa drummondii	17	1.81	LC	LC	1	0	0.3	14	8				0.00											
Austrostipa echinata		0.00											0.00											
Austrostipa elegantissima	3	0.14	LC	LC	1	0	0.3	3	2				0.00											
Austrostipa eremophila	49	3.51	LC	LC	1	0	0.3	40	27			3	0.21	LC	LC	1	0	0.3	3	3				
Austrostipa exilis		0.00											0.00											
Austrostipa flavescens		0.00											0.00											
Austrostipa hemipogon		0.00											0.00											
Austrostipa lanata	5	38.46	RA d(ii)	RA	3	DD	0.0	5	5				0.00											
Austrostipa macalpinei		0.00											0.00											
Austrostipa mollis		0.00											0.00											
Austrostipa mundula		0.00											0.00											
Austrostipa nitida	141	4.86	LC	LC	1	0	0.3	125	85			1	0.03	LC	LC	1	0	0.3	1	1				
Austrostipa nodosa		0.00											0.00											
Austrostipa nullanulla		0.00											0.00											
Austrostipa pilata		0.00											0.00											
Austrostipa platychaeta	15	2.93	LC	LC	1	0	0.3	14	9			2	0.39	LC	LC	1	0	0.3	1					
Austrostipa plumigera		0.00											0.00											
Austrostipa puberula	23	11.27	LC	LC	1	0	0.3	23	20			2	0.98	LC	LC	1	0	0.3	2	2				
Austrostipa scabra ssp. falcata		0.00											0.00											
Austrostipa scabra ssp. scabra	2	0.47	RA d(ii)	RA	3	0	0.3	2	2				0.00											
Austrostipa semibarbata		0.00											0.00											
Austrostipa setacea		0.00											0.00											
Austrostipa stipoides		0.00											0.00											
Austrostipa stuposa		0.00											0.00											
Austrostipa tenuifolia		0.00											0.00											
Austrostipa trichophylla		0.00											0.00											
Austrostipa velutina	10	29.41	LC	LC	1	0	0.3	10	7			5	14.71	LC	LC	1	0	0.3	5	5				

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)	
	Nullarbor Plain Records	% Nullarbor Plain			Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						Hampton Records	% Hampton		Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)						
Austrostipa vickeryana	4	36.36	RA d(ii)	RA	3	DD	0.0		2	1			0.00									
Avicennia marina ssp. marina		0.00											0.00									
Babingtonia behrii		0.00											0.00									
Baeckea crassifolia		0.00											0.00									
Baeckea tuberculata		0.00											0.00									
Banksia marginata		0.00											0.00									
Banksia ornata		0.00											0.00									
Baumea arthropphylla		0.00											0.00									
Baumea juncea		0.00											0.00									
Bergia trimera		0.00											0.00									
Bertya tasmanica ssp. vestita		0.00											0.00									
Beyeria lechenaultii		0.00										3	0.15	LC	LC	1	0	0.3	2	2		
Beyeria opaca	3	0.76	RA d(ii)	RA	3	0	0.3		2				0.00									
Billardiera cymosa ssp. cymosa		0.00											0.00									
Billardiera cymosa ssp. pseudocymosa		0.00											0.00									
Billardiera sericophora		0.00											0.00									
Billardiera sp. Yorke Peninsula (P.C.Heyligers 80164)		0.00											0.00									
Billardiera uniflora		0.00											0.00									
Billardiera versicolor		0.00											0.00									
Blennodia canescens		0.00											0.00									
Blennodia pterosperma		0.00											0.00									
Blennospora drummondii		0.00											0.00									
Boerhavia coccinea		0.00											0.00									
Boerhavia dominii		0.00											0.00									
Boerhavia repleta		0.00											0.00									
Boerhavia schomburgkiana		0.00											0.00									
Bolboschoenus caldwellii		0.00											0.00									
Boronia coerulescens ssp. coerulescens		0.00											0.00									
Boronia filifolia		0.00											0.00									
Boronia inornata ssp. leptophylla		0.00											0.00									
Bossiaea ensata		0.00											0.00									
Bossiaea walkeri	3	1.99	RA d(ii)	RA	3	DD	0.0		3				0.00									
Bothriochloa ewartiana		0.00											0.00									
Bothriochloa macra		0.00											0.00									
Brachiaria praetervisa		0.00											0.00									
Brachyachne ciliaris		0.00											0.00									
Brachychiton gregorii		0.00											0.00									
Brachyscome ciliaris var. ciliaris	29	2.88	LC	LC	1	0	0.3		28	22		3	0.30	LC	LC	1	0	0.3	3	3		
Brachyscome ciliaris var. lanuginosa		0.00											0.00									
Brachyscome ciliaris var. subintegrifolia		0.00											0.00									
Brachyscome cuneifolia		0.00											0.00									
Brachyscome debilis		0.00											0.00									
Brachyscome dichromosomatica var. dichromosomatica		0.00											0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	% Nullarbor Plain			Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						% Hampton									
Brachyscome eriogona		0.00									0.00									
Brachyscome exilis		0.00									0.00									
Brachyscome goniocarpa		0.00									0.00									
Brachyscome iberidifolia	4	3.01	RA d(i,ii)	RA	3	0	0.3	3			0.00									
Brachyscome lineariloba	12	0.86	LC	LC	1	0	0.3	7	1		0.00									
Brachyscome muelleri		0.00									0.00									
Brachyscome perpusilla		0.00									0.00									
Brachyscome tatei	12	80.00	RA d(i,ii)	RA	3	0	0.3	11	7		0.00									
Brachyscome trachycarpa	2	1.71	RA d(i,ii)	RA	3	0	0.3	2		check Western record	2	13.33	RA d(i,ii)	RA	3	0	0.3	2	2	
Brachyscome xanthocarpa		0.00									0.00									
Bromus arenarius	4	1.08	LC	LC	1	0	0.3	3	2		0.00									
Brunonia australis		0.00									0.00									
Bulbine alata		0.00									0.00									
Bulbine bulbosa		0.00									0.00									
Bulbine semibarbata		0.00									0.00									
Bulbostylis barbata		0.00									0.00									
Bulbostylis pyriformis		0.00									0.00									
Burchardia umbellata		0.00									0.00									
Bursaria spinosa ssp. spinosa		0.00									0.00									
Caesia calliantha		0.00									0.00									
Caladenia aurulenta																				
Caladenia bicallata ssp. bicallata		0.00									0.00									
Caladenia brumalis		0.00									0.00									
Caladenia capillata		0.00									0.00									
Caladenia cardiochila		0.00									0.00									
Caladenia carnea		0.00									0.00									
Caladenia clavula		0.00									0.00									
Caladenia fragrantissima ssp. fragrantissima																				
Caladenia fuscata		0.00									0.00									
Caladenia interanea																				
Caladenia latifolia		0.00									0.00									
Caladenia macroclavia		0.00									0.00									
Caladenia pusilla		0.00									0.00									
Caladenia septuosa		0.00									0.00									
Caladenia stricta		0.00									0.00									
Caladenia tensa		0.00									0.00									
Caladenia tentaculata		0.00									0.00									
Caladenia toxochila		0.00									0.00									
Caladenia verrucosa		0.00									0.00									
Caladenia zephyra																				
Calandrinia brevipedata		0.00									0.00									
Calandrinia calyptata		0.00									0.00									
Calandrinia corrigioloides		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	Nullarbor Plain Records	% Nullarbor Plain		Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						Hampton Records	% Hampton		Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)					
Calandrinia disperma		0.00									0.00									
Calandrinia eremaea	1	0.08	RA d(i,ii)	RA	3	0	0.3	1	1		0.00									
Calandrinia granulifera		0.00									0.00									
Calandrinia polyandra var. polyandra	1	0.93	RA d(i,ii)	RA	3	DD	0.0	1	1	edge of range	0.00									
Calandrinia ptychosperma		0.00									0.00									
Calandrinia pumila		0.00									0.00									
Calandrinia remota		0.00									0.00									
Calandrinia reticulata		0.00									0.00									
Calandrinia sphaerophylla		0.00									0.00									
Calandrinia volubilis		0.00									0.00									
Callistemon rugulosus		0.00									0.00									
Callitris canescens		0.00									0.00									
Callitris glaucophylla	1	0.09	RA d(ii)	RA	3	0	0.3	1			0.00									
Callitris gracilis		0.00									0.00									
Callitris verrucosa		0.00									0.00									
Calocephalus citreus		0.00									0.00									
Calocephalus platycephalus		0.00									0.00									
Calochilus pruinosis		0.00									0.00									
Calotis breviradiata	20	90.91	LC	LC	1	0	0.3	16	6	WA species	0.00									
Calotis cymbacantha	1	0.32						1	1	possible introduction	0.00									
Calotis erinacea	1	0.24	RA d(i,ii)	RA	3	0	0.3	1			0.00									
Calotis hispidula	13	0.66	LC	LC	1	+	0.2	11	3		0.05	LC	LC	1	+	0.2	1	1		
Calotis lappulacea		0.00									0.00									
Calotis latiuscula		0.00									0.00									
Calotis multicaulis	3	2.01	LC	LC	1	0	0.3	3	3		0.00									
Calotis plumulifera		0.00									0.00									
Calotis porphyroglossa		0.00									0.00									
Calotis scabiosifolia var. scabiosifolia																				
Calytrix gypsophila		0.00									0.00									
Calytrix involucrata		0.00									0.00									
Calytrix tetragona		0.00									0.00									
Cardamine tenuifolia		0.00									0.00									
Carex breviculmis		0.00									0.00									
Carex inversa var. major		0.00									0.00									
Carex tereticaulis		0.00									0.00									
Carpobrotus modestus		0.00									0.00									
Carpobrotus rossii	1	0.31	NT	NT	2	0	0.3	1	1		0.31	NT	NT	2	0	0.3	1			
Carpobrotus sp. Short calyx (S.T.Blake 20451)		0.00									0.00									
Cassinia arcuata		0.00									0.00									
Cassinia complanata		0.00									0.00									
Cassinia laevis		0.00									0.00									
Cassytha glabella forma dispar		0.00									0.00									
Cassytha melantha	13	0.98	LC	LC	1	0	0.3	10	8		1.20	LC	LC	1	0	0.3	7	2		

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	Nullarbor Plain Records	% Nullarbor Plain		Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						Hampton Records	% Hampton		Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)					
Cassylia peninsularis		0.00									0.00									
Cassylia pubescens		0.00									0.00									
Casuarina pauper	2	0.15	LC	LC	1	0	0.3	2	2		0.00									
Causis pentandra		0.00									0.00									
Centella asiatica		0.00									0.00									
Centipeda crateriformis ssp. compacta		0.00									0.00									
Centipeda crateriformis ssp. crateriformis		0.00									0.00									
Centipeda cunninghamii		0.00									0.00									
Centipeda thespidioides		0.00									0.00									
Centrolepis aristata		0.00									0.00									
Centrolepis cephaliformis ssp. cephaliformis		0.00									0.00									
Centrolepis cephaliformis ssp. murrayi		0.00									0.00									
Centrolepis eremica		0.00									0.00									
Centrolepis fascicularis		0.00									0.00									
Centrolepis glabra		0.00									0.00									
Centrolepis polygyna		0.00									0.00									
Centrolepis strigosa ssp. strigosa		0.00									0.00									
Cephalopterum drummondii	14	8.43	LC	LC	1	0	0.3	12	2	WA species	0.00									
Ceratogyne obionoides		0.00									0.00									
Chamaescilla corymbosa var. corymbosa		0.00									0.00									
Chamaesyce australis		0.00									0.00									
Chamaesyce centralis		0.00									0.00									
Chamaesyce drummondii	20	3.08	LC	LC	1	0	0.3	20	12		1	0.15	LC	LC	1	0	0.3	1		
Chamaesyce wheeleri		0.00									0.00									
Cheilanthes austrotenuifolia		0.00									0.00									
Cheilanthes distans		0.00									0.00									
Cheilanthes lasiophylla		0.00									0.00									
Cheilanthes sieberi ssp. pseudovellea		0.00									0.00									
Cheilanthes sieberi ssp. sieberi		0.00									0.00									
Cheiranthra alternifolia		0.00									0.00									
Chenopodium curvispicatum	10	1.43	NT	NT	2	0	0.3	10	8		0.00									
Chenopodium desertorum ssp. anidiophyllum		0.00									0.00									
Chenopodium desertorum ssp. desertorum	1	0.14	RA d(ii)	RA	3	DD	0.0	1			0.00									
Chenopodium desertorum ssp. microphyllum		0.00									0.00									
Chenopodium desertorum ssp. rectum		0.00									0.00									
Chenopodium gaudichaudianum	2	2.11	RA d(i,ii)	RA	3	DD	0.0	2	1		0.00									
Chenopodium nitraraceum		0.00									0.00									
Chloris pectinata		0.00									0.00									
Chloris truncata		0.00									0.00									
Chondropyxis halophila		0.00									0.00									
Choretrum glomeratum var. chrysanthum		0.00									0.00									
Choretrum glomeratum var. glomeratum		0.00									0.00									
Chorizandra enodis		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	Nullarbor Plain Records	% Nullarbor Plain		Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						Hampton Records	% Hampton		Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)					
Chrysocephalum apiculatum		0.00									0.00									
Chrysocephalum baxteri		0.00									0.00									
Chrysocephalum eremaeum	1	0.39	RA d(i,ii)	RA	3	0	0.3	1			0.00									
Chrysocephalum pterochaetum		0.00									0.00									
Chrysocephalum semipapposum		0.00									0.00									
Chthonocephalus pseudevax		0.00									0.00									
Citrus glauca		0.00									0.00									
Cladium procerum		0.00									0.00									
Clematis microphylla var. microphylla		0.00									0.00									
Codonocarpus cotinifolius		0.00									0.00									
Comesperma calymega		0.00									0.00									
Comesperma polygaloides		0.00									0.00									
Comesperma scoparium		0.00									0.00									
Comesperma viscidulum		0.00									0.00									
Comesperma volubile	5	0.36	LC	LC	1	0	0.3	5	5		0.29	LC	LC	1	0	0.3	4	1		
Commersonia multioba		0.00									0.00									
Commersonia tatei		0.00									0.00									
Conospermum patens		0.00									0.00									
Convolvulus angustissimus ssp. angustissimus		0.00									0.00									
Convolvulus angustissimus ssp. peninsularum		0.00									0.00									
Convolvulus clementii	4	2.47	LC	LC	1	0	0.3	4	4		0.00									
Convolvulus crispifolius		0.00									0.00									
Convolvulus eyreanus		0.00									0.00									
Convolvulus microsepalus		0.00									0.00									
Convolvulus recurvatus ssp. nullarborensis	12	35.29	LC	LC	1	0	0.3	10			0.00									
Convolvulus recurvatus ssp. recurvatus		0.00									0.00									
Convolvulus remotus	3	0.18	LC	LC	1	0	0.3	3			0.00									
Cooperookia strophiolata		0.00									0.00									
Correa backhouseana var. coriacea		0.00								6	1.48	LC	LC	1	0	0.3	5	3		
Correa pulchella		0.00									0.00									
Corunastylis nigricans																				
Corunastylis tepperi																				
Corybas despectans		0.00									0.00									
Corybas expansus																				
Corynotheca licrota		0.00									0.00									
Corynotheca micrantha var. divaricata		0.00									0.00									
Cotula australis		0.00									0.00									
Cotula vulgaris var. australasica		0.00									0.00									
Craspedia variabilis		0.00									0.00									
Crassula closiana		0.00									0.00									
Crassula colligata ssp. lamprosperma	1	0.27	DD	DD	0	DD	0.0	1		1	0.27	DD	DD	0	DD	0.0	1			
Crassula colorata var. acuminata	6	0.55	LC	LC	1	0	0.3	5	2		0.09	LC	LC	1	0	0.3	1	1		could be undercollected
Crassula colorata var. colorata	1	0.18	RA d(ii)	RA	3	DD	0.0	1			0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	% Nullarbor Plain			Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						% Hampton									
Crassula decumbens var. decumbens	0.00										0.00									
Crassula exserta	0.00										0.00									
Crassula extrorsa	0.00										0.00									
Crassula peduncularis	0.00										0.00									
Crassula tetramera	0.00										0.00									
Cratystylis conocephala	17	2.62	LC	LC	1	0	0.3	12	7		8	1.23	LC	LC	1	0	0.3	4		
Cressa australis	0.00										0.00									
Crinum flaccidum	0.00										0.00									
Crotalaria eremaea ssp. eremaea	0.00										0.00									
Crotalaria eremaea ssp. strehlowii	0.00										0.00									
Cryptandra aridicola	0.00										0.00									
Cryptandra myriantha	0.00										0.00									
Cryptandra propinqua	0.00										0.00									
Cryptandra sp. Floriferous (W.R. Barker 4131)	0.00										0.00									
Cryptandra tomentosa	0.00										0.00									
Cullen australasicum	0.00										0.00									
Cullen cinereum	14	6.06	LC	LC	1	0	0.3	13	12	needs rain	0.00									
Cullen discolor	3	2.36	RA d(ii)	RA	3	DD	0.0	3	2	edge of range	0.00									
Cullen graveolens	0.00										0.00									
Cullen pallidum	0.00										0.00									
Cullen patens	0.00										0.00									
Cymbonotus preissianus	0.00										0.00									
Cymbopogon ambiguus	0.00										0.00									
Cymbopogon obtectus	0.00										0.00									
Cynanchum floribundum	0.00										0.00									
Cynoglossum australe	0.00										0.00									
Cynoglossum suaveolens	0.00										0.00									
Cyperus alterniflorus	0.00										0.00									
Cyperus bulbosus	0.00										0.00									
Cyperus difformis	0.00										0.00									
Cyperus gilesii	0.00										0.00									
Cyperus gymnocalulos	0.00										0.00									
Cyperus iria	0.00										0.00									
Cyperus laevigatus	0.00										0.00									
Cyperus pygmaeus	0.00										0.00									
Cyperus rigidellus	0.00										0.00									
Cyperus squarrosus	0.00										0.00									
Cyperus victoriensis	0.00										0.00									
Cyphanthera myosotidea	0.00										0.00									
Cyrtostylis reniformis	0.00										0.00									
Cyrtostylis robusta	0.00										0.00									
Dactyloctenium radulans	0.00										0.00									
Damasonium minus	0.00										0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	Nullarbor Plain Records	% Nullarbor Plain		Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						Hampton Records	% Hampton		Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)					
Dampiera dysantha		0.00									0.00									
Dampiera lanceolata var. lanceolata	1	0.46	RA d(i,ii)	RA	3	DD	0.0	1			0.00									
Dampiera ramosa		0.00									0.00									
Dampiera rosmarinifolia		0.00									0.00									
Darwinia salina	6	7.23	LC	LC	1	0	0.3	6	1	likes salt lakes	0.00									
Daucus glochidiatus	14	0.39	LC	LC	1	0	0.3	11	5		0.03	LC	LC	1	0	0.3	1			
Daviesia arenaria		0.00									0.00									
Daviesia asperula ssp. asperula		0.00									0.00									
Daviesia asperula ssp. obliqua		0.00									0.00									
Daviesia benthamii ssp. acanthoclona		0.00									0.00									
Daviesia benthamii ssp. humilis		0.00									0.00									
Daviesia brevifolia		0.00									0.00									
Daviesia pectinata		0.00									0.00									
Daviesia ulicifolia ssp. aridicola		0.00									0.00									
Desmocladus diacolpicus		0.00									0.00									
Deyeuxia quadriseta		0.00									0.00									
Dianella brevicaulis		0.00									0.00									
Dianella revoluta var. divaricata	2	0.95	LC	LC	1	0	0.3	2	1		2.37	LC	LC	1	0	0.3	4	3		
Dianella revoluta var. revoluta		0.00									0.00									
Dichanthium sericeum ssp. humilius		0.00									0.00									
Dichanthium sericeum ssp. sericeum		0.00									0.00									
Dichelachne crinita		0.00									0.00									
Dichondra repens		0.00									0.00									
Dicrastylis beveridgei var. beveridgei		0.00									0.00									
Dicrastylis beveridgei var. lanata		0.00									0.00									
Dicrastylis lewellinii		0.00									0.00									
Dicrastylis verticillata		0.00									0.00									
Digitaria ammophila		0.00									0.00									
Digitaria brownii		0.00									0.00									
Digitaria coenicola		0.00									0.00									
Dillwynia hispida		0.00									0.00									
Dillwynia sericea		0.00									0.00									
Dillwynia uncinata		0.00									0.00									
Dimorphocoma minutula	1	2.50	RA d(i,ii)	RA	3	0	0.3	1	1		0.00									
Disphyma crassifolium ssp. clavellatum	33	2.26	LC	LC	1	0	0.3	30	21	likes samphire, tolerates high salinity	0.89	LC	LC	1	0	0.3	10	8	likes samphire, tolerates high salinity	
Dissocarpus biflorus var. biflorus	2	0.35	NT	NT	2	DD	0.0	2	1		0.00									
Dissocarpus biflorus var. villosus		0.00									0.00									
Dissocarpus fontinalis		0.00									0.00									
Dissocarpus latifolius		0.00									0.00									
Dissocarpus paradoxus	5	0.39	NT	NT	2	0	0.3	5	2		0.00									
Distichlis distichophylla		0.00									0.00									
Diuris behrii		0.00									0.00									
Diuris orientis		0.00									0.00									
Diuris palustris		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	Nullarbor Plain Records	% Nullarbor Plain		Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						Hampton Records	% Hampton		Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)					
Diuris pardina		0.00									0.00									
Dodonaea baueri		0.00									0.00									
Dodonaea bursarifolia		0.00									0.00									
Dodonaea hexandra		0.00									0.00									
Dodonaea humilis		0.00									0.00									
Dodonaea intricata		0.00									0.00									
Dodonaea lobulata	3	0.28	RA d(i,ii)	RA	3	0	0.3	2			0.00									
Dodonaea microzyga var. microzyga	3	0.57	RA d(ii)	RA	3	0	0.3	3			0.00									
Dodonaea procumbens		0.00									0.00									
Dodonaea stenozyga	18	2.76	LC	LC	1	0	0.3	12	10		16	2.45	LC	LC	1	0	0.3	11	4	
Dodonaea tepperi		0.00									0.00									
Dodonaea viscosa ssp. angustissima	4	0.15	NT	NT	2	0	0.3	4			0.00									
Dodonaea viscosa ssp. cuneata		0.00									0.00									
Dodonaea viscosa ssp. spatulata		0.00									0.00									
Drosera auriculata		0.00									0.00									
Drosera glanduligera		0.00									0.00									
Drosera macrantha ssp. planchonii		0.00									0.00									
Drosera peltata		0.00									0.00									
Drosera pygmaea		0.00									0.00									
Drosera sp. Rigid. (R.J.Bates 2268)		0.00									0.00									
Duboisia hopwoodii		0.00									0.00									
Dysphania cristata	1	0.29	RA d(i,ii)	RA	3	DD	0.0	1	1		0.00									
Dysphania glomulifera ssp. eremaea		0.00									0.00									
Dysphania glomulifera ssp. glomulifera		0.00									0.00									
Dysphania melanocarpa forma melanocarpa	1	1.96	RA d(ii)	RA	3	DD	0.0	1	1		0.00									
Dysphania plantaginella		0.00									0.00									
Dysphania pumilio		0.00									0.00									
Dysphania rhadinostachya ssp. rhadinostachya		0.00									0.00									
Dysphania simulans		0.00									0.00									
Dysphania truncata		0.00									0.00									
Einadia nutans ssp. eremaea		0.00									0.00									
Einadia nutans ssp. nutans		0.00									0.00									
Einadia nutans ssp. oxycarpa		0.00									0.00									
Einadia polygonoides		0.00									0.00									
Elachanthus glaber		0.00									0.00									
Elachanthus pusillus	3	1.78	RA d(i,ii)	RA	3	0	0.3	2			0.00									
Elatine gratioloides		0.00									0.00									
Eleocharis acuta		0.00									0.00									
Eleocharis pallens		0.00									0.00									
Eleocharis pusilla		0.00									0.00									
Elymus scaber var. scaber	2	0.78	RA d(i,ii)	RA	3	0	0.3	2			0.00									
Embadium stagnense		0.00									0.00									
Embadium uncinatum		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	Nullarbor Plain Records	% Nullarbor Plain		Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						Hampton Records	% Hampton		Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)					
Enchylaena tomentosa var. tomentosa	71	1.25	LC	LC	1	0	0.3	58	41		22	0.39	LC	LC	1	0	0.3	14	7	
Enneapogon avenaceus	18	1.11	LC	LC	1	0	0.3	18	15			0.00			1	0	0.3			
Enneapogon caerulescens var. caerulescens	5	5.81	LC	LC	1	0	0.3	5	5			0.00			1	0	0.3			
Enneapogon cylindricus	39	4.00	LC	LC	1	0	0.3	39	37			0.00			1	0	0.3			
Enneapogon intermedius		0.00										0.00								
Enneapogon nigricans		0.00										0.00								
Enneapogon polyphyllus	1	0.08	RA d(ii)	RA	3	DD	0.0	1	1			0.00								
Enneapogon robustissimus		0.00										0.00								
Enteropogon acicularis		0.00										0.00								
Enteropogon ramosus		0.00										0.00								
Epaltes australis		0.00										0.00								
Epilobium billardierianum ssp. billardierianum		0.00										0.00								
Eragrostis australasica		0.00										0.00								
Eragrostis basedowii		0.00										0.00								
Eragrostis dielsii var. dielsii	3	0.50	LC	LC	1	0	0.3	3	3	likes saline areas		0.00								
Eragrostis eriopoda		0.00										0.00								
Eragrostis falcata	1	0.59	DD	DD	0	DD	0.0	1	1	check record		0.00								
Eragrostis kennedyae		0.00										0.00								
Eragrostis lacunaria		0.00										0.00								
Eragrostis laniflora		0.00										0.00								
Eragrostis lanipes	1	2.33	RA d(ii)	RA	3	-	0.4	1	1			0.00								
Eragrostis leptocarpa		0.00										0.00								
Eragrostis parviflora		0.00										0.00								
Eragrostis pergracilis		0.00										0.00								
Eragrostis setifolia		0.00										0.00								
Eragrostis xerophila		0.00										0.00								
Eremophea spinosa		0.00										0.00								
Eremophila alternifolia	4	0.35	LC	LC	1	0	0.3	4	2	common in rocky areas	3	0.26	LC	LC	1	0	0.3	3	3	
Eremophila arachnoides ssp. tenera		0.00										0.00								
Eremophila arenaria		0.00										0.00								
Eremophila barbata		0.00										0.00								
Eremophila battii	5	9.43	RA d(ii)	RA	3	DD	0.0	4	4			0.00								
Eremophila behriana		0.00										0.00								
Eremophila clarkei		0.00										0.00								
Eremophila crassifolia		0.00										0.00								
Eremophila decipiens ssp. decipiens	1	2.63	RA d(ii)	RA	3	0	0.3	1	1		1	2.63	RA d(ii)	RA	3	0	0.3	1	1	
Eremophila delisseri	8	66.67	LC	LC	1	0	0.3	7	2			0.00								
Eremophila deserti	5	0.77	LC	LC	1	0	0.3	5	4		2	0.31	LC	LC	1	0	0.3	2	1	
Eremophila duttonii		0.00										0.00								
Eremophila freelingii		0.00										0.00								
Eremophila gibbifolia		0.00										0.00								
Eremophila gibsonii	1	0.88	RA d(ii)	RA	3	0	0.3	1	1	restricted to sand dunes		0.00								
Eremophila gilesii		0.00										0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	Nullarbor Plain Records	% Nullarbor Plain		Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						Hampton Records	% Hampton		Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)					
<i>Eremophila glabra</i> ssp. <i>glabra</i>	4	0.27	LC	LC	1	0	0.3	4	2		4	0.27	LC	LC	1	0	0.3	4	2	
<i>Eremophila hillii</i>	7	25.00	VU D2	VU	4	-	0.4	4	1			0.00								
<i>Eremophila latrobei</i> ssp. <i>glabra</i>	9	1.31	LC	LC	1	0	0.3	7	3			0.00								
<i>Eremophila latrobei</i> ssp. <i>latrobei</i>		0.00										0.00								
<i>Eremophila longifolia</i>	17	1.45	LC	LC	1	0	0.3	14	10			0.00								
<i>Eremophila maculata</i> ssp. <i>brevifolia</i>		0.00										0.00								
<i>Eremophila maculata</i> ssp. <i>maculata</i>	25	8.33	LC	LC	1	0	0.3	16	3	likes floodplains		0.00								
<i>Eremophila neglecta</i>		0.00										0.00								
<i>Eremophila oppositifolia</i> ssp. <i>angustifolia</i>		0.00										0.00								
<i>Eremophila oppositifolia</i> ssp. <i>oppositifolia</i>		0.00										0.00								
<i>Eremophila paisleyi</i> ssp. <i>paisleyi</i>	2	1.82	RA d(ii)	RA	3	0	0.3	2	1			0.00								
<i>Eremophila parvifolia</i>	7	36.84	RA d(ii)	RA	3	0	0.3	6	6		LC	0.00	LC	1	0	0.3				no records
<i>Eremophila platythamnus</i> ssp. <i>exotrachys</i>		0.00										0.00								
<i>Eremophila platythamnus</i> ssp. <i>platythamnus</i>		0.00										0.00								
<i>Eremophila platythamnus</i> ssp. <i>Villous</i> (A.C. Robinson NP)		0.00										0.00								
<i>Eremophila rotundifolia</i>		0.00										0.00								
<i>Eremophila scoparia</i>	5	0.45	LC	LC	1	0	0.3	5				0.00								
<i>Eremophila serrulata</i>	2	0.40	RA d(ii)	RA	3	0	0.3	1		southern limit		0.00								
<i>Eremophila</i> sp. <i>Decussate</i> (R.J.Chinock 7735)	1	100.00	VU D2	VU	4	0	0.3	1	1	now <i>E. decussata</i>		0.00								
<i>Eremophila</i> sp. <i>Dendritica</i> (W.S.Reid AD98581189)	2	40.00	VU D2	VU	4	0	0.3	2	2	now <i>E. dendritica</i>		0.00								
<i>Eremophila</i> sp. <i>Fallax</i> (D.E.Symon 12311)		0.00										0.00								
<i>Eremophila</i> sp. <i>Hygrophana</i> (P.J.Lang B894-2828)		0.00										0.00								
<i>Eremophila</i> sp. <i>Praecox</i> (R.H.Ashby 131)		0.00										0.00								
<i>Eremophila sturtii</i>		0.00										0.00								
<i>Eremophila subfloccosa</i> ssp. <i>Lanata</i> (R.Bates 33587)		0.00										0.00								
<i>Eremophila verrucosa</i> ssp. <i>brevistellata</i>		0.00										0.00								
<i>Eremophila verrucosa</i> ssp. <i>verrucosa</i>		0.00										0.00								
<i>Eremophila weldii</i>	11	3.01	LC	LC	1	0	0.3	9	6		27	7.40	LC	LC	1	0	0.3	19	8	
<i>Eremophila willsii</i> var. <i>integrifolia</i>		0.00										0.00								
<i>Eriachne aristidea</i>		0.00										0.00								
<i>Eriachne helmsii</i>		0.00										0.00								
<i>Eriachne mucronata</i>		0.00										0.00								
<i>Eriachne ovata</i>		0.00										0.00								
<i>Eriochilus cucullatus</i>		0.00										0.00								
<i>Eriochiton sclerotaenoides</i>	159	10.57	LC	LC	1	0	0.3	157	132			0.00								
<i>Eriochlamys behrii</i>		0.00										0.00								
<i>Eriochlamys eremaea</i>		0.00										0.00								
<i>Eriochloa australiensis</i>		0.00										0.00								
<i>Eriochloa crebra</i>		0.00										0.00								
<i>Eriochloa pseudoacrotricha</i>		0.00										0.00								
<i>Erodiochloa eldeni</i>	7	4.90	RA d(ii)	RA	3	DD	0.0	6	3			0.00								
<i>Erodium carolinianum</i>	2	0.90	LC	LC	1	0	0.3	2	1	should be more records		0.00								
<i>Erodium crinitum</i>	1	0.10	RA d(i,ii)	RA	3	0	0.3	1				0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	Nullarbor Plain Records	% Nullarbor Plain		Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						Hampton Records	% Hampton		Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)					
Erodium cygnorum	6	4.41	LC	LC	1	0	0.3	5	5		0.00									
Erodium janszii		0.00									0.00									
Erodium sp. Blesing (J.R.Wheeler 471)		0.00									0.00									
Erymophyllum ramosum ssp. ramosum	21	87.50	LC	LC	1	0	0.3	16	14		0.00									
Eucalyptus albobupurea		0.00									0.00									
Eucalyptus angulosa		0.00									0.00									
Eucalyptus behriana		0.00									0.00									
Eucalyptus brachycalyx		0.00								3	0.27	RA d(i)	RA	3	DD	0.0		2		
Eucalyptus calcareana	5	1.01	RA d(i)	RA	3	0	0.3	5	1	17	3.43	RA d(i)	RA	3	0	0.3	10	2		2
Eucalyptus calycogona ssp. calycogona		0.00									0.00									
Eucalyptus calycogona ssp. spaffordii		0.00									0.00									
Eucalyptus camaldulensis var. camaldulensis		0.00									0.00									
Eucalyptus camaldulensis var. obtusa		0.00									0.00									
Eucalyptus canescens ssp. beadelii		0.00									0.00									
Eucalyptus canescens ssp. canescens		0.00									0.00									
Eucalyptus ceratocorys		0.00									0.00									
Eucalyptus cladocalyx		0.00									0.00									
Eucalyptus concinna	4	1.00	RA d(ii)	RA	3	0	0.3	4			0.00									
Eucalyptus conglobata ssp. conglobata		0.00									0.00									
Eucalyptus cretata		0.00									0.00									
Eucalyptus diversifolia ssp. diversifolia		0.00									0.00									
Eucalyptus diversifolia ssp. hesperia		0.00								6	100.00	RA d(i,ii)	RA	3	0	0.3	6	2		2
Eucalyptus dumosa		0.00									0.00									
Eucalyptus eremicola		0.00									0.00									
Eucalyptus eucentrica		0.00									0.00									
Eucalyptus glomerosa		0.00									0.00									
Eucalyptus gongylocarpa		0.00									0.00									
Eucalyptus gracilis	10	0.41	RA d(i,ii)	RA	3	0	0.3	8	3	16	0.65	LC	LC	1	0	0.3	8	2		2
Eucalyptus gypsophila		0.00									0.00									
Eucalyptus incrassata		0.00									0.00									
Eucalyptus intertexta		0.00									0.00									
Eucalyptus kingsmillii ssp. alatissima		0.00									0.00									
Eucalyptus lansdowneana		0.00									0.00									
Eucalyptus leptophylla	2	0.11	RA d(i,ii)	RA	3	0	0.3	2		1	0.05	RA d(i,ii)	RA	3	0	0.3	1			
Eucalyptus mannensis ssp. mannensis		0.00									0.00									
Eucalyptus odorata		0.00									0.00									
Eucalyptus oleosa ssp. ampliata	17	3.20	RA d(ii)	RA	3	0	0.3	12	8	5	0.94	LC	LC	1	0	0.3	4			
Eucalyptus oleosa ssp. oleosa		0.00									0.00									
Eucalyptus oxymitra		0.00									0.00									
Eucalyptus peeneri		0.00									0.00									
Eucalyptus peninsularis		0.00									0.00									
Eucalyptus petiolaris		0.00									0.00									
Eucalyptus phenax ssp. phenax		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	Nullarbor Plain Records	% Nullarbor Plain		Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						Hampton Records	% Hampton		Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)					
Eucalyptus pileata		0.00									1	1.59	NE		NE	-1				taxonomic issues
Eucalyptus picipiniana	2	2.02	RA d(i,ii)	RA	3	0	0.3	2				0.00								
Eucalyptus porosa		0.00										0.00								
Eucalyptus rugosa		0.00										0.00								
Eucalyptus socialis ssp. Glossy green (P.J.Lang 804)		0.00										0.00								
Eucalyptus socialis ssp. socialis		0.00										0.00								
Eucalyptus socialis ssp. South Great Victoria Desert (D.N)		0.00										0.00								
Eucalyptus trivalvis		0.00										0.00								
Eucalyptus viminalis ssp. cygnetensis		0.00										0.00								
Eucalyptus vokesensis		0.00										0.00								
Eucalyptus wyolensis		0.00										0.00								
Eucalyptus yalatenis	47	9.55	LC	LC	1	0	0.3	37	25		29	5.89	LC	LC	1	0	0.3	21	11	
Eucalyptus youngiana	2	1.32	RA d(i,ii)	RA	3	0	0.3	2				0.00								
Eucalyptus yumbarrana ssp. yumbarrana		0.00										0.00								
Euchiton collinus		0.00										0.00								
Euchiton sphaericus		0.00										0.00								
Eulalia aurea		0.00										0.00								
Euphorbia parvicaruncula		0.00										0.00								
Euphorbia stevenii		0.00										0.00								
Euphorbia tannensis ssp. eremophila	12	1.10	LC	LC	1	0	0.3	12	4			0.00								
Euphrasia collina ssp. tetragona		0.00										0.00								
Eutaxia diffusa		0.00										0.00								
Eutaxia microphylla	5	0.24	RA d(i,ii)	RA	3	0	0.3	5	5		2	0.10	RA d(i,ii)	RA	3	0	0.3	1		
Evolvulus alsinoides var. villosicalyx		0.00										0.00								
Exocarpos aphyllus	17	0.68	LC	LC	1	0	0.3	15	11		17	0.68	LC	LC	1	0	0.3	10	6	
Exocarpos cupressiformis		0.00										0.00								
Exocarpos sparteus		0.00										0.00								
Exocarpos syrticola		0.00										0.00								
Ficinia nodosa		0.00										0.00								
Fimbristylis dichotoma		0.00										0.00								
Flaveria australasica		0.00										0.00								
Frankenia cinerea	2	16.67	RA d(i,ii)	RA	3	DD	0.0	1				0.00								
Frankenia crispa		0.00										0.00								
Frankenia cupularis		0.00										0.00								
Frankenia foliosa		0.00										0.00								
Frankenia pauciflora var. fruticulosa	2	0.30	LC	LC	1	0	0.3	2	2		3	0.45	LC	LC	1	0	0.3	3	3	
Frankenia pauciflora var. gunnii		0.00										0.00								
Frankenia plicata		0.00										0.00								
Frankenia serpyllifolia	3	0.43	RA d(i,ii)	RA	3	DD	0.0	2	1			0.00								
Frankenia sessilis	41	10.96	LC	LC	1	0	0.3	36	33		10	2.67	LC	LC	1	0	0.3	9	9	
Gahnia ancistrophylla		0.00										0.00								
Gahnia deusta		0.00										0.00								
Gahnia filum		0.00										0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	% Nullarbor Plain	% Hampton		Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Hampton)						% Hampton	Proposed Regional IUCN Status (Hampton)								
Gahnia lanigera		0.00									0.00									
Gahnia trifida		0.00									0.00									
Galium compactum		0.00									0.00									
Galium gaudichaudii		0.00									0.00									
Galium migrans	4	0.85	NE	NE	-1		4		taxonomic issues, split	1	0.21	NE	NE	-1			1	1	taxonomic issues, split	
Geijera linearifolia	40	2.70	LC	LC	1	0	0.3	31		18	1.22	LC	LC	1	0	0.3	10	4		
Genoplesium nigricans		0.00									0.00									
Genoplesium rufum		0.00									0.00									
Geococcus pusillus		0.00									0.00									
Geranium potentilloides var. potentilloides		0.00									0.00									
Geranium retrorsum		0.00									0.00									
Geranium solanderi var. solanderi		0.00									0.00									
Gilesia biniiflora		0.00									0.00									
Glinus lotoides		0.00									0.00									
Glischrocaryon aureum var. angustifolium		0.00									0.00									
Glischrocaryon behrii		0.00									0.00									
Glischrocaryon flavescens		0.00									0.00									
Glossocardia bidens		0.00									0.00									
Glossodia major		0.00									0.00									
Glossostigma cleistanthum		0.00									0.00									
Glossostigma diandrum		0.00									0.00									
Glossostigma drummondii		0.00									0.00									
Glycine canescens	1	0.36	RA d(ii)	RA	3	0	0.3	1			0.00									
Glycine rubiginosa	2	0.27	RA d(i,ii)	RA	3	-	0.4	2			0.00									
Gnaphalium indutum		0.00									0.00									
Gnephosis arachnoidea		0.00									0.00									
Gnephosis drummondii		0.00									0.00									
Gnephosis tenuissima	2	0.53	LC	LC	1	0	0.3	2			0.00									
Gompholobium ecostatum		0.00									0.00									
Gonocarpus elatus		0.00									0.00									
Gonocarpus mezeianus		0.00									0.00									
Goodenia albiflora		0.00									0.00									
Goodenia benthamiana		0.00									0.00									
Goodenia berardiana		0.00									0.00									
Goodenia blackiana		0.00									0.00									
Goodenia calcarata		0.00									0.00									
Goodenia centralis		0.00									0.00									
Goodenia cycloptera		0.00									0.00									
Goodenia fascicularis		0.00									0.00									
Goodenia geniculata		0.00									0.00									
Goodenia gibbosa		0.00									0.00									
Goodenia glabra		0.00									0.00									
Goodenia glandulosa		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	% Nullarbor Plain			Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						% Hampton									
Goodenia gypsicola		0.00									0.00									
Goodenia havilandii		0.00									0.00									
Goodenia heterochila		0.00									0.00									
Goodenia larapinta		0.00									0.00									
Goodenia lobata		0.00									0.00									
Goodenia lunata		0.00									0.00									
Goodenia modesta		0.00									0.00									
Goodenia occidentalis		0.00									0.00									
Goodenia ovata		0.00									0.00									
Goodenia pinnatifida	30	2.47	LC	LC	1	0	0.3	22	5		1	0.08	RA d(i,ii)	RA	3	DD	0.0	1		
Goodenia pusilliflora		0.00									0.00									
Goodenia quaslibera		0.00									0.00									
Goodenia robusta		0.00									0.00									
Goodenia varia	8	0.72	LC	LC	1	0	0.3	7	2		10	0.89	LC	LC	1	0	0.3	7	5	
Goodenia verrucosa		0.00									0.00									
Goodenia willisiana		0.00									0.00									
Goodenia xanthosperma		0.00									0.00									
Goodia medicaginea		0.00									0.00									
Gossypium sturtianum var. sturtianum		0.00									0.00									
Grammosolen dixonii		0.00									0.00									
Grammosolen truncatus		0.00									0.00									
Gratwickia monochaeta	3	3.75	LC	LC	1	0	0.3	3			0.00									
Grevillea albiflora		0.00									0.00									
Grevillea anethifolia		0.00									0.00									
Grevillea aspera		0.00									0.00									
Grevillea dilatata		0.00									0.00									
Grevillea halmaturina ssp. laevis		0.00									0.00									
Grevillea huegelii		0.00									0.00									
Grevillea ilicifolia ssp. ilicifolia		0.00									0.00									
Grevillea juncifolia ssp. juncifolia		0.00									0.00									
Grevillea nematophylla ssp. nematophylla	3	1.13	RA d(ii)	RA	3	0	0.3	3	3		0.00									
Grevillea nematophylla ssp. supraplana	4	100.00	VU D1+2	VU	4	DD	0.0	2			0.00									
Grevillea parallelinervis		0.00									0.00									
Grevillea pauciflora ssp. leptophylla		0.00									0.00									
Grevillea pauciflora ssp. pauciflora		0.00									0.00									
Grevillea pterosperma		0.00									0.00									
Grevillea sarissa ssp. umbellifera		0.00									0.00									
Grevillea stenobotrya	3	1.07	RA d(ii)	RA	3	0	0.3	3	2		0.00									
Grevillea treueriana		0.00									0.00									
Gunniopsis calcarea	13	50.00	NT	NT	2	DD	0.0	10	2		10	38.46	LC	LC	1	DD	0.0	7	2	
Gunniopsis calva		0.00									0.00									
Gunniopsis papillata		0.00									0.00									
Gunniopsis quadrifida	2	0.48	RA d(i,ii)	RA	3	-	0.4	1			0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Proposed Regional IUCN Status (Nullarbor Plain)	Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Proposed Regional IUCN Status (Hampton)	Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	Nullarbor Plain Records	% Nullarbor Plain		Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)							Hampton Records	% Hampton									
Gunniopsis septifraga	2	6.06	RA d(ii)	RA	3	0	0.4	2	1			0.00										
Gunniopsis zygophylloides		0.00										0.00										
Gyrostemon australasicus		0.00										0.00										
Gyrostemon ramulosus	3	1.06	LC	LC	1	0	0.3	2				0.00										
Gyrostemon tepperi		0.00										0.00										
Gyrostemon thesioides		0.00										0.00										
Haeckeria cassiniiformis		0.00										0.00										
Haeckeria punctulata		0.00										0.00										
Haegiela tatei		0.00										0.00										
Hakea cycloptera		0.00										0.00										
Hakea francisiana	1	0.32	RA d(i,ii)	RA	3	DD	0.0	1				0.00										
Hakea leucoptera ssp. leucoptera		0.00										0.00										
Hakea lorea ssp. lorea		0.00										0.00										
Hakea mitchellii		0.00										0.00										
Hakea rugosa		0.00										0.00										
Hakea vittata		0.00										0.00										
Halgania andromedifolia		0.00									4	0.93	LC	LC	1	0	0.3	3	2			
Halgania cyanea		0.00										0.00										
Halophila australis		0.00										0.00										
Haloragis acutangula forma acutangula		0.00										0.00										
Haloragis acutangula forma annulata		0.00										0.00										
Haloragis acutangula forma dentata		0.00										0.00										
Haloragis acutangula forma inflata		0.00										0.00										
Haloragis acutangula forma obturbinata		0.00										0.00										
Haloragis acutangula forma pyramidata		0.00										0.00										
Haloragis acutangula forma semiangulata		0.00										0.00										
Haloragis acutangula forma stellata		0.00										0.00										
Haloragis acutangula forma subacutangula		0.00										0.00										
Haloragis acutangula forma tetraglebosa		0.00										0.00										
Haloragis acutangula forma tetraptera		0.00										0.00										
Haloragis acutangula forma turbinata		0.00										0.00										
Haloragis aspera		0.00										0.00										
Haloragis eyreana		0.00										0.00										
Haloragis glauca forma glauca		0.00										0.00										
Haloragis gossei		0.00										0.00										
Haloragis odontocarpa forma pterocarpa		0.00										0.00										
Haloragis odontocarpa forma rugosa		0.00										0.00										
Haloragis uncatipila		0.00										0.00										
Hannaforia bissillii ssp. bissillii		0.00										0.00										
Hardenbergia violacea		0.00										0.00										
Harmsiodoxa blennodioides		0.00										0.00										
Harmsiodoxa brevipes var. brevipes		0.00										0.00										
Harmsiodoxa brevipes var. major		0.00										0.00										

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	Nullarbor Plain Records	% Nullarbor Plain		Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						Hampton Records	% Hampton		Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)					
Harmsiodoxa puberula		0.00									0.00									
Helichrysum leucopsidium		0.00									0.00									
Heliotropium asperillum		0.00									0.00									
Heliotropium europaeum	5	1.33	NE	NE	-1			5	4	taxonomic issues	0.00									
Hemichroa diandra	21	9.01	LC	LC	1	0	0.3	18	12		1	0.43	LC	LC	1	0	0.3	1	1	
Hemichroa pentandra		0.00																		
Hibbertia cinerea		0.00																		
Hibbertia crinita		0.00																		
Hibbertia crispula	1	3.57	VU B2ab(i,ii,iii)	VU	4	-	0.4	1		endemic, should be more records	0.00									
Hibbertia paeninsularis		0.00																		
Hibbertia platyphylla ssp. major		0.00																		
Hibbertia platyphylla ssp. platyphylla		0.00																		
Hibbertia riparia		0.00																		
Hibbertia sp. Glabriuscula (D.J.Whibley 9012)		0.00																		
Hibbertia virgata		0.00																		
Hibiscus brachysiphonius		0.00																		
Hibiscus krichauffianus	3	1.28	RA d(ii)	RA	3	DD	0.0	3	1											
Hibiscus solanifolius		0.00																		
Hibiscus sturtii var. grandiflorus		0.00																		
Hibiscus sturtii var. muelleri		0.00																		
Homoranthus homoranthoides		0.00																		
Homoranthus wilhelmii		0.00																		
Hyalosperma demissum		0.00																		
Hyalosperma glutinosum ssp. glutinosum		0.00																		
Hyalosperma semisterile		0.00																		
Hybanthus floribundus ssp. floribundus		0.00																		
Hybanthus monopetalus		0.00																		
Hydrocotyle callicarpa		0.00																		
Hydrocotyle capillaris		0.00																		
Hydrocotyle comocarpa		0.00																		
Hydrocotyle foveolata		0.00																		
Hydrocotyle laxiflora		0.00																		
Hydrocotyle medicaginooides		0.00																		
Hydrocotyle pilifera var. glabrata		0.00																		
Hydrocotyle rugulosa		0.00																		
Hydrocotyle trachycarpa		0.00																		
Hypericum gramineum		0.00																		
Hypolaena fastigiata		0.00																		
Hypoxis glabella var. glabella	1	0.16	RA d(ii)	RA	3	0	0.3	1			0.00	RA d(ii)	RA	3	0	0.3				no records
Hypoxis vaginata var. vaginata		0.00																		
Imperata cylindrica		0.00																		
Indigofera australis var. australis		0.00																		
Indigofera georgei		0.00																		

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	% Nullarbor Plain	% Hampton		Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)															
Indigofera helmsii		0.00																		
Indigofera psammophila		0.00																		
Iseilema eremaeum		0.00																		
Iseilema membranaceum		0.00																		
Isoetes muelleri		0.00																		
Isoetopsis graminifolia	14	2.23	LC	LC	1	0	0.3	14	1											
Isolepis australiensis		0.00																		
Isolepis cernua		0.00																		
Isolepis congrua		0.00																		
Isolepis fluitans		0.00																		
Isolepis hookeriana		0.00																		
Isolepis inundata		0.00																		
Isolepis platycarpa		0.00																		
Isolepis stellata		0.00																		
Isotoma petraea		0.00																		
Isotoma scapigera		0.00																		
Ixiochlamys cuneifolia		0.00																		
Ixiochlamys filicifolia		0.00																		
Ixiochlamys nana		0.00																		
Ixodia achillaeoides ssp. achillaeoides		0.00																		
Ixodia achillaeoides ssp. alata		0.00																		
Jasminum didymum ssp. lineare		0.00																		
Juncus aridicola		0.00																		
Juncus bufonius		0.00																		
Juncus kraussii		0.00																		
Juncus pallidus		0.00																		
Juncus radula		0.00																		
Juncus subsecundus		0.00																		
Kennedia prostrata		0.00																		
Keraudrenia nephrosperma		0.00																		
Keraudrenia sp. North West (J.Z.Weber 6475)		0.00																		
Kippistia suaedifolia	3	2.91	RA d(ii)	RA	3	0	0.3	3	2	gypsious habitat										
Korthalsella japonica forma japonica		0.00																		
Lachnagrostis aemula		0.00																		
Lachnagrostis billardierei ssp. billardierei		0.00																		
Lachnagrostis filiformis		0.00																		
Lagenophora huegelii		0.00																		
Lasiopetalum baueri		0.00																		
Lasiopetalum behrii		0.00																		
Lasiopetalum discolor		0.00																		
Lasiopetalum schulzenii		0.00																		
Lawrencella davenportii		0.00																		
Lawrenca berthae		0.00																		

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	Number	% Nullarbor Plain		Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						Number	% Hampton		Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)					
Lawrenzia glomerata	6	1.50	LC	LC	1	0	0.3	6	4		0.00									
Lawrenzia spicata		0.00									0.00									
Lawrenzia squamata	64	8.66	LC	LC	1	0	0.3	49	32		0.00	LC	LC	1	0	0.3	1			
Laxmannia orientalis		0.00									0.00									
Lechenaultia aphylla		0.00									0.00									
Lechenaultia divaricata		0.00									0.00									
Lechenaultia striata		0.00									0.00									
Leiocarpa leptolepis		0.00									0.00									
Leiocarpa plurisetata	1	2.86	RA d(i,ii)	RA	3	DD	0.0	1			0.00									
Leiocarpa semicalva ssp. semicalva		0.00									0.00									
Leiocarpa supina		0.00									0.00									
Leiocarpa tomentosa		0.00									0.00									
Leiocarpa websteri	2	0.30	RA d(ii)	RA	3	DD	0.0	2			0.00									
Lemna disperra		0.00									0.00									
Lemooria burkittii		0.00									0.00									
Lepidium fasciculatum	4	5.33	VU B2ab(i,ii,iii)	VU	4	-	0.4	3			0.00									
Lepidium foliosum		0.00									0.00									
Lepidium leptopetalum		0.00									0.00									
Lepidium muelleri-ferdinandi		0.00									0.00									
Lepidium oxytrichum	3	0.47	RA d(ii)	RA	3	0	0.3	2			0.00									
Lepidium papillosum		0.00									0.00									
Lepidium phlebopetalum	35	4.58	LC	LC	1	0	0.3	32	17		0.00									
Lepidium pseudoruderale	7	53.85	VU B2ab(i,ii,iii)	VU	4	-	0.4	6	restricted to caves		0.00									
Lepidium rotundum	5	19.23	LC	LC	1	DD	0.0	4			0.00									
Lepidium sagittulatum		0.00									0.00									
Lepidosperma canescens		0.00									0.00									
Lepidosperma carphoides		0.00									0.00									
Lepidosperma concavum		0.00									0.00									
Lepidosperma congestum		0.00									0.00									
Lepidosperma curtisiae		0.00									0.00									
Lepidosperma gladiatum		0.00									0.00									
Lepidosperma leptophyllum		0.00									0.00									
Lepidosperma sp. Narrow leaf (R.L.Taplin 709)		0.00									0.00									
Lepidosperma viscidum		0.00									0.00									
Lepilaena australis		0.00									0.00									
Lepilaena cylindrocarpa		0.00									0.00									
Lepilaena marina		0.00									0.00									
Lepilaena preissii		0.00									0.00									
Leporella fimbriata		0.00									0.00									
Leptoceras menziesii		0.00									0.00									
Leptomeria aphylla		0.00									0.00									
Leptomeria preissiana		0.00									0.00									
Leptorhynchos baileyi		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	Nullarbor Plain Records	% Nullarbor Plain		Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						Hampton Records	% Hampton		Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)					
Leptorhynchus elongatus		0.00									0.00									
Leptorhynchus melanocarpus		0.00									0.00									
Leptorhynchus scaber		0.00									0.00									
Leptorhynchus squamatus ssp. squamatus		0.00									0.00									
Leptorhynchus tetrachaetus		0.00									0.00									
Leptorhynchus waitzia	1	0.37	RA d(ii)	RA	3	DD	0.0	1	1		0.00									
Leptospermum coriaceum	3	0.23	RA d(ii)	RA	3	0	0.3	2			0.00									
Leptospermum fastigiatum		0.00									0.00									
Leucochrysum fitzgibbonii	2	1.11	RA d(i,ii)	RA	3	0	0.3	2	restricted habitat		0.00									
Leucochrysum melle		0.00									0.00									
Leucochrysum stipitatum		0.00									0.00									
Leucophyta brownii		0.00									0.00									
Leucopogon clelandii		0.00									0.00									
Leucopogon cordifolius		0.00									0.00									
Leucopogon parviflorus		0.00									0.00									
Leucopogon revolutus		0.00									0.00									
Leucopogon rufus		0.00									0.00									
Leucopogon woodsii		0.00									0.00									
Levenhookia dubia		0.00									0.00									
Levenhookia stipitata		0.00									0.00									
Lilaeopsis polyantha		0.00									0.00									
Limosella australis		0.00									0.00									
Limosella curdieana var. curdieana		0.00									0.00									
Limosella curdieana var. Long-pedicelled (W.R.Barker 3)		0.00									0.00									
Limosella granitica		0.00									0.00									
Linum marginale		0.00									0.00									
Lissanthe strigosa ssp. subulata		0.00									0.00									
Lobelia anceps		0.00									0.00									
Lobelia gibbosa		0.00									0.00									
Lobelia heterophylla		0.00									0.00									
Logania crassifolia		0.00									0.00									
Logania linifolia		0.00									0.00									
Logania minor		0.00									0.00									
Logania nuda		0.00									0.00									
Logania ovata		0.00									0.00									
Lomandra collina		0.00									0.00									
Lomandra effusa		0.00								3	0.21	LC	LC	1	0	0.3	3	3		
Lomandra juncea		0.00									0.00									
Lomandra leucocephala ssp. robusta		0.00									0.00									
Lomandra micrantha ssp. micrantha		0.00									0.00									
Lomandra micrantha ssp. tuberculata		0.00									0.00									
Lomandra sororia		0.00									0.00									
Lotus australis		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)		Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton		Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)			
	Nullarbor Plain Records	% Nullarbor Plain		Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)	Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain					Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Hampton Records	% Hampton		Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)	Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton				Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)	
Lotus cruentus	21	1.89	LC	LC	1	0	0.3	20	9					0.00													
Luzula densiflora		0.00												0.00													
Luzula meridionalis		0.00												0.00													
Lycium australe	86	8.29	LC	LC	1	0	0.3	66	43				3	0.29	LC	LC	1	0	0.3	3	3						
Lysiana exocarpi ssp. exocarpi	28	1.53	LC	LC	1	0	0.3	22	7					0.00													
Lysiana murrayi		0.00												0.00													
Lythrum hyssopifolia		0.00												0.00													
Lythrum wilsonii		0.00												0.00													
Maireana aphylla		0.00												0.00													
Maireana appressa	1	0.24	RA d(i,ii)	RA	3	DD	0.0	1						0.00													
Maireana astrotricha		0.00												0.00													
Maireana brevifolia		0.00												0.00													
Maireana campanulata		0.00												0.00													
Maireana cannonii		0.00												0.00													
Maireana carnosa	1	2.50	DD	DD	0	DD	0.0	1						0.00													
Maireana ciliata		0.00												0.00													
Maireana coronata		0.00												0.00													
Maireana enchylaenoides	1	0.10	RA d(i,ii)	RA	3	DD	0.0	1	1					0.00													
Maireana eriantha		0.00												0.00													
Maireana erioclada	73	5.69	LC	LC	1	0	0.3	59	38				23	1.79	LC	LC	1	0	0.3	17	10						
Maireana georgei	6	0.75	LC	LC	1	0	0.3	6	4					0.00													
Maireana integra		0.00												0.00													
Maireana lobiflora	1	0.94	RA d(ii)	RA	3	DD	0.0	1		responds well to rain				0.00													
Maireana melanocarpa		0.00												0.00													
Maireana microcarpa		0.00												0.00													
Maireana oppositifolia	23	2.90	LC	LC	1	0	0.3	20	15				2	0.25	LC	LC	1	0	0.3	2	2						
Maireana ovata		0.00												0.00													
Maireana pentatropis	23	2.01	LC	LC	1	0	0.3	16	1				5	0.44	LC	LC	1	0	0.3	4							
Maireana planifolia		0.00												0.00													
Maireana pyramidata		0.00												0.00													
Maireana radiata	3	0.47	LC	LC	1	0	0.3	2	1					0.00													
Maireana rohlfachii		0.00												0.00													
Maireana schistocarpa		0.00												0.00													
Maireana scleroptera		0.00												0.00													
Maireana sedifolia	112	8.12	LC	LC	1	0	0.3	82	54				4	0.29	LC	LC	1	0	0.3	3	1						
Maireana spongocarpa		0.00												0.00													
Maireana suaedifolia		0.00												0.00													
Maireana tomentosa ssp. urceolata		0.00												0.00													
Maireana trichoptera	20	1.75	LC	LC	1	0	0.3	17	10				6	0.52	LC	LC	1	0	0.3	6	3						
Maireana triptera	1	0.32	LC	LC	1	0	0.3	1	1	increases in mallee after fire				0.00													
Maireana turbinata	30	4.89	LC	LC	1	0	0.3	28	14					0.00													
Maireana villosa	1	0.72	RA d(i,ii)	RA	3	DD	0.0	1	1					0.00													
Malacocera albolanata		0.00												0.00													

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	% Nullarbor Plain			Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						% Hampton									
Malacocera gracilis	0.00										0.00									
Malacocera tricornis	0.00										0.00									
Malva preissiana	25	3.03	LC	LC	1	0	0.3	24	9		0.00									
Malvastrum americanum var. americanum		0.00									0.00									
Marsdenia australis		0.00									0.00									
Marsilea costulifera		0.00									0.00									
Marsilea drummondii		0.00									0.00									
Marsilea exarata		0.00									0.00									
Marsilea hirsuta		0.00									0.00									
Melaleuca acuminata ssp. acuminata		0.00									0.00									
Melaleuca armillaris ssp. akineta		0.00									0.00									
Melaleuca brevifolia		0.00									0.00									
Melaleuca decussata		0.00									0.00									
Melaleuca eleuterostachya		0.00									0.00									
Melaleuca gibbosa		0.00									0.00									
Melaleuca glomerata		0.00									0.00									
Melaleuca halmaturorum		0.00									0.00									
Melaleuca interioris		0.00									0.00									
Melaleuca lanceolata	4	0.71	RA d(ii)	RA	3	0	0.3	4	1		1	0.18	RA d(ii)	RA	3	0	0.3	1		
Melaleuca leiocarpa		0.00									0.00									
Melaleuca nanophylla		0.00									0.00									
Melaleuca oxyphylla		0.00									0.00									
Melaleuca pauperiflora ssp. mutica		0.00									4	0.92	LC	LC	1	0	0.3	3		
Melaleuca quadrifaria		0.00									6	85.71	RA d(i,ii)	RA	3	0	0.3	4	2	WA spp. edge of range
Melaleuca uncinata		0.00									0.00									
Melaleuca xerophila		0.00									0.00									
Menkea australis		0.00									0.00									
Menkea crassa		0.00									0.00									
Menkea sphaerocarpa		0.00									0.00									
Menkea villosula		0.00									0.00									
Mentha australis		0.00									0.00									
Mentha satyroides		0.00									0.00									
Micranthemum demissum		0.00									0.00									
Microcybe multiflora ssp. baccharoides		0.00									2	2.78	LC	LC	1	0	0.3	2	1	
Microcybe multiflora ssp. multiflora		0.00									0.00									
Microcybe pauciflora ssp. pauciflora		0.00									0.00									
Microlepidium alatum		0.00									0.00									
Microlepidium pilosulum		0.00									0.00									
Microseris lanceolata		0.00									0.00									
Microtis arenaria		0.00									0.00									
Microtis atrata		0.00									0.00									
Microtis eremaea		0.00									0.00									
Microtis frutetorum		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records	% Nullarbor Plain	Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)	Trends (-, 0, +, ++)	Nullarbor Plain	Trends (-, 0, +, ++)	Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records	% Hampton	Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)	Trends (-, 0, +, ++)	Hampton	Trends (-, 0, +, ++)	Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
Microtis orbicularis		0.00												0.00										
Microtis sp. Short-leaf (R.J. Bates 54342)		0.00												0.00										
Millotia greevesii ssp. helmsii	1	2.86	NE	NE	-1					1		taxonomic issues, should be more records		0.00										
Millotia incurva		0.00												0.00										
Millotia macrocarpa		0.00												0.00										
Millotia major		0.00												0.00										
Millotia muelleri		0.00												0.00										
Millotia myosotidifolia		0.00												0.00										
Millotia perpusilla		0.00												0.00										
Millotia tenuifolia var. tenuifolia		0.00												0.00										
Mimulus repens		0.00												0.00										
Minuria annua		0.00												0.00										
Minuria cunninghamii	18	2.75	LC	LC	1	0	0.3			15	4			0.00										
Minuria denticulata		0.00												0.00										
Minuria integerrima		0.00												0.00										
Minuria leptophylla	18	1.65	LC	LC	1	0	0.3			17	9			0.00										
Minuria multisetata		0.00												0.00										
Mitrasacme pilosa var. pilosa		0.00												0.00										
Mollugo cerviana		0.00												0.00										
Monachather paradoxus		0.00												0.00										
Muehlenbeckia adpressa		0.00												0.00										
Muehlenbeckia diclina ssp. diclina		0.00												0.00										
Muehlenbeckia florulenta		0.00												0.00										
Muehlenbeckia gunnii		0.00												0.00										
Muehlenbeckia horrida ssp. horrida		0.00												0.00										
Muelleranthus stipularis		0.00												0.00										
Murchisonia volubilis		0.00												0.00										
Myoporum brevipes		0.00												0.00										
Myoporum insulare	2	0.18	LC	LC	1	0	0.3			2	2			0.00										
Myoporum montanum		0.00												0.00										
Myoporum parvifolium		0.00												0.00										
Myoporum platycarpum ssp. perbellum		0.00												0.00										
Myoporum platycarpum ssp. platycarpum	11	1.49	LC	LC	1	0	0.3			9	4		1	0.14	LC	LC	1	0	0.3		1			
Myoporum viscosum		0.00												0.00										
Myosotis australis		0.00												0.00										
Myosurus minimus var. australis		0.00												0.00										
Myriocephalus pluriflorus		0.00												0.00										
Myriocephalus rudallii		0.00												0.00										
Myriocephalus squamatus		0.00												0.00										
Myriophyllum integrifolium		0.00												0.00										
Myriophyllum muelleri		0.00												0.00										
Myriophyllum salsugineum		0.00												0.00										
Myriophyllum verrucosum		0.00												0.00										

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	% Nullarbor Plain			Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						% Hampton									
Neobassia proceriflora		0.00									0.00									
Neurachne alopecuroidea		0.00									0.00									
Neurachne munroi		0.00									0.00									
Newcastelia bracteosa		0.00									0.00									
Newcastelia cephalantha var. cephalantha		0.00									0.00									
Newcastelia spodiotricha		0.00									0.00									
Nicotiana goodspeedii	53	12.71	LC	LC	1	0	0.3	48	24		8	1.92	LC	LC	1	0	0.3	7	6	
Nicotiana maritima		0.00									0.00									
Nicotiana occidentalis ssp. obliqua		0.00									0.00									
Nicotiana rosulata ssp. rosulata		0.00									0.00									
Nicotiana simulans	1	0.41	RA d(i,ii)	RA	3	-	0.4	1		edge of range	0.00									
Nicotiana velutina	7	0.72	LC	LC	1	0	0.3	6			0.00									
Nitiraria billardieri	30	1.76	LC	LC	1	0	0.3	24	19	on dunes, weedy species	16	0.94	LC	LC	1	0	0.3	9	7	on dunes, weedy species
Olaix orbicordata		0.00									0.00									
Olearia adenolasia		0.00									0.00									
Olearia axillaris	1	0.06	RA d(i,ii)	RA	3	0	0.3	1	1		0.00									
Olearia brachyphylla		0.00									0.00									
Olearia calcarea	1	0.70	RA d(ii)	RA	3	DD	0.0	1	1		0.00									
Olearia ciliata var. ciliata		0.00									0.00									
Olearia decurrens		0.00									0.00									
Olearia exiguifolia	13	8.61	LC	LC	1	0	0.3	7	6		17	11.26	LC	LC	1	0	0.3	10	8	
Olearia floribunda var. floribunda		0.00									0.00									
Olearia lanuginosa		0.00									0.00									
Olearia lepidophylla		0.00									0.00									
Olearia magniflora		0.00									0.00									
Olearia minor		0.00									0.00									
Olearia muelleri	8	0.78	LC	LC	1	0	0.3	5	4		7	0.68	LC	LC	1	0	0.3	4	1	
Olearia pannosa ssp. pannosa		0.00									0.00									
Olearia passerinoides ssp. passerinoides		0.00									0.00									
Olearia picridifolia		0.00									0.00									
Olearia pimeleoides ssp. incana	1	12.50	RA d(i,ii)	RA	3	DD	0.0	1			0.00									
Olearia pimeleoides ssp. pimeleoides		0.00									0.00									
Olearia ramulosa		0.00									0.00									
Olearia rudis		0.00									0.00									
Olearia stuartii		0.00									0.00									
Olearia subspicata		0.00									0.00									
Omphalolappula concava	14	1.53	LC	LC	1	0	0.3	9			1	0.11	LC	LC	1	0	0.3	1		
Opercularia scabrida		0.00									0.00									
Opercularia turpis		0.00									0.00									
Ophioglossum lusitanicum		0.00									0.00									
Ophioglossum polyphyllum		0.00									0.00									
Orobanche cernua var. australiana		0.00									0.00									
Orthoceras strictum		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	Nullarbor Plain Records	% Nullarbor Plain		Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						Hampton Records	% Hampton								
Orthrosanthus multiflorus		0.00									0.00									
Osteocarpum acropterum var. acropterum	1	0.34	RA d(i,ii)	RA	3	-	0.4	1	1		0.00									
Osteocarpum dipterocarpum		0.00									0.00									
Osteocarpum pentapterum		0.00									0.00									
Osteocarpum salsuginosum	7	7.61	RA d(ii)	RA	3	DD	0.0	4			0.00									
Owenia acidula		0.00									0.00									
Oxalis perennans	5	0.65	LC	LC	1	0	0.3	3			0.00									
Oxalis radicata		0.00									0.00									
Ozothamnus decurrens		0.00									0.00									
Ozothamnus retusus		0.00									0.00									
Pachymitis cardaminoides		0.00									0.00									
Panicum decompositum var. decompositum		0.00									0.00									
Panicum effusum var. effusum		0.00									0.00									
Panicum laevinode		0.00									0.00									
Paractaenium novae-hollandiae ssp. reversum		0.00									0.00									
Paractaenium refractum		0.00									0.00									
Paraneurachne muelleri		0.00									0.00									
Parietaria australis	1	2.78	NT	NT	2	0	0.3	1		common after fire, undercollected, coastal	0.00									
Parietaria cardiostegia		0.00									0.00									
Parietaria debilis	2	0.61	LC	LC	1	0	0.3	2		needs crevices, should be more records	0.00									
Pelargonium australe		0.00									0.00									
Pelargonium littorale		0.00									0.00									
Persicaria prostrata		0.00									0.00									
Phebalium bullatum		0.00									0.00									
Pheladenia deformis		0.00									0.00									
Philoteca angustifolia ssp. angustifolia		0.00									0.00									
Philoteca linearis		0.00									0.00									
Philoteca pungens		0.00									0.00									
Phlegmatospermum cochlearinum	12	7.23	LC	LC	1	DD	0.0	9			0.00									
Phlegmatospermum eremaeum	1	3.23	DD	DD	0	DD	0.0	1			0.00									
Phlegmatospermum richardsii		0.00									0.00									
Phyllangium distylis		0.00									0.00									
Phyllangium divergens		0.00									0.00									
Phyllangium sulcatum		0.00									0.00									
Phyllanthus calycinus		0.00									0.00									
Phyllanthus fuemrohrrii		0.00									0.00									
Phyllanthus lacunarius		0.00									0.00									
Phyllanthus saxosus		0.00									0.00									
Phylloglossum drummondii		0.00									0.00									
Phyllota remota		0.00									0.00									
Picris angustifolia ssp. angustifolia		0.00									0.00									
Piulularia novae-hollandiae		0.00									0.00									
Pimelea flava ssp. dichotoma		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	Nullarbor Plain Records	% Nullarbor Plain		Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						Hampton Records	% Hampton		Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)					
Pimelea glauca		0.00									0.00									
Pimelea imbricata var. petraea		0.00									0.00									
Pimelea micrantha		0.00									0.00									
Pimelea microcephala ssp. microcephala	1	0.11	RA d(i,ii)	RA	3	0	0.3	1		edge of range	0.00									
Pimelea octophylla		0.00									0.00									
Pimelea petrophila		0.00									0.00									
Pimelea phyllicoides		0.00									0.00									
Pimelea serpyllifolia ssp. serpyllifolia	1	0.07	LC	LC	1	0	0.3	1	1		0.07	LC	LC	1	0	0.3	1			
Pimelea simplex ssp. continua		0.00									0.00									
Pimelea simplex ssp. simplex	2	0.46	RA d(i,ii)	RA	3	DD	0.0	2			0.00									
Pimelea stricta		0.00									0.00									
Pimelea subvillifera		0.00									0.00									
Pimelea trichostachya		0.00									0.00									
Pimelea williamsonii		0.00									0.00									
Pittosporum angustifolium	72	2.40	LC	LC	1	0	0.3	63	32		0.20	LC	LC	1	0	0.3	3			
Pittosporum ligustrifolium		0.00									0.00									
Pityrodia loricata		0.00									0.00									
Plagiobothrys plurisepaleus		0.00									0.00									
Plantago drummondii	11	1.07	LC	LC	1	0	0.3	10	2		0.00									
Plantago gaudichaudii		0.00									0.00									
Plantago hispida		0.00									0.00									
Plantago sp. A (A.C.Robinson 704)		0.00									0.00									
Plantago sp. B (R.Bates 44765)		0.00									0.00									
Plantago turrifera		0.00									0.00									
Plantago varia		0.00									0.00									
Platysace heterophylla var. heterophylla		0.00									0.00									
Pleuropappus phyllocalymmeus		0.00									0.00									
Pleurosorus rutifolius		0.00									0.00									
Pleurosorus subglandulosus		0.00									0.00									
Pluchea rubelliflora		0.00									0.00									
Poa clelandii		0.00									0.00									
Poa crassicaudex		0.00									0.00									
Poa drummondiana		0.00									0.00									
Poa fax		0.00									0.00									
Poa fordeana		0.00									0.00									
Poa labillardieri var. labillardieri		0.00									0.00									
Poa poiformis var. poiformis		0.00									0.00									
Poa tenera		0.00									0.00									
Podolepis canescens	8	2.12	LC	LC	1	0	0.3	5	1		0.53	LC	LC	1	0	0.3	1			
Podolepis capillaris	7	0.57	RA d(ii)	RA	3	0	0.3	5			0.00									
Podolepis davisiana		0.00									0.00									
Podolepis jaceoides		0.00									0.00									
Podolepis longipedata		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	Nullarbor Plain Records	% Nullarbor Plain		Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						Hampton Records	% Hampton		Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)					
Podolepis rugata var. littoralis		0.00									0.00									
Podolepis rugata var. rugata	3	0.88	RA d(ii)	RA	3	0	0.3	3	1		1	0.29	RA d(ii)	RA	3	0	0.3	1	1	
Podolepis tepperi		0.00										0.00								
Podotheca angustifolia		0.00										0.00								
Pogonolepis muelleriana		0.00										0.00								
Polycalymma stuartii	3	0.32	LC	LC	1	0	0.3	3				0.00								
Polygonum plebeium		0.00										0.00								
Polygogon tenellus		0.00										0.00								
Pomaderris flabellaris		0.00										0.00								
Pomaderris forrestiana	9	26.47	LC	LC	1	0	0.3	8	7		23	67.65	LC	LC	1	0	0.3	14	5	
Pomaderris obcordata		0.00										0.00								
Pomaderris paniculosa ssp. paniculosa		0.00										0.00								
Pomaderris paniculosa ssp. paralia		0.00										0.00								
Pomax umbellata	1	0.34	RA d(i,ii)	RA	3	-	0.4	1				0.00								
Poranthera huegelii		0.00										0.00								
Poranthera leiosperma		0.00										0.00								
Poranthera microphylla		0.00										0.00								
Poranthera triandra		0.00										0.00								
Portulaca oleracea		0.00										0.00								
Posidonia angustifolia		0.00										0.00								
Posidonia australis		0.00										0.00								
Posidonia coriacea		0.00										0.00								
Posidonia denhartogii		0.00										0.00								
Posidonia sinuosa		0.00										0.00								
Potamogeton ochreateus		0.00										0.00								
Potamogeton pectinatus		0.00										0.00								
Prasophyllum calcicola		0.00										0.00								
Prasophyllum catenemum		0.00										0.00								
Prasophyllum collinum		0.00										0.00								
Prasophyllum constrictum		0.00										0.00								
Prasophyllum elatum		0.00										0.00								
Prasophyllum fecundum		0.00										0.00								
Prasophyllum fitzgeraldii		0.00										0.00								
Prasophyllum goldsackii		0.00										0.00								
Prasophyllum laxum		0.00										0.00								
Prasophyllum occidentale		0.00										0.00								
Prasophyllum occultans		0.00										0.00								
Prasophyllum odoratum		0.00										0.00								
Prasophyllum praecox		0.00										0.00								
Prasophyllum sp Desert		0.00										0.00								
Prasophyllum sp. Coast sandhills (Hj.Eichler 14100)		0.00										0.00								
Prasophyllum sp. Enigma (R.Bates 2350)		0.00										0.00								
Prostanthera althoferi ssp. longifolia	1	1.22	RA d(i,ii)	RA	3	DD	0.0	1				0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)	Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)	Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	% Nullarbor Plain	% Hampton																		
Prostanthera amphiloba		0.00																		
Prostanthera aspalathoides		0.00																		
Prostanthera calycina		0.00																		
Prostanthera chlorantha		0.00																		
Prostanthera florifera		0.00																		
Prostanthera sericea		0.00																		
Prostanthera serpyllifolia ssp. microphylla		0.00																		
Prostanthera serpyllifolia ssp. microphylla (purplish-green)		0.00																		
Prostanthera serpyllifolia ssp. microphylla (red flowers)		0.00																		
Prostanthera serpyllifolia ssp. serpyllifolia		0.00									2	0.79	RA d(i,ii)	RA	3	0	0.3	1	1	edge of range
Prostanthera serpyllifolia ssp. serpyllifolia (purplish-green)		0.00										0.00								
Prostanthera serpyllifolia ssp. serpyllifolia (red flowers)		0.00										0.00								
Prostanthera spinosa		0.00										0.00								
Prostanthera striatiflora		0.00										0.00								
Prostanthera wilkieana		0.00										0.00								
Pseudognaphalium luteoalbum		0.00										0.00								
Psychotria suaveolens		0.00										0.00								
Pteridium esculentum		0.00										0.00								
Pteris tremula		0.00										0.00								
Pterocaulon sphaclatum		0.00										0.00								
Pterostylis "Mt Olinthus"		0.00										0.00								
Pterostylis aff. nana "mallee"		0.00										0.00								
Pterostylis biseta		0.00										0.00								
Pterostylis boormanii		0.00										0.00								
Pterostylis cynocephala		0.00										0.00								
Pterostylis dolichocheila		0.00										0.00								
Pterostylis erythroconcha		0.00										0.00								
Pterostylis excelsa		0.00										0.00								
Pterostylis flavovirens		0.00										0.00								
Pterostylis mutica		0.00										0.00								
Pterostylis nana		0.00										0.00								
Pterostylis ovata		0.00										0.00								
Pterostylis pedunculata		0.00										0.00								
Pterostylis plumosa		0.00										0.00								
Pterostylis pusilla		0.00										0.00								
Pterostylis robusta		0.00										0.00								
Pterostylis sanguinea		0.00										0.00								
Pterostylis sp. Eyre Peninsula (R. Bates 19474)		0.00										0.00								
Pterostylis sp. Triloba (pl.191, Bates & Weber 1990)		0.00										0.00								
Pterostylis viriosa		0.00										0.00								
Pterostylis xerophila		0.00										0.00								
Ptilotus beckerianus		0.00										0.00								
Ptilotus decipiens		0.00										0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	Nullarbor Plain Records	% Nullarbor Plain		Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						Hampton Records	% Hampton		Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)					
Ptilotus exaltatus var. exaltatus		0.00									0.00									
Ptilotus gaudichaudii var. gaudichaudii		0.00									0.00									
Ptilotus gaudichaudii var. parviflorus		0.00									0.00									
Ptilotus nobilis var. nobilis		0.00									0.00									
Ptilotus obovatus var. griseus		0.00									0.00									
Ptilotus obovatus var. obovatus	6	0.31	LC	LC	1	0	0.3	5	4		4	0.21	LC	LC	1	0	0.3	4	4	
Ptilotus polystachyus var. polystachyus		0.00									0.00									
Ptilotus seminudus		0.00									0.00									
Ptilotus sessilifolius var. sessilifolius		0.00									0.00									
Ptilotus spathulatus forma spathulatus		0.00									0.00									
Ptilotus symonii	5	71.43	RA d(i,ii)	RA	3	0	0.3	3	2		1	14.29	RA d(i,ii)	RA	3	0	0.3	1		
Puccinellia stricta var. stricta		0.00									0.00									
Pultenaea acerosa		0.00									0.00									
Pultenaea densifolia		0.00									0.00									
Pultenaea elachista		0.00									0.00									
Pultenaea pedunculata		0.00									0.00									
Pultenaea tenuifolia		0.00									0.00									
Pultenaea teretifolia var. teretifolia		0.00									0.00									
Pultenaea trichophylla		0.00									0.00									
Pultenaea trinervis		0.00									0.00									
Pultenaea vestita		0.00									0.00									
Pycnosorus pleiocephalus	4	0.65	LC	LC	1	0	0.3	4			0.00									
Pyrorchis nigricans		0.00									0.00									
Quinetia urvillei		0.00									0.00									
Radyera farragei		0.00									0.00									
Ranunculus hamatosetosus		0.00									0.00									
Ranunculus lappaceus		0.00									0.00									
Ranunculus pentandrus var. platycarpus		0.00									0.00									
Ranunculus pumilio var. pumilio		0.00									0.00									
Ranunculus sessiliflorus var. pilulifer		0.00									0.00									
Ranunculus sessiliflorus var. sessiliflorus		0.00									0.00									
Rhagodia candolleana ssp. argentea	1	6.67	RA d(ii)	RA	3	DD	0.0	1			1	6.67	DD	DD	0	DD	0.0	1		could be LC & stable
Rhagodia candolleana ssp. candolleana		0.00									0.00									
Rhagodia crassifolia	34	2.12	LC	LC	1	0	0.3	25	20		27	1.68	LC	LC	1	0	0.3	12	7	
Rhagodia drummondii		0.00									0.00									
Rhagodia eremaea		0.00									0.00									
Rhagodia parabolica		0.00									0.00									
Rhagodia preissii ssp. preissii	2	0.25	RA d(ii)	RA	3	0	0.3	2			0.00									
Rhagodia spinescens	31	1.32	LC	LC	1	0	0.3	29	16		0.00									
Rhagodia ulicina	9	1.63	LC	LC	1	0	0.3	7	1		4	0.72	NT	NT	2	DD	0.0	2		
Rhodanthe charsleyae		0.00									0.00									
Rhodanthe chlorocephala ssp. rosea	4	11.43	RA d(i,ii)	RA	3	DD	0.0	4	1		0.00									
Rhodanthe citrina		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	Nullarbor Plain Records	% Nullarbor Plain		Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						Hampton Records	% Hampton		Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)					
Rhodanthe corymbiflora		0.00									0.00									
Rhodanthe floribunda	42	3.19	LC	LC	1	0	0.3	37	20		0.00									
Rhodanthe haigii	6	7.69	RA d(ii)	RA	3	DD	0.0	6	4		1.28	RA d(ii)	RA	3	DD	0.0		1	1	
Rhodanthe laevis		0.00									0.00									
Rhodanthe microglossa		0.00									0.00									
Rhodanthe moschata		0.00									0.00									
Rhodanthe oppositifolia ssp. oppositifolia		0.00									0.00									
Rhodanthe polygalifolia		0.00									0.00									
Rhodanthe pygmaea	5	0.38	LC	LC	1	0	0.3	5			0.00									
Rhodanthe stricta	10	1.34	RA d(ii)	RA	3	DD	0.0	6	1		0.00									
Rhodanthe stuartiana		0.00									0.00									
Rhodanthe tietkensis	1	0.45	RA d(ii)	RA	3	-	0.4	1		probably localised	0.00									
Rhodanthe troedelii		0.00									0.00									
Rhodanthe uniflora		0.00									0.00									
Rhyncharrena linearis		0.00									0.00									
Rostellularia adscendens var. pogonanthera		0.00									0.00									
Rulingia crauophylla		0.00									0.00									
Rulingia loxophylla		0.00									0.00									
Rumex brownii		0.00									0.00									
Rumex crystallinus		0.00									0.00									
Rumex dumosus		0.00									0.00									
Ruppia maritima		0.00									0.00									
Ruppia megacarpa		0.00									0.00									
Ruppia polycarpa		0.00									0.00									
Ruppia tuberosa		0.00									0.00									
Rutidosis helichrysoides ssp. helichrysoides		0.00									0.00									
Sagina maritima		0.00									0.00									
Salsola tragus	236	5.67	LC	LC	1	0	0.3	204	174		11	0.26	LC	LC	1	0	0.3	8	6	
Samolus repens	3	0.33	LC	LC	1	0	0.3	3	1		0.00									
Santalum acuminatum	24	1.23	LC	LC	1	0	0.3	12	1		13	0.66	LC	LC	1	0	0.3	7	3	
Santalum lanceolatum		0.00									0.00									
Santalum murrayanum		0.00									0.00									
Santalum spicatum	6	1.94	VU D1	VU	4	0	0.3	5		threats: rabbits, goats; little regeneration	0.00									
Sarcocornia blackiana		0.00									0.00									
Sarcocornia quinqueflora		0.00									0.00									
Sarcostemma viminalis ssp. australe		0.00									0.00									
Sarcozona bicarinata		0.00									0.00									
Sarcozona praecox	3	1.40	NT	NT	2	DD	0.0	3			1	0.47	NT	NT	2	DD	0.0	1		
Sauropus rigens		0.00									0.00									
Sauropus trachyspermus		0.00									0.00									
Scaevola aemula		0.00									0.00									
Scaevola amblyanthera var. centralis		0.00									0.00									
Scaevola angustata		0.00									1	1.00	RA d(ii)	RA	3	0	0.3	1		

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records	% Nullarbor Plain	Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)	Trends (-, 0, +, ++)	Nullarbor Plain	Trends (-, 0, +, ++)	Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records	% Hampton	Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)	Trends (-, 0, +, ++)	Hampton	Trends (-, 0, +, ++)	Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
Scaevola basedowii		0.00												0.00										
Scaevola bursariifolia	2	2.06	RA d(ii)	RA	3	DD	0.0	2	1				1	1.03	LC	LC	1	0	0.3	1	1			
Scaevola collaris	3	1.26	RA d(ii)	RA	3	DD	0.0	3						0.00										
Scaevola collina		0.00												0.00										
Scaevola crassifolia		0.00	RA d(ii)	RA	3	0	0.3					no records		0.00										
Scaevola depauperata		0.00												0.00										
Scaevola humilis		0.00												0.00										
Scaevola linearis ssp. linearis		0.00												0.00										
Scaevola myrtifolia		0.00												0.00										
Scaevola parvibarbata		0.00												0.00										
Scaevola spinescens	15	1.25	LC	LC	1	0	0.3	14	10				7	0.58	LC	LC	1	0	0.3	3				
Scambopus curvipes		0.00												0.00										
Schenkia australis		0.00											1	0.55	DD	DD	0	DD	0.0	1	1			
Schoenia ayersii		0.00												0.00										
Schoenia cassiniana		0.00												0.00										
Schoenia ramosissima		0.00												0.00										
Schoenoplectus dissachanthus		0.00												0.00										
Schoenoplectus litoralis		0.00												0.00										
Schoenoplectus pungens		0.00												0.00										
Schoenoplectus validus		0.00												0.00										
Schoenus apogon		0.00												0.00										
Schoenus breviculmis		0.00												0.00										
Schoenus carsei		0.00												0.00										
Schoenus deformis		0.00												0.00										
Schoenus fluitans		0.00												0.00										
Schoenus laevigatus		0.00												0.00										
Schoenus nanus		0.00												0.00										
Schoenus nitens		0.00												0.00										
Schoenus racemosus		0.00												0.00										
Schoenus sculptus		0.00												0.00										
Schoenus subaphyllus		0.00												0.00										
Scleranthus minusculus		0.00												0.00										
Scleranthus pungens		0.00												0.00										
Scleroblitum atriplicinum		0.00												0.00										
Sclerolaena bicuspis		0.00												0.00										
Sclerolaena blackiana		0.00												0.00										
Sclerolaena brachyptera		0.00												0.00										
Sclerolaena brevifolia	5	3.40	LC	LC	1	0	0.3	4						0.00										
Sclerolaena clelandii		0.00												0.00										
Sclerolaena constricta		0.00												0.00										
Sclerolaena convexula		0.00												0.00										
Sclerolaena costata		0.00												0.00										
Sclerolaena cuneata		0.00												0.00										

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	Nullarbor Plain Records	% Nullarbor Plain		Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						Hampton Records	% Hampton		Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)					
Sclerolaena decurrens		0.00									0.00									
Sclerolaena deserticola		0.00									0.00									
Sclerolaena diacantha	29	1.05	LC	LC	1	0	0.3	21	19		11	0.40	LC	LC	1	0	0.3	6	4	
Sclerolaena divaricata		0.00									0.00									
Sclerolaena ericantha		0.00									0.00									
Sclerolaena fusiformis		0.00									0.00									
Sclerolaena holtiana		0.00									0.00									
Sclerolaena intricata		0.00									0.00									
Sclerolaena johnsonii		0.00									0.00									
Sclerolaena lanicuspis		0.00									0.00									
Sclerolaena limbata	1	0.28	LC	LC	1	0	0.3	1		likes disturbance	0.00									
Sclerolaena murrayae		0.00									0.00									
Sclerolaena obliquicuspis	133	5.29	LC	LC	1	0	0.3	108	79		1	0.04	LC	LC	1	0	0.3	1	1	
Sclerolaena parallellicuspis		0.00									0.00									
Sclerolaena parviflora		0.00									0.00									
Sclerolaena patentiscuspis	92	8.90	LC	LC	1	0	0.3	75	55		2	0.19	LC	LC	1	0	0.3	1		
Sclerolaena symoniana	1	4.00	VU D2	VU	4	0	0.3	1		likes salt lakes	0.00									
Sclerolaena tatei		0.00									0.00									
Sclerolaena uniflora	29	3.05	LC	LC	1	0	0.3	26	19		6	0.63	LC	LC	1	0	0.3	6	5	
Sclerolaena ventricosa		0.00									0.00									
Sebaea albidiflora		0.00									0.00									
Sebaea ovata		0.00									0.00									
Selliera radicans		0.00									0.00									
Senecio dolichocephalus		0.00									0.00									
Senecio gawlerensis		0.00									0.00									
Senecio glomeratus ssp. longifructus		0.00									0.00									
Senecio glossanthus	12	1.60	LC	LC	1	0	0.3	12	1		0.00									
Senecio gregorii	1	0.13	RA d(i,ii)	RA	3	DD	0.0	1			0.00									
Senecio laceratus		0.00									0.00									
Senecio lacustrinus	16	14.55	NE	NE	-1			12		taxonomic issues, recently split spp, no survey records	0.00									
Senecio magnificus		0.00									0.00									
Senecio odoratus		0.00									0.00									
Senecio phelleus		0.00									0.00									
Senecio picridioides		0.00									0.00									
Senecio pinnatifolius var. maritimus	1	0.89	LC	LC	1	0	0.3	1			0.00									
Senecio quadridentatus		0.00									0.00									
Senecio runcinifolius		0.00									0.00									
Senecio serratifolius ssp. serratifolius		0.00									0.00									
Senecio spanomerus	3	0.60	LC	LC	1	0	0.3	3			1	0.20	LC	LC	1	0	0.3	1		
Senna artemisioides ssp. alicia		0.00									0.00									
Senna artemisioides ssp. artemisioides	15	1.11	LC	LC	1	0	0.3	14	6		0.00									
Senna artemisioides ssp. coriacea	10	0.44	LC	LC	1	0	0.3	8	2		2	0.09	LC	LC	1	0	0.3	2		
Senna artemisioides ssp. filifolia	3	0.29	LC	LC	1	0	0.3	3	1		2	0.19	LC	LC	1	0	0.3	1		

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)	Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)	Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	% Nullarbor Plain	% Hampton																		
<i>Senna artemisioides</i> ssp. <i>helmsii</i>	1	0.30	RA d(i,ii)	RA	3	0	0.3	1			0.00									
<i>Senna artemisioides</i> ssp. <i>oligophylla</i>		0.00									0.00									
<i>Senna artemisioides</i> ssp. <i>petiolaris</i>	4	0.42	LC	LC	1	0	0.3	3	1		0.00									
<i>Senna artemisioides</i> ssp. <i>quadrifolia</i>	9	4.76	RA d(ii)	RA	3	DD	0.0	7	2		0.00									
<i>Senna artemisioides</i> ssp. <i>sturtii</i>	3	0.75	RA d(ii)	RA	3	DD	0.0	3			0.00									
<i>Senna artemisioides</i> ssp. <i>zygophylla</i>	1	1.28	RA d(i,ii)	RA	3	DD	0.0	1		undercollected	0.00									
<i>Senna cardiosperma</i> ssp. <i>cardiosperma</i>		0.00									0.00									
<i>Senna cardiosperma</i> ssp. <i>gawlerensis</i>	1	0.26	RA d(i,ii)	RA	3	0	0.3	1			0.00									
<i>Senna cardiosperma</i> ssp. <i>microphylla</i>		0.00									0.00									
<i>Senna phyllodinea</i>		0.00									0.00									
<i>Senna pleurocarpa</i> var. <i>pleurocarpa</i>		0.00									0.00									
<i>Setaria basiclada</i>	1	1.11	RA d(ii)	RA	3	0	0.3	1		desert grass, ephemeral	0.00									
<i>Setaria clementii</i>		0.00									0.00									
<i>Setaria constricta</i>		0.00									0.00									
<i>Setaria dielsii</i>		0.00									0.00									
<i>Setaria jubiflora</i>		0.00									0.00									
<i>Setaria reflexa</i>		0.00									0.00									
<i>Sida ammophila</i>		0.00									0.00									
<i>Sida calyxhymeria</i>	7	3.85	RA d(ii)	RA	3	DD	0.0	6	1		0.00									
<i>Sida corrugata</i> var. <i>angustifolia</i>		0.00									0.00									
<i>Sida fibulifera</i>	4	0.28	LC	LC	1	0	0.3	4	4		0.00									
<i>Sida filiformis</i>		0.00									0.00									
<i>Sida intricata</i>	5	0.89	LC	LC	1	0	0.3	5	2		0.00									
<i>Sida petrophila</i>		0.00									0.00									
<i>Sida phaeotricha</i>		0.00									0.00									
<i>Sida</i> sp. B (C.Dunlop 1739)	2	7.69	NE	NE	-1			2	2	taxonomic issues	0.00									
<i>Sida</i> sp. golden calyces (H.N.Foote 32)		0.00									0.00									
<i>Sida</i> sp. L (A.M.Ashby 4202)		0.00									0.00									
<i>Sida</i> sp. R (P.Copley 1390)		0.00									0.00									
<i>Sida</i> sp. Rabbit Flat (R.B.Major 158)		0.00									0.00									
<i>Sida</i> sp. Watarrika (D.E.Albrecht 8672)		0.00									0.00									
<i>Sida spodochroma</i>	9	5.77	LC	LC	1	0	0.3	9	3		0.00									
<i>Sida trichopoda</i>		0.00									0.00									
<i>Sigesbeckia australiensis</i>		0.00									0.00									
<i>Siloxerus multiflorus</i>		0.00									0.00									
<i>Solanum</i> aff. <i>centrale</i>		0.00									0.00									
<i>Solanum capsiciforme</i>		0.00									0.00									
<i>Solanum centrale</i>		0.00									0.00									
<i>Solanum chenopodinum</i>		0.00									0.00									
<i>Solanum cleistogamum</i>		0.00									0.00									
<i>Solanum coactiliferum</i>	3	0.51	RA d(i,ii)	RA	3	DD	0.0	3	1		0.00									
<i>Solanum ellipticum</i>	12	0.88	LC	LC	1	0	0.3	11	9		0.00									
<i>Solanum esuriale</i>		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records				Proposed IUCN Status & Criteria (Nullarbor Plain)				Comments (Nullarbor Plain)	Hampton Records				Proposed IUCN Status & Criteria (Hampton)										
	Nullarbor Plain Records	% Nullarbor Plain	Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)	Trends (-, -, 0, +, ++)	Nullarbor Plain	Trends (-, -, 0, +, ++)		Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Hampton Records	% Hampton	Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)	Trends (-, -, 0, +, ++)	Hampton	Trends (-, -, 0, +, ++)	Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
Solanum ferocissimum		0.00										0.00												
Solanum hystrix	1	1.19	LC	LC	1	+	0.2	1				0.00												
Solanum laciniatum		0.00										0.00												
Solanum lacunarium		0.00										0.00												
Solanum lasiophyllum		0.00										0.00												
Solanum orbiculatum ssp. orbiculatum		0.00										0.00												
Solanum petrophilum		0.00										0.00												
Solanum quadriloculatum		0.00										0.00												
Solanum simile		0.00	RA d(ii)	RA	3	0	0.3			no records		0.63	LC	LC	1	0	0.3	2	2					
Solanum sturtianum		0.00										0.00												
Solanum symonii	2	4.00	RA d(i,ii)	RA	3	0	0.3	1	1			2.00	RA d(i,ii)	RA	3	0	0.3	1						
Solenogyne dominii		0.00										0.00												
Sonchus hydrophilus		0.00										0.00												
Spartothamnella teucriiflora		0.00										0.00												
Spergularia marina		0.00										0.00												
Sphaerolobium minus		0.00										0.00												
Spinifex hirsutus		0.00										2.70	LC	LC	1	0	0.3	1					dune stabiliser	
Sporobolus actinocladius		0.00										0.00												
Sporobolus caroli		0.00										0.00												
Sporobolus mitchellii		0.00										0.00												
Sporobolus virginicus		0.00										0.00												
Spyridium bifidum var. bifidum		0.00										0.00												
Spyridium bifidum var. Marble Range (W.R.Barker 7601)		0.00										0.00												
Spyridium bifidum var. Wanilla (K.Clipstone 88)		0.00										0.00												
Spyridium eriocephalum var. eriocephalum		0.00										0.00												
Spyridium erymnocladum		0.00										0.00												
Spyridium leucopogon		0.00										0.00												
Spyridium nitidum		0.00										0.00												
Spyridium phylicoides	2	0.25	LC	LC	1	0	0.3	2	1			0.13	LC	LC	1	0	0.3	1	1					
Spyridium spathulatum		0.00										0.00												
Spyridium subochreatum		0.00										0.00												
Spyridium tricolor		0.00										14.29	VU D2	VU	4	0	0.3	2	2					
Spyridium vexilliferum var. vexilliferum		0.00										0.00												
Stackhousia annua		0.00										0.00												
Stackhousia aspericocca ssp. Cylindrical inflorescence (f)		0.00										0.00												
Stackhousia aspericocca ssp. One-sided inflorescence (f)		0.00										0.00												
Stackhousia clementii		0.00										0.00												
Stackhousia megaloptera		0.00										0.00												
Stackhousia monogyna		0.00										0.00												
Stackhousia muricata ssp. Annual (W.R.Barker 2172)		0.00										0.00												
Stackhousia muricata ssp. Perennial (W.R.Barker 3641)		0.00	NT	NT	2	DD	0.0			no records		0.00												
Stackhousia spathulata		0.00										0.00												
Stellaria filiformis		0.00										0.00												

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	Nullarbor Plain Records	% Nullarbor Plain		Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						Hampton Records	% Hampton		Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)					
Stemodia florulenta		0.00									0.00									
Stenanthemum leucophractum		0.00									0.00									
Stenanthemum notiale ssp. notiale		0.00									0.00									
Stenopetalum anfractum		0.00									0.00									
Stenopetalum lineare	5	0.92	LC	LC	1	0	0.3	5			0.00									
Stenopetalum nutans		0.00									0.00									
Stenopetalum saxatile		0.00									0.00									
Stenopetalum sphaerocarpum		0.00									0.00									
Stenopetalum velutinum		0.00								3	1.52	LC	LC	1	0	0.3	2	1		
Streptoglossa adscendens		0.00									0.00									
Streptoglossa liatroides		0.00									0.00									
Stuartina hamata		0.00									0.00									
Stuartina muelleri		0.00									0.00									
Stylidium calcaratum		0.00									0.00									
Stylidium inundatum		0.00									0.00									
Stylidium perpusillum		0.00									0.00									
Stypandra glauca		0.00									0.00									
Styphelia exarrhena		0.00									0.00									
Suaeda australis		0.00									0.00									
Swainsona acuticarinata		0.00									0.00									
Swainsona adenophylla		0.00									0.00									
Swainsona affinis		0.00									0.00									
Swainsona campestris	26	89.66	LC	LC	1	DD	0.0	22	all recent records missing		0.00									
Swainsona campylantha		0.00									0.00									
Swainsona canescens		0.00									0.00									
Swainsona colutoides		0.00									0.00									
Swainsona dictyocarpa		0.00									0.00									
Swainsona disjuncta		0.00									0.00									
Swainsona eremaea		0.00									0.00									
Swainsona flavicarinata		0.00									0.00									
Swainsona formosa	11	5.31	LC	LC	1	0	0.3	10	5		0.00									
Swainsona kingii		0.00									0.00									
Swainsona lessertifolia		0.00									0.00									
Swainsona microcalyx		0.00									0.00									
Swainsona microphylla		0.00									0.00									
Swainsona oliveri	9	11.39	RA d(ii)	RA	3	DD	0.0	6			0.00									
Swainsona oroboides		0.00									0.00									
Swainsona phacoides		0.00									0.00									
Swainsona purpurea	1	1.01	RA d(i,ii)	RA	3	DD	0.0	1	1		0.00									
Swainsona pyrophila		0.00									0.00									
Swainsona stipularis		0.00									0.00									
Swainsona tenuis		0.00									0.00									
Swainsona unifoliolata		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	Nullarbor Plain Records	% Nullarbor Plain		Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						Hampton Records	% Hampton		Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)					
Swainsona villosa		0.00									0.00									
Synaptantha tillaeacea var. hispidula		0.00									0.00									
Synaptantha tillaeacea var. tillaeacea		0.00									0.00									
Tecticornia arbuscula		0.00									0.00									
Tecticornia disarticulata	58	52.73	LC	LC	1	0	0.3	36	26	1	0.91	LC	LC	1	0	0.3	1	1		
Tecticornia flabelliformis		0.00									0.00									
Tecticornia halocnemoides ssp. halocnemoides	2	0.58	RA d(ii)	RA	3	0	0.3	2	2		0.00									
Tecticornia halocnemoides ssp. longispicata		0.00									0.00									
Tecticornia indica ssp. bidens		0.00									0.00									
Tecticornia indica ssp. leiostachya		0.00									0.00									
Tecticornia lepidosperma		0.00									0.00									
Tecticornia lylei		0.00									0.00									
Tecticornia medullosa		0.00									0.00									
Tecticornia moniliformis		0.00									0.00									
Tecticornia pergranulata ssp. pergranulata		0.00									0.00									
Tecticornia pruinosa		0.00									0.00									
Tecticornia pterygosperma ssp. pterygosperma	6	24.00	LC	LC	1	0	0.3	6	6	2	8.00	LC	LC	1	0	0.3	2	2		
Tecticornia tenuis		0.00									0.00									
Tecticornia triandra		0.00									0.00									
Templetonia battii		0.00									0.00									
Templetonia egena	1	0.25	RA d(ii)	RA	3	DD	0.0	1			0.00									
Templetonia retusa	4	0.52	LC	LC	1	0	0.3	4	2	13	1.69	LC	LC	1	0	0.3	5	3		
Templetonia sulcata		0.00									0.00									
Tetragonia eremaea	38	3.43	LC	LC	1	0	0.3	36	25		0.00									
Tetragonia implexicoma	19	1.00	LC	LC	1	0	0.3	15	10	19	1.00	LC	LC	1	0	0.3	11	8		
Tetragonia moorei		0.00									0.00									
Tetragonia tetragonioides		0.00									0.00									
Tetralia capillaris		0.00									0.00									
Teucrium corymbosum		0.00									0.00									
Teucrium grandiusculum ssp. pilosum		0.00									0.00									
Teucrium racemosum		0.00									0.00									
Teucrium sessiliflorum		0.00									0.00									
Thelymitra alcockii																				
Thelymitra antennifera		0.00									0.00									
Thelymitra azurea		0.00									0.00									
Thelymitra benthamiana		0.00									0.00									
Thelymitra carnea		0.00									0.00									
Thelymitra epipactoides		0.00									0.00									
Thelymitra flexuosa		0.00									0.00									
Thelymitra juncifolia		0.00									0.00									
Thelymitra luteociliun		0.00									0.00									
Thelymitra megcalyptra		0.00									0.00									
Thelymitra occidentalis																				

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	Nullarbor Plain Records	% Nullarbor Plain		Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						Hampton Records	% Hampton		Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)					
Thelymitra parviflora																				
Thelymitra pauciflora		0.00									0.00									
Thelymitra rubra		0.00									0.00									
Themeda triandra		0.00									0.00									
Thomasia petalocalyx		0.00									0.00									
Threlkeldia diffusa	38	1.87	LC	LC	1	0	0.3	31	23		9	0.44	LC	LC	1	0	0.3	7	7	
Thryptomene biseriata		0.00									0.00									
Thryptomene elliottii	1	1.23	RA d(i,ii)	RA	3	DD	0.0	2		checked with Martin, edge of range	0.00									
Thryptomene ericaea		0.00									0.00									
Thryptomene longifolia		0.00									0.00									
Thryptomene micrantha		0.00									0.00									
Thyridolepis mitchelliana		0.00									0.00									
Thyridolepis multiculmis		0.00									0.00									
Thyridolepis xerophila		0.00									0.00									
Thysanotus baueri	9	1.09	LC	LC	1	0	0.3	9	9		1	0.12	LC	LC	1	0	0.3	1		
Thysanotus exiliflorus		0.00									0.00									
Thysanotus nudicaulis		0.00									0.00									
Thysanotus patersonii		0.00									0.00									
Thysanotus wangariensis		0.00									0.00									
Trachymene ceratocarpa		0.00									0.00									
Trachymene cyanopetala		0.00									0.00									
Trachymene glaucifolia		0.00									0.00									
Trachymene ornata		0.00									0.00									
Trachymene pilosa		0.00									0.00									
Tragus australianus	1	0.28	LC	LC	1	0	0.3	1	1		0.00									
Trianthema triquetra		0.00									0.00									
Tribulus eichlerianus	3	1.07	LC	LC	1	0	0.3	3	3		0.00									
Tribulus minutus		0.00									0.00									
Trichanthodium skirrophorum	51	8.02	LC	LC	1	0	0.3	41	18		0.00									
Trichodesma zeylanicum		0.00									0.00									
Tricoryne elatior		0.00									0.00									
Tricoryne tenella		0.00									0.00									
Triglochin hexagona		0.00									0.00									
Triglochin isingiana		0.00									0.00									
Triglochin longicarpa		0.00									0.00									
Triglochin minutissima		0.00									0.00									
Triglochin mucronata		0.00									0.00									
Triglochin nana		0.00									0.00									
Triglochin nanum/sp. C (J.Z.Weber 6793)		0.00									0.00									
Triglochin sp. A (N.N.Donner 3596)		0.00									0.00									
Triglochin striata		0.00									0.00									
Triglochin trichophora		0.00									0.00									
Trigonella suavissima		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	Nullarbor Plain Records	% Nullarbor Plain		Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						Hampton Records	% Hampton								
Triodia basedowii		0.00									0.00									
Triodia bunicola		0.00									0.00									
Triodia compacta		0.00									0.00									
Triodia helmsii		0.00									0.00									
Triodia irritans		0.00									0.00									
Triodia lanata		0.00									0.00									
Triodia melvillei		0.00									0.00									
Triodia scariosa		0.00									0.00									
Triopogon loliiformis		0.00									0.00									
Triptilodiscus pygmaeus		0.00									0.00									
Triraphis mollis	1	0.15	RA d(ii)	RA	3	DD	0.0	1	limit of range		0.00									
Trithuria submersa		0.00									0.00									
Trymalium wayi		0.00									0.00									
Typha domingensis		0.00									0.00									
Typha orientalis		0.00									0.00									
Utricularia tenella		0.00									0.00									
Velleia arguta	1	0.25	RA d(ii)	RA	3	DD	0.0	1			0.00									
Velleia connata		0.00									0.00									
Velleia cycnotamica		0.00									0.00									
Velleia glabrata		0.00									0.00									
Veronica hillebrandii		0.00									0.00									
Veronica parnkalliana		0.00									0.00									
Vittadinia australasica var. australasica		0.00									0.00									
Vittadinia blackii		0.00									0.00									
Vittadinia cervicalis var. cervicalis		0.00									0.00									
Vittadinia condyloides		0.00									0.00									
Vittadinia cuneata var. cuneata forma cuneata		0.00									0.00									
Vittadinia dissecta var. hirta	1	0.19	RA d(i,ii)	RA	3	DD	0.0	1	questionable ID		0.00									
Vittadinia eremaea	3	0.77	LC	LC	1	0	0.3	3	1		0.00									
Vittadinia gracilis	1	0.08	RA d(i,ii)	RA	3	DD	0.0	1	1		0.00									
Vittadinia megacephala		0.00									0.00									
Vittadinia nullarboresis	13	86.67	LC	LC	1	0	0.3	11			0.00									
Vittadinia pterochaeta		0.00									0.00									
Vittadinia pustulata		0.00									0.00									
Vittadinia sulcata		0.00									0.00									
Wahlenbergia aridicola		0.00									0.00									
Wahlenbergia communis		0.00									0.00									
Wahlenbergia gracilentia		0.00									0.00									
Wahlenbergia littoricola		0.00									0.00									
Wahlenbergia luteola		0.00									0.00									
Wahlenbergia preissii		0.00									0.00									
Wahlenbergia queenslandica		0.00									0.00									
Wahlenbergia stricta ssp. stricta		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain Records		Proposed IUCN Status & Criteria (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)		Trends (-, 0, +, ++) Nullarbor Plain	Trends (-, 0, +, ++) Nullarbor Plain	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Nullarbor Plain)	Hampton Records		Proposed IUCN Status & Criteria (Hampton)	Proposed Regional IUCN Status (Hampton)		Trends (-, 0, +, ++) Hampton	Trends (-, 0, +, ++) Hampton	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Hampton)
	Nullarbor Plain Records	% Nullarbor Plain		Proposed Regional IUCN Status (Nullarbor Plain)	Proposed Regional IUCN Status (Nullarbor Plain)						Hampton Records	% Hampton		Proposed Regional IUCN Status (Hampton)	Proposed Regional IUCN Status (Hampton)					
Wahlenbergia tumidiflora		0.00									0.00									
Waitzia acuminata var. acuminata		0.00									0.00									
Westringia dampieri		0.00									0.00									
Westringia eremicola		0.00									0.00									
Westringia rigida	26	1.56	LC	LC	1	0	0.3	19	12		19	1.14	LC	LC	1	0	0.3	11	4	
Wilsonia backhousei		0.00									0.00									
Wilsonia humilis	1	0.45	RA d(i,ii)	RA	3	0	0.3	1		limited habitat	0.00									
Wilsonia rotundifolia		0.00									0.00									
Wurmbea centralis ssp. australis		0.00									0.00									
Wurmbea citrina		0.00									0.00									
Wurmbea decumbens		0.00									0.00									
Wurmbea dioica ssp. brevifolia	6	3.24	LC	LC	1	0	0.3	6	3		0.00									
Wurmbea dioica ssp. dioica		0.00									0.00									
Wurmbea latifolia ssp. vanessae		0.00									0.00									
Wurmbea sinora		0.00									0.00									
Wurmbea stellata		0.00									0.00									
Xanthorrhoea semiplana ssp. semiplana		0.00									0.00									
Xanthorrhoea semiplana ssp. tateana		0.00									0.00									
Xanthosia huegelii		0.00									0.00									
Xanthosia leiophylla		0.00									0.00									
Xerochrysum bracteatum		0.00									0.00									
Zaleya galericulata ssp. australis		0.00									0.00									
Zostera muelleri ssp. mucronata		0.00									0.00									
Zostera tasmanica		0.00									0.00									
Zoysia macrantha ssp. walshii		0.00									0.00									
Zygochloa paradoxa		0.00									0.00									
Zygophyllum ammophilum		0.00									0.00									
Zygophyllum angustifolium	4	1.39	LC	LC	1	0	0.3	4	2		1	0.35	LC	LC	1	0	0.3	1	1	
Zygophyllum apiculatum	3	0.21	LC	LC	1	0	0.3	3			4	0.28	LC	LC	1	0	0.3	4	1	
Zygophyllum aurantiacum ssp. aurantiacum	4	0.62	LC	LC	1	0	0.3	4	2		0.00									
Zygophyllum aurantiacum ssp. cuneatum		0.00									0.00									
Zygophyllum aurantiacum ssp. simplicifolium	2	3.64	RA d(ii)	RA	3	0	0.3	2			0.00									
Zygophyllum billardieri	2	0.60	LC	LC	1	0	0.3	2	2		4	1.20	LC	LC	1	0	0.3	4	3	
Zygophyllum compressum	6	6.12	LC	LC	1	0	0.3	5		gypsious habitat	0.00									
Zygophyllum confluens		0.00									0.00									
Zygophyllum crenatum		0.00									0.00									
Zygophyllum emarginatum		0.00									0.00									
Zygophyllum eremaeum	5	1.27	LC	LC	1	0	0.3	5			0.00									
Zygophyllum flavum		0.00									0.00									
Zygophyllum glaucum	3	0.62	NT	NT	2	0	0.3	2	1		3	0.62	NT	NT	2	0	0.3	2	1	
Zygophyllum halophilum		0.00									0.00									
Zygophyllum howittii		0.00									0.00									
Zygophyllum humillimum		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Nullarbor Plain				Hampton			
	Records	%	Criteria	Proposed IUCN Status	Records	%	Criteria	Proposed IUCN Status
Zygophyllum iodocarpum	13	4.39	LC	LC		0.00		
Zygophyllum kochii		0.00				0.00		
Zygophyllum marliesiae		0.00				0.00		
Zygophyllum ovatum	97	11.86	LC	LC	6	0.73	LC	LC
Zygophyllum prismatothecum		0.00				0.00		
Zygophyllum reticulatum		0.00				0.00		
Zygophyllum simile		0.00				0.00		

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records				Proposed IUCN Status & Criteria (Carlisle)				Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records				Proposed IUCN Status & Criteria (Maralinga)				Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)			
	Carlisle Records	% Carlisle	Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Trends (-, 0, +, ++)	Carlisle	Trends (-, 0, +, ++)			Carlisle	Area of Occupancy (km2) (Total)	Maralinga Records	% Maralinga	Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Trends (-, 0, +, ++)			Maralinga	Trends (-, 0, +, ++)	Maralinga
Abutilon cryptopetalum ssp. cryptopetalum	1	4.55	RA d(i,ii)	RA	3	DD	0.0	1			0.00												
Abutilon fraseri ssp. diplotrichum		0.00									0.00												
Abutilon fraseri ssp. fraseri		0.00									0.00												
Abutilon halophilum		0.00								4	0.76	RA d(ii)	RA	3	DD	0.0	3	3					
Abutilon leucopetalum	1	0.13	LC	LC	1	0	0.3	1	1	7	0.90	LC	LC	1	0	0.3	7	6					
Abutilon macrum		0.00									0.00												
Abutilon malvaefolium		0.00									0.00												
Abutilon otocarpum	2	0.45	LC	LC	1	0	0.3	2		26	5.83	LC	LC	1	0	0.3	26	18					
Acacia acanthoclada ssp. acanthoclada		0.00									0.00												
Acacia acinacea		0.00									0.00												
Acacia alcockii		0.00									0.00												
Acacia anceps		0.00									0.00												
Acacia ancistrophylla var. lissophylla		0.00									0.00												
Acacia aneura	1	0.28	LC	LC	1	0	0.3	1		18	4.97	LC	LC	1	0	0.3	14	4					
Acacia aneura var. aneura		0.00								18	5.28	LC	LC	1	0	0.3	18	18					
Acacia aneura var. conifera		0.00								2	14.29	NE	NE	-1			2	2					taxonomic issues
Acacia aneura var. intermedia		0.00								14	10.77	LC	LC	1	0	0.3	13	13					
Acacia aneura var. major		0.00								1	2.94	LC	LC	1	0	0.3	1	1					
Acacia aneura var. microcarpa		0.00								12	41.38	LC	LC	1	0	0.3	11	10					
Acacia aneura var. tenuis		0.00								5	22.73	LC	LC	1	0	0.3	5	3					
Acacia ayersiana		0.00								8	42.11	LC	LC	1	0	0.3	8	8					undercollected
Acacia beckeri Tindale ssp beckeri		0.00									0.00												
Acacia brachybotrya		0.00								1	0.18	RA d(i,ii)	RA	3	DD	0.0	1	1					
Acacia brachystachya		0.00								6	5.26	LC	LC	1	0	0.3	5	4					undercollected
Acacia burkittii	2	0.40	LC	LC	1	0	0.3	2		25	4.96	LC	LC	1	0	0.3	25	15					
Acacia calamifolia		0.00									0.00												
Acacia calcicola		0.00								5	3.31	LC	LC	1	0	0.3	4	2					southern limit
Acacia clelandii		0.00								1	4.00	LC	LC	1	0	0.3	1						
Acacia colletioides		0.00								19	6.74	LC	LC	1	0	0.3	16	9					
Acacia continua		0.00									0.00												
Acacia cretacea		0.00									0.00												
Acacia cupularis		0.00									0.00												
Acacia cyclops		0.00									0.00												
Acacia dodonaefolia		0.00									0.00												
Acacia enterocarpa		0.00									0.00												
Acacia erinacea		0.00									0.00												
Acacia euthycarpa		0.00									0.00												
Acacia farinosa		0.00									0.00												
Acacia giesiana	2	1.61	LC	LC	1	0	0.3	1	1	83	66.94	LC	LC	1	0	0.3	78	61					long lived spp
Acacia gillii		0.00									0.00												
Acacia hakeoides		0.00									0.00												
Acacia halliana		0.00									0.00												
Acacia havilandiorum		0.00									0.00												

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)				Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)				Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	Carlisle Records	% Carlisle		Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)				Maralinga Records	% Maralinga		Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)			
Acacia helmsiana		0.00								10	66.67	RA d(ii)	RA	3	DD	0.0	8	1		
Acacia hemiteles		0.00									0.00									
Acacia hexaneura		0.00									0.00									
Acacia imbricata		0.00									0.00									
Acacia iteaphylla		0.00									0.00									
Acacia jennerae		0.00								1	9.09	RA d(ii)	RA	3	0	0.3	1		suckers	
Acacia kempeana	1	0.27	LC	LC	1	0	0.3	1		42	11.20	LC	LC	1	0	0.3	41	32		
Acacia leiophylla		0.00									0.00									
Acacia ligulata	6	0.22	LC	LC	1	0	0.3	5	3	113	4.09	LC	LC	1	0	0.3	100	78		
Acacia lineata		0.00									0.00									
Acacia longifolia ssp. sophorae		0.00									0.00									
Acacia maitlandii		0.00								10	14.08	LC	LC	1	0	0.3	10	4		
Acacia melleodora		0.00								5	12.20	LC	LC	1	0	0.3	4	1	southern limit, common on dunes	
Acacia merrallii		0.00									0.00									
Acacia microcarpa		0.00									0.00									
Acacia minyura		0.00								25	18.38	LC	LC	1	0	0.3	25	22		
Acacia montana		0.00									0.00									
Acacia murrayana		0.00								32	7.67	LC	LC	1	0	0.3	28	16		
Acacia mutabilis ssp. angustifolia		0.00									0.00									
Acacia myrtifolia		0.00									0.00									
Acacia nematophylla		0.00									0.00									
Acacia notabilis		0.00									0.00									
Acacia nyssophylla	3	0.38	LC	LC	1	0	0.3	3	3	44	5.59	LC	LC	1	0	0.3	43	32		
Acacia oswaldii	7	0.37	LC	LC	1	0	0.3	6	2	71	3.71	LC	LC	1	0	0.3	64	51		
Acacia pachyacra		0.00								1	1.82	RA d(i,ii)	RA	3	0	0.3	1	1		
Acacia papyrocarpa	1	0.14	NT	NT	2	-	0.4	1	1	11	1.49	NT	NT	2	-	0.4	11	6	rare recruitment events, white fly a problem	
Acacia paradoxa		0.00									0.00									
Acacia pinguiifolia		0.00									0.00									
Acacia praemorsa		0.00									0.00									
Acacia prainii		0.00								28	29.79	LC	LC	1	0	0.3	24	9		
Acacia pycnantha		0.00									0.00									
Acacia ramulosa var. linophylla	4	1.95	LC	LC	1	0	0.3	4		33	16.10	LC	LC	1	0	0.3	31	17		
Acacia ramulosa var. ramulosa		0.00								6	7.41	LC	LC	1	0	0.3	6	5		
Acacia rhotinocarpa		0.00									0.00									
Acacia rhigiophylla		0.00									0.00									
Acacia rhodophloia		0.00									0.00									
Acacia rigens		0.00									0.00									
Acacia rupicola		0.00									0.00									
Acacia salicina		0.00									0.00									
Acacia sclerophylla var. sclerophylla		0.00									0.00									
Acacia sibirica	3	1.38	LC	LC	1	0	0.3	3	2	13	5.99	LC	LC	1	0	0.3	12	7		
Acacia sp. Winged (C.R.Alcock 4936)		0.00									0.00									
Acacia spinescens		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)		Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)		Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	Carlisle Records	% Carlisle		Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)						Maralinga Records	% Maralinga		Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)					
Acacia spooneri		0.00									0.00									
Acacia stenophylla		0.00									0.00									
Acacia tarculensis		0.00									0.00									
Acacia tetragonophylla	10	0.52	LC	LC	1	0	0.3	9	5		82	4.27	LC	LC	1	0	0.3	76	62	
Acacia toondulya		0.00									0.00									
Acacia triquetra		0.00									0.00									
Acacia victoriae ssp. victoriae		0.00									0.00									
Acacia whibleyana		0.00									0.00									
Acacia wilhelmiana		0.00									0.00									
Acaena echinata		0.00									0.00									
Acaena novae-zelandiae		0.00									0.00									
Acianthus caudatus		0.00									0.00									
Acianthus pusillus		0.00									0.00									
Acrotriche affinis		0.00									0.00									
Acrotriche cordata		0.00									0.00									
Acrotriche patula		0.00									0.00									
Actinobole uliginosum		0.00									15	1.22	LC	LC	1	0	0.3	14	4	
Actites megalocarpa		0.00									0.00									
Adenanthos terminalis		0.00									0.00									
Adiantum aethiopicum		0.00									0.00									
Adriana quadripartita		0.00									0.00									
Adriana urticoides var. hookeri		0.00									4	4.71	RA d(ii)	RA	3	DD	0.0	3	1	
Ajuga australis forma A (A.G.Spooner 9058)		0.00									0.00									
Alectryon oleifolius ssp. canescens	5	0.26	LC	LC	1	0	0.3	5	4		84	4.41	LC	LC	1	0	0.3	79	63	
Allocasuarina helmsii		0.00									3	3.37	RA d(ii)	RA	3	0	0.3	2	1	
Allocasuarina muelleriana ssp. muelleriana		0.00									0.00									
Allocasuarina pusilla		0.00									0.00									
Allocasuarina verticillata		0.00									0.00									
Alternanthera denticulata		0.00									0.00									
Alternanthera nodiflora		0.00									0.00									
Aluta maisonneuvei ssp. auriculata		0.00									41	83.67	LC	LC	1	0	0.3	33	13	desert spp
Aluta maisonneuvei ssp. maisonneuvei		0.00									3	5.66	RA d(ii)	RA	3	0	0.3	3		
Alyogyne hakeifolia		0.00									0.00									
Alyogyne huegelii		0.00									1	0.40	RA d(i,ii)	RA	3	DD	0.0	1		
Alyogyne pinoniana var. microandra		0.00									0.00									
Alyogyne pinoniana var. pinoniana		0.00									11	13.41	LC	LC	1	0	0.3	11	6	
Alyxia buxifolia		0.00									4	0.41	RA d(i,ii)	RA	3	0	0.3	3		limited habitat
Amaranthus cuspidifolius		0.00									0.00									
Amaranthus grandiflorus		0.00									0.00									
Amaranthus mitchellii		0.00									0.00									
Ammannia multiflora		0.00									0.00									
Amphibolis antarctica		0.00									0.00									
Amphibromus macrorrhinus		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	% Carlisle										% Maralinga									
Amphibromus nervosus		0.00									0.00									
Amphipogon caricinus var. caricinus	1	0.18	LC	LC	1	0	0.3	1	1		33	6.04	LC	LC	1	0	0.3	30	24	
Amphipogon strictus var. setifer		0.00										0.00								
Amyema fitzgeraldii		0.00									10	76.92	LC	LC	1	DD	0.0	10	4	northwest species
Amyema gibberula var. gibberula		0.00									6	13.95	RA d(ii)	RA	3	DD	0.0	6	2	occurs on large grevilleas/hakeas
Amyema maidenii ssp. maidenii	1	0.17	RA d(ii)	RA	3	0	0.3	1	1	associated with mulga	3	0.51	RA d(ii)	RA	3	0	0.3	3		associated with mulga
Amyema melaleucae		0.00										0.00								
Amyema miquelii		0.00									33	2.32	LC	LC	1	0	0.3	31	17	
Amyema miraculosa ssp. boormanii		0.00									1	0.37	RA d(ii)	RA	3	0	0.3	1		
Amyema preissii	1	0.11	LC	LC	1	0	0.3	1	1		61	6.73	LC	LC	1	0	0.3	55	41	
Amyema quandang var. quandang		0.00										0.00								
Anacampseros australiana		0.00										0.00								
Anemocarpa podolepidium		0.00										0.00								
Angianthus brachypappus		0.00										0.00								
Angianthus conocephalus	1	1.28	RA d(i,ii)	RA	3	0	0.3	1			2	2.56	RA d(i,ii)	RA	3	0	0.3	2		
Angianthus glabratus		0.00										0.00								
Angianthus preissianus		0.00										0.00								
Angianthus tomentosus		0.00										0.00								
Anogramma leptophylla		0.00										0.00								
Anthocercis anisantha ssp. anisantha		0.00										0.00								
Anthocercis anisantha ssp. collina		0.00										0.00								
Aotus subspinescens		0.00										0.00								
Apalochlamys spectabilis		0.00										0.00								
Aphanes australiana		0.00										0.00								
Aphelia gracilis		0.00										0.00								
Apium annum		0.00										0.00								
Apium prostratum var. filiforme		0.00										0.00								
Apium prostratum var. prostratum		0.00										0.00								
Apodasmia brownii		0.00										0.00								
Arabidella filifolia		0.00										0.00								
Arabidella glaucescens		0.00										0.00								
Arabidella nasturtium		0.00										0.00								
Arabidella trisecta		0.00									4	0.72	RA d(i,ii)	RA	3	0	0.3	4		
Argentipallium obtusifolium		0.00										0.00								
Aristida anthoxanthoides		0.00										0.00								
Aristida arida		0.00										0.00								
Aristida behriana		0.00										0.00								
Aristida capillifolia		0.00										0.00								
Aristida contorta	6	0.38	LC	LC	1	0	0.3	4	2		74	4.69	LC	LC	1	0	0.3	66	54	
Aristida holathera var. holathera	1	0.12	LC	LC	1	0	0.3	1	1		71	8.77	LC	LC	1	0	0.3	64	53	
Aristida latifolia		0.00										0.00								
Aristida nitidula		0.00										0.00								
Aristida personata		0.00										0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)		Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)		Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	Carlisle Records	% Carlisle		Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)						Maralinga Records	% Maralinga		Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)					
Arthropodium fimbriatum		0.00																		
Arthropodium minus		0.00																		
Arthropodium strictum		0.00																		
Asperula conferta		0.00																		
Asplenium flabellifolium		0.00																		
Asplenium trichomanes		0.00																		
Asteridea athrixioides forma athrixioides		0.00																		
Asteridea athrixioides forma horripes		0.00																		
Astrebla lappacea		0.00																		
Astrebla pectinata		0.00								1	0.14	RA d(ii)	RA	3	DD	0.0	1	1	check record	
Astroloma conostephioides		0.00									0.00									
Astroloma humifusum		0.00									0.00									
Atriplex acutibractea ssp. acutibractea	3	1.11	RA d(ii)	RA	3	DD	0.0	3	1	1	0.37	RA d(ii)	RA	3	DD	0.0	1			
Atriplex acutibractea ssp. karoniensis		0.00									0.00									
Atriplex acutiloba		0.00									0.00									
Atriplex angulata		0.00									0.00									
Atriplex cinerea		0.00									0.00									
Atriplex cryptocarpa		0.00									0.00									
Atriplex eardleyae		0.00								1	0.39	RA d(ii)	RA	3	DD	0.0	1			
Atriplex fissivalvis		0.00									0.00									
Atriplex holocarpa		0.00								5	0.56	NT	NT	2	0	0.3	5	3	edge of range	
Atriplex incrassata		0.00									0.00									
Atriplex kochiana		0.00									0.00									
Atriplex leptocarpa		0.00									0.00									
Atriplex limbata		0.00									0.00									
Atriplex lindleyi ssp. conduplicata		0.00									0.00									
Atriplex lindleyi ssp. inflata		0.00									0.00									
Atriplex lindleyi ssp. lindleyi		0.00									0.00									
Atriplex lindleyi ssp. quadripartita		0.00									0.00									
Atriplex lobativalvis		0.00									0.00									
Atriplex macropteroarpa		0.00									0.00									
Atriplex morrisii		0.00									0.00									
Atriplex nessorhina		0.00									0.00									
Atriplex nummularia ssp. omissa		0.00									0.00									
Atriplex nummularia ssp. spathulata		0.00									0.00									
Atriplex paludosa ssp. cordata		0.00									0.00									
Atriplex papillata		0.00									0.00									
Atriplex pseudocampanulata		0.00									0.00									
Atriplex pumilio		0.00								1	1.82	RA d(ii)	RA	3	DD	0.0	1			
Atriplex quadrivalvata var. sessilifolia		0.00									0.00									
Atriplex quinii		0.00									0.00									
Atriplex rhagodioides		0.00									0.00									
Atriplex semibaccata		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	% Carlisle										% Maralinga									
Atriplex spongiosa		0.00									6	0.91	RA d(ii)	RA	3	-	0.5	4		
Atriplex stipitata		0.00									6	0.58	NT	NT	2	0	0.3	5	5	mallee, winter rainfall, salty soils
Atriplex suberecta		0.00																		
Atriplex velutinella		0.00									1	0.20	RA d(i,ii)	RA	3	DD	0.0	1		
Atriplex vesicaria ssp. macrocystidia		0.00																		
Atriplex vesicaria ssp. variabilis		0.00																		
Austrobryonia micrantha		0.00																		
Austroanthonia caespitosa	1	0.03	LC	LC	1	DD	0.0	1			4	0.10	RA d(ii)	RA	3	0	0.3	4	3	edge of range
Austroanthonia eriantha		0.00																		
Austroanthonia fulva		0.00																		
Austroanthonia racemosa var. racemosa		0.00																		
Austroanthonia setacea		0.00																		
Austrofestuca littoralis		0.00																		
Austrostipa acroclliata		0.00																		
Austrostipa blackii		0.00																		
Austrostipa dongicola		0.00																		
Austrostipa drummondii		0.00																		
Austrostipa echinata		0.00																		
Austrostipa elegantissima		0.00									1	0.05	RA d(ii)	RA	3	DD	0.0	1	1	
Austrostipa eremophila		0.00																		
Austrostipa exilis		0.00																		
Austrostipa flavescens		0.00																		
Austrostipa hemipogon		0.00																		
Austrostipa lanata		0.00																		
Austrostipa macalpinei		0.00																		
Austrostipa mollis		0.00																		
Austrostipa mundula		0.00																		
Austrostipa nitida	7	0.24	LC	LC	1	0	0.3	6	3		36	1.24	LC	LC	1	0	0.3	33	19	
Austrostipa nodosa		0.00																		
Austrostipa nullanulla		0.00									8	14.29	RA d(i,ii)	RA	3	0	0.3	7	7	
Austrostipa pilata		0.00																		
Austrostipa platychaeta		0.00									9	1.76	LC	LC	1	0	0.3	9	7	
Austrostipa plumigera		0.00									1	3.33	RA d(ii)	RA	3	DD	0.0	1		
Austrostipa puberula		0.00																		
Austrostipa scabra ssp. falcata		0.00																		
Austrostipa scabra ssp. scabra		0.00									28	6.60	LC	LC	1	0	0.3	27	27	
Austrostipa semibarbata		0.00																		
Austrostipa setacea		0.00																		
Austrostipa stipoides		0.00																		
Austrostipa stuposa		0.00																		
Austrostipa tenuifolia		0.00																		
Austrostipa trichophylla		0.00									1	0.25	RA d(ii)	RA	3	DD	0.0	1		check record
Austrostipa velutina		0.00																		

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)		Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)		Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)	
	% Carlisle											% Maralinga											
Austrostipa vickeryana		0.00											0.00										
Avicennia marina ssp. marina		0.00											0.00										
Babingtonia behrii		0.00										2	0.18	RA d(i,ii)	RA	3	0	0.3			2	1	limited habitat
Baeckea crassifolia		0.00											0.00										
Baeckea tuberculata		0.00										1	10.00	RA d(i,ii)	RA	3	0	0.3			1	1	undercollected
Banksia marginata		0.00											0.00										
Banksia ornata		0.00											0.00										
Baumea arthropylla		0.00											0.00										
Baumea juncea		0.00											0.00										
Bergia trimera		0.00											0.00										
Bertya tasmanica ssp. vestita		0.00											0.00										
Beyeria lechenaultii		0.00											0.00										
Beyeria opaca		0.00										3	0.76	RA d(i,ii)	RA	3	0	0.3			3		
Billardiera cymosa ssp. cymosa		0.00											0.00										
Billardiera cymosa ssp. pseudocymosa		0.00											0.00										
Billardiera sericophora		0.00											0.00										
Billardiera sp. Yorke Peninsula (P.C.Heyligers 80164)		0.00											0.00										
Billardiera uniflora		0.00											0.00										
Billardiera versicolor		0.00											0.00										
Blennodia canescens		0.00										4	7.69	RA d(ii)	RA	3	DD	0.0			3	2	
Blennodia pterosperma		0.00											0.00										
Blennospora drummondii		0.00											0.00										
Boerhavia coccinea		0.00											0.00										
Boerhavia dominii		0.00										2	0.31	NE	NE	-1					1	1	taxonomic issues
Boerhavia repleta		0.00											0.00										
Boerhavia schomburgkiana		0.00											0.00										
Bolboschoenus caldwellii		0.00											0.00										
Boronia coerulescens ssp. coerulescens		0.00										1	0.08	RA d(ii)	RA	3	0	0.3			1		
Boronia filifolia		0.00											0.00										
Boronia inornata ssp. leptophylla		0.00											0.00										
Bossiaea ensata		0.00											0.00										
Bossiaea walkeri		0.00										7	4.64	RA d(i,ii)	RA	3	0	0.3			7		
Bothriochloa ewartiana		0.00											0.00										
Bothriochloa macra		0.00											0.00										
Brachiaria praetervisa		0.00											0.00										
Brachyachne ciliaris		0.00										2	3.17	RA d(ii)	RA	3	DD	0.0			2	2	popn fluctuates, undercollected
Brachychiton gregorii		0.00										10	17.54	RA d(i,ii)	RA	3	0	0.3			9	4	southern limit
Brachyscome ciliaris var. ciliaris	1	0.10	LC	LC	1	0	0.3	1				15	1.49	LC	LC	1	0	0.3			14	14	
Brachyscome ciliaris var. lanuginosa		0.00										1	0.18	RA d(ii)	RA	3	0	0.3			1	1	
Brachyscome ciliaris var. subintegrifolia		0.00										1	3.33	NE	NE	-1					1	1	check ID
Brachyscome cuneifolia		0.00											0.00										
Brachyscome debilis		0.00											0.00										
Brachyscome dichromosomatica var. dichromosomatica		0.00											0.00										

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)		Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)		Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	% Carlisle			Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)						% Maralinga									
Brachyscome eriogona	0.00										0.00									
Brachyscome exilis	0.00										0.00									
Brachyscome goniocarpa	0.00										0.00									
Brachyscome iberidifolia	0.00									5	3.76	LC	LC	1	0	0.3		4	4	
Brachyscome lineariloba	0.00										0.00									
Brachyscome muelleri	0.00										0.00									
Brachyscome perpusilla	0.00										0.00									
Brachyscome tatei	0.00										0.00									
Brachyscome trachycarpa	1	0.85	DD	DD	0	DD	0.0	1	1		23	19.66	LC	LC	1	0	0.3	23	23	
Brachyscome xanthocarpa	0.00										0.00									
Bromus arenarius	0.00										0.00									
Brunonia australis	1	0.18	RA d(i,ii)	RA	3	DD	0.0	1		33	5.83	LC	LC	1	0	0.3	33	22		
Bulbine alata	0.00										0.00									
Bulbine bulbosa	0.00										0.00									
Bulbine semibarbata	0.00										0.00									
Bulbostylis barbata	0.00										0.00									
Bulbostylis pyriformis	0.00										0.00									
Burchardia umbellata	0.00										0.00									
Bursaria spinosa ssp. spinosa	0.00										0.00									
Caesia calliantha	0.00										0.00									
Caladenia aurulenta																				
Caladenia bicallata ssp. bicallata	0.00										0.00									
Caladenia brumalis	0.00										0.00									
Caladenia capillata	0.00										0.00									
Caladenia cardiochila	0.00										0.00									
Caladenia carnea	0.00										0.00									
Caladenia clavula	0.00										0.00									
Caladenia fragrantissima ssp. fragrantissima																				
Caladenia fuscata	0.00										0.00									
Caladenia interanea																				
Caladenia latifolia	0.00										0.00									
Caladenia macroclavia	0.00										0.00									
Caladenia pusilla	0.00										0.00									
Caladenia septuosa	0.00										0.00									
Caladenia stricta	0.00										0.00									
Caladenia tensa	0.00										0.00									
Caladenia tentaculata	0.00										0.00									
Caladenia toxochila	0.00										0.00									
Caladenia verrucosa	0.00										0.00									
Caladenia zephyra																				
Calandrinia brevipedata	0.00										0.00									
Calandrinia calyptata	0.00										0.00									
Calandrinia corrigioloides	0.00										0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)		Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)		Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	% Carlisle			Proposed Regional IUCN Status (Carlisle)							% Maralinga									
Calandrinia disperma		0.00									12	27.91	LC	LC	1	0	0.3	10	2	
Calandrinia eremaea	2	0.17	LC	LC	1	0	0.3	2			19	1.60	LC	LC	1	0	0.3	17	11	
Calandrinia granulifera		0.00																		
Calandrinia polyandra var. polyandra		0.00									3	2.78	LC	LC	1	0	0.3	3	2	
Calandrinia ptychosperma		0.00																		
Calandrinia pumila		0.00									1	3.45	RA d(i,ii)	RA	3	DD	0.0	1		
Calandrinia remota		0.00									1	1.25	RA d(i,ii)	RA	3	DD	0.0	1	1	
Calandrinia reticulata		0.00									6	15.00	RA d(ii)	RA	3	DD	0.0	6	6	
Calandrinia sphaerophylla		0.00																		
Calandrinia volubilis		0.00																		
Callistemon rugulosus		0.00																		
Callitris canescens		0.00																		
Callitris glaucophylla		0.00									3	0.28	RA d(ii)	RA	3	0	0.3	3		
Callitris gracilis		0.00																		
Callitris verrucosa		0.00									23	2.68	LC	LC	1	0	0.3	19	9	
Calocephalus citreus		0.00																		
Calocephalus platycephalus		0.00																		
Calochilus pruinosis		0.00																		
Calotis breviradiata		0.00																		
Calotis cymbacantha		0.00									3	0.95	LC	LC	1	0	0.3	2	2	
Calotis erinacea		0.00									25	6.07	LC	LC	1	0	0.3	22	7	
Calotis hispidula	2	0.10	LC	LC	1	+	0.2	2			26	1.31	LC	LC	1	+	0.2	23	14	
Calotis lappulacea		0.00																		
Calotis latiuscula		0.00																		
Calotis multicaulis	1	0.67	LC	LC	1	0	0.3	1	1		24	16.11	LC	LC	1	0	0.3	19	8	
Calotis plumulifera		0.00									1	0.25	LC	LC	1	0	0.3	1	1	likely to be sunk with C multicaulis
Calotis porphyroglossa		0.00																		
Calotis scabiosifolia var. scabiosifolia		0.00																		
Calytrix gypsophila		0.00									5	14.71	RA d(ii)	RA	3	0	0.3	4	2	habitat specific, likes gypsum
Calytrix involucrata		0.00																		
Calytrix tetragona		0.00																		
Cardamine tenuifolia		0.00																		
Carex breviculmis		0.00																		
Carex inversa var. major		0.00																		
Carex tereticaulis		0.00																		
Carpobrotus modestus		0.00																		
Carpobrotus rossii		0.00																		
Carpobrotus sp. Short calyx (S.T.Blake 20451)		0.00																		
Cassinia arcuata		0.00																		
Cassinia complanata		0.00																		
Cassinia laevis		0.00																		
Cassytha glabella forma dispar		0.00																		
Cassytha melantha		0.00									5	0.38	RA d(i,ii)	RA	3	0	0.3	4	2	edge of range

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	% Carlisle	% Maralinga																		
Cassutha peninsularis		0.00									0.00									
Cassutha pubescens		0.00									0.00									
Casuarina pauper	3	0.23	LC	LC	1	0	0.3	3	2		89	6.70	LC	LC	1	0	0.3	83	53	
Causitis pentandra		0.00																		
Centella asiatica		0.00																		
Centipeda crateriformis ssp. compacta		0.00																		
Centipeda crateriformis ssp. crateriformis		0.00																		
Centipeda cunninghamii		0.00																		
Centipeda thespidioides		0.00									1	0.54	RA d(ii)	RA	3	DD	0.0	1		
Centrolepis aristata		0.00																		
Centrolepis cephaloformis ssp. cephaloformis		0.00																		
Centrolepis cephaloformis ssp. murrayi		0.00																		
Centrolepis eremica		0.00																		
Centrolepis fascicularis		0.00																		
Centrolepis glabra		0.00																		
Centrolepis polygyna		0.00																		
Centrolepis strigosa ssp. strigosa		0.00																		
Cephalopterum drummondii	4	2.41	LC	LC	1	0	0.3	4	2	WA species	37	22.29	LC	LC	1	0	0.3	35	22	WA species
Ceratogyne obionoides		0.00																		
Chamaescilla corymbosa var. corymbosa		0.00																		
Chamaesyce australis		0.00																		
Chamaesyce centralis		0.00									1	0.79	RA d(i,ii)	RA	3	DD	0.0	1		southern limit
Chamaesyce drummondii	1	0.15	LC	LC	1	0	0.3	1		likes degraded areas, roadsides	23	3.54	LC	LC	1	0	0.3	22	12	likes degraded areas, roadsides
Chamaesyce wheeleri		0.00									7	5.56	LC	LC	1	0	0.3	7	6	sand dune species
Cheilanthes austrotenuifolia		0.00																		
Cheilanthes distans		0.00																		
Cheilanthes lasiophylla		0.00									2	0.20	RA d(ii)	RA	3	DD	0.0	2	1	isolated pockets, rocky areas
Cheilanthes sieberi ssp. pseudovellea		0.00																		
Cheilanthes sieberi ssp. sieberi		0.00																		
Cheiranthra alternifolia		0.00																		
Chenopodium curvispicatum		0.00									33	4.71	LC	LC	1	0	0.3	31	23	
Chenopodium desertorum ssp. anidiophyllum		0.00																		
Chenopodium desertorum ssp. desertorum	1	0.14	RA d(ii)	RA	3	DD	0.0	1	1		22	3.19	LC	LC	1	0	0.3	21	11	
Chenopodium desertorum ssp. microphyllum		0.00									4	0.87	RA d(ii)	RA	3	DD	0.0	4	4	
Chenopodium desertorum ssp. rectum		0.00									8	7.41	NT	NT	2	0	0.3	7	2	
Chenopodium gaudichaudianum	1	1.05	RA d(i,ii)	RA	3	DD	0.0	1	1		13	13.68	NT	NT	2	DD	0.0	13	11	
Chenopodium nitraraceum		0.00									2	0.73	RA d(ii)	RA	3	DD	0.0	2		
Chloris pectinata		0.00																		
Chloris truncata		0.00																		
Chondropyxis halophila		0.00																		
Choretrum glomeratum var. chrysanthum		0.00									1	1.56	RA d(ii)	RA	3	-	0.4	1	1	
Choretrum glomeratum var. glomeratum		0.00									1	0.21	RA d(i,ii)	RA	3	0	0.3	1	1	isolated popn
Chorizandra enodis		0.00																		

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	% Carlisle										% Maralinga									
Chrysocephalum apiculatum		0.00									19	0.84	LC	LC	1	0	0.3	18	9	taxonomic issues
Chrysocephalum baxteri		0.00										0.00								
Chrysocephalum eremaeum	1	0.39	LC	LC	1	0	0.3	1	1		56	21.96	LC	LC	1	0	0.3	50	35	
Chrysocephalum pterochaetum	1	0.29	LC	LC	1	0	0.3	1			28	8.16	LC	LC	1	0	0.3	26	16	
Chrysocephalum semipapposum		0.00										0.00								
Chthonocephalus pseudevax		0.00									5	2.48	LC	LC	1	0	0.3	4	1	
Citrus glauca		0.00										0.00								
Cladium procerum		0.00										0.00								
Clematis microphylla var. microphylla		0.00										0.00								
Codonocarpus cotinifolius		0.00									38	13.92	LC	LC	1	0	0.3	37	19	
Comesperma calymega		0.00										0.00								
Comesperma polygaloides		0.00										0.00								
Comesperma scoparium		0.00										0.00								
Comesperma viscidulum		0.00										0.00								
Comesperma vulubile	3	0.22	LC	LC	1	0	0.3	2				0.00								
Commersonia multioba		0.00										0.00								
Commersonia tatei		0.00										0.00								
Conospermum patens		0.00										0.00								
Convolvulus angustissimus ssp. angustissimus		0.00										0.00								
Convolvulus angustissimus ssp. peninsularum		0.00										0.00								
Convolvulus clementii		0.00									3	1.85	LC	LC	1	0	0.3	2	1	
Convolvulus crispifolius		0.00										0.00								
Convolvulus eyreanus		0.00										0.00								
Convolvulus microsepalus		0.00										0.00								
Convolvulus recurvatus ssp. nullarborensis		0.00										0.00								
Convolvulus recurvatus ssp. recurvatus		0.00										0.00								
Convolvulus remotus	1	0.06	LC	LC	1	0	0.3	1				0.00								
Cooperookia strophiolata		0.00									9	36.00	DD	DD	0	DD	0.0	5		
Correa backhouseana var. coriacea		0.00										0.00								
Correa pulchella		0.00										0.00								
Corunastylis nigricans																				
Corunastylis tepperi																				
Corybas despectans		0.00										0.00								
Corybas expansus																				
Corynotheca licrota		0.00										0.00								
Corynotheca micrantha var. divaricata		0.00									1	5.00	DD	DD	0	DD	0.0	1	1	
Cotula australis		0.00										0.00								
Cotula vulgaris var. australasica		0.00										0.00								
Craspedia variabilis		0.00										0.00								
Crassula closiana		0.00										0.00								
Crassula colligata ssp. lamprosperma		0.00										0.00								
Crassula colorata var. acuminata	2	0.18	LC	LC	1	0	0.3	2	2	could be undercollected	13	1.19	LC	LC	1	0	0.3	11	3	could be undercollected
Crassula colorata var. colorata		0.00									3	0.55	RA d(ii)	RA	3	DD	0.0	3	3	

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)	
	% Carlisle	% Maralinga																			
Crassula decumbens var. decumbens		0.00										0.00									
Crassula exserta		0.00										0.00									
Crassula extrorsa		0.00										0.00									
Crassula peduncularis		0.00										0.00									
Crassula tetramera		0.00										0.00									
Cratystylis conocephala		0.00									2	0.31	RA d(ii)	RA	3	0	0.3	2			
Cressa australis		0.00										0.00									
Crinum flaccidum		0.00										0.00									
Crotalaria eremaea ssp. eremaea		0.00										0.00									
Crotalaria eremaea ssp. strehlowii		0.00									4	1.76	RA d(i,ii)	RA	3	0	0.3	4	1	persistent spp.	
Cryptandra aridicola		0.00									2	18.18	VU D2	VU	4	DD	0.0	1			
Cryptandra myriantha		0.00										0.00									
Cryptandra propinqua		0.00									2	1.77	RA d(ii)	RA	3	0	0.3	2	1		
Cryptandra sp. Floriferous (W.R. Barker 4131)		0.00										0.00									
Cryptandra tomentosa		0.00										0.00									
Cullen australasicum		0.00										0.00									
Cullen cinereum		0.00										0.00									
Cullen discolor		0.00										0.00									
Cullen graveolens		0.00										0.00									
Cullen pallidum		0.00									2	0.97	RA d(i,ii)	RA	3	0	0.3	2	1	limit of range	
Cullen patens		0.00										0.00									
Cymbonotus preissianus		0.00										0.00									
Cymbopogon ambiguus		0.00										0.00									
Cymbopogon obtectus		0.00										0.00									
Cynanchum floribundum		0.00									2	0.86	RA d(i,ii)	RA	3	DD	0.0	2	2		
Cynoglossum australe		0.00										0.00									
Cynoglossum suaveolens		0.00										0.00									
Cyperus alterniflorus		0.00										0.00									
Cyperus bulbosus		0.00										0.00									
Cyperus difformis		0.00										0.00									
Cyperus gilesii		0.00										0.00									
Cyperus gymnocaulos		0.00										0.00									
Cyperus iria		0.00										0.00									
Cyperus laevigatus		0.00										0.00									
Cyperus pygmaeus		0.00										0.00									
Cyperus rigidellus		0.00										0.00									
Cyperus squarrosus		0.00										0.00									
Cyperus victoriensis		0.00										0.00									
Cyphanthera myosotidea		0.00										0.00									
Cyrtostylis reniformis		0.00										0.00									
Cyrtostylis robusta		0.00										0.00									
Dactyloctenium radulans		0.00									1	0.14	RA d(i,ii)	RA	3	DD	0.0	1	1		
Damasonium minus		0.00										0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)		Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)		Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	% Carlisle			Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)						% Maralinga									
Dampiera dysantha	0.00										0.00									
Dampiera lanceolata var. lanceolata	0.00										24	11.01	LC	LC	1	0	0.3	21	7	
Dampiera ramosa	0.00										5	100.00	RA d(ii)	RA	3	DD	0.0	5	1	WA species
Dampiera rosmarinifolia	0.00											0.00								
Darwinia salina	0.00										12	14.46	LC	LC	1	0	0.3	7	1	likes salt lakes
Daucus glochidiatus	0.00											0.00								
Daviesia arenaria	0.00											0.00								
Daviesia asperula ssp. asperula	0.00											0.00								
Daviesia asperula ssp. obliqua	0.00											0.00								
Daviesia benthamii ssp. acanthoclona	0.00											0.00								
Daviesia benthamii ssp. humilis	0.00											0.00								
Daviesia brevifolia	0.00											0.00								
Daviesia pectinata	0.00											0.00								
Daviesia ulicifolia ssp. aridicola	0.00										8	6.45	RA d(ii)	RA	3	DD	0.0	6	1	restricted habitat
Desmodcladus diacolpicus	0.00											0.00								
Deyeuxia quadriseta	0.00											0.00								
Dianella brevicaulis	0.00											0.00								
Dianella revoluta var. divaricata	0.00										6	2.84	RA d(ii)	RA	3	0	0.3	6	4	
Dianella revoluta var. revoluta	0.00											0.00								
Dichanthium sericeum ssp. humilius	0.00											0.00								
Dichanthium sericeum ssp. sericeum	0.00											0.00								
Dichelachne crinita	0.00											0.00								
Dichondra repens	0.00											0.00								
Dicrasytis beveridgei var. beveridgei	0.00										19	43.18	LC	LC	1	0	0.3	18	10	
Dicrasytis beveridgei var. lanata	0.00										22	21.78	LC	LC	1	0	0.3	22	1	
Dicrasytis lewellinii	0.00										2	7.14	RA d(i,ii)	RA	3	DD	0.0	2	2	
Dicrasytis verticillata	0.00											0.00								
Digitaria ammophila	0.00										10	6.58	LC	LC	1	0	0.3	10	9	
Digitaria brownii	0.00										8	1.04	LC	LC	1	0	0.3	8	8	
Digitaria coenicola	0.00											0.00								
Dillwynia hispida	0.00											0.00								
Dillwynia sericea	0.00											0.00								
Dillwynia uncinata	0.00											0.00								
Dimorphocoma minutula	0.00											0.00								
Disphyma crassifolium ssp. clavellatum	0.00										9	0.62	NT	NT	2	0	0.3	7	4	
Dissocarpus biflorus var. biflorus	0.00											0.00								
Dissocarpus biflorus var. villosus	0.00											0.00								
Dissocarpus fontinalis	0.00											0.00								
Dissocarpus latifolius	0.00											0.00								
Dissocarpus paradoxus	0.00											0.00								
Distichlis distichophylla	0.00										6	0.47	NT	NT	2	0	0.3	5	2	
Diuris behrii	0.00											0.00								
Diuris behrii	0.00											0.00								
Diuris orientis	0.00											0.00								
Diuris palustris	0.00											0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)		Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)		Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	% Carlisle			Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)						% Maralinga									
Diuris pardina	0.00										0.00									
Dodonaea baueri	0.00										0.00									
Dodonaea bursarifolia	0.00										0.00									
Dodonaea hexandra	0.00										0.00									
Dodonaea humilis	0.00										0.00									
Dodonaea intricata	0.00										0.00									
Dodonaea lobulata	1	0.09	LC	LC	1	0	0.3	1			38	3.60	LC	LC	1	0	0.3	27	12	
Dodonaea microzyga var. microzyga	0.00										21	4.00	LC	LC	1	0	0.3	18	6	
Dodonaea procumbens	0.00										0.00									
Dodonaea stenozyga	0.00										14	2.15	RA d(i,ii)	RA	3	0	0.3	6	1	localised population
Dodonaea tepperi	0.00										0.00									
Dodonaea viscosa ssp. angustissima	2	0.08	LC	LC	1	0	0.3	2	1		90	3.41	LC	LC	1	0	0.3	81	65	
Dodonaea viscosa ssp. cuneata	0.00										0.00									
Dodonaea viscosa ssp. spatulata	0.00										0.00									
Drosera auriculata	0.00										0.00									
Drosera glanduligera	0.00										0.00									
Drosera macrantha ssp. planchonii	0.00										0.00									
Drosera peltata	0.00										0.00									
Drosera pygmaea	0.00										0.00									
Drosera sp. Rigid. (R.J.Bates 2268)	0.00										0.00									
Duboisia hopwoodii	0.00										42	16.15	LC	LC	1	0	0.3	38	24	narcotic plant
Dysphania cristata	4	1.15	LC	LC	1	0	0.3	3			11	3.17	LC	LC	1	0	0.3	9	4	
Dysphania glomulifera ssp. eremaea	0.00										0.00									
Dysphania glomulifera ssp. glomulifera	0.00										0.00									
Dysphania melanocarpa forma melanocarpa	0.00										1	1.96	RA d(ii)	RA	3	DD	0.0	1	1	
Dysphania plantaginella	0.00										3	5.88	RA d(ii)	RA	3	DD	0.0	3	2	
Dysphania pumilio	0.00										0.00									
Dysphania rhadinostachya ssp. rhadinostachya	0.00										0.00									
Dysphania simulans	0.00										3	9.09	RA d(i,ii)	RA	3	DD	0.0	3	1	
Dysphania truncata	0.00										1	2.38	RA d(i,ii)	RA	3	DD	0.0	1		
Einadia nutans ssp. eremaea	0.00										1	0.52	RA d(ii)	RA	3	0	0.3	1	1	
Einadia nutans ssp. nutans	0.00										3	0.24	RA d(ii)	RA	3	0	0.3	3	1	
Einadia nutans ssp. oxycarpa	0.00										0.00									
Einadia polygonoides	0.00										0.00									
Elachanthus glaber	0.00										0.00									
Elachanthus pusillus	0.00										2	1.18	RA d(i,ii)	RA	3	0	0.3	2	2	
Elatine gratioloides	0.00										0.00									
Eleocharis acuta	0.00										0.00									
Eleocharis pallens	0.00										0.00									
Eleocharis pusilla	0.00										0.00									
Elymus scaber var. scaber	0.00										0.00									
Embadium stagnense	0.00										0.00									
Embadium uncinatum	0.00										0.00									

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Carlisle Records				Proposed IUCN Status & Criteria (Carlisle)				Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records				Proposed IUCN Status & Criteria (Maralinga)				Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	Carlisle Records	% Carlisle	Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Trends (-, 0, +, ++)	Carlisle	Area of Occupancy (km2) (Total)			Maralinga Records	% Maralinga	Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Trends (-, 0, +, ++)	Maralinga	Area of Occupancy (km2) (Total)		
Enchylaena tomentosa var. tomentosa	7	0.12	LC	LC	1	0	0.3	6	4		105	1.85	LC	LC	1	0	0.3	94	80	
Enneapogon avenaceus	6	0.37	LC	LC	1	0	0.3	5			60	3.70	LC	LC	1	0	0.3	55	46	
Enneapogon caeruleus var. caeruleus	2	2.33	LC	LC	1	DD	0.0	1			10	11.63	LC	LC	1	0	0.3	10	9	
Enneapogon cylindricus	3	0.31	LC	LC	1	0	0.3	3	1		27	2.77	LC	LC	1	0	0.3	26	25	
Enneapogon intermedius		0.00									7	17.50	NE	NE	-1			7	7	Taxonomic issues
Enneapogon nigricans		0.00										0.00								
Enneapogon polyphyllus	7	0.58	LC	LC	1	0	0.3	6	3		60	4.98	LC	LC	1	0	0.3	56	50	
Enneapogon robustissimus		0.00									2	20.00	RA d(ii)	RA	3	DD	0.0	2	1	
Enteropogon acicularis		0.00										0.00								
Enteropogon ramosus		0.00									3	1.00	RA d(ii)	RA	3	DD	0.0	3	3	
Epilobium australe		0.00										0.00								
Epilobium billardierianum ssp. billardierianum		0.00										0.00								
Eragrostis australasica		0.00									3	0.95	RA d(ii)	RA	3	0	0.3	3	1	
Eragrostis basedowii		0.00										0.00								
Eragrostis dielsii var. dielsii		0.00									6	1.00	LC	LC	1	0	0.3	6	5	
Eragrostis eriopoda		0.00									48	8.81	LC	LC	1	0	0.3	46	37	
Eragrostis falcata		0.00									10	5.92	RA d(i,ii)	RA	3	0	0.3	9	2	
Eragrostis kennedyae		0.00										0.00								
Eragrostis lacunaria		0.00										0.00								
Eragrostis laniflora		0.00									28	13.08	LC	LC	1	0	0.3	26	16	
Eragrostis lanipes		0.00									6	13.95	RA d(ii)	RA	3	-	0.4	6	2	
Eragrostis leptocarpa		0.00									1	0.42	RA d(ii)	RA	3	DD	0.0	1	1	southern limit
Eragrostis parviflora		0.00										0.00								
Eragrostis pergracilis		0.00									9	18.75	RA d(ii)	RA	3	DD	0.0	7	6	
Eragrostis setifolia	2	0.18	RA d(ii)	RA	3	0	0.3	1	1		14	1.27	LC	LC	1	0	0.3	13	9	
Eragrostis xerophila	1	0.28	LC	LC	1	0	0.3	1	1		33	9.27	LC	LC	1	0	0.3	32	30	
Eremophea spinosa		0.00									4	10.53	RA d(ii)	RA	3	DD	0.0	4	2	
Eremophila alternifolia	5	0.44	LC	LC	1	0	0.3	5	4		35	3.06	LC	LC	1	0	0.3	29	21	common in rocky areas
Eremophila arachnoides ssp. tenera		0.00									14	36.84	LC	LC	1	0	0.3	13	11	
Eremophila arenaria		0.00									8	26.67	LC	LC	1	0	0.3	7	3	could be a hybrid
Eremophila barbata		0.00										0.00								
Eremophila battii		0.00									3	5.66	RA d(ii)	RA	3	DD	0.0	3		
Eremophila behriana		0.00										0.00								
Eremophila clarkei		0.00									19	38.78	LC	LC	1	0	0.3	8	2	WA species
Eremophila crassifolia		0.00										0.00								
Eremophila decipiens ssp. decipiens		0.00									17	44.74	LC	LC	1	0	0.3	14	12	
Eremophila delisseri		0.00									2	16.67	RA d(ii)	RA	3	0	0.3	1		
Eremophila deserti		0.00									14	2.16	LC	LC	1	0	0.3	13	12	
Eremophila duttonii		0.00										0.00								
Eremophila freelingii		0.00										0.00								
Eremophila gibbifolia		0.00										0.00								
Eremophila gibsonii		0.00									32	28.32	LC	LC	1	0	0.3	27	13	restricted to sand dunes
Eremophila gilesii		0.00									13	14.61	LC	LC	1	0	0.3	11	10	

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	% Carlisle										% Maralinga									
Eremophila glabra ssp. glabra		0.00									47	3.21	LC	LC	1	0	0.3	45	29	
Eremophila hillii		0.00									1	3.57	VU D2	VU	4	-	0.4	1		
Eremophila latrobei ssp. glabra		0.00									73	10.60	LC	LC	1	0	0.3	66	54	
Eremophila latrobei ssp. latrobei		0.00									1	0.72	VU D2	VU	4	DD	0.0	1		edge of range
Eremophila longifolia	3	0.26	LC	LC	1	0	0.3	2			34	2.91	LC	LC	1	0	0.3	33	24	
Eremophila maculata ssp. brevifolia		0.00									3	100.00	RA d(ii)	RA	3	0	0.3	3	1	undercollected WA species
Eremophila maculata ssp. maculata		0.00									2	0.67	RA d(ii)	RA	3	0	0.3	2		likes floodplains
Eremophila neglecta		0.00										0.00								
Eremophila oppositifolia ssp. angustifolia		0.00									2	66.67	VU D2	VU	4	DD	0.0	2		
Eremophila oppositifolia ssp. oppositifolia		0.00										0.00								
Eremophila paisleyi ssp. paisleyi		0.00									14	12.73	LC	LC	1	0	0.3	12	5	
Eremophila parvifolia		0.00										0.00								
Eremophila platythamnus ssp. exotrachys		0.00									10	12.50	LC	LC	1	0	0.3	10	8	
Eremophila platythamnus ssp. platythamnus	1	4.76	LC	LC	1	0	0.3	1			5	23.81	LC	LC	1	0	0.3	5	3	
Eremophila platythamnus ssp. Villous (A.C. Robinson NP)		0.00									2	100.00	VU D2	VU	4	0	0.3	2	1	
Eremophila rotundifolia		0.00										0.00								
Eremophila scoparia	1	0.09	LC	LC	1	0	0.3	1			16	1.44	LC	LC	1	0	0.3	13	4	
Eremophila serrulata		0.00									14	2.80	LC	LC	1	0	0.3	13	8	
Eremophila sp. Decussate (R.J.Chinock 7735)		0.00										0.00								
Eremophila sp. Dendritica (W.S.Reid AD98581189)		0.00										0.00								
Eremophila sp. Fallax (D.E.Symon 12311)		0.00									2	50.00	VU D2	VU	4	0	0.3	2	2	now E fallax
Eremophila sp. Hygrophana (P.J.Lang B894-2828)		0.00									2	100.00	VU D2	VU	4	0	0.3	2	2	now E hydrophana
Eremophila sp. Praecox (R.H.Ashby 131)		0.00										0.00								
Eremophila sturtii		0.00									19	4.48	LC	LC	1	0	0.3	17	14	
Eremophila subfloccosa ssp. Lanata (R.Bates 33587)		0.00										0.00								
Eremophila verrucosa ssp. brevistellata		0.00										0.00								
Eremophila verrucosa ssp. verrucosa		0.00									1	5.88	VU D2	VU	4	0	0.3	1		localised population
Eremophila weldii		0.00										0.00								
Eremophila willsii var. integrifolia		0.00									16	59.26	LC	LC	1	0	0.3	15	15	in sand dunes
Eriachne aristidea		0.00										0.00								
Eriachne helmsii		0.00									21	9.01	LC	LC	1	0	0.3	21	18	
Eriachne mucronata		0.00									9	3.70	RA d(ii)	RA	3	0	0.3	8	5	
Eriachne ovata		0.00										0.00								
Eriochilus cucullatus		0.00										0.00								
Eriochiton sclerotaenoides	3	0.20	LC	LC	1	0	0.3	3	1		35	2.33	LC	LC	1	0	0.3	34	27	
Eriochlamys behrii		0.00										0.00								
Eriochlamys eremaea		0.00										0.00								
Eriochloa australiensis		0.00										0.00								
Eriochloa crebra		0.00										0.00								
Eriochloa pseudoacrotricha		0.00										0.00								
Erodiochloa eldieri		0.00										0.00								
Erodium carolinianum		0.00									7	3.17	LC	LC	1	0	0.3	7	5	
Erodium cernitum		0.00									12	1.15	LC	LC	1	0	0.3	9	4	

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)		Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)		Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	% Carlisle				% Maralinga																	
Erodium cygnorum		0.00										24	17.65	LC						24	5	
Erodium janszii		0.00											0.00									
Erodium sp. Blesing (J.R.Wheeler 471)		0.00											0.00									
Erymophyllum ramosum ssp. ramosum		0.00											0.00									
Eucalyptus alboburpurea		0.00											0.00									
Eucalyptus angulosa		0.00											0.00									
Eucalyptus behriana		0.00											0.00									
Eucalyptus brachycalyx		0.00											0.00									
Eucalyptus calcareana		0.00											0.00									
Eucalyptus calycogona ssp. calycogona		0.00											0.00									
Eucalyptus calycogona ssp. spaffordii		0.00											0.00									
Eucalyptus camaldulensis var. camaldulensis		0.00											0.00									
Eucalyptus camaldulensis var. obtusa		0.00											0.00									
Eucalyptus canescens ssp. beadedlii	1	2.33	RA d(i,ii)	RA	3	0	0.3	1				37	86.05	RA d(i,ii)	RA	3	0	0.3	27	11		
Eucalyptus canescens ssp. canescens	2	3.51	RA d(ii)	RA	3	0	0.3	1				31	54.39	RA d(ii)	RA	3	0	0.3	27	19		
Eucalyptus ceratocorys		0.00											0.00									
Eucalyptus cladocalyx		0.00											0.00									
Eucalyptus concinna	1	0.25	RA d(ii)	RA	3	0	0.3	1				130	32.42	LC	LC	1	0	0.3	102	53		
Eucalyptus conglobata ssp. conglobata		0.00											0.00									
Eucalyptus cretata		0.00											0.00									
Eucalyptus diversifolia ssp. diversifolia		0.00											0.00									
Eucalyptus diversifolia ssp. hesperia		0.00											0.00									
Eucalyptus dumosa		0.00											0.00									
Eucalyptus eremicola		0.00										18	62.07	LC	LC	1	0	0.3	16	14		
Eucalyptus eucentrica		0.00										7	30.43	NE	NE	-1			6	6	prob all socialis ssp victoriensis	
Eucalyptus glomerosa		0.00										65	58.04	LC	LC	1	0	0.3	54	24		
Eucalyptus gongylocarpa		0.00										71	77.17	LC	LC	1	0	0.3	54	27		
Eucalyptus gracilis		0.00										14	0.57	RA d(ii)	RA	3	0	0.3	12	5		
Eucalyptus gypsophila	3	2.16	LC	LC	1	0	0.3	3	1			74	53.24	LC	LC	1	0	0.3	50	21		
Eucalyptus incrassata		0.00											0.00									
Eucalyptus intertexta		0.00											0.00									
Eucalyptus kingsmillii ssp. alatissima		0.00										16	100.00	RA d(i,ii)	RA	3	0	0.3	10	3		
Eucalyptus lansdowneana		0.00											0.00									
Eucalyptus leptophylla		0.00										12	0.64	LC	LC	1	0	0.3	10	2		
Eucalyptus mannensis ssp. mannensis		0.00										5	6.85	RA d(ii)	RA	3	0	0.3	4	1		
Eucalyptus odorata		0.00											0.00									
Eucalyptus oleosa ssp. ampliata		0.00											0.00							2	2	
Eucalyptus oleosa ssp. oleosa		0.00										30	8.36	RA d(ii)	RA	3	0	0.3	24	3		
Eucalyptus oxymitra		0.00										4	2.47	RA d(i,ii)	RA	3	0	0.3	4			
Eucalyptus peeneri		0.00										12	57.14	RA d(i,ii)	RA	3	0	0.3	10	10	now E. eremicola ssp peeneri	
Eucalyptus peninsularis		0.00											0.00									
Eucalyptus petiolaris		0.00											0.00									
Eucalyptus phenax ssp. phenax		0.00											0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)		Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)		Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	% Carlisle			Proposed Regional IUCN Status (Carlisle)							% Maralinga									
Eucalyptus pileata	0.00										0.00									
Eucalyptus picipiniana	1	1.01	DD	DD	0	DD	0.0	1			38	38.38	LC	LC	1	0	0.3	31	13	
Eucalyptus porosa	0.00										0.00									
Eucalyptus rugosa	0.00										0.00									
Eucalyptus socialis ssp. Glossy green (P.J.Lang 804)	0.00										0.00									
Eucalyptus socialis ssp. socialis	0.00										0.00									
Eucalyptus socialis ssp. South Great Victoria Desert (D.N)	0.00	DD		DD	0	DD	0.0			now ssp victoriensis	8	88.89	LC	LC	1	0	0.3	8	8	now ssp victoriensis
Eucalyptus trivalvis	0.00										8	20.00	RA d(i,ii)	RA	3	0	0.3	5	1	
Eucalyptus viminalis ssp. cygnetensis	0.00										0.00									
Eucalyptus vokesensis	0.00										15	41.67	RA d(i,ii)	RA	3	0	0.3	11	6	
Eucalyptus wyolensis	0.00										19	86.36	VU D2	VU	4	0	0.3	6	3	
Eucalyptus yalataensis	0.00										0.00									
Eucalyptus youngiana	0.00	DD		DD	0	DD	0.0			no records	51	33.55	LC	LC	1	0	0.3	40	21	
Eucalyptus yumbarrana ssp. yumbarrana	0.00										0.00									
Euchiton collinus	0.00										0.00									
Euchiton sphaericus	0.00										0.00									
Eulalia aurea	0.00										0.00									
Euphorbia parvicaruncula	0.00										0.00									
Euphorbia stevenii	0.00										0.00									
Euphorbia tannensis ssp. eremophila	0.00										55	5.04	LC	LC	1	0	0.3	50	34	
Euphrasia collina ssp. tetragona	0.00										0.00									
Eutaxia diffusa	0.00										0.00									
Eutaxia microphylla	0.00										0.00									
Evolvulus alsinoides var. villosicalyx	0.00										0.00									
Exocarpos aphyllus	0.00										0.00									
Exocarpos cupressiformis	0.00										0.00									
Exocarpos sparteus	0.00										23	2.16	LC	LC	1	0	0.3	20	10	
Exocarpos syrticola	0.00										0.00									
Ficinia nodosa	0.00										0.00									
Fimbristylis dichotoma	0.00										1	0.63	RA d(ii)	RA	3	0	0.3	1	1	undercollected
Flaveria australasica	0.00										0.00									
Frankenia cinerea	0.00										1	8.33	RA d(i,ii)	RA	3	DD	0.0	1		
Frankenia crispa	0.00										0.00									
Frankenia cupularis	0.00										0.00									
Frankenia foliosa	0.00										0.00									
Frankenia pauciflora var. fruticulosa	0.00										0.00									
Frankenia pauciflora var. gunnii	0.00										0.00									
Frankenia plicata	0.00										0.00									
Frankenia serpyllifolia	0.00										2	0.28	RA d(ii)	RA	3	DD	0.0	2	1	
Frankenia sessilis	0.00										0.00									
Gahnia ancistrophylla	0.00										0.00									
Gahnia deusta	0.00										0.00									
Gahnia filum	0.00										0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	% Carlisle	% Maralinga																		
Gahnia lanigera		0.00																		
Gahnia trifida		0.00																		
Galium compactum		0.00																		
Galium gaudichaudii		0.00																		
Galium migrans		0.00																		
Geijera linearifolia		0.00									1	0.07	RA d(ii)	RA	3	0	0.3	1		
Genoplesium nigricans		0.00																		
Genoplesium rufum		0.00																		
Geococcus pusillus		0.00																		
Geranium potentilloides var. potentilloides		0.00																		
Geranium retrorsum		0.00																		
Geranium solanderi var. solanderi		0.00																		
Glesia biniflora		0.00																		
Glins lotoides		0.00																		
Glischrocaryon aureum var. angustifolium		0.00									4	5.13	LC	LC	1	0	0.3	4	4	
Glischrocaryon behrii		0.00																		
Glischrocaryon flavescens		0.00																		
Glossocardia bidens		0.00																		
Glossodia major		0.00																		
Glossostigma cleistanthum		0.00																		
Glossostigma diandrum		0.00																		
Glossostigma drummondii		0.00																		
Glycine canescens		0.00																		
Glycine rubiginosa		0.00																		
Gnaphalium indutum		0.00																		
Gnephosis arachnoidea		0.00																		
Gnephosis drummondii		0.00																		
Gnephosis tenuissima	1	0.27	LC	LC	1	0	0.3	1	1		16	4.26	LC	LC	1	0	0.3	13	2	
Gompholobium ecostatum		0.00																		
Gonocarpus elatus		0.00																		
Gonocarpus mezeianus		0.00																		
Goodenia albiflora		0.00																		
Goodenia benthamiana		0.00																		
Goodenia berardiana		0.00									2	1.22	RA d(ii)	RA	3	DD	0.0	2	2	highly localised
Goodenia blackiana		0.00																		
Goodenia calcarata		0.00																		
Goodenia centralis		0.00									18	27.69	LC	LC	1	0	0.3	17	3	
Goodenia cycloptera		0.00									3	0.82	RA d(ii)	RA	3	DD	0.0	3	3	edge of range
Goodenia fascicularis		0.00									1	0.10	RA d(i,ii)	RA	3	DD	0.0	1	1	
Goodenia geniculata		0.00																		
Goodenia gibbosa		0.00																		
Goodenia glabra		0.00									10	10.00	RA d(ii)	RA	3	DD	0.0	9	4	grazed by goats
Goodenia glandulosa		0.00									1	12.50	RA d(ii)	RA	3	DD	0.0	1	1	

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	% Carlisle	% Maralinga									% Maralinga	% Maralinga								
<i>Goodenia gypsicola</i>		0.00									8	100.00	RA d(ii)	RA	3	DD	0.0	6	3	
<i>Goodenia havilandii</i>		0.00									3	1.90	RA d(ii)	RA	3	DD	0.0	3	2	
<i>Goodenia heterochila</i>		0.00										0.00								
<i>Goodenia larapinta</i>		0.00									1	100.00	RA d(i,ii)	RA	3	DD	0.0	1	1	
<i>Goodenia lobata</i>		0.00										0.00								
<i>Goodenia lunata</i>		0.00										0.00								
<i>Goodenia modesta</i>		0.00										0.00								
<i>Goodenia occidentalis</i>		0.00									18	60.00	LC	LC	1	0	0.3	17	1	
<i>Goodenia ovata</i>		0.00										0.00								
<i>Goodenia pinnatifida</i>		0.00									3	0.25	RA d(ii)	RA	3	DD	0.0	3		
<i>Goodenia pusilliflora</i>		0.00									3	0.36	RA d(ii)	RA	3	DD	0.0	3	2	
<i>Goodenia quaslibera</i>		0.00										0.00								
<i>Goodenia robusta</i>		0.00										0.00								
<i>Goodenia varia</i>		0.00										0.00								
<i>Goodenia vernicosa</i>		0.00										0.00								
<i>Goodenia willisiana</i>		0.00										0.00								
<i>Goodenia xanthosperma</i>		0.00									7	100.00	NT	NT	2	DD	0.0	7	4	WA species
<i>Goodia medicaginea</i>		0.00										0.00								
<i>Gossypium sturtianum</i> var. <i>sturtianum</i>		0.00										0.00								
<i>Grammosolen dixonii</i>		0.00										0.00								
<i>Grammosolen truncatus</i>		0.00									7	4.58	LC	LC	1	0	0.3	7	3	
<i>Gratwickia monochaeta</i>		0.00										0.00								
<i>Grevillea albiflora</i>		0.00									1	33.33	RA d(i,ii)	RA	3	DD	0.0	1	1	
<i>Grevillea anethifolia</i>		0.00										0.00								
<i>Grevillea aspera</i>		0.00										0.00								
<i>Grevillea dilatata</i>		0.00										0.00								
<i>Grevillea halmaturina</i> ssp. <i>laevis</i>		0.00										0.00								
<i>Grevillea huegelii</i>		0.00									11	1.54	LC	LC	1	0	0.3	11	5	
<i>Grevillea ilicifolia</i> ssp. <i>ilicifolia</i>		0.00										0.00								
<i>Grevillea juncifolia</i> ssp. <i>juncifolia</i>		0.00									45	15.68	LC	LC	1	0	0.3	42	30	
<i>Grevillea nematophylla</i> ssp. <i>nematophylla</i>		0.00									27	10.15	LC	LC	1	0	0.3	26	11	
<i>Grevillea nematophylla</i> ssp. <i>supraplana</i>		0.00										0.00								
<i>Grevillea parallelinervis</i>		0.00										0.00								
<i>Grevillea pauciflora</i> ssp. <i>leptophylla</i>		0.00										0.00								
<i>Grevillea pauciflora</i> ssp. <i>pauciflora</i>		0.00										0.00								
<i>Grevillea pterosperma</i>		0.00									13	3.55	LC	LC	1	0	0.3	11	9	
<i>Grevillea sarissa</i> ssp. <i>umbellifera</i>		0.00										0.00								
<i>Grevillea stenobotrya</i>	1	0.36	RA d(ii)	RA	3	0	0.3	1			34	12.14	LC	LC	1	0	0.3	29	20	
<i>Grevillea treueriana</i>		0.00										0.00								
<i>Gunniopsis calcarea</i>		0.00										0.00								
<i>Gunniopsis calva</i>		0.00										0.00								
<i>Gunniopsis papillata</i>		0.00										0.00								
<i>Gunniopsis quadrifida</i>		0.00									14	3.36	LC	LC	1	0	0.3	9	3	

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)	
	% Carlisle	% Maralinga									% Maralinga	% Maralinga									
Gunniopsis septifraga		0.00									7	21.21	RA d(ii)	RA	3	-	0.4	6			
Gunniopsis zygophylloides		0.00										0.00									
Gyrostemon australasicus		0.00										0.00									
Gyrostemon ramulosus		0.00									42	14.84	LC	LC	1	0	0.3	40	23		
Gyrostemon tepperi		0.00									1	16.67	RA d(ii)	RA	3	DD	0.0	1			
Gyrostemon thesioides		0.00										0.00									
Haeckeria cassiniiformis		0.00										0.00									
Haeckeria punctulata		0.00										0.00									
Haegiela tatei		0.00										0.00									
Hakea cycloptera		0.00										0.00									
Hakea francisiana		0.00									24	7.74	LC	LC	1	0	0.3	21	11		
Hakea leucoptera ssp. leucoptera		0.00									20	2.59	LC	LC	1	0	0.3	18	6		
Hakea lorea ssp. lorea		0.00									2	0.94	RA d(ii)	RA	3	DD	0.0	2	2		
Hakea mitchellii		0.00										0.00									
Hakea rugosa		0.00										0.00									
Hakea vittata		0.00										0.00									
Halgania andromedifolia		0.00										0.00									
Halgania cyanea		0.00									17	2.42	LC	LC	1	0	0.3	16	15		
Halophila australis		0.00										0.00									
Haloragis acutangula forma acutangula		0.00										0.00									
Haloragis acutangula forma annulata		0.00										0.00									
Haloragis acutangula forma dentata		0.00										0.00									
Haloragis acutangula forma inflata		0.00										0.00									
Haloragis acutangula forma obturbinata		0.00										0.00									
Haloragis acutangula forma pyramidata		0.00										0.00									
Haloragis acutangula forma semiangulata		0.00										0.00									
Haloragis acutangula forma stellata		0.00										0.00									
Haloragis acutangula forma subacutangula		0.00										0.00									
Haloragis acutangula forma tetraglebosa		0.00										0.00									
Haloragis acutangula forma tetraptera		0.00										0.00									
Haloragis acutangula forma turbinata		0.00										0.00									
Haloragis aspera		0.00										0.00									
Haloragis eyreana		0.00										0.00									
Haloragis glauca forma glauca		0.00										0.00									
Haloragis gossei		0.00									5	13.16	RA d(ii)	RA	3	DD	0.0	3	2		
Haloragis odontocarpa forma pterocarpa		0.00									3	8.11	RA d(ii)	RA	3	DD	0.0	3	3		
Haloragis odontocarpa forma rugosa		0.00									2	8.33	RA d(ii)	RA	3	DD	0.0	2	2		
Haloragis uncatipila		0.00									1	1.69	RA d(i,ii)	RA	3	DD	0.0	1			
Hannafordia bissillii ssp. bissillii		0.00										0.00									
Hardenbergia violacea		0.00										0.00									
Harmsiodoxa blennodioides		0.00									10	5.56	LC	LC	1	DD	0.0	9			no survey records
Harmsiodoxa brevipes var. brevipes		0.00									3	2.50	RA d(ii)	RA	3	-	0.4	3			
Harmsiodoxa brevipes var. major		0.00									1	4.35	RA d(i,ii)	RA	3	DD	0.0	1			

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	% Carlisle										% Maralinga									
Harmsiodoxa puberula	0.00										1	2.38	RA d(i,ii)	RA	3	DD	0.0	1		
Helichrysum leucopsidium	0.00											0.00								
Heliotropium aspernum	0.00											0.00								
Heliotropium europaeum	0.00											0.00								
Hemichroa diandra	0.00										19	8.15	RA d(ii)	RA	3	0	0.3	16	8	
Hemichroa pentandra	0.00											0.00								
Hibbertia cinerea	0.00											0.00								
Hibbertia crinita	0.00											0.00								
Hibbertia crispula	0.00											0.00								
Hibbertia paeninsularis	0.00											0.00								
Hibbertia platyphylla ssp. major	0.00											0.00								
Hibbertia platyphylla ssp. platyphylla	0.00											0.00								
Hibbertia riparia	0.00											0.00								
Hibbertia sp. Glabruscula (D.J.Whibley 9012)	0.00											0.00								
Hibbertia virgata	0.00											0.00								
Hibiscus brachysiphonius	0.00											0.00								
Hibiscus krichauffianus	0.00										7	2.98	LC	LC	1	DD	0.0	6	4	
Hibiscus solanifolius	0.00										7	12.73	LC	LC	1	0	0.3	7	7	
Hibiscus sturtii var. grandiflorus	0.00										1	0.53	RA d(i,ii)	RA	3	DD	0.0	1		
Hibiscus sturtii var. muelleri	0.00											0.00								
Homoranthus homoranthoides	0.00											0.00								
Homoranthus wilhelmii	0.00											0.00								
Hyalosperma demissum	0.00											0.00								
Hyalosperma glutinosum ssp. glutinosum	0.00											0.00								
Hyalosperma semisterile	0.00											0.00								
Hybanthus floribundus ssp. floribundus	0.00											0.00								
Hybanthus monopetalus	0.00											0.00								
Hydrocotyle callicarpa	0.00											0.00								
Hydrocotyle capillaris	0.00											0.00								
Hydrocotyle comocarpa	0.00											0.00								
Hydrocotyle foveolata	0.00											0.00								
Hydrocotyle laxiflora	0.00											0.00								
Hydrocotyle medicaginooides	0.00											0.00								
Hydrocotyle pilifera var. glabrata	0.00											0.00								
Hydrocotyle rugulosa	0.00											0.00								
Hydrocotyle trachycarpa	0.00											0.00								
Hypericum gramineum	0.00											0.00								
Hypolaena fastigiata	0.00											0.00								
Hypoxis glabella var. glabella	0.00											0.00								
Hypoxis vaginata var. vaginata	0.00											0.00								
Imperata cylindrica	0.00											0.00								
Indigofera australis var. australis	0.00											0.00								
Indigofera georgei	0.00										1	2.22	NE	NE	-1			1	1	taxonomic issues

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	% Carlisle	% Maralinga																		
Indigofera helmsii	0.00										0.00									
Indigofera psammophila	0.00										3	4.69	RA d(i,ii)	RA	3	0	0.3	3	3	
Iseilema eremaeum	0.00																			
Iseilema membranaceum	0.00																			
Isoetes muelleri	0.00																			
Isoetopsis graminifolia	0.00										2	0.32	RA d(ii)	RA	3	0	0.3	2		
Isolepis australiensis	0.00																			
Isolepis cernua	0.00																			
Isolepis congrua	0.00																			
Isolepis fluitans	0.00																			
Isolepis hookeriana	0.00																			
Isolepis inundata	0.00																			
Isolepis platycarpa	0.00																			
Isolepis stellata	0.00																			
Isotoma petraea	0.00																			
Isotoma scapigera	0.00																			
Ixiochlamys cuneifolia	0.00																			
Ixiochlamys filicifolia	0.00										1	1.37	RA d(ii)	RA	3	0	0.3	1	1	southern limit
Ixiochlamys nana	0.00																			
Ixodia achillaeoides ssp. achillaeoides	0.00																			
Ixodia achillaeoides ssp. alata	0.00																			
Jasminum didymum ssp. lineare	0.00										1	0.52	RA d(ii)	RA	3	DD	0.0	1	1	
Juncus aridicola	0.00																			
Juncus bufonius	0.00																			
Juncus kraussii	0.00																			
Juncus pallidus	0.00																			
Juncus radula	0.00																			
Juncus subsecundus	0.00																			
Kennedia prostrata	0.00																			
Keraudrenia nephrosperma	0.00										5	19.23	NT	NT	2	DD	0.0	5	5	check IDs
Keraudrenia sp. North West (J.Z.Weber 6475)	0.00										4	30.77	LC	LC	1	0	0.3	3	2	
Kippistia suaedifolia	0.00										17	16.50	LC	LC	1	0	0.3	14	7	gypsious habitat
Korthalsella japonica forma japonica	0.00																			
Lachnagrostis aemula	0.00																			
Lachnagrostis billardierei ssp. billardierei	0.00																			
Lachnagrostis filiformis	0.00																			
Lagenophora huegelii	0.00																			
Lasiopetalum baueri	0.00																			
Lasiopetalum behrii	0.00																			
Lasiopetalum discolor	0.00																			
Lasiopetalum schulzenii	0.00																			
Lawrencella davenportii	0.00										29	12.29	LC	LC	1	0	0.3	25	8	
Lawrenca berthae	0.00																			

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)		Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)		Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	% Carlisle			Proposed Regional IUCN Status (Carlisle)							% Maralinga									
Lawrenzia glomerata	0.00										16	4.00	LC	LC	1	0	0.3	15	6	
Lawrenzia spicata	0.00											0.00								
Lawrenzia squamata	0.00										4	0.54	LC	LC	1	0	0.3	3	1	
Laxmannia orientalis	0.00											0.00								
Lechenaultia aphylla	0.00											0.00								
Lechenaultia divaricata	0.00											0.00								
Lechenaultia striata	0.00										14	82.35	NT	NT	2	DD	0.0	8	5	
Leiocarpa leptolepis	0.00											0.00								
Leiocarpa plurisetata	0.00											0.00								
Leiocarpa semicalva ssp. semicalva	0.00											0.00								
Leiocarpa supina	0.00											0.00								
Leiocarpa tomentosa	0.00											0.00								
Leiocarpa websteri	0.00										1	0.15	RA d(ii)	RA	3	DD	0.0	1		
Lemna disperra	0.00											0.00								
Lemnoora burkittii	1	0.56	RA d(i,ii)	RA	3	0	0.3	1	1			0.00								
Lepidium fasciculatum	0.00											0.00								
Lepidium foliosum	0.00											0.00								
Lepidium leptopetalum	0.00											0.00								
Lepidium muelleri-ferdinandi	0.00										3	1.17	RA d(ii)	RA	3	DD	0.0	3		
Lepidium oxytrichum	1	0.16	LC	LC	1	0	0.3	1	1		10	1.55	LC	LC	1	0	0.3	9	2	
Lepidium papillosum	0.00											0.00								
Lepidium phlebopetalum	6	0.79	LC	LC	1	0	0.3	6	3		33	4.32	LC	LC	1	0	0.3	30	22	
Lepidium pseudoruderale	0.00											0.00								
Lepidium rotundum	1	3.85	LC	LC	1	DD	0.0	1			7	26.92	LC	LC	1	DD	0.0	6		
Lepidium sagittulatum	0.00											0.00								
Lepidosperma canescens	0.00											0.00								
Lepidosperma carphoides	0.00											0.00								
Lepidosperma concavum	0.00											0.00								
Lepidosperma congestum	0.00											0.00								
Lepidosperma curtisiae	0.00											0.00								
Lepidosperma gladiatum	0.00											0.00								
Lepidosperma leptophyllum	0.00											0.00								
Lepidosperma sp. Narrow leaf (R.L.Taplin 709)	0.00											0.00								
Lepidosperma viscidum	0.00											0.00								
Lepilaena australis	0.00											0.00								
Lepilaena cylindrocarpa	0.00											0.00								
Lepilaena marina	0.00											0.00								
Lepilaena preissii	0.00											0.00								
Leporella fimbriata	0.00											0.00								
Leptoceras menziesii	0.00											0.00								
Leptomeria aphylla	0.00											0.00								
Leptomeria preissiana	0.00											0.00								
Leptorhynchos baileyi	0.00											0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	% Carlisle										% Maralinga									
Leptorhynchus elongatus		0.00									0.00									
Leptorhynchus melanocarpus		0.00									0.00									
Leptorhynchus scaber		0.00									0.00									
Leptorhynchus squamatus ssp. squamatus		0.00									0.00									
Leptorhynchus tetrachaetus		0.00									0.00									
Leptorhynchus waitzia		0.00									0.00									
Leptospermum coriaceum		0.00								2	0.15	RA d(ii)	RA	3	0	0.3	2	1		
Leptospermum fastigiatum		0.00								21	100.00	LC	LC	1	0	0.3	20	9	sand dune habitat	
Leucochrysum fitzgibbonii	9	5.00	LC	LC	1	0	0.3	7	3	33	18.33	LC	LC	1	0	0.3	31	21		
Leucochrysum melle		0.00									0.00									
Leucochrysum stipitatum		0.00								33	17.65	LC	LC	1	0	0.3	32	14		
Leucophyta brownii		0.00									0.00									
Leucopogon clelandii		0.00									0.00									
Leucopogon cordifolius		0.00									0.00									
Leucopogon parviflorus		0.00									0.00									
Leucopogon revolutus		0.00									0.00									
Leucopogon rufus		0.00									0.00									
Leucopogon woodsii		0.00									0.00									
Levenhookia dubia		0.00									0.00									
Levenhookia stipitata		0.00									0.00									
Lilaeopsis polyantha		0.00									0.00									
Limosella australis		0.00									0.00									
Limosella curdieana var. curdieana		0.00								1	16.67	RA d(ii)	RA	3	DD	0.0	1		at least Rare	
Limosella curdieana var. Long-pedicelled (W.R.Barker 38)		0.00									0.00									
Limosella granitica		0.00									0.00									
Linum marginale		0.00									0.00									
Lissanthe strigosa ssp. subulata		0.00									0.00									
Lobelia anceps		0.00									0.00									
Lobelia gibbosa		0.00									0.00									
Lobelia heterophylla		0.00								1	4.00	RA d(ii)	RA	3	DD	0.0	1		to be changed into 2 spp.	
Logania crassifolia		0.00									0.00									
Logania linifolia		0.00									0.00									
Logania minor		0.00									0.00									
Logania nuda		0.00									0.00									
Logania ovata		0.00								1	0.17	RA d(ii)	RA	3	DD	0.0	1	1		
Lomandra collina		0.00									0.00									
Lomandra effusa		0.00									0.00									
Lomandra juncea		0.00									0.00									
Lomandra leucocephala ssp. robusta		0.00								5	0.57	RA d(ii)	RA	3	DD	0.0	5		lack of suitable habitat	
Lomandra micrantha ssp. micrantha		0.00									0.00									
Lomandra micrantha ssp. tuberculata		0.00									0.00									
Lomandra sororia		0.00									0.00									
Lotus australis		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)		Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)		Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	Carlisle Records	% Carlisle		Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)						Maralinga Records	% Maralinga		Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)					
Lotus cruentus		0.00									2	0.18	LC	LC	1	0	0.3	2		
Luzula densiflora		0.00										0.00								
Luzula meridionalis		0.00										0.00								
Lycium australe	1	0.10	LC	LC	1	0	0.3	1			16	1.54	LC	LC	1	0	0.3	16	14	
Lysiana exocarpi ssp. exocarpi	3	0.16	LC	LC	1	0	0.3	3	2		36	1.97	LC	LC	1	0	0.3	34	25	
Lysiana murrayi	7	3.32	LC	LC	1	0	0.3	4			18	8.53	LC	LC	1	0	0.3	16	9	
Lythrum hyssopifolia		0.00										0.00								
Lythrum wilsonii		0.00										0.00								
Maireana aphylla		0.00										0.00								
Maireana appressa		0.00									18	4.34	NT	NT	2	0	0.3	15	7	
Maireana astrotricha		0.00									2	0.21	RA d(ii)	RA	3	DD	0.0	2	2	grazed
Maireana brevifolia		0.00										0.00								
Maireana campanulata		0.00									1	1.11	RA d(i,ii)	RA	3	DD	0.0	1	1	
Maireana cannonii		0.00										0.00								
Maireana carnososa		0.00										0.00								
Maireana ciliata		0.00										0.00								
Maireana coronata		0.00										0.00								
Maireana enchylaenoides		0.00										0.00								
Maireana eriantha		0.00										0.00								
Maireana erioclada	5	0.39	LC	LC	1	0	0.3	5	3		40	3.12	LC	LC	1	0	0.3	37	30	
Maireana georgei		0.00									35	4.36	LC	LC	1	0	0.3	31	23	
Maireana integra		0.00									38	11.52	LC	LC	1	0	0.3	33	18	
Maireana lobiflora		0.00									2	1.89	RA d(ii)	RA	3	DD	0.0	2	1	responds well to rain
Maireana melanocarpa		0.00									1	2.33	RA d(i,ii)	RA	3	DD	0.0	1	1	only 1 record
Maireana microcarpa		0.00										0.00								
Maireana oppositifolia		0.00									11	1.39	LC	LC	1	0	0.3	11	4	
Maireana ovata		0.00									5	7.69	RA d(ii)	RA	3	DD	0.0	5	5	checked with Bob Chinnock
Maireana pentatropis		0.00									53	4.64	LC	LC	1	0	0.3	45	29	
Maireana planifolia		0.00									10	9.62	LC	LC	1	0	0.3	9	4	
Maireana pyramidata		0.00										0.00								
Maireana radiata		0.00									25	3.88	LC	LC	1	0	0.3	25	21	
Maireana rohrlachii		0.00										0.00								
Maireana schistocarpa		0.00										0.00								
Maireana scleroptera		0.00									11	24.44	RA d(i,ii)	RA	3	DD	0.0	8	2	highly localised
Maireana sedifolia	7	0.51	LC	LC	1	0	0.3	6	4		47	3.41	LC	LC	1	0	0.3	45	38	
Maireana spongocarpa		0.00										0.00								
Maireana suaedifolia		0.00										0.00								
Maireana tomentosa ssp. urceolata		0.00									1	1.14	RA d(i,ii)	RA	3	0	0.3	1	1	
Maireana trichoptera		0.00									35	3.06	LC	LC	1	0	0.3	32	26	
Maireana triptera		0.00									28	8.95	LC	LC	1	0	0.3	26	14	increases in mallee after fire
Maireana turbinata	2	0.33	LC	LC	1	0	0.3	2	2		11	1.79	LC	LC	1	0	0.3	11	9	
Maireana villosa		0.00									1	0.72	RA d(i,ii)	RA	3	DD	0.0	1	1	
Malacocera albolanata		0.00										0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)		Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)		Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)	
	% Carlisle												% Maralinga										
Malacocera gracilis	0.00											0.00											
Malacocera tricornis	0.00											0.00											
Malva preissiana	2	0.24	LC	LC	1	0	0.3	2				3	0.36	RA d(ii)	RA	3	0	0.3	3			3	edge of range
Malvastrum americanum var. americanum	0.00											0.00											
Marsdenia australis	0.00											31	6.00	LC	LC	1	0	0.3	30			24	
Marsilea costulifera	0.00											0.00											
Marsilea drummondii	0.00											0.00											
Marsilea exarata	0.00											0.00											
Marsilea hirsuta	0.00											0.00											
Melaleuca acuminata ssp. acuminata	0.00											0.00											
Melaleuca armillaris ssp. akineta	0.00											0.00											
Melaleuca brevifolia	0.00											0.00											
Melaleuca decussata	0.00											0.00											
Melaleuca eleuterostachya	0.00											0.00											
Melaleuca gibbosa	0.00											0.00											
Melaleuca glomerata	0.00											1	0.24	RA d(i,ii)	RA	3	0	0.3	1			1	likes salt lakes, edge of range
Melaleuca halmaturorum	0.00											0.00											
Melaleuca interioris	0.00											5	10.87	RA d(ii)	RA	3	0	0.3	4			3	
Melaleuca lanceolata	0.00											0.00											
Melaleuca leiocarpa	0.00											0.00											
Melaleuca nanophylla	0.00											24	100.00	RA d(ii)	RA	3	0	0.3	22			9	likes gypsum, habitat restricted, WA species
Melaleuca oxyphylla	0.00											0.00											
Melaleuca pauperiflora ssp. mutica	0.00											0.00											
Melaleuca quadrifaria	0.00											0.00											
Melaleuca uncinata	0.00											0.00											
Melaleuca xerophila	0.00											0.00											
Menkea australis	0.00											2	2.17	RA d(ii)	RA	3	DD	0.0	2			2	possibly undercollected
Menkea crassa	0.00											2	1.98	RA d(i,ii)	RA	3	-	0.4	2				
Menkea sphaerocarpa	0.00											8	12.12	LC	LC	1	0	0.3	7				
Menkea villosula	0.00											0.00											
Mentha australis	0.00											0.00											
Mentha satereioides	0.00											0.00											
Micranthemum demissum	0.00											0.00											
Microcybe multiflora ssp. baccharoides	0.00											0.00											
Microcybe multiflora ssp. multiflora	0.00											0.00											
Microcybe pauciflora ssp. pauciflora	0.00											0.00											
Microlepidium alatum	0.00											0.00											
Microlepidium pilosulum	0.00											0.00											
Microseris lanceolata	0.00											0.00											
Microtis arenaria	0.00											0.00											
Microtis atrata	0.00											0.00											
Microtis eremaea	0.00											0.00											
Microtis frutetorum	0.00											0.00											

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	% Carlisle										% Maralinga									
Microtis orbicularis		0.00										0.00								
Microtis sp. Short-leaf (R.J.Bates 54342)		0.00										0.00								
Millotia greevesii ssp. helmsii		0.00									2	5.71	NE	NE	-1			2		taxonomic issues, should be more records
Millotia incurva		0.00									8	53.33	RA d(ii)	RA	3	DD	0.0	8	1	
Millotia macrocarpa		0.00										0.00								
Millotia major		0.00										0.00								
Millotia muelleri		0.00										0.00								
Millotia myosotidifolia		0.00										0.00								
Millotia perpusilla		0.00										0.00								
Millotia tenuifolia var. tenuifolia		0.00										0.00								
Mimulus repens		0.00										0.00								
Minuria annua		0.00										0.00								
Minuria cunninghamii		0.00									3	0.46	RA d(ii)	RA	3	DD	0.0	3	2	
Minuria denticulata		0.00										0.00								
Minuria integerrima		0.00										0.00								
Minuria leptophylla	2	0.18	LC	LC	1	0	0.3	2			20	1.84	LC	LC	1	0	0.3	15	5	
Minuria multiseta		0.00									12	70.59	RA d(ii)	RA	3	0	0.3	12	7	likes gypsum, limited habitat, WA spp
Mitrasacme pilosa var. pilosa		0.00										0.00								
Mollugo cerviana		0.00										0.00								
Monachather paradoxus	4	0.94	LC	LC	1	0	0.3	3	3		47	11.08	LC	LC	1	0	0.3	46	37	
Muehlenbeckia adpressa		0.00										0.00								
Muehlenbeckia diclina ssp. diclina		0.00										0.00								
Muehlenbeckia florulenta		0.00									4	0.37	RA d(ii)	RA	3	DD	0.0	3	1	
Muehlenbeckia gunnii		0.00										0.00								
Muehlenbeckia horrida ssp. horrida		0.00										0.00								
Muelleranthus stipularis		0.00									5	14.29	RA d(i,ii)	RA	3	0	0.3	4	1	
Murchisonia volubilis		0.00									15	24.19	LC	LC	1	0	0.3	15	7	
Myoporum brevipes		0.00										0.00								
Myoporum insulare		0.00										0.00								
Myoporum montanum		0.00									1	0.15	RA d(ii)	RA	3	0	0.3	1		
Myoporum parvifolium		0.00										0.00								
Myoporum platycarpum ssp. perbellum		0.00										0.00								
Myoporum platycarpum ssp. platycarpum	1	0.14	LC	LC	1	0	0.3	1	1		41	5.55	LC	LC	1	0	0.3	39	27	
Myoporum viscosum		0.00										0.00								
Myosotis australis		0.00										0.00								
Myosurus minimus var. australis		0.00										0.00								
Myriocephalus pluriflorus		0.00										0.00								
Myriocephalus rudallii		0.00										0.00								
Myriocephalus squamatus		0.00										0.00								
Myriophyllum integrifolium		0.00										0.00								
Myriophyllum muelleri		0.00										0.00								
Myriophyllum salsugineum		0.00										0.00								
Myriophyllum verrucosum		0.00										0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	% Carlisle										% Maralinga									
Neobassia proceriflora		0.00										0.00								
Neurachne alopecuroidea		0.00										0.00								
Neurachne munroi		0.00									4	7.55	RA d(ii)	RA	3	DD	0.0	4	1	
Newcastelia bracteosa		0.00									14	42.42	LC	LC	1	0	0.3	10	5	WA species
Newcastelia cephalantha var. cephalantha		0.00									1	2.86	RA d(i,ii)	RA	3	DD	0.0	1		edge of range
Newcastelia spodiotricha		0.00									5	23.81	RA d(i,ii)	RA	3	DD	0.0	5	2	edge of range
Nicotiana goodspeedii	4	0.96	LC	LC	1	0	0.3	3			5	1.20	RA d(ii)	RA	3	DD	0.0	4		
Nicotiana maritima		0.00										0.00								
Nicotiana occidentalis ssp. obliqua		0.00									4	3.31	RA d(ii)	RA	3	DD	0.0	3	1	
Nicotiana rosulata ssp. rosulata		0.00									1	7.69	VU D1+2	VU	4	DD	0.0	1	1	
Nicotiana simulans		0.00									2	0.83	RA d(i,ii)	RA	3	-	0.4	2		edge of range
Nicotiana velutina	1	0.10	LC	LC	1	0	0.3	1			15	1.54	LC	LC	1	0	0.3	15	2	
Nitraria billardieri		0.00										0.00								
Olaux obcordata		0.00										0.00								
Olearia adenolasia		0.00										0.00								
Olearia axillaris		0.00										0.00								
Olearia brachyphylla		0.00										0.00								
Olearia calcarea		0.00										0.00								
Olearia ciliata var. ciliata		0.00										0.00								
Olearia decurrens		0.00										0.00								
Olearia exiguifolia		0.00									7	4.64	LC	LC	1	0	0.3	7	5	
Olearia floribunda var. floribunda		0.00										0.00								
Olearia lanuginosa		0.00										0.00								
Olearia lepidophylla		0.00										0.00								
Olearia magniflora		0.00										0.00								
Olearia minor		0.00										0.00								
Olearia muelleri		0.00									16	1.56	LC	LC	1	0	0.3	16	11	
Olearia pannosa ssp. pannosa		0.00										0.00								
Olearia passerinoides ssp. passerinoides		0.00										0.00								
Olearia picridifolia		0.00										0.00								
Olearia pimeleoides ssp. incana		0.00									3	37.50	RA d(ii)	RA	3	DD	0.0	3	2	
Olearia pimeleoides ssp. pimeleoides		0.00										0.00								
Olearia ramulosa		0.00										0.00								
Olearia rudis		0.00										0.00								
Olearia stuartii		0.00										0.00								
Olearia subspicata	1	1.28	RA d(i,ii)	RA	3	0	0.3	1			11	14.10	LC	LC	1	0	0.3	10	6	
Omphalolappula concava		0.00									3	0.33	RA d(ii)	RA	3	DD	0.0	3	1	
Opercularia scabrada		0.00										0.00								
Opercularia turpis		0.00										0.00								
Ophioglossum lusitanicum		0.00										0.00								
Ophioglossum polyphyllum		0.00										0.00								
Orobanche cernua var. australiana		0.00										0.00								
Orthoceras strictum		0.00										0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	% Carlisle	% Carlisle									% Maralinga	% Maralinga								
Orthrosanthus multiflorus		0.00																		
Osteocarpum acropterum var. acropterum		0.00									2	0.68	RA d(i,ii)	RA	3	-	0.4	2		
Osteocarpum dipterocarpum		0.00																		
Osteocarpum pentapterum		0.00																		
Osteocarpum salsuginosum		0.00																		
Owenia acidula		0.00																		
Oxalis perennans		0.00																		
Oxalis radicata		0.00																		
Ozothamnus decurrens		0.00																		
Ozothamnus retusus		0.00																		
Pachymitis cardaminoides		0.00																		
Panicum decompositum var. decompositum		0.00																		
Panicum effusum var. effusum		0.00																		
Panicum laevinode		0.00																		
Paractaenium novae-hollandiae ssp. reversum		0.00									13	6.95	LC	LC	1	0	0.3	12	9	
Paractaenium refractum		0.00									23	10.85	LC	LC	1	0	0.3	22	18	
Paraneurachne muelleri		0.00																		
Parietaria australis		0.00																		
Parietaria cardiostegia		0.00																		
Parietaria debilis		0.00																		
Pelargonium australe		0.00																		
Pelargonium littorale		0.00																		
Persicaria prostrata		0.00																		
Phebalium bullatum		0.00																		
Pheladenia deformis		0.00																		
Philothea angustifolia ssp. angustifolia		0.00																		
Philothea linearis		0.00																		
Philothea pungens		0.00																		
Phlegmatospermum cochlearinum		0.00																		
Phlegmatospermum eremaeum		0.00																		
Phlegmatospermum richardsii		0.00																		
Phyllangium distylis		0.00																		
Phyllangium divergens		0.00																		
Phyllangium sulcatum		0.00																		
Phyllanthus calycinus		0.00																		
Phyllanthus fuerrohrii		0.00																		
Phyllanthus lacunarius		0.00																		
Phyllanthus saxosus		0.00																		
Phylloglossum drummondii		0.00																		
Phyllota remota		0.00																		
Picris angustifolia ssp. angustifolia		0.00																		
Piulularia novae-hollandiae		0.00																		
Pimelea flava ssp. dichotoma		0.00																		

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)	
	% Carlisle										% Maralinga										
Pimelea glauca		0.00										0.00									
Pimelea imbricata var. petraea		0.00										0.00									
Pimelea micrantha		0.00										0.00									
Pimelea microcephala ssp. microcephala		0.00									38	4.07	LC	LC	1	0	0.3	36	23		
Pimelea octophylla		0.00										0.00									
Pimelea petrophila		0.00										0.00									
Pimelea phyllicoides		0.00										0.00									
Pimelea serpyllifolia ssp. serpyllifolia		0.00										0.00									
Pimelea simplex ssp. continua		0.00										0.00									
Pimelea simplex ssp. simplex		0.00										0.00									
Pimelea stricta		0.00										0.00									
Pimelea subvillifera		0.00										0.00									
Pimelea trichostachya		0.00									5	2.75	NT	NT	2	DD	0.0	4	1		
Pimelea williamsonii		0.00										0.00									
Pittosporum angustifolium	10	0.33	LC	LC	1	0	0.3	7	3		57	1.90	LC	LC	1	0	0.3	49	28		
Pittosporum ligustrifolium		0.00										0.00									
Pityrodia loricata		0.00									1	100.00	RA d(ii)	RA	3	DD	0.0	1	1	only 1 record	
Plagiobothrys plurisepaleus		0.00									2	0.96	RA d(i,ii)	RA	3	DD	0.0	2			
Plantago drummondii		0.00									7	0.68	LC	LC	1	0	0.3	5	1		
Plantago gaudichaudii		0.00										0.00									
Plantago hispida		0.00										0.00									
Plantago sp. A (A.C.Robinson 704)		0.00										0.00									
Plantago sp. B (R.Bates 44765)		0.00										0.00									
Plantago turrifera		0.00										0.00									
Plantago varia		0.00										0.00									
Platysace heterophylla var. heterophylla		0.00										0.00									
Pleuropappus phyllocalymmeus		0.00										0.00									
Pleurosorus rutifolius		0.00										0.00									
Pleurosorus subglandulosus		0.00										0.00									
Pluchea rubelliflora		0.00										0.00									
Poa clelandii		0.00										0.00									
Poa crassicaudex		0.00										0.00									
Poa drummondiana		0.00										0.00									
Poa fax		0.00										0.00									
Poa fordeana		0.00										0.00									
Poa labillardieri var. labillardieri		0.00										0.00									
Poa poiformis var. poiformis		0.00										0.00									
Poa tenera		0.00										0.00									
Podolepis canescens		0.00									24	6.35	LC	LC	1	0	0.3	20	6		
Podolepis capillaris	3	0.25	LC	LC	1	0	0.3	3			18	1.47	LC	LC	1	0	0.3	17	5		
Podolepis davisiana		0.00										0.00									
Podolepis jaceoides		0.00										0.00									
Podolepis longipedata		0.00										0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)			Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)			Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	% Carlisle																% Maralinga							
Podolepis rugata var. littoralis	0.00												0.00											
Podolepis rugata var. rugata	0.00												0.00											
Podolepis tepperi	0.00												0.00											
Podotheca angustifolia	0.00												0.00											
Pogonolepis muelleriana	0.00												0.00											
Polycalymma stuartii	1	0.11	LC	LC	1	0	0.3			1			20	2.14	LC	LC	1	0	0.3		18	6		
Polygonum plebeium	0.00												0.00											
Polyogon tenellus	0.00												0.00											
Pomaderris flabellaris	0.00												0.00											
Pomaderris forrestiana	0.00												0.00											
Pomaderris obcordata	0.00												0.00											
Pomaderris paniculosa ssp. paniculosa	0.00												0.00											
Pomaderris paniculosa ssp. paralia	0.00												0.00											
Pomax umbellata	0.00												14	4.81	LC	LC	1	0	0.3		12	6		
Poranthera huegelii	0.00												0.00											
Poranthera leiosperma	0.00												2	11.11	DD	DD	0	DD	0.0		2			
Poranthera microphylla	0.00												0.00											
Poranthera triandra	0.00												0.00											
Portulaca oleracea	0.00												6	0.76	LC	LC	1	0	0.3		5	5	undercollected	
Posidonia angustifolia	0.00												0.00											
Posidonia australis	0.00												0.00											
Posidonia coriacea	0.00												0.00											
Posidonia denhartogii	0.00												0.00											
Posidonia sinuosa	0.00												0.00											
Potamogeton ochreatus	0.00												0.00											
Potamogeton pectinatus	0.00												0.00											
Prasophyllum calcicola	0.00												0.00											
Prasophyllum catenemum	0.00												0.00											
Prasophyllum collinum	0.00												0.00											
Prasophyllum constrictum	0.00												0.00											
Prasophyllum elatum	0.00												0.00											
Prasophyllum fecundum	0.00												0.00											
Prasophyllum fitzgeraldii	0.00												0.00											
Prasophyllum goldsackii	0.00												0.00											
Prasophyllum laxum																								
Prasophyllum occidentale	0.00												0.00											
Prasophyllum occultans	0.00												0.00											
Prasophyllum odoratum	0.00												0.00											
Prasophyllum praecox	0.00												0.00											
Prasophyllum sp Desert																								
Prasophyllum sp. Coast sandhills (Hj.Eichler 14100)	0.00												0.00											
Prasophyllum sp. Enigma (R.Bates 2350)	0.00												0.00											
Prostanthera althoferi ssp. longifolia	0.00												6	7.32	RA d(ii)	RA	3	DD	0.0		3	1		

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	% Carlisle	% Maralinga																		
Prostanthera ammophila		0.00																		
Prostanthera aspalathoides		0.00																		
Prostanthera calycina		0.00																		
Prostanthera chlorantha		0.00																		
Prostanthera florifera		0.00																		
Prostanthera sericea		0.00									35	71.43	LC	LC	1	0	0.3	32	16	
Prostanthera serpyllifolia ssp. microphylla		0.00																		
Prostanthera serpyllifolia ssp. microphylla (purplish-green)		0.00																		
Prostanthera serpyllifolia ssp. microphylla (red flowers)		0.00																		
Prostanthera serpyllifolia ssp. serpyllifolia		0.00																		
Prostanthera serpyllifolia ssp. serpyllifolia (purplish-green)		0.00																		
Prostanthera serpyllifolia ssp. serpyllifolia (red flowers)		0.00																		
Prostanthera spinosa		0.00																		
Prostanthera striatiflora		0.00																		
Prostanthera wilkieana		0.00									23	47.92	LC	LC	1	0	0.3	20	13	
Pseudognaphalium luteoalbum		0.00																		
Psydraz suaveolens		0.00									3	23.08	RA d(ii)	RA	3	DD	0.0	3	2	
Pteridium esculentum		0.00																		
Pteris tremula		0.00																		
Pterocaulon sphaecelatum		0.00																		
Pterostylis "Mt Olinthus"		0.00																		
Pterostylis aff. nana "mallee"		0.00																		
Pterostylis biseta		0.00																		
Pterostylis boormanii		0.00																		
Pterostylis cynocephala		0.00																		
Pterostylis dolichochoila		0.00																		
Pterostylis erythroconcha		0.00																		
Pterostylis excelsa		0.00																		
Pterostylis flavovirens		0.00																		
Pterostylis mutica		0.00																		
Pterostylis nana		0.00																		
Pterostylis ovata		0.00																		
Pterostylis pedunculata		0.00																		
Pterostylis plumosa		0.00																		
Pterostylis pusilla		0.00																		
Pterostylis robusta		0.00																		
Pterostylis sanguinea		0.00																		
Pterostylis sp. Eyre Peninsula (R. Bates 19474)		0.00																		
Pterostylis sp. Triloba (pl.191, Bates & Weber 1990)		0.00																		
Pterostylis viriosa		0.00																		
Pterostylis xerophila		0.00																		
Ptilotus beckerianus		0.00																		
Ptilotus decipiens		0.00																		

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	% Carlisle										% Maralinga									
Ptilotus exaltatus var. exaltatus		0.00									33	7.30	LC	LC	1	0	0.3	30	20	
Ptilotus gaudichaudii var. gaudichaudii		0.00									11	5.64	LC	LC	1	0	0.3	11	9	
Ptilotus gaudichaudii var. parviflorus		0.00																		
Ptilotus nobilis var. nobilis		0.00																		
Ptilotus obovatus var. griseus		0.00																		
Ptilotus obovatus var. obovatus	9	0.47	LC	LC	1	0	0.3	8	5		123	6.38	LC	LC	1	0	0.3	110	90	
Ptilotus polystachyus var. polystachyus	4	0.67	LC	LC	1	0	0.3	4	1		75	12.65	LC	LC	1	0	0.3	70	55	
Ptilotus seminudus		0.00																		
Ptilotus sessilifolius var. sessilifolius		0.00									22	4.95	LC	LC	1	0	0.3	21	13	
Ptilotus spathulatus forma spathulatus		0.00																		
Ptilotus symonii		0.00																		
Puccinellia stricta var. stricta		0.00																		
Pultenaea acerosa		0.00																		
Pultenaea densifolia		0.00																		
Pultenaea elachista		0.00																		
Pultenaea pedunculata		0.00																		
Pultenaea tenuifolia		0.00																		
Pultenaea teretifolia var. teretifolia		0.00																		
Pultenaea trichophylla		0.00																		
Pultenaea trinervis		0.00																		
Pultenaea vestita		0.00																		
Pycnosorus pleiocephalus		0.00									10	1.63	LC	LC	1	0	0.3	10	6	
Pyrorchis nigricans		0.00																		
Quinetia urvillei		0.00																		
Radyera farragei		0.00																		
Ranunculus hamatosetosus		0.00																		
Ranunculus lappaceus		0.00																		
Ranunculus pentandrus var. platycarpus		0.00																		
Ranunculus pumilio var. pumilio		0.00																		
Ranunculus sessiliflorus var. pilulifer		0.00																		
Ranunculus sessiliflorus var. sessiliflorus		0.00																		
Rhagodia candolleana ssp. argentea		0.00									1	6.67	RA d(ii)	RA	3	DD	0.0	1		
Rhagodia candolleana ssp. candolleana		0.00																		
Rhagodia crassifolia		0.00																		
Rhagodia drummondii		0.00									5	100.00	RA d(i,ii)	RA	3	DD	0.0	5		Endemic in SA, WA spp. Checked with B Chinnock
Rhagodia eremaea		0.00									34	10.90	LC	LC	1	0	0.3	32	27	
Rhagodia parabolica		0.00																		
Rhagodia preissii ssp. preissii	1	0.13	LC	LC	1	0	0.3	1			14	1.76	LC	LC	1	0	0.3	13	7	
Rhagodia spinescens	6	0.26	LC	LC	1	0	0.3	5	3		43	1.84	LC	LC	1	0	0.3	37	29	
Rhagodia ulicina		0.00																		
Rhodanthe charsleyae		0.00																		
Rhodanthe chlorocephala ssp. rosea		0.00									3	8.57	RA d(i,ii)	RA	3	DD	0.0	3		
Rhodanthe citrina		0.00									16	29.09	LC	LC	1	0	0.3	13	2	

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)		Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)		Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	% Carlisle			Proposed Regional IUCN Status (Carlisle)							% Maralinga									
Rhodanthe corymbiflora		0.00									0.00									
Rhodanthe floribunda	4	0.30	LC	LC	1	0	0.3	3	2		54	4.10	LC	LC	1	0	0.3	49	35	
Rhodanthe haigii		0.00									1	1.28	RA d(i,ii)	RA	3	DD	0.0	1		
Rhodanthe laevis		0.00										0.00								
Rhodanthe microglossa		0.00										0.00								
Rhodanthe moschata		0.00									6	0.69	RA d(i,ii)	RA	3	0	0.3	5	3	
Rhodanthe oppositifolia ssp. oppositifolia		0.00										0.00								
Rhodanthe polygalifolia		0.00										0.00								
Rhodanthe pygmaea		0.00									9	0.68	LC	LC	1	0	0.3	8	1	
Rhodanthe stricta		0.00									6	0.81	RA d(ii)	RA	3	DD	0.0	6	2	
Rhodanthe stuartiana		0.00										0.00								
Rhodanthe tietkensis		0.00									12	5.41	NT	NT	2	DD	0.0	9		probably localised
Rhodanthe troedelii		0.00										0.00								
Rhodanthe uniflora		0.00										0.00								
Rhyncharrhena linearis	2	0.78	LC	LC	1	0	0.3	2	2		64	25.00	LC	LC	1	0	0.3	58	50	
Rostellularia adscendens var. pogonanthera		0.00										0.00								
Rulingia crauophylla		0.00										0.00								
Rulingia loxophylla		0.00									1	1.35	RA d(ii)	RA	3	0	0.3	1	1	
Rumex brownii		0.00										0.00								
Rumex crystallinus		0.00										0.00								
Rumex dumosus		0.00										0.00								
Ruppia maritima		0.00										0.00								
Ruppia megacarpa		0.00										0.00								
Ruppia polycarpa		0.00										0.00								
Ruppia tuberosa		0.00										0.00								
Rutidosis helichrysoides ssp. helichrysoides		0.00									3	0.79	RA d(ii)	RA	3	DD	0.0	3	1	
Sagina maritima		0.00										0.00								
Salsola tragus	12	0.29	LC	LC	1	0	0.3	8	4		107	2.57	LC	LC	1	0	0.3	98	84	
Samolus repens		0.00										0.00								
Santalum acuminatum		0.00									56	2.86	LC	LC	1	0	0.3	54	34	
Santalum lanceolatum		0.00									2	0.25	RA d(ii)	RA	3	0	0.3	2	2	
Santalum murrayanum		0.00										0.00								
Santalum spicatum	2	0.65	VU D1	VU	4	0	0.3	2	1	threats: rabbits, goats; little regeneration	3	0.97	VU D1	VU	4	0	0.3	3		threats: rabbits, goats; little regeneration
Sarcocornia blackiana		0.00										0.00								
Sarcocornia quinqueflora		0.00										0.00								
Sarcostemma viminalis ssp. australe		0.00										0.00								
Sarcozona bicarinata		0.00										0.00								
Sarcozona praecox		0.00									9	4.21	NT	NT	2	DD	0.0	6	2	
Sauropus rigens		0.00										0.00								
Sauropus trachyspermus		0.00										0.00								
Scaevola aemula		0.00										0.00								
Scaevola amblyanthera var. centralis		0.00									5	9.09	RA d(ii)	RA	3	DD	0.0	3	1	
Scaevola angustata		0.00										0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	% Carlisle	% Maralinga																		
Scaevola basedowii	0.00										21	31.82	LC	LC	1	0	0.3	21	16	
Scaevola bursariifolia	0.00											0.00								
Scaevola collaris	0.00										19	7.95	LC	LC	1	0	0.3	16	5	
Scaevola collina	0.00										1	1.19	RA d(ii)	RA	3	DD	0.0	1	1	
Scaevola crassifolia	0.00											0.00								
Scaevola depauperata	0.00										5	4.46	RA d(ii)	RA	3	DD	0.0	5	2	
Scaevola humilis	0.00											0.00								
Scaevola linearis ssp. linearis	0.00											0.00								
Scaevola myrtifolia	0.00											0.00								
Scaevola parvibarbata	0.00											0.00								
Scaevola spinescens	0.00										44	3.66	LC	LC	1	0	0.3	41	36	
Scambopus curvipes	0.00											0.00								
Schenkia australis	0.00											0.00								
Schoenia ayersii	0.00										2	2.38	RA d(ii)	RA	3	DD	0.0	2		edge of range
Schoenia cassiniana	0.00										41	17.23	LC	LC	1	0	0.3	36	25	
Schoenia ramosissima	0.00											0.00								
Schoenoplectus dissachanthus	0.00											0.00								
Schoenoplectus litoralis	0.00											0.00								
Schoenoplectus pungens	0.00											0.00								
Schoenoplectus validus	0.00											0.00								
Schoenus apogon	0.00											0.00								
Schoenus breviculmis	0.00											0.00								
Schoenus carsei	0.00											0.00								
Schoenus deformis	0.00											0.00								
Schoenus fluitans	0.00											0.00								
Schoenus laevigatus	0.00											0.00								
Schoenus nanus	0.00											0.00								
Schoenus nitens	0.00											0.00								
Schoenus racemosus	0.00											0.00								
Schoenus sculptus	0.00											0.00								
Schoenus subaphyllus	0.00											0.00								
Scleranthus minusculus	0.00											0.00								
Scleranthus pungens	0.00											0.00								
Scleroblitum atriplicinum	0.00											0.00								
Sclerolaena bicuspis	0.00											0.00								
Sclerolaena blackiana	0.00										1	0.99	RA d(i,ii)	RA	3	DD	0.0	1	1	outlier
Sclerolaena brachyptera	0.00										1	0.10	RA d(i,ii)	RA	3	DD	0.0	1		outlier
Sclerolaena brevifolia	0.00										1	0.68	RA d(i,ii)	RA	3	DD	0.0	1	1	
Sclerolaena clelandii	0.00										3	27.27	RA d(ii)	RA	3	DD	0.0	3	1	
Sclerolaena constricta	0.00											0.00								
Sclerolaena convexula	1	0.29	LC	LC	1	0	0.3	1	1		13	3.74	LC	LC	1	0	0.3	12	9	
Sclerolaena costata	0.00											0.00								
Sclerolaena cuneata	0.00											0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)		Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)		Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	Carlisle Records	% Carlisle		Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)						Maralinga Records	% Maralinga		Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)					
Sclerolaena decurrens		0.00									0.00									
Sclerolaena deserticola		0.00									11	39.29	LC	LC	1	0	0.3	10	7	
Sclerolaena diacantha	9	0.33	LC	LC	1	0	0.3	6	4		65	2.36	LC	LC	1	0	0.3	59	39	
Sclerolaena divaricata		0.00									1	0.11	RA d(i,ii)	RA	3	DD	0.0	1		edge of range
Sclerolaena eriacantha		0.00									3	1.05	NT	NT	2	0	0.3	3	1	
Sclerolaena fusiformis		0.00									2	100.00	VU D2	VU	4	DD	0.0	2		
Sclerolaena holtiana		0.00									10	4.65	LC	LC	1	0	0.3	10	10	
Sclerolaena intricata		0.00										0.00								
Sclerolaena johnsonii		0.00									13	11.82	LC	LC	1	0	0.3	13	8	
Sclerolaena lanicuspis		0.00										0.00								
Sclerolaena limbata		0.00										0.00								
Sclerolaena murrayae		0.00										0.00								
Sclerolaena obliquicuspis	2	0.08	LC	LC	1	0	0.3	2	2		29	1.15	LC	LC	1	0	0.3	27	22	
Sclerolaena paralleliscuspis		0.00									2	0.63	NT	NT	2	DD	0.0	2	2	
Sclerolaena parviflora	1	0.22	LC	LC	1	0	0.3	1	1		51	11.46	LC	LC	1	0	0.3	50	37	
Sclerolaena patentiscuspis	1	0.10	LC	LC	1	0	0.3	1	1		17	1.64	LC	LC	1	0	0.3	14	10	
Sclerolaena symoniana		0.00									19	76.00	RA d(ii)	RA	3	0	0.3	15	8	likes salt lakes
Sclerolaena tatei		0.00										0.00								
Sclerolaena uniflora	2	0.21	LC	LC	1	0	0.3	1			33	3.47	LC	LC	1	0	0.3	32	20	
Sclerolaena ventricosa		0.00										0.00								
Sebaea albidiflora		0.00										0.00								
Sebaea ovata		0.00										0.00								
Selliera radicans		0.00										0.00								
Senecio dolichocephalus		0.00										0.00								
Senecio gawlerensis		0.00										0.00								
Senecio glomeratus ssp. longifructus		0.00										0.00								
Senecio glossanthus		0.00									3	0.40	RA d(ii)	RA	3	DD	0.0	3		
Senecio gregorii		0.00									24	3.20	LC	LC	1	0	0.3	20	7	
Senecio laceratus		0.00										0.00								
Senecio lacustrinus		0.00									1	0.91	NE	NE	-1			1		taxonomic issues, recently split spp. no survey records
Senecio magnificus		0.00										0.00								
Senecio odoratus		0.00										0.00								
Senecio phelleus		0.00										0.00								
Senecio picridioides		0.00										0.00								
Senecio pinnatifolius var. maritimus		0.00										0.00								
Senecio quadridentatus		0.00										0.00								
Senecio runcinifolius		0.00										0.00								
Senecio serratifolius ssp. serratifolius		0.00										0.00								
Senecio spanomerus		0.00										0.00								
Senna artemisioides ssp. alicia		0.00										0.00								
Senna artemisioides ssp. artemisioides	6	0.45	LC	LC	1	0	0.3	6	2		42	3.12	LC	LC	1	0	0.3	39	21	
Senna artemisioides ssp. coriacea		0.00									7	0.31	LC	LC	1	0	0.3	6	4	
Senna artemisioides ssp. filifolia	3	0.29	LC	LC	1	0	0.3	3	3		22	2.10	LC	LC	1	0	0.3	22	15	

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)		Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)		Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	Carlisle Records	% Carlisle		Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)						Maralinga Records	% Maralinga		Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)					
Senna artemisioides ssp. helmsii		0.00									3	0.90	RA d(i,ii)	RA	3	0	0.3	2	2	
Senna artemisioides ssp. oligophylla		0.00										0.00								
Senna artemisioides ssp. petiolaris		0.00									87	9.18	LC	LC	1	0	0.3	69	39	
Senna artemisioides ssp. quadrifolia		0.00									2	1.06	RA d(i,ii)	RA	3	DD	0.0	2		
Senna artemisioides ssp. sturtii		0.00									4	1.00	RA d(ii)	RA	3	DD	0.0	4	2	
Senna artemisioides ssp. zygophylla		0.00										0.00								
Senna cardiosperma ssp. cardiosperma		0.00										0.00								
Senna cardiosperma ssp. gawlerensis		0.00									56	14.66	LC	LC	1	0	0.3	51	37	
Senna cardiosperma ssp. microphylla		0.00									3	7.89	RA d(ii)	RA	3	DD	0.0	3	2	
Senna phyllodinea		0.00										0.00								
Senna pleurocarpa var. pleurocarpa	1	0.33	LC	LC	1	0	0.3	1	1		17	5.69	LC	LC	1	0	0.3	16	7	
Setaria basiclada		0.00									4	4.44	RA d(ii)	RA	3	0	0.3	4	4	desert grass, ephemeral
Setaria clementii		0.00									8	8.42	RA d(ii)	RA	3	0	0.3	8	6	
Setaria constricta		0.00									2	0.39	RA d(ii)	RA	3	DD	0.0	2	2	
Setaria dielsii		0.00										0.00								
Setaria jubiflora		0.00										0.00								
Setaria reflexa		0.00									5	10.00	RA d(ii)	RA	3	DD	0.0	5	5	
Sida ammophila	1	0.18	LC	LC	1	0	0.3	1	1		18	3.28	LC	LC	1	0	0.3	15	12	
Sida calyxhymeria	1	0.55	LC	LC	1	0	0.3	1			28	15.38	LC	LC	1	0	0.3	22	16	
Sida corrugata var. angustifolia		0.00										0.00								
Sida fibulifera		0.00									35	2.49	LC	LC	1	0	0.3	32	27	
Sida filiformis		0.00									1	1.92	RA d(ii)	RA	3	DD	0.0	1	1	
Sida intricata		0.00									3	0.53	RA d(ii)	RA	3	DD	0.0	2		
Sida petrophila		0.00									3	0.22	RA d(ii)	RA	3	0	0.3	3	3	
Sida phaeotricha		0.00										0.00								
Sida sp. B (C.Dunlop 1739)		0.00										0.00								
Sida sp. golden calyces (H.N.Foote 32)		0.00									3	100.00	NE	NE	-1			3	3	taxonomic issues
Sida sp. L (A.M.Ashby 4202)		0.00									1	8.33	NE	NE	-1			1	1	taxonomic issues
Sida sp. R (P.Copley 1390)		0.00									9	75.00	NE	NE	-1			9	9	taxonomic issues
Sida sp. Rabbit Flat (R.B.Major 158)		0.00									4	36.36	NE	NE	-1			4	4	taxonomic issues
Sida sp. Wataraka (D.E.Albrecht 8672)		0.00									1	50.00	NE	NE	-1			1	1	taxonomic issues
Sida spodochroma	9	5.77	LC	LC	1	0	0.3	6	3		17	10.90	LC	LC	1	0	0.3	16	14	
Sida trichopoda		0.00										0.00								
Sigesbeckia australiensis		0.00										0.00								
Siloxerus multiflorus		0.00										0.00								
Solanum aff. centrale		0.00										0.00								
Solanum capsiciforme		0.00										0.00								
Solanum centrale		0.00									17	11.97	LC	LC	1	0	0.3	17	13	
Solanum chenopodium		0.00										0.00								
Solanum cleistogamum		0.00									13	15.48	LC	LC	1	0	0.3	13	12	
Solanum coactiliferum		0.00									53	9.00	LC	LC	1	0	0.3	48	24	
Solanum ellipticum	12	0.88	LC	LC	1	0	0.3	8	3		49	3.61	LC	LC	1	0	0.3	43	30	
Solanum esuriale		0.00										0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	% Carlisle										% Maralinga									
Solanum ferocissimum	0.00										3	8.11	LC	LC	1	0	0.3	3	3	
Solanum hystrix	0.00											0.00								
Solanum laciniatum	0.00											0.00								
Solanum lacunarium	0.00											0.00								
Solanum lasiophyllum	0.00											0.00								
Solanum orbiculatum ssp. orbiculatum	1	0.97	LC	LC	1	0	0.3	1	1		1	1.54	RA d(i,ii)	RA	3	DD	0.0	1		
Solanum petrophilum	0.00										42	40.78	LC	LC	1	0	0.3	41	39	
Solanum quadriloculatum	1	0.34	LC	LC	1	0	0.3	1			24	8.14	LC	LC	1	0	0.3	24	22	
Solanum simile	0.00											0.00								
Solanum sturtianum	0.00											0.00								
Solanum symonii	0.00											0.00								
Solenogyne dominii	0.00											0.00								
Sonchus hydrophilus	0.00											0.00								
Spartothamnella teucriiflora	0.00										5	6.17	RA d(ii)	RA	3	DD	0.0	4	1	restricted habitat
Spergularia marina	0.00											0.00								
Sphaerolobium minus	0.00											0.00								
Spinifex hirsutus	0.00											0.00								
Sporobolus actinocladius	0.00											0.00								
Sporobolus caroli	0.00											0.00								
Sporobolus mitchellii	0.00											0.00								
Sporobolus virginicus	0.00											0.00								
Spyridium bifidum var. bifidum	0.00											0.00								
Spyridium bifidum var. Marble Range (W.R.Barker 7601)	0.00											0.00								
Spyridium bifidum var. Vanilla (K.Clipstone 88)	0.00											0.00								
Spyridium eriocephalum var. eriocephalum	0.00											0.00								
Spyridium erymnocladum	0.00											0.00								
Spyridium leucopogon	0.00											0.00								
Spyridium nitidum	0.00											0.00								
Spyridium phylloides	0.00											0.00								
Spyridium spathulatum	0.00											0.00								
Spyridium subochreatum	0.00											0.00								
Spyridium tricolor	0.00											0.00								
Spyridium vexilliferum var. vexilliferum	0.00											0.00								
Stackhousia annua	0.00											0.00								
Stackhousia aspericocca ssp. Cylindrical inflorescence (f)	0.00											0.00								
Stackhousia aspericocca ssp. One-sided inflorescence (f)	0.00											0.00								
Stackhousia clementii	0.00										3	5.88	LC	LC	1	0	0.3	3	1	likes limestone
Stackhousia megaloptera	0.00										6	37.50	RA d(ii)	RA	3	DD	0.0	5	2	red dunes, comes up after fire
Stackhousia monogyna	0.00											0.00								
Stackhousia muricata ssp. Annual (W.R.Barker 2172)	0.00										2	33.33	RA d(ii)	RA	3	DD	0.0	1		records missing
Stackhousia muricata ssp. Perennial (W.R.Barker 3641)	0.00											0.00								
Stackhousia spathulata	0.00											0.00								
Stellaria filiformis	0.00											0.00								

Regional Species Conservation Assessments
DEH West Region
Complete Dataset for all Flora Assessments Dec 2009
In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	% Carlisle	% Maralinga																		
Stemodia florulenta		0.00									0.00									
Stenanthemum leucophractum		0.00									0.00									
Stenanthemum notiale ssp. notiale		0.00									0.00									
Stenopetalum anfractum		0.00								3	5.56	RA d(i,ii)	RA	3	0	0.3	3	2		
Stenopetalum lineare	1	0.18	LC	LC	1	0	0.3	1		22	4.04	LC	LC	1	0	0.3	14			
Stenopetalum nutans		0.00								1	1.19	RA d(i,ii)	RA	3	DD	0.0	1			ephemeral
Stenopetalum saxatile		0.00									0.00									
Stenopetalum sphaerocarpum	1	0.47	LC	LC	1	0	0.3	1	1	12	5.63	LC	LC	1	0	0.3	10	4		
Stenopetalum velutinum		0.00								24	12.18	LC	LC	1	0	0.3	23	14		
Streptoglossa adscendens		0.00									0.00									
Streptoglossa liatroides		0.00									0.00									
Stuartina hamata		0.00									0.00									
Stuartina muelleri		0.00									0.00									
Stylidium calcaratum		0.00									0.00									
Stylidium inundatum		0.00									0.00									
Stylidium perpusillum		0.00									0.00									
Stypandra glauca		0.00									0.00									
Styphelia exarrhena		0.00									0.00									
Suaeda australis		0.00									0.00									
Swainsona acuticarinata		0.00								3	7.50	RA d(i,ii)	RA	3	0	0.3	2			
Swainsona adenophylla		0.00									0.00									
Swainsona affinis		0.00									0.00									
Swainsona campestris		0.00									0.00									
Swainsona campylantha		0.00								1	0.36	RA d(i,ii)	RA	3	DD	0.0	1	1		
Swainsona canescens		0.00								13	13.00	LC	LC	1	0	0.3	12	4		
Swainsona colutoides		0.00								1	6.25	RA d(i,ii)	RA	3	DD	0.0	1			
Swainsona dictyocarpa		0.00									0.00									
Swainsona disjuncta		0.00									0.00									
Swainsona eremaea		0.00									0.00									
Swainsona flavicarinata	1	1.54	VU B2ab(i,ii,iii)	VU	4	--	0.5	1			0.00									
Swainsona formosa	4	1.93	LC	LC	1	0	0.3	4		14	6.76	LC	LC	1	0	0.3	14	7		
Swainsona kingii		0.00								1	100.00	VU D2	VU	4	DD	0.0	1			highly localised
Swainsona lessertifolia		0.00									0.00									
Swainsona microcalyx		0.00									0.00									
Swainsona microphylla		0.00								17	10.24	LC	LC	1	0	0.3	14	4		
Swainsona oliveri		0.00								7	8.86	LC	LC	1	0	0.3	6	2		
Swainsona oroboides		0.00									0.00									
Swainsona phacoides		0.00									0.00									
Swainsona purpurea		0.00								7	7.07	RA d(ii)	RA	3	DD	0.0	6	2		southern limit
Swainsona pyrophila		0.00									0.00									
Swainsona stipularis		0.00								3	1.07	RA d(i,ii)	RA	3	DD	0.0	2	1		
Swainsona tenuis	2	3.33	LC	LC	1	DD	0.0	2		9	15.00	LC	LC	1	DD	0.0	8	3		
Swainsona unifoliolata		0.00								10	76.92	RA d(ii)	RA	3	DD	0.0	9	4		

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	% Carlisle										% Maralinga									
Swainsona villosa	0.00										1	0.78	RA d(i,ii)	RA	3	DD	0.0	1	1	
Synaptantha tillaeacea var. hispidula	0.00											0.00								
Synaptantha tillaeacea var. tillaeacea	0.00											0.00								
Tecticornia arbuscula	0.00											0.00								
Tecticornia disarticulata	0.00										1	0.91	RA d(i,ii)	RA	3	DD	0.0	1	1	
Tecticornia flabelliformis	0.00											0.00								
Tecticornia halocnemoides ssp. halocnemoides	0.00										1	0.29	RA d(ii)	RA	3	0	0.3	1	1	
Tecticornia halocnemoides ssp. longispicata	0.00											0.00								
Tecticornia indica ssp. bidens	0.00										4	21.05	RA d(ii)	RA	3	0	0.3	4	4	
Tecticornia indica ssp. leiostachya	0.00										4	1.49	RA d(ii)	RA	3	0	0.3	3	2	
Tecticornia lepidosperma	0.00											0.00								
Tecticornia lylei	0.00											0.00								
Tecticornia medullosa	0.00											0.00								
Tecticornia moniliformis	0.00											0.00								
Tecticornia pergranulata ssp. pergranulata	0.00											0.00								
Tecticornia pruinosa	0.00										2	14.29	RA d(ii)	RA	3	DD	0.0	2	1	
Tecticornia pterygosperma ssp. pterygosperma	0.00											0.00								
Tecticornia tenuis	0.00										2	1.29	RA d(ii)	RA	3	0	0.3	2	1	
Tecticornia triandra	0.00											0.00								
Templetonia battii	0.00											0.00								
Templetonia egena	0.00											0.00								
Templetonia retusa	0.00											0.00								
Templetonia sulcata	0.00											0.00								
Tetragonia eremaea	0.00										14	1.26	LC	LC	1	0	0.3	13	8	
Tetragonia implexicoma	0.00											0.00								
Tetragonia moorei	0.00											0.00								
Tetragonia tetragonioides	0.00											0.00								
Tetralia capillaris	0.00											0.00								
Teucrium corymbosum	0.00											0.00								
Teucrium grandiusculum ssp. pilosum	0.00											0.00								
Teucrium racemosum	0.00											0.00								
Teucrium sessiliflorum	0.00											0.00								
Thelymitra alcockii																				
Thelymitra antennifera	0.00											0.00								
Thelymitra azurea	0.00											0.00								
Thelymitra benthamiana	0.00											0.00								
Thelymitra carnea	0.00											0.00								
Thelymitra epipactoides	0.00											0.00								
Thelymitra flexuosa	0.00											0.00								
Thelymitra juncifolia	0.00											0.00								
Thelymitra luteociliium	0.00											0.00								
Thelymitra megcalyptra	0.00											0.00								
Thelymitra occidentalis																				

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)		Trends ('-', '0', '+', '++') Carlisle	Trends ('-', '0', '+', '++') Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)		Trends ('-', '0', '+', '++') Maralinga	Trends ('-', '0', '+', '++') Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	Carlisle Records	% Carlisle		Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)						Maralinga Records	% Maralinga		Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)					
Thelymitra parviflora																				
Thelymitra pauciflora		0.00									0.00									
Thelymitra rubra		0.00									0.00									
Themeda triandra		0.00									0.00									
Thomasia petalocalyx		0.00									0.00									
Threlkeldia diffusa		0.00									0.00									
Thryptomene biseriata	1	4.55	RA d(ii)	RA	3	0	0.3	1		17	77.27	LC	LC	1	0	0.3	16	11	eastern edge of range	
Thryptomene elliotii		0.00								39	48.15	LC	LC	1	0	0.3	32	13		
Thryptomene ericaea		0.00									0.00									
Thryptomene longifolia		0.00								6	40.00	RA d(ii)	RA	3	0	0.3	6	4		
Thryptomene micrantha		0.00									0.00									
Thyridolepis mitchelliana		0.00								6	5.00	RA d(ii)	RA	3	0	0.3	6	4	northern grass	
Thyridolepis multiculmis		0.00								17	30.91	LC	LC	1	DD	0.0	17	4		
Thyridolepis xerophila		0.00								6	40.00	RA d(ii)	RA	3	DD	0.0	5	4	desert grass	
Thysanotus baueri		0.00									0.00									
Thysanotus exiliflorus		0.00								9	36.00	LC	LC	1	0	0.3	9	9		
Thysanotus nudicaulis		0.00									0.00									
Thysanotus patersonii		0.00								3	0.11	RA d(ii)	RA	3	DD	0.0	3	2	northern limit	
Thysanotus wangariensis		0.00									0.00									
Trachymene ceratocarpa		0.00								5	21.74	LC	LC	1	0	0.3	4	1	red dunes, comes up after fire	
Trachymene cyanopetala		0.00								2	0.69	LC	LC	1	0	0.3	2	2		
Trachymene glaucifolia		0.00								20	7.75	LC	LC	1	0	0.3	20	7		
Trachymene ornata		0.00									0.00									
Trachymene pilosa		0.00									0.00									
Tragus australianus		0.00								9	2.54	LC	LC	1	0	0.3	7	6	comes up after rain	
Trianthema triquetra		0.00								4	0.52	RA d(i,ii)	RA	3	0	0.3	4	2		
Tribulus eichlerianus		0.00								5	1.78	LC	LC	1	0	0.3	5	5		
Tribulus minutus		0.00									0.00									
Trichanthodium skirrophorum	2	0.31	LC	LC	1	0	0.3	2		11	1.73	LC	LC	1	0	0.3	9	6		
Trichodesma zeylanicum	2	0.42	LC	LC	1	0	0.3	1	should be more Herbarium records	13	2.74	LC	LC	1	0	0.3	12	11	should be more Herbarium records	
Tricoryne elatior		0.00									0.00									
Tricoryne tenella		0.00									0.00									
Triglochin hexagona		0.00									0.00									
Triglochin isingiana		0.00								1	0.76	LC	LC	1	0	0.3	1			
Triglochin longicarpa		0.00									0.00									
Triglochin minutissima		0.00									0.00									
Triglochin mucronata		0.00									0.00									
Triglochin nana		0.00									0.00									
Triglochin nanum/sp. C (J.Z.Weber 6793)		0.00									0.00									
Triglochin sp. A (N.N.Donner 3596)		0.00									0.00									
Triglochin striata		0.00									0.00									
Triglochin trichophora		0.00									0.00									
Trigonella suavissima		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)		Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)		Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	% Carlisle	Proposed IUCN Status		Proposed Regional IUCN Status	% Maralinga						Proposed IUCN Status	% Maralinga		Proposed IUCN Status	Proposed IUCN Status					
Triodia basedowii	0.00									57	9.97	LC	LC	1	0	0.3	54	37		
Triodia bunicola	0.00										0.00									
Triodia compacta	0.00										0.00									
Triodia helmsii	0.00									2	8.33	RA d(ii)	RA	3	DD	0.0	1		sand hills	
Triodia irritans	0.00									6	0.59	LC	LC	1	0	0.3	4	3		
Triodia lanata	0.00										0.00									
Triodia melvillei	0.00									4	100.00	RA d(ii)	RA	3	0	0.3	4	1	WA species	
Triodia scariosa	2	0.35	LC	LC	1	0	0.3	1	1	29	5.05	LC	LC	1	0	0.3	29	21		
Tripogon loliiformis	0.00									1	0.14	NT	NT	2	DD	0.0	1	1	perennial	
Triptilodiscus pygmaeus	0.00										0.00									
Triraphis mollis	0.00									12	1.79	LC	LC	1	0	0.3	11	9		
Trithuria submersa	0.00										0.00									
Trymalium wayi	0.00										0.00									
Typha domingensis	0.00										0.00									
Typha orientalis	0.00										0.00									
Utricularia tenella	0.00										0.00									
Velleia arguta	2	0.50	RA d(ii)	RA	3	DD	0.0	2		9	2.24	LC	LC	1	0	0.3	8	1		
Velleia connata	0.00									3	3.09	RA d(ii)	RA	3	DD	0.0	3	1		
Velleia cynopotamica	0.00										0.00									
Velleia glabrata	0.00									28	46.67	LC	LC	1	0	0.3	26	9		
Veronica hillebrandii	0.00										0.00									
Veronica parnkalliana	0.00										0.00									
Vittadinia australasica var. australasica	0.00										0.00									
Vittadinia blackii	0.00										0.00									
Vittadinia cervicalis var. cervicalis	0.00									7	1.21	RA d(ii)	RA	3	DD	0.0	2	1		
Vittadinia condyloides	0.00										0.00									
Vittadinia cuneata var. cuneata forma cuneata	0.00										0.00									
Vittadinia dissecta var. hirta	0.00									3	0.56	RA d(ii)	RA	3	DD	0.0	3	1	questionable ID	
Vittadinia eremaea	4	1.02	LC	LC	1	0	0.3	4		43	10.97	LC	LC	1	0	0.3	38	28		
Vittadinia gracilis	0.00									1	0.08	RA d(i,ii)	RA	3	DD	0.0	1	1		
Vittadinia megacephala	0.00										0.00									
Vittadinia nullarborensis	0.00										0.00									
Vittadinia pterochaeta	0.00										0.00									
Vittadinia pustulata	0.00									2	8.70	RA d(i,ii)	RA	3	DD	0.0	2	1		
Vittadinia sulcata	0.00										0.00									
Wahlenbergia aridicola	0.00										0.00									
Wahlenbergia communis	0.00										0.00									
Wahlenbergia gracilentia	0.00										0.00									
Wahlenbergia littoricola	0.00										0.00									
Wahlenbergia luteola	0.00										0.00									
Wahlenbergia preissii	0.00										0.00									
Wahlenbergia queenslandica	0.00										0.00									
Wahlenbergia stricta ssp. stricta	0.00										0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)		Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)		Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)
	Carlisle Records	% Carlisle		Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)						Maralinga Records	% Maralinga		Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)					
Wahlenbergia tumidiflora		0.00									0.00									
Waitzia acuminata var. acuminata	1	0.27	LC	LC	1	0	0.3	1	1		38	10.11	LC	LC	1	0	0.3	36	18	
Westringia dampieri		0.00																		
Westringia eremicola		0.00																		
Westringia rigida	1	0.06	LC	LC	1	0	0.3	1	1		19	1.14	LC	LC	1	0	0.3	19	11	
Wilsonia backhousei		0.00																		
Wilsonia humilis		0.00																		
Wilsonia rotundifolia		0.00																		
Wurmbea centralis ssp. australis		0.00																		
Wurmbea citrina		0.00										LC	LC	1	0	0.3				no records
Wurmbea decumbens		0.00																		
Wurmbea dioica ssp. brevifolia		0.00																		
Wurmbea dioica ssp. dioica		0.00																		
Wurmbea latifolia ssp. vanessae		0.00																		
Wurmbea sinora		0.00																		
Wurmbea stellata		0.00																		
Xanthorrhoea semiplana ssp. semiplana		0.00																		
Xanthorrhoea semiplana ssp. tateana		0.00																		
Xanthosia huegelii		0.00																		
Xanthosia leiophylla		0.00																		
Xerochrysum bracteatum		0.00									14	6.86	LC	LC	1	0	0.3	13	12	
Zaleya galericulata ssp. australis		0.00																		
Zostera muelleri ssp. mucronata		0.00																		
Zostera tasmanica		0.00																		
Zoysia macrantha ssp. walshii		0.00																		
Zygochloa paradoxa		0.00																		
Zygophyllum ammophilum		0.00									6	2.48	LC	LC	1	0	0.3	6	5	
Zygophyllum angustifolium		0.00																		
Zygophyllum apiculatum		0.00									16	1.11	LC	LC	1	0	0.3	12	4	
Zygophyllum aurantiacum ssp. aurantiacum		0.00									21	3.27	LC	LC	1	0	0.3	19	9	
Zygophyllum aurantiacum ssp. cuneatum		0.00									7	13.73	RA d(ii)	RA	3	0	0.3	7	5	needs gypsious areas
Zygophyllum aurantiacum ssp. simplicifolium		0.00									2	3.64	RA d(ii)	RA	3	0	0.3	2	2	
Zygophyllum billardierei		0.00																		
Zygophyllum compressum		0.00									23	23.47	LC	LC	1	0	0.3	19	9	gypsious habitat
Zygophyllum confluens		0.00																		
Zygophyllum crenatum		0.00																		
Zygophyllum emarginatum		0.00																		
Zygophyllum eremaeum		0.00									35	8.88	LC	LC	1	0	0.3	31	18	
Zygophyllum flavum		0.00																		
Zygophyllum glaucum		0.00									2	0.41	NT	NT	2	0	0.3	2	2	
Zygophyllum halophilum		0.00									2	100.00	RA d(ii)	RA	3	DD	0.0	2	1	WA species
Zygophyllum howittii		0.00																		
Zygophyllum humillimum		0.00																		

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Carlisle Records		Proposed IUCN Status & Criteria (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Proposed Regional IUCN Status (Carlisle)	Trends (-, 0, +, ++) Carlisle	Trends (-, 0, +, ++) Carlisle	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Carlisle)	Maralinga Records		Proposed IUCN Status & Criteria (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Proposed Regional IUCN Status (Maralinga)	Trends (-, 0, +, ++) Maralinga	Trends (-, 0, +, ++) Maralinga	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Maralinga)	
	% Carlisle										% Maralinga										
Zygophyllum iodocarpum		0.00									4	1.35	LC								
Zygophyllum kochii		0.00										0.00									
Zygophyllum marliesiae		0.00										0.00									
Zygophyllum ovatum	4	0.49	LC	LC	1	0	0.3	4	3		32	3.91	LC	LC	1	0	0.3	32	31		
Zygophyllum prismatothecum		0.00										0.00									
Zygophyllum reticulatum		0.00										0.00									
Zygophyllum simile		0.00									9	2.18	LC	LC	1	0	0.3	8	2	split from Z amophilum	

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)
	% Eyre - IMCRA	% Eucla (IMCRA)																		
Abutilon cryptopetalum ssp. cryptopetalum		0.00									0.00									
Abutilon fraseri ssp. diplotrichum		0.00									0.00									
Abutilon fraseri ssp. fraseri		0.00									0.00									
Abutilon halophilum		0.00									0.00									
Abutilon leucopetalum		0.00									0.00									
Abutilon macrum		0.00									0.00									
Abutilon malvaefolium		0.00									0.00									
Abutilon otocarpum		0.00									0.00									
Acacia acanthoclada ssp. acanthoclada		0.00									0.00									
Acacia acinacea		0.00									0.00									
Acacia alcockii		0.00									0.00									
Acacia anceps		0.00									0.00									
Acacia ancistrophylla var. lissophylla		0.00									0.00									
Acacia aneura		0.00									0.00									
Acacia aneura var. aneura		0.00									0.00									
Acacia aneura var. conifera		0.00									0.00									
Acacia aneura var. intermedia		0.00									0.00									
Acacia aneura var. major		0.00									0.00									
Acacia aneura var. microcarpa		0.00									0.00									
Acacia aneura var. tenuis		0.00									0.00									
Acacia ayersiana		0.00									0.00									
Acacia beckleri Tindale ssp. beckleri																				
Acacia brachybotrya		0.00									0.00									
Acacia brachystachya		0.00									0.00									
Acacia burkittii		0.00									0.00									
Acacia calamifolia		0.00									0.00									
Acacia calcicola		0.00									0.00									
Acacia clelandii		0.00									0.00									
Acacia colletioides		0.00									0.00									
Acacia continua		0.00									0.00									
Acacia cretacea		0.00									0.00									
Acacia cupularis		0.00									0.00									
Acacia cyclops		0.00									0.00									
Acacia dodonaefolia		0.00									0.00									
Acacia enterocarpa		0.00									0.00									
Acacia erinacea		0.00									0.00									
Acacia euthycarpa		0.00									0.00									
Acacia farinosa		0.00									0.00									
Acacia gilesiana		0.00									0.00									
Acacia gillii		0.00									0.00									
Acacia hakeoides		0.00									0.00									
Acacia halliana		0.00									0.00									
Acacia havilandiorum		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)
	% Eyre - IMCRA	% Eucla (IMCRA)																		
Acacia helmsiana		0.00									0.00									
Acacia hemiteles		0.00									0.00									
Acacia hexaneura		0.00									0.00									
Acacia imbricata		0.00									0.00									
Acacia iteaphylla		0.00									0.00									
Acacia jennerae		0.00									0.00									
Acacia kempeana		0.00									0.00									
Acacia leiophylla		0.00									0.00									
Acacia ligulata		0.00									0.00									
Acacia lineata		0.00									0.00									
Acacia longifolia ssp. sophorae		0.00									0.00									
Acacia maitlandii		0.00									0.00									
Acacia melleodora		0.00									0.00									
Acacia merrallii		0.00									0.00									
Acacia microcarpa		0.00									0.00									
Acacia minyura		0.00									0.00									
Acacia montana		0.00									0.00									
Acacia murrayana		0.00									0.00									
Acacia mutabilis ssp. angustifolia		0.00									0.00									
Acacia myrtifolia		0.00									0.00									
Acacia nematophylla		0.00									0.00									
Acacia notabilis		0.00									0.00									
Acacia nyssophylla		0.00									0.00									
Acacia oswaldii		0.00									0.00									
Acacia pachyacra		0.00									0.00									
Acacia papyrocarpa		0.00									0.00									
Acacia paradoxa		0.00									0.00									
Acacia pinguiifolia		0.00									0.00									
Acacia praemorsa		0.00									0.00									
Acacia prainii		0.00									0.00									
Acacia pycnantha		0.00									0.00									
Acacia ramulosa var. linophylla		0.00									0.00									
Acacia ramulosa var. ramulosa		0.00									0.00									
Acacia rhotinocarpa		0.00									0.00									
Acacia rhiophylla		0.00									0.00									
Acacia rhodophloia		0.00									0.00									
Acacia rigens		0.00									0.00									
Acacia rupicola		0.00									0.00									
Acacia salicina		0.00									0.00									
Acacia sclerophylla var. sclerophylla		0.00									0.00									
Acacia sibirica		0.00									0.00									
Acacia sp. Winged (C.R.Alcock 4936)		0.00									0.00									
Acacia spinescens		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)	
	% Eyre - IMCRA	% Eucla (IMCRA)																			
Acacia spooneri		0.00									0.00										
Acacia stenophylla		0.00									0.00										
Acacia tarculensis		0.00									0.00										
Acacia tetragonophylla		0.00									0.00										
Acacia toondulya		0.00									0.00										
Acacia triquetra		0.00									0.00										
Acacia victoriae ssp. victoriae		0.00									0.00										
Acacia whibleyana		0.00									0.00										
Acacia wilhelmiana		0.00									0.00										
Acaena echinata		0.00									0.00										
Acaena novae-zelandiae		0.00									0.00										
Acianthus caudatus		0.00									0.00										
Acianthus pusillus		0.00									0.00										
Acrotriche affinis		0.00									0.00										
Acrotriche cordata		0.00									0.00										
Acrotriche patula		0.00									0.00										
Actinobole uliginosum		0.00									0.00										
Actites megalocarpa		0.00									0.00										
Adenanthos terminalis		0.00									0.00										
Adiantum aethiopicum		0.00									0.00										
Adriana quadripartita		0.00									0.00										
Adriana urticoides var. hookeri		0.00									0.00										
Ajuga australis forma A (A.G.Spooner 9058)		0.00									0.00										
Alectryon oleifolius ssp. canescens		0.00									0.00										
Allocauarina helmsii		0.00									0.00										
Allocauarina muelleriana ssp. muelleriana		0.00									0.00										
Allocauarina pusilla		0.00									0.00										
Allocauarina verticillata		0.00									0.00										
Alternanthera denticulata		0.00									0.00										
Alternanthera nodiflora		0.00									0.00										
Aluta maisonneuvei ssp. auriculata		0.00									0.00										
Aluta maisonneuvei ssp. maisonneuvei		0.00									0.00										
Alyogyne hakeifolia		0.00									0.00										
Alyogyne huegelii		0.00									0.00										
Alyogyne pinoniana var. microandra		0.00									0.00										
Alyogyne pinoniana var. pinoniana		0.00									0.00										
Alyxia buxifolia		0.00									0.00										
Amaranthus cuspidifolius		0.00									0.00										
Amaranthus grandiflorus		0.00									0.00										
Amaranthus mitchellii		0.00									0.00										
Ammannia multiflora		0.00									0.00										
Amphibolis antarctica	5	1.42	LC	LC	1	0	0.3	3		Occurs in sheltered bays	9	2.56	LC	LC	1	0	0.3	2		Occurs in sheltered bays	
Amphibromus macrorhynchus		0.00									0.00										

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records	% Eyre - IMCRA	Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucua (IMCRA) Records	% Eucua (IMCRA)	Proposed IUCN Status & Criteria (Eucua - IMCRA)	Proposed Regional IUCN Status (Eucua - IMCRA)	Proposed Regional IUCN Status (Eucua - IMCRA)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucua - IMCRA)	
Amphibromus nervosus		0.00										0.00									
Amphipogon caricinus var. caricinus		0.00										0.00									
Amphipogon strictus var. setifer		0.00										0.00									
Amyema fitzgeraldii		0.00										0.00									
Amyema gibberula var. gibberula		0.00										0.00									
Amyema maidenii ssp. maidenii		0.00										0.00									
Amyema melaleucaae		0.00										0.00									
Amyema miquelii		0.00										0.00									
Amyema miraculosa ssp. boormanii		0.00										0.00									
Amyema preissii		0.00										0.00									
Amyema quandang var. quandang		0.00										0.00									
Anacampseros australiana		0.00										0.00									
Anemocarpa podolepidium		0.00										0.00									
Angianthus brachypappus		0.00										0.00									
Angianthus conocephalus		0.00										0.00									
Angianthus glabratus		0.00										0.00									
Angianthus preissianus		0.00										0.00									
Angianthus tomentosus		0.00										0.00									
Anogramma leptophylla		0.00										0.00									
Anthocercis anisantha ssp. anisantha		0.00										0.00									
Anthocercis anisantha ssp. collina		0.00										0.00									
Aotus subspinescens		0.00										0.00									
Apalochlamys spectabilis		0.00										0.00									
Aphanes australiana		0.00										0.00									
Aphelia gracilis		0.00										0.00									
Apium annum		0.00										0.00									
Apium prostratum var. filiforme		0.00										0.00									
Apium prostratum var. prostratum		0.00										0.00									
Apodasmia brownii		0.00										0.00									
Arabidella filifolia		0.00										0.00									
Arabidella glaucescens		0.00										0.00									
Arabidella nasturtium		0.00										0.00									
Arabidella trisecta		0.00										0.00									
Argentipallium obtusifolium		0.00										0.00									
Aristida anthoxanthoides		0.00										0.00									
Aristida arida		0.00										0.00									
Aristida behriana		0.00										0.00									
Aristida capillifolia		0.00										0.00									
Aristida contorta		0.00										0.00									
Aristida holathera var. holathera		0.00										0.00									
Aristida latifolia		0.00										0.00									
Aristida nitidula		0.00										0.00									
Aristida personata		0.00										0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)	
	% Eyre - IMCRA	% Eucla (IMCRA)																			
Arthropodium fimbriatum		0.00									0.00										
Arthropodium minus		0.00									0.00										
Arthropodium strictum		0.00									0.00										
Asperula conferta		0.00									0.00										
Asplenium flabellifolium		0.00									0.00										
Asplenium trichomanes		0.00									0.00										
Asteridea athrixioides forma athrixioides		0.00									0.00										
Asteridea athrixioides forma horripes		0.00									0.00										
Astrebla lappacea		0.00									0.00										
Astrebla pectinata		0.00									0.00										
Astroloma conostephioides		0.00									0.00										
Astroloma humifusum		0.00									0.00										
Atriplex acutibractea ssp. acutibractea		0.00									0.00										
Atriplex acutibractea ssp. karoniensis		0.00									0.00										
Atriplex acutiloba		0.00									0.00										
Atriplex angulata		0.00									0.00										
Atriplex cinerea		0.00									0.00										
Atriplex cryptocarpa		0.00									0.00										
Atriplex eardleyae		0.00									0.00										
Atriplex fissivalvis		0.00									0.00										
Atriplex holocarpa		0.00									0.00										
Atriplex incrassata		0.00									0.00										
Atriplex kochiana		0.00									0.00										
Atriplex leptocarpa		0.00									0.00										
Atriplex limbata		0.00									0.00										
Atriplex lindleyi ssp. conduplicata		0.00									0.00										
Atriplex lindleyi ssp. inflata		0.00									0.00										
Atriplex lindleyi ssp. lindleyi		0.00									0.00										
Atriplex lindleyi ssp. quadripartita		0.00									0.00										
Atriplex lobativalvis		0.00									0.00										
Atriplex macropterocharpa		0.00									0.00										
Atriplex morrisii		0.00									0.00										
Atriplex nessorhina		0.00									0.00										
Atriplex nummularia ssp. omissa		0.00									0.00										
Atriplex nummularia ssp. spathulata		0.00									0.00										
Atriplex paludosa ssp. cordata		0.00									0.00										
Atriplex papillata		0.00									0.00										
Atriplex pseudocampanulata		0.00									0.00										
Atriplex pumilio		0.00									0.00										
Atriplex quadrivalvata var. sessilifolia		0.00									0.00										
Atriplex quinii		0.00									0.00										
Atriplex rhagodioides		0.00									0.00										
Atriplex semibaccata		0.00									0.00										

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)
	% Eyre - IMCRA	% Eucla (IMCRA)																		
Atriplex spongiosa		0.00									0.00									
Atriplex stipitata		0.00									0.00									
Atriplex suberecta		0.00									0.00									
Atriplex velutinella		0.00									0.00									
Atriplex vesicaria ssp. macrocystidia		0.00									0.00									
Atriplex vesicaria ssp. variabilis		0.00									0.00									
Austrobryonia micrantha		0.00									0.00									
Austrodanthonia caespitosa		0.00									0.00									
Austrodanthonia eriantha		0.00									0.00									
Austrodanthonia fulva		0.00									0.00									
Austrodanthonia racemosa var. racemosa		0.00									0.00									
Austrodanthonia setacea		0.00									0.00									
Austrofestuca littoralis		0.00									0.00									
Austrostipa acroclliata		0.00									0.00									
Austrostipa blackii		0.00									0.00									
Austrostipa dongicola		0.00									0.00									
Austrostipa drummondii		0.00									0.00									
Austrostipa echinata		0.00									0.00									
Austrostipa elegantissima		0.00									0.00									
Austrostipa eremophila		0.00									0.00									
Austrostipa exilis		0.00									0.00									
Austrostipa flavescens		0.00									0.00									
Austrostipa hemipogon		0.00									0.00									
Austrostipa lanata		0.00									0.00									
Austrostipa macalpinei		0.00									0.00									
Austrostipa mollis		0.00									0.00									
Austrostipa mundula		0.00									0.00									
Austrostipa nitida		0.00									0.00									
Austrostipa nodosa		0.00									0.00									
Austrostipa nullanulla		0.00									0.00									
Austrostipa pilata		0.00									0.00									
Austrostipa platychaeta		0.00									0.00									
Austrostipa plumigera		0.00									0.00									
Austrostipa puberula		0.00									0.00									
Austrostipa scabra ssp. falcata		0.00									0.00									
Austrostipa scabra ssp. scabra		0.00									0.00									
Austrostipa semibarbata		0.00									0.00									
Austrostipa setacea		0.00									0.00									
Austrostipa stipoides		0.00									0.00									
Austrostipa stuposa		0.00									0.00									
Austrostipa tenuifolia		0.00									0.00									
Austrostipa trichophylla		0.00									0.00									
Austrostipa velutina		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records	% Eyre - IMCRA	Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucua (IMCRA) Records	% Eucua (IMCRA)	Proposed IUCN Status & Criteria (Eucua - IMCRA)	Proposed Regional IUCN Status (Eucua - IMCRA)	Proposed Regional IUCN Status (Eucua - IMCRA)	Trends (-, 0, +, ++) Eucua - IMCRA	Trends (-, 0, +, ++) Eucua - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucua - IMCRA)
Austrostipa vickeryana		0.00									0.00									
Avicennia marina ssp. marina		0.00									0.00									
Babingtonia behrii		0.00									0.00									
Baeckea crassifolia		0.00									0.00									
Baeckea tuberculata		0.00									0.00									
Banksia marginata		0.00									0.00									
Banksia ornata		0.00									0.00									
Baumea arthropylla		0.00									0.00									
Baumea juncea		0.00									0.00									
Bergia trimera		0.00									0.00									
Bertya tasmanica ssp. vestita		0.00									0.00									
Beyeria lechenaultii		0.00									0.00									
Beyeria opaca		0.00									0.00									
Billardiera cymosa ssp. cymosa		0.00									0.00									
Billardiera cymosa ssp. pseudocymosa		0.00									0.00									
Billardiera sericophora		0.00									0.00									
Billardiera sp. Yorke Peninsula (P.C.Heyligers 80164)		0.00									0.00									
Billardiera uniflora		0.00									0.00									
Billardiera versicolor		0.00									0.00									
Blennodia canescens		0.00									0.00									
Blennodia pterosperma		0.00									0.00									
Blennospora drummondii		0.00									0.00									
Boerhavia coccinea		0.00									0.00									
Boerhavia dominii		0.00									0.00									
Boerhavia repleta		0.00									0.00									
Boerhavia schomburgkiana		0.00									0.00									
Bolboschoenus caldwellii		0.00									0.00									
Boronia coerulescens ssp. coerulescens		0.00									0.00									
Boronia filifolia		0.00									0.00									
Boronia inornata ssp. leptophylla		0.00									0.00									
Bossiaea ensata		0.00									0.00									
Bossiaea walkeri		0.00									0.00									
Bothriochloa ewartiana		0.00									0.00									
Bothriochloa macra		0.00									0.00									
Brachiaria praetervisa		0.00									0.00									
Brachyachne ciliaris		0.00									0.00									
Brachychiton gregorii		0.00									0.00									
Brachyscome ciliaris var. ciliaris		0.00									0.00									
Brachyscome ciliaris var. lanuginosa		0.00									0.00									
Brachyscome ciliaris var. subintegrifolia		0.00									0.00									
Brachyscome cuneifolia		0.00									0.00									
Brachyscome debilis		0.00									0.00									
Brachyscome dichromosomatica var. dichromosomatica		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)
	% Eyre - IMCRA	% Eucla (IMCRA)																		
Brachyscome eriogona		0.00									0.00									
Brachyscome exilis		0.00									0.00									
Brachyscome goniocarpa		0.00									0.00									
Brachyscome iberidifolia		0.00									0.00									
Brachyscome lineariloba		0.00									0.00									
Brachyscome muelleri		0.00									0.00									
Brachyscome perpusilla		0.00									0.00									
Brachyscome tatei		0.00									0.00									
Brachyscome trachycarpa		0.00									0.00									
Brachyscome xanthocarpa		0.00									0.00									
Bromus arenarius		0.00									0.00									
Brunonia australis		0.00									0.00									
Bulbine alata		0.00									0.00									
Bulbine bulbosa		0.00									0.00									
Bulbine semibarbata		0.00									0.00									
Bulbostylis barbata		0.00									0.00									
Bulbostylis pyriformis		0.00									0.00									
Burchardia umbellata		0.00									0.00									
Bursaria spinosa ssp. spinosa		0.00									0.00									
Caesia calliantha		0.00									0.00									
Caladenia aurulenta																				
Caladenia bicallata ssp. bicallata		0.00									0.00									
Caladenia brumalis		0.00									0.00									
Caladenia capillata		0.00									0.00									
Caladenia cardiochila		0.00									0.00									
Caladenia carneae		0.00									0.00									
Caladenia clavula		0.00									0.00									
Caladenia fragrantissima ssp. fragrantissima																				
Caladenia fuscata		0.00									0.00									
Caladenia interanea																				
Caladenia latifolia		0.00									0.00									
Caladenia macroclavia		0.00									0.00									
Caladenia pusilla		0.00									0.00									
Caladenia septuosa		0.00									0.00									
Caladenia stricta		0.00									0.00									
Caladenia tensa		0.00									0.00									
Caladenia tentaculata		0.00									0.00									
Caladenia toxochila		0.00									0.00									
Caladenia verrucosa		0.00									0.00									
Caladenia zephyra																				
Calandrinia brevipedata		0.00									0.00									
Calandrinia calypttrata		0.00									0.00									
Calandrinia corrigioloides		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)
	% Eyre - IMCRA	% Eucla (IMCRA)																		
Calandrinia disperma		0.00									0.00									
Calandrinia eremaea		0.00									0.00									
Calandrinia granulifera		0.00									0.00									
Calandrinia polyandra var. polyandra		0.00									0.00									
Calandrinia ptychosperma		0.00									0.00									
Calandrinia pumila		0.00									0.00									
Calandrinia remota		0.00									0.00									
Calandrinia reticulata		0.00									0.00									
Calandrinia sphaerophylla		0.00									0.00									
Calandrinia volubilis		0.00									0.00									
Callistemon rugulosus		0.00									0.00									
Callitris canescens		0.00									0.00									
Callitris glaucophylla		0.00									0.00									
Callitris gracilis		0.00									0.00									
Callitris verrucosa		0.00									0.00									
Calocephalus citreus		0.00									0.00									
Calocephalus platycephalus		0.00									0.00									
Calochilus pruinosis		0.00									0.00									
Calotis breviradiata		0.00									0.00									
Calotis cymbacantha		0.00									0.00									
Calotis erinacea		0.00									0.00									
Calotis hispidula		0.00									0.00									
Calotis lappulacea		0.00									0.00									
Calotis latiuscula		0.00									0.00									
Calotis multicaulis		0.00									0.00									
Calotis plumulifera		0.00									0.00									
Calotis porphyroglossa		0.00									0.00									
Calotis scabiosifolia var. scabiosifolia																				
Calytrix gypsophila		0.00									0.00									
Calytrix involucrata		0.00									0.00									
Calytrix tetragona		0.00									0.00									
Cardamine tenuifolia		0.00									0.00									
Carex breviculmis		0.00									0.00									
Carex inversa var. major		0.00									0.00									
Carex tereticaulis		0.00									0.00									
Carpobrotus modestus		0.00									0.00									
Carpobrotus rossii		0.00									0.00									
Carpobrotus sp. Short calyx (S.T.Blake 20451)		0.00									0.00									
Cassinia arcuata		0.00									0.00									
Cassinia complanata		0.00									0.00									
Cassinia laevis		0.00									0.00									
Cassytha glabella forma dispar		0.00									0.00									
Cassytha melantha		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)
	% Eyre - IMCRA	% Eucla (IMCRA)																		
Cassutha peninsularis		0.00									0.00									
Cassutha pubescens		0.00									0.00									
Casuarina pauper		0.00									0.00									
Causis pentandra		0.00									0.00									
Centella asiatica		0.00									0.00									
Centipeda crateriformis ssp. compacta		0.00									0.00									
Centipeda crateriformis ssp. crateriformis		0.00									0.00									
Centipeda cunninghamii		0.00									0.00									
Centipeda thespidioides		0.00									0.00									
Centrolepis aristata		0.00									0.00									
Centrolepis cephaloformis ssp. cephaloformis		0.00									0.00									
Centrolepis cephaloformis ssp. murrayi		0.00									0.00									
Centrolepis eremica		0.00									0.00									
Centrolepis fascicularis		0.00									0.00									
Centrolepis glabra		0.00									0.00									
Centrolepis polygyna		0.00									0.00									
Centrolepis strigosa ssp. strigosa		0.00									0.00									
Cephalopterum drummondii		0.00									0.00									
Ceratogyne obionoides		0.00									0.00									
Chamaesilla corymbosa var. corymbosa		0.00									0.00									
Chamaesyce australis		0.00									0.00									
Chamaesyce centralis		0.00									0.00									
Chamaesyce drummondii		0.00									0.00									
Chamaesyce wheeleri		0.00									0.00									
Cheilanthes austrotenuifolia		0.00									0.00									
Cheilanthes distans		0.00									0.00									
Cheilanthes lasiophylla		0.00									0.00									
Cheilanthes sieberi ssp. pseudovellea		0.00									0.00									
Cheilanthes sieberi ssp. sieberi		0.00									0.00									
Cheiranthra alternifolia		0.00									0.00									
Chenopodium curvispicatum		0.00									0.00									
Chenopodium desertorum ssp. anidiophyllum		0.00									0.00									
Chenopodium desertorum ssp. desertorum		0.00									0.00									
Chenopodium desertorum ssp. microphyllum		0.00									0.00									
Chenopodium desertorum ssp. rectum		0.00									0.00									
Chenopodium gaudichaudianum		0.00									0.00									
Chenopodium nitriaraceum		0.00									0.00									
Chloris pectinata		0.00									0.00									
Chloris truncata		0.00									0.00									
Chondropyxis halophila		0.00									0.00									
Choretrum glomeratum var. chrysanthum		0.00									0.00									
Choretrum glomeratum var. glomeratum		0.00									0.00									
Chorizandra enodis		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)
	% Eyre	% IMCRA									% Eucla	% IMCRA								
Chrysocephalum apiculatum		0.00									0.00									
Chrysocephalum baxteri		0.00									0.00									
Chrysocephalum eremaeum		0.00									0.00									
Chrysocephalum pterochaetum		0.00									0.00									
Chrysocephalum semipapposum		0.00									0.00									
Chthonocephalus pseudevax		0.00									0.00									
Citrus glauca		0.00									0.00									
Cladium procerum		0.00									0.00									
Clematis microphylla var. microphylla		0.00									0.00									
Codonocarpus cotinifolius		0.00									0.00									
Comesperma calymega		0.00									0.00									
Comesperma polygaloides		0.00									0.00									
Comesperma scoparium		0.00									0.00									
Comesperma viscidulum		0.00									0.00									
Comesperma volubile		0.00									0.00									
Commersonia multioba		0.00									0.00									
Commersonia tatei		0.00									0.00									
Conospermum patens		0.00									0.00									
Convolvulus angustissimus ssp. angustissimus		0.00									0.00									
Convolvulus angustissimus ssp. peninsularum		0.00									0.00									
Convolvulus clementii		0.00									0.00									
Convolvulus crispifolius		0.00									0.00									
Convolvulus eyreanus		0.00									0.00									
Convolvulus microsepalus		0.00									0.00									
Convolvulus recurvatus ssp. nullarborensis		0.00									0.00									
Convolvulus recurvatus ssp. recurvatus		0.00									0.00									
Convolvulus remotus		0.00									0.00									
Cooperhooia strophiolata		0.00									0.00									
Correa backhouseana var. coriacea		0.00									0.00									
Correa pulchella		0.00									0.00									
Corunastylis nigricans																				
Corunastylis tepperi																				
Corybas despectans		0.00									0.00									
Corybas expansus																				
Corynotheca licrota		0.00									0.00									
Corynotheca micrantha var. divaricata		0.00									0.00									
Cotula australis		0.00									0.00									
Cotula vulgaris var. australasica		0.00									0.00									
Craspedia variabilis		0.00									0.00									
Crassula closiana		0.00									0.00									
Crassula colligata ssp. lamprosperma		0.00									0.00									
Crassula colorata var. acuminata		0.00									0.00									
Crassula colorata var. colorata		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)
	% Eyre - IMCRA	% Eucla (IMCRA)																		
Crassula decumbens var. decumbens		0.00									0.00									
Crassula exserta		0.00									0.00									
Crassula extrorsa		0.00									0.00									
Crassula peduncularis		0.00									0.00									
Crassula tetramera		0.00									0.00									
Cratystylis conocephala		0.00									0.00									
Cressa australis		0.00									0.00									
Crinum flaccidum		0.00									0.00									
Crotalaria eremaea ssp. eremaea		0.00									0.00									
Crotalaria eremaea ssp. strehlowii		0.00									0.00									
Cryptandra aridicola		0.00									0.00									
Cryptandra myriantha		0.00									0.00									
Cryptandra propinqua		0.00									0.00									
Cryptandra sp. Floriferous (W.R. Barker 4131)		0.00									0.00									
Cryptandra tomentosa		0.00									0.00									
Cullen australasicum		0.00									0.00									
Cullen cinereum		0.00									0.00									
Cullen discolor		0.00									0.00									
Cullen graveolens		0.00									0.00									
Cullen pallidum		0.00									0.00									
Cullen patens		0.00									0.00									
Cymbonotus preissianus		0.00									0.00									
Cymbopogon ambiguus		0.00									0.00									
Cymbopogon obtectus		0.00									0.00									
Cynanchum floribundum		0.00									0.00									
Cynoglossum australe		0.00									0.00									
Cynoglossum suaveolens		0.00									0.00									
Cyperus alterniflorus		0.00									0.00									
Cyperus bulbosus		0.00									0.00									
Cyperus difformis		0.00									0.00									
Cyperus gilesii		0.00									0.00									
Cyperus gymnocalulos		0.00									0.00									
Cyperus iria		0.00									0.00									
Cyperus laevigatus		0.00									0.00									
Cyperus pygmaeus		0.00									0.00									
Cyperus rigidellus		0.00									0.00									
Cyperus squarrosus		0.00									0.00									
Cyperus victoriensis		0.00									0.00									
Cyphanthera myosotidea		0.00									0.00									
Cyrtostylis reniformis		0.00									0.00									
Cyrtostylis robusta		0.00									0.00									
Dactyloctenium radulans		0.00									0.00									
Damasonium minus		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)
	% Eyre - IMCRA	% Eucla (IMCRA)																		
Dampiera dysantha		0.00									0.00									
Dampiera lanceolata var. lanceolata		0.00									0.00									
Dampiera ramosa		0.00									0.00									
Dampiera rosmarinifolia		0.00									0.00									
Darwinia salina		0.00									0.00									
Daucus glochidiatus		0.00									0.00									
Daviesia arenaria		0.00									0.00									
Daviesia asperula ssp. asperula		0.00									0.00									
Daviesia asperula ssp. obliqua		0.00									0.00									
Daviesia benthamii ssp. acanthoclona		0.00									0.00									
Daviesia benthamii ssp. humilis		0.00									0.00									
Daviesia brevifolia		0.00									0.00									
Daviesia pectinata		0.00									0.00									
Daviesia ulicifolia ssp. aridicola		0.00									0.00									
Desmodcladus diacolpicus		0.00									0.00									
Deyeuxia quadriseta		0.00									0.00									
Dianella brevicaulis		0.00									0.00									
Dianella revoluta var. divaricata		0.00									0.00									
Dianella revoluta var. revoluta		0.00									0.00									
Dichanthium sericeum ssp. humilius		0.00									0.00									
Dichanthium sericeum ssp. sericeum		0.00									0.00									
Dichelachne crinita		0.00									0.00									
Dichondra repens		0.00									0.00									
Dicrastylis beveridgei var. beveridgei		0.00									0.00									
Dicrastylis beveridgei var. lanata		0.00									0.00									
Dicrastylis lewellinii		0.00									0.00									
Dicrastylis verticillata		0.00									0.00									
Digitaria ammophila		0.00									0.00									
Digitaria brownii		0.00									0.00									
Digitaria coenicola		0.00									0.00									
Dillwynia hispida		0.00									0.00									
Dillwynia sericea		0.00									0.00									
Dillwynia uncinata		0.00									0.00									
Dimorphocoma minutula		0.00									0.00									
Disphyma crassifolium ssp. clavellatum		0.00									0.00									
Dissocarpus biflorus var. biflorus		0.00									0.00									
Dissocarpus biflorus var. villosus		0.00									0.00									
Dissocarpus fontinalis		0.00									0.00									
Dissocarpus latifolius		0.00									0.00									
Dissocarpus paradoxus		0.00									0.00									
Distichlis distichophylla		0.00									0.00									
Diuris behrii		0.00									0.00									
Diuris orientis		0.00									0.00									
Diuris palustris		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)
	% Eyre - IMCRA	% Eucla (IMCRA)																		
Diuris pardina		0.00									0.00									
Dodonaea baueri		0.00									0.00									
Dodonaea bursarifolia		0.00									0.00									
Dodonaea hexandra		0.00									0.00									
Dodonaea humilis		0.00									0.00									
Dodonaea intricata		0.00									0.00									
Dodonaea lobulata		0.00									0.00									
Dodonaea microzyga var. microzyga		0.00									0.00									
Dodonaea procumbens		0.00									0.00									
Dodonaea stenozyga		0.00									0.00									
Dodonaea tepperi		0.00									0.00									
Dodonaea viscosa ssp. angustissima		0.00									0.00									
Dodonaea viscosa ssp. cuneata		0.00									0.00									
Dodonaea viscosa ssp. spatulata		0.00									0.00									
Drosera auriculata		0.00									0.00									
Drosera glanduligera		0.00									0.00									
Drosera macrantha ssp. planchonii		0.00									0.00									
Drosera peltata		0.00									0.00									
Drosera pygmaea		0.00									0.00									
Drosera sp. Rigid. (R.J.Bates 2268)		0.00									0.00									
Duboisia hopwoodii		0.00									0.00									
Dysphania cristata		0.00									0.00									
Dysphania glomulifera ssp. eremaea		0.00									0.00									
Dysphania glomulifera ssp. glomulifera		0.00									0.00									
Dysphania melanocarpa forma melanocarpa		0.00									0.00									
Dysphania plantaginella		0.00									0.00									
Dysphania pumilio		0.00									0.00									
Dysphania rhadinostachya ssp. rhadinostachya		0.00									0.00									
Dysphania simulans		0.00									0.00									
Dysphania truncata		0.00									0.00									
Einadia nutans ssp. eremaea		0.00									0.00									
Einadia nutans ssp. nutans		0.00									0.00									
Einadia nutans ssp. oxycarpa		0.00									0.00									
Einadia polygonoides		0.00									0.00									
Elachanthus glaber		0.00									0.00									
Elachanthus pusillus		0.00									0.00									
Elatine gratioloides		0.00									0.00									
Eleocharis acuta		0.00									0.00									
Eleocharis pallens		0.00									0.00									
Eleocharis pusilla		0.00									0.00									
Elymus scaber var. scaber		0.00									0.00									
Embadium stagnense		0.00									0.00									
Embadium uncinatum		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)		
	% Eyre - IMCRA	% Eucla (IMCRA)																				
Enchylaena tomentosa var. tomentosa		0.00									0.00											
Enneapogon avenaceus		0.00									0.00											
Enneapogon caeruleascens var. caeruleascens		0.00									0.00											
Enneapogon cylindricus		0.00									0.00											
Enneapogon intermedius		0.00									0.00											
Enneapogon nigricans		0.00									0.00											
Enneapogon polyphyllus		0.00									0.00											
Enneapogon robustissimus		0.00									0.00											
Enteropogon acicularis		0.00									0.00											
Enteropogon ramosus		0.00									0.00											
Epaltes australis		0.00									0.00											
Epilobium billardierianum ssp. billardierianum		0.00									0.00											
Eragrostis australasica		0.00									0.00											
Eragrostis basedowii		0.00									0.00											
Eragrostis dielsii var. dielsii		0.00									0.00											
Eragrostis eriopoda		0.00									0.00											
Eragrostis falcata		0.00									0.00											
Eragrostis kennedyae		0.00									0.00											
Eragrostis lacunaria		0.00									0.00											
Eragrostis laniflora		0.00									0.00											
Eragrostis lanipes		0.00									0.00											
Eragrostis leptocarpa		0.00									0.00											
Eragrostis parviflora		0.00									0.00											
Eragrostis pergracilis		0.00									0.00											
Eragrostis setifolia		0.00									0.00											
Eragrostis xerophila		0.00									0.00											
Eremophea spinosa		0.00									0.00											
Eremophila alternifolia		0.00									0.00											
Eremophila arachnoides ssp. tenera		0.00									0.00											
Eremophila arenaria		0.00									0.00											
Eremophila barbata		0.00									0.00											
Eremophila battii		0.00									0.00											
Eremophila behriana		0.00									0.00											
Eremophila clarkei		0.00									0.00											
Eremophila crassifolia		0.00									0.00											
Eremophila decipiens ssp. decipiens		0.00									0.00											
Eremophila delisseri		0.00									0.00											
Eremophila deserti		0.00									0.00											
Eremophila duttonii		0.00									0.00											
Eremophila freelingii		0.00									0.00											
Eremophila gibbifolia		0.00									0.00											
Eremophila gibsonii		0.00									0.00											
Eremophila gilesii		0.00									0.00											

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records	% Eyre - IMCRA	Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucalia (IMCRA) Records	% Eucalia (IMCRA)	Proposed IUCN Status & Criteria (Eucalia - IMCRA)	Proposed Regional IUCN Status (Eucalia - IMCRA)	Proposed Regional IUCN Status (Eucalia - IMCRA)	Trends (-, 0, +, ++) Eucalia - IMCRA	Trends (-, 0, +, ++) Eucalia - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucalia - IMCRA)
Eremophila glabra ssp. glabra		0.00									0.00									
Eremophila hillii		0.00									0.00									
Eremophila latrobei ssp. glabra		0.00									0.00									
Eremophila latrobei ssp. latrobei		0.00									0.00									
Eremophila longifolia		0.00									0.00									
Eremophila maculata ssp. brevifolia		0.00									0.00									
Eremophila maculata ssp. maculata		0.00									0.00									
Eremophila neglecta		0.00									0.00									
Eremophila oppositifolia ssp. angustifolia		0.00									0.00									
Eremophila oppositifolia ssp. oppositifolia		0.00									0.00									
Eremophila paisleyi ssp. paisleyi		0.00									0.00									
Eremophila parvifolia		0.00									0.00									
Eremophila platythamos ssp. exotrichys		0.00									0.00									
Eremophila platythamos ssp. platythamos		0.00									0.00									
Eremophila platythamos ssp. Villous (A.C. Robinson NP)		0.00									0.00									
Eremophila rotundifolia		0.00									0.00									
Eremophila scoparia		0.00									0.00									
Eremophila serrulata		0.00									0.00									
Eremophila sp. Decussate (R.J.Chinock 7735)		0.00									0.00									
Eremophila sp. Dendritica (W.S.Reid AD98581189)		0.00									0.00									
Eremophila sp. Fallax (D.E.Symon 12311)		0.00									0.00									
Eremophila sp. Hygrophana (P.J.Lang B894-2828)		0.00									0.00									
Eremophila sp. Praecox (R.H.Ashby 131)		0.00									0.00									
Eremophila sturtii		0.00									0.00									
Eremophila subfloccosa ssp. Lanata (R.Bates 33587)		0.00									0.00									
Eremophila verrucosa ssp. brevistellata		0.00									0.00									
Eremophila verrucosa ssp. verrucosa		0.00									0.00									
Eremophila weldii		0.00									0.00									
Eremophila willsii var. integrifolia		0.00									0.00									
Eriachne aristidea		0.00									0.00									
Eriachne helmsii		0.00									0.00									
Eriachne mucronata		0.00									0.00									
Eriachne ovata		0.00									0.00									
Eriochilus cucullatus		0.00									0.00									
Eriochiton sclerolaenoides		0.00									0.00									
Eriochlamys behrii		0.00									0.00									
Eriochlamys eremaea		0.00									0.00									
Eriochloa australiensis		0.00									0.00									
Eriochloa crebra		0.00									0.00									
Eriochloa pseudoacrotricha		0.00									0.00									
Erodiochloa eldieri		0.00									0.00									
Erodium carolinianum		0.00									0.00									
Erodium crinitum		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)
	% Eyre - IMCRA	% Eucla (IMCRA)																		
Erodium cygnorum		0.00									0.00									
Erodium janszii		0.00									0.00									
Erodium sp. Blesing (J.R.Wheeler 471)		0.00									0.00									
Erymophyllum ramosum ssp. ramosum		0.00									0.00									
Eucalyptus alboburpurea		0.00									0.00									
Eucalyptus angulosa		0.00									0.00									
Eucalyptus behriana		0.00									0.00									
Eucalyptus brachycalyx		0.00									0.00									
Eucalyptus calcareana		0.00									0.00									
Eucalyptus calycogona ssp. calycogona		0.00									0.00									
Eucalyptus calycogona ssp. spaffordii		0.00									0.00									
Eucalyptus camaldulensis var. camaldulensis		0.00									0.00									
Eucalyptus camaldulensis var. obtusa		0.00									0.00									
Eucalyptus canescens ssp. beadelii		0.00									0.00									
Eucalyptus canescens ssp. canescens		0.00									0.00									
Eucalyptus ceratocorys		0.00									0.00									
Eucalyptus cladocalyx		0.00									0.00									
Eucalyptus concinna		0.00									0.00									
Eucalyptus conglobata ssp. conglobata		0.00									0.00									
Eucalyptus cretata		0.00									0.00									
Eucalyptus diversifolia ssp. diversifolia		0.00									0.00									
Eucalyptus diversifolia ssp. hesperia		0.00									0.00									
Eucalyptus dumosa		0.00									0.00									
Eucalyptus eremicola		0.00									0.00									
Eucalyptus eucentrica		0.00									0.00									
Eucalyptus glomerosa		0.00									0.00									
Eucalyptus gongylocarpa		0.00									0.00									
Eucalyptus gracilis		0.00									0.00									
Eucalyptus gypsophila		0.00									0.00									
Eucalyptus incrassata		0.00									0.00									
Eucalyptus intertexta		0.00									0.00									
Eucalyptus kingsmillii ssp. alatissima		0.00									0.00									
Eucalyptus lansdowneana		0.00									0.00									
Eucalyptus leptophylla		0.00									0.00									
Eucalyptus mannensis ssp. mannensis		0.00									0.00									
Eucalyptus odorata		0.00									0.00									
Eucalyptus oleosa ssp. ampliata		0.00									0.00									
Eucalyptus oleosa ssp. oleosa		0.00									0.00									
Eucalyptus oxymitra		0.00									0.00									
Eucalyptus peeneri		0.00									0.00									
Eucalyptus peninsularis		0.00									0.00									
Eucalyptus petiolaris		0.00									0.00									
Eucalyptus phenax ssp. phenax		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records	% Eyre - IMCRA	Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucua (IMCRA) Records	% Eucua (IMCRA)	Proposed IUCN Status & Criteria (Eucua - IMCRA)	Proposed Regional IUCN Status (Eucua - IMCRA)	Proposed Regional IUCN Status (Eucua - IMCRA)	Trends (-, 0, +, ++) Eucua - IMCRA	Trends (-, 0, +, ++) Eucua - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucua - IMCRA)
Eucalyptus pileata		0.00									0.00									
Eucalyptus pimpiniana		0.00									0.00									
Eucalyptus porosa		0.00									0.00									
Eucalyptus rugosa		0.00									0.00									
Eucalyptus socialis ssp. Glossy green (P.J.Lang 804)		0.00									0.00									
Eucalyptus socialis ssp. socialis		0.00									0.00									
Eucalyptus socialis ssp. South Great Victoria Desert (D.N)		0.00									0.00									
Eucalyptus trivalvis		0.00									0.00									
Eucalyptus viminalis ssp. cygnetensis		0.00									0.00									
Eucalyptus vokesensis		0.00									0.00									
Eucalyptus wyolensis		0.00									0.00									
Eucalyptus yalataensis		0.00									0.00									
Eucalyptus youngiana		0.00									0.00									
Eucalyptus yumbarrana ssp. yumbarrana		0.00									0.00									
Euchiton collinus		0.00									0.00									
Euchiton sphaericus		0.00									0.00									
Eulalia aurea		0.00									0.00									
Euphorbia parvicaruncula		0.00									0.00									
Euphorbia stevenii		0.00									0.00									
Euphorbia tannensis ssp. eremophila		0.00									0.00									
Euphrasia collina ssp. tetragona		0.00									0.00									
Eutaxia diffusa		0.00									0.00									
Eutaxia microphylla		0.00									0.00									
Evolvulus alsinoides var. villosicalyx		0.00									0.00									
Exocarpos aphyllus		0.00									0.00									
Exocarpos cupressiformis		0.00									0.00									
Exocarpos sparteus		0.00									0.00									
Exocarpos syrticola		0.00									0.00									
Ficinia nodosa		0.00									0.00									
Fimbristylis dichotoma		0.00									0.00									
Flaveria australasica		0.00									0.00									
Frankenia cinerea		0.00									0.00									
Frankenia crispa		0.00									0.00									
Frankenia cupularis		0.00									0.00									
Frankenia foliosa		0.00									0.00									
Frankenia pauciflora var. fruticulosa		0.00									0.00									
Frankenia pauciflora var. gunnii		0.00									0.00									
Frankenia plicata		0.00									0.00									
Frankenia serpyllifolia		0.00									0.00									
Frankenia sessilis		0.00									0.00									
Gahnia ancistrophylla		0.00									0.00									
Gahnia deusta		0.00									0.00									
Gahnia filum		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Euclia (IMCRA) Records		Proposed IUCN Status & Criteria (Euclia - IMCRA)	Proposed Regional IUCN Status (Euclia - IMCRA)	Proposed Regional IUCN Status (Euclia - IMCRA)	Trends (-, 0, +, ++) Euclia - IMCRA	Trends (-, 0, +, ++) Euclia - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Euclia - IMCRA)
	% Eyre - IMCRA	% Euclia (IMCRA)																		
Gahnia lanigera		0.00									0.00									
Gahnia trifida		0.00									0.00									
Galium compactum		0.00									0.00									
Galium gaudichaudii		0.00									0.00									
Galium migrans		0.00									0.00									
Geijera linearifolia		0.00									0.00									
Genoplesium nigricans		0.00									0.00									
Genoplesium rufum		0.00									0.00									
Geococcus pusillus		0.00									0.00									
Geranium potentilloides var. potentilloides		0.00									0.00									
Geranium retrorsum		0.00									0.00									
Geranium solanderi var. solanderi		0.00									0.00									
Gilesia biniiflora		0.00									0.00									
Glinus lotoides		0.00									0.00									
Glischrocaryon aureum var. angustifolium		0.00									0.00									
Glischrocaryon behrii		0.00									0.00									
Glischrocaryon flavescens		0.00									0.00									
Glossocardia bidens		0.00									0.00									
Glossodia major		0.00									0.00									
Glossostigma cleistanthum		0.00									0.00									
Glossostigma diandrum		0.00									0.00									
Glossostigma drummondii		0.00									0.00									
Glycine canescens		0.00									0.00									
Glycine rubiginosa		0.00									0.00									
Gnaphalium indutum		0.00									0.00									
Gnephosis arachnoidea		0.00									0.00									
Gnephosis drummondii		0.00									0.00									
Gnephosis tenuissima		0.00									0.00									
Gompholobium ecostatum		0.00									0.00									
Gonocarpus elatus		0.00									0.00									
Gonocarpus mezeianus		0.00									0.00									
Goodenia albiflora		0.00									0.00									
Goodenia benthamiana		0.00									0.00									
Goodenia berardiana		0.00									0.00									
Goodenia blackiana		0.00									0.00									
Goodenia calcarata		0.00									0.00									
Goodenia centralis		0.00									0.00									
Goodenia cycloptera		0.00									0.00									
Goodenia fascicularis		0.00									0.00									
Goodenia geniculata		0.00									0.00									
Goodenia gibbosa		0.00									0.00									
Goodenia glabra		0.00									0.00									
Goodenia glandulosa		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)
	% Eyre - IMCRA	% Eucla (IMCRA)																		
Goodenia gypsicola		0.00									0.00									
Goodenia havilandii		0.00									0.00									
Goodenia heterochila		0.00									0.00									
Goodenia larapinta		0.00									0.00									
Goodenia lobata		0.00									0.00									
Goodenia lunata		0.00									0.00									
Goodenia modesta		0.00									0.00									
Goodenia occidentalis		0.00									0.00									
Goodenia ovata		0.00									0.00									
Goodenia pinnatifida		0.00									0.00									
Goodenia pusilliflora		0.00									0.00									
Goodenia quaslibera		0.00									0.00									
Goodenia robusta		0.00									0.00									
Goodenia varia		0.00									0.00									
Goodenia vernicosa		0.00									0.00									
Goodenia willisiana		0.00									0.00									
Goodenia xanthosperma		0.00									0.00									
Goodia medicaginea		0.00									0.00									
Gossypium sturtianum var. sturtianum		0.00									0.00									
Grammosolen dixonii		0.00									0.00									
Grammosolen truncatus		0.00									0.00									
Gratwickia monochaeta		0.00									0.00									
Grevillea albiflora		0.00									0.00									
Grevillea anethifolia		0.00									0.00									
Grevillea aspera		0.00									0.00									
Grevillea dilatata		0.00									0.00									
Grevillea halmaturina ssp. laevis		0.00									0.00									
Grevillea huegelii		0.00									0.00									
Grevillea ilicifolia ssp. ilicifolia		0.00									0.00									
Grevillea juncifolia ssp. juncifolia		0.00									0.00									
Grevillea nematophylla ssp. nematophylla		0.00									0.00									
Grevillea nematophylla ssp. supraplana		0.00									0.00									
Grevillea parallelinervis		0.00									0.00									
Grevillea pauciflora ssp. leptophylla		0.00									0.00									
Grevillea pauciflora ssp. pauciflora		0.00									0.00									
Grevillea pterosperma		0.00									0.00									
Grevillea sarissa ssp. umbellifera		0.00									0.00									
Grevillea stenobotrya		0.00									0.00									
Grevillea treueriana		0.00									0.00									
Gunniopsis calcarea		0.00									0.00									
Gunniopsis calva		0.00									0.00									
Gunniopsis papillata		0.00									0.00									
Gunniopsis quadrifida		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)		Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Euclia (IMCRA) Records		Proposed IUCN Status & Criteria (Euclia - IMCRA)	Proposed Regional IUCN Status (Euclia - IMCRA)		Trends (-, 0, +, ++) Euclia - IMCRA	Trends (-, 0, +, ++) Euclia - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Euclia - IMCRA)
	% Eyre - IMCRA			Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Euclia - IMCRA)						% Euclia (IMCRA)									
Gunniopsis septifraga	0.00										0.00									
Gunniopsis zygophylloides	0.00										0.00									
Gyrostemon australasicus	0.00										0.00									
Gyrostemon ramulosus	0.00										0.00									
Gyrostemon tepperi	0.00										0.00									
Gyrostemon thesioides	0.00										0.00									
Haeckeria cassiniiformis	0.00										0.00									
Haeckeria punctulata	0.00										0.00									
Haegiela tatei	0.00										0.00									
Hakea cycloptera	0.00										0.00									
Hakea francisiana	0.00										0.00									
Hakea leucoptera ssp. leucoptera	0.00										0.00									
Hakea lorea ssp. lorea	0.00										0.00									
Hakea mitchellii	0.00										0.00									
Hakea rugosa	0.00										0.00									
Hakea vittata	0.00										0.00									
Halgania andromedifolia	0.00										0.00									
Halgania cyanea	0.00										0.00									
Halophila australis	0.00	LC		LC	1	0	0.3			No records but occurs here	0.00	LC		LC	1	0	0.3			No records but occurs here
Haloragis acutangula forma acutangula	0.00										0.00									
Haloragis acutangula forma annulata	0.00										0.00									
Haloragis acutangula forma dentata	0.00										0.00									
Haloragis acutangula forma inflata	0.00										0.00									
Haloragis acutangula forma obturbinata	0.00										0.00									
Haloragis acutangula forma pyramidata	0.00										0.00									
Haloragis acutangula forma semiangulata	0.00										0.00									
Haloragis acutangula forma stellata	0.00										0.00									
Haloragis acutangula forma subacutangula	0.00										0.00									
Haloragis acutangula forma tetraglebosa	0.00										0.00									
Haloragis acutangula forma tetraptera	0.00										0.00									
Haloragis acutangula forma turbinata	0.00										0.00									
Haloragis aspera	0.00										0.00									
Haloragis eyreana	0.00										0.00									
Haloragis glauca forma glauca	0.00										0.00									
Haloragis gossei	0.00										0.00									
Haloragis odontocarpa forma pterocarpa	0.00										0.00									
Haloragis odontocarpa forma rugosa	0.00										0.00									
Haloragis uncatipila	0.00										0.00									
Hannafordia bissillii ssp. bissillii	0.00										0.00									
Hardenbergia violacea	0.00										0.00									
Harmsiodoxa blennodioides	0.00										0.00									
Harmsiodoxa brevipes var. brevipes	0.00										0.00									
Harmsiodoxa brevipes var. major	0.00										0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)
	% Eyre - IMCRA	% Eucla (IMCRA)																		
Harmsiodoxa puberula		0.00									0.00									
Helichrysum leucopsidium		0.00									0.00									
Heliotropium aspernum		0.00									0.00									
Heliotropium europaeum		0.00									0.00									
Hemichroa diandra		0.00									0.00									
Hemichroa pentandra		0.00									0.00									
Hibbertia cinerea		0.00									0.00									
Hibbertia crinita		0.00									0.00									
Hibbertia crispula		0.00									0.00									
Hibbertia paeninsularis		0.00									0.00									
Hibbertia platyphylla ssp. major		0.00									0.00									
Hibbertia platyphylla ssp. platyphylla		0.00									0.00									
Hibbertia riparia		0.00									0.00									
Hibbertia sp. Glabruscula (D.J.Whibley 9012)		0.00									0.00									
Hibbertia virgata		0.00									0.00									
Hibiscus brachysiphonius		0.00									0.00									
Hibiscus krichauffianus		0.00									0.00									
Hibiscus solanifolius		0.00									0.00									
Hibiscus sturtii var. grandiflorus		0.00									0.00									
Hibiscus sturtii var. muelleri		0.00									0.00									
Homoranthus homoranthoides		0									0.00									
Homoranthus wilhelmii		0.00									0.00									
Hyalosperma demissum		0.00									0.00									
Hyalosperma glutinosum ssp. glutinosum		0.00									0.00									
Hyalosperma semisterile		0.00									0.00									
Hybanthus floribundus ssp. floribundus		0.00									0.00									
Hybanthus monopetalus		0.00									0.00									
Hydrocotyle callicarpa		0.00									0.00									
Hydrocotyle capillaris		0.00									0.00									
Hydrocotyle comocarpa		0.00									0.00									
Hydrocotyle foveolata		0.00									0.00									
Hydrocotyle laxiflora		0.00									0.00									
Hydrocotyle medicaginooides		0.00									0.00									
Hydrocotyle pilifera var. glabrata		0.00									0.00									
Hydrocotyle rugulosa		0.00									0.00									
Hydrocotyle trachycarpa		0.00									0.00									
Hypericum gramineum		0.00									0.00									
Hypolaena fastigiata		0.00									0.00									
Hypoxis glabella var. glabella		0.00									0.00									
Hypoxis vaginata var. vaginata		0.00									0.00									
Imperata cylindrica		0.00									0.00									
Indigofera australis var. australis		0.00									0.00									
Indigofera georgei		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)
	% Eyre - IMCRA	% Eucla (IMCRA)																		
Indigofera helmsii		0.00									0.00									
Indigofera psammophila		0.00									0.00									
Iseilema eremaeum		0.00									0.00									
Iseilema membranaceum		0.00									0.00									
Isoetes muelleri		0.00									0.00									
Isoetopsis graminifolia		0.00									0.00									
Isolepis australiensis		0.00									0.00									
Isolepis cernua		0.00									0.00									
Isolepis congrua		0.00									0.00									
Isolepis fluitans		0.00									0.00									
Isolepis hookeriana		0.00									0.00									
Isolepis inundata		0.00									0.00									
Isolepis platycarpa		0.00									0.00									
Isolepis stellata		0.00									0.00									
Isotoma petraea		0.00									0.00									
Isotoma scapigera		0.00									0.00									
Ixiochlamys cuneifolia		0.00									0.00									
Ixiochlamys filicifolia		0.00									0.00									
Ixiochlamys nana		0.00									0.00									
Ixodia achillaeoides ssp. achillaeoides		0.00									0.00									
Ixodia achillaeoides ssp. alata		0.00									0.00									
Jasminum didymum ssp. lineare		0.00									0.00									
Juncus aridicola		0.00									0.00									
Juncus bufonius		0.00									0.00									
Juncus kraussii		0.00									0.00									
Juncus pallidus		0.00									0.00									
Juncus radula		0.00									0.00									
Juncus subsecundus		0.00									0.00									
Kennedia prostrata		0.00									0.00									
Keraudrenia nephrosperma		0.00									0.00									
Keraudrenia sp. North West (J.Z.Weber 6475)		0.00									0.00									
Kippistia suaedifolia		0.00									0.00									
Korthalsella japonica forma japonica		0.00									0.00									
Lachnagrostis aemula		0.00									0.00									
Lachnagrostis billardierei ssp. billardierei		0.00									0.00									
Lachnagrostis filiformis		0.00									0.00									
Lagenophora huegelii		0.00									0.00									
Lasiopetalum baueri		0.00									0.00									
Lasiopetalum behrii		0.00									0.00									
Lasiopetalum discolor		0.00									0.00									
Lasiopetalum schulzenii		0.00									0.00									
Lawrencella davenportii		0.00									0.00									
Lawrenca berthae		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)
	% Eyre - IMCRA	% Eucla (IMCRA)																		
Lawrenzia glomerata	0.00										0.00									
Lawrenzia spicata	0.00										0.00									
Lawrenzia squamata	0.00										0.00									
Laxmannia orientalis	0.00										0.00									
Lechenaultia aphylla	0.00										0.00									
Lechenaultia divaricata	0.00										0.00									
Lechenaultia striata	0.00										0.00									
Leiocarpa leptolepis	0.00										0.00									
Leiocarpa plurisetata	0.00										0.00									
Leiocarpa semicalva ssp. semicalva	0.00										0.00									
Leiocarpa supina	0.00										0.00									
Leiocarpa tomentosa	0.00										0.00									
Leiocarpa websteri	0.00										0.00									
Lemna dispema	0.00										0.00									
Lemnooria burkittii	0.00										0.00									
Lepidium fasciculatum	0.00										0.00									
Lepidium foliosum	0.00										0.00									
Lepidium leptopetalum	0.00										0.00									
Lepidium muelleri-ferdinandi	0.00										0.00									
Lepidium oxytrichum	0.00										0.00									
Lepidium papillosum	0.00										0.00									
Lepidium phlebopetalum	0.00										0.00									
Lepidium pseudoruderale	0.00										0.00									
Lepidium rotundum	0.00										0.00									
Lepidium sagittulatum	0.00										0.00									
Lepidosperma canescens	0.00										0.00									
Lepidosperma carphoides	0.00										0.00									
Lepidosperma concavum	0.00										0.00									
Lepidosperma congestum	0.00										0.00									
Lepidosperma curtisiae	0.00										0.00									
Lepidosperma gladiatum	0.00										0.00									
Lepidosperma leptophyllum	0.00										0.00									
Lepidosperma sp. Narrow leaf (R.L.Taplin 709)	0.00										0.00									
Lepidosperma viscidum	0.00										0.00									
Lepilaena australis	0.00										0.00									
Lepilaena cylindrocarpa	0.00										0.00									
Lepilaena marina	0.00										0.00									
Lepilaena preissii	0.00										0.00									
Leporella fimbriata	0.00										0.00									
Leptoceras menziesii	0.00										0.00									
Leptomeria aphylla	0.00										0.00									
Leptomeria preissiana	0.00										0.00									
Leptorhynchos baileyi	0.00										0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)
	% Eyre - IMCRA	% Eucla (IMCRA)																		
Leptorhynchos elongatus		0.00									0.00									
Leptorhynchos melanocarpus		0.00									0.00									
Leptorhynchos scaber		0.00									0.00									
Leptorhynchos squamatus ssp. squamatus		0.00									0.00									
Leptorhynchos tetrachaetus		0.00									0.00									
Leptorhynchos waitzia		0.00									0.00									
Leptospermum coriaceum		0.00									0.00									
Leptospermum fastigiatum		0.00									0.00									
Leucochrysum fitzibbonii		0.00									0.00									
Leucochrysum melle		0.00									0.00									
Leucochrysum stipitatum		0.00									0.00									
Leucophyta brownii		0.00									0.00									
Leucopogon clelandii		0.00									0.00									
Leucopogon cordifolius		0.00									0.00									
Leucopogon parviflorus		0.00									0.00									
Leucopogon revolutus		0.00									0.00									
Leucopogon rufus		0.00									0.00									
Leucopogon woodsii		0.00									0.00									
Levenhookia dubia		0.00									0.00									
Levenhookia stipitata		0.00									0.00									
Lilaeopsis polyantha		0.00									0.00									
Limosella australis		0.00									0.00									
Limosella curdieana var. curdieana		0.00									0.00									
Limosella curdieana var. Long-pedicelled (W.R.Barker 38		0.00									0.00									
Limosella granitica		0.00									0.00									
Linum marginale		0.00									0.00									
Lissanthe strigosa ssp. subulata		0.00									0.00									
Lobelia anceps		0.00									0.00									
Lobelia gibbosa		0.00									0.00									
Lobelia heterophylla		0.00									0.00									
Logania crassifolia		0.00									0.00									
Logania linifolia		0.00									0.00									
Logania minor		0.00									0.00									
Logania nuda		0.00									0.00									
Logania ovata		0.00									0.00									
Lomandra collina		0.00									0.00									
Lomandra effusa		0.00									0.00									
Lomandra juncea		0.00									0.00									
Lomandra leucocephala ssp. robusta		0.00									0.00									
Lomandra micrantha ssp. micrantha		0.00									0.00									
Lomandra micrantha ssp. tuberculata		0.00									0.00									
Lomandra sororia		0.00									0.00									
Lotus australis		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Euclia (IMCRA) Records		Proposed IUCN Status & Criteria (Euclia - IMCRA)	Proposed Regional IUCN Status (Euclia - IMCRA)	Proposed Regional IUCN Status (Euclia - IMCRA)	Trends (-, 0, +, ++) Euclia - IMCRA	Trends (-, 0, +, ++) Euclia - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Euclia - IMCRA)
	% Eyre - IMCRA	% Euclia (IMCRA)																		
Lotus cruentus		0.00									0.00									
Luzula densiflora		0.00									0.00									
Luzula meridionalis		0.00									0.00									
Lycium australe		0.00									0.00									
Lysiana exocarpi ssp. exocarpi		0.00									0.00									
Lysiana murrayi		0.00									0.00									
Lythrum hyssopifolia		0.00									0.00									
Lythrum wilsonii		0.00									0.00									
Maireana aphylla		0.00									0.00									
Maireana appressa		0.00									0.00									
Maireana astrotricha		0.00									0.00									
Maireana brevifolia		0.00									0.00									
Maireana campanulata		0.00									0.00									
Maireana cannonii		0.00									0.00									
Maireana carnososa		0.00									0.00									
Maireana ciliata		0.00									0.00									
Maireana coronata		0.00									0.00									
Maireana enchylaenoides		0.00									0.00									
Maireana eriantha		0.00									0.00									
Maireana erioclada		0.00									0.00									
Maireana georgei		0.00									0.00									
Maireana integra		0.00									0.00									
Maireana lobiflora		0.00									0.00									
Maireana melanocarpa		0.00									0.00									
Maireana microcarpa		0.00									0.00									
Maireana oppositifolia		0.00									0.00									
Maireana ovata		0.00									0.00									
Maireana pentatropis		0.00									0.00									
Maireana planifolia		0.00									0.00									
Maireana pyramidata		0.00									0.00									
Maireana radiata		0.00									0.00									
Maireana rohlfachii		0.00									0.00									
Maireana schistocarpa		0.00									0.00									
Maireana scleroptera		0.00									0.00									
Maireana sedifolia		0.00									0.00									
Maireana spongiocarpa		0.00									0.00									
Maireana suaedifolia		0.00									0.00									
Maireana tomentosa ssp. urceolata		0.00									0.00									
Maireana trichoptera		0.00									0.00									
Maireana triptera		0.00									0.00									
Maireana turbinata		0.00									0.00									
Maireana villosa		0.00									0.00									
Malacocera albolanata		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)	
	% Eyre - IMCRA	% Eucla (IMCRA)																			
Malacocera gracilis		0.00									0.00										
Malacocera tricornis		0.00									0.00										
Malva preissiana		0.00									0.00										
Malvastrum americanum var. americanum		0.00									0.00										
Marsdenia australis		0.00									0.00										
Marsilea costulifera		0.00									0.00										
Marsilea drummondii		0.00									0.00										
Marsilea exarata		0.00									0.00										
Marsilea hirsuta		0.00									0.00										
Melaleuca acuminata ssp. acuminata		0.00									0.00										
Melaleuca armillaris ssp. akineta		0.00									0.00										
Melaleuca brevifolia		0.00									0.00										
Melaleuca decussata		0.00									0.00										
Melaleuca eleuterostachya		0.00									0.00										
Melaleuca gibbosa		0.00									0.00										
Melaleuca glomerata		0.00									0.00										
Melaleuca halmaturorum		0.00									0.00										
Melaleuca interioris		0.00									0.00										
Melaleuca lanceolata		0.00									0.00										
Melaleuca leiocarpa		0.00									0.00										
Melaleuca nanophylla		0.00									0.00										
Melaleuca oxyphylla		0.00									0.00										
Melaleuca pauperiflora ssp. mutica		0.00									0.00										
Melaleuca quadriflora		0.00									0.00										
Melaleuca uncinata		0.00									0.00										
Melaleuca xerophila		0.00									0.00										
Menkea australis		0.00									0.00										
Menkea crassa		0.00									0.00										
Menkea sphaerocarpa		0.00									0.00										
Menkea villosula		0.00									0.00										
Mentha australis		0.00									0.00										
Mentha satuireioides		0.00									0.00										
Micranthemum demissum		0.00									0.00										
Microcybe multiflora ssp. baccharoides		0.00									0.00										
Microcybe multiflora ssp. multiflora		0.00									0.00										
Microcybe pauciflora ssp. pauciflora		0.00									0.00										
Microlepidium alatum		0.00									0.00										
Microlepidium pilosulum		0.00									0.00										
Microseris lanceolata		0.00									0.00										
Microtis arenaria		0.00									0.00										
Microtis atrata		0.00									0.00										
Microtis eremaea		0.00									0.00										
Microtis frutetorum		0.00									0.00										

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)
	% Eyre - IMCRA	% Eucla (IMCRA)																		
Microtis orbicularis	0.00										0.00									
Microtis sp. Short-leaf (R.J.Bates 54342)	0.00										0.00									
Millotia greevesii ssp. helmsii	0.00										0.00									
Millotia incurva	0.00										0.00									
Millotia macrocarpa	0.00										0.00									
Millotia major	0.00										0.00									
Millotia muelleri	0.00										0.00									
Millotia myosotidifolia	0.00										0.00									
Millotia perpusilla	0.00										0.00									
Millotia tenuifolia var. tenuifolia	0.00										0.00									
Mimulus repens	0.00										0.00									
Minuria annua	0.00										0.00									
Minuria cunninghamii	0.00										0.00									
Minuria denticulata	0.00										0.00									
Minuria integerrima	0.00										0.00									
Minuria leptophylla	0.00										0.00									
Minuria multisetata	0.00										0.00									
Mitrasacme pilosa var. pilosa	0.00										0.00									
Mollugo cerviana	0.00										0.00									
Monachather paradoxus	0.00										0.00									
Muehlenbeckia adpressa	0.00										0.00									
Muehlenbeckia diclina ssp. diclina	0.00										0.00									
Muehlenbeckia florulenta	0.00										0.00									
Muehlenbeckia gunnii	0.00										0.00									
Muehlenbeckia horrida ssp. horrida	0.00										0.00									
Muelleranthus stipularis	0.00										0.00									
Murchisonia volubilis	0.00										0.00									
Myoporum brevipes	0.00										0.00									
Myoporum insulare	0.00										0.00									
Myoporum montanum	0.00										0.00									
Myoporum parvifolium	0.00										0.00									
Myoporum platycarpum ssp. perbellum	0.00										0.00									
Myoporum platycarpum ssp. platycarpum	0.00										0.00									
Myoporum viscosum	0.00										0.00									
Myosotis australis	0.00										0.00									
Myosurus minimus var. australis	0.00										0.00									
Myriocephalus pluriflorus	0.00										0.00									
Myriocephalus rudallii	0.00										0.00									
Myriocephalus squamatus	0.00										0.00									
Myriophyllum integrifolium	0.00										0.00									
Myriophyllum muelleri	0.00										0.00									
Myriophyllum salsugineum	0.00										0.00									
Myriophyllum verrucosum	0.00										0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)
	% Eyre - IMCRA	% Eucla (IMCRA)																		
Neobassia proceriflora		0.00									0.00									
Neurachne alopecuroidea		0.00									0.00									
Neurachne munroi		0.00									0.00									
Newcastelia bracteosa		0.00									0.00									
Newcastelia cephalantha var. cephalantha		0.00									0.00									
Newcastelia spodiotricha		0.00									0.00									
Nicotiana goodspeedii		0.00									0.00									
Nicotiana maritima		0.00									0.00									
Nicotiana occidentalis ssp. obliqua		0.00									0.00									
Nicotiana rosulata ssp. rosulata		0.00									0.00									
Nicotiana simulans		0.00									0.00									
Nicotiana velutina		0.00									0.00									
Nitraria billardieri		0.00									0.00									
Olex orbicordata		0.00									0.00									
Olearia adenolasia		0.00									0.00									
Olearia axillaris		0.00									0.00									
Olearia brachyphylla		0.00									0.00									
Olearia calcarea		0.00									0.00									
Olearia ciliata var. ciliata		0.00									0.00									
Olearia decurrens		0.00									0.00									
Olearia exiguifolia		0.00									0.00									
Olearia floribunda var. floribunda		0.00									0.00									
Olearia lanuginosa		0.00									0.00									
Olearia lepidophylla		0.00									0.00									
Olearia magniflora		0.00									0.00									
Olearia minor		0.00									0.00									
Olearia muelleri		0.00									0.00									
Olearia pannosa ssp. pannosa		0.00									0.00									
Olearia passerinoides ssp. passerinoides		0.00									0.00									
Olearia picridifolia		0.00									0.00									
Olearia pimeleoides ssp. incana		0.00									0.00									
Olearia pimeleoides ssp. pimeleoides		0.00									0.00									
Olearia ramulosa		0.00									0.00									
Olearia rudis		0.00									0.00									
Olearia stuartii		0.00									0.00									
Olearia subspicata		0.00									0.00									
Omphalolappula concava		0.00									0.00									
Opercularia scabrada		0.00									0.00									
Opercularia turpis		0.00									0.00									
Ophioglossum lusitanicum		0.00									0.00									
Ophioglossum polyphyllum		0.00									0.00									
Orobanche cernua var. australiana		0.00									0.00									
Orthoceras strictum		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)
	% Eyre - IMCRA	% Eucla (IMCRA)																		
Orthrosanthus multiflorus		0.00									0.00									
Osteocarpum acropterum var. acropterum		0.00									0.00									
Osteocarpum dipterocarpum		0.00									0.00									
Osteocarpum pentapterum		0.00									0.00									
Osteocarpum salsuginosum		0.00									0.00									
Owenia acidula		0.00									0.00									
Oxalis perennans		0.00									0.00									
Oxalis radicata		0.00									0.00									
Ozothamnus decurrens		0.00									0.00									
Ozothamnus retusus		0.00									0.00									
Pachymitrus cardaminoideus		0.00									0.00									
Panicum decompositum var. decompositum		0.00									0.00									
Panicum effusum var. effusum		0.00									0.00									
Panicum laevinode		0.00									0.00									
Paractaenium novae-hollandiae ssp. reversum		0.00									0.00									
Paractaenium refractum		0.00									0.00									
Paraneurachne muelleri		0.00									0.00									
Parietaria australis		0.00									0.00									
Parietaria cardiostegia		0.00									0.00									
Parietaria debilis		0.00									0.00									
Pelargonium australe		0.00									0.00									
Pelargonium littorale		0.00									0.00									
Persicaria prostrata		0.00									0.00									
Phebalium bullatum		0.00									0.00									
Pheladenia deformis		0.00									0.00									
Philothea angustifolia ssp. angustifolia		0.00									0.00									
Philothea linearis		0.00									0.00									
Philothea pungens		0.00									0.00									
Phlegmatospermum cochlearinum		0.00									0.00									
Phlegmatospermum eremaeum		0.00									0.00									
Phlegmatospermum richardsii		0.00									0.00									
Phyllangium distylis		0.00									0.00									
Phyllangium divergens		0.00									0.00									
Phyllangium sulcatum		0.00									0.00									
Phyllanthus calycinus		0.00									0.00									
Phyllanthus fuemrohrrii		0.00									0.00									
Phyllanthus lacunarius		0.00									0.00									
Phyllanthus saxosus		0.00									0.00									
Phylloglossum drummondii		0.00									0.00									
Phyllota remota		0.00									0.00									
Picris angustifolia ssp. angustifolia		0.00									0.00									
Piulularia novae-hollandiae		0.00									0.00									
Pimelea flava ssp. dichotoma		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)
	% Eyre - IMCRA	% Eucla (IMCRA)																		
Pimelea glauca		0.00									0.00									
Pimelea imbricata var. petraea		0.00									0.00									
Pimelea micrantha		0.00									0.00									
Pimelea microcephala ssp. microcephala		0.00									0.00									
Pimelea octophylla		0.00									0.00									
Pimelea petrophila		0.00									0.00									
Pimelea phyllicoides		0.00									0.00									
Pimelea serpyllifolia ssp. serpyllifolia		0.00									0.00									
Pimelea simplex ssp. continua		0.00									0.00									
Pimelea simplex ssp. simplex		0.00									0.00									
Pimelea stricta		0.00									0.00									
Pimelea subvillifera		0.00									0.00									
Pimelea trichostachya		0.00									0.00									
Pimelea williamsonii		0.00									0.00									
Pittosporum angustifolium		0.00									0.00									
Pittosporum ligustrifolium		0.00									0.00									
Pityrodia loricata		0.00									0.00									
Plagiobothrys plurisepaleus		0.00									0.00									
Plantago drummondii		0.00									0.00									
Plantago gaudichaudii		0.00									0.00									
Plantago hispida		0.00									0.00									
Plantago sp. A (A.C.Robinson 704)		0.00									0.00									
Plantago sp. B (R.Bates 44765)		0.00									0.00									
Plantago turrifera		0.00									0.00									
Plantago varia		0.00									0.00									
Platysaca heterophylla var. heterophylla		0.00									0.00									
Pleuropappus phyllocalymmeus		0.00									0.00									
Pleurosorus rutifolius		0.00									0.00									
Pleurosorus subglandulosus		0.00									0.00									
Pluchea rubelliflora		0.00									0.00									
Poa clelandii		0.00									0.00									
Poa crassicaudex		0.00									0.00									
Poa drummondiana		0.00									0.00									
Poa fax		0.00									0.00									
Poa fordeana		0.00									0.00									
Poa labillardieri var. labillardieri		0.00									0.00									
Poa poiformis var. poiformis		0.00									0.00									
Poa tenera		0.00									0.00									
Podolepis canescens		0.00									0.00									
Podolepis capillaris		0.00									0.00									
Podolepis davisiana		0.00									0.00									
Podolepis jaceoides		0.00									0.00									
Podolepis longipedata		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Euclia (IMCRA) Records		Proposed IUCN Status & Criteria (Euclia - IMCRA)	Proposed Regional IUCN Status (Euclia - IMCRA)	Proposed Regional IUCN Status (Euclia - IMCRA)	Trends (-, 0, +, ++) Euclia - IMCRA	Trends (-, 0, +, ++) Euclia - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Euclia - IMCRA)
	% Eyre - IMCRA	% Euclia (IMCRA)									% Euclia (IMCRA)									
Podolepis rugata var. littoralis		0.00									0.00									
Podolepis rugata var. rugata		0.00									0.00									
Podolepis tepperi		0.00									0.00									
Podotheca angustifolia		0.00									0.00									
Pogonolepis muelleriana		0.00									0.00									
Polycalymma stuartii		0.00									0.00									
Polygonum plebeium		0.00									0.00									
Polyogon tenellus		0.00									0.00									
Pomaderris flabellaris		0.00									0.00									
Pomaderris forrestiana		0.00									0.00									
Pomaderris obcordata		0.00									0.00									
Pomaderris paniculosa ssp. paniculosa		0.00									0.00									
Pomaderris paniculosa ssp. paralia		0.00									0.00									
Pomax umbellata		0.00									0.00									
Poranthera huegelii		0.00									0.00									
Poranthera leiosperma		0.00									0.00									
Poranthera microphylla		0.00									0.00									
Poranthera triandra		0.00									0.00									
Portulaca oleracea		0.00									0.00									
Posidonia angustifolia		0.00	LC	LC	1	0	0.3			No records but occurs here	0.00									
Posidonia australis	3	1.29	LC	LC	1	0	0.3	2		Localised threats from oyster farms	0.00									
Posidonia coriacea		0.00	LC	LC	1	0	0.3			No records but occurs here	0.00	LC	LC	1	0	0.3				No records but occurs here
Posidonia denhartogii		0.00	DD	DD	0	DD	0.0			No records, relatively Rare	0.00	DD	DD	0	DD	0.0				No records, relatively Rare
Posidonia sinuosa	6	4.11	LC	LC	1	0	0.3	4	1		0.00									
Potamogeton ochreatus		0.00									0.00									
Potamogeton pectinatus		0.00									0.00									
Prasophyllum calcicola		0.00									0.00									
Prasophyllum catenemum		0.00									0.00									
Prasophyllum collinum		0.00									0.00									
Prasophyllum constrictum		0.00									0.00									
Prasophyllum elatum		0.00									0.00									
Prasophyllum fecundum		0.00									0.00									
Prasophyllum fitzgeraldii		0.00									0.00									
Prasophyllum goldsackii		0.00									0.00									
Prasophyllum laxum																				
Prasophyllum occidentale		0.00									0.00									
Prasophyllum occultans		0.00									0.00									
Prasophyllum odoratum		0.00									0.00									
Prasophyllum praecox		0.00									0.00									
Prasophyllum sp Desert																				
Prasophyllum sp. Coast sandhills (Hj.Eichler 14100)		0.00									0.00									
Prasophyllum sp. Enigma (R.Bates 2350)		0.00									0.00									
Prostanthera althoferi ssp. longifolia		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)
	% Eyre - IMCRA	% Eucla (IMCRA)																		
Prostanthera amphiloba		0.00																		
Prostanthera aspalathoides		0.00																		
Prostanthera calycina		0.00																		
Prostanthera chlorantha		0.00																		
Prostanthera florifera		0.00																		
Prostanthera sericea		0.00																		
Prostanthera serpyllifolia ssp. microphylla		0.00																		
Prostanthera serpyllifolia ssp. microphylla (purplish-green)		0.00																		
Prostanthera serpyllifolia ssp. microphylla (red flowers)		0.00																		
Prostanthera serpyllifolia ssp. serpyllifolia		0.00																		
Prostanthera serpyllifolia ssp. serpyllifolia (purplish-green)		0.00																		
Prostanthera serpyllifolia ssp. serpyllifolia (red flowers)		0.00																		
Prostanthera spinosa		0.00																		
Prostanthera striatiflora		0.00																		
Prostanthera wilkieana		0.00																		
Pseudognaphalium luteoalbum		0.00																		
Psychotria suaveolens		0.00																		
Pteridium esculentum		0.00																		
Pteris tremula		0.00																		
Pterocaulon sphaecelatum		0.00																		
Pterostylis "Mt Olinthus"		0.00																		
Pterostylis aff. nana "mallee"		0.00																		
Pterostylis biseta		0.00																		
Pterostylis boormanii		0.00																		
Pterostylis cynocephala		0.00																		
Pterostylis dolichocheila		0.00																		
Pterostylis erythroconcha		0.00																		
Pterostylis excelsa		0.00																		
Pterostylis flavovirens		0.00																		
Pterostylis mutica		0.00																		
Pterostylis nana		0.00																		
Pterostylis ovata		0.00																		
Pterostylis pedunculata		0.00																		
Pterostylis plumosa		0.00																		
Pterostylis pusilla		0.00																		
Pterostylis robusta		0.00																		
Pterostylis sanguinea		0.00																		
Pterostylis sp. Eyre Peninsula (R. Bates 1947)		0.00																		
Pterostylis sp. Triloba (pl.191, Bates & Weber 1990)		0.00																		
Pterostylis viriosa		0.00																		
Pterostylis xerophila		0.00																		
Ptilotus beckerianus		0.00																		
Ptilotus decipiens		0.00																		

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)
	% Eyre - IMCRA	% Eucla (IMCRA)																		
<i>Ptilotus exaltatus</i> var. <i>exaltatus</i>		0.00									0.00									
<i>Ptilotus gaudichaudii</i> var. <i>gaudichaudii</i>		0.00									0.00									
<i>Ptilotus gaudichaudii</i> var. <i>parviflorus</i>		0.00									0.00									
<i>Ptilotus nobilis</i> var. <i>nobilis</i>		0.00									0.00									
<i>Ptilotus obovatus</i> var. <i>griseus</i>		0.00									0.00									
<i>Ptilotus obovatus</i> var. <i>obovatus</i>		0.00									0.00									
<i>Ptilotus polystachyus</i> var. <i>polystachyus</i>		0.00									0.00									
<i>Ptilotus seminudus</i>		0.00									0.00									
<i>Ptilotus sessilifolius</i> var. <i>sessilifolius</i>		0.00									0.00									
<i>Ptilotus spathulatus</i> forma <i>spathulatus</i>		0.00									0.00									
<i>Ptilotus symonii</i>		0.00									0.00									
<i>Puccinellia stricta</i> var. <i>stricta</i>		0.00									0.00									
<i>Pultenaea acerosa</i>		0.00									0.00									
<i>Pultenaea densifolia</i>		0.00									0.00									
<i>Pultenaea elachista</i>		0.00									0.00									
<i>Pultenaea pedunculata</i>		0.00									0.00									
<i>Pultenaea tenuifolia</i>		0.00									0.00									
<i>Pultenaea teretifolia</i> var. <i>teretifolia</i>		0.00									0.00									
<i>Pultenaea trichophylla</i>		0.00									0.00									
<i>Pultenaea trinervis</i>		0.00									0.00									
<i>Pultenaea vestita</i>		0.00									0.00									
<i>Pycnosorus pleiocephalus</i>		0.00									0.00									
<i>Pyrorchis nigricans</i>		0.00									0.00									
<i>Quinetia urvillei</i>		0.00									0.00									
<i>Radyera farragei</i>		0.00									0.00									
<i>Ranunculus hamatosetosus</i>		0.00									0.00									
<i>Ranunculus lappaceus</i>		0.00									0.00									
<i>Ranunculus pentandrus</i> var. <i>platycarpus</i>		0.00									0.00									
<i>Ranunculus pumilio</i> var. <i>pumilio</i>		0.00									0.00									
<i>Ranunculus sessiliflorus</i> var. <i>pilulifer</i>		0.00									0.00									
<i>Ranunculus sessiliflorus</i> var. <i>sessiliflorus</i>		0.00									0.00									
<i>Rhagodia candolleana</i> ssp. <i>argentea</i>		0.00									0.00									
<i>Rhagodia candolleana</i> ssp. <i>candolleana</i>		0.00									0.00									
<i>Rhagodia crassifolia</i>		0.00									0.00									
<i>Rhagodia drummondii</i>		0.00									0.00									
<i>Rhagodia eremaea</i>		0.00									0.00									
<i>Rhagodia parabolica</i>		0.00									0.00									
<i>Rhagodia preissii</i> ssp. <i>preissii</i>		0.00									0.00									
<i>Rhagodia spinescens</i>		0.00									0.00									
<i>Rhagodia ulicina</i>		0.00									0.00									
<i>Rhodanthe charsleyae</i>		0.00									0.00									
<i>Rhodanthe chlorocephala</i> ssp. <i>rosea</i>		0.00									0.00									
<i>Rhodanthe citrina</i>		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)
	% Eyre - IMCRA	% Eucla (IMCRA)																		
Rhodanthe corymbiflora		0.00									0.00									
Rhodanthe floribunda		0.00									0.00									
Rhodanthe haigii		0.00									0.00									
Rhodanthe laevis		0.00									0.00									
Rhodanthe microglossa		0.00									0.00									
Rhodanthe moschata		0.00									0.00									
Rhodanthe oppositifolia ssp. oppositifolia		0.00									0.00									
Rhodanthe polygalifolia		0.00									0.00									
Rhodanthe pygmaea		0.00									0.00									
Rhodanthe stricta		0.00									0.00									
Rhodanthe stuartiana		0.00									0.00									
Rhodanthe tietkensis		0.00									0.00									
Rhodanthe troedelii		0.00									0.00									
Rhodanthe uniflora		0.00									0.00									
Rhyncharhena linearis		0.00									0.00									
Rostellularia adscendens var. pogonanthera		0.00									0.00									
Rulingia crauophylla		0.00									0.00									
Rulingia loxophylla		0.00									0.00									
Rumex brownii		0.00									0.00									
Rumex crystallinus		0.00									0.00									
Rumex dumosus		0.00									0.00									
Ruppia maritima		0.00									0.00									
Ruppia megacarpa		0.00									0.00									
Ruppia polycarpa		0.00									0.00									
Ruppia tuberosa		0.00									0.00									
Rutidosis helichrysoides ssp. helichrysoides		0.00									0.00									
Sagina maritima		0.00									0.00									
Salsola tragus		0.00									0.00									
Samolus repens		0.00									0.00									
Santalum acuminatum		0.00									0.00									
Santalum lanceolatum		0.00									0.00									
Santalum murrayanum		0.00									0.00									
Santalum spicatum		0.00									0.00									
Sarcocornia blackiana		0.00									0.00									
Sarcocornia quinqueflora		0.00									0.00									
Sarcostemma viminalis ssp. australe		0.00									0.00									
Sarcozona bicarinata		0.00									0.00									
Sarcozona praecox		0.00									0.00									
Sauropus rigens		0.00									0.00									
Sauropus trachyspermus		0.00									0.00									
Scaevola aemula		0.00									0.00									
Scaevola amblyanthera var. centralis		0.00									0.00									
Scaevola angustata		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records	% Eyre - IMCRA	Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucua (IMCRA) Records	% Eucua (IMCRA)	Proposed IUCN Status & Criteria (Eucua - IMCRA)	Proposed Regional IUCN Status (Eucua - IMCRA)	Proposed Regional IUCN Status (Eucua - IMCRA)	Trends (-, 0, +, ++) Eucua - IMCRA	Trends (-, 0, +, ++) Eucua - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucua - IMCRA)
Scaevola basedowii		0.00									0.00									
Scaevola bursariifolia		0.00									0.00									
Scaevola collaris		0.00									0.00									
Scaevola collina		0.00									0.00									
Scaevola crassifolia		0.00									0.00									
Scaevola depauperata		0.00									0.00									
Scaevola humilis		0.00									0.00									
Scaevola linearis ssp. linearis		0.00									0.00									
Scaevola myrtifolia		0.00									0.00									
Scaevola parvibarbata		0.00									0.00									
Scaevola spinescens		0.00									0.00									
Scambopus curvipes		0.00									0.00									
Schenkia australis		0.00									0.00									
Schoenia ayersii		0.00									0.00									
Schoenia cassiniana		0.00									0.00									
Schoenia ramosissima		0.00									0.00									
Schoenoplectus dissachanthus		0.00									0.00									
Schoenoplectus litoralis		0.00									0.00									
Schoenoplectus pungens		0.00									0.00									
Schoenoplectus validus		0.00									0.00									
Schoenus apogon		0.00									0.00									
Schoenus breviculmis		0.00									0.00									
Schoenus carsei		0.00									0.00									
Schoenus deformis		0.00									0.00									
Schoenus fluitans		0.00									0.00									
Schoenus laevigatus		0.00									0.00									
Schoenus nanus		0.00									0.00									
Schoenus nitens		0.00									0.00									
Schoenus racemosus		0.00									0.00									
Schoenus sculptus		0.00									0.00									
Schoenus subaphyllus		0.00									0.00									
Scleranthus minusculus		0.00									0.00									
Scleranthus pungens		0.00									0.00									
Scleroblitum atriplicinum		0.00									0.00									
Sclerolaena bicuspis		0.00									0.00									
Sclerolaena blackiana		0.00									0.00									
Sclerolaena brachyptera		0.00									0.00									
Sclerolaena brevifolia		0.00									0.00									
Sclerolaena clelandii		0.00									0.00									
Sclerolaena constricta		0.00									0.00									
Sclerolaena convexula		0.00									0.00									
Sclerolaena costata		0.00									0.00									
Sclerolaena cuneata		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records	% Eyre - IMCRA	Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucra (IMCRA) Records	% Eucra (IMCRA)	Proposed IUCN Status & Criteria (Eucra - IMCRA)	Proposed Regional IUCN Status (Eucra - IMCRA)	Proposed Regional IUCN Status (Eucra - IMCRA)	Trends (-, 0, +, ++) Eucra - IMCRA	Trends (-, 0, +, ++) Eucra - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucra - IMCRA)
Sclerolaena decurrens		0.00									0.00									
Sclerolaena deserticola		0.00									0.00									
Sclerolaena diacantha		0.00									0.00									
Sclerolaena divaricata		0.00									0.00									
Sclerolaena eriacantha		0.00									0.00									
Sclerolaena fusiformis		0.00									0.00									
Sclerolaena holtiana		0.00									0.00									
Sclerolaena intricata		0.00									0.00									
Sclerolaena johnsonii		0.00									0.00									
Sclerolaena lanicuspis		0.00									0.00									
Sclerolaena limbata		0.00									0.00									
Sclerolaena murrayae		0.00									0.00									
Sclerolaena obliquicuspis		0.00									0.00									
Sclerolaena parallelicuspis		0.00									0.00									
Sclerolaena parviflora		0.00									0.00									
Sclerolaena patenticuspis		0.00									0.00									
Sclerolaena symoniana		0.00									0.00									
Sclerolaena tatei		0.00									0.00									
Sclerolaena uniflora		0.00									0.00									
Sclerolaena ventricosa		0.00									0.00									
Sebaea albidiflora		0.00									0.00									
Sebaea ovata		0.00									0.00									
Selliera radicans		0.00									0.00									
Senecio dolichocephalus		0.00									0.00									
Senecio gawlerensis		0.00									0.00									
Senecio glomeratus ssp. longifructus		0.00									0.00									
Senecio glossanthus		0.00									0.00									
Senecio gregorii		0.00									0.00									
Senecio laceratus		0.00									0.00									
Senecio lacustrinus		0.00									0.00									
Senecio magnificus		0.00									0.00									
Senecio odoratus		0.00									0.00									
Senecio phelleus		0.00									0.00									
Senecio picridioides		0.00									0.00									
Senecio pinnatifolius var. maritimus		0.00									0.00									
Senecio quadridentatus		0.00									0.00									
Senecio runcinifolius		0.00									0.00									
Senecio serratifolius ssp. serratifolius		0.00									0.00									
Senecio spanomerus		0.00									0.00									
Senna artemisioides ssp. alicia		0.00									0.00									
Senna artemisioides ssp. artemisioides		0.00									0.00									
Senna artemisioides ssp. coriacea		0.00									0.00									
Senna artemisioides ssp. filifolia		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records	% Eyre - IMCRA	Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucua (IMCRA) Records	% Eucua (IMCRA)	Proposed IUCN Status & Criteria (Eucua - IMCRA)	Proposed Regional IUCN Status (Eucua - IMCRA)	Proposed Regional IUCN Status (Eucua - IMCRA)	Trends (-, 0, +, ++) Eucua - IMCRA	Trends (-, 0, +, ++) Eucua - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucua - IMCRA)
Senna artemisioides ssp. helmsii		0.00									0.00									
Senna artemisioides ssp. oligophylla		0.00									0.00									
Senna artemisioides ssp. petiolaris		0.00									0.00									
Senna artemisioides ssp. quadrifolia		0.00									0.00									
Senna artemisioides ssp. sturtii		0.00									0.00									
Senna artemisioides ssp. zygophylla		0.00									0.00									
Senna cardiosperma ssp. cardiosperma		0.00									0.00									
Senna cardiosperma ssp. gawlerensis		0.00									0.00									
Senna cardiosperma ssp. microphylla		0.00									0.00									
Senna phyllodinea		0.00									0.00									
Senna pleurocarpa var. pleurocarpa		0.00									0.00									
Setaria basiclada		0.00									0.00									
Setaria clementii		0.00									0.00									
Setaria constricta		0.00									0.00									
Setaria dielsii		0.00									0.00									
Setaria jubiflora		0.00									0.00									
Setaria reflexa		0.00									0.00									
Sida ammophila		0.00									0.00									
Sida calyxhymeria		0.00									0.00									
Sida corrugata var. angustifolia		0.00									0.00									
Sida fibulifera		0.00									0.00									
Sida filiformis		0.00									0.00									
Sida intricata		0.00									0.00									
Sida petrophila		0.00									0.00									
Sida phaeotricha		0.00									0.00									
Sida sp. B (C.Dunlop 1739)		0.00									0.00									
Sida sp. golden calyces (H.N.Foote 32)		0.00									0.00									
Sida sp. L (A.M.Ashby 4202)		0.00									0.00									
Sida sp. R (P.Copley 1390)		0.00									0.00									
Sida sp. Rabbit Flat (R.B.Major 158)		0.00									0.00									
Sida sp. Watarra (D.E.Albrecht 8672)		0.00									0.00									
Sida spodochroma		0.00									0.00									
Sida trichopoda		0.00									0.00									
Sigesbeckia australiensis		0.00									0.00									
Siloxerus multiflorus		0.00									0.00									
Solanum aff. centrale		0.00									0.00									
Solanum capsiciforme		0.00									0.00									
Solanum centrale		0.00									0.00									
Solanum chenopodinum		0.00									0.00									
Solanum cleistogamum		0.00									0.00									
Solanum coactiliferum		0.00									0.00									
Solanum ellipticum		0.00									0.00									
Solanum esuriale		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)
	% Eyre - IMCRA	% Eucla (IMCRA)																		
Solanum ferocissimum		0.00									0.00									
Solanum hystrix		0.00									0.00									
Solanum laciniatum		0.00									0.00									
Solanum lacunarium		0.00									0.00									
Solanum lasiophyllum		0.00									0.00									
Solanum orbiculatum ssp. orbiculatum		0.00									0.00									
Solanum petrophilum		0.00									0.00									
Solanum quadriloculatum		0.00									0.00									
Solanum simile		0.00									0.00									
Solanum sturtianum		0.00									0.00									
Solanum symonii		0.00									0.00									
Solenogyne dominii		0.00									0.00									
Sonchus hydrophilus		0.00									0.00									
Spartothamnella teucriflora		0.00									0.00									
Spergularia marina		0.00									0.00									
Sphaerolobium minus		0.00									0.00									
Spinifex hirsutus		0.00									0.00									
Sporobolus actinocladius		0.00									0.00									
Sporobolus caroli		0.00									0.00									
Sporobolus mitchellii		0.00									0.00									
Sporobolus virginicus		0.00									0.00									
Spyridium bifidum var. bifidum		0.00									0.00									
Spyridium bifidum var. Marble Range (W.R.Barker 7601)		0.00									0.00									
Spyridium bifidum var. Vanilla (K.Clipstone 88)		0.00									0.00									
Spyridium eriocephalum var. eriocephalum		0.00									0.00									
Spyridium erymnocladum		0.00									0.00									
Spyridium leucopogon		0.00									0.00									
Spyridium nitidum		0.00									0.00									
Spyridium phylloides		0.00									0.00									
Spyridium spathulatum		0.00									0.00									
Spyridium subochreatum		0.00									0.00									
Spyridium tricolor		0.00									0.00									
Spyridium vexilliferum var. vexilliferum		0.00									0.00									
Stackhousia annua		0.00									0.00									
Stackhousia aspericocca ssp. Cylindrical inflorescence (0.00									0.00									
Stackhousia aspericocca ssp. One-sided inflorescence (0.00									0.00									
Stackhousia clementii		0.00									0.00									
Stackhousia megaloptera		0.00									0.00									
Stackhousia monogyna		0.00									0.00									
Stackhousia muricata ssp. Annual (W.R.Barker 2172)		0.00									0.00									
Stackhousia muricata ssp. Perennial (W.R.Barker 3641)		0.00									0.00									
Stackhousia spathulata		0.00									0.00									
Stellaria filiformis		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)	
	% Eyre - IMCRA	% Eucla (IMCRA)																			
Stemodia florulenta		0.00										0.00									
Stenanthemum leucophractum		0.00										0.00									
Stenanthemum notiale ssp. notiale		0.00										0.00									
Stenopetalum anfractum		0.00										0.00									
Stenopetalum lineare		0.00										0.00									
Stenopetalum nutans		0.00										0.00									
Stenopetalum saxatile		0.00										0.00									
Stenopetalum sphaerocarpum		0.00										0.00									
Stenopetalum velutinum		0.00										0.00									
Streptoglossa adscendens		0.00										0.00									
Streptoglossa liatroides		0.00										0.00									
Stuartina hamata		0.00										0.00									
Stuartina muelleri		0.00										0.00									
Stylidium calcaratum		0.00										0.00									
Stylidium inundatum		0.00										0.00									
Stylidium perpusillum		0.00										0.00									
Stypandra glauca		0.00										0.00									
Styphelia exarrhena		0.00										0.00									
Suaeda australis		0.00										0.00									
Swainsona acuticarinata		0.00										0.00									
Swainsona adenophylla		0.00										0.00									
Swainsona affinis		0.00										0.00									
Swainsona campestris		0.00										0.00									
Swainsona campylantha		0.00										0.00									
Swainsona canescens		0.00										0.00									
Swainsona colutoides		0.00										0.00									
Swainsona dictyocarpa		0.00										0.00									
Swainsona disjuncta		0.00										0.00									
Swainsona eremaea		0.00										0.00									
Swainsona flavicarinata		0.00										0.00									
Swainsona formosa		0.00										0.00									
Swainsona kingii		0.00										0.00									
Swainsona lessertifolia		0.00										0.00									
Swainsona microcalyx		0.00										0.00									
Swainsona microphylla		0.00										0.00									
Swainsona oliveri		0.00										0.00									
Swainsona oroboides		0.00										0.00									
Swainsona phacoides		0.00										0.00									
Swainsona purpurea		0.00										0.00									
Swainsona pyrophila		0.00										0.00									
Swainsona stipularis		0.00										0.00									
Swainsona tenuis		0.00										0.00									
Swainsona unifoliolata		0.00										0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)		
	% Eyre - IMCRA	% Eucla (IMCRA)																				
Swainsona villosa		0.00									0.00											
Synaptantha tillaeacea var. hispidula		0.00									0.00											
Synaptantha tillaeacea var. tillaeacea		0.00									0.00											
Tecticornia arbuscula		0.00									0.00											
Tecticornia disarticulata		0.00									0.00											
Tecticornia flabelliformis		0.00									0.00											
Tecticornia halocnemoides ssp. halocnemoides		0.00									0.00											
Tecticornia halocnemoides ssp. longispicata		0.00									0.00											
Tecticornia indica ssp. bidens		0.00									0.00											
Tecticornia indica ssp. leiostachya		0.00									0.00											
Tecticornia lepidosperma		0.00									0.00											
Tecticornia lylei		0.00									0.00											
Tecticornia medullosa		0.00									0.00											
Tecticornia moniliformis		0.00									0.00											
Tecticornia pergranulata ssp. pergranulata		0.00									0.00											
Tecticornia pruinosa		0.00									0.00											
Tecticornia pterygosperma ssp. pterygosperma		0.00									0.00											
Tecticornia tenuis		0.00									0.00											
Tecticornia triandra		0.00									0.00											
Templetonia battii		0.00									0.00											
Templetonia egena		0.00									0.00											
Templetonia retusa		0.00									0.00											
Templetonia sulcata		0.00									0.00											
Tetragonia eremaea		0.00									0.00											
Tetragonia implexicoma		0.00									0.00											
Tetragonia moorei		0.00									0.00											
Tetragonia tetragonioides		0.00									0.00											
Tetralia capillaris		0.00									0.00											
Teucrium corymbosum		0.00									0.00											
Teucrium grandiusculum ssp. pilosum		0.00									0.00											
Teucrium racemosum		0.00									0.00											
Teucrium sessiliflorum		0.00									0.00											
Thelymitra alcockii																						
Thelymitra antennifera		0.00									0.00											
Thelymitra azurea		0.00									0.00											
Thelymitra benthamiana		0.00									0.00											
Thelymitra carnea		0.00									0.00											
Thelymitra epipactoides		0.00									0.00											
Thelymitra flexuosa		0.00									0.00											
Thelymitra juncifolia		0.00									0.00											
Thelymitra luteociliium		0.00									0.00											
Thelymitra megcalyptra		0.00									0.00											
Thelymitra occidentalis																						

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records	% Eyre - IMCRA	Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucalia (IMCRA) Records	% Eucalia (IMCRA)	Proposed IUCN Status & Criteria (Eucalia - IMCRA)	Proposed Regional IUCN Status (Eucalia - IMCRA)	Proposed Regional IUCN Status (Eucalia - IMCRA)	Trends (-, 0, +, ++) Eucalia - IMCRA	Trends (-, 0, +, ++) Eucalia - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucalia - IMCRA)
Thelymitra parviflora																				
Thelymitra pauciflora		0.00									0.00									
Thelymitra rubra		0.00									0.00									
Themeda triandra		0.00									0.00									
Thomasia petalocalyx		0.00									0.00									
Threlkeldia diffusa		0.00									0.00									
Thryptomene biseriata		0.00									0.00									
Thryptomene elliotii		0.00									0.00									
Thryptomene ericaea		0.00									0.00									
Thryptomene longifolia		0.00									0.00									
Thryptomene micrantha		0.00									0.00									
Thyridolepis mitchelliana		0.00									0.00									
Thyridolepis multiculmis		0.00									0.00									
Thyridolepis xerophila		0.00									0.00									
Thysanotus baueri		0.00									0.00									
Thysanotus exiliflorus		0.00									0.00									
Thysanotus nudicaulis		0.00									0.00									
Thysanotus patersonii		0.00									0.00									
Thysanotus wangariensis		0.00									0.00									
Trachymene ceratocarpa		0.00									0.00									
Trachymene cyanopetala		0.00									0.00									
Trachymene glaucifolia		0.00									0.00									
Trachymene ornata		0.00									0.00									
Trachymene pilosa		0.00									0.00									
Tragus australianus		0.00									0.00									
Trianthema triquetra		0.00									0.00									
Tribulus eichlerianus		0.00									0.00									
Tribulus minutus		0.00									0.00									
Trichanthodium skirrophorum		0.00									0.00									
Trichodesma zeylanicum		0.00									0.00									
Tricoryne elatior		0.00									0.00									
Tricoryne tenella		0.00									0.00									
Triglochin hexagona		0.00									0.00									
Triglochin isingiana		0.00									0.00									
Triglochin longicarpa		0.00									0.00									
Triglochin minutissima		0.00									0.00									
Triglochin mucronata		0.00									0.00									
Triglochin nana		0.00									0.00									
Triglochin nanum/sp. C (J.Z.Weber 6793)		0.00									0.00									
Triglochin sp. A (N.N.Donner 3596)		0.00									0.00									
Triglochin striata		0.00									0.00									
Triglochin trichophora		0.00									0.00									
Trigonella suavissima		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)
	% Eyre - IMCRA	% Eucla (IMCRA)																		
Triodia basedowii		0.00									0.00									
Triodia bunicola		0.00									0.00									
Triodia compacta		0.00									0.00									
Triodia helmsii		0.00									0.00									
Triodia irritans		0.00									0.00									
Triodia lanata		0.00									0.00									
Triodia melvillei		0.00									0.00									
Triodia scariosa		0.00									0.00									
Triopogon loliformis		0.00									0.00									
Triptilodiscus pygmaeus		0.00									0.00									
Triraphis mollis		0.00									0.00									
Trithuria submersa		0.00									0.00									
Trymalium wayi		0.00									0.00									
Typha domingensis		0.00									0.00									
Typha orientalis		0.00									0.00									
Utricularia tenella		0.00									0.00									
Velleia arguta		0.00									0.00									
Velleia connata		0.00									0.00									
Velleia cynopotamica		0.00									0.00									
Velleia glabrata		0.00									0.00									
Veronica hillebrandii		0.00									0.00									
Veronica pamkalliana		0.00									0.00									
Vittadinia australasica var. australasica		0.00									0.00									
Vittadinia blackii		0.00									0.00									
Vittadinia cervicalis var. cervicalis		0.00									0.00									
Vittadinia condyloides		0.00									0.00									
Vittadinia cuneata var. cuneata forma cuneata		0.00									0.00									
Vittadinia dissecta var. hirta		0.00									0.00									
Vittadinia eremaea		0.00									0.00									
Vittadinia gracilis		0.00									0.00									
Vittadinia megacephala		0.00									0.00									
Vittadinia nullarborensis		0.00									0.00									
Vittadinia pterochaeta		0.00									0.00									
Vittadinia pustulata		0.00									0.00									
Vittadinia sulcata		0.00									0.00									
Wahlenbergia aridicola		0.00									0.00									
Wahlenbergia communis		0.00									0.00									
Wahlenbergia gracilentia		0.00									0.00									
Wahlenbergia littoricola		0.00									0.00									
Wahlenbergia luteola		0.00									0.00									
Wahlenbergia preissii		0.00									0.00									
Wahlenbergia queenslandica		0.00									0.00									
Wahlenbergia stricta ssp. stricta		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)		Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)		Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)
	% Eyre - IMCRA	% Eucla (IMCRA)		Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)						% Eucla (IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)								
Wahlenbergia tumidiflora	0.00										0.00									
Waitzia acuminata var. acuminata	0.00										0.00									
Westringia dampieri	0.00										0.00									
Westringia eremicola	0.00										0.00									
Westringia rigida	0.00										0.00									
Wilsonia backhousei	0.00										0.00									
Wilsonia humilis	0.00										0.00									
Wilsonia rotundifolia	0.00										0.00									
Wurmbea centralis ssp. australis	0.00										0.00									
Wurmbea citrina	0.00										0.00									
Wurmbea decumbens	0.00										0.00									
Wurmbea dioica ssp. brevifolia	0.00										0.00									
Wurmbea dioica ssp. dioica	0.00										0.00									
Wurmbea latifolia ssp. vanessae	0.00										0.00									
Wurmbea sinora	0.00										0.00									
Wurmbea stellata	0.00										0.00									
Xanthorrhoea semiplana ssp. semiplana	0.00										0.00									
Xanthorrhoea semiplana ssp. tateana	0.00										0.00									
Xanthosia huegelii	0.00										0.00									
Xanthosia leiophylla	0.00										0.00									
Xerochrysum bracteatum	0.00										0.00									
Zaleya galericulata ssp. australis	0.00										0.00									
Zostera muelleri ssp. mucronata	0.00										0.00									
Zostera tasmanica	0.00	DD		DD	0	DD	0.0		Needs intertidal mudflats, could be widespread. Taxonomic iss		0.00									
Zoysia macrantha ssp. walshii	0.00										0.00									
Zygochloa paradoxa	0.00										0.00									
Zygophyllum ammophilum	0.00										0.00									
Zygophyllum angustifolium	0.00										0.00									
Zygophyllum apiculatum	0.00										0.00									
Zygophyllum aurantiacum ssp. aurantiacum	0.00										0.00									
Zygophyllum aurantiacum ssp. cuneatum	0.00										0.00									
Zygophyllum aurantiacum ssp. simplicifolium	0.00										0.00									
Zygophyllum billardierei	0.00										0.00									
Zygophyllum compressum	0.00										0.00									
Zygophyllum confluens	0.00										0.00									
Zygophyllum crenatum	0.00										0.00									
Zygophyllum emarginatum	0.00										0.00									
Zygophyllum eremaeum	0.00										0.00									
Zygophyllum flavum	0.00										0.00									
Zygophyllum glaucum	0.00										0.00									
Zygophyllum halophilum	0.00										0.00									
Zygophyllum howittii	0.00										0.00									
Zygophyllum humillimum	0.00										0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Eyre (IMCRA) Records		Proposed IUCN Status & Criteria (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Proposed Regional IUCN Status (Eyre - IMCRA)	Trends (-, 0, +, ++) Eyre - IMCRA	Trends (-, 0, +, ++) Eyre - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eyre - IMCRA)	Eucla (IMCRA) Records		Proposed IUCN Status & Criteria (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Proposed Regional IUCN Status (Eucla - IMCRA)	Trends (-, 0, +, ++) Eucla - IMCRA	Trends (-, 0, +, ++) Eucla - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Eucla - IMCRA)
	% Eyre - IMCRA	% Eucla (IMCRA)																		
Zygophyllum iodocarpum		0.00									0.00									
Zygophyllum kochii		0.00									0.00									
Zygophyllum marlesiae		0.00									0.00									
Zygophyllum ovatum		0.00									0.00									
Zygophyllum prismatothecum		0.00									0.00									
Zygophyllum reticulatum		0.00									0.00									
Zygophyllum simile		0.00									0.00									

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Abutilon cryptopetalum ssp. cryptopetalum		0.00								
Abutilon fraseri ssp. diplotrichum		0.00								
Abutilon fraseri ssp. fraseri		0.00								
Abutilon halophilum		0.00								
Abutilon leucopetalum		0.00								
Abutilon macrum		0.00								
Abutilon malvaefolium		0.00								
Abutilon otocarpum		0.00								
Acacia acanthoclada ssp. acanthoclada		0.00								
Acacia acinacea		0.00								
Acacia alcockii		0.00								
Acacia anceps		0.00								
Acacia ancistrophylla var. lissophylla		0.00								
Acacia aneura		0.00								
Acacia aneura var. aneura		0.00								
Acacia aneura var. conifera		0.00								
Acacia aneura var. intermedia		0.00								
Acacia aneura var. major		0.00								
Acacia aneura var. microcarpa		0.00								
Acacia aneura var. tenuis		0.00								
Acacia ayersiana		0.00								
Acacia beckleri Tindale ssp. beckleri										
Acacia brachybotrya		0.00								
Acacia brachystachya		0.00								
Acacia burkittii		0.00								
Acacia calamifolia		0.00								
Acacia calcicola		0.00								
Acacia clelandii		0.00								
Acacia colletioides		0.00								
Acacia continua		0.00								
Acacia cretacea		0.00								
Acacia cupularis		0.00								
Acacia cyclops		0.00								
Acacia dodonaeifolia		0.00								
Acacia enterocarpa		0.00								
Acacia erinacea		0.00								
Acacia euthycarpa		0.00								
Acacia farinosa		0.00								
Acacia gilesiana		0.00								
Acacia gillii		0.00								
Acacia hakeoides		0.00								
Acacia halliana		0.00								
Acacia havilandiorum		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Acacia helmsiana		0.00								
Acacia hemiteles		0.00								
Acacia hexaneura		0.00								
Acacia imbricata		0.00								
Acacia iteaphylla		0.00								
Acacia jennerae		0.00								
Acacia kempeana		0.00								
Acacia leiophylla		0.00								
Acacia ligulata		0.00								
Acacia lineata		0.00								
Acacia longifolia ssp. sophorae		0.00								
Acacia maitlandii		0.00								
Acacia melleodora		0.00								
Acacia merrallii		0.00								
Acacia microcarpa		0.00								
Acacia minyura		0.00								
Acacia montana		0.00								
Acacia murrayana		0.00								
Acacia mutabilis ssp. angustifolia		0.00								
Acacia myrtifolia		0.00								
Acacia nematophylla		0.00								
Acacia notabilis		0.00								
Acacia nyssophylla		0.00								
Acacia oswaldii		0.00								
Acacia pachyacra		0.00								
Acacia papyrocarpa		0.00								
Acacia paradoxa		0.00								
Acacia pinguifolia		0.00								
Acacia praemorsa		0.00								
Acacia prainii		0.00								
Acacia pycnantha		0.00								
Acacia ramulosa var. linophylla		0.00								
Acacia ramulosa var. ramulosa		0.00								
Acacia rhotinocarpa		0.00								
Acacia rhigiophylla		0.00								
Acacia rhodophloia		0.00								
Acacia rigens		0.00								
Acacia rupicola		0.00								
Acacia salicina		0.00								
Acacia sclerophylla var. sclerophylla		0.00								
Acacia sibirica		0.00								
Acacia sp. Winged (C.R.Alcock 4936)		0.00								
Acacia spinescens		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Acacia spooneri		0.00								
Acacia stenophylla		0.00								
Acacia tarculensis		0.00								
Acacia tetragonophylla		0.00								
Acacia toondulya		0.00								
Acacia triquetra		0.00								
Acacia victoriae ssp. victoriae		0.00								
Acacia whibleyana		0.00								
Acacia wilhelmiana		0.00								
Acaena echinata		0.00								
Acaena novae-zelandiae		0.00								
Acianthus caudatus		0.00								
Acianthus pusillus		0.00								
Acrotriche affinis		0.00								
Acrotriche cordata		0.00								
Acrotriche patula		0.00								
Actinobole uliginosum		0.00								
Actites megalocarpa		0.00								
Adenanthos terminalis		0.00								
Adiantum aethiopicum		0.00								
Adriana quadripartita		0.00								
Adriana urticoides var. hookeri		0.00								
Ajuga australis forma A (A.G.Spooner 9058)		0.00								
Alectryon oleifolius ssp. canescens		0.00								
Allocasuarina helmsii		0.00								
Allocasuarina muelleriana ssp. muelleriana		0.00								
Allocasuarina pusilla		0.00								
Allocasuarina verticillata		0.00								
Alternanthera denticulata		0.00								
Alternanthera nodiflora		0.00								
Aluta maisonneuvei ssp. auriculata		0.00								
Aluta maisonneuvei ssp. maisonneuvei		0.00								
Alyogyne hakeifolia		0.00								
Alyogyne huegelii		0.00								
Alyogyne pinoniana var. microandra		0.00								
Alyogyne pinoniana var. pinoniana		0.00								
Alyxia buxifolia		0.00								
Amaranthus cuspidifolius		0.00								
Amaranthus grandiflorus		0.00								
Amaranthus mitchellii		0.00								
Ammannia multiflora		0.00								
Amphibolis antarctica		0.00	LC	LC	1	0	0.3			No records but occurs here
Amphibromus macrorrhinus		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Amphibromus nervosus		0.00								
Amphipogon caricinus var. caricinus		0.00								
Amphipogon strictus var. setifer		0.00								
Amyema fitzgeraldii		0.00								
Amyema gibberula var. gibberula		0.00								
Amyema maidenii ssp. maidenii		0.00								
Amyema melaleucaea		0.00								
Amyema miquelii		0.00								
Amyema miraculosa ssp. boormanii		0.00								
Amyema preissii		0.00								
Amyema quandang var. quandang		0.00								
Anacampseros australiana		0.00								
Anemocarpa podolepidium		0.00								
Angianthus brachypappus		0.00								
Angianthus conocephalus		0.00								
Angianthus glabratus		0.00								
Angianthus preissianus		0.00								
Angianthus tomentosus		0.00								
Anogramma leptophylla		0.00								
Anthocercis anisantha ssp. anisantha		0.00								
Anthocercis anisantha ssp. collina		0.00								
Aotus subspinescens		0.00								
Apalochlamys spectabilis		0.00								
Aphanes australiana		0.00								
Aphelia gracilis		0.00								
Apium annum		0.00								
Apium prostratum var. filiforme		0.00								
Apium prostratum var. prostratum		0.00								
Apodasmia brownii		0.00								
Arabidella filifolia		0.00								
Arabidella glaucescens		0.00								
Arabidella nasturtium		0.00								
Arabidella trisecta		0.00								
Argentipallium obtusifolium		0.00								
Aristida anthoxanthoides		0.00								
Aristida arida		0.00								
Aristida behriana		0.00								
Aristida capillifolia		0.00								
Aristida contorta		0.00								
Aristida holathera var. holathera		0.00								
Aristida latifolia		0.00								
Aristida nitidula		0.00								
Aristida personata		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Arthropodium fimbriatum		0.00								
Arthropodium minus		0.00								
Arthropodium strictum		0.00								
Asperula conferta		0.00								
Asplenium flabellifolium		0.00								
Asplenium trichomanes		0.00								
Asteridea athrixioides forma athrixioides		0.00								
Asteridea athrixioides forma horripes		0.00								
Astrebla lappacea		0.00								
Astrebla pectinata		0.00								
Astroloma conostephioides		0.00								
Astroloma humifusum		0.00								
Atriplex acutibractea ssp. acutibractea		0.00								
Atriplex acutibractea ssp. karoniensis		0.00								
Atriplex acutiloba		0.00								
Atriplex angulata		0.00								
Atriplex cinerea		0.00								
Atriplex cryptocarpa		0.00								
Atriplex eardleyae		0.00								
Atriplex fissivalvis		0.00								
Atriplex holocarpa		0.00								
Atriplex incrassata		0.00								
Atriplex kochiana		0.00								
Atriplex leptocarpa		0.00								
Atriplex limbata		0.00								
Atriplex lindleyi ssp. conduplicata		0.00								
Atriplex lindleyi ssp. inflata		0.00								
Atriplex lindleyi ssp. lindleyi		0.00								
Atriplex lindleyi ssp. quadripartita		0.00								
Atriplex lobativalvis		0.00								
Atriplex macropteroarpa		0.00								
Atriplex morrisii		0.00								
Atriplex nessorhina		0.00								
Atriplex nummularia ssp. omissa		0.00								
Atriplex nummularia ssp. spatulata		0.00								
Atriplex paludosa ssp. cordata		0.00								
Atriplex papillata		0.00								
Atriplex pseudocampanulata		0.00								
Atriplex pumilio		0.00								
Atriplex quadrivalvata var. sessilifolia		0.00								
Atriplex quini		0.00								
Atriplex rhagodioides		0.00								
Atriplex semibaccata		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Atriplex spongiosa		0.00								
Atriplex stipitata		0.00								
Atriplex suberecta		0.00								
Atriplex velutinella		0.00								
Atriplex vesicaria ssp. macrocystidia		0.00								
Atriplex vesicaria ssp. variabilis		0.00								
Austrobryonia micrantha		0.00								
Austroanthonia caespitosa		0.00								
Austroanthonia eriantha		0.00								
Austroanthonia fulva		0.00								
Austroanthonia racemosa var. racemosa		0.00								
Austroanthonia setacea		0.00								
Austrofestuca littoralis		0.00								
Austrostipa acroclliata		0.00								
Austrostipa blackii		0.00								
Austrostipa dongicola		0.00								
Austrostipa drummondii		0.00								
Austrostipa echinata		0.00								
Austrostipa elegantissima		0.00								
Austrostipa eremophila		0.00								
Austrostipa exilis		0.00								
Austrostipa flavescens		0.00								
Austrostipa hemipogon		0.00								
Austrostipa lanata		0.00								
Austrostipa macalpinei		0.00								
Austrostipa mollis		0.00								
Austrostipa mundula		0.00								
Austrostipa nitida		0.00								
Austrostipa nodosa		0.00								
Austrostipa nullanulla		0.00								
Austrostipa pilata		0.00								
Austrostipa platychaeta		0.00								
Austrostipa plumigera		0.00								
Austrostipa puberula		0.00								
Austrostipa scabra ssp. falcata		0.00								
Austrostipa scabra ssp. scabra		0.00								
Austrostipa semibarbata		0.00								
Austrostipa setacea		0.00								
Austrostipa stipoides		0.00								
Austrostipa stuposa		0.00								
Austrostipa tenuifolia		0.00								
Austrostipa trichophylla		0.00								
Austrostipa velutina		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Austrostipa vickeryana		0.00								
Avicennia marina ssp. marina		0.00								
Babingtonia behrii		0.00								
Baeckea crassifolia		0.00								
Baeckea tuberculata		0.00								
Banksia marginata		0.00								
Banksia ornata		0.00								
Baumea arthropphylla		0.00								
Baumea juncea		0.00								
Bergia trimera		0.00								
Bertya tasmanica ssp. vestita		0.00								
Beyeria lechenaultii		0.00								
Beyeria opaca		0.00								
Billardiera cymosa ssp. cymosa		0.00								
Billardiera cymosa ssp. pseudocymosa		0.00								
Billardiera sericophora		0.00								
Billardiera sp. Yorke Peninsula (P.C.Heyligers 80164)		0.00								
Billardiera uniflora		0.00								
Billardiera versicolor		0.00								
Blennodia canescens		0.00								
Blennodia pterosperma		0.00								
Blennospora drummondii		0.00								
Boerhavia coccinea		0.00								
Boerhavia dominii		0.00								
Boerhavia repleta		0.00								
Boerhavia schomburgkiana		0.00								
Bolboschoenus caldwellii		0.00								
Boronia coerulescens ssp. coerulescens		0.00								
Boronia filifolia		0.00								
Boronia inornata ssp. leptophylla		0.00								
Bossiaea ensata		0.00								
Bossiaea walkeri		0.00								
Bothriochloa ewartiana		0.00								
Bothriochloa macra		0.00								
Brachiaria praetervisa		0.00								
Brachyachne ciliaris		0.00								
Brachychiton gregorii		0.00								
Brachyscome ciliaris var. ciliaris		0.00								
Brachyscome ciliaris var. lanuginosa		0.00								
Brachyscome ciliaris var. subintegrifolia		0.00								
Brachyscome cuneifolia		0.00								
Brachyscome debilis		0.00								
Brachyscome dichromosomatica var. dichromosomatica		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Brachyscome eriogona		0.00								
Brachyscome exilis		0.00								
Brachyscome goniocarpa		0.00								
Brachyscome iberidifolia		0.00								
Brachyscome lineariloba		0.00								
Brachyscome muelleri		0.00								
Brachyscome perpusilla		0.00								
Brachyscome tatei		0.00								
Brachyscome trachycarpa		0.00								
Brachyscome xanthocarpa		0.00								
Bromus arenarius		0.00								
Brunonia australis		0.00								
Bulbine alata		0.00								
Bulbine bulbosa		0.00								
Bulbine semibarbata		0.00								
Bulbostylis barbata		0.00								
Bulbostylis pyriformis		0.00								
Burchardia umbellata		0.00								
Bursaria spinosa ssp. spinosa		0.00								
Caesia calliantha		0.00								
Caladenia aurulenta										
Caladenia bicallata ssp. bicallata		0.00								
Caladenia brumalis		0.00								
Caladenia capillata		0.00								
Caladenia cardiochila		0.00								
Caladenia carneae		0.00								
Caladenia clavula		0.00								
Caladenia fragrantissima ssp. fragrantissima										
Caladenia fuscata		0.00								
Caladenia interanea										
Caladenia latifolia		0.00								
Caladenia macroclavia		0.00								
Caladenia pusilla		0.00								
Caladenia septuosa		0.00								
Caladenia stricta		0.00								
Caladenia tensa		0.00								
Caladenia tentaculata		0.00								
Caladenia toxochila		0.00								
Caladenia verrucosa		0.00								
Caladenia zephyra										
Calandrinia brevipedata		0.00								
Calandrinia calypttrata		0.00								
Calandrinia corrigioloides		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Calandrinia disperma		0.00								
Calandrinia eremaea		0.00								
Calandrinia granulifera		0.00								
Calandrinia polyandra var. polyandra		0.00								
Calandrinia ptychosperma		0.00								
Calandrinia pumila		0.00								
Calandrinia remota		0.00								
Calandrinia reticulata		0.00								
Calandrinia sphaerophylla		0.00								
Calandrinia volubilis		0.00								
Callistemon rugulosus		0.00								
Callitris canescens		0.00								
Callitris glaucophylla		0.00								
Callitris gracilis		0.00								
Callitris verrucosa		0.00								
Calocephalus citreus		0.00								
Calocephalus platycephalus		0.00								
Calochilus pruinosus		0.00								
Calotis breviradiata		0.00								
Calotis cymbacantha		0.00								
Calotis erinacea		0.00								
Calotis hispidula		0.00								
Calotis lappulacea		0.00								
Calotis latiuscula		0.00								
Calotis multicaulis		0.00								
Calotis plumulifera		0.00								
Calotis porphyroglossa		0.00								
Calotis scabiosifolia var. scabiosifolia										
Calytrix gypsophila		0.00								
Calytrix involucrata		0.00								
Calytrix tetragona		0.00								
Cardamine tenuifolia		0.00								
Carex breviculmis		0.00								
Carex inversa var. major		0.00								
Carex tereticaulis		0.00								
Carpobrotus modestus		0.00								
Carpobrotus rossii		0.00								
Carpobrotus sp. Short calyx (S.T.Blake 20451)		0.00								
Cassinia arcuata		0.00								
Cassinia complanata		0.00								
Cassinia laevis		0.00								
Cassytha glabella forma dispar		0.00								
Cassytha melantha		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Cassytha peninsularis		0.00								
Cassytha pubescens		0.00								
Casuarina pauper		0.00								
Causis pentandra		0.00								
Centella asiatica		0.00								
Centipeda crateriformis ssp. compacta		0.00								
Centipeda crateriformis ssp. crateriformis		0.00								
Centipeda cunninghamii		0.00								
Centipeda thespidioides		0.00								
Centrolepis aristata		0.00								
Centrolepis cephaloformis ssp. cephaloformis		0.00								
Centrolepis cephaloformis ssp. murrayi		0.00								
Centrolepis eremica		0.00								
Centrolepis fascicularis		0.00								
Centrolepis glabra		0.00								
Centrolepis polygyna		0.00								
Centrolepis strigosa ssp. strigosa		0.00								
Cephalopterum drummondii		0.00								
Ceratogyne obionoides		0.00								
Chamaescilla corymbosa var. corymbosa		0.00								
Chamaesyce australis		0.00								
Chamaesyce centralis		0.00								
Chamaesyce drummondii		0.00								
Chamaesyce wheeleri		0.00								
Cheilanthes austrotenuifolia		0.00								
Cheilanthes distans		0.00								
Cheilanthes lasiophylla		0.00								
Cheilanthes sieberi ssp. pseudovellea		0.00								
Cheilanthes sieberi ssp. sieberi		0.00								
Cheiranthra alternifolia		0.00								
Chenopodium curvispicatum		0.00								
Chenopodium desertorum ssp. anidiophyllum		0.00								
Chenopodium desertorum ssp. desertorum		0.00								
Chenopodium desertorum ssp. microphyllum		0.00								
Chenopodium desertorum ssp. rectum		0.00								
Chenopodium gaudichaudianum		0.00								
Chenopodium nitriaraceum		0.00								
Chloris pectinata		0.00								
Chloris truncata		0.00								
Chondropyxis halophila		0.00								
Choretrum glomeratum var. chrysanthum		0.00								
Choretrum glomeratum var. glomeratum		0.00								
Chorizandra enodis		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Chrysocephalum apiculatum		0.00								
Chrysocephalum baxteri		0.00								
Chrysocephalum eremaeum		0.00								
Chrysocephalum pterochaetum		0.00								
Chrysocephalum semipapposum		0.00								
Chthonocephalus pseudevax		0.00								
Citrus glauca		0.00								
Cladium procerum		0.00								
Clematis microphylla var. microphylla		0.00								
Codonocarpus cotinifolius		0.00								
Comesperma calymega		0.00								
Comesperma polygaloides		0.00								
Comesperma scoparium		0.00								
Comesperma viscidulum		0.00								
Comesperma volubile		0.00								
Commersonia multioba		0.00								
Commersonia tatei		0.00								
Conospermum patens		0.00								
Convolvulus angustissimus ssp. angustissimus		0.00								
Convolvulus angustissimus ssp. peninsularum		0.00								
Convolvulus clementii		0.00								
Convolvulus crispifolius		0.00								
Convolvulus eyreanus		0.00								
Convolvulus microsepalus		0.00								
Convolvulus recurvatus ssp. nullarborensis		0.00								
Convolvulus recurvatus ssp. recurvatus		0.00								
Convolvulus remotus		0.00								
Cooperookia strophiolata		0.00								
Correa backhouseana var. coriacea		0.00								
Correa pulchella		0.00								
Corunastylis nigricans										
Corunastylis tepperi										
Corybas despectans		0.00								
Corybas expansus										
Corynotheca licrota		0.00								
Corynotheca micrantha var. divaricata		0.00								
Cotula australis		0.00								
Cotula vulgaris var. australasica		0.00								
Craspedia variabilis		0.00								
Crassula closiana		0.00								
Crassula colligata ssp. lamprosperma		0.00								
Crassula colorata var. acuminata		0.00								
Crassula colorata var. colorata		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Crassula decumbens var. decumbens		0.00								
Crassula exserta		0.00								
Crassula extrorsa		0.00								
Crassula peduncularis		0.00								
Crassula tetramera		0.00								
Cratystylis conocephala		0.00								
Cressa australis		0.00								
Crinum flaccidum		0.00								
Crotalaria eremaea ssp. eremaea		0.00								
Crotalaria eremaea ssp. strehlowii		0.00								
Cryptandra aridicola		0.00								
Cryptandra myriantha		0.00								
Cryptandra propinqua		0.00								
Cryptandra sp. Floriferous (W.R. Barker 4131)		0.00								
Cryptandra tomentosa		0.00								
Cullen australasicum		0.00								
Cullen cinereum		0.00								
Cullen discolor		0.00								
Cullen graveolens		0.00								
Cullen pallidum		0.00								
Cullen patens		0.00								
Cymbonotus preissianus		0.00								
Cymbopogon ambiguus		0.00								
Cymbopogon oblectus		0.00								
Cynanchum floribundum		0.00								
Cynoglossum australe		0.00								
Cynoglossum suaveolens		0.00								
Cyperus alterniflorus		0.00								
Cyperus bulbosus		0.00								
Cyperus difformis		0.00								
Cyperus gilesii		0.00								
Cyperus gymnocalulos		0.00								
Cyperus iria		0.00								
Cyperus laevigatus		0.00								
Cyperus pygmaeus		0.00								
Cyperus rigidellus		0.00								
Cyperus squarrosus		0.00								
Cyperus victoriensis		0.00								
Cyphanthera myosotidea		0.00								
Cyrtostylis reniformis		0.00								
Cyrtostylis robusta		0.00								
Dactyloctenium radulans		0.00								
Damasonium minus		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Dampiera dysantha		0.00								
Dampiera lanceolata var. lanceolata		0.00								
Dampiera ramosa		0.00								
Dampiera rosmarinifolia		0.00								
Darwinia salina		0.00								
Daucus glochidiatus		0.00								
Daviesia arenaria		0.00								
Daviesia asperula ssp. asperula		0.00								
Daviesia asperula ssp. obliqua		0.00								
Daviesia benthamii ssp. acanthoclona		0.00								
Daviesia benthamii ssp. humilis		0.00								
Daviesia brevifolia		0.00								
Daviesia pectinata		0.00								
Daviesia ulicifolia ssp. aridicola		0.00								
Desmocladus diacolpicus		0.00								
Deyeuxia quadriseta		0.00								
Dianella brevicaulis		0.00								
Dianella revoluta var. divaricata		0.00								
Dianella revoluta var. revoluta		0.00								
Dichanthium sericeum ssp. humilium		0.00								
Dichanthium sericeum ssp. sericeum		0.00								
Dichelachne crinita		0.00								
Dichondra repens		0.00								
Dicrasyllis beveridgei var. beveridgei		0.00								
Dicrasyllis beveridgei var. lanata		0.00								
Dicrasyllis lewellinii		0.00								
Dicrasyllis verticillata		0.00								
Digitaria ammophila		0.00								
Digitaria brownii		0.00								
Digitaria coenicola		0.00								
Dillwynia hispida		0.00								
Dillwynia sericea		0.00								
Dillwynia uncinata		0.00								
Dimorphocoma minutula		0.00								
Disphyma crassifolium ssp. clavellatum		0.00								
Dissocarpus biflorus var. biflorus		0.00								
Dissocarpus biflorus var. villosus		0.00								
Dissocarpus fontinalis		0.00								
Dissocarpus latifolius		0.00								
Dissocarpus paradoxus		0.00								
Distichlis distichophylla		0.00								
Diuris behrii		0.00								
Diuris orientis		0.00								
Diuris palustris		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, -, 0, +, ++) Murat - IMCRA	Trends (-, -, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Diuris pardina		0.00								
Dodonaea baueri		0.00								
Dodonaea bursarifolia		0.00								
Dodonaea hexandra		0.00								
Dodonaea humilis		0.00								
Dodonaea intricata		0.00								
Dodonaea lobulata		0.00								
Dodonaea microzyga var. microzyga		0.00								
Dodonaea procumbens		0.00								
Dodonaea stenozyga		0.00								
Dodonaea tepperi		0.00								
Dodonaea viscosa ssp. angustissima		0.00								
Dodonaea viscosa ssp. cuneata		0.00								
Dodonaea viscosa ssp. spatulata		0.00								
Drosera auriculata		0.00								
Drosera glanduligera		0.00								
Drosera macrantha ssp. planchonii		0.00								
Drosera peltata		0.00								
Drosera pygmaea		0.00								
Drosera sp. Rigid (R.J.Bates 2268)		0.00								
Duboisia hopwoodii		0.00								
Dysphania cristata		0.00								
Dysphania glomulifera ssp. eremaea		0.00								
Dysphania glomulifera ssp. glomulifera		0.00								
Dysphania melanocarpa forma melanocarpa		0.00								
Dysphania plantaginella		0.00								
Dysphania pumilio		0.00								
Dysphania rhadinostachya ssp. rhadinostachya		0.00								
Dysphania simulans		0.00								
Dysphania truncata		0.00								
Einadia nutans ssp. eremaea		0.00								
Einadia nutans ssp. nutans		0.00								
Einadia nutans ssp. oxycarpa		0.00								
Einadia polygonoides		0.00								
Elachanthus glaber		0.00								
Elachanthus pusillus		0.00								
Elatine gratioloides		0.00								
Eleocharis acuta		0.00								
Eleocharis pallens		0.00								
Eleocharis pusilla		0.00								
Elymus scaber var. scaber		0.00								
Embadium stagnense		0.00								
Embadium uncinatum		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Enchylaena tomentosa var. tomentosa		0.00								
Enneapogon avenaceus		0.00								
Enneapogon caerulescens var. caerulescens		0.00								
Enneapogon cylindricus		0.00								
Enneapogon intermedius		0.00								
Enneapogon nigricans		0.00								
Enneapogon polyphyllus		0.00								
Enneapogon robustissimus		0.00								
Enteropogon acicularis		0.00								
Enteropogon ramosus		0.00								
Epaltes australis		0.00								
Epilobium billardierianum ssp. billardierianum		0.00								
Eragrostis australasica		0.00								
Eragrostis basedowii		0.00								
Eragrostis dielsii var. dielsii		0.00								
Eragrostis eriopoda		0.00								
Eragrostis falcata		0.00								
Eragrostis kennedyae		0.00								
Eragrostis lacunaria		0.00								
Eragrostis laniflora		0.00								
Eragrostis lanipes		0.00								
Eragrostis leptocarpa		0.00								
Eragrostis parviflora		0.00								
Eragrostis pergracilis		0.00								
Eragrostis setifolia		0.00								
Eragrostis xerophila		0.00								
Eremophea spinosa		0.00								
Eremophila alternifolia		0.00								
Eremophila arachnoides ssp. tenera		0.00								
Eremophila arenaria		0.00								
Eremophila barbata		0.00								
Eremophila battii		0.00								
Eremophila behriana		0.00								
Eremophila clarkei		0.00								
Eremophila crassifolia		0.00								
Eremophila decipiens ssp. decipiens		0.00								
Eremophila delisseri		0.00								
Eremophila deserti		0.00								
Eremophila duttonii		0.00								
Eremophila freelingii		0.00								
Eremophila gibbifolia		0.00								
Eremophila gibsonii		0.00								
Eremophila gilesii		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, -, 0, +, ++) Murat - IMCRA	Trends (-, -, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Eremophila glabra ssp. glabra		0.00								
Eremophila hillii		0.00								
Eremophila latrobei ssp. glabra		0.00								
Eremophila latrobei ssp. latrobei		0.00								
Eremophila longifolia		0.00								
Eremophila maculata ssp. brevifolia		0.00								
Eremophila maculata ssp. maculata		0.00								
Eremophila neglecta		0.00								
Eremophila oppositifolia ssp. angustifolia		0.00								
Eremophila oppositifolia ssp. oppositifolia		0.00								
Eremophila paisleyi ssp. paisleyi		0.00								
Eremophila parvifolia		0.00								
Eremophila platythamnos ssp. exotrichys		0.00								
Eremophila platythamnos ssp. platythamnos		0.00								
Eremophila platythamnos ssp. Villous (A.C. Robinson NP)		0.00								
Eremophila rotundifolia		0.00								
Eremophila scoparia		0.00								
Eremophila serrulata		0.00								
Eremophila sp. Decussate (R.J.Chinnock 7735)		0.00								
Eremophila sp. Dendritica (W.S.Reid AD98581189)		0.00								
Eremophila sp. Fallax (D.E.Symon 12311)		0.00								
Eremophila sp. Hygrophana (P.J.Lang B894-2828)		0.00								
Eremophila sp. Praecox (R.H.Ashby 131)		0.00								
Eremophila sturtii		0.00								
Eremophila subfloccosa ssp. Lanata (R.Bates 33587)		0.00								
Eremophila verrucosa ssp. brevistellata		0.00								
Eremophila verrucosa ssp. verrucosa		0.00								
Eremophila weldii		0.00								
Eremophila willsii var. integrifolia		0.00								
Eriachne aristidea		0.00								
Eriachne helmsii		0.00								
Eriachne mucronata		0.00								
Eriachne ovata		0.00								
Eriochilus cucullatus		0.00								
Eriochiton sclerolaenoides		0.00								
Eriochlamys behrii		0.00								
Eriochlamys eremaea		0.00								
Eriochloa australiensis		0.00								
Eriochloa crebra		0.00								
Eriochloa pseudoacrotricha		0.00								
Erodiochloa elderi		0.00								
Erodium carolinianum		0.00								
Erodium crinitum		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, -, 0, +, ++) Murat - IMCRA	Trends (-, -, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Erodium cygnorum		0.00								
Erodium janszii		0.00								
Erodium sp. Blesing (J.R.Wheeler 471)		0.00								
Erymophyllum ramosum ssp. ramosum		0.00								
Eucalyptus alboburpurea		0.00								
Eucalyptus angulosa		0.00								
Eucalyptus behriana		0.00								
Eucalyptus brachycalyx		0.00								
Eucalyptus calcareana		0.00								
Eucalyptus calycogona ssp. calycogona		0.00								
Eucalyptus calycogona ssp. spaffordii		0.00								
Eucalyptus camaldulensis var. camaldulensis		0.00								
Eucalyptus camaldulensis var. obtusa		0.00								
Eucalyptus canescens ssp. beadelii		0.00								
Eucalyptus canescens ssp. canescens		0.00								
Eucalyptus ceratocorys		0.00								
Eucalyptus cladocalyx		0.00								
Eucalyptus concinna		0.00								
Eucalyptus conglobata ssp. conglobata		0.00								
Eucalyptus cretata		0.00								
Eucalyptus diversifolia ssp. diversifolia		0.00								
Eucalyptus diversifolia ssp. hesperia		0.00								
Eucalyptus dumosa		0.00								
Eucalyptus eremicola		0.00								
Eucalyptus eucentrica		0.00								
Eucalyptus glomerosa		0.00								
Eucalyptus gongylocarpa		0.00								
Eucalyptus gracilis		0.00								
Eucalyptus gypsophila		0.00								
Eucalyptus incrassata		0.00								
Eucalyptus intertexta		0.00								
Eucalyptus kingsmillii ssp. alatissima		0.00								
Eucalyptus lansdowneana		0.00								
Eucalyptus leptophylla		0.00								
Eucalyptus mannensis ssp. mannensis		0.00								
Eucalyptus odorata		0.00								
Eucalyptus oleosa ssp. ampliata		0.00								
Eucalyptus oleosa ssp. oleosa		0.00								
Eucalyptus oxymitra		0.00								
Eucalyptus peeneri		0.00								
Eucalyptus peninsularis		0.00								
Eucalyptus petiolaris		0.00								
Eucalyptus phenax ssp. phenax		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Eucalyptus pileata		0.00								
Eucalyptus picipiniana		0.00								
Eucalyptus porosa		0.00								
Eucalyptus rugosa		0.00								
Eucalyptus socialis ssp. Glossy green (P.J.Lang 804)		0.00								
Eucalyptus socialis ssp. socialis		0.00								
Eucalyptus socialis ssp. South Great Victoria Desert (D.N)		0.00								
Eucalyptus trivalvis		0.00								
Eucalyptus viminalis ssp. cygnetensis		0.00								
Eucalyptus vokesensis		0.00								
Eucalyptus wyolensis		0.00								
Eucalyptus yalataensis		0.00								
Eucalyptus youngiana		0.00								
Eucalyptus yumbarrana ssp. yumbarrana		0.00								
Euchiton collinus		0.00								
Euchiton sphaericus		0.00								
Eulalia aurea		0.00								
Euphorbia parvicaruncula		0.00								
Euphorbia stevenii		0.00								
Euphorbia tannensis ssp. eremophila		0.00								
Euphrasia collina ssp. tetragona		0.00								
Eutaxia diffusa		0.00								
Eutaxia microphylla		0.00								
Evolvulus alsinoides var. villosicalyx		0.00								
Exocarpos aphyllus		0.00								
Exocarpos cupressiformis		0.00								
Exocarpos sparteus		0.00								
Exocarpos syrticola		0.00								
Ficinia nodosa		0.00								
Fimbristylis dichotoma		0.00								
Flaveria australasica		0.00								
Frankenia cinerea		0.00								
Frankenia crispa		0.00								
Frankenia cupularis		0.00								
Frankenia foliosa		0.00								
Frankenia pauciflora var. fruticulosa		0.00								
Frankenia pauciflora var. gunnii		0.00								
Frankenia plicata		0.00								
Frankenia serpyllifolia		0.00								
Frankenia sessilis		0.00								
Gahnia ancistrophylla		0.00								
Gahnia deusta		0.00								
Gahnia filum		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Gahnia lanigera		0.00								
Gahnia trifida		0.00								
Galium compactum		0.00								
Galium gaudichaudii		0.00								
Galium migrans		0.00								
Geijera linearifolia		0.00								
Genoplesium nigricans		0.00								
Genoplesium rufum		0.00								
Geococcus pusillus		0.00								
Geranium potentilloides var. potentilloides		0.00								
Geranium retrorsum		0.00								
Geranium solanderi var. solanderi		0.00								
Gilesia biniiflora		0.00								
Glins lotoides		0.00								
Glischrocaryon aureum var. angustifolium		0.00								
Glischrocaryon behrii		0.00								
Glischrocaryon flavescens		0.00								
Glossocardia bidens		0.00								
Glossodia major		0.00								
Glossostigma cleistanthum		0.00								
Glossostigma diandrum		0.00								
Glossostigma drummondii		0.00								
Glycine canescens		0.00								
Glycine rubiginosa		0.00								
Gnaphalium indutum		0.00								
Gnephosis arachnoidea		0.00								
Gnephosis drummondii		0.00								
Gnephosis tenuissima		0.00								
Gompholobium ecostatum		0.00								
Gonocarpus elatus		0.00								
Gonocarpus mezeianus		0.00								
Goodenia albiflora		0.00								
Goodenia benthamiana		0.00								
Goodenia berardiana		0.00								
Goodenia blackiana		0.00								
Goodenia calcarata		0.00								
Goodenia centralis		0.00								
Goodenia cycloptera		0.00								
Goodenia fascicularis		0.00								
Goodenia geniculata		0.00								
Goodenia gibbosa		0.00								
Goodenia glabra		0.00								
Goodenia glandulosa		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Goodenia gypsicola		0.00								
Goodenia havilandii		0.00								
Goodenia heterochila		0.00								
Goodenia larapinta		0.00								
Goodenia lobata		0.00								
Goodenia lunata		0.00								
Goodenia modesta		0.00								
Goodenia occidentalis		0.00								
Goodenia ovata		0.00								
Goodenia pinnatifida		0.00								
Goodenia pusilliflora		0.00								
Goodenia quasilibera		0.00								
Goodenia robusta		0.00								
Goodenia varia		0.00								
Goodenia verrucosa		0.00								
Goodenia willisiana		0.00								
Goodenia xanthosperma		0.00								
Goodia medicaginea		0.00								
Gossypium sturtianum var. sturtianum		0.00								
Grammosolen dixonii		0.00								
Grammosolen truncatus		0.00								
Gratwickia monochaeta		0.00								
Grevillea albiflora		0.00								
Grevillea anethifolia		0.00								
Grevillea aspera		0.00								
Grevillea dilatata		0.00								
Grevillea halmaturina ssp. laevis		0.00								
Grevillea huegelii		0.00								
Grevillea ilicifolia ssp. ilicifolia		0.00								
Grevillea juncifolia ssp. juncifolia		0.00								
Grevillea nematophylla ssp. nematophylla		0.00								
Grevillea nematophylla ssp. supraplana		0.00								
Grevillea parallelinervis		0.00								
Grevillea pauciflora ssp. leptophylla		0.00								
Grevillea pauciflora ssp. pauciflora		0.00								
Grevillea pterosperma		0.00								
Grevillea sarissa ssp. umbellifera		0.00								
Grevillea stenobotrya		0.00								
Grevillea treueriana		0.00								
Gunniopsis calcarea		0.00								
Gunniopsis calva		0.00								
Gunniopsis papillata		0.00								
Gunniopsis quadrifida		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, -, 0, +, ++) Murat - IMCRA	Trends (-, -, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Gunniopsis septifraga		0.00								
Gunniopsis zygophylloides		0.00								
Gyrostemon australasicus		0.00								
Gyrostemon ramulosus		0.00								
Gyrostemon tepperi		0.00								
Gyrostemon thesioides		0.00								
Haeckeria cassiniiformis		0.00								
Haeckeria punctulata		0.00								
Haegiela tatei		0.00								
Hakea cycloptera		0.00								
Hakea francisiana		0.00								
Hakea leucoptera ssp. leucoptera		0.00								
Hakea lorea ssp. lorea		0.00								
Hakea mitchellii		0.00								
Hakea rugosa		0.00								
Hakea vittata		0.00								
Halgania andromedifolia		0.00								
Halgania cyanea		0.00								
Halophila australis		0.00	LC	LC	1	0	0.3			No records but occurs here
Haloragis acutangula forma acutangula		0.00								
Haloragis acutangula forma annulata		0.00								
Haloragis acutangula forma dentata		0.00								
Haloragis acutangula forma inflata		0.00								
Haloragis acutangula forma obturbinata		0.00								
Haloragis acutangula forma pyramidata		0.00								
Haloragis acutangula forma semiangulata		0.00								
Haloragis acutangula forma stellata		0.00								
Haloragis acutangula forma subacutangula		0.00								
Haloragis acutangula forma tetraglebosa		0.00								
Haloragis acutangula forma tetraptera		0.00								
Haloragis acutangula forma turbinata		0.00								
Haloragis aspera		0.00								
Haloragis eyreana		0.00								
Haloragis glauca forma glauca		0.00								
Haloragis gossei		0.00								
Haloragis odontocarpa forma pterocarpa		0.00								
Haloragis odontocarpa forma rugosa		0.00								
Haloragis uncatipila		0.00								
Hannafordia bissillii ssp. bissillii		0.00								
Hardenbergia violacea		0.00								
Harmsiodoxa blennodioides		0.00								
Harmsiodoxa brevipes var. brevipes		0.00								
Harmsiodoxa brevipes var. major		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Harmsiodoxa puberula		0.00								
Helichrysum leucopsideum		0.00								
Heliotropium aspernum		0.00								
Heliotropium europaeum		0.00								
Hemichroa diandra		0.00								
Hemichroa pentandra		0.00								
Hibbertia cinerea		0.00								
Hibbertia crinita		0.00								
Hibbertia crispula		0.00								
Hibbertia paeninsularis		0.00								
Hibbertia platyphylla ssp. major		0.00								
Hibbertia platyphylla ssp. platyphylla		0.00								
Hibbertia riparia		0.00								
Hibbertia sp. Glabruscula (D.J.Whibley 9012)		0.00								
Hibbertia virgata		0.00								
Hibiscus brachysiphonius		0.00								
Hibiscus krichauffianus		0.00								
Hibiscus solanifolius		0.00								
Hibiscus sturtii var. grandiflorus		0.00								
Hibiscus sturtii var. muelleri		0.00								
Homoranthus homoranthoides		0.00								
Homoranthus wilhelmii		0.00								
Hyalosperma demissum		0.00								
Hyalosperma glutinosum ssp. glutinosum		0.00								
Hyalosperma semisterile		0.00								
Hybanthus floribundus ssp. floribundus		0.00								
Hybanthus monopetalus		0.00								
Hydrocotyle callicarpa		0.00								
Hydrocotyle capillaris		0.00								
Hydrocotyle comocarpa		0.00								
Hydrocotyle foveolata		0.00								
Hydrocotyle laxiflora		0.00								
Hydrocotyle medicaginooides		0.00								
Hydrocotyle pilifera var. glabrata		0.00								
Hydrocotyle rugulosa		0.00								
Hydrocotyle trachycarpa		0.00								
Hypericum gramineum		0.00								
Hypolaena fastigiata		0.00								
Hypoxis glabella var. glabella		0.00								
Hypoxis vaginata var. vaginata		0.00								
Imperata cylindrica		0.00								
Indigofera australis var. australis		0.00								
Indigofera georgei		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Indigofera helmsii		0.00								
Indigofera psammophila		0.00								
Iseilema eremaeum		0.00								
Iseilema membranaceum		0.00								
Isoetes muelleri		0.00								
Isoetopsis graminifolia		0.00								
Isolepis australiensis		0.00								
Isolepis cernua		0.00								
Isolepis congrua		0.00								
Isolepis fluitans		0.00								
Isolepis hookeriana		0.00								
Isolepis inundata		0.00								
Isolepis platycarpa		0.00								
Isolepis stellata		0.00								
Isotoma petraea		0.00								
Isotoma scapigera		0.00								
Ixiochlamys cuneifolia		0.00								
Ixiochlamys filicifolia		0.00								
Ixiochlamys nana		0.00								
Ixodia achillaeoides ssp. achillaeoides		0.00								
Ixodia achillaeoides ssp. alata		0.00								
Jasminum didymum ssp. lineare		0.00								
Juncus aridicola		0.00								
Juncus bufonius		0.00								
Juncus kraussii		0.00								
Juncus pallidus		0.00								
Juncus radula		0.00								
Juncus subsecundus		0.00								
Kennedia prostrata		0.00								
Keraudrenia nephrosperma		0.00								
Keraudrenia sp. North West (J.Z.Weber 6475)		0.00								
Kippistia suaedifolia		0.00								
Korthalsella japonica forma japonica		0.00								
Lachnagrostis aemula		0.00								
Lachnagrostis billardierei ssp. billardierei		0.00								
Lachnagrostis filiformis		0.00								
Lagenophora huegelii		0.00								
Lasiopetalum baueri		0.00								
Lasiopetalum behrii		0.00								
Lasiopetalum discolor		0.00								
Lasiopetalum schulzenii		0.00								
Lawrencella davenportii		0.00								
Lawrenca berthae		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Lawrenzia glomerata		0.00								
Lawrenzia spicata		0.00								
Lawrenzia squamata		0.00								
Laxmannia orientalis		0.00								
Lechenaultia aphylla		0.00								
Lechenaultia divaricata		0.00								
Lechenaultia striata		0.00								
Leiocarpa leptolepis		0.00								
Leiocarpa plurisetata		0.00								
Leiocarpa semicalva ssp. semicalva		0.00								
Leiocarpa supina		0.00								
Leiocarpa tomentosa		0.00								
Leiocarpa websteri		0.00								
Lemna disperma		0.00								
Lemooria burkittii		0.00								
Lepidium fasciculatum		0.00								
Lepidium foliosum		0.00								
Lepidium leptopetalum		0.00								
Lepidium muelleri-ferdinandi		0.00								
Lepidium oxytrichum		0.00								
Lepidium papillosum		0.00								
Lepidium phlebopetalum		0.00								
Lepidium pseudoruderale		0.00								
Lepidium rotundum		0.00								
Lepidium sagittulatum		0.00								
Lepidosperma canescens		0.00								
Lepidosperma carphoides		0.00								
Lepidosperma concavum		0.00								
Lepidosperma congestum		0.00								
Lepidosperma curtisiae		0.00								
Lepidosperma gladiatum		0.00								
Lepidosperma leptophyllum		0.00								
Lepidosperma sp. Narrow leaf (R.L.Taplin 709)		0.00								
Lepidosperma viscidum		0.00								
Lepilaena australis		0.00								
Lepilaena cylindrocarpa		0.00								
Lepilaena marina		0.00								
Lepilaena preissii		0.00								
Leporella fimbriata		0.00								
Leptoceras menziesii		0.00								
Leptomeria aphylla		0.00								
Leptomeria preissiana		0.00								
Leptorhynchos baileyi		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Leptorhynchos elongatus		0.00								
Leptorhynchos melanocarpus		0.00								
Leptorhynchos scaber		0.00								
Leptorhynchos squamatus ssp. squamatus		0.00								
Leptorhynchos tetrachaetus		0.00								
Leptorhynchos waitzia		0.00								
Leptospermum coriaceum		0.00								
Leptospermum fastigiatum		0.00								
Leucochrysum fitzibbonii		0.00								
Leucochrysum melle		0.00								
Leucochrysum stipitatum		0.00								
Leucophyta brownii		0.00								
Leucopogon clelandii		0.00								
Leucopogon cordifolius		0.00								
Leucopogon parviflorus		0.00								
Leucopogon revolutus		0.00								
Leucopogon rufus		0.00								
Leucopogon woodsii		0.00								
Levenhookia dubia		0.00								
Levenhookia stipitata		0.00								
Lilaeopsis polyantha		0.00								
Limosella australis		0.00								
Limosella curdieana var. curdieana		0.00								
Limosella curdieana var. Long-pedicelled (W.R.Barker 38		0.00								
Limosella granitica		0.00								
Linum marginale		0.00								
Lissanthe strigosa ssp. subulata		0.00								
Lobelia anceps		0.00								
Lobelia gibbosa		0.00								
Lobelia heterophylla		0.00								
Logania crassifolia		0.00								
Logania linifolia		0.00								
Logania minor		0.00								
Logania nuda		0.00								
Logania ovata		0.00								
Lomandra collina		0.00								
Lomandra effusa		0.00								
Lomandra juncea		0.00								
Lomandra leucocephala ssp. robusta		0.00								
Lomandra micrantha ssp. micrantha		0.00								
Lomandra micrantha ssp. tuberculata		0.00								
Lomandra sororia		0.00								
Lotus australis		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Lotus cruentus		0.00								
Luzula densiflora		0.00								
Luzula meridionalis		0.00								
Lycium australe		0.00								
Lysiana exocarpi ssp. exocarpi		0.00								
Lysiana murrayi		0.00								
Lythrum hyssopifolia		0.00								
Lythrum wilsonii		0.00								
Maireana aphylla		0.00								
Maireana appressa		0.00								
Maireana astrotricha		0.00								
Maireana brevifolia		0.00								
Maireana campanulata		0.00								
Maireana cannonii		0.00								
Maireana carnososa		0.00								
Maireana ciliata		0.00								
Maireana coronata		0.00								
Maireana enchylaenoides		0.00								
Maireana eriantha		0.00								
Maireana erioclada		0.00								
Maireana georgei		0.00								
Maireana integra		0.00								
Maireana lobiflora		0.00								
Maireana melanocarpa		0.00								
Maireana microcarpa		0.00								
Maireana oppositifolia		0.00								
Maireana ovata		0.00								
Maireana pentatropis		0.00								
Maireana planifolia		0.00								
Maireana pyramidata		0.00								
Maireana radiata		0.00								
Maireana rohrfachii		0.00								
Maireana schistocarpa		0.00								
Maireana scleroptera		0.00								
Maireana sedifolia		0.00								
Maireana spongocarpa		0.00								
Maireana suaedifolia		0.00								
Maireana tomentosa ssp. urceolata		0.00								
Maireana trichoptera		0.00								
Maireana triptera		0.00								
Maireana turbinata		0.00								
Maireana villosa		0.00								
Malacocera albolanata		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Malacocera gracilis		0.00								
Malacocera tricornis		0.00								
Malva preissiana		0.00								
Malvastrum americanum var. americanum		0.00								
Marsdenia australis		0.00								
Marsilea costulifera		0.00								
Marsilea drummondii		0.00								
Marsilea exarata		0.00								
Marsilea hirsuta		0.00								
Melaleuca acuminata ssp. acuminata		0.00								
Melaleuca armillaris ssp. akineta		0.00								
Melaleuca brevifolia		0.00								
Melaleuca decussata		0.00								
Melaleuca eleuterostachya		0.00								
Melaleuca gibbosa		0.00								
Melaleuca glomerata		0.00								
Melaleuca halmaturorum		0.00								
Melaleuca interioris		0.00								
Melaleuca lanceolata		0.00								
Melaleuca leiocarpa		0.00								
Melaleuca nanophylla		0.00								
Melaleuca oxyphylla		0.00								
Melaleuca pauperiflora ssp. mutica		0.00								
Melaleuca quadrifaria		0.00								
Melaleuca uncinata		0.00								
Melaleuca xerophila		0.00								
Menkea australis		0.00								
Menkea crassa		0.00								
Menkea sphaerocarpa		0.00								
Menkea villosula		0.00								
Mentha australis		0.00								
Mentha satuireioides		0.00								
Micranthemum demissum		0.00								
Microcybe multiflora ssp. baccharoides		0.00								
Microcybe multiflora ssp. multiflora		0.00								
Microcybe pauciflora ssp. pauciflora		0.00								
Microlepidium alatum		0.00								
Microlepidium pilosulum		0.00								
Microseris lanceolata		0.00								
Microtis arenaria		0.00								
Microtis atrata		0.00								
Microtis eremaea		0.00								
Microtis frutetorum		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Microtis orbicularis		0.00								
Microtis sp. Short-leaf (R.J.Bates 54342)		0.00								
Millotia greevesii ssp. helmsii		0.00								
Millotia incurva		0.00								
Millotia macrocarpa		0.00								
Millotia major		0.00								
Millotia muelleri		0.00								
Millotia myosotidifolia		0.00								
Millotia perpusilla		0.00								
Millotia tenuifolia var. tenuifolia		0.00								
Mimulus repens		0.00								
Minuria annua		0.00								
Minuria cunninghamii		0.00								
Minuria denticulata		0.00								
Minuria integerrima		0.00								
Minuria leptophylla		0.00								
Minuria multisetata		0.00								
Mitrasacme pilosa var. pilosa		0.00								
Mollugo cerviana		0.00								
Monachather paradoxus		0.00								
Muehlenbeckia adpressa		0.00								
Muehlenbeckia diclina ssp. diclina		0.00								
Muehlenbeckia florulenta		0.00								
Muehlenbeckia gunnii		0.00								
Muehlenbeckia horrida ssp. horrida		0.00								
Muelleranthus stipularis		0.00								
Murchisonia volubilis		0.00								
Myoporum brevipes		0.00								
Myoporum insulare		0.00								
Myoporum montanum		0.00								
Myoporum parvifolium		0.00								
Myoporum platycarpum ssp. perbellum		0.00								
Myoporum platycarpum ssp. platycarpum		0.00								
Myoporum viscosum		0.00								
Myosotis australis		0.00								
Myosurus minimus var. australis		0.00								
Myriocephalus pluriflorus		0.00								
Myriocephalus rudallii		0.00								
Myriocephalus squamatus		0.00								
Myriophyllum integrifolium		0.00								
Myriophyllum muelleri		0.00								
Myriophyllum salsugineum		0.00								
Myriophyllum verrucosum		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Neobassia proceriflora		0.00								
Neurachne alopecuroidea		0.00								
Neurachne munroi		0.00								
Newcastelia bracteosa		0.00								
Newcastelia cephalantha var. cephalantha		0.00								
Newcastelia spodiotricha		0.00								
Nicotiana goodspeedii		0.00								
Nicotiana maritima		0.00								
Nicotiana occidentalis ssp. obliqua		0.00								
Nicotiana rosulata ssp. rosulata		0.00								
Nicotiana simulans		0.00								
Nicotiana velutina		0.00								
Nitraria billardieri		0.00								
Olaux obcordata		0.00								
Olearia adenolasia		0.00								
Olearia axillaris		0.00								
Olearia brachyphylla		0.00								
Olearia calcarea		0.00								
Olearia ciliata var. ciliata		0.00								
Olearia decurrens		0.00								
Olearia exiguifolia		0.00								
Olearia floribunda var. floribunda		0.00								
Olearia lanuginosa		0.00								
Olearia lepidophylla		0.00								
Olearia magniflora		0.00								
Olearia minor		0.00								
Olearia muelleri		0.00								
Olearia pannosa ssp. pannosa		0.00								
Olearia passerinoides ssp. passerinoides		0.00								
Olearia picridifolia		0.00								
Olearia pimeleoides ssp. incana		0.00								
Olearia pimeleoides ssp. pimeleoides		0.00								
Olearia ramulosa		0.00								
Olearia rudis		0.00								
Olearia stuartii		0.00								
Olearia subspicata		0.00								
Omphalolappula concava		0.00								
Opercularia scabrada		0.00								
Opercularia turpis		0.00								
Ophioglossum lusitanicum		0.00								
Ophioglossum polyphyllum		0.00								
Orobanche cernua var. australiana		0.00								
Orthoceras strictum		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Orthrosanthus multiflorus		0.00								
Osteocarpum acropterum var. acropterum		0.00								
Osteocarpum dipterocarpum		0.00								
Osteocarpum pentapterum		0.00								
Osteocarpum salsuginosum		0.00								
Owenia acidula		0.00								
Oxalis perennans		0.00								
Oxalis radicata		0.00								
Ozothamnus decurrens		0.00								
Ozothamnus retusus		0.00								
Pachymitus cardaminoides		0.00								
Panicum decompositum var. decompositum		0.00								
Panicum effusum var. effusum		0.00								
Panicum laevinode		0.00								
Paractaenium novae-hollandiae ssp. reversum		0.00								
Paractaenium refractum		0.00								
Paraneurachne muelleri		0.00								
Parietaria australis		0.00								
Parietaria cardiostegia		0.00								
Parietaria debilis		0.00								
Pelargonium australe		0.00								
Pelargonium littorale		0.00								
Persicaria prostrata		0.00								
Phebalium bullatum		0.00								
Pheladenia deformis		0.00								
Philothea angustifolia ssp. angustifolia		0.00								
Philothea linearis		0.00								
Philothea pungens		0.00								
Phlegmatospermum cochlearinum		0.00								
Phlegmatospermum eremaeum		0.00								
Phlegmatospermum richardii		0.00								
Phyllangium distylis		0.00								
Phyllangium divergens		0.00								
Phyllangium sulcatum		0.00								
Phyllanthus calycinus		0.00								
Phyllanthus fuemrohrrii		0.00								
Phyllanthus lacunarius		0.00								
Phyllanthus saxosus		0.00								
Phylloglossum drummondii		0.00								
Phyllota remota		0.00								
Picris angustifolia ssp. angustifolia		0.00								
Piulularia novae-hollandiae		0.00								
Pimelea flava ssp. dichotoma		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Pimelea glauca		0.00								
Pimelea imbricata var. petraea		0.00								
Pimelea micrantha		0.00								
Pimelea microcephala ssp. microcephala		0.00								
Pimelea octophylla		0.00								
Pimelea petrophila		0.00								
Pimelea phylloides		0.00								
Pimelea serpyllifolia ssp. serpyllifolia		0.00								
Pimelea simplex ssp. continua		0.00								
Pimelea simplex ssp. simplex		0.00								
Pimelea stricta		0.00								
Pimelea subvillifera		0.00								
Pimelea trichostachya		0.00								
Pimelea williamsonii		0.00								
Pittosporum angustifolium		0.00								
Pittosporum ligustrifolium		0.00								
Pityrodia loricata		0.00								
Plagiobothrys plurisepaleus		0.00								
Plantago drummondii		0.00								
Plantago gaudichaudii		0.00								
Plantago hispida		0.00								
Plantago sp. A (A.C.Robinson 704)		0.00								
Plantago sp. B (R.Bates 44765)		0.00								
Plantago turrifera		0.00								
Plantago varia		0.00								
Platysace heterophylla var. heterophylla		0.00								
Pleuropappus phyllocalymmeus		0.00								
Pleurosorus rutifolius		0.00								
Pleurosorus subglandulosus		0.00								
Pluchea rubelliflora		0.00								
Poa clelandii		0.00								
Poa crassicaudex		0.00								
Poa drummondiana		0.00								
Poa fax		0.00								
Poa fordeana		0.00								
Poa labillardieri var. labillardieri		0.00								
Poa poiformis var. poiformis		0.00								
Poa tenera		0.00								
Podolepis canescens		0.00								
Podolepis capillaris		0.00								
Podolepis davisiana		0.00								
Podolepis jaceoides		0.00								
Podolepis longipedata		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Podolepis rugata var. littoralis		0.00								
Podolepis rugata var. rugata		0.00								
Podolepis tepperi		0.00								
Podotheca angustifolia		0.00								
Pogonolepis muelleriana		0.00								
Polycalymma stuartii		0.00								
Polygonum plebeium		0.00								
Polyogon tenellus		0.00								
Pomaderris flabellaris		0.00								
Pomaderris forrestiana		0.00								
Pomaderris obcordata		0.00								
Pomaderris paniculosa ssp. paniculosa		0.00								
Pomaderris paniculosa ssp. paralia		0.00								
Pomax umbellata		0.00								
Poranthera huegelii		0.00								
Poranthera leiosperma		0.00								
Poranthera microphylla		0.00								
Poranthera triandra		0.00								
Portulaca oleracea		0.00								
Posidonia angustifolia		0.00	LC	LC	1	0	0.3			No records but occurs here
Posidonia australis	2	0.86	LC	LC	1	0	0.3	2		
Posidonia coriacea		0.00	LC	LC	1	0	0.3			No records but occurs here
Posidonia denhartogii		0.00	DD	DD	0	DD	0.0			No records, relatively Rare
Posidonia sinuosa		0.00	LC	LC	1	0	0.3			No records but occurs here
Potamogeton ochreateus		0.00								
Potamogeton pectinatus		0.00								
Prasophyllum calcicola		0.00								
Prasophyllum catenemum		0.00								
Prasophyllum collinum		0.00								
Prasophyllum constrictum		0.00								
Prasophyllum elatum		0.00								
Prasophyllum fecundum		0.00								
Prasophyllum fitzgeraldii		0.00								
Prasophyllum goldsackii		0.00								
Prasophyllum laxum										
Prasophyllum occidentale		0.00								
Prasophyllum occultans		0.00								
Prasophyllum odoratum		0.00								
Prasophyllum praecox		0.00								
Prasophyllum sp Desert										
Prasophyllum sp. Coast sandhills (Hj.Eichler 14100)		0.00								
Prasophyllum sp. Enigma (R.Bates 2350)		0.00								
Prostanthera althoferi ssp. longifolia		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Prostanthera ammophila		0.00								
Prostanthera aspalathoides		0.00								
Prostanthera calycina		0.00								
Prostanthera chlorantha		0.00								
Prostanthera florifera		0.00								
Prostanthera sericea		0.00								
Prostanthera serpyllifolia ssp. microphylla		0.00								
Prostanthera serpyllifolia ssp. microphylla (purplish-green)		0.00								
Prostanthera serpyllifolia ssp. microphylla (red flowers)		0.00								
Prostanthera serpyllifolia ssp. serpyllifolia		0.00								
Prostanthera serpyllifolia ssp. serpyllifolia (purplish-green)		0.00								
Prostanthera serpyllifolia ssp. serpyllifolia (red flowers)		0.00								
Prostanthera spinosa		0.00								
Prostanthera striatiflora		0.00								
Prostanthera wilkieana		0.00								
Pseudognaphalium luteoalbum		0.00								
Psyrax suaveolens		0.00								
Pteridium esculentum		0.00								
Pteris tremula		0.00								
Pterocaulon sphaclatum		0.00								
Pterostylis "Mt Olinthus"		0.00								
Pterostylis aff. nana "mallee"		0.00								
Pterostylis biseta		0.00								
Pterostylis boormani		0.00								
Pterostylis cynocephala		0.00								
Pterostylis dolichochoila		0.00								
Pterostylis erythroconcha		0.00								
Pterostylis excelsa		0.00								
Pterostylis flavovirens		0.00								
Pterostylis mutica		0.00								
Pterostylis nana		0.00								
Pterostylis ovata		0.00								
Pterostylis pedunculata		0.00								
Pterostylis plumosa		0.00								
Pterostylis pusilla		0.00								
Pterostylis robusta		0.00								
Pterostylis sanguinea		0.00								
Pterostylis sp. Eyre Peninsula (R.Bates 19474)		0.00								
Pterostylis sp. Triloba (pl.191, Bates & Weber 1990)		0.00								
Pterostylis viriosa		0.00								
Pterostylis xerophila		0.00								
Ptilotus beckerianus		0.00								
Ptilotus decipiens		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
<i>Ptilotus exaltatus</i> var. <i>exaltatus</i>		0.00								
<i>Ptilotus gaudichaudii</i> var. <i>gaudichaudii</i>		0.00								
<i>Ptilotus gaudichaudii</i> var. <i>parviflorus</i>		0.00								
<i>Ptilotus nobilis</i> var. <i>nobilis</i>		0.00								
<i>Ptilotus obovatus</i> var. <i>griseus</i>		0.00								
<i>Ptilotus obovatus</i> var. <i>obovatus</i>		0.00								
<i>Ptilotus polystachyus</i> var. <i>polystachyus</i>		0.00								
<i>Ptilotus seminudus</i>		0.00								
<i>Ptilotus sessilifolius</i> var. <i>sessilifolius</i>		0.00								
<i>Ptilotus spathulatus</i> forma <i>spathulatus</i>		0.00								
<i>Ptilotus symonii</i>		0.00								
<i>Puccinellia stricta</i> var. <i>stricta</i>		0.00								
<i>Pultenaea acerosa</i>		0.00								
<i>Pultenaea densifolia</i>		0.00								
<i>Pultenaea elachista</i>		0.00								
<i>Pultenaea pedunculata</i>		0.00								
<i>Pultenaea tenuifolia</i>		0.00								
<i>Pultenaea teretifolia</i> var. <i>teretifolia</i>		0.00								
<i>Pultenaea trichophylla</i>		0.00								
<i>Pultenaea trinervis</i>		0.00								
<i>Pultenaea vestita</i>		0.00								
<i>Pycnosorus pleiocephalus</i>		0.00								
<i>Pyrorchis nigricans</i>		0.00								
<i>Quinetia urvillei</i>		0.00								
<i>Radyera farragei</i>		0.00								
<i>Ranunculus hamatosetosus</i>		0.00								
<i>Ranunculus lappaceus</i>		0.00								
<i>Ranunculus pentandrus</i> var. <i>platycarpus</i>		0.00								
<i>Ranunculus pumilio</i> var. <i>pumilio</i>		0.00								
<i>Ranunculus sessiliflorus</i> var. <i>pilulifer</i>		0.00								
<i>Ranunculus sessiliflorus</i> var. <i>sessiliflorus</i>		0.00								
<i>Rhagodia candolleana</i> ssp. <i>argentea</i>		0.00								
<i>Rhagodia candolleana</i> ssp. <i>candolleana</i>		0.00								
<i>Rhagodia crassifolia</i>		0.00								
<i>Rhagodia drummondii</i>		0.00								
<i>Rhagodia eremaea</i>		0.00								
<i>Rhagodia parabolica</i>		0.00								
<i>Rhagodia preissii</i> ssp. <i>preissii</i>		0.00								
<i>Rhagodia spinescens</i>		0.00								
<i>Rhagodia ulicina</i>		0.00								
<i>Rhodanthe charsleyae</i>		0.00								
<i>Rhodanthe chlorocephala</i> ssp. <i>rosea</i>		0.00								
<i>Rhodanthe citrina</i>		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Rhodanthe corymbiflora		0.00								
Rhodanthe floribunda		0.00								
Rhodanthe haigii		0.00								
Rhodanthe laevis		0.00								
Rhodanthe microglossa		0.00								
Rhodanthe moschata		0.00								
Rhodanthe oppositifolia ssp. oppositifolia		0.00								
Rhodanthe polygalifolia		0.00								
Rhodanthe pygmaea		0.00								
Rhodanthe stricta		0.00								
Rhodanthe stuartiana		0.00								
Rhodanthe tietkensis		0.00								
Rhodanthe troedelii		0.00								
Rhodanthe uniflora		0.00								
Rhyncharhena linearis		0.00								
Rostellularia adscendens var. pogonanthera		0.00								
Rulingia crauophylla		0.00								
Rulingia loxophylla		0.00								
Rumex brownii		0.00								
Rumex crystallinus		0.00								
Rumex dumosus		0.00								
Ruppia maritima		0.00								
Ruppia megacarpa		0.00								
Ruppia polycarpa		0.00								
Ruppia tuberosa		0.00								
Rutidosis helichrysoides ssp. helichrysoides		0.00								
Sagina maritima		0.00								
Salsola tragus		0.00								
Samolus repens		0.00								
Santalum acuminatum		0.00								
Santalum lanceolatum		0.00								
Santalum murrayanum		0.00								
Santalum spicatum		0.00								
Sarcocornia blackiana		0.00								
Sarcocornia quinqueflora		0.00								
Sarcostemma viminalis ssp. australe		0.00								
Sarcozona bicarinata		0.00								
Sarcozona praecox		0.00								
Sauropus rigens		0.00								
Sauropus trachyspermus		0.00								
Scaevola aemula		0.00								
Scaevola amblyanthera var. centralis		0.00								
Scaevola angustata		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Scaevola basedowii		0.00								
Scaevola bursariifolia		0.00								
Scaevola collaris		0.00								
Scaevola collina		0.00								
Scaevola crassifolia		0.00								
Scaevola depauperata		0.00								
Scaevola humilis		0.00								
Scaevola linearis ssp. linearis		0.00								
Scaevola myrtifolia		0.00								
Scaevola parvibarbata		0.00								
Scaevola spinescens		0.00								
Scambopus curvipes		0.00								
Schenkia australis		0.00								
Schoenia ayersii		0.00								
Schoenia cassiniana		0.00								
Schoenia ramosissima		0.00								
Schoenoplectus dissachanthus		0.00								
Schoenoplectus litoralis		0.00								
Schoenoplectus pungens		0.00								
Schoenoplectus validus		0.00								
Schoenus apogon		0.00								
Schoenus breviculmis		0.00								
Schoenus carsei		0.00								
Schoenus deformis		0.00								
Schoenus fluitans		0.00								
Schoenus laevigatus		0.00								
Schoenus nanus		0.00								
Schoenus nitens		0.00								
Schoenus racemosus		0.00								
Schoenus sculptus		0.00								
Schoenus subaphyllus		0.00								
Scleranthus minusculus		0.00								
Scleranthus pungens		0.00								
Scleroblitum atriplicinum		0.00								
Sclerolaena bicuspis		0.00								
Sclerolaena blackiana		0.00								
Sclerolaena brachyptera		0.00								
Sclerolaena brevifolia		0.00								
Sclerolaena clelandii		0.00								
Sclerolaena constricta		0.00								
Sclerolaena convexula		0.00								
Sclerolaena costata		0.00								
Sclerolaena cuneata		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Sclerolaena decurrens		0.00								
Sclerolaena deserticola		0.00								
Sclerolaena diacantha		0.00								
Sclerolaena divaricata		0.00								
Sclerolaena eriacantha		0.00								
Sclerolaena fusiformis		0.00								
Sclerolaena holtiana		0.00								
Sclerolaena intricata		0.00								
Sclerolaena johnsonii		0.00								
Sclerolaena lanicuspis		0.00								
Sclerolaena limbata		0.00								
Sclerolaena murrayae		0.00								
Sclerolaena obliquicuspis		0.00								
Sclerolaena parallelicuspis		0.00								
Sclerolaena parviflora		0.00								
Sclerolaena patenticuspis		0.00								
Sclerolaena symoniana		0.00								
Sclerolaena tatei		0.00								
Sclerolaena uniflora		0.00								
Sclerolaena ventricosa		0.00								
Sebaea albidiflora		0.00								
Sebaea ovata		0.00								
Selliera radicans		0.00								
Senecio dolichocephalus		0.00								
Senecio gawlerensis		0.00								
Senecio glomeratus ssp. longifructus		0.00								
Senecio glossanthus		0.00								
Senecio gregorii		0.00								
Senecio laceratus		0.00								
Senecio lacustrinus		0.00								
Senecio magnificus		0.00								
Senecio odoratus		0.00								
Senecio phelleus		0.00								
Senecio picridioides		0.00								
Senecio pinnatifolius var. maritimus		0.00								
Senecio quadridentatus		0.00								
Senecio runcinifolius		0.00								
Senecio serratifolius ssp. serratifolius		0.00								
Senecio spanomerus		0.00								
Senna artemisioides ssp. alicia		0.00								
Senna artemisioides ssp. artemisioides		0.00								
Senna artemisioides ssp. coriacea		0.00								
Senna artemisioides ssp. filifolia		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Senna artemisioides ssp. helmsii		0.00								
Senna artemisioides ssp. oligophylla		0.00								
Senna artemisioides ssp. petiolaris		0.00								
Senna artemisioides ssp. quadrifolia		0.00								
Senna artemisioides ssp. sturtii		0.00								
Senna artemisioides ssp. zygophylla		0.00								
Senna cardiosperma ssp. cardiosperma		0.00								
Senna cardiosperma ssp. gawlerensis		0.00								
Senna cardiosperma ssp. microphylla		0.00								
Senna phyllodinea		0.00								
Senna pleurocarpa var. pleurocarpa		0.00								
Setaria basiclada		0.00								
Setaria clementii		0.00								
Setaria constricta		0.00								
Setaria dielsii		0.00								
Setaria jubiflora		0.00								
Setaria reflexa		0.00								
Sida ammophila		0.00								
Sida calyxhyemia		0.00								
Sida corrugata var. angustifolia		0.00								
Sida fibulifera		0.00								
Sida filiformis		0.00								
Sida intricata		0.00								
Sida petrophila		0.00								
Sida phaeotricha		0.00								
Sida sp. B (C.Dunlop 1739)		0.00								
Sida sp. golden calyces (H.N.Foote 32)		0.00								
Sida sp. L (A.M.Ashby 4202)		0.00								
Sida sp. R (P.Copley 1390)		0.00								
Sida sp. Rabbit Flat (R.B.Major 158)		0.00								
Sida sp. Watarra (D.E.Albrecht 8672)		0.00								
Sida spodochroma		0.00								
Sida trichopoda		0.00								
Sigesbeckia australiensis		0.00								
Siloxerus multiflorus		0.00								
Solanum aff. centrale		0.00								
Solanum capsiciforme		0.00								
Solanum centrale		0.00								
Solanum chenopodium		0.00								
Solanum cleistogamum		0.00								
Solanum coactiliferum		0.00								
Solanum ellipticum		0.00								
Solanum esuriale		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Solanum ferocissimum		0.00								
Solanum hystrix		0.00								
Solanum laciniatum		0.00								
Solanum lacunarium		0.00								
Solanum lasiophyllum		0.00								
Solanum orbiculatum ssp. orbiculatum		0.00								
Solanum petrophilum		0.00								
Solanum quadriloculatum		0.00								
Solanum simile		0.00								
Solanum sturtianum		0.00								
Solanum symonii		0.00								
Solenogyne dominii		0.00								
Sonchus hydrophilus		0.00								
Spartothamnella teucriflora		0.00								
Spergularia marina		0.00								
Sphaerolobium minus		0.00								
Spinifex hirsutus		0.00								
Sporobolus actinocladius		0.00								
Sporobolus caroli		0.00								
Sporobolus mitchellii		0.00								
Sporobolus virginicus		0.00								
Spyridium bifidum var. bifidum		0.00								
Spyridium bifidum var. Marble Range (W.R.Barker 7601)		0.00								
Spyridium bifidum var. Vanilla (K.Clipstone 88)		0.00								
Spyridium eriocephalum var. eriocephalum		0.00								
Spyridium erymnocladum		0.00								
Spyridium leucopogon		0.00								
Spyridium nitidum		0.00								
Spyridium phylloides		0.00								
Spyridium spathulatum		0.00								
Spyridium subochreatum		0.00								
Spyridium tricolor		0.00								
Spyridium vexilliferum var. vexilliferum		0.00								
Stackhousia annua		0.00								
Stackhousia aspericocca ssp. Cylindrical inflorescence (0.00								
Stackhousia aspericocca ssp. One-sided inflorescence (0.00								
Stackhousia clementii		0.00								
Stackhousia megaloptera		0.00								
Stackhousia monogyna		0.00								
Stackhousia muricata ssp. Annual (W.R.Barker 2172)		0.00								
Stackhousia muricata ssp. Perennial (W.R.Barker 3641)		0.00								
Stackhousia spathulata		0.00								
Stellaria filiformis		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Stemodia florulenta		0.00								
Stenanthemum leucophractum		0.00								
Stenanthemum notiale ssp. notiale		0.00								
Stenopetalum anfractum		0.00								
Stenopetalum lineare		0.00								
Stenopetalum nutans		0.00								
Stenopetalum saxatile		0.00								
Stenopetalum sphaerocarpum		0.00								
Stenopetalum velutinum		0.00								
Streptoglossa adscendens		0.00								
Streptoglossa liatroides		0.00								
Stuartina hamata		0.00								
Stuartina muelleri		0.00								
Stylidium calcaratum		0.00								
Stylidium inundatum		0.00								
Stylidium perpusillum		0.00								
Stypandra glauca		0.00								
Styphelia exarrhena		0.00								
Suaeda australis		0.00								
Swainsona acuticarinata		0.00								
Swainsona adenophylla		0.00								
Swainsona affinis		0.00								
Swainsona campestris		0.00								
Swainsona campylantha		0.00								
Swainsona canescens		0.00								
Swainsona colutoides		0.00								
Swainsona dictyocarpa		0.00								
Swainsona disjuncta		0.00								
Swainsona eremaea		0.00								
Swainsona flavicarinata		0.00								
Swainsona formosa		0.00								
Swainsona kingii		0.00								
Swainsona lessertifolia		0.00								
Swainsona microcalyx		0.00								
Swainsona microphylla		0.00								
Swainsona oliveri		0.00								
Swainsona oroboides		0.00								
Swainsona phacoides		0.00								
Swainsona purpurea		0.00								
Swainsona pyrophila		0.00								
Swainsona stipularis		0.00								
Swainsona tenuis		0.00								
Swainsona unifoliolata		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Swainsona villosa		0.00								
Synaptantha tillaeacea var. hispidula		0.00								
Synaptantha tillaeacea var. tillaeacea		0.00								
Tecticornia arbuscula		0.00								
Tecticornia disarticulata		0.00								
Tecticornia flabelliformis		0.00								
Tecticornia halocnemoides ssp. halocnemoides		0.00								
Tecticornia halocnemoides ssp. longispicata		0.00								
Tecticornia indica ssp. bidens		0.00								
Tecticornia indica ssp. leiostachya		0.00								
Tecticornia lepidosperma		0.00								
Tecticornia lylei		0.00								
Tecticornia medullosa		0.00								
Tecticornia moniliformis		0.00								
Tecticornia pergranulata ssp. pergranulata		0.00								
Tecticornia pruinosa		0.00								
Tecticornia pterygosperma ssp. pterygosperma		0.00								
Tecticornia tenuis		0.00								
Tecticornia triandra		0.00								
Templetonia battii		0.00								
Templetonia egena		0.00								
Templetonia retusa		0.00								
Templetonia sulcata		0.00								
Tetragonia eremaea		0.00								
Tetragonia implexicoma		0.00								
Tetragonia moorei		0.00								
Tetragonia tetragonioides		0.00								
Tetralia capillaris		0.00								
Teucrium corymbosum		0.00								
Teucrium grandiusculum ssp. pilosum		0.00								
Teucrium racemosum		0.00								
Teucrium sessiliflorum		0.00								
Thelymitra alcockii										
Thelymitra antennifera		0.00								
Thelymitra azurea		0.00								
Thelymitra benthamiana		0.00								
Thelymitra carnea		0.00								
Thelymitra epipactoides		0.00								
Thelymitra flexuosa		0.00								
Thelymitra juncifolia		0.00								
Thelymitra luteociliun		0.00								
Thelymitra megcalyptra		0.00								
Thelymitra occidentalis										

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Thelymitra parviflora										
Thelymitra pauciflora		0.00								
Thelymitra rubra		0.00								
Themeda triandra		0.00								
Thomasia petalocalyx		0.00								
Threlkeldia diffusa		0.00								
Thryptomene biseriata		0.00								
Thryptomene elliotii		0.00								
Thryptomene ericaea		0.00								
Thryptomene longifolia		0.00								
Thryptomene micrantha		0.00								
Thyridolepis mitchelliana		0.00								
Thyridolepis multiculmis		0.00								
Thyridolepis xerophila		0.00								
Thysanotus baueri		0.00								
Thysanotus exiliflorus		0.00								
Thysanotus nudicaulis		0.00								
Thysanotus patersonii		0.00								
Thysanotus wangariensis		0.00								
Trachymene ceratocarpa		0.00								
Trachymene cyanopetala		0.00								
Trachymene glaucifolia		0.00								
Trachymene ornata		0.00								
Trachymene pilosa		0.00								
Tragus australianus		0.00								
Trianthema triquetra		0.00								
Tribulus eichlerianus		0.00								
Tribulus minutus		0.00								
Trichanthodium skirrophorum		0.00								
Trichodesma zeylanicum		0.00								
Tricoryne elatior		0.00								
Tricoryne tenella		0.00								
Triglochin hexagona		0.00								
Triglochin isingiana		0.00								
Triglochin longicarpa		0.00								
Triglochin minutissima		0.00								
Triglochin mucronata		0.00								
Triglochin nana		0.00								
Triglochin nanum/sp. C (J.Z.Weber 6793)		0.00								
Triglochin sp. A (N.N.Donner 3596)		0.00								
Triglochin striata		0.00								
Triglochin trichophora		0.00								
Trigonella suavissima		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Triodia basedowii		0.00								
Triodia bunicola		0.00								
Triodia compacta		0.00								
Triodia helmsii		0.00								
Triodia irritans		0.00								
Triodia lanata		0.00								
Triodia melvillei		0.00								
Triodia scariosa		0.00								
Triopogon loliformis		0.00								
Triptilodiscus pygmaeus		0.00								
Triraphis mollis		0.00								
Trithuria submersa		0.00								
Trymalium wayi		0.00								
Typha domingensis		0.00								
Typha orientalis		0.00								
Utricularia tenella		0.00								
Velleia arguta		0.00								
Velleia connata		0.00								
Velleia cynopotamica		0.00								
Velleia glabrata		0.00								
Veronica hillebrandii		0.00								
Veronica pamkalliana		0.00								
Vittadinia australasica var. australasica		0.00								
Vittadinia blackii		0.00								
Vittadinia cervicalis var. cervicalis		0.00								
Vittadinia condyloides		0.00								
Vittadinia cuneata var. cuneata forma cuneata		0.00								
Vittadinia dissecta var. hirta		0.00								
Vittadinia eremaea		0.00								
Vittadinia gracilis		0.00								
Vittadinia megacephala		0.00								
Vittadinia nullarborensis		0.00								
Vittadinia pterochaeta		0.00								
Vittadinia pustulata		0.00								
Vittadinia sulcata		0.00								
Wahlenbergia aridicola		0.00								
Wahlenbergia communis		0.00								
Wahlenbergia gracilentia		0.00								
Wahlenbergia littoricola		0.00								
Wahlenbergia luteola		0.00								
Wahlenbergia preissii		0.00								
Wahlenbergia queenslandica		0.00								
Wahlenbergia stricta ssp. stricta		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++)	Trends (-, 0, +, ++)	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Wahlenbergia tumidiflora		0.00								
Waitzia acuminata var. acuminata		0.00								
Westringia dampieri		0.00								
Westringia eremicola		0.00								
Westringia rigida		0.00								
Wilsonia backhousei		0.00								
Wilsonia humilis		0.00								
Wilsonia rotundifolia		0.00								
Wurmbea centralis ssp. australis		0.00								
Wurmbea citrina		0.00								
Wurmbea decumbens		0.00								
Wurmbea dioica ssp. brevifolia		0.00								
Wurmbea dioica ssp. dioica		0.00								
Wurmbea latifolia ssp. vanessae		0.00								
Wurmbea sinora		0.00								
Wurmbea stellata		0.00								
Xanthorrhoea semiplana ssp. semiplana		0.00								
Xanthorrhoea semiplana ssp. tateana		0.00								
Xanthosia huegelii		0.00								
Xanthosia leiophylla		0.00								
Xerochrysum bracteatum		0.00								
Zaleya galericulata ssp. australis		0.00								
Zostera muelleri ssp. mucronata		0.00								
Zostera tasmanica	0.00	DD		DD	0	DD	0.0			Needs intertidal mudflats, could be widespread. Taxon
Zoysia macrantha ssp. walshii		0.00								
Zygochloa paradoxa		0.00								
Zygophyllum ammophilum		0.00								
Zygophyllum angustifolium		0.00								
Zygophyllum apiculatum		0.00								
Zygophyllum aurantiacum ssp. aurantiacum		0.00								
Zygophyllum aurantiacum ssp. cuneatum		0.00								
Zygophyllum aurantiacum ssp. simplicifolium		0.00								
Zygophyllum billardierei		0.00								
Zygophyllum compressum		0.00								
Zygophyllum confluens		0.00								
Zygophyllum crenatum		0.00								
Zygophyllum emarginatum		0.00								
Zygophyllum eremaeum		0.00								
Zygophyllum flavum		0.00								
Zygophyllum glaucum		0.00								
Zygophyllum halophilum		0.00								
Zygophyllum howittii		0.00								
Zygophyllum humilimum		0.00								

Regional Species Conservation Assessments
 DEH West Region
 Complete Dataset for all Flora Assessments Dec 2009
 In Alphabetical Order of Species Name

SPECIES	Murat (IMCRA) Records	% Murat (IMCRA)	Proposed IUCN Status & Criteria (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Proposed Regional IUCN Status (Murat - IMCRA)	Trends (-, 0, +, ++) Murat - IMCRA	Trends (-, 0, +, ++) Murat - IMCRA	Area of Occupancy (km2) (Total)	Area of Occupancy (km2) Recent (1989-2008)	Comments (Murat - IMCRA)
Zygophyllum iodocarpum		0.00								
Zygophyllum kochii		0.00								
Zygophyllum marliesiae		0.00								
Zygophyllum ovatum		0.00								
Zygophyllum prismatothecum		0.00								
Zygophyllum reticulatum		0.00								
Zygophyllum simile		0.00								