




Michal Yakir Wondrous Order

Reading excerpt
[Wondrous Order](#)
of [Michal Yakir](#)
Publisher: Narayana Verlag



<https://www.narayana-verlag.com/b13827>

In the [Narayana webshop](#) you can find all english books on homeopathy, alternative medicine and a healthy life.

Copyright:

Â Narayana Verlag GmbH, Blumenplatz 2, D-79400 Kandern, Germany

Tel. +49 7626 9749 700

Email info@narayana-verlag.com

<https://www.narayana-verlag.com>

[Narayana Verlag](#) is a publishing company for books on homeopathy, alternative medicine and a healthy life. We publish books of top-class and innovative authors like [Rosina Sonnenschmidt](#), [Rajan Sankaran](#), [George Vithoukas](#), [Douglas M. Borland](#), [Jan Scholten](#), [Frans Kusse](#), [Massimo Mangialavori](#), [Kate Birch](#), [Vaikunthanath Das Kaviraj](#), [Sandra Perko](#), [Ulrich Welte](#), [Patricia Le Roux](#), [Samuel Hahnemann](#), [Mohinder Singh Jus](#), [Dinesh Chauhan](#).

[Narayana Verlag](#) organises [Homeopathy Seminars](#). Worldwide known speakers like [Rosina Sonnenschmidt](#), [Massimo Mangialavori](#), [Jan Scholten](#), [Rajan Sankaran](#) & [Louis Klein](#) inspire up to 300 participants.

CONTENTS

Words of Thanks	ii	Foreword by Dr Mahesh Gandhi	vii
-----------------------	----	------------------------------------	-----

PART A · INTRODUCTIONS AND GATEWAYS

Sources, structure and usage of the Table	1	Introduction · The structure of the Table of Plants and how to use it	7
Foreword · Why, How and What	3		

PART B · A GATEWAY TO BASIC BOTANY AND SYSTEMATICS



The Table Botanic	11	Taxonomy, the Table and basic botanic division	17
Introduction to Botany	13		

PART C · THE TABLE OF PLANTS – OVERVIEW AND THEORY

The Table psychology and developmental aspects	25	Column Three · The Hero · Immersion vs separation · Struggle for independence	50
Definitions of psychological terms used in the book	27	Column Four · Maturity and nurturing · Separation from mother and family	58
Developmental aspects of the Table of Plants – an overview	29	Column Five · Split · The Other	66
Column One · Pre-separation · Primal, boundless, indiscriminate, pre-Ego	35	Column Six · Me vs the world · Struggle for one's place in the world	77
Column Two · Here or there · Seeking one's strength, small or big, in-between. Boundaries ..	42	Column Seven · The Sabbath · Reflections on the essence of the Table of Plants	93
		The Rows · Development and maturation within the columns	95

PART D · MATERIA MEDICA

DICOTYLEDONS · 109

 Column One · Magnoliidae · (Pre-separation) · Themes	111	 Column Two · Hamamelidae · (Here or there) · Themes	177
<i>Magnoliales</i>	114	<i>Urticales</i>	181
<i>Nymphaeales</i>	120	<i>Hamamelidales</i>	196
<i>Illiciales</i>	127	<i>Juglandales</i>	198
<i>Piperales</i>	129	<i>Myricales</i>	202
<i>Laurales</i>	135	<i>Fagales</i>	204
<i>Aristolochiales</i>	139	<i>Non-plant remedies</i>	211
<i>Ranunculales</i>	143		
<i>Papaverales</i>	167		



**Column Three · Caryophyllidae · (The Hero ·
The struggle for individuality) · Themes ... 215**
Caryophyllales 216
Plumbaginales 243
Polygonales 244



**Column Four · Dilleniidae · (Maturity and
nurturing) · Themes 249**
Theales 252
Dilleniales 257
Ebenales 259
Sarraceniales 262
Malvales 268
Primulales 282
Cucurbitales 288
Ericales 295
Salicales 305
Capparales 310



**Column Five · Rosidae · (Encounter with
the Other) · Themes 327**
Rosales 331
Myrtales 358

Fabales (Leguminales) 373
Malpighiales 395
Euphorbiales 407
Sapindales 418
Cornales 450
Rhamnales 451
Santalales (parasitic plants) 455
Celastrales 468
Apiales (Umbelliferales) 472



**Column Six · Asteridae ·
(Me vs the Group) · Themes 495**
Polemoniales (Solanales) 501
Gentianales 526
Scrophulariales 545
Rubiales 572
Plantaginales 583
Labiales (Lamiales) 584
Dipsacales 612
Campanulales 620
Asterales (Compositales) 623

MONOCOTYLEDONS · 669



Monocots vs Dicots 671
**Column One · Alismatidae · (Beginning) ·
Themes 675**
Alismatales 676
Potamogetonales 678



**Column Two · Arecidae · (Here or there) ·
Themes 679**
Arecales (the palms) 682
Arales 688
Typhales 701



**Column Four · Commelinidae · (Support,
stability, family relationships) · Themes ... 703**
Poales 704
Commelinales 730
Juncales 733
Cyperales 734
Zingiberales 735
Bromeliales 741



**Column Five-Six · Liliidae · (Me and the
Others) · Themes 743**
Orchidales 744
Liliales 764
Agavaceae 809
Dioscoreales 811

PART E · APPENDIX

Bibliography and References 817
Contributing Practitioners 821
Repertory of Themes from the Table of Plants... 823
Photo Credits 829
Index of Remedies 831
Other indexes 836
 Family Names 836
 Latin Names 838
 Common Names 843
Concise Lists of Plant Remedies 849
About the Author 852
The Table Schema · General Overview ... inner cover



Taxonomy, the Table and basic botanic division

Botanical order: evolution of species within the plant kingdom

The Table of Plants is based mostly on the evolutionary order of Species, Families and Orders within it, so understanding the way plants developed is quite essential.

As plants evolved, some species remained closely related, while others developed in diverse directions. While on this route they changed: their chemical and physical components, the structure of their flowers, their fruit, their seeds and their pollen became different from those of their ancestors. As shape and structure changed and became differentiated, species drifted away, groups dissociated from one another, initiating their own lines of evolution, while other groups withered and became extinct. In this way, a multi-branched, tree-like process of evolution was sketched out over history (Fig. 1).

The current evolutionary picture of plants: Since many of the old, primitive species are now extinct, what remains visible from the multi-branched, tree-like evolutionary process is primarily its tips; that is, nowadays remaining plants (like islands popping out of the water). This makes it difficult to assess the course of evolution as it took place; nevertheless, the evolutionary course **can** be discerned by measuring the closeness or nearness between the species according to many 'signs and symptoms'. These symptoms include the flower, fruit, seed shape, pollen formation, stem structure, chemical ingredients and, nowadays, DNA proximity. The different measures of proximity or distance mark the relative evolutionary location of each group along this evolutionary process.

In short: According to the above, it is possible to view the basic tracks of evolution from the very primitive and archaic group – the seedless plants (called spore plants), through groups of early plants without flowers (Gymnosperms) up to the advanced, fruit-bearing and flowering plants (Angiosperms). **This evolutionary path forms the basis of the Table.**

Phylogenetic systematics

Systematics describes patterns and paths of evolution by sorting plants into groups according to molecular and morphological information, thereby establishing a developmental tendency that displays the proximity of different Species, Families and higher groupings in a developmental sequence.

The structure of flower and fruit provides the base for plant systematics. The more pronounced the flower's stability and uniformity, the more advanced the plant is considered to be. For example, when the number of the flower's parts is fixed, its method of pollination is more effective.

Systematics uses symptoms of the flower and fruit structure to construct an evolutionary developmental sequence. This sequence enables plants to be organised as a 'flow chart' where groups can be hierarchically placed. This hierarchal order has direction; therefore, it can be arranged as a table with two axes and used to describe stages and processes for homeopathic purposes.

Species are the basic unit of living nature, upon which classification and systematics are founded.

Plants are sorted, in ascending order, as follows:

Species > Genus > Family > Order > Subclass > Class > Phylum > Kingdom

Every plant belongs to a Species, then to a Genus, a wider Family, Order, Subclass and so on.

- › **Species** – the basic unit. A group of closely related organisms that can inbreed and produce fertile offspring.
- › **Genus** – composed of closely related species. Every plant (and therefore every plant remedy) is named after its Genus and Species name; for example *Pulsatilla* (Genus) *pratensis* (Species) (as with first and last names of people).

Fig. 1




Fig. 1: Overview of the evolutionary process of plant development. From the earliest algae to the nonflowering plants (spore plants and Gymnosperms), to the modern flowering plants (Angiosperms). The two main groups are Phyla (singular Phylum)*. Most of the plants covering the earth belong in the Angiosperms (as do most of the homeopathic remedies).

* The chart is taken after A. Cronquist; however, it is not a complete botanic chart, as it does not demonstrate all the compound systematics levels. Its purpose is to demonstrate basic evolutionary processes of plants. Be aware also, that other forms of classification are constantly being introduced, and only some of it will be referred to later in the text.

- ▶ **Family** – comprising closely related Genera. The name of a Family always ends with the suffix ‘-aceae’, as in Liliaceae.
- ▶ **Order** – a higher hierarchy, consisting of closely related Families. The name of an Order always ends with the suffix ‘-ales’, as in Liliales.
- ▶ **Subclass** – contains evolutionarily linked Orders, arranged by ascending developmental order (from the oldest to the youngest). Subclass is a column in the Table. The name of a Subclass ends with the suffix ‘-ides’ (Hamamelides) or ‘-dae’ (Hamamelidae), the older fashion of nomenclature.
- ▶ **Class** – denotes a large group of plants having a certain basic trait in common, i.e. one or two Cotyledons. A cluster of Subclasses, arranged in an advancing evolutionary order, constitutes a Class (or Classis).
- ▶ Classes are one hierarchy below the Phylum and then the **Kingdom**.

The botanic divisions of the plant kingdom (according to Cronquist)

A simple schematic overview of plant development and basic botanic division

Plant development can be described as a flow chart of groups that have evolved from primal sources long extinct; its relics are algae and lichens. Later, more complex plants evolved, such as the seedless, Lycopodium-like plants, ferns and others. These seedless plants are mostly extinct, but we have fossil evidence. As the climate dried up and cooled, more advanced plants developed: the seed plants, but still flowerless. In time, the flowerless plants also exhausted their growth and shrank in numbers while a newer group evolved on earth: the Angiosperms, the most developed group with fruits, seeds and multiple

flower shapes. This is the group we know today contains 90–95 % of the plants on earth, and 95 % of our homeopathic plant remedies. This group, the Angiosperms, splits into the **Dicotyledons (Dicots)** and the **Monocotyledons (Monocots)**, and are the subject of this book.

Between the Gymnosperms (nonflowering plants) and the Angiosperms (the flowering plants) there must have been intermediate groups of plants, probably extinct: some of the first families in the Dicots are considered to be such intermediate groups.

Basic botanic groups (according to Cronquist)

1. **Thallophyta** – the most primitive plants, are an assemblage of flowerless and seedless photosynthesising organisms: algae, bacteria, fungi and lichens. Thallophyta all consist of a single cell, or cell aggregates: plants **not** clearly differentiated into root, stem and leaf. (Thallophyta *are not* covered in this book.)
2. **Embryophyta** – modern and advanced vascular plants. Embryophyta comprise two main divisions:
 - 2.1 **Pteridophytes** – primitive plants such as ferns and mosses, mostly extinct.
 - 2.2 **Spermatophytes** – advanced plants with clear differentiation into root, leaves and stems, all having seeds. **Spermatophyta** is subdivided into two groups:
 - 2.2.1 **Gymnospermae** – the more primitive group of conifer-like plants, defined by flowerless reproductive organs and exposed seed (*not* covered in this book).
 - 2.2.2 **Angiospermae** – the flowering plants, the largest and most advanced group of known plants




Fig. 2

characterised by complex structures of flowers and fruits and ovary-enclosed seeds. (The book deals mainly with this large group.)
 The **Angiosperms** are divided into two Classes: **Monocotyledons (Monocots)** and **Dicotyledons (Dicots)**, each evolving independently. Each contains Species of plants grouped into Genus, Family and Order, all arranged by evolutionary order.

The construction of the Table of Plants from botanical information

The development of the flowering plants can be described as a tree-like process (Fig. 2) which split into two main divisions: Dicots and Monocots. Each division developed its own branches, one more advanced than the other. This tendency creates a horizontal axis of development (Fig. 3, A). In addition, each 'branch' (column) has developed inside itself into smaller groups (Orders), each




Fig. 3

more evolutionarily advanced than the other. This creates a vertical axis of development (B).

The courses of the plant evolutionary development 'branches' can be interpreted as a double axis table (Fig. 3), where the timeline is determined by the evolutionary location of each botanic group: this determined and structured the Table of Plants.

The Table of Plants thus encompasses the two Angiosperm subdivisions, the Monocots and Dicots which, for efficient organisation, are placed atop each other, *mirroring the same evolutionary stage* (Fig. 4). As will be detailed throughout the book, homeopathically speaking, the same themes recur correspondingly in both subdivisions, with some minor differences.⁴

Both Dicots and Monocots are set according to systematics criteria, based on 'botanic symptoms' of the plant's shape, structure and genetics (according to Cronquist systematics). In each, the **columns** are organised by the botanic Subclasses, according to their evolutionary location. The **rows**' building blocks are smaller groupings of plants: Families and Orders.

In each column, the Orders are arranged by levels of botanic development, each more advanced than the one that precedes it (the direction is mapped in the Table from centre to bottom or top). These levels form **the rows of the Table**. The first row, which contains the more primitive Orders in each column, signifies initial stages in the column directive; whereas the later, more developed

4. The Dicotyledon Table has six columns while the Monocotyledon has only four. The Monocots undergo a similar journey to the Dicots, but in a less intricate manner: its first column has no remedies. The second column corresponds to the second column of the Dicots. Column Three is botanically nonexistent. The fourth column is analogous to both groups. The last column (mostly Liliales) corresponds to both the fifth and sixth columns of the Dicots. The evolutionary directive is based on botanic advancement of organs, cells and function.

			Zingiberales	Dioscoreales	
		No plants		Orchidales	
	Arcales		Juncuales	Liliales	
	Arecales		Graminales		
Alismatidae	Arecidae		Commelinidae	Liliidae	
Monocots →					
Dicots →					
Magnolidae	Hamamelidae	Charyophyllidae	Dilleniidae	Rosidae	Asteridae
Magnoliales	Urticales		Dilleniales	Rosales	Polemoniales
Nymphaeales			Theales	Myrtales	
Iliales	Urticales		Sarraceniales	Fabales	Gentianales
Piperales					
Laurales	Hamamelidales		Malvales	Geraniales	Malpighiales
				Violales	Scrophulariales
Aristolochiales				Euphorbiales	
Ranunculales	Juglandales	Caryophyllidae	Primulales	Sapindales	Rubiales
				Cornales	
Papaverales	Myricales	Polygonales	Cucurbitales	Rhamnales	Lamiales
		Plumbaginales	Ericales	Santanales	Dipsacales
	Fagales		Capparales	Celastrales	Campanulales
			Salicales	Apiales	Asterales

HOW TO WORK WITH THE MATERIA MEDICA AND WHAT CAN BE FOUND THERE

In order to understand the remedy it is best to read the common themes (3, 4) of the Order (1) or Family to which it belongs. Reading the theory part in the beginning is also very useful. The remedy homeopathic information is found in the centre (8, 9), while botanic information is found mostly at the sides (5, 6, 7, 10, 11, 12) and at the very beginning (2).



COLUMN ONE

Magnoliidae

PRE-SEPARATION



The first column (Subclass) contains the most primordial and ancient (primitive) plants of the Dicotyledons in terms of botanical evolutionary development. They are generally considered a relic of even more primeval plants, from which more advanced plants arose. Some of the Families are so primitive that they are thought to be a transitional group *between* the Dicots and the Monocots. The flowers of the Magnoliidae display archaic structures, with an unstable, often large number of petals, stamens and ovaries, along with primitive fruit structures and ancient water-conducting systems in the stems.

The main themes of the column reflect the primordial, immature and naive state of the Ego and its struggle to separate from the oneness. Although every Order has its own attributes (based on the evolutionary timeline and maturity along the column), the following themes persist throughout the column (see elaboration in the introductory chapter):

COLUMN ONE THEMES


- Primordial. Confused, not here. Escapism, drugs
- Primordial, ideal existence, oneness, to be a part of...
- Weak Ego, weak will, weak mind and strong impulses
- Weak mind, incapacity for introspection
- Inability to protect themselves, no defense – reacting with control
- Exposed, no boundaries, no skin. Irritable, oversensitive
- Control
- Fears and anxieties
- Hormonal, uterine and fluid problems. No vessel

Primordial. Confused, not here. Escapism, drugs

The first column is in an initial state, still without form or structure. The Ego has not completely separated from the whole (the Self): it is potential rather than actual, not here yet, not fully incarnated. This is a 'timeless' column, where time is experienced vaguely. The body is not fully saturated with consciousness, leading to a tendency to daydream, with out-of-body, floating sensations, desensitisation and paralysis.

The first column sets the basis for the Ego structure (desires, emotions and mind) in its most elemental form. Emotions and mind are not yet consolidated, leading to mental confusion, problems with concentration, physical confusion (*Losing his way in well-known streets*), disorientation, alienation, and feeling strange in this world. Column One retains a link to the elemental consciousness





expressed also in the human subconscious. Hence clairvoyant states, prophesying and drug-like qualities are observed (mood-altering drugs are agents used to lure the consciousness into other worlds). There is an unwillingness to partake in the life of this world, with escapism and a tendency for various addictions – from reading to alcoholism and drug abuse.

Primordial, ideal existence, oneness, to be a part of..

There is a pull to remain in the non-separated stage and be a part of any form of oneness, be it a community or a relationship. There is a search for ideal, non-dual existence (ideal = non-dual). Duality is not tolerated, nor is conflict. ‘Two-ness’ is not yet perceived. *Desire for idyllic relationships and situations, seeking an ideal, often spiritual world* (Scholten) which echoes the primordial union. *Better by warmth* (but not by heat), which expresses the desire to return to the womb or the initial union with the all-giving feminine. The need to be guided and the need to lean on strong people can be understood in this context.

Weak Ego, weak will, weak mind and strong impulses

The first column relates to the inception, launching and formation of the Ego (the urges, emotions, mind and nervous system). The Ego consciousness that operates in humans as a vessel for the urges is primordial, unstructured and immature. Although the Ego doesn’t have much control at this early stage – the survival instinct is still primary – the urges are strong, sensual and often unruly, with a tendency for unstable impulsiveness. The mind, on the other hand, is weak, not structured yet, unfocused and not fully conscious, as are the person’s self-identity or sexual identity. (*Puls*: easily influenced; *Asar*: uncertain about his and his father’s name [Grandgeorge]). The weak Ego and unfocused mind are not conducive to dealing easily with the world, so when hurt or injured they escape the body or the mind. The weakness, defencelessness and powerlessness, as well as the first separation, indicate the psoric nature of the column.

Weak mind, incapacity for introspection

As Ego awareness is just awakening, and the mind is in its initial stage of formation, the introspective ability is limited. Thoughts and even emotions are not easily articulated, and the mind is unfocused, leading to attention disorders and problems at school. Even when asked to describe their feelings, they can’t explain; they just feel. Fearful of forgetting, the patient comes ready to the interview armed with lists and notes.

Inability to protect oneself, no defence – reacting with control

A general sense of incapability prevails, with earthly tasks perceived as too burdensome. One’s hold on the world is not yet established, thus nausea and vertigo occur often. The weak Ego offers neither protection nor the ability to stand up for oneself. Physical instability or allergies and immune problems are prominent, reflecting the lack of protection from the world.

Exposed, no boundaries, no skin. Irritable, oversensitive

One has no boundaries yet. Typical expressions are: “I don’t have a skin”, “I am thin-skinned”, “I am oversensitive” – as though the nervous system is exposed (*Acon*, *Staph*, *Myris*). The intense sensitivity and emotionality lead to restlessness, mood swings, impressionability, excitability, extreme irritability, uncontrollable anger or easy offence.

The slightest cause can irritate, leading to departure from the body or the mind, loss of concentration and escape from reality. Remedies in this column are indicated for severe concentration problems (similar to the gases among the mineral remedies). The vital sensation is disintegration or dissolution, lack of control, dissolving into the surroundings, and the reaction is an attempt to be in control.

Control

The compensation for the sense of powerlessness is a strong need to be in control – not so much over others as over one’s own world and immediate surroundings, out of fear of dissolving away. When stressed, the need for control increases, which is another reason why such patients will arrive at the homeopathic interview armed with lists, controlling and telling the homeopath what to write down (*Puls*).

Fears and anxieties

Being so completely exposed, multiple fears and unexplained anxieties are prominent, not only in such well-known remedies as *Acon*, *Chel* or *Op*, but in the entire column. The lack of boundaries frequently invites offence and hurt from the world, which in turn increases the already inexplicable anxiety. When one is not here, when one is ungrounded, the here-and-now can bring up many fears. These fears often stem from the feeling of being a stranger in an unknown place (including planet Earth!).

Hormonal, uterine and other body-fluid problems. No containing vessel

The first column is feminine by nature: the foundational, elemental energy, as it begins to generate and beget life, clothes itself in a feminine quality. The feminine has a containing, vessel-like quality, and when this quality is imbalanced its physical manifestation will be through pregnancy, birth, menstruation, uterus, female sexuality and the hormonal system. The body’s circulatory systems, blood vessels and other fluids (a manifestation of the feminine) are also affected.





Magnoliales

Annonaceae: *Asim, Guat*

Magnoliaceae: *Magn+*

Myristicaceae: *Myris, Nux-m*

Column One: Ancient, primal, feminine, 'watery', life-giving quality. Confusion and lack of borders. Instability. Indistinctive, indiscriminate, no vessel, shapeless. Influenced. Spaced out. Escapism. Disorder/ control.

Row 1: Before life, before birth – not ready. Not ready to be born, to start processes. Premature. Pregnancy, birth and womb issues, too-early birth, induction. Not present in the world, before life, death, connections to the other realms. Primordial fears. Under the rule of the subconscious; mythical/ shamanistic/ otherworldly elements. Location: First stage of the first column. The Ego's formation having just begun, it is in a 'pre-' state. This very primal stage brings out the column's themes in their extreme form.



The *Magnoliales*¹ present a primordial and archaic fruit structure, with single or aggregated berries arranged in a cone-like formation, and a primitive flower structure. They are remnants of a primeval era dating back to 150 million years ago, when flower-bearing plants made their very first appearance, adapting to the large insects of this era. Mostly trees and shrubs, with pantropical distribution, they are largely confined to lowland rainforests and other humid habitats. Some species are valued for their fruits or timber, and others for their fragrance (i.e. Ylang ylang), ornamental or medicinal properties. Nowadays magnolias are grown even in northern gardens.

THEMES

Stranger in a strange land

The first row contributes to the feeling of being a stranger in a strange land. Naive and undefined, they encounter the world in a kind of daze, puzzled, as if they do not understand why this world is not as ideal as it should be and what is expected of them here. All of this creates anxiety – while the world around him does not understand what it is that they don't understand... There is a desire to participate in this world, but no knowledge of *how* to do it. Such people may experience themselves as not belonging to this world, feeling odd, strange and estranged.

Primordial naivety. Indiscriminate mind

Given that the *Magnoliales* represent the seed of consciousness for Ego building, the mind is still indistinct and indiscriminate rather than clear and differentiated. There is an inability to say 'no', decide between good and bad, and erect boundaries. The connection is to an ancient sort of consciousness, with lacking awareness of this world. An undefined, poorly resolved, unconscious and naive energy permeates the case.

Difficult concentration, forgetfulness, weakness of mind, fuzziness

One is allied more to the undercurrents of the subconscious than to waking consciousness: thinking is unclear, it's difficult to find a centre, to concentrate with great difficulty feeling centred and focused. One is easily distracted, with a diffuse energy that points out the weakness of the containing vessel. The

1. In the APG systematics, the *Magnoliales* is one of four Orders in the Magnoliids clade (which also includes *Laurales*, *Canelales* and *Piperales*).

mind is 'dizzy', dull, confused and unfocused. (The reason one can easily feel lost and confused is that at this early stage of evolution time and space are not yet defined.) There are difficulties with articulating thoughts and feelings (even though these are strongly present), because everything is still unclear and indistinct. Cognitive abilities are likewise not yet fully developed.

Premature, not ready

There isn't yet a readiness to be in this world, and consequently a tendency to retreat to an inner world. Inability to stand up against outside forces, be it life impressions, spouses or parasites, resulting in a sensation of powerlessness and weakness. Thus the morning aggravation – when needing to get up and start the day, get to work or to school.

Incapable, powerless, feeble

The primal creative energy of the first column is diffuse, with the containing vessel not yet fully formed. This brings about feebleness: physical weakness, emotional weakness, and feelings of incapacity when acting or protecting oneself. The mind as well is weak, dazed, disorganised and unstable.

Vertigo, dizziness, ungrounded, fainting

Fainting easily, loss of consciousness: easily leaving the body. Vertigo (as in the beginning of the Carbon series) all representing the ungroundedness of the *Magnoliales*, both physically and mentally, as does the left-sided affinity (the feminine, flowing, 'unstable' side of the body).

Fears and anxieties

The first row still has a link to other worlds and to the time before birth, hence many inexplicable fears and anxieties are seen. The lack of presence in this world leads to estrangement: "Strangers in a familiar place, now alienated and frightened, as in a horror movie" (Azrieli). This is augmented by feelings of inability to cope with the world, confusion, being lost, and not being here quite yet. This can cause a retreat into a spaced-out, disconnected state, as if in a bubble. There is fear of fainting, as if one is going to die, due to the knowledge that leaving this body is so very easy.

Asimina triloba

The remedy produces issues that arise when there is a lack of boundaries. The remedy's symptoms are mainly derived from children who ate the fruits indiscriminately.

The skin (the body's boundary) produces pustular itching acne, scarlet-coloured eruptions, with fever and long-lasting diarrhoea. The fluids of the body are in overdrive: the throat is sore and swollen, oedematous, causing hoarseness.

The mind produces languid and haze, absent-minded and detached states: "Did not care to hold conversation with anyone, even his best friends" (Allen). Irritable, unrefreshing sleep due to persistent thoughts: "Could not dismiss from my mind what had occurred during the day" – the mind is not shielded from the world as it lacks boundaries, thus the tendency for headaches.

The mind is 'uncooked': *Thoughts – persistent – occurrences of the day at night; of the.* **Bad memory:** Keeps forgetting people and names, perpetually surprised. For the *Magnoliales*, just living in this world is baffling; they feel that they just don't 'get' things. Odd, confused, abnormal feeling in this world. Out-of-the-world notions such as: "I don't need food to survive." Dreams of flying.

There is a great need to be part of a community, to be a normal part of society, while underneath lurks a feeling that something is not normal with them (from cases: Dinesh Chauhan and Linda Johnston, RefWorks). They felt odd and were thus striving to feel normal.

Asimina triloba (formerly *Annona triloba*) (Asim)

Pawpaw

Family: Annonaceae



© PHYZOME, WIKIMEDIA.ORG

A North American tree with large, edible protein-rich fruits, full of big black seeds.

Asimina is related to the Annona and the Custard apple.

Column Two: Post-separation, initial split and boundaries formation. Neither here nor there. Coping, making effort or escaping. Being engulfed vs emerging; small or big. Smallness of genital parts, atrophy, covering up weakness. Reproductive malfunctions, sycosis. Body boundaries, skin, formication, numbness. Desire to manifest, handling the task.

Row 6: Adolescence: Establishment of identity and external image. Freedom, search, rebellion. Feeling hindered and restricted by others. Self-identity and image issues, dependence on the group, cooperation, participation. Desire to step out into the world vs fear of growing up and taking on responsibilities leading to apathy, inactivity, laziness and confusion of identity.

Myrica cerifera (Myric)
Wax myrtle
Family: Myricaceae



WAX-COVERED FRUITS © MICHAL YAKIR

Native to Central and South America, it favours warm climates. When growing on sand it will appear as a shrub; on rich, moist soils as a small tree. Due to its underground rhizomes, it can be fire resistant.

The Wax myrtle flower's ovary is unique in its ability to freeze the movement of the seed in the process of fertilisation. The tree's leaves and fruits are covered with wax which is used in candle manufacturing, though it has the disadvantage of crumbling easily. The roots were used for a time as an invigorating herbal potion for fever, dysentery, convulsion, for bleeding gums and infections.



Myricales

Myricaceae: *Myric*



An Order composed largely of wind-pollinating trees (similar to *Fagales*).

Location: The single known remedy illustrates well the conjunction of column and row – any effort that requires stamina is resisted or kept outside, while keeping the Ego well protected within (just as in the *Juglandales*) so as to create a separate identity. Yet deep within, a confusion of identity may remain.

Myrica cerifera

This remedy has heart, liver and mucous membrane affinities and is listed for gonorrhoea symptoms.

Looking for empowerment, they try to affirm their strength by pitting themselves against others at work, pretending to be superior, acting in a haughty critical manner. They do not wish to mix with others [keeping borders] yet may easily lose their own barriers: *errors of personal identity*; lose their borders, feeling they *have no place in this world*.

They start out excited, lose themselves, and end up exhausted.

Restricted, a sensation characteristic of Row 6, exacerbated by the borders issue of Column Two: **Walking unsteadily, staggering gait** – feels restricted. Joint complaints ameliorated in the open air. The tongue is thickly coated to the extent that it can hardly move. The throat is constricted, making talking difficult. Muscle aches and restricted joints.

Any confrontation is an issue as it touches boundaries, causing grumpiness. Feeling restricted when forced to act.

Later on, depression will serve as a pretext to avoid doing anything. Deep depression and low spirits were present in the proving. So depressed he can't do anything, doesn't want to talk, saying "all is well". Becoming isolated by depression. "Miserable, dejected feeling all day, did not care about anything or for any friends; was perfectly wretched, beyond description" (Allen).

Typical concentration difficulties [not really here] echoes the physical experience, i.e. numbness of the temples and headache with sleepiness. Later becoming indifferent to their affairs, to loved ones and to sex. Sexual relationships are rejected so as not to be entwined with the Other, 'saved' for the sake of growing up and maintaining separation.

Extreme insomnia causing irritability and restlessness which in turn cause weakness and illness. [Sleep is about moving between worlds, precisely the issues here.]

Skin: Creeping sensations as of insects, jaundice, formication, scalp feels tight. Urticaria.

CASE 1

A woman in her mid-thirties, suffering fatigue and possibly Lyme disease. She describes her fatigue as overwhelming. She also has a number of chemical sensitivities, and very poor boundaries with her work. Before her fatigue became overwhelming, her favourite activity was running, enjoying the sensation of everything becoming more vibrant and the world coming in towards her. She felt it all coming in at once, which both exhilarated and exhausted her. The exhaustion stemmed from the intensity of her perceptions. She felt as if she was being absorbed by her surroundings, and then as though she would like to disappear in order to avoid the pain and fatigue that would come later. She felt during these episodes as if she could not move, likening herself to a tree. The opposite of being absorbed was evaporating. Her major problem in her work was a feeling of being scattered, not able to pull herself together to focus on her clients. Often felt herself outside of herself during this process. Long-term relationship was described in terms of inability to maintain boundaries. Her idea of boundaries¹ were that they defined places where you were comfortable, where you aren't sacrificing yourself.

Analysis: In this case we can see the patient with an incomplete boundary between herself and the outside world, overwhelmed by sensory stimuli, re-merging with the universal energies (*Delusions, error of personal identity*) rather than focusing on her life and work. But this absorption was exhausting her, leading to fatigue. This clearly pinpoints Column Two. Arriving at the row was challenging. The main issue was not merging, rather it was a lack of boundaries with the outside world, which particularly affected her in the area of her work, calling for a later row in Column Two. There was a feeling of almost teenaged vivacity from her, which led me to the *Myricales* in Row 6.²

Follow-up: She received *Myric* 30c, one drop per day succeeded. She reported back in three weeks that her energy considerably increased, she was no longer exhausted, and had been randomly crying, without a feeling of sadness. The feeling of being absorbed wasn't really an issue any longer, and she felt much more comfortable in her life in general. Over the next several months we monitored her condition, gradually increasing the potency to 200c. In about five months the picture changed, and the remedy was changed to *Kali-br*, which she responded to very well. She continues under my care. (Paul Theriault)

CASE 2, EXCERPT

Young woman, 18; complaining of (urticarial) itching and stinging on the face, neck, right forearm and right leg. On the face a sensation as if insects were crawling, causing attempts to brush them away. The skin of the whole body has a decidedly yellowish tinge. Tongue thickly coated, yellowish. She felt sick all over, and was rather irritable. *Myric* 6x, a dose every two hours.³

Follow-up: Already on the second day there was much improvement, which continued with the steady use of the remedy. When I next saw her (after ten days), she felt entirely well, and discontinued treatment. (Melford E. Douglass. *Hahnemannian Advocate*, 1899)

1. Her free association was interesting. I asked her to free associate along the word 'black', and she described a feeling of being alone in the dark, cocooned, and resting. She reconfirm the information above on absorption and evaporation, and described a great deal of plant-related source imagery.

2. Allen writes about *Myrica*: "A pleasant exhilaration... followed by an excited state of the nervous system; this was accompanied by a restlessness which required a frequent change of position [Running?]. Dull and drowsy state. Exhilaration, excitement or depression, preventing sleep, with restlessness... Loss of energy... Drowsy stupor."

3. Note the typical crawling, tingling sensation of the skin, seen in many remedies in Column Two. Here it's on the face:

Face; Formication, crawling; bugs, insects, as from.

COLUMN FIVE

Rosidae

ENCOUNTER WITH THE OTHER

COLUMN FIVE THEMES

- ~ Split and opposition
- ~ Heart vs mind, establishment of self-awareness through blocking and hardening
- ~ Dominance of Mind, suppression, criticism and hierarchy
- ~ Individuality will first emerge in this column but is easily suppressed
- ~ Rigid or spasmodic expression of the suppressed emotion. OCD
- ~ Relationships and friendships: split vs longing for a connection
- ~ Avoidance of people
- ~ Rigid desire for activity
- ~ Activity, work, path, fulfilment of purpose
- ~ Willpower and limbs


The general theme in Column Five is the split between the masculine and feminine principles, which causes suppression of the feminine element, of emotion and intuition, and the emergence of mind and reason as a means of attaining self-awareness. The split creates the possibility of recognising Otherness: thus a major concern in this column is the relationship with the Other (father-son relationships, connection with the father, partnership, pair relationships, connecting to and being liked by the Other). At the same time the split amplifies the masculine quality, leading to issues of excessive hierarchy, rigid morality, strict religiosity, concern with one's identity and path in life, focus on **work**, and preoccupation with rules and limitations. Physically the affected organs are the heart and extremities, with congestion and paralysis.

The modern world traces its roots to the early modern era represented by Column Five; therefore many characteristics of contemporary life, such as its emphasis on rationality, dependence on large institutions and rigid laws as well as superstitions, remain imbued with qualities which first arose then.

Split and opposition

The split arises when the masculine separates itself entirely from the feminine and begins to operate as the main actor in the realm of soul. The function of the masculine principle is to create separation. It does so by erecting a boundary that helps to establish the self-determination and awareness required by the Ego to evolve from the pure existence of Column One to the self-aware existence of Column Five and beyond. To allow for this separation, the soul temporarily





sacrifices part of its emotional essence, purposely allowing its boundary-setting masculine aspect to become dominant over its feminine aspect.

The split is thus the driving force behind the further evolution of the Ego. Pathology, on the other hand, comes about in this column since, **by holding heart and emotion apart from mind and reason, the split produces the sensation of separateness, estrangement and loneliness.** It also leads to a situation in which parts of the mind are opposed to each other, which the Ego may then project onto the world to create antagonism between itself and everything else that differs from it. The Ego declares: ‘By negating the other I become myself.’ This split and antagonism is seen in the case as it affects relationships by creating a gulf between the sides involved, along with feelings of alienation or hardheartedness, and is responsible for the emergence of hierarchies (higher and lower, important and unimportant and so forth). In Column Five one perceives all other persons and objects as opposite and set apart from oneself; everything becomes a challenge for the solitary Ego – an ordeal that involves constant effort.

Heart vs Mind, establishment of self-awareness through stopping and hardening

In this column we encounter the heart for the second time: as in Column Three, the interflow between masculine and feminine poles creates a pulse¹ that manifests in the centre of the body as the heartbeat. Again the masculine principle surges in with full force, but this time (unlike in Column Three) it has the strength to complete the process of separation from the feminine. By halting the free flow of the feminine, sorting and dividing up everything, and giving names to things, the mind strives to encompass all creation within its sphere of awareness and understanding. But in the physical realm, when these powers grow too strong they create **stiffness and hardening – the Mind pathology.** Physically, these qualities are associated especially with the heart: “A muscular organ that momentarily stops the flow of the blood with valves made up of rigid, sinewy tissue that lacks a blood supply of its own. Thus it may be said that the heart is the embodiment of the processes of halting, hardening, and ultimately calcification and ossification” (Bühler).² Starting with the early stages of the column, as awareness is increasingly infused into the previously dominant feminine flow, any disruptions are likely to be expressed physically as heart pathology.

Dominance of Mind, suppression, criticism and hierarchy

The role of Column Five is to strengthen the representation of reason within the Ego, allowing consciousness to become aware both of itself and of its surroundings and thereby grow and expand. But when the mental and rational faculties become overly dominant, **emotions are perceived as threatening** – as a source of turmoil and ultimately as a chaotic force that might bring total destruction. The rational mind will therefore tend to suppress both emotions and sexual energy. (*Emotions predominated by the intellect [Viol-o]* is a prominent symptom of this column.) At times when sexual energy is overtaken by the mind we may observe extreme religious zeal, while sexuality as such is suppressed. All this, coupled with the lack of emotional softness, creates dryness and rigidity physically and emotionally, gradually becoming more pronounced along the progression of the column, defining its pathological tendencies.

The mind, which in itself lacks the voice of the heart to guide it intuitively through life’s events, clings to rules and definitions and seeks to break everything down to its constituents in order to make sense of it. Since the nature of mental awareness is dualistic and evaluative, its basic tendency is to criticise, blame, condemn and suppress. Whenever this critical voice is internalised it becomes self-repressive, provoking sexual or religious guilt. This voice often originates from the family, typically from the father.

1. Column Three is characterised by the conflict between the instinctual desire to maintain the primordial unity and the emergent conscious desire to separate. The latter tendency leads to avoidance and withdrawal from the primordial heart-based interaction with the world.

2. The beat of the heart is its most essential capacity: as it alternates between motion and rest, it embodies in its endless contraction and expansion the duality of emotion and reason. Walther Bühler (1979). *Living With Your Body*. London: Rudolf Steiner Press, 1979.

EUPHORBIACEAE FAMILY

Acalypha indica

Affinity to mucous membranes of the respiratory system. Discharges with intense fiery quality: burning sensation in the chest, violent night-time cough with bloody expectoration. Tubercular cough, hard retching cough. Asthma [contracting when coming in touch with what is other than Me].

Haemoptysis. Lungs and rectal haemorrhage. Burning sensation in the stomach, haemorrhage.

Rheumatism resulting in stiffness of the joints.

Emotions: dejected and depressed but doesn't want to die. There is a sense of danger from the outside, thus avoiding bad news. The energy is in the process of **hardening**, the mind becomes strict and the unprocessed emotions manifest as sadness and lung pathologies.

The boundaries issues are expressed at the level of blood vessels, the liver and the lungs'pleura.

Liver affinity: jaundice and purulent furuncles (difficulty secreting discharges). The liver is unable to perform properly its role of transforming substances that penetrate from the outside world, and the morning aggravations attest to this poor function.

Summary: Due to the effect of Row 4 on Column Five, a more rigid barrier is created. The lungs, with their inhalation of the outer air, react, as well as the other membranes which interact with the world (liver, skin, digestive membrane). All are reacting to the Other with too much force, recoiling and resulting in too much of the Fire element: bleeding, burning and purulent discharge.

Particular to the remedy: everything is worse in the morning, the haemorrhage, the vitality. "Very weak in the morning, gains strength during the day."

Cascarilla

Anxieties, anxiety in the morning, or arising with fever. Waking frightened from a dream that there is someone behind him.

The mind doesn't function flexibly – difficulty thinking. Want of inclination to reflect (Snelling). Doesn't want to make any effort. Aversion to thinking. Lazy. The lack of intellectual flexibility and the emotions being suppressed result in anxieties about germs and disease as well as a worry that someone is behind him, and the reaction: a need to be in control. Wants to control anything that has the potential to penetrate and endanger them, be it germs, sex or relations with another.

Water and Fire mix together: the mucous membranes secrete and ulcerate, aphthae in children, bitter taste in the mouth. Sensation that the stomach is filled with water; stomach rumbling. Wants to vomit. Constipation alternating with diarrhoea. Rectal haemorrhage. Bloody diarrhoea. Lungs haemorrhage (thus anaemia). Involuntary urination. Profuse perspiration. Desires hot drinks, which ameliorate. Sensation of swelling deep in the throat and accumulation of mucus in the throat.

Issues of breaching rigid boundaries are expressed at the level of all bodily orifices, from haemorrhage to delirium during fever [the brain boundary is being breached].

Acalypha indica (*Acal*)
Indian nettle, Three-seeded mercury
Family: Euphorbiaceae



© DR PARUL JAIN

As a medicinal plant it was used for rheumatoid arthritis, ringworm and scabies.

Croton eluteria (*Casc*)
Cascarilla
Family: Euphorbiaceae



© KÖHLER'S MEDIZINAL-PFLANZEN

The plant was widely used for treating digestive problems. Dysentery, haemorrhage of the digestive tract and haemorrhoids as well as for relieving expectoration in chronic bronchitis.



Photo Credits

This list only includes images whose copyright owner is not mentioned directly below the image. All others are by Michal Yakir.

On pages containing several images, copyright owners are named from left to right and from top to bottom.

P. vii LiliGraphie, shutterstock.com

P. 1 Ofra Borer

P. 3 Narayana Verlag

P. 11 (background) igor.stevanovic, shutterstock.com

P. 15 (blow right) Nazarova Mariia, shutterstock.com

P. 17 plamice, shutterstock.com

P. 25 Nira Bar

P. 27 Patrick Foto, shutterstock.com

P. 29 imagedb.com, shutterstock.com

P. 37 (below) Jorge Royan, wikimedia.org

P. 40 (middle) European Space Agency & NASA

P. 44 (middle) Omer Wazir, wikimedia.org;

(bottom) Titian, wikimedia.org

P. 45 (bottom) Dan Moeller, shutterstock.com

P. 46 Hemya Moran

P. 47 (top) Serg64, shutterstock.com;

(bottom) The Metropolitan Museum of Art, wikimedia.org

P. 48 (top) Shyamalamuralinath, shutterstock.com

P. 51 (bottom) Ryan Jorgensen – Jorgo, shutterstock.com

P. 52 (bottom) Stokkete, shutterstock.com

P. 53 (top) wikipedia.org

P. 54 (middle) J. Howard Miller, wikipedia.org

P. 55 Alduron, wikimedia.org

P. 56 Gustave Doré/ Nicku, shutterstock.com

P. 57 (top) Nicholas and Co, wikipedia.org;

(bottom) Yasser Dreams, wikipedia.org

P. 58 (top) Tyodwong, shutterstock.com

P. 60 (bottom) Hemia Moran

P. 61 Africa Studio, shutterstock.com

P. 62 Igor Zh, shutterstock.com

P. 63 (top) Till Niermann, wikipedia.org;

(middle) Rosemania, flickr.com

P. 64 (top) numforest, shutterstock.com

P. 68 (middle) giovanni, flickr.com

P. 69 (top) douglas palmer, flickr.com

P. 70 (bottom) skeeze, pixabay.com

P. 71 (top) dikla kalfon; (middle) Rene Schwietzke, flickr.com

P. 72 (bottom) Grant Wood, wikipedia.org

P. 73 (bottom) Evadb, wikimedia.org

P. 74 (top) Emile Signol, wikimedia.org;

(2nd from top) Vikings Episode 308, youtube.com;

(3rd from top) wikimedia.org

P. 75 (top) Juan Bernabé Palomino, wikimedia.org;

(bottom) JJ Harrison, wikimedia.org

P. 77 Scisetti Alfio, shutterstock.com

P. 78 (3rd from top) K. B., flickr.com

P. 81 (top) Monkey Business Images, shutterstock.com;

(bottom) Taylor, Department of Defense, wikimedia.org

P. 83 (top) Ollyy, shutterstock.com;

(middle) Pinkcandy, shutterstock.com

P. 85 (bottom) Everett Historical, shutterstock.com

P. 86 (top) Reeed, shutterstock.com; (in text frame) lynea, shutterstock.com

P. 87 (from top to bottom) Jakub Krechowicz, shutterstock.com;

Maurice Quentin de La Tour, wikimedia.org;

Franz Wulfhagen, wikimedia.org; Frans Hals, wikimedia.org;

wikipedia.org; Túrelío, wikimedia.org;

Everett Historical, shutterstock.com;

John Jabez Edwin Mayall, wikipedia.org;

Lovingwhatistn, wikimedia.org;

Marzolino, shutterstock.com; wikimedia.org;

Simon Davis, DFID; youtube.com;

Alfredo Grados Rivero, flickr.com

P. 88: Charles Levy, wikimedia.org

P. 89 USPS scanned by Greudin, wikipedia.org

P. 90 Street art by Combo

P. 91 BioMedical, shutterstock.com;

Anton Balazh, shutterstock.com

P. 93 Vadim Georgiev, shutterstock.com;

Efrat Boner

P. 94 (top) PopTika, shutterstock.com

P. 95 (top) Nira Bar

P. 96 Alessandro Colle, shutterstock.com

P. 108 (background) Quick Shot, shutterstock.com; Skorpionik00, shutterstock.com; Richard C. Hoyer; Dr. J. Beller, shutterstock.com; Tyodwong, shutterstock.com; warangkhanasuriyakan, shutterstock.com; Subbotina Anna, shutterstock.com; Manfred Heyde, wikimedia.org; Quick Shot, shutterstock.com

P. 109: Ling Kuok Loung, shutterstock.com;

Cillas, wikimedia.org; Oko Laa, shutterstock.com

P. 110 Hemia Moran

P. 111 (top) s_derevianko, shutterstock.com;

(3rd) Olga Kuzyk, shutterstock.com;

(4th) Hectonichus, wikimedia.org;

(5th) Skorpionik00, shutterstock.com;

(bottom) Taddeus, shutterstock.com

P. 113 Pezibear, pixabay.com

P. 114 s_derevianko, shutterstock.com

P. 120 Climbertobby, wikimedia.org

P. 121 AnneMS, shutterstock.com

P. 127 Isantilli, shutterstock.com

P. 129 Tukaram Karve, shutterstock.com

P. 135 arka38, shutterstock.com

P. 143 Narayana Verlag

P. 167 Hans Splinter, flickr.com

P. 176 DnDavis, shutterstock.com

P. 177 Jan Havlicek, shutterstock.com;

hubert, shutterstock.com; Biro Eموke, shutterstock.com;

Natalia Davidovich, shutterstock.com;

Stefan Holm, shutterstock.com;

Martien van Gaalen, shutterstock.com;

yingphoto, shutterstock.com

P. 181 Jan Havlicek, shutterstock.com

P. 182 H. Zell, DHU; Jerome Prohaska, wikimedia.org

P. 196 Martien van Gaalen, shutterstock.com

P. 198 jordache, shutterstock.com

P. 202 www.bio.utexas.edu

P. 204 Stefan Holm, shutterstock.com

P. 210 Serge Skiba, shutterstock.com

P. 211 yingphoto, shutterstock.com

P. 215 (top) mexrix, shutterstock.com;

(3rd) Jason Hollinger, flickr.com;

(4th) Adam Overbey, shutterstock.com;

(5th)

Diana Cochran Johnson, shutterstock.com; (bottom) LianeM, shutterstock.com

P. 217 (bottom) Thomas Couture, wikimedia.com

P. 218 Ryan Jorgensen – Jorgo, shutterstock.com

P. 220 Nicku, shutterstock.com

P. 221 Yasser Dreams, wikipedia.org

P. 243 (top) extrem1ty, shutterstock.com

P. 244 Chad Zuber, shutterstock.com

P. 249 sl_photo, shutterstock.com; BeppeNob, shutterstock.com; peter Turner, shutterstock.com; Tyodwong, shutterstock.com; Ammit Jack, shutterstock.com; sarra22, shutterstock.com

P. 252 Gala_Kann, shutterstock.com

P. 257 LanKS, shutterstock.com

P. 259 khao fofa, shutterstock.com

P. 262 Ling Kuok Loung, shutterstock.com

P. 263 a9photo, shutterstock.com; Marco Uliana, shutterstock.com

P. 269 Andrei Kuzmik, shutterstock.com

P. 270 dadalia, shutterstock.com

P. 282 Ian Grainger, shutterstock.com

P. 288 Peter Turner Photography, shutterstock.com

P. 295 BeppeNob, shutterstock.com

P. 305 garmonche, shutterstock.com

P. 310 Oko Laa, shutterstock.com

P. 311 Roel Meijer, shutterstock.com

P. 326 In Green, shutterstock.com

P. 327 (top) H. Zell, DHU; (3rd) Alin Brotea, shutterstock.com; (4th) Lostry7, shutterstock.com; (bottom) Laura Bartlett, shutterstock.com

P. 328 pixabay.com

P. 329 wikimedia.org

P. 330 Tumisu, pixabay.com

P. 331 mTaira, shutterstock.com

P. 332 Oleksandr Lytvynenko, shutterstock.com

P. 340 mTaira, shutterstock.com; Kovalevska, shutterstock.com

P. 358 Yuriy Chertok, shutterstock.com

P. 373 Vahan Abrahamyan, shutterstock.com

P. 375 Dionisvera, shutterstock.com

P. 395 Yentafern, shutterstock.com

P. 407 AS Food studio, shutterstock.com

P. 418 janaph, shutterstock.com

P. 419 Peter Alfred Hess, flickr.com

P. 420 (top) Wolfgang Rieger, wikimedia.org

P. 450 cararta, pixabay.com

P. 455 Kuttelvaserova Stuchelova, shutterstock.com

P. 456 Andrew Hagen, shutterstock.com

P. 468 photolike, shutterstock.com

P. 472 Franz Xaver, wikimedia.org

P. 495 (2nd) Narayana Verlag; (3rd) ueuaphoto, shutterstock.com; (4th) H. Zell, DHU; (5th) John Loomis; (bottom) trebornov, shutterstock.com

P. 496 PublicDomainPictures, pixabay.com

P. 497 oneinchpunch, shutterstock.com

P. 498 Edi Israel, wikimedia.com

P. 499 Athena LeTrelle, flickr.com

P. 501 Dr. J. Beller, shutterstock.com

P. 545 LianeM, shutterstock.com

P. 572 Sorawich, shutterstock.com

P. 583 H. Zell, wikimedia.org

P. 584 vongrzanka, wikimedia.org

P. 585 greyloch, flickr.com

P. 586 Charubht, wikipedia.org

P. 612 Narayana Verlag

P. 623 Mykyta Voloshyn Voloh, shutterstock.com

P. 626 Taylor, wikimedia.org

P. 627 Vova Sevchuk, shutterstock.com

P. 666 Thanawach Nilnarong, shutterstock.com

P. 668 (background) shihina, shutterstock.com; Jackie Miles, shutterstock.com; isarescheewin, shutterstock.com

P. 669: Subbotina Anna, shutterstock.com; asharkyu, shutterstock.com; Nantawan Sakdirachpaijit, shutterstock.com; Stan Shebs, wikipedia.org; Doug Zimmerman; alefbet, shutterstock.com; Alan Cressler

P. 670 Zeljko Radojko, shutterstock.com

P. 671 mameawpic, shutterstock.com

P. 675 (2nd) Freeflyluis, wikimedia.org; (4th) Pommeyrol Vincent, shutterstock.com; (5th) J. F. Gaffard, wikimedia.org; (bottom) Mps197, shutterstock.com

P. 676 Albert Kok, wikimedia.org

P. 679 (top) Manfred Heyde, wikimedia.org; (2nd) ThomasLENNE, shutterstock.com; (3rd) goldenjack, shutterstock.com; (4th) Kittichai, shutterstock.com; (bottom) Jorg Hackemann, shutterstock.com

P. 682 Iakov Kalinin, shutterstock.com

P. 688 JJ Harrison, wikipedia.org

P. 702 makasana photo, shutterstock.com

P. 703 (top) Bildagentur Zoonar GmbH, shutterstock.com; (3rd) Subbotina Anna, shutterstock.com; (4th) alefbet, shutterstock.com

P. 704 Zeljko Radojko, shutterstock.com

P. 706 Uwe Hermann, flickr.com; stock-photo-free

P. 715 shihina, shutterstock.com

P. 730 EQRoy, shutterstock.com

P. 733 Przykuta, wikimedia.org

P. 734 Miwasatoshi, wikipedia.org

P. 741 Paihom234, shutterstock.com

P. 744 Bildagentur Zoonar GmbH, shutterstock.com

P. 743 Jackie Miles, shutterstock.com; leungchopan, shutterstock.com; asharkyu, shutterstock.com; Dmitry Naumov, shutterstock.com; Manfred Ruckszio, shutterstock.com; RoschetzkyProductions, shutterstock.com

P. 747 Kletr, shutterstock.com; falco, pixabay.com; Jon Frank, shutterstock.com

P. 748 Ondrej Prosicky, shutterstock.com; Cy21, wikipedia.org; isarescheewin, shutterstock.com

P. 749 (3rd) John A. Anderson, shutterstock.com; (4th) Narayana Verlag

P. 754 Armei studio, shutterstock.com; Alessandro Wagner Coelho Ferreira, wikipedia.org; Picsolia, shutterstock.com; Shaar Ziv

P. 764 Oksana Savchyn, shutterstock.com

P. 766 Anaghdyuti Giri, wikimedia.org; Gerd Altmann, pixabay.com

P. 767 PetrKratochvil; Scott, wikimedia.org; Mikael Häggström, wikipedia.org

P. 768 Jan Gossaert, wikimedia.org; Wikimages, pixabay.com

P. 769 mydisneyadventures, wikimedia.org; Johannes Jansson, wikimedia.org

P. 808 Stan Shebs, wikipedia.org

P. 811 Frank Vincentz, wikipedia.org

P. 814 Severin Roesen, Google Art Project, wikipedia.org

P. 817 Subbotina Anna, shutterstock.com

P. 821 LiliGraphie, shutterstock.com

P. 823 Narayana Verlag

P. 829 jakkapn, shutterstock.com

P. 831 ilovebutter, flickr.com

P. 836 nito, shutterstock.com

P. 849 Olha Rohulya, shutterstock.com

P. 850 above (1st) Jon Sullivan, wikimedia.org; (2nd) Jan Havlicek, shutterstock.com; (4th and 5th) Ammit Jack, shutterstock.com; (6th) madmonkey0328; below (1st) marcociannarel, shutterstock.com; (2nd) mimo, shutterstock.com; (3rd) Thommybee, wikipedia.org

P. 851 above (1st) Pommeyrol Vincent, shutterstock.com; (2nd) Jorg Hackemann, shutterstock.com; (3rd) Subbotina Anna, shutterstock.com; (4th) Stan Shebs, wikipedia.org; below (1st) pellaea, wikipedia.org; (2nd) Manfred Heyde, wikimedia.org; (3rd) Bildagentur Zoonar GmbH, shutterstock.com



Index of Remedies

- A**
- Abelmoschus moschatus 270
 Abroma augusta 271
 Abrotanum 629
 Absinthium 630
 Acacia seyal 376
 Acalypha indica 409
 Achyranthes aspera 240
 Achyranthes calea 239
 Aconitum napellus 145
 Acorus calamus – see *Calamus aromaticus*
 Actaea spicata 147
 Adansonia digitata 271
 Adlumia fungosa 168
 Adonis vernalis 147
 Adoxa moschatellina 614
 Aegle folia 429
 Aegle marmelos 430
 Aegopodium podagraria 475
 Aesculus hippocastanum 441
 Aethusa cynapium 476
 Agave americana 770
 Agave tequilana 770
 Agnus castus 605
 Agraphis nutans 771
 Agrimonia eupatoria (Agrimony) 334
 Agrimony 334
 Agrostemma githago 236
 Ailanthus glandulosa 442
 Aletris farinosa 772
 Alfalfa 377
 Allium cepa 773
 Allium sativum 774
 Allium tricoccum 776
 Allium ursinum 776
 Alnus rubra 205
 Aloe soccotrina 776
 Althaea officinalis 273
 Amaryllis 778
 Ambrosia artemisiaefolia 631
 Ammoniacum gummi 478
 Amorphophallus rivieri 690
 Amygdalus amara 335
 Amygdalus dulcis 337
 Anacardium orientale 421
 Anagallis arvensis 283
 Ananas comosus 741
 Anantherum (Anatherum) muricatum 708
 Andersonia rohituka 443
 Andrographis paniculata 562
 Androsace lactea 284
 Anemopsis californica 130
 Angelica archangelica 478
 Angelica sinensis 479
 Angophora lanceolata 360
 Angostura vera 430
 Anhalonium lewinii 222
 Anisum stellatum 127
 Anthemis nobilis 632
 Anthoxanthum odoratum 710
 Apium graveolens 479
 Apocynum cannabinum 529
 Apomorphine hydrochloride 169
 Apomorphinum (Apomorphine hydrochloride) 169
 Aragallus lamberti(i) 378
 Aralia racemosa 480
 Arbutus menziesii 297
 Areca catechu 683
 Arenaria glabra 236
 Argemone pleiacantha 169
 Aristolochia clematidis 140
 Arnica montana 633
 Artemisia absinthium – see *Absinthium*
 Artemisia vulgaris 634
 Arum dracontium 691
 Arum dracuncululus 692
 Arum italicum 692
 Arum maculatum 692
 Arum triphyllum 694
 Arundo mauritanica 710
 Asafoetida 480
 Asarum europaeum 141
 Asclepias tuberosa 541
 Asimina triloba 115
 Asparagus officinalis 778
 Aspidosperma – see *Quebracho*
 Astragalus exscapus 378
 Athamanta (Athamanta) oreselinum 481
 Atista indica 431
 Atriplex hortensis 233
 Atropinum purum 503
 Avena sativa 712
 Azadirachta indica (Melia azadirachta) 443
- B**
- Balsamum peruvianum 378
 Bambusa 714
 Banisteriopsis caapi 397
 Baptisia tinctoria 379
 Barosma crenulata 432
 Belladonna 504
 Bellis perennis 635
 Berberis vulgaris 160
 Beta vulgaris 233
 Betula alba 206
 Bixa orellana 273
 Blumea odorata 636
 Boerhavia diffusa 240
 Boldea fragrans 240
 Boldo (Boldea) fragrans 135
 Borago officinalis 609
 Boswellia sacra – see *Olibanum sacrum*
 Brachyglottis repens (repanda) 636
 Branca ursina 481
 Brassica campestris (or rapa) 312
 Brassica napus 312
 Brassica napus oleifera 312
 Brosimum gaudichaudii 187
 Brucinum 534
 Bryonia alba 289
 Buddleia davidii 549
 Bunias orientalis 313
 Bursa pastoris – see *Thlaspi bursa-pastoris*

- C
- Cactus grandiflorus 224
- Cahina 574
- Cainca (Cahina) 574
- Cajuputum 360
- Caladium seguinum (seguine) 695
- Calamus aromaticus 697
- Calendula officinalis 637
- Calotropis gigantea 542
- Campanula rapunculus 620
- Camphora officinalis 136
- Canchalagua 544
- Canna angustifolia 736
- Cannabis indica 183
- Cannabis sativa 184
- Capparis coriacea 314
- Capparis spinosa 314
- Capsicum annum 505
- Carbo vegetabilis 211
- Cardamomum (Elettaria) 736
- Carduus marianus 639
- Carica papaya 398
- Carnegia (Carnegiea) gigantea 226
- Carpinus betulus 206
- Carum carvi 482
- Carya alba 201
- Cascarilla 409
- Cassia fistula 380
- Cassia senna 380
- Castanea vesca 207
- Catalpa bignonioides 563
- Catha edulis 469
- Caulophyllum thalictroides 162
- Ceanothus americanus 452
- Cecropia mexicana 195
- Cedron 443
- Celtis occidentalis 192
- Centaurea tagana 640
- Cephalandra indica 291
- Cereus bonplandii 229
- Cereus serpentinus 230
- Chamomilla vulgaris 641
- Chaulmoogra 399
- Cheiranthus cheiri 315
- Chelidonium majus 169
- Chelone glabra 550
- Chenopodium
anthelminticum 233
- Chicory 641
- Chimaphila umbellata 297
- China officinalis 574
- Chininum sulphuricum 575
- Chionanthus virginica 565
- Chocolate 273
- Cicer arietinum 381
- Cicuta virosa 482
- Cimicifuga 149
- Cina maritima 642
- Cineraria maritima 643
- Cinnamomum officinale 137
- Cistus canadensis 275
- Citrus aurantium 432
- Citrus limonum 432
- Citrus vulgaris 433
- Clematis erecta 150
- Clerodendron infortunatum 607
- Coca 399
- Cocculus indicus 164
- Cochlearia armoracia 316
- Cocos nucifera 684
- Coffea cruda 576
- Coffea tosta 577
- Colchicum autumnale 780
- Collinsonia canadensis 588
- Colocynthis vulgaris 292
- Comocladia dentata 422
- Conium maculatum 483
- Convallaria majalis 781
- Convolvulus duartinus 522
- Convolvulus stans 522
- Conyza sumatrensis 643
- Copaiva 381
- Corallorhiza odontorhiza 750
- Cordyline australis 782
- Coriandrum sativum 485
- Cornus circinata 450
- Corydalis formosa
(canadensis) 171
- Cotyledon umbilicus 355
- Crataegus oxyacantha 337
- Crevelde 259
- Crocus sativus 783
- Croton tiglium 410
- Cubeba officinalis 130
- Cucurbita citrullus 292
- Cucurbita pepo 293
- Cundurango 542
- Cuphea viscosissima 362
- Curare 534
- Curcuma longa 737
- Cuscuta epithymum 523
- Cuscuta europaea 523
- Cyclamen europaeum 285
- Cydonia oblonga 338
- Cydonia vulgaris (oblonga) 338
- Cynara scolymus 643
- Cynips callicis gallus 213
- Cynodon dactylon 716
- Cyperus longus 734
- Cypripedium calceolus var.
pubescens 751
- Cyrtopodium punctatum 750
- Cytisus laburnum 382
- D
- Dactylorhiza praetermissa 754
- Damiana aphrodisiaca 400
- Daphne indica 362
- Datura arborea 506
- Datura candida 507
- Daucus carota 485
- Derris pinnata 383
- Dichapetalum mombuttense 469
- Digitalis purpurea 551
- Dioscorea villosa 811
- Diospyros kaki (Crevelde) 259
- Dipodium punctatum 755
- Dirca palustris 363
- Disa uniflora 755
- Dolichos pruriens 383
- Dreaming potency 237
- Drosera rotundifolia 263
- Duboisia myoporoides 507
- Duboisinum (Duboisia
myoporoides) 507
- Dulcamara 508
- E
- Echinacea angustifolia 644
- Elaeis guineensis 684
- Elaterium officinarum 293
- Embelia ribes 286
- Emetinum 578
- Epigea (Epigaea) repens 297
- Epiphegus virginiana 553
- Eragrostis tef (Abyssinica) 717
- Erechtites hieracifolia 645
- Erica vulgaris 298
- Erigeron canadense 646
- Erodium cicutarium 400
- Eryngium aquaticum 486
- Eryngium maritimum 486
- Eschscholtzia californica 171
- Espeletia grandiflora 647
- Eucalyptus globulus 364
- Eugenia jambos 364
- Euonymus atropurpureus 470
- Euonymus europaeus 470
- Eupatorium perfoliatum 648
- Euphorbia resinifera 411
- Euphorbium officinarum
(Euphorbia resinifera) 411
- Euphrasia officinalis 554
- F
- Fagopyrum esculentum 245
- Fagus sylvatica 207
- Ferula glauca 487
- Ficus carica 188
- Ficus macrophylla 188
- Ficus religiosa 189
- Flor-de-piedra 457
- Foeniculum sativum 487
- Fragaria vesca 339
- Franciscea uniflora 508
- Fraxinus americana 565
- Fraxinus excelsior 566
- Fumaria officinalis 171

G

Galanthus nivalis 785
 Galega officinalis 384
 Galinsoga parviflora 649
 Galium aparine 578
 Galla quercina ruber (Cynips callicis gallus) 213
 Gallic acid 212
 Galphimia glauca 400
 Gambogia (Garcinia gummi-gutta) 253
 Garcinia gummi-gutta 253
 Gardenia jasminoides 579
 Gaultheria procumbens 298
 Gelsemium sempervirens 535
 Gentiana lutea 544
 Geranium inodorum 400
 Geranium maculatum 400
 Geum rivale 340
 Ginseng 487
 Glycyrrhiza glabra 384
 Gnaphalium polycephalum 649
 Gossypium herbaceum 276
 Granatum (Pomegranate) 365
 Gratiola officinalis 555
 Grindelia robusta 650
 Grindelia squarrosa 651
 Guaco 651
 Guaiacum officinale 437
 Guarana 444
 Guarea trichiliodes 444
 Guatteria gaumeri 116
 Gymnema sylvestre 543
 Gymnocladus canadensis 385

H

Haematoxylum campechianum 385
 Hamamelis virginiana 196
 Harpagophytum procumbens 556
 Helianthemum nummularium 276
 Helianthus annuus 651
 Heliotropium peruvianum 609
 Helleborus niger 153
 Helonias dioica (Melanthium dioicum) 785
 Heracleum sphondylium – see *Branca ursina*
 Heroinum 172
 Hoitzia coccinea 509
 Hottonia palustris 286
 Hura brasiliensis 412
 Hydrangea arborescens 355
 Hydrastis canadensis 154
 Hydrocotyle asiatica 489
 Hydrocyanicum acidum 340
 Hygrophila spinosa 562
 Hyoscyamus niger 509
 Hypericum perforatum 253

I

Iberis amara 317
 Ictodes foetidus 698
 Ignatia amara 536
 Ilex aquifolium 470
 Ilex paraguariensis (Mate) 470
 Imperatoria ostruthium 490
 Indigofera tinctoria 385
 Inula helenium 652
 Ipecacuanha 580
 Ipomoea purpurea 524
 Iris factissima 787
 Iris florentina 787
 Iris foetidissima 788
 Iris tenax 788
 Iris versicolor 788

J

Jaborandi (Pilocarpus) 433
 Jacaranda caroba 563
 Jacaranda gualanai 564
 Jalapa 524
 Jasminum officinale 567
 Jatropha curcas 413
 Jonesia asoca 387
 Juglans cinerea 198
 Juglans regia 200
 Juncus effusus 733
 Justicia adhatoda 563

K

Kalmia latifolia 298
 Karaka 471
 Karwinskia humboldtiana 452
 Kola nut (Sterculia acuminata) 276
 Koussou 341

L

Lachnanthes tinctoria 731
 Lactuca virosa 653
 Lamium album 589
 Lapathum acutum 246
 Lappa arctium 653
 Larrea mexicana 438
 Lathyrus sativus 387
 Laurocerasus 341
 Laurus nobilis 138
 Lavandula angustifolia – see *Lavandula vera*
 Lavandula vera (officinalis) 590
 Lawsonia alba 367
 Ledum palustre 299
 Lemna minor 699
 Leonorus cardiaca 590
 Lepidium bonariense 318
 Leptandra virginica 557
 Liatris spicata 654
 Lilium candidum 790
 Lilium superbum 791
 Lilium tigrinum 791

Linaria vulgaris 557
 Linum catharticum 401
 Linum usitatissimum 401
 Lippia citriodora 607
 Lippia mexicana 608
 Liriosma ovata 458
 Lobelia cardinalis 620
 Lobelia inflata 621
 Lobelia purpurascens 622
 Lolium temulentum 717
 Loniceria caprifolium 614
 Loniceria periclymenum 614
 Loniceria xylosteum 615
 Loranthus acaciae 458
 Luffa operculata 293
 Lupulus humulus 185
 Lycium barbarum 510
 Lycopersicum esculentum 511
 Lycopus virginicus 592
 Lysimachia nummularia 287

M

Magnolia grandiflora 116
 Malus communis 342
 Malus domestica 342
 Malus sylvestris 343
 Mancinella 414
 Mandragora officinarum 512
 Mangifera indica 423
 Marrubium album 593
 Mate 470
 Matico 131
 MDMA 223
 Melaleuca alternifolia 367
 Melanthium dioicum 785
 Melia azadirachta 443
 Melilotus officinalis 388
 Melissa officinalis 593
 Menispermum canadense 165
 Mentha piperita 594
 Menyanthes trifoliata 514
 Mercurialis perennis 415
 Mezereum 368
 Millefolium 654
 Mimosa pudica 390
 Mimulus guttatus 558
 Mitchella repens 581
 Momordica balsamina 294
 Momordica charantia 294
 Monotropa uniflora 300
 Monsonia ovata 401
 Morphinum 173
 Musa sapientum 737
 Myosotis arvensis 610
 Myrica cerifera 202
 Myristica sebifera 117
 Myrrha 444
 Myrtus communis 369

N

Nabalus serpentarius 655
 Narcissus pseudonarcissus 793
 Negundium americanum 446
 Nelumbo nucifera 122
 Nepenthes distillatoria 265
 Nicotinum 515
 Nuphar luteum 124
 Nux absurda 685
 Nux moschata 118
 Nux vomica 538
 Nymphaea odorata 125

O

Ocimum canum 596
 Ocimum sanctum 597
 Oenanthe crocata 490
 Oenothera biennis 370
 Okoubaka aubrevillei 461
 Olea europea 569
 Oleander 529
 Olibanum sacrum 446
 Onopordum acanthium 655
 Onosmodium virginianum 610
 Operculina turpenthum
 (turpethum) 525
 Opium 173
 Opuntia vulgaris 231
 Origanum majorana 598
 Ornithogalum umbellatum 794
 Oryza sativa 718
 Ostrya virginica 208
 Oxalis acetosella 401

P

Paeonia officinalis 257
 Paloondo (Larrea mexicana) 438
 Pareira brava 166
 Paris quadrifolia 795
 Paronychia illecebrum 240
 Parthenium hysterophorus 656
 Passiflora incarnata 402
 Peganum harmala 438
 Penthorum sedoides 356
 Persea americana 138
 Petiveria tetrandra 241
 Petroselinum sativum 491
 Phalaenopsis gigantea 757
 Phaseolus nanus 390
 Phellandrium aquaticum 491
 Phleum pratense 720
 Phlorizinum 344
 Physostigma venenosum 391
 Phytolacca decandra 241
 Pilocarpinum 434
 Pilocarpus 433
 Pimenta officinalis 370
 Pimpinella saxifraga 491
 Piper methysticum 132

Piper nigrum 133
 Pistacia lentiscus 424
 Pistacia vera 424
 Plantago major 583
 Platanus spp. 197
 Plectranthus fruticosus 600
 Plumbago littoralis 243
 Podophyllum peltatum 163
 Polygonum hydropiperoides 246
 Polymnia uvedalia 656
 Pomegranate 365
 Populus candicans 306
 Populus tremuloides 306
 Posidonia oceanica 676
 Potentilla anserina 344
 Potentilla erecta 344
 Primula veris 287
 Prunus cerasifera 346
 Prunus spinosa 344
 Ptelea trifoliata 434
 Ptychopetalum olacoides 463
 Pulsatilla pratensis 156
 Pyrus americana (Sorbus
 americana) 346

Q

Quebracho 531
 Quercus robur 208
 Quillaja saponaria 347

R

Rajania subsamarata 449, 812
 Ranunculus bulbosus 157
 Ranunculus sceleratus 159
 Raphanus sativus 318
 Ratanhia peruviana 403
 Rauwolfia (Rauwolfia)
 serpentina 532
 Rhamnus californica 452
 Rheum palmatum 246
 Rhododendron
 chrysanthemum 302
 Rhus glabra 424
 Rhus radicans 425
 Rhus toxicodendron 425
 Rhus vernix (venenata) 427
 Ricinus communis 415
 Robinia pseudoacacia 391
 Rosa bracteata 348
 Rosa californica 349
 Rosa canina 350
 Rosa damascena 351
 Rosa gallica 353
 Rosmarinus officinalis 600
 Rubia tinctorum 581
 Rubus fruticosus 354
 Rumex crispus 248
 Ruscus aculeatus 797
 Ruta graveolens 435

S

Sabadilla (Veratrum sabadilla) 798
 Sabal serrulata 685
 Saccharum album 720
 Sagittaria latifolia 677
 Salix alba 307
 Salix fragilis 307
 Salsola tragus 234
 Salvia officinalis 600
 Sambucus nigra 615
 Sanguinaria canadensis 174
 Sanicula europaea 492
 Santalum album 463
 Santonine 657
 Saponaria officinalis 236
 Sarothamnus scoparius 392
 Sarracenia purpurea 266
 Sarsaparilla officinalis 799
 Sassafras officinalis 138
 Saururus cernuus 134
 Saxifraga granulata 356
 Scammonium 525
 Schinus molle 427
 Schinus terebinthifolia 428
 Scirpus paludicola 734
 Scleranthus annuus 237
 Scrophularia nodosa 558
 Scutellaria lateriflora 601
 Sedum acre 357
 Sempervivum tectorum 357
 Senecio aureus 657
 Senega officinalis 403
 Serpentaria aristolochia 142
 Siegesbeckia (Sigesbeckia)
 orientalis 659
 Silene californica 237
 Silene capensis (Dreaming
 potency) 237
 Silphium laciniatum 659
 Sinapis alba 319
 Sinapis nigra 321
 Sium latifolium 492
 Soja hispida (Soya) 392
 Solanum nigrum 515
 Solanum tuberosum 516
 Solanum tuberosum aegrotans 516
 Solidago virgaurea 660
 Sorbus americana 346
 Sparteine sulfate/ Scoparin 393
 Spigelia anthelmia 539
 Spinacia oleracea 235
 Spiraea ulmaria 354
 Spiranthes autumnalis 758
 Spirostachys africana 416
 Squilla maritima 801
 Stachys betonica 602
 Stapelia gigantea 532
 Staphysagria 159
 Stellaria media 239

- Sterculia acuminata 276
 Stigmata maydis – see *Zea italica*
 Stillingia sylvatica 416
 Stramonium 518
 Strophanthus hispidus 533
 Strychninum 540
 Sumbulus moschatus 492
 Symphoricarpus racemosus 616
 Symphytum officinale 611
 Syringa vulgaris 571
 Syzygium jambolanum 371
- T**
- Tabacum 519
 Tamarindus indica (Tamarind) 393
 Tamarix germanica 294
 Tamus communis 813
 Tanacetum vulgare 660
 Taraxacum officinale 661
 Terminalia arjuna 371
 Teucrium marum 602
 Thea sinensis 255
 Thebainum 175
 Thevetia nerifolia (neriifolia) 533
 Thiosinaminum 323
 Thlaspi bursa pastoris 322
 Thymolum 604
 Tilia cordata 280
 Tilia europea 280
 Tillandsia usneoides 742
 Tinospora cordifolia 166
- Tradescantia diuretica 730
 Tribulus terrestris 439
 Trifolium pratense 393
 Trillium pendulum 802
 Triosteum perfoliatum 616
 Triticum dicoccoides 721
 Triticum repens (Agropyron) 725
 Triticum vulgare 725
 Tropaeolum majus 324
 Tussilago farfara 662
 Tussilago petasites 663
 Typha latifolia 701
- U**
- Ulmus campestris 192
 Uncaria tomentosa 582
 Upas antiaris 191
 Upas tieut (tiente) – see *Ignatia*
 Urtica urens 185
 Uva ursi 303
- V**
- Vaccinium myrtillus 304
 Valeriana officinalis 617
 Vanilla planifolia 760
 Veratrum album 803
 Veratrum sabadilla 798
 Veratrum viride 805
 Verbascum thapsus 559
 Verbena hastata 608
 Verbena officinalis 608
- Vernonia spp. 663
 Veronica officinalis 561
 Viburnum opulus 618
 Vinca minor 533
 Vincetoxicum officinalis 543
 Viola odorata 404
 Viola tricolor 405
 Viscum album 465
 Vitis vinifera 453
- W**
- Withania somnifera 521
 Wyethia helenioides 663
- X**
- Xanthium spinosum 665
 Xanthorrhoea arborea 806
 Xanthoxylum fraxineum 436
- Y**
- Yohimbinum 582
 Yucca filamentosa 806
- Z**
- Zantedeschia aethiopica 700
 Zea italica or Stigmata maydis 728
 Zingiber officinale 738
 Zizia aurea 493
 Zizyphus mucronata 454



Other indexes

BY ORDER AND FAMILY NAMES, BY LATIN NAMES AND BY COMMON NAMES

Order and Family Names

A

Acanthaceae 545
Adoxaceae 612
Agavaceae 809
Alismataceae 676
Alismatales 676
Amaranthaceae 216
Amaryllidaceae (Agavaceae) 764
Anacardiaceae 418
Annonaceae 114
Apiaceae (Umbelliferae) 472
Apiales (Umbelliferales) 472
Apocynaceae 526
Aquifoliaceae 468
Araceae 688
Arales 688
Araliaceae 472
Arecaceae 682
Arecales (the palms) 682
Aristolochiaceae 139
Aristolochiales 139
Asclepiadaceae 526
Asteraceae 623
Asterales (Compositales) 623

B

Balanophoraceae 455
Balsaminaceae 395
Berberidaceae 143
Betulaceae 204
Bignoniaceae 545
Bixaceae 268
Bombaceae 268
Boraginaceae 584

Brassicaceae (Cruciferae) 310
Bromeliaceae 741
Bromeliales 741

C

Cactaceae 216
Caesalpiniaceae 373
Campanulaceae 620
Campanulales 620
Cannabinaceae 181
Cannaceae 735
Capparales 310
Capparidaceae 310
Caprifoliaceae 612
Caryophyllaceae 216
Caryophyllales 216
Cecropiaceae (recently moved to
Urticaceae) 181
Celastraceae 468
Celastrales 468
Chenopodiaceae 216
Cistaceae 268
Clusiaceae (Guttiferae) 252
Combretaceae 358
Commelinaceae 730
Commelinales 730
Convolvulaceae 501
Cornaceae 450
Cornales 450
Corylaceae 204
Corynocarpaceae 468
Crassulaceae 331
Cucurbitaceae 288
Cucurbitales 288

Cyperaceae 734
Cyperales 734

D

Dicotyledons 109
Dilleniaceae 257
Dilleniales 257
Dioscoreaceae 811
Dioscoreales 811
Dipsacales 612
Dipterocarpaceae 252
Droseraceae 262

E

Ebenaceae 259
Ebenales 259
Ericaceae 295
Ericales 295
Erythroxylaceae 395
Euphorbiaceae 407
Euphorbiales 407

F

Fabaceae (Papilionaceae) 373
Fabales (Leguminales) 373
Fagaceae 204
Fagales 204
Flacourtiaceae 395

G

Gentianaceae 526
Gentianales 526
Geraniaceae 395

- H**
Haemodoraceae 730
Hamamelidaceae 196
Hamamelidales 196
Helleboraceae 143
Hydrangeaceae 331
Hydrophyllaceae 501
- I**
Illiciales 127
Iridaceae 764
- J**
Juglandaceae 198
Juglandales 198
Juncaceae 733
Juncals 733
- K**
Krameriaceae 395
- L**
Labiales (Lamiales) 584
Lamiaceae (Labiatae) 584
Lauraceae 135
Laurales 135
Lemnaceae 688
Lentibulariaceae 545
Liliaceae 764
Liliales 764
Linaceae 395
Loganiaceae 526
Loranthaceae 455
Lythraceae 358
- M**
Magnoliaceae 114
Magnoliales 114
Malpighiaceae 395
Malpighiales 395
Malvaceae 268
Malvales 268
Menispermaceae 143
Menyanthaceae 501
Mimosaceae 373
Monimiaceae 135
Monocotyledons 669
Moraceae 181
Musaceae 735
Myricaceae 202
Myricales 202
Myristicaceae 114
Myrsinaceae 282
Myrtaceae 358
Myrtales 358
- N**
Nelumbonaceae 120
Nepenthaceae 262
Non-plant remedies 211
Nyctaginaceae 216
Nymphaeaceae 120
Nymphaeales 120
- O**
Ochnaceae 395
Olacaceae 455
Oleaceae 545
Onagraceae 358
Orchidaceae 744
Orchidales 744
Orobanchaceae 545
Other Families 418
Oxalidaceae 395
- P**
Papaveraceae 167
Papaverales 167
Passifloraceae 395
Pedalaceae 545
Piperaceae 129
Piperales 129
Plantaginaceae 583
Plantaginales 583
Platanaceae 196
Plumbaginaceae 243
Plumbaginales 243
Poaceae (formerly Gramineae) 704
Poales 704
Polemoniales (Solanales) 501
Polygalaceae 395
Polygonaceae 244
Polygonales 244
Pontederiaceae 730
Portulacaceae 216
Posidonaceae 676
Potamogetonaceae 678
Potamogetonales 678
Primulaceae 282
Primulales 282
- R**
Ranunculaceae 143
Ranunculales 143
Remedies 809
Rhamnaceae 451
Rhamnales 451
Rosaceae 331
Rosales 331
Rubiaceae 572
Rubiales 572
- Rutaceae** 418
- S**
Salicaceae 305
Salicales 305
Santalaceae 455
Santalales (parasitic plants) 455
Sapindaceae 418
Sapindales 418
Sarraceniaceae 262
Sarraceniales 262
Saururaceae 129
Saxifragaceae 331
Schisandraceae 127
Scrophulariaceae 545
Scrophulariales 545
Solanaceae 501
Sterculiaceae 268
- T**
Tamaricaceae 288
Theaceae 252
Theales 252
Thymelaeaceae 358
Tiliaceae 268
Tropaeolaceae 310
Turneraceae 395
Typhaceae 701
Typhales 701
- U**
Ulmaceae 181
Urticales 181
- V**
Valerianaceae 612
Verbenaceae 584
Violaceae 395
Viscaceae 455
Vitaceae 451
- Z**
Zingiberaceae 735
Zingiberales 735
Zygophyllaceae 418

Remedies by Latin Names

- A**
Abelmoschus moschatus 270
Abroma augusta 271
Acacia seyal 376
Acalypha indica 409
Acer negundo 446
Achillea millefolium 654
Achyranthes aspera 240
Aconitum napellus 145
Acorus calamus 697
Actaea racemosa 149
Actaea spicata 147
Adansonia digitata 271
Adhatoda vasica 563
Adlumia fungosa 168
Adonis vernalis 147
Adoxa moschatellina 614
Aegle marmelos 430
Aegopodium podagraria 475
Aesculus hippocastanum 441
Aethusa cynapium 476
Agathosma crenulata 432
Agave americana 770
Agave tequilana 770
Agrimonia eupatoria 334
Agropyron repens 725
Agrostemma githago 236
Ailanthus altissima 442
Ailanthus glandulosa 442
Aletris farinosa 772
Alkaloid Scoparin 393
Allium cepa 773
Allium sativum 774
Allium tricoccum 776
Allium ursinum 776
Alnus serrulata 205
Aloe soccotrina 776
Aloysia citrodora 607
Alternanthera pungens 240
Alternanthera repens 240
Althaea officinalis 273
Amaryllis equestris 778
Ambrosia artemisiifolia 631
Amoora rohituka 443
Amorphophallus konjac 690
Amorphophallus rivieri 690
Ampelodesmos mauritanicus 710
Amphipterygium adstringens 449
Amygdalus dulcis 337
Anagallis arvensis 283
Anamirta cocculus 164
Ananas comosus 741
Andrographis paniculata 562
Andropogon muricatus 708
Androsace lactea 284
Anemopsis californica 130
Angelica archangelica 478
Angelica sinensis 479
Angophora costata 360
Angostura trifoliata 430
Anisum stellatum 127
Annona triloba 115
Anthoxanthum odoratum 710
Antiaris toxicaria 191
Aphanamixis polystachya 443
Apium graveolens 479
Apocynum cannabinum 529
Apomorphine hydrochloride 169
Aralia quinquefolia 487
Aralia racemosa 480
Arbutus menziesii 297
Arctium lappa 653
Arctostaphylos uva-ursi 303
Areca catechu 683
Argemone pleiacantha 169
Argentina anserina 344
Arisaema dracontium 691
Arisaema triphyllum 694
Aristolochia clematidis 140
Aristolochia serpentaria 142
Armoracia rusticana 316
Arnica montana 633
Artemisia abrotanum 629
Artemisia absinthium 630
Artemisia maritima 642
Artemisia vulgaris 634
Arum italicum 692
Arum maculatum 692
Arum vulgare 692
Asarum europaeum 141
Asclepias tuberosa 541
Asimina triloba 115
Asparagus officinalis 778
Aspidosperma quebracho-
blanco 531
Asteracantha longifolia 562
Astragalus exscapus 378
Atriplex hortensis 233
Atropa belladonna 504
Atropine 503
Avena sativa 712
Azadirachta indica 443
- B**
Bambusa arundinaceae 714
Bambusa bambos 714
Banisteriopsis caapi 397
Baptisia tinctoria 379
Bellis perennis 635
Berberis vulgaris 161
Beta vulgaris 233
Betula alba 206
Bixa orellana 273
Blumea balsamifera 636
Boerhavia diffusa 240
Borago officinalis 609
Boswellia sacra 446
Brachyglottis repanda 636
Branca ursina 481
Brassica alba 319
Brassica campestris 312
Brassica napus 312
Brassica napus oil 312
Brayera anthelmintica 341
Brosimum gaudichaudii 187
Brucinum 534
Brugmansia arborea 506
Brugmansia x candida 507
Brunfelsia uniflora 508
Bryonia alba 289
Bryonia dioica 289
Buddleja davidii 549
Bunias orientalis 313
Bursa-pastoris 322
- C**
Cactus serpentinus 230
Calendula officinalis 637
Calluna vulgaris 298
Calotropis gigantea 542
Calystegia spithamea 522
Campanula rapunculus 620
Canna angustifolia 736
Cannabis indica 183
Cannabis sativa 184
Capparis coriacea 314
Capparis spinosa 314
Capsicum annuum 505
Carapichea ipecacuanha 580
Carbo vegetabilis 211
Carica papaya 398
Carnegia gigantea 226
Carpinus betulus 206
Carum carvi 482
Carya tomentosa 201
Cascabela thevetia 533
Cassia acutifolia 380
Cassia fistula 380
Castanea sativa 207
Catalpa bignonioides 563
Catha edulis 469
Caulophyllum thalictroides 162
Ceanothus americanus 452
Cecropia obtusifolia 195
Celtis occidentalis 192
Centaurea africana 640
Centaureum chironioides 544
Centella asiatica 489
Cephaelis ipecacuanha 580
Cereus ambiguus 230
Chamaelirium luteum 785

- Chamaemelum nobile* 632
Chelidonium majus 169
Chelone glabra 550
Chenopodium
 anthelminticum 233
Chimaphila umbellata 297
Chiococca alba 574
Chionanthus virginicus 565
Chondrodendron tomentosum 166
Chrysopogon zizanioides 708
Cicer arietinum 381
Cichorium intybus 641
Cicuta virosa 482
Cinchona officinalis 574
Cinnamomum camphora 136
Cinnamomum cassia 137
Cinnamomum zeylanicum 137
Cistus canadensis 275
Citrullus colocynthis 292
Citrullus lanatus 292
Citrus aurantium 432, 433
Citrus limon 432
Citrus vulgaris 433
Clematis erecta 150
Clerodendron infortunatum 607
Clerodendron viscosum 607
Coccinia grandis 291
Cocos nucifera 684
Coffea arabica 576
Coffea tosta 577
Cola acuminata 276
Colchicum autumnale 780
Collinsonia canadensis 588
Commiphora myrrha 444
Comocladia dentata 422
Conium maculatum 483
Convallaria majalis 781
Convolvulus scammonia 525
Convolvulus turpethum 525
Conyza canadense 646
Conyza sumatrensis 643
Copaifera officinalis 381
Corallorhiza odontorhiza 750
Cordyline australis 782
Coriandrum sativum 485
Cornus circinata 450
Cornus rugosa 450
Corydalis canadensis 171
Corynanthe johimbe 582
Corynocarpus laevigatus 471
Cotyledon Woodii 355
Cotyledon umbilicus 355
Crataegus laevigata 337
Crateva marmelos 430
Crocus sativus 783
Croton eluteria 409
Croton tiglium 410
Cucurbita (Cucumis) melo 293
Cuphea viscosissima 362

Curcuma longa 737
Cuscuta epithymum 523
Cuscuta europaea 523
Cyclamen purpurascens 285
Cydonia oblonga 338
Cydonia vulgaris 338
Cynara cardunculus 643
Cynodon dactylon 716
Cyperus longus 734
Cypripedium calceolus var
 pubescens 751
Cyrtopodium brandonianum 750
Cyrtopodium brasiliensis J. V.
 Almeida 750
Cytisus scoparius 392

D
Dactylorhiza praetermissa 754
Dalbergia pinnata 383
Daphne mezereum 368
Daphne odora 362
Datura candida 507
Datura stramonium 518
Daucus carota 485
Delphinium staphisagria 159
Diamorphine 172
Dicentra candensis 171
Dichapetalum mombuttense 469
Dichapetalum toxicarium 469
Dieffenbachia seguine 695
Digitalis purpurea 551
Dioscorea communis 813
Dioscorea villosa 811
Diospyros kaki Creveld 259
Dipodium punctatum 755
Dirca palustris 363
Disa uniflora 755
Dorema ammoniacum 478
Dracontium foetidum 698
Dracunculus vulgaris 692
Drimia maritima 801
Drosera rotundifolia 263
Duboisia myoporoides 507
Dulacia inopiflora 458

E
Ecballium elaterium 293
Echinacea angustifolia 644
Elaeis guineensis 684
Elettaria cardamomum 736
Elymus repens 725
Embelia ribes 286
Emetinum 578
Epifagus virginiana 553
Epigaea repens 297
Eragrostis tef (abyssinica) 717
Erechtites hieraciifolius 645
Erica vulgaris 298
Erigeron sumatrensis 643

Erodium cicutarium 400
Eryngium aquaticum 486
Eryngium maritimum 486
Erysimum cheiri 315
Erythraea chironioides 544
Erythroxylum coca 399
Eschscholtzia californica 171
Espeletia grandiflora 647
Eucalyptus globulus 364
Eugenia jambos 364
Euonymus atropurpureus 470
Euonymus europaeus 470
Eupatorium perfoliatum 648
Euphorbia officinarum 411
Euphorbia resinifera 411
Euphrasia officinalis 554

F
Fagopyrum esculentum 245
Fagus sylvatica 207
Ferula communis 487
Ferula glauca 487
Ferula narthex 480
Ferula sumbul 492
Ficus carica 188
Ficus macrophylla 188
Ficus religiosa 189
Filipendula ulmaria 354
Foeniculum sativum 487
Fragaria vesca 339
Fraxinus americana 565
Fraxinus excelsior 566, 568
Fumaria officinalis 171

G
Galanthus nivalis 785
Galega officinalis 384
Galinsoga parviflora 649
Galium aparine 578
Gallic acid 212
Garcinia morella 253
Gardenia jasminoides 579
Gaultheria procumbens 298
Gelsemium sempervirens 535
Gentiana lutea 544
Geranium maculatum 400
Geranium robertianum 400
Geum rivale 340
Glycine hispida 392
Glycine max 392
Glycosmis pentaphylla 431
Glycyrrhiza glabra 384
Gnaphalium polycephalum 649
Gonolobus cundurango 542
Gossypium herbaceum 276
Gratiola officinalis 555
Grindelia camporum 650
Grindelia robusta 650
Grindelia squarrosa 651

Guaiacum officinale 437, 439
Guarea guidonia 444
Guatteria gaumeri 116
Gymnema sylvestre 543
Gymnocladus dioicus 385

H

Haematoxylum
 campechianum 385
Hagenia abyssinica 341
Hamamelis virginiana 196
Harpagophytum procumbens 556
Harrisia bonplandii 229
Helianthemum nummularium 276
Helianthus annuus 651
Heliotropium arborescens 609
Helleborus niger 153
Helonias viridis 805
Heracleum sphondylium 481
Heroin 172
Hevea brasiliensis 412
Hippeastrum puniceum 778
Hippomane mancinella 414
Hottonia palustris 286
Humulus lupulus 185
Hyacinthoides non-scripta 771
Hydnocarpus kurzii 399
Hydrangea arborescens 355
Hydrastis canadensis 154
Hydrocyanicum acidum 340
Hygrophila auriculata 562
Hyoscyamus niger 509
Hypericum perforatum 253

I

Iberis amara 317
Ilex aquifolium 470
Ilex paraguariensis 470
Imperatoria ostruthium 490
Indigofera tinctoria 385
Inula helenium 652
Ipomoea alba 522
Ipomoea purga 524
Ipomoea purpurea 524
Ipomoea turpethum 525
Iresine calea 239
Iris 787
Iris florentina 787
Iris foetidissima 788
Iris tenax 788
Iris versicolor 788

J

Jacaranda gualanay 563, 564
Jacaranda mimosifolia 563, 564
Jacobaea maritima 643
Jasminum officinale 567
Jatropha curcas 413
Juglans cinerea 198
Juglans regia 200

Juncus effusus 733
Justicia adhatoda 563

K

Kalmia latifolia 298
Karwinskia humboldtiana 452
Krameria lappacea 403

L

Laburnum anagyroides 382
Lachnanthes caroliniana 731
Lactuca virosa 653
Lamium album 589, 595
Larrea mexicana 438
Larrea mexicana tridentata 438
Lathyrus sativus 387
Laurus nobilis 138
Lavandula officinalis 590
Lavandula vera 590
Lavender augustifolia 590
Lawsonia inermis 367
Ledum palustre 299
Lemna minor 699
Leonorus cardiaca 590
Lepidium bonariense 318
Liatris spicata 654
Lignum sanctum 437
Lilium album 790
Lilium candidum 790
Lilium lancifolium 792
Lilium superbum 791
Linaria vulgaris 557
Linum catharticum 401
Linum humile 401
Linum usitatissimum 401
Lippia citrodora 607
Lippia dulcis 608
Liriosma ovata 458
Lithospermum virginianum 610
Lobelia cardinalis 620
Lobelia inflata 621
Lobelia purpurascens 622
Lodoicea maldivica 685
Loeselia coccinea 509
Loeselia mexicana 509
Lolium temulentum 717
Lonicera caprifolium 614
Lonicera periclymenum 614
Lonicera xylosteum 615
Lophophora williamsii 222
Lophophytum leandrii 457
Loranthus acaciae 458
Luffa operculata 293
Lycium barbarum 510
Lycium chinense 510
Lycopersicon esculentum 511
Lycopus virginicus 592
Lysimachia nummularia 287

M

Macaglia quebracho-blanco 531
Magnolia grandiflora 116
Malus communis 342
Malus domestica 342
Malus pumila 343
Malus sylvestris 343
Mandragora officinarum 512
Mangifera indica 423
Marrubium album 593
Marsdenia cundurango 542
Matricaria chamomilla 641
Matricaria recutita 641
Medicago sativa 377
Melaleuca alternifolia 367
Melaleuca cajuputi 360
Melanthium dioicum 785
Melia azadirachta 443
Melilotus officinalis 388
Melissa officinalis 593
Menispermum angulatum 165
Menispermum canadense 165
Mentha piperita 594
Menyanthes trifoliata 514
Mercurialis perennis 415
Mikania amara 651
Mikania guaco 651
Mimosa pudica 390
Mimulus guttatus 558
Minuartia glabra 236
Mitchella repens 581
Momordica balsamina 294
Momordica charantia 294
Mononeuria glabra 236
Monotropa uniflora 300
Monsonia emarginata 401
Morphine 173
Mosannonna depressa 116
Mucuna pruriens 383
Musa paradisiaca var
 sapiantum 737
Musa sapientum 737
Myosotis arvensis 610
Myrica cerifera 202
Myristica fragrans 118
Myroxylon balsamum 378
Myrtus communis 369

N

Nabalus serpentarius 655
Narcissus pseudonarcissus 793
Nelumbo nucifera 122
Nepenthes distillatoria 265
Nerium oleander 529
Nicotiana tabacum 519
Nicotine 515
Nuphar luteum 124
Nyctocereus serpentinus 230
Nymphaea odorata 125

O

Ocimum canum 596
 Ocimum tenuiflorum 597
 Octoknema okoubaka 461
 Oenanthe aquatica 491
 Oenanthe crocata 490
 Oenothera biennis 370
 Okoubaka aubrevillei 461
 Olea europaea 569
 Onopordum acanthium 655
 Onosmodium virginianum 610
 Operculina turpethum 525
 Opuntia vulgaris 231
 Origanum majorana 598
 Ornithogalum umbellatum 794
 Oryza sativa 718
 Osteospermum uvedalia 656
 Ostrya virginiana 208
 Oxalis acetosella 401
 Oxytropis lambertii 378

P

Paeonia officinalis 257
 Panax quinquefolius 487
 Panicum dactylon 716
 Papaver somniferum 173
 Paris quadrifolia 795
 Parthenium hysterophorus 656
 Passiflora incarnata 402
 Paullinia cupana 444
 Pausinystalia johimbe 582
 Peganum harmala 438
 Peniocereus serpentinus 230
 Penthorum sedoides 356
 Persea americana 138
 Petasites hybridus 663
 Petasites vulgaris 663
 Petiveria alliacea 241
 Petiveria tetrandra 241
 Petroselinum crispum 491
 Peucedanum oreoselinum 481
 Peumus boldus 135
 Phalaenopsis gigantea 757
 Phaseolus nanus 390
 Phleum pratense 720
 Phlorizine 344
 Phylla dulcis 608
 Physostigma venenosum 391
 Phytolacca americana 241
 Pilocarpinum 434
 Pilocarpus microphyllus 433
 Pimenta dioica 370
 Pimpinella saxifraga 491
 Piper aduncum 131
 Piper augustifolia 131
 Piper cubeba 130
 Piper methysticum 132
 Piper nigrum 133
 Pistacia lentiscus 424
 Pistacia vera 424

Plantago major 583
 Platanus of unknown species 197
 Plectranthus fruticosus 600
 Plicosepalus acaciae 458
 Plumbago scandens 243
 Podophyllum peltatum 163
 Polygala senega 403
 Polygonum punctatum 246
 Polymnia uvedalia 656
 Populus × candicans 306
 Populus × gileadensis 306
 Populus × jackii 306
 Populus tremuloides 306
 Posidonia oceanica 676
 Potentilla anserina 344
 Potentilla erecta 344
 Potentilla tormentilla 344
 Pothos foetidus 698
 Primula veris 287
 Prunus cerasifera 346
 Prunus dulcis var amara 335
 Prunus laurocerasus 341
 Prunus spinosa 344
 Psychotria ipecacuanha 580
 Ptelea trifoliata 434
 Ptychopetalum olacoides 463
 Pulsatilla pratensis 156
 Punica granatum 365
 Pyrus americana 346
 Pyrus malus 342, 343

Q

Quercus robur 208
 Quillaja saponaria 347
 Quinine sulphate 575

R

Ranunculus bulbosus 157
 Ranunculus sceleratus 159
 Raphanus sativus 318
 Rauvolfia serpentina 532
 Rhamnus californica 452
 Rhaponticoides Africana 640
 Rheum palmatum 246
 Rhododendron chrysanthum 302
 Rhus glabra 424
 Rhus radicans 425
 Rhus vernix 427
 Ricinus communis 415
 Robinia pseudoacacia 391
 Rosa bracteata 348
 Rosa californica 349
 Rosa canina 350
 Rosa damascena 351
 Rosa gallica 353
 Rosmarinus officinalis 600
 Rubia tinctorum 581
 Rubus fruticosus 354
 Rumex crispus 248
 Rumex obtusifolius 246

Ruscus aculeatus 797
 Ruta graveolens 435

S

Saccharum album 720
 Sagittaria latifolia 677
 Salix alba 307
 Salix fragilis 307
 Salsola kali 234
 Salsola tragus 234
 Salvia officinalis 600
 Sambucus nigra 615
 Sanguinaria canadensis 174
 Sanicula europaea 492
 Santalum album 463
 Santonine 657
 Saponaria officinalis 236
 Saraca asoca 387
 Sarracenia purpurea 266
 Sassafras officinale 138
 Saururus cernuus 134
 Saxifraga granulata 356
 Schinus molle 427
 Schinus terebinthifolia 428
 Schoenocaulon officinale 798
 Schoenoplectus paludicola 734
 Scirpus paludicola 734
 Scleranthus annuus 237
 Scrophularia nodosa 558
 Scutellaria lateriflora 601
 Sedum acre 357
 Selenicereus grandiflorus 224
 Semecarpus anacardium 421
 Sempervivum tectorum 357
 Senecio aureus 657
 Senecio bicolor 643
 Senecio cineraria 643
 Senecio hieracifolius 645
 Senna alexandrina 380
 Serenoa repens 685
 Seriphidium maritimum 642
 Siegesbeckia orientalis 659
 Silene californica 237
 Silene undulata 237
 Silphium laciniatum 659
 Silybum marianum 639
 Simaba cedron 443
 Sinapis alba 319
 Sinapis nigra 321
 Sium latifolium 492
 Smallanthus uvedalia 656
 Smilax regelii 799
 Solanum dulcamara 508
 Solanum lycopersicum 511
 Solanum nigrum 515
 Solanum tuberosum 516
 Solanum tuberosum aegrotans 516
 Solidago virgaurea 660
 Sorbus americana 346
 Spartium scoparium 392

- Spigelia anthelmia* 539
Spinacia oleracea 235
Spiranthes spiralis 758
Spirostachys africana 416
Stachys officinalis 602
Stapelia gigantea 532
Stellaria media 239
Stigmata maydis 728
Stillingia sylvatica 416
Strichninum 540
Strophanthus hispidus 533
Strophanthus kombe 533
Strychnos ignatii 536
Strychnos nux-vomica 538
Strychnos tieute 536, 541
Strychnos toxifera 534
Symphoricarpos albus 616
Symphytum officinale 611
Symplocarpus foetidus 698
Syringa vulgaris 571
Syzygium cumini 371
Syzygium jambos 364
- T**
- Tamarindus indica* 393
Tamarix germanica 294
Tanacetum vulgare 660
Taraktogenos kurzii 399
Taraxacum officinale 661
Terminalia arjuna 371
Teucrium marum 602
Thea sinensis 255
Thebainum 175
Thevetia peruviana 533
Thiosinamine 323
Thryallis glauca 400
Thymnol 604
Tilia cordata 280
Tilia europaea 280
Tilia europea 280
Tilia vulgaris 280
Tillandsia usneoides 742
Tinospora cordifolia 166
Tormentilla erecta 344
Toxicodendron altissimum 442
Toxicodendron pubescens 425
Toxicodendron radicans 425
Toxicodendron vernix 427
Tradescantia elongata 730
Tribulus terrestris 439
Trifolium pratense 393
Trillium erectum 802
Triosteum perfoliatum 616
Tripogandra serrulata var
diuretica 730
Triticum dicoccoides 721
Triticum vulgare 725
Tropaeolum majus 324
Turnera aphrodisiaca 400
Turnera diffusa 400
Tussilago farfara 662
Typha latifolia 701
- U**
- Ulmus campestris* 192
Umbelicus intermedius 355
Uncaria tomentosa 582
Urtica urens 185
- V**
- Vaccinium myrtillus* 304
Vachellia seyal 376
Valeriana officinalis 617
Vanilla planifolia 760
Veratrum album 803
Veratrum sabadilla 798
Verbascum thapsus 559
Verbena hastata 608
Verbena officinalis 608
Vernonia spp. 663
Veronica officinalis 561
Veronicastrum virginicum 557
Vetiveria zizanioides 708
Viburnum opulus 618
Vinca minor 533
Vincetoxicum hirundinaria 543
Viola odorata 404
Viola tricolor 405
Viola sebifera 117
Viscum album 465
Vitex agnus-castus 605
Vitis vinifera 453
- W**
- Withania somnifera* 521
Wyethia helenioides 663
- X**
- Xanthium spinosum* 665
Xanthorrhoea arborea 806
- Y**
- Yohimbine* 582
Yucca filamentosa 806
- Z**
- Zantedeschia aethiopica* 700
Zanthoxylum americanum 436
Zea italica 728
Zea mays 728
Zeltnera calycosa 544
Zingiber officinale 738
Zizia aurea 493
Ziziphus mucronata 454

Remedies by Common Names

A

Abyssinian lovegrass 717
Acacia strap flower 458
Aconite 145
Adam and Eve 692
African oil palm 684
African redwood 341
Alfalfa 377
Allegheny vine 168
Allspice 370
Amaryllis 778
American aloe 770
American ash 565
American aspen 306
American burnweed 645
American Ginseng 487
American mountain ash 346
American muskwood 444
American spikenard 480
American tiger lily 791
American wintergreen 298
Ancestress of Wheat 721
Angels' trumpets 506
Annatto 273
Apokyn 169
Appalachian sandwort 236
Apple 342
Arizona centaury 544
Ark acacia 376
Artichoke 643
Arugampul 716
Arum lily 700
Asafoetida 480
Asarabaca 141
Ash-leaved maple 446
Ashoka 387
Ash tree 566
Ashwagandha 521
Asian rice 718
Asparagus 778
Asses' eyes 383
Autumn coralroot 750
Autumn crocus 780
Autumn lady's tresses 758
Avocado 138
Ayahuasca 397
Azalea 302
Aztec sweet herb 608

B

Bael 430
Baidyamata ("mother of
physicians") 563
Balm mint 593
Balmony 550
Balsam apple 294

Balsam copaiba 381
Balsam pear 294
Bamboo 714
Banana 737
Baneberry 147
Baobab 271
Bark cloth tree 191
Bay tree 138
Beach apple 414
Bearberry 303
Bearded ryegrass 717
Bear-grass 806
Bear leek 776
Bearsfoot 656
Beechdrops 553
Beech tree 207
Beetroot 233
Belladonna 504
Bengal quince 430
Bermuda grass 716
Be still tree 533
Betel palm 683
Bindii 439
Birch tree 206
Birthroot 802
Birthwort 140
Bishopsweed 475
Bitter almond 335
Bitter apple 292
Bitter ash 470
Bitter candytuft 317
Bitter cucumber 292
Bitter dock 246
Bitter germander 602
Bitter melon 294
Bitter orange 432, 433
Bitter root 529
Bitter sweet 508
Bitterweed 631
Black arum 692
Blackberry 354
Blackboy 806
Black bryony 813
Black cohosh 149, 162
Black locust 391
Black mustard 321
Black nightshade 515
Black pepper 133
Black root 557
Black snakeroot 149
Blackthorn 344
Bloodroot 174, 731
Bloodwood tree 385
Blue agave 770
Blue flag 788
Blue gum eucalyptus 364

Blue jacaranda 564
Blue sweet pea 387
Blue vervain 608
Bodhi tree 189
Bogbean 514
Bog onion 694
Boldo 135
Boneset 648
Borage 609
Bowman's root 557
Box elder 446
Brazilian caroba tree 563
Brazilian pepper 428
Brittle willow 307
Broadleaf arrowhead 677
Broadleaf cattail 701
Broad-leaved garlic 776
Brown dragon 694
Brucinum 534
Bruisewort 635
Buchu 432
Buckwheat 245
Buffalo grass 710
Buffalo thorn 454
Bugbane 149
Bugleweed 592
Bulb onion 773
Bulbous crowfoot 157
Bulrush 701, 734
Burdock 653
Burnet saxifrage 491
Burning bush 470
Bushman's friend 636
Bushy plectranthus 600
Butcher's broom 797
Butterbur 663
Buttercup 157
Butterfly bush 549
Butterfly weed 541
Butternut 198

C

Caapeba 166
Cabbage tree 782
Cacao and Sugar 273
Calabar bean 391
California buckthorn 452
California coffeeberry 452
California pepper tree 427
California poppy 171
California scarlet campion 237
California wild rose 349
Calla lily 700
Camphor tree 136
Canadian fleabane 646
Canadian moonseed 165

- Candlewick herb 559
 Cape jasmine 579
 Caper bush 314
 Caraway 482
 Cardamom 736
 Cardinal flower 620
 Carrion plant 532
 Carrot (unclear: Wild or cultivated) 485
 Cascarilla 409
 Cassia senna 380
 Castor bean 415
 Castor oil plant 415
 Cat's claw 637
 Catstail 720
 Cat thyme 602
 Ceci 381
 Celery-leaved buttercup 159
 Celery root 479
 Century plant 770
 Cevadilla 798
 Charcoal 211
 Chaste tree 605
 Cherry laurel 341
 Cherry pie 609
 Cherry plum 346
 Chickasaw rose 348
 Chicken toe 750
 Chickling vetch 387
 Chickpea 381
 Chicory 641
 Chilli pepper 505
 China sumac 442
 Chinese anise 127
 Chinese rhubarb 246
 Chinese yam 811
 Chocolate 273
 Christmas rose 153
 Cigar orchid 750
 Cinnamon 137
 Cleavers 578
 Clover dodder 523
 Coca 399
 Coco de mer 685
 Coconut 684
 Coffee tree 576
 Colewort 340
 Colibri flower 509
 Colic root 772, 811
 Colocynth 292
 Coltsfoot 662
 Comfrey 611
 Common agrimony 334
 Common bilberry 304
 Common bluebell 771
 Common broom 392
 Common chickweed 239
 Common club-rush 734
 Common corn cockle 236
 Common daisy 635
 Common figwort 558
 Common fumitory 171
 Common gardenia 579
 Common Gypsy weed 561
 Common hedge hyssop 555
 Common hogweed 481
 Common laburnum 382
 Common laurel 341
 Common lime tree 280
 Common monkey flower 558
 Common morning glory 524
 Common oat 712
 Common onion 773
 Common peony 257
 Common ragweed 631
 Common silverweed 344
 Common soapwort 236
 Common sundew 263
 Common toad flax 557
 Common vervain 608
 Common wormwood 634
 Compass plant 659
 Condor plant 542
 Coriander 485
 Corkwood tree 507
 Corn 728
 Cotton 276
 Cotton thistle 655
 Cow-horn orchid 750
 Cow itch 383
 Cowplant 543
 Cows and bulls 692
 Cowslip 287
 Crab apple 343
 Cramp Bark 618
 Crawley root 750
 Creeping chaff weed 240
 Creosote bush 438
 Crown plant 542
 Cuachalalate 449
 Cubeb pepper 130
 Cuckoopint 692
 Cudweed 649
 Curare 534
 Curcum 737
 Curly-top gumweed 651
 Cursed buttercup 159
 Cuscus grass 708
- D**
- Daffodil 793
 Damask rose 351
 Damiana 400
 Dandelion 661
 Darnel 717
 David's milkberry 574
 Deadly nightshade 504
 Death come quickly 400
- Desert gourd 292
 Devil-in-a-bush 795
 Devils and angels 692
 Devil's bit 654
 Devil's bones 811
 Devil's claw 556
 Devil's cotton 271
 Devil's grass 716
 Devil's herb 243
 Devil's horsewhip 240
 Devil's snare 518
 Devil's tongue 690
 Devil's turnip 289
 Ditch stoncrop 356
 Dog nettle 185
 Dog rose 350
 Dog's grass 725
 Dog's mercury 415
 Dong quai 479
 Dotted smartweed 246
 Dragon arum 692
 Dragon-root 691
 Dream root 237
 Duckweed 699
 Dumbcane 695
 Durva grass 716
 Dusty miller 643
 Dwarf nettle 185
 Dyer's madder 581
- E**
- Eagle vine 542
 Earth smoke 171
 Eastern leatherwood 363
 Eastern poison ivy 425
 Eastern St Paul's-wort 659
 Eastern wahoo 470
 Echinacea 644
 Elecampane 652
 Elephant ear orchid 757
 Elephant yam 690
 Eleven o'clock lady 794
 Elm tree 192
 Eltrot 481
 English Chamomile 632
 English hawthorn 337
 English or French oak 208
 English walnut 200
 Esfand 438
 European ash 566
 European barberry 161
 European Cranberry 618
 European dodder 523
 European elder 615
 Evening primrose 370
 Exploding cucumber 293
 Extract of Thyme (serpyllum or vulgaris) 604
 Eyebright 554

F

Fairy cups 781
 Fairy flax 401
 Fairy wand 785
 False black pepper 286
 False gromwell 610
 False hellebore 805
 False pepper tree 427
 False unicorn 785
 Featherfoil 286
 Feather wands 149
 February Daphne 368
 Fennel 487
 Fever root 616
 Fig 188
 Fille de l'air (daughter of the air) 742
 Fine-leaved water hemlock 491
 Fire weed 645
 Five-faced bishop 614
 Flax 401
 Flax seed 401
 Flinders rose 314
 Florentine iris 787
 Flower of the gods 755
 Fly honeysuckle 615
 Fool's parsley 476
 Forget-me-not 610
 Foxglove 551
 Fragrant water lily 125
 Frailejon 647
 Frankincense 446
 French bean 390
 French rose 353
 Friar's cowl 692
 Fringe tree 565
 Fynbos aloe 776

G

Gallic rose 353
 Gamboge 253
 Garbanzo bean 381
 Garden angelica 478
 Garden Chamomile 632
 Garden heliotrope 609
 Garden nasturtium 324
 Garden orache 233
 Garlic 774
 Gaulanday tree 564
 Genuine lavender 590
 German Chamomile 641
 German knotweed 237
 Ghost plant 300
 Giant fennel 487
 Giant-leaved moth orchid 757
 Giant milkweed 542
 Giant reed 710
 Ginger 738
 Goat's rue 384
 Goji berry 510

Golden Alexanders 493
 Golden chain 382
 Golden ragwort 657
 Golden rod 660
 Golden seal 154
 Golden shower 380
 Golden squaw weed 657
 Goldmoss stonecrop 357
 Gold shower 400
 Goosefoot 233
 Goosegrass 578
 Gotu kola 489
 Grapevine 453
 Grass 183
 Grass tree 806
 Grass tree 806
 Gravel arbutus 297
 Gravel weed 610
 Greasewood 438
 Greater celandine 169
 Greater dodder 523
 Greater plantain 583
 Greater water parsnip 492
 Great or Common mullein 559
 Great Valley gumweed 650
 Green dragon 691
 Green-flowered helonias 805
 Grey mule ears 663
 Ground elder 475
 Ground virgin's bower 150
 Guaco 651
 Guao hediondo (smelly guao) 422
 Guarana 444
 Guatteria 116
 Guduchi 166
 Guelder Rose 618
 Guinea-hen-weed 241
 Gum ammoniac 478
 Gum euphorbium 411
 Gummi gutta 253
 Gurmar 543
 Gutti 253

H

Hackberry 192
 Harnug 458
 Hazel alder 205
 Heart berry 339
 Heart's delight 405
 Heather 298
 Hellweed 523
 Helonias 785
 Hemlock 483
 Hemp 184
 Hempedu bumi (Bile of earth) 562
 Henbane 509
 Henna tree 367
 Herb bennet 340
 Herb Louisa 607
 Herb of fever 239
 Herb of grace 435, 555

Herb Paris 795
 Herb Robert 400
 Hill glory bower 607
 Hing 480
 Hogweed 239
 Hollowroot 614
 Holly 470
 Holy fruit 430
 Holy Ghost 478
 Honeyherb 608
 Honeysuckle 614
 Hop 185
 Hop hornbeam 208
 Hop tree 434
 Hornbeam 206
 Horsebalm 588
 Horse bane 491
 Horse chestnut 441
 Horse gentian 616
 Horse heal 652
 Horseradish 316
 Hortensia 355
 Houseleek 357
 Humboldt coyotillo 452
 Hyacinth orchid 755

I

Iarba fiarelor 543
 Indian bean tree 563
 Indian canna 736
 Indian cockle 164
 Indian laburnum 380
 Indian laurel 362
 Indian nettle 409
 Indian pink 237
 Indian pipe 300
 Indian root 480
 Indian shot 736
 Indian terminalia 371
 Indian tobacco 621
 Inkweed 241
 Ipecacuanha 580
 Ironweed 663
 Ironwood 208
 Italian arum 692
 Italian arum 'Marmoratum' 692
 Italian lords-and-ladies 692
 Ivy gourd 291
 Ixense 169

J

Jack in the pulpit 692, 694
 Jalap 524
 Jamaican pepper 370
 Java plum 371
 Jersey tea ceanothus 452
 Jesuit's balsam 381
 Jezebel root 788
 Jimson weed 518

K

Kabab chini 130
 Kalmegh 562
 Karaka laurel 471
 Kava kava 132
 Kentucky coffee tree 385
 Keyflower 287
 Khaki weed 240
 Khat 469
 Kidney bean 390
 Kidneywort 355
 Kola-nut 276
 Kombe seeds 533
 Konjac 690
 Kosso 341
 Kukundar 636

L

Lad's love 629
 Leafcup 656
 Lemon 432
 Lemon balm 593
 Lemon beebush 607
 Lemon verbena 607
 Leopard marsh orchid 754
 Levant berry 164
 Life-of-man 480
 Life root 657
 Lilac 571
 Lily of the valley 781
 Linden tree 280
 Linseed 401
 Lion's tail 590
 Lion's tooth 637
 Lipstick tree 273
 Liquorice 384
 Lizard's tail 130, 134
 Locoweed 378
 Logwood 385
 London plane 197
 Lords and ladies 692
 Lotus 122
 Love nut 685
 Lucky nut 533

M

Macartney rose 348
 Madder 581
 Mad dog weed 600
 Madonna lily 790
 Madrona 297
 Maha-tita (King of bitters) 562
 Maize 728
 Malabar nut 563
 Malabar plum 364
 Mama cadela 187
 Manaca 508
 Manchineel tree 414
 Mandrake 512
 Mango 423

Maranham jaborandi 433
 Marigold 637
 Marijuana 183
 Marking nut 421
 Marsh barbel 562
 Marsh Labrador tea 299
 Marshmallow 273
 Marsh pennywort 489
 Masterwort 490
 Matico 131
 Mauritania vinereed 710
 May apple 163
 MDMA 223
 Meadow anemone 156
 Meadow saffron 780
 Meadow saxifrage 356
 Meadowsweet 354
 Meadow wort 354
 Medical rosemary 600
 Medical strychnos 538
 Medicinal sage 600
 Mediterranean tapeweed 676
 Melaleuca tea tree 367
 Mexican lippia 608
 Mezereon 368
 Milk thistle 639
 Milkwhite rock jasmine 284
 Miracle fruit 543
 Mistletoe 465
 Mockernut hickory 201
 Moneywort 287, 355
 Monkey bread 271
 Monk's basil 597
 Monks' cress 324
 Monkshood 145
 Moon flower 514, 522
 Moreton Bay fig 188
 Morning glory 522
 Mother of Wheat 721
 Motherwort 590
 Mountain flax 401
 Mountain geranium 401
 Mountain laurel 298
 Mountain parsley 481
 Mountain sweet 452
 Mountain tobacco 633
 Mudar 542
 Mugwort 634
 Muira puama 458, 463
 Musk mallow 270
 Muskroot 492, 614
 Mustard oil 323
 Myrrh 444
 Myrtle 369
 Myrtle root 697

N

Naked boys 692
 Naked lady 780
 Nap at noon 794

Narcissus 793
 Navel of Venus 355
 Navelwort 355
 Needle-palm 806
 Neem tree 443
 Neptune grass 676
 Nettle 185
 New Zealand laurel 471
 Nightblooming cereus 224
 Northwest poplar 306
 Nutmeg 118
 Nux absurda 685

O

Oak gall 213
 Official spurge 411
 Oji 276
 Okoubaka 461
 Old man's beard 565, 742
 Oleander 529
 Olibanum tree 446
 Olive 569
 Opium 173
 Opium lettuce 653
 Orange eye 549
 Ordeal bean 391
 Oregano 598
 Orejas de burro (Asses' ears) 647
 Orris root 787

P

Palmated larkspur 159
 Papaya 398
 Pará rubber tree 412
 Pareira brava 166
 Parsley 491
 Pasque flower 156
 Passion fruit 402
 Pawpaw 115
 Pedunculate oak 208
 Peepal tree 189
 Peppergrass 318
 Peppermint 594
 Periwinkle 533
 Persimmon 259
 Peruvian resin 378
 Peyote 222
 Pheasant's eye 147
 Pilewort 645
 Pilot weed 659
 Pineapple 741
 Pink mahogany 444
 Pinkroot 539
 Pipali 133
 Pipsisewa 297
 Pistachio 424
 Pitcher plant 265
 Plane tree 197
 Pleurisy root 541
 Poet's jasmine 567

Poison apple 414
 Poison ash 565
 Poison darnel 717
 Poison gooseberry 521
 Poison leaf 469
 Poison oak 425
 Poisonous lettuce 653
 Poison parsley 476
 Poison sumac 427
 Pokeweed 241
 Pomegranate 365
 Pomme d'amour (love apple) 511
 Pop-a-gun 195
 Potato 516
 Potato, rotten, diseased 516
 Potency wood 458
 Poverty weed 649
 Prickly ash 436
 Prickly chaff flower 240
 Prickly pear 231
 Pride of Table Mountain 755
 Pumpkin 293
 Punarnava 240
 Puncturevine 439
 Purging cassia 380
 Purging nut 413
 Purple betony 602
 Purple cyclamen 285
 Purple lobelia 622
 Purple locoweed 378
 Purple pitcher plant 266
 Put 659

Q

Quackgrass 725
 Quaaliquin 575
 Queen of the Night 224, 229
 Queen's delight 416
 Quickweed 649
 Quince 338
 Quinine bark 574

R

Radish 318
 Ramp 776
 Rampion bellflower 620
 Rangiora 636
 Rapeseed 312
 Ratanhia 403
 Ratsbane 469
 Rattlesnake master 486
 Rattlesnake root 655
 Red acacia 376
 Red clover 393
 Red disa 755
 Red pepper 505
 Redroot 731
 Red spiderling 240
 Red ucuuba 117
 Red watermelon 292

Refined sugar 720
 Rhatany 403
 Rich weed 588
 Roasted coffee 577
 Rock rose 275, 276
 Roof houseleek 357
 Rose apple 360
 Rose gum 360
 Rose pepper 428
 Roughbark Lignum Vitae (Tree of Life) 437
 Roundheart 493
 Round-leaf dogwood 450
 Rover bellflower 620
 Rowan 346
 Rue 435

S

Sabadilla 798
 Sacred basil 597
 Sacred ocimum 597
 Sacred tree 189
 Saffron crocus 783
 Saguaro cactus 226
 Sandalwood - the sacred parasite 463
 Santa Maria feverfew 656
 Sarsaparilla 799
 Sassafras 138
 Saw palmetto 685
 Scabwort 652
 Scammony 525
 Scarlet pimpernel 283
 Scotch broom 392
 Sea holly 486
 Sea onion 801
 Sea wormwood 642
 Seneca 403
 Sharringa tree 412
 Sharp-pointed dock 246
 Sheep rot 489
 Shepherd's purse 322
 Shiva bingum remedy 430
 Side-saddle flower 266
 Silver ragwort 643
 Silverweed cinquefoil 344
 Simulo caper 314
 Skullcap 601
 Skunk cabbage 698
 Small-leaved linden tree 280
 Small yellow crown beard 659
 Smooth alder 205
 Smooth hydrangea 355
 Smooth sumac 424
 Snake cactus 230
 Snake palm 690
 Snakeroot 403, 532
 Snowball Tree 618
 Snowberry 574, 616
 Snowdrop 785

Soapbark tree 347
 Soft rush 733
 Soft wheat 725
 Soldiers' herb 583
 Soldier's woundwort 654
 Sorrowless tree 387
 Southern catalpa 563
 Southern magnolia 116
 Southern marsh orchid 754
 Southern wormwood 629
 Southwestern prickly poppy 169
 Soya 392
 Spanish bayonet 806
 Spanish moss 742
 Spatterdock 124
 Speedwell 561
 Spiderwort 730
 Spinach 235
 Spindle 470
 Spiny cocklebur 665
 Spirit weed 731
 Sponge cucumber 293
 Spontane 169
 Spoonwood 298
 Spotted geranium 400
 Spring onion 776
 Squaw root 149, 162
 Squaw vine 581
 Squill 801
 Squirrel corn 171
 Squirting cucumber 293
 Stagger weed 171
 St Anthony's turnip 157
 Starch-root 692
 Starflower 609
 Star fruit 356
 Star-of-Bethlehem 794
 Stavesacre 159
 St Ignatius' bean 536
 Stinking gladwin 788
 Stinking iris 788
 St John's wort 253
 Stone apple 430
 Stone flower 457
 Stone root 588
 Stork's bill 400
 St Peter's wort 616
 Strangle-tare 523
 Strawberry 339
 String bean 390
 Strychnine 540
 St Thomas lidpod 525
 Sugar cane 720
 Summer lilac 549
 Summer's bride 637
 Summer snow 243
 Sunflower 651
 Sun's gold 637
 Swallow-wort 543
 Swamp vervain 608

Swan's neck 149
Sweet almond 337
Sweet balm 593
Sweet basil 596
Sweet chestnut 207
Sweet clover 388
Sweet coltsfoot 663
Sweet everlasting 649
Sweet flag 697
Sweet galingale 734
Sweet Marjoram 598
Sweet vernal grass 710
Sweet violet 404
Symphytum 611
Syrian or African rue 438

T

Tall fleabane 643
Tamarind 393
Tamarisk tree 294
Tambootie tree 416
Tansy 660
Tar weed 362
Tea leaves 255
Teff 717
Tequila agave 770
The Pithraj tree 443
The Tree of Heaven 442
Thorn apple 518
Thousand leaf yarrow 654
Three faces in a hood 405
Three-seeded mercury 409
Thyme serpyllum 604
Thyme vulgaris 604
Tiger lily 792
Ti kouka 782
Timothy grass 720
Tipi 241
Toad plant 532
Tobacco 519
Tomato 511
Toothed maidenplum 422
Tormentil 344
Touch-me-not mimosa 390
Tough-leaf iris 788
Toxic astragalus 378
Tree-of-laziness 195
Trivrit 525
True Camomile (Echte Kamille) 641
True indigo 385
True-lover's knot 795
Trumpet tree 195
Tulsi 597

Tumbleweed 234
Turkish rocket 313
Turk's cap lily 791
Turmeric 737
Turnip 312

U

Umbellate wintergreen 297
Uña de gato (cat's claw) 582
Unicorn root 772
Upas 191
Upright false bindweed 522
Uprima 169

V

Vacha 697
Valerian 617
Vanilla 760
Vanilla grass 710
Vegetable carbon 211
Vegetable mercury 508
Velvet beans 383
Vetiver 708
Vine of Sodom 292
Virginia snakeroot 142
Voodoo lily 690

W

Wake robin 692
Wallflower 315
Walnut 200
Warty cabbage 313
Water-dragon 134
Water dropwort 490
Water hemlock 482
Water horehound 592
Waternalblom 755
Water violet 286
Wax myrtle 202
Waxweed 362
White angel's trumpet 507
White ash 565
White balsam 649
White dead nettle 589
White hellebore 803
White horehound 593
White jasmine 567
White lily 790
White locoweed 378
White marrubium 593
White mustard 319
White quebracho (break-axe tree) 531
White root 622

White tea tree oil 360
Whitetop weed 656
White turtlehead 550
White walnut 198
White willow 307
Wild almond 335
Wild celery 478
Wild emmer 721
Wild geranium 400
Wild indigo 379
Wild leek 776
Wild loofa 293
Wild pansy 405
Wild rue 438
Wild wheat 721
Windflower 156
Witch grass 725
Witch hazel 196
Witch-herb 518
Wizard's herb 608
Wolfberry 510
Wolfs bane 145, 633
Wood avens 340
Wood betony 602
Woodbine 535, 614
Wood sanicle 492
Wood sorrel 401
Wormgrass 539
Wormseed 233
Wormwood 630, 657
Wundkraut 633

X


Xie yi rosewood 383

Y

Yam 811
Yellow dock 248
Yellow gentian 544
Yellow jasmine 535
Yellow lady's slipper 751
Yellow oleander 533
Yellow pond lily 124
Yellow tarweed 650
Yerba mansa 130
Yerba mate 470
Yohimbe 582
Yucca 806
Yumel 116

Z

Zulu giant 532
Zyklon B 340



Michal Yakir

[Wondrous Order](#)

Systematic table of
homeopathic plant
remedies

866 pages,
publication 2021



order

More books on homeopathy, alternative medicine and a
healthy life www.narayana-verlag.com