



PI and SAP... The Eastman Experience

Eastman Chemical

OSI Software

Sharing ideas for a shared future.....








Why Consider a New System?

- 10 different systems
- 7 development tools
- 3 database technologies



- Similar in function
- Diverse in details
- Heavy on support
- Hard to leverage
- Data incoherence
- Lack analysis tools
- Aging technology









- Implement an enterprise-wide integrated manufacturing information system
- Standardize on "best practices" and drive system requirements through business process improvement efforts
- Deploy in 23 manufacturing sites worldwide

United States Argentina The Netherlands Spain England Malaysia Mexico

Singapore Wales Canda Hong Kong











PI/SAP Interfaces

Johnette McDaniel Principal Systems Analyst Information Technology Longview, Texas










PSRLink Overview

Pi Gateway to SAP
Eastman View
Interface Options
User View
Questions



8

OSI SOFTWARE



PI System Gateway to SAP R/3





PSRLink Overview


Pi Gateway to SAP
Eastman View
Interface Options
User View
Questions







Plant Suite Server Integration at Eastman Chemical Co. (LAR)







PSRLink Overview

Pi Gateway to SAP
Eastman View
Interface Options
User View
Questions





Interface Options

Standard PI-PCS Interface SAP to PI-Tag Value Updates Material Movement Interface








Interface Options Standard PI-PCS Interface - Start/Stop Control Recipes - Start/Stop Phases - Report Production





PI-SAP Automated Interface to PP-PI










Interface Options SAP to PI-Tag Value Updates Eastman Customization - Silo Blending Lab Values from **SAP to PI** PSRLink System Management Alarming





PI-SAP Automated Interface to PP-PI











Interface Options

Material Movement Interface

- Eastman driven enhancement provided by OSI
- Unsolicited Messages sent from PI to SAP





PI-SAP Automated Interface to PP-PI

Unsolicited



SAP R/3

PP-PI

PI-PCS

Material Movements

Enhanced PSRLink Interface



PI





PSRLink Overview

Pi Gateway to SAP
Eastman View
Interface Options
User View
Questions






VBA Scripting in ProcessBook







Private Sub BAphase1_NewValue() If Baphase1.value = "Equipment Alarm" then MAPISession1.SignOn MAPImessage1.AddressLabel = "MaintenanceSupervisor" MAPImessage1.AttachementName = "\PIAlarmReport.xls" MAPImessage1.Send End If End Sub















Batch Production Reporting PB

PSRLink System Management PB







Batch Production Reporting PB


PSRLink System Management PB





Batch Production Reporting ProcessBook









Batch Production Reporting PB


- Start/Stop Control Recipes





Start / Stop Control Recipes










Batch Production Reporting PB Start/Stop Control Recipes Start/Stop Mix Tank Batches





Start / Stop Mix Tank Batches









Batch Production Reporting PB

- Start/Stop Control Recipes
- Start/Stop Mix Tank Batches
- Start/Stop Batches and Report Production





Start / Stop Batches and Report Production



PI-ProcessBook - [COS_MELT_B.	ATCH.PDI*]				_ 8 ×
<u>∰</u> Eile Edit ⊻iew Insert <u>T</u> ools <u>D</u> r	aw <u>A</u> rrange <u>W</u> indow <u>H</u> elp				_ 8 ×
D 🖙 🖬 🎒 🕰 X 🖻 💼	이 👂 🏘 🕄 부 부 🗄	2 🖂 🛛 🔽	?		
	MEX				-
MELT:MF2			×		
Información del Batch actual:	# de Batch:	MXF2_90379	Current Batch ID		
	Silo:	MD2053	Current Silo		
	Tiempo inicial:	27-Dec-99 13:00:01	Start Time	ELE: MEC2 000000000000000000000000000000000000	
Inicio de transferencia: 🔽	Tiempo inicial:	05-Jan-00 13:12:42	Transfer Start	27-Dec-99 01:24:51	
Ingrese fin de Batch: 🔽	Tiempo final del Batch:	05-Jan-00 13:12:44	Batch End Time	ES MF21 MF22 MF-Y-S101 MF-Y-S102	
	Comentarios:		Comments		
Reporte producción: 🔽	Cantidad:	12500	Amount	MD2052 MD2053 Bad Inpu MF2 Bad Input	
Empiece un Batch nuevo: 🔽	# de Batch nuevo:	MXF2_00001	New Batch ID	Bad Inpu MF2 Bad Input	
	Silo nuevo:	MD2052	New Silo	ursor	
	Tiempo inicial:	05-Jan-00 13:12:45	New Start Time	ABIN MD2053 ACTMO 379 #de Batch MXF2_90379	
	Envio Cancel	ar		27-Dec-99 13:00: ⊯de ⊔ Tanferencia27-Dec-99 13:00:	01
					▼
Ready NUM					
🏽 Start 🖭 Inbox - Micro 🔛 frmMenuVie 🔍 Exploring - E 📧 Microsoft Po 🚺 PI-Proces 🔀 Microsoft Ex 📢 🍏 🎯 🖂 1:13 PM					





Batch Production Reporting PB

- Start/Stop Control Recipes
- Start/Stop Mix Tank Batches
- Start/Stop Batches and Report Production
- Create Batch Reports using Datalink to Excel





Batch Reports from Datalink to Excel



X Microsoft Excel - COS_BATCH_xls

X Microsoft Excel - COS_BATCH.xls							_ 8 ×	
8	<u>File E</u> dit <u>V</u> iew	Insert Format <u>T</u> ools <u>D</u> a	ta <u>W</u> indow <u>F</u>	<u>PI PI-SMT H</u> elp			_ 8 ×	
14	🖻 🔒 🖨		1		l 👬 🛍 🤵 🗸	🚯 100% 🔻 🧟		
A		▼ 10 ▼ B <i>I</i>			:08 ;08 🛱 🛱			
	A	В	C	D	E	G	H 🔺	
1	ntmesapicos	20		Batch Query	Clear all data	a		
2	servidor	🗲 leave blank for all, en		ind				
3	Linida d	units starting with the	string, do no		*-30d	comments		
4	Unidad				tiempo de final *	Alias		
5	ESLINE1 ESLINE2	00000000000000000327	P20633XZ P20633XZ	27-Dec-99 01:25:44 27-Dec-99 01:25:52				
7	EU:ES1	EUS1 90003	P20635XZ P20635XZ	12-Oct-99 01:25:52		No archive entry at given time		
		000000000000000248	P20635XZ	12-Oct-99 16:16:55		No archive entry at given time		
	EU:FF1	EUF1 90002	P20634XZ	12-Oct-99 15:34:09		No archive entry at given time		
		000000000000000243	P20634XZ	12-Oct-99 15:34:39		No archive entry at given time		
	EU:MS50	EUSB 90002	P1506301	12-Oct-99 15:32:02		Test for 90002		
	FFLINE1	000000000000000325	P18134XZ	27-Dec-99 01:24:26				
	FFLINE2	00000000000000326	P18134XZ	27-Dec-99 01:24:51				
14	MF1	MXF1 90377	P18134XZ	27-Dec-99 13:00:01	*	No archive entry at given time		
15	MF1_DAILY	MF1_DAILY_20000105	P18134XZ	5-Jan-00 00:00:20	*			
16	MF2	MXF2_90379	P18134XZ	27-Dec-99 13:00:01	*	No archive entry at given time		
17	MF2_DAILY	MF2_DAILY_20000105	P18134XZ	5-Jan-00 00:00:20	*			
	MSC50	MXSB_90018	P1506301	23-Dec-99 11:00:50		No archive entry at given time		
	MWC2050	MXTR_90002	P14943S1	12-Nov-99 05:13:00		Internal PIAPIX error		
	MWC50	MXTA_90001	P14978S1	10-Nov-99 01:49:54		Internal PIAPIX error		
	MZC50	MXP_90008	P1549702	23-Dec-99 10:59:29		No archive entry at given time		
	S1_DAILY	S1_DAILY_20000105	P20633XZ	5-Jan-00 00:00:20				
	S2	MXS2_90379	P20633XZ	30-Dec-99 14:30:48		No archive entry at given time		
	S2_DAILY	S2_DAILY_20000105	P20633XZ	5-Jan-00 00:00:20	*			
25								
26	N N Dat-LD	an aut / Lana Batah						
Image: A start and the start an								
🏽 Start 🖹 Inbox - Micro 🚺 frmMenuVie 🔍 Exploring - E 🖾 Microsoft Po 🚺 PI-ProcessB 🔀 Microsoft 📢 🗇 🐼 🗆 11:30 AM								







Batch Production Reporting PB


PSRLink System Management PB





PSRLINK System Management ProcessBook










PSRLink System Management PB – PSRLink Applications











PI-ProcessBook - [PSRLINK :				<u>_8</u> ×
	<u>D</u> raw <u>A</u> rrange <u>W</u> indow <u>H</u> el			_ <u>8 ×</u>
🗅 🗁 🖬 🎒 🕰 🕺 🖿	□□ ○ ● ○ ↓	뚜 문 🖬 100%		
				▲
	SRLINK GUI	eterre Menore	mont	X
PSRLINK Apps				
Database Logon	Ceneral messages			
Error Log Review	Processed and being proces Disprocessed	ssed		
PSRGUI H	With errors			
SAP Message Correct				
Recipe Time Change				
SAP Values to PI Tags				
Configuration				
PI Tag Value Correct				
Database Table View				
			<u>ج</u>	
🏽 🔀 Start 🛛 🔁 I 🔛 I 👹 S	🔍 E 🖂 t 🔍 E 💌 M	🛄 P., 🗩 L., 💁 L., 🥌	L IE IP	🍕 🖞 💓 👁 🖂 🛛 9:57 AM









Configuration




-	SRLINK SYSTEM MANAGEMENT.PDI*]	
	art <u>I</u> ools <u>D</u> raw <u>Arrange Window Help</u> - 茶	<u>_8×</u>
	※ 階 💼 👳 🂊 🖷 🙄 뜻 뜻 III 🔤 100% 💽 🕺	
	Application object Phase resource Resource Instruction requirements General instructions	
	Class Material group Material SAP message alias PB application menu	
	Unit Plant group Equipment Equipment group Point group	
PSRLINK Apps	Plant Material tag Common name Translator System parameters	
Database Logon	Modify	
Error Log Review	Plant id MX00_MEXICO POLYMERS	
PSRGUI	Description MEXICO POLYMERS	
SAP Message Correct	Shift hours 0 From which plant you want to copy data into	
SAF Message Correct	Shift minutes 0 Instruction characteristic table	
Recipe Time Change	Partial minutes 0 SAP message alias table	
SAP Values to PI Tags	Language	
Configuration	Plant type Resource network Copied plant id Copied resc.▲ 1 BPI ▼ ES1-NET ▼	
	2 BPI ES2-NET	
PI Tag Value Correct	3 BPI ▼ FF1-NET ▼ 4 BPI ▼ FF2-NET ▼ ▼	
Database Table View		
	Apply Clear	
▼		▼ ▼
	Wednesday, Jan	Jary 05, 2000
🏽 🔀 Start 🛛 🔁 f	🤹 S. QE. 🖂 L. QE. 🖃 M. 🛄 P. 🦳 🖳 🖳 🖳 L. IE. IP. IP. 🔎 P. 🌾 🖉 🍽 🗠	10:01 AM



Access View of SQL Server Tables









PSRLink System Management PB – PSRLink Applications – SAP Links







	K SYSTEM MANAGEMENT.PDI*]	_ & ×
	ols <u>D</u> raw <u>Arrange Window H</u> elp 100% 🔽 😡 💊 🗠 😪 두 두 🖾 100% 🔽 📢	×
		<u> </u>
PSRLINK Apps	SAP - PI Interface Systems Management SAP Links Alarms	
Database Logon HEI		ACK HELP
Error Log Review HEL	P SAP Message Monitor HELP Recipe Error	ACK HELP
PSRGUI	P SAP Gateway Monitor HELP Message Error	ACK HELP
SAP Message Correct HEL	P SAP R/3 System AP	ACK HELP
Recipe Time Change HEL	P Please type your user name and password.	ACK HELP
SAP Values to PI Tags HEL		
Configuration	P Password: *****	am Status
PI Tag Value Correct HEL	DK Cancel	HELP
Database Table View HEL		
•		▼ ▶
🔀 Start 💽 Microsoft PowerP.	. ErmMenuViewer PI-ProcessBook PI-ProcessBook SAP R/	3 System _ (€ ∰ 💓 🍩 8:31 AM



CO53 - Display Control Recipe Monitor



					Dir	
😴 Control Recipe Monitor: Overview						
Con <u>t</u> rol recipes <u>E</u> dit <u>G</u> oto <u>U</u> tilities E <u>n</u> vironment System <u>H</u> elp						
	💽 🔲 🔶 🏦 🗙 🕒 🛗 🛗	🏝 🛍 🕰 🛣 🖄		8		
🔲 🗐 🗍 🛃 Log Send	⇒	· · · ·				
E E D 25 Log Send	22					
Plant MX00					-	
Selected control recip	n					
Control recipe	ination address	Status	Test	Created on	Created at	
□ 325	NTMESADACOS	Processed		12/23/1999	12:28:46	
☐ 326	NTMESADACOS			12/23/1999	12:29:52	
	NTMESADACOS NTMESADACOS			12/23/1999 12/23/1999	12:31:15 12:35:04	
□ 328	NTHESADAGOS	Processed		12/23/1999	12:35:04	
					_	
•						
			[DDD (1) (071) =		



CO54 - View Process Message Monitor



😴 Process Message Monitor:	Messages			_ 🗆 ×		
<u>M</u> essages <u>E</u> dit <u>G</u> oto <u>U</u> tilities	Environment S	ystem <u>H</u> elp				
V 🖸 🖓 🕂 🕁 🕹 🕹 🖬 🛱 🖏 🕄 🛱 💭 🕄 🖓						
🔍 🔲 🔲 🥖 🗍 🖞 ເ	og Send 🛃					
Plant MX00				-		
Selected messages: 1	46					
MessCat Creation	timo	Sender	Detailed send status	T←		
nessuar creation	CIME	Sender	Detailleu seilu status			
OSI_COMM 12/29/19	99 00:13:10	\$837849	Sent			
OSI_COMM 12/29/19			Sent			
OSI_COMM 12/29/19	99 03:24:43	S837849	Sent			
PI_PHST 12/29/19	99 03:37:09	OSI_NTMESADACOS	Sent	Г		
PI_PHST 12/29/19	99 03:37:09	OSI_NTMESADACOS	Sent	Г		
PI_PROD 12/29/19	99 03:37:09	OSI_NTMESADACOS	Sent			
PI_PROD 12/29/19	99 03:37:09	OSI_NTMESADACOS	Sent	Г		
0SI_COMM 12/29/19	99 04:25:38	S837849	Sent			
	99 04:26:11	S837849	Sent	Γ		
		OSI_NTMESADACOS	Sent	Γ		
		OSI_NTMESADACOS	Sent	Γ		
		OSI_NTMESADACOS	Sent	Γ		
		OSI_NTMESADACOS	Sent	Г		
	99 07:52:15		Sent	Γ		
COSI_COMM 12/29/19			Sent	Г		
		OSI_NTMESADACOS	Sent	Г		
		OSI_NTMESADACOS	Sent	Г		
		OSI_NTMESADACOS	Sent	Г		
		OSI_NTMESADACOS	Sent	Г		
0SI_COMM 12/29/19			Sent			
0SI_COMM 12/29/19			Sent			
PI_PHST 12/29/19	99 15:45:26	OSI_NTMESADACOS	Sent			



View Gateway Monitor



		2n035f / connecti	ion list					_ 🗆 ×
<u>E</u> dit <u>G</u> oto Sy	istem <u>H</u> elp							
			🕈 🟦 🗙 🕒 🕅 🛱	1 8 9 4	🗅 😰 🖄	5 2		
🛛 🛛 🖓 🗗	ъ.							
「								-
LU Name	TP Name	User	Status	SymDest	ConvID	Request	Log	CPI
PC792110	SAPCPIC	?	CONNECTED	PRD	57872017	06:24:50	INT	0
PC792110	SAPCPIC	?	CONNECTED	LOAD_BLC	57871149	06:25:43	INT	0
sp2n035f	sapgw00	L885439	CONNECTED	SAPSYS	62638117	07:43:58	INT	0
DPCU8584	SAPCPIC	?	CONNECTED	LOAD_BLC	62681753	08:40:05	INT	0
PC833019	SAPCPIC	?	CONNECTED	LOAD_BLC	69228844	09:33:51	INT	0
PC833019	SAPCPIC	?	CONNECTED	PRD	69231190	09:34:12	INT	0
PC859843		?	CONNECTED	LOAD_BLC	56204631	05:56:49	INT	0
PC859843	SAPCPIC	?	CONNECTED	PRD		05:57:15	INT	0
PC797382	SAPCPIC	?	CONNECTED	PRD	57558148	06:19:18	INT	0
PC797382	SAPCPIC	?	CONNECTED	LOAD_BLC	57561644		INT	0
PC797013	SAPCPIC	?	CONNECTED	PRD	56502892	09:33:44	INT	0
PC797013	SAPCPIC	?	CONNECTED	LOAD_BLC	56513194	08:45:56	INT	0
PC832333	SAPCPIC	?	CONNECTED	LOAD_BLC	58248386	06:30:50	INT	0
PC797393	SAPCPIC	?	CONNECTED	LOAD_BLC	58111373	06:28:38	INT	0
PC797393		?	CONNECTED	PRD		06:29:03	INT	0
PC832333		?	CONNECTED	PRD		06:31:19	INT	0
KPCU8308	SAPCPIC	?	CONNECTED	LOAD_BLC	58483207	06:34:45	INT	0
KPCU8308	SAPCPIC	?	CONNECTED	PRD	58484221	06:35:02	INT	Θ
PC797352	SAPCPIC	?	CONNECTED	PRD	58557923	09:37:19	INT	0
PC797352	SAPCPIC	?	CONNECTED	LOAD_BLC	58562003	06:36:02	INT	0
PC795931	SAPCPIC	?	CONNECTED	LOAD_BLC	58842047	06:40:49	INT	0
PC795931	SAPCPIC	?	CONNECTED	PRD	58847053	06:41:11	INT	0
DPCU8584	SAPCPIC	?	CONNECTED	PRD	62683269	07:45:03	INT	0
KPCS8574	SAPCPIC	?	CONNECTED	LOAD_BLC	59067025	06:44:28	INT	0

DDD (1) (071) - [--0-0056 [IMC [00-4444]

EASTN

•





PSRLink System Management PB
 – PSRLink Applications
 – SAP Links
 – Debugging Documentation







V Micros	oft Word - Debugging Document.doc		_ 8 ×
🕙 Eile	<u>E</u> dit <u>V</u> iew Insert F <u>o</u> rmat <u>T</u> ools T <u>a</u> ble <u>W</u> indow <u>H</u> elp		_ 8 ×
		, 😤 🗗 📰 🔜 🎫 🛷 🖾 ¶ 100% 🔹 😰	
			A
	1		
	 Diagnosing problems in PSRLINK (Ea 	istman Chemical Company Version) 🦳	
	Problem	Method of Diagnosis and solution]
	Configuration	<u> </u>	
	Problem with customization in the procedure_table	The numbers should be adjusted to allow for the	
	· _	custom procedures being added	
	Translation method for activity should be	Change the name in the translation_methods table	
	usr_phact_activity not usr_phact_monitor	from usr_phact_monitor to usr_phact_activity	
	Continuous plant get error on initial process of the	No shift duration has been set up	1
	recipe about date conversion	-	
	Tag_id not found	Check the material_tag table and common_name	
		table are configured correctly	
	Material Tag not found	Check the configuration for the material tag. If	
		there are leading 0's in the material number that	
		comes down from SAP these must match. The	
		materials that came down in a recipe can be seen in	
		the material list table. The configuration is in the	
		material_tag table. You can also see the materials	
		that came down in the recipe using PSRGUI and	0
		selecting the FT number for the AMAT instruction.	
		You can see what materials are configured by using	
Page 1	Sec 1 1/14 At 1.1" Ln 1 Col 1	REC TRK EXT OVR WPH MI	
👧 Start	n 🗋 📼 🔊 🖉 🖉 🖉	I I I I I I 🔍 🔍 🛄 💷 👿	🍕 🎲 🍽 🖂 - 10:14 AM





_ 8 ×

PISTATUS.txt - Notepad

<u>File Edit Search Help</u>

/*-----

\$Archive: /PI/3.2/libraries/piapi/x86/pistatus.h \$ %W% %G%

Copyright (c) 1995,96,97 OSI Software, Inc. All rights reserved. Unpublished - rights reserved under the copyright law of the United States.

USE OF A COPYRIGHT NOTICE IS PRECAUTIONARY ONLY AND DOES NOT IMPLY PUBLICATION or disclosure.

THIS SOFTWARE CONTAINS CONFIDENTIAL INFORMATION AND TRADE SECRETS OF OSI SOFTWARE, INC. USE, DISCLOSURE, OR REPRODUCTION IS PROHIBITED WITHOUT THE PRIOR EXPRESS WRITTEN PERMISSION OF OSI SOFTWARE, INC.

RESTRICTED RIGHTS LEGEND Use, duplication, or disclosure by the Government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227.7013

OSI Software, Inc. 777 Davis Street, Suite 250, San Leandro CA 94577

Description:

This file enumerates the pistatus states. It may be included in C or C++ programs.

Note that the C functions use the typedef for the status code enumerations directly. This exposes the structure of the status object to C programs and therefore makes it difficult to change that structure in a backward compatible

EASTMAN

🍕 💭 💓 🔘 🖂 🛛 10:23 AM






PSRLink System Management PB
 – PSRLink Applications

- SAP Links
- Debugging Documentation
- Problem Alarms












PSRLink System Management PB

– **PSRLink Applications**

- SAP Links
- Debugging Documentation
- Problem Alarms
- PSRLink Program Status









PSRLink Overview

Pi Gateway to SAP
Eastman View
Interface Options
User View
What we have learned











Manufacturing Enterprise Systems Alignment Questions & Discussion...

Sharing ideas for a shared future.....