

Native Plant Species that may Occur in the City

| Scientific Name | Common Name | Family | State | US |
|---|----------------------------------|---------------|-------|----|
| <i>Abildgaardia ovata</i> | FLATSPIKE SEDGE | CYPERACEAE | | |
| <i>Abutilon permolle</i> | COASTAL INDIAN MALLOW | MALVACEAE | | |
| <i>Acer rubrum</i> | RED MAPLE | SAPINDACEAE | | |
| <i>Acmella oppositifolia</i> var. <i>repens</i> | OPPOSITELEAF SPOTFLOWER | ASTERACEAE | | |
| <i>Acrostichum aureum</i> | GOLDEN LEATHER FERN | PTERIDACEAE | T | |
| <i>Acrostichum danaeifolium</i> | GIANT LEATHER FERN | PTERIDACEAE | | |
| <i>Adiantum tenerum</i> | BRITTLE MAIDENHAIR | PTERIDACEAE | E | |
| <i>Aeschynomene americana</i> | SHYLEAF | FABACEAE | | |
| <i>Agalinis linifolia</i> | FLAXLEAF FALSE FOXGLOVE | OROBANCHACEAE | | |
| <i>Agalinis purpurea</i> | PURPLE FALSE FOXGLOVE | OROBANCHACEAE | | |
| <i>Ageratina jucunda</i> | HAMMOCK SNAKEROOT | ASTERACEAE | | |
| <i>Alternanthera flavescens</i> | YELLOW JOYWEED | AMARANTHACEAE | | |
| <i>Alternanthera maritima</i> | SEASIDE JOYWEED | AMARANTHACEAE | | |
| <i>Amaranthus australis</i> | SOUTHERN AMARANTH | AMARANTHACEAE | | |
| <i>Ambrosia artemisiifolia</i> | COMMON RAGWEED | ASTERACEAE | | |
| <i>Ambrosia trifida</i> | GIANT RAGWEED | ASTERACEAE | | |
| <i>Ammannia coccinea</i> | VALLEY REDSTEM; SCARLET AMMANNIA | LYTHRACEAE | | |
| <i>Ammannia latifolia</i> | PINK REDSTEM; TOOTHCUPS | LYTHRACEAE | | |
| <i>Amorpha fruticosa</i> | BASTARD FALSE INDIGO | FABACEAE | | |
| <i>Amphicarpum muehlenbergianum</i> | BLUE MAIDENCANE | POACEAE | | |
| <i>Amyris elemifera</i> | SEA TORCHWOOD | RUTACEAE | | |
| <i>Andropogon brachystachyus</i> | SHORTSPIKE BLUESTEM | POACEAE | | |
| <i>Andropogon floridanus</i> | FLORIDA BLUESTEM | POACEAE | | |
| <i>Andropogon glomeratus</i> var. <i>pumilus</i> | BUSHY BLUESTEM | POACEAE | | |
| <i>Andropogon longiberbis</i> | HAIRY BLUESTEM | POACEAE | | |
| <i>Andropogon ternarius</i> | SPLITBEARD BLUESTEM | POACEAE | | |
| <i>Andropogon virginicus</i> var. <i>decipiens</i> | BROOMSEDGE BLUESTEM | POACEAE | | |
| <i>Andropogon virginicus</i> var. <i>glaucus</i> | CHALKY BLUESTEM | POACEAE | | |
| <i>Andropogon virginicus</i> var. <i>virginicus</i> | BROOMSEDGE BLUESTEM | POACEAE | | |
| <i>Anemia adiantifolia</i> | MAIDENHAIR PINELAND FERN | SCHIZAEACEAE | | |
| <i>Annona glabra</i> | POND APPLE | ANNONACEAE | | |
| <i>Apios americana</i> | GROUNDNUT | FABACEAE | | |
| <i>Ardisia escallonioides</i> | MARLBERRY | MYRSINACEAE | | |

Native Plant Species that may Occur in the City

| Scientific Name | Common Name | Family | State | US |
|---|---|------------------|-------|----|
| <i>Argemone albiflora</i> | BLUESTEM PRICKLYPOPPY | PAPAVERACEAE | | |
| <i>Argemone mexicana</i> | MEXICAN PRICKLYPOPPY | PAPAVERACEAE | | |
| <i>Aristida gyrans</i> | CORKSCREW THREEAWN | POACEAE | | |
| <i>Aristida purpurascens</i> var. <i>purpurascens</i> | ARROWFEATHER THREEAWN | POACEAE | | |
| <i>Aristida purpurascens</i> var. <i>tenuispica</i> | HILLSBORO THREEAWN | POACEAE | | |
| <i>Aristida purpurascens</i> var. <i>virgata</i> | ARROWFEATHER THREEAWN | POACEAE | | |
| <i>Aristida spiciformis</i> | BOTTLEBRUSH THREEAWN | POACEAE | | |
| <i>Aristolochia pentandra</i> | MARSH'S DUTCHMAN'S-PIPE | ARISTOLOCHIACEAE | E | |
| <i>Asclepias incarnata</i> | SWAMP MILKWEED | APOCYNACEAE | | |
| <i>Asclepias lanceolata</i> | FEWFLOWER MILKWEED | APOCYNACEAE | | |
| <i>Asemeia violacea</i> | SHOWY MILKWORT | POLYGALACEAE | | |
| <i>Asimina reticulata</i> | NETTED PAWPAW | ANNONACEAE | | |
| <i>Asplenium abscissum</i> | CUTLEAF SPLEENWORT | ASPLENIACEAE | | |
| <i>Asplenium dentatum</i> | TOOTHED SPLEENWORT; SLENDER SPLEENWORT | ASPLENIACEAE | E | |
| <i>Asplenium serratum</i> | WILD BIRNNEST FERN; BIRD'S-NEST SPLEENWORT | ASPLENIACEAE | E | |
| <i>Atriplex pentandra</i> | CRESTED SALTBUSH | AMARANTHACEAE | | |
| <i>Avicennia germinans</i> | BLACK MANGROVE | ACANTHACEAE | | |
| <i>Axonopus compressus</i> | TROPICAL CARPETGRASS; BROADLEAF CARPETGRASS | POACEAE | | |
| <i>Azolla filiculoides</i> | AMERICAN WATERFERN; PACIFIC MOSQUITOFERN | AZOLLACEAE | | |
| <i>Baccharis angustifolia</i> | SALTWATER FALSEWILLOW | ASTERACEAE | | |
| <i>Baccharis glomeruliflora</i> | SILVERLING | ASTERACEAE | | |
| <i>Baccharis halimifolia</i> | GROUNDSEL TREE; SEA MYRTLE | ASTERACEAE | | |
| <i>Bacopa caroliniana</i> | LEMON BACOPA; BLUE WATERHYSSOP | PLANTAGINACEAE | | |
| <i>Bacopa monnieri</i> | HERB-OF-GRACE | PLANTAGINACEAE | | |
| <i>Balduina angustifolia</i> | COASTALPLAIN HONEYCOMBHEAD | ASTERACEAE | | |
| <i>Bartonia verna</i> | WHITE SCREWSTEM | GENTIANACEAE | | |
| <i>Bejaria racemosa</i> | TARFLOWER | ERICACEAE | | |
| <i>Bidens alba</i> | BEGGARTICKS; ROMERILLO | ASTERACEAE | | |
| <i>Bidens bipinnata</i> | SPANISH NEEDLES | ASTERACEAE | | |
| <i>Bidens laevis</i> | BURMARIGOLD; SMOOTH BEGGARTICKS | ASTERACEAE | | |
| <i>Bletia purpurea</i> | PINEPINK | ORCHIDACEAE | T | |
| <i>Blutaparon vermiculare</i> | SAMPHIRE; SILVERHEAD | AMARANTHACEAE | | |
| <i>Boehmeria cylindrica</i> | FALSE NETTLE; BOG HEMP | URTICACEAE | | |

Native Plant Species that may Occur in the City

| Scientific Name | Common Name | Family | State | US |
|---|--|------------------|-------|----|
| <i>Boerhavia diffusa</i> | RED SPIDERLING; WINEFLOWER | NYCTAGINACEAE | | |
| <i>Boerhavia erecta</i> | ERECT SPIDERLING | NYCTAGINACEAE | | |
| <i>Boltonia diffusa</i> | SMALLHEAD DOLL'S DAISY | ASTERACEAE | | |
| <i>Borrichia frutescens</i> | BUSHY SEASIDE OXEYE | ASTERACEAE | | |
| <i>Buchnera americana</i> | AMERICAN BLUEHEARTS | OROBANCHACEAE | | |
| <i>Bulbostylis ciliatifolia</i> | CAPILLARY HAIRSEDEGE | CYPERACEAE | | |
| <i>Bulbostylis stenophylla</i> | SANDYFIELD HAIRSEDEGE | CYPERACEAE | | |
| <i>Burmannia capitata</i> | SOUTHERN BLUETHREAD | BURMANNIACEAE | | |
| <i>Bursera simaruba</i> | GUMBO LIMBO | BURSERACEAE | | |
| <i>Cabomba caroliniana</i> | CAROLINA FANWORT | CABOMBACEAE | | |
| <i>Cakile lanceolata</i> | COASTAL SEAROCKET | BRASSICACEAE | | |
| <i>Callicarpa americana</i> | AMERICAN BEAUTYBERRY | LAMIACEAE | | |
| <i>Callisia cordifolia</i> | FLORIDA ROSELING | COMMELINACEAE | | |
| <i>Calopogon multiflorus</i> | MANYFLOWERED GRASSPINK | ORCHIDACEAE | T | |
| <i>Calopogon pallidus</i> | PALE GRASSPINK | ORCHIDACEAE | | |
| <i>Calopogon tuberosus</i> var. <i>simpsonii</i> | SIMPSON'S GRASSPINK | ORCHIDACEAE | | |
| <i>Calopogon tuberosus</i> var. <i>tuberosus</i> | TUBEROUS GRASSPINK | ORCHIDACEAE | | |
| <i>Calystegia sepium</i> subsp. <i>limnophila</i> | HEDGE FALSE BINDWEED | CONVOLVULACEAE | | |
| <i>Campyloneurum phyllitidis</i> | LONG STRAP FERN | POLYPODIACEAE | | |
| <i>Canavalia rosea</i> | BAYBEAN; SEASIDE JACKBEAN | FABACEAE | | |
| <i>Canna flaccida</i> | BANDANNA-OF-THE-EVERGLADES | CANNACEAE | | |
| <i>Caperonia castaneifolia</i> | CHESTNUTLEAF FALSECROTON | EUPHORBIACEAE | | |
| <i>Capraria biflora</i> | GOATWEED | SCROPHULARIACEAE | | |
| <i>Capsicum annuum</i> var. <i>glabriusculum</i> | BIRD PEPPER | SOLANACEAE | | |
| <i>Cardamine pensylvanica</i> | PENNSYLVANIA BITTERCRESS | BRASSICACEAE | | |
| <i>Cardiospermum microcarpum</i> | HEARTSEED | SAPINDACEAE | | |
| <i>Carex longii</i> | LONG'S SEDGE | CYPERACEAE | | |
| <i>Carica papaya</i> | PAPAYA | CARICACEAE | | |
| <i>Carphephorus corymbosus</i> | COASTALPLAIN CHAFFHEAD; FLORIDA PAINTBRUSH | ASTERACEAE | | |
| <i>Cassytha filiformis</i> | LOVE VINE; DEVIL'S GUT | LAURACEAE | | |
| <i>Catopsis floribunda</i> | FLORIDA STRAP AIRPLANT; MANY-FLOWERED AIRPLANT | BROMELIACEAE | E | |
| <i>Celtis laevigata</i> | SUGARBERRY; HACKBERRY | CANNABACEAE | | |
| <i>Cenchrus echinatus</i> | SOUTHERN SANDBUR | POACEAE | | |

Native Plant Species that may Occur in the City

| Scientific Name | Common Name | Family | State | US |
|--|-----------------------------------|------------------|-------|----|
| <i>Cenchrus gracillimus</i> | SLENDER SANDBUR | POACEAE | | |
| <i>Cenchrus spinifex</i> | COASTAL SANDBUR | POACEAE | | |
| <i>Centella asiatica</i> | SPADELEAF | APIACEAE | | |
| <i>Centrosema virginianum</i> | SPURRED BUTTERFLY PEA | FABACEAE | | |
| <i>Cephalanthus occidentalis</i> | COMMON BUTTONBUSH | RUBIACEAE | | |
| <i>Ceratiola ericoides</i> | FLORIDA ROSEMARY; SAND HEATH | ERICACEAE | | |
| <i>Ceratophyllum demersum</i> | COONTAIL | CERATOPHYLLACEAE | | |
| <i>Ceratopteris pteridoides</i> | WATER HORN FERN | PTERIDACEAE | | |
| <i>Chamaecrista fasciculata</i> | PARTRIDGE PEA | FABACEAE | | |
| <i>Chamaecrista nictitans</i> var. <i>aspera</i> | SENSITIVE PEA | FABACEAE | | |
| <i>Chaptalia tomentosa</i> | WOOLLY SUNBONNETS; PINELAND DAISY | ASTERACEAE | | |
| <i>Chiococca alba</i> | SNOWBERRY; MILKBERRY | RUBIACEAE | | |
| <i>Chromolaena odorata</i> | JACK-IN-THE-BUSH | ASTERACEAE | | |
| <i>Chrysobalanus icaco</i> | COCO PLUM | CHRYSOBALANACEAE | | |
| <i>Chrysophyllum oliviforme</i> | SATINLEAF | SAPOTACEAE | T | |
| <i>Chrysopsis scabrella</i> | COASTALPLAIN GOLDENASTER | ASTERACEAE | | |
| <i>Cicuta maculata</i> | SPOTTED WATER HEMLOCK | APIACEAE | | |
| <i>Cirsium horridulum</i> | PURPLE THISTLE; HORRID THISTLE | ASTERACEAE | | |
| <i>Cirsium nuttallii</i> | NUTTALL'S THISTLE | ASTERACEAE | | |
| <i>Cissus verticillata</i> | SEASONVINE; POSSUM GRAPE | VITACEAE | | |
| <i>Cladium jamaicense</i> | JAMAICA SWAMP SAWGRASS | CYPERACEAE | | |
| <i>Clinopodium brownei</i> | BROWNE'S SAVORY | LAMIACEAE | | |
| <i>Clusia rosea</i> | PITCHAPPLE; SCOTCH ATTORNEY | CLUSIACEAE | | |
| <i>Cnidioscolus stimulosus</i> | TREAD-SOFTLY; FINGER-ROT | EUPHORBIACEAE | | |
| <i>Coccoloba diversifolia</i> | TIETONGUE; PIGEON PLUM | POLYGONACEAE | | |
| <i>Coccoloba uvifera</i> | SEAGRAPE | POLYGONACEAE | | |
| <i>Coccothrinax argentata</i> | FLORIDA SILVER PALM | ARECACEAE | T | |
| <i>Coelorachis rugosa</i> | WRINKLED JOINTTAILGRASS | POACEAE | | |
| <i>Coleataenia rigidula</i> | REDTOP PANICUM | POACEAE | | |
| <i>Coleataenia tenera</i> | BLUEJOINT PANICUM | POACEAE | | |
| <i>Commelina erecta</i> | WHITEMOUTH DAYFLOWER | COMMELINACEAE | | |
| <i>Conocarpus erectus</i> | BUTTONWOOD | COMBRETACEAE | | |
| <i>Conoclinium coelestinum</i> | BLUE MISTFLOWER | ASTERACEAE | | |

Native Plant Species that may Occur in the City

| Scientific Name | Common Name | Family | State | US |
|---|---------------------------------------|-----------------|-------|----|
| <i>Conyza canadensis</i> | CANADIAN HORSEWEED | ASTERACEAE | | |
| <i>Coreopsis leavenworthii</i> | LEAVENWORTH'S TICKSEED | ASTERACEAE | | |
| <i>Crinum americanum</i> | SEVEN-SISTERS; STRING-LILY | AMARYLLIDACEAE | | |
| <i>Crocanthemum corymbosum</i> | PINEBARREN FROSTWEED | CISTACEAE | | |
| <i>Crocanthemum nashii</i> | FLORIDA SCRUB FROSTWEED | CISTACEAE | | |
| <i>Crotalaria pumila</i> | LOW RATTLEBOX | FABACEAE | | |
| <i>Crotalaria rotundifolia</i> | RABBITBELLS | FABACEAE | | |
| <i>Croton glandulosus</i> var. <i>septentrionalis</i> | VENTE CONMIGO | EUPHORBIACEAE | | |
| <i>Croton punctatus</i> | GULF CROTON; BEACH TEA | EUPHORBIACEAE | | |
| <i>Ctenitis sloanei</i> | FLORIDA TREE FERN; RED-HAIR COMB FERN | DRYOPTERIDACEAE | E | |
| <i>Ctenitis submarginalis</i> | BROWN-HAIR COMB FERN | DRYOPTERIDACEAE | E | |
| <i>Cuscuta obtusiflora</i> var. <i>glandulosa</i> | PERUVIAN DODDER | CONVOLVULACEAE | | |
| <i>Cuscuta pentagona</i> | FIVEANGLED DODDER | CONVOLVULACEAE | | |
| <i>Cyperus compressus</i> | POORLAND FLATSEEDGE | CYPERACEAE | | |
| <i>Cyperus croceus</i> | BALDWIN'S FLATSEEDGE | CYPERACEAE | | |
| <i>Cyperus distinctus</i> | SWAMP FLATSEEDGE | CYPERACEAE | | |
| <i>Cyperus elegans</i> | ROYAL FLATSEEDGE | CYPERACEAE | | |
| <i>Cyperus flavescens</i> | YELLOW FLATSEEDGE | CYPERACEAE | | |
| <i>Cyperus haspan</i> | HASPAN FLATSEEDGE | CYPERACEAE | | |
| <i>Cyperus lecontei</i> | LECONTE'S FLATSEEDGE | CYPERACEAE | | |
| <i>Cyperus ligularis</i> | SWAMP FLATSEEDGE | CYPERACEAE | | |
| <i>Cyperus odoratus</i> | FRAGRANT FLATSEEDGE | CYPERACEAE | | |
| <i>Cyperus ovatus</i> | PINEBARREN FLATSEEDGE | CYPERACEAE | | |
| <i>Cyperus pedunculatus</i> | BEACHSTAR | CYPERACEAE | E | |
| <i>Cyperus planifolius</i> | FLATLEAF FLATSEEDGE | CYPERACEAE | | |
| <i>Cyperus polystachyos</i> | MANYSPIKE FLATSEEDGE | CYPERACEAE | | |
| <i>Cyperus squarrosus</i> | BEARDED FLATSEEDGE | CYPERACEAE | | |
| <i>Cyperus surinamensis</i> | TROPICAL FLATSEEDGE | CYPERACEAE | | |
| <i>Cyperus tetragonus</i> | FOURANGLE FLATSEEDGE | CYPERACEAE | | |
| <i>Dalbergia ecastaphyllum</i> | COINVINE | FABACEAE | | |
| <i>Dalea carnea</i> var. <i>carnea</i> | WHITETASSELS | FABACEAE | | |
| <i>Dalea feayi</i> | FEAY'S PRAIRIECLOVER | FABACEAE | | |
| <i>Damburneya coriacea</i> | LANCEWOOD | LAURACEAE | | |

Native Plant Species that may Occur in the City

| Scientific Name | Common Name | Family | State | US |
|---|---|----------------|-------|----|
| <i>Dichanthelium aciculare</i> | NEEDLELEAF WITCHGRASS | POACEAE | | |
| <i>Dichanthelium commutatum</i> | VARIABLE WITCHGRASS | POACEAE | | |
| <i>Dichanthelium dichotomum</i> | CYPRESS WITCHGRASS | POACEAE | | |
| <i>Dichanthelium ensifolium</i> var. <i>ensifolium</i> | CYPRESS WITCHGRASS | POACEAE | | |
| <i>Dichanthelium ensifolium</i> var. <i>unciphyllum</i> | CYPRESS WITCHGRASS | POACEAE | | |
| <i>Dichanthelium erectifolium</i> | ERECTLEAF WITCHGRASS | POACEAE | | |
| <i>Dichanthelium laxiflorum</i> | OPENFLOWER WITCHGRASS | POACEAE | | |
| <i>Dichanthelium portoricense</i> | HEMLOCK WITCHGRASS | POACEAE | | |
| <i>Dichanthelium strigosum</i> var. <i>glabrescens</i> | ROUGHHAIR WITCHGRASS | POACEAE | | |
| <i>Dichondra carolinensis</i> | CAROLINA PONYSFOOT | CONVOLVULACEAE | | |
| <i>Dicliptera sexangularis</i> | SIXANGLE FOLDWING | ACANTHACEAE | | |
| <i>Digitaria ciliaris</i> | SOUTHERN CRABGRASS | POACEAE | | |
| <i>Digitaria filiformis</i> var. <i>filiformis</i> | SLENDER CRABGRASS; SHAGGY CRABGRASS | POACEAE | | |
| <i>Digitaria horizontalis</i> | JAMAICAN CRABGRASS | POACEAE | | |
| <i>Diodia virginiana</i> | VIRGINIA BUTTONWEED | RUBIACEAE | | |
| <i>Diospyros virginiana</i> | COMMON PERSIMMON | EBENACEAE | | |
| <i>Diplachne fusca</i> subsp. <i>fascicularis</i> | BEARDED SPRANGLETOP | POACEAE | | |
| <i>Distimake dissectus</i> | NOYAU VINE | CONVOLVULACEAE | | |
| <i>Dodonaea viscosa</i> | VARNISHLEAF; FLORIDA HOPBUSH | SAPINDACEAE | | |
| <i>Drosera capillaris</i> | PINK SUNDEW | DROSERACEAE | | |
| <i>Drypetes lateriflora</i> | GUIANA PLUM | PUTRANJIVACEAE | T | |
| <i>Dyschoriste angusta</i> | PINELAND TWINFLOWER; PINELAND SNAKEHERB | ACANTHACEAE | | |
| <i>Echinochloa muricata</i> | ROUGH BARNYARDGRASS | POACEAE | | |
| <i>Echinochloa walteri</i> | COAST COCKSPUR | POACEAE | | |
| <i>Echites umbellatus</i> | DEVIL'S POTATO; RUBBERVINE | APOCYNACEAE | | |
| <i>Eclipta prostrata</i> | FALSE DAISY | ASTERACEAE | | |
| <i>Edrastima uniflora</i> | CLUSTERED MILLE GRAINES | RUBIACEAE | | |
| <i>Eleocharis baldwinii</i> | BALDWIN'S SPIKERUSH; ROADGRASS | CYPERACEAE | | |
| <i>Eleocharis cellulosa</i> | GULF COAST SPIKERUSH | CYPERACEAE | | |
| <i>Eleocharis elongata</i> | SLIM SPIKERUSH | CYPERACEAE | | |
| <i>Eleocharis geniculata</i> | CANADA SPIKERUSH | CYPERACEAE | | |
| <i>Eleocharis interstincta</i> | KNOTTED SPIKERUSH | CYPERACEAE | | |
| <i>Eleocharis vivipara</i> | VIVIPAROUS SPIKERUSH | CYPERACEAE | | |

Native Plant Species that may Occur in the City

| Scientific Name | Common Name | Family | State | US |
|---|--|---------------|-------|----|
| <i>Elephantopus elatus</i> | TALL ELEPHANTSFOOT | ASTERACEAE | | |
| <i>Elionurus tripsacoides</i> | PAN-AMERICAN BALSAMSCALE | POACEAE | | |
| <i>Eltroplectris calcarata</i> | LONGCLAW ORCHID; SPURRED NEOTTIA | ORCHIDACEAE | E | |
| <i>Elytraria caroliniensis</i> | CAROLINA SCALYSTEM | ACANTHACEAE | | |
| <i>Encyclia tampensis</i> | FLORIDA BUTTERFLY ORCHID | ORCHIDACEAE | | |
| <i>Epidendrum anceps</i> | DINGY-FLOWERED STAR ORCHID | ORCHIDACEAE | E | |
| <i>Epidendrum nocturnum</i> | NIGHT-SCENTED ORCHID | ORCHIDACEAE | E | |
| <i>Epidendrum rigidum</i> | STIFF-FLOWER STAR ORCHID; RIGID EPIDENDRUM | ORCHIDACEAE | E | |
| <i>Equisetum hyemale</i> var. <i>affine</i> | SCOURING-RUSH | EQUISETACEAE | | |
| <i>Eragrostis elliottii</i> | ELLIOTT'S LOVEGRASS | POACEAE | | |
| <i>Erechtites hieraciifolius</i> | AMERICAN BURNWEED; FIREWEED | ASTERACEAE | | |
| <i>Erigeron quercifolius</i> | OAKLEAF FLEABANE | ASTERACEAE | | |
| <i>Eriocaulon compressum</i> | FLATTENED PIPEWORT | ERIOCAULACEAE | | |
| <i>Eriocaulon decangulare</i> | TENANGLE PIPEWORT | ERIOCAULACEAE | | |
| <i>Eriocaulon ravenelii</i> | RAVENEL'S PIPEWORT | ERIOCAULACEAE | | |
| <i>Ernodea littoralis</i> | BEACH CREEPER; COUGHBUSH | RUBIACEAE | | |
| <i>Eryngium aromaticum</i> | FRAGRANT ERYNGO | APIACEAE | | |
| <i>Eryngium baldwinii</i> | BALDWIN'S ERYNGO | APIACEAE | | |
| <i>Eryngium yuccifolium</i> | BUTTON RATTLESNAKEMASTER; BUTTON ERYNGO | APIACEAE | | |
| <i>Eugenia axillaris</i> | WHITE STOPPER | MYRTACEAE | | |
| <i>Eugenia foetida</i> | SPANISH STOPPER; BOXLEAF STOPPER | MYRTACEAE | | |
| <i>Eulophia alta</i> | WILD COCO | ORCHIDACEAE | | |
| <i>Eupatorium capillifolium</i> | DOGFENNEL | ASTERACEAE | | |
| <i>Eupatorium leptophyllum</i> | FALSEFENNEL | ASTERACEAE | | |
| <i>Eupatorium mohrii</i> | MOHR'S THOROUGHWORT | ASTERACEAE | | |
| <i>Eupatorium serotinum</i> | LATEFLOWERING THOROUGHWORT | ASTERACEAE | | |
| <i>Euphorbia blodgettii</i> | LIMESTONE SANDMAT | EUPHORBIACEAE | | |
| <i>Euphorbia bombensis</i> | DIXIE SANDMAT | EUPHORBIACEAE | | |
| <i>Euphorbia cyathophora</i> | PAINTEDLEAF; FIRE-ON-THE-MOUNTAIN | EUPHORBIACEAE | | |
| <i>Euphorbia heterophylla</i> | FIDDLER'S SPURGE; MEXICAN FIREPLANT | EUPHORBIACEAE | | |
| <i>Euphorbia hirta</i> | PILLPOD SANDMAT | EUPHORBIACEAE | | |
| <i>Euphorbia hypericifolia</i> | GRACEFUL SANDMAT | EUPHORBIACEAE | | |
| <i>Euphorbia hyssopifolia</i> | HYSSOPLEAF SANDMAT | EUPHORBIACEAE | | |

Native Plant Species that may Occur in the City

| Scientific Name | Common Name | Family | State | US |
|--|--|------------------|-------|----|
| <i>Euphorbia maculata</i> | SPOTTED SANDMAT | EUPHORBIACEAE | | |
| <i>Euphorbia mesembrianthemifolia</i> | COASTAL BEACH SANDMAT | EUPHORBIACEAE | | |
| <i>Euphorbia prostrata</i> | PROSTRATE SANDMAT | EUPHORBIACEAE | | |
| <i>Euphorbia tithymaloides</i> subsp. <i>smallii</i> | JACOB'S LADDER; DEVIL'S BACKBONE; REDBIRD FLOWER | EUPHORBIACEAE | | |
| <i>Euphorbia trichotoma</i> | SANDDUNE SPURGE | EUPHORBIACEAE | | |
| <i>Euploca polyphylla</i> | PINELAND HELIOTROPE | BORAGINACEAE | | |
| <i>Eustachys glauca</i> | SALTMARSH FINGERGRASS | POACEAE | | |
| <i>Eustachys petraea</i> | PINEWOODS FINGERGRASS | POACEAE | | |
| <i>Eustoma exaltatum</i> | MARSH GENTIAN; CATCHFLY PRAIRIE-GENTIAN | GENTIANACEAE | | |
| <i>Euthamia caroliniana</i> | SLENDER FLATTOP GOLDENROD | ASTERACEAE | | |
| <i>Evolvulus alsinoides</i> | SLENDER DWARF MORNING-GLORY | CONVOLVULACEAE | | |
| <i>Evolvulus sericeus</i> | SILVER DWARF MORNING-GLORY | CONVOLVULACEAE | | |
| <i>Exothea paniculata</i> | INKWOOD; BUTTERBOUGH | SAPINDACEAE | | |
| <i>Ficus aurea</i> | STRANGLER FIG; GOLDEN FIG | MORACEAE | | |
| <i>Ficus citrifolia</i> | WILD BANYAN TREE | MORACEAE | | |
| <i>Fimbristylis autumnalis</i> | SLENDER FIMBRY | CYPERACEAE | | |
| <i>Fimbristylis caroliniana</i> | CAROLINA FIMBRY | CYPERACEAE | | |
| <i>Fimbristylis cymosa</i> | HURRICANEGRASS | CYPERACEAE | | |
| <i>Fimbristylis dichotoma</i> | FORKED FIMBRY | CYPERACEAE | | |
| <i>Fimbristylis spadicea</i> | MARSH FIMBRY | CYPERACEAE | | |
| <i>Flaveria linearis</i> | NARROWLEAF YELLOWTOPS | ASTERACEAE | | |
| <i>Forestiera segregata</i> | FLORIDA SWAMPPRIVET | OLEACEAE | | |
| <i>Froelichia floridana</i> | COTTONWEED; PLAINS SNAKECOTTON | AMARANTHACEAE | | |
| <i>Fuirena breviseta</i> | SALTMARSH UMBRELLASEDGE | CYPERACEAE | | |
| <i>Fuirena scirpoidea</i> | SOUTHERN UMBRELLASEDGE | CYPERACEAE | | |
| <i>Funastrum clausum</i> | WHITE TWINEVINE | APOCYNACEAE | | |
| <i>Galactia volubilis</i> | EASTERN MILKPEA | FABACEAE | | |
| <i>Galium hispidulum</i> | COASTAL BEDSTRAW | RUBIACEAE | | |
| <i>Galium tinctorium</i> | STIFF MARSH BEDSTRAW | RUBIACEAE | | |
| <i>Gamochaeta antillana</i> | CARIBBEAN PURPLE EVERLASTING; DELICATE EVERLASTING | ASTERACEAE | | |
| <i>Gamochaeta purpurea</i> | SPOONLEAF PURPLE EVERLASTING; SPOONLEAF CUDWEED | ASTERACEAE | | |
| <i>Genipa clusiifolia</i> | SEVENYEAR APPLE | RUBIACEAE | | |
| <i>Geobalanus oblongifolius</i> | GOPHER APPLE | CHRYSOBALANACEAE | | |

Native Plant Species that may Occur in the City

| Scientific Name | Common Name | Family | State | US |
|---|--|---------------|-------|----|
| <i>Geranium carolinianum</i> | CAROLINA CRANESBILL | GERANIACEAE | | |
| <i>Guapira discolor</i> | BEEFTREE; BLOLLY | NYCTAGINACEAE | | |
| <i>Guettarda elliptica</i> | HAMMOCK VELVETSEED | RUBIACEAE | | |
| <i>Guilandina bonduc</i> | GRAY NICKER | FABACEAE | | |
| <i>Gymnopogon chapmanianus</i> | CHAPMAN'S SKELETONGRASS | POACEAE | | |
| <i>Habenaria floribunda</i> | TOOTHPETAL FALSE REINORCHID; MIGNONETTE ORCHID | ORCHIDACEAE | | |
| <i>Habenaria repens</i> | WATERSPIDER FALSE REINORCHID | ORCHIDACEAE | | |
| <i>Hamelia patens</i> | FIREBUSH | RUBIACEAE | | |
| <i>Helenium amarum</i> | SPANISH DAISY; BITTERWEED | ASTERACEAE | | |
| <i>Helenium pinnatifidum</i> | SOUTHEASTERN SNEEZEWEED | ASTERACEAE | | |
| <i>Helianthus debilis</i> subsp. <i>debilis</i> | EAST COAST DUNE SUNFLOWER | ASTERACEAE | | |
| <i>Heliotropium angiospermum</i> | SCORPIONSTAIL | BORAGINACEAE | | |
| <i>Heliotropium curassavicum</i> | SEASIDE HELIOTROPE; SALT HELIOTROPE | BORAGINACEAE | | |
| <i>Heliotropium gnaphalodes</i> | SEA ROSEMARY; SEA LAVENDER | BORAGINACEAE | E | |
| <i>Heterotheca subaxillaris</i> | CAMPHORWEED | ASTERACEAE | | |
| <i>Hibiscus coccineus</i> | SCARLET ROSEMALLOW | MALVACEAE | | |
| <i>Hibiscus furcellatus</i> | LINDENLEAF ROSEMALLOW | MALVACEAE | | |
| <i>Hibiscus grandiflorus</i> | SWAMP ROSEMALLOW | MALVACEAE | | |
| <i>Houstonia procumbens</i> | INNOCENCE; ROUNDEAF BLUET | RUBIACEAE | | |
| <i>Hydrocotyle umbellata</i> | MANYFLOWER MARSHPENNYWORT | ARALIACEAE | | |
| <i>Hydrolea corymbosa</i> | SKYFLOWER | HYDROLEACEAE | | |
| <i>Hypericum brachyphyllum</i> | COASTALPLAIN ST.JOHN'S-WORT | CLUSIACEAE | | |
| <i>Hypericum cistifolium</i> | ROUNDPOD ST.JOHN'S-WORT | CLUSIACEAE | | |
| <i>Hypericum fasciculatum</i> | SANDWEED; PEELBARK ST.JOHN'S-WORT | CLUSIACEAE | | |
| <i>Hypericum gentianoides</i> | PINEWEEDS; ORANGEGRASS | CLUSIACEAE | | |
| <i>Hypericum hypericoides</i> | ST.ANDREW'S-CROSS | CLUSIACEAE | | |
| <i>Hypericum mutilum</i> | DWARF ST.JOHN'S-WORT | CLUSIACEAE | | |
| <i>Hypericum myrtifolium</i> | MYRTLEAF ST.JOHN'S-WORT | CLUSIACEAE | | |
| <i>Hypericum tetrapetalum</i> | FOURPETAL ST.JOHN'S-WORT | CLUSIACEAE | | |
| <i>Hypoxis wrightii</i> | BRISTLESEED YELLOW STARGRASS | HYPOXIDACEAE | | |
| <i>Hyptis alata</i> | CLUSTERED BUSHMINT; MUSKY MINT | LAMIACEAE | | |
| <i>Ilex cassine</i> var. <i>cassine</i> | DAHOON | AQUIFOLIACEAE | | |
| <i>Ilex glabra</i> | INKBERRY; GALLBERRY | AQUIFOLIACEAE | | |

Native Plant Species that may Occur in the City

| Scientific Name | Common Name | Family | State | US |
|--|---|----------------|-------|----|
| <i>Ipomoea alba</i> | MOONFLOWERS; TROPICAL WHITE MORNING-GLORY | CONVOLVULACEAE | | |
| <i>Ipomoea cordatotriloba</i> | TIEVINE | CONVOLVULACEAE | | |
| <i>Ipomoea hederifolia</i> | SCARLETCREEPER | CONVOLVULACEAE | | |
| <i>Ipomoea imperati</i> | BEACH MORNING-GLORY | CONVOLVULACEAE | | |
| <i>Ipomoea indica</i> | OCEANBLUE MORNING-GLORY | CONVOLVULACEAE | | |
| <i>Ipomoea leucantha</i> | | CONVOLVULACEAE | | |
| <i>Ipomoea pes-caprae</i> subsp. <i>brasiliensis</i> | RAILROAD VINE; BAYHOPS | CONVOLVULACEAE | | |
| <i>Ipomoea sagittata</i> | SALTMARSH MORNING-GLORY | CONVOLVULACEAE | | |
| <i>Iresine diffusa</i> | JUBA'S BUSH | AMARANTHACEAE | | |
| <i>Itea virginica</i> | VIRGINIA WILLOW; VIRGINIA SWEETSPIRE | ITEACEAE | | |
| <i>Iva imbricata</i> | SEACOAST MARSHELDER | ASTERACEAE | | |
| <i>Iva microcephala</i> | PIEDMONT MARSHELDER | ASTERACEAE | | |
| <i>Jacquemontia pentanthos</i> | SKYBLUE CLUSTERVINE | CONVOLVULACEAE | E | |
| <i>Jacquemontia tamnifolia</i> | HAIRY CLUSTERVINE | CONVOLVULACEAE | | |
| <i>Juncus marginatus</i> | SHORE RUSH; GRASSLEAF RUSH | JUNCACEAE | | |
| <i>Juncus megacephalus</i> | BIGHEAD RUSH | JUNCACEAE | | |
| <i>Juncus scirpoides</i> | NEEDLEPOD RUSH | JUNCACEAE | | |
| <i>Justicia angusta</i> | PINELAND WATERWILLOW | ACANTHACEAE | | |
| <i>Kallstroemia maxima</i> | BIG CALTROP | ZYGOPHYLLACEAE | | |
| <i>Kosteletzkya pentacarpos</i> | VIRGINIA SALTMARSH MALLOW | MALVACEAE | | |
| <i>Krugiodendron ferreum</i> | BLACK IRONWOOD; LEADWOOD | RHAMNACEAE | | |
| <i>Lachnanthes carolina</i> | CAROLINA REDROOT | HAEMODORACEAE | | |
| <i>Lachnocaulon anceps</i> | WHITEHEAD BOGBUTTON | ERIOCAULACEAE | | |
| <i>Lachnocaulon minus</i> | SMALL'S BOGBUTTON | ERIOCAULACEAE | | |
| <i>Lactuca graminifolia</i> | GRASSLEAF LETTUCE | ASTERACEAE | | |
| <i>Laguncularia racemosa</i> | WHITE MANGROVE | COMBRETACEAE | | |
| <i>Lantana involucrata</i> | BUTTONSAGE | VERBENACEAE | | |
| <i>Lasiacis divaricata</i> | SMALLCANE; FLORIDA TIBISEE | POACEAE | | |
| <i>Lechea deckertii</i> | DECKERT'S PINWEED | CISTACEAE | | |
| <i>Lechea sessiliflora</i> | PINELAND PINWEED | CISTACEAE | | |
| <i>Lechea torreyi</i> | PIEDMONT PINWEED | CISTACEAE | | |
| <i>Leersia hexandra</i> | SOUTHERN CUTGRASS | POACEAE | | |
| <i>Lepidium virginicum</i> | VIRGINIA PEPPERWEED | BRASSICACEAE | | |

Native Plant Species that may Occur in the City

| Scientific Name | Common Name | Family | State | US |
|---|---|----------------|-------|----|
| <i>Liatris chapmanii</i> | CHAPMAN'S GAYFEATHER | ASTERACEAE | | |
| <i>Liatris garberi</i> | GARBER'S GAYFEATHER | ASTERACEAE | | |
| <i>Liatris gracilis</i> | SLENDER GAYFEATHER | ASTERACEAE | | |
| <i>Liatris tenuifolia</i> var. <i>quadriflora</i> | SHORTLEAF GAYFEATHER | ASTERACEAE | | |
| <i>Linaria canadensis</i> | CANADIAN TOADFLAX | PLANTAGINACEAE | | |
| <i>Linaria floridana</i> | APALACHICOLA TOADFLAX | PLANTAGINACEAE | | |
| <i>Lindernia dubia</i> | MOISTBANK PIMPERNEL; YELLOWSEED FALSE PIMPERNEL | LINDERNIACEAE | | |
| <i>Lindernia grandiflora</i> | SAVANNAH FALSE PIMPERNEL | LINDERNIACEAE | | |
| <i>Linum floridanum</i> | FLORIDA YELLOW FLAX | LINACEAE | | |
| <i>Lippia stoechadifolia</i> | SOUTHERN FOGFRUIT; SOUTHERN MATCHSTICKS | VERBENACEAE | E | |
| <i>Lobelia feayana</i> | BAY LOBELIA | CAMPANULACEAE | | |
| <i>Lobelia glandulosa</i> | GLADE LOBELIA | CAMPANULACEAE | | |
| <i>Ludwigia alata</i> | WINGED PRIMROSEWILLOW | ONAGRACEAE | | |
| <i>Ludwigia curtissii</i> | CURTISS' PRIMROSEWILLOW | ONAGRACEAE | | |
| <i>Ludwigia decurrens</i> | WINGLEAF PRIMROSEWILLOW | ONAGRACEAE | | |
| <i>Ludwigia erecta</i> | YERBA DE JICOTEA | ONAGRACEAE | | |
| <i>Ludwigia maritima</i> | SEASIDE PRIMROSEWILLOW | ONAGRACEAE | | |
| <i>Ludwigia microcarpa</i> | SMALLFRUIT PRIMROSEWILLOW | ONAGRACEAE | | |
| <i>Ludwigia octovalvis</i> | MEXICAN PRIMROSEWILLOW | ONAGRACEAE | | |
| <i>Ludwigia repens</i> | CREEPING PRIMROSEWILLOW | ONAGRACEAE | | |
| <i>Lupinus diffusus</i> | SKYBLUE LUPINE | FABACEAE | | |
| <i>Luziola fluitans</i> | SOUTHERN WATERGRASS | POACEAE | | |
| <i>Lycopodiella appressa</i> | SOUTHERN CLUB-MOSS; SOUTHERN BOG CLUB-MOSS | LYCOPODIACEAE | | |
| <i>Lycopodiella cernua</i> | NODDING CLUB-MOSS; STAGHORN CLUB-MOSS | LYCOPODIACEAE | | |
| <i>Lygodesmia aphylla</i> | ROSE-RUSH | ASTERACEAE | | |
| <i>Lyonia fruticosa</i> | COASTALPLAIN STAGGERBUSH | ERICACEAE | | |
| <i>Lyonia lucida</i> | FETTERBUSH | ERICACEAE | | |
| <i>Lythrum alatum</i> var. <i>lanceolatum</i> | WINGED LOOSESTRIFE | LYTHRACEAE | | |
| <i>Magnolia virginiana</i> | SWEETBAY | MAGNOLIACEAE | | |
| <i>Malvastrum corchorifolium</i> | FALSE MALLOW | MALVACEAE | | |
| <i>Mecardonia procumbens</i> | BABY JUMPUP | PLANTAGINACEAE | | |
| <i>Melanthera nivea</i> | SNOW SQUARESTEM | ASTERACEAE | | |
| <i>Melochia pyramidata</i> | PYRAMIDFLOWER | MALVACEAE | | |

Native Plant Species that may Occur in the City

| Scientific Name | Common Name | Family | State | US |
|---|--|------------------|-------|----|
| Melothria pendula | CREEPING CUCUMBER | CUCURBITACEAE | | |
| Mentzelia floridana | POORMAN'S PATCH; STICKLEAF | LOASACEAE | | |
| Metopium toxiferum | FLORIDA POISONTREE; POISONWOOD | ANACARDIACEAE | | |
| Mikania scandens | CLIMBING HEMPVINE | ASTERACEAE | | |
| Mitreola petiolata | LAX HORNPOD | LOGANIACEAE | | |
| Morella cerifera | SOUTHERN BAYBERRY; WAX MYRTLE | MYRICACEAE | | |
| Morinda royoc | REDGAL | RUBIACEAE | | |
| Morus rubra | RED MULBERRY | MORACEAE | | |
| Mucuna sloanei | HORSEEEYE BEAN | FABACEAE | | |
| Muhlenbergia capillaris var. capillaris | HAIRAWN MUHLY | POACEAE | | |
| Muhlenbergia capillaris var. filipes | GULF HAIRAWN MUHLY | POACEAE | | |
| Myrcianthes fragrans | TWINBERRY; SIMPSON'S STOPPER | MYRTACEAE | T | |
| Myrsine cubana | MYRSINE; COLICWOOD | MYRSINACEAE | | |
| Najas guadalupensis | SOUTHERN WATERNYMPH | HYDROCHARITACEAE | | |
| Najas wrightiana | WRIGHT'S WATERNYMPH | HYDROCHARITACEAE | | |
| Nekemias arborea | PEPPERVINE | VITACEAE | | |
| Nephrolepis biserrata | GIANT SWORD FERN | NEPHROLEPIDACEAE | T | |
| Nephrolepis exaltata | SWORD FERN; WILD BOSTON FERN | NEPHROLEPIDACEAE | | |
| Nephrolepis x averyi | AVERY'S SWORD FERN | NEPHROLEPIDACEAE | | |
| Neptunia pubescens | TROPICAL PUFF | FABACEAE | | |
| Nuphar advena subsp. advena | SPATTERDOCK; YELLOW PONDILLY | NYMPHAEACEAE | | |
| Nymphaea mexicana | YELLOW WATERLILY | NYMPHAEACEAE | | |
| Nymphaea odorata | AMERICAN WHITE WATERLILY | NYMPHAEACEAE | | |
| Oenothera biennis | COMMON EVENINGPRIMROSE | ONAGRACEAE | | |
| Oenothera humifusa | SEABEACH EVENINGPRIMROSE | ONAGRACEAE | | |
| Oenothera laciniata | CUTLEAF EVENINGPRIMROSE | ONAGRACEAE | | |
| Oenothera simulans | SOUTHERN BEEBLOSSOM | ONAGRACEAE | | |
| Okenia hypogaea | BURROWING FOUR-O'CLOCK; BEACH PEANUT | NYCTAGINACEAE | E | |
| Ophioglossum nudicaule | SLENDER ADDER'S-TONGUE | OPHIOGLOSSACEAE | | |
| Ophioglossum palmatum | HAND FERN | OPHIOGLOSSACEAE | E | |
| Opuntia humifusa | PRICKLYPEAR | CACTACEAE | | |
| Opuntia stricta | ERECT PRICKLYPEAR; SHELL-MOUND PRICKLYPEAR | CACTACEAE | T | |
| Orthochilus ecristatus | GIANT ORCHID; NON-CRESTED EULOPHIA | ORCHIDACEAE | T | |

Native Plant Species that may Occur in the City

| Scientific Name | Common Name | Family | State | US |
|---|---|-----------------|-------|----|
| <i>Orthosia scoparia</i> | LEAFLESS SWALLOWWORT | APOCYNACEAE | | |
| <i>Osmunda regalis</i> var. <i>spectabilis</i> | ROYAL FERN | OSMUNDACEAE | | |
| <i>Osmundastrum cinnamomeum</i> | CINNAMON FERN | OSMUNDACEAE | | |
| <i>Oxalis corniculata</i> | COMMON YELLOW WOODSORREL; CREEPING WOODSORREL | OXALIDACEAE | | |
| <i>Packera glabella</i> | BUTTERWEED | ASTERACEAE | | |
| <i>Panicum amarum</i> | BITTER PANICGRASS | POACEAE | | |
| <i>Panicum dichotomiflorum</i> var. <i>bartowense</i> | FALL PANICGRASS | POACEAE | | |
| <i>P. dichotomiflorum</i> var. <i>dichotomiflorum</i> | FALL PANICGRASS | POACEAE | | |
| <i>Panicum hemitomon</i> | MAIDENCANE | POACEAE | | |
| <i>Panicum virgatum</i> | SWITCHGRASS | POACEAE | | |
| <i>Parietaria floridana</i> | FLORIDA PELLITORY | URTICACEAE | | |
| <i>Parietaria praetermissa</i> | CLUSTERED PELLITORY | URTICACEAE | | |
| <i>Paronychia americana</i> | AMERICAN NAILWORT | CARYOPHYLLACEAE | | |
| <i>Parthenocissus quinquefolia</i> | VIRGINIA CREEPER; WOODBINE | VITACEAE | | |
| <i>Paspalum blodgettii</i> | CORAL PASPALUM; BLODGETT'S CROWNGRASS | POACEAE | | |
| <i>Paspalum conjugatum</i> | SOUR PASPALUM; HILOGRASS | POACEAE | | |
| <i>Paspalum distichum</i> | KNOTGRASS | POACEAE | | |
| <i>Paspalum monostachyum</i> | GULFDUNE PASPALUM | POACEAE | | |
| <i>Paspalum setaceum</i> | THIN PASPALUM | POACEAE | | |
| <i>Passiflora incarnata</i> | PURPLE PASSIONFLOWER | PASSIFLORACEAE | | |
| <i>Passiflora pallens</i> | PINELAND PASSIONFLOWER; PINELAND PASSIONVINE | PASSIFLORACEAE | E | |
| <i>Passiflora suberosa</i> | CORKYSTEM PASSIONFLOWER | PASSIFLORACEAE | | |
| <i>Pecluma ptilota</i> var. <i>bourgeauana</i> | COMB or SWAMP PLUME POLYPODY; PALMLEAF ROCKCAP FERN | POLYPODIACEAE | E | |
| <i>Pectis glaucescens</i> | SANDDUNE CINCHWEED | ASTERACEAE | | |
| <i>Pectis prostrata</i> | SPREADING CINCHWEED | ASTERACEAE | | |
| <i>Peltandra virginica</i> | GREEN ARROW ARUM | ARACEAE | | |
| <i>Pentodon pentandrus</i> | HALES'S PENTODON | RUBIACEAE | | |
| <i>Peperomia obtusifolia</i> | FLORIDA PEPEROMIA; BABY RUBBERPLANT | PIPERACEAE | E | |
| <i>Persea borbonia</i> var. <i>borbonia</i> | RED BAY | LAURACEAE | | |
| <i>Persea palustris</i> | SWAMP BAY | LAURACEAE | | |
| <i>Persicaria glabra</i> | DENSEFLOWER KNOTWEED | POLYGONACEAE | | |
| <i>Persicaria hydropiperoides</i> | MILD WATERPEPPER; SWAMP SMARTWEED | POLYGONACEAE | | |
| <i>Persicaria punctata</i> | DOTTED SMARTWEED | POLYGONACEAE | | |

Native Plant Species that may Occur in the City

| Scientific Name | Common Name | Family | State | US |
|---|---|------------------|-------|----|
| <i>Persicaria setacea</i> | BOG SMARTWEED | POLYGONACEAE | | |
| <i>Petiveria alliacea</i> | GUINEA HEN WEED | PETIVERIACEAE | | |
| <i>Phlebodium aureum</i> | GOLDEN POLYPODY | POLYPODIACEAE | | |
| <i>Phyla nodiflora</i> | TURKEY TANGLE FOGFRUIT; CAPEWEED | VERBENACEAE | | |
| <i>Phyllanthus abnormis</i> | DRUMMOND'S LEAFFLOWER | PHYLLANTHACEAE | | |
| <i>Phyllanthus caroliniensis</i> subsp. <i>saxicola</i> | ROCK CAROLINA LEAFFLOWER | PHYLLANTHACEAE | | |
| <i>Physalis angulata</i> | CUTLEAF GROUNDCHERRY | SOLANACEAE | | |
| <i>Physalis angustifolia</i> | COASTAL GROUNDCHERRY | SOLANACEAE | | |
| <i>Physalis arenicola</i> | CYPRESSHEAD GROUNDCHERRY | SOLANACEAE | | |
| <i>Physalis pubescens</i> | HUSK TOMATO | SOLANACEAE | | |
| <i>Physalis walteri</i> | WALTER'S GROUNDCHERRY | SOLANACEAE | | |
| <i>Phytolacca americana</i> | AMERICAN POKEWEED | PHYTOLACCACEAE | | |
| <i>Pilea microphylla</i> | ARTILLERY PLANT; ROCKWEED | URTICACEAE | | |
| <i>Piloblephis rigida</i> | WILD PENNYROYAL | LAMIACEAE | | |
| <i>Pinguicula lutea</i> | YELLOW BUTTERWORT; YELLOW-FLOWERED BUTTERWORT | LENTIBULARIACEAE | T | |
| <i>Pinguicula pumila</i> | SMALL BUTTERWORT | LENTIBULARIACEAE | | |
| <i>Pinus clausa</i> | SAND PINE | PINACEAE | | |
| <i>Pinus elliottii</i> | SLASH PINE | PINACEAE | | |
| <i>Piriqueta cistoides</i> subsp. <i>caroliniana</i> | PITTED STRIPESEED | TURNERACEAE | | |
| <i>Pisonia aculeata</i> | DEVIL'S CLAWS; PULLBACK | NYCTAGINACEAE | | |
| <i>Pithecellobium keyense</i> | FLORIDA KEYS BLACKBEAD | FABACEAE | T | |
| <i>Pityopsis graminifolia</i> | NARROWLEAF SILKGRASS | ASTERACEAE | | |
| <i>Pityrogramma trifoliata</i> | GOLDENROD FERN | PTERIDACEAE | | |
| <i>Plantago virginica</i> | VIRGINIA PLANTAIN; SOUTHERN PLANTAIN | PLANTAGINACEAE | | |
| <i>Pleopeltis astrolepis</i> | STAR-SCALE POLYPODY; STAR-SCALED FERN | POLYPODIACEAE | E | |
| <i>Pleopeltis michauxiana</i> | RESURRECTION FERN | POLYPODIACEAE | | |
| <i>Pluchea baccharis</i> | ROSY CAMPHORWEED | ASTERACEAE | | |
| <i>Pluchea odorata</i> | SWEETSCENT | ASTERACEAE | | |
| <i>Plumbago zeylanica</i> | DOCTORBUSH | PLUMBAGINACEAE | | |
| <i>Polanisia tenuifolia</i> | SLENDERLEAF CLAMMYWEED | BRASSICACEAE | | |
| <i>Polygala baldunii</i> | BALDWIN'S MILKWORT | POLYGALACEAE | | |
| <i>Polygala cruciata</i> | DRUMHEADS | POLYGALACEAE | | |
| <i>Polygala incarnata</i> | PROCESSION FLOWER | POLYGALACEAE | | |

Native Plant Species that may Occur in the City

| Scientific Name | Common Name | Family | State | US |
|--|---|-----------------|-------|----|
| <i>Polygala lutea</i> | ORANGE MILKWORT | POLYGALACEAE | | |
| <i>Polygala nana</i> | CANDYROOT | POLYGALACEAE | | |
| <i>Polygala polygama</i> | RACEMED MILKWORT | POLYGALACEAE | | |
| <i>Polygala setacea</i> | COASTALPLAIN MILKWORT | POLYGALACEAE | | |
| <i>Polygonum pinicola</i> | TALL JOINTWEED | POLYGONACEAE | | |
| <i>Polygonum polygamum</i> var. <i>polygamum</i> | OCTOBER FLOWER | POLYGONACEAE | | |
| <i>Polypremum procumbens</i> | RUSTWEED; JUNIPERLEAF | TETRACHONDRAEAE | | |
| <i>Polystachya concreta</i> | GREATER YELLOWSPIKE ORCHID; PALE-FLOWERED POLYSTACHYA | ORCHIDACEAE | E | |
| <i>Pontederia cordata</i> | PICKERELWEED | PONTERIERIAEAE | | |
| <i>Ponthieva racemosa</i> | HAIRY SHADOW WITCH | ORCHIDACEAE | | |
| <i>Portulaca oleracea</i> | LITTLE HOGWEED | PORTULACAEAE | | |
| <i>Portulaca pilosa</i> | PINK PURSLANE; KISS-ME-QUICK | PORTULACAEAE | | |
| <i>Potamogeton illinoensis</i> | ILLINOIS PONDWEED | POTAMOGETONAEAE | | |
| <i>Proserpinaca palustris</i> | MARSH MERMAIDWEED | HALORAGAEAE | | |
| <i>Prunus caroliniana</i> | CAROLINA LAURELCHERRY | ROSACEAE | | |
| <i>Pseudognaphalium obtusifolium</i> | SWEET EVERLASTING; RABBIT TOBACCO | ASTERACEAE | | |
| <i>Psilotum nudum</i> | WHISK-FERN | PSILOTAEAE | | |
| <i>Psychotria nervosa</i> | WILD COFFEE | RUBIAEAE | | |
| <i>Psychotria tenuifolia</i> | SHORTLEAF WILD COFFEE | RUBIAEAE | | |
| <i>Pteridium aquilinum</i> var. <i>caudatum</i> | LACY BRACKEN | DENNSTAEDTIAEAE | | |
| <i>P. aquilinum</i> var. <i>pseudocaudatum</i> | TAILED BRACKEN | DENNSTAEDTIAEAE | | |
| <i>Pterocaulon pycnostachyum</i> | BLACKROOT | ASTERACEAE | | |
| <i>Ptilimnium capillaceum</i> | MOCK BISHOPSWEEP; HERBWILLIAM | APIAEAE | | |
| <i>Quercus chapmanii</i> | CHAPMAN'S OAK | FAGACEAE | | |
| <i>Quercus geminata</i> | SAND LIVE OAK | FAGACEAE | | |
| <i>Quercus laurifolia</i> | LAUREL OAK; DIAMOND OAK; DARLINGTON OAK | FAGACEAE | | |
| <i>Quercus minima</i> | DWARF LIVE OAK | FAGACEAE | | |
| <i>Quercus myrtifolia</i> | MYRTLE OAK | FAGACEAE | | |
| <i>Quercus nigra</i> | WATER OAK | FAGACEAE | | |
| <i>Quercus pumila</i> | RUNNING OAK | FAGACEAE | | |
| <i>Quercus virginiana</i> | LIVE OAK | FAGACEAE | | |
| <i>Randia aculeata</i> | WHITE INDIGOBERRY | RUBIAEAE | | |
| <i>Rhabdadenia biflora</i> | RUBBERVINE; MANGROVEVINE | APOCYNACEAE | | |

Native Plant Species that may Occur in the City

| Scientific Name | Common Name | Family | State | US |
|----------------------------------|------------------------------------|-----------------|-------|----|
| <i>Rhexia cubensis</i> | WEST INDIAN MEADOWBEAUTY | MELASTOMATACEAE | | |
| <i>Rhizophora mangle</i> | RED MANGROVE | RHIZOPHORACEAE | | |
| <i>Rhus copallinum</i> | WINGED SUMAC | ANACARDIACEAE | | |
| <i>Rhynchospora caduca</i> | ANGLESTEM BEAKSEDGE | CYPERACEAE | | |
| <i>Rhynchospora colorata</i> | STARRUSH WHITETOP | CYPERACEAE | | |
| <i>Rhynchospora corniculata</i> | SHORTBRISTLE HORNED BEAKSEDGE | CYPERACEAE | | |
| <i>Rhynchospora divergens</i> | SPREADING BEAKSEDGE | CYPERACEAE | | |
| <i>Rhynchospora fascicularis</i> | FASCICLED BEAKSEDGE | CYPERACEAE | | |
| <i>Rhynchospora inundata</i> | NARROWFRUIT HORNED BEAKSEDGE | CYPERACEAE | | |
| <i>Rhynchospora latifolia</i> | GIANT WHITETOP; SANDSWAMP WHITETOP | CYPERACEAE | | |
| <i>Rhynchospora megalocarpa</i> | SANDYFIELD BEAKSEDGE | CYPERACEAE | | |
| <i>Rhynchospora microcarpa</i> | SOUTHERN BEAKSEDGE | CYPERACEAE | | |
| <i>Rhynchospora microcephala</i> | BUNCHED BEAKSEDGE | CYPERACEAE | | |
| <i>Rhynchospora miliacea</i> | MILLET BEAKSEDGE | CYPERACEAE | | |
| <i>Rhynchospora nitens</i> | SHORTBEAK BEAKSEDGE; BALDRUSH | CYPERACEAE | | |
| <i>Rhynchospora odorata</i> | FRAGRANT BEAKSEDGE | CYPERACEAE | | |
| <i>Rhynchospora tracyi</i> | TRACY'S BEAKSEDGE | CYPERACEAE | | |
| <i>Rivina humilis</i> | ROUGEPLANT | PETIVERIACEAE | | |
| <i>Rorippa palustris</i> | BOG YELLOWCRESS | BRASSICACEAE | | |
| <i>Rorippa teres</i> | SOUTHERN MARSH YELLOWCRESS | BRASSICACEAE | | |
| <i>Rotala ramosior</i> | LOWLAND ROTALA; TOOTHCUP | LYTHRACEAE | | |
| <i>Rubus cuneifolius</i> | SAND BLACKBERRY | ROSACEAE | | |
| <i>Rubus trivialis</i> | SOUTHERN DEWBERRY | ROSACEAE | | |
| <i>Rudbeckia hirta</i> | BLACKEYED SUSAN | ASTERACEAE | | |
| <i>Ruellia caroliniensis</i> | CAROLINA WILD PETUNIA | ACANTHACEAE | | |
| <i>Rumex verticillatus</i> | SWAMP DOCK | POLYGONACEAE | | |
| <i>Sabal palmetto</i> | CABBAGE PALM | ARECACEAE | | |
| <i>Sabatia calycina</i> | COASTAL ROSEGENTIAN | GENTIANACEAE | | |
| <i>Sabatia decandra</i> | BARTRAM'S ROSEGENTIAN | GENTIANACEAE | | |
| <i>Sabatia grandiflora</i> | LARGEFLOWER ROSEGENTIAN | GENTIANACEAE | | |
| <i>Sabatia stellaris</i> | ROSE-OF-PLYMOUTH | GENTIANACEAE | | |
| <i>Saccharum giganteum</i> | SUGARCANE PLUMEGRASS | POACEAE | | |
| <i>Sacciolepis striata</i> | AMERICAN CUPSCALE | POACEAE | | |

Native Plant Species that may Occur in the City

| Scientific Name | Common Name | Family | State | US |
|---|---|-----------------|-------|----|
| <i>Sacoila lanceolata</i> var. <i>lanceolata</i> | LEAFLESS BEAKED LADIESTRESSES; LEAFLESS BEAKED ORCHID | ORCHIDACEAE | T | |
| <i>Sacoila lanceolata</i> var. <i>paludicola</i> | LEAFY BEAKED LADIESTRESSES | ORCHIDACEAE | T | |
| <i>Sagittaria lancifolia</i> subsp. <i>lancifolia</i> | BULLTONGUE ARROWHEAD | ALISMATACEAE | | |
| <i>Sagittaria latifolia</i> | BROADLEAF or COMMON ARROWHEAD; DUCK POTATO | ALISMATACEAE | | |
| <i>Salicornia ambigua</i> | PERENNIAL GLASSWORT; VIRGINIA GLASSWORT | AMARANTHACEAE | | |
| <i>Salix caroliniana</i> | CAROLINA WILLOW; COASTALPLAIN WILLOW | SALICACEAE | | |
| <i>Salvia azurea</i> | AZURE BLUE SAGE | LAMIACEAE | | |
| <i>Salvia coccinea</i> | TROPICAL SAGE; BLOOD SAGE | LAMIACEAE | | |
| <i>Salvia misella</i> | SOUTHERN RIVER SAGE; RIVER SAGE | LAMIACEAE | | |
| <i>Salvia occidentalis</i> | WEST INDIAN SAGE | LAMIACEAE | | |
| <i>Salvia serotina</i> | LITTLEWOMAN | LAMIACEAE | | |
| <i>Sambucus nigra</i> subsp. <i>canadensis</i> | AMERICAN ELDER; ELDERBERRY | ADOXACEAE | | |
| <i>Samolus ebracteatus</i> | WATER PIMPERNEL; LIMEWATER BROOKWEED | SAMOLACEAE | | |
| <i>Samolus valerandi</i> subsp. <i>parviflorus</i> | PINELAND PIMPERNEL; SEASIDE BROOKWEED | SAMOLACEAE | | |
| <i>Sapindus saponaria</i> | SOAPBERRY | SAPINDACEAE | | |
| <i>Saururus cernuus</i> | LIZARD'S TAIL | SAURURACEAE | | |
| <i>Scaevola plumieri</i> | BEACHBERRY; INKBERRY; GULLFEED | GOODENIACEAE | T | |
| <i>Schizachyrium gracile</i> | WIRE BLUESTEM | POACEAE | | |
| <i>Schizachyrium sanguineum</i> | CRIMSON BLUESTEM | POACEAE | | |
| <i>Schoenoplectus pungens</i> | THREESQUARE BULRUSH | CYPERACEAE | | |
| <i>Schoenoplectus tabernaemontani</i> | SOFTSTEM BULRUSH | CYPERACEAE | | |
| <i>Schoenus nigricans</i> | BLACK BOGRUSH | CYPERACEAE | | |
| <i>Schoepfia schreberi</i> | GRAYTWIG | SCHOEPFIACEAE | | |
| <i>Scleria baldwinii</i> | BALDWIN'S NUTRUSH | CYPERACEAE | | |
| <i>Scleria distans</i> | RIVERSWAMP NUTRUSH | CYPERACEAE | | |
| <i>Scleria reticularis</i> | NETTED NUTRUSH | CYPERACEAE | | |
| <i>Scleria triglomerata</i> | TALL NUTGRASS; WHIP NUTRUSH | CYPERACEAE | | |
| <i>Scleria verticillata</i> | LOW NUTRUSH | CYPERACEAE | | |
| <i>Scoparia dulcis</i> | SWEETBROOM; LICORICEWEED | PLANTAGINACEAE | | |
| <i>Selaginella arenicola</i> | SAND SPIKE-MOSS | SELAGINELLACEAE | | |
| <i>Senna ligustrina</i> | PRIVET WILD SENSITIVE PLANT | FABACEAE | | |
| <i>Senna obtusifolia</i> | COFFEEWEED; SICKLEPOD | FABACEAE | | |
| <i>Serenoa repens</i> | SAW PALMETTO | ARECACEAE | | |

Native Plant Species that may Occur in the City

| Scientific Name | Common Name | Family | State | US |
|--|---------------------------------------|---------------|-------|----|
| <i>Sericocarpus tortifolius</i> | WHITETOP ASTER; DIXIE ASTER | ASTERACEAE | | |
| <i>Sesbania herbacea</i> | DANGLEPOD | FABACEAE | | |
| <i>Sesbania vesicaria</i> | BLADDERPOD; BAGPOD | FABACEAE | | |
| <i>Sesuvium portulacastrum</i> | SHORELINE SEAPURSLANE | AIZOACEAE | | |
| <i>Setaria corrugata</i> | COASTAL BRISTLEGRASS; COASTAL FOXTAIL | POACEAE | | |
| <i>Setaria macrosperma</i> | CORAL BRISTLEGRASS; CORAL FOXTAIL | POACEAE | | |
| <i>Setaria magna</i> | GIANT BRISTLEGRASS | POACEAE | | |
| <i>Setaria parviflora</i> | YELLOW BRISTLEGRASS; KNOTROOT FOXTAIL | POACEAE | | |
| <i>Seymeria pectinata</i> | PIEDMONT BLACKSENNA | OROBANCHACEAE | | |
| <i>Sida ciliaris</i> | BRACTED FANPETALS; FRINGED FANPETALS | MALVACEAE | | |
| <i>Sida rhombifolia</i> | CUBAN JUTE; INDIAN HEMP | MALVACEAE | | |
| <i>Sida ulmifolia</i> | COMMON WIREWEED; COMMON FANPETALS | MALVACEAE | | |
| <i>Sideroxylon foetidissimum</i> | FALSE MASTIC | SAPOTACEAE | | |
| <i>Sideroxylon reclinatum</i> subsp. <i>reclinatum</i> | FLORIDA BULLY | SAPOTACEAE | | |
| <i>Sideroxylon salicifolium</i> | WILLOW BUSTIC; WHITE BULLY | SAPOTACEAE | | |
| <i>Simarouba glauca</i> | PARADISE TREE | SIMAROUBACEAE | | |
| <i>Sisyrinchium angustifolium</i> | NARROWLEAF BLUE-EYED GRASS | IRIDACEAE | | |
| <i>Sisyrinchium nashii</i> | NASH'S BLUE-EYED GRASS | IRIDACEAE | | |
| <i>Sisyrinchium xerophyllum</i> | JEWELLED BLUE-EYED GRASS | IRIDACEAE | | |
| <i>Smilax auriculata</i> | EARLEAF GREENBRIER | SMILACACEAE | | |
| <i>Smilax bona-nox</i> | SAW GREENBRIER | SMILACACEAE | | |
| <i>Smilax laurifolia</i> | LAUREL GREENBRIER; BAMBOO VINE | SMILACACEAE | | |
| <i>Solanum americanum</i> | AMERICAN BLACK NIGHTSHADE | SOLANACEAE | | |
| <i>Solanum bahamense</i> | BAHAMA NIGHTSHADE; CANKERBERRY | SOLANACEAE | | |
| <i>Solanum erianthum</i> | POTATOTREE | SOLANACEAE | | |
| <i>Solidago fistulosa</i> | PINEBARREN GOLDENROD | ASTERACEAE | | |
| <i>Solidago leavenworthii</i> | LEAVENWORTH'S GOLDENROD | ASTERACEAE | | |
| <i>Solidago odora</i> var. <i>chapmanii</i> | CHAPMAN'S GOLDENROD | ASTERACEAE | | |
| <i>Solidago sempervirens</i> | SEASIDE GOLDENROD | ASTERACEAE | | |
| <i>Solidago stricta</i> | WAND GOLDENROD | ASTERACEAE | | |
| <i>Sophora tomentosa</i> var. <i>truncata</i> | YELLOW NECKLACEPOD | FABACEAE | | |
| <i>Sorghastrum secundum</i> | LOPSIDED INDIANGRASS | POACEAE | | |
| <i>Spartina alterniflora</i> | SALTMARSH CORDGRASS; SMOOTH CORDGRASS | POACEAE | | |

Native Plant Species that may Occur in the City

| Scientific Name | Common Name | Family | State | US |
|--|--|------------------|-------|----|
| <i>Spermacoce remota</i> | WOODLAND FALSE BUTTONWEED | RUBIACEAE | | |
| <i>Spigelia anthelmia</i> | WEST INDIAN PINKROOT | LOGANIACEAE | | |
| <i>Spiranthes laciniata</i> | LACELIP LADIESTRESSES | ORCHIDACEAE | T | |
| <i>Spiranthes longilabris</i> | LONGSLIP LADIESTRESSES; GIANTSPIRAL LADIESTRESSES | ORCHIDACEAE | T | |
| <i>Spiranthes odorata</i> | FRAGRANT or MARSH LADIESTRESSES; UNDERWATER ORCHID | ORCHIDACEAE | | |
| <i>Spiranthes praecox</i> | GREENVEIN LADIESTRESSES | ORCHIDACEAE | | |
| <i>Spiranthes torta</i> | SOUTHERN LADIESTRESSES | ORCHIDACEAE | E | |
| <i>Spirodela polyrhiza</i> | COMMON DUCKWEED | ARACEAE | | |
| <i>Sporobolus domingensis</i> | CORAL DROPSEED | POACEAE | | |
| <i>Sporobolus virginicus</i> | SEASHORE DROPSEED | POACEAE | | |
| <i>Stachytarpheta jamaicensis</i> | BLUE PORTERWEED; JOEE | VERBENACEAE | | |
| <i>Steinchisma hians</i> | GAPING PANICUM | POACEAE | | |
| <i>Stenandrium dulce</i> | SWEET SHAGGYTUFT | ACANTHACEAE | | |
| <i>Stenotaphrum secundatum</i> | ST. AUGUSTINEGRASS | POACEAE | | |
| <i>Stillingia aquatica</i> | WATER TOOTHLEAF; CORKWOOD | EUPHORBIACEAE | | |
| <i>Stillingia sylvatica</i> | QUEENSDELIGHT | EUPHORBIACEAE | | |
| <i>Stipulicida setacea</i> var. <i>setacea</i> | PINELAND SCALYPINK | CARYOPHYLLACEAE | | |
| <i>Stuckenia pectinata</i> | SAGO PONDWEED | POTAMOGETONACEAE | | |
| <i>Stylisma villosa</i> | HAIRY DAWNFLOWER | CONVOLVULACEAE | | |
| <i>Stylosanthes hamata</i> | CHEESYTOES | FABACEAE | | |
| <i>Suriana maritima</i> | BAY CEDAR | SURIANACEAE | | |
| <i>Swietenia mahagoni</i> | WEST INDIAN MAHOGANY | MELIACEAE | T | |
| <i>Symphyotrichum bahamense</i> | BAHAMAN ASTER | ASTERACEAE | | |
| <i>Symphyotrichum simmondsii</i> | SIMMONDS' ASTER | ASTERACEAE | | |
| <i>Taxodium ascendens</i> | POND-CYPRESS | CUPRESSACEAE | | |
| <i>Taxodium distichum</i> | BALD-CYPRESS | CUPRESSACEAE | | |
| <i>Tectaria heracleifolia</i> | BROAD HALBERD FERN | TECTARIACEAE | T | |
| <i>Telmatoblechnum serrulatum</i> | TOOTHED MIDSORUS FERN; SWAMP FERN | BLECHNACEAE | | |
| <i>Tephrosia florida</i> | FLORIDA HOARYPEA | FABACEAE | | |
| <i>Tephrosia spicata</i> | SPIKED HOARYPEA | FABACEAE | | |
| <i>Teucrium canadense</i> | WOOD SAGE; CANADIAN GERMANDER | LAMIACEAE | | |
| <i>Thalia geniculata</i> | ALLIGATORFLAG; FIREFLAG | MARANTACEAE | | |
| <i>Thelypteris rugescens</i> | ABRUPT-TIP MAIDEN FERN | THELYPTERIDACEAE | T | |

Native Plant Species that may Occur in the City

| Scientific Name | Common Name | Family | State | US |
|--|---|------------------|-------|----|
| <i>Thelypteris hispidula</i> var. <i>versicolor</i> | HAIRY MAIDEN FERN | THELYPTERIDACEAE | | |
| <i>Thelypteris interrupta</i> | HOTTENTOT FERN; WILLDENOW'S FERN | THELYPTERIDACEAE | | |
| <i>Thelypteris kunthii</i> | WIDESPREAD MAIDEN FERN; SOUTHERN SHIELD FERN | THELYPTERIDACEAE | | |
| <i>Thelypteris ovata</i> | OVATE MARSH FERN | THELYPTERIDACEAE | | |
| <i>Thelypteris palustris</i> var. <i>pubescens</i> | MARSH FERN | THELYPTERIDACEAE | | |
| <i>Thelypteris reptans</i> | CREEPING STAR-HAIR FERN | THELYPTERIDACEAE | E | |
| <i>Thelypteris reticulata</i> | LATTICE-VEIN FERN | THELYPTERIDACEAE | E | |
| <i>Tiedemannia filiformis</i> subsp. <i>filiformis</i> | WATER COWBANE | APIACEAE | | |
| <i>Tillandsia balbisiana</i> | NORTHERN NEEDLELEAF | BROMELIACEAE | T | |
| <i>Tillandsia fasciculata</i> | CARDINAL AIRPLANT; COMMON or STIFF-LEAVED WILD PINE | BROMELIACEAE | E | |
| <i>Tillandsia flexuosa</i> | TWISTED AIRPLANT; BANDED AIRPLANT | BROMELIACEAE | T | |
| <i>Tillandsia paucifolia</i> | POTBELLY AIRPLANT | BROMELIACEAE | | |
| <i>Tillandsia recurvata</i> | BALLMOSS | BROMELIACEAE | | |
| <i>Tillandsia setacea</i> | SOUTHERN NEEDLELEAF | BROMELIACEAE | | |
| <i>Tillandsia usneoides</i> | SPANISH MOSS | BROMELIACEAE | | |
| <i>Tillandsia utriculata</i> | GIANT AIRPLANT; GIANT WILD PINE | BROMELIACEAE | E | |
| <i>Tillandsia variabilis</i> | LEATHERLEAF AIRPLANT; SOFT-LEAVED WILD PINE | BROMELIACEAE | T | |
| <i>Tillandsia x smalliana</i> | REDDISH WILD-PINE | BROMELIACEAE | | |
| <i>Toxicodendron radicans</i> | EASTERN POISON IVY | ANACARDIACEAE | | |
| <i>Tragia urens</i> | WAVYLEAF NOSEBURN | EUPHORBIACEAE | | |
| <i>Trema micrantha</i> | NETTLETREE | CANNABACEAE | | |
| <i>Trichostema dichotomum</i> | FORKED BLUECURLS | LAMIACEAE | | |
| <i>Trichostigma octandrum</i> | HOOPVINE | PHYTOLACCACEAE | E | |
| <i>Tridens flavus</i> var. <i>flavus</i> | TALL REDTOP; PURPLETOP TRIDENS | POACEAE | | |
| <i>Triglochin striata</i> | ARROWGRASS | JUNCAGINACEAE | | |
| <i>Triphora gentianoides</i> | GENTIAN NODDINGCAPS | ORCHIDACEAE | | |
| <i>Triplasis americana</i> | PERENNIAL SANDGRASS | POACEAE | | |
| <i>Triplasis purpurea</i> | PURPLE SANDGRASS | POACEAE | | |
| <i>Tripsacum dactyloides</i> | EASTERN GAMAGRASS; FAKAHATCHEEGRASS | POACEAE | | |
| <i>Typha domingensis</i> | SOUTHERN CATTAIL | TYPHACEAE | | |
| <i>Typha latifolia</i> | BROADLEAF CATTAIL | TYPHACEAE | | |
| <i>Uniola paniculata</i> | SEAOATS | POACEAE | | |
| <i>Utricularia cornuta</i> | HORNED BLADDERWORT | LENTIBULARIACEAE | | |

Native Plant Species that may Occur in the City

| Scientific Name | Common Name | Family | State | US |
|--|--|------------------|-------|----|
| <i>Utricularia foliosa</i> | LEAFY BLADDERWORT | LENTIBULARIACEAE | | |
| <i>Utricularia gibba</i> | HUMPED BLADDERWORT | LENTIBULARIACEAE | | |
| <i>Utricularia purpurea</i> | EASTERN PURPLE BLADDERWORT | LENTIBULARIACEAE | | |
| <i>Utricularia resupinata</i> | LAVENDER BLADDERWORT; SMALL PURPLE BLADDERWORT | LENTIBULARIACEAE | | |
| <i>Utricularia simulans</i> | FRINGED BLADDERWORT | LENTIBULARIACEAE | | |
| <i>Utricularia subulata</i> | ZIGZAG BLADDERWORT | LENTIBULARIACEAE | | |
| <i>Vaccinium myrsinites</i> | SHINY BLUEBERRY | ERICACEAE | | |
| <i>Vachellia farnesiana</i> var. <i>farnesiana</i> | SWEET ACACIA | FABACEAE | | |
| <i>Vachellia farnesiana</i> var. <i>pinetorum</i> | PINELAND ACACIA | FABACEAE | | |
| <i>Vallisneria americana</i> | TAPEGRASS; AMERICAN EELGRASS | HYDROCHARITACEAE | | |
| <i>Verbena scabra</i> | SANDPAPER VERVAIN; HARSH VERVAIN | VERBENACEAE | | |
| <i>Verbesina virginica</i> | WHITE CROWNBEARD; FROSTWEED | ASTERACEAE | | |
| <i>Vernonia blodgettii</i> | FLORIDA IRONWEED; BLODGETT'S IRONWEED | ASTERACEAE | | |
| <i>Viburnum obovatum</i> | WALTER'S VIBURNUM; SMALL-LEAF VIBURNUM | ADOXACEAE | | |
| <i>Vicia acutifolia</i> | FOURLEAF VETCH | FABACEAE | | |
| <i>Vigna luteola</i> | HAIRYPOD COWPEA | FABACEAE | | |
| <i>Viola sororia</i> | COMMON BLUE VIOLET | VIOLACEAE | | |
| <i>Vitis aestivalis</i> | SUMMER GRAPE | VITACEAE | | |
| <i>Vitis cinerea</i> var. <i>floridana</i> | FLORIDA GRAPE | VITACEAE | | |
| <i>Vitis rotundifolia</i> | MUSCADINE | VITACEAE | | |
| <i>Vitis shuttleworthii</i> | CALLOOSE GRAPE | VITACEAE | | |
| <i>Vittaria lineata</i> | SHOESTRING FERN | PTERIDACEAE | | |
| <i>Waltheria indica</i> | SLEEPY MORNING | MALVACEAE | | |
| <i>Wolffia columbiana</i> | COLUMBIAN WATERMEAL | ARACEAE | | |
| <i>Woodwardia areolata</i> | NETTED CHAIN FERN | BLECHNACEAE | | |
| <i>Woodwardia virginica</i> | VIRGINIA CHAIN FERN | BLECHNACEAE | | |
| <i>Ximenia americana</i> | TALLOW WOOD; HOG PLUM | XIMENIACEAE | | |
| <i>Xyris ambigua</i> | COASTALPLAIN YELLOWEYED GRASS | XYRIDACEAE | | |
| <i>Xyris caroliniana</i> | CAROLINA YELLOWEYED GRASS | XYRIDACEAE | | |
| <i>Xyris elliotii</i> | ELLIOTT'S YELLOWEYED GRASS | XYRIDACEAE | | |
| <i>Xyris jupicai</i> | RICHARD'S YELLOWEYED GRASS | XYRIDACEAE | | |
| <i>Yucca aloifolia</i> | SPANISH BAYONET; ALOE YUCCA | AGAVACEAE | | |
| <i>Yucca filamentosa</i> | ADAM'S NEEDLE | AGAVACEAE | | |

Native Plant Species that may Occur in the City

| Scientific Name | Common Name | Family | State | US |
|-----------------------------------|--|-----------|-------|----|
| <i>Zamia integrifolia</i> | FLORIDA ARROWROOT; COONTIE | ZAMIACEAE | | |
| <i>Zanthoxylum clava-herculis</i> | HERCULES-CLUB | RUTACEAE | | |
| <i>Zanthoxylum coriaceum</i> | BISCAYNE PRICKLYASH; LEATHERY PRICKLYASH | RUTACEAE | E | |
| <i>Zanthoxylum fagara</i> | WILD LIME; LIME PRICKLYASH | RUTACEAE | | |
| <i>Zizaniopsis miliacea</i> | SOUTHERN WILD RICE; GIANT CUTGRASS | POACEAE | | |

State/US columns indicate if the species is listed as T = Threatened or E = Endangered by either the State of Florida or the Federal Government

Specifically filtered for native plants that can occur in Broward County.

Chart downloaded from the Atlas of Florida Vascular Plants, Institute for Systematic Botany, Download Date 5-7-2018

<http://www.plantatlas.usf.edu/>