

Pioneer

Pioneer

PIONEER CORPORATION

1-1, Shin-Ogura, Saiwai-ku, Kawasaki-shi, Kanagawa-ken 212-0031, Japan
<http://pioneer.jp>

PIONEER ELECTRONICS ASIACENTRE PTE. LTD.

(Co. Reg. No.: 199203130M)
253 Alexandra Road, #04-01, Singapore 159936
Service Hotline: (65)-6472-7555
<http://www.pioneer.com.sg>

PIONEER TECHNOLOGY (MALAYSIA) SDN. BHD.

16th Floor, Menara Uni. Asia, 1008 Jalan Sultan Ismail, 50250 Kuala Lumpur, Malaysia
Service Hotline: (60)-3-2697-2920
<http://www.pioneer.my>

Non MY Not available in Malaysia

WHERE STYLE MEETS FUN



PIONEER and the Pioneer logo are registered trademark of Pioneer Corporation.

Dolby, Pro Logic, and the double-D symbol are registered trademarks of Dolby Laboratories.

DivX®, DivX Certified®, DivX Plus® HD and associated logos are trademarks of Rovi

Corporation or its subsidiaries and are used under license.

"DVD Logo" is a trademark of DVD Format/Logo Licensing Corporation.

The Bluetooth word mark and logo are registered trademarks and are owned by the Bluetooth SIG, Inc. Bluetooth functionality requires a compatible A2DP profile Bluetooth enabled device.

Certain Bluetooth features may not be supported by all compatible Bluetooth-enabled devices, and/or the functionality of such features may be limited in certain devices.

DLNA, the DLNA Logo and DLNA Certified are trademarks, service marks, or certification marks of the Digital Living Network Alliance.

"Made for iPod," "Made for iPhone," and "Made for iPad" mean that an electronic accessory has been designed to connect specifically to iPod, iPhone, or iPad respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards.

Please note that the use of this accessory with iPod, iPhone, or iPad may affect wireless performance.

Apple, AirPlay, iPhone, iPad, iPod and iPod touch are registered trademarks of Apple Inc., registered in the U.S. and other countries. AirPlay works with iPhone 4S, iPhone 4, iPhone 3GS, iPod touch (4th, 3rd and 2nd generations), iPad 2, iPad with iOS 4.2 or later, and iTunes 10.1 (Mac and PC) or later.

The AirPlay logo is a trademark of Apple Inc.

For details on iPod compatibility, visit <http://pioneer.jp/homeav/support/ios/ao/>

vTuner is a registered trademark of Nothing Else Matters Software, Ltd.

Wi-Fi is a registered trademark of the Wi-Fi Alliance®

iPhone not included in the products.

NETWORK/DVD/CD RECEIVER SYSTEMS, SLIM AV MICRO SYSTEM, AND
COMPUTER SPEAKERS 2012 - 2013



Your Space, Your Sound

Whatever your taste, Pioneer's Network/DVD/CD Receiver Systems offer a compact solution for enjoying the latest content from various sources. The network-capable models feature AirPlay, built-in Wi-Fi, Internet Radio, and are DLNA Certified™ (1.5). These systems and the Slim AV Micro System are equipped with iPod/iPhone docks — so you can easily play your favourite tunes.

Network/DVD/CD Receiver Systems

Playin' Smart

X-HM81-K NEW Bluetooth Ready Network CD Receiver System with iPod/iPhone Dock, AirPlay, DLNA, Internet Radio, FM/AM Tuner, USB, and Quality Speakers



Non MY



Made for
iPod iPhone iPad



X-HM71-K NEW / X-HM71-S NEW Network CD Receiver System with iPod/iPhone Dock, AirPlay, DLNA, Internet Radio, FM/AM Tuner, and USB



X-HM71-K (Black)
Non MY

X-HM71-S (Silver)
Non MY



Made for
iPod iPhone iPad



X-HM20V-S DVD/CD Micro System with iPod/iPhone Dock, FM/AM Tuner, and USB

Made for
iPod iPhone iPad



X-CM51V-K NEW DVD/CD Receiver System with iPod/iPhone/iPad Dock, FM Tuner, and USB

Made for
iPod iPhone iPad



White model (X-CM51V-W) also available

X-EM21V NEW DVD/CD Receiver System with iPod/iPhone Dock, FM Tuner, and USB

Made for
iPod iPhone



Feature Highlights of Pioneer's Network/DVD/CD Receiver Systems

Class D Amplifier

HM81 HM71

The systems are elaborately equipped with the new MOSFET called Direct Power FET, which was developed for Pioneer's top-of-the-line amplifiers. The semiconductor chip is directly connected to the circuit board, and this simple structure provides a highly efficient, clean signal path, with no need for a heat sink, proving quality sound in high power.



Layered Chassis, Gold-Plated Terminals, and Quality Speakers

HM81

The 1.2 mm Layered Chassis reduces unwanted vibrations, while also proving stability with low centre of gravity. Various quality parts are used on the system for superior sound reproduction, such as gold-plated terminals, highly rigid glass fibre woofers, and film capacitors for the crossover network.



Layered Chassis



Gold-Plated Terminals

2.4" LCD Display

HM81 HM71

The 2.4" full-colour LCD can display track information and even album artwork for the playing song.


AirPlay Wireless Audio

HM81 HM71

AirPlay — Enthusiasts have complete access, control and playback of their entire iTunes music library wirelessly through their system. Users can quickly and easily enjoy all their music with song information and album art simultaneously displayed on the LCD.



For details on iPod compatibility, visit <http://pioneer.jp/homeav/support/os/ao>



Slim AV Micro Systems

X-SMC1-W ^{NEW} / X-SMC1-S / X-SMC1-K DVD/CD Slim AV Micro System with iPod/iPhone Dock, FM Tuner, and USB



Wireless Sound System

XW-SMA3-K ^{NEW} AirPlay and DLNA Compatible Water-Resistant Wireless Sound System with Rechargeable Battery



Music Throughout the House

Connect multiple speakers to your network to enjoy music throughout your home.

Wireless Direct

Wireless Direct allows direct wireless connection with your Wi-Fi enabled device, without the need for a wireless router.

Ultimate Portability

Rechargeable Battery
Water Resistance

Take it anywhere, and enjoy hours of music with the rechargeable battery.

Audio Artistry

SOUND TUNED BY ANDREW JONES

Chief Speaker Engineer

Created by world-renowned speaker engineer Andrew Jones, this speaker offers high performance and exceptional quality.

Water-Resistant

The unit is IPX2 rated, protected against splash and dripping water.

* Wireless Direct feature is unencrypted, and may have security risks. The unit may operate if a third party connects and plays music from a wireless device.

Computer Speakers

S-MM251-K ^{NEW}

USB Powered Computer Speakers

S-MM201-K ^{NEW}

USB Powered Computer Speakers

S-MM751RU

2.1ch Multimedia Speakers



Silver model (S-MM251-S) also available

- 1.75" aluminium drivers x 2
- Power: 1.5 W x 2
- Dimensions (W x H x D): 100 x 96 x 100 mm

White model (S-MM201-W) also available

- 1.75" aluminium drivers x 2
- Power: 1.5 W x 2
- Dimensions (W x H x D): 70 x 98 x 70 mm

- Remote control
- USB/SD card slot
- MaxxBass® technology
- 3.5 mm input
- Headphone out
- Power: 10 W x 2 + 20 W
- Dimensions (W x H x D): Subwoofer: 270 x 196 x 160 mm Satellite Speakers: 100 x 180 x 77 mm

FEATURE COMPARISON & SPECIFICATIONS: NETWORK/DVD/CD RECEIVER SYSTEMS

System	X-HM81-K	X-HM71-S/-K	X-HM20V-S	X-CM51V-K/-W	X-EM21V
Functions	iPod/USB/CD/Music Server/Internet Radio/Favourites/FM/AM/Audio In/Line/BT Audio*	iPod/USB/CD/Music Server/Internet Radio/Favourites/FM/AM/Audio In/Line	DVD/iPod/FM/AM/USB/Line	DVD/CD/FM/USB/iPod/Audio In/Line	Disc/USB/iPod/FM
Tuner (Band, Preset Stations)	FM/AM (40)	FM/AM (40)	FM/AM (40)	FM (40)	FM (20)
Amplification					
Power Output (1 kHz, 10 % THD)	50 W + 50 W (4 ohms)	50 W + 50 W (4 ohms)	15 W + 15 W (4 ohms)	15 W + 15 W (8 ohms)	10 W + 10 W (8 ohms)
Audio Features					
Made for iPod/iPhone/iPad	• (Digital Audio)	• (Digital Audio)	• (Digital Audio)	• (Digital Audio)	• (except iPad)
Bluetooth Ready (AS-BT200 optional adapter required)	•	•	•	•	•
Sound Control (Bass/Treble)	•	•	•	•	•
Sound Equalizer (Presets)	• (Classic/Pops/Vocal/Jazz/Game/Flat)	• (Classic/Pops/Vocal/Jazz/Game/Flat)	•	• (Flat/Jazz/Pop/Rock)	• (Pop/Rock/Classic/Jazz)
Bass Enhancer "P-BASS"	•	•	•	•	•
Playback Media/PC Files					
DVD-Video, DVD-R/-RW			DivX/MP3/WMA/JPEG	DivX/MP3/WMA/JPEG	DivX/MP3/WMA/JPEG
CD-Audio, CD-R/-RW	MP3/WMA	MP3/WMA	DivX/MP3/WMA/JPEG	DivX/MP3/WMA/JPEG	DivX/MP3/WMA/JPEG
USB Device	MP3/WMA/WAV/MPEG-4 AAC/FLAC	MP3/WMA/WAV/MPEG-4 AAC/FLAC	DivX/MP3/WMA/JPEG	DivX/MP3/WMA/JPEG	DivX/MP3/WMA/JPEG
Network Features					
AirPlay Wireless Audio	•	•	•	•	•
Built-in Wi-Fi (IEEE802.11 b/g)	•	•	•	•	•
DLNA Certified™ (1.5)	•	•	•	•	•
Internet Radio (vTuner)	•	•	•	•	•
Music File Playback via LAN	MP3/WMA/WAV/MPEG-4 AAC/FLAC	MP3/WMA/WAV/MPEG-4 AAC/FLAC			
Convenience					
LCD Display	2.4"	2.4"			
iPod/iPhone/iPad Charging	•	•	•	•	• (except iPad)
Auto Power Off	•	•	•	•	•
Wake-up Timer	•	•	•	•	•
Network Standby Mode	•	•	•	•	•
Terminals					
HDMI			1	1	
USB	1 (Front)	1 (Front)	1 (Front)	1 (Front)	1 (Front)
Audio Input	1 (Front)	1 (Front)			
Component Video Output			1	1	1
Composite Video Output	1 (Gold-Plated)**	1**	1	1	1
S-Video Output			1		
Line Input	1 (RCA, Pair, Gold-Plated)	1 (RCA, Pair)	1 (RCA, Pair)	1 (RCA, Pair)	
Ethernet	1	1			
Specifications					
Power Requirements	220-240 V, 50 Hz	220-240 V, 50 Hz	220-240 V 50/60 Hz	220-240 V, 50/60 Hz	220-240 V, 50/60 Hz
Power Consumption/Standby	75 W/0.5 W or less	75 W/0.5 W or less	45 W/0.4 W	37 W/0.5 W or less	28 W/0.6 W or less
Dimensions (W x H x D)/Weight					
Receiver unit	215 x 132.2 x 353 mm/5.5 kg	215 x 131 x 353 mm/5.0 kg	215 x 99 x 300 mm/3.9 kg	200 x 123 x 250.6 mm/2.0 kg	152 x 175 x 215 mm/1.36 kg
Speaker (Each)	156 x 266 x 258 mm/4.3 kg	148 x 263 x 208 mm/2.7 kg	132 x 260 x 173 mm/2.0 kg	120 x 200 x 232.6 mm/2.0 kg	135 x 175 x 198 mm/1.33 kg

* AS-BT200 optional adapter required
** For iPod/iPhone/iPad only

FEATURES & SPECIFICATIONS: SLIM AV MICRO SYSTEM

System	X-SMC1-W/X-SMC1-S/X-SMC1-K
Functions	iPod/BT Audio*/Air Jam*/DVD/CD/USB/FM/AUX In
Tuner (Band, Preset Stations)	FM (9)
Amplification	
Power Output (1 kHz, 10 % THD)	20 W + 20 W (8 ohms)
Audio Features	
Made for iPod/iPhone	•
Bluetooth Ready (AS-BT200 optional adapter required)	•
Sound Control (Bass/Treble)	•
Sound Retriever	•
Playback Media/PC Files	
DVD-Video, DVD-R/-RW	DivX/MP3/WMA/MPEG-4 AAC/JPEG
CD-Audio, CD-R/-RW	DivX/MP3/WMA/MPEG-4 AAC/JPEG
USB Device	DivX/MP3/WMA/MPEG-4 AAC/JPEG
Convenience	
iPod/iPhone/iPad Charging	• (except iPad)
Auto Power Off	•
Wake-up Timer	•
Terminals	
HDMI	1
USB	1 (Front)
Headphones Output	1
Composite Video Output	1
Line Input	1 (3.5 mm)
Specifications	
Power Requirements	100-240 V, 50/60 Hz
Power Consumption/Standby	25 W/0.5 W
Dimensions (W x H x D)/Weight	520 x 218 x 156 mm/3.7 kg

* AS-BT200 optional adapter required

FEATURES & SPECIFICATIONS: WIRELESS SOUND SYSTEM

Features	X-SMA3-K
Made for iPod/iPhone/iPad	•
AirPlay Wireless Audio	•
DLNA Certified™ (1.5)	•
Wi-Fi® Certified	•
Wireless Direct	•
Water-Resistant	• (IPX2 rated)
Terminals	
USB for iPod/iPhone/iPad	•
AUX-In	•
LAN	•
Specifications	
Power Requirements	AC 100-240 V 50/60 Hz (AC Adapter)
Dimensions (W x H x D)	320 x 180 x 145 mm
Weight	3.5 kg

IPX2: Protected against vertically dripping water when unit is tilted up to 15°
iPhone not included in the products.