

STREPTANTHUS
ALBIDUS SPP.
PERIMOENUS

Jake Davis

Subkingdom *Tracheobionta* – Vascular plants

Superdivision *Spermatophyta* – Seed plants

Division *Magnoliophyta* – Flowering plants

Class *Magnoliopsida* – Dicotyledons

Subclass *Dilleniidae*

Order *Capparales*

Family *Brassicaceae* – Mustard family

Genus *Streptanthus* Nutt. – twistflower

Species *Streptanthus albidus* Greene – Metcalf Canyon
jewelflower

Subspecies *Streptanthus albidus* Greene ssp. *peramoenus*
(Greene) Kruckeb. – most beautiful jewelflower



© Gary A. Monroe







■ *Streptanthus albidus* ssp. *peramoenus*

ID: 0000 0000 0305 0138 [\[detail\]](#)

© 2005 Dieter Wilken



Streptanthus albidus ssp. *peramoenus*

Most Beautiful Jewelflower

ID: 0000 0000 1207 0838 [\[detail\]](#)

© 2007 Neal Kramer



Fig. 4. *Bombus vosnesenskii*, the main pollinator of the Metcalf Jewelflower, here captured while approaching *S. albidus* ssp. *peramoenus*.



Streptanthus albidus ssp. *peramoenus*

Most Beautiful Jewelflower

ID: 0000 0000 1207 0842 [\[detail\]](#)

© 2007 Neal Kramer

Propagation and production

- 10 day stratification to germ
- 2 weeks to true leaves
- 2 months to flower
- Self sows
- Typically flowers April to June

Uses

- Possible cut flower
- Primarily tall bedding plant
- Grows to near 30" tall

Copyright (c) AnnieHayes, 2011
<http://davesgarden.com/members/AnnieHayes/>
Unauthorized Use Prohibited

