Ricoh Aficio MP C6501SP/C7501SP

Color Digital Imaging System
Exceptional Speed, Outstanding Quality











versatile







Ricoh Aficio MP C6501SP/C7501SP

Stay competitive and reduce total cost of ownership. Engineered to provide outstanding speed and image quality, the RICOH® Aficio® MP C6501SP/C7501SP is a complete solution for fast-paced offices and select high-volume environments, such as centralized reprographics departments. This powerful system delivers the advanced performance you need to handle any document-related task quickly and efficiently. It has the capacity and reliability to consolidate color volume to a single, cost-effective system. It also offers the flexible finishing, versatile paper handling and the impressive color quality you need to eliminate outsourcing and minimize total cost of ownership (TCO).



SpeedEfficiencyReliabilityQuality

Proven Productivity

Staying competitive means doing more work in less time with accuracy and reliability. Trust the Ricoh Aficio MP C6501SP/C7501SP to provide exactly what demanding users need.

- Reduce turnaround time with fast output. The MP C6501SP delivers 60 color and 65 black & white pages per minute and the MP C7501SP achieves speeds up to 70 color and 75 black & white pages per minute. Both offer duplexing at 100% of rated speed.
- Accelerate productivity with one-pass duplex scanning. This not only reduces scan time, it minimizes wear and tear on sensitive originals.
- Navigate to the features you need in just a few quick selections.
 The large full-color WVGA control panel is the same intuitive LCD touch-screen available on all Ricoh MFPs, so you can upgrade the fleet without retraining users.
- Meet tight deadlines and complete quick-turn jobs with one of the shortest warm-up times and fastest first copy times of any high-speed color device in its class.
- Optimize efficiency with the ability to reload paper without interrupting the current job. Total paper capacity with all options is an incredible 7,400 sheets.



Extend the possibilities of document production with a variety of paper handling accessories and professional-grade finishing options.

- Experiment with new formats. The Multi-Fold Unit offers six folding options, including Half-Fold, Double Parallel Fold and Gate-Fold.
- Create full-color output on a wide range of paper grades. The system accepts up to 140 lb. Index (253 g/m²) through the Paper Trays and up to 110 lb. Cover (300 g/m²) through the Bypass Tray.
- Improve uptime with the optional Large Capacity Tray. This 2,000-sheet accessory holds paper sizes up to 12" x 18" and weights up to 110 lb. Cover (300 g/m^2).
- Distribute high-quality finished documents with stapling, hole punching, ring binding or saddle-stitching, depending on your needs.

Reduce Operating Costs

In addition to its best-in-class affordability, the Ricoh Aficio MP C6501SP/C7501SP delivers the speed and versatility organizations need to keep operating expenses low.


- Perform a wide variety of color and finishing tasks in-house, eliminating the need to outsource complex jobs to expensive third-party providers.
- Consolidate jobs from multiple laser or inkjet printers to cut supply costs.
- Print marketing collateral, forms, training packets and other documents on demand instead of managing large volumes of preprinted inventory.
- Empower creative teams to produce high-quality layouts, proofs and mock-ups with exceptional speed and quality.
- Improve workflow in copy shops and print-for-pay environments by adding high-quality color capacity and finishing capabilities that are ideal for quick-turn jobs.



Scan both sides of any original without feeding it twice using single-pass duplex scanning.



Create a variety of full-color documents with different folding options.



Choose the Ring Bind Unit to create readyto-distribute training packets, reports and other lengthy documents.

Equipped to Optimize Productivity



Versatile Paper Sources

Standard paper sources include the Tandem 2 x 1,100-Sheet Paper Tray, two 550-Sheet Paper Trays and Bypass Tray for a total of 3,400 sheets. With additional options also shown here, this system can hold up to 7,400 sheets.



Optional Large Capacity Trays

The RT4000 DLT/LCT utilizes the system Bypass Tray for a straight paper path. This helps to reliably feed up to 110 lb. Cover stock (300 g/m²). The DLT tray holds 2,000 sheets, up to $12" \times 18"$ and 110 lb. Cover. The RT43 LCT holds 4,000 sheets, up to $8.5" \times 11"$ and 34 lb. Bond.

Ricoh MP C6501SP/C7501SP

Impressive Image Quality

The high-powered color print engine in the Ricoh Aficio MP C6501SP/C7501SP creates high-resolution images that capture your customers' attention.

- Maximize edge definition, coverage consistency and color density with breakthrough PxP oil-free toner from Ricoh. Smaller particles and a lower melting point combine to create smooth blends and solid fills.
- Help visually impaired users with a special printer driver function that adjusts color levels to enhance readability.



Configure the Ricoh Aficio MP C6501SP/C7501SP with the Fiery E-7200 print controller for professional-grade print and color control.

- Boost onboard power and expedite complex processing tasks with a 2.0GHz processor.
- Get all the advantages of Fiery color manipulation without giving up familiar Ricoh functionality for other tasks. Even if you choose the optional Fiery controller, you can keep user-friendly Ricoh menus for a full host of scanning capabilities.
- Streamline workflow with convenient drag-and-drop functionality. Just point and click to move files from the desktop to a print queue, prepare files for output or balance workflow among multiple connected devices.
- Maximize job-to-job efficiency with the Command WorkStation utility. Switch effortlessly from managing jobs to configuring the controller's settings.
- Bridge the gap between platforms. The Fiery controller provides identical functionality in both Windows and Mac environments.


Enhance Personal Productivity

The App2Me® solution revolutionizes document management, enabling users to create customized workflows and execute them anywhere they go.

- Download widgets to any client (desktop PC, laptop or Smartphone) and use them on any Ricoh MFP enabled with App2Me.
- Enjoy maximum convenience and a consistent experience at each App2Meenabled MFP, which is completely personalized no matter where you go.
- Simplify complex workflows. Widgets can be created to combine, distribute, edit and create documents, as well as perform many other tasks automatically.
- Maximize productivity. App2Me improves efficiency through widgets that control a virtually endless array of MFP, software or Web service-driven workflows.
- Create specialized widgets for almost any need, in any framework across multiple platforms that App2Me supports, such as Google Desktop™ and more.



Expect vivid, intense colors with a powerful 1200 dpi print engine and new PxP oil-free toner.



Expedite full-color job processing with the incredibly fast, EFI Fiery E-7200 print controller.



With App2Me, you can download time-saving and workflow-enhancing widgets and use them at any Ricoh MFP enabled with the App2Me solution.

PowerfulConvenientInnovativeFlexible

Multifunction Performance

The Ricoh Aficio MP C6501SP/C7501SP integrates a diverse range of capabilities into a relatively small footprint, enabling you to reach new heights of productivity and efficiency.

 Manage virtually any document-related task with this incredibly versatile, high-speed system. Choose from advanced printing, copying, faxing and scanning functions.

 Reduce network traffic with high-compression PDFs, especially when handling large full-color files.

Protect Every Document

Advanced security features ensure that sensitive documents and the system itself remain safe from multiple threats.

- Restrict system access to authorized users. The system supports external (Windows, LDAP) and internal (basic and user code) authentication.
- Protect business critical information with the DataOverwriteSecurity System (DOSS) option.
 It automatically overwrites the hard drive after copy, scan, fax and print jobs. You can also use the HDD Encryption option to protect data, even if the hard drive is removed or stolen.

Environmental Advantages

Many organizations are "going green" by setting goals for sustainability. The Ricoh Aficio MP C6501SP/C7501SP helps support these efforts.

- Minimize total energy consumption. The Ricoh Aficio MP C6501SP/C7501SP uses significantly less electricity without compromising speed, productivity or functionality. It is also designed to use less energy during sleep mode.
- Maintain outstanding image quality. With its lower melting point, PxP toner requires less energy, yet delivers the highquality results you expect.

The Total Green Office Solution





RICOH

Ricoh continues its long-standing commitment to developing office solutions with environmentally friendly and superior energy- and supply-saving features, without compromising productivity.

Ricoh Aficio MP C6501SP/C7501SP

System Specifications

General Specifications

Warm-Up Time

Configuration Console

Flatbed with moving 3-line CCD Scanning Element array image-scanning

320GB (160GB x 2) (Shared) System Memory Standard 150-Sheet ADF with Document Feeder single-pass color duplex scanning

Copy Resolution 600 dpi 256 Levels Color/Grayscale **Ouantity Indicator** 1 - 9.999 Original Type Sheet/Book/Object Original Size Up to 11" x 17'

MP C7501SP: <60 sec. MP C6501SP: 5.7/7.5 sec. (BW/FC) First Copy Speed MP C7501SP: 4.9/6.4 sec. (BW/FC) MP C6501SP: 60/65 (FC/BW) **Output Speed**

MP C7501SP: 70/75 (FC/BW) Standard Paper Capacity 1st Tray 1,100 x 2

550 sheets x 2nd & 3rd trays, 100-Sheet Bypass Tray

3,400 standard 7,400 sheet std. max capacity 5.5" x 8.5" to 12" x 18"

MP C6501SP: <70 sec.

Paper Size 14 lb. Bond - 80 lb. Cover (216 g/m²) Paper Weight

14 lb. Bond - 140 lb. Index (253 g/m²)

(Tray 3) 17 lb. Bond - 90 lb. Index (163 g/m²)

(Duplex) 14 lb. Bond - 110 lb. Cover (300 g/m2)

(Bypass)

7 reduction and 5 enlargement

Magnification 25% to 400% in 1% increments Zoom **Power Requirements** MP C6501SP: 120-127V/20A/60Hz MP C7501SP: 208-240V/20A/60Hz

Dimensions (WxDxH) 29.5" x 33.5" x 48.4" (including ADF)

Weight <657 lbs

Copier Features:

Auto Paper Selection, Auto Reduce/Enlarge, Auto Start, Auto Tray Switching, Auto Image Density, Duplex, User Codes, Stapling, Color Erase/Convert, Electronic Sort, Image Rotation, Rotate Sorting, Series Copy, Doc Server, User Tools, Job Presets, Book/ Series/Combine, Insert Cover/SlipSheet, Chaptering, Tabs, Color/ Image Creation, Sample Copy, Energy Saver, Image Adjustment, Multiple Security Options

Printer Specifications (standard)

CPU Intel Pentium - M 1.4GHz RAM 2GB (STD/MAX)

HDD 320GB (160GB x 2) (Shared) Standard Interfaces Ethernet (10/100BaseTX), USB2.0 **Optional Interfaces** Parallel, Wireless LAN

(IEEE802.11a/g) Bluetooth, Ethernet 1000 Base-T **Network Protocol** TCP/IP, IPX/SPX, Apple Talk Operating Systems Windows: 2000/XP/Vista/Server

2003, Server 2008. Netware; 3.12, 3.2, 4.1, 4.11, 5.0, 5.1, 6, 6.5. Unix, Sun Solaris, HP-UX, SCO OpenServer, RedHat Linux, IBM AIX. MAC: OS 8.6

- 9.2x, OS X 10.1 or later **Print Drivers** PCL5c, PCL6, XPS (standard), Adobe PS3 (optional)

Max Print Resolution Up to 1200 dp

Scanner Specifications

Scanning Resolution Up to 600 dpi Up to 11" x 17" Scan Area

Simplex B/W 82 ipm/Duplex B/W 125 Scan Speed ipm; Simplex Color 70 ipm/Duplex

Color 115 ipm

BW/Binary - TIFF MH/MR/MMR Compression Full Color/Grayscale: JPEG Standard Interfaces 10/100BaseTX, Wireless LAN

Scanner Features:

BW/FC Photo, BW/FC Text, Auto Color, Auto Density, Image Rotation, Mixed Size, SADF, Batch. Scan-to Modes Supported: Scan-to-Email, Scan-to-Folder, Scan-to-URL, TWAIN Scanning, USB/SD2.0 Scan-to

Document Server Specifications (Standard)

Max. Stored Documents 3,000 Max. Pages per Document 3,000 Max. Stored Pages 15,000

Fax Specifications (Optional)

Circuit PSTN, PBX Compatibility ITU-T (CCITT) G3, Additional G3 opt Resolution 200 x 100/200 dpi (400 dpi w/opt. SAF memory)

MH, MR, MMR, JBIG Compression Method

0.7 sec. 33.6 K - 2,400 bps Scanning Speed Modem Speed Transmission Speed G3: Approx 2 sec. Memory Backup 1 hour

Quick/Speed Dials 2,000 numbers

100 groups (500 per group) **Group Dials** Standard **Energy Saver**

Accessories

RT4000 DIT/ICT

Paper Capacity 2.000 sheets Paper Size up to 12" x 18" Paper Weight 14 lb. - 110 lb. Cover (300 g/m²) Size

38.1" x 28" x 29.3"

Weight 192 lbs.

RT43/LCT Paper Capacity

4,000 sheets Paper Size 8.5" x 11"

Paper Weight 14 lb. - 34 lb. Bond (128 g/m2) 12" x 18" x 26" Size

Weight 44 lbs.

CS391 9-Bin Mailbox

Number of Bins Stack Capacity of Bins 100 sheets

Paper Size 5.5" x 8.5" - 11" x 17" Paper Weight 14 lb. - 34 lb. Bond (128 g/m²)

21" x 24" x 26" Size Weight 33 lbs.

2 Source Cover Interposer

Paper Size 5.5" x 8.5" - 12" x 18" Paper Weight 17 lb. Bond - 110 lb. Index (199 g/m²)

28" x 29" x 50" Size Weight 99 lbs.

SR5000 100-Sheet Staple Finisher**

Capacity (Proof Tray) 500 sheets (8.5" x 11" or smaller) 250 sheets (8.5" x 14" or larger) 5.5" x 8.5" - 12" x 18" 8.5" x 11" - 3,000 sheets Paper Size

Capacity (Shift Tray) 8.5" x 14" - 11" x 17" - 1,500 sheets 12" x 18" - 1,000 sheets

Paper Weight 14 lb. Bond - 110 lb. Cover (300 g/m2)

8.5" x 11" - 100 pages 8.5" x 14" - 11" x 17" - 50 pages Staple 31" x 29" x 39" Weight 165 lbs

**SR5000 must include Finisher Adapter Type C.

SR4030 50-Sheet Staple Finisher

Capacity (Proof Tray) 250 sheets (8.5" x 11" or smaller) Paper Size

250 sheets (8.5" x 14" or larger) 5.5" x 8.5" - 12" x 18" 8.5" x 11" - 3,000 sheets 8.5" x 14" - 11" x 17" - 1,500 sheets Capacity (Shift Tray) Paper Weight 14 lb. Bond - 110 lb. Cover (300 g/m²)

8.5" x 11" - 50 pages 8.5" x 14" - 11" x 17" - 30 pages Staple

26" x 24" x 38" Size Weight

SR4040 Booklet Maker Capacity (Proof Tray)

250 sheets (8.5" x 11" or smaller) 250 sheets (8.5" x 14" or larger) 5.5" x 8.5" - 12" x 18" 8.5" x 11" - 2,000 sheets 8.5" x 14" - 11" x 17" - 1,000 sheets Paper Size Capacity (Shift Tray)

14 lb. Bond - 110 lb. Cover (300 g/m²) Paper Weight Staple

8.5" x 11" - 50 pages 8.5" x 14" - 11" x 17" - 30 pages

8.5" x 11" - 12" x 18" - 15 pages Saddle Stitch Staple***

26" x 24" x 38" Size Weight 139 lbs.

***Paper weight for saddle stitch stapling is 28 lb. Bond max.

FD5000 Multi-Folding Unit

Compatible with SR5000 and SR4040 only.

Folding Type:

Single Sheet Mode: Z-Fold, Half-Fold/Print inside, Half-Fold/Print outside, Letter Fold-in/Print inside, Letter Fold-in/Print outside, Letter Fold-out, Double Parallel/Print inside, Double Parallel/Print outside, Gate-Fold/Print inside, Gate-Fold/Print outside. Multiple Sheets Mode: same as Single Sheet mode; up to 3 sheets.

Paper Size:

Faper Size:
Single Sheet Mode: Z folding: 8.5" x 11" - 12" x 18"; Half folding: 8.5" x 11"; Letter folding: 8.5" x 11" - 12" x 18"; Double Parallel/
Gate folding: 8.5" x 11" - 12" x 18"; Multiple Sheets Mode: Half folding: 8.5" x 11" - 12" x 18"; Letter folding: 8.5" x 11"; Double Parallel/Gate folding: 8.5" x 11" - 12" x 18";

GBC StreamPunch III

8.5" x 11" LEF Paper Size

Paper Weight 20 lb. Bond - 110 lb. Index (216 g/m²) Die Sets CombBind®, Twin Loop Wire (2:1 or

3:1), ColorCoil®, VeloBind®, Three-

Ring, ProClick®

BK5010e Production Booklet Maker

8.5" x 11" - 11" x 17" Paper Size

Paper Weight 16 lb. Bond - 110 lb. Index (216 g/m²)

Ring Binder RB5000

8.5" x 11" (LEF only) Paper Sizes Supported Max. Binding Capacity 100 sheets/booklet 50-sheet/100-sheet Ring Sizes Supported

Paper Weight Punched 17 lb. Bond - 80 lb Cover (216 g/m²) Paper Weight Bound 17 lb. Bond - 80 lb Cover (216 g/m²) Dimensions (WxDxH) 34.25" x 28.7" x 38.5" 110/115V, 50/60Hz **Power Requirements**

Weight 319.6 lbs.

Additional Accessories

Single Source Cover Interposer Type 3260; Punch Unit for SR5000; Punch Unit for SR4030/4040; Jogger Option for 4030/4040; Legal Tray for RT43 LCT Type 1075; 11" x 17" Tray Type 2105; Copy Connector Kit Type 3260; Tab Sheet Unit Type 3260; File Format Converter Type E; HDD Overwrite Security Kit Type H; HDD Encryption Unit Type A; Copy Data Security Kit Type F; Adobe PostScript3 Type C7501; IEEE802.11a/g Type J; IEEE1284 Type A; Bluetooth Interface Unit Type 3245; Browser Unit Type E; G3 Interface Kit Type C7500; Key Counter Bracket Type 1027; Reader Key Card Bracket Type B; Key Card I/F Unit Type A; Gigabit Ethernet Type B; Copy Tray Type 2075; FAX Memory Unit Type B 32MB, USB2.0/SD Slot Type D

Fiery E-7200 Specifications

Embedded Type Controller Type Fiery E20 Fiery Platform

Maximum Continuous MP C6501SP: 65 ppm B/W, 60 ppm color Print Speed MP C7501SP: 75 ppm B/W, 70 ppm color CPU Intel Core Duo T2500 2.0GHz

Host Interface 1000/100/10BASE-T Memory 1GB Internal HDD 80GB Operating System Linux

TCP/IP (IPv4/IPv6), AppleTalk (Auto Network Protocol switching), SMB

Printer Description Language Adobe PostScript 3, PCL6/5c Max Print Resolution Up to 1200 dpi

Max Scan Resolution Up to 600 dpi PS3: 138 fonts/PCL: 80 AGFA fonts **Fonts**

Operation Panel Utilities

Standard: CommandWorkStation 5, Color Wise Pro Tools, Fiery Scan, Printer Delete Utility, Fiery Web Tools Optional: SeeQuence Impose, Color Profiler Suite (UV version), Auto Trapping, Spot-On, Hot Folders ICC Profile, Color Chart, CMYK

Color Management Tools Color Reference Pages, RGB Color

Tests, Trapping Support, ColorWise Pro Tools

Color Cal, Densitometer, Calibration Spectrophotometer

For maximum performance and yield, we recommend using genuine Ricoh parts and supplies.



Bringing Ricoh Value to Your Organization
Ricoh technology offers a diverse portfolio of solutions to help your organization stay competitive and move
ahead. Let Ricoh show you how to empower your business to improve critical processes, keep information
secure, ensure compliance and promote environmental sustainability while reducing the total cost of ownership.

Ricoh and the Ricon Logo are registered trademarks of Ricoh Company, Ltd. All other trademarks are the property of their respective owners. Print speed may be affected by network, application or PC performance. Specifications and external appearances are subject to change without notice. Products are shown with optional features.









